NORSK METEOROLOGISK ÅRBOK

1949

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

QC
989
.N8
N6
1949

LIBRARY
APR 2000
National Oceanic &
Atmospheric Administration
U.S. Dept. of Commerce

PRIS KR. 10.00

TRYKT HOS GRØNDAHL & SØN · OSLO 1951

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

INNHOLD

Side

Stasjonskart 1949 IV
Meteorologiske stasjoner, instrumenter og observasjoner 1949 V
Forklaring til tabellene VIII
Symboler XII
Stasjonsfortegnelse 1949 XIV
Rettelser XVI
De bearbeidede data fra registreringene av lufttrykk, lufttemperatur, relativ fuktighet, vind og nedbør i Oslo (Blindern) 1949 1
Avvikelser i lufttrykksmidlene og lufttemperaturmidlene i 1949 fra de tilsvarende midler for perioden 1901—30 15
Sjøtemperaturen 1949 på 12 representative kyststasjoner 15
Daglige observasjoner (Ekstensotabell) i Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) og Tromsø 1949 16
Måneds- og årsoversikter for 150 stasjoner 1949..... 40
Pentademidler av lufttemperaturen for 37 stasjoner 1949 100

Daglige observasjoner (Ekstensotabell) på Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og i Myggbukta 1948 102
Måneds- og årsoversikter for Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og Myggbukta 1948 132
Tabeller med k og c faktorene 134

CONTENTS

Page

Map of stations 1949 IV
Meteorological stations, instruments and observations 1949 V
Explanatory notes to the tables..... VIII
Symbols XIII
List of stations 1949 XIV
Corrigenda XVI
Data of atmospheric pressure, air temperature, relative humidity, wind and precipitation obtained from recording instruments at Oslo (Blindern) 1949.... 1
Departures of the mean pressures and mean air temperatures for 1949 from the corresponding means for the period 1901—30 15
Sea surface temperature 1949 at 12 representative coastal stations 15
Individual observations (Ekstensotabell) at Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) and Tromsø 1949..... 16
Monthly and annual summaries for 150 stations 1949 40
Five-day means of air temperature for 37 stations 1949 100

Individual observations (Ekstensotabell) on Isfjord Radio, Hopen, Bjørnøya, Jan Mayen and Myggbukta 1948 102
Monthly and annual summaries for Isfjord Radio, Hopen, Bjørnøya, Jan Mayen and Myggbukta 1948 132
Tables containing the k and c factors 134


Stasjonskart
(MAP OF STATIONS)
1949
Gamvik
Makkaur Fyr
Ingøu
Torsvåg
Alta (Elvebakken)
Skattora
Sommarøy i Senja
Tromsø
Karasjok
Pasvik
Andenes
Gibostad
Kautokeino
Bardufoss
Sandsøy i Senja
Dividalen
Bø i Vesterålen
Borge i Lofoten
Bjørnfjell
Narvik
Offersøy
Skrova
Glåpen Fyr
Grøtøy
Røst
Skamvær Fyr
Helligvær
Bodø
Fauske
Myken
Glomfjord
Nord-Solvær
Mo i Rana II
Skålvær
Brønnøysund II
Majavatn
Leka
Nordøyan
Nordli II
Grong
Nordli II
Kjøvli i Snåsa
Vallersund
Sula Fyr
Ytterøy
Sulstua
Ørland II
Meråker II
Værnes
Trondheim (Voll)
Selbu
Kristiansund N.
Ona
Tingvoll
Berkåk
Gjermundnes
Sunndal
Røros
Runde
Tynset
Tofjord
Fokstua
Dombås
Alvdal
Kråkenes Fyr
Nordfjordeid
Opstryn
Vågamo
Drevsjø
Engerdal
Elveseter
Ytre Rendal
Koppang
Vinstra
Kinn
Førde i Sunnfjord
Fanaråken
Luster Sanat
Fortun
Fjærland
Åmot
Trysil
Leikanger
Vollen i Slidre
Lillehammer
Vangsnes
Lærdal (Tønjum)
Modalen
Åbjørsbråten
Vang på Hedmark
Hellisøy Fyr
Myrdal
Ø Toten
Flisa
Voss
Slirå
Nesbyen II
Kutjern
Kvamskogen
Haugastøl
Geilo
Vinger
Bergen
Dagali
Ullensvang
Gardermoen
Syfteland
Hvam
Tryvosshøada
Modum
Fornebu
Oslo
Indre Matre
Slåtterøy
Gaustatoppen
Svene
Åsker
Svandalsflona
Sauda
Kongsberg
Eidsberg
Dalen i Telemark
Gvarv
Ramnes
Råde
(Tomb)
Kalnes
Utsira
Brekke
Skudenes II
Vefall i Drangedal
Ferder
Stavanger
Tveitsund
Sola
Klepp
Jomfruland
Tonstad
Byglandsfjord
Lyngø Fyr
Obrestad
Torungen Fyr
Gråben
Grimstad
Kristiansand S.
Lista
Oksøy
Kjevik
Lindesnes
Mandal II
Isfjord Radio
Hopen
Bjørnøya
Myggbukta
Jan Mayen

METEOROLOGISKE STASJONER, INSTRUMENTER OG OBSERVASJONER

Antallet meteorologiske stasjoner som var i drift i 1949, bortsett fra nedbørstasjoner, var 206, hvori også er medregnet de 5 arktiske stasjonene. Av stasjonene sendte 169 værtelegrammer til forskjellige tider, mens 37 bare sendte månedsrapporter. Den 1. januar 1949 ble hovedobservasjonsterminene forandret fra 8, 14, 19 M.E.T. til 8, 13 og 19 M.E.T. Den 1. juli 1949 ble hovedobservasjonsterminene for de telegraferende værstasjonene forandret fra kl. 8, 13, 19 M.E.T. til kl. 7, 13 og 19 M.E.T. De ikke telegraferende værstasjonene fortsatte å observere kl. 8, 13 og 19 M.E.T. også etter 1. juli 1950. Den klimatologiske statistikken er basert på observasjonene tatt kl. 8, 13 og 19, henholdsvis 7, 13 og 19 M.E.T.

Årboken for 1949 inneholder forskjellige klimatologiske data fra 150 stasjoner i 1949. Dessuten inneholder den tilsvarende data fra de arktiske stasjonene Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og Myggbukta for 1948.

I Årboken for 1949 er følgende stasjoner gått ut: Maurset, Bergsdal, Ørsta, Brønnøysund, Tonnes i Helgeland og Sørvågen. Følgende nye stasjoner er tatt inn i Årboken for 1949: Tynset, Koppang, Vågåmo, Mandal II, Grong, Brønnøysund II, Bodø V og Borge i Lofoten.

Med hensyn til de enkelte stasjoner er følgende å bemerke:

Ytre Rendal: Stasjonen ble nedlagt den 28. september 1949. En ny stasjon — Koppang — ble opprettet den 28. september 1949 ca. 20 km SW for Ytre Rendal.

Vang på Hedmark: Stasjonen ble flyttet ca. 250 m mot S den 2. desember 1949.

Oslo (Blindern): Stasjonen fikk nytt anemometer den 13. mars 1949.

Fornebu: Anemografen ble flyttet 450 m mot WSW den 29. april 1949.

Geilo: Stasjonen ble flyttet ca. 150 m mot W den 25. august 1949. I månedene jan.—juni 1949 ble observasjonene tatt kl. 8, 14 og 19. I juli og august ble de tatt kl. 7, 14 og 19, i september og

METEOROLOGICAL STATIONS, INSTRUMENTS AND OBSERVATIONS

The number of meteorological stations in operation during the year 1949, not counting rainfall stations, were 206, including also the 5 arctic stations. Telegraphic reports were received at various hours from 169 stations, the remaining stations furnishing monthly reports only. On January 1st 1949 the hours of observation were changed from 8, 14, 19h E.M.T. to 8, 13 and 19h E.M.T. On July 1st 1949 the hours of observation were changed from 8, 13, 19h to 7, 13 and 19h E.M.T. for the stations furnishing telegraphic reports. The remaining meteorological stations continued observing at 8, 13 and 19h E.M.T. also after July 1st 1950. The climatological statistics in the Year book refer to the observations made at 8, 13, 19h and 7, 13, 19h E.M.T., respectively.

The Year book for 1949 contains various climatological data from 150 stations. In addition it also contains similar data from the arctic stations: Isfjord Radio, Hopen, Bjørnøya (Bear Island), Jan Mayen and Myggbukta (Greenland) for 1948.

In the Year book for 1949 the following stations have been omitted: Maurset, Bergsdal, Ørsta, Brønnøysund, Tonnes i Helgeland and Sørvågen. The following stations have been included in the present Year book: Tynset, Koppang, Vågåmo, Mandal II, Grong, Brønnøysund II, Bodø V and Borge i Lofoten.

With regard to the individual stations, the following should be noted:

Ytre Rendal: The station was closed on September 28th 1949. A new station — Koppang — was established on September 28th 1949 about 20 km SW of Ytre Rendal.

Vang på Hedmark: The station was moved about 250 m towards S on December 2nd 1949.

Oslo (Blindern): The station was equipped with a new anemometer on March 13th 1949.

Fornebu: The anemograph was moved 450 m towards WSW on April 29th 1949.

Geilo: The station was moved about 150 m towards W on August 25th 1949. In the months Jan.—June 1949 the observations were made at 8, 14 and 19h. In July and August they were made

oktober 1949 kl. 7, 13 og 19 og i november og desember 1949 ble observasjonene tatt kl. 8, 13 og 19.

Haugastøl: Stasjonen ble flyttet ca. 350 m mot ENE den 6. juli 1949.

Ramnes: Stasjonen ble flyttet ca. 200 m mot ESE den 21. juli 1949.

Kjevik: Barometeret og anemografen ble flyttet ca. 80 m mot SW den 18. mai 1949.

Mandal: Stasjonen ble nedlagt den 21. juni 1949. En ny stasjon — Mandal II — ble opprettet den 21. juni 1949 ca. 2.5 km NNW for Mandal.

Stavanger: Stasjonen ble flyttet ca. 100 m mot SW den 22. januar 1949.

Førde i Sunnfjord: Stasjonen var ute av drift fra juli—oktober 1949.

Tafjord: Stasjonen ble flyttet ca. 100 m mot ESE den 28. september 1949.

Skålvær: Stasjonen som hadde vindusbur, fikk instrumenthytte den 13. september 1949.

Glomfjord: Observasjonene fra juli—desember 1949 var så mangelfulle at en ikke har kunnet beregne årsmidler for stasjonen.

Bodø IV: Stasjonen ble flyttet ca. 2 km mot WSW den 30. juli 1949. Den nye stasjon heter Bodø V.

Eggum: Stasjonen ble nedlagt den 30. november 1949. En ny stasjon — Borge i Lofoten — ble opprettet ca. 9 km ENE for Eggum den 1. desember 1949.

Skattøra: Anemografen ble flyttet 70 m mot SE den 7. september 1949.

Karasjok: Grunnet feil ved barometeret, mangler lufttrykksverdiene fra januar—juni 1949. Den 26. juni 1949 ble barometeret flyttet fra den midlertidige barakken til det nye våningshuset. Den 27. juni 1949 ble nedbørstolpen flyttet ca. 20 m mot SSW.

Myggbukta: I Årboken for 1946, 1947 og 1948 står $H_b = 4.0$ m. Det skal hele tiden være $H_b = 3.2$ m.

Lufttrykket ble i 1949 observert på 95 stasjoner, men lufttrykksobservasjonene er bearbeidet klimatologisk bare for 36 stasjoner. Stasjonsbarometrene er kvikksølvbarometre av Fuess eller Kew konstruksjon. Av stasjonene er 84 utstyrt med barograf.

Lufttemperaturen ble observert på 181 stasjoner. 166 av disse målte også minimumstemperaturen og 41 maksimumstemperaturen. Mens lufttemperaturen blir observert kl. (8), 7, 13 og 19, blir ekstremtemperaturene avlest bare kl. (8), 7 og 19. Termometrene er

at 7, 14 and 19^h, in September and October 1949 at 7, 13 and 19^h and in November and December the observations were made at 8, 13 and 19^h.

Haugastøl: The station was moved about 350 m towards ENE on July 6th 1949.

Ramnes: The station was moved about 200 m towards ESE on July 21st 1949.

Kjevik: The barometer and the anemograph were moved about 80 m towards SW on May 18th 1949.

Mandal: The station was closed on June 21st 1949. A new station — Mandal II — was established on June 21st 1949 about 2.5 km NNW of Mandal.

Stavanger: The station was moved about 100 m towards SW on January 22nd 1949.

Førde i Sunnfjord: The station was not operated from July—October 1949.

Tafjord: The station was moved about 100 m towards ESE on September 28th 1949.

Skålvær: The station which hitherto had a small screen of sheet metal with window exposure, was equipped with a louvre-boarded thermometer screen on September 13th 1949.

Glomfjord: The observations from July-December 1949 were so incomplete that it was not possible to compute the annual values for the station.

Bodø IV: The station was moved about 2 km towards WSW on July 30th 1949. The new station is called Bodø V.

Eggum: The station was closed on November 30th 1949. A new station — Borge i Lofoten — was established about 9 km ENE of Eggum on December 1st 1949.

Skattøra: The anemograph was moved 70 m towards SE on September 7th 1949.

Karasjok: Owing to defects of the barometer, the pressure values from January—June 1949 are missing. On June 26th the barometer was moved from the temporary hut to the new dwelling house. On June 27th the rain gauge was moved about 20 m towards SSW.

Myggbukta: In the Year book for 1946, 1947 and 1948: Read $H_b = 3.2$ m instead of $H_b = 4.0$ m.

Atmospheric pressure was observed at 95 stations in 1949, but only the observations from 36 of these have been included in the climatological statistics. The station barometers are mercurial barometers of the Fuess or of the Kew pattern. 84 stations are supplied with barographs.

The air temperature was observed at 181 stations. Among these 166 recorded the minimum temperature and 41 the maximum temperature. Whilst the air temperature is read at (8), 7, 13 and 19 hours, the extreme temperatures are observed only at (8), 7 and

hovedsakelig Küchler-termometre, inndelt i $^1/_5$° C. De fleste maksimums- og minimumstermometre er inndelt i $^1/_1$° C og resten er inndelt i ½° C. 36 stasjoner er utstyrt med termograf av Fuess eller Richard typen og 2 stasjoner har termohygrograf.

162 stasjoner er utstyrt med instrumenthytte av tre, 5 med vindusbur og 9 stasjoner har slynge termometer, 5 stasjoner er utstyrt med aspirasjons psykrometer. 25 stasjoner er ikke utstyrt med instrumenter og utfører bare visuelle observasjoner for flygeværtjenesten.

Temperaturen i havoverflaten ble målt hver dag kl. 13 på 16 representative kyststasjoner.

Luftens fuktighet ble målt på 131 stasjoner, hvorav de fleste er utstyrt med Russeltvedts torsjonshygrometer. Hva slags fuktighetsinstrument hver enkelt stasjon har, fremgår av stasjonsfortegnelsen på side *XIV*. 18 stasjoner er også utstyrt med hygrograf. Fuktighetsmålinger foretas bare på de stasjoner som har instrumenthytte, og der er fuktighetsinstrumentet anbrakt i hytta.

Vindens retning og styrke observeres på alle stasjonene, og likeså noteres også den maksimale vindstyrke mellom observasjonsterminene. 94 stasjoner er utstyrt med vindfløy eller vaker, på de øvrige stasjoner bedømmes vindretningen etter skjønn. 24 stasjoner er utstyrt med registrerende vindmålere, på de øvrige bedømmes vindstyrken skjønnsmessig etter Beauforts skala.

Nedbørmengden (smeltevannet når det er snø eller hagl) blir målt på samtlige stasjoner kl. (8) 7 M.E.T. I den årstid nedbøren vesentlig faller som snø, benyttes en snømåler. Både regn- og snømålerne har en samleflate på 225 cm². 82 stasjoner er utstyrt med Nipher vindskjerm, og 7 stasjoner er også forsynt med pluviograf. Når det er snø på bakken, observeres snødybden og snødekket hver dag kl. (8) 7.

Været, skydekket, synsvidden og nedbørslags samt været mellom observasjonsterminene observeres på samtlige stasjoner.

Av registreringene er bare verdiene fra Oslo (Blindern) tatt inn i Årboken.

19 hours. The thermometers are mostly of the Küchler type, graduated in fifths of degrees Centigrade. Most of the maximum- and minimum thermometers are graduated in whole degrees Centigrade, the remainder being graduated in half degrees Centigrade. 36 stations are equipped with thermographs of the Fuess or Richard type and 2 stations have thermohygrographs.

162 stations are equipped with louvre-boarded thermometer screens, 5 stations have small screens of sheet metal with window exposure and 9 stations use whirling thermometers. 5 stations are equipped with aspiration psychrometers. 25 stations are not equipped with instruments and furnish only visual observations for aviation reports.

The temperature of the sea surface was observed daily at 13 hours at 16 representative coastal stations.

Humidity observations were made at 131 stations, most of which are equipped with Russeltvedt torsion hygrometer. The type of hygrometer used at each station is indicated in the list of stations on page *XIV*. 18 stations are also equipped with hygrographs. Humidity observations are made only at stations equipped with an instrument screen, the humidity instrument being mounted in the screen.

The direction and the force of the wind are observed at all stations, and so is also the maximum wind force occurring between the standard times of observation. 94 stations are equipped with a wind vane or a «wind sleeve», the remaining stations estimating the wind direction. 24 stations are equipped with wind recorders, and the remaining stations estimate the wind force according to the Beaufort scale.

The amount of precipitation (melted when snow or hail) is measured by all stations at (8) 7 hours E.M.T. During the time of the year when the precipitation is mainly falling as snow, a snow-gauge is used. Both the rain-gauge and the snow-gauge have a collecting surface of 225 sq.cm. 82 stations are equipped with a Nipher wind shield and 7 stations are supplied with a pluviograph. When snow is present on the ground, the depth of the snow and the snow cover is observed daily at (8) 7 hours.

Observations of weather, cloudiness, visibility, type of precipitation and past weather are made by all stations.

Only data obtained from the recording instruments at Oslo (Blindern), are included in the Year Book.

FORKLARINGER TIL TABELLENE

Tabellene er satt opp i overensstemmelse med de vedtak som ble gjort av den Internasjonale meteorologiske Organisasjon i møtene i Warszawa 1935 og i Salzburg 1937. Interpolerte verdier er angitt ved et ^{x}, de andre symboler som er benyttet er forklart på side *XII*.

Registreringene i Oslo (Blindern). — Verdiene i tabellene på side 1—14 er tatt ut for hver annen time av registreringene og påført de nødvendige korreksjoner. Vindhastigheten representerer den midlere hastighet i timen forut for det anførte klokkeslett. Verdiene for de øvrige elementer er momentanverdier. Ekstremverdier er trykt med fete typer. Følgende registrerinstrumenter har vært benyttet:

Sprung-Fuess kvikksølvbarograf.
Fuess termo-hygrograf nr. 18455, M.I.
Skålkorsanemometer M.I. 48/250 nr. 1 og magnetoanemograf M.I.
Hellmann—Fuess pluviograf nr. 19415.

Ekstensotabellene. — Tabellene på side 16—39 inneholder observasjonene kl. 8, 13 og 19 M.E.T. fra Oslo (Blindern) og Tromsø og for kl. (8), 7, 13 og 19 fra Bergen (Fredriksberg) og Trondheim (Voll) for 1949. Tabellene på side 102—131 inneholder observasjonene kl. 8, 14 og 19 M.E.T. fra Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og Myggbukta for 1948.

Regnet fra venstre til høyre inneholder rubrikkene:

1. *Datum.*
2. *Lufttrykket* (P) i millibar i stasjonens nivå.
3. *Lufttemperaturen* (T) og ekstremtemperaturene (Max og Min) i Celsiusgrader.
4. *Relativ fuktighet* (U) i prosent.
5. *Vindretningen* (D) i skalaen 01—36 og vindstyrken (F) etter Beaufort-skalaen.
6. *Synsvidden* (V) i skalaen 0—9, hvor 9 betyr synsvidde større enn 100 km.
7. *Skydekket* (N) i skalaen 0—8, og været (w) ved observasjonsterminene uttrykt ved symbolene på side XII.
8. *Nedbørhøyden* (R) i mm.
9. *Snødybden* (h_s) i cm.
10. *Værforløpet* (W) i døgnet uttrykt ved symbolene på side *XII*.

Måneds- og årsoversikter. — Tabellene på side 40—99 og 132—133 inneholder måneds- og årsmidler og

EXPLANATORY NOTES TO THE TABLES

The tables are arranged in accordance with the decisions made by the International Meteorological Organisation at the meetings in Warsaw 1935 and Salzburg 1937. Interpolated values are indicated by superscript x, other symbols used are defined on page *XIII*.

Data obtained from recording instruments at Oslo (Blindern). — The values given in the tables on pp. 1—14 are obtained from the bi-hourly readings of the self recording instruments appropriately corrected. The values for wind speed represent the mean values through a period of one hour prior to the time indicated. The other elements represent instantaneous values. The extreme values are printed in bold face type. The following recording instruments have been used:

Sprung-Fuess mercury barograph.
Fuess thermo-hygrograph No: 18455, M.I.
Cup anemometer M.I. 48/250 No. 1 and magnetoanemograph M.I.
Hellmann—Fuess pluviograph No. 19415.

Tables of individual observations. — The tables on pp. 16—39 contain observations made at 8, 13 and 19 hours E.M.T. at Oslo (Blindern) and Tromsø and those made at (8), 7, 13 and 19 hours at Bergen (Fredriksberg) and Trondheim (Voll) for 1949. The tables on pp. 102—131 contain observations made at 8, 14 and 19 hours E.M.T. at the stations Isfjord Radio, Hopen, Bjørnøya, Jan Mayen and Myggbukta for 1948.

The contents of the columns from left to right are as follows:

1. *Date.*
2. *Pressure* (P) in millibars at station level.
3. *The air temperature* (T) and the extreme temperatures (Max and Min) in degrees Centigrade.
4. *Relative humidity* (U) in per cent.
5. *Wind direction* (D) on the scale 01—36 and the wind force (F) according to the Beaufort scale.
6. *Visibility* (V) on the scale 0—9, where 9 signifies visibility in excess of 100 km.
7. *Cloud cover* (N) on the scale 0—8, and the weather (w) at the time of observation represented by the symbols given on page XIII.
8. *Amount of precipitation* (R) in mm.
9. *Depth of snow on the ground* (h_s) in cm.
10. *Sequence of weather phenomena* (W) during the 24 hour period, expressed by the symbols defined on page *XIII*.

Monthly and annual summaries. — The tables on pp. 40—99 and 132—133 contain monthly and

summer av de forskjellige elementer. Regnet fra venstre til høyre inneholder rubrikkene:

1. *Måned.*

2. *Lufttrykket i stasjonens nivå* (P_m) og lufttrykket redusert til havets overflate (P_{om}) eller til nærmeste standard-geopotensial flate. Her er gjort en unntakelse for lufttrykket på Røros og Dombås som er redusert til havet. Siden 1 januar 1944 har Eliassens[1]) reduksjonstabeller vært benyttet, og disse tabeller gir verdier som for enkelte stasjoner er litt forskjellige fra dem en fikk av de tabellene som ble brukt tidligere. Lufttrykket på kyststasjonene reduseres (som før 1. januar 1944) på grunnlag av en konstant temperaturavtagen med høyden på 0.6° C pr. 100 m. For innlandsstasjonene Røros, Dombås, Nordli II og Karasjok benyttes den samme konstante temperaturgradient, og dessuten tilføyes en temperaturkorreksjon[2]) når lufttemperaturen er under 2° C.

Reduksjonen til havet av lufttrykket på Dalen i Telemark og på Vollen i Slidre utføres i overensstemmelse med Eliassens 4. metode (loc. cit. p. 10).

3. *Lufttemperaturen* (i Celsiusgrader). — Månedsmidlene (Dies) er beregnet av formelen[3])

$$M = n - k(n - \overline{\text{Min.}})$$

hvor n er midlet av observasjonene kl. (8) 7, 13 og 19, k en faktor som varierer med årstiden og fra stasjon til stasjon,[4]) og $\overline{\text{Min.}}$ er den midlere minimumstemperatur. Temperaturekstremene gjelder for døgnet regnet fra kl. 19—kl. 19.

4. *Vindfordelingen.* — Vindstyrken er gitt etter Beaufortskalaen. Vindretningen er gitt i skalaen 01—36 og henført til den nærmeste retning delelig med 3, nemlig:

N (36), N30°E (03), N60°E (06), E (09)
E 30°S (12), E60°S (15), S (18), S30°W (21)
S60°W (24), W (27), W30°N (30), W60°N (33).

Den første tallkolonne under hver retning gir antall tilfeller med vind fra vedkommende retning, og den annen kolonne gir den midlere vindstyrke.

5. *Relativ fuktighet* (i prosent). — På stasjoner hvor Russeltvedts torsjonshygrometer blir brukt, tas den relative fuktighet ut av tabeller som er beregnet for hvert instrument. Fuktighetene som

[1] Arnt Eliassen: On the Correction and Reduction of Barometer Readings. Geof. Publ. Vol XIII No: 11.

[2] Jahrbuch des Norwegischen Meteorologischen Instituts für 1944 S. XI.

[3] H. Mohn: Mittheilungen aus dem Norwegischen Meteorologischen Institute II. Die Temperatur der Luft. Met. Zeitschr. 1891 S. 253.

annual means and sums of the different elements. The contents of the columns from left to right, are as follows:

1. *Month.*

2. *Atmospheric pressure at station level* (P_m) and atmospheric pressure reduced to mean sea level (P_{om}) or to the nearest standard geopotential surface, the latter with the exception that the pressures observed at Röros and Dombås are reduced to mean sea level. Since January 1st 1944, Eliassen's[1]) reduction tables have been in use, and these tables render results that, for some stations, differ slightly from those obtained from the tables previously used. The pressure observed at coastal stations are reduced (as prior to January 1st 1944) on the assumption of a constant lapse rate of temperature equal to 0.6° C per 100 m elevation. For the inland stations Röros, Dombås, Nordli II and Karasjok the same constant lapse rate is used, and, in addition, a temperature correction[2]) is applied when the air temperature is below 2° C.

The reduction to mean sea level of the pressure observations at Dalen i Telemark and Vollen i Slidre is performed according to Eliassen's fourth method (loc. cit. p. 10).

3. *Air temperature* (in degrees Centigrade). — The monthly means are computed from the formula[3])

$$M = n - k(n - \overline{\text{Min.}})$$

where n is the mean of the observations made at (8) 7, 13 and 19 hours, k a factor appropriate for the station and season[4]) and $\overline{\text{Min.}}$ is the mean minimum temperature. The extreme temperatures refer to the 24-hour period from 19 to 19 hours.

4. *Wind distribution.* — The wind force is given according to the Beaufort scale. The wind direction is given on the scale 01—36, reduced to the nearest direction divisible by 3, viz.

N (36), N30°E (03), N60°E (06), E (09)
E30°S (12), E60°S (15), S (18), S30°W (21)
S60°W (24), W (27), W30°N (30), W60°N (33).

The first column of figures under each direction gives the number of cases of winds from the direction indicated, and the second column of figures gives the mean wind force.

5. *Relative humidity* (in per cent). — At stations where Russeltvedt's torsionhygrometers are used, the relative humidity is obtained from tables computed for each instrument. Humidities observed by

[4] Jahrbuch des Norwegischen Instituts für 1938, S. VIII und 35 og Norsk Meteorologisk Årbok 1949, S 134 og 138.

observeres med psykrometer blir omregnet til relativ fuktighet ved hjelp av Jelineks tabeller når temperaturen er over frysepunktet og ved hjelp av Birkelands[5]) tabeller når temperaturen er under frysepunktet. Den relative fuktighet refererer alltid til metningstrykket over vann.

Månedsmidlet er beregnet av Køppens formel

$$M = q + c(2p - q)$$

hvor q er midlet av morgen- og aftenobservasjonene, p midlet av middagsobservasjonene og c er en faktor som varierer med stedet og tiden.[6])

6. *Skydekket* (i skalaen 0—8). — Månedsmidlene beregnes særskilt for morgen-, middags- og kveldsobservasjonene og summen av disse deles med 3.

7. *Nedbøren* (i mm). — Nedbørhøyden blir målt kl. (8) 7, og gjelder for de foregående 24 timer. Månedssummene er gitt på nærmeste hele mm, og det samme er også tilfelle med de maksimale nedbørhøyder (Max).

8. *Antall dager med visse fenomener.* — Når det gjelder nedbørmengden, regnes døgnet fra kl. (8) 7 til kl. (8) 7, i forbindelse med andre fenomener regnes det fra kl. 19 til kl. 19.

Som nedbørdager regnes alle dager når nedbørhøyden er 0.1 mm eller mer. Dager med sludd telles opp for seg og tas dessuten med i kolonnene under dager med regn og dager med snø. Likeledes telles også antall dager med yr opp som dager med regn når nedbørmengden er 0.1 mm eller mer. Til antall dager med yr, hagl og tordenvær regnes alle dager da slike fenomener forekommet, uten hensyn til nedbørhøyden. Dessuten skjelnes mellom tåke og tåkedis ettersom den tilhørende synsvidde er mindre eller større enn 1 km. Hvis tåke og tåkedis har forekommet på samme dag, regnes dagen som tåkedag. Som solskinnsdag regnes alle dager da solskinn er forekommet uten hensyn til varigheten. Som klare dager regnes dager på hvilke summen av skydekketallene kl. (8) 7, 13 og 19 er 4 ($^4/_8$) eller mindre. På samme vis regnes hver dag når summen av skydekketallene kl. (8) 7, 13 og 19 er 20 ($^{20}/_8$) eller mer, som en overskyet dag. Dager med snødekke er dager når $^3/_4$ eller mer av bakken er dekket med snø.

[5] B. J. Birkeland: Neue Feuchtigkeitstafeln für das Psychrometer unter dem Gefrierpunkt, Christiania, 1907, Vorwort.

psychrometers are converted to relative humidity by the aid of Jelinek's tables when the temperature is above freezing and by aid of Birkeland's[5]) tables when the temperature is below freezing. Throughout, the relative humidity refers to saturation over water. The monthly means are computed from Køppen's formula

$$M = q + c(2p - q)$$

where q denotes the mean of the morning and the evening observations, p the mean of the midday observations and c is a factor appropriate for the station and the season.[6])

6. *Amount of cloud cover* (on the scale 0—8). — The monthly means are computed separately for the morning, midday and evening observations, and the sum of these is divided by 3.

7. *Amount of precipitation* (in mm). — The amount of precipitation is measured at (8) 7 hours and refers to the preceding 24-hour period. The monthly sums are given to the nearest mm and so are also the maximum amounts (Max).

8. *Number of days with certain phenomena.* — Insofar as the amount of precipitation is concerned, the «day» is reckoned from (8) 7 to (8) 7 hours, in connection with other elements the «day» refers to the period from 19 to 19 hours.

As a day with precipitation is counted any day on which the amount of precipitation is 0.1 mm or more. Days with sleet are counted separately and are also included in the columns referring to days with rain and snow. Likewise the number of days with drizzle is included in the number of days with rain when the amount of precipitation is 0.1 mm or more. As days with drizzle, hail and thunderstorm are reckoned any day on which such phenomena occurred, regardless of the amount of precipitation associated with them. Furthermore, differentiation is made between fog and mist according to whether the associated visibility is lower or higher than 1 km. If fog and mist have occurred on the same day, the day is counted as one of fog. As a day with sunshine is counted any day on which sunshine has occurred, regardless of duration. As clear days are counted days on which the sum of the amount of cloud cover at (8) 7, 13 and 19 hours is 4 (i.e. $^4/_8$) or less. Similarly, as an overcast day is taken any day when the sum of the cloud cover at (8) 7, 13 and 19 hours is 20 (i.e. $^{20}/_8$) or more. Finally, a day with snow cover is a day on which $^3/_4$ or more of the ground is covered by snow.

[6] Jahrbuch des Norwegischen Meteorologischen Instituts für 1920, S. XI og Norsk Meteorologisk Årbok 1949, S. 135 og 139.

Avvikelser fra normalene. — Tabellene på side 15 gir avvikelsene i det midlere lufttrykk (ΔP) og i middeltemperaturene (ΔT) i 1949 fra middelverdiene for perioden 1901—1930.

Sjøtemperaturen (T_1). — Måneds- og årsmidler for temperaturen i havoverflaten 1949 på 12 representative kyststasjoner finnes på side 15.

Pentademidler av lufttemperaturen. — Tabellene på side 100—101 viser temperaturmidlene i perioder på 5 dager for 37 utvalgte stasjoner i 1949. Midlene er beregnet av formelen

$$M = n - k(n - \overline{\text{Min}})$$

hvor n er midlet av observasjonene kl. (8) 7, 13 og 19, k en faktor som varierer med årstiden og fra stasjon til stasjon[7]) og $\overline{\text{Min}}$ den midlere minimumstemperatur i 5-dagers perioden.

Tabeller over k og c faktorer. — På side 134—141 finnes k og c faktorene i formelen som brukes til beregning av månedsmidlet av henholdsvis lufttemperaturen og den relative fuktighet. k faktorene til beregning av pentademidler av lufttemperaturen finnes på side 136—137 og på 140—141. Tabellene inneholder to sett k og c verdier, et sett for observasjonstidene: 8, 13, 19 M.E.T. og et for observasjonstidene: 7, 13 og 19 M.E.T.

Oslo i september 1950.

[7] Jahrbuch des Norwegischen Meteorologischen Instituts für 1943, S. 96—97 og Norsk Meteorologisk Årbok 1949, S. 136—137 og 140—141.

Departures from normals. — The tables on p. 15 give the departures of the mean pressures (ΔP) and the mean temperatures (ΔT) for 1949 from the mean values for the period 1901—1930.

Sea surface temperatures (T_1). — Monthly and annual means of the sea surface temperature 1949 at 12 representative coastal stations are given on p. 15.

Five-day means of temperature. — The tables on pp. 100—101 give the mean temperature for consecutive periods of 5 days for 37 selected stations in 1949. The means are computed from the formula

$$M = n - k(n - \overline{\text{Min}})$$

where n is the mean of the observations at (8) 7, 13 and 19 hours, k a factor appropriate for the station and season[7]) and $\overline{\text{Min}}$ is the mean minimum temperature during the 5-day period.

Tables of k and c factors. — The tables on pp. 134—141 give the k and c factors in the formula used for computing the monthly mean of air temperature and relative humidity, respectively. On pp. 136—137 and 140—141 are also given the k factors used for computing the five-day means of the air temperature. The tables give two sets of k and c values, one for the hours of observation: 8, 13, 19^h E.M.T. and one for the hours of observation: 7, 13 and 19^h E.M.T.

Oslo, September 1950.

SYMBOLER

Symboler som forekommer i rubrikkene «Skydekke og vær» og «værforløp» (Ekstensotabellene).

∞ Ølrøyk.
= Tåkedis.
≡ Tåke.
, Yr.
• Regn.
* Snø.
⁂ Sludd.
Kornsnø.
Iskorn.
Isnåler.
Regnbyer.
Snøbyer.
Sluddbyer.
Sprøhagl.
△ Hagl.
▲ Ishagl.
Kornmo.
Tordenvær.
Snøfokk.
Dugg.
Rim.
Is-slag.
V Tåkerim.
Storm (F≥9).
⊙ Solskinn.
⊕ Halo (værgard).
Krans.
Regnbue.
Nordlys.
n om natten.
a om formiddagen.
p om ettermiddagen.
na etter midnatt (før morgenobservasjonen).
np før midnatt (etter kveldsobservasjonen).
i med avbrytelser.
( ) blir satt omkring værfenomener som forekommer innen synsvidde (men ikke på selve stasjonen).
0 og 2 som øvre indeks betegner intensitetsgraden, 0 svakt eller lett, 2 sterkt eller tett.

Andre symboler.

P Lufttrykk.
T Lufttemperatur.
T_1 Sjøtemperatur.
U Relativ fuktighet.
D Vindretning.
v Vindhastighet.
F Vindstyrke.
C Vindstille.
V Synsvidde.
R Nedbørhøyde.
N Skydekke.
w Vær.
W Værforløp.
φ Geografisk bredde.
λ Geografisk lengde.
g Tyngdens accelerasjon.
Δ G Forskjellen mellom den benyttede tid og Greenwich tid.
H_s Stasjonens høyde over havet.
H_b Barometerets høyde over havet (overkant av kvikksølvkoppen).
h_t Høyden over marka av termometerkula.
h_a Høyden over marka av vindhastighetsmåleren.
h_d Høyden over marka av vindretningsmåleren (vindfløy, vaker).
h_r Høyden over marka av nedbørmålerens overkant.
Φ Geopotensial.
m som nedre indeks angir midlet av elementet.
— over betegnelsen ($\overline{\text{Max}}$, $\overline{\text{Min}}$) blir benyttet for å angi at det er en middelverdi.
Δ Avvikelse.
Σ Sum.
n Antall observasjoner.
An Årsverdi.
M Månedsverdi.
Dat Datum.
Dies Døgnmiddel.

SYMBOLS

Symbols occurring in the columns «Skydekke og vær» and «Værforløp» of the Ekstensotabell.

∞ Haze.
= Mist.
≡ Fog.
, Drizzle.
• Rain.
* Snow.
⁂ Sleet.
Granular snow.
Grains of ice.
Ice needles.
Shower of rain.
Shower of snow.
Shower of rain and snow (sleet).
Soft hail.
△ Small hail.
▲ Hail.
Distant lightning.
Thunderstorm.
Drifting snow.
Dew.
Hoarfrost.
Glazed frost.
∨ Soft rime.
Gale ($F_x \geqq 9$).
⊙ Sunshine.
⊕ Solar halo.
Solar corona.
Rainbow.
Aurora Borealis.
n in the night.
a in the forenoon.
p in the afternoon.
na after midnight.
np before midnight.
i intermittent.
( ) brackets are used to indicate weather phenomena occurring in the neighbourhood of the station, but not at the station itself.

0 and 2 appearing as superscript indicate the intensity of the weather phenomena, such that 0 = slight or weak, and 2 = heavy or thick.

Further symbols.

P Atmospheric pressure.
T Air temperature.
T^1 Sea surface temperature.
U Relative humidity.
D Wind direction.
v Wind speed.
F Wind force.
C Calm.
V Visibility.
R Amount of precipitation.
N Amount of cloud cover.
w Weather.
W Sequence of weather.
φ Latitude.
λ Longitude.
g Acceleration of gravity.
Δ G Difference between the time used and Greenwich time.
H_s Height of station above mean sea level.
H_b Height of the barometer cistern above mean sea level.
h_t Height above the ground of the thermometer bulb.
h_a Height above the ground of the anemometer.
h_d Height above the ground of the wind vane.
h_r Height above the ground of the collecting surface of the precipitation gauge.
Φ Geopotential.
m as subscript, indicate the mean value of an element.
— (e.g. $\overline{Max}$, $\overline{Min}$) indicates a mean value.
Δ Departures.
Σ Sum.
n Number of observations.
An Annual value.
M Monthly value.
Dat Date.
Dies 24-hour means.

STASJONS FORTEGNELSE
(List of Stations).

Stasjon (Station)	Side (Page)	φ N	λ E Gr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1])	Observasjonstider.[2]) Mellem-europ. tid	Observatør (Observer)
Åbjørsbråten	44	60° 55′	9° 18′		635		1.8		13.0	1.4		8 13 19	O. Åbjørsbråten, gårdbruker.
Åmot	44	61° 7′	11 18		310		2.0		6.7	1.6	R	(8) 7 13 19	Fru Ester Skramstad Svenningsen.
Ås	15, 54, 100	59 40	10 47		95		2.0		8	1.9	R	8 13 19	Halvor Tønseth, kontrollassistent.
Alta (Elvebakken)	96	69 58	23 22	9.826	4	5.1	2.0			1.6	R	(8) 7 13 19	Thomas Thomassen, oppsynsbetjent.
Alvdal	15, 40, 100	62 2	10 48		485		1.9		8.0	1.5	R	(8) 7 13 19	Fru Marit Nordrum Søgård.
Andenes	15, 92	69 19	16 7	9.826	5	6.5	1.9	10.9	1.0	1.7	R	(8) 7 13 19	Aron Th. Hanssen, fyrmester.
Asker	50	59 51	10 26		157		1.9			2.0		8 13 19	Statens Småbrukslærerskole.
Bardufoss	94	69 4	18 31	9.825	76	82.4	2.1	11.6	11.6	1.8	R	(8) 7 13 19	Værtjenesten.
Bergen (Fredriksb.)	15, 68	60 24	5 19	9.819	43	44.4	1.8	10.7	10.3	1.3	A,R	(8) 7 13 19	Anton Bakke, vaktmester.
Berkåk	80	62 50	10 1		425		1.8		10.2	1.8	R	(8) 7 13 19	J. Asphaug, kjøpmann.
Bjørnfjell	88	68 26	18 4		514		1.9			2.5		(8) 7 13 19	Peder Kvernrød, stasjonsmester.
Bjørnøya	114, 132	74 31	19 1	9.828	15	14.4	1.9	7.6	6	2.0	R	7^{30} 13^{30} 18^{30}	Radiostasjonen.
Bodø IV	15, 86, 101	67 17	14 25	9.824	15	17.0	1.9	8.3	8.2	1.7	R	(8) 7 13 19	Harald Dahl, bestyrer.
Bodø V	15, 86, 101	67 16	14 22	9.824	19	19.7	1.9	15.0	14.8	1.4	R	7 13 19	Harald Dahl, bestyrer
Borge i Lofoten	90	68 20	13 53		5		1.8			1.6	R	7 13 19	Odin Jensen, småbruker
Brekke Sluse	54	59 9	11 34		114		2.0		8.5	1.5	R	(8) 7 13 19	Harald Thorsen, slusemester.
Brønnøysund II	15, 84, 101	65 28	12 12	9.823	13	13.2	2.0		4.5	1.8	R	(8) 7 13 19	Torbjørn Rattsø, bestyrer
Byglandsfjord	15, 58, 100	58 40	7 48		207		1.9		10.9	1.7	R	(8) 7 13 19	Ole A. Guldsmedmoen, gårdbruker.
Bø i Vesterålen	92	68 37	14 27		7		2.0			1.8		(8) 7 13 19	Frøken Valborg Henriksen.
Dagali	15, 52	60 25	8 26		887		2.0		11.2	1.1	R	8 13 19	Frøken Ragnhild Aasberg.
Dalen i Telemark	15, 56	59 27	8 0	9.818	77	79.6	2.0			1.6	R	(8) 7 13 19	Arne Bergland, snekkermester.
Dividalen	15, 94	68 47	19 44		202		1.9			1.2		8 13 19	Joh. Stenvold, forstmann.
Dombås	15, 42, 100	62 4	9 7	9.819	643	647.1	1.9			1.8	R	(8) 7 13 19	Sverre Hodneland, telegrafbestyrer.
Drevsjø	40	61 53	12 3		675		2.0			1.6	R	(8) 7 13 19	Ingeborg Berndtsson, telefonbestyrerinn
Eggum	15, 90	68 18	13 41		4		1.7			1.8	R	(8) 7 13 19	Hans Eggvin, lærer.
Eidsberg	54, 100	59 30	11 17		140		1.9		9.1	1.6		(8) 7 13 19	Olav Bakka, gårdbruker.
Ekkerøy	98	70 4	30 6		7		1.6			1.9		(8) 7 13 19	Einar Nielsen, telefonbestyrer.
Elveseter	42	61 42	8 17		675		2.0			1.5	R	(8) 7 13 19	Olav Lillerødegården, gårdsarbeider.
Fanaråken	72	61 31	7 54	9.816	2062	2070.3	4.2	9.7	9.7	3.0	R	(8) 7 13 19	Observatoriet.
Fauske	88	67 15	15 23		14		1.9			1.7	R	(8) 7 13 19	Øistein Dragland, telegrafbestyrer.
Ferder	15, 56	59 2	10 32	9.819	6	7.7	2.0	16.0	16.1	1.0	R	(8) 7 13 19	M. Markussen, fyrmester.
Fjærland	70	61 26	6 46		5		1.9		12.0	1.1	R	(8) 7 13 19	Ivar Bøium, gårdbruker.
Flisa	15, 46, 100	60 37	12 1		183		1.9		8.2	1.5	R	(8) 7 13 19	Fru Ingeborg Sorknes.
Fokstua	42	62 7	9 17		952		1.8		6.8	1.5	R	8 13 19	P. S. Kolstad, stasjonsbestyrer.
Fornebu	48	59 54	10 38	9.819	18	23.4	1.9	10	10.3	1.8	R	(8) 7 13 19	Værtjenesten.
Fortun	72	61 30	7 42	9.820	27	29.6	1.9		6.0	1.3	R	(8) 7 13 19	Arne K. Fortun, telefonbestyrer.
Førde i Sunnfjord	72	61 27	5 51		3		1.9		12.0	1.6	R	(8) 7 13 19	Gudrun Tingvol, telegrafassistent
Gamvik	96	71 4	28 15	9.827	5	5.1	2.2			1.7	R	(8) 7 13 19	Karl Henriksen, arbeider.
Gardermoen	46	60 11	11 6	9.820	204	205,2	2.0	13.0	13.0	1.6	R	(8) 7 13 19	Værtjenesten.
Gaustatoppen	52	59 51	8 40	9.815	1828	1828.8	2.1			1.3	R	(8) 7 13 19	John Solheim.
Geilo	50	60 32	8 13		794		1.9			1.7		(8) 7 13 19	Paul Tufte, fhv. poståpner
Gibostad	92	69 21	18 5		ca. 6		2.0			1.8	R	(8) 7 13 19	Birger Gjerdrum, landbrukslærer.
Gjermundnes	76	62 37	7 10		51		1.8		8.5	1.6	R	(8) 7 13 19	Thore Thoresen, hagebrukslærer.
Glomfjord	86	66 49	13 59		39		1.6			1.8		8 14 19	Glomfjord kraftverk.
Glåben	60	58 22	7 27		364		1.7		6.0	1.7	R	(8) 7 13 19	Fru Andrea Rosseland.
Glåpen fyr	90	67 53	13 3		31		1.9			1,6		(8) 7 13 19	Nordahl Jensen, fyrmester.
Grimstad	58	58 20	8 36		7		1.8		5.0	1.4		(8) 7 13 19	Frantz L. Nilsen, telegrafbud.
Grong	82	64 27	12 18		72		2.0		13.5	1.6	R	(8) 7 13 19	Torbjørn Rosten, gårdbruker
Grøtøy	88	67 50	14 47		6		2.1			1.5	R	(8) 7 13 19	Alfred Dahl.
Gvarv	15, 56, 100	59 24	9 10		26		1.8		13.8	1.8	R	(8) 7 13 19	Fru Marie Magnussen.
Haugastøl	50	60 31	7 52		988		2.0		8	2.9	R	(8) 7 13 19	Trygve Hansen, stasjonsmester
Helligvær	86	67 24	13 54		14		2.0			1.7	R	(8) 7 13 19	Marius Hansen, fisker.
Hellisøy Fyr	15, 70	60 45	4 43		20		1.8	12.5	12.5	1.2	R	(8) 7 13 19	Georg Wiken, fyrassistent.
Hopen	108, 132	76 30	25 4	9.829	6	7.1	1.8		8.0	1.9	R	7^{30} 13^{30} 18^{30}	Radiostasjonen.
Hvam	48, 100	60 6	11 24		162		2.0		10.0	1.6	R	8 13 19	Torgeir Blakarstuen, landbrukslærer
Indre Matre	66	59 51	6 0		24		2.1			1.7		(8) 7 13 19	Arnfinn Matre, gårdbruker.
Ingøy	15, 96	71 4	24 9	9.827	4	7.5	1.9	7.8		1.6	R	(8) 7 13 19	Oluf Digre, radiotekniker.
Isfjord Radio	102, 132	78 4	13 38	9.830	7	9.0	1.9			1.7	R	8 14 19	Radiostasjonen.
Jan Mayen	120, 132	71 1	8 26_W	9.829	5	4.5	2.4	6.0	4.5	1.6	R	8 14 19	Radiostasjonen.
Jomfruland	56	58 52	9 36		15		2.1		22.0	1.7		(8) 7 13 19	Anders Johansen Gjøen, fyrmester.
Kalnes	54	59 19	11 3		50		2.0		11.0	1.8	R	8 13 19	Einar Sætherbakken, fjøsmester.
Karasjok	15, 98	69 28	25 31	9.825	131	132.7	2.1		10.0	1.4	R	(8) 7 13 19	Fru Anna Næss, poståpner.
Kautokeino	98	69 0	23 2		308		1.9			2.0	R	(8) 7 13 19	Fru Julie Oskal.
Kinn	15, 74	61 34	4 48	9.821	8	8.2	1.8			1.4		(8) 7 13 19	Peder Gjertsen, telefonbestyrer.
Kjevik	60	58 12	8 5	9.818	12	15.2	2.0	11.2	11.2	1.6	R	(8) 7 13 19	Værtjenestens radiopersonell.
Kjevli i Snåsa	82, 101	64 10	12 29		ca. 195		2.0		11.0	1.5		8 13 19	Sverre Kjøbli, gårdbruker.
Klepp	15, 62, 101	58 48	5 38		14		1.9		12.5	1.5	R	8 13 19	Ingar Øglænd, planteskolebestyrer.
Kongsberg	52	59 40	9 39		170		2.0		7.0	1.7		8 13 19	Gotfred Lofthus, brannkonstabel.
Koppang	40	61 37	10 54		345		1.9		10.5	1.6		7 13 19	Olav Garli, gårdbruker
Kristiansand S.	60, 101	58 10	7 59		22		2.0		15.2	1.7	R	8 13 19	Rich. Huseby, portner.
Kristiansund N.	78	63 6	7 45		13		1.9			1.8	R	(8) 7 13 19	Sigurd Gjølme, brannkonstabe
Kråkenes Fyr	74	62 2	4 59		39		2.2			1.4	R	(8) 7 13 19	Sverre Eriksen, fyrmester.
Kutjern	46	60 33	10 33		493		2.0		10.1	1.9	R	(8) 7 13 19	Gudmund Gudmundsen, telegrafist.
Kvamskogen	66	60 24	5 55		406		2.0			1.8	R	(8) 7 13 19	Trygve Totland, gårdbruker.
Leikanger	72, 101	61 11	6 52		22		2.0			1.8		8 13 19	Erling Kvale, forsøksleder.
Leka	84	65 6	11 42		50		2.0			1.7	R	(8) 7 13 19	Knut Leknes, gårdbruker.
Lillehammer	15, 44, 100	61 6	10 29		226		2.0		10.9	1.5	R	(8) 7 13 19	Thorleif A. Ulsaker, gårdbruker.
Lindesnes	15, 62	57 59	7 3		ca. 10		2.0		19	1,4		(8) 7 13 19	R. Rasmussen, fyrmester.
Lista	15, 62	58 6	6 34		13		2.1	10.4	10.3	1.6	R	(8) 7 13 19	S. Røsstad, fyrmester.
Luster Sanat.	72	61 26	7 25		502		2.0			1.9	R	8 13 19	Odd Buckholt, gartner.

[1]) R: Russeltvedts torsjonshygr., A: Aspirasjons-psykrometer. [2]) Betegnelsen (8), 7, 13, 19 betyr at stasjonen fra 1. januar til 30. juni observerte kl. 13 og 19, og fra 1. juli kl. 7, 13 og 19.

Stasjon (Station)	Side (Page)	φ N	λ E. Gr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1]	Observasjonstider.[2] Mellem-europeisk tid.	Observator (Observer)
ngør Fyr	15, 58	58°38′	9° 9′		4		2.2			1.4	R	(8) 7 13 19	Petter Pedersen, fyrmester.
erdal (Tønjum)	70	61 4	7 31	9.819	36	36.4	1.7		7.6	1.7	R	(8) 7 13 19	Trygve Øygard.
ajavatn	84	65 13	13 22		350		2.0			1.9		(8) 7 13 19	A. Nilsen Kappfjelli, gårdbruker.
akkaur Fyr	96	70 42	30 5		11		2.0			1.8		(8) 7 13 19	Jarl Williams, fyrmester.
andal	60	58 2	7 27		6		2.0		4.4	1.3		8 13 19	A. T. Jacobsen, telegrafbestyrer.
andal II	60	58 3	7 26		130		1.9			1.4		8 13 19	Albert Håland, gårdbruker
eråker II	80	63 25	11 46		218		2,0		14,2	2.0	R	(8) 7 13 19	Arvid Jensen, telegrafist.
o i Rana II	84, 101	66 20	14 11		25		1.9			1.6	R	(8) 7 13 19	Osvald Alternes, lærer.
odalen	70	60 50	5 56		104		2.0			1.1	R	(8) 7 13 19	Olav Farestveidt, gårdbruker.
odum	50, 100	59 58	9 58		135		1.8		7.4	1.7	R	8 13 19	Halvor Klonteig, lærer
yggbukta	126, 132	73 29	21 34w	9.828	2	3.2	1.6	5.0	5.5	2.0	R	8 14 19	Radiostasjonen.
yken	15, 86	66 46	12 29		19		2.0			1.4	R	(8) 7 13 19	Petter Moe, dampskipsekspeditør.
yrdal	68	60 44	7 7		870		1.9	9.6	7.4	2.8		(8) 7 13 19	Nils Selheim, linjevokter
arvik	88	68 25	17 23		40		1.9		ca.9.6	1.7		(8) 7 13 19	Arne Skindlo, agronom.
esbyen II	15, 50, 100	60 34	9 8		165		2.1			1.7	R	(8) 7 13 19	Frøken Olava Kvarteig.
ordfjordeid	74, 101	61 56	6 6		71		1.9			1.7	R	(8) 7 13 19	Fru Pernille N. F. Leivdal.
ordli II	82	64 27	13 36	9.822	408	412.7	2.0		13	1.4		(8) 7 13 19	Bernt Elvseth, småbruker.
ord-Solvær	86	66 22	12 39		7		2.1			1.6		(8) 7 13 19	Alf Johansen, telefonbestyrer.
ordøyan	15, 82	64 48	10 33		33		2.0	14.3	13	1.7	R	(8) 7 13 19	H. Olufsen, fyrmester.
brestad	62	58 39	5 34		24		2.1		10.5	1.4	R	(8) 7 13 19	Ellias Breivik, fyrmester.
ffersøy	15, 88, 101	68 20	15 38	9.825	16	20.4	2.1		14.1	1.7	R	(8) 7 13 19	Magnus Os, lærer.
ksøy	15, 60	58 4	8 3	9.818	9	13.1	2.1		8.1	1.8	R	(8) 7 13 19	Kr. Torsø, fyrassistent.
na	15, 76	62 52	6 33	9.822	12	14.6	1.8	6		1.1	R	(8) 7 13 19	Sivert Jonas Viken, poståpner.
pstryn	15, 74	61 56	7 14		205		1.9			1.7		8 13 19	Frøken Ingebjørg Skåre.
slo (Blindern)	1, 15, 48	59 56	10 44	9.819	94	95.6	2.0	25.6	25.6	1.6	R	8 13 19	Olsen, Bakken, vaktmestere ved Met. Inst.
asvik	98	69 10	29 15		54		2.1		8.4	1.6	R	8 13 19	Gunnar Schaaning, småbruker.
amnes	52, 100	59 21	10 15		34		1.9			1.7	R	(8) 7 13 19	Asbjørn Fadum, gårdbruker
unde	76, 101	62 24	5 39		22		1.8			1.2		(8) 7 13 19	Frk. Karoline Runde, telefonbestyrerinne.
øros	15, 40, 100	62 34	11 23	9.819	628	629.8	1.8		14.7	1.9	R	8 13 19	Chr. F. Møllerop, stasjonsmester.
øst	15, 90	67 30	12 4	9.826	8	10.8	2.0	16.3	15.6	1.6	R	(8) 7 13 19	P. T. Pedersen, telegrafbestyrer.
åde (Tomb)	54	59 19	10 49		14		1.9		6.9	1.5	R	8 13 19	Andreas Nome, landbrukslærer.
andsøy i Senja	92	68 57	16 40		17		2.1		8.0	1.8	R	(8) 7 13 19	A. O. Skogsletten, kjøpmann.
auda	15, 64, 101	59 39	6 22		5		1.8			1.5	R	(8) 7 13 19	Oscar Pedersen, vaktsjef.
elbu	80	63 12	11 7		197		2.0		ca. 6	1.4	R	(8) 7 13 19	Olav Engen, snekker.
ččajavre	15, 98	68 45	23 33		383		1.4			1.4	R	8 13 19	Elias Øvergård, gårdbruker.
kattøra	94	69 42	19 1		14		2.0	10.5	10.5	1.6	R	(8) 7 13 19	Værtjenesten.
komvær Fyr	15, 90	67 25	11 53		17		2.0			1.5		8 13 19	Alfred Skaar, fyrmester.
krova	15, 90	68 9	14 39		11		2.0			1.7	R	(8) 7 13 19	Arild Klefstad, fyrassistent.
kudenes II	15, 64	59 9	5 15	9.819	7	9.2	2.0		7	1.7	R	8 13 19	Lars Aadnesen, gårdbruker.
kålvær	84	65 52	12 11		4		2.2			1.7		(8) 7 13 19	Henrik Jensen, kjøpmann.
lirå	15, 68	60 37	7 25		1300		3.2	11.5	10	4.0	R	(8) 7 13 19	Rolf Olsen, banevokter.
lätterøy	15, 66	59 54	5 4		15		2.1		3,5	1.4	R	(8) 7 13 19	Mikal Lauritsen, fyrassistent.
ola	64	58 53	5 38	9.819	8	12.7	1.8	26	25	1.6	R	(8) 7 13 19	Værtjenesten.
ommarøy i Senja	92	69 38	18 1		2		2.0			1.7		(8) 7 13 19	Konrad Olsen, tilsynsmann.
tavanger	64	58 57	5 44		67		1.7	7	5	1.6	R	8 13 19	Ingmar Vareng
nla Fyr	15, 78	63 51	8 28	9.822	27	30.0	2.0	5.4	12.2	1.6	R	(8) 7 13 19	Johan Jøstensen, fyrmester.
nlstua	15, 80	63 40	12 1		233		1.9			1.7		8 13 19	R. Brendmo, gårdbruker.
unndal	15, 76	62 33	9 7		195		2.0			1.8		8 13 19	Frk. Ragna Nisja.
vandalsflona	66	59 51	6 57		1048		3.1		8.0	3.6	R	(8) 7 13 19	Torjus Svandalsflona, fjellstueeier.
vene	15, 52	59 46	9 35		176		1.9		8.5	1.6	R	(8) 7 13 19	Fru Jørgine Hvila.
yfteland	68, 101	60 14	5 27		53		5.6		7.5	1.2	R	8 13 19	Wilhelm Jessen, gårdbruker.
afjord	74, 101	62 13	7 26	9.821	27	27.7	1.9			1.5	R	(8) 7 13 19	Johs. Flø, maskinmester.
ingvoll	76, 101	62 50	8 19		51		1.8		9.7	1.6	R	(8) 7 13 19	P. Oftedal, maskinmester.
onstad	15, 62	58 40	6 42		57		2.1		9.5	1.4	R	(8) 7 13 19	Fru Thrine Bjunes.
orsvåg	94	70 15	19 30		22		1.9	4.8		1.8	R	(8) 7 13 19	Arne Eriksen, fyrmester.
orungen Fyr	15, 58	58 24	8 48		12		2.0			1.3		8 13 19	Karl A. Jensen, fyrassistent.
romsø	15, 94, 101	69 39	18 57	9.826	102	114.5	2.8	12.3	20.7	1.7	R	8 13 19	J. N. Johannessen, vaktm. ved Vervarslinga.
rondheim (Voll)	15, 78, 101	63 25	10 27	9.822	127	133.0	2.0		11.2	1.3	R	(8) 7 13 19	Ole Tuset, småbrukskandidat.
rysil	44	61 20	12 15		363		1.9			1.5	R	(8) 7 13 19	Magnus Holt, urmaker.
ryvasshøgda	48	59 59	10 41		512		2.1		20.3	2.0	R	(8) 7 13 19	Widding-Danielsen, telegraffullmektig.
veitsund	58	59 2	8 31		252		2.0			1.5	R	(8) 7 13 19	Fru Eldbjørg Tveit.
vnset	40	62 18	10 45		485		2.0			1.8		(8) 7 13 19	Nils Hansæl, gårdbruker
llensvang	15, 66, 101	60 19	6 40	9.819	30	32.1	2.1		6.5	1.6	R	(8) 7 13 19	Fru Anna Skarstein
tsira	64	59 18	4 53		55		2.2	10.6	10.6	1.6	R	(8) 7 13 19	Severin Haugland fyrmester.
allersund	78, 101	63 51	9 44		4		2.0		12.0	1.6		(8) 7 13 19	Kåre Stenstvedt, telefonbestyrer.
ang på Hedm.	15, 46, 100	60 49	11 11		219		2.0		10.0	1.3	R	(8) 7 13 19	Nils Wangensten, håndverkslærer.
angsnes	70	61 10	6 39		53		2.0		5.7	1.8	R	(8) 7 13 19	Ole Larsen, telefonbestyrer.
ardø	15, 96	70 22	31 6	9.826	10	11.6	2.0	9.2	10.0	1.8	R	(8) 7 13 19	Frøken Ingerid Øien.
efall i Drangedal	56	59 0	9 13		68		2.0		12.3	1.6	R	8 13 19	Hans Lauvtangen.
nger	48, 100	60 13	12 1		175		2.0		10	1.5	R	8 13 19	Karstein Seland, småbrukslærer.
instra	15, 42, 100	61 36	9 45		241		2.1			1.6	R	(8) 7 13 19	Anton P. Thorsheim, smed.
ollen i Slidre	15, 44, 100	61 5	8 59	9.819	403	404.6	1.9		12.0	1.6	R	(8) 7 13 19	Frøken Olga Breyholtz.
oss	68	60 38	6 26		62		2.0			1.7	R	(8) 7 13 19	Torstein Seim, vaktmester.
ernes	80, 101	63 28	10 56	9.822	12	15.8	2.0	16	16	1.8	R	(8) 7 13 19	Værtjenesten.
gåmo	42	61 52	9 5		395		1.6			1.6	R	(8) 7 13 19	T. Aasmundstad, agronom
re Rendal	40	61 41	11 12		253		1.9		14.5	1.6		8 13 19	Fru Kjellaug Berget, poståpner.
terøy	82	63 48	11 13		74		1.9		12.4	1.6	R	(8) 7 13 19	Kristian Henning, gårdbruker.
land II	78	63 41	9 36		4		1.9		10.0	1.6	R	(8) 7 13 19	Sverre Eriksen, bestyrer.
Toten	46, 100	60 42	10 53		270		2.0		10.7	1.7		8 13 19	Konrad Finstad, agronom.

[1]) R: Russeltvedts torsjonshygr., A: Aspirasjons-psykrometer. [2]) Betegnelsen (8), 7, 13, 19 betyr at stasjonen fra 1. januar til 30. juni observerer kl. 8, og 19, og fra 1. juli kl. 7, 13 og 19.

Rettelser.

(Corrigenda)

I Jahrbuch des Norwegischen Meteorologischen Instituts for:	Står (Instead of)	Skal være (Read)
1875. S. 88. Torungen: Luft-Temperatur 2 Jahr	8.7	8.2
1876. » 74. Røros » » 2 »	2.3	2.4
1883. » 74. » » » 2 Juni	14.3	14.2
» » » » » » 2 Jahr	3.1	3.0
1901. » 90. » » » 2 »	2.6	2.8
1903. » » » » » II »	2.4	2.3
1909. » 97. Kristiania Windverteilung Jahr NE	185	175
» » » » » » » SW	72	82
1912. » 100. Eg Luft-Temperatur II Jahr	8.2	9.1
» » 110. Brønnø » » II »	6.6	6.7
1914. » 100. Austad » » II »	9.1	9.6
» » 108. Kristiansund » » II »	8.8	8.7
1917. » 136. » » » II »	7.8	7.6
» » » Trondhjem Windverteilung Jahr N	106	96
» » » » » » SE	79	89
1918. » 138. Bodø Luft-Temperatur II Jahr	5.6	5.9
1919. » 126. Nygaard » » Mittel, Oktober	2.7	—0.6
» » » » » » » Jahr	—1.0	—1.2
1920. » 138. Kristiansund » » II Juni	10.0	13.4
» » » » » » Mittel, Juni	10.8	11.9
1922. » 100. Røros » » II Jahr	1.7	1.6

		N	NE	E	SE	S	SW	W	NW
1937. S. 74. Trondheim: Windverteilung	VI	14 2.0				11 3.5	3.5 2.4	3 5.2	24 3.3
» » » » »	1937	142 1.6				329.5 2.7	54 2.9	21 3.9	108.5 3.3
1938. » 56. Dalen i Telemark »	1938	9 4.8							
» » 78. Nordøyan »	1938			51 2.8					
1939. » 88. Dividalen »	1939								119.5 2.0
1940. » 68. Opstryn »	1940						81 3.3		
» » 70. Sula Fyr »	1940	95.5 2.9	133.5 3.5	134.5 3.0	166.5 2.8	84.5 1.9	110 4.1	223.5 4.5	121 3.5
1941. » 70. Sula Fyr »	1941				180.5 2.9				
» » 76. Nordøyan »	1941							109.5 4.5	
1942. » 74. Tonnes i Helgeland »	1941								61.5 4.1
» » 80. Eggum »	VI								4.5 2.2
» » » » »	1941								63.5 4.7
1943. » 58. Tonstad »	1943				8 2.9				
» » 64. Leikanger »	1943			56,5 1,4					
» » 74. Ytteroy »	1943	128 2.0	137.5 2.0	149.5 2.5	68.5 2.1	145 2.6	277 3.3	103 3.7	71.5 2.8
» » 86. Dividalen »	1943	10 1.8				21 2.0			
1944. » 56. Oksøy »	1944			148.5 2.7					
» » 58. Mandal »	1944	13 3.3							
» » 70. Opstryn »	1944				51.5 2.5				
» » 70. Runde »	1944						250 1.1		
» » 86. Eggum »	1944					233.5 3.8			
» » 88. Dividalen »	1944					3.5 4.1	13 1.8		
I Norsk Meteorologisk Årbok for:									
1945. S. 48. Asker: Vindfordeling	1945						34.5 1.1		
» » 72. Runde »	VI		21.5 3.7						
» » 80. Nordøyan »	1945		101.5 3.7						
» » 88. Røst »	V	39.5 4.9							
1946. » 48. Asker »	III					2.5 0.8			
» » » »	1946					52.5 1.4			

	N	NE	E	SE	S	SW	W	NW
1937. S. 74. Trondheim: Windverteilung	14 2.1				11.5 3.3	3 2.8	3 3.8	24 3
» » » » »	142 1.7				330 2.7	53.5 3.0	21 3.7	108.5 3
1938. » 56. Dalen i Telemark »	9 2.3							
» » 78. Nordøyan »			51 3.1					
1939. » 88. Dividalen »								119.5 2
1940. » 68. Opstryn »						81 2.0		
» » 70. Sula Fyr »	95.5 3.6	133.5 3.3	134.5 3.4	166.5 3.3	84.5 2.6	110 4.2	223.5 4.8	121 4
1941. » 70. Sula Fyr »				180.5 3.4				
» » 76. Nordøyan »							109.5 4.7	
1942. » 74. Tonnes i Helgeland »								61.5 3.
» » 80. Eggum »								3.5 2.
» » » » »								62.5 4.
1943. » 58. Tonstad »				8 3.7				
» » 64. Leikanger »			56.5 1.3					
» » 74. Ytteroy »	128 2.3	137.5 2.3	149.5 2.8	68.5 2.6	145 2.9	277 3.5	103 3.8	71.5 3.
» » 86. Dividalen »	10 2.8				21 2.6			
1944. » 56. Oksøy »			148.5 4.0					
» » 58. Mandal »	13 2.6							
» » 70. Opstryn »				51.5 2.4				
» » 70. Runde »						250 4.0		
» » 86. Eggum »					233.5 3.9			
» » 88. Dividalen »					6.5 2.2	15 1.6		
I Norsk Meteorologisk Årbok for:								
1945. S. 48. Asker: Vindfordeling						34.5 1.4		
» » 72. Runde »		21.5 3.8						
» » 80. Nordøyan »		101.5 3.3						
» » 88. Røst »	39.5 4.7							
1946. » 48. Asker »					1.5 1.3			
» » » »					51.5 1.5			

	Står (Instead of)					Skal være (read)			
		8	14	19	Dies	8	14	19	Dies
1947. S. 47. Flisa: Midlere relative fuktighet, Um	III	85	63	69	75	86	64	70	76
» » » » » » »	IV	75	59	64	70	81	64	69	75
» » » » » » »	V	64	38	41	58	69	41	44	62
» » » » » » »	VI	73	54	58	70	78	59	63	76
» » » » » » »	VII	70	51	55	65	76	53	59	71
» » » » » » »	VIII	71	40	48	62	74	43	51	64
» » » » » » »	IX	80	51	67	70	87	55	72	77
» » » » » » »	X	85	66	78	79	92	71	84	85
» » » » » » »	XI	84	81	84	84	92	87	91	91
» » » » » » »	XII	84	82	84	84	91	89	90	90
» » » » » » »	1947	79	62	68	74	83	65	72	78

» » 71. Leikanger: Nedbør R	VII	70	75
» » » » » »	1947	836	841
» » 85. Bodø » »	VI	70	71
» » » » » »	1947	1142	1143

		8	14	19	Dies	8	14	19	Dies
1948. S. 47. Fisa: Midlere realative fuktighet, Um	I	82	83	83	83	89	89	90	89
» » » » » » »	II	85	76	84	83	92	82	91	90
» » » » » » »	III	82	61	72	75	89	65	78	81
» » » » » » »	IV	76	54	66	72	82	58	71	77
» » » » » » »	V	67	43	47	62	72	46	51	67
» » » » » » »	VI	73	57	59	70	79	61	64	76
» » » » » » »	VII	72	52	60	70	78	56	64	75
» » » » » » »	VIII	82	62	73	79	88	68	79	85
» » » » » » »	IX	84	62	77	79	90	67	83	84
» » » » » » »	X	84	66	79	78	90	71	85	84
» » » » » » »	XI	86	78	81	83	93	84	87	89
» » » » » » »	XII	86	83	86	85	92	90	92	92
» » » » » » »	1948	80	65	72	77	86	70	78	82
» » 49. Modum » » »	X		58				61		

1949

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.6$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	68.7	68.0	67.6	68.5	71.0	72.4	72.2	71.5	69.8	68.5	67.4	66.5	72.6	66.5	69.34
2	65.8	65.9	65.7	65.2	65.9	65.6	65.3	64.5	63.9	64.7	66.2	67.7	67.8	**63.9**	**65.53**
3	69.0	72.6	75.5	76.8	79.0	79.2	79.1	79.3	79.4	79.9	81.1	82.1	82.1	67.7	77.75
4	83.1	83.7	84.1	84.2	85.3	85.2	84.5	85.0	86.1	87.9	90.2	92.6	92.6	82.1	85.99
5	95.3	98.5	01.5	03.8	07.0	09.0	10.3	11.9	11.9	12.8	13.2	12.2	13.3	92.6	07.28
6	11.6	10.3	08.9	07.8	07.1	06.3	06.1	06.4	07.1	07.3	07.0	07.5	12.2	05.7	07.78
7	07.8	08.1	09.4	10.6	12.2	12.0	10.8	09.0	07.1	04.5	00.5	97.0	12.9	97.0	07.42
8	93.8	91.5	89.8	88.8	90.5	91.4	92.1	93.3	93.7	94.3	94.8	95.2	95.2	88.8	92.43
9	95.8	97.5	98.9	00.2	01.8	03.2	03.6	04.9	05.8	07.0	06.8	05.7	07.2	95.2	02.60
10	04.6	02.6	99.6	97.5	96.0	93.8	90.8	88.9	87.0	84.5	82.1	80.5	05.7	80.5	92.32
11	78.4	77.7	76.9	77.2	77.7	77.2	76.2	75.7	75.0	74.7	75.0	75.0	80.5	74.5	76.39
12	75.2	76.2	77.4	79.7	83.0	85.8	88.9	93.7	97.7	01.5	04.0	06.1	06.1	74.9	89.10
13	07.9	08.3	08.1	08.2	07.4	05.3	02.2	00.3	98.2	96.5	94.0	91.7	08.3	91.7	02.34
14	88.9	86.7	86.2	86.6	86.9	86.2	84.8	83.8	82.1	81.5	80.9	82.3	91.7	80.6	84.74
15	85.5	87.9	90.1	92.4	95.2	97.4	98.8	00.4	01.6	02.4	02.7	03.2	03.2	82.3	96.47
16	01.5	00.3	97.3	95.1	92.0	89.4	88.0	87.8	89.1	90.7	91.9	93.1	03.2	87.6	93.02
17	93.7	93.9	93.7	93.2	92.7	90.3	87.4	84.9	80.1	76.9	74.7	75.5	94.0	74.7	86.42
18	75.7	76.3	77.5	79.8	82.1	83.9	85.0	85.9	85.9	85.3	83.5	82.0	86.2	75.3	81.91
19	80.8	81.0	82.6	83.2	82.7	81.0	78.5	75.3	72.1	67.7	65.8	66.3	83.4	65.5	76.42
20	68.5	70.3	71.6	71.8	72.0	71.6	70.8	70.9	69.7	67.9	66.3	66.2	72.5	66.0	69.80
21	65.9	66.8	68.8	70.8	73.0	74.8	76.9	82.1	85.5	89.2	93.8	97.5	97.5	65.9	78.76
22	99.7	02.8	06.4	10.0	12.9	14.1	14.8	14.4	14.1	13.0	12.3	11.2	14.9	97.5	10.48
23	10.0	07.9	05.7	03.5	02.0	00.8	99.5	98.7	97.7	96.8	96.1	94.7	11.2	94.7	01.12
24	94.1	94.8	96.0	97.6	99.5	00.5	01.5	02.9	04.8	06.7	07.6	08.0	08.0	94.1	01.17
25	08.1	09.9	10.8	11.8	13.7	14.5	15.2	16.1	16.1	16.0	14.6	14.0	16.1	07.9	13.40
26	13.8	13.0	12.8	12.2	12.2	12.2	12.9	13.4	15.1	15.4	16.0	16.0	16.0	12.0	13.75
27	15.3	15.1	14.6	14.6	15.0	14.8	13.7	13.6	13.5	13.3	13.3	12.8	16.0	12.7	14.13
28	12.9	13.0	13.2	13.5	14.5	15.0	14.8	15.1	15.8	16.3	16.8	17.6	17.6	12.8	**14.88**
29	17.9	17.9	18.0	18.0	18.3	17.9	16.4	14.6	11.7	07.7	03.7	00.4	**18.4**	00.4	13.54
30	97.0	92.2	87.6	85.7	89.0	94.8	99.0	02.3	05.3	06.8	07.4	07.9	07.9	85.3	97.92
31	08.3	08.8	09.5	10.1	11.3	11.6	11.5	11.7	12.6	13.7	14.3	15.4	15.4	07.9	11.57
M	**93.37**	93.53	93.74	94.14	95.13	95.39	95.21	**95.43**	95.34	95.21	94.97	94.96	00.96	87.24	94.70

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	15.8	16.3	17.4	18.3	20.2	21.2	21.8	22.9	23.5	24.9	25.5	25.9	25.9	15.4	21.14
2	25.9	25.1	24.3	23.8	23.1	22.2	21.0	20.5	20.0	18.9	18.2	16.5	**26.0**	16.5	**21.62**
3	15.0	13.2	12.0	10.6	10.2	09.3	07.8	06.4	05.8	05.3	04.7	05.3	16.5	04.5	08.80
4	05.4	05.3	05.2	06.0	06.7	06.7	05.8	05.8	07.1	08.0	09.2	11.4	11.4	05.1	06.88
5	13.7	15.3	16.6	18.3	19.3	20.1	20.1	20.5	21.5	22.0	22.1	22.0	22.1	11.4	19.29
6	21.8	20.6	19.5	18.5	18.0	17.8	16.9	16.4	16.3	15.9	15.8	15.6	22.1	15.6	17.76
7	15.4	14.6	13.8	13.3	12.9	11.9	10.2	09.6	09.4	08.4	07.1	06.1	15.6	06.1	11.06
8	05.2	03.8	03.0	02.1	01.2	00.3	99.1	98.0	96.8	95.4	94.6	94.7	06.1	94.7	99.52
9	94.2	94.2	94.4	94.4	94.7	94.6	93.5	92.2	90.7	89.6	87.6	86.0	94.8	86.0	92.18
10	85.0	85.4	86.8	88.6	89.9	91.7	93.3	95.6	98.1	99.7	01.7	03.5	03.5	84.9	93.28
11	04.7	05.5	05.8	06.7	07.4	07.4	07.0	06.9	06.7	06.2	06.2	05.9	07.5	03.5	06.37
12	05.7	05.3	04.5	03.9	04.0	03.4	02.6	02.3	02.5	02.7	03.3	03.6	05.9	02.1	03.65
13	03.7	03.5	03.5	03.8	04.1	03.7	02.6	01.7	00.8	98.9	96.8	95.6	04.1	95.6	01.56
14	94.1	91.7	89.8	87.7	86.9	86.8	88.1	89.7	90.7	91.8	93.8	95.0	95.9	86.5	90.51
15	95.9	97.5	98.9	99.9	01.6	02.0	01.7	01.0	99.7	98.3	96.9	96.8	02.2	95.0	99.18
16	96.8	98.8	99.5	00.5	01.3	01.9	01.4	00.7	00.6	99.7	98.9	98.7	02.0	96.8	99.90
17	98.1	97.8	96.8	96.1	96.6	97.6	99.9	02.6	03.8	06.4	08.1	09.6	09.6	96.1	01.12
18	10.4	11.0	11.3	11.7	12.4	12.2	11.6	10.9	10.6	10.2	09.4	08.5	12.4	08.5	10.85
19	07.8	06.6	05.3	04.3	02.7	01.2	99.2	99.5	01.3	03.2	05.3	06.7	08.5	98.8	03.59
20	07.0	07.7	07.5	07.1	07.0	07.0	06.1	05.4	04.3	03.6	03.5	03.8	07.7	03.1	05.83
21	05.0	05.9	06.2	06.7	06.9	05.7	04.1	03.1	02.4	02.2	01.9	01.0	07.0	01.0	04.26
22	99.8	97.9	96.3	94.5	93.5	93.8	94.3	95.5	95.7	94.2	90.4	83.4	01.0	83.4	94.11
23	77.0	76.7	80.5	84.3	87.3	88.8	89.5	90.5	91.4	92.0	92.4	93.3	93.3	76.3	86.98
24	93.9	94.0	93.8	94.1	94.3	94.0	93.1	93.0	93.5	93.7	93.2	92.1	94.5	92.1	93.56
25	91.9	91.9	91.6	92.8	95.2	97.4	98.9	99.9	00.5	02.1	01.9	02.3	02.7	91.5	97.20
26	01.8	00.4	98.0	94.2	88.8	83.0	78.0	76.3	76.6	76.3	75.8	74.7	02.4	74.7	85.32
27	73.3	72.4	72.4	72.8	73.5	74.7	76.3	78.3	81.6	84.0	86.7	88.8	88.8	**72.2**	**77.90**
28	90.8	92.2	93.8	95.1	95.6	95.3	94.7	94.0	93.1	91.8	90.3	88.3	95.6	88.3	92.92
M	01.97	01.81	01.73	01.79	**01.98**	01.85	01.38	01.40	01.61	01.62	01.48	**01.25**	06.61	96.63	01.66

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	87.3	86.9	87.0	88.7	90.2	91.4	92.0	93.6	96.4	00.4	04.5	08.0	08.0	86.9	93.87
2	10.0	11.1	11.6	11.6	11.5	11.1	10.9	10.6	11.3	12.0	12.5	12.8	12.8	08.0	11.42
3	13.1	12.9	13.4	14.0	14.2	14.2	14.1	14.2	16.1	17.6	19.2	20.4	20.4	12.7	15.28
4	21.4	22.4	23.8	25.2	25.9	26.1	25.9	25.4	25.5	25.9	26.0	26.6	26.6	20.4	25.01
5	27.0	26.2	25.5	24.8	24.0	22.0	19.8	18.1	17.6	16.9	16.5	16.0	27.0	16.0	21.20
6	15.4	14.7	14.0	13.8	13.4	13.4	12.2	11.8	11.6	11.7	11.9	12.0	16.0	11.6	12.99
7	12.1	12.5	13.8	14.8	15.9	16.8	16.7	16.6	17.1	17.9	18.2	19.0	19.0	12.0	15.95
8	19.6	20.4	21.4	22.6	23.5	23.8	23.4	23.2	23.3	23.7	23.5	23.6	23.8	19.0	22.67
9	23.1	22.7	22.5	22.6	22.6	22.5	22.3	22.2	22.1	22.5	22.6	22.6	23.6	22.0	22.52
10	22.6	22.6	23.1	23.8	23.8	23.9	23.2	22.0	21.3	21.3	20.5	19.7	24.0	19.6	22.32
11	19.0	18.1	17.7	17.2	16.3	15.1	13.3	11.1	09.5	08.4	06.5	05.3	19.7	05.3	13.12
12	03.0	00.7	98.9	97.3	95.5	93.5	90.9	88.1	85.5	83.5	81.1	79.3	05.3	79.3	91.44
13	78.9	79.0	78.9	77.8	75.1	72.0	68.4	67.3	68.0	68.2	67.3	66.7	79.3	66.7	72.30
14	66.3	65.6	65.7	65.8	67.2	70.3	72.2	73.6	74.9	76.6	78.5	80.8	80.8	**65.5**	**71.46**
15	81.9	83.3	84.8	85.9	87.1	88.5	89.5	90.2	91.8	92.7	92.5	92.2	92.8	80.8	88.37
16	91.7	90.8	89.1	88.0	86.6	85.6	84.5	83.7	84.0	85.6	87.9	89.7	92.2	83.7	87.27
17	90.9	91.4	92.3	93.0	93.0	92.5	91.7	90.8	90.6	91.3	91.7	92.4	93.1	89.7	91.80
18	93.4	94.1	95.0	96.2	97.2	97.9	98.4	99.1	00.7	02.6	03.9	05.3	05.3	92.4	98.65
19	06.2	07.0	07.3	08.2	08.5	08.5	08.1	08.3	08.5	09.2	10.2	11.1	11.1	05.3	08.42
20	11.5	11.5	11.5	11.7	11.4	11.0	09.9	08.3	07.7	07.7	07.1	06.4	11.7	06.4	09.64
21	05.9	05.4	05.1	04.9	05.2	05.6	05.7	05.7	06.2	06.9	07.1	06.9	07.1	04.9	05.88
22	05.5	02.8	01.3	99.2	98.2	99.0	00.3	03.0	05.8	08.1	09.2	11.2	11.2	97.9	03.63
23	12.9	14.5	15.5	16.3	16.5	16.5	15.5	14.5	14.5	15.0	15.0	15.3	16.8	11.2	15.17
24	15.8	15.8	15.8	16.2	16.7	16.6	16.0	15.1	14.6	14.8	14.5	14.3	16.8	14.3	15.52
25	14.4	14.3	14.2	14.0	13.6	12.6	11.4	10.1	09.8	09.4	08.8	08.5	14.5	08.5	11.76
26	07.7	08.0	09.3	11.4	13.1	13.2	12.8	12.7	13.4	14.6	15.7	16.7	16.7	07.6	12.38
27	17.0	17.7	18.2	19.3	20.2	20.5	20.6	20.7	21.1	22.5	23.3	24.3	24.3	16.7	20.45
28	24.7	25.3	25.7	26.4	27.3	27.1	26.3	25.6	25.4	25.5	25.6	25.9	**27.3**	24.3	**25.90**
29	25.5	25.2	24.6	24.3	24.2	23.1	22.0	20.8	20.4	20.3	19.8	19.2	25.9	19.2	22.48
30	18.2	17.4	16.5	15.8	15.1	13.6	11.9	10.2	09.6	09.2	08.5	08.1	19.2	08.1	12.84
31	07.3	06.4	05.7	05.4	04.9	03.5	02.1	00.8	00.2	01.0	02.5	05.4	08.1	00.1	03.77
M	08.04	07.96	08.04	08.26	08.32	08.12	07.48	**07.01**	07.24	07.84	08.13	**08.57**	12.27	03.75	07.92

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	06.7	07.9	09.1	10.4	11.1	11.2	11.0	11.1	11.4	12.2	12.7	13.0	13.0	05.4	10.65
2	13.1	12.7	12.8	12.9	13.0	12.4	11.6	11.3	10.9	10.9	10.3	09.7	13.0	09.7	11.89
3	08.7	07.5	05.9	04.9	03.1	01.3	99.7	98.4	96.6	95.4	93.1	90.5	09.7	90.5	00.42
4	87.5	85.2	83.1	80.4	78.7	78.0	76.2	73.7	70.9	70.3	71.0	71.9	90.5	**70.1**	**77.24**
5	71.4	72.3	74.3	77.2	80.8	83.5	86.7	89.2	92.1	93.7	94.0	93.7	94.3	71.4	84.08
6	93.0	91.9	91.0	90.2	88.6	87.3	85.9	84.9	84.2	84.0	83.9	83.7	93.7	93.7	87.38
7	83.2	82.9	82.4	81.9	81.6	80.4	79.5	78.0	77.3	77.7	76.8	77.0	83.7	76.7	79.89
8	76.7	76.3	76.0	77.0	77.2	77.6	78.4	79.4	81.1	82.6	83.8	85.3	85.3	75.9	79.28
9	86.9	88.6	90.4	91.6	92.2	93.3	94.4	95.5	97.0	98.5	99.0	99.7	99.7	85.3	93.92
10	99.7	00.0	99.9	00.1	99.8	99.1	97.8	96.6	95.7	95.3	94.0	92.9	00.1	92.9	97.58
11	91.6	90.0	88.7	87.2	85.9	84.9	83.1	81.3	79.5	78.7	78.6	79.0	92.9	78.5	84.04
12	80.0	81.0	82.3	83.4	84.3	84.9	84.9	85.0	85.3	85.7	86.4	87.1	87.1	79.0	84.19
13	87.6	88.5	89.7	90.9	92.6	93.5	94.0	94.5	95.0	95.6	94.4	93.2	95.6	87.1	92.46
14	91.9	91.6	92.0	93.0	94.0	95.9	97.1	98.8	01.9	05.3	07.7	10.8	10.8	91.4	98.33
15	11.9	12.8	14.0	15.3	15.9	16.2	16.3	16.4	16.2	16.8	16.8	16.7	**17.0**	10.8	15.44
16	16.9	16.6	16.5	16.6	16.5	16.7	16.2	15.9	15.1	14.7	14.0	13.4	**17.0**	13.4	**15.76**
17	12.3	11.0	10.7	10.9	10.8	09.6	08.7	08.0	05.6	06.6	06.5	06.3	13.4	05.3	08.92
18	06.6	06.5	06.6	06.2	06.0	05.2	04.2	02.7	01.7	01.2	00.6	98.6	06.9	98.6	03.84
19	97.1	96.1	96.2	96.1	95.3	94.4	92.9	91.0	89.1	87.2	85.3	83.2	98.7	83.2	91.99
20	81.8	80.7	81.6	86.1	88.7	90.8	92.2	93.5	95.5	97.9	98.9	99.9	99.9	80.7	90.63
21	00.1	00.3	00.8	01.1	01.0	00.0	99.2	98.5	98.0	96.3	94.1	91.0	01.1	91.0	98.37
22	87.5	84.4	82.6	83.1	84.7	85.5	86.2	88.1	89.9	92.7	95.0	97.2	97.2	82.5	88.08
23	98.9	00.3	01.4	01.6	01.6	01.1	00.6	98.9	97.1	95.7	94.6	94.6	02.0	94.5	98.87
24	95.0	95.7	97.1	98.6	99.3	99.6	99.6	99.4	99.8	00.8	01.3	01.7	01.7	94.4	98.99
25	01.4	01.3	00.7	99.7	99.1	96.9	93.9	92.3	92.5	92.4	91.7	90.9	01.9	90.9	96.07
26	90.6	90.9	91.3	92.0	93.5	94.3	94.5	95.0	96.4	98.5	99.6	00.9	00.9	90.4	94.79
27	01.3	01.8	03.3	02.8	02.6	02.0	00.9	99.6	99.0	96.9	94.9	93.1	03.3	93.4	99.88
28	92.8	92.6	92.4	92.1	92.0	91.8	91.6	92.0	92.2	93.1	93.9	94.3	94.3	91.5	92.57
29	94.6	94.8	95.0	95.3	94.8	94.4	94.5	94.7	94.5	95.5	96.6	98.4	98.4	94.3	95.26
30	99.7	01.5	03.5	05.2	06.4	07.0	07.8	08.7	09.8	11.3	12.9	14.4	14.4	98.4	07.35
M	95.55	**95.46**	95.71	96.13	**96.37**	96.29	95.99	95.75	95.71	96.12	96.08	96.08	01.25	90.36	95.94

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

1949

Oslo (Blindern)

Mai V — Juni VI

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	15.1	15.3	15.7	15.6	14.8	13.6	12.4	12.1	11.4	12.1	13.1	14.7	15.8	11.3	13.82
2	16.2	17.6	18.8	20.2	20.4	19.7	18.5	18.4	18.2	17.8	17.6	17.3	**20.7**	14.7	**18.39**
3	16.9	16.7	16.5	16.3	16.0	14.8	13.2	11.9	11.0	10.7	10.6	09.9	17.3	09.9	13.71
4	09.2	08.4	07.5	06.7	05.3	03.6	02.1	00.7	99.3	98.6	97.8	96.7	09.9	96.7	02.99
5	95.3	93.1	91.8	90.3	89.6	87.1	85.6	84.6	84.2	83.2	81.3	80.5	96.7	80.5	87.22
6	79.4	79.8	82.1	84.2	85.0	85.5	85.3	86.6	87.0	87.8	89.4	90.1	90.1	**78.8**	85.18
7	90.8	91.8	93.4	94.2	94.7	95.4	95.1	95.6	96.3	97.2	98.4	99.2	99.2	90.1	95.18
8	99.9	00.9	01.7	01.6	01.7	01.4	01.2	01.3	01.6	02.5	03.7	04.4	04.4	99.2	01.82
9	05.1	06.0	07.1	07.9	08.2	08.0	08.4	09.1	09.9	10.8	12.3	13.8	13.8	04.4	08.88
10	14.2	14.4	14.9	14.9	14.3	13.8	13.0	12.6	12.4	12.7	12.3	12.3	15.0	12.3	13.48
11	12.7	13.3	14.6	15.4	16.1	16.1	15.5	15.1	15.1	15.7	16.4	16.9	16.9	12.3	15.24
12	17.3	17.3	17.6	17.9	17.8	16.7	15.9	15.2	14.8	14.9	15.0	14.9	18.0	14.8	16.28
13	14.5	13.8	13.6	13.3	13.0	12.2	11.3	10.6	10.0	10.0	09.4	09.1	15.0	09.0	11.73
14	08.9	09.0	08.9	09.0	08.5	07.9	07.1	06.3	05.6	05.3	05.1	04.8	09.1	04.8	07.20
15	04.0	03.4	03.5	02.8	02.3	01.3	99.8	99.7	99.1	98.3	97.9	97.4	04.8	97.4	00.79
16	96.8	96.2	96.8	96.9	96.8	95.4	94.9	93.7	92.1	94.4	94.9	95.4	97.4	92.1	95.36
17	95.9	96.1	96.5	98.0	98.7	99.3	99.9	99.9	99.6	99.3	99.7	99.8	00.0	95.4	98.56
18	00.1	00.1	99.8	99.8	99.7	99.0	98.4	99.9	99.5	99.4	00.3	00.9	00.9	98.3	99.74
19	01.6	02.1	02.9	03.4	04.2	04.8	05.1	05.3	05.2	05.3	05.6	05.8	05.9	00.9	04.28
20	05.9	05.6	05.9	06.3	06.5	05.7	04.8	04.0	03.6	03.5	03.8	04.3	06.5	03.5	04.99
21	05.3	04.4	04.6	04.6	04.4	03.7	03.6	03.0	02.3	02.2	03.0	03.6	05.3	02.1	03.72
22	04.6	05.0	04.8	05.2	04.6	03.8	02.8	01.8	00.5	00.2	00.2	00.0	05.2	00.0	02.79
23	99.5	99.1	98.4	98.1	97.6	96.8	96.1	95.3	94.3	94.4	94.2	93.7	00.0	93.6	96.46
24	92.4	91.4	90.7	90.4	90.5	90.3	89.9	89.4	88.9	89.4	89.4	89.4	93.7	88.7	90.18
25	89.1	89.0	89.1	88.6	88.7	88.3	88.2	87.1	85.7	84.5	83.5	82.0	89.4	82.0	86.98
26	80.8	80.5	80.8	80.8	80.8	81.3	81.6	82.0	83.1	84.2	85.0	85.7	85.7	80.5	**82.22**
27	86.2	87.0	87.7	88.1	88.7	88.9	89.3	89.4	89.8	90.2	90.9	91.6	91.6	85.7	88.98
28	91.9	91.6	91.2	89.8	89.5	89.5	89.7	89.4	88.8	88.4	88.9	91.4	91.9	88.4	90.01
29	93.6	96.0	98.1	99.4	00.3	00.8	01.0	00.8	00.4	00.2	99.4	98.3	01.0	91.4	99.02
30	97.1	95.2	94.3	93.9	93.8	94.7	95.8	96.9	97.5	98.6	99.5	00.7	00.7	93.6	96.50
31	01.8	02.4	03.8	03.9	04.1	04.2	03.4	03.0	02.5	02.9	02.5	02.8	04.3	00.7	03.11
M	01.36	01.37	01.71	**01.85**	01.83	01.41	00.93	00.67	**00.31**	00.47	00.68	00.88	04.07	91.39	01.12

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	04.0	04.2	05.0	05.6	05.7	06.0	06.2	05.8	05.7	06.9	07.1	07.3	07.3	02.9	05.78	1
2	07.4	07.0	06.7	06.3	05.7	05.7	05.3	04.7	04.4	04.3	04.1	03.9	07.4	03.5	05.46	2
3	02.3	01.9	02.2	02.1	02.0	01.4	01.6	01.6	00.6	01.1	00.8	00.3	03.9	00.3	01.49	3
4	99.2	97.6	96.4	94.6	92.5	90.1	87.7	84.7	84.4	84.8	86.5	86.9	00.3	**84.3**	90.45	4
5	87.3	87.2	87.1	87.3	87.4	87.7	87.5	87.1	86.7	87.1	87.6	88.4	88.4	86.7	**87.37**	5
6	89.2	89.5	90.9	91.9	93.4	94.2	95.2	96.1	96.1	96.0	95.8	95.0	96.1	88.4	93.61	6
7	94.9	94.9	95.2	95.6	96.2	96.8	97.2	97.7	97.7	98.5	98.5	98.5	98.7	94.6	96.81	7
8	97.1	95.0	92.9	92.3	91.9	91.6	92.5	93.5	94.8	96.5	98.1	99.9	99.9	91.6	94.68	8
9	01.1	01.9	02.6	03.4	03.6	03.6	04.2	04.0	04.2	05.0	05.8	06.6	06.6	99.9	03.83	9
10	06.9	07.2	07.6	07.4	06.8	06.2	05.6	04.9	04.4	04.0	03.8	03.8	07.8	03.8	05.72	10
11	03.6	03.1	02.8	02.8	03.0	02.7	02.8	03.7	04.3	05.1	05.7	06.5	06.5	02.4	03.84	11
12	06.9	07.3	07.7	08.3	08.1	07.7	07.3	06.1	05.6	05.9	05.6	05.0	08.3	05.0	06.79	12
13	04.6	04.0	03.8	04.2	03.6	02.5	01.4	00.5	00.2	00.2	01.3	00.2	05.0	00.0	02.21	13
14	99.8	99.4	98.6	97.7	96.7	95.8	95.5	95.1	94.7	94.8	95.5	96.0	00.4	94.6	96.63	14
15	96.5	96.9	97.5	97.3	96.9	96.1	95.5	95.4	95.4	96.1	97.2	97.8	97.8	96.0	96.55	15
16	98.2	98.8	98.6	98.9	98.9	98.4	98.0	97.9	98.4	99.0	99.5	99.7	99.8	97.8	98.69	16
17	99.7	99.6	99.4	99.7	99.8	98.9	98.6	98.0	98.1	99.5	00.7	00.8	00.8	98.0	99.40	17
18	01.4	02.6	03.5	04.1	04.5	04.4	05.0	05.1	05.7	07.2	09.4	10.4	10.4	00.7	05.28	18
19	11.2	11.8	11.8	11.8	11.3	10.9	10.1	09.3	08.3	07.9	07.9	07.4	**11.8**	07.4	09.98	19
20	06.8	06.7	06.1	05.8	06.0	05.5	04.9	04.0	04.3	05.2	06.0	06.2	07.4	03.3	05.62	20
21	05.9	05.7	04.7	03.8	03.3	02.9	03.2	04.0	04.5	05.2	06.1	06.6	06.6	02.8	04.66	21
22	06.4	06.6	06.1	06.0	05.6	04.7	04.3	04.2	04.1	04.7	06.8	08.1	08.1	04.1	05.63	22
23	08.8	09.1	09.7	09.7	09.2	08.8	08.0	07.3	06.2	05.9	05.9	06.4	09.7	05.8	07.92	23
24	06.2	06.1	05.9	05.2	04.3	03.4	02.4	01.4	00.5	00.3	00.5	00.8	06.4	00.1	03.08	24
25	00.8	00.9	01.4	01.1	00.7	00.2	99.4	99.0	98.9	98.9	99.5	00.0	01.6	98.8	00.07	25
26	00.1	00.8	01.4	01.6	01.7	01.5	01.2	01.1	01.3	02.2	03.6	04.6	04.6	99.8	01.76	26
27	04.8	05.0	05.0	05.1	05.0	04.5	04.1	04.1	04.1	05.3	06.6	07.8	07.8	03.9	05.12	27
28	08.4	08.9	09.2	09.3	08.7	08.0	07.1	06.4	05.6	05.4	05.5	05.6	09.3	05.4	07.34	28
29	05.7	06.6	06.6	07.5	08.1	08.7	08.7	08.6	08.4	09.2	09.8	10.8	10.8	05.5	08.22	29
30	11.1	11.2	11.2	11.2	11.2	10.6	10.4	10.7	11.3	11.1	11.1	10.6	11.4	10.2	**10.98**	30
M	02.54	02.58	02.59	02.59	02.39	01.98	01.70	01.40	**01.30**	01.77	02.41	**02.73**	04.70	99.92	02.16	M

Juli VII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	10.2	09.9	09.8	09.6	09.3	09.1	08.3	08.0	07.3	07.6	07.2	07.8	10.6	07.0	08.68
2	07.9	08.1	08.8	09.6	10.2	10.6	11.0	11.0	10.5	10.5	10.9	11.1	11.1	07.8	10.02
3	11.4	11.6	11.2	10.8	10.4	09.9	09.5	08.7	08.3	08.6	09.0	09.3	11.6	08.3	09.89
4	09.3	09.2	09.2	09.1	08.4	07.6	07.1	06.4	05.5	05.5	05.4	04.9	09.4	04.9	07.30
5	04.1	03.5	03.1	02.9	03.0	02.4	01.7	01.2	00.6	00.6	01.3	00.9	04.9	00.4	02.11
6	01.2	01.2	01.8	02.6	03.0	03.1	03.2	02.9	03.0	03.7	04.9	05.0	05.0	00.9	02.97
7	04.7	04.9	05.6	06.1	06.1	05.3	04.2	03.4	04.9	04.5	05.4	05.8	06.3	03.3	05.08
8	06.4	06.8	08.1	09.1	09.4	09.0	08.7	08.5	08.6	08.9	09.9	11.2	11.2	05.8	08.72
9	11.8	12.0	12.4	12.2	12.0	11.3	10.7	10.2	09.8	09.9	10.0	10.3	**12.4**	09.7	**11.05**
10	10.4	10.4	10.2	10.1	09.5	08.4	07.4	07.2	06.4	05.8	06.2	06.3	10.6	05.8	08.19
11	06.5	06.8	06.7	06.7	06.7	06.3	05.5	05.1	04.4	04.1	03.9	03.6	06.9	03.6	05.52
12	03.4	03.0	02.4	02.0	01.4	00.5	99.2	98.8	97.8	97.4	97.4	97.8	03.6	97.2	00.09
13	98.3	98.7	99.4	00.0	00.1	00.0	99.6	98.9	98.8	99.6	00.4	02.1	02.1	97.8	99.66
14	02.8	03.5	04.4	04.7	04.4	03.8	02.6	02.3	01.7	01.2	01.5	02.1	04.8	01.2	02.92
15	02.0	02.0	02.3	02.4	01.8	00.8	99.7	99.1	98.9	98.9	99.3	00.0	02.4	98.8	00.60
16	00.0	00.2	00.7	00.8	00.1	99.6	98.8	98.2	97.7	98.4	98.8	00.4	00.8	97.7	99.48
17	00.4	01.0	01.8	02.4	02.3	01.9	01.0	00.1	99.5	99.7	00.6	01.0	02.4	99.5	00.98
18	01.0	01.0	01.2	01.2	00.8	99.8	99.3	99.1	98.7	98.6	98.9	98.9	01.3	98.6	99.88
19	98.5	98.1	97.8	97.8	97.3	96.5	95.6	95.2	95.6	96.3	96.9	97.4	98.9	95.1	96.92
20	98.1	98.6	99.1	00.2	00.9	01.8	02.3	03.0	03.5	03.6	04.2	04.4	04.4	97.4	01.64
21	04.7	05.2	05.3	05.6	05.5	05.1	04.7	04.3	04.1	04.2	04.9	05.4	05.7	04.4	04.92
22	05.4	06.1	06.5	07.0	06.9	06.3	05.7	05.6	05.1	05.3	05.6	05.7	07.0	05.1	05.93
23	05.7	06.1	06.4	06.4	06.1	05.5	04.7	03.8	03.5	03.5	03.4	03.3	06.4	03.3	04.87
24	03.3	03.3	03.4	02.8	02.4	01.6	01.0	00.2	99.6	99.9	00.1	00.2	03.5	99.5	01.48
25	00.1	99.6	99.7	00.6	01.2	01.1	00.8	00.6	00.2	00.3	00.7	00.9	01.4	99.1	00.48
26	00.9	01.3	02.4	02.3	02.1	01.3	00.8	00.4	99.8	99.8	99.7	99.6	02.5	99.6	00.87
27	99.6	99.6	99.8	00.1	00.0	99.6	99.2	98.5	97.7	97.4	96.2	95.7	00.2	95.7	98.62
28	94.2	93.1	92.3	91.3	90.3	89.9	88.9	88.4	88.3	88.2	88.6	88.8	95.7	**88.1**	90.19
29	89.1	89.4	89.5	89.7	89.5	89.2	88.8	88.7	88.5	88.7	89.3	89.9	89.9	88.5	**89.19**
30	90.7	91.6	92.3	92.7	92.8	92.9	93.7	94.1	94.8	95.5	95.5	96.0	96.0	89.9	93.55
31	96.3	96.1	96.1	95.7	95.3	94.3	93.3	92.3	91.3	91.1	89.7	88.4	96.3	88.4	93.32
M	02.53	02.64	02.89	**03.05**	02.98	02.40	01.84	01.43	**01.11**	01.20	01.46	01.75	04.04	00.08	02.10

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	86.2	83.9	82.7	81.5	81.2	80.6	80.4	80.5	80.6	80.7	81.4	82.0	88.5	80.1	81.81	1
2	82.4	82.9	83.0	82.9	82.3	81.4	80.6	80.5	77.1	75.6	73.6	72.3	82.9	72.3	79.55	2
3	71.2	70.5	70.0	69.7	69.6	69.4	69.1	69.0	69.5	69.6	69.8	69.9	72.3	**68.9**	**69.78**	3
4	70.2	70.4	71.0	72.1	73.5	74.4	76.0	77.4	79.4	82.3	84.5	86.6	86.6	69.9	76.48	4
5	88.3	89.9	91.3	93.1	94.5	95.1	95.4	95.9	96.6	97.4	98.6	99.7	99.7	86.6	94.65	5
6	00.2	00.9	01.3	01.5	01.8	01.8	01.6	01.3	00.6	00.3	00.5	99.9	02.0	99.7	00.98	6
7	99.3	98.8	98.9	99.6	99.8	00.0	99.9	99.5	99.5	00.1	00.7	01.1	01.1	98.7	99.77	7
8	00.8	00.3	99.9	99.4	98.8	95.8	94.4	91.4	90.2	90.4	89.8	90.2	01.1	89.7	95.12	8
9	90.7	92.0	93.6	95.5	97.0	98.0	98.5	98.8	98.5	99.4	00.1	00.4	00.4	90.2	96.88	9
10	00.8	01.2	01.6	01.8	01.8	01.6	01.2	01.2	00.8	00.8	01.3	01.4	01.8	00.4	01.29	10
11	01.4	01.4	01.9	02.2	02.5	02.5	02.4	02.5	03.4	05.8	06.9	08.3	08.3	01.2	03.43	11
12	09.6	11.1	13.0	14.0	14.7	14.4	14.4	14.3	13.9	13.9	14.1	13.6	14.7	08.3	13.42	12
13	12.9	12.4	12.0	11.8	11.2	11.8	10.4	10.2	10.0	09.5	08.6	08.1	13.6	08.1	10.74	13
14	07.3	06.5	05.9	05.6	05.2	04.6	03.4	03.2	03.4	04.3	04.5	04.9	08.1	03.2	04.90	14
15	04.9	04.9	05.2	04.9	05.2	04.6	04.0	03.3	02.4	01.8	00.9	99.8	05.2	99.8	03.49	15
16	97.9	96.9	95.7	95.2	95.3	95.7	96.3	97.0	97.4	98.4	99.3	99.6	99.6	95.1	97.06	16
17	99.6	99.6	99.8	99.8	99.6	99.0	98.2	97.8	97.1	98.5	99.3	00.1	00.1	97.1	99.03	17
18	00.7	01.4	02.1	02.2	02.8	02.9	02.8	03.0	03.4	04.8	05.4	06.4	06.4	00.1	03.16	18
19	06.9	07.1	07.5	07.9	07.7	07.3	07.1	07.2	07.0	07.4	08.3	08.4	08.5	06.4	07.48	19
20	08.6	08.7	08.9	09.2	09.1	09.1	08.1	07.5	07.1	06.9	07.1	07.1	09.3	06.8	08.12	20
21	06.9	06.6	06.9	07.3	07.1	06.9	06.3	05.5	05.3	06.0	06.2	06.0	07.3	05.2	06.42	21
22	05.7	05.4	04.8	04.6	04.3	03.3	02.2	01.6	01.2	01.5	02.3	03.0	06.0	01.1	03.32	22
23	03.3	04.2	05.3	06.5	07.1	06.7	06.5	06.5	06.4	07.2	07.6	08.3	08.3	03.0	06.30	23
24	09.0	09.8	10.8	11.8	12.2	12.4	12.4	12.3	12.4	13.7	14.9	15.1	15.1	08.3	12.23	24
25	15.6	16.1	17.1	17.5	17.8	17.1	16.7	16.2	15.8	16.2	16.5	17.0	**17.8**	15.1	**16.63**	25
26	17.0	16.8	16.8	16.1	15.6	15.0	14.4	13.8	13.3	13.6	13.5	13.3	17.0	13.3	14.93	26
27	12.8	12.4	12.2	11.8	11.6	11.0	10.6	10.7	10.6	10.8	11.1	11.2	13.3	10.3	11.40	27
28	10.8	10.8	10.6	10.7	11.2	11.2	10.8	10.5	10.3	10.5	10.7	10.4	11.2	10.2	10.71	28
29	10.3	09.7	09.5	09.7	09.6	08.9	08.2	07.7	07.2	07.4	07.5	07.3	10.4	07.1	08.58	29
30	07.1	06.8	06.8	06.8	06.7	06.5	06.1	06.2	06.2	06.0	06.1	06.1	07.3	06.0	06.45	30
31	05.9	05.5	05.4	05.2	05.7	05.6	05.4	05.3	05.4	05.8	06.1	06.5	06.5	05.3	05.65	31
M	01.43	01.45	01.66	01.87	02.02	01.76	01.41	01.22	**01.03**	01.50	01.85	**02.05**	04.21	99.95	01.60	M

1949

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44 E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	06.1	06.1	06.2	06.7	07.3	07.2	06.7	06.1	05.8	05.9	06.0	06.2	07.3	05.8	06.36
2	05.8	05.5	05.3	05.4	05.7	05.5	05.2	04.0	04.4	04.9	04.8	04.6	06.3	03.9	05.09
3	04.1	03.7	03.2	03.6	03.8	03.6	03.4	03.0	02.8	03.3	03.9	04.1	04.6	02.8	03.54
4	04.3	04.4	04.8	06.2	07.1	07.9	08.1	08.5	09.2	10.4	11.5	12.5	12.5	04.1	07.91
5	12.8	13.6	14.4	14.9	15.5	15.2	14.8	14.1	13.5	13.7	13.3	13.0	15.5	12.5	14.07
6	12.7	11.6	11.1	10.6	09.9	08.8	08.3	07.3	06.9	06.6	06.2	06.2	13.0	06.1	08.85
7	06.1	05.9	06.1	06.5	06.5	06.0	05.4	05.3	05.4	06.2	06.2	06.5	06.6	05.3	06.01
8	06.4	06.5	06.7	06.7	06.1	05.2	04.8	05.0	04.4	04.2	03.3	03.0	06.7	03.0	05.19
9	02.8	02.5	02.4	03.3	03.8	04.3	04.3	05.0	04.9	05.6	05.4	05.4	05.6	02.3	04.14
10	05.4	04.7	04.6	05.2	05.3	05.6	05.5	05.8	06.2	07.3	07.5	08.3	08.3	04.4	05.95
11	08.6	09.1	09.6	10.2	10.9	11.0	11.0	11.0	11.9	12.9	14.0	15.2	15.2	08.3	11.28
12	15.9	15.3	17.1	17.8	18.0	18.3	17.8	17.6	17.7	18.4	18.7	19.6	19.6	15.2	17.68
13	19.9	20.0	20.1	20.6	20.8	20.3	19.6	19.1	18.7	18.7	19.1	19.0	**20.9**	18.6	**19.66**
14	18.7	17.9	17.5	17.1	16.3	15.1	13.8	11.7	10.3	09.8	09.0	08.3	19.0	08.3	13.79
15	06.9	05.5	05.0	04.2	03.6	03.2	02.8	02.7	02.5	03.1	03.1	02.8	08.3	02.4	03.78
16	03.0	02.6	02.4	02.6	03.2	03.3	03.3	03.1	02.9	02.9	03.0	03.2	03.4	02.4	02.96
17	03.0	02.7	02.8	03.4	04.1	04.3	04.0	04.1	04.3	05.1	05.5	05.7	05.7	02.7	04.08
18	05.7	06.1	06.4	07.0	07.6	07.6	07.7	07.6	07.7	08.2	08.4	08.2	08.4	05.7	07.35
19	08.1	07.9	07.5	07.7	07.5	07.3	06.7	07.0	06.9	07.6	08.0	08.2	08.3	06.6	07.53
20	08.2	08.4	08.7	09.5	09.7	09.9	09.9	10.2	10.3	10.5	10.8	10.8	10.9	08.1	09.74
21	10.9	11.0	11.0	11.5	12.0	12.2	11.9	11.7	12.2	13.3	13.9	14.6	14.6	10.8	12.18
22	15.2	15.3	16.0	16.9	17.9	18.1	18.1	18.3	18.3	19.0	19.2	19.5	19.5	14.6	17.65
23	19.6	19.5	19.5	19.3	19.3	18.6	17.7	16.8	16.2	16.1	15.8	15.6	19.7	15.6	17.83
24	14.8	14.3	13.8	13.6	13.4	13.0	12.8	12.6	12.1	12.1	12.1	12.2	15.6	12.0	13.07
25	11.6	10.9	11.0	10.9	11.6	10.4	10.1	09.7	08.5	08.2	08.0	07.6	12.3	07.5	09.88
26	07.6	07.4	07.6	08.5	09.0	09.3	08.9	08.6	08.6	08.9	09.3	09.5	09.6	07.4	08.60
27	09.5	09.5	09.5	10.1	10.5	10.6	10.1	09.7	09.6	09.8	10.0	09.9	10.6	09.3	09.90
28	09.3	08.7	08.2	08.3	08.9	08.6	08.6	09.3	09.4	10.2	10.5	10.6	10.6	08.2	09.22
29	10.3	09.6	08.9	08.9	08.1	06.3	04.1	01.9	00.3	99.4	99.7	99.5	10.7	99.1	04.75
30	01.3	01.7	01.8	03.4	04.0	04.0	03.1	01.7	01.3	00.1	98.9	97.1	04.1	**97.1**	**01.53**
M	09.15	08.93	08.97	09.35	**09.58**	09.36	08.95	08.62	**08.44**	08.75	08.84	08.90	11.11	13.67	08.99

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	94.9	92.9	92.2	92.9	93.7	94.7	94.8	95.7	97.0	98.3	99.6	99.8	00.0	92.1	95.54	1
2	99.8	99.2	98.3	97.7	97.0	95.5	93.3	91.1	88.3	85.4	82.4	80.1	00.0	80.1	92.34	2
3	79.2	80.4	79.9	79.5	81.1	84.3	87.4	91.1	94.6	98.8	02.3	05.5	05.5	79.0	88.68	3
4	07.8	09.9	11.4	13.1	13.6	13.5	12.8	11.7	11.3	10.3	08.7	07.1	13.8	05.5	10.93	4
5	04.3	01.4	98.8	96.6	94.4	93.4	94.5	97.2	00.0	01.9	04.1	05.4	07.1	93.3	99.33	5
6	06.5	07.5	08.5	09.7	10.4	10.5	10.4	10.9	12.0	13.3	13.7	14.5	14.5	05.4	10.66	6
7	15.0	15.1	15.2	15.0	14.8	13.9	12.2	10.9	10.3	09.8	09.4	08.8	15.3	08.8	12.53	7
8	08.1	07.0	05.9	05.9	05.5	05.2	04.6	04.5	05.0	06.0	07.5	08.7	08.7	04.4	06.16	8
9	09.6	10.6	11.7	13.6	14.8	15.3	15.3	15.6	16.4	17.4	18.4	19.2	19.2	08.7	14.82	9
10	19.2	19.5	19.8	20.2	20.7	20.7	20.4	19.8	19.7	19.5	19.0	18.8	20.8	18.8	19.78	10
11	18.1	17.6	17.1	16.6	16.5	15.8	15.1	14.1	13.2	12.9	12.4	11.3	18.8	11.3	15.06	11
12	10.2	09.4	07.6	07.7	07.6	06.5	06.5	06.3	06.7	08.2	08.6	09.5	11.3	06.3	07.90	12
13	09.4	09.2	09.0	09.1	09.1	08.8	07.6	06.4	05.9	06.3	06.6	06.6	09.6	05.8	07.83	13
14	06.1	05.9	06.2	07.2	07.5	07.3	07.9	08.2	07.9	07.6	07.4	06.8	08.2	05.9	07.17	14
15	06.0	05.2	04.6	04.4	04.3	03.6	02.9	02.3	02.5	02.3	01.9	01.4	06.8	01.4	03.45	15
16	00.8	00.4	00.2	00.5	00.6	00.4	00.4	00.3	00.5	00.7	00.0	99.0	01.4	99.0	00.32	16
17	97.9	97.3	96.4	95.9	95.7	94.8	94.1	93.6	93.1	92.6	92.7	92.7	99.0	92.5	94.73	17
18	91.9	91.5	91.6	92.7	93.2	93.1	92.0	90.5	87.7	83.9	80.6	78.5	93.3	78.5	88.93	18
19	77.7	79.3	79.6	79.8	79.9	79.5	78.7	79.5	81.4	81.7	82.7	82.2	82.7	77.6	80.17	19
20	82.4	82.5	83.9	85.0	85.9	85.7	85.2	85.6	85.8	87.0	88.1	89.5	89.5	82.0	85.55	20
21	89.1	88.1	86.7	86.8	85.6	83.7	81.9	81.4	81.3	82.0	82.9	84.6	89.7	81.0	84.51	21
22	95.3	95.7	86.7	87.9	88.5	89.4	90.1	90.6	91.2	91.5	91.6	91.4	91.8	84.5	89.16	22
23	90.7	89.1	87.7	86.8	85.7	85.3	85.1	86.2	87.4	88.0	88.5	88.0	91.4	85.1	87.38	23
24	86.5	83.5	79.4	76.1	72.4	71.2	70.6	71.3	75.0	78.3	82.1	84.9	88.0	**70.4**	**77.61**	24
25	87.2	88.9	90.8	92.9	94.6	96.0	96.3	96.8	96.3	96.9	96.1	94.2	97.4	84.9	93.92	25
26	91.7	89.6	85.0	82.0	80.2	78.9	78.0	77.4	76.8	76.3	76.2	76.3	94.2	75.9	80.70	26
27	76.9	78.9	81.1	84.7	88.4	91.1	93.9	97.4	00.7	03.9	06.6	08.4	08.4	76.3	92.67	27
28	10.1	10.6	11.6	12.8	13.6	14.1	14.5	14.9	15.5	16.3	17.3	18.4	18.4	08.4	14.14	28
29	18.8	18.8	19.7	20.6	21.2	21.4	21.4	21.4	21.7	22.1	22.6	22.7	22.7	18.4	21.03	29
30	22.9	23.1	23.1	23.5	23.6	23.3	22.8	22.6	22.7	22.8	22.6	22.3	**23.6**	22.3	**22.94**	30
31	22.1	21.7	21.3	21.4	21.7	21.2	20.8	20.4	20.5	20.7	20.5	20.2	22.3	20.2	21.04	31
M	00.85	00.64	**00.35**	00.60	00.70	00.58	00.37	00.51	00.92	01.38	01.71	**01.83**	05.59	96.25	00.87	M

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	20.2	19.6	19.2	19.4	19.2	18.8	18.2	18.0	17.6	17.5	17.1	16.5	20.3	16.5	18.44
2	16.0	15.3	14.8	14.4	14.0	13.1	12.3	11.5	10.7	10.2	09.5	09.0	16.5	09.0	12.57
3	08.4	07.5	07.0	06.9	07.1	06.9	06.1	05.4	05.0	04.6	03.5	02.1	09.0	02.1	05.88
4	00.6	98.3	97.0	98.2	99.9	00.7	00.7	00.8	00.4	00.1	99.6	99.1	02.1	97.0	99.62
5	97.8	96.4	94.7	94.1	94.2	94.1	94.0	93.8	93.3	93.0	93.1	93.0	99.1	92.9	94.29
6	92.5	91.2	90.4	89.0	88.0	86.7	84.5	82.7	81.4	80.7	80.0	79.1	93.0	79.1	85.52
7	79.0	79.0	79.5	79.9	81.0	82.3	83.3	84.6	85.8	86.5	86.4	85.3	86.5	**79.0**	**82.72**
8	84.0	82.7	81.4	80.9	82.4	84.6	85.3	87.3	88.9	90.7	92.5	94.0	94.0	80.8	86.27
9	95.0	96.2	97.1	98.0	98.8	98.7	98.5	98.6	98.5	97.8	97.3	96.9	98.8	94.0	97.62
10	95.9	95.1	94.9	93.9	93.4	93.4	93.3	93.4	93.8	94.2	94.1	94.1	96.9	93.0	94.12
11	94.1	94.0	94.1	93.9	94.5	94.8	95.0	95.1	94.8	94.0	93.6	92.9	95.2	92.9	94.23
12	91.0	89.5	88.0	87.5	87.3	86.9	86.5	86.6	86.5	86.5	86.5	86.7	92.9	86.4	87.46
13	86.5	86.1	86.1	86.5	87.1	87.6	88.0	88.7	89.7	90.3	91.1	92.3	92.3	85.9	88.33
14	92.9	93.7	94.5	96.6	98.3	99.5	00.7	02.1	03.8	05.1	06.7	08.3	08.3	92.3	00.18
15	09.1	10.3	11.7	13.6	15.3	16.3	17.1	18.6	19.8	20.9	22.3	22.8	22.8	08.3	16.48
16	23.0	23.3	23.8	24.6	25.0	24.6	23.1	22.1	20.8	19.8	18.8	17.1	**25.2**	17.1	**22.17**
17	15.2	13.0	11.7	10.2	08.8	07.3	05.7	05.2	04.6	04.5	04.3	04.0	17.1	04.0	07.88
18	03.7	04.3	04.8	05.2	06.1	06.1	05.9	05.8	06.2	06.6	06.8	07.7	07.7	03.7	05.77
19	07.6	07.9	08.3	08.9	09.3	09.2	09.2	09.1	09.8	10.3	11.1	11.3	11.4	07.5	09.33
20	11.3	11.0	10.8	11.1	10.8	09.9	09.2	08.1	07.7	06.6	06.0	05.3	11.4	05.3	08.98
21	03.7	03.2	02.1	01.7	01.4	00.5	99.7	99.1	98.6	98.2	98.5	98.9	05.3	98.2	00.47
22	98.9	98.6	98.3	98.6	98.7	98.2	97.7	97.7	97.6	97.9	98.5	98.3	98.9	97.6	98.25
23	98.2	98.1	98.0	98.3	98.9	98.6	97.9	97.5	97.6	97.9	98.7	98.9	98.9	97.3	98.22
24	99.5	00.3	00.7	02.0	02.5	02.5	02.6	02.7	02.9	03.1	03.0	03.0	03.2	98.9	02.07
25	02.6	01.8	01.6	01.6	01.6	01.6	01.2	01.0	00.9	00.7	00.7	00.9	03.0	00.5	01.35
26	00.8	00.6	00.6	00.6	00.6	00.3	99.8	99.3	98.9	99.1	98.8	98.5	00.9	98.5	99.82
27	98.2	97.5	97.7	97.1	98.1	98.4	97.9	98.1	98.4	98.9	99.2	99.5	99.6	96.9	98.25
28	99.5	99.2	99.6	99.3	99.7	99.7	99.3	99.6	99.9	99.5	99.4	99.1	00.0	99.1	99.48
29	98.7	97.7	97.1	96.4	95.6	94.5	92.3	91.1	89.4	88.7	88.7	89.0	99.1	88.3	93.27
30	89.9	91.0	92.0	93.5	94.7	95.2	95.2	95.2	94.9	93.6	92.1	89.7	95.4	88.7	93.08
M	**00.46**	00.08	99.92	00.06	00.41	00.37	00.02	99.96	99.94	99.92	99.93	**99.78**	03.49	97.03	00.07

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	88.2	87.2	86.5	86.4	86.1	85.7	84.4	83.3	81.7	81.0	80.4	80.0	89.7	80.0	84.24	1
2	79.7	79.5	79.8	80.1	80.8	81.0	81.5	82.1	82.1	82.6	82.1	81.6	82.7	79.4	81.08	2
3	79.8	77.7	75.0	71.7	67.4	63.8	61.5	60.7	60.5	60.1	59.8	59.6	81.6	**59.6**	66.47	3
4	60.0	60.4	60.8	61.0	61.6	61.5	61.8	62.7	63.3	64.3	65.0	65.8	65.8	**59.6**	**62.35**	4
5	66.5	67.2	67.6	68.5	69.5	70.2	70.4	71.1	72.2	72.8	73.9	75.0	75.0	65.8	70.41	5
6	75.5	76.4	77.1	78.4	79.8	81.0	82.3	83.5	84.7	85.5	86.3	87.3	87.3	75.0	81.48	6
7	87.9	88.2	88.6	88.7	88.3	87.2	85.2	82.5	78.4	75.6	72.5	68.7	88.8	68.7	82.65	7
8	66.4	66.3	67.9	67.0	68.0	66.1	65.1	65.4	67.3	70.1	72.5	74.4	74.4	65.0	67.97	8
9	75.9	77.3	78.5	80.4	82.4	83.9	85.4	87.2	88.9	90.6	92.4	94.1	94.1	74.4	84.75	9
10	95.5	97.5	99.1	00.8	02.8	04.1	04.9	06.1	07.3	08.1	08.8	09.4	09.4	94.1	03.70	10
11	09.9	10.7	11.9	13.3	14.3	14.3	14.5	15.4	15.6	15.6	15.6	15.7	15.8	09.4	03.90	11
12	15.2	14.4	13.4	12.2	11.9	10.5	09.4	08.2	06.5	05.2	03.2	00.6	15.7	00.6	09.22	12
13	97.6	94.5	91.8	90.6	90.9	92.3	94.1	95.1	95.4	95.2	95.0	92.4	00.6	90.5	93.74	13
14	91.3	90.1	89.6	89.3	89.0	89.0	87.5	82.7	86.4	86.9	87.6	88.0	92.4	86.3	88.12	14
15	88.2	87.9	87.3	86.3	85.3	84.7	83.4	82.3	82.1	81.4	80.4	79.0	88.3	79.0	84.02	15
16	77.7	78.2	78.6	79.7	80.7	80.4	80.8	81.0	80.8	78.2	74.4	71.4	81.1	71.4	78.49	16
17	70.7	69.6	68.4	68.6	67.3	66.3	65.4	65.3	65.1	65.9	66.9	67.6	71.4	65.0	67.26	17
18	68.5	69.3	69.9	70.8	71.8	72.7	73.6	74.8	75.8	76.7	77.0	77.6	77.6	67.6	73.21	18
19	77.1	76.7	76.7	76.0	75.6	73.3	70.3	68.4	68.0	69.4	70.6	71.4	77.6	67.9	72.79	19
20	72.6	73.9	74.1	73.3	73.8	74.4	75.0	76.0	78.7	83.8	87.9	92.5	92.5	71.4	78.00	20
21	96.0	98.0	00.4	01.5	02.5	03.1	03.1	02.8	02.3	02.3	02.9	03.8	03.8	92.5	01.56	21
22	04.4	04.7	04.7	05.0	05.7	06.3	07.0	07.5	09.1	10.7	12.9	14.5	14.5	03.8	07.71	22
23	15.8	16.8	17.4	18.7	19.7	20.4	20.3	20.1	19.5	18.7	17.5	15.7	20.5	14.5	18.38	23
24	13.3	10.8	09.1	08.5	08.2	08.2	07.1	06.9	06.3	06.0	05.9	05.3	15.7	05.3	07.97	24
25	04.4	03.3	01.8	00.6	99.0	96.6	94.0	91.5	88.1	85.2	82.1	78.2	05.3	78.2	93.73	25
26	74.8	71.3	68.3	66.9	67.0	67.2	67.7	70.4	73.4	76.3	78.9	81.2	81.2	66.9	71.95	26
27	82.0	82.0	80.2	77.9	75.6	75.3	75.4	78.2	81.3	85.4	89.5	92.6	92.6	75.2	81.28	27
28	94.9	95.7	96.5	98.2	99.4	99.8	00.6	01.3	02.5	02.9	04.0	05.1	05.1	92.6	00.08	28
29	05.3	05.5	05.5	05.6	05.2	04.6	03.3	02.8	02.3	03.0	03.3	04.4	05.7	02.3	04.23	29
30	05.1	06.1	07.6	10.3	12.5	13.3	14.0	14.9	15.7	16.4	16.9	17.9	17.9	04.4	12.56	30
31	18.6	19.3	19.4	19.9	20.4	20.6	20.4	20.5	20.1	19.6	18.8	18.1	**20.7**	17.9	**19.64**	31
M	88.99	88.92	88.79	88.91	89.11	88.96	**88.69**	88.73	89.08	89.53	89.84	**89.96**	94.99	83.36	89.13	M

Registreringer av lufttemperatur T

(Records of temperature: T)

1949

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 35.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.6$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	0.8	1.5	0.9	1.0	0.7	0.8	0.8	1.7	1.7	1.5	1.5	1.4	1.9	0.7	1.19
2	2.2	3.4	3.8	3.7	4.2	4.2	2.9	3.5	3.5	3.4	3.8	3.6	4.6	1.1	3.52
3	3.4	2.3	1.9	0.7	0.2	0.2	0.2	-0.3	-0.7	-1.6	-2.8	-3.7	4.1	-3.7	-0.02
4	-5.3	-6.1	-7.7	-7.9	-8.6	-6.0	-4.3	-3.3	-3.8	-3.6	-4.0	-2.9	-2.7	-8.6	-5.29
5	-3.4	-1.8	-3.0	-3.3	-3.3	-2.0	-1.0	-2.7	-3.0	-3.4	-2.8	1.2	1.2	-4.2	-2.38
6	2.3	2.7	2.6	2.4	3.4	4.2	4.2	4.0	3.2	1.7	1.3	1.1	4.2	1.1	2.76
7	0.4	1.0	0.8	0.8	0.4	1.0	1.0	0.7	1.9	0.4	-0.3	-0.7	1.9	-0.7	0.62
8	-1.0	-1.0	-1.5	-1.7	-1.9	-1.7	-1.1	-1.9	-2.2	-4.0	-5.0	-5.0	-0.7	-5.5	-2.33
9	-6.3	-4.1	-3.1	-4.7	-6.7	-2.9	-2.0	-5.8	-8.5	-9.4	-10.3	-10.8	-1.8	-10.8	-6.22
10	-9.3	-7.2	-5.9	-4.4	-2.3	-0.2	1.3	1.8	2.6	2.5	4.4	3.8	4.4	-11.0	-1.08
11	3.8	3.8	3.9	3.9	3.1	4.1	4.0	2.2	2.8	1.6	1.1	0.0	3.9	0.0	2.86
12	-0.9	-1.1	-1.1	-2.6	-3.0	-2.7	0.2	0.1	-1.3	-2.3	-3.7	-4.3	0.4	-4.3	-1.89
13	-5.5	-8.3	-8.7	-8.4	-6.6	-3.7	-1.0	0.4	1.8	1.8	1.7	2.0	2.0	-8.9	-2.96
14	4.0	4.6	4.8	4.4	2.8	4.2	4.7	3.8	0.8	1.9	0.6	0.9	4.9	0.6	3.12
15	1.2	1.0	2.0	1.1	1.3	1.5	1.5	-0.5	-0.8	-3.1	-3.0	-4.8	2.8	-4.9	-0.22
16	-4.8	-5.0	-4.9	-4.7	-4.5	-4.3	-4.3	-4.3	-5.6	-6.4	-6.6	-6.6	-3.5	-6.6	-5.17
17	-6.5	-6.0	-5.7	-5.6	-4.9	-3.9	-3.1	-2.1	0.2	0.3	0.9	1.0	1.0	-6.6	-2.95
18	0.3	-1.4	-0.8	0.0	-1.2	-0.7	-1.0	-1.1	-2.1	-1.6	-0.9	-0.6	1.0	-2.3	-0.92
19	0.5	1.0	0.8	0.5	0.3	0.4	0.4	1.2	2.1	3.7	3.2	3.1	3.8	-0.6	1.43
20	2.2	1.1	-1.4	-1.5	-0.3	1.8	2.1	0.5	-2.1	-1.4	-1.5	-3.0	3.1	-3.0	-0.29
21	-2.5	-0.6	-3.6	-5.1	-4.5	-1.6	-0.4	-3.7	-3.7	-5.1	-6.0	-6.3	-0.4	-6.3	-3.59
22	-8.8	-9.4	-11.3	-12.4	-11.5	-8.0	-7.9	-8.7	-9.8	-10.1	-9.9	-8.5	-6.3	**-12.4**	**-9.69**
23	-6.6	-4.7	-3.5	-1.5	0.4	2.3	2.5	2.8	2.9	3.2	3.2	4.1	4.1	-8.5	0.42
24	4.2	4.2	3.9	3.8	2.7	4.8	5.7	4.7	3.4	2.4	-0.4	3.3	5.7	-0.4	3.56
25	4.7	3.6	2.3	0.6	4.3	4.8	4.8	3.9	1.8	0.9	0.9	0.9	5.4	0.9	2.79
26	0.7	1.6	0.3	1.6	3.0	4.5	4.3	3.9	2.8	2.0	3.0	3.0	5.0	-0.1	2.56
27	3.0	2.9	2.2	2.8	2.3	4.0	5.1	4.4	4.5	4.5	4.5	4.7	5.3	2.0	**3.74**
28	4.5	4.3	4.2	3.9	3.7	4.3	5.2	4.3	2.8	1.3	1.3	1.1	5.2	1.1	3.41
29	0.8	0.8	-0.3	-0.3	0.0	0.0	0.0	0.0	0.4	1.4	1.2	3.3	3.3	-0.4	0.61
30	3.7	4.9	4.2	6.4	6.5	6.9	5.7	3.3	1.5	1.0	-2.0	-2.0	**8.1**	-2.8	3.34
31	-3.0	-4.2	-3.3	-3.4	-1.5	0.8	1.8	0.2	-0.2	-0.2	-0.2	-1.0	1.8	-4.4	-1.18
M	-0.72	-0.52	-0.88	**-0.96**	-0.69	0.55	**1.04**	0.42	-0.10	-0.54	-0.86	-0.70	2.38	-3.53	-0.33

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	-2.3	-3.2	-4.0	-1.0	-0.7	0.9	0.9	1.0	-0.9	-1.2	-2.5	-3.5	1.7	-4.0	-1.38
2	-3.4	-5.2	-5.4	-5.1	-5.4	-3.4	-1.3	-0.7	-3.2	-4.7	-5.4	-5.4	-0.5	-5.5	-4.05
3	-5.6	-4.0	-2.1	-1.9	-0.1	1.4	3.3	5.0	4.6	5.1	7.9	5.4	8.3	-5.8	1.58
4	4.1	3.4	3.3	1.6	3.1	5.1	7.7	5.6	4.6	3.5	0.8	2.5	7.7	0.8	3.78
5	1.6	1.3	-1.1	-2.5	0.6	2.7	4.2	3.4	-0.5	-1.8	-2.8	-5.0	4.3	-5.0	0.01
6	-6.6	-7.4	-8.1	-8.4	-6.1	-3.3	-1.3	-1.9	-3.8	-5.5	-5.6	-6.6	-1.0	-8.4	-5.38
7	-7.1	-7.8	-8.6	-8.9	-6.6	-3.7	-3.0	-3.6	-3.7	-3.6	-3.6	-3.6	-3.0	-8.9	-5.32
8	-3.2	-1.9	-0.9	-0.1	0.7	0.4	0.4	0.4	0.4	0.3	0.1	0.1	1.1	-3.6	-0.28
9	0.0	-0.1	-0.1	-1.0	-1.8	-0.9	-1.0	-2.0	-2.8	-2.5	-2.8	-2.2	0.1	-2.8	-1.43
10	-2.1	-2.5	-2.6	-2.3	-2.0	-0.8	1.3	1.1	-2.2	-4.9	-6.4	-7.3	2.0	-7.3	-2.56
11	-8.2	-8.7	-9.0	-9.6	-8.5	-5.7	-3.6	-3.2	-4.2	-3.7	-3.0	-3.8	-3.0	**-9.7**	**-5.93**
12	-4.0	-5.6	-4.2	-3.6	-3.0	-2.0	-0.8	-1.3	-0.7	-0.6	-0.6	-0.6	-0.6	-5.9	-2.25
13	-0.1	0.0	0.0	0.0	0.1	0.7	2.0	2.4	2.7	2.6	3.2	3.3	3.6	-0.6	1.41
14	3.4	4.1	4.2	4.3	6.0	7.1	9.3	8.4	7.1	5.9	1.7	-0.2	10.1	-0.2	5.11
15	-0.3	-0.3	-1.3	-1.3	0.4	4.2	6.3	5.9	5.0	4.7	3.9	3.5	7.1	-1.6	2.56
16	3.1	3.1	2.8	2.7	2.0	2.4	3.8	4.9	5.4	5.6	4.8	5.4	6.1	2.0	3.83
17	4.4	4.5	4.9	4.9	5.4	7.5	10.6	9.3	5.7	2.8	0.5	-0.3	**10.6**	-0.3	5.02
18	-0.6	-1.1	-2.0	-2.6	-0.8	2.2	4.1	4.1	3.2	3.1	2.6	2.4	4.7	-2.7	1.22
19	2.5	2.5	2.6	2.5	2.5	2.8	4.2	3.9	3.7	2.2	0.8	0.4	4.2	0.4	2.55
20	0.0	-1.0	-1.3	-2.0	-1.0	0.3	2.3	3.1	4.2	4.3	4.3	4.3	4.4	-2.1	1.45
21	4.1	3.9	3.5	3.8	3.2	4.1	4.4	4.4	4.1	4.3	3.8	3.4	4.3	3.2	3.92
22	2.7	2.5	3.6	3.6	3.7	4.2	6.6	6.5	3.8	3.2	3.2	2.2	6.6	2.2	3.82
23	5.0	6.5	6.8	5.5	6.2	6.5	6.7	6.1	4.0	3.1	2.9	2.9	7.2	2.2	**5.18**
24	2.2	1.9	0.4	0.1	4.0	5.0	5.6	5.3	3.3	2.0	1.5	0.5	5.6	0.1	2.66
25	0.7	0.0	0.7	0.6	1.7	3.1	4.1	3.3	1.8	1.0	0.0	-0.9	4.1	-0.9	1.34
26	-2.4	-3.3	-2.5	-2.7	-1.5	-0.4	0.6	1.1	0.3	-0.7	-1.1	-4.1	1.2	-4.1	-1.39
27	-5.2	-5.7	-7.3	-6.4	-4.2	-0.8	1.2	2.1	-0.6	-1.7	-2.1	-2.7	2.2	-7.4	-2.78
28	-4.6	-2.9	-3.3	-4.3	-0.3	1.3	1.9	1.8	-1.8	-4.8	-6.2	-7.4	1.9	-7.4	-2.55
M	-0.78	-0.96	-1.11	**-1.22**	-0.09	1.46	**2.88**	2.73	1.41	0.64	0.00	-0.62	3.61	-2.98	0.36

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	-7.7	-8.5	-7.2	-7.3	-4.3	-1.9	0.3	-0.1	-1.7	-4.4	-6.6	-8.0	0.6	-8.5	-4.78
2	-9.2	-9.5	-9.4	-11.9	-4.5	-0.1	0.9	1.4	-1.0	-2.0	-2.7	-3.0	1.8	-11.9	-4.25
3	-3.1	-5.0	-5.7	-6.0	-2.0	0.6	1.1	1.4	-1.9	-4.0	-5.1	-5.3	1.8	-6.1	-2.92
4	-4.5	-5.8	-6.5	-5.8	-5.2	-4.2	-3.2	-2.3	-3.8	-7.3	-8.6	-8.7	-2.0	-8.7	-5.49
5	-10.5	-11.6	-11.6	-11.5	-8.1	-6.2	-5.2	-4.5	-5.9	-6.3	-6.1	-6.2	-4.5	**-12.2**	**-7.81**
6	-6.3	-6.4	-5.9	-5.6	-4.9	-3.8	-2.4	-2.4	-2.4	-2.8	-2.4	-2.4	-2.4	-6.4	-3.98
7	-2.4	-2.4	-2.4	-2.7	-1.2	-1.2	-0.4	-0.4	-1.0	-1.1	-1.1	-1.2	-0.3	-2.7	-1.46
8	-1.3	-1.9	-2.0	-2.9	-1.5	-0.6	-0.1	0.0	-1.2	-2.1	-1.8	-2.0	0.0	-2.9	-1.45
9	-2.0	-2.0	-2.0	-1.7	-0.9	-0.9	-0.9	-1.0	-1.0	-0.9	-0.7	-0.5	-0.4	-2.0	-1.21
10	-0.5	-1.0	-1.8	-2.8	-3.0	-2.7	-2.5	-1.6	-2.5	-4.3	-4.5	-4.1	-0.5	-5.2	-2.61
11	-4.4	-5.4	-5.6	-4.6	-4.6	-4.0	-2.6	-1.5	-2.0	-3.2	-3.0	-4.1	-1.4	-5.6	-3.75
12	-3.0	-1.4	-1.2	-2.0	-2.5	-2.5	-1.9	-1.7	-0.1	0.1	0.2	0.2	0.2	-4.1	-1.32
13	0.6	0.1	-0.9	-1.1	1.3	1.9	3.4	2.7	2.5	1.0	0.5	0.1	3.4	-1.9	1.01
14	-0.1	-1.0	-1.2	-1.1	2.0	3.2	5.1	6.2	4.2	1.2	0.3	-1.1	6.2	-1.2	1.48
15	-2.8	-3.1	-3.9	-3.6	-0.4	6.4	6.4	6.2	4.0	1.7	0.1	-1.2	6.5	-3.9	0.82
16	-0.6	-2.4	-4.7	-3.8	-0.6	2.6	5.0	5.0	3.4	2.5	1.5	-1.6	5.8	-4.8	0.52
17	-4.1	-5.2	-6.7	-5.7	-1.5	0.8	2.9	3.2	1.3	-1.7	-3.7	-4.2	3.3	-7.0	-2.05
18	-5.0	-5.6	-5.5	-5.3	-1.1	1.1	2.2	3.3	1.8	-1.6	-2.0	-1.5	3.3	-5.7	-1.60
19	-3.7	-4.6	-5.1	-4.5	-0.7	3.3	5.9	6.7	5.9	1.5	0.7	0.6	6.8	-5.8	0.50
20	-0.6	-1.3	-2.5	-1.8	0.2	1.3	2.5	5.1	3.6	1.1	0.7	0.3	5.2	-2.7	0.72
21	0.3	0.7	0.4	0.4	0.3	0.4	1.1	1.3	1.3	1.2	0.6	0.5	1.3	0.3	0.71
22	0.5	0.8	2.7	2.8	4.1	5.4	9.7	9.1	7.3	5.2	4.2	3.1	9.9	0.5	4.58
23	1.9	1.2	-0.2	1.8	4.9	7.2	10.0	10.2	8.7	7.0	5.1	3.1	10.4	-0.2	5.08
24	2.4	2.0	2.1	3.8	6.2	10.4	13.8	14.6	13.1	9.2	7.2	4.1	**14.6**	1.5	**7.41**
25	3.1	1.5	1.0	1.9	6.0	10.3	11.9	11.4	8.3	3.8	1.8	1.9	12.7	0.9	5.24
26	0.9	4.1	4.1	2.4	2.8	4.0	6.2	6.2	5.3	1.1	-0.1	-1.4	6.2	-1.4	2.97
27	-2.3	-2.8	-3.5	-0.7	2.4	4.7	7.3	8.5	7.8	2.1	0.6	-0.2	8.5	-3.6	1.99
28	-1.2	-1.6	-2.3	0.6	2.4	5.9	9.1	9.4	8.3	2.3	0.0	-0.5	9.4	-2.3	2.70
29	-1.9	-2.8	-3.6	-0.4	2.6	6.1	8.1	8.1	6.4	3.4	0.7	-0.8	8.6	-3.6	2.16
30	-1.2	-1.5	-2.0	0.1	2.2	5.5	7.8	9.0	7.4	3.9	0.8	1.1	9.2	-2.0	2.76
31	0.7	-0.6	-1.6	-1.0	0.1	3.9	6.9	9.7	7.8	3.9	3.9	2.0	9.8	-1.6	2.98
M	-2.19	-2.68	-3.05	-2.08	-0.31	1.84	3.50	3.97	2.71	0.34	-0.63	-1.32	4.32	-3.90	-0.03

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	0.4	-0.6	-1.3	1.0	3.7	5.0	6.7	7.2	5.3	2.3	-0.1	-1.0	7.2	-1.3	2.38
2	-1.0	-1.3	-2.0	-1.2	1.9	5.3	5.5	4.8	4.5	2.1	1.9	0.9	5.8	**-2.2**	**1.78**
3	0.6	0.6	0.6	0.8	1.7	2.5	1.6	1.6	2.4	2.8	3.4	4.1	4.1	0.6	1.89
4	4.6	5.4	5.6	5.8	6.3	6.2	6.3	5.7	6.1	5.7	5.4	5.3	6.3	4.1	5.70
5	5.1	5.1	4.6	5.1	10.2	10.6	10.0	9.4	7.9	4.3	3.3	1.4	10.7	1.4	6.42
6	0.4	-0.5	-0.6	1.5	4.3	5.6	8.0	9.3	8.7	3.1	0.5	0.2	9.4	-0.6	3.38
7	-0.8	-1.4	-1.6	0.9	3.2	7.5	7.6	7.6	6.9	6.3	4.8	2.8	7.6	-1.6	3.65
8	2.3	1.2	1.2	1.2	2.0	2.2	2.1	2.2	1.7	1.5	1.9	2.3	2.8	1.2	1.82
9	1.8	1.6	1.6	2.8	4.9	6.9	8.1	8.2	6.3	4.3	2.1	0.6	8.2	0.6	4.10
10	-1.4	-1.3	-1.4	0.4	2.5	7.7	9.1	9.6	8.6	7.1	5.4	4.2	9.6	-2.1	4.21
11	3.2	3.0	2.5	3.0	3.3	4.9	6.6	9.1	8.8	7.4	6.2	5.6	9.2	2.4	5.30
12	5.2	4.6	4.5	5.0	5.6	6.4	7.7	7.6	6.7	5.9	4.6	4.4	8.0	4.4	5.68
13	3.9	3.7	3.5	4.1	4.7	8.1	10.9	10.4	9.3	6.4	5.5	5.7	11.6	3.5	6.35
14	5.3	5.2	5.5	5.6	7.4	9.9	13.5	15.5	14.9	8.6	6.7	6.3	15.5	5.1	8.70
15	5.9	5.8	5.6	5.7	6.5	6.9	7.4	8.7	8.6	6.7	5.6	5.5	8.9	5.5	6.58
16	5.0	4.6	4.4	5.0	7.2	6.4	5.8	5.4	5.0	4.8	4.5	4.3	7.2	4.3	5.20
17	4.0	3.6	3.4	4.1	5.2	6.5	7.4	7.4	6.8	7.4	7.6	7.3	7.8	3.4	5.89
18	5.7	5.3	5.3	10.1	12.2	13.9	15.1	15.5	13.0	9.2	6.0	5.3	15.8	4.9	9.72
19	5.2	5.2	4.5	7.3	10.0	11.9	12.3	11.1	8.5	7.8	6.7	6.5	12.6	4.3	8.08
20	6.0	4.7	6.0	6.0	7.4	8.6	8.8	8.6	8.6	4.8	2.8	0.6	9.0	0.6	6.08
21	0.5	0.5	1.5	5.1	7.9	9.1	7.1	7.4	5.4	3.9	4.6	5.3	9.4	0.4	4.86
22	3.9	2.3	5.1	5.3	6.9	9.6	9.2	9.1	7.7	5.0	3.0	2.7	10.2	2.3	5.82
23	1.6	-0.2	0.7	3.1	5.8	6.3	4.8	4.8	4.8	5.9	6.4	6.5	6.5	-0.7	4.21
24	6.3	4.7	3.7	7.5	11.4	13.3	14.5	16.0	13.8	11.1	8.0	5.9	**16.0**	3.7	9.68
25	5.6	5.0	5.1	5.8	6.8	11.7	14.4	15.8	13.0	11.6	10.2	10.2	15.9	5.0	9.60
26	9.1	8.6	7.8	7.1	7.5	10.1	12.6	14.7	14.4	11.4	8.0	4.6	14.8	4.6	9.66
27	2.8	1.8	1.7	5.2	9.0	11.8	14.7	12.0	7.9	7.3	7.6	7.7	15.1	1.0	7.46
28	7.8	7.8	7.7	9.6	11.1	13.2	13.2	13.7	12.0	9.6	7.8	6.0	14.6	6.0	9.96
29	3.9	3.5	5.3	8.0	10.2	12.0	12.3	11.1	11.6	9.0	8.0	6.8	12.6	3.5	8.48
30	6.6	6.0	5.5	6.4	8.2	9.4	9.6	10.1	9.2	7.2	4.0	1.6	10.4	1.6	6.98
M	3.65	3.15	3.20	4.58	6.50	8.32	9.10	9.32	8.28	6.35	5.08	4.32	10.09	2.20	5.99

Registreringer av lufttemperatur T

(Records of temperature: T)

1949

Oslo (Blindern)

Mai V — Juni VI

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_t = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	0.6	- 0.8	1.4	4.1	7.7	11.3	14.1	13.1	13.0	10.5	6.4	5.2	14.2	- 1.1	7.22
2	4.3	3.9	4.3	8.0	10.4	13.2	15.5	15.5	13.2	12.1	9.1	6.4	16.2	3.3	9.66
3	5.1	4.3	6.0	9.8	14.3	17.1	20.2	21.5	21.5	16.0	10.9	7.5	22.1	4.1	12.85
4	5.7	4.2	6.5	7.0	9.6	15.4	17.6	16.3	14.3	11.3	9.3	5.1	17.6	4.0	10.19
5	5.1	4.5	6.8	12.0	14.3	16.7	18.1	18.7	15.6	12.7	11.8	11.7	19.0	4.3	12.33
6	10.8	9.8	8.6	9.5	11.5	12.8	11.9	10.0	10.7	9.1	6.0	3.0	12.8	3.0	9.48
7	1.8	0.9	3.3	6.5	9.2	10.0	11.8	12.2	10.1	6.9	3.9	3.4	12.8	0.9	6.67
8	1.4	1.1	2.1	4.9	6.2	7.1	7.8	7.7	8.6	5.7	4.8	3.7	8.7	- 0.4	**5.09**
9	1.8	2.1	2.6	6.0	8.6	9.9	10.2	10.4	9.4	8.3	5.7	4.4	10.7	1.7	6.62
10	3.7	2.6	2.6	6.2	8.1	9.6	11.1	11.3	10.0	8.1	7.0	6.8	11.3	2.0	7.26
11	6.8	6.3	6.6	8.2	12.3	15.4	17.5	17.5	17.0	14.5	12.5	9.5	18.0	6.3	12.01
12	6.5	7.2	7.4	7.6	10.2	14.5	16.4	15.3	14.5	12.2	9.5	7.9	16.4	6.4	10.77
13	7.7	7.7	7.7	7.8	8.3	10.6	11.7	11.7	11.3	10.4	9.6	9.3	11.7	7.7	9.48
14	8.7	8.7	8.9	10.0	11.6	15.8	17.9	17.9	18.9	16.1	11.1	10.5	19.7	8.7	13.01
15	11.7	12.2	13.2	15.2	16.9	16.5	18.6	17.8	14.7	13.9	14.0	14.3	19.0	9.9	14.92
16	13.4	13.2	13.2	14.0	16.1	17.8	14.9	15.1	17.2	11.3	11.1	10.9	18.3	10.9	14.02
17	10.7	10.5	10.4	9.7	9.7	10.3	11.5	11.8	12.3	12.2	11.7	11.4	12.3	9.6	11.02
18	11.3	11.5	12.7	13.2	16.7	20.7	22.7	17.1	16.4	15.4	14.9	13.0	**22.7**	11.3	15.47
19	12.0	11.5	11.8	14.8	16.1	17.3	18.3	16.2	16.4	15.5	14.8	14.5	18.6	11.5	14.93
20	14.3	14.3	14.4	15.2	17.7	19.8	21.7	22.5	21.1	19.7	16.5	15.1	22.6	14.3	**17.69**
21	14.5	13.5	14.0	14.3	15.4	16.6	17.4	17.5	13.8	17.4	15.7	13.6	19.7	13.6	15.72
22	11.5	9.8	10.7	12.5	13.9	15.5	16.9	18.0	18.1	17.0	12.8	12.3	18.1	9.7	14.08
23	12.0	10.3	13.4	15.8	17.0	18.4	18.3	18.2	17.3	14.5	13.2	12.0	18.6	10.0	15.03
24	10.6	10.2	10.6	11.6	12.9	14.4	16.6	15.9	16.0	13.1	12.1	11.3	16.6	10.2	12.94
25	10.6	10.5	10.5	11.1	11.9	12.6	12.9	13.6	14.2	13.1	11.8	11.3	14.3	10.5	12.01
26	11.1	10.8	11.1	11.5	12.6	11.6	12.4	12.4	12.2	11.1	10.0	7.2	13.1	7.2	11.17
27	4.8	4.5	6.9	11.5	13.6	15.7	16.3	17.0	15.9	14.7	9.8	7.6	17.2	4.3	11.52
28	6.8	6.9	8.8	8.8	10.5	11.1	11.2	11.2	10.6	10.6	10.5	9.3	11.2	6.7	9.69
29	7.4	4.5	7.4	9.7	12.3	13.8	14.9	15.8	14.9	12.3	10.4	11.0	15.8	4.5	11.20
30	10.6	8.5	8.3	8.8	10.0	10.6	10.1	11.9	13.6	12.6	10.6	9.1	13.6	8.2	10.39
31	7.9	7.7	7.8	11.1	13.6	14.5	16.8	17.2	18.1	16.4	15.1	14.7	18.3	7.7	13.41
M	8.10	**7.51**	8.39	10.21	12.23	14.08	**15.27**	15.11	14.71	12.73	10.73	9.45	16.17	6.81	11.54

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	13.4	12.1	12.2	11.4	12.0	12.8	13.1	13.9	13.3	13.0	12.2	12.2	15.0	11.3	12.63	1
2	11.6	11.4	11.3	11.3	11.4	11.6	11.3	11.5	11.8	11.7	11.7	11.7	12.2	11.3	11.52	2
3	11.3	11.4	11.9	12.0	12.6	14.2	14.8	15.9	16.4	13.5	12.0	11.2	17.1	11.2	13.10	3
4	10.5	10.1	10.1	11.9	14.1	14.5	15.3	16.3	13.4	12.1	11.3	10.6	16.9	10.0	12.52	4
5	10.4	10.4	10.2	9.8	11.2	11.2	11.6	12.2	12.0	11.2	10.6	9.8	12.2	9.8	**10.88**	5
6	8.7	9.0	11.2	14.3	16.4	17.8	17.9	16.0	14.4	13.1	11.3	11.0	18.4	8.7	13.42	6
7	10.3	9.1	12.4	13.6	15.0	17.1	17.5	16.9	19.9	16.6	15.2	13.5	19.3	9.1	14.68	7
8	12.6	12.2	12.7	13.8	13.8	14.8	14.0	15.5	15.6	16.3	11.8	10.1	16.4	10.1	13.60	8
9	6.6	5.3	10.7	13.1	15.0	15.9	16.9	18.1	19.0	16.4	13.3	11.0	19.0	**5.3**	13.44	9
10	8.4	6.4	10.5	15.5	16.9	17.8	19.2	20.2	19.8	17.0	15.0	13.2	20.4	6.4	14.99	10
11	11.9	11.8	12.7	13.6	13.6	14.3	13.4	12.0	13.1	12.4	11.1	9.5	15.2	9.5	12.45	11
12	8.1	8.2	10.8	14.0	16.4	18.4	20.4	20.7	20.6	17.2	15.1	13.0	21.6	7.5	15.24	12
13	12.5	12.7	13.3	14.8	17.5	18.7	21.0	22.7	21.4	17.2	13.8	12.1	22.7	12.1	16.48	13
14	9.7	8.0	11.0	13.6	15.2	16.7	15.5	16.2	15.2	14.4	12.1	11.2	17.3	7.6	13.23	14
15	10.0	9.8	9.9	13.1	15.0	15.6	17.3	15.5	15.1	13.3	11.7	8.9	17.3	8.9	12.93	15
16	10.1	9.8	10.6	13.4	14.6	16.5	17.6	18.6	18.0	15.8	13.8	12.5	18.6	8.9	14.28	16
17	11.9	11.9	12.5	14.6	17.1	18.7	20.0	20.6	20.1	17.5	15.1	13.3	21.5	11.9	16.11	17
18	12.6	11.9	11.9	13.5	16.6	18.9	20.0	20.6	20.2	17.3	13.8	12.2	20.6	11.6	15.79	18
19	11.1	10.5	13.4	15.7	18.7	21.5	21.4	20.8	21.1	19.1	16.5	15.5	22.1	10.5	17.11	19
20	14.8	14.3	18.3	18.9	19.7	20.3	20.9	20.7	19.1	15.0	13.0	11.2	21.1	11.2	17.18	20
21	10.0	10.2	13.7	14.6	16.7	16.9	17.0	17.0	17.0	16.4	12.4	10.7	17.5	9.9	14.38	21
22	9.2	9.3	11.5	12.2	14.4	15.9	17.1	17.9	18.0	17.6	13.0	8.7	18.0	8.7	13.73	22
23	7.5	8.8	12.1	14.4	15.6	15.2	17.6	13.9	19.6	18.1	13.2	10.2	20.3	7.5	14.27	23
24	9.1	8.0	12.7	15.7	19.0	20.4	22.1	24.5	24.3	21.2	15.5	14.2	24.5	7.9	17.22	24
25	14.7	13.5	15.2	15.7	17.4	19.2	21.6	22.7	21.4	19.8	14.8	14.8	22.7	13.4	17.57	25
26	14.8	13.7	14.6	15.7	17.1	18.4	20.1	20.7	19.6	18.4	14.6	11.6	20.8	11.6	16.61	26
27	10.6	9.8	15.4	17.4	20.4	22.1	23.4	23.7	19.1	18.2	15.3	13.4	23.7	9.8	17.40	27
28	13.3	12.1	15.0	19.0	20.7	23.5	25.8	27.4	27.5	23.2	19.9	18.0	**27.9**	12.0	**20.45**	28
29	17.1	16.4	15.8	14.8	15.4	15.5	18.1	21.1	22.8	19.8	17.4	16.2	22.9	14.8	17.53	29
30	14.9	13.9	17.7	19.2	20.6	21.0	20.8	20.1	15.9	15.1	14.9	14.9	21.1	13.5	17.42	30
M	11.26	**10.73**	12.71	14.35	16.00	17.18	18.09	**18.63**	18.12	16.26	13.71	12.54	19.48	10.07	14.97	M

Juli VII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	14.9	14.6	14.9	15.7	16.6	17.0	18.0	17.8	18.3	16.9	16.3	15.8	18.1	14.5	16.40
2	15.3	13.6	14.0	14.4	14.9	14.9	14.9	15.1	16.0	15.7	14.0	14.0	16.0	13.6	14.73
3	12.8	13.1	15.6	19.0	20.3	21.6	23.6	24.6	25.7	23.5	16.8	14.9	25.8	12.4	19.29
4	13.5	12.8	15.2	17.9	20.5	22.6	22.5	21.3	20.2	16.6	15.5	15.1	23.0	12.6	17.81
5	14.8	14.9	15.2	16.2	18.6	21.4	22.7	23.7	23.9	22.0	19.0	17.9	23.9	14.8	19.19
6	16.9	17.0	18.3	19.2	21.5	23.2	21.1	24.1	24.1	22.0	20.1	18.9	24.1	16.9	20.53
7	19.0	18.0	18.9	20.0	20.3	24.6	25.5	25.5	18.3	19.1	16.7	18.7	26.7	16.7	20.42
8	17.6	16.8	16.7	16.8	18.8	20.8	21.9	23.0	23.8	23.0	19.7	18.5	23.8	16.6	19.78
9	16.8	15.8	17.8	20.3	21.3	23.1	24.6	25.7	27.5	24.7	18.9	15.8	27.6	15.7	21.02
10	14.9	13.8	18.3	20.9	24.6	27.6	28.2	27.1	25.0	23.3	20.2	17.5	28.6	13.7	21.78
11	15.9	14.9	18.1	22.2	24.0	27.0	27.0	27.1	27.9	24.9	22.8	19.1	27.9	14.5	**22.58**
12	19.5	17.8	18.7	21.6	22.5	24.4	26.5	24.5	23.4	21.6	20.3	18.3	27.0	16.3	21.59
13	15.3	13.2	14.6	15.5	16.2	17.9	18.8	18.8	18.5	16.1	12.7	11.7	19.2	11.7	15.78
14	10.7	10.3	10.3	11.9	14.4	16.8	18.4	18.9	20.7	18.5	13.4	11.7	21.4	**10.0**	14.67
15	10.4	12.1	14.2	16.6	19.1	21.1	22.9	23.8	22.2	20.5	19.0	16.3	23.9	10.1	18.18
16	16.0	13.4	14.3	16.2	19.0	20.3	23.0	23.0	24.2	20.5	19.0	16.5	24.2	13.2	18.78
17	13.7	13.3	13.6	14.6	17.6	20.3	22.8	23.2	23.5	21.1	18.0	14.6	24.0	13.3	18.02
18	14.0	14.0	15.9	17.9	21.3	23.5	22.2	22.5	21.8	20.2	17.6	15.4	23.8	13.9	18.86
19	14.2	14.6	16.3	15.8	16.6	19.4	20.4	22.9	19.2	15.6	14.5	14.5	23.6	14.2	17.00
20	14.1	13.0	12.6	11.5	12.4	11.3	12.4	14.1	14.2	14.0	13.2	13.3	14.5	11.3	**13.01**
21	13.4	13.4	13.5	15.3	17.6	19.7	22.0	22.4	22.4	21.4	14.6	13.3	23.4	13.3	17.42
22	12.3	11.3	13.7	18.2	22.2	24.9	26.7	26.7	26.5	23.7	17.2	15.2	27.4	11.2	19.88
23	13.9	13.6	15.6	22.0	23.9	26.4	27.6	28.8	28.6	24.0	18.9	14.9	**29.0**	13.0	21.52
24	14.6	14.7	15.7	20.7	23.7	26.2	25.5	24.5	23.2	21.0	18.8	16.1	26.6	14.1	20.39
25	14.6	13.7	16.8	18.7	20.4	22.3	24.2	25.4	24.3	20.9	18.6	17.5	25.6	13.5	19.78
26	14.8	14.6	13.6	13.7	15.5	17.4	18.9	18.4	18.4	16.6	15.7	15.1	18.9	13.3	16.06
27	14.9	14.3	14.8	17.3	18.8	19.9	20.8	22.8	22.1	19.4	17.5	17.1	23.6	14.2	18.31
28	16.6	16.4	16.1	14.5	14.1	14.4	16.9	17.7	14.5	15.0	14.2	12.0	18.5	12.0	15.20
29	10.6	10.8	11.4	15.7	19.1	21.4	21.8	21.3	20.6	19.2	15.3	14.4	21.9	10.6	16.80
30	12.7	10.8	14.2	17.0	18.3	19.6	18.0	18.5	18.0	16.3	13.6	13.1	19.6	10.8	15.84
31	11.3	11.1	12.1	16.2	17.8	19.3	20.1	19.4	18.5	15.7	14.8	13.6	20.4	11.0	15.82
M	14.52	**13.93**	15.19	17.21	19.11	20.98	21.93	**22.34**	21.79	19.77	17.00	15.51	23.29	13.32	18.27

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	13.2	12.8	13.7	14.1	15.5	18.1	17.0	17.4	15.9	16.1	13.0	12.3	19.3	12.3	14.92	1
2	11.0	10.1	13.2	16.1	17.8	17.0	17.1	16.6	14.9	14.1	13.9	13.8	18.1	10.0	14.63	2
3	14.1	13.9	13.9	14.3	15.5	19.0	18.5	18.5	16.5	15.0	12.8	13.0	19.4	12.3	15.33	3
4	13.0	12.7	13.0	14.1	16.5	19.6	16.5	20.9	20.4	18.3	16.2	14.9	21.7	12.3	16.34	4
5	13.9	12.2	14.4	17.5	18.8	21.0	22.0	23.5	20.6	19.0	14.6	11.6	**23.5**	11.3	17.42	5
6	10.8	9.5	11.7	15.0	17.2	18.1	18.1	18.1	18.0	17.8	17.0	16.8	18.4	9.5	15.68	6
7	16.5	16.0	15.8	16.7	18.0	18.7	19.8	20.9	18.9	17.7	15.5	14.4	20.9	14.4	17.41	7
8	14.4	13.8	14.1	14.9	14.0	15.1	15.9	12.2	15.2	14.5	14.2	14.3	16.0	13.8	14.38	8
9	14.2	14.1	13.7	16.4	18.2	19.0	20.3	21.9	18.9	16.6	15.7	13.5	22.0	13.4	16.88	9
10	8.9	8.4	10.1	13.5	15.9	17.4	18.9	18.4	17.0	15.6	12.0	9.2	18.9	7.7	13.78	10
11	8.2	8.0	9.7	14.8	16.8	18.8	19.4	20.1	16.3	12.1	11.9	10.2	20.9	7.9	13.86	11
12	10.1	9.7	10.0	12.2	14.7	16.2	17.3	19.1	18.3	14.2	11.9	11.2	19.2	9.2	13.74	12
13	9.6	9.7	11.1	13.8	15.0	15.9	17.0	17.0	15.1	14.6	15.0	14.1	17.3	9.2	13.99	13
14	14.0	14.0	14.0	14.4	17.0	17.8	20.2	20.0	18.9	15.2	12.9	11.8	21.5	11.8	15.85	14
15	10.0	8.9	10.1	13.0	13.1	15.5	16.7	16.8	16.2	14.5	12.8	11.0	17.8	8.7	13.22	15
16	10.6	9.7	9.6	11.2	12.9	13.8	13.4	13.3	14.3	11.3	8.9	9.1	14.5	8.9	11.51	16
17	6.5	6.7	7.3	11.2	13.3	13.8	15.6	14.6	14.7	8.9	6.3	7.7	15.6	5.4	**10.55**	17
18	5.8	4.2	6.8	10.7	12.8	13.7	15.9	16.4	15.9	11.8	10.1	9.6	16.6	**3.9**	11.14	18
19	8.9	8.4	8.0	12.9	14.4	15.5	17.3	16.6	17.7	12.8	8.9	8.4	18.5	7.0	12.48	19
20	7.3	5.9	8.1	10.5	12.7	13.3	15.4	16.7	17.0	15.4	13.2	10.4	17.3	5.7	12.16	20
21	10.1	10.3	11.3	12.3	15.3	18.6	20.4	21.7	21.2	17.4	13.3	11.7	22.3	9.4	15.30	21
22	11.2	12.1	12.2	13.1	15.2	18.2	21.5	21.6	21.1	17.6	14.5	13.0	22.6	11.1	15.94	22
23	13.1	12.8	13.5	14.7	15.9	18.0	20.3	20.1	19.7	17.1	13.5	11.3	20.4	11.3	15.83	23
24	10.7	9.2	9.2	14.6	16.5	19.6	21.2	22.0	22.5	17.1	13.1	11.4	23.0	8.4	15.59	24
25	10.3	10.3	10.3	13.0	14.7	18.8	21.7	22.9	21.2	16.9	13.4	13.3	22.9	10.0	15.57	25
26	12.3	11.1	12.4	16.5	21.1	22.4	23.0	22.3	21.2	19.1	15.3	14.6	23.0	11.1	**17.61**	26
27	13.4	13.2	13.4	16.8	18.9	19.9	21.1	19.9	18.6	16.3	15.6	15.2	21.1	13.1	16.86	27
28	15.0	14.9	14.9	15.1	15.8	16.3	17.8	19.6	18.0	16.8	16.2	14.8	19.7	14.8	16.27	28
29	14.6	14.7	13.8	14.7	16.8	19.6	21.2	22.5	21.1	18.0	16.2	14.8	22.5	13.8	17.33	29
30	14.9	14.2	14.2	15.4	17.5	19.0	18.6	17.2	17.0	16.1	15.7	15.4	20.0	14.2	16.27	30
31	15.2	15.1	15.1	15.3	17.3	19.3	19.7	20.2	18.3	16.9	15.0	15.0	20.3	14.8	16.87	31
M	11.67	**11.18**	11.89	14.15	15.97	17.61	18.67	**19.00**	18.08	15.64	13.50	12.51	19.85	10.54	14.99	M

Registreringer av lufttemperatur T

(Records of temperature: T)

1949

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	15.0	14.8	14.2	14.6	14.9	15.9	17.0	18.1	18.0	15.2	13.8	14.2	18.2	13.6	15.48
2	14.2	14.0	14.5	15.7	17.5	17.3	18.6	19.8	17.2	16.7	16.3	16.2	19.8	13.8	16.50
3	16.3	16.2	16.2	15.2	14.8	15.0	15.0	15.7	15.9	15.9	15.4	15.5	16.3	14.8	15.59
4	15.6	15.6	15.6	15.4	15.4	15.4	18.1	20.1	19.0	16.7	13.7	14.5	20.2	13.5	16.26
5	14.7	13.9	12.4	12.5	13.7	15.1	16.8	18.5	18.4	14.6	12.6	11.4	19.4	11.4	14.55
6	10.9	10.8	11.0	14.7	17.6	20.0	20.0	18.8	17.1	17.0	17.0	16.5	20.5	10.7	15.95
7	16.0	15.9	15.0	14.9	17.6	18.8	18.9	18.4	16.9	15.6	14.3	12.3	19.1	12.3	16.22
8	10.9	9.9	11.0	12.9	15.8	18.1	17.4	16.1	15.8	15.7	15.7	15.6	18.5	9.5	14.58
9	15.4	15.1	15.8	16.1	13.6	20.0	20.2	18.4	17.1	14.9	14.1	13.8	20.2	13.1	**16.62**
10	13.8	14.7	15.9	15.9	16.0	16.2	16.3	17.7	16.5	15.8	15.9	15.3	17.7	13.8	15.83
11	11.5	14.8	14.0	14.5	15.2	17.4	17.7	17.7	16.1	15.4	14.1	13.8	17.7	13.8	15.46
12	13.5	12.8	11.8	13.3	14.7	15.8	16.9	16.9	16.2	10.9	9.1	8.4	17.0	8.2	13.36
13	7.2	**6.5**	6.9	9.5	13.8	15.6	16.6	17.3	16.4	11.9	9.9	9.4	17.3	6.3	11.75
14	10.8	11.9	11.2	11.3	13.8	14.6	15.9	18.9	18.1	17.0	16.1	15.2	13.9	9.1	14.57
15	14.4	13.9	13.7	13.4	13.9	14.6	15.2	15.6	15.5	15.4	15.0	14.9	15.6	13.2	14.62
16	14.3	14.2	13.8	13.9	14.8	14.7	16.1	15.9	15.9	15.8	16.1	15.5	17.0	13.5	15.17
17	15.1	14.6	14.1	14.2	15.8	17.0	17.8	17.3	16.8	15.9	15.9	15.3	17.9	14.1	15.82
18	14.9	14.2	13.9	14.0	14.9	15.5	15.7	15.6	15.0	14.0	12.6	11.8	15.8	11.7	14.34
19	12.0	12.2	12.1	12.3	13.3	14.3	15.6	15.7	15.2	15.6	14.7	14.5	15.8	11.8	13.96
20	14.2	13.7	13.7	13.8	14.6	14.6	15.4	15.5	15.0	13.3	12.8	12.6	15.6	12.6	14.10
21	12.6	11.8	12.0	12.7	15.1	15.9	16.3	17.1	15.4	12.5	11.6	10.2	17.1	10.2	13.60
22	10.3	9.6	10.8	11.5	12.9	13.4	13.9	13.9	13.8	13.1	13.1	13.0	13.9	9.6	12.45
23	12.2	11.1	10.6	12.8	13.9	16.0	16.9	17.2	13.4	10.8	10.0	10.5	17.3	10.0	12.95
24	10.8	10.9	10.9	11.1	12.1	12.8	13.6	13.7	13.5	12.8	12.8	12.8	13.7	10.5	12.32
25	11.7	11.4	11.5	11.6	12.6	13.1	13.4	12.6	13.2	13.7	13.8	13.9	13.9	11.2	12.71
26	13.9	13.7	13.5	12.9	12.9	13.9	14.4	15.0	14.9	12.2	12.2	11.0	15.3	11.0	13.38
27	10.4	9.9	8.3	8.6	12.6	14.0	16.8	17.2	15.4	14.0	11.3	9.8	17.2	8.3	12.36
28	8.9	8.9	8.3	11.8	14.7	19.2	20.1	19.0	16.5	12.3	10.8	9.9	**21.2**	8.2	13.37
29	8.8	8.1	7.9	9.2	10.5	13.8	17.9	16.8	15.0	14.5	14.0	13.2	17.9	7.7	12.48
30	11.0	7.5	7.4	9.3	12.9	13.8	14.8	14.8	10.6	7.7	7.3	8.3	15.0	**5.5**	**10.45**
M	12.82	12.42	**12.27**	12.99	14.56	15.73	16.64	**16.88**	15.79	14.23	13.40	12.98	17.37	11.10	14.23

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	9.6	9.7	9.8	10.1	13.0	13.3	14.0	12.9	10.4	8.0	5.7	5.0	14.2	5.0	10.12
2	5.0	5.8	6.0	5.8	11.7	15.3	15.0	14.5	13.8	13.9	13.8	13.2	15.6	4.9	11.15
3	13.4	12.2	11.9	12.4	14.2	15.7	16.2	15.4	11.9	9.8	7.4	5.9	16.2	5.9	12.20
4	4.4	3.6	3.1	4.8	7.7	10.5	10.7	10.6	8.7	5.9	6.0	5.8	11.0	3.1	6.82
5	4.9	6.4	6.9	7.8	13.5	16.1	16.8	11.8	9.5	8.6	7.4	5.7	**17.5**	4.9	9.62
6	3.5	0.8	0.8	2.3	7.2	8.6	9.5	9.4	5.9	4.8	3.7	2.2	9.7	0.6	4.89
7	1.3	0.5	0.1	1.4	4.2	7.2	9.9	10.3	8.8	6.3	4.0	4.6	10.5	- 0.5	4.88
8	4.8	5.1	5.0	5.9	7.5	8.0	9.5	9.4	8.6	8.4	8.1	7.7	9.5	4.6	7.32
9	7.6	6.8	5.6	5.2	4.9	4.8	5.7	5.7	5.2	5.2	5.4	5.3	7.7	4.8	5.62
10	5.2	5.1	5.1	5.2	6.0	7.3	8.2	9.0	5.1	2.9	2.7	1.2	9.0	1.2	5.25
11	1.2	2.0	1.9	3.0	4.9	7.8	9.1	8.5	7.6	7.2	7.2	7.1	9.1	0.9	5.62
12	6.7	7.1	8.0	7.4	8.0	8.6	8.6	8.8	8.5	8.5	7.4	7.2	8.9	6.6	7.90
13	7.5	7.5	7.6	8.2	8.7	9.4	10.5	13.3	11.7	12.3	11.2	9.4	13.4	7.2	9.78
14	9.7	9.2	8.6	8.0	11.2	13.0	12.7	13.0	10.4	8.8	8.0	7.5	13.4	7.5	10.01
15	9.1	9.2	8.9	8.8	10.3	13.9	13.3	13.0	12.1	11.9	11.8	11.8	13.9	7.5	11.18
16	11.8	11.9	12.5	12.2	12.9	15.1	16.1	14.0	12.9	13.0	13.0	13.1	16.1	11.8	13.21
17	13.7	13.7	13.7	13.8	12.2	13.5	13.5	13.3	13.2	13.2	12.7	12.9	13.8	12.2	**13.28**
18	12.4	12.1	11.5	10.5	10.3	11.5	11.5	11.5	11.9	11.1	11.7	12.1	12.9	10.0	11.51
19	12.0	10.3	10.0	10.4	11.0	9.6	10.3	10.3	9.1	8.3	8.2	8.2	12.1	8.1	9.81
20	8.2	8.4	8.5	8.3	10.1	11.6	11.2	9.8	8.9	7.9	6.9	5.1	12.0	5.1	8.74
21	5.7	6.8	7.2	8.2	9.1	7.6	8.1	8.7	9.0	10.1	9.0	7.8	10.1	4.9	8.11
22	5.8	3.8	3.5	2.8	6.7	9.8	11.0	10.2	7.9	6.4	4.8	5.9	11.0	2.7	6.55
23	6.7	6.7	6.6	5.9	6.5	6.7	7.6	6.8	5.0	2.9	2.8	3.1	7.7	2.5	5.61
24	2.5	3.4	3.7	3.8	2.0	3.0	3.0	3.8	4.2	4.7	4.8	2.6	4.8	2.0	3.46
25	0.9	0.5	0.6	- 0.2	4.9	7.5	8.1	7.7	2.0	2.0	2.5	2.9	8.6	- 0.5	3.28
26	3.5	0.9	1.6	1.5	1.9	2.2	2.3	2.2	1.8	1.5	0.9	1.1	3.5	0.9	1.78
27	1.5	1.6	2.0	2.0	2.4	2.8	3.6	3.5	2.0	1.5	- 1.4	- 2.0	3.9	- 2.1	1.62
28	- 3.9	- 4.3	- 4.5	- 5.1	- 1.0	1.4	3.4	3.3	- 0.7	- 2.0	- 2.6	- 3.5	4.1	- 5.1	- 1.62
29	- 3.2	- 4.6	- 5.0	- 4.8	- 1.6	0.7	1.4	1.3	- 1.5	- 2.3	- 3.2	- 2.8	1.5	**- 5.3**	**- 2.13**
30	- 2.9	- 3.2	- 2.8	- 4.0	- 1.7	0.9	2.1	0.8	- 1.3	- 1.1	- 0.3	0.3	2.1	- 4.0	- 1.10
31	0.4	0.1	- 0.7	- 0.7	0.0	0.8	1.7	1.8	1.6	1.8	1.3	0.9	1.8	- 0.8	0.75
M	5.45	5.13	**5.09**	5.19	7.05	8.52	**9.18**	8.86	7.23	6.50	5.84	5.40	9.86	3.44	6.62

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	0.6	0.8	0.0	- 0.7	1.2	2.7	3.2	2.0	0.4	- 0.3	- 0.1	- 0.7	3.3	- 0.7	0.76
2	- 0.7	- 0.9	- 0.4	- 0.4	- 0.6	0.2	0.6	1.1	1.3	1.7	2.1	2.5	2.5	- 0.9	0.54
3	2.6	3.0	3.0	3.8	5.4	6.5	7.2	7.4	7.1	8.1	8.4	9.2	9.2	2.5	5.98
4	9.3	10.0	9.7	8.3	9.0	9.7	9.5	8.6	8.7	8.5	8.3	8.4	10.1	7.7	**9.00**
5	8.5	9.3	9.7	11.2	10.6	9.3	8.8	8.2	7.8	7.7	5.5	4.4	**11.3**	4.4	8.42
6	4.2	3.3	4.0	4.1	4.1	4.1	3.8	4.7	4.7	3.7	2.9	2.8	4.7	2.7	3.87
7	3.8	4.7	4.8	4.9	4.9	6.1	6.9	6.1	5.3	5.0	4.1	4.1	7.1	2.8	5.06
8	3.7	3.2	3.3	3.2	3.2	3.9	3.9	4.1	4.1	4.2	4.7	4.7	4.7	3.2	3.85
9	4.7	5.0	4.9	4.5	4.4	4.8	4.4	4.0	2.0	3.3	3.0	2.6	4.8	2.6	4.13
10	2.1	1.8	1.8	1.7	1.8	2.1	1.9	1.7	1.3	0.8	0.8	0.8	2.6	0.8	1.55
11	0.8	0.9	1.0	1.4	1.6	1.8	2.2	2.0	1.9	1.8	1.7	0.9	2.3	0.8	1.50
12	0.8	0.4	0.1	0.0	0.5	0.7	0.8	0.8	0.5	0.5	0.5	0.5	0.9	0.0	0.51
13	0.6	0.5	0.5	0.6	0.5	0.8	1.3	1.5	2.4	2.5	2.4	2.5	2.6	0.5	1.34
14	2.5	2.5	2.7	2.4	2.1	2.6	2.9	1.5	- 0.3	- 1.0	- 1.2	- 0.5	2.9	- 1.2	1.35
15	- 0.4	- 1.2	- 1.5	- 2.0	- 0.8	1.2	1.6	- 0.1	- 1.2	- 0.4	- 1.7	- 2.4	1.6	- 2.4	- 0.74
16	- 2.4	- 3.4	- 2.0	- 1.5	- 1.4	- 0.7	- 0.3	- 0.1	0.4	0.8	1.8	1.5	1.8	- 3.4	- 0.61
17	1.8	1.8	2.9	2.2	2.2	2.6	2.1	2.1	2.2	2.9	3.9	4.0	4.0	1.5	2.56
18	4.9	4.9	4.8	4.7	5.0	5.4	5.6	5.1	4.7	4.0	3.8	3.8	5.8	3.8	4.72
19	3.8	3.8	3.8	3.0	2.9	2.9	2.9	2.9	2.5	2.0	1.9	1.8	4.0	1.8	2.85
20	1.9	1.9	1.9	1.9	1.9	2.4	2.5	2.7	3.3	3.9	3.9	4.9	4.9	1.8	2.76
21	5.4	5.9	6.5	6.6	6.4	6.4	6.4	6.4	6.4	6.6	7.0	7.4	6.6	4.9	6.44
22	6.6	6.6	6.7	6.8	6.8	6.8	6.9	6.7	6.7	6.7	6.9	7.0	7.4	6.6	6.76
23	6.9	6.8	6.4	6.5	6.5	6.6	6.8	6.2	6.1	5.8	4.4	4.3	7.0	4.2	6.11
24	4.9	4.9	4.1	3.0	3.3	3.4	3.8	3.8	3.8	3.8	3.7	3.2	5.1	3.0	3.81
25	2.9	2.6	2.0	1.9	1.8	1.7	1.2	0.8	0.8	0.7	0.7	0.6	3.2	0.6	1.48
26	0.8	0.7	0.3	0.4	0.4	0.5	0.6	0.4	0.4	0.4	0.4	0.4	0.8	0.2	0.48
27	0.3	0.1	0.1	0.1	0.7	0.8	0.8	0.6	0.6	0.1	- 0.3	- 0.3	1.2	- 0.3	0.30
28	- 0.6	- 1.4	- 2.1	- 2.5	- 2.1	- 2.2	- 3.1	- 4.2	- 4.7	- 4.5	- 4.0	- 5.7	- 0.3	- 5.7	- 3.09
29	- 4.8	- 5.6	- 6.4	- 7.3	- 6.2	- 5.2	- 5.1	- 4.8	- 4.4	- 4.2	- 3.6	- 3.5	- 3.5	**- 7.4**	**- 5.09**
30	- 3.6	- 3.0	- 3.4	- 2.6	- 1.9	- 1.1	- 1.1	- 1.3	- 1.3	- 0.9	- 0.6	- 0.2	- 0.2	- 3.6	- 1.75
M	2.40	2.33	2.31	**2.21**	2.47	2.89	**2.96**	2.70	2.52	2.47	2.38	2.30	3.95	1.03	2.50

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	0.3	1.0	1.7	2.4	2.9	4.4	4.6	4.8	5.0	5.4	5.4	4.6	**5.4**	- 0.2	**3.54**
2	3.6	2.3	1.3	- 0.3	- 0.3	1.6	2.5	0.4	- 1.5	- 2.2	- 3.2	- 3.5	4.6	- 3.5	0.06
3	- 3.4	- 3.1	- 2.4	- 1.4	0.8	0.8	0.5	0.5	0.5	1.0	0.5	0.5	1.2	- 3.5	- 0.43
4	0.6	0.4	0.2	- 1.3	- 1.8	- 1.9	- 0.6	- 3.0	- 2.6	- 2.1	- 2.9	- 3.0	0.7	- 3.2	- 1.50
5	- 4.1	- 4.0	- 3.9	- 4.0	- 4.0	- 4.3	- 3.7	- 5.0	- 4.2	- 4.2	- 4.0	- 4.4	- 3.0	- 5.0	- 4.15
6	- 5.1	- 5.8	- 7.1	- 7.9	- 8.3	- 6.6	- 5.2	- 7.1	- 8.1	- 8.7	- 9.6	- 9.9	- 4.4	- 9.9	- 7.45
7	-10.8	-11.8	-12.0	-11.8	- 9.6	- 8.5	- 6.0	- 6.1	- 4.2	- 2.8	- 2.2	- 0.3	- 0.3	**-12.2**	- 7.18
8	- 0.8	- 0.9	0.0	0.0	0.3	1.4	1.5	1.3	- 0.2	- 1.9	- 2.7	- 3.5	1.5	- 3.7	- 0.46
9	- 5.0	- 5.8	- 6.3	- 6.8	- 7.2	- 6.2	- 6.3	- 6.3	- 6.1	- 8.2	- 8.8	- 9.6	- 3.5	- 9.7	- 6.88
10	- 9.3	- 9.3	- 8.5	- 8.4	- 6.6	- 5.5	- 1.3	- 1.4	- 2.0	- 2.3	- 2.6	- 3.0	- 1.2	- 9.6	- 5.02
11	- 3.2	- 3.6	- 4.1	- 4.8	- 4.5	- 2.5	- 2.4	- 3.5	- 4.0	- 3.9	- 5.2	- 7.0	- 2.4	- 7.0	- 4.06
12	- 7.7	- 9.0	- 9.8	- 9.9	- 9.7	- 8.8	- 7.5	- 7.3	- 7.7	- 7.1	- 6.6	- 5.2	- 5.2	-10.2	- 8.07
13	- 2.5	0.7	2.8	2.9	2.7	2.8	1.6	- 0.2	- 1.3	- 1.7	- 1.3	- 1.3	3.0	- 5.2	0.43
14	- 1.3	- 0.5	- 0.3	- 0.4	0.0	0.0	0.4	1.4	1.6	1.6	2.1	1.9	2.1	- 1.3	0.54
15	1.1	1.2	1.9	1.6	2.0	2.4	2.6	2.3	2.1	2.1	2.1	2.0	2.6	1.0	1.95
16	1.9	1.1	1.0	0.0	- 0.7	0.2	1.0	0.0	- 1.2	0.6	3.8	4.7	4.7	- 1.2	1.03
17	4.7	4.5	3.3	2.4	1.4	2.0	2.4	1.9	2.5	2.4	1.9	1.9	4.8	1.2	2.61
18	1.9	2.2	2.3	2.2	1.8	1.8	1.8	1.4	0.6	0.5	- 1.6	- 2.7	2.3	- 2.8	1.02
19	- 3.3	- 3.3	- 5.1	- 5.3	- 5.2	- 3.0	- 1.2	0.2	0.4	- 0.7	- 2.0	- 2.4	0.4	- 5.3	- 2.58
20	- 2.1	- 2.5	- 1.6	- 0.2	1.7	2.6	3.8	4.4	3.6	2.8	0.6	- 0.4	4.5	- 2.5	1.06
21	- 1.3	- 1.6	- 3.4	- 3.6	- 3.5	- 1.3	- 1.4	- 0.2	0.6	1.1	1.0	0.9	1.3	- 4.3	- 1.06
22	0.6	- 0.2	- 0.3	- 1.0	- 1.1	- 1.5	- 2.2	- 2.5	- 2.7	- 3.7	- 5.4	- 6.1	0.9	- 6.1	- 2.18
23	- 7.0	- 7.9	- 8.7	- 9.3	- 9.3	- 8.2	- 7.4	- 8.9	- 9.2	- 8.3	- 7.4	- 6.6	- 6.1	-10.0	**- 8.18**
24	- 5.5	- 4.4	- 2.9	- 2.5	- 2.3	- 2.1	- 2.4	- 2.6	- 3.5	- 4.2	- 4.9	- 6.0	- 1.8	- 6.6	- 3.61
25	- 7.7	- 9.0	- 8.8	- 7.5	- 5.9	- 4.5	- 3.7	- 2.9	- 0.5	0.4	1.9	2.6	3.6	- 9.6	- 3.72
26	4.4	4.8	5.4	4.8	3.6	2.9	2.8	2.0	5.0	3.4	2.3	0.2	**5.4**	0.1	3.47
27	- 1.1	- 1.0	- 0.2	- 0.2	0.5	1.3	2.0	1.2	0.4	0.0	- 2.1	- 2.3	2.0	- 2.5	- 0.12
28	- 2.1	- 3.4	- 3.4	- 3.0	- 3.3	- 1.4	- 0.4	- 2.2	- 2.5	- 1.5	- 1.6	- 0.5	- 0.3	- 3.5	- 2.11
29	- 1.9	- 2.2	- 2.3	- 2.0	- 2.1	- 2.7	- 2.1	- 2.1	- 2.1	- 2.1	- 3.3	- 4.3	- 0.5	- 5.3	- 2.43
30	- 4.4	- 1.0	- 0.9	- 0.2	- 0.8	0.1	0.1	- 3.0	- 4.6	- 6.1	- 6.0	- 5.8	0.1	- 6.1	- 2.72
31	- 6.0	- 5.5	- 5.1	- 4.8	- 4.3	- 3.8	- 3.2	- 3.3	- 4.0	- 4.3	- 4.4	- 4.9	- 3.2	- 6.2	- 4.47
M	- 2.47	- 2.50	- 2.49	**- 2.59**	- 2.35	- 1.56	**- 0.95**	- 1.49	- 1.61	- 1.76	- 2.14	- 2.34	0.62	- 4.96	- 2.02

1949

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.6$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	91	90	92	92	95	94	93	91	88	90	91	92	95	84	91.6
2	92	91	86	86	85	83	90	90	90	90	83	88	93	83	87.8
3	92	93	91	92	99	99	97	95	92	90	92	92	**00**	88	93.7
4	93	82	83	83	87	91	88	84	88	90	91	87	93	82	87.2
5	83	80	82	84	85	82	81	85	87	91	94	80	94	77	84.5
6	73	83	92	95	96	94	95	95	95	94	95	90	96	73	91.4
7	88	85	85	75	72	70	71	68	59	80	91	88	91	59	77.7
8	87	86	87	86	85	82	75	75	72	82	83	72	91	70	81.0
9	76	66	64	69	72	55	49	67	75	79	82	86	87	49	70.0
10	89	92	93	93	94	92	92	93	95	96	85	92	98	82	92.2
11	90	90	90	85	87	83	78	80	84	90	90	92	92	78	86.6
12	94	95	94	94	87	80	55	50	50	51	57	58	95	47	72.1
13	67	72	82	88	90	93	92	89	90	93	92	94	95	58	86.8
14	95	90	83	84	45	43	48	41	67	60	41	50	96	39	62.2
15	50	55	50	47	39	36	37	36	39	44	49	54	55	34	**44.7**
16	55	62	63	82	91	92	92	88	86	88	90	87	92	51	81.3
17	89	89	91	92	95	95	95	96	97	97	96	96	97	87	94.0
18	96	86	81	75	79	81	81	82	87	84	87	94	96	75	84.4
19	95	95	95	96	96	95	95	95	95	95	95	83	96	83	94.2
20	53	51	65	69	68	55	58	61	68	74	81	88	88	51	65.9
21	61	49	62	67	67	54	46	70	54	51	52	46	88	46	56.6
22	54	58	64	62	58	52	52	55	63	70	75	75	76	45	61.5
23	77	91	94	95	95	95	96	95	94	94	95	95	96	75	93.0
24	93	92	83	50	64	46	42	46	48	52	60	47	95	42	60.2
25	42	49	51	58	57	56	57	59	70	81	86	80	87	42	62.2
26	87	88	90	88	88	80	78	81	93	95	94	93	95	76	87.9
27	94	95	95	94	93	85	79	90	90	92	93	93	95	77	91.1
28	92	93	94	94	93	92	82	85	91	93	95	95	95	82	91.6
29	96	96	96	96	96	96	96	96	96	96	96	95	96	95	**95.9**
30	94	59	57	44	51	36	35	27	36	37	48	56	95	**27**	48.3
31	61	66	59	53	57	43	36	38	42	44	45	47	66	35	49.2
M	80.6	79.7	80.5	79.6	79.6	75.2	**72.9**	74.3	76.8	79.5	**80.8**	80.2	91.1	64.3	78.3

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	56	60	65	56	55	51	55	51	57	59	67	79	79	50	59.2
2	79	84	85	87	87	84	71	63	75	83	88	91	91	63	81.4
3	93	94	90	86	80	80	73	67	71	67	56	66	95	54	76.9
4	71	75	78	87	84	74	65	72	72	74	77	47	89	47	73.0
5	45	46	54	60	54	47	42	42	54	61	62	72	72	41	53.2
6	82	85	89	91	82	77	70	70	76	81	84	87	91	68	81.2
7	87	89	90	91	88	79	82	97	97	96	96	98	**98**	74	90.8
8	98	97	96	95	95	96	96	95	94	95	95	95	**98**	94	**95.6**
9	95	95	95	95	94	91	91	94	95	95	93	90	95	90	93.6
10	86	86	85	85	84	75	70	74	84	84	85	88	90	67	82.2
11	90	90	90	90	90	84	76	80	85	91	92	93	93	75	87.6
12	94	94	90	92	95	95	94	94	95	95	95	95	95	90	94.0
13	95	95	95	95	95	94	94	91	91	92	88	85	95	79	92.5
14	88	93	92	92	88	80	38	34	41	46	66	79	95	34	69.7
15	80	82	85	86	84	62	54	61	67	70	85	94	94	53	75.8
16	93	94	94	95	96	97	95	86	88	91	92	88	97	80	92.4
17	89	90	90	91	89	77	38	35	40	51	63	71	91	33	68.7
18	73	77	80	84	82	70	58	57	64	80	95	96	96	55	76.3
19	96	96	96	96	95	95	94	94	93	93	94	93	97	93	94.6
20	91	90	89	90	91	90	86	87	90	90	90	92	93	85	89.7
21	93	93	94	95	97	97	96	96	96	96	95	95	97	92	95.2
22	95	95	94	93	94	94	39	42	56	59	89	96	96	34	78.8
23	91	59	41	42	37	38	35	39	43	45	52	51	96	35	47.8
24	49	50	59	63	46	45	50	44	45	47	54	61	64	42	51.1
25	58	60	49	47	41	36	31	32	35	37	41	46	65	**30**	**42.8**
26	56	59	62	92	95	95	95	94	87	78	64	76	95	46	79.4
27	82	84	85	80	75	55	50	46	56	50	49	48	86	45	64.2
28	57	51	53	54	50	39	34	31	39	50	55	61	61	31	47.8
M	80.8	80.8	80.9	**82.5**	80.1	75.2	66.9	**66.7**	70.9	73.4	77.2	79.7	89.4	60.0	76.3

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	64	66	62	60	59	52	52	43	38	43	50	54	68	37	53.6
2	56	54	50	58	54	44	42	38	40	45	48	50	58	38	**48.2**
3	50	53	55	55	50	42	39	38	68	69	73	78	78	37	55.8
4	75	79	84	82	82	75	69	63	65	72	77	79	84	62	75.2
5	74	73	71	70	64	61	44	45	45	48	55	60	82	44	59.2
6	66	73	77	81	81	79	76	80	85	91	87	87	91	60	80.2
7	89	95	89	85	79	75	74	75	81	87	88	88	95	71	83.8
8	84	88	84	81	78	68	71	70	75	78	75	80	88	68	77.7
9	84	87	86	84	94	69	73	71	69	71	80	77	87	67	77.1
10	73	72	74	73	74	76	73	64	63	68	68	66	77	61	70.3
11	69	72	79	82	83	80	75	70	72	79	83	88	88	66	77.7
12	84	86	83	85	91	92	94	96	96	95	94	94	96	82	90.8
13	95	94	94	94	92	92	90	85	72	67	79	80	95	67	86.2
14	81	85	88	89	66	54	50	40	52	75	77	79	88	40	69.6
15	78	82	85	87	77	39	33	33	38	43	49	55	87	32	58.2
16	51	57	64	65	59	52	39	35	42	57	70	71	71	34	55.2
17	79	81	84	79	68	55	48	45	49	59	65	67	84	44	64.9
18	71	77	80	79	64	58	53	50	44	54	55	52	81	43	61.4
19	59	62	70	71	62	52	39	36	38	53	54	58	74	36	54.5
20	63	68	77	77	71	62	59	50	52	72	96	86	96	48	69.4
21	80	92	97	99	97	96	95	94	94	95	95	96	**99**	94	**94.2**
22	96	95	86	90	86	86	38	30	35	43	53	64	96	**30**	66.8
23	67	73	80	75	61	55	57	56	63	72	81	88	89	54	69.0
24	90	91	91	80	71	55	43	39	45	55	65	80	92	38	67.1
25	85	92	91	84	61	51	46	50	54	77	89	89	92	44	72.4
26	92	71	69	81	65	58	45	32	33	50	58	64	92	32	59.8
27	69	75	79	71	61	54	37	33	32	59	69	72	79	32	59.2
28	76	80	85	71	68	55	44	38	41	65	76	77	85	38	64.7
29	83	86	91	77	67	56	46	48	58	78	90	94	94	46	72.8
30	95	95	98	94	87	70	49	51	61	83	93	96	98	46	81.0
31	98	98	98	98	97	93	58	52	55	73	71	62	98	49	79.4
M	76.6	79.1	**80.7**	79.2	72.6	64.7	56.5	**53.2**	56.6	67.0	73.0	75.2	86.5	49.7	69.5

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	57	57	53	47	40	33	26	21	30	39	53	63	63	21	43.2
2	60	62	61	66	70	66	73	74	73	93	91	94	94	58	73.6
3	94	95	91	85	81	69	88	94	96	96	96	96	96	69	90.1
4	96	96	96	95	96	95	95	95	91	90	89	86	**98**	86	**93.3**
5	88	87	89	86	45	36	28	19	26	40	48	64	91	**18**	54.7
6	76	79	79	72	69	70	48	43	39	66	80	84	85	39	67.1
7	90	91	92	84	75	48	47	47	45	46	57	89	92	43	67.6
8	88	92	91	89	85	77	79	80	84	79	73	63	93	63	81.7
9	59	59	54	48	36	29	23	21	31	36	45	60	63	20	**41.8**
10	70	71	75	71	65	42	43	44	47	53	67	72	77	40	60.0
11	80	90	94	95	92	85	78	68	68	83	92	94	97	67	84.9
12	94	95	96	93	86	85	75	75	82	89	95	96	96	70	88.4
13	96	97	96	91	86	72	58	63	68	85	88	93	97	56	82.8
14	94	95	95	94	88	73	40	38	59	79	85	86	95	36	77.2
15	87	88	90	86	84	84	79	75	76	86	94	95	95	72	85.3
16	95	96	96	95	86	92	91	92	91	91	92	92	96	85	92.4
17	90	92	94	94	91	87	83	82	88	86	85	92	94	82	88.7
18	92	94	95	72	66	63	58	58	68	80	95	96	96	54	78.1
19	95	95	96	56	43	39	41	45	72	81	89	88	96	38	70.0
20	90	91	53	50	33	18	19	25	23	33	42	61	94	**18**	44.8
21	70	77	78	68	61	57	67	59	66	84	76	71	88	54	69.5
22	71	93	95	93	49	35	29	33	30	34	39	40	95	26	53.4
23	44	55	58	47	41	44	68	88	95	96	94	91	96	40	68.4
24	91	93	94	71	39	35	31	28	39	51	77	90	94	28	61.6
25	94	95	96	95	93	79	60	52	59	76	93	93	96	50	82.1
26	95	95	94	94	94	84	63	34	30	38	50	70	95	30	70.1
27	82	85	90	76	63	48	44	61	84	94	92	92	94	42	75.9
28	91	89	88	60	52	48	33	30	33	42	46	52	92	30	55.3
29	62	64	58	50	43	42	40	46	46	45	49	54	64	39	49.9
30	61	65	56	45	39	36	36	34	36	40	51	62	67	34	46.8
M	81.7	**84.4**	83.1	75.6	66.4	59.0	54.8	**54.1**	59.2	67.7	74.1	79.3	89.6	46.9	70.0

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1949

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	69	79	75	65	51	37	38	44	46	53	46	64	83	32	55.6
2	77	82	85	64	52	47	42	45	49	53	65	79	88	37	61.7
3	85	89	83	67	53	42	34	31	35	50	71	87	91	30	60.6
4	91	93	85	94	90	61	49	50	50	62	61	82	94	45	72.3
5	83	81	73	53	50	48	46	47	60	91	92	93	93	45	68.1
6	95	94	64	50	48	41	50	69	51	49	49	63	95	38	60.2
7	68	73	69	58	50	37	31	28	30	35	43	43	74	27	47.1
8	48	50	51	39	31	28	28	27	25	36	36	36	57	**25**	**36.2**
9	43	45	50	38	34	28	27	29	31	39	43	49	50	27	38.0
10	51	57	68	59	47	46	47	50	61	88	92	93	93	45	63.2
11	93	94	94	91	64	49	43	45	48	52	62	78	94	43	67.8
12	91	92	93	92	81	62	56	54	55	64	81	93	94	54	76.2
13	93	94	93	92	90	79	72	71	76	83	85	89	94	71	84.8
14	91	92	91	87	77	57	40	49	44	58	66	65	92	38	68.1
15	66	65	66	58	53	46	44	46	75	76	73	66	76	42	61.2
16	65	64	65	70	69	75	88	84	77	93	93	92	94	63	77.9
17	90	89	93	88	87	81	76	78	76	81	85	88	94	76	84.3
18	86	84	78	75	64	55	45	80	71	80	74	86	88	44	73.2
19	90	92	92	80	77	67	65	83	85	75	77	79	92	61	80.2
20	77	74	73	70	58	50	51	45	50	56	68	79	83	43	62.6
21	92	92	91	91	85	75	82	77	65	73	71	58	93	56	78.5
22	73	76	61	53	50	47	43	37	37	43	52	52	79	35	52.0
23	53	59	54	50	61	64	67	67	64	70	78	94	94	50	65.1
24	98	99	98	98	95	85	64	69	64	75	82	87	**99**	63	84.5
25	92	93	93	85	83	83	83	78	74	78	87	90	94	73	**84.9**
26	96	97	94	91	75	85	81	82	81	78	76	82	97	74	84.8
27	90	91	82	55	46	44	36	33	35	35	53	71	91	31	55.9
28	65	68	86	92	92	86	86	83	91	91	87	73	92	65	83.3
29	82	86	68	55	43	41	42	35	38	51	55	46	87	33	53.5
30	68	86	92	91	93	92	95	88	70	71	82	90	96	46	84.8
31	93	94	92	74	60	58	45	46	45	42	43	43	94	39	61.2
M	78.8	**81.4**	79.1	71.8	64.8	57.9	**54.7**	56.4	56.7	63.9	68.6	73.9	88.2	46.8	67.3

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	56	71	75	70	68	68	69	67	72	76	81	90	81	41	71.1
2	80	82	86	86	88	86	91	92	93	93	93	91	**94**	79	**88.4**
3	91	92	91	92	92	86	80	73	77	82	86	84	92	68	85.5
4	86	83	82	80	78	82	87	90	93	93	86	89	93	75	85.8
5	89	88	88	90	85	80	79	75	78	87	79	80	91	74	83.2
6	88	81	69	52	45	39	39	45	53	76	84	87	88	36	63.2
7	89	92	77	61	59	51	56	61	51	64	66	80	93	47	67.2
8	87	93	93	89	93	83	83	79	78	50	53	58	**94**	50	78.2
9	78	86	68	50	42	43	40	38	36	42	48	59	87	36	52.5
10	75	85	68	46	46	42	37	37	39	43	50	58	85	36	52.2
11	62	72	64	63	74	77	70	87	80	87	88	90	90	58	76.2
12	91	91	82	68	56	51	34	36	49	51	61	75	92	34	62.1
13	83	89	82	67	58	49	43	26	32	38	44	49	91	**26**	55.0
14	59	72	64	54	47	41	43	42	45	49	54	53	77	38	51.9
15	58	55	57	47	44	44	41	45	49	49	54	68	68	40	50.9
16	62	63	62	56	51	44	39	40	44	49	55	57	68	38	51.8
17	58	58	58	54	50	47	42	38	37	42	44	48	59	37	48.0
18	48	49	49	47	44	40	38	34	32	40	49	54	54	32	**43.7**
19	56	57	54	51	45	38	44	39	40	51	54	54	58	35	48.6
20	57	60	56	47	43	42	40	39	43	53	62	67	67	38	50.8
21	72	72	59	54	47	36	35	36	34	37	47	56	80	33	48.8
22	59	59	56	55	52	50	40	39	39	39	60	80	80	37	52.3
23	84	75	63	59	55	54	49	46	42	45	58	75	85	41	58.8
24	84	91	77	62	37	39	36	30	37	44	70	66	91	30	56.1
25	57	57	53	55	49	44	41	38	35	41	63	61	83	35	49.5
26	57	59	59	56	51	47	44	40	47	50	61	76	76	40	53.9
27	82	85	74	61	53	46	45	45	65	69	82	85	87	42	66.0
28	87	90	82	61	56	48	42	38	37	54	68	77	91	35	61.7
29	89	83	85	89	90	91	73	61	52	64	75	79	92	52	77.6
30	83	83	61	55	49	47	50	60	90	92	93	92	93	47	71.2
M	73.6	**75.8**	69.8	62.6	58.2	54.5	51.7	**50.5**	53.3	58.3	65.6	70.9	82.7	43.7	62.1

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	93	94	89	85	82	81	79	89	77	70	75	77	94	70	82.6
2	72	73	72	69	67	70	71	73	70	70	72	70	77	67	70.8
3	75	74	67	53	53	49	45	41	35	45	68	75	78	35	56.7
4	84	90	81	74	63	56	46	49	58	79	85	87	90	45	71.0
5	88	88	87	82	67	56	46	42	39	45	58	60	88	38	63.2
6	58	60	61	61	59	55	58	44	48	54	59	65	66	43	56.8
7	64	67	67	63	62	48	41	46	88	86	86	55	88	41	64.4
8	50	53	55	58	51	43	41	36	29	34	47	49	58	29	45.5
9	56	61	57	51	50	45	39	37	37	43	63	74	74	37	51.1
10	74	84	70	62	53	38	34	43	51	61	83	92	92	34	62.1
11	94	87	70	49	44	42	39	39	36	49	59	70	94	36	56.5
12	44	52	55	49	42	41	37	45	54	66	54	56	70	37	49.6
13	65	67	64	61	58	53	52	49	51	59	85	85	89	49	62.4
14	88	89	70	60	46	44	42	43	40	45	68	70	89	40	58.8
15	76	66	54	48	41	42	40	37	39	44	50	64	80	36	50.1
16	50	56	55	53	48	48	43	37	37	54	65	83	83	36	52.4
17	75	67	63	60	58	54	50	48	45	53	69	89	89	45	60.9
18	93	94	89	78	57	48	52	52	53	56	71	86	**95**	47	69.1
19	92	91	85	91	90	62	57	55	72	84	90	83	92	47	79.3
20	82	78	82	88	79	82	74	71	71	70	76	75	90	70	77.3
21	73	69	68	60	56	48	43	39	39	40	68	68	75	39	55.9
22	75	81	71	55	43	31	28	26	25	34	57	63	81	25	49.1
23	66	69	66	41	41	35	33	27	28	42	56	71	72	25	47.9
24	70	72	71	59	51	38	41	48	60	51	54	51	76	37	55.5
25	61	77	58	51	42	35	30	25	29	37	41	45	80	**24**	**44.2**
26	55	60	66	66	61	58	55	57	58	75	88	90	90	45	65.8
27	91	93	93	75	63	56	54	46	50	58	66	80	93	42	68.8
28	87	86	72	93	95	89	77	68	87	90	93	93	**95**	68	**85.8**
29	94	91	92	64	48	42	41	43	44	52	66	75	94	40	62.7
30	83	90	72	59	52	49	61	56	63	67	91	82	91	49	68.8
31	89	90	91	72	68	55	53	54	61	71	80	93	93	44	73.1
M	74.7	76.4	71.4	64.2	57.7	51.4	48.5	**47.3**	50.8	57.6	69.1	73.4	84.4	42.6	61.9

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	94	94	94	83	77	65	65	72	89	85	93	92	94	59	83.6
2	94	96	89	62	60	62	63	65	80	90	91	93	96	59	78.8
3	95	94	94	92	74	65	60	61	64	78	90	92	95	57	79.9
4	93	94	93	92	82	54	73	45	42	47	52	57	94	41	68.7
5	62	70	63	45	41	34	29	26	39	46	75	89	89	**26**	51.6
6	85	83	78	64	61	64	68	67	70	72	79	88	91	54	73.2
7	87	88	91	63	47	42	41	50	61	72	79	85	91	40	67.2
8	88	91	92	80	95	94	85	93	00	79	82	80	**00**	77	**88.2**
9	81	81	74	63	49	45	45	39	59	67	56	59	82	38	59.8
10	77	86	75	64	52	47	45	52	70	65	85	92	92	45	67.5
11	92	92	85	60	47	44	44	36	54	77	80	90	93	31	66.8
12	81	74	70	58	50	44	41	39	40	59	70	75	90	38	58.4
13	87	90	89	75	53	55	61	65	89	89	90	91	92	53	77.8
14	92	89	91	85	73	70	54	37	38	48	52	55	92	36	65.3
15	65	71	66	61	56	50	45	45	49	56	81	93	93	43	61.5
16	93	88	88	72	62	58	63	71	59	66	80	79	94	53	73.2
17	88	90	88	51	44	43	40	41	42	77	79	56	92	39	61.6
18	67	71	68	50	42	39	34	33	32	51	57	61	77	31	**50.4**
19	64	66	70	54	50	38	41	39	34	61	75	78	80	34	55.8
20	84	89	77	67	60	63	59	60	62	70	84	93	93	55	72.3
21	93	93	95	92	73	53	46	44	50	60	82	88	95	43	72.4
22	90	92	94	94	82	71	57	56	62	78	90	92	95	53	79.8
23	67	68	64	58	51	45	41	41	44	60	84	91	91	41	59.5
24	93	92	90	61	56	50	43	39	38	65	87	92	93	37	67.2
25	92	93	93	94	83	57	51	41	48	74	83	80	96	41	74.1
26	84	91	85	73	58	50	51	47	47	54	76	85	92	43	66.8
27	88	88	87	72	66	62	56	63	73	92	93	95	95	54	77.9
28	94	93	92	92	90	86	78	65	77	87	88	92	95	64	86.2
29	92	91	92	91	80	62	58	53	59	81	90	93	93	53	78.5
30	92	93	92	90	79	68	78	83	81	81	86	84	94	68	83.9
31	83	89	91	86	73	68	69	66	74	84	91	91	92	66	80.4
M	85.1	**86.4**	84.2	72.4	63.4	56.4	54.3	**52.7**	58.9	70.0	80.0	83.3	92.0	47.5	70.6

1949

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	90	90	92	90	82	77	69	64	68	81	85	84	92	62	81.0
2	83	83	82	78	69	73	70	63	75	78	81	84	85	62	76.6
3	85	83	86	90	92	91	92	91	92	93	94	94	94	81	90.2
4	92	92	92	92	92	94	81	65	73	87	93	94	94	65	87.2
5	95	94	94	93	90	81	75	67	63	74	80	88	95	62	82.8
6	87	86	87	80	69	64	67	77	94	94	95	94	95	64	82.8
7	94	93	94	75	59	48	51	62	65	86	89	94	94	46	75.8
8	95	95	95	92	70	56	56	72	81	84	85	85	95	52	80.5
9	83	92	90	88	77	65	64	72	76	83	88	82	93	62	80.0
10	83	94	91	91	93	94	93	83	87	90	91	93	95	75	90.2
11	93	93	93	92	88	75	72	60	71	71	72	73	94	58	79.4
12	70	67	69	63	56	50	46	44	49	75	80	83	86	44	62.7
13	88	91	88	80	62	50	44	44	50	67	77	79	91	42	68.3
14	75	70	72	84	79	73	72	61	66	72	77	81	88	61	73.5
15	85	85	88	92	92	91	88	88	91	90	93	91	93	81	89.5
16	91	86	91	91	89	91	84	86	86	86	83	86	91	79	87.5
17	90	92	93	94	92	81	75	88	85	88	85	86	94	75	87.4
18	89	93	93	94	92	88	86	88	91	94	94	94	95	86	91.3
19	96	94	93	92	88	82	76	76	79	78	88	86	96	75	85.7
20	86	91	90	88	84	87	80	79	82	87	88	90	91	78	86.0
21	91	93	92	92	75	72	65	63	72	87	89	91	93	62	81.8
22	91	92	87	88	82	82	82	85	88	89	89	89	92	81	87.0
23	88	90	92	75	69	60	53	52	71	85	85	86	92	50	75.5
24	78	76	78	79	82	81	80	83	85	88	88	88	88	73	82.2
25	90	92	92	91	79	82	88	93	94	94	94	94	95	78	90.2
26	94	95	95	95	96	92	90	89	91	93	95	96	96	87	93.4
27	96	96	95	95	79	67	63	70	59	62	82	90	96	58	79.5
28	92	93	94	88	67	49	45	47	66	80	89	90	94	41	75.0
29	94	93	95	93	94	81	62	72	77	73	80	85	95	61	83.2
30	52	66	64	63	46	41	39	41	54	72	76	68	85	39	56.8
M	87.2	88.3	88.6	86.6	79.5	73.9	70.3	70.8	76.0	82.7	86.2	87.3	92.6	64.7	81.4

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	65	68	75	77	52	41	39	42	49	62	70	79	79	38	59.9
2	83	87	85	87	75	63	65	75	77	79	74	80	89	61	77.5
3	62	47	44	43	41	35	32	30	35	40	51	59	87	30	43.2
4	75	79	83	79	70	60	53	57	69	87	90	93	93	49	74.6
5	95	95	95	95	74	64	48	42	37	41	45	54	95	35	65.4
6	67	82	85	79	65	62	58	56	73	78	80	78	86	54	71.9
7	78	79	84	78	69	69	63	65	73	84	93	93	94	61	77.3
8	93	95	95	93	91	85	74	79	82	84	86	83	95	73	86.7
9	83	83	75	64	59	60	61	61	64	65	63	60	84	57	66.5
10	66	73	78	78	77	72	67	65	85	92	92	95	95	60	78.3
11	96	94	95	95	90	73	68	65	72	74	76	81	96	65	81.6
12	93	92	89	92	93	92	94	94	92	92	93	95	95	81	92.6
13	95	95	95	95	96	93	93	85	90	91	88	92	96	85	92.3
14	92	94	95	92	73	69	72	75	85	89	92	93	95	66	85.1
15	95	96	95	96	95	72	79	82	91	94	95	95	96	72	90.4
16	95	95	94	95	95	73	65	83	91	92	93	93	95	65	88.7
17	94	94	93	93	93	96	93	94	95	95	94	92	96	91	93.8
18	90	92	90	87	90	76	73	82	83	91	91	92	92	70	86.4
19	93	84	83	83	79	87	81	74	74	82	85	86	93	62	82.6
20	79	75	74	79	69	61	69	81	89	91	92	95	95	61	79.5
21	95	95	95	96	93	91	94	92	94	85	83	87	96	82	91.7
22	90	93	93	94	85	68	62	64	71	82	91	92	94	61	82.1
23	92	94	92	93	91	88	80	77	90	94	95	97	97	77	90.2
24	97	95	93	91	94	92	91	88	78	70	69	73	97	64	85.9
25	82	85	82	85	62	53	49	50	78	79	78	75	86	45	71.5
26	73	95	92	94	92	91	91	90	90	90	93	91	95	73	90.2
27	88	88	79	76	65	62	61	60	59	57	74	78	91	53	70.6
28	84	89	89	90	76	76	60	58	81	86	85	90	91	56	80.3
29	85	91	92	90	78	67	61	64	80	84	86	85	93	58	80.2
30	87	90	87	93	87	78	73	81	91	91	91	92	93	73	86.8
31	93	93	96	96	97	98	96	95	95	90	93	96	98	90	94.8
M	85.6	87.3	86.8	86.4	79.6	73.1	69.8	71.2	77.8	81.0	83.3	85.3	92.8	63.5	80.6

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	97	96	97	97	97	89	83	90	94	95	96	97	97	83	94.0
2	98	97	98	98	98	98	98	97	98	97	97	97	98	97	97.6
3	97	97	97	96	96	95	92	89	91	85	84	79	97	79	91.5
4	72	76	75	85	65	59	59	68	69	71	72	74	86	58	70.4
5	73	76	91	81	90	90	69	66	65	69	76	76	93	64	76.8
6	77	79	76	78	82	82	91	90	90	90	91	93	93	76	84.9
7	94	91	90	89	93	90	82	88	89	91	93	92	94	80	90.2
8	91	93	93	94	95	94	93	94	92	93	92	94	96	91	93.2
9	94	92	94	93	93	91	90	88	88	90	87	90	94	87	90.8
10	90	89	90	91	82	81	87	86	86	90	91	88	91	80	87.6
11	86	85	84	83	82	78	80	82	83	78	75	77	90	73	81.1
12	76	77	78	80	80	78	77	82	84	75	77	76	84	74	78.3
13	77	79	79	89	93	92	91	90	88	86	86	84	95	75	86.2
14	83	81	79	79	81	80	68	76	88	91	92	92	92	67	82.5
15	91	93	92	88	88	76	76	86	91	88	91	92	93	74	87.7
16	92	94	94	92	86	86	83	83	87	86	89	93	95	83	88.8
17	94	94	90	92	92	91	93	93	92	93	93	93	94	90	92.5
18	94	95	91	90	88	90	91	92	90	90	91	90	95	87	91.0
19	83	82	75	88	87	88	83	82	82	80	82	83	91	75	82.9
20	83	83	83	85	85	86	90	90	90	93	93	93	95	83	87.8
21	94	92	90	90	94	92	92	92	95	96	94	91	96	90	92.7
22	90	87	87	85	83	83	85	91	92	94	92	90	94	82	88.2
23	90	91	92	90	89	88	80	82	85	88	90	92	92	79	88.1
24	94	92	91	91	90	87	89	88	87	86	86	84	94	84	88.8
25	83	81	80	75	78	75	72	71	72	71	73	74	84	71	75.4
26	72	74	77	76	78	78	79	80	81	82	83	84	84	72	78.7
27	82	83	82	80	76	74	70	66	65	64	61	60	84	60	71.9
28	60	63	67	69	64	59	59	59	64	63	61	66	70	56	62.8
29	63	68	75	80	79	91	95	95	94	95	95	92	96	63	85.2
30	92	88	89	88	89	88	91	93	95	97	98	98	98	88	92.2
M	85.4	85.6	85.9	86.4	85.8	84.3	82.9	84.3	85.6	85.6	86.0	86.1	91.8	77.4	85.3

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	97	97	97	97	97	96	87	84	86	83	81	85	97	81	90.6
2	87	92	94	95	96	95	54	61	72	75	83	87	96	53	82.6
3	87	86	88	91	95	95	95	95	95	96	96	95	96	86	92.8
4	94	93	92	91	92	91	88	91	93	95	96	97	97	88	92.8
5	96	96	96	96	99	98	98	97	97	97	97	97	99	96	97.0
6	96	94	93	95	93	93	92	91	91	91	90	91	97	90	92.5
7	90	90	90	91	91	91	88	92	87	89	92	94	94	85	90.4
8	96	96	96	96	96	94	93	94	90	92	93	94	96	89	94.2
9	95	92	92	93	92	92	92	95	94	92	92	92	95	92	92.8
10	92	92	92	93	94	94	73	63	61	59	55	55	95	55	76.9
11	54	57	60	63	65	64	64	66	65	62	64	71	71	54	62.9
12	73	78	80	83	85	82	83	88	86	91	95	95	95	68	84.9
13	96	97	97	97	97	93	91	93	91	86	90	91	97	86	93.2
14	93	91	94	96	96	96	97	97	97	97	96	96	97	91	95.5
15	95	95	95	95	94	94	94	93	92	92	91	93	96	91	93.6
16	93	94	95	96	96	91	80	89	92	93	93	91	96	80	91.9
17	90	87	83	88	92	93	92	92	92	85	85	87	93	82	88.8
18	82	81	77	75	74	73	72	72	76	76	85	88	89	71	77.6
19	88	87	89	86	90	82	88	90	92	95	93	96	96	81	89.7
20	96	96	95	94	95	95	91	85	88	74	84	88	97	74	90.1
21	90	90	90	90	91	87	89	92	94	96	96	96	96	87	91.8
22	97	98	98	98	98	98	98	97	97	96	95	95	98	95	97.1
23	94	94	93	93	93	93	94	92	93	93	94	94	95	92	93.3
24	94	95	96	97	97	97	97	97	96	96	95	95	97	94	96.0
25	93	93	92	93	94	95	95	96	96	96	97	97	97	92	94.8
26	97	97	97	97	98	98	98	98	55	57	63	73	99	50	85.7
27	80	83	80	91	95	95	95	94	95	93	92	93	96	73	90.5
28	85	87	85	84	85	81	80	84	84	82	83	77	93	77	83.1
29	85	89	88	90	91	91	90	90	88	88	80	87	91	77	88.1
30	85	67	68	68	71	69	69	80	85	90	90	89	90	67	77.6
31	90	89	89	89	90	90	90	89	90	92	93	94	94	89	90.4
M	89.7	89.5	89.4	90.4	91.4	90.2	87.3	88.3	87.4	87.0	88.0	89.5	94.7	80.2	89.0

Registreringer av vind D, v

(Records of wind: D, v)

1949

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Januar I – Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	08 3.0	07 2.4	04 1.2	02 1.2	19 2.4	14 2.4	07 1.2	10 3.0	09 3.6	06 4.9	09 3.6	14 3.0
2	13 4.9	13 4.3	13 5.5	12 7.9	14 6.1	14 6.7	14 6.7	13 7.3	15 8.5	17 4.9	17 6.1	14 1.8
3	17 3.6	18 1.8	16 1.2	23 0.6	07 0.6	02 2.4	01 2.4	03 1.2	02 1.8	03 1.8	05 1.2	03 0.6
4	01 0.6	01 2.4	02 1.8	03 2.4	03 0.6	03 0.6	26 1.2	24 2.4	25 1.8	24 1.8	16 0.6	06 2.4
5	06 1.8	02 2.4	03 1.8	03 0.6	02 1.2	03 1.2	07 0.6	22 0.6	02 2.4	09 0.6	19 1.2	18 3.0
6	16 6.1	15 5.5	17 4.3	17 4.3	18 4.3	18 2.4	20 2.4	16 1.2	18 0.6	18 0.6	22 2.4	24 0.6
7	23 2.4	14 1.8	08 3.0	20 1.8	29 1.8	02 2.4	02 2.4	02 3.0	05 3.0	07 3.6	04 5.5	01 8.5
8	01 7.9	01 8.5	01 7.3	01 6.7	36 3.0	01 3.6	36 3.6	01 4.3	02 3.0	14 0.6	21 1.2	09 1.8
9	02 1.2	36 1.8	14 2.4	26 0.6	10 0.6	09 2.4	16 1.2	01 0.6	03 0.6	00 0.0	04 0.6	02 1.8
10	04 0.6	28 0.6	24 0.6	25 1.8	23 2.4	22 2.4	22 1.2	21 3.0	20 3.6	19 1.2	18 6.1	16 7.3
11	15 7.3	17 5.5	17 4.3	18 4.3	14 2.4	16 3.0	17 3.6	20 3.0	18 3.6	15 1.2	15 2.4	16 1.2
12	00 0.0	01 0.6	36 1.2	03 3.0	03 1.8	01 2.4	01 7.9	01 7.3	01 6.1	01 4.9	36 4.9	36 1.8
13	36 2.4	01 2.4	02 1.2	04 1.2	05 0.6	19 3.0	17 6.7	18 6.1	17 3.0	18 2.4	20 1.8	17 1.8
14	18 3.0	14 3.0	20 3.6	23 3.6	18 3.0	19 5.5	19 4.3	20 6.1	20 3.6	24 3.6	19 4.9	25 2.4
15	14 2.4	21 1.2	26 3.6	26 3.6	28 6.1	30 5.5	28 4.3	24 1.8	27 4.3	30 1.8	16 1.8	21 1.2
16	36 1.8	02 0.6	01 2.4	06 1.8	03 1.8	03 1.2	04 1.8	03 2.4	01 3.6	02 3.6	03 2.4	01 2.4
17	01 2.4	02 1.8	02 1.2	02 2.4	03 2.4	02 1.8	08 0.6	06 0.6	14 1.8	16 1.8	20 0.6	20 0.6
18	20 1.2	20 1.8	24 2.4	24 4.3	06 1.8	24 1.8	19 0.6	19 0.6	01 0.6	02 1.8	36 1.2	02 2.4
19	01 2.4	02 1.2	00 0.0	18 0.6	00 0.0	18 0.6	17 0.6	36 1.2	18 1.2	17 1.6	15 1.2	22 1.8
20	22 5.5	22 3.6	23 1.8	19 2.4	19 3.0	22 3.6	18 6.1	23 2.4	22 0.6	17 1.8	22 1.8	25 0.6
21	24 3.6	03 6.7	03 0.6	04 3.6	28 1.2	26 1.8	02 3.0	03 5.5	01 4.3	01 7.9	01 6.1	01 6.7
22	31 1.8	30 1.8	02 0.6	06 0.6	01 1.8	20 1.8	20 1.8	21 1.2	20 1.2	16 0.6	20 1.2	25 1.2
23	25 1.2	21 1.2	24 1.2	22 1.8	19 1.8	17 3.6	18 1.8	20 1.2	19 1.8	18 2.4	17 1.8	16 3.0
24	16 3.0	14 1.8	25 3.0	25 4.3	06 1.8	23 3.6	22 3.6	23 3.6	24 5.5	20 2.4	18 1.8	23 3.6
25	25 6.7	18 4.3	21 3.0	22 2.4	15 3.0	18 4.3	16 2.4	18 0.6	16 1.2	21 1.2	14 0.6	21 1.2
26	19 2.4	16 4.3	19 2.4	16 4.3	18 3.0	18 3.0	24 1.8	16 3.6	18 1.2	19 0.6	15 1.2	19 1.8
27	12 1.8	19 2.4	20 0.6	17 1.8	20 1.2	16 1.2	14 4.3	17 3.6	15 3.6	15 5.5	18 3.0	16 4.3
28	18 2.4	13 1.8	00 0.0	14 1.2	17 2.4	15 1.2	15 0.6	00 0.0	15 0.6	02 1.2	01 0.6	06 1.2
29	36 1.8	01 1.8	20 0.6	20 0.6	19 0.6	19 0.6	19 0.6	16 0.6	32 0.6	19 0.6	15 2.4	16 1.8
30	17 3.0	17 2.4	14 6.1	24 1.8	26 5.5	32 3.6	29 12.1	31 9.7	26 7.3	27 3.0	28 4.9	25 1.8
31	25 3.0	05 0.6	26 1.2	26 2.4	28 1.2	29 4.3	24 2.4	36 2.4	27 3.0	29 5.5	29 6.1	31 3.0
M	2.94	2.65	2.26	2.58	2.24	2.71	3.03	2.91	2.83	2.50	2.62	2.47

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	08 1.8	36 1.2	01 1.2	27 5.5	29 1.8	36 5.5	01 4.9	29 2.4	01 2.4	04 2.4	19 0.6	03 0.6
2	02 0.6	02 0.6	03 1.2	00 0.0	03 0.6	00 0.0	02 0.6	02 0.6	02 1.2	02 0.6	00 0.0	36 0.6
3	25 1.2	01 1.2	01 0.6	20 0.6	07 1.8	00 0.0	16 1.2	16 2.4	12 2.4	22 1.8	14 5.5	19 2.4
4	17 4.3	22 1.2	24 1.8	36 1.8	36 2.4	02 1.8	00 0.0	24 1.8	36 4.3	01 1.2	01 0.6	36 6.1
5	02 6.7	36 5.5	07 1.8	36 1.2	01 1.8	36 1.8	31 3.0	31 3.0	36 3.6	36 1.2	36 1.8	00 0.0
6	00 0.0	27 0.6	36 0.6	36 0.6	36 1.2	36 0.6	36 0.6	21 0.6	36 0.6	36 1.2	36 0.6	00 0.0
7	02 1.2	01 0.6	01 0.6	00 0.0	02 1.2	16 1.6	18 1.2	15 1.2	14 1.8	12 1.8	01 1.2	01 1.8
8	07 0.6	20 1.2	20 0.6	22 1.8	15 1.8	16 3.6	15 1.8	15 2.4	10 1.2	01 0.6	02 0.6	02 0.6
9	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	18 1.0	16 0.5	06 1.5	04 4.5	02 4.0	36 3.5	01 4.5
10	36 7.0	36 6.0	01 4.0	29 3.5	25 3.0	36 2.0	00 0.0	00 0.0	01 0.5	07 1.0	02 1.0	00 0.0
11	00 0.0	27 0.5	01 0.5	01 1.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	27 0.6	36 0.6	36 1.8
12	36 2.4	36 1.8	36 1.8	00 0.0	02 0.6	08 0.6	02 0.6	00 0.0	36 0.6	06 0.6	08 0.6	16 0.6
13	16 0.6	20 0.6	20 0.6	20 1.2	18 1.2	16 1.2	14 3.6	13 4.9	17 5.5	15 4.3	15 4.9	14 5.5
14	15 6.1	14 6.7	16 3.6	15 1.2	23 4.3	17 1.8	22 6.1	23 4.3	21 4.9	20 4.3	36 1.8	14 0.6
15	18 1.2	07 1.2	36 0.6	23 1.8	09 0.6	27 0.6	23 1.8	23 2.4	18 3.0	21 3.6	23 2.4	21 2.4
16	23 1.2	09 1.2	12 0.6	00 0.0	00 0.0	19 0.6	25 1.2	23 1.2	11 1.2	11 2.4	16 4.3	16 4.9
17	16 2.4	15 4.3	14 3.0	14 5.5	15 5.5	15 3.6	23 3.6	22 5.5	21 5.5	36 1.2	24 1.2	23 1.2
18	13 0.6	36 2.4	36 1.8	36 1.2	00 0.0	06 0.6	19 1.2	00 0.0	13 1.8	13 2.4	15 2.4	16 0.6
19	13 3.0	14 3.0	14 3.0	14 3.0	14 3.0	14 3.0	16 3.0	16 1.8	28 1.8	14 1.2	36 0.6	25 1.2
20	36 1.8	22 1.2	36 1.8	36 0.6	00 0.0	36 0.6	29 1.2	20 1.2	14 2.4	15 4.3	15 6.1	13 3.0
21	17 1.2	15 0.6	14 0.6	14 0.6	00 0.0	07 0.5	13 2.0	15 3.5	17 4.0	17 3.5	15 2.0	14 1.0
22	14 3.5	14 2.5	14 6.0	15 3.5	18 2.0	15 2.0	20 4.3	21 6.7	18 4.9	16 4.9	13 6.7	13 6.7
23	14 5.5	18 6.7	21 8.5	22 10.3	22 7.9	22 8.5	21 7.9	22 7.9	21 3.0	19 4.3	20 3.6	22 5.5
24	21 6.1	21 3.6	20 1.8	14 1.2	22 3.6	18 4.3	17 4.9	21 6.1	22 4.3	20 2.4	22 2.4	17 1.8
25	21 3.0	22 2.4	20 3.6	25 7.3	26 6.1	25 9.1	26 9.1	24 9.1	27 7.9	15 3.0	18 3.6	22 2.4
26	07 1.8	20 1.8	00 0.0	02 1.8	06 1.2	09 1.2	13 0.6	18 2.4	23 2.4	16 2.4	17 1.8	24 1.8
27	19 1.2	36 1.8	36 1.2	24 1.8	09 0.6	17 1.2	26 3.0	29 3.0	29 6.1	30 5.5	31 6.1	31 2.4
28	36 0.6	36 3.0	18 2.4	27 1.8	27 2.4	26 6.1	24 5.5	23 5.5	23 2.4	25 0.6	36 2.4	36 2.4
M	2.12	2.05	1.73	1.90	1.76	2.01	2.37	2.63	2.72	2.17	2.22	2.01

Mars III – April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	02 0.6	00 0.0	36 3.0	31 1.8	36 4.9	03 1.8	13 1.2	36 4.3	36 6.7	36 6.1	36 10.3	36 7.3
2	36 4.3	01 2.4	36 3.6	09 1.2	13 1.8	27 4.9	30 7.3	29 6.7	31 3.6	04 3.6	36 4.9	30 3.0
3	30 6.1	01 4.3	01 3.0	01 3.0	14 1.2	36 5.5	30 5.5	36 5.5	01 3.0	36 3.6	08 2.4	36 3.6
4	36 4.3	36 3.6	36 3.0	01 1.8	07 2.4	07 1.8	08 1.2	12 0.6	36 1.2	36 2.4	05 1.8	36 3.0
5	36 3.6	36 4.3	36 2.4	01 2.4	02 2.5	01 5.5	02 4.0	02 3.5	01 4.0	01 3.0	01 5.5	36 5.0
6	36 6.0	36 6.0	01 8.0	36 8.5	36 6.0	36 6.5	36 9.0	36 8.5	36 9.0	36 9.0	36 8.5	36 7.0
7	01 5.0	03 3.5	06 3.5	06 0.5	06 1.2	09 4.3	05 2.4	02 3.6	01 3.6	36 3.6	36 4.3	36 3.0
8	01 3.0	04 2.4	36 1.8	02 1.8	02 3.0	06 3.0	02 4.3	03 4.3	36 3.0	36 4.9	36 5.5	36 4.9
9	36 4.9	36 3.6	01 5.5	02 4.9	02 4.9	03 4.3	04 4.9	06 3.0	36 1.2	36 3.0	01 4.9	36 3.6
10	01 4.9	02 4.9	36 3.6	01 4.3	01 3.0	01 3.6	01 4.3	36 3.6	36 3.0	36 4.9	01 3.6	01 1.8
11	01 1.8	01 3.6	01 4.3	01 3.6	05 3.0	36 2.4	01 1.8	01 1.2	36 1.8	36 2.4	36 0.6	36 0.6
12	12 0.6	11 1.8	12 4.9	13 6.1	11 4.3	12 4.9	11 4.3	11 6.7	12 5.5	13 6.1	13 6.1	16 3.0
13	14 1.2	14 1.2	16 1.2	18 1.8	12 4.8	11 6.6	13 8.8	14 4.5	16 5.7	16 7.5	14 5.7	14 5.7
14	15 4.5	13 2.7	05 1.3	20 1.3	22 1.8	28 3.1	23 4.0	22 4.0	24 3.1	24 2.2	30 1.3	30 1.3
15	28 0.8	01 1.3	01 0.8	02 0.5	36 0.8	22 4.5	25 9.2	26 8.8	22 5.7	18 3.6	17 2.7	19 2.2
16	21 4.0	19 1.8	36 0.8	05 0.8	17 0.8	14 1.3	20 2.2	26 4.5	27 3.1	29 3.6	31 4.5	36 2.2
17	36 1.3	36 2.2	36 1.3	01 1.3	15 1.3	19 1.3	15 1.8	18 2.2	01 0.8	36 2.2	36 2.7	36 3.6
18	36 2.7	01 0.8	01 0.8	02 0.5	01 0.8	13 1.3	07 1.3	30 0.8	36 4.5	36 2.7	36 4.0	01 4.5
19	01 1.8	36 4.8	04 0.5	13 0.5	12 0.8	12 2.2	01 3.6	25 3.6	36 4.0	36 1.3	36 5.7	36 2.7
20	03 1.8	36 0.8	36 1.8	18 0.8	16 0.8	11 1.3	17 0.8	16 2.2	15 4.0	14 2.7	12 3.6	13 2.7
21	13 2.7	12 3.1	14 2.7	15 2.7	14 4.0	15 3.6	15 4.0	14 4.0	14 2.7	14 1.8	16 2.2	18 2.7
22	14 3.1	16 4.5	14 4.8	15 7.5	17 5.3	13 2.2	22 7.0	23 7.5	21 4.8	19 4.8	19 2.7	19 3.1
23	13 0.8	17 1.3	08 0.8	08 0.8	18 0.8	20 2.2	15 2.2	17 8.4	26 3.1	12 4.5	03 1.8	04 1.3
24	06 0.5	06 0.5	14 0.5	18 0.5	16 0.8	19 2.2	16 4.8	23 4.0	20 2.2	24 1.3	19 1.8	25 0.5
25	18 0.8	18 0.5	02 1.3	11 0.8	10 0.5	16 0.8	14 1.8	15 2.7	12 3.6	15 0.5	01 0.8	36 1.8
26	36 0.5	36 2.2	36 8.4	02 9.7	01 6.1	01 3.1	01 2.2	01 4.0	36 4.0	36 2.7	36 1.3	36 0.8
27	36 0.8	36 0.5	36 0.5	36 0.5	16 0.8	19 1.8	16 1.8	14 2.7	16 2.2	02 0.8	02 0.8	36 1.8
28	36 1.3	36 1.3	36 0.8	01 0.5	16 1.3	16 1.3	16 1.8	15 2.7	16 3.1	06 0.5	02 0.8	02 1.8
29	01 1.3	01 0.8	02 0.5	05 0.5	16 1.3	15 1.3	17 4.0	14 4.0	13 3.1	14 1.3	11 0.5	03 0.8
30	01 1.3	36 1.8	01 1.3	05 0.8	16 1.3	18 1.8	15 3.1	17 4.5	16 2.7	17 2.7	14 0.5	14 0.5
31	02 0.8	01 1.8	36 1.3	03 0.8	03 0.5	17 1.3	20 1.3	19 2.2	15 2.2	21 1.3	01 3.6	02 5.3
M	2.49	2.40	2.52	2.34	2.35	2.96	3.74	4.15	3.55	3.25	3.40	2.94

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	01 6.6	02 3.6	01 4.5	01 6.6	02 4.5	01 4.0	36 4.0	36 3.1	06 4.0	02 2.2	36 0.8	02 0.8
2	02 1.3	36 1.3	36 1.3	01 0.8	18 1.3	18 3.1	14 7.5	15 6.1	16 5.3	16 6.6	18 2.7	17 3.1
3	14 1.8	14 2.7	14 3.1	13 2.7	09 2.7	13 2.2	36 1.8	36 1.8	09 0.8	12 0.5	13 0.8	14 0.8
4	16 1.8	14 4.5	14 5.3	15 6.6	16 5.7	14 5.7	14 4.5	15 8.8	14 9.2	15 4.0	16 5.7	13 5.3
5	15 7.9	18 3.6	16 1.8	22 2.2	25 5.3	24 7.9	23 9.7	26 9.7	24 6.1	24 3.6	23 3.1	20 0.8
6	21 1.3	15 1.3	01 1.3	36 0.5	13 0.8	16 1.8	17 2.2	20 1.8	18 2.2	21 1.3	21 0.8	36 1.3
7	36 0.5	36 0.8	36 1.3	36 0.5	36 0.5	36 1.8	02 3.1	01 4.8	36 6.1	02 5.7	01 6.1	36 6.6
8	36 7.9	36 7.0	36 7.9	36 7.5	30 4.0	31 9.2	30 8.4	31 7.5	31 7.9	31 7.9	36 8.4	36 9.7
9	01 9.7	36 7.9	36 7.9	36 10.6	30 11.0	29 12.3	27 9.7	30 10.6	36 6.6	28 4.8	28 3.6	26 2.7
10	26 0.8	26 0.8	01 0.8	24 0.5	17 0.8	19 2.7	19 6.1	21 4.8	21 4.8	20 5.3	18 2.2	17 1.8
11	17 1.3	17 1.3	14 1.3	14 1.8	18 1.3	14 1.3	18 0.8	18 0.8	11 0.8	16 0.8	16 0.5	01 2.2
12	03 2.2	02 1.8	03 0.8	36 0.5	17 1.3	14 2.7	17 2.7	16 4.0	20 3.6	18 2.7	17 2.2	17 2.2
13	16 2.2	17 1.8	18 0.8	19 0.8	18 1.3	01 0.8	09 1.8	20 3.1	12 2.7	04 4.0	05 1.8	12 2.7
14	07 2.2	13 1.8	16 1.3	14 3.1	16 1.8	18 1.8	24 6.1	28 4.8	36 4.8	01 4.8	04 3.1	36 1.8
15	01 1.3	36 1.8	10 0.8	16 1.8	17 1.8	18 2.2	14 4.0	18 2.2	15 3.1	17 3.1	14 2.7	16 2.2
16	13 2.7	14 2.7	12 2.7	16 3.1	14 4.0	13 4.0	13 5.7	14 5.7	14 6.1	14 3.1	17 4.0	16 4.0
17	14 1.8	16 2.2	19 1.3	20 0.8	21 0.5	01 1.3	02 2.7	01 3.6	01 6.6	02 2.7	36 2.2	05 2.2
18	01 0.8	04 0.5	14 0.8	03 4.0	15 1.3	18 2.2	14 2.7	16 3.6	14 4.0	14 4.0	15 4.5	08 2.2
19	22 0.8	22 0.5	17 0.8	17 2.2	22 3.6	20 5.7	18 7.5	18 7.0	13 4.0	17 4.5	18 4.8	18 3.6
20	18 2.7	20 1.3	25 5.7	29 8.4	26 7.9	27 8.8	24 9.2	24 7.5	28 8.4	24 4.0	24 2.7	17 0.5
21	19 0.8	19 0.5	05 1.3	12 1.8	17 3.6	13 5.3	14 7.5	13 9.7	16 8.8	12 4.5	12 4.0	13 4.8
22	11 5.3	11 5.7	17 3.1	21 2.7	20 7.0	23 6.1	19 6.1	24 9.2	21 9.2	23 5.3	23 4.8	20 5.3
23	17 2.2	17 0.8	20 0.8	16 2.2	18 3.1	15 5.3	14 6.1	15 4.0	14 2.7	14 3.1	13 4.8	14 1.3
24	13 1.8	18 3.1	18 0.5	16 1.8	21 3.1	13 2.2	16 4.0	15 4.8	15 4.8	14 3.1	15 1.8	16 1.3
25	14 1.8	15 1.8	04 0.8	04 2.2	01 3.1	05 3.6	07 3.6	16 5.3	16 9.2	15 4.8	14 3.6	17 2.7
26	14 3.1	14 4.8	16 4.0	14 4.5	13 4.0	13 2.2	14 2.7	22 4.0	23 5.3	24 4.0	12 1.3	36 1.8
27	36 1.3	01 1.3	36 0.8	13 0.8	14 1.8	14 4.0	16 6.1	14 7.9	21 8.4	14 7.9	15 5.7	14 5.3
28	16 3.1	16 3.1	20 2.2	17 5.7	15 8.8	15 8.4	20 9.7	20 10.1	20 9.7	18 7.5	19 7.0	19 3.6
29	19 3.1	18 1.8	18 5.7	17 3.6	22 5.7	18 7.9	19 6.1	21 5.3	19 2.2	26 4.8	01 2.2	01 2.7
30	36 7.0	36 2.2	36 4.0	01 7.9	36 7.0	36 6.1	36 5.3	36 4.8	36 4.8	36 3.6	36 3.6	36 1.3
M	2.90	2.48	2.49	3.27	3.62	4.42	5.25	5.55	5.41	4.14	3.38	2.89

1949

Oslo (Blindern)

Mai V — Juni VI

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Dat	2	4	6	8	10	12	14	16	18	20	22	24	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	36 1.8	01 0.8	36 0.5	14 0.8	15 3.6	17 4.8	23 4.8	22 7.0	22 6.6	22 3.6	22 1.8	05 1.3	02 2.7	04 3.6	03 3.6	03 4.8	02 5.3	02 4.5	36 2.2	36 2.2	36 3.1	36 3.1	36 2.7	36 3.1	1
2	02 1.8	36 1.8	14 0.8	17 1.3	17 1.8	13 3.1	17 4.0	16 5.3	12 4.8	13 4.0	12 0.8	13 0.5	02 4.5	01 4.5	01 4.8	01 5.3	02 4.5	03 4.0	02 3.6	01 2.7	01 1.8	02 2.7	03 2.2	01 4.8	2
3	02 1.8	02 0.8	36 1.3	17 1.3	16 3.1	12 2.7	22 3.1	24 4.8	19 2.7	13 2.2	16 3.1	36 0.8	01 5.7	01 4.0	01 1.8	36 2.2	01 1.3	08 0.8	17 2.2	14 1.3	15 2.2	16 4.0	14 3.1	14 2.2	3
4	36 0.8	36 1.3	01 1.8	16 1.3	18 1.3	17 2.2	14 6.1	14 7.0	14 6.6	15 4.5	12 3.6	36 1.3	18 0.5	36 1.3	01 2.2	02 3.6	02 4.8	02 6.6	07 5.3	04 4.5	14 1.3	15 5.3	15 6.6	15 4.0	4
5	36 2.7	36 2.7	36 3.6	14 2.7	14 2.7	16 1.8	16 3.1	18 2.2	16 2.7	02 2.7	04 0.8	15 0.8	14 5.7	11 5.7	12 4.8	12 5.3	13 5.3	14 7.5	16 7.0	14 7.0	14 7.5	14 6.1	18 4.5	19 3.6	5
6	16 2.2	15 5.3	18 7.0	17 7.9	16 7.0	15 7.5	15 8.4	16 8.8	17 4.0	17 5.7	23 3.1	19 1.8	18 0.8	18 0.8	15 0.8	22 4.0	21 5.7	24 6.1	22 6.6	18 5.7	17 6.1	14 4.8	14 5.7	14 4.0	6
7	20 0.8	20 1.3	20 1.8	17 3.6	16 5.7	21 5.3	19 6.6	25 6.1	25 7.9	24 5.7	25 1.3	26 2.7	15 2.7	16 0.8	18 1.3	17 3.6	16 7.5	16 7.5	14 7.5	15 6.1	16 1.8	14 3.6	11 1.8	10 2.7	7
8	27 4.0	16 1.3	10 0.8	25 2.7	26 3.1	21 2.7	27 4.0	29 4.8	30 5.3	28 4.5	31 5.7	31 8.8	12 1.3	36 1.3	02 2.7	10 1.3	13 3.6	14 7.5	13 7.9	13 4.0	14 4.0	23 2.7	22 4.8	19 2.2	8
9	01 4.8	02 4.0	19 1.3	27 3.6	01 6.6	30 7.0	01 7.0	02 6.6	01 6.6	02 4.0	01 3.6	36 3.6	21 0.8	36 0.8	08 0.8	12 2.2	21 2.7	17 3.6	23 5.3	15 4.8	23 4.5	22 4.5	25 3.6	01 1.8	9
10	22 2.2	16 0.8	01 0.5	17 1.3	16 2.2	17 3.6	16 3.1	15 3.1	14 3.6	16 2.7	16 1.8	16 0.8	05 1.3	11 0.5	05 1.3	01 1.3	07 2.7	10 2.7	09 2.7	20 1.3	18 1.3	36 2.2	36 3.6	01 1.3	10
11	16 0.5	16 0.5	16 0.8	17 0.5	18 1.8	20 2.2	14 3.6	18 3.1	14 3.6	14 4.5	13 1.8	15 1.3	36 2.7	01 1.3	01 4.0	03 3.1	02 2.7	01 3.1	03 3.6	36 1.3	36 3.6	36 1.3	01 1.8	36 2.7	11
12	03 0.8	01 0.8	01 0.8	15 1.3	13 1.3	18 3.1	13 4.8	14 7.9	14 6.1	14 4.0	13 3.1	14 2.7	01 1.3	01 1.8	01 0.5	16 0.8	16 2.2	16 2.7	16 3.1	13 3.1	17 4.5	14 4.0	14 2.7	14 1.3	12
13	14 2.7	13 1.8	16 3.6	16 3.1	15 4.0	18 3.1	16 3.6	16 4.0	13 3.1	15 2.2	15 1.8	13 2.7	14 0.5	12 0.5	24 0.5	19 0.8	14 2.2	15 2.7	14 4.0	28 5.3	23 6.6	23 7.9	25 5.7	24 2.7	13
14	13 2.2	13 1.3	13 0.5	14 0.8	15 2.2	21 1.3	18 1.8	18 1.8	17 1.8	18 0.5	36 1.8	36 2.2	14 1.8	18 1.3	22 2.2	21 4.8	23 4.8	24 4.8	28 5.3	26 4.5	27 6.6	27 4.0	01 3.1	36 4.8	14
15	36 3.1	36 3.6	36 2.2	36 3.1	03 4.0	04 2.7	04 3.6	12 5.3	04 1.8	04 4.5	04 6.1	04 7.9	30 5.3	30 6.1	26 4.5	01 4.0	32 4.0	23 3.6	23 6.6	23 2.7	36 3.6	36 6.1	36 3.1	36 1.8	15
16	02 4.8	04 5.3	04 3.6	04 3.6	36 4.0	01 3.1	01 1.8	02 3.6	04 4.5	29 3.1	13 0.8	10 1.8	36 5.7	36 5.3	36 4.8	36 5.7	36 6.1	36 5.7	25 6.1	30 6.1	30 7.0	31 7.0	31 5.3	36 6.6	16
17	12 4.0	11 4.0	11 3.6	14 4.0	13 5.0	14 4.8	15 3.6	17 2.7	18 0.8	36 2.2	36 2.2	36 1.8	36 8.4	31 10.1	36 10.1	36 11.4	36 10.6	30 10.6	30 10.6	30 10.6	02 10.1	01 9.7	36 8.8	36 10.1	17
18	36 2.2	36 4.0	01 3.6	01 4.0	01 2.7	05 4.0	14 2.2	09 3.1	06 4.0	01 4.0	36 3.6	02 1.8	36 10.1	36 9.2	36 5.3	01 7.9	30 7.9	36 7.9	01 7.9	36 7.0	36 7.0	01 7.9	36 6.6	36 4.8	18
19	36 1.3	03 0.5	36 0.5	05 0.5	16 1.8	18 1.3	18 2.7	17 2.2	24 0.5	36 1.3	14 0.8	03 1.3	36 6.6	36 3.6	36 3.6	15 2.2	17 1.3	05 3.6	16 2.2	06 2.7	07 1.8	18 0.5	03 2.2	01 4.0	19
20	24 1.8	01 4.0	01 3.1	01 3.6	01 4.0	01 3.1	05 2.7	01 2.2	21 0.8	36 4.0	02 4.5	05 0.5	01 3.1	01 2.2	36 2.2	01 7.9	01 7.5	01 7.5	01 7.0	02 5.7	01 7.5	01 7.9	36 7.0	36 6.1	20
21	05 1.8	03 1.8	21 1.3	36 0.8	02 1.3	03 1.8	32 1.3	07 1.3	22 1.3	18 1.3	36 1.8	36 5.7	36 3.1	36 3.1	36 2.2	30 7.0	01 8.8	01 10.1	01 10.6	02 8.4	02 7.5	01 4.8	36 2.7	36 3.6	21
22	30 1.8	36 1.3	36 3.6	01 4.8	02 4.8	03 4.8	03 4.5	01 4.5	01 2.7	04 2.7	36 3.1	36 3.6	01 3.6	01 4.8	01 6.1	02 6.6	05 4.0	02 4.0	03 6.1	03 5.3	01 3.1	36 2.2	08 2.7	36 1.3	22
23	36 2.7	01 2.2	01 1.8	06 2.2	18 1.8	16 2.7	13 4.0	17 4.8	15 4.8	18 4.0	16 2.7	15 0.8	01 1.8	01 2.7	02 2.2	11 1.3	08 3.6	14 2.2	15 2.2	17 1.8	18 3.1	20 2.2	25 1.3	01 1.3	23
24	06 1.3	03 1.8	02 1.3	11 1.3	14 3.1	16 4.0	13 4.8	14 4.8	16 4.8	13 4.0	14 3.1	17 2.7	36 1.8	36 0.8	17 0.8	13 1.3	07 3.1	18 2.7	14 2.7	17 2.7	19 2.2	16 1.8	17 0.5	01 1.8	24
25	16 1.3	18 0.5	02 1.8	01 2.2	02 2.2	02 2.7	02 2.2	36 3.6	36 2.7	01 5.3	36 6.6	01 3.6	02 2.2	02 1.8	01 4.0	03 5.7	04 6.6	03 4.8	13 3.1	15 2.2	02 3.1	36 2.7	14 0.8	01 1.3	25
26	15 1.3	05 1.3	13 1.8	06 1.3	04 2.2	19 2.2	23 0.5	18 2.7	18 2.2	21 3.1	21 1.8	20 1.8	36 5.7	36 5.3	01 6.6	03 4.8	04 5.7	03 5.7	03 5.3	02 5.3	06 5.3	06 3.1	02 1.8	02 1.8	26
27	20 0.5	02 0.5	17 0.5	14 1.8	14 3.6	19 3.6	16 3.6	22 3.6	21 3.6	21 3.6	22 2.7	15 0.8	01 1.8	01 1.8	03 0.8	15 0.8	16 1.8	14 3.1	16 4.0	16 4.8	24 3.6	01 1.8	36 0.8	01 3.1	27
28	19 2.7	22 1.3	12 3.6	12 1.8	15 4.8	16 6.1	14 7.0	13 6.6	14 5.7	15 5.7	16 5.3	18 6.1	01 2.7	36 1.8	02 2.2	14 0.8	18 2.7	19 3.1	16 3.6	17 3.6	14 2.2	19 2.2	20 1.3	04 0.8	28
29	19 3.1	21 1.3	18 0.8	16 3.6	16 3.6	14 4.0	14 4.5	15 4.5	15 4.5	16 1.8	01 3.1	01 4.0	02 1.8	03 2.2	06 1.3	01 4.0	03 1.3	03 2.7	03 2.2	28 1.3	22 2.2	36 4.0	01 3.1	01 4.8	29
30	36 3.1	36 5.3	36 6.6	36 4.8	01 3.6	05 2.7	15 2.7	21 2.2	15 1.8	12 4.5	14 3.1	14 3.1	02 3.6	01 3.1	01 3.6	03 5.7	03 4.5	03 3.6	05 3.1	06 1.8	01 3.1	01 2.7	36 0.8	01 1.8	30
31	12 1.8	12 0.8	06 0.8	02 1.3	17 1.3	36 1.3	03 1.8	18 2.7	19 0.8	04 3.6	36 3.6	01 4.0													
M	2.18	2.06	2.12	2.48	3.23	3.40	3.79	4.29	3.64	3.53	2.87	2.66	3.21	2.97	2.95	3.88	4.35	4.68	4.83	4.06	4.11	3.96	3.25	3.10	M

Juli VII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	01 2.2	28 1.3	02 0.8	02 0.8	03 1.8	05 1.3	02 1.3	18 1.8	29 1.9	01 3.6	02 1.3	12 1.3	05 3.1	04 5.3	07 3.1	13 4.8	17 2.2	18 2.7	19 4.8	18 1.8	25 0.8	26 0.8	01 1.3	36 1.8	1
2	36 1.3	36 8.8	36 3.1	36 4.8	36 4.8	36 4.5	01 5.7	01 4.8	01 3.6	01 3.6	36 3.1	36 4.0	19 1.3	28 0.5	01 2.7	02 4.5	05 3.1	05 4.8	03 4.8	03 5.3	02 5.7	02 4.8	03 6.6	05 3.1	2
3	36 4.5	36 4.8	36 1.8	02 1.8	23 2.5	16 3.5	16 6.0	18 6.0	16 5.5	19 4.0	20 4.0	01 3.0	13 2.2	10 2.2	08 1.8	11 1.8	18 2.2	16 2.2	16 3.6	14 4.5	18 4.5	18 2.7	01 0.8	02 1.8	3
4	01 2.5	36 0.5	00 0.0	06 0.5	17 2.5	15 3.0	16 3.0	16 2.0	15 2.5	16 0.5	00 0.0	12 1.5	02 1.3	36 1.8	36 1.3	03 0.5	16 1.3	21 3.6	36 6.1	26 4.8	24 5.7	24 5.7	26 6.1	25 2.7	4
5	12 2.0	08 1.0	08 0.5	16 0.5	13 1.3	15 1.8	18 3.1	18 3.6	19 1.8	20 1.3	13 2.2	01 3.1	13 2.2	24 0.8	28 2.2	01 2.7	23 3.1	23 2.2	13 3.6	18 4.0	15 4.8	15 3.6	02 0.8	01 0.8	5
6	01 2.7	01 5.3	02 6.1	02 5.7	02 4.8	04 4.0	02 6.1	01 6.1	01 6.1	01 6.6	01 3.1	01 0.8	01 2.7	36 1.3	06 1.3	11 1.3	17 2.7	17 6.6	15 5.3	15 6.6	15 4.8	14 4.8	14 4.0	14 4.5	6
7	01 4.0	01 6.6	02 5.7	02 5.3	02 4.5	04 3.1	01 3.1	18 0.8	01 5.3	36 1.3	36 1.3	01 5.7	13 3.6	14 4.5	16 3.6	24 2.2	22 2.7	22 3.1	16 4.8	17 3.6	15 6.1	15 4.8	14 3.6	15 3.1	7
8	01 11.0	01 7.9	01 6.6	01 2.2	02 4.0	02 4.0	03 4.0	03 4.0	03 4.5	01 3.1	01 3.6	36 5.3	13 3.6	04 1.3	12 1.8	12 4.5	05 2.2	04 4.8	12 4.8	07 4.8	16 3.1	15 7.5	15 9.2	15 7.5	8
9	36 6.6	36 5.3	36 5.7	01 4.0	02 4.5	01 4.0	02 4.0	02 3.1	18 2.7	20 1.8	23 1.3	01 1.3	16 7.9	17 5.7	16 5.3	17 5.7	17 8.8	18 7.9	17 7.5	16 7.0	13 7.0	13 5.3	17 4.5	17 1.8	9
10	01 2.2	01 1.8	05 0.8	14 0.5	17 1.3	17 3.1	14 4.5	15 4.8	14 4.5	15 3.6	16 1.8	18 1.3	22 1.3	10 0.5	22 1.3	18 1.3	17 4.0	17 5.3	17 5.7	16 5.7	15 6.6	15 4.5	36 1.8	36 1.3	10
11	36 1.3	36 1.3	02 2.2	29 6.1	36 4.8	01 2.2	07 1.8	06 2.2	15 1.8	18 1.8	17 0.8	04 1.8	36 1.8	01 0.8	03 1.3	06 0.8	27 4.0	23 3.6	19 4.5	18 4.0	02 4.5	01 6.6	36 3.1	36 7.5	11
12	36 1.3	28 2.2	03 1.8	06 0.8	28 4.0	22 3.6	15 2.7	15 4.8	15 3.6	26 1.3	26 4.0	36 3.1	36 7.0	36 9.7	36 4.8	01 7.5	01 6.1	03 3.1	07 2.2	18 2.7	16 3.1	16 1.3	15 1.3	02 1.3	12
13	01 3.6	01 4.0	02 5.3	02 4.5	01 3.6	07 2.2	01 1.3	02 4.0	02 2.2	01 7.5	36 6.6	36 7.5	02 0.8	36 1.3	01 1.3	18 2.2	16 4.5	15 4.8	16 5.3	16 5.3	16 6.1	15 3.6	15 2.7	14 1.8	13
14	01 7.0	36 6.1	01 6.6	01 7.9	02 6.1	02 4.0	06 3.6	36 1.8	05 1.3	05 2.2	36 2.2	36 2.2	13 1.8	14 2.7	12 2.7	14 2.2	15 2.7	16 4.0	17 1.8	23 5.3	23 6.6	24 4.0	23 2.2	23 4.8	14
15	36 1.3	01 4.0	02 4.5	02 3.1	28 0.8	15 2.7	14 3.6	17 4.0	15 4.5	13 4.5	13 2.2	02 2.2	14 2.2	04 1.3	19 0.8	21 0.8	20 3.1	18 4.0	18 4.8	16 4.0	18 4.0	20 4.0	14 4.0	06 1.8	15
16	02 2.7	01 7.5	01 7.9	03 4.5	03 2.0	06 2.0	19 1.8	13 2.2	14 2.2	13 4.0	14 2.7	01 2.7	36 1.3	01 2.2	36 1.8	03 2.7	01 3.6	01 5.7	02 3.1	07 2.7	01 2.2	36 3.6	01 1.8	16 1.3	16
17	01 3.1	01 7.5	01 7.5	01 5.3	07 3.1	17 1.8	17 2.2	17 3.1	13 2.7	15 2.7	15 2.2	03 0.5	01 1.3	05 1.3	03 0.8	20 1.3	24 4.8	26 4.8	22 6.6	21 5.7	22 6.1	36 4.5	02 0.8	36 4.0	17
18	02 2.2	01 2.2	13 1.3	15 1.8	15 2.2	15 3.6	11 5.7	12 5.7	14 4.8	14 4.8	13 3.1	13 1.8	01 1.3	36 1.8	01 1.8	36 1.3	01 7.5	03 5.3	01 6.1	36 6.1	36 6.1	36 3.6	01 4.0	36 5.7	18
19	13 0.8	01 1.8	04 1.3	05 2.2	18 0.8	10 1.3	06 2.7	15 3.6	27 3.1	01 3.6	01 1.8	01 3.6	36 5.7	36 6.1	07 0.8	02 1.8	02 2.7	07 2.7	18 2.7	13 2.7	15 1.8	18 0.8	22 0.8	01 2.2	19
20	36 2.2	36 2.7	36 2.2	01 2.2	01 6.1	01 8.8	01 9.2	01 6.6	36 5.3	01 3.1	01 4.0	01 4.5	36 2.2	36 1.3	01 2.2	19 0.8	17 1.8	20 1.8	17 2.2	06 1.8	14 3.1	13 2.2	13 0.5	01 0.5	20
21	01 5.3	01 5.3	36 2.2	01 4.5	03 3.6	03 3.1	03 3.1	02 2.7	02 0.8	07 0.8	31 1.8	01 2.7	36 1.8	01 1.3	01 0.8	05 0.5	15 0.8	17 1.8	19 2.2	17 2.2	17 1.8	14 2.7	14 0.5	02 1.8	21
22	01 1.3	01 1.8	02 0.5	13 0.8	17 1.8	21 2.2	20 1.3	14 3.6	13 2.7	17 1.8	36 1.3	01 2.2	36 1.8	36 1.3	02 0.5	18 0.8	18 0.8	19 1.8	16 3.1	18 3.1	19 4.5	16 1.8	36 0.5	36 0.8	22
23	02 1.8	06 1.3	20 0.5	02 2.2	15 1.8	17 2.2	19 4.5	17 4.5	18 3.6	18 3.6	16 0.8	01 1.8	01 1.8	01 2.2	01 4.8	04 4.0	02 2.2	09 1.8	21 2.2	20 2.2	14 0.8	13 2.7	14 0.5	01 1.8	23
24	01 1.8	36 1.3	36 0.5	05 0.5	16 2.2	17 3.1	16 4.0	16 4.0	18 2.7	26 4.5	27 2.7	26 4.0	36 1.8	36 0.8	01 0.8	09 0.5	17 1.8	16 2.2	17 2.2	14 2.2	18 1.8	14 2.2	14 0.5	02 1.8	24
25	23 0.8	15 1.3	24 9.2	26 6.1	24 5.7	27 4.0	22 3.6	21 4.0	16 3.6	25 4.0	27 1.3	03 1.3	01 1.8	36 1.8	01 0.5	29 0.5	20 1.3	16 1.3	16 2.2	20 3.1	18 2.7	18 0.5	18 1.3	01 2.2	25
26	04 1.3	01 4.0	01 5.3	01 5.3	02 3.6	02 1.8	16 2.2	18 2.7	18 2.7	17 3.6	13 2.2	13 0.8	01 2.2	36 0.8	03 1.8	13 0.8	07 2.7	15 2.2	17 2.7	17 3.6	13 2.7	07 1.8	36 1.3	01 1.8	26
27	06 0.8	03 0.5	02 0.8	20 1.3	03 2.2	07 1.3	08 2.2	17 2.7	16 4.0	13 5.3	12 2.2	11 2.7	01 2.2	01 2.2	36 2.7	04 2.7	10 2.7	04 1.8	09 2.7	15 1.8	13 3.1	16 1.3	16 0.5	07 1.3	27
28	08 1.8	13 3.1	15 4.0	13 2.7	10 1.8	13 2.2	06 1.3	06 1.3	01 2.7	07 0.5	15 0.8	18 0.8	02 0.8	36 1.8	36 2.2	01 3.1	01 2.7	01 4.8	36 2.7	07 1.3	12 2.7	36 3.6	05 1.3	02 0.5	28
29	05 0.8	02 1.3	06 0.8	14 0.8	23 2.7	18 2.2	13 4.0	06 3.1	01 1.8	17 1.8	01 3.1	01 5.3	01 2.2	01 1.8	36 0.8	02 0.8	10 0.8	16 0.8	18 2.2	18 1.8	15 2.2	17 1.8	02 0.8	02 0.8	29
30	03 1.8	01 0.8	02 2.7	36 3.1	01 4.8	01 4.5	36 4.0	04 3.6	18 2.2	26 1.8	27 1.8	01 4.5	01 1.8	02 1.8	02 0.8	02 1.3	12 0.8	19 1.8	17 3.6	15 4.5	16 3.1	15 2.7	16 2.7	15 2.2	30
31	01 0.8	36 1.8	06 1.8	06 0.5	17 0.8	15 2.7	15 3.6	15 4.8	15 6.1	13 4.8	12 4.5	05 2.7	15 2.2	14 1.8	18 1.8	17 1.3	17 1.8	16 2.2	15 4.5	16 3.1	16 4.0	15 3.1	12 1.8	13 2.7	31
M	2.67	3.39	3.23	2.98	3.11	3.03	3.52	3.61	3.31	3.14	2.38	2.77	2.42	2.26	1.94	2.16	2.95	3.40	3.89	3.78	3.94	3.32	2.31	2.48	M

Registreringer av vind D, v

(Records of wind: D, v)

1949

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	13 1.8	08 2.2	07 1.3	06 1.3	06 0.8	04 0.8	06 1.8	04 2.7	36 2.2	01 3.1	36 3.6	01 3.6
2	02 2.7	01 3.1	01 1.8	01 3.6	04 3.6	03 3.6	03 4.0	03 4.8	06 4.8	02 3.1	02 4.0	02 4.8
3	04 4.0	04 4.0	05 5.3	05 3.6	03 4.0	05 4.0	04 3.1	04 3.1	29 1.8	02 0.8	24 0.5	29 1.8
4	29 1.8	29 0.8	29 1.3	16 2.2	15 1.8	20 1.3	19 0.8	18 2.2	20 1.3	18 1.3	03 0.5	02 0.5
5	18 0.5	36 1.3	01 2.7	02 1.8	06 0.8	14 1.3	18 1.8	18 1.3	18 1.8	14 1.3	02 1.8	01 1.3
6	36 2.2	36 2.2	01 2.2	03 1.8	15 2.2	17 4.8	17 5.3	18 6.1	14 3.6	15 2.2	14 3.6	14 3.1
7	13 2.2	15 2.7	17 0.8	18 1.3	15 1.8	17 2.7	16 3.1	15 4.0	15 5.3	14 3.1	10 1.8	10 0.8
8	03 0.8	01 1.3	05 0.8	14 1.3	16 2.7	15 6.1	17 8.4	16 7.5	16 4.8	16 7.0	16 5.5	16 4.8
9	16 4.8	14 4.8	15 4.0	16 3.6	14 3.1	15 6.1	15 4.8	14 6.6	13 5.3	13 4.5	08 2.2	16 2.7
10	17 2.2	16 3.6	15 4.0	15 5.3	16 4.8	16 4.5	15 5.7	16 5.7	16 6.6	17 3.6	13 2.2	14 2.2
11	13 1.8	15 0.8	14 0.8	08 0.8	09 0.5	18 0.8	19 1.3	36 4.5	01 4.8	01 7.0	36 7.0	36 5.3
12	36 5.7	36 4.5	36 3.1	01 5.7	02 4.5	03 4.0	03 3.6	06 3.1	02 2.2	36 2.2	01 2.7	01 2.7
13	36 2.2	01 1.3	01 2.2	11 0.8	14 0.8	08 2.7	03 3.1	05 2.7	02 2.7	36 2.7	01 2.2	01 2.2
14	36 2.7	01 3.1	02 2.7	01 3.1	02 3.6	05 4.5	02 3.6	06 3.1	03 1.8	03 3.1	01 3.6	02 3.1
15	01 4.8	01 4.5	01 4.8	03 4.8	02 4.5	02 3.1	06 3.1	06 0.8	03 1.3	02 1.3	36 2.2	01 3.6
16	01 3.6	01 3.6	01 3.6	02 3.6	03 4.0	03 4.0	04 3.6	02 2.7	01 2.7	02 3.6	05 3.1	03 3.1
17	03 3.1	01 2.2	36 2.7	01 2.2	05 1.8	10 1.3	05 2.2	24 1.3	36 1.8	36 2.2	01 2.7	01 2.2
18	36 3.1	01 0.8	36 1.3	36 0.5	02 0.5	36 1.3	02 1.8	36 1.3	05 0.8	36 0.8	02 1.8	01 1.8
19	01 4.0	01 2.2	03 2.2	01 4.8	02 2.7	02 5.7	03 7.5	01 7.0	01 7.0	01 4.5	03 4.8	01 4.5
20	01 4.0	01 4.8	01 5.3	01 4.5	02 4.5	02 4.0	01 4.8	02 4.0	36 2.7	01 2.2	01 2.2	01 2.7
21	36 1.8	02 0.8	05 1.3	06 0.5	02 2.2	03 2.2	02 2.2	36 1.8	01 1.8	36 1.3	36 1.8	01 2.2
22	36 1.8	01 0.8	02 1.3	03 1.3	03 1.8	07 1.8	04 1.8	06 1.3	02 1.3	01 1.3	01 1.3	03 0.8
23	03 0.8	06 0.5	06 0.5	06 0.8	17 1.3	14 1.8	17 2.2	18 1.8	19 0.8	36 0.8	01 1.8	36 0.5
24	01 1.8	02 2.2	02 2.2	03 2.7	01 2.2	03 1.8	02 1.8	01 2.7	01 1.8	01 2.2	36 2.7	36 2.2
25	01 2.7	02 3.6	36 2.2	36 1.3	10 0.8	06 1.3	18 0.8	29 0.8	26 0.5	18 0.5	18 0.5	17 0.5
26	18 1.3	18 1.3	18 0.8	19 1.8	19 0.8	18 0.8	20 0.8	23 0.8	23 0.8	23 0.5	36 0.8	01 0.8
27	01 0.8	05 0.8	01 0.8	02 0.8	16 1.3	19 1.8	18 1.8	18 0.8	25 3.1	23 3.1	15 0.8	02 0.8
28	01 0.8	02 0.8	02 0.5	03 0.5	19 3.1	23 3.1	23 2.7	21 3.6	20 1.8	02 0.8	36 0.8	36 1.8
29	36 0.8	36 0.8	36 0.8	02 0.8	14 0.8	15 0.8	16 1.8	12 7.9	15 6.6	15 5.3	18 3.1	21 1.3
30	23 5.3	15 1.8	24 4.8	06 1.3	26 2.2	24 4.0	23 5.7	19 3.1	23 2.7	26 0.8	19 0.8	20 3.6
M	2.53	2.24	2.27	2.28	2.32	2.87	3.17	3.30	2.88	2.54	2.41	2.38

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	15 4.8	16 5.7	18 4.5	19 5.3	19 4.8	23 6.6	23 6.1	25 4.8	25 1.3	28 1.8	24 2.7	36 1.3
2	28 1.3	01 0.8	02 0.8	36 1.3	15 1.3	16 3.6	16 7.5	15 7.0	16 7.9	16 7.9	16 7.9	13 4.0
3	21 3.1	21 7.5	19 7.0	21 4.8	23 11.4	25 12.8	24 10.6	25 10.1	28 10.6	22 2.2	24 2.2	24 1.3
4	12 1.8	01 2.2	12 2.2	03 0.8	03 0.5	16 1.8	17 1.8	18 4.8	17 2.7	20 1.8	20 0.8	36 0.8
5	26 0.8	21 1.3	22 0.8	25 1.3	17 3.1	18 5.3	26 4.8	01 7.0	36 6.6	36 4.8	36 4.8	02 3.6
6	36 2.2	36 1.3	22 2.2	02 1.3	14 0.5	20 1.8	19 0.8	15 1.3	13 1.3	36 3.1	36 2.7	36 0.8
7	01 1.8	01 1.8	01 1.3	04 0.5	15 0.8	18 2.2	17 4.8	15 4.0	14 3.6	16 1.3	02 1.3	01 1.3
8	01 1.3	36 1.3	01 0.8	01 1.8	03 0.5	24 0.5	20 0.8	06 0.8	01 3.1	36 3.1	36 3.1	01 3.6
9	36 4.5	36 5.7	01 5.3	01 4.0	02 2.7	05 3.1	01 2.7	36 2.7	01 3.1	36 2.7	05 1.3	09 1.3
10	06 0.8	01 0.8	07 0.8	14 1.3	14 1.8	17 0.8	15 1.3	19 0.8	19 0.5	19 1.3	36 2.2	36 1.3
11	36 2.2	36 2.2	01 0.8	03 0.8	03 0.5	15 0.8	18 0.8	09 0.8	01 1.8	01 2.7	01 2.7	01 3.1
12	36 3.6	36 4.0	02 4.0	01 3.1	02 4.0	03 4.0	01 2.2	01 3.6	01 5.3	02 1.8	28 1.8	05 0.8
13	18 1.3	20 1.8	20 0.5	17 0.8	20 1.3	22 1.8	25 1.8	16 0.8	36 1.3	06 1.3	36 0.8	36 0.8
14	12 0.8	01 1.3	36 1.8	28 1.8	16 1.3	20 1.3	17 0.8	17 1.3	36 0.8	01 0.8	01 1.3	13 0.8
15	21 0.8	21 1.8	20 0.8	21 0.5	21 1.3	15 2.7	14 5.3	15 4.5	18 3.1	15 3.1	15 2.2	17 1.8
16	15 0.8	15 0.8	16 1.3	20 2.2	18 1.3	18 2.7	16 5.3	12 4.5	14 4.0	15 4.0	13 2.2	10 2.2
17	13 3.1	12 4.0	11 1.3	13 4.0	14 2.2	16 3.1	16 3.6	16 3.1	11 2.7	12 3.6	14 4.8	14 4.8
18	13 4.8	15 5.7	15 5.7	16 4.5	13 3.6	16 3.6	15 5.7	14 6.1	14 9.7	12 9.7	11 12.3	13 12.3
19	14 7.9	16 7.0	16 4.5	15 3.1	16 4.8	14 4.8	16 4.0	16 5.3	15 4.0	14 4.0	14 3.6	15 1.3
20	14 3.6	17 5.3	16 5.3	16 3.1	17 5.3	16 5.3	15 4.0	14 4.0	14 2.2	12 1.3	16 2.2	18 1.8
21	22 0.8	03 1.3	36 2.2	13 0.8	13 4.0	01 1.8	01 1.3	04 1.3	16 1.3	16 5.3	17 4.8	17 3.1
22	17 3.1	19 2.7	20 2.2	24 1.3	36 0.8	17 1.3	16 4.8	15 5.7	20 2.7	21 0.8	05 0.8	02 1.3
23	11 1.3	01 1.8	02 2.2	36 2.7	36 4.5	36 4.8	36 2.2	26 2.2	20 0.8	30 0.8	01 0.5	01 2.7
24	01 2.7	36 5.7	01 9.7	02 9.2	02 12.3	01 12.8	01 11.4	36 8.8	28 9.2	28 10.1	25 4.8	25 0.8
25	21 0.8	23 0.5	24 1.3	19 0.8	21 1.3	20 2.2	19 2.2	18 1.8	18 1.3	36 3.6	36 3.1	01 4.0
26	01 3.6	01 4.0	02 7.5	02 10.6	01 9.7	01 10.1	01 9.2	02 10.1	36 11.0	01 11.9	01 11.4	36 10.6
27	36 7.0	36 9.7	36 10.1	36 7.9	36 6.6	36 5.7	36 7.0	29 4.8	36 4.8	36 5.3	30 0.8	36 2.2
28	05 0.8	01 0.8	02 1.8	04 1.8	02 1.3	03 0.5	17 1.3	17 1.8	03 1.3	03 0.8	02 1.3	01 1.8
29	36 2.2	36 0.8	36 0.8	36 0.8	01 0.5	02 1.3	05 1.3	07 0.5	02 1.3	36 1.8	36 1.3	36 2.2
30	36 0.5	36 1.3	36 1.8	36 0.5	36 0.5	36 0.5	01 0.5	01 0.8	01 0.5	01 1.9	02 1.3	01 0.8
31	01 0.5	01 0.5	01 0.5	04 1.3	02 0.8	02 0.5	02 0.5	03 0.5	02 1.8	02 2.7	05 0.5	05 0.8
M	2.44	2.95	2.96	2.71	3.07	3.55	3.75	3.76	3.60	3.46	3.03	2.55

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	04 0.5	36 2.2	36 0.8	01 0.5	01 0.5	12 0.8	12 0.5	13 0.8	02 1.3	02 1.3	01 0.8	01 0.5
2	36 1.3	02 1.3	04 0.8	07 0.8	06 1.8	06 0.8	02 0.5	02 0.5	06 0.8	03 0.5	27 0.8	20 0.8
3	24 0.8	24 0.5	24 0.5	24 0.5	20 1.3	18 0.8	17 1.3	16 1.3	15 1.8	14 3.1	15 3.6	15 6.1
4	15 5.7	15 6.6	16 5.7	17 5.7	18 6.6	15 6.6	12 4.5	18 4.8	16 4.5	16 4.0	16 3.1	17 3.6
5	13 3.6	13 4.5	17 4.0	14 5.7	14 7.0	14 10.6	13 9.2	15 8.4	14 6.1	13 8.4	11 6.6	11 5.7
6	09 4.8	11 3.1	06 2.7	04 2.7	03 3.6	03 4.8	02 5.7	03 5.7	05 5.3	03 6.1	02 5.3	36 4.8
7	01 3.1	02 3.6	03 2.7	03 3.6	10 3.1	11 4.0	12 4.8	17 2.2	05 1.8	01 2.2	36 3.1	36 4.5
8	28 1.3	22 1.3	29 0.8	18 0.8	17 2.7	18 3.1	17 2.7	18 0.8	02 2.2	16 2.7	13 2.2	11 1.8
9	10 1.8	04 0.5	01 1.3	04 1.3	02 2.7	03 2.7	06 1.8	05 1.8	06 1.8	04 1.8	01 2.2	36 1.8
10	01 0.8	05 1.8	05 0.8	07 0.8	02 2.7	04 2.7	07 2.2	08 2.7	03 2.2	02 2.7	36 2.2	36 2.2
11	36 3.1	36 4.5	36 2.7	02 2.2	01 2.7	01 2.7	36 2.2	01 1.8	36 1.8	36 4.0	36 4.5	29 2.7
12	32 2.7	28 3.1	26 0.5	26 0.5	36 0.8	36 0.5	36 0.5	06 0.8	05 0.8	36 1.8	28 1.3	36 2.2
13	36 4.0	36 3.6	36 5.7	36 3.1	36 4.8	36 4.8	36 4.8	36 4.0	36 4.5	36 4.8	36 2.7	36 2.7
14	01 2.7	36 2.7	36 2.2	03 2.2	01 3.1	36 1.8	01 3.1	02 1.3	36 0.5	01 0.8	36 0.5	36 0.5
15	36 0.5	36 0.8	02 0.8	04 0.8	02 0.5	06 0.5	06 0.5	04 0.8	36 2.2	36 1.3	36 0.8	36 0.5
16	36 1.8	36 0.8	02 1.8	04 2.7	02 3.1	02 2.2	02 3.6	03 4.5	36 7.0	01 7.5	02 7.0	36 6.1
17	36 6.1	01 7.5	02 7.0	01 7.9	03 7.5	04 7.5	02 6.6	01 5.7	36 7.9	01 6.1	36 5.7	36 6.1
18	02 4.5	05 2.2	06 1.8	02 1.8	05 3.1	06 3.1	05 3.6	05 5.3	02 4.0	02 4.0	02 4.0	03 4.5
19	36 4.8	03 5.7	03 6.1	04 4.0	04 5.7	03 4.8	03 5.7	03 6.1	04 6.6	02 4.8	36 4.0	36 4.0
20	36 4.5	36 3.6	01 4.0	01 5.3	02 4.8	02 4.5	36 4.0	02 4.0	01 4.5	03 4.0	01 4.5	03 4.0
21	03 4.0	06 4.0	07 4.5	09 4.5	08 3.1	07 3.1	07 3.6	06 4.0	06 4.0	05 2.7	08 3.6	11 3.6
22	05 2.2	05 2.2	04 4.0	05 3.6	07 3.6	08 2.7	07 3.1	07 2.7	04 2.7	07 2.2	05 2.7	03 1.8
23	13 3.1	06 2.7	09 4.0	12 4.8	03 5.3	03 5.7	05 7.0	04 6.6	03 8.4	03 6.1	01 5.3	36 5.7
24	01 4.8	01 5.3	01 6.6	01 7.5	02 7.5	02 6.6	02 7.0	02 6.1	01 9.2	01 7.9	01 7.5	36 6.6
25	36 5.7	36 6.1	36 4.8	02 5.3	36 4.8	01 4.0	01 3.1	05 4.0	03 3.1	01 4.8	36 6.1	36 3.6
26	36 2.2	36 1.3	36 1.3	01 1.3	01 0.8	01 0.8	36 0.5	36 0.8	36 0.8	36 0.5	36 0.5	36 0.8
27	36 0.5	36 3.1	36 1.8	36 3.1	01 4.8	01 4.5	01 7.0	01 8.4	01 7.0	01 10.1	01 7.5	01 7.9
28	36 7.5	36 9.2	28 3.6	36 1.8	01 5.7	01 7.5	02 7.0	01 5.3	36 4.8	36 3.1	36 5.3	05 1.8
29	30 3.1	19 3.1	26 1.8	02 1.8	04 0.8	05 0.8	17 4.8	20 3.6	10 1.3	36 2.7	36 2.7	36 4.8
30	01 4.5	27 2.2	36 1.8	02 1.8	36 2.7	36 1.3	10 0.8	20 1.8	20 0.8	15 2.7	13 1.8	01 1.3
M	3.20	3.30	3.00	2.95	3.57	3.54	3.72	3.55	3.66	3.82	3.60	3.43

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	36 0.8	36 0.8	36 1.3	36 0.5	20 0.8	17 3.1	14 2.7	16 4.8	15 3.6	16 4.0	14 3.1	13 1.8
2	13 1.8	14 1.8	17 1.3	18 0.8	01 0.5	22 0.8	25 1.3	17 0.8	13 0.8	19 0.8	05 0.5	36 0.5
3	36 1.3	01 1.8	01 0.8	03 0.8	13 4.0	08 4.5	06 1.3	06 0.5	04 0.5	16 1.3	08 1.3	01 1.8
4	36 0.8	28 0.5	27 0.8	36 2.2	24 3.0	36 0.5	01 0.5	02 0.8	01 0.8	01 0.5	01 0.5	01 0.5
5	01 0.5	01 0.5	01 0.5	02 0.5	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
6	03 0.5	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
7	00 0.0	00 0.0	00 0.0	00 0.0	01 1.5	00 0.0	03 3.0	36 6.5	01 7.0	01 5.5	02 4.5	36 3.0
8	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	14 1.5	00 0.0	00 0.0	21 3.0	22 2.5	00 0.0	00 0.0
9	00 0.0	21 0.5	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
10	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	36 5.3	36 7.0	36 6.1	01 4.8	36 5.7	36 4.5
11	36 7.9	36 9.8	36 5.7	36 4.8	36 7.9	36 7.5	36 7.0	36 5.7	36 7.9	01 6.1	36 3.6	36 0.8
12	16 1.3	36 0.8	01 1.3	02 1.3	01 1.8	01 0.5	05 0.5	06 0.5	31 1.3	36 1.3	36 0.8	36 1.8
13	22 0.8	14 1.3	13 4.0	02 0.8	36 1.3	02 2.2	06 0.5	36 1.8	36 3.1	00 0.0	00 0.0	00 0.0
14	01 3.5	36 4.5	01 0.5	26 0.5	00 0.0	00 0.0	00 0.0	16 0.5	18 0.5	14 0.8	14 1.3	14 0.5
15	14 0.5	13 0.5	06 1.3	07 0.8	11 2.7	13 3.1	11 3.6	08 4.0	07 3.1	11 3.1	07 4.0	11 5.3
16	13 1.3	01 0.8	19 1.3	20 1.3	19 0.5	20 1.8	31 0.8	31 1.3	31 0.8	13 0.8	15 5.3	14 11.0
17	15 7.0	12 3.6	18 3.1	18 1.8	15 0.5	15 0.5	36 0.8	13 1.3	03 3.6	01 2.2	36 4.8	36 4.8
18	36 5.3	36 3.1	36 3.1	36 2.7	36 4.5	36 6.1	30 7.0	36 4.0	04 0.8	36 1.3	13 0.5	25 0.8
19	01 0.5	01 0.8	36 1.8	01 3.1	36 1.3	01 4.5	01 6.6	06 4.8	36 4.8	22 1.8	16 0.5	16 0.5
20	20 0.8	15 0.5	36 0.8	01 2.2	17 1.8	18 1.3	18 2.7	17 3.6	19 2.7	24 3.6	36 1.8	36 0.5
21	36 1.8	36 1.8	01 1.3	01 2.2	36 1.3	01 1.8	01 0.5	36 2.2	04 0.5	21 0.8	19 1.3	18 0.8
22	17 0.8	18 0.5	19 0.5	19 0.5	21 0.5	17 1.0	17 0.5	00 0.0	36 0.5	36 1.0	01 1.5	36 0.5
23	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
24	00 0.0	36 1.0	36 1.5	00 0.0	04 1.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
25	00 0.0	00 0.0	03 1.0	00 0.0	01 1.0	02 3.0	02 2.0	36 2.0	36 2.0	36 0.5	15 1.3	15 3.1
26	12 3.6	13 4.5	14 4.0	15 1.3	22 0.5	19 0.5	14 0.5	14 0.5	25 5.7	22 3.1	05 2.7	03 0.8
27	01 0.5	01 1.0	00 0.0	02 1.0	01 1.3	04 0.8	21 0.5	02 0.8	36 0.5	36 3.1	02 0.8	27 0.8
28	05 0.8	36 0.8	02 1.3	01 0.5	36 1.8	01 1.5	36 0.5	26 0.8	02 0.8	36 2.7	36 0.8	36 1.8
29	36 0.5	01 0.5	06 0.5	31 0.5	01 3.1	28 4.0	36 4.0	36 3.6	01 6.1	36 2.2	01 2.7	01 1.8
30	03 1.3	36 5.7	36 8.4	01 7.5	36 5.3	36 4.8	36 2.2	36 0.5	03 1.8	01 1.8	36 2.7	36 0.8
31	36 2.2	36 1.8	01 0.5	02 0.5	01 0.5	21 1.3	21 1.3	19 0.5	24 1.8	24 1.8	24 1.3	24 0.8
M	1.49	1.55	1.50	1.23	1.56	1.82	1.79	1.90	2.26	1.85	1.72	1.59

Registreringer av nedbør R

(Records of precipitation: R)

1949

Oslo (Blindern) $\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ 25.6 $h_d = 25.6$ $h_r = 1.6$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	0.6	0.1	0.6	0.3	0.1	–	0.4	0.2	0.5	0.5	1.4	1.4*	6.1	8.0
2	1.4*	1.5*	1.5*	1.5*	0.8	–	2.0	2.0	1.5	2.4	–	–	14.6	15.5
6	–	–	–	0.9	–	–	–	–	–	–	–	–	0.9	1.0
7	–	–	–	–	–	–	–	–	–	0.4*	0.9*	0.9*	2.2	5.0
8	0.9*	1.0*	0.9*	0.8*	1.0	0.1	–	–	–	–	–	–	4.7	9.5
9	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
13	–	–	–	–	–	0.1	0.8	–	–	–	–	–	0.9	1.5
16	–	–	–	–	0.6	1.5	2.7	0.7	0.4	0.8	–	0.1	6.8	9.0
17	–	–	–	–	0.1	0.5	0.3	0.5	3.7	5.2	1.6	0.1	12.0	10.0
18	–	–	–	–	–	–	–	–	–	–	–	2.8	2.8	2.0
19	1.7	0.5	0.1	0.1	–	–	–	–	–	–	–	–	2.4	3.5
20	–	–	–	–	0.1	0.2	–	–	–	–	–	–	0.3	1.0
23	–	–	1.5	1.3	–	–	–	–	–	–	–	–	2.8	4.0
30	–	–	0.1	–	–	–	–	–	–	–	–	–	0.1	0.5
	4.6	3.1	4.7	5.0	2.7	2.4	6.2	3.4	6.1	9.3	3.9	5.3	56.7	71.0

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
8	–	–	–	–	–	1.1	0.9	0.2	0.5	3.8*	2.2*	1.3*	10.0	8.5
9	0.7*	–	–	–	–	–	–	–	–	–	–	–	0.7	0.5
12	–	–	–	–	–	–	0.2	–	–	0.1	0.9	–	1.2	1.5
13	–	–	–	–	–	–	–	–	–	0.3	–	–	0.3	1.0
19	0.1	–	0.1	0.5	0.1	1.3	–	–	–	–	–	–	2.1	2.0
21	–	–	–	–	–	0.8	2.2	0.3	–	0.6	–	–	3.9	4.5
22	–	–	–	–	–	0.1	0.6	–	–	–	–	0.2	0.9	1.5
23	0.3	–	–	0.1	–	–	–	–	–	–	–	–	0.4	1.0
26	–	–	–	0.5	2.9	4.6	4.0	–	–	–	–	–	12.0	6.0
	1.1	–	0.1	1.1	3.0	7.9	7.9	0.5	0.5	4.8	3.1	1.5	31.5	26.5

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
2	–	–	–	–	–	0.2	–	–	–	–	–	–	0.2	1.0
3	–	–	–	–	–	0.2	–	–	–	–	–	–	0.2	0.5
6	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
7	–	0.5	0.2	–	–	–	–	–	–	–	–	–	0.7	1.5
8	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
9	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
12	–	–	–	–	–	–	0.1	0.3	0.8	1.4	0.5	0.5	3.6	7.5
13	0.3	0.3	–	0.1	–	0.1	0.2	–	–	–	–	–	1.0	3.0
21	–	–	0.6	2.6	1.0	1.2	0.5	–	–	–	–	–	5.9	7.0
	0.3	0.8	0.8	3.0	1.0	1.7	0.8	0.3	0.8	1.4	0.5	0.5	11.9	22.0

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
2	–	–	–	–	–	–	0.1	–	–	0.1	0.1	–	0.3	1.0
3	–	–	–	–	–	–	0.6	0.9	0.1	0.3	0.1	0.9	2.9	5.5
4	0.6	3.2	1.0	3.4	2.4	0.1	–	–	–	–	–	–	10.7	8.5
7	–	–	–	–	–	–	–	–	–	–	0.1	0.2	0.3	1.0
8	0.3	0.9	0.4	0.2	–	–	–	–	–	–	–	–	1.8	4.0
11	–	0.1	0.1	0.2	–	–	–	–	–	–	–	–	0.4	1.0
12	–	–	–	–	–	–	–	–	–	–	0.1	0.1	0.2	1.0
13	–	–	–	–	–	–	–	–	–	0.1	0.1	0.9	1.1	2.0
14	3.4	0.2	–	–	–	–	–	–	–	–	–	–	3.6	2.0
17	–	–	–	–	–	–	–	–	0.1	0.7	–	–	0.8	1.5
18	–	–	–	–	–	–	–	–	–	–	–	3.3	3.3	1.5
19	–	–	–	–	–	–	–	–	0.3	–	–	–	1.8	2.5
21	1.3	0.1	0.1	–	–	–	–	–	–	–	–	0.1	0.1	0.5
22	–	–	–	–	–	–	–	–	–	–	–	–	6.7	7.0
25	0.7	3.0	2.2	0.7	0.1	–	–	–	–	–	1.1	0.1	1.2	2.0
26	–	–	–	–	–	–	–	–	–	–	–	–	1.4	3.0
27	0.7	0.3	0.2	0.2	–	–	–	–	–	–	1.1	–	1.1	1.0
	7.0	7.8	4.0	4.7	2.5	0.1	0.7	0.9	0.5	1.2	2.7	5.6	37.7	45.0

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
5	–	–	–	–	–	–	–	–	–	1.6	–	–	1.6	1.5
6	2.7	0.6	–	0.1	–	–	–	0.8	–	–	–	–	4.2	3.5
10	–	–	–	–	–	–	–	–	–	0.1	0.4	0.1	0.6	2.0
15	–	–	–	–	–	–	–	–	0.3	0.2	–	–	0.5	1.0
16	–	–	–	–	0.1	–	3.4	0.6	–	5.3	0.5	–	9.9	5.0
17	–	–	0.1	1.0	–	–	–	–	–	–	–	–	1.1	1.0
18	–	–	–	–	–	–	–	1.8	1.3	0.3	–	–	3.4	2.0
19	–	–	–	–	–	–	–	0.5	0.2	–	–	–	0.7	1.0
21	–	0.8	–	0.3	0.6	0.1	1.3	–	–	–	–	–	3.1	3.5
23	–	–	–	–	–	–	–	–	–	–	–	0.4	0.4	1.0
24	6.5	2.1	0.5	0.1	–	–	–	–	–	–	–	–	9.2	4.5
25	–	–	0.1	0.5	0.1	0.1	0.2	–	–	–	0.7	0.9	2.6	4.5
26	6.2*	1.0*	–	–	0.1	0.1	–	–	–	–	–	–	7.4	3.5
27	–	–	–	0.3	–	–	–	–	–	–	–	–	0.3	1.0
28	–	–	0.1	3.5	1.2	–	–	–	1.6	1.0	–	–	7.4	6.5
30	0.1	3.6	6.6	4.2	2.2	0.8	1.9	0.1	0.1	–	–	–	19.6	10.5
31	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
	15.5	8.1	7.4	10.1	4.3	1.1	6.8	3.8	3.5	8.5	1.6	1.4	72.1	52.5

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
2	–	–	0.1	–	–	–	0.1	0.3	1.8	0.1	0.1	2.0	4.5	3.5
3	4.2	4.9	2.4	–	–	–	–	–	–	–	–	–	11.5	4.5
4	–	–	–	–	0.1	0.1	3.3	1.5	10.9	0.2	–	0.3	16.4	4.0
5	1.3	–	0.5	0.4	0.1	–	0.5	–	–	0.3	–	–	3.1	4.0
6	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
8	0.2	2.1	6.5	0.1	–	–	–	–	–	–	–	–	8.9	4.0
11	–	–	–	–	–	–	0.3	1.8	0.2	1.0	–	–	3.3	3.0
12	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
15	–	–	–	–	–	–	–	–	–	0.2	–	–	0.2	0.5
20	–	–	–	0.2	–	–	–	–	–	–	–	–	0.2	0.5
27	–	–	–	–	–	–	–	–	0.2	–	–	–	0.2	0.5
29	0.1	0.1	0.1	0.9	0.1	1.0	0.8	–	–	–	–	–	3.1	6.0
30	–	–	–	–	–	–	–	–	1.2	0.7	0.9	0.6	3.4	4.5
	5.8	7.1	9.6	1.9	0.3	1.1	5.0	3.6	14.3	2.5	1.0	2.9	55.0	36.0

Registreringer av nedbør R

(Records of precipitation: R)

1949

Oslo (Blindern) $\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	2.4	4.6	1.0	-	0.1	0.1	1.2	0.1	-	0.1	-	-	9.6	5.0
7	-	-	-	-	-	-	-	-	15.8	0.2	-	-	16.0	1.5
13	-	-	-	-	-	-	-	-	-	-	0.5	0.2	0.7	1.5
14	0.8	0.1	-	-	-	-	-	-	-	-	-	-	0.9	1.5
16	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	0.5
17	0.4	-	-	-	-	-	-	-	-	-	-	-	0.4	0.5
19	-	-	-	0.4	-	-	-	-	-	-	-	-	0.4	1.0
20	-	-	-	1.5	0.2	-	-	-	-	-	-	-	1.7	1.0
25	-	0.2	-	-	-	-	-	-	-	-	-	-	0.2	0.5
28	-	-	-	2.7	2.3	3.5	-	-	1.9	0.2	-	-	10.6	5.0
30	-	-	-	-	-	-	-	0.1	-	-	1.4	-	1.5	1.0
31	-	-	-	-	-	-	-	-	-	-	-	1.6	1.6	1.0
	3.6	4.9	1.0	4.6	2.6	3.6	1.2	0.2	17.7	0.5	1.9	2.5	44.3	20.0

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	7.5	3.9	0.4	-	-	-	-	1.0	1.0	0.1	-	-	13.9	6.5
2	-	-	-	-	-	-	-	-	0.2	2.4	3.2	4.0	9.8	6.5
3	1.1	-	-	-	-	-	-	-	-	-	-	-	1.1	1.0
4	-	-	-	0.8	-	-	0.2	0.1	-	-	-	-	1.1	1.5
6	-	-	-	-	-	-	0.4	-	-	-	-	0.1	0.5	1.0
8	-	-	-	-	2.1	1.9	0.5	6.6	0.4	0.1	-	-	11.6	5.0
11	-	-	-	-	-	-	-	-	-	-	-	1.8	1.8	1.5
12	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
13	-	-	-	-	-	-	-	-	0.1	-	-	-	0.1	0.5
14	-	-	0.3	0.1	-	-	-	-	-	-	-	-	0.4	1.0
15	-	-	-	-	-	-	-	-	-	-	-	3.1	3.1	2.0
16	3.5	-	0.1	-	-	-	0.1	0.2	-	-	-	-	3.9	2.0
17	-	-	-	-	-	-	-	-	-	0.1	0.1	-	0.2	0.5
21	-	-	0.1	-	-	-	-	-	-	-	-	-	0.1	0.5
27	-	-	-	-	-	-	-	-	-	1.0	0.9	3.4	5.3	5.0
28	1.9	0.9	2.8	0.5	0.1	-	-	-	-	-	-	-	6.1	8.0
	14.0	4.8	3.7	1.4	2.2	1.9	1.2	7.9	1.7	3.7	4.2	12.4	59.1	43.0

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
3	-	-	-	0.9	7.3	8.0	-	-	0.4	-	-	-	16.6	6.0
4	-	-	-	-	-	3.3	1.7	-	-	-	0.2	-	5.2	3.0
6	-	-	-	-	-	-	-	-	2.9	0.4	0.1	-	3.4	1.5
9	-	0.5	-	-	-	-	-	-	-	-	-	-	0.5	1.0
10	-	0.4	0.1	0.2	1.2	2.1	0.3	-	-	-	-	-	4.3	5.0
11	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1	0.5
15	-	-	-	0.5	0.6	0.6	0.2	-	0.6	0.2	0.2	0.1	3.0	3.5
16	-	-	-	0.5	0.8	0.9	0.6	-	0.2	0.5	-	-	3.5	4.0
17	1.0	0.9	4.5	0.6	-	-	-	0.4	-	-	-	-	7.4	6.0
18	-	3.4	0.5	0.4	-	-	-	-	-	-	-	-	4.3	1.5
19	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.5
20	-	0.1	0.1	-	-	-	-	-	-	-	-	-	0.2	0.5
25	-	-	-	-	-	-	-	3.7	5.5	-	-	-	9.2	2.5
	1.0	5.3	5.2	3.1	9.9	15.0	2.8	4.1	9.6	1.1	0.6	0.2	57.9	35.5

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
8	-	0.6	0.2	0.5	1.0	-	-	-	-	-	-	-	2.3	4.0
12	0.1	0.1	0.1	0.1	1.8	2.3	1.8	0.7	-	-	-	-	7.0	7.5
15	-	-	0.1	0.1	-	-	-	-	-	-	-	-	0.2	0.5
16	-	0.2	-	0.1	-	-	-	-	-	-	-	-	0.3	1.0
17	-	-	0.5	1.7	9.0	-	-	-	8.0	1.1	2.0	-	22.3	9.0
18	-	2.3	0.1	-	1.3	0.1	-	-	-	1.4	4.2	3.4	12.8	9.0
19	0.3	-	0.1	0.1	-	0.2	1.5	-	-	-	-	-	2.2	2.5
21	-	1.2	1.3	0.2	0.1	8.9	2.4	-	-	-	-	-	14.1	6.5
23	0.1	0.8	5.1	2.0	-	-	-	-	-	-	-	-	8.0	5.0
24	-	-	-	3.3	11.4	4.6	1.3	0.8	-	-	-	-	21.4	6.5
26	-	1.9	2.7	1.9	0.6	0.6	1.6	0.6	0.2	1.4	1.4	1.1	14.0	16.0
27	1.1	2.1	0.1	-	-	-	-	-	-	-	-	-	3.3	4.5
31	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.5
	1.6	9.2	10.3	10.0	25.2	16.7	8.6	2.1	8.2	3.9	7.7	4.6	108.1	72.5

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
5	-	-	-	-	-	0.3	-	-	-	-	-	-	0.3	1.0
6	-	-	-	-	-	-	-	0.1	0.4	0.8	1.0	0.4	2.7	6.0
7	0.1	-	-	-	0.5	-	-	0.1	-	-	-	-	0.7	1.5
8	-	-	0.7	0.5	0.6	0.2	0.1	0.1	0.4	1.6	0.1	0.9	5.2	9.0
9	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
13	-	-	-	0.2	1.6	3.0	1.1	-	-	-	-	-	5.9	5.5
16	-	-	-	-	-	-	-	-	-	-	-	0.5	0.5	1.0
17	0.7	1.1	0.5	1.0	2.2	0.9	1.2	1.5	0.7	0.3	0.1	0.2	10.4	16.5
18	0.3	1.3	0.1	0.1	-	-	-	-	0.1	0.1	0.5	0.1	2.6	3.5
21	0.9	0.1	-	-	2.5	2.6	2.0	0.5	0.9	0.6	-	-	10.1	10.5
22	-	-	-	-	-	-	-	0.4	1.1	1.8	0.4	-	3.7	5.5
23	0.2	0.2	0.2	0.1	-	-	-	-	-	5.3	7.3*	1.5*	14.8	6.0
24	1.5*	1.6*	1.6*	1.6*	2.3	0.1	0.3	-	-	-	-	-	9.0	10.5
29	-	-	-	-	-	-	1.6	2.2	0.2	0.4	0.1	-	4.5	5.5
30	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.3	1.5
	3.8	4.3	3.1	3.5	9.7	7.1	6.3	4.9	3.8	10.9	9.6	3.8	70.8	86.0

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
3	-	-	-	-	1.0	2.8	2.5	0.9	0.5	0.3	0.4	0.2	8.6	12.5
4	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
7	-	-	-	-	-	-	-	1.2	0.4	0.2	-	1.0	2.8	2.5
8	1.5	0.1	-	-	0.1	0.2	-	-	-	-	-	-	2.0	2.5
12	-	-	-	-	-	-	-	-	-	-	0.8	1.9	2.7	3.5
13	0.6	2.0	5.5	4.3	0.7	-	0.1	-	-	-	-	0.4	13.6	10.5
14	1.3	0.9	0.1	0.7	0.1	0.1	0.2	0.7	1.7	0.1	-	-	5.9	7.5
15	-	-	1.3*	1.5*	2.0*	2.1*	1.3*	0.2	1.0	1.1	0.2	0.1	10.8	14.5
16	0.9	1.6	-	-	-	-	-	-	-	-	1.7	0.2	4.3	3.0
17	0.9	-	-	-	-	-	-	1.4	0.6	-	-	-	2.9	2.0
18	-	-	-	-	-	-	-	-	0.5	1.7	-	-	2.2	3.0
19	-	-	-	0.5	2.7	-	-	-	-	-	-	-	3.2	2.0
20	-	-	-	-	-	-	-	-	0.5	0.8	-	-	1.3	2.0
21	-	-	-	-	-	-	-	-	-	0.1*	0.2*	0.1*	0.4	2.0
23	0.1*	0.2*	0.1*	0.2*	-	-	-	-	-	-	-	-	0.6	3.5
24	-	-	-	-	-	-	-	-	1.0*	1.9*	1.5*	1.7*	6.1	6.5
25	-	1.8*	0.6*	1.5*	-	-	-	-	-	-	-	-	3.9	5.5
26	-	-	0.1*	0.2*	0.2*	0.1*	0.2*	0.2*	0.2*	0.1*	-	-	1.3	4.0
29	-	-	-	0.1*	0.5*	0.5*	0.5*	0.5*	0.6*	0.3*	-	-	3.0	8.5
	5.4	6.6	7.7	9.0	7.3	5.8	4.8	5.1	7.0	6.6	4.8	5.6	75.7	96.0

Avvikelse i lufttrykksmidlene 1949 fra de tilsvarende midler i perioden 1901—1930, ΔP

(Departures of the mean atmospheric pressures for 1949 from the corresponding mean atmospheric pressures for the period 1901—1930: Δ P)

Stasjon (Station)	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Dombås	62° 4′	9° 7′	- 5.5	0.9	7.2	- 5.6	- 1.8	2.2	3.7	2.8	7.0	- 0.8	1.9	- 8.4	0.3
Oslo (Blindern)	59 56	10 44	- 4.5	1.3	8.0	- 4.3	- 1.6	1.7	2.9	4.0	7.4	- 0.1	1.7	- 9.2	0.6
Ferder	59 2	10 32	- 3.6	2.4	8.1	- 3.3	- 1.4	2.1	2.9	3.9	7.0	0.4	0.8	- 9.1	0.8
Oksøy	58 4	8 3	- 2.6	3.9	8.0	- 2.5	- 1.6	1.9	2.6	4.2	5.6	0.5	- 1.6	- 8.3	0.8
Skudenes II	59 9	5 15	- 2.0	4.1	8.8	- 3.3	- 1.6	2.4	3.9	4.3	5.2	0.1	- 2.8	- 8.2	0.9
Ullensvang	60 19	6 40	- 3.9	3.0	9.1	- 4.1	- 1.2	2.1	3.6	4.4	5.8	0.2	- 1.2	- 9.1	0.7
Bergen (Fr.berg)	60 24	5 19	- 2.7	3.7	9.6	- 3.9	- 0.9	2.6	4.1	4.4	5.4	0.4	- 1.8	- 8.3	1.1
Kinn	61 34	4 48	- 4.4	2.0	8.9	- 5.6	- 1.3	3.0	4.7	3.9	5.3	- 0.5	- 1.9	- 9.7	0.3
Ona	62 52	6 33	- 5.9	1.4	8.3	- 7.0	- 2.9	3.0	4.9	2.7	5.7	- 1.0	- 0.6	- 8.8	- 0.1
Trondheim (Voll)	63 25	10 27	- 5.8	0.3	7.8	- 6.2	- 2.6	3.2	5.3	3.4	7.1	- 1.1	2.5	- 9.0	0.5
Brønnøysund II	65 28	12 12	- 8.4	- 2.4	6.8	- 7.7	- 4.2	2.4	4.2	1.9	6.9	- 3.3	3.6	- 9.7	- 0.8
Røst	67 30	12 4	-10.0	- 4.7	5.4	- 9.2	- 5.8	2.8	3.1	0.4	6.0	- 4.0	4.2	- 9.1	- 1.8
Tromsø	69 39	18 57	- 9.8	- 6.7	5.1	- 8.3	- 3.7	4.1	2.1	0.0	5.2	- 4.6	7.6	- 7.3	- 1.4
Vardø	70 22	31 6	-10.1	- 8.8	5.7	- 8.7	- 1.1	6.1	- 0.3	- 1.9	3.2	- 6.6	11.2	- 2.8	- 1.2
Karasjok	69 28	25 31							1.5	- 0.1	4.9	- 5.1	9.9	- 4.8	

Avvikelse i lufttemperaturmidlene 1949 fra de tilsvarende midler i perioden 1901—1930, ΔT

(Departures of the mean temperatures for 1949 from the corresponding mean temperatures for the period 1901—1930: ΔT)

Stasjon (Station)	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Røros	62° 34′	11° 23′	3.5	3.3	- 0.1	2.4	2.5	0.2	- 0.8	0.0	4.1	1.2	2.9	2.0	1.7
Alvdal	62 2	10 48	4.5	4.1	- 0.5	2.0	2.0	0.2	- 0.3	0.2	4.0	1.6	2.6	0.3	1.7
Dombås	62 4	9 7	3.8	3.5	- 0.3	1.8	1.3	0.3	0.1	0.2	4.3	1.9	1.8	0.3	1.5
Vinstra	61 36	9 45	3.1	4.1	- 0.2	1.9	0.9	0.6	0.8	0.0	3.8	1.4	2.5	- 1.1	1.4
Vollen i Slidre	61 5	8 59	4.8	4.9	0.0	2.0	0.8	0.3	1.0	- 0.2	3.5	1.7	1.9	- 1.1	1.6
Lillehammer	61 6	10 29	3.7	3.6	- 0.1	2.2	1.5	0.5	0.9	0.0	3.5	1.2	2.5	- 0.3	1.7
Vang på Hedmark	60 49	11 11	4.4	4.2	0.6	1.9	1.9	0.0	0.5	- 0.1	3.6	1.2	2.5	- 0.1	1.7
Flisa	60 37	12 1	5.9	4.8	0.0	2.2	2.3	0.4	0.7	- 0.2	3.7	0.7	3.0	0.5	2.0
Oslo (Blindern)	59 56	10 44	3.8	3.8	0.2	1.8	1.6	0.6	1.4	0.3	3.4	1.4	2.5	1.3	1.8
Nesbyen II	60 34	9 8	4.9	5.0	0.0	2.3	1.5	1.2	1.9	0.2	3.7	1.7	3.2	- 1.0	2.1
Dagali	60 25	8 26	3.5	3.9	- 1.0	1.9	1.4	0.9	1.5	- 0.2	3.9	1.6	1.1	1.4	1.6
Svene	59 46	9 35	4.3	4.2	0.3	2.3	1.9	0.9	1.5	0.7	4.0	1.9	3.0	- 0.1	2.1
Ås	59 40	10 47	4.0	3.7	- 0.2	2.0	1.7	1.0	1.8	0.7	3.4	1.2	2.1	1.4	1.9
Ferder	59 2	10 32	3.5	4.0	0.8	1.5	1.3	0.5	1.9	0.1	3.0	2.0	1.3	2.6	1.9
Gvarv	59 24	9 10	1.8	2.4	0.6	1.6	1.1	1.3	1.8	0.3	3.7	1.7	3.0	0.5	1.7
Dalen i Telemark	59 27	8 0	2.4	3.9	0.1	1.6	0.7	0.9	2.1	0.5	3.9	2.1	2.4	0.2	1.7
Lyngør Fyr	58 38	9 9	3.3	4.1	0.5	0.8	0.6	0.1	1.9	0.0	3.3	2.1	2.0	2.6	1.7
Byglandsfjord	58 40	7 48	1.6	3.2	- 0.3	1.4	1.0	1.0	2.3	0.5	4.3	1.9	2.2	0.7	1.6
Oksøy	58 4	8 3	2.8	3.7	0.5	1.3	0.6	0.8	1.4	- 0.3	3.2	2.0	1.7	2.5	1.7
Lista	58 6	6 34	3.4	3.6	0.3	1.2	0.8	0.6	0.9	- 0.1	3.6	1.8	1.9	2.5	1.8
Tonstad	58 40	6 42	1.6	2.8	- 0.2	0.8	1.0	1.2	2.4	0.3	4.4	2.1	2.6	0.4	1.7
Klepp	58 48	5 38	2.6	3.2	- 0.3	1.3	0.4	- 0.5	- 0.2	0.1	3.9	2.0	2.0	1.3	1.3
Sauda	59 39	6 22	2.4	2.2	- 1.1	0.6	- 0.2	0.2	1.5	- 0.2	4.1	1.6	2.5	0.1	1.1
Skudenes II	59 9	5 15	1.9	2.8	- 0.1	1.0	0.5	- 0.8	0.0	- 0.3	3.6	1.6	2.0	1.3	1.1
Ullensvang	60 19	6 40	1.9	1.9	- 1.0	0.6	- 0.1	0.8	1.9	- 0.9	3.3	1.4	2.4	0.5	1.1
Slirå	60 37	7 25	2.2	2.8	- 1.9	1.1	0.3	0.8	1.0	- 0.7	4.3	1.6	1.4	1.5	1.3
Bergen (Fr.berg)	60 24	5 19	1.7	2.5	- 0.5	0.5	0.1	0.3	0.8	- 0.2	4.0	2.0	2.7	0.7	1.2
Kinn	61 34	4 48	1.8	2.5	- 0.3	0.5	- 0.4	- 1.0	- 1.7	- 0.8	4.1	1.9	3.1	1.2	1.0
Opstryn	61 56	7 14	1.0	1.5	- 0.5	0.1	- 0.1	0.0	0.0	- 0.7	4.8	1.4	3.1	0.2	0.9
Ona	62 52	6 33	1.0	1.9	- 0.4	0.9	0.2	- 0.6	- 0.7	- 1.0	2.4	1.4	2.6	0.8	0.7
Sunndal	62 33	9 7	3.8	2.7	- 1.2	2.1	0.8	0.2	- 1.4	- 0.9	3.5	1.6	2.4	0.1	1.1
Sula Fyr	63 51	8 28	0.8	2.3	- 0.6	0.4	0.4	- 0.2	- 0.7	- 1.0	2.1	1.3	2.1	1.3	0.7
Trondheim (Voll)	63 25	10 27	2.3	2.8	- 0.6	1.2	1.3	0.3	- 1.0	- 0.6	3.5	1.6	2.2	1.3	1.2
Sulstua	63 40	12 1	3.1	4.3	- 0.5	1.0	1.9	0.4	- 1.6	- 0.4	4.3	1.7	3.5	1.7	1.6
Nordøyan	64 48	10 33	1.2	2.7	- 0.2	- 0.1	0.5	0.0	- 1.4	- 1.2	1.9	1.3	2.3	1.7	0.7
Brønnøysund II	65 28	12 12	1.1	2.7	- 0.3	0.1	1.0	0.1	- 1.6	- 1.7	2.7	1.2	2.5	1.1	0.8
Myken	66 46	12 29	0.7	2.4	0.0	- 0.1	0.8	0.6	- 1.1	- 1.7	1.5	0.5	2.7	1.2	0.6
Bodø IV/V	67 17	14 25	1.0	2.7	- 0.3	- 0.1	0.6	0.2	- 1.9	- 1.9	2.0	0.8	3.1	1.6	
Offersøy	68 20	15 38	0.7	2.4	0.7	0.4	0.7	0.9	- 2.5	- 1.7	1.7	0.1	2.5	1.1	0.6
Skomvær Fyr	67 25	11 53	0.4	2.1	0.4	0.0	0.6	0.1	- 0.9	- 1.6	0.8	0.4	3.0	1.3	0.5
Eggum	68 18	13 41	0.9	2.9	0.7	0.2	1.0	0.3	- 1.4	- 1.6	1.7	0.6	2.9		
Andenes	69 19	16 7	1.0	2.9	0.9	0.4	1.0	0.3	- 1.4	- 1.6	1.3	0.6	2.3	1.6	0.8
Tromsø	69 39	18 57	0.2	3.1	1.0	0.4	1.5	1.1	- 2.3	- 1.6	1.7	- 0.1	2.5	0.8	0.7
Dividalen	68 47	19 44	2.4	4.5	0.4	0.5	0.5	- 0.3	- 3.1	- 1.7	2.0	0.1	4.4	1.3	0.9
Ingøy	71 4	24 9	- 0.4	2.7	1.3	0.3	0.1	- 0.5	- 1.7	- 1.1	0.3	- 0.3	1.9	0.5	0.2
Vardø	70 22	31 6	1.2	3.1	0.6	0.8	0.5	- 1.2	- 1.4	- 0.4	0.5	- 0.6	2.3	1.3	0.6
Karasjok	69 28	25 31	3.1	5.6	0.7	1.2	0.8	- 0.5	- 2.3	- 1.1	2.3	0.3	7.7	3.4	1.8
Siccajavre	68 45	23 33	2.9	5.3	1.2	1.5	0.9	- 0.4	- 2.1	- 0.6	2.8	0.4	6.3	3.0	1.8

1949

Sjøtemperatur (Sea surface temperature) T_1

Stasjon (Station)	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Ferder	59° 2′	10° 32′	4.5	3.7	3.3	5.6	10.6	14.5	19.3	17.0	16.7	12.3	8.9	6.7	10.3
Torungen Fyr	58 24	8 48	4.8	4.4	3.3	5.6	10.1	14.2	18.8	16.5	16.7	12.2	8.7	6.5	10.2
Lindesnes	57 59	7 3	6.5	5.5	4.0	5.7	9.4	12.4	14.9	14.3	16.2	12.3	10.2	8.2	10.0
Slåtterøy	59 54	5 4	6.5*	6.5	5.5	6.1	8.2	10.9	11.6	13.1	15.3	12.6	10.3	8.7	9.6
Hellisøy Fyr	60 45	4 43	7.0	6.7	5.8	6.2	8.2	10.2	10.9	13.0	15.2	12.6	10.1	8.7	9.6
Ona	62 52	6 33	5.9	5.7	4.5	5.9	7.4	9.9	11.6	12.1	13.2	11.9	9.1	7.3	8.8
Sula Fyr	63 51	8 28	4.9	5.4	4.0	5.8	7.6	10.6	12.8	11.8	12.7	10.9	8.2	6.6	8.4
Nordøyan	64 48	10 33	5.2	5.1	3.9	5.1	7.2	10.2	12.3	12.1	12.2	10.3	8.4	6.6	8.2
Myken	66 46	12 29	6.1	5.7	4.5	5.2	6.6	9.9	11.6	11.2	11.2	9.5	8.4	6.6	8.0
Skrova	68 9	14 39	4.8	4.0	2.9	3.5	5.2	9.3	11.0	11.2	10.7	8.4	6.4	5.0	6.9
Skomvær Fyr	67 25	11 53	5.4	5.1	4.2	4.7	6.3	9.0	10.3	10.4	10.0	8.0	8.3	6.7	7.4
Andenes	69 19	16 7	2.9	3.3	1.9	3.7	5.9	9.2	10.4	9.8	9.6	6.3	5.1	3.3	6.0

Ekstensotabell

1949

Oslo (Blindern)

φ = 59° 56′ N λ = 10° 44′ E g = 9.819 ΔG = + 1ʰ

Januar I

H_s = 94 H_b = 95.6 h_t = 2.0 h_a = 25.2 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	P 13	P 19	Lufttemperatur T 8	T 13	T 19	Max	Min	Relativ fuktighet U 8	U 13	U 19	Vindens retning og styrke D,F 8	D,F 13	D,F 19	Synsvidde V 13	Skydekke og vær N,w 8	N,w 13	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	68.7	72.8	69.7	1.0	0.8	1.7	1.9	0.2	96	97	90	00 0	00 0	09 3	4	8 ⁎°	8 ▽̇	8 ⁎°	7.5	1	=° ⁎ * n, ⁎° ≡° ▽̇ ⊙ a, ▽̇ =² • ⁎° p
2	65.6	65.4	**64.7**	3.7	3.4	3.4	4.2	0.6	88	90	96	14 4	14 4	19 4	6	8 ▽̇	8 ▽̇	8 ▽̇	10.6	1	⁎ • ▽̇ =° n, =° ▽̇° ▽̇ a, ▽̇² =° ▽̇ p
3	76.7	79.2	79.5	0.7	0.2	- 1.1	4.1	- 1.5	96	94	93	00 0	03 1	05 1	5	7 =°	7 =	4 =°	10.0		=° ▽̇ n, = =° ⊙° a, = =° p
4	84.5	85.0	87.0	- 7.9	- 5.0	- 3.9	- 1.1	- 8.8	85	93	90	02 1	00 0	27 1	5	1 =°	7 =	0 =°			=° ⌣ n, =° =² ⌣ a, = ⌣ p
5	03.3	09.6	12.2	- 3.3	- 1.1	- 3.8	- 0.8	- 4.7	85	80	92	02 1	00 0	05 1	4	1 =°	0 =²	7 =°			=° ⌣ n, =° =² ⊙ ⌣ a,p
6	08.0	06.0	07.1	2.4	4.2	2.7	4.4	- 4.2	98	97	98	19 3	21 2	00 0	6	8 •°	8 =°	2 =	1.3		=° ⌣ • n, = •° a, ≡° =² p
7	10.4	11.9	05.6	0.8	1.0	1.5	3.1	- 0.4	77	70	61	21 1	05 2	09 3	5	6 =°	8 =	8 *°	0.4		= =° ⌣ n,a, *° = ⌣ p
8	88.8	91.6	93.9	- 1.7	- 1.6	- 3.8	1.5	- 4.0	88	84	77	02 3	36 3	06 1	5	8 *	8 *	8 =°	5.8	5	= * n,a, =° = * p
9	00.1	03.1	06.3	- 4.7	- 2.6	- 9.2	- 1.3	- 9.4	64	52	65	00 0	00 0	00 0	8	3 ∞	0 ∞	0 ∞°	1.0	7	∞ n, ∞ ⊙ a, ∞° ⊙ p
10	97.6	92.3	85.9	- 4.4	0.4	2.7	2.7	-11.8	94	90	97	24 1	00 0	18 2	5	8 =°	8 =	7 =°	0.4	7	=° ▽̇ n, = =° a, =° p
11	77.4	76.9	74.9	3.9	4.1	2.2	4.2	1.8	88	78	86	18 4	18 2	00 0	8	3 ∞²	1 ∞	8 =°		3	∞² n, ∞ ⊙ a, =° ∞ ⊙ p
12	79.7	86.9	99.5	- 2.6	0.1	- 2.0	2.2	- 3.4	96	59	50	03 2	36 4	01 3	8	5 =°	3 ∞°	3 ∞°		3	=° n, ∞° ⊙ a,p
13	07.9	03.7	97.4	- 8.4	- 1.8	1.8	1.9	- 9.8	84	96	94	00 0	18 5	16 2	4	8 =°	8 *	8 =		3	=° ∞° ⌓ n, =² * a, = =² * p
14	86.6	85.5	82.1	4.4	4.7	1.0	5.2	0.7	59	49	70	22 2	20 3	18 2	9	2 ∞	2 ∞°	7 ∞	1.0	4	∞ n, ∞° ⊙ a, ∞ ∞° ⊙ p
15	92.5	98.0	02.1	1.1	1.6	- 1.6	3.0	- 1.9	49	40	42	30 3	27 3	34 2	8	1	1 ∞	5		4	∞ n, ∞ ⊙ a, ∞° ⊙ p
16	95.0	88.7	90.1	- 4.7	- 3.4	- 6.1	- 1.4	- 6.2	81	96	90	07 1	05 2	03 2	3	8 *	8 *	8 *	0.3	4	=° * n, ≡° * *° a,p
17	93.1	88.6	78.3	- 5.6	- 3.3	0.3	0.5	- 6.7	94	96	00	05 2	02 1	16 2	4	8 =	8 *°	8 *²	7.5	12	= * n, = =² * a, =² *° *² p
18	79.7	84.4	85.5	0.0	- 0.4	- 1.8	0.9	- 3.2	74	80	84	27 2	00 0	00 0	3	1 =°	6 ≡°	8 =°	12.9	21	=° *² *° n,≡° =° ⊙ a,≡° =° ⊙° p
19	83.1	79.5	68.8	0.5	0.5	3.4	3.4	- 2.3	00	00	00	20 1	00 0	18 2	2	8 ≡°	8 ≡	8 ≡°	5.0	24	*² ⁎ , ≡° n, ≡° ≡ a,p
20	71.9	71.3	69.0	- 1.5	2.2	- 1.4	4.1	- 2.8	64	54	69	20 2	20 3	18 1	9	3 =°	2 ∞°	8 =°		18	=° ≡° n, =° ∞° ⊙ a,p
21	70.7	75.6	87.2	- 5.1	- 0.5	- 4.5	- 0.1	- 7.9	63	50	52	05 1	33 3	03 3	8	1 ∞	7 =°	8 ∞		18	=° (=) n,(=) ∞ ⊙ =° a, =° ∞ ▽̇ p
22	10.2	14.0	13.7	-12.4	- 8.0	- 9.8	- 4.3	**-12.9**	61	52	63	06 1	20 1	18 1	7	0 ∞°	2 ∞²	0 ∞	0.1	18	∞ ∞° n, ∞² ∞° ⊙ a, ∞ ⊙ p
23	03.2	99.9	96.5	- 1.5	2.4	2.8	3.0	-10.9	98	00	00	22 2	16 1	18 2	2	8 *°	8 ≡	8 =²	3.0	20	= * n, ≡ *° a, =² = p
24	97.2	00.5	05.3	3.8	5.0	2.7	5.7	0.3	51	45	46	24 2	20 2	22 2	9	8 ∞	0	0 ∞	0.0	13	∞ =² n, ⊙ a, ∞ ⊙ p
25	11.6	14.0	15.8	0.6	5.5	1.0	5.7	- 1.7	52	50	70	22 2	18 2	00 0	8	2 ∞	8 ∞	8 ∞²		12	∞ ⌓ n, ∞ ⊙ a, ∞² ∞ p
26	12.2	12.0	14.8	1.6	4.7	2.0	5.1	- 1.0	88	75	96	17 2	18 2	00 0	8	7 ∞	7 ∞	7 ∞²		12	∞ n, ∞ ⊙° a, ∞² ∞ p
27	14.4	14.1	13.2	2.8	4.5	4.5	5.1	1.5	98	82	92	16 2	16 2	16 2	6	8 =²	8 =°	8 =		12	=² (=) n, ∞² =° ⊙ a, = =° p
28	13.5	14.9	16.2	3.9	5.1	1.6	5.3	1.5	98	89	97	14 1	00 0	00 0	6	8 =²	6 =°	0 =²		9	= (≡) n, = ⊙°(≡) a, =² = ⊙ (≡) p
29	**18.1**	17.3	09.3	- 0.3	0.0	0.6	1.6	- 0.7	00	00	00	00 0	00 0	00 0	1	8 ≡²	8 ≡²	8 ,°		9	≡² ≡²(≡) n, ≡² ≡ a, ≡² ≡ ,° p
30	86.1	97.2	05.5	6.4	6.4	1.4	**7.9**	0.4	45	**35**	37	27 4	36 5	30 3	9	6	2	0	0.2	9	≡ ,° n, ⊙ a,p
31	09.9	11.3	12.0	- 3.4	1.2	- 0.2	1.8	- 5.5	52	38	42	29 2	36 4	32 3	9	1	1	0		9	(=) n, (=) ⊙ a, ⊙ p
M	94.1	95.2	95.1	- 1.0	1.0	- 0.4	2.6	- 3.7	80	74	79	1.7	1.8	1.5	5.9	5.2	5.4	5.5	67	8	

Februar II

Datum	P 8	P 13	P 19	T 8	T 13	T 19	Max	Min	U 8	U 13	U 19	D,F 8	D,F 13	D,F 19	V 13	N,w 8	N,w 13	N,w 19	R	h_s	W
1	18.2	21.5	**24.3**	- 1.0	0.9	- 1.0	1.6	- 4.9	52	51	52	29 3	36 2	07 2	8	5 =°	4 =°	7(=)		9	=° (=) n, =° (=) ⊙ a,p
2	23.9	21.4	19.3	- 5.1	- 2.2	- 4.2	- 0.3	- 6.2	81	78	74	00 0	00 0	00 0	4	7 =	7 =²	2 =		9	(=) = n, = =² ⊙ a,p
3	10.7	08.5	05.1	- 1.9	3.2	4.9	4.9	- 6.5	88	74	67	23 2	14 2	28 1	6	8 =	8 =°	6 =°		8	= =° n,a, =° ⊙° p
4	05.9	06.4	07.6	1.6	6.6	4.2	8.9	1.0	85	69	69	36 2	00 0	05 2	5	7 =°	7 =	0 =°		8	=° ⌓ n, = =° ⊙ a,p
5	18.2	20.0	21.6	- 2.5	3.5	- 1.5	4.5	- 3.3	55	44	54	36 1	36 3	36 2	9	1 ∞°	2 ⌣°	0 ∞		8	∞° n, ∞° ⊙ a, ∞ ∞° ⊙ p
6	18.5	17.2	16.1	- 8.4	- 2.4	- 4.6	1.4	- 8.7	90	72	77	00 0	00 0	36 1	4	7 ∞²	0 =²	0 ∞²		8	∞² n, =° ∞² (≡) ⊙° a, ∞² =²(≡)⊙° p
7	13.2	11.2	08.6	- 8.9	- 3.2	- 3.8	- 2.8	- 9.2	90	70	97	00 0	00 0	12 2	4	7 ∞²	4 =²	8 =		8	∞² ⌓ n, =² ∞²(≡) ⊙°a, =² =(≡) ⊙° p
8	02.2	00.2	96.2	- 0.1	0.4	0.4	1.4	- 3.8	00	00	00	20 1	15 1	04 1	3	8 =²	8 ⁎	8 *		8	=²(≡) n, ≡° =² ⁎ a, ≡° * ⁎ p
9	94.5	94.0	90.2	- 1.0	- 1.0	- 2.6	0.4	- 3.0	00	94	98	00 0	00 0	04 2	4	8 =°	8 =²	8 =²	13.8	20	=° * n, =² (≡) ⊙° a, =² (≡) p
10	88.2	92.5	98.4	- 2.3	0.6	- 3.1	2.0	- 4.8	89	71	80	00 0	00 0	36 1	7	8 ∞²	3 ∞²	2 ∞²		17	∞² =² n, ∞² ⊙ a,p
11	06.1	06.8	06.0	- 9.6	- 4.3	- 4.1	- 3.0	**-10.2**	90	80	89	02 1	00 0	28 1	3	3 ∞²	7 ≡°	8 =²		17	∞² n, ≡° ∞² ⊙°a, ⌣² ≡° ⊙° p
12	03.8	02.8	02.2	- 3.6	- 1.0	- 0.6	- 0.6	- 5.9	97	00	00	00 0	00 0	00 0	3	8 ≡	8 ,°	8 ,°		17	=² (≡) ≡ n, ⌃° ≡ ≡°,° a,≡°,° ≡ p
13	03.7	03.2	99.5	0.0	1.5	2.6	2.9	- 0.9	00	00	97	00 0	18 1	16 3	3	8 ≡°	8 ≡°	8 ⁎°	1.6	18	≡° * ≡ ,° n, ≡° a, ≡° ⁎° =° p
14	88.0	87.9	91.4	4.3	8.1	7.1	10.1	2.4	98	66	40	18 1	15 1	25 2	9	7 =	3 ∞°	1	0.2	14	⁎° =° = n, ∞° = ⊙ a, ∞° ⊙ p
15	99.6	01.8	99.1	- 1.3	5.5	4.9	7.3	- 2.2	81	56	66	27 1	18 1	17 2	6	6 ∞°	5 =°	7 =°		12	(=) ∞° n, (=) ∞° =° ⊙ a, =° ⊙ p
16	00.7	01.8	00.5	2.7	2.2	5.9	6.2	2.0	98	00	89	00 0	03 1	05 2	2	8 ≡°	8 ≡	3 =		10	=° ≡° n, ≡² ≡° ≡ a, ≡ = p
17	96.6	98.4	05.2	4.9	8.6	4.1	**10.6**	3.8	93	70	42	18 3	17 2	25 1	8	7 =	3 =°	0		9	= =° n, =° = ⊙ a, =° ⊙ p
18	11.6	11.6	10.2	- 2.6	3.2	3.2	5.1	- 3.4	80	61	65	02 1	00 0	00 0	6	1 =°	1 =°	8 =°		4	(=) =° ⌓° n, (=) =° ⊙ a, =° ⊙ p
19	04.3	00.0	02.2	2.5	3.5	2.9	4.3	1.8	00	00	00	16 2	14 2	00 0	3	8 •	8 ≡°	1 ∞	0.9	3	≡° • n,a, ∞ ▽̇ p
20	06.9	06.5	03.9	- 2.0	2.3	4.3	4.4	- 2.2	94	93	94	00 0	00 0	14 2	6	4 ∞²	8 =°	8 =	2.0	3	∞² n, =° ⊙° a, = ⊙° p
21	06.6	05.0	02.3	3.8	4.3	4.3	4.7	2.8	00	00	00	00 0	15 2	20 1	3	8 ≡	8 •	8 =	0.4	2	≡ , n, ≡ ≡° •ⁿa, = ≡° • p
22	94.6	94.2	95.4	3.6	5.5	3.4	7.2	1.8	00	72	52	16 2	18 2	15 3	8	8 •	4 ∞	4 ∞²	5.6	0	≡° • n, ∞ ≡° ▽̇ ⊙ a, ∞² ⊙ p
23	84.0	88.9	91.2	5.5	6.4	3.5	7.1	1.4	43	39	43	20 5	22 4	22 3	9	0	2 ∞°	2 ∞	1.9	0	∞² ▽̇ ⊙ n, ∞° ⊙ a, ∞ ∞° ⊙ p
24	93.5	93.5	93.5	0.1	4.5	2.5	6.0	- 0.1	58	47	46	14 2	15 3	22 1	8	3 ∞	7 ∞	6 ∞²		0	∞ n, ∞ ⊙ a, ∞² p
25	92.4	97.9	01.1	0.6	3.4	1.2	4.0	- 0.4	47	36	**35**	26 4	24 4	26 3	9	2	1	1 ∞		0	⊙ n,a, ∞ ⊙ p
26	94.3	79.8	76.6	- 2.7	0.4	0.0	1.4	- 3.6	93	00	88	05 1	00 0	16 2	3	8 *	8 *°	2 =°	0.8	1	* ∞ n, *² ≡° a, ,° =° ≡° *° p
27	**73.0**	75.5	82.3	- 6.4	1.1	- 0.8	2.9	- 7.6	81	61	52	27 1	18 1	36 3	8	6 ∞	7 =°	2	12.1	10	=° (=) ∞ ⊙ n,a, ▽̇° =° ⊙ p
28	94.5	94.5	92.3	- 4.3	1.7	- 3.7	2.2	- 6.8	51	38	40	29 1	27 3	00 0	9	1 ∞°	1	3 =°	0.0	10	(=) ∞° ⊙ n,a, =° ⊙ p
M	01.7	01.5	01.5	- 1.2	2.3	1.0	3.7	- 2.8	83	73	72	1.2	1.2	1.5	5.7	5.8	5.3	4.3	39	8	

Ekstensotabell

1949

Oslo (Blindern)

$\varphi = 59° 56'$N $\lambda = 10° 44'$E $g = 9.819$ $\Delta G = +1^h$

Mars III

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	88.4	91.3	97.9	- 7.3	- 1.3	- 3.1	1.3	- 8.9	54	48	38	34 2	11 2	36 4	8	7 ∞	0 =°	1 +°		9	=° (=) ∞ ⊙° n, (=) ∞ ⊙ a,+ =° ⊙ p
2	11.3	10.5	11.5	-11.9	0.7	- 1.8	1.9	-13.2	49	42	40	09 1	35 4	35 3	9	1 =°	1	0		8	+° (≡) =° ⊙ n, =° ⊙ a, ⊙ p
3	13.7	13.7	16.9	- 6.0	0.7	- 3.1	2.3	- 6.9	49	39	63	02 2	36 4	36 3	9	1 ∞°	2 ∞°	2 =°		8	(=) ∞° ∞° ⊙ n, (=) ∞° ⊙ a, ♦° =° ∞ ⊙ p
4	24.9	26.0	25.5	- 5.8	- 3.4	- 5.8	- 1.1	- 7.5	77	70	66	05 1	09 1	36 2	7	8 *°	6 =°	0 =°	0.0	7	=° ∞° *° n, ∞° ♦° =° ⊙ a, (=) = ⊙ p
5	24.6	20.0	17.0	-11.5	- 6.0	- 6.8	- 4.3	-12.8	69	54	46	02 2	02 2	36 2	9	1 ∞	1 ∞°	7 ∞	0.0	7	∞ =° ⊙ n, ∞° ⊙ a, ∞ ⊙ p
6	13.5	12.7	11.2	- 5.6	- 3.3	- 2.6	- 1.9	- 6.8	75	75	84	36 3	36 4	36 4	6	8 *	8 ♦	8 ♦°	0.2	7	= * n, =° = ♦° a, = ♦ * ⊙° p
7	14.4	16.3	17.2	- 2.7	- 0.7	- 1.1	- 0.1	- 3.1	86	72	84	00 0	04 2	02 2	6	8 =°	8 =°	8 ♦°	1.1	8	=° ♦ n, =° ♦° ⊙° a, =° = ♦° p
8	22.3	23.0	23.0	- 2.9	- 0.2	- 1.4	- 0.1	- 3.2	81	69	73	02 1	02 2	36 3	6	8 =°	8 =°	5 ∞²	0.1	8	=° = ♦° n, =° ♦° ⊙° a, ∞² =° ♦° p
9	22.2	22.3	22.0	- 1.7	- 0.9	- 1.0	- 0.6	- 2.7	82	72	69	02 3	04 2	01 1	5	8 ♦°	8 ♦°	8 =	0.1	7	= ♦° n,a,p
10	23.1	23.1	21.1	- 2.8	- 2.5	- 3.4	- 0.6	- 3.4	71	73	63	02 3	02 3	36 3	7	8 ∞²	8 ∞²	1 ∞²	0.0	6	∞² n,a, ∞² ⊙ p
11	17.2	14.1	09.3	- 4.6	- 3.1	- 3.6	- 1.5	- 5.9	80	77	74	02 2	02 1	36 1	6	8 =°	8 =°	7 ∞²		5	=° n, =° ⊙° a, ∞² ⊙ p
12	97.4	92.5	84.9	- 2.0	- 2.4	0.0	0.0	- 5.0	84	96	00	14 3	09 2	16 3	5	8 ♎°	8 ♎°	8 *	0.0	5	♎° =° ∞² n, ♎° = a, * = ♎° p
13	78.1	70.7	68.4	- 1.1	2.5	1.5	3.2	- 3.0	98	98	70	18 2	16 4	18 4	7	7 =°	8 =°	2 ∞	7.7	14	=° * =° ⊙ n, ♦² ♦ =° a, ♦ ∞ =° p
14	**65.9**	71.5	75.5	- 1.1	4.1	3.5	6.5	- 2.2	88	52	51	23 1	25 3	27 2	8	6 =°	4 =°	6 =°	0.2	9	=° ∞ ⊙ n, =° ⊙ a,p
15	85.9	88.8	92.3	- 3.6	6.4	2.9	7.1	- 4.5	84	**38**	**38**	00 0	32 4	27 3	9	7 =²	3	1		7	=° = ⊙ n, =² =° ⊙ a, ⊙ p
16	87.9	85.3	84.8	- 3.8	4.0	2.9	6.1	- 5.8	60	47	44	00 0	18 1	34 4	8	6 =²	7 =°	7 =°		6	=² ⊙ n, =° =² ⊙ a, =° ⊙ p
17	92.5	91.8	90.8	- 5.7	1.9	- 0.5	3.9	- 7.5	75	50	50	02 1	18 1	36 1	7	1(=)	1 =°	2 =°		5	(=²) =° ⊙ n,a, =° ⊙ p
18	96.0	98.1	01.3	- 5.3	2.1	- 0.1	3.9	- 5.9	74	54	45	00 0	16 1	36 1	6	7 =	2 =°	1 ∞		5	∞ =° = ⊙ n,= =° ⊙ a, ∞ =° (=) ⊙ p
19	07.7	07.7	08.4	- 4.5	5.2	4.8	6.9	- 6.5	69	44	**38**	00 0	36 2	01 1	8	2 =°	3 ∞	5 ∞		5	=° ⊙ n, ∞ =° ⊙ a, ∞ ⊙ p
20	11.3	10.4	07.4	- 1.8	2.2	2.0	5.4	- 3.1	73	58	54	00 0	12 1	18 2	8	8 ∞	7 ∞	6 ∞		5	∞ ⊙° n,a, ∞ ⊙ p
21	04.7	05.3	06.1	0.4	1.0	1.2	1.9	0.1	00	00	98	16 3	16 3	14 2	4	8 *	8 ♦	8 =²	4.0	5	* n, ♦° * =² (≡) a, =° · ♦° p
22	99.2	99.8	06.4	2.8	6.8	6.4	10.4	0.1	93	77	**38**	16 4	16 3	24 3	8	8 =°	2 ∞	0 ∞°	3.0	3	=° · n, ∞ ♦° ⊙ a, ∞° ⊙ p
23	16.0	15.9	14.5	1.8	7.6	7.4	10.5	- 2.2	72	55	65	00 0	00 0	18 3	8	1 ∞²	8 ∞	6 ∞	0.0	0	∞² ⊙ n, ∞ ⊙ a,p
24	16.0	16.0	14.3	3.8	12.4	11.5	**15.0**	0.8	81	50	45	00 0	18 2	18 1	8	7 ∞	5 ∞	3 ∞°		0	∞ ⊙° n, ∞ ⊙ a, ∞° ⊙ p
25	13.9	12.1	09.5	1.9	11.3	7.0	12.9	0.2	88	50	58	00 0	16 2	00 0	8	0 =	1 ∞	2 ∞²		0	= ∞° ⊙ n, ∞ = ⊙ a, ∞ ⊙ p
26	11.2	12.9	14.1	2.4	5.4	3.0	7.1	0.0	80	56	**38**	03 4	01 2	32 2	8	8 ‡°	2 ∞	0 =°	0.0	0	‡° =° ∞² n, ‡° =° ∞ ⊙ a, =° ∞ ⊙ p
27	19.2	20.5	21.7	- 0.7	6.3	4.8	8.9	- 4.2	69	45	**38**	00 0	18 1	00 0	9	2 =°	1 ∞°	1 ∞°	0.0	0	=° ⊙ n, ∞° =° ⊙ a, ∞° ⊙ p
28	26.4	**26.8**	25.5	0.6	7.5	5.4	10.0	- 3.7	71	49	44	00 0	16 1	00 0	8	1(=)	0 =°	1 ∞		0	∞° (=) ⊙ n, =° ⊙ a, ∞ =° ⊙ p
29	24.4	22.7	20.4	- 0.4	7.7	4.8	7.9	- 3.7	77	46	60	00 0	16 1	00 0	8	0 ⌣°	2 ∞°	6 =°		0	⌣° ∞ ⊙ n, (=) ⌣° ∞° ⊙ a, ∞° =° ⊙ p
30	16.0	13.0	09.4	0.1	6.9	5.7	9.8	- 2.2	93	52	65	00 0	18 1	18 2	8	8 =	4 =°	4 =°		0	⌣² =² =° ⊙ n, ⌣ =° = ⊙ a, =° ⊙ p
31	05.6	02.8	00.6	- 1.0	5.8	5.8	10.1	- 2.1	00	63	59	03 1	00 0	22 1	7	8 ≡²	7 =°	1 =°		0	≡² =° ⊙ n, =° ≡° ≡² ⊙ a, =° ⊙ p
M	08.1	07.7	07.4	- 2.6	2.7	1.5	4.6	- 4.3	78	60	58	1.3	2.0	2.0	7.4	5.5	4.5	3.8	16	5	

April IV

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	10.3	11.1	11.7	1.0	6.0	4.5	7.7	- 1.0	45	33	31	02 3	36 3	02 1	9	0	1	2 ∞		0	=° ⊙ n, ⊙ a,p
2	12.5	11.9	10.7	- 1.2	5.6	3.4	5.6	- 2.3	62	58	73	02 1	16 3	16 4	7	7 =°	8 ∞²	8 ∞²		0	=° ⊙° n, ∞ ⊙° a, ∞ p
3	04.7	00.7	95.9	0.8	1.9	2.5	3.4	0.2	86	73	00	14 2	16 2	00 0	3	8 ∞²	8 *	8 ·	0.2	0	∞² ♦° n, * 14, ♦ a, ≡ ♦ ♦ · p
4	80.3	77.1	**70.3**	5.8	6.2	6.1	6.3	2.5	00	00	94	16 4	14 2	16 4	4	8 ·	8 ·°	8 ·²	13.1	0	=² · n, =² (≡) · · a, = ·² · p
5	77.0	84.2	92.5	5.1	10.4	5.7	11.0	3.8	92	37	33	20 1	24 5	24 3	9	8 =°	2 ∞°	3 ∞°	3.5	0	=° · n, =° ∞° ⊙ a, ∞° ⊙ p
6	90.2	86.7	84.3	1.5	6.8	7.3	9.8	- 2.2	71	58	44	00 0	18 1	00 0	7	7 =°	7 ∞²	6 ∞°		0	=° ⊙° n, ∞² =° ⊙° a, ∞° ⊙ p
7	82.0	79.8	77.6	0.9	7.6	6.5	7.8	- 1.7	85	48	44	00 0	02 2	02 3	8	7 =°	8 ∞	8 ∞²		0	=° ⊙° n, ∞ =° ⊙° a, ∞ p
8	76.7	77.9	81.2	1.2	1.8	1.5	6.5	0.8	90	89	85	36 4	36 4	36 4	5	8 *	8 ‡	8 ‡°	2.1	0	= * ‡ · n, = * ‡ a, = ‡° p
9	91.3	93.4	97.2	2.8	7.7	4.5	8.3	1.0	47	30	32	36 4	36 5	36 2	9	1	1	1 ∞°	0.2	0	‡° =° ⊙ n, ⊙ a, ∞° ⊙ p
10	99.9	98.2	95.5	0.4	8.3	7.9	9.8	- **2.9**	69	41	46	00 0	25 4	25 3	8	7 =°	7 ∞	8		0	=° ∞° ⊙ n, ∞ =° ⊙ a, ∞ p
11	87.2	84.2	79.2	3.0	5.9	8.2	9.7	2.2	98	81	71	16 1	00 0	00 0	5	8 =°	7 =	8 ·°	0.2	0	=° · n, = =° ·° ⊙° a, ·° = p
12	83.0	84.6	85.3	5.0	7.6	6.3	8.2	4.1	94	75	85	00 0	18 1	18 2	8	8 =	8 =°	8 =°	0.1		= ·° n, =° = a, = ·° p
13	90.8	93.6	94.9	4.1	9.7	7.5	11.8	3.5	94	66	73	00 0	04 1	08 3	6	8 =°	1 =°	8 =°	0.2		= · =° n, =° ⊙ a,p
14	92.6	95.9	03.3	5.6	12.4	11.4	16.3	4.8	98	61	53	17 2	24 3	36 3	9	8 =°	7 ∞°	1 ∞	4.8		· ≡° =° n, ♦° ∞° =° ⊙° a,∞° ∞ ⊙ p
15	14.9	16.3	16.1	5.7	7.0	8.1	11.4	5.3	88	85	77	18 2	18 3	16 3	8	8 =°	8 =°	8 ·°	0.0		=° ∞ ⊙ n, =° a, ·° =° ⊙ p
16	**16.5**	16.3	14.8	5.0	6.2	4.8	8.2	4.5	98	96	94	18 3	17 3	18 3	5	8 =°	8 =	8 =	0.0		·° =° =° n, = =° ⊙° a, = p
17	10.8	08.9	06.2	4.1	7.1	7.3	7.6	3.3	97	88	89	00 0	05 1	03 3	6	8 =²	8 =°	8 ·			=² = n,a, · =° p
18	06.1	04.8	01.5	10.1	14.7	10.9	16.2	3.6	73	56	67	05 3	18 1	16 3	7	1 =°	2 =°	5 =°	0.7		·° =° ⊙ n, =° ⊙ a,p
19	95.9	93.1	87.7	7.3	12.5	8.5	12.8	4.2	71	39	67	18 2	16 3	15 2	9	1 ∞°	6 ∞°	6 ∞	5.1		=° · ⊙ n, ∞° ⊙ a, ∞° ♦ ⊙ p
20	95.9	91.1	96.2	6.0	8.5	7.0	9.7	3.4	48	**27**	28	28 4	28 4	24 3	9	7 ∞°	4 ∞°	1	0.2		∞ ⊙° n, ∞° ⊙ a,p
21	00.6	99.1	97.1	5.1	9.2	3.6	9.3	- 0.4	65	58	78	12 1	14 3	14 2	8	2 ∞	8 ∞	8 ·			∞ ⊙ n,a, ∞ · p
22	83.0	85.5	90.7	5.3	9.9	6.8	10.2	1.9	96	34	33	20 2	19 3	22 4	9	7 =°	6 ∞°	1	7.0		=° ♦ n, =° ∞ ⊙ a, ⊙ ∞° p
23	01.1	00.8	95.9	3.1	5.1	5.1	6.8	- 1.7	47	51	00	18 1	18 3	17 1	9	3 ∞°	8 ∞°	8 ·°			∞ ⊙ n, ∞° ⊙ a, ∞° ≡ ·° ·° ≡² p
24	98.3	99.6	00.4	7.5	14.2	12.3	16.1	3.1	73	36	42	18 1	16 2	16 1	9	0 ∞	3 ∞°	7 ∞	0.2		·° =² ∞ ⊙ n, ∞° ∞ ⊙ a,p
25	99.8	95.3	92.4	5.8	13.4	12.5	**16.4**	4.5	97	66	60	07 1	08 2	18 3	7	8 ·°	6 =°	8 ·°	0.1		∞ ≡ =² ·° n, =° ·° =² ⊙ a,·° =° p
26	91.8	94.2	97.4	7.1	11.5	13.2	15.8	6.8	98	77	33	17 2	17 1	27 2	7	8 ≡°	6 =°	1 ∞°	2.4		=° =² · ≡° n,=° =° ·° ⊙ a,=°∞°⊙ p
27	02.6	01.2	98.3	5.2	12.9	7.0	15.1	0.3	74	46	94	00 0	17 4	16 5	8	4 =°	7 ∞°	8 ·°	0.0		=° ∞° ⊙ n,a, · =° ∞° ⊙ p
28	92.1	91.4	92.3	9.6	14.6	10.7	14.6	6.5	60	35	33	18 5	21 5	20 5	9	2 ∞	7 ∞°	1	1.1		=° ⊙ · n, ∞ ∞° ⊙ a, ∞° ⊙ p
29	94.9	94.3	94.6	8.0	12.0	11.0	12.8	2.6	47	37	38	19 3	19 4	27 3	9	1	7	5			⊙ n,a, ♦ 15°, ⊙ p
30	04.7	07.1	10.0	6.4	9.9	8.5	11.0	5.1	42	31	32	02 4	36 2	02 3	9	7 ∞°	6	1	0.0		∞° ⊙ n, ⊙ a,p
M	95.2	95.9	95.7	4.6	8.9	7.4	10.5	2.2	77	57	61	1.9	2.7	2.6	7.5	5.6	6.0	5.6	41	0	

Ekstensotabell

1949

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 $\Delta G = +1^h$

Mai V

H_s = 94 H_b = 95.6 h_t = 2.0 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde >	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	15.4	12.8	11.3	4.1	12.8	12.1	14.4	- 1.6	63	31	41	00 0	16 3	18 3	9	7 ∞	3	2			∞ ⊙° n, ∞ ⊙ a, ⊙ p
2	**20.0**	19.0	17.8	8.0	14.4	13.0	16.9	2.2	62	40	42	16 1	16 2	14 3	9	2 ∞	3	6			∞ ⊙ n,a, ⊙ p
3	16.3	13.9	10.9	9.8	19.0	18.2	21.9	3.6	66	37	34	00 0	16 1	12 2	9	4 ∞²	3 ∞°	2			∞² ⊙ n, ∞² ∞° ⊙ a, ∞° ⊙ p
4	06.6	02.7	99.0	7.0	16.9	12.9	18.2	3.3	98	53	59	00 0	16 3	16 3	8	8 ≡°	2 ∞	3 ∞			≡° ∞ ⊙ n,a, ∞ ⊙ p
5	90.3	86.2	83.0	12.0	17.7	13.4	19.2	4.0	51	44	74	08 2	16 2	04 2	8	3 ∞	6 ∞	8 R			∞ ⊙ n,a, R 18, ⚥ p
6	83.9	85.5	87.3	9.5	12.7	9.3	13.4	6.7	50	39	51	18 4	16 3	16 3	9	2	7	4	5.5		= ∞° ⚥ R ⊙ n, ⊙ a, = ⊙ △ ⚥ p
7	94.0	94.9	96.5	6.5	11.7	8.4	12.9	0.5	60	37	33	19 2	18 4	27 4	9	1	4	4	1.6		⊙ n,a,p
8	01.4	01.1	01.7	4.9	7.8	7.1	9.4	- 0.8	40	31	32	28 1	25 2	36 2	9	1	7	4			⊙ n,a, ⚥° ⊙ p
9	07.7	08.1	10.1	6.0	10.4	9.0	11.3	1.4	39	**30**	33	28 2	30 3	36 2	9	6	6	6 ∞°	0.0		⊙ n,a, ∞° ⊙ p
10	14.8	13.2	12.6	6.2	10.0	9.2	11.5	1.9	55	46	63	18 1	18 2	17 2	9	7 =°	7 ∞°	8 •°			=° ⊙ n, ∞° =° ⊙ a, ⊙ ∞° •° p
11	15.3	15.8	15.3	8.2	17.2	15.5	18.4	6.6	96	46	46	00 0	17 2	16 3	9	7 =	3 ∞°	1 ∞°	1.2		•° = • ⊙° n, = ∞° ⊙ a, ∞° ⊙ p
12	17.8	16.4	14.7	7.6	15.5	13.6	16.6	5.4	96	60	55	17 1	18 2	16 3	8	8 ≡²	1 =°	2 =°			=² ∞° ⊙ n, =° =² ⊙ a, =° ⊙ p
13	13.3	10.8	09.9	7.8	11.1	10.6	13.7	7.2	98	78	81	18 2	16 3	16 2	8	8 =	8 =°	8 =°			= =° ⊙ n, =° a,p
14	08.7	07.3	05.4	10.0	17.0	18.4	19.8	8.5	93	49	41	00 0	18 1	18 1	7	8 =	8 ∞²	6 ∞			= n, ∞² ⊙° a, ∞ ⊙ p
15	02.7	00.7	98.7	15.2	16.8	14.0	19.0	8.9	58	46	75	36 3	36 2	36 2	8	6 ∞	8 ⚥°	9 ⚥°			∞ ⊙° n, ∞ ⚥° ⊙° a, ∞ ⚥ p
16	96.9	95.9	93.7	14.0	15.2	11.4	18.7	11.2	69	89	84	36 2	06 3	20 3	5	8 ∞°	8 ⚥	8 ⚥	1.4		∞² ⚥ n, = ⚥ a,p, R 18
17	97.4	99.3	99.4	9.7	11.0	12.3	12.4	9.7	94	81	80	14 3	14 3	02 2	7	8 ∞²	8 ∞²	8 =°	14.2		∞² = ⚥ n, ∞² ⚥ a, =° ∞² ⚥° p
18	99.4	98.6	99.1	13.2	22.4	16.4	22.5	11.0	81	50	75	36 3	06 2	04 2	7	8 =°	7 ∞²	7 ∞²	0.3		=° ⚥ n, ∞² =° ⊙ a, ∞² ⊙° ⚥ R p
19	02.9	04.3	04.9	14.8	18.6	16.0	18.8	11.0	84	66	72	00 0	18 4	00 0	6	7 =	7 =°	8 ∞²	4.9		= ⊙ ⚥ n, =° ⊙° a, ∞² =° ⊙° ⚥ p
20	05.9	05.2	03.3	15.2	21.2	20.6	**22.9**	13.9	72	50	52	02 3	06 2	28 2	7	8 ∞²	8 ∞²	7 ∞²	1.4		∞ ⚥° • n, ∞² ⊙ a, ∞² ⊙° ⚥ p
21	04.5	03.8	02.4	14.3	17.5	19.6	20.6	13.2	97	74	64	36 1	36 1	00 0	8	8 •°	7 =°	1 =°	1.4		⚥ •° ∞² ⊙° n, •° =° a, ⚥ =° ⊙ p
22	05.0	03.5	00.4	12.5	16.1	17.6	19.6	9.2	51	44	36	36 3	02 3	08 2	9	1 ∞°	2 ∞°	0 ∞°	2.3		= ∞° ⊙ n, ∞° ⊙ a,p
23	98.2	96.4	94.4	15.8	18.3	15.7	18.9	9.4	48	64	63	08 1	18 3	16 3	8	1 =°	7 =°	6 =°			∞° =° ⊙ n, =° ⊙ a,p
24	90.5	90.1	89.0	11.6	16.1	14.0	16.8	10.2	98	67	71	14 1	16 3	16 3	8	8 =°	7 =°	7 =°	10.3		⚥ • =° n, ⚥° =° ⊙ a, =° ⊙ p
25	88.6	88.3	85.2	11.1	12.7	13.5	14.4	10.2	88	85	73	01 1	02 1	36 3	5	8 •°	8 =	8 •°	0.9		• =° = n, ⚥° = =° •° a, = =° • p
26	**80.8**	81.6	83.4	11.5	12.7	11.9	13.5	10.9	93	82	80	09 1	00 0	19 1	8	8 ⚥°	8 =°	7 =°	11.9		•° • =° ⚥ n, ⚥° =° ⊙° a, ⚥° =° p
27	87.9	89.1	89.8	11.5	15.7	16.8	17.3	3.5	55	39	31	17 1	17 3	22 2	9	1 ∞°	5 ∞°	2	0.5		∞° =° ⊙ n, ∞° ⊙ a,p
28	89.6	89.3	88.3	8.8	11.2	10.6	16.8	6.6	98	94	98	10 3	14 3	16 3	5	8 •	8 ⚥°	8 •	3.7		= • n, = • ⚥ a, = • p
29	98.7	00.3	00.1	9.7	14.5	13.8	16.9	3.8	59	41	37	16 3	14 3	16 2	9	1 ∞°	1 ∞°	7 ∞°	4.9		∞° ⚥ n, ∞° ⊙ a,p
30	93.5	94.7	97.1	8.8	10.3	12.9	14.2	7.9	96	97	74	02 2	06 3	14 3	5	8 •	8 •	5 ∞	15.4		= • n,a, ∞ ⊙ = • p
31	03.2	03.5	02.1	11.1	16.0	17.3	18.8	7.8	74	51	44	00 0	04 1	04 2	8	3 ∞²	5 ∞	8 ∞²	5.6		∞² ⊙ n, ∞ ⊙ a,p
M	01.6	01.0	00.2	10.2	14.9	13.7	16.7	6.7	74	56	58	1.5	2.3	2.3	7.8	5.5	5.8	5.5	87		

Juni VI

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde >	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	05.1	05.7	05.7	11.4	13.0	13.2	17.3	11.4	69	67	71	04 3	04 2	02 3	8	8 ∞	8 ∞	8 ∞	0.0		∞ ⚥° n, ∞ a, ∞ ⚥° p
2	05.9	04.9	03.9	11.3	11.3	11.8	13.2	10.9	88	94	97	02 3	02 3	02 2	6	8 ⚥°	8 ⚥	8 =	0.1		=° ⚥° n, =° ⚥ a, = ⚥ p
3	01.5	01.1	00.7	12.0	14.9	14.8	17.1	11.4	98	88	81	02 2	00 0	16 3	5	8 =	8 =	8 ∞²	19.1		= • R n, = • a, ∞² ⊙ p
4	94.7	88.9	**84.6**	11.9	14.4	13.2	17.0	9.7	85	89	97	04 3	05 3	17 3	4	7 =°	8 •²	8 •°	0.0		∞² =° n, • =° a, R •² • =° p
5	86.9	87.2	86.7	9.8	12.1	11.4	13.3	9.6	94	84	90	14 3	17 3	16 3	8	8 •	7 =°	8 ⚥	20.2		• =° n, • ⚥° =° ⊙° a, ⚥° =° ⊙° p
6	91.2	94.1	95.5	14.3	18.1	13.8	18.6	7.9	52	35	52	25 4	22 3	18 3	9	1	7 ∞°	8 =°	1.2		⚥ =° ⊙ n, ∞° ⊙ a, =° ∞° ⊙ p
7	95.3	96.6	97.6	13.6	17.5	18.3	19.7	8.6	67	56	51	18 4	15 4	20 2	8	5 =°	4 =°	7 ∞°			=° ⊙ n,a, ∞° =° ⊙ p
8	92.1	91.9	95.3	13.8	14.8	16.0	18.3	11.5	93	85	80	07 1	16 4	27 1	5	8 ≡°	7 =	6 =°	9.6		• ∞° n, •° =° =° = ⊙ a, = ⊙ p
9	02.9	03.3	04.1	13.1	17.6	18.3	19.1	**5.1**	49	38	34	00 0	22 3	25 3	9	2	4	1	0.0		=° ⊙ n,a, ⊙ p
10	06.9	06.0	04.3	15.5	18.4	19.2	20.7	5.7	47	38	33	02 2	00 2	02 2	9	2	3	4			⊙ n,a,p
11	02.5	02.5	04.4	13.6	15.2	12.4	19.2	11.0	62	81	89	03 2	28 2	01 2	8	8 ∞	8 R	8 ⚥°	0.2		∞ ⚥° n, ∞ ⊙° ⚥ a, ∞ ⚥ R ⊙ p
12	07.7	07.3	05.7	14.0	19.3	18.9	21.9	7.3	70	42	50	00 0	18 2	16 2	9	1	2	6	4.7		∞ ⊙ ⚥° n, ⊙ a,p
13	04.0	01.8	00.1	14.8	20.0	19.8	22.5	11.8	69	46	30	00 0	18 3	24 3	9	7 ∞°	2 ∞°	1	0.0		∞° ⊙° ⚥° n, ∞° ⊙ a,p
14	97.5	95.3	94.6	13.6	17.0	14.6	19.8	6.9	52	37	40	20 3	20 2	36 3	9	2	7 ∞°	7 ∞			⊙ n, ∞° ⊙ a, ∞ ⊙ ⚥° p
15	96.9	95.6	94.9	13.1	17.1	14.5	17.9	9.4	45	38	44	36 3	20 3	36 3	9	3	5	8 R	0.0		⊙ n,a, ∞° ⊙ ⚥° p
16	99.1	98.3	99.0	13.4	17.0	17.2	19.0	8.2	53	40	40	36 3	36 3	36 3	9	2	6 ∞°	3 ∞°	0.2		⊙ ⚥° n, ∞° ⊙ a,p
17	99.9	99.1	98.7	14.6	19.3	19.2	21.0	11.5	50	40	34	36 5	36 5	36 5	9	6	7 ∞°	7 ∞°			⊙ n, ∞° ⊙ a, ∞ ⊙ p
18	04.8	04.9	06.6	13.5	19.1	19.3	20.8	11.7	42	35	31	36 5	36 4	01 4	9	4	1 ∞°	1 ∞°			∞° ⊙ n,a,p
19	**11.9**	10.5	07.8	15.7	21.0	20.2	22.2	9.7	47	35	38	17 1	22 1	00 0	9	7 ∞°	3 ∞°	7 •°			∞° ⊙ n,a, •° ∞° ⊙ p
20	05.4	05.0	04.7	18.9	20.0	16.5	21.5	13.7	44	38	38	36 3	36 3	36 3	9	1 ∞°	2 ∞°	7	0.0		•° ∞° ⊙ n, ∞° ⊙ a,p
21	03.9	03.1	05.7	14.6	17.0	17.1	18.1	9.4	49	31	30	36 4	36 4	01 3	9	4	3	4			⊙ n,a,p
22	05.9	04.4	04.3	12.2	16.7	18.0	18.6	8.9	49	42	34	03 3	03 3	05 1	9	1 ∞°	1 ∞°	2 ∞°			⊙ n, ∞° ⊙ a,p
23	09.8	08.5	06.2	14.4	16.9	19.2	20.6	7.5	58	48	38	14 2	07 2	22 2	9	1 ∞°	6 ∞°	2 ∞°			∞² ⊙ n,a,p
24	05.5	03.2	00.5	15.7	21.7	24.2	24.5	7.6	61	34	**29**	18 1	18 2	22 1	8	7 =°	6 ∞°	4 ∞°			=° ∞° ⊙ n, ∞° ⊙ a,p
25	01.2	00.3	99.2	15.7	20.2	21.0	24.1	12.8	52	39	**33**	04 3	04 3	03 2	9	0 ∞°	1 ∞°	6 ∞°			∞° ⊙ n,a,p
26	01.4	01.4	01.4	15.7	19.2	19.1	21.0	12.7	53	42	42	04 3	04 3	06 3	9	1	3 ∞°	1 ∞°			∞° ⊙ n,a,p
27	05.0	04.5	04.5	17.4	23.3	18.5	23.9	9.2	60	41	62	00 0	16 2	02 2	8	0 ∞	4 ∞	3 ∞			∞ ∞° ⊙ n, ∞ ⊙ a, ∞ ⊙ ⚥ R p
28	09.3	07.8	05.5	19.0	24.6	25.0	**27.3**	11.9	61	43	37	00 0	18 2	00 0	9	2 ∞	3 ∞°	6 ∞°	0.4		∞ ⊙ n, ∞° ⊙ a,p
29	07.2	08.6	08.6	14.8	16.3	19.3	25.0	14.8	98	94	61	04 3	04 2	36 3	7	8 •	8 ⚥	5 ∞°	1.8		∞² • n, ∞² ⚥ a, ∞° ⊙ ⚥ p
30	11.1	10.5	11.0	19.2	21.0	15.1	21.5	13.0	55	50	94	04 3	06 2	36 1	8	1 ∞°	8 ∞	8 •	2.3		∞° ⊙ n,a, =° ∞ • p
M	02.4	01.7	01.4	14.4	17.8	17.3	20.2	10.0	62	52	53	2.4	2.7	2.4	8.2	4.1	5.0	5.4	60		

Ekstensotabell

1949

Oslo (Blindern)

$\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$

Juli VII

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	09.4	08.5	07.3	15.7	17.8	17.5	18.4	14.5	93	88	80	02 2	36 1	36 2	7	8 ⊙̇°	8 •	8 ∞	13.0		∞° =° • ⊙̇ n, ∞² • a, ∞ • ⊙̇ p
2	09.2	10.5	10.5	14.4	15.0	16.0	17.5	13.4	72	73	72	36 4	36 3	04 3	8	8 ∞°	8 ∞	7 ∞	2.1		∞° n, ∞ a, ∞ ⊙̇° p
3	10.9	09.7	08.3	19.0	22.7	25.5	25.5	12.5	54	47	39	02 2	16 2	18 2	9	2	1	2	0.0		⊙ a,p
4	08.8	07.2	05.5	17.9	22.8	18.7	25.5	12.2	77	48	63	00 0	16 3	16 3	7	2 ∞²	3 ∞²	4 ∞			∞² ⊙ n,a, ∞ ⊙ p
5	03.1	02.2	00.6	16.2	21.7	23.6	24.0	15.0	86	51	38	00 0	16 2	00 0	7	7 ∞²	5 ∞	2 ∞			∞² n, ∞ ⊙ a,p
6	02.3	03.0	03.0	19.2	22.7	23.3	24.2	16.4	58	52	44	04 3	04 3	36 3	8	6 ∞	6 ∞	6 ∞	0.0		∞ ∞² ⊙̇° n, ∞ ⊙ ⊙̇° a,p
7	06.0	05.0	04.4	20.0	25.2	19.4	27.1	16.3	62	44	82	04 3	36 2	02 2	8	6 ∞	5 ∞	7 ∞	0.0		∞ ⊙ n,a, ∞ ⊙ ⊙̇² R p
8	09.0	08.9	08.4	16.8	21.5	23.5	23.7	16.5	56	40	29	02 2	04 2	04 2	9	8 ∞	1 ∞°	1	16.9		∞ n, ∞° ⊙ a, ⊙ p
9	**12.1**	11.1	09.6	20.3	24.1	27.1	27.6	16.0	51	42	35	36 2	06 2	00 0	9	2	3	2			⊙ a,p
10	10.1	08.3	06.3	20.9	28.3	24.8	28.5	13.3	63	35	51	00 0	16 3	16 2	8	1 ∞	6 ∞	7 ∞°			∞ ⊙ n,a,p
11	06.9	06.2	04.5	22.2	27.0	25.8	28.4	13.9	48	38	39	36 4	36 2	18 1	9	3	6	7			⊙ n,a,p
12	02.3	00.2	97.2	21.6	26.0	22.9	27.2	16.5	46	35	51	00 0	16 2	00 0	9	1	5	8 ∞°			⊙ n,a, ∞° ⊙̇° ⊙ p
13	00.2	00.2	99.3	15.5	17.6	18.1	22.9	13.3	59	54	47	04 3	36 2	02 3	9	7 ∞°	7 ∞	7 ∞	0.0		∞° ⊙ ⊙̇° n,a, ∞ ⊙ ⊙̇ p
14	04.7	03.3	01.5	11.9	17.5	19.9	20.9	9.8	59	40	38	03 4	02 3	00 0	9	6 ∞°	2 ∞°	1	2.1		∞° ⊙ ⊙̇ n, ∞° ⊙ a, ⊙ p
15	02.2	00.4	99.0	16.6	22.2	22.1	23.8	**9.4**	47	38	36	04 2	16 2	18 3	9	1	3	3			⊙ n,a,p
16	00.9	99.5	97.5	16.2	21.5	22.5	24.1	13.1	50	43	42	04 2	10 3	18 2	8	5 ∞°	3 ∞	3			∞° ⊙ n, ∞ ∞° ⊙ a, ∞° ⊙ p
17	02.2	01.7	99.7	14.6	20.9	22.1	24.3	12.5	59	50	44	04 3	18 2	16 3	8	7 ∞°	3 ∞	1	1.0		∞° ⊙° ⊙̇ R n, ∞ ⊙ a,p
18	01.3	99.8	98.8	17.9	23.8	21.4	24.0	13.1	81	46	49	00 0	14 3	18 3	6	2 ∞²	7 ∞	3 ∞°			∞² ⊙ n, ∞ ⊙ a, ∞ ∞° ⊙ p
19	97.7	96.1	95.7	15.8	20.4	16.2	24.0	13.7	94	58	80	08 2	14 2	36 2	8	8 ⊙̇°	7 ∞	7 ∞°	0.6		= • n, ∞ ⊙ ⊙̇° a,p
20	99.9	01.9	03.5	11.5	12.0	14.2	16.2	11.4	90	81	73	36 3	36 4	36 2	6	8 •	8 •°	7 ∞	1.9		= • n, =° • a, ∞ =° •° • p
21	05.5	04.8	04.1	15.3	20.6	23.3	23.5	13.2	59	45	38	02 3	36 2	00 0	9	8 ∞	6 ∞°	2	0.4		∞ n, ∞° ⊙ a,p
22	06.7	06.1	05.1	18.2	24.9	26.7	27.1	11.0	58	30	**25**	00 0	04 2	16 1	9	1	5	2			⊙ n,a,p
23	06.5	05.1	03.6	22.0	27.1	26.0	**28.8**	12.5	40	32	32	02 1	16 2	18 2	9	4 ∞	4 ∞°	6			∞ ⊙ n, ∞° ∞ ⊙ a, ⊙ p
24	03.1	01.4	99.9	20.7	26.1	22.7	26.2	13.8	59	36	51	00 0	18 2	36 2	9	7 ∞°	7 ∞°	7 ∞°			∞° ⊙ n,a,p
25	00.9	01.3	00.5	18.7	23.4	23.3	25.9	12.7	50	31	28	27 4	20 3	18 2	9	2	2	6	0.1		⊙̇° ⊙ n, ⊙ a,p
26	02.3	01.4	00.1	13.7	18.4	17.7	23.3	13.0	61	52	59	01 3	06 2	18 2	9	7	7 ∞°	7 ∞	0.0		⊙̇° ⊙ n, ∞° ⊙ a, ∞ ∞° ⊙ p
27	00.4	99.7	97.7	17.3	20.5	20.8	24.0	13.7	72	54	50	18 1	08 2	16 2	8	5 =°	6 ∞	6 ∞°	0.1		⊙̇° ∞ ⊙ n, =° ∞ ⊙ a, ⊙̇° ⊙ p
28	91.5	89.6	**88.1**	14.5	15.3	15.2	20.8	13.5	97	90	93	16 3	09 2	00 0	8	8 •	8 =°	6 ⊙̇°	3.3		• ∞° ⊙° n, • • =° a, =° ⊙̇² ⊙ R p
29	89.7	89.3	88.8	15.7	20.7	19.6	21.7	10.4	67	39	42	18 1	14 2	09 2	9	3 ∞°	6(⊙̇)	4(⊙̇)	10.3		⊙̇° ∞° ⊙ n, ∞° ⊙ a, ⊙̇° ∞° ⊙ p
30	92.8	93.4	95.1	17.0	19.0	17.5	20.0	10.7	60	48	64	36 3	01 3	20 2	9	4	6(⊙̇)	5 ∞°	0.0		⊙̇° (⊙̇) ∞° ⊙ n,a, R ⊙̇° ∞° (⊙̇) ⊙ p
31	95.8	93.9	91.6	16.2	20.2	17.2	21.3	10.2	75	55	64	00 0	18 2	14 3	9	6 ∞°	6 ∞°	7 ∞°	2.2		R ⊙̇ ∞° ⊙ n, ∞° ⊙ a, ∞° ⊙ ∞ p
M	03.0	02.2	01.1	17.2	21.5	21.1	23.9	13.1	65	49	51	1.9	2.3	1.8	8.4	4.9	5.2	4.9	54		

August VIII

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	81.8	80.2	80.8	14.1	19.3	16.8	19.3	12.3	84	61	84	13 3	14 3	00 0	7	7 =°	7(R)	3 =°	14.2		•² ∞° =° ⊙° n, R ⊙̇ =° ⊙ a,p
2	83.2	81.7	76.4	16.1	17.3	14.4	17.3	9.2	63	59	86	03 3	01 3	03 3	9	3 ∞°	8 ∞°	8 •	3.0		∞° =° ⊙ n, ∞° ⊙ a, • ∞° ⊙° p
3	69.4	**69.0**	69.1	14.3	18.1	16.1	19.8	13.4	97	61	69	13 2	18 3	20 3	8	7 =°	6 ∞	2 ∞°	12.2		• ⊙̇° =° n, ⊙̇° =° ∞ ⊙ a, ⊙̇° ∞ ⊙ p
4	72.2	75.0	80.7	14.1	20.5	19.4	22.2	11.6	96	50	45	00 0	26 3	28 3	9	7 ⊙̇°	6 ∞°	6	1.1		⊙̇ ⊙̇° ∞° ⊙ n, ⊙̇° ∞° ⊙ a,p
5	93.1	95.2	97.0	17.5	21.5	20.4	**23.7**	10.9	46	**33**	40	32 3	23 1	18 3	9	1	1	1 ∞°	0.1		⊙° ⊙ n, ⊙ a, ∞° ⊙ p
6	01.6	02.0	00.4	15.0	17.9	18.0	20.4	9.1	64	65	70	00 0	17 2	18 3	8	7 ∞	7 =°	7 =°			∞ ∞ ⊙ n, ⊙̇ =° ∞ ⊙ a, ⊙̇° =° ⊙° p
7	99.6	00.0	99.9	16.7	19.5	18.1	21.3	15.4	77	41	60	26 2	19 3	17 3	9	7 ∞	6 ∞°	4 =°	0.5		⊙̇ =° ⊙ n, ∞° ∞ ⊙ a, =° ∞° ⊙ p
8	99.6	94.4	90.7	14.9	15.7	15.1	18.1	12.3	81	90	95	14 2	06 3	17 4	7	8 =°	8 =°	7 =°			= ⊙ n, • =° a, • ⊙̇ =° ⊙° p
9	95.3	98.0	98.9	16.4	20.1	17.7	22.3	13.3	62	43	61	18 4	19 4	15 3	9	1	4	4 ∞°	13.0		= ⊙ n, ⊙ a, ∞° ⊙ p
10	01.7	01.5	00.8	13.5	18.1	16.3	18.9	7.5	63	45	70	00 0	18 3	18 3	9	1 ∞°	3 ∞°	4(⊙̇)			∞° ⊙ n,a, ⊙̇° ⊙ ∞° ⊙ p
11	02.2	02.3	04.4	14.8	19.7	13.9	21.0	7.2	63	42	61	00 0	20 2	01 4	9	2 =°	4	7 R	0.0		=° (⊙̇) ∞ ⊙ n, =° ⊙ a, ⊙̇° ⊙ p
12	14.0	14.6	13.9	12.2	16.9	17.0	19.6	9.3	58	41	41	01 4	08 2	16 1	9	3	1 ∞°	6 ∞°	2.0		⊙̇ ⊙ n, ∞° ⊙ a,p
13	11.8	10.7	09.8	13.8	17.0	14.8	17.6	9.1	75	54	90	18 2	13 2	18 3	8	8 ∞	8 ∞	8 ⊙̇°			∞ n, ∞ ⊙̇° ⊙° a, = ⊙̇° p
14	05.5	04.1	03.5	14.4	18.1	17.0	21.7	13.4	89	69	40	16 2	20 1	24 3	8	8 ∞	7 ∞	3 ∞°	0.7		∞ ⊙̇° n, ∞ ⊙̇° ⊙ a, ∞° ⊙ p
15	04.7	04.5	01.7	13.0	17.6	15.4	18.4	8.0	60	44	47	20 2	20 3	20 3	9	7 ∞°	4 ∞°	8 ∞	0.0		∞° ⊙° n,a, ∞ ⊙ p
16	95.3	95.7	97.5	11.2	14.2	12.6	15.4	9.7	80	56	59	04 1	36 3	36 3	8	7 ∞	7 ∞	7 ∞	7.3		∞ • n, ∞ ⊙ a,p
17	99.7	98.8	97.3	11.2	15.4	13.6	15.9	**4.9**	54	39	35	22 2	26 3	36 3	9	2	3 ∞°	5 ∞°	0.8		∞° ⊙ n,a, ∞ ⊙ p
18	01.9	02.5	03.5	10.7	14.5	13.8	16.6	5.8	52	37	37	36 3	36 4	36 2	9	1	6 ∞°	2	0.2		⊙ ⊙̇ n, ∞° ⊙ a, ⊙ p
19	07.5	07.1	07.1	12.9	16.5	16.1	18.7	5.9	55	40	37	05 1	18 1	18 1	9	1	3 ∞°	2			⊙ n, ∞° ⊙ a,p
20	09.4	08.9	07.0	10.5	14.5	16.3	17.4	5.4	72	63	65	00 0	00 0	16 1	8	5 =°	7 ⊙̇°	7 ⊙̇°			=° ⊙ n, ⊙̇° =° ∞° ⊙ a, ⊙̇° =° ⊙ p
21	07.3	06.5	05.6	12.3	19.4	19.1	22.2	9.0	96	50	56	00 0	18 1	19 1	9	8 =°	2 ∞°	1 ∞	0.1		≡² •° =° ⊙̇ ⊙ ⊙ n, ∞° =° ⊙ a,∞ ⊙ p
22	04.6	22.7	01.2	03.1	20.0	19.7	23.2	10.3	97	63	66	00 0	18 2	16 1	8	8 =²	6 =°	3 =°			≡° ∞ ⊙ n, =² =° ⊙ a, ⊙̇° =° ⊙ p
23	06.6	06.5	06.7	14.7	19.3	19.0	20.9	12.2	59	44	48	05 2	24 1	16 2	9	8	7 ∞°	7 ∞°	0.0		=° ⊙ n, ∞° ⊙ a,p
24	11.7	12.5	12.9	14.6	20.2	19.6	23.2	8.2	65	50	47	00 0	18 2	20 2	8	6 =°	1 =°	0 =°			=° ∞° n, =° ⊙ a,p
25	**17.7**	17.3	16.2	13.0	20.3	19.9	23.1	9.5	97	52	51	00 0	20 2	00 0	7	7 =°	0 =°	1 =°			≡² =° ⊙ n, =° ⊙ a, =° ⊙ p
26	16.3	14.9	13.5	16.5	22.4	20.0	22.8	10.4	73	51	46	00 0	18 2	14 2	8	4 =°	7 =°	7 ∞°			=° ⊙ n,a, =° ⊙ ⊙° p
27	11.7	10.7	10.7	16.8	20.4	17.0	20.9	12.9	74	59	86	04 1	08 2	16 1	7	7 =°	8 ∞²	8 ⊙̇°			=° ⊙° n, ∞² =° ⊙° a, =° ⊙̇ p
28	10.7	11.0	10.0	15.1	17.0	17.1	19.5	14.6	94	85	82	02 2	04 2	02 2	7	8 •	8 ∞²	8 ∞²	12.2		=° • n, ∞² =° • a, ∞² ⊙° p
29	09.5	08.5	06.9	14.7	20.7	19.8	22.5	13.3	94	60	66	00 0	20 1	16 2	8	6 ∞²	5 ∞	6 ∞	0.5		∞² n, ∞ ⊙ a,p
30	06.6	06.1	05.8	15.4	19.9	16.2	19.9	13.6	94	71	82	02 1	16 2	18 2	6	8 =°	7 =°	8 =°			=° n,a,p
31	05.2	05.3	05.3	15.3	19.4	17.5	20.3	14.5	89	69	77	18 2	16 2	18 2	7	8 =°	6 ∞²	8 ∞²			=° n, =° ∞² ⊙ a, ∞² ⊙ p
M	02.7	01.6	01.1	14.2	18.4	17.0	20.1	10.4	75	54	61	1.4	2.2	2.2	8.2	5.5	5.3	5.1	68		

Ekstensotabell

1949

Oslo (Blindern)

$\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$

September IX

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	06.5	06.6	05.7	14.6	16.7	16.4	18.5	14.1	94	75	74	00 0	36 1	04 2	7	8 =	8 ∞²	1 ∞²			= n, ∞² ⊙° a, ∞² ⊙ p
2	05.3	05.3	04.2	15.7	17.7	17.0	19.7	12.9	82	74	75	04 3	02 2	04 2	7	4 ∞²	8 ∞²	8 =°			∞² ⊙° n, ∞² ⊙ a, = ∞² ⊙° p
3	03.4	03.5	02.8	15.2	15.0	15.9	17.0	14.6	92	97	97	06 2	07 3	00 0	5	8 •	8 •°	7 =°	1.0		• =° = n, •² • = a, • = =° p
4	06.3	08.1	09.8	15.4	16.3	18.1	20.4	14.4	97	96	81	18 2	00 0	00 0	6	8 =	7 =°	2 =°	17.1		•° = =° n, •² = ⊙ =° a, =° ⊙ p
5	15.1	15.4	13.7	12.5	16.0	16.5	18.1	12.1	96	81	66	02 1	16 1	16 1	8	7 =°	7 =°	7 =°	5.2		•° =° ⊙ n, =° a, =° ⊙ p
6	10.8	08.7	06.8	14.7	20.3	17.0	20.6	10.8	84	66	97	04 1	20 3	16 2	7	2 =°	3 =°	8 ⊙°			=° ⊙ n,a, ⊙ = =° ⊙ p
7	06.6	06.0	05.9	14.9	19.1	16.3	19.1	14.6	78	49	70	20 1	18 2	17 3	8	6 =°	7 =°	3 =°	3.9		⊙° ≡ = =° ⊙ n, =° ⊙ a,p
8	06.7	04.7	04.0	12.9	18.4	15.7	18.5	9.2	92	53	82	16 1	18 4	18 4	8	5 =°	3 ∞	8 =°	0.1		⌓ =° •° ≡ ⊙ n, ∞ ⌓ = ⊙ a,=° ∞ ⊙ p
9	03.0	04.3	05.3	16.1	20.1	15.8	20.6	15.0	90	64	80	18 2	18 3	16 3	8	7 =°	4 ≤°	8 =°	0.7		⊙ = =° n, (⊙) =° ⊙ a, =° ⊙ p
10	05.0	05.6	06.5	15.9	16.2	15.8	17.7	12.9	93	97	92	17 3	17 3	18 3	6	8 •	8 =°	4 =°	0.7		• =° n,a, •° =° ⊙ p
11	10.1	10.9	12.3	14.5	17.7	15.3	18.0	14.1	94	74	71	00 0	00 0	01 4	8	7 =°	7 =°	7 =°	4.0		⌓ =° (⊙) n, ⊙ = ⌓ ⊙ a,⊙ ⌒ =° ⊙ p
12	18.0	18.3	18.3	13.3	16.5	12.8	17.0	11.3	63	47	60	01 3	04 3	36 1	9	3	3 ∞°	1 ∞°	0.4		=° ⊙ n, ∞° ⊙ a,p
13	**20.7**	20.2	19.0	9.5	16.3	13.1	17.1	5.8	80	47	60	00 0	08 2	36 1	9	1 =°	0 ∞°	0 ∞°			⌓ =° ∞° ⊙ n,a, ∞° ⊙ p
14	17.5	14.7	10.4	11.3	15.3	16.3	18.7	8.8	86	71	72	03 3	03 3	36 2	8	6 =°	7 ≤°	8 =°			=° (⊙) n, ⊙ =° (⊙) a, =° ⊙ p
15	04.2	03.0	02.8	13.4	14.7	15.5	17.0	13.2	96	96	93	05 3	01 2	05 1	6	8 •°	8 =°	8 =°	0.9		• =° n, •° =° • a, • =° p
16	02.6	03.5	02.9	13.9	15.4	15.7	16.9	13.6	94	93	90	03 3	05 2	03 2	7	8 •	8 =°	8 •°	4.6		• =° n,a, • •° =° p
17	03.1	04.2	04.2	14.2	17.6	16.0	17.9	14.1	97	74	89	02 2	05 2	34 2	6	8 =	7 =°	8 ∞²	11.4		= • ⊙ n, =° ⊙° ⊙° a, ∞² =° ⊙ ⊙° p
18	06.7	07.6	07.9	14.0	15.7	14.7	16.0	13.8	97	89	96	00 0	02 1	00 0	7	8 =°	8 ∞²	8 =°	6.5		=° ⊙ n, ∞² =° ⊙° a, = ∞² ⊙ p
19	07.4	07.1	07.1	12.3	15.0	15.2	15.9	11.1	94	81	80	36 3	36 3	02 4	7	7 ∞²	8 ∞²	8 =°	0.7		∞² ⊙ n, ∞² a, =° ∞² ⊙° p
20	09.1	09.7	10.2	13.8	15.5	14.2	15.8	13.4	90	84	85	02 3	02 3	36 2	7	8 =°	8 ∞²	6 ∞²	0.5		=° ⊙° n, ∞² =° ⊙ ⊙° a, ∞² ⊙ p
21	11.3	11.9	12.4	12.7	15.9	13.9	17.5	11.5	94	69	77	00 0	02 2	00 0	8	8 ∞²	8 ∞	4 ∞	0.1		∞² n, ∞ a, ∞ ⊙ p
22	16.8	18.2	18.6	11.6	13.9	13.3	14.1	9.4	90	84	90	00 0	00 0	02 1	7	8 ∞²	8 ∞²	8 =°			∞² n,a, =° ⊙° p
23	19.2	18.2	16.4	12.8	15.3	12.2	17.4	10.3	81	54	80	00 0	16 2	00 0	9	4 ∞	2 ∞°	7 ∞	0.0		∞ ⊙ n, ∞° ⊙ a, ∞ ⊙ p
24	13.7	13.0	12.2	11.1	13.3	13.1	13.7	9.4	82	84	90	04 1	03 2	02 2	8	8 =°	8 =°	8 =°	0.0		•° ∞ =° n, =° •° a,p
25	10.9	10.3	08.4	11.6	13.4	13.7	13.7	10.9	96	85	97	01 1	00 0	00 0	7	7 =°	8 •°	8 =°	0.1		=° ≡° n, =° = •° a, • =° p
26	08.5	09.3	08.7	12.9	14.2	13.4	15.4	12.8	98	94	96	00 0	22 1	00 0	5	8 ≡°	8 =	3 =²	10.0		≡° =° n, ≡° = a, = =² ⊙ p
27	10.0	10.5	09.8	8.6	15.9	14.7	17.4	8.2	97	67	61	00 0	00 0	27 2	7	2 =²	7 =°	6 =°			⌓ ≡ =² n, ⌓² =² =° ⊙ a, =° ⊙ p
28	08.6	08.9	09.9	11.8	18.5	14.4	**20.9**	7.9	89	49	70	00 0	22 2	00 0	9	7 =	6	2			⌓ = =² ⊙ n, = ⊙ ⌓ a, ⊙ ⊙° p
29	09.1	05.6	**99.4**	9.2	15.5	15.3	18.2	7.2	96	74	67	00 0	22 1	18 4	7	6 =²	1 =°	6 =°			⌓ =² ⊙ n, =² ⌓ ≡ ⊙ a, =° ⊙ p
30	03.3	03.7	00.6	9.3	14.5	9.0	15.3	**4.0**	62	**38**	60	00 0	27 4	20 1	9	1 ∞°	1	6			∞° =° ⊙ n, ∞° ⊙ a, ⊙ p
M	09.3	09.2	08.5	13.0	16.2	14.9	17.5	11.4	89	74	80	1.3	1.9	1.6	7.3	6.2	6.1	5.9	68		

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	92.9	94.7	97.5	10.1	14.1	8.8	14.4	6.9	75	39	55	20 2	24 4	26 2	9	7 ∞°	7 ∞	1 ∞			∞° ⊙° n,a, ∞ ⊙ p
2	97.5	93.9	87.3	5.8	15.6	13.7	15.7	4.9	90	63	81	00 0	18 4	18 4	8	7 ∞°	7 ⌓	7 ∞²			∞ ⌓° n, ∞ ⊙ a, ∞ ⊙ ⊙° p
3	79.5	85.8	97.1	12.4	15.9	11.0	**16.3**	10.9	44	36	**35**	23 5	36 4	24 2	9	0	1 ∞°	0 ∞°	0.0		∞ ⊙ n, ∞° ⊙ a,p
4	12.9	12.9	10.8	4.8	10.9	7.2	11.0	2.3	77	49	73	05 1	18 1	18 2	8	8 ∞	7 ∞	3 ∞			∞ n, ∞ ⊙ a,p
5	96.5	93.4	00.6	7.8	14.7	8.8	**16.3**	4.6	98	59	38	25 1	18 2	36 2	8	7 ∞	8 ∞	1 ∞			∞ ⌓ n, ∞ ⊙ a,p
6	09.3	10.3	12.3	2.3	9.2	5.1	9.8	0.4	81	58	77	02 1	20 1	02 2	8	5 ∞°	8 ∞	1 ∞°			∞° ⌣° ⊙ n, ∞ ⊙ a,p
7	14.9	12.9	10.1	1.4	9.2	8.1	10.8	- 0.4	80	65	74	00 0	20 2	18 2	7	5 ∞²	2 ∞²	2 ∞²			∞² ⌣ ⊙ n, ∞² ⊙ a, ∞ ⊙ p, ⌓ 19
8	06.1	04.7	05.4	5.8	8.6	8.5	9.7	3.3	97	82	85	02 1	00 0	04 2	6	8 •	7 =°	7 =°	1.2		= • ⌓° n, • = ⊙ a, =° ⊙ p
9	13.7	15.5	17.0	5.2	5.5	5.3	8.6	4.7	63	54	61	02 2	03 2	01 2	8	8 =°	7 ≤°	8 ∞°	1.2		•° =° n, =° a, =° ∞° p
10	20.5	20.9	20.0	5.2	7.8	3.3	9.3	3.3	75	64	90	14 1	18 1	00 0	9	8 =°	7 ∞°	0 =°			=° ∞° n, ∞° =° ⊙ a, =° ⊙ ⊙° p
11	16.9	15.9	13.2	3.0	8.5	7.3	8.9	0.4	97	67	70	00 0	00 0	02 1	6	7 =°	7 =°	8 =°			⌓ = (≡) n, ⌓ =° (≡) ⊙ a, =° p
12	07.8	06.7	07.6	7.4	8.8	8.5	8.8	6.3	94	97	96	03 2	04 2	02 2	4	8 •	8 •	8 =°	0.4		• = =° n, • =² a,p
13	09.2	08.4	06.2	8.2	10.1	11.9	13.4	6.6	98	96	94	00 0	27 1	36 1	4	8 ≡°	8 =²	6 =°	8.1		,° ≡° =° n, ≡° =² a,p
14	07.0	07.9	07.9	8.0	13.3	9.8	13.3	7.8	97	64	88	27 2	18 2	02 1	9	7 =°	7 ∞°	3(=)			⌓² =° n, =° ⌓² ∞° a, (=) ∞° ⊙ p
15	04.3	03.0	02.0	8.8	13.9	12.1	14.1	6.9	97	77	96	00 0	18 3	18 2	7	8 ≡°	8 ∞²	8 =²	0.3		≡ ⊙ n, ≡° ⊙ a, ∞² =² ⊙° p
16	00.5	00.4	00.7	12.2	16.0	13.0	**16.3**	11.6	98	67	94	23 2	18 3	18 3	7	8 =	1 ∞²	8 =	0.8		= ≡ • •° n, ∞² (≡) ⊙ a, = ∞² ⊙ p
17	95.9	94.5	93.0	13.8	13.5	13.2	14.0	11.9	96	96	97	18 3	18 2	18 2	4	8 •	8 •	8 ⊙	2.8		=² (≡) • n, =² • ⊙² R a,=² ⊙ p
18	92.2	92.4	86.2	10.5	12.1	11.0	13.3	10.5	90	77	88	18 3	18 3	18 5	8	8 ⊙°	7 ∞	8 •	26.7		∞² • n, ∞ ⊙ a, = ∞ • ⊙° p
19	79.8	79.4	81.8	10.4	9.0	8.4	12.1	8.4	85	90	80	18 3	16 3	16 3	7	7 =°	7 ∞²	0 ∞	13.2		= • n, ∞² =° ⊙° ⊙° a, ∞ ⊙ ⊙ p
20	85.2	85.8	86.5	8.3	11.7	8.8	11.9	7.7	77	61	89	18 2	18 3	16 3	8	7 ∞°	7 ∞	6 ∞	2.0		∞ ⊙° n,a, ∞ ⊙ p
21	87.0	83.1	81.6	8.2	7.6	9.2	9.9	4.4	98	96	97	16 3	02 2	18 1	5	8 =²	8 •	7 =°	3.4		=² ≡° ⊙ n, = (≡) • a, = =° • p
22	87.8	89.7	91.3	2.8	10.5	7.2	11.1	2.3	96	63	74	27 1	20 2	22 3	8	2 =	2 =°	1	12.5		=° ⌓² ⌣° ⊙ n, ⌣° =° ⊙ a, =° ⊙ p
23	87.2	85.6	87.8	5.9	7.4	3.8	7.9	3.6	96	88	93	36 2	30 2	28 1	8	8 •°	7 =°	1	8.1		• =° n, =° •° a, =° ⊙ p
24	76.5	**70.5**	76.9	3.8	3.0	4.6	4.6	1.9	92	90	74	04 4	02 5	36 4	8	8 •	7 ⊙°	8 ⊙°	3.8		=² • ⌓ n, •² =° ⊙° a, =° ⊙° p
25	92.9	96.3	97.3	- 0.2	8.0	1.9	8.7	- 0.5	84	46	77	00 0	22 1	00 0	8	1 =°	1 ∞°	1(=)	19.4		⊙° =° ⌣ ⊙ n, =° ∞° ⌣ ⊙ a, ∞° ⊙ p
26	82.5	78.7	77.1	1.5	2.3	1.9	3.6	0.3	94	93	88	03 5	02 5	01 5	7	8 ⁑	8 •°	8 ⁑	6.5		⁑ • (=) n, ⁑ • =° a, • ⁑ =° p
27	84.6	92.4	02.4	2.0	3.7	2.0	4.2	0.6	77	60	53	36 4	36 4	35 3	8	8 *°	7 =°	0	12.8		⁑ * n, ⁑° *° =° ⊙ a, =° ⌓ ⊙ p
28	13.1	14.6	16.4	- 5.1	2.5	- 1.7	4.5	- 5.2	89	61	84	00 0	18 1	00 0	8	0 =°	1 =°	1 ∞	0.0		⌓ ⊙ n, =° ⊙ a, ∞ (=) =° ⊙ p
29	20.4	21.5	22.0	- 4.8	0.9	- 1.8	1.7	- **5.7**	92	65	81	02 2	08 1	00 0	6	2 ∞	5 =°	4 ∞²			∞ ⊙ n, =° ∞ (≡) ⊙ a, ∞² =° ⊙ p
30	**23.3**	**23.3**	23.0	- 4.0	1.7	- 1.2	2.2	- 4.2	93	75	92	00 0	00 0	00 0	5	5 ∞²	4 =	7 =°			∞² n, = ∞² ⊙ a, =° = ⊙ p
31	21.8	21.4	20.6	- 0.7	1.2	1.7	1.9	- 1.4	97	98	96	00 0	00 0	02 1	2	7 =	8 ≡	8 =²			= n, ≡ = a, =² (≡) ≡ p
M	00.6	00.5	01.3	5.2	8.9	6.8	9.9	3.7	88	71	80	1.7	2.1	2.0	7.0	6.3	6.0	4.5	123		

Ekstensotabell

1949

Oslo (Blindern)

$\varphi = 59°56'$ N $\lambda = 10°44'$ E $g = 9.819$ $\Delta G = +1^h$

November XI

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	19.6	18.8	17.7	- 0.7	2.9	0.2	3.6	- 0.9	98	88	97	00 0	00 0	00 0	5	7 =°	7 =	1 =°	0.0		=° (≡) ,° n, =° (≡) ⊙° a,p, ◠° 19
2	14.2	12.6	10.2	- 0.4	0.4	1.5	1.5	- 1.2	00	00	00	00 0	00 0	00 0	2	8 ,°	8 ≡	8 ≡²	0.0		≡ ,° ◠° n, ≡ ,° a, ≡² p
3	06.6	06.5	04.7	3.8	6.8	7.2	7.5	1.4	00	97	94	00 0	00 0	18 2	6	8 =	8 =°	8 =°	0.4		≡² ,° n, =° = a, =° p
4	98.1	00.8	00.6	8.3	9.6	8.6	10.4	6.8	85	58	69	18 2	18 3	18 3	8	2 ∞	7 ∞	8 ∞²	0.2		∞ =° n, ∞ ⊙ a, ∞² ∞ ⊙° p
5	94.3	94.2	93.3	11.2	9.1	7.7	**11.7**	7.5	85	86	66	17 4	17 5	16 4	7	8 =°	8 =°	7 =°			∞² =° n, • =° a, =° ⊙° p
6	89.7	86.3	81.5	4.1	3.6	4.6	7.9	3.2	77	88	90	07 3	04 3	07 3	6	8 •°	8 •°	8 •°	0.1		•° =° n,a,p
7	**80.2**	82.8	85.3	4.9	6.7	5.2	7.2	2.4	90	86	89	04 2	14 3	03 1	7	8 •°	7 =°	7 =°	3.2		•° =° n, •° =° ⊙ a, ⚥° =° ⊙ p
8	81.5	85.3	90.1	3.2	3.9	4.3	5.2	2.3	96	97	94	00 0	28 1	09 2	7	8 •°	7 ⚥°	8 •°	1.8		• =° n, ⚥° • =° a, ⚥° =² •° p
9	98.3	98.4	98.2	4.5	4.8	3.9	4.9	3.8	96	93	90	05 1	36 1	07 1	5	8 =²	7 =	8 =°	4.5		•° ⚥ =² n, = =² a, =° = p
10	94.2	93.4	94.2	1.7	2.0	1.0	3.9	0.9	93	86	89	00 0	08 2	03 1	6	8 =	8 =°	8 =°			=² = n, =° = a, =°. p
11	94.1	95.2	94.8	1.4	2.3	1.9	2.4	0.7	85	81	85	00 0	01 1	02 1	7	8 =°	8 =°	8 =°	0.0		,° =° n, =° a,p
12	87.8	86.8	86.4	0.0	0.8	0.5	1.9	- 0.2	78	77	78	00 0	00 0	32 1	7	8 ∞²	8 ∞²	8 =°			∞² n, ∞² ⚥° a, =° ∞² p
13	86.6	87.8	89.6	0.6	1.2	2.5	2.6	0.4	85	92	88	36 2	36 3	36 3	6	8 *	8 =°	8 ⚥°	0.2		=² * n, =° =² * a, = ⚥° p
14	96.1	99.9	04.0	2.4	2.6	- 0.4	3.0	- 1.0	80	73	88	02 2	02 2	00 0	8	8 ∞²	7 ∞	0 ∞	6.2		∞² ⚥° n, ∞ a, ∞ ⊙ p
15	13.3	16.6	20.3	- 2.0	1.6	- 1.3	1.9	- 2.3	90	74	92	00 0	00 0	00 0	5	1 ∞²	4 =	0 ∞²			∞ ⌣ n, = ∞² ⊙ ⌣ a, ∞² ⊙° p
16	**24.4**	24.0	20.4	- 1.5	- 0.3	0.8	0.8	- 3.6	94	85	88	07 2	02 2	36 4	8	8 ⚥°	8 ∞	8 *°	0.0		=° ⌣ n, ∞ ⚥° ⌣ a, = ∞ *° p
17	10.4	06.6	04.6	2.2	2.3	2.3	2.8	- 1.5	94	94	97	04 4	04 4	36 3	6	8 •.	8 •	8 •	3.7		= • n, =° • a,p
18	05.3	06.3	06.5	4.7	5.8	4.6	5.8	2.1	93	93	93	07 2	04 2	04 2	5	8 ∞²	8 ⚥	8 ⚥	10.8		=° • n, = ∞² ⚥ a, = ⚥ p
19	08.9	09.2	10.3	3.0	2.9	2.2	4.7	2.1	85	88	82	06 3	05 3	04 3	8	8 •°	8 =°	8 ⚥°	1.4		⚥ •° =° n, •° =° a, ⚥° =° p
20	11.1	09.7	07.4	1.9	2.4	3.3	3.4	1.6	85	88	96	02 3	02 3	02 2	7	8 ⚥°	8 =°	8 ,	0.1		⚥° =° n, ⚥° •° =° a
21	01.7	00.2	98.6	6.6	6.4	6.5	6.7	3.2	93	94	98	09 3	10 2	08 2	6	8 =°	8 •	8 •°	0.7		, •° =° n, • =° a,p
22	98.7	98.1	97.8	6.8	6.8	6.6	7.1	6.2	88	86	97	07 2	08 2	05 1	7	8 =°	8 =°	8 ,	10.3		•° =° n,a, •° , =° p
23	98.5	98.2	97.7	6.5	6.8	5.6	7.2	5.5	94	86	92	09 3	05 4	04 4	8	8 •°	8 •°	8 •	4.7		• , =° n, •° =° a, •² •° =° p
24	01.9	02.7	03.2	3.0	3.7	3.8	5.6	2.8	93	92	90	02 4	01 3	01 3	7	8 •°	8 •	8	22.2		•² • =° n, •° • =° a, • =° p
25	01.7	01.4	00.9	1.9	1.5	0.8	3.8	0.7	72	72	71	01 3	01 2	03 2	8	8 ⚥°	8 =°	8 =°	3.1		⚥° =° n,a,p
26	00.7	00.2	99.2	0.4	0.6	0.4	0.9	0.2	77	78	84	02 1	00 0	00 0	6	8 ∞	8 =°	8 =°	0.0		∞ =° n,a, =° p
27	97.1	97.8	98.3	0.1	1.1	0.3	1.1	- 0.1	81	73	63	36 3	02 4	02 4	8	7 ∞	8 ∞	8 =°			∞² =° n, ∞ a, =° ∞ p
28	99.3	99.5	99.5	- 2.5	- 2.3	- 4.8	0.3	- 4.8	66	**56**	**56**	02 1	36 4	36 3	8	4 ∞	7 ⚥°	1 ∞			∞ n, ∞ ⊙° a, ∞ ⊙ p
29	96.7	93.7	89.5	- 7.3	- 5.1	- 4.4	- 3.7	- **7.7**	74	93	97	05 2	18 2	02 2	5	7 ∞	8 *	8 *	5.1		∞ n, = * ⊙° a, = * p
30	93.4	94.9	94.0	- 2.6	- 1.0	- 1.0	- 1.0	- 4.4	92	92	00	04 2	00 0	18 1	6	8 ∞²	8 =°	8 *°	0.1	5	∞² = ⚥° n, =° a, =² =° *° p
M	00.2	00.3	00.0	2.2	3.0	2.5	4.0	0.9	87	85	87	1.8	2.0	1.9	6.5	7.3	7.6	6.9	79	0	

Desember XII

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	86.6	85.8	81.9	2.4	4.6	**5.3**	**5.3**	- 1.0	00	90	88	00 0	20 3	18 2	6	8 =	8 =°	8 =°	0.8	2	= ⚥° ,° ⚥° n, =° = ⊙° a, =° ⊙° p
2	80.1	81.5	82.3	- 0.3	2.5	- 1.6	**5.3**	- 3.1	98	**55**	72	00 0	20 2	00 0	8	2 =°	1 ∞	0 ∞			=° (≡) n, ∞ ⊙ ≡ a, ∞ ⊙ p
3	71.9	62.3	**60.0**	- 1.4	0.5	0.7	1.2	- 4.5	94	98	98	04 1	13 2	00 0	3	8 *	8 *²	8 ,°	0.5	1	* ∞ n, *² ⚥ * a, = *² ⚥ p
4	60.5	61.2	63.8	- 1.3	- 0.8	- 2.1	0.7	- 3.7	90	90	97	36 1	00 0	01 1	5	1 ∞	2 =	8 =²	10.1	3	,° = ∞ n, = ∞ ⊙ a, =² = ⊙ p
5	68.7	70.4	72.4	- 4.0	- 3.8	- 4.0	- 2.1	- 5.6	98	97	98	00 0	00 0	00 0	3	8 ≡²	6 ≡°	8 =		3	=² ≡ ≡² ∨ n, =² ≡° ∨ ⊙°a,=°⊙ = p
6	78.4	81.3	85.2	- 7.9	- 5.3	- 8.5	- 4.0	- 9.0	94	93	92	00 0	00 0	00 0	3	8 ≡°	0 =°	0 =²		3	≡² =° ∨ n, =° ∨ ⊙ a, =° =² ⊙ p
7	88.6	86.7	77.3	-11.8	- 8.0	- 2.9	- 2.9	**-12.5**	90	93	89	00 0	00 0	01 3	3	4 =²	8 ≡°	8 *		3	≡° =² =° n, =² ≡° a, ≡° =² * p
8	67.2	65.7	68.8	0.0	1.4	- 1.5	1.5	- 3.0	97	94	94	00 0	00 0	25 1	5	4 =°	8 =	0(≡)	4.9	4	* , • =° n, ⚥° =° = ⊙ a, = (≡) p
9	80.2	84.6	89.4	- 6.8	- 6.1	- 6.3	- 1.4	- 7.8	94	94	97	00 0	00 0	00 0	3	3(≡)	0 ≡°	8 ≡²	0.0	4	≡ (≡) (=) n, (≡) ≡° ⊙° a, =° =² p
10	00.2	03.9	06.9	- 8.4	- 3.4	- 2.0	- 1.0	-10.4	94	94	62	00 0	36 3	36 3	7	1 ∞²	2 ∞²	0 ∞²		4	∞² (≡) =² ∨² n, ∞² ⊙ (≡) a, ∞°⊙ p
11	13.4	14.0	14.3	- 4.8	- 2.4	- 4.0	- 2.3	- 5.5	63	63	64	36 3	36 3	36 4	8	2 ∞²	1 ∞	0 ∞		4	∞² n, ∞ ⊙ a,p
12	12.0	10.1	05.9	- 9.9	- 7.8	- 7.3	- 3.9	-11.7	81	80	85	04 1	00 0	00 0	6	8 ∞²	8 =°	8 =°		4	∞² n, =° ∞² ⊙ a, =° (≡) p
13	90.5	93.0	95.0	2.9	2.4	- 1.6	3.1	- 7.8	00	88	90	00 0	14 2	00 0	7	8 •	5 ∞²	8 ∞²	17.0	7	=² ≡ * ⚥ • n, ∞² (≡) ⊙° a,p
14	89.1	88.5	86.4	- 0.4	0.2	1.4	1.9	- 2.0	98	98	00	00 0	00 0	22 2	1	8 ≡°	8 ≡²	8 =²	4.5	9	≡° ∞² * n, ≡² ⚥ • a, =² ⚥ ≡² p
15	86.4	84.4	82.0	1.6	2.6	2.1	2.7	0.3	97	96	94	09 2	18 4	18 3	4	8 •	8 •°	8 •	6.1	4	= • (≡) n, =² • △ • a, =² •(≡) p
16	79.4	80.7	79.7	0.0	0.4	- 0.7	2.4	- 2.1	00	90	96	20 1	00 0	00 0	7	8 =²	3 ∞	8 =°	13.0	4	=² ⚥ (≡) n, ∞ =² (≡) ⊙ a,=° ∞ ⊙ p
17	69.1	66.5	65.8	2.4	2.3	2.5	5.0	- 1.0	92	94	90	00 0	00 0	05 2	4	3 =°	7 =²	8 =°	3.0	3	= ⚥ • n, =° =² ⊙° a, =° ⚥ p
18	70.9	73.3	76.4	2.2	1.6	0.5	2.7	0.0	78	77	80	36 2	36 4	36 1	8	8	7 =°	2	2.0	3	=° n,a, =° ⊙° p
19	76.3	72.6	68.8	- 5.3	- 2.1	0.1	0.8	- 5.7	88	85	93	01 2	36 3	16 2	7	6 =°	8 =°	8 =°		3	=° n,a, * =° p
20	73.7	74.9	81.2	- 0.2	3.4	3.4	4.7	- 1.5	96	94	92	01 2	20 1	27 1	6	8 •	3 =°	6 =°	4.6	8	* ⚥ • =° n, • =° a, • =° ⊙ p
21	01.0	02.7	02.1	- 3.6	- 0.6	1.3	3.9	- 4.7	92	90	98	30 1	00 0	18 1	5	1 =°	4(≡)	8 =°	1.5	4	=° (=) n, =° (≡) ⊙° a,△ • ⚥(≡)⊙ p
22	04.7	06.3	09.7	- 1.0	- 1.9	- 3.6	1.3	- 3.6	00	98	98	00 0	00 0	36 1	2	8 ≡°	8 ≡	8 ≡°	1.0	4	≡° ≡ =° n, ≡° ≡ a, ≡ =° △° p
23	18.5	**20.2**	19.1	- 9.3	- 7.7	- 8.9	- 3.6	- 9.5	94	94	94	00 0	00 0	36 1	3	0(=)	0 ≡°	8 =²	0.0	4	∨ ≡ ≡° n, (≡) ≡° ⊙ a, ≡° =² ⊙ p
24	08.7	07.5	06.4	- 2.5	- 2.3	- 3.6	- 2.1	- 8.9	98	98	98	00 0	00 0	00 0	2	8 ≡	8 ≡	8 ≡°	1.0	5	* ≡° =² ≡ n, ≡ ≡² a, ≡ ≡° p
25	00.8	95.5	87.1	- 7.5	- 4.3	- 0.4	- 0.1	- 9.2	94	93	97	00 0	03 1	00 0	6	7 =°	8 =°	8 ,		5	=° ≡° n, (≡) * = ⚥ a, =° , ⚥ p
26	67.5	67.4	74.6	4.8	2.9	4.6	4.9	- 1.0	98	98	54	17 1	00 0	28 3	0	8 •	8 =²	4	10.6	4	, • ≡° n, =² ≡° • a, ≡² p
27	78.0	75.3	82.9	- 0.2	1.9	- 0.2	4.6	- 2.1	88	94	98	03 2	00 0	00 0	3	8 △	7 ≡°	0 ≡	0.3	5	* △ n, △ ⚥ •° =° a, ≡° = ≡ p
28	97.4	99.2	02.0	- 3.0	- 0.7	- 0.2	1.9	- 4.8	89	85	89	00 0	36 1	02 1	6	7 ∞	2 =°	7 =°	1.0	5	∞ ≡ n, =° ∞ ⊙ a, =° ⊙ p
29	05.1	03.6	02.0	- 2.0	- 2.4	- 2.0	- 0.2	- 3.1	93	93	94	00 0	02 2	01 3	6	8 *	8 =°	8 ⚥°	0.1	4	= *° n, =° * a, = ⚥° p
30	09.8	12.8	15.5	- 0.2	0.1	- 5.8	0.1	- 7.2	74	74	92	02 4	36 2	00 0	8	1 ∞	6 ∞	8 ∞	2.9	7	∞ n, ∞ ⊙ a,p
31	19.4	20.1	19.7	- 4.8	- 3.3	- 4.2	- 3.3	- 7.0	94	94	96	00 0	00 0	00 0	6	8 =°	8 =°	8 =°		7	=° n,a,p
M	88.8	88.8	89.2	- 2.6	- 1.2	- 1.7	0.9	- 5.1	92	90	90	0.7	1.1	1.1	4.9	5.7	5.6	6.0	85	4	

Ekstensotabell

1949

Bergen (Fredriksberg)

φ = 60° 24′N λ = 5° 19′E g = 9.819 $\Delta G = +1^h$

Januar I

H_s = 43 H_b = 44.4 h_t = 1.8 h_a = 10.7 h_d = 10.3 h_r = 1.3

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	71.7	69.5	61.2	2.0	4.3	5.0	5.6	1.5	84	**53**	64	21 2	00 0	16 2	7	1	7 ∞	8 •°	1.8		∞° ⚥ ⌒ n, ∞° a, ∞ •° p
2	**59.9**	60.4	63.4	4.9	4.6	4.2	8.0	3.5	75	78	91	21 2	24 4	20 4	7	7	7 ⚥	8 ⚥	6.0		• ⚥ ⌒ n, ⚥ a, • ⚥ p
3	84.6	86.4	86.2	0.3	− 0.6	− 0.7	5.3	− 1.4	88	85	90	18 1	00 0	19 2	6	1	8 ⚥	7	13.7	1	• ⁑ * n, ⚥ a,p
4	86.0	88.6	96.1	0.8	2.5	5.3	5.4	− 0.9	94	93	71	23 4	00 0	32 1	4	8 *	8 ⚥	8 ∞°	14.3	10	⚥ * n, ⁑ • ⚥ a, ⚥ ⚥ p
5	10.1	14.1	12.5	2.8	3.8	4.4	5.5	2.4	85	81	67	18 2	20 3	23 6	7	1	7	7	11.0	0	∞ ⚥ n, ⊙ a, ⚥ p
6	08.7	13.1	15.1	5.1	5.8	6.3	6.6	3.1	91	88	83	19 4	23 1	24 3	7	8 •	7	8 ⚥	53.2		• n,a, ⚥ p
7	19.8	13.8	01.1	3.1	3.0	2.3	6.9	2.0	77	73	78	16 1	00 0	00 0	4	8	8	8 ⁑	6.1		⚥ ⌒ n, ⁑ p
8	95.6	05.4	08.5	0.2	1.8	0.8	5.1	− 0.2	93	67	75	05 4	05 3	05 3	9	8 *	1	7 ⚥°	19.6	1	⁑ * n, * ⊙ a, ⊙ ⚥° p
9	13.2	15.2	15.1	− 0.8	− 1.0	− 0.5	1.0	− 1.7	90	77	64	25 1	00 0	18 2	7	7 ⚥	7	8	1.5	3	⚥ n, ⚥° ⊙ a,p
10	02.6	98.3	90.9	5.4	6.5	6.0	6.8	− 0.7	94	92	92	20 4	25 3	23 4	4	8 •	8 •	8 •	11.5	0	⁑ • n, = • a,p
11	83.0	80.3	79.5	3.6	4.6	1.9	7.4	1.7	88	83	91	32 3	21 2	21 2	6	7 ⚥	7 △	5	24.7		=° • ⚥ ⚥ n, ⚥ △ ⚥ a, △ ⚥ p
12	90.4	00.0	09.3	1.8	1.5	− 0.5	2.6	− 0.7	88	57	57	05 4	09 4	06 2	9	7 ⚥	6	0	8.3	1	⚥ * ⚥ n, ⚥ ⊙ a, ⊙ p
13	07.0	04.1	02.0	− 0.4	3.4	7.5	7.6	− 1.1	91	92	93	20 7	21 4	23 4	5	8 *	8 •	8 •	1.7	2	* + n, * + ⁑ • a, • p
14	97.9	95.3	96.5	5.5	4.7	1.6	**9.2**	1.4	70	70	73	30 3	32 5	34 4	8	5	7(⚥)	7 ⚥	59.8		• ⚥ n, ⚥ ⊙ a, ⚥ △ ⚥ R ⊙° p
15	09.5	12.9	13.2	1.1	0.7	− 1.2	4.7	− 1.2	67	70	77	03 4	05 2	20 1	7	7	7 ⚥	7	6.7	3	⚥ ⚥ n, ⚥ a,p
16	91.3	88.3	90.9	− 0.5	3.7	2.3	4.0	− **1.9**	94	91	91	21 5	32 4	18 2	6	8 *	8 •	7 ∞	2.5	5	* n, * ⁑ • a, • ⚥ △ p
17	94.0	85.7	81.7	3.6	3.3	5.7	6.8	2.1	91	91	67	20 3	21 5	27 3	6	8 ⚥	8 •	5	15.8	0	∞ • ⁑ ⚥ n, ⚥ • a, • p
18	90.1	93.1	85.4	2.3	2.2	2.0	6.0	1.4	85	88	92	00 0	00 0	20 4	7	7	8 ⚥	8 •	31.3	0	⚥ ⚥ △ n,a, ⚥ • p
19	85.5	80.4	76.1	6.7	8.2	5.9	8.5	1.5	93	92	85	23 3	24 5	34 4	6	8 •	8 •	8 ⚥	24.0		• ⁑ n, • a, • ⚥ p
20	78.8	78.9	74.7	3.2	1.6	0.3	6.1	0.0	59	82	93	32 5	35 2	34 3	8	7	7	6 ⚥	16.3	0	⚥ △ ⚥ n, △ ⚥ a, △ ⚥ p
21	83.4	89.8	97.3	− 0.6	− 0.3	1.3	1.3	− 1.1	92	93	93	05 2	00 0	36 1	5	8 *	7	7(⚥)	7.2	5	⚥ * n,a, ⚥ p
22	13.1	15.8	14.0	− 1.4	2.3	2.2	3.1	− 1.6	90	61	88	00 0	19 2	20 4	8	0	7	7	4.3	6	⊙ a, ⁑ p
23	03.4	02.7	00.6	5.4	7.7	7.7	8.1	1.8	93	93	93	20 4	21 4	23 4	5	8 •	8 •°	8 •	22.7	0	• n, • =° a,p
24	07.5	11.5	16.2	4.4	5.0	4.9	7.9	3.0	77	77	68	29 1	33 3	27 2	7	6	7 ⚥	1	22.9		• ⚥ ⌒ n, ⚥° a,p
25	22.0	21.9	18.6	5.4	6.1	5.7	6.1	3.5	83	80	67	21 2	20 4	23 7	8	7	7	7	1.6		⚥ n, ⊙° a,p
26	14.8	17.0	17.8	6.4	6.5	6.7	6.7	4.9	77	92	93	23 6	23 4	23 5	5	8	8 •	8 •	1.3		⚥ n, • a,p
27	16.2	16.7	15.8	7.1	7.0	8.3	8.6	5.8	74	88	88	23 6	23 6	21 6	5	8	8 •°	8 =	18.3		• ⚥ n, •° = a, = •° ⚥ p
28	20.1	22.1	23.4	7.5	7.2	7.0	8.6	6.8	91	91	93	21 5	21 4	21 4	4	8 •°	8 •	8 •	9.9		= • ' n,a,p
29	24.1	21.4	11.3	7.8	7.5	6.2	8.2	5.8	91	91	87	20 3	21 4	21 6	5	8 •°	8 =	8	10.3		= • ' n, = ,° a, = • p
30	10.9	20.1	21.6	3.3	2.4	2.5	7.4	0.9	84	67	74	01 6	01 5	02 3	7	8 ⚥	4 ⚥	3	10.8		\ ⚥ • ⚥ n, ⚥ ⚥ ⊙ a, ⚥ * ⊙ p
31	22.2	24.2	**26.0**	0.1	1.1	0.5	2.6	− 0.2	81	71	92	02 2	05 2	05 2	8	7	3 ⚥°	1	2.9	1	⚥ n, ⚥° ⊙ a,p
M	00.6	01.5	00.7	3.1	3.8	3.6	6.1	1.3	85	81	81	3.2	2.7	3.2	6.4	6.6	7.0	6.6	442	1	

Februar II

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	29.6	31.6	**33.6**	− 1.6	1.5	0.3	1.9	− **1.8**	91	67	68	00 0	36 2	00 0	8	1	7	1	0.0	0	⌣ n, ⊙ a,p
2	33.2	31.8	28.9	1.9	2.4	3.8	4.0	0.0	77	92	87	17 3	18 2	19 4	7	8	8	4		0	⁑° •° a
3	22.0	21.1	19.3	5.7	6.2	7.2	7.2	3.6	92	93	93	23 3	23 4	24 3	6	8 •	8 •	8 •	15.0		• n,a,p
4	19.9	20.7	20.2	7.8	7.5	7.2	8.2	7.1	94	94	94	33 3	33 3	01 3	6	8 •	8 •	7	49.2		• n,a,p
5	25.3	26.7	28.2	0.9	0.3	3.0	7.6	0.1	92	94	82	00 0	00 0	20 2	0	0	0 ≡²	1	8.8		⌒ ⌣ n, ≡ a, ≡² ⌒ p
6	26.3	25.5	23.3	2.6	4.0	4.7	5.0	2.1	80	66	67	20 2	20 2	00 0	8	1	7	7	0.1		⌣ n, ⊙ a
7	16.6	15.0	11.1	5.1	5.1	4.8	5.3	1.1	**46**	52	63	19 3	20 3	20 4	7	1	7	7			⊙ a,p
8	99.4	99.2	98.2	5.4	6.5	5.9	7.0	4.1	85	88	82	20 4	20 5	23 3	6	7 •°	7	8 ⚥	6.6		• n, •° ⚥ ⊙ a, ⊙ ⚥ p
9	00.9	97.2	91.1	2.8	4.6	2.7	6.1	2.5	91	71	64	18 2	21 4	00 0	8	1	1	8 ⊕	7.8		⚥ n, ⊙ a, ⊙ ⊕ p
10	96.4	02.8	08.1	0.6	1.6	1.4	2.9	0.4	66	92	91	00 0	00 0	18 2	6	7	7	1			⊕ n, ⚥ a, ⚥° p
11	09.1	08.2	08.8	3.9	4.6	4.7	4.9	1.2	67	67	92	20 3	20 5	21 3	8	8	8	7 ⚥	1.0	0	⚥° n, • ⚥ p
12	05.5	03.4	03.0	4.4	5.5	5.5	5.7	3.6	85	64	60	21 4	23 4	21 4	8	8	7	7	18.6		⚥ n, ⚥ ⊙° a
13	07.1	05.6	01.4	4.6	5.8	4.0	6.1	2.8	90	85	91	20 3	21 4	21 5	8	7 •°	8	8 •	3.5		• ⚥ n, •° a, • p
14	96.0	00.2	02.4	8.9	7.2	4.9	9.5	4.0	85	78	87	23 4	32 3	18 3	8	8	7 ∞°	7	54.3		• ⚥ n, ∞° a, ∞° ⚥ p
15	07.5	07.8	01.3	4.5	6.8	5.1	7.1	2.9	91	88	92	19 3	24 3	23 5	7	8	7	8 •	9.5		• ⌒ n, ⊙ ⚥° a, ⊙° • p
16	07.4	07.3	05.1	7.8	8.4	7.8	9.3	5.0	93	93	92	23 3	23 3	23 5	6	8 •	8 •°	8 •	14.2		• n, • =° a,p
17	04.3	11.1	14.7	7.6	5.7	5.4	8.2	4.7	91	81	71	23 3	33 2	29 1	8	8(⚥)	7	1	16.6		• ⚥ n, ⚥ △ ⊙ a, ⊙° ⚥ p
18	15.1	13.0	09.2	4.7	6.5	7.6	7.9	3.5	71	75	67	20 3	20 3	21 5	8	6	8	1	2.1		⚥ n,a, • ⚥° p
19	00.0	05.8	12.0	8.2	5.2	5.8	**10.1**	5.2	68	90	90	23 4	01 2	20 2	7	8 ⚥	8 ⚥	7	0.1		⚥° n, ⚥ a,p
20	08.5	07.3	06.6	7.0	6.8	7.4	7.7	5.2	81	92	93	23 5	20 5	24 3	6	8 •	8 •	8 •	11.3		⚥ • n, • a,p
21	10.0	07.8	04.5	5.3	6.2	6.7	7.5	5.2	85	85	66	20 3	20 4	21 4	7	1	8 •	7	36.6		• ⌒ n, • a, •° p
22	01.0	02.3	94.7	4.3	5.8	4.0	6.9	3.7	73	61	75	20 2	27 3	21 5	8	6	7	8 •°	13.2		• ⚥ R n, ⊙ ⚥ △ a, ⚥ △ •° p
23	96.3	98.6	01.3	2.6	5.1	3.4	7.4	1.9	90	66	81	32 2	32 3	32 5	9	8 ⚥	5(△)	7 △°	11.7		• ⚥ R n, ⊙ △ ⚥ ⚥ a, ⊙ △ ⚥ p
24	01.6	02.6	03.2	4.2	4.2	3.0	4.	1.6	61	68	81	29 2	32 3	33 3	7	7	7 △	7(△)	5.1	0	⚥ △ ⚥ n, ⚥ △ ⊙° a, △ ⚥ R p
25	06.9	12.9	13.4	1.4	1.3	1.1	3.7	− 0.4	67	74	90	34 2	03 2	18 2	8	6 △	7	7 ⚥	8.0	1	△ ⚥ n, ⊙ △ ⚥ a,p
26	91.0	89.7	86.9	2.5	3.0	0.5	5.2	0.2	90	82	92	20 5	33 3	16 1	6	8 •	7 ⚥	7	12.5	0	⚥ ⁑ • n, • ⚥ a, ⚥ R p
27	**81.7**	87.4	95.7	− 0.6	2.0	1.8	3.1	− 0.9	93	78	77	06 2	01 2	05 3	9	7 ⚥	7	7	13.8	4	△ ⚥ ⚥ R n, ⚥ ⊙ a, ⊙ p
28	07.7	06.7	99.1	− 1.2	1.8	− 0.9	2.0	− 1.5	81	63	74	06 2	00 0	19 2	8	7 ⚥	7(⚥)	7	0.1	3	⚥° n, ⊙ ⚥ a, ⊙ ⚥° p
M	08.1	08.9	08.0	4.0	4.7	4.2	6.1	2.4	81	78	81	2.7	2.8	2.9	7.1	6.0	6.8	6.1	320	0	

Ekstensotabell

1949

Bergen (Fredriksberg)

$\varphi = 60^\circ\ 24'$ N $\lambda = 5^\circ\ 19'$ E $g = 9.819$ $\Delta G = +1^h$ **Mars III** $H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	98.5	01.9	08.9	- 2.5	1.7	0.8	2.2	- 2.8	57	57	56	02 2	01 2	05 3	9	6	7	1	0.1	3	⊙ a,p
2	22.6	23.4	23.9	- 2.7	- 0.3	- 0.6	1.0	- 3.6	52	75	75	28 1	00 0	36 3	7	7	7	1		0	⊙ ⚸° a, ⊙° p
3	24.2	24.4	23.5	- 5.3	- 0.3	- 1.3	1.2	- 5.6	94	59	56	00 0	29 1	00 0	7	1	6	7	0.1	1	⛆ ⌣ n, ⊙ a,p
4	26.1	28.1	28.8	- 0.5	1.8	- 0.3	2.2	- 3.7	39	**38**	40	19 2	20 3	21 2	8	0	0	1		0	⌣° n, ⊙ a,p
5	26.3	24.0	21.4	- 2.8	- 0.2	- 1.4	0.7	- 2.8	46	42	43	20 2	20 3	21 2	9	1	1	3		0	⊙ a,p
6	18.9	17.3	15.6	- 6.2	- 2.0	- 0.7	0.8	- **6.5**	53	46	47	00 0	00 0	00 0	7	1	7	7		0	⊙ a, ⊙° p
7	14.0	16.7	19.0	0.8	3.3	1.5	3.4	- 1.8	53	46	46	20 2	20 3	20 3	8	7	7	7		0	⊙ a,p
8	24.5	26.6	27.4	- 1.2	3.0	0.5	3.8	- 1.4	57	45	42	00 0	23 1	15 2	8	0	1	1		0	⊙ a,p
9	26.0	24.8	25.0	- 1.2	2.4	1.5	4.1	- 3.1	56	49	46	00 0	12 2	00 0	8	6	7	7		0	⊙ a, ⊙° p
10	25.6	25.0	22.9	- 3.1	2.7	2.2	4.6	- 3.2	68	52	49	00 0	34 1	00 0	8	7	0	0		0	⊙ a,p
11	15.8	13.1	07.1	- 3.0	2.6	3.1	3.5	- 3.4	66	52	57	18 2	25 4	23 4	8	0	7	8		0	⌣° n, ⊙ a, ⊙° p
12	92.1	87.1	84.9	2.6	2.0	2.2	3.4	0.9	92	91	93	23 5	21 5	17 2	6	8 •	8 •	7	2.0	0	• ⁝ n,a,p
13	73.5	72.3	**69.8**	2.2	1.1	1.5	3.6	0.2	88	73	88	20 5	23 2	21 4	8	8 ⚸	7	7 △	26.7	0	☂ ⚸ n, ⚸ △ a, * △ p
14	76.0	82.7	89.1	2.1	3.1	4.2	5.5	0.8	90	91	88	00 0	36 3	32 3	7	7	8 ⚸	7	11.3	0	☂ ⚸ △ n,a, ⚸ ▽ ☂ p
15	02.9	06.6	07.4	1.8	2.9	0.7	4.5	0.2	82	59	83	03 4	03 4	05 2	8	7 ⚸°	7(⚸)	7(⚸)	9.4	0	⚸ △ n, ⚸ ⊙ a, ⚸ △ ⊙° p
16	98.7	99.1	99.5	- 0.7	2.5	3.0	4.4	- 0.8	84	61	84	00 0	03 3	02 2	9	7	6	7	0.1	0	△° n, ⊙ a, ⊙ ⚸ p
17	99.8	97.5	95.7	2.4	4.1	3.0	4.6	2.0	90	70	84	02 2	25 1	36 2	7	8	8	7	0.6		▽ n, ▽° a
18	01.8	05.0	09.5	- 1.1	3.8	3.0	5.0	- 1.3	77	54	47	00 0	34 1	06 2	8	1	1	0	0.0		⌣° ⊙ n, ⊙ a,p
19	17.8	19.6	19.5	- 1.0	4.1	3.2	6.1	- 1.4	61	54	56	00 0	35 2	01 2	9	0	1	4			⌣ ⊙ n, ⊙ a,p
20	16.1	13.0	08.2	1.2	3.1	1.1	3.5	- 0.1	61	54	93	19 2	20 4	23 4	8	7	8	8 *			⚸ * p
21	07.2	09.5	10.2	3.1	5.2	6.1	7.3	0.9	91	90	75	20 3	28 2	21 4	7	8 ▽°	7	7	9.8		⚸ * ▽ n, ⊙ ▽ a
22	06.4	12.3	17.9	7.4	5.1	6.2	8.1	4.1	81	81	71	29 2	00 0	32 3	7	7	7	7	19.8		• ▽ n, ⊙ ▽ △ a, ⊙ p
23	23.0	23.2	24.4	6.0	7.0	7.2	7.4	5.3	91	90	90	23 3	23 4	32 3	7	8 •	8 •	8 •°	3.2		• ▽ n, • a,p
24	25.6	25.7	24.1	7.3	7.8	7.4	8.5	6.9	88	90	85	23 2	21 4	23 3	7	7	8 ∞	8 ∞	3.6		• ▽ n, •° a
25	23.2	21.5	18.9	6.0	7.7	5.2	8.3	5.2	91	87	88	18 2	24 2	02 2	7	7 ∞	8 ∞	7 ∞°	0.0		∞ •° n, ∞ a, ∞ • p
26	18.9	20.5	21.8	2.4	7.0	5.3	8.1	2.0	67	43	54	05 2	02 2	01 2	9	0	0	1	2.3		∞° ⌣° ⊙ n, ⊙ a,p
27	26.7	28.3	28.9	1.6	5.6	5.8	7.8	1.0	71	53	53	02 2	34 2	34 1	9	0	0	1			⌣° ⊙ n, ⊙ a,p
28	31.4	**31.5**	29.6	0.5	9.2	8.7	10.7	0.2	88	40	46	00 0	00 0	02 2	9	0	0	1			⌣ ⊙ n, ⊙ a,p
29	26.6	25.8	24.5	1.5	11.4	7.1	**12.1**	0.8	73	42	63	00 0	20 3	00 0	9	2	1	6			⌣ ⊙ n, ⊙ a,p
30	20.2	19.1	17.7	1.8	7.5	5.8	8.9	1.3	93	60	84	00 0	25 4	00 0	8	7	7	7			⌣ ⊙ n, ⊙° a,p
31	14.2	13.1	13.0	4.0	5.6	2.6	6.0	2.6	93	91	80	00 0	29 2	02 3	6	8	8 •	5			⌣° n, •° a, • ⊙ p
M	13.7	14.2	14.1	0.8	3.9	3.1	5.2	- 0.2	74	62	66	1.5	2.3	2.1	7.8	4.6	5.1	5.0	89	0	

April IV

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	16.9	17.5	17.4	0.3	6.3	4.8	8.5	**0.0**	57	**38**	56	00 0	35 2	24 2	8	2	4 ⊕°	7	1.4		⌣° ⊙ n, ⊙ ⊕° a, ⊙ ⊕ p
2	14.5	13.5	09.4	3.2	3.6	7.0	9.1	2.4	59	67	54	19 3	20 3	21 4	7	7	8	8	0.0		* n, * a
3	99.8	98.7	92.1	9.4	8.2	9.8	10.5	7.0	49	74	71	23 4	21 4	21 5	7	8 ∞	8 ∞	8 ∞	0.0		∞ •° n, •° a, ∞ p
4	76.6	74.0	**71.8**	8.5	8.8	7.0	9.9	6.9	91	88	92	21 5	21 6	23 3	6	8 •	8 •	8 •	19.1		∞ • n,a, • p
5	92.8	99.0	99.9	3.2	5.6	4.8	7.3	2.8	91	57	57	02 2	34 2	23 3	9	8 △	7	7 ▽	14.3		• ▽ △ n, ▽ △ ⊙ a, ⊙° ▽° p
6	94.0	93.9	92.8	2.0	2.5	4.6	6.0	1.6	93	92	78	18 2	00 0	00 0	6	8 *	8 *	7	38.2		▽ ⚸ * n, * a,p
7	89.5	89.0	89.1	3.1	5.7	5.3	6.9	2.1	60	54	56	07 3	07 3	03 3	9	7 ⊕°	7 ⊕	7	11.0		⚸° ⊙ n, ⊙ ⊕ a,p
8	89.8	91.6	96.2	1.3	6.4	5.6	6.7	0.7	90	47	52	34 2	05 4	36 3	9	4	6	3			⌣ ⊙ n, ⊙ a, ⊙ ⚸° p
9	06.8	09.0	11.2	2.4	4.9	4.4	5.8	1.5	87	60	54	05 4	02 3	35 2	9	7(⚸)	6(⚸)	1	0.1		⌣ ⊙ ⚸ n, ⊙ ⚸ △ a, ⊙ ⚸ p
10	09.7	06.8	01.8	3.1	6.8	4.4	7.1	1.1	92	78	91	16 2	25 3	23 3	8	8 ▽	8	8 •	0.3		⛆ ⊙° ▽ n, ▽ ⊙° a, • p
11	91.6	88.4	84.6	6.4	7.1	6.4	7.2	4.0	94	93	91	20 2	23 3	19 1	6	8	8 •	8 •°	14.7		• n, • a,p
12	88.1	88.9	90.7	7.0	7.2	7.1	7.7	6.1	84	91	93	21 1	21 3	24 2	5	7	8 •	8 =°	7.1		•° n, • a, • =° p
13	96.9	98.4	94.3	7.0	8.7	7.9	10.1	6.7	93	84	91	23 2	23 3	23 4	7	7 •°	8	8 •	9.2		• = n, = •° a, • p
14	01.5	08.9	12.8	7.6	8.2	9.8	10.8	7.4	90	92	78	23 4	34 2	00 0	6	8 ▽	8 ▽	1	19.2		• ▽ n, ▽ =° ⊙° a, =° ▽ ⊙ p
15	16.1	16.8	16.8	9.6	12.2	11.6	13.1	7.2	66	59	73	20 4	23 5	20 4	9	8	8	7	0.8		⊙ n, ⊙° a, ⊙ •° p
16	16.2	14.1	11.5	12.7	16.6	11.3	**17.5**	11.2	56	40	56	23 5	21 4	23 5	9	5	8 ⊕	7 ∞	0.2		•° ⊙ n, ⊙ ⊕ ∞° a,p
17	12.1	11.0	12.8	9.3	9.2	8.6	11.6	8.3	91	91	93	18 1	02 1	00 0	7	8 •°	8 ∞	8 =°	6.2		∞ • n, ∞ •° a, ∞° =° •° p
18	11.3	08.6	08.6	9.0	13.4	7.0	13.7	6.7	90	61	90	32 1	21 4	20 4	8	7	6 ∞°	8 •	0.6		⛆ =° ▽ ⊙ n, ∞° ⊙ a, ∞° ⊙ • p
19	03.9	98.3	92.4	6.6	7.2	8.2	8.2	6.1	87	78	90	20 4	21 5	23 3	6	8 •°	8 •	8(▽)	9.1		⛆ •° n, • a, • ▽ p
20	01.2	04.6	05.4	3.6	2.7	4.0	8.3	1.7	70	90	80	07 1	00 0	32 1	8	7	5	7 ▽°	13.5		▽ ⊙° n, ⊙ △ ⚸ a,p
21	02.2	99.3	92.0	6.1	3.1	4.1	6.4	2.5	84	91	77	20 4	23 5	23 6	6	8 •°	8 •	8 •	3.8		▽° •° n, • a,p
22	91.5	96.9	03.3	3.5	2.4	4.3	5.8	1.0	84	93	54	23 1	32 1	34 2	7	7	7	5	32.4		• ⚸ n, △ ⚸ a, ⊙ ⚸ p
23	02.9	00.8	99.4	4.0	5.8	8.2	8.3	1.9	68	93	92	20 3	20 4	23 3	6	8 •°	8 •	8 •°	2.4		⊙ •° n, • a, •=° p
24	06.1	06.4	03.6	7.0	10.4	11.3	11.7	6.6	91	68	59	25 2	23 2	27 3	8	7 =°	8	7	10.0		•° ▽° =° n, =° ⊙ a, ⊙ p
25	97.3	94.5	93.9	11.4	10.0	7.4	11.8	7.4	61	88	93	23 3	23 2	24 3	5	8 ∞²	8 •	8 •	1.2		• ▽ ∞² n, ∞² =° • • a, =° • • p
26	01.2	04.8	08.9	5.4	7.6	6.9	8.1	5.4	88	88	74	16 2	34 2	34 2	7	8 •	8 ▽°	7	29.1		• =° n, • ▽ a, ▽° ⊙° p
27	07.6	04.2	98.7	4.8	6.4	8.1	8.9	4.2	91	91	93	23 5	20 5	24 5	7	8 •	8 •°	8 •²	1.5		⊙ • n, • a,p
28	99.1	00.5	01.4	7.2	6.9	6.7	8.6	5.5	88	81	73	23 3	23 3	23 3	7	7(▽)	7	7	32.0		•² ▽ n, ▽ ⊙° a,p
29	01.1	06.2	07.8	5.2	4.6	5.5	7.0	4.6	91	85	83	25 2	36 3	35 1	7	8 •	8 •°	8	8.7		⊙ • n, • a, •° p
30	14.9	17.8	**20.7**	5.0	8.6	5.7	8.9	2.9	61	54	54	02 1	02 2	01 2	9	1	5	1	4.4		▽° ⊙ ⛆ n, ⊙ ▽° a, ⊙ p
M	01.8	02.1	01.4	5.8	7.2	6.9	9.0	4.4	80	76	75	2.6	3.0	2.7	7.3	7.0	7.3	6.7	290		

Ekstensotabell

1949

Bergen (Fredriksberg)

$\varphi = 60° 24'$ N $\lambda = 5° 19'$ E $g = 9.819$ $\Delta G = +1^h$

Mai V

$H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P 8	Lufttrykk P 13	Lufttrykk P 19	Lufttemperatur T 8	Lufttemperatur T 13	Lufttemperatur T 19	Lufttemperatur T Max	Lufttemperatur T Min	Relativ fuktighet U 8	Relativ fuktighet U 13	Relativ fuktighet U 19	Vindens retning og styrke D,F 8	Vindens retning og styrke D,F 13	Vindens retning og styrke D,F 19	Synsvidde v 13	Skydekke og vær N,w 8	Skydekke og vær N,w 13	Skydekke og vær N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	22.9	23.1	23.0	4.5	6.1	7.3	7.4	2.5	75	85	88	18 3	20 3	16 2	7	8 •°	8 •°	7	0.0		⊙ •° n, •° a,p
2	29.9	**30.1**	29.8	6.2	10.4	9.2	12.7	5.8	93	66	60	02 1	36 1	34 1	9	7	7	7	1.9		•° n, ⊙ a,p
3	27.1	25.3	20.5	8.2	10.9	10.7	12.4	7.2	94	75	83	00 0	34 1	34 2	8	8 •	7 =°	5	0.1		⊙° ≡° • n, ≡° =° •° ⊙° a, =° ⊙ p
4	11.4	05.7	99.9	6.0	16.3	12.8	16.7	4.7	94	49	63	00 0	25 3	23 4	9	7 ≡°	2	1	0.2		⊙ ≡ •° n, ≡° ⊙ a, ⊙ p
5	87.0	86.5	**85.9**	16.1	12.9	7.5	16.4	7.5	46	87	88	23 4	20 2	21 4	7	7 =°	8 •	8 •			⊙ =° n, = • a,p
6	90.0	93.0	94.8	5.6	5.8	4.4	7.7	3.8	75	66	83	23 2	25 3	24 4	8	7 ⚲	7	8 ⚲°	22.7		• ⚲ n, ⊙° ⚲ △ ⚲ a, ⊙° ⚲ p
7	02.9	07.6	10.2	3.0	2.6	3.0	5.7	2.2	88	75	74	02 2	34 3	36 3	5	7 ⚲°	7 △	3	7.6		⚲ △ ⛅ n, ⚲ △ ⚲ a, ⚲ △ ⊙ p
8	12.5	14.6	15.9	1.7	3.4	3.0	5.4	**0.4**	83	68	68	00 0	35 3	02 3	9	6	7	4(⚲)	5.1	0	⊙ △ ⚲ n, ⊙ ⚲ a, ⊙ △ ⚲ p
9	20.5	21.7	23.3	4.0	6.5	5.6	7.0	1.4	71	59	60	07 1	05 3	05 2	9	1	6	7	1.0		⊙ ⚲ n, ⊙ ⚲° a, ⊙ p
10	22.8	23.1	23.5	3.5	6.4	7.3	7.9	3.0	91	87	91	20 2	20 3	25 2	7	8 •°	8 =	8 =²	0.2		⊙° = •° • n, =° •° • = a, = •° p
11	25.8	26.6	25.8	7.6	10.1	11.4	13.3	6.6	94	84	80	00 0	00 0	00 0	8	7 =°	7 =	2	0.4		=² = • ⛅ n, =° = ⊙° a, = ⊙ p
12	25.6	24.4	22.7	8.3	12.2	11.0	13.3	7.4	93	81	68	00 0	36 1	20 2	7	8 •°	6 =	7 =	0.0		⊙ =² •° ⛅ n, =² •° = ⊙ a, = ⊙ p
13	15.9	14.2	14.1	12.2	12.5	10.6	13.9	7.7	61	64	81	23 4	25 6	24 5	8	8 =°	7 =	7 =	0.0		= ⊙ n, = ⊙ a,p
14	13.3	13.8	11.4	12.6	14.4	12.6	15.8	9.0	64	57	67	20 3	24 3	36 2	7	6 =	7 =	6 =°			⊙ n, = ⊙ a, = ⊙° p
15	07.4	06.6	03.5	9.3	12.0	13.2	14.5	6.9	88	84	60	00 0	00 0	00 0	7	6	8 =	8 =			= ⊙ ⛅ n, = ⊙ •° a, = ⊙° •° p
16	99.6	99.8	95.3	12.7	14.2	17.1	**20.1**	10.4	87	74	49	00 0	29 2	11 4	7	8 •°	7 =	8 =	4.2		= •° ⚲ n, •° ⚲ = ⊙° a, = ⊙° p
17	97.0	99.6	02.4	10.0	9.9	9.1	17.6	9.0	84	91	88	20 3	21 3	23 3	7	8 •	8 •	7 =°	4.9		= • n, • a, • = p
18	01.8	02.1	03.4	11.9	13.4	11.8	16.7	8.8	77	78	84	29 1	30 2	19 2	7	8 =	8 =	8 •	14.3		= • n, = •° ⊙° a, = ⊙° • p
19	09.1	10.4	12.1	10.6	16.0	13.7	16.7	8.1	88	56	75	00 0	00 0	36 1	8	0	2 =°	0 =²	6.0		•° ⛅ ⊙ n, =° ⊙ a, = ⊙ p
20	14.5	14.4	13.6	7.8	10.3	11.8	13.8	7.5	94	88	82	00 0	34 1	34 1	6	8 ≡°	7 =°	6 =			=² ⊙ ≡ ⛅° n, ≡ = ⊙ ⛅ a, = ⊙ p
21	15.8	16.5	16.1	7.4	9.8	11.7	13.2	7.3	90	82	66	02 2	36 2	36 2	7	8 =°	8 =	1			= = ⊙ n, =° = ⊙° a, = ⊙ p
22	13.6	11.2	07.8	10.1	14.6	13.8	15.7	7.2	73	57	60	36 2	36 2	01 2	9	1	0	1			⊙ ⛅ n, ⊙ a,p
23	03.0	01.0	98.3	11.3	17.6	13.1	18.8	7.4	81	52	70	00 0	36 2	25 3	8	6	7 =	7 =			⊙ ⛅ n, = ⊙ a,p
24	94.6	94.0	92.4	10.5	12.0	11.5	13.3	8.9	84	71	87	00 0	20 2	25 2	7	8	8 •°	8 •			= ⊙ n, ⊙° •° a, • p
25	91.8	93.2	94.9	10.1	10.2	9.4	11.6	9.2	90	91	74	21 3	24 3	00 0	6	8 •°	8 ⚲	7	4.8		• n, • ⚲ a, ⚲ •° p
26	93.4	94.4	95.1	7.7	8.3	8.0	9.7	7.2	91	90	87	29 1	33 1	20 2	8	8(⚲)	8(⚲)	7 ⚲°	6.3		⚲ ⛅ n, ⚲ a,p
27	97.3	99.2	98.2	6.8	10.0	11.0	11.0	6.6	88	67	57	20 2	23 2	25 3	9	7 ⚲	7	2	10.4		⚲ ⛅ n, ⚲ ⊙ a, ⊙ ⚲° p
28	90.9	91.8	93.8	9.4	10.0	9.3	11.3	8.8	90	90	77	20 3	23 3	25 3	7	8 ⚲	8 ⚲	7	5.9		⊙ ⚲ • ⛅ n, ⚲ •° a, ⚲ p
29	01.5	03.0	02.3	10.4	14.0	13.1	15.2	7.6	75	**45**	47	21 4	19 6	23 3	9	4	5	1	6.8		⚲ ⊙ n, ⊙ a,p
30	99.4	00.2	01.8	10.6	13.3	11.2	13.8	9.2	68	61	80	20 3	20 3	20 3	8	7 =°	6 =°	7 =			⊙ = n,a, = ⊙ R ⚲ △ p
31	06.7	08.3	07.7	13.0	15.7	12.1	16.2	9.2	56	50	64	20 4	20 3	22 2	8	2 =°	7 =	8 •°	2.4		= ⊙ n,a, = ⊙ •° p
M	07.9	08.2	07.7	8.7	11.0	10.2	13.1	6.7	82	72	73	1.6	2.3	2.3	7.6	6.5	6.6	5.7	105	0	

Juni VI

Datum	Lufttrykk P 8	Lufttrykk P 13	Lufttrykk P 19	Lufttemperatur T 8	Lufttemperatur T 13	Lufttemperatur T 19	Lufttemperatur T Max	Lufttemperatur T Min	Relativ fuktighet U 8	Relativ fuktighet U 13	Relativ fuktighet U 19	Vindens retning og styrke D,F 8	Vindens retning og styrke D,F 13	Vindens retning og styrke D,F 19	Synsvidde v 13	Skydekke og vær N,w 8	Skydekke og vær N,w 13	Skydekke og vær N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	03.5	07.6	11.1	11.2	13.8	12.5	14.2	9.1	92	78	81	00 0	24 2	25 2	8	7	7 ⚲°	5 =°	8.6		= • ⚲ n, = ⚲° a, = ⚲ p
2	10.5	09.8	09.4	11.1	15.6	13.8	16.1	8.6	82	54	75	05 1	00 0	02 2	8	8	8	8 •°	1.2		= ⊙ ⛅ n, ⊙ a, • p
3	08.0	07.1	06.2	11.7	14.4	12.6	15.5	10.8	94	82	85	18 2	25 3	16 2	8	8 •°	7	7 =	7.5		= • n, =° • ⊙ a, = ⊙° p
4	98.0	93.0	88.1	11.5	19.7	14.7	20.2	8.3	84	43	70	00 0	05 3	00 0	8	7	7 =	8 •	0.1		= ⊙° ⛅ n, = ⊙ a, = ⊙ • p
5	**86.4**	87.2	94.0	9.8	10.0	8.8	15.0	8.8	91	92	93	23 4	21 4	32 3	6	8 •	8 •	8 •	24.2		• n,a,p
6	03.1	01.9	97.6	8.0	10.4	11.0	11.1	7.6	90	83	92	23 2	20 3	21 4	7	7(⚲)	7 ⚲°	8 ⚲	67.2		• n, ⚲° ⊙° a, • ⚲ p
7	01.3	05.0	05.1	10.3	10.7	10.8	11.5	10.0	91	91	88	23 3	23 4	21 2	7	8 •	7 ⚲	8 •	13.7		⚲ • n, • ⚲ a,p
8	97.0	02.8	08.2	9.4	11.0	10.0	11.5	9.2	94	83	80	36 2	33 3	34 2	8	8 •	6 =°	6	37.6		• n, • ⚲° ⊙ a, =° ⊙ p
9	11.5	13.4	15.7	9.0	10.2	10.0	11.2	7.8	91	85	84	25 2	29 1	28 1	8	8 •°	8	8(⚲)	8.4		• ⛅ n, • ⚲ a, ⚲ p
10	15.9	15.0	12.2	9.8	12.4	12.6	13.7	9.1	91	77	67	02 1	00 0	36 2	7	7	8	7 =°	8.1		⚲ ⛅ n, ⊙° a, =° ⊙° p
11	08.0	08.0	10.0	10.0	15.9	16.1	17.6	8.3	88	67	56	00 0	35 2	36 2	9	7	4	1			=° ⊙° ⛅ n, ⊙ a,p
12	15.9	16.6	15.0	10.5	12.0	10.6	16.3	9.7	84	77	82	23 3	26 3	21 3	8	8	8	8 •°			⊙ ⛅° n, ⊙ a, •° p
13	14.8	15.1	12.7	10.1	11.2	10.8	11.9	9.3	84	80	78	33 1	21 2	23 2	8	7	8	7(⚲)	5.6		• ⛅ ⊙° n, ⊙° •° a, ⚲° ⊙° p
14	09.0	09.9	10.5	8.1	9.8	9.7	11.0	7.3	90	71	75	36 1	36 3	36 3	8	7 ⚲°	7(⚲)	7(⚲)	4.5		⚲ ⛅ n, ⊙ ⚲ a, ⊙ ⚲ p
15	10.5	11.0	10.3	7.6	8.1	8.9	9.6	**6.3**	93	90	90	36 2	36 3	01 3	7	7 ⚲	7 ⚲	7(⚲)	6.7		⊙ ⚲ • ⛅ n, ⚲ a,p
16	12.2	13.1	12.9	9.9	11.2	11.0	11.8	8.6	75	66	71	05 3	03 3	08 4	9	6	5	5	9.0		⚲ ⊙ ⛅ n, ⊙ a,p
17	13.7	12.9	12.6	11.6	14.2	13.5	15.2	7.9	73	63	64	05 3	36 4	06 4	9	1	1	1			⊙ ⛅ n, ⊙ a,p
18	13.1	13.3	13.8	14.5	20.1	18.1	21.5	9.6	50	**38**	49	01 3	36 3	06 3	9	0	1	1			⊙ ⛅° n, ⊙ a,p
19	18.0	**19.0**	18.2	18.1	19.9	19.6	**22.6**	12.1	54	47	56	00 0	34 3	00 0	9	1	1	1			⊙ ⛅ n, ⊙ a,p
20	17.6	16.9	15.5	13.5	18.1	15.9	19.8	11.3	88	67	63	36 2	03 2	36 3	9	6	1	1			⊙ ⛅ n, ⊙ a,p
21	15.0	14.2	13.7	12.5	15.8	15.1	16.7	10.0	82	70	68	36 3	01 2	01 3	9	7	6	0			⊙ ⛅° n, ⊙ a,p
22	12.7	11.7	10.9	11.0	16.3	17.1	18.6	9.6	87	66	59	02 2	01 2	36 2	9	7	5	0			⊙ ⛅° n, ⊙ a,p
23	14.1	15.0	15.4	17.0	17.9	16.2	18.8	10.8	50	52	64	19 3	25 4	34 1	9	1	1	1			⊙ ⛅° n, ⊙ a,p
24	14.8	13.8	11.6	9.9	14.5	15.6	17.0	9.3	93	93	63	20 1	34 2	36 2	8	8 =°	1 =°	2			⊙ = ⛅ n, =° =° ⊙ a, =° ⊙ p
25	08.2	06.8	05.5	11.3	18.8	20.2	22.0	9.2	90	63	53	00 0	00 0	36 2	9	1	0	3			⊙ ⛅ n, ⊙ a,p
26	07.1	07.9	08.8	15.8	20.9	15.5	21.5	13.0	67	53	63	36 2	35 3	34 3	9	0	0	1			⊙ ⛅ n, ⊙ a,p
27	13.0	13.8	14.3	10.6	13.5	13.1	15.8	8.9	88	83	84	23 2	34 2	33 3	7	8	3	3			⊙ ⛅ n, ⊙ p
28	16.9	16.9	17.5	11.7	16.6	12.0	17.0	10.7	93	82	91	00 0	34 1	33 1	7	8 =°	7 =	8 •			⊙ =° ⛅ n, =° = ⊙ a, = ⊙ • p
29	18.1	17.0	15.8	11.3	16.4	17.5	17.9	10.5	88	74	61	02 2	36 2	01 2	9	7	3	0	2.8		• ⛅ n, ⊙ a,p
30	17.7	17.8	18.0	14.9	17.6	13.9	20.8	12.0	82	71	78	20 2	34 2	34 3	9	1	1	6			⊙ ⛅ n, ⊙ a,p
M	10.2	10.4	10.4	11.4	14.6	13.5	16.1	9.5	83	71	73	1.7	2.4	2.3	8.2	5.8	4.8	4.5	205		

Ekstensotabell

1949

Bergen (Fredriksberg)

$\varphi = 60^\circ\ 24'$ N $\lambda = 5^\circ\ 19'$ E $g = 9.819$ $\Delta G = +1^h$

Juli VII

$H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	19.4	20.6	20.7	11.7	13.9	15.0	15.5	10.5	85	82	67	01	1	36	1	01	2	8	7	8	1			⊙ ⌒ n, ⊙° •° a, ⊙ p
2	**21.5**	20.5	19.0	11.8	17.1	17.4	18.1	10.0	85	56	47	01	1	36	2	01	2	9	6	1	1	0.0		⊙ ⌒ n, ⊙ a,p
3	18.2	17.8	16.2	13.3	19.3	18.1	20.2	10.3	80	54	56	00	0	35	2	35	2	9	1	7	7 ∞°			⊙ ⌒ n, ⊙ a, ⊙ ∞° p
4	14.1	13.2	11.5	16.8	19.4	17.4	20.4	11.6	61	66	64	18	2	20	2	00	0	7	0	1 ∞	7 ∞			∞° ⊙ ⌒ n, ⊙ ∞ a, ⊙° ∞ p
5	08.6	08.7	08.7	14.1	17.5	18.1	18.2	13.7	92	70	67	20	1	36	1	01	2	7	8 •	7 ∞	7	3.1		∞ ⊙° • ⌒ n, • ∞ ⊙° a, ∞ ⊙ p
6	09.8	10.6	11.5	14.3	20.0	18.3	22.0	12.7	90	68	70	03	3	36	2	36	2	7	4	6 ∞	7 ∞	2.5		⊙ ⌒ n, ∞ ⊙ a,p
7	14.1	14.3	14.1	12.9	17.9	16.5	18.9	12.2	92	75	75	00	0	33	2	34	1	8	8 =°	1 ∞	6 ∞°			∞ ⊙ =° ⌒ n, =° ∞ ⊙ a, ∞ ⊙ p
8	14.5	15.2	15.7	12.8	22.5	23.9	25.3	11.4	91	57	43	00	0	02	1	36	1	8	7 =°	1 ∞	6			∞° ⊙ =° ⌒ n, =° ∞ ⊙ a, ∞ ⊙ p
9	18.4	18.8	18.1	17.8	24.0	23.3	**25.5**	13.6	70	49	49	00	0	35	2	34	1	9	1	1 ∞°	1			⊙ ⌒ n, ∞ ⊙ a, ⊙ p
10	18.6	19.0	19.0	14.9	18.7	18.1	23.5	13.6	90	68	68	00	0	34	3	34	3	9	7	7	3			⊙ ⌒ n, ⊙ a,p
11	18.8	19.3	17.6	14.0	16.6	14.9	18.3	13.6	93	80	66	34	2	35	2	36	2	9	8 •°	7 ∞°	7 ∞°	1.0		⊙ • ⌒ n, • ∞° ⊙ a, ∞° ⊙ p
12	13.4	13.5	10.0	12.7	13.9	12.3	15.1	11.7	81	73	92	02	1	34	2	34	2	9	8	8 ∞°	8 •	0.0		⊙ ∞° n, ∞° a, ∞ =° • , p
13	10.3	11.1	09.9	11.6	13.3	13.7	15.1	10.5	82	63	60	02	2	02	3	36	3	9	7	5	1	1.6		=° ⌒ ,° •° ⊙ n, ⊙ a,p
14	09.0	09.3	08.9	13.5	19.1	18.4	21.0	10.6	67	52	50	02	1	36	2	02	2	9	1	3	0			⊙ ⌒° n, ⊙ a,p
15	09.3	08.7	07.7	11.8	17.8	17.1	18.6	10.1	87	60	57	34	1	34	3	34	2	9	0	1	1			⊙ ⌒ n, ⊙ a,p
16	06.7	07.1	05.5	12.7	18.2	20.6	22.4	9.7	83	57	42	00	0	33	3	02	2	9	0	0	0			⊙ ⌒ n, ⊙ a,p
17	05.3	06.3	06.3	13.9	20.3	18.4	21.2	10.8	83	56	**40**	00	0	25	3	26	3	9	0	0	2			⊙ ⌒ n, ⊙ a,p
18	07.3	07.3	06.2	13.3	14.6	14.7	18.7	12.0	85	84	73	23	1	34	1	00	0	7	8	8	8			⊙ n, ⊙° p
19	05.2	05.5	05.3	12.7	13.5	16.5	16.7	12.5	91	84	66	34	2	32	2	35	2	8	8	8	7	0.1		⌒ n, ⊙ p
20	07.5	07.6	07.6	12.9	20.0	21.2	21.7	11.0	78	54	50	02	3	02	2	34	2	9	1	1	1			⊙ ⌒° n, ⊙ a,p
21	10.8	11.5	12.7	14.4	21.9	17.3	22.0	12.7	84	57	66	20	2	21	2	35	2	8	1	1	1			⊙ ⌒° n, ⊙ a,p
22	14.5	14.9	14.3	11.6	15.6	19.3	19.6	11.3	93	82	56	02	1	33	3	36	2	8	8 =°	1	0			⊙ =° ⌒° n, =° ⊙ a, ⊙ p
23	14.4	13.8	13.9	11.6	21.1	18.4	22.7	11.1	94	50	**40**	00	0	02	1	36	2	9	8 ≡	1	1			⊙ ≡ ⌒ n, ≡ ⊙ a, ⊙ p
24	13.7	14.2	13.3	12.6	14.4	13.0	18.5	12.1	91	68	91	20	2	36	1	23	1	8	8 ,°	8	8 •°	0.3		⊙ •° ,° ⌒ n, , •° ⊙° a, ⊙° ⌒ •° p
25	12.7	13.3	11.9	11.8	16.2	14.8	18.5	11.8	88	61	64	05	2	02	1	02	2	8	8	7	7	4.8		• ⌒ n, ⊙² a, ⊙° •° p
26	08.6	08.7	08.8	13.4	13.8	13.2	15.1	12.2	85	92	93	20	2	30	2	30	3	8	8	8	8 •°	1.0		• ⌒ n, • a,p
27	09.1	08.4	05.3	12.7	15.0	14.8	19.5	12.4	94	82	80	00	0	00	0	25	3	8	8 •	7	8	5.3		• n, ⊙° • a, ⊙° p
28	97.9	98.2	98.9	12.8	13.8	14.0	15.0	12.7	91	90	87	11	2	34	2	33	2	7	8 •°	7(⌒)	7	9.6		• ⌒ n, ⌒ •° a, ⌒² ⊙° p
29	98.6	98.3	99.4	13.2	15.0	13.7	16.2	12.3	91	80	88	20	1	25	3	33	3	9	7 ⌒	7	7	24.5		⊙° ⌒ • n, ⌒ ⊙° a,p
30	03.1	05.3	06.1	12.5	12.7	14.3	14.3	11.9	83	82	64	32	1	02	3	02	2	9	8	7	1	2.3		⌒ ⌒° n, ⌒° a, ⊙ p
31	03.3	99.5	**93.1**	11.1	16.1	15.0	17.0	**8.9**	83	64	73	00	0	36	1	00	0	9	7	7	8 •	1.0		⊙ ⌒ n, ⊙° a, ⊙° • p
M	10.9	11.0	10.2	13.1	17.2	16.8	19.2	11.7	85	68	65		1.1		1.9		1.9	8.4	5.5	4.6	4.4	57		

August VIII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	87.2	87.4	89.2	13.8	19.3	16.3	19.5	12.6	87	60	68	00	0	35	2	32	3	9	7	6	1	6.7		• ⌒ n, ⊙ a,p
2	88.0	82.7	79.2	13.0	15.9	14.0	16.6	11.9	85	80	80	00	0	36	2	00	0	8	7	8 ∞°	8 •			⊙ ⌒ n, ⊙° ∞° a, ∞° • p
3	**76.3**	76.9	78.1	13.5	16.0	14.1	16.7	12.2	84	73	90	20	2	00	0	35	2	8	6	7	8 ∞°	10.2		• ⊙° ⌒ n, ⊙° a, ∞° p
4	83.6	91.6	98.0	12.8	11.7	11.3	14.3	11.1	88	92	93	36	4	36	4	36	3	7	8 •°	8 •°	8 •°	0.1		∞° ⌒ •° n, •° a,p
5	05.5	07.4	06.6	10.2	13.1	14.1	16.1	9.9	92	80	67	00	0	03	1	25	3	8	7	7 ⌒°	7	2.6		• ⌒ n, ⌒° ⊙° a,p
6	02.4	02.7	03.4	16.8	15.7	14.2	18.8	13.0	61	88	90	20	5	21	4	23	4	7	8 ∞°	8(⌒)	8 ∞	0.1		∞° n, ∞° ⌒ a, ⌒ • ∞ p
7	04.9	05.3	05.5	13.6	15.0	14.7	16.2	12.7	85	73	77	21	4	24	6	25	4	8	7 ∞°	7 ∞°	6 ∞°	7.3		∞ ⌒° ⊙° ⌒ n, ∞° ⊙° a,p
8	98.8	89.6	85.5	14.2	18.9	13.6	20.0	11.9	63	60	85	18	2	19	3	20	1	9	8(⌒)	5	8 •	0.1		∞° ⊙° ⌒° n, ∞° ⌒ ⊙° a, ⊙° ⌒ • p
9	02.9	06.2	07.0	12.8	14.7	14.0	15.9	12.0	87	75	73	24	4	25	5	25	4	8	8	6 ∞°	7 ∞°	12.4		• ⌒ n, ⊙° ⌒ ∞° a, ∞° ⊙° p
10	06.5	07.8	08.8	11.3	12.5	12.1	14.2	10.6	91	85	90	21	4	23	2	36	3	7	7 ⌒	8(⌒)	7(⌒)	9.6		∞° ⊙° ⌒ n, ⌒² a,p
11	14.3	16.2	18.5	10.1	10.6	11.7	12.4	9.6	77	94	67	36	3	04	1	01	4	9	7	7(⌒)	3	37.3		⌒ ⌒ ⊙ n, ⊙° ⌒ a, ⊙ ⌒° p
12	**23.3**	22.9	21.9	9.7	14.1	12.0	15.1	8.2	75	57	71	01	2	34	2	21	2	9	0	7 ⊕°	8 ∞°	4.9		⊙ ⌒ n, ⊙ ⊕ a, ⊙ ⊕° ∞° p
13	16.5	16.1	15.7	12.6	13.2	13.1	13.4	9.9	91	92	94	20	5	21	5	25	2	6	8 •	8 •	8 •	19.0		∞ • n, • a, • , p
14	14.0	15.3	14.3	12.2	13.4	12.9	14.2	10.9	92	80	75	34	1	34	4	26	2	8	7	7 ⌒°	7	43.3		• , ⊙° n, ⊙° ⌒° a,p
15	13.9	13.1	09.7	10.7	13.0	12.6	14.8	10.1	90	67	73	20	1	29	1	30	1	7	8	7 ⌒°	7	4.5		⌒ ⌒ n, ⌒ ⊙° a, ⌒° ⊙° p
16	06.5	08.6	10.2	9.8	12.0	11.6	13.1	8.6	91	56	64	05	1	02	2	36	2	9	7	7	5	1.8		⌒° ⌒ ⊙ n, ⊙ a, ⊙ ⌒ p
17	10.8	09.8	10.8	7.8	9.0	10.2	12.0	7.0	92	90	68	16	2	32	1	36	2	6	7	8 ⌒	6	5.7		⊙ ⌒ ⌒ n, ⊙° • ⌒ a, ⌒ •° ⊙ p
18	13.7	15.3	15.6	7.6	11.5	10.4	12.2	6.9	93	71	70	00	0	34	2	02	2	9	7	7	7	6.8		⊙° ⌒ ⌒ n, ⊙ ⌒° a, ⊙° p
19	14.0	14.5	15.5	7.4	15.2	15.3	16.9	**6.7**	90	60	54	00	0	02	1	02	2	9	7	1	1	0.2		⊙ ⌒² n, ⊙ a,p
20	16.5	16.8	16.6	10.4	13.8	12.2	15.5	8.7	74	70	91	18	1	20	3	20	2	8	7	8(•)	8 ,°			⊙ ⌒° n, (•°) a, (•°) ,° p
21	14.6	15.2	13.8	12.2	12.9	14.0	14.3	11.7	94	93	90	19	2	19	2	20	3	5	8 •	8 •	8 ∞°	3.4		• , n,a, • , ∞ p
22	12.3	12.8	13.5	13.5	13.6	14.7	14.8	13.1	94	94	81	23	2	01	1	02	2	4	8 •	8 ,	7	8.5		∞ • n, • = , a, = , ⊙ p
23	15.5	16.5	17.9	11.4	13.3	14.1	15.0	11.2	87	80	61	00	0	33	2	34	1	9	7	7	1	5.1		⊙ ⌒ n, ⊙° a, ⊙ p
24	19.6	19.8	20.3	11.9	18.5	16.4	20.3	11.5	90	52	59	00	0	25	3	32	1	8	7	5 ∞	7 ∞			⊙ ⌒° n, ∞ ⊙ a,p
25	21.7	21.9	21.3	12.0	21.5	18.1	22.6	11.7	92	63	64	00	0	00	0	23	2	7	0	0 ∞²	4 ∞	0.6		∞ ⌒ ⌒² n, ⊙ ∞² a,p
26	20.0	18.7	16.7	12.0	21.5	18.7	**22.8**	11.8	90	**50**	59	00	0	00	0	32	1	7	4 ⌒	7 ⊕°	3 ∞			∞ ⊙ ⌒² n, ⌒ ⊙ ∞ ⊕° a, ∞ ⊙ ⊕° p
27	15.4	15.4	14.9	14.9	16.7	16.8	18.9	14.2	83	75	77	00	0	34	1	01	2	7	7	8 ∞	8 ∞			∞ ⌒² n, ∞ a, ∞ •° p
28	15.3	16.3	15.9	14.0	20.6	17.5	21.7	13.8	93	66	81	00	0	04	1	02	1	7	7 ∞	7 ∞	0 ∞	0.0		∞ ⌒ n, ∞ ⊙ a,p
29	15.4	15.2	12.9	13.6	14.9	16.3	17.6	12.8	94	92	85	18	2	25	2	17	2	6	7 =°	8 =°	4 ∞	0.1		∞ ⊙ ≡ ⌒² = n, =° ⊙° a, =° ∞ ⊙° p
30	11.2	11.2	10.2	14.7	15.1	15.2	16.4	13.8	88	88	88	21	2	20	3	20	3	7	7 ∞	8 •°	8 •			∞ ⊙° ⌒ n, ∞ • a, • ∞ p
31	11.3	11.8	10.8	13.8	16.0	16.6	18.9	13.5	92	85	74	19	2	24	2	27	1	8	8	7 ∞	7 ∞°	9.9		• ⌒ n, ∞ ⊙° a,p
M	08.8	09.1	09.0	12.1	14.9	14.2	16.5	11.1	87	76	76		1.6		2.2		2.2	7.5	6.7	6.8	6.0	200		

Ekstensotabell

1949

Bergen (Fredriksberg)

φ = 60° 24′ N λ = 5° 19′E g = 9.819 $\Delta G = +1^h$

September IX

$H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P 7	P 13	P 19	Lufttemperatur T 7	T 13	T 19	Max	Min	Relativ fuktighet U 7	U 13	U 19	Vindens retning og styrke D,F 7	D,F 13	D,F 19	Synsvidde V 13	Skydekke og vær N,w 7	N,w 13	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	09.1	07.9	06.4	13.3	24.7	22.7	25.4	12.9	90	**45**	49	00 0	21 3	20 2	8	1	2 ∞°	7 ∞			∞ ▲ n, ∞ ⊙ a, ∞° ⊙ p
2	06.0	04.6	06.1	17.5	24.1	16.8	24.9	16.4	73	53	90	36 1	16 3	36 1	7	7 ∞	7 ∞	8 •°			∞ ⊙° ▲ n, ∞ ⊙ a, ∞ ⊙ •° p
3	03.3	06.4	06.8	18.5	16.4	16.9	20.6	15.0	61	85	83	15 2	20 4	23 1	7	8 •°	7(ṽ)	7(ṽ)	0.4		∞² •° ▲ n, •° ∞ ⊙° ṽ a, ∞ ⊙° ṽ° p
4	11.6	15.0	16.2	14.0	18.6	18.1	19.9	13.7	91	64	74	24 2	23 3	25 2	9	6 ∞	2	1	10.1		∞ ṽ ▲° n, ∞ ⊙ a, ⊙ p
5	15.8	12.1	09.8	18.2	23.8	25.1	**26.0**	16.0	53	46	47	20 3	20 5	20 4	8	6	7 ∞°	7 ∞			⊙ n, ∞° ⊙ a,p
6	05.2	08.2	10.9	21.7	19.7	15.9	25.1	15.6	61	80	90	23 5	23 5	24 4	7	7 ṽ°	7 ∞	7(ṽ)	1.1		∞ ⊙° ṽ n, ∞ ṽ R ⊙° a, ∞ ⊙° ṽ° p
7	10.6	10.0	11.0	15.2	14.9	14.9	16.3	13.4	80	90	87	21 4	20 4	21 4	7	7 ∞°	7 ∞	4 ∞°	17.6		∞ ṽ° n, ∞° ṽ a, ∞ ⊙ p
8	07.7	06.3	04.1	14.9	15.9	15.1	15.9	13.6	88	85	93	20 5	23 5	20 5	7	8 ṽ°	8 ṽ	8 ṽ	3.4		∞° ⊙° ṽ° n, ∞ ṽ a, • ṽ p
9	11.3	12.5	10.3	11.3	15.6	13.8	15.7	10.9	93	57	75	18 1	23 3	20 3	9	7 ṽ	7	7	35.1		• ṽ ▲ n, ṽ ⊙ a, ⊙ p
10	07.0	09.2	11.6	14.8	15.2	13.1	15.3	12.6	92	91	94	23 3	21 4	32 2	7	8 •	8 •	8 •	24.0		• ▲ n, • a,p
11	18.3	20.5	21.7	12.1	15.3	15.0	17.3	11.7	94	83	81	00 0	36 1	00 0	9	7	7	2	26.5		• ▲ n, ⊙° a, ⊙ p
12	23.6	24.9	**25.1**	10.3	14.2	14.6	17.6	9.9	94	83	82	00 0	34 2	34 1	7	8 ≡²	1 =°	7	0.1		≡² ▲² n, ≡² ▲² = ⊙ a, ⊙ =° p
13	24.6	24.5	22.4	9.6	17.2	15.3	18.8	9.3	93	77	85	00 0	36 1	00 0	8	1 ≡	1 ∞	1 ∞	0.1		⊙ ≡ ▲² n, ≡ ▲ ∞ ⊙ a, ∞ ⊙ ▲° p
14	18.9	16.2	12.1	13.0	20.1	19.1	21.3	10.5	75	49	**45**	26 1	16 1	11 3	7	7	7 ∞	7 ∞°	0.1		∞ ▲² n, ∞ ⊙° a,p
15	02.8	**00.7**	04.3	18.7	20.0	16.7	21.5	16.5	**45**	47	67	11 3	11 4	23 3	9	7 ∞°	7 ∞°	7 ∞°			∞° n, ∞° ṽ a, ∞° ⊙° p
16	04.2	04.4	05.0	14.3	18.5	16.7	18.8	13.6	88	70	83	00 0	00 0	00 0	7	7	8	7 •	0.0		∞° ▲ n, • p
17	07.0	09.1	10.0	14.4	15.6	16.3	16.8	14.0	92	90	85	00 0	00 0	00 0	7	8	8	7	0.9		•° ▲ n, ⊙° a,p
18	12.4	14.0	14.5	13.2	16.9	15.6	17.9	12.8	93	83	87	00 0	25 3	00 0	7	8 =²	7 =°	7 =°			=² ▲ n, =² ≡° ▲ ⊙ a, =° ⊙° p
19	14.9	14.5	14.2	13.7	17.2	15.3	18.1	13.3	91	77	84	34 1	02 2	36 3	7	8	3	1			=° ▲ n, ⊙° a, ⊙ p
20	14.9	15.4	16.0	11.6	17.8	16.7	19.3	11.0	93	75	78	00 0	00 0	00 0	7	8 ≡²	1 ∞	2			≡² ▲ n, ≡² ▲ ∞ ⊙ a, ∞ ⊙ p
21	17.1	17.6	17.7	11.0	15.4	16.8	18.8	10.6	93	81	68	00 0	34 1	00 0	7	0 =°	3	1			= ▲ n, =° ⊙ a, ⊙ p
22	20.9	22.2	22.2	11.5	18.5	15.4	19.3	11.2	92	63	71	00 0	35 2	02 2	7	5 ▲	6	1			= ▲² n, ∞ ⊙ a, ⊙ p
23	22.4	20.4	18.0	12.7	15.8	15.6	16.4	12.4	90	71	75	00 0	00 0	00 0	6	7	7	7			▲ n, ⊙° p
24	12.1	10.7	10.0	15.1	19.6	16.6	19.6	13.3	61	60	85	27 2	20 3	06 1	7	8 ∞°	8 ∞	8 ṽ	0.6		•° ▲ ∞° n, ∞° •° a, ∞ • ṽ p
25	09.5	10.8	11.2	13.7	14.7	16.1	18.3	13.4	93	94	94	00 0	21 2	23 4	6	8 =°	8 •	8 •	16.5		• ṽ =° ▲ n, =° • a,p
26	17.2	19.3	19.7	12.6	13.5	12.3	16.1	11.9	92	82	91	00 0	25 2	18 2	7	8	8	7	49.1		• ṽ n, ṽ p
27	18.6	20.3	19.4	13.0	13.9	13.8	14.1	11.9	91	88	90	16 3	25 3	23 1	6	8 =°	8 =°	8 =°	1.0		=° ▲ n, =° a, =° •° p
28	18.3	19.0	17.9	13.5	14.2	13.7	14.2	12.1	91	90	94	23 1	27 2	19 2	7	7	8	8 •	1.6		=° • ▲ n, •° a, • p
29	12.6	10.0	10.6	14.5	14.0	10.5	14.7	10.1	85	68	87	23 5	21 5	36 1	6	8	8 ṽ	7 ṽ	4.7		• n, • ṽ² a,p
30	13.1	13.5	10.5	7.6	10.5	9.0	10.8	**7.4**	91	84	81	00 0	24 2	23 4	7	3	8(ṽ)	8 •	22.1		ṽ ▲ n, ⊙° ṽ a, ⊙° ṽ • p
M	13.0	13.3	13.2	13.8	17.1	15.6	18.5	12.6	84	74	80	1.4	2.5	1.8	7.2	6.5	6.1	5.8	215		

Oktober X

Datum	P 7	P 13	P 19	T 7	T 13	T 19	Max	Min	U 7	U 13	U 19	D,F 7	D,F 13	D,F 19	V 13	N,w 7	N,w 13	N,w 19	R	h_s	W
1	05.6	07.2	07.3	9.5	10.2	9.7	12.1	8.5	78	71	71	36 3	35 3	20 2	9	7	7	8 •°	18.6		• ṽ n, ⊙° ṽ° a, ⊙° •° p
2	02.1	99.1	94.5	12.1	13.0	12.9	13.2	8.8	90	92	93	23 3	25 4	23 4	7	8 ṽ°	8 ṽ°	8 •	3.9		• ṽ n,a,p
3	97.0	06.5	13.6	10.7	10.4	8.8	13.1	8.6	77	78	75	32 4	36 3	05 3	7	8 ṽ	7 ṽ	7 ṽ°	32.1		• ṽ n, ṽ a, ṽ ⊙° p
4	19.9	19.5	16.5	7.7	8.5	9.9	10.0	7.0	81	90	91	17 2	20 3	19 3	7	7	8 •°	8 •°	2.8		ṽ° n, ṽ° a,p
5	07.1	08.8	11.8	12.2	9.3	7.9	12.4	7.9	93	82	68	32 4	02 3	05 3	7	8 •	6	1	22.0		• n, • ⊙ a, ⊙° p
6	17.0	17.7	18.2	5.5	8.2	7.4	10.0	5.4	77	64	67	36 2	02 2	00 0	9	7	7	1	4.0		▲ n, ⊙° a, ⊙ p
7	18.4	18.4	15.6	8.3	11.1	10.7	11.8	3.9	63	57	56	19 3	20 3	20 3	8	6	7	8			⊙° a,p
8	10.6	10.7	11.0	9.9	11.0	11.1	11.6	9.5	91	91	95	18 4	18 3	19 2	7	8 •°	8 •°	8 •°	4.0		ṽ • n, • ,° a, •° , p
9	12.6	15.5	17.3	11.0	12.8	11.5	13.1	10.6	94	84	91	00 0	20 3	27 2	8	7	8 ∞°	7	0.9		•° ,° ▲ n, •° ∞° a, ∞° p
10	21.1	21.9	20.7	10.1	12.2	11.4	14.2	9.9	92	77	67	00 0	00 0	19 2	7	6	6	0	0.6		▲ n, ⊙° a, ⊙ p
11	17.1	15.4	10.8	7.7	13.2	13.4	13.8	7.3	80	56	**53**	20 1	21 3	20 3	7	6	8	8			▲° n, •° p
12	03.2	08.5	11.4	15.1	12.7	13.9	15.6	12.3	67	92	84	20 3	20 3	20 4	7	8 •°	8 •°	7	2.6		•° n, • a, •° p
13	12.6	14.2	15.3	14.2	14.5	13.5	14.8	13.2	90	90	92	21 4	23 4	23 3	7	8 =°	8(ṽ)	8 ṽ°	7.8		=° ṽ n,a, ṽ p
14	16.4	15.1	12.9	11.9	13.2	14.2	14.3	11.7	90	87	90	18 2	20 3	20 4	7	8	8(ṽ)	8	3.3		ṽ° •° ▲ n, ṽ a, ṽ° p
15	06.2	03.7	02.3	14.0	15.2	15.5	**16.1**	13.7	81	73	87	23 5	23 5	23 4	7	7 ∞°	8 ∞	8 ∞	0.7		∞° n, ∞° ṽ a, ∞ ṽ p
16	01.9	02.3	99.9	14.2	13.9	13.7	15.8	13.4	85	90	91	21 5	23 5	21 4	6	8 ṽ	8 ṽ	8 •	0.8		∞ ṽ n, ṽ a, ṽ • p
17	95.5	96.3	94.0	12.6	12.4	12.5	14.2	11.3	92	88	88	00 0	20 2	20 2	8	8 •²	7	7	29.4		• n, •² ⊙° a
18	93.0	88.4	**77.2**	10.8	11.8	12.8	12.9	9.8	87	73	80	20 4	23 5	21 6	8	7(ṽ)	8(ṽ)	8	29.8		▲ ṽ² n, ṽ a, ṽ • p
19	80.2	81.5	82.8	9.5	11.3	9.5	13.2	9.4	75	70	82	23 6	23 4	23 3	7	4(ṽ)	7 ṽ	6 △	21.4		ṽ ▲ n, ṽ ⊙° a, ṽ ⊙° △ R p
20	87.1	88.3	89.2	9.1	9.6	9.1	10.8	7.9	83	87	84	21 3	20 3	20 3	7	7(ṽ)	7 ṽ	7	7.7		ṽ △ ▲ R n, ṽ △ a, ṽ △ R p
21	87.1	86.2	87.0	8.4	7.1	6.6	9.8	6.5	82	85	90	**20** 4	20 3	20 3	7	4	7	7 ṽ°	29.3		ṽ △ R n,a,p
22	90.6	93.7	94.5	7.5	8.7	8.0	9.4	6.5	91	90	91	19 3	20 3	19 4	6	7	7 ṽ	6 ṽ°	18.3		ṽ △ R n, ṽ a,p
23	92.8	93.9	94.3	6.9	8.5	6.7	9.1	6.6	93	87	88	00 0	00 0	20 1	7	7	7	1	11.3		ṽ ▲ ▲ n, ⊙° a, ṽ ⊙° p
24	83.6	84.8	91.6	6.6	8.7	7.4	8.9	4.2	57	61	74	06 3	05 4	02 4	9	2	1	7 ṽ°	1.8		▲ ṽ° n, ⊙ a, ⊙ ṽ° ▲ p
25	02.1	04.5	02.3	3.5	7.4	5.1	7.9	3.0	93	75	83	00 0	24 1	00 0	7	7 ṽ°	4	8 =°	2.5		ṽ ▲ ▲ n, ṽ° ⊙ a, ⊙ =° p
26	86.8	83.5	84.9	3.2	5.9	5.1	6.0	2.8	85	70	73	09 3	06 3	05 3	8	8	8 •°	6	0.9		=° ṽ n, •° a, •° ⊙° p
27	96.9	05.5	13.4	5.0	5.7	3.3	6.0	3.2	61	64	77	06 4	05 3	36 3	9	1	6	1	0.1		⊙ a, ⊙° p
28	21.7	23.8	24.8	1.5	4.4	3.8	5.2	**1.3**	94	82	85	16 2	19 2	20 1	7	7 ṽ	6	6	0.2		▲ ▲ ṽ n, ṽ ⊙ a, ⊙° ṽ° p
29	25.2	25.2	24.8	4.7	6.9	6.8	7.2	2.9	73	60	68	16 1	20 3	21 4	8	7	8 •°	8	0.3		ṽ° ▲ n, •° a,p
30	25.1	25.4	24.9	7.9	7.5	8.0	8.4	6.8	64	78	81	20 3	20 4	20 5	7	7	8 •°	8 •	0.0		•° n,a, • p
31	25.8	26.6	**27.0**	9.1	9.4	9.3	9.8	7.5	94	94	93	20 3	20 3	20 2	6	8 ṽ	8 ṽ	8 =°	19.4		• ṽ n,a, ṽ • =° p
M	05.2	06.2	06.2	9.0	10.2	9.7	11.3	7.8	82	79	81	2.7	3.0	2.9	7.4	6.7	7.1	6.4	277		

Ekstensotabell

1949

Bergen (Fredriksberg)

$\varphi = 60° 24'$ N $\lambda = 5° 19'$ E $g = 9.819$ $\Delta G = +1^h$

November XI

$H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	24.6	23.5	22.3	8.1	9.8	9.5	10.0	7.8	88	83	93	17 2	20 3	24 3	7	7	7 ∞	8 ⚲	22.4		=° ⚲ ⌒ n, ⚲ ⊙ ∞ a, ∞ ⚲ • p
2	17.1	15.0	14.4	8.2	9.2	8.9	9.9	7.7	91	93	94	21 4	23 3	23 3	7	8 •	8 •°	8 •	16.0		⚲ • n, •² a, • p
3	11.3	09.7	05.1	10.4	10.5	10.3	10.6	8.8	91	84	91	24 4	23 5	20 5	7	8 ⚲°	8 ⚲°	8 ⚲	42.4		• ⚲ n, • a, ⚲ • p
4	03.2	04.3	01.8	8.6	9.6	8.5	10.6	7.6	81	83	91	21 3	24 5	24 3	7	7 ⚲°	8 ⚲	8 ⚲	26.7		• ⚲ n, ⚲ a, ⚲ • p
5	92.2	89.8	86.2	11.3	10.0	9.3	11.5	8.5	87	90	90	21 7	23 6	23 7	7	8	8 ⚲	8 ⚲	27.6		• ⚲ n, ⚲ a, ⚲ • p
6	95.5	82.7	**78.7**	8.6	10.2	9.4	10.8	8.1	**46**	49	50	20 3	16 2	14 3	8	8	8 ∞°	7	10.1		⚲ n, ∞° a
7	80.7	83.7	87.1	5.2	6.6	6.5	10.1	5.0	90	91	64	20 2	20 4	25 3	7	8 •	4	1	0.7		• ⌒ n, • ⊙° a, ⊙ p
8	86.9	88.5	93.7	5.0	5.5	5.9	7.6	4.6	64	67	63	00 0	00 0	00 0	6	7	8	7	0.8		
9	00.9	99.8	96.7	2.2	8.4	9.1	9.3	1.9	90	61	56	00 0	20 3	20 2	8	6	7	7			
10	92.6	92.7	93.3	8.0	8.4	8.1	9.2	7.0	53	54	59	15 3	16 2	20 1	8	7	8 ∞	8 ∞			⌒ ⌣ n ∞ a, ∞ •° p
11	95.1	96.3	95.7	6.2	7.0	7.4	8.6	6.0	77	74	70	00 0	00 0	00 0	5	8	7	8	0.0		∞ n, ⊙° a
12	91.8	90.3	88.4	6.5	6.6	5.2	8.1	5.1	83	85	85	14 2	00 0	29 1	7	8	7	7	1.6		• n, •° a,p
13	89.4	92.2	95.0	2.3	4.3	2.7	5.5	1.9	92	84	83	00 0	00 0	00 0	6	5	2	0 ⌒	0.1		⌒ ⌣ n, ⊙ a,p
14	01.6	06.2	11.2	0.8	3.2	1.7	3.7	0.6	91	83	85	00 0	00 0	00 0	6	0 ⌣	0	0 ⌣°			⌒ ⌣ n, ⌒ ⌣° ⊙ a, ⊙ ⌣° p
15	18.7	21.7	22.1	- 0.2	2.3	4.8	4.9	- 0.4	92	87	61	00 0	00 0	19 3	6	0 ⌣	1	0			⌣ n, ⊙ ⌣ a, ⊙ ⌒ p
16	22.8	23.2	21.2	6.8	8.2	3.8	8.6	3.7	57	54	64	20 4	20 3	19 2	8	1	4	0			⌒ n, ⊙ a,p
17	12.0	09.1	05.5	3.7	6.2	6.5	7.8	1.0	73	64	64	00 0	00 0	00 0	7	1	7	8			⌣² n, ⊙° a
18	05.0	05.9	06.2	7.5	8.0	5.2	9.0	4.6	73	71	75	00 0	00 0	30 1	7	7	7	0	0.1		⌒° •° n, ⊙ a,p
19	05.0	07.2	08.4	8.9	7.6	7.3	10.6	3.6	53	64	64	14 4	00 0	20 2	6	8	8	7			• p
20	09.2	07.7	04.8	5.8	7.1	5.4	8.8	5.1	70	63	90	00 0	23 1	20 1	7	8	8	8 •	0.1		⌒² n, • p
21	97.1	95.1	91.6	10.3	10.0	12.3	12.3	5.1	64	68	52	19 3	20 2	20 4	7	8 •°	8 •°	8	5.9		• n,a, •° p
22	92.9	92.6	95.1	9.8	12.6	10.1	**12.9**	8.5	64	52	66	18 2	16 3	21 2	8	8 •°	8 •°	3	1.7		•° n,a,p
23	96.4	97.1	97.5	9.5	12.0	11.8	12.2	9.0	74	59	54	00 0	16 2	16 5	8	8	8	8	0.8		⚲ ⌒ n, •° a
24	01.7	05.0	04.8	10.7	10.2	9.1	12.0	8.8	54	59	74	14 3	00 0	00 0	7	1	3	8	0.1		⌒ n, ⊙ ⌒° a, ⊙ •° p
25	03.7	03.4	03.3	6.8	8.4	5.4	9.3	5.4	83	74	80	16 1	00 0	00 0	6	7	6	0	0.2		•° ⌒ n, ⊙ a,p
26	04.2	05.1	04.7	3.9	5.7	4.6	5.9	3.1	87	77	97	23 1	20 2	19 2	7	7	8(•)	8 •°			⌒ n, (•) a, •° p
27	01.6	01.5	04.0	4.2	4.0	4.0	5.2	2.7	90	63	52	00 0	14 2	11 3	7	6	1	0	0.5		•° ⌒ n, ⊙ a,p
28	06.6	06.6	05.6	1.4	3.2	1.7	4.1	0.7	56	50	56	05 1	02 2	05 2	9	0	0	0			⌣ n, ⊙ a,p
29	98.6	89.9	90.7	- 0.4	2.7	6.6	6.7	- **1.2**	81	92	94	20 4	20 5	17 2	7	8 *	8 ⚹	8	0.1		⌣ * n, * ⚹ a, ⚹ • p
30	97.7	97.1	91.5	7.2	7.4	9.3	9.4	6.1	75	92	93	18 2	20 4	21 6	7	8	8 •°	8 •	19.2		• n, •° a, • p
M	01.5	01.4	00.9	6.2	7.5	7.0	8.8	4.9	76	72	74	1.8	2.0	2.2	7.0	6.0	6.1	5.3	177		

Desember XII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	89.2	87.0	85.3	6.1	6.3	5.1	**9.3**	4.1	90	80	77	23 3	23 4	23 2	7	8(⚲)	8	7	18.1		• ⚲ △ n, ⚲ a,p
2	89.9	91.7	90.8	2.0	2.9	1.8	6.3	0.7	93	87	94	00 0	20 2	16 3	7	4	7	7	14.2		⚲ ⚲ △ n, ⚲ a,p
3	66.9	65.0	**60.7**	2.0	6.2	4.7	6.2	1.8	93	87	94	21 6	32 2	17 2	7	8 •	7 △	7 ⚲°	21.5		⚲ • n, • ⚲ △ ⊙° a, ⚲ △ ⊙° p
4	67.5	69.0	71.9	2.6	4.1	2.5	5.0	2.4	93	91	94	17 3	35 2	19 3	6	8 •	4	6	26.8		⚲ • n, • ⚲ ⊙° a, ⊙° ⚲° p
5	77.2	79.0	80.5	1.3	2.3	1.6	2.6	0.5	95	91	91	17 2	18 2	18 2	7	8	5 ⚲	1	8.1		⚹ n, ⚲ a, ⚲° p
6	84.9	89.5	93.4	1.3	0.9	2.4	2.4	0.6	91	87	92	00 0	17 2	00 0	7	1	7(⚲)	7	4.5		⚲ ⊙° a,p
7	89.6	78.8	70.8	- 0.1	2.1	5.6	5.6	- 0.3	71	91	90	23 1	23 3	18 6	7	8	8 ⚹	8 •	3.7		⚹ a, ⚹ • p
8	69.6	73.1	79.6	4.0	2.8	1.8	6.4	1.8	81	93	93	21 2	02 1	28 1	7	7 ⚲	7(⚲)	1	55.7		•² ⚲ n, ⚲ a, ⚲ ⚲ p
9	88.3	94.7	99.5	1.4	1.4	1.9	2.3	0.4	93	95	90	18 1	00 0	03 2	6	7	8 ⚹	2	5.7		⚲ ⚲ n, ⚲ ⚹ a, ⚲ p
10	06.7	11.3	15.1	0.5	1.4	0.5	2.7	- 0.3	94	92	92	19 1	00 0	00 0	6	7	1	5	8.1	4	⊙ a, ⊙° p
11	20.0	21.3	20.9	0.9	0.5	- 2.1	1.1	- 2.3	68	70	81	07 2	00 0	00 0	7	0	7	0		4	⊙° a,p
12	15.3	11.0	02.7	1.6	1.6	2.4	2.4	- **2.4**	63	93	92	19 4	20 5	20 6	7	8 ⚹°	8 ⚹	8 •	0.0	3	⚹° n, ⚹ a, ⚹ • p
13	99.4	00.5	97.6	5.0	2.6	3.7	7.0	2.4	90	91	78	02 1	16 1	19 2	7	1	6	2	47.0		•° ⌒ n, ⊙ a, ⚲ p
14	89.9	89.5	89.0	4.8	4.1	3.1	5.3	2.5	88	90	91	20 3	20 4	20 3	7	8 •	7(⚲)	7 ⚲	5.4		• n, • ⚲ ⚲ △ a, ⚲ ⚲ △ R p
15	84.9	78.4	80.7	4.8	5.4	5.0	6.1	1.7	78	83	88	21 3	20 5	21 3	7	2	8 •°	8	33.8		⚲ △ R ⌒ n, • a, • ⚲ p
16	83.6	83.1	73.5	2.6	5.0	5.5	5.5	2.1	92	88	94	20 2	21 3	24 3	7	3	7	8 •	12.8		⚲ n, ⚲ ⚲ △ a, • p
17	71.1	70.0	71.8	3.4	2.4	1.9	6.4	1.7	91	94	93	21 2	20 3	00 0	6	8	6 △	0 ⌒	30.5		• ⚲ n, ⚲ △ ⊙ a, ⚲ △ ⊙° ⌒ p
18	79.3	83.7	85.3	1.0	0.9	- 0.8	2.7	- 1.1	84	83	85	23 1	00 0	20 1	6	0	0	0	7.4		⌒ ⌣° n, ⊙ a,p
19	76.3	70.0	68.6	- 0.5	2.4	4.7	4.8	- 2.0	87	83	77	00 0	17 2	20 3	7	0	8 ⚹°	5 ⚲°			⚹ a, ⚹° ⚲ p
20	70.1	79.8	92.1	5.4	3.5	3.6	5.7	2.7	84	92	90	36 1	36 1	19 1	7	8 ⚲	7	2	7.1		⚲ n,a
21	01.7	02.5	04.9	5.3	3.2	4.0	5.9	2.4	91	92	91	20 4	20 5	20 4	8	8 •	8 ⚲°	2	4.4		• n, • ⚹ ⚲ a, ⚲ p
22	09.0	13.2	17.5	3.5	3.6	3.7	4.5	2.6	94	95	93	19 3	18 2	00 0	7	4	7 ⚲	4	20.2		⚲ △ R n, ⚲ △ a, ⚲ p
23	23.1	22.7	18.1	0.8	4.0	4.6	4.6	0.6	97	64	85	00 0	20 4	20 5	8	0	8	8 ⚲°	5.1		⌣ n,a, ⚲ • p
24	14.6	14.3	11.4	7.5	7.2	6.2	7.9	4.6	90	91	90	20 1	23 2	20 4	7	4	7	8	16.8		⚲ n
25	99.4	92.3	82.5	6.1	7.0	7.8	7.8	5.9	91	92	93	20 4	23 6	21 5	6	8 •	8 •	8 •	3.1		⚲ • n, • a,p
26	73.5	82.1	87.4	6.0	5.9	4.0	8.6	3.7	94	75	91	23 3	23 3	16 1	8	8 •	5	3	51.2		•² n, • ⚲ ⊙° a, ⚲ p
27	78.8	87.4	96.8	7.5	7.2	4.6	8.2	3.4	81	84	88	25 5	34 3	32 2	7	8 ⚲°	7 ⚲	7(⚲)	21.9		⚲ n,a,p
28	02.7	07.4	09.6	5.3	6.0	4.4	6.9	3.6	85	83	90	23 3	34 2	18 2	7	5	7	7 ⚲°	5.1		⚲ n, ⚲° ⊙° a, ⚲° p
29	04.5	07.4	12.1	4.2	3.9	3.6	5.0	3.0	94	88	92	00 0	02 2	35 1	9	8 •	1	1	2.9		⚲ • n, • ⚲ ⊙ a, ⊙ p
30	16.6	18.0	19.8	0.9	1.2	0.6	3.8	- 0.5	93	90	91	23 1	00 0	00 0	6	0	7	6 =°	8.0		⚲° ⌣ n, ⊙ a, =° p
31	23.2	**24.4**	22.9	2.3	2.0	2.1	2.9	- 1.1	75	77	**50**	19 1	18 3	22 6	9	0 =°	5	7 =°			=° ⌣ n, ⊙ a, *° =° p
M	92.5	93.5	94.0	3.2	3.5	3.2	5.2	1.5	87	87	88	2.0	2.4	2.4	7.0	5.1	6.3	4.9	449	0	

Ekstensotabell

1949

Trondheim (Voll)

$\varphi = 63° 25'$ N $\lambda = 10° 27'$ E $g = 9.822$ $\Delta G = +1^h$ **Januar I** $H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde >	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	61.4	62.8	63.9	2.0	1.6	- 0.1	5.2	- 0.2	47	50	49	20 4	22 3	14 2	9	8	7 ∞	1			⊙ a
2	**55.7**	56.4	55.9	4.5	5.6	5.5	5.6	- 0.2	48	45	45	20 4	19 6	16 5	8	7	7	3			
3	65.1	72.9	73.6	2.3	- 0.2	- 2.0	5.5	- 3.9	84	66	49	26 4	18 4	14 2	8	8 △	2	0	0.1		♦ n, ♦ a
4	71.7	71.9	77.0	- 3.0	- 1.8	- 4.1	- 1.2	- 7.0	**44**	47	80	14 3	24 1	00 0	6	8	6 ♦	3	0.1		⌓ n, ♦° a
5	93.5	99.2	96.9	- 3.8	1.8	- 0.5	1.8	- 4.4	76	80	49	26 2	22 3	26 1	6	7 △	3(♦)	5 ∞	0.0		∞ n, ♦ a, ∞ p
6	91.3	93.1	93.3	4.5	4.9	3.3	6.2	- 0.5	49	64	62	22 1	22 5	26 5	9	8 ∞	7	6 •°	1.0		∞ n, •° a
7	00.0	01.0	98.8	- 3.3	- 0.4	- 0.6	3.3	- 3.8	91	73	68	24 5	25 8	27 2	6	3 *	6 *°	7	1.6	8	* n, ♦ a, * p
8	90.2	88.1	87.0	- 3.4	- 2.4	0.0	0.0	- 4.1	86	77	90	25 4	22 3	30 5	8	8(*)	7	8 ♦	3.0	10	♦ n,a,p
9	92.3	95.8	95.6	- 2.8	- 2.4	- 1.6	0.0	- 3.9	86	90	74	22 4	20 2	22 5	5	6(*)	5(♦)	8(*)	5.6	12	♦ n,a,p
10	76.5	72.1	65.2	4.2	5.3	5.0	6.8	- 2.1	84	76	81	26 6	21 5	20 5	5	8 •°	8(≡)	4	5.7	10	• n, • a
11	64.1	64.5	64.5	1.6	0.9	- 0.4	5.0	- 0.6	77	78	77	28 4	25 3	26 1	9	3(•)	5	7 ∞°	6.0	10	♦ n, ⊙ 13, ♦ p
12	80.1	88.4	95.3	- 1.6	- 3.1	- 4.2	- 0.2	- 4.2	73	71	86	34 5	35 2	27 3	9	8(*)	3	8 ♦	0.9	10	♦ ⌓ n, ♦ p
13	92.3	83.0	78.4	- 4.8	- 1.5	4.8	4.8	- 6.7	47	85	81	22 3	18 5	22 5	2	8	8 *	8	0.7	10	♦ n, * a, ♦ p
14	71.8	68.1	66.6	2.3	- 0.2	0.2	6.8	- 0.2	71	93	71	24 6	22 7	27 6	5	7(•)	8(♦)	8 ♦	5.0	10	♦ △ \ n, ♦ △ a, ♦ p
15	88.1	91.1	97.1	0.0	- 1.5	- 1.6	2.8	- 1.6	64	86	56	24 6	27 3	16 2	3	8(*)	6 ♦	7	8.6	10	♦ n,a,p
16	83.1	76.1	78.1	- 3.3	- 3.6	- 6.3	- 1.3	- 6.3	54	49	71	20 7	18 7	18 7	8	8	6 +	8 *	1.8	10	+ a,p
17	79.5	75.0	62.5	- 1.8	- 1.8	- 1.5	- 0.8	- 6.9	55	54	86	25 5	20 2	20 7	8	8 △	5	8 *	1.8	10	♦ n,a, * p
18	66.8	73.5	74.9	0.8	0.2	- 0.6	2.1	- 2.3	86	86	86	20 7	24 4	24 5	3	8 ♦	8 *	3 ♦	0.1	10	♦ + n, * a,p
19	73.4	65.9	58.2	- 1.6	2.0	2.6	3.9	- 2.9	65	55	77	00 0	20 4	20 5	8	5 ∞	8	8	4.9	12	♦ n, ∞ a, ♦² p
20	59.2	60.5	60.3	- 1.3	- 3.2	- 3.3	2.8	- 3.3	77	69	71	18 3	24 1	00 0	8	2	4	0	0.6	12	♦° n, ⊙ 13
21	67.2	75.8	87.7	- 5.3	- 8.3	-11.6	- 3.3	-12.0	86	73	71	36 4	12 2	04 1	8	8 *	1	0	3.6	20	* n,a, ⊙ 13
22	03.8	03.6	02.3	-16.0	-15.6	-10.9	-10.6	**-19.4**	81	84	73	18 1	18 1	00 0	6	0 ∞	6 ∞	8 ∞	0.2	20	∞ n, ∞ ⊙ a, ∞ p
23	86.8	83.5	80.4	- 2.0	0.4	0.3	0.4	-10.9	89	85	93	00 0	24 1	24 1	5	8 *°	8 •°	8(≡)	0.8	23	* n, *° a, • (≡) p
24	84.4	87.1	90.1	0.4	1.4	0.4	1.8	0.2	93	74	92	24 6	24 6	30 6	6	7 *	3(*)	8 ♦	7.0	23	♦ n, △ a, ♦ p
25	00.7	03.5	99.2	2.3	3.8	2.8	3.8	0.3	87	77	64	24 3	22 4	24 1	6	8 •	6(•)	8 ∞	9.4	15	• n,a, ∞ p
26	94.4	98.6	02.6	5.1	3.8	3.2	5.8	2.5	49	73	69	22 3	22 5	18 1	6	8	5(•)	0	5.6	15	⌓ 19
27	96.3	95.4	94.4	5.6	8.1	5.6	8.5	1.1	55	49	56	20 1	20 1	18 1	6	5 ∞	6 ∞	8 ∞		10	∞ n,a,p
28	98.4	04.5	09.9	5.5	5.6	3.4	**8.6**	3.4	84	87	85	22 3	27 2	21 2	5	8 •	8 •	6 ∞	0.7	0	• n, • (≡) a, • p
29	**11.0**	07.8	98.7	2.1	2.5	1.3	3.8	1.1	82	84	93	20 3	18 1	00 0	8	8 ∞	8 ∞°	8 ≡²	3.3		∞ n,a, ♦ p
30	88.6	95.7	01.0	2.5	0.3	- 1.8	5.4	- 1.9	81	76	87	30 4	27 5	32 5	5	8(•)	8(*)	8 △	3.2		♦ n, ♦ a, △ p
31	05.0	07.2	09.6	- 2.5	- 1.6	- 1.8	- 0.2	- 2.9	87	93	93	27 4	30 3	27 3	5	7 ♦²	8 *	7 *	4.6	10	♦ n, *² a,p
M	83.6	84.6	84.5	- 0.3	0.0	- 0.5	2.7	- 3.3	72	72	74	3.7	3.5	3.0	6.4	6.8	6.0	5.8	86	9	

Februar II

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde >	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	15.4	**17.7**	17.6	- 2.0	- 0.8	- 0.6	- 0.6	- 3.5	87	84	86	24 3	20 1	24 3	6	7	6 ∞	8 *°	3.8	25	*° n, ♦ p
2	13.3	11.5	06.4	2.5	4.6	4.3	5.6	- 0.8	90	73	66	15 4	14 4	16 1	8	6(•)	1 ∞	8 ∞	1.2	20	• n, •° a, ∞ p
3	92.8	90.6	94.7	5.0	5.4	0.6	5.8	0.6	78	84	95	16 6	24 7	24 3	4	8 •	8 •	8 ⁑	3.3		• n, (≡) 13, •² a,p
4	01.0	02.3	06.9	0.4	1.6	0.4	3.8	0.4	82	59	73	30 4	27 6	34 5	5	8 △²	6 ♦	7 ♦	38.9		• n, ♦ a,p
5	14.7	16.8	16.2	0.5	1.6	0.4	1.9	- 0.3	68	68	73	27 1	23 1	00 0	6	8 ∞	8 ∞	7 ∞	4.2	5	♦ n, ∞ a,p
6	12.0	11.6	10.6	- 1.2	0.2	1.8	3.0	- 2.9	71	61	76	23 2	20 2	00 0	7	8	6	8 •		5	⊙ a
7	05.5	02.1	99.5	- 1.9	0.6	- 1.8	2.0	- 1.9	80	72	78	23 1	00 0	00 0	6	1 ∞	1 ∞	1 ∞		5	∞ n, ∞ ⊙ a,p
8	89.8	87.8	85.8	- 5.6	- 2.1	- 1.0	- 1.0	- 6.1	62	77	84	18 1	00 0	00 0	8	1 ∞	7 ∞	7 ∞		5	∞ n,a,p
9	88.4	87.5	84.4	- 1.5	0.6	- 3.4	1.2	- 3.4	86	74	87	20 1	16 1	00 0	5	8 ∞	4 ∞²	0 ∞		5	∞ n, ∞ ⊙ a, ∞² p
10	84.2	86.8	91.7	- 8.3	- 5.4	0.4	0.5	- **8.9**	90	81	76	18 1	15 1	18 3	6	1 ∨	7 ∞	2		5	≡ ∨ n, ∞ a, ♦° p
11	95.8	96.1	93.0	0.6	2.3	3.1	4.4	- 0.1	71	56	44	23 1	10 1	18 3	8	6(*)	6	8	0.0	5	∞ n, ∞ ⊙ a
12	93.9	93.4	90.9	0.0	0.8	- 1.6	3.8	- 1.6	61	55	53	23 1	09 1	00 0	8	5	1	6		5	⊙ p
13	91.5	88.6	79.2	- 1.3	3.4	3.3	4.6	- 2.9	59	47	61	00 0	22 1	20 4	6	2	7 ∞	8		5	∞ a, ♦° p
14	70.8	71.4	81.0	4.0	3.4	1.3	**8.0**	1.3	86	61	78	27 6	18 6	27 4	5	8 •	8 *	3	9.5	5	•² n, • a, ♦ p
15	87.2	89.7	86.5	1.3	3.1	4.3	4.3	0.7	91	80	61	23 5	27 4	00 0	6	8(*)	8 •	8	14.0	5	⁑² n, • a,p
16	89.1	89.5	84.1	4.8	7.0	4.0	7.8	2.5	84	66	78	27 4	20 2	30 3	8	6(•)	5	8 •°	3.3		♦° n, ⊙ 13, • a, •° p
17	81.6	87.9	93.4	4.6	3.8	1.1	7.8	1.1	77	65	80	26 6	24 5	24 4	6	8(•)	2(*)	3	1.9		♦ n, ♦° a, ♦ p
18	01.9	02.2	98.4	2.4	4.0	2.3	5.2	0.9	73	60	55	28 4	23 1	23 1	8	6(•)	4	6	3.5		• ⌓ ∿ n, ♦ a
19	90.5	88.5	95.1	5.1	6.0	3.9	6.8	0.5	50	53	84	20 5	20 6	30 2	8	6	5	8	0.0		♦° p
20	92.5	90.6	90.8	1.3	3.9	3.1	5.8	0.5	61	69	71	09 1	10 2	00 0	7	6	7 ∞	8 •°	0.3		• p
21	97.8	94.8	89.6	0.8	6.1	5.0	6.5	0.8	84	49	**40**	23 3	00 0	25 6	8	0 ∞	0	1	1.0		• ∞ n, ⊙ a,p
22	94.6	94.1	82.3	3.3	3.0	1.0	5.6	1.0	74	73	68	21 2	21 3	00 0	6	8 △	6(≡)	1	0.1		•° n, ⊙ a
23	75.3	79.0	79.0	0.3	0.4	0.0	3.8	- 0.5	87	90	91	20 3	23 4	23 5	6	8 *²	8 ♦	6 ♦	0.5		♦° n, ♦ a, ♦ p
24	80.6	81.3	82.7	- 1.0	- 0.8	- 1.3	0.8	- 1.3	93	81	**86**	24 4	23 4	20 1	6	8(♦)	8(♦)	6(*)	8.6	7	△ ♦ R n, ♦ △ a, ♦ p
25	85.1	88.3	91.6	- 1.4	- 0.4	0.0	0.8	- 1.4	81	87	73	27 6	27 5	27 5	4	8 ♦	8 △²	6(♦)	8.4	20	♦² n, △ a
26	83.9	71.5	68.0	- 3.6	- 2.3	- 0.8	0.2	- 5.1	61	68	84	18 2	20 5	22 4	4	8	8 +	7	8.6	30	* n, ♦ p
27	**67.5**	74.6	81.1	- 3.4	- 3.3	- 4.7	- 0.7	- 5.9	81	69	71	09 3	02 2	04 1	7	6	8 ∞	6	8.4	35	* n
28	85.5	85.0	84.4	- 3.0	- 2.6	- 3.2	- 1.0	- 4.9	87	95	90	27 3	27 2	22 2	1	8 ♦²	8 *²	8 ♦²	5.0	40	* n, * a, ♦ △² p
M	92.2	92.2	91.6	0.1	1.6	0.8	3.5	- 1.5	77	70	74	3.0	2.8	2.1	6.2	6.1	5.6	5.8	124	8	

Ekstensotabell

1949

Trondheim (Voll)

$\varphi = 63° 25'N$ $\lambda = 10° 27'E$ $g = 9.822$ $\Delta G = +1^h$

Mars III

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	83.9	91.0	01.8	- 4.6	- 6.6	- 8.5	- 3.1	- 8.7	86	73	81	20 1	04 4	04 1	5	6(≡)	6 ♦	6	23.1	60	*² n
2	05.5	07.0	07.6	- 6.2	- 1.8	- 3.5	0.7	-12.7	89	81	86	22 2	00 0	28 1	3	5 ♦	8 *²	8 *	10.4	65	♦ n, * a, ♦ p
3	09.3	10.7	13.2	- 3.6	- 0.4	- 6.2	2.5	- 6.2	89	69	73	27 2	00 0	16 3	8	5 ♦	5	4	17.4	75	* n, ⊙ a,p
4	17.1	19.0	19.0	-12.0	- 3.5	- 8.1	- 0.5	-14.1	73	49	55	15 1	00 0	15 2	8	3	0	1		75	∽ n, ⊙ a,p
5	16.8	14.7	11.9	-12.2	- 4.5	- 9.2	- 1.3	**-15.1**	54	**28**	33	00 0	12 1	00 0	8	0	0	0		60	⊙ a,p
6	09.0	07.8	07.1	- 4.3	- 1.4	- 4.0	- 0.7	-12.1	55	54	54	09 3	20 5	16 3	8	6	5	1		60	⊙ a
7	06.3	07.7	10.4	- 3.0	1.6	- 1.6	2.1	- 4.5	53	46	47	18 4	18 4	18 5	8	0	1	0		40	+ n, + ⊙ a, ⊙ p
8	16.5	18.2	18.9	- 4.1	2.0	- 2.4	3.7	- 7.7	54	41	49	20 2	22 2	18 2	6	0 ∞	2 ∞	6 ∞		40	∞ n, ∞ ⊙ a, ∞ p
9	18.2	17.2	16.6	- 4.3	1.8	- 0.8	3.9	- 6.6	53	45	49	21 1	00 0	18 4	8	6 ∞	3 ∞	1 ∞		40	∞ ⊙ n,a,p
10	16.1	14.9	12.9	- 3.0	2.3	- 1.4	4.3	- 4.7	55	42	47	23 1	20 3	28 4	8	6 ∞	1	1		40	∞ n, ∞ ⊙ a,p
11	05.3	99.7	92.5	- 5.7	1.1	- 1.0	2.4	- 7.5	42	40	47	13 1	18 5	18 6	8	0	0	8 +		40	⊙ a, + p
12	79.5	76.4	73.3	1.3	0.8	0.5	1.2	- 1.3	49	49	49	16 6	18 7	20 5	8	8 +	8 +	7		30	+ n,a,p
13	66.4	61.1	**55.9**	- 5.0	3.0	3.4	5.9	- 5.2	80	40	54	16 1	19 6	18 1	8	1 ∞	6	8 ‡	0.0	20	* n, ∞ + a, ♦ p
14	61.3	65.3	72.0	- 4.8	- 1.3	0.8	3.5	- 6.4	62	82	71	22 1	25 2	00 0	3	6 ♦	8 *	6	3.3	10	♦ △ n, *² a, * p
15	79.4	81.3	83.8	1.3	1.1	1.6	2.0	0.0	86	92	81	27 4	27 5	27 5	4	8 ♦	8 ‡	8 ♦	4.2	5	♦ n, *² a, ♦ R p
16	79.1	81.0	84.8	0.5	- 1.2	- 5.3	1.8	- 5.3	95	74	81	27 3	09 4	00 0	6	8(*)	8 ∞	5 ∞	16.0	20	* n,a, ∞ p
17	88.1	87.8	87.6	- 9.0	- 1.0	- 7.5	3.4	-10.5	85	61	84	00 0	09 2	00 0	8	1 ∞	0	1 ∞²	2.2	25	∞ n, ⊙ a, ∞ ⊙ p
18	92.8	96.1	98.5	-11.8	- 2.5	- 1.8	1.9	-14.2	80	61	68	20 1	00 0	27 1	6	0 ∞	1 ∞	8 ∞		25	∽ n, ∞ ⊙ a, ∞ p
19	01.3	03.6	05.1	- 0.3	1.5	- 2.0	3.7	- 2.6	91	74	86	25 2	23 1	20 1	5	7 ♦	7(♦)	7 ♦	4.4	25	♦ R n, ⊙ 8, ♦ a,p
20	05.1	02.1	96.4	- 5.6	2.0	0.3	5.2	- 6.7	77	48	46	22 2	19 3	18 4	8	2	0	1	0.8	30	♦° n, ⊙ a
21	92.8	93.7	94.6	0.6	5.4	2.2	7.8	- 2.5	71	49	71	22 1	00 0	19 2	8	8 ♦	8	1 ∞	0.0	30	♦° n
22	83.0	86.6	93.8	2.7	4.4	2.6	5.7	1.3	84	69	67	23 4	24 5	27 6	5	7(♦)	5(♦)	8 △	3.7	25	♦ n,a, ♦ △ p
23	01.3	99.8	00.9	2.8	7.8	7.0	8.9	1.7	77	58	38	22 4	20 5	27 6	8	6(•)	5	8(•)	3.5	25	♦ n, ⊙ 13
24	06.4	08.3	06.8	1.6	2.3	2.3	7.2	1.3	91	90	90	23 1	21 2	00 0	5	8 •	8 •	8 •	17.0	15	•² n, (≡) 8, ‡ a, •² p
25	07.0	07.5	07.7	1.6	3.8	1.9	6.3	1.6	90	78	67	23 3	23 2	29 1	6	7 ♦°	6(♦)	8(≡)	16.8	10	♦ n, ♦° a, ♦ p
26	07.0	08.4	09.5	- 0.4	2.6	- 0.6	5.2	- 0.7	73	71	92	23 3	25 2	00 0	5	2(♦)	7(♦)	8 *	1.1	10	♦° n, ♦° a, ♦ * p
27	13.2	13.9	15.1	- 1.4	4.1	2.2	5.0	- 1.4	84	52	61	23 3	25 4	25 1	8	6(♦)	6	8(♦)	1.1	10	♦ n, ⊙ 13
28	20.4	**20.5**	19.0	- 0.5	7.5	2.3	**9.9**	- 0.7	62	47	56	23 3	00 0	10 4	8	3	0	2		10	⊙ a,p
29	16.0	14.2	11.1	- 2.6	6.8	4.8	9.4	- 4.5	71	42	49	23 2	00 0	00 0	6	6 ∞	2 ∞	8 ∞		10	∽ ∞ n, ∞ ⊙ a, ∞ p
30	07.6	05.1	02.3	0.4	7.0	5.3	7.8	- 0.9	73	54	66	25 3	23 1	25 3	5	8 ∞²	8 ∞²	8 ∞		10	∞ n,a, p
31	98.9	98.6	99.8	1.0	1.6	- 1.6	4.9	- 1.6	95	81	85	23 2	25 1	25 4	5	8 *	8(≡)	7(*)	3.8	10	‡ n, * a, ♦ p
M	00.3	00.6	01.0	- 4.9	1.5	- 0.9	3.9	- 5.1	74	59	64	2.2	2.5	2.4	6.5	4.7	4.5	5.2	129	31	

April IV

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	04.0	07.4	**07.5**	- 1.6	2.2	- 1.0	4.7	- 1.8	86	62	85	22 4	28 2	22 2	6	6 ♦	7(*)	6	3.0	10	♦ n,a,p
2	03.6	02.7	00.0	- 0.4	2.5	2.4	5.5	- **5.7**	55	50	49	00 0	06 1	00 0	8	7	6	8	1.3	10	⊙ a
3	89.8	85.4	81.9	5.2	6.1	6.1	7.1	1.7	52	46	49	20 4	20 5	20 5	7	8	8 ∞	8 ∞		10	∞ a,p
4	66.0	61.5	**56.7**	7.6	8.2	9.0	11.8	5.2	55	56	50	18 6	20 2	20 4	8	8	8	7		10	
5	71.8	80.3	84.6	2.0	1.1	0.0	9.0	- 0.4	86	72	73	27 4	27 4	24 3	6	8 ‡	3(♦)	6 ♦	4.0		• n, ♦ a,p
6	82.8	82.1	79.6	0.8	2.4	3.0	5.3	- 1.2	78	71	73	23 1	06 2	06 2	8	6	5	8	2.4		△° n, ⊙ a
7	78.0	78.2	78.8	- 0.6	3.6	2.3	5.2	- 1.8	81	72	67	00 0	06 2	06 1	8	6 ∞	6	6			∞ n, ⊙ a
8	81.5	83.5	86.1	- 0.8	2.1	2.4	3.3	- 1.7	73	64	61	06 2	30 2	03 3	8	8	8	6			⊙ n
9	92.6	93.1	94.7	1.6	3.3	1.6	4.7	- 0.2	54	49	56	36 3	02 2	34 2	5	1	7(♦)	7			⊙ 8, ♦ p
10	92.2	91.3	89.7	0.5	3.8	0.1	6.5	0.1	84	72	92	27 4	00 0	09 2	5	8 ♦²	8(≡)	8 ♦	2.6	5	♦ n,a, ♦ p
11	79.1	76.8	76.1	0.2	2.5	1.3	4.5	- 0.5	96	86	95	06 2	03 1	00 0	1	8 *	8 *	8 ≡	9.3	10	* n, ≡ ‡ a, * ≡ p
12	78.6	79.6	78.2	0.2	3.2	3.0	4.7	0.2	96	72	72	06 2	05 1	08 3	8	8 △	4	6	4.3	5	* n, ⊙ 13, *° a
13	85.0	86.9	85.9	2.0	3.6	6.1	7.7	1.6	93	86	71	09 1	03 2	12 2	5	8(≡)	8(≡)	7 *°	3.8	5	• n, (≡) a, (♦) 19
14	94.2	91.7	98.7	5.5	4.6	4.0	6.2	4.0	65	86	93	00 0	04 1	00 0	5	7	8 •	8 •	0.0	5	(≡) 13, • a, ≡ • p
15	03.9	04.3	04.6	4.3	11.6	11.4	14.7	2.5	87	59	38	18 1	00 0	22 3	8	7	4	8	1.2		♦° n, ⊙ a,p
16	03.4	03.3	99.7	6.0	8.1	11.0	12.7	6.0	86	76	52	06 1	00 0	24 2	6	8 ∞	8 ∞	8 ∞			∞ n,a,p
17	02.4	04.6	04.1	8.8	8.6	7.3	11.0	7.3	78	84	93	27 3	25 1	00 0	5	8 ∞	8 ∞	8 ≡			∞ n,a, (≡) 13, ≡ p
18	00.2	94.6	90.4	5.1	14.6	13.5	**15.7**	2.2	95	42	42	00 0	21 4	21 4	6	0 ≡	6 ∞	7 ∞			≡² n, = ∞ ⊙ a, ∞ ⊙ p
19	87.6	81.1	74.3	6.8	12.2	10.5	13.5	4.5	76	**34**	40	22 2	20 3	20 4	8	2 ∞	6	8	0.2		♦ n, ⊙ a, ♦° p
20	92.8	84.1	87.1	0.4	3.4	0.4	10.5	0.0	84	61	91	27 4	27 4	28 3	6	6 △	7 △	8 ♦²	2.0	3	△ n, △ a, ♦ p
21	89.5	88.2	82.8	1.5	8.2	7.6	9.4	- 1.8	66	38	40	22 2	22 4	23 5	8	1	8	8	4.7	3	♦ n
22	76.0	77.3	84.2	2.8	7.4	1.0	7.7	0.8	81	47	86	20 2	30 1	22 3	8	8 •	5	5(♦)	0.0		• n, ♦° a, △ ♦ p
23	90.7	89.4	80.8	- 0.5	7.8	7.4	8.7	- 1.6	87	45	45	23 4	18 1	20 4	8	6(♦)	6	7	3.7	4	♦² n, ⊙ 13
24	89.6	94.9	96.3	3.3	5.5	5.0	7.6	3.3	87	71	74	27 1	28 3	06 1	8	8 •	8	6	6.0		• n, (≡) 8, • a, ⊙ 19
25	89.9	87.7	84.7	6.0	12.3	10.3	12.6	1.7	68	42	58	00 0	21 4	16 4	8	6 ∞	8	8 ∞	0.9		∞ n, ∞ p
26	85.3	88.1	93.4	4.5	7.4	5.6	11.7	4.5	91	74	84	23 3	21 3	30 4	8	8 •	6	7(♦)	3.1		• n,a, ≡ 8, ♦ p
27	94.9	90.4	80.4	3.7	6.0	7.4	8.7	2.2	82	69	71	09 2	06 1	18 5	8	8(•)	7	8 •	1.2		♦ n, • p
28	78.4	78.5	79.5	6.1	10.4	7.9	12.1	4.2	77	47	42	10 1	27 2	25 3	8	4	6	4	2.0		• n, ⊙ 13
29	80.5	85.7	91.8	5.0	7.0	3.6	8.1	3.6	69	66	86	23 5	25 4	27 4	6	6(•)	7(♦)	8 •	0.0		•° n, (♦) a, (≡) 19, ♦ p
30	07.2	05.1	07.2	4.3	5.8	4.3	7.5	3.2	52	49	52	30 2	34 3	30 2	8	6	5	6	1.0		⊙ 13
M	88.4	88.6	88.0	3.0	6.2	5.2	8.6	1.4	77	62	66	2.2	2.2	2.7	6.8	6.3	6.6	7.1	57	3	

Trondheim (Voll)

φ = 63° 25′N λ = 10° 27′E g = 9.822 $\Delta G = +1^h$

Mai V

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = h_d = 11.2 h_r = 1.3

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	02.1	02.8	05.6	4.3	1.8	3.7	6.6	0.7	45	90	67	22 4	27 5	27 4	4	8	8 ⸸	8 ⸸			⸸ ⸸ a, ⸸ ⸸ p
2	**14.0**	13.9	11.3	4.6	7.0	6.6	10.0	2.4	74	56	90	26 3	26 3	26 4	6	7(⸸)	8 ∞	8 ‚	7.1		⸸ n, ∞ a,p
3	11.5	11.0	06.9	4.6	5.8	6.0	6.7	4.4	87	86	96	22 3	27 2	20 2	4	8 •°	8 ‚	8 ‚	2.0		• n,a, ‚² p
4	99.0	95.5	89.1	7.5	9.5	10.6	11.6	6.0	86	77	71	05 2	03 2	05 3	8	7 =	4	5	6.4		‚ n, ⊙ a,p
5	81.4	78.4	74.0	11.8	15.5	15.8	16.6	5.3	46	37	38	20 3	20 5	20 4	8	6	7	8			⌒ n, ⊙ a
6	**71.6**	74.1	74.2	7.3	7.8	9.1	15.8	6.5	73	64	**28**	24 3	06 4	21 6	8	6(⸸)	5	2			⊙ 19
7	82.0	87.1	91.2	1.8	4.3	1.3	9.2	1.3	87	67	80	25 4	27 6	25 4	5	8 *²	6 ⸸	5 ⸸	0.4		⸸ n,a, ⸸ p
8	93.8	96.5	98.1	0.6	0.8	2.4	3.6	- **1.1**	82	93	94	25 5	25 3	25 3	3	7(⸸)	8 *	8(⸸)	3.3	2	⸸ n,* a, ⸸ p
9	03.2	05.3	07.8	1.6	2.0	2.4	4.4	0.5	90	78	84	27 3	27 4	25 2	5	8(⸸)	8 △	8(⸸)	11.5	3	⸸ n,a,p, (≡) 19
10	05.4	04.4	05.1	2.0	5.4	6.7	6.7	1.2	87	87	91	22 4	22 3	32 3	4	8(≡)	8 •	8 •	4.0		⸸ n, • a, •² p
11	10.5	12.7	13.0	6.7	8.3	8.3	10.1	6.1	92	90	80	22 3	23 2	25 2	3	8 ‚	8 ‚	8	19.9		• ‚ n, (≡) 8, ‚ a,p
12	11.4	09.2	08.4	8.9	13.8	10.4	13.9	7.1	78	58	67	23 2	25 1	00 0	6	7 •°	7 ∞	8	0.9		• n, •° ∞ a
13	01.0	96.3	98.0	10.0	14.5	11.8	15.1	7.2	77	41	61	34 1	24 5	04 2	6	8 ∝	8 ∞	6 ∞	0.1		⸸° n, ∞ a,p
14	03.1	04.0	03.8	8.5	10.1	9.0	11.8	6.1	84	73	81	00 0	35 1	00 0	5	8 =	7 ∞	8 =			∞ n, = a, ‚ ∞ p
15	99.5	96.8	96.6	7.5	16.8	14.4	**18.6**	6.1	95	55	52	00 0	25 1	00 0	6	8 ≡²	6 ∞	8 •	0.3		‚ n, ∞ a, •° p
16	97.3	95.4	92.8	9.6	11.1	12.8	14.5	9.5	86	96	77	00 0	03 2	20 1	5	8 =	6 =	8 ⸸	2.2		• n, ⸸ = a, = p
17	88.5	88.4	90.9	14.8	16.4	14.4	17.6	9.1	50	41	55	18 4	21 5	25 1	8	1 ∞	4	4 ∞	4.9		⸸² n, ⊙ 8, ∞ ⊙ p
18	96.3	97.2	96.4	11.5	13.7	13.6	15.6	8.7	80	61	59	36 2	04 2	04 2	6	0 ∞	7 ∞	8 ∞	0.0		⸸ n, ∞ ⊙ a, ∞ p
19	98.5	00.2	01.6	10.8	15.8	14.6	17.6	9.2	86	66	72	36 1	06 1	00 0	5	8 ⸸	4 =	7 =	0.5		⸸ n, =² 8, ⸸ = a, ⊙ 13, ⸸ p
20	03.7	03.9	03.3	12.6	15.6	13.2	16.3	9.6	82	68	87	00 0	04 2	00 0	6	4 =²	6 ∞	8 =	1.0		⸸ n,a, ⊙ 8,13, ⸸ p
21	01.1	03.2	04.0	11.3	9.2	7.0	13.4	7.0	95	92	87	23 1	28 1	27 2	4	8 •	8 •	8(•)	6.5		• ≡ n, • (≡) a, ⸸° p
22	03.1	02.5	00.5	7.4	9.3	8.6	9.6	6.1	80	69	72	24 3	30 2	35 1	9	8	8	8 ⸸°	13.6		⸸ n, ⸸° p
23	95.7	94.0	91.3	6.4	9.5	9.6	10.4	5.5	78	67	62	03 2	34 2	36 1	8	8(⸸)	8 ∞	8 ∞	0.1		⸸ n, ∞ a,p
24	85.5	85.8	82.4	8.3	13.3	13.5	15.6	6.2	91	74	71	06 1	02 1	00 0	9	8(≡)	6	2	1.6		• n, (≡) a, ⊙ 13, ⸸ p
25	82.3	82.4	82.4	12.5	17.8	17.0	18.5	10.9	84	54	47	02 1	05 1	20 2	8	7 =	6 ∞	8 ∞	1.6		⸸ = n, = a, ⊙ 13, ∞ p
26	80.3	78.8	79.8	10.7	10.8	7.8	17.0	7.7	91	92	92	27 2	21 1	27 1	4	8 •	8(≡)	8 ‚²	1.6		• n,a, (≡) 8,13, ‚ ≡ p
27	80.2	84.9	85.9	7.2	9.3	8.0	9.4	6.1	84	73	92	22 1	09 1	20 1	9	8(≡)	8	8	11.2		• n, ⸸° a, ⸸ p
28	82.7	80.5	80.0	9.0	13.5	13.5	15.6	5.9	78	49	49	04 2	20 3	23 3	9	6	8	7	3.8		⸸° n,a, ⊙ 8,13, ⸸ p
29	88.9	92.6	95.0	9.0	13.0	11.8	13.6	5.5	67	44	49	22 4	02 1	04 2	8	3	7(⸸)	0	15.3		•² n, ⊙ 8, ⸸° a, ⊙ p
30	93.0	92.8	91.9	11.0	9.6	10.4	12.2	6.5	49	68	68	10 3	02 1	00 0	6	8	8(⸸)	7 •	0.0		⸸ a, • p
31	98.0	99.5	00.0	12.0	13.8	14.4	15.6	7.5	68	59	47	04 1	04 2	06 2	9	1	1	1	4.1		⸸ n, ⊙ a,p
M	95.6	95.8	95.5	8.1	10.5	10.0	12.7	5.8	78	68	69	2.2	2.4	1.9	6.3	6.6	6.7	6.6	124	0	

Juni VI

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	00.7	00.9	00.7	13.3	16.5	14.5	17.1	10.7	52	**39**	47	16 3	16 4	08 3	9	7 ∞	5	7 ∞			∞ n, ⊙ a, ⸸ p
2	03.9	02.9	00.9	14.0	17.1	13.5	17.4	10.9	59	49	64	34 1	09 2	16 5	9	4	8	7	0.0		⊙ a, ⸸° p
3	96.9	96.9	96.7	14.0	16.6	11.6	17.7	10.1	66	61	87	20 3	34 2	00 0	9	7	8	8(≡)	0.7		⸸ n,p
4	92.7	89.0	82.6	11.4	15.5	17.6	17.6	10.7	91	78	62	02 2	03 3	05 4	9	8(≡)	3	6	5.7		⸸ n, ⊙ a,p
5	**76.9**	79.2	79.2	14.6	16.8	15.2	17.6	14.0	47	41	47	18 6	18 5	19 4	9	1	5	8	1.0		⸸ n, ⊙ a,p
6	84.1	87.8	88.6	10.0	10.3	10.3	14.7	10.0	91	84	67	21 1	31 2	36 1	5	8 •	8 •	7 ∞	2.0		• n, • (≡) a, • p
7	85.6	87.6	92.6	8.7	13.1	11.3	14.6	7.9	91	77	86	00 0	00 0	24 1	8	8 ‚	7 ∞	7	4.6		• n, (≡) 8, ⸸ a, ⸸² p
8	86.6	86.1	92.7	10.1	13.1	9.6	13.4	8.5	91	84	81	04 2	25 1	28 2	6	8 ∞	8 =	8(⸸)	6.4		⸸ n, ‚ a, • p
9	98.0	98.0	00.6	8.8	10.5	8.0	11.6	8.0	73	73	89	24 2	36 1	28 2	4	8(⸸)	7 ⸸	8 •	1.6		∞ n, ⸸ a, • p, (≡) 19
10	05.6	05.5	04.4	8.4	11.0	10.3	12.1	6.1	67	55	49	21 1	30 2	04 1	9	3	2	1	4.6		⸸ n,a, ⊙ 8, 13, p
11	00.2	99.2	99.4	10.0	16.0	15.5	17.3	5.1	71	54	54	02 3	04 1	34 1	9	6	6	7	0.1		⊙ n,a
12	03.6	01.5	99.5	12.8	16.3	14.0	17.1	8.7	68	56	61	21 1	04 2	33 1	9	0 ∞	6	8			∞ n,a
13	99.1	98.8	95.0	9.6	11.3	11.4	14.0	9.1	85	72	71	27 2	06 1	02 3	6	8 ∞	7 ∞	3(⸸)	2.7		• n, ∞ a, ⊙ 19
14	92.6	92.6	93.2	9.4	10.5	7.8	11.7	7.0	78	65	85	21 2	25 4	27 2	9	6	6	8 •	9.0		⸸ R n, • p
15	91.1	91.2	93.8	7.8	10.8	10.5	11.7	6.1	86	73	73	24 4	26 2	33 4	6	6(⸸)	5(⸸)	7	7.1		⸸ n,a,p
16	95.8	97.4	99.9	7.3	12.6	11.0	13.0	6.6	91	77	76	23 3	27 3	32 6	6	8(≡)	6(⸸)	6(≡)	2.8		⸸ n, (≡) p
17	03.2	03.8	05.3	8.3	8.8	8.8	10.6	8.1	86	81	73	32 4	28 4	34 4	6	8(≡)	8 ∞	7(⸸)			(≡) n, ∞ a, ∞ ⸸ p
18	09.3	10.4	**12.2**	8.4	9.0	8.6	9.4	7.1	73	74	78	34 3	27 1	28 2	9	8 ∞	8	8(≡)	0.0		∞ n,a, (≡) p
19	11.6	09.8	07.0	7.8	9.4	8.1	9.7	6.6	91	74	90	24 1	27 1	25 2	6	8(≡)	8 ∞	8 •	0.1		⸸ n, ∞ a, • p, (≡) 19
20	07.7	07.5	06.1	8.8	8.7	7.6	9.8	7.2	86	76	84	28 4	30 4	27 2	9	6	8	8(⸸)	2.9		⸸ n
21	04.8	05.4	05.7	8.4	11.3	10.5	11.8	7.5	65	59	55	34 2	28 2	28 2	9	8	6	3	0.1		⸸ n, ⊙ 19
22	05.6	06.3	06.5	7.9	9.3	10.3	11.6	4.9	61	53	49	04 2	06 2	00 0	9	8	7	2			⊙ p
23	07.6	07.2	05.8	9.6	13.6	13.6	16.6	**4.2**	69	46	50	04 2	09 3	34 3	7	0	2	1			⊙ n,a,p
24	05.3	04.2	03.3	8.6	11.6	9.7	13.6	5.5	73	62	68	27 1	36 2	34 2	9	7	4	7 ∞			⊙ a,p
25	03.7	02.9	01.9	8.3	10.6	10.0	10.8	8.1	80	73	73	24 1	27 2	27 1	9	8	8	7			
26	01.6	01.9	01.5	9.6	12.7	14.0	14.7	7.8	67	61	54	18 6	04 2	09 1	8	8	0 ∞	0 ∞			⊙ 13, ∞ ⊙ p
27	03.7	04.1	04.3	12.6	16.3	18.0	19.1	7.5	68	56	49	04 1	04 2	27 1	9	1 ∞	4	1			∞ ⊙ n, ⊙ a,p
28	05.3	04.7	03.7	15.8	21.3	18.5	23.6	10.1	68	47	55	09 2	06 1	34 2	8	3 =²	1	3			∞ ⊙ n, = ⊙ a, ⊙ p
29	08.5	09.9	10.5	10.4	12.4	12.7	18.2	10.1	95	81	78	27 1	25 1	34 1	8	8 •	8 ∞	7 ∞	15.5		⸸ • R n, ≡ 8, • a, ∞ p
30	08.7	06.8	04.8	15.0	22.2	22.2	**25.5**	11.1	74	56	46	04 3	34 2	00 0	9	0 ∞	1	6	2.0		∞ ⊙ n, ⊙ a,p
M	00.0	00.0	00.0	10.3	13.2	12.2	14.8	8.2	75	65	67	2.3	2.1	2.1	7.9	5.9	5.7	5.8	69		

Ekstensotabell

1949

Trondheim (Voll)

$\varphi = 63° 25'$N $\lambda = 10° 27'$E $g = 9{,}822$ $\Delta G = +1^h$

Juli VII

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	07.0	07.4	09.2	14.2	12.0	9.5	22.3	9.5	84	90	92	27 1	25 1	25 1	4	6 ∞	8 •	8 •			∞ n, ⊙ 7, • (≡) a,p
2	10.4	**10.8**	09.2	10.3	14.5	14.4	15.0	9.0	93	60	50	22 1	25 1	02 1	8	7 ∞	5	3	18.6		• n, ∞ ⚥ a, ⊙ p
3	07.8	08.0	07.3	12.0	18.4	18.0	19.2	8.1	73	47	50	21 1	03 1	00 0	9	1	3	1 ∞	0.0		⊙ n,a,p
4	03.5	01.9	00.7	16.0	20.0	16.7	20.0	11.1	55	55	64	00 0	00 0	27 1	8	0 ∞	7 ∞	8(⚥)			∞ ⊙ n,a, ⚥° p
5	97.3	97.4	00.0	15.3	20.1	13.1	20.6	11.9	82	62	91	00 0	30 2	26 2	6	0 ∞	6 ∞	8(≡)	1.2		⚥ n, ∞ ⊙ a, ⚥ p
6	04.1	05.8	05.7	13.5	15.0	15.4	17.5	12.7	89	78	72	00 0	06 1	06 1	9	8(≡)	6	2	3.6		• n, ⊙ p
7	07.0	07.3	07.3	12.0	16.0	12.4	16.4	10.8	84	62	65	06 1	24 1	27 2	9	8	8	8			
8	10.5	10.6	**10.8**	11.4	15.6	13.9	16.6	10.1	67	59	71	34 1	30 1	08 1	9	6	2	8			⊙ 13
9	10.1	09.6	08.4	15.4	21.0	20.3	**22.7**	10.7	73	53	56	00 0	36 1	32 1	9	2 ∞	0	0			∞ ⊙ n,a, ⊙ p
10	05.0	04.9	05.2	16.5	20.6	15.6	21.2	12.1	68	53	69	21 2	36 2	00 0	7	1 ∞	2 ∞	7 ≡			∞ ⊙ n,a, ∞ ≡ ⊙ p
11	06.6	08.2	07.4	11.2	12.6	11.8	15.6	11.2	85	71	72	27 3	25 1	00 0	6	8(≡)	8(⚥)	8			
12	02.1	99.5	97.7	10.8	14.0	11.4	14.2	9.3	78	65	77	21 1	27 1	30 2	6	8	8 ⚥°	8(⚥)			⚥° p
13	98.5	00.2	01.2	10.0	12.4	10.4	12.6	8.1	73	66	65	25 3	34 3	34 3	6	8(⚥)	7 ⚥	4	0.3		⚥ n,a,p
14	02.9	03.1	02.2	8.6	10.3	10.3	12.6	**6.1**	81	61	67	27 2	27 3	32 2	9	7(⚥)	6	7	1.2		⚥ n,a
15	01.1	01.5	01.7	9.5	11.8	11.3	13.4	8.1	71	69	56	27 2	33 2	33 2	9	7(⚥)	6	3	0.5		⚥ n,a,p, ⊙ 19
16	00.2	00.5	00.8	7.8	11.8	9.6	12.6	6.2	85	61	71	00 0	28 3	30 2	9	7 ⚥°	5	8	0.3		⚥ n, ⚥° a,p
17	01.0	01.2	00.1	9.4	13.2	12.0	13.8	6.7	80	53	56	20 1	06 2	09 1	9	4 ∞	4	0	0.1		∞ n, ⊙ a,p
18	98.9	97.5	96.6	10.3	16.8	13.6	18.2	**6.1**	80	44	60	00 0	09 2	34 2	9	0	0	4			⊙ n,a,p
19	97.1	98.1	99.2	9.0	10.3	10.6	13.7	8.1	90	74	72	00 0	00 0	34 2	8	8 •°	8 •°	7	0.1		(≡) n, ⚥ a
20	02.6	03.3	03.9	9.8	13.6	13.0	14.8	8.2	81	55	52	25 1	32 1	00 0	9	7	7	0	0.8		⚥ n, ⊙ p
21	04.6	03.2	02.6	11.2	16.5	17.4	19.6	7.1	76	55	**33**	00 0	04 2	00 0	9	0	0	0			⊙ ⚟ n, ⊙ a,p
22	05.1	05.4	05.2	12.8	19.2	17.3	20.6	8.6	69	45	34	00 0	34 1	25 1	9	0 ∞	4	6			⊙ n,a,p
23	04.6	03.4	01.4	12.4	20.3	20.4	22.6	7.1	65	45	**33**	00 0	08 1	00 0	9	1	0	1			⊙ n,a,p
24	01.2	00.3	98.1	11.4	14.5	13.0	20.7	11.4	90	65	67	21 3	00 0	29 1	7	8(≡)	6 ∞	8 ∞	4.1		• n, (≡) • ∞ ⊙° a, ⊙° ∞ p
25	96.3	99.2	00.8	10.2	11.6	10.6	13.2	9.2	89	84	73	28 3	32 3	32 3	7	7(⚥)	7(⚥)	7(⚥)	10.1		∞ ⚥ (≡) n, ⚥ = a,p
26	99.9	99.9	98.8	9.8	12.5	12.3	12.8	8.3	84	45	53	29 1	00 0	03 2	8	8 ∞°	4 ∞°	5	1.5		=° ⚥ ∞° n, ∞ ⊙ a,p
27	98.1	97.0	95.3	9.2	15.0	14.9	16.0	8.1	78	48	56	09 3	09 2	00 0	8	7	2 ∞°	7 ∞			∞ ⊙ a,p
28	86.3	**85.2**	85.4	12.1	15.8	14.1	16.2	10.8	85	78	80	04 1	10 1	30 1	5	7 •	8 •°	8 ⚥	0.8		∞ • n, • a, •° ⚥ p
29	87.0	87.2	87.7	11.6	13.8	13.9	14.8	11.3	95	80	78	00 0	02 2	07 1	7	8 •	7 =°	8 =	11.2		• n, • =° a, = p
30	90.0	91.5	94.0	12.3	12.9	12.2	14.8	11.1	93	87	71	00 0	00 0	28 1	5	8 =	7 ⚥	7 =	2.2		• = n, ⚥ = a,p
31	95.0	91.2	87.9	10.2	13.5	14.2	15.5	9.1	87	59	54	00 0	04 3	00 0	7	8 ⚥	2 ∞	1 ∞	9.1		= ⚥ n, = ⚥ ∞ ⊙ a, ∞ ⊙ p
M	01.3	01.3	01.0	11.5	15.0	13.7	16.8	9.2	80	62	63	1.0	1.4	1.2	7.7	5.3	4.9	5.2	66		

August VIII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	80.8	78.6	78.6	14.1	17.7	16.0	19.3	8.8	73	84	69	22 2	02 3	08 2	8	3	6(⚥)	6 ∞			∞ ⊙ ⚟ n, (⚥) a, (⚥) ∞ ⊙ p
2	79.9	78.5	75.7	14.2	19.2	16.1	19.6	10.0	74	**42**	50	08 1	17 4	16 4	9	1 ∞	4	7			∞ ⊙ ⚟ n, ∞ ⊙ a, ⊙ p
3	70.5	69.2	**65.8**	12.1	12.9	12.1	16.5	12.0	91	91	95	07 2	07 5	09 3	4	8 •²	8 •²	8 •²	0.7		• ⊙ n, • a,p
4	67.4	71.7	**77.6**	12.0	12.7	11.1	13.1	11.1	93	87	93	32 4	29 2	32 4	4	8 •²	8 ⚥²	8 •²	9.4		• n, (≡) 7, • a, • ⚥ p
5	89.5	96.4	96.6	9.5	11.8	10.6	12.8	9.5	91	76	69	30 2	31 4	33 1	7	8 •	6 =°	7 ⚥	8.5		• ⚥ ≡ n, • ≡ ⊙ a, (⚥) = ⊙ p
6	94.9	92.2	90.1	8.9	13.0	14.4	14.6	5.7	89	72	77	02 1	03 3	00 0	8	8 •²	7 =°	8 =°	1.0		⚥ = n, (≡) 7, ⚥ = a, = p
7	95.2	93.5	93.5	11.7	16.0	13.2	17.3	11.7	91	62	73	00 0	26 2	04 3	7	8 =°	4 ∞	7 =°	7.8		• = n, ∞ ⊙ a,p
8	93.6	89.3	83.4	10.3	14.8	15.3	16.9	8.1	91	53	61	00 0	20 4	20 4	9	7 =	8	8(⚥)	3.1		⚥ n, (≡) 7, = a, ⚥° p
9	92.5	89.4	94.9	12.3	15.0	14.0	16.0	12.2	90	72	66	21 4	25 2	24 1	6	8 •	8(⚥)	4	2.9		• n, •° a, ⚥ p, ⊙ 19
10	96.2	96.3	95.8	10.4	12.3	13.2	14.9	10.1	86	72	59	21 1	20 1	00 0	6	7 ∞	8 ⚥	1	0.5		∞ n, ⊙ 7, ⚥° a,p, ⊙ 19
11	98.6	01.2	05.4	9.4	12.0	9.8	13.3	9.4	93	80	84	21 1	30 2	30 2	6	8 •²	7 ⚥	7	5.2		• n, (≡) 7, ⚥² ⚟ a, ⚥° p
12	**11.7**	**11.7**	08.3	7.7	13.0	11.0	13.3	7.2	89	56	68	21 2	34 1	06 1	9	7 ⚥	6 ⚥°	7	11.0		⚥ n,p
13	99.1	99.2	99.7	11.7	14.6	11.0	15.9	9.7	67	66	86	18 4	04 2	25 1	8	8	8 ⚥°	8(⚥)	1.5		⚥ n, ⚥° a, ⚥ p
14	98.4	99.3	98.3	10.8	12.6	11.1	14.7	9.9	84	76	73	20 3	25 2	27 2	6	3(≡)	7(⚥)	8(⚥)	5.3		⚥ n, ⚥² a, ⚥ p
15	96.5	97.5	99.1	8.5	11.6	8.8	12.9	8.1	80	78	86	21 4	25 4	24 1	5	8	6(⚥)	7	4.4		⚥ n,a,p
16	95.6	95.7	94.8	7.8	10.4	9.3	11.9	6.5	91	67	71	25 1	28 2	22 1	9	7	5	4	3.3		⚥ n, ⚥° a,p
17	92.1	92.6	92.9	6.6	7.1	5.8	9.6	5.3	74	73	90	20 4	20 3	20 4	8	8 ⚥	6 ⚥	6(⚥)	1.1		⚥ n,a,p
18	98.9	01.9	03.8	6.3	9.3	8.4	12.3	5.3	87	74	76	20 1	25 1	27 1	5	8	5(⚥)	6(⚥)	4.6		⚥ n,a,p
19	04.9	05.4	05.5	6.1	11.1	10.7	12.9	5.1	89	53	54	00 0	06 2	00 0	9	3	3	1	2.6		⚥ n, ⊙ a,p
20	02.9	01.6	01.0	5.5	9.0	10.4	10.7	**3.5**	84	84	86	00 0	00 0	21 1	6	6 ∞²	6 ∞²	6 ∞²			∞ n,a, ⚥ p
21	02.9	03.1	01.9	9.1	13.2	11.4	14.9	9.1	87	66	73	22 2	04 2	00 0	9	7 ∞²	8	6	1.5		⚥ n, ⊙ p
22	98.9	99.5	01.5	9.3	13.0	10.3	13.4	9.2	93	86	86	22 1	25 1	27 2	4	8 •²	8 •	8(≡)	1.8		• (≡) n,a, ⚥ p
23	03.2	03.7	04.6	8.2	12.4	10.5	13.3	7.9	95	73	74	00 0	04 2	27 1	9	8 ⚥	8	8	6.5		• (≡) n, ⚥ a
24	07.8	08.2	09.6	10.5	15.0	13.5	16.9	9.9	90	67	71	21 2	04 2	25 1	9	8 ⚥	3	4	1.1		⚥ (≡) n, ⊙ a,p
25	11.2	11.4	10.2	11.0	15.5	16.5	17.1	10.2	92	74	73	00 0	04 1	00 0	5	7 ∞	5 =	1 =	0.1		⚥ n, = a, = ⊙ p
26	09.5	08.1	07.9	11.5	18.0	16.5	**20.9**	11.2	92	71	56	00 0	04 1	00 0	5	6 =	0 =	7 ∞²			= ∞² n, = ⊙ a,p
27	06.9	06.4	06.4	10.8	16.8	16.4	18.9	10.1	91	67	71	00 0	03 1	00 0	2	6 =	5 ≡	7 =			= n, = ⊙ a,p
28	07.2	06.7	04.1	12.2	16.4	17.4	19.5	11.2	91	86	73	00 0	00 0	00 0	8	5 =	1 ∞	1 ∞			= ⚟ n, = ⊙ a, ∞ ⊙ p
29	04.9	03.3	01.3	13.0	18.5	16.6	18.9	10.5	87	69	78	00 0	06 2	00 0	6	7(≡)	1 ∞²	6 ∞²			∞ ⚟ n, ≡ ∞ ⊙ a, ∞ ⊙ p
30	00.7	99.4	98.6	11.4	18.8	16.8	20.1	10.3	96	57	73	00 1	02 1	22 2	8	8 ≡²	1 ∞	6 ∞			≡ n, ≡ ∞ a, ∞ ⊙ p
31	00.4	01.8	01.7	13.8	16.8	15.5	17.5	12.1	87	73	84	22 2	30 2	00 0	6	7 ∞	6 ∞²	8(≡)	0.0		∞ n,a, = p
M	96.9	97.2	97.0	10.2	13.9	12.7	15.5	9.1	87	72	74	1.5	2.1	1.4	6.8	6.7	5.5	6.0	84		

Ekstensotabell

1949

Trondheim (Voll)

φ = 63° 25′N λ = 10° 27′E g = 9.822 $\Delta G = +1^h$

September IX

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = h_d = 11.2 h_r = 1.3

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	01.9	01.9	99.9	13.4	17.0	18.2	19.8	13.0	96	77	72	00 0	04 2	08 1	5	8 ≡²	0 =	1 ∾			≡² n,a, ☽ 13, ∾ ⊙ p
2	00.2	98.9	98.3	15.0	22.4	19.9	**22.8**	13.5	74	41	40	00 0	18 4	18 2	8	0 ∾	0 ∾	0 ∾			∾ ⌓ n, ∾ ⊙ a,p
3	98.0	97.1	97.7	16.4	19.0	17.4	19.9	15.1	55	50	55	16 4	18 5	18 4	6	2 ∾	5 ∾	7 ∾			∾ ⌓ n, ⊙ 7,13, ∾ a,p
4	98.3	02.5	06.3	14.1	15.8	13.7	19.0	13.0	81	78	80	00 0	28 1	00 0	6	4 ∾	8(ϑ̇)	4 =			∾ ⊙ ⌓ n, ϑ̇ a,p
5	07.8	06.5	02.3	9.8	16.8	16.9	18.9	9.0	92	64	61	00 0	02 1	25 1	8	5(≡)	8 ∾	7 ∾	0.7		∾ ⊙ n, = ⊙ a, ∾ ⊙ p
6	97.9	96.1	94.8	19.3	22.1	22.3	**22.8**	16.9	49	47	45	20 3	21 4	18 5	6	4 ∾²	8 ∾²	8 ∾			∾ n, ∾² a, ∾ p
7	99.6	97.2	96.6	13.6	18.0	13.1	22.3	13.0	84	65	80	06 1	06 1	35 1	9	7 ∾	1	6(ϑ̇)			= n, ∾ ⊙ a, ϑ̇° ⊙ p
8	93.2	89.0	**87.0**	11.5	19.6	19.3	20.0	8.7	67	39	**38**	22 2	20 5	22 6	9	7 ∾	6	8	0.0		∾ n
9	97.0	99.3	00.2	10.5	15.0	11.7	19.3	10.0	93	61	71	23 1	02 5	02 1	9	7	2	8	5.0		• n, ϑ̇ a, ⊙ 13
10	94.4	98.3	02.0	9.3	10.4	10.7	11.8	9.3	87	93	90	00 0	02 1	00 0	3	8 ∾	8 •	7	0.8		• n, • (≡) a, • p
11	09.8	13.2	15.4	6.8	11.0	9.1	11.6	6.4	77	54	68	08 1	02 1	30 1	9	3	6	8	1.8		⊙ a
12	16.3	15.9	16.0	5.1	10.0	9.1	10.9	5.0	81	64	71	18 1	08 1	32 1	9	3	7	6			☽ a
13	**16.5**	15.9	13.7	5.3	11.0	11.5	14.4	4.1	91	69	62	21 1	08 1	00 0	5	6(≡)	1 ∾²	1			∾² n, ∾² a,p
14	11.4	09.3	05.3	6.3	13.8	8.1	14.3	5.4	87	67	81	00 0	06 1	00 0	4	1 ∾	0 ∾	0 ∾			∾ n, ∾ ⊙ a,p
15	00.0	98.3	96.2	7.5	17.6	17.2	19.4	6.0	93	53	55	00 0	20 3	18 5	6	6 ∾	7 ∾	7 ∾			∾ ⌓² n, ∾ a,p
16	98.3	99.3	99.5	13.7	21.0	18.0	21.0	13.5	82	49	53	00 0	20 2	18 3	8	6 ∾	1 ∾	7 ∾			∾ n, ∾ ⊙ a, ∾ p
17	99.1	99.7	99.9	16.3	17.3	16.2	18.8	16.0	56	55	67	20 2	20 2	20 2	8	8	8 ∾	8			∾ n,a,p
18	02.9	04.0	04.0	12.0	15.8	14.0	16.6	11.2	95	79	86	00 0	00 0	00 0	6	8(≡)	6 =	8 =			∾ (≡) n, = a,p
19	05.6	06.8	07.0	12.3	13.4	12.4	14.0	11.0	95	86	86	00 0	07 1	00 0	3	8 •	1(≡)	6 ∾	0.8		• n, (≡) 7, • a, ∾ p
20	07.0	07.2	08.3	11.2	13.3	11.6	13.3	11.2	93	80	86	21 1	00 0	00 0	6	8(=)	8 ∾	8 ∾	5.6		(=) n, ∾ a,p
21	09.2	10.7	12.2	9.8	12.2	9.1	12.2	9.1	93	80	68	23 1	25 1	09 2	6	8(≡)	7(≡)	6 ∾	0.8		• (≡) n, (≡) a,p
22	12.3	12.3	12.4	1.0	11.3	9.5	11.4	**1.0**	95	68	74	00 0	04 1	00 0	7	0 ≡²	0	0 ∾			≡ n, ⊙ a, ∾ ☽ p
23	13.3	12.7	10.1	6.3	12.6	10.4	12.6	5.5	93	74	87	00 0	00 0	00 0	6	2(≡)	5 ∾	8 ∾			(≡) ⌓ n, ∾ a,p
24	08.0	06.7	03.7	8.6	11.1	10.9	12.8	8.0	95	86	90	18 1	06 2	00 0	8	8(≡)	6 =	3 =			(≡) n, = a, =² p
25	99.6	00.1	99.5	14.3	13.6	12.6	15.2	10.3	64	82	93	20 4	23 1	00 0	4	7	8 •	8 ≡	1.0		ϑ̇ n, • a, = 13
26	02.9	04.7	04.8	12.6	13.6	12.0	14.8	11.6	91	86	84	27 1	22 2	00 0	6	8(≡)	7 =	7 ∾	9.4		• n, ⊙ 13, = a,p
27	02.3	03.1	02.2	11.4	12.8	11.6	12.8	11.2	82	81	93	22 2	22 2	22 1	8	8(•)	8(•)	8 •			∾ n, ϑ̇° a, • (≡) p
28	03.4	06.2	06.8	8.6	9.6	6.9	11.8	6.9	95	87	86	21 1	21 2	00 0	2	7 •	8(≡)	6 ∾	10.0		• • n, ϑ̇ a, ∾ p
29	96.7	89.4	89.4	7.0	10.8	8.4	12.3	7.0	93	87	84	25 1	06 1	25 6	1	2(≡)	8 =	5(ϑ̇)	0.5		ϑ̇ n, = a, ϑ̇² p
30	93.9	96.8	91.1	6.1	7.4	5.5	8.8	5.5	77	71	86	27 6	27 3	24 2	6	5(ϑ̇)	8 ϑ̇	8 =	7.2		ϑ̇ n,a,p
M	03.2	03.3	02.8	10.5	14.5	12.9	15.9	9.6	84	69	73	1.1	1.9	1.5	6.2	5.5	5.2	5.9	44		

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	79.8	90.9	93.4	7.0	5.5	4.3	7.6	4.3	86	82	74	27 6	30 4	28 2	9	8(•)	6	8	9.0		• n, ϑ̇² a
2	86.9	77.9	67.2	4.2	10.4	10.3	11.2	3.9	89	68	86	22 1	22 1	20 3	9	8 •	8	6(ϑ̇)	6.3		• n, (≡) 7, • a
3	**63.5**	83.7	96.5	7.4	6.2	5.3	10.3	5.0	87	86	67	25 7	30 6	30 4	4	8 •	8 •	7(ϑ̇)	20.0		• n, (≡) 7, • a, ϑ̇ p
4	05.1	06.7	00.2	3.2	5.8	6.5	7.0	3.1	74	76	67	18 1	22 4	18 2	8	5	7(ϑ̇)	8 ∾	6.8		∾ p
5	86.0	92.1	98.3	7.1	6.6	5.1	10.4	4.8	73	81	71	27 7	27 4	18 2	5	7(•)	4(ϑ̇)	6	9.0		• n, ϑ̇² a, ϑ̇ p
6	03.9	06.6	09.8	2.6	4.6	2.6	5.1	2.4	87	86	85	25 1	27 1	14 1	6	8(ϑ̇)	7(ϑ̇)	7 ϑ̇	14.2		ϑ̇ △ n, ϑ̇ a,p
7	08.3	05.4	03.3	- 1.6	5.3	5.0	5.6	- 1.5	90	58	61	00 0	21 2	25 1	9	1 ⌣	8	8	0.6		△ n, ⊙ a
8	01.1	03.1	05.7	4.4	5.1	2.2	5.0	2.2	84	67	68	06 3	06 3	00 0	9	7	7	0	1.0		ϑ̇ n
9	08.1	07.3	07.0	- 1.5	6.4	4.6	6.8	- 1.9	86	55	62	11 1	09 2	00 0	9	1 ⌣	6(•)	1			⌣ ⌓ n, ⊙ a,p
10	08.5	11.3	12.2	6.5	7.8	7.3	8.4	3.0	92	93	93	22 3	24 2	24 1	5	8 •	8 •	8	6.7		• n,a
11	09.4	08.7	05.7	3.8	8.6	5.8	8.8	3.8	86	73	65	18 1	04 1	00 0	4	3 =	1 =²	2	3.0		= n, =² ⊙ a, = p
12	98.6	97.3	98.1	8.8	11.4	11.1	11.7	4.1	61	60	64	20 3	22 2	20 2	8	8 ∾	8 ∾	8 ∾			∾ n,a, ϑ̇° p
13	93.6	94.1	94.9	11.8	11.6	11.5	14.0	10.3	62	84	74	20 4	00 0	20 4	4	8 ϑ̇°	8 ϑ̇²	3	0.8		ϑ̇° n, ϑ̇ a,p
14	97.6	01.2	98.8	10.8	10.8	11.2	11.6	10.3	68	86	90	25 4	27 1	27 1	4	8(ϑ̇)	8 •	8 •	9.5		ϑ̇ n,a, • p
15	93.4	92.1	90.5	9.1	11.1	11.5	11.7	9.1	81	82	80	00 0	21 1	18 1	6	8	8 =	3 =	2.7		ϑ̇ ∾ n, = p, ⌓ 19
16	88.9	90.2	91.6	8.6	13.4	11.3	13.4	8.6	78	73	80	00 0	00 0	09 3	5	0 ∾	7 ∾²	1	0.0		∾ ⌓ n, ∾ ⊙ a, ⌓ 19
17	88.6	84.1	85.9	8.5	15.1	10.4	**17.3**	7.4	87	78	86	00 0	21 2	09 1	6	8 •°	7 =	8 =	0.0		•° n, ϑ̇° a, = p
18	80.0	79.9	74.6	13.1	14.5	11.5	14.6	9.8	56	62	50	18 4	21 3	21 4	9	1	7	8 •°	2.7		• n
19	66.0	66.8	67.4	11.4	12.1	10.3	12.6	9.8	47	**39**	40	20 6	20 6	20 5	9	3	3	2	0.0		• n
20	71.5	73.8	76.3	8.6	10.8	8.3	11.0	8.2	47	46	52	22 4	23 3	23 2	9	8	7	1			
21	77.9	75.6	73.3	6.1	9.3	8.8	9.6	6.1	55	55	56	21 2	23 2	23 3	9	3	8	4			⌓ n
22	75.4	79.7	83.2	5.8	9.1	4.2	9.2	4.2	67	61	89	22 1	22 4	00 0	9	6	2	7	1.0		• ⌓ n, ⊙ a
23	83.8	83.7	82.9	1.0	5.4	5.0	5.6	0.8	92	74	77	22 1	00 0	00 0	9	1	1	7			⌓ n, ⊙ a
24	80.6	77.3	76.5	2.7	4.0	3.8	5.0	2.6	92	90	73	23 1	06 1	00 0	5	8(≡)	8 ∾	8 ∾			∾ n,a,p
25	81.4	88.5	90.6	4.0	5.0	1.1	5.0	1.1	89	68	82	28 4	27 4	28 3	9	7 ϑ̇	5	2	4.0		ϑ̇ n, ϑ̇² a, ϑ̇ p
26	86.7	84.0	83.5	- 1.8	1.4	0.8	1.6	- 1.8	84	76	84	20 1	09 1	00 0	9	8	8	8 △	3.4		⌣ n
27	86.0	91.6	96.7	0.7	1.0	- 0.8	1.0	- 0.8	86	80	86	27 2	27 2	30 1	6	7(≡)	4(ϑ̇)	6(ϑ̇)	0.3		ϑ̇ n,a,p
28	03.0	06.5	09.7	- 0.4	0.4	0.0	0.7	- 1.0	95	96	95	22 1	27 1	00 0	2	8 *	8 *²	7 •	14.7	12	*² n,a,p, ≡ 19
29	14.1	**16.1**	15.8	- 0.6	0.2	- 3.7	0.6	- 3.7	89	82	80	22 2	00 0	00 0	9	3	5	0	20.6	25	* n, ⊙ 13
30	14.1	14.3	14.0	- 3.7	0.7	1.2	1.2	- **5.1**	85	93	93	00 0	00 0	00 0	5	7	8 •	8 ∾		25	⌓ n, * • a, • p
31	12.6	12.4	14.8	1.2	2.6	4.4	4.5	1.0	86	90	85	16 1	16 5	18 2	6	8	8 •	5	4.2	15	ϑ̇ n, • a
M	92.1	93.7	94.1	4.8	7.2	5.8	8.0	3.6	79	74	75	2.3	2.2	1.5	6.9	5.9	6.4	5.3	140	2	

Ekstensotabell

1949

Trondheim (Voll)

$\varphi = 63° 25'$ N $\lambda = 10° 27'$ E $g = 9.822$ $\Delta G = +1^h$

November XI

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	93.7	92.6	99.7	- 0.5	2.5	0.3	4.4	- 0.5	90	84	80	20 2	21 1	18 2	4	3	0 =	0	2.0	10	⊙ a
2	95.0	00.8	97.4	1.3	2.8	2.8	3.2	- 1.9	77	76	84	00 0	00 0	00 0	8	7 =	8 =	8 =		10	= n, = •° a, = p
3	94.2	93.4	89.5	3.9	5.7	7.3	8.1	2.8	85	67	61	21 1	18 1	00 0	8	7	8 =	8 =	2.2	7	• n, = a, •° = p
4	86.1	86.7	86.5	5.6	6.3	6.2	8.1	3.5	84	76	65	18 4	24 1	00 0	5	7 ⚥	5	8 •	2.6		⚥ n, • a, ⊙ 13, = p
5	80.1	79.1	78.3	8.6	11.4	11.3	**12.3**	6.0	54	52	49	18 6	18 5	18 5	8	7 ∞	8	8	0.3		•° n, ∞ a
6	81.2	79.5	79.4	6.4	6.0	4.7	11.3	4.4	48	48	59	18 4	22 6	18 3	4	8	4 =	3			= ⊙ a
7	**75.2**	76.7	79.6	6.0	8.0	6.2	8.0	4.6	56	56	56	15 6	20 1	16 4	6	6	6	3			⊙ 13
8	79.6	78.0	79.0	4.3	3.8	1.7	6.4	1.7	59	91	93	00 0	08 1	00 0	5	8 ∞	8 •	1			∞ n, • a, (≡) 13
9	91.7	92.5	90.5	4.6	4.0	2.6	5.2	1.7	52	61	62	16 4	08 1	20 2	3	4	2 =	1	2.0		⊙ a,p
10	88.2	86.7	86.2	- 0.8	1.8	- 1.3	3.6	- 1.3	69	65	68	00 0	14 2	12 1	5	0 ∞	5 ∞	0			∞ n,a
11	86.9	88.1	88.5	- 1.0	0.7	- 1.5	0.7	- 1.8	69	66	72	00 0	00 0	00 0	4	3 ∞	1 =	0 ∞			∞ n, = ⊙ a, ∞ p
12	82.5	80.8	80.0	- 3.3	- 1.6	- 2.6	- 1.2	- 4.0	87	85	80	18 1	23 1	20 1	7	6 ∞	7 ∞	2 ∞			∞ n,a, ∞ ⛆ p
13	82.9	84.7	86.8	- 3.4	- 2.2	- 1.6	- 1.6	- 4.1	77	72	74	22 1	22 1	00 0	6	4 ∞	6	6			∞ ⛆ n, ∞ a
14	92.0	95.8	99.6	- 1.3	2.1	2.6	2.6	- 3.6	81	90	91	18 1	25 1	25 2	8	8 ∞	8(≡)	6			∞ n, * a, (≡) p
15	08.1	11.9	13.3	2.3	2.6	0.4	2.6	0.4	92	90	78	18 1	16 2	14 1	4	6 ∞	1(≡)	1 ∞	1.0		∞ n, (≡) a,p, ⛆ 19
16	12.7	13.5	**14.6**	- 1.6	3.4	1.5	3.6	- 2.4	72	**47**	49	10 1	20 3	18 2	4	0 ∞	4	0			∞ ⛆ n, ⊙ a
17	10.4	07.8	02.7	3.6	4.6	5.1	5.1	- 0.4	58	53	54	10 4	16 4	16 5	8	6	8	6			
18	00.3	02.4	02.5	5.7	6.3	5.3	6.7	4.8	56	54	58	00 0	16 4	18 3	4	8 ∞	4	1			∞ n, ⊙ p
19	01.7	01.7	02.8	5.4	4.6	2.3	5.5	2.3	50	50	60	16 4	16 5	16 2	5	7	5	0			⊙ 13, ⛆ 19
20	03.0	02.1	99.8	2.3	3.6	4.1	4.1	2.0	55	53	54	14 4	16 4	18 5	8	1	8	1			⛆² n
21	95.6	94.1	93.6	7.4	7.8	7.3	7.8	4.1	53	56	55	16 3	18 7	16 2	8	8	8	1	0.0		⚥° n,a
22	91.9	92.6	91.7	7.5	7.3	7.8	8.1	7.3	59	55	56	14 4	14 3	14 7	7	8	7	8	0.0		
23	94.7	96.5	98.4	7.3	7.4	5.5	8.0	5.5	60	59	60	16 3	20 2	00 0	7	7	7	1			
24	97.3	98.2	98.2	4.9	5.3	2.0	5.7	2.0	64	60	72	14 2	14 1	00 0	8	1	2	0			⛆ n, ⊙ a
25	96.2	95.7	94.6	- 0.8	0.3	- 1.8	2.1	- 1.8	91	92	95	00 0	20 1	00 0	3	1 ∞	3 ∞	0 ∞			∞ n,a,p
26	94.3	94.3	94.9	- 2.0	0.0	0.4	0.5	- 3.1	92	97	96	18 2	21 2	00 0	8	8 ∞	8 *	8 ∞			∞ ⛆ n, * a,p
27	96.4	97.4	97.5	- 2.3	- 2.4	- 3.2	0.5	- 3.8	98	92	87	27 1	22 2	25 2	7	7 ∞	7(≡)	7 ∞	6.6	5	* n, (≡) a, ∞ p
28	98.9	99.8	98.6	- 4.3	- 7.8	-11.0	- 3.1	-11.1	66	72	84	08 1	09 1	00 0	9	0 ∞	0	0 ∞	0.3	5	* ∞ n, ⊙ a, ∞ p
29	87.1	78.9	77.1	- 7.7	- 5.4	- 2.7	- 2.7	**-13.0**	86	62	99	10 2	18 2	00 0	8	8	8 *°	8(*)		5	*° p
30	83.6	85.0	78.5	1.3	1.6	1.6	1.6	- 2.7	86	80	62	24 1	23 1	14 2	6	8 ∞ •	6 ∞	8	0.9	5	* n, ∞ ⊙ a, ∞ p
M	93.7	93.6	93.0	2.0	3.0	2.1	4.2	- 0.1	71	69	70	2.1	2.2	1.7	6.1	5.4	5.4	3.5	18	2	

Desember XII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	72.7	72.1	72.1	2.1	3.4	0.3	4.4	0.3	69	61	80	15 4	25 1	00 0	9	2	7	6	0.3		⚥ n, ⊙ a
2	73.8	71.7	69.0	0.0	1.5	0.6	1.5	- 2.0	86	73	96	18 3	22 3	20 5	9	3	6	8 *			⊙ 13, * p
3	62.4	55.2	**52.0**	2.0	1.6	- 1.0	2.7	- 1.1	67	58	69	22 4	00 0	18 1	9	8	7	7	5.0		⚥ n, ⊙ 13
4	55.1	57.2	58.5	0.2	0.5	0.4	0.8	- 2.0	82	90	89	00 0	22 1	25 1	6	8 ∞	8(≡)	8 ∞			∞ n, (≡) a, *° p
5	63.2	65.5	67.9	- 0.8	- 2.0	- 2.7	0.8	- 2.7	97	96	91	00 0	09 1	09 1	4	8 *°	8(≡)	8(≡)	0.5	5	* n,a, ∞ 7, (≡)p
6	73.1	74.5	77.8	- 2.7	- 2.3	- 1.7	- 1.7	- 4.1	92	89	**89**	18 1	21 1	24 1	5	6 ∞	8 ∞²	8(≡)	0.4	8	∞ n,a,p
7	78.5	78.4	71.1	- 0.7	- 1.6	- 1.6	- 0.4	- 3.8	82	62	**54**	21 4	22 3	14 1	9	7 *	6	4	1.0	8	* n, ⊙ a
8	54.0	54.8	60.1	- 1.2	0.6	0.2	0.8	- 2.1	85	93	97	24 4	25 4	25 3	5	8 *	8 *	7 *	0.4	8	* n,a,p
9	67.5	72.0	79.7	0.2	1.4	1.7	2.0	- 0.4	97	95	91	25 3	27 4	24 1	5	8 *	8 ⚥	6(≡)	14.7	12	* n,a, ⚥ p
10	97.5	01.2	04.0	- 0.2	- 4.5	- 5.5	2.4	- 5.6	82	93	90	21 1	24 1	18 2	5	8 ∞	3 ∞²	8 ∞	7.1	15	∞ n,a, (≡) 13, ∞ p
11	11.8	**13.4**	12.0	- 5.7	- 8.2	-11.0	- 3.8	-11.0	95	93	91	24 1	23 2	23 2	6	3 ∞	1 ∞	0 ∞	1.6	15	* ∞ n, ∞ a,p
12	01.4	98.4	92.5	- 5.3	- 2.5	- 2.3	- 2.3	**-11.7**	64	65	72	00 0	15 1	10 1	8	8 ∞	8 *°	6		15	∞ n,a, *° p
13	83.6	88.0	89.0	2.1	1.6	0.2	2.6	- 2.7	86	93	86	24 2	20 3	18 1	5	8(*)	7(⚥)	1	1.0	15	* n, * ⚥ a, ∞ p
14	79.3	77.6	76.6	- 0.8	- 0.5	0.1	0.8	- 2.9	73	71	66	00 0	00 0	00 0	6	8 ∞	7 ∞	6 ∞	1.8	15	∞ n,a,p
15	78.3	76.6	71.1	- 2.3	1.9	4.6	4.8	- 2.9	66	56	59	00 0	21 3	18 4	9	0 ∞	7	8		15	∞ n
16	69.0	69.0	66.8	1.3	0.1	0.0	4.8	- 0.3	96	95	61	27 3	24 1	18 5	6	8 *°	6(≡)	1	1.7	8	• n, * a
17	55.3	58.3	61.9	4.5	3.3	- 2.7	4.7	- 2.7	60	61	67	24 4	25 1	00 0	8	6 ∞	6 ∞	0 ∞	4.8	8	∞ n,a, ⊙ 13, ∞ p
18	71.2	73.7	75.2	- 4.9	- 4.5	- 3.6	- 2.7	- 5.9	84	84	95	00 0	18 1	21 1	6	0 ∞	8 ∞	8 *°		8	∞ n,a, *° p
19	70.2	66.1	64.1	- 3.6	- 2.5	- 2.3	- 1.2	- 6.0	96	86	56	25 1	18 1	00 0	9	5(*)	1	1 ∞	0.1	8	⚥ n, ∞ a, ⊙ 13, ∞ p
20	66.4	70.6	76.7	- 4.1	- 4.6	- 4.6	0.0	- 5.9	84	77	77	00 0	20 1	25 2	6	1 ∞	1 ∞	8 ∞		8	∞ n,a, ⊙ 13, ∞ p
21	92.2	93.8	92.0	1.2	- 0.7	- 3.2	1.2	- 4.7	95	91	74	25 1	00 0	00 0	6	8 ∞	6(≡)	6 ∞	0.7	8	* • n, • a, ∞ p
22	93.3	97.2	04.0	0.3	2.4	0.1	2.4	- 3.2	68	90	95	25 1	27 4	22 4	6	8 *°	7(⚥)	5(⚥)	0.0	8	∞ n, ⚥ a,p
23	11.0	12.5	08.0	1.1	- 1.3	- 4.0	1.3	- 4.0	86	72	74	25 2	23 2	00 0	9	5 ∞	1	8 ∞	3.4	8	⚥ n, ⊙ a, ∞ p
24	99.7	00.1	99.1	0.0	2.6	0.3	3.3	- 4.0	92	89	90	25 1	21 4	23 2	6	6 ∞	7(⚥)	3	2.5	12	* n, ⚥ a
25	90.6	82.9	74.9	- 2.7	1.5	3.1	3.1	- 3.4	85	62	68	20 1	22 4	25 4	9	3 ∞	8	8(⚥)	0.6	12	∞ n, ⚥ p
26	59.4	61.5	69.3	4.1	3.5	1.4	**4.9**	0.8	64	68	95	22 5	10 1	25 3	9	8	7	8 •	0.8	12	⚥ ⚥ p
27	70.6	69.3	77.5	0.4	0.0	0.1	2.1	- 2.0	68	61	92	09 1	09 1	18 1	9	1	6	7	2.5	12	• n, ⚥° p
28	87.3	91.4	94.8	0.5	2.2	0.4	2.4	0.1	95	81	74	25 4	20 3	18 4	9	8 ⚥	7	1	8.4	12	⚥ n,a
29	98.7	97.6	99.1	- 4.8	- 4.3	- 5.0	1.0	- 6.4	73	69	73	06 1	00 0	00 0	9	0 ⚥	6	8	0.0	12	
30	01.3	06.9	09.8	0.3	1.5	0.5	1.5	- 5.0	95	95	96	27 1	20 1	18 1	4	8 *²	7(≡)	7	3.0	15	* n,a, *° p
31	11.6	12.5	11.1	- 3.4	- 3.6	- 4.7	0.7	- 4.8	93	89	90	00 0	21 1	21 1	9	1 ∞	8	8 ∞	4.1	15	∞ n,p
M	80.6	81.3	81.9	- 0.7	- 0.4	- 1.4	1.4	- 3.6	82	79	80	1.7	1.7	1.9	7.1	5.5	6.2	5.7	66	10	

Ekstensotabell

1949

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 ΔG = + 1ʰ

Januar I

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	70.8	70.6	70.0	- 2.2	1.2	1.8	2.5	- 2.9	72	61	49	20 1	20 4	20 3	9	7	7	7		0	
2	69.7	67.0	63.2	- 0.6	0.2	3.2	3.3	- 1.2	60	60	60	00 0	34 1	23 3	9	0	4	4			
3	61.9	62.5	64.7	2.6	2.6	2.6	3.5	2.1	63	63	72	36 1	20 1	22 2	8	8	8	8			
4	70.6	74.2	77.1	0.0	- 0.4	0.5	2.6	- 0.4	97	93	79	22 3	20 4	18 2	7	8 ⁎	8(♦)	8	3.8	6	⁎ n, ♦ a
5	88.2	93.5	95.8	- 1.2	- 3.2	- 4.0	0.6	- 4.6	75	78	81	36 1	04 1	07 1	9	8 ∞°	3	3	3.0	12	♦ n, ♦° ∞° a
6	80.0	76.6	74.2	- 0.2	2.4	0.0	2.4	- 4.5	87	75	96	19 5	18 4	22 3	8	7	8(♦)	8 ♦	0.0	11	♦° n, ♦° a, ♦ p
7	71.4	68.2	65.0	- 2.0	- 1.8	- 2.0	0.6	- 2.4	79	90	91	20 4	18 5	23 5	5	8	8 *°	8 ♦	5.8	15	♦ n, ♦° a, ♦ p
8	78.2	83.0	85.0	- 0.8	- 0.8	- 1.3	1.8	- 2.4	82	93	79	04 2	05 2	04 3	6	7	8 *	7 =°	8.3	20	♦ n,a,p
9	85.4	83.2	81.0	- 2.3	- 4.2	- 3.4	- 1.3	- 4.6	64	91	90	24 2	21 3	20 3	2	7	8 ♦²	7	0.9	20	♦° a, ♦ p
10	53.3	51.5	44.9	- 1.2	1.0	1.9	2.6	- 5.0	88	93	81	20 7	22 5	24 3	3	8 ♦°	8 ♦	8	3.8	25	♦° + n, R △ ♦ a, ♦ p
11	**40.9**	54.4	62.4	- 1.4	- 3.3	- 5.0	2.1	- 5.4	90	88	90	20 5	02 2	00 0	7	8 ♦°	8 ♦°	8 ♦²	7.6	25	♦° n,a,p
12	77.0	79.5	77.5	- 9.1	- 9.6	- 6.6	- 4.5	-11.0	82	81	93	28 3	22 3	21 5	8	8 ♦°	7(♦)	8 ♦	9.0	35	♦ n, ♦° a, ♦ p
13	82.3	81.5	74.6	- 5.2	- 4.2	- 3.0	- 2.8	- 6.6	85	93	64	22 2	20 1	00 0	6	8 ♦°	8 *°	8	6.5	37	♦ n, * a
14	50.4	44.7	53.4	- 3.4	- 2.2	- 2.9	- 2.2	- 5.2	96	88	85	19 1	04 1	04 4	5	8 *°	8 ♦	8 ♦	8.7	50	* n, ♦ p
15	83.4	90.9	96.1	- 7.0	- 6.7	- 7.0	- 2.0	- 8.2	90	82	70	04 2	02 3	36 2	6	7(♦)	6 ♦	6	4.5	45	♦ n,a,p
16	93.6	92.5	92.7	- 6.8	- 8.4	- 9.4	- 6.0	**-12.5**	91	78	85	18 2	20 1	04 1	9	8 ♦°	1	0	4.9	50	♦ n, ♦° a
17	90.7	86.0	80.2	- 9.0	- 9.3	- 9.2	- 8.5	-10.3	51	**48**	51	16 2	18 2	16 3	9	0	1	2	0.0	50	
18	73.3	72.3	70.4	- 5.4	- 4.2	- 5.2	- 4.2	- 9.6	54	52	64	18 5	18 4	27 5	9	2 +°	2 +°	2 +°		41	+° n,a,p
19	74.7	75.0	69.6	- 3.4	- 3.6	- 2.7	- 1.9	- 5.3	58	57	57	20 3	20 2	21 3	9	2	1	2		32	+ n
20	65.2	66.0	70.4	- 5.0	- 7.4	- 6.4	- 2.0	- 8.0	54	63	60	18 4	20 4	20 4	8	8	8	7		30	
21	80.0	87.5	92.8	- 8.2	- 8.3	- 7.9	- 6.3	- 9.3	51	54	79	06 3	05 2	00 0	9	1	0	8 ♦°		30	○ a, ♦° p
22	00.5	02.2	02.5	- 8.0	- 7.2	- 5.8	- 5.5	- 8.2	76	70	69	06 1	06 1	24 4	9	7	7	8	0.0	30	♦° n
23	88.1	79.2	72.2	- 3.9	- 4.4	- 2.8	- 1.6	- 8.2	52	55	84	20 4	20 7	20 6	9	8	8	5		30	* p
24	66.9	64.9	67.0	- 1.2	- 0.1	- 0.4	0.4	- 6.1	90	73	84	19 4	20 6	27 3	4	8 ♦°	8 *	8 ♦	1.0	35	♦° + n, * a, ♦ p
25	82.1	89.4	90.3	- 1.6	- 0.8	- 0.6	0.0	- 2.3	90	66	93	04 1	28 2	24 5	8	8	8(♦)	8 ♦	20.3	58	♦ n, ♦° a, ♦ p
26	78.4	77.8	74.0	3.2	1.6	2.8	4.4	- 0.8	82	79	64	21 5	20 3	23 5	8	8	8(♦)	8 ♦	3.5	48	♦ n, ♦ a,p
27	72.4	68.7	77.5	2.6	5.6	0.8	**6.0**	- 1.0	90	55	78	19 6	23 9	27 4	8	8 •°	6(♦)	8 △	6.7	38	♦ • n, ♦ ⟍ a, ♦ p
28	87.0	85.0	88.3	0.4	0.6	1.4	1.5	- 2.4	55	91	70	24 1	22 3	29 5	8	8	8 ♦	7	9.0	29	♦ n,a, R ♦ p
29	92.7	96.1	94.7	- 0.8	- 1.8	- 2.6	2.0	- 2.8	81	85	93	30 3	20 2	28 1	8	7 △	7(♦)	8 ♦	12.4	40	♦ △ n, (♦) a, ♦ p
30	90.4	91.9	93.2	- 6.4	- 6.8	- 5.4	- 1.8	- 7.4	93	93	93	00 0	20 1	22 3	9	1	2(♦)	3	5.0	54	♦ n, ⊙ a,♦ p
31	98.3	01.9	**04.8**	- 5.2	- 5.8	- 6.0	- 5.0	- 7.3	94	81	93	20 1	00 0	00 0	9	8	3	3 ♦	1.7	52	♦° n, ♦ p
M	77.7	78.0	78.2	- 3.0	- 2.9	- 2.7	- 0.6	- 5.3	76	75	77	2.7	2.9	2.9	7.5	6.4	6.0	6.2	126	31	

Februar II

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**12.7**	12.1	07.7	- 7.4	- 6.0	- 4.8	- 4.8	- 7.8	88	85	76	23 1	20 2	20 4	9	5	8	8	0.6	53	♦ n
2	91.8	88.5	82.2	3.4	3.6	4.0	5.0	- 4.8	88	85	82	23 4	20 4	19 4	8	8(♦)	8(♦)	8 ♦°	4.0	57	♦ n, ♦° a,p
3	68.0	70.2	72.9	- 0.2	- 2.8	- 5.0	4.0	- 5.8	72	79	91	27 7	27 6	29 4	7	8(♦)	8 ♦	8 ♦	11.4	40	♦ △ +° < n, ♦ + a, △ + p
4	69.7	74.0	88.9	- 3.2	- 1.4	- 2.4	- 1.4	- 6.0	75	82	79	28 5	33 6	34 4	7	8(♦)	8 ♦	8	7.3	40	♦ n, ♦ + a, ♦ p
5	06.1	09.3	07.9	- 2.8	- 2.4	- 2.0	- 1.5	- 3.8	75	85	85	04 1	34 1	27 2	6	8(♦)	8 ♦°	8 ♦	3.9	42	♦° n, ♦ a,p
6	95.6	96.2	98.1	2.0	2.2	2.2	2.9	- 2.3	94	96	91	00 0	00 0	00 0	6	8 ⁘	8 ⁘	8 ⁘	16.0	65	* ⁘ n, ⁘ ≡ a, ⁘ = p
7	99.9	99.9	96.8	1.8	2.8	3.3	3.3	1.6	91	78	67	20 1	21 1	23 3	8	8 •°	8	8	7.3	54	•° n,a
8	91.5	90.4	85.7	2.4	2.8	1.1	3.5	0.6	66	67	75	20 3	20 1	23 1	9	8	6	0	0.1	42	⊙ a, ⊙° 13
9	87.5	88.3	86.4	- 0.4	0.0	- 0.2	1.3	- 1.3	63	69	75	20 2	20 1	00 0	8	8	8	8		41	
10	85.3	85.2	84.5	- 0.8	0.2	0.3	0.6	- 1.0	70	66	67	20 2	20 2	22 3	9	6	6	4		41	⊙ a, ⊙° 13, ⊙ p
11	86.8	90.2	92.2	1.4	1.2	1.2	1.5	- 1.4	69	78	64	20 3	20 3	16 3	8	8(♦)	5	3	1.0	50	♦° n, ⊙ a
12	89.1	83.2	89.1	2.2	3.8	2.2	3.8	- 0.2	64	63	82	20 2	22 2	24 4	9	8(♦)	3	8 •	0.0	50	•° n, ⊙ a
13	84.2	81.7	74.9	3.4	3.8	2.2	4.6	1.2	64	49	57	20 2	20 4	23 5	9	8	8	8	0.3	42	•° n
14	51.3	**49.2**	52.1	0.5	2.6	2.8	3.5	- 1.9	73	73	76	19 6	19 4	27 4	8	8	8 ♦	8	0.6	41	♦ n, ♦° a,p
15	71.0	73.9	77.9	- 1.6	- 1.4	- 1.2	2.8	- 2.2	96	96	75	20 2	20 2	23 2	8	8 *	8 ♦°	4	13.6	55	* n, ♦ a, ♦ p
16	68.2	74.7	75.5	1.4	1.2	0.8	3.2	- 1.8	85	70	73	19 3	20 1	24 3	7	8 *°	6(♦)	8(♦)	5.5	60	♦ n, ♦ a, ♦ p
17	54.7	66.1	67.0	2.1	- 1.2	- 1.4	2.7	- 1.7	72	81	94	26 4	31 2	23 2	8	8 △	8(♦)	8 ♦	8.9	55	♦ n,a, ♦ p
18	83.5	89.7	95.0	- 1.8	- 1.6	0.1	0.3	- 3.1	70	76	64	29 1	27 2	27 3	7	8(♦)	6(♦)	7(♦)	14.7	70	♦ △ n, ♦° ⊙° a, ♦ p
19	94.0	92.0	90.8	0.2	0.0	0.1	0.6	- 0.8	69	96	96	20 2	05 1	00 0	6	8(*)	8 ♦°	7	5.2	70	♦° a, = 13, ♦ p
20	90.9	86.6	82.7	3.2	3.9	**5.1**	**5.1**	0.1	75	64	60	22 2	24 2	26 3	9	7	8	8	1.8	65	• p
21	83.8	89.8	89.9	0.9	2.2	2.6	**5.1**	0.0	94	76	67	20 1	25 1	22 4	7	8 ♦	8 ♦	2	3.2	55	• n, ♦ p
22	78.7	77.0	75.2	2.4	3.0	1.0	4.3	0.9	58	55	94	20 2	20 3	23 1	9	8	8	8 ⁘°	5.8	55	⊙ a
23	69.8	69.7	69.8	0.6	0.6	- 1.5	1.0	- 1.6	70	64	85	20 1	20 1	00 0	9	7	6	6 ♦°	0.5	53	⊙ a, ⊙° 13, ♦° p
24	69.9	70.1	70.8	- 1.8	- 0.4	- 0.8	- 0.2	- 2.1	91	75	84	20 1	20 2	27 1	8	7(♦)	7	6	2.7	60	♦ n, ⊙° a
25	75.0	79.2	83.0	- 3.4	- 3.8	- 7.2	- 0.3	- 7.4	87	55	75	01 1	04 1	25 1	9	7	1	2	13.0	80	♦ n, ⊙ a,p
26	83.5	80.8	77.8	- 8.8	- 6.6	- 8.5	- 6.4	-11.2	81	67	69	20 1	20 1	00 0	9	1	0	2		75	⊙ a,p
27	77.5	80.4	84.0	- 9.0	- 6.4	-10.2	- 6.3	-10.6	51	**43**	**43**	20 2	20 1	03 2	9	0	0	0		70	⊙ a,p
28	86.8	87.8	88.8	-12.0	- 8.8	-10.6	- 8.0	**-12.3**	67	63	72	21 1	21 1	00 0	9	1	1	0		70	⊙ a,p
M	82.4	83.4	83.8	- 0.9	- 0.3	- 1.0	1.1	- 3.1	76	73	76	2.2	2.1	2.2	8.0	6.9	6.2	5.8	127	55	

Ekstensotabell

1949

Tromsø

$\varphi = 69° 39'$ N $\lambda = 18° 57'$ E $g = 9.826$ $\Delta G = +1^h$

Mars III

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	90.3	91.3	91.6	- 9.2	- 7.4	- 6.8	- 6.4	-11.5	78	63	88	20 3	20 4	21 4	8	7	7(♦)	8(♦)		68	⊙° a, ♦ p
2	96.5	97.2	01.2	- 5.4	- 4.4	- 4.4	- 4.4	- 8.5	88	82	91	18 3	19 3	23 4	5	8 ♦	8 ♦	8	0.3	63	♦ n,a,p
3	09.1	11.7	13.2	- 5.0	- 5.0	- 4.6	- 3.3	- 5.3	90	85	73	20 2	20 2	20 3	6	6	8 ♦	7 ♦	4.6	82	♦ n, ♦ ⊙° a, ♦ p
4	13.8	14.9	16.7	- 4.4	- 2.0	- 1.2	- 1.2	- 5.4	58	40	38	20 4	20 4	24 5	8	8	8 +	8 +	0.0	79	♦° + n, ⊙° + a, + p
5	17.8	17.5	16.7	- 4.4	- 3.0	- 3.4	- 1.2	- 4.8	42	40	40	20 3	19 3	21 3	9	6	0 +	0		85	+ n, ⊙ + a
6	12.1	12.8	12.7	- 2.6	- 0.2	- 2.2	- 0.2	- 4.8	39	40	55	27 4	22 3	24 2	9	5	0	0		85	⊙ a
7	11.1	11.7	12.6	2.2	2.8	0.4	3.0	- 4.4	43	48	54	20 2	20 3	27 4	9	5	1	7		82	⊙° n, ⊙ a
8	15.3	15.4	16.7	- 3.0	- 0.4	0.6	0.8	- 3.8	64	54	64	22 2	22 3	23 4	9	1	7	8		80	⊙° n,a, ⊙ 8,13
9	20.0	21.1	13.5	0.6	1.6	- 1.3	1.6	- 1.8	60	58	67	20 2	20 1	20 2	9	4	1	0		80	⊙ a
10	16.3	15.3	12.9	- 2.2	0.2	- 1.2	0.4	- 3.3	55	57	57	19 2	20 2	23 2	9	3	1	3		80	☁ n, ⊙ a
11	05.8	01.3	93.5	- 3.0	- 1.0	- 1.6	- 0.4	- 3.3	66	57	51	24 2	24 3	23 4	9	1	0	4		79	⊙ n,a
12	82.9	81.0	77.7	- 1.0	1.4	1.4	1.7	- 2.1	51	55	60	20 5	20 2	21 4	8	8	8	8		78	
13	79.6	79.3	78.8	0.2	- 0.2	- 1.2	1.5	- 1.2	60	58	52	18 3	20 3	18 4	8	6	8	5		78	
14	78.1	79.2	81.7	- 0.5	1.6	- 3.2	1.6	- 3.2	48	43	55	14 1	15 1	20 2	9	6	6	3 =		77	⊙ n,a, ⊙° 8, = p
15	82.0	83.7	85.4	- 4.0	- 2.2	- 6.1	- 2.1	- 6.2	60	55	55	16 1	16 1	09 1	9	8	8	2 ∞		76	⊙° 13, ∞ a,p
16	86.7	88.5	89.5	- 5.0	- 1.0	- 4.7	- 1.0	- 6.8	61	55	66	06 1	27 1	00 0	9	1	0	0		76	⊙ n,a,p
17	90.5	90.5	90.7	- 5.6	- 1.6	- 5.0	- 1.1	- 7.1	91	69	78	00 0	00 0	00 0	9	4	7	6		76	⊙ n,a,p
18	90.2	91.4	92.8	- 4.8	- 2.8	- 2.1	- 2.0	- 6.7	85	85	87	20 1	20 1	20 3	8	7	7	6	0.0	76	♦° n,a, ♦ p
19	95.4	97.3	99.7	- 1.8	- 1.3	- 1.4	- 0.4	- 2.8	94	96	93	20 2	20 1	20 1	4	8 ♦	8 ♦²	8 ♦	1.5	82	♦ n, ♦² a, ⊙° 13, ♦ ⊙ p
20	03.9	04.4	03.3	- 2.1	0.6	- 2.2	1.8	- 3.4	85	67	63	21 2	21 2	00 0	9	4	1	0	5.5	93	♦ n, ⊙ a,p
21	99.6	96.6	92.5	- 3.2	0.0	- 1.6	0.0	- 5.4	48	43	58	20 2	18 3	25 3	9	0	0	0		85	⊙ n,a,p
22	75.8	70.8	72.4	0.0	2.2	1.8	3.4	- 2.0	55	61	67	20 4	20 2	23 5	9	4	8	8 △		85	⊙° n,a
23	74.4	83.8	82.6	2.0	0.4	0.0	2.0	- 0.9	88	87	87	27 4	20 3	23 3	7	8 ♦	8	8 ♦	8.0	82	♦ ♦° n, ♦ a,p
24	85.5	92.7	94.0	0.6	- 0.8	0.2	1.9	- 2.2	79	94	79	25 3	27 3	31 1	4	8 *	8 ♦	6(•)	8.4	83	* n, ♦ ⊙° a, ♦ p
25	88.9	88.6	91.5	- 0.4	0.0	- 0.4	1.5	- 1.6	94	78	82	20 3	20 3	32 2	7	8 ♦°	7 ♦°	7(♦)	9.0	97	♦ n, ♦° ⊙° a, ♦ p
26	96.5	97.1	95.8	- 3.8	- 3.6	- 3.6	- 0.4	- 5.0	94	82	75	20 1	19 1	21 4	7	8 ♦°	8(♦)	8(♦)	5.2	105	♦ n, ♦ ⊙° a, ♦ p
27	00.4	98.5	94.2	- 5.0	- 1.4	- 1.0	0.8	- 6.4	91	60	82	20 1	18 4	19 5	9	7(♦)	8	8 ♦	7.5	115	♦ n, ♦ ⊙ a, ⊙° 13, ♦ p
28	01.1	05.8	07.0	1.6	1.0	1.2	2.8	- 1.5	73	94	93	20 1	20 1	20 3	7	8 ♦	8 ♦	8 ♦	2.2	113	♦ n, ♦ a,p
29	02.0	00.2	95.4	2.8	3.0	2.9	3.4	1.2	78	81	79	24 4	25 4	25 4	8	8 •	8(♦)	8 ♦	15.7	113	• n, •° = a, ♦ ♦ p
30	90.8	91.8	92.2	0.8	1.4	- 3.0	3.5	- 3.2	76	72	93	27 2	24 1	04 5	7	8 △°	8 ♦°	8 ♦	7.4	80	♦ n, ♦° ⊙° a, ♦° p
31	96.3	97.8	99.8	- 4.6	- 3.4	- 5.5	- 3.0	- 7.3	69	82	91	00 0	20 1	00 0	7	8(♦)	7(♦)	8	3.9	89	♦ n, ⊙° 13, ♦ p
M	97.0	97.7	97.4	- 2.3	- 0.8	- 1.9	0.1	- 4.2	70	66	70	2.3	2.2	2.8	7.9	5.8	5.5	5.4	79	85	

April IV

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	02.5	03.4	02.6	- 5.4	- 4.6	- 5.2	- 3.4	- 7.5	75	82	94	19 2	21 1	20 2	3	1	8 ♦	8 ♦	2.0	90	⊙ n, ♦ a,p
2	98.7	96.5	95.3	- 3.4	- 3.4	- 2.0	- 1.7	- 5.8	91	93	88	19 1	19 3	20 4	4	8 *	8 *	8(*)	9.8	105	* n,a,p
3	94.4	93.3	86.7	- 1.9	- 0.4	- 2.8	- 0.4	- 3.8	67	60	61	01 1	15 1	18 1	9	5	6	6	5.1	105	♦° n, ⊙ a, ⊙° 13
4	68.0	63.5	60.6	3.0	5.7	4.0	6.0	- 2.8	63	57	66	19 3	23 4	23 1	9	7	7	8 •°	3.1	105	•° p
5	53.7	56.3	62.0	1.4	2.5	2.4	4.2	1.2	94	94	78	27 1	23 3	23 3	7	8 •°	8 •	8 •	4.0	100	• = n, • a,p
6	67.2	75.2	81.3	0.2	- 1.4	- 2.7	2.8	- 3.1	97	93	84	03 3	02 5	02 4	7	8 *	8 ♦	8 *	5.7	100	• * n, * a,p
7	86.9	88.3	89.2	- 3.4	- 0.9	- 4.1	0.0	- 6.1	61	58	58	04 2	03 1	09 1	9	3	2	2	6.0	98	* n, ⊙ a,p
8	92.6	92.8	93.5	- 3.7	- 2.1	- 2.6	0.0	- 7.3	66	43	38	05 1	24 2	23 2	9	2	4	1		98	⊙ a,p
9	94.6	94.3	95.2	- 4.6	- 1.5	- 3.4	- 0.5	- 6.3	55	52	51	24 2	23 2	04 2	9	8	1	1		97	⊙ a,p
10	95.8	94.3	94.4	- 3.2	- 0.8	- 2.4	0.0	- 6.4	64	61	81	00 0	09 1	03 2	9	0	1	7 ♦°		95	⊙ a, ♦° ⊙ p
11	92.8	91.0	89.9	- 4.2	- 4.7	- 6.0	- 2.0	- 7.3	72	55	66	06 2	06 2	05 1	9	5	2	6 ♦	0.1	95	♦° n, ⊙ a, ♦ ⊙ p
12	89.5	91.8	93.3	- 6.0	- 3.2	- 4.4	- 1.5	- 8.8	72	79	78	20 1	00 0	03 2	3	7 ♦°	8 ♦	8 ♦²	0.0	95	♦° = ⊙° n, ♦ a, ⊙° 13, ♦ p
13	95.3	95.5	94.9	- 5.0	- 1.0	- 3.9	- 1.0	- 7.5	76	45	38	36 1	20 1	00 0	9	1	0	0	1.1	97	♦° ⊙ n, ⊙² a,p
14	93.9	95.1	99.6	- 1.6	0.5	0.4	1.3	- 6.8	39	45	48	09 4	23 4	23 3	9	0	3	3		97	⊙ a,p, ⊙° 19
15	02.1	00.4	97.8	0.8	4.1	5.0	5.6	- 0.4	67	58	66	21 2	20 3	22 5	9	8	8	8		95	⊙° n, ♦° p
16	01.1	02.7	00.9	5.2	5.8	4.9	7.0	3.7	76	70	76	28 3	29 1	00 0	9	5(♦)	5	8 =	2.9	85	♦ n, ⊙ 8,13, ⊙° a
17	87.9	94.2	00.5	3.2	3.4	3.6	5.3	1.8	96	91	76	22 1	27 3	30 3	8	8 =	8 ♦	5 ♦	5.7	80	♦ n, ♦ = a, ♦ ⊙ p
18	04.5	00.1	93.3	3.4	5.5	4.0	7.0	1.7	67	55	55	23 2	00 0	01 2	9	6	8	8 ∞°	5.5	80	⊙ a, ⊙° p
19	80.7	78.5	72.8	7.1	6.6	6.2	7.9	3.2	61	67	54	20 2	22 2	22 5	9	7	2	6		74	♦° ⊙ a, ⊙° p, ⊙ 19
20	73.2	76.6	78.2	1.1	0.3	0.2	6.3	0.2	93	96	75	28 2	27 1	16 1	3	8 ♦	8 *	8	0.5	74	♦ n, * a,p
21	82.1	87.2	89.7	1.2	3.2	3.0	3.8	- 0.4	55	51	52	20 3	20 3	20 4	9	2	5	3	4.4	70	⊙ n, ⊙° a,p, ⊙² 19
22	80.5	76.3	75.6	5.0	5.9	3.2	6.5	1.2	45	45	61	18 4	18 6	18 5	8	8	8	8 •		66	♦° a, • p
23	79.3	80.8	83.5	2.5	2.7	0.4	4.9	0.4	76	69	85	04 1	20 2	14 2	8	7 ♦°	7	6 ♦°	0.0	60	•° n, ⊙° 8, ♦° a,p
24	81.9	82.6	88.4	1.5	3.9	2.4	5.1	- 0.7	57	49	64	20 1	02 1	22 2	9	2	6	7(♦)	0.0	60	♦° ⊙ n, ⊙ a,p
25	94.0	94.3	92.6	1.8	4.6	3.8	5.6	0.0	70	49	45	20 2	19 2	21 1	9	6(♦)	2	8	0.1	59	♦° n, ⊙° 8, ⊙ a
26	81.4	78.2	79.3	2.1	3.8	1.7	4.4	1.4	79	90	97	04 1	04 1	25 4	7	8 •°	8 •	7 •°	0.2	50	•° = n, • = a, •° = p
27	90.5	92.8	91.3	0.8	0.6	1.4	2.0	- 0.8	70	90	82	25 2	20 1	00 0	8	8(♦)	8(♦)	3	5.6	50	♦ n, ♦ a, ♦ p, ⊙ 19
28	76.5	75.0	75.5	2.8	2.8	2.6	3.8	- 1.8	48	79	96	13 1	20 2	31 2	8	8	8 •°	8(•)	0.7	50	♦ n, •° a
29	76.0	78.3	82.2	3.0	4.0	1.7	4.5	1.7	88	76	93	03 1	03 3	03 4	8	8 =	4 ∞	8 •°	1.6	50	•° = n, ⊙ a, •° ⊙ p
30	92.3	94.9	00.4	1.2	3.6	2.4	4.4	- 0.7	75	61	57	02 1	25 1	22 2	9	8(♦)	7	3	2.2	45	♦ n, ♦° a, ⊙° 13, ⊙ p
M	87.0	87.5	88.0	0.2	1.5	0.5	2.9	- 2.3	70	67	69	1.8	2.1	2.3	7.8	5.7	5.6	5.9	66	81	

Ekstensotabell

1949

Tromsø

$\varphi = 69° 39' N$ $\lambda = 18° 57' E$ $g = 9.826$ $\Delta G = +1^h$

Mai V

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	00.4	97.7	99.9	1.6	3.6	2.3	4.6	- 0.9	67	51	61	18 2	06 2	00 0	9	8	5	7	0.7	45	* n, ⊙° p
2	08.1	07.4	01.6	0.6	2.6	2.2	3.6	- 0.2	85	61	67	36 1	25 1	25 4	8	7 ♦	8(♦)	8(♦)	1.0	42	♦ n, ♦° p
3	02.3	02.8	03.1	- 1.6	- 0.6	0.4	2.2	- 2.8	91	82	67	28 1	31 1	29 2	3	7 ♦°	8 ♦	5(♦)	3.0	44	♦ n, ⊙° 8, ♦ a, ♦ ⊙ p
4	02.9	00.4	94.4	- 0.2	2.0	1.2	2.2	- **3.8**	67	51	**42**	19 1	19 1	00 0	9	1	1	8	1.3	45	⊙ n,a,p
5	85.8	84.0	82.7	0.2	2.5	1.8	2.5	- 1.3	88	93	93	00 0	00 0	01 1	8	8 ♦	8 =	8 ♦	2.0	45	♦ = n,a, ♦ = p
6	75.0	**71.0**	75.8	3.4	7.1	4.0	8.5	0.0	90	73	96	00 0	21 1	34 1	7	8	8 •°	8 •°	3.9	45	♦ n, •° a, • p
7	73.7	72.3	72.8	5.3	8.4	6.4	9.0	2.5	78	55	51	00 0	21 1	19 3	9	1	2	4	5.4	40	⊙ n, ⊙² a, ⊙ p
8	74.5	80.4	85.1	4.4	3.0	2.8	6.8	1.8	69	93	76	21 1	21 1	20 2	8	8	8 •°	8(•)	0.2	27	♦° n, •° a, • p
9	90.9	94.5	97.7	3.0	2.5	1.4	4.2	1.2	76	82	96	20 1	28 1	26 1	8	8(♦)	8 ♦°	8 ♦°	3.1	25	♦° n,a, ♦ p
10	00.0	97.6	95.1	2.0	3.8	2.0	4.4	0.3	85	60	91	21 1	20 2	18 5	8	6(♦)	8 =	8 •	2.6	24	♦° n, ⊙° = a, • p
11	99.2	01.3	99.6	2.8	3.9	3.6	4.6	1.9	85	82	90	20 2	24 2	21 4	8	8(♦)	8 ♦°	8 •	2.6	14	♦° n,a, • p
12	01.5	01.6	96.8	4.7	5.8	6.4	7.4	3.4	85	75	73	21 1	20 2	19 4	8	8(♦)	8(♦)	7 ♦	2.5	2	♦° n,a,p
13	97.3	94.6	86.2	5.6	6.6	6.6	7.6	0.6	61	54	73	22 3	21 1	20 4	8	7	8 •°	8 •	4.7	0	♦ n, •° = a, •° p
14	86.0	93.5	00.1	4.0	5.0	4.2	7.5	3.7	82	81	82	24 4	27 1	24 2	8	8 ♦°	8(♦)	8 ♦°	2.5	0	♦ n, ♦° a, ♦² p
15	04.8	05.1	02.3	5.1	7.6	6.6	8.8	3.2	72	57	58	20 4	22 3	36 2	9	7	6	7	2.5	0	♦ n, ⊙° a, ⊙ p, ⊙° 19
16	01.3	03.6	04.6	3.1	6.6	5.3	7.2	2.2	93	58	67	28 1	22 1	25 4	9	8 =	3	4	2.3	0	♦ = n, ⊙ a,p
17	03.2	00.6	95.4	4.6	3.6	2.4	5.7	2.1	73	84	96	04 1	02 3	10 3	6	8	8 •	8 •		0	• a,p
18	95.8	00.0	02.9	3.2	3.4	2.3	4.5	2.1	90	88	85	04 1	04 1	02 3	8	8 •°	8 •	7 •	14.7	0	• n, • a, (♦) 13, ♦ p
19	12.4	**13.6**	13.0	3.4	3.0	3.4	5.3	0.4	55	60	57	04 1	03 1	02 3	9	1	3	1	0.5	0	• ⊙ n, ⊙ a,p
20	12.5	12.5	13.0	3.2	4.9	3.7	5.5	0.4	60	51	60	03 1	04 2	04 3	9	0	1	3		0	⊙ n,a,p
21	11.6	09.6	06.5	6.4	8.2	8.2	9.4	1.4	55	48	46	16 1	10 1	10 1	9	0	2	7		0	⊙ n,a, ⊙° 19
22	01.5	00.5	99.7	5.5	6.4	5.0	8.4	4.4	70	46	57	09 1	15 3	06 1	8	8(•)	8(•)	8	0.0	0	•° n,p
23	97.7	97.3	96.2	4.4	5.2	2.8	8.5	2.6	55	51	51	00 0	20 1	04 2	8	8(♦)	8 =	8 =	0.0	0	= a, ♦° p
24	96.0	95.7	94.2	4.6	7.0	8.2	9.0	1.8	70	63	48	04 1	02 1	15 1	9	3 =	1	4	0.0	0	⊙° n, ⊙ a,p
25	91.3	91.3	92.9	8.9	11.4	10.3	12.0	4.2	55	58	79	00 0	19 1	00 0	9	8	8	7 =		0	⊙° n,a, •° ⊙ p, ⊙° 19
26	92.8	91.8	90.5	11.0	14.8	12.7	**16.4**	6.5	69	55	64	00 0	27 1	00 0	9	1	2	5	0.5	0	⊙ n, ⊙² a, ⊙ p
27	87.5	86.6	86.2	9.8	8.8	6.0	13.2	5.7	73	69	87	05 1	04 1	00 0	9	8	8	8 •			• p
28	89.9	91.1	91.6	8.2	13.8	11.6	13.0	4.4	78	49	58	36 1	19 2	00 0	9	6	2	8	6.6		• n, ⊙ a, •° p
29	91.1	90.9	92.7	9.8	12.0	10.0	13.6	8.0	61	54	57	15 2	16 3	27 2	9	6	6	6	0.0		⊙° 13, 19, ⊙ p
30	00.8	03.3	03.3	5.2	6.2	7.2	10.7	4.7	93	78	55	28 1	20 1	14 2	8	8 •	7 =	6	2.6		• =² n, •° = a, = ⊙ p
31	04.4	05.7	07.9	5.4	6.8	6.4	8.5	3.8	52	48	51	08 1	21 3	18 2	9	8	3	7	1.4		⊙° n, ⊙ a
M	96.5	96.7	96.3	4.4	6.0	5.1	7.6	2.1	74	65	70	1.2	1.5	2.0	8.2	6.1	5.8	6.7	67	13	

Juni VI

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	10.0	10.3	09.5	7.8	10.1	10.2	12.5	4.8	55	51	49	20 2	22 1	05 2	9	6	4	2			⊙ n,a,p
2	08.9	09.1	08.6	10.2	11.6	9.1	13.6	6.3	58	55	58	05 1	02 2	02 2	9	1	6	7			⊙ n,a,p
3	07.6	05.3	01.9	7.6	10.0	8.3	11.0	4.8	70	63	63	04 1	05 3	04 4	9	0	1	4			⊙ n,a,p
4	97.8	97.6	96.8	8.6	9.0	8.3	9.5	5.7	70	85	76	21 1	27 1	00 0	8	8	8 •°	7			•° = a, • p
5	92.9	92.0	90.3	9.4	10.8	9.2	12.2	5.8	60	60	67	26 1	20 1	00 0	9	4	7(♦)	7	1.4		⊙ n,a, ⊙° 13, ⊙ p
6	89.7	90.0	90.1	9.2	8.4	10.0	11.3	6.9	66	84	63	00 0	20 3	00 0	8	6	7 ♦°	7	0.3		♦° ⊙ n, ♦° a
7	**87.7**	87.9	88.2	6.8	8.0	7.9	10.0	6.5	85	78	88	36 1	04 1	04 2	9	8	8	8	0.0		
8	90.5	91.4	91.6	6.4	8.6	8.1	10.3	5.8	96	93	85	05 1	05 1	34 2	8	8 •°	8 =	7 =°	3.7		• = n, ≡ a, ♦° p
9	91.5	93.8	96.4	7.2	5.8	3.4	8.1	3.4	85	93	94	04 1	04 1	04 2	7	8 ♦	8 •	8 •	0.4		♦° = n, • = a, •² p
10	01.3	03.6	04.9	4.2	5.7	5.6	6.9	2.6	73	58	63	04 2	04 1	33 2	9	4(♦)	7(♦)	4	17.0		♦° n, ⊙° a, ♦° ⊙ p
11	05.9	06.9	07.6	3.4	5.6	4.6	5.7	2.7	82	55	69	28 1	25 1	05 2	8	7(♦)	8	7(♦)	0.0		♦° = n, ♦ a
12	07.9	07.3	04.5	5.0	8.2	7.7	9.1	**2.5**	63	51	51	05 1	06 1	03 3	9	7	2	1	0.3		♦° n, ⊙° 8, ⊙ a,p
13	97.0	96.2	97.1	7.6	10.4	9.5	13.0	4.6	66	70	75	04 1	04 1	04 3	8	8	8 =	6 =			♦° = ⊙° a, ⊙ p
14	95.7	95.0	93.9	10.8	13.2	10.2	14.6	7.3	70	48	69	04 1	04 1	03 2	9	1	7	8	0.4		⊙ n,a,p
15	94.1	93.8	95.6	9.7	14.2	14.7	16.3	7.8	85	63	51	02 1	04 1	04 1	9	8 =°	6	7	1.5		♦ n, ⊙° a
16	99.2	00.0	00.7	14.2	16.5	14.2	16.5	9.6	54	**33**	36	00 0	05 2	05 4	9	3	0	0			⊙ n, ⊙² a
17	03.2	03.8	05.0	10.8	11.4	8.9	14.3	8.3	63	60	76	04 2	04 1	36 2	9	2	6 ⊕	8 =			⊙ n,a,p
18	07.2	08.1	09.0	7.0	8.0	5.8	9.2	5.8	82	78	94	03 1	27 1	28 2	8	8 =	8(♦)	8 •			= n,a, • p
19	06.9	05.3	02.7	6.3	7.6	7.6	8.4	5.0	85	76	78	00 0	23 1	34 1	9	8 •	8	8 =	3.1		• • n, • • ⊙ a, = p
20	01.6	01.6	03.1	7.2	7.2	5.9	8.1	5.6	73	79	81	02 1	02 1	35 2	8	8(♦)	8 •°	8 ♦	0.1		♦° = n, •° = a, ♦ ⊙ p
21	04.8	05.7	06.5	5.6	6.4	5.2	6.5	4.2	73	60	70	01 1	05 1	03 2	8	8	8	7(•)	1.4		♦° n,a,p, = 19
22	08.7	09.2	09.5	5.8	8.8	8.6	9.7	4.5	61	48	58	05 1	05 1	05 1	9	1	2	1	0.6		⊙ n, ⊙² a, ⊙ p
23	07.2	03.9	00.5	9.0	11.6	10.3	12.3	4.6	64	57	57	20 2	22 3	33 3	9	1	7	6(•)			⊙ n, ♦° ⊙ a, = p
24	98.6	00.0	01.1	7.0	8.2	7.9	10.6	6.1	93	76	84	28 2	25 2	20 1	9	8(♦)	8(♦)	8(♦)	0.0		♦° = n, (♦) a, ♦ (≡) p, = 19
25	01.7	01.6	01.6	8.2	8.1	8.1	9.0	6.1	78	81	84	20 1	00 0	06 1	8	8(♦)	8(♦)	8 =	0.8		= (♦) ⊙° n, ♦° = ⊙° a
26	04.6	05.3	06.2	9.2	12.5	13.8	14.6	6.3	76	60	48	05 1	06 1	32 2	9	1	1	1	0.1		♦° ⊙ n, ⊙² a,p, ⊙ 19
27	07.8	07.6	07.9	11.8	16.0	**14.6**	16.3	9.3	63	45	43	02 1	36 1	33 1	9	2	6	1			⊙° n, ⊙ 8, ⊙° a, ⊙ p
28	08.2	07.4	06.1	14.6	19.7	19.5	**20.4**	9.6	55	36	35	35 1	00 0	00 0	9	0	0	0			⊙ n, ⊙² a,p
29	06.8	09.7	12.2	16.8	18.4	11.1	19.6	10.7	51	78	79	28 1	30 2	31 2	9	2	1	6 =			⊙² n,a, ⊙ p
30	**15.4**	14.5	13.4	8.8	12.6	12.4	13.7	7.5	91	73	73	04 1	02 1	36 1	9	8 =	1 ∞	2 ∞			= n, = ⊙ a, ∞ ⊙ p
M	02.1	02.1	02.1	8.5	10.4	9.4	11.8	6.0	72	65	67	1.1	1.3	1.7	8.6	5.1	5.6	5.4	31		

Ekstensotabell

1949

Tromsø

φ = 69° 39′N λ = 18° 57′E g = 9.826 ΔG = + 1ʰ

Juli VII

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8 D	F	13 D	F	19 D	F	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**10.4**	08.3	07.3	14.8	21.6	21.2	**23.2**	7.9	70	46	**45**	04	1	03	1	36	1	9	1	1	2			⊙ n, ⊙² a, ⊙ p
2	06.5	07.5	09.3	15.2	17.2	10.0	21.2	9.4	69	82	94	27	1	04	1	30	2	8	2	7(≡)	8 •			⊙ n, ⊙² 8, ⊙ (≡) a, ⊙⁰ 13, R •² p
3	09.7	09.7	08.8	11.3	13.2	13.0	14.6	8.5	69	60	58	27	1	03	1	27	1	8	6(•)	6(•)	6	8.6		•⁰ = n, (•) = a, ⊙ p
4	08.4	07.2	03.8	12.0	17.0	17.9	18.5	9.8	78	51	52	19	1	11	1	07	2	9	7	6	3			⊙ a, ⊙² 13
5	00.8	98.9	98.9	15.8	21.0	17.9	22.0	12.8	72	52	76	24	1	05	1	02	2	9	7	6 ∞	4 ∞	0.0		▽⁰ n, ▽⁰ ∞ ⊙² a, R ▽² ⊙ p
6	02.4	06.0	08.1	10.8	10.4	9.4	18.0	8.8	94	70	85	24	1	28	2	00	0	8	8 ▽	4 =	7 =	9.7		▽ = n, ▽⁰ ⊙⁰ a, ▽⁰ ⊙ p
7	07.8	07.8	07.1	9.4	9.4	8.7	10.6	7.9	70	75	85	25	1	27	1	25	2	8	8(▽)	8(▽)	7 ▽²	1.1		= n, ▽⁰ = a, = p
8	03.4	02.7	04.2	9.2	11.6	9.0	11.8	8.0	82	70	93	19	1	19	2	00	0	8	8 =	8(▽)	8 ▽	0.3		▽⁰ = n, = a, ▽ = p
9	04.4	02.5	03.4	11.8	15.6	13.7	17.0	8.5	82	64	73	18	2	24	4	24	3	9	7 =	7	8	2.3		▽⁰ = n
10	97.1	94.1	93.7	14.4	11.9	9.6	14.7	9.3	64	91	94	22	3	21	3	32	3	5	8	8 •	8 •			• a,p
11	93.6	97.2	99.6	8.4	7.2	7.4	9.7	6.8	93	82	90	24	2	27	1	23	1	9	8 •	8 •⁰	8 •	20.5		• = n,a,p
12	97.8	95.9	93.6	7.5	9.6	8.8	10.4	6.7	93	84	90	18	1	20	1	27	2	8	8 •⁰	8 •⁰	8 •	12.5		• = n, •⁰ = a, • =⁰ p
13	93.3	96.0	97.1	6.0	7.2	5.6	8.8	5.2	93	60	75	03	1	36	2	36	3	8	8 •⁰	6(▽)	7(▽)	8.3		• = n, = a, ▽ (▽) ⊙ p
14	94.2	93.1	94.4	5.2	5.8	5.9	6.3	4.0	90	88	81	25	1	20	2	32	1	8	8 •	8(▽)	7(•)	4.3		• = n, •⁰ = a, • ⊙ p
15	95.4	93.0	91.0	5.6	5.4	5.2	6.6	3.5	85	91	93	22	1	24	1	29	2	8	8(▽)	8 •	8 •²	12.5		▽ = n, • = a, • p
16	**85.5**	88.4	93.3	5.0	5.8	5.2	6.9	4.0	90	85	69	28	1	01	3	02	1	8	8 •⁰	8(▽)	7 •⁰	24.8		• = n, ▽ = a, ▽ p, (▽) 19
17	99.1	00.6	01.9	4.8	7.0	7.0	9.2	**1.7**	79	61	60	00	0	09	1	27	1	8	6(•)	6	7	6.3		▽ = n, ⊙² 8, ▽ ⊙ a, ⊙⁰ p
18	03.1	02.5	00.1	6.6	8.8	9.2	10.4	4.7	75	61	66	22	1	21	1	00	0	8	8 =	8 =	5 =	0.6		= n,a, = ⊙ p
19	95.9	96.4	96.6	8.4	7.4	8.6	9.6	6.0	75	91	78	28	1	27	1	27	3	8	8 ▽⁰	8 ▽⁰	8 ▽⁰	0.0		(▽) n, ▽⁰ a,p
20	99.3	00.6	01.1	8.0	8.0	8.9	10.6	6.5	88	84	84	20	1	20	1	20	1	8	8(▽)	7 ▽	7	3.0		▽⁰ n, = 8, ▽² ⊙ a, = ⊙⁰ 13, ▽ ⊙ p
21	02.8	04.8	05.3	7.8	8.6	7.8	9.3	7.1	85	67	72	29	1	28	1	30	1	9	8(▽)	6	8	6.9		▽ n, ▽⁰ a
22	03.2	04.2	06.9	8.0	8.6	7.2	9.4	6.4	79	90	72	22	1	27	1	30	1	8	8(▽)	7(▽)	7	0.8		▽⁰ n, = 8, ▽ a, = 13, ▽ p
23	07.6	07.8	07.7	6.4	8.0	7.2	8.7	4.6	76	70	73	25	1	27	1	32	2	8	7(▽)	8(▽)	5 =⁰	2.2		▽⁰ n, = 8, ▽⁰ a, = p
24	02.0	99.4	96.4	7.6	10.0	10.1	11.0	2.8	65	57	61	05	1	04	2	07	3	9	5	7	5	0.1		⊙ n,a
25	94.2	95.6	99.5	8.6	9.8	9.8	10.8	7.6	72	67	69	05	3	03	2	03	3	9	7 ▽⁰	8(▽)	6	0.0		▽⁰ = n, ▽⁰ a,p, ⊙⁰ 19
26	99.3	00.5	00.6	7.4	9.4	8.0	10.0	6.6	81	69	95	03	1	01	1	36	1	8	8 =	8 =	8(▽)	0.0		= n,a,p
27	01.3	01.5	01.0	6.2	7.4	6.7	8.6	5.5	75	81	87	05	1	01	1	02	2	8	8 =	8 ,	6 =⁰	0.0		= n, ,⁰ = a, =⁰ p
28	97.7	95.8	93.3	6.2	9.0	9.9	10.4	4.2	70	63	64	05	1	05	2	02	3	9	6 =	7	3	0.0		(≡) n, ⊙ a,p
29	91.5	91.0	91.1	9.0	13.2	12.6	14.2	4.7	76	66	69	01	1	05	1	04	2	9	1	1	1			⊙ n,a, ⊙² 13, ⊙ p
30	92.4	93.1	93.0	7.6	11.0	10.4	12.6	5.8	90	73	76	00	0	06	1	34	3	9	8 =	2	3			= n, = ⊙ a, ⊙ p
31	93.5	94.2	93.7	7.1	8.6	7.8	10.4	6.4	93	90	87	36	1	02	1	03	2	7	8 •	8 =	8(•)	0.9		• , n,a, = p
M	99.8	99.9	00.1	8.8	10.5	9.7	12.1	6.5	80	72	76		1.1		1.5		1.7	8.2	6.9	6.6	6.2	126		

August VIII

Datum	P 8	13	19	T 8	13	19	Max	Min	U 8	13	19	D,F 8 D	F	13 D	F	19 D	F	V 13	N,w 8	13	19	R	h_s	W
1	90.1	88.7	87.5	7.0	8.8	8.7	10.0	6.3	91	88	84	06	1	04	1	02	2	8	8 •⁰	8 •⁰	8	0.0		•⁰ n,a,p, = 8,13
2	86.2	86.1	85.5	8.0	10.4	8.8	10.5	6.9	90	75	82	05	2	05	1	36	2	8	8 =	8 =	8	2.2		•⁰ n, = ⊙⁰ a
3	84.7	84.4	83.7	9.8	12.6	12.4	13.3	7.5	76	67	69	03	2	04	3	01	4	9	3 =	1	2			= ⊙ n, ⊙⁰ 8, ⊙ a,p
4	80.7	**79.9**	80.0	11.0	11.0	9.8	12.4	7.8	73	78	85	05	2	03	3	36	3	8	8	8	8 •⁰	0.0		▽⁰ n,a,p
5	84.5	89.5	93.5	7.0	6.0	5.9	9.8	5.5	93	78	82	01	3	34	3	33	2	8	8(▽)	8(▽)	7(•)	2.7		▽ = n, = a,p
6	97.8	98.8	96.0	6.8	9.2	8.8	9.7	3.7	75	61	67	27	1	27	1	28	2	8	7 ▽⁰	5(▽)	5	0.9		▽⁰ ⊙ n, ⊙ a, ▽ p
7	88.5	87.4	89.6	11.2	11.4	10.3	12.2	6.8	73	88	90	19	1	18	2	27	1	8	6	8 •⁰	8(•)	0.1		▽ a,p
8	94.9	96.3	94.7	8.4	12.1	13.4	14.5	6.7	85	78	82	04	1	20	1	00	0	8	8 =	6	3	4.2		▽⁰ = n, , = ⊙ a, ⊙ p
9	85.3	83.7	85.0	12.6	11.7	10.7	13.5	8.1	70	84	93	18	3	20	2	00	0	8	8 ∞	8 •	8 •	0.6		▽⁰ n, • a,p
10	94.4	96.9	98.4	6.2	7.6	7.1	10.8	5.2	85	72	78	33	2	28	2	00	0	8	8(▽)	7	8	4.9		▽⁰ = n
11	99.8	00.8	01.3	7.6	10.2	10.4	12.7	6.0	79	60	64	03	1	05	1	36	1	9	7 =	1	1			= n, ⊙ a, ⊙² 13, ⊙ p
12	03.7	06.1	05.8	7.6	8.5	10.0	10.6	5.4	91	76	63	21	1	27	1	21	1	8	8 =	6 =	6	3.5		▽ n, ▽ = ⊙ a, (•) ⊙⁰ p
13	00.3	95.6	91.2	9.3	12.0	10.0	12.1	7.2	63	52	75	20	1	16	1	19	3	9	7	8 ∞	8 ▽⁰	0.2		▽⁰ ⊙⁰ n, ∞ ⊙⁰ a, ▽⁰ p
14	90.4	90.4	90.5	10.3	9.7	9.1	11.0	8.9	90	85	79	20	2	27	2	23	2	8	8 •	8 •	8 •	5.9		• n,a,p
15	90.8	92.6	93.5	7.0	7.8	7.2	9.2	6.3	93	73	72	36	1	05	1	00	0	8	8 •⁰	8 =	7	4.6		• = n, ≡ 8, ▽⁰ = a, ▽⁰ p
16	93.5	93.4	92.9	7.1	9.5	8.5	10.9	5.2	75	61	75	18	1	20	2	00	0	9	7	5	6 ▽	2.6		⊙⁰ n, ▽ ⊙ a, ⊙² 13, ⊙⁰ 19
17	90.7	90.9	92.1	6.7	11.1	8.4	12.0	**3.6**	88	51	63	26	1	04	2	05	1	8	1(≡)	4	4	0.2		• n, (≡) ⊙ a, ⊙² 13, ⊙⁰ p
18	96.7	99.1	01.0	7.2	9.2	7.2	10.3	4.8	91	70	88	21	2	27	1	00	0	8	4	6(▽)	5 ∞			⊙ n, ▽ a, ▽ ⊙ p
19	03.8	05.0	05.4	7.3	10.6	9.9	11.4	5.5	91	61	58	20	1	21	1	20	1	9	6	4	1	3.6		▽ n, ⊙ a,p
20	01.9	98.8	94.0	8.2	13.2	10.9	13.2	4.3	76	**48**	61	20	2	22	2	22	1	9	3	4	7 ∞			⊙ n,a, ⊙⁰ 13, ⊙² p
21	94.4	96.0	94.7	9.9	10.5	10.2	10.9	7.9	81	73	75	19	2	22	3	20	1	9	7	8(•)	8	3.1		▽ n,a,p
22	93.8	95.3	95.5	7.3	7.0	7.1	11.6	6.5	93	82	75	28	2	26	2	21	1	7	8(▽)	8(▽)	3	5.8		▽ n,a, ▽² ⊙ p
23	94.8	95.0	95.0	6.6	7.0	6.4	7.4	5.4	81	79	84	23	3	23	2	25	1	7	8 ▽⁰	8 ▽⁰	8(▽)	5.2		▽ n, ▽⁰ a, ▽ p
24	04.6	05.2	05.7	6.8	9.4	8.1	9.5	4.6	85	66	84	21	2	21	2	18	3	9	7(▽)	6	8 ,	1.1		▽ n, ▽ ⊙ a
25	04.3	05.9	06.7	10.9	12.8	11.1	13.6	7.3	75	76	94	22	5	24	3	20	3	9	8 ▽	7(▽)	8 ,	5.3		▽ n, ▽⁰ a,p, = 19
26	04.2	04.4	02.2	11.1	13.2	12.5	13.5	10.3	91	81	93	24	2	20	3	20	3	7	8 ▽	8 ▽	8 ▽²	1.8		▽ n,a,p
27	05.3	07.7	**09.0**	9.5	9.6	8.9	13.0	8.7	93	85	87	25	2	28	2	02	1	9	7(▽)	7	4	8.1		▽² n, ⊙ p
28	08.5	08.1	06.3	8.2	12.0	11.2	13.4	6.9	93	73	70	00	0	20	2	21	2	9	8 =	6	8			⊙⁰ n, ▽⁰ ⊙ a
29	03.7	04.5	05.4	9.2	10.4	9.2	11.6	8.8	85	76	85	00	0	28	2	00	0	9	8	8	7 =	0.0		⊙ a
30	03.9	03.0	01.2	8.7	12.4	13.9	**15.3**	7.5	93	84	78	00	0	00	0	00	0	8	8 ,	7 ∞	5 =	1.0		▽ n, = 8, ∞ p
31	01.5	02.2	03.4	12.0	14.0	11.5	14.1	7.6	93	82	94	00	0	00	0	27	2	8	7 =	8 =	8 ,			= a, , = p, (≡) 19
M	96.0	96.5	96.3	8.6	10.4	9.6	11.8	6.6	84	73	78		1.6		1.7		1.4	8.3	7.0	6.5	6.2	68		

Ekstensotabell

1949

Tromsø

$\varphi = 69° 39'$ N $\lambda = 18° 57'$ E $g = 9.826$ $\Delta G = +1^h$ **September IX** $H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8		13		19		13	8	13	19			
1	06.7	08.0	08.4	10.0	11.1	10.0	11.6	9.6	93	87	91	27	1	00	0	36	2	8	3(≡)	8 ∞	6	0.9		⚥ (≡) n, (≡) a, ∞ p
2	09.2	10.4	10.2	8.2	10.8	9.5	11.5	7.8	93	75	78	00	0	03	3	04	2	8	8(≡)	4 =	1			(≡) n, = ⊙° a, ⊙² p, ⊙ 19
3	07.0	05.9	03.9	10.1	13.9	12.0	14.8	6.8	85	69	78	00	0	02	1	01	1	9	1	0	3			⊙² a, ⊙ p
4	01.9	02.3	02.8	12.7	17.1	13.0	**18.0**	9.5	82	63	81	00	0	23	1	29	1	9	7	3	8 •			⊙ a, ⊙² 13, • ⊙ p
5	03.3	06.9	05.9	12.4	11.7	11.5	13.8	10.3	91	84	78	21	3	18	2	21	2	9	8 ⚥	8	6	3.7		⚥ n,a
6	97.3	94.4	91.4	11.8	15.9	17.2	17.2	10.7	88	75	69	23	4	18	4	20	3	8	8 •	8 =	8	2.9		• n, ⚥ a,p
7	91.9	94.9	96.2	13.7	11.7	11.4	17.3	10.3	61	88	72	22	4	22	3	20	3	6	6 ∞°	8 ⚥	6	5.2		⚥ n,a,p
8	91.5	89.3	82.5	11.9	14.3	15.2	15.5	9.1	72	**49**	52	04	3	20	4	24	3	9	7	7	8	4.0		⚥ n
9	88.0	91.5	92.4	10.4	10.6	9.1	15.5	8.3	81	81	82	25	3	23	3	23	2	7	7	7	8(•)	0.2		⚥ n, ⚥° ⊙° a, ⚥° p
10	95.0	97.0	01.1	5.2	7.2	5.8	9.5	4.3	90	70	84	00	0	26	2	28	3	9	8 ⚥°	7(•)	7 ⚥	14.6		⚥ n,a, ⚥ ⊙ p
11	08.6	11.1	**13.4**	6.0	8.0	7.2	10.2	4.1	75	75	70	23	3	25	3	11	3	9	8 ⚥°	5	2	3.4		⚥ n, ⊙ a,p
12	12.2	10.5	07.0	8.1	10.0	9.0	10.0	5.8	66	61	69	21	4	25	4	24	5	9	6 ∞°	6	8 •°	0.0		⊙ n,a
13	99.3	03.3	04.0	11.3	11.8	9.2	12.0	7.3	78	63	85	23	5	27	2	24	2	9	7 =	7(•)	8 •	3.4		⚥ ⊙ n, ⚥° a, ⚥ p
14	07.1	10.2	11.0	6.0	7.3	5.0	9.3	4.9	82	63	72	30	1	25	1	00	0	8	8(⚥)	8(⚥)	7(⚥)	9.6		⚥ n, = 8, ⚥° ⊙° a, ⊙ 13, ⚥° p
15	11.3	10.8	09.0	3.8	6.0	4.6	6.8	2.8	61	51	55	06	1	04	1	04	2	9	7	1	1	0.0		⊙ a,p
16	06.0	04.9	04.2	6.4	11.6	9.7	12.4	3.2	63	55	67	19	1	19	1	04	1	9	1	3	8			⊙ ∪ n, ⊙ a, ⊙² 13, ⊙ p
17	03.9	02.8	01.5	9.4	13.6	13.3	15.0	8.8	82	70	75	20	1	20	1	00	0	9	6 ∞	5 ∞	7 =			∞ ⊙ a,p
18	01.0	04.3	05.3	11.8	8.2	8.0	13.3	7.8	84	94	81	20	1	28	1	00	0	8	8 •°	8(≡)	7	1.0		•° = n,a, •° p
19	04.2	06.8	08.0	8.4	7.7	6.2	8.5	6.2	70	85	73	23	1	27	1	00	0	8	8(⚥)	7 •°	7	2.9		= n, •° = a,p
20	03.6	98.5	91.2	6.6	9.2	9.5	10.2	5.5	93	78	90	23	3	23	3	23	5	8	8 =	8 •°	8 •²	1.6		•° = n, • = a, •² p
21	98.3	06.6	10.6	4.0	5.4	3.4	9.5	3.1	82	66	84	29	6	30	3	17	3	8	7(⚥)	7(⚥)	8 ⚥	26.1		• n, ⚥° a, ⊙° 13, ⚥ p
22	12.0	11.9	11.4	4.8	6.6	6.6	6.7	3.1	90	72	67	21	2	21	3	21	4	8	8 •°	8 =	8 =°	7.6		• = n, = a
23	09.1	09.1	06.7	6.2	7.4	6.7	7.5	5.5	85	84	91	21	3	20	3	25	2	8	8(⚥)	8(⚥)	8(⚥)	0.5		
24	04.2	05.7	07.5	6.8	7.8	7.8	8.4	6.7	93	90	93	21	2	19	1	29	2	8	8(⚥)	8 •	8 •	0.1		⚥° = n, • = a, • p
25	04.4	02.8	98.3	8.4	9.0	7.2	9.0	6.9	93	93	93	21	3	23	1	03	1	6	8 •	8 •	7	9.6		• n, • • a, ⚥ p
26	90.4	93.2	89.6	8.4	9.0	10.0	10.0	4.8	93	93	81	22	3	19	1	25	4	7	8 •°	8 •	8 •	7.4		• = n, •° = a, • = p
27	84.8	87.2	88.6	9.0	8.4	7.6	10.2	7.6	90	85	91	21	1	25	3	27	2	8	6 ⚥	8 ⚥	8 ⚥	11.4		⚥ = n,a,p
28	88.2	94.5	00.0	4.0	2.4	0.3	7.6	0.3	91	88	88	01	1	28	1	30	2	8	8 •	8(⚥)	8 ⚥	22.1		• = n, ⚥ = a, ⚥ p
29	99.5	87.2	74.7	1.2	2.8	4.8	5.2	**0.1**	72	55	85	19	1	16	1	22	3	8	7	8(⚥)	8 •	7.5	0	⚥ n, ⊙° 8, ⚥ a, • p
30	**60.7**	73.8	79.0	5.4	3.8	2.2	6.8	1.1	82	85	64	20	1	28	5	07	3	7	8 •°	8 △	5 ⚥	10.2		• n, = 8, ⚥ a, • = 13, ⚥ p
M	00.0	01.2	00.5	8.1	9.3	8.4	11.1	6.1	82	75	78	2.1		2.1		2.2		8.1	7.0	6.6	6.7	156	0	

Oktober X

1	78.5	80.5	82.6	- 0.4	1.2	0.5	2.2	- 0.8	98	93	98	32	1	21	1	27	1	7	8 ⚥	8(⚥)	7	17.5	4	⚥ n,a,p
2	84.7	84.1	76.4	- 1.0	- 0.2	- 0.9	1.3	- 1.3	98	98	70	20	1	20	2	03	1	4	8 ⚥	8 ⚥	2	10.6	20	⚥ n, ⚥³ a, ⚥ p
3	69.0	78.1	87.2	1.4	1.7	0.2	2.4	- 1.3	66	66	79	07	1	05	1	03	1	9	8	2	4	1.2	15	⊙ a,p
4	97.8	99.2	98.4	- 0.4	0.5	0.0	2.2	- 0.5	98	92	99	04	1	20	1	23	1	5	6(⚥)	8 ⚥	8(*)	2.2	15	⚥ n, ⚥ ⊙° a, ⚥ p
5	88.5	86.8	92.2	- 2.4	1.9	- 2.0	2.0	- 2.6	85	63	89	04	1	04	1	00	0	9	3	2	6	5.0	20	⚥ n, ⊙ a,p
6	95.8	98.6	01.9	- 0.4	- 0.5	- 2.4	1.7	- 2.5	92	89	62	19	1	03	2	00	0	7	8 ⚥	8 ⚥	4	0.0	15	⚥° n, ⚥ ⊙ a
7	95.0	88.9	86.3	- 0.6	0.4	0.1	1.0	- 3.0	92	99	94	18	5	19	3	23	4	3	8 ⚥°	8 ⚥²	8	0.4	15	⚥° n, ⚥ a, ⚥² p
8	89.5	98.8	03.9	0.4	- 1.4	-.2.9	2.0	- 2.9	98	00	95	36	5	36	4	35	3	3	8 ⚥	8 ⚥	3	10.3	17	⚥² n, ⚥ a,p, ⚊ 19
9	12.6	**14.4**	13.9	- 1.8	0.2	- 2.1	0.4	- 2.9	82	73	71	00	0	24	1	23	3	9	6	4	1	7.0	19	⚥ n, ⊙ a,p
10	02.0	96.4	93.4	- 0.3	2.4	4.6	5.0	- 2.4	63	63	93	20	6	20	7	25	4	8	8	8(⚥)	8 •		18	⚥ • p
11	03.8	09.0	11.9	- 0.8	0.6	- 1.1	4.6	- 1.4	95	63	70	02	1	02	1	02	2	8	7 ⚥°	7	7	10.9	10	⚥ n, ⊙ a, ⊙° 13
12	09.1	06.1	01.8	- 2.6	0.8	- 1.4	1.0	- 3.0	74	**51**	63	34	1	36	1	36	2	9	1	1	1		10	⊙° 8, ⊙ a,p
13	90.2	84.1	80.1	2.0	3.2	6.8	7.0	- 2.3	70	92	82	20	1	04	1	20	4	8	8	8	8 ⚥°		8	⚥° a, ⚥ p
14	81.7	87.1	90.7	6.4	6.6	6.2	7.0	5.5	93	95	96	20	1	20	1	24	3	8	8 •°	8 ⚥°	8 ⚥°	15.8	0	• n, ⚥° a, ⚥ p
15	89.5	88.0	87.7	3.8	5.9	5.7	6.5	3.6	98	85	98	00	0	01	1	00	0	9	7	8(•)	8 •	4.2		⚥° n, = 13, • p
16	88.0	88.3	91.9	10.8	11.6	8.7	**12.2**	5.5	74	70	99	20	4	20	4	00	0	8	7	8	8 •	10.7		• n, ⚥° a, • p
17	92.0	91.7	90.4	8.0	7.2	6.0	9.2	5.9	94	95	95	23	4	22	2	21	1	8	8 •°	7	8	9.6		•° n, ⚥° a
18	84.3	78.7	76.5	4.8	5.6	8.3	8.5	4.6	96	98	96	00	0	04	1	23	2	8	8	8 •°	8	2.5		⚥° n, •° = a, • p
19	69.1	**65.2**	**65.2**	5.4	5.4	5.2	8.5	4.9	98	98	95	04	2	00	0	29	2	6	7(≡)	8 •	8 •	3.4		⚥° n, • = a, • p
20	71.1	74.6	76.1	4.0	4.4	3.9	5.2	3.6	96	96	96	19	1	34	1	00	0	8	8(≡)	8 =	8 =	11.5		•° n, •° = a,p
21	79.0	80.3	79.7	3.6	5.2	3.8	5.7	3.2	93	80	89	01	1	03	1	08	1	9	3	7	2	2.2		⚥° n, ⚊ 19
22	72.2	71.4	71.7	3.4	4.0	5.0	5.0	2.7	80	79	77	23	1	20	2	01	3	9	2	4	6			⚊ n, ⊙° a
23	76.9	79.6	80.6	4.4	4.2	5.5	5.5	3.0	95	93	89	36	3	01	3	02	3	7	8 •	8 •	4	8.4		• n,a, ⚥ p
24	82.5	80.8	78.7	4.4	4.2	2.7	6.4	2.2	83	85	95	20	1	20	1	09	2	9	7	4	7	6.3		⚥ n, ⊙° a
25	75.6	79.2	83.1	2.7	1.4	0.5	3.4	- 0.1	92	93	88	36	3	36	3	02	1	8	8 ⚥°	6(⚥)	6 ⚥			= n, ⚥° = a, ⚥ p
26	87.0	87.7	85.4	- 2.2	- 2.6	- 2.4	0.5	- 3.4	98	94	95	33	1	00	0	36	2	9	8 ⚥	2	6	6.4	15	⚥² n, ⚥° ⊙ a, ⊙° 13, ⚥ p
27	83.1	82.7	82.5	- 3.2	- 3.0	- 4.9	- 1.8	- 2.9	96	93	96	00	0	00	0	00	0	8	8 ⚥	8	8 *°	9.4	25	⚥ n, ⚥° a, *° p
28	88.3	91.9	96.9	- 3.6	- 3.8	- 3.9	- 2.9	- **5.2**	89	91	98	20	1	00	0	00	0	8	8 ⚥°	7(⚥)	8 ⚥²	11.1	30	⚥ n, ⚥ ⊙° a, ⚥² p
29	05.3	09.3	11.9	- 0.4	0.0	- 0.1	0.4	- 3.9	96	98	99	03	1	22	1	00	0	6	8 ⚥	8 ⚥°	8 ⚥°	10.3	40	⚥ n, ⚥° a, ⚥ p
30	12.0	11.4	09.6	0.8	1.4	2.2	2.2	- 0.3	95	94	89	20	1	21	1	27	3	8	8(⚥)	8(⚥)	8(•)	7.2	40	⚥ n, ⚥° a,p
31	06.5	04.7	03.3	2.6	2.2	3.1	3.2	1.4	80	98	95	20	2	18	3	24	3	7	8 •°	8(⚥)	8 ⚥	4.2	2	•° = n, ⚥° = a, ⚥ = p
M	89.0	89.7	90.1	1.6	2.3	1.8	3.8	0.0	89	86	89	1.7		1.6		1.7		7.5	7.0	6.6	6.3	188	11	

Ekstensotabell

1949

Tromsø

$\varphi = 69° 39'$ N $\lambda = 18° 57'$ E $g = 9.826$ $\Delta G = +1^h$

November XI

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	04.1	03.0	02.6	3.2	3.4	2.2	4.5	1.6	96	93	96	18 1	20 1	25 2	8	8 ⚥°	8 ⚥°	8 ⚥	16.5	10	⚥² n, ⚥° a, ⚥ p
2	02.7	01.0	96.6	2.2	3.0	1.8	3.0	1.5	92	85	89	20 1	20 1	00 0	9	7 ∞°	1	7	7.2	5	⚥° n, ⊙ a
3	86.2	82.7	82.8	4.4	3.2	3.0	5.1	1.7	70	89	93	19 3	19 3	09 3	8	7	8 •°	8(•)		4	•° n, • p
4	78.8	79.8	78.4	5.4	5.4	5.1	6.0	2.8	94	96	82	09 4	10 1	09 3	6	8 •	7 •	7	7.9	3	• n,a
5	77.5	80.6	81.9	5.0	5.4	4.8	5.8	4.5	86	85	85	20 2	22 3	09 2	8	8 ⚥°	7(⚥)	7	3.2	0	⚥° n,a
6	84.5	85.9	86.8	5.2	4.6	5.0	6.0	4.3	83	93	77	01 1	28 1	20 3	9	8	7	4 ∞°	0.6	0	⚥° n, ⊙° 13, ∞° p
7	87.3	87.7	88.0	4.4	6.0	4.9	6.2	2.7	57	63	69	20 4	23 2	35 3	9	1	6	7			⊙° a
8	90.9	90.0	88.0	3.2	4.5	5.0	5.7	2.5	85	77	77	33 1	05 1	20 4	9	1	6	4			⊙° a
9	88.9	90.0	92.6	8.2	5.9	6.8	9.1	4.7	63	66	66	18 3	18 4	24 3	9	3	6	3	0.1		⚥° n, ⊙° a
10	95.1	96.3	96.1	4.0	3.0	1.3	7.0	1.1	82	86	93	20 2	20 1	00 0	9	8	6	4			⊙ a, ⊙° 13
11	94.5	94.4	91.8	2.5	3.8	3.3	3.8	1.2	94	95	92	04 1	00 0	00 0	9	8	8	7 =°			•° p
12	90.3	87.3	85.4	3.6	3.6	3.8	5.5	3.1	85	83	73	05 1	05 1	15 4	9	8	8	5	0.0		
13	86.0	87.5	88.5	5.0	5.4	4.2	5.4	3.7	71	71	74	36 4	36 3	00 0	9	7	7	8 ∞°	0.0		•° n, ∞° p
14	90.7	92.6	96.5	3.0	3.0	2.4	4.4	2.2	88	89	99	20 1	20 2	06 2	8	8	8 •°	8 •			• p
15	08.6	12.3	16.0	0.2	1.0	1.0	2.6	− 0.2	92	76	77	10 1	32 1	35 2	8	8	6(⚥)	6	4.3	1	⚥ n, ⛆ 19
16	12.6	13.0	13.9	2.0	3.8	3.0	4.3	0.0	60	53	58	20 5	20 3	02 4	9	3	4	1		0	⊙° a
17	17.4	17.5	15.3	2.0	1.0	2.2	3.2	0.4	60	69	60	21 3	25 2	36 1	9	1	1	3		0	⊙° a
18	11.2	11.2	10.8	3.6	3.4	2.6	4.3	1.7	59	66	71	20 3	00 0	00 0	8	7	7 ∞°	8			
19	10.5	08.7	08.4	0.2	− 1.0	− 1.2	3.1	− 1.8	77	88	82	21 1	00 0	00 0	9	0	0	0			⊙° a, ⛆ 19
20	08.8	09.4	08.3	− 2.6	− 1.6	− 2.0	− 1.2	− 2.6	98	94	86	20 1	00 0	00 0	9	0 ⌣	0	0			⌣ n, ⊙° a
21	05.0	04.1	02.6	0.8	0.6	1.9	1.9	− 2.3	66	74	74	20 2	05 1	00 0	9	2	6	4			
22	01.5	01.2	01.1	1.6	2.0	1.6	2.9	0.9	89	89	89	36 1	05 1	00 0	9	1	1	0			⊙° a, ⛆ p
23	00.9	02.2	03.6	− 0.6	1.6	0.7	2.0	− 0.6	93	89	80	00 0	21 1	00 0	9	2 ⌣	7	0			⌣ n, ⊙° a
24	04.4	04.7	04.1	− 0.5	− 1.0	− 1.2	1.1	− 1.6	98	99	99	22 1	22 1	00 0	9	2 ⌣	2	1			⌣ n
25	00.1	98.5	97.1	− 1.5	0.2	0.7	0.7	− 1.8	98	94	76	21 1	21 1	22 4	9	4 ⌣	7 ⌣	8 *°	0.5		⌣² n, ⌣ a,p
26	96.2	97.3	97.7	− 1.2	− 2.6	− 2.3	0.9	− 2.8	92	89	74	20 1	20 1	00 0	9	1	2	5 ∞°	0.1		*° n, ∞° p
27	02.2	05.3	07.0	− 4.4	− 4.4	− 4.8	− 2.0	− 5.1	77	77	73	00 0	00 0	00 0	9	1	1	5			
28	12.1	11.9	07.9	− 6.4	− 8.6	− 9.6	− 4.3	−10.0	45	48	55	08 1	00 0	22 2	9	1	1	0			
29	97.9	90.1	84.4	− 8.4	− 8.2	− 8.3	− 7.8	−10.0	63	66	60	21 3	18 5	25 1	9	1	2	3			
30	83.2	84.5	84.6	− 6.0	− 4.4	− 3.8	− 3.6	−10.1	60	63	67	18 5	20 3	20 5	8	8	8	7			
M	97.7	97.7	97.3	1.3	1.4	1.1	2.9	− 0.3	79	80	78	1.9	1.5	1.6	8.7	4.4	4.9	4.6	40	1	

Desember XII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	73.1	73.7	73.1	1.2	0.8	1.7	2.0	− 4.1	63	66	63	19 5	19 3	36 2	9	3	8	8			
2	71.0	69.7	66.2	0.6	− 1.1	− 1.3	2.0	− 1.7	67	73	76	18 2	17 1	36 1	9	2	6	1			
3	58.2	57.5	59.8	− 2.6	− 2.2	− 2.0	− 1.2	− 4.3	73	76	93	12 1	21 1	23 2	8	1	4	5			
4	62.7	63.7	65.2	− 4.4	− 4.4	− 4.4	− 1.6	− 4.9	99	98	98	20 1	27 1	00 0	9	1	1 ⌣	0 ⌣			⌣ n,p
5	67.9	69.5	71.8	− 4.2	− 4.0	− 4.1	− 3.7	− 4.9	98	98	98	27 1	25 1	00 0	8	8 ⌣	8 ⌣	7			⌣ n,a
6	76.5	78.3	79.5	− 4.8	− 5.8	− 5.7	− 4.0	− 6.4	98	96	96	24 1	22 1	00 0	8	8 ⌣	2 ⌣	4			⌣ n,a
7	80.9	80.3	78.3	− 3.4	− 5.0	− 4.8	− 3.1	− 5.9	93	80	88	18 1	06 1	07 1	9	0 ⌣	1	1			⌣ n,p
8	74.1	72.7	68.1	− 4.4	− 3.9	− 1.0	− 1.0	− 5.4	73	77	67	06 1	18 1	11 3	9	0 ⌣	7	8			⌣ n
9	61.7	63.0	66.9	− 0.6	0.0	− 0.6	0.0	− 1.4	63	73	89	04 1	00 0	23 1	8	8	8	8			
10	77.8	86.7	92.3	0.6	0.0	− 0.1	1.3	− 0.9	98	99	99	18 2	26 1	18 1	3	7	8 ⁑	8 ⚥²	1.2	0	*° n, ⁑ a, ⚥² p
11	05.8	07.6	08.3	− 0.3	0.0	− 0.2	0.0	− 1.3	98	98	99	00 0	25 1	28 1	4	7 ⚥°	8 ⚥²	7 ⚥	32.0	63	⚥² n, ⚥ a, ⚥ p
12	01.5	97.3	93.2	− 1.8	− 1.4	0.2	0.2	− 2.8	70	73	62	20 1	16 1	20 3	8	8	7	8 *°	4.6	70	⚥° n
13	87.5	87.4	86.4	− 2.4	− 4.0	− 4.7	0.6	− 4.9	57	85	86	18 2	19 5	14 5	5	7	8 *°	8	0.0	27	*° a
14	88.3	88.3	84.7	− 0.6	− 2.3	− 2.8	0.2	− 5.4	77	88	88	20 2	21 1	00 0	9	1	1	3	0.2	26	*° n, ⛆ 19
15	79.3	80.1	79.7	− 3.2	− 3.0	− 2.2	− 0.5	− 4.4	77	93	94	21 1	22 1	00 0	9	0	1	7		24	
16	77.2	75.1	70.9	− 3.0	− 4.8	− 3.0	− 2.0	− 5.0	74	89	83	20 2	03 1	07 1	9	1	1	8		24	
17	65.3	65.6	66.7	− 0.6	− 1.2	− 0.9	− 0.3	− 3.5	85	89	74	20 1	22 2	00 0	9	4	6	8		23	
18	74.9	79.2	81.6	2.7	2.4	0.8	3.1	− 1.0	76	70	73	18 2	18 1	36 2	9	6	3	1		20	⛆ p
19	81.0	79.4	76.0	0.2	− 0.2	0.7	0.9	− 1.1	69	74	64	20 1	18 1	18 3	8	1	8	8		19	
20	74.2	75.8	77.6	2.2	0.6	0.4	2.8	− 0.7	74	74	71	18 3	21 1	22 2	9	6	3	0		17	
21	83.8	88.7	92.5	1.4	0.3	− 0.1	1.6	− 1.0	77	99	86	19 2	25 1	23 2	2	7	8 *²	4		16	*² a, ⚥ p
22	93.2	94.2	94.7	− 1.0	− 0.7	− 1.1	0.3	− 1.5	66	59	57	18 4	20 4	22 4	9	1	2	2	2.5	18	
23	99.1	99.5	02.1	− 1.4	− 0.8	0.0	0.0	− 2.1	93	93	96	19 3	20 2	00 0	8	3	8(⚥)	5 ⚥°	1.9	20	⚥ n,a,p
24	00.5	00.0	99.4	− 1.8	− 4.0	− 4.4	0.0	− 4.9	92	98	98	19 1	20 1	36 1	9	1	1	8	4.8	29	⚥° n
25	94.0	93.2	89.1	− 6.2	− 6.0	− 5.2	− 3.8	− 7.0	96	93	67	00 0	32 1	00 0	8	1	7	3	0.6	29	*° n
26	80.8	79.8	79.2	− 3.4	− 5.3	− 4.8	− 3.3	− 5.6	66	69	66	19 4	23 3	20 4	8	7	5	3		26	+ p
27	77.1	77.6	79.9	− 6.3	− 6.1	− 6.0	− 4.5	− 6.5	67	70	74	18 4	19 5	20 5	9	7	8	8		26	
28	85.0	85.8	89.2	− 5.8	− 3.6	− 2.6	− 2.6	− 6.9	73	66	67	21 3	20 3	22 5	9	8	2	8	0.0	20	⚥° n
29	96.3	98.5	99.5	− 2.2	− 3.2	− 2.2	− 1.0	− 4.6	70	70	74	21 3	20 3	27 4	8	2	7	5		19	
30	00.6	01.0	02.7	− 2.6	− 2.4	− 1.6	− 1.5	− 3.4	74	76	76	20 2	20 2	27 3	9	3	8	7		19	
31	06.8	08.8	10.6	− 0.4	− 1.4	− 1.6	− 0.3	− 2.6	85	98	96	21 1	20 1	21 2	2	5	8 ⚥	6	0.1	19	⚥° n,a, ⚥ p
M	82.5	83.2	83.4	− 1.9	− 2.3	− 2.1	− 0.6	− 3.7	79	83	81	1.9	1.7	1.9	7.7	4.0	5.3	5.4	48	18	

1949

Røros

φ = 62° 34′ N λ = 11° 23′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	926.7	1003.2	- 7.8	- 6.0	- 6.8	- 7.0		-12.7	6.3	28	-37.9	22	0 -	2 2.5	5 1.2	2 3.0	10 4.6	7 3.3	1 4.0	5 2.0	7 3.0	12 2.7	7 2.6	7 4.1	28
II	33.7	10.6	- 8.0	- 3.5	- 5.1	- 6.1		-10.9	6.4	16	-20.9	10	1 2.0	0 -	0 -	2 3.5	0 -	4 2.5	2 1.0	3 4.3	12 3.2	15 2.3	13 2.4	5 2.8	27
III	41.3	18.8	- 9.4	- 2.7	- 5.3	- 6.5		-12.6	5.8	24	-33.2	4	2 1.0	1 1.0	3 2.3	3 1.7	4 2.8	3 3.0	8 4.4	3 2.0	14 3.2	5 3.4	11 3.4	8 2.5	28
IV	30.2	05.7	0.2	3.6	2.0	0.9		- 3.0	9.2	17	-15.9	2	0 -	1 1.0	3 2.7	3 2.7	4 3.0	9 4.1	7 4.3	4 3.5	9 3.4	3 3.3	14 3.6	9 3.9	24
V	37.4	11.6	6.5	10.0	8.8	6.8		2.2	18.8	19	- 6.1	1	1 3.0	1 1.0	1 1.0	4 2.8	7 3.3	9 2.4	8 3.2	8 3.0	10 2.9	5 3.0	18 2.5	10 2.8	11
VI	40.8	14.9	8.1	12.2	11.0	8.7		3.9	23.6	28	- 1.8	20	2 5.5	1 2.0	1 1.0	3 2.7	9 3.4	6 2.5	0 -	1 2.0	1 2.0	10 2.5	9 4.0	30 3.0	17
VII	42.1	15.8	9.8	14.6	12.9	10.6		5.1	23.5	10	- 0.8	21	3 4.0	0 -	1 2.0	0 -	5 2.6	0 -	2 2.5	3 3.0	0 -	9 3.3	15 3.5	27 2.7	28
VIII	39.0	12.7	8.0	13.2	12.0	9.6		4.7	22.2	26	- 2.8	20	0 -	2 2.5	3 1.7	2 2.0	7 2.4	1 2.0	3 1.3	4 3.2	9 2.8	11 2.1	6 2.2	11 2.7	34
IX	46.0	20.2	7.8	13.5	11.3	9.7		4.9	19.1	2	- 3.8	12	3 1.0	0 -	1 1.0	8 2.1	4 3.2	6 3.7	2 3.5	5 3.0	7 2.7	1 2.0	3 2.7	5 2.8	45
X	35.6	11.3	0.2	3.8	2.0	1.4		- 3.0	13.3	16	-19.9	29	0 -	3 1.7	1 2.0	2 1.5	2 2.0	4 3.5	6 3.5	10 3.2	9 2.2	8 2.1	11 3.3	5 3.8	32
XI	35.9	12.4	- 3.2	- 1.9	- 2.6	- 2.7		- 5.0	7.4	5	-19.7	29	0 -	1 2.0	2 2.5	5 2.4	17 3.2	10 3.0	10 2.4	5 3.4	3 1.3	0 -	3 1.3	2 1.5	32
XII	23.6	999.8	- 7.4	- 6.8	- 6.9	- 7.1		-12.8	0.2	1	-22.5	29	1 2.0	2 1.0	1 1.0	2 2.5	2 1.0	7 2.4	2 5.0	6 3.2	2 1.5	11 1.7	3 1.0	1 2.0	53
1949	936.0	1011.4	0.4	4.2	2.8	1.5		- 3.3	23.6		-37.9		13 2.4	14 1.7	22 1.9	36 2.4	71 3.2	66 3.0	51 3.3	57 3.0	83 2.9	90 2.5	113 2.9	120 3.0	359

Tynset

φ = 62° 18′ N λ = 10° 45′ E g = ΔG = + 1h

I			- 7.9	- 6.1	- 7.3	- 7.4		-13.4	7.8	28	-33.6	22	0 -	2 1.0	4 1.2	3 2.7	4 1.5	19 2.3	7 2.7	9 2.8	6 2.3	3 1.7	14 1.9	20 1.7	2
II			- 8.3	- 3.0	- 4.9	- 6.0		-11.7	7.8	16	-21.7	11	3 1.7	1 2.0	2 1.0	2 1.5	1 1.0	10 2.1	7 1.6	2 1.5	4 2.5	6 2.2	19 2.0	25 1.4	2
III			-10.5	- 1.5	- 4.0	- 6.4		-13.2	10.6	24	-33.3	5	2 2.0	6 1.2	3 2.0	1 1.0	7 1.1	19 2.3	8 2.4	5 1.8	0 -	6 2.3	8 1.4	28 1.9	0
IV			1.0	5.3	4.0	2.1		- 2.3	12.4	18	-12.4	2	3 1.7	3 1.3	2 1.5	3 2.7	13 2.5	15 2.0	14 2.2	10 2.2	2 2.0	1 2.0	2 1.0	22 2.5	0
V			6.4	11.2	10.2	7.3		2.0	17.8	15	- 5.9	8	11 2.0	3 1.7	0 -	3 1.7	3 2.0	17 2.4	21 2.0	7 2.0	8 2.0	2 2.0	5 2.6	13 1.8	0
VI			8.8	13.7	12.8	9.8		4.5	23.0	28	- 2.2	23	16 2.6	6 2.2	9 2.2	2 2.0	3 2.3	12 1.6	9 2.1	5 1.4	1 1.0	4 2.5	2 3.0	21 3.1	0
VII			8.5	15.8	14.8	11.6		5.7	25.2	10	- 1.1	14	17 2.3	8 1.6	7 1.7	5 1.6	5 1.0	13 1.5	8 1.8	3 1.0	0 -	2 1.0	1 2.0	24 2.0	0
VIII			6.9	14.2	13.2	10.2		5.0	20.8	26	- 3.4	20	9 1.6	2 1.0	6 1.3	4 1.8	3 2.3	17 2.2	9 1.7	4 1.2	2 2.5	5 2.8	10 1.6	22 2.2	0
IX			7.1	14.3	11.8	10.3		5.5	18.8	6	- 5.0	12	6 1.0	3 1.3	2 1.5	6 1.3	9 2.3	13 2.5	14 1.5	5 2.4	3 1.3	2 2.5	4 1.5	21 1.4	2
X			0.1	4.3	2.0	1.6		- 2.4	14.0	17	-12.6	28	2 2.0	6 1.5	0 -	3 1.3	5 1.2	17 2.6	14 2.1	5 2.0	3 2.3	3 1.3	6 1.7	29 2.3	0
XI			- 3.4	- 1.8	- 2.7	- 2.8		- 6.0	8.4	5	-21.3	29	6 1.3	3 1.3	1 2.0	4 1.2	12 2.2	22 2.0	20 1.9	6 2.5	3 1.3	0 -	3 1.3	8 1.5	2
XII			-10.2	-10.0	-10.1	-10.3		-16.2	1.2	1	-27.9	29	8 1.0	6 1.0	2 1.0	2 1.0	6 1.8	18 1.5	9 2.0	4 1.2	1 1.0	4 1.0	13 1.2	17 1.2	3
1949			- 0.1	4.7	3.3	1.7		- 3.5	25.2		-33.6		83 1.9	49 1.4	38 1.7	38 1.7	71 1.9	192 2.1	140 2.0	65 2.0	33 2.0	38 2.0	87 1.7	250 2.0	11

Alvdal

φ = 62° 2′ N λ = 10° 48′ E g = ΔG = + 1h

I			- 6.6	- 4.5	- 5.9	- 5.9		-10.7	4.4	27	-28.9	22	4 1.0	1 1.0	1 1.0	38 2.1	8 1.8	5 2.4	0 -	0 -	0 -	16 2.3	3 3.0	7 4.1	10
II			- 6.3	- 1.8	- 3.5	- 4.4		- 9.0	7.6	3	-20.4	11	1 2.0	0 -	0 -	31 1.8	5 1.4	2 1.0	0 -	0 -	0 -	10 3.1	10 3.0	12 2.1	13
III			- 8.3	- 0.5	- 3.2	- 5.0		-10.7	11.4	24	-29.8	5	12 2.2	0 -	0 -	15 2.1	6 2.0	3 1.3	2 2.5	0 -	0 -	16 1.2	5 2.0	12 1.8	22
IV			1.9	5.6	4.2	2.7		- 1.5	14.2	18	- 9.5	2	18 2.8	0 -	0 -	33 2.1	7 2.0	1 3.0	4 2.5	1 3.0	0 -	14 1.6	2 2.0	7 2.4	3
V			7.5	11.6	10.7	8.0		2.7	18.0	15	- 7.6	1	8 2.6	0 -	0 -	24 1.9	5 2.2	8 2.0	4 1.2	0 -	1 1.0	17 2.3	2 1.0	8 2.2	16
VI			10.6	14.8	13.4	10.8		5.2	25.6	28	- 0.2	23	28 2.1	0 -	0 -	22 1.5	0 -	3 1.7	2 1.0	0 -	0 -	18 1.7	1 6.0	10 3.5	6
VII			10.5	17.6	15.7	12.9		6.3	25.6	9	- 1.4	16	33 1.5	0 -	1 3.0	26 1.4	0 -	3 2.0	4 1.0	0 -	0 -	17 1.1	2 1.5	4 1.8	3
VIII			8.4	15.0	13.7	11.2		5.5	21.7	26	- 2.7	20	21 1.5	0 -	0 -	25 1.3	9 1.6	4 1.0	2 1.5	0 -	0 -	6 1.0	4 1.5	9 1.7	13
IX			7.8	15.1	12.0	10.8		6.4	19.6	6	- 3.3	14	2 1.0	0 -	0 -	38 1.4	1 1.0	14 1.4	0 -	1 3.0	0 -	5 1.4	0 -	10 1.1	19
X			1.1	5.5	3.0	2.8		- 0.9	14.6	16	-15.1	26	6 2.0	1 3.0	0 -	41 1.9	1 1.0	2 5.0	0 -	0 -	0 -	9 1.4	1 6.0	19 2.8	13
XI			- 3.4	- 1.5	- 2.6	- 2.6		- 5.2	8.8	5	-20.7	29	2 1.0	0 -	0 -	54 1.7	0 -	1 2.0	1 6.0	0 -	0 -	6 1.0	1 1.0	12 1.2	13
XII			- 9.0	- 8.0	- 8.6	- 8.7		-13.9	2.4	1	-25.0	23	1 1.0	0 -	1 3.0	48 1.8	1 1.0	0 -	0 -	0 -	0 -	2 1.0	2 1.5	13 1.1	25
1949			1.2	5.7	4.1	2.7		- 2.2	25.6		-29.8		136 1.9	2 2.0	3 2.3	395 1.7	43 1.7	46 1.8	19 1.8	2 3.0	1 1.0	136 1.7	33 2.4	123 2.1	156

Drevsjø

φ = 61° 53′ N λ = 12° 3′ E g = ΔG = + 1h

I			- 7.7	- 5.0	- 6.5	- 6.7		-12.5	5.0	28	-34.5	22	6 3.3	0 -	3 1.5	5 3.2	1 1.0	3 1.7	2 2.0	5 1.2	12 2.0	5 2.4	0 -	12 3.2	38
II			- 9.2	- 2.7	- 5.1	- 6.3		-12.2	5.6	3	-25.0	11	6 2.8	0 -	0 -	0 -	0 -	1 1.0	5 1.2	3 1.7	14 2.5	5 2.0	2 2.5	15 3.4	33
III			- 9.8	- 1.8	- 5.7	- 7.1		-14.8	10.0	24	-39.5	5	4 2.8	0 -	2 2.0	3 1.7	0 -	11 2.3	3 2.0	7 2.3	8 2.6	0 -	1 3.0	22 2.7	32
IV			0.3	3.3	1.8	0.7		- 3.4	10.0	18	-15.7	2	9 5.3	0 -	0 -	1 1.0	0 -	5 1.4	4 1.8	6 2.2	22 3.0	4 3.0	0 -	19 3.5	20
V			6.8	10.5	9.0	6.9		1.6	18.2	19	- 8.2	1	4 4.0	0 -	0 -	3 2.3	1 1.0	12 2.2	16 1.7	4 2.0	19 2.3	9 2.7	0 -	12 2.4	13
VI			8.8	12.4	11.5	9.1		3.8	21.6	28	- 0.7	10	31 3.7	0 -	3 2.7	10 2.0	0 -	8 2.0	4 2.2	0 -	5 2.6	6 2.0	14 2.9	0 -	9
VII			10.0	14.8	14.0	11.5		5.3	24.0	10	- 1.8	15	11 2.7	0 -	8 1.6	11 1.2	0 -	5 1.6	6 1.3	0 -	8 1.2	5 1.8	0 -	24 1.6	15
VIII			7.6	13.2	11.9	9.8		4.4	20.8	25	- 3.8	20	8 3.4	1 1.0	4 1.0	7 1.4	0 -	1 1.0	9 1.3	0 -	11 1.8	6 1.0	0 -	19 2.4	27
IX			7.1	13.5	11.2	9.9		5.4	19.2	6	- 2.3	13	0 -	0 -	1 1.0	0 -	0 -	14 1.5	4 1.0	3 1.7	22 2.9	2 1.0	0 -	5 1.2	39
X			0.3	4.2	1.9	1.7		- 2.4	12.4	17	-17.7	30	0 -	1 4.0	1 3.0	0 -	0 -	5 1.2	0 -	5 2.2	28 2.2	3 1.7	0 -	21 3.7	29
XI			- 4.1	- 1.9	- 3.5	- 3.4		- 6.6	7.0	5	-20.7	29	0 -	0 -	0 -	3 3.0	0 -	19 2.5	2 2.0	0 -	11 4.5	1 1.0	0 -	0 -	54
XII			- 9.8	- 7.4	- 8.7	- 8.8		-15.2	0.2	1	-26.5	11	0 -	0 -	9 2.1	0 -	0 -	8 3.0	0 -	1 4.0	7 2.0	0 -	1 3.0	2 2.5	65
1949			0.0	4.4	2.6	1.4		- 3.9	24.0		-39.5		79 3.6	2 2.5	32 1.8	43 1.9	2 1.0	92 2.0	55 1.6	34 2.0	167 2.5	46 2.0	18 2.8	151 2.8	374

Ytre Rendal
Koppang

φ = 61° 41′ N λ = 11° 12′ E g = ΔG = + 1h
φ = 61° 37′ N λ = 10° 54′ E g = ΔG = + 1h

I			- 4.0	- 2.2	- 3.7	- 3.5		- 7.4	4.9	28	-19.9	22	2 2.0	8 1.1	0 -	0 -	0 -	15 1.3	13 1.3	14 1.4	0 -	0 -	0 -	3 1.0	38
II			- 5.2	- 0.1	- 2.9	- 3.1		- 7.2	7.4	17	-17.8	11	0 -	14 1.1	0 -	0 -	0 -	1 1.0	4 1.8	19 1.4	0 -	0 -	0 -	0 -	46
III			- 6.2	- 1.2	- 2.2	- 4.1		- 9.0	13.3	24	-22.2	5	0 -	22 1.1	0 -	0 -	0 -	0 -	0 -	24 1.5	0 -	0 -	0 -	0 -	47
IV			2.7	6.3	4.5	3.3		- 0.7	11.8	18	- 9.0	1	0 -	18 1.6	1 1.0	0 -	0 -	1 1.0	7 1.6	42 1.5	0 -	0 -	0 -	0 -	21
V			7.8	11.9	10.6	8.3		3.4	18.6	15	- 4.9	1	0 -	19 1.2	0 -	0 -	0 -	0 -	0 -	41 1.2	0 -	0 -	0 -	0 -	33
VI			12.0	15.9	13.8	12.0		6.7	24.4	28	1.9	10	0 -	43 1.3	0 -	0 -	0 -	4 1.0	1 1.0	21 1.0	0 -	0 -	0 -	0 -	21
VII			14.1	18.7	16.1	14.3		8.5	24.8	10	2.5	15	0 -	47 1.1	5 1.2	0 -	0 -	13 1.1	5 1.0	0 -	0 -	0 -	0 -	0 -	23
VIII			11.4	16.3	13.6	12.2		7.0	22.2	25	- 1.0	19	0 -	21 1.4	0 -	0 -	0 -	38 1.1	0 -	0 -	0 -	0 -	0 -	0 -	34
IX			10.6	15.6	12.3	11.8		7.8	20.1	6	- 1.1	13	0 -	8 1.0	0 -	0 -	0 -	43 1.4	0 -	0 -	0 -	0 -	0 -	0 -	39
X			0.6	6.2	2.8	2.7		- 1.4	15.2	16	-14.1	28	0 -	0 -	0 -	0 -	0 -	5 2.7	20 1.9	13 2.3	9 1.6	11 1.2	11 2.1	23 2.3	3
XI			- 3.0	- 1.4	- 2.1	- 2.3		- 4.3	10.0	5	-17.3	29	0 -	0 -	0 -	0 -	0 -	8 2.2	9 1.8	14 1.9	9 2.6	9 1.0	4 1.2	8 1.4	29
XII			- 8.7	- 8.1	- 8.6	- 8.7		-12.7	1.6	17	-21.8	12	0 -	0 -	0 -	0 -	0 -	4 3.0	3 2.0	11 1.7	6 1.7	5 1.0	7 1.3	3 1.3	54

Årsoversikter

(Annual Summaries)

1949

Røros

H_s = 628 H_b = 629.8 h_t = 1.8 h_a = h_d = 14.7 h_r = 1.9

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I	88	86	85	87	5.5	5.6	5.7	62	12	25	30		16		25	18	2	15	4	1	2	24	0	2	0	0	0	0	2	1	11	0	12	31
II	91	86	87	88	5.1	5.5	5.4	28	8	1	28		14		14	8	0	5	0	0	2	14	0	0	0	0	0	0	4	3	17	0	9	28
III	90	77	79	83	5.2	4.6	4.6	35	10	15	31		17		14	7	1	5	1	1	0	14	0	0	0	0	0	0	4	1	25	3	5	31
IV	86	71	78	82	5.7	5.8	6.4	17	5	27	26		1		18	6	0	7	1	0	6	14	1	1	0	1	0	0	1	0	24	0	13	30
V	80	66	71	78	6.1	6.8	6.3	54	11	27	8		0		17	11	2	4	1	0	15	3	1	0	0	0	0	0	2	2	24	0	18	0
VI	84	66	71	81	6.2	6.0	6.0	60	26	5	2		0		14	11	1	1	0	0	14	0	0	1	0	1	0	0	1	2	22	0	16	0
VII	81	65	70	78	5.6	5.3	5.2	119	27	2	1		0		16	11	4	0	0	0	16	0	0	2	0	1	0	0	1	8	23	3	12	0
VIII	92	70	75	84	5.2	6.1	5.7	47	11	3	1		0		21	12	1	1	0	0	21	1	0	1	0	1	0	1	0	11	26	0	14	0
IX	94	72	79	84	5.8	5.7	5.7	40	15	5	3		0		16	8	1	3	0	0	16	1	0	1	0	0	0	0	1	15	22	1	16	0
X	90	84	87	87	5.8	5.8	5.4	15	4	11	19		3		19	4	0	4	0	0	12	11	1	0	0	0	0	0	3	6	14	1	13	7
XI	94	91	94	93	7.2	6.4	7.0	15	4	8	26		4		12	6	0	4	0	0	2	11	0	0	0	0	0	0	4	6	6	0	23	22
XII	91	92	91	91	6.4	6.2	6.0	27	4	10	31		22		19	11	0	2	0	0	0	19	0	0	0	0	0	0	10	1	9	0	15	31
1949	88	77	81	85	5.8	5.8	5.8	519	27		206		77		205	113	12	51	7	2	106	112	3	8	0	4	0	0	33	56	223	8	166	180

Tynset

H_s = 485 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I	83	80	83	83	5.5	4.7	5.0	20	5	31	30		19		19	6	0	7	0	0	0	19	0	0	0	0	0	0	0	1	5	3	10	31
II	85	73	82	82	4.8	4.7	4.1	15	8	25	28		15		11	4	0	1	0	0	2	9	0	0	0	1	0	0	0	1	8	3	6	28
III	87	65	69	76	4.4	4.3	4.3	9	4	15	29		18		8	2	0	0	0	0	0	8	0	0	0	0	0	0	1	1	21	6	8	31
IV	80	59	66	74	5.1	5.9	6.1	11	4	13	23		2		11	3	0	1	0	0	5	10	2	0	2	0	0	0	1	1	21	1	13	4
V	78	58	63	73	5.2	6.1	6.2	72	22	27	10		0		16	14	1	0	0	0	16	2	2	0	0	0	0	2	2	3	18	0	11	0
VI	76	54	58	71	5.5	5.3	5.4	60	21	29	1		0		16	10	2	2	0	0	16	0	0	3	0	1	0	0	1	1	22	2	14	0
VII	87	55	60	74	5.6	4.6	4.9	98	28	29	2		0		11	8	5	0	0	0	11	0	0	1	0	0	0	1	1	2	23	3	10	0
VIII	91	59	65	77	6.3	5.4	5.3	42	9	3	2		0		19	12	0	0	0	0	19	0	0	6	0	0	0	0	2	4	23	1	10	0
IX	94	67	77	82	6.4	5.2	5.6	19	4	11	4		0		16	7	0	0	0	0	15	0	0	4	0	0	0	1	6	7	16	2	14	0
X	88	75	84	84	5.4	5.7	4.8	17	4	27	17		4		18	5	0	1	1	1	12	8	1	4	0	0	0	0	1	4	14	1	9	5
XI	91	87	88	89	7.3	6.9	6.5	10	2	30	23		10		15	6	0	1	0	0	8	10	3	7	0	0	0	0	5	2	5	0	22	21
XII	91	90	91	90	5.8	5.8	5.2	18	4	10	31		25		24	5	0	0	0	0	0	24	0	0	0	0	0	0	3	3	2	1	9	31
1949	86	68	74	80	5.6	5.4	5.3	391	28		200		93		184	82	8	13	1	1	104	90	8	25	2	2	0	4	23	30	178	23	136	151

Alvdal

H_s = 485 H_b = h_t = 1.9 h_a = h_d = 8.0 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I	84	81	86	84	5.1	5.4	5.3	22	5	3	30		16		18	8	0	9	1	1	0	18	0	0	0	0	0	0	1	0	11	1	9	31
II	88	75	77	82	4.8	4.4	3.7	8	3	23	26		11		8	4	0	5	1	1	1	8	0	0	0	0	0	0	3	0	16	4	6	28
III	89	68	69	78	4.2	4.9	4.2	10	4	13	31		13		16	4	0	2	1	0	0	16	0	0	0	0	0	0	0	0	15	6	9	31
IV	79	61	67	73	5.6	6.4	5.9	24	8	26	21		0		14	7	0	1	0	0	8	8	0	0	0	1	0	0	1	0	18	0	12	18
V	77	60	65	73	5.9	6.7	6.4	64	13	27	8		0		19	11	2	2	0	0	18	1	0	0	0	1	0	2	0	0	14	0	19	1
VI	75	58	60	70	5.7	5.8	6.0	66	20	5	1		0		14	7	2	4	0	0	14	0	0	1	0	0	0	0	0	0	18	0	14	0
VII	84	57	62	74	5.4	4.9	5.3	86	21	29	2		0		11	10	2	0	0	0	11	0	0	0	0	0	0	2	0	1	17	1	11	0
VIII	90	62	68	78	6.3	6.0	5.7	61	17	3	3		0		17	10	1	0	0	0	17	0	0	1	0	0	0	0	0	5	15	0	16	0
IX	94	68	79	83	6.6	5.2	5.4	23	7	4	3		0		10	6	0	0	0	0	10	0	0	3	0	0	0	0	0	8	17	3	14	0
X	87	73	83	82	6.2	5.8	5.0	30	8	19	14		3		13	7	0	9	2	0	9	6	1	1	0	0	0	0	2	1	10	2	13	6
XI	93	89	92	92	7.4	7.0	6.9	47	8	18	22		10		18	11	0	2	0	0	10	14	4	0	0	0	0	0	4	1	4	0	22	28
XII	92	90	92	91	5.5	5.9	6.1	36	7	26	31		22		17	10	0	3	0	0	1	17	1	1	0	0	0	0	0	2	1	0	13	31
1949	86	70	75	80	5.7	5.7	5.5	477	21		192		75		175	95	7	37	5	2	99	88	6	7	0	2	0	4	11	18	156	17	158	174

Drevsjø

H_s = 675 H_b = h_t = 2.0 h_a = h_d = h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I	86	80	87	86	4.8	5.3	5.8	20	3	8	31		17		14	10	0	4	2	1	3	14	3	0	0	0	0	0	0	0	21	0	8	31
II	90	79	83	85	4.6	4.2	4.8	17	5	9	28		17		9	5	0	11	2	0	2	9	2	0	0	0	0	0	2	3	25	1	3	28
III	90	70	77	82	4.8	3.9	5.1	12	4	14	31		21		10	4	0	6	2	0	0	10	0	0	0	0	0	0	8	2	25	3	8	31
IV	81	64	75	78	5.5	5.3	5.5	30	8	8	25		2		12	8	0	5	0	0	6	8	0	0	0	0	0	0	4	0	23	0	10	30
V	76	62	67	74	5.4	5.9	5.9	58	11	27	12		0		16	14	1	1	0	0	14	1	0	0	0	3	0	5	1	1	23	0	9	0
VI	76	61	65	74	5.3	5.1	5.1	67	28	5	4		0		12	9	2	2	2	0	12	0	0	0	0	0	0	1	0	2	23	0	9	0
VII	83	61	63	73	5.0	4.5	4.3	160	30	19	2		0		13	12	8	2	0	0	13	0	0	0	0	0	0	1	5	2	25	3	8	0
VIII	90	62	70	79	6.1	6.2	5.7	69	20	3	5		0		12	11	1	0	0	0	12	0	0	0	0	1	0	1	2	7	25	0	13	0
IX	95	71	80	85	6.0	5.7	6.1	16	4	11	3		0		10	5	0	1	0	0	10	0	0	2	0	0	0	0	2	16	20	3	16	0
X	89	77	86	85	5.8	6.2	6.2	32	9	18	17		4		11	7	0	1	1	1	6	5	0	0	0	0	0	0	5	4	22	2	14	7
XI	94	93	93	94	7.9	6.9	7.3	46	16	18	26		9		14	12	1	1	0	0	7	11	4	0	0	0	0	0	14	8	6	0	26	29
XII	92	90	92	91	6.3	6.0	6.5	42	8	14	31		22		15	13	0	0	0	0	0	15	0	0	0	0	0	0	12	3	11	0	18	31
1949	87	72	78	82	5.6	5.4	5.7	569	30		215		92		148	110	13	34	9	2	85	73	9	2	0	4	0	8	55	48	249	12	142	187

Ytre Rendal
Koppang

H_s = 253 H_b = h_t = 1.9 h_a = h_d = 14.5 h_r = 1.6
H_s = 345 H_b = h_t = 1.9 h_a = h_d = 10.5 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I					5.0	4.9	4.9	23	7	3	30		8		15	8	0	0	0	0	4	15	3	0	0	0	0	0	0	0	17	3	11	31
II					4.4	4.4	3.2	10	2	23	26		8		10	5	0	0	0	0	4	8	2	0	0	0	0	0	0	0	23	6	7	28
III					4.0	3.9	4.5	6	2	14	29		11		12	2	0	0	0	0	0	12	0	0	0	0	0	0	0	0	27	8	8	25
IV					5.5	5.6	5.5	31	8	26	17		0		11	7	0	0	0	0	8	3	0	3	0	2	0	0	0	0	26	2	13	1
V					4.7	5.3	6.1	70	13	24	6		0		16	12	3	0	0	0	16	2	2	0	0	1	0	3	0	2	28	1	13	0
VI					4.3	4.6	4.9	68	21	5	0		0		18	9	2	0	0	0	18	0	0	0	0	0	0	0	1	1	26	5	6	0
VII					4.2	4.0	4.3	66	24	2	0		0		13	11	2	0	0	0	13	0	0	0	0	0	0	3	0	0	28	9	8	0
VIII					5.0	4.9	4.8	33	9	3	3		0		13	9	0	0	0	0	13	0	0	0	0	1	0	0	0	0	30	3	10	0
IX					5.4	4.3	5.6	18	8	4	1		0		11	5	0	0	0	0	11	0	0	0	0	0	0	0	3	3	24	1	9	0
X					5.9	5.9	5.2	59	21	27	15		4		13	9	1	6	2	1	11	6	4	6	1	0	0	0	1	16	17	4	15	6
XI					7.3	7.2	7.3	107	24	18	21		5		20	11	5	3	1	0	13	14	8	9	1	0	0	0	10	13	5	1	24	28
XII					5.8	5.9	6.1	44	9	8	31		22		18	10	0	3	1	0	3	17	1	3	0	0	0	0	9	9	0	2	13	31

1949

Fokstua

φ = 62° 7′ N λ = 9° 17′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 5.7	- 4.9	- 5.4	- 5.5		- 9.9	4.1	27	-23.0	22
II			- 5.9	- 3.9	- 5.5	- 5.5		- 9.3	3.6	16	-19.8	10
III			- 9.7	- 4.9	- 7.1	- 8.0		-12.5	3.9	24	-26.8	6
IV			- 0.9	1.4	0.3	- 0.7		- 4.2	7.6	18	-12.8	2
V			4.3	7.1	5.8	4.4		0.7	12.9	16	- 7.0	1
VI			7.6	10.8	10.0	7.5		2.0	20.0	28	- 2.9	23
VII			9.7	14.0	12.5	9.8		3.2	21.5	9	- 3.4	15
VIII			7.4	11.4	10.1	8.1		3.4	19.0	25	- 6.4	19
IX			7.1	12.1	9.3	8.3		3.6	16.3	1	- 6.2	12
X			0.0	2.7	0.8	0.9		- 2.1	12.3	13	-11.2	26
XI			- 4.9	- 2.8	- 5.3	- 4.6		- 8.5	4.9	5	-23.4	29
XII			- 8.7	- 7.8	- 8.4	- 8.5		-13.6	- 1.5	1	-23.8	12
1949			0.0	2.9	1.4	0.5		- 3.9	21.5		-26.8	

Vindfordeling nD.Fm

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	2 2.0	0 -	0 -	3 4.0	1 1.0	12 5.8	7 3.3	31 4.1	21 3.4	3 4.0	4 3.8	3 4.3	6
II	0 -	3 2.3	2 1.0	2 1.5	2 1.0	5 2.2	5 3.0	19 3.3	25 3.6	12 4.3	2 2.0	1 3.0	6
III	1 2.0	6 1.3	2 1.0	5 1.4	1 1.0	10 4.1	16 3.6	14 2.6	13 3.8	10 3.1	3 3.7	3 1.7	9
IV	0 -	1 1.0	3 3.0	1 2.0	2 1.0	13 4.2	9 3.4	26 3.0	18 3.1	8 3.0	4 3.2	1 4.0	4
V	0 -	5 1.4	0 -	2 2.0	2 2.5	15 3.1	6 3.0	24 3.3	18 3.2	10 2.9	7 3.3	1 2.0	3
VI	2 2.0	6 3.2	12 2.6	4 3.0	2 1.5	7 3.1	6 2.8	14 2.6	17 3.1	7 3.0	5 3.2	5 4.0	3
VII	1 3.0	8 2.6	13 2.5	5 2.2	1 2.0	5 2.6	5 1.6	19 2.2	15 2.0	12 3.1	1 3.0	4 2.0	4
VIII	0 -	2 2.5	5 3.6	2 2.5	0 -	5 3.4	8 3.5	19 2.4	26 2.8	11 2.5	6 2.5	1 2.0	8
IX	0 -	6 1.3	6 1.8	2 2.0	2 1.5	16 3.6	12 3.2	21 2.7	12 2.5	3 1.3	0 -	0 -	10
X	0 -	8 1.8	5 2.0	1 1.0	2 1.0	7 5.1	13 3.2	24 2.8	12 2.6	6 3.3	3 5.7	2 3.0	10
XI	0 -	12 1.4	7 1.7	3 1.0	1 1.0	16 4.6	11 3.2	13 2.6	3 2.0	3 2.0	1 2.0	0 -	20
XII	0 -	4 1.2	6 1.2	2 1.0	3 1.7	17 4.2	5 2.2	23 2.1	7 2.4	0 -	0 -	3 1.3	23
1949	6 2.2	61 1.8	61 2.2	32 2.1	19 1.4	128 4.0	103 3.2	247 2.9	187 3.0	85 3.1	36 3.3	24 2.8	106

Dombås

φ = 62° 4′ N λ = 9° 7′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	925.3	1003.4	- 4.6	- 3.4	- 4.2	- 4.3	- 0.7	- 8.2	7.7	28	-17.5	22
II	32.7	11.3	- 4.7	- 1.6	- 3.2	- 3.6	0.4	- 6.8	8.3	16	-15.2	8
III	39.4	18.7	- 6.7	- 1.2	- 3.6	- 4.6	0.0	- 8.6	10.6	24	-24.8	6
IV	28.2	05.2	1.5	4.6	3.2	2.2	6.0	- 1.1	11.6	18	- 8.7	1
V	35.6	11.8	5.9	9.7	8.6	6.9	11.5	3.4	15.5	4	- 4.3	1
VI	38.4	14.0	9.5	13.5	12.3	10.2	15.2	5.5	24.4	28	2.3	9
VII	39.7	14.7	9.7	16.9	15.2	12.6	18.9	7.0	29.1	9	2.0	16
VIII	36.9	12.2	7.9	13.8	12.6	10.6	15.5	6.4	22.4	25	- 1.8	19
IX	43.5	19.3	8.3	13.7	12.0	10.7	15.2	7.4	19.5	1	1.0	13
X	33.9	11.1	1.9	4.6	3.1	3.0	6.0	0.5	14.8	13	- 6.7	29
XI	33.1	11.5	- 3.1	- 1.8	- 2.7	- 2.6	- 0.4	- 4.9	8.3	5	-15.7	29
XII	21.8	00.0	- 7.2	- 6.7	- 6.9	- 7.0	- 3.8	-10.6	1.0	16	-17.2	12
1949	934.0	1011.1	1.5	5.2	3.9	2.8	7.0	- 0.8	29.1		-24.8	

Vindfordeling nD.Fm

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	6 2.2	2 3.0	0 -	0 -	0 -	2 2.5	27 4.0	4 2.2	2 3.5	8 2.5	2 3.0	9 1.8	31
II	7 1.6	2 2.0	1 3.0	1 1.0	0 -	1 3.0	10 3.3	3 3.7	2 3.5	5 2.2	1 4.0	12 1.8	39
III	6 1.5	0 -	0 -	1 3.0	2 6.5	1 3.0	26 2.6	0 -	6 2.8	1 2.0	2 2.0	4 1.5	44
IV	10 1.9	0 -	2 5.0	1 1.0	0 -	2 4.0	31 3.3	5 2.8	3 2.0	4 2.2	0 -	7 2.6	25
V	9 2.0	0 -	2 2.0	0 -	0 -	0 -	44 2.3	0 -	4 3.5	11 2.5	0 -	3 1.3	20
VI	18 1.7	0 -	2 2.0	0 -	0 -	4 3.8	19 1.6	1 1.0	12 1.3	8 1.4	1 1.0	7 2.0	19
VII	10 1.6	1 2.0	1 2.0	2 1.0	0 -	2 2.5	15 1.6	0 -	5 1.6	7 1.4	2 1.0	10 1.3	38
VIII	1 3.0	1 2.0	0 -	1 1.0	0 -	1 3.0	26 2.5	3 2.3	3 2.7	4 1.8	0 -	6 1.5	47
IX	0 -	1 2.0	3 1.0	1 1.0	0 -	4 2.8	33 2.5	2 2.5	3 1.0	1 1.0	0 -	1 1.0	41
X	1 2.0	0 -	0 -	1 2.0	0 -	3 2.7	29 2.9	2 2.0	9 2.7	5 2.0	0 -	2 2.5	41
XI	1 1.0	0 -	2 4.0	0 -	1 3.0	1 1.0	19 2.7	3 2.3	7 2.7	4 1.8	0 -	0 -	50
XII	2 1.5	0 -	0 -	1 2.0	0 -	0 -	17 2.6	1 1.0	2 2.0	4 1.5	0 -	1 1.0	65
1949	73 1.8	7 2.3	13 2.6	9 1.4	3 5.3	21 3.0	296 2.7	24 2.5	58 2.3	62 2.0	8 2.1	62 1.8	459

Vågåmo

φ = 61° 52′ N λ = 9° 5′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 4.6	- 3.5	- 3.9	- 4.2		- 8.1	7.6	28	-19.7	4
II			- 4.1	- 2.1	- 2.7	- 3.3		- 6.0	7.9	16	-14.1	8
III			- 6.6	- 0.9	- 1.8	- 3.9		- 7.8	9.2	24	-20.2	5
IV			2.7	6.6	5.2	3.7		- 0.1	14.4	18	- 5.9	2
V			7.4	11.6	10.9	8.5		4.3	16.8	23	- 2.7	1
VI			11.0	15.4	15.0	12.0		6.8	26.0	28	2.3	22
VII			11.8	18.6	17.7	14.5		8.3	26.0	9	3.4	16
VIII			9.6	15.4	14.4	12.2		7.9	21.9	26	- 0.6	19
IX			9.1	14.6	12.7	11.4		7.6	19.1	1	1.4	12
X			3.0	5.5	4.4	4.1		1.7	13.9	14	- 5.0	29
XI			- 2.0	- 1.3	- 1.9	- 1.8		- 3.8	9.4	5	-13.3	29
XII			- 8.3	- 7.9	- 7.7	- 8.1		-11.5	2.0	26	-18.2	23
1949			2.4	6.0	5.2	3.8		- 0.1	26.0		-20.2	

Vindfordeling nD.Fm

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	0 -	13 1.8	10 1.7	4 1.2	5 2.8	3 3.7	5 1.6	14 2.3	17 3.2	6 4.0	13 4.1	3
II	0 -	1 1.0	8 1.4	24 1.3	3 1.3	3 1.0	8 1.0	1 2.0	11 1.8	15 3.3	3 1.7	7 2.3	0
III	0 -	4 1.2	9 2.3	7 1.0	3 3.7	11 1.2	9 1.0	4 1.0	5 1.6	21 1.7	9 2.2	2 1.0	9
IV	0 -	7 1.4	8 2.1	14 1.4	0 -	0 -	3 1.3	1 2.0	3 2.0	27 2.4	5 2.6	8 2.6	14
V	0 -	1 1.0	5 1.2	34 1.2	1 1.0	1 1.0	1 1.0	1 1.0	2 1.0	30 1.9	4 2.0	11 1.6	2
VI	1 3.0	0 -	9 2.2	12 1.2	3 1.3	1 1.0	1 1.0	0 -	4 2.2	17 2.5	5 2.4	20 2.8	17
VII	2 1.5	0 -	5 1.0	18 1.3	2 1.5	4 1.0	3 1.0	3 1.7	6 2.0	15 1.7	1 4.0	1 1.0	33
VIII	0 -	0 -	6 1.7	15 1.2	0 -	5 1.4	0 -	0 -	14 2.1	24 2.0	0 -	4 2.8	25
IX	0 -	0 -	3 1.0	31 1.4	1 1.0	4 1.0	1 1.0	2 1.5	6 1.8	9 1.7	0 -	0 -	33
X	0 -	1 1.0	6 2.0	21 1.5	5 1.0	1 1.0	0 -	2 2.5	2 2.5	18 2.6	4 3.0	1 2.0	32
XI	0 -	0 -	1 2.0	12 1.6	3 1.7	12 1.4	0 -	0 -	1 1.0	10 1.0	1 1.0	0 -	50
XII	0 -	0 -	0 -	8 1.6	2 2.5	1 1.0	1 1.0	0 -	1 1.0	3 1.7	0 -	0 -	77
1949	3 2.0	14 1.4	73 1.8	206 1.4	27 1.6	48 1.4	30 1.3	19 1.6	69 2.0	206 2.2	38 2.6	67 2.7	295

Elveseter

φ = 61° 42′ N λ = 8° 17′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 3.4	- 3.0	- 2.8	- 3.3		- 7.1	6.0	28	-20.2	22
II			- 3.6	- 2.3	- 2.8	- 3.2		- 5.8	6.2	16	-15.6	10
III			- 8.1	- 2.4	- 4.6	- 5.9		-10.4	7.0	23	-24.4	5
IV			0.9	4.3	3.1	2.0		- 1.0	12.5	18	-10.7	1
V			5.9	9.3	8.0	6.4		2.6	16.3	19	- 2.9	8
VI			9.6	13.5	12.1	9.8		4.5	21.6	28	- 0.2	22
VII			9.8	17.3	14.7	12.3		5.7	23.2	9	0.2	15
VIII			7.7	13.1	11.7	10.0		6.0	21.0	25	- 1.8	19
IX			6.8	12.7	10.9	9.5		5.9	16.6	7	0.2	14
X			2.0	4.4	2.9	2.9		0.4	14.6	13	- 6.6	29
XI			- 4.7	- 3.3	- 4.0	- 4.1		- 6.9	9.0	5	-17.3	29
XII			- 8.1	- 7.6	- 7.9	- 8.1		-12.4	1.1	26	-21.0	11
1949			1.2	4.7	3.4	2.4		- 1.5	23.2		-24.4	

Vindfordeling nD.Fm

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	4 4.0	8 2.6	2 4.0	0 -	0 -	4 3.5	7 2.6	31 3.1	24 4.2	1 2.0	1 2.0	2 3.0	9
II	2 2.5	10 1.8	1 1.0	0 -	0 -	1 2.0	5 3.6	36 2.8	24 4.5	0 -	0 -	2 3.5	3
III	3 3.3	10 2.3	2 2.0	0 -	0 -	0 -	11 2.7	48 2.7	14 4.5	0 -	0 -	1 2.0	4
IV	2 3.0	11 2.3	8 2.8	0 -	0 -	1 1.0	24 3.2	32 3.1	12 4.3	0 -	0 -	0 -	0
V	0 -	31 2.3	4 2.8	0 -	1 4.0	1 3.0	19 3.3	30 3.6	5 4.0	0 -	0 -	0 -	2
VI	3 3.0	43 2.8	0 -	0 -	1 3.0	3 2.3	9 3.2	25 3.5	4 4.2	1 2.0	0 -	1 3.0	0
VII	0 -	40 2.1	1 3.0	0 -	0 -	1 4.0	21 3.4	29 2.9	1 3.0	0 -	0 -	0 -	0
VIII	1 3.0	21 2.6	0 -	0 -	0 -	5 2.2	12 3.3	46 3.2	7 4.7	0 -	0 -	0 -	1
IX	0 -	22 2.5	1 3.0	0 -	0 -	3 2.7	4 2.0	46 2.4	11 4.7	0 -	0 -	0 -	3
X	2 3.0	18 1.9	1 3.0	0 -	0 -	2 4.0	8 2.6	49 2.8	10 4.0	0 -	0 -	1 4.0	2
XI	1 2.0	16 2.6	0 -	0 -	0 -	0 -	13 1.8	46 2.0	9 3.8	0 -	1 2.0	0 -	4
XII	2 2.5	10 1.8	0 -	0 -	0 -	4 3.2	5 2.8	60 2.3	7 3.7	0 -	1 1.0	1 1.0	3.
1949	20 3.1	240 2.4	20 2.8	0 -	2 3.5	25 2.8	138 3.0	478 2.8	128 4.3	2 2.0	3 1.7	8 2.9	31

Vinstra

φ = 61° 36′ N λ = 9° 45′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 6.8	- 5.3	- 6.8	- 6.6		-10.3	3.2	2	-19.9	22
II			- 5.9	- 1.4	- 3.3	- 4.0		- 8.4	9.7	3	-16.1	8
III			- 7.2	1.1	- 1.0	- 3.6		- 8.9	12.8	24	-18.0	5
IV			2.8	8.4	6.6	4.4		- 0.3	15.1	18	- 6.0	2
V			7.8	13.2	12.5	9.3		4.2	19.9	23	- 4.6	1
VI			11.7	17.8	16.8	13.3		7.7	27.1	28	2.9	22
VII			11.4	20.6	20.0	15.7		9.4	29.3	9	4.1	15
VIII			8.8	16.5	15.9	12.6		7.5	23.6	26	- 0.4	19
IX			8.5	15.8	13.5	11.8		7.7	20.7	1	0.2	14
X			2.1	6.3	4.2	3.8		0.5	16.3	17	- 8.2	28
XI			- 2.5	- 0.8	- 1.7	- 1.8		- 3.8	10.3	5	-14.7	29
XII			-10.7	- 9.1	- 9.6	-10.0		-13.6	2.8	17	-19.8	23
1949			1.7	6.9	5.6	3.7		- 0.7	29.3		-19.9	

Vindfordeling nD.Fm

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1 2.0	0 -	1 3.0	5 2.2	0 -	13 2.6	2 1.5	0 -	2 3.0	15 3.0	0 -	12 4.1	42
II	0 -	0 -	1 2.0	3 2.3	0 -	4 2.5	0 -	0 -	1 3.0	16 3.2	2 3.0	14 3.8	43
III	0 -	0	0 -	5 2.4	0 -	9 3.6	0 -	0 -	2 3.5	18 2.8	0 -	18 3.5	41
IV	1 2.0	0 -	0 -	9 3.0	1 2.0	19 3.6	2 2.5	0 -	0 -	16 3.9	0 -	14 3.9	28
V	0 -	0 -	0 -	6 2.7	0 -	11 3.1	0 -	1 2.0	6 3.0	14 2.9	0 -	13 4.1	42
VI	2 5.5	8 2.8	0 -	4 3.0	0 -	7 3.1	0 -	0 -	4 5.0	19 3.2	6 1.7	20 3.8	20
VII	4 2.5	6 3.7	0 -	13 2.6	0 -	9 3.0	0 -	0 -	0 -	14 3.0	0 -	7 3.0	40
VIII	0 -	0 -	0 -	7 3.1	0 -	6 3.2	0 -	0 -	0 -	10 2.4	3 4.0	14 3.2	53
IX	0 -	0 -	0 -	7 3.0	0 -	12 3.5	1 2.0	0 -	1 1.0	11 2.5	0 -	3 3.3	56
X	0 -	0 -	1 3.0	9 2.6	0 -	12 3.0	0 -	0 -	0 -	7 3.1	2 4.0	9 5.2	53
XI	1 1.0	1 1.0	0 -	3 2.0	0 -	16 2.9	1 2.0	0 -	0 -	8 2.5	3 2.3	2 2.0	55
XII	0 -	0 -	1 2.0	3 1.7	0 -	2 3.5	0 -	0 -	3 2.7	17 2.1	0 -	6 1.8	61
1949	9 2.9	15 3.0	4 2.5	74 2.7	1 2.0	120 3.1	6 2.0	1 2.0	19 3.3	165 2.9	16 2.7	132 3.7	533

1949

Fokstua

H_s = 952 H_b = h_t = 1.8 h_a = h_d = 6.8 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	83	83	84	6.6	6.4	5.9	84	16	5	30		13		23	16	2	18	8	0	0	23	0	0	0	0	0	0	0	0	7	0	15	31
II	84	78	83	82	5.6	5.1	5.3	43	11	4	28		12		13	9	1	13	3	1	3	12	2	0	0	0	0	0	0	0	15	1	11	28
III	87	78	80	83	5.2	5.1	5.1	38	9	13	30		19		13	8	0	7	2	0	0	13	0	0	0	0	0	0	0	1	20	2	13	31
IV	79	71	78	79	5.2	6.3	6.7	24	12	26	25		2		19	5	1	8	1	0	5	14	0	0	4	1	0	0	0	0	25	0	14	30
V	77	67	74	77	6.5	6.5	6.5	57	13	27	12		0		16	12	2	7	0	0	14	6	2	0	0	2	0	0	0	2	18	0	19	5
VI	73	57	60	70	4.8	5.1	5.2	38	10	29	5		0		13	10	0	3	0	0	13	1	1	2	0	3	0	0	0	1	22	4	12	0
VII	76	57	63	72	4.9	4.8	5.3	48	21	2	5		0		12	8	1	0	0	0	12	0	0	1	0	0	0	3	0	3	22	4	8	0
VIII	84	67	71	78	5.9	5.8	6.1	34	7	16	5		0		14	11	0	3	0	0	13	3	0	2	0	1	0	0	0	0	16	0	16	0
IX	91	71	80	83	5.6	6.3	5.7	35	6	9	7		0		14	9	0	2	0	0	13	1	0	2	0	0	0	0	1	5	20	0	13	0
X	89	79	85	85	6.4	5.9	6.0	63	17	18	19		2		20	9	2	9	1	1	9	14	2	3	0	0	0	0	0	1	15	0	9	10
XI	91	88	90	90	6.6	5.6	5.5	22	5	9	26		12		17	8	0	6	0	0	6	15	1	7	0	0	0	0	1	7	11	3	16	30
XII	91	90	91	90	5.2	6.1	5.4	38	7	16	31		21		20	10	0	6	0	0	0	20	0	0	0	0	0	0	0	5	6	1	11	31
1949	84	74	78	81	5.7	5.8	5.7	534	21		223		81		194	115	9	82	15	2	88	122	8	17	4	7	0	3	2	25	197	15	157	196

Dombås

H_s = 643 H_b = 647.1 h_t = 1.9 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	79	79	81	6.2	6.3	6.3	94	33	5	30	18	10	0	19	11	3	13	2	0	1	19	0	0	0	0	0	0	0	0	6	0	16	31
II	84	75	76	79	5.5	5.5	5.0	29	10	25	26	15	9	0	10	9	0	3	1	0	3	8	0	0	0	0	0	0	0	1	20	3	12	28
III	86	70	70	77	4.6	5.0	5.1	28	13	15	29	17	10	0	8	5	1	5	1	0	0	8	0	0	0	0	0	0	0	0	19	4	12	31
IV	76	62	68	72	5.7	6.2	6.4	14	8	26	19	0	0	0	6	5	0	8	1	0	3	3	0	0	0	1	0	0	0	2	25	0	14	15
V	80	64	69	77	6.8	6.5	6.6	60	11	27	6	0	0	0	14	11	2	1	0	0	14	0	0	0	0	0	0	0	0	4	21	1	21	0
VI	76	58	60	71	4.9	5.0	4.9	48	10	29	0	0	0	0	11	10	1	0	0	0	11	0	0	0	0	0	0	0	0	0	23	6	14	0
VII	86	56	60	73	4.8	4.4	5.2	36	14	2	0	0	0	2	10	8	1	0	0	0	10	0	0	0	0	0	0	1	0	5	25	3	10	0
VIII	89	65	65	76	6.1	5.6	6.0	52	10	1	1	0	0	0	13	11	1	0	0	0	13	1	1	2	0	0	0	0	0	5	23	0	16	0
IX	90	70	73	79	6.3	5.6	5.6	20	4	9	0	0	0	0	9	7	0	0	0	0	9	0	0	3	0	0	0	0	1	9	19	2	15	0
X	86	76	81	82	7.3	6.2	6.3	35	10	8	13	2	0	0	9	7	0	3	0	0	6	3	0	1	0	0	0	0	0	2	12	0	16	2
XI	92	88	89	90	6.8	6.3	6.2	23	5	9	24	13	7	0	9	8	0	8	0	0	2	8	1	0	0	0	0	0	0	6	4	2	21	14
XII	91	91	91	91	4.0	6.7	5.7	21	5	10	31	25	18	0	11	7	0	3	0	0	0	11	0	0	0	0	0	0	0	1	3	0	10	29
1949	85	71	73	79	5.8	5.8	5.8	460	33		179	90	54	2	129	99	9	44	5	0	72	61	2	6	0	1	0	1	1	35	200	21	177	150

Vågåmo

H_s = 395 H_b = h_t = 1.6 h_a = h_d = h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.2	6.1	4.8	48	12	15	29		9		15	14	1	4	0	0	1	15	1	0	0	0	0	0	1	1	16	0	11	31
II					5.8	6.3	5.1	14	6	25	25		8		5	4	0	1	0	0	1	5	0	0	0	2	0	0	0	1	13	0	14	28
III					5.2	4.6	5.7	8	2	22	29		9		5	4	0	0	0	0	0	5	0	0	0	1	0	0	0	1	25	4	10	24
IV					5.8	5.8	6.2	14	5	26	16		0		6	5	0	2	0	0	5	2	0	0	0	1	0	0	0	0	24	0	15	2
V					6.5	6.0	6.5	61	12	25	3		0		11	11	1	0	0	0	11	0	0	0	0	0	0	0	0	8	20	1	17	0
VI					4.8	4.9	5.1	25	6	5	0		0		11	8	0	0	0	0	11	0	0	0	0	0	0	0	0	7	23	5	10	0
VII					4.2	4.5	5.3	33	13	2	0		0		9	6	2	0	0	0	9	0	0	0	0	0	0	2	0	3	26	5	8	0
VIII					6.0	5.3	5.5	23	9	3	1		0		12	5	0	0	0	0	12	0	0	0	0	0	0	0	0	1	20	1	12	0
IX					5.8	5.3	5.2	21	5	17	0		0		10	7	0	0	0	0	10	0	0	0	0	0	0	0	0	10	20	1	10	0
X					6.5	5.6	5.4	34	8	9	10		0		15	6	0	2	0	0	12	5	1	0	0	0	0	0	0	9	17	0	9	2
XI					6.7	6.6	6.7	34	7	9	22		3		12	9	0	0	0	0	9	8	3	0	0	0	0	0	1	15	4	0	22	15
XII					3.4	6.0	3.7	17	6	16	31		20		12	6	0	0	0	0	1	12	1	0	0	0	0	0	0	11	4	1	4	31
1949					5.5	5.6	5.4	332	13		166		49		123	85	4	9	0	0	82	52	6	0	0	4	0	2	2	67	212	18	142	133

Elveseter

H_s = 675 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	78	80	80	6.8	6.9	7.0	73	14	20	28		9		27	13	1	13	7	0	5	26	2	0	0	0	0	0	24	0	0	0	23	31
II	82	76	79	80	6.8	6.1	5.8	54	13	4	24		6		21	10	1	11	4	0	8	19	3	0	0	0	0	0	16	0	3	0	19	24
III	83	65	69	74	5.7	4.8	5.0	16	5	22	29		14		14	4	0	8	1	0	4	12	1	0	0	0	0	0	12	0	22	4	11	29
IV	75	63	70	72	6.3	6.8	7.4	39	11	26	19		1		23	9	1	10	2	0	14	15	5	0	0	0	0	0	14	0	15	0	20	3
V	76	62	68	74	6.8	6.3	6.7	52	10	17	9		0		17	12	1	6	0	0	17	3	3	0	0	0	0	1	9	0	13	1	21	0
VI	71	54	56	67	5.1	5.4	5.1	30	7	8	1		0		17	6	0	3	1	0	17	0	0	0	0	0	0	0	7	0	17	4	15	0
VII	84	50	57	70	4.5	3.9	4.8	14	4	19	0		0		13	6	0	3	0	0	13	0	0	0	0	0	0	1	5	0	25	8	9	0
VIII	87	65	69	77	6.6	5.9	6.2	29	6	9	3		0		19	12	0	9	0	0	19	0	0	0	0	0	0	0	15	0	15	2	20	0
IX	92	74	83	85	6.2	5.9	6.4	48	10	26	0		0		16	10	0	6	0	0	16	0	0	0	0	0	0	0	11	0	12	2	18	0
X	87	77	85	84	7.4	7.0	6.7	73	14	18	11		0		27	15	2	5	1	0	22	13	8	1	0	0	0	0	14	1	3	0	24	5
XI	93	90	91	92	6.7	6.3	6.0	23	9	21	24		9		17	4	0	5	0	0	6	12	1	0	0	0	0	0	14	0	0	1	20	24
XII	90	90	90	90	4.8	6.6	5.9	56	11	13	31		20		18	12	1	2	0	0	1	18	1	0	0	0	0	0	15	0	0	2	14	31
1949	83	70	75	79	6.1	6.0	6.1	507	14		179		59		229	113	7	81	16	0	142	118	24	1	0	0	0	2	156	1	125	24	214	147

Vinstra

H_s = 241 H_b = h_t = 2.1 h_a = h_d = h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	85	86	86	5.3	6.0	4.6	24	4	8	31		15		17	9	0	2	1	1	2	17	2	0	0	0	0	0	11	1	21	2	11	31
II	85	73	74	78	5.0	4.8	2.8	6	2	23	27		8		7	3	0	3	0	0	2	6	0	0	0	0	0	0	8	1	23	3	7	28
III	86	60	64	73	4.6	4.5	4.5	11	5	13	31		13		11	3	0	2	0	0	0	11	0	0	0	1	0	0	4	0	25	4	9	24
IV	76	52	56	66	5.7	6.0	6.2	20	14	26	14		0		8	3	1	1	0	0	6	4	1	1	0	1	0	0	9	0	28	1	15	0
V	77	56	59	71	6.3	6.3	6.9	94	11	31	3		0		16	15	1	1	0	0	16	1	1	1	0	1	0	3	5	5	25	1	19	0
VI	71	49	49	64	5.3	5.0	5.6	45	13	12	0		0		14	10	1	3	0	0	14	0	0	0	0	0	0	0	4	3	28	5	15	0
VII	84	50	51	67	4.5	4.8	5.3	51	14	20	0		0		10	8	1	1	0	0	10	0	0	0	0	0	0	1	3	1	29	4	11	0
VIII	92	61	63	77	6.2	6.5	6.1	46	16	3	1		0		14	10	1	0	0	0	14	0	0	0	0	0	0	0	3	5	30	0	19	0
IX	95	69	78	83	6.6	6.2	5.8	30	14	17	0		0		13	4	1	0	0	0	13	0	0	0	0	0	0	0	2	13	23	1	17	0
X	87	71	79	80	6.0	6.0	5.4	30	8	19	12		0		13	6	0	2	1	0	11	4	2	0	0	0	0	0	7	2	22	1	14	6
XI	92	88	90	90	7.1	7.0	6.5	37	8	21	18		7		16	8	0	0	0	0	11	11	6	0	0	0	0	0	4	10	11	2	23	18
XII	90	90	90	90	4.5	5.9	5.4	24	7	8	31		24		18	8	0	0	0	0	1	18	1	0	0	0	0	0	5	0	14	3	11	31
1949	85	67	70	77	5.6	5.8	5.4	418	16		168		67		157	87	6	15	2	1	100	72	13	2	0	3	0	4	65	41	280	27	171	138

1949

Vollen i Slidre

φ = 61° 5′N λ = 8° 59′E g = 9.819 ΔG = + 1h

Måned	Midlere luftrykk P_m	Midlere luftrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	955.5	1005.3	- 5.2	- 3.9	- 4.5	- 4.8		- 9.1	7.5	28	-20.3	4	0 -	5 1.6	2 1.5	0 -	0 -	13 1.2	1 5.0	4 2.5	7 2.1	0 -	0 -	38 3.3	23
II	62.5	12.5	- 4.8	- 1.8	- 2.7	- 3.5		- 6.8	9.1	17	-13.5	8	0 -	1 1.0	3 1.0	0 -	0 -	13 1.5	0 -	0 -	4 2.2	0 -	2 4.5	31 4.0	30
III	69.2	19.7	- 7.4	- 0.6	- 1.5	- 4.2		- 8.5	8.9	24	-19.1	1	0 -	4 1.5	1 2.0	0 -	1 1.0	10 1.9	0 -	1 2.0	1 5.0	0 -	0 -	28 3.5	47
IV	57.5	06.3	1.6	7.1	5.7	3.4		- 0.9	14.1	18	- 8.4	1	0 -	1 1.0	3 1.0	0 -	0 -	12 2.6	0 -	6 3.0	9 2.2	0 -	5 3.2	54 3.2	20
V	63.8	12.1	6.3	11.9	10.9	8.0		3.3	17.9	23	- 4.3	1	0 -	0 -	0 -	0 -	0 -	9 1.7	0 -	8 2.6	3 2.7	0 -	1 3.0	32 3.4	40
VI	65.4	13.0	10.3	16.7	15.7	12.0		5.9	25.1	28	1.1	22	0 -	2 2.5	1 3.0	0 -	0 -	3 2.3	0 -	7 2.3	3 1.7	0 -	0 -	39 3.3	35
VII	66.2	13.3	11.3	19.8	19.3	15.1		8.7	26.1	9	3.5	15	0 -	0 -	0 -	0 -	1 2.0	10 1.8	0 -	9 1.7	5 1.6	0 -	2 1.5	28 2.7	38
VIII	64.6	12.2	8.7	15.2	14.5	11.7		7.2	20.5	26	- 0.9	19	0 -	0 -	0 -	0 -	0 -	7 1.3	0 -	1 3.0	7 1.3	0 -	0 -	35 2.9	43
IX	71.6	19.6	9.3	13.8	12.7	11.3		8.1	16.9	1	1.6	14	3 2.3	0 -	0 -	0 -	0 -	7 2.0	0 -	4 4.5	2 1.0	0 -	0 -	18 2.3	56
X	62.7	11.6	2.9	6.1	4.9	4.3		1.5	15.9	17	- 8.2	29	0 -	1 2.0	3 2.7	0 -	1 3.0	10 2.6	0 -	1 5.0	3 2.0	0 -	1 6.0	22 3.8	51
XI	62.2	12.0	- 1.4	- 0.4	- 1.3	- 1.1		- 2.6	9.9	5	-10.0	28	0 -	2 1.0	4 1.0	0 -	0 -	22 1.1	0 -	4 4.0	7 2.2	0 -	0 -	0 -	51
XII	51.2	01.2	-10.1	- 9.3	- 9.4	- 9.8		-15.2	1.1	26	-21.8	23	0 -	2 3.0	7 1.0	0 -	0 -	4 1.5	0 -	0 -	2 1.5	0 -	1 3.0	5 2.2	72
1949	962.7	1011.6	1.8	6.2	5.4	3.5		- 0.5	26.1		-21.8		3 2.3	18 1.7	24 1.4	0 -	3 2.0	120 1.7	1 5.0	45 2.8	53 2.0	0 -	12 3.3	310 3.2	506

Åbjørsbråten

φ = 60° 55′N λ = 9° 18′E g = ΔG = + 1h

Måned	Midlere luftrykk P_m	Midlere luftrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.3	- 3.3	- 4.4	- 4.6		- 8.3	5.9	28	-18.7	13	1 1.0	0 -	1 2.0	1 1.0	3 1.7	0 -	0 -	8 1.4	11 1.7	9 1.1	1 1.0	6 1.7	52
II			- 4.0	- 0.4	- 2.8	- 2.9		- 6.9	7.9	16	-13.2	28	1 1.0	0 -	0 -	0 -	0 -	0 -	0 -	1 2.0	18 1.2	13 1.4	5 1.4	7 1.3	39
III			- 5.7	- 0.4	- 3.6	- 4.5		- 9.9	9.2	24	-20.3	5	1 1.0	2 1.0	0 -	0 -	0 -	3 1.0	2 1.0	1 1.0	10 1.1	12 1.1	3 1.3	5 1.4	54
IV			1.5	5.2	3.1	2.1		- 1.6	11.0	18	-10.2	1	0 -	1 1.0	0 -	2 1.0	2 1.0	2 1.0	3 1.3	6 1.7	9 1.7	11 1.5	13 1.5	11 1.5	30
V			6.7	10.2	8.1	6.6		2.1	17.6	4	- 4.5	1	0 -	7 1.0	4 1.0	4 1.2	1 1.0	2 1.0	1 1.0	2 1.0	10 1.9	6 1.3	7 1.1	7 1.4	42
VI			10.7	14.7	12.5	10.4		4.5	23.0	28	- 0.3	22	4 1.8	7 1.4	0 -	2 1.0	2 1.0	10 1.2	1 1.0	1 1.0	3 1.3	9 1.4	7 1.0	16 1.4	28
VII			13.9	18.1	15.8	13.6		7.3	24.8	9	2.5	21	0 -	3 1.0	19 1.1	4 1.0	6 1.0	2 1.5	0 -	3 1.0	1 1.0	4 1.2	3 1.0	4 1.2	44
VIII			10.1	13.7	12.1	10.5		6.1	19.4	25	- 0.1	17	0 -	4 1.2	2 1.0	2 1.0	2 1.5	4 1.2	0 -	4 1.8	12 1.3	12 1.1	5 1.4	4 1.5	42
IX			9.5	13.2	10.7	10.0		6.3	16.6	5	0.0	13	0 -	8 1.1	3 1.0	1 1.0	4 1.0	4 1.0	1 1.0	5 1.0	13 1.5	4 1.0	5 1.0	3 1.0	39
X			2.1	5.5	3.0	3.0		- 0.5	14.2	13	-13.0	29	1 1.0	3 1.0	6 1.3	2 1.0	2 1.0	1 2.0	0 -	9 1.2	16 1.6	9 1.1	4 1.5	0 -	40
XI			- 3.3	- 1.6	- 2.6	- 2.7		- 4.9	7.2	5	-16.5	29	0 -	3 1.0	3 1.0	7 1.1	1 1.0	0 -	0 -	4 1.5	2 1.5	5 1.0	0 -	0 -	65
XII			- 8.3	- 6.6	- 7.0	- 7.5		-10.7	1.0	1	-19.9	12	2 1.0	2 1.0	0 -	0 -	0 -	1 1.0	0 -	1 1.0	19 1.2	14 1.0	1 1.0	1 1.0	52
1949			2.3	5.7	3.7	2.8		- 1.4	24.8		-20.3		10 1.3	40 1.1	38 1.1	25 1.1	23 1.1	29 1.2	8 1.1	45 1.3	124 1.4	108 1.2	54 1.3	64 1.4	527

Lillehammer

φ = 61° 6′N λ = 10° 29′E g = ΔG = + 1h

Måned	Midlere luftrykk P_m	Midlere luftrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.3	- 3.7	- 4.8	- 4.9		- 8.1	3.4	27	-17.9	23	4 2.2	10 1.6	1 2.0	6 1.8	0 -	9 2.6	7 1.7	4 2.0	1 1.0	7 2.1	1 5.0	8 4.1	35
II			- 4.8	- 1.4	- 2.8	- 3.5		- 7.1	8.6	3	-13.7	12	4 2.2	5 1.2	7 1.0	3 1.3	0 -	5 2.0	4 2.5	5 3.0	4 1.8	5 3.8	2 5.5	7 3.3	33
III			- 5.8	1.0	- 1.0	- 3.0		- 7.7	11.7	24	-20.5	5	5 1.8	8 1.4	3 1.3	0 -	1 1.0	9 3.9	4 1.8	1 1.0	7 1.6	3 2.0	3 3.0	12 3.2	37
IV			3.1	7.4	6.4	4.3		0.7	15.2	18	- 5.6	1	1 4.0	2 3.5	0 -	2 2.5	1 3.0	16 3.2	2 3.0	7 2.1	13 1.7	5 3.4	7 4.0	13 3.6	21
V			8.5	13.5	12.8	9.6		4.6	19.0	4	- 4.2	1	0 -	2 1.5	0 -	0 -	0 -	10 2.2	12 2.1	11 2.1	2 2.5	6 1.5	4 4.0	14 3.3	32
VI			12.6	17.3	16.3	13.4		7.9	25.0	28	2.8	22	3 2.3	5 2.0	7 2.1	2 3.5	0 -	7 3.4	5 1.8	4 2.8	8 2.4	7 1.9	6 2.0	23 4.0	13
VII			13.4	20.1	19.5	16.1		10.1	28.0	10	4.5	15	4 1.2	2 1.5	2 4.5	1 1.0	0 -	8 2.8	4 2.5	2 2.0	19 2.1	0 -	3 3.3	19 2.6	29
VIII			10.0	16.3	15.6	12.8		8.1	21.4	25	0.4	18	1 1.0	5 1.8	0 -	0 -	0 -	12 1.7	4 2.0	6 2.2	6 1.9	7 2.3	1 4.0	12 2.7	39
IX			9.7	15.2	13.6	12.1		8.7	20.2	6	0.6	30	1 1.0	2 1.5	1 1.0	1 1.0	1 1.0	15 2.5	3 1.7	5 1.8	10 2.1	2 1.0	0 -	3 2.3	46
X			2.7	6.6	4.4	4.2		1.3	14.4	16	- 9.4	28	3 2.7	2 1.0	6 1.7	1 1.0	3 2.7	17 2.5	4 2.0	3 1.0	4 2.8	4 1.0	0 -	10 3.7	36
XI			- 1.1	0.4	- 0.1	- 0.4		- 2.1	10.7	5	-13.2	29	3 1.0	6 2.2	3 1.3	2 1.0	1 2.0	25 2.0	3 1.0	3 2.0	0 -	0 -	1 3.0	9 2.4	34
XII			- 7.3	- 6.4	- 7.2	- 7.2		-10.2	3.6	1	-17.0	12	6 1.5	6 1.8	5 1.0	3 1.3	0 -	11 1.9	2 1.0	0 -	0 -	2 1.0	6 1.3	12 1.2	40
1949			3.0	7.2	6.1	4.5		0.5	28.0		-20.5		35 1.9	55 1.7	35 1.6	21 1.7	7 2.4	144 2.5	54 1.9	51 2.1	74 2.0	48 2.1	34 3.1	142 3.1	395

Åmot

φ = 61° 7′N λ = 11° 18′E g = ΔG = + 1h

Måned	Midlere luftrykk P_m	Midlere luftrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.0	- 3.1	- 4.0	- 4.2		- 7.0	3.8	28	-16.8	22	11 2.8	1 4.0	0 -	0 -	0 -	6 3.0	15 1.9	3 1.7	13 2.2	29 1.9	7 3.4	4 1.8	4
II			- 4.4	- 0.1	- 2.3	- 2.7		- 6.8	8.8	17	-15.2	11	10 2.2	0 -	0 -	0 -	0 -	0 -	0 -	4 1.2	28 2.1	12 2.6	9 2.3	7 2.7	14
III			- 5.6	0.8	- 1.8	- 3.1		- 7.8	12.0	24	-21.6	5	11 3.1	8 1.1	0 -	2 1.0	0 -	3 1.7	12 3.2	0 -	23 1.2	12 2.9	6 1.0	1 1.0	15
IV			2.0	6.0	4.6	3.1		- 0.4	13.8	18	- 6.8	1	17 3.2	6 1.0	1 2.0	1 1.0	0 -	8 1.6	19 1.7	7 1.7	8 3.2	15 1.7	4 1.5	0 -	4
V			8.5	12.7	11.7	9.3		4.4	13.5	20	- 3.1	1	0 -	1 1.0	0 -	3 1.3	0 -	7 2.3	15 1.8	12 2.4	5 1.8	19 2.1	5 2.2	3 1.7	25
VI			11.1	15.2	14.2	11.9		7.2	24.2	28	3.0	10	19 3.6	0 -	2 2.0	0 -	0 -	4 2.2	9 1.7	1 2.0	8 2.2	20 1.6	0 -	10 2.1	17
VII			12.2	17.7	17.1	14.4		9.3	26.2	10	2.7	15	24 2.0	7 1.4	7 1.3	0 -	0 -	1 1.0	2 2.0	7 2.1	7 1.4	1 2.0	8 1.5	6 1.7	23
VIII			9.6	15.1	13.9	11.8		7.3	21.0	25	0.3	19	9 2.2	8 1.6	0 -	0 -	0 -	2 1.5	7 2.4	7 1.9	13 1.3	13 1.6	0 -	7 1.6	27
IX			9.3	14.1	12.3	11.3		7.9	18.4	6	0.6	13	0 -	0 -	0 -	0 -	3 1.0	0 -	18 1.6	1 1.0	5 2.6	11 1.6	6 1.2	2 1.0	44
X			1.8	5.9	3.6	3.4		0.4	13.2	16	- 9.3	29	4 2.0	14 1.5	0 -	0 -	2 1.5	1 2.0	6 2.2	6 1.8	24 2.0	15 1.9	12 2.1	5 1.2	4
XI			- 1.9	- 0.8	- 1.4	- 1.5		- 3.2	5.0	4	-12.2	29	10 1.2	16 1.1	1 2.0	0 -	0 -	15 1.4	5 2.2	3 1.3	4 1.5	10 1.1	0 -	0 -	26
XII			- 7.3	- 6.1	- 6.9	- 7.0		-10.0	1.2	1	-18.2	12	0 -	4 2.0	1 2.0	0 -	4 1.0	0 -	0 -	1 1.0	9 1.3	48 1.2	10 1.0	10 1.4	6
1949			2.5	6.4	5.3	3.9		0.1	26.2		-21.6		115 2.6	65 1.4	12 1.6	6 1.2	9 3.1	47 2.1	108 1.8	52 2.3	147 2.1	205 1.6	67 1.6	55 1.6	237

Trysil

φ = 61° 20′N λ = 12° 15′E g = ΔG = + 1h

Måned	Midlere luftrykk P_m	Midlere luftrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.3	- 3.6	- 5.3	- 5.0		-10.2	5.5	28	-28.3	13	3 2.7	2 2.0	0 -	9 2.0	1 4.0	34 2.7	3 2.3	0 -	5 3.4	8 3.2	0 -	24 3.5	4
II			- 7.9	- 1.9	- 3.3	- 4.9		-10.4	6.6	14	-22.6	11	3 2.3	4 1.8	0 -	4 1.8	0 -	21 2.5	6 2.5	0 -	4 2.2	9 2.6	1 2.0	25 3.3	7
III			- 9.4	0.8	- 2.5	- 4.7		-11.1	11.9	24	-26.9	5	6 1.8	3 2.0	0 -	8 2.0	1 2.0	19 2.9	5 1.8	0 -	2 3.5	5 2.6	0 -	32 2.8	16
IV			1.2	5.8	4.4	2.8		- 1.2	12.8	19	- 9.7	2	0 -	1 1.0	0 -	3 2.0	0 -	28 2.9	15 2.4	0 -	7 2.1	4 3.2	0 -	28 3.2	4
V			8.1	13.0	12.6	9.2		3.3	20.9	18	- 6.7	1	0 -	0 -	0 -	3 2.0	2 2.0	31 2.7	17 3.0	0 -	4 2.5	9 2.7	5 3.4	19 3.2	5
VI			11.0	15.2	14.3	11.7		6.3	24.6	28	1.1	10	0 -	0 -	0 -	4 2.8	2 3.0	19 2.8	4 2.0	0 -	7 3.1	11 2.5	6 3.7	34 3.8	5
VII			11.4	17.2	17.2	14.1		8.8	26.9	10	1.8	15	4 1.0	0 -	0 -	1 2.0	0 -	9 2.6	8 2.5	1 1.0	2 1.0	3 2.0	5 1.8	49 2.6	11
VIII			8.2	15.8	14.6	11.8		5.4	21.7	25	- 1.3	20	3 2.7	0 -	0 -	5 2.2	1 3.0	23 2.7	9 3.2	0 -	2 3.0	16 2.5	2 3.5	25 2.9	7
IX			8.5	15.5	13.0	11.6		7.6	20.3	6	- 1.0	13	0 -	4 2.0	0 -	6 2.2	0 -	34 2.7	4 3.5	0 -	2 3.5	10 1.9	1 2.0	17 2.4	16
X			0.9	5.9	3.6	3.1		- 0.5	14.0	15	-14.8	30	2 1.5	6 2.3	0 -	11 2.0	1 2.0	32 2.8	4 2.2	0 -	7 3.1	1 4.0	2 3.5	17 3.7	10
XI			- 1.7	- 0.3	- 0.8	- 1.0		- 3.1	8.1	5	-14.7	29	2 2.0	3 1.7	0 -	13 2.2	0 -	33 2.6	3 2.3	0 -	0 -	11 2.2	0 -	18 2.3	7
XII			- 9.7	- 8.2	- 9.1	- 9.2		-13.8	2.2	1	-24.4	23	4 2.0	4 2.0	0 -	5 2.4	0 -	30 2.2	9 2.4	0 -	4 2.8	3 1.7	0 -	26 2.3	8
1949			1.3	6.3	4.9	3.3		- 1.5	26.9		-28.3		27 2.0	27 2.0	0 -	72 2.1	8 2.8	313 2.7	87 2.6	1 1.0	46 2.7	90 2.5	22 3.0	314 3.0	66

1949

Vollen i Slidre

H_s = 403 H_b = 404.6 h_t = 1.9 h_a = h_d = 12.0 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n: Regn ●	Snø *	Sludd	Yr ,	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I	79	76	76	77	4.8	5.6	5.6	44	11	8	29		14		17	9	1	7	1	1	1	17	1	0	0	0	0	0	0	4	26	1	12	31
II	80	73	71	75	4.3	4.3	2.9	13	4	27	25		10		10	4	0	8	1	1	2	8	0	0	0	0	0	0	0	0	25	0	3	18
III	84	64	60	71	4.4	4.0	3.9	14	8	13	28		10		10	4	0	5	0	0	2	10	1	0	0	0	0	0	0	1	25	5	5	22
IV	73	51	53	63	5.1	5.8	5.9	27	11	22	19		0		8	4	1	5	0	0	8	3	2	0	0	0	0	0	1	2	29	2	13	1
V	77	56	56	69	5.7	5.5	6.0	121	17	19	6		0		16	15	6	2	0	0	16	0	0	0	0	1	0	4	2	3	26	2	14	0
VI	71	46	46	63	5.1	4.6	5.3	75	20	5	0		0		13	11	3	1	0	0	13	0	0	0	0	0	0	0	0	3	27	3	10	0
VII	90	55	54	72	4.3	4.4	4.5	26	13	19	0		0		10	7	1	0	0	0	10	0	0	0	0	0	0	6	0	0	30	2	4	0
VIII	94	68	70	81	6.4	5.7	5.5	87	20	3	1		0		16	9	3	3	0	0	16	0	0	0	0	0	0	0	1	2	28	2	12	0
IX	96	82	85	89	6.8	5.8	5.5	44	13	4	0		0		14	8	1	3	0	0	14	0	0	0	0	0	0	0	9	5	20	0	12	0
X	90	79	81	84	5.9	5.9	4.8	32	6	18	12		0		15	9	0	4	3	1	13	2	0	0	0	0	0	0	2	2	26	1	11	6
XI	96	94	95	95	7.6	7.5	7.1	42	9	21	23		0		17	12	0	1	0	0	11	14	8	0	0	0	0	0	3	3	5	0	25	18
XII	92	92	89	91	4.8	5.9	5.8	50	10	8	31		22		20	11	0	0	0	0	0	20	0	0	0	0	0	0	2	6	16	1	9	31
1949	85	70	70	78	5.4	5.4	5.2	575	20		174		56		166	103	16	39	5	3	106	74	12	0	0	1	0	10	19	31	283	19	130	127

Åbjørsbråten

H_s = 635 H_b = h_t = 1.8 h_a = h_d = 13.0 h_r = 1.4

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.2	4.8	4.3	47	13	8	29		12		15	11	1	0	0	0	1	14	0	0	1	0	0	0	7	3	13	4	6	31
II					3.6	3.3	2.8	12	3	27	26		11		11	5	0	0	0	0	1	10	0	0	0	0	0	0	2	3	21	10	3	28
III					4.2	3.5	3.5	20	8	13	30		14		12	6	0	0	0	0	1	11	0	0	0	0	0	0	7	1	24	8	5	31
IV					4.9	4.7	5.0	12	4	22	22		1		10	4	0	0	0	0	7	3	0	0	0	0	0	0	3	5	27	3	7	10
V					5.3	5.3	5.0	120	18	21	9		0		16	15	4	0	0	0	16	1	1	0	0	0	0	2	2	10	20	4	12	0
VI					3.8	4.9	4.8	79	28	5	1		0		12	11	2	0	0	0	12	0	0	0	0	0	0	2	4	5	24	3	8	0
VII					3.6	4.1	4.3	35	12	20	0		0		12	8	1	0	0	0	12	0	0	0	0	0	0	4	2	0	26	6	6	0
VIII					4.9	4.9	4.2	95	24	3	1		0		16	10	4	0	0	0	16	0	0	1	0	0	0	0	2	6	23	2	9	0
IX					5.1	5.0	5.0	34	6	17	0		0		14	13	0	0	0	0	14	0	0	2	0	0	0	0	5	7	19	3	10	0
X					5.0	4.4	3.7	50	15	18	15		1		15	7	1	0	0	0	11	5	1	0	0	0	0	0	2	7	23	6	7	6
XI					6.8	6.5	6.3	58	14	18	26		6		16	13	1	0	0	0	5	15	3	2	0	0	0	0	5	15	7	1	19	28
XII					4.4	4.6	3.8	38	6	20	31		17		17	12	0	0	0	0	0	17	0	0	0	0	0	0	11	3	17	4	5	31
1949					4.6	4.7	4.4	600	28		190		62		166	115	14	0	0	0	96	76	5	5	1	0	0	8	55	65	244	54	97	165

Lillehammer

H_s = 226 H_b = h_t = 2.0 h_a = h_d = 10.9 h_r = 1.5

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	84	87	86	4.2	5.0	4.5	53	11	2	31		9		15	8	1	5	1	1	7	13	4	0	0	0	0	0	1	4	15	4	10	31
II	87	76	77	81	4.3	4.1	3.6	18	6	27	27		8		8	5	0	7	1	0	2	8	2	0	0	0	0	0	0	6	21	8	6	28
III	85	67	68	75	3.9	4.0	3.7	26	17	13	29		10		11	3	1	6	0	0	0	11	0	0	0	0	0	0	1	0	22	11	8	31
IV	79	61	62	71	5.2	5.5	5.7	29	12	22	8		0		11	6	1	6	0	0	11	3	3	2	0	2	0	0	5	2	21	3	12	0
V	79	63	64	74	5.3	5.7	5.6	127	25	25	6		0		17	13	5	1	0	0	17	1	1	0	0	1	0	7	4	0	23	2	12	0
VI	70	56	55	65	4.3	4.7	5.0	62	23	3	0		0		15	10	2	2	1	0	15	0	0	0	0	0	0	2	1	1	24	3	9	0
VII	78	56	58	68	4.1	4.1	4.5	50	11	2	0		0		11	10	1	0	0	0	11	0	0	1	0	0	0	4	2	0	29	6	6	0
VIII	90	66	68	79	5.1	5.5	4.8	46	15	3	0		0		16	10	1	0	0	0	16	0	0	2	0	0	0	1	3	1	24	0	9	0
IX	96	80	84	88	6.0	4.8	5.3	59	25	18	0		0		15	9	1	0	0	0	15	0	0	1	0	0	0	1	10	6	21	2	13	0
X	91	77	85	85	5.7	5.6	4.8	56	9	22	11		0		20	9	0	4	1	1	18	3	1	5	0	0	0	0	1	4	17	5	13	6
XI	94	91	92	92	6.7	7.0	7.4	100	20	18	16		2		18	12	3	0	0	0	16	8	4	5	0	0	0	0	6	5	6	1	23	16
XII	95	94	94	95	4.8	5.4	5.7	62	10	26	31		16		17	11	2	0	0	0	1	17	1	0	0	0	0	0	3	2	14	4	13	31
1949	86	73	74	80	5.0	5.1	5.0	687	25		159		45		174	106	18	31	4	2	129	64	16	16	0	3	0	15	37	31	257	49	134	143

Åmot

H_s = 310 H_b = h_t = 2.0 h_a = h_d = 6.7 h_r = 1.6

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	82	87	86	4.9	5.2	5.6	65	15	2	31		9		15	8	3	3	0	0	0	15	0	0	0	0	0	0	2	4	11	2	12	31
II	85	76	80	81	4.2	4.3	4.3	15	6	9	26		7		7	5	0	0	0	0	1	7	1	1	0	0	0	0	2	8	19	3	5	28
III	86	68	69	76	4.0	4.0	4.0	39	24	13	30		10		7	4	1	0	0	0	0	7	0	0	0	0	0	0	0	0	23	6	7	31
IV	80	64	71	75	5.2	5.2	5.4	44	11	22	13		0		9	8	2	0	0	0	7	3	0	4	0	0	0	0	1	4	16	1	12	19
V	78	64	67	74	5.0	5.3	5.3	78	12	30	6		0		15	13	3	0	0	0	15	0	0	4	0	0	0	2	3	1	21	1	10	0
VI	76	61	62	72	4.4	4.5	4.7	78	25	3	0		0		11	8	3	2	0	0	11	0	0	0	0	0	0	0	1	1	21	2	8	0
VII	81	62	64	73	4.0	4.3	4.2	49	13	2	0		0		10	9	1	0	0	0	10	0	0	1	0	0	0	0	2	1	24	3	6	0
VIII	88	69	72	79	4.8	5.3	4.4	54	27	3	0		0		12	7	1	0	0	0	12	0	0	1	0	0	0	0	2	1	20	0	5	0
IX	95	81	84	88	5.6	5.0	5.1	60	20	4	0		0		10	9	1	0	0	0	10	0	0	4	0	0	0	0	6	7	15	2	12	0
X	92	78	85	86	5.5	5.2	4.7	111	33	18	10		0		15	12	4	1	0	0	13	3	1	3	0	0	0	0	1	8	14	4	13	7
XI	95	93	94	95	6.8	7.1	6.9	145	32	18	22		1		15	11	7	0	0	0	12	10	7	1	0	0	0	0	12	3	2	1	25	21
XII	94	92	94	93	4.4	5.0	5.8	110	19	16	31		15		16	14	4	0	0	0	1	15	0	0	0	0	0	0	9	5	9	4	10	31
1949	86	74	77	82	4.9	5.0	5.0	849	33		169		42		142	108	30	6	0	0	92	60	9	19	0	0	0	2	41	43	195	29	128	168

Trysil

H_s = 363 H_b = h_t = 1.9 h_a = h_d = h_r = 1.5

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	74	81	79	5.2	5.2	5.3	49	7	1	31		15		17	12	0	3	0	0	3	17	3	1	0	0	0	0	14	4	17	3	11	31
II	86	71	74	78	4.8	4.4	3.5	22	7	23	26		15		9	6	0	2	0	0	5	7	2	0	0	0	0	0	9	3	21	5	7	28
III	85	57	66	73	4.0	4.3	4.0	21	15	13	31		13		11	3	1	0	0	0	0	11	0	0	0	0	0	0	9	0	28	8	9	31
IV	79	56	64	72	5.6	5.8	5.6	55	10	26	16		0		15	10	0	0	0	0	9	9	1	3	0	0	0	0	10	2	23	2	14	17
V	69	51	56	65	4.5	6.2	6.0	54	12	29	7		0		17	13	2	0	0	0	16	1	0	3	2	0	0	3	6	0	26	1	11	0
VI	67	50	56	66	4.9	5.5	5.1	74	24	5	0		0		16	13	2	2	0	0	16	0	0	1	0	1	0	3	4	0	24	1	9	0
VII	79	56	59	69	4.6	5.4	4.3	204	34	1	0		0		16	13	8	0	0	0	16	0	0	2	0	0	1	5	5	3	26	4	8	0
VIII	88	54	65	76	5.4	5.9	4.5	70	22	3	3		0		16	8	3	0	0	0	16	0	0	2	0	0	0	0	6	5	26	2	10	0
IX	93	65	80	83	6.3	5.5	5.4	30	7	4	2		0		18	7	0	0	0	0	18	0	0	11	0	0	0	0	16	6	22	2	11	0
X	87	68	79	80	5.8	5.4	4.9	82	26	19	15		4		16	11	2	3	0	0	12	5	2	3	1	0	0	0	10	2	23	3	12	7
XI	90	86	87	88	7.2	7.1	7.7	78	17	18	21		3		20	13	2	0	0	0	13	14	6	7	0	0	0	0	22	4	7	1	26	14
XII	88	88	88	88	4.8	5.4	5.0	100	12	8	31		21		20	18	3	0	0	0	4	19	3	1	0	0	0	0	22	3	14	3	11	31
1949	82	65	71	76	5.3	5.5	5.1	849	34		183		71		191	127	23	10	0	0	128	83	17	34	3	1	1	11	133	32	257	35	139	159

1949

Vang på Hedmark

φ = 60° 49′ N λ = 11° 11′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 3.5	- 2.0	- 3.2	- 3.2		- 6.8	5.2	28	-17.9	22	2	1.5	12	1.9	13	1.5	9	1.0	0	-	9	1.4	10	1.2	6	1.7	6	1.5	16	1.1	8	1.8	2	1.5	0
II			- 3.9	- 0.5	- 1.7	- 2.4		- 6.0	7.8	17	-17.0	11	1	1.0	13	1.1	15	1.0	8	1.0	0	-	7	2.0	0	-	9	1.2	9	1.8	13	1.5	5	1.8	5	1.4	0
III			- 4.6	1.3	- 0.4	- 2.2		- 7.3	11.2	24	-18.8	5	3	1.7	11	1.4	7	1.4	12	1.2	2	1.0	14	1.6	4	1.5	8	1.8	8	1.0	17	1.2	2	2.5	5	1.2	0
IV			3.2	7.7	6.2	4.5		0.7	14.5	18	- 3.7	1	6	4.2	7	2.6	9	1.3	8	1.1	0	-	19	1.7	6	2.2	6	1.3	13	1.7	13	1.9	3	2.0	0	-	0
V			9.2	14.1	13.0	10.2		5.2	19.5	15	- 3.2	1	1	3.0	5	1.6	7	1.6	6	1.7	0	-	17	1.5	12	1.4	16	1.6	7	1.9	16	1.5	4	1.8	2	2.0	0
VI			11.9	16.6	15.3	12.9		8.1	24.9	28	1.8	1	8	3.4	25	2.4	5	1.6	7	1.3	1	2.0	4	2.2	7	1.7	9	1.6	10	1.3	9	2.0	1	1.0	4	2.8	0
VII			13.1	19.2	18.9	15.8		10.8	27.8	10	7.2	22	2	1.0	21	1.8	16	1.1	8	1.5	3	2.0	9	1.6	3	1.7	8	1.1	17	1.1	7	1.1	5	2.0	0	-	0
VIII			10.1	17.1	15.9	13.2		8.3	23.0	26	0.1	20	1	3.0	10	1.6	9	1.6	7	1.3	2	1.0	12	1.1	2	1.0	19	1.3	12	1.1	15	1.7	1	1.0	3	2.3	0
IX			10.0	15.5	14.1	12.6		9.2	21.0	6	1.5	13	0	-	15	1.2	12	1.7	16	1.3	4	1.0	6	1.5	11	1.5	7	1.4	8	1.1	5	1.2	2	1.0	1	1.0	3
X			3.2	7.3	4.8	4.7		1.2	15.5	16	-10.9	29	4	5.0	11	1.8	4	1.0	15	1.1	0	-	15	1.3	13	1.2	7	1.3	3	2.0	11	1.3	5	1.0	4	3.5	1
XI			- 0.1	0.9	0.1	0.2		- 1.5	9.1	5	- 8.8	29	1	1.0	25	1.6	17	1.6	10	1.2	4	1.5	8	1.1	6	2.0	1	1.0	4	1.8	7	1.0	3	1.0	4	1.0	0
XII			- 6.4	- 5.6	- 6.2	- 6.3		-10.4	4.1	17	-18.3	12	4	1.0	10	1.1	9	1.0	18	1.1	7	1.0	9	1.0	4	1.0	1	1.0	1	1.0	6	1.0	4	1.5	2	1.5	18
1949			3.5	7.6	6.4	5.0		1.0	27.8		-18.8		33	2.8	165	1.7	117	1.4	124	1.2	23	1.3	129	1.5	78	1.5	97	1.4	97	1.4	135	1.4	43	1.6	32	1.9	22

Ø. Toten

φ = 60° 42′ N λ = 10° 53′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 2.4	- 1.4	- 1.9	- 2.2		- 5.3	5.1	28	-14.7	22	0	-	2	1.5	3	2.3	3	1.7	3	3.3	8	2.5	10	2.3	26	2.8	9	3.1	5	1.6	17	3.1	6	3.8	1
II			- 2.6	0.3	- 1.4	- 1.6		- 4.7	8.5	17	-12.7	11	1	1.0	1	2.0	3	1.3	1	1.0	1	1.0	1	2.0	10	1.9	17	3.0	7	1.6	9	1.6	18	2.9	10	1.5	5
III			- 3.5	1.7	- 0.7	- 1.7		- 5.9	11.8	24	-16.4	5	4	2.8	5	1.4	3	1.0	2	2.0	6	2.0	6	2.2	5	1.4	17	2.6	7	3.3	3	1.0	16	2.4	17	2.5	2
IV			4.2	7.8	5.7	4.8		1.4	14.0	18	- 3.6	1	2	4.0	4	3.0	3	1.0	6	1.7	4	1.8	4	1.8	14	3.1	10	3.0	7	3.1	3	2.3	16	2.9	16	3.8	1
V			9.5	13.8	12.7	10.3		5.6	19.6	20	- 1.4	8	6	1.8	5	1.4	7	1.1	7	1.4	6	2.0	3	2.0	10	2.5	7	3.0	7	2.6	11	2.9	6	3.3	16	1.8	2
VI			12.7	17.5	15.9	13.6		8.4	25.6	28	3.4	22	7	2.3	19	2.0	13	1.6	3	1.3	3	2.0	4	2.0	4	2.2	5	3.2	0	-	2	3.5	8	3.2	20	2.6	2
VII			14.9	20.2	19.1	16.2		10.9	28.6	10	7.0	15	10	1.2	6	1.0	17	1.4	17	1.6	9	1.3	3	2.3	1	2.0	0	-	2	1.0	0	-	8	1.1	18	2.2	2
VIII			12.2	16.7	14.8	13.2		8.9	21.4	26	1.8	20	5	1.8	6	1.7	5	1.0	4	1.2	4	1.2	6	1.3	5	1.0	16	2.4	7	2.0	7	2.3	12	2.8	13	1.9	3
IX			11.5	15.7	13.3	12.6		9.5	21.2	6	3.0	13	4	1.2	8	1.0	10	1.1	9	1.2	5	1.0	2	1.0	11	2.3	16	2.8	3	2.0	6	1.5	8	1.4	6	1.2	2
X			4.3	7.3	5.4	5.3		2.5	14.9	2	- 7.2	30	1	1.0	1	1.0	5	2.2	1	1.0	7	1.0	4	2.8	11	2.5	22	2.4	8	2.8	4	3.0	18	2.4	11	3.1	0
XI			0.1	1.0	0.5	0.3		- 1.2	9.4	5	- 9.7	29	3	2.0	9	1.4	14	1.5	15	1.3	8	1.9	2	2.0	7	2.2	4	1.2	1	3.0	5	1.0	14	1.6	8	1.6	0
XII			- 5.1	- 4.2	- 4.8	- 4.9		- 7.9	3.4	1	-15.8	23	0	-	1	2.0	1	2.0	1	1.0	5	1.4	6	1.2	5	1.6	26	1.4	10	1.4	9	1.9	23	1.6	6	1.5	0
1949			4.6	8.0	6.6	5.5		1.8	28.6		-16.4		43	1.9	67	1.6	84	1.4	69	1.4	61	1.6	49	1.9	93	2.3	166	2.5	68	2.4	64	2.0	164	2.4	147	2.4	20

Kutjern

φ = 60° 33′ N λ = 10° 33′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 4.2	- 1.9	- 3.5	- 3.6		- 7.6	5.6	29	-17.6	13	4	2.5	2	2.5	0	-	1	3.0	0	-	4	3.6	25	2.6	35	3.1	0	-	1	4.0	1	3.0	11	3.4	9
II			- 4.6	0.3	- 3.0	- 3.0		- 7.6	8.4	18	-16.2	12	4	2.2	6	2.2	0	-	0	-	0	-	3	2.0	28	2.4	23	2.5	1	4.0	3	3.0	1	1.0	4	3.0	11
III			- 5.8	0.5	- 2.9	- 3.9		- 9.9	11.6	24	-20.2	5	15	2.1	12	2.2	2	2.5	4	1.2	0	-	1	3.0	30	2.8	8	2.6	0	-	1	2.0	4	3.0	9	2.8	7
IV			2.1	6.0	4.0	2.6		- 1.4	13.2	18	- 9.5	10	10	3.4	5	2.2	1	3.0	0	-	0	-	3	2.0	35	3.2	20	3.0	3	2.0	3	3.0	3	3.3	5	3.0	2
V			8.2	12.3	11.1	8.4		2.9	16.9	4	- 6.5	1	13	2.2	9	2.1	3	1.7	3	3.0	1	2.0	5	1.4	25	2.8	16	3.1	3	1.7	2	1.5	1	3.0	9	2.2	3
VI			11.8	14.9	14.0	11.4		5.5	22.6	28	- 0.3	22	12	3.0	29	2.7	13	2.3	2	1.5	0	-	2	3.0	10	2.7	9	3.1	1	4.0	1	4.0	1	3.0	10	3.1	0
VII			13.2	18.4	17.5	14.8		8.2	26.6	10	3.6	3	20	2.0	24	2.2	7	2.4	0	-	0	-	4	1.8	8	1.8	11	2.2	2	1.5	1	1.0	0	-	10	2.3	6
VIII			10.2	15.5	13.4	11.7		6.0	20.3	26	- 1.4	19	11	1.6	5	2.0	6	2.3	1	1.0	0	-	3	2.7	23	2.2	19	2.1	5	2.4	3	2.3	1	1.0	9	2.3	7
IX			9.7	14.0	11.7	11.0		7.3	19.0	6	- 1.1	13	13	1.8	12	1.7	2	1.0	2	1.0	0	-	4	2.5	30	2.4	11	3.0	1	3.0	0	-	0	-	2	2.0	13
X			1.7	5.9	3.3	3.2	7.2	0.0	14.3	5	-12.0	29	7	3.6	10	2.6	0	-	1	1.0	0	-	2	1.5	31	2.6	24	3.0	2	2.0	0	-	2	2.0	5	2.2	9
XI			- 1.6	- 0.6	- 1.4	- 1.4	0.6	- 3.1	8.2	5	-15.8	29	12	2.1	33	2.2	8	1.9	2	3.0	0	-	4	1.8	15	2.3	6	3.3	1	4.0	0	-	0	-	2	2.0	7
XII			- 6.5	- 5.1	- 6.3	- 6.2	- 2.8	- 9.8	2.1	26	-18.9	12	18	1.6	16	2.1	0	-	1	1.0	0	-	4	2.5	29	1.9	18	1.7	0	-	1	2.0	1	1.0	0	-	6
1949			2.8	6.7	4.8	3.8		- 0.8	26.6		-20.2		139	2.2	163	2.3	42	2.2	17	1.8	1	2.0	39	2.3	288	2.5	200	2.7	19	2.4	16	2.5	15	2.5	76	2.7	90

Gardermoen

φ = 60° 11′ N λ = 11° 6′ E g = 9.820 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I	980.8	1006.3	- 2.2	- 0.8	- 1.4	- 1.7	1.5	- 5.1	5.0	30	-16.5	22	7	2.7	2	2.5	3	2.0	1	2.0	1	1.0	6	2.5	17	3.3	18	3.3	9	3.4	4	2.5	1	5.0	12	3.3	18
II	87.6	13.3	- 2.5	0.2	- 0.3	- 1.2	2.2	- 4.3	9.1	17	-15.3	11	3	4.3	4	1.8	4	2.8	1	2.0	0	-	5	2.2	15	3.1	11	3.6	6	4.0	2	2.0	6	3.7	7	3.1	20
III	93.6	19.4	- 5.2	1.4	0.5	- 1.9	3.2	- 6.9	12.0	25	-19.2	5	13	3.5	10	3.5	9	2.4	10	2.3	1	2.0	5	2.8	13	2.6	8	3.6	6	3.0	1	1.0	4	3.0	5	3.4	8
IV	82.2	07.2	3.0	7.6	6.8	4.8	9.6	0.9	16.2	18	- 3.8	2	8	5.6	3	4.0	6	2.3	3	1.3	1	1.0	3	1.3	22	3.2	16	3.3	11	3.8	4	3.5	4	4.7	5	4.2	4
V	87.7	12.3	8.7	13.9	13.6	10.5	16.4	5.7	22.8	18	- 0.5	9	6	3.5	3	2.7	12	2.5	5	2.4	2	3.0	5	2.6	22	2.9	14	3.4	4	3.5	5	3.6	1	5.0	6	2.8	8
VI	88.8	13.1	12.8	16.8	16.9	13.9	19.4	8.9	27.5	28	4.9	23	19	4.1	17	3.9	13	2.5	5	2.2	1	1.0	3	3.0	8	3.0	2	3.0	5	4.6	4	2.8	2	2.5	9	3.1	2
VII	89.4	13.4	14.0	19.8	20.4	17.0	22.7	12.1	29.5	10	7.6	15	9	3.9	22	3.0	12	2.4	8	1.6	2	2.0	5	2.2	11	2.5	6	2.5	3	2.0	2	2.5	3	2.0	4	3.2	6
VIII	88.4	12.6	10.8	16.9	16.4	13.7	18.9	9.1	22.5	22	1.9	18	6	2.5	6	2.8	7	2.3	1	1.0	2	1.5	6	2.0	23	2.5	10	4.1	13	2.0	1	5.0	3	3.7	7	2.7	8
IX	96.0	20.6	10.6	15.3	14.6	12.9	17.0	9.7	22.2	6	2.0	13	4	2.8	10	2.1	10	1.4	10	2.1	3	2.0	1	2.0	24	3.0	6	3.3	5	2.0	0	-	2	3.0	4	2.0	11
X	87.3	12.5	3.2	7.4	5.4	4.9	8.8	1.5	16.1	5	-14.3	29	5	3.4	10	2.7	4	2.8	1	3.0	0	-	4	2.0	22	2.6	14	3.1	4	4.0	0	-	2	3.0	6	3.8	21
XI	86.9	12.4	0.9	1.5	1.0	1.0	3.0	- 0.6	10.5	5	- 8.3	29	6	1.5	16	2.5	15	2.6	11	2.5	1	2.0	7	2.0	7	4.0	6	4.3	0	-	0	-	0	-	5	2.4	16
XII	75.2	00.7	- 4.9	- 3.9	- 4.0	- 4.5	- 0.7	- 8.2	6.7	2	-14.7	23	10	2.3	6	2.0	10	2.1	2	2.0	2	1.5	10	2.0	7	2.3	4	3.2	1	4.0	1	1.0	3	1.7	3	3.3	34
1949	987.0	1012.0	4.1	8.0	7.5	5.8	10.2	1.9	29.5		-19.2		96	3.4	109	2.9	105	2.3	58	2.1	16	1.8	60	2.2	191	2.9	115	3.4	67	3.2	24	2.9	31	3.3	73	3.2	150

Flisa

φ = 60° 37′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 2.6	- 1.0	- 2.0	- 2.1	1.7	- 6.0	5.0	25	-20.3	10	6	4.0	3	2.0	0	-	1	2.0	4	2.8	18	3.2	17	2.9	1	1.0	4	1.8	1	1.0	0	-	13	4.1	26
II			- 3.8	0.7	- 1.3	- 1.8	2.2	- 6.1	9.8	14	-22.4	11	1	1.0	3	2.0	0	-	1	2.0	1	2.0	13	2.9	9	2.1	2	1.5	1	5.0	2	3.5	6	3.2	7	3.0	36
III			- 5.9	2.2	- 0.7	- 2.4	3.8	- 8.6	14.7	24	-23.0	5	8	2.2	6	1.2	2	2.0	4	2.2	3	2.7	10	2.7	6	2.2	4	1.8	1	1.0	2	3.5	3	2.0	12	1.5	32
IV			3.6	7.9	6.2	4.9	9.8	0.7	17.8	18	- 5.2	2	3	5.0	1	1.0	1	1.0	2	1.0	1	4.0	23	2.0	17	3.2	7	2.6	2	3.5	3	2.0	2	1.5	13	3.6	16
V			10.0	14.6	13.4	10.8	16.7	4.6	23.7	18	- 5.3	1	4	2.2	0	-	1	2.0	3	2.7	1	3.0	17	2.2	18	2.4	9	2.9	3	3.0	3	4.0	1	2.0	8	2.1	25
VI			13.1	17.1	16.1	13.6	19.1	7.8	26.3	28	2.7	24	9	4.0	7	2.6	2	2.5	3	2.7	2	2.5	4	1.8	4	2.0	7	3.4	2	2.0	1	2.0	2	3.0	26	3.1	21
VII			13.9	19.6	19.3	16.2	22.3	10.2	28.8	10	3.7	15	14	1.6	8	1.8	1	2.0	5	1.4	1	1.0	7	2.1	7	1.6	1	1.0	3	1.7	3	2.0	4	2.5	11	1.3	28
VIII			10.3	17.3	15.0	13.1	19.1	7.2	23.4	25	- 1.4	20	3	2.0	1	3.0	1	2.0	1	3.0	1	2.0	17	2.0	13	2.2	3	1.7	3	2.0	4	1.2	3	2.0	5	1.8	38
IX			10.2	15.9	12.8	12.5	17.4	8.6	21.1	6	- 1.1	13	1	1.0	0	-	0	-	0	-	1	2.0	13	2.4	6	2.3	3	2.3	0	-	5	2.2	1	1.0	3	1.7	27
X			2.5	7.1	4.1	4.2	8.5	0.4	16.3	2	-17.3	30	1	3.0	1	7.0	1	3.0	1	2.0	0	-	18	2.6	7	3.7	2	3.5	2	2.5	0	-	2	1.5	13	2.6	45
XI			0.3	1.3	0.6	0.6	2.5	- 1.3	11.0	5	-10.3	16	7	2.3	4	1.8	2	2.0	4	3.0	4	1.8	16	2.4	3	2.7	1	5.0	1	1.0	0	-	0	-	3	2.3	46
XII			- 6.4	- 5.3	- 6.3	- 6.2	- 2.2	-10.6	4.8	2	-22.1	12	2	3.5	0	-	0	-	1	1.0	2	1.5	6	2.0	8	2.6	1	4.0	1	1.0	0	-	0	-	3	1.7	60
1949			3.8	8.1	6.4	5.3	10.1	0.6	28.8		-23.0		59	2.7	34	2.0	11	2.1	26	2.2	21	2.3	162	2.4	115	2.6	41	2.6	23	2.2	24	2.4	24	2.3	117	2.7	436

Årsoversikter

Annual Summaries)

1949

Vang på Hedmark

H_s = 222 h_t = 1.9 h_d = 14.7 h_r = 1.3
H_s = 219 H_b = h_t = 2.0 h_a = h_d = 10.0 h_r = 1.3

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	Vindstyrke F: F ≧ 6	F ≧ 8	F ≧ 9	Antall dager n: Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	76	73	77	76	4.5	5.4	4.5	30	5	2	30		8		11	10	0	1	1	1	2	10	1	1	0	0	0	0	15	2	14	2	9	31
II	78	70	68	72	4.9	5.6	4.3	15	8	9	23		6		5	3	0	0	0	0	3	2	0	0	0	0	0	0	9	2	18	3	8	28
III	77	58	56	65	4.4	4.8	4.5	4	1	14	29		7		8	1	0	1	0	0	0	7	0	0	0	0	0	0	11	0	23	5	8	24
IV	73	53	56	65	5.4	6.0	6.0	20	5	19	10		0		11	8	0	2	0	0	10	4	3	2	0	0	0	0	12	0	21	1	11	0
V	69	51	54	65	5.2	5.8	6.3	60	15	30	4		0		15	10	2	0	0	0	15	0	0	0	0	0	0	1	12	1	25	1	11	0
VI	66	47	51	62	4.8	4.8	6.0	57	17	5	0		0		13	9	2	1	0	0	13	0	0	1	0	0	0	0	7	0	23	0	10	0
VII	72	51	50	61	4.7	4.9	5.1	65	15	2	0		0		12	11	2	0	0	0	12	0	0	1	0	0	0	2	6	1	28	1	10	0
VIII	82	52	53	67	5.2	5.7	5.2	36	16	3	0		0		11	7	1	0	0	0	11	0	0	0	0	0	0	0	12	2	25	0	11	0
IX	87	68	72	78	6.4	5.9	5.9	52	14	4	0		0		13	10	1	0	0	0	13	0	0	0	0	0	0	1	16	1	19	1	16	0
X	82	66	74	75	5.7	5.8	4.9	66	18	13	11		1		14	11	1	2	1	1	12	3	1	0	0	0	0	0	14	0	21	3	10	0
XI	85	82	83	84	7.1	7.2	7.3	50	10	18	18		0		13	11	1	1	0	0	11	4	2	0	0	0	0	0	25	1	4	1	23	12
XII	87	86	88	87	5.2	5.9	5.8	57	10	26	31		15		15	13	0	0	0	0	5	13	2	1	0	0	0	0	20	4	10	1	11	31
1949	78	63	65	71	5.3	5.6	5.5	512	18		156		37		141	104	10	8	2	2	107	43	9	6	0	0	0	4	159	14	231	19	138	126

Ø. Toten

H_s = 270 H_b = h_t = 2.0 h_a = h_d = 10.7 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.4	5.1	4.6	28	10	8	30		5		12	7	0	4	1	0	3	11	2	2	0	0	0	0	5	3	16	4	8	31
II					4.2	3.8	3.8	15	8	9	22		3		5	4	0	1	0	0	3	4	2	1	0	0	0	0	3	7	21	4	4	10
III					4.1	4.1	3.9	7	3	7	27		7		9	3	0	2	0	0	2	9	2	0	0	0	0	0	4	0	27	5	5	17
IV					4.5	4.8	5.4	12	5	19	9		0		11	4	0	4	1	0	10	3	1	0	0	0	0	0	7	0	23	2	9	1
V					4.5	5.1	5.4	62	14	30	2		0		16	11	2	0	0	0	16	2	2	2	0	1	0	1	13	0	28	1	10	0
VI					3.6	3.6	4.7	57	21	3	0		0		10	6	2	2	0	0	10	0	0	0	0	0	0	0	4	2	25	5	6	0
VII					3.5	3.3	3.6	41	10	1	0		0		10	7	1	0	0	0	10	0	0	1	0	0	0	4	4	0	29	7	2	0
VIII					4.6	5.0	4.3	54	23	3	0		0		14	9	2	1	0	0	14	0	0	0	0	0	1	0	4	2	27	3	8	0
IX					5.9	5.1	5.5	39	12	4	0		0		17	8	1	0	0	0	17	0	0	1	0	0	0	0	17	2	21	0	10	0
X					5.5	5.0	4.5	74	14	18	10		0		15	11	2	4	1	0	13	3	1	0	0	0	0	1	8	4	18	4	11	6
XI					7.4	7.2	7.5	88	18	24	17		0		16	12	3	0	0	0	13	11	8	4	0	0	0	0	13	5	5	1	26	9
XII					6.1	5.6	5.8	49	8	30	31		8		18	11	0	0	0	0	2	18	1	1	0	0	0	0	12	7	16	2	14	30
1949					4.9	4.8	4.9	526	23		148		23		153	93	13	18	3	0	113	61	19	12	0	1	1	6	94	32	256	38	113	104

Kutjern

H_s = 493 H_b = h_t = 2.0 h_a = h_d = 10.1 h_r = 1.9

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	79	84	84	4.1	5.2	5.2	56	9	17	30		10		13	9	0	9	0	0	2	13	2	0	0	0	0	0	1	6	21	3	10	31
II	85	70	77	79	4.7	4.3	3.9	18	7	27	27		11		8	4	0	6	0	0	1	8	0	1	0	0	0	0	0	9	22	4	3	28
III	86	62	70	76	4.6	4.4	4.3	15	8	13	31		13		10	4	0	3	0	0	0	10	0	0	0	0	0	0	4	0	28	5	8	31
IV	79	60	68	74	4.8	5.9	5.6	39	9	22	19		0		11	9	0	9	0	0	6	4	0	2	0	0	0	0	4	8	24	2	14	15
V	72	59	65	71	4.6	6.0	5.5	94	17	17	7		0		17	12	2	0	0	0	17	0	0	0	0	1	0	1	3	1	30	1	9	0
VI	66	58	57	63	4.1	4.9	5.1	57	27	3	1		0		12	6	2	2	0	0	12	0	0	1	0	1	0	1	1	4	26	1	8	0
VII	74	56	59	66	3.9	4.5	4.5	53	18	20	0		0		11	7	1	1	0	0	11	0	0	0	0	1	0	1	2	2	28	1	6	0
VIII	85	58	69	77	5.0	5.5	5.0	67	26	3	3		0		14	10	2	1	0	0	14	0	0	0	0	1	0	0	3	3	29	2	7	0
IX	93	77	88	88	6.3	5.8	5.6	64	18	17	1		0		15	12	1	2	0	0	15	0	0	2	0	0	0	0	4	15	20	1	11	0
X	93	78	86	87	5.8	5.5	4.4	104	19	27	15	1	2	0	16	12	5	3	0	0	13	4	0	1	0	0	0	0	3	11	20	4	11	7
XI	95	92	94	94	7.4	7.2	7.3	83	20	24	26	13	3	0	19	14	2	1	0	0	12	15	6	7	0	0	0	0	1	14	4	0	26	29
XII	94	95	94	94	4.5	5.2	5.5	60	8	16	31	24	13	0	19	15	0	0	0	0	2	19	1	1	0	0	0	0	1	15	19	4	10	31
1949	84	70	76	79	5.0	5.4	5.2	710	27		191		52		165	114	15	37	0	0	105	73	9	15	0	4	0	3	27	88	271	28	123	172

Gardermoen

H_s = 204 H_b = 205.2 h_t = 2.0 h_a = 13.0 h_d = 13.0 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	77	78	78	4.8	5.1	5.4	79	16	2	25	8	5	0	15	10	4	16	4	2	10	12	4	6	0	0	0	0	9	4	7	3	12	31
II	81	76	73	77	5.2	4.9	4.4	29	10	27	19	7	5	0	8	6	1	12	3	1	7	4	1	6	0	0	0	0	7	9	16	5	9	12
III	85	64	61	72	4.8	4.4	3.9	23	13	13	28	10	9	0	9	4	1	10	3	1	2	9	1	0	0	0	0	0	6	2	23	5	6	26
IV	80	59	63	72	5.3	6.1	5.5	36	11	22	12	0	0	0	12	8	1	18	3	2	11	4	2	7	0	0	0	0	5	6	22	2	13	2
V	77	57	59	72	5.3	5.5	5.5	104	21	30	1	0	0	0	17	14	3	12	0	0	17	0	0	5	0	1	0	1	8	1	27	1	12	0
VI	67	53	53	62	4.1	4.9	5.3	54	17	3	0	0	0	2	12	7	2	14	3	0	12	0	0	4	0	0	0	1	5	1	26	1	8	0
VII	76	54	52	64	5.0	4.1	4.2	103	29	1	0	0	0	8	13	10	3	6	0	0	13	0	0	2	0	0	0	2	4	0	28	1	7	0
VIII	86	60	64	74	5.1	5.1	5.0	93	16	3	0	0	0	0	13	12	3	12	2	0	13	0	0	0	0	1	0	1	4	4	28	3	8	0
IX	91	75	80	84	6.3	5.6	5.7	54	16	17	0	0	0	0	15	8	2	4	0	0	15	0	0	5	0	0	0	0	15	7	18	1	12	0
X	88	76	81	83	5.7	5.7	4.9	121	28	19	12	2	2	0	18	10	4	12	1	1	18	3	3	9	0	0	0	1	5	8	18	2	12	6
XI	90	88	88	89	7.2	7.2	7.0	111	23	24	17	5	0	0	18	15	4	3	0	0	15	11	8	13	0	0	0	0	17	6	3	1	25	6
XII	90	90	90	90	5.2	5.5	6.1	93	12	26	31	16	11	0	19	14	3	5	0	0	11	16	4	4	0	0	0	0	7	17	9	4	15	28
1949	82	69	70	76	5.3	5.3	5.2	900	29		145	48	32	10	169	118	31	124	19	7	144	59	23	61	0	2	0	6	92	65	225	29	139	111

Flisa

H_s = 183 H_b = h_t = 1.9 h_a = h_d = 8.2 h_r = 1.5

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	80	84	84	4.8	5.3	4.6	36	7	8	24	8	9	0	14	11	0	10	1	1	2	13	0	1	0	0	0	0	5	1	12	5	11	31
II	89	75	80	82	4.6	4.4	3.8	26	9	9	24	8	7	0	7	6	0	3	0	0	5	3	0	4	0	0	0	0	6	4	16	6	8	11
III	91	63	71	79	3.8	3.6	3.6	10	5	14	30	6	10	0	5	2	0	4	0	0	0	5	0	0	0	0	0	0	2	0	23	6	5	21
IV	82	63	69	76	5.3	5.9	5.5	27	4	22	12	0	0	0	11	10	0	10	1	0	10	4	3	2	0	0	0	0	13	0	18	2	14	0
V	75	57	65	74	4.8	5.6	5.7	55	10	6	4	0	0	0	14	10	1	1	0	0	14	2	2	0	0	0	0	2	1	1	25	1	11	0
VI	73	56	60	70	4.6	4.9	5.2	45	17	5	0	0	0	1	12	9	2	5	0	0	12	0	0	1	0	0	0	1	5	0	25	0	6	0
VII	83	60	65	74	4.5	4.6	4.3	125	46	1	0	0	0	5	14	10	4	0	0	0	14	0	0	0	0	0	0	4	0	0	22	4	7	0
VIII	92	62	76	82	5.1	5.3	4.5	52	16	9	2	0	0	0	18	8	2	1	0	0	18	0	0	0	0	1	0	0	6	2	25	1	8	0
IX	97	76	90	91	6.6	5.4	4.9	46	12	3	1	0	0	0	13	9	2	1	0	0	13	0	0	4	0	0	0	1	12	7	15	2	10	0
X	93	73	90	88	5.5	5.5	4.7	77	18	27	14	4	4	0	15	11	4	7	1	0	14	3	2	2	0	0	0	0	11	3	14	3	13	6
XI	92	89	91	91	7.4	7.1	7.3	42	10	22	18	9	3	0	15	10	0	0	0	0	11	4	0	6	0	0	0	0	10	2	2	1	24	7
XII	76	76	77	76	5.5	5.5	5.4	81	11	26	30	16	17	0	20	17	1	0	0	0	10	17	2	3	0	0	0	0	7	2	11	4	18	28
1949	86	70	76	81	5.2	5.3	5.0	622	46		159	51	50	6	158	113	16	42	3	1	123	51	9	23	0	1	0	8	78	22	208	35	135	104

1949

Vinger

φ = 60° 13′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.1	- 0.2	- 1.4	- 1.3		- 4.9	4.9	30	-16.7	10	3 2.3	2 1.5	1 1.0	1 3.0	1 4.0	8 2.8	15 2.5	9 2.3	9 2.0	14 1.9	10 2.5	11 2.4	9
II			- 2.3	0.9	- 0.8	- 1.0		- 5.0	8.4	17	-19.0	11	9 1.7	1 3.0	1 2.0	3 1.0	2 1.5	5 1.8	16 1.2	9 1.3	3 2.3	17 2.8	10 1.7	7 2.0	1
III			- 4.8	2.1	- 0.7	- 2.5		- 7.1	12.1	25	-18.4	5	7 1.7	6 1.8	6 1.5	7 2.3	5 2.0	6 3.3	9 2.4	9 2.7	7 1.4	6 2.0	15 1.9	9 2.3	1
IV			4.0	8.5	6.3	5.2		0.9	16.4	18	- 5.6	2	5 3.4	3 2.0	3 1.7	6 1.2	2 3.5	13 2.2	13 2.3	14 2.9	7 2.0	8 2.6	8 2.1	7 4.0	1
V			10.5	14.6	13.6	11.0		4.9	22.5	18	- 4.0	2	4 1.8	3 1.3	2 1.0	7 2.4	5 2.2	7 2.6	17 2.2	14 2.6	5 2.6	7 2.4	10 1.9	8 2.5	4
VI			13.3	17.1	16.2	13.7		8.0	24.6	28	3.2	22	14 2.4	8 2.1	10 1.6	7 1.3	4 2.2	5 1.8	4 2.5	7 1.9	3 2.3	6 2.5	7 2.1	14 3.1	1
VII			15.4	20.0	19.7	16.6		11.0	28.2	10	4.5	15	8 1.8	11 1.8	7 2.0	6 1.3	1 4.0	3 1.7	5 2.0	3 1.0	3 2.0	5 1.4	19 2.2	17 2.2	5
VIII			12.8	17.9	15.3	13.7		8.1	21.7	25	- 0.8	18	4 1.8	4 1.2	5 1.4	4 1.2	6 2.0	7 2.4	13 2.7	9 2.0	5 2.0	7 2.4	13 2.0	5 3.2	11
IX			11.8	16.2	13.1	13.0		9.3	22.4	6	- 0.5	13	3 2.3	4 1.5	4 1.2	6 1.8	5 2.8	10 2.7	13 2.5	5 3.0	3 1.3	2 3.0	11 1.5	12 1.8	12
X			3.6	7.5	4.7	4.9		1.3	15.4	23	-12.0	30	5 1.6	2 1.0	6 1.8	6 1.2	5 1.0	9 2.2	13 2.2	11 2.0	3 1.7	9 1.6	10 1.5	6 2.8	8
XI			0.9	1.7	1.1	1.1		- 0.5	10.2	5	- 7.4	29	10 1.5	15 2.0	5 1.6	6 3.3	8 2.5	9 3.6	6 3.2	2 3.0	1 1.0	3 1.0	3 1.7	1.4	7
XII			- 4.6	- 3.2	- 4.2	- 4.1		- 7.4	5.8	1	-15.5	25	11 1.2	1 1.0	6 1.0	4 1.2	2 2.5	12 2.1	7 2.0	4 1.8	1 1.0	9 1.2	13 1.5	16 1.1	7
1949			4.9	8.6	6.9	5.9		1.6	28.2		-19.0		83 1.9	60 1.8	56 1.5	63 1.8	46 2.3	94 2.5	131 2.3	96 2.3	50 2.0	91 2.2	129 1.9	129 2.2	67

Hvam

φ = 60° 6′ N λ = 11° 24′ E g = ΔG = + 1h

I			- 1.7	0.0	- 1.1	- 1.1		- 4.4	4.8	30	-18.8	10	2 3.0	4 1.2	2 1.0	1 1.0	1 1.0	1 2.0	27 2.1	10 2.1	5 1.6	2 2.0	5 1.4	5 2.2	28
II			- 2.6	2.0	- 0.7	- 0.7		- 4.7	8.1	14	-17.9	11	5 2.6	6 1.0	3 1.0	1 1.0	0 -	9 1.7	16 2.3	17 2.9	6 3.5	1 4.0	6 1.8	5 1.2	9
III			- 4.4	2.6	0.0	- 1.4		- 7.3	12.4	25	-19.4	5	3 1.3	17 1.8	9 2.3	2 1.0	4 1.2	9 2.9	6 2.2	19 2.6	3 2.0	4 1.0	4 1.2	12 2.2	1
IV			4.1	8.7	6.2	5.2		0.6	15.5	18	- 4.8	7	3 3.3	5 1.8	2 1.0	1 1.0	2 2.5	10 1.7	18 3.0	16 2.6	9 2.2	6 3.0	4 3.0	11 2.8	3
V			9.9	14.6	13.1	10.6		4.5	22.8	18	- 5.8	1	7 1.4	10 1.8	5 1.2	5 1.6	8 2.0	5 1.8	14 2.5	17 2.5	6 2.2	4 2.2	7 2.3	3 1.3	2
VI			13.4	17.2	16.2	13.6		7.2	25.1	28	1.1	22	8 3.1	28 1.8	6 1.7	4 1.0	3 1.7	4 1.5	8 3.4	5 2.6	7 3.6	3 3.3	3 1.7	11 2.7	0
VII			15.9	20.4	20.0	16.5		9.3	28.2	10	3.4	15	4 1.5	29 1.8	12 1.4	5 1.4	3 1.0	6 2.2	2 1.0	13 1.5	4 2.0	0 -	6 1.7	9 1.8	0
VIII			12.8	17.7	15.6	13.7		7.6	21.9	25	- 2.6	18	2 1.0	16 1.2	3 1.3	1 1.0	5 1.2	5 1.4	9 1.7	21 2.3	11 1.9	4 1.5	4 2.0	8 1.6	4
IX			11.3	16.1	13.8	12.8		8.8	22.1	6	- 0.8	13	4 1.0	22 1.1	9 1.0	4 1.0	7 1.0	2 1.0	12 2.3	17 1.8	3 1.3	2 1.5	1 1.0	3 1.0	4
X			3.5	8.1	5.0	5.0		1.3	15.9	3	-12.5	28	7 1.6	10 1.4	4 1.0	0 -	1 1.0	2 1.5	15 1.4	30 1.8	9 1.9	3 2.3	6 2.0	6 1.0	0
XI			1.1	2.0	1.3	1.3		- 0.3	10.5	5	- 7.9	29	14 1.0	22 1.3	16 1.3	4 1.5	9 1.2	1 1.0	4 2.2	7 1.7	0 -	0 -	0 -	9 1.1	4
XII			- 4.0	- 2.5	- 3.3	- 3.5		- 6.6	5.0	1	-13.6	12	4 1.2	8 1.0	6 1.0	2 1.0	2 1.0	9 1.3	7 1.0	11 1.4	1 1.0	3 1.7	4 1.0	15 1.1	21
1949			4.9	8.9	7.2	6.0		1.3	28.2		-19.4		63 1.8	177 1.5	77 1.4	30 1.2	45 1.4	63 1.8	138 2.2	183 2.2	64 2.2	32 2.2	50 1.8	97 1.8	76

Tryvasshøgda

φ = 59° 59′ N λ = 10° 41′ E g = ΔG = + 1h

I			- 2.9	- 1.6	- 2.7	- 2.6		- 5.3	6.7	29	-12.9	22	2 4.0	3 4.3	0 -	1 3.0	1 5.0	9 3.6	7 2.9	24 2.7	21 2.5	6 3.7	3 3.0	13 3.3	3
II			- 2.2	1.1	- 1.3	- 1.0		- 3.7	7.1	4	- 7.7	7	2 1.5	3 2.3	0 -	0 -	0 -	3 3.0	9 2.4	17 2.8	14 2.2	14 2.9	1 6.0	15 2.7	6
III			- 3.5	0.4	- 1.9	- 2.2		- 5.2	11.0	24	-15.4	5	7 2.1	13 2.8	15 1.9	0 -	0 -	3 2.3	8 1.6	8 2.2	12 2.8	9 1.6	0 -	15 2.5	3
IV			2.2	5.8	3.5	3.1		0.3	13.4	18	- 4.8	1	5 3.4	3 3.0	4 2.0	3 1.7	0 -	11 1.8	16 2.3	16 2.8	14 2.8	6 3.3	2 2.0	8 4.0	2
V			8.6	11.9	9.8	9.0		5.4	19.1	18	- 0.5	9	1 3.0	2 2.5	9 1.9	7 2.0	3 2.3	23 2.7	21 2.2	9 2.3	7 3.0	1 4.0	1 2.0	8 2.4	1
VI			11.5	14.7	13.3	11.9		7.9	22.1	28	3.7	9	8 3.2	21 2.4	4 2.2	9 2.3	1 2.0	11 3.0	5 1.8	2 2.0	12 2.6	3 2.7	0 -	13 3.5	1
VII			13.2	17.6	16.8	15.0		11.4	24.9	10	5.7	14	7 3.0	21 2.8	6 3.0	7 2.1	3 1.3	16 1.9	9 2.7	9 2.2	3 2.3	2 1.5	0 -	9 2.7	1
VIII			10.6	15.0	13.2	12.2		9.1	18.7	26	2.2	18	2 2.5	5 2.6	2 3.0	1 3.0	2 3.5	16 2.2	11 2.1	26 2.2	10 2.0	3 1.7	0 -	13 2.9	2
IX			10.4	13.1	12.0	11.4		9.7	16.5	9	3.9	30	3 1.3	13 2.0	10 1.7	12 2.2	2 1.5	18 2.3	7 2.1	14 2.3	1 5.0	1 2.0	0 -	5 2.6	4
X			3.5	6.2	4.3	4.5		2.2	15.0	5	- 5.6	28	4 1.5	8 3.4	2 2.5	4 1.8	0 -	7 1.4	12 3.2	28 3.0	10 1.8	2 2.0	3 2.3	12 3.1	0
XI			- 0.6	- 0.1	- 0.4	- 0.5		- 1.9	7.3	5	-11.3	29	7 2.0	21 2.0	12 3.3	9 3.2	11 3.4	5 3.0	2 4.0	10 2.3	3 2.7	1 1.0	0 -	3 1.7	6
XII			- 2.8	- 2.1	- 3.0	- 2.8		- 5.3	2.7	26	-10.9	12	1 1.0	10 3.2	5 2.4	2 2.5	1 3.0	4 2.5	9 2.8	21 2.1	12 2.2	4 1.8	6 2.3	18 1.4	0
1949			4.0	6.8	5.3	4.8		2.0	24.9		-15.4		49 2.5	123 2.6	69 2.3	55 2.3	24 2.8	126 2.4	116 2.4	184 2.5	119 2.5	52 2.5	16 2.6	133 2.7	29

Oslo (Blindern)

φ = 59° 56′ N λ = 10° 44′ E g = 9.819 ΔG = + 1h

I	994.8	1006.8	- 1.0	1.0	- 0.4	- 0.3	2.6	- 3.7	7.9	30	-12.9	22	5 3.8	8 1.8	9 1.3	2 3.0	0 -	9 2.2	14 2.4	12 1.9	2 1.5	4 2.5	3 2.7	3 2.7	22
II	1001.6	13.6	- 1.2	2.3	1.0	0.4	3.7	- 2.8	10.6	17	-10.2	11	8 1.9	5 1.2	4 1.8	0 -	1 2.0	13 2.1	8 1.6	6 2.5	4 2.2	7 2.0	2 2.0	0 -	26
III	07.7	19.8	- 2.6	2.7	1.5	0.0	4.6	- 4.3	15.0	24	-13.2	2	19 2.5	16 2.1	1 1.0	3 1.3	2 1.5	12 2.5	11 1.8	1 1.0	3 2.3	2 2.5	0 -	4 3.0	19
IV	995.6	07.3	4.6	8.9	7.4	6.0	10.5	2.2	16.4	25	- 2.9	10	9 3.4	9 2.3	3 1.7	2 2.5	1 1.0	17 2.7	23 2.3	5 3.4	6 3.5	4 3.2	0 -	0 -	11
V	1001.0	12.5	10.2	14.9	13.7	11.4	16.7	6.7	22.9	20	- 1.6	1	12 2.1	9 2.0	4 2.5	5 1.8	1 2.0	26 2.6	18 2.1	2 2.5	1 2.0	4 2.2	1 3.0	0 -	10
VI	01.8	13.2	14.4	17.8	17.3	14.9	20.2	10.0	27.3	28	5.1	9	21 3.4	22 2.6	6 2.0	1 2.0	0 -	8 2.9	10 2.4	9 2.2	3 3.3	2 1.5	0 -	0 -	9
VII	02.1	13.4	17.2	21.5	21.1	18.3	23.9	13.1	28.8	23	9.4	15	19 2.6	20 2.5	2 2.0	5 2.2	0 -	17 2.4	13 1.9	2 2.5	0 -	1 4.0	0 -	0 -	14
VIII	01.8	13.2	14.2	18.4	17.0	15.1	20.1	10.4	23.7	5	4.9	17	9 3.2	8 1.9	3 2.0	2 2.0	2 2.5	13 1.8	24 2.4	10 2.1	3 1.7	4 2.8	0 -	1 3.0	14
IX	09.0	20.5	13.0	16.2	14.9	14.1	17.5	11.4	20.9	28	4.0	30	11 2.1	21 2.2	6 2.2	1 2.0	0 -	6 1.7	11 3.0	6 1.5	0 -	2 3.0	0 -	1 2.0	25
X	00.8	12.5	5.2	8.9	6.8	6.6	9.9	3.7	16.3	5	- 5.7	29	10 2.9	18 2.3	1 1.0	1 1.0	0 -	5 2.6	23 2.6	6 1.8	5 2.8	5 1.4	1 2.0	0 -	18
XI	00.1	12.0	2.2	3.0	2.5	2.4	4.0	0.9	11.7	5	- 7.7	29	14 2.7	25 2.4	12 2.3	7 2.3	0 -	2 3.5	8 2.8	0 -	0 -	1 1.0	0 -	1 1.0	20
XII	988.9	00.9	- 2.6	- 1.2	- 1.7	- 2.0	0.9	- 5.1	5.3	1	-12.5	7	19 2.3	7 1.7	1 2.0	1 2.0	1 2.0	2 2.0	5 2.2	5 1.8	1 1.0	2 2.0	1 1.0	0 -	48
1949	1000.4	1012.1	6.1	9.5	8.4	7.2	11.2	3.5	28.8		-13.2		156 2.7	168 2.2	52 1.9	30 2.1	8 1.9	130 2.4	168 2.3	64 2.1	28 2.6	38 2.3	8 2.2	10 2.6	335

Fornebu

φ = 59° 54′ N λ = 10° 38′ E g = 9.819 ΔG = + 1h

I	1003.7	1006.7	- 0.7	1.0	- 0.6	- 0.3	2.5	- 4.1	7.3	30	-14.1	22	10 1.2	10 1.7	8 1.9	3 1.3	1 5.0	1 5.0	3 3.7	11 3.8	11 3.3	9 2.7	4 3.0	6 3.2	16
II	10.5	13.5	- 1.3	1.9	1.2	0.3	3.7	- 3.1	10.9	14	-12.0	11	9 1.4	6 1.5	6 1.7	1 3.0	0 -	0 -	5 3.8	5 4.2	10 3.4	10 3.2	6 4.0	6 2.5	20
III	16.8	19.8	- 2.8	2.9	2.7	0.2	4.7	- 4.2	15.8	24	-15.2	5	7 2.0	12 2.3	15 2.4	2 3.0	2 3.5	7 2.6	2 3.5	10 3.3	4 2.8	1 2.0	3 1.7	7 2.3	21
IV	04.5	07.4	4.8	9.1	8.5	6.5	10.8	2.9	16.0	24	- 2.5	10	5 3.2	2 2.0	3 2.3	5 1.2	1 4.0	10 2.4	11 3.9	10 3.7	7 3.6	4 3.0	6 4.2	10 4.2	16
V	09.6	12.4	10.4	15.0	14.6	11.9	16.7	7.3	23.4	20	- 0.6	1	4 2.0	2 1.0	4 1.5	3 1.3	0 -	8 1.2	10 3.0	14 2.9	7 3.0	3 1.7	2 4.0	6 3.2	30
VI	10.3	13.1	14.7	18.3	18.5	15.7	20.5	10.8	26.6	28	7.8	23	8 4.2	6 3.2	17 2.9	3 3.3	4 3.0	7 2.3	10 3.3	4 3.5	7 3.4	2 3.0	3 4.0	6 3.8	13
VII	10.6	13.3	16.5	21.6	21.8	18.8	23.9	13.8	28.8	10	10.3	15	7 2.7	8 1.9	5 3.4	4 2.0	3 2.0	13 2.2	8 2.9	7 2.4	10 2.8	3 1.0	1 3.0	6 3.2	19
VIII	09.9	12.7	13.1	18.4	18.2	15.6	20.1	11.2	23.5	5	4.6	18	4 2.5	3 2.3	7 2.3	1 2.0	1 1.0	4 2.2	8 2.1	22 2.5	9 3.0	2 3.0	4 3.5	6 2.3	22
IX	17.6	20.4	12.4	16.6	16.1	14.5	17.9	11.4	20.9	9	6.2	13	3 1.0	6 2.2	17 2.1	4 1.2	2 1.0	2 2.0	5 3.8	7 3.4	1 1.0	0 -	2 3.5	2 2.5	39
X	09.5	12.4	5.6	9.4	8.0	7.4	10.5	4.4	17.2	5	- 4.5	29	5 2.6	7 2.0	6 2.7	1 1.0	0 -	3 1.7	12 3.1	11 3.0	4 4.5	2 4.5	2 2.5	6 3.7	34
XI	09.0	12.0	2.8	3.5	3.0	2.9	4.4	1.4	11.4	5	- 6.7	29	4 1.2	9 2.9	24 2.7	7 2.1	3 2.7	2 3.5	2 3.5	4 3.2	1 4.0	2 2.5	1 2.0	2 2.0	29
XII	997.8	00.8	- 2.4	- 1.4	- 1.7	- 2.0	0.9	- 5.2	5.7	26	-10.5	7	7 1.3	6 1.0	5 1.2	0 -	2 2.5	3 2.0	0 -	4 2.2	1 1.0	3 1.0	4 1.5	8 2.2	40
1949	1009.2	1012.1	6.2	9.7	9.2	7.6	11.4	3.9	28.8		-15.2		73 2.1	77 2.1	117 2.4	34 1.9	19 2.6	60 2.2	76 3.2	109 3.1	72 3.2	41 2.6	38 3.2	71 3.0	308

1949

Vinger

$H_s = 175$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 10$ $h_r = 1.6$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	82	77	82	81	4.9	5.1	4.8	36	10	9	23		6		14	10	0	1	0	0	5	13	3	1	0	0	0	0	9	2	14	4	12	13
II	84	74	78	80	4.4	3.9	3.8	19	8	9	23		6		9	6	0	0	0	0	5	6	1	1	0	0	0	0	16	3	19	8	9	7
III	85	65	67	74	4.5	4.5	4.1	9	4	15	26		8		12	3	0	0	0	0	2	12	2	0	0	0	0	0	12	0	25	4	7	24
IV	78	60	66	72	5.0	5.4	5.4	29	5	5	10		0		13	9	0	3	1	0	11	3	1	1	0	0	0	0	12	2	22	2	14	2
V	71	56	60	68	4.7	5.3	5.1	58	12	6	5		0		13	10	3	0	0	0	13	1	0	0	0	0	0	1	10	0	27	1	8	0
VI	68	54	56	65	4.2	4.4	4.9	42	19	5	0		0		8	6	2	2	0	0	8	0	0	2	0	1	0	0	5	1	25	0	7	0
VII	73	58	58	67	4.7	4.2	3.9	78	40	20	0		0		12	8	2	0	0	0	12	0	0	0	0	0	0	3	4	0	28	5	6	0
VIII	82	59	69	76	5.3	5.4	4.9	74	25	31	2		0		12	9	3	0	0	0	12	0	0	2	0	0	0	4	11	5	26	2	9	0
IX	90	73	86	86	6.2	5.3	4.8	40	10	17	1		0		16	9	0	0	0	0	16	0	0	2	0	0	0	1	18	4	20	1	10	0
X	89	76	86	85	5.7	5.8	5.0	98	23	27	12		2		16	13	5	3	0	0	15	3	1	1	0	0	0	0	15	7	19	4	13	6
XI	90	96	89	89	7.7	7.2	7.3	45	8	22	17		0		20	9	0	0	0	0	16	8	3	3	0	0	0	0	11	3	5	1	26	4
XII	93	91	92	92	5.9	5.5	5.7	61	11	26	30		12		15	13	1	0	0	0	6	12	3	0	0	0	0	0	17	9	14	5	18	28
1949	82	69	74	78	5.3	5.2	5.0	589	40		149		34		160	105	16	9	1	0	121	58	14	13	0	1	0	9	140	36	244	37	139	84

Hvam

$H_s = 162$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 10$ $h_r = 1.6$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	80	75	73	78	5.4	5.0	4.5	50	9	8	24		4		14	12	0	1	0	0	8	13	6	2	0	0	0	0	5	10	17	3	9	12
II	82	71	74	76	4.0	4.0	3.8	27	10	9	22		5		9	5	0	11	0	0	6	3	1	2	0	0	0	0	2	11	19	7	6	7
III	83	57	62	70	4.1	3.6	3.2	12	5	14	29		8		11	2	0	4	1	1	2	11	2	0	0	0	0	0	1	2	28	8	5	21
IV	76	56	66	71	4.7	4.8	5.2	46	8	22	12		0		17	10	0	8	1	0	15	4	2	1	0	1	0	0	9	2	25	2	8	0
V	72	54	60	70	4.8	5.1	5.2	80	13	30	9		0		18	14	4	1	0	0	18	0	0	3	0	0	0	3	4	0	30	2	11	0
VI	65	52	54	63	3.6	4.2	4.8	45	13	3	0		0		9	7	2	2	0	0	9	0	0	1	0	0	0	1	1	3	28	2	5	0
VII	69	52	52	62	4.2	3.9	4.0	69	29	1	0		0		13	7	2	0	0	0	13	0	0	0	0	0	0	0	1	1	29	3	5	0
VIII	80	56	66	73	4.6	4.7	4.5	99	35	2	2		0		17	9	4	1	0	0	17	0	0	0	0	1	0	2	2	10	28	3	8	0
IX	91	71	79	83	5.9	5.4	4.7	48	9	16	1		0		19	11	0	1	0	0	19	0	0	1	0	0	0	0	17	8	21	1	13	0
X	87	74	81	82	5.8	5.1	5.3	104	27	27	12		3		17	13	2	2	0	0	16	3	2	0	0	1	0	0	10	7	18	4	9	6
XI	88	84	86	87	7.0	7.1	7.4	47	11	22	16		0		20	12	1	0	0	0	17	10	4	2	0	1	0	0	10	3	7	1	24	4
XII	90	89	89	89	5.9	6.0	5.8	79	16	26	30		4		21	14	1	0	0	0	16	15	3	1	0	0	0	0	10	12	14	4	19	23
1949	80	66	71	75	5.0	4.9	4.9	706	35		157		24		184	116	16	31	2	1	156	59	20	13	0	4	0	6	72	69	264	40	122	73

Tryvasshøgda

$H_s = 512$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 20.3$ $h_r = 2.0$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	90	76	82	80	4.9	4.8	5.3	64	12	1	30		3		18	8	2	4	0	0	1	14	1	1	0	0	0	0	1	20	17	3	11	31
II	73	69	75	75	4.6	4.1	3.4	35	11	9	25		0		10	6	1	5	0	0	4	8	2	1	0	0	0	0	0	16	20	4	5	28
III	77	64	68	71	4.7	4.2	2.5	19	9	13	29		3		8	4	0	1	0	0	0	8	0	0	1	0	0	0	6	5	23	9	6	31
IV	79	63	71	75	4.9	5.8	5.2	56	14	22	11		0		15	10	2	5	0	0	12	6	2	4	0	0	0	0	2	18	20	2	12	14
V	73	63	68	73	4.6	5.4	4.7	102	15	30	1		0		17	16	4	0	0	0	17	0	0	0	0	0	0	2	5	12	24	4	12	0
VI	68	53	61	67	3.8	4.6	5.0	87	33	5	0		0		13	10	3	2	0	0	13	0	0	3	0	0	0	3	0	7	25	4	7	0
VII	72	55	59	65	4.2	3.9	3.9	82	23	8	0		0		14	10	4	0	0	0	14	0	0	0	0	0	0	4	2	3	27	4	5	0
VIII	83	62	73	76	4.6	5.0	4.8	104	27	1	0		0		14	11	4	2	0	0	14	0	0	0	0	0	0	0	1	9	27	3	8	0
IX	91	79	86	87	5.6	5.5	4.7	112	29	4	0		0		16	10	6	0	0	0	16	0	0	11	0	0	0	0	0	19	18	3	11	0
X	86	77	84	83	5.5	5.2	4.4	125	34	13	9		0		18	13	5	4	0	0	16	5	1	10	0	0	0	1	1	13	18	4	12	8
XI	91	89	90	90	6.8	7.1	7.0	132	26	24	23		1		16	14	4	0	0	0	12	12	4	5	0	1	0	0	1	20	4	1	23	16
XII	94	93	85	84	4.4	4.5	4.7	85	19	16	31		1		16	14	2	0	0	0	8	15	4	5	0	0	0	0	0	19	19	7	10	31
1949	80	70	75	77	4.9	5.0	4.6	1003	34		159		8		175	126	37	23	0	0	127	68	14	40	1	1	0	10	19	161	242	48	122	159

Oslo (Blindern)

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ / $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	80	74	79	78	5.2	5.4	5.5	67	13	18	23	6	3	0	16	11	3	1	0	0	7	12	3	1	0	0	0	0	14	9	19	3	13	26
II	83	73	72	76	5.8	5.3	4.3	39	14	9	20	4	1	0	10	6	2	1	0	0	8	5	2	3	0	0	0	0	11	9	20	3	6	20
III	78	60	58	67	5.5	4.5	3.8	16	8	13	26	8	2	0	8	4	0	0	0	0	2	8	2	1	0	0	0	0	19	2	27	5	9	22
IV	77	57	61	69	5.6	6.0	5.6	41	13	4	7	0	0	0	17	8	1	2	0	0	17	3	3	4	1	0	0	0	12	7	25	2	13	0
V	74	56	58	68	5.5	5.8	5.5	87	15	30	2	0	0	0	18	15	4	0	0	0	18	0	0	0	0	1	0	4	11	1	27	1	14	0
VI	62	52	53	60	4.1	5.0	5.4	60	20	5	0	0	0	1	11	7	2	2	0	0	11	0	0	1	0	0	0	5	3	1	27	1	8	0
VII	65	49	51	60	4.9	5.2	1.9	54	17	8	0	0	0	10	13	9	3	2	0	0	13	0	0	1	0	0	0	5	2	0	29	0	9	0
VIII	75	54	61	63	5.5	5.3	5.1	68	14	1	0	0	0	0	15	8	4	0	0	0	15	0	0	1	0	0	0	2	6	3	30	1	9	0
IX	89	74	80	83	6.2	6.1	5.9	68	17	4	0	0	0	0	18	9	3	0	0	0	18	0	0	1	0	0	0	0	14	6	22	1	16	0
X	88	71	80	81	6.3	6.0	4.5	123	27	18	6	0	0	0	17	14	5	5	0	0	17	2	2	2	0	0	0	1	10	5	23	3	14	0
XI	87	85	87	87	7.3	7.6	6.9	79	22	24	11	2	0	0	18	12	3	1	0	0	16	7	3	7	0	0	0	0	17	2	8	0	25	1
XII	92	90	90	91	5.7	5.6	6.0	85	17	13	29	12	3	0	19	15	4	1	0	0	14	15	7	6	0	2	0	0	13	15	19	3	16	28
1949	79	66	69	74	5.6	5.6	5.3	787	27		124	32	9	11	180	118	34	15	0	0	156	52	22	28	1	3	0	17	132	60	276	23	151	97

Fornebu

$H_s = 18$ $H_b = 23.4$ $h_t = 1.9$ $h_a = 10$ $h_d = 10.3$ $h_r = 1.8$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	82	79	81	81	4.4	5.1	5.2	60	12	2	27	7	3	0	11	9	2	8	3	1	7	9	2	3	0	0	0	0	8	7	8	2	9	22
II	84	78	75	79	4.4	5.0	4.4	41	13	27	20	5	1	0	9	5	3	11	2	0	6	4	1	2	0	0	0	0	7	8	15	4	7	14
III	81	66	62	71	5.1	4.3	3.1	10	4	13	27	4	3	0	5	3	0	4	0	0	3	5	2	1	0	0	0	0	6	1	22	6	6	16
IV	80	63	62	71	5.4	5.7	5.7	34	9	4	6	0	0	0	14	6	0	10	1	0	14	3	3	6	0	1	0	0	11	2	18	1	14	0
V	75	62	60	69	5.1	5.2	5.0	84	18	17	1	0	0	0	17	13	4	2	0	0	17	0	0	5	0	0	0	4	10	1	27	1	10	0
VI	66	55	53	61	4.2	4.5	4.6	66	20	3	0	0	0	2	9	6	4	3	0	0	9	0	0	3	0	0	0	4	4	0	25	2	5	0
VII	71	54	54	62	4.5	4.1	4.1	39	12	1	0	0	0	11	10	7	2	1	0	0	10	0	0	5	0	0	0	3	0	0	29	1	4	0
VIII	82	60	62	71	5.1	4.7	5.0	77	17	1	0	0	0	0	12	7	5	2	0	0	12	0	0	1	0	1	0	1	6	0	31	3	6	0
IX	90	77	77	82	5.8	5.9	5.3	90	24	17	0	0	0	0	15	9	4	0	0	0	15	0	0	7	0	0	0	0	13	2	22	1	12	0
X	89	75	78	82	5.5	5.3	4.7	92	20	18	4	0	0	0	16	12	5	5	1	0	16	2	2	6	0	1	0	1	10	2	21	2	9	0
XI	88	86	87	87	7.1	7.2	7.0	71	15	22	8	2	0	0	14	13	2	1	0	0	14	3	1	13	0	1	0	0	16	2	7	1	24	2
XII	92	91	90	91	5.2	5.4	5.8	74	14	16	29	12	3	0	16	13	2	1	0	0	12	12	7	6	0	0	0	0	9	19	16	5	15	23
1949	82	70	70	76	5.2	5.2	5.0	738	24		122	30	10	13	148	103	33	48	7	1	135	38	18	58	0	4	0	13	100	44	241	29	121	77

1949

Asker

φ = 59° 51′ N λ = 10° 26′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.5	0.2	- 1.2	- 1.1	2.5	- 5.1	7.2	30	-16.3	22	18 1.9	0 -	1 1.0	10 1.2	0 -	1 1.0	3 2.3	0 -	5 1.6	2 1.0	5 1.4	11 2.4	37
II			- 1.9	1.7	- 0.2	- 0.4	3.3	- 3.8	11.3	17	-11.5	7	14 1.6	0 -	3 1.0	3 1.0	3 1.0	0 -	5 1.4	0 -	4 1.8	6 1.3	0 -	15 2.8	31
III			- 2.9	2.1	- 0.6	- 1.2	3.6	- 5.8	14.1	24	-18.7	5	31 2.1	1 1.0	3 1.5	9 1.8	2 1.0	0 -	1 1.0	0 -	3 3.0	4 2.0	1 1.0	8 1.5	30
IV			4.4	8.0	6.2	5.2	9.5	1.6	15.9	24	- 4.7	2	13 2.3	0 -	3 1.0	11 1.2	1 1.0	0 -	11 2.7	3 1.3	1 3.0	6 3.2	0 -	27 2.7	14
V			10.0	14.2	12.6	10.8	16.0	6.3	21.8	18	- 1.5	1	12 2.1	0 -	0 -	23 1.2	9 1.1	0 -	4 1.2	1 1.0	2 2.5	12 1.7	0 -	14 2.0	16
VI			14.2	17.5	16.8	14.5	20.0	9.3	28.0	29	6.1	22	25 3.3	1 3.0	1 3.0	14 1.4	1 1.0	0 -	6 3.0	1 2.0	4 2.8	2 2.5	4 2.8	16 3.2	17
VII			17.0	21.1	20.7	18.2	23.7	13.6	29.0	23	9.7	15	11 2.6	0 -	0 -	38 1.9	3 1.0	0 -	6 1.3	4 1.0	0 -	12 1.9	11 2.6	1 4.0	7
VIII			13.8	17.6	16.2	14.7	19.3	10.7	22.4	22	5.5	20	18 1.9	3 1.0	0 -	14 1.4	2 1.5	0 -	8 1.5	7 1.7	0 -	11 2.4	1 3.0	7 1.7	22
IX			12.4	15.3	14.0	13.3	16.7	10.8	20.0	9	5.4	13	26 1.1	1 2.0	0 -	20 1.2	0 -	0 -	2 2.0	0 -	2 3.0	4 1.5	0 -	6 1.8	29
X			5.3	8.4	6.4	6.4	9.5	3.7	17.7	5	- 4.5	30	22 1.7	0 -	1 1.0	13 1.2	0 -	0 -	8 2.1	0 -	6 2.2	1 2.0	1 2.0	14 3.3	27
XI			1.7	2.1	1.7	1.7	3.2	0.5	10.4	5	- 7.2	29	41 2.2	0 -	0 -	16 1.9	1 2.0	1 2.0	5 2.4	2 3.0	1 2.0	12 1.8	0 -	0 -	11
XII			- 3.1	- 1.7	- 2.4	- 2.6	0.6	- 5.6	5.1	26	-11.4	23	46 1.8	3 1.3	2 1.5	12 1.8	0 -	1 1.0	2 1.0	3 1.3	0 -	1 2.0	3 1.7	5 1.2	13
1949			5.8	8.9	7.5	6.6	10.7	3.0	29.0		-18.7		277 2.0	9 1.4	14 1.3	183 1.5	22 1.1	3 1.3	61 2.0	21 1.6	28 2.3	73 2.0	26 2.2	124 2.5	254

Modum

φ = 59° 58′ N λ = 9° 58′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.3	0.3	- 0.8	- 0.9		- 4.4	6.2	30	-13.6	22	3 2.3	2 1.0	0 -	0 -	0 -	2 2.0	24 2.3	31 3.5	1 1.0	11 2.6	3 1.0	13 2.9	3
II			- 2.2	1.7	0.0	- 0.7		- 4.4	11.2	17	-12.7	11	4 1.8	0 -	0 -	0 -	0 -	0 -	0 -	4 2.5	30 3.6	9 3.1	16 1.6	17 1.8	4
III			- 3.5	2.9	0.5	- 1.0		- 6.0	15.0	24	-15.6	2	3 1.3	28 2.2	0 -	0 -	0 -	2 1.5	4 4.2	30 2.3	1 1.0	1 1.0	0 -	19 1.9	5
IV			4.6	9.5	6.6	5.5		1.2	15.0	24	- 4.0	7	0 -	18 2.6	0 -	0 -	0 -	4 2.0	3 3.0	36 3.1	10 2.1	3 4.3	7 1.6	8 5.0	1
V			9.4	14.8	12.8	10.4		5.1	20.6	4	- 3.5	1	1 2.0	25 2.1	0 -	0 -	1 1.0	9 2.1	3 3.3	28 2.5	11 2.2	4 3.2	0 -	6 2.0	5
VI			13.7	17.8	16.8	14.3		9.0	26.6	28	4.0	22	10 5.2	20 2.0	8 2.6	0 -	4 2.0	6 1.5	1 3.0	20 2.0	0 -	8 2.5	3 3.0	8 2.1	2
VII			16.8	21.6	20.4	17.5		11.5	30.2	10	5.8	15	4 2.0	19 2.8	27 2.6	0 -	3 2.0	10 2.2	7 2.9	17 2.2	1 4.0	0 -	2 2.0	2 2.5	1
VIII			13.2	18.8	16.4	14.3		8.8	22.6	22	1.0	19	4 2.0	16 2.4	8 1.4	4 1.5	3 1.7	16 1.9	7 1.7	25 2.6	1 1.0	1 1.0	0 -	6 2.2	2
IX			12.0	16.5	14.8	13.5		10.1	21.6	9	2.2	13	9 1.8	27 1.9	4 1.2	1 2.0	3 1.3	9 1.6	11 2.2	14 2.9	2 1.0	1 1.0	1 2.0	7 1.6	1
X			4.5	8.7	6.1	5.9		2.6	18.2	5	- 7.0	30	8 2.2	16 1.8	1 1.0	2 1.0	2 2.0	3 2.0	10 3.3	27 2.4	5 2.0	7 2.9	4 2.2	7 1.0	1
XI			1.3	2.1	1.4	1.4		- 0.5	9.4	5	-10.2	29	19 1.7	17 2.2	3 2.7	2 1.0	2 1.5	2 2.0	8 1.9	10 3.3	2 1.5	2 1.0	2 2.5	21 1.6	0
XII			- 5.5	- 4.0	- 4.5	- 4.9		- 8.0	5.0	1	-16.4	12	7 1.7	6 2.0	3 1.7	0 -	1 2.0	0 -	3 2.7	16 1.9	2 2.0	1 1.0	3 1.0	50 1.2	1
1949			5.2	9.2	7.5	6.3		2.1	30.2		-16.4		72 2.3	194 2.2	54 2.3	9 1.3	19 1.7	63 1.9	81 2.6	258 2.6	66 2.7	48 2.7	41 1.7	164 1.8	26

Nesbyen II

φ = 60° 34′ N λ = 9° 8′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.2	- 3.8	- 4.9	- 5.1		-10.0	9.0	28	-19.6	4	6 2.5	1 1.0	0 -	2 1.0	5 1.8	4 1.8	0 -	1 1.0	0 -	2 2.0	10 1.7	8 1.8	54
II			- 4.6	0.4	- 2.1	- 2.7		- 7.2	12.0	16	-14.7	26	2 2.0	0 -	0 -	0 -	1 2.0	5 1.4	0 -	0 -	0 -	0 -	10 2.6	9 2.1	57
III			- 6.4	2.4	0.0	- 2.6		- 7.9	13.2	24	-18.7	6	6 2.5	1 2.0	0 -	1 1.0	0 -	3 2.0	5 1.2	0 -	1 4.0	4 3.2	2 1.0	2 2.5	68
IV			3.1	9.2	7.6	5.0		0.2	15.0	18	- 5.8	1	1 3.0	0 -	0 -	1 2.0	1 2.0	8 2.4	12 1.8	1 1.0	0 -	5 2.2	11 2.0	15 2.4	35
V			8.5	14.2	12.9	9.8		4.3	21.4	4	- 4.2	1	3 1.3	0 -	0 -	1 1.0	1 2.0	18 1.3	4 1.0	1 1.0	0 -	8 1.5	11 1.2	9 1.3	37
VI			12.9	18.9	17.9	14.1		7.3	26.8	28	2.2	10	2 2.5	0 -	0 -	4 1.2	2 1.5	11 1.5	10 1.6	0 -	0 -	9 2.1	13 1.9	10 2.8	29
VII			13.6	22.5	21.4	17.3		10.2	30.2	9	5.1	15	5 1.2	0 -	0 -	3 1.3	1 1.0	12 1.1	5 2.0	3 1.0	3 1.3	6 1.2	4 1.5	9 1.8	42
VIII			9.1	18.3	16.4	13.1		7.1	22.6	26	- 1.9	19	0 -	1 1.0	0 -	1 1.0	3 1.3	8 1.2	6 1.2	1 1.0	0 -	1 2.0	3 2.0	20 1.6	49
IX			8.8	15.7	14.3	12.0		7.8	20.2	9	1.1	13	0 -	0 -	0 -	0 -	3 2.0	4 1.0	2 1.0	1 1.0	3 1.7	2 1.0	0 -	3 1.0	72
X			1.9	7.1	5.0	4.2		0.6	16.8	13	-11.5	29	3 2.7	0 -	0 -	0 -	1 2.0	6 1.8	2 2.0	0 -	0 -	2 4.0	1 7.0	3 3.0	75
XI			- 1.5	- 0.2	- 0.8	- 1.0		- 2.6	11.2	5	-13.6	16	0 -	1 1.0	0 -	1 2.0	2 1.5	4 4.2	1 3.0	1 3.0	1 1.0	0 -	5 1.6	2 1.0	72
XII			-10.8	- 9.6	-10.3	-10.5		-14.4	1.8	3	-23.6	23	1 1.0	0 -	0 -	0 -	0 -	3 1.0	2 1.0	0 -	0 -	0 -	2 1.0	0 -	85
1949			2.4	7.9	6.4	4.5		- 0.4	30.2		-23.6		29 2.1	4 1.2	0 -	14 1.3	20 1.7	86 1.6	49 1.6	9 1.2	8 1.8	39 2.0	72 1.9	90 2.0	675

Geilo

φ = 60° 32′ N λ = 8° 13′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.8	- 2.2	- 3.1	- 3.4		- 7.4	4.9	27	-17.4	22	0 -	1 2.0	0 -	4 3.2	0 -	3 3.3	1 1.0	0 -	8 4.2	59 4.0	0 -	3 4.3	14
II			- 3.1	- 0.4	- 2.4	- 2.4		- 5.5	7.4	4	-12.8	28	0 -	0 -	0 -	2 1.5	0 -	1 3.0	1 1.0	0 -	2 2.0	49 3.5	0 -	13 4.0	16
III			- 6.4	- 2.0	- 4.6	- 5.3		- 9.6	5.4	24	-23.5	6	2 4.5	0 -	0 -	8 2.2	2 2.5	5 1.8	2 3.0	0 -	8 3.9	40 3.1	0 -	8 3.0	18
IV			0.8	3.5	1.9	1.1		- 1.8	9.7	16	-12.2	1	0 -	0 -	0 -	3 2.7	0 -	2 3.0	0 -	0 -	14 2.7	52 3.1	1 2.0	3 4.7	15
V			5.4	8.4	7.3	5.6		2.0	14.4	22	- 4.8	1	1 5.0	0 -	1 3.0	4 2.0	0 -	6 2.3	3 2.7	0 -	8 2.8	46 3.4	0 -	1 3.0	23
VI			9.8	13.2	11.7	9.7		5.0	21.3	28	1.3	10	0 -	0 -	0 -	15 2.7	0 -	8 2.4	0 -	0 -	9 2.1	33 2.8	0 -	9 3.8	16
VII			11.2	17.5	16.0	13.1		7.3	23.8	9	1.0	31	1 3.0	0 -	0 -	0 -	0 -	7 2.0	4 3.2	0 -	8 1.8	31 2.5	0 -	5 3.4	37
VIII			7.7	13.6	11.2	9.6		5.8	23.2	25	- 1.6	19	0 -	0 -	1 4.0	5 2.4	0 -	4 2.2	1 3.0	1 1.0	9 2.0	39 2.9	0 -	1 3.0	32
IX			7.5	12.6	11.2	9.8		6.7	18.0	1	1.2	14	0 -	0 -	3 2.7	14 2.3	0 -	0 -	0 -	6 3.3	6 4.3	11 3.8	2 1.0	2 2.0	46
X			1.5	4.9	3.4	3.0		0.4	12.8	13	-10.0	29	2 1.0	1 1.0	3 1.3	5 1.6	0 -	2 1.0	2 1.0	4 1.5	6 1.7	23 2.6	4 3.0	4 2.0	37
XI			- 3.2	- 1.4	- 2.4	- 2.5		- 4.7	6.0	5	-15.6	13	0 -	0 -	5 1.2	17 1.4	0 -	14 1.1	6 1.0	1 1.0	6 1.2	12 1.2	0 -	1 1.0	28
XII			- 6.3	- 4.8	- 5.2	- 5.6		- 9.3	3.0	24	-19.0	12	0 -	1 1.0	3 1.0	6 1.2	0 -	9 1.0	2 1.0	1 1.0	9 1.4	33 1.4	0 -	19 1.5	10
1949			1.8	5.2	3.8	2.7		- 0.9	23.8		-23.5		6 3.2	3 1.3	16 1.8	83 2.1	2 2.5	61 1.8	22 1.9	13 2.2	93 2.5	428 3.0	7 2.3	69 2.9	292

Haugastøl

φ = 60° 31′ N λ = 7° 52′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.9	- 3.8	- 4.8	- 4.8		- 9.4	3.0	27	-20.5	4	2 3.0	0 -	0 -	6 2.7	4 4.2	0 -	2 3.0	0 -	3 1.7	50 4.1	4 3.5	6 4.5	16
II			- 4.6	- 2.7	- 4.1	- 4.2		- 7.7	3.8	16	-17.5	10	1 3.0	0 -	0 -	0 -	0 -	2 2.0	0 -	0 -	5 3.6	34 4.3	3 5.7	7 4.0	32
III			- 9.2	- 4.1	- 7.2	- 7.9		-12.7	3.8	24	-29.9	6	3 4.0	0 -	0 -	0 -	2 3.0	15 2.0	4 3.0	0 -	0 -	24 4.0	0 -	11 4.6	34
IV			- 2.1	1.0	- 0.3	- 1.4		- 4.4	8.0	16	-15.2	1	3 3.0	0 -	1 3.0	0 -	2 2.0	2 1.0	1 4.0	1 3.0	10 3.2	33 3.4	0 -	6 4.2	31
V			2.1	5.0	4.1	2.5		- 0.8	12.1	19	- 9.0	1	2 2.5	0 -	0 -	1 1.0	2 1.0	0 -	1 1.0	0 -	3 2.0	45 3.4	2 5.0	3 3.3	34
VI			7.5	10.9	9.4	7.8		3.4	18.0	28	0.3	15	1 4.0	1 2.0	0 -	10 2.9	7 3.4	2 2.5	5 2.6	0 -	4 3.8	44 2.9	0 -	2 3.0	14
VII			9.8	14.0	13.5	11.3		6.8	20.0	9	1.6	31	0 -	0 -	0 -	1 4.0	3 2.7	13 2.0	4 1.0	2 1.5	1 2.0	39 1.6	14 2.5	6 2.5	10
VIII			7.0	10.9	9.7	8.4		5.0	19.0	25	- 1.5	19	1 2.0	1 2.0	1 2.0	5 1.2	5 1.6	3 2.3	1 2.0	2 1.0	3 1.0	24 2.1	21 2.4	6 1.0	20
IX			8.0	10.8	10.0	9.0		6.2	16.4	5	1.1	30	1 1.0	0 -	3 1.7	14 1.6	7 1.4	4 1.8	4 1.0	1 1.0	3 2.7	9 1.6	8 2.4	5 2.6	31
X			1.8	3.5	2.5	2.3		- 0.1	10.0	13	- 9.3	29	1 1.0	2 1.0	1 2.0	8 2.2	5 2.2	2 4.5	3 1.3	4 1.5	6 1.5	12 1.9	21 3.3	7 2.1	21
XI			- 4.1	- 2.2	- 3.1	- 3.3		- 6.1	3.9	5	-18.8	29	0 -	0 -	1 4.0	30 2.4	11 2.6	0 -	2 5.0	2 1.0	1 1.0	6 1.7	1 1.0	0 -	36
XII			- 6.9	- 5.7	- 6.1	- 6.4		-10.9	0.0	24	-24.1	12	0 -	0 -	0 -	6 2.0	3 3.0	2 1.5	3 1.7	3 4.0	2 1.0	4 2.8	23 3.7	6 2.7	41
1949			0.4	3.1	2.0	1.1		- 2.6	20.0		-29.9		15 2.9	4 1.5	7 2.3	81 2.2	51 2.5	45 2.1	30 2.2	15 1.9	41 2.5	324 3.1	97 3.1	65 3.3	320

1949

Asker

H_s = 157 H_b = h_t = 1.9 h_a = h_d = h_r = 2.0

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.4	4.8	4.2	74	16	2	31	6	5	0	13	9	3	1	0	0	3	10	1	1	1	1	0	0	1	3	20	5	7	31
II					4.2	4.3	3.1	26	10	9	21	7	3	0	7	3	1	1	0	0	4	4	1	1	0	0	0	0	2	5	24	7	3	25
III					4.4	3.5	2.9	13	4	13	29	9	4	0	7	4	0	0	0	0	1	6	1	1	0	0	0	0	4	1	21	11	7	28
IV					4.9	5.2	4.7	28	9	4	7	0	0	0	11	6	0	2	0	0	11	1	1	7	0	0	1	0	5	5	22	3	12	0
V					4.8	5.0	4.7	96	18	17	1	0	0	0	16	14	3	0	0	0	16	0	0	11	0	0	1	2	4	4	26	2	10	0
VI					3.5	3.9	4.5	78	27	5	0	0	0	3	11	10	3	0	0	0	11	0	0	2	0	0	0	2	4	2	26	6	7	0
VII					4.0	4.0	3.8	37	13	31	0	0	0	10	9	7	1	0	0	0	9	0	0	2	0	1	0	3	5	1	28	6	6	0
VIII					4.5	4.7	4.5	105	31	1	0	0	0	0	10	7	5	0	0	0	10	0	0	1	0	0	0	2	2	2	28	5	6	0
IX					5.5	6.2	5.1	121	34	4	0	0	0	0	16	14	4	0	0	0	16	0	0	3	0	0	0	0	7	5	15	3	15	0
X					5.3	5.0	4.3	97	22	18	5	0	0	0	14	12	4	3	1	0	14	3	3	3	0	0	0	1	3	4	22	4	9	6
XI					6.7	7.3	7.5	186	36	18	13	2	0	0	15	14	7	0	0	0	12	4	1	7	0	2	0	0	9	11	4	1	24	9
XII					4.5	4.7	4.9	79	19	16	31	12	4	0	17	13	1	0	0	0	8	16	4	1	0	0	0	0	7	14	18	8	11	31
1949					4.7	4.9	4.5	940	36		138	36	16	13	146	113	32	7	1	0	115	44	12	40	1	4	2	10	53	57	254	61	117	130

Modum

H_s = 135 H_b = h_t = 1.8 h_a = h_d = 7.4 h_r = 1.7

Måned	Um 7	13	19	Dies	Nm 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	76	81	81	3.4	4.6	3.7	38	12	8	26		4		11	9	1	8	3	1	3	9	1	1	0	0	1	0	2	6	22	10	6	18
II	86	73	76	79	4.1	3.9	2.4	13	5	9	22		3		7	4	0	6	1	0	3	4	0	1	0	0	0	0	3	6	22	13	5	8
III	87	62	68	75	4.8	3.4	2.3	13	4	13	29		7		8	5	0	5	0	0	2	7	1	0	0	0	0	0	5	0	25	8	7	17
IV	78	54	65	72	4.7	5.6	5.1	18	5	19	10		0		7	6	0	12	1	0	6	1	0	0	0	0	0	0	5	4	24	4	14	0
V	79	58	63	74	4.5	5.4	4.8	78	20	26	5		0		16	14	2	0	0	0	16	0	0	0	0	0	0	5	9	6	27	3	11	0
VI	69	51	56	67	3.8	4.1	4.9	50	19	3	0		0		10	9	2	2	0	0	10	0	0	0	0	0	0	0	3	3	26	4	5	0
VII	70	51	54	64	3.7	4.2	3.8	31	10	14	0		0		10	8	1	2	0	0	10	0	0	0	0	0	0	3	3	0	30	5	4	0
VIII	80	55	65	72	4.5	4.6	5.0	67	10	12	0		0		11	10	1	1	0	0	11	0	0	0	0	0	0	2	3	4	29	4	7	0
IX	93	74	81	85	5.8	5.5	4.8	75	18	18	0		0		18	12	2	2	0	0	18	0	0	0	0	0	0	2	13	7	21	1	12	0
X	88	74	83	84	5.5	5.4	3.8	97	18	26	10		0		16	12	3	5	2	1	16	0	0	0	0	0	0	1	4	7	25	3	8	2
XI	91	89	90	90	7.2	7.3	7.6	84	16	17	14		1		15	13	3	2	0	0	12	4	1	0	0	0	0	0	20	3	4	1	25	5
XII	93	93	91	92	6.0	5.2	5.9	46	8	8	31		15		15	10	0	0	0	0	5	14	2	0	0	0	0	0	10	13	12	3	15	24
1949	93	68	73	78	4.8	5.0	4.6	610	20		147		30		144	112	15	45	7	2	112	39	5	2	0	0	1	13	80	59	267	59	119	74

Nesbyen II

H_s = 165 H_b = h_t = 2.1 h_a = h_d = h_r = 1.7

Måned	Um 7	13	19	Dies	Nm 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	81	85	83	4.2	5.3	4.7	25	10	8	30		16		14	6	0	2	0	0	4	12	2	0	0	0	0	0	3	2	15	3	11	31
II	86	71	75	79	4.6	4.1	3.2	3	1	24	26		12		7	0	0	2	0	0	1	7	1	0	0	0	0	0	1	1	22	4	4	24
III	86	58	61	72	4.5	3.9	3.9	4	1	8	27		10		9	2	0	3	0	0	1	8	0	0	0	0	0	0	7	0	27	8	9	21
IV	73	51	56	67	5.2	5.5	5.9	6	2	22	12		0		8	2	0	1	0	0	8	1	0	0	0	0	0	0	0	3	26	2	12	0
V	75	55	61	71	5.4	6.0	5.6	77	19	17	4		0		16	11	2	0	0	0	16	0	0	1	0	0	0	1	1	3	24	2	15	0
VI	70	46	48	64	4.8	4.8	5.3	46	14	5	0		0		15	11	2	0	0	0	15	0	0	0	0	0	1	1	1	0	25	1	7	0
VII	80	43	49	64	4.1	5.2	4.5	36	14	19	0		0		10	7	1	0	0	0	10	0	0	0	0	1	0	4	0	0	30	2	6	0
VIII	90	54	60	74	5.6	5.5	5.4	54	15	4	3		0		15	8	1	0	0	0	15	0	0	0	0	1	0	0	3	0	26	1	12	0
IX	93	73	77	83	6.1	5.8	6.1	70	28	17	0		0		19	10	1	1	0	0	17	0	0	1	0	0	0	0	5	4	18	2	17	0
X	90	75	83	94	6.5	5.7	4.9	36	8	19	15		1		15	11	0	1	0	0	14	3	1	1	0	0	0	0	2	4	24	2	15	6
XI	91	89	90	90	7.1	6.7	7.0	46	7	18	17		4		16	12	0	0	0	0	13	8	5	6	0	0	0	0	10	10	5	1	21	19
XII	91	90	90	90	3.7	5.6	4.6	31	9	9	31		24		17	6	0	0	0	0	1	17	0	0	0	0	0	0	5	0	14	2	4	31
1949	84	66	70	77	5.2	5.3	5.1	434	28		165		67		161	86	7	10	0	0	115	56	9	9	0	2	1	6	38	27	256	30	133	132

Geilo

H_s = 795 h_t = 1.9 h_r = 2.6
H_s = 794 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

Måned	Um 7	13	19	Dies	Nm 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.4	5.4	5.4	77	13	8	28		10		23	18	2	19	5	1	3	23	0	0	0	0	0	0	10	0	0	0	11	31
II					4.8	4.4	3.7	23	7	24	26		2		12	7	0	9	1	0	5	11	3	0	0	0	0	0	5	0	1	1	4	28
III					4.4	3.5	4.1	12	4	21	29		13		9	5	0	6	1	0	2	9	2	0	0	0	0	0	3	0	20	10	8	31
IV					4.9	5.3	6.0	11	4	14	19		1		10	3	0	4	0	0	8	4	0	0	0	0	0	0	3	1	7	2	11	11
V					5.1	5.5	5.5	81	19	17	6		0		15	13	3	4	0	0	15	5	5	0	0	0	0	0	3	1	15	2	13	0
VI					4.5	4.5	5.4	54	15	5	0		0		16	10	2	3	0	0	16	0	0	0	0	0	0	1	2	0	19	2	8	0
VII					4.0	4.4	4.2	30	13	20	0		0		6	3	2	1	0	0	6	0	0	0	0	0	0	1	0	1	25	3	6	0
VIII					5.3	5.3	5.6	86	26	1	1		0		13	10	3	1	0	0	13	0	0	0	0	0	0	0	5	1	20	3	14	0
IX					5.6	5.8	5.9	45	10	4	0		0		13	10	1	1	0	0	13	0	0	0	0	0	0	0	3	9	21	4	17	0
X					5.5	5.4	5.4	66	15	27	11		0		18	14	1	3	2	1	13	5	0	1	0	0	0	0	2	2	22	2	12	7
XI					6.3	5.9	7.2	60	16	21	24		6		19	12	1	0	0	0	10	15	3	9	0	0	0	0	10	0	14	3	20	26
XII					5.2	5.0	4.6	67	14	8	31		12		21	15	1	0	0	0	1	21	1	0	0	0	0	0	0	0	17	1	11	31
1949					5.1	5.0	5.2	612	26		175		44		175	120	16	51	9	2	105	93	14	10	0	0	0	2	46	15	181	33	135	165

Haugastøl

H_s = 990 h_t = 2.0 h_d = 7.8 h_r = 2.4
H_s = 988 H_b = h_t = 2.0 h_a = h_d = 8 h_r = 2.9

Måned	Um 7	13	19	Dies	Nm 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	85	87	86	6.3	6.2	6.4	60	15	8	29		12		22	14	1	6	3	2	2	22	2	2	0	0	0	0	15	6	16	0	19	31
II	83	78	81	81	6.3	6.0	5.4	27	6	14	27		10		15	6	0	8	2	0	6	14	4	3	0	0	0	0	10	0	23	0	14	28
III	81	73	76	78	5.0	4.1	4.9	12	6	21	30		18		9	3	0	5	2	1	1	9	1	2	0	0	0	0	4	1	27	7	9	31
IV	82	75	79	81	5.8	6.1	6.8	23	10	14	28		2		17	3	1	4	0	0	12	13	7	1	0	0	0	0	5	0	27	2	18	30
V	83	74	77	81	5.9	6.0	5.9	77	16	26	17		0		16	12	3	2	0	0	14	7	5	3	0	0	0	1	6	3	21	2	14	2
VI	69	60	63	68	4.8	5.0	5.3	34	11	5	0		0		11	9	1	1	1	0	11	0	0	0	0	0	0	0	3	0	27	2	10	0
VII	79	59	58	69	4.1	4.7	4.1	26	11	19	0		0		5	3	1	1	0	0	5	0	0	2	0	0	0	0	16	0	28	3	7	0
VIII	84	71	75	79	5.3	5.9	5.6	70	15	3	1		0		15	14	3	3	0	0	15	1	1	1	0	0	0	0	16	3	24	2	15	0
IX	90	81	82	85	6.2	6.5	6.5	58	11	17	0		0		16	12	1	0	0	0	16	0	0	6	0	0	0	0	18	10	16	1	18	0
X	88	81	84	85	6.2	6.5	5.4	63	14	19	13		0		18	14	2	7	0	0	15	6	3	9	0	0	0	0	11	5	16	0	14	6
XI	93	89	91	91	6.2	6.4	6.4	63	26	21	28		10		21	13	1	5	0	0	10	20	6	9	0	0	0	0	20	3	9	2	20	26
XII	88	88	88	88	4.6	6.0	4.9	82	13	8	31		15		21	17	1	7	0	0	3	20	0	3	0	0	0	0	11	4	13	1	9	31
1949	84	76	78	81	5.6	5.8	5.6	595	26		204		67		186	120	15	49	8	3	110	112	29	41	0	0	0	1	135	35	247	22	167	185

1949

Dagali

φ = 60° 25′ N λ = 8° 26′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.4	- 2.8	- 3.5	- 3.9		- 7.4	4.8	27	-14.1	22	0 -	0 -	0 -	6 1.7	0 -	2 2.5	1 1.0	1 1.0	8 2.2	59 2.0	3 1.7	4 1.5	3
II			- 3.6	- 1.1	- 3.1	- 2.9		- 6.0	5.2	20	-12.3	10	2 1.0	2 1.0	0 -	0 -	0 -	1 1.0	0 -	0 -	13 2.2	43 2.0	9 1.1	12 1.2	2
III			- 7.4	- 2.9	- 5.4	- 6.1		-10.1	3.8	24	-25.0	6	6 1.0	0 -	0 -	4 1.2	3 2.7	7 1.0	0 -	0 -	7 2.0	43 1.6	3 1.0	13 1.0	7
IV			- 0.3	3.2	1.3	0.5		- 2.5	9.8	16	-11.4	1	0 -	0 -	0 -	6 1.3	0 -	10 2.0	0 -	2 2.0	13 1.7	44 2.0	5 1.0	4 1.0	6
V			4.9	8.1	6.7	5.3		1.5	13.2	22	- 5.8	8	0 -	0 -	0 -	4 1.2	2 1.0	13 1.3	1 1.0	9 1.0	18 1.7	31 2.0	2 1.5	3 1.0	10
VI			9.2	12.6	11.0	9.2		4.5	20.2	28	0.9	15	0 -	0 -	0 -	10 1.4	7 1.1	5 1.0	0 -	8 1.2	3 2.3	44 1.5	3 1.7	1 1.0	9
VII			12.4	16.1	14.7	12.5		7.2	22.8	9	3.4	31	0 -	0 -	0 -	1 1.0	6 1.2	6 1.3	2 1.0	6 1.0	3 1.3	45 1.3	14 1.2	1 4.0	6
VIII			8.4	12.4	10.3	9.2		5.4	19.0	25	- 0.7	19	0 -	0 -	0 -	2 2.5	3 1.3	7 1.3	0 -	5 1.0	3 2.0	58 1.8	6 1.5	1 1.0	8
IX			8.5	12.2	10.4	9.6		6.3	18.2	5	1.0	13	0 -	0 -	0 -	16 1.1	3 1.0	13 1.1	0 -	9 1.3	3 2.0	23 1.3	2 1.0	4 1.0	17
X			1.9	4.5	2.8	2.7		- 0.3	13.0	13	- 8.8	29	0 -	0 -	0 -	6 1.2	0 -	4 1.5	0 -	7 1.1	11 2.6	49 1.3	1 1.0	1 1.0	14
XI			- 3.1	- 2.0	- 2.5	- 2.7		- 4.7	5.6	5	-14.4	29	0 -	0 -	0 -	15 1.1	3 2.3	10 1.6	2 2.0	1 3.0	7 1.6	11 1.1	6 1.0	1 1.0	34
XII			- 6.3	- 4.3	- 5.3	- 5.5		- 8.4	1.2	27	-18.7	11	3 1.0	0 -	0 -	3 1.7	0 -	7 1.3	0 -	2 1.0	5 1.8	34 1.4	9 1.1	15 1.1	15
1949			1.7	4.7	3.1	2.3		- 1.2	22.8		-25.0		11 1.0	2 1.0	0 -	73 1.3	27 1.4	85 1.4	6 1.3	50 1.2	94 2.0	484 1.7	63 1.2	60 1.1	140

Svene

φ = 59° 46′ N λ = 9° 35′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.8	- 0.7	- 2.9	- 3.0		- 8.5	8.1	28	-21.5	10	5 3.0	2 1.5	1 1.0	3 1.0	6 1.3	33 1.9	2 2.0	0 -	0 -	0 -	1 1.0	26 2.3	14
II			- 4.5	2.1	- 0.9	- 1.7		- 7.0	10.6	17	-17.0	11	1 4.0	0 -	1 1.0	1 1.0	6 1.2	26 1.8	0 -	0 -	0 -	1 3.0	1 1.0	39 1.8	8
III			- 5.7	3.2	- 0.2	- 2.2		- 8.6	13.4	24	-18.0	5	8 2.1	5 1.0	2 1.0	2 1.0	7 1.3	20 1.6	1 2.0	0 -	1 2.0	0 -	1 2.0	44 1.8	4
IV			4.0	9.1	6.8	4.9		- 0.4	15.8	18	- 5.8	2	6 2.2	1 2.0	1 2.0	4 1.8	5 1.8	37 1.8	3 2.0	1 2.0	2 3.0	0 -	1 3.0	25 2.5	4
V			8.9	14.3	13.6	10.0		3.5	19.9	4	- 4.9	1	3 1.7	1 2.0	3 1.3	2 1.0	3 1.7	25 2.2	3 2.3	0 -	0 -	1 3.0	0 -	32 2.0	20
VI			13.3	17.6	17.3	13.8		7.2	25.1	20	1.1	22	2 2.0	3 1.3	2 2.0	2 1.0	4 1.8	21 1.7	3 2.0	0 -	0 -	0 -	2 2.0	43 2.1	8
VII			13.8	21.6	20.8	16.9		9.6	29.4	10	4.6	15	3 1.7	1 1.0	0 -	2 1.0	3 1.0	35 1.7	3 1.3	0 -	0 -	1 1.0	6 1.5	37 2.0	2
VIII			10.0	18.0	16.6	13.5		7.5	22.5	25	- 0.3	19	5 2.0	1 2.0	2 1.0	2 1.0	1 1.0	38 1.6	6 2.3	0 -	0 -	0 -	3 1.7	29 1.9	6
IX			9.8	16.2	13.8	12.5		8.8	20.5	9	2.0	30	2 3.0	0 -	1 2.0	1 1.0	2 1.0	28 1.9	1 4.0	0 -	0 -	0 -	0 -	30 1.8	25
X			2.6	8.4	5.5	5.0		1.1	16.8	5	-11.0	28	6 1.3	0 -	3 1.0	2 1.0	5 1.2	33 1.9	4 2.8	0 -	0 -	0 -	0 -	27 2.1	15
XI			- 0.1	1.2	0.6	0.4		- 1.5	9.2	5	-12.0	29	10 2.1	7 1.3	1 2.0	3 1.0	7 1.4	12 2.2	0 -	0 -	0 -	0 -	0 -	47 1.4	3
XII			- 7.2	- 5.0	- 5.8	- 6.3		-10.9	6.8	27	-22.7	23	12 1.2	1 1.0	1 1.0	1 1.0	3 1.0	11 1.6	0 -	1 1.0	0 -	0 -	1 1.0	60 1.2	2
1949			3.4	8.8	7.1	5.3		0.1	29.4		-22.7		63 2.0	20 1.4	18 1.3	25 1.1	52 1.3	319 1.8	26 2.2	2 1.5	3 2.7	3 2.3	16 1.6	459 1.9	100

Kongsberg

φ = 59° 40′ N λ = 9° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.6	- 0.3	- 1.9	- 2.0	1.9	- 5.5	7.4	28	-14.6	10	0 -	0 -	0 -	2 1.5	1 2.0	15 1.4	12 1.2	9 2.2	7 2.3	7 1.7	14 2.6	9 1.9	17
II			- 2.7	2.4	0.4	- 0.5	3.5	- 4.4	11.1	17	-12.4	11	1 1.0	0 -	0 -	0 -	0 -	6 1.3	15 1.3	11 1.5	7 2.0	11 3.1	7 2.3	13 1.5	15
III			- 4.2	3.5	1.1	- 0.9	4.6	- 5.7	13.7	25	-14.6	5	7 1.9	6 2.3	0 -	0 -	0 -	4 5.2	13 1.5	2 2.0	0 -	10 2.2	16 1.8	9 1.4	21
IV			4.2	9.6	6.8	5.5	10.6	1.2	18.0	18	- 3.8	2	1 1.0	0 -	0 -	0 -	0 -	4 1.2	16 1.2	24 1.9	4 2.2	9 2.2	9 2.3	18 2.8	5
V			10.2	15.7	13.5	11.1	17.1	5.6	22.1	3	- 2.4	1	1 2.0	0 -	0 -	0 -	0 -	14 2.1	11 2.4	15 2.5	8 2.1	9 2.1	8 1.5	10 2.8	17
VI			14.5	19.1	17.4	14.9	20.8	8.9	27.0	28	4.1	22	1 3.0	10 2.1	1 3.0	5 1.8	1 1.0	5 1.6	11 1.8	6 3.0	3 2.0	8 2.6	16 2.5	9 2.1	14
VII			16.9	22.7	20.4	17.8	23.9	11.6	31.1	10	6.8	15	5 1.8	13 1.8	0 -	1 1.0	1 2.0	11 2.0	11 2.1	2 1.5	0 -	5 2.4	11 2.4	12 1.9	21
VIII			13.5	18.9	16.4	14.6	20.0	9.1	24.1	25	1.7	19	0 -	1 1.0	0 -	0 -	1 1.0	9 1.3	9 1.3	24 1.9	5 2.4	11 2.4	14 1.9	3 2.7	16
IX			11.1	16.3	14.1	13.0	17.1	9.6	21.2	9	2.2	13	8 1.0	5 1.6	0 -	4 1.0	1 1.0	10 1.4	9 1.4	11 1.9	0 -	13 1.8	2 1.5	7 1.6	22
X			3.6	8.3	6.1	5.5	9.4	2.3	19.2	5	- 8.4	28	6 2.0	2 1.0	1 1.0	3 1.0	2 1.5	7 1.6	7 1.7	4 2.5	2 3.0	7 2.7	11 2.0	19 1.9	22
XI			0.4	1.6	1.1	0.8	2.4	- 0.6	9.1	4	- 9.4	29	6 2.7	4 1.2	0 -	8 1.4	0 -	7 2.0	5 1.6	4 3.2	1 1.0	2 1.0	6 1.5	21 1.5	26
XII			- 6.1	- 3.8	- 4.8	- 5.1	- 1.1	- 8.2	6.8	27	-15.4	23	18 1.1	0 -	0 -	0 -	0 -	1 2.0	11 1.3	14 1.5	5 1.0	7 1.3	8 1.2	6 1.0	13
1949			4.9	9.5	7.6	6.2	10.8	2.0	31.1		-15.4		54 1.6	41 1.8	2 2.0	23 1.3	7 1.4	93 1.6	133 1.5	126 2.0	42 2.0	99 2.2	122 2.0	136 1.9	217

Gaustatoppen *)

φ = 59° 51′ N λ = 8° 40′ E g = 9.815 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	797.7	776.3	- 9.8	- 9.8	- 9.5	- 9.9		-12.1	- 1.0	29	-17.6	9	1 8.0	1 6.0	0 -	0 -	0 -	1 6.0	1 7.0	0 -	11 4.4	57 4.7	14 5.3	7 5.3	0
II	804.4	83.0	- 8.2	- 7.5	- 8.2	- 8.2		-10.4	- 0.1	6	-16.2	28	5 3.6	0 -	0 -	0 -	1 4.0	0 -	0 -	0 -	6 4.2	59 4.6	9 4.4	4 3.2	0
III	07.6	85.8	-11.5	-10.4	-10.7	-11.3		-13.1	- 2.0	25	-21.6	2	10 3.7	2 3.5	3 4.0	6 4.2	4 3.8	5 3.8	2 3.0	0 -	10 5.0	34 4.3	8 4.1	9 3.7	0
IV	01.4	80.3	- 6.8	- 5.3	- 5.6	- 6.5		- 8.7	1.6	17	-15.3	1	2 6.5	6 4.8	1 3.0	0 -	0 -	1 2.0	0 -	0 -	7 4.0	65 4.9	3 3.7	5 4.0	0
V	08.8	87.8	- 1.7	- 0.2	- 0.3	- 1.4		- 3.6	7.2	22	-13.2	8	2 3.0	1 3.0	0 -	2 3.5	7 3.3	3 4.0	5 3.8	4 4.8	13 3.9	39 3.3	6 3.2	9 4.0	0
VI	12.0	90.9	1.5	4.2	4.3	2.5		0.0	11.4	28	- 5.8	15	16 3.4	13 3.2	5 3.6	5 3.6	3 3.0	2 4.5	1 4.0	1 3.0	4 3.2	23 3.4	10 3.1	7 3.5	0
VII	14.4	94.0	4.9	7.9	8.4	6.5		3.9	16.2	10	- 1.1	14	2 3.0	19 2.9	2 4.0	0 -	0 -	0 -	0 -	0 -	5 3.6	55 3.1	6 3.7	4 3.5	0
VIII	12.0	91.3	1.9	5.8	4.2	2.9		1.0	12.1	25	- 6.3	18	0 -	1 3.0	3 3.7	3 4.3	1 4.0	0 -	2 4.5	4 3.2	4 3.8	62 3.7	8 4.1	3 3.7	4
IX	17.9	97.0	3.0	4.5	4.0	3.5		2.0	8.0	6	- 5.5	30	1 3.0	12 3.0	3 3.7	8 3.8	7 4.9	1 4.0	2 3.5	2 5.5	5 3.8	42 4.3	6 4.7	1 2.0	0
X	07.0	86.0	- 3.4	- 2.6	- 2.9	- 3.2		- 4.9	4.0	13	-13.0	28	3 5.0	6 5.5	1 3.0	0 -	0 -	0 -	1 4.0	0 -	3 6.0	65 5.0	11 4.7	3 5.3	0
XI	02.8	81.6	- 7.0	- 6.5	- 6.5	- 6.8		- 8.2	- 1.6	5	-17.5	29	2 2.5	6 3.5	6 3.5	19 3.9	4 5.5	9 4.9	7 4.1	7 3.7	9 3.3	19 3.9	1 4.0	1 2.0	0
XII	793.2	72.0	- 9.4	- 9.1	- 9.2	- 9.3		-10.5	- 6.0	26	-15.3	11	9 3.1	3 4.0	0 -	0 -	0 -	0 -	1 6.0	10 3.8	23 4.0	21 4.0	11 4.1	15 3.7	0
1949	805.6	785.5	- 3.9	- 2.6	- 2.7	- 3.4		- 5.4	16.2		-21.6		55 3.7	70 3.5	24 3.6	45 3.9	27 4.1	22 4.4	22 4.1	28 3.9	100 4.1	541 4.2	93 4.2	68 3.9	2

Ramnes

φ = 59° 21′ N λ = 10° 15′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.8	1.8	0.3	0.1		- 3.8	6.4	26	-15.3	10	2 2.5	0 -	0 -	0 -	0 -	2 4.0	6 3.7	12 2.6	16 3.1	12 2.5	14 2.6	11 1.7	18
II			- 0.5	4.3	1.3	1.3		- 2.5	12.0	14	- 9.8	6	3 4.0	0 -	0 -	0 -	0 -	0 -	4 3.0	20 2.6	3 4.0	13 2.2	9 3.3	6 3.0	26
III			- 3.2	4.1	1.1	- 0.1		- 5.2	14.7	24	-11.8	5	2 2.5	3 3.0	1 3.0	2 1.5	0 -	3 2.3	0 -	13 3.7	3 3.7	2 1.5	9 2.3	14 2.6	41
IV			4.5	9.5	7.1	5.9		1.6	16.3	14	- 4.9	2	5 2.6	3 3.7	0 -	0 -	0 -	7 3.1	5 2.8	27 3.5	3 3.3	4 2.8	4 2.0	5 4.2	17
V			9.7	15.4	13.3	11.0		5.2	21.0	18	- 3.0	1	2 3.0	3 2.3	1 3.0	0 -	1 2.0	1 3.0	5 2.2	33 3.2	9 2.8	5 3.0	2 2.5	7 2.1	24
VI			13.8	18.7	17.0	14.5		8.1	25.0	28	2.7	22	4 3.0	5 1.8	0 -	0 -	1 2.0	2 2.5	2 4.0	10 3.3	6 2.8	9 3.1	10 2.7	12 3.0	39
VII			15.0	22.3	20.7	17.7		11.3	29.2	11	6.6	29	2 1.5	5 1.8	5 1.6	1 3.0	3 2.7	4 2.2	2 2.1	19 2.8	2 3.0	2 2.5	5 3.2	14 2.4	33
VIII			11.6	18.7	17.0	14.6		9.4	21.7	25	2.6	19	0 -	2 1.0	2 2.0	5 1.6	3 1.0	1 1.0	13 1.9	8 1.8	5 2.8	17 2.5	5 2.7	0 -	34
IX			11.5	17.1	15.0	13.8		10.0	20.6	9	3.1	13	0 -	3 2.0	4 1.5	5 1.6	4 1.5	5 1.4	10 2.4	5 2.8	3 2.3	5 2.8	0 -	0 -	46
X			5.2	10.4	7.2	7.2		3.4	17.7	5	- 6.1	29	0 -	1 2.0	2 3.5	9 2.3	0 -	3 1.3	12 2.1	12 2.9	5 2.4	8 3.5	4 2.0	0 -	33
XI			2.6	3.3	2.7	2.7		1.0	11.6	5	- 8.6	29	0 -	2 2.0	11 2.7	21 2.2	10 2.3	5 2.8	0 -	1 3.0	3 3.7	6 4.2	0 -	0 -	31
XII			- 2.2	- 0.3	- 1.4	- 1.5		- 5.2	7.3	27	-13.2	10	1 1.0	2 2.0	8 2.2	3 1.7	0 -	0 -	9 2.2	9 2.1	2 3.0	3 1.7	1 1.0	0 -	55
1949			5.6	10.4	8.4	7.3		2.8	29.2		-15.3		21 2.7	29 2.2	34 2.3	46 2.0	22 2.0	33 2.4	75 2.4	169 3.0	60 3.0	86 2.7	61 2.6	69 2.6	470

*) Gaustatoppen: Lufttrykk red. til 2000 gdm.

1949

Dagali

H_s = 887 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	Vindstyrke F: F ≧ 6	F ≧ 8	F ≧ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	77	80	80	5.1	5.9	5.4	31	11	8	28		9		22	10	1	2	0	0	2	22	0	0	0	0	0	0	8	0	22	1	13	31
II	79	71	76	76	5.0	4.0	4.4	12	5	27	27		3		9	5	0	3	0	0	2	8	0	0	0	0	0	0	6	0	26	3	8	28
III	78	66	75	75	5.6	3.3	5.0	9	3	7	30		13		12	4	0	1	0	0	0	12	0	0	0	0	0	0	5	1	24	6	10	31
IV	76	66	73	74	5.6	5.2	6.0	8	3	19	21		2		14	4	0	1	0	0	9	5	1	0	0	0	0	0	2	0	26	3	13	30
V	75	65	68	73	5.1	5.6	5.6	93	20	17	7		0		19	14	3	0	0	0	17	5	2	0	0	0	0	1	7	2	24	4	14	2
VI	70	54	60	69	4.6	4.7	5.4	46	15	5	0		0		15	8	2	0	0	0	14	0	0	0	0	1	0	2	3	2	26	2	10	0
VII	72	53	56	66	4.3	4.5	3.8	26	15	20	0		0		6	6	1	0	0	0	6	0	0	0	0	0	0	3	0	1	29	2	5	0
VIII	81	64	72	77	5.2	4.9	5.2	94	24	1	1		0		15	10	3	0	0	0	15	0	0	0	0	0	0	0	5	5	27	3	11	0
IX	90	73	80	93	6.1	6.0	7.1	40	7	3	0		0		18	12	0	0	0	0	18	0	0	0	0	0	0	0	8	4	24	1	18	0
X	84	74	81	81	5.4	5.8	5.2	53	11	19	14		0		15	11	1	2	0	0	12	6	3	0	0	0	0	0	6	1	24	1	13	7
XI	90	86	88	90	7.0	6.5	7.0	40	9	18	23		5		18	11	0	0	0	0	5	16	2	0	0	0	0	0	12	2	13	1	22	30
XII	83	78	81	81	5.4	4.8	4.5	29	5	20	31		8		21	8	0	0	0	0	0	21	0	0	0	0	0	0	8	0	23	5	10	31
1949	80	69	74	77	5.4	5.1	5.4	481	24		182		40		184	103	11	9	0	0	100	96	8	0	0	1	0	6	70	18	288	32	147	190

Svene

H_s = 176 H_b = h_t = 1.9 h_a = h_d = 8.5 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	78	86	84	4.2	5.2	4.6	55	13	2	30		11		11	7	3	2	2	2	4	10	3	0	0	0	0	0	3	2	16	3	8	31
II	88	68	78	80	4.3	4.6	3.6	11	5	9	27		10		7	3	0	3	1	0	5	5	1	0	0	0	0	0	2	6	22	2	4	29
III	92	56	67	76	5.0	4.2	3.5	21	7	13	31		10		9	7	0	0	0	0	3	9	1	1	0	0	0	0	4	0	26	7	8	27
IV	75	51	61	68	5.4	6.1	5.5	23	6	22	15		0		11	6	0	4	1	0	10	2	0	2	0	1	0	0	3	7	24	2	16	1
V	75	56	56	68	5.0	6.1	5.3	104	22	17	3		0		16	14	3	0	0	0	16	0	0	1	0	0	0	2	6	6	25	0	13	0
VI	64	48	50	60	4.3	5.2	5.2	58	16	3	0		0		15	9	3	0	0	0	15	0	0	1	0	1	0	2	2	2	27	3	8	0
VII	79	45	51	65	4.2	4.8	4.4	41	20	20	0		0		11	5	1	0	0	0	11	0	0	0	0	0	0	7	1	3	30	1	8	0
VIII	89	53	62	74	5.3	5.2	4.9	101	33	3	2		0		14	10	5	0	0	0	14	0	0	1	0	0	0	2	2	11	29	3	9	0
IX	96	72	85	87	7.2	6.0	5.8	139	24	3	0		0		17	12	7	0	0	0	17	0	0	5	0	0	0	4	4	21	22	0	15	0
X	93	73	85	86	6.1	5.7	4.6	115	21	25	12		2		18	14	5	4	1	1	17	3	2	6	0	0	0	0	3	9	22	2	13	6
XI	93	90	90	91	6.9	7.2	7.2	167	27	24	14		2		18	14	7	1	0	0	15	9	6	9	0	0	0	0	10	10	4	1	23	14
XII	93	92	90	92	4.2	5.2	4.7	62	21	18	31		17		16	12	1	0	0	0	5	16	1	2	0	0	0	0	5	6	18	4	10	29
1949	85	65	72	78	5.2	5.5	4.9	897	33		170		52		163	113	35	14	5	3	132	54	14	28	0	2	0	17	45	93	265	29	135	136

Kongsberg

H_s = 170 H_b = h_t = 2.0 h_a = h_d = 7.0 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.9	5.9	5.0	69	20	2	29	7	5	0	11	7	4	2	0	0	5	8	2	0	0	0	0	0	15	3	20	3	10	31
II					4.7	4.7	4.5	17	7	9	22	8	4	0	11	4	0	1	0	0	7	6	2	0	0	0	0	0	8	6	22	3	6	28
III					4.7	4.4	3.5	26	8	13	31	7	5	0	12	6	0	0	0	0	1	12	1	0	0	0	0	0	12	2	25	5	8	31
IV					5.0	5.3	4.6	18	5	22	9	0	0	0	10	6	0	1	0	0	9	4	3	0	0	0	0	0	11	3	23	4	12	2
V					4.4	5.1	5.1	96	21	26	2	0	0	0	17	12	4	0	0	0	17	0	0	0	0	1	0	4	10	4	26	3	12	0
VI					4.2	4.6	4.4	54	17	30	0	0	0	3	10	7	3	0	0	0	10	0	0	0	0	1	0	2	10	1	27	0	6	0
VII					4.2	4.7	4.1	29	12	20	0	0	0	12	10	6	1	0	0	0	10	0	0	0	0	1	0	4	4	1	28	1	4	0
VIII					5.0	5.5	4.7	94	20	13	0	0	0	0	15	11	5	0	0	0	15	0	0	2	0	0	0	2	9	2	27	2	10	0
IX					5.9	6.3	6.0	116	22	3	0	0	0	0	16	11	6	0	0	0	16	0	0	1	0	0	0	4	12	10	22	1	15	0
X					5.9	6.0	5.2	97	16	19	10	0	0	0	19	15	3	1	0	0	16	6	3	0	0	0	0	0	13	7	25	1	13	6
XI					7.4	7.6	7.3	121	17	24	13	4	0	0	20	16	6	0	0	0	15	9	4	0	0	0	0	0	15	10	6	0	25	12
XII					4.9	4.5	4.2	66	18	18	31	16	11	0	16	14	1	0	0	0	4	15	2	0	0	0	0	0	10	8	24	4	10	31
1949					5.1	5.4	4.9	803	22		147	42	25	15	167	116	33	5	0	0	125	60	17	3	0	3	0	16	129	57	275	27	131	141

Gaustatoppen

H_s = 1828 H_b = 1828.8 h_t = 2.1 h_a = h_d = h_r = 1.3

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	89	89	89	6.0	7.0	7.0	206	28	3	31		24		26	24	6	28	3	0	0	25	0	0	0	0	0	0	0	31	14	2	22	31
II	86	86	87	86	5.9	5.8	6.0	90	17	23	28		14		22	19	1	22	1	0	0	21	0	0	0	0	0	0	0	24	16	2	16	28
III	80	82	82	81	4.8	3.8	3.9	113	40	13	31		22		17	11	3	16	0	0	0	14	0	0	0	0	0	0	0	23	25	7	8	31
IV	85	88	88	87	5.3	6.4	5.7	157	60	22	30		12		22	14	5	25	1	0	1	22	0	1	1	0	0	1	0	27	26	2	16	30
V	85	87	87	85	5.0	5.8	5.8	135	25	18	22		3		21	16	4	9	0	0	15	13	5	8	0	4	0	1	0	26	25	5	16	30
VI	80	72	72	78	4.4	4.8	5.3	96	30	5	16		0		17	14	2	12	0	0	12	8	3	3	0	2	0	3	0	17	26	2	10	10
VII	82	71	67	74	3.8	5.1	4.5	39	13	2	1		0		11	5	1	4	0	0	11	1	1	2	0	2	0	3	0	21	30	1	5	0
VIII	89	86	85	87	4.0	5.9	5.4	62	14	9	11		0		19	10	1	8	1	0	16	5	2	14	0	1	0	1	0	26	29	3	9	3
IX	94	92	92	93	5.0	6.0	6.3	100	16	16	3		0		23	17	2	12	0	0	23	0	0	22	0	0	0	0	0	29	23	2	15	0
X	91	89	88	90	5.6	6.0	4.6	155	41	18	27		3		26	15	5	21	2	1	11	16	2	11	0	0	0	0	0	30	18	2	11	13
XI	87	87	87	87	6.4	6.1	6.8	142	23	24	30		5		22	19	3	11	0	0	0	21	0	0	0	0	0	0	0	28	10	2	22	30
XII	85	85	85	85	6.4	6.4	5.2	224	38	16	31		16		23	22	8	15	0	0	0	23	0	0	0	0	0	0	0	27	12	2	16	31
1949	86	84	84	85	5.2	5.8	5.5	1519	60		261		99		249	189	41	183	8	1	87	169	13	61	1	9	0	9	0	309	254	32	166	237

Ramnes

H_s = 44 h_t = 1.9 h_r = 1.6
H_s = 34 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	78	82	83	4.4	5.0	4.6	94	34	2	25		3		14	9	4	1	0	0	8	7	1	0	0	0	0	0	6	2	17	6	10	8
II	86	70	75	78	5.3	4.5	3.7	24	10	9	19		0		10	4	0	0	0	0	8	2	0	5	0	0	0	0	8	4	21	6	7	3
III	85	63	67	74	4.8	3.7	3.3	39	15	13	30		4		11	6	1	1	0	0	4	11	4	1	0	0	0	0	2	3	24	8	7	7
IV	82	61	68	75	5.5	5.7	5.3	36	12	22	10		0		14	11	1	2	0	0	13	2	2	2	0	1	0	0	11	2	20	2	15	0
V	83	60	64	77	5.1	5.2	5.3	81	22	26	3		0		17	15	2	0	0	0	17	0	0	0	0	0	0	2	11	1	24	4	11	0
VI	70	54	57	67	4.5	4.3	5.0	61	18	3	0		0		16	7	3	0	0	0	15	0	0	1	0	1	0	5	7	1	26	2	7	0
VII	80	52	56	68	3.7	3.9	3.7	66	34	20	0		0		11	7	2	0	0	0	11	0	0	0	0	0	0	7	4	1	29	5	5	0
VIII	88	61	67	76	4.6	4.7	4.6	97	30	28	0		0		11	8	4	0	0	0	11	0	0	0	0	1	0	4	2	8	30	4	6	0
IX	95	76	84	86	5.6	5.2	5.0	82	18	16	0		0		15	11	3	0	0	0	15	0	0	0	0	0	0	2	5	11	17	3	12	0
X	90	74	82	83	5.6	4.8	4.3	155	23	19	7		0		16	13	6	0	0	0	16	2	0	0	0	1	0	1	10	3	16	4	8	1
XI	88	86	88	88	7.3	7.1	7.1	194	46	18	10		0		21	16	7	0	0	0	19	5	2	0	0	0	0	0	13	4	5	0	22	2
XII	90	87	86	88	4.4	4.2	4.4	101	13	16	28		4		17	13	4	0	0	0	16	9	6	0	0	0	0	0	18	3	11	6	9	8
1949	85	68	73	79	5.1	4.9	4.7	1032	46		132		11		173	120	37	4	0	0	154	38	15	9	0	3	0	21	97	43	240	50	119	29

1949

Ås

φ = 59° 40′ N λ = 10° 47′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.6	1.1	0.1	0.0		- 2.8	6.6	30	-14.7	10	3 1.7	0 -	1 2.0	5 1.2	4 2.5	22 2.3	15 2.4	8 1.8	4 1.8	11 1.6	5 1.4	9 2.3	6
II			- 1.6	2.9	0.2	0.2		- 3.4	10.0	14	-13.7	11	0 -	1 2.0	0 -	5 1.2	6 1.2	21 1.6	12 2.2	6 1.8	4 2.0	6 1.8	12 1.5	3 1.7	8
III			- 3.3	3.6	- 0.2	- 0.9		- 6.2	14.0	24	-15.3	2	6 1.3	6 1.3	8 1.5	3 1.0	4 2.2	8 1.9	11 2.0	2 1.5	3 2.3	16 1.4	17 1.4	6 1.5	3
IV			5.0	9.3	6.7	5.9		1.7	16.8	25	- 4.3	10	3 2.7	3 2.7	0 -	1 3.0	8 2.0	10 2.2	21 2.4	5 2.2	6 2.2	9 1.8	14 2.2	6 2.2	4
V			10.8	15.3	13.0	11.2		5.4	22.0	18	- 3.2	1	4 2.0	5 1.4	4 1.8	6 1.7	8 1.4	9 2.0	15 2.4	7 1.7	5 2.0	13 1.5	5 1.6	7 1.7	5
VI			14.9	18.8	16.5	14.8		8.6	26.6	28	4.6	23	14 2.4	12 2.0	7 2.0	9 1.8	1 2.0	7 2.1	5 2.0	6 1.7	3 1.7	8 2.1	11 1.9	2 2.0	4
VII			17.6	22.6	20.3	18.2		11.6	29.4	10	5.8	15	9 1.6	15 2.3	5 1.6	4 1.5	3 2.0	12 2.1	8 2.2	7 2.4	4 2.2	6 1.5	10 1.4	8 1.9	2
VIII			14.2	19.2	16.5	15.0		9.3	23.0	5	1.1	18	5 1.6	3 1.7	2 2.0	5 1.8	4 2.0	9 2.4	21 2.1	16 2.3	2 1.0	9 2.1	5 1.8	9 1.9	3
IX			12.6	17.2	14.0	13.7		9.8	21.6	6	2.3	13	6 1.5	12 1.8	3 1.3	10 1.3	7 1.9	11 2.1	7 2.4	4 2.8	2 1.5	2 1.5	3 1.3	2 1.0	21
X			5.1	9.5	6.2	6.4		2.7	18.0	5	- 7.6	29	6 2.5	4 1.5	1 2.0	7 1.1	1 2.0	4 2.0	18 2.4	12 1.7	2 1.0	5 2.8	12 1.6	2 2.5	19
XI			1.9	2.8	2.1	2.1		0.5	10.8	5	- 8.8	29	7 1.7	18 1.8	5 2.2	13 1.5	6 2.7	5 1.8	8 3.2	3 2.7	0 -	0 -	14 1.3	7 1.0	4
XII			- 2.4	- 0.9	- 1.3	- 1.9		- 5.1	5.4	1	-12.1	10	5 1.4	3 1.0	4 1.2	4 1.0	5 1.4	13 1.6	12 1.8	3 1.3	1 1.0	2 2.0	6 1.0	3 1.7	32
1949			6.1	10.1	7.8	7.1		2.7	29.4		-15.3		68 1.9	82 1.3	40 1.7	72 1.4	57 1.9	131 2.0	154 2.3	79 2.0	36 1.9	87 1.8	114 1.6	64 1.8	111

Eidsberg

φ = 59° 30′ N λ = 11° 17′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.3	1.2	0.3	0.2		- 2.9	5.9	30	-13.5	10	9 2.8	1 3.0	0 -	0 -	0 -	16 3.0	34 3.0	8 2.8	0 -	0 -	2 2.5	23 2.9	0
II			- 0.5	2.6	0.4	0.5		- 2.9	9.0	16	-14.5	11	11 2.3	2 2.5	1 2.0	0 -	0 -	4 2.5	40 2.8	7 2.3	0 -	0 -	3 3.0	16 2.7	0
III			- 2.8	2.9	- 0.1	- 0.7		- 5.3	13.5	24	-15.5	5	22 2.7	5 2.4	0 -	0 -	1 2.0	15 2.3	26 2.4	2 2.0	0 -	0 -	2 3.0	20 2.2	0
IV			4.9	8.6	5.6	5.5		1.7	17.6	25	- 4.2	10	11 3.4	0 -	0 -	0 -	1 2.0	9 2.3	36 2.8	15 3.0	0 -	1 2.0	0 -	17 3.4	0
V			10.9	14.8	12.6	11.1		5.9	22.5	20	- 3.8	1	9 2.4	4 2.5	0 -	0 -	1 2.0	9 2.1	52 2.6	8 2.0	0 -	0 -	2 3.0	8 2.1	0
VI			14.2	17.7	15.5	14.0		8.3	24.3	28	2.8	6	20 3.1	8 2.4	0 -	0 -	0 -	11 2.3	28 2.5	5 3.4	0 -	1 2.0	1 3.0	16 2.8	0
VII			15.0	21.4	20.2	17.5		11.9	27.2	10	6.0	15	32 2.4	7 2.9	0 -	0 -	0 -	4 2.0	25 2.4	7 2.6	0 -	1 2.0	0 -	17 2.1	0
VIII			12.0	18.3	15.9	14.3		9.2	22.8	25	0.0	18	4 2.5	2 3.0	0 -	0 -	0 -	15 2.0	38 2.3	16 2.9	1 4.0	0 -	0 -	17 2.2	0
IX			12.1	17.1	14.3	13.8		10.4	25.0	6	2.4	13	6 2.0	6 1.8	0 -	0 -	0 -	32 2.3	36 2.1	6 3.2	1 1.0	0 -	0 -	3 1.7	0
X			5.1	9.6	5.9	6.6		3.2	16.3	17	- 6.9	30	1 1.0	0 -	0 -	0 -	0 -	9 2.2	59 2.5	1 2.0	0 -	0 -	0 -	23 2.4	0
XI			1.7	3.0	2.1	2.1		0.2	9.8	5	-10.4	29	16 2.1	8 3.0	0 -	0 -	1 3.0	29 2.7	19 2.4	6 3.3	0 -	1 2.0	0 -	9 1.7	1
XII			- 1.8	- 0.4	- 0.8	- 1.2		- 3.8	6.0	1	-12.3	7	27 2.1	0 -	0 -	0 -	0 -	8 2.5	45 2.6	0 -	0 -	0 -	0 -	11 1.6	2
1949			5.9	9.7	7.7	7.0		3.0	27.2		-15.5		168 2.5	43 2.6	1 2.0	0 -	4 2.2	161 2.4	438 2.6	81 2.9	2 2.5	4 2.0	10 2.9	180 2.4	3

Råde (Tomb)

φ = 59° 19′ N λ = 10° 49′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.1	2.5	1.7	1.6		- 1.7	7.4	30	-18.2	10	1 1.0	9 1.9	3 3.7	1 6.0	0 -	6 4.0	6 4.0	58 2.5	4 1.2	5 2.4	0 -	0 -	0
II			0.6	4.0	1.8	1.8		- 1.3	9.4	16	- 9.9	11	0 -	4 1.5	4 1.0	3 1.3	0 -	2 1.5	7 3.3	48 2.4	11 1.8	1 1.0	3 2.0	1 4.0	0
III			- 2.1	3.4	1.2	0.1		- 4.6	13.7	24	-12.4	5	1 1.0	30 2.3	3 1.3	0 -	0 -	0 -	4 2.0	16 2.8	13 2.0	14 1.0	4 2.5	2 4.0	6
IV			5.6	8.7	6.9	6.2		2.7	18.8	25	- 3.7	2	1 1.0	9 2.1	5 1.8	3 1.7	2 1.5	4 2.2	1 3.0	31 2.7	22 2.7	9 3.4	1 3.0	1 4.0	1
V			11.3	14.1	12.6	11.3		6.8	22.1	18	- 2.9	1	0 -	2 2.0	12 1.8	7 1.4	3 2.0	2 1.0	7 2.9	18 2.5	26 2.5	12 2.3	2 2.0	2 1.5	0
VI			14.6	17.4	16.4	14.4		9.2	22.0	28	3.2	22	0 -	12 2.8	22 2.8	4 3.5	0 -	0 -	7 4.0	14 3.4	11 2.6	16 2.0	1 1.0	2 4.0	1
VII			17.9	21.5	20.2	18.2		12.5	27.3	11	5.9	15	0 -	10 2.7	17 2.3	7 2.4	0 -	0 -	1 1.0	0 -	16 2.2	33 2.1	8 1.5	0 -	1
VIII			14.9	18.1	16.5	15.2		10.5	21.6	26	0.6	18	0 -	4 1.2	10 2.1	9 1.6	1 1.0	0 -	0 -	9 2.4	31 2.3	25 1.5	4 2.8	0 -	0
IX			13.4	17.4	15.1	14.4		10.4	20.2	6	2.3	13	0 -	6 2.2	21 1.8	19 1.7	0 -	1 1.0	0 -	3 3.3	15 2.3	21 1.5	3 1.0	1 1.0	0
X			6.6	10.1	7.4	7.5		3.7	17.1	3	- 7.3	29	0 -	5 2.8	16 1.6	10 1.2	0 -	0 -	1 4.0	16 2.6	31 2.1	12 1.6	0 -	0 -	2
XI			3.0	3.6	3.0	3.0		1.0	11.1	5	- 8.7	29	0 -	21 2.1	25 2.6	23 2.3	2 1.0	0 -	1 4.0	4 5.0	7 2.6	3 1.0	0 -	0 -	4
XII			- 0.3	0.6	0.2	0.0		- 3.1	7.8	1	-10.1	12	1 2.0	17 1.5	21 1.3	9 1.3	6 1.3	3 2.0	1 3.0	16 1.3	14 2.4	2 1.0	0 -	2 2.0	1
1949			7.2	10.1	8.6	7.8		3.8	27.3		-18.2		4 1.2	129 2.1	159 2.1	95 1.9	14 1.4	18 2.5	36 3.3	233 2.6	201 2.3	153 1.8	26 1.9	11 2.9	16

Kaines

φ = 59° 19′ N λ = 11° 3′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.6	2.3	1.1	1.1		- 2.3	7.2	30	-14.7	10	11 1.9	3 1.3	4 2.2	2 1.5	1 2.0	1 2.0	16 2.5	11 2.2	19 2.1	9 2.7	5 2.4	11 1.7	0
II			0.0	3.9	1.1	1.4		- 2.1	10.1	16	-11.7	11	15 1.4	2 2.0	2 1.0	1 2.0	0 -	1 2.0	16 2.0	7 2.7	10 3.1	16 2.3	9 2.2	5 2.6	0
III			- 2.4	3.5	0.8	0.5		- 5.4	13.9	24	-14.5	5	12 1.7	13 1.8	9 2.1	7 2.3	3 2.3	4 1.8	13 1.8	10 1.9	3 1.7	8 2.3	3 1.0	8 2.4	0
IV			5.3	8.9	6.6	6.0		2.2	16.4	25	- 4.1	2	6 3.9	7 2.9	2 1.5	2 2.0	1 2.0	4 1.5	29 2.7	8 2.1	8 2.8	14 2.6	4 3.0	5 3.6	0
V			11.3	14.5	12.7	11.3		6.4	23.2	18	- 3.0	1	6 2.0	9 1.7	5 1.4	6 1.3	2 2.0	2 1.0	29 2.1	7 2.0	9 2.8	13 2.3	2 1.5	3 1.3	0
VI			14.6	17.9	16.3	14.5		8.9	24.0	28	4.9	17	6 3.7	11 2.8	13 2.2	11 2.2	4 1.5	3 1.7	8 3.2	5 3.2	6 2.8	15 3.1	2 3.0	6 2.0	0
VII			18.0	22.3	20.2	18.5		12.6	27.9	23	9.1	31	10 2.0	19 2.7	11 2.4	4 1.8	1 3.0	3 2.3	11 2.0	9 2.7	6 3.2	12 1.8	4 2.5	3 1.3	0
VIII			14.7	18.3	16.3	15.1		10.6	22.2	25	3.3	18	4 1.8	5 2.2	3 1.7	3 1.3	4 1.8	2 1.0	12 2.0	13 2.2	10 2.4	19 2.3	7 2.4	10 1.9	1
IX			13.2	17.7	14.7	14.5		10.7	24.2	6	3.4	13	2 1.0	10 1.4	3 1.3	21 2.0	9 1.8	6 1.3	9 2.2	9 2.8	7 2.1	13 2.1	1 3.0	0 -	0
X			6.3	10.2	7.2	7.5		4.0	17.0	3	- 4.8	30	7 2.9	6 2.0	3 2.7	7 2.1	3 1.3	4 1.8	15 2.4	10 2.4	9 2.2	13 2.0	9 2.0	7 1.7	0
XI			2.7	4.0	3.2	3.1		1.1	11.0	4	- 8.5	29	14 2.1	9 1.7	10 1.7	20 2.2	5 2.2	5 2.4	12 2.8	4 2.2	1 3.0	6 2.7	1 1.0	3 1.3	0
XII			- 0.7	0.6	0.0	- 0.2		- 3.5	7.0	1	-10.6	7	14 2.2	3 3.0	7 1.9	5 1.6	2 2.5	5 1.8	14 2.2	7 2.9	2 1.5	22 2.5	7 1.7	4 2.0	1
1949			7.0	10.3	8.4	7.8		3.6	27.9		-14.7		107 2.1	97 2.2	72 2.0	89 2.0	35 1.9	40 1.7	184 2.3	100 2.4	90 2.5	160 2.4	54 2.2	65 2.0	2

Brekke Sluse

φ = 59° 9′ N λ = 11° 34′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.3	1.1	0.2	0.2		- 2.4	5.8	30	-11.8	10	7 1.9	0 -	7 2.9	1 3.0	0 -	10 2.4	2 3.0	0 -	35 2.9	13 2.6	0 -	17 2.7	1
II			- 0.8	2.3	0.3	0.3		- 2.7	8.0	16	-12.7	11	5 2.0	1 2.0	9 2.0	5 1.6	0 -	1 2.0	1 2.0	0 -	36 2.5	11 2.1	3 3.7	11 2.1	1
III			- 5.4	2.4	0.0	- 1.8		- 6.8	10.0	24	-14.2	3	7 2.0	0 -	36 2.0	8 2.2	9 2.1	2 2.0	0 -	0 -	13 2.5	10 2.1	0 -	7 2.0	1
IV			4.8	8.5	6.8	5.7		1.8	17.0	25	- 6.8	2	14 2.1	0 -	1 2.0	10 2.1	6 2.5	2 2.0	0 -	0 -	31 2.5	13 2.2	0 -	7 2.9	6
V			10.0	14.9	13.2	11.0		5.5	22.0	18	- 2.8	1	6 2.3	3 3.0	0 -	2 3.0	0 -	32 2.0	0 -	0 -	35 2.2	9 2.0	0 -	4 2.2	2
VI			14.1	17.2	16.2	14.1		8.8	23.0	28	4.6	22	13 2.4	19 2.7	0 -	5 2.6	1 2.0	11 2.2	0 -	0 -	15 3.5	21 2.4	0 -	3 2.0	2
VII			16.4	21.2	20.4	17.9		12.5	27.0	11	6.3	15	10 2.3	20 2.6	9 2.1	9 2.2	0 -	5 1.6	0 -	0 -	4 1.5	29 2.1	0 -	1 2.0	6
VIII			12.6	17.2	17.2	14.7		10.1	22.0	25	1.4	18	7 2.3	1 2.0	1 2.0	2 2.5	0 -	16 2.1	1 2.0	0 -	32 2.2	7 3.0	0 -	24 2.2	2
IX			12.3	16.7	13.2	13.6		10.6	24.0	6	4.2	13	6 2.7	0 -	0 -	16 2.1	0 -	27 2.2	0 -	0 -	29 2.4	5 2.4	0 -	0 -	7
X			6.0	9.3	6.0	6.8		3.7	16.1	17	- 6.8	29	11 2.4	19 2.3	0 -	3 5.0	0 -	6 2.2	1 3.0	0 -	34 2.8	12 3.3	0 -	6 3.2	1
XI			2.7	3.9	3.1	3.0		1.0	10.0	5	- 7.7	29	0 -	23 2.2	0 -	23 1.7	0 -	24 2.4	4 2.2	0 -	9 3.2	2 2.5	0 -	0 -	5
XII			- 0.6	0.8	0.1	- 0.1		- 3.1	7.1	1	-11.7	7	11 2.1	20 2.2	0 -	1 2.0	0 -	2 2.5	2 2.0	0 -	34 2.9	9 2.0	0 -	8 2.0	6
1949			6.0	9.6	8.1	7.1		3.2	27.0		-14.2		97 2.2	106 2.4	63 2.1	85 2.1	16 2.2	138 2.2	11 2.4	0 -	307 2.6	141 2.4	3 3.7	98 2.4	40

1949

Ås

$H_s = 95$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 8$ $h_r = 1.9$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I	85	81	82	83	5.7	5.2	6.0	64	14	2	21		3		14	11	2	0	0	0	9	9	2	0	0	0	0	0	11	5	16	2	15	12
II	88	75	81	82	5.2	4.6	4.4	24	8	9	20		2		7	5	0	0	0	0	5	3	1	0	0	0	0	0	5	10	20	2	8	7
III	90	62	69	77	3.9	3.5	3.2	14	7	14	29		5		9	4	0	0	0	0	2	9	0	0	0	0	0	0	10	4	27	7	4	22
IV	81	61	70	76	4.9	5.5	5.2	49	15	22	7		0		15	9	1	0	0	0	14	2	0	2	0	0	0	0	12	6	26	2	10	0
V	75	60	67	74	4.8	4.9	4.7	84	16	30	4		0		16	15	4	0	0	0	16	0	0	1	0	0	0	5	14	4	29	3	9	0
VI	66	55	60	67	3.9	3.9	5.0	57	17	5	0		0		12	8	3	0	0	0	12	0	0	2	0	0	0	6	8	0	27	1	6	0
VII	69	49	56	65	3.6	3.6	3.8	32	15	1	0		0		8	5	1	1	0	0	8	0	0	1	0	0	0	3	4	2	30	2	1	0
VIII	79	56	69	74	4.1	4.3	4.6	74	18	3	0		0		11	8	4	0	0	0	11	0	0	1	0	0	0	1	5	4	31	3	3	0
IX	92	73	87	87	5.2	5.1	5.0	52	11	19	0		0		16	13	1	0	0	0	16	0	0	1	0	0	0	1	15	8	28	3	14	0
X	91	72	83	84	5.6	5.2	5.1	146	24	19	9		0		16	13	8	2	0	0	16	1	0	1	0	0	0	1	16	2	26	2	13	1
XI	91	89	91	91	7.0	6.9	6.7	105	20	24	13		0		19	15	3	0	0	0	16	4	0	1	0	0	0	0	16	7	8	1	21	3
XII	94	93	94	94	5.5	5.3	5.4	105	17	13	27		3		17	15	5	0	0	0	13	8	0	0	0	0	0	0	11	15	20	4	12	18
1949	83	69	76	80	5.0	4.8	4.9	806	24		130		13		160	121	32	3	0	0	138	36	3	10	0	0	0	17	127	67	288	32	116	63

Eidsberg

$H_s = 140$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 9.1$ $h_r = 1.6$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.5	5.5	5.3	65	10	3	19		3		18	14	1	1	0	0	9	12	1	0	0	0	0	0	15	2	15	3	16	8
II					4.8	4.8	3.9	36	10	22	19		1		8	6	0	1	0	0	5	5	0	1	0	0	0	0	19	4	18	4	9	7
III					4.2	3.7	3.2	21	9	13	29		5		11	3	0	0	0	0	4	10	2	0	0	0	0	0	30	1	27	5	4	17
IV					4.6	5.2	5.8	73	20	8	8		0		16	10	2	3	1	0	13	3	0	2	0	1	0	0	19	4	25	4	11	0
V					4.6	5.0	4.7	82	15	30	4		0		17	14	3	0	0	0	17	0	0	0	0	1	0	5	16	0	25	4	9	0
VI					3.7	4.3	4.8	93	30	8	0		0		10	6	4	1	0	0	10	0	0	0	0	0	0	5	9	0	25	5	8	0
VII					4.1	4.8	4.2	25	8	19	0		0		11	8	0	0	0	0	11	0	0	0	0	0	0	7	4	1	26	7	7	0
VIII					5.1	5.5	5.0	75	22	3	0		0		11	9	3	1	0	0	11	0	0	3	0	0	0	1	6	4	25	3	11	0
IX					6.0	5.6	4.3	54	13	17	0		0		13	9	2	0	0	0	13	0	0	0	0	0	0	1	13	5	23	2	10	0
X					5.9	5.1	4.7	177	36	19	8		0		16	12	6	3	0	0	15	3	2	2	0	1	0	1	7	2	24	4	13	0
XI					7.4	6.9	7.1	73	13	24	14		1		16	13	2	0	0	0	14	4	1	2	0	1	0	0	14	4	8	0	24	1
XII					4.6	5.1	4.7	156	36	26	26		3		18	16	5	0	0	0	17	6	0	0	0	1	0	0	16	5	18	4	7	6
1949					5.0	5.1	4.8	930	36		127		13		165	120	28	10	1	0	139	43	6	10	0	5	0	20	168	32	259	45	129	39

Råde (Tomb)

$H_s = 14$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 6.9$ $h_r = 1.5$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	80	82	82	4.5	4.5	4.4	73	18	2	17		2		17	13	2	2	1	0	13	9	2	5	0	0	0	0	9	3	14	6	10	1
II	86	78	81	82	4.4	3.2	3.0	29	8	22	17		0		10	7	0	4	1	0	9	2	1	2	0	0	0	0	8	4	15	10	7	0
III	88	66	71	77	4.0	3.3	2.9	30	12	14	26		2		7	4	2	0	0	0	4	5	2	1	0	0	0	0	6	2	26	8	3	0
IV	81	68	78	80	4.9	3.7	5.4	52	13	22	7		0		13	10	1	5	0	0	13	0	0	2	0	0	0	0	10	4	20	6	10	0
V	77	68	72	76	4.5	4.1	4.7	76	16	30	3		0		16	12	2	0	0	0	16	0	0	5	0	0	0	3	9	2	24	6	10	0
VI	70	62	65	70	3.7	4.1	5.1	66	24	8	0		0		9	5	3	0	0	0	9	0	0	1	0	0	0	1	5	3	25	4	7	0
VII	73	58	66	72	3.7	3.3	3.9	70	30	19	0		0		10	7	4	0	0	0	10	0	0	0	0	0	0	2	14	0	29	3	2	0
VIII	80	67	75	78	4.8	4.2	4.3	77	23	9	0		0		10	7	4	0	0	0	10	0	0	0	0	0	0	1	12	9	27	3	7	0
IX	90	74	85	85	5.2	4.7	4.6	36	7	16	0		0		16	10	0	0	0	0	16	0	0	1	0	0	0	0	11	13	23	2	6	0
X	90	77	83	84	5.3	4.7	3.8	177	33	19	8		0		14	14	7	1	0	0	14	0	0	0	0	0	0	0	11	5	14	4	7	0
XI	90	87	90	90	6.5	6.7	6.8	98	14	22	9		0		18	16	2	2	0	0	18	2	2	2	0	0	0	0	8	7	5	0	20	2
XII	93	92	92	92	4.9	4.8	4.7	123	22	26	24		1		17	15	5	0	0	0	14	5	0	1	0	0	0	0	10	9	15	4	9	12
1949	84	73	78	81	4.7	4.3	4.5	907	33		111		5		157	120	32	14	2	0	146	23	7	20	0	0	0	7	113	61	237	56	98	15

Kalnes

$H_s = 50$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 11$ $h_r = 1.8$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	78	81	81	4.5	4.1	4.3	86	14	18	19		2		16	14	4	0	0	0	14	8	4	0	0	0	0	0	14	10	18	8	12	8
II	86	74	79	80	4.5	3.1	2.3	47	10	13	19		1		11	7	1	0	0	0	10	3	1	0	0	0	0	0	10	13	20	10	6	6
III	86	64	69	75	2.8	1.9	2.0	23	9	13	29		1		7	4	0	0	0	0	5	5	2	0	0	0	0	0	20	6	28	16	3	12
IV	80	67	72	76	4.3	3.4	5.1	77	18	4	8		0		14	9	4	0	0	0	14	2	2	0	0	0	0	0	11	18	27	6	9	0
V	76	64	68	74	3.2	3.3	4.4	108	20	30	3		0		17	14	5	0	0	0	17	0	0	0	0	0	0	4	18	9	27	10	9	0
VI	66	56	61	67	2.6	3.2	3.5	62	20	3	0		0		9	7	3	1	0	0	9	0	0	0	0	0	0	3	14	2	26	12	6	0
VII	70	52	60	67	3.1	2.7	3.1	33	9	31	0		0		10	8	0	0	0	0	10	0	0	0	0	0	0	5	6	1	30	9	4	0
VIII	79	64	72	75	4.2	4.2	4.3	89	23	9	0		0		13	7	5	0	0	0	13	0	0	0	0	0	0	2	7	15	28	3	7	0
IX	91	73	83	85	4.2	3.6	4.2	29	6	16	0		0		18	9	0	0	0	0	16	0	0	0	0	0	0	1	14	16	23	6	7	0
X	88	73	82	82	5.0	4.4	3.0	189	37	19	7		0		18	15	8	0	0	0	17	1	0	0	0	0	0	1	7	18	24	6	9	0
XI	89	86	88	88	6.7	6.6	6.0	86	13	22	8		0		21	15	1	0	0	0	21	2	2	1	0	0	0	0	22	7	10	2	17	1
XII	91	89	89	90	4.0	4.1	4.8	155	36	26	25		1		18	18	5	0	0	0	18	5	4	0	0	0	0	0	10	14	17	7	10	4
1949	82	70	75	78	4.1	3.7	3.9	984	37		118		5		172	127	36	1	0	0	164	26	15	1	0	0	0	16	153	129	278	95	99	31

Brekke Sluse

$H_s = 114$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 8.5$ $h_r = 1.5$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.1	5.6	5.6	100	21	8	15		2		23	16	3	1	0	0	15	11	3	6	0	0	0	0	16	8	12	4	16	10
II					5.7	5.2	4.7	35	9	27	20		1		13	7	0	1	0	0	10	3	0	6	0	0	0	0	12	7	19	4	10	6
III					4.1	3.7	3.1	32	12	14	29		8		9	8	1	0	0	0	3	8	2	0	0	0	0	0	14	2	24	11	7	12
IV					5.7	5.1	5.1	114	31	8	10		0		16	12	5	0	0	0	16	2	2	4	0	0	0	0	14	8	24	3	13	0
V					4.7	5.0	4.6	92	12	24	5		0		17	14	4	0	0	0	17	0	0	0	0	0	0	1	19	1	22	4	10	0
VI					3.6	4.5	4.4	45	15	3	0		0		11	7	2	2	0	0	11	0	0	1	0	0	0	2	9	1	23	6	9	0
VII					3.0	3.6	3.4	53	14	19	0		0		11	9	3	0	0	0	11	0	0	0	0	0	0	3	6	1	23	8	5	0
VIII					5.6	5.0	4.9	74	20	16	0		0		15	12	4	0	0	0	15	0	0	0	0	0	0	0	14	7	19	4	14	0
IX					6.8	5.2	4.9	40	9	16	0		0		16	9	0	0	0	0	16	0	0	0	0	0	0	0	20	6	16	2	15	0
X					6.8	5.1	4.8	237	52	27	6		0		14	14	10	3	0	0	14	2	2	0	0	3	0	3	21	5	15	3	15	0
XI					7.5	7.2	6.8	88	14	24	9		0		22	16	2	0	0	0	20	2	0	5	0	0	0	0	25	5	5	0	24	0
XII					4.8	5.6	5.1	175	30	26	20		2		23	18	7	0	0	0	22	5	4	3	0	1	0	0	11	4	15	5	13	0
1949					5.3	5.1	4.8	1085	52		114		13		190	142	41	7	0	0	170	33	13	25	0	4	0	9	181	55	217	54	151	28

1949

Ferder

φ = 59° 2′ N λ = 10° 32′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1006.9	1007.7	3.2	3.5	3.4	3.3	4.9	1.4	7.5	30	- 7.1	22	4 4.2	1 5.0	2 2.0	1 2.0	1 2.0	5 4.8	5 4.0	26 4.2	23 3.1	5 2.4	5 2.4	9 3.1	6
II	13.8	14.6	[illegible]	3.7	3.8	3.3	5.2	2.2	8.7	14	- 2.4	7	5 2.6	0 -	1 2.0	1 1.0	0 -	2 2.5	6 3.2	9 3.4	30 3.8	8 3.6	4 3.5	5 2.6	13
III	18.9	19.8	[illegible]	1.9	2.6	1.5	3.6	- 0.2	8.5	22	- 6.9	5	14 2.6	6 2.8	13 2.9	4 2.2	0 -	5 2.8	6 2.2	6 4.2	16 2.4	3 3.7	3 2.0	4 3.0	12
IV	07.5	08.3	5.2	6.7	6.4	5.8	8.0	4.5	12.8	14	0.7	3	5 3.6	4 3.2	0 -	2 1.5	4 1.5	4 2.0	6 3.5	13 3.1	28 3.5	5 2.8	5 5.8	5 5.2	9
V	12.2	13.0	10.2	11.8	11.7	10.7	13.5	9.2	20.4	18	3.7	8	13 1.7	10 1.8	6 2.0	1 1.0	0 -	5 1.4	13 2.5	8 3.0	24 3.3	2 2.5	1 2.0	0 -	10
VI	13.0	13.8	13.8	15.9	15.3	14.4	17.7	12.5	22.1	20	9.5	4	17 2.5	4 2.5	6 3.2	5 2.8	0 -	0 -	10 4.3	12 4.7	19 3.1	2 2.0	0 -	7 3.1	6
VII	12.9	13.7	17.7	19.9	19.5	18.6	22.1	16.7	26.6	7	12.0	14	8 2.4	13 2.1	10 3.3	1 1.0	0 -	2 1.5	2 2.0	8 2.9	23 2.7	4 2.5	3 2.7	7 2.3	12
VIII	12.5	13.3	14.9	16.7	16.7	15.8	18.2	14.4	21.8	5	9.9	18	7 1.4	7 2.4	2 1.0	3 1.3	1 6.0	3 3.7	2 3.5	13 2.1	30 3.6	3 2.7	3 3.3	4 1.8	15
IX	19.6	20.4	14.9	16.3	16.6	15.6	17.4	14.2	18.7	6	10.2	29	2 4.0	9 2.4	18 2.2	7 2.1	5 2.2	8 1.8	2 3.5	9 3.4	19 2.8	1 1.0	1 2.0	1 3.0	9
X	12.1	12.9	9.7	10.6	10.5	10.1	12.0	8.6	17.0	3	2.0	30	9 2.6	4 3.0	7 3.3	3 1.3	3 2.3	5 3.0	7 4.1	5 2.4	28 3.3	6 3.5	3 4.0	8 3.4	6
XI	10.1	11.0	5.1	5.4	5.7	5.1	7.0	3.9	12.0	4	- 3.7	29	11 2.8	13 3.6	21 3.0	12 3.7	5 4.6	6 3.7	6 4.5	0 -	7 5.1	1 3.0	1 1.0	4 1.8	3
XII	999.9	00.8	3.7	3.6	3.5	3.5	5.7	1.7	8.8	27	- 5.0	7	5 2.6	14 2.6	3 1.3	2 3.0	0 -	1 6.0	5 4.6	10 4.5	29 3.7	5 2.8	1 3.0	4 1.8	14
1949	1011.6	1012.4	8.5	9.7	9.6	9.0	11.3	7.4	26.6		- 7.1		99 2.5	85 2.6	89 2.7	42 2.5	19 2.9	46 2.8	70 3.5	119 3.6	276 3.4	45 2.9	30 3.1	58 2.9	117

Gvarv

φ = 59° 24′ N λ = 9° 10′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.9	- 1.3	- 2.6	- 2.9		- 7.2	4.9	14	-17.0	10	2 1.5	4 1.5	1 1.0	1 1.0	1 1.0	9 2.1	3 1.7	2 2.0	1 1.0	3 1.7	2 1.5	15 2.9	49
II			- 3.9	1.8	- 0.5	- 1.4		- 5.9	11.5	17	-14.0	6	2 3.0	2 1.5	1 2.0	7 1.6	0 -	6 1.8	4 2.0	0 -	0 -	8 2.8	0 -	15 2.1	39
III			- 3.5	4.4	1.8	- 0.1		- 5.6	12.2	25	-15.6	5	1 3.0	4 1.8	1 2.0	9 1.8	1 2.0	16 1.4	13 1.3	2 1.0	1 3.0	3 1.0	1 1.0	10 2.8	31
IV			4.5	10.2	7.1	5.8		0.6	15.8	24	- 4.3	23	2 1.5	3 1.3	1 1.0	0 -	1 1.0	17 1.8	9 1.3	3 2.7	1 3.0	5 2.6	3 1.7	25 3.4	28
V			9.6	15.1	13.3	10.5		4.1	22.9	3	- 3.3	1	6 2.5	6 2.0	1 3.0	0 -	0 -	28 1.9	6 2.0	4 2.0	3 2.3	7 2.1	3 3.0	9 2.0	29
VI			14.7	20.3	17.7	15.1		7.8	27.0	28	3.0	22	0 -	3 1.7	4 2.5	4 3.0	0 -	27 2.0	11 2.1	7 1.7	1 2.0	6 2.7	3 3.1	16 2.6	8
VII			15.5	24.1	21.7	18.1		9.5	31.5	10	6.0	31	3 3.0	2 1.5	5 2.4	6 1.8	3 2.0	32 2.2	4 2.2	2 1.5	0 -	5 1.8	0 -	10 2.0	21
VIII			11.0	19.6	17.2	14.4		7.9	23.2	5	0.0	18	1 5.0	1 1.0	7 2.1	5 2.4	4 2.0	11 1.9	12 2.2	1 2.0	3 3.3	4 2.8	1 2.0	7 2.6	36
IX			10.6	17.6	15.2	13.5		9.1	22.1	9	0.8	13	2 1.5	0 -	2 1.0	1 1.0	0 -	19 1.9	4 1.2	3 2.3	0 -	0 -	0 -	1 3.0	59
X			4.0	9.2	6.5	6.2		2.5	15.5	5	- 7.7	29	0 -	4 2.0	2 1.0	0 -	0 -	15 2.4	2 1.0	2 2.0	1 3.0	8 3.1	4 2.5	4 3.2	51
XI			1.6	3.5	2.7	2.5		0.2	11.2	5	- 9.9	29	1 1.0	2 2.5	4 2.0	5 2.0	2 1.5	18 2.1	3 1.3	2 3.0	4 1.2	4 2.0	0 -	7 1.9	38
XII			- 4.9	- 2.4	- 3.5	- 3.8		- 7.5	6.2	27	-15.9	10	0 -	3 1.0	1 1.0	0 -	1 1.0	5 1.6	2 1.5	3 2.0	0 -	1 1.0	1 1.0	3 3.7	73
1949			4.6	10.2	8.0	6.5		1.3	27.0		-17.0		20 2.4	34 1.7	30 2.0	38 1.9	13 1.7	203 2.0	73 1.8	31 2.0	15 2.3	54 2.4	18 2.3	122 2.7	444

Dalen i Telemark

φ = 59° 27′ N λ = 8° 0′ E g = 9.818 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	998.0	1007.9	- 1.6	- 0.5	- 1.5	- 1.4		- 4.0	5.3	25	-10.7	4	0 -	0 -	0 -	2 1.5	13 1.6	1 3.0	0 -	0 -	0 -	4 1.0	60 2.3	1 1.0	12
II	1004.9	14.9	- 0.3	1.8	0.4	0.3		- 2.2	12.2	16	- 7.1	28	0 -	0 -	0 -	1 2.0	8 1.0	3 1.3	0 -	0 -	1 3.0	16 2.4	46 2.0	0 -	9
III	10.1	20.1	- 3.0	2.7	1.2	- 0.4		- 4.0	11.8	24	-13.7	6	0 -	0 -	0 -	1 3.0	17 1.8	4 1.8	0 -	1 2.0	0 -	8 1.9	49 1.9	2 1.5	11
IV	998.4	08.1	4.2	8.1	6.9	5.4		1.8	13.0	14	- 1.9	1	0 -	0 -	0 -	0 -	7 1.6	7 2.3	0 -	0 -	1 2.0	5 1.4	50 2.8	0 -	20
V	1002.9	12.5	9.5	13.2	12.3	9.7		4.7	20.6	11	- 0.8	9	0 -	0 -	0 -	0 -	19 1.8	7 2.1	0 -	0 -	0 -	9 1.3	40 2.4	1 3.0	17
VI	03.7	13.1	13.1	16.3	17.5	14.3		8.8	25.2	20	5.2	9	0 -	0 -	2 1.5	0 -	20 2.0	16 1.8	0 -	0 -	0 -	14 2.8	26 3.1	0 -	12
VII	03.8	13.1	14.1	22.2	21.5	18.0		12.6	27.8	10	9.6	2	0 -	0 -	0 -	1 2.0	19 1.9	4 2.0	0 -	0 -	1 3.0	0 -	42 2.2	5 2.9	21
VIII	03.7	13.2	11.5	17.5	16.8	14.3		10.2	21.6	23	4.5	18	0 -	0 -	0 -	2 1.5	14 1.9	0 -	0 -	0 -	0 -	8 2.4	41 2.2	1 2.0	27
IX	10.4	20.0	11.5	16.2	14.6	13.6		11.0	20.4	4	6.1	30	0 -	0 -	0 -	2 1.5	10 1.8	3 2.3	0 -	0 -	0 -	7 1.4	30 1.7	0 -	39
X	03.0	12.7	5.3	8.1	6.8	6.5		4.5	16.0	5	- 3.0	28	0 -	0 -	0 -	0 -	6 1.8	5 2.4	0 -	0 -	0 -	2 1.0	45 2.3	4 2.8	31
XI	01.0	10.8	1.6	2.5	2.0	1.9		0.6	9.1	4	- 7.1	29	0 -	0 -	0 -	2 1.0	9 2.4	4 2.5	0 -	0 -	0 -	5 1.6	36 1.4	1 2.0	33
XII	991.6	01.4	- 3.5	- 2.7	- 2.6	- 3.0		- 4.9	6.4	27	-11.6	12	0 -	0 -	0 -	0 -	8 1.9	4 2.5	0 -	0 -	0 -	17 1.1	44 1.7	0 -	29
1949	1002.6	1012.3	5.1	9.0	8.0	6.6		3.3	27.8		-13.7		0 -	0 -	2 1.5	11 1.6	150 1.8	58 2.1	0 -	1 2.0	3 2.7	95 1.8	509 2.2	15 2.4	851

Vefall i Drangedal

φ = 59° 0′ N λ = 9° 13′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.0	1.6	0.8	0.2	3.9	- 3.9	8.3	28	-17.5	10	0 -	3 1.0	0 -	0 -	0 -	3 2.0	17 2.2	16 1.8	15 1.8	9 1.1	8 2.9	9 3.1	13
II			- 0.3	4.3	2.0	1.6	5.6	- 2.5	12.0	16	-11.0	7	3 1.3	3 1.0	1 1.0	0 -	0 -	6 1.8	3 2.0	14 2.4	8 1.6	4 2.2	23 2.2	5 3.0	14
III			- 3.0	4.1	1.4	- 0.2	5.1	- 6.1	14.0	24	-19.1	5	16 2.1	11 2.2	3 1.3	3 1.7	2 1.5	11 1.9	8 1.9	7 2.3	7 1.3	2 1.0	9 2.2	8 2.6	6
IV			4.8	9.3	7.0	5.8	10.4	1.1	17.6	24	- 3.8	1	9 3.1	1 1.0	1 1.0	1 1.0	3 2.0	11 2.5	11 2.5	12 2.4	9 2.2	3 3.3	13 3.2	10 4.0	6
V			10.2	14.7	13.0	10.7	15.9	4.9	21.1	3	- 3.1	1	11 1.7	1 1.0	0 -	2 2.5	5 1.8	9 2.8	18 2.3	8 2.6	2 2.0	10 2.5	5 3.2	14 2.4	9
VI			15.3	18.8	17.2	14.9	19.9	8.6	25.3	28	4.3	9	14 2.6	5 2.4	1 1.0	0 -	9 2.7	11 2.0	17 2.1	8 2.5	6 3.3	1 4.0	6 3.5	11 2.9	1
VII			19.2	23.5	21.5	18.9	25.0	11.4	30.8	11	7.7	31	16 2.3	5 1.4	1 4.0	1 2.0	3 2.7	16 2.4	24 2.5	6 2.3	1 2.0	1 2.0	11 2.9	6 2.7	2
VIII			14.5	18.7	16.6	14.9	20.5	9.5	23.2	5	1.1	19	8 1.9	4 1.8	0 -	0 -	6 2.7	9 2.1	19 2.2	6 2.0	8 2.8	6 2.7	7 2.4	12 3.5	9
IX			12.6	17.4	15.0	14.2	18.4	10.6	22.5	4	3.6	30	12 2.2	5 2.6	1 4.0	3 3.7	4 3.0	14 2.3	17 1.8	6 3.0	5 2.8	3 1.0	3 2.0	9 2.0	9
X			5.5	10.1	7.3	7.2	11.1	3.6	18.9	5	- 6.0	29	12 2.6	3 1.7	0 -	2 2.5	1 3.0	3 2.0	17 2.4	24 1.7	9 2.6	5 1.0	5 2.6	8 3.0	4
XI			2.7	4.1	3.2	3.1	5.1	1.1	11.3	5	- 9.4	29	13 2.9	16 3.5	3 4.0	8 2.8	3 4.3	10 3.6	12 3.1	6 2.2	7 1.1	3 1.7	0 -	5 2.4	4
XII			- 2.4	0.1	- 1.0	- 1.3	2.1	- 4.9	8.5	27	-12.8	10	8 2.0	4 2.8	0 -	0 -	0 -	2 3.5	9 2.3	23 1.5	13 1.3	8 1.1	5 2.4	6 1.7	15
1949			6.5	10.6	8.7	7.5	11.9	2.8	30.8		-19.1		122 2.3	61 2.3	11 2.5	20 2.6	36 2.6	105 2.4	172 2.3	136 2.1	90 2.0	55 1.8	95 2.6	103 2.9	99

Jomfruland

φ = 58° 52′ N λ = 9° 36′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.8	3.0	2.6	2.3		0.0	6.8	28	- 5.6	22	3 2.0	2 2.0	1 2.0	3 2.0	0 -	5 3.0	7 4.6	12 3.8	25 3.0	15 2.9	8 2.1	10 2.0	2
II			1.7	4.3	3.1	2.8		0.4	10.1	14	- 5.4	7	4 1.3	1 2.0	1 3.0	3 2.3	0 -	1 1.0	4 3.3	8 3.5	21 3.3	16 2.6	6 2.3	12 2.0	7
III			- 0.7	3.7	2.0	1.2		- 2.0	13.2	24	- 9.4	5	10 2.3	12 3.4	3 2.3	6 2.8	5 2.6	4 1.5	10 2.5	12 2.7	3 2.0	8 2.9	5 2.2	7 2.1	9
IV			5.1	8.5	6.5	6.0		3.2	13.4	14	- 2.0	2	5 2.6	5 2.4	2 1.5	6 1.3	0 -	3 1.3	16 2.6	11 3.9	16 2.5	9 2.9	5 4.0	6 3.8	6
V			10.3	13.5	12.3	10.9		7.6	18.9	21	2.3	8	6 1.0	11 1.6	3 1.0	6 1.7	1 1.0	7 1.0	11 2.5	20 3.0	6 3.2	6 3.0	5 2.4	5 2.5	6
VI			14.6	17.5	16.1	14.8		11.1	24.0	30	8.3	10	1 2.0	15 2.3	6 1.3	7 1.6	1 1.0	5 1.8	14 2.4	17 3.6	5 3.4	8 2.4	3 2.3	4 2.0	4
VII			17.5	22.5	20.9	19.1		14.3	26.2	11	9.1	20	8 1.5	9 3.1	2 2.0	7 1.9	0 -	10 2.4	17 2.4	13 2.3	7 2.4	8 2.1	3 2.7	3 1.0	6
VIII			13.5	18.2	16.6	15.4		11.7	23.0	4	7.3	18	8 1.9	5 2.0	4 1.5	3 1.3	1 5.0	5 2.6	13 2.2	15 2.9	15 3.4	9 2.9	6 2.8	5 2.8	4
IX			13.5	17.7	15.8	15.3		12.9	20.1	28	8.3	30	4 1.2	15 2.9	6 2.5	10 2.2	2 3.0	11 2.2	5 2.8	11 3.2	9 3.7	6 1.8	6 1.7	0 -	5
X			7.9	10.7	9.1	8.9		6.4	17.8	5	- 1.6	28	7 2.1	9 3.4	3 2.7	7 1.7	1 4.0	3 1.0	7 3.0	12 3.0	16 2.9	9 2.6	8 3.2	9 1.0	2
XI			4.2	5.0	4.8	4.6		3.1	12.0	5	- 5.2	29	9 2.0	23 3.5	7 2.9	3 3.9	4 3.8	8 4.5	4 4.8	3 3.7	9 3.7	0 -	2 2.0	4 1.5	4
XII			1.8	2.6	1.8	1.9		- 0.4	8.6	27	- 4.8	12	10 2.0	8 2.5	6 2.5	0 -	0 -	2 3.5	7 3.6	8 4.1	18 2.8	14 2.4	4 2.8	11 1.9	5
1949			7.6	10.6	9.3	8.6		5.7	26.2		- 9.4		75 1.9	115 2.8	44 2.1	71 2.3	15 3.0	64 2.3	115 2.8	142 3.2	150 3.0	108 2.6	61 2.6	76 2.2	59

1949

Ferder

$H_s = 6$ $H_b = 6.9$ $h_t = 2.1$ $h_a = 10.5$ $h_d = 10.6$ $h_r = 1.0$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ▣
I	85	84	85	85	5.0	5.4	5.0	76	18	2	9	1	0	0	15	13	2	10	1	0	15	6	6	3	0	1	0	0	0	3	15	2	13	
II	86	82	80	83	5.0	4.4	4.2	29	9	27	7	0	0	0	11	7	0	8	1	1	11	1	1	5	0	0	0	0	0	8	22	7	7	
III	83	79	77	80	4.5	3.8	3.5	25	9	13	16	2	0	0	9	5	0	4	0	0	4	7	2	0	0	1	0	0	0	4	24	7	6	
IV	84	79	80	82	5.3	5.1	5.5	61	11	4	0	0	0	0	14	11	2	9	0	0	14	2	2	3	0	0	0	0	0	16	22	2	12	
V	83	80	82	83	4.9	4.8	5.1	81	29	26	0	0	0	0	15	12	2	3	0	0	15	0	0	1	0	0	0	3	0	3	26	1	10	
VI	79	72	79	82	4.4	3.9	4.8	38	16	3	0	0	0	0	9	4	2	7	0	0	9	0	0	0	0	0	0	1	1	1	26	2	8	
VII	82	72	78	80	3.8	3.7	4.3	44	21	29	0	0	0	4	9	5	1	1	0	0	9	0	0	0	0	0	0	0	0	0	30	4	3	
VIII	86	80	83	84	4.5	4.6	4.5	84	25	28	0	0	0	0	10	7	4	4	0	0	10	0	0	0	0	0	0	1	0	4	30	6	7	
IX	89	86	86	87	5.1	4.9	5.4	37	10	18	0	0	0	0	12	10	1	1	0	0	12	0	0	1	0	0	0	0	1	4	25	0	10	
X	86	80	78	81	5.6	5.0	4.9	174	27	19	0	0	0	0	19	14	9	9	2	0	19	0	0	1	0	0	0	1	1	3	20	2	10	
XI	90	89	88	89	6.8	6.7	7.0	81	17	22	3	0	0	0	17	14	2	6	0	0	17	2	2	1	0	0	0	0	0	2	10	1	23	
XII	90	90	88	89	4.7	4.7	4.8	104	17	26	7	0	0	0	20	17	5	9	0	0	20	1	0	5	0	0	0	0	0	7	17	4	10	
1949	85	81	82	84	5.0	4.8	4.9	834	29		42	3	0	4	160	119	30	71	4	1	155	19	13	20	0	2	0	6	3	55	267	38	119	

Gvarv

$H_s = 26$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d = 13.8$ $h_r = 1.8$

I	90	83	86	88	4.1	5.6	4.4	66	20	2	29		0		11	6	2	2	0	0	4	10	1	0	0	0	0	0	2	6	16	3	10	29
II	93	74	81	85	5.1	5.1	4.0	18	10	9	23		7		10	3	0	2	0	0	6	5	0	2	0	0	0	0	3	4	20	4	8	23
III	89	57	65	74	4.5	4.1	3.6	16	8	13	30		5		11	5	0	1	0	0	3	9	1	0	0	2	0	0	1	1	26	6	7	22
IV	79	55	67	73	5.7	5.6	5.5	35	8	26	12		0		10	8	0	5	0	0	10	1	1	4	0	0	0	0	3	4	23	3	17	0
V	77	59	62	72	4.8	5.5	5.5	98	27	26	5		0		14	12	4	0	0	0	14	0	0	2	0	0	0	2	3	5	27	5	13	0
VI	67	46	55	66	4.6	4.4	5.0	49	14	3	0		0		13	7	2	0	0	0	13	0	0	0	0	1	0	2	0	1	27	0	8	0
VII	77	43	54	65	4.1	4.7	4.1	8	4	28	0		0		8	3	0	0	0	0	8	0	0	0	0	0	0	2	1	0	30	4	4	0
VIII	91	55	66	76	5.0	4.8	5.1	58	15	9	0		0		12	10	2	2	0	0	12	0	0	0	0	0	0	2	0	5	27	3	9	0
IX	97	73	81	88	5.8	6.2	5.2	94	21	17	0		0		16	10	4	0	0	0	16	0	0	0	0	0	0	1	10	10	21	1	15	0
X	93	76	86	87	6.0	6.1	4.2	93	23	19	10		0		18	14	3	3	0	0	17	2	1	1	0	0	0	0	4	2	23	4	10	1
XI	91	87	90	90	6.7	7.2	6.8	101	22	23	12		0		18	15	4	0	0	0	16	4	1	2	0	0	0	0	7	3	9	1	21	2
XII	94	93	92	93	5.1	5.3	5.2	63	15	8	31		10		16	9	1	0	0	0	9	13	3	1	0	0	0	0	4	13	18	5	15	25
1949	86	67	74	80	5.1	5.4	4.9	699	27		152		22		157	102	22	15	0	0	128	44	8	12	0	3	0	9	38	54	267	39	137	102

Dalen i Telemark

$H_s = 77$ $H_b = 79.6$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.6$

I	85	83	87	85	4.5	5.5	4.6	107	32	8	27		1		12	11	4	2	1	0	8	9	4	2	0	0	0	0	2	1	0	5	12	31
II	84	76	80	81	4.8	4.4	3.8	28	7	25	19		0		8	7	0	2	0	0	4	6	2	0	0	0	0	0	1	0	8	2	6	20
III	79	64	69	72	4.6	4.0	3.7	23	10	14	28		3		8	7	1	0	0	0	2	7	1	0	0	0	0	0	1	0	22	9	8	23
IV	76	60	65	70	5.6	5.2	5.2	42	8	5	7		0		9	9	0	2	0	0	9	0	0	1	0	0	0	0	3	0	13	2	13	0
V	79	61	61	72	4.9	4.7	4.8	120	23	26	2		0		14	12	5	0	0	0	14	0	0	2	0	0	0	1	2	4	22	6	12	0
VI	73	51	50	65	3.7	3.8	3.9	54	15	5	0		0		9	6	3	0	0	0	9	0	0	2	0	0	0	0	1	3	27	6	5	0
VII	81	48	49	65	4.1	4.4	3.9	34	17	20	0		0		9	6	1	0	0	0	9	0	0	0	0	0	0	3	0	0	27	5	5	0
VIII	84	61	61	72	5.2	4.8	4.0	65	30	9	0		0		10	8	3	0	0	0	10	0	0	2	0	0	0	1	3	0	24	5	8	0
IX	93	76	84	86	5.6	5.7	5.6	116	31	3	0		0		13	9	3	0	0	0	13	0	0	2	0	0	0	1	4	3	16	2	15	0
X	90	80	86	87	6.0	5.9	4.3	97	26	19	3		0		14	13	3	2	0	0	14	2	2	4	0	0	0	0	4	0	10	3	11	1
XI	91	91	92	91	6.9	7.0	6.8	120	21	22	9		0		18	16	4	0	0	0	16	6	4	2	0	0	0	0	1	0	1	2	24	2
XII	92	91	91	91	4.6	5.3	3.6	80	15	8	30		2		17	16	2	0	0	0	5	16	1	0	0	0	0	0	2	0	0	5	10	26
1949	84	70	73	78	5.0	5.1	4.5	886	32		125		6		141	120	29	8	1	0	113	45	14	17	0	0	0	6	24	11	175	52	129	103

Vefall i Drangedal

$H_s = 68$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 12.3$ $h_r = 1.6$

I	86	79	82	83	5.2	5.2	5.1	92	34	2	22	3	5	0	16	8	4	3	1	0	6	12	2	0	0	1	0	0	10	1	24	3	13	20
II	86	72	75	79	4.4	4.3	3.5	17	7	9	22	0	2	0	13	4	0	4	0	0	9	6	2	0	0	0	0	0	6	1	27	7	5	4
III	87	60	68	75	4.7	4.2	3.1	34	10	7	31	7	5	0	13	9	0	0	0	0	3	12	2	0	0	0	0	0	7	1	26	7	8	16
IV	78	59	70	74	5.8	5.7	5.5	36	8	4	9	0	0	0	13	8	0	6	0	0	13	3	1	1	0	0	0	0	6	3	29	3	16	0
V	76	60	63	67	5.3	5.3	4.7	103	34	26	3	0	0	0	18	12	3	2	0	0	18	0	0	0	0	1	0	4	8	1	30	4	11	0
VI	66	56	57	64	4.6	4.2	4.2	56	15	3	0	0	0	1	13	7	3	5	0	0	12	0	0	0	0	0	0	4	1	0	29	1	8	0
VII	66	48	56	63	4.1	4.3	3.9	21	14	6	0	0	0	12	7	3	1	0	0	0	7	0	0	0	0	0	0	4	0	1	31	3	3	0
VIII	78	61	68	73	5.2	4.9	4.4	94	20	28	0	0	0	0	17	11	4	4	0	0	17	0	0	2	0	0	0	4	8	3	31	4	11	0
IX	92	72	82	85	5.7	5.8	5.0	105	25	17	0	0	0	0	17	9	5	2	0	0	17	0	0	1	0	0	0	3	18	4	27	1	11	0
X	90	74	83	84	5.8	5.6	4.3	166	28	19	8	0	0	0	21	13	7	5	3	1	20	3	2	0	0	0	0	4	10	3	28	2	9	1
XI	89	87	88	88	7.0	6.8	6.8	250	46	21	9	2	0	0	21	17	8	5	0	0	19	8	6	0	0	1	0	0	18	1	13	2	23	3
XII	92	89	89	90	4.9	5.2	4.3	86	24	18	27	9	4	0	18	13	2	2	0	0	18	8	5	1	0	1	0	0	8	4	25	5	11	24
1949	82	68	73	77	5.2	5.1	4.6	1060	46		131	21	16	13	187	114	37	38	4	1	159	52	20	5	0	4	0	23	100	23	322	42	129	68

Jomfruland

$H_s = 15$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 22$ $h_r = 1.7$

I					5.3	5.5	4.8	67	14	8	14		0		15	9	4	5	2	0	12	6	2	5	0	0	0	0	6	3	14	1	9	5
II					5.0	4.9	4.8	18	11	9	15		0		8	3	1	4	0	0	8	0	0	6	0	0	0	0	4	10	21	3	5	0
III					5.3	4.2	3.8	35	9	13	25		0		10	9	0	4	0	0	4	9	1	0	0	0	0	0	0	1	24	6	8	9
IV					5.5	6.0	5.7	52	9	26	4		0		12	9	0	5	0	0	12	0	0	4	0	0	0	0	2	13	20	1	16	0
V					5.3	5.2	5.1	92	38	26	0		0		14	12	2	2	0	0	14	0	0	2	0	0	0	5	3	3	24	2	11	0
VI					4.7	4.5	4.7	50	13	30	0		0		9	6	2	1	0	0	9	0	0	1	0	0	0	2	0	1	26	1	5	0
VII					3.5	3.7	3.9	18	5	31	0		0		8	6	0	1	0	0	8	0	0	0	0	0	0	2	1	0	30	5	3	0
VIII					5.2	5.1	4.8	110	40	28	0		0		9	9	4	1	0	0	9	0	0	3	0	0	0	6	3	2	28	1	9	0
IX					5.7	5.3	5.2	38	8	18	0		0		10	8	0	1	0	0	10	0	0	0	0	0	0	0	5	1	20	0	10	0
X					5.7	6.0	5.2	164	22	26	2		0		15	15	8	6	1	0	15	0	0	5	0	0	0	2	2	5	17	2	12	0
XI					6.6	7.0	7.2	136	22	21	6		0		21	18	4	6	0	0	21	2	0	3	0	2	0	0	3	1	7	1	23	0
XII					4.3	5.2	5.0	89	24	18	17		0		18	12	2	7	0	0	17	4	1	8	0	0	0	0	0	0	0	5	9	1
1949					5.2	5.2	5.0	869	40		83		0		149	116	27	43	3	0	139	21	4	37	0	2	0	17	29	40	231	28	120	15

1949

Lyngør Fyr

φ = 58° 38′ N λ = 9° 9′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.8	3.9	3.3	3.1		0.6	7.6	28	- 4.6	22	12 3.0	2 3.5	1 4.0	0 -	0 -	3 5.3	3 4.0	1 7.0	20 3.7	33 3.4	5 4.2	12 3.8	1
II			2.7	5.1	4.0	3.7		1.5	11.2	14	- 3.6	7	5 2.4	6 2.5	0 -	1 1.0	1 2.0	0 -	8 2.5	2 4.5	24 3.1	16 3.8	8 3.9	11 3.1	2
III			0.4	3.2	2.6	1.7		- 1.3	12.6	24	- 8.2	5	8 2.5	18 3.0	7 3.4	9 3.6	6 3.3	7 2.9	2 3.0	4 4.0	12 3.2	5 3.2	6 3.8	7 2.9	2
IV			5.4	7.3	6.7	5.9		3.6	13.2	26	- 1.6	2	5 3.6	3 2.3	8 2.4	4 2.0	3 1.3	4 2.5	11 2.8	13 2.5	18 3.4	4 2.8	6 2.0	9 3.6	2
V			10.6	11.7	11.9	10.6		8.1	17.3	20	2.8	8	4 3.0	9 2.3	10 3.0	1 3.0	0 -	8 2.1	11 2.4	13 3.0	21 3.0	5 3.4	3 2.7	4 3.2	4
VI			14.3	15.5	15.8	14.4		11.9	19.5	17	9.5	7	3 2.7	4 2.8	9 3.2	8 3.1	4 3.5	5 2.2	10 2.5	6 3.3	26 3.3	2 3.5	5 3.2	6 3.5	2
VII			17.7	20.0	20.4	18.7		15.8	26.2	12	10.9	1	5 2.4	10 2.4	4 3.8	5 3.4	3 4.0	10 2.5	15 2.1	5 2.8	23 3.0	0 -	3 1.7	8 2.6	2
VIII			14.2	16.9	16.9	15.5		12.8	21.5	5	9.0	18	4 2.0	7 2.0	6 2.5	4 2.2	1 1.0	8 2.8	5 2.4	8 3.8	26 3.4	11 2.6	4 3.0	6 3.8	3
IX			14.2	16.8	16.4	15.5		13.6	19.8	26	9.0	30	2 2.0	12 3.0	20 3.6	8 2.6	3 3.7	9 3.1	3 2.7	6 3.2	13 3.5	4 2.2	4 3.0	6 2.2	0
X			9.1	10.9	9.9	9.7		7.1	16.6	5	0.8	28	3 2.3	15 3.5	5 3.6	2 2.0	1 3.0	5 3.6	5 3.8	2 2.0	27 2.9	13 2.3	7 2.7	8 3.5	0
XI			5.2	5.7	5.5	5.3		3.3	12.6	5	- 4.7	29	5 2.0	29 2.8	10 4.5	3 5.7	4 4.5	17 5.3	1 6.0	3 5.3	9 4.0	2 2.5	4 3.0	3 2.0	0
XII			2.8	4.0	3.3	3.2		0.4	8.8	27	-10.3	13	3 2.3	14 2.6	3 3.3	2 3.0	0 -	1 4.0	1 5.0	3 4.3	22 3.5	21 3.0	8 2.8	14 2.1	1
1949			8.3	10.1	9.7	8.9		6.4	26.2		-10.3		59 2.6	120 2.8	83 3.4	47 3.0	26 3.3	77 3.5	75 2.7	66 3.3	241 3.3	116 3.1	63 3.1	94 3.0	19

Torungen Fyr

φ = 58° 24′ N λ = 8° 48′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			3.0	4.1	3.6	3.4		0.6	8.8	19	- 5.7	10	7 3.1	7 3.0	0 -	0 -	2 3.5	1 7.0	3 6.3	4 6.2	32 4.1	9 3.7	11 4.5	17 3.2	0
II			2.8	5.6	4.2	4.0		1.7	10.5	14	- 3.2	6	2 1.5	3 3.0	0 -	1 2.0	4 1.5	0 -	3 3.3	8 3.4	24 4.0	14 3.7	12 4.5	12 3.0	1
III			0.4	3.3	2.6	1.7		- 1.1	11.7	24	- 8.5	5	3 2.3	16 3.6	9 4.1	7 3.7	11 5.2	6 3.2	1 4.0	3 4.7	14 3.4	5 4.2	9 4.4	8 3.0	1
IV			5.5	7.2	6.3	5.8		3.6	14.0	14	- 1.6	2	5 2.0	7 3.0	9 2.9	3 2.7	1 3.0	6 2.3	1 1.0	10 3.0	25 3.9	6 3.5	14 4.4	3 4.3	0
V			10.1	11.5	11.0	10.0		7.3	15.0	21	2.3	8	3 1.1	6 2.7	12 3.2	5 3.4	5 3.4	3 1.0	4 1.5	11 2.4	22 3.4	5 4.4	10 2.8	4 3.0	3
VI			14.0	15.3	14.8	13.8		11.1	22.0	13	8.4	9	3 3.3	9 3.1	4 3.0	6 3.5	5 3.0	5 2.2	3 1.3	16 2.8	25 3.7	3 2.3	7 3.9	2 4.5	2
VII			18.3	19.0	19.2	17.9		15.1	25.0	12	13.1	19	0 -	5 2.0	15 3.3	4 2.8	4 1.2	4 2.0	1 4.0	20 2.3	21 3.3	2 3.5	7 3.3	6 2.5	4
VIII			14.8	16.7	15.8	15.1		12.6	22.0	5	8.3	18	3 2.0	3 2.3	1 2.0	4 3.0	12 3.1	4 2.2	4 3.5	8 2.9	29 3.5	5 2.2	12 3.5	7 3.7	1
IX			14.9	16.9	16.0	15.5		13.5	21.4	26	8.5	30	0 -	13 3.0	16 4.1	7 3.6	11 4.4	4 2.5	1 2.0	2 2.5	25 3.5	4 3.0	6 2.3	1 2.0	0
X			9.1	11.1	10.0	9.8		7.5	17.2	5	0.4	29	0 -	11 3.5	5 5.6	3 5.3	3 1.3	5 4.2	6 3.7	9 3.7	25 3.4	5 2.8	13 3.2	9 2.9	0
XI			5.7	6.1	5.9	5.8		4.1	12.4	5	- 3.0	29	5 1.8	25 3.7	9 4.8	4 4.0	11 5.6	15 5.3	5 5.2	3 3.7	7 4.3	5 3.6	0 -	1 1.0	0
XII			3.6	4.4	3.5	3.7		1.3	8.2	27	- 4.1	12	4 2.5	11 3.6	4 4.0	1 5.0	0 -	0 -	3 6.0	3 5.3	24 4.0	21 3.4	12 3.6	9 1.8	1
1949			8.5	10.1	9.4	8.9		6.4	25.0		- 8.5		35 2.3	116 3.3	84 3.8	45 3.5	69 3.8	53 3.4	35 3.7	97 3.1	273 3.7	84 3.4	113 3.8	78 3.0	13

Tveitsund

φ = 59° 2′ N λ = 8° 31′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.3	1.4	0.8	0.4		- 3.2	7.5	19	-14.1	10	11 4.0	2 1.0	0 -	6 1.2	2 1.5	23 1.2	11 1.7	7 1.6	1 2.0	9 2.0	6 2.2	7 3.0	8
II			0.6	3.6	1.7	1.6		- 1.6	10.0	16	- 8.0	7	0 -	3 2.7	1 1.0	16 1.3	5 2.0	10 1.6	1 2.0	8 2.0	5 1.2	20 2.3	7 2.9	7 2.0	1
III			- 2.8	3.1	0.0	- 0.7		- 5.3	11.0	24	-13.7	5	6 1.0	0 -	1 1.0	12 1.2	4 1.5	6 1.0	3 1.0	3 1.0	5 1.4	13 1.8	8 3.0	22 1.8	10
IV			4.2	7.8	6.2	5.1		1.3	13.4	18	- 5.9	2	9 3.8	0 -	0 -	9 2.1	4 1.2	9 1.9	8 2.6	4 1.8	3 2.3	10 2.5	12 3.6	14 2.9	8
V			8.1	12.9	11.4	9.0		3.7	18.6	4	- 2.9	1	1 4.0	0 -	0 -	7 1.1	3 1.3	11 2.1	6 1.8	9 1.2	8 2.5	22 1.5	4 1.2	11 2.4	9
VI			13.3	17.7	15.9	13.4		7.1	25.6	27	3.4	17	4 6.5	0 -	0 -	14 1.9	4 1.5	4 1.0	2 1.5	7 1.6	2 2.0	21 1.7	7 3.7	14 3.3	11
VII			14.7	22.0	19.8	17.1		9.9	28.2	10	7.1	16	2 1.5	0 -	0 -	3 1.0	8 1.1	14 1.3	4 1.0	4 1.0	1 3.0	12 1.2	4 1.8	10 1.6	31
VIII			10.9	17.5	15.5	13.6		8.9	22.2	25	1.7	19	4 3.8	0 -	3 1.3	12 1.1	5 1.0	11 1.2	1 1.0	0 -	2 1.0	10 1.4	4 1.0	11 3.0	30
IX			10.7	16.2	14.0	12.9		9.3	21.1	4	3.5	30	0 -	0 -	6 1.3	20 1.4	11 2.0	4 1.0	0 -	2 1.0	2 1.5	3 1.0	3 2.0	14 1.4	25
X			5.2	8.9	6.4	6.5		3.0	16.4	5	- 5.7	29	0 -	2 4.5	1 1.0	25 1.8	5 2.2	6 3.8	2 1.0	1 4.0	0 -	6 1.5	5 3.6	13 2.9	27
XI			2.2	3.0	2.3	2.4		0.3	9.2	5	- 8.8	29	1 1.0	14 2.5	5 1.4	18 1.8	3 1.0	3 1.3	1 1.0	0 -	4 1.0	9 1.2	2 1.0	4 1.0	26
XII			- 1.6	0.5	- 0.5	- 0.7		- 4.1	7.0	27	-11.7	12	2 1.0	13 1.3	4 1.0	10 1.6	5 1.4	0 -	0 -	0 -	1 1.0	4 3.5	0 -	10 2.7	44
1949			5.4	9.6	7.8	6.7		2.4	28.2		-14.1		40 3.4	34 2.1	21 1.2	152 1.5	59 1.5	101 1.5	41 1.7	45 1.5	34 1.7	139 1.8	62 2.7	137 2.4	238

Grimstad

φ = 58° 20′ N λ = 8° 36′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.2	4.0	3.1	3.0		0.2	9.2	19	- 7.5	10	8 2.4	1 4.0	2 3.5	0 -	0 -	2 6.0	2 5.0	2 6.5	41 3.7	10 3.4	4 3.8	15 3.1	6
II			2.4	6.1	4.1	3.9		1.2	11.9	14	- 4.2	7	1 5.0	4 2.0	3 2.0	0 -	1 4.0	0 -	1 5.0	1 4.0	35 4.0	15 3.7	11 2.5	9 3.1	3
III			0.4	3.5	2.3	1.7		- 1.8	12.3	24	- 9.4	6	1 2.0	3 1.7	28 3.8	12 3.6	2 4.0	3 3.0	0 -	0 -	17 3.5	10 3.0	6 2.0	8 2.4	3
IV			6.2	7.9	6.9	6.3		3.7	15.0	14	- 2.4	2	1 4.0	1 4.0	18 3.3	7 2.6	1 2.0	0 -	3 2.3	0 -	32 4.0	9 4.0	9 3.9	4 4.5	5
V			10.7	12.5	11.6	10.6		7.3	17.4	20	1.3	8	2 2.0	1 1.0	24 3.1	7 2.0	2 3.0	1 3.0	4 2.0	0 -	32 3.5	9 3.1	2 4.0	6 3.2	3
VI			14.6	16.1	15.1	14.1		10.7	23.0	13	7.6	11	3 2.0	0 -	18 3.0	8 4.4	0 -	0 -	3 3.0	0 -	42 3.5	4 4.0	10 3.6	0 -	2
VII			19.3	20.5	20.0	18.5		14.0	26.6	11	11.7	4	1 1.0	0 -	14 3.4	6 3.0	1 1.0	1 3.0	4 2.8	0 -	47 3.4	11 2.6	5 3.6	1 3.0	2
VIII			13.8	17.4	16.2	15.1		11.7	23.0	5	7.4	18	0 -	4 2.2	14 3.4	3 3.3	0 -	2 3.5	4 2.8	0 -	33 3.6	12 3.2	14 3.8	1 3.0	6
IX			13.7	17.3	15.8	15.2		12.8	22.0	26	6.2	30	2 1.5	1 1.0	32 3.7	10 3.8	2 2.0	0 -	1 3.0	0 -	18 3.9	11 1.9	5 2.4	1 1.0	7
X			8.1	11.4	9.3	9.4		6.7	18.0	14	- 1.7	28	5 2.0	4 3.0	20 3.7	1 3.0	2 4.0	0 -	0 -	0 -	29 3.4	13 3.0	11 2.5	2 1.5	6
XI			4.8	5.7	5.3	5.2		3.4	12.4	5	- 4.6	29	3 2.3	6 3.3	37 4.2	7 4.7	9 4.4	10 4.3	0 -	2 5.5	7 4.6	5 2.4	1 1.0	2 1.5	1
XII			2.6	4.0	2.7	3.0		0.4	8.7	27	- 5.3	12	4 1.8	7 1.9	12 3.2	1 3.0	0 -	0 -	0 -	0 -	26 4.6	21 3.2	15 2.0	4 1.8	3
1949			8.2	10.6	9.4	8.8		5.9	26.6		- 9.4		31 2.2	32 2.5	222 3.5	62 3.5	20 3.6	19 4.1	22 2.9	5 5.6	359 3.7	130 3.1	93 3.0	53 2.8	47

Byglandsfjord

φ = 58° 40′ N λ = 7° 48′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.4	0.0	- 0.7	- 0.9		- 4.3	6.4	19	-14.8	10	1 1.0	0 -	0 -	2 1.0	1 2.0	15 1.5	34 1.4	1 1.0	0 -	7 1.6	6 1.8	26 2.6	0
II			- 0.4	2.2	0.8	0.6		- 2.6	8.2	17	- 8.9	6	5 2.4	0 -	0 -	2 1.5	1 1.0	17 1.5	22 1.5	1 1.0	0 -	12 1.5	0 -	24 1.5	0
III			- 2.9	1.7	0.2	- 0.9		- 4.9	8.8	24	-11.9	5	15 1.7	2 1.0	3 2.7	9 1.9	0 -	3 1.3	11 1.6	1 2.0	1 1.0	9 1.7	0 -	39 2.0	0
IV			3.8	7.2	6.3	4.7		0.3	13.2	16	- 6.0	2	19 1.8	1 1.0	0 -	2 1.5	0 -	4 1.5	25 1.9	0 -	0 -	9 2.1	0 -	30 2.3	0
V			8.0	13.4	11.8	9.4		4.0	19.8	12	- 2.8	8	19 1.8	2 2.0	2 2.0	7 1.7	0 -	3 1.7	30 2.0	0 -	0 -	4 2.2	0 -	26 2.1	0
VI			12.8	18.0	16.7	13.6		7.0	24.6	28	2.1	9	23 2.1	6 2.0	0 -	6 2.2	0 -	6 2.0	24 2.2	0 -	0 -	3 2.7	0 -	22 2.4	0
VII			14.7	21.9	20.4	17.3		10.0	28.4	10	5.2	17	18 2.1	0 -	2 1.5	4 1.8	0 -	0 -	27 2.1	0 -	1 2.0	9 2.0	0 -	32 2.2	0
VIII			11.0	17.2	15.5	13.6		8.4	22.4	25	1.6	20	12 2.0	0 -	0 -	4 1.8	0 -	5 1.6	31 1.8	0 -	1 2.0	7 2.3	0 -	33 2.5	0
IX			11.8	16.6	14.5	13.8		10.4	21.0	5	4.4	30	8 1.9	1 2.0	2 2.5	14 2.5	0 -	3 2.0	27 1.8	0 -	0 -	13 1.4	0 -	22 2.0	0
X			5.9	9.0	7.0	7.0		3.9	16.8	14	- 5.4	28	7 2.0	1 1.0	1 1.0	5 1.8	0 -	7 1.7	40 1.7	0 -	0 -	7 1.9	0 -	25 2.3	0
XI			3.0	3.9	3.1	3.2		1.3	9.4	5	- 9.0	29	12 2.4	0 -	1 3.0	4 2.0	0 -	12 1.8	30 1.7	0 -	0 -	4 1.2	0 -	27 1.9	0
XII			- 1.2	0.1	- 0.9	- 0.9		- 3.7	6.2	27	- 8.5	12	0 -	0 -	0 -	3 1.0	0 -	6 1.7	38 1.5	0 -	2 1.0	10 1.4	0 -	34 2.1	0
1949			5.4	9.3	7.9	6.7		2.5	28.4		-14.8		139 2.0	13 1.8	11 2.3	62 1.9	2 1.5	81 1.6	339 1.8	3 1.3	5 1.4	94 1.7	6 1.8	340 2.2	0

Årsoversikter

Annual Summaries)

1949

$H_s = 4$ $H_b =$ $h_t = 2.2$ $h_a =$ $h_d =$ $h_r = 1.4$

Lyngør Fyr

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	78	78	80	4.9	5.1	4.8	71	20	2	11		0		15	10	3	7	1	0	13	7	5	7	0	0	0	0	2	1	18	3	10	
II	86	73	77	80	5.0	4.5	4.5	22	11	9	7		0		13	7	1	6	1	0	13	1	1	7	0	0	0	0	2	7	23	4	6	
III	75	68	72	73	4.9	4.2	4.0	31	11	13	22		0		8	7	1	6	0	0	5	6	3	2	0	1	0	0	1	1	26	6	7	
IV	78	70	77	78	5.9	5.6	5.9	42	13	4	1		0		13	9	1	4	0	0	13	0	0	15	0	1	0	0	0	15	24	0	14	
V	77	77	73	75	5.3	5.1	4.9	94	41	26	0		0		15	13	1	2	0	0	15	0	0	4	0	0	0	4	0	5	28	3	11	
VI	70	70	68	68	4.7	4.5	4.7	31	10	3	0		0		7	5	0	3	0	0	7	0	0	2	0	0	0	1	1	0	27	0	6	
VII	69	70	67	68	4.1	4.4	3.8	5	3	31	0		0		5	1	0	1	0	0	5	0	0	1	0	0	0	2	0	1	31	3	4	
VIII	81	75	74	77	5.0	5.0	4.6	91	17	3	0		0		14	9	6	4	0	0	14	0	0	2	0	0	0	3	0	2	28	2	8	
IX	90	83	84	86	5.2	5.1	5.6	41	19	3	0		0		10	6	1	3	0	0	10	0	0	3	0	0	0	3	0	2	25	1	12	
X	86	78	80	82	5.8	5.6	5.1	186	24	19	0		0		18	16	9	6	2	1	18	1	1	8	0	1	0	4	2	2	25	3	11	
XI	88	86	86	86	6.6	7.0	7.0	178	32	21	4		0		20	20	8	11	0	0	20	3	3	7	0	0	0	0	5	0	9	1	21	
XII	85	82	81	83	4.3	4.9	4.5	78	11	18	11		1		20	12	1	4	0	0	19	5	5	9	0	0	0	0	3	1	21	5	8	
1949	81	76	76	78	5.1	5.1	5.0	870	41		56		1		158	115	32	57	4	1	152	23	18	67	0	3	0	17	16	37	285	31	118	

$H_s = 12$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.3$

Torungen Fyr

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.3	5.2	5.1	70	23	8	13		0		21	12	1	8	3	0	21	9	9	16	0	0	0	0	15	3	17	4	12	0
II					4.5	4.0	3.9	30	14	9	7		0		15	6	1	9	0	0	15	2	2	12	0	0	0	0	9	7	22	3	3	0
III					3.9	3.6	3.8	34	13	13	20		0		11	9	1	13	0	0	8	8	5	0	0	0	0	0	14	2	27	8	9	9
IV					4.5	5.0	5.3	53	20	4	1		0		17	9	1	7	0	0	17	0	0	17	0	0	0	0	7	13	24	4	10	0
V					3.8	4.3	4.6	105	34	26	0		0		16	12	3	1	0	0	16	0	0	9	0	0	0	1	12	4	28	5	4	0
VI					3.7	3.5	4.0	56	31	1	0		0		8	6	2	2	0	0	8	0	0	7	0	1	0	0	6	4	29	2	4	0
VII					3.2	3.2	3.4	8	3	20	0		0		4	3	0	1	0	0	4	0	0	0	0	0	0	1	2	0	31	6	1	0
VIII					4.0	3.9	3.7	81	16	3	0		0		16	9	4	2	0	0	16	0	0	4	0	0	0	5	14	2	29.	2	4	0
IX					4.8	4.4	5.1	49	14	3	0		0		15	8	2	3	0	0	15	0	0	9	0	0	0	2	19	2	26	3	7	0
X					5.1	4.8	5.1	164	29	19	0		0		22	15	5	14	4	2	22	0	0	6	0	1	0	4	8	5	25	3	9	0
XI					6.6	6.7	6.6	186	34	21	2		0		22	18	7	15	3	1	22	3	3	11	0	2	0	0	20	1	9	1	19	0
XII					4.4	4.6	4.5	91	15	8	12		0		22	14	2	15	2	0	22	3	3	8	0	0	0	0	12	2	21	5	9	0
1949					4.5	4.4	4.6	927	34		55		0		189	121	29	90	12	3	186	25	22	99	0	4	0	13	138	45	288	46	91	9

$H_s = 252$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.5$

Tveitsund

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	76	72	75	75	4.3	5.5	4.4	69	21	2	21		5		10	8	3	3	2	2	4	10	2	0	0	0	0	0	8	4	15	5	10	
II	81	67	71	74	4.8	5.0	3.7	29	6	9	17		0		12	7	0	0	0	0	7	7	2	0	0	0	0	0	2	7	20	4	6	
III	81	58	66	71	4.5	4.1	3.2	39	9	13	29		5		10	7	0	1	0	0	2	10	1	1	0	0	0	0	9	2	24	8	8	
IV	74	57	66	69	6.2	5.6	5.4	45	12	24	8		0		9	8	1	3	0	0	9	0	0	0	0	0	0	0	6	9	24	3	16	
V	75	59	60	69	5.1	5.4	5.2	111	30	26	3		0		16	12	4	0	0	0	16	0	0	0	0	0	0	2	8	6	24	3	13	
VI	67	52	54	60	4.5	4.5	4.7	45	16	3	0		0		9	5	2	5	0	0	9	0	0	0	0	0	0	0	5	1	27	3	6	
VII	80	46	53	66	4.2	4.6	4.8	45	12	19	0		0		9	7	1	0	0	0	9	0	0	0	0	0	0	4	2	1	31	4	6	
VIII	84	58	62	72	5.5	4.9	4.9	98	25	3	0		0		11	8	4	1	0	0	11	0	0	0	0	0	0	1	4	7	27	3	9	
IX	93	72	78	83	5.9	6.0	5.2	160	40	18	0		0		15	9	5	0	0	0	15	0	0	0	0	0	0	2	6	17	23	0	11	
X	89	75	82	83	6.4	5.9	4.5	181	39	19	8		0		18	15	8	4	1	1	17	4	2	0	0	0	0	0	4	14	18	2	11	
XI	90	85	88	88	7.0	7.1	6.9	170	25	23	9		0		21	17	6	0	0	-0	18	6	2	1	0	0	0	0	4	2	7	2	24	
XII	90	84	86	87	4.5	5.5	4.3	115	15	8	29		2		18	15	4	2	1	0	13	13	4	1	0	0	0	0	0	0	20	5	10	
1949	82	65	70	75	5.2	5.3	4.8	1107	40		124		12		158	118	38	19	4	3	130	50	13	3	0	0	0	9	58	70	260	42	130	

$H_s = 7$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d = 5.0$ $h_r = 1.4$

Grimstad

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.2	5.3	4.7	94	29	8	14		0		20	13	3	13	2	1	17	8	3	4	0	1	0	0	2	2	15	6	14	4
II					4.8	4.6	4.2	29	11	9	10		0		13	6	1	9	0	0	12	2	0	3	0	0	0	0	6	3	24	6	7	1
III					4.0	3.7	3.2	74	19	13	22		0		10	9	2	7	0	0	5	7	2	0	0	0	0	0	4	1	24	10	8	12
IV					5.1	5.4	5.2	66	30	4	1		0		12	9	1	7	0	0	12	0	0	3	0	0	0	0	4	7	18	4	13	0
V					4.5	4.8	4.5	102	26	26	0		0		15	12	4	0	0	0	15	0	0	0	0	0	0	3	1	3	27	5	11	0
VI					4.2	3.8	4.0	52	27	1	0		0		10	5	1	2	0	0	10	0	0	0	0	0	0	1	1	1	28	3	6	0
VII					3.6	3.3	3.0	15	8	20	0		0		7	4	0	1	0	0	7	0	0	0	0	0	0	1	0	0	31	8	2	0
VIII					5.0	4.6	3.9	87	25	3	0		0		13	8	3	5	2	0	13	0	0	0	0	0	0	3	3	0	27	4	7	0
IX					4.7	5.1	5.1	71	24	16	0		0		13	10	2	2	0	0	12	0	0	1	0	0	0	1	8	0	25	2	9	0
X					5.9	5.9	5.1	190	30	24	2		0		20	17	8	7	2	0	20	0	0	1	0	0	0	3	2	1	15	3	13	0
XI					6.9	6.7	7.2	250	47	21	4		0		22	18	9	11	0	0	21	4	3	0	0	0	0	1	1	0	11	2	24	1
XII					4.5	4.8	4.5	125	22	26	13		0		22	17	4	11	3	0	21	4	1	0	0	0	0	0	0	0	18	6	10	0
1949					4.9	4.8	4.6	1155	47		66		0		177	128	38	75	9	1	165	25	9	12	0	1	0	13	32	18	263	59	124	18

$H_s = 207$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 10.9$ $h_r = 1.7$

Byglandsfjord

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	82	85	85	6.0	6.0	5.7	162	28	2	26		4		25	19	6	2	1	0	17	17	6	3	0	0	0	1	0	1	16	1	14	31
II	85	74	80	81	5.9	5.3	5.6	75	14	23	20		0		18	11	3	0	0	0	14	8	1	5	0	0	0	0	2	0	18	1	12	23
III	77	61	77	70	4.8	4.2	4.9	61	23	14	30		3		10	8	2	1	0	0	3	10	3	1	0	0	0	0	0	0	23	3	10	31
IV	78	64	66	72	6.3	5.8	5.8	96	25	4	11		0		16	10	3	1	0	0	16	2	2	6	0	0	0	0	2	1	23	0	15	3
V	77	58	60	71	5.7	5.3	5.3	96	13	17	6		0		15	12	4	0	0	0	15	0	0	0	0	0	0	1	0	0	28	1	11	0
VI	68	47	52	65	4.4	4.8	4.7	35	11	1	0		0		10	6	1	0	0	0	10	0	0	0	0	0	0	1	0	0	28	1	7	0
VII	74	45	49	60	3.7	4.8	4.2	13	4	28	0		0		8	4	0	0	0	0	8	0	0	0	0	0	0	3	0	0	31	1	4	0
VIII	86	59	62	72	5.7	5.3	4.8	85	21	9	0		0		16	9	3	1	0	0	16	0	0	2	0	0	0	0	3	0	26	1	12	0
IX	88	65	77	80	6.1	5.6	6.7	164	40	16	0		0		17	10	5	0	0	0	17	0	0	0	0	0	0	1	3	3	23	0	13	0
X	88	75	84	84	6.9	6.2	6.0	196	43	19	4		0		22	16	9	2	0	0	22	1	1	6	0	0	0	0	1	1	16	1	19	0
XI	83	81	84	83	7.0	7.2	7.1	234	53	24	8		0		23	18	7	0	0	0	21	2	0	4	0	0	0	0	1	0	7	2	24	1
XII	88	84	86	87	5.5	5.5	4.8	218	28	26	28		0		23	20	9	0	0	0	22	9	5	3	0	0	0	0	2	1	14	3	11	29
1949	81	66	72	76	5.7	5.5	5.5	1435	53		133		7		203	143	52	7	1	0	181	49	18	30	0	0	0	7	14	7	253	14	152	118

1949

Kristiansand S.

φ = 58° 10′ N λ = 7° 59′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.9	3.5	2.7	2.6	5.5	- 0.8	10.3	19	- 8.8	10	4 1.8	1 1.0	3 2.0	1 1.0	1 1.0	3 6.3	10 3.4	1 2.0	20 3.0	18 3.7	8 3.8	18 4.3	5
II			2.1	5.3	3.5	3.3	6.9	0.4	11.7	14	- 5.8	2	5 1.6	1 1.0	1 1.0	1 5.0	1 5.0	6 3.0	4 2.5	5 2.8	12 4.3	11 4.0	8 4.5	17 2.3	12
III			- 0.1	4.3	2.1	1.6	5.7	- 2.0	13.2	25	- 8.2	5	12 3.4	9 4.0	13 2.8	8 4.0	4 3.3	6 3.5	3 4.3	3 4.3	4 3.0	7 3.7	8 4.2	8 5.1	8
IV			5.8	8.9	6.7	6.3	10.2	3.1	16.2	14	- 3.9	2	5 2.8	2 4.0	7 3.1	3 2.3	6 2.0	6 3.5	7 3.1	5 4.2	17 3.4	10 4.4	11 4.8	8 5.5	3
V			10.0	13.4	12.1	10.5	15.5	6.0	22.5	21	- 0.4	1	3 2.0	4 3.5	7 3.4	6 2.3	5 2.8	16 2.8	9 3.9	2 3.5	7 3.1	8 5.0	4 5.5	12 3.3	10
VI			13.9	17.2	15.6	14.0	16.8	9.0	26.0	29	5.3	11	4 2.8	4 4.2	9 2.1	2 3.5	4 2.0	19 3.1	10 3.1	3 5.3	8 3.4	13 4.4	7 4.6	2 6.5	5
VII			17.3	22.0	20.4	18.1	23.8	12.2	32.1	11	8.2	17	2 1.0	7 2.7	6 3.2	3 3.0	2 2.5	13 2.5	8 2.9	5 3.2	19 3.0	16 3.6	2 4.5	4 3.0	6
VIII			13.6	17.6	15.6	14.5	19.3	10.4	23.7	22	4.2	19	3 3.0	6 2.3	3 2.7	3 3.7	2 3.5	7 3.1	7 3.7	6 3.5	18 3.1	9 3.7	7 3.7	10 4.7	12
IX			13.7	18.0	15.4	15.1	18.9	11.9	21.8	5	4.2	30	0 -	9 3.0	16 4.2	4 3.0	1 4.0	9 3.6	4 2.8	3 4.3	13 2.5	7 2.3	6 3.8	3 1.7	15
X			7.9	11.3	8.8	9.0	12.4	6.0	16.0	5	- 2.2	28	4 3.0	10 3.2	4 2.8	2 2.5	3 3.7	11 3.6	4 2.5	3 3.0	10 2.5	13 3.6	3 3.7	14 3.4	12
XI			4.6	5.5	5.2	5.0	7.0	3.2	12.5	5	- 4.8	29	12 3.4	21 3.6	6 4.5	12 4.5	7 5.7	8 4.5	4 3.5	3 2.7	3 4.3	2 3.0	2 1.0	6 3.0	4
XII			2.0	3.5	2.3	2.5	5.5	- 0.5	9.8	27	- 6.4	12	10 2.5	6 3.0	1 2.0	0 -	3 4.7	2 5.5	6 3.8	6 4.5	13 3.8	17 3.6	8 2.1	11 2.9	10
1949			7.7	10.9	9.2	8.5	12.5	4.9	32.1		- 8.8		64 2.8	80 3.3	76 3.2	45 3.5	39 3.4	106 3.3	76 3.3	45 3.7	144 3.2	131 3.8	74 4.0	113 3.7	102

Kjevik

φ = 58° 12′ N λ = 8° 5′ E g = 9.818 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	T_m 7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1007.4	1009.0	1.8	3.0	2.6	2.4	5.0	- 1.1	8.4	19	-10.4	10	0 -	4 1.8	4 2.2	2 1.0	1 1.0	5 5.0	4 2.0	7 2.6	23 3.0	9 3.7	13 3.2	12 2.5	9
II	14.5	16.4	1.7	5.0	4.0	3.3	6.4	0.2	11.6	14	- 6.3	6	1 1.0	3 1.0	4 1.8	1 1.0	0 -	4 2.8	5 2.6	3 2.7	14 2.9	19 2.9	12 2.7	2 2.5	16
III	18.0	19.6	0.8	4.1	2.9	2.0	5.3	- 2.9	10.6	24	-10.0	6	2 3.5	15 2.7	17 3.0	4 3.0	1 3.0	6 3.7	9 2.7	1 6.0	5 2.2	4 2.8	4 4.8	14 2.4	11
IV	07.4	09.0	5.3	8.1	7.4	6.1	8.4	3.0	15.6	14	- 4.9	2	0 -	9 2.3	9 2.4	4 3.5	0 -	5 2.6	13 3.0	3 3.7	13 2.9	10 3.4	12 3.2	7 3.1	5
V	11.2	12.9	9.7	12.9	12.3	10.3	14.8	5.9	20.5	21	- 2.4	1	2 2.5	5 3.0	14 2.7	5 3.2	2 4.5	4 2.8	13 3.1	9 3.3	6 2.5	7 3.7	3 3.7	8 2.8	15
VI	12.4	14.3	13.9	16.8	16.2	14.0	18.4	9.1	24.6	29	4.4	11	1 3.0	4 2.2	8 3.9	4 3.5	3 3.3	5 3.0	12 2.8	16 3.2	7 3.3	9 3.3	7 3.7	6 2.7	9
VII	12.1	13.9	15.4	21.0	20.9	17.8	23.2	12.3	31.2	11	7.7	17	0 -	7 2.4	8 2.1	4 3.5	1 5.0	4 2.5	8 2.5	22 3.4	4 2.2	13 3.0	8 3.0	7 1.9	7
VIII	12.3	14.1	12.1	17.3	16.3	14.4	18.6	10.4	21.9	22	2.9	20	0 -	5 2.0	11 3.2	2 3.0	4 4.0	1 3.0	8 3.5	12 2.8	13 2.8	12 3.2	12 3.8	5 2.0	9
IX	17.9	19.8	12.7	17.5	16.1	14.9	18.2	11.7	20.8	26	4.9	30	1 2.0	15 2.1	25 3.7	8 3.8	4 3.2	2 3.0	5 2.2	6 3.0	9 3.1	9 2.6	2 2.0	1 3.0	3
X	11.2	13.0	7.8	11.0	9.2	9.1	12.1	5.9	17.0	13	- 2.5	28	3 2.7	9 2.1	17 2.9	2 4.0	2 3.0	2 3.0	6 3.2	7 3.4	14 2.8	10 3.1	5 3.4	6 2.2	10
XI	07.4	09.2	4.4	5.3	4.8	4.7	6.7	2.7	12.2	5	- 6.0	29	0 -	20 3.0	28 3.6	6 4.8	13 3.7	3 3.3	1 7.0	0 -	11 2.8	0 -	0 -	0 -	8
XII	999.6	01.5	1.5	3.1	2.1	2.0	5.0	- 1.6	8.6	27	- 7.6	12	4 1.8	5 2.6	13 2.0	0 -	0 -	1 1.0	3 4.0	3 3.7	18 3.8	11 3.7	4 4.5	4 1.8	27
1949	1011.0	1012.7	7.3	10.4	9.6	8.4	11.8	4.6	31.2		-10.4		14 2.4	101 2.4	158 3.0	42 3.5	31 3.6	42 3.2	87 2.9	89 3.2	137 3.0	113 3.2	82 3.4	72 2.4	127

Oksøy

φ = 58° 4′ N λ = 8° 3′ E g = 9.818 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	T_m 7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1007.6	1009.2	3.6	4.0	4.0	3.8	5.9	1.5	8.7	19	- 4.4	10	10 3.1	2 2.5	3 3.7	1 4.0	0 -	4 4.2	3 6.0	2 5.5	27 4.6	14 3.8	16 4.0	11 4.9	0
II	14.8	16.5	3.3	5.0	4.5	4.1	6.2	2.2	9.9	14	- 3.0	2	8 1.8	0 -	1 1.0	2 3.0	1 3.0	1 5.0	4 3.5	8 3.6	16 3.9	27 4.1	3 3.7	10 3.7	3
III	18.1	19.7	0.8	3.1	2.8	2.0	4.4	- 0.3	10.0	22	- 7.7	5	12 3.2	6 3.8	12 4.1	17 4.6	2 3.5	6 3.3	3 3.0	4 4.5	9 3.0	10 3.8	4 3.5	7 3.0	1
IV	07.7	09.3	5.5	6.8	6.5	5.9	8.4	4.1	13.2	14	0.0	2	4 3.5	2 6.0	5 3.6	15 3.1	2 3.5	2 2.5	5 2.4	2 6.5	29 3.6	10 3.5	5 5.2	9 4.4	0
V	11.5	13.1	9.6	11.2	10.9	9.9	12.6	7.5	16.0	21	2.4	1	6 2.0	2 3.0	6 3.0	18 3.2	0 -	5 2.4	4 1.5	11 2.8	25 3.0	5 3.0	2 3.5	5 3.2	1
VI	12.9	14.6	13.6	14.9	14.6	13.9	16.1	11.0	21.3	29	8.6	11	3 2.0	0 -	7 4.0	12 2.8	3 2.3	4 2.5	4 2.0	6 3.0	32 3.2	5 3.4	5 4.0	7 4.0	2
VII	12.7	14.2	16.1	18.9	18.3	17.2	20.7	14.5	24.6	11	11.9	31	8 2.0	0 -	6 4.0	9 2.9	1 4.0	2 2.5	3 3.0	1 2.0	40 3.5	14 3.6	3 2.7	5 3.0	1
VIII	12.8	14.3	13.4	16.2	15.6	14.7	16.9	12.6	18.4	23	8.9	18	3 2.7	3 2.7	2 3.5	11 3.7	1 3.0	4 2.5	3 2.7	4 3.5	30 3.7	14 3.2	7 3.3	10 3.6	1
IX	18.1	19.7	14.5	16.6	16.0	15.5	17.3	13.8	20.2	11	9.4	30	5 2.0	7 2.9	12 3.8	25 3.8	0 -	5 3.8	1 1.0	3 3.0	18 3.4	8 2.8	4 2.8	2 3.5	0
X	11.4	13.0	9.8	11.1	10.5	10.4	12.2	8.5	15.1	13	2.2	28	7 2.9	8 3.9	5 4.4	9 3.7	1 5.0	5 2.6	10 3.7	4 3.2	14 3.4	19 3.1	5 3.4	5 3.6	1
XI	07.2	08.8	6.4	6.4	6.6	6.2	7.8	4.8	13.0	5	- 2.3	29	4 2.2	8 3.4	27 4.5	10 5.9	6 5.2	15 5.1	5 5.4	1 6.0	5 5.0	9 3.6	0 -	0 -	0
XII	999.7	01.3	4.5	5.0	4.4	4.5	6.6	2.5	9.9	27	- 2.8	12	12 2.6	5 3.6	4 3.0	4 3.5	0 -	1 2.0	4 4.8	1 4.0	20 5.6	24 3.7	9 4.7	7 3.0	2
1949	1011.2	1012.8	8.4	9.9	9.6	9.0	11.3	6.9	24.6		- 7.7		82 2.6	43 3.5	90 4.0	133 3.7	17 3.9	54 3.6	49 3.4	47 3.6	265 3.8	159 3.6	63 3.9	78 3.8	15

Mandal
Mandal II

φ = 58° 2′ N λ = 7° 27′ E g = ΔG = + 1h
φ = 58° 3′ N λ = 7° 26′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	T_m 7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.8	3.9	3.3	3.2		0.3	7.5	6	- 5.8	10	5 2.2	1 1.0	1 1.0	6 1.7	0 -	2 5.0	4 5.0	12 4.8	2 5.5	25 3.2	2 1.0	15 3.1	19
II			2.8	5.5	4.0	3.9		1.3	8.7	14	- 5.6	2	0 -	0 -	1 1.0	6 1.3	1 2.0	1 6.0	1 1.0	0 -	9 2.3	18 2.4	5 2.8	27 3.6	15
III			0.9	4.4	2.4	2.2		- 1.4	10.6	22	- 8.3	2	4 4.0	3 2.0	5 3.2	28 3.3	1 1.0	6 4.2	0 -	0 -	6 1.7	10 3.5	1 2.0	14 3.1	15
IV			6.4	8.2	6.8	6.4		3.6	12.9	14	- 2.4	2	5 4.4	1 1.0	1 1.0	19 2.7	1 2.0	1 5.0	2 2.5	0 -	7 2.7	21 2.4	4 1.8	17 3.8	11
V			10.6	13.0	11.0	10.4		6.3	21.1	21	- 0.6	1	2 3.0	2 2.5	0 -	21 3.0	3 3.0	4 3.5	3 3.0	1 1.0	14 2.5	15 3.1	2 4.0	13 3.2	13
VI			14.5	16.3	14.4	13.7		9.3	24.2	29	5.8	12	10 4.3	1 2.0	5 2.4	11 2.5	5 2.0	9 2.8	3 2.3	0 -	4 2.0	26 2.8	5 3.8	9 4.4	2
VII			17.1	20.1	17.9	17.2		12.0	26.4	11	9.5	30	0 -	0 -	4 2.2	9 3.1	5 1.6	6 2.5	2 2.5	5 2.6	9 2.3	25 3.1	25 3.1	0 -	3
VIII			13.2	15.8	14.0	13.5		10.5	18.7	29	6.2	19	0 -	0 -	0 -	5 3.0	5 3.6	5 2.4	11 1.9	3 1.3	8 2.8	23 3.0	21 3.6	2 3.0	10
IX			14.0	15.3	14.4	14.5		12.0	19.5	1	5.9	30	0 -	0 -	1 6.0	10 3.6	18 3.1	12 2.7	9 1.9	13 1.9	8 2.4	12 2.4	1 4.0	0 -	6
X			8.2	10.1	8.6	8.8		6.6	14.0	13	- 0.6	28	1 2.0	1 2.0	8 2.2	4 2.2	7 3.1	12 2.8	5 2.0	11 2.4	6 1.8	15 2.2	11 3.3	3 3.3	8
XI			4.4	5.0	5.1	4.7		2.9	10.9	5	- 4.0	29	0 -	0 -	2 2.0	26 2.0	28 2.6	6 2.5	13 2.7	3 2.0	6 2.8	5 2.6	1 3.0	0 -	3
XII			3.2	3.9	2.8	3.2		1.2	7.7	1	- 3.2	12	2 2.0	1 1.0	3 1.3	9 1.8	1 3.0	1 3.0	5 3.8	10 3.0	17 2.3	31 2.4	8 2.8	2 2.0	3

Glåben

φ = 58° 22′ N λ = 7° 27′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	T_m 7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.2	1.0	0.1	0.1		- 3.1	5.5	19	-12.1	10	2 2.5	5 3.0	1 2.0	3 1.7	0 -	3 3.7	5 1.8	22 2.8	15 2.7	21 2.9	9 3.9	6 4.2	1
II			0.7	2.7	1.2	1.2		- 1.5	6.9	14	- 9.1	1	1 3.0	1 1.0	3 2.0	4 1.0	2 1.0	2 2.0	7 2.1	5 3.0	21 3.0	28 4.0	5 2.2	4 2.5	1
III			- 1.8	1.8	- 0.5	- 0.7		- 4.7	10.7	31	-13.3	6	9 2.1	16 2.6	9 3.8	15 3.1	2 1.0	0 -	8 2.5	0 -	7 2.6	16 3.0	3 2.7	8 2.1	0
IV			4.0	6.6	4.6	4.5		1.2	13.0	18	- 3.0	7	5 4.0	7 3.0	2 2.5	14 2.7	4 2.0	0 -	11 3.0	2 3.5	14 3.1	16 3.6	10 3.7	5 3.4	0
V			9.0	12.5	10.2	9.0		3.8	19.2	3	- 2.5	1	9 2.3	10 2.6	4 3.2	14 2.3	3 2.3	0 -	17 2.9	3 3.0	11 2.9	13 3.3	2 4.0	7 2.4	0
VI			13.2	16.1	14.3	12.6		6.5	22.9	20	3.6	4	8 3.4	5 2.4	4 2.5	13 2.7	2 3.0	1 1.0	14 3.5	2 2.0	23 3.0	8 3.6	6 4.0	4 4.0	0
VII			14.6	19.8	18.0	16.0		9.4	27.1	10	5.1	4	4 2.2	7 2.7	4 3.8	7 2.6	3 1.7	0 -	6 2.3	6 2.5	20 2.8	21 2.7	10 3.1	4 2.2	1
VIII			11.0	15.4	13.4	12.5		8.2	21.3	24	1.9	19	2 3.0	10 2.8	3 2.7	5 2.8	2 3.0	4 2.5	9 2.2	4 2.5	25 2.9	19 3.2	8 3.1	2 3.5	0
IX			11.4	15.2	13.1	12.7		9.6	18.7	1	4.8	8	0 -	15 3.2	16 3.7	11 3.3	2 3.0	2 2.5	13 2.2	5 2.4	9 3.1	10 2.8	5 2.6	1 2.0	1
X			5.4	8.2	6.5	6.5		3.6	13.9	14	- 3.7	29	3 2.3	4 3.5	9 2.9	10 2.8	3 2.0	1 1.0	14 2.5	10 3.6	12 2.9	16 2.4	5 4.8	4 3.0	2
XI			2.4	3.2	2.4	2.6		0.5	8.7	5	- 8.4	29	3 3.0	18 3.9	10 3.7	31 4.0	1 5.0	2 4.5	6 3.3	2 4.0	8 3.8	6 4.0	1 2.0	2 2.5	0
XII			0.1	1.3	0.2	0.4		- 2.4	4.8	1	- 9.5	12	1 3.0	7 3.1	5 2.0	2 3.5	2 3.0	3 1.7	3 3.7	13 3.5	21 3.5	22 3.5	10 2.8	3 3.5	1
1949			5.7	8.6	7.0	6.4		2.6	27.1		-13.3		47 2.7	105 3.0	70 3.2	129 3.0	26 2.3	18 2.6	113 2.7	74 3.0	186 3.0	196 3.2	74 3.3	50 2.9	7

1949

Kristiansand S.

H_s = 22 H_b = h_t = 2.0 h_a = h_d = 15.2 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	79	82	82	5.1	5.7	4.6	158	39	8	19	1	0	0	24	21	5	12	3	1	20	13	5	5	0	1	0	1	12	0	20	3	14	6
II	85	72	79	80	4.8	5.2	4.5	70	15	9	14	0	0	0	17	12	2	9	1	1	15	6	4	2	0	1	0	0	8	4	22	5	7	2
III	78	62	68	71	4.3	3.6	3.2	69	18	13	22	2	0	0	12	9	2	11	0	0	5	9	1	1	0	1	0	0	7	0	27	7	7	12
IV	76	67	73	74	5.4	4.9	4.7	103	48	4	3	0	0	0	15	9	2	11	2	0	15	0	0	2	0	0	0	0	7	4	24	6	14	0
V	77	64	68	75	4.4	4.1	4.8	86	19	28	1	0	0	0	17	12	4	8	0	0	16	0	0	0	0	0	0	3	10	1	28	4	7	0
VI	71	60	63	70	3.5	3.3	3.3	46	12	8	0	0	0	1	9	6	2	9	0	0	9	0	0	0	0	0	0	2	5	0	28	5	5	0
VII	69	53	56	64	3.2	2.7	2.8	23	8	28	0	0	0	9	8	5	0	4	0	0	8	0	0	0	0	0	0	4	0	0	30	8	1	0
VIII	81	65	71	75	4.6	4.0	4.3	102	21	3	0	0	0	0	17	9	5	10	1	0	17	0	0	0	0	0	0	2	9	0	27	4	8	0
IX	90	71	80	83	4.4	4.7	5.4	133	45	3	0	0	0	0	15	10	4	6	0	0	15	0	0	0	0	0	0	6	13	2	25	2	9	0
X	87	74	83	82	5.5	5.2	5.1	167	42	19	2	0	0	0	24	18	5	6	3	0	23	0	0	1	0	1	0	3	4	1	23	2	11	0
XI	95	83	95	85	6.6	6.8	7.2	254	60	21	5	1	0	0	24	19	6	16	0	0	23	3	2	0	0	0	0	1	11	0	14	1	22	0
XII	84	79	81	82	4.5	4.7	4.7	228	46	26	17	1	0	0	25	23	10	13	2	0	25	4	3	1	0	0	0	0	5	2	24	6	8	0
1949	81	69	74	77	4.7	4.6	4.6	1439	60		83	5	0	10	207	153	47	115	12	2	191	35	15	12	0	4	0	22	91	14	292	53	113	20

Kjevik

H_s = 12 H_b = 15.2 h_t = 2.0 h_a = 11.2 h_d = 11.2 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	95	82	82	84	4.7	5.6	5.3	140	32	8	18	0	1	0	22	18	4	4	2	0	18	13	7	11	0	0	0	0	10	3	16	3	12	6
II	86	77	76	80	5.0	6.0	4.6	49	13	9	12	0	0	0	11	10	2	3	0	0	11	2	2	8	0	1	0	0	9	7	22	3	9	2
III	82	62	67	72	4.5	4.6	3.7	50	18	13	26	5	0	0	9	8	2	3	0	0	4	7	0	1	0	0	0	0	9	1	26	7	8	7
IV	80	70	73	76	6.0	5.9	5.7	89	41	4	2	0	0	0	13	10	2	4	0	0	13	1	1	5	0	0	0	0	7	6	20	0	17	0
V	81	67	70	78	5.2	4.8	5.0	96	21	17	1	0	0	0	15	12	5	2	0	0	15	0	0	0	0	0	1	4	8	3	28	3	13	0
VI	73	63	64	70	4.3	4.5	4.3	43	15	1	0	0	0	0	9	6	1	4	0	0	9	0	0	3	0	0	0	0	6	0	28	2	8	0
VII	78	58	59	68	3.8	4.6	3.6	15	6	28	0	0	0	7	7	5	0	1	0	0	7	0	0	0	0	0	0	2	1	1	31	5	3	0
VIII	87	67	71	78	5.4	4.8	4.6	97	22	9	0	0	0	0	17	8	5	5	1	1	17	0	0	6	0	0	0	0	5	4	28	3	9	0
IX	93	74	90	85	5.3	5.2	5.7	162	52	3	0	0	0	0	12	9	5	7	0	0	12	0	0	5	0	0	0	4	13	6	27	0	10	0
X	88	76	84	84	6.0	6.4	5.3	227	42	19	2	0	0	0	23	18	10	8	3	1	23	0	0	8	0	1	0	6	5	6	23	3	16	0
XI	87	85	88	87	6.8	7.0	6.9	287	58	21	6	0	0	0	22	18	11	8	0	0	22	3	2	11	0	2	0	1	14	2	11	1	21	0
XII	88	82	84	85	4.7	5.1	4.6	194	35	26	22	1	0	0	22	19	8	7	1	0	22	4	3	10	0	1	0	0	10	5	24	6	11	1
1949	84	72	75	79	5.1	5.4	4.9	1452	58		89	6	1	7	182	141	55	56	7	2	173	30	15	68	0	5	1	17	97	44	284	36	137	16

Oksøy

H_s = 9 H_b = 13.1 h_t = 2.1 h_a = h_d = 8.1 h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	84	82	84	5.3	5.7	4.8	130	36	8	9	0	0	0	23	20	3	14	5	1	21	10	6	10	0	1	0	1	5	2	14	2	11	0
II	89	82	84	86	4.8	5.4	4.5	50	9	9	4	0	0	0	17	9	0	9	1	0	17	4	3	10	0	1	0	0	7	5	17	2	5	0
III	92	74	74	77	4.7	4.4	3.7	32	9	13	15	2	0	0	11	7	0	9	2	0	6	7	2	2	0	1	0	0	2	4	22	3	7	4
IV	84	80	82	82	5.7	5.5	5.5	73	31	4	0	0	0	0	15	10	1	6	0	0	15	3	3	10	0	0	0	0	1	10	20	0	12	0
V	81	77	79	80	4.5	4.7	4.6	54	11	30	0	0	0	0	12	10	2	0	0	0	12	0	0	2	0	0	0	4	3	7	26	3	9	0
VI	74	73	74	74	4.3	4.4	4.1	24	10	1	0	0	0	0	7	4	0	1	0	0	7	0	0	5	0	0	0	0	1	1	26	1	7	0
VII	77	70	72	74	4.0	3.5	3.3	13	7	28	0	0	0	0	4	3	0	0	0	0	4	0	0	0	0	0	0	1	0	0	30	6	2	0
VIII	85	75	77	80	5.1	4.8	4.4	97	25	27	0	0	0	0	14	9	5	6	2	0	14	0	0	2	0	0	0	2	3	2	26	3	8	0
IX	92	81	83	86	4.8	5.1	5.3	87	26	17	0	0	0	0	13	9	3	4	0	0	13	0	0	0	0	0	0	3	7	3	24	0	8	0
X	84	77	78	80	5.9	5.8	5.2	167	34	19	0	0	0	0	22	15	7	7	2	1	22	0	0	3	0	2	0	3	4	2	17	3	9	0
XI	83	84	84	84	6.7	7.1	6.8	179	37	21	2	0	0	0	25	19	7	14	2	0	25	2	1	6	0	1	0	1	3	1	6	1	21	0
XII	81	77	80	80	4.6	5.1	4.2	187	37	26	4	0	0	0	23	18	8	13	5	1	23	3	3	4	0	1	0	0	2	0	17	4	6	0
1949	84	72	75	79	5.1	5.4	4.9	1093	37		34	2	0	0	186	133	36	83	19	3	179	29	18	54	0	7	0	15	38	37	245	28	105	4

Mandal
Mandal II

H_s = 6 H_b = h_t = 2.0 h_a = h_d = 4.4 h_r = 1.3

H_s = 130 H_b = h_t = 1.9 h_a = h_d = h_r = 1.4

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.8	5.9	4.9	210	55	8	14		0		21	21	7	11	4	3	19	6	0	2	0	0	0	0	4	3		6	15	
II					5.2	4.9	5.7	102	14	26	10		0		15	15	3	8	3	1	15	2	1	8	0	3	0	0	9	8		4	12	
III					4.3	3.4	3.4	78	18	9	19		0		10	10	4	6	1	1	5	6	1	1	0	0	0	0	2	4		8	8	
IV					5.2	4.6	4.7	112	35	4	1		0		17	17	2	5	1	1	17	0	0	2	0	1	0	0	2	13	11	5	13	
V					4.5	4.5	3.9	78	17	17	1		0		14	14	2	5	4	2	14	0	0	0	0	1	0	1	9	5	12	9	11	
VI					4.8	4.7	4.8	52	14	30	0		0		9	8	2	6	1	1	9	0	0	3	0	0	0	1	5	3	11	4	9	
VII					3.4	3.4	2.8	19	10	28	0		0		4	4	1	1	0	0	4	0	0	0	0	0	0	1	1	1	29	8	2	
VIII					5.5	5.1	4.8	98	29	16	0		0		17	11	4	5	0	0	16	0	0	1	0	0	0	2	9	11	22	2	11	
IX					5.9	5.0	5.6	106	17	16	0		0		16	13	6	5	0	0	16	0	0	0	0	0	0	2	11	10	17	0	13	
X					5.9	6.3	5.7	208	39	19	1		0		24	18	7	6	4	2	24	0	0	5	0	0	0	2	9	8	12	3	17	
XI					7.2	6.8	6.9	246	53	21	6		0		25	17	8	2	0	0	25	0	0	4	0	0	0	0	18	4	6	0	21	
XII					4.9	5.3	4.9	229	41	26	11		0		26	24	8	3	2	0	26	3	0	2	0	1	0	0	12	5	11	5	10	

Glåben

H_s = 364 H_b = h_t = 1.7 h_a = h_d = 6.0 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	82	83	84	5.8	6.1	4.8	243	52	2	19		3		26	21	7	7	1	1	20	20	7	7	2	0	0	1	3	8	15	1	11	
II	83	76	81	81	6.4	6.0	5.4	84	12	23	17		0		18	15	2	10	0	0	14	10	4	8	2	0	0	0	6	9	15	1	15	
III	75	60	67	69	4.6	4.5	4.3	64	18	14	28		5		12	9	2	5	0	0	3	11	0	2	2	0	0	0	2	3	23	5	10	
IV	77	66	72	74	6.0	5.8	5.9	104	36	4	10		0		15	13	3	.7	0	0	15	5	1	9	1	0	0	0	6	7	22	0	15	
V	72	57	65	71	5.4	5.3	5.5	108	20	17	4		0		17	13	4	1	0	0	17	1	1	6	1	0	0	3	5	5	22	2	13	
VI	64	54	58	63	4.7	5.0	4.7	65	17	1	0		0		11	9	3	5	0	0	11	0	0	7	0	0	0	1	2	4	27	0	8	
VII	72	48	55	63	3.9	5.1	3.8	14	5	6	0		0		7	3	0	2	0	0	7	0	0	0	0	0	0	3	1	3	26	3	4	
VIII	85	62	71	76	5.7	6.0	5.5	125	31	9	0		0		16	10	6	4	0	0	16	0	0	7	0	0	0	2	5	6	21	1	14	
IX	91	70	80	83	5.7	6.0	6.3	162	38	17	0		0		17	12	5	4	0	0	17	0	0	2	0	0	0	2	11	5	20	0	12	
X	87	76	81	83	6.5	6.5	5.5	248	57	19	6		0		26	20	9	7	4	1	25	7	5	8	0	0	0	3	5	10	14	1	17	
XI	86	85	97	86	7.1	7.0	7.4	236	52	22	8		0		22	19	9	9	0	0	20	9	5	3	3	0	0	1	6	10	7	2	25	
XII	83	79	81	82	5.8	5.9	4.8	253	33	8	22		0		25	22	8	7	0	0	21	16	5	1	3	0	0	0	6	2	12	3	13	
1949	80	68	73	76	5.6	5.8	5.3	1704	57		114		8		212	166	57	68	5	2	186	79	28	60	14	0	0	16	58	72	224	19	157	

1949

Lindesnes

φ = 57° 59′N λ = 7° 3′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			4.3	5.1	4.6	4.6		2.2	7.8	19	- 2.2	16	1	2.0	1	3.0	3	3.0	2	1.0	0	-	8	6.0	3	3.3	2	5.5	20	4.3	16	5.0	11	5.0	25	4.9	1
II			4.0	5.2	4.7	4.5		2.9	7.2	4	- 3.0	1	0	-	0	-	2	2.5	3	2.7	1	3.0	7	2.9	4	2.2	2	4.0	19	2.9	14	5.1	9	5.2	21	4.7	2
III			1.4	3.0	2.6	2.1		0.1	6.0	27	- 6.0	5	3	1.3	1	3.0	18	3.9	13	4.3	5	4.4	7	2.9	2	1.5	1	6.0	6	4.0	8	2.2	7	3.3	21	4.0	1
IV			5.5	6.5	6.1	5.7		4.4	9.2	25	1.5	2	1	5.0	0	-	6	4.5	15	3.5	3	3.3	6	3.8	2	2.0	1	2.0	17	3.4	15	3.9	13	5.5	11	4.5	0
V			9.3	10.6	10.3	9.6		7.7	14.8	23	2.0	8	2	2.5	0	-	7	3.9	20	3.0	3	3.3	6	2.0	5	2.2	1	5.0	6	2.3	11	3.7	6	2.9	24	3.8	2
VI			12.6	13.5	12.8	12.3		10.0	19.2	30	7.5	15	0	-	0	-	3	4.0	4	2.0	5	3.6	12	1.7	1	1.0	0	-	14	2.7	5	2.8	20	3.9	26	4.8	0
VII			14.8	16.0	15.8	15.0		12.5	21.0	6	9.2	14	2	1.0	0	-	2	2.0	5	2.2	2	4.5	1	2.0	1	2.0	1	3.0	8	2.4	5	3.2	25	4.6	41	3.6	0
VIII			13.3	15.0	14.4	13.8		11.3	18.5	26	8.7	18	0	-	0	-	4	2.5	11	2.7	4	4.0	5	3.0	0	-	2	3.5	21	3.0	7	2.9	9	3.6	28	4.9	2
IX			14.7	16.4	15.9	15.4		13.2	18.6	5	9.7	30	0	-	0	-	10	3.0	25	4.2	5	3.2	11	3.1	1	3.0	0	-	14	3.1	4	2.0	9	3.8	10	3.7	1
X			10.0	11.0	10.7	10.4		8.1	14.8	13	1.5	28	1	2.0	0	-	10	3.3	15	3.9	7	3.1	6	2.7	3	3.0	2	7.0	15	4.4	7	3.9	8	3.9	19	4.4	0
XI			6.4	7.2	7.0	6.8		4.7	12.2	5	- 2.3	29	0	-	2	1.0	30	3.7	7	3.9	10	5.7	19	5.6	2	6.5	2	7.0	8	5.1	8	4.0	0	-	1	1.0	1
XII			5.1	5.6	5.1	5.2		2.8	9.0	1	- 3.2	12	1	1.0	1	1.0	8	2.1	9	3.6	0	-	4	4.5	4	4.0	1	4.0	22	5.7	12	4.5	7	5.0	23	4.3	1
1949			8.4	9.6	9.2	8.8		6.7	21.0		- 6.0		11	1.9	5	1.8	103	3.5	129	3.5	45	4.1	92	3.6	28	2.9	15	4.9	170	3.7	112	3.9	124	4.4	250	4.3	11

Lista

φ = 58° 6′N λ = 6° 34′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			4.7	5.2	4.9	4.8	6.5	2.4	8.9	19	- 3.0	4	2	5.0	1	2.0	2	4.5	1	2.0	1	6.0	6	5.7	9	5.3	1	4.0	23	5.2	14	6.3	4	8.8	26	6.1	3
II			4.1	5.1	4.5	4.4	6.2	2.6	8.3	23	- 2.3	2	1	3.0	1	2.0	2	1.5	2	2.5	1	5.0	14	3.9	6	3.3	2	6.0	11	4.5	18	5.8	5	6.6	17	5.8	4
III			1.3	3.5	2.8	2.3	3.3	0.0	10.6	29	- 9.1	6	4	3.8	2	4.0	12	3.2	15	5.3	1	6.0	11	4.4	6	2.5	1	8.0	4	4.0	11	3.5	1	10.0	19	5.2	6
IV			5.8	6.9	6.6	6.0	7.9	4.4	11.8	25	- 0.3	2	1	2.0	0	-	2	4.5	1	4.0	7	5.3	22	4.4	5	4.2	2	5.5	11	3.9	13	4.6	2	6.5	22	5.9	2
V			9.1	10.9	10.6	9.6	12.2	7.5	18.4	16	2.3	8	3	2.7	0	-	3	4.0	2	3.5	5	4.2	17	3.6	9	3.3	2	5.0	5	2.8	8	3.2	0	-	35	4.1	4
VI			12.5	13.4	12.5	12.1	14.6	9.7	20.5	20	6.8	15	3	2.7	0	-	0	-	4	3.2	1	3.0	4	2.5	7	2.7	0	-	12	3.5	11	3.9	20	4.7	28	4.5	0
VII			14.4	16.5	15.8	15.1	17.6	12.7	23.4	6	10.1	14	2	2.5	0	-	2	3.0	1	4.0	0	-	4	2.8	1	1.0	5	2.4	2	2.0	16	3.7	30	4.8	28	3.0	2
VIII			13.3	15.6	14.5	14.1	16.5	12.0	22.5	26	8.3	20	3	2.0	1	3.0	1	1.0	2	2.0	8	4.2	9	3.8	4	3.9	2	3.5	10	3.7	14	3.2	15	4.8	22	5.2	2
IX			14.4	17.4	16.1	15.7	19.0	13.3	23.3	1	10.7	30	3	2.3	1	4.0	12	3.2	17	4.9	10	4.7	6	3.8	8	3.0	5	5.0	4	3.5	11	3.9	6	3.7	6	4.2	1
X			9.9	11.4	10.5	10.4	12.2	8.4	15.9	13	1.9	28	2	4.0	3	4.0	6	5.5	19	4.5	4	3.8	10	4.9	6	4.8	7	5.3	13	5.1	6	3.0	12	5.9	5	4.6	0
XI			6.2	7.2	7.0	6.7	8.4	5.2	12.1	5	- 2.1	29	0	-	6	3.2	24	3.6	25	4.4	12	6.2	3	6.3	3	5.7	9	5.2	5	5.6	1	6.0	1	5.0	1	2.0	0
XII			4.9	5.6	5.2	5.1	7.2	3.2	9.9	8	- 4.0	12	9	3.1	3	2.0	4	1.0	7	4.4	4	3.8	3	4.7	9	6.1	6	6.7	16	5.2	12	6.2	13	4.7	6	4.2	1
1949			8.4	9.9	9.2	8.9	11.0	6.8	23.4		- 8.1		33	3.0	18	3.1	70	3.5	96	4.5	54	4.9	109	4.2	73	4.0	42	5.1	116	4.4	135	4.5	109	5.1	215	4.8	25

Tonstad

φ = 58° 40′N λ = 6° 42′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			0.2	1.4	0.8	0.6		- 2.2	7.3	19	- 8.7	13	14	1.7	5	3.2	1	2.0	2	2.5	0	-	2	5.0	4	4.2	6	4.0	2	1.5	10	2.9	0	-	4	8.8	43
II			0.6	3.1	1.8	1.7		1.1	7.7	17	- 7.5	2	16	1.9	1	1.0	1	4.0	0	-	0	-	1	1.0	4	3.0	2	5.0	0	-	12	2.3	4	2.2	3	2.0	40
III			- 1.5	3.5	1.8	0.8		- 3.3	10.5	30	-14.4	6	27	3.3	12	3.5	0	-	9	3.8	0	-	1	3.0	7	3.0	0	-	0	-	11	2.5	1	2.0	2	5.5	23
IV			4.7	8.0	6.6	5.5		1.7	13.9	16	- 3.7	2	18	3.1	5	3.0	0	-	3	2.3	0	-	2	4.0	17	2.4	4	3.5	1	5.0	13	3.2	2	2.0	2	2.0	23
V			8.7	13.6	11.5	9.8		4.8	19.8	3	0.1	1	21	3.4	5	3.6	0	-	0	-	0	-	0	-	35	2.2	3	3.0	3	2.7	12	2.2	0	-	1	3.0	13
VI			12.9	17.3	16.5	13.8		8.3	25.0	20	4.8	12	18	2.9	4	2.5	0	-	1	1.0	0	-	1	1.0	29	2.0	4	3.2	0	-	14	3.1	1	1.0	10	3.5	8
VII			15.2	21.7	19.8	17.4		10.9	28.8	10	7.4	16	25	2.6	2	1.0	0	-	1	1.0	0	-	0	-	27	2.4	0	-	0	-	20	1.9	0	-	4	2.2	14
VIII			11.9	17.0	15.5	14.0		9.9	22.6	25	4.6	18	27	2.0	5	1.3	0	-	0	-	0	-	0	-	15	2.1	4	2.5	0	-	17	2.2	3	2.0	1	2.0	21
IX			12.6	17.8	15.9	14.9		11.5	23.0	5	7.3	12	39	1.5	9	1.8	0	-	1	3.0	0	-	0	-	9	1.8	2	2.0	0	-	18	1.2	0	-	2	1.5	11
X			7.3	10.1	8.5	8.4		5.8	15.0	17	- 3.0	28	28	1.6	6	1.7	0	-	0	-	0	-	0	-	17	2.0	2	3.0	0	-	19	1.4	2	5.0	1	9.0	18
XI			4.6	5.6	4.6	4.8		2.6	10.8	5	- 7.0	29	24	1.9	14	2.0	0	-	5	2.4	2	3.0	4	2.2	6	2.3	3	4.0	2	4.0	9	2.1	0	-	1	4.0	20
XII			- 0.2	1.1	0.0	0.2		- 2.6	6.8	27	-10.9	12	10	1.2	4	1.0	0	-	0	-	0	-	0	-	3	3.7	6	1.7	0	-	14	1.3	3	2.7	5	3.2	48
1949			6.4	10.0	8.6	7.7		4.0	28.8		-14.4		267	2.3	71	2.5	2	3.0	22	2.9	2	3.0	11	2.9	173	2.3	36	3.1	8	3.0	169	2.1	16	2.5	36	3.8	282

Obrestad

φ = 58° 39′N λ = 5° 34′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			4.5	4.7	4.7	4.5		2.0	8.0	19	- 2.5	16	14	4.6	1	2.0	1	2.0	1	1.0	0	-	10	5.0	12	4.2	11	3.9	11	3.7	14	4.4	9	6.7	8	7.2	1
II			4.3	5.3	4.5	4.5		2.3	9.2	22	- 3.6	2	4	1.5	3	2.7	1	1.0	1	1.0	0	-	17	3.2	15	3.4	4	5.2	8	3.2	23	3.8	3	5.3	5	5.6	0
III			1.0	3.4	2.3	1.8		- 1.3	7.8	25	-12.0	3	18	3.3	4	1.5	0	-	7	1.9	6	2.5	23	2.6	11	2.6	1	2.0	2	4.5	6	4.3	5	5.2	7	2.0	3
IV			5.8	6.7	6.4	5.8		3.6	10.8	16	- 2.5	1	7	4.3	2	2.0	0	-	0	-	0	-	11	4.5	28	3.9	2	1.5	14	3.2	13	3.6	4	2.0	8	6.1	1
V			8.8	9.3	9.1	8.4		6.0	15.7	16	0.5	9	22	3.7	0	-	0	-	3	2.3	0	-	9	3.7	29	3.6	3	2.3	2	3.0	6	2.7	3	2.7	14	3.5	2
VI			10.2	11.1	10.7	10.1		8.0	13.7	23	5.9	15	4	3.0	0	-	0	-	0	-	0	-	3	2.7	9	2.8	5	1.6	2	2.0	6	3.2	9	2.9	49	3.6	3
VII			12.3	14.1	13.7	12.8		10.0	16.2	5	5.0	16	9	2.4	0	-	1	2.0	1	1.0	0	-	6	3.0	6	2.3	2	2.0	1	2.0	7	2.3	1	5.0	54	2.4	5
VIII			12.6	14.4	13.6	13.1		10.6	22.0	26	5.5	19	6	3.5	2	1.5	1	2.0	4	1.5	1	3.0	16	2.5	11	2.9	4	2.2	9	2.9	7	2.7	5	3.0	24	3.7	3
IX			14.1	16.8	15.7	15.2		12.4	23.0	5	7.0	12	4	2.2	7	1.1	5	1.2	1	2.0	5	3.8	31	4.0	7	3.6	9	3.9	4	2.8	3	1.7	5	3.8	9	3.0	0
X			9.7	10.9	10.1	10.0		7.3	16.5	16	0.0	28	8	5.5	1	3.0	2	1.5	0	-	6	4.3	26	3.5	9	4.2	8	3.8	14	5.0	7	3.0	4	3.2	8	4.6	0
XI			5.8	7.3	6.5	6.4		4.2	11.2	5	- 3.4	28	0	-	3	2.0	2	1.0	1	1.0	4	3.0	49	4.0	4	8.5	2	4.0	12	5.0	0	-	1	6.0	1	1.0	11
XII			4.4	4.9	5.0	4.7		2.1	9.9	7	- 5.4	11	7	2.3	5	1.2	2	2.0	7	1.3	0	-	15	4.1	1	7.0	12	5.9	16	5.6	14	5.4	6	6.0	8	4.5	0
1949			7.8	9.1	8.5	8.1		5.6	23.0		-12.0		103	3.6	28	1.6	15	1.5	26	1.6	22	3.4	216	3.6	142	3.6	63	3.8	95	4.1	106	3.7	55	4.3	195	3.6	20

Klepp

φ = 58° 48′N λ = 5° 38′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			3.5	4.3	3.7	3.7		1.4	8.0	19	- 2.1	13	8	2.8	0	-	0	-	0	-	1	1.0	21	1.9	3	2.7	8	1.1	23	1.9	5	3.8	12	3.8	10	2.6	2
II			3.7	5.3	3.9	4.1		1.7	7.9	16	- 3.3	2	0	-	1	1.0	0	-	0	-	1	3.0	20	1.8	4	2.0	4	1.0	17	1.6	12	4.1	3	2.3	7	2.4	15
III			0.6	4.3	2.9	2.2		- 1.7	12.3	29	-10.8	3	7	2.3	4	1.2	2	1.5	2	1.0	5	2.4	26	1.7	8	1.9	2	1.5	9	1.9	6	3.0	2	5.5	11	1.4	9
IV			6.4	8.7	6.8	6.7		3.8	16.0	16	- 1.7	1	4	1.8	2	2.0	0	-	0	-	2	3.0	24	2.3	6	1.2	3	2.3	25	1.6	6	1.8	10	3.9	7	1.9	1
V			9.9	11.9	9.8	9.5		6.0	19.7	16	- 0.7	1	8	2.1	6	1.2	0	-	1	2.0	0	-	20	2.0	7	1.1	1	3.0	18	1.5	9	1.2	3	2.0	18	1.8	2
VI			11.6	13.2	11.8	11.3		8.4	18.2	18	4.9	25	12	2.2	1	3.0	1	1.0	1	1.0	0	-	4	1.2	3	1.0	1	1.0	14	1.3	10	1.2	13	2.1	30	2.4	0
VII			14.1	16.3	14.9	13.8		9.6	20.0	8	4.3	16	5	1.4	0	-	0	-	1	1.0	0	-	0	-	4	1.2	2	1.0	13	1.2	14	1.3	13	1.6	36	1.8	5
VIII			13.2	15.5	14.2	13.7		10.9	23.6	26	5.4	20	0	-	1	1.0	4	1.2	0	-	0	-	8	1.9	10	1.3	10	1.0	14	1.4	13	2.2	2	3.5	21	2.8	10
IX			14.6	17.7	15.7	15.4		11.9	23.9	5	6.6	12	0	-	0	-	1	1.0	2	2.0	3	3.3	25	2.3	5	1.6	5	1.8	17	1.5	7	1.0	2	2.5	7	1.4	16
X			9.2	11.1	9.6	9.8		7.5	15.6	13	0.4	29	4	3.0	0	-	1	1.0	1	1.0	3	5.0	27	2.3	6	1.3	3	1.3	24	1.7	2	2.0	1	6.0	10	2.7	11
XI			5.6	7.0	6.2	6.2		4.4	10.7	5	- 4.6	29	0	-	0	-	1	1.0	1	4.0	5	5.2	47	2.3	6	2.0	1	4.0	14	1.9	1	1.0	0	-	4	1.0	10
XII			3.4	3.8	3.7	3.5		1.4	8.0	29	- 5.1	11	0	-	0	-	1	1.0	2	1.0	1	1.0	27	1.5	7	1.0	3	2.3	30	2.4	8	2.6	3	3.7	8	1.4	3
1949			8.0	9.9	8.6	8.3		5.4	23.9		-10.8		48	2.2	15	1.3	11	1.2	11	1.6	21	3.5	249	2.0	69	1.4	43	1.5	218	1.7	93	2.1	64	2.9	169	2.1	84

Årsoversikter

Annual Summaries)

1949

Lindesnes

H_s = 10 H_b = h_t = 2.0 h_a = h_d = 19 h_r = 1.4

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	Vindstyrke F F ≧ 6	F ≧ 8	F ≧ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I					6.0	6.2	5.2	203	45	8	6		0		26	23	16	17	7	6	25	8	7	6	0	4	0	2	2	5	16	2	13	
II					6.1	5.9	5.8	82	14	24	2		0		21	16	2	15	3	2	20	3	1	11	0	4	0	0	1	6	17	2	13	
III					5.1	4.0	4.4	64	16	10	14		0		13	10	1	9	2	1	8	8	2	5	0	2	0	0	1	4	23	6	8	
IV					5.8	5.8	5.4	83	21	4	0		0		17	15	1	9	3	1	17	1	1	9	0	0	0	0	2	12	19	1	15	
V					4.9	4.8	4.4	56	12	19	0		0		15	13	1	7	0	0	15	1	1	6	0	0	0	1	2	10	25	6	8	
VI					4.2	4.0	3.9	34	17	5	0		0		7	6	1	8	2	0	7	0	0	5	0	0	0	0	0	6	28	5	4	
VII					3.9	3.8	3.2	15	11	28	0		0		4	2	1	6	1	0	4	0	0	1	0	0	0	1	1	1	28	9	5	
VIII					5.7	5.4	5.1	84	24	15	0		0		15	9	3	8	2	2	15	0	0	9	0	0	0	5	3	3	20	2	13	
IX					5.6	4.5	5.7	108	22	3	0		0		16	12	5	7	1	0	15	0	0	2	0	0	0	2	4	2	25	2	8	
X					6.0	6.1	5.2	167	21	19	0		0		24	19	6	13	4	1	24	0	0	11	0	1	0	4	2	4	17	2	14	
XI					6.7	7.1	6.9	193	39	21	2		0		24	16	7	16	5	0	24	2	2	5	0	1	0	1	0	1	9	0	23	
XII					5.1	5.7	4.9	202	26	26	5		0		27	26	4	15	6	1	27	0	0	5	0	2	0	0	1	1	11	3	12	
1949					5.4	5.3	5.0	1292	45		29		0		209	167	48	130	34	14	202	23	14	75	0	14	0	16	19	55	238	40	136	

Lista

H_s = 13 H_b = h_t = 2.1 h_a = 10.4 h_d = 10.3 h_r = 1.6

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	Vindstyrke F F ≧ 6	F ≧ 8	F ≧ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	80	78	76	79	5.5	6.1	5.8	198	41	8	7	0	0	0	27	20	8	27	14	9	26	12	10	9	0	10	0	1	12	1	15	1	12	1
II	81	80	82	81	6.1	6.2	6.1	63	9	27	5	0	0	0	17	17	0	16	8	6	17	5	5	9	0	3	0	0	7	5	20	1	14	0
III	73	67	70	71	5.0	4.3	4.3	40	11	13	15	0	0	0	12	6	2	22	6	4	7	9	4	3	0	2	0	1	3	5	27	3	8	7
IV	82	79	77	80	5.9	6.1	5.8	90	21	4	1	0	0	0	16	13	4	21	8	2	15	0	0	9	0	1	0	0	3	8	19	1	16	0
V	87	82	81	84	5.2	4.4	4.7	54	9	28	0	0	0	0	17	12	0	15	0	0	17	0	0	4	0	0	0	2	3	7	28	7	11	0
VI	79	78	79	80	4.6	4.1	4.2	32	15	5	0	0	0	0	8	5	2	16	1	0	8	0	0	6	0	0	0	0	1	6	28	4	7	0
VII	85	77	79	81	4.4	4.0	3.3	23	8	6	0	0	0	0	5	4	0	9	0	0	5	0	0	2	0	0	0	1	1	0	30	9	3	0
VIII	87	79	83	84	5.5	5.7	6.2	85	18	28	0	0	0	0	18	15	2	11	2	1	18	0	0	5	0	0	0	2	5	2	23	2	15	0
IX	88	77	83	84	5.4	5.1	6.2	121	37	17	0	0	0	0	16	9	3	11	0	0	15	0	0	5	0	0	0	3	4	1	27	1	15	0
X	86	80	84	84	6.5	6.3	6.0	165	25	19	0	0	0	0	23	19	4	17	5	3	23	0	0	11	0	1	0	5	2	4	22	0	16	0
XI	88	86	86	87	6.5	7.1	6.9	189	40	22	3	0	0	0	20	15	8	14	5	1	20	1	1	2	0	0	0	0	0	1	12	1	22	0
XII	87	85	86	86	5.4	5.9	5.7	172	23	26	6	0	0	0	27	23	6	23	9	4	27	2	2	3	0	4	0	1	1	0	16	3	13	0
1949	84	79	80	82	5.5	5.4	5.4	1232	41		37	0	0	0	206	156	39	202	58	30	200	29	22	68	0	21	0	16	42	40	267	33	150	8

Tonstad

H_s = 57 H_b = h_t = 2.1 h_a = h_d = 9.5 h_r = 1.4

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	Vindstyrke F F ≧ 6	F ≧ 8	F ≧ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	83*	81*	82*	82*	6.6	6.7	6.2	365	41	8	21		0		29	27	16	5	2	1	26	15	4	9	0	0	0	1	1	4	11	2	20	31
II	89*	74*	84*	84*	6.9	6.5	6.7	176	22	21	16		0		22	19	8	0	0	0	20	9	5	3	0	3	0	0	0	6	12	0	19	18
III	80*	64*	72*	74*	5.2	5.0	4.8	76	30	13	23		4		9	6	3	3	0	0	7	6	4	2	0	0	0	1	0	1	21	4	13	22
IV	83	70	75	79	5.9	6.3	7.0	200	51	4	6		0		19	17	11	0	0	0	18	2	2	8	0	1	0	0	1	3	13	2	19	0
V	82	62	70	79	5.6	5.1	5.3	115	20	17	0		0		15	13	4	0	0	0	15	0	0	3	0	0	0	2	0	3	24	6	13	0
VI	78	62	62	74	4.5	4.7	4.9	49	14	5	0		0		10	9	2	0	0	0	10	0	0	0	0	0	0	1	0	2	26	3	9	0
VII	82	57	62	72	4.1	4.9	4.4	42	12	22	0		0		8	7	1	0	0	0	8	0	0	0	0	0	0	1	0	1	29	5	9	0
VIII	96	84	87	91	6.1	6.0	6.4	140	29	9	0		0		18	15	7	0	0	0	18	0	0	1	0	0	0	0	1	0	21	2	16	0
IX	95	73	82	86	6.0	6.3	7.1	89	17	17	0		0		17	11	3	0	0	0	17	0	0	0	0	0	0	1	0	0	20	1	19	0
X	93	84	92	91	6.9	6.8	6.5	259	58	19	2		0		24	20	8	1	1	1	24	0	0	4	0	0	0	5	0	2	0	1	22	0
XI	88	85	87	87	6.4	7.0	7.1	188	36	22	6		0		20	20	7	1	0	0	20	2	1	3	0	0	0	0	0	0	3	2	23	1
XII	95	91	94	94	5.9	6.4	5.6	463	54	20	20		1		26	26	17	0	0	0	24	14	5	3	0	0	0	2	0	1	5	3	17	22
1949	87	74	79	83	5.8	6.0	6.0	2162	58		94		5		217	190	87	10	3	2	207	45	21	36	0	4	0	13	3	23	199	31	199	94

Obrestad

H_s = 24 H_b = h_t = 2.1 h_a = h_d = 10.5 h_r = 1.4

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	Vindstyrke F F ≧ 6	F ≧ 8	F ≧ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	87	84	83	85	6.5	6.7	5.7	240	29	8	10		0		28	26	11	20	12	8	28	16	13	2	0	8	0	1	1	1	5	0	14	0
II	89	88	90	89	6.7	6.2	5.9	93	14	26	4		0		19	17	2	9	6	2	19	6	5	3	0	4	0	2	4	1	14	0	15	0
III	82	77	81	81	4.7	4.5	4.2	56	15	13	19		1		12	8	2	6	4	2	9	5	1	0	0	2	0	0	0	1	25	3	6	6
IV	88	86	85	87	6.6	6.1	6.3	115	14	4	2		0		24	18	5	8	6	1	24	0	0	6	0	1	0	0	1	6	17	1	16	0
V	85	84	83	84	5.8	4.9	5.1	54	20	17	0		0		16	10	1	2	0	0	16	2	1	2	0	1	0	1	0	9	20	2	10	0
VI	91	90	90	90	6.5	5.3	5.0	88	26	5	0		0		13	11	3	5	0	0	13	0	0	0	0	0	0	0	2	4	23	1	10	0
VII	93	87	88	90	5.8	4.0	3.9	36	12	28	0		0		8	6	1	1	0	0	8	0	0	2	0	0	0	0	2	3	27	5	9	0
VIII	90	86	87	88	6.3	5.8	6.1	122	18	1	0		0		20	18	5	4	2	1	20	0	0	3	0	0	0	1	0	2	20	2	15	0
IX	89	81	86	86	5.9	5.9	5.9	61	28	3	0		0		19	11	2	7	2	0	19	0	0	5	0	0	0	2	1	3	18	2	15	0
X	85	82	84	84	7.2	6.2	5.9	146	29	19	0		0		23	16	5	15	7	1	23	0	0	2	0	4	0	6	3	3	8	0	18	0
XI	86	83	85	85	6.4	6.3	6.2	100	19	22	3		0		23	17	3	11	2	1	23	1	0	0	0	0	0	1	4	0	8	1	19	0
XII	87	86	84	85	5.5	6.4	5.5	195	19	13	8		0		28	23	8	19	12	5	28	2	2	4	0	7	0	1	4	0	3	2	12	0
1949	88	84	86	86	6.2	5.7	5.5	1306	29		46		1		233	181	48	107	53	21	230	32	22	29	0	27	0	15	22	33	188	19	159	6

Klepp

H_s = 14 H_b = h_t = 1.9 h_a = h_d = 12.5 h_r = 1.5

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	Vindstyrke F F ≧ 6	F ≧ 8	F ≧ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	90	85	86	87	6.8	6.1	4.7	249	30	8	10		0		29	25	12	7	3	0	27	10	3	1	0	9	0	1	16	12	15	2	14	6
II	91	84	88	88	6.6	5.9	5.9	102	16	21	5		0		20	14	3	4	2	0	19	5	3	4	0	3	0	2	16	12	13	0	12	1
III	81	67	74	76	3.8	3.7	2.6	70	22	13	18		2		12	8	3	2	1	0	8	0	6	0	0	4	0	0	16	6	29	0	5	9
IV	86	75	83	84	6.1	5.4	5.2	128	18	4	3		0		23	17	5	3	0	0	23	2	2	6	0	4	0	0	10	16	24	2	14	0
V	79	72	80	81	5.2	4.2	4.0	53	17	17	1		0		17	11	1	0	0	0	17	1	0	3	0	1	0	1	15	11	28	6	9	0
VI	87	79	81	86	6.0	4.5	3.6	80	23	5	0		0		15	11	3	0	0	0	15	0	0	2	0	1	0	1	17	11	26	4	5	0
VII	87	73	77	83	4.6	3.6	3.2	38	13	28	0		0		8	6	1	1	0	0	8	0	0	5	0	0	0	0	23	6	28	8	8	0
VIII	89	79	84	86	5.3	5.4	5.4	128	18	3	0		0		21	18	4	3	0	0	21	0	0	3	0	0	0	1	22	7	22	2	11	0
IX	89	74	83	84	5.1	5.2	4.6	59	22	3	0		0		20	14	1	0	0	0	18	0	0	3	0	0	0	3	17	13	25	5	11	0
X	87	78	86	85	6.4	5.8	5.7	155	24	19	0		0		24	18	7	4	0	0	24	0	0	4	0	3	0	5	16	9	23	1	15	0
XI	84	80	82	82	6.6	6.1	5.5	68	15	30	3		0		20	16	1	2	0	0	18	1	0	2	0	0	0	0	13	6	13	3	18	0
XII	90	88	88	89	6.0	6.6	5.3	260	28	13	8		0		26	25	9	4	0	0	26	9	9	1	0	14	0	3	21	4	14	3	17	0
1949	87	78	83	84	5.7	5.2	4.6	1390	30		48		2		235	183	50	30	6	0	224	37	23	34	0	39	0	17	202	113	265	45	139	16

1949

Sola

φ = 58° 53′ N λ = 5° 38′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1007.3	1008.9	3.7	4.4	3.9	3.9	6.3	1.3	6.5	15	- 2.3	13	9 4.2	0 -	0 -	0 -	4 4.0	9 5.3	26 1.8	7 4.0	9 4.3	7 5.0	5 5.8	12 4.3	5
II	14.6	16.2	3.8	5.4	4.2	4.3	6.3	1.6	8.6	16	- 3.6	2	2 2.0	1 1.0	0 -	0 -	2 1.5	10 2.9	24 3.7	5 3.0	6 3.3	13 3.5	5 4.4	7 2.4	9
III	18.6	20.2	- 0.2	4.0	2.7	1.8	5.5	- 2.3	13.0	29	-11.9	6	19 2.4	0 -	1 1.0	7 1.9	6 2.5	11 2.0	6 3.3	7 2.4	3 3.7	5 2.8	5 2.6	1 2.0	22
IV	07.2	05.7	6.2	8.5	7.1	6.7	9.5	3.7	16.6	16	- 2.2	2	7 4.7	0 -	0 -	0 -	2 2.5	15 4.5	14 5.5	16 3.4	6 4.2	5 3.8	9 3.8	12 4.2	1
V	12.1	13.7	9.2	11.6	10.1	9.3	13.0	5.9	21.0	16	- 0.1	1	12 3.5	5 3.0	1 4.0	0 -	0 -	4 4.5	17 4.4	16 4.3	4 4.2	2 2.5	7 3.6	17 3.9	8
VI	14.5	16.0	10.9	13.1	11.8	11.0	14.3	8.3	18.6	19	5.6	23	6 2.5	0 -	0 -	2 2.5	0 -	1 1.0	2 5.0	7 3.6	7 3.7	4 2.5	27 3.0	28 3.9	6
VII	14.7	16.2	12.5	15.6	14.9	13.5	17.3	9.9	21.0	6	5.9	3	14 2.6	0 -	0 -	0 -	0 -	1 1.0	6 3.2	4 3.2	4 3.2	15 2.3	12 2.8	29 3.4	9
VIII	13.4	14.9	11.9	15.1	14.3	13.4	16.4	10.6	24.4	26	5.8	19	14 3.2	5 1.8	1 3.0	1 1.0	0 -	4 3.2	9 3.9	11 3.9	8 3.4	7 2.4	11 3.0	11 3.6	11
IX	17.4	18.9	13.7	17.6	15.9	15.3	18.6	11.8	24.7	5	6.9	12	9 2.1	7 2.0	0 -	1 3.0	9 3.0	12 4.0	12 4.7	16 3.8	1 2.0	4 2.2	5 2.8	7 2.6	7
X	10.7	12.2	9.1	11.1	9.6	9.7	12.2	7.1	16.1	15	3.3	28	8 4.4	4 4.0	2 1.5	0 -	2 2.0	15 3.3	27 3.4	11 3.5	12 4.1	1 3.0	1 6.0	6 4.0	4
XI	05.5	07.1	5.9	7.3	6.3	6.3	8.8	3.9	11.6	5	- 4.6	29	2 2.5	6 1.7	2 1.5	6 3.2	17 3.7	20 4.4	10 4.6	9 4.0	4 4.2	1 2.0	1 5.0	0 -	12
XII	998.9	00.5	3.6	4.1	3.9	3.8	6.9	0.6	9.6	27	- 6.6	12	9 2.4	2 2.0	0 -	0 -	8 3.1	20 3.6	11 5.1	8 4.9	4 3.5	9 4.6	7 4.4	9 4.1	6
1949	1011.2	1012.8	7.5	9.8	8.7	8.2	11.3	5.4	24.7		-11.9		111 3.1	30 2.3	7 2.0	17 2.4	50 3.2	122 3.8	164 4.2	117 3.8	68 3.8	73 3.2	95 3.4	139 3.7	102

Stavanger

φ = 58° 57′ N λ = 5° 44′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			3.0	3.9	3.5	3.4	5.7	1.4	7.9	19	- 1.4	9	5 3.6	0 -	0 -	1 2.0	5 4.2	10 4.3	15 4.2	16 3.7	7 4.0	9 4.3	14 4.6	11 5.2	9
II			3.7	4.7	3.9	3.9	6.0	2.2	8.3	16	- 1.5	1	4 3.2	2 1.5	1 1.0	3 2.0	2 3.0	15 3.7	13 4.2	10 3.4	10 3.7	11 4.6	7 4.0	6 3.2	8
III			1.4	3.8	2.4	2.2	5.2	- 0.2	13.0	29	- 8.2	6	1 3.0	15 2.5	2 3.5	4 1.8	17 3.4	5 4.2	7 3.1	9 2.8	6 3.0	5 2.8	10 3.4	10 3.9	2
IV			6.1	7.9	6.7	6.4	9.3	4.2	16.4	16	- 1.0	1	2 4.5	4 3.0	0 -	1 2.0	1 2.0	13 3.8	13 4.6	13 3.3	13 3.4	6 3.7	14 3.3	10 4.8	0
V			9.6	11.9	10.0	9.6	13.4	6.4	18.6	16	1.4	9	6 2.2	3 2.3	1 1.0	0 -	7 1.6	10 2.8	8 3.9	11 3.0	4 3.5	9 2.5	13 2.8	20 3.6	2
VI			11.5	14.0	12.1	11.6	15.3	8.8	21.2	18	7.3	0	2 1.5	5 1.2	1 1.0	0 -	0 -	1 3.0	2 5.0	9 2.3	5 2.8	8 2.6	25 2.7	32 3.3	0
VII			14.2	16.7	14.9	14.2	18.1	10.7	22.7	6	9.5	14	6 1.7	0 -	0 -	0 -	0 -	3 2.7	4 1.8	6 2.2	7 2.7	13 2.5	20 2.4	34 2.9	0
VIII			13.0	15.2	13.7	13.4	16.4	10.8	22.5	26	6.9	18	2 1.0	6 1.3	2 1.5	2 1.0	0 -	4 3.0	7 4.0	12 2.8	13 2.7	8 1.9	12 2.8	24 3.2	1
IX			14.9	17.4	15.1	15.4	18.1	12.8	24.1	5	7.9	30	5 1.8	9 1.1	3 1.3	1 2.0	15 3.3	8 3.4	8 4.4	15 3.2	3 2.3	3 2.3	6 2.2	14 2.5	9
X			9.1	10.8	9.4	9.6	11.5	7.7	16.0	12	1.7	28	1 6.0	2 4.5	0 -	1 2.0	13 2.9	21 3.2	10 3.3	23 2.9	3 2.7	3 2.0	3 5.3	12 4.2	1
XI			6.3	7.5	6.8	6.8	8.3	5.3	10.7	5	- 0.9	29	0 -	8 1.9	7 1.7	5 1.6	14 4.2	28 4.4	8 3.9	12 3.2	3 4.3	0 -	1 5.0	1 1.0	3
XII			3.2	4.1	3.8	3.6	6.0	1.8	8.8	27	- 1.8	11	1 2.0	10 1.6	0 -	2 2.5	5 1.6	12 2.6	13 3.0	11 3.2	18 2.8	9 2.8	9 2.8	3 3.3	0
1949			8.0	9.8	8.5	8.3	11.1	6.0	24.1		- 8.2		35 2.5	64 1.9	17 1.7	20 1.8	79 3.2	130 3.6	108 3.8	147 3.0	92 3.1	83 3.0	134 3.1	177 3.5	8

Sauda

φ = 59° 39′ N λ = 6° 22′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.5	0.8	1.0	0.7	- 4.0	- 1.5	7.7	2	- 8.7	22	2 2.0	2 2.0	7 2.4	10 1.8	0 -	1 1.0	0 -	0 -	13 2.8	7 3.3	0 -	9 3.6	43
II			0.6	2.2	1.1	1.0	4.0	- 1.5	9.8	4	- 7.7	1	6 2.0	1 1.0	2 1.0	4 1.5	0 -	0 -	0 -	0 -	18 2.1	11 2.6	0 -	1 2.0	41
III			- 2.0	2.5	1.8	- 0.2	4.7	- 4.4	10.7	30	-16.5	6	19 1.6	2 1.0	4 2.2	17 1.6	0 -	0 -	1 1.0	0 -	10 2.7	7 2.9	0 -	1 2.0	38
IV			3.9	6.8	6.5	5.5	8.8	2.1	17.1	16	- 2.2	8	13 1.4	0 -	3 2.0	4 1.5	1 2.0	2 2.5	3 2.3	0 -	18 2.0	7 2.6	1 2.0	4 1.5	34
V			7.3	11.7	11.2	8.9	14.2	4.5	19.1	22	- 1.5	9	8 1.9	0 -	1 2.0	3 1.7	0 -	0 -	3 1.0	0 -	28 2.1	9 2.2	1 3.0	4 2.2	36
VI			11.2	16.1	15.5	12.6	17.8	7.6	23.9	20	3.7	17	7 1.9	0 -	0 -	2 2.5	0 -	0 -	2 1.0	1 1.0	34 1.9	21 1.7	0 -	6 1.8	17
VII			13.4	18.9	19.2	15.9	21.8	10.5	26.8	22	6.1	14	2 1.0	0 -	2 1.5	1 2.0	0 -	0 -	1 1.0	0 -	33 2.1	24 2.5	0 -	1 1.0	29
VIII			11.0	15.3	15.1	13.2	17.5	10.0	23.6	26	4.0	19	2 2.0	0 -	3 1.0	2 1.0	0 -	1 3.0	0 -	2 3.0	31 2.2	10 2.1	1 1.0	2 1.5	39
IX			12.0	16.5	15.1	14.1	18.8	11.1	25.2	5	6.4	12	13 1.4	5 2.0	2 1.0	5 1.6	0 -	2 1.0	4 1.0	0 -	16 2.2	5 1.4	0 -	0 -	39
X			6.7	9.0	7.8	7.6	10.4	5.3	15.4	13	- 2.2	28	13 1.0	2 2.5	6 1.7	4 1.5	1 1.0	1 1.0	1 1.0	0 -	19 3.0	4 1.5	0 -	0 -	40
XI			3.9	5.0	4.4	4.1	6.9	- 1.5	12.0	6	- 6.9	29	6 1.8	5 4.4	10 3.7	10 1.6	0 -	2 4.0	1 3.0	0 -	14 2.7	1 1.0	0 -	0 -	41
XII			- 1.0	0.0	- 0.5	- 0.6	2.4	- 2.7	8.7	1	-11.0	19	3 1.0	0 -	8 1.2	9 1.3	0 -	8 1.5	0 -	0 -	13 1.8	3 2.3	0 -	0 -	49
1949			5.5	8.7	8.2	6.9	10.9	3.3	26.8		-16.5		94 1.7	17 2.6	48 2.1	71 1.6	2 1.5	17 1.9	16 1.4	3 2.3	247 2.2	109 2.3	3 2.0	27 2.3	441

Skudesnes II.

φ = 59° 9′ N λ = 5° 15′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1007.1	1008.3	4.3	4.7	4.3	4.3		2.0	7.9	19	- 2.6	10	10 4.3	6 3.8	1 1.0	1 3.0	5 6.0	2 5.0	16 5.8	13 5.1	9 5.4	12 4.9	5 6.8	11 7.0	2
II	14.0	15.2	4.5	5.5	4.7	4.7		2.5	8.0	16	- 3.0	3	4 3.2	1 1.0	3 1.7	1 3.0	0 -	13 4.7	14 5.4	11 5.5	7 5.4	13 6.2	2 7.0	14 5.8	1
III	18.5	19.5	1.8	4.5	2.8	2.7		- 0.2	10.0	29	- 9.4	6	18 4.2	4 1.0	6 1.3	11 3.8	1 3.0	19 4.6	11 3.4	2 2.5	5 5.2	4 4.2	3 6.0	9 4.2	6
IV	07.0	08.1	6.1	7.5	6.4	6.3		4.5	10.9	16	- 0.7	1	9 5.6	1 6.0	3 3.7	1 3.0	1 4.0	10 4.5	20 6.0	10 3.3	9 5.3	9 4.9	1 5.0	16 5.5	0
V	12.0	13.2	9.3	10.4	9.0	9.0		6.7	18.2	16	1.4	8	16 5.2	3 1.3	1 4.0	3 4.7	1 3.0	9 3.6	18 4.1	11 4.3	4 2.9	6 4.3	1 5.0	20 5.4	0
VI	14.8	15.9	11.2	11.2	11.3	10.6		8.8	18.6	19	6.2	15	18 5.8	0 -	1 2.0	2 2.0	0 -	3 3.7	5 3.0	6 2.8	4 4.5	5 3.6	3 4.3	43 4.3	0
VII	15.1	16.2	13.5	15.6	14.1	13.6		10.9	18.6	9	8.2	3	10 4.5	0 -	0 -	0 -	0 -	5 2.6	5 2.0	7 2.3	4 2.5	7 2.4	7 1.9	48 3.4	0
VIII	13.6	14.7	13.4	14.9	13.7	13.5		11.6	21.4	26	7.7	19	6 3.8	1 1.0	5 2.6	6 2.2	3 2.3	5 3.8	14 2.6	12 3.0	7 2.6	8 3.4	3 3.3	21 4.8	2
IX	17.9	19.0	15.2	17.3	15.5	15.6		13.5	21.3	1	9.6	30	5 2.4	1 3.0	5 1.2	8 3.5	7 4.0	9 3.9	20 4.0	9 3.1	5 1.8	7 2.4	0 -	14 2.6	0
X	10.5	11.6	10.1	11.3	10.3	10.4		8.5	15.3	13	1.1	28	13 4.8	1 5.0	1 5.0	3 2.0	5 4.0	11 4.4	29 4.6	11 4.8	10 5.6	2 2.5	1 4.0	6 4.3	0
XI	05.4	06.5	7.1	7.9	7.6	7.4		5.9	11.2	5	- 1.9	29	3 1.7	4 1.8	7 1.9	7 3.3	11 5.3	33 5.9	9 4.9	10 5.5	3 6.3	2 5.0	0 -	0 -	1
XII	998.6	999.8	4.9	5.1	4.9	4.9		2.8	9.8	7	- 2.5	12	4 2.8	4 1.5	4 1.8	5 1.2	1 3.0	5 5.0	18 5.2	14 5.7	0 -	16 4.8	1 8.0	20 5.5	1
1949	1011.2	1012.3	8.4	9.7	8.7	8.6		6.5	21.4		- 8.4		116 4.6	26 2.3	37 2.0	48 3.0	35 3.8	124 4.7	179 4.5	116 4.3	67 4.5	91 4.4	27 4.6	222 4.6	7

Utsira

φ = 59° 18′ N λ = 4° 53′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			4.5	4.9	4.6	4.6	6.9	1.9	11.7	30	- 4.5	8	10 6.2	2 4.0	2 1.5	0 -	0 -	7 5.3	8 4.8	12 4.9	16 4.8	10 4.9	13 5.7	12 6.5	1
II			4.9	5.3	4.8	4.9	6.4	3.3	8.5	14	- 0.6	28	7 4.3	2 2.5	0 -	0 -	2 3.0	7 3.6	16 5.3	7 4.1	13 3.8	11 3.9	10 4.2	7 5.9	2
III			2.3	3.5	3.0	2.7	4.6	1.0	9.2	28	- 4.4	6	17 3.5	7 3.9	1 1.0	2 4.0	5 3.4	20 3.6	9 2.9	5 4.0	7 3.9	5 3.2	2 4.0	11 4.4	3
IV			5.5	6.4	5.8	5.6	7.4	4.0	10.4	16	1.1	8	10 4.8	2 5.5	1 1.0	1 1.0	0 -	16 4.7	12 4.6	7 3.4	17 3.6	7 3.1	5 4.2	12 3.6	0
V			7.9	9.2	8.3	8.0	10.1	6.3	18.8	16	1.7	9	16 3.7	5 1.8	4 2.8	1 4.0	1 2.0	8 3.6	13 4.3	12 3.1	9 2.6	4 3.0	6 3.0	14 3.4	0
VI			10.0	11.3	10.6	10.1	12.2	8.6	16.7	19	5.5	15	31 4.4	0 -	2 1.5	1 1.0	0 -	5 2.0	2 3.0	6 2.3	6 2.8	5 2.4	7 3.4	25 3.0	0
VII			12.1	13.8	13.3	12.7	15.0	10.8	17.2	9	9.4	1	30 3.0	0 -	0 -	0 -	0 -	6 2.8	4 1.2	4 1.2	7 1.6	5 1.6	9 2.2	26 2.4	0
VIII			12.4	14.0	13.2	12.9	15.0	11.3	19.7	26	8.7	18	7 3.3	0 -	3 1.7	3 1.7	4 2.8	4 3.0	8 3.1	12 2.2	18 2.1	5 3.2	7 2.3	16 3.8	0
IX			14.5	16.2	15.2	15.1	17.3	13.6	21.6	1	9.7	30	7 2.7	5 1.4	4 1.0	4 2.8	4 3.5	17 3.7	8 4.1	16 3.4	7 2.6	5 2.2	3 3.0	7 1.9	3
X			10.1	10.7	10.5	10.3	11.9	8.4	15.2	14	2.4	28	9 5.3	2 3.0	3 4.0	0 -	0 -	13 3.8	18 3.9	8 3.2	19 4.9	4 3.0	2 3.0	7 5.1	3
XI			7.3	7.7	7.7	7.5	9.1	5.9	12.1	5	1.4	29	0 -	2 2.5	6 1.8	8 3.1	3 3.3	42 4.6	3 6.7	8 3.2	13 4.7	1 6.0	1 3.0	0 -	3
XII			5.1	5.3	5.4	5.2	7.4	3.3	10.6	8	0.7	7	6 2.8	6 2.8	1 2.0	1 1.0	5 3.2	9 3.6	3 5.7	11 5.1	16 5.1	9 4.6	8 6.5	16 4.1	2
1949			8.0	8.6	8.5	8.3	10.3	6.5	21.6		- 4.5		150 3.9	33 2.9	27 2.0	21 2.4	24 3.2	159 4.0	104 4.2	108 3.5	148 3.9	71 3.5	73 4.0	153 3.7	24

1949

Sola

H_s = 8 H_b = 12.7 h_t = 1.8 h_a = 26 h_d = 25 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	84	83	85	6.2	6.4	5.6	198	28	8	9	0	0	0	28	21	9	26	10	3	25	14	8	7	2	5	0	2	15	2	8	0	15	3
II	87	84	86	86	6.3	6.2	6.2	77	13	21	6	0	0	0	19	13	3	11	1	1	18	4	2	8	0	4	1	1	12	1	17	1	15	0
III	93	70	93	85	4.3	4.5	3.9	53	13	13	20	1	2	0	11	5	2	5	0	0	8	8	4	1	0	5	0	1	7	2	29	7	6	9
IV	85	74	79	82	6.4	6.2	6.3	99	15	4	2	0	0	0	22	13	5	22	2	0	22	2	2	11	0	2	0	1	9	3	23	1	15	0
V	91	72	75	80	5.7	5.1	4.9	47	17	17	1	0	0	0	14	8	1	16	0	0	14	1	0	2	0	3	0	1	7	4	28	2	10	0
VI	86	77	80	85	6.2	5.0	4.8	70	18	6	0	0	0	0	14	9	3	6	0	0	14	0	0	4	0	0	0	1	10	2	26	1	12	0
VII	90	74	75	82	5.3	4.0	4.1	28	8	28	0	0	0	0	9	6	0	1	0	0	9	0	0	6	0	0	0	0	6	3	30	4	7	0
VIII	88	79	80	84	6.1	6.0	5.7	105	16	3	0	0	0	0	22	17	3	7	1	1	22	0	0	9	0	0	0	1	9	5	26	2	14	0
IX	86	74	81	82	5.4	5.9	5.2	56	15	3	0	0	0	0	17	13	1	6	1	0	17	0	0	6	0	0	0	1	9	3	24	1	13	0
X	85	78	82	82	6.7	6.4	6.2	128	20	19	0	0	0	0	22	15	4	12	1	1	22	0	0	7	0	2	0	7	8	1	20	0	18	0
XI	90	78	80	79	6.3	6.3	5.6	74	14	4	5	0	0	0	22	11	4	16	2	1	21	1	0	6	0	1	0	0	7	0	12	3	19	0
XII	85	85	84	85	5.6	6.4	5.5	229	23	26	11	0	0	0	27	24	8	22	5	2	27	4	2	9	0	10	0	3	10	0	14	1	13	0
1949	85	77	82	83	5.9	5.7	5.3	1164	28		54	1	2	0	227	156	43	150	23	9	219	34	18	76	2	32	1	19	109	26	257	23	157	12

Stavanger

H_s = 67 H_b = h_t = 1.7 h_a = 7 h_d = 5 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	84	84	85	6.1	5.9	4.5	232	31	8	9	0	0	0	28	26	11	11	3	2	24	1	6	6	0	7	0	1	26	1	11	0	12	9
II	90	89	88	89	5.6	5.5	5.4	83	15	14	4	0	0	0	20	12	3	9	0	0	19	4	0	7	0	3	0	2	21	1	16	0	10	3
III	78	69	74	75	3.8	4.4	3.7	52	16	13	17	1	0	0	11	7	3	4	1	0	9	9	7	3	0	3	0	0	14	0	25	4	4	7
IV	89	76	91	84	5.7	5.4	5.3	118	19	12	1	0	0	0	23	14	4	7	0	0	21	2	1	6	0	2	0	1	13	3	19	1	12	0
V	85	74	78	82	5.2	4.5	4.4	45	14	26	0	0	0	0	16	7	2	1	0	0	16	1	0	4	0	0	0	1	18	3	25	3	8	0
VI	88	77	80	87	5.5	4.2	4.3	78	21	5	0	0	0	0	14	10	2	1	0	0	14	0	0	3	0	0	0	1	20	0	25	2	6	0
VII	87	74	76	83	4.9	3.7	3.9	36	11	29	0	0	0	0	11	6	1	0	0	0	11	0	0	4	0	0	0	0	13	1	27	3	6	0
VIII	89	92	95	87	5.2	5.5	5.4	114	15	14	0	0	0	0	23	18	4	2	0	0	23	0	0	10	0	0	0	0	19	2	19	1	9	0
IX	90	82	87	88	5.2	4.9	4.7	66	21	3	0	0	0	0	24	15	1	5	0	0	24	0	0	7	0	0	0	2	21	1	21	0	8	0
X	88	93	98	87	5.8	5.6	5.5	150	17	22	0	0	0	0	26	17	8	5	1	0	25	1	0	5	0	2	0	5	18	1	15	1	11	0
XI	81	78	79	79	5.6	5.8	4.9	90	15	30	2	0	0	0	19	12	4	8	1	0	17	0	0	1	0	0	0	0	8	1	9	3	12	0
XII	92	89	89	90	5.7	6.2	4.8	249	27	13	5	0	0	0	27	27	9	4	0	0	26	6	1	5	0	7	0	3	18	0	11	2	14	0
1949	87	80	82	85	5.4	5.1	4.7	1303	31		38*	1	0	0	241	171	52	57	6	2	229	24	15	61	0	24	0	16	214*	14	223	20	112	19

Sauda

H_s = 5 H_b = h_t = 1.8 h_a = h_d = h_r = 1.5

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	89	86	88	6.9	6.7	6.4	488	49	14	17	3	0	0	31	29	21	5	1	1	25	25	15	7	0	6	0	4	16	8	7	0	20	31
II	90	86	88	89	6.6	6.5	6.5	288	47	14	16	3	0	0	22	20	11	1	1	1	20	10	6	4	0	3	0	2	12	6	12	2	18	28
III	84	66	66	74	4.5	4.5	4.2	103	34	13	23	3	5	0	9	7	4	0	0	0	7	6	3	2	0	2	0	2	5	3	24	8	11	28
IV	86	73	74	80	6.4	6.4	7.0	298	56	5	7	0	0	0	24	18	10	0	0	0	24	7	7	7	0	3	0	0	10	5	18	1	19	0
V	86	67	69	79	5.2	5.5	5.4	114	28	29	2	0	0	0	16	15	2	0	0	0	16	0	0	1	0	4	0	1	4	1	28	4	13	0
VI	80	59	62	75	4.9	4.8	4.8	77	21	8	0	0	0	0	14	12	2	0	0	0	14	0	0	0	0	0	0	1	5	1	26	4	10	0
VII	84	61	59	71	4.6	4.6	4.5	48	14	30	0	0	0	5	10	6	2	0	0	0	10	0	0	4	0	0	0	0	7	0	25	6	12	0
VIII	91	72	73	81	5.9	6.1	5.8	159	24	11	0	0	0	0	25	20	6	2	0	0	24	0	0	5	0	0	0	1	10	1	24	2	14	0
IX	90	73	81	84	5.8	6.0	5.8	108	24	9	0	0	0	1	22	13	5	0	0	0	17	0	0	5	0	0	0	1	9	2	21	1	15	0
X	90	83	87	87	7.3	7.2	6.7	323	46	19	2	0	0	0	27	23	10	2	1	1	27	0	0	6	0	0	0	4	10	3	11	0	24	0
XI	79	76	78	78	5.3	5.6	5.0	146	36	5	10	3	0	0	15	9	6	3	0	0	13	1	0	1	0	0	0	0	3	2	12	5	13	1
XII	95	93	93	94	5.9	6.3	5.7	530	70	26	18	5	2	0	28	26	17	0	0	0	24	18	13	1	0	0	0	2	12	10	6	4	17	0
1949	87	75	76	82	5.8	5.8	5.6	2682	70		95	17	7	6	243	198	96	13	3	3	221	67	44	43	0	18	0	18	103	42	214	37	186	58

Skudesnes II.

H_s = 7 H_b = 9.2 h_t = 2.2 h_a = h_d = 7 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	84	84	85	6.7	6.0	6.1	219	28	8	9		0		31	24	8	25	6	2	31	12	9	4	0	8	0	1	4	4	11	0	17	1
II	87	83	86	86	6.2	5.6	6.3	94	21	21	4		0		20	16	2	20	3	2	20	5	3	4	0	1	0	0	9	1	20	0	14	1
III	79	70	76	76	4.1	3.8	4.5	55	14	13	15		0		13	8	3	12	2	0	10	5	2	2	0	4	0	0	3	2	29	6	7	10
IV	85	80	84	84	6.1	5.2	5.0	121	13	26	1		0		26	19	6	19	0	0	26	3	3	3	0	0	0	1	11	4	24	1	10	0
V	85	79	82	83	5.4	5.1	5.0	46	9	16	0		0		17	10	0	10	0	0	17	2	2	5	0	0	0	1	3	5	31	1	11	0
VI	84	90	82	84	5.2	4.1	4.0	79	20	5	0		0		13	10	4	15	0	0	13	0	0	2	0	0	0	1	4	2	29	2	6	0
VII	86	75	81	85	4.2	2.7	3.5	32	6	29	0		0		9	7	0	2	0	0	9	0	0	6	0	0	0	0	3	2	30	9	4	0
VIII	86	81	83	84	5.1	4.7	5.5	119	18	27	0		0		21	18	4	4	0	0	21	0	0	7	0	0	0	2	6	4	26	2	11	0
IX	86	78	85	84	5.0	3.9	4.9	91	16	3	0		0		18	14	2	6	1	0	18	0	0	4	0	0	0	2	3	0	29	5	10	0
X	82	80	82	82	5.8	5.2	6.4	188	30	17	0		0		23	19	6	17	2	2	23	0	0	2	0	1	0	3	6	2	25	0	15	0
XI	81	77	78	79	6.1	6.2	6.1	109	18	30	2		0		25	20	1	13	6	2	25	0	0	3	0	0	0	1	5	0	12	2	17	0
XII	95	95	84	85	6.7	6.5	6.5	238	36	13	2		0		28	25	5	20	5	2	28	0	0	0	0	5	0	2	7	0	14	1	22	0
1949	84	79	82	83	5.6	4.9	5.3	1381	36		33		0		244	190	44	168	25	10	241	27	19	42	0	19	0	14	64	26	280	29	144	12

Utsira

H_s = 55 H_b = h_t = 2.2 h_a = 10.6 h_d = 10.6 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	92	89	90	91	6.3	7.1	6.5	169	21	14	4	0	0	0	30	27	6	29	14	8	29	14	7	3	0	5	0	0	6	3	7	0	17	0
II	95	92	93	94	6.6	6.2	6.1	91	14	21	1	0	0	0	21	18	1	19	9	0	21	6	6	4	0	4	0	0	8	2	13	0	16	0
III	83	81	83	83	4.5	5.0	4.6	52	10	15	14	1	0	0	12	9	1	18	5	4	10	9	6	0	0	4	0	0	4	1	23	2	7	8
IV	90	88	89	90	6.8	6.5	6.4	106	20	26	0	0	0	0	24	20	2	19	6	3	24	6	6	5	0	0	0	0	4	9	18	1	20	0
V	93	87	89	92	5.9	5.5	5.7	45	10	17	0	0	0	0	19	12	0	9	0	0	19	2	2	7	0	1	0	1	7	11	24	2	13	0
VI	93	88	90	93	6.5	5.4	4.7	94	28	5	0	0	0	0	15	11	3	10	1	0	15	0	0	6	0	0	0	1	2	5	22	2	9	0
VII	95	87	89	92	5.5	4.3	4.3	26	7	28	0	0	0	0	11	7	0	4	0	0	11	0	0	7	0	0	0	0	4	6	24	3	10	0
VIII	94	90	91	92	6.4	5.9	5.8	117	16	3	0	0	0	0	23	20	3	5	1	0	23	0	0	6	0	0	0	2	5	6	21	0	14	0
IX	94	87	92	92	6.0	5.2	6.4	103	24	3	0	0	0	0	16	15	3	7	1	0	16	0	0	3	0	0	0	3	8	3	20	2	13	0
X	88	87	88	98	7.0	6.3	6.4	132	21	19	0	0	0	0	24	22	4	19	6	1	24	1	1	5	0	0	0	3	6	3	14	0	17	0
XI	99	87	87	88	6.3	6.4	6.2	106	11	21	0	0	0	0	24	21	3	19	5	2	24	1	1	0	0	0	0	0	4	0	8	2	19	0
XII	93	92	92	93	5.1	6.7	5.5	183	24	13	0	0	0	0	29	24	5	20	10	3	29	9	9	1	0	8	0	2	2	0	10	0	10	0
1949	92	88	89	91	6.1	5.9	5.7	1224	28		19	1	0	0	248	206	31	178	58	21	245	48	38	47	0	22	0	12	60	49	204	14	165	8

1949

Indre Matre

φ = 59° 51′ N λ = 6° 0′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.1	3.2	3.1	2.7		0.4	7.8	27	- 3.1	13	0 -	0 -	0 -	16 4.7	2 6.0	4 2.2	27 3.1	7 3.6	1 5.0	1 4.0	0 -	0 -	35
II			3.1	4.1	3.4	3.3		1.2	9.4	19	- 3.1	1	0 -	0 -	0 -	12 1.7	2 2.0	3 2.7	10 2.1	11 2.9	2 3.5	0 -	0 -	0 -	44
III			0.7	4.3	2.8	2.2		- 0.8	10.4	29	- 8.1	6	0 -	0 -	1 4.0	25 1.9	0 -	0 -	8 2.6	4 4.2	0 -	0 -	1 2.0	0 -	54
IV			5.8	8.0	7.3	6.4		3.9	17.7	16	- 0.1	1	0 -	1 2.0	2 1.0	12 2.2	2 1.5	1 4.0	12 2.6	13 3.9	1 1.0	0 -	0 -	0 -	46
V			9.0	12.2	11.1	9.8		6.1	18.0	16	0.8	8	0 -	1 2.0	1 3.0	8 2.6	0 -	2 3.0	12 2.3	4 2.0	2 1.5	0 -	0 -	1 1.0	62
VI			12.2	15.1	14.4	12.6		8.6	22.0	18	5.6	15	1 5.0	0 -	0 -	11 2.9	0 -	4 1.5	8 2.6	8 2.9	1 2.0	0 -	1 2.0	0 -	56
VII			13.8	17.6	17.1	15.2		10.8	24.0	8	7.6	14	1 2.0	0 -	0 -	10 2.2	0 -	0 -	4 1.2	2 1.5	0 -	0 -	0 -	0 -	76
VIII			11.3	15.0	13.4	12.7		10.0	19.4	25	4.7	19	0 -	0 -	0 -	12 2.7	1 3.0	1 1.0	6 3.7	5 2.2	0 -	0 -	0 -	0 -	68
IX			13.6	16.9	15.0	14.8		11.9	25.0	6	6.7	30	0 -	0 -	0 -	3 3.0	5 4.6	2 1.0	12 3.8	0 -	1 3.0	0 -	0 -	0 -	67
X			8.5	10.4	9.0	9.1		6.7	17.0	15	0.8	28	1 4.0	0 -	0 -	11 3.0	3 3.7	4 3.2	14 3.5	1 5.0	0 -	0 -	0 -	0 -	59
XI			6.4	7.3	6.8	6.7		4.5	12.8	23	- 2.2	29	0 -	1 6.0	2 3.0	20 3.4	2 1.0	1 1.0	15 4.3	3 3.0	0 -	0 -	0 -	0 -	46
XII			2.8	2.9	2.6	2.7		0.9	7.8	27	- 3.0	19	0 -	0 -	1 3.0	12 2.0	1 1.0	1 1.0	21 3.4	0 -	0 -	0 -	0 -	0 -	57
1949			7.4	9.8	8.8	8.2		5.4	25.0		- 8.1		3 3.7	3 3.3	7 2.6	152 2.7	18 3.3	23 2.2	149 3.1	58 3.2	8 2.6	1 4.0	2 2.0	1 1.0	670

Slåtterøy

φ = 59° 54′ N λ = 5° 4′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			4.0	4.6	4.7	4.3		2.2	7.9	27	- 0.8	13	10 6.0	6 3.8	2 2.0	0 -	3 3.7	7 4.7	22 5.2	7 5.1	10 4.8	15 6.3	5 5.8	6 7.5	0
II			4.6	5.1	4.6	4.6		2.3	8.1	14	- 1.0	28	4 4.0	3 2.3	3 2.7	1 2.0	0 -	11 3.5	23 4.6	6 4.0	11 3.8	14 5.1	4 7.5	3 5.3	1
III			2.1	3.8	3.4	2.8		0.2	8.5	29	- 4.8	6	11 4.9	11 2.6	8 2.1	1 3.0	7 3.1	12 2.4	15 4.0	5 3.6	6 3.2	5 4.6	4 3.8	8 4.9	0
IV			6.0	7.1	6.5	6.1		4.2	15.5	16	1.0	1	8 6.0	3 4.3	1 2.0	1 1.0	0 -	4 3.2	24 4.9	13 3.8	13 3.8	7 4.4	6 4.3	10 3.7	0
V			8.3	10.9	8.9	8.7		6.1	13.9	23	1.0	9	13 3.8	3 2.7	2 2.0	3 1.7	0 -	4 2.2	19 3.8	10 3.6	10 3.0	7 2.8	5 3.4	14 3.1	3
VI			10.1	11.1	10.4	10.1		8.8	14.4	19	7.0	15	21 4.6	0 -	3 1.0	2 1.5	0 -	0 -	3 3.7	8 3.5	7 4.0	11 3.5	2 3.5	32 4.4	1
VII			11.8	13.5	13.4	12.5		10.6	16.6	9	8.4	23	28 3.0	2 2.5	0 -	1 1.0	0 -	2 1.0	2 2.0	7 2.3	12 1.9	5 1.8	2 2.0	31 2.9	1
VIII			12.5	14.2	13.6	13.1		11.1	18.0	26	7.9	18	8 2.8	4 2.2	1 2.0	1 1.0	1 1.0	12 2.2	7 3.9	13 3.5	15 1.7	6 2.7	6 3.3	15 3.9	4
IX			14.6	16.8	15.8	15.4		13.3	24.2	5	9.0	30	10 1.8	7 1.4	1 1.0	7 1.7	0 -	14 2.3	7 3.4	19 3.9	8 3.2	6 2.2	3 3.3	7 2.0	1
X			10.0	10.8	10.3	10.3		8.4	15.0	15	3.0	28	7 5.6	8 2.9	0 -	1 2.0	0 -	22 3.0	24 4.0	7 4.7	14 5.0	3 3.0	2 9.0	5 4.6	0
XI			7.4	7.9	7.9	7.6		5.8	11.1	5	0.0	29	1 1.0	4 1.2	7 2.0	10 2.2	4 2.2	42 3.0	8 5.4	10 4.8	2 6.0	2 4.0	0 -	0 -	0
XII			4.9	5.1	5.1	4.9		3.1	8.8	7	- 0.2	12	2 2.5	2 2.0	7 2.4	5 1.6	0 -	21 3.4	7 4.3	6 5.8	15 5.0	7 5.3	9 4.7	12 5.1	0
1949			8.0	9.2	8.7	8.4		6.3	24.2		- 4.8		123 4.0	53 2.6	35 2.1	33 1.8	15 2.9	151 3.0	161 4.4	111 4.0	123 3.7	88 4.2	48 4.5	143 4.0	11

Svandalsflona

φ = 59° 51′ N λ = 6° 57′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.9	- 4.3	- 4.6	- 4.8		- 7.3	1.2	27	-13.5	13	4 3.5	0 -	2 2.5	3 4.7	0 -	10 4.9	0 -	0 -	11 3.7	34 4.0	11 5.3	15 4.5	3
II			- 4.3	- 2.7	- 4.3	- 4.1		- 6.7	2.0	16	-13.6	1	1 4.0	0 -	1 3.0	2 2.5	1 2.0	15 3.3	1 2.0	0 -	6 4.3	27 4.0	14 5.2	4 4.0	12
III			- 7.8	- 4.7	- 6.7	- 6.8		- 9.5	2.6	30	-18.0	6	1 2.0	0 -	0 -	4 3.2	10 4.7	24 4.5	1 5.0	0 -	4 3.8	9 3.4	11 4.0	10 3.4	19
IV			- 1.8	0.1	- 1.2	- 1.6		- 3.9	7.6	18	-10.5	1	1 3.0	0 -	0 -	5 3.6	1 4.0	25 3.3	2 3.0	0 -	6 2.5	23 3.3	17 4.0	3 2.7	7
V			2.4	4.2	3.1	2.3		- 0.4	9.8	22	- 8.6	1	0 -	0 -	0 -	10 3.1	7 4.8	20 4.0	1 2.0	1 3.0	5 3.6	8 2.9	11 3.3	8 3.1	22
VI			6.7	8.9	8.2	6.8		3.5	18.0	28	- 0.6	15	0 -	0 -	0 -	1 2.0	4 4.0	15 3.7	0 -	0 -	3 3.0	32 3.3	17 3.1	3 3.0	15
VII			9.2	13.7	12.5	10.9		7.2	20.0	9	3.4	14	1 2.0	0 -	0 -	2 2.0	1 2.0	15 3.3	4 2.5	0 -	8 2.6	41 3.0	10 3.4	0 -	11
VIII			6.1	9.2	8.4	7.4		5.1	17.5	25	- 0.4	17	2 2.0	0 -	0 -	0 -	4 4.8	19 3.1	1 2.0	0 -	7 2.7	35 3.1	18 2.9	4 2.2	3
IX			8.3	10.4	9.4	9.1		7.0	16.0	5	0.5	30	0 -	1 2.0	0 -	0 -	2 2.5	46 4.1	1 2.0	0 -	12 3.1	15 2.9	9 3.4	0 -	4
X			1.7	2.7	2.1	2.1		0.2	9.2	15	- 8.4	28	0 -	0 -	1 2.0	1 4.0	2 3.5	34 3.9	1 3.0	0 -	3 2.7	19 3.5	12 3.3	3 3.7	17
XI			- 2.2	- 1.0	- 1.7	- 1.8		- 3.9	3.6	5	-14.4	29	0 -	0 -	0 -	3 3.3	3 4.7	54 5.5	0 -	1 5.0	3 3.3	11 3.2	2 3.5	0 -	13
XII			- 4.2	- 4.1	- 4.5	- 4.4		- 7.0	- 0.2	29	-13.3	12	1 3.0	0 -	3 3.3	2 5.0	0 -	24 4.1	1 2.0	0 -	4 3.5	22 3.7	10 3.6	7 3.4	19
1949			0.8	2.7	1.7	1.3		- 1.3	20.0		-18.0		11 2.9	1 2.0	7 2.9	33 3.4	35 4.3	301 4.1	13 2.6	2 4.0	72 3.2	276 3.4	142 3.7	57 3.6	145

Ullensvang

φ = 60° 19′ N λ = 6° 40′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1002.6	1006.5	2.0	2.1	2.4	2.1		0.0	6.8	26	- 3.4	13	3 4.7	9 3.3	3 3.0	1 3.0	1 3.0	6 4.2	5 4.0	17 4.5	5 4.4	1 3.0	0 -	7 4.4	35
II	10.4	14.4	1.9	2.4	2.4	2.0		- 0.3	10.1	3	- 3.8	7	0 -	3 2.0	2 2.5	1 3.0	1 3.0	2 2.0	2 6.5	11 4.4	3 4.7	3 3.7	4 4.0	4 4.2	48
III	16.1	20.1	- 0.6	2.7	1.6	0.8		- 1.8	8.1	26	-10.8	6	0 -	3 2.3	3 2.7	4 2.0	7 2.3	8 3.6	1 2.0	7 4.0	5 3.6	1 5.0	1 5.0	3 5.0	50
IV	03.6	07.5	5.1	7.7	6.7	5.9		3.7	15.0	16	- 0.7	1	3 4.0	5 3.0	5 2.6	0 -	0 -	3 3.3	1 3.0	12 3.2	10 5.3	0 -	1 3.0	13 3.5	37
V	09.3	13.2	8.1	11.7	11.7	9.6		6.6	18.2	22	2.0	8	2 3.0	11 3.6	3 3.0	0 -	0 -	0 -	3 3.3	16 3.4	7 3.8	2 2.5	0 -	8 2.8	41
VI	10.8	14.6	12.2	16.7	16.7	13.9		10.0	24.1	26	7.4	9	5 2.8	15 3.7	3 3.7	0 -	0 -	1 5.0	3 4.3	9 3.7	4 3.8	2 3.0	0 -	12 3.0	36
VII	11.1	14.9	14.1	20.1	20.1	17.2		13.4	26.5	8	10.4	13	11 3.3	22 3.1	2 3.0	4 3.0	0 -	0 -	0 -	1 4.0	1 3.0	2 3.0	0 -	11 3.0	39
VIII	10.2	14.0	11.4	15.1	13.7	13.0		10.6	19.2	26	6.7	12	0 -	3 3.7	1 2.0	0 -	1 3.0	1 3.0	1 3.0	4 3.2	9 3.6	4 3.5	2 3.0	7 3.1	60
IX	15.3	19.1	12.3	15.7	14.4	13.8		11.7	19.8	5	7.6	30	2 3.0	2 3.5	1 2.0	1 2.0	1 2.0	12 2.8	5 3.0	13 3.5	4 3.0	0 -	0 -	0 -	49
X	08.0	11.9	7.0	9.4	8.1	8.0		6.0	16.4	16	1.3	28	2 3.0	3 3.7	5 3.0	0 -	0 -	10 3.0	6 3.5	2 5.0	3 5.0	1 5.0	0 -	4 4.8	57
XI	04.5	08.4	4.8	5.7	5.4	5.2		3.4	11.6	21	- 3.3	29	0 -	1 3.0	2 3.5	6 2.7	8 3.2	27 3.4	2 3.5	9 2.9	1 3.0	0 -	0 -	0 -	34
XII	995.7	999.6	1.3	1.9	1.6	1.5		- 0.1	7.0	27	- 4.5	12	0 -	1 4.0	4 2.5	9 2.3	3 3.0	6 3.2	2 4.5	12 3.3	3 3.3	0 -	0 -	2 5.5	51
1949	1008.1	1012.0	6.6	9.3	8.7	7.8		5.3	26.5		-10.8		28 3.4	79 3.3	34 2.6	26 2.5	22 2.8	76 3.3	31 3.7	113 3.7	55 4.1	16 3.4	9 3.8	71 3.5	537

Kvamskogen

φ = 60° 24′ N λ = 5° 55′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.6	0.2	- 0.1	- 0.3		- 3.4	5.3	27	-11.7	13	2 1.0	3 1.3	2 4.5	2 3.0	2 1.0	9 2.6	3 1.7	7 1.6	18 1.4	20 1.5	7 1.3	6 1.6	12
II			- 0.4	2.1	- 0.1	0.2		- 2.8	6.0	16	-10.2	1	1 1.0	2 1.0	1 2.0	4 1.8	1 1.0	3 1.3	5 2.5	3 1.3	13 1.5	18 1.7	8 1.8	5 1.8	20
III			- 4.0	2.2	- 2.0	- 2.0		- 6.8	7.3	30	-18.4	6	0 -	3 1.0	1 3.0	2 2.0	4 1.0	4 1.5	1 1.0	5 1.0	7 1.0	12 1.9	15 1.4	17 1.4	22
IV			3.0	5.4	3.1	3.0		- 0.2	13.2	16	- 7.0	1	0 -	1 1.0	0 -	3 1.7	1 2.0	7 2.6	5 2.4	12 1.4	20 1.2	12 1.5	8 1.4	9 1.9	12
V			7.1	10.0	8.1	7.2		3.4	16.0	23	- 4.0	1	2 1.0	0 -	0 -	6 1.0	2 1.5	14 1.9	10 1.7	9 1.1	19 1.2	9 1.4	6 1.5	1 1.0	15
VI			11.1	14.2	12.1	11.1		6.5	21.4	26	3.3	15	0 -	1 2.0	2 1.5	9 1.3	1 1.0	14 1.9	15 1.5	15 1.2	23 1.4	4 1.2	1 1.0	2 1.0	3
VII			12.5	17.2	14.7	13.7		8.8	25.2	9	4.3	14	0 -	2 1.0	1 1.0	2 1.0	0 -	8 1.2	22 1.5	22 1.4	16 1.2	0 -	0 -	1 2.0	19
VIII			9.4	13.3	11.7	11.0		7.9	21.2	25	2.3	19	0 -	3 1.0	2 1.0	11 1.2	2 1.0	13 1.4	14 1.6	12 1.2	19 1.1	3 1.0	0 -	0 -	14
IX			11.2	15.4	13.0	12.8		9.5	21.2	1	4.2	30	0 -	2 1.5	1 1.0	7 1.7	4 1.0	17 2.3	17 1.8	10 1.7	4 1.2	4 1.0	2 1.0	2 1.0	20
X			5.5	7.1	5.9	6.0		3.7	13.5	15	- 3.5	28	1 1.0	2 1.5	3 1.3	15 1.2	1 1.0	18 2.1	7 3.4	7 2.0	5 1.0	8 1.1	7 2.0	1 1.0	19
XI			2.6	4.0	2.9	3.0		0.5	8.5	21	- 7.1	28	0 -	1 1.0	1 1.0	7 1.7	3 2.3	36 2.8	5 3.0	4 2.0	5 1.4	0 -	1 1.0	4 1.0	23
XII			- 1.1	- 0.9	- 1.3	- 1.2		- 4.1	4.6	27	-11.1	19	1 1.0	2 1.0	5 1.8	6 2.3	0 -	6 1.7	4 2.2	2 1.0	17 1.2	12 1.5	2 1.0	4 1.0	32
1949			4.6	7.5	5.7	5.4		1.9	25.2		-18.4		7 1.0	22 1.2	19 1.8	74 1.5	21 1.3	149 2.1	108 1.9	108 1.4	166 1.3	102 1.5	57 1.4	52 1.5	210

1949

Indre Matre

H_s = 24 H_b = h_t = 2.1 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min <0°	Max <0°	Min <-10°	Max >25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.9	7.0	6.6	795	113	14	13		0		30	29	20	5	1	1	25	20	13	4	0	0	0	1	6	3	0	0	22	19
II					6.2	6.2	6.0	477	68	14	10		0		21	21	13	1	1	1	20	6	5	2	0	1	0	0	6	0	5	2	18	4
III					4.1	4.2	4.2	109	39	22	18		0		8	7	4	3	1	1	7	6	5	0	0	0	0	0	8	0	13	11	10	16
IV					6.3	7.0	6.8	398	68	5	2		0		24	19	12	0	0	0	24	4	4	2	0	0	0	0	16	0	7	1	24	0
V					6.1	5.7	5.5	114	26	29	0		0		18	15	2	0	0	0	18	1	0	3	0	0	0	0	10	2	13	4	17	0
VI					5.6	4.8	4.5	240	73	6	0		0		16	14	7	0	0	0	16	0	0	2	0	0	0	0	12	0	20	4	14	0
VII					4.6	4.5	4.1	78	29	29	0		0		14	7	3	0	0	0	14	0	0	5	0	0	0	0	9	1	19	9	13	0
VIII					6.4	6.1	6.2	295	69	14	0		0		23	21	8	1	1	0	23	0	0	4	0	0	0	0	16	1	11	2	20	0
IX					5.6	5.5	5.5	196	44	8	0		0		16	12	6	2	0	0	16	0	0	3	0	0	0	0	14	0	13	4	16	0
X					7.3	6.9	6.1	396	103	3	0		0		25	23	15	3	0	0	25	0	0	2	0	0	0	0	15	0	2	0	22	0
XI					5.8	6.2	5.1	240	67	3	2		0		13	11	6	4	1	0	13	1	1	1	0	0	0	0	10	0	2	4	15	0
XII					6.0	6.3	5.9	533	50	26	10		0		27	27	18	5	0	0	27	12	10	2	0	0	0	0	6	0	0	3	18	3
1949					5.9	5.9	5.5	3871	113		55		0		235	206	114	24	5	3	228	50	38	30	0	1	0	1	128	7	105	44	209	41

Slåtterøy

H_s = 15 H_b = h_t = 2.1 h_a = h_d = 3.5 h_r = 1.4

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	86	84	86	6.1	6.5	6.7	289	36	14	5		0		30	27	13	26	8	2	29	14	12	6	0	5	0	0	6	1	2	0	15	
II	86	86	85	85	5.5	6.0	6.4	142	27	21	1		0		22	17	5	13	3	1	22	7	7	0	0	2	0	0	3	3	6	1	13	
III	77	72	75	75	4.2	4.3	4.4	61	21	13	13		0		13	7	2	9	3	2	11	7	5	2	0	1	0	0	7	2	10	8	11	
IV	81	80	81	81	6.6	6.3	6.2	145	26	26	0		0		23	20	5	16	4	0	23	3	3	2	0	3	0	0	11	4	13	2	18	
V	82	79	81	82	6.3	5.5	5.5	50	11	6	0		0		13	10	2	6	0	0	13	1	1	1	0	0	0	0	3	11	21	1	15	
VI	85	82	82	84	6.1	4.6	4.1	92	39	8	0		0		13	11	2	14	0	0	13	0	0	1	0	0	0	1	1	5	16	4	11	
VII	86	81	82	84	4.8	4.1	3.8	21	5	5	0		0		11	9	0	5	0	0	11	0	0	5	0	0	0	0	1	5	22	8	10	
VIII	83	79	80	81	6.6	5.6	5.8	136	19	14	0		0		22	19	4	3	0	0	22	0	0	3	0	0	0	0	1	5	15	1	14	
IX	82	76	79	80	6.2	5.5	5.6	92	15	9	0		0		17	10	2	3	0	0	17	0	0	2	0	0	0	2	7	4	12	2	16	
X	81	73	81	81	6.5	6.4	6.1	151	20	19	0		0		24	22	5	9	4	1	24	0	0	3	0	0	0	3	6	1	4	1	18	
XI	76	74	74	75	5.9	6.2	5.3	120	22	3	0		0		18	13	6	6	1	0	18	0	0	1	0	0	0	0	2	0	9	3	13	
XII	85	84	85	85	5.8	6.3	5.7	313	38	13	1		0		27	27	13	16	2	1	27	2	1	0	0	2	0	1	2	0	4	2	15	
1949	83	78	81	82	5.9	5.6	5.5	1612	39		20		0		233	192	59	126	25	7	230	34	29	26	0	13	0	7	50	41	134	33	169	

Svandalsflona

H_s = 1048 H_b = h_t = 3.1 h_a = h_d = 8.0 h_r = 3.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	85	86	86	6.6	7.2	6.6	287	29	20	30		6		30	28	12	15	4	2	5	30	4	2	0	0	0	0	4	4	5	0	21	31
II	86	83	85	85	6.3	6.5	6.1	260	44	27	28		4		23	19	8	14	3	0	8	22	3	0	0	0	0	0	4	2	7	2	17	28
III	80	78	82	80	4.8	4.2	4.3	76	16	14	30		16		15	8	5	13	4	0	1	15	0	0	0	0	0	0	1	3	19	8	8	31
IV	84	81	86	85	6.6	7.0	7.1	194	25	28	25		1		23	18	8	7	0	0	13	21	7	2	0	0	0	0	10	2	10	2	22	30
V	81	76	80	81	5.5	5.6	6.4	110	17	26	16		0		19	16	3	9	0	0	15	12	1	2	0	0	0	0	19	2	16	4	19	31
VI	74	65	69	74	5.0	5.3	5.1	70	12	8	1		0		12	10	2	3	1	0	12	3	2	0	0	0	0	0	6	2	16	5	14	18
VII	81	60	66	73	4.9	5.0	5.0	28	6	28	0		0		12	8	0	2	0	0	12	0	0	3	0	0	0	1	2	1	21	3	12	0
VIII	90	79	84	86	6.2	7.0	6.3	149	25	9	1		0		20	18	5	3	0	0	20	3	2	2	0	0	0	0	1	4	11	0	20	0
IX	90	81	84	86	6.1	6.4	6.5	99	20	9	0		0		18	14	3	8	0	0	18	1	0	1	0	0	0	0	6	4	9	1	20	0
X	90	85	87	87	7.3	7.3	6.8	219	30	20	13		0		25	22	9	9	2	0	17	14	3	2	0	0	0	0	12	5	4	0	24	12
XI	86	82	85	85	5.7	5.9	5.7	81	18	3	28		2		17	9	3	15	5	1	9	17	7	2	0	0	0	0	8	0	8	3	16	30
XII	84	87	87	86	6.1	6.5	6.1	212	20	28	31		8		26	23	11	10	1	1	1	26	1	0	0	0	0	0	4	0	7	3	20	31
1949	84	78	82	83	5.9	6.2	6.0	1785	44		203		37		240	193	69	108	20	4	131	164	30	16	0	0	0	1	77	29	133	31	213	242

Ullensvang

H_s = 30 H_b = 32.1 h_t = 2.1 h_a = h_d = 6.5 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	79	78	79	6.8	6.6	6.7	366	46	14	14		0		29	27	13	15	5	3	23	18	7	3	0	4	0	0	7	1	4	0	20	21
II	84	83	80	82	6.6	6.3	5.7	264	43	4	14		0		20	19	9	5	2	0	19	7	5	0	0	3	0	0	5	2	12	3	18	9
III	72	62	65	67	4.5	4.3	3.8	66	18	13	18		1		9	7	3	2	1	0	7	7	4	0	0	0	0	0	0	0	19	9	10	23
IV	79	71	75	77	6.0	6.0	6.7	184	23	5	2		0		24	22	8	4	0	0	24	4	3	0	0	4	0	0	4	0	16	1	17	0
V	85	72	70	78	5.4	5.6	5.5	52	9	29	0		0		15	11	0	2	0	0	15	1	1	2	0	1	0	0	2	0	20	3	14	0
VI	82	65	65	76	4.2	4.1	4.6	70	13	6	0		0		13	11	1	1	0	0	13	0	0	0	0	0	0	0	0	0	23	3	8	0
VII	87	66	65	76	3.7	3.5	4.1	44	11	1	0		0		12	10	1	0	0	0	12	0	0	1	0	0	0	2	0	0	25	9	8	0
VIII	94	78	84	88	6.0	5.8	5.3	91	16	11	0		0		24	19	3	2	0	0	24	0	0	3	0	0	0	0	9	0	17	2	13	0
IX	93	83	85	88	5.2	5.6	5.6	75	15	30	0		0		17	12	2	2	0	0	17	0	0	1	0	0	0	1	7	0	17	2	12	0
X	89	81	84	85	6.4	6.8	6.0	205	30	3	0		0		25	17	9	5	1	1	25	0	0	5	0	0	0	0	8	0	7	0	19	0
XI	76	74	74	75	5.2	5.2	4.7	72	22	1	5		0		11	8	2	4	0	0	11	1	0	0	0	0	0	0	1	0	11	6	14	0
XII	89	87	87	88	6.4	6.2	5.3	316	39	4	14		0		24	24	14	2	0	0	23	15	10	0	0	1	0	0	7	0	2	2	16	24
1949	84	75	76	80	5.5	5.5	5.3	1805	46		67		1		223	187	65	44	9	4	213	53	30	15	0	13	0	3	50	3	173	40	169	77

Kvamskogen

H_s = 406 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	85	88	88	7.2	7.2	6.7	605	52	14	24		2		30	29	18	1	1	1	20	25	5	6	0	3	0	3	22	3	3	0	23	31
II	89	80	86	86	6.6	6.4	6.4	475	89	4	21		2		25	24	17	1	0	0	15	19	6	1	0	6	0	2	16	4	7	1	20	28
III	78	62	75	74	4.6	4.9	4.3	139	34	13	28		9		14	11	5	2	0	0	5	11	1	2	0	1	0	1	10	2	18	9	12	31
IV	80	73	83	81	6.8	7.0	7.3	345	39	5	12		0		26	22	11	1	0	0	23	18	12	0	0	5	0	0	17	1	10	0	25	30
V	80	69	77	81	6.3	6.2	6.2	151	24	27	4		0		20	15	6	0	0	0	18	6	4	3	0	4	0	2	14	1	22	2	17	4
VI	76	63	74	79	5.3	5.1	4.3	237	60	6	0		0		15	14	8	0	0	0	15	0	0	5	0	0	0	0	12	2	20	6	13	0
VII	84	63	72	78	4.1	5.0	4.4	74	25	29	0		0		11	9	3	0	0	0	11	0	0	4	0	0	0	0	12	0	25	6	14	0
VIII	91	75	83	86	6.9	6.8	6.1	248	38	11	0		0		23	20	10	0	0	0	23	0	0	5	0	0	0	0	16	2	20	2	23	0
IX	88	70	85	83	6.1	5.9	5.9	242	44	9	0		0		19	16	8	1	0	0	19	0	0	5	0	0	0	0	13	3	19	3	19	0
X	86	80	85	84	7.1	7.3	6.4	433	67	19	6		0		22	22	12	3	1	1	20	3	0	2	0	2	0	3	17	0	12	0	21	5
XI	74	71	75	74	5.3	5.6	4.6	238	52	4	14		0		15	11	7	4	1	0	13	5	1	2	0	1	0	0	8	1	11	6	13	5
XII	88	89	90	89	5.9	6.6	6.0	540	60	26	27		5		27	26	19	0	0	0	14	24	6	4	0	4	0	2	19	0	1	1	19	31
1949	84	73	81	82	6.0	6.2	5.7	3727	89		136		18		247	219	124	13	3	1	196	111	35	39	0	26	0	13	176	19	187	36	219	165

1949

Slirå

φ = 60° 37′ N λ = 7° 25′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.7	- 6.7	- 6.3	- 6.8		- 9.8	1.4	27	-16.2	13	2 3.5	0 -	1 5.0	4 4.8	4 4.5	1 5.0	1 3.0	2 5.0	8 4.9	55 5.4	6 3.7	2 1.0	7
II			- 6.1	- 5.0	- 6.2	- 6.1		- 9.2	0.4	16	-17.4	28	1 2.0	0 -	0 -	6 3.8	4 3.2	4 3.5	0 -	3 5.0	14 4.8	36 5.7	7 3.3	5 3.0	4
III			-10.8	- 7.7	- 9.2	- 9.8		-13.3	- 0.6	24	-23.7	5	1 6.0	3 4.0	10 3.9	3 3.7	8 4.9	3 4.7	1 6.0	12 5.2	24 4.0	8 3.0	0 -	4 2.8	16
IV			- 4.6	- 2.4	- 3.2	- 4.1		- 6.5	3.8	16	-16.4	1	4 3.5	5 3.4	2 4.0	5 3.6	5 3.4	7 4.9	5 5.0	13 4.2	19 5.3	5 4.8	5 4.8	8 2.9	7
V			- 0.5	1.3	0.8	- 0.2		- 2.3	6.9	23	-10.3	9	0 -	3 2.3	7 4.0	10 3.8	15 3.7	2 2.5	2 1.5	1 4.0	21 4.6	12 3.6	12 3.2	0 -	8
VI			3.8	5.8	5.2	4.1		1.4	13.4	28	- 3.2	15	4 2.5	4 3.0	10 3.2	4 2.5	1 3.0	1 5.0	1 4.0	1 6.0	21 4.5	15 2.9	11 2.4	6 2.3	11
VII			6.2	9.7	9.2	7.7		4.7	16.1	9	1.0	31	0 -	1 2.0	2 3.0	5 2.2	3 2.7	0 -	0 -	1 1.0	10 2.6	50 3.0	5 2.6	3 2.0	13
VIII			4.0	6.6	5.9	5.1		3.1	15.2	25	- 2.4	18	1 3.0	1 2.0	0 -	11 3.3	4 3.8	1 5.0	3 2.7	2 2.0	19 3.6	35 3.5	8 2.9	1 2.0	7
IX			6.0	8.1	7.3	6.8		4.9	13.4	1	- 1.4	30	0 -	0 -	3 4.0	28 3.6	7 2.4	2 4.0	2 4.5	6 3.2	11 4.0	19 3.5	0 -	1 3.0	11
X			- 0.5	0.4	- 0.2	- 0.3		- 2.0	2.0	13	- 9.7	28	2 3.0	1 2.0	0 -	15 3.7	10 3.6	2 2.5	3 3.7	3 4.3	8 4.1	34 4.3	6 3.0	1 3.0	8
XI			- 4.8	- 3.9	- 4.3	- 4.5		- 6.9	2.0	5	-19.9	29	0 -	2 2.5	6 4.0	38 4.9	2 2.5	1 8.0	1 6.0	2 4.5	6 4.9	8 3.6	0 -	1 2.0	21
XII			- 7.1	- 6.2	- 6.7	- 6.9		- 9.7	- 1.6	25	-18.0	12	1 1.0	2 1.0	1 5.0	10 3.8	4 3.5	2 6.0	2 6.0	2 4.5	12 4.6	27 4.2	9 2.6	1 2.0	20
1949			- 1.8	0.0	- 0.6	- 1.2		- 3.8	16.1		-23.7		16 3.1	22 2.8	42 3.8	139 3.9	67 3.6	26 4.4	21 4.1	48 4.3	175 4.3	304 4.2	69 3.0	33 2.5	133

Myrdal

φ = 60° 44′ N λ = 7° 7′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.4	- 3.3	- 3.1	- 2.1		- 6.1	4.2	29	-12.1	13	4 4.2	2 4.0	0 -	4 3.8	6 4.5	29 5.7	20 5.6	5 4.4	3 3.0	0 -	1 4.0	6 4.0	13
II			- 2.7	- 1.9	- 2.8	- 2.7		- 4.9	4.4	16	-10.8	28	1 3.0	2 4.5	1 4.0	9 4.3	7 4.3	18 4.2	26 4.6	3 3.0	1 2.0	0 -	0 -	2 3.0	14
III			- 7.4	- 4.6	- 6.0	- 6.4		- 9.0	2.7	30	-18.6	6	3 3.7	1 3.0	0 -	0 -	6 3.0	20 3.9	29 3.1	3 2.3	5 2.4	5 2.2	1 2.0	2 2.5	18
IV			- 1.4	0.5	- 0.3	- 0.9		- 2.6	7.6	16	-11.7	1	1 5.0	1 5.0	4 2.5	1 3.0	10 4.1	26 4.5	22 4.8	4 3.0	1 2.0	0 -	3 2.0	4 3.2	13
V			2.9	5.7	4.6	3.7		1.6	10.7	23	- 6.1	9	2 3.0	0 -	2 2.0	1 5.0	2 3.0	18 4.3	27 3.7	2 2.0	1 2.0	0 -	1 2.0	2 4.0	35
VI			6.4	10.6	9.4	7.8		4.5	18.6	28	1.3	15	4 3.0	2 2.0	0 -	3 3.7	7 3.7	13 3.5	13 3.5	5 2.4	1 2.0	3 2.3	4 2.5	11 2.8	24
VII			9.0	14.4	12.7	11.1		7.5	20.6	9	3.2	31	2 2.0	0 -	2 1.0	1 1.0	3 2.7	7 2.6	7 1.7	2 1.5	0 -	2 2.0	1 4.0	3 1.3	63
VIII			7.2	10.7	9.5	8.6		6.2	18.0	25	0.5	19	3 3.7	1 2.0	2 1.5	7 4.0	9 3.1	12 3.2	18 3.0	4 2.8	1 1.0	8 2.5	0 -	3 1.0	25
IX			9.1	11.9	10.5	10.1		8.0	18.0	1	2.2	30	3 2.0	0 -	0 -	4 3.0	8 3.6	11 4.4	32 3.2	1 4.0	2 1.0	1 1.0	0 -	1 2.0	27
X			2.7	4.2	3.3	3.2		1.2	11.1	13	- 5.4	28	1 5.0	2 2.5	1 3.0	3 3.3	8 5.0	19 3.4	18 3.3	0 -	1 2.0	3 3.7	0 -	11 2.6	26
XI			- 1.2	0.6	- 0.7	- 0.6		- 2.6	5.5	5	-12.3	29	0 -	0 -	0 -	0 -	2 1.5	15 5.3	50 3.3	4 3.2	0 -	0 -	0 -	2 1.0	17
XII			- 4.3	- 3.7	- 4.1	- 3.9		- 6.7	1.2	24	-13.0	11	0 -	1 5.0	1 3.0	1 5.0	3 3.3	16 4.5	28 3.3	0 -	1 4.0	0 -	1 3.0	1 3.0	40
1949			1.4	3.8	2.8	2.3		- 0.2	20.6		-18.6		24 3.3	12 3.4	13 2.2	34 3.8	71 3.7	204 4.3	290 3.6	33 2.9	17 2.2	22 2.5	12 2.6	48 2.7	315

Voss

φ = 60° 38′ N λ = 6° 26′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.0	0.2	0.8	0.1		- 2.2	8.1	27	-11.2	22	0 -	0 -	11 2.5	7 2.0	6 3.3	5 2.4	4 3.0	2 1.0	32 2.7	9 3.7	0 -	1 4.0	16
II			- 0.3	0.9	0.7	0.2		- 2.0	7.1	16	-10.0	7	0 -	0 -	5 1.6	14 2.1	0 -	1 3.0	1 3.0	0 -	25 2.5	11 2.9	0 -	0 -	27
III			- 5.3	0.7	0.5	- 2.1		- 6.4	7.1	22	-20.6	6	1 1.0	0 -	12 2.9	28 2.3	0 -	1 3.0	0 -	0 -	23 2.7	5 2.4	0 -	0 -	23
IV			3.3	7.0	6.2	4.7		1.8	16.0	16	- 5.0	1	0 -	1 5.0	18 3.2	7 2.9	1 5.0	0 -	3 2.0	0 -	17 2.6	21 3.0	0 -	0 -	22
V			7.4	12.2	11.7	9.0		4.7	19.5	23	- 1.4	1	0 -	0 -	7 3.3	13 3.2	0 -	2 3.5	5 2.0	0 -	28 2.3	23 2.9	0 -	1 3.0	14
VI			11.8	17.7	16.6	13.3		7.1	25.0	28	3.7	17	1 2.0	0 -	8 2.9	10 3.0	0 -	1 4.0	3 2.3	0 -	27 2.5	13 2.7	0 -	2 3.5	25
VII			13.5	21.0	19.9	16.6		10.4	27.9	9	5.1	14	1 1.0	0 -	1 3.0	2 3.5	0 -	0 -	6 1.8	1 1.0	37 2.6	11 2.9	1 1.0	0 -	33
VIII			10.5	15.1	14.7	12.8		9.7	21.6	25	2.3	12	0 -	0 -	2 2.5	6 3.0	1 4.0	0 -	2 2.5	0 -	25 2.0	16 3.0	0 -	1 2.0	40
IX			11.1	16.1	15.2	13.5		10.0	23.1	5	4.9	12	0 -	0 -	3 2.3	12 2.9	0 -	12 3.7	6 1.8	1 4.0	11 2.4	2 3.5	0 -	0 -	43
X			5.6	8.1	7.2	6.8		4.8	15.7	16	- 2.9	28	0 -	1 1.0	1 1.0	17 2.7	0 -	8 3.2	2 1.5	1 2.0	6 2.2	5 4.0	0 -	2 2.5	50
XI			2.2	3.5	2.7	2.6		0.2	11.4	23	-10.6	29	0 -	0 -	5 3.6	33 2.9	0 -	10 3.6	3 2.3	0 -	5 3.0	0 -	0 -	0 -	34
XII			- 1.8	- 1.2	- 1.5	- 1.6		- 3.9	5.3	27	-15.0	12	0 -	0 -	11 2.5	20 2.4	0 -	1 3.0	0 -	0 -	9 2.8	1 2.0	0 -	0 -	51
1949			4.8	8.4	7.9	6.3		2.8	27.9		-20.6		3 1.3	2 3.0	84 2.8	169 2.7	8 3.6	41 3.4	35 2.1	5 1.8	245 2.5	117 3.0	1 1.0	7 3.0	378

Bergen (Fredriksberg)

φ = 60° 24′ N λ = 5° 19′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1000.9	1006.4	3.1	3.8	3.6	3.4	6.1	1.3	9.2	14	- 1.9	16	4 3.5	3 3.0	9 2.7	1 4.0	0 -	2 1.5	7 2.1	26 3.8	18 4.2	2 2.5	2 2.0	9 3.6	10
II	05.3	13.9	4.0	4.7	4.2	4.1	6.1	2.4	10.1	19	- 1.8	1	4 2.2	1 2.0	3 2.3	0 -	0 -	1 1.0	10 2.6	27 3.6	15 3.7	1 3.0	2 1.5	11 2.9	9
III	14.0	19.6	0.8	3.9	3.1	2.3	5.2	- 0.2	12.1	29	- 6.5	6	8 2.4	11 2.5	4 2.2	0 -	1 2.0	1 2.0	5 2.0	17 3.2	15 2.9	1 1.0	3 1.7	5 1.6	22
IV	01.7	07.2	5.8	7.2	6.9	6.2	9.0	4.4	17.5	16	0.0	1	6 2.2	6 2.0	5 3.0	0 -	0 -	2 2.0	4 1.8	21 3.9	31 3.3	0 -	0 -	9 1.7	6
V	08.0	13.4	8.7	11.0	10.2	9.3	13.1	6.7	20.1	16	0.4	8	12 1.9	4 2.0	3 2.0	0 -	1 4.0	1 2.0	3 3.7	21 2.8	20 3.2	0 -	4 1.5	7 1.4	17
VI	10.3	15.7	11.4	14.6	13.5	12.3	16.1	9.5	22.6	19	6.3	15	26 2.4	6 2.0	6 2.8	1 4.0	0 -	1 2.0	2 2.5	8 2.6	12 2.8	2 2.0	1 1.0	14 2.1	11
VII	10.7	16.0	13.1	17.2	16.8	15.0	19.2	11.7	25.5	9	8.9	31	25 1.8	16 1.9	2 2.5	0 -	1 2.0	0 -	1 2.0	7 1.7	4 2.0	0 -	2 2.5	21 2.0	14
VIII	09.0	14.3	12.1	14.9	14.2	13.3	16.5	11.1	22.8	26	6.7	19	14 2.6	9 1.4	1 1.0	0 -	0 -	1 2.0	8 2.0	16 3.1	14 3.2	2 1.5	2 1.0	11 1.7	15
IX	13.2	18.5	13.8	17.1	15.6	15.2	18.5	12.6	26.0	5	7.4	30	7 1.4	2 2.0	1 1.0	0 -	3 3.3	4 2.2	3 1.7	16 3.8	20 3.0	3 1.7	0 -	5 1.4	26
X	05.9	11.3	9.0	10.2	9.7	9.5	11.3	7.8	16.1	15	1.3	28	5 2.8	3 3.0	8 3.2	1 3.0	0 -	2 1.5	11 2.7	37 3.1	14 4.0	1 2.0	0 -	2 4.0	9
XI	01.3	06.7	6.2	7.5	7.0	6.8	8.8	4.9	12.9	22	- 1.2	29	0 -	1 2.0	2 1.5	0 -	1 3.0	12 2.7	8 2.2	23 3.3	12 3.7	0 -	2 1.0	0 -	29
XII	993.3	998.8	3.2	3.5	3.2	3.2	5.2	1.5	9.3	1	- 2.4	12	4 1.2	4 1.5	1 2.0	0 -	0 -	3 1.7	19 2.3	27 3.6	14 2.9	1 1.0	0 -	4 1.2	16
1949	1006.4	1011.8	7.6	9.6	9.0	8.4	11.3	6.1	26.0		- 6.5		115 2.2	66 2.0	45 2.6	3 3.7	7 3.0	30 2.2	81 2.3	246 3.3	189 3.3	13 1.8	18 1.6	98 2.2	84

Syfteland

φ = 60° 14′ N λ = 5° 27′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.9	3.0	2.3	2.3		- 0.7	7.6	27	- 8.6	22	14 3.1	1 3.0	2 2.5	3 4.0	0 -	0 -	16 3.4	31 3.6	0 -	5 2.8	0 -	5 4.2	16
II			2.2	4.2	3.1	3.0		0.2	8.2	4	- 7.2	1	11 2.5	2 2.5	2 2.5	0 -	0 -	3 4.0	27 2.9	12 3.2	0 -	10 2.7	0 -	4 3.0	13
III			- 1.9	3.9	1.4	0.6		- 3.6	9.8	29	-14.6	6	13 3.0	7 2.6	3 2.3	5 2.2	1 3.0	4 2.0	15 2.6	13 3.2	0 -	2 1.5	0 -	2 3.0	28
IV			5.4	7.7	6.5	5.9		3.4	16.0	16	- 4.6	1	11 3.2	5 2.6	3 1.7	1 2.0	2 2.5	8 3.8	28 2.9	15 2.8	0 -	4 2.2	0 -	3 3.7	19
V			8.9	11.9	10.2	9.2		5.2	18.4	16	- 1.7	1	18 3.3	0 -	5 2.4	4 2.2	0 -	12 2.4	17 2.8	13 2.5	2 2.0	6 2.3	1 4.0	2 3.0	13
VI			12.1	15.4	13.8	12.3		7.7	23.0	18	4.5	2	33 3.3	6 2.0	0 -	1 1.0	0 -	20 2.7	8 2.6	2 2.0	9 3.0	0 -	3 3.0	0 -	9
VII			14.5	18.4	16.4	14.9		10.0	23.5	8	4.6	14	26 2.6	12 2.2	0 -	4 2.3	0 -	12 2.2	8 2.4	1 2.0	15 2.7	0 -	3 1.7	1 3.0	11
VIII			12.0	15.5	13.2	12.8		9.5	22.2	26	3.3	19	16 2.9	4 1.2	0 -	1 3.0	0 -	27 2.8	11 2.6	4 2.0	11 2.1	0 -	1 4.0	2 2.0	16
IX			12.8	17.6	14.9	14.4		10.5	24.2	5	4.9	30	6 2.3	6 2.5	0 -	9 2.7	0 -	26 3.0	12 2.5	0 -	3 2.0	0 -	2 2.0	0 -	26
X			8.0	10.1	8.6	8.6		6.1	15.4	15	- 2.1	28	14 3.1	5 2.8	0 -	3 2.0	0 -	32 3.1	12 3.3	0 -	5 3.0	0 -	0 -	0 -	22
XI			4.3	6.2	5.1	5.0		1.8	11.0	21	- 6.6	29	3 2.0	14 2.2	2 3.0	18 2.9	0 -	17 3.2	7 3.7	0 -	0 -	0 -	1 2.0	0 -	28
XII			1.5	2.1	1.5	1.6		- 1.2	7.6	25	- 8.0	12	13 2.2	5 1.8	0 -	4 2.5	0 -	7 3.0	10 3.2	19 3.2	3 1.7	1 2.0	0 -	0 -	31
1949			7.3	9.7	8.1	7.6		4.1	24.2		-14.6		178 2.9	67 2.3	17 2.4	53 2.7	3 2.7	168 2.9	171 2.9	110 3.1	48 2.5	28 2.5	11 2.5	19 3.3	222

Årsoversikter

Annual Summaries)

1949

H_s = 1300 H_b = h_t = 3.2 h_a = 11.5 h_d = 10.0 h_r = 4.0

Slirå

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ⊞
I	91	91	90	90	7.4	7.6	7.0	174	19	20	31		15		30	26	5	27	11	6	2	30	1	2	0	0	0	0	6	5	5	0	26	31
II	87	83	84	85	7.1	6.7	6.1	116	16	14	28		10		21	17	4	22	9	5	3	21	2	1	0	2	0	0	4	3	11	1	20	28
III	87	87	87	87	5.8	4.9	5.9	50	13	14	31		23		13	10	1	17	2	2	2	13	2	2	0	0	0	0	12	3	18	2	14	31
IV	88	86	89	89	6.7	6.9	7.4	116	15	29	28		7		24	18	4	19	7	3	8	23	7	0	0	2	0	0	14	3	11	1	24	30
V	87	79	83	87	6.1	6.4	6.4	78	12	6	19		3		20	17	1	16	1	0	13	13	4	0	0	0	0	0	11	9	14	2	18	31
VI	80	72	74	79	5.1	4.6	5.2	72	11	7	8		0		16	13	2	12	1	0	11	10	9	1	0	0	0	0	9	6	19	5	12	27
VII	84	69	72	78	4.4	4.2	4.5	34	8	29	0		0		14	7	0	1	0	0	14	0	0	3	0	0	0	1	10	7	23	6	10	0
VIII	90	80	84	86	6.5	6.2	6.4	148	32	9	5		0		22	20	7	11	1	0	21	6	5	5	0	0	0	0	15	6	11	1	20	0
IX	90	82	84	86	6.3	6.3	6.3	120	22	4	1		0		19	17	3	12	1	0	19	1	1	3	0	0	0	0	13	7	12	2	19	0
X	88	86	88	88	7.3	7.1	6.5	154	36	3	22		0		25	23	5	16	3	1	16	16	7	4	0	2	0	0	19	4	7	0	24	13
XI	87	89	89	88	6.1	6.1	6.3	62	16	4	30		7		18	11	2	18	6	1	3	17	2	0	0	1	0	0	14	3	6	5	22	30
XII	82	86	87	85	5.2	6.4	6.2	123	16	26	31		14		24	19	4	21	4	1	1	24	1	0	0	0	0	0	11	3	6	2	16	31
1949	87	82	84	86	6.2	6.1	6.2	1247	36		234		79		246	198	38	192	46	19	113	174	41	21	0	7	0	1	138	59	143	27	225	252

H_s = 870 H_b = h_t = 1.9 h_a = 9.6 h_d = 7.4 h_r = 2.8

Myrdal

I					6.9	7.5	7.3	523	59	14	29		5		31	29	16	26	13	5	9	29	5	4	0	0	0	0	4	0	1	0	25	31
II					6.3	6.5	6.0	386	69	4	27		2		22	19	14	18	5	1	11	21	6	2	0	0	0	0	3	0	6	2	19	28
III					5.3	4.5	4.5	91	20	22	30		12		17	9	5	13	4	0	5	16	2	2	0	0	0	0	4	0	20	6	12	31
IV					6.6	7.0	7.0	244	36	28	21		1		25	22	8	21	7	3	15	23	8	3	0	0	0	0	3	1	8	0	23	30
V					6.3	6.5	6.1	115	14	26	7		0		21	14	4	12	2	1	19	10	7	10	0	0	0	0	2	0	14	2	20	18
VI					4.8	4.5	5.1	114	16	7	0		0		16	14	7	7	1	1	16	3	2	7	0	0	0	0	2	0	18	6	12	0
VII					4.4	4.1	4.9	65	12	20	0		0		15	11	1	0	0	0	15	0	0	10	0	0	0	1	4	1	19	4	12	0
VIII					6.4	6.0	6.5	161	29	9	0		0		22	19	6	7	1	0	22	2	2	11	0	0	0	0	6	2	14	0	19	0
IX					5.7	5.7	5.8	129	25	30	0		0		16	13	6	12	1	0	16	0	0	11	0	0	0	0	11	2	12	3	19	0
X					6.8	6.7	6.5	278	44	3	10		0		25	22	11	14	5	1	21	13	8	14	0	0	0	0	5	2	5	0	22	5
XI					5.6	5.6	5.0	126	33	4	21		2		15	10	4	15	3	0	10	12	6	10	0	0	0	0	1	0	6	7	17	4
XII					5.7	6.2	5.5	275	43	2	31		8		26	24	9	17	3	0	1	26	1	1	0	0	0	0	1	0	0	2	16	31
1949					5.9	5.9	5.2	2507	69		176		30		251	206	91	162	45	12	160	155	47	85	0	0	0	1	46	6	123	32	216	178

H_s = 62 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Voss

I	87	85	84	86	6.5	6.6	6.2	242	28	14	18		2		30	23	11	10	1	0	22	21	5	1	0	1	0	0	14	2	13	0	19	28
II	89	88	85	88	6.2	5.9	5.7	163	32	4	17		0		23	19	5	3	0	0	16	13	1	0	0	1	0	0	11	3	20	2	17	8
III	86	66	67	75	4.5	4.3	3.8	56	19	14	23		10		13	6	2	1	0	0	8	10	1	1	0	0	0	0	2	1	26	7	8	25
IV	86	69	71	78	5.7	6.4	6.7	140	25	22	8		0		26	17	3	2	0	0	23	10	1	1	0	0	0	0	11	0	21	0	15	2
V	82	62	62	74	6.1	5.7	5.7	57	13	16	1		0		17	9	2	0	0	0	17	3	0	0	0	0	0	1	5	1	26	2	14	0
VI	76	50	53	69	4.2	4.2	4.3	74	14	8	0		0		13	11	2	0	0	0	13	0	0	0	0	0	0	0	3	0	29	8	9	0
VII	82	52	53	67	3.5	3.6	4.5	29	8	30	0		0		12	8	0	0	0	0	12	0	0	2	0	0	0	0	2	0	29	9	9	0
VIII	91	70	74	81	5.9	6.3	5.6	94	18	11	0		0		20	16	2	0	0	0	20	0	0	4	0	0	0	0	6	3	27	2	14	0
IX	91	73	76	82	5.1	5.5	5.5	82	16	9	0		0		24	12	3	0	0	0	17	0	0	2	0	0	0	0	4	6	24	3	14	0
X	90	80	84	86	6.6	6.4	6.3	185	27	19	3		0		28	22	6	1	0	0	25	2	0	4	0	0	0	2	8	3	19	0	20	0
XI	79	77	80	79	4.8	5.3	4.6	79	22	4	13		1		16	10	2	2	0	0	10	1	0	2	0	0	0	0	6	1	17	9	13	1
XII	92	92	93	92	6.2	6.2	5.6	229	23	8	20		5		27	25	9	0	0	0	22	21	8	4	0	0	0	0	15	6	6	1	17	30
1949	86	72	74	80	5.4	5.5	5.4	1430	32		103		18		249	178	47	19	1	0	205	81	16	21	0	2	0	3	87	26	259	43	169	94

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Bergen (Fredriksberg)

I	85	81	81	83	6.6	7.0	6.6	442	60	14	12	0	0	0	31	31	17	20	1	1	28	21	17	3	1	8	0	1	5	0	9	0	19	14
II	81	78	81	81	6.0	6.8	6.1	320	54	14	5	0	0	0	24	21	12	10	1	0	21	7	5	0	0	6	0	5	1	1	14	1	19	6
III	74	62	66	69	4.6	5.1	5.0	89	27	13	15	0	0	0	13	9	3	3	0	0	11	9	7	0	0	4	0	2	0	0	23	6	16	8
IV	80	76	75	77	7.0	7.3	6.7	290	38	6	0	0	0	0	27	22	11	6	0	0	27	7	7	1	0	5	0	0	6	0	19	0	23	0
V	82	72	73	78	6.5	6.6	5.7	105	23	6	0	0	0	0	19	15	3	3	0	0	19	4	3	6	0	4	0	1	4	3	28	2	19	0
VI	83	71	73	80	5.8	4.8	4.5	205	67	6	0	0	0	0	15	14	4	1	0	0	15	0	0	0	0	0	0	0	3	0	26	6	14	0
VII	85	68	65	75	5.5	4.6	4.4	57	24	29	0	0	0	2	13	11	1	0	0	0	13	0	0	2	0	0	0	0	3	1	30	7	12	0
VIII	87	76	76	81	6.7	6.8	6.0	200	43	14	0	0	0	0	24	18	5	1	0	0	23	0	0	4	0	0	0	0	1	1	26	1	20	0
IX	84	74	80	80	6.5	6.1	5.8	215	49	26	0	0	0	3	19	13	8	5	0	0	16	0	0	0	0	0	0	1	3	4	22	2	19	0
X	82	79	81	81	6.7	7.1	6.4	277	32	3	0	0	0	0	28	20	10	5	0	0	28	0	0	1	0	4	0	4	1	0	14	0	21	0
XI	76	72	74	74	6.0	6.1	5.3	177	42	3	2	0	0	0	20	10	7	9	1	0	20	2	1	0	0	0	0	0	0	0	13	3	18	0
XII	87	87	88	87	5.1	6.3	4.9	449	56	8	8	0	0	0	27	27	13	14	0	0	27	14	14	0	0	8	0	3	0	0	13	1	7	3
1949	82	75	76	79	6.1	6.2	5.6	2826	67		42	0	0	5	260	211	94	77	3	1	248	64	54	17	1	39	0	17	27	10	237	29	207	31

H_s = 53 H_b = h_t = 5.6 h_a = h_d = 7.5 h_r = 1.2

Syfteland

I	90	86	88	89	6.9	7.0	6.9	489	50	14	15		0		29	29	21	4	1	1	23	17	4	4	0	8	0	1	20	10	6	1	22	20
II	91	84	88	89	6.5	6.4	6.7	310	51	4	13		0		23	21	13	1	1	0	20	10	4	1	0	6	0	0	14	11	14	1	18	8
III	86	67	76	78	4.4	4.6	4.6	82	21	22	22		2		13	7	3	2	0	0	9	6	3	1	0	3	0	1	11	4	20	10	12	21
IV	85	77	82	83	7.0	7.4	6.7	225	26	26	2		0		25	22	10	2	0	0	23	7	4	4	0	6	0	0	15	12	11	0	24	1
V	82	70	78	82	6.4	5.6	5.9	120	15	6	3		0		18	14	4	0	0	0	16	2	0	3	0	5	0	2	20	9	21	2	15	1
VI	82	70	76	82	6.2	4.8	4.2	222	74	6	0		0		15	13	5	0	0	0	15	0	0	7	0	0	0	0	13	8	18	5	15	0
VII	81	67	69	77	4.9	4.4	4.0	59	18	29	0		0		11	9	2	0	0	0	11	0	0	7	0	0	0	0	8	12	24	9	13	0
VIII	88	75	85	87	6.4	6.4	5.7	218	52	14	0		0		22	18	9	0	0	0	22	0	0	5	0	0	0	0	15	7	20	1	17	0
IX	89	74	87	86	5.8	5.5	5.7	192	38	26	0		0		16	14	7	1	0	0	16	0	0	2	0	0	0	1	20	2	15	3	15	0
X	87	79	87	86	7.0	6.7	6.5	306	40	17	4		0		27	21	12	5	1	1	25	3	1	3	0	0	0	3	19	7	9	1	22	0
XI	80	76	78	79	6.2	5.7	5.3	190	42	3	12		0		21	12	7	2	0	0	20	2	1	0	0	1	0	0	16	2	10	3	17	2
XII	89	90	92	90	6.0	6.6	5.9	467	61	8	18		0		28	27	16	0	0	0	24	11	2	2	0	8	0	2	19	9	7	3	18	9
1949	86	76	82	84	6.1	5.9	5.7	2890	74		89		2		248	207	109	17	3	2	224	58	19	39	0	37	0	10	190	93	175	40	208	62

1949

Hellisøy Fyr

φ = 60° 45′ N λ = 4° 43′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			4.2	4.5	4.4	4.3	6.4	2.3	9.5	23	- 1.4	9	10 5.5	0 -	1 4.0	3 2.7	2 4.5	8 4.3	24 5.1	6 5.7	11 4.3	11 4.7	6 4.0	8 5.1	3
II			4.6	5.0	4.9	4.7	6.3	3.0	9.0	14	- 1.4	28	6 2.7	0 -	2 1.0	1 1.0	3 1.7	14 4.1	23 5.0	5 4.2	6 2.8	13 3.9	3 3.0	6 4.3	2
III			1.9	3.6	3.2	2.7	4.8	0.8	8.1	29	- 4.8	6	18 2.5	2 1.0	0 -	0 -	7 1.7	18 2.8	20 3.6	3 3.3	5 2.8	4 2.5	4 2.0	6 5.7	6
IV			5.4	6.4	6.1	5.7	7.6	4.1	12.8	16	0.4	1	6 3.5	1 2.0	0 -	0 -	0 -	12 3.4	31 4.3	5 3.6	10 3.9	6 2.5	4 3.0	11 2.9	4
V			7.6	8.7	8.4	7.8	10.2	6.3	15.9	16	0.1	8	8 2.8	1 1.0	0 -	2 1.0	1 1.0	7 2.9	29 3.1	7 1.3	13 2.3	2 2.0	2 2.5	12 3.1	9
VI			10.0	11.5	10.7	10.2	12.6	8.7	17.7	4	6.3	15	24 4.8	1 1.0	0 -	0 -	0 -	4 1.2	9 2.4	6 2.0	8 2.1	1 1.0	3 3.0	25 3.6	6
VII			11.3	13.5	12.8	12.1	14.4	10.2	18.1	8	8.3	23	13 3.4	0 -	1 1.0	0 -	1 1.0	3 1.3	7 1.7	4 1.0	7 1.3	2 1.0	4 1.0	32 2.6	19
VIII			11.7	13.4	13.0	12.5	14.6	11.2	20.7	26	8.1	17	6 2.7	0 -	3 1.0	2 1.0	3 2.0	10 2.2	14 1.7	7 3.1	8 2.8	8 2.5	3 1.7	25 2.1	4
IX			13.9	15.6	14.9	14.6	16.8	13.1	23.4	1	9.3	30	5 1.4	4 1.2	5 1.6	7 1.6	4 1.8	4 2.8	8 3.5	12 3.6	12 3.9	4 1.5	1 4.0	17 1.9	7
X			9.6	10.2	10.1	9.9	11.4	8.2	14.7	15	1.4	28	10 4.3	3 2.0	0 -	2 1.5	7 2.3	19 3.3	15 4.3	8 3.8	11 3.4	1 6.0	1 7.0	6 4.2	10
XI			7.1	7.9	7.7	7.5	9.1	5.9	11.4	3	1.1	29	3 2.3	3 1.7	4 1.2	19 2.1	26 2.2	12 4.2	10 5.7	5 4.6	2 4.0	1 2.0	0 -	0 -	5
XII			4.6	4.5	4.7	4.5	6.5	2.7	9.6	1	- 0.4	19	4 1.8	4 1.5	1 1.0	9 2.2	11 2.1	17 4.7	6 3.7	5 3.8	16 4.0	5 2.4	3 3.3	10 3.6	2
1949			7.7	8.7	8.4	8.0	10.1	6.4	23.4		- 4.8		113 3.5	19 1.5	17 1.4	45 1.9	65 2.1	128 3.4	196 3.9	73 3.4	109 3.2	58 3.1	34 2.9	158 3.1	80

Modalen

φ = 60° 50′ N λ = 5° 56′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.3	0.9	1.4	0.8		- 2.0	6.7	27	- 7.7	13	0 -	0 -	7 2.7	27 1.5	3 2.3	3 3.3	0 -	0 -	4 2.5	44 3.0	2 2.0	0 -	3
II			0.7	1.8	1.5	1.1		- 1.2	8.8	19	- 6.2	28	1 2.0	1 3.0	4 1.2	28 1.6	11 2.4	1 1.0	0 -	0 -	3 2.3	31 3.0	0 -	2 4.5	2
III			- 3.0	1.5	0.2	- 0.9		- 4.5	6.7	29	-14.9	6	2 1.5	2 3.0	9 1.7	36 2.3	11 2.4	0 -	1 1.0	0 -	4 2.5	22 2.1	2 3.5	0 -	4
IV			3.3	6.2	5.7	4.5		1.7	15.4	16	- 3.4	1	1 2.0	0 -	0 -	26 1.9	7 1.6	0 -	0 -	0 -	3 4.0	51 2.8	2 1.5	0 -	0
V			7.2	11.1	10.1	8.3		4.5	18.2	23	- 0.8	8	0 -	0 -	8 1.2	36 1.8	4 2.5	0 -	0 -	0 -	2 1.0	36 2.7	4 2.8	0 -	3
VI			11.6	16.1	14.9	12.5		7.0	23.0	19	3.1	17	1 1.0	0 -	2 2.5	46 2.1	1 3.0	0 -	0 -	0 -	1 2.0	39 2.6	0 -	0 -	0
VII			11.9	19.5	18.6	15.4		10.0	28.0	9	5.1	2	0 -	0 -	12 1.9	20 1.8	1 3.0	0 -	0 -	0 -	1 1.0	58 2.5	1 2.0	0 -	0
VIII			10.5	14.7	13.9	12.5		9.4	22.1	25	3.2	12	0 -	0 -	7 1.4	23 1.4	5 2.0	0 -	0 -	0 -	0 -	54 2.0	2 2.5	0 -	2
IX			12.6	16.4	14.2	13.9		10.6	23.4	1	5.7	30	0 -	0 -	5 3.0	34 1.8	10 1.8	0 -	0 -	0 -	2 2.0	35 2.4	1 2.0	0 -	3
X			6.7	8.4	7.1	7.2		5.0	14.4	13	- 1.1	28	0 -	0 -	5 1.8	35 1.6	1 2.0	0 -	0 -	0 -	1 1.0	50 2.1	0 -	0 -	1
XI			4.2	5.1	4.5	4.4		1.8	11.8	23	- 6.1	29	0 -	4 3.2	13 2.8	52 1.8	1 2.0	0 -	0 -	0 -	0 -	16 2.7	2 3.5	0 -	2
XII			- 0.5	- 0.1	- 0.6	- 0.5		- 2.7	5.2	27	- 9.5	19	0 -	0 -	3 3.0	44 1.7	5 2.0	0 -	0 -	0 -	0 -	36 2.2	0 -	0 -	5
1949			5.5	8.5	7.6	6.6		3.3	28.0		-14.9		5 1.6	7 3.1	75 2.1	407 1.8	60 2.1	4 2.8	1 1.0	0 -	21 2.3	472 2.5	16 2.6	2 4.5	25

Vangsnes

φ = 61° 10′ N λ = 6° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.9	1.8	2.0	1.8		0.1	9.0	27	- 3.8	13	8 3.6	0 -	0 -	27 3.2	0 -	0 -	0 -	0 -	0 -	47 3.7	1 3.0	1 5.0	9
II			1.5	2.1	1.9	1.7		0.1	7.8	14	- 2.8	7	2 4.5	0 -	0 -	35 2.4	0 -	0 -	0 -	0 -	0 -	38 3.4	0 -	0 -	9
III			0.2	2.3	1.4	1.0		- 1.0	7.4	24	- 7.9	6	2 3.0	0 -	0 -	43 3.1	0 -	0 -	0 -	0 -	0 -	28 2.6	0 -	2 2.0	19
IV			4.4	6.2	5.6	4.9		2.7	12.0	18	- 1.9	1	7 3.0	0 -	0 -	26 2.4	0 -	0 -	0 -	0 -	0 -	33 3.2	0 -	8 2.9	16
V			8.2	10.7	10.5	8.9		6.1	15.8	23	0.6	8	2 3.0	0 -	0 -	19 2.9	0 -	0 -	0 -	0 -	0 -	41 2.5	0 -	0 -	31
VI			12.9	15.6	14.6	13.3		10.0	21.0	26	7.1	9	7 2.9	0 -	0 -	11 2.9	0 -	0 -	0 -	0 -	0 -	54 3.1	0 -	1 4.0	17
VII			15.2	18.3	18.0	16.3		12.8	24.0	9	9.2	14	1 3.0	0 -	0 -	8 2.1	0 -	0 -	0 -	0 -	0 -	63 3.1	0 -	0 -	21
VIII			12.0	14.2	13.6	12.8		10.4	18.0	30	6.1	19	0 -	0 -	0 -	25 2.4	0 -	0 -	0 -	0 -	0 -	42 3.0	0 -	0 -	26
IX			13.4	15.2	13.9	13.9		11.8	20.0	6	8.0	30	0 -	0 -	0 -	34 2.8	0 -	6 3.0	0 -	0 -	2 4.0	19 2.9	0 -	0 -	29
X			7.3	8.3	7.6	7.6		6.1	14.5	13	1.7	28	7 2.6	0 -	0 -	40 2.9	0 -	0 -	0 -	0 -	1 1.0	27 3.3	0 -	2 2.5	16
XI			5.1	5.8	5.5	5.4		3.8	11.8	23	- 2.8	29	0 -	0 -	0 -	59 3.3	0 -	14 4.9	0 -	0 -	0 -	4 2.2	0 -	0 -	13
XII			1.9	1.9	1.9	1.8		0.2	5.4	1	- 2.8	12	0 -	0 -	0 -	43 2.8	0 -	4 3.8	0 -	0 -	3 2.7	15 3.8	0 -	0 -	28
1949			7.0	8.5	8.0	7.4		5.3	24.0		- 7.9		36 3.1	0 -	0 -	370 2.9	0 -	24 4.2	0 -	0 -	6 2.8	411 3.1	1 3.0	14 2.9	233

Fjærland

φ = 61° 26′ N λ = 6° 46′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.1	0.3	0.2	0.1	2.6	- 2.0	7.4	11	-11.8	22	3 2.7	3 1.0	3 1.7	0 -	0 -	0 -	3 3.7	8 2.9	4 3.5	4 1.8	2 1.0	7 3.9	56
II			- 0.9	0.2	- 0.8	- 0.7	1.5	- 2.9	9.1	14	-12.4	10	1 1.0	1 1.0	1 1.0	1 1.0	0 -	0 -	0 -	0 -	12 3.1	7 2.4	0 -	2 2.0	59
III			- 3.7	1.4	- 1.3	- 1.7	2.1	- 6.2	7.9	22	-20.3	6	6 1.7	4 1.8	9 1.2	0 -	0 -	5 1.6	1 4.0	0 -	1 3.0	6 1.2	0 -	1 2.0	60
IV			2.2	5.2	3.5	3.2	5.7	0.6	10.6	18	- 7.2	1	4 1.0	0 -	2 1.0	0 -	0 -	3 4.0	0 -	0 -	7 2.3	3 1.0	3 1.0	4 3.2	64
V			7.2	10.3	9.9	8.2	12.9	4.6	21.9	22	- 1.2	1	9 1.0	8 1.0	10 1.2	0 -	0 -	4 1.5	1 1.0	15 2.0	1 1.0	2 1.0	2 1.0	4 1.2	37
VI			11.3	16.5	15.4	12.9	17.9	7.0	25.3	28	3.7	18	9 1.4	3 1.0	8 1.2	1 1.0	1 1.0	0 -	4 1.0	13 1.2	1 3.0	2 1.0	6 2.8	3 3.0	39
VII			11.0	19.4	18.3	15.1	21.5	8.8	27.9	9	3.2	14	5 1.2	0 -	4 1.0	1 1.0	0 -	1 1.0	9 1.1	12 1.2	0 -	2 1.5	2 2.0	9 1.7	48
VIII			10.2	14.7	13.6	12.3	16.0	8.9	21.2	26	2.7	12	2 1.0	0 -	3 1.0	2 1.5	0 -	0 -	10 1.1	8 1.4	1 1.0	2 1.5	2 1.5	0 -	63
IX			10.0	15.1	12.9	12.4	16.2	8.9	20.4	5	3.7	12	0 -	0 -	0 -	3 1.0	0 -	0 -	9 2.0	5 1.6	0 -	0 -	0 -	0 -	73
X			5.8	7.6	6.5	6.5	8.6	4.5	16.5	13	- 2.2	7	2 1.5	0 -	3 1.0	0 -	0 -	0 -	2 1.0	1 1.0	12 2.0	2 1.0	1 1.0	6 1.7	64
XI			2.8	4.4	3.2	3.4	5.8	0.6	12.4	23	- 6.9	29	0 -	0 -	7 1.0	4 2.0	0 -	5 2.4	9 1.9	0 -	7 1.6	3 1.0	0 -	2 1.5	53
XII			- 1.8	- 1.0	- 0.9	- 1.3	1.2	- 4.0	6.4	15	-12.3	19	0 -	0 -	3 1.7	0 -	0 -	0 -	1 1.0	0 -	4 1.0	1 3.0	0 -	1 1.0	83
1949			4.5	7.8	6.7	5.9	9.3	2.4	27.9		-20.3		41 1.4	19 1.2	53 1.2	12 1.4	1 1.0	18 2.2	49 1.6	62 1.6	50 2.3	34 1.5	18 1.8	39 2.3	699

Lærdal (Tønjum)

φ = 61° 4′ N λ = 7° 31′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1000.7	1005.2	1.7	1.4	2.1	1.5		- 1.1	12.8	27	- 7.2	22	16 3.6	1 6.0	0 -	2 1.5	6 4.7	5 2.8	12 1.7	1 5.0	1 5.0	6 2.8	19 2.9	4 4.0	20
II	08.6	13.2	1.0	1.7	1.6	1.1		- 1.6	10.0	17	- 7.6	7	4 4.2	0 -	0 -	3 1.7	4 2.2	3 1.3	14 1.6	3 3.3	0 -	8 3.4	17 2.6	8 3.4	20
III	15.0	19.6	- 1.2	2.5	1.1	0.3		- 2.6	11.6	24	-14.5	6	9 4.7	0 -	0 -	7 2.9	8 3.8	9 4.3	18 1.8	0 -	0 -	10 2.4	12 3.2	7 3.0	13
IV	01.9	06.3	5.2	8.7	7.2	6.2		3.4	15.2	4	- 2.6	3	12 4.4	1 3.0	0 -	4 3.2	5 4.0	3 1.7	0 -	1 4.0	0 -	13 2.8	26 3.1	15 3.6	10
V	08.1	12.5	11.3	12.3	11.6	10.3		6.0	17.6	19	- 0.3	1	12 4.4	0 -	0 -	0 -	5 1.8	7 3.7	5 2.6	1 2.0	1 2.0	9 2.6	27 3.3	18 3.3	8
VI	09.7	14.0	12.6	17.4	16.0	13.7		9.0	23.3	28	5.3	18	19 4.3	0 -	0 -	1 3.0	5 3.8	4 3.8	1 1.0	4 2.0	1 2.0	16 2.6	16 2.6	15 3.7	8
VII	09.9	14.2	12.9	20.7	19.0	16.3		11.4	26.2	9	5.8	31	9 4.0	0 -	0 -	0 -	2 1.0	1 2.0	2 1.0	1 2.0	2 1.5	11 2.6	25 3.4	19 3.2	21
VIII	08.7	13.1	11.0	15.9	14.3	13.1		10.1	22.8	26	3.9	19	5 4.2	0 -	0 -	0 -	3 2.7	2 3.0	9 1.2	1 3.0	1 1.0	16 2.7	23 3.2	11 3.7	22
IX	14.4	18.8	12.4	16.7	14.1	13.8		10.7	22.8	6	6.4	13	4 3.5	0 -	0 -	0 -	8 3.8	8 3.0	13 1.4	3 2.7	0 -	12 2.1	15 3.3	5 3.4	22
X	06.7	11.2	5.8	8.7	7.5	7.1		4.6	19.3	13	- 1.1	7	7 5.3	1 4.0	0 -	2 3.5	3 2.0	13 2.2	12 2.0	3 1.3	0 -	5 3.4	18 3.0	10 3.6	19
XI	04.9	09.4	3.2	4.2	3.8	3.6		1.6	13.6	5	- 6.8	16	0 -	0 -	0 -	2 3.5	36 4.2	10 3.6	18 1.6	1 1.0	1 2.0	3 2.0	3 3.3	3 2.7	3
XII	995.1	999.7	- 0.5	0.2	0.3	- 0.1		- 2.7	7.6	15	- 8.0	19	1 2.0	1 1.0	0 -	0 -	17 2.9	12 2.3	24 1.4	2 1.5	0 -	8 2.5	6 2.5	3 3.0	19
1949	1007.0	1011.4	6.3	9.2	8.2	7.2		4.1	26.2		-14.5		98 4.2	4 3.5	0 -	21 2.8	102 3.5	77 3.0	128 1.6	21 2.4	7 2.1	117 2.6	207 3.1	118 3.4	105

1949

Hellisøy Fyr

$H_s = 20$ $H_b =$ $h_t = 1.8$ $h_a = 12.5$ $h_d = 12.5$ $h_r = 1.2$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Over-skyet ●	Snødekke
I	90	90	90	90	6.3	7.2	6.5	274	32	14	6	0	0	0	31	30	9	30	9	4	29	17	15	11	0	10	0	1	12	3	13	0	15	5
II	89	88	88	88	7.0	6.9	7.2	162	20	21	3	0	0	0	25	22	4	20	1	0	23	9	7	7	0	5	0	1	13	2	19	0	24	2
III	82	76	77	79	5.0	5.3	5.7	66	14	13	9	0	0	0	15	11	2	8	2	0	12	9	6	4	0	6	0	1	9	0	26	4	13	7
IV	90	87	88	89	7.0	6.8	6.8	160	31	26	0	0	0	0	28	21	7	15	2	0	28	5	4	11	0	5	0	0	12	2	19	0	22	0
V	90	88	88	89	7.1	5.7	6.4	50	13	18	0	0	0	0	19	14	1	4	0	0	19	4	4	7	0	2	0	1	5	8	23	1	16	0
VI	89	83	84	88	5.7	4.9	4.7	97	22	6	0	0	0	0	15	13	3	11	0	0	15	0	0	7	0	0	0	0	6	3	24	3	14	0
VII	92	81	82	87	5.4	4.4	4.6	28	5	6	0	0	0	0	12	9	0	5	0	0	12	0	0	6	0	0	0	0	3	7	28	6	12	0
VIII	89	85	84	87	6.5	5.7	6.6	92	20	13	0	0	0	0	21	17	2	4	0	0	20	0	0	9	0	0	0	0	7	3	23	0	19	0
IX	87	82	83	84	6.3	6.1	6.0	124	26	26	0	0	0	0	18	13	5	4	0	0	17	0	0	7	0	0	0	1	8	2	21	2	17	0
X	82	80	83	92	6.8	6.7	6.4	169	20	8	0	0	0	0	28	27	5	12	2	0	28	2	2	8	0	3	0	4	11	0	16	0	19	0
XI	76	74	77	76	6.2	6.3	5.9	84	18	30	0	0	0	0	18	11	2	9	2	0	17	2	2	5	0	0	0	0	6	0	14	4	18	0
XII	81	83	84	82	5.6	6.0	5.6	236	34	13	1	0	0	0	30	23	8	15	0	0	30	11	11	4	0	12	0	2	5	0	14	1	11	0
1949	86	83	84	85	6.2	6.0	6.0	1542	34		19	0	0	0	260	211	48	137	18	4	250	59	51	86	0	43	0	11	97	30	240	21	200	14

Modalen

$H_s = 104$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.1$

I	89	83	82	85	7.5	7.5	7.3	635	69	14	19		0		31	28	21	3	1	1	22	24	11	4	0	2	1	1	28	1	0	0	26	31
II	90	84	82	85	6.7	6.5	6.4	481	66	17	15		0		25	22	15	3	1	0	19	17	10	2	0	1	0	0	21	1	3	1	18	20
III	81	63	69	73	4.5	4.5	4.8	150	32	22	24		2		14	12	5	4	0	0	10	10	4	4	0	1	0	0	11	2	16	9	11	31
IV	83	74	75	79	6.5	6.8	6.7	398	53	28	8		0		26	24	12	3	0	0	24	10	8	4	1	0	0	0	22	0	9	0	23	6
V	84	65	71	80	6.6	6.2	6.1	133	24	29	2		0		21	15	5	0	0	0	20	6	4	5	0	2	0	0	18	3	12	2	20	0
VI	75	56	63	74	4.3	4.9	4.7	172	34	8	0		0		15	14	6	1	0	0	15	0	0	4	0	0	0	0	11	1	21	7	12	0
VII	88	54	57	72	3.9	3.9	4.3	62	14	25	0		0		16	10	2	0	0	0	16	0	0	4	0	0	0	0	10	1	23	9	9	0
VIII	94	73	79	85	6.9	6.8	6.4	241	38	11	0		0		22	21	9	0	0	0	22	0	0	5	0	0	0	0	16	3	8	0	21	0
IX	88	72	85	84	5.9	5.6	5.8	257	56	9	0		0		19	14	7	0	0	0	17	0	0	3	0	0	0	0	12	0	13	2	17	0
X	89	78	87	86	7.3	6.9	6.9	431	53	3	2		0		28	24	14	0	0	0	27	3	2	4	0	0	0	0	16	1	2	0	24	0
XI	73	71	75	74	5.4	5.7	5.1	203	58	3	11		0		12	9	5	0	0	0	12	1	0	1	0	0	0	0	8	0	0	6	14	1
XII	90	89	92	90	6.0	6.5	6.3	499	60	13	21		0		27	25	16	0	0	0	22	24	17	1	0	0	0	1	25	0	0	1	20	30
1949	85	72	76	81	6.0	6.0	5.9	3662	69		102		2		256	218	117	14	2	1	226	95	56	41	1	6	1	2	198	13	107	37	215	119

Vangsnes

$H_s = 53$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 5.7$ $h_r = 1.8$

I	79	80	79	79	6.9	6.6	6.8	252	56	14	16		0		28	24	7	9	1	0	20	17	8	2	0	0	0	0	21	1	2	0	20	17
II	84	83	81	83	6.1	6.2	5.6	171	40	4	14		0		19	18	5	4	0	0	14	8	2	0	0	0	0	0	13	0	7	3	15	4
III	72	70	70	71	4.5	4.4	4.5	50	14	14	17		0		7	7	3	2	0	0	7	2	2	0	0	0	0	0	7	0	18	8	10	22
IV	83	78	81	82	6.0	6.6	7.1	125	22	14	1		0		21	21	3	0	0	0	20	4	3	0	0	0	0	0	4	0	10	0	20	0
V	84	78	76	81	6.3	6.3	6.2	45	7	26	0		0		11	10	0	1	0	0	11	0	0	2	0	0	0	0	2	1	14	2	16	0
VI	81	69	71	78	3.9	4.2	4.3	70	16	8	0		0		11	11	3	0	0	0	11	0	0	0	0	0	0	0	1	0	23	8	6	0
VII	81	68	69	75	3.8	3.5	3.9	21	6	1	0		0		8	7	0	0	0	0	8	0	0	1	0	0	0	2	3	0	21	10	10	0
VIII	88	81	84	86	5.8	5.8	6.2	89	13	9	0		0		16	16	3	0	0	0	16	0	0	1	0	0	0	0	12	1	14	2	16	0
IX	87	82	86	85	5.3	5.2	5.1	88	20	11	0		0		11	11	3	0	0	0	11	0	0	3	0	0	0	0	7	0	16	2	12	0
X	87	83	85	85	6.6	6.2	6.5	174	23	21	0		0		24	21	7	2	1	0	24	0	0	3	0	0	0	0	15	1	8	0	20	0
XI	77	75	76	76	5.2	5.3	5.1	51	12	5	3		0		10	10	2	3	0	0	10	1	0	3	0	0	0	0	4	1	11	6	15	1
XII	86	86	86	86	6.2	6.6	5.9	161	25	17	12		0		21	20	6	0	0	0	15	12	6	1	0	0	0	0	13	0	0	1	18	19
1949	82	78	79	81	5.6	5.6	5.6	1297	56		63		0		187	176	42	21	2	0	167	44	21	16	0	0	0	2	102	5	144	42	180	63

Fjærland

$H_s = 5$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 12$ $h_r = 1.1$

I	87	88	90	88	7.7	8.0	7.9	474	49	14	19	6	1	0	31	30	19	1	1	0	21	24	8	0	0	0	0	0	10	1	0	0	29	31
II	92	89	90	91	7.2	7.1	7.4	346	68	4	17	9	2	0	23	20	11	0	0	0	14	14	5	1	0	0	0	0	14	2	3	1	25	28
III	84	70	76	78	6.0	6.1	5.9	114	29	14	25	5	9	0	12	9	5	0	0	0	6	7	0	1	0	0	0	0	13	1	10	7	20	31
IV	87	77	83	84	7.1	7.6	7.5	253	29	20	7	0	0	0	26	25	10	0	0	0	25	6	5	5	0	0	0	0	14	1	3	1	26	28
V	83	69	71	77	7.6	7.5	7.4	46	8	27	1	0	0	0	16	15	0	0	0	0	15	1	0	6	0	0	0	0	18	0	5	0	27	0
VI	79	56	57	70	4.9	5.4	5.4	94	20	8	0	0	0	1	16	13	3	0	0	0	16	0	0	6	0	0	0	0	12	0	16	6	16	0
VII	88	56	53	68	4.4	4.3	4.8	24	5	25	0	0	0	3	9	7	0	0	0	0	9	0	0	5	0	0	0	1	10	2	19	9	11	0
VIII	96	74	81	86	7.3	7.0	6.9	122	24	9	0	0	0	0	22	17	3	0	0	0	22	0	0	10	0	0	0	0	10	3	6	0	25	0
IX	95	81	88	89	6.7	6.3	6.3	136	22	11	0	0	0	0	15	12	6	2	0	0	15	0	0	7	0	0	0	1	8	6	10	1	20	0
X	92	85	88	89	7.7	7.5	7.4	296	48	3	3	0	0	0	26	22	14	1	0	0	26	0	0	9	0	0	0	0	16	3	2	0	27	0
XI	80	77	80	79	6.1	6.0	6.0	122	30	4	12	6	0	0	13	10	4	0	0	0	12	1	0	4	0	0	0	0	11	0	6	5	18	1
XII	96	95	94	95	7.3	7.4	7.7	222	26	13	24	9	3	0	23	22	8	0	0	0	16	17	8	3	0	0	0	0	19	1	1	0	28	31
1949	88	76	79	83	6.7	6.7	6.7	2249	68		108	35	15	4	232	202	83	4	1	0	197	70	26	57	0	0	0	2	155	20	81	30	272	150

Lærdal (Tønjum)

$H_s = 36$ $H_b = 36.4$ $h_t = 1.7$ $h_a =$ $h_d = 7.6$ $h_r = 1.7$

I	70	75	70	70	6.7	6.4	7.1	96	14	14	18		0		21	14	3	17	6	1	18	14	9	3	1	0	0	0	1	0	0	0	18	17
II	76	75	72	75	6.8	6.5	6.2	70	24	4	18		0		16	12	1	10	3	0	13	6	2	0	1	0	0	0	1	0	1	1	22	7
III	67	55	61	62	5.3	4.9	5.5	13	6	23	22		3		3	3	0	11	3	0	2	1	0	0	0	0	0	0	1	0	15	3	15	15
IV	69	55	63	66	6.4	6.6	7.1	33	9	28	3		0		19	8	0	17	3	0	18	3	2	0	0	0	0	0	3	0	10	1	22	0
V	74	60	60	68	6.2	6.7	6.5	30	7	26	1		0		15	9	0	6	1	0	15	2	2	3	1	0	0	0	10	0	11	1	22	0
VI	71	50	52	65	4.5	4.9	5.1	27	6	8	0		0		13	7	0	10	0	0	13	0	0	0	0	0	0	0	2	0	20	5	12	0
VII	82	51	51	66	4.6	3.9	4.4	16	6	19	0		0		12	5	0	3	0	0	12	0	0	0	0	0	0	1	3	2	21	6	9	0
VIII	86	64	71	77	6.1	6.0	6.0	36	6	14	0		0		22	12	0	8	0	0	22	0	0	1	0	0	0	0	3	3	10	0	18	0
IX	83	66	78	78	6.2	6.9	5.8	32	9	9	0		0		18	7	0	6	2	0	12	0	0	2	0	0	0	0	12	2	14	2	16	0
X	84	71	76	78	7.2	6.7	7.0	53	11	3	3		0		21	15	1	10	5	1	19	2	2	1	2	0	0	0	3	0	2	0	22	0
XI	70	67	67	68	5.6	5.3	5.3	10	3	4	10		0		8	3	0	10	0	0	7	1	0	0	0	0	0	0	3	1	0	6	18	1
XII	79	77	75	77	5.8	6.4	6.2	26	8	2	27		0		13	5	0	9	2	0	10	11	8	0	1	0	0	0	2	0	0	1	17	10
1949	76	64	66	71	6.0	5.8	6.0	442	24		102		3		181	100	5	117	25	2	161	40	25	10	6	0	0	1	44	8	104	26	211	50

1949

Leikanger

φ = 61° 11′N λ = 6° 52′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.7	2.0	1.8	1.7		- 0.6	9.8	27	- 4.6	13	1 1.0	3 2.0	1 2.0	2 2.5	3 1.7	8 2.2	13 1.2	8 1.6	19 2.7	18 3.1	7 2.1	5 2.8	5
II			1.4	2.7	1.6	1.7		- 0.5	7.4	14	- 5.2	7	1 2.0	1 2.0	1 2.0	5 1.4	4 1.0	17 1.3	12 1.7	7 1.3	3 1.0	19 2.8	3 2.3	10 2.7	1
III			- 0.1	3.4	1.5	1.2		- 1.7	10.4	24	-11.5	6	3 2.3	7 1.7	0 -	7 1.9	3 1.0	20 1.5	16 1.7	4 1.8	3 3.0	19 2.4	7 2.4	3 2.0	1
IV			4.8	7.4	6.2	5.5		3.0	13.2	18	- 2.0	1	0 -	5 1.6	0 -	1 2.0	1 1.0	15 1.7	19 1.5	7 1.1	7 2.1	17 2.7	13 2.5	3 1.3	2
V			8.9	11.7	11.2	9.7		6.7	17.1	29	1.2	8	0 -	0 -	1 1.0	0 -	0 -	15 1.5	18 1.6	17 1.2	11 1.8	15 2.4	7 2.6	6 2.7	3
VI			12.5	17.6	16.0	13.9		9.6	23.4	30	6.7	15	0 -	0 -	1 2.0	4 1.5	8 1.9	4 2.0	14 1.3	4 1.0	5 2.2	21 1.9	14 2.2	15 2.7	0
VII			14.6	20.3	18.8	16.5		12.2	25.4	9	7.7	31	0 -	1 1.0	2 2.0	0 -	3 1.3	8 1.6	16 1.2	5 1.6	13 1.9	11 2.1	24 2.2	6 2.3	4
VIII			12.4	15.6	13.9	13.3		10.7	20.0	26	5.5	18	1 3.0	2 1.5	0 -	1 1.0	3 2.0	21 1.4	15 1.2	6 1.0	11 1.6	8 2.0	10 1.9	13 2.8	2
IX			13.1	16.3	14.6	14.1		11.4	21.4	2	7.5	30	2 2.0	3 1.3	3 2.0	6 1.3	9 1.4	18 1.6	16 1.8	10 1.7	5 1.4	4 2.8	6 2.0	3 1.7	5
X			6.8	8.8	7.3	7.4		5.7	16.0	13	0.8	7	8 2.1	3 1.7	2 3.0	1 2.0	5 1.6	15 1.5	16 1.3	10 1.3	13 2.2	11 2.5	2 2.5	4 2.5	3
XI			4.3	5.9	4.9	4.9		2.9	12.0	5	- 3.4	29	0 -	1 1.0	4 2.8	21 2.4	11 2.6	20 1.7	21 1.6	8 1.8	2 2.5	0 -	0 -	2 2.0	0
XII			1.5	1.6	1.6	1.5		- 0.2	6.0	26	- 5.5	12	1 3.0	8 1.9	6 1.8	13 1.7	8 2.0	16 1.8	14 1.8	9 1.6	8 1.6	9 2.2	1 3.0	0 -	0
1949			6.8	9.4	8.3	7.6		4.9	25.4		-11.5		17 2.2	34 1.7	21 2.1	61 1.9	58 1.8	177 1.6	190 1.5	95 1.4	100 2.1	152 2.5	94 2.2	70 2.5	26

Luster Sanat.

φ = 61° 26′N λ = 7° 25′E g = ΔG = + 1h

I			- 1.9	- 1.6	- 1.5	- 1.8		- 3.8	5.6	27	- 8.4	13	3 1.0	2 1.0	2 2.5	0 -	0 -	1 1.0	3 2.0	28 2.1	16 2.7	14 1.9	17 1.4	6 1.3	1
II			- 1.5	- 0.6	- 1.3	- 1.3		- 3.0	5.6	19	- 7.1	28	0 -	1 1.0	0 -	1 1.0	2 1.0	1 1.0	1 1.0	11 2.3	24 2.2	23 1.3	11 1.4	8 1.1	1
III			- 3.7	- 1.3	- 2.6	- 2.9		- 5.0	5.8	24	-13.4	6	1 1.0	4 1.0	0 -	2 1.5	4 1.2	7 1.0	4 1.5	6 3.3	18 2.1	11 1.5	15 1.2	19 1.2	2
IV			1.9	3.4	2.5	2.0		- 0.1	10.3	18	- 5.7	1	0 -	4 2.2	2 1.5	2 1.5	3 1.0	13 1.5	8 1.1	14 1.6	16 1.8	14 1.6	10 2.1	3 1.0	1
V			6.4	8.3	7.3	6.5		4.0	16.6	19	- 2.7	8	0 -	1 1.0	2 1.0	7 1.1	8 1.0	17 1.1	4 1.2	12 1.8	8 1.8	18 1.6	9 1.8	7 1.6	0
VI			10.9	13.8	12.5	11.3		7.8	21.7	28	3.6	15	1 2.0	8 2.1	4 2.0	1 1.0	3 1.0	13 1.2	8 1.5	15 1.7	15 2.3	14 1.6	6 1.7	1 2.0	1
VII			13.7	17.3	15.4	14.4		10.8	23.3	9	6.2	31	0 -	5 1.0	11 1.2	10 1.2	4 1.0	12 1.2	8 1.0	10 1.3	13 1.8	9 1.1	9 2.0	2 2.0	0
VIII			9.9	12.5	11.6	10.6		8.3	20.1	26	3.1	18	0 -	0 -	3 1.0	0 -	1 1.0	6 1.0	3 1.0	25 1.1	11 1.2	15 1.2	16 1.4	13 1.4	0
IX			11.6	13.8	12.4	12.1		9.9	19.6	5	3.9	30	0 -	5 1.0	6 1.2	5 1.4	1 1.0	17 1.2	4 1.0	7 1.1	22 2.8	11 1.5	8 1.1	4 1.5	0
X			4.2	5.8	4.6	4.7		2.9	12.8	16	- 1.9	28	3 2.0	11 1.2	7 1.0	1 1.0	0 -	0 -	0 -	10 1.6	23 2.7	12 1.3	15 1.3	11 1.4	0
XI			1.4	2.4	1.7	1.7		- 0.2	9.2	5	- 7.1	29	2 2.5	9 1.6	0 -	6 1.8	0 -	6 2.8	2 2.0	5 1.8	12 1.8	19 1.3	10 1.3	18 1.2	1
XII			- 2.4	- 1.8	- 2.3	- 2.3		- 4.2	3.3	26	- 9.5	12	0 -	4 1.2	0 -	1 2.0	0 -	3 1.0	1 1.0	4 1.2	20 1.5	40 1.6	14 1.6	6 1.3	0
1949			4.2	6.0	5.0	4.6		2.3	23.3		-13.4		10 1.7	54 1.4	37 1.3	36 1.4	26 1.0	96 1.3	46 1.3	147 1.7	198 2.1	200 1.5	140 1.5	98 1.3	7

Fortun

φ = 61° 30′N λ = 7° 42′E g = 9.820 ΔG = + 1h

I	1001.4	1005.1	- 0.5	- 0.7	- 0.7	- 0.7		- 3.1	8.3	2	- 9.8	22	0 -	4 1.0	10 1.3	2 1.0	1 1.0	7 1.3	8 1.0	10 1.3	19 1.1	12 1.4	10 1.5	10 1.3	0
II	09.3	13.1	- 1.1	0.1	- 0.9	- 0.8		- 2.8	6.4	14	- 9.8	10	5 1.0	1 1.0	14 1.0	3 1.0	1 1.0	7 1.1	7 1.0	7 1.3	11 1.0	5 1.0	4 1.2	17 1.1	2
III	16.1	19.9	- 4.2	- 0.4	- 1.1	- 2.5		- 6.2	9.9	24	-18.6	6	4 1.0	7 1.4	13 1.1	3 1.0	2 1.5	14 1.4	12 1.0	7 1.0	10 1.0	9 1.0	1 1.0	9 1.0	2
IV	02.9	06.5	3.6	7.2	6.2	4.9		1.3	14.0	15	- 4.3	1	2 1.5	5 1.6	8 1.0	2 1.0	0 -	26 1.6	11 1.4	13 1.4	7 1.0	3 2.7	0 -	10 1.8	3
V	09.1	12.8	8.2	11.6	11.2	8.9		4.6	19.1	19	- 0.2	2	1 1.0	6 1.5	11 1.1	2 1.0	1 1.0	16 1.9	14 1.2	12 1.8	18 1.6	5 2.0	2 1.5	3 1.7	2
VI	10.7	14.3	10.5	16.7	15.6	12.5		6.6	23.6	30	3.4	22	0 -	5 2.0	12 1.0	1 1.0	2 2.0	26 2.0	14 1.8	9 1.4	6 2.2	3 1.7	3 1.7	11 2.0	0
VII	10.8	14.3	11.1	20.3	18.3	15.0		8.6	26.7	8	4.1	15	0 -	4 1.2	7 1.3	1 2.0	0 -	15 2.3	21 1.5	12 1.9	17 1.7	3 1.0	2 1.0	7 1.3	4
VIII	09.6	13.3	10.5	15.0	14.2	12.5		9.0	21.4	26	3.3	19	0 -	3 1.0	0 -	0 -	3 1.3	24 1.6	15 1.2	5 1.0	23 1.1	4 1.0	3 1.0	9 1.0	4
IX	15.6	19.2	9.9	15.1	12.6	11.9		8.3	19.7	2	4.5	14	1 1.0	2 1.0	7 1.1	5 1.0	1 1.0	15 1.7	17 1.6	12 1.8	6 1.7	1 1.0	4 1.2	9 1.3	10
X	08.0	11.6	5.3	7.9	6.0	6.2		3.7	13.2	14	- 1.8	7	1 2.0	12 1.6	10 1.2	0 -	2 1.0	13 1.1	14 1.4	16 1.2	5 2.4	0 -	2 3.0	8 2.8	10
XI	06.2	09.9	0.9	2.5	1.8	1.5		- 1.0	12.9	5	- 8.8	16	1 2.0	11 1.0	20 1.0	3 1.0	3 1.0	11 1.6	4 1.0	9 1.8	5 4.0	5 2.2	5 1.0	12 2.1	1
XII	996.3	00.0	- 2.1	- 1.5	- 1.8	- 1.9		- 4.4	5.0	15	-12.7	12	1 1.0	11 1.2	13 1.1	1 1.0	5 1.0	17 1.0	5 1.0	8 1.0	9 1.0	4 1.0	8 1.2	6 1.8	5
1949	1008.0	1011.7	4.3	7.8	6.8	5.6		2.1	26.7		-18.6		16 1.2	69 1.3	125 1.1	23 1.0	21 1.2	191 1.6	142 1.3	120 1.4	136 1.3	54 1.4	44 1.4	111 1.6	43

Fanaråken *)

φ = 61° 31′N λ = 7° 54′E g = 9.816 ΔG = + 1h

I	770.9	774.2	-11.3	-11.0	-11.0	-11.1	- 7.9	-14.0	- 2.4	27	-18.6	9	1 5.0	1 5.0	1 6.0	1 5.0	1 4.0	4 5.8	4 4.2	0 -	17 5.9	30 6.1	12 6.2	20 5.5	1
II	78.0	81.3	- 9.7	- 9.4	-10.0	- 9.7	- 7.2	-12.1	- 1.4	20	-18.8	28	6 4.5	1 4.0	0 -	0 -	0 -	4 5.5	3 4.0	6 5.8	19 4.9	24 6.0	13 6.0	6 5.2	2
III	81.9	85.3	-12.5	-11.1	-12.5	-12.2	- 9.9	-14.6	- 3.2	28	-22.0	2	13 3.1	3 4.7	1 6.0	0 -	1 5.0	16 4.4	7 5.1	2 3.5	8 4.9	16 4.6	6 5.7	16 3.9	4
IV	75.4	78.7	- 7.7	- 6.0	- 6.8	- 7.1	- 3.9	- 9.8	2.8	16	-17.0	1	2 1.5	1 2.0	1 3.0	0 -	0 -	9 5.0	7 4.0	4 7.0	23 4.7	18 4.7	13 5.5	10 4.6	2
V	83.8	87.1	- 3.5	- 2.1	- 3.0	- 3.3	- 0.8	- 6.0	2.9	21	-15.3	9	5 4.4	0 -	0 -	0 -	1 4.0	16 4.1	19 3.0	5 3.6	12 5.1	13 3.8	4 3.8	10 4.7	8
VI	89.0	91.3	- 0.3	0.5	0.2	- 0.2	2.1	- 2.5	10.9	28	- 7.2	15	7 4.6	10 2.9	5 2.2	5 2.0	9 3.7	12 2.9	4 3.8	2 3.5	13 4.3	6 3.5	0 -	5 5.0	12
VII	90.5	93.8	2.3	3.5	3.6	2.7	5.6	0.4	11.3	10	- 3.6	14	3 1.0	4 1.5	2 2.5	2 1.5	2 1.5	0 -	4 2.8	5 2.6	18 2.8	17 2.5	4 1.5	21 2.5	11
VIII	87.4	90.6	- 0.1	1.3	1.0	0.6	2.7	- 1.6	9.0	26	- 7.9	18	3 4.3	0 -	0 -	0 -	2 3.0	16 3.4	12 2.3	3 3.7	21 2.8	16 3.4	3 3.7	8 3.9	9
IX	93.2	96.5	1.8	3.1	2.6	2.5	4.7	0.4	9.5	6	- 7.0	30	7 1.0	0 -	0 -	0 -	6 2.8	25 2.5	6 2.8	4 6.0	17 3.8	12 4.2	3 4.0	0 -	10
X	81.3	84.6	- 5.3	- 4.7	- 4.9	- 5.0	- 3.1	- 7.1	3.5	15	-14.7	27	0 -	0 -	1 1.0	1 3.0	2 5.5	12 2.8	4 5.0	6 3.7	30 3.8	15 3.9	12 3.3	8 3.4	2
XI	78.4	81.5	- 7.8	- 7.4	- 7.6	- 7.6	- 5.9	- 9.3	- 1.4	26	-17.0	29	0 -	1 1.0	2 2.0	8 3.2	2 5.0	34 4.3	5 4.4	1 9.0	15 4.7	3 4.7	1 1.0	2 1.5	16
XII	67.7	71.0	-10.6	-10.2	-10.7	-10.5	- 8.6	-12.4	- 4.0	1	-15.7	11	3 1.3	1 1.0	0 -	2 4.5	3 2.7	14 3.9	5 2.4	11 4.0	20 3.9	16 3.9	4 2.8	9 2.2	5
1949	781.4	784.7	- 5.4	- 4.5	- 4.9	- 5.1	- 2.7	- 7.4	11.3		-22.0		50 3.1	22 2.8	13 2.8	19 2.9	29 3.5	162 3.8	80 3.4	49 4.4	213 4.2	186 4.5	75 4.7	115 4.0	82

Førde i Sunnfjord

φ = 61° 27′N λ = 5° 51′E g = ΔG = + 1h

I			1.3	1.5	2.0	1.5		- 1.4	8.0	28	- 9.8	22	3 1.3	1 6.0	3 1.7	18 3.2	0 -	5 2.6	3 1.0	1 1.0	21 3.2	14 2.6	3 5.3	14 3.6	7
II			1.3	2.8	2.2	1.9		- 0.7	8.4	16	- 6.1	28	4 1.2	0 -	2 3.5	28 2.4	0 -	3 2.0	10 1.6	0 -	7 2.6	11 2.4	5 5.0	7 2.1	7
III			- 4.3	1.7	0.5	- 1.2		- 5.6	6.2	29	-18.5	6	7 1.3	1 6.0	6 2.5	36 1.9	0 -	6 2.5	8 1.1	0 -	3 3.0	7 2.4	1 6.0	7 1.9	11
IV			3.7	7.2	6.1	5.0		1.9	17.3	16	- 5.9	1	10 1.7	0 -	0 -	16 2.6	1 5.0	4 3.8	29 2.3	1 5.0	8 2.5	10 2.4	4 3.5	6 4.0	1
V			7.6	11.7	10.4	8.7		4.5	18.1	16	- 1.3	9	1 3.0	0 -	1 4.0	23 1.9	1 3.0	4 2.2	17 3.1	1 2.0	12 3.1	14 2.5	2 2.5	11 3.2	6
VI			11.2	16.2	15.1	12.5		7.1	23.3	26	2.6	18	3 4.0	0 -	4 2.2	13 2.1	0 -	9 3.2	12 2.8	0 -	11 2.8	17 3.3	2 4.5	17 4.3	2
VII																									
VIII																									
IX																									
X																									
XI			3.5	4.9	4.1	4.0		1.3	12.3	23	- 8.5	29	0 -	0 -	12 2.4	0 -	2 2.5	45 2.5	1 5.0	3 3.0	11 2.8	0 -	0 -	2 1.5	14
XII			- 1.0	0.1	- 0.1	- 0.4		- 2.8	5.9	25	-10.8	11	0 -	0 -	6 1.3	4 3.2	0 -	27 1.1	1 1.0	1 1.0	11 1.7	0 -	0 -	8 1.2	35
1949																									

*) Fanaråken: Lufttrykk red. til 2000 gdm.

1949

Leikanger

H_s = 22 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.2	7.1	6.4	245	36	14	17		0		27	24	8	5	1	0	19	18	10	1	0	0	0	0	5	0	4	0	21	27
II					7.0	6.5	5.3	188	51	4	15		0		21	17	7	3	0	0	15	12	3	0	0	1	0	0	2	0	8	0	16	14
III					4.8	5.2	4.5	31	9	22	20		1		9	6	0	0	0	0	8	5	2	2	0	1	0	0	3	0	16	5	12	22
IV					6.1	6.8	6.7	117	19	14	3		0		23	19	4	1	0	0	22	6	2	0	0	0	0	0	1	0	12	1	21	1
V					6.2	6.4	6.1	41	8	16	0		0		18	11	0	0	0	0	18	3	2	0	0	1	0	0	3	0	14	2	19	0
VI					3.8	4.7	4.3	57	11	8	0		0		15	13	2	0	0	0	15	0	0	0	0	1	0	0	0	0	25	7	10	0
VII					3.6	3.3	3.8	48	15	30	0		0		13	8	2	0	0	0	13	0	0	2	0	0	0	2	0	0	28	11	6	0
VIII					6.0	5.7	6.0	82	12	1	0		0		20	15	2	0	0	0	20	0	0	0	0	0	0	0	0	0	20	0	18	0
IX					5.9	5.4	5.6	75	14	11	0		0		20	12	3	0	0	0	20	0	0	0	0	0	0	0	3	0	20	2	13	0
X					6.3	6.9	6.7	151	19	3	0		0		29	21	7	0	0	0	28	3	1	1	0	0	0	0	3	3	8	0	22	0
XI					5.4	5.8	5.2	53	14	3	8		0		11	9	1	0	0	0	10	1	0	0	0	0	0	0	1	0	9	5	17	1
XII					6.4	6.9	5.6	109	18	2	15		0		22	19	5	0	0	0	16	13	4	0	0	0	0	0	2	0	5	0	19	22
1949					5.7	5.9	5.5	1197	51		78		1		228	174	41	9	1	0	204	61	24	6	0	4	0	2	23	3	169	33	194	87

Luster Sanat.

H_s = 502 H_b = h_t = 2.0 h_a = h_d = h_r = 1.9

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	82	82	83	7.0	6.5	6.8	352	44	14	27		0		27	26	13	1	0	0	9	24	5	5	0	0	0	0	29	2	9	0	19	31
II	79	90	81	80	6.6	5.9	5.5	204	34	4	24		0		19	17	8	0	0	0	7	17	3	0	0	0	0	0	27	1	9	3	15	28
III	69	66	70	69	5.0	4.6	4.6	54	24	22	29		3		9	5	2	0	0	0	3	7	1	2	0	0	0	0	30	1	19	5	11	31
IV	77	75	77	77	6.3	6.6	6.8	149	29	28	16		0		25	22	6	0	0	0	19	12	5	5	0	0	0	0	24	6	11	1	21	27
V	78	70	70	75	6.4	5.9	6.1	63	11	31	5		0		18	13	1	0	0	0	15	4	1	1	0	0	0	0	24	7	15	2	16	1
VI	71	57	56	66	4.5	4.6	4.2	71	15	6	0		0		13	11	2	0	0	0	13	0	0	2	0	0	0	0	26	4	18	7	8	0
VII	70	57	56	64	4.1	3.7	4.0	32	9	28	0		0		10	9	0	0	0	0	10	0	0	1	0	0	0	1	26	5	22	8	9	0
VIII	85	76	76	80	6.5	6.4	6.6	74	14	9	0		0		19	16	1	0	0	0	19	0	0	7	0	0	0	0	23	8	16	0	20	0
IX	82	77	77	79	6.3	5.5	6.2	104	16	11	0		0		15	13	5	0	0	0	15	0	0	5	0	0	0	0	22	8	16	1	16	0
X	86	80	81	82	7.3	6.6	6.5	188	39	3	7		0		25	24	6	0	0	0	22	4	1	4	0	0	0	0	21	10	12	0	21	0
XI	74	71	72	73	5.9	5.7	4.9	88	28	5	14		0		11	8	3	0	0	0	8	4	0	2	0	0	0	0	25	5	10	5	16	2
XII	84	84	88	86	6.9	7.2	6.0	126	18	13	30		0		23	20	5	0	0	0	5	23	2	2	0	0	0	0	21	10	3	1	21	31
1949	78	73	74	76	6.1	5.8	5.7	1505	44		152		3		214	184	52	1	0	0	145	95	18	36	0	0	0	1	298	67	178	33	193	151

Fortun

H_s = 27 H_b = 29.6 h_t = 1.9 h_a = h_d = 6.0 h_r = 1.3

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	87	86	86	7.1	6.5	6.5	170	23	14	25		0		27	21	6	7	0	0	19	21	6	8	0	1	0	0	0	1	0	0	21	29
II	92	86	88	89	6.8	5.9	5.9	122	21	17	18		0		18	15	4	0	0	0	14	8	2	0	0	1	0	0	0	1	0	1	17	28
III	87	70	72	78	5.1	4.4	4.5	30	12	23	26		10		11	4	2	1	0	0	6	7	1	3	0	0	0	0	0	0	12	6	11	31
IV	82	64	72	77	6.0	6.7	6.9	70	13	26	8		0		22	14	1	2	0	0	20	4	0	2	0	3	0	0	0	0	10	1	21	4
V	79	61	66	75	6.3	6.5	6.4	39	6	6	1		0		15	11	0	3	0	0	15	0	0	1	0	3	0	0	0	0	17	2	20	0
VI	83	54	57	75	4.5	4.6	4.7	37	8	5	0		0		14	8	0	2	0	0	14	0	0	4	0	0	0	0	0	0	22	7	12	0
VII	90	50	57	73	4.1	3.6	3.9	20	5	25	0		0		11	8	0	2	0	0	11	0	0	3	0	0	0	2	0	0	21	8	9	0
VIII	93	70	77	84	6.4	5.9	6.0	54	11	9	0		0		20	13	1	0	0	0	20	0	0	6	0	0	0	0	0	0	17	0	21	0
IX	96	80	88	90	6.0	5.3	5.9	75	12	30	0		0		18	11	3	1	0	0	17	0	0	8	0	0	0	0	0	5	15	2	15	0
X	90	78	88	87	6.9	6.6	6.5	120	21	3	6		0		25	17	2	6	1	0	24	0	0	16	0	0	0	0	0	7	16	0	22	0
XI	87	82	82	84	5.5	5.5	5.1	36	10	4	16		0		9	8	1	3	1	0	8	1	0	6	0	0	0	0	1	0	0	6	18	1
XII	92	91	92	92	6.1	7.0	6.2	58	10	13	28		3		20	15	0	0	0	0	9	14	1	4	0	0	0	0	0	0	0	3	22	25
1949	88	73	77	82	5.9	5.7	5.7	831	23		128		13		210	145	20	27	2	0	177	55	10	61	0	8	0	2	1	14	130	36	209	118

Fanaråken

H_s = 2062 H_b = 2070.3 h_t = 4.2 h_a = 9.7 h_d = 9.7 h_r = 3.0

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.6	7.4	7.5	190	26	25	31	31	28	0	31	30	6	31	27	15	0	31	0	0	0	1	0	0	0	31	9	0	26	31
II					7.0	6.9	6.4	232	35	4	28	28	21	0	25	23	8	23	20	10	0	25	0	0	0	0	0	0	1	25	17	0	20	28
III					6.0	5.9	5.7	168	28	13	31	31	27	0	26	19	6	21	10	5	0	26	0	0	0	0	0	0	0	28	24	3	15	31
IV					7.3	7.6	7.8	317	103	26	30	27	13	0	28	25	7	26	16	11	2	28	1	0	0	1	0	0	0	29	18	0	28	30
V					7.2	6.9	7.1	83	12	6	31	18	6	0	25	19	1	21	8	4	9	23	6	0	0	1	0	0	0	31	21	1	25	31
VI					5.9	5.8	5.7	77	15	15	24	10	0	0	21	17	1	18	6	1	8	21	6	1	0	0	0	1	1	21	24	4	14	30
VII					5.3	5.0	5.1	60	12	25	13	1	0	0	15	12	1	4	0	0	14	8	7	2	0	3	0	1	4	20	26	4	12	16
VIII					7.0	6.7	7.2	100	10	9	21	7	0	0	21	21	0	16	3	0	13	16	6	4	0	1	0	0	1	29	19	0	23	19
IX					6.3	6.8	6.6	141	22	4	12	1	0	0	20	17	6	12	5	3	20	6	6	9	0	0	0	0	0	28	16	2	21	1
X					7.6	7.2	7.6	187	27	3	30	23	7	0	27	26	6	16	6	1	7	25	2	6	0	0	0	0	0	30	13	0	28	30
XI					6.2	6.5	6.2	44	7	21	30	30	9	0	17	13	0	16	6	3	0	17	0	0	0	0	0	0	0	26	10	4	21	30
XII					6.1	7.1	6.6	117	11	27	31	31	30	0	27	24	2	16	6	1	0	27	0	0	0	0	0	0	0	31	6	1	19	31
1949					6.6	6.6	6.6	1716	103		312	238	141	0	283	246	44	220	113	54	73	253	34	22	0	7	0	2	7	329	203	19	252	308

Førde i Sunnfjord

H_s = 3 H_b = h_t = 1.9 h_a = h_d = 12.0 h_r = 1.6

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	90	86	87	7.3	7.2	7.1	553	49	24	18		0		30	29	20	18	5	3	20	21	10	7	0	3	0	4	4	0	0	0	24	22
II	90	83	84	86	6.7	6.8	6.6	381	69	17	14		0		23	22	10	10	2	0	17	10	4	3	0	3	0	1	5	1	1	1	21	8
III	92	72	74	81	4.3	5.0	5.5	166	32	24	24		9		15	13	6	4	1	0	9	9	3	4	0	1	0	1	4	0	15	7	13	30
IV	88	75	80	84	6.8	7.0	7.3	373	36	20	7		0		26	25	16	12	0	0	25	7	6	7	0	1	0	1	7	0	6	0	24	1
V	88	70	76	84	6.8	6.8	6.7	108	18	29	3		0		18	14	3	5	0	0	17	4	3	2	0	1	0	2	3	1	8	1	24	0
VI	84	60	67	80	4.6	4.7	4.7	110	22	8	0		0		14	12	3	2	0	0	14	0	0	2	0	0	0	0	2	0	18	5	12	0
VII																																		
VIII																																		
IX																																		
X																																		
XI	79	76	78	78	4.9	5.5	4.7	100	38	3	11		0		9	7	3	8	0	0	9	2	0	1	0	0	0	0	1	2	6	4	11	0
XII	94	91	92	93	5.6	6.4	6.4	218	24	13	20		2		23	21	9	2	0	0	20	13	8	4	0	0	0	1	12	4	1	2	18	24

1949

Kinn

φ = 61° 34′N λ = 4° 48′E g = 9.821 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1002.8	1003.8	3.9	4.3	4.1	4.0		1.9	8.0	27	- 1.6	8	11 7.0	2 9.0	6 5.7	1 4.0	6 4.5	9 4.9	13 7.1	12 7.7	18 6.2	6 5.2	5 5.2	4 6.5	0
II	10.5	11.5	4.4	4.8	4.4	4.4		2.8	8.0	18	- 2.0	28	4 5.5	0 -	4 3.2	1 1.0	2 4.0	18 4.2	24 7.0	4 5.0	17 5.2	4 5.5	1 6.0	5 5.2	0
III	17.6	18.6	1.9	3.3	2.7	2.4		0.6	7.2	23	- 3.1	3	12 5.4	4 4.5	11 3.4	6 2.7	4 3.8	26 4.2	15 5.2	7 5.1	4 5.0	1 7.0	0 -	3 4.0	0
IV	04.7	05.7	5.5	6.4	6.1	5.7		4.0	11.4	16	- 0.2	1	5 4.2	3 6.0	2 1.0	1 1.0	1 3.0	12 4.4	21 5.3	15 4.9	16 4.4	3 1.7	2 4.5	9 3.8	0
V	12.2	13.2	8.2	8.8	8.5	8.0		6.1	13.8	5	0.5	7	17 3.0	0 -	1 4.0	2 1.0	2 3.0	12 2.8	10 4.0	23 3.4	17 3.4	1 5.0	0 -	8 3.5	0
VI	15.2	16.2	10.5	11.2	10.8	10.3		8.7	16.2	4	6.5	15	27 5.0	19 6.6	2 7.0	2 2.0	0 -	6 1.7	2 5.5	11 4.4	14 3.1	0 -	0 -	7 4.1	0
VII	15.7	16.7	11.5	13.1	12.4	11.9		9.8	16.8	8	7.4	1	19 4.2	21 5.8	1 7.0	1 2.0	2 1.5	4 1.2	5 1.2	7 2.1	16 1.6	2 2.0	2 2.5	13 1.7	0
VIII	12.3	13.8	12.2	12.9	13.0	12.5		10.9	18.3	26	7.8	17	13 4.2	6 3.2	0 -	2 1.0	3 2.7	8 2.6	12 3.8	23 3.7	12 3.5	1 4.0	1 6.0	12 2.2	0
IX	17.2	18.1	15.0	15.8	14.8	15.0		12.3	22.0	1	8.3	30	7 3.0	10 2.9	6 3.5	8 2.6	6 3.7	10 2.9	5 5.2	18 4.9	15 4.4	0 -	0 -	5 1.8	0
X	09.2	10.2	9.4	10.0	9.5	9.5		7.8	14.2	15	2.3	28	6 4.3	0 -	12 5.4	2 3.0	11 3.2	20 3.8	17 5.3	7 6.0	13 6.3	0 -	0 -	5 6.0	0
XI	05.4	06.4	7.4	8.1	7.7	7.6		5.8	11.8	23	0.5	29	1 1.0	1 3.0	10 3.5	6 1.2	31 3.7	24 4.0	7 6.6	5 7.0	5 7.6	0 -	0 -	0 -	0
XII	996.0	997.1	4.2	4.5	4.0	4.2		2.1	7.8	24	- 0.3	11	10 4.9	1 5.0	8 2.9	6 2.0	12 4.2	24 4.9	5 6.4	4 5.2	14 4.9	0 -	3 3.7	6 5.7	0
1949	1009.9	1010.9	7.8	8.6	8.2	8.0		6.1	22.0		- 3.1		132 4.6	67 5.3	63 4.0	38 2.1	90 3.6	173 3.9	136 5.6	136 4.7	161 4.4	18 4.3	14 4.5	77 3.6	0

Nordfjordeid

φ = 61° 56′N λ = 6° 6′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.1	1.7	1.8	1.4		- 1.1	8.2	29	- 6.4	22	6 1.3	17 1.7	1 2.0	0 -	3 4.0	0 -	1 1.0	3 1.3	19 1.3	18 1.9	1 2.0	22 1.6	2
II			1.5	3.0	2.3	2.1		- 0.7	8.7	19	- 5.5	6	4 1.2	19 1.4	0 -	4 2.0	1 4.0	2 3.0	3 3.3	3 2.3	9 2.2	20 1.4	1 2.0	18 1.4	0
III			- 2.3	2.5	0.9	0.1		- 3.9	8.7	29	-14.8	6	5 1.4	35 1.3	0 -	2 2.0	6 2.2	0 -	1 5.0	2 1.0	10 2.3	6 1.0	0 -	27 1.2	1
IV			4.4	7.1	5.8	5.1		2.1	16.3	16	- 4.7	1	3 1.7	21 1.4	0 -	0 -	2 4.0	0 -	0 -	0 -	6 2.0	22 1.4	0 -	36 1.8	0
V			7.5	10.9	9.6	8.3		4.6	16.7	18	- 1.1	8	7 1.3	35 1.5	0 -	1 1.0	2 3.5	0 -	0 -	0 -	4 1.9	15 1.3	0 -	29 1.2	0
VI			11.1	15.3	13.2	12.0		7.9	23.1	30	5.0	15	2 2.0	42 1.7	0 -	0 -	0 -	0 -	0 -	0 -	7 1.6	16 1.4	0 -	23 1.5	0
VII			11.9	17.1	15.3	14.0		9.8	24.7	9	6.7	14	2 1.0	46 1.9	0 -	3 3.3	0 -	0 -	0 -	0 -	10 1.6	19 1.7	0 -	13 1.4	0
VIII			10.8	15.4	13.8	12.8		9.4	24.1	25	4.1	18	3 2.3	32 1.3	0 -	1 1.0	1 2.0	1 3.0	0 -	2 1.0	8 1.5	25 1.4	0 -	19 1.3	1
IX			12.3	16.3	14.2	14.0		11.0	23.3	2	5.9	30	4 1.5	29 1.4	0 -	9 2.3	0 -	0 -	0 -	0 -	9 1.0	15 1.1	0 -	22 1.5	2
X			6.4	8.5	7.2	7.2		4.5	17.5	15	- 1.5	28	2 1.5	36 1.2	0 -	1 3.0	3 2.0	0 -	0 -	1 5.0	8 2.2	24 1.4	0 -	18 1.7	0
XI			3.7	4.8	4.0	4.1		1.4	12.5	23	- 5.0	30	6 1.9	38 1.3	0 -	3 3.0	4 3.5	0 -	0 -	0 -	4 2.0	21 1.1	0 -	14 1.5	0
XII			0.4	0.5	1.0	0.6		- 1.5	9.0	25	- 7.3	19	5 1.2	31 1.1	0 -	4 3.0	6 2.3	0 -	0 -	0 -	0 -	18 1.4	0 -	29 1.1	0
1949			5.7	8.6	7.4	6.8		3.6	24.7		-14.8		49 1.5	379 1.4	1 2.0	28 2.5	28 2.8	3 3.0	5 3.2	11 1.9	94 1.8	219 1.4	2 2.0	270 1.4	6

Opstryn

φ = 61° 56′N λ = 7° 14′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.1	0.4	1.1	0.4		- 1.7	10.5	27	- 7.8	13	0 -	1 1.0	0 -	3 2.0	2 1.5	1 2.0	2 2.0	4 2.2	11 2.3	6 2.2	0 -	0 -	63
II			0.8	1.4	1.0	0.9		- 1.7	10.2	19	- 5.2	6	0 -	0 -	0 -	4 2.2	0 -	2 2.0	1 3.0	6 2.0	8 2.0	8 2.5	0 -	0 -	55
III			- 0.8	1.2	- 0.1	0.3		- 3.0	5.0	28	-10.0	5	0 -	4 2.2	7 1.8	16 1.8	2 2.5	3 2.7	0 -	4 2.5	8 2.2	4 2.0	0 -	0 -	45
IV			4.3	6.1	4.7	4.2		1.1	15.0	18	- 4.7	1	0 -	0 -	2 1.5	4 1.2	1 2.0	2 1.5	1 2.0	11 1.7	9 1.7	17 1.8	0 -	0 -	43
V			8.7	11.1	9.4	8.6		4.9	18.4	19	- 1.2	8	0 -	0 -	0 -	11 1.5	5 1.6	8 2.5	1 2.0	5 1.8	4 2.2	12 1.9	0 -	0 -	47
VI			12.2	15.2	12.8	12.0		7.7	23.1	28	4.0	16	0 -	0 -	4 1.8	12 1.5	3 1.3	3 1.3	1 2.0	4 2.2	1 1.0	6 1.5	0 -	0 -	56
VII			13.9	18.0	14.8	14.5		9.9	26.1	9	5.9	14	0 -	0 -	4 1.2	10 1.1	3 1.7	3 1.7	1 2.0	10 1.6	6 1.3	0 -	0 -	0 -	56
VIII			11.1	14.8	12.5	12.0		9.0	22.1	27	2.8	17	0 -	0 -	0 -	2 1.5	2 1.5	2 1.0	5 1.6	7 1.4	3 1.7	4 1.0	0 -	0 -	68
IX			13.6	16.1	14.2	14.0		10.9	25.1	5	5.6	30	0 -	0 -	0 -	4 1.2	3 2.0	6 2.3	5 1.8	11 1.6	0 -	0 -	0 -	0 -	61
X			6.8	7.9	6.8	6.9		4.6	16.8	16	- 0.4	28	0 -	0 -	2 2.0	18 1.9	1 2.0	2 2.0	2 2.5	4 1.8	2 1.5	1 3.0	0 -	0 -	61
XI			4.7	5.1	5.0	4.7		2.4	13.2	5	- 4.3	29	0 -	0 -	3 1.7	19 1.7	7 1.1	11 2.3	2 1.5	0 -	0 -	1 1.0	0 -	0 -	47
XII			0.4	0.6	0.6	0.4		- 1.9	8.1	25	- 5.8	19	0 -	0 -	3 1.3	15 1.5	2 1.0	4 2.2	3 2.3	3 2.0	1 2.0	0 -	0 -	0 -	62
1949			6.3	8.2	6.3	6.6		3.5	26.1		-10.0		0 -	5 2.0	25 1.6	118 1.6	31 1.5	47 2.1	24 2.0	69 1.8	53 1.9	59 1.9	0 -	0 -	664

Kråkenes Fyr

φ = 62° 2′N λ = 4° 59′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			4.0	4.3	4.3	4.1	6.4	1.9	11.1	30	- 1.7	9	4 6.2	0 -	0 -	2 4.0	0 -	5 5.8	26 6.1	22 7.4	6 7.3	13 6.3	7 5.8	8 7.4	0
II			4.6	4.9	4.6	4.3	6.5	2.9	10.8	19	- 1.8	28	4 4.2	2 5.5	3 3.3	0 -	0 -	1 4.0	32 5.8	19 6.2	10 6.9	10 5.6	2 5.5	1 7.0	0
III			2.1	2.7	2.6	2.3	4.2	0.8	7.9	23	- 2.8	6	5 4.0	5 5.4	3 2.3	2 1.5	0 -	5 3.8	41 3.8	9 5.2	3 3.7	6 4.5	5 4.0	9 5.1	0
IV			5.7	6.5	6.2	5.8	7.8	4.1	15.2	16	- 0.4	1	5 4.8	2 3.0	1 3.0	0 -	0 -	2 4.5	29 5.4	15 4.1	14 5.8	7 5.4	10 4.7	5 4.4	0
V			7.9	8.4	8.2	7.8	9.9	6.3	15.4	5	0.2	8	5 4.0	6 3.3	3 2.7	3 1.7	0 -	12 2.0	24 3.8	23 4.2	5 6.8	2 3.0	6 5.2	4 3.7	0
VI			9.9	10.0	10.0	9.7	11.4	8.7	16.3	30	6.6	14	34 4.4	9 3.2	3 5.0	2 3.0	0 -	7 1.1	5 4.2	9 4.6	8 4.6	1 3.0	8 6.1	4 4.0	0
VII			10.8	11.5	11.3	10.9	12.7	9.7	15.8	10	7.1	23	19 5.2	15 4.1	6 3.7	2 1.0	0 -	4 1.2	15 2.4	10 2.3	11 3.1	6 2.8	3 1.7	2 2.5	0
VIII			12.0	12.6	12.5	12.2	14.0	10.8	19.5	25	7.6	17	7 3.0	3 3.3	3 1.3	2 1.0	0 -	6 2.2	18 2.9	20 4.2	9 5.3	14 4.0	8 3.7	3 4.3	0
IX			13.9	14.6	14.2	14.0	15.9	12.7	24.4	5	8.9	30	9 3.2	12 3.9	6 2.0	11 1.8	6 1.7	5 2.4	14 3.4	18 6.5	4 5.0	4 5.0	1 3.0	0 -	0
X			9.4	9.7	9.5	9.4	11.2	8.0	15.3	15	2.0	27	8 5.0	4 5.5	2 4.0	4 3.2	2 2.0	10 3.0	28 4.0	13 5.3	7 5.6	2 9.5	10 5.2	3 4.0	0
XI			7.7	8.2	7.9	7.8	9.3	6.3	12.3	22	0.9	29	2 3.0	4 3.8	7 4.3	16 2.7	9 2.9	21 3.0	18 5.4	11 7.3	1 6.0	0 -	1 2.0	0 -	0
XII			4.2	4.6	4.2	4.3	6.0	2.6	10.3	1	- 0.6	11	4 4.2	2 4.0	1 4.0	10 3.4	1 5.0	16 3.0	18 4.6	10 6.1	9 5.2	16 5.4	5 5.6	1 6.0	0
1949			7.7	8.2	8.0	7.7	9.6	6.2	24.4		- 2.8		106 4.4	64 4.0	38 3.2	54 2.5	18 2.5	94 2.8	268 4.6	179 5.9	87 5.4	81 5.1	66 4.8	40 5.0	0

Tafjord

φ = 62° 13′N λ = 7° 26′E. g = 9.821 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	998.8	1002.2	2.4	2.8	3.2	2.7		0.2	14.8	27	- 4.3	21	2 4.0	0 -	0 -	0 -	1 3.0	6 3.3	21 2.6	5 3.8	3 2.0	10 2.0	6 3.1	5 3.4	34
II	1006.6	10.2	2.8	4.2	3.7	3.4		0.8	14.8	20	- 3.8	27	1 2.0	0 -	0 -	0 -	0 -	4 2.8	22 2.2	5 2.8	3 2.0	6 1.5	2 3.5	3 2.7	38
III	14.7	18.4	0.1	2.5	1.4	1.0		- 1.2	8.8	24	- 7.0	1	0 -	0 -	0 -	0 -	0 -	18 2.9	19 2.4	3 2.0	0 -	5 1.4	4 1.5	5 2.4	39
IV	01.0	04.6	6.4	8.9	8.2	7.0		3.8	18.7	16	- 2.1	1	4 2.0	0 -	0 -	0 -	0 -	4 3.0	25 2.4	6 2.5	0 -	5 1.0	7 2.4	8 1.9	31
V	03.3	11.6	8.9	12.5	11.1	9.6		6.1	18.2	18	0.1	8	4 1.2	0 -	0 -	0 -	0 -	8 3.2	14 2.1	2 2.5	0 -	10 1.6	6 2.5	3 1.0	46
VI	12.0	15.5	10.6	14.9	13.8	12.0		8.7	23.0	30	3.3	15	13 1.6	0 -	0 -	0 -	2 1.5	3 3.3	7 2.4	0 -	0 -	7 1.1	7 1.1	6 1.7	45
VII	12.8	16.6	11.6	16.5	15.3	13.7		10.5	21.4	10	6.8	14	5 1.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	15 1.2	7 1.0	7 1.7	59
VIII	09.1	12.4	11.0	15.6	14.0	13.0		10.2	20.8	6	2.5	18	7 1.4	0 -	0 -	0 -	0 -	1 3.0	9 2.6	0 -	0 -	0 -	0 -	12 2.2	64
IX	14.5	17.8	13.0	16.8	14.9	14.5		11.6	24.5	5	6.6	14	6 1.5	0 -	0 -	0 -	0 -	1 4.0	23 2.7	2 2.0	0 -	0 -	2 1.0	1 3.0	55
X	06.6	10.0	7.9	9.6	9.0	8.6		6.3	19.8	15	- 0.5	26	2 3.5	0 -	0 -	0 -	0 -	10 3.8	25 3.0	3 2.0	0 -	6 1.5	0 -	8 3.4	39
XI	04.4	07.8	6.2	7.3	7.1	6.8		4.3	14.6	5	- 4.6	29	0 -	0 -	0 -	0 -	0 -	45 2.3	23 2.2	4 1.5	0 -	1 1.0	0 -	0 -	17
XII	994.3	997.8	2.3	2.3	2.2	2.2		- 0.1	9.0	26	- 6.3	11	0 -	0 -	0 -	0 -	0 -	14 2.5	26 2.1	2 1.5	0 -	2. 1.0	0 -	1 3.0	48
1949	1006.9	1010.4	6.9	9.5	8.7	7.9		5.3	24.5		- 7.0		44 1.8	0 -	0 -	0 -	3 2.0	114 2.8	214 2.4	32 2.4	6 2.0	67 1.4	41 2.0	59 2.3	515

1949

Kinn

H_s = 8 H_b = 8.2 h_t = 1.8 h_a = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Over-skyet ●	Snødekke
I					6.9	7.3	7.3	413	42	28	10		0		30	30	16	31	22	14	29	17	15	2	0	16	0	6	1	0	8	0	21	
II					7.4	6.9	7.6	266	34	3	3		0		26	24	10	23	14	5	22	9	4	0	0	6	0	2	0	0	16	0	26	
III					5.8	5.6	6.3	144	25	13	11		0		21	16	7	19	4	3	14	15	8	0	0	4	0	1	0	0	20	0	15	
IV					7.3	7.1	7.0	235	28	26	1		0		27	26	10	21	9	1	27	7	5	0	0	5	0	0	0	1	17	0	22	
V					7.5	7.2	6.9	90	12	18	0		0		24	18	2	9	0	0	24	2	2	8	0	3	0	0	1	4	18	0	25	
VI					5.6	5.6	5.8	104	18	5	0		0		15	12	5	19	7	0	15	0	0	0	0	0	0	0	0	2	23	0	14	
VII					5.5	5.0	5.2	48	8	25	0		0		12	9	0	11	1	0	12	0	0	2	0	0	0	0	1	3	26	3	14	
VIII					7.3	6.9	7.0	115	20	11	0		0		20	16	3	9	0	0	20	0	0	1	0	1	0	0	1	3	23	0	24	
IX					6.8	6.4	6.3	223	46	11	0		0		18	13	9	9	3	2	18	0	0	1	0	0	0	1	1	0	18	0	21	
X					7.4	7.3	7.1	259	30	23	0		0		28	28	10	17	9	3	28	2	2	2	0	2	0	2	0	0	14	0	28	
XI					6.2	6.1	6.0	123	29	5	0		0		13	10	5	11	6	3	12	2	2	0	0	0	0	0	0	0	18	3	18	
XII					6.5	7.0	6.8	326	60	26	3		0		28	27	12	21	5	1	28	14	14	0	0	10	0	3	0	0	7	0	22	
1949					6.7	6.5	6.6	2346	60		28		0		262	229	89	200	80	32	249	68	52	16	0	47	0	15	5	13	208	6	250	

Nordfjordeid

H_s = 71 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

I	85	82	83	84	7.3	7.4	7.2	449	34	14	20		0		29	29	18	0	0	0	20	21	3	1	0	2	0	0	0	1	0	0	23	30
II	84	75	80	81	7.2	7.1	6.8	262	64	17	14		0		22	19	7	0	0	0	16	13	7	0	0	2	0	1	0	0	9	1	22	11
III	83	67	70	75	5.6	5.5	6.0	173	25	24	23		3		18	16	7	0	0	0	9	12	2	0	0	1	0	0	0	1	18	3	16	31
IV	81	71	78	80	7.0	7.4	7.4	230	26	28	7		0		27	25	7	0	0	0	22	12	3	0	0	1	0	0	0	0	10	1	25	10
V	84	70	77	82	7.3	7.1	7.2	93	20	7	2		0		18	15	4	0	0	0	17	4	2	3	0	1	0	0	0	0	12	1	25	3
VI	83	63	71	73	5.5	5.7	5.7	138	32	16	0		0		15	15	4	0	0	0	15	0	0	3	0	0	0	0	0	1	24	3	13	0
VII	86	62	71	78	5.2	4.6	5.3	30	14	25	0		0		8	6	1	0	0	0	8	0	0	4	0	0	0	0	0	4	24	7	14	0
VIII	91	73	79	84	7.0	6.3	7.0	127	17	18	0		0		22	16	5	0	0	0	22	0	0	0	0	0	0	0	0	1	20	0	20	0
IX	88	73	82	83	7.0	6.2	7.0	171	36	11	0		0		11	11	7	0	0	0	11	0	0	0	0	0	0	0	0	3	12	0	21	0
X	88	81	86	86	7.3	7.3	7.1	260	31	3	5		0		26	23	9	0	0	0	26	3	0	0	0	0	0	0	0	1	8	0	24	4
XI	77	74	75	76	5.1	5.5	5.2	114	40	5	11		0		12	9	3	0	0	0	12	2	1	0	0	0	0	0	0	0	4	5	13	3
XII	86	87	86	86	5.8	7.3	6.3	236	26	28	20		0		27	22	11	0	0	0	20	18	11	0	0	0	0	0	0	0	0	1	18	30
1949	85	73	78	81	6.4	6.4	6.5	2283	64		102		3		235	206	83	0	0	0	198	85	29	11	0	7	0	1	0	12	141	22	234	122

Opstryn

H_s = 205 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

I					7.9	7.5	7.3	244	32	14	22		0		29	24	11	0	0	0	20	25	7	0	0	3	0	0	24	7	0	0	29	31
II					6.1	5.9	6.1	188	48	4	22		0		22	17	8	0	0	0	13	14	4	0	0	3	0	0	19	0	2	3	17	28
III					4.6	5.4	5.2	56	14	15	25		1		18	13	1	0	0	0	7	15	1	0	0	2	0	0	14	4	17	7	13	31
IV					6.5	6.8	7.1	80	14	28	11		0		27	16	1	0	0	0	22	12	1	0	0	1	0	0	26	0	21	0	21	13
V					6.5	6.2	6.7	34	7	11	3		0		18	10	0	0	0	0	15	4	0	1	0	4	0	0	23	1	19	0	19	1
VI					4.3	4.8	5.8	65	22	16	0		0		18	10	1	0	0	0	18	0	0	0	0	0	0	0	11	3	22	6	13	0
VII					4.1	4.1	4.9	31	9	25	0		0		11	8	0	0	0	0	11	0	0	2	0	0	0	0	13	0	23	6	11	0
VIII					6.2	5.6	6.8	80	12	9	0		0		22	15	2	0	0	0	22	0	0	0	0	0	0	0	18	1	21	0	14	0
IX					5.1	4.9	5.2	96	17	11	0		0		15	10	5	0	0	0	15	0	0	0	0	0	0	0	12	0	23	4	11	0
X					6.9	6.9	6.6	160	37	3	1		0		24	18	5	1	0	0	22	2	0	0	0	0	0	0	26	0	6	0	22	2
XI					4.7	4.9	4.2	72	15	3	7		0		8	4	1	0	0	0	8	3	1	0	0	0	0	0	9	1	0	4	10	4
XII					6.0	6.5	6.0	114	14	2	27		0		24	17	4	0	0	0	12	19	3	0	0	0	0	0	18	3	0	1	17	31
1949					5.7	5.8	6.0	1120	48		118		1		236	162	39	1	0	0	185	94	17	3	0	13	0	0	213	20	154	31	196	131

Kråkenes Fyr

H_s = 39 H_b = h_t = 2.2 h_a = h_d = h_r = 1.3

I	78	77	76	77	7.2	7.5	7.2	231	32	28	8	0	0	0	30	25	9	29	18	11	25	9	1	0	0	7	0	5	0	0	1	0	24	
II	75*	74*	75*	75*	7.1	7.1	7.0	123	18	21	3	0	0	0	26	20	3	23	13	6	23	4	0	1	0	9	0	3	0	0	3	0	22	
III	71*	65*	67*	68*	5.9	5.4	6.4	80	21	14	10	0	0	0	20	16	2	13	4	1	14	11	6	1	0	3	0	1	1	0	16	3	16	
IV	76*	74*	70*	73*	7.7	7.5	7.2	139	20	22	1	0	0	0	26	24	4	20	2	0	26	4	5	0	0	1	0	0	0	1	8	0	24	
V	69	69	68	69	7.3	7.1	6.9	57	11	27	0	0	0	0	23	15	1	5	2	2	22	2	1	4	0	1	0	0	0	3	16	1	24	
VI	92	92	92	92	5.9	6.1	5.8	71	8	3	0	0	0	0	17	12	0	14	0	0	17	0	0	2	0	0	0	0	0	4	19	1	15	
VII	91	88	92	91	5.7	5.2	5.5	58	12	29	0	0	0	0	13	10	1	11	0	0	13	0	0	6	0	0	0	0	1	9	22	5	15	
VIII	90	90	90	90	6.9	6.5	7.1	95	15	9	0	0	0	0	19	15	3	7	0	0	19	0	0	1	0	0	0	0	0	3	19	0	22	
IX	88	87	88	88	6.8	6.2	7.3	190	37	11	0	0	0	0	18	14	8	9	4	2	18	0	0	3	0	0	0	2	1	0	19	0	21	
X	85	86	86	86	7.5	7.4	6.9	196	24	17	0	0	0	0	30	24	7	19	5	5	30	1	0	0	0	4	0	4	0	0	6	0	24	
XI	76	75	75	75	5.4	5.8	5.3	98	20	1	0	0	0	0	12	9	5	9	5	2	12	0	0	0	0	0	0	0	0	0	11	3	13	
XII	87	84	86	86	6.3	7.4	6.4	210	45	26	2	0	0	0	28	26	6	21	5	0	28	6	7	0	0	4	0	0	0	0	2	0	18	
1949	82	80	80	81	6.6	6.6	6.6	1548	45		24	0	0	0	262	204	39	160	58	29	247	37	20	18	0	29	0	15	3	20	142	13	238	

Tafjord

H_s = 27 H_b = 29.6 / H_b = 27.7 h_t = 2.1 / h_t = 1.9 h_a = h_d = 14.5 / h_d = h_r = 1.4 / h_r = 1.5

I	79	78	73	76	7.5	7.3	7.6	197	20	5	17		0		23	20	11	4	0	0	16	20	9	1	0	0	0	0	1	0	0	0	28	14
II	76	70	72	73	6.3	6.4	5.6	113	25	4	12		0		15	14	5	0	0	0	8	9	0	0	0	0	0	0	2	0	2	3	18	9
III	71	64	65	67	5.5	5.5	5.3	103	20	17	21		0		17	11	3	0	0	0	8	11	1	0	0	0	0	0	3	0	14	5	15	16
IV	72	62	64	68	6.8	6.9	7.3	46	6	20	1		0		21	15	0	0	0	0	20	8	9	0	0	0	0	0	2	0	11	0	24	1
V	71	64	71	72	6.5	6.4	6.9	43	16	11	0		0		17	9	1	0	0	0	17	3	4	2	0	1	0	0	3	1	15	2	19	0
VI	87	66	69	81	5.9	5.4	5.0	78	31	16	0		0		14	10	2	0	0	0	14	0	0	2	0	0	0	0	1	0	21	5	13	0
VII	93	68	73	83	5.9	4.4	5.0	29	10	25	0		0		12	6	0	0	0	0	12	0	0	2	0	0	0	0	6	0	20	5	13	0
VIII	94	72	84	88	6.7	6.3	6.8	79	38	18	0		0		21	11	2	0	0	0	21	0	0	2	0	0	0	0	3	0	15	0	19	0
IX	86	74	81	82	6.1	5.5	6.7	84	20	11	0		0		12	8	4	0	0	0	12	0	0	2	0	0	0	0	4	0	16	2	18	0
X	79	70	73	75	6.5	6.9	6.6	137	20	8	1		0		21	16	5	3	1	0	21	3	3	0	0	0	0	0	4	3	4	0	20	0
XI	57	55	54	56	4.5	5.1	4.4	11	5	9	6		0		5	3	0	1	0	0	4	1	0	0	0	0	0	0	1	0	0	6	11	0
XII	73	72	76	74	5.3	6.5	6.2	87	22	10	13		0		17	12	3	0	0	0	13	11	6	0	0	0	0	0	1	0	0	0	14	17
1949	78	68	71	75	6.1	6.0	6.1	1007	38		71		0		195	135	36	8	1	0	166	66	32	11	0	1	0	0	31	4	118	28	212	57

1949

Runde

φ = 62° 24′ N λ = 5° 39′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I			3.8	4.3	4.0	3.9		1.4	9.6	27	- 2.4	9
II			4.2	5.0	4.4	4.3		2.2	9.5	20	- 3.2	28
III			1.7	3.0	2.3	2.1		0.4	8.8	23	- 4.0	6
IV			5.7	7.2	6.4	6.0		3.9	15.1	16	- 0.7	1
V			8.1	9.3	8.1	8.0		5.9	14.9	31	- 0.3	8
VI			10.1	11.2	9.9	10.0		8.4	17.2	30	6.5	15
VII			11.4	13.2	11.6	11.7		9.9	19.5	9	8.0	23
VIII			11.8	13.5	12.9	12.4		10.7	21.3	25	6.7	17
IX			13.6	15.3	14.1	14.1		12.3	22.9	2	8.0	30
X			8.8	9.7	9.2	9.1		7.1	16.9	15	1.7	25
XI			6.9	8.2	7.3	7.4		5.7	11.8	22	- 0.1	29
XII			3.4	3.7	3.6	3.6		1.9	7.2	25	- 1.5	12
1949			7.4	8.6	7.8	7.7		5.8	22.9		- 4.0	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	10 6.3	2 3.0	1 4.0	0 -	0 -	7 2.4	8 4.2	8 5.5	35 5.9	9 3.9	6 5.5	6 5.5	1
II	4 3.2	1 2.0	4 2.2	1 1.0	0 -	5 4.6	20 3.8	9 4.7	20 5.6	8 5.5	6 6.3	5 6.0	1
III	5 4.2	4 3.0	3 3.0	0 -	0 -	17 3.0	16 2.1	8 3.5	11 5.3	9 3.8	5 1.8	10 4.6	5
IV	3 3.3	1 4.0	3 5.0	0 -	2 1.0	11 2.6	18 3.7	7 3.6	25 4.2	9 4.3	5 3.6	2 5.0	4
V	3 2.7	12 2.7	7 4.1	3 1.3	0 -	4 1.2	7 3.1	4 3.5	29 4.3	10 2.6	3 6.0	6 3.7	5
VI	4 4.2	4 3.2	44 3.8	3 1.0	0 -	2 4.0	0 -	1 4.0	16 3.6	5 3.6	4 4.2	3 5.7	4
VII	0 -	5 3.5	38 4.1	9 1.6	1 1.0	0 -	7 1.3	1 2.0	18 3.1	6 2.0	0 -	1 2.0	7
VIII	5 4.0	2 3.0	14 1.6	2 1.0	0 -	5 2.0	9 3.0	5 3.2	21 3.2	5 3.8	5 3.2	9 3.8	11
IX	1 4.0	2 2.0	21 3.4	11 1.4	0 -	5 2.0	4 2.8	5 4.6	20 4.3	7 2.4	2 7.0	4 3.0	8
X	1 2.0	4 5.2	7 4.4	3 1.3	3 1.0	13 3.6	21 3.3	10 5.4	12 4.3	3 2.3	5 3.0	10 4.9	1
XI	0 -	0 -	9 3.3	7 2.0	3 1.3	40 2.3	13 4.4	3 5.3	3 6.3	0 -	2 7.0	0 -	10
XII	1 3.0	4 2.0	1 4.0	2 2.0	1 1.0	25 2.6	22 2.8	4 2.2	17 3.2	5 3.2	1 4.0	7 3.7	3
1949	37 4.4	41 3.1	152 3.6	41 1.5	10 1.1	134 2.6	145 3.2	65 4.3	227 4.4	76 3.5	44 4.5	63 4.5	60

Ona

φ = 62° 52′ N λ = 6° 33′ E g = 9.822 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I	993.5	1000.3	3.9	4.4	4.1	4.0	6.5	1.6	10.9	28	- 2.0	12
II	1007.1	08.9	4.3	5.0	4.3	4.4	6.3	2.5	9.6	20	- 2.5	28
III	15.2	17.0	2.4	3.3	2.6	2.6	4.4	1.0	8.4	23	- 2.4	2
IV	02.0	03.8	5.3	6.3	6.0	5.5	7.7	3.7	13.3	16	0.2	1
V	10.0	11.8	7.4	8.1	7.5	7.3	9.1	6.0	15.7	30	0.4	8
VI	14.5	16.3	9.4	10.1	9.7	9.2	10.8	8.6	15.2	30	7.0	17
VII	15.4	17.2	11.1	12.3	11.7	11.4	12.8	10.3	16.8	10	8.9	15
VIII	10.8	12.6	11.6	12.7	12.1	11.9	13.8	10.5	17.6	26	7.6	17
IX	15.9	17.7	13.2	13.9	13.4	13.3	15.4	12.0	21.4	6	8.6	30
X	07.0	08.8	9.2	9.7	9.4	9.3	11.0	7.4	16.7	15	0.8	27
XI	04.4	06.1	7.4	8.0	7.7	7.6	9.2	6.4	13.6	5	0.7	29
XII	994.4	996.2	4.2	4.4	4.4	4.3	6.1	2.6	11.2	1	- 0.5	11
1949	1007.9	1009.7	7.4	8.2	7.7	7.6	9.4	6.0	21.4		- 2.5	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	5 6.8	0 -	1 4.0	0 -	1 4.0	7 3.0	7 3.3	13 5.0	34 6.3	11 6.1	1 5.0	12 5.3	1
II	1 5.0	1 2.0	1 4.0	0 -	2 1.5	4 3.0	12 2.2	11 3.9	23 6.0	17 6.3	5 5.4	5 4.6	2
III	3 2.7	3 2.3	4 3.5	0 -	0 -	14 2.6	10 2.3	11 2.6	17 4.9	11 5.3	0 -	17 3.8	3
IV	2 2.0	0 -	8 3.5	3 1.0	1 1.0	6 1.8	5 2.0	7 1.8	24 4.6	22 4.2	5 4.6	5 2.6	2
V	0 -	6 2.7	20 3.4	2 1.0	2 2.0	1 3.0	0 -	2 4.0	15 5.3	24 3.8	10 4.1	7 3.6	4
VI	5 1.8	9 3.4	35 3.4	2 1.0	0 -	0 -	0 -	1 2.0	6 2.8	11 4.0	8 3.1	10 3.5	3
VII	2 2.0	5 2.8	40 3.5	3 1.3	0 -	1 1.0	0 -	1 1.0	7 2.6	12 3.8	13 2.2	5 1.8	4
VIII	1 1.0	2 1.5	20 2.6	1 3.0	2 2.0	6 1.3	2 1.0	1 3.0	21 4.0	15 3.7	5 2.6	9 3.9	8
IX	2 2.5	3 1.3	31 2.8	5 1.8	5 2.0	7 1.7	1 3.0	4 3.5	14 5.1	12 4.1	0 -	1 5.0	5
X	3 4.0	3 4.0	8 4.9	3 2.0	0 -	11 1.9	8 2.1	14 2.8	19 5.3	11 4.4	5 5.2	8 4.8	0
XI	1 1.0	2 4.0	4 2.8	5 2.4	8 2.0	36 2.6	6 2.8	12 3.5	12 5.3	1 2.0	0 -	0 -	3
XII	2 3.5	1 1.0	3 3.3	0 -	1 4.0	20 3.0	7 1.9	15 3.0	22 5.0	9 4.6	1 7.0	7 4.6	5
1949	27 3.3	35 2.8	175 3.3	24 1.7	22 2.1	113 2.5	58 2.3	92 3.4	214 5.1	156 4.5	53 3.7	86 4.0	40

Gjermundnes

φ = 62° 37′ N λ = 7° 10′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I			2.6	3.2	2.9	2.8	5.9	0.0	12.2	28	- 7.5	3
II			2.3	3.9	3.0	2.9	6.1	0.4	13.2	20	- 4.6	7
III			0.1	2.7	0.9	0.8	4.3	- 2.6	10.0	23	-11.5	6
IV			5.3	7.6	6.5	5.7	9.7	2.4	18.5	16	- 3.9	1
V			8.4	10.3	9.4	8.6	12.6	5.5	17.8	5	- 1.9	8
VI			10.5	12.9	11.8	10.9	14.1	7.9	22.3	30	5.1	15
VII			11.7	14.4	14.0	12.9	15.9	10.7	21.4	9	7.7	2
VIII			10.9	13.5	13.0	12.0	15.2	9.2	20.1	25	3.4	19
IX			11.9	15.1	13.8	13.3	16.6	10.3	25.2	6	4.0	12
X			6.8	8.5	7.4	7.4	10.2	5.0	16.9	16	- 1.1	26
XI			4.4	6.1	5.2	5.1	8.0	2.2	15.0	5	- 4.0	29
XII			1.5	1.6	1.8	1.6	4.3	- 0.7	11.6	1	- 7.0	12
1949			6.4	8.3	7.5	7.0	10.2	4.2	25.2		-11.5	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	2 3.0	0 -	2 3.0	3 2.3	2 4.5	17 3.1	19 2.9	10 3.8	27 5.2	3 3.3	2 4.5	6 5.5	0
II	0 -	2 2.5	3 3.3	6 2.8	0 -	12 2.2	12 2.3	33 4.1	3 3.3	12 4.0	1 2.0	0 -	0
III	2 1.5	4 1.5	1 2.0	12 2.1	1 3.0	23 1.2	12 2.2	23 2.0	2 3.0	11 4.7	0 -	1 1.0	1
IV	3 1.3	8 2.4	0 -	20 1.6	1 2.0	5 1.8	24 2.6	21 2.1	0 -	8 2.5	0 -	0 -	0
V	5 1.8	4 2.2	1 1.0	15 2.1	3 1.3	1 3.0	11 2.6	20 2.6	0 -	22 2.9	1 5.0	10 2.6	0
VI	8 2.1	12 2.2	0 -	8 2.0	4 2.2	2 1.5	3 3.7	9 2.4	0 -	14 2.6	5 2.8	25 2.3	0
VII	10 1.2	16 2.4	5 1.4	4 2.0	2 2.0	7 2.7	3 2.0	12 1.8	9 1.4	3 1.3	9 2.3	12 1.7	1
VIII	3 1.3	39 2.1	4 1.8	5 3.6	3 2.0	5 2.2	5 1.6	8 1.4	4 1.8	8 1.4	4 1.8	3 3.3	2
IX	16 1.7	24 1.5	3 3.7	7 2.0	1 1.0	5 1.0	8 1.6	12 1.3	3 2.7	3 1.0	4 1.0	3 1.0	1
X	16 1.7	34 2.7	5 2.6	4 2.0	0 -	2 1.5	0 -	8 3.4	7 1.4	9 1.4	4 1.7	4 1.7	0
XI	22 1.6	23 1.3	2 1.0	1 3.0	0 -	0 -	0 -	0 -	1 2.0	16 2.0	5 1.6	20 1.8	0
XII	15 1.7	31 2.6	2 3.5	3 3.3	1 3.0	1 1.0	2 1.0	5 1.4	4 2.0	9 2.3	6 1.8	14 1.6	0
1949	102 1.7	197 2.1	28 2.4	88 2.2	18 2.3	80 2.0	99 2.4	161 2.6	60 3.4	118 2.7	41 2.1	98 2.2	5

Sunndal

φ = 62° 33′ N λ = 9° 7′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I			0.4	0.4	0.7	0.3		- 3.9	12.3	27	-15.1	22
II			- 1.3	1.5	0.6	0.0		- 3.0	11.0	16	- 9.6	27
III			- 3.8	1.8	- 1.7	- 1.8		- 6.0	11.8	23	-16.9	5
IV			5.1	8.8	5.3	5.3		1.4	17.4	16	- 3.9	2
V			9.1	12.5	9.4	8.9		4.7	19.0	4	- 1.5	1
VI			11.4	14.4	11.9	11.3		7.3	22.6	28	3.3	23
VII			12.0	16.1	12.6	12.4		8.9	24.2	23	5.3	21
VIII			10.4	15.3	11.8	11.4		8.2	23.3	30	2.3	19
IX			10.6	15.4	12.2	12.0		8.9	24.2	6	2.1	12
X			4.7	7.2	5.7	5.6		2.9	15.8	2	- 3.7	26
XI			1.0	2.7	1.5	1.5		- 1.5	14.0	4	-11.8	29
XII			- 2.9	- 2.7	- 2.9	- 2.9		- 5.9	4.8	1	-13.7	12
1949			4.7	7.8	5.6	5.3		1.8	24.2		-16.9	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	0 -	0 -	4 2.0	3 2.3	7 2.7	8 4.0	10 3.3	7 2.9	7 2.1	5 2.8	4 2.5	38
II	1 1.0	0 -	0 -	11 1.3	10 1.7	6 2.2	6 3.2	9 1.9	9 2.1	6 2.7	1 2.0	1 3.0	24
III	2 1.0	0 -	2 1.5	12 1.2	7 1.1	13 1.1	5 2.6	4 2.2	2 1.5	3 1.3	2 1.0	3 2.0	38
IV	0 -	0 -	0 -	2 1.5	0 -	6 2.0	7 2.1	11 1.9	5 2.4	13 1.8	7 2.0	5 2.0	34
V	0 -	0 -	0 -	5 1.4	6 1.7	11 1.9	5 2.2	9 1.9	5 2.8	10 2.0	1 4.0	1 3.0	40
VI	1 2.0	0 -	0 -	10 1.4	3 1.3	11 1.6	5 1.0	6 1.5	4 1.5	7 2.0	5 1.2	4 1.0	34
VII	0 -	0 -	6 1.3	5 1.4	0 -	2 1.0	1 1.0	6 1.3	3 1.7	14 1.4	3 1.7	1 2.0	52
VIII	0 -	0 -	0 -	3 1.3	1 2.0	16 1.8	6 1.8	4 1.5	1 2.0	9 1.6	2 1.0	2 1.5	49
IX	0 -	0 -	0 -	11 1.0	4 1.2	15 1.5	10 1.8	7 1.5	3 2.0	3 1.7	0 -	0 -	37
X	0 -	0 -	1 1.0	9 1.2	3 1.0	8 2.1	10 1.8	7 1.6	5 2.4	7 2.0	5 1.4	1 1.0	37
XI	0 -	1 1.0	2 1.5	27 1.4	7 2.0	20 2.1	6 2.7	7 2.3	3 2.7	3 2.0	2 1.0	0 -	12
XII	0 -	0 -	0 -	19 1.4	11 1.3	10 1.3	1 2.0	7 1.7	1 1.0	1 1.0	3 1.3	1 1.0	39
1949	4 1.5	1 1.0	11 1.4	118 1.3	55 1.5	125 1.8	70 2.3	87 1.9	48 2.2	83 1.8	36 1.7	23 1.9	434

Tingvoll

φ = 62° 50′ N λ = 8° 19′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I			1.2	1.8	1.3	1.3		- 2.0	8.4	2	-12.0	22
II			0.0	2.2	1.3	1.0		- 2.0	8.1	2	- 9.0	8
III			- 2.6	2.7	0.5	0.3		- 4.7	10.2	23	-15.8	6
IV			3.7	8.3	6.9	5.4		1.4	15.3	15	- 5.2	2
V			8.2	12.4	11.1	9.3		4.9	19.6	15	- 1.9	1
VI			10.9	14.8	13.5	11.8		7.4	24.6	30	4.2	11
VII			11.1	16.4	15.5	13.2		8.5	24.4	9	3.9	16
VIII			10.2	15.2	13.5	12.3		8.6	21.5	26	1.9	19
IX			10.6	16.6	13.9	13.1		9.1	23.9	6	1.4	12
X			4.9	8.1	6.4	6.2		3.3	14.5	19	- 2.9	7
XI			3.3	4.4	3.2	3.5		0.5	14.9	5	- 9.5	29
XII			0.0	- 0.1	0.0	- 0.1		- 3.1	8.8	26	- 9.4	12
1949			5.1	8.6	7.3	6.4		2.7	24.6		-15.8	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	3 1.3	2 2.5	2 1.5	1 1.0	4 1.5	14 3.7	6 2.7	3 3.7	20 5.4	12 2.8	0 -	5 3.4	21
II	0 -	1 1.0	2 1.0	2 1.5	3 1.7	3 2.3	4 2.2	3 2.7	21 3.2	8 3.4	1 5.0	3 1.0	33
III	1 1.0	2 1.5	2 1.0	4 2.5	3 2.0	9 2.7	7 4.3	5 2.6	12 2.7	5 2.4	2 1.5	5 2.4	36
IV	4 1.5	5 1.8	1 2.0	2 1.0	2 2.5	9 2.9	7 1.6	3 2.0	20 2.5	11 2.4	2 1.5	1 2.0	23
V	6 1.8	3 2.3	2 2.0	0 -	2 1.5	4 2.5	2 3.5	10 2.8	20 2.4	11 2.4	3 1.6	5 2.2	19
VI	5 2.4	6 2.2	2 2.5	0 -	1 6.0	6 3.5	5 2.0	3 1.7	17 2.1	14 1.7	9 2.6	9 1.8	13
VII	8 1.8	6 2.5	3 1.7	1 1.0	3 1.0	0 -	1 1.0	7 1.7	14 1.9	5 1.4	11 1.9	6 2.3	28
VIII	2 1.5	0 -	1 1.0	5 1.0	6 2.3	3 1.0	1 1.0	5 1.4	22 2.1	8 1.6	1 2.0	4 1.5	35
IX	1 2.0	4 2.0	1 1.0	4 1.2	5 2.4	10 2.4	5 2.4	7 2.1	10 2.4	2 1.0	2 1.5	0 -	38
X	2 1.5	0 -	4 2.0	2 1.0	5 1.2	5 3.6	6 2.3	8 1.5	19 2.6	5 3.0	1 1.0	0 -	36
XI	0 -	0 -	4 1.0	10 1.5	8 2.6	16 3.9	4 3.8	8 3.6	2 2.5	0 -	0 -	0 -	38
XII	2 1.0	0 -	1 1.0	7 1.1	3 3.3	9 2.7	7 2.4	12 2.0	5 2.8	3 2.3	2 1.0	0 -	42
1949	34 1.7	29 2.1	25 1.5	38 1.4	45 2.2	86 3.1	55 2.6	74 2.3	182 2.6	84 2.3	40 1.9	38 2.1	362

Årsoversikter

Annual Summaries)

1949

H_s = 22 H_b = h_t = 1.8 h_a = h_d = h_r = 1.2

Runde

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.1	6.8	7.1	234	30	24	10		0		31	27	8	23	14	9	21	8	1	3	0	12	0	4	0	0	7	0	24	
II					7.0	6.9	5.9	137	40	17	4		0		21	20	4	14	5	3	16	6	3	0	0	9	0	3	0	0	7	0	13	
III					5.8	5.4	5.4	130	21	25	12		0		21	19	5	10	3	2	11	14	5	0	0	3	0	1	0	0	18	5	15	
IV					7.2	7.3	6.9	151	24	20	2		0		29	24	5	9	2	0	24	10	4	3	0	8	0	0	0	2	10	0	24	
V					7.3	7.1	6.9	57	8	9	1		0		20	14	0	5	2	1	18	2	0	9	0	3	0	1	2	2	11	0	25	
VI					6.4	5.7	5.6	105	16	29	0		0		20	14	3	8	0	0	20	0	0	8	0	0	0	0	0	2	18	3	17	
VII					5.4	4.6	5.4	37	6	25	0		0		12	8	0	3	0	0	12	0	0	3	0	0	0	0	0	2	24	6	12	
VIII					6.7	6.1	6.8	79	9	5	0		0		21	18	0	3	0	0	21	0	0	3	0	0	0	0	0	4	20	1	18	
IX					6.5	5.9	6.4	226	67	11	0		0		18	14	7	7	3	0	18	0	0	6	0	0	0	0	0	1	15	2	20	
X					6.7	7.1	5.6	249	29	17	0		0		30	25	10	10	5	5	29	0	2	0	0	3	0	0	0	0	10	0	17	
XI					4.8	4.9	4.3	70	22	3	0		0		14	10	3	4	1	0	14	1	0	0	0	0	0	0	0	0	18	5	9	
XII					5.1	6.8	5.7	229	27	6	2		0		28	23	10	4	0	0	25	10	7	0	0	8	0	0	0	0	10	0	13	
1949					6.3	6.2	6.0	1704	67		31		0		264	216	55	100	35	20	229	51	22	35	0	46	0	9	2	13	168	22	212	

H_s = 12 H_b = 14.6 h_t = 1.8 h_a = 6 h_d = h_r = 1.1

Ona

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	80	82	82	7.4	7.0	7.3	266	33	11	9	0	0	0	27	26	11	25	14	8	22	15	8	4	0	6	0	6	0	0	1	0	23	10
II	80	79	82	80	6.6	6.4	5.7	146	44	17	5	0	0	0	22	17	3	19	8	3	19	9	3	3	0	5	0	0	0	0	5	0	16	5
III	74	71	75	74	5.5	5.3	5.7	124	36	25	10	1	0	0	19	19	3	10	3	1	13	15	9	1	0	1	0	0	0	0	11	6	13	18
IV	85	82	82	93	7.0	7.1	7.0	138	13	11	0	0	0	0	24	22	5	11	4	2	24	8	6	5	0	2	0	0	0	2	8	0	24	0
V	87	93	88	88	7.2	6.9	7.0	77	14	11	0	0	0	0	20	17	2	9	3	1	20	4	4	5	0	2	0	0	0	3	8	0	25	0
VI	89	87	88	89	6.7	5.8	6.0	104	18	17	0	0	0	0	19	15	5	2	0	0	19	0	0	4	0	0	0	0	0	3	11	1	19	0
VII	86	82	84	85	5.7	4.6	5.9	25	5	6	0	0	0	0	8	8	0	2	0	0	8	0	0	4	0	0	0	0	1	4	17	3	14	0
VIII	90	96	88	88	7.1	6.5	6.8	87	14	15	0	0	0	0	19	18	1	4	0	0	19	0	0	4	0	1	0	0	0	4	11	0	21	0
IX	85	83	85	85	6.1	6.0	6.6	152	34	28	0	0	0	0	13	11	5	10	2	0	13	0	0	3	0	0	0	0	1	0	9	1	20	0
X	83	81	82	82	7.0	6.8	6.2	215	38	17	0	0	0	0	25	24	10	13	6	4	25	6	5	0	0	1	0	1	0	0	7	0	17	0
XI	76	74	77	76	4.7	5.2	5.0	79	16	3	0	0	0	0	10	9	4	4	1	0	10	2	2	0	0	0	0	1	0	0	13	2	10	0
XII	84	83	84	84	5.8	6.7	6.6	192	18	10	2	0	0	0	24	22	8	11	2	1	23	14	13	0	0	5	0	1	0	0	2	0	19	0
1949	84	81	83	83	6.4	6.2	6.3	1605	44		26	1	0	0	230	199	67	120	43	20	215	73	50	33	0	23	0	9	2	16	103	13	221	33

H_s = 51 H_b = h_t = 1.8 h_a = h_d = 8.5 h_r = 1.6

Gjermundnes

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	77	77	78	7.5	7.1	6.9	266	26	14	14	1	0	0	28	25	10	13	8	6	19	20	5	5	0	3	0	0	6	3	4	0	24	
II	77	74	75	76	6.5	6.2	6.0	168	56	4	12	0	0	0	19	18	14	8	7	5	16	7	3	4	0	0	0	1	13	3	10	0	17	
III	76	67	70	72	6.1	5.8	6.1	131	23	24	26	2	1	0	20	17	4	4	2	1	14	17	11	2	0	1	0	1	15	4	22	3	16	
IV	79	69	74	76	7.3	6.9	7.3	113	14	20	8	0	0	0	25	20	3	2	0	0	25	11	11	11	0	0	0	0	8	3	24	0	24	
V	82	74	79	82	7.0	6.8	6.7	94	13	10	2	0	0	0	20	16	3	1	0	0	20	4	4	10	0	0	0	0	10	6	23	0	21	
VI	85	76	80	84	6.3	5.8	5.7	125	34	16	0	0	0	0	19	17	3	0	0	0	19	0	0	6	0	0	0	0	7	14	23	2	14	
VII	86	74	76	81	5.6	4.5	5.3	39	6	6	0	0	0	0	17	12	0	3	0	0	17	0	0	11	0	0	0	0	15	4	20	5	14	
VIII	91	80	85	87	7.0	6.1	6.7	155	26	18	0	0	0	0	22	18	5	2	0	0	22	0	0	5	0	0	0	0	15	10	20	0	21	
IX	89	79	82	84	6.5	5.5	6.2	141	43	11	0	0	0	0	16	11	4	0	0	0	16	0	0	6	0	0	0	0	17	11	22	1	18	
X	71	63	67	68	6.3	6.9	6.5	217	26	5	4	0	0	0	27	22	10	4	1	1	27	4	4	8	0	0	0	0	24	1	10	1	20	
XI	72	68	69	70	5.4	4.5	5.1	40	14	9	9	0	0	0	10	8	1	0	0	0	10	1	1	3	0	0	0	0	14	3	16	5	15	
XII	81	79	82	81	5.9	6.8	6.2	168	23	10	13	0	0	0	25	22	6	4	0	0	23	10	7	2	0	0	0	1	15	7	8	0	17	
1949	81	73	76	78	6.4	6.1	6.2	1647	56		88	3	1	0	248	206	63	41	18	13	218	74	46	73	0	4	0	3	159	69	182	17	221	

H_s = 195 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Sunndal

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.9	5.9	5.3	147	26	9	25		0		22	16	4	8	0	0	10	17	2	1	0	0	0	1	15	4	0	0	14	30
II					5.7	5.7	4.9	125	26	4	22		0		15	13	4	3	0	0	6	10	1	0	0	0	0	0	10	3	16	1	9	21
III					4.9	5.4	4.6	78	18	15	27		6		15	10	3	6	4	0	6	11	2	0	0	0	0	0	9	2	20	2	9	31
IV					5.3	6.0	5.8	20	5	20	11		0		14	5	0	3	0	0	11	8	5	2	0	0	0	0	14	2	13	0	10	16
V					5.8	6.5	6.4	64	10	9	4		0		23	10	2	2	0	0	21	4	2	0	0	0	0	0	13	2	21	0	14	3
VI					5.5	5.7	6.0	45	9	29	0		0		16	12	0	0	0	0	16	0	0	0	0	0	0	0	15	0	19	0	13	0
VII					5.3	5.1	6.0	48	11	29	0		0		14	8	1	0	0	0	14	0	0	1	0	0	0	2	17	0	21	1	13	0
VIII					5.9	6.2	6.3	41	22	18	0		0		16	6	1	0	0	0	16	0	0	0	0	0	0	0	16	0	22	0	12	0
IX					4.0	5.9	5.7	31	11	11	0		0		16	6	1	0	0	0	16	0	0	1	0	0	0	0	10	1	21	1	9	0
X					6.0	6.1	5.6	100	19	6	7		0		19	14	3	1	0	0	19	6	2	0	0	0	0	0	13	2	16	0	13	5
XI					4.8	4.8	4.1	3	1	9	19		1		5	2	0	0	0	0	2	4	1	0	0	0	0	0	5	0	13	3	5	14
XII					6.0	5.8	4.8	64	26	10	29		6		13	9	2	0	0	0	3	12	1	0	0	0	0	0	14	3	0	0	9	30
1949					5.6	5.8	5.5	766	26		144		13		188	113	21	23	4	0	140	72	16	5	0	0	0	3	151	19	182	8	130	150

H_s = 51 H_b = h_t = 1.8 h_a = h_d = 9.7 h_r = 1.6

Tingvoll

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	81	78	80	7.4	6.5	6.3	203	26	9	23		0		26	22	6	15	6	4	19	19	5	3	1	9	0	2	2	2	1	0	18	25
II	86	80	81	83	6.8	6.2	5.7	178	39	4	19		0		20	16	7	7	2	1	14	12	4	0	2	6	0	2	4	0	8	2	16	13
III	84	66	69	75	5.5	5.5	5.5	146	31	25	25		6		18	14	5	7	1	1	9	14	2	1	1	5	0	1	5	0	13	4	15	31
IV	86	64	71	73	6.3	6.7	6.9	90	13	20	8		0		25	14	3	10	0	0	13	11	2	1	0	2	0	0	5	3	13	0	19	6
V	83	62	70	80	6.3	6.7	6.3	98	21	9	2		0		23	15	3	5	0	0	21	5	3	2	0	2	0	0	11	0	17	0	18	2
VI	82	66	71	77	5.9	5.6	5.5	143	40	16	0		0		18	15	4	2	0	0	18	0	0	4	0	0	0	0	9	1	17	4	15	0
VII	91	66	70	80	5.5	4.8	5.1	51	12	6	0		0		17	9	1	0	0	0	17	0	0	9	0	0	0	0	7	0	16	6	15	0
VIII	94	74	81	86	6.8	5.5	6.4	127	23	5	0		0		24	16	5	0	0	0	24	0	0	4	0	0	0	1	4	7	15	1	18	0
IX	91	69	79	82	5.3	5.6	5.9	85	18	11	0		0		21	11	4	2	1	1	21	0	0	8	0	0	0	0	9	6	19	3	11	0
X	89	80	84	85	6.8	5.9	6.3	144	20	5	5		0		26	19	6	4	3	3	25	3	1	2	0	0	0	0	4	5	8	1	18	5
XI	74	73	75	75	5.1	4.6	4.3	25	6	15	16		0		11	7	0	6	3	2	8	4	1	0	0	0	0	0	3	2	10	7	11	4
XII	86	84	85	85	4.8	5.9	6.0	109	16	10	24		0		23	16	3	2	0	0	19	13	8	1	0	3	0	1	2	1	0	0	13	23
1949	86	72	76	80	6.0	5.8	5.8	1399	40		122		6		252	174	47	60	16	12	213	81	26	35	4	27	0	7	65	27	137	28	187	109

1949

Kristiansund N.

φ = 63° 6′N λ = 7° 45′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			3.3	3.4	3.3	3.2		0.4	11.8	27	- 5.5	22	0 -	1 3.0	1 4.0	2 2.0	3 3.7	15 3.1	1 1.0	6 3.2	32 5.5	12 4.7	7 5.6	11 6.2	2
II			3.3	4.5	3.8	3.8		1.9	9.4	3	- 1.2	28	1 5.0	1 3.0	2 1.5	2 2.0	4 2.5	16 1.9	1 4.0	5 3.6	32 4.8	8 3.6	6 5.5	2 6.5	4
III			0.8	3.0	1.7	1.5		- 1.1	8.2	23	- 7.1	6	1 4.0	3 2.1	2 3.0	1 3.0	3 4.0	26 2.8	1 3.0	2 2.0	22 3.3	8 4.4	4 4.5	8 4.0	12
IV			4.9	7.0	6.3	5.5		2.9	14.4	16	- 1.6	2	0 -	1 4.0	6 2.8	3 1.7	1 1.0	17 1.8	2 3.5	4 3.5	27 3.9	11 2.7	3 3.3	1 2.0	14
V			8.5	9.8	8.7	8.4		5.9	17.1	5	0.4	8	7 1.1	10 2.0	11 2.5	0 -	0 -	4 2.8	2 1.5	2 4.0	34 3.6	7 4.0	9 3.3	2 1.0	5
VI			10.4	12.1	11.3	10.7		8.5	20.1	30	6.8	19	12 2.2	17 2.5	9 2.3	0 -	0 -	6 2.2	1 1.0	2 1.5	13 3.3	3 2.7	9 1.9	14 2.3	4
VII			11.4	13.8	13.2	12.2		9.7	19.3	10	7.6	14	13 2.5	19 2.6	10 2.7	0 -	0 -	0 -	0 -	0 -	18 2.7	10 2.2	2 1.5	7 1.8	14
VIII			11.0	13.8	12.8	12.1		9.9	19.6	26	6.3	19	8 1.5	1 1.0	7 2.0	5 2.2	0 -	4 2.0	6 1.0	1 1.0	22 3.0	13 3.5	4 1.7	9 1.7	13
IX			12.2	15.7	13.7	13.6		10.8	23.8	3	4.0	12	2 1.0	10 1.6	14 1.8	0 -	1 1.0	3 1.5	5 2.2	3 2.0	18 3.8	1 7.0	0 -	1 3.0	27
X			7.4	9.3	8.3	8.1		5.9	15.5	2	0.2	26	1 2.0	5 2.0	7 2.0	3 1.3	4 2.0	19 2.0	0 -	5 2.8	18 3.6	4 3.5	7 5.1	9 3.4	11
XI			5.6	6.9	6.0	6.1		4.0	12.6	5	- 3.8	29	0 -	3 1.3	4 1.0	0 -	15 2.3	50 2.2	1 1.0	1 1.0	9 3.6	0 -	0 -	1 2.0	6
XII			2.8	2.7	3.0	2.8		0.8	6.4	25	- 3.8	12	1 1.0	2 2.0	1 1.0	0 -	0 -	43 2.0	2 3.0	4 2.8	15 2.5	12 3.0	3 3.3	3 4.0	7
1949			6.8	8.5	7.7	7.3		5.0	23.8		- 7.1		46 2.0	73 2.2	74 2.2	16 1.9	31 2.3	208 2.2	22 2.0	35 2.8	260 3.8	89 3.5	54 3.8	68 3.3	110

Sula Fyr

φ = 63° 51′N λ = 8° 28′E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	995.4	999.1	3.0	3.0	2.4	2.7		0.7	9.0	27	- 4.4	22	8 5.2	0 -	0 -	2 3.0	0 -	19 3.8	3 4.3	3 4.7	24 5.6	25 6.0	2 4.5	7 7.0	0
II	1003.2	1006.9	4.0	4.1	3.8	3.9		2.5	8.5	20	- 2.0	26	4 3.2	2 4.5	0 -	0 -	0 -	12 2.7	2 2.0	4 3.0	31 5.6	17 6.4	9 6.3	1 5.0	2
III	12.2	16.0	1.5	2.0	1.9	1.6		- 0.1	7.1	23	- 0.9	2	6 6.2	6 3.3	2 4.5	2 2.0	0 -	19 1.9	10 3.0	7 3.6	18 4.4	9 5.2	12 4.9	2 3.0	0
IV	999.9	03.6	4.2	5.0	5.1	4.6		3.4	9.9	15	0.2	23	2 2.5	9 3.6	0 -	9 2.6	1 1.0	9 2.4	5 2.2	5 3.4	22 4.7	13 4.8	7 3.6	4 4.2	4
V	1007.6	11.3	7.2	8.0	7.3	7.1		5.7	13.9	17	0.2	8	3 3.3	14 3.1	5 4.8	5 2.5	1 4.0	3 2.7	4 1.8	2 1.5	31 4.5	12 5.4	8 3.9	4 3.2	1
VI	12.3	16.0	9.4	9.8	9.6	9.3		8.3	16.0	30	7.1	25	7 3.7	36 3.3	1 1.0	2 2.5	0 -	4 3.0	1 2.0	1 1.0	12 3.9	12 4.3	4 2.8	8 2.1	2
VII	13.6	17.3	11.1	12.1	11.4	11.2		10.1	15.4	28	8.5	17	5 3.4	24 3.1	1 5.0	7 2.0	0 -	0 -	1 2.0	0 -	14 3.6	22 3.0	9 2.9	9 3.3	1
VIII	08.7	12.4	10.9	12.1	11.4	11.3		10.3	15.6	26	7.3	17	1 1.0	13 2.9	0 -	7 2.1	1 3.0	2 2.5	1 1.0	2 2.0	34 3.4	10 3.4	8 4.0	7 3.7	7
IX	14.4	18.1	11.7	13.0	12.2	12.1		10.6	19.0	3	3.9	25	4 1.8	15 2.4	4 2.0	3 1.7	1 1.0	20 2.0	0 -	2 2.0	23 3.7	10 4.0	2 2.0	2 4.0	4
X	04.8	08.4	7.9	8.6	8.5	8.2		7.2	15.0	15	1.4	27	5 4.8	11 2.6	0 -	6 2.7	1 1.0	10 2.5	2 4.0	8 2.1	18 5.3	11 4.5	9 5.2	9 4.8	3
XI	03.8	07.5	6.0	6.1	6.2	6.1		4.9	11.4	5	- 2.5	29	3 2.7	3 3.0	2 2.5	4 1.8	7 1.4	51 3.0	4 3.2	1 3.0	13 5.2	1 1.0	0 -	0 -	1
XII	992.3	995.0	3.6	3.5	3.6	3.6		2.3	6.8	24	- 0.1	12	3 2.7	9 2.0	3 2.0	4 1.5	2 2.5	22 2.7	6 3.2	5 2.2	18 4.9	11 4.2	4 5.8	6 4.2	0
1949	1005.7	1009.4	6.7	7.3	7.0	6.8		5.5	19.0		- 6.9		51 3.9	142 3.0	18 3.2	51 2.2	14 1.8	171 2.9	39 2.8	40 2.8	258 4.6	153 4.7	74 4.4	59 4.0	25

Vallersund

φ = 63° 51′N λ = 9° 44′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.9	2.3	2.1	2.0		- 0.8	10.8	27	-10.0	22	3 7.0	5 3.8	3 2.7	2 4.0	2 5.0	19 5.4	5 3.6	2 3.5	30 5.3	8 6.2	10 6.3	4 7.0	0
II			2.9	3.7	3.4	3.1		1.0	8.1	16	- 3.4	27	0 -	0 -	5 3.0	1 1.0	0 -	18 3.1	7 3.8	9 3.4	21 5.2	10 6.6	10 6.6	3 3.7	0
III			0.4	1.7	0.9	0.7		- 2.1	7.4	23	-11.5	2	1 6.0	3 4.0	2 4.5	1 2.0	1 4.0	39 3.7	2 3.0	4 3.2	19 4.7	10 4.7	10 5.7	1 3.0	0
IV			4.5	6.7	6.0	5.1		2.5	15.2	18	- 2.1	2	1 6.0	7 3.1	3 2.0	2 2.0	6 3.2	28 3.6	3 4.3	5 3.4	11 4.4	12 4.9	10 4.4	2 4.0	0
V			3.4	9.8	9.0	8.4		5.8	17.9	17	0.6	8	0 -	15 3.1	6 2.7	1 3.0	3 4.7	7 4.3	2 2.0	3 3.7	16 4.9	18 5.4	13 4.5	3 4.3	6
VI			10.8	12.0	11.0	10.6		8.3	24.0	30	5.3	23	11 3.5	16 3.5	3 3.3	0 -	0 -	7 4.0	3 5.0	1 3.0	7 4.7	12 4.1	14 3.0	15 3.2	1
VII			11.9	13.9	12.5	12.2		9.8	18.5	4	6.8	21	12 3.2	21 3.0	4 2.0	2 2.0	0 -	3 3.0	0 -	0 -	12 3.5	13 3.0	16 3.1	9 2.8	1
VIII			11.2	13.5	12.7	12.1		9.7	21.0	1	5.1	17	9 2.2	7 1.6	5 2.0	7 2.0	4 1.8	4 3.5	3 2.7	5 2.4	20 3.8	15 3.5	10 3.2	1 1.0	3
IX			12.1	15.2	12.7	12.9		9.9	22.5	2	4.0	12	5 2.2	8 3.0	4 2.5	3 2.3	4 3.5	24 3.2	2 3.5	2 2.5	10 3.2	12 3.8	4 4.0	4 2.8	8
X			7.4	8.5	7.8	7.6		5.8	14.6	15	- 0.3	9	1 2.0	1 4.0	3 1.7	6 1.8	5 2.6	24 2.7	7 3.0	10 3.6	6 5.2	6 4.5	11 4.7	12 5.3	1
XI			4.5	5.4	4.8	4.8		2.9	12.0	4	- 6.8	29	1 1.0	1 3.0	1 4.0	10 2.0	24 2.7	35 5.0	6 4.0	5 3.0	6 3.3	0 -	1 3.0	0 -	0
XII			1.9	2.0	2.0	2.0		- 0.3	5.4	15	- 4.7	11	1 6.0	1 2.0	7 2.0	4 2.2	10 2.3	26 3.0	7 3.3	17 2.6	8 4.1	2 4.0	2 3.5	7 4.7	1
1949			6.5	7.9	7.1	6.8		4.4	24.0		-11.5		45 3.3	85 3.1	46 2.5	39 2.1	59 2.9	234 3.9	47 3.5	63 3.1	166 4.5	118 4.6	111 4.4	61 4.0	21

Ørland II

φ = 63° 41′N λ = 9° 36′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.8	2.0	1.6	1.8		1.1	8.8	27	-11.5	21	4 5.5	1 2.0	2 1.0	1 3.0	13 5.0	15 4.7	3 3.3	3 3.7	23 5.9	12 5.8	1 6.0	8 5.9	7
II			2.5	3.1	2.8	2.6		0.3	8.0	16	- 5.0	27	2 2.0	1 3.0	0 -	0 -	21 3.2	9 2.6	4 1.0	1 3.0	23 4.4	10 5.7	6 4.5	3 3.0	4
III			0.2	1.8	1.0	0.7		- 2.3	8.2	29	-13.9	2	3 2.7	3 1.7	0 -	0 -	14 4.2	24 3.1	2 1.5	3 1.3	17 4.2	9 4.8	4 5.8	7 3.3	7
IV			4.1	6.1	5.6	4.7		2.2	12.5	18	- 2.3	2	2 2.0	2 2.5	2 2.0	2 3.0	17 2.6	20 3.2	3 1.7	5 3.0	7 5.0	9 4.7	6 3.7	7 2.1	9
V			8.3	10.4	9.6	8.6		5.6	16.8	17	0.3	8	7 1.1	0 -	0 -	4 1.8	9 2.8	3 1.7	2 1.5	3 3.0	14 3.5	17 4.0	8 3.1	8 1.9	13
VI			10.7	12.1	11.1	10.5		8.0	21.8	30	3.5	23	17 2.1	0 -	1 2.0	3 2.0	7 4.1	2 3.0	1 1.0	2 2.5	9 3.6	6 5.8	12 1.2	20 2.4	10
VII			11.8	14.0	12.9	12.1		8.9	18.4	9	4.9	18	18 2.2	3 1.0	0 -	0 -	6 2.3	3 2.3	1 2.0	0 -	10 2.8	6 3.0	15 2.1	10 1.8	21
VIII			11.1	13.6	12.7	12.0		9.1	20.6	1	5.0	17	2 1.5	1 1.0	2 1.5	6 1.5	9 1.9	5 2.4	0 -	3 2.0	19 2.8	9 2.3	7 1.9	4 2.5	26
IX			11.4	14.8	12.6	12.5		9.5	21.0	2	2.0	12	8 1.2	1 1.0	1 1.0	3 1.3	20 2.5	11 3.4	0 -	1 5.0	8 3.2	8 2.5	3 3.7	1 1.0	15
X			6.9	8.3	7.3	7.3		5.1	14.0	19	- 1.0	9	4 3.2	0 -	2 1.5	4 1.8	16 2.8	12 2.9	1 2.0	3 1.7	13 3.7	10 4.2	6 4.8	7 3.6	15
XI			4.4	5.1	4.7	4.5		2.7	11.6	5	- 6.0	29	0 -	1 2.0	0 -	6 1.5	39 3.3	28 4.8	5 1.4	3 1.7	1 2.0	1 2.0	0 -	0 -	6
XII			1.6	2.1	1.9	1.8		- 0.3	5.6	15	- 5.5	11	2 3.0	1 1.0	0 -	1 1.0	26 2.8	19 3.0	3 1.3	6 3.5	9 3.0	5 3.4	4 2.5	3 3.3	14
1949			6.2	7.8	7.0	6.6		4.2	21.8		-13.9		69 2.2	14 1.5	10 1.5	30 1.4	197 3.1	151 3.5	25 1.6	33 2.7	153 4.0	102 4.9	72 3.0	78 2.8	101

Trondheim (Voll)

φ = 63° 25′N λ = 10° 27′E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	984.2	1000.8	- 0.3	0.0	- 0.5	- 0.4	2.7	- 3.3	8.6	28	-19.4	22	2 3.0	1 1.0	0 -	0 -	1 2.0	5 2.8	11 3.4	29 3.9	17 3.9	15 3.4	4 4.5	2 2.0	6
II	92.0	09.6	0.1	1.6	0.8	0.6	3.5	- 1.5	8.0	14	- 8.9	10	0 -	2 1.5	0 -	5 1.5	0 -	6 2.8	6 2.7	15 2.8	20 3.2	13 4.3	3 3.0	1 5.0	13
III	1000.6	17.5	- 2.9	1.5	- 0.9	- 1.3	3.9	- 5.1	9.9	28	-15.1	5	0 -	2 2.5	0 -	4 3.2	2 1.0	6 2.7	13 4.1	16 2.4	22 2.4	10 3.7	1 1.0	0 -	17
IV	988.3	04.6	3.0	6.2	5.2	4.1	8.6	1.4	15.7	18	- 5.7	2	1 3.0	5 1.8	12 1.5	5 1.8	1 2.0	1 4.0	4 3.2	20 3.4	10 3.1	12 3.2	5 2.2	2 2.5	12
V	95.6	11.9	8.1	10.5	10.0	8.6	12.7	5.8	18.6	15	- 1.1	8	5 1.2	16 1.6	6 2.2	2 2.0	0 -	0 -	1 4.0	18 3.0	17 2.2	13 3.1	1 2.0	3 2.0	11
VI	1000.0	16.0	10.3	13.2	12.2	11.0	14.8	8.2	25.5	30	4.2	23	3 1.3	14 2.1	4 2.0	5 2.2	0 -	3 4.0	4 4.2	5 1.6	10 2.0	19 1.9	3 2.7	15 2.5	5
VII	01.2	17.2	11.5	15.0	13.7	12.6	16.8	9.2	22.7	9	6.1	18	2 1.5	7 1.7	5 1.2	7 1.6	0 -	0 -	0 -	6 1.5	8 1.2	12 2.0	7 1.4	13 2.0	20
VIII	997.0	13.0	10.2	13.9	12.7	11.8	15.5	9.1	20.9	26	3.5	20	0 -	12 1.8	6 2.2	3 2.0	0 -	1 4.0	2 4.0	21 2.3	10 1.5	6 1.7	6 2.3	4 2.5	32
IX	1003.1	19.1	10.5	14.5	12.9	12.2	15.9	9.6	22.8	2	1.0	22	1 1.0	7 1.7	6 1.2	5 1.2	0 -	1 4.0	9 3.3	19 2.5	8 1.8	4 2.8	1 1.0	1 1.0	33
X	993.3	09.6	4.8	7.2	5.8	5.7	8.0	3.6	17.3	17	- 5.1	30	0 -	1 1.0	3 2.3	4 1.8	1 1.0	3 2.3	6 2.0	26 2.8	11 2.5	14 2.8	4 3.8	0 -	20
XI	93.4	09.9	2.0	3.0	2.1	2.2	4.2	- 0.1	12.3	5	-13.0	29	0 -	0 -	0 -	7 1.6	1 1.0	23 3.4	17 3.2	14 1.9	7 1.3	1 1.0	0 -	0 -	10
XII	81.3	997.8	- 0.7	- 0.4	- 1.4	- 0.9	1.4	- 3.6	4.9	26	-11.7	12	0 -	0 -	1 1.0	6 1.0	0 -	3 2.0	12 2.1	21 2.6	27 2.0	4 3.0	0 -	0 -	19
1949	994.2	1010.5	4.7	7.2	6.0	5.5	9.0	2.8	25.5		-19.4		14 1.6	67 1.8	43 1.7	53 1.7	6 1.3	52 3.1	85 3.2	210 2.8	167 2.4	123 2.9	35 2.5	41 2.5	199

Årsoversikter

Annual Summaries)

1949

Kristiansund N.

$H_s = 13$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	73	74	73	73	7.4	7.2	6.9	242	51	11	14		0		29	26	8	20	9	5	25	21	13	2	1	12	0	3	20	2	8	0	25	13
II	74	68	72	72	7.1	7.0	6.7	133	31	3	6		0		22	19	4	13	5	2	19	13	9	2	0	9	0	3	12	1	14	1	20	6
III	72	67	68	70	6.0	6.0	5.8	192	58	25	19		0		18	17	4	9	2	0	13	16	8	0	1	10	0	1	8	2	21	2	17	23
IV	78	73	76	77	7.1	7.5	7.2	134	15	30	4		0		27	23	4	9	3	0	24	12	10	5	0	6	0	0	9	4	24	0	26	3
V	81	75	80	81	6.8	7.1	7.0	94	14	11	0		0		24	17	2	7	2	0	24	6	6	8	0	4	0	0	16	2	21	0	23	0
VI	83	76	79	82	6.8	6.1	6.1	108	24	17	0		0		19	16	3	2	0	0	19	0	0	5	0	0	0	0	7	2	25	1	20	0
VII	88	76	76	82	6.1	5.1	5.6	26	6	25	0		0		15	10	0	0	0	0	15	0	0	5	0	0	0	0	5	3	25	3	14	0
VIII	88	76	81	83	7.2	6.1	7.1	130	18	5	0		0		27	18	4	4	0	0	27	0	0	6	0	1	0	1	6	4	22	0	23	0
IX	84	76	90	91	5.8	5.5	5.9	112	36	28	0		0		20	11	4	4	1	0	20	0	0	4	0	0	0	1	11	1	23	3	14	0
X	84	77	78	80	6.8	6.6	6.7	139	16	1	0		0		29	24	5	8	2	1	29	7	7	3	0	6	0	0	15	0	23	0	20	1
XI	69	66	68	67	5.2	5.4	5.1	48	11	9	3		0		10	8	1	3	0	0	9	4	2	0	0	0	0	0	5	0	18	0	8	2
XII	77	77	77	77	5.9	6.5	6.5	136	15	21	7		0		27	22	3	9	1	0	27	20	19	0	0	7	0	3	12	0	8	0	17	5
1949	79	73	76	77	6.5	6.3	6.4	1494	58		53		0		267	211	42	88	25	6	251	99	74	40	2	55	0	12	126	21	232	10	227	53

Sula Fyr

$H_s = 27$ $H_b = 30.0$ $h_t = 2.0$ $h_a = 5.4$ $h_d = 12.2$ $h_r = 1.6$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	73	74	76	75	7.2	7.3	6.7	132	29	11	11		0		27	22	4	24	8	4	24	18	11	0	0	4	0	1	0	0	2	0	24	
II	71	74	74	73	7.4	7.2	6.7	114	32	17	4		0		21	15	3	21	6	1	14	9	2	2	0	3	0	0	0	0	1	0	23	
III	73	73	70	72	5.3	6.1	5.4	64	13	25	15		0		17	12	2	12	2	0	12	10	3	0	0	0	0	0	1	0	9	3	15	
IV	77	78	76	76	7.0	7.5	7.2	77	14	20	0		0		26	18	1	11	2	1	21	11	4	3	0	5	0	0	4	1	0	0	25	
V	84	79	81	83	7.3	6.8	7.2	109	20	21	0		0		23	16	3	14	2	0	23	2	2	5	0	0	0	0	7	0	11	0	22	
VI	78	78	79	79	6.9	6.6	6.7	61	10	16	0		0		16	12	1	4	0	0	16	0	0	4	0	0	0	0	0	3	9	0	20	
VII	76	71	74	75	6.4	5.9	6.0	24	10	25	0		0		13	6	1	1	0	0	13	0	0	0	0	0	0	0	1	1	21	0	15	
VIII	82	78	79	80	7.3	7.4	7.5	65	14	9	0		0		25	16	1	4	0	0	25	0	0	9	0	1	0	0	4	5	4	0	26	
IX	77	72	73	74	6.3	5.5	5.9	24	10	30	0		0		14	4	1	3	0	0	13	0	0	3	0	0	0	0	0	2	15	2	16	
X	72	70	69	70	7.5	7.1	7.2	148	21	3	0		0		28	23	5	12	5	2	28	4	4	0	0	0	0	0	0	0	3	0	25	
XI	69	69	69	69	5.3	6.1	4.6	58	22	3	2		0		11	9	2	8	1	0	11	2	2	0	0	0	0	0	0	0	9	3	11	
XII	70	71	70	70	6.0	7.3	6.5	115	15	13	1		0		25	19	4	8	1	0	23	6	1	0	0	1	0	0	0	0	0	0	19	
1949	75	74	74	75	6.7	6.7	6.5	991	32		33		0		246	172	28	122	27	8	223	62	29	26	0	14	0	1	17	12	84	8	241	

Vallersund

$H_s = 4$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 12.0$ $h_r = 1.6$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.6	6.9	6.0	129	23	12	17		0		27	22	2	21	7	3	19	19	9	1	0	5	0	1	0	0	0	0	17	6
II					6.1	6.4	6.4	107	27	4	7		0		21	15	4	19	8	1	16	9	3	3	0	7	0	0	0	0	6	0	19	5
III					5.1	4.9	4.9	95	16	25	20		1		17	12	4	15	2	0	9	12	0	0	0	5	0	1	0	0	12	2	12	24
IV					6.7	6.2	6.5	68	12	21	6		0		22	16	1	9	2	0	17	10	3	4	0	2	0	0	0	0	8	0	15	1
V					6.8	6.3	6.5	118	19	11	0		0		26	22	4	10	0	0	26	4	2	4	0	3	0	0	1	0	12	0	20	0
VI					5.8	5.6	5.8	54	10	20	0		0		16	13	0	3	0	0	16	0	0	6	0	0	0	0	0	1	15	1	14	0
VII					5.9	4.9	5.2	33	9	25	0		0		14	10	0	0	0	0	14	0	0	1	0	0	0	1	1	2	18	1	11	0
VIII					7.1	6.0	6.1	123	19	15	0		0		24	18	3	5	0	0	24	0	0	0	0	0	0	1	0	3	9	0	17	0
IX					5.5	5.7	5.9	36	8	30	0		0		16	8	0	3	2	1	16	0	0	3	0	0	0	0	0	2	12	0	12	0
X					6.5	6.0	5.6	129	22	5	1		0		27	22	4	11	4	1	27	4	4	3	0	3	0	0	0	1	8	0	14	0
XI					5.3	5.6	3.9	37	11	3	5		0		12	9	1	10	2	0	12	2	1	0	0	1	0	0	0	0	3	1	7	0
XII					5.4	5.4	5.3	71	7	11	15		0		27	18	0	3	0	0	23	7	4	0	0	4	0	0	0	0	0	0	6	4
1949					6.1	5.8	5.7	1000	27		71		1		249	185	23	109	27	6	219	67	26	25	0	30	0	4	2	9	103	5	164	40

Ørland II

$H_s = 4$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 10.0$ $h_r = 1.6$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	80	84	82	6.7	6.7	6.2	134	22	11	19		1		26	22	3	21	13	3	21	19	13	1	4	12	1	0	2	0	9	0	17	9
II	83	78	83	82	6.5	6.9	6.4	134	37	4	8		0		21	17	4	16	2	2	18	10	6	0	3	6	0	2	2	0	13	0	18	5
III	79	72	74	76	5.4	5.2	5.2	120	27	24	20		2		19	12	4	10	2	0	12	17	9	0	3	6	0	0	3	0	27	2	12	22
IV	82	75	76	79	6.6	6.8	7.0	72	8	15	6		0		23	18	0	9	1	0	22	10	9	2	3	3	0	0	6	0	22	0	22	3
V	84	77	81	84	6.7	6.6	7.0	112	23	11	0		0		25	19	3	6	0	0	25	4	4	11	0	0	0	1	6	0	23	1	21	0
VI	81	77	82	83	5.5	5.7	5.7	74	15	15	0		0		17	13	2	1	0	0	17	0	0	9	0	0	0	0	3	1	29	1	16	0
VII	84	72	78	81	5.6	4.9	5.0	42	9	25	0		0		15	9	0	0	0	0	15	0	0	1	0	0	0	1	0	3	28	4	13	0
VIII	90	79	84	86	6.9	6.4	6.5	127	17	18	0		0		27	20	5	0	0	0	27	0	0	6	0	1	0	1	3	3	24	0	18	0
IX	89	74	85	84	5.5	5.7	5.7	54	16	28	0		0		16	9	2	2	1	0	16	0	0	9	0	0	0	0	4	2	25	3	15	0
X	85	79	82	83	6.1	6.3	6.0	134	19	5	1		0		28	20	4	11	2	0	28	3	3	2	0	3	0	0	3	0	21	0	14	2
XI	79	76	77	78	5.1	4.9	3.8	33	13	15	6		0		10	6	1	11	0	0	10	2	0	0	0	0	0	0	0	0	17	4	9	3
XII	86	83	83	84	5.0	6.0	5.7	93	8	9	15		0		27	23	0	6	0	0	25	12	9	2	1	3	0	0	2	0	15	0	7	7
1949	84	77	81	82	6.0	6.0	5.8	1129	37		74		3		254	188	28	93	21	5	256	77	53	43	14	34	1	5	34	9	252	15	181	51

Trondheim (Voll)

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	72	72	74	73	6.8	6.0	5.8	86	9	25	25	7	3	0	27	18	0	14	2	1	12	22	3	2	0	7	0	0	0	1	5	0	15	22
II	77	70	74	74	6.1	5.6	5.8	124	39	4	17	4	0	0	19	16	2	9	1	0	14	10	2	1	1	5	0	1	0	1	8	2	12	17
III	74	59	64	68	4.7	4.5	5.2	129	23	1	26	4	6	0	16	15	6	6	1	0	8	12	4	0	0	2	0	2	0	0	18	5	12	31
IV	77	62	66	72	6.3	6.6	7.1	57	9	11	10	0	0	0	19	17	0	7	0	0	14	10	3	2	0	3	0	0	2	3	13	0	16	12
V	78	68	69	75	6.6	6.7	6.6	124	20	11	1	0	0	0	25	19	5	5	1	0	23	5	3	6	0	1	0	0	6	3	14	1	21	2
VI	75	65	67	73	5.9	5.7	5.8	69	16	29	0	0	0	0	13	14	1	2	0	0	13	0	0	2	0	0	0	2	2	0	16	1	13	0
VII	80	62	63	72	5.3	4.9	5.2	66	19	2	0	0	0	0	17	10	3	0	0	0	17	0	0	3	0	0	0	0	3	1	19	4	12	0
VIII	87	72	74	80	6.7	5.5	6.0	84	11	12	0	0	0	0	22	19	1	1	0	0	22	0	0	4	0	1	0	0	5	3	15	0	15	0
IX	84	69	73	77	5.5	5.2	5.9	44	10	28	0	0	0	0	12	7	1	4	1	0	12	0	0	4	0	0	0	0	5	4	14	3	14	0
X	79	74	75	76	5.9	6.4	5.3	140	21	29	7	0	0	0	21	18	4	5	0	0	20	4	1	3	0	3	0	0	3	1	7	0	14	4
XI	71	69	70	70	5.4	5.4	3.5	18	7	27	15	4	2	0	9	6	0	9	1	0	5	4	0	1	0	0	0	0	5	0	12	6	11	7
XII	82	79	80	81	5.5	6.2	5.7	66	15	9	28	6	2	0	23	15	1	4	0	0	11	18	4	1	0	0	0	0	0	0	8	1	12	27
1949	78	68	71	74	5.9	5.7	5.7	1007	39		129	25	13	0	228	174	24	66	7	1	176	85	20	29	1	22	0	5	31	17	150	23	167	122

1949

Selbu

φ = 63° 12′N λ = 11° 7′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.1	- 0.8	- 1.2	- 1.1		- 4.2	7.9	27	-23.0	22	3 1.3	3 1.3	2 1.5	15 2.7	1 4.0	35 3.2	2 2.5	0 -	1 4.0	7 4.3	3 3.7	13 3.2	3
II			- 0.3	1.6	0.2	0.2		- 3.2	8.4	20	-13.6	10	4 2.0	3 1.0	3 2.3	22 2.2	5 2.6	18 2.2	1 3.0	0 -	1 3.0	1 3.0	9 3.6	15 3.5	2
III			- 3.3	0.4	- 2.0	- 2.2		- 6.4	7.6	28	-19.5	2	1 1.0	1 1.0	0 -	23 2.0	7 2.0	23 3.6	4 2.2	0 -	1 4.0	2 3.0	4 2.8	21 2.4	6
IV			3.4	6.7	4.7	3.9		0.5	13.3	28	- 7.6	2	1 2.0	1 2.0	1 2.0	11 2.0	1 2.0	33 3.0	8 3.5	1 1.0	1 3.0	3 1.7	7 3.0	20 3.5	2
V			8.5	11.6	10.4	9.0		5.2	19.0	20	- 1.6	1	0 -	0 -	0 -	5 2.2	7 2.3	36 2.4	7 4.4	1 1.0	1 1.0	8 3.4	3 3.7	24 2.6	1
VI			10.5	13.7	12.4	10.9		6.8	25.0	28	0.6	23	2 1.5	0 -	0 -	5 2.2	2 2.0	16 3.1	3 2.3	1 2.0	1 4.0	14 2.4	8 3.1	36 2.9	2
VII			10.8	15.4	14.0	12.3		7.6	22.9	9	2.2	21	4 2.0	0 -	0 -	3 1.7	3 2.3	12 1.3	3 1.3	0 -	0 -	7 2.4	10 3.1	44 2.6	7
VIII			10.0	15.3	13.5	12.1		8.1	25.5	26	1.2	20	4 1.8	2 1.0	0 -	11 2.0	9 2.1	22 2.1	5 1.8	0 -	1 2.0	3 3.0	6 2.5	21 2.8	9
IX			10.5	16.5	13.5	12.8		8.8	23.5	1	0.3	22	3 1.0	1 1.0	1 2.0	18 2.4	5 3.0	25 3.3	2 2.0	3 3.0	1 1.0	5 2.2	2 2.0	9 2.1	15
X			4.4	7.7	5.4	5.5		2.4	18.1	16	- 8.0	30	2 1.0	0 -	0 -	21 2.1	2 1.5	21 3.0	9 4.3	2 2.0	0 -	0 -	11 4.3	14 2.7	11
XI			1.6	3.2	1.9	2.0		- 0.7	11.3	5	-14.2	29	0 -	0 -	1 2.0	12 1.6	16 2.8	49 3.1	3 3.7	0 -	0 -	1 1.0	1 1.0	0 -	7
XII			- 1.0	- 0.2	- 1.3	- 0.9		- 4.2	5.5	1	- 9.9	12	2 2.0	3 1.7	5 1.4	25 1.8	15 2.3	22 2.4	5 1.8	0 -	0 -	0 -	1 4.0	5 2.0	10
1949			4.5	7.6	5.9	5.4		1.7	25.5		-23.0		26 1.6	14 1.3	13 1.8	171 2.1	73 2.4	312 2.8	52 3.1	6 2.1	8 2.3	51 2.9	65 3.3	227 2.9	75

Berkåk

φ = 62° 50′N λ = 10° 1′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.2	- 2.1	- 3.0	- 3.0		- 8.3	9.0	27	-26.1	22	2 2.5	6 3.0	2 3.0	2 3.0	1 4.0	14 3.4	10 3.7	17 3.6	3 3.3	5 3.8	5 4.0	3 3.3	23
II			- 4.0	0.5	- 1.8	- 2.2		- 6.8	7.4	3	-17.1	10	0 -	4 3.0	2 3.0	1 3.0	2 3.0	11 2.5	6 3.2	9 3.4	5 3.8	17 3.5	3 3.7	1 4.0	25
III			- 5.5	- 0.3	- 3.2	- 3.8		- 9.0	8.5	23	-21.5	4	2 3.0	2 3.0	3 3.0	4 3.0	3 3.0	20 3.6	9 4.1	7 3.3	7 3.0	9 3.2	3 3.0	4 3.2	20
IV			2.1	6.2	3.7	2.8		- 1.6	14.3	18	-10.9	2	2 3.0	7 3.0	0 -	2 3.0	1 3.0	9 3.1	17 3.4	21 3.4	8 3.4	6 3.5	4 3.2	4 3.0	9
V			7.5	11.1	9.2	7.8		3.2	19.2	19	- 5.7	1	5 3.0	3 3.0	3 3.0	0 -	0 -	7 3.3	6 3.5	20 3.5	8 3.5	17 3.1	3 3.3	3 3.3	19
VI			9.5	13.1	11.5	9.9		5.4	24.2	28	- 1.4	23	1 3.0	19 3.1	1 3.0	0 -	1 3.0	5 3.0	5 3.6	8 3.1	6 3.0	16 3.0	8 3.0	5 3.0	15
VII			9.7	14.7	13.0	11.3		6.5	23.0	9	- 0.1	18	13 3.0	15 3.1	1 4.0	0 -	3 3.0	1 3.0	2 3.0	2 3.0	6 3.2	13 3.3	9 3.2	8 3.0	20
VIII			8.6	14.7	11.9	10.8		6.4	24.5	26	0.5	19	5 3.2	9 3.0	2 3.5	1 3.0	5 3.2	7 3.4	2 3.5	6 3.3	8 3.0	13 3.2	9 3.3	1 3.0	25
IX			8.8	14.9	11.7	11.1		6.8	21.4	1	- 2.5	12	4 3.0	11 3.0	6 3.0	2 3.5	3 3.0	6 3.5	11 3.6	12 3.6	5 3.2	7 3.0	2 3.5	0 -	21
X			3.0	6.0	3.5	3.8		0.1	17.0	13	- 9.7	30	0 -	10 3.0	0 -	2 3.0	3 3.3	6 3.0	11 3.8	14 3.3	3 4.0	9 3.2	4 4.2	2 3.0	29
XI			1.0	1.2	- 0.7	0.3		- 3.9	9.3	5	-22.9	29	1 3.0	4 3.0	2 3.0	1 3.0	3 3.0	22 3.4	18 3.4	18 3.3	1 3.0	1 3.0	0 -	0 -	19
XII			- 4.4	- 4.2	- 4.0	- 4.3		- 9.7	2.4	17	-20.8	12	0 -	9 3.0	0 -	0 -	1 3.0	15 3.3	14 3.3	20 3.1	3 4.0	0 -	0 -	0 -	31
1949			2.8	6.3	4.3	3.7		- 0.9	24.5		-26.1		35 3.0	99 3.0	22 3.1	15 3.1	26 3.1	123 3.3	111 3.5	154 3.4	61 3.4	113 3.3	50 3.4	31 3.1	255

Meråker II

φ = 63° 25′N λ = 11° 46′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.7	- 1.0	- 1.3	- 1.5		- 5.4	7.9	27	-26.0	22	3 1.0	2 1.0	2 1.5	11 2.1	17 2.4	12 2.7	10 2.9	3 3.0	10 4.4	5 3.2	8 2.5	5 2.2	5
II			- 0.7	1.1	- 0.1	- 0.2		- 3.1	7.3	20	-12.7	10	4 1.0	1 1.0	4 1.2	1 1.0	15 2.0	5 2.8	0 -	1 2.0	8 3.8	14 3.1	9 1.9	1 1.0	21
III			- 4.0	0.0	- 2.7	- 2.8		- 7.0	8.1	23	-22.4	2	0 -	3 1.7	4 1.0	15 1.3	6 1.3	10 3.0	10 2.3	1 2.0	6 3.8	16 1.5	5 1.0	3 1.7	14
IV			2.4	5.6	3.7	3.1		- 0.1	13.1	18	- 8.1	2	2 1.0	0 -	5 1.4	12 1.8	19 1.9	6 2.5	2 2.0	4 2.0	5 1.8	16 2.8	8 1.8	2 2.0	9
V			8.5	11.1	9.9	8.7		5.0	19.0	20	- 2.8	1	2 1.5	1 1.0	5 1.4	4 2.5	6 2.2	4 2.8	5 2.0	1 4.0	13 2.4	17 2.2	7 2.1	4 1.2	24
VI			9.9	13.3	12.8	10.8		6.9	24.7	28	0.8	23	8 1.8	1 2.0	1 3.0	6 2.3	6 2.7	5 2.4	1 3.0	0 -	3 1.7	13 1.9	22 2.3	12 2.2	12
VII			9.5	14.9	14.0	11.7		7.2	25.5	4	0.9	27	2 1.5	0 -	1 1.0	1 3.0	2 1.5	1 2.0	2 2.0	1 2.0	3 2.0	12 1.6	30 2.2	7 1.9	31
VIII			9.0	14.0	13.1	11.3		7.8	23.9	26	0.3	20	1 2.0	0 -	4 1.8	7 1.4	7 2.1	2 2.0	4 1.8	2 2.5	7 1.7	11 1.9	16 1.9	6 2.7	26
IX			9.6	15.5	13.0	12.0		7.6	22.4	2	- 0.9	22	1 1.0	1 1.0	3 1.7	6 2.3	11 2.1	8 2.6	4 3.0	0 -	3 1.3	5 1.6	5 2.2	2 1.0	41
X			3.8	6.9	5.1	5.0		2.1	17.2	16	-10.3	30	0 -	0 -	0 -	9 1.8	15 2.1	16 1.8	4 2.5	6 2.2	3 3.3	14 3.0	6 2.2	0 -	20
XI			0.7	2.3	1.4	1.4		- 1.4	10.3	5	-15.9	29	3 1.3	0 -	1 3.0	5 1.4	31 2.0	16 2.9	2 2.5	0 -	0 -	4 2.0	1 1.0	0 -	27
XII			- 1.7	- 1.2	- 1.9	- 1.7		- 5.5	4.3	1	-15.0	12	3 1.0	2 1.0	8 1.7	9 2.3	19 2.0	8 3.1	3 2.5	1 2.0	3 2.7	3 1.3	3 1.0	0 -	31
1949			3.8	6.9	5.6	4.8		1.2	25.5		-26.0		29 1.3	11 1.3	38 1.6	86 1.9	154 2.1	93 2.6	47 2.4	20 2.4	64 2.8	130 2.3	120 2.0	42 2.0	261

Værnes

φ = 63° 28′N λ = 10° 56′E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	998.7	1000.7	0.3	0.7	- 0.1	0.1	3.8	- 3.5	11.7	28	-18.7	22	0 -	2 1.5	0 -	10 1.5	11 2.5	12 3.1	13 3.5	5 3.6	17 4.4	5 4.6	8 4.5	2 4.0	8
II	1006.4	08.3	0.8	2.4	1.2	1.3	4.4	- 1.6	10.0	14	- 8.9	28	1 3.0	0 -	1 1.0	4 2.0	15 1.5	10 2.3	2 2.0	6 3.0	13 4.1	10 4.8	4 5.5	0 -	19
III	15.4	17.4	- 2.3	1.0	0.1	- 0.9	3.1	- 4.4	10.5	23	-16.1	2	1 3.0	2 3.0	0 -	6 2.0	16 2.2	17 3.0	5 5.0	4 3.0	6 3.8	14 3.1	6 4.3	1 3.0	15
IV	02.6	04.5	3.4	7.0	6.4	4.7	9.2	1.5	15.7	18	- 5.2	2	0 -	1 3.0	6 2.5	7 2.6	9 2.1	8 4.0	12 3.8	4 2.8	5 4.0	19 3.6	5 4.4	3 2.7	11
V	09.6	11.5	8.6	11.1	11.1	9.3	13.8	5.9	21.0	15	- 0.4	1	0 -	3 3.0	4 2.0	5 1.8	3 2.0	7 3.0	8 2.9	5 2.6	13 3.4	29 3.6	2 3.0	0 -	14
VI	13.6	15.6	11.0	13.5	13.3	11.7	15.8	8.5	27.0	30	2.9	23	0 -	1 3.0	2 2.5	6 1.5	3 1.3	4 3.0	0 -	2 1.0	10 2.7	38 3.4	13 3.5	1 4.0	1
VII	14.8	16.7	11.0	14.7	15.1	12.7	17.9	9.0	26.5	1	4.4	13	0 -	1 1.0	3 1.0	1 1.0	3 1.3	4 1.2	1 1.0	0 -	14 2.9	37 2.7	8 3.2	1 4.0	20
VIII	10.5	12.5	10.1	14.4	13.9	12.2	16.4	9.1	23.7	30	2.6	20	0 -	0 -	2 2.0	8 1.5	7 1.3	3 3.0	2 1.5	1 2.0	14 2.6	19 3.3	4 3.0	0 -	33
IX	17.0	18.9	10.8	15.2	13.9	12.9	17.5	9.8	24.2	2	0.7	22	0 -	1 1.0	1 1.0	8 1.6	8 1.6	12 2.6	6 3.3	1 2.0	3 2.0	19 2.5	4 3.8	0 -	27
X	07.2	09.2	5.2	7.9	6.6	6.3	9.6	3.4	18.7	16	- 7.1	27	0 -	1 2.0	0 -	3 1.3	15 1.3	19 2.1	16 3.1	2 3.5	4 3.8	12 4.4	6 4.5	3 2.7	12
XI	08.0	10.0	2.3	3.4	2.7	2.6	5.3	0.3	12.8	5	-13.2	29	1 1.0	0 -	2 3.5	12 2.2	34 2.1	21 2.9	9 3.7	1 2.0	0 -	0 -	0 -	1 2.0	9
XII	995.5	997.4	- 0.1	0.2	- 0.4	- 0.2	2.8	- 3.1	6.6	17	- 7.4	12	0 -	1 3.0	2 1.5	7 2.3	36 1.9	18 2.5	5 3.8	6 3.3	6 3.5	2 5.0	1 4.0	1 3.0	8
1949	1008.3	1010.2	5.1	7.6	7.0	6.1	10.0	2.9	27.0		-18.7		3 2.3	13 2.4	23 2.0	77 1.9	160 1.9	135 2.7	79 3.4	37 2.9	105 3.4	204 3.4	61 4.0	13 3.1	195

Sulstua

φ = 63° 40′N λ = 12° 1′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.2	- 1.8	- 2.9	- 2.8		- 7.7	7.6	27	-32.2	22	0 -	0 -	5 3.0	7 2.8	4 2.5	6 2.3	8 1.5	4 2.2	12 2.1	22 2.4	3 3.7	3 3.0	10
II			- 1.3	0.9	- 1.2	- 0.9		- 5.4	6.6	20	-15.8	10	0 -	0 -	3 2.0	3 2.7	7 1.7	5 1.8	3 2.7	2 1.5	8 2.2	14 3.1	11 2.5	4 3.8	14
III			- 4.6	- 0.4	- 3.7	- 3.6		- 8.9	7.3	30	-26.0	2	0 -	1 1.0	6 2.3	12 2.6	7 1.7	8 2.8	5 1.6	1 2.0	14 2.3	14 2.4	4 2.0	1 4.0	20
IV			1.5	4.6	3.4	2.2		- 1.5	11.7	18	-12.8	9	0 -	0 -	1 1.0	6 2.8	4 2.0	11 1.9	11 1.8	9 2.2	7 2.6	12 2.3	11 2.2	3 2.7	15
V			7.8	10.2	9.4	7.9		4.0	18.0	15	- 4.0	1	0 -	0 -	6 1.3	9 1.7	6 2.2	12 2.0	7 2.3	1 1.0	9 1.9	22 1.8	4 2.5	1 1.0	10
VI			10.1	12.9	12.0	10.5		6.4	23.2	28	- 0.9	23	0 -	2 1.0	3 1.0	8 2.1	1 3.0	10 2.4	2 3.0	1 2.0	8 1.8	22 1.9	14 1.9	6 2.0	13
VII			11.9	14.9	13.7	11.5		5.3	24.9	4	- 2.0	27	3 2.0	0 -	7 2.1	6 1.5	1 2.0	1 3.0	2 3.0	1 3.0	5 1.4	27 1.7	7 2.1	8 1.8	26
VIII			10.4	14.4	12.6	11.0		6.1	24.4	26	- 2.2	20	0 -	0 -	2 1.0	3 2.3	5 2.6	8 1.8	4 1.5	2 1.5	8 1.8	23 2.3	6 2.0	4 2.2	28
IX			10.4	15.5	11.9	11.4		5.8	23.1	6	- 6.2	23	0 -	0 -	11 1.5	15 1.6	4 2.0	8 1.6	1 2.0	0 -	3 1.0	7 1.8	0 -	4 1.8	37
X			2.9	6.5	3.6	3.8		- 0.6	16.5	17	-14.2	30	0 -	0 -	2 2.0	10 1.7	5 2.0	4 1.8	4 2.5	2 2.0	5 1.8	25 1.8	6 2.3	2 1.5	28
XI			0.5	2.3	0.3	0.8		- 2.5	9.7	5	-15.4	29	0 -	1 1.0	6 1.8	16 2.6	7 2.6	21 2.8	4 1.8	5 1.4	1 1.0	3 1.0	2 1.0	2 1.0	32
XII			- 3.3	- 3.0	- 4.0	- 3.5		- 9.3	4.3	17	-20.1	6	0 -	0 -	2 1.0	14 2.2	6 2.2	15 1.9	4 2.5	2 1.0	3 1.9	14 2.0	2 2.5	0 -	31
1949			3.6	6.4	4.6	4.0		- 0.7	24.9		-32.2		3 2.0	4 1.0	54 1.8	109 2.2	57 2.1	109 2.2	55 2.0	30 1.9	83 2.0	205 2.1	70 2.2	38 2.2	279

1949

Selbu

H_s = 197 H_b = h_t = 2.0 h_a = h_d = 6.0 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	77	77	78	78	7.0	6.9	6.3	86	20	25	24		3		24	16	2	11	2	0	11	19	5	0	0	1	0	0	0	0	2	0	20	31
II	83	76	81	81	6.0	6.1	5.9	70	20	4	23		1		18	12	2	4	0	0	9	14	4	0	0	0	0	0	0	0	5	1	14	28
III	79	69	74	76	5.2	4.9	4.9	93	16	25	28		6		17	14	4	6	1	0	6	16	5	0	1	0	0	0	0	0	13	6	12	31
IV	77	62	71	74	6.2	6.4	7.2	49	5	27	13		0		24	15	0	4	0	0	18	13	5	0	0	1	0	0	0	0	12	0	17	17
V	79	68	72	77	6.7	7.1	6.8	98	22	11	2		0		20	16	3	2	0	0	19	5	3	3	0	1	0	1	0	0	10	0	22	1
VI	81	69	72	78	6.2	6.1	5.9	79	8	10	0		0		21	15	0	1	1	0	21	0	0	4	0	1	0	2	0	0	12	0	18	0
VII	85	68	70	77	5.9	5.8	5.6	85	24	2	0		0		21	13	4	0	0	0	21	0	0	5	0	0	0	1	0	1	13	3	17	0
VIII	90	70	75	82	6.7	6.0	6.0	76	9	14	0		0		22	16	0	1	0	0	22	0	0	2	0	1	0	0	0	0	17	0	17	0
IX	86	68	77	79	5.8	5.1	6.0	36	7	28	0		0		11	7	0	4	0	0	11	0	0	3	0	0	0	0	0	0	14	4	12	0
X	83	75	80	80	6.0	5.9	5.4	97	15	29	11		0		21	18	2	9	0	0	18	5	1	1	0	0	0	0	0	0	4	2	16	4
XI	78	74	76	76	5.4	5.6	4.0	12	2	28	15		2		9	6	0	6	0	0	6	4	1	0	0	0	0	0	1	0	9	3	9	8
XII	81	79	82	80	5.4	5.9	5.5	31	7	10	29		0		17	12	0	3	0	0	8	16	6	0	0	0	0	0	0	0	3	0	10	31
1949	82	71	76	78	6.0	6.0	5.8	812	24		145		12		225	160	17	51	4	0	170	92	30	18	1	5	0	4	1	1	114	19	184	151

Berkåk

H_s = 425 H_b = h_t = 1.8 h_a = h_d = 10.2 h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	80	79	80	6.6	6.3	5.4	77	14	31	30		10		15	12	4	4	0	0	4	14	3	0	0	0	0	0	0	0	6	0	15	31
II	86	70	78	80	6.3	5.9	5.1	70	14	25	27		9		15	11	3	0	0	0	5	13	3	0	0	0	0	0	0	0	14	2	13	28
III	82	67	71	75	5.1	5.0	5.3	53	10	3	29		12		15	12	1	2	0	0	4	14	3	0	0	0	0	0	0	0	18	4	12	31
IV	76	59	72	74	5.9	6.4	6.9	22	6	26	17		1		15	7	0	3	0	0	8	10	3	1	0	0	0	0	0	0	17	0	18	24
V	75	61	69	74	6.4	6.7	6.9	76	16	29	5		0		19	15	2	1	0	0	16	5	2	1	0	0	0	2	0	2	15	0	21	0
VI	78	62	70	77	5.7	6.0	6.2	94	22	10	1		0		19	17	3	0	0	0	19	0	0	1	0	1	0	1	1	1	17	0	16	0
VII	85	65	72	78	6.0	5.7	5.8	72	21	29	1		0		16	10	2	0	0	0	16	0	0	2	0	0	0	1	5	1	18	2	17	0
VIII	91	63	76	82	6.5	5.7	6.3	62	12	5	0		0		19	12	2	0	0	0	19	0	0	3	0	0	0	0	4	1	21	1	17	0
IX	90	67	81	82	5.8	5.5	5.8	22	5	9	1		0		10	7	0	1	0	0	10	0	0	2	0	0	0	0	4	1	13	4	17	0
X	83	74	83	81	6.1	6.3	5.6	82	12	6	13		0		20	17	1	2	0	0	14	7	0	0	0	0	0	0	1	0	10	2	17	7
XI	81	75	80	79	5.9	5.3	4.3	6	3	9	20		4		4	2	0	0	0	0	0	4	0	0	0	0	0	0	0	0	12	3	11	16
XII	82	80	81	81	5.4	5.6	5.5	24	13	10	31		18		16	5	1	5	0	0	0	16	1	0	0	0	0	0	1	0	8	0	10	29
1949	82	69	76	79	6.0	5.9	5.8	660	22		175		54		183	127	19	18	0	0	115	83	15	10	0	1	0	4	16	6	159	18	184	166

Meråker II

H_s = 218 H_b = h_t = 2.0 h_a = h_d = 14.2 h_r = 2.0

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	78	79	79	6.8	6.3	5.7	94	15	25	26		4		25	15	1	13	4	0	10	21	3	4	0	0	0	0	0	0	2	0	19	31
II	84	74	81	81	6.4	6.0	6.0	113	39	4	21		2		22	18	2	6	0	0	10	19	3	1	0	3	0	0	1	0	7	1	15	28
III	80	66	74	76	5.6	4.6	4.8	88	22	25	25		9		14	12	3	4	1	0	6	14	4	4	0	2	0	1	2	0	17	2	11	31
IV	81	63	72	77	6.3	6.3	6.5	73	10	30	14		0		22	17	0	5	0	0	15	14	6	3	0	1	0	0	1	0	16	0	16	16
V	77	66	72	76	6.5	6.4	6.6	96	25	11	2		0		20	16	2	2	0	0	20	4	4	9	0	1	0	1	0	0	17	0	20	0
VI	80	65	70	77	5.6	5.9	5.7	73	11	14	0		0		18	14	1	2	0	0	18	0	0	10	0	1	0	1	1	3	20	3	14	0
VII	90	65	70	80	5.3	5.6	5.5	112	22	29	0		0		19	14	4	0	0	0	19	0	0	11	0	1	0	1	1	2	18	5	16	0
VIII	93	71	78	84	6.8	6.3	5.8	72	8	8	0		0		20	20	0	0	0	0	20	0	0	7	0	1	0	0	1	6	16	0	19	0
IX	88	66	75	79	5.8	5.0	5.1	39	12	28	1		0		11	7	1	2	1	1	11	0	0	6	0	1	0	0	1	4	17	2	11	0
X	85	73	81	81	6.0	6.2	5.6	120	20	3	11		1		21	18	4	3	1	1	18	5	2	0	0	0	0	0	0	0	9	2	16	4
XI	81	77	76	78	5.2	6.0	4.0	12	3	1	16		2		9	5	0	5	0	0	6	4	0	5	0	0	0	0	1	1	11	1	10	6
XII	86	83	83	84	6.0	6.2	5.4	34	10	10	29		6		19	9	0	5	0	0	7	19	8	1	0	1	0	0	3	0	2	1	13	31
1949	84	71	76	79	6.0	5.9	5.5	926	39		145		24		220	165	18	47	7	2	160	100	30	61	0	12	0	4	12	16	152	17	180	147

Værnes

H_s = 12 H_b = 15.8 h_t = 2.0 h_a = 16 h_d = 16 h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	76	76	78	77	6.6	6.6	5.9	70	9	9	22	5	3	0	24	18	0	23	13	9	12	19	5	1	0	3	0	0	12	0	6	0	19	17
II	84	74	81	81	6.6	6.3	6.1	82	26	4	16	3	0	0	20	15	2	18	10	5	12	14	6	2	0	3	0	0	7	0	9	2	15	7
III	77	68	68	72	5.6	4.8	4.9	111	24	25	25	7	5	0	15	15	3	20	6	3	9	13	7	0	0	2	0	0	6	0	22	2	12	27
IV	82	66	68	75	6.5	6.5	6.6	50	6	12	11	0	0	0	20	15	0	21	7	2	18	10	7	2	0	4	0	0	6	0	25	0	18	3
V	81	72	70	77	6.5	6.5	6.7	96	15	29	2	0	0	0	19	14	3	15	1	0	19	4	4	6	0	3	0	0	6	1	20	1	18	0
VI	78	68	71	76	5.9	5.6	5.6	60	12	14	0	0	0	0	17	15	1	9	0	0	17	0	0	5	0	0	0	1	2	1	25	1	14	0
VII	84	70	67	75	5.6	5.5	5.2	77	23	2	0	0	0	0	16	11	2	6	1	0	16	0	0	5	0	0	0	0	0	1	27	4	14	0
VIII	90	72	75	82	6.8	5.7	6.0	94	18	18	0	0	0	0	20	15	3	3	0	0	20	0	0	8	0	0	0	0	6	2	23	0	17	0
IX	86	72	75	79	5.7	5.4	5.7	37	15	28	0	0	0	0	10	6	1	7	0	0	10	0	0	4	0	0	0	0	5	0	20	3	14	0
X	84	73	79	79	5.8	6.1	5.8	91	16	3	7	0	0	0	20	18	3	15	5	2	20	5	5	3	0	2	0	0	3	0	19	0	16	3
XI	76	74	75	75	5.2	5.5	3.9	24	10	1	13	4	2	0	8	7	0	12	1	0	7	3	1	2	0	0	0	0	2	1	15	1	11	4
XII	81	79	79	80	5.9	5.6	5.4	40	6	10	28	5	0	0	18	11	0	8	0	0	11	13	5	1	0	1	0	0	1	0	9	0	11	21
1949	82	72	74	77	6.1	5.8	5.6	832	26		124	24	10	0	207	160	18	157	44	21	171	81	40	39	0	18	0	1	56	6	220	14	179	82

Sulstua

H_s = 233 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.0	6.2	6.4	98	10	14	29		8		29	20	0	3	0	0	16	24	12	0	0	0	0	0	1	0	4	0	20	31
II					6.6	5.9	6.2	124	40	4	23		4		24	18	2	1	0	0	12	19	6	0	0	1	0	0	0	1	15	1	14	28
III					5.2	4.9	5.1	106	28	24	29		13		19	14	4	1	0	0	6	18	6	0	0	2	0	1	0	0	29	4	14	31
IV					6.5	6.0	6.7	90	17	28	17		2		26	17	2	0	0	0	19	20	10	2	0	2	0	0	0	1	25	0	16	25
V					7.2	6.4	6.4	102	16	27	4		0		25	17	3	0	0	0	25	9	8	3	0	1	0	0	0	0	28	0	19	2
VI					6.0	6.4	5.8	65	8	14	1		0		18	15	0	0	0	0	18	0	0	2	0	0	0	2	0	1	27	2	17	0
VII					5.5	5.6	5.4	127	43	30	5		0		23	17	3	0	0	0	23	0	0	1	0	0	0	1	0	1	24	5	16	0
VIII					6.6	6.3	6.1	45	6	14	2		0		22	14	0	0	0	0	22	0	0	2	0	0	0	1	0	3	27	1	18	0
IX					5.7	4.6	5.1	47	17	30	5		0		14	7	2	0	0	0	13	0	0	0	0	0	0	1	0	6	25	4	13	0
X					5.8	5.9	6.2	119	26	3	15		2		22	16	3	2	0	0	18	6	3	0	0	0	0	0	2	0	20	1	18	4
XI					6.1	5.6	4.9	16	4	1	20		2		12	6	0	0	0	0	8	5	0	0	0	1	0	0	0	1	17	2	12	7
XII					6.2	5.8	5.4	38	10	23	31		13		23	9	1	0	0	0	6	20	5	0	0	0	0	0	0	1	0	0	12	31
1949					6.2	5.8	5.8	977	43		181		44		257	170	20	7	0	0	186	121	50	10	0	7	0	6	3	15	241	20	189	159

1949

Ytterøy

φ = 63° 48′N λ = 11° 13′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.4	0.0	- 0.2	- 0.3		- 2.7	6.9	27	-14.5	22	6 2.7	2 1.0	3 2.0	13 2.1	0 -	9 2.3	13 2.4	18 3.1	16 3.4	4 2.2	3 2.0	5 2.6	1
II			0.4	1.3	0.9	0.7		- 1.4	5.4	16	- 7.2	28	3 2.7	6 1.5	8 1.0	2 1.0	1 1.0	0 -	5 2.6	12 2.0	18 2.9	18 3.4	5 2.8	3 1.3	3
III			- 1.9	0.8	- 0.2	- 0.8		- 3.6	7.5	23	-11.2	18	2 1.5	9 2.4	1 2.0	15 2.2	4 1.8	3 2.0	6 2.3	13 2.6	18 2.7	18 2.8	3 2.0	0 -	1
IV			2.7	5.6	5.0	3.7		1.1	14.2	18	- 3.0	9	2 1.5	9 1.4	8 2.2	11 2.0	3 1.7	3 1.7	12 2.4	10 2.3	9 3.0	8 2.1	11 3.2	4 2.2	0
V			7.9	10.9	10.5	8.9		6.1	18.9	15	0.0	8	4 2.2	22 2.0	3 1.3	10 2.6	2 2.0	3 2.0	6 2.8	4 2.5	20 3.8	10 3.1	6 2.8	3 1.3	0
VI			10.3	13.9	13.3	11.6		8.7	24.8	30	5.0	11	9 2.3	14 2.6	7 1.6	11 2.5	0 -	1 2.0	5 3.8	7 2.7	14 2.8	12 2.4	4 2.8	6 3.7	0
VII			11.3	15.1	14.8	12.9		9.6	23.5	9	6.2	27	10 2.2	16 1.8	3 1.7	6 2.0	2 1.5	2 1.0	3 1.0	5 1.5	8 2.4	15 2.5	20 2.0	3 2.0	0
VIII			10.6	13.6	13.6	12.1		9.6	20.1	30	4.5	18	2 1.0	8 1.2	3 2.0	11 1.9	1 2.0	8 1.6	0 -	6 1.8	20 2.6	18 2.3	5 2.2	0 -	11
IX			10.5	14.3	13.5	12.5		9.7	21.3	6	2.0	30	5 1.6	25 1.4	4 2.0	6 2.0	2 1.5	4 1.2	7 2.7	10 2.2	7 3.1	10 2.3	5 2.0	1 3.0	4
X			5.2	6.9	6.3	5.9		4.0	13.2	18	- 1.5	30	3 2.3	16 1.4	7 1.3	5 1.4	1 1.0	2 1.5	4 2.5	18 1.8	13 2.7	14 2.7	8 2.2	2 2.0	0
XI			2.7	3.6	3.1	3.0		1.5	11.5	6	- 7.8	29	4 1.5	15 1.5	3 2.3	26 2.4	7 2.6	4 3.0	9 2.6	8 1.8	10 2.2	1 2.0	2 1.0	1 1.0	0
XII			0.3	0.6	0.3	0.4		- 1.8	5.0	17	- 6.0	12	3 1.3	13 1.5	2 2.5	25 1.9	4 1.2	6 2.2	2 2.5	5 2.0	19 2.4	11 2.7	0 -	2 1.5	1
1949			5.0	7.2	6.7	5.9		3.4	24.8		-14.5		53 2.1	155 1.7	52 1.7	141 2.1	27 1.8	45 2.0	72 2.5	116 2.3	172 2.9	139 2.7	72 2.4	30 2.3	21

Kjevli i Snåsa

φ = 64° 10′N λ = 12° 29′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.2	- 2.5	- 3.5	- 3.3		- 8.0	6.1	27	-36.6	22	0 -	4 2.0	12 2.3	7 4.3	3 3.0	3 4.0	2 2.5	3 3.5	25 3.0	24 2.9	4 2.5	2 3.0	4
II			- 1.2	0.2	- 1.4	- 1.1		- 5.1	5.3	20	-23.0	28	1 2.0	0 -	12 2.1	4 2.2	0 -	0 -	2 1.0	2 2.0	24 3.5	21 3.3	7 2.8	2 1.0	9
III			- 4.4	0.1	- 3.4	- 3.2		- 8.1	6.4	29	-28.3	18	0 -	4 1.2	16 3.1	12 3.3	3 3.7	5 3.0	1 2.0	1 4.0	19 3.2	23 2.4	4 1.8	0 -	5
IV			1.4	4.7	2.8	2.9		- 2.2	11.6	25	-14.9	9	2 1.0	3 1.7	10 2.3	14 3.0	7 2.8	7 3.3	3 2.7	5 2.0	14 2.9	15 3.3	3 2.3	3 1.7	4
V			7.8	10.5	9.2	8.1		4.3	17.8	15	- 4.1	1	0 -	1 2.0	16 2.9	19 2.8	4 3.0	0 -	3 2.3	12 2.6	20 3.0	13 3.4	4 2.5	0 -	1
VI			10.3	13.0	12.3	10.7		6.6	23.2	30	- 1.2	11	0 -	4 1.8	4 2.8	11 2.2	6 3.5	1 3.0	0 -	6 3.0	16 2.3	26 2.6	11 2.6	4 2.5	1
VII			12.0	14.8	13.6	11.7		5.8	23.1	4	- 1.4	27	1 2.0	2 1.5	3 2.0	8 1.5	4 3.5	0 -	0 -	7 2.3	16 2.4	26 2.5	20 2.5	4 1.8	2
VIII			10.4	14.2	12.4	10.9		6.6	22.5	26	- 1.9	20	0 -	1 3.0	6 2.7	8 2.5	2 3.0	2 2.5	0 -	9 2.9	26 2.8	12 2.8	6 1.8	5 3.0	16
IX			10.2	15.1	11.7	11.5		7.0	25.2	6	- 3.3	22	1 3.0	7 1.6	7 2.3	14 2.5	7 3.9	3 2.7	2 3.5	5 2.2	17 2.9	14 2.4	1 3.0	2 1.5	10
X			2.9	6.3	4.6	4.3		0.8	16.2	17	-14.4	30	1 2.0	1 1.0	11 2.0	10 2.2	4 3.2	1 2.0	1 3.0	8 1.8	18 2.8	21 2.9	9 2.2	2 2.5	6
XI			1.5	2.3	1.7	1.6		- 0.6	9.6	5	-15.9	28	0 -	6 2.5	21 3.0	24 3.1	12 4.7	2 4.5	2 1.5	2 1.0	5 2.6	5 2.8	2 1.5	1 2.0	8
XII			- 3.4	- 2.6	- 2.9	- 3.1		- 8.0	2.6	17	-24.7	6	1 1.0	0 -	17 1.9	28 2.4	10 3.2	2 2.5	0 -	3 1.7	9 2.7	11 2.2	4 1.5	4 1.5	4
1949			3.7	6.3	4.8	4.2		- 0.1	25.2		-36.6		7 1.7	33 1.8	135 2.5	159 2.7	62 3.6	26 3.2	16 2.3	63 2.3	209 2.9	211 2.8	75 2.3	20 2.1	70

Grong

φ = 64° 27′N λ = 12° 18′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.7	- 1.2	- 2.0	- 1.7		- 5.5	9.4	27	-24.4	22	1 1.0	0 -	5 1.6	16 1.8	9 3.2	13 2.2	5 1.6	1 3.0	7 2.6	18 2.2	4 2.8	3 2.0	11
II			- 0.4	0.7	- 0.2	- 0.2		- 2.9	5.6	16	-14.3	28	1 1.0	2 1.0	4 1.0	14 1.2	16 1.9	3 1.0	2 1.5	0 -	8 1.9	11 2.0	8 2.9	1 1.0	14
III			- 4.1	- 0.3	- 1.5	- 2.4		- 6.5	6.0	29	-19.6	2	2 1.0	3 1.0	6 1.3	12 1.9	11 1.9	11 1.5	1 1.0	3 1.7	0 -	14 2.1	7 1.4	2 1.5	21
IV			1.8	4.5	4.0	2.5		- 1.1	12.2	18	-10.2	9	1 1.0	3 1.7	5 1.2	17 1.8	16 2.0	14 2.0	6 2.0	2 2.0	1 2.0	10 2.8	10 2.3	0 -	5
V			7.4	10.3	9.9	8.3		4.9	16.8	25	- 2.3	1	1 1.0	5 1.0	7 1.1	15 1.3	16 1.6	4 2.0	3 2.3	2 1.0	1 1.0	26 2.2	3 1.0	0 -	10
VI			10.6	13.6	13.0	11.3		7.5	25.0	30	1.2	11	0 -	4 1.0	3 1.0	3 2.0	6 1.8	7 2.1	3 1.0	0 -	1 1.0	45 1.5	10 1.6	4 1.0	4
VII			9.9	14.9	14.0	11.8		7.0	24.0	4	0.4	27	0 -	2 1.0	1 2.0	5 1.4	0 -	5 1.2	1 1.0	1 2.0	0 -	34 1.4	23 1.3	7 1.3	14
VIII			9.8	14.1	13.2	11.7		7.6	22.8	30	1.0	20	1 2.0	0 -	1 2.0	11 1.7	2 3.0	11 1.5	6 2.5	4 2.5	6 2.2	17 2.1	11 2.1	2 2.0	21
IX			9.4	14.2	13.0	11.7		7.5	24.2	6	- 3.1	13	0 -	0 -	0 -	22 1.4	1 1.0	13 1.5	3 2.0	2 2.0	3 1.7	9 1.8	9 1.4	0 -	28
X			3.6	6.1	5.0	4.7		1.8	15.0	18	- 6.8	30	1 1.0	0 -	1 1.0	20 1.2	7 1.6	9 2.0	5 1.6	1 1.0	0 -	21 1.7	8 1.8	0 -	20
XI			2.3	2.7	2.4	2.4		0.4	9.8	5	-10.8	28	0 -	2 2.0	1 2.0	29 1.6	19 2.7	13 2.6	2 1.5	0 -	0 -	2 1.0	0 -	0 -	22
XII			- 2.4	- 2.2	- 2.4	- 2.4		- 5.1	3.4	28	-16.1	6	0 -	0 -	4 1.8	27 1.2	18 2.2	4 2.0	2 2.5	2 2.0	0 -	5 1.4	0 -	0 -	31
1949			3.8	6.4	5.7	4.8		1.3	25.0		-24.4		8 1.1	21 1.2	38 1.3	191 1.5	121 2.1	107 1.9	39 1.8	18 1.9	27 2.0	212 1.8	93 1.8	19 1.4	201

Nordli II

φ = 64° 27′N λ = 13° 36′E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	949.5	1000.2	- 5.5	- 5.0	- 5.5	- 5.5		-10.0	5.3	27	-34.3	22	0 -	1 1.0	5 1.4	3 2.0	10 4.0	7 2.8	4 3.8	7 3.7	20 4.0	13 3.8	3 2.3	0 -	20
II	56.3	07.1	- 3.3	- 1.9	- 3.8	- 3.3		- 6.6	2.6	16	-18.3	28	1 3.0	0 -	1 1.0	3 2.0	7 2.1	2 1.5	5 2.0	1 2.0	11 3.8	24 3.9	3 3.3	0 -	26
III	66.2	17.8	- 8.3	- 3.7	- 5.0	- 6.3		-11.0	3.0	23	-31.3	4	1 1.0	0 -	6 2.2	7 2.7	16 3.6	4 3.2	0 -	1 3.0	15 3.2	12 2.9	0 -	0 -	31
IV	54.7	05.1	- 1.3	1.8	1.2	- 0.5		- 5.0	9.9	18	-23.6	2	1 4.0	1 1.0	5 3.2	4 2.8	10 3.4	11 3.6	12 3.7	3 4.0	10 4.9	13 3.9	0 -	0 -	20
V	62.1	11.8	4.5	7.4	6.8	5.3		2.0	15.0	15	- 7.9	1	0 -	4 3.0	5 2.4	9 2.2	5 1.8	3 2.3	6 2.0	9 1.6	22 3.4	10 3.8	2 1.0	1 1.0	17
VI	65.4	14.5	8.7	11.8	11.7	9.4		5.1	23.1	28	- 2.3	11	0 -	1 2.0	1 2.0	11 2.5	5 2.4	5 3.2	2 1.0	7 2.7	18 3.3	20 5.2	8 3.2	1 5.0	11
VII	66.7	15.7	9.1	13.4	13.3	10.6		4.9	22.8	4	- 1.9	27	0 -	1 3.0	1 1.0	3 1.3	4 3.5	2 2.5	3 1.7	13 1.5	12 4.0	36 3.8	6 2.7	0 -	12
VIII	63.2	12.1	7.9	12.6	11.6	9.9		5.6	21.0	30	- 1.7	20	0 -	2 1.5	5 2.6	7 2.7	0 -	7 2.0	3 1.7	4 2.5	15 3.9	26 2.6	3 2.7	0 -	21
IX	70.4	19.7	7.5	12.4	11.2	9.8		5.7	22.2	6	- 5.3	22	0 -	1 1.0	3 2.3	11 2.3	8 2.6	8 2.0	2 3.0	0 -	10 2.3	20 4.2	4 2.2	0 -	33
X	58.1	09.0	1.4	4.1	3.1	2.6		- 0.6	11.9	18	- 9.8	30	0 -	3 1.7	2 1.0	12 2.2	3 2.0	11 2.6	3 1.7	1 5.0	5 3.4	30 3.6	4 2.2	4 2.5	15
XI	62.5	13.3	- 0.2	0.2	- 0.2	- 0.2		- 1.7	6.7	5	-14.6	29	0 -	3 2.3	4 2.2	49 3.3	1 1.0	12 2.0	1 3.0	0 -	0 -	5 2.2	0 -	2 1.0	13
XII	48.5	999.1	- 5.5	- 4.5	- 5.3	- 5.2		- 9.1	0.0	28	-19.4	12	0 -	1 2.0	14 2.2	23 2.0	3 2.0	9 1.8	0 -	1 3.0	2 3.0	7 2.1	0 -	0 -	33
1949	960.3	1010.4	1.2	4.0	3.3	2.2		- 1.7	23.1		-34.3		3 2.7	18 2.1	52 2.2	142 2.6	72 3.0	81 2.5	41 2.6	47 2.4	140 3.6	216 3.7	33 2.6	9 2.0	242

Nordøyan

φ = 64° 48′N λ = 10° 33′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.1	2.4	2.5	2.2	4.7	- 0.8	8.6	27	- 6.5	22	6 6.5	4 4.5	0 -	2 2.0	8 6.2	12 5.4	9 5.0	7 7.3	13 6.5	20 6.4	9 5.7	3 7.0	0
II			3.4	3.8	3.4	3.4	5.1	1.2	8.0	17	- 2.9	27	1 4.0	2 3.0	2 3.5	2 3.5	5 4.0	11 4.6	7 3.6	7 5.4	13 5.4	21 5.6	10 5.9	3 6.3	0
III			1.0	1.7	1.6	1.2	3.2	- 0.6	7.2	23	- 7.0	1	4 4.0	2 5.0	3 3.7	2 3.5	3 4.7	20 5.2	16 5.2	3 3.3	13 5.7	7 5.1	13 5.0	6 5.0	1
IV			3.5	4.6	4.2	3.7	6.3	1.9	11.2	18	- 1.5	1	1 2.0	3 4.0	3 2.3	9 4.2	7 5.3	14 4.8	9 4.3	5 4.2	10 6.2	12 5.3	8 4.6	6 4.7	3
V			6.9	8.2	7.8	7.2	9.8	5.4	14.5	25	1.6	8	5 2.4	6 3.0	5 4.8	9 3.8	5 4.4	5 3.4	4 3.8	8 3.8	21 4.8	12 5.6	8 3.2	3 5.0	2
VI			9.5	10.4	10.0	9.6	11.6	8.0	20.0	30	6.4	10	21 3.8	12 3.0	4 3.5	6 3.3	4 4.8	3 5.0	1 5.0	0 -	13 4.5	9 3.2	5 3.6	11 2.9	1
VII			10.9	12.2	11.4	11.2	15.0	9.7	19.5	4	7.2	14	17 3.4	9 2.8	3 3.0	2 3.5	5 3.2	1 3.0	4 2.5	5 4.0	10 3.9	15 3.3	13 3.4	8 3.6	1
VIII			11.0	12.2	11.7	11.4	13.2	9.9	16.7	27	6.3	17	1 2.0	7 3.1	5 4.6	4 3.5	7 3.6	3 3.7	3 4.0	9 2.4	26 4.3	11 4.1	11 3.8	6 3.3	0
IX			11.5	12.7	12.1	11.9	14.0	10.2	19.0	6	5.1	30	6 2.5	10 3.7	0 -	8 3.8	10 4.7	11 4.3	6 3.8	3 3.0	21 4.8	8 4.1	5 5.0	2 2.5	0
X			7.6	7.9	7.9	7.6	9.4	5.5	12.8	15	- 0.5	28	5 3.2	1 5.0	1 5.0	5 2.8	7 4.6	10 4.0	5 3.4	6 4.7	11 6.2	15 5.9	16 4.6	11 5.4	0
XI			5.6	5.7	5.6	5.5	6.8	3.9	11.2	5	- 5.5	29	1 3.0	3 3.3	1 2.0	6 3.5	24 5.2	30 6.2	7 5.1	5 5.4	6 6.8	3 3.7	0 -	4 4.0	0
XII			3.1	2.8	3.1	3.0	4.7	1.0	7.4	25	- 1.9	6	1 5.0	0 -	2 2.0	9 2.8	16 4.9	20 4.4	13 4.4	9 5.3	5 6.4	8 4.9	5 3.6	5 5.0	0
1949			6.3	7.0	6.8	6.5	8.5	4.6	20.0		- 7.0		69 3.6	59 3.5	29 3.7	64 3.5	101 4.8	140 5.0	84 4.4	67 4.7	162 5.2	141 5.0	103 4.5	68 4.4	9

1949

H_s = 74 H_b = h_t = 1.9 h_a = h_d = 12.4 h_r = 1.6

Ytterøy

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	80	81	80	6.4	6.1	5.7	142	14	24	23		3		27	23	4	7	0	0	14	20	4	1	0	2	0	0	2	1	8	0	14	19
II	84	78	81	82	6.1	6.0	5.6	84	19	4	20		0		19	17	2	4	1	1	9	12	1	0	0	3	0	1	0	3	12	1	13	15
III	82	69	72	76	5.4	4.9	3.9	69	14	16	25		4		17	12	2	2	0	0	8	14	5	0	0	0	0	0	0	0	22	5	9	29
IV	81	70	70	76	6.5	6.3	6.8	50	5	30	13		0		23	15	0	0	0	0	16	12	4	1	0	2	0	0	0	1	20	0	17	5
V	84	71	71	79	7.1	6.8	6.9	84	16	29	0		0		22	14	3	2	1	1	22	2	2	3	0	0	0	0	0	0	19	0	22	0
VI	78	67	67	74	6.0	5.7	5.5	52	8	7	0		0		16	11	0	1	0	0	16	0	0	1	0	0	0	0	0	0	22	2	16	0
VII	84	66	66	75	5.3	5.2	4.8	58	16	2	0		0		17	9	1	0	0	0	17	0	0	0	0	0	0	1	0	0	23	6	12	0
VIII	90	77	74	82	6.6	6.0	5.8	70	13	4	0		0		21	13	2	0	0	0	21	0	0	1	0	0	0	0	0	3	20	0	19	0
IX	88	73	72	79	6.2	5.3	5.3	35	9	28	0		0		12	7	0	1	1	0	12	0	0	1	0	0	0	0	1	3	18	2	12	0
X	83	76	79	80	6.0	6.3	4.8	96	20	3	5		0		23	17	3	1	0	0	20	4	1	0	0	0	0	0	1	0	17	0	10	4
XI	80	78	80	79	5.4	6.2	3.7	21	4	1	9		0		10	7	0	1	0	0	8	3	1	0	0	0	0	0	0	1	13	1	10	3
XII	80	83	81	82	6.4	6.3	5.4	43	7	23	25		0		21	11	0	0	0	0	7	19	4	0	0	0	0	0	0	3	8	0	15	27
1949	83	74	74	79	6.1	5.9	5.4	803	20		120		7		226	156	17	19	3	2	170	86	22	8	0	7	0	2	4	15	202	17	168	102

H_s = 195 H_b = h_t = 2.0 h_a = h_d = 11.0 h_r = 1.5

Kjevli i Snåsa

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.7	6.8	6.1	168	28	11	29		9		28	22	5	5	0	0	13	24	7	7	0	0	0	0	27	0	5	0	20	31
II					6.8	5.9	6.8	171	33	4	24		5		24	20	7	5	0	0	9	20	5	1	0	0	0	0	25	0	13	0	17	28
III					5.4	4.2	4.8	103	21	24	28		9		19	16	4	2	0	0	6	18	5	0	1	0	0	0	20	0	22	6	13	31
IV					6.2	5.7	5.9	79	10	30	19		2		26	18	2	3	0	0	18	18	9	2	0	1	0	0	18	0	23	0	16	25
V					6.8	6.1	6.3	97	16	27	2		0		26	17	3	1	0	0	23	7	5	2	0	3	0	0	17	0	19	0	19	2
VI					6.0	5.7	5.5	54	9	4	2		0		22	14	0	0	0	0	22	0	0	4	0	0	0	0	16	0	17	3	17	0
VII					5.4	5.6	5.0	69	16	2	5		0		24	15	1	0	0	0	24	0	0	6	0	0	0	0	18	0	21	6	14	0
VIII					5.9	6.2	6.2	72	8	5	1		0		25	18	0	0	0	0	24	0	0	5	0	0	0	1	16	4	22	1	17	0
IX					5.7	4.9	5.1	58	16	5	7		0		21	9	2	2	0	0	18	0	0	5	0	0	0	1	11	7	22	2	12	0
X					5.8	6.5	5.9	162	37	3	12		1		28	20	5	4	0	0	22	9	4	3	0	0	0	0	17	4	19	1	16	4
XI					5.9	6.1	5.2	24	8	4	12		2		17	5	0	5	0	0	12	7	2	1	0	0	0	0	18	0	12	2	17	0
XII					6.0	6.5	5.5	63	15	3	30		9		23	12	1	3	0	0	5	23	5	1	0	1	0	0	17	1	1	0	13	31
1949					6.0	5.8	5.7	1120	37		171		36		283	186	30	30	0	0	196	126	42	37	1	5	0	2	220	16	195	21	191	152

H_s = 72 H_b = h_t = 2.0 h_a = h_d = 13.5 h_r = 1.6

Grong

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	81	84	83	7.5	7.3	6.6	168	23	11	26		6		27	20	6	10	2	0	14	22	8	0	1	1	0	1	1	0	0	1	25	24
II	85	78	84	84	7.8	7.5	7.2	146	23	4	22		3		22	20	4	7	1	0	10	16	4	1	0	0	0	0	3	1	7	0	25	28
III	83	69	73	77	7.6	6.6	7.0	90	13	24	26		8		18	16	3	1	0	0	11	15	6	0	0	1	0	0	0	0	15	0	25	31
IV	80	67	67	74	7.6	7.2	7.2	82	11	30	18		1		22	20	1	4	0	0	18	12	6	0	0	1	0	0	0	0	16	0	26	17
V	82	71	71	78	7.7	7.4	7.3	110	16	29	1		0		26	21	3	2	0	0	26	5	4	1	0	0	0	0	0	0	19	0	27	0
VI	77	66	67	74	6.7	6.4	6.4	34	4	15	0		0		15	11	0	1	0	0	15	0	0	2	0	0	0	0	0	3	24	0	21	0
VII	88	64	66	77	6.1	6.4	5.9	65	12	2	0		0		24	12	1	0	0	0	24	0	0	2	0	0	0	0	0	0	26	3	18	0
VIII	89	74	78	83	7.3	6.8	7.2	91	13	7	0		0		25	18	1	1	0	0	25	0	0	1	0	0	0	0	2	3	14	0	24	0
IX	89	72	76	80	6.9	5.9	6.1	56	14	5	3		0		16	13	1	4	0	0	16	0	0	2	0	0	0	1	0	3	19	0	18	0
X	90	79	86	86	7.0	7.2	6.9	177	32	3	9		0		28	20	5	1	0	0	26	9	7	0	1	1	0	0	0	6	10	0	22	5
XI	80	79	80	80	7.1	7.3	6.4	30	4	1	14		1		15	13	0	3	0	0	13	4	2	1	0	0	0	0	0	3	3	1	24	5
XII	89	86	87	87	7.2	7.0	7.0	71	12	25	31		3		25	14	2	1	0	0	10	24	9	0	0	0	0	0	0	0	0	0	23	27
1949	84	74	77	80	7.2	7.0	6.8	1120	32		150		22		263	198	27	35	3	0	208	107	46	10	2	4	0	2	6	19	153	5	278	137

H_s = 408 H_b = 412.7 h_t = 2.0 h_a = h_d = 13 h_r = 1.4

Nordli II

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.6	6.6	5.8	130	16	25	29		12		23	20	4	7	0	0	6	23	3	2	0	0	0	0	1	0	0	2	21	31
II					6.3	6.3	5.5	126	16	15	28		6		20	17	4	6	1	0	9	19	8	3	1	0	0	0	3	0	1	1	15	28
III					5.5	4.5	4.8	81	14	16	29		12		20	15	3	1	0	0	6	19	4	2	0	0	0	0	3	0	4	5	12	31
IV					6.3	6.0	5.6	44	5	19	24		4		24	13	0	8	2	0	15	19	8	4	0	0	0	0	1	1	12	2	16	30
V					7.2	6.4	6.3	87	16	27	6		0		28	20	2	4	1	0	24	9	6	18	0	0	0	0	5	2	15	0	20	16
VI					5.6	5.1	5.3	46	14	29	2		0		12	8	1	5	0	0	12	0	0	6	0	0	0	1	1	2	20	2	12	0
VII					5.3	4.9	5.3	35	12	29	3		0		18	14	1	4	0	0	18	0	0	9	0	0	0	0	0	3	15	5	13	0
VIII					6.8	5.9	6.3	61	12	5	2		0		23	16	2	0	0	0	23	0	0	11	0	0	0	0	1	7	9	1	16	0
IX					5.9	5.2	5.0	35	12	5	3		0		16	10	1	2	1	0	16	0	0	9	0	0	0	1	1	7	14	2	11	0
X					5.9	5.9	6.1	98	22	3	18		0		22	19	5	2	0	0	16	9	4	3	0	0	0	0	1	6	4	0	14	6
XI					6.9	6.6	7.1	32	5	4	20		3		14	12	0	0	0	0	9	6	1	1	0	0	0	0	3	0	4	0	20	12
XII					6.5	6.4	6.2	44	8	27	31		11		20	16	0	1	0	0	0	20	0	0	0	0	0	0	1	4	3	1	15	31
1949					6.2	5.8	5.8	819	22		195		48		240	180	23	40	5	0	154	124	34	68	1	0	0	2	21	32	101	21	185	185

H_s = 33 H_b = h_t = 2.0 h_a = 14.3 h_d = 13 h_r = 1.7

Nordøyan

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	84	83	84	6.8	6.8	6.3	116	13	30	17	2	0	0	27	25	2	26	16	11	21	21	14	2	0	5	0	0	15	0	13	0	20	10
II	87	82	85	86	7.0	6.9	7.0	70	12	12	6	1	0	0	27	23	1	22	8	4	20	14	6	4	0	9	0	1	12	0	19	0	22	4
III	84	80	78	81	5.7	5.1	5.0	27	6	25	17	3	0	0	16	9	0	22	6	1	12	12	6	2	0	7	0	0	4	0	29	2	13	11
IV	87	80	84	85	6.3	6.4	7.3	63	11	20	5	0	0	0	24	19	1	17	2	1	16	14	6	3	0	4	0	0	2	1	20	0	18	4
V	94	87	90	93	7.4	6.7	6.6	98	17	22	0	0	0	0	26	20	2	13	3	2	26	5	4	4	0	1	0	0	9	4	24	0	22	0
VI	88	86	86	87	6.8	6.2	6.7	29	4	8	0	0	0	0	18	9	0	6	0	0	18	0	0	5	0	0	0	0	4	4	26	0	19	0
VII	86	81	82	84	6.5	6.1	6.1	39	12	2	0	0	0	0	16	12	1	4	0	0	16	0	0	3	0	0	0	0	3	1	28	0	16	0
VIII	90	88	87	89	7.3	6.7	6.9	61	8	18	0	0	0	0	27	17	0	11	0	0	27	0	0	10	0	0	0	0	7	3	21	0	21	0
IX	89	83	83	85	6.7	6.2	6.0	23	3	8	0	0	0	0	15	9	0	9	2	1	15	0	0	7	0	0	0	1	5	2	21	1	19	0
X	86	84	85	85	6.8	6.7	6.7	112	15	3	1	0	0	0	30	21	2	19	7	3	29	7	5	3	0	4	0	0	6	0	23	0	20	0
XI	85	85	86	85	5.0	6.6	4.8	52	17	5	3	1	0	0	13	10	1	18	11	2	13	1	1	0	0	0	0	0	3	0	21	0	12	0
XII	85	87	85	86	5.6	6.8	5.2	77	11	23	8	0	0	0	25	18	1	19	7	2	24	15	12	0	0	5	0	1	3	0	12	0	15	5
1949	87	84	84	86	6.5	6.4	6.2	767	17		57	7	0	0	264	192	11	186	62	27	237	89	54	43	0	35	0	3	73	15	257	3	217	34

1949

Leka

φ = 65° 6′ N λ = 11° 42′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.5	0.4	0.5	0.4		- 2.9	7.4	27	-14.4	22	5 6.4	1 3.0	0 -	0 -	5 3.4	16 4.5	3 4.3	16 3.9	21 5.0	4 3.8	12 6.0	7 5.4	3
II			2.1	2.4	1.8	2.0		0.8	6.5	19	- 9.8	27	1 5.0	2 3.0	1 3.0	1 2.0	0 -	5 2.2	2 4.5	28 3.1	15 4.3	11 4.2	11 4.8	4 4.5	3
III			- 0.9	0.8	- 0.4	- 0.5		- 3.2	6.3	29	-15.2	1	1 3.0	2 3.0	1 1.0	2 1.5	2 3.5	27 3.6	4 2.2	14 3.8	15 4.8	4 6.0	13 3.9	3 3.7	5
IV			3.2	4.6	4.2	3.4		0.5	12.5	18	- 4.9	1	5 4.0	3 4.3	2 2.5	4 3.0	9 3.1	12 3.9	6 3.5	15 3.2	15 4.5	5 5.6	7 3.7	6 4.2	1
V			7.4	9.3	9.0	7.8		5.1	16.0	26	- 0.3	1	7 2.3	7 3.9	3 2.0	5 2.8	2 2.0	13 2.5	4 2.0	16 3.1	24 4.5	3 3.3	3 3.7	5 4.0	1
VI			10.5	11.5	11.0	10.3		7.8	18.8	30	4.5	12	26 3.5	12 2.9	5 2.4	4 2.0	0 -	9 3.7	5 2.8	7 4.0	4 3.5	5 2.6	4 2.8	9 2.7	0
VII			11.4	13.1	11.9	11.6		8.7	21.7	4	4.7	3	17 2.9	14 2.2	8 1.6	0 -	4 2.8	1 4.0	6 1.7	9 2.8	5 3.8	9 3.1	5 3.2	15 3.1	0
VIII			10.7	12.6	11.8	11.3		8.7	18.8	8	1.9	18	5 2.2	5 2.4	5 2.2	3 2.0	4 2.2	2 2.5	15 2.9	19 3.3	11 3.2	9 3.3	2 2.0	9 2.8	4
IX			11.0	13.5	11.9	11.8		9.0	20.8	6	- 0.4	22	7 2.6	9 2.2	2 2.5	2 1.5	2 4.0	7 3.4	19 2.4	23 2.7	6 3.0	6 5.3	0 -	3 3.0	4
X			6.3	7.2	6.6	6.5		4.1	13.3	18	- 1.5	9	9 5.4	1 3.0	2 3.0	0 -	4 2.0	5 2.2	17 3.2	15 2.9	14 4.2	11 3.3	5 3.8	7 4.0	3
XI			3.8	4.5	4.4	4.1		1.9	11.0	5	- 8.9	28	2 3.0	1 3.0	0 -	3 2.0	22 3.7	23 4.3	12 3.5	21 3.1	5 3.0	0 -	0 -	0 -	1
XII			0.9	1.0	1.0	1.0		- 1.4	4.8	24	- 7.0	6	2 6.0	0 -	0 -	3 2.7	6 3.2	12 4.1	26 3.0	27 2.4	4 3.2	3 3.0	6 2.7	2 6.0	2
1949			5.6	6.7	6.1	5.8		3.3	21.7		-15.2		87 3.6	57 2.8	29 2.1	27 2.3	60 3.2	132 3.7	119 2.9	210 3.1	139 4.3	70 3.9	68 4.1	70 3.7	27

Majavatn

φ = 65° 13′ N λ = 13° 22′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.7	- 3.8	- 4.1	- 4.0		- 7.5	5.0	27	-22.7	23	6 3.2	3 2.0	2 2.0	0 -	4 2.8	23 5.3	7 4.1	8 3.6	14 4.8	14 4.8	7 2.6	3 2.7	2
II			- 2.0	- 1.4	- 1.8	- 1.9		- 4.3	3.8	6	-18.0	28	1 3.0	3 2.0	0 -	1 1.0	0 -	16 2.6	14 2.9	16 3.0	4 4.2	19 3.7	9 3.9	0 -	1
III			- 5.9	- 3.4	- 3.5	- 4.7		- 7.9	4.3	23	-20.0	1	3 1.7	11 2.0	1 5.0	1 1.0	1 1.0	27 4.3	14 3.1	3 1.7	3 4.7	16 3.6	5 2.8	0 -	8
IV			- 1.1	1.1	1.3	- 0.3		- 3.2	8.9	18	-11.9	11	7 1.3	2 2.5	1 1.0	0 -	0 -	29 4.0	18 3.0	14 2.8	1 3.0	10 3.5	5 4.0	0 -	3
V			4.0	5.8	6.4	4.7		2.1	12.9	26	- 3.7	1	5 2.0	3 2.0	0 -	3 1.3	0 -	15 2.5	16 3.1	13 2.5	8 2.4	14 2.7	11 2.5	0 -	5
VI			8.9	12.0	12.2	10.0		6.3	22.9	30	1.3	11	7 3.4	1 2.0	0 -	0 -	0 -	11 4.0	5 2.6	8 2.2	7 2.7	19 2.6	28 3.0	0 -	4
VII			9.1	12.7	12.5	10.7		7.1	21.6	5	2.8	18	14 2.6	2 1.5	0 -	0 -	1 2.0	7 3.0	6 3.3	7 2.0	10 2.7	25 2.7	16 2.8	0 -	5
VIII			8.7	12.2	11.9	10.4		7.2	20.4	30	2.2	18	7 2.0	0 -	0 -	0 -	0 -	23 2.9	11 2.7	9 2.3	7 2.9	15 2.6	12 2.3	0 -	9
IX			8.3	11.8	11.5	10.2		7.3	19.8	6	- 1.5	22	11 2.0	2 1.0	0 -	1 2.0	2 1.5	30 2.8	12 3.0	2 4.0	11 3.5	8 3.9	5 2.8	0 -	6
X			2.7	4.0	3.3	3.1		1.0	12.6	18	- 6.2	27	10 2.7	2 1.5	0 -	4 1.8	0 -	34 2.7	16 3.2	5 2.6	1 5.0	10 2.9	10 3.0	0 -	1
XI			0.9	1.0	0.9	0.8		- 0.7	5.8	5	-15.6	29	5 1.6	2 2.5	2 1.0	0 -	0 -	54 4.0	15 3.2	7 3.1	0 -	0 -	2 2.5	0 -	3
XII			- 3.4	- 2.9	- 3.8	- 3.5		- 6.5	1.8	17	-18.8	12	9 1.7	3 1.7	3 1.7	6 1.2	4 3.5	28 3.3	23 3.3	11 2.4	0 -	1 2.0	4 2.5	0 -	1
1949			2.2	4.1	3.9	3.0		0.1	22.9		-22.7		85 2.3	34 1.9	9 1.9	16 1.4	12 2.6	297 3.5	157 3.1	103 2.7	66 3.5	151 3.2	114 2.9	3 2.7	48

Brønnøysund II

φ = 65° 28′ N λ = 12° 12′ E g = 9.823 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	995.0	996.6	1.1	1.2	1.2	1.2		- 1.2	7.6	27	- 8.6	22	2 7.0	3 6.0	1 6.0	10 2.1	7 3.3	15 4.9	7 5.1	14 4.6	15 6.0	6 6.0	2 6.0	9 6.2	2
II	1002.6	1004.2	2.4	3.0	2.3	2.5		0.4	7.1	19	- 6.5	28	1 3.0	2 3.0	3 2.7	8 2.1	5 2.4	10 2.6	8 3.9	11 4.2	12 4.7	5 4.8	3 4.7	9 6.0	7
III	13.4	15.1	- 0.3	1.6	0.7	0.5		- 1.8	5.9	23	- 9.9	1	3 2.7	1 2.0	2 2.0	13 2.7	15 2.9	23 3.9	3 3.7	6 4.8	8 3.5	11 5.4	2 5.0	2 5.5	4
IV	01.2	02.8	3.5	5.0	4.6	3.8		1.0	13.6	18	- 3.8	1	2 2.5	2 4.0	2 2.5	9 2.3	11 2.9	17 3.6	10 3.8	10 4.5	10 5.0	5 5.6	2 4.5	7 4.7	3
V	08.6	10.2	7.6	9.3	9.1	8.0		5.4	17.4	26	0.8	1	6 3.0	1 1.0	1 2.0	13 2.2	9 2.1	5 2.6	9 2.9	20 4.3	8 4.9	5 2.4	4 4.0	4 3.7	8
VI	13.4	15.0	10.0	11.1	11.0	10.1		8.1	19.0	30	4.0	11	20 3.8	2 2.0	0 -	6 2.3	4 3.0	3 3.0	3 2.7	11 3.8	1 2.0	4 1.5	0 -	30 3.6	6
VII	14.3	15.9	11.0	12.4	12.1	11.4		9.2	19.1	4	5.9	13	18 3.3	1 2.0	1 1.0	4 2.0	1 2.0	1 1.0	0 -	11 1.9	8 2.9	14 2.3	3 2.3	23 3.4	8
VIII	09.6	11.2	10.8	12.0	11.8	11.2		9.2	18.9	8	4.1	18	9 3.0	5 1.2	2 1.0	8 1.0	2 2.5	3 3.0	5 2.2	22 3.1	9 3.8	3 2.0	1 4.0	9 2.6	15
IX	16.3	17.9	11.5	13.6	12.6	12.4		9.9	21.5	6	3.5	22	10 2.2	7 1.4	0 -	8 1.6	7 2.6	11 3.3	2 3.5	21 3.0	6 3.5	3 3.0	2 4.5	6 4.8	7
X	04.8	06.4	6.5	7.5	7.0	6.8		4.8	13.8	18	- 1.0	27	6 5.3	6 2.5	2 1.5	9 1.7	10 2.6	6 2.7	7 4.0	10 4.1	3 5.7	7 3.7	4 5.2	6 6.0	17
XI	07.8	09.4	4.6	5.1	4.8	4.7		3.0	11.7	5	- 6.8	29	0 -	1 3.0	2 1.5	38 2.6	22 5.0	6 3.5	10 4.0	3 5.7	1 4.0	0 -	0 -	0 -	7
XII	994.3	995.9	1.5	1.5	1.3	1.3		- 1.2	5.1	17	- 3.8	11	2 1.5	0 -	1 2.0	37 2.2	15 3.9	14 3.9	3 5.3	4 3.5	3 3.0	2 2.0	2 6.0	5 5.0	5
1949	1006.8	1008.4	5.8	6.9	6.5	6.2		3.9	21.5		- 9.9		79 3.5	31 2.4	17 2.1	163 2.2	108 3.3	114 3.6	67 3.8	143 3.8	84 4.5	65 3.7	25 4.7	110 4.2	85

Skålvær

φ = 65° 52′ N λ = 12° 11′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.8	1.5	1.6	1.6		- 0.6	8.2	27	- 7.2	22	9 5.9	2 4.0	0 -	17 4.9	4 3.8	6 5.5	4 4.8	17 5.8	11 6.0	15 5.5	5 4.2	3 5.0	3
II			2.6	3.1	2.6	2.7		0.9	6.4	19	- 6.4	28	0 -	3 2.3	2 4.5	7 4.1	4 3.0	5 3.2	13 4.2	15 4.7	16 4.7	12 5.8	6 6.0	1 3.0	0
III			0.3	1.3	0.7	0.6		- 1.3	6.2	30	- 9.3	1	2 4.5	3 2.7	4 5.0	15 3.3	4 3.8	23 4.4	9 4.4	8 5.6	4 4.8	12 5.0	7 4.1	2 4.5	0
IV			3.3	4.4	3.9	3.5		1.5	10.2	18	- 2.7	1	0 -	6 3.7	2 3.5	19 4.6	1 6.0	8 3.0	10 4.2	19 5.0	0 -	15 4.4	6 4.8	4 3.5	0
V			7.2	8.7	8.5	7.5		5.4	15.0	26	0.7	1	1 5.0	11 3.0	5 3.6	19 3.4	0 -	1 1.0	5 4.2	26 4.4	10 3.4	6 4.2	1 3.0	7 3.6	1
VI			10.1	11.7	10.8	10.4		8.5	18.0	30	6.1	21	24 4.0	21 3.1	2 2.0	8 3.0	1 3.0	5 3.2	1 1.0	9 4.0	4 3.2	5 2.4	3 2.3	7 2.7	0
VII			11.2	13.1	12.0	11.7		9.7	21.0	4	6.7	17	11 3.5	20 2.4	0 -	6 2.2	0 -	2 3.5	2 1.5	19 3.2	6 2.3	10 2.2	12 2.6	4 3.0	1
VIII			10.9	12.4	11.3	11.2		9.4	17.0	3	5.7	18	8 3.4	10 2.9	1 4.0	7 3.0	0 -	2 2.5	8 3.2	34 3.5	9 2.4	4 2.0	0 -	8 1.9	2
IX			11.3	12.6	11.7	11.7		9.8	19.2	2	3.0	30	9 3.4	12 2.1	1 3.0	14 3.1	1 2.0	4 2.8	7 3.6	25 3.5	9 3.8	3 2.7	3 6.0	1 3.0	1
X			6.4	7.0	6.8	6.5		4.5	11.6	18	- 1.0	28	11 4.7	9 2.8	1 2.0	10 2.7	3 2.3	12 2.2	8 3.5	18 3.5	6 4.0	7 3.3	4 3.8	4 3.8	0
XI			5.4	5.8	5.6	5.6		4.1	9.5	6	- 5.6	29	1 4.0	1 1.0	2 2.0	50 3.2	4 4.5	12 3.3	5 3.6	12 4.0	2 5.5	1 4.0	0 -	0 -	0
XII			2.4	2.4	2.3	2.4		0.9	5.8	17	- 2.0	10	1 2.0	2 2.5	2 3.5	45 3.0	0 -	3 3.0	12 4.2	13 4.6	2 2.0	3 1.3	6 2.2	4 4.0	1
1949			6.1	7.0	6.5	6.3		4.4	21.0		- 9.3		77 4.1	100 2.8	22 3.5	217 3.4	22 3.5	83 3.5	84 3.9	215 4.2	79 4.0	93 4.1	53 3.8	45 3.2	6

Mo i Rana II

φ = 66° 20′ N λ = 14° 11′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.4	- 2.5	- 3.0	- 2.7		- 6.9	6.4	27	-23.7	22	1 2.0	2 1.0	4 2.5	27 2.7	3 2.3	9 3.1	0 -	1 3.0	6 4.7	16 4.3	4 4.2	12 4.6	9
II			- 0.8	0.0	- 1.2	- 0.9		- 3.3	5.0	6	-17.5	28	0 -	2 1.5	0 -	20 2.0	0 -	7 1.6	0 -	1 2.0	0 -	22 4.0	0 -	10 3.6	2
III			- 6.2	- 1.3	- 2.9	- 4.0		- 8.0	4.8	23	-23.0	4	1 2.0	5 2.2	0 -	29 2.0	3 3.0	9 2.6	1 3.0	0 -	2 2.5	18 3.1	2 2.0	14 2.9	9
IV			0.2	3.0	2.2	1.0		- 2.6	10.4	18	-15.8	9	0 -	5 2.4	0 -	21 2.3	4 4.2	2 3.5	0 -	0 -	5 2.0	26 2.7	1 1.0	5 2.2	10
V			6.7	8.1	7.8	6.6		3.3	15.2	28	- 1.8	1	0 -	2 3.0	3 3.0	22 2.7	0 -	4 2.5	0 -	2 2.0	5 1.6	31 2.7	1 1.0	13 2.4	13
VI			10.6	13.7	12.9	11.2		6.9	24.8	30	0.0	11	0 -	3 2.7	0 -	17 2.5	0 -	2 2.5	0 -	0 -	3 2.0	39 2.6	2 3.0	19 3.3	15
VII			10.6	13.8	13.1	11.7		7.5	23.2	5	1.0	18	0 -	3 2.0	0 -	6 1.3	0 -	2 3.0	0 -	1 3.0	10 2.0	39 2.4	9 3.1	13 2.9	17
VIII			9.5	13.1	12.2	11.1		7.7	19.8	2	2.0	24	0 -	3 2.0	0 -	19 1.5	0 -	8 2.1	0 -	0 -	10 1.9	32 1.9	1 2.0	8 2.8	17
IX			8.2	12.1	10.6	10.0		6.9	21.6	2	- 2.0	22	0 -	0 -	0 -	20 1.8	0 -	3 4.0	0 -	0 -	7 2.6	26 2.6	3 1.3	6 2.0	16
X			1.4	3.9	3.0	2.6		0.1	10.5	18	- 8.8	30	0 -	5 1.2	0 -	28 1.5	0 -	9 1.9	0 -	2 2.0	9 2.7	3 1.7	4 2.5	14 2.5	19
XI			1.6	1.7	1.8	1.6		- 0.6	8.1	21	-11.0	29	0 -	3 1.3	0 -	48 2.6	0 -	17 3.4	0 -	0 -	1 3.0	4 1.0	0 -	2 1.0	15
XII			- 3.2	- 2.8	- 3.1	- 3.1		- 6.4	4.0	17	-15.8	7	0 -	8 2.9	0 -	50 2.2	0 -	6 1.3	0 -	0 -	2 1.5	5 1.8	1 1.0	6 2.3	14
1949			3.0	5.2	4.4	3.8		0.4	24.8		-23.7		2 2.0	41 2.1	7 2.7	307 2.2	10 3.3	78 2.6	1 3.0	7 2.3	60 2.4	261 2.7	28 2.6	122 2.9	171

1949

Leka

H_s = 50 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.8	6.7	6.7	220	30	14	22		2		27	23	8	22	12	7	20	24	15	1	0	8	0	1	10	0	11	0	23	
II					7.1	6.7	6.8	232	22	17	12		0		27	23	12	16	5	4	22	18	13	3	1	7	0	0	6	0	17	0	21	
III	74	71	74	74	5.5	4.7	5.2	84	15	28	24		3		17	16	2	14	2	1	11	13	6	1	0	6	0	0	3	0	28	3	12	
IV	75	69	71	73	6.5	6.4	6.8	112	13	20	16		0		25	18	3	11	4	0	20	15	8	0	0	3	0	1	6	0	21	0	20	
V	83	75	75	78	7.5	7.2	6.8	219	30	22	1		0		31	29	8	10	2	0	31	5	5	6	0	2	0	2	8	1	19	0	23	
VI	78	75	77	77	6.2	6.4	6.0	60	12	9	0		0		20	11	1	4	1	0	20	1	1	9	0	1	0	0	5	2	28	0	16	
VII	79	72	76	77	6.2	5.6	5.8	107	23	25	0		0		20	16	3	1	0	0	20	0	0	2	0	1	0	0	3	0	30	0	16	
VIII	86	80	92	84	6.9	6.7	7.0	170	18	21	0		0		27	19	8	5	0	0	27	0	0	7	0	0	0	2	7	3	26	0	24	
IX	82	73	78	79	6.2	5.6	5.7	82	16	30	1		0		19	14	4	6	2	1	19	1	1	5	0	0	0	1	4	2	26	2	17	
X	79	75	78	78	6.7	6.7	6.5	260	54	3	4		0		31	25	9	13	3	3	29	11	9	2	0	5	0	0	5	0	18	0	21	
XI	75	74	73	74	5.5	6.3	5.2	122	42	4	8		0		17	13	3	11	2	0	16	4	3	0	0	0	0	0	1	0	18	2	13	
XII	78	79	77	78	6.3	6.4	6.1	105	16	29	21		0		23	19	3	10	4	1	15	22	13	0	0	2	0	0	8	0	13	0	16	
1949					6.4	6.3	6.2	1773	54		109		5		284	226	64	123	37	17	250	114	74	36	1	35	0	7	66	8	255	7	222	

Majavatn

H_s = 350 H_b = h_t = 2.0 h_a = h_d = h_r = 1.9

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.2	6.7	6.9	210	33	28	28		9		30	22	5	18	1	0	9	29	8	0	0	2	0	0	0	0	7	0	25	31
II					7.8	6.6	6.7	198	32	17	25		3		27	22	4	10	0	0	10	24	7	0	0	2	0	0	4	0	7	0	20	28
III					5.8	5.3	5.3	119	15	28	28		10		20	14	5	8	0	0	7	18	4	0	0	3	0	0	1	1	16	5	17	31
IV					6.6	6.2	6.4	96	13	17	21		3		26	17	1	3	0	0	16	20	9	0	0	0	0	0	2	0	17	2	18	30
V					7.4	7.5	6.9	120	14	8	6		0		30	22	3	1	0	0	29	9	8	0	0	0	0	0	8	3	12	0	24	19
VI					6.0	5.0	4.7	33	7	4	0		0		14	9	0	0	0	0	14	0	0	0	0	0	0	0	2	2	19	4	14	0
VII					5.8	5.4	5.0	46	9	25	0		0		21	13	0	0	0	0	21	0	0	1	0	0	0	1	6	0	22	3	12	0
VIII					6.7	6.6	6.6	110	17	14	0		0		28	19	2	0	0	0	28	0	0	1	0	0	0	1	10	5	15	0	22	0
IX					5.8	5.9	5.8	105	35	30	1		0		20	14	3	3	0	0	20	0	0	3	0	0	0	1	7	5	13	3	15	0
X					6.6	6.5	6.3	250	39	3	15		0		27	21	8	2	0	0	25	13	10	1	0	1	0	0	7	2	9	0	20	7
XI					6.3	6.8	6.2	89	30	4	12		3		21	14	2	8	0	0	17	10	6	0	0	0	0	0	2	0	5	2	19	4
XII					6.7	6.5	6.0	76	14	25	31		5		24	15	3	4	0	0	4	24	4	0	0	0	0	0	0	4	5	1	20	31
1949					6.6	6.2	6.1	1452	39		167		33		288	202	36	57	1	0	200	147	56	6	0	8	0	3	49	22	147	20	226	181

Brønnøysund II

H_s = 13 H_b = 13.2 h_t = 2.0 h_a = h_d = 4.5 h_r = 1.8

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	74	76	76	75	6.6	6.7	6.4	145	21	14	16		0		27	21	3	26	8	4	18	23	14	1	0	8	0	2	8	0	8	0	20	16
II	82	78	78	80	7.0	7.1	7.0	127	19	21	9		0		27	24	4	12	6	3	23	17	13	3	1	5	0	0	2	0	13	0	20	6
III	72	68	70	70	5.6	5.3	5.5	71	15	2	23		0		17	13	1	14	2	0	9	13	4	2	0	2	0	0	3	0	19	2	15	24
IV	74	68	69	72	6.3	6.4	6.9	126	18	29	9		0		23	17	5	12	0	0	19	11	4	3	0	2	0	0	4	0	20	0	20	1
V	83	76	76	80	7.5	7.3	6.8	163	31	22	0		0		30	25	5	8	1	0	30	5	5	4	0	1	0	0	6	0	20	0	25	0
VI	82	78	78	80	6.3	5.6	5.9	44	6	20	0		0		18	11	0	5	0	0	18	0	0	6	0	0	0	0	2	3	23	1	15	0
VII	84	75	77	80	6.1	5.8	5.5	82	15	25	0		0		20	18	2	3	0	0	20	0	0	5	0	0	0	0	4	1	29	0	16	0
VIII	87	81	83	85	6.9	6.8	6.9	187	27	15	0		0		29	18	6	2	0	0	26	1	1	8	0	0	0	2	6	4	23	0	25	0
IX	81	72	75	77	6.4	5.6	5.8	74	18	30	0		0		20	15	3	5	1	1	20	1	1	6	0	1	0	1	6	2	24	2	17	0
X	72	66	69	70	6.8	6.9	6.4	254	45	3	3		0		31	26	10	11	1	1	31	10	10	2	0	3	0	0	4	0	19	0	18	0
XI	73	72	72	72	5.4	6.5	5.1	126	31	5	4		0		17	13	5	10	1	0	15	3	1	2	0	0	0	2	3	0	10	2	14	3
XII	75	74	76	75	5.8	6.5	5.0	87	25	29	14		0		24	17	1	9	1	1	17	18	10	0	0	0	0	0	0	0	3	0	13	11
1949	78	74	75	76	6.4	6.4	6.1	1486	45		78		0		283	208	45	117	21	10	246	102	63	42	1	22	0	7	48	10	211	7	218	61

Skålvær

H_s = 4 H_b = h_t = 2.2 h_a = h_d = h_r = 1.7

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.0	7.3	7.2	116	19	14	14		0		25	21	3	24	8	1	17	19	7	3	0	6	0	2	4	0	2	0	26	10
II					7.2	7.3	7.4	124	15	16	7		0		26	23	3	16	3	1	18	16	7	4	0	7	0	2	8	0	2	0	24	8
III					5.8	5.7	5.9	55	8	22	19		0		15	12	0	18	3	0	9	11	5	1	0	3	0	0	10	0	17	2	18	15
IV					6.4	6.5	6.7	120	14	17	8		0		22	19	5	14	0	0	20	11	7	2	0	3	0	1	10	1	11	1	20	0
V					7.5	7.5	7.2	124	21	22	0		0		25	23	2	5	0	0	25	4	4	5	0	0	0	0	12	2	10	0	27	0
VI					6.6	6.0	6.3	46	8	8	0		0		15	9	0	1	0	0	15	0	0	6	0	0	0	0	8	2	21	0	19	0
VII					6.6	6.2	6.1	75	12	13	0		0		20	18	1	0	0	0	20	0	0	6	0	0	0	0	2	1	21	0	19	0
VIII					7.1	7.3	7.4	104	16	15	0		0		22	18	3	2	0	0	22	0	0	8	0	0	0	0	8	5	12	0	26	0
IX					6.7	6.6	6.6	62	16	30	0		0		19	13	1	5	1	0	19	0	0	9	0	0	0	1	12	2	7	1	22	0
X					7.0	7.0	7.0	230	30	3	2		0		30	28	8	10	2	0	28	8	6	2	1	4	0	0	15	0	6	0	23	3
XI					6.2	6.8	5.6	90	20	5	3		0		16	14	3	8	0	0	15	3	2	1	0	0	0	1	9	0	6	1	18	0
XII					6.6	6.9	6.3	108	20	3	9		0		21	20	3	8	0	0	14	16	6	1	0	2	0	0	5	0	0	0	17	13
1949					6.7	6.8	6.6	1254	30		62		0		256	218	32	111	17	2	222	88	44	48	1	25	0	7	103	13	115	5	259	49

Mo i Rana II

H_s = 25 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	81	81	80	6.4	6.2	5.8	297	78	28	25		8		25	21	11	11	3	1	9	24	7	0	0	2	1	0	4	0	0	1	19	31
II	85	84	86	85	7.0	6.8	6.3	259	39	17	23		3		25	21	7	6	2	2	14	21	7	0	0	3	0	0	9	0	8	0	19	28
III	79	68	72	75	4.4	4.6	4.7	147	26	31	25		12		15	11	5	4	0	0	7	13	5	0	0	2	0	0	3	0	21	8	12	31
IV	77	67	71	74	5.8	5.6	5.7	156	31	17	17		3		19	19	5	3	0	0	16	8	2	0	0	1	0	1	5	0	18	4	19	27
V	78	74	73	75	7.0	6.9	6.5	162	26	13	5		0		29	20	6	1	0	0	29	7	7	2	0	1	0	0	8	0	19	0	21	0
VI	75	61	64	71	5.4	4.9	4.7	44	9	16	0		0		17	11	0	0	0	0	17	0	0	2	0	0	0	0	5	0	25	3	13	0
VII	80	67	68	74	6.0	6.2	5.3	50	16	13	0		0		16	12	1	0	0	0	16	0	0	3	0	0	0	0	6	0	19	1	12	0
VIII	89	74	80	83	6.6	6.3	6.7	165	27	15	0		0		25	18	6	0	0	0	24	0	0	0	0	0	0	0	4	2	20	0	21	0
IX	88	75	80	82	5.9	5.9	5.5	192	47	30	4		0		17	15	7	5	1	1	17	0	0	1	0	0	0	0	8	1	15	4	16	0
X	91	83	86	88	6.4	6.5	5.8	242	45	14	13		0		25	19	9	1	0	0	22	8	3	0	0	1	0	0	3	3	9	0	17	4
XI	77	75	74	75	6.0	6.3	4.6	119	51	4	14		1		13	10	2	1	0	0	11	2	0	2	0	0	0	0	1	1	3	1	14	8
XII	81	80	80	90	6.5	6.5	6.1	46	9	23	29		10		18	10	0	1	0	0	3	18	0	0	0	0	0	0	0	0	0	1	19	31
1949	82	74	76	78	6.1	6.1	5.6	1879	78		155		37		244	187	59	33	6	4	185	101	31	10	0	10	1	1	56	7	157	23	202	160

1949

Nord-Solvær

φ = 66° 22′ N λ = 12° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.3	1.6	1.1	1.3		- 1.0	7.2	27	- 7.0	22	10 5.8	0 -	1 2.0	7 6.1	14 5.0	8 4.0	4 5.5	4 5.2	29 4.8	6 5.5	4 6.5	4 4.8	2
II			2.6	2.8	2.4	2.5		0.3	6.5	19	- 5.8	28	1 6.0	0 -	2 2.5	2 3.0	10 3.0	4 3.2	7 2.1	16 4.0	27 4.9	5 5.0	0 -	5 5.4	5
III			0.3	1.4	1.1	0.7		- 1.1	6.0	28	- 7.3	1	3 3.3	5 3.8	1 1.0	6 3.7	17 4.7	22 4.4	4 3.5	0 -	22 4.4	5 5.8	0 -	2 2.0	6
IV			3.1	4.1	3.8	3.3		1.3	10.4	19	- 2.9	2	7 3.3	4 3.8	4 2.5	8 3.5	15 5.3	10 3.3	3 4.3	6 4.3	24 4.6	5 5.8	1 5.0	2 4.5	1
V			7.0	7.8	7.8	7.0		5.3	15.2	26	0.8	1	7 3.6	5 3.6	4 3.5	8 2.5	7 3.6	8 3.9	4 4.5	5 3.6	28 4.4	5 3.0	0 -	8 3.1	4
VI			10.0	11.0	10.3	10.0		8.5	17.0	5	6.1	11	36 3.3	15 3.5	3 3.7	0 -	7 3.7	5 4.0	2 2.0	1 3.0	10 3.4	2 2.5	0 -	2 4.0	7
VII			11.2	12.5	11.7	11.5		9.6	18.4	4	6.9	17	19 3.4	18 3.1	2 1.5	0 -	3 2.7	2 3.0	0 -	5 2.2	26 2.7	1 3.0	2 2.5	0 -	15
VIII			10.7	11.9	11.2	11.0		9.2	17.0	3	5.4	17	15 3.0	7 3.6	1 3.0	0 -	4 3.0	5 3.2	6 2.7	5 4.4	36 2.9	1 1.0	0 -	1 4.0	12
IX			11.0	12.4	11.4	11.4		9.5	18.7	2	2.6	30	5 2.6	3 2.3	7 1.6	1 1.0	8 3.8	7 4.7	5 2.8	5 2.6	32 4.3	0 -	4 5.2	2 4.0	11
X			6.4	6.8	6.4	6.4		4.5	12.3	16	- 2.7	27	18 5.3	7 3.3	3 4.3	3 2.3	5 3.8	12 3.8	8 3.6	1 3.0	24 4.1	2 2.0	0 -	4 3.2	6
XI			5.4	5.4	5.3	5.4		3.7	9.9	5	- 6.0	29	1 5.0	0 -	2 1.5	9 4.0	21 4.8	35 4.7	3 4.3	2 4.0	13 3.6	0 -	0 -	0 -	4
XII			2.2	2.2	2.2	2.2		0.6	5.4	17	- 1.9	10	2 2.0	0 -	2 1.5	5 4.2	21 4.1	27 4.2	5 3.6	5 5.4	10 3.6	1 5.0	0 -	5 4.0	10
1949			5.9	6.7	6.2	6.1		4.2	18.7		- 7.3		124 3.8	64 3.3	32 2.5	49 3.8	132 4.3	145 4.2	51 3.4	55 3.9	281 4.0	33 4.5	11 5.2	35 3.9	83

Myken

φ = 66° 46′ N λ = 12° 29′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.9	2.0	1.8	1.9		0.4	8.4	27	- 5.6	17	7 5.6	2 6.0	1 7.0	5 6.0	8 4.9	15 4.8	5 5.0	11 5.4	11 6.0	13 6.2	8 5.0	5 3.4	2
II			3.3	3.2	3.1	3.1		1.2	7.3	20	- 5.2	28	1 4.0	2 4.0	3 2.7	2 1.0	3 2.0	8 3.4	16 3.9	5 5.0	13 3.7	16 6.4	8 4.5	5 5.2	2
III			0.9	1.7	1.5	1.2		- 0.5	6.4	28	- 6.3	1	3 2.3	1 3.0	6 1.2	3 2.7	3 3.7	19 4.8	17 4.8	3 3.3	10 4.1	10 5.6	6 4.3	5 4.6	7
IV			3.0	3.9	3.6	3.2		1.5	9.7	18	- 2.4	1	2 3.0	2 3.0	12 2.6	4 3.8	5 3.8	11 3.0	17 3.8	7 4.1	8 3.5	9 4.3	7 3.0	3 5.3	3
V			6.4	7.2	7.2	6.6		5.2	15.8	26	0.5	1	0 -	4 2.8	22 4.6	6 1.5	4 2.5	1 7.0	8 3.4	5 4.6	17 3.6	6 3.2	7 3.3	4 4.2	9
VI			9.2	10.0	9.8	9.3		8.0	15.2	5	6.0	11	17 2.9	11 2.4	14 2.2	4 2.0	3 1.7	5 1.6	1 4.0	1 5.0	8 1.9	5 1.6	4 1.2	9 1.6	8
VII			10.5	11.1	11.3	10.8		9.4	15.7	5	6.5	17	11 2.3	6 1.3	12 1.8	1 1.0	2 1.0	2 1.0	4 2.0	1 3.0	13 2.7	10 2.1	8 2.9	7 2.9	16
VIII			10.2	11.2	10.8	10.5		9.1	15.2	30	6.5	24	1 5.0	5 3.0	17 2.2	2 1.5	1 1.0	3 2.0	9 3.0	7 3.3	24 3.0	1 1.0	8 2.5	3 3.0	12
IX			10.5	11.6	10.9	10.9		9.3	17.3	3	3.6	30	3 2.7	3 2.3	11 1.9	1 3.0	6 3.2	7 2.6	6 3.5	5 3.6	22 4.7	6 5.0	2 8.5	7 1.3	11
X			6.4	6.9	6.5	6.5		4.6	11.6	16	- 1.5	28	8 4.9	5 4.8	10 2.4	4 2.2	5 3.6	7 2.7	9 3.9	6 3.5	14 4.7	4 4.2	6 4.5	11 5.0	4
XI			6.0	5.8	5.9	5.9		4.4	9.9	5	- 5.9	29	0 -	4 3.0	1 2.0	16 4.6	31 4.1	14 4.3	6 3.2	2 6.0	9 5.7	2 3.0	0 -	1 1.0	4
XII			2.7	2.7	2.6	2.7		1.1	5.8	1	- 2.2	13	3 3.7	0 -	8 1.8	12 4.9	11 2.8	22 4.4	10 6.2	5 2.0	5 2.2	2 1.5	5 4.2	5 4.4	5
1949			5.9	6.4	6.2	6.0		4.5	17.3		- 6.3		56 3.5	45 2.9	117 2.2	60 3.7	82 3.5	114 3.9	108 4.0	58 4.1	154 3.9	84 4.6	69 3.8	65 3.5	83

Glomfjord

φ = 66° 49′ N λ = 13° 59′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.4	0.7	0.1	0.4		- 2.8	8.3	27	-11.0	22	6 1.2	3 1.0	0 -	8 2.8	0 -	12 4.6	8 2.5	10 2.6	0 -	17 2.8	0 -	13 2.8	19
II			1.8	2.1	1.5	1.7		- 1.4	8.1	22	-12.1	28	2 1.5	1 2.0	3 1.3	2 1.0	0 -	3 1.0	11 1.6	12 2.2	0 -	13 3.5	0 -	4 4.5	33
III			- 1.3	0.2	- 0.7	- 1.0		- 4.2	6.0	28	-14.0	1	3 1.3	8 1.0	1 1.0	15 1.3	0 -	17 2.2	9 3.3	5 2.4	0 -	13 2.7	0 -	1 2.0	21
IV			2.2	4.5	2.9	2.5		- 0.9	11.1	18	- 7.0	9	0 -	10 1.1	0 -	6 1.8	0 -	11 2.4	9 1.5	8 1.6	2 1.0	16 1.8	0 -	6 2.2	22
V			7.3	9.2	8.1	7.3		4.3	18.4	26	- 0.2	3	2 1.0	3 1.0	0 -	6 1.2	0 -	11 1.7	7 1.7	9 1.4	1 1.0	10 1.6	0 -	8 2.0	36
VI			9.9	11.9	11.0	10.2		7.9	19.3	30	4.2	11	9 1.0	5 1.0	1 1.0	5 1.2	0 -	11 1.1	1 1.0	6 1.3	0 -	6 1.0	0 -	5 1.2	41
VII			10.5	12.6	11.2	10.6		7.9	23.1	1	2.9	18	4 1.0	5 1.4	0 -	0 -	2 1.0	3 2.7	0 -	9 1.3	11 1.8	18 1.4	1 1.0	6 1.0	34
VIII			10.1	12.7	10.4	10.2		7.5	18.9	3	3.2	18	7 1.0	1 1.0	1 1.0	0 -	2 1.5	17 1.6	0 -	11 1.0	3 2.7	0 -	0 -	0 -	51
IX			11.1	12.5	11.5	11.1		9.3	20.7	2	- 2.1	23	0 -	1 1.0	0 -	4 1.2	0 -	14 2.1	7 2.7	8 1.9	0 -	12 2.7	0 -	0 -	44
X			4.9	5.6	5.0	5.0		2.4	12.5	15	- 2.7	4													
XI			4.8	4.8	4.6	4.7		2.6	9.7	21	- 6.9	29													
XII			0.5	0.9	0.2	0.5		- 1.6	6.0	1	- 5.4	7													

Helligvær

φ = 67° 24′ N λ = 13° 54′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.3	1.2	0.8	1.1		- 2.9	7.3	27	-15.0	18	4 4.2	7 4.4	3 4.3	5 4.8	4 5.2	18 5.9	4 3.8	1 4.0	18 6.8	17 5.1	7 5.7	5 4.4	0
II			2.4	2.5	2.2	2.3		- 0.3	6.8	20	- 7.8	28	0 -	3 3.7	1 3.0	6 3.7	4 3.5	6 4.6	5 3.6	2 3.0	27 5.1	15 4.6	8 4.6	7 4.9	0
III			0.2	1.2	0.5	0.4		- 1.7	5.5	28	- 5.0	3	2 3.0	3 1.7	6 3.5	11 3.5	7 4.8	25 4.9	9 3.3	1 5.0	11 5.1	8 4.5	1 5.0	8 5.1	1
IV			2.9	3.7	2.9	2.7		0.8	8.3	18	- 3.5	1	2 4.0	4 3.5	3 2.0	22 4.1	2 3.0	10 4.8	13 2.7	3 4.7	16 4.2	9 4.7	1 5.0	5 4.8	0
V			6.9	7.4	7.0	6.6		4.7	15.3	26	0.5	3	3 4.3	15 3.7	6 3.2	14 3.6	3 4.0	7 3.4	7 3.9	1 4.0	21 5.0	5 4.2	5 4.6	6 3.8	0
VI			9.8	10.7	10.1	9.7		7.8	15.0	2	5.3	11	9 3.3	31 3.0	4 2.8	15 3.7	1 5.0	4 3.5	1 3.0	0 -	4 3.2	12 3.3	0 -	8 2.1	1
VII			10.8	11.9	11.2	11.0		9.2	19.7	1	6.1	18	8 3.4	19 2.7	3 2.3	10 3.2	0 -	3 1.7	3 2.7	0 -	20 4.5	13 3.2	4 3.2	9 3.3	1
VIII			10.2	11.6	10.8	10.7		8.9	17.8	3	6.1	24	5 2.8	14 3.7	4 3.5	7 2.9	1 1.0	3 4.3	4 2.0	1 4.0	28 4.7	21 3.3	1 5.0	3 3.7	1
IX			10.1	11.5	10.4	10.5		8.7	18.8	3	2.3	30	6 2.8	8 2.1	4 3.2	11 4.3	1 5.0	4 4.0	1 1.0	0 -	27 5.5	15 2.6	2 7.5	9 3.4	2
X			5.9	6.3	5.7	5.9		3.9	11.3	16	- 1.8	27	12 4.4	7 4.4	7 4.1	14 3.8	1 4.0	9 4.7	3 2.0	2 3.0	19 5.0	7 5.4	1 5.0	10 3.6	1
XI			5.1	5.2	4.9	5.1		3.6	9.0	3	- 6.9	29	0 -	5 3.0	1 1.0	28 5.0	18 5.2	21 4.6	2 3.5	1 3.0	8 5.2	5 4.6	0 -	1 5.0	0
XII			1.7	2.0	2.0	1.9		0.2	6.1	1	- 2.2	16	2 4.5	0 -	1 1.0	8 4.5	5 5.0	47 4.9	5 4.4	1 5.0	8 4.0	3 3.3	3 4.3	10 4.3	0
1949			5.6	6.3	5.7	5.7		3.6	19.7		-15.0		53 3.7	116 3.2	43 3.2	151 4.0	47 4.7	157 4.7	57 3.2	13 3.9	207 5.0	130 4.2	33 4.9	81 3.9	7

Bodø IV
Bodø V

φ = 67° 17′ N λ = 14° 25′ E g = 9.824 ΔG = + 1h
φ = 67° 16′ N λ = 14° 22′ E g = 9.824 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	991.6	994.1	0.0	0.2	- 0.7	- 0.2	2.2	- 3.5	9.0	27	-11.2	22	4 3.5	2 1.0	12 2.9	22 5.3	4 5.0	5 2.4	2 3.5	3 7.3	25 6.2	6 4.5	1 1.0	6 3.8	1
II	99.0	1001.1	1.3	1.5	0.8	1.1	3.5	- 1.4	8.6	17	-11.6	28	1 4.0	2 3.0	12 3.9	13 3.2	4 2.0	5 2.4	3 1.7	9 3.4	19 4.7	6 4.5	6 5.0	4 4.2	0
III	1011.6	13.7	- 1.8	- 0.2	- 1.1	- 1.2	1.1	- 3.8	6.2	30	-12.3	1	0 -	1 1.0	23 3.1	29 3.4	5 4.8	4 3.5	0 -	1 3.0	19 4.1	1 3.0	4 2.8	6 2.5	0
IV	999.7	01.8	1.9	3.6	2.6	2.2	5.2	- 0.4	10.5	18	- 7.1	1	1 3.0	0 -	18 3.4	24 3.5	5 2.2	5 3.0	8 2.6	4 2.5	10 3.8	5 3.0	5 3.2	5 2.4	0
V	1007.4	09.5	7.1	8.0	7.4	6.9	10.2	4.2	17.6	26	- 0.5	4	3 2.0	0 -	13 3.8	33 3.4	1 4.0	1 4.0	5 2.2	5 3.6	19 3.7	3 3.7	5 3.4	4 3.2	1
VI	13.1	15.6	9.8	11.3	10.8	9.8	13.0	6.7	20.0	30	2.9	22	14 4.6	8 2.4	8 3.1	15 3.1	0 -	0 -	0 -	0 -	8 3.0	4 2.0	5 1.8	20 2.1	8
VII	12.7	14.8	10.5	12.2	11.5	10.9	13.8	7.9	22.6	1	2.1	18	1 1.0	8 1.4	5 1.4	4 1.2	0 -	2 2.5	4 2.0	2 1.5	10 2.6	20 1.8	3 3.0	22 2.1	12
VIII	08.2	10.5	9.7	11.7	10.9	10.4	13.1	7.8	21.7	30	3.9	18	5 2.4	4 2.2	7 1.4	8 2.4	8 2.0	7 2.3	3 2.3	7 2.9	16 3.2	6 2.7	8 2.1	6 1.8	8
IX	14.4	16.8	9.0	11.8	11.1	10.4	13.6	8.3	22.1	2	1.5	30	1 1.0	4 2.5	0 -	10 4.0	13 2.7	5 2.8	5 4.4	2 5.0	24 4.0	8 4.2	4 3.8	7 2.6	7
X	02.3	04.8	4.5	5.6	4.9	4.8	7.2	3.1	13.2	16	- 2.2	27	9 4.4	3 2.3	2 1.5	22 3.5	9 3.1	8 2.5	8 2.8	5 4.0	7 4.6	2 5.0	4 3.8	12 4.1	2
XI	07.6	10.0	3.8	3.8	3.7	3.8	5.6	2.4	9.8	22	- 8.5	29	0 -	1 2.0	3 3.0	40 3.4	24 4.5	12 4.9	5 3.8	1 4.0	3 4.3	1 5.0	0 -	0 -	0
XII	993.5	995.9	0.3	0.4	0.6	0.4	2.7	- 1.8	6.2	3	- 4.8	6	0 -	0 -	0 -	43 3.7	21 4.6	11 4.1	3 3.3	0 -	2 4.0	2 4.0	6 4.0	5 3.2	0

1949

Nord-Solvær

$H_s = 7$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d =$ $h_r = 1.6$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.3	6.6	6.0	257	40	14	18		0		24	22	11	24	3	2	18	16	9	3	0	7	1	0	1	0	6	1	14	
II					6.7	7.2	6.9	157	23	16	12		0		24	21	5	12	2	1	17	14	7	3	0	7	0	0	3	0	11	0	19	
III					5.1	4.8	4.7	78	19	31	20		0		15	14	2	13	3	0	8	9	1	1	0	5	0	0	3	0	19	5	10	
IV					6.2	5.7	6.0	161	20	17	7		0		20	19	8	16	0	0	16	9	5	3	0	4	0	0	6	0	6	4	19	
V					7.1	7.0	6.6	127	19	11	0		0		22	18	5	8	1	0	22	3	3	8	0	2	0	0	3	2	19	0	23	
VI					6.4	5.4	6.1	28	7	20	0		0		10	7	0	3	1	0	10	0	0	3	0	0	0	0	2	3	22	0	14	
VII					6.6	6.2	5.5	85	24	25	0		0		19	17	1	2	0	0	19	0	0	5	0	0	0	0	3	1	23	0	18	
VIII					6.4	6.6	6.8	144	20	14	0		0		21	17	6	6	0	0	21	0	0	6	0	0	0	0	3	4	19	1	22	
IX					6.4	6.3	6.2	107	21	27	0		0		16	16	4	7	2	1	16	0	0	6	0	0	0	0	3	1	14	1	19	
X					6.7	6.3	5.7	214	36	15	2		0		28	24	9	12	1	0	24	4	0	4	1	2	0	0	2	0	13	0	15	
XI					5.7	6.0	5.6	121	37	4	3		0		13	11	4	12	1	0	13	1	1	2	0	0	0	0	3	0	10	3	16	
XII					5.9	6.7	5.8	103	28	2	11		0		16	15	4	13	2	1	10	11	4	0	0	2	0	0	0	0	2	0	15	
1949					6.3	6.2	6.0	1582	40		73		0		228	201	59	128	16	5	194	67	30	44	1	29	1	0	32	11	164	15	204	

Myken

$H_s = 19$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.4$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	72	69	73	72	7.1	6.7	7.0	178	28	28	17		0		27	23	4	26	15	9	19	20	12	3	0	13	0	2	5	0	4	0	24	7
II	75	77	76	76	6.5	6.9	7.0	127	19	14	7		0		24	20	4	20	10	3	16	18	11	1	0	11	0	0	2	0	13	0	21	2
III	70	68	70	69	4.5	5.0	5.2	55	10	22	21		0		16	14	0	20	9	0	10	13	6	0	0	9	0	1	1	0	24	1	11	6
IV	74	72	71	74	6.0	5.6	6.0	137	18	17	6		0		22	21	5	19	3	0	18	16	11	0	0	4	0	0	8	0	22	3	16	1
V	80	80	79	80	7.3	6.9	6.4	106	16	5	0		0		25	20	2	16	4	0	25	5	5	1	0	2	0	0	7	2	24	0	22	0
VI	78	74	76	77	6.8	5.6	5.8	31	10	20	0		0		15	10	1	4	0	0	15	0	0	2	0	0	0	0	3	3	27	0	14	0
VII	77	75	74	76	7.0	6.2	5.9	54	9	13	0		0		20	12	0	5	0	0	20	0	0	7	0	0	0	0	4	1	27	0	18	0
VIII	80	78	80	80	6.9	6.5	6.6	108	16	4	0		0		23	15	4	6	0	0	23	0	0	8	0	1	0	0	1	6	23	0	20	0
IX	76	75	75	75	6.5	6.1	6.3	101	27	30	0		0		20	16	2	13	5	1	20	0	0	6	0	1	0	1	5	5	18	2	20	0
X	75	71	72	73	6.8	6.7	7.0	224	31	3	2		0		29	24	9	20	9	3	27	8	7	4	0	9	0	0	4	0	7	0	22	0
XI	68	70	66	67	6.1	6.5	6.3	99	24	4	3		0		16	12	4	18	7	2	15	1	0	0	0	0	0	0	0	0	13	0	18	0
XII	70	70	71	70	5.5	6.8	6.0	93	22	29	4		0		21	15	3	14	8	4	16	18	13	0	0	5	0	1	0	0	2	0	14	0
1949	75	73	74	74	6.4	6.3	6.3	1313	31		60		0		258	202	38	181	70	21	226	99	65	32	0	55	0	5	40	17	204	6	220	16

Glomfjord

$H_s = 39$ $H_b =$ $h_t = 1.6$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.9	7.1	7.1	420	86	28	23		3		22	22	16	9	5	0	13	17	5	0	0	1	0	1	0	0	0	1	23	
II					7.5	7.2	6.9	344	46	3	18		2		24	22	14	4	3	1	15	12	4	0	0	2	0	0	0	0	3	0	23	
III					4.8	5.3	5.0	200	42	31	28		3		15	14	7	5	0	0	6	11	2	0	0	2	0	1	0	0	17	5	14	
IV					5.7	5.3	5.3	173	29	6	16		0		22	19	6	2	0	0	14	11	3	0	0	0	0	0	0	0	16	5	15	
V					7.0	6.9	7.1	203	40	8	1		0		24	20	6	1	0	0	22	3	1	3	0	1	0	0	0	2	15	0	24	
VI					5.6	5.9	5.1	63	13	10	0		0		19	10	2	0	0	0	19	0	0	0	0	0	0	0	0	2	19	3	15	
VII					6.3	6.4	6.5	134	28	16	0		0		20	14	6	0	0	0	20	0	0	3	0	0	0	0	0	12	19	1	20	
VIII					6.4	6.9	6.5	184	34	22	0		0		24	22	8	0	0	0	24	0	0	2	0	0	0	0	0	10	17	1	20	
IX					6.4	5.6	6.0	227	67	30	1		0		19	16	7	1	1	0	19	0	0	1	0	0	0	0	1	6	12	3	19	
X					7.0	6.8	6.9	470	110	14	10		0		25	25	14				22	13	10	0	0	1	0	0	0	0	0	1	22	
XI					5.9	5.7	5.8	124	58	4	7		0		11	8	3				11	1	1	0	0	0	0	0	0	0	0	2	15	
XII					6.7	8.0	5.4	84	18	10	25		0		13	13	2				12	12	10	0	0	0	0	0	0	0	0	0	19	

Helligvær

$H_s = 14$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.7$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	78	77	79	79	6.5	5.7	5.7	137	35	28	21		2		24	20	4	24	9	5	16	16	6	0	0	4	0	1	6	0	4	1	13	10
II	82	76	82	81	6.4	5.8	6.0	97	14	23	12		0		23	17	2	12	3	2	19	12	5	0	0	3	0	0	4	0	11	2	17	6
III	76	72	76	76	3.9	4.3	4.5	55	15	24	25		0		14	12	1	11	1	0	8	11	4	0	0	2	0	0	3	0	26	8	7	10
IV	79	73	78	79	5.6	5.2	4.7	111	27	17	11		0		22	19	2	12	0	0	18	12	2	1	0	1	0	0	4	1	23	4	12	3
V	83	83	85	84	6.0	6.5	6.5	88	10	5	0		0		27	18	0	9	1	0	27	4	4	0	0	0	0	0	7	1	21	0	16	0
VI	83	80	81	82	5.7	5.1	5.5	32	9	20	0		0		15	8	0	2	0	0	15	0	0	1	0	0	0	0	5	1	24	1	14	0
VII	83	79	82	82	6.6	6.2	5.6	40	12	11	0		0		19	10	1	5	0	0	19	0	0	0	0	0	0	0	4	0	25	0	17	0
VIII	87	83	87	86	6.6	6.1	5.9	103	13	22	0		0		22	19	2	7	0	0	22	0	0	3	0	0	0	0	4	2	20	1	17	0
IX	86	83	84	85	6.4	6.1	6.2	101	22	30	0		0		20	15	2	13	2	1	20	0	0	0	0	0	0	0	4	5	16	2	16	0
X	79	81	79	79	6.9	5.9	5.6	188	27	3	2		0		26	22	6	9	1	0	21	7	1	0	1	2	0	0	9	0	12	0	12	0
XI	75	75	74	75	5.5	5.6	4.9	79	20	4	4		0		10	9	3	13	0	0	10	1	1	0	0	0	0	0	1	0	10	3	14	0
XII	78	74	76	76	5.4	6.3	5.7	75	14	29	12		0		21	11	2	14	1	0	12	14	5	0	0	1	0	0	4	0	2	1	13	0
1949	81	78	80	80	6.0	5.7	5.6	1106	35		87		2		243	180	25	131	18	8	207	77	28	5	1	13	0	1	55	10	194	23	168	29

Bodø IV
Bodø V

$H_s = 15$ $H_b = 17.0$ $h_t = 1.9$ $h_a = 8.3$ $h_d = 8.2$ $h_r = 1.7$

$H_s = 19$ $H_b = 19.7$ $h_t = 1.9$ $h_a = 15.0$ $h_d = 14.8$ $h_r = 1.4$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	81	83	82	6.7	6.9	7.0	174	50	28	23	6	1	0	20	18	6	23	8	4	16	18	11	0	0	7	0	4	1	0	4	0	22	8
II	83	84	83	83	6.9	6.7	6.8	108	16	17	17	2	1	0	25	18	2	8	3	2	19	16	6	3	2	4	0	0	0	0	7	1	22	11
III	76	73	76	76	5.1	5.0	5.9	67	14	31	26	9	2	0	14	10	3	8	2	0	9	10	5	0	1	3	0	0	3	0	22	2	12	27
IV	76	69	75	76	6.0	6.0	5.8	78	18	17	15	1	0	0	22	16	1	6	0	0	18	12	6	4	0	3	0	1	4	0	22	4	20	5
V	79	78	81	80	6.9	7.3	7.2	104	14	5	2	0	0	0	24	19	2	5	2	1	24	4	3	5	0	1	0	0	1	0	22	0	24	0
VI	84	78	79	82	6.4	5.8	5.2	38	17	20	0	0	0	0	17	9	1	1	0	0	17	0	0	3	0	0	0	1	1	0	24	1	18	0
VII	84	79	81	83	6.5	6.5	6.4	61	10	13	0	0	0	0	17	14	1	1	0	0	17	0	0	7	0	0	0	0	1	1	26	0	23	0
VIII	88	80	86	86	6.7	6.3	6.0	106	18	27	0	0	0	0	23	17	2	3	0	0	23	0	0	6	0	0	0	0	1	3	20	0	15	0
IX	87	81	82	84	6.4	6.5	6.7	96	26	30	0	0	0	0	20	17	2	10	1	1	20	0	0	6	0	0	0	0	1	3	16	2	20	0
X	86	83	85	85	6.9	6.9	6.8	210	32	15	7	0	0	0	26	22	6	10	0	0	22	8	2	5	0	3	0	0	2	0	12	0	21	0
XI	73	73	73	73	5.8	6.5	5.9	65	18	1	5	3	0	0	8	6	2	6	0	0	7	1	0	2	0	0	0	0	0	0	10	0	15	0
XII	76	74	75	75	6.2	7.0	6.5	37	8	23	24	4	0	0	12	9	0	8	1	0	4	11	3	0	0	0	0	0	0	0	1	0	18	18

1949

Fauske

φ = 67° 15′ N λ = 15° 23′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-1.4	-1.2	-1.7	-1.4		-5.1	7.8	27	-18.2	17	0 -	4 1.2	3 3.7	5 5.4	8 4.2	13 5.2	2 3.5	9 2.6	12 3.4	7 4.1	0 -	1 2.0	29
II			0.3	1.2	0.4	0.5		-2.0	7.1	20	-13.5	28	0 -	0 -	1 2.0	0 -	3 3.0	14 2.3	10 2.0	3 2.0	14 3.1	6 2.7	6 3.0	0 -	27
III			-3.4	-0.6	-1.7	-2.2		-5.2	5.8	28	-19.3	1	1 1.0	2 1.0	2 1.0	11 3.5	2 2.0	26 3.0	3 2.3	6 3.3	9 1.8	4 3.5	3 3.7	0 -	24
IV			1.7	3.5	2.6	2.0		-0.9	9.4	26	-11.7	9	0 -	0 -	1 2.0	6 2.8	5 3.2	28 2.8	8 2.1	6 2.7	4 2.5	4 2.0	3 4.0	1 1.0	24
V			7.5	8.7	7.4	7.2		4.5	16.1	26	-0.8	4	1 2.0	1 2.0	1 5.0	3 2.0	6 2.3	26 2.7	6 2.0	5 3.4	12 2.8	5 1.8	3 2.0	0 -	24
VI			10.2	12.5	12.0	10.7		7.7	19.3	27	3.6	12	2 3.0	1 2.0	2 1.0	2 3.0	5 3.8	10 3.6	4 1.5	3 2.0	18 2.1	8 2.2	4 2.0	1 1.0	30
VII			10.8	13.2	12.0	11.4		8.4	24.1	1	2.1	18	2 2.5	1 1.0	0 -	2 1.0	3 3.3	5 2.2	3 1.7	1 1.0	17 1.6	23 2.1	1 2.0	1 2.0	34
VIII			10.2	13.1	11.9	11.2		7.9	19.7	30	2.9	17	1 3.0	4 1.8	1 2.0	3 3.0	0 -	0 -	0 -	9 1.7	15 2.2	2 1.5	2 2.0	2 2.0	54
IX			9.4	11.9	10.6	10.3		7.7	19.7	6	-1.5	23	0 -	1 1.0	1 1.0	0 -	0 -	11 3.7	4 2.2	5 3.2	5 2.0	7 2.4	2 1.0	1 6.0	53
X			3.0	4.5	3.3	3.4		1.0	11.7	18	-4.7	28	1 2.0	4 1.5	5 1.6	3 1.0	4 3.0	9 2.6	4 1.8	3 2.0	1 3.0	1 1.0	2 1.5	2 2.5	54
XI			2.9	3.1	2.8	2.9		1.0	8.4	21	-9.3	29	0 -	2 1.5	4 1.0	2 4.0	8 3.6	36 3.1	11 2.0	3 2.0	1 1.0	0 -	0 -	0 -	23
XII			-1.2	-0.8	-0.7	-0.9		-3.4	4.7	1	-10.7	6	0 -	0 -	2 3.0	7 4.7	2 5.5	29 3.0	10 2.3	1 3.0	0 -	3 2.7	0 -	1 2.0	38
1949			4.2	5.8	4.9	4.6		1.8	24.1		-18.2		8 2.4	20 1.4	23 2.0	44 3.4	46 3.4	207 3.1	65 2.1	54 2.5	108 2.4	70 2.4	26 2.5	10 2.3	414

Grøtøy

φ = 67° 50′ N λ = 14° 47′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.8	1.0	0.6	0.8		-1.5	5.6	10	-6.8	21	5 5.0	6 4.8	4 3.8	2 1.0	0 -	28 5.4	7 3.9	4 4.5	24 5.8	8 6.2	2 5.5	3 4.7	0
II			1.9	2.2	1.6	1.8		-0.4	7.6	19	-9.0	28	1 7.0	2 3.5	0 -	8 3.2	3 2.7	19 4.0	10 4.5	1 3.0	28 5.4	7 5.1	5 5.6	0 -	0
III			0.0	1.0	0.3	0.2		-1.9	5.0	28	-9.2	1	0 -	2 4.0	10 2.9	5 2.8	2 4.0	36 4.0	11 3.8	0 -	17 5.2	7 4.3	1 5.0	1 5.0	1
IV			2.6	3.6	3.2	2.7		0.3	10.6	18	-5.2	12	1 5.0	5 3.6	12 3.8	10 4.5	3 3.3	16 3.9	7 4.4	7 5.4	22 4.7	3 4.3	1 5.0	2 6.0	1
V			7.0	7.6	7.1	6.7		4.5	15.8	26	-0.4	3	1 2.0	18 4.3	11 3.7	0 -	3 3.0	12 3.8	1 3.0	13 4.9	20 5.0	6 4.7	3 4.3	4 4.8	1
VI			10.2	11.3	11.0	10.3		8.3	15.7	5	4.8	11	21 3.4	14 2.9	22 3.4	0 -	1 4.0	1 2.0	2 3.5	2 3.0	16 4.0	5 1.8	4 2.2	2 3.0	0
VII			10.8	11.9	11.6	11.1		9.2	22.0	1	6.2	17	12 2.7	1 5.0	16 3.4	4 4.2	0 -	3 2.0	1 2.0	8 4.3	24 4.2	13 4.2	7 3.4	4 1.8	0
VIII			10.5	11.5	11.1	10.7		8.8	18.3	3	5.8	18	7 3.0	0 -	15 3.8	4 4.8	1 4.0	9 3.0	12 3.9	14 4.1	21 4.5	3 3.0	7 2.1	0 -	0
IX			10.4	11.6	11.5	11.0		9.0	20.4	3	3.3	29	1 3.0	6 3.0	7 3.6	0 -	3 3.3	9 3.3	8 3.6	8 3.5	34 4.7	8 4.4	2 6.5	3 5.0	1
X			5.5	6.1	5.5	5.6		3.7	14.0	16	-3.2	28	8 5.0	5 1.8	15 3.5	4 1.5	3 3.7	19 3.1	9 3.9	2 6.0	10 5.1	6 3.5	6 3.7	6 5.3	0
XI			4.9	5.0	4.9	4.9		3.1	10.0	6	-7.0	29	0 -	0 -	3 3.3	28 2.3	8 3.4	40 4.2	5 4.8	3 4.3	3 5.7	0 -	0 -	0 -	0
XII			1.6	1.8	1.8	1.7		-0.2	5.4	1	-3.2	7	1 1.0	1 3.0	1 4.0	22 2.4	17 4.4	36 3.7	1 6.0	1 5.0	7 3.4	5 5.4	1 2.0	0 -	0
1949			5.5	6.2	5.8	5.6		3.6	22.0		-9.2		58 3.6	60 4.5	116 3.2	87 2.7	44 4.3	228 4.0	74 4.2	63 5.1	226 4.5	71 4.5	39 3.4	25 4.4	4

Bjørnfjell

φ = 68° 26′ N λ = 18° 4′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-6.8	-6.4	-7.1	-6.8		-10.4	5.0	27	-20.4	17	0 -	1 2.0	9 2.9	29 4.3	0 -	6 4.3	0 -	0 -	8 3.8	34 4.0	0 -	2 3.5	4
II			-6.7	-6.5	-7.3	-7.0		-10.2	3.0	17	-25.3	28	0 -	0 -	0 -	38 3.1	0 -	3 3.3	0 -	0 -	4 6.0	32 4.8	0 -	2 5.5	5
III			-9.3	-6.7	-8.4	-8.5		-11.8	1.0	29	-24.3	1	0 -	0 -	0 -	52 3.5	0 -	5 5.4	0 -	0 -	2 2.0	32 4.3	0 -	2 3.0	0
IV			-4.1	-0.8	-3.4	-3.7		-7.9	6.0	16	-20.6	12	0 -	0 -	4 2.5	44 2.5	0 -	4 4.5	0 -	0 -	8 3.4	23 2.8	0 -	0 -	7
V			1.3	2.3	2.0	1.4		-0.7	6.0	28	-5.6	1	0 -	0 -	1 3.0	58 3.3	0 -	0 -	0 -	0 -	11 3.3	18 3.7	0 -	0 -	5
VI			6.4	9.0	8.3	7.0		3.6	21.1	30	-1.7	12	0 -	0 -	0 -	46 2.8	0 -	1 2.0	0 -	0 -	11 2.9	28 2.7	0 -	0 -	4
VII			7.2	9.2	8.8	7.8		5.3	22.0	1	0.3	17	0 -	0 -	1 3.0	17 2.5	0 -	0 -	1 2.0	1 3.0	16 2.8	57 3.0	0 -	0 -	0
VIII			6.7	9.6	8.6	7.8		4.9	19.1	2	0.4	24	0 -	0 -	0 -	26 2.6	0 -	2 3.0	0 -	0 -	19 2.5	42 2.6	0 -	0 -	4
IX			6.0	7.3	6.6	6.4		4.4	15.5	4	-2.8	29	0 -	1 1.0	4 3.0	21 3.0	0 -	4 4.2	0 -	0 -	2 2.5	55 3.4	0 -	0 -	3
X			-1.5	-0.7	-1.0	-1.2		-3.4	10.4	18	-10.6	9	0 -	1 4.0	13 3.0	24 2.9	0 -	5 3.0	0 -	0 -	8 3.0	41 3.2	0 -	1 2.0	0
XI			-3.0	-3.1	-3.2	-3.1		-5.3	4.3	9	-16.6	29	0 -	0 -	6 4.3	67 3.5	0 -	7 4.3	0 -	0 -	5 2.8	4 2.0	0 -	0 -	1
XII			-7.6	-7.6	-7.1	-7.4		-10.6	0.4	18	-15.6	26	0 -	0 -	3 3.3	70 3.2	0 -	1 4.0	1 2.0	0 -	5 3.0	8 3.5	0 -	0 -	5
1949			-1.0	0.5	-0.3	-0.6		-3.5	22.0		-25.3		0 -	3 2.3	41 3.1	492 3.2	0 -	38 4.1	2 2.0	1 3.0	99 3.1	374 3.4	0 -	7 3.7	38

Narvik

φ = 68° 25′ N λ = 17° 23′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-1.0	-1.0	-1.5	-1.2		-4.6	7.4	27	-12.9	17	0 -	0 -	6 3.3	1 6.0	0 -	31 3.7	0 -	4 2.5	28 2.8	18 4.6	2 6.0	3 4.0	0
II			-0.5	0.2	-0.6	-0.4		-3.2	5.2	2	-14.7	28	0 -	0 -	1 4.0	0 -	0 -	14 3.0	4 2.0	5 2.0	38 2.4	20 4.8	1 4.0	1 6.0	0
III			-2.1	0.2	-2.0	-1.7		-5.5	5.8	22	-14.6	1	1 3.0	0 -	6 4.2	2 5.5	0 -	24 3.5	0 -	5 2.2	35 2.7	17 4.2	1 4.0	2 4.0	0
IV			1.8	3.6	1.7	1.7		-2.0	10.3	19	-10.1	12	0 -	0 -	5 2.4	1 2.0	0 -	30 3.2	0 -	2 2.0	35 2.8	17 3.8	0 -	0 -	0
V			6.6	7.9	7.0	6.4		3.0	14.4	29	-1.9	4	8 3.0	2 3.5	17 2.8	1 2.0	1 2.0	22 3.4	1 6.0	0 -	22 5.0	16 4.2	2 4.5	1 3.0	0
VI			10.3	12.2	11.6	10.6		7.2	21.0	28	3.0	11	10 3.2	8 3.0	18 2.6	0 -	0 -	11 2.6	0 -	1 4.0	16 3.1	21 3.1	2 2.5	1 3.0	2
VII			10.3	12.3	11.6	10.8		8.0	24.0	1	4.0	17	5 3.8	3 3.0	22 2.4	0 -	0 -	9 2.3	1 2.0	0 -	2 3.5	39 3.9	8 3.1	2 3.0	2
VIII			9.7	11.6	10.7	10.3		7.6	17.0	30	3.3	17	2 3.5	1 2.0	13 2.6	0 -	0 -	14 2.6	0 -	0 -	26 2.3	34 3.3	2 3.5	1 2.0	0
IX			9.1	10.8	10.0	9.7		7.2	18.9	8	2.0	30	2 3.5	0 -	7 2.0	3 2.0	0 -	15 2.5	1 3.0	0 -	19 3.3	35 3.9	6 3.2	2 3.0	0
X			2.9	4.3	3.4	3.4		1.0	11.2	16	-3.8	28	4 3.8	1 4.0	3 2.7	1 4.0	0 -	22 2.6	3 2.0	0 -	29 2.2	28 3.7	1 6.0	1 3.0	0
XI			1.9	2.0	1.5	1.8		-0.4	9.8	9	-11.7	29	1 2.0	1 2.0	4 4.0	0 -	0 -	35 3.0	5 2.6	0 -	38 2.2	6 2.5	0 -	0 -	0
XII			-1.8	-1.5	-1.5	-1.6		-4.2	4.2	1	-7.3	25	0 -	0 -	1 5.0	0 -	0 -	25 2.9	2 2.0	5 2.6	46 2.2	14 2.8	0 -	0 -	0
1949			3.9	5.2	4.3	4.2		1.2	24.0		-14.7		33 3.3	16 3.0	103 2.8	9 3.4	1 2.0	252 3.0	17 2.5	22 2.5	334 2.6	265 3.8	25 3.6	14 3.5	4

Offersøy

φ = 68° 20′ N λ = 15° 38′ E g = 9.825 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	990.4	992.9	-0.7	-0.7	-0.9	-0.8		-3.0	5.4	27	-9.8	12	2 1.5	0 -	10 2.6	0 -	8 4.4	12 4.2	8 3.2	5 5.4	20 4.6	11 3.2	0 -	3 2.7	14
II	97.0	99.5	0.3	0.9	0.4	0.4		-1.6	5.6	20	-11.1	28	0 -	2 1.0	14 1.8	3 2.3	0 -	1 2.0	10 2.4	9 2.6	20 3.8	17 3.2	1 1.0	1 7.0	6
III	1010.3	1012.8	-1.2	0.7	-1.1	-0.7		-3.2	3.9	29	-11.0	1	0 -	3 2.3	10 2.4	3 1.7	6 4.5	11 2.9	13 2.4	3 4.0	16 4.2	15 2.1	0 -	0 -	13
IV	999.2	01.7	1.8	3.5	1.9	1.9		-0.7	9.1	29	-7.2	1	1 1.0	1 3.0	23 2.0	10 2.8	5 2.8	6 2.3	6 2.2	6 3.8	14 3.4	9 1.9	2 3.5	1 2.0	6
V	1007.1	09.6	6.4	7.5	6.4	6.2		3.6	14.3	26	-2.0	4	0 -	3 3.0	34 2.5	10 2.7	3 2.3	3 2.3	1 2.0	7 2.4	21 3.6	7 1.4	1 2.0	1 1.0	2
VI	12.6	15.1	10.2	12.6	11.6	10.6		7.1	20.1	28	3.1	22	0 -	2 1.5	25 2.6	25 1.9	3 2.0	0 -	1 1.0	1 2.0	12 2.9	9 2.2	0 -	2 1.5	10
VII	11.7	14.2	10.2	12.4	11.4	10.8		7.9	25.3	1	2.8	17	1 1.0	2 1.5	13 2.2	8 2.0	3 1.7	1 2.0	0 -	5 3.4	27 2.8	17 2.2	7 2.0	1 1.0	8
VIII	07.7	10.2	9.8	12.2	10.6	10.5		7.7	18.3	3	2.0	24	1 2.0	2 1.5	15 2.6	7 2.1	0 -	1 2.0	1 3.0	7 3.0	29 2.9	18 1.9	1 2.0	1 2.0	10
IX	13.2	15.7	9.3	11.0	9.7	9.8		7.6	18.8	3	0.2	29	0 -	0 -	20 2.4	3 2.3	1 3.0	0 -	2 2.0	3 4.3	36 3.7	16 2.3	2 3.0	0 -	7
X	02.0	04.5	3.2	4.7	3.6	3.7		1.4	11.9	16	-5.8	28	0 -	1 1.0	23 2.0	1 4.0	0 -	2 1.5	0 -	2 4.0	20 3.0	14 1.8	8 1.8	2 2.5	28
XI	08.2	10.8	2.8	3.0	2.7	2.8		0.9	8.1	9	-8.0	29	0 -	2 1.0	34 1.9	6 2.5	5 3.8	14 3.2	5 1.8	5 3.4	1 2.0	2 1.0	0 -	0 -	16
XII	994.1	996.6	-0.3	-0.3	-0.2	-0.3		-1.9	4.5	1	-6.1	7	0 -	0 -	29 1.9	10 2.5	7 4.0	15 2.5	8 2.5	0 -	5 3.4	8 2.0	0 -	0 -	11
1949	1004.5	1007.0	4.3	5.6	4.7	4.6		2.2	25.3		-11.1		5 1.4	18 1.8	250 2.2	86 2.3	41 3.5	66 3.0	55 2.4	53 3.4	221 3.4	143 2.2	22 2.1	12 2.4	123

1949

Fauske

$H_s = 14$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.9$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ,	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	79	79	79	6.4	6.6	6.3	146	28	28	23		5		21	18	4	16	0	0	15	19	10	2	1	1	0	0	3	0	1	2	17	
II	78	76	76	77	6.9	6.3	6.5	108	12	17	21		2		23	21	2	4	2	0	13	18	3	2	1	1	1	0	3	0	5	0	19	
III	74	68	71	72	4.8	4.7	4.5	88	18	28	26		7		11	10	4	5	2	1	5	9	2	0	0	1	0	0	2	0	17	7	12	
IV	71	67	68	70	5.6	5.5	4.8	51	12	17	12		1		15	12	1	0	0	0	11	9	2	0	0	0	0	0	1	0	11	5	13	
V	73	73	79	77	6.2	6.9	6.9	94	19	30	2		0		24	15	3	0	0	0	24	6	5	2	0	0	0	0	0	0	12	0	18	
VI	81	71	71	77	6.0	5.6	5.4	40	8	20	0		0		17	10	0	1	0	0	17	0	0	0	0	0	0	0	2	1	17	2	15	
VII	83	73	79	81	6.6	5.9	6.2	45	7	11	0		0		16	12	0	0	0	0	16	0	0	9	0	0	0	1	3	2	13	0	16	
VIII	89	72	81	85	6.8	5.9	6.0	84	12	7	0		0		24	18	2	1	0	0	24	0	0	2	0	0	0	0	4	1	15	0	17	
IX	89	77	84	85	6.0	5.8	6.0	131	19	30	1		0		21	13	4	3	1	0	21	0	0	1	0	0	0	0	2	1	10	3	13	
X	85	80	84	84	6.6	6.3	5.7	178	39	14	15		0		25	21	4	1	0	0	21	13	6	3	0	0	0	0	1	1	7	1	19	
XI	73	72	72	72	5.4	6.5	5.3	48	23	1	10		0		7	5	2	7	0	0	6	1	0	0	0	0	0	0	0	0	2	1	14	
XII	77	76	74	76	5.5	6.8	5.6	39	7	24	26		1		10	10	0	3	1	0	2	9	1	0	0	0	0	0	2	1	0	2	15	
1949	79	74	76	78	6.1	6.1	5.8	1052	39		136		16		214	170	26	41	6	1	175	84	34	21	2	3	1	1	23	7	110	23	188	

Grøtøy

$H_s = 6$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d =$ $h_r = 1.5$

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	76	76	78	77	5.8	5.5	5.5	147	32	28	22		0		26	17	5	30	10	4	18	24	13	0	0	5	0	0	4	0	6	2	11	13
II	83	82	84	83	5.8	5.6	6.1	160	18	21	15		0		25	18	7	21	6	0	22	18	14	2	0	2	0	0	10	0	7	2	13	13
III	73	71	72	72	4.6	4.8	4.7	40	8	28	27		0		14	8	0	16	0	0	9	12	7	0	0	1	0	0	5	0	19	2	5	28
IV	76	72	74	75	5.4	5.6	5.1	142	25	17	13		0		20	13	5	16	2	0	19	9	8	2	0	1	0	0	6	0	17	4	14	5
V	77	77	80	79	5.8	6.3	6.2	90	16	14	2		0		23	17	2	10	3	0	23	4	4	5	0	0	0	0	1	0	20	0	17	0
VI	79	76	76	77	5.2	4.6	4.8	35	13	20	0		0		15	11	1	4	0	0	15	0	0	4	0	0	0	0	3	1	23	3	9	0
VII	79	76	77	78	6.4	6.2	5.9	62	17	13	0		0		20	13	2	7	0	0	20	0	0	2	0	0	0	0	4	0	22	1	17	0
VIII	83	79	81	82	6.3	6.0	5.7	160	41	27	0		0		24	16	4	9	0	0	24	0	0	7	0	0	0	1	2	2	17	1	17	0
IX	83	78	78	80	6.2	6.1	6.2	163	43	30	0		0		22	16	3	13	1	1	22	0	0	2	0	0	0	1	3	1	10	1	17	0
X	78	78	77	78	6.0	6.0	5.8	146	28	16	2		0		25	22	4	13	0	0	24	7	5	1	0	4	0	0	3	0	9	0	16	2
XI	70	69	68	70	4.4	5.6	4.9	86	38	4	4		0		15	9	3	11	0	0	13	3	1	0	0	0	0	0	1	0	8	3	11	0
XII	72	70	71	71	5.0	5.7	5.2	56	9	3	20		0		19	11	0	10	0	0	9	19	9	0	0	0	0	0	3	0	1	1	9	24
1949	77	75	76	77	5.6	5.7	5.5	1287	43		105		0		248	176	36	160	22	5	218	96	61	25	0	13	0	2	45	4	159	20	156	85

Bjørnfjell

$H_s = 514$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 2.5$

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.9	6.3	6.2	135	27	11	31		17		21	19	5	21	8	2	2	21	2	0	0	0	0	0	8	0	0	2	21	31
II					6.8	6.7	6.4	119	20	5	28		11		23	17	5	10	6	0	3	22	2	0	0	0	0	0	12	4	3	2	22	28
III					5.3	4.9	5.0	68	12	2	31		16		14	12	1	16	5	2	1	14	1	0	0	0	0	0	8	1	18	5	14	31
IV					5.8	5.6	5.7	64	12	27	27		10		21	14	1	3	0	0	9	18	4	1	0	0	0	0	15	2	22	5	18	30
V					6.5	6.7	7.3	60	9	9	16		0		26	17	0	5	0	0	16	19	6	4	0	1	0	0	11	5	16	2	24	31
VI					5.9	5.9	6.5	45	9	10	2		0		16	12	0	1	0	0	16	2	2	7	0	0	0	0	7	7	21	3	18	0
VII					7.1	7.4	6.9	96	15	26	0		0		20	19	3	3	0	0	20	4	4	7	0	0	0	0	11	9	19	0	26	0
VIII					7.2	6.9	7.0	101	15	27	0		0		26	18	2	0	0	0	26	1	1	5	0	1	0	0	12	5	18	0	24	0
IX					7.1	7.0	7.2	114	17	27	3		0		25	20	4	7	2	0	25	4	4	9	0	2	0	0	15	5	11	1	24	1
X					7.3	7.1	6.7	124	18	14	24		1		27	22	5	7	1	0	10	19	1	0	0	2	0	0	12	7	4	0	23	22
XI					5.1	5.8	4.8	39	15	2	27		4		10	7	2	9	0	0	5	9	4	1	0	0	0	0	6	2	0	3	14	30
XII					4.6	5.9	5.8	28	10	10	31		19		15	8	0	5	0	0	4	12	1	3	0	0	0	0	13	7	0	1	12	31
1949					6.3	6.4	6.3	993	27		220		78		244	185	28	87	22	4	137	145	32	37	0	6	0	0	130	54	132	24	240	235

Narvik

$H_s = 40$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 9.6$ $h_r = 1.7$

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.5	6.1	5.5	116	20	28	28		5		20	17	5	18	1	0	11	20	11	0	5	0	0	0	2	0	0	1	20	28
II					6.6	6.4	6.0	69	12	18	23		3		22	13	1	8	4	0	11	19	7	0	3	0	0	0	0	0	5	3	22	28
III					5.2	5.0	5.3	48	11	24	29		5		13	10	2	11	3	0	5	11	2	0	2	0	0	0	0	0	25	4	15	31
IV					5.7	5.6	5.2	67	13	27	16		1		21	14	1	4	0	0	14	13	4	0	3	0	0	0	0	0	24	5	16	19
V					6.5	6.7	7.0	70	13	9	2		0		26	15	1	4	1	0	22	9	3	0	2	0	0	0	3	0	22	1	22	1
VI					5.6	5.1	5.7	34	5	14	0		0		19	10	0	1	0	0	19	0	0	1	0	0	0	0	0	0	27	3	15	0
VII					6.9	6.6	6.8	92	14	31	0		0		21	16	3	3	0	0	21	0	0	0	0	0	0	0	2	0	27	1	23	0
VIII					6.8	6.4	6.6	115	22	27	0		0		27	18	3	1	0	0	27	0	0	0	0	0	0	0	3	1	26	1	20	0
IX					6.6	6.4	6.9	89	10	10	0		0		23	18	1	8	2	1	23	0	0	1	0	0	0	0	3	0	18	0	21	0
X					6.6	6.7	6.1	99	26	14	12		0		28	20	1	4	0	0	20	16	3	0	7	0	0	0	1	0	7	0	17	7
XI					5.3	5.0	4.5	54	18	2	13		1		12	7	3	4	0	0	10	4	2	0	0	0	0	0	1	0	0	3	13	1
XII					4.2	6.0	5.3	22	8	10	31		0		12	6	0	5	0	0	2	12	2	0	1	0	0	0	0	0	0	2	11	29
1949					6.0	6.0	5.9	875	26		154		15		244	164	21	71	11	1	185	104	34	2	23	0	0	0	15	1	181	24	215	144

Offersøy

$H_s = 16$ $H_b = 20.4$ $h_t = 2.1$ $h_a =$ $h_d = 14.1$ $h_r = 1.7$

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	87	86	86	7.0	6.9	6.5	144	21	14	24		0		20	18	5	18	6	1	13	19	10	0	0	2	0	3	0	0	0	0	21	24
II	91	93	92	92	7.1	6.6	6.6	206	29	14	16		1		25	21	7	7	2	1	18	21	11	1	0	3	0	0	0	0	4	3	22	23
III	83	79	84	83	5.9	5.4	5.8	42	17	2	27		1		13	11	1	7	0	0	7	11	3	0	0	0	0	0	0	0	18	2	16	30
IV	84	77	82	83	6.0	6.1	6.0	156	43	16	17		0		20	16	4	3	0	0	17	12	8	2	0	0	0	0	1	0	13	4	20	6
V	86	84	87	81	6.9	7.1	7.0	123	21	14	4		0		23	14	4	3	1	0	23	5	4	2	0	0	0	0	1	0	16	0	24	1
VI	85	77	80	83	6.2	5.5	5.5	34	10	20	0		0		14	11	1	1	0	0	14	0	0	5	0	0	0	0	0	1	20	1	16	0
VII	91	82	85	88	7.3	6.6	6.5	84	27	13	0		0		19	12	2	1	0	0	19	0	0	5	0	0	0	0	0	4	19	1	21	0
VIII	94	83	89	90	7.5	6.5	6.6	167	31	14	0		0		23	15	5	0	0	0	23	0	0	5	0	0	0	0	1	2	18	0	20	0
IX	93	89	91	92	7.2	7.1	6.8	154	50	30	0		0		24	17	4	9	0	0	24	0	0	7	0	0	0	0	2	1	11	1	20	0
X	91	89	91	91	6.8	6.9	6.6	206	28	16	16		0		25	21	8	5	0	0	18	13	6	1	0	0	0	0	0	0	10	1	22	10
XI	85	83	84	84	5.4	6.4	5.2	106	52	4	12		0		12	9	2	2	0	0	11	1	1	0	0	0	0	0	0	0	8	3	16	5
XII	85	85	87	86	5.8	6.6	6.7	58	9	4	26		0		18	12	0	4	0	0	4	18	4	0	0	0	0	0	0	0	1	1	16	31
1949	88	84	86	87	6.6	6.5	6.3	1480	52		142		2		236	177	43	60	9	2	191	100	47	28	0	5	0	3	5	8	138	17	234	130

1949

Skrova

φ = 68° 9′N λ = 14° 39′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			0.9	1.0	0.8	0.9		- 1.2	5.6	10	- 7.5	12	3	4.3	4	3.0	5	2.2	10	4.6	11	4.3	7	4.0	3	4.0	7	7.0	23	5.8	11	5.0	4	3.0	4	4.2	1
II			1.8	2.1	1.7	1.8		0.0	5.5	20	- 8.6	28	0	-	0	-	4	3.5	16	3.8	0	-	1	3.0	5	5.2	12	6.0	25	4.4	11	5.7	7	4.9	3	4.3	0
III			0.2	0.6	0.5	0.3		- 1.4	4.6	28	- 8.0	1	3	1.3	2	2.5	5	2.6	14	4.0	4	3.5	17	4.1	8	3.1	8	4.4	15	5.1	9	3.5	6	3.7	1	3.0	1
IV			1.9	2.7	2.7	2.1		0.3	8.1	18	- 4.7	12	2	3.0	1	3.0	3	3.3	31	3.8	2	2.5	4	4.0	5	4.2	10	4.7	15	4.5	9	3.0	3	3.5	4	4.2	1
V			6.0	6.8	6.4	6.0		4.2	15.2	26	- 0.7	3	3	2.0	5	2.8	8	4.8	32	4.1	3	3.0	3	2.7	2	3.5	9	3.9	16	5.0	1	6.0	4	2.8	6	3.0	1
VI			9.7	10.9	10.8	10.0		8.2	16.9	30	5.2	11	15	3.2	7	3.0	12	2.8	17	3.3	4	3.0	1	3.0	3	1.3	4	3.0	12	2.7	2	2.0	1	2.0	6	2.7	6
VII			10.2	11.4	11.1	10.6		8.9	21.9	1	5.7	17	11	2.6	5	2.8	9	2.2	12	3.1	0	-	0	-	3	2.0	3	4.0	28	3.5	11	2.4	1	3.0	7	4.1	3
VIII			10.0	11.1	10.7	10.4		8.5	17.9	3	6.0	24	5	3.0	0	-	13	4.2	9	3.2	0	-	3	4.0	5	3.0	11	4.2	25	3.9	13	2.2	2	3.5	2	4.0	5
IX			10.0	10.7	10.3	10.2		8.3	17.7	3	2.7	29	1	4.0	2	2.0	4	3.5	18	3.9	3	1.7	1	2.0	3	3.7	8	5.2	33	4.4	5	3.2	8	4.4	4	3.5	0
X			4.8	5.3	5.1	5.0		3.2	11.7	16	- 2.8	28	7	3.7	3	4.7	9	4.2	10	2.8	3	3.7	3	3.0	6	3.3	6	4.8	17	4.8	8	4.0	7	3.0	13	3.2	1
XI			4.5	4.6	4.6	4.6		3.4	8.7	9	- 5.4	29	2	2.5	2	2.5	14	4.2	37	3.5	5	5.4	12	3.8	3	4.3	5	6.2	9	4.1	0	-	0	-	0	-	1
XII			1.2	1.5	1.7	1.5		0.2	5.3	1	- 2.4	13	0	-	0	-	16	3.8	24	3.9	11	3.7	15	3.7	7	3.7	4	4.5	2	4.5	6	3.3	5	3.2	2	3.0	1
1949			5.1	5.7	5.5	5.3		3.6	21.9		- 8.6		52	3.0	31	3.0	102	3.6	230	3.7	46	3.7	67	3.7	53	3.5	87	4.9	220	4.4	86	3.6	48	3.6	52	3.5	21

Glåpen Fyr

φ = 67° 53′N λ = 13° 3′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			1.3	1.2	1.0	1.2		- 1.6	5.9	10	- 7.4	12	10	4.2	0	-	5	4.6	1	4.0	6	6.8	11	5.4	3	4.0	3	6.3	15	5.3	16	5.9	10	4.5	11	3.5	2
II			2.0	2.1	2.2	2.0		- 0.3	6.8	20	- 6.8	28	2	3.5	0	-	6	3.0	1	1.0	2	2.5	4	2.2	1	6.0	9	5.4	29	4.6	13	5.6	6	3.8	10	3.7	1
III			0.6	1.0	0.6	0.6		- 1.4	5.6	28	- 7.1	1	4	3.0	1	2.0	9	3.3	3	3.3	1	5.0	9	5.1	10	5.6	13	5.5	14	5.1	11	4.5	6	4.5	11	2.2	1
IV			1.9	2.6	2.0	1.9		0.0	6.2	18	- 5.4	2	4	3.0	3	1.7	15	3.1	7	4.4	3	4.3	7	3.4	5	3.4	8	5.1	15	4.1	6	3.3	5	3.6	7	2.9	5
V			5.8	6.5	6.3	5.8		4.0	13.0	26	- 0.7	1	2	4.0	3	3.7	31	3.0	6	2.0	3	2.0	4	2.5	2	3.5	4	4.8	21	4.5	3	3.7	2	2.0	9	2.6	3
VI			9.2	10.1	10.1	9.3		7.5	15.2	30	4.2	11	14	2.5	4	2.8	33	2.5	9	1.7	1	2.0	0	-	2	3.0	4	1.8	11	2.8	1	3.0	1	3.0	3	2.7	7
VII			9.9	10.9	10.4	10.2		8.7	16.8	1	5.9	16	7	3.1	1	1.0	20	2.2	4	2.5	1	4.0	1	1.0	0	-	5	2.0	26	3.2	10	2.9	1	2.0	11	2.4	6
VIII			9.7	10.8	10.4	10.1		8.3	17.1	3	5.4	24	4	3.2	1	3.0	16	2.6	4	1.0	1	1.0	6	2.3	1	2.0	6	3.7	34	3.6	11	2.5	1	1.0	2	2.5	6
IX			9.5	10.1	9.7	9.7		8.1	15.2	6	2.5	29	2	3.0	1	1.0	19	2.7	1	1.0	2	1.0	3	1.3	2	2.5	6	3.2	31	4.5	10	3.6	6	2.3	7	3.0	0
X			4.9	5.6	5.1	5.1		3.2	11.2	16	- 3.4	28	15	3.4	9	3.1	9	2.9	4	3.5	0	-	5	2.8	4	3.2	4	4.2	21	4.1	6	3.2	4	4.0	11	3.3	1
XI			5.0	5.0	5.1	5.0		3.6	8.8	3	- 4.9	29	4	2.2	1	1.0	10	3.3	9	2.4	7	2.7	21	5.1	8	4.6	8	3.8	11	4.4	2	4.0	0	-	5	1.8	4
XII			1.7	2.0	1.9	1.9		0.3	5.3	18	- 1.7	10	5	2.6	2	2.0	13	3.2	5	3.0	5	5.6	18	5.1	6	4.3	7	5.4	11	3.5	4	2.2	6	2.5	11	3.0	0
1949			5.1	5.7	5.4	5.2		3.4	17.1		- 7.4		73	3.2	26	2.6	186	2.9	54	2.6	32	3.9	89	4.3	44	4.2	77	4.4	239	4.1	93	4.1	48	3.5	98	2.9	36

Røst

φ = 67° 30′N λ = 12° 4′E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I	990.8	992.1	2.2	1.8	1.8	1.9	5.0	- 1.0	11.4	27	- 7.4	12	8	4.6	1	3.0	3	4.3	3	4.3	4	4.0	10	5.9	7	5.9	8	5.6	21	6.6	14	5.5	5	5.4	9	6.1	0
II	98.0	99.4	2.9	3.2	3.2	3.0	5.9	0.7	11.8	14	- 4.5	28	1	5.0	1	2.0	2	4.0	4	4.2	0	-	2	3.0	18	6.0	4	5.8	24	5.2	17	6.3	4	5.2	6	5.5	1
III	1010.4	1011.7	1.4	1.7	1.5	1.4	3.8	- 0.6	9.7	30	- 5.9	1	3	5.7	1	1.0	6	3.3	5	5.0	1	5.0	4	4.0	28	7.0	9	6.8	7	6.6	13	5.5	5	4.8	9	4.7	2
IV	999.1	00.4	2.8	3.2	3.2	2.8	5.0	1.1	10.9	25	- 3.6	1	6	4.7	3	4.0	5	5.8	13	4.7	6	4.7	2	4.5	16	5.8	11	5.1	7	5.3	10	4.6	3	5.0	7	5.6	1
V	1007.0	08.3	6.0	6.4	6.5	6.0	7.8	4.7	11.7	26	0.2	1	7	5.7	7	4.1	13	4.8	7	3.3	2	3.0	3	6.0	8	4.6	11	6.0	13	5.0	5	3.2	6	4.8	10	4.1	1
VI	13.6	14.9	8.3	8.7	8.7	8.3	9.8	7.0	12.4	30	4.9	11	26	4.6	2	3.0	13	4.1	4	3.2	1	2.0	0	-	2	2.5	5	3.6	4	2.8	6	2.6	2	2.5	20	3.7	5
VII	13.2	14.5	9.8	10.6	10.0	9.9	11.6	8.7	16.3	1	6.2	17	11	2.7	2	4.5	6	2.3	4	2.2	0	-	2	1.5	2	1.0	10	3.2	14	3.5	12	3.2	3	3.0	21	3.3	6
VIII	08.3	09.6	9.6	10.3	9.9	9.7	11.5	8.3	14.3	4	6.4	6	14	5.6	2	1.0	2	3.0	5	1.8	1	2.0	2	5.0	5	4.4	24	4.1	15	3.6	9	3.0	1	1.0	9	2.4	4
IX	14.2	15.5	9.7	10.2	9.9	9.8	11.9	8.4	14.9	7	2.5	30	3	2.3	3	3.7	5	4.4	5	3.0	0	-	5	3.8	9	3.9	13	4.2	27	4.4	8	3.2	1	2.0	10	5.0	1
X	02.9	04.2	6.1	6.3	6.1	6.1	7.9	3.9	13.0	13	- 4.4	28	8	5.8	1	3.0	3	3.0	7	3.7	3	2.7	3	3.7	8	5.6	9	4.9	20	5.2	6	5.7	6	5.7	18	3.8	1
XI	07.0	08.3	6.3	6.3	6.3	6.3	7.9	4.5	10.8	6	- 4.5	29	2	2.5	1	5.0	10	2.8	14	2.4	3	4.0	21	4.6	15	5.9	10	5.8	6	4.8	3	3.3	1	5.0	3	6.0	1
XII	993.3	994.6	3.1	3.2	3.2	3.2	5.4	1.1	11.8	12	- 5.1	9	2	4.5	6	2.8	3	4.3	7	3.6	6	3.2	12	4.8	16	6.5	10	4.7	10	3.8	6	4.2	7	4.0	3	7.3	5
1949	1004.8	1006.2	5.7	6.0	5.9	5.7	7.8	3.9	16.3		- 7.4		91	4.6	30	3.3	71	3.9	78	3.5	27	3.6	66	4.6	134	5.8	124	4.9	168	4.8	109	4.5	44	4.5	125	4.3	28

Skomvær Fyr

φ = 67° 25′N λ = 11° 53′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			2.0	1.8	2.2	2.0		0.0	8.0	27	- 6.1	12	2	6.5	5	4.6	3	3.7	2	3.5	0	-	14	4.3	7	4.4	8	4.1	18	5.6	21	5.3	5	3.0	8	4.9	0
II			3.0	3.1	3.1	2.9		0.9	6.7	20	- 5.0	28	1	5.0	1	3.0	3	3.3	4	2.5	1	2.0	1	3.0	6	3.7	8	5.1	28	3.8	19	4.7	9	4.4	3	4.3	0
III			1.6	1.9	1.5	1.6		- 0.4	5.7	28	- 5.4	1	4	3.2	2	2.5	5	2.2	7	3.1	0	-	7	4.7	23	4.7	10	4.1	11	4.3	13	5.0	1	5.0	9	3.4	1
IV			2.8	3.4	3.2	2.8		1.2	6.9	18	- 4.1	12	2	2.5	1	3.0	10	3.4	11	3.7	3	3.0	8	3.6	11	3.6	6	2.3	18	3.9	6	4.2	6	3.3	4	5.0	4
V			5.9	6.2	6.0	5.7		4.6	9.0	30	0.1	1	4	3.2	5	5.0	19	3.1	10	2.1	1	2.0	3	2.3	5	2.8	7	3.4	25	3.4	2	2.5	6	3.2	6	3.4	0
VI			8.0	8.4	8.1	7.9		6.8	11.0	30	4.6	24	19	2.8	9	3.3	13	2.2	13	2.1	2	1.5	2	1.0	2	2.5	2	2.5	4	1.8	11	2.0	3	1.0	9	1.9	1
VII			9.7	10.5	9.7	9.7		8.2	14.9	5	3.5	16	9	2.9	3	2.0	10	2.0	7	1.9	3	1.0	3	1.0	5	1.4	1	1.0	15	2.3	17	2.1	7	2.3	12	3.0	1
VIII			9.8	10.3	9.6	9.5		8.1	13.7	11	6.6	24	5	2.8	9	4.6	3	3.3	5	1.8	2	1.5	7	2.6	12	2.1	6	3.0	23	2.6	12	2.4	1	1.0	7	2.0	1
IX			9.6	10.3	9.6	9.6		8.1	13.7	6	1.6	30	1	5.0	2	2.0	7	2.7	6	2.5	3	1.3	4	3.2	8	2.9	5	3.2	34	3.2	10	3.2	4	2.5	6	3.5	0
X			6.1	6.4	6.0	6.1		4.0	10.5	16	- 3.2	28	6	4.0	7	5.1	6	2.2	6	2.5	3	2.3	6	2.3	2	2.0	6	4.5	25	3.6	11	4.2	6	3.3	9	4.1	0
XI			6.1	6.4	6.3	6.3		4.5	9.4	5	- 4.2	29	3	4.0	1	6.0	12	2.7	13	2.0	2	2.5	20	3.8	16	4.3	7	4.9	12	4.1	3	2.7	0	-	0	-	1
XII			3.2	3.3	3.1	3.2		1.4	6.7	25	- 2.1	10	1	4.0	4	3.2	3	2.0	13	3.0	5	2.6	8	4.0	28	3.9	2	5.0	10	3.4	6	2.7	2	2.0	10	4.5	1
1949			5.6	6.0	5.7	5.6		4.0	14.9		- 6.1		57	3.3	49	4.0	94	2.7	97	2.5	25	2.0	83	3.6	125	3.7	68	3.9	223	3.5	131	3.7	50	3.6	83	3.5	10

Eggum
Borge i Lofoten

φ = 68° 18′N λ = 13° 41′E g = ΔG = + 1h
φ = 68° 20′N λ = 13° 53′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			0.9	0.9	0.6	0.8	3.1	- 1.7	8.8	27	- 8.7	16	3	5.3	0	-	6	4.2	4	3.2	1	4.0	12	4.4	15	5.1	5	5.6	17	5.6	16	6.2	3	5.3	11	5.5	0
II			2.2	2.0	2.0	2.0	4.2	- 0.3	7.0	19	- 9.8	28	1	5.0	0	-	0	-	2	3.5	2	3.0	12	3.5	11	4.7	10	4.4	23	5.3	12	5.4	4	4.8	7	6.0	0
III			0.1	0.5	0.7	0.3	2.3	- 1.7	6.8	29	-11.6	1	0	-	0	-	6	3.2	7	2.9	1	4.0	9	3.4	23	5.1	14	5.0	8	5.4	11	5.7	3	5.0	11	4.2	0
IV			2.4	3.0	2.8	2.3	4.6	0.2	10.0	18	- 4.8	1	2	5.5	5	4.6	4	3.0	9	4.6	6	3.0	6	3.0	18	4.9	10	4.8	12	4.4	10	4.1	1	3.0	7	4.1	0
V			6.3	6.8	6.6	6.2	8.6	4.2	17.9	27	- 1.9	1	4	4.2	4	4.0	22	3.5	5	3.4	1	3.0	6	3.7	10	3.9	8	4.5	14	4.6	8	3.5	2	3.0	6	3.5	3
VI			8.9	9.2	9.0	8.6	10.9	7.0	15.8	5	3.8	11	13	3.1	15	3.8	11	2.8	6	1.8	0	-	3	3.0	2	3.5	5	3.0	7	2.7	8	3.4	3	3.0	2	3.0	15
VII			9.6	10.4	10.2	9.8	11.7	8.1	19.0	1	5.0	18	6	4.7	4	3.0	19	3.2	1	3.0	1	2.0	1	2.0	3	4.0	6	3.5	12	4.1	18	3.2	1	3.0	13	4.1	5
VIII			9.3	10.4	9.9	9.7	11.7	7.5	17.9	30	4.0	19	8	3.6	0	-	12	3.6	2	3.0	0	-	0	-	14	3.6	10	3.9	20	3.4	14	3.4	0	-	4	2.5	9
IX			9.8	10.3	10.0	9.9	12.6	7.8	18.9	6	1.8	29	6	3.7	0	-	2	4.0	6	2.7	0	-	3	5.0	12	3.8	6	5.2	23	4.5	21	3.7	0	-	6	5.8	5
X			5.1	5.2	5.1	5.0	7.1	3.1	14.6	16	- 3.8	28	10	3.9	6	5.0	6	4.7	2	2.5	0	-	9	3.1	10	3.6	11	4.2	17	4.6	0	-	0	-	16	4.8	6
XI			4.8	4.6	4.9	4.8	6.6	3.0	12.1	6	- 5.8	29	2	3.5	1	5.0	1	4.0	4	2.5	6	2.8	34	3.6	17	3.8	6	4.3	9	4.4	2	4.5	0	-	0	-	8
XII			0.9	0.6	1.0	0.8	2.7	- 1.6	5.4	1	- 6.5	24	1	1.0	1	2.0	6	3.0	3	3.0	7	3.4	20	5.0	28	4.0	4	4.0	5	2.8	7	4.0	3	5.7	4	5.0	4

1949

Skrova

H_s = 11 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	73	73	72	73	6.8	7.0	6.2	109	32	14	17		0		23	17	3	15	7	4	16	22	12	1	0	5	0	0	0	0	1	0	21	16
II	77	78	80	78	6.9	6.5	6.9	130	34	14	9		0		25	19	3	15	7	0	23	15	13	1	0	7	0	0	0	0	9	1	20	10
III	71	71	72	71	5.6	5.4	5.7	28	8	28	22		0		13	10	0	10	2	1	7	12	5	0	0	3	0	1	0	0	22	3	15	27
IV	75	70	70	72	5.8	5.9	5.6	119	22	5	11		0		20	15	4	15	0	0	19	10	9	0	0	0	0	0	4	0	20	3	17	3
V	74	73	75	75	6.5	6.5	6.3	120	22	14	2		0		20	17	4	12	1	0	19	4	3	2	0	0	0	0	6	2	19	0	18	0
VI	72	70	72	72	5.5	4.9	5.0	24	8	20	0		0		12	7	0	1	0	0	12	0	0	1	0	0	0	0	0	1	26	2	12	0
VII	76	72	74	75	6.7	6.1	6.0	34	10	13	0		0		14	11	1	2	0	0	14	0	0	2	0	0	0	0	3	0	20	0	10	0
VIII	78	74	76	76	6.7	6.0	5.9	134	28	14	0		0		19	15	5	4	0	0	19	0	0	6	0	0	0	0	7	5	21	1	17	0
IX	77	76	77	76	6.2	6.8	6.3	97	32	30	0		0		18	12	2	10	2	0	18	0	0	10	0	0	0	0	8	2	14	2	17	0
X	77	78	75	76	6.2	6.3	5.9	121	12	21	3		0		27	22	4	13	2	0	24	11	8	4	0	1	0	0	1	4	7	0	16	3
XI	70	71	71	71	5.1	5.9	5.1	96	36	4	4		0		13	12	1	8	0	0	13	1	1	1	0	0	0	1	0	0	5	2	12	6
XII	72	73	74	73	5.5	6.1	5.8	74	13	22	12		0		17	12	1	9	0	0	13	17	12	1	0	0	0	0	0	0	0	1	12	30
1949	74	73	74	74	6.1	6.1	5.9	1086	36		80		0		221	169	28	114	21	5	197	92	63	29	0	16	0	2	29	14	163	15	187	95

Glåpen Fyr

H_s = 32 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.8	6.6	6.7	194	27	14	22		0		27	26	7	19	8	6	20	26	15	0	0	7	0	1	7	0	9	0	21	
II					6.5	6.5	7.4	155	30	14	13		0		26	22	5	17	6	1	20	17	8	3	3	4	0	0	11	0	15	0	21	
III					5.4	5.6	5.6	81	20	28	19		0		17	15	2	18	3	0	9	15	7	0	2	1	0	0	1	0	22	2	12	
IV					5.9	5.2	5.3	222	35	5	16		0		21	19	8	10	1	0	18	13	8	2	5	4	0	0	7	2	20	4	15	
V					6.2	6.3	6.1	179	40	9	3		0		23	17	6	7	1	0	21	7	5	2	0	1	0	0	3	3	21	0	18	
VI					4.8	5.0	4.7	41	14	1	0		0		14	8	1	1	0	0	14	0	0	2	0	0	0	0	2	2	26	5	10	
VII					6.3	5.4	5.2	72	16	11	0		0		15	12	3	1	0	0	15	0	0	3	0	0	0	0	4	2	24	1	16	
VIII					6.1	5.5	5.9	170	31	14	0		0		22	19	8	3	0	0	22	0	0	6	0	0	0	0	2	3	21	1	13	
IX					6.4	6.0	6.1	188	47	30	0		0		20	16	8	12	1	0	20	1	1	9	0	0	0	1	12	1	18	2	17	
X					6.1	5.9	6.1	324	34	14	3		0		29	25	14	10	0	0	26	13	8	5	8	4	0	0	4	1	18	0	14	
XI					5.7	6.0	6.1	153	47	4	3		0		18	11	6	11	0	0	17	4	3	0	0	0	0	0	4	0	13	1	14	
XII					6.1	6.6	6.2	180	19	10	11		0		25	22	6	11	1	0	19	23	17	1	3	1	0	0	1	0	3	1	18	
1949					6.0	5.9	6.0	1959	47		90		0		257	212	74	120	21	7	221	119	72	33	21	22	0	2	58	14	210	17	189	

Røst

H_s = 8 H_b = 10.8 h_t = 2.0 h_a = 16.3 h_d = 15.6 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	78	80	80	79	7.1	7.1	7.2	131	21	14	17	1	0	0	27	20	4	25	14	10	23	16	10	0	0	5	0	1	21	0	2	0	26	
II	85	84	85	85	6.9	7.1	7.4	89	20	14	10	1	0	0	21	16	1	21	11	9	18	10	6	2	0	2	0	0	20	0	8	0	23	
III	80	81	85	82	5.5	6.4	6.3	48	10	22	18	1	0	0	18	10	0	25	17	10	12	12	7	0	0	1	0	0	14	0	16	0	16	
IV	83	80	79	81	6.1	5.9	5.5	111	18	4	10	0	0	0	20	16	4	23	9	3	17	8	5	0	0	1	0	0	18	1	20	1	14	
V	85	87	86	86	6.6	6.8	6.2	67	10	18	0	0	0	0	23	16	1	20	5	3	20	3	3	1	0	0	0	0	20	1	20	0	19	
VI	86	85	85	86	6.9	6.3	6.2	19	3	16	0	0	0	0	13	8	0	4	1	0	13	0	0	2	0	0	0	0	16	1	19	0	17	
VII	85	80	82	84	7.0	6.5	6.4	28	5	11	0	0	0	0	19	10	0	6	0	0	19	0	0	3	0	0	0	0	13	1	19	0	21	
VIII	84	84	86	85	6.6	6.4	6.6	72	15	14	0	0	0	0	23	15	1	13	3	0	23	0	0	7	0	0	0	0	11	4	19	0	18	
IX	84	82	83	83	6.6	6.0	6.6	90	14	8	0	0	0	0	19	14	4	15	5	1	19	0	0	5	0	0	0	0	15	3	15	1	17	
X	78	78	77	78	6.8	6.5	6.6	148	16	3	3	0	0	0	28	25	6	22	12	5	25	5	2	0	0	2	0	0	13	0	15	0	19	
XI	78	78	75	77	6.2	6.2	6.1	95	19	3	3	0	0	0	16	13	4	17	8	2	16	0	-0	0	0	0	0	0	11	0	8	0	14	
XII	80	75	76	78	6.5	6.8	6.2	106	17	31	7	0	0	0	24	17	2	17	9	5	22	10	8	0	1	4	0	0	7	0	0	0	18	
1949	82	81	82	82	6.6	6.5	6.4	1004	21		68	3	0	0	251	180	27	208	94	48	227	64	41	20	1	15	0	1	179	11	161	2	222	

Skomvær Fyr

H_s = 17 H_b = h_r = 2.0 h_a = h_d = h_r = 1.5

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.4	6.3	5.8	80	12	28	14		0		25	19	1	21	7	5	20	21	10	1	0	3	0	1	10	2	9	0	12	11
II					5.9	6.0	6.2	58	9	15	8		0		23	15	0	12	8	1	18	14	7	3	0	7	0	1	8	0	18	0	12	8
III					4.9	5.6	4.6	35	6	31	16		0		20	11	0	20	3	2	12	17	7	3	0	5	0	0	7	1	25	0	7	14
IV					5.5	5.1	5.3	64	10	5	8		0		21	13	0	14	0	0	18	10	5	3	0	2	0	0	5	7	27	2	10	3
V					6.5	6.3	5.4	47	10	18	0		0		24	14	0	6	0	0	24	7	3	4	0	0	0	0	5	10	28	0	14	0
VI					6.5	5.9	5.8	18	4	16	0		0		12	7	0	1	0	0	12	0	0	2	0	0	0	0	3	8	26	0	14	0
VII					6.5	5.7	6.3	24	8	2	0		0		17	7	0	1	0	0	17	0	0	1	0	0	0	0	4	3	27	0	18	0
VIII					6.3	6.1	6.6	41	8	14	0		0		20	11	0	3	0	0	20	0	0	7	0	0	0	0	3	12	22	0	16	0
IX					6.2	5.9	6.0	74	13	8	0		0		23	16	2	5	1	1	23	0	0	4	0	1	0	1	3	12	24	1	13	0
X					6.0	5.5	5.8	108	17	3	3		0		29	22	3	8	0	0	27	12	7	1	0	3	0	0	2	7	22	0	12	2
XI					5.8	5.9	5.6	50	9	13	3		0		15	10	0	10	0	0	16	3	2	3	0	0	0	0	6	0	14	1	9	0
XII					6.2	6.3	5.8	55	8	2	4		0		24	15	0	8	4	2	23	16	10	0	1	3	0	0	6	0	4	0	12	5
1949					6.1	5.9	5.8	654	17		56		0		253	160	6	109	23	11	230	100	51	32	1	24	0	3	62	62	246	4	149	43

Eggum
Borge i Lofoten

H_s = 4 H_b = h_t = 1.7 h_a = h_d = h_r = 1.8
H_s = 5 H_b = h_t = 1.8 h_a = h_d = h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	73	71	79	75	6.3	6.3	5.9	208	33	14	18	5	0	0	28	21	8	20	5	1	23	28	21	1	0	0	0	1	1	0	0	2	15	27
II	76	76	77	76	7.0	6.6	6.4	180	52	14	10	2	0	0	26	21	4	14	4	1	21	17	5	0	0	0	0	0	0	0	0	1	19	12
III	72	68	69	70	5.5	5.4	6.0	75	17	23	19	5	1	0	20	17	1	16	0	0	9	18	5	0	0	1	0	0	2	0	7	3	15	31
IV	74	70	72	73	6.4	6.1	5.8	174	46	29	13	1	0	0	24	20	4	10	0	0	21	15	12	0	0	0	0	0	0	0	6	3	18	16
V	78	81	81	79	6.7	6.8	6.6	120	21	8	2	0	0	0	24	18	4	7	0	0	23	6	4	0	0	0	0	0	1	0	8	1	21	0
VI	80	80	81	81	6.1	6.1	5.5	29	5	13	0	0	0	0	18	10	0	0	0	0	18	0	0	1	0	0	0	0	0	0	9	3	16	0
VII	82	78	78	80	7.0	6.7	6.5	58	15	11	0	0	0	0	20	14	1	4	0	0	20	0	0	0	0	0	0	0	5	1	8	1	20	0
VIII	82	78	83	82	7.1	7.1	6.2	142	23	8	0	0	0	0	25	20	5	4	1	0	25	0	0	0	0	0	0	0	3	0	2	0	22	0
IX	80	79	78	79	7.1	6.7	6.6	130	20	9	0	0	0	0	25	19	3	10	0	0	25	0	0	0	0	0	0	0	1	1	1	0	22	0
X	75	75	76	75	6.7	6.5	5.6	194	28	21	3	0	0	0	29	27	8	11	0	0	24	10	4	0	0	2	0	0	0	0	2	1	17	9
XI	69	71	69	70	4.9	5.7	4.8	128	36	3	4	2	0	0	22	11	3	9	0	0	22	0	0	0	0	0	0	0	0	0	1	4	12	0
XII	75	76	75	74	5.4	6.5	6.0	89	21	11	25	1	0	0	15	12	2	15	4	0	12	13	10	1	0	2	0	0	5	0	0	1	15	30

1949

Bø i Vesterålen

φ = 68° 37′ N λ = 14° 27′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.4	0.4	0.1	0.3		- 3.1	6.5	26	-10.3	22	2 5.0	0 -	2 2.5	9 3.2	8 3.4	9 4.4	18 4.3	5 6.4	6 7.3	10 4.9	13 3.6	10 3.7	1
II			1.4	2.1	1.4	1.5		- 1.3	6.0	2	-12.8	28	1 7.0	3 1.3	2 3.0	2 1.5	2 1.0	10 2.3	23 3.9	7 2.7	9 4.0	13 3.9	8 5.2	1 9.0	3
III			- 0.9	1.0	0.0	- 0.2		- 3.5	4.8	28	-13.9	1	0 -	3 2.0	0 -	2 2.5	3 2.7	17 3.5	25 3.8	7 4.3	10 4.8	7 5.1	11 3.7	2 1.5	6
IV			1.9	3.2	2.5	2.1		- 0.4	8.4	18	- 6.7	12	2 3.5	3 5.0	1 4.0	7 2.4	13 3.4	13 3.0	16 4.0	13 4.1	5 3.4	11 3.4	1 3.0	1 3.0	4
V			6.6	7.7	6.9	6.6		4.1	15.0	29	- 2.6	4	7 3.4	7 3.4	0 -	5 3.6	5 2.6	20 3.4	22 3.4	9 3.8	6 4.0	5 2.2	7 4.6	0 -	0
VI			9.7	11.0	10.7	9.9		7.1	16.4	3	1.4	11	3 3.3	5 2.4	2 2.5	5 2.8	0 -	17 3.2	8 2.4	2 3.5	6 2.3	31 2.2	5 3.0	3 3.0	3
VII			9.9	11.2	10.8	10.2		7.6	20.2	1	3.4	18	3 3.3	1 2.0	3 2.3	5 2.2	3 2.7	2 3.0	11 3.0	8 3.1	17 3.0	18 2.4	13 3.1	3 3.0	6
VIII			9.5	10.9	10.1	9.9		7.4	16.3	3	2.8	11	2 4.5	4 3.8	3 3.7	4 1.8	7 2.6	2 2.5	25 3.0	15 3.1	12 2.7	14 2.6	1 2.0	0 -	4
IX			9.3	10.5	9.8	9.8		7.5	20.0	3	2.0	29	1 3.0	3 1.7	1 4.0	5 2.8	0 -	0 -	23 3.7	26 4.0	11 3.2	5 2.6	7 4.7	3 3.7	5
X			4.1	5.2	4.2	4.4		2.0	11.8	16	- 4.4	26	8 2.9	1 4.0	1 1.0	11 2.4	2 3.5	7 2.3	20 2.7	5 3.8	6 3.3	12 3.9	10 3.3	4 3.8	6
XI			3.8	4.2	3.6	3.9		1.8	8.4	6	- 6.8	29	2 2.0	0 -	0 -	24 2.4	16 2.2	11 3.2	19 3.1	7 3.1	0 -	1 2.0	0 -	0 -	10
XII			0.7	0.6	1.0	0.8		- 1.4	5.2	1	- 5.8	5	1 1.0	0 -	0 -	13 2.5	9 3.6	24 2.9	17 3.1	3 4.0	6 4.5	4 3.8	7 3.4	0 -	9
1949			4.7	5.7	5.1	4.9		2.3	20.2		-13.9		32 3.4	30 2.9	15 2.8	92 2.5	68 2.9	132 3.2	227 3.4	107 3.8	94 3.7	131 3.1	83 3.8	27 3.6	57

Andenes

φ = 69° 19′ N λ = 16° 7′ E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	990.4	991.2	0.1	- 0.1	0.0	0.0	2.9	- 2.3	8.6	27	- 8.1	12	3 3.3	7 5.1	5 4.0	3 3.0	9 4.1	15 4.4	11 2.7	5 3.6	17 6.0	8 5.8	7 5.6	2 5.0	1
II	96.7	97.5	1.1	1.4	0.7	1.1	3.0	- 1.2	7.7	3	-10.4	28	0 -	0 -	2 3.0	0 -	3 2.7	5 3.4	25 3.3	12 2.8	18 5.2	8 5.9	5 6.6	3 4.0	3
III	1010.2	1011.0	- 0.5	0.6	- 0.2	- 0.2	2.0	- 2.8	6.2	30	-10.5	1	0 -	3 3.3	0 -	3 2.7	5 3.6	7 4.9	26 3.7	14 2.9	10 5.0	12 5.0	6 4.2	5 4.0	2
IV	00.2	01.1	1.6	2.5	2.0	1.7	3.9	- 0.4	8.7	19	- 8.0	12	5 3.0	5 5.0	10 3.2	3 3.3	7 2.3	9 3.3	20 3.0	8 3.2	11 3.2	3 5.0	4 4.5	2 2.5	3
V	08.7	09.5	5.5	6.0	5.7	5.4	7.1	3.7	12.3	29	- 2.2	4	3 2.3	15 4.3	12 3.4	15 2.3	3 1.7	7 2.0	5 3.8	4 3.0	17 4.6	4 4.0	3 4.3	2 3.5	3
VI	15.0	15.8	8.0	8.6	8.2	8.0	9.8	6.5	15.3	29	3.3	11	5 2.6	35 3.4	10 1.7	5 1.6	1 2.0	1 2.0	5 1.4	0 -	6 4.0	9 2.8	9 1.8	2 1.5	2
VII	13.1	13.9	9.0	9.7	9.2	9.1	10.8	7.8	19.7	1	5.0	14	4 3.2	21 3.6	6 2.8	2 2.0	0 -	2 2.5	1 3.0	2 3.5	15 3.7	20 3.8	5 3.8	8 2.4	7
VIII	09.0	09.8	8.8	9.8	9.4	9.1	11.2	7.5	17.2	30	4.9	19	2 3.5	10 3.7	6 3.8	1 1.0	2 3.5	8 2.0	9 2.7	4 2.5	26 3.3	11 2.3	3 2.7	6 1.8	5
IX	13.6	14.4	8.8	9.4	9.2	9.0	11.6	7.3	17.6	6	0.7	29	1 1.0	4 3.2	4 3.0	4 2.2	1 4.0	7 2.7	8 3.5	10 3.4	32 5.0	7 4.0	6 4.0	3 5.0	3
X	03.0	03.8	4.1	4.6	4.3	4.2	6.2	2.3	13.2	16	- 3.0	27	4 4.5	5 3.4	5 3.0	4 3.8	1 3.0	12 2.8	11 2.4	5 3.4	14 4.2	7 3.9	11 3.6	11 3.6	3
XI	09.6	10.4	3.3	3.3	3.0	3.2	4.7	1.6	8.4	6	- 6.7	29	0 -	0 -	0 -	4 2.8	6 4.0	22 2.8	36 2.8	9 2.6	3 3.7	2 4.0	1 3.0	2 3.0	5
XII	995.1	995.9	0.8	0.7	0.7	0.7	2.2	- 1.4	5.1	2	- 5.4	7	1 3.0	0 -	3 3.7	2 1.5	13 2.8	15 3.4	35 2.9	8 2.4	3 4.0	6 5.2	5 4.0	1 2.0	1
1949	1005.4	1006.2	4.2	4.7	4.4	4.3	6.3	2.4	19.7		-10.5		28 3.1	105 3.8	63 3.1	46 2.5	51 3.4	110 3.2	192 3.0	81 3.0	172 4.5	97 4.2	65 4.0	47 3.2	38

Sandsøy i Senja

φ = 68° 57′ N λ = 16° 40′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.8	- 0.1	- 0.7	- 0.5		- 2.7	6.2	27	- 8.7	21	2 5.5	4 3.4	7 2.4	0 -	2 3.0	25 4.6	13 4.5	15 5.3	12 4.3	2 6.5	4 4.5	5 6.2	2
II			1.0	1.6	0.7	1.1		- 1.3	7.3	2	- 9.9	28	0 -	0 -	1 2.0	2 1.5	6 1.3	8 3.4	31 4.6	10 4.8	9 4.6	4 6.0	8 6.6	3 7.3	2
III			- 0.3	0.7	0.0	0.0		- 2.0	5.0	28	- 9.7	1	1 2.0	0 -	1 2.0	2 2.5	8 3.0	12 5.1	25 4.6	21 4.8	9 3.8	7 4.1	5 3.8	1 1.0	1
IV			1.6	3.3	2.2	2.0		- 0.4	8.0	29	- 6.8	12	5 5.2	1 4.0	12 3.0	4 2.5	3 2.3	17 3.1	23 5.0	7 4.8	4 3.5	1 2.0	6 3.7	2 4.5	5
V			5.8	7.3	6.3	6.0		3.4	18.5	26	- 1.9	4	3 3.3	2 3.0	14 3.9	10 3.2	6 2.5	12 3.1	17 4.6	8 4.6	2 4.5	2 5.0	5 4.4	4 2.8	9
VI			8.9	10.4	9.6	10.0		6.8	18.0	28	3.2	12	14 3.6	4 3.2	6 3.5	4 2.5	2 2.0	3 3.3	2 1.0	4 3.8	0 -	1 3.0	4 2.8	30 3.4	16
VII			9.5	11.1	10.0	9.9		7.8	23.6	1	3.9	17	11 3.6	1 5.0	7 2.3	3 2.3	0 -	5 2.2	8 4.6	5 4.6	0 -	2 4.0	12 3.6	28 3.4	11
VIII			9.5	11.1	10.2	10.0		8.0	17.8	30	5.3	24	5 3.6	4 2.8	2 3.5	1 3.0	1 1.0	16 3.1	10 4.6	15 3.7	3 3.0	1 5.0	4 4.0	16 3.3	15
IX			9.1	10.7	9.3	9.5		7.6	19.0	3	0.9	29	2 2.5	1 1.0	1 4.0	4 2.8	4 3.0	8 3.0	19 4.9	13 3.7	4 3.8	3 5.0	3 3.3	12 4.6	18
X			3.8	4.5	4.0	4.0		2.2	11.1	16	- 4.6	28	7 5.1	1 3.0	5 4.2	5 3.2	3 1.7	5 2.8	17 4.0	13 3.7	3 5.7	6 3.7	5 3.6	14 4.6	9
XI			3.2	3.4	3.0	3.2		1.5	8.0	9	- 8.3	29	0 -	0 -	0 -	10 2.1	16 2.9	16 3.9	34 3.6	6 4.2	0 -	0 -	1 3.0	2 3.5	5
XII			0.5	0.5	0.2	0.4		- 1.3	4.5	18	- 4.3	6	0 -	0 -	4 2.5	1 1.0	16 2.2	20 4.2	23 4.3	14 4.4	2 2.5	5 3.8	1 3.0	1 6.0	6
1949			4.3	5.4	4.6	4.6		2.5	23.6		- 9.9		50 4.0	18 3.2	60 3.2	46 2.6	67 2.4	147 3.7	222 4.4	131 4.4	48 4.1	34 4.4	58 4.1	118 3.9	96

Gibostad

φ = 69° 21′ N λ = 18° 5′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.9	- 1.8	- 2.3	- 2.0		- 4.7	6.8	27	-13.4	16	1 3.0	4 3.2	1 2.0	4 1.8	22 3.7	19 2.3	1 4.0	33 4.1	3 3.0	1 3.0	3 3.3	1 2.0	0
II			- 0.7	0.1	- 0.7	- 0.7		- 2.9	6.2	20	-13.9	28	1 6.0	1 1.0	2 1.0	0 -	2 3.0	14 2.7	6 1.8	8 3.0	42 3.7	4 2.5	0 -	3 4.0	1
III			- 1.8	0.1	- 1.3	- 1.3		- 4.4	4.6	22	-14.0	4	1 2.0	0 -	1 3.0	10 3.1	9 3.2	14 3.2	6 2.8	41 3.5	2 2.5	8 1.4	1 4.0	0 -	0
IV			1.0	3.0	1.5	1.2		- 2.1	7.6	29	-11.4	12	2 1.0	10 1.8	3 2.0	5 1.0	7 3.0	8 2.8	8 1.8	14 3.1	20 3.6	2 3.0	2 2.5	4 4.0	5
V			5.9	7.1	6.1	5.8		3.1	16.1	26	- 3.3	4	3 3.0	5 2.8	2 3.0	12 2.8	17 2.7	12 1.6	2 4.5	24 3.0	2 2.5	1 1.0	1 4.0	8 3.0	4
VI			9.9	11.1	10.0	9.6		6.4	21.0	28	2.1	12	22 3.1	36 3.2	2 2.0	1 1.0	6 2.0	6 1.5	1 1.0	9 4.3	0 -	0 -	0 -	5 3.6	2
VII			9.7	11.4	10.3	10.1		7.5	24.1	1	2.5	24	11 3.0	13 3.1	3 1.7	0 -	0 -	3 3.0	2 3.0	32 4.0	4 2.8	3 2.3	5 2.2	15 3.5	2
VIII			9.5	11.4	10.2	10.1		7.2	15.9	30	3.3	17	5 2.8	7 2.6	3 2.0	1 1.0	0 -	4 3.0	11 2.0	24 2.7	20 3.2	3 3.0	1 4.0	9 3.3	9
IX			8.5	10.0	8.9	9.1		6.5	17.0	4	- 0.7	29	0 -	7 2.9	4 1.5	1 1.0	7 1.6	7 3.0	8 2.6	42 4.1	5 3.2	1 3.0	3 3.3	3 3.3	2
X			2.0	3.1	2.3	2.4		0.2	9.8	16	- 4.5	10	3 2.0	6 2.2	6 2.5	2 2.5	2 2.0	13 1.7	7 1.0	39 3.0	5 2.4	1 1.0	2 2.0	5 3.6	2
XI			0.7	1.0	0.8	0.8		- 1.1	8.5	9	- 9.6	29	0 -	2 1.5	0 -	3 3.3	16 3.5	33 1.7	4 1.2	20 1.6	5 1.4	3 1.0	1 2.0	0 -	3
XII			- 2.0	- 2.2	- 2.2	- 2.1		- 4.4	3.7	1	- 9.7	25	0 -	1 1.0	3 3.7	4 1.8	10 3.0	37 2.1	0 -	22 3.0	3 2.7	7 1.1	3 1.0	2 2.0	1
1949			3.4	4.5	3.6	3.6		0.9	24.1		-14.0		49 2.9	92 2.8	30 2.2	43 2.4	98 3.0	170 2.2	56 2.1	308 3.4	111 3.3	34 1.8	22 2.6	55 3.4	27

Sommarøy i Senja

φ = 69° 38′ N λ = 18° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.8	- 0.5	- 1.1	- 0.8		- 3.0	9.2	27	- 9.1	12	5 4.6	3 4.3	5 2.2	0 -	1 4.0	29 4.4	20 4.0	8 4.0	8 5.1	2 5.5	4 4.5	4 5.2	4
II			0.8	1.3	1.0	1.0		- 1.1	6.6	2	- 8.5	28	2 5.0	0 -	1 2.0	0 -	2 2.0	18 3.9	30 3.4	6 3.3	9 4.1	4 4.8	6 5.2	5 5.2	1
III			- 0.6	0.2	- 0.2	- 0.3		- 2.2	5.1	28	- 7.7	1	1 5.0	0 -	2 2.0	0 -	0 -	40 4.3	22 3.6	4 2.5	9 3.9	6 4.0	2 5.0	4 3.2	3
IV			1.5	2.5	1.8	1.6		- 0.5	7.1	19	- 5.8	12	4 4.8	4 2.0	8 2.1	1 1.0	2 1.5	28 3.7	22 3.2	3 1.7	9 3.1	3 4.0	2 3.5	1 2.0	3
V			5.5	6.7	6.0	5.6		3.4	16.2	26	- 2.1	3	9 2.8	6 2.2	15 2.3	2 4.0	3 4.0	21 3.3	17 2.7	5 2.2	6 4.3	3 4.0	1 4.0	3 1.3	2
VI			8.8	9.7	9.3	8.8		6.5	16.0	28	2.4	12	34 2.4	5 1.6	3 2.7	0 -	0 -	6 3.0	4 3.0	5 1.8	6 1.2	2 1.5	3 3.3	16 1.8	6
VII			9.4	10.2	9.5	9.4		7.4	18.4	1	3.3	17	18 2.2	8 2.4	5 1.6	1 2.0	0 -	4 3.8	6 2.2	7 1.3	12 3.2	13 3.5	4 2.8	10 2.3	5
VIII			9.3	10.4	9.9	9.6		7.6	15.4	30	4.7	18	8 2.9	6 1.7	1 1.0	0 -	0 -	14 3.0	15 2.9	8 1.9	13 2.2	10 2.3	1 4.0	10 2.2	7
IX			9.1	9.8	9.2	9.2		7.0	16.2	6	1.2	29	2 2.5	3 1.0	4 2.2	0 -	0 -	16 3.8	17 3.7	6 1.8	16 3.9	7 3.6	7 3.7	6 3.8	6
X			3.5	4.1	3.7	3.7		1.9	11.4	16	- 3.5	27	11 4.0	0 -	3 3.0	1 1.0	2 1.0	16 3.4	22 3.3	4 2.8	10 3.8	4 2.0	3 3.0	11 2.9	6
XI			3.4	3.3	3.0	3.2		1.6	8.2	6	- 8.6	29	1 2.0	0 -	0 -	1 1.0	2 4.0	31 4.0	49 2.8	2 2.0	1 3.0	0 -	1 2.0	1 2.0	1
XII			0.3	0.3	0.4	0.3		- 1.2	4.4	18	- 5.2	27	0 -	0 -	2 1.5	0 -	2 1.0	40 4.0	35 3.3	4 2.5	3 4.0	4 4.0	1 6.0	0 -	2
1949			4.2	4.8	4.4	4.3		2.3	18.4		- 9.1		95 2.9	35 2.1	49 2.2	6 2.2	14 2.5	263 3.9	259 3.2	62 2.4	102 3.5	58 3.4	35 2.9	71 2.8	46

1949

Bø i Vesterålen

$H_s = 7$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ⁹	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ▣
I					6.0	6.5	6.1	114	9	27	23		3		26	24	0	15	3	3	17	20	8	0	0	0	0	0	0	0	5	1	15	21
II					6.2	6.8	6.5	122	16	14	13		2		24	21	4	8	4	4	19	14	2	0	0	1	1	0	0	0	3	2	18	12
III					5.3	4.9	5.5	54	9	26	26		3		15	14	0	12	2	1	6	11	1	0	0	0	0	0	1	0	20	3	12	31
IV					6.0	5.6	5.3	97	12	17	15		0		23	19	2	4	0	0	19	10	5	0	0	0	0	0	0	0	22	5	16	12
V					6.5	7.1	6.3	90	12	23	3		0		22	18	1	3	1	0	21	3	0	1	0	0	0	0	0	5	19	1	20	0
VI					5.8	5.7	5.3	27	4	7	0		0		13	8	0	1	0	0	13	0	0	3	0	0	0	0	0	2	23	2	11	0
VII					6.9	6.3	6.7	86	16	17	0		0		19	17	2	3	0	0	19	0	0	3	0	0	0	0	0	4	15	1	20	0
VIII					7.1	6.8	6.6	111	27	14	0		0		23	20	2	1	0	0	23	0	0	7	0	0	0	0	0	2	13	1	22	0
IX					6.9	6.6	6.4	169 ~~140~~	22	30	0		0		25	20	5	8	3	0	25	0	0	5	0	0	0	0	0	2	9	0	20	0
X					6.5	6.6	5.9	174	19	16	10		0		28	25	8	6	1	1	24	11	5	3	0	0	0	0	0	1	7	0	11	6
XI					5.5	5.6	5.2	96	28	4	7		0		12	12	4	3	0	0	12	1	1	0	0	0	0	0	0	0	8	4	14	5
XII					5.8	6.7	6.1	70	12	11	18		0		18	17	1	5	1	0	10	16	5	0	0	0	0	0	0	0	0	1	17	31
1949					6.2	6.3	6.0	1205 ~~1211~~	28		115		8		248	215	29	69	15	9	208	86	27	22	0	1	1	0	1	16	144	21	196	118

Andenes

$H_s = 5$ $H_b = 6.5$ $h_t = 1.9$ $h_a = 10.9$ $h_d = 10$ $h_r = 1.7$

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ⁹	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ▣
I	76	80	78	77	6.2	6.7	6.5	101	16	14	22	2	0	0	22	20	2	23	9	1	13	22	11	0	0	6	0	1	0	0	1	1	20	24
II	86	85	86	86	6.8	6.0	6.0	99	14	18	16	4	1	0	25	21	2	14	9	4	18	18	10	2	0	2	0	0	0	0	7	2	16	13
III	76	74	78	77	6.1	5.4	6.2	50	9	2	26	5	1	0	14	13	0	13	3	2	5	12	3	0	0	3	0	0	0	0	16	1	15	29
IV	83	77	80	81	6.2	6.1	6.2	99	15	3	15	2	0	0	22	19	2	7	1	0	15	15	5	1	0	1	0	0	0	0	16	4	18	16
V	83	83	87	85	6.0	6.4	6.9	101	15	28	3	0	0	0	24	21	1	4	1	1	20	7	3	1	0	1	0	0	0	0	16	1	19	3
VI	89	87	88	88	5.9	5.7	5.5	22	5	20	0	0	0	0	17	6	0	1	0	0	17	0	0	4	0	0	0	0	0	1	21	4	16	0
VII	88	86	86	87	7.4	6.6	6.3	62	12	13	0	0	0	0	21	14	2	4	0	0	21	0	0	3	0	0	0	0	0	1	14	0	20	0
VIII	90	85	89	89	7.5	6.6	6.8	96	16	8	0	0	0	0	23	16	1	5	0	0	23	0	0	8	0	0	0	0	0	2	12	0	25	0
IX	89	86	87	88	7.2	7.2	6.7	125	18	10	0	0	0	0	26	19	5	12	4	1	26	1	1	7	0	0	0	0	0	2	7	1	23	0
X	83	86	84	84	6.8	7.1	6.3	176	22	23	7	0	0	0	29	26	5	7	1	0	27	16	14	3	0	6	0	0	0	0	6	0	19	5
XI	81	82	83	82	4.5	5.3	4.9	43	9	5	7	2	0	0	14	10	0	3	0	0	13	2	1	1	0	0	0	0	0	0	10	5	11	1
XII	80	79	81	80	4.9	6.1	5.1	20	4	24	25	2	0	0	15	7	0	5	1	0	11	14	10	0	0	1	0	0	0	0	0	0	7	22
1949	84	82	84	84	6.3	6.3	6.1	994	22		121	17	2	0	252	192	20	98	29	9	209	107	58	30	0	20	0	1	0	6	126	19	209	113

Sandsøy i Senja

$H_s = 17$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 8.0$ $h_r = 1.8$

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ⁹	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ▣
I	82	80	81	81	6.5	6.4	6.1	102	12	11	22		0		20	14	1	21	16	2	13	20	12	0	0	2	0	0	0	0	5	1	16	26
II	84	83	85	84	7.0	6.5	6.2	92	14	3	16		0		21	14	2	17	7	3	17	17	12	1	0	4	0	0	1	0	7	1	20	17
III	75	73	76	75	5.6	5.8	6.0	72	25	23	23		0		13	12	2	18	2	0	8	12	7	1	0	1	0	1	2	0	15	2	16	17
IV	81	74	78	80	6.0	6.0	6.1	40	7	27	15		0		19	10	0	10	2	0	15	12	8	1	0	1	0	0	1	0	12	3	19	8
V	82	78	83	83	6.2	7.1	7.1	55	8	18	4		0		20	15	0	5	1	0	20	6	6	2	0	0	0	0	1	0	12	1	21	2
VI	87	83	84	85	6.5	5.9	6.1	35	12	10	0		0		17	9	1	2	0	0	17	0	0	9	0	1	0	0	6	0	18	1	17	0
VII	89	84	87	88	7.3	6.7	6.4	70	13	25	0		0		22	16	2	4	0	0	22	0	0	4	0	0	0	2	2	0	11	0	23	0
VIII	89	83	88	88	7.2	6.7	6.6	89	22	14	0		0		21	16	3	7	0	0	21	0	0	3	0	0	0	0	3	0	12	0	23	0
IX	88	83	88	87	6.9	7.0	6.7	111	35	30	0		0		20	15	3	14	3	0	20	1	1	7	0	0	0	0	3	0	9	0	22	0
X	86	85	86	86	7.3	6.9	7.1	133	14	14	10		0		27	24	4	11	1	0	24	16	12	1	0	8	0	0	1	0	8	0	24	11
XI	80	77	81	79	5.3	5.1	5.3	30	8	15	8		0		9	6	0	5	2	0	9	2	2	0	0	0	0	0	0	0	15	5	11	0
XII	77	78	81	79	5.2	5.8	5.6	21	8	24	25		0		10	5	0	6	1	0	7	10	7	0	0	0	0	0	0	0	0	1	11	23
1949	83	80	83	83	6.4	6.3	6.3	850	35		123		0		219	156	18	120	35	5	193	96	67	29	0	17	0	3	20	0	124	15	223	104

Gibostad

$H_s = 6$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ⁹	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ▣
I	79	81	83	81	6.4	6.4	5.9	162	16	29	26		4		21	18	8	9	1	0	9	20	8	0	2	2	0	0	0	0	0	0	17	28
II	86	84	87	86	7.0	6.0	6.1	132	21	18	24		3		21	17	5	7	0	0	14	16	5	3	1	4	0	0	0	0	6	3	21	28
III	80	74	79	78	6.4	5.8	5.3	111	22	29	27		1		14	11	5	7	1	1	5	12	3	0	5	1	0	0	1	0	15	2	17	31
IV	80	70	71	76	5.8	5.6	5.7	66	19	3	16		1		17	14	2	2	0	0	11	10	4	0	2	0	0	0	0	1	17	5	17	21
V	78	71	76	78	5.8	7.0	6.9	72	8	12	3		0		21	18	0	[illegible]	1	0	17	7	3	3	0	0	0	0	0	0	20	1	21	4
VI	77	73	77	78	5.9	5.7	5.5	30	10	10	0		0		15	7	0	2	0	0	15	1	1	4	0	0	0	0	0	0	23	2	15	0
VII	88	78	83	86	6.9	6.5	6.6	66	13	16	0		0		23	15	1	3	0	0	23	1	1	4	0	0	0	0	0	0	17	0	20	0
VIII	92	82	85	87	6.8	6.5	6.5	69	13	22	0		0		25	18	1	0	0	0	24	0	0	6	0	0	0	0	0	0	14	0	19	0
IX	91	82	87	88	7.1	7.1	6.6	137	33	28	1		0		22	21	5	10	0	0	22	1	1	7	0	0	0	0	0	0	13	0	22	0
X	92	88	90	90	7.2	6.6	6.5	182	23	8	15		0		28	25	6	2	0	0	16	18	6	3	2	1	0	0	2	1	9	0	23	19
XI	84	83	83	83	5.2	5.4	5.5	34	11	2	16		0		8	5	1	5	0	0	7	3	1	2	0	0	0	0	0	1	1	4	14	3
XII	79	79	79	79	4.7	6.2	5.8	54	23	24	29		0		9	6	2	4	0	0	3	8	2	0	2	1	0	0	0	2	0	1	14	21
1949	83	79	82	82	6.3	6.2	6.1	1115	33		157		9		224	175	36	52	3	1	166	97	35	32	14	9	0	0	3	5	135	18	220	155

Sommarøy i Senja

$H_s = 2$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.7$

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ⁹	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ▣
I					5.4	5.5	5.3	91	11	8	25		0		22	18	1	19	2	1	10	22	10	0	0	6	0	4	0	0	2	1	12	28
II					6.1	5.7	6.1	84	11	15	16		0		21	13	2	10	4	0	14	18	11	0	0	8	0	1	0	0	13	3	18	28
III					5.3	5.2	4.9	69	8	25	26		0		16	14	0	15	1	0	8	15	6	0	6	2	0	0	0	0	18	5	16	31
IV					4.3	5.3	5.1	45	9	5	14		0		26	9	0	10	0	0	16	20	7	0	2	2	0	0	0	0	24	7	14	28
V					5.3	5.6	6.6	61	12	18	3		0		24	17	1	4	0	0	22	7	5	1	1	0	0	0	0	0	24	5	18	5
VI					4.4	5.1	5.0	25	11	10	0		0		14	7	1	0	0	0	14	0	0	4	0	1	0	0	1	0	22	6	12	0
VII					6.5	5.7	5.5	90	18	16	0		0		19	13	2	3	0	0	19	3	3	5	0	1	0	0	0	0	21	1	17	0
VIII					6.6	6.1	5.8	75	14	24	0		0		23	14	1	1	0	0	23	0	0	5	0	0	0	0	0	0	19	0	20	0
IX					6.7	6.3	5.9	131	22	28	0		0		25	15	5	10	0	0	25	1	1	9	0	3	0	0	0	0	12	1	19	0
X					6.4	6.1	5.7	140	16	14	10		0		28	25	5	8	0	0	20	17	7	1	5	5	0	0	0	0	13	1	15	17
XI					3.9	4.3	4.7	30	12	2	5		0		7	5	2	5	1	0	7	1	1	0	0	0	0	0	0	0	9	5	7	0
XII					3.2	4.4	4.0	45	24	11	22		0		8	6	1	6	0	0	4	8	4	0	2	0	0	0	0	0	0	9	5	22
1949					5.4	5.4	5.4	886	24		121		0		233	156	21	91	8	1	182	112	55	25	16	28	0	5	1	0	177	44	173	159

1949

Bardufoss

φ = 69° 4′ N λ = 18° 31′ E g = 9.825 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	992.7	993.0	- 5.2	- 5.2	- 5.2	- 5.2	- 1.1	- 9.9	8.5	27	-24.6	17	0 -	3 1.3	2 2.0	9 3.2	9 4.7	4 2.5	12 2.8	6 4.0	5 3.6	11 1.8	6 2.5	5 2.6	21
II	88.5	98.6	- 4.2	- 2.3	- 3.6	- 3.6	0.6	- 7.7	7.9	2	-23.5	27	1 1.0	0 -	2 2.0	10 1.5	2 2.5	2 2.0	8 1.6	3 3.3	7 2.9	17 3.0	5 3.4	2 1.0	25
III	1002.5	1012.9	- 6.9	- 2.5	- 4.7	- 5.2	- 0.1	-10.6	6.1	30	-26.7	1	2 1.5	3 1.3	4 1.5	15 2.6	6 3.8	8 2.0	3 1.3	6 2.7	8 3.5	9 2.1	3 2.3	3 2.0	23
IV	991.6	01.8	- 0.7	2.4	0.6	0.2	4.1	- 5.4	9.2	19	-17.8	9	4 2.0	1 2.0	2 2.0	11 2.3	6 2.7	8 2.0	7 1.6	9 2.6	2 2.5	16 2.3	6 2.8	5 1.2	13
V	1000.1	10.3	5.6	6.9	6.3	5.5	9.0	2.0	15.6	26	- 7.5	4	0 -	5 2.6	8 2.1	22 4.0	11 4.5	9 2.3	2 3.0	8 3.5	3 4.0	14 2.5	6 2.7	2 3.0	3
VI	05.3	15.4	10.0	12.4	11.8	10.3	14.3	6.1	23.7	28	1.4	12	9 1.9	2 2.0	11 2.3	9 2.3	5 3.6	6 2.5	4 1.5	2 1.0	3 3.0	17 2.6	7 2.7	8 2.2	7
VII	03.5	13.5	10.0	12.7	11.7	10.8	14.7	7.0	26.6	1	0.6	24	4 1.5	5 1.2	3 1.3	3 1.0	2 2.0	8 1.8	4 1.2	4 2.0	6 3.0	20 2.4	16 3.2	9 2.2	9
VIII	00.0	10.0	8.7	12.3	11.0	10.1	14.0	6.0	19.2	30	- 0.8	17	0 -	6 1.7	4 1.5	4 1.8	3 1.3	2 1.5	8 2.1	9 2.3	4 1.2	15 1.9	11 2.6	6 1.2	21
IX	05.0	15.0	7.8	11.0	8.9	8.8	13.0	5.4	20.6	3	- 3.8	29	1 1.0	4 1.2	2 1.0	5 1.6	2 1.5	4 2.5	9 2.9	11 2.5	11 2.4	10 2.7	12 2.9	3 2.3	16
X	993.9	04.1	0.4	2.1	0.3	0.7	3.8	- 3.1	9.6	16	-13.4	10	3 1.0	1 1.0	3 1.3	5 2.0	1 1.0	4 1.8	1 1.0	3 2.3	8 2.0	12 1.8	9 2.2	6 2.0	37
XI	1001.9	12.3	- 2.8	- 2.1	- 2.7	- 2.5	0.7	- 5.2	8.5	9	-12.4	27	3 1.0	0 -	0 -	5 3.4	11 2.9	6 2.2	2 1.0	3 2.3	4 2.0	4 1.0	5 1.2	0 -	47
XII	987.5	997.9	- 8.3	- 7.8	- 6.9	- 7.7	- 3.3	-12.3	2.2	10	-22.2	6	0 -	2 1.0	4 1.2	13 2.5	4 4.0	4 2.5	2 1.5	2 1.0	1 4.0	8 1.5	3 1.0	1 2.0	49
1949	996.9	1007.1	1.2	3.3	2.3	1.8	5.8	- 2.3	26.6		-26.7		27 1.6	32 1.6	45 1.8	111 2.6	62 3.5	65 2.1	62 2.1	66 2.7	62 2.7	153 2.3	89 2.7	50 2.0	271

Tromsø

φ = 69° 39′ N λ = 18° 57′ E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	978.0	992.2	- 3.0	- 2.9	- 2.7	- 2.9	- 0.6	- 5.3	6.0	27	-12.5	16	3 1.3	10 2.0	6 1.7	0 -	0 -	2 2.5	12 3.7	35 3.3	9 4.1	6 3.0	2 4.0	1 1.0	7
II	83.2	97.2	- 0.9	- 0.3	- 1.0	- 0.8	1.1	- 3.1	5.1	20	-12.3	28	1 1.0	3 1.3	1 1.0	0 -	0 -	1 3.0	4 4.2	37 2.0	13 2.3	10 3.7	3 2.3	3 3.7	8
III	97.4	1011.9	- 2.3	- 0.8	- 1.9	- 1.9	0.1	- 4.2	3.5	30	-11.5	1	0 -	1 5.0	1 1.0	1 1.0	0 -	4 1.0	10 3.1	45 2.4	16 3.3	6 3.0	1 1.0	1 2.0	7
IV	87.5	01.7	0.2	1.5	0.5	0.3	2.9	- 2.3	7.9	19	- 8.8	12	3 1.3	16 2.1	4 1.5	3 2.0	1 1.0	3 1.3	9 3.0	23 2.3	14 2.5	5 2.0	3 2.0	0 -	6
V	96.5	10.6	4.4	6.0	5.1	4.7	7.6	2.1	16.4	26	- 3.8	4	5 1.6	15 1.7	3 1.3	4 1.0	0 -	6 2.0	9 2.3	21 1.9	6 2.8	8 1.1	2 1.5	1 1.0	13
VI	1002.1	16.0	8.5	10.4	9.4	8.8	11.8	6.0	20.4	28	2.5	12	7 1.3	30 1.5	17 1.5	0 -	0 -	0 -	0 -	9 1.7	3 1.3	7 1.3	2 2.0	6 1.8	9
VII	999.9	13.8	8.8	10.5	9.7	9.1	12.1	6.5	23.2	1	1.7	17	9 1.6	16 1.6	10 1.6	1 1.0	1 1.0	0 -	5 1.4	11 1.5	11 1.6	15 1.3	5 1.4	4 2.2	5
VIII	96.3	10.2	8.6	10.4	9.6	9.0	11.8	6.6	15.3	30	3.6	17	6 2.3	9 1.8	7 1.3	0 -	0 -	1 1.0	7 2.1	25 1.9	7 2.1	14 1.6	0 -	3 2.3	14
IX	1000.6	14.5	8.1	9.3	8.4	8.3	11.1	6.1	19.0	4	0.1	20	3 1.3	9 1.9	1 1.0	0 -	1 3.0	1 1.0	8 1.8	22 2.6	21 2.9	9 2.0	6 2.5	0 -	9
X	989.6	03.7	1.6	2.3	1.8	1.8	3.8	0.0	12.2	16	- 5.2	28	13 2.6	16 1.3	2 1.0	2 1.5	0 -	0 -	5 2.6	22 2.1	10 2.6	2 2.0	1 2.0	4 1.0	16
XI	97.6	11.9	1.3	1.4	1.1	1.3	2.9	- 0.3	9.1	9	-10.1	30	7 2.1	2 2.5	6 1.2	7 2.1	0 -	1 4.0	7 3.4	31 2.2	5 2.0	1 1.0	0 -	2 1.0	21
XII	83.0	997.3	- 1.9	- 2.3	- 2.1	- 2.1	- 0.6	- 3.7	3.1	18	- 7.0	25	4 1.5	2 1.0	4 1.0	0 -	2 2.0	2 3.0	22 2.5	31 2.1	8 1.5	6 1.8	0 -	1 1.0	11
1949	992.6	1006.7	2.8	3.8	3.2	3.0	5.3	0.7	23.2		-12.5		61 1.9	129 1.7	62 1.4	18 1.7	5 1.8	21 1.9	98 2.7	312 2.3	123 2.6	89 2.0	25 2.1	26 1.9	126

Skattøra

φ = 69° 42′ N λ = 19° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.2	- 2.0	- 2.0	- 2.1	0.4	- 4.4	6.7	27	-10.4	17	5 3.2	3 4.3	4 2.8	2 3.0	0 -	2 6.0	8 3.9	30 4.7	10 3.5	4 2.8	5 3.6	5 2.4	15
II			- 0.1	0.4	- 0.3	- 0.1	1.9	- 2.5	6.0	20	-11.8	28	1 7.0	1 2.0	2 1.5	0 -	0 -	0 -	4 3.0	25 3.1	33 3.0	2 4.0	3 4.7	3 4.7	10
III			- 1.5	- 0.2	- 1.2	- 1.2	0.9	- 3.6	4.8	22	-11.1	1	1 3.0	0 -	2 3.0	2 2.5	3 2.0	0 -	3 3.0	27 3.5	42 3.2	3 6.3	2 2.5	1 2.0	7
IV			0.7	2.2	1.2	1.0	3.6	- 1.6	7.8	19	- 6.5	12	4 2.0	5 2.8	10 3.1	3 1.3	1 1.0	3 5.7	11 2.9	24 2.9	8 2.4	3 1.3	0 -	6 2.2	12
V			4.9	6.5	5.7	5.2	7.6	2.8	15.6	26	- 3.7	4	5 2.4	17 2.7	9 3.7	6 2.0	2 2.5	5 2.0	9 2.4	21 3.5	7 2.0	1 2.0	2 1.5	1 3.0	9
VI			8.7	9.9	9.2	8.7	11.1	6.4	18.5	29	2.9	11	23 2.6	24 3.0	1 1.0	0 -	0 -	4 1.8	2 1.5	6 2.7	2 2.0	1 3.0	2 1.5	13 2.7	12
VII			9.0	10.6	9.8	9.4	11.8	7.1	19.9	1	2.2	17	10 2.7	20 3.0	2 3.0	0 -	0 -	3 1.0	2 1.5	18 3.3	13 3.2	1 2.0	2 1.0	13 2.2	9
VIII			8.8	10.8	10.0	9.6	11.8	7.2	14.5	26	2.9	17	6 1.7	13 3.5	1 5.0	2 1.5	0 -	3 1.7	4 2.8	22 2.9	12 2.1	1 1.0	0 -	9 2.3	20
IX			8.4	9.7	9.0	8.8	11.6	6.3	18.5	6	0.9	29	7 2.3	5 2.8	3 3.7	0 -	0 -	2 1.0	1 1.0	17 3.7	31 3.4	4 3.0	1 3.0	9 3.0	10
X			2.3	3.0	2.4	2.5	4.5	0.5	11.2	16	- 4.8	28	7 3.6	3 3.3	6 2.5	1 4.0	1 2.0	2 1.0	1 4.0	13 3.2	33 2.8	3 1.0	1 1.0	6 2.8	15
XI			1.7	1.8	1.4	1.6	3.4	- 0.2	8.3	9	-10.3	29	0 -	1 1.0	1 2.0	1 1.0	0 -	3 3.7	2 2.0	9 3.2	36 2.4	3 1.7	0 -	1 1.0	33
XII			- 1.6	- 1.9	- 1.7	- 1.7	0.3	- 3.7	4.4	20	- 7.1	25	2 1.0	1 3.0	0 -	1 4.0	0 -	4 2.0	3 3.0	14 3.7	40 2.9	2 1.5	5 1.2	1 1.0	20
1949			3.3	4.2	3.6	3.5	5.7	1.2	19.9		-11.8		71 2.6	93 3.0	41 3.0	18 2.2	7 2.0	31 2.5	50 2.8	226 3.5	267 2.9	28 2.6	23 2.4	68 2.6	172

Dividalen

φ = 68° 47′ N λ = 19° 44′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.0	- 6.0	- 6.7	- 6.2		-11.0	5.7	27	-23.6	16	0 -	0 -	2 4.5	0 -	0 -	29 3.4	8 3.1	0 -	11 3.0	4 4.0	4 2.5	19 3.1	16
II			- 4.2	- 3.6	- 5.0	- 4.5		- 8.8	7.3	2	-23.6	28	0 -	1 1.0	2 3.5	1 2.0	2 2.5	12 3.5	0 -	7 2.6	15 2.5	0 -	0 -	14 4.4	30
III			- 6.7	- 3.1	- 5.6	- 5.6		-10.0	5.8	29	-26.7	1	1 2.0	0 -	0 -	0 -	0 -	20 4.5	9 5.2	1 5.0	5 2.8	11 3.5	0 -	3 2.7	43
IV			0.1	2.1	- 0.7	- 0.5		- 5.3	9.2	16	-21.7	12	4 3.0	0 -	4 2.5	2 3.0	0 -	15 3.0	5 3.6	5 4.4	14 2.1	9 2.3	0 -	2 3.0	30
V			4.8	6.3	4.6	4.5		1.5	11.9	28	- 3.8	1	5 2.8	0 -	25 2.4	0 -	0 -	18 3.3	9 2.7	1 3.0	10 2.3	12 3.9	0 -	8 2.8	5
VI			10.0	12.2	10.1	9.5		4.8	21.2	28	- 2.5	12	0 -	0 -	14 2.4	0 -	2 3.5	21 2.6	0 -	0 -	2 1.5	11 2.8	1 2.0	17 2.2	22
VII			11.3	13.0	10.7	10.4		5.6	25.2	1	- 1.1	24	0 -	0 -	6 1.8	1 2.0	1 2.0	12 2.8	3 2.0	0 -	0 -	37 2.6	1 4.0	18 2.1	14
VIII			10.4	12.7	9.3	9.5		4.4	19.9	30	- 2.6	20	2 1.5	0 -	2 1.0	0 -	0 -	19 1.9	3 1.3	0 -	8 2.6	20 2.0	1 2.0	8 1.6	30
IX			8.2	10.4	7.6	8.1		4.5	18.2	17	- 3.8	12	0 -	0 -	0 -	0 -	0 -	13 2.6	0 -	0 -	15 2.5	21 3.0	0 -	17 3.6	24
X			- 0.6	1.9	- 0.1	0.0		- 4.0	10.8	16	-13.6	27	0 -	0 -	0 -	1 2.0	0 -	4 1.8	8 2.0	0 -	22 2.3	4 2.5	0 -	20 2.4	34
XI			- 1.3	- 1.1	- 1.6	- 1.3		- 3.5	5.2	5	-13.2	29	0 -	0 -	0 -	0 -	1 4.0	42 2.7	15 3.1	0 -	2 1.5	0 -	0 -	0 -	30
XII			- 6.8	- 7.1	- 7.0	- 7.0		-10.1	1.4	17	-16.6	6	0 -	0 -	2 5.0	0 -	0 -	19 2.9	27 3.4	0 -	2 2.5	2 2.0	0 -	0 -	41
1949			1.6	3.1	1.3	1.4		- 2.7	25.2		-26.7		12 2.6	1 1.0	57 2.5	5 2.4	6 3.0	224 3.0	87 3.2	14 3.4	106 2.4	131 2.8	7 2.6	126 2.8	319

Torsvåg

φ = 70° 15′ N λ = 19° 30′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.6	- 0.8	- 0.9	- 0.8		- 3.7	6.0	26	- 9.6	23	8 3.9	7 3.6	5 3.6	2 2.5	7 3.3	16 4.3	15 4.3	4 4.8	8 7.2	13 5.0	3 5.3	3 5.3	2
II			1.3	1.2	1.3	1.2		- 1.6	6.8	20	- 7.0	28	5 5.2	1 2.0	1 2.0	2 2.0	0 -	21 3.1	14 3.0	9 2.5	8 5.5	9 4.8	4 5.5	2 6.0	8
III			0.2	0.4	- 0.1	0.0		- 2.4	5.8	7	- 9.5	2	5 2.8	1 5.0	3 1.7	4 2.8	3 7.7	19 3.5	22 3.5	6 3.7	12 5.4	3 4.7	3 4.3	2 5.0	10
IV			1.5	2.0	1.5	1.3		- 1.1	8.0	19	- 6.5	11	4 2.2	6 4.5	5 5.2	6 2.5	8 3.4	13 2.8	14 2.9	6 3.5	4 2.2	5 3.0	3 4.0	2 2.5	14
V			4.8	4.9	4.8	4.4		2.2	11.4	26	- 3.0	5	5 2.0	13 3.3	5 5.4	20 3.0	1 7.0	6 2.0	9 3.2	5 3.2	4 2.2	10 2.6	4 2.2	1 3.0	7
VI			8.1	9.8	8.3	7.9		5.5	17.0	29	1.5	12	11 1.4	14 2.6	5 3.0	8 4.5	1 5.0	2 1.0	0 -	4 4.2	2 3.5	2 1.0	4 1.2	0 -	32
VII			8.5	9.1	8.6	8.4		6.5	17.0	1	3.6	17	6 2.3	13 2.8	4 2.8	0 -	0 -	1 1.0	5 1.6	10 2.0	9 2.0	15 3.4	10 3.1	3 2.7	12
VIII			8.6	9.7	9.2	9.0		6.9	16.0	30	5.1	5	2 1.5	12 3.2	1 2.0	0 -	0 -	2 1.5	12 3.1	13 2.3	23 2.7	3 2.3	6 2.3	0 -	19
IX			8.5	9.1	8.8	8.6		6.2	18.3	6	0.9	29	3 1.3	4 2.8	2 2.5	0 -	0 -	0 3.4	10 2.7	6 3.5	20 3.6	15 4.7	4 4.0	5 5.5	10
X			3.5	4.0	3.8	3.8		1.5	12.8	16	- 4.9	28	8 3.2	6 3.6	6 2.8	1 2.0	0 -	14 2.5	15 2.8	9 2.7	3 4.7	8 3.8	7 3.4	6 3.0	9
XI			4.0	4.0	3.7	3.9		2.3	6.4	9	- 8.8	29	0 -	0 -	1 1.0	6 3.0	1 2.0	36 2.5	7 2.0	5 2.0	7 2.7	4 2.5	0 -	1 2.0	20
XII			1.2	1.2	1.0	1.1		- 0.9	4.0	18	- 3.9	27	1 2.0	1 4.0	1 2.0	6 3.7	1 1.0	40 3.1	23 2.5	2 3.0	2 1.5	2 2.5	1 3.0	1 3.0	12
1949			4.1	4.5	4.2	4.1		1.8	18.3		- 9.6		62 2.6	81 3.2	39 3.4	55 5.1	22 4.0	181 3.0	144 3.0	83 2.9	102 3.7	91 3.8	49 3.4	26 4.1	160

Årsoversikter

Annual Summaries)

1949

Bardufoss

$H_s = 76$ $H_b = 82.4$ $h_t = 2.1$ $h_a = 11.6$ $h_d = 11.6$ $h_r = 1.8$

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	80	80	81	6.0	5.8	5.3	94	12	27	31	16	15	0	19	15	3	11	3	1	7	19	5	0	0	2	0	0	14	0	2	1	12	28
II	84	78	82	82	6.1	6.0	5.8	73	12	17	27	11	7	0	21	13	2	6	2	1	8	19	6	3	0	0	0	0	5	0	7	2	15	28
III	83	67	75	77	4.8	5.0	5.2	45	7	23	28	16	16	0	11	10	0	7	2	1	4	11	2	0	0	2	0	0	6	0	21	5	11	31
IV	74	62	68	72	5.5	5.5	5.4	44	12	7	20	3	9	0	17	9	1	4	0	0	8	12	3	0	0	0	0	0	5	1	18	3	14	30
V	70	63	67	70	5.8	6.7	6.7	34	6	9	7	0	0	0	21	10	0	10	1	0	17	7	2	5	0	0	0	0	3	0	19	1	21	6
VI	72	61	64	70	6.0	5.8	5.6	32	10	10	0	0	0	0	14	9	0	2	0	0	14	0	0	5	0	0	0	0	1	0	18	2	17	0
VII	80	66	72	77	6.8	6.6	6.6	50	10	16	0	0	0	2	19	14	1	5	0	0	19	0	0	2	0	1	0	0	2	0	17	0	22	0
VIII	86	68	76	79	6.5	6.4	6.5	52	10	8	2	0	0	0	23	11	1	1	0	0	23	0	0	4	0	0	0	0	0	2	20	0	19	0
IX	88	71	83	82	6.6	6.4	6.2	68	11	21	1	0	0	0	21	18	1	6	0	0	21	2	2	6	0	0	0	0	3	2	20	0	16	0
X	91	83	87	88	6.6	6.8	5.7	115	16	1	23	3	2	0	27	22	2	2	1	0	15	16	2	3	0	4	0	0	5	3	8	0	20	20
XI	85	81	85	86	4.4	5.1	4.6	15	5	2	24	11	7	0	8	5	0	4	0	0	6	2	0	0	0	0	0	0	1	0	3	5	11	21
XII	75	87	84	84	4.1	5.4	4.6	22	4	11	31	23	21	0	10	7	0	5	0	0	1	10	1	0	0	0	0	0	4	2	0	3	9	31
1949	81	72	77	79	5.8	6.0	5.7	644	16		194	83	77	2	211	143	11	63	9	3	143	98	23	28	0	9	0	0	49	10	153	22	187	195

Tromsø

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Måned	U 7	13	19	Døgn	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	76	75	77	77	6.4	6.0	6.2	126	20	25	30	15	3	0	20	19	2	17	2	1	7	20	6	0	0	3	0	2	0	0	2	1	21	28
II	76	73	76	75	6.9	6.2	5.8	127	16	6	22	8	3	0	22	17	5	5	0	0	13	18	7	2	0	3	0	0	1	1	12	3	18	28
III	70	66	70	69	5.8	5.5	5.4	79	16	29	30	14	1	0	13	12	1	8	0	0	3	13	3	2	0	2	0	0	0	0	24	2	17	31
IV	70	67	69	70	5.7	5.6	5.9	66	10	2	19	7	0	0	20	15	0	4	0	0	12	14	4	1	0	0	0	0	1	0	21	1	14	30
V	74	65	70	73	6.1	5.8	6.7	67	15	18	5	0	0	0	22	18	1	0	0	0	19	7	4	2	0	0	0	0	2	0	17	1	20	13
VI	72	65	67	70	5.1	5.6	5.4	31	17	10	0	0	0	0	14	6	1	0	0	0	14	1	1	2	0	0	0	0	0	1	22	4	14	0
VII	80	72	76	79	6.9	6.6	6.2	126	25	16	0	0	0	0	19	14	4	0	0	0	19	0	0	2	0	0	0	2	2	0	16	2	20	0
VIII	84	73	78	81	7.0	6.5	6.2	68	8	27	0	0	0	0	22	17	0	0	0	0	22	0	0	4	0	0	0	0	1	1	17	0	20	0
IX	82	75	78	79	7.0	6.6	6.7	156	26	21	0	0	0	0	23	19	5	4	0	0	23	1	1	5	0	0	0	0	0	0	14	1	22	0
X	89	86	89	88	7.0	6.6	6.3	188	18	1	19	2	0	0	25	24	9	4	0	0	16	16	5	1	0	1	0	0	1	0	11	1	21	20
XI	79	80	78	79	4.4	4.9	4.6	40	16	1	12	5	1	0	9	5	1	1	0	0	7	2	1	0	0	0	0	0	0	0	12	4	11	6
XII	79	83	81	82	4.0	5.3	5.4	48	32	11	31	16	0	0	9	6	1	1	0	0	2	9	2	0	0	0	0	0	0	0	0	2	7	21
1949	78	73	76	77	6.0	5.9	5.9	1122	32		168	67	8	0	218	172	30	44	2	1	157	10[illegible]	34	21	0	9	0	4	8	3	168	22	205	177

Skattøra

$H_s = 14$ $H_b = 19.2$ $h_t = 2.0$ $h_a = 10.5$ $h_d = 10.5$ $h_r = 2$

Måned	U 7	13	19	Døgn	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	78	77	78	78	5.9	6.2	5.8	161	21	29	27	14	1	0	21	18	6	13	3	1	9	21	9	0	0	7	0	2	0	0	1	0	18	28
II	78	77	79	78	6.6	6.1	6.1	131	18	18	22	6	1	0	22	15	5	7	0	0	13	17	6	3	0	5	0	0	1	0	10	3	19	28
III	72	69	72	71	5.5	5.4	5.5	110	19	29	30	8	1	0	14	12	6	13	2	0	5	14	5	1	0	5	0	0	0	0	18	2	17	31
IV	75	70	73	74	5.7	5.5	5.7	62	16	2	15	4	0	0	19	16	1	5	1	0	10	14	5	2	0	0	0	0	1	0	21	2	14	30
V	79	70	73	77	5.8	5.8	6.6	59	7	3	4	0	0	0	20	17	0	4	0	0	15	7	2	5	1	3	0	0	0	0	23	1	19	7
VI	78	72	75	77	5.3	5.4	5.5	26	13	10	0	0	0	0	12	5	1	1	0	0	12	1	1	10	0	0	0	0	0	0	25	1	14	0
VII	86	77	80	84	6.8	6.1	6.1	132	23	11	0	0	0	0	19	15	6	1	0	0	19	0	0	11	0	1	0	2	2	0	22	1	18	0
VIII	90	79	82	85	6.8	6.2	6.2	80	17	15	0	0	0	0	22	18	1	1	0	0	22	0	0	8	0	0	0	1	0	1	24	0	20	0
IX	88	80	82	84	6.8	6.5	6.5	175	23	28	0	0	0	0	25	21	7	6	1	0	25	1	1	11	0	1	0	0	1	1	14	1	21	0
X	87	86	87	87	6.5	6.4	6.0	203	23	1	16	2	0	0	28	25	9	10	1	0	18	17	7	5	2	3	0	0	2	0	11	0	20	19
XI	78	79	79	78	3.9	5.0	4.7	35	15	1	11	5	2	0	6	5	1	5	0	0	6	2	2	0	1	0	0	0	0	0	2	4	8	4
XII	79	82	80	81	4.2	4.7	5.2	72	49	11	31	12	0	0	12	5	1	3	0	0	2	7	2	0	0	0	0	0	0	0	0	2	9	21
1949	81	76	78	80	5.8	5.8	5.8	1246	49		156	51	5	0	220	172	44	69	8	1	156	101	40	56	4	25	0	5	7	2	171	17	197	168

Dividalen

$H_s = 202$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.2$

Måned	U 7	13	19	Døgn	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.0	6.1	6.0	48	12	27	31		16		24	10	1	11	0	0	3	24	3	0	0	0	0	0	0	0	0	2	20	31
II					6.4	5.7	5.5	39	11	18	28		7		17	11	1	8	0	0	8	15	5	0	0	0	0	0	0	0	0	4	17	28
III					5.3	4.5	5.5	12	3	25	30		15		16	3	0	8	0	0	5	16	5	1	0	0	0	0	0	0	6	6	12	31
IV					5.0	5.4	5.2	25	6	5	21		8		18	7	0	1	0	0	7	16	5	2	0	0	0	0	0	0	8	2	16	30
V					7.2	7.4	7.4	17	3	18	7		0		22	6	0	5	0	0	17	12	5	3	0	0	0	0	0	0	3	0	27	7
VI					6.3	6.2	6.0	22	5	9	1		0		12	6	0	0	0	0	12	0	0	3	0	0	0	0	0	2	10	2	17	0
VII					6.8	6.5	7.0	28	8	25	1		0		17	7	0	0	0	0	17	0	0	5	0	0	0	1	0	0	7	0	20	0
VIII					6.4	6.5	6.5	27	5	1	6		0		15	10	0	1	0	0	15	0	0	4	0	0	0	0	0	4	4	0	20	0
IX					6.9	6.9	6.3	15	4	28	5		0		17	4	0	2	0	0	17	2	2	7	0	0	0	0	0	0	2	1	23	0
X					6.4	6.7	6.5	19	4	20	24		5		24	7	0	2	0	0	12	15	2	3	0	0	0	0	0	4	1	1	22	15
XI					5.9	5.8	4.7	5	2	4	21		3		14	2	0	3	0	0	9	8	0	8	0	0	0	0	0	1	0	5	16	5
XII					5.2	5.7	5.2	23	6	24	31		17		19	5	0	6	0	0	0	19	0	0	0	0	0	0	0	0	0	5	18	31
1949					6.2	6.1	6.0	280	12		206		71		215	78	2	47	0	0	122	127	27	36	0	0	0	1	0	11	41	28	228	178

Torsvåg

$H_s = 22$ $H_b =$ $h_t = 1.9$ $h_a = 4.8$ $h_d =$ $h_r = 1.8$

Måned	U 7	13	19	Døgn	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	74	74	76	75	6.3	6.7	5.9	74	13	5	28		0		19	18	1	21	12	7	8	17	4	0	0	1	1	0	0	0	1	2	19	
II	81	82	82	82	7.1	6.6	6.6	44	6	17	17		0		19	14	0	12	6	5	11	15	4	4	0	2	0	0	0	0	4	3	22	
III	76	76	78	77	6.3	6.2	5.7	42	8	20	27		0		15	12	0	15	5	1	6	13	3	0	0	2	0	0	0	0	16	2	19	
IV	79	75	77	78	7.1	6.1	6.2	81	20	6	15		0		22	17	1	12	2	1	12	16	5	3	0	0	0	0	1	0	20	1	20	
V	72	67	66	69	6.3	6.1	6.7	48	6	12	4		0		18	11	0	7	1	1	16	8	5	7	0	0	0	0	0	0	17	1	21	
VI	64	61	61	63	6.1	5.9	6.2	30	14	10	0		0		12	8	1	3	1	0	12	2	1	5	0	0	0	0	3	1	21	3	19	
VII	67	66	66	66	7.5	6.7	7.0	76	10	11	0		0		20	18	0	4	0	0	20	0	0	3	0	0	0	1	2	0	14	2	25	
VIII	80	75	77	78	7.0	7.0	6.9	72	14	27	0		0		23	18	1	7	0	0	23	0	0	7	0	0	0	0	3	0	14	2	25	
IX	84	81	81	82	7.7	7.1	7.1	60	9	27	0		0		24	17	0	16	7	2	23	0	0	8	1	2	0	0	0	3	10	1	26	
X	78	78	79	78	7.4	7.0	6.8	83	8	8	12		0		26	20	0	7	3	1	17	15	4	2	0	1	0	0	0	1	11	1	22	
XI	73	75	74	74	5.0	5.7	4.0	13	6	5	4		0		8	5	0	4	1	0	7	3	2	4	0	0	0	0	0	0	7	4	9	
XII	73	74	73	73	4.4	6.5	3.4	12	5	24	25		0		10	3	0	12	0	0	4	9	3	1	0	0	0	0	0	0	0	2	9	
1949	75	74	74	75	6.5	6.5	6.0	635	20		132		0		216	161	4	120	38	18	159	98	31	44	1	8	1	1	9	5	135	24	236	

1949

Alta (Elvebakken)

φ = 69° 58′ N λ = 23° 22′ E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	992.6	993.2	- 5.1	- 4.2	- 4.6	- 4.6		- 8.0	7.1	27	-20.5	17	4 4.5	4 3.2	0 -	0 -	0 -	13 3.8	45 3.1	2 6.0	0 -	0 -	14 3.4	3 4.7	8
II	96.6	97.3	- 4.7	- 3.0	- 4.1	- 4.1		- 7.7	6.0	2	-25.9	28	2 1.5	0 -	0 -	0 -	0 -	0 -	48 2.7	3 3.3	6 2.3	3 3.3	12 5.5	3 5.0	7
III	1012.1	1012.7	- 5.6	- 2.5	- 4.5	- 4.6		- 8.2	6.2	29	-20.9	1	1 5.0	1 4.0	1 2.0	1 1.0	1 4.0	3 2.0	55 3.4	0 -	1 2.0	19 3.8	3 4.0	1 1.0	6
IV	01.7	02.4	- 1.0	1.6	- 0.1	- 0.6		- 4.0	8.2	16	-14.5	1	6 2.2	6 3.0	5 2.4	3 1.7	1 3.0	19 2.8	16 3.8	4 2.5	1 1.0	21 2.5	2 2.0	1 4.0	5
V	11.7	12.3	4.3	5.7	4.6	4.3		1.5	10.8	15	- 4.3	1	4 2.2	11 2.9	5 1.6	10 2.8	1 4.0	18 2.8	9 2.6	3 2.7	1 1.0	24 2.8	2 2.0	4 2.8	1
VI	16.5	17.1	9.3	10.0	8.8	8.2		5.0	22.6	29	1.0	7	5 2.0	21 2.4	0 -	1 2.0	0 -	15 2.9	2 3.5	4 2.5	1 4.0	24 2.6	4 2.2	10 2.5	3
VII	11.8	12.4	10.6	12.8	11.3	11.0		7.7	26.0	5	3.2	29	4 2.5	8 1.9	2 2.5	6 1.8	0 -	3 3.7	1 2.0	1 2.0	0 -	27 2.8	14 3.1	24 3.0	3
VIII	09.1	09.7	9.6	12.2	10.8	10.4		6.6	15.4	25	1.4	12	8 2.5	8 2.8	2 2.5	4 2.5	0 -	6 2.8	10 3.2	1 2.0	0 -	21 2.2	9 2.8	13 3.1	11
IX	12.5	13.2	8.4	10.7	8.8	8.9		5.7	18.0	7	- 1.3	16	3 2.3	2 2.0	3 2.7	1 2.0	0 -	16 2.7	12 3.6	9 3.2	3 3.0	18 3.4	7 4.9	3 4.7	13
X	02.5	03.1	1.2	2.0	0.9	0.8		- 2.4	10.0	18	- 8.1	10	1 4.0	1 2.0	1 3.0	1 1.0	1 2.0	32 2.6	13 2.6	5 2.6	6 3.0	9 3.6	9 3.8	2 5.0	12
XI	13.4	14.1	- 0.2	- 0.1	- 0.5	- 0.3		- 2.5	6.0	9	-14.4	28	0 -	0 -	0 -	0 -	0 -	35 2.7	30 3.3	2 3.0	1 3.0	4 2.2	2 3.5	0 -	16
XII	999.4	00.1	- 5.6	- 5.5	- 5.1	- 5.4		- 8.1	3.0	18	-14.9	26	0 -	0 -	1 4.0	0 -	0 -	29 3.3	47 3.1	0 -	0 -	2 2.5	0 -	0 -	14
1949	1006.7	1007.3	1.6	3.3	2.2	2.0		- 1.2	26.0		-25.9		38 2.6	62 2.6	20 2.4	27 2.2	4 3.2	189 2.9	288 3.1	34 3.0	20 2.6	172 2.9	78 3.7	64 3.2	99

Ingøy

φ = 71° 4′N λ = 24° 9′E g = 9.827 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	991.8	992.8	- 2.1	- 2.2	- 2.6	- 2.3		- 4.1	5.4	27	- 9.3	12	6 5.2	6 5.5	2 3.5	5 4.4	1 5.0	8 6.4	20 5.7	14 3.8	6 3.5	15 6.3	2 8.0	8 4.9	0
II	95.2	96.2	0.0	0.3	0.1	0.1		- 1.6	5.4	2	- 6.7	27	3 5.0	4 4.2	1 4.0	2 3.5	2 3.5	4 4.0	20 3.6	15 3.9	10 5.5	9 4.9	1 8.0	12 5.8	1
III	1010.6	1011.6	- 1.3	- 0.9	- 1.0	- 1.2		- 2.7	4.0	29	- 6.3	16	0 -	2 3.5	1 4.0	3 3.0	0 -	9 4.2	21 4.6	18 4.4	5 4.8	15 4.5	7 5.1	5 4.8	7
IV	01.8	02.7	- 0.1	0.5	0.2	0.0		- 1.7	5.6	16	- 7.7	11	1 5.0	6 4.7	9 4.0	9 4.8	1 4.0	11 3.8	16 4.1	9 5.3	6 4.2	10 4.6	5 3.2	4 3.5	3
V	12.4	13.4	2.8	3.3	2.9	2.7		1.1	6.4	13	- 2.4	4	4 4.2	3 4.0	9 4.0	33 4.5	3 5.0	3 1.7	0 -	10 3.6	8 4.0	10 3.5	5 2.8	1 4.0	4
VI	17.9	18.9	5.7	6.3	5.8	5.7		4.5	16.5	29	1.2	11	1 3.0	28 3.6	12 3.5	16 4.8	1 4.0	4 1.8	1 1.0	2 3.0	5 2.4	3 2.0	3 2.3	2 3.0	12
VII	12.5	13.4	7.6	8.0	7.4	7.5		6.2	16.2	5	2.8	19	6 1.8	8 2.9	4 1.5	6 2.8	2 2.0	2 2.5	0 -	6 4.5	14 4.6	13 3.8	14 3.2	9 2.8	9
VIII	09.6	10.5	8.4	9.0	8.4	8.3		5.9	12.4	31	3.8	6	1 4.0	5 2.6	14 2.9	4 2.0	1 2.0	1 5.0	7 3.0	0 -	26 3.6	18 4.2	4 1.8	5 3.2	7
IX	12.0	12.9	7.3	7.4	7.0	7.0		4.4	13.5	6	0.6	30	2 3.5	2 3.5	4 3.0	1 1.0	2 3.0	6 2.8	8 3.1	4 3.2	24 4.4	18 5.0	5 5.4	10 4.5	4
X	02.2	03.2	2.4	2.5	2.7	2.5		1.1	8.0	16	- 3.8	28	9 4.9	10 4.8	5 4.8	3 3.7	2 3.5	18 3.3	6 2.2	9 3.0	3 5.0	5 4.6	3 4.7	18 4.6	2
XI	12.7	13.6	2.2	2.4	2.4	2.3		1.3	6.2	9	- 9.0	29	1 7.0	1 3.0	2 1.0	1 3.0	1 3.0	19 3.9	25 3.8	19 2.6	3 4.0	2 4.5	0 -	2 4.0	15
XII	998.6	999.5	- 1.0	- 0.7	- 0.9	- 0.9		- 2.1	3.6	19	-11.1	27	1 4.0	0 -	0 -	0 -	0 -	12 4.3	63 3.7	8 3.6	1 1.0	0 -	1 4.0	1 4.0	6
1949	1006.4	1007.4	2.7	3.0	2.7	2.6		1.0	16.5		-11.1		35 4.2	75 3.9	63 3.4	83 4.2	16 3.6	97 3.8	187 3.9	113 3.8	111 4.1	118 4.6	50 3.9	77 4.4	70

Gamvik

φ = 71° 4′N λ = 28° 15′E g = 9.827 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	991.9	992.6	- 3.4	- 3.2	- 3.5	- 3.4		- 5.6	4.8	27	-11.7	18	6 4.5	9 5.3	3 4.7	1 4.0	0 -	7 3.9	10 3.9	15 4.5	19 4.3	7 4.4	6 5.3	10 4.7	0
II	94.6	95.3	- 1.7	- 0.9	- 1.4	- 1.4		- 3.9	5.0	2	-11.5	27	2 5.0	2 5.0	2 4.5	8 4.4	1 6.0	6 3.8	7 3.7	16 3.0	18 3.5	10 4.7	7 4.9	5 5.2	0
III	1010.6	1011.3	- 2.7	- 1.9	- 2.6	- 2.5		- 5.3	3.8	29	-12.6	3	5 4.2	2 3.5	2 4.5	2 3.5	1 5.0	13 4.4	4 2.8	22 4.7	26 4.2	6 5.8	5 5.0	5 5.2	0
IV	01.6	02.3	- 0.2	0.4	- 0.2	- 0.3		- 2.5	4.9	19	-10.3	8	4 3.8	9 4.8	10 5.0	5 4.2	0 -	13 3.8	8 4.0	14 3.3	7 3.3	11 3.8	8 4.4	1 4.0	0
V	12.6	13.2	2.6	3.0	2.3	2.3		0.7	7.6	13	- 3.6	4	8 3.6	1 3.0	13 4.2	10 5.6	8 5.0	15 4.5	2 3.0	2 4.0	12 3.5	13 3.7	4 3.5	5 3.6	0
VI	18.0	18.6	5.2	5.4	4.8	4.8		3.4	14.9	29	1.1	12	13 3.2	2 3.5	7 2.9	19 3.5	11 4.5	17 3.6	1 3.0	3 3.7	0 -	5 2.8	6 3.0	6 3.2	0
VII	11.6	12.2	8.1	8.3	7.4	7.7		5.9	18.8	5	3.5	16	13 3.3	1 3.0	0 -	7 2.9	4 3.2	7 3.3	2 4.0	2 3.0	4 3.2	10 3.1	23 3.3	20 3.4	0
VIII	09.2	09.8	8.6	9.5	8.4	8.5		6.2	15.6	31	3.0	17	5 2.8	2 1.5	3 2.7	6 2.8	6 2.7	12 3.1	5 2.6	3 3.3	7 2.9	12 3.2	14 3.8	18 2.9	0
IX	11.3	11.9	7.3	8.1	7.0	7.3		5.1	17.5	7	0.6	22	2 5.5	3 3.0	2 2.5	1 3.0	0 -	14 3.2	9 3.0	7 3.4	5 3.6	11 3.9	20 4.2	16 4.4	0
X	01.1	01.8	1.4	1.6	1.4	1.5		- 0.3	7.0	19	- 4.4	28	13 4.2	5 3.8	6 5.2	1 3.0	2 4.0	13 3.3	8 3.8	9 2.9	12 3.4	3 2.0	6 3.2	15 4.6	0
XI	13.8	14.5	0.9	0.8	0.7	0.8		- 0.4	5.2	9	- 8.0	30	0 -	0 -	0 -	4 3.2	5 3.8	9 4.2	4 4.5	35 3.3	23 2.8	5 1.6	1 2.0	4 3.2	0
XII	00.4	01.0	- 2.9	- 3.1	- 3.1	- 3.0		- 5.0	2.6	18	-11.0	30	4 3.8	1 2.0	0 -	4 2.2	1 2.0	12 4.0	14 3.7	39 3.2	11 3.4	5 2.0	1 3.0	1 2.0	0
1949	1006.4	1007.0	1.9	2.3	1.8	1.9		- 0.1	18.8		-12.6		75 3.7	37 4.2	48 4.2	68 3.7	39 4.1	138 3.8	74 3.6	167 3.5	144 3.6	98 3.6	101 3.9	106 3.9	0

Makkaur Fyr

φ = 70° 42′N λ = 30° 5′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.9	- 3.5	- 3.6	- 3.7		- 6.3	3.0	27	-13.3	18	8 5.4	11 4.5	1 5.0	0 -	0 -	3 3.3	24 3.6	23 5.3	1 2.0	13 6.2	4 5.5	5 6.4	0
II			- 2.2	- 1.5	- 1.7	- 1.9		- 4.9	5.0	7	-11.6	2	1 6.0	4 6.0	5 5.2	4 4.2	2 6.0	3 4.3	14 4.1	6 4.7	25 5.0	7 5.0	4 5.5	8 5.6	1
III			- 3.7	- 2.9	- 3.4	- 3.4		- 6.6	4.9	29	-12.3	1	3 5.3	0 -	0 -	5 3.8	0 -	9 4.8	4 3.2	8 4.5	49 5.4	10 5.5	1 4.0	4 5.8	0
IV			0.0	0.8	- 0.1	- 0.2		- 3.1	7.1	20	-11.0	3	7 4.4	7 4.9	10 5.0	5 3.2	0 -	10 3.9	12 3.6	5 3.4	15 3.5	6 3.8	6 5.0	7 4.7	0
V			2.6	3.2	2.5	2.5		0.7	8.7	13	- 3.5	4	7 3.6	2 4.5	7 4.0	13 4.4	9 6.0	10 4.9	4 2.8	2 3.5	8 4.1	15 4.1	10 3.7	6 4.8	0
VI			5.0	5.2	4.8	4.6		2.9	14.2	29	- 0.7	7	10 3.3	3 3.3	21 3.8	8 4.6	6 4.0	16 3.7	7 3.3	1 1.0	1 2.0	1 3.0	2 3.5	14 3.5	0
VII			8.1	8.4	8.3	8.0		6.0	19.1	6	3.0	16	18 3.8	0 -	4 3.0	6 2.2	6 2.7	8 2.8	2 4.0	0 -	6 3.7	6 3.5	6 4.2	31 3.6	0
VIII			8.9	9.8	8.9	8.9		6.7	16.5	22	4.5	25	4 3.5	1 3.0	1 2.0	11 2.5	6 3.2	9 3.6	10 2.7	1 4.0	4 3.8	8 3.0	13 4.7	24 3.5	1
IX			7.5	8.1	7.4	7.5		5.0	16.2	7	0.1	27	2 4.5	1 3.0	2 4.0	3 3.3	0 -	6 3.7	11 3.0	8 3.4	14 4.3	5 4.6	9 5.3	28 5.2	1
X			1.5	1.8	1.5	1.6		- 0.7	7.4	19	- 5.7	28	8 4.8	8 4.0	4 5.8	1 2.0	2 2.5	9 4.0	12 3.4	5 3.2	14 4.8	8 3.2	2 5.5	20 6.0	0
XI			0.8	0.7	0.5	0.7		- 0.6	5.0	9	- 9.1	30	0 -	0 -	1 4.0	4 3.2	0 -	10 4.4	23 4.3	9 3.9	33 4.4	6 3.0	1 4.0	3 4.3	0
XII			- 3.5	- 3.4	- 3.2	- 3.4		- 5.5	2.8	17	-12.0	29	1 3.0	1 4.0	0 -	0 -	0 -	15 3.2	44 3.7	6 4.5	20 4.1	2 3.5	0 -	4 5.5	0
1949			1.8	2.2	1.8	1.8		- 0.5	19.1		-13.3		69 4.2	38 4.4	56 4.2	60 3.5	31 4.2	108 3.9	167 3.6	74 4.3	190 4.6	87 4.3	58 4.7	154 4.6	3

Vardø

φ = 70° 22′N λ = 31° 6′E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	991.6	993.3	- 3.7	- 3.7	- 3.5	- 3.6	- 1.3	- 5.8	4.8	27	-12.5	18	9 4.4	6 5.2	1 4.0	0 -	1 4.0	2 5.5	21 5.0	10 4.9	23 5.0	8 4.9	6 5.5	6 5.8	1
II	94.7	96.2	- 2.6	- 2.1	- 2.3	- 2.3	0.0	- 4.6	4.8	7	-11.2	2	1 4.0	1 4.0	5 3.6	3 2.7	2 2.5	2 6.0	9 5.6	8 5.1	23 5.2	12 3.5	8 4.1	6 4.0	4
III	1011.4	1012.9	- 3.8	- 3.1	- 3.4	- 3.5	- 1.7	- 5.7	4.3	30	-12.3	3	0 -	0 -	2 3.0	3 2.3	3 3.7	5 3.4	13 5.7	11 4.7	33 5.5	12 4.8	9 3.4	2 6.0	0
IV	01.2	02.7	- 0.7	0.3	- 0.2	- 0.4	1.6	- 2.4	7.6	19	- 8.7	12	7 3.0	9 5.0	5 2.8	0 -	2 2.5	4 3.2	18 3.2	5 3.4	9 3.3	13 3.5	10 4.0	6 4.2	2
V	12.0	13.6	2.7	3.5	2.5	2.6	4.3	0.7	9.6	13	- 2.9	5	4 2.5	11 3.0	5 2.6	14 3.6	7 4.6	7 2.7	3 2.3	2 3.0	8 2.4	16 3.2	9 3.3	5 2.2	2
VI	17.1	18.6	4.5	5.4	4.7	4.6	6.4	3.1	13.1	30	0.4	7	17 2.6	15 2.3	15 2.7	11 2.5	7 3.3	11 2.2	2 2.0	2 1.5	0 -	0 -	1 4.0	7 3.0	0
VII	10.4	11.9	7.5	8.5	7.5	7.5	9.7	6.0	19.6	10	2.3	17	16 3.1	7 2.3	2 1.5	5 2.4	1 2.0	6 1.8	14 2.2	1 3.0	5 3.2	5 3.0	6 4.5	21 2.7	3
VIII	08.4	09.9	8.4	9.5	8.6	8.5	10.9	6.1	17.1	31	3.8	16	7 2.0	3 2.0	9 2.8	2 2.5	1 4.0	7 2.7	9 2.9	4 3.0	6 3.0	2 1.5	10 3.0	27 3.6	6
IX	10.8	12.3	6.8	8.2	6.8	7.0	10.3	4.5	16.8	7	0.6	22	4 2.8	0 -	0 -	1 2.0	1 3.0	8 2.4	10 3.0	5 4.6	10 3.7	13 3.9	13 4.5	22 4.0	3
X	999.9	01.2	0.9	1.4	0.9	1.1	3.1	- 1.0	7.6	19	- 5.9	28	7 4.9	12 3.1	5 3.8	4 3.8	2 3.0	2 3.5	8 4.2	5 3.8	11 3.5	7 2.7	17 4.3	9 5.3	4
XI	1014.8	16.3	0.8	0.9	0.3	0.7	2.2	- 0.8	4.8	6	- 8.8	30	0 -	1 2.0	2 3.0	6 2.5	3 3.3	9 4.6	12 4.1	21 4.6	24 4.2	7 2.9	4 2.5	1 2.0	0
XII	01.8	03.3	- 2.4	- 2.3	- 2.2	- 2.3	- 0.8	- 4.0	3.2	7	- 8.8	31	0 -	0 -	2 3.0	0 -	2 2.0	17 4.6	25 4.6	25 4.1	8 3.5	5 2.8	3 3.7	5 2.8	1
1949	1006.2	1007.7	1.5	2.2	1.6	1.7	3.7	- 0.3	19.6		-12.5		72 3.2	65 3.2	53 2.9	49 2.9	32 3.4	80 3.4	144 4.1	99 4.3	160 4.4	100 3.6	96 4.0	117 3.7	29

1949

Alta (Elvebakken)

H_s = 4 H_b = 5.1 h_t = 2.0 h_a = h_d = h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	79	79	79	6.8	6.8	6.6	32	5	16	30		12		16	11	0	8	0	0	1	15	0	0	0	0	0	0	0	0	0	0	22	31
II	84	79	80	81	6.1	6.1	5.1	36	9	4	28		6		11	10	0	5	2	0	0	11	0	0	0	0	0	0	0	0	13	3	15	28
III	76	71	71	73	5.4	5.0	5.0	18	4	26	30		8		9	5	0	7	0	0	2	9	2	0	0	0	0	0	0	0	26	4	13	31
IV	78	69	75	78	5.9	5.6	5.9	23	4	5	20		5		15	9	0	1	0	0	9	12	5	0	0	0	0	0	0	0	18	1	15	30
V	74	68	71	75	6.7	7.1	7.4	58	16	28	6		0		16	10	3	0	0	0	12	6	2	1	0	0	0	0	0	0	16	0	23	2
VI	75	69	73	76	6.3	5.3	6.0	44	10	10	0		0		14	11	0	0	0	0	14	0	0	0	0	0	0	0	0	0	21	3	16	0
VII	78	68	72	77	6.7	6.5	6.1	17	3	22	0		0		14	7	0	0	0	0	14	0	0	0	0	0	0	0	0	0	25	1	20	0
VIII	83	74	79	81	6.2	6.7	5.7	35	8	8	0		0		14	8	0	1	0	0	14	0	0	0	0	0	0	0	0	0	19	0	19	0
IX	84	73	80	81	7.0	6.7	6.3	25	5	22	1		0		17	7	0	3	1	0	17	0	0	2	0	0	0	0	0	2	17	0	20	0
X	86	80	87	86	6.8	7.0	6.5	56	7	9	21		0		22	16	0	2	0	0	15	9	2	0	0	1	0	0	0	0	14	0	21	19
XI	83	82	82	82	5.8	6.1	5.1	7	3	2	22		3		7	1	0	0	0	0	4	3	0	0	0	0	0	0	0	0	2	1	13	11
XII	82	81	82	81	4.5	5.5	6.6	5	3	11	30		10		7	1	0	1	0	0	0	7	0	0	0	0	0	0	0	0	0	2	16	31
1949	80	74	78	79	6.2	6.2	6.0	356	16		188		44		162	96	3	28	3	0	102	72	11	3	0	1	0	0	0	2	171	15	213	183

Ingøy

H_s = 4 H_b = 7.5 h_t = 1.9 h_a = 7.8 h_d = h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	82	79	80	6.6	6.4	6.4	73	20	11	28		0		19	15	1	26	13	10	7	17	3	1	0	0	0	2	0	0	0	0	17	21
II	87	86	86	86	5.8	6.4	6.2	70	10	24	16		0		23	16	1	17	9	4	15	17	5	1	0	1	0	1	0	0	0	0	15	17
III	84	84	85	85	5.6	6.2	5.2	89	16	24	28		0		15	14	4	16	5	1	4	15	4	0	0	1	0	0	0	0	11	1	11	31
IV	85	84	85	85	6.5	6.5	5.9	74	8	4	15		0		22	18	0	16	4	0	11	19	8	2	0	0	0	0	0	0	10	0	18	16
V	86	85	87	87	7.0	7.0	6.7	92	13	15	10		0		19	19	2	16	1	0	15	9	4	2	0	0	0	0	0	0	14	0	21	3
VI	85	82	86	86	5.7	5.2	5.3	18	4	19	0		0		10	6	0	9	0	0	9	3	1	0	0	0	0	0	1	3	22	2	13	0
VII	88	87	89	89	6.7	6.3	6.8	89	17	11	0		0		18	15	2	8	1	0	18	3	3	11	0	2	0	0	0	2	18	0	19	0
VIII	88	86	88	88	6.8	7.1	6.1	89	17	5	0		0		19	16	3	8	1	1	19	1	1	3	0	1	0	0	0	0	13	0	21	0
IX	89	88	85	87	7.0	7.2	7.3	80	18	23	0		0		20	17	1	13	5	3	20	6	5	4	0	1	0	0	0	1	9	0	25	0
X	86	86	85	86	6.9	6.7	6.8	118	16	15	14		0		25	22	3	18	3	2	16	14	3	1	0	2	0	0	0	0	5	0	24	12
XI	85	84	87	86	5.5	6.1	5.4	22	6	2	5		0		9	8	0	9	2	1	9	2	2	0	0	0	0	0	0	0	2	1	11	0
XII	85	83	86	85	4.9	4.9	5.0	20	10	12	25		1		7	3	1	9	4	1	1	7	1	0	0	1	0	0	0	1	0	0	8	29
1949	86	85	86	86	6.2	6.3	6.1	834	20		141		1		206	169	18	165	48	23	144	113	40	25	0	9	0	3	1	7	104	4	203	129

Gamvik

H_s = 5 H_b = 5.1 h_t = 2.2 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	84	81	82	6.3	6.8	6.1	105	18	13	28		5		24	20	2	16	2	1	5	24	4	0	2	0	0	0	0	0	0	0	16	
II	81	84	82	82	6.3	6.8	5.8	94	15	4	24		2		22	20	2	13	1	0	9	21	4	0	0	1	0	0	0	0	5	1	16	
III	80	80	81	80	5.1	5.9	5.4	81	16	29	31		3		18	14	3	16	3	0	5	18	4	0	2	0	0	0	0	0	23	4	14	
IV	82	80	78	80	6.3	6.4	6.0	83	17	2	17		1		24	17	1	9	0	0	14	19	5	0	2	0	0	0	0	0	23	1	17	
V	84	83	85	85	6.9	7.0	7.5	64	7	3	13		0		28	18	0	8	0	0	17	18	6	1	1	0	0	0	1	0	17	0	24	
VI	84	83	85	85	6.5	6.6	6.7	21	5	14	0		0		19	6	0	2	0	0	18	5	4	2	0	0	0	0	1	3	20	2	21	
VII	83	83	86	85	7.6	7.4	7.0	95	11	16	0		0		25	16	2	0	0	0	25	2	2	2	0	0	0	0	1	2	19	0	27	
VIII	83	82	86	85	6.8	6.5	6.6	120	29	5	0		0		23	15	4	2	0	0	23	0	0	9	0	1	0	0	3	1	19	1	22	
IX	84	81	82	82	7.1	7.0	7.2	132	36	23	0		0		24	17	3	6	2	1	24	9	8	3	1	0	0	0	1	2	13	0	23	
X	81	80	84	82	7.0	7.3	6.7	141	18	27	16		0		29	25	3	5	1	0	19	18	7	0	5	0	0	0	1	0	6	0	25	
XI	84	83	83	84	5.7	7.1	5.8	37	8	1	11		0		15	9	0	4	0	0	11	10	6	0	0	0	0	0	1	0	0	1	15	
XII	84	84	84	84	4.9	4.9	5.3	19	4	8	29		3		13	8	0	3	0	0	1	12	0	0	0	0	0	0	0	0	0	4	13	
1949	83	82	83	83	6.4	6.6	6.3	992	36		169		14		264	185	20	84	9	2	171	156	50	17	13	2	0	0	9	8	145	14	233	

Makkaur Fyr

H_s = 11 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.2	6.2	5.3	39	6	15	29		9		23	12	0	18	3	2	2	23	2	0	0	9	0	0	0	0	0	1	11	28
II					6.0	6.1	5.5	40	7	15	27		4		21	12	0	14	2	1	10	19	6	3	0	2	0	0	0	0	7	1	13	16
III					5.1	5.4	4.8	26	6	31	31		5		14	9	0	19	5	1	1	14	1	0	0	5	0	0	0	0	23	2	10	31
IV					6.1	5.6	6.2	30	6	18	20		4		20	9	0	10	0	0	10	15	6	8	0	4	0	0	0	0	24	0	16	18
V					6.5	6.9	7.4	85	18	27	14		0		25	12	5	11	0	0	17	19	11	3	0	4	0	0	0	0	13	0	21	4
VI					6.7	6.4	6.1	22	5	17	0		0		15	8	0	2	0	0	14	7	6	9	0	0	0	0	2	3	21	3	21	0
VII					7.3	6.1	6.5	94	16	20	0		0		22	16	2	2	0	0	22	2	2	19	0	0	0	1	0	4	22	0	22	0
VIII					6.5	6.7	7.1	73	23	5	0		0		22	12	1	5	0	0	22	0	0	7	0	0	0	1	0	5	17	0	23	0
IX					6.9	7.0	7.2	77	11	23	0		0		23	19	1	13	3	0	23	8	8	11	0	2	0	2	1	2	19	0	24	0
X					6.7	7.5	6.6	89	13	27	18		0		28	20	2	16	2	1	18	20	9	1	0	5	0	0	0	0	7	0	23	17
XI					5.9	6.7	5.9	29	10	28	14		0		14	7	1	10	1	1	10	6	2	3	0	0	0	0	1	0	0	1	17	7
XII					5.7	5.6	5.0	15	5	7	29		5		10	5	0	9	1	0	1	10	1	0	0	3	0	0	0	0	0	1	15	31
1949					6.3	6.4	6.1	619	23		182		27		237	141	12	129	17	6	150	143	54	64	0	34	0	4	4	12	153	9	216	152

Vardø

H_s = 10 H_b = 11.6 h_t = 2.0 h_a = 9.2 h_d = 10.0 h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	84	83	84	5.6	5.7	5.8	55	10	15	30	17	5	0	22	15	0	25	11	1	2	21	1	0	0	0	0	0	9	2	1	0	11	31
II	88	90	90	89	6.4	6.8	5.9	56	7	28	28	15	1	0	20	17	0	17	4	2	4	18	1	0	0	1	0	0	3	2	9	0	14	28
III	88	88	86	88	5.1	5.0	4.9	13	4	31	30	22	2	0	8	4	0	19	7	0	1	8	1	0	0	1	0	0	1	1	18	0	4	31
IV	87	83	84	86	5.6	5.8	5.7	37	6	13	18	12	0	0	20	10	0	10	1	0	8	15	0	0	0	2	0	0	1	0	19	0	11	28
V	83	81	82	83	6.6	6.8	6.6	41	9	27	11	0	0	0	16	12	0	5	0	0	7	13	3	0	0	1	0	0	2	0	16	0	20	3
VI	84	82	84	85	7.0	6.8	6.2	19	6	18	0	0	0	0	10	4	0	0	0	0	10	3	3	1	0	0	0	1	0	4	16	1	22	0
VII	88	84	87	89	6.7	6.4	6.0	41	5	14	0	0	0	0	20	15	0	4	0	0	20	0	0	4	0	0	0	0	0	3	18	0	13	0
VIII	86	84	88	87	6.6	6.2	6.4	66	18	5	0	0	0	0	22	13	1	3	0	0	22	0	0	5	0	0	0	0	1	4	19	0	19	0
IX	85	82	84	84	6.6	6.9	6.5	136	18	22	0	0	0	0	24	21	3	12	2	2	24	1	0	0	0	0	0	1	1	3	18	0	17	0
X	85	86	85	85	6.7	7.1	6.4	105	10	27	17	3	0	0	28	23	1	11	2	1	16	19	6	0	0	2	0	0	3	0	10	0	21	18
XI	84	85	84	84	6.1	6.7	6.3	39	8	28	15	5	0	0	15	10	0	15	0	0	12	9	5	0	0	3	0	0	0	0	5	0	18	11
XII	88	88	88	88	6.9	6.7	6.2	26	6	31	31	12	0	0	18	8	0	14	0	0	6	17	2	0	0	2	0	0	4	1	0	0	16	31
1949	86	85	85	86	6.3	6.4	6.1	634	18		130	86	8	0	223	152	5	135	27	6	132	122	22	10	0	12	0	2	25	20	149	1	186	181

1949

Ekkerøy

φ = 70° 4′N λ = 30° 6′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.5	- 4.3	- 4.5	- 4.4		- 6.7	4.1	27	-12.9	16	4 2.8	6 3.3	9 4.9	0 -	0 -	6 4.7	11 4.9	4 4.0	24 5.1	16 4.2	9 4.6	4 4.2	0
II			- 3.5	- 2.9	- 3.1	- 3.3		- 5.8	3.5	8	-12.9	27	1 2.0	1 1.0	7 4.0	7 4.7	1 3.0	3 3.7	0 -	12 4.7	30 4.7	12 2.7	7 5.6	1 4.0	2
III			- 4.6	- 2.9	- 3.8	- 4.0		- 6.6	4.1	29	-13.4	3	2 2.5	0 -	0 -	3 3.7	3 3.3	6 4.0	1 3.0	7 5.4	42 5.3	18 3.8	10 3.8	0 -	1
IV			- 0.6	1.2	- 0.4	- 0.3		- 3.3	7.9	19	-11.9	1	5 4.0	9 3.7	6 4.5	3 6.3	4 4.0	6 2.8	6 3.5	9 3.8	13 3.6	5 4.0	19 3.6	0 -	5
V			3.0	4.1	3.0	2.9		0.5	9.1	13	- 3.9	4	1 3.0	5 4.8	4 3.2	20 4.7	10 5.6	7 3.1	8 2.6	4 2.8	6 3.8	12 3.5	12 3.6	0 -	4
VI			5.0	5.9	5.3	5.0		2.9	13.1	29	0.0	7	2 3.0	5 3.8	12 5.5	39 3.8	9 4.0	8 3.4	4 3.2	1 2.0	4 2.5	0 -	2 3.0	1 3.0	3
VII			8.3	10.0	8.7	8.5		5.8	21.7	6	2.0	18	5 3.6	2 2.5	6 3.3	14 2.9	5 2.6	14 2.3	7 2.1	6 2.2	10 2.3	6 3.5	5 3.4	9 3.3	4
VIII			8.8	10.5	9.6	9.1		6.0	16.1	31	2.0	25	1 3.0	0 -	8 4.6	14 2.6	2 3.0	6 2.7	0 -	9 3.0	24 3.0	3 2.7	10 4.1	2 4.0	14
IX			7.1	8.4	7.1	7.2		4.6	14.8	7	- 1.0	16	0 -	0 -	2 4.0	8 2.5	2 2.0	5 3.2	6 3.2	2 2.0	26 3.9	14 5.2	16 4.2	1 4.0	8
X			0.7	1.5	0.6	0.8		- 1.1	8.1	19	- 6.9	28	2 4.0	3 3.7	13 3.8	1 4.0	3 3.0	6 3.5	0 -	3 2.3	29 4.2	7 3.6	16 3.9	8 4.4	2
XI			0.8	0.9	0.7	0.8		- 0.5	5.5	9	-10.9	30	1 3.0	1 3.0	5 2.8	1 2.0	3 3.0	8 4.1	2 4.0	8 4.8	53 4.8	4 3.2	2 2.5	0 -	2
XII			- 3.6	- 3.3	- 3.6	- 3.5		- 5.1	3.5	17	-12.9	31	2 1.5	0 -	2 2.5	0 -	3 3.0	1 3.0	4 2.8	26 4.6	44 4.4	3 3.7	4 2.5	2 1.0	2
1949			1.4	2.4	1.6	1.6		- 0.8	21.7		-13.4		26 3.2	32 3.6	74 4.2	110 3.7	45 3.8	76 3.3	49 3.4	91 4.0	305 4.4	100 3.8	112 3.9	28 3.7	47

Pasvik

φ = 69° 10′N λ = 29° 15′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.5	-10.0	-10.2	-10.2		-16.6	5.8	27	-35.8	18	3 4.7	2 1.0	2 1.0	0 -	1 4.0	6 3.3	16 4.1	23 2.7	12 3.1	5 3.6	1 2.0	6 3.2	16
II			- 7.7	- 5.1	- 8.4	- 7.4		-13.5	3.0	17	-30.3	28	3 1.3	2 2.5	3 1.7	0 -	1 1.0	1 7.0	9 3.9	27 2.7	14 2.2	7 2.9	1 4.0	4 2.5	12
III			- 9.7	- 4.2	- 7.3	- 7.8		-14.3	5.2	29	-39.1	3	4 2.5	3 2.3	2 3.0	1 1.0	3 4.7	5 3.2	7 4.3	25 2.7	33 3.0	5 4.0	2 3.5	3 3.3	10
IV			- 1.0	1.8	- 0.7	- 1.0		- 5.9	9.0	16	-22.2	1	13 3.6	7 5.3	5 4.8	1 4.0	2 2.0	8 3.9	14 3.9	15 3.7	7 2.6	6 3.7	3 2.7	3 2.7	6
V			4.3	5.6	4.4	4.1		1.1	13.4	16	- 4.2	5	4 3.2	10 3.5	20 3.8	8 3.8	4 4.0	2 3.0	3 3.3	10 3.6	8 2.1	6 4.2	5 3.6	6 3.3	7
VI			7.4	9.9	8.9	7.8		4.5	25.0	30	1.0	1	13 3.5	25 4.1	10 3.9	9 2.9	4 2.8	2 2.0	7 2.1	8 2.0	2 3.0	1 2.0	0 -	4 3.8	5
VII			11.3	14.0	11.7	11.2		6.9	25.0	2	2.0	17	14 3.2	16 3.1	8 2.2	2 1.0	1 3.0	1 2.0	10 2.6	3 3.0	13 3.0	6 3.5	4 2.8	7 3.1	8
VIII			10.6	13.0	11.2	10.6		6.0	18.8	31	1.3	12	10 3.1	14 2.8	5 2.4	3 1.7	1 1.0	3 3.3	11 2.9	15 2.7	7 2.1	3 2.3	1 4.0	10 2.5	10
IX			8.3	10.6	7.6	8.2		4.6	18.4	7	- 2.8	16	6 4.2	3 3.0	0 -	3 2.7	0 -	2 3.5	18 2.9	17 2.5	14 2.8	5 3.0	10 3.4	3 4.7	9
X			- 0.5	1.0	- 0.9	- 0.3		- 3.6	7.9	18	-15.7	10	7 4.0	2 2.5	2 4.0	1 1.0	3 1.7	2 4.0	20 2.8	9 2.2	10 2.4	15 2.5	6 3.0	10 2.9	6
XI			- 1.3	- 1.1	- 1.5	- 1.3		- 3.3	4.8	9	-19.1	28	5 1.4	2 2.0	1 3.0	4 2.5	2 3.5	2 3.5	26 3.7	32 2.9	11 3.5	0 -	0 -	0 -	5
XII			- 7.8	- 8.2	- 8.8	- 8.3		-11.9	2.4	17	-27.0	29	4 2.0	3 1.7	2 1.5	1 1.0	4 3.0	10 3.5	30 3.9	16 2.8	7 1.4	1 1.0	1 1.0	1 1.0	13
1949			0.3	2.3	0.5	0.5		- 3.8	25.0		-39.1		86 3.2	89 3.4	60 3.3	33 2.7	26 3.0	44 3.5	171 3.5	200 2.8	128 2.7	60 3.2	34 3.1	57 3.0	107

Karasjok

φ = 69° 28′N λ = 25° 31′E g = 9.825 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-11.5	-10.9	-11.5	-11.3		-17.3	2.5	27	-38.8	17	1 1.0	2 1.0	2 1.0	4 1.2	4 1.2	2 2.0	3 1.7	10 2.1	5 1.6	16 1.6	2 2.5	2 2.5	40
II			- 9.7	- 6.8	- 9.9	- 9.1		-16.3	2.6	21	-31.8	28	0 -	1 1.0	0 -	0 -	1 1.0	2 1.0	0 -	1 2.0	4 2.8	24 1.7	1 3.0	0 -	50
III			-11.2	- 4.7	- 8.9	- 9.2		-16.0	5.4	29	-40.8	3	0 -	0 -	6 1.2	9 1.7	1 1.0	1 1.0	0 -	3 1.3	6 2.2	23 2.0	0 -	2 1.0	42
IV			- 2.6	1.9	- 1.0	- 2.0		- 8.5	8.7	16	-28.5	12	4 1.5	3 1.3	6 1.8	3 1.3	2 1.0	1 3.0	0 -	3 1.3	4 1.5	31 1.6	0 -	0 -	33
V			4.1	5.7	4.5	4.0		0.8	10.5	15	- 7.9	1	2 2.5	7 2.0	19 1.7	12 1.9	3 2.0	2 1.0	1 1.0	2 1.0	3 2.3	22 1.8	7 1.6	2 2.5	11
VI			8.7	11.6	10.3	9.0		4.6	24.0	30	0.6	1	4 1.5	14 1.9	14 1.9	18 1.7	5 1.2	1 1.0	3 1.0	1 2.0	4 1.5	3 1.7	3 1.3	6 1.7	14
VII	996.7	1012.6	10.5	13.6	12.4	10.9		5.2	25.8	1	- 1.5	29	12 1.7	1 1.0	2 2.0	5 1.2	2 1.0	1 1.0	3 1.7	4 2.0	5 2.2	8 1.5	11 2.0	11 1.5	28
VIII	94.5	10.4	7.1	13.4	10.9	9.5		3.6	19.3	26	- 4.0	12	8 2.0	1 2.0	1 1.0	3 1.7	0 -	1 1.0	3 1.3	3 1.3	5 1.4	3 2.3	3 1.3	6 1.5	56
IX	97.9	14.1	6.4	11.1	8.0	7.9		3.2	20.2	7	- 6.4	16	1 1.0	1 1.0	0 -	2 1.0	0 -	3 1.0	2 1.5	9 1.3	6 2.0	12 2.2	6 1.5	7 2.6	41
X	87.7	04.2	- 3.2	0.6	- 1.8	- 1.8		- 5.7	8.8	18	-18.4	28	6 1.3	0 -	1 1.0	0 -	0 -	2 1.0	1 1.0	2 1.5	7 1.4	7 1.4	3 2.0	5 2.2	59
XI	99.6	16.4	- 1.9	- 1.3	- 2.2	- 1.9		- 4.6	4.2	9	-26.3	29	1 1.0	3 1.3	2 1.0	3 2.0	1 2.0	1 3.0	10 1.5	11 1.9	5 1.6	11 1.2	0 -	0 -	42
XII	86.0	02.7	- 9.9	- 9.9	- 9.5	- 9.8		-13.8	1.0	18	-30.7	24	0 -	3 1.0	4 1.5	8 1.1	3 1.0	11 1.2	9 1.8	1 2.0	0 -	0 -	0 -	0 -	54
1949			- 1.1	2.0	0.1	- 0.3		- 5.4	25.8		-40.8		39 1.6	36 1.6	57 1.6	67 1.6	22 1.3	28 1.3	35 1.5	50 1.7	54 1.8	160 1.7	36 1.8	41 1.9	470

Kautokeino

φ = 69° 0′N λ = 23° 2′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.0	- 9.5	-10.3	- 9.9		-15.2	4.4	27	-33.7	17	2 3.5	0 -	0 -	0 -	1 3.0	6 2.2	18 3.3	31 3.0	8 2.1	5 2.4	3 2.0	3 2.0	16
II			- 9.5	- 7.7	- 9.8	- 9.2		-14.5	3.8	2	-32.9	27	0 -	1 1.0	1 1.0	0 -	0 -	4 2.5	21 1.9	20 2.4	11 2.8	3 3.0	2 1.5	2 3.5	19
III			-11.5	- 7.4	- 9.9	-10.3		-15.4	3.8	29	-36.5	1	0 -	6 1.7	1 2.0	0 -	2 2.5	7 2.9	22 2.7	26 2.2	9 2.2	5 1.4	1 2.0	0 -	14
IV			- 4.7	- 1.0	- 2.6	- 4.0		- 9.0	5.4	16	-25.6	14	8 2.6	2 2.0	2 1.0	0 -	0 -	12 2.0	21 2.5	16 2.6	6 2.5	4 1.2	6 2.5	1 2.0	12
V			2.2	3.9	3.2	2.4		- 0.2	8.2	15	- 9.5	1	3 1.7	18 2.2	4 2.2	4 2.8	3 2.0	10 2.1	13 1.8	6 2.6	7 2.7	12 1.8	3 2.3	2 2.0	6
VI			7.7	10.2	9.1	7.9		3.7	22.4	30	- 0.1	12	18 2.7	28 2.2	1 2.0	1 2.0	1 2.0	4 1.5	6 2.3	7 2.1	4 1.2	6 1.8	6 2.2	5 2.6	3
VII			10.3	12.9	11.4	10.2		4.9	24.0	1	- 1.0	24	5 2.6	6 1.3	1 3.0	0 -	0 -	0 -	10 1.9	17 2.5	15 2.9	14 2.4	6 3.0	9 3.0	10
VIII			7.4	12.5	10.1	9.1		3.7	18.9	31	- 2.4	12	5 2.0	9 1.8	0 -	0 -	0 -	8 1.8	9 2.6	16 1.8	7 2.1	13 1.8	3 2.3	2 1.0	21
IX			6.3	10.4	7.5	7.6		3.6	17.9	7	- 3.8	29	0 -	1 1.0	0 -	1 1.0	0 -	1 3.0	20 2.2	20 2.7	6 2.8	23 3.0	1 3.0	0 -	17
X			- 3.5	- 1.0	- 2.5	- 2.6		- 6.6	7.6	18	-21.9	28	2 4.0	3 1.7	0 -	1 1.0	0 -	0 -	20 1.9	21 2.1	1 2.0	19 2.3	3 3.0	0 -	23
XI			- 3.3	- 2.9	- 3.6	- 3.4		- 6.4	2.5	9	-22.8	28	3 1.0	0 -	0 -	0 -	0 -	3 3.0	24 2.4	37 2.5	1 1.0	3 2.3	1 1.0	0 -	18
XII			-10.1	-10.3	-10.0	-10.1		-13.8	0.6	17	-28.6	22	0 -	1 1.0	0 -	0 -	3 4.0	4 3.2	29 2.7	24 2.3	4 1.5	2 1.0	0 -	0 -	26
1949			- 1.6	0.8	- 0.6	- 1.0		- 5.4	24.0		-36.5		46 2.5	75 2.0	10 1.9	7 2.1	10 2.8	59 2.3	213 2.4	243 2.4	79 2.4	109 2.2	35 2.4	24 2.5	185

Siččajavre

φ = 68° 45′N λ = 23° 33′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.8	-10.8	-11.4	-11.0		-16.7	0.8	27	-31.8	17	4 2.8	3 2.3	1 2.0	7 1.7	3 2.3	8 3.4	30 3.2	14 3.4	3 2.7	11 2.4	4 2.5	1 2.0	4
II			- 9.6	- 8.6	- 9.9	- 9.6		-14.7	0.4	17	-32.0	26	2 3.0	1 1.0	1 3.0	1 2.0	2 1.0	8 2.0	16 2.2	15 2.7	14 2.5	10 2.2	4 3.0	5 3.2	5
III			-10.5	- 8.1	-11.0	-10.6		-15.4	1.9	29	-36.6	2	3 2.7	2 2.0	4 3.0	6 2.8	10 1.8	11 2.1	14 3.3	8 2.4	15 2.7	9 2.9	6 2.0	2 1.5	3
IV			- 4.0	- 1.4	- 4.2	- 4.5		- 9.6	5.1	16	-26.2	12	8 2.9	2 1.5	3 2.0	1 2.0	10 2.3	17 2.4	7 3.1	15 2.4	5 2.0	10 2.9	5 2.0	6 2.0	1
V			2.5	3.6	2.2	1.9		- 1.3	7.9	13	-11.5	1	4 2.0	2 3.0	8 2.8	14 3.1	17 2.6	6 2.2	9 2.3	11 2.1	6 2.5	3 2.3	4 2.2	9 2.3	0
VI			8.3	9.9	9.0	7.9		3.6	21.4	30	- 0.8	1	18 3.1	14 3.1	7 2.6	15 3.2	8 2.1	2 1.5	9 2.3	8 2.5	3 3.3	1 2.0	3 1.7	0 -	2
VII			12.2	13.0	11.4	10.4		4.2	24.3	1	- 0.9	17	12 3.1	4 2.5	4 2.0	5 2.2	6 2.0	4 2.0	8 2.1	11 2.1	10 2.8	11 2.7	3 2.7	13 2.6	2
VIII			10.1	12.2	9.6	9.1		3.4	19.3	26	- 3.0	20	7 2.7	5 2.6	4 3.0	7 3.1	8 2.4	9 2.2	9 2.9	11 2.1	11 2.0	1 1.0	6 2.5	12 2.4	3
IX			7.6	10.3	6.5	7.2		2.5	17.6	7	- 6.2	29	3 3.3	3 2.3	1 1.0	2 2.5	5 2.4	8 2.9	11 2.8	22 3.0	11 3.0	9 2.3	7 3.9	8 3.5	0
X			- 3.2	- 1.3	- 3.4	- 3.0		- 7.2	6.7	18	-21.7	28	6 3.3	2 3.0	2 4.0	4 1.8	5 2.4	13 2.4	15 2.6	6 2.5	5 1.6	13 2.0	8 1.9	9 2.7	5
XI			- 3.7	- 3.8	- 4.0	- 3.9		- 6.5	1.8	9	-22.5	28	0 -	0 -	4 1.8	7 1.7	10 2.7	19 2.3	18 2.5	25 2.4	0 -	2 1.0	4 1.2	0 -	1
XII			- 9.9	- 9.9	- 9.6	- 9.8		-13.9	- 0.7	17	-25.2	25	0 -	2 1.5	2 1.0	4 1.8	23 2.2	22 2.6	22 2.6	10 2.4	2 1.5	3 1.3	0 -	1 1.0	2
1949			- 0.9	0.4	- 1.2	- 1.3		- 6.0	24.3		-36.6		67 2.9	40 2.6	41 2.5	73 2.6	107 2.3	127 2.4	168 2.7	156 2.5	85 2.5	83 2.4	54 2.4	66 2.6	28

Årsoversikter

Annual Summaries)

1949

Ekkerøy

$H_s = 7$ $H_b =$ $h_t = 1.6$ $h_a =$ $h_d =$ $h_r = 1.9$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.0	6.3	5.9	21	7	15	28		8		15	4	0	18	2	1	0	15	0	0	0	0	0	0	0	2	3	0	15	31
II					6.8	6.2	6.5	26	3	23	28		5		18	12	0	13	2	1	2	18	1	0	0	1	0	0	0	0	14	0	18	28
III					5.5	4.9	4.7	10	3	18	30		4		7	5	0	14	0	0	2	7	2	0	0	1	0	0	0	5	26	0	7	31
IV					5.5	5.6	5.8	23	5	18	17		3		13	10	0	7	1	0	8	11	6	0	0	0	0	0	0	0	23	0	13	30
V					6.6	6.5	6.8	89	22	27	10		0		14	10	5	7	1	1	14	9	9	1	0	1	0	0	3	3	22	1	18	13
VI					7.0	6.2	6.0	22	8	7	0		0		9	4	0	5	0	0	9	1	1	5	0	1	0	0	2	3	22	1	21	0
VII					6.7	6.4	6.7	42	10	7	0		0		14	9	1	2	0	0	14	0	0	4	0	0	0	1	2	3	26	0	23	0
VIII					6.4	6.3	6.5	56	22	5	0		0		15	11	1	4	0	0	15	0	0	3	0	0	0	1	1	1	24	0	15	0
IX					6.6	6.7	6.5	51	12	1	2		0		17	14	1	9	2	1	17	2	2	5	0	0	0	1	4	3	19	0	19	0
X					6.5	6.8	6.3	56	10	17	18		0		23	15	1	7	3	1	15	14	6	2	0	2	0	0	1	2	14	0	18	8
XI					7.0	7.3	6.8	4	2	10	9		2		8	1	0	11	2	0	4	5	1	3	0	1	0	0	1	0	2	0	19	0
XII					6.8	7.0	6.6	12	4	18	28		5		12	5	0	13	0	0	3	12	3	0	0	0	0	0	0	8	0	0	23	26
1949					6.4	6.4	6.3	412	22		170		27		165	100	9	110	13	5	103	94	31	23	0	7	0	3	14	30	195	2	209	167

Pasvik

$H_s = 54$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 8.4$ $h_r = 1.6$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	82	84	83	5.4	4.9	4.0	10	3	15	31		23		13	4	0	3	1	0	0	12	0	0	1	0	0	0	8	2	6	1	8	31
II	88	82	88	87	6.4	6.1	5.3	25	3	23	28		15		19	10	0	3	0	0	1	19	1	0	1	0	0	0	15	0	16	0	13	28
III	80	65	77	76	4.8	4.3	4.2	3	1	18	31		19		8	1	0	5	0	0	0	8	0	0	0	1	0	0	11	0	28	6	8	31
IV	74	63	73	76	5.0	5.3	5.5	29	7	6	20		7		14	8	0	7	0	0	7	11	2	1	0	2	0	0	8	0	27	2	11	26
V	74	67	68	73	6.2	6.5	6.4	44	13	27	9		0		19	6	2	2	0	0	14	11	2	0	1	2	0	0	6	0	25	0	16	1
VI	73	63	67	74	6.1	5.8	5.4	37	9	7	0		0		16	10	0	0	0	0	15	6	3	1	0	1	0	0	7	0	25	3	18	0
VII	72	61	72	81	5.7	6.3	5.9	47	16	14	0		0		17	11	1	0	0	0	17	0	0	0	0	2	0	2	5	0	31	1	16	0
VIII	77	67	77	81	5.9	6.2	5.3	56	13	5	0		0		19	10	1	0	0	0	19	0	0	0	0	1	0	1	3	3	31	0	10	0
IX	81	73	80	80	6.0	6.6	6.0	21	5	27	3		0		18	5	0	2	1	1	18	4	2	4	0	1	0	2	10	3	24	1	16	0
X	86	81	87	86	6.1	6.9	6.1	56	9	23	20		5		21	14	0	3	0	0	14	11	2	3	0	0	0	0	9	7	17	0	18	15
XI	87	85	84	85	7.1	7.6	7.0	14	4	11	22		3		15	4	0	3	0	0	8	10	1	2	0	0	0	0	13	3	3	0	22	15
XII	87	87	86	86	6.6	6.7	6.7	16	3	3	31		14		23	8	0	1	0	0	0	22	0	0	0	0	0	0	13	4	0	1	22	31
1949	80	73	79	81	5.9	6.1	5.6	358	16		195		86		202	91	4	29	2	1	113	114	13	11	3	10	0	5	108	22	233	15	178	178

Karasjok

$H_s = 131$ $H_b = 132.7$ $h_t = 2.1$ $h_a =$ $h_d = 10.0$ $h_r = 1.4$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	84	84	84	4.9	4.6	3.6	18	5	15	31		23		13	5	0	0	0	0	1	13	1	0	0	0	0	0	3	1	3	5	8	31
II	88	84	86	86	5.8	5.0	4.1	18	4	24	28		21		15	7	0	1	0	0	1	15	0	2	0	0	0	0	1	1	21	2	7	28
III	82	69	78	78	5.2	4.5	4.5	2	1	23	31		19		4	0	0	0	0	0	1	3	0	2	0	0	0	0	2	1	25	6	10	31
IV	77	66	76	79	5.0	5.4	5.7	29	9	6	21		11		14	9	0	0	0	0	9	9	4	1	0	0	0	0	1	2	21	3	14	25
V	74	65	71	76	6.6	6.6	6.7	40	9	28	12		0		13	7	0	0	0	0	12	6	4	0	0	0	0	0	1	0	15	0	21	1
VI	70	59	62	70	5.8	6.1	5.6	40	11	18	0		0		11	8	1	0	0	0	11	5	4	0	0	0	0	0	2	0	22	2	15	0
VII	73	59	63	73	5.6	6.6	6.1	40	8	20	1		0		16	12	0	0	0	0	16	1	1	1	0	0	0	0	1	4	26	1	15	0
VIII	88	63	72	83	5.0	6.3	4.9	48	6	5	10		0		19	13	0	0	0	0	19	0	0	0	0	0	0	2	0	9	26	0	11	0
IX	87	66	76	80	7.0	5.9	5.9	23	5	27	6		0		14	9	0	3	1	0	13	2	1	6	0	0	0	0	1	7	20	0	17	0
X	90	82	87	88	5.7	5.8	5.1	40	5	25	23		9		20	12	0	1	0	0	12	12	3	2	0	0	0	0	6	2	15	2	14	6
XI	88	86	87	87	7.1	7.2	7.5	15	4	14	21		5		10	6	0	0	0	0	5	7	1	2	0	0	0	0	9	0	4	0	27	20
XII	88	88	88	88	6.2	6.5	6.5	12	3	16	31		19		12	5	0	0	0	0	0	12	0	0	0	0	0	0	5	4	0	4	22	31
1949	82	73	78	81	5.8	5.9	5.5	325	11		215		107		161	93	1	5	1	0	100	85	19	16	0	0	0	2	32	31	198	25	181	173

Kautokeino

$H_s = 308$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 2.0$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	83	85	84	6.1	5.3	4.9	8	2	19	31		22		13	2	0	5	0	0	0	13	0	0	0	0	0	0	1	2	4	1	12	31
II	87	84	87	86	5.8	5.4	4.9	10	3	25	28		18		12	4	0	2	0	0	0	12	0	0	0	0	0	0	3	4	13	0	10	28
III	83	77	80	80	4.8	4.4	5.2	2	0.4	15	31		20		8	0	0	4	0	0	0	8	0	0	0	0	0	0	0	1	23	4	9	31
IV	82	74	77	81	4.6	5.3	5.5	22	6	21	30		11		14	5	0	0	0	0	6	10	2	3	0	0	0	0	0	0	22	2	10	30
V	78	72	76	80	5.5	6.1	6.7	46	9	28	17		0		16	10	0	0	0	0	12	9	4	7	0	0	0	0	0	1	19	1	14	21
VI	74	64	69	76	5.9	6.1	6.2	59	11	9	1		0		13	10	1	0	0	0	13	1	1	3	2	0	0	0	0	0	20	1	17	0
VII	71	58	64	72	5.5	6.0	5.2	23	8	13	1		0		11	6	0	0	0	0	11	0	0	0	1	0	0	0	0	0	29	0	9	0
VIII	88	64	75	84	6.2	5.7	4.8	60	14	2	8		0		16	12	1	0	0	0	16	0	0	3	0	0	0	2	2	7	25	0	9	0
IX	88	68	77	81	6.2	5.6	5.2	16	4	8	5		0		10	7	0	1	0	0	10	1	1	4	0	0	0	0	1	6	16	0	12	0
X	89	84	88	88	5.6	5.9	5.0	37	10	14	24		10		15	9	1	0	0	0	11	5	1	5	0	0	0	0	0	9	10	2	14	7
XI	91	90	90	90	7.1	7.2	7.1	12	3	9	28		8		11	5	0	0	0	0	3	9	1	3	0	0	0	0	3	5	4	0	24	30
XII	88	89	89	89	7.1	7.2	7.1	18	2	15	31		20		19	9	0	1	0	0	0	19	0	0	0	0	0	0	2	7	0	0	24	31
1949	84	76	80	83	5.9	5.8	5.6	313	14		235		109		158	79	3	13	0	0	82	87	10	28	3	0	0	2	12	42	185	11	164	209

Siccajavre

$H_s = 383$ $H_b =$ $h_t = 1.4$ $h_a =$ $h_d =$ $h_r = 1.4$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	87	88	87	5.8	5.2	4.5	11	2	20	31		25		11	5	0	11	3	0	0	11	0	0	0	0	0	0	0	0	10	2	12	31
II	88	87	89	88	5.4	5.7	5.4	15	3	6	28		15		13	6	0	4	2	1	2	11	0	1	0	0	0	0	0	0	15	0	14	28
III	84	79	95	83	4.3	3.2	4.0	6	2	17	31		21		7	3	0	5	1	1	1	7	1	0	0	0	0	0	0	0	27	5	5	31
IV	79	76	83	82	4.1	4.5	4.7	30	9	27	29		11		15	9	0	2	0	0	13	11	9	2	0	0	0	0	0	2	23	5	11	30
V	78	73	79	82	5.8	5.9	6.4	45	7	28	18		1		22	12	0	2	0	0	18	12	8	1	0	0	0	1	0	8	24	0	16	13
VI	71	61	66	72	5.5	5.3	5.9	61	9	6	3		0		14	11	0	6	0	0	14	2	2	6	0	0	0	1	0	1	22	1	13	0
VII	63	58	64	68	5.3	5.8	5.3	29	8	25	3		0		11	6	0	3	0	0	11	0	0	6	0	0	0	2	0	0	27	0	9	0
VIII	76	65	78	82	4.9	4.8	4.8	68	15	16	7		0		18	13	3	3	0	0	18	0	0	5	0	1	0	2	0	4	29	0	5	0
IX	82	68	84	83	5.3	4.6	4.8	24	5	8	9		0		10	9	0	6	1	0	10	1	1	6	0	0	0	1	0	5	27	0	4	0
X	91	86	89	90	5.3	5.1	4.7	43	15	14	27		10		17	9	1	2	0	0	12	9	3	7	0	0	0	0	0	9	21	2	11	18
XI	91	91	91	91	6.9	6.7	7.4	12	3	13	30		8		14	5	0	2	0	0	5	9	1	7	0	0	1	0	0	13	5	0	24	27
XII	89	89	89	89	6.8	6.6	6.7	26	4	15	31		21		18	11	0	4	0	0	0	18	0	0	0	0	0	0	0	0	0	0	21	31
1949	82	77	82	83	5.4	5.3	5.4	370	15		247		112		170	99	4	50	7	2	104	91	25	41	0	1	1	7	0	42	230	15	145	209

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1949

Pentade	Røros	Alvdal	Dombås	Vinstra	Vollen i Slidre	Lillehammer	Vang på Hedmark	Østre Toten	Flisa	Vinger	Hvam	Modum	Nesbyen II	Ramnes	Ås	Eidsberg	Gvarv	Byglandsfjord
1.I - 5.I	- 9.4	- 8.2	- 6.0	- 7.0	- 7.1	- 5.7	- 3.8	- 3.9	- 2.5	- 1.9	- 1.7	- 2.1	- 6.0	- 0.2	- 0.5	0.5	- 3.2	- 2.1
6.I - 10.I	- 4.3	- 5.0	- 4.1	- 5.7	- 4.2	- 4.6	- 3.3	- 1.8	- 2.8	- 1.9	- 2.1	- 1.0	- 7.1	0.4	- 1.1	- 1.2	- 3.1	- 1.8
11.I - 15.I	- 7.1	- 5.1	- 5.1	- 7.6	- 6.1	- 3.8	- 2.1	- 1.5	- 1.0	- 0.2	- 0.7	- 0.5	- 5.9	0.2	0.4	1.2	- 1.0	- 0.9
16.I - 20.I	- 8.3	- 7.9	- 6.1	- 8.0	- 6.4	- 6.0	- 4.5	- 3.1	- 4.2	- 3.1	- 2.2	- 1.9	- 6.4	- 0.6	- 0.9	- 0.6	- 3.8	- 0.6
21.I - 25.I	-13.1	- 9.8	- 6.3	- 9.7	- 6.0	- 7.8	- 5.8	- 4.9	- 4.0	- 3.7	- 2.7	- 2.6	- 7.0	- 0.4	- 0.6	- 1.4	- 5.4	- 2.3
26.I - 30.I	- 0.1	0.3	2.0	- 2.2	0.5	- 1.4	0.4	2.3	2.2	2.5	2.8	3.2	1.8	2.8	3.2	3.3	- 0.7	2.1
31.I - 4.II	- 3.0	- 2.1	- 0.9	- 1.8	- 0.3	- 2.9	- 1.2	- 0.6	- 1.5	- 0.9	- 0.8	- 0.1	- 1.2	0.8	0.0	0.2	- 3.4	0.5
5.II - 9.II	- 8.0	- 8.1	- 7.7	- 8.0	- 8.9	- 7.3	- 6.1	- 5.3	- 4.4	- 3.3	- 2.9	- 5.0	- 8.1	- 2.3	- 2.6	- 1.4	- 5.6	- 2.0
10.II - 14.II	-11.1	- 7.6	- 6.7	- 7.4	- 6.7	- 5.9	- 5.2	- 4.7	- 5.4	- 4.1	- 3.4	- 3.4	- 6.5	0.2	- 1.5	- 0.9	- 2.7	0.4
15.II - 19.II	- 1.7	0.1	1.7	- 1.0	1.5	0.7	1.4	2.8	2.5	2.9	2.7	3.7	3.0	4.4	3.2	2.9	1.8	3.0
20.II - 24.II	- 3.6	- 1.6	- 1.5	- 1.2	- 1.9	- 0.9	0.6	0.9	2.2	2.5	2.6	2.4	0.2	4.0	3.6	3.2	2.0	2.1
25.II - 1.III	- 8.7	- 8.4	- 8.0	- 6.0	- 6.5	- 6.1	- 5.7	- 4.2	- 6.0	- 4.5	- 4.0	- 3.0	- 5.1	- 0.5	- 2.8	- 2.7	- 1.1	- 1.8
2.III - 6.III	-14.4	-13.6	-10.6	- 9.9	-11.3	- 9.5	- 8.2	- 7.9	- 8.8	- 7.6	- 7.7	- 7.6	-10.2	- 5.2	- 6.6	- 6.6	- 5.6	- 6.1
7.III - 11.III	- 7.7	- 6.9	- 6.6	- 6.2	- 6.3	- 5.2	- 4.4	- 4.5	- 3.9	- 3.2	- 3.7	- 3.1	- 5.2	- 3.0	- 3.4	- 2.2	- 2.1	- 2.6
12.III - 16.III	- 4.6	- 3.3	- 4.2	- 2.2	- 2.9	- 2.4	- 2.2	- 1.1	- 1.8	- 2.3	- 1.0	- 0.2	- 1.6	1.3	- 0.2	0.0	0.8	0.0
17.III - 21.III	- 7.9	- 5.9	- 5.0	- 4.5	- 5.6	- 4.0	- 3.5	- 2.8	- 4.4	- 3.5	- 2.2	- 1.9	- 3.4	- 0.6	- 1.5	- 1.5	- 0.4	- 1.4
22.III - 26.III	0.1	2.2	2.2	2.7	4.5	4.1	4.3	5.1	4.3	4.6	5.1	5.7	5.6	5.1	4.7	4.7	4.4	3.4
27.III - 31.III	- 3.3	- 1.3	- 0.8	- 0.1	- 1.3	- 0.1	1.8	2.0	1.5	1.9	2.2	2.1	2.7	1.7	2.1	2.3	2.2	1.2
1.IV - 5.IV	- 1.9	0.2	- 0.6	1.8	0.3	1.7	2.6	2.5	3.0	3.2	3.0	2.8	2.2	3.1	3.5	3.2	3.3	2.6
6.IV - 10.IV	- 2.0	0.4	- 0.7	2.7	1.8	2.6	2.4	2.6	2.2	2.4	2.8	3.4	2.9	3.0	3.1	2.8	4.0	2.9
11.IV - 15.IV	1.2	2.7	3.5	4.6	4.4	4.1	3.7	4.4	3.4	4.0	5.2	5.9	6.0	6.6	6.9	6.3	5.5	5.8
16.IV - 20.IV	3.7	5.1	4.8	6.8	5.7	6.4	6.3	6.1	7.4	7.5	6.9	6.9	6.8	6.7	7.4	7.0	7.1	6.0
21.IV - 25.IV	1.6	3.1	2.7	4.0	3.3	4.3	4.8	5.5	5.8	6.2	5.8	6.3	4.4	7.1	6.6	6.5	5.7	5.1
26.IV - 30.IV	3.3	4.6	3.7	7.0	5.3	7.1	7.2	7.7	7.4	7.7	7.6	8.1	8.0	8.8	8.3	7.1	9.0	6.0
1.V - 5.V	5.3	7.3	6.4	9.2	7.3	9.0	9.4	10.2	9.8	10.7	9.7	10.1	9.2	9.8	10.2	10.1	10.0	9.1
6.V - 10.V	1.3	3.4	1.5	5.4	4.3	5.2	5.3	5.4	5.7	6.1	5.8	6.0	5.9	7.2	6.9	6.0	6.6	4.5
11.V - 15.V	8.6	9.4	8.9	11.1	9.1	11.4	11.5	11.9	11.4	11.9	11.3	11.8	11.4	11.3	11.6	11.4	11.0	10.9
16.V - 20.V	10.5	11.4	9.8	10.9	9.8	12.2	13.5	12.8	15.0	15.2	14.3	12.7	11.6	13.7	14.2	15.1	12.1	11.2
21.V - 25.V	8.4	9.3	8.4	11.2	10.4	11.5	12.0	11.7	12.4	12.4	12.6	12.5	11.9	13.6	13.7	13.7	13.5	12.6
26.V - 30.V	6.5	7.0	6.1	7.8	6.8	8.7	9.6	9.6	10.1	10.2	10.1	9.6	8.7	10.3	10.3	10.3	10.0	8.5
31.V - 4.VI	9.9	10.2	9.7	11.7	10.1	11.0	10.4	10.7	11.9	11.5	11.9	11.2	11.3	11.7	12.3	12.1	11.7	10.7
5.VI - 9.VI	8.2	10.0	8.4	11.9	10.0	12.0	12.0	12.7	13.1	13.3	12.6	13.4	12.5	13.5	13.2	12.0	13.7	11.1
10.VI - 14.VI	8.9	10.9	9.5	12.5	11.0	12.6	12.5	13.3	13.5	13.9	13.3	13.3	13.1	13.8	14.6	14.0	14.2	12.4
15.VI - 19.VI	6.4	8.7	7.6	12.4	11.3	12.8	12.2	12.8	12.6	13.1	13.4	14.8	13.9	15.3	14.8	14.3	15.8	13.7
20.VI - 24.VI	7.3	10.4	10.9	13.9	13.0	13.9	13.4	14.3	13.3	13.5	13.6	14.8	15.5	14.7	15.8	15.0	15.2	15.2
25.VI - 29.VI	11.0	13.9	13.2	16.5	15.1	16.7	16.0	16.5	16.4	16.1	16.2	17.0	16.9	16.6	17.1	16.4	17.8	17.0
30.VI - 4.VII	12.3	13.6	13.4	16.3	15.7	16.2	15.5	15.4	16.3	16.4	15.7	16.5	16.5	16.5	17.1	16.2	18.1	17.2
5.VII - 9.VII	13.7	15.5	15.1	17.8	17.1	18.2	17.7	18.2	18.0	18.3	18.4	19.1	18.6	19.8	19.8	19.7	20.8	19.0
10.VII - 14.VII	10.4	13.4	12.7	16.4	15.1	17.2	16.8	17.8	17.0	18.2	17.9	19.6	17.9	19.4	20.0	18.8	20.1	19.4
15.VII - 19.VII	8.6	10.1	10.9	14.4	14.0	15.1	15.1	15.1	16.0	15.7	15.9	16.6	16.5	16.6	18.1	17.0	17.4	16.3
20.VII - 24.VII	11.0	14.0	13.7	16.3	15.2	16.5	16.0	16.7	16.2	16.7	16.6	17.8	16.6	18.1	18.3	17.8	17.4	17.3
25.VII - 29.VII	8.6	11.7	11.0	14.3	14.1	14.5	14.6	14.9	14.7	15.2	15.2	16.7	15.4	16.7	17.0	16.0	17.5	15.3
30.VII - 3.VIII	10.3	12.0	11.3	13.7	12.8	13.2	13.5	13.4	13.9	14.1	14.2	14.3	13.9	15.1	15.3	14.9	14.6	14.4
4.VIII - 8.VIII	10.0	11.6	10.6	13.0	12.2	14.2	14.7	14.5	14.6	15.6	15.0	15.9	13.7	16.2	16.3	15.1	16.0	13.9
9.VIII - 13.VIII	9.3	10.7	10.2	12.5	11.0	12.8	12.8	12.3	12.9	13.2	12.8	14.4	12.4	14.4	14.6	13.7	14.6	12.6
14.VIII - 18.VIII	6.3	8.1	6.7	10.4	9.3	10.6	10.8	11.2	10.2	11.1	11.3	11.9	10.4	12.7	13.0	11.7	12.1	11.4
19.VIII - 23.VIII	7.6	9.7	9.1	10.8	10.7	10.9	11.5	12.2	11.6	12.8	12.7	13.8	11.4	13.8	14.4	13.7	12.9	13.3
24.VIII - 28.VIII	12.6	14.0	14.1	14.8	13.5	14.2	14.9	14.6	14.5	14.8	14.9	15.3	13.4	15.0	16.1	15.8	14.5	15.6
29.VIII - 2.IX	12.6	13.5	13.8	15.1	13.4	14.9	15.0	14.3	14.5	14.7	15.0	15.3	14.7	16.0	15.9	15.8	15.8	15.6
3.IX - 7.IX	12.4	13.6	12.8	13.8	12.9	14.1	14.4	14.2	14.9	15.5	15.1	15.0	13.6	15.2	15.7	15.9	15.0	14.8
8.IX - 12.IX	8.5	10.9	9.8	12.2	11.3	13.3	13.6	14.2	14.1	14.4	14.4	15.2	12.6	15.0	14.5	14.4	14.8	13.8
13.IX - 17.IX	9.3	9.9	10.8	10.6	10.4	10.9	11.9	11.3	11.3	12.3	12.5	13.0	10.8	13.8	13.6	13.8	13.7	14.4
18.IX - 22.IX	9.4	10.4	10.5	11.9	11.0	11.8	11.6	11.7	12.1	12.4	12.3	12.6	11.2	13.6	13.1	13.2	13.7	13.6
23.IX - 27.IX	9.1	10.1	10.7	11.2	11.3	11.1	11.7	11.9	11.4	11.5	11.3	12.2	11.6	12.1	12.6	13.1	11.9	13.4
28.IX - 2.X	5.6	7.6	7.0	8.5	9.4	9.1	10.8	11.1	9.3	10.2	10.3	12.3	10.2	11.3	11.2	11.1	11.0	10.5
3.X - 7.X	1.2	3.6	2.2	4.6	4.7	4.7	5.2	6.3	4.4	5.6	3.9	7.1	4.5	7.7	7.5	6.6	6.7	7.7
8.X - 12.X	1.2	2.6	2.6	4.1	4.1	4.1	4.2	4.2	3.4	4.1	4.9	5.3	5.2	7.4	6.0	6.6	6.4	8.0
13.X - 17.X	7.2	9.6	10.0	8.8	9.5	9.3	10.6	10.9	11.1	11.2	11.6	11.6	10.6	12.8	12.1	12.5	10.2	11.3
18.X - 22.X	4.8	5.9	5.4	6.3	5.9	7.5	7.4	7.5	8.4	8.4	8.0	8.0	5.8	8.2	8.6	9.0	7.9	7.0
23.X - 27.X	- 2.5	- 1.7	- 1.7	0.4	0.6	0.7	1.5	1.6	1.4	1.7	1.6	2.1	0.2	3.6	3.0	2.7	3.4	3.5
28.X - 1.XI	- 5.7	- 6.7	- 2.9	- 4.4	- 1.8	- 3.9	- 4.7	- 2.5	- 7.2	- 5.2	- 4.6	- 2.1	- 4.0	- 0.1	- 1.4	- 0.6	- 0.6	2.0
2.XI - 6.XI	0.7	1.1	1.8	2.4	3.1	2.9	3.2	3.8	3.5	4.0	4.4	5.2	4.1	6.9	5.7	6.3	5.7	6.4
7.XI - 11.XI	- 2.4	- 1.5	- 1.8	0.7	0.5	1.7	1.3	1.5	1.2	1.6	1.9	2.4	1.5	3.1	2.5	2.1	3.0	3.5
12.XI - 16.XI	- 5.8	- 8.0	- 8.4	- 6.8	- 5.5	- 4.3	- 2.8	- 2.6	- 2.2	- 1.6	- 1.0	- 1.7	- 7.0	0.0	- 0.2	- 0.1	- 0.5	1.9
17.XI - 21.XI	- 0.1	0.3	0.2	0.1	- 0.2	1.0	1.8	1.6	2.4	3.1	2.7	2.5	- 0.7	3.7	3.5	3.5	3.2	3.8
22.XI - 26.XI	0.0	0.8	0.5	1.2	1.0	1.8	2.2	1.8	2.7	3.0	2.9	2.9	1.0	4.0	3.3	3.0	4.7	4.4
27.XI - 1.XII	- 7.4	- 6.5	- 8.1	- 8.0	- 6.5	- 5.4	- 3.4	- 3.0	- 2.4	- 1.8	- 2.1	- 2.4	- 5.2	- 1.0	- 1.5	- 1.6	- 1.4	- 0.9
2.XII - 6.XII	- 4.9	- 6.7	- 5.1	- 9.1	- 5.5	- 5.5	- 4.5	- 3.1	- 5.4	- 4.5	- 3.5	- 4.3	- 9.4	- 2.7	- 3.0	- 3.2	- 4.2	- 1.2
7.XII - 11.XII	- 7.8	-11.6	- 8.1	-13.8	-11.7	-10.2	-11.0	- 6.8	-11.3	- 7.5	- 6.4	- 8.8	-15.2	- 4.8	- 5.0	- 4.3	- 8.2	- 2.5
12.XII - 16.XII	- 6.8	- 7.1	- 6.5	- 7.9	-10.1	- 5.7	- 4.6	- 4.1	- 4.1	- 2.5	- 2.1	- 3.9	- 8.9	- 0.7	- 0.8	0.2	- 3.3	- 0.6
17.XII - 21.XII	- 4.9	- 5.2	- 8.3	- 7.6	-10.1	- 4.6	- 2.2	- 3.1	- 1.4	0.7	- 0.5	- 3.5	- 8.9	- 0.2	0.3	1.1	- 2.5	- 1.0
22.XII - 26.XII	- 7.1	-11.8	- 7.9	-10.7	-12.3	- 8.7	- 8.1	- 7.3	- 8.3	- 6.1	- 4.5	- 6.7	-11.7	- 2.3	- 2.3	- 0.9	- 3.1	0.0
27.XII - 31.XII	-13.0	-11.8	- 7.8	-12.1	-10.3	- 9.2	- 8.2	- 6.2	- 8.6	- 6.7	- 5.0	- 3.6	-10.7	0.2	- 1.9	- 1.3	- 2.9	- 0.2

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1949

Pentade	Kristiansand S.	Klepp	Sauda	Ullensvang	Syfteland	Leikanger	Nordfjordeid	Tafjord	Runde	Tingvoll	Vallersund	Trondheim (Voll)	Værnes	Kjevli i Snåsa	Brønnøysund II	Mo i Rana II	Bodø IV Bodø V	Offersøy	Tromsø
1.I - 5.I	1.4	2.6	1.7	2.4	2.0	2.4	1.9	3.1	3.8	3.1	1.9	0.4	0.8	- 3.4	2.0	- 1.6	1.6	2.2	0.2
6.I - 10.I	1.8	3.6	- 0.8	0.8	1.5	1.0	0.7	1.8	3.5	2.2	3.2	0.6	1.1	- 0.7	2.6	- 0.2	1.8	1.9	- 1.0
11.I - 15.I	2.3	2.8	0.8	1.2	1.0	0.3	0.0	0.6	2.5	0.1	1.1	- 0.9	- 0.5	- 2.8	0.7	- 3.8	- 0.9	- 2.7	- 5.1
16.I - 20.I	2.3	4.4	1.0	1.7	2.6	0.2	0.9	2.0	3.4	0.5	0.4	- 1.6	- 0.6	- 4.7	- 1.5	- 5.1	- 3.6	- 3.7	- 6.4
21.I - 25.I	2.5	3.7	- 0.6	2.1	1.8	1.0	1.6	2.6	4.5	- 0.9	- 0.4	- 4.1	- 3.9	-10.4	- 1.5	- 7.8	- 2.9	- 2.5	- 4.1
26.I - 30.I	5.3	5.9	2.3	4.2	5.4	5.6	4.2	7.1	6.3	3.3	5.7	3.4	4.4	2.4	4.3	2.5	2.7	1.7	- 0.3
31.I - 4.II	2.9	3.0	0.1	2.8	1.9	2.5	1.1	1.7	4.0	2.1	3.0	0.9	1.4	- 2.4	1.8	- 2.5	0.1	- 1.0	- 2.7
5.II - 9.II	1.6	3.4	- 1.4	- 0.7	2.0	- 0.9	1.0	2.5	4.5	- 3.8	2.9	- 0.9	- 0.2	- 1.5	3.2	0.2	2.1	2.1	0.9
10.II - 14.II	3.1	4.2	0.9	1.4	3.2	0.7	2.6	4.3	5.1	1.0	3.2	0.2	0.7	- 1.0	3.0	0.0	2.4	2.1	1.7
15.II - 19.II	5.3	5.9	3.4	4.9	5.2	5.0	4.8	6.8	6.2	4.4	5.6	3.6	4.4	2.0	4.4	1.5	2.7	1.1	- 0.3
20.II - 24.II	4.6	5.0	2.9	2.9	3.9	2.6	3.4	4.5	4.7	2.2	3.9	1.6	2.3	0.6	3.3	0.5	2.6	2.1	1.3
25.II - 1.III	1.2	1.4	- 0.8	- 0.5	- 0.4	- 0.9	- 1.5	- 1.7	0.0	- 1.5	- 1.6	- 3.4	- 3.8	- 7.6	- 3.3	- 8.5	- 6.0	- 6.2	- 8.0
2.III - 6.III	- 3.3	- 3.8	- 7.0	- 4.9	- 4.1	- 4.6	- 4.8	- 3.4	- 0.8	- 6.5	- 3.3	- 6.1	- 6.0	- 8.2	- 3.1	-10.8	- 4.7	- 3.2	- 3.6
7.III - 11.III	- 0.7	0.0	- 0.8	- 0.6	- 1.4	0.2	- 2.0	0.8	1.0	- 2.2	- 0.6	- 1.8	- 1.1	- 2.8	0.3	- 7.3	- 2.2	0.0	- 0.6
12.III - 16.III	2.7	2.8	2.2	2.2	1.2	2.3	0.4	2.0	1.6	1.5	1.5	- 0.6	- 0.4	- 1.9	0.4	- 1.9	- 0.8	- 0.8	- 1.9
17.III - 21.III	1.7	2.2	- 0.6	0.5	0.7	0.6	1.0	1.4	2.2	0.4	- 0.1	- 2.7	- 2.0	- 6.0	0.3	- 5.1	- 2.3	- 1.0	- 2.5
22.III - 26.III	6.0	6.3	3.7	5.7	5.1	6.1	3.4	4.2	5.1	4.1	3.8	2.6	3.1	0.8	3.0	1.5	1.8	0.5	- 0.6
27.III - 31.III	3.5	4.8	2.2	3.1	2.7	3.4	2.8	3.4	4.1	1.3	4.0	1.9	2.5	0.8	3.6	2.4	2.3	1.1	- 0.9
1.IV - 5.IV	4.7	5.7	4.0	4.5	5.1	3.6	4.0	6.2	5.2	4.6	4.5	2.7	3.5	1.1	2.6	- 0.5	0.7	0.6	- 1.1
6.IV - 10.IV	4.6	4.7	3.5	4.3	3.4	4.0	1.8	2.8	3.2	1.9	2.4	1.2	1.3	- 1.1	1.6	- 2.8	- 0.5	- 0.3	- 2.8
11.IV - 15.IV	7.9	7.8	5.3	6.6	7.5	6.3	6.8	8.6	7.8	6.2	5.0	3.7	4.8	0.7	2.6	- 1.1	0.0	- 0.2	- 2.6
16.IV - 20.IV	7.0	8.3	6.7	8.1	8.5	7.8	7.8	10.3	8.4	7.9	7.6	7.0	7.6	4.4	6.6	4.3	5.4	4.7	3.7
21.IV - 25.IV	5.9	6.8	4.9	5.4	5.8	5.1	4.8	7.5	5.7	6.0	5.7	4.6	5.3	3.2	4.5	2.7	3.1	2.7	2.5
26.IV - 30.IV	8.0	6.7	5.8	6.8	5.8	6.5	4.9	6.9	5.7	5.7	5.9	5.4	5.9	3.6	5.0	3.7	4.6	4.4	1.9
1.V - 5.V	10.1	9.1	8.5	8.9	8.6	9.3	8.4	9.6	7.8	8.1	7.7	6.8	7.3	5.0	6.0	3.2	3.5	2.9	0.7
6.V - 10.V	7.0	5.4	5.1	5.0	3.9	4.7	2.1	4.0	3.7	3.8	4.3	3.2	4.3	3.1	3.8	4.0	4.7	4.8	3.6
11.V - 15.V	10.8	10.1	10.3	11.0	10.6	10.8	9.8	11.4	8.9	10.6	8.9	9.7	9.6	8.8	8.0	6.7	6.8	6.0	4.8
16.V - 20.V	12.1	11.6	10.1	11.5	11.5	12.0	11.1	12.3	8.6	12.9	10.1	12.4	13.0	12.7	9.6	7.6	7.5	6.3	3.3
21.V - 25.V	13.2	10.3	10.0	11.6	10.7	11.5	10.5	10.7	9.1	10.3	8.8	9.9	10.8	9.6	8.8	7.5	7.8	7.2	6.1
26.V - 30.V	10.0	10.5	8.6	9.4	9.6	9.6	8.0	10.0	9.2	9.7	9.7	9.4	10.0	8.8	11.0	10.4	10.8	9.9	9.1
31.V - 4.VI	11.2	11.7	10.7	12.2	12.5	12.9	13.1	13.9	11.8	14.6	13.1	13.4	14.3	12.8	12.5	11.5	11.4	11.4	8.0
5.VI - 9.VI	12.5	10.9	9.6	10.4	9.7	10.8	10.1	12.3	9.7	11.3	10.8	11.0	11.5	10.4	11.3	11.1	10.2	9.7	7.5
10.VI - 14.VI	12.8	10.7	11.4	11.7	10.9	12.5	11.0	11.5	9.5	11.0	10.0	10.6	11.0	10.1	9.5	10.0	8.3	8.7	6.7
15.VI - 19.VI	14.7	11.6	13.1	13.7	12.5	13.3	10.0	8.7	8.5	8.3	8.9	8.6	9.4	8.6	8.6	10.6	9.3	11.3	9.8
20.VI - 24.VI	14.8	11.5	14.8	16.5	13.5	15.9	13.3	12.1	9.7	11.4	9.1	9.1	9.5	8.4	8.5	9.4	8.1	8.8	7.1
25.VI - 29.VI	16.4	11.4	14.9	17.3	14.0	16.7	14.1	13.5	9.8	13.7	10.5	12.3	12.5	12.6	9.9	12.8	10.6	12.6	12.5
30.VI - 4.VII	17.1	12.9	15.4	16.8	14.6	16.6	14.8	14.7	12.8	15.3	14.4	14.6	15.2	15.2	13.5	15.4	13.8	13.2	13.4
5.VII - 9.VII	19.0	15.0	17.0	18.9	17.2	18.4	15.6	13.5	12.3	15.2	13.5	14.5	14.6	14.6	13.2	13.6	12.6	12.5	11.7
10.VII - 14.VII	20.6	14.0	16.6	17.4	14.9	16.6	13.1	13.4	11.8	11.8	11.3	11.8	12.3	10.4	10.1	10.2	9.6	9.1	7.7
15.VII - 19.VII	16.7	13.1	16.0	17.8	14.7	16.8	13.1	12.9	10.3	11.1	10.6	10.3	10.9	9.5	9.5	9.4	8.7	8.5	6.2
20.VII - 24.VII	18.2	13.7	17.1	18.4	15.1	17.3	15.1	14.1	11.3	14.8	12.4	13.7	12.9	11.8	11.0	11.3	9.8	9.4	7.6
25.VII - 29.VII	17.4	14.2	14.5	15.2	14.1	14.9	13.3	13.5	12.1	12.6	12.2	12.0	12.3	10.2	11.6	11.5	11.2	11.1	8.3
30.VII - 3.VIII	15.3	13.5	13.9	14.3	13.4	14.4	13.6	13.6	12.4	13.6	14.1	13.4	14.1	13.0	13.5	13.7	12.6	13.0	8.8
4.VIII - 8.VIII	15.4	13.7	13.9	13.8	13.6	13.7	12.8	14.1	13.0	12.2	12.8	11.9	12.7	11.6	12.4	12.0	11.3	11.7	8.9
9.VIII - 13.VIII	13.8	13.0	11.7	10.9	11.7	11.7	11.4	12.8	11.7	11.7	11.9	11.5	12.4	10.6	11.1	11.1	10.3	10.7	8.9
14.VIII - 18.VIII	13.2	11.4	11.2	10.9	10.4	10.7	9.0	9.6	10.1	8.6	9.6	8.7	9.2	7.6	8.9	8.6	8.7	9.0	8.0
19.VIII - 23.VIII	14.4	13.0	12.3	12.3	11.6	12.2	12.6	11.3	11.8	10.5	10.4	9.6	10.0	7.9	9.3	8.7	9.0	9.0	8.3
24.VIII - 28.VIII	15.6	16.1	15.0	14.8	14.6	15.3	16.7	15.3	15.4	15.1	13.6	13.9	13.5	13.8	12.5	11.4	10.2	10.1	10.0
29.VIII - 2.IX	15.6	16.8	15.9	15.4	16.2	16.5	16.3	15.7	15.8	15.6	14.4	15.9	15.7	15.4	13.6	14.0	12.7	12.0	10.3
3.IX - 7.IX	15.8	16.8	15.9	15.8	16.9	16.1	17.1	18.7	17.1	16.5	16.9	16.1	17.7	16.1	16.8	14.4	14.4	13.3	12.6
8.IX - 12.IX	15.6	14.7	13.5	13.7	13.2	13.9	12.5	13.3	12.0	11.7	10.9	10.9	11.9	9.9	10.6	8.1	10.1	9.7	8.8
13.IX - 17.IX	15.4	15.6	15.2	13.9	15.2	14.3	13.8	14.6	14.9	14.0	14.4	12.9	13.7	11.5	13.9	11.0	12.2	10.6	8.2
18.IX - 22.IX	14.5	14.4	13.0	12.9	13.2	12.9	13.8	13.2	12.8	12.4	11.2	11.0	11.5	10.9	9.9	9.0	8.6	8.3	6.9
23.IX - 27.IX	15.4	15.6	13.6	13.2	14.3	13.4	12.9	13.4	13.7	12.2	12.4	11.3	11.6	11.0	11.2	8.1	9.3	9.3	7.8
28.IX - 2.X	12.3	12.5	11.6	10.9	11.0	10.9	9.9	10.9	10.4	8.6	9.0	7.3	7.9	5.5	7.6	4.2	5.1	3.3	1.5
3.X - 7.X	10.0	9.2	6.9	7.2	7.2	7.3	5.9	6.3	8.2	4.8	6.9	4.6	5.4	3.4	5.8	2.8	3.9	1.8	- 0.4
8.X - 12.X	9.9	11.5	8.3	8.4	10.9	8.3	8.7	10.6	10.7	6.1	8.2	5.8	6.3	3.9	6.5	1.4	3.4	2.2	- 0.6
13.X - 17.X	13.3	14.0	11.9	12.5	13.3	11.7	12.8	15.1	13.7	10.6	12.4	10.9	11.8	9.4	11.1	7.3	9.5	8.4	6.4
18.X - 22.X	9.3	9.5	7.7	8.2	8.8	7.7	8.0	10.9	9.5	9.8	9.7	9.4	10.3	8.1	9.9	5.9	7.9	7.3	4.7
23.X - 27.X	5.1	6.5	5.3	5.6	4.7	5.1	2.8	2.4	5.0	2.3	4.4	2.1	2.1	0.5	3.7	- 0.4	2.7	1.8	0.7
28.X - 1.XI	4.4	6.5	3.9	4.8	5.9	4.1	4.2	5.6	7.1	2.0	4.5	0.1	0.3	0.3	4.3	- 1.2	3.2	1.8	0.5
2.XI - 6.XI	8.5	9.0	8.5	7.8	8.9	7.4	8.4	11.2	10.0	6.8	8.0	5.8	6.3	4.9	7.9	2.8	6.5	5.9	4.2
7.XI - 11.XI	5.2	6.3	4.9	5.5	5.8	5.1	2.7	6.3	6.9	2.0	4.9	2.5	3.5	4.2	6.6	5.9	6.5	5.8	4.5
12.XI - 16.XI	3.1	4.3	- 0.1	0.6	0.8	0.4	- 0.6	2.2	5.6	- 1.6	2.7	- 0.4	- 0.6	0.1	4.1	0.9	4.2	3.6	3.0
17.XI - 21.XI	5.8	6.5	6.4	7.3	5.8	7.2	6.4	8.9	7.7	8.6	6.5	4.9	5.9	2.9	5.5	3.6	4.4	2.7	0.7
22.XI - 26.XI	5.6	6.9	6.9	7.9	5.8	7.9	6.2	8.8	8.8	6.0	6.0	3.3	3.6	2.5	4.8	1.7	3.4	1.3	- 0.2
27.XI - 1.XII	1.6	3.4	- 0.8	1.7	2.2	1.2	0.4	2.4	4.4	- 0.3	0.2	- 2.5	- 2.3	- 5.2	- 0.7	- 5.0	- 2.7	- 2.8	- 4.9
2.XII - 6.XII	2.9	3.8	0.4	1.2	1.8	1.6	0.5	1.6	3.2	0.6	0.5	- 0.5	- 1.7	- 7.2	0.7	- 4.2	0.4	- 1.3	- 3.4
7.XII - 11.XII	0.6	1.4	- 3.3	- 0.1	- 1.5	0.8	- 1.1	- 0.4	1.8	- 1.1	1.0	- 2.5	- 1.1	- 4.5	- 0.3	- 4.1	- 0.4	- 1.5	- 1.6
12.XII - 16.XII	2.4	3.9	0.1	1.4	2.7	1.5	2.0	4.5	4.2	0.4	2.1	- 0.2	1.3	- 3.4	1.3	- 3.7	0.4	0.3	- 2.6
17.XII - 21.XII	2.2	2.8	- 4.4	1.4	0.9	0.7	- 1.7	2.2	2.9	- 3.0	1.3	- 2.3	- 1.2	- 0.4	2.7	0.8	2.2	1.9	0.6
22.XII - 26.XII	3.3	5.0	0.3	2.5	3.9	2.4	2.4	3.6	5.0	1.6	3.7	0.7	1.6	- 1.2	1.7	- 5.2	- 1.0	- 1.0	- 3.1
27.XII - 31.XII	2.5	4.4	- 0.9	1.7	1.3	1.5	0.4	1.3	4.2	0.3	2.4	- 1.3	- 0.6	- 2.8	1.7	- 3.3	0.2	- 0.3	- 3.2

80750

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 $\Delta G = +1^h$ **Januar I** H_s = 7 H_b = 9.0 h_t = 1.9 h_a = h_d = h_r = 1.7

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	08.3	06.8	05.1	-23.0	-23.0	-22.6		-24.0	67	**63**	67	08 3	08 4	04 3	9	0	0	0			
2	03.6	02.4	01.7	-23.5	-22.5	-23.0		-25.0	67	67	66	04 3	06 2	06 3	9	0	1	0			⌓ a
3	03.0	04.4	04.9	-23.0	-25.0	-25.0		-25.0	67	70	74	08 2	04 2	04 1	9	0	0	8			
4	06.2	06.6	06.5	-23.9	-24.0	-23.9		-25.0	68	64	67	07 4	08 4	06 2	9	0	0	0			
5	05.8	05.7	04.9	-23.0	-23.6	-22.8		-25.0	67	66	70	06 3	07 3	04 2	9	0	1	0			⌓ a
6	03.3	03.0	03.2	-24.6	-24.6	-24.3		-25.2	81	86	87	06 1	04 1	00 0	9	0	3	1			
7	04.3	05.7	06.1	-20.0	-22.5	-22.1		-25.0	75	90	86	06 3	12 1	00 0	9	0	1	1			
8	05.7	06.3	05.6	-15.3	-15.6	-16.2		-23.0	71	68	82	06 5	06 5	04 6	9	0	6	10 *°			*° 18⁰⁰
9	00.4	95.7	96.1	-14.4	-15.0	-15.0		-21.0	92	84	82	10 6	08 5	08 4	9	10 +	9 +	1	0.1		+ * n, + a
10	95.0	96.9	98.4	-17.6	-16.4	-17.4		-19.0	92	87	87	08 6	06 4	07 2	8	4 *°	10 *°	4	0.0		*° a
11	99.0	98.1	98.5	-18.6	-16.1	-16.2		-19.0	81	90	76	06 4	06 3	06 5	7	0	10 *°	10 *°	0.1		* a, +° 13⁰⁰
12	99.0	99.1	97.9	-13.8	-14.7	-15.0		-17.0	84	84	84	04 5	04 4	08 5	9	5	5	3	0.2		* n
13	95.2	94.7	92.0	-14.0	-14.6	-13.6		-16.0	80	86	95	04 7	04 6	06 6	9	3	7	3	0.1		* n, ⌓ p
14	89.8	90.4	86.9	- 8.2	- 7.9	- 9.6		-13.6	82	70	67	04 8	04 6	04 3	9	9 *°	9	9	0.0		
15	**82.5**	84.0	87.6	-12.6	-14.6	-15.2		-15.2	72	79	75	08 4	04 4	04 3	9	3	10	1			⌓ p
16	98.7	03.3	06.4	-18.5	-20.9	-21.5		-21.5	85	88	90	30 5	28 4	30 4	6	0	10 *°	9			⌓° n, *° a
17	11.2	11.5	12.5	-22.5	-22.7	-19.4		-25.0	79	77	75	02 3	04 5	32 3	8	0	7	5	0.3		⌓° n
18	12.9	12.2	11.6	- 9.4	-12.0	-10.4		-20.5	74	74	92	18 5	18 5	18 5	9	4	10	10 +			⌓ 7°, *° p
19	13.0	13.6	13.6	-15.4	-15.4	-14.9		-15.9	86	86	87	10 1	00 0	08 1	9	10	10	10	0.7		
20	17.4	19.4	20.2	-22.0	-23.0	-24.0		-24.0	81	76	80	04 3	04 6	04 2	9	3	7	4			
21	**22.3**	22.2	18.6	-24.6	-22.0	-23.0		**-26.0**	80	88	84	06 3	02 3	06 4	9	0	10 *°	10			*° a,p
22	06.3	05.4	05.4	- 8.5	- 4.2	- 4.8		-24.8	97	88	97	18 6	20 4	20 3	9	10 *	10	9	3.1		* =² n, *° a,p
23	07.9	09.6	10.2	- 5.2	- 6.0	- 3.6		- 8.6	82	93	86	18 3	20 2	22 1	9	10	8	10	0.2		
24	04.0	01.3	96.7	- 9.6	- 9.6	- 9.6		-12.0	95	93	92	02 3	02 1	04 2	9	10	10	10			
25	96.0	98.1	00.9	-10.8	- 7.0	- 6.2		-12.0	97	97	99	04 3	06 1	30 1	9	10 *°	10	10	0.2		*° n, * p
26	12.5	16.0	14.8	-16.6	-16.1	-13.5		-19.0	92	87	88	22 1	00 0	00 0	9	10	10	10	0.5		
27	07.9	07.9	09.1	- **3.0**	- 7.1	-10.7		-16.5	97	86	91	22 5	26 1	00 0	9	10 *°	10	10	1.5		*° n,a
28	10.6	11.2	10.4	-12.4	-11.8	-11.4		-14.0	91	92	94	04 1	04 2	04 2	9	10	10	10	0.5		⌓° n
29	03.4	98.2	95.8	- 9.8	- 8.3	- 8.9		-11.4	94	87	87	02 2	04 3	02 2	9	10 *°	10	0	0.0		*° n
30	90.8	90.2	90.6	- 6.4	- 7.2	- 9.0		- 9.5	80	80	82	04 2	06 3	16 1	9	9	9	10			
31	90.5	91.9	93.0	- 7.7	- 8.8	- 9.3		- 9.5	96	92	93	15 2	16 4	06 3	4	10 *	10 *	10 *°	0.3		* n,a,p
M	03.4	03.6	03.4	-15.4	-15.6	-15.6		-19.0	82	82	83	3.6	3.2	2.5	8.6	4.8	7.2	6.1	8		

Februar II

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.9	01.4	05.4	-10.8	-13.9	- 8.4		-14.0	88	93	92	32 2	32 1	24 2	9	10 *°	9	10 *°	2.1		*° n
2	13.0	15.3	16.5	-21.0	-22.6	-22.8		-23.0	96	86	74	28 5	04 1	08 5	9	1 +	1	1	0.0		+ * n
3	16.5	16.0	15.0	-22.0	-21.8	-21.3		-24.0	74	72	75	06 3	08 3	06 2	9	10	7	9			
4	11.5	10.3	08.6	-17.6	-12.4	- 8.8		-21.3	82	90	92	32 3	19 2	18 4	7	10	10 *°	10 *°	0.0		*° n,a,p
5	04.9	01.5	06.5	- 5.4	- 3.2	- 2.0		- 8.9	92	92	98	20 5	18 4	17 7	7	10 *°	10 *°	10 *°	0.9		*° n, *° + a,p
6	97.5	96.1	94.3	- 6.7	- 6.0	- 5.9		-10.0	98	97	82	00 0	04 5	08 4	7	5 ≡	3	2	2.9		∨ ≡ n, ⌓ p
7	88.0	91.5	95.7	- 1.8	- 7.6	-18.0		-18.0	92	97	86	18 3	22 3	24 1	7	10 *°	10	2	0.1		*° n,a, ⌓ p
8	97.3	99.2	00.2	-19.0	-19.2	-22.0		-22.8	82	80	72	28 2	30 3	02 4	9	0	1	0	0.5		
9	01.2	01.0	98.0	-20.1	-18.2	-15.5		-23.2	77	84	76	05 6	10 1	16 1	9	1	2	2 ∞			⌓ n, ∾ p
10	94.0	94.2	93.3	- 9.2	- 7.7	- 7.2		-19.0	90	86	87	02 4	08 5	06 5	9	10	7	7			
11	94.4	95.8	97.1	-10.8	- 9.0	- 7.0		-12.0	92	84	86	04 5	06 3	08 2	9	1	10	10			
12	05.5	08.7	09.7	- 8.5	-11.4	-11.5		-12.0	97	95	94	29 1	00 0	06 2	9	10	10	10			
13	09.9	10.7	10.6	-10.5	- 8.6	- 8.7		-12.0	94	80	86	04 3	09 3	06 3	9	1	7	1			
14	11.4	12.2	13.0	- 2.0	- 3.4	- 3.0		-10.0	63	72	70	16 5	08 2	08 4	9	9	2	7			
15	15.4	18.9	21.3	- 5.6	- 8.0	-10.1		-10.2	82	91	94	14 2	07 4	19 2	9	10	10	9			*° n
16	21.7	20.4	19.2	- 7.8	- 4.8	- 4.6		-11.0	97	94	92	18 4	19 6	19 5	6	10 +	10 =	10	0.0		*° n, = a
17	10.6	12.8	12.3	**1.0**	- 1.1	- 2.0		- 5.0	97	99	96	16 8	13 4	16 5	6	10 *	10 *°	10 *°	1.0		* n, ∮ a, = 13⁰⁰
18	00.4	96.9	97.1	0.4	0.5	- 2.0		- 2.2	97	95	90	18 7	18 6	21 7	7	10 ∮	10 =°	10 =	2.6		∮ n, = a,p
19	12.2	13.7	13.5	-18.0	-21.2	-19.4		-22.5	75	70	70	28 4	04 2	08 6	9	0	1 =	5			= a
20	**26.6**	25.2	18.0	-21.8	-20.8	-23.7		-25.0	64	70	70	02 2	18 2	04 5	7	0	10 =	10 *°			= 18⁰⁰
21	15.1	12.2	05.7	-17.3	-20.0	-14.8		-24.0	75	76	79	02 3	04 4	04 5	9	0	8	10 *°	0.0		*° p
22	00.2	05.5	08.1	-17.0	-16.3	-21.2		-21.2	82	67	71	32 1	06 5	02 1	9	3	0	0	1.5		* n
23	10.2	05.6	97.5	-23.0	-22.4	-20.4		-26.0	75	76	80	02 1	04 4	04 5	6	5	10 *	10 *°			∮ a, * =° p
24	96.0	97.1	96.7	-18.4	-17.2	-19.6		-27.8	84	77	75	02 1	06 4	04 3	9	1	10	10	1.2		*° n
25	89.7	94.1	00.5	-21.4	-21.8	-21.8		-23.0	80	77	77	04 6	04 6	06 6	7	10 +	10 +	10 +			+ n,a,p
26	12.7	14.2	12.6	-25.4	-27.2	-28.5		-30.5	74	72	71	04 4	06 3	06 4	8	3	1	1			⊙ 13⁰⁰
27	13.0	13.2	12.5	-27.4	-25.1	-28.2		**-31.0**	68	74	76	04 3	02 1	02 2	9	10	4	9 *°			*° a
28	20.6	15.7	04.9	-30.0	-23.4	-21.3		**-31.0**	74	**61**	82	04 4	04 6	07 8	7	3	10	10 *°	0.3		+² *° p
29	86.3	**81.8**	83.4	- 5.8	- 4.3	- 8.2		-28.0	97	97	94	18 6	22 4	28 2	5	10 *°	10 =	10 =	2.0		*° = n, = a,p
M	06.0	06.2	05.4	-13.9	-13.7	-14.1		-18.9	83	83	82	3.6	3.3	3.9	8.0	6.0	7.0	7.1	15		

Ekstensotabell

1948

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 $\Delta G = +1^h$

Mars III

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = h_d = h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	01.6	05.5	05.7	-20.0	-21.7	-22.0		-22.9	82	80	79	28 4	30 1	08 1	9	10	10	7	0.3		
2	88.2	92.1	95.9	-19.3	-19.0	-20.8		-24.7	85	84	86	07 7	04 5	04 6	8	10 +²	9	9 =°			+² n, = p
3	75.0	80.2	89.7	-20.6	-20.4	-21.4		-21.9	84	86	85	06 7	05 7	04 6	2	10 +	10 +	10 *°			+ n,a,p
4	11.3	17.2	17.4	-24.0	-24.8	-25.8		-26.1	82	80	77	06 5	04 3	04 4	8	1	2	3	0.6		* n, ⊙ a
5	99.4	88.7	88.4	-23.4	-20.4	-19.2		-25.9	81	82	86	06 6	06 5	06 6	3	10 +°	10 +	10 +°			=° +° n, + a, +° = p
6	02.4	97.2	02.7	-21.8	-21.9	-22.8		-22.9	85	84	85	04 4	06 7	06 7	5	10 +	10 =°	10 =°			+° n, =° a,p
7	16.0	16.2	17.0	-24.0	-22.3	-25.0		-26.1	82	84	80	28 3	30 7	33 7	7	10	10 *°	10 =°			*° + a, =° p
8	16.9	17.7	16.7	-23.6	-23.0	-21.3		-25.9	81	80	81	30 6	28 6	31 4	8	4 =°	4	9 =°	0.3		=° n, ⊙ 13³⁰, =° p
9	14.6	14.8	14.4	-27.0	-26.4	-27.0		-28.9	80	77	77	04 4	06 1	06 2	9	1	0	0	0.0		*° n
10	15.0	17.2	18.5	-26.5	-25.2	-24.2		-27.4	79	81	82	04 2	06 1	06 3	9	0	5	4			
11	18.7	14.4	11.9	-20.8	-17.2	-16.0		-24.9	85	86	88	06 1	04 2	26 3	4	10	10 *°	5			* a, + * p
12	05.4	00.5	97.9	-23.6	-23.0	-23.7		-24.9	79	82	84	06 5	04 6	04 6	9	1 +°	2	2	0.7		
13	98.6	03.0	07.1	-26.0	-27.5	-27.8		-27.9	81	82	80	08 2	06 3	06 4	9	4 =°	3	0			⊙ a
14	18.9	22.2	20.3	-26.7	-25.0	-24.9		-27.9	79	82	82	06 2	08 1	06 4	9	1(=)	9	10			⊙ 13³⁰
15	99.1	91.9	88.5	-20.6	0.1	1.0		-25.4	99	98	96	17 8	17 7	17 8	3	10 *	10 +	10 ‡°	0.3		* +² \ n, + a, ‡° p
16	94.2	86.6	92.8	2.7	0.2	- 1.0		- 1.0	85	94	75	17 5	19 5	17 4	6	10	10 ‡	1	3.2		‡ n, •° a
17	93.2	93.6	94.0	- 1.0	0.0	- 0.2		- 4.9	61	81	77	08 5	08 2	08 3	8	10	10 *°	7	2.0		*° a
18	90.2	90.2	89.5	- 2.0	- 3.3	- 3.3		- 4.4	79	68	75	10 6	08 7	08 7	8	10 =	10	10	0.0		= n, *° p
19	92.6	94.7	92.1	- 4.4	- 5.0	- 3.8		- 6.9	96	85	71	30 3	16 3	08 5	9	10 *°	10	10 *°	0.2		*° n, + p
20	88.6	87.0	83.5	- 1.0	- 1.3	- 1.6		- 4.9	64	71	74	14 3	08 5	08 6	9	8	10	10 ‡°	0.0		
21	83.6	83.2	84.1	- 0.8	0.4	- 0.6		- 3.9	74	74	79	08 4	08 6	04 4	9	8	9	10	0.0		
22	89.3	91.7	93.7	- 2.8	- 2.7	- 2.6		- 3.9	90	93	86	04 2	04 3	08 4	9	2	5	7			⊙ a
23	00.0	02.5	04.0	- 2.2	- 1.8	- 3.0		- 4.1	80	77	80	12 1	08 1	19 2	9	8	7	10			⊙ a
24	04.2	03.9	03.6	- 4.4	- 3.8	- 3.8		- 6.4	97	95	93	17 2	17 4	18 4	7	10 *°	9 *°	10 *°	0.0		*° n,a,p
25	04.9	04.7	00.7	- 2.0	- 1.4	- 0.4		- 4.4	97	90	98	17 5	18 5	18 5	6	10 +	10 +°	10	0.5		+ n,a, * p
26	76.5	73.7	73.7	- 0.1	- 3.0	- 5.1		- 5.2	97	91	93	20 5	22 5	22 6	6	10 ‡	10 *°	10 *	5.9		‡ n, + a, *° = p
27	77.2	94.1	06.0	- 8.6	- 6.4	-10.6		-10.6	90	86	71	32 1	28 2	30 4	9	10 =	8	0	4.1		+ = n, ⊙ a,p
28	13.3	11.3	08.1	-13.0	-14.4	-14.8		-15.9	80	82	77	30 2	04 3	04 6	9	9	10	10			
29	98.7	95.2	96.3	- 9.8	- 3.8	- 4.4		-14.9	92	93	96	04 5	18 4	22 1	6	10 =°	10 *°	10	0.1		= * n, * =° a
30	92.2	91.8	95.2	- 7.9	- 9.2	-11.2		-11.2	92	88	85	05 4	03 5	04 3	8	10	10	10 *°	0.1		*° p, ⊙ 18³⁰
31	01.3	02.6	00.0	-16.8	-16.2	-15.6		-16.9	80	77	86	04 4	06 5	06 6	9	0	7	10	0.3		⊙ 13³⁰
M	98.7	99.5	00.0	-13.1	-12.6	-13.0		-16.2	84	84	83	4.0	4.1	4.5	7.4	7.3	8.0	7.5	19		

April IV

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	87.2	88.6	91.3	-12.4	-11.8	-12.4		-15.6	91	92	90	08 6	08 6	08 6	3	10 +²	10 +	10 +°			+² n, + a, +° = p
2	96.6	98.5	99.4	-13.1	-13.1	-14.4		-14.4	88	92	92	08 5	04 7	04 8	2	10 *°	10 +	10	0.3		*° = n, + a
3	03.3	05.1	05.8	-15.0	-15.4	-15.3		-15.6	87	87	86	02 6	04 5	04 6	9	9	10 *°	9			
4	07.9	07.7	06.4	-18.2	-17.2	-17.0		-18.8	98	85	83	04 7	04 7	04 7	4	9 =²	10 =²	9 =	0.0		=² n,a, = p
5	06.2	06.6	07.4	-18.2	-17.1	-17.0		-19.6	84	79	77	04 5	04 4	08 3	9	0	0	4			⊙ a,p
6	10.2	11.7	12.5	-18.0	-16.8	-17.2		-19.6	82	80	80	06 3	06 3	06 3	9	1	4 =°	1			⊙ a,p
7	13.7	13.7	13.3	-18.0	-17.4	-17.3		-20.1	80	71	75	04 3	06 3	06 1	8	1	1	4			⊙ n,a,p
8	12.1	11.6	10.4	-15.2	-13.7	-13.2		-20.0	82	77	80	08 1	04 1	04 1	9	0(=)	1	5			⊙ n,a,p
9	08.8	08.8	10.2	-10.0	- 6.0	- 6.3		-15.1	92	96	86	04 2	18 7	25 4	2	10 *°	10 +²	5	0.2		*° n, + a
10	13.5	14.3	16.8	- 5.6	- 3.6	- 6.2		- 8.4	88	90	88	00 0	17 4	28 5	7	10 =²	10 ‡	5	0.1		*° n, ‡ a, * p
11	26.7	29.8	29.0	-11.0	-12.4	-12.0		-12.6	75	80	85	04 1	04 2	04 4	9	1	6	7	0.5		⊙ n,a
12	20.6	16.5	10.9	- 4.4	- 2.4	- 2.0		-12.0	72	77	71	08 4	14 4	08 4	9	10	10	7			
13	99.7	98.0	97.2	- 2.2	- 0.8	1.8		- 2.2	98	92	74	04 7	06 5	09 5	6	10 +°	10 ‡	10			+ n, ‡ a
14	96.9	98.0	99.8	- 1.0	- 1.0	- 1.6		- 2.6	87	92	92	04 6	08 2	00 0	5	10(=)	10 ‡	10	0.3		*° (=) n, (=) a, *° p
15	02.0	02.5	02.4	- 5.2	- 5.4	- 6.8		- 7.1	86	96	80	04 5	04 6	04 6	9	7	8	9	0.1		⊙ a
16	05.2	10.1	13.8	- 8.9	- 8.0	- 7.2		- 9.6	85	84	86	04 7	04 6	04 6	9	10	9	9			
17	18.7	17.3	15.2	- 8.4	- 8.0	- 7.4		- 9.6	76	88	97	06 6	06 6	06 6	4	10	10 *	10 *			* a,p
18	14.5	14.6	13.3	- 6.2	- 5.0	- 4.3		- 7.8	85	92	94	09 5	04 5	04 4	5	10(*)	10(*)	10 *°	1.0		*° n, * p
19	15.0	15.8	13.9	- 4.2	- 1.4	- 4.4		- 6.1	72	68	74	08 4	16 1	17 4	9	3	8	10(*)	0.2		⊙ n,a, (*) p
20	00.3	96.1	93.8	- 2.0	- 1.8	- 2.2		- 4.8	94	97	87	16 7	21 6	18 5	4	10 *	9 ▲	10	1.7		* n, ⊙° =° ▲ a
21	04.2	03.7	02.7	-12.6	-10.6	-10.6		-12.6	72	82	92	28 5	24 5	24 4	9	10(=)	10 *°	10 *°	0.4		*° n, + p
22	11.0	16.7	19.5	- 9.0	- 7.2	- 8.0		-11.5	74	72	75	28 4	30 4	30 4	9	0	1	2	0.5		⊙ n,a,p
23	27.6	26.3	26.1	-11.0	- 9.2	- 8.6		-11.9	80	79	75	05 1	06 1	00 0	9	1	1	10			⊙ n,a
24	23.4	18.4	12.5	- 7.6	- 2.8	- 1.0		- 9.6	90	96	99	04 3	16 5	18 5	7	10 =°	10 *°	10 *			=° n, +° a, + * p
25	07.2	07.3	05.3	- 1.4	- 1.0	- 1.3		- 1.6	97	85	90	20 1	18 2	32 1	9	10 =°	10	10	5.1		= * n
26	98.2	98.0	97.4	- 2.8	- 0.4	- 1.6		- 3.4	93	92	96	04 5	17 4	22 1	6	10 *	10 ‡°	10 ‡°	1.3		* n, ‡ ▲° ‡° a, ‡° p
27	99.4	00.5	01.5	- 4.8	- 4.9	- 5.6		- 5.6	85	74	74	04 5	04 5	04 4	9	1	1	1	0.0		⊙ n,a,p
28	04.9	07.6	08.3	- 7.6	- 6.8	- 6.9		- 8.6	64	64	61	06 5	04 5	04 5	9	0	0 =°	1 =°			⊙ n,a, =° ⊙ p
29	09.1	09.2	10.0	-10.4	- 8.8	- 9.6		-11.1	74	74	76	04 5	05 5	05 5	9	1 =	1	1			⊙ n,a,p
30	12.1	14.3	15.7	-12.8	-14.4	-15.8		-15.8	80	75	70	05 6	06 6	06 6	9	4	9	2			⊙ n,a,p
M	08.9 ~~88.7~~	08.9 ~~09.1~~	08.7 ~~07.5~~	- 9.2	- 8.1	- 8.4		-11.1	84	84	83	4.3	4.4	4.1	7.0	6.3	7.0	7.0	12		

Isfjord Radio

φ = 78° 4′N λ = 13° 38′E g = 9.830 $\Delta G = +1^h$

Mai V

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = h_d = h_r = 1.7

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	18.4	18.2	17.5	-17.4	-16.0	-15.6		-18.6	71	66	66	08 2	10 2	08 2	9	1	1	1			⊙ n,a,p
2	15.2	13.7	13.2	-16.0	-13.4	-12.6		**-19.1**	70	74	74	04 3	09 4	06 3	9	8	6	2			⊙ n,a,p
3	12.4	12.4	15.6	-11.2	-10.0	- 8.2		-14.6	63	63	64	10 1	06 2	10 1	9	1	0	1			⊙ n,a,p
4	20.3	20.0	16.1	-12.0	- 7.4	- 9.6		-12.6	74	67	81	08 1	16 1	06 6	9	1	3	10 △			⊙ n,a, =° △° p
5	18.4	21.0	20.4	- 2.2	- 1.0	1.5		- 9.6	84	81	93	18 5	17 4	16 4	8	9(*)	10	10 ‡°	1.3		(*) n
6	21.5	25.1	26.2	- 1.0	- 1.8	- 2.4		- 2.4	80	76	80	22 4	22 2	18 1	9	10	10	10	0.3		* n
7	25.0	19.0	13.0	- 2.4	2.6	**3.1**		- 3.0	74	**56**	60	16 2	08 3	09 3	9	10	10	10	1.4		* n, ⊙ 13ᵐᵐ
8	09.0	09.9	09.0	0.4	0.6	- 0.8		- 1.1	93	91	97	17 6	17 6	17 4	6	2 =°	10 △	10 *°	4.6		=° • n, * (≡) a, *° p
9	09.5	13.3	19.2	- 6.2	- 8.2	- 7.6		- 8.6	80	75	76	28 3	28 4	30 5	9	10	10	7	0.2		*° n,a, ⊙ p
10	20.6	19.5	17.6	- 6.5	- 5.2	- 5.0		- 8.2	92	81	74	18 6	24 5	22 4	8	10 +	10	10 +°	0.4		* n, +° p
11	19.1	20.3	20.1	- 5.4	- 4.9	- 5.5		- 7.4	70	72	77	28 3	28 2	28 1	8	9	10	8			
12	09.1	05.7	04.5	- 6.4	- 5.2	- 5.0		- 8.4	85	95	90	04 5	06 6	04 6	6	10 ‡°	10 *	10	0.1		*° + a
13	02.4	00.8	**00.1**	- 4.8	- 3.4	- 4.0		- 5.6	85	80	92	04 4	08 4	04 2	5	9	10 ‡	10 *°	0.5		* p
14	05.9	11.9	15.7	- 3.3	- 3.2	- 3.2		- 4.1	94	86	82	29 5	29 5	26 1	8	10 =°	10	8	1.2		=° + n, ⊙ 18ᵐᵐ
15	20.8	23.2	24.2	- 4.0	- 4.0	- 4.9		- 5.2	81	79	82	06 1	08 2	06 3	9	10	7	9			⊙ 18ᵐᵐ
16	28.1	30.6	**31.4**	- 5.4	- 3.0	- 3.0		- 5.6	90	84	77	04 2	16 1	27 1	9	10	10	10			
17	23.2	10.3	03.5	- 1.8	- 1.0	1.4		- 4.1	88	98	97	02 2	09 6	16 6	3	10(=)	10 *ᵃ	10 •°			* a, •° p
18	02.6	03.2	04.0	- 0.4	- 0.3	- 2.8		- 3.1	98	92	86	18 3	22 1	28 4	8	10 •	10	10	6.6		= •° a
19	06.0	06.1	05.6	- 5.5	- 5.0	- 5.6		- 5.6	81	84	79	28 4	28 5	29 7	6	10	10 ‡	10	0.1		*° n
20	08.0	08.5	07.8	- 4.6	- 4.1	- 5.2		- 6.6	68	67	76	06 1	04 4	06 4	9	2	2	3	0.1		⊙ n,p
21	08.5	09.9	10.1	- 5.4	- 5.1	- 5.4		- 7.4	71	72	71	06 5	06 3	04 4	9	6	3	1			⊙ n,a,p
22	10.2	10.8	10.8	- 7.3	- 6.0	- 5.4		- 7.7	77	75	76	04 5	06 4	05 4	9	8	2	10			⊙ n,a,p
23	12.1	12.3	11.8	- 5.6	- 5.2	- 5.0		- 6.6	74	77	80	06 3	06 3	06 3	9	6	10	10			⊙ n
24	08.8	09.0	10.2	- 6.0	- 5.0	- 5.4		- 6.6	77	77	84	06 3	08 1	08 3	7	10(≡)	10 *°	10 =			*° n, = p
25	13.8	17.2	16.7	- 6.0	- 4.8	- 4.9		- 6.4	84	70	66	06 3	08 2	08 1	9	9	3	4	0.3		⊙ n,a,p
26	18.7	19.8	20.0	- 4.4	- 3.4	- 4.2		- 6.6	66	72	90	00 0	06 2	06 3	9	10	10	10 *°			
27	20.0	21.0	20.1	- 3.2	- 2.0	- 1.6		- 5.0	68	66	71	00 0	02 1	00 0	9	10	9	8	0.1		⊙ 18ᵐᵐ
28	19.0	17.7	15.5	- 3.4	- 2.3	- 2.8		- 3.6	75	76	79	04 1	04 3	04 4	9	9	3	2			
29	06.1	02.9	00.7	- 3.0	- 1.4	- 1.4		- 3.5	87	84	90	04 7	04 7	04 7	9	1	7	8			
30	01.6	02.5	02.3	- 1.5	- 1.2	- 1.0		- 2.0	90	90	92	04 5	04 3	06 2	9	10	10	10			
31	02.5	04.6	07.5	- 1.5	- 1.4	- 2.4		- 2.6	90	93	97	25 2	25 3	28 4	8	10	10 =°	10 •°			‡° =° a, = •° p
M	13.4	14.9	13.7	- 5.2	- 4.2	- 4.3		- 6.8	80	78	81	3.1	3.3	3.4	8.1	7.8	7.6	7.8	17		

Juni VI

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.5	14.6	14.6	- 1.0	- 0.3	- 0.4		**- 3.5**	86	94	94	16 2	18 4	18 4	7	10	10 =°	10 =°			‡ =° a
2	13.3	14.9	15.6	0.3	0.5	1.0		- 1.0	94	91	93	02 1	04 1	16 1	7	10 =°	10 ‡°	10 =°	0.1		=° n, ‡ a
3	17.5	18.3	18.2	0.4	0.2	0.1		- 0.1	93	93	94	04 1	04 1	16 1	5	10	10 •	10	0.1		• a
4	16.4	16.2	15.5	1.2	2.1	1.0		0.0	88	84	88	30 1	00 0	04 1	9	10	10	10	0.2		
5	12.8	12.5	11.7	0.5	0.8	1.1		- 0.1	86	98	88	03 3	04 2	03 2	9	10	10	10			
6	12.3	13.7	15.8	- 0.2	0.0	- 0.2		- 0.7	84	79	84	05 4	06 3	05 4	9	1	1	1			⊙ n,a,p
7	21.2	23.1	23.1	- 0.4	0.4	0.6		- 2.5	79	80	76	04 1	03 1	04 1	9	0	0	1			⊙ n,a,p
8	22.8	22.9	22.0	0.1	0.1	- 0.4		- 2.0	85	80	82	00 0	00 0	00 0	9	4	10	10			
9	23.8	26.0	**26.6**	- 0.8	- 0.8	- 0.6		- 1.6	86	87	90	20 1	22 1	19 1	9	10	10	10			
10	25.6	25.4	24.6	- 0.6	0.1	- 0.2		- 1.5	90	88	91	18 1	18 2	18 3	9	10	10	10			
11	22.3	21.7	20.4	0.2	0.8	0.6		- 1.5	87	87	90	18 2	18 3	16 2	9	10	10	10	0.0		*° n
12	19.4	20.2	20.2	0.3	0.9	1.3		- 1.7	93	85	72	06 5	04 4	04 1	9	7	8	2	0.5		‡ =° n, ⊙ p
13	18.0	17.0	15.4	1.2	2.4	1.2		- 0.5	86	75	87	02 2	02 3	30 3	9	7	6	9			⊙ n,a
14	08.7	07.3	07.0	- 0.2	- 0.8	0.4		- 1.3	92	98	87	28 6	28 6	06 5	4	5	10 ‡ᵃ	8 ‡			⊙ n, * a, ‡ᵃ p
15	10.7	07.0	**03.0**	1.2	2.4	3.0		- 1.5	82	84	72	28 1	00 0	04 2	9	9	1	9	2.0		⊙ n,a
16	08.8	11.9	12.9	2.2	1.8	3.2		1.0	70	86	71	04 4	04 4	04 3	9	3	4	3			⊙ n,a,p
17	12.6	13.3	14.6	1.6	2.6	2.0		0.9	90	84	**68**	02 2	02 2	08 2	9	5	6	7			⊙ n,a
18	17.2	17.1	16.6	1.0	1.4	2.1		0.5	90	90	84	04 4	04 5	04 4	9	1	4	3			⊙ n,a,p
19	15.7	16.1	16.1	2.0	3.4	3.2		0.5	87	75	79	04 5	04 4	04 4	9	4	8	7			⊙ ε
20	15.5	15.3	15.1	3.2	**5.5**	5.0		0.5	79	70	81	04 2	00 0	00 0	9	3	6	2			⊙ n,a,p
21	10.3	09.1	07.6	4.0	4.1	4.6		1.3	91	84	92	00 0	02 3	28 1	9	7	9	7 =°			⊙ n, =° p
22	04.7	04.5	04.1	1.0	1.1	1.8		0.0	96	96	87	20 1	16 3	16 2	7	10 ≡	10 =°	10			≡ n, = a
23	05.4	05.8	07.0	0.9	2.4	2.2		0.5	96	90	91	02 4	28 2	18 1	9	7 =°	10	5	0.0		*° n
24	11.4	15.2	16.3	1.6	2.0	2.6		0.6	96	94	90	18 3	16 1	18 4	5	7 =°	5 =	4 =			=° ⊙ n, = ⊙ a,p
25	19.3	20.3	19.8	2.2	3.2	2.6		0.5	91	86	92	16 5	16 5	16 5	8	8 =	6	9 =			= n, ⊙ a, = p
26	19.1	19.0	18.4	2.0	3.0	2.0		1.3	96	93	98	16 5	16 2	16 3	7	8 =	10 •°	10 =	0.0		*° = n, • a, = p
27	17.6	16.7	14.3	1.0	1.1	3.0		0.5	97	98	91	18 2	18 1	18 1	4	10 =	10 =ᵃ	10	0.0		= n,a
28	07.6	09.9	11.1	1.7	3.0	2.1		1.3	92	94	97	04 1	20 3	17 4	9	10	9	10 =	2.2		• n, ⊙ •° a, = p
29	20.0	23.1	23.5	1.1	2.0	1.9		- 0.5	95	85	88	18 3	00 0	25 2	9	10 •	10	9	0.6		• =° n
30	21.7	21.9	22.6	2.3	2.6	2.2		- 0.5	95	97	97	16 5	16 5	18 2	4	10 •	10 =ᵃ	10 =ᵃ	0.5		= • n, =ᵃ a,p
M	15.5	16.0	15.8	1.0	1.6	1.6		- 0.4	89	87	86	2.6	2.4	2.3	7.9	7.2	7.8	7.5	6		

Isfjord Radio

φ = 78° 4′N λ = 13° 38′E g = 9.830 $\Delta G = +1^h$ **Juli VII** H_s = 7 H_b = 9.0 h_t = 1.9 h_a = h_d = h_r = 1.7

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	24.4	24.4	23.1	4.2	4.1	4.8		1.0	82	92	85	18 1	24 1	28 1	9	8	9	6			⊙ n,a,p
2	21.7	21.5	20.2	3.2	0.2	0.1		0.0	90	97	95	18 2	17 3	18 1	6	10	10 =°	10 =			=° a, ≡ p
3	18.1	17.5	16.9	− 0.8	0.5	4.9		− 1.3	97	97	82	00 0	32 1	18 2	1	10 =³	10 ≡	0 =°			=³ n, ≡ a, = =³ p
4	16.9	18.1	17.7	6.0	7.0	5.9		3.5	80	91	85	00 0	16 1	18 1	9	0	1	4			⊙ n,a,p
5	19.7	20.9	21.3	2.9	2.8	2.9		1.5	97	96	96	21 1	00 0	24 1	2	10 =³	10 ≡	10 ≡	0.0		·° ≡ n, ≡ a,p
6	21.7	22.2	22.4	1.0	2.5	3.1		0.5	96	90	88	18 1	31 2	30 1	4	10 ≡	4 =	0			≡ n, ≡ =³ ⊙ a, = ⊙ p
7	24.9	25.4	**26.1**	1.8	4.1	3.2		1.0	93	88	96	18 1	20 1	18 3	9	10	10	10 =°			=° p
8	25.4	25.5	25.3	3.1	2.6	2.0		1.5	97	92	96	18 1	26 1	00 0	4	10 ≡	10 ≡	10 ≡			≡ n, = a, ≡ p
9	24.8	24.7	24.1	0.8	2.5	2.6		0.0	97	93	95	26 1	22 1	18 1	4	10 =	10 =	10 ·°	0.0		=³ ·° n, = a, =³ ·° p
10	22.6	22.6	21.9	2.2	2.2	1.4		0.9	97	96	92	00 0	20 2	19 1	7	10 ·	10 =°	8 ≡	0.5		· n, =° a, = p
11	21.6	22.2	22.2	2.8	2.5	4.0		0.3	95	90	82	32 1	04 3	01 3	9	10	9	2			⊙ p
12	21.4	21.1	20.0	4.4	4.9	5.6		1.3	86	84	93	00 0	28 1	00 0	9	1	1	1			⊙ n,a,p
13	19.5	19.3	18.8	3.1	3.1	2.2		2.2	92	94	95	20 2	24 2	18 2	8	10	10	10			· a
14	18.8	20.2	20.6	2.4	3.0	3.0		1.0	91	90	88	18 1	20 3	18 2	9	5 =	10	10	0.0		= n, ⊙ a
15	20.9	21.2	20.7	2.6	4.3	2.8		2.0	93	84	88	20 1	16 3	18 4	9	10	10	8			
16	20.6	20.4	18.9	2.2	4.2	5.3		1.1	91	84	94	18 2	32 1	02 5	9	10	9	7			⊙ a,p
17	13.9	12.3	09.6	7.1	6.5	7.5		4.5	76	81	82	02 4	32 3	05 4	7	5	10 •	10 •			⊙ n, • p
18	11.5	13.5	14.2	5.1	4.8	3.7		3.5	91	92	96	05 3	32 1	30 1	9	10	10	10	9.1		•° n
19	16.6	16.9	15.7	3.6	4.2	3.9		3.0	98	96	94	18 1	32 1	02 1	6	10 ·³	10 =	8	1.1		· =³ n, =³ a,p
20	11.9	10.4	08.0	7.4	**8.8**	6.9		2.5	75	70	77	04 4	03 4	02 3	9	8	5	5	0.1		⊙ a
21	03.7	03.9	03.8	4.2	6.3	6.0		3.5	91	80	87	00 0	00 0	18 2	9	8	8	5			⊙ a
22	01.5	02.2	03.3	4.2	5.4	4.4		3.0	92	84	86	16 3	18 3	19 2	8	10 =°	10 =°	10			=° n,a,p
23	02.5	03.2	03.6	3.8	3.8	4.8		2.7	92	90	88	18 1	28 1	02 1	9	10	8	7			⊙ p
24	05.4	07.4	09.1	5.0	7.4	4.0		1.5	87	79	87	16 1	18 1	18 4	9	3	2	9			≡ ⊙ n, ⊙ a,p
25	14.4	17.4	18.8	4.0	3.8	4.2		2.5	97	91	93	18 4	19 4	16 2	7	5	5 =	10 =°			⊙ ≡° n, ≡ a,p
26	20.1	19.9	16.1	3.8	4.8	5.3		2.0	96	88	90	16 4	18 4	18 4	7	10 =	9 =	10 =°	0.1		≡ · n, = ⊙ a, = p
27	01.1	95.4	94.8	6.4	6.0	7.0		4.0	77	87	95	04 5	06 5	16 6	5	8	10 •	10 •			• = a,p
28	**94.2**	95.8	97.6	5.2	6.2	5.2		4.4	96	96	96	17 2	00 0	20 1	1	10 ≡	10 ≡	10 =³	15.2		≡ • n, ≡ a, =³ ≡ p
29	05.5	10.4	12.6	5.2	5.4	5.8		3.3	93	90	86	04 3	29 4	28 2	9	8	8	7			≡ n, ⊙ a,p
30	18.2	20.6	21.1	4.8	5.9	7.9		3.5	86	82	**68**	18 2	18 3	28 3	9	9	6	2			⊙ n,a,p
31	22.4	22.1	20.1	3.0	6.4	6.1		3.0	97	85	90	00 0	18 1	30 2	8	10 ≡	2	6			≡ n, ⊙ ≡ a, ⊙ p
M	15.7	16.1	15.7	3.7	4.4	4.4		2.0	91	89	89	1.7	2.0	2.1	7.1	8.3	7.9	7.3	26		

August VIII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	18.3	17.6	16.3	2.6	5.2	1.9		1.6	95	91	97	18 5	20 1	00 0	3	10 =³	10 ≡	10 ≡			⊙ n, ≡ a,p
2	14.2	14.1	13.8	1.8	3.0	2.8		0.6	97	94	96	00 0	22 1	00 0	2	10 =³	10 ≡	10 ≡			=° ⊙ n, ≡ a,p
3	13.4	13.8	13.2	4.4	4.1	4.2		2.1	87	90	92	24 1	28 2	28 2	9	10	9	9			=³ p
4	10.7	08.5	06.5	2.2	3.2	3.6		1.6	97	96	92	26 1	28 2	28 3	5	10 ≡	10 =³	10 =°			≡ n, = a, =° p
5	03.0	03.1	03.4	6.0	**6.1**	3.4		2.4	82	81	92	04 3	16 1	18 3	8	7	8	5 ≡			⊙ n,a,p
6	04.7	05.5	05.2	2.7	3.1	3.5		1.0	88	88	92	19 2	19 2	21 1	9	9 =	9	9			= n
7	04.4	04.8	03.9	2.4	4.0	3.5		1.1	97	96	94	16 1	24 2	22 2	8	10 ≡	10 =°	10 =°			≡ n, =° a,p
8	03.2	04.5	04.8	2.1	3.0	2.8		1.6	94	75	74	20 1	26 3	25 3	9	10	10	9			·° a, ⊙ p
9	03.7	03.4	02.1	2.6	3.0	3.8		2.3	81	84	95	18 2	00 0	18 3	9	9	9	10 =			= p
10	00.9	01.4	02.7	5.0	4.2	3.6		3.4	86	94	90	19 3	20 3	16 2	6	10 ·°	10 ·	10 ·°	1.6		·° n, · a,p, =° 18[illegible]
11	05.6	07.8	09.0	2.6	5.2	2.5		1.6	96	88	96	16 1	28 2	18 2	9	10 ·°	4	6 =°	5.3		·° n, = a, ≡° p
12	12.6	14.3	14.3	3.4	4.6	3.8		1.4	88	86	90	16 1	16 4	18 3	9	7	9	9			
13	17.4	19.1	19.7	3.8	4.4	5.4		3.5	98	97	90	16 4	16 5	16 5	5	10	10 =	10 ·°	0.5		·° n, · a, = p
14	20.3	20.8	20.9	5.4	5.7	5.2		4.3	92	97	97	16 5	16 4	16 5	5	10 ·	10 ·°	10 ·	0.7		· ⊙ = n, ·° a, · p
15	**21.5**	21.2	21.3	6.0	5.3	4.8		4.0	86	88	97	16 3	16 5	16 4	7	10	10 =°	10 ·	2.3		⚡° ·° n, =° a, · = p
16	18.4	18.0	17.0	4.7	4.8	3.8		3.6	94	87	93	16 1	18 3	18 3	8	10 =	10 =	9 =	0.0		≡ = n, = a, = ·° p
17	12.9	11.7	09.7	5.1	5.6	5.0		2.6	76	80	**67**	15 3	16 5	16 5	7	9	10 =	10	0.0		·° n, ⊙ [illegible], = · a, · p
18	06.4	08.0	09.7	4.9	3.9	2.0		1.6	97	97	84	16 5	16 3	20 1	5	10 ·°	10 ·°	9	0.9		·° = n, · a
19	13.3	14.5	14.7	1.6	2.5	2.8		1.1	82	82	81	14 1	16 2	08 1	9	10	10	9	0.0		=° a, ⊙ p
20	13.1	13.6	12.9	2.8	5.2	4.6		1.6	84	81	86	00 0	28 2	16 3	9	10	7	9			⊙ p
21	11.3	11.0	08.2	4.0	3.4	4.8		2.6	87	87	77	00 0	24 1	32 2	9	9	9	8			⊙ n
22	05.3	05.1	05.0	4.2	5.0	4.2		0.9	84	84	80	04 6	04 5	04 6	9	10	9	10			
23	05.8	06.8	07.1	2.4	2.5	2.0		1.6	76	**67**	68	04 6	04 6	04 6	9	9	3	1			⊙ a,p
24	09.9	11.2	11.3	0.4	1.5	1.0		− 0.1	74	72	86	04 4	04 1	00 0	9	7	10	10			⊙ n, ⚡ p
25	11.8	12.6	12.7	0.6	0.8	0.2		− 0.4	75	75	68	04 2	20 1	22 1	9	10	10	10	0.4		
26	10.7	08.9	07.4	− 1.2	− 0.8	− 1.1		− **2.0**	94	93	97	08 1	04 4	04 2	6	10 *	10 *°	10 *	0.3		* n, *° a, * p
27	08.4	08.9	09.8	0.8	3.0	0.8		− 1.9	92	75	95	16 4	00 0	16 4	6	9 =°	10 ⚡°	10 *	2.0		= n, * p
28	10.2	08.7	06.7	0.8	2.2	0.2		− 1.1	75	72	84	00 0	00 0	16 2	9	9	3	3	4.7		⊙ ⚡ n, ⊙ a,p
29	98.8	**96.0**	00.1	0.8	2.0	0.8		− 0.9	90	90	98	04 6	04 5	04 2	7	10	10 ·°	10 ⚡			= ·° a, ⚡ p
30	09.4	13.8	15.9	1.6	2.9	1.6		0.6	86	84	96	26 3	16 2	18 2	9	6	10	10 ·	4.6		⊙ n, · p
31	20.1	21.0	20.0	3.1	3.4	3.1		1.6	76	76	77	06 3	00 0	06 2	9	9	9	5	2.2		⊙ p
M	10.3	10.6	10.5	2.9	3.6	2.9		1.4	87	85	88	2.5	2.5	2.6	7.5	9.3	9.0	8.7	26		

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 $\Delta G = +1^h$

September IX

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = h_d = h_r = 1.7

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	17.2	17.6	16.9	3.3	4.7	7.5		2.0	88	90	76	04 6	04 5	04 4	8	10	10 •	10			=° • a, • p
2	16.4	15.8	15.2	6.4	**8.6**	8.0		3.7	71	75	81	04 4	04 4	04 3	9	10	9	9	1.4		⊙ a
3	14.8	13.8	13.2	6.2	6.0	5.9		3.0	87	88	90	02 3	04 4	04 2	9	10	6	10			⊙ a
4	11.4	10.9	08.9	6.4	6.6	6.0		2.5	97	97	97	00 0	16 4	16 5	7	10 •	10 •	10 •	0.4		• n,a, • • p
5	06.4	04.2	05.3	4.0	4.0	3.8		3.5	97	96	97	02 2	28 1	00 0	8	10 ≡°	10	10 ≡°	9.1		≡ • • n, ≡° • a, ≡ p
6	10.5	13.1	15.2	1.8	2.2	2.0		1.5	97	94	92	16 1	04 5	03 5	6	10 •	10 •	10 •	0.5		≡ • n, • a,p
7	15.2	12.1	07.9	3.1	4.0	2.6		1.5	94	74	86	04 5	08 4	04 6	9	10 •	10	10 •	2.1		• n, ⊙ 13[x], • p
8	89.8	92.7	93.3	3.2	5.5	6.5		0.8	92	93	93	04 6	16 5	16 3	6	10 •	10 •°	10 •	9.6		• n,a, • • p, = 18[x]
9	94.0	95.4	96.7	6.0	5.2	2.8		2.0	80	80	81	02 3	04 4	05 4	9	10	7	7	2.7		• •° n, ⊙ p
10	02.0	06.6	09.5	1.2	1.2	0.4		0.3	77	72	74	04 5	04 5	02 3	9	7	3	3			⊙ p
11	16.7	19.5	21.6	- 0.6	- 0.2	- 1.0		- 1.0	75	74	75	04 3	04 2	04 1	9	9	10	10			
12	**21.7**	18.3	14.8	- 2.1	- 0.4	0.4		- 2.2	72	67	**61**	04 3	04 5	07 4	9	8	3	10			⊙ a
13	96.6	92.1	90.7	2.0	2.3	2.0		0.4	87	90	93	04 8	07 5	04 6	7	10 ‡	10 •	10 •°	2.0		‡ n, • a,p
14	93.5	97.3	97.5	2.8	4.0	2.5		1.3	92	80	81	16 3	16 2	04 3	9	9 =°	9	8	7.4		• n, ⊙ a
15	93.8	93.5	94.8	3.4	5.3	4.4		1.5	91	79	77	04 6	04 5	07 4	9	10	6	6	1.0		• n
16	96.9	99.0	00.2	2.8	2.2	0.6		0.4	72	76	88	04 4	09 1	06 2	9	10	10	10 *°			*° p, =° 18[x]
17	02.5	00.1	98.9	0.5	1.4	0.4		- 0.6	77	70	76	06 2	06 1	08 1	9	10	9	10	0.0		⊙ 13[x]
18	98.3	99.7	00.8	- 0.8	- 0.6	- 1.2		- 1.2	85	80	92	04 3	00 0	04 1	8	10	10	10 =°			
19	02.8	04.6	05.9	- 1.2	- 0.6	- 0.8		- 1.5	85	81	84	04 4	08 2	08 3	9	10 ‡°	7	9	0.0		‡° n
20	09.8	11.7	12.8	- 1.2	- 0.6	- 1.0		- 2.0	85	81	80	06 3	04 3	00 0	9	6	1	3			⊙ n,a,p
21	11.9	09.6	09.1	- 2.0	- 1.4	- 1.0		- **2.5**	86	88	86	04 5	04 6	04 5	6	3	4 ♦	3 =°			⊙ a, =° ⊙ p
22	04.1	02.4	00.2	1.0	1.0	1.0		- 1.5	79	86	85	04 4	04 4	04 6	8	10 =	10 =°	9 =°	0.0		=° n,a,p
23	94.1	92.5	92.4	1.0	1.5	0.8		0.5	95	93	96	04 4	04 3	32 1	9	10 •	8	7 =°	0.0		=° n, ⊙ 13[x], =° p
24	92.7	94.1	95.8	- 0.3	- 0.8	- 0.7		- 1.1	93	90	87	30 4	28 5	29 4	8	10 *°	10 =°	10 =°	0.0		*° n, =° a,p
25	02.0	04.9	04.7	- 1.4	- 1.1	- 1.2		- 1.5	87	76	87	28 5	26 3	24 1	9	10 =°	10	10			≡ n, =° a
26	98.2	97.0	95.3	1.7	0.8	1.2		- 1.5	81	90	85	04 6	04 4	04 5	9	10	9	10			
27	92.7	92.4	91.3	0.5	0.1	- 0.3		- 0.3	86	87	86	04 4	04 3	05 4	7	10	4 *°	4	0.0		*° n,a
28	86.1	**84.3**	84.4	1.6	1.8	2.0		- 0.5	76	74	75	04 6	05 5	04 5	9	8	5	5	0.0		⊙ a
29	86.9	87.8	88.6	1.8	1.6	1.0		0.7	81	84	86	03 4	02 3	03 2	9	8 =°	9	9			=° n
30	94.3	98.4	99.0	1.2	1.8	2.1		1.0	82	75	70	02 5	04 2	04 4	9	8	7	9 =°			⊙ n,a, =° p
M	02.4	02.7	02.7	1.7	2.2	1.9		0.3	85	83	84	4.0	3.5	3.2	8.3	9.2	7.9	8.4	36		

Oktober X

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	98.8	97.9	95.7	0.6	0.3	- 0.1		- 0.6	86	92	87	32 1	32 1	32 1	8	9	8 =°	10			=° a
2	91.1	90.3	88.5	0.2	- 0.4	- 0.8		- 0.8	86	84	77	04 4	04 2	00 0	9	10 =°	8	9			=° n, ⊙ a
3	90.0	90.5	92.6	1.0	2.0	0.4		- 0.8	80	79	75	02 1	04 3	04 4	8	7	7 =°	8 =°			=° a,p
4	94.1	96.2	97.7	- 0.5	- 0.4	- 2.4		- 2.4	84	80	77	04 3	04 3	04 1	9	5	3	2			
5	00.3	02.5	03.7	- 1.4	- 1.4	- 2.0		- 2.6	81	76	80	06 3	04 2	04 1	8	7 =°	9 =°	10 =°			=° n,a,p
6	06.2	06.8	06.8	- 3.8	- 1.8	- 1.8		- 3.9	86	79	81	02 4	00 0	06 4	9	4	9	9			
7	07.1	07.3	07.8	- 1.0	- 1.4	- 0.8		- 1.8	76	80	74	04 6	06 5	06 4	8	7	6	9			=° p
8	14.4	19.1	22.1	- 0.4	- 0.4	- 0.7		- 2.6	87	90	84	06 4	02 3	00 0	8	10	4	10			
9	28.2	**29.6**	26.3	- 3.8	- 3.8	- 3.5		- 3.8	86	80	92	25 6	26 4	18 3	9	4	8	10 *			* p
10	05.0	02.0	01.0	0.0	- 1.8	- 2.8		- 4.1	97	97	93	16 5	18 3	16 1	7	10 *	10 *°	10 *°	1.6		* n, *° a,p
11	94.6	97.2	96.9	- 3.4	- 4.1	- 4.4		- 5.6	80	75	80	04 5	04 2	08 4	9	10	3	4	2.7		⊙ a
12	99.6	01.7	01.9	- 6.4	- 5.8	- 4.8		- 6.6	76	74	76	08 3	10 2	09 3	9	3	6	10			
13	01.6	02.0	00.6	- 3.8	- 4.6	- 4.7		- 5.6	74	76	**71**	18 1	16 2	14 1	9	10	6	7			
14	94.5	92.5	90.6	- 1.8	- 0.8	1.8		- 6.1	86	94	86	06 6	06 6	06 5	4	10	10 *°	10	0.1		*° n, *° + a, *° p
15	90.3	89.7	88.6	**3.0**	1.5	1.6		0.4	85	91	92	09 6	06 5	04 6	8	10	10	10 •°	7.5		• n, •° p
16	89.9	93.9	95.4	2.0	1.6	0.8		0.4	96	97	97	16 3	16 3	16 3	3	10 •	10 •	10 ≡	14.5		• n, ≡ • a, ≡ p
17	95.5	95.1	94.8	- 1.6	- 0.8	- 1.8		- 3.1	94	87	86	16 1	06 1	06 3	8	10	9 =°	1 =°	1.0		=° a, ≡° p
18	96.2	96.9	96.8	- 2.0	- 2.4	- 2.6		- 3.1	75	87	85	04 5	02 6	04 6	9	1	10	10			
19	94.5	94.4	93.5	- 1.2	1.5	2.2		- 2.6	94	86	79	02 6	08 4	06 3	6	10	10 *°	10	0.3		* n,a
20	89.2	85.3	81.7	0.2	1.0	1.0		- 0.6	90	79	74	04 3	04 6	04 7	7	7	10 •°	10	0.4		
21	76.1	**75.4**	75.6	0.4	0.4	- 1.7		- 1.8	76	80	75	08 3	02 2	05 4	9	9	9	5	0.0		
22	77.2	78.2	79.0	- 3.5	- 4.4	- 5.0		- 5.6	79	75	75	04 4	04 4	04 5	9	10 *°	8	10			
23	80.5	82.7	84.0	- 6.4	- 5.6	- 5.6		- 6.8	86	86	77	04 5	04 5	04 6	8	10 ♦°	10 =°	10	0.1		♦° n
24	87.2	89.1	90.8	- 5.8	- 6.8	- 6.8		- 7.0	81	76	77	02 6	04 6	04 5	9	2	2	9			
25	94.7	98.4	00.3	- 5.8	- 6.0	- 6.2		- 7.1	88	84	90	04 5	06 5	06 5	7	10 *°	10 *°	10 *°	0.0		*° n,a,p
26	04.9	07.0	07.9	- 8.0	- 8.8	- 8.6		- 9.6	86	80	82	06 5	08 3	08 2	6	10 *°	10 *°	10 *°	0.3		*° n,a,p
27	08.5	07.3	06.5	- 9.4	- 9.5	- 8.9		**-10.4**	86	84	85	06 3	10 2	08 3	9	3	3	9	0.1		
28	02.4	01.0	02.5	- 7.8	- 7.6	- 6.8		- 9.6	93	96	95	06 4	06 5	06 5	5	10 *	10 *	6	0.0		*° n, * +° a
29	09.4	09.0	07.1	- 5.6	- 3.6	- 2.2		- 8.6	92	90	97	16 4	16 5	16 5	5	10 *°	10 *	10 *	0.5		*° n, * a, * + p
30	06.4	11.8	17.3	- 1.8	- 2.8	- 4.5		- 5.0	97	80	72	16 2	18 3	24 2	9	10 *°	10	1	5.1		*° n
31	19.4	16.8	14.1	- 4.7	1.4	0.8		- 5.2	94	92	94	06 4	16 4	16 2	7	10 *°	10 •°	10 •°	0.4		*° n,p
M	98.3	99.0	99.0	- 2.7	- 2.4	- 2.6		- 4.3	86	84	83	3.9	3.5	3.4	7.7	8.0	8.0	8.4	35		

Isfjord Radio

$\varphi = 78°\ 4'N$ $\lambda = 13°\ 38'E$ $g = 9.830$ $\Delta G = +1^h$ **November XI** $H_s = 7$ $H_b = 9.0$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.7$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	03.0	99.7	98.0	**2.0**	0.6	0.0		- 1.7	82	97	96	12 1	16 3	18 2	4	10 •	10 •	10 ≏°	0.6		• n, •° • a, *° p
2	96.5	97.0	97.0	- 3.4	- 5.0	- 5.2		- 5.8	90	80	77	18 3	18 2	04 4	9	10	9	9	8.2		
3	97.8	98.0	97.4	- 6.4	- 9.8	-10.0		-10.2	76	76	76	30 4	26 4	00 0	7	10	10 *°	10			*° a
4	96.9	93.4	93.1	-11.0	-11.8	-14.0		-14.0	77	70	82	04 5	04 3	04 5	9	1	1	10	0.0		
5	92.1	92.9	94.8	-11.4	- 8.1	- 8.1		-14.7	91	85	74	32 6	04 7	06 6	6	10 *	10 *	10 =°	0.1		+° n, * a, =° p
6	99.6	02.8	05.5	- 9.3	- 9.8	-10.4		-13.2	79	80	64	02 7	08 6	08 6	9	10	7	3	0.1		
7	08.9	07.8	08.1	-11.0	-11.2	-12.0		-12.2	74	80	80	06 5	04 5	06 6	9	1	1	3			
8	13.0	16.4	18.0	-13.8	-13.9	-14.0		-14.6	80	76	76	08 6	08 6	04 6	8	2	8 =°	2			=° a
9	20.1	20.2	19.2	-13.8	-13.5	-12.6		-14.2	82	84	85	08 5	08 5	08 3	9	1	1	2			≏ 18⁰⁰
10	21.9	24.5	**25.4**	-12.4	-12.8	-13.4		-13.4	85	75	64	08 5	06 3	08 1	9	1	1	0			≏ p
11	23.3	21.0	18.6	- 8.2	- 4.0	- 4.0		-15.2	85	74	72	00 0	22 4	20 4	8	10	10 =°	10 =°			=° a,p
12	08.5	03.1	97.8	- 4.2	- 4.2	- 4.2		- 9.7	91	92	92	22 5	20 3	18 2	8	10 *	10	10 *	0.1		* + n, * a,p
13	91.0	91.6	94.6	- 7.9	- 9.4	-11.8		-11.8	94	84	72	06 6	06 6	04 5	8	10 *°	10	5	1.5		*° + n
14	01.4	02.8	02.2	-11.8	-12.0	-11.7		-15.7	85	84	74	30 5	30 3	30 3	8	3 *°	9	6	0.0		
15	00.4	00.8	99.4	-15.0	-15.8	-14.6		-16.2	86	86	82	04 3	06 2	06 1	9	1	5	10			
16	98.3	99.0	99.2	-13.7	-11.0	-12.2		-15.7	80	74	81	08 4	04 3	08 3	9	10	10	10			
17	96.3	92.7	86.8	- 9.8	- 9.5	- 5.6		-11.7	86	88	91	04 6	04 5	04 7	9	10	3	4			
18	**84.0**	84.9	86.6	- 4.0	- 5.2	- 8.0		-10.7	87	96	86	28 1	28 2	06 3	9	10	10	10			
19	91.0	92.1	92.3	-10.8	-11.8	-12.0		-12.2	75	80	74	26 3	04 2	08 2	9	10	10	10			≏° a
20	95.9	98.0	98.3	-13.6	-14.2	-15.8		-15.8	80	76	82	06 6	06 6	04 6	9	5 *	1	1	0.0		
21	99.7	99.9	99.5	-17.8	-16.2	-15.6		-17.8	75	71	87	04 4	28 4	32 4	9	0	2	10 *			
22	01.7	04.7	06.0	-16.4	-16.8	-12.2		-18.2	74	75	74	28 4	28 3	32 2	8	10	10	10	0.0		
23	12.4	16.1	19.0	-17.2	-16.2	-17.3		-17.3	71	74	77	04 3	04 3	04 1	9	1	2	1			≏ p
24	19.0	14.3	08.8	-15.6	-15.4	-15.3		**-18.7**	84	86	92	06 4	08 5	08 6	8	10	10	10 *			* p
25	06.6	05.5	02.3	-10.6	- 8.8	- 7.0		-15.7	75	67	63	08 3	04 3	14 3	9	8	10	10	0.0		
26	89.9	90.8	96.1	- 5.0	-10.0	-11.8		-11.8	94	86	84	28 4	26 5	26 5	8	8 *	10 +	10 *°	1.3		* n, + a,p
27	07.7	07.1	03.6	-15.7	-16.5	-16.2		-17.2	74	77	80	04 4	04 4	04 5	8	2	4	5	0.1		
28	99.5	02.0	04.1	-15.4	-15.8	-16.8		-17.2	80	77	82	04 5	04 5	04 5	9	1	1	1			≏ 7⁰⁰
29	05.4	05.1	03.8	-14.4	-13.8	-13.0		-16.8	63	67	**60**	04 4	06 4	06 5	9	5	3	10			
30	00.0	00.1	99.4	-12.4	-12.7	-10.8		-13.7	86	91	92	04 4	00 0	28 2	8	2	4	10 *			* p
M	02.7	02.8	02.5	-11.0	-11.2	-11.2		-13.8	81	80	79	4.2	3.9	3.8	8.3	6.1	6.4	7.1	12		

Desember XII

1	99.7	05.9	08.4	-16.4	-20.1	-19.6		-20.7	81	82	84	04 5	04 6	04 5	9	10	8	2	0.0		
2	15.5	18.0	18.1	-22.6	-22.9	-22.2		-22.9	84	80	77	08 4	08 3	08 3	5	1	2 =	1			= a, ≏ p
3	15.8	14.2	12.7	-22.1	-22.0	-22.2		-22.4	77	77	77	04 4	04 4	04 3	5	1	2 =	3 =			= a,p
4	12.7	14.5	14.9	-22.0	-22.5	-22.9		-23.7	71	71	71	08 3	06 4	06 4	7	0 =	1 =	2			= n,a
5	16.9	17.9	17.4	-21.2	-20.3	-20.0		-23.2	79	74	75	04 3	06 2	06 3	6	3 =	1 =	0 =			= ≏ n, = a, ≡ p
6	12.4	09.4	06.7	-16.6	-13.6	-12.6		-20.6	85	85	77	04 6	04 5	04 3	6	10 ≏°	9 *	5	0.4		≏° n, * a, ≏ 18⁰⁰
7	92.6	85.2	83.4	- 9.2	- 8.0	-11.2		-12.7	80	96	94	08 7	06 6	04 5	4	10 *°	10 *	10 *°	0.1		*° n, * + a, *° +² p
8	93.8	94.3	94.0	-23.2	-25.2	-23.6		**-25.2**	80	77	80	28 6	04 2	04 3	4	7 *	0 =	4	3.3		* n, = a
9	93.6	93.1	93.8	-21.9	-21.0	-20.6		-23.7	86	86	84	06 6	06 7	06 5	6	3 =°	4 =	1			= n,a
10	93.9	95.9	02.3	-15.4	-13.4	-13.2		-21.7	84	85	80	32 6	02 7	02 7	6	10 *	5 =²	5	0.1		+ n, =² a
11	13.1	17.7	20.6	-16.6	-17.4	-18.8		-18.8	82	88	88	04 5	04 5	04 5	4	3 =	9 *	2 +			= n, + + a, + p, ≏ 18⁰⁰
12	24.1	**24.4**	23.8	-19.8	-19.8	-19.6		-20.4	87	82	80	06 4	06 3	06 2	6	1 =°	3 =	8 =	0.1		=° n, = a,p
13	22.8	20.8	18.2	-20.6	-19.6	-18.6		-20.7	86	91	75	06 6	02 6	04 6	5	2 =	10 =	4 =°			= n,a, =° p
14	10.5	09.0	05.9	-15.6	-12.4	-10.8		-18.7	95	80	77	06 8	08 8	08 8	8	10 *°	10	10 *	0.0		* n
15	08.9	10.2	09.1	- 9.7	- 7.8	- 5.2		-10.8	87	77	70	08 7	10 6	20 6	8	10 *°	10	10	0.4		*° \ n, * a
16	05.5	02.6	99.1	- 0.6	1.4	1.8		- 5.2	75	77	93	18 5	14 6	14 7	8	10	10	10 ‡°	0.1		‡° p
17	97.0	96.4	03.7	- 5.2	- 8.0	- 9.1		- 9.2	94	93	91	30 0	06 5	28 5	3	10 *	10 *	9	12.5		* n, *° a,p
18	05.9	92.8	84.4	-11.8	- 9.2	- 6.0		-12.5	82	87	77	04 3	04 5	04 5	6	10	10 *	10	1.2		* a
19	88.3	90.7	89.1	- 5.3	- 5.8	- 5.9		- 7.2	90	94	93	08 3	02 3	04 5	9	10	10	5	0.6		
20	94.8	02.9	05.9	- 7.9	- 9.1	-10.2		-10.2	80	80	80	04 6	04 4	04 6	9	7 =°	6	10 *°			*° p
21	16.7	20.5	19.5	-13.8	-15.2	-16.5		-17.2	90	84	86	04 6	04 4	04 1	8	10 *°	10	10 *	0.4		* p
22	06.3	00.7	00.1	-15.0	-13.9	-12.1		-16.7	92	96	94	06 6	06 6	06 5	3	10 *	10 *	10 *°	1.0		* n,a, * *° p
23	02.1	00.3	96.0	-13.0	-11.8	-12.4		-14.2	92	92	92	06 4	08 2	08 3	6	10 *°	10 *°	10 *°	0.8		*° n,a,p
24	96.0	98.9	00.3	-12.8	-13.0	-11.6		-13.2	90	85	86	02 5	04 1	00 0	9	10	9	10	0.9		
25	04.5	12.5	17.6	-15.8	-19.8	-21.9		-21.9	90	91	86	06 5	02 6	02 4	6	10 *°	10 *°	6	0.6		*° n,a
26	18.8	12.5	05.2	-21.2	-19.2	-16.2		-24.2	84	81	86	04 5	06 5	08 5	8	10 *°	10	10 *°	1.0		*° p
27	89.0	90.1	88.7	- 8.9	- 6.6	- 6.8		-16.2	92	82	90	04 5	04 5	04 5	9	1	4	10 *°	0.6		*° n, ≏ 7⁰⁰
28	62.0	58.5	**58.1**	**2.0**	- 1.8	- 4.2		- 8.7	92	95	97	16 5	15 4	16 5	7	10 •°	10 ‡°	10 ≏°	3.0		‡° n, ‡ a, ≏ p
29	69.5	74.3	77.4	- 4.6	-10.0	-13.6		-13.7	94	76	75	06 7	08 6	08 6	8	10 *	10	4	4.4		* n
30	82.6	85.4	87.9	-15.2	-14.8	-15.8		-16.2	64	56	**54**	06 7	06 5	06 5	8	3	4	2			
31	93.0	94.7	95.1	-13.0	-13.4	-13.0		-15.8	82	81	85	08 6	32 6	02 7	8	4	10	10			
M	01.9	02.1	01.8	-14.0	-14.1	-14.0		-17.0	84	83	82	5.1	4.7	4.6	6.6	6.9	7.3	6.5	32		

Ekstensotabell

1948

Hopen

$\varphi = 76° 30'N$ $\lambda = 25° 4'E$ $g = 9.829$ $\Delta G = +1^h$

Januar I

$H_s = 6$ $H_b = 7.1$ $h_t = 1.8$ $h_a =$ $h_d = 8.0$ $h_r = 1.9$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.8	04.5	03.5	-26.5	-25.9	-24.2		-27.7	77	78	77	24 3	00 0	28 3	9	0	0	0			
2	03.7	00.7	99.8	-26.5	-25.1	-27.5		-27.6	79	78	78	00 0	02 2	00 0	9	1	3	1			⛅ n, ⛅° 14, ⛅ p
3	00.3	01.6	02.5	-28.0	-28.0	-28.2		-29.2	75	73	**67**	31 5	03 4	03 3	5	0 ↔	1 +°	1 ↔°	0.0		↔° ⊕° ⛅ n, ⛅° +° =° a, ⛅ +° ↔° p
4	03.2	03.5	02.4	-27.2	-27.8	-26.6		-28.6	83	83	84	32 5	26 5	28 7	8	0 +°	1 +°	0	0.1		↔° ⛅° +° n, +° a
5	00.7	01.4	01.2	-22.0	-22.5	-22.8		-28.5	87	87	87	32 5	04 6	04 4	7	10 *°	7 +°	0	2.0		*° +° n,a, ⛅ p
6	98.6	98.7	98.0	-21.6	-20.2	-20.4		-23.6	87	89	89	28 6	28 6	27 5	9	1 +°	7	10 ♎°	0.0		+° ⛅ n, ⛅ p
7	01.4	04.5	07.1	-15.4	-19.0	-22.9		-23.0	92	89	87	02 1	02 3	06 3	8	8 ↔°	10 =°	0	0.1		↔° ⛅ n, ↔° a, ⛅° p
8	09.5	11.5	11.4	-23.2	-23.9	-25.9		-26.1	87	87	86	04 3	04 2	00 0	9	1	1	0	0.0		⛅ n, ⛅° 14, ⛅ p
9	09.1	04.1	98.5	-22.1	-20.8	-17.5		-26.0	86	87	90	04 3	10 4	08 4	8	0	10 =°	10 *			⛅ n, * p
10	97.4	98.2	97.5	-21.8	-20.7	-19.8		-21.8	87	89	89	00 0	00 0	00 0	9	1 =°	4	7	1.7		*° n, ⛅° 14, p
11	92.7	93.2	93.0	-13.8	-11.6	-11.9		-19.8	92	93	93	26 1	00 0	23 3	8	4 =°	10 =°	10 *	1.4		* +° n, * a, *° p
12	94.2	92.5	91.8	-11.6	-15.2	- 8.2		-16.0	91	86	93	01 4	27 6	08 4	7	3	7 +°	3 +°	2.2		*° +° n, +° a, ♦° *° +° p
13	90.4	89.0	85.8	- 9.8	- 7.6	- 8.0		-10.8	91	94	94	01 4	04 4	04 2	4	9 =°	10 *	9	0.8		*° +° n, * a, *° p
14	90.4	78.1	74.9	-10.4	- 6.3	- 4.9		-11.7	93	97	98	08 2	03 4	05 2	5	10 =°	10 *°	10 *°	0.9		*° +° n, *° a, *° +° p
15	**74.3**	77.7	84.8	-12.8	- 8.7	-10.5		-14.3	90	91	87	00 0	26 3	18 3	8	0	1 ↔°	0	0.9		↔° n, *° ↔° a, *° ↔° ⛅ p
16	95.6	98.6	02.3	-12.8	-13.1	-16.5		-16.5	80	86	82	23 2	00 0	03 2	9	1	10	10 *°	0.6		*° n
17	11.1	14.7	15.7	-23.0	-26.3	-27.0		-27.6	80	79	78	04 2	04 1	04 2	9	0	1 ⊕	0	0.0		*° n, ⊕ ⛅ p
18	15.6	14.6	13.3	-25.6	-21.5	-21.9		-27.1	70	79	83	08 3	14 2	00 0	9	1	2	0			⛅ n,p
19	12.6	12.1	11.5	-11.4	-14.4	-13.3		-22.3	92	90	91	06 4	00 0	05 3	6	10 *°	3 ↔°	10 *°	0.2		*° = ∨° n, =² (≡) ↔° a, = ↔° ⛅° *° p
20	14.4	17.5	19.8	-18.8	-21.9	-24.4		-24.5	87	84	82	06 4	04 3	04 4	8	10 *	10(=)	2	1.1		* +° n, *° +° a, *° p
21	23.9	**25.1**	23.6	-27.4	-28.6	-29.9		-30.0	77	79	79	04 2	06 1	00 0	9	2	0	0	0.2		⊕ ⛅ n, ⛅ p
22	14.8	10.9	09.3	-17.8	- 8.8	- 5.9		**-30.7**	86	86	90	00 0	18 5	20 5	8	10 =°	10 =°	10 =°			⊕ ⛅ n, +° a,p
23	08.5	09.7	09.5	- **3.6**	- 7.6	- 8.4		- 8.4	90	91	89	18 5	24 2	00 0	9	10 =°	1	0	0.0		*° n
24	04.2	96.8	92.3	- 7.5	- 4.1	- 3.8		-12.4	94	98	98	04 3	04 4	04 3	6	10 *°	10 *°	10 =°	0.0		=² n, *° a,p
25	94.1	99.5	01.8	- 8.3	-10.6	- 6.4		-11.7	92	85	94	26 3	26 3	23 4	9	10 *°	4	10	1.2		*° n, =° a
26	09.9	13.8	14.8	- 8.9	-11.0	-13.1		-13.2	87	91	90	24 4	26 3	26 3	9	10 =°	3	10 =			=° n,a, ≡ ∨ ♎° p
27	11.5	09.2	09.3	- 4.2	- 3.7	-10.2		-16.4	90	90	89	18 4	18 7	04 4	7	7 =°	9 +°	10 *°	0.0		⊕ n, +° a,p
28	12.4	11.3	10.7	-14.4	-11.0	- 7.7		-15.9	89	92	94	06 3	00 0	24 4	8	10 =°	10 =°	10 =°	0.5		*° n, =° a,p
29	06.1	99.4	93.9	- 6.4	- 5.8	- 5.6		- 7.8	86	95	95	00 0	04 4	04 3	5	8	10 =	10 =°			=° n,a, *° ∿° =° p
30	87.5	88.2	89.9	- 6.8	- 9.8	-14.3		-14.4	91	89	87	04 4	03 6	03 5	7	10 *°	9 +°	9 ♦°	0.8		*° +° n, +° a,p
31	94.8	95.6	96.1	-17.6	-18.9	-15.6		-18.8	82	84	83	08 3	06 2	05 3	9	10	10	7	0.1		+° n, ⛅° p
M	02.6	02.5	02.1	-16.4	-16.1	-16.2		-20.4	86	87	87	2.8	3.0	2.8	7.7	5.4	5.9	5.5	15		

Februar II

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	96.2	98.2	01.2	-11.5	-11.0	-12.5		-16.4	90	89	89	02 3	04 4	04 4	9	10 =°	10	10 *	0.4		*° =° n, =° a, *° p
2	07.9	11.4	14.9	-12.6	-19.0	-23.2		-23.2	89	80	78	27 2	28 5	30 3	9	10 *°	1	0	0.7		*° n, =° a, ⛅ p
3	17.6	18.3	17.7	-28.8	-29.2	-28.6		**-29.5**	78	78	77	00 0	00 0	00 0	9	1	1	0			⛅° n
4	13.1	11.7	10.4	-18.6	-15.6	-13.7		-29.3	85	87	89	22 4	23 3	22 2	8	10 =°	10 =°	3 =°			=° n,a, =° ⛅° p
5	08.2	07.4	04.8	- 9.0	- 6.1	- 5.4		-13.9	89	85	85	22 2	18 3	20 1	7	7	10 *°	10 *°			=° ⛅° n, *° a,p
6	99.2	99.7	99.1	- 2.5	- 1.8	- 3.6		- 5.4	91	90	91	19 5	18 2	00 0	9	10	10	2	1.0		*° n, ♦° a, ⛅ 19
7	94.6	91.8	91.8	- 4.8	- 0.2	- 0.2		- 6.3	91	97	97	00 0	20 5	18 5	7	10	10 *°	10 *°	0.4		*° +° a, * p
8	91.4	94.9	99.7	-10.4	-19.3	-19.8		-21.4	90	85	83	04 4	00 0	04 2	9	10 *°	1	0	4.0		,° *° n, =° a, ⛅ p
9	04.2	04.4	03.2	-21.0	-15.8	-15.6		-21.3	83	87	87	06 2	04 3	05 4	6	0	10 *°	10 *°			⛅ n, ≡ ∨ *° a, *° p
10	97.4	93.8	90.4	- 9.4	- 5.6	- 4.2		-16.2	93	95	97	06 6	05 3	07 4	9	10 *°	10	10 *	0.9		* n, (*) a, *° p
11	91.8	95.4	97.7	- 7.0	- 8.4	- 7.8		- 8.5	94	93	92	04 2	24 1	26 3	7	10 *°	10 ♎°	10 *°	3.4		* n, *° =° a, ♎° *° p
12	05.2	09.0	11.7	- 8.0	-10.3	-11.6		-11.7	93	92	91	28 3	24 2	25 2	9	10(*)	2	0	0.3		*° n, ⊙° a, ≡ ∨ ⛅° p
13	15.6	17.4	17.5	- 9.7	- 4.8	- 4.3		-15.6	91	91	87	00 0	06 2	08 3	9	10	10	10 =°			⛅ n
14	17.1	17.5	17.7	- 4.6	- 5.7	- 8.5		- 8.5	94	95	92	08 3	05 3	06 3	4	10 =°	10 *	7 *°			♎° *° n, *° p
15	18.8	21.0	22.2	-16.0	-19.8	-21.1		-21.1	87	86	85	06 2	04 3	06 3	8	10 =°	10 =°	8 *°	0.8		*° n, =° a,p
16	25.2	25.8	24.9	-18.6	-16.7	-11.4		-21.1	87	87	91	00 0	00 0	00 0	7	10	10 *°	10 =°	0.4		*° n,a, *° =° p
17	21.4	18.7	15.9	- 5.1	- 1.8	0.4		-11.5	87	94	98	20 1	20 3	21 4	7	10	10 ♎°	9 =°	0.5		*° =° ⛅ n,+° ⊙° =° a,*° ;° ♎° ,°p
18	08.1	04.0	00.7	1.7	**1.9**	1.5		- 0.4	97	97	93	20 6	20 7	20 6	5	10 =°	10(≡)	10 =°	0.8		≡° =² n, (≡) = a,p
19	07.7	12.3	14.4	-12.2	-17.1	-18.9		-18.9	79	71	73	32 3	32 4	02 3	8	10	10 =°	10	1.5		,° + =° \ n, =° p
20	24.1	**26.0**	21.7	-21.4	-21.4	-18.3		-21.5	64	**63**	78	04 3	00 0	20 1	9	1	0	10 ⊕			⛅° ⊕ n, ⊙ a
21	17.6	17.8	13.1	-18.3	-17.4	-14.4		-19.3	78	80	80	00 0	00 0	08 3	9	1	10	10 *°			⊕° ⊕ n, ⊙ a, *° p
22	91.0	96.0	03.6	- 7.6	-17.4	-19.4		-19.5	87	84	82	28 5	32 8	32 5	2	10 +°	10 +²	0 +°	3.8		* n, +² a, + p
23	11.4	11.6	07.2	-25.2	-24.1	-19.4		-26.2	78	80	83	28 3	27 1	20 3	9	0	7 =°	10 =°			=° ⊙° a, =° p
24	92.1	96.9	98.8	-12.9	-20.0	-21.6		-22.6	86	79	84	30 5	32 3	04 3	9	10 +°	10	10	1.4		*° =° n, +° ⊙ ⊕ a, ⊕° p
25	86.4	87.1	95.5	-19.4	-21.5	-25.1		-25.1	84	85	79	06 7	04 7	03 6	1	10 +²	10 +²	10 +	0.4		*° + n, +² a, + p
26	12.8	14.4	12.9	-26.4	-25.5	-26.7		-26.9	80	82	80	32 1	00 0	00 0	9	0	1	1(≡)			+ n, ⊙ a, (≡) p
27	16.2	18.4	14.7	-26.7	-25.9	-21.8		-26.9	80	80	84	00 0	00 0	00 0	9	3 =°	6	10 *°			=° ⊙° n, ↔° ⊙ a, =° *° p
28	21.9	23.9	19.4	-24.6	-26.2	-24.6		-26.6	75	78	80	32 6	04 1	08 4	9	1 +°	4	10 *°	0.6		*° ⛅° ⊕° ↔° n
29	89.9	84.6	**80.7**	- 4.2	- 1.2	- 0.7		-26.7	95	97	97	20 5	20 5	18 4	6	10 +°	10 *°	10 *°	1.9		* +° n, +° *° a, * p
M	07.0	07.9	07.0	-13.6	-14.0	-13.8		-18.0	86	86	86	2.9	2.7	2.8	7.5	7.4	7.7	7.2	23		

1948

Hopen

φ = 76° 30′ N λ = 25° 4′ E   g = 9.829 $\Delta G = + 1^h$

Mars III

H_s = 6 H_b = 7.1 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	94.8	02.2	04.7	-14.0	-19.1	-21.0		-21.3	79	78	80	00 0	00 0	00 0	9	10 *°	2 =°	3	1.8		*° n, * ⊙ a
2	91.5	88.1	97.1	-15.5	- 6.5	-18.1		-21.4	82	91	78	04 5	20 5	04 2	4	10 *°	10 +°	10 *°	1.5		* n, * +° a,p
3	75.4	**70.2**	83.7	-19.4	-21.2	-21.2		-21.8	79	79	78	04 8	32 8	32 8	2	10 *	10 +^{2}	10 +^{2}	1.1		* + n, * +^{2} a, +^{2} \ p
4	05.9	14.5	17.6	-22.4	-24.5	-25.9		-26.3	75	75	75	29 5	28 4	28 2	5	3 +°	1 =°	0 ~°	1.8		+ ◊ *° =° n, ≡ = ⊙° a, (≡) p
5	05.0	86.8	78.0	-23.3	-17.3	-17.4		-26.4	79	83	84	06 4	05 7	05 9	3	10	10 *°	10 +^{2}	0.0		~° = ⌓° n, *° + a, *° +^{2} \ p
6	92.0	96.5	99.3	-23.7	-25.0	-26.6		-26.6	79	79	77	02 3	04 2	03 4	9	8	0	0	1.9		~ + ≡° *° n, ⊙ a
7	12.0	11.9	10.6	-28.5	-26.0	-28.7		-29.3	74	75	75	32 4	27 4	01 1	8	0	3 =°	0 ~°			⌓° +° =° n, = ⊙° a, =° ⊙° p
8	11.9	13.8	13.3	-25.6	-25.4	-26.8		**-30.5**	75	75	77	32 1	20 1	04 1	9	7	0	4 *°	0.0		⌓ = ⊙° n, ⊙ a, *° (≡) p
9	13.2	14.1	12.9	-26.0	-26.8	-26.4		-28.6	86	73	74	32 3	30 2	28 4	9	2	1	3(≡)	0.6		~° *° i n, ⌓° (≡) ⊙ a, ⊙ (≡) p
10	15.2	17.4	18.2	-27.2	-26.3	-26.7		-28.4	74	74	77	20 2	32 1	00 0	7	0	0 =°	0			⌓ (≡) n, ⊕ ~° a, ~ p
11	18.7	17.3	13.6	-24.4	-20.7	-17.9		-27.5	78	79	83	00 0	24 3	22 4	7	9	9 =°	10 =^{2}	0.3		~° ⊙° n, =° a, =^{2} p
12	04.9	01.8	97.6	-23.6	-24.5	-25.1		-25.2	**71**	77	78	32 5	04 5	06 5	9	3	10	10 *°	0.9		* +° ⊙° n, ⊙ a, *° + p
13	96.6	00.3	03.8	-27.6	-27.2	-27.8		-28.2	77	75	74	04 6	03 4	30 6	9	9 +°	2	0 +°	0.9		*° +° ⊙° n, +° ⊙° a,p
14	16.7	21.7	**23.2**	-26.2	-24.5	-23.3		-28.6	75	75	74	26 5	24 3	24 2	9	4 =°	0	0	0.0		~° ⌓° +° n, ~° ⊙ a
15	13.1	06.7	02.2	-11.2	- 3.6	- 4.7		-24.1	87	95	94	18 4	18 6	16 7	1	10 *	10 *	10 *	1.1		*° + n, * + a,p
16	95.5	93.8	95.7	- 2.8	- 2.9	- 0.3		- 4.8	93	93	95	16 4	00 0	18 3	8	10 =°	10 =°	4	6.4		* ⁑ +° =° n, =° a, *° ◊° p
17	98.5	98.2	00.0	- 3.4	- 1.5	- 1.8		- 9.0	95	97	97	06 2	15 2	15 2	5	10 =°	10 *°	10 *°	0.1		⌓ ⦶ ≡ n, = * a, *° =° p
18	99.2	98.7	98.0	- 5.6	- 4.5	- 4.4		- 5.8	80	82	89	11 4	11 3	08 3	8	10 =°	10 =°	10 ◊°	1.3		=° *° i n, =° a, ◊° p
19	95.5	98.8	01.0	- 3.7	- 4.7	- 7.3		- 7.3	95	90	86	12 3	19 3	00 0	9	10 *°	10	10 ⦶°	0.6		*° n, ⊙ a
20	95.4	91.3	87.8	- 2.4	- 2.1	- 1.9		- 7.7	91	86	95	13 4	08 4	10 5	9	10	10	10 *°			⦶ n, *° p
21	86.9	86.4	86.3	- 2.0	- 1.0	- 1.0		- 2.2	95	94	95	04 3	06 4	08 4	8	9(≡)	10 =°	10 ⩓°	0.5		(≡) =° ≡^{2} ⩓° n, ⩓° a, (≡) ∧ p
22	88.9	92.4	95.7	- 1.5	- 1.7	- 3.3		- 3.3	97	94	90	08 3	07 3	06 4	8	10 =°	10 =°	10 =°	0.8		*° =° n, * a, =° p
23	00.9	03.3	04.9	- 4.3	- 5.6	- 8.8		- 8.8	92	85	85	05 2	03 1	00 0	9	10 =°	5	7 ⦶°	1.3		=° n, =° ⊙ a, ⊙ ⊕ p
24	05.5	05.5	05.5	- 9.5	- 6.8	- 6.1		-13.9	82	89	87	27 2	26 2	24 3	9	0	1	10 *°			⊙ n,a, ⊙ * i p
25	08.1	08.5	06.5	- 4.8	- 2.9	- 2.4		- 6.3	82	85	97	24 2	20 4	20 4	9	10	10	10 =^{2}	0.2		=° ⊙ *° i n, ⊙° a, ⊙° = p
26	83.5	76.2	72.9	- 0.9	**- 0.5**	- 3.2		- 3.3	97	84	91	18 4	18 6	20 8	9	10 *	2	10 +	2.4		=° * n, * ,° =° ⊙° a, + ⊙° p
27	73.7	79.4	93.5	- 9.6	- 7.5	-11.1		-11.1	77	79	84	24 6	32 5	03 7	7	7	10 ◊°	7 +	2.3		+° ⊙° \ n, ⊙ a, ◊° + \ p
28	11.1	12.3	12.0	-15.6	-15.2	-16.8		-17.0	74	75	77	01 5	03 3	32 2	9	2	9	10	1.2		+ ⊙ \ n, ⊙ a
29	09.1	01.0	93.3	-14.2	- 6.1	- 1.6		-19.5	86	89	97	08 2	16 5	20 5	7	10	10 *	10(*)			⊙ n, *° i a, *° ≡ p
30	94.6	88.2	92.2	- 7.6	- 0.8	-10.3		-10.3	86	98	83	00 0	20 5	04 3	3	9	10 ⩓°	10	0.6		*° ⊙° n, ⩓° = a, ⩓° = ∾° p
31	00.8	04.0	03.7	-15.6	-17.2	-16.8		-18.2	74	78	82	04 2	02 3	01 3	9	10	10	10	0.3		⊙ a,p
M	00.4	00.0	00.8	-14.3	-12.9	-14.0		-17.5	83	83	84	3.3	3.5	3.6	7.3	7.5	6.6	7.0	30		

April IV

Datum	P 8	P 14	P 19	T 8	T 14	T 19	Max	Min	U 8	U 14	U 19	D,F 8	D,F 14	D,F 19	V 14	N,w 8	N,w 14	N,w 19	R	h_s	W
1	88.0	**85.5**	91.0	-13.5	-12.2	-14.5		-16.8	90	90	86	04 8	04 5	32 4	7	10 +^{2}	10 =°	10 =°	1.8		* +^{2} n, +^{2} =° a, =° p
2	97.3	98.1	97.7	-19.6	-19.3	-20.4		-20.4	84	85	84	04 5	04 6	04 6	9	8	8	10			=° ⊙ n, ⊙ a
3	02.2	04.2	04.4	-20.1	-18.7	-19.7		-21.9	84	85	74	02 7	04 4	03 5	9	0 =°	4 =°	10 =°			=° ⊙ n,a,p
4	07.5	06.4	05.1	-17.8	-16.1	-16.4		-19.8	75	84	83	04 5	04 5	04 6	5	10 =°	10 *°	10 *			=° n, * = a, *° +° p
5	01.3	01.8	04.8	-21.4	-21.1	-24.7		-24.7	71	70	69	04 6	03 7	05 5	1	10 +^{2}	0 +^{2}	4 +°	4.1		* +^{2} n, +^{2} ⊙° a, + ⊙ p
6	10.9	12.9	14.2	-24.7	-23.5	-24.9		**-26.8**	69	69	78	04 4	04 4	04 4	9	9	0	0			+° ⊙° n, ⊙ a,p
7	13.8	13.1	12.9	-25.0	-23.7	-24.0		-26.2	79	75	75	04 5	04 5	04 3	9	0	0	0			⊙ n,a,p
8	13.3	13.1	12.8	-21.3	-15.9	-21.1		-25.4	75	**62**	66	00 0	00 0	00 0	9	0	0	0			⊙ n, ⊙^{2} a,p
9	13.7	14.6	15.0	-14.1	-11.5	-14.8		-22.0	71	71	88	00 0	00 0	00 0	9	8	2	4			⊙° n, ⊙ a,p
10	17.0	18.5	19.6	- 8.2	- 6.7	- 7.0		-15.0	77	72	75	00 0	17 1	22 3	9	6	2	10			⊙ ~ n, ⊙ a,p
11	25.4	31.9	**33.8**	-10.4	-14.3	-17.0		-17.0	74	67	77	03 4	04 2	00 0	9	6	0	0	1.0		* ⊙ n, ⊙^{2} a,p
12	29.3	24.1	17.9	-10.2	- 3.3	- 3.0		-19.2	92	96	89	00 0	12 1	07 3	8	10 =°	10 =°	10 =°	0.0		=° *° n, =° a,p
13	06.5	02.7	99.6	- 1.0	- 0.3	- 0.7		- 3.0	97	97	99	06 2	07 2	07 3	7	10 =°	10 =°	10 ⩓°	0.1		= ⩓° *° i n, = a, *° ∧° =° p
14	96.7	98.5	99.7	**- 0.2**	- 1.5	- 2.0		- 2.0	99	97	95	04 2	24 2	22 3	5	10 ≡	10 *°	10 =°	0.7		= *° i n, ≡° = * a, * = p
15	01.9	03.9	04.2	- 4.7	- 7.2	- 9.2		- 9.3	91	82	88	00 0	06 2	04 2	8	10 *°	10 =°	10	1.6		=° *° n,a, *° i p
16	06.2	11.6	15.5	- 9.6	-13.9	-16.4		-16.5	95	91	88	04 5	03 5	04 4	8	9	10 +°		0.6		*° =° ∨° n, +° ⊙° a,p
17	21.9	21.6	19.6	-14.9	-12.8	-10.8		-18.9	87	88	92	04 3	04 3	05 3	8	9	10 *°	10 *°			⊙ n, ⊙° a, *° i p
18	19.5	18.9	17.2	- 4.3	- 4.3	- 5.2		-11.0	96	89	88	04 3	09 4	06 4	8	10 =°	10 =°	10 *°	0.1		≡ =° *° n, ⊙ * i a, *° =° p
19	16.1	18.5	18.7	- 8.8	-10.3	-14.7		-14.7	89	88	89	04 4	05 3	07 1	9	4	1	1	0.1		*° ⊙° n, ⊙ a, ⊙^{2} p
20	12.7	04.6	97.0	-10.8	- 3.2	- 0.7		-19.2	94	89	97	00 0	16 4	20 4	5	10	10 *°	10 =°			~° n, *° a, * p
21	00.9	03.2	99.9	- 9.5	-10.3	- 9.1		-10.7	89	73	83	24 4	25 5	18 5	9	0	1	2	0.6		+ = ⊙ n, ⊙ a,p
22	02.1	10.6	14.6	-11.7	-10.3	-10.8		-12.1	84	79	80	02 8	03 5	05 4	9	9 +°	8	2			+° ⊙° n,a, ⊙ (◊) p
23	24.4	27.0	28.1	-11.6	- 9.7	-12.1		-13.7	74	78	79	02 3	28 2	00 0	9	0	0	0			⊙ n, ⊙^{2} a,p
24	28.9	25.8	18.2	-10.7	- 7.8	- 6.1		-15.9	74	74	96	00 0	16 2	16 2	9	0	10	10 *			⊙^{2} n, ⊙ ⊕ a, =° ⊙° * p
25	05.9	09.3	09.9	- 2.6	- 3.0	- 4.6		- 6.3	94	96	96	26 5	05 2	10 4	6	1 +°	10 =	10 =°	10.1		* +^{2} ⩓° ⊙ n, = ⊙° a, = p
26	02.1	98.8	97.0	- 2.0	- 1.4	- 1.3		- 4.6	96	96	95	10 3	12 3	20 3	5	10 *°	10 *°	10 =°	0.1		= *° ∾° n, *° i a, *° = p
27	97.9	00.1	00.8	- 3.6	- 6.2	-12.8		-13.0	92	83	86	02 1	04 4	04 4	9	10 =°	10	9	0.4		=° n,a, ⊙ p
28	02.2	05.0	05.7	-10.8	- 9.0	- 9.9		-13.5	92	94	94	04 6	05 6	05 6	3	10 *°	10 +	9 *°	0.3		*° i n, *° i + a, *° i +° p
29	03.8	03.7	03.9	-13.8	-10.8	-12.7		-15.5	88	79	84	03 5	02 5	32 5	7	10 +°	10 +°	10 =°	0.6		*° =° +° n, +° ⊙° a, +° =° p
30	05.6	07.5	10.5	-14.0	-18.1	-20.4		-20.6	71	82	79	01 7	32 9	32 9	0	10 +	10 +^{2}	10 +			+ n, +^{2} ⊙ a, + \ p
M	09.2	09.8	09.6	-11.7	-10.9	-12.2		-15.9	85	83	85	3.5	3.6	3.5	7.2	7.0	6.5	6.7	22		

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 ΔG = + 1h **Mai V** H_s = 6 H_b = 7.1 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	15.6	17.0	17.4	-20.4	-18.7	-19.4		**-22.1**	75	77	77	32 5	03 2	32 1	9	9 +°	9	0			+° ⊙° n, ⊙° a, ⊙ p
2	17.9	17.2	16.3	-15.7	-13.3	-16.6		-21.6	75	**63**	74	20 2	16 1	05 2	9	9	1	10			⊙° n, ⊙ a,p
3	10.4	12.1	15.2	-16.4	-15.0	-16.1		-18.6	73	73	71	03 6	02 5	02 3	9	4	7	0			⊙ n,a,p
4	23.4	25.6	25.9	-12.7	-11.5	-10.7		-18.9	72	71	82	00 0	00 0	00 0	9	6	0	1			⊙ ⊕ n, ⊙² a,p
5	24.7	25.3	26.0	- 0.2	1.2	- 1.6		-10.9	75	79	89	18 4	16 4	04 2	9	2	0	10			⊙ n,a,p
6	27.7	29.0	29.6	1.5	1.2	1.3		- 1.7	86	87	89	18 5	18 3	18 4	9	0	2	10			⊙ n,a,p
7	30.6	26.5	21.5	0.3	0.3	- 0.8		- 0.9	88	95	97	00 0	16 2	10 1	9	3	9	9			⊙° n, ⊙ a, ⊙° p
8	12.2	16.8	17.1	**2.3**	1.2	1.6		- 1.2	97	84	86	18 4	18 4	20 3	9	10 ,°	1	9	0.0		= ,° n, ≡ ·° ⊙ a, ⊙ p
9	07.6	08.1	14.8	0.6	- 3.0	- 5.0		- 5.1	97	86	72	23 4	24 3	28 1	9	10 *°	8	10 *°	0.6		(≡) ⁑ * n, * ⊙ a, ⊙² *° p
10	24.4	23.4	20.4	- 7.6	- 5.0	- 4.1		- 8.9	74	73	78	19 3	21 3	21 3	8	0	10 ∆°	9 =°	3.1		*° ⊙ n, ⊙ =° a, =° ⌒° p
11	17.1	18.1	18.8	- 4.2	- 5.0	- 5.3		- 5.4	80	71	74	22 4	24 3	22 2	9	5	2	9	0.0		⊙ n,a,p
12	13.7	06.2	01.6	- 5.8	- 3.9	- 2.3		- 7.6	94	96	96	08 5	06 7	06 3	6	10 *°	10 +°	10 ≡°	0.3		*° +° n, * +° = a, ,° = ∼ +° p
13	03.3	03.0	01.2	- 4.5	- 3.3	- 1.8		- 4.7	97	95	96	07 1	13 1	07 1	0	10 =	10 =°	10(*)	4.2		≡ ⊙° = (≡) ∼ n, = a, =° * i p
14	03.4	09.0	13.3	- 2.8	- 2.0	- 2.5		- 3.0	89	87	86	23 5	24 3	24 3	9	9 =°	7	1	0.2		∆° *° = n, =° ⊙ a, ⊙ p
15	20.5	23.2	24.2	- 4.6	- 4.5	- 6.4		- 6.6	83	83	79	04 1	02 2	32 3	9	10	10	10			⊙ p
16	27.9	31.5	**32.4**	- 7.2	- 4.7	- 5.7		-10.2	84	74	73	05 1	00 0	26 1	9	9	2	6			⊙ n,a,p
17	30.7	25.1	14.1	- 3.6	- 3.0	- 0.4		- 6.7	87	87	99	16 3	15 4	16 4	7	10	10 *°	10 *²			⊙ n, *° a, * =° p
18	02.8	03.0	02.1	0.0	0.5	- 0.8		- 0.9	96	94	83	22 5	22 4	22 5	9	10 =°	10	8	5.6		· ≡ n, =° ⌒° a, ⊙ p
19	03.1	01.4	01.0	- 3.0	- 3.5	- 4.1		- 4.1	79	77	78	23 4	26 4	30 4	9	2	7	10 ⊖	0.2		* ⊙ n, ⊖° ⌒° a, ⊖° (⊖) p
20	03.0	05.2	05.6	- 5.6	- 5.7	- 5.4		- 7.1	86	87	84	06 4	04 4	32 4	7	10 ⊖°	10 *°	10 =°	0.2		⊖° (⊖) n, ⊖ ⌒° *° +° a, *° =° p
21	03.6	04.4	06.0	- 4.6	- 4.7	- 6.8		- 6.8	86	83	87	01 5	32 4	32 3	8	9 *°	10 =°	10 *°	0.2		*° =° ⌒° n, ⊖° =° ⌒° a,⊖° =° * p
22	07.2	06.8	06.0	- 9.1	- 7.0	- 7.4		- 9.4	79	80	80	03 4	03 3	01 2	8	10 *°	9 *°	10 *°	0.3		=° *° n, *° a,p
23	06.4	08.2	09.4	- 6.7	- 6.8	- 7.6		- 8.3	87	86	80	02 4	02 4	02 4	5	10 *°	10 *°	9	0.5		⊖° *° n, *° =° a, =° ⊙ p
24	08.0	09.3	10.1	- 6.8	- 6.4	- 6.6		- 7.7	80	78	79	02 2	02 2	02 2	8	10(*)	10 =°	10 *°	0.2		*° n,a
25	13.5	15.7	15.9	- 5.6	- 5.0	- 5.5		- 7.3	83	84	83	06 2	04 2	07 3	8	9 =°	9(*)	10 =°	0.4		*° ∆° ⌒° n, *° ⌒° a, =° ⌒° p
26	17.0	18.6	18.9	- 5.5	- 4.5	- 4.8		- 6.4	83	83	86	06 2	04 3	03 2	9	9	10	10 *°	0.0		=° ∆° n, ⌒° a, *° p
27	20.1	21.5	21.1	- 3.5	- 3.1	- 2.8		- 5.3	79	**63**	69	26 2	00 0	14 1	9	10	5	10	0.0		⌒° n, ⌒ a,p
28	18.9	17.8	14.3	- 2.3	- 1.4	- 2.8		- 3.8	96	86	88	07 3	08 3	08 5	9	10 *	3	10 =°	0.2		*° =° n,a, ⌒ p
29	00.5	97.0	**95.7**	- 2.5	- 1.9	- 2.4		- 3.9	00	00	99	06 7	04 6	06 5	4	10 *°	10 *°	10 *°	0.9		*° +° n,a, *° +° ∼° p
30	99.3	00.4	99.2	- 1.2	- 0.1	0.4		- 2.5	00	99	00	03 1	03 3	02 1	4	10(≡)	10(≡)	10 ≡°	1.5		*° ≡° n, =° (≡) a, ≡° · p
31	98.5	01.9	05.3	- 0.1	- 1.2	- 1.6		- 1.9	00	96	86	24 3	24 4	24 4	5	10 ≡²	10 ∆°	9	0.6		≡² ,° ⁑° n, ≡ ,° ∆° ⁑° a,=° ⌒° p
M	13.3	13.8	13.6	- 5.1	- 4.5	- 5.0		- 7.4	86	83	84	3.3	3.0	2.6	8.0	7.9	7.1	8.4	19		

Juni VI

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.7	15.6	15.9	- 2.0	- 0.5	- 0.4		- 3.2	82	82	86	22 4	22 4	22 5	9	9	4	9	0.1		⌒° n, ⌒ a, ⌒° p
2	14.5	15.3	15.6	0.4	0.8	0.4		- 0.7	94	94	97	18 4	23 3	24 1	8	10(*)	10 =°	10 =	0.0		*° n, *° (≡) a, ,° =² * p
3	17.3	18.8	18.9	0.1	- 0.4	- 0.6		- 0.7	99	97	97	26 2	00 0	26 2	6	10(≡)	10(≡)	10 =°	0.3		≡° (≡) ∧° n, ≡° (≡) a, =° p
4	17.4	16.7	15.3	0.0	- 1.3	- 1.8		- 2.3	99	96	99	00 0	00 0	04 3	1	10	10 ≡²	10(≡)			≡ ∨° n, ≡ a,p
5	11.3	09.5	08.9	- 1.3	- 1.0	- 1.4		- 1.9	89	88	88	04 4	03 4	03 4	9	10	10	10 =°			*° p
6	08.5	10.1	13.4	- 3.1	- 2.5	- 3.9		- 4.0	88	88	86	04 5	04 5	05 4	8	9(≡)	10 ∆°	10 =°	0.2		*° (≡) ⌒° n, (≡) =° ⌒° a, ∆° =° p
7	20.8	23.3	23.7	- 3.9	- 3.3	- 3.7		- 4.6	86	84	89	04 4	04 4	08 3	9	10	10	10 =°	0.1		
8	23.7	23.2	22.7	- 4.0	- 3.9	- 4.7		- 5.7	88	88	92	06 4	08 4	08 3	9	10 =°	10	10 =°	0.0		=° ,° (≡) ⌒° ⌒° n, =° p
9	24.3	26.4	**27.0**	- 4.6	- 3.1	- 3.8		**- 5.9**	95	84	89	05 1	00 0	24 2	9	1(≡)	9	9 =°	0.0		≡° ∨ ⌒° = n, =° ⌒° a,p
10	26.5	26.8	26.1	- 4.7	- 2.8	- 3.1		- 5.8	97	84	87	25 3	24 3	24 4	9	10 =°	10	10			≡° ∨° (≡) =° n
11	23.8	23.4	22.3	- 1.4	- 0.6	- 1.0		- 3.6	80	83	83	16 3	18 1	20 1	9	10	10	10(*)			*° ∧° ≡° p
12	20.1	19.3	17.7	- 1.1	- 0.3	- 1.6		- 1.9	88	**77**	84	00 0	04 1	02 3	9	10	10	10(∆)	0.1		∆ *° p
13	12.4	10.6	07.1	- 0.6	- 0.4	- 1.4		- 2.1	91	89	94	05 4	03 4	02 5	5	10 *°	10 *°	10 *°	3.0		∆° *° =° n, *° = a, * +° =° p
14	00.7	02.0	04.4	- 1.1	- 0.4	- 1.5		- 1.9	94	89	84	02 4	32 3	02 4	8	10 *°	10(*)	10(*)	10.4		+ * ≡ n, *° ≡ a, (*) p
15	07.1	03.1	**98.7**	- 1.7	- 1.9	- 0.8		- 2.3	83	92	94	02 3	26 2	32 3	3	10	10 *	10 *°	0.0		(*) ⌒° n, (*) * ∧, * ∧ =° p
16	05.1	08.3	08.4	0.7	0.2	- 0.3		- 4.3	86	83	82	02 5	02 5	02 5	9	10	1	9	5.8		*° ∆° ≡ = n, ⌒ a,p
17	08.2	08.9	09.4	- 1.4	- 1.2	- 0.3		- 1.9	86	95	89	02 5	02 4	02 5	8	10 *	10 =°	10 ∆°	0.1		∆° * n, *° a, =° p
18	11.6	11.8	11.8	- 1.3	- 0.3	- 0.8		- 1.3	94	91	97	04 7	04 6	04 5	9	10 ≡²	9	9 *°	0.1		∆ = (*) ⌒ n, ∆° =° ⌒° a, =° *° p
19	11.8	13.4	13.9	- 1.4	- 1.0	- 1.0		- 1.8	96	91	99	04 5	06 3	04 4	8	10 =°	10 =°	10 =°	0.1		*° =° n,a, =° (≡) p
20	13.4	13.8	12.9	- 0.7	- 0.1	- 0.3		- 1.3	96	87	96	03 3	07 2	03 1	8	10(≡)	10 =°	10 ⊖°	0.0		(≡) =° n, (≡) =° *° ⌒° a, ⊖° =° p
21	09.2	08.1	06.1	0.0	0.1	- 0.5		- 1.5	00	99	00	05 2	05 2	05 2	2	10 =²	10 ≡	10 =²	0.2		⊖ = ⁑° ∼° n, ≡ a,p
22	04.6	05.1	05.0	- 3.1	- 1.9	- 1.4		- 3.1	99	97	97	26 3	26 3	26 3	8	10 ≡	9 =°	10(≡)			≡ =° n, ≡ = a, (≡) = p
23	04.4	05.5	06.3	0.0	0.2	- 0.1		- 1.6	99	95	99	18 2	22 4	20 3	4	10 ≡²	10 =²	10 =°			=° (≡) ≡° n, ≡° *° ⌒° a,≡ *° ⌒° p
24	10.6	13.9	16.1	- 0.4	0.1	0.1		- 0.8	99	94	91	26 3	26 2	26 3	8	1(≡)	0(≡)	3(≡)	0.0		≡ n, =° (≡) ⌒ a, (≡) ⌒² p
25	20.7	23.2	24.0	- 0.3	- 0.3	2.0		- 1.6	00	99	89	24 4	24 5	19 2	5	10 ≡²	10 =°	10			(≡) ≡ ⌒° ∧° n,≡ =° (≡) a,(≡)=° p
26	23.7	22.5	21.8	2.1	2.5	2.2		1.3	95	91	86	21 4	20 3	19 3	8	10 =°	10 =°	10			=° n,a,p
27	19.5	16.8	13.8	0.3	0.0	0.0		0.1	95	97	96	05 3	04 4	06 4	8	10 =°	10 =°	10 ·			∧° ⁑° =° a, =° · p
28	07.2	08.1	11.7	1.2	1.7	- 0.4		- 0.6	00	99	99	00 0	00 0	20 3	7	10 ,°	10 =°	9 ≡	6.4		≡ ,° =° (≡) ⌒° a, ≡ ⌒° p
29	16.3	21.4	23.4	0.6	1.6	**3.1**		- 0.8	95	86	75	23 5	26 3	00 0	9	6	1	0	0.0		,° ≡° =° n, ⌒² a,p
30	24.9	24.0	22.5	1.7	1.1	1.2		0.2	86	89	96	00 0	00 0	26. 4	9	1	10	10(≡)			⌒² n, ⌒ a, (≡) =° p
M	14.4	15.0	14.8	- 1.0	- 0.6	- 0.9		- 2.2	93	90	91	3.2	2.8	3.1	7.4	8.9	8.8	9.3	27		

Ekstensotabell

1948

Hopen

φ = 76° 30′N λ = 25° 4′ E g = 9.829 $\Delta G = +1^h$ **Juli VII** H_s = 6 H_b = 7.1 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	24.4	**26.1**	25.9	- 0.8	- 1.1	- 0.7		- 1.1	00	00	99	03 3	03 2	03 1	5	10 ≡°	10(≡)	10 ≡°	0.0		≡ ,° n, ≡ ⊙° a, ≡ p
2	24.6	23.5	22.3	0.6	0.5	0.6		- 0.8	00	00	00	07 1	06 2	06 1	4	10 ≡°	10 =²	10 =²			≡ n,a, ≡° =² p
3	19.5	19.5	19.2	0.6	1.5	1.2		0.4	00	00	00	06 2	04 2	06 2	1	10 ≡°	10 =²	10 ≡	0.1		≡° =² n, ≡ a, ≡² p
4	18.8	19.1	19.0	0.2	1.3	2.2		- 0.4	00	99	96	04 1	00 0	00 0	3	10(≡)	10 ≡°	0(≡)			≡² (≡) n, (≡) ≡° ⊙° a, ≡ (≡) ⊙ p
5	18.9	19.6	20.1	7.0	3.4	1.7		- 1.0	84	92	94	27 4	25 3	00 0	7	0	4 =°	10 =²			(≡) ⊙ n, = ⊙ a, (≡) = ⊙° p
6	20.8	21.7	22.3	0.7	1.2	0.6		0.4	00	00	00	00 0	00 0	04 3	2	10 =²	10 ≡	10 ≡			≡² n, ≡ a,p
7	24.3	24.7	24.8	0.3	0.8	1.2		- 0.8	99	99	89	03 3	04 3	02 4	7	10(≡)	10(≡)	10(≡)			≡ n, (≡) a,p
8	24.9	25.3	25.0	- 1.2	- 0.6	0.0		- 1.2	99	96	92	05 2	06 1	31 1	5	10 =²	10(≡)	9			≡ n,a
9	24.1	24.7	24.6	- 0.8	1.2	0.6		- 1.8	95	88	89	23 4	06 2	22 4	9	0	0	0			⊙ n,a,p
10	23.2	23.6	23.0	- 2.0	- 1.4	- 2.2		**- 3.0**	95	97	96	24 4	24 4	24 4	3	0 ≡	0 =²	0 =			≡ ⊙ n, = ⊙ a,p
11	21.7	22.2	21.8	3.4	3.6	1.8		- 2.8	66	75	86	26 3	23 3	23 3	9	1	8	1			⊙ n,a,p
12	20.2	20.3	19.3	0.8	1.8	1.2		- 0.5	89	88	91	22 1	04 2	24 1	9	9	9	9			⊙ n
13	18.3	19.1	18.9	0.4	0.5	0.6		0.0	97	95	95	30 1	04 1	06 1	6	10	9	10			
14	19.6	21.2	21.4	1.1	1.2	1.2		- 0.3	95	88	99	06 1	04 1	04 1	9	7	8	10 ≡²			≡ p
15	22.5	23.0	22.8	1.6	1.6	0.8		0.6	99	99	00	04 2	03 2	05 2	1	10 ≡²	10 =²	10 ,	0.0		≡ ,° n, ≡ a, ≡² , p
16	21.1	20.9	19.5	0.0	- 0.2	- 0.5		- 1.6	95	95	99	04 3	04 2	04 3	4	1(≡)	1 ≡°	10 ≡	0.0		≡ (≡) ⊙ n, ≡ a, ≡ ,° p
17	14.4	13.2	12.4	3.5	3.9	3.4		- 1.1	87	86	89	04 5	04 4	06 4	9	7	9	10 ⁝°	0.0		, ≡ = n, ⁝° p
18	13.8	15.6	15.9	2.4	2.2	1.6		1.4	00	00	99	06 1	00 0	00 0	1	10 ,°	10 =²	10 ≡²	0.5		⁝° , ≡ n, ≡² a,p
19	15.0	13.8	12.1	4.1	6.1	2.8		1.1	96	69	87	00 0	04 1	02 4	9	7	5	10			≡² = ⊙ n, ⊙ a
20	08.3	07.4	05.9	2.6	2.3	1.0		1.0	88	83	92	02 5	02 4	03 2	9	10	9	10	0.2		,° ⁝° n, ,° a
21	02.6	02.0	01.5	0.7	0.7	0.8		- 0.1	00	00	99	00 0	24 1	24 4	1	10 ≡°	10 =²	10 ≡	0.0		≡ n,a,p
22	00.3	00.2	00.7	0.8	2.7	0.2		- 0.8	94	82	89	24 5	12 1	16 1	9	10	3	10(≡)			≡ (≡) n, ⊙ a, (≡) p
23	01.3	02.2	02.9	1.2	2.2	1.0		- 0.7	87	82	92	00 0	07 1	08 1	9	9	4	10(≡)			(≡) n, ⊙ a
24	05.0	07.2	08.9	1.8	2.2	2.7		0.2	97	94	88	04 3	06 3	04 1	9	9	9	3			(≡) ≡ n, ⊙ a,p
25	14.0	16.9	18.4	4.4	6.6	4.8		2.7	69	**64**	71	04 2	24 4	24 4	9	6	3	3			⊙ n,a,p
26	19.6	20.7	19.3	0.9	2.9	2.6		0.2	94	99	97	30 5	22 6	23 6	2	1 ≡	10 ,	8 ≡			≡ ⊙ n, ≡ a, , ≡ p
27	08.0	01.8	01.4	3.0	**7.4**	6.6		1.4	99	97	88	06 2	20 5	20 6	6	10 =	10 ,°	10	0.0		≡ n, ≡ , a
28	94.7	**93.8**	94.3	3.2	2.8	1.2		1.0	99	96	99	00 0	08 1	25 3	3	10 ≡²	10 ≡°	10 ,	4.7		, ≡ n, ≡ a,p
29	04.8	09.5	12.3	2.6	3.2	1.0		- 0.1	00	94	89	02 4	26 2	26 2	9	9	10	10	0.1		, , =² (≡) n, (≡) a
30	17.4	19.5	20.9	0.8	1.6	1.6		- 0.1	94	92	89	24 3	26 3	25 3	8	10	5(≡)	1			⊙ a,p
31	21.1	21.3	21.1	1.9	3.2	4.0		0.4	86	84	84	24 4	24 3	24 2	9	0	0	1			⊙ n,a,p
M	15.7	16.1	16.1	1.5	2.1	1.5		- 0.2	94	91	93	2.4	2.2	2.4	6.0	7.3	7.3	7.6	6		

August VIII

1	19.2	18.1	16.4	- 1.7	- 0.6	- 1.4	4.6	**- 2.5**	94	88	99	08 1	04 2	04 2	7	10 =°	1(≡)	10 ≡°			≡ = ~° n, (≡) ⊙ a, (≡) ⊙ ≡ p
2	13.9	13.7	12.8	- 0.4	0.6	0.2	2.0	- 1.9	95	83	89	04 1	04 1	24 2	9	5(≡)	5	10			≡ (≡) ~° n, =² ⊙ a
3	11.4	11.4	10.4	0.7	0.2	3.0	4.0	- 2.0	91	92	68	24 3	24 3	28 3	9	9	10	10			~° ≡° n, (≡) a
4	05.4	03.7	02.3	3.8	4.1	0.8	4.5	- 0.3	74	**67**	91	30 5	02 5	30 5	9	10	10	10 ⁝			,° ⁝ p
5	99.4	00.3	01.3	0.9	1.1	0.8	1.7	- 0.4	92	96	99	03 2	03 2	03 2	5	10(≡)	10 ,°	10 =°	0.3		,° ,° =° n, =° ,° a, ,° =° ,° p
6	02.8	03.5	03.5	0.2	0.8	0.2	2.1	- 0.9	99	91	97	04 1	04 1	28 2	9	9	8(≡)	9 =²	0.0		,° =² n, (≡) a, (≡) =² p
7	03.1	03.2	03.5	1.0	0.5	0.0	2.0	- 0.5	96	96	92	28 5	28 2	26 1	6	10	10 =°	9	0.0		= ,° n, ≡ = p
8	02.7	03.1	03.2	1.0	1.4	0.6	1.9	- 0.2	86	96	99	24 1	24 1	22 1	6	10 ,²	10 ⁝°	10 =²	0.8		,° ,° = n, , ⁝° a, ⁝ = p
9	03.4	04.0	03.7	2.4	3.3	2.0	4.9	0.5	79	74	92	22 2	25 2	25 2	9	9	1	6	0.2		= n, ⊙ a,p
10	03.6	04.6	04.7	4.0	1.6	2.2	4.3	0.6	94	89	82	20 2	06 1	04 2	4	5	10 =²	10			≡ = a, = p
11	03.9	04.7	05.8	1.4	0.4	0.2	3.0	0.0	99	00	00	00 0	24 3	32 1	2	10	10 ≡	10 ≡	2.5		≡ , ,° ⁝° n, =² ,° a, ≡ p
12	11.1	13.9	15.4	1.2	3.0	2.6	4.3	0.1	92	82	86	24 4	22 2	24 3	9	7	0	1	0.1		≡ n, ⊙ a,p
13	17.3	19.0	20.3	4.6	3.2	0.9	5.0	- 0.1	87	88	99	20 4	24 2	26 4	9	7	8	2 =²			= n
14	21.6	22.2	22.3	3.6	4.5	4.0	5.3	0.8	95	82	87	26 4	26 2	24 2	9	1	3	7			⊙ n,a
15	20.7	20.3	20.0	2.0	5.8	2.8	**6.2**	1.1	92	84	95	24 3	26 3	26 4	9	0	0(≡)	1(≡)	0.0		, =² (≡) n, ⊙ (≡) a, (≡) p
16	19.9	20.2	19.4	2.6	2.5	1.2	4.0	- 0.1	99	92	96	16 1	00 0	00 0	6	10 =	8 ,°	10 ,°			(≡) n, = ,° a, ,° p
17	16.1	14.8	13.8	0.8	1.6	1.7	2.4	0.4	96	99	99	04 2	04 2	04 1	5	8	10 ,°	10 ≡	0.6		≡ ,° ,° n, ≡ , a, ,° ≡ p
18	12.3	11.3	10.5	3.3	3.4	3.4	5.2	1.0	99	97	92	04 1	20 1	20 2	6	10 =°	10 =°	9 ,°	0.7		≡ , n, = a, ,° p
19	11.3	12.8	13.1	0.9	1.4	0.6	5.0	0.1	99	99	99	24 4	04 1	26 1	4	10 =²	10 =²	10 ≡	0.7		≡ , n, ≡ ,° a, = ≡ p
20	13.4	14.1	13.5	0.5	0.6	1.1	2.0	- 0.6	99	00	99	24 1	24 1	24 1	7	10 ≡	8 =°	6 =°	0.2		≡ , n, ≡ =° a, =° p
21	11.7	09.7	08.0	2.0	4.4	3.4	5.0	- 1.5	00	96	99	04 5	04 4	06 3	7	10 =°	10 =°	10 ,	0.1		≡ ,° n, ≡° =° a, ≡ , p
22	01.2	98.0	**96.8**	2.8	2.7	3.2	4.0	2.2	99	99	99	04 5	04 5	04 4	3	10 ,	10 ,°	10 ,°	3.6		, ≡ n,a, ,° ≡ p
23	99.0	00.8	02.9	2.1	1.1	0.1	3.8	0.0	96	91	92	04 4	04 5	02 5	6	10 =	10 =°	9 =°	4.3		, ≡ n, =° a, = p
24	09.1	11.5	12.2	- 1.5	- 1.8	- 2.0	0.5	- 2.4	80	82	84	02 3	04 2	04 3	9	10	10	10	0.0		,° ⁂° n
25	11.2	10.8	10.5	- 0.2	0.2	0.5	0.9	- 2.2	82	89	95	06 4	04 4	04 3	8	10	10 ⁂°	8 ,°	0.0		⁂° n, ⁂° ,° p
26	03.9	01.1	02.3	2.2	2.5	1.2	3.5	0.3	99	00	99	04 3	04 3	24 3	2	10 ,°	10 ,°	6(≡)	3.8		,° ⁝° ,° n, ,° ,° ≡ a, , = ≡ p
27	11.4	12.6	12.2	1.9	3.0	1.6	3.3	- 0.9	77	86	88	22 3	24 1	00 0	9	2	3	9	1.2		≡ ⁝ n, ⊙ a,p
28	08.2	06.5	07.2	0.0	0.6	- 0.8	2.5	- 0.9	95	95	99	32 2	24 3	24 2	9	10 ,	8	10 =°	0.2	3	, n, , =° a
29	05.8	03.9	02.8	2.3	2.9	2.8	3.3	- 1.0	84	97	96	16 1	16 2	16 2	6	7	10 ,	10 ,	0.3	0	, a,p
30	08.0	13.9	17.7	1.2	2.7	2.0	3.7	0.8	99	78	86	20 4	20 3	20 3	9	10 =²	0	1	7.4		, = n, ⊙ a,p
31	22.0	**24.0**	23.9	3.0	3.0	2.0	3.5	1.6	84	78	84	18 1	16 2	04 2	9	9	9	8			= n
M	09.8	09.9	10.1	1.6	2.0	1.3	3.5	- 0.3	92	90	93	2.6	2.3	2.3	7.0	8.3	7.5	8.1	27	0	

Ekstensotabell

1948

Hopen

$\varphi = 76° 30' N$ $\lambda = 25° 4' E$ $g = 9.829$ $\Delta G = +1^h$

September IX

$H_s = 6$ $H_b = 7.1$ $h_t = 1.8$ $h_a =$ $h_d = 8.0$ $h_r = 1.9$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	23.3	23.1	22.4	2.6	2.8	1.8	3.2	1.6	00	94	97	08 1	08 1	06 2	9	10 •°	10	10	1.6		•° n, •° =° a
2	20.3	20.5	20.0	2.4	2.8	3.6	4.1	1.3	00	00	00	04 3	06 2	04 3	3	10 ,°	10 ,°	10 ≡²	0.2		,° ≡ n,a,p
3	18.8	19.3	18.8	2.6	2.5	2.0	4.4	2.0	00	00	00	04 2	06 1	06 1	1	10 ,°	10 ≡²	10 ≡²	0.3		,° ≡ n, ≡² ,° a, ≡² p
4	16.9	15.3	13.3	1.6	2.6	8.2	8.2	1.3	00	00	88	10 1	08 1	20 4	1	10 ,°	10 ≡²	10	0.4		≡² ,° n, ≡² a, ≡² • ≡° p
5	08.8	04.0	03.2	3.3	7.2	3.8	**10.3**	2.2	99	97	97	00 0	20 4	20 3	5	10 •	10 •°	10 •°	1.8		≡² • n, •° = a, • = p
6	10.6	13.7	15.8	1.2	1.4	0.5	4.2	0.4	99	99	97	04 1	02 2	04 3	5	10 ,	10 ,°	10 *	1.2		≡ ,° n, = ≡ , a, ,° = p
7	17.6	15.7	12.1	1.0	1.6	2.0	2.2	0.5	95	95	97	06 3	04 3	06 4	9	10	10	10 =°	0.5		*° n, =° p
8	96.2	98.1	97.5	3.6	6.3	6.9	7.2	1.9	99	84	89	12 2	20 4	20 3	9	10 ≡	9	9	2.0		≡ , • n, ≡ = a
9	93.7	94.7	95.8	4.0	3.0	1.6	7.7	1.6	99	97	80	26 2	24 1	02 3	9	10 =	9	7			= ≡ =° n, = • a
10	00.8	03.4	06.5	- 0.2	- 0.6	- 1.3	2.0	- 1.3	83	86	82	00 0	02 2	02 3	6	6	10 ∆°	10	1.6	0	∆ n, ∀ ∆ a, ∆ =° p
11	15.4	19.1	21.0	- 1.8	- 1.1	- 1.4	- 0.6	- 1.9	79	77	**73**	02 2	02 2	02 1	9	9	9	10	0.1	0	
12	**23.9**	22.9	19.8	- 1.4	- 0.3	0.5	0.7	- 2.1	77	80	77	08 3	08 5	10 5	9	9	10	10		0	∆ a
13	04.8	96.2	94.7	0.6	1.8	4.8	5.6	0.4	99	97	99	10 7	10 6	20 4	4	10 *	10 •	10 ≡	1.2	2	= ⁝ n, * ⁝ • a, • ≡ p
14	98.7	00.0	98.8	3.0	2.5	2.5	6.3	1.7	97	99	99	00 0	08 1	06 3	1	10 ≡	10 ≡²	10 ,°	2.2		≡ n,a, ≡ , p
15	94.0	94.0	93.9	1.8	1.4	1.2	3.2	1.1	99	99	99	06 4	06 3	06 4	1	10 ,°	10 ,°	10 ,°	0.4		≡ ,° n,a,p
16	95.4	97.3	97.9	0.8	0.8	0.7	1.5	0.4	96	87	95	06 4	06 3	04 3	9	10 =	10	10 =	0.2		≡ ,° ∆° ⁝° n, = a, =° p
17	99.4	99.7	98.4	0.6	- 0.2	- 1.0	1.0	- 1.4	95	91	86	06 3	06 2	06 2	9	9	9	9	0.0		∆° n
18	97.1	98.3	99.3	- 1.6	- 1.2	- 1.0	- 0.5	- **2.5**	91	87	84	04 2	04 2	06 2	9	8	9	10	0.0		∩° n,a
19	01.5	02.9	03.8	- 0.9	- 1.8	- 1.9	0.0	- 2.2	92	96	95	04 3	04 2	06 2	6	6	7 ∆°	9	0.1		(≡) n, ∆° p
20	06.8	08.1	08.9	- 1.6	- 1.0	- 0.8	- 0.5	- 2.0	95	95	97	04 5	04 5	04 4	9	9	9	10 ∆°	0.0		∆° n,p
21	05.9	01.5	99.0	- 1.8	- 0.8	- 0.5	- 0.3	- 2.2	96	96	99	04 5	02 5	03 5	4	10 ∆°	10 *°	10 *°	0.0		∆° n, ∆° *° a, *° p
22	98.9	96.2	92.4	1.2	3.4	2.6	5.6	- 0.6	99	97	95	04 3	04 3	02 3	4	10 ≡	10 ≡²	10 •°	3.5		⁝ • = ,° n, ≡ • = a, •° p
23	87.9	88.3	88.3	1.2	0.8	0.6	2.8	0.5	99	99	99	02 3	04 2	04 2	5	10 ≡	10 ≡	10 •°	3.8		∀ ≡ n, ≡ , = a, •° p
24	88.4	89.1	90.2	0.6	1.2	0.0	1.6	- 0.1	97	95	97	00 0	30 2	28 3	5	10 ⁝°	10 ⁝°	10 *°	3.2	1	≡ ,° •° ⁝° n, ⁝° a,p
25	97.1	99.7	00.8	- 0.4	- 0.1	0.2	0.5	- 0.6	96	95	94	26 4	26 3	26 3	6	10 *°	10 *°	10	8.4	2	*° n,a,p
26	99.4	96.3	91.4	- 0.1	0.2	0.3	0.6	- 0.5	89	96	97	24 2	06 2	06 2	4	8	10 *	10 *	0.2	2	*° n, * a,p
27	91.2	87.5	83.5	- 0.1	1.1	0.8	1.5	- 1.4	92	94	97	06 1	03 2	04 3	9	7	8	10 •°	2.4	6	* n, *° ⁝° p
28	76.3	75.3	75.8	0.3	0.1	- 0.7	1.4	- 1.1	97	97	97	04 3	04 1	06 2	4	10 •°	10 ≡²	10 ,°	4.6	5	•° ,° ∆° ⁝ n, •° ,° a, ≡² •° p
29	**71.9**	72.5	74.7	1.2	1.0	1.2	1.6	- 0.9	94	94	94	02 6	02 6	02 6	4	10 *°	10 ⁝	10 ⁝°	2.9	6	∆ * =² ⁝ n, * ⁝ a, ⁝ , p
30	86.1	91.0	92.3	0.9	0.1	- 0.2	1.6	- 0.4	94	95	94	02 6	02 5	02 4	6	10 =°	10 ∆°	5 ∆°	6.9	5	• n, =° ,° a, =° ∆ p
M	01.6	01.5	01.0	0.8	1.2	1.2	2.9	- 0.1	95	94	93	2.7	2.8	3.1	5.8	9.4	9.6	9.6	50	1	

Oktober X

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	93.3	92.9	90.2	- 0.1	0.6	0.6	1.0	- 0.6	96	92	92	02 4	02 3	28 2	9	10 =°	8	9	0.2	5	∆ n
2	85.9	84.9	80.7	0.8	- 0.8	- 1.4	1.0	- 1.9	91	89	96	01 4	02 3	32 3	8	10	9 *°	10 *°	1.7	6	* n, *° g, * p
3	78.9	77.9	83.4	- 0.3	0.2	0.6	1.0	- 1.6	92	95	87	32 4	01 5	01 5	6	10 ∆°	9 =°	10 =°	3.6	7	* n, ∆° = a, =° p
4	88.0	90.9	92.6	- 0.3	- 0.2	- 0.4	1.0	- 1.1	91	91	87	02 4	02 4	02 3	7	9	9 =°	10 =°	0.7	7	=° *° n, =° a, *° p
5	97.2	99.7	01.2	- 1.8	- 2.0	- 1.8	0.0	- 2.3	94	94	94	04 3	02 2	02 2	9	10 *°	8	10 *°	1.7	8	* n, *° a,p
6	02.5	02.9	03.2	- 1.0	- 0.5	- 0.4	- 0.2	- 1.9	94	95	96	02 2	02 2	04 2	6	9 *°	8 *°	6 *°	0.5	8	*° n,a,p
7	01.6	01.8	02.8	- 0.8	- 0.8	- 1.0	- 0.2	- 1.8	95	94	94	02 1	30 1	00 0	7	9	9 *°	10 =°	0.7	9	*° ∽ n, *° a, *° =° p
8	09.4	14.6	18.5	0.0	- 0.1	- 0.8	0.1	- 2.1	96	96	95	04 3	04 3	04 1	8	8 *°	8	8 *°	0.1	9	=° n, *° a,p
9	24.6	25.8	**26.6**	- 3.2	- 3.2	- 4.0	- 0.5	- 4.1	83	78	79	32 2	30 3	32 1	9	4	2	1	0.3	9	*° n
10	13.0	05.5	00.8	0.5	2.1	2.2	2.5	- 4.8	96	94	96	20 5	20 7	20 6	7	10 ∩	10 =°	10 •°	2.9	11	*° ∩ n, ∆° *° ⁝° a, =° p
11	91.7	93.8	95.5	- 0.8	- 1.8	- 3.8	2.5	- 3.9	97	89	89	03 3	04 3	04 2	9	10 ∆°	6	10	16.2	13	• ⁝ n, ∩ a
12	97.0	98.8	99.9	- 3.8	- 2.8	- 3.2	- 2.5	- 5.4	82	83	92	04 1	04 2	04 2	9	9	9	10 ∆°	0.1	13	∆° p
13	01.6	02.0	01.6	- 3.2	- 3.0	- 2.4	- 2.0	- 3.8	89	91	94	04 3	04 3	08 3	9	10	3	8	0.2	13	∩° n
14	98.8	98.0	98.0	- 1.0	0.4	0.8	1.1	- 2.5	96	97	97	06 5	09 2	08 2	3	10 *°	10 ,°	10 ≡°	0.3	14	*° n, * ,° =² a, ≡ ,° p
15	95.0	93.7	92.5	1.0	0.8	1.2	1.4	0.4	97	97	97	06 3	06 3	08 3	3	10 ,	10 ,°	10 •°	0.1	11	≡ n, ,° ≡° a,p
16	92.5	95.1	95.7	0.6	1.2	- 1.0	**2.7**	- 1.2	97	97	97	00 0	26 2	00 0	3	10 ≡	10 ,°	9 ≡	1.7	8	≡ , n, ≡ a, ≡ ,° p
17	94.0	93.1	93.2	0.3	0.6	0.6	1.3	- 2.1	99	97	99	05 3	06 2	06 1	3	10 ≡°	10 ,	10 ≡	0.1	7	≡ n, =° , a, ≡ , • p
18	94.6	95.8	96.8	0.5	0.2	0.2	1.2	- 0.1	99	99	99	04 2	03 1	04 1	2	10 •°	10 ,°	10 ,°	5.8	5	≡ ,° n, ≡ •° a, ≡ , p
19	97.6	97.2	96.1	0.0	0.3	0.6	1.3	- 0.2	97	97	99	06 2	06 2	06 2	7	10 =°	10 =°	10 •°	0.7	4	,° ≡ n, =° a, =° ≡° •° p
20	87.6	82.0	78.0	0.3	0.4	1.0	1.3	- 0.1	97	99	99	06 4	06 4	04 1	3	10 *°	10 •°	10 ≡	0.1	4	≡ *° n, *° •° ≡ a, ≡ •° ,° p
21	71.5	**71.3**	71.9	0.7	0.1	- 0.3	1.4	- 0.5	99	99	99	04 2	00 0	07 1	2	10 •°	10 ≡	10 =	1.1	4	≡ •° n, ≡ •° a, ≡ p
22	74.3	75.5	75.9	- 2.2	- 2.7	- 3.1	0.0	- 3.3	91	89	86	32 2	03 1	01 2	8	10	10	10 *°	0.2	4	= *° n, *° p
23	76.8	78.0	78.9	- 2.8	- 2.6	- 2.8	- 2.5	- 3.4	91	91	91	03 2	02 4	02 3	5	10	10 *°	10 *°	0.1	4	*° n,a, * p
24	82.6	85.8	86.5	- 3.7	- 4.9	- 4.5	- 1.0	- 5.3	91	91	94	04 4	02 3	02 2	7	10 =°	10 =°	10 *°	6.1	6	*° n, =° *° a, =° p
25	92.5	96.1	98.5	- 4.0	- 4.3	- 4.9	- 3.6	- 5.3	89	86	82	02 3	03 3	02 3	7	10 *°	10 *°	10 *°	0.2	6	*° n,a, *° =° p
26	02.5	03.4	04.1	- 4.2	- 3.8	- 3.5	- 3.5	- 4.9	87	84	88	04 5	05 5	05 5	9	9	10	10 *°	0.2	6	*° p
27	02.6	02.2	03.3	- 4.9	- 6.4	- 7.2	- 3.4	- 7.5	84	84	89	02 4	32 5	32 5	6	10	10 *°	10 *°	0.0	6	*° a,p
28	05.6	03.5	99.3	-10.2	- 5.8	- 5.0	- 4.3	**-10.5**	77	77	92	24 1	08 1	08 8	9	1	7	10 *	0.6	6	*° n,p
29	11.0	13.9	14.4	- 7.7	- 8.4	- 5.4	- 4.2	- 8.7	**71**	78	73	02 2	24 1	17 1	9	4	2	10	0.4	7	*° n
30	08.4	08.1	13.7	0.4	1.1	- 0.6	1.9	- 5.6	97	95	91	19 4	20 5	30 3	7	10 *	10 =°	3	0.2	7	*° n, * a
31	22.8	21.3	18.6	- 4.0	- 0.2	1.7	2.1	- 4.7	89	97	89	10 2	18 1	19 3	5	9	10 *°	10	0.6	7	
M	96.6	97.0	97.2	- 1.8	- 1.5	- 1.5	- 0.1	- 3.3	92	92	92	2.9	2.8	2.5	6.5	9.1	8.6	9.2	47	8	

Ekstensotabell

1948

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 $\Delta G = +1^h$

November XI

H_s = 6 H_b = 7.1 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	10.6	05.9	02.1	0.6	2.7	0.2	**3.2**	- 0.1	91	91	95	22 3	18 5	17 2	9	8	9	10 ‡°	0.2	7	• *° =° ‡° p
2	94.7	94.4	93.4	- 0.5	- 0.6	- 2.3	1.0	- 2.4	94	92	95	23 3	24 3	01 2	8	2	7	10	2.7	9	* ‡ • n, ⌓ p
3	95.9	96.7	95.3	- 4.4	- 5.0	- 4.7	- 2.0	- 5.4	95	73	71	02 2	02 2	02 1	9	9 ≏°	9	9	0.3	9	≏° n,a
4	88.7	85.4	84.1	- 8.2	- 9.2	-10.7	- 3.8	-10.8	94	87	92	02 7	03 8	02 9	3	10 *	10 +	10 *	0.6	11	* n, * + a, + \ p
5	82.7	84.8	87.0	- 6.8	- 7.4	- 7.8	- 4.4	-11.3	92	94	91	32 7	04 7	04 7	5	10 *	9 +°	9 +	2.2	14	* \ n, * + a, + p
6	94.6	97.3	98.0	- 9.5	-10.3	- 6.8	- 6.0	-10.9	94	88	92	02 7	02 6	02 7	5	9 +°	10 *°	10 +	1.7	14	+° * n, *° +° a, *° + p
7	01.7	02.5	04.3	-11.8	-12.9	-15.2	- 6.0	-16.1	86	87	86	02 7	02 7	02 7	4	10 *°	10 +°	3 +	2.5	15	*° n, *° +° a, + p
8	09.0	11.7	13.3	-15.4	-15.0	-13.8	-13.7	-16.6	87	87	87	03 6	02 5	02 5	4	8 *°	9 *°	10 *°	0.2	15	+ *° n, *° a, * p
9	15.2	15.3	14.7	-14.2	-13.3	-13.6	-13.2	-14.9	88	88	88	02 5	02 4	02 5	3	8 +	10 +°	10 *°	1.3	16	* ⌓ n, +° a, * p
10	17.0	19.6	**21.4**	-14.4	-14.4	-13.3	-13.2	-14.8	87	87	84	30 7	04 3	02 3	4	2 +	9 *°	8 =°	1.1	16	* ≏° n, * +° a, *° ⌓ p
11	21.4	18.3	16.4	-12.9	- 8.2	- 6.8	- 6.5	-14.3	93	83	83	27 3	22 3	22 4	9	7	9	1	0.2	16	⌓ n
12	11.9	07.7	00.5	- 5.2	- 4.0	- 3.2	- 3.0	- 7.5	88	84	95	23 3	22 4	18 3	8	2	9	10 *	0.1	16	* n
13	90.1	89.4	89.8	- 4.2	- 8.2	-13.2	- 2.8	-13.2	94	95	89	04 2	03 2	03 6	7	9	10 *°	10 *	4.0	20	* n,p
14	96.4	99.7	00.0	-13.7	-15.9	-16.6	-11.7	-17.4	78	79	75	28 5	02 2	28 2	9	1	1	1	1.0	20	* 21
15	99.3	99.6	99.8	-18.2	-17.9	-17.6	-15.4	-18.5	82	86	86	28 4	00 0	00 0	9	1	1	1		20	⊕ p
16	00.1	01.3	01.2	-16.1	-14.6	-11.2	-11.0	-17.8	84	92	96	02 2	06 1	04 1	9	3	9	10		20	
17	99.9	94.3	87.4	- 5.0	- 1.6	0.0	0.0	-11.0	96	95	97	03 2	09 3	10 4	8	10 *	10	10 *	1.0	21	*° n, * a,p
18	**82.4**	82.2	82.6	- 3.5	- 3.8	- 4.3	0.0	- 4.7	95	94	97	24 2	24 2	24 2	5	9	10 *°	10 =°	11.5	28	* ‡ =° n, *° a,p
19	86.9	91.2	92.4	- 4.9	- 9.8	- 9.8	- 3.0	-10.9	92	80	69	24 1	24 5	24 3	9	9	1	9	0.8	28	
20	91.6	94.8	95.1	-12.0	-16.7	-18.2	- 8.9	-18.6	74	80	80	24 5	04 3	04 4	9	8	6	7 ≏°	0.7	27	* n, ≏° p
21	94.8	96.2	96.8	-17.3	-19.8	-18.1	-17.3	-20.1	82	80	75	04 3	04 2	00 0	9	9 =°	1	0	0.4	27	≏° =° *° n, =° a
22	97.3	00.9	02.7	-16.3	-20.6	-17.2	-16.0	**-21.2**	75	75	73	32 4	30 3	24 2	9	8 *°	0	3	0.0	27	*° a, ⌓ p
23	08.2	13.0	16.4	-15.8	-16.9	-17.4	-15.4	-18.1	82	82	82	04 3	28 1	28 1	9	4 ≏°	1	1	0.1	27	⌓ ≏° n, ≏° a, ⌓ p
24	21.3	18.5	13.1	-17.2	-14.8	-13.6	-13.4	-18.1	80	86	89	24 1	14 1	08 2	8	4	9	10	0.1	27	⌓ n,p
25	06.9	07.2	06.3	- 9.9	- 8.4	- 7.7	- 7.2	-13.6	92	96	92	04 3	04 3	25 3	8	9	10	3	0.0	27	*° n
26	93.8	85.1	83.4	- 2.1	- 0.9	- 1.7	- 0.2	- 8.3	96	97	97	14 2	07 1	32 9	5	10 *°	10 *°	10 *°	1.5	30	* n, *° a, * \ p
27	05.3	08.9	06.4	-16.0	-15.4	-14.7	- 0.2	-16.3	79	**68**	83	30 3	30 2	06 3	9	1	9	9	9.6	27	* n, ⌓ p
28	98.2	00.9	04.6	-15.4	-18.2	-20.8	-13.2	-21.0	88	80	83	05 6	04 6	04 4	8	10 *°	9	3	0.1	27	*° + n, *° a
29	07.8	06.9	04.4	-19.6	-16.5	-13.4	-13.3	**-21.2**	87	91	91	04 3	04 5	04 5	7	3	10 ≏°	10 *°	0.1	27	⌓ n, =° a, *° =° p
30	97.1	97.0	97.0	- 7.4	- 8.9	-11.8	- 7.5	-13.5	94	92	80	03 4	02 2	02 2	7	10 *°	7 *°	2	0.4	27	*° n,a
M	00.7	00.9	00.3	-10.6	-10.9	-10.8	- 7.5	-13.6	88	86	86	3.8	3.4	3.6	7.2	6.8	7.5	7.0	44	20	

Desember XII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.0	00.9	04.4	-14.4	-17.4	-20.5	-11.8	-20.6	84	82	80	02 3	02 4	30 6	5	10 *°	10 *°	10 *°	0.2	27	*° ⌓ n, *° a,p
2	13.2	16.9	17.7	-23.3	-24.4	-25.1	-20.5	-25.4	78	80	80	02 3	30 2	25 1	8	0	4	3	0.7	25	*° +° ⌓ n, ⌓ p
3	15.3	13.9	12.5	-24.2	-25.5	-26.6	-24.0	-26.7	79	82	80	02 2	04 3	06 3	9	3	1	0		25	⌓ n, ⌓° a
4	11.3	13.2	13.8	-27.8	-26.8	-26.6	-25.8	-28.2	79	77	78	05 2	06 1	25 3	7	0	0	0		25	⌓ n,p
5	15.8	17.4	18.4	-22.7	-22.6	-21.4	-19.7	-26.7	82	77	71	02 1	29 2	30 2	8	0	0	0		25	⌓° n
6	16.3	15.2	12.4	-19.6	-20.2	-17.8	-17.8	-23.6	82	83	78	00 0	00 0	06 2	7	0	6	5		25	
7	99.6	90.2	81.6	-11.1	- 5.6	- 4.9	- 4.9	-19.0	91	89	95	05 3	08 6	07 4	7	9	10	10 *°		25	⌓ n, *° a,p
8	85.1	93.9	96.0	-16.8	-20.1	-15.7	- 3.3	-20.5	79	68	69	25 9	25 7	20 3	8	3 *°	0	1	0.5	23	*° + \ n, *° \ a
9	91.6	89.0	89.7	- 8.9	-16.1	-17.7	- 5.7	-18.0	83	87	86	12 3	23 8	24 2	5	10	4 +°	10	0.2	23	*° n,a
10	86.8	89.3	95.8	-19.4	-17.8	-17.3	-16.4	-19.9	74	75	73	24 7	20 2	30 1	8	1	1	1	1.7	23	
11	03.8	12.8	18.3	-17.5	-17.2	-18.7	-16.2	-19.1	82	83	83	32 10	30 8	28 1	3	10 +²	10 +	9		23	+ \ n, + \ a, + p
12	24.3	**25.3**	24.3	-22.8	-22.2	-22.2	-18.6	-23.5	78	74	79	25 1	31 1	04 1	6	0	0	1		23	
13	22.4	21.3	20.4	-22.7	-23.2	-21.6	-21.5	-23.5	78	82	83	04 3	02 4	05 5	7	0	10	9		23	⊕° n
14	15.9	15.1	15.2	-18.7	-16.3	-14.2	-14.1	-21.7	86	87	91	06 6	06 5	05 6	8	7	10	10		23	
15	19.0	20.3	19.6	- 8.6	- 8.0	- 6.6	- 6.6	-14.2	77	75	77	08 5	09 4	10 4	7	10	10 *°	10 *°	0.0	23	*° n,a,p
16	17.9	16.2	14.3	- 3.0	- 1.6	- 2.4	- 1.5	- 6.7	80	82	84	12 2	14 3	17 5	7	10 *°	10 *°	10	0.8	23	*° n,a,p
17	04.2	97.3	99.1	0.0	0.7	- 5.2	1.2	- 5.4	96	96	80	18 5	17 6	20 8	4	10 *°	10 ‡	9	0.3	22	*° n, *° ‡° a, ‡ p
18	12.0	00.4	84.5	-14.0	- 7.0	- 3.0	- 2.8	-15.1	73	84	97	02 1	08 5	07 7	8	9	10	10 *	1.9	22	*° n, * p
19	86.8	91.7	88.9	- 6.1	- 6.0	- 4.9	- 1.0	- 6.5	94	94	97	31 6	24 1	04 1	7	9	10 *°	10 *°	2.2	22	≡° ⌓ + n, *° ≡ p
20	89.4	98.1	04.5	- 4.4	-10.0	-16.2	- 2.6	-16.3	95	80	87	04 4	04 6	02 6	6	10 *	10 *°	10 +°	0.3	22	*° n,a, *° + p
21	14.9	19.2	20.6	-21.1	-20.9	-21.1	-16.2	-22.9	77	73	77	32 3	02 2	30 3	8	0	2	0	0.4	22	⌓° n, ⌓ p
22	12.0	05.9	02.7	-17.3	-13.4	-10.3	-10.3	-22.7	77	88	88	08 1	04 1	05 2	6	10 =°	7 *°	10 *°		22	⊕° n, *° =° a, *° p
23	99.1	02.7	02.0	-13.8	-18.0	-18.0	- 5.5	-19.2	88	79	84	02 6	04 1	05 1	7	7 +°	9	10	4.3	32	* n, *° +° a
24	91.0	98.4	02.9	- 9.9	-14.7	-16.1	- 9.5	-18.0	92	91	87	06 5	04 5	04 3	4	10 *	10 *°	9	1.0	36	*° +° n,a, *° p
25	00.9	10.1	17.4	-13.8	-26.1	-30.0	-11.5	-30.2	88	75	75	03 6	02 7	03 1	3	10 *	10 +	3 –	0.6	38	* n, *° + a, ⌓ +° p
26	21.9	19.6	14.2	-24.4	-22.8	-18.8	-18.7	**-30.5**	**61**	77	78	00 0	04 1	08 1	8	2	10	4	1.8	38	
27	90.9	92.1	92.6	- 5.4	- 5.6	- 3.3	- 3.2	-18.8	95	94	88	08 6	08 5	08 5	5	8 *°	10 *°	10	0.4	38	*° n,a, *° = p
28	74.2	66.0	**63.2**	1.9	- 0.3	- 1.3	**2.5**	- 3.4	94	92	86	18 6	22 8	22 7	8	10 •	10 *°	10 *°	1.3	32	⌓° ‡° • n, • a, *° •° p
29	72.5	76.2	77.1	- 9.4	-12.2	-16.0	- 1.0	-16.2	95	95	92	04 6	04 7	04 7	7	10 *°	10 *°	10 *°	0.6	32	*° n,a,p
30	82.7	86.1	88.8	-22.2	-20.7	-19.2	-16.0	-22.5	84	84	86	04 7	05 7	05 7	7	6 =°	5	7	0.1	32	=° a
31	94.5	96.2	97.4	-16.3	-13.5	-11.5	-11.5	-20.8	88	89	92	05 6	07 6	05 6	5	10 *°	10 *°	10 *	0.1	32	*° – n, *° a,p
M	02.6	03.6	03.6	-14.8	-15.3	-15.3	-10.8	-19.5	84	83	83	4.1	4.1	3.7	6.5	6.3	7.1	6.8	19	27	

Ekstensotabell

1948

Bjørnøya

$\varphi = 74° 31'N$ $\lambda = 19° 1'E$ $g = 9.828$ $\Delta G = +1^h$

Januar I

$H_s = 15$ $H_b = 14.4$ $h_t = 1.9$ $h_a = 7.6$ $h_d = 6$ $h_r = 2.0$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8		14		19		Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	00.9	98.1	97.7	-17.5	-19.6	-18.7	-17.4	-21.0	92	89	90	04	7	06	8	04	7	2	10 *	10 +	10 +	3.5	15	* + n,a,p
2	96.4	96.9	97.5	-18.7	-19.9	-20.6	-14.9	-21.9	90	88	86	04	7	02	7	02	6	8	7 +	10	3	0.7	16	= + n
3	99.9	02.9	04.0	-23.2	-22.8	-21.5	-19.9	**-24.3**	78	81	81	01	4	01	5	02	5	7	4 =°	4 =*	1		16	⌓ p
4	04.3	04.9	05.0	-21.8	-21.4	-21.5	-19.9	-23.9	92	88	86	00	0	32	3	01	3	9	0	2	0		16	
5	02.6	01.8	00.7	-21.5	-19.8	-18.7	-18.7	-21.9	88	88	88	31	4	32	5	02	5	8	0	8	10 *		16	* p
6	99.3	00.6	02.1	-18.5	-18.0	-17.7	-16.9	-20.9	90	92	90	32	4	32	4	32	4	9	1	1	0	0.0	16	* n, ⌓ p
7	01.8	03.9	04.5	-17.5	-16.8	-15.0	-14.9	-18.5	89	92	93	30	4	32	3	02	3	9	0	3	4(*)		16	
8	07.1	08.4	07.5	-19.5	-20.0	-19.0	-14.9	-21.2	90	92	92	07	0	08	3	10	4	9	0	1	0		16	⌓ p
9	00.9	98.7	98.7	- 5.4	- 6.4	- 9.0	- 2.3	-19.0	92	85	88	15	6	28	4	26	5	6	10 =°	10 *	10		16	=° n, + * a, * p
10	94.7	95.3	93.2	- 8.6	-11.4	-12.2	- 8.2	-12.2	92	98	94	18	5	12	4	09	3	9	10 *	1	1	3.6	17	* n,a, ⌓ p
11	94.3	97.1	97.3	-13.7	-15.8	-15.6	- 7.9	-16.7	93	94	89	31	4	31	3	28	4	9	10 *	3	3	0.8	17	=* ⌓ * n
12	95.2	91.2	91.1	-13.1	-11.0	-14.3	- 9.9	-15.9	86	94	92	26	5	26	6	30	7	7	3	8 =°	10 +		17	* + p
13	86.0	83.9	81.8	- 9.2	- 8.2	- 8.0	- 7.9	-17.9	97	98	95	30	5	30	5	30	5	5	10 =	10 *	3	0.5	17	⌓ ↓ = n, * = a,p
14	79.7	**78.0**	78.3	- 8.9	- 8.3	- 9.8	- 6.9	-11.9	98	99	98	31	2	26	5	32	4	8	10 *	6	3	0.4	17	↓ * n, * a,p
15	80.6	85.2	88.8	- 7.9	- 6.8	- 6.5	- 3.9	-11.9	85	93	85	24	7	24	4	26	4	5	5 +	10 ↓	10 =°	0.7	18	* + n, ↓ = a, ↓ p
16	97.3	01.4	04.3	- 8.5	-10.6	-11.4	- 5.9	-12.3	85	81	86	30	4	29	3	30	4	9	10	2	6	0.3	18	= ↓ n, ↓ p
17	09.4	11.6	12.4	-16.2	-15.0	-17.6	- 8.9	-17.6	88	89	86	01	3	03	4	08	3	9	0	2	0	0.0	18	
18	11.4	11.0	09.1	-16.7	-16.4	-15.3	-15.2	-20.9	94	95	98	02	6	05	4	05	4	8	2	9	3		18	⌓ n
19	07.3	07.4	07.4	-10.3	- 7.4	- 9.2	- 6.6	-15.9	99	00	98	02	3	06	4	06	3	8	3	6	2		18	
20	10.1	13.5	15.7	- 8.0	-10.2	-13.6	- 6.8	-14.0	98	98	97	04	3	06	3	06	3	8	8 =	10	10 =°	0.3	18	= ⌓ n, =° p
21	19.3	**20.0**	19.2	-17.0	-18.0	-17.6	-12.9	-18.0	95	93	94	04	3	07	3	06	4	8	10 *	10	10 =°	0.1	18	= * n,a
22	14.2	14.2	13.4	- 7.7	- 5.7	- 5.0	- 4.9	-18.9	98	95	93	15	5	18	4	17	4	8	10 =	9	9	0.0	18	=° n
23	13.4	13.5	12.4	- 4.2	- 3.5	- 4.2	- 3.1	- 5.0	92	93	93	16	5	17	4	17	3	8	10 =°	10	10		18	=° n
24	01.1	94.1	91.2	- 4.3	- 5.2	- 6.4	- 2.9	- 6.4	98	00	97	04	3	30	4	30	5	4	10	10 *	10 *		18	=° n, * a,p
25	98.8	04.4	07.9	- 6.1	- 2.8	- 3.3	- 2.2	- 7.9	92	93	90	25	3	24	4	22	4	8	9	10	7	0.8	18	+ * n, ↓ a
26	13.0	16.7	17.0	- 3.0	- 3.0	- 3.1	- 2.4	- 6.9	95	**78**	82	24	4	26	5	26	3	9	9 =°	10	10	0.0	18	
27	16.3	14.1	12.1	- 4.3	- 9.4	- 9.2	- 2.9	-11.0	92	97	99	20	2	18	3	12	2	9	10 =°	3	1		18	
28	12.2	13.4	12.2	- 8.9	- 9.8	- 7.4	- 6.1	-14.9	97	98	99	16	2	15	2	16	3	8	4	2	1		18	⌓ p
29	02.1	95.9	92.8	- 2.5	- 2.3	- 2.5	- 1.3	- 7.9	98	00	98	08	4	12	2	16	3	7	10 =	10 =°	10 *	0.0	18	= ↓ n, = a, = * p
30	86.1	86.3	87.6	- 0.6	- 2.4	- 4.8	**0.6**	- 4.8	98	99	98	00	0	00	0	04	3	2	10 =*	10 ≡	10 *	2.2	20	* =* n, ≡ a, ≡ =* p
31	90.9	92.4	92.8	- 7.1	- 7.6	- 8.2	- 3.9	- 8.9	97	99	97	05	2	00	0	00	0	3	10 =	10 =°	10 ≡	0.1	20	* = n, ≡° a, ≡ p
M	01.8	01.8	01.8	-11.3	-11.5	-11.8	- 8.7	-15.2	93	93	92		3.7		3.8		3.9	7.3	6.6	6.7	5.7	14	17	

Februar II

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8		14		19		Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	93.7	97.6	02.2	- 5.7	- 8.2	-11.4	- 4.5	-11.4	98	97	95	29	4	28	4	30	5	8	6	10	2	0.1	20	= n
2	11.7	12.1	13.5	-10.8	- 9.8	-14.9	- 8.6	-14.9	93	93	96	30	4	30	5	04	4	7	10	10 *	0		20	
3	13.6	13.5	14.3	-21.4	-22.4	-23.0	-14.9	-23.0	88	89	89	09	5	10	5	08	5	9	2	3	0	0.0	20	
4	11.6	11.7	11.2	-13.1	-10.0	- 7.2	- 7.0	**-24.5**	94	95	93	09	3	10	3	13	3	8	6	9	10 =°	0.0	20	
5	08.9	06.9	04.8	- 4.3	- 3.5	- 2.6	- 2.5	- 7.2	88	90	89	13	4	14	3	14	4	8	10	10	10		20	=° n
6	00.2	98.4	97.4	- 1.3	- 1.8	- 1.5	- 0.5	- 6.0	92	89	94	17	5	14	5	14	4	9	6 =°	10	10	0.0	20	= ⁑ n
7	94.9	95.3	95.5	- 0.5	- 0.6	- 0.8	2.0	- 2.0	99	98	95	17	7	18	5	16	4	6	10 *	10 ↓	10	0.4	20	= * n, ↓ a
8	92.1	94.2	96.2	0.2	- 2.4	- 5.3	0.7	- 5.3	99	98	94	15	6	28	3	03	3	7	10 *	10 =°	10 =	1.3	24	* n, = ⁑ a
9	96.7	96.3	95.3	- 1.7	- 1.0	- 1.3	0.0	- 9.0	98	99	97	10	4	10	4	14	5	5	10 *	10 *	2	3.2	25	* + n, * a
10	87.9	88.0	89.8	0.1	0.0	- 3.3	0.9	- 3.7	98	99	81	13	4	20	6	20	5	8	10 *	10	10	1.3	28	* = + n, = ⁑ a
11	94.1	96.5	99.9	- 3.1	- 6.8	- 6.6	0.0	- 7.0	94	97	97	00	0	28	2	18	2	7	9	10 =	10	0.0	28	= ↓ n, = a
12	05.9	08.6	10.0	- 8.3	- 7.9	- 7.8	- 4.0	-11.0	95	94	90	19	3	18	3	12	3	8	8	9	1	1.4	29	↓ n, ⌓ p
13	09.4	09.9	09.7	- 1.9	- 1.2	- 1.2	1.5	-11.0	82	78	68	13	5	12	7	12	8	8	8 =°	9	3		29	⌓ n
14	09.7	11.3	12.5	- 2.1	- 2.0	- 2.8	1.5	- 6.0	84	82	81	13	7	12	5	12	3	8	5	10	10		29	+ n
15	14.6	16.7	18.3	- 2.9	- 3.0	- 8.0	- 1.9	- 8.0	92	92	95	12	3	30	2	12	1	9	10 *	1	1	0.0	29	* n, * ↓ a
16	23.3	25.1	24.7	- 7.4	-10.2	- 9.4	- 5.5	-13.3	98	97	97	32	1	00	0	12	3	2	10 ≡	10 ≡	10	0.0	29	⌓ = ⌣ n, ≡ ∨ a, ⌓ p
17	20.9	19.5	19.7	0.0	1.3	1.4	2.0	-12.0	93	98	97	16	5	20	5	20	4	6	8	10 =	10 =°		29	=° n, ⁑ a, = ⁑ p
18	15.1	12.6	10.8	1.5	2.0	1.8	**2.3**	1.0	97	97	94	19	6	20	7	22	7	6	10 ⁑	10 =	10 =	0.7	18	↓ ⁑ = ⁑ n, = ⁑ a, = p
19	11.7	12.5	14.3	- 1.4	- 3.1	- 5.8	2.0	- 5.8	92	88	92	25	6	28	4	30	3	8	10 *	10	10 *	1.2	17	* = n, * ↓ p
20	24.2	**28.0**	22.1	- 9.7	-11.4	- 5.9	1.2	-21.0	**77**	**77**	85	31	5	18	3	24	6	8	8 =°	9	10 =°	0.0	17	↓ \ n,* ↓ p
21	14.3	14.8	09.4	- 5.4	- 5.0	- 3.1	- 3.0	- 8.9	95	97	93	12	3	12	4	18	4	7	9 =°	10 =	10 =°	1.5	19	* n,a, * ↓ p
22	88.8	99.0	04.9	- 2.0	- 9.4	-10.7	- 1.0	-10.7	98	90	88	04	5	31	8	32	7	8	10 *	8	8	0.8	21	↓ * n, ↓ a
23	10.8	11.6	06.7	-13.8	-14.8	- 8.0	- 8.0	-18.8	79	93	94	32	3	12	4	15	6	8	1	7	10 =°	0.0	21	= p
24	93.8	94.9	94.5	- 1.5	- 4.2	- 8.0	- 1.0	-12.0	95	88	95	19	2	02	3	09	5	7	10 =°	10 =°	10 *	0.0	21	* n
25	**78.3**	82.5	95.8	- 6.0	-13.1	-17.0	- 1.0	-17.0	95	92	92	01	5	03	6	02	7	7	10 *	10 =°	10 =	3.0	25	+ * n, + = a, =° p
26	12.0	12.9	08.0	-17.0	-17.2	-15.6	-15.5	-21.0	93	90	88	00	0	10	4	10	5	8	2	10	10		25	+ n
27	12.7	17.2	16.4	-18.7	-19.0	-10.4	-10.4	-21.0	92	92	94	04	5	11	4	20	4	9	5	3	10 *		25	* p
28	19.4	17.8	08.7	- 6.3	- 9.4	- 4.2	- 4.2	-21.0	92	98	98	27	5	10	6	12	8	3	10 *	10 +	10 *	0.5	25	↓ n, * + a,p
29	96.6	88.6	87.1	0.8	0.4	0.1	2.0	-11.0	94	98	88	22	7	20	5	24	6	5	10 ⁑	10 ⁑	10 =°	2.8	22	↓·⁑ n, ⁑ a, * ⁑ = p
M	05.7	06.7	06.7	- 5.6	- 7.0	- 6.6	- 2.7	-11.8	93	93	91		4.2		4.3		4.6	7.1	8.0	8.9	7.5	18	23	

Ekstensotabell

1948

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1h Mars III H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 7.6 h_d = 6 h_r = 2.0

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Máx	Min	8	14	19	8	14	19	14	8	14	19			
1	99.9	04.9	05.1	- 3.8	- 6.3	- 3.8	1.0	- 6.3	85	94	94	26 7	32 1	23 3	6	10 =	10 *	10	3.8	20	= ♦ \ n, ♦ a
2	95.4	95.0	97.3	2.3	2.4	1.3	3.0	- 6.0	95	98	97	23 9	22 7	23 5	5	10 •	10 =	10 =	1.6	18	• ≡ \ n, * • = \ a, = p
3	71.3	71.4	90.0	1.4	- 7.4	- 9.8	**6.2**	-11.8	95	94	93	19 11	22 7	28 7	4	10 •	10 ♦	6 =	9.2	15	• • ≡ \ n, ♦ \ a, ♦ = p
4	08.1	14.9	16.5	-10.6	-11.9	-13.8	- 1.0	-13.8	92	86	85	30 8	30 7	02 4	8	9 =	9	10	1.4	16	♦ = \ n, ♦ a
5	94.7	77.7	**70.8**	- 9.4	- 2.4	- 4.0	0.6	-15.0	00	89	99	12 8	23 9	23 8	8	10 *	7	10 +	0.5	17	♦ + n, + \ a,p
6	91.6	94.2	93.9	-13.9	-15.0	-15.4	- 2.5	-15.4	92	92	93	07 3	06 5	08 5	8	9	10	10 *	0.2	17	♦ =° \ n
7	12.5	16.3	15.2	-23.3	-18.4	-15.2	-14.0	-24.6	90	79	85	32 6	30 7	31 6	5	4 =	8 +	8	0.1	17	* = n, = + a
8	13.9	15.1	15.0	-14.4	-14.1	-13.8	-13.8	-16.0	79	88	82	28 7	30 6	29 6	5	5	9 ♦	10 =°		17	=° n, ♦ = a, * ♦ p
9	12.3	12.0	12.3	-13.3	-17.3	-20.2	-13.0	-20.2	81	81	82	30 5	06 3	06 4	9	8 =	1	2	0.2	17	⊙ a,p
10	13.0	13.5	17.9	-22.4	-21.2	-21.4	-20.0	-24.0	94	95	95	07 4	08 4	10 3	9	4	1	3		17	⊙ a,p
11	18.9	18.9	16.2	-20.6	-15.0	-14.0	-12.5	-23.0	97	98	98	16 3	14 2	18 4	9	3	4	10		17	⊙ a,p
12	02.6	94.3	88.1	- 4.9	- 3.0	- 7.0	- 2.6	-14.5	99	95	99	17 3	16 5	09 5	9	10 *	7	10 =°	0.5	18	♦ * n, * p
13	91.6	00.4	04.7	-17.4	-19.6	-20.0	- 6.5	-20.5	89	94	86	02 6	02 6	02 3	8	10 *	10	8	2.0	18	* + n
14	17.4	22.9	**24.1**	-22.4	-22.9	-22.0	-19.0	**-25.0**	88	86	85	01 4	03 3	12 3	9	1	2	8	0.1	18	⊙ a,p
15	12.1	06.2	00.9	- 4.0	- 1.8	- 0.4	- 0.4	**-25.0**	94	99	00	17 7	17 8	17 8	5	9 +	10 +	10 +	0.4	18	* + n, + ♦ a, + ♦ \ p
16	90.6	93.0	96.8	0.1	1.1	- 2.8	2.0	- 3.0	97	98	89	15 8	18 5	14 3	8	10 =°	8	1	0.6	16	♦ = n, • a
17	94.9	95.9	95.7	- 1.0	1.2	0.3	0.3	- 4.5	95	95	95	09 4	17 5	15 4	9	8 =°	8	10	0.0	15	* = n
18	90.4	91.6	91.6	- 2.0	- 2.7	- 3.1	0.5	- 4.0	98	95	95	09 7	11 5	14 6	8	10 *	7	9	0.7	16	‡ * + n, * + ♦ a
19	97.3	99.0	97.1	- 3.2	- 1.4	- 1.0	0.2	- 6.3	**77**	88	98	25 4	16 5	14 7	9	4	7	7	0.1	17	♦ = n, ⊙ a,p
20	88.0	82.3	83.1	- 2.2	0.0	- 2.8	1.2	- 2.8	92	98	94	12 7	12 7	16 5	5	7	10 *	1	0.0	17	♦ = n, * a, ♦ p
21	80.4	81.6	82.5	0.1	0.0	- 3.4	0.7	- 3.8	99	97	97	15 6	14 5	14 4	9	10 ‡	2	2	0.0	17	‡ ⌒ n, ⊙ a,p
22	83.9	86.4	89.3	- 1.7	- 1.2	- 1.4	- 1.0	- 5.0	99	94	94	09 4	10 4	09 4	8	10 *	10	10	0.1	17	* = n, * a
23	97.3	02.0	04.8	- 2.4	- 1.9	- 2.9	- 1.0	- 3.2	95	95	92	08 3	08 3	05 2	8	8	7	5	0.0	17	
24	06.2	05.9	05.6	- 7.3	- 6.3	- 8.7	- 2.0	-10.2	95	92	94	12 2	14 3	15 4	9	1	1	2		17	⊙ n,a,p
25	09.9	10.8	09.5	- 2.6	- 0.4	- 2.4	0.0	- 9.5	90	90	92	16 4	18 5	18 5	9	9	8	4	0.0	17	♦ n, ⊙ a,p
26	90.0	85.6	83.2	2.2	0.8	0.2	2.6	- 3.5	97	88	94	20 7	23 9	23 8	7	10 •	10 =°	10 =°	2.4	16	+ ♦ ♦ • \ n, ≡ 8, ♦ • = \ a, =° ♦ \ p
27	80.9	84.6	99.2	- 4.3	- 1.8	- 1.8	0.3	- 6.7	88	99	81	24 10	26 5	28 9	5	8 ♦	10 ♦	3	0.1	15	= ♦ \ n, ♦ ⊙ \ a, ♦ \ p
28	13.1	12.5	09.7	- 4.4	- 4.2	- 5.3	- 1.8	- 6.4	85	98	97	28 7	32 4	10 4	5	6	10 *	10 *	0.0	15	= ♦ \ n, * a,p
29	06.2	00.5	97.9	- 2.5	0.4	1.5	1.6	- 6.0	98	99	98	12 8	19 5	22 5	6	10 *	10 •	10 =²	1.4	17	* ♦ + n, * + ♦ a, = • p
30	97.0	94.7	95.6	0.7	0.6	- 0.1	2.0	- 0.1	98	98	94	20 4	24 6	24 5	6	10 •	10 •	10 =	0.3	15	≡ • • n, = • a,p
31	96.7	96.5	94.4	- 3.4	- 4.6	- 3.8	- 0.1	- 5.6	95	99	98	09 4	10 7	10 8	4	10 *	10 *	10 *	1.6	16	= * n, * a, + * p
M	99.9	99.9	00.1	- 6.8	- 6.3	- 7.0	- 2.9	-11.0	93	93	93	5.8	5.3	5.1	7.2	7.8	7.6	7.4	27	17	

April IV

Datum	8	14	19	8	14	19	Máx	Min	8	14	19	8	14	19	14	8	14	19			
1	**84.9**	86.1	87.3	1.6	1.6	- 1.2	**4.1**	- 4.0	94	98	99	20 4	20 4	06 2	8	10 =°	4	10 ≡°	5.0	15	= • n, ♦ a, =° p
2	89.3	88.9	89.1	- 4.7	- 4.8	- 6.6	- 0.4	- 7.0	98	95	98	08 6	07 6	05 6	7	10 *	10 =°	10 =°	0.7	16	• = ⌒ * n, * + = a, =° p
3	94.8	96.7	97.2	- 9.7	- 9.2	- 7.1	- 6.2	-11.2	95	97	97	04 4	06 **4**	07 4	7	10 =°	10 =°	10 =°	0.1	16	⌒ =° n, = a, =° p
4	98.1	96.8	93.7	- 1.4	- 1.2	- 1.8	- 0.7	- 7.2	97	93	95	12 5	10 5	08 6	8	10 +	10	10 *		16	=° n,a,p
5	93.0	97.5	02.1	-12.1	-14.3	-16.2	0.1	-16.2	90	92	92	04 9	03 7	04 6	7	10 *	10 =°	10	0.7	17	* + \ n, + =° a, *° \ p
6	07.6	08.2	08.0	-15.4	-13.6	-13.4	-12.3	-17.0	92	93	93	04 4	04 5	04 6	9	6 =°	4	4	0.1	17	= * n
7	08.0	08.7	09.9	-16.4	-15.6	-15.4	-12.4	**-17.2**	90	85	86	04 6	04 5	04 5	9	3	1	1		17	⊙ a,p
8	11.2	11.1	10.5	-13.9	-11.3	-10.0	-10.0	-17.0	88	84	88	07 4	07 3	07 4	9	1	0	1		17	⊙ a,p
9	11.8	12.9	13.0	- 9.7	- 6.2	- 6.1	- 5.6	-12.0	93	88	92	08 3	12 3	11 3	9	7	8	8 *	0.0	17	⊙ n,a,p
10	15.1	18.0	20.2	- 5.0	- 4.8	- 8.4	- 4.6	- 9.0	93	79	84	08 3	08 2	12 2	9	10 =°	1	1	0.0	17	*° n, ⊙ a,p
11	25.9	29.6	**30.3**	- 2.3	- 4.3	- 6.6	- 1.9	-13.0	93	79	88	28 3	04 3	05 5	9	10	4	2		17	⊙ p
12	23.0	17.2	11.2	- 1.4	- 0.4	0.6	0.7	- 7.5	88	86	90	14 7	14 6	14 7	8	10 =°	10	10		17	
13	02.2	98.2	95.5	1.4	1.2	0.6	2.3	- 1.5	94	97	97	15 5	12 4	12 4	8	7	8	9(≡)		14	⊙ 7°°, ⊙ p
14	99.0	01.0	01.8	- 2.4	- 0.8	- 1.0	1.1	- 3.0	93	93	93	20 4	23 3	19 2	8	7	10	10	0.6	15	* =² n, = • ⊙ a
15	00.8	01.1	99.7	- 1.5	0.6	- 0.2	0.7	- 3.5	94	94	95	16 4	14 4	14 5	9	3	3	7	0.0	15	⊙ a,p
16	99.4	05.0	10.5	- 0.6	- 1.3	- 4.2	1.7	- 4.3	95	97	97	12 5	09 5	07 5	6	9 ♦	9 =	10 =°	0.2	15	=² ♦ n, = a, = ♦ p
17	17.2	14.8	12.5	- 3.6	0.4	- 0.8	1.1	- 5.3	95	92	94	13 6	12 5	13 5	9	8 +	9	9	0.1	15	♦ + n, ⊙ 7°°
18	14.3	14.1	12.6	- 0.9	- 1.8	- 5.0	0.1	- 5.0	94	93	94	14 6	18 4	18 2	9	10 *	5	7 ♦	0.1	15	* + n, ♦ * a, ♦ = p
19	11.7	13.4	16.0	- 2.7	- 1.4	- 4.6	- 1.1	-10.7	86	92	81	30 3	09 5	09 3	8	4	10	4	1.4	16	♦ ⊙ n, ⊙ a,p
20	09.6	03.2	01.5	- 1.2	0.8	- 0.1	1.5	- 6.5	82	97	92	15 5	20 5	22 4	7	10	9 =	1		16	* = a, ⊙ p
21	06.0	08.4	08.0	- 3.1	- 3.3	- 3.4	1.6	- 4.8	72	**70**	79	25 7	26 6	27 7	8	7	9	10 =°	0.1	16	=° n, ⊙ 7°°, * = a, = ♦ p
22	07.5	14.7	17.9	- 3.5	- 4.8	- 4.2	- 1.9	- 9.0	86	79	88	29 9	32 6	31 6	8	10 +	4	10	0.2	16	♦ = \ n, \ a
23	24.6	27.0	27.0	- 6.2	- 5.3	- 5.6	- 3.9	- 6.5	95	71	85	08 3	10 1	12 2	8	3	9	10 *		16	= ⊙ n, ⊙ a, * = p
24	26.6	24.3	20.1	- 3.2	- 0.4	0.0	0.3	- 6.0	89	94	98	13 4	18 5	22 4	8	10 =°	10	10 ♦	0.0	16	* = n, ♦ p
25	09.8	09.5	07.9	0.9	0.6	0.8	1.4	- 0.2	98	99	98	24 5	24 2	14 3	2	10 •	10 ≡	10 •	0.3	15	=° ♦ ≡ • n, =² a,p
26	03.7	02.1	96.7	0.1	1.0	- 0.5	2.1	- 0.5	93	93	95	25 5	20 2	09 3	9	10 =	3	5	0.5	16	≡ • * ♦ n, ⊙ a,p
27	90.8	93.2	93.9	- 0.8	- 0.9	- 1.5	0.1	- 1.6	98	94	92	09 7	06 6	07 5	8	10 *	9	9	1.5	18	* + n,a, + p
28	97.4	98.9	00.3	- 4.6	- 5.0	- 2.6	- 0.9	- 6.0	95	97	89	04 7	04 6	07 7	4	10 =°	10 *	9	0.3	18	=° n, * =° p
29	01.2	01.5	01.8	- 7.5	- 8.8	- 8.0	- 2.1	- 9.5	95	95	88	04 7	03 6	03 7	8	10 *	10	7	0.2	18	= ♦ * n, + 7°°, * a
30	04.7	08.3	10.4	-10.5	-11.2	-12.1	- 4.9	-13.0	88	95	95	04 7	03 7	03 6	8	6	10	9	0.0	18	⊙ n
M	06.3	07.0	06.9	- 4.7	- 4.2	- 4.8	- 1.7	- 7.8	92	90	92	5.2	4.5	4.5	7.8	8.0	7.3	7.4	12	16	

Ekstensotabell

1948

Bjørnøya

φ = 74° 31′N λ = 19° 1′E g = 9.828 $\Delta G = +1^h$

Mai V

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 7.6 h_d = 6 h_r = 2.0

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	15.5	17.1	17.9	-15.9	-14.2	-14.4	-11.9	-17.0	74	77	75	03 5	04 3	06 2	9	1	1	1		18	⊙ n,a,p
2	16.3	12.7	09.9	-12.8	-10.0	- 8.6	- 8.6	-17.8	82	86	89	09 4	08 4	06 5	9	1	5	6		18	⊙ n,a,p
3	05.9	08.8	11.7	-12.5	-11.8	-10.8	- 8.6	-14.0	79	92	95	03 6	04 6	04 5	5	6	10 *	10 *		18	⊙ n, * a,p
4	18.4	21.1	21.4	- 3.2	- 1.2	- 2.4	- 0.6	-11.0	94	94	92	09 5	12 4	14 5	9	7 +	1	3	1.1	22	* = n, ⊙ a,p
5	24.2	25.1	25.6	- 1.3	1.0	- 0.8	3.7	- 4.1	90	89	92	15 5	14 2	19 3	9	4	1	1		22	⊙ n,a,p
6	29.4	31.0	30.3	0.2	1.8	1.6	2.8	- 4.4	92	94	92	17 5	18 5	18 5	9	1	1	5		21	⊙ n,a,p
7	25.2	21.0	16.6	2.1	2.6	2.6	2.9	- 0.3	90	94	92	14 6	14 6	15 6	9	7	1	9		18	⊙ n,a,p
8	15.2	19.6	18.4	1.7	1.9	2.0	3.5	1.3	99	94	94	20 4	18 4	17 5	9	10 •	1	10	1.0	17	= • ≡ • n, ⊙ a,p
9	07.0	13.0	19.1	1.9	- 2.1	- 1.6	3.1	- 2.2	99	95	82	17 5	31 4	29 5	8	10 •	10	9	4.0	14	≡ • • n, = • ≡ • * a
10	25.5	24.5	22.4	- 2.5	- 0.8	- 2.3	- 0.5	- 3.1	93	72	90	28 3	23 2	30 2	8	10	9	10	0.1	15	⊙ p
11	19.7	19.7	18.2	- 1.9	- 1.8	- 2.0	- 0.7	- 3.2	90	79	82	08 2	08 3	07 4	9	9	7	9		14	
12	03.4	04.3	04.7	2.7	2.3	1.6	3.9	- 3.0	97	99	97	15 7	20 3	20 3	3	10 •	10 ≡	10 =	5.5	15	* ‡ △ • n, ≡ • a, ≡ • = p
13	01.9	02.9	01.9	1.9	1.4	1.2	3.1	0.5	98	93	90	16 3	21 4	19 5	7	7	10 =°	7 =°	3.6	14	=° ≡ • n, ⊙ 7^m, ∇ a, = ϕ p
14	09.6	15.3	17.0	1.3	0.6	0.0	1.8	- 1.0	85	89	90	24 6	25 4	26 2	8	7	10	10	0.6	14	ϕ n, ⊙ 7^m
15	19.0	19.6	19.7	- 1.3	- 0.8	- 1.4	0.3	- 1.7	89	90	93	08 3	10 4	10 5	8	10	10	10		14	
16	25.1	30.2	32.1	- 2.1	- 3.2	- 4.0	- 0.9	- 4.1	93	94	90	09 4	03 3	01 2	8	10	10	10	0.0	14	* ϕ = n
17	30.4	20.3	13.0	- 1.7	2.0	2.1	3.4	- 4.6	94	98	00	14 4	16 9	18 7	6	10	10 •	10 •		14	⊙ n, • \ a, =^a • \ p, ≡ 18^m
18	08.9	10.3	10.6	1.2	1.1	0.8	2.3	0.4	98	97	88	24 5	24 5	24 7	8	10 •	10	10	12.4	13	≡ • n, = a, ∇ p
19	09.1	07.8	06.9	- 0.8	- 1.2	- 1.1	1.1	- 1.4	95	79	84	25 2	29 5	29 6	8	10 •	10	10 ϕ	1.5	14	ϕ ≡ * n, ϕ a,p
20	07.0	08.1	07.6	- 2.3	- 2.2	- 2.6	- 0.7	- 2.8	93	92	85	28 7	29 4	12 2	8	10 *	10	9	0.2	14	ϕ * n, = 7^m, * a
21	02.4	02.4	02.7	- 4.5	- 3.6	- 3.3	- 2.4	- 5.3	92	93	92	08 6	07 6	06 6	8	10	10	10	0.0	14	
22	05.3	06.8	07.5	- 5.8	- 6.4	- 5.2	- 2.9	- 7.0	88	92	86	04 7	04 5	02 5	7	10 =°	10 *	10 ϕ	0.0	14	= * n, * a, = ϕ p
23	08.1	09.6	09.9	- 5.0	- 4.9	- 4.4	- 4.4	- 6.9	77	90	84	32 3	03 4	02 4	8	9	10 *	10	0.0	14	* n,a, ϕ p
24	08.4	08.7	09.1	- 4.3	- 3.1	- 3.7	- 2.9	- 5.6	88	82	85	14 3	12 3	13 3	8	8	10	7	0.0	14	ϕ n, ○ p
25	10.5	11.6	11.8	- 2.6	- 1.4	- 2.4	- 1.1	- 4.4	95	95	99	12 4	12 4	07 4	9	10 *	8	7	0.0	13	= * n, ⊙ p
26	13.6	16.0	16.9	- 1.3	0.0	- 1.2	0.3	- 3.8	97	95	95	05 3	10 4	08 3	7	10 =	10 =°	10 =°		13	=^a n, =° a, = p
27	17.9	18.8	18.3	- 0.6	- 0.4	3.0	3.2	- 2.2	97	98	89	12 4	12 3	00 0	4	9 =	9 ϕ	3		13	=° = n, = ϕ a, ϕ p
28	13.6	09.7	03.0	1.1	- 0.9	- 1.2	3.5	- 1.2	93	98	98	12 5	07 6	06 8	5	9 =	10 ϕ	10 ‡	0.9	13	= n, ϕ a, ‡ p
29	89.4	92.1	94.0	- 0.2	- 0.2	0.8	2.9	- 1.5	99	99	95	08 6	12 3	18 4	3	10 •	10 ≡	5	8.7	13	• = • ‡ n, ≡ • • a, ≡ • p
30	95.9	97.0	97.9	2.9	3.4	3.2	4.2	2.0	95	98	97	15 4	17 5	17 4	6	10 •	10 =	8 =	3.2	12	= • n, = • a, = p
31	03.9	07.9	11.7	- 0.5	0.3	- 0.2	3.6	- 1.4	93	90	93	25 4	25 5	24 5	8	10	10	10	0.1	12	≡ = n, = a, ∇ p
M	12.4	13.3	13.2	- 2.1	- 1.6	- 1.7	0.1	- 4.2	92	91	91	4.5	4.3	4.3	7.4	8.2	7.9	8.0	43	15	

Juni VI

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	16.6	19.0	19.0	0.3	1.2	1.3	1.7	- 0.5	94	90	86	23 2	24 4	23 3	8	10	10	10	0.0	13	△ ϕ n, ϕ a, = p
2	16.9	15.4	15.1	2.1	2.2	0.3	2.9	0.3	89	85	92	24 2	12 3	06 3	9	10	10	8	0.0	12	⊙ p
3	15.8	16.4	16.0	0.7	0.6	1.2	1.4	- 0.6	95	98	94	09 4	09 5	09 5	5	7	10 =	5		12	⊙ n, = a, ⊙ p
4	13.4	11.7	10.2	0.7	0.3	0.2	1.4	- 0.1	97	99	99	09 5	08 5	08 5	2	10 •	10 ≡	10 ≡°	0.0	12	≡ n, ≡ = a, ≡° p
5	07.3	06.5	06.7	- 0.8	- 0.5	- 1.2	0.4	- 1.5	99	98	98	06 5	08 5	06 6	5	10 ≡	10 =	10 ϕ	0.1	12	≡ n, ≡ = a, △ ϕ = p
6	06.8	09.5	11.7	- 1.8	- 2.3	- 1.8	- 0.9	- 2.6	89	92	93	04 6	05 5	06 4	7	10 =	10 =	9 ϕ	0.2	12	= n,a, =° p
7	16.1	18.1	18.5	- 1.8	- 1.2	- 0.6	- 0.5	- 2.4	97	95	94	08 5	09 6	08 6	7	10 *	10 =	10 =	0.7	13	* + ϕ n, = ϕ a,p
8	17.6	17.2	17.1	- 0.5	- 0.4	- 0.8	0.1	- 1.1	92	92	92	07 5	08 6	07 5	8	9 =°	10	10 =	0.1	13	=° n, = a,p
9	20.8	23.8	24.9	- 1.6	- 1.2	- 1.1	- 0.5	- 2.4	89	86	85	08 5	08 4	08 4	8	10 =°	10	10		12	= ϕ n, = p
10	25.1	24.9	24.5	- 0.8	0.1	0.2	0.6	- 2.1	93	93	93	09 4	12 4	12 3	8	10 =°	10	10		12	=° n
11	23.3	23.5	22.7	1.2	2.1	1.9	2.3	- 0.6	81	82	78	12 3	28 2	16 2	9	9	9	10		12	⊙ p
12	19.0	17.0	16.4	2.7	2.9	0.2	3.7	- 0.1	89	93	84	12 3	20 2	04 3	6	8	10 •	8 =	0.0	12	∇ n, ⊙ 7^m, = • a, ≡ • = p, ⊙ 18^m
13	15.7	14.4	12.8	- 0.6	0.2	0.2	1.0	- 2.3	93	94	79	31 4	31 5	30 5	8	9	10	9	0.0	11	≡ n, = a, ⊙ p
14	06.0	05.3	05.2	0.0	- 0.1	- 0.8	1.0	- 1.0	97	97	99	28 6	31 5	29 5	8	10 •	10	10 *	0.0	11	ϕ = ≡ • r, • = a, * p
15	07.2	06.7	03.2	- 1.2	- 0.9	- 1.0	- 0.5	- 1.9	95	95	98	01 4	01 4	28 4	8	10 =°	10	10 *	0.9	12	* ϕ n, * p
16	01.6	05.9	07.6	- 1.9	0.0	- 0.2	0.2	- 2.3	95	95	95	01 7	04 5	02 5	7	10 ϕ	10 =°	1	1.5	14	* ϕ + r, =° ϕ a, =° p
17	07.6	07.6	07.0	- 1.2	- 1.1	- 0.9	0.0	- 1.6	90	95	97	03 7	03 6	03 7	7	10 =	10 =°	10 =°	0.0	11	=° n, * = ϕ a, =° p
18	07.3	07.4	08.3	- 0.3	- 0.4	- 0.7	0.0	- 1.1	94	97	98	03 7	03 7	05 7	8	6	10	10 =°	0.1	11	ϕ = \ n, ⊙ 7^m, = ϕ p
19	09.5	10.1	10.9	- 1.2	0.8	- 0.8	0.8	- 2.0	95	94	98	04 6	05 5	06 5	8	10 *	10	10 =°	0.1	11	ϕ = n, =° p
20	11.5	11.3	10.3	- 1.6	- 0.8	- 1.6	- 0.6	- 2.0	95	95	97	07 5	07 4	06 5	7	10 ≡	10 =°	10 =°	0.0	11	≡ = ϕ n, ≡ * a, =° ϕ p
21	07.7	06.7	06.5	- 1.1	- 1.0	- 1.3	- 0.3	- 2.1	95	98	98	07 4	05 4	06 4	6	10 ϕ	10 =	10 =°	0.1	11	ϕ = n, = ≡ a, ≡ • p
22	05.3	05.9	06.4	- 1.6	- 0.8	- 1.7	- 0.4	- 2.3	98	98	98	04 3	04 3	30 3	7	10 •	10 =°	7 =°	0.1	11	= ≡ • n, ≡ = a, = • p
23	07.6	09.2	10.1	2.8	3.1	2.7	4.0	- 2.0	94	94	95	20 1	20 4	21 4	8	10 =°	10	10 =°	0.0	10	≡° n, =° p
24	13.8	16.7	19.0	3.0	4.2	3.7	4.9	1.9	88	92	92	22 4	25 4	24 5	8	7	8	9		10	⊙ n,a
25	23.3	24.5	24.9	2.8	4.0	4.1	4.9	1.9	93	92	93	19 3	20 4	20 4	8	10 =°	10	10	0.0	9	• = n
26	24.1	22.5	21.0	4.4	4.9	3.3	5.2	2.7	92	86	92	18 2	18 2	10 2	8	10	10	10		9	
27	13.7	08.5	04.5	0.3	0.6	1.4	3.5	0.1	98	98	98	08 5	06 4	07 5	5	10 *	10 •	10 •	3.0	11	‡ • * n, ‡ a, • p
28	07.6	13.1	14.9	2.8	2.1	2.5	3.3	1.4	98	97	95	24 3	25 3	24 3	8	10 =	10	10 =°	18.5	8	• = ≡° n, = • a, ⊙ = p
29	20.5	22.9	24.0	1.2	2.4	0.4	3.1	0.3	97	94	97	28 3	30 3	30 3	9	10 =°	10	10	0.0	8	= • n, =° p
30	25.0	25.3	24.4	- 2.1	- 0.2	1.0	1.2	- 2.5	98	98	95	29 2	02 2	32 2	3	10 ≡	10 ≡	2 ≡		8	≡ n,a, ≡ ⊙ p
M	13.8	14.2	14.1	0.2	0.7	0.3	1.5	- 1.0	94	94	93	4.3	4.2	4.2	7.1	9.5	9.9	8.9	25	11	

Ekstensotabell

1948

Bjørnøya

$\varphi = 74° 31'$ N $\lambda = 19°$ 1' E $g = 9.828$ $\Delta G = +1^h$ Juli VII $H_s = 15$ $H_b = 14.4$ $h_t = 1.9$ $h_u = 7.6$ $h_d = 6$ $h_r = 2.0$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	23.5	**24.0**	23.3	3.8	2.2	1.7	5.3	0.9	93	97	97	28 2	31 2	13 5	8	6	7	10 =		7	⊙ n,a, ⊙ ≡ p
2	20.4	19.1	18.2	3.3	5.1	5.2	5.7	1.4	98	94	95	12 5	12 5	13 5	8	7 =	5	1 =		7	=° n, = ⊙ a,p
3	16.2	16.0	15.8	7.0	6.6	10.7	11.3	1.9	92	90	79	31 2	24 2	12 3	8	0	0	0		7	≡ ⊙ n, ⊙ a,p
4	16.5	17.8	18.7	10.6	9.0	7.6	**14.5**	6.7	86	86	92	01 1	28 1	30 2	8	1	0	1		7	⊙ n,a,p
5	19.7	19.9	19.8	3.6	2.8	3.2	9.9	1.7	95	95	95	04 3	04 3	05 3	6	3 ≡	8 ≡	1		7	⊙ ≡ n,a,p
6	19.1	19.8	20.1	7.2	11.0	6.1	12.7	2.7	93	**53**	94	09 3	10 4	07 3	9	0 =	0	0		6	⊙ n,a,p
7	21.5	22.5	22.8	1.2	3.2	0.7	8.3	0.3	98	97	98	09 4	09 4	06 4	3	10 =²	10 =°	10 =°		6	○ ≡ n, ≡ a, = ≡° p
8	23.3	23.5	23.5	1.1	1.2	1.0	1.8	0.4	98	98	98	06 3	06 3	06 3	7	10 •	10 =°	10 •	0.0	6	= • ≡ n, = • a,p
9	23.0	23.6	23.7	1.1	1.8	2.8	4.0	0.2	98	98	93	03 3	06 3	08 3	2	10 •	10 •	10 =°	0.1	6	= • ≡ n, ≡ a, = • p
10	23.3	22.8	21.8	- 1.6	3.4	1.3	5.2	- **1.8**	98	93	95	07 3	07 3	05 3	4	10 •	1 =°	4 =°	0.0	6	≡ • n, ≡ ⊙ a,p
11	20.1	20.2	20.2	5.5	6.6	7.2	7.9	0.2	90	92	84	11 3	10 4	10 4	8	10	4	3		5	≡ n, ⊙ a,p
12	19.8	19.9	19.1	0.9	0.4	- 0.4	7.2	- 0.8	98	97	98	04 3	04 3	04 3	4	10 ≡	8 ≡	10 ≡		5	≡ ⊙ n, ≡ a, =° p
13	18.1	18.5	18.5	0.4	1.8	1.3	2.6	- 1.3	99	97	97	02 3	03 3	04 2	8	10 •	8	9	0.0	4	≡ • n,a
14	18.5	19.8	19.8	- 0.1	1.8	2.9	3.0	- 0.3	99	98	97	01 3	04 3	06 3	4	10 •	10 =²	9 =	0.1	4	= ≡ • n, ≡ a,p
15	19.4	19.6	19.1	2.6	4.1	4.6	8.5	1.9	98	95	95	06 3	10 3	10 5	7	10 ≡	6 =°	0 ≡		4	= ⊙ ≡ n, ≡ a, ≡ ⊙ p
16	17.1	15.3	13.5	1.9	2.4	2.9	4.6	0.9	98	98	97	04 5	08 5	08 4	2	10 •	10 ≡	10 ≡	0.1	4	≡ • n,a, ≡ p
17	06.9	06.3	07.3	4.7	10.1	8.6	11.0	1.7	99	95	98	12 5	14 5	14 5	7	10 •	6 =°	10 •	1.0	3	≡ • • n, ≡ a, ≡ = p
18	11.8	13.8	14.2	7.9	6.7	4.7	8.6	3.9	95	92	97	15 4	20 2	04 2	7	10 =	10 =°	10 =²	3.3	1	= • n, = a, = =² p
19	13.6	13.4	12.5	3.4	2.0	1.2	4.9	0.7	97	95	95	06 4	03 3	03 2	1	10 ≡	6 ≡	5 ≡	0.1		≡ • n, ≡ ⊙ a, ≡ p
20	07.8	06.5	05.3	1.3	1.3	1.2	3.5	1.0	97	97	98	04 3	04 4	05 4	6	10 •	10 =	10 •	0.5		≡ • • n, = • a, ≡ • p
21	03.9	03.5	03.5	1.2	1.8	1.9	2.2	0.7	98	95	97	04 2	08 1	02 1	9	10 •	9	10 =°	2.2		≡ • n, ≡ • = a, = p
22	03.8	03.2	03.2	3.7	4.2	3.0	6.0	0.7	98	97	97	23 3	24 3	23 2	2	10 •	10 •	10 •	0.3		≡ • n,a,p
23	02.0	02.1	03.6	0.1	0.3	- 0.4	4.0	- 0.7	98	97	97	30 3	31 2	04 2	3	10 •	0 ≡	10 ≡	0.1		≡ • n,a, ≡ p
24	04.0	06.6	08.0	0.5	2.2	2.2	3.0	- 1.1	98	95	95	01 3	03 2	04 2	5	10 •	10 ≡	9 =	0.2		≡ • n, ≡ ⊙ a, ≡ ⊙ = p
25	14.0	18.7	19.6	2.8	3.4	3.6	4.0	0.1	95	94	93	30 1	30 1	28 2	8	10	10	10			=° n
26	22.3	21.2	18.3	3.3	3.0	9.1	9.4	2.7	97	95	77	12 3	15 4	14 4	4	10 •°	10 •	10 =°	0.5		≡ • • n, = • a, =° p
27	01.3	03.7	01.5	9.9	8.8	9.2	10.5	2.8	97	93	94	17 8	20 6	18 6	6	10 •°	10 =	10 =°	4.1		• = n, ⊙ =° a, =° p
28	**93.1**	95.3	97.4	8.4	8.0	3.4	10.3	3.1	98	98	98	18 4	22 2	26 3	2	10 •	10 ≡	10 •	0.7		= • ≡ • n, ≡ • a,p
29	07.1	09.9	12.0	4.9	5.6	3.0	7.5	2.3	97	98	98	24 4	24 5	27 2	6	10 •	10 •	10 =	0.4		=° = • n, = • a, ≡ • = p
30	18.3	21.0	22.1	2.2	2.6	3.2	7.6	1.6	95	95	94	01 2	32 2	06 1	8	10 =°	9	7	0.4		≡ =° n, = ⊙ a, ⊙ p
31	22.7	22.2	21.4	4.1	4.8	4.4	6.3	1.9	82	82	86	01 1	04 1	26 2	9	10	7	9 =°			⊙ n,a,p
M	14.6	15.2	15.1	3.5	4.1	3.8	6.8	1.2	96	93	94	3.2	3.0	3.1	5.7	8.9	7.2	7.4	14	3	

August VIII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	16.6	14.4	11.9	1.8	3.8	4.0		1.6	97	94	97	08 4	08 4	05 5	7	10 =°	10 =°	10 =°			=° n,a,p
2	10.0	11.0	11.3	3.2	3.6	4.0		2.8	98	95	97	05 5	04 5	08 5	5	10 •	10 =	10 =°	0.0		= ≡ • n, = a, = • p
3	12.1	12.5	12.1	2.7	1.8	0.6		- 0.1	94	95	98	06 3	04 2	02 3	2	7	10 ≡	10 ≡	0.6		= • n, ≡ a,p
4	08.1	06.6	04.5	2.0	2.4	2.0		0.1	95	97	98	32 4	31 4	32 5	6	10 •	10 •	10 =°	0.6		= • n, • a, =° • p
5	01.4	01.6	02.5	2.1	1.6	1.2		0.9	98	97	97	31 5	32 6	32 5	6	10 •	10 =	10 •	3.9		= • • ≡ n, = • a, = • p
6	03.3	04.3	04.8	1.3	0.8	0.4		0.4	99	98	97	03 3	02 2	03 2	5	10 •	10 =	10 =	1.2		≡ • • n, ≡ = a, = • p
7	05.4	05.9	06.0	1.5	4.6	4.0		0.1	98	93	95	28 2	24 2	26 1	7	9 =°	10 =°	9 =°	0.1		• ≡ = n, =° a,p
8	06.0	06.6	07.0	3.5	3.8	3.4		1.6	97	92	95	25 2	24 2	24 3	8	9 ⊽	9	10 =	0.2		⊽ =° n,a, = p
9	07.0	06.5	05.7	4.0	5.4	5.2		2.7	95	71	77	24 2	20 2	20 2	7	10 =°	10 =°	10			⊙ n, =° a
10	03.8	03.6	03.5	4.1	3.6	2.6		2.4	82	97	97	07 3	08 2	04 1	3	10	10 •	10 =			≡ • a, = ≡ • p
11	06.4	08.7	10.4	3.3	5.0	4.4		1.3	95	95	86	27 3	24 4	28 3	9	6	6	7	0.3		= ⊽ ⊙ n, ⊙ a,p
12	13.8	16.1	17.8	4.1	5.4	4.4		2.9	95	92	98	23 3	27 3	25 3	9	9 =°	4	10 =°			⊙ a, ⊙ ⊽ p
13	19.6	21.5	22.4	5.5	6.0	5.4		3.7	98	98	97	23 2	27 2	25 1	4	9 =	10 =²	10 =	0.1		≡ =² • n, ≡ • a, =² ≡ • p
14	23.3	**23.6**	23.3	5.4	5.2	5.2		3.7	81	79	72	24 1	00 0	04 2	8	9	10	10	0.0		⊙ n
15	21.8	21.3	20.6	3.8	3.8	3.8		2.2	93	94	92	09 3	04 3	08 4	8	7 =°	7	10			⊙ n,a,p
16	18.9	18.2	17.4	3.1	5.4	5.4		2.3	97	89	74	09 3	11 3	12 2	7	10 =°	10 =	10	0.0		= • ≡ n, ≡ • a
17	14.4	13.4	12.8	2.4	3.0	2.8		2.2	97	98	98	05 2	04 1	04 1	6	9 =	10 =	10 ≡	0.0		=° n, ≡ a,p
18	12.4	12.4	12.1	2.9	7.2	6.4		1.9	98	85	97	20 2	17 2	19 4	7	10 •	9 =°	10 =°	0.1		≡ • n, ⊙ p
19	11.9	13.5	14.1	6.4	2.2	2.0		1.8	94	98	95	24 2	02 1	30 1	4	9 =	10 =²	10 =	0.4		= • • n, ≡ a, = • p
20	13.8	13.6	12.5	0.5	1.4	1.2		0.2	98	95	95	01 2	00 0	04 1	5	10 •	10 =	10 =	0.2		≡ • n, = a, = • p
21	07.5	05.4	02.9	2.8	4.6	6.6		1.2	98	98	98	04 3	04 2	09 4	5	10 •	10 =	10 •	0.1		= ≡ • n, ≡ • a, ≡ p
22	94.0	92.2	**91.7**	4.8	6.4	6.0		3.4	98	98	98	04 4	10 5	10 4	3	10 •	10 ≡	10 ≡	11.1		≡ = • n, ≡ • a,p
23	94.9	99.5	03.5	3.7	1.8	1.6		1.4	98	97	95	07 4	03 6	02 6	5	10 •	10 =	10 =	2.3		≡ = • ⊽ n, ≡ • a, ≡ = • p
24	09.3	10.1	10.4	0.0	- 0.2	- 0.6		- **0.8**	93	85	92	03 4	04 5	04 4	7	10 =°	10 =	10 =	0.5		= • n, = a, =° p
25	08.5	08.1	07.6	2.0	1.8	1.5		- **0.8**	95	97	98	05 4	04 5	03 5	6	10 =°	10 •	10 •			= =° n, =° a, = • p
26	05.1	06.1	09.3	1.4	1.5	1.2		0.8	98	98	90	01 5	30 5	30 4	7	10 •	10 =	7 =°	2.2		≡ = • • n, ≡ • a, =° p
27	12.4	12.3	11.6	2.3	5.2	4.8		0.8	93	**70**	77	17 3	18 4	20 3	9	7	6	6	0.1		⊙ n,a,p
28	09.7	10.2	10.0	2.6	4.2	3.1		2.0	90	94	71	28 3	29 3	18 2	9	9 =°	4	9			⊙ a,p
29	05.4	03.2	02.8	4.6	5.2	4.6		2.1	97	97	98	18 6	18 6	20 5	5	10 •	10 •	10 =	1.2		= • n,a,p
30	12.8	16.8	18.6	3.4	5.0	4.8		2.1	98	94	81	24 2	24 1	17 2	8	10 =°	10 =°	10 =°	8.5		= n,a, =° p
31	19.5	18.9	18.0	4.4	5.4	**7.8**		2.2	86	98	93	09 3	09 5	11 4	6	6 =°	10 =°	10 =°			=° ⊙ n, = • • a, = p
M	10.0	10.3	10.3	3.1	3.8	3.6		1.6	95	93	92	3.1	3.1	3.1	6.2	9.2	9.2	9.6	34		

Ekstensotabell

1948

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1^h

September IX

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 7.6 h_d = 6 h_r = 2.0

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde >	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	17.5	17.4	16.2	6.8	6.9	5.6		2.2	95	93	97	14 6	11 6	11 5	8	10 =°	10 =°	10 =°	0.3		=° n, =° ⊙° a, =° p
2	14.4	13.7	14.0	6.6	8.0	6.5		4.4	98	98	99	12 5	12 5	11 5	5	10 ,°	10 =°	10 ,	0.2		≡ , ,° n, ≡ , a, ≡ ,° p
3	13.8	14.4	14.7	8.9	**9.8**	8.8		5.5	94	92	88	14 3	16 6	16 4	8	8 =°	9 =°	4 =°	0.1		≡ , = =° ⊙° n, =° ⊙° a, =° p
4	15.3	14.6	13.3	8.0	9.7	9.2		6.9	97	88	92	18 3	18 5	16 1	8	10 ≡	10 =°	10 =°			=° n, ≡ =° a, =° ⊙° p
5	06.7	06.6	08.7	9.1	6.2	5.0		2.9	97	98	99	17 6	20 5	24 3	2	10 ,°	10 ,	10 =^{3}	3.5		,° =° = n, ≡ , a, =^{3} p
6	10.6	12.4	13.2	4.9	4.6	3.8		2.9	98	98	98	12 4	09 3	10 3	8	10 =°	10 ,°	10 ,°	1.0		≡ = , ,° n, = a, ≡° = ,° p
7	12.7	08.6	03.4	3.2	4.5	5.1		2.7	98	99	99	09 5	10 6	10 6	2	10 ≡°	10 ,	10 ,°	0.1		≡ = n, ≡° ⊙° ∩ a, ≡ ,° p
8	98.4	98.6	96.5	6.2	8.8	8.1		3.9	93	94	97	10 5	17 6	16 5	7	10 =°	9 =°	10 =°	0.4		,° ≡ = n, =° ⊙° a, =° ⊙° (≡) p
9	93.5	93.8	96.1	4.5	4.4	3.2		2.8	98	98	98	09 4	08 5	04 2	6	10 =°	10 ,	10 ,	6.2		, = n, ,° = a, , = p
10	00.4	01.5	04.9	3.7	3.7	0.8		0.8	94	95	97	18 3	05 1	04 5	7	9 =°	10 =	10 ‡°	6.0		, =° n, ,° =° ⊙ a, = p
11	16.0	19.4	**19.7**	1.3	0.6	- 0.5		- 0.5	82	74	77	32 2	04 3	07 3	9	7	3	10 =°	0.1		= ⊙ n, ⊙ a,p
12	15.3	11.9	06.6	3.6	4.2	4.5		- 0.9	82	78	84	09 6	10 7	12 9	6	10 =°	10(•)	10(•)			=° n, = ,°\a, = \ p
13	93.9	94.6	93.4	6.2	6.6	7.8		4.2	99	99	95	18 4	18 5	14 7	1	10 ,	10 ≡^{3}	10 =°	10.6		= , n, ≡^{3} =^{3} , a, =° ⊙ p
14	97.1	95.8	92.8	5.7	8.1	3.8		3.7	98	94	99	12 3	12 5	09 5	8	9 =°	10 =°	10 ,	2.1		=° ⊙ n, ,° = a, ≡ = , p
15	89.7	89.4	89.5	3.0	3.8	2.1		2.0	99	99	99	12 3	07 4	06 4	4	10 ≡°	10 =^{3}	10 ,	0.8		≡ , n, = =° a, ≡° = ,° p
16	91.7	94.2	95.2	1.4	2.0	1.6		0.9	98	98	94	04 5	06 5	05 5	5	10 ‡°	10 ,	10 =°	0.6		≡ = , n, = ,° , a, =° p
17	96.9	96.3	94.9	1.5	1.9	2.0		0.8	97	97	94	06 4	08 4	08 4	7	9 =°	10 ,°	10 =°	1.1		=° n, =° *° a, =° p
18	94.6	96.2	97.2	1.1	1.1	0.4		0.0	93	94	98	05 5	06 5	04 5	8	10 =°	10 =°	10 ,°	1.0		=° n,a, = p
19	98.2	00.5	02.0	1.8	1.1	0.6		0.2	97	93	93	07 3	05 5	04 5	9	6	9	9	0.1		=° ,° n, ⊙° a, ⊙ p
20	05.5	06.1	05.8	- 0.9	- 0.2	0.4		- 1.2	90	95	95	04 6	04 6	04 7	6	10 ♎°	10 ♦°	10 =°	0.0		*° =° n, =° ♦ a, =° p
21	02.7	98.3	96.8	0.1	0.0	0.6		- 0.2	93	94	95	02 8	01 9	01 9	7	10 =°	10 *°	10 ‡	0.1		‡° ,° =^{3} = n, = *° a, = ‡ ‡^{3} \ p
22	96.0	95.5	91.6	1.4	1.8	1.6		0.3	98	98	98	03 4	04 5	32 7	3	10 ,°	10 ≡°	10 ,‡	2.8		♦ = , n, ≡ =^{3} ,° a, ≡ ,° p
23	87.6	89.5	89.5	1.5	1.4	1.4		1.2	99	99	99	31 4	02 4	32 4	4	10 ,	10 ,°	10 ,	9.1		≡ , n,a, ≡ = , p
24	92.0	94.2	97.5	0.8	1.0	1.0		0.3	00	99	94	30 6	28 5	28 7	8	10 =°	9 =	10 =^{3}	8.4		≡ = , ‡ n, =° a, ⊙ 13^{30}, =° ♦° p
25	04.6	06.1	07.1	0.1	0.6	0.3		- 0.6	77	79	88	27 6	28 5	22 2	9	10 =°	9	10	0.7		=° ,° n, =° ⊙° a, ♦° p
26	98.1	98.1	96.9	0.6	0.6	- 3.1		- **3.6**	00	**68**	89	28 3	23 4	14 3	9	10 *°	9	3	2.1		♦° =° n, =° ⊙° * a, ⊙ p
27	88.3	86.1	85.3	0.8	0.5	0.8		- 3.1	99	97	92	02 5	31 5	31 5	7	10 =°	10 =°	10 =°	0.7		=° n,a,p
28	77.6	77.4	77.5	0.9	0.1	0.4		- 3.1	99	99	99	30 6	02 3	02 5	8	10 ,°	10(•)	10 ‡	0.1		*° ,° =° n, = ,° a, ≡ = ♎ ‡° p
29	**75.6**	76.4	77.9	0.7	0.6	0.9		- 0.3	00	00	00	30 7	30 9	30 9	5	10 ‡°	10 ‡°	10 =°	1.0		‡° =° n, =° ‡° \ a,p
30	88.0	94.5	95.9	1.4	1.0	0.9		0.5	99	00	98	32 7	31 6	30 5	7	10 =°	10 =°	10 =°	1.4		‡ = \ n, =° a,p
M	99.7	00.1	99.8	3.2	3.4	2.8		1.2	95	91	95	4.7	5.1	5.0	6.4	9.6	9.6	9.5	61		

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde >	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	98.4	99.6	97.7	1.4	0.4	0.7		0.0	00	98	00	28 5	29 4	28 5	8	2	10 =°	6 =°	0.0		=° ‡° n, ⊙ 7^{00}, =° ⊙° a, =° *° p
2	88.7	87.0	85.9	0.5	0.2	0.0		- 0.5	00	99	99	29 5	30 5	30 5	8	10 *°	10 =°	10 ♦°	0.0		=° n, =° ♦ a,p
3	82.7	83.4	83.6	0.5	0.4	0.1		- 0.9	99	89	97	32 6	01 7	32 8	6	10 ♦°	10 =°	10 =^{3}	0.5		=° ♦° n,a, =° ♦° \ p
4	88.6	92.2	93.7	0.4	0.8	0.4		- 1.1	92	95	95	02 7	01 5	02 5	8	9(♦)	9 =°	10 =°	0.3		=° ♦° n,a, ⊙° 13^{30}, =° ♦° p
5	98.0	01.1	02.3	- 0.3	- 0.5	- 0.7		- 1.1	94	99	94	02 5	02 4	04 4	5	10 =°	10 ♦°	10 =°	0.0		=° ♦° n,a,p
6	04.3	05.3	04.4	- 1.1	- 1.2	- 1.9		- 2.1	92	89	93	04 3	04 2	05 2	9	6	7	9	0.4		=° n, ⊙° a,p
7	99.5	99.9	01.5	- 0.9	- 1.0	- 0.4		- 2.8	97	99	99	07 5	06 5	06 6	8	9 =°	10 =°	10(♦)	0.0		=° *° ♦° ⌒ n, =° ♦° a,p
8	12.5	15.1	18.2	0.1	0.5	0.8		- 0.7	00	00	00	28 6	30 4	32 5	7	10 =°	10 *°	10 =°	0.1		=° *° ♦° ⌒ n,=° *° a,=° ,° ‡° p
9	27.7	30.0	**30.2**	0.0	0.0	0.0		- 0.3	98	92	88	31 5	28 6	28 5	7	7	10 =°	10 =°	0.1		=° ‡° n, ⊙° 7^{00}, =° a,p
10	20.0	13.4	08.3	1.6	2.4	2.1		- 0.5	95	97	98	20 6	20 6	20 5	5	10 =°	10 =	10 =	0.0		=° *° n, = a,p
11	91.9	93.1	94.8	3.0	2.8	2.2		1.8	00	00	00	20 5	24 6	20 4	5	10 =^{3}	10 ,°	10 ,°	2.5		= , , n, = ,° a,p
12	95.4	95.9	96.9	1.0	0.8	- 1.2		- 1.5	99	99	98	18 2	07 3	06 5	2	10 =^{3}	10 ,	10 =°	2.1		= ,° n, =° a, ≡ 13^{30}, =° * p
13	98.2	96.6	94.6	- 0.2	0.8	1.6		- 1.7	99	00	00	07 5	10 6	12 5	3	10(♦)	10 ,	10 ,°	0.9		=° *° n, ≡° =^{3} , a, ≡° ,° , p
14	93.9	93.3	92.6	4.0	**4.8**	3.9		1.1	00	98	99	14 6	14 6	12 6	8	10 ,	10 =°	9 =°	5.3		≡ = , , ⌒ n, =° , a, =° p
15	90.4	89.7	88.0	3.1	4.2	3.8		2.6	00	98	98	12 5	12 3	08 2	7	10 ≡	10 =°	10 =°	2.4		= ,° ,° n, =° a, =° ,° p
16	94.0	95.6	95.7	2.2	3.0	1.7		1.3	99	98	98	20 1	18 2	08 2	8	10 =^{3}	9 =°	10 =°	1.2		≡^{3} =° ‡° n, = a, = ,° p
17	92.2	90.6	90.2	0.4	1.9	2.4		0.0	00	00	00	06 4	06 3	09 3	1	10 ≡^{3}	10 ≡^{3}	10 ≡	0.3		≡ = , n, ≡ a, ≡^{3} p
18	91.5	93.1	93.4	2.6	2.9	2.2		1.6	99	00	00	08 2	09 2	08 3	2	10 ≡	10 ≡	10 ≡	0.5		≡ = ,° n, ≡ a, ≡ , p
19	94.6	93.9	91.6	1.6	2.2	1.8		1.1	98	98	98	11 3	12 4	10 5	8	9 =°	5 =°	8 =°	1.4		≡^{3} =° n, =° ⊙ ,° a, =° ⊙° p
20	79.4	76.6	74.4	2.3	3.3	1.7		1.3	99	99	00	10 4	10 4	10 3	7	10 =°	9 =°	9 =°	1.8		= , n, =° ⊙° a, ≡ p
21	**71.8**	72.5	73.2	- 0.4	0.0	0.2		- 0.6	00	00	00	08 2	01 2	00 0	1	10 ≡	10 ≡^{3}	10 ≡	0.1		≡ , n, ≡ = a,p
22	75.3	75.7	75.4	- 0.4	- 0.4	- 1.0		- 1.7	94	97	81	00 0	32 2	00 0	9	8	6(*)	10			≡° =° n, ♎° * = ⊙ a
23	77.5	80.0	81.2	- 1.4	- 1.5	- 2.0		- 2.2	82	79	94	02 4	00 0	00 0	9	10	10	10 =°	1.0		=° *° n, = ♎° p
24	82.6	84.4	85.9	- 1.9	- 2.4	- 2.1		- 3.2	**68**	92	98	28 4	12 2	00 0	7	10 =°	10 =°	10 *	0.1		=° *° n, =° a, * ♎° =° p
25	90.9	93.3	93.8	- 2.6	- 1.6	- 1.3		- 3.3	92	94	95	04 4	07 4	07 6	7	10 *	9 =°	10 ♦°	0.8		*° =° n, ♦° =° a, ♦ p
26	96.2	97.4	98.4	- 0.5	- 0.7	- 1.0		- 1.9	99	88	93	06 5	06 7	04 7	8	10 =°	10 =°	4 =°	0.4		=° ♦° n, ♦° +° a, =° ♦° +° p
27	00.3	04.1	06.5	- 2.0	- 3.6	- 4.9		- 5.1	88	82	78	02 8	01 6	32 6	7	10 =°	10 =°	9 =°	0.1		=° n,a,p
28	06.1	01.8	00.4	- 3.4	0.4	- 1.4		**- 6.4**	98	94	92	16 3	22 5	24 7	7	10(*)	10 =	6 =°	0.6		=° * ⌒ n, = * a, = ♦ p
29	12.1	13.5	13.2	- 2.6	- 2.3	- 2.5		- 4.6	79	99	92	28 2	15 4	15 4	7	9	10 *°	10 =°	0.7		=° ♦ ⌒ n
30	13.9	17.4	19.3	2.0	2.1	2.3		- 2.5	00	95	95	20 5	24 5	24 6	6	10 =°	10 =°	6 =°	0.6		= ,° n, =° a, ♦ = p
31	23.4	21.6	18.6	1.2	2.2	1.8		0.3	92	94	98	16 3	16 4	16 4	9	10	10	5	0.3		=° n, ⌒^{3} 18^{00}
M	96.4	97.0	96.9	0.3	0.7	0.3		- 1.1	95	96	96	4.2	4.1	4.1	6.4	9.3	9.5	9.1	24		

1948

Bjørnøya

φ = 74° 31′ N λ = 19° 1′ E g = 9.828 ΔG = + 1ʰ

November XI

H_s = 15 H_b = 14.4 h_t = 1.9 h_s = 7.6 h_d = 6 h_r = 2.0

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8		14		19		Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	09.5	05.6	02.8	3.0	2.8	2.4		1.6	95	95	95	17	6	16	7	16	5	7	10 =°	10 •	10 =°	0.5		ϕ° •° =° n, =° •° a, • p
2	98.1	97.7	97.4	- 0.2	- 0.4	- 0.4		- 1.0	98	98	99	16	3	20	2	17	3	6	9 =°	7 =	10 =°	3.2		⌒ =° n, =° a, = p
3	97.1	95.7	91.9	- 1.5	- 1.4	- 1.7		- 1.9	99	90	99	04	3	04	4	04	7	6	10 *°	10 *	10 *²			=° n, = *° a, *² p
4	83.1	85.1	87.3	- 1.6	- 4.7	- 5.5		- 5.9	99	90	86	02	7	02	9	02	8	2	10 +	10 *°	10 =°	4.3		+ * =° n, * +\ a, *° =° \ p
5	87.8	86.9	85.9	- 7.8	- 6.8	- 5.2		- 8.4	78	70	95	31	5	30	5	28	5	8	10 =°	8 =°	10 *°	0.3		*° =° n, =° a, =° *° p
6	86.4	89.8	93.8	- 3.0	- 3.4	- 4.6		- 8.4	84	98	94	06	4	06	9	02	8	2	10 =°	10 +²	10 =	0.0		=° n, *² ϕ +\a, ϕ° = +\ p
7	98.1	01.7	03.1	- 5.0	- 7.9	- 7.5		- 8.1	90	84	82	02	9	04	8	04	7	8	10 =°	10 =°	10 =°	0.5		=° *° \ n, a, p
8	08.1	10.9	12.4	- 9.4	- 9.8	- 9.6		-10.2	82	82	85	02	5	02	5	32	5	8	10 =°	10 =°	10 ϕ°	0.0		=° *° ϕ n, ϕ =° a, ϕ° =° p
9	14.4	14.7	14.0	- 9.3	- 8.6	- 8.8		-10.2	82	85	88	04	4	04	4	04	5	7	10 *°	10 =	10 *°	0.1		*° =° n, ϕ° = a, ϕ° =° p
10	15.4	17.9	19.7	- 8.3	- 8.3	- 8.3		- 9.0	90	92	89	04	6	02	6	04	6	6	10 =°	10 *°	10 *°	0.0		*° =° n, a, p
11	23.0	23.3	22.1	- 7.4	- 5.2	- 2.4		- 9.8	85	78	78	01	4	28	4	26	5	9	9 =°	9	9 =°	0.0		*° =° n, =° a, p
12	17.4	11.6	03.9	- 3.0	- 2.3	- 0.3		- 3.6	82	97	95	22	5	20	5	20	7	8	10 =°	10 =°	10 =°	0.0		*° =° n, *° ϕ° =° a, ϕ° =° p
13	92.0	89.7	88.7	- 1.8	- 1.6	- 2.9		- 5.4	98	99	00	32	5	24	4	28	7	7	10 =°	10 *°	10 =°	0.3		=° *° ϕ° n, *° =° a, p
14	99.7	01.4	01.9	- 6.2	- 6.0	- 5.4		- 7.0	78	78	74	31	5	28	5	32	5	8	10 =°	10 =°	8	0.6		*° =° n, =° a, p
15	99.7	99.1	99.3	- 5.8	- 6.8	- 8.2		- 8.8	78	86	88	32	3	00	0	08	2	9	10	9	1	0.0		*° n, ⌒ p
16	97.1	96.3	97.1	- 6.5	- 4.3	- 4.1		- 9.2	93	92	99	10	6	10	6	08	6	8	10 =°	10 =°	10 =°			⌒ n, =° a, *° =° p
17	93.5	88.5	85.6	- 0.2	2.4	2.6		- 4.1	85	00	00	12	6	18	6	17	6	6	10 =°	10 •°	10 •	0.0		=° * n, ⁑° •° = a, •° = p
18	82.5	83.4	85.5	2.2	- 1.3	- 2.2		- 2.2	00	00	97	16	4	32	3	02	4	4	10 =°	10 •	10 ⌂°	5.0		=° • n, = ≡ a, = p
19	92.4	96.2	96.7	- 4.5	- 4.6	- 5.2		- 5.9	79	85	86	28	6	24	7	26	8	7	10 =°	10 *°	10 =°	0.1		=° ϕ° n, *° =° a, =° ϕ° p
20	91.6	91.0	90.8	- 5.8	- 6.4	- 9.4		- 9.6	85	94	94	25	5	04	7	04	7	7	10 *	10 =°	10 =°	0.4		* *² ϕ° n, *° =° a, =° p
21	93.4	96.6	98.9	-12.3	-11.8	-10.9		-13.2	90	88	82	02	6	04	6	32	5	9	10	10	10 ϕ°	0.0		*° =° n, ϕ° p, = 18‰
22	00.0	00.7	03.3	- 7.8	- 8.2	- 8.7		-12.3	82	85	89	28	7	30	8	30	8	7	10 =°	10 =°	10 =°	0.0		=° ϕ° n, *° =° a, ϕ° *° =° p
23	08.2	14.1	16.6	- 8.1	- 9.4	- 7.2		-10.1	92	92	88	32	6	31	5	28	6	7	10 =°	10 =°	10 =°	0.0		ϕ =° n, =° ϕ° a, p
24	20.6	14.1	03.8	- 7.8	- 5.6	- 3.3		- 8.4	84	00	99	10	1	12	4	12	7	4	10	10 ⌂	10 *²	0.1		=° ϕ° n, = ⌂ a, * p
25	01.8	06.2	05.5	- 2.3	- 4.4	- 4.3		- 4.7	99	00	00	04	6	04	4	10	4	2	10 =°	10 ≡	5 ≡	1.4		=° * n, =° a
26	89.5	85.1	93.1	1.0	0.8	- 3.9		- 5.1	00	00	98	12	7	23	5	28	9	4	10 •°	10 =²	10 =°	0.2		=² * n, •° = a, •° ⁑° =\ p
27	07.4	06.1	97.1	- 3.8	- 4.7	- 3.2		- 5.0	92	00	00	30	4	10	4	08	6	3	10	10 ⌂	10 *²	0.6		=°\ n, ⌂ =° a, * =² + p
28	85.1	92.3	98.4	- 1.4	- 4.0	- 5.8		- 5.9	00	85	90	08	6	04	7	05	6	7	10 ⁑	10 =°	10 =°	6.1		⁑ • * = + n, *° + =° a, =° p
29	99.5	97.9	96.2	- 4.5	- 2.6	- 1.3		- 6.1	98	00	00	08	8	08	7	08	6	4	10 *°	10 *°	10 ⌂°	0.9		=° * +° n, = + a, ⊙ + p
30	91.2	93.6	94.0	- 2.8	- 2.9	- 4.1		- 4.6	00	94	94	04	1	04	5	06	5	8	10 =²	10 =°	10 =	1.8		⌂° *° ≡ n, = ⌂ a, = p
M	99.4	99.7	99.6	- 4.4	- 4.7	- 4.6		- 6.8	90	91	92	5.1		5.4		5.9		6.3	9.9	9.8	9.4	26		

Desember XII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8		14		19		Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.2	03.3	04.9	- 9.7	-10.8	-10.2		-11.1	97	86	89	04	7	32	6	04	4	8	10 =°	10 =°	10 *°	0.0		=° n, a, *° p
2	12.7	16.1	15.6	-14.6	-16.0	-15.6		-16.8	78	81	81	32	5	04	3	07	4	9	8 =°	10	8	0.1		ϕ° ⌒ n
3	08.9	04.2	02.0	-14.3	-13.8	-13.2		-16.9	00	99	97	06	6	04	8	04	8	9	8 +	9	1			=° +° ⌒ n, +° a, ϕ° ⌒° p
4	05.6	08.6	10.3	-18.0	-18.6	-18.8		-19.0	98	98	98	04	7	04	6	04	6	7	9 =°	10 =°	1	0.0		*° ⌒ =° n, =° a, =° ⌒° p
5	14.7	16.5	17.1	-17.6	-17.5	-16.9		-19.4	94	89	89	04	5	04	4	04	3	9	5	1	0	0.0		⌂° ⌒ n
6	13.0	10.7	07.2	- 9.3	- 9.8	- 7.2		-16.9	94	94	81	08	3	10	3	10	5	9	9	4	9	0.0		=° ⌒° ⌂° n, ⌒ a, p
7	89.0	83.6	80.8	- 1.6	- 1.0	- 0.3		- 7.3	00	00	00	12	7	11	3	20	5	5	10 *	10 *°	10 *	0.5		*° +° = ⌒ n, *° +° =° a, *° =° ⌒ p
8	93.6	99.3	01.0	-10.4	-10.0	- 9.2		-11.4	00	85	85	28	8	28	7	24	7	7	8 *°	10 ϕ	6 ϕ	3.3		=° ϕ° ⌒ +° n, * ϕ =° a, ϕ = p
9	88.8	91.5	88.8	- 6.8	- 9.6	-10.6		-11.5	00	95	75	26	7	00	0	28	5	2	0 +°	10 *²	10 *°	2.0		=° ⌒° ϕ n, * =° a, * p
10	88.8	90.4	92.0	-14.0	-14.1	-12.0		-17.8	93	90	82	13	3	02	7	32	6	7	10 =°	4 +°	10 *°	2.4		*° ϕ =°\ n, =° +° a, *° =° p
11	09.5	15.2	18.5	-14.0	-12.2	-12.9		-14.9	85	92	94	01	5	32	5	04	2	7	8 =°	10 =°	1	0.6		=° *° ϕ° ⌒ n, *° =° a, =° ⌒ p
12	20.7	19.2	18.9	-11.8	-10.8	-12.0		-16.2	98	99	98	06	5	06	4	06	5	7	10 *°	10 =	10 =°	0.1		=° *° n, ϕ° = +° a, =° p
13	15.6	12.8	09.1	-13.0	-12.7	-11.0		-13.3	98	98	00	06	6	06	5	06	6	5	10 *°	10 *°	10 *	0.5		* = n, *° +° =° a, p
14	04.9	04.5	04.1	- 6.1	- 5.0	- 3.6		-11.0	98	00	98	08	8	08	7	08	7	4	10 *°	10 *	10 =°	8.0		*° +² \ n, *° +² a, *° +° =° p
15	07.6	08.5	09.5	- 2.8	- 2.6	- 2.1		- 4.1	95	98	94	10	8	12	9	12	7	6	10 +²	10 +	10 +°	0.5		+ \ n, =° + \ a, p
16	10.5	10.5	10.4	0.1	- 0.4	0.0		- 3.0	85	92	98	14	8	14	8	14	6	7	10 =°	10 =°	10 =°			=° +° \ n, =° \ a, =° p
17	93.8	04.3	09.1	2.0	- 1.6	- 3.0		- 4.3	98	00	98	16	7	25	6	27	7	5	10 =°	10 *	10 =°			=° n, ϕ ϕ = a, ϕ° = p
18	07.7	87.7	83.0	- 3.6	2.6	1.9		- 4.8	86	00	00	12	4	17	7	20	5	5	10	10 ⁑	10 =°	3.1		* ⁑² +°\ a, ⁑ = p
19	92.3	95.1	86.9	0.3	- 0.8	- 1.7		- 2.7	99	94	98	24	8	22	5	10	5	6	10 =°	10 =°	10 =°	6.6		=° • n, =° a, p
20	81.4	90.5	99.4	- 1.5	- 2.4	- 4.4		- 8.0	00	98	94	24	5	04	8	01	8	6	10 =°	10 =	10 *°	5.2		=° n, * = a, *° =° p
21	08.9	17.3	19.8	- 9.8	-13.2	-14.2		-14.8	94	93	84	04	8	02	5	02	4	7	10 *	10 =°	4	0.2		* = n, ϕ° =° a, ⌒ =° p
22	07.5	00.3	97.7	- 8.3	- 5.4	- 3.3		-15.2	79	88	98	14	4	12	7	12	7	7	9	10 =°	10 *°	0.1		=° n, *° +° p
23	99.6	03.7	02.0	- 4.6	- 7.8	- 7.2		- 8.6	00	00	93	32	6	30	5	04	4	6	10 =	10 =°	10 =°	1.7		*° = +° n, *° =° a, p
24	88.6	97.2	01.3	- 0.8	- 6.8	- 9.6		- 9.6	94	98	95	26	5	31	6	31	4	7	10 =°	5 =°	10 =	2.4		*° =° n, *° • =² a, = p
25	01.1	08.9	13.7	- 3.4	-12.4	-15.2		-15.5	98	97	95	22	5	32	6	04	6	5	10 *°	10 =°	10 =°	0.5		*° =° n, =° a, *° =° p
26	17.7	13.2	05.0	-13.4	- 8.3	- 3.7		-19.8	93	94	00	04	6	12	6	12	8	5	10 =°	10 *°	10 *°	0.0		=° ⌒ n, * = +° a, *° = + p
27	84.2	88.9	89.6	1.6	1.1	0.5		- 3.7	00	00	00	24	4	20	5	17	3	5	10 •°	10 =	10 •°	6.6		• = n, •° = a, p
28	77.5	74.1	72.1	2.9	1.9	0.6		0.5	89	85	77	19	9	27	9	22	9	7	10 •°	9 =°	3 =°	1.1		• =°\n, ⁑° =° •°\a, ⁑° =° ⌒°\p
29	70.5	67.6	66.0	0.2	- 0.1	- 2.9		- 2.9	98	98	98	09	3	08	3	08	7	5	10 *°	10 =	10 *°	1.9		⁑ ⌒²\n, * •° = a, *° =° +° p
30	68.8	72.3	75.8	- 4.5	- 5.4	- 6.0		- 6.0	94	99	99	06	9	04	9	08	9	1	10 *°	10 ϕ²	10 ϕ²	5.0		*° +°\n, ϕ +²\a, ϕ² +²\p
31	82.2	83.6	85.7	- 3.2	- 1.9	- 1.0		- 6.0	95	00	98	10	8	10	9	12	8	3	10 +°	10 +°	10 +	6.2		ϕ *² + =\n, *° =° +°\a, =° +°\p
M	99.1	00.0	99.9	- 6.5	- 7.3	- 7.3		-11.1	94	95	93	6.1		5.8		5.8		6.1	9.2	9.1	8.2	59		

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1ʰ

September IX

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 7.6 h_d = 6 h_r = 2.0

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	17.5	17.4	16.2	6.8	6.9	5.6		2.2	95	93	97	14 6	11 6	11 5	8	10 =°	10 =°	10 =°	0.3		=° n, =° ⊙° a, =° p
2	14.4	13.7	14.0	6.6	8.0	6.5		4.4	98	98	99	12 5	12 5	11 5	5	10 ,°	10 =°	10 ,	0.2		≡ , ,° n, ≡ , a, ≡ ,° p
3	13.8	14.4	14.7	8.9	**9.8**	8.8		5.5	94	92	88	14 3	16 6	16 4	8	8 =°	9 =°	4 =°	0.1		≡ , = =° ⊙° n, =° ⊙° a, =° p
4	15.3	14.6	13.3	8.0	**9.7**	9.2		6.9	97	88	92	18 3	18 5	16 1	8	10 ≡	10 =°	10 =°			=° n, ≡ =° a, =° ⊙° p
5	06.7	06.6	08.7	9.1	6.2	5.0		2.9	97	98	99	17 6	20 5	24 3	2	10 •°	10 ,	10 =²	3.5		•° =° = n, ≡ , a, =² p
6	10.6	12.4	13.2	4.9	4.6	3.8		2.9	98	98	98	12 4	09 3	10 3	8	10 =°	10 •°	10 ,°	1.0		≡ = • •° n, = a, ≡° = •° p
7	12.7	08.6	03.4	3.2	4.5	5.1		2.7	98	99	99	09 5	10 6	10 6	2	10 ≡°	10 ,	10 ,°	0.1		≡ = n, ≡° ⊙° ∩ a, ≡ ,° p
8	98.4	98.6	96.5	6.2	8.8	8.1		3.9	93	94	97	10 5	17 6	16 5	7	10 =°	9 =°	10 =°	0.4		•° ≡ = n, =° ⊙° a, =° ⊙° (≡) p
9	93.5	93.8	96.1	4.5	4.4	3.2		2.8	98	98	98	09 4	08 5	04 2	6	10 =°	10 •	10 ,	6.2		• = n, •° = a, • = p
10	00.4	01.5	04.9	3.7	3.7	0.8		0.8	94	95	97	18 3	05 1	04 5	7	9 =°	10 =	10 ‡°	6.0		• =° n, •° =° ⊙ a, = p
11	16.0	19.4	**19.7**	1.3	0.6	− 0.5		− 0.5	82	74	77	32 2	04 3	07 3	9	7	3	10 =°	0.1		= ⊙ n, ⊙ a,p
12	15.3	11.9	06.6	3.6	4.2	4.5		− 0.9	82	78	84	09 6	10 7	12 9	6	10 =°	10(•)	10(•)			=° n, = •°\a, = \ p
13	93.9	94.6	93.4	6.2	6.6	7.8		4.2	99	99	95	18 4	18 5	14 7	1	10 •	10 ≡²	10 =°	10.6		= • n, ≡² =² • a, =° ⊙ p
14	97.1	95.8	92.8	5.7	8.1	3.8		3.7	98	94	99	12 3	12 5	09 5	8	9 =°	10 =°	10 ,	2.1		=° ⊙ n, •° = a, ≡ = , p
15	89.7	89.4	89.5	3.0	3.8	2.1		2.0	99	99	99	12 3	07 4	06 4	4	10 ≡°	10 =²	10 ,	0.8		≡ , n, = =° a, ≡° = ,° p
16	91.7	94.2	95.2	1.4	2.0	1.6		0.9	98	98	94	04 5	06 5	05 5	5	10 ‡°	10 ,	10 =°	0.6		≡ = , n, = •° , a, =° p
17	96.9	96.3	94.9	1.5	1.9	2.0		0.8	97	97	94	06 4	08 4	08 4	7	9 =°	10 •°	10 =°	1.1		=° n, =° *° a, =° p
18	94.6	96.2	97.2	1.1	1.1	0.4		0.0	93	94	98	05 5	06 5	04 5	8	10 =°	10 =°	10 ,°	1.0		=° n,a, = p
19	98.2	00.5	02.0	1.8	1.1	0.6		0.2	97	93	93	07 3	05 5	04 5	9	6	9	9	0.1		=° •° n, ⊙° a, ⊙ p
20	05.5	06.1	05.8	− 0.9	− 0.2	0.4		− 1.2	90	95	95	04 6	04 6	04 7	6	10 ≏°	10 ϕ°	10 =°	0.0		*° =° n, =° ϕ a, =° p
21	02.7	98.3	96.8	0.1	0.0	0.6		− 0.2	93	94	95	02 8	01 9	01 9	7	10 =°	10 *°	10 ‡	0.1		‡° •° =² = n, = *° a, = ‡ ‡² \ p
22	96.0	95.5	91.6	1.4	1.8	1.6		0.3	98	98	98	03 4	04 5	32 7	3	10 ,°	10 ≡°	10 ,²	2.8		ϕ = , n, ≡ =² ,° a, ≡ ,° p
23	87.6	89.5	89.5	1.5	1.4	1.4		1.2	99	99	99	31 4	02 4	32 4	4	10 ,	10 •°	10 ,	9.1		≡ • n,a, ≡ = , p
24	92.0	94.2	97.5	0.8	1.0	1.0		0.3	00	99	94	30 6	28 5	28 7	8	10 =°	9 =	10 =²	8.4		≡ = • ‡ n, =° a, ⊙ 13ʷ, =° ϕ° p
25	04.6	06.1	07.1	0.1	0.6	0.3		− 0.6	77	79	88	27 6	28 5	22 2	9	10 =°	9	10	0.7		=° •° n, =° ⊙° a, ϕ° p
26	98.1	98.1	96.9	0.6	0.6	− 3.1		− **3.6**	00	**68**	89	28 3	23 4	14 3	9	10 *°	9	3	2.1		ϕ° =° n, =° ⊙° * a, ⊙ p
27	88.3	86.1	85.3	0.8	0.5	0.8		− 3.1	99	97	92	02 5	31 5	31 5	7	10 =°	10 =°	10 =°	0.7		=° n,a,p
28	77.6	77.4	77.5	0.9	0.1	0.4		− 3.1	99	99	99	30 6	02 3	02 5	8	10 ,°	10(•)	10 ‡	0.1		*° ,° =° n, = ,° a, ≡ = ‡° p
29	**75.6**	76.4	77.9	0.7	0.6	0.9		− 0.3	00	00	00	30 7	30 9	30 9	5	10 ‡°	10 ‡°	10 =°	1.0		‡° =° n, =° ‡° \ a,p
30	88.0	94.5	95.9	1.4	1.0	0.9		0.5	99	00	98	32 7	31 6	30 5	7	10 =°	10 =°	10 =°	1.4		‡ = \ n, =° a,p
M	99.7	00.1	99.8	3.2	3.4	2.8		1.2	95	91	95	4.7	5.1	5.0	6.4	9.6	9.6	9.5	61		

Oktober X

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	98.4	99.6	97.7	1.4	0.4	0.7		0.0	00	98	00	28 5	29 4	28 5	8	2	10 =°	6 =°	0.0		=° ‡° n, ⊙ 7ʷ, =° ⊙° a, =° *° p
2	88.7	87.0	85.9	0.5	0.2	0.0		− 0.5	00	99	99	29 5	30 5	30 5	8	10 *°	10 =°	10 ϕ°	0.0		=° n, =° ϕ a,p
3	82.7	83.4	83.6	0.5	0.4	0.1		− 0.9	99	89	97	32 6	01 7	32 8	6	10 ϕ°	10 =°	10 =²	0.5		=° ϕ° n,a, =° ϕ° \ p
4	88.6	92.2	93.7	0.4	0.8	0.4		− 1.1	92	95	95	02 7	01 5	02 5	8	9(ϕ)	9 =°	10 =°	0.3		=° ϕ° n,a, ⊙° 13ʷ, =° ϕ° p
5	98.0	01.1	02.3	− 0.3	− 0.5	− 0.7		− 1.1	94	99	94	02 5	02 4	04 4	5	10 =°	10 ϕ°	10 =°	0.0		=° ϕ° n,a,p
6	04.3	05.3	04.4	− 1.1	− 1.2	− 1.9		− 2.1	92	89	93	04 3	04 2	05 2	9	6	7	9	0.4		=° n, ⊙° a,p
7	99.5	99.9	01.5	− 0.9	− 1.0	− 0.4		− 2.8	97	99	99	07 5	06 5	06 6	8	9 =°	10 =°	10(ϕ)	0.0		=° *° ϕ° ≏ n, =° ϕ° a,p
8	12.5	15.1	18.2	0.1	0.5	0.8		− 0.7	00	00	00	28 6	30 4	32 5	7	10 =°	10 *°	10 =°	0.1		=° *° ϕ° ≏ n, =° *° a, =° ,° ‡° p
9	27.7	30.0	**30.2**	0.0	0.0	0.0		− 0.3	98	92	88	31 5	28 6	28 5	7	7	10 =°	10 =°	0.1		=° ‡° n, ⊙° 7ʷ, =° a,p
10	20.0	13.4	08.3	1.6	2.4	2.1		− 0.5	95	97	98	20 6	20 6	20 5	5	10 =°	10 =	10 =	0.0		=° *° n, = a,p
11	91.9	93.1	94.8	3.0	2.8	2.2		1.8	00	00	00	20 5	24 6	20 4	5	10 =²	10 ,°	10 ,°	2.5		= • , n, = ,° a,p
12	95.4	95.9	96.9	1.0	0.8	− 1.2		− 1.5	99	99	98	18 2	07 3	06 5	2	10 =²	10 ,	10 =°	2.1		= ,° n, =° a, ≡ 13ʷ, =° * p
13	98.2	96.6	94.6	− 0.2	0.8	1.6		− 1.7	99	00	00	07 5	10 6	12 5	3	10(ϕ)	10 ,	10 •°	0.9		=° *° n, ≡° =² , a, ≡° •° , p
14	93.9	93.3	92.6	4.0	**4.8**	3.9		1.1	00	98	99	14 6	14 6	12 6	8	10 •	10 =°	9 =°	5.3		≡ = • , ≏ n, =° , a, =° p
15	90.4	89.7	88.0	3.1	4.2	3.8		2.6	00	98	98	12 5	12 3	08 2	7	10 ≡	10 =°	10 =°	2.4		= •° ,° n, =° a, =° •° p
16	94.0	95.6	95.7	2.2	3.0	1.7		1.3	99	98	98	20 1	18 2	08 2	8	10 =²	9 =°	10 =°	1.2		≡² =° ‡° n, = a, = ,° p
17	92.2	90.6	90.2	0.4	1.9	2.4		0.0	00	00	00	06 4	06 3	09 3	1	10 ≡²	10 ≡²	10 ≡	0.3		≡ = , n, ≡ a, ≡² p
18	91.5	93.1	93.4	2.6	2.9	2.2		1.6	99	00	00	08 2	09 2	08 3	2	10 ≡	10 ≡	10 ≡	0.5		≡ = •° n, ≡ a, ≡ • p
19	94.6	93.9	91.6	1.6	2.2	1.8		1.1	98	98	98	11 3	12 4	10 5	8	9 =°	5 =°	8 =°	1.4		≡² =° n, =° ⊙ •° a, =° ⊙° p
20	79.4	76.6	74.4	2.3	3.3	1.7		1.3	99	99	00	10 4	10 4	10 3	7	10 =°	9 =°	9 =°	1.8		= • n, =° ⊙° a, ≡ p
21	**71.8**	72.5	73.2	− 0.4	0.0	0.2		− 0.6	00	00	00	08 2	01 2	00 0	1	10 ≡	10 ≡²	10 ≡	0.1		≡ , n, ≡ = a,p
22	75.3	75.7	75.4	− 0.4	− 0.4	− 1.0		− 1.7	94	97	81	00 0	32 2	00 0	9	8	6(*)	10			=° =° n, ≏° * = ⊙ a
23	77.5	80.0	81.2	− 1.4	− 1.5	− 2.0		− 2.2	82	79	94	02 4	00 0	00 0	9	10	10	10 =°	1.0		=° *° n, = ≏° p
24	82.6	84.4	85.9	− 1.9	− 2.4	− 2.1		− 3.2	**68**	92	98	28 4	12 2	00 0	7	10 =°	10 =°	10 *	0.1		=° *° n, =° a, * ≏° =° p
25	90.9	93.3	93.8	− 2.6	− 1.6	− 1.3		− 3.3	92	94	95	04 4	07 4	07 6	7	10 *	9 =°	10 ϕ°	0.8		*° =° n, ϕ° =° a, ϕ p
26	96.2	97.4	98.4	− 0.5	− 0.7	− 1.0		− 1.9	99	88	93	06 5	06 7	04 7	8	10 =°	10 =°	4 =°	0.4		=° ϕ° n, ϕ° +° a, =° ϕ° +° p
27	00.3	04.1	06.5	− 2.0	− 3.6	− 4.9		− 5.1	88	82	78	02 8	01 6	32 6	7	10 =°	10 =	9 =°	0.1		=° n,a,p
28	06.1	01.8	00.4	− 3.4	0.4	− 1.4		− **6.4**	98	94	92	16 3	22 5	24 7	7	10(*)	10 =	6 =°	0.6		=° * ≏ n, = * a, = ϕ p
29	12.1	13.5	13.2	− 2.6	− 2.3	− 2.5		− 4.6	79	99	92	28 2	15 4	15 4	7	9	10 *°	10 =°	0.7		=° ϕ ≏ n
30	13.9	17.4	19.3	2.0	2.1	2.3		− 2.5	00	95	95	20 5	24 5	24 6	6	10 =°	10 =°	6 =°	0.6		= •° n, =° a, ϕ = p
31	23.4	21.6	18.6	1.2	2.2	1.8		0.3	92	94	98	16 3	16 4	16 4	9	10	10	5	0.3		=° n, ≏² 18ʷ
M	96.4	97.0	96.9	0.3	0.7	0.3		− 1.1	95	96	96	4.2	4.1	4.1	6.4	9.3	9.5	9.1	24		

Ekstensotabell

1948

Bjørnøya

φ = 74° 31′N λ = 19° 1′E g = 9.828 ΔG = + 1ʰ

November XI

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 7.6 h_d = 6 h_r = 2.0

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	09.5	05.6	02.8	**3.0**	2.8	2.4		1.6	95	95	95	17 6	16 7	16 5	7	10 =°	10 •	10 =°	0.5		∮° •° =° n, =° •° a, • p
2	98.1	97.7	97.4	- 0.2	- 0.4	- 0.4		- 1.0	98	98	99	16 3	20 2	17 3	6	9 =°	7 =	10 =°	3.2		☁ =° n, =° a, = p
3	97.1	95.7	91.9	- 1.5	- 1.4	- 1.7		- 1.9	99	90	99	04 3	04 4	04 7	6	10 *°	10 *	10 *²			=° n, = *° a, *² p
4	83.1	85.1	87.3	- 1.6	- 4.7	- 5.5		- 5.9	99	90	86	02 7	02 9	02 8	2	10 +	10 *°	10 =°	4.3		+ * =° n, * +\ a, *° =° \ p
5	87.8	86.9	85.9	- 7.8	- 6.8	- 5.2		- 8.4	78	**70**	95	31 5	30 5	28 5	8	10 =°	8 =°	10 *°	0.3		*° =° n, =° a, =° *° p
6	86.4	89.8	93.8	- 3.0	- 3.4	- 4.6		- 8.4	84	98	94	06 4	06 9	02 8	2	10 =°	10 +²	10 =	0.0		=° n, *² ∮ +\a, ∮° = +\ p
7	98.1	01.7	03.1	- 5.0	- 7.9	- 7.5		- 8.1	90	84	82	02 9	04 8	04 7	8	10 =°	10 =°	10 =°	0.5		=° *° \ n,a,p
8	08.1	10.9	12.4	- 9.4	- 9.8	- 9.6		-10.2	82	82	85	02 5	02 5	32 5	8	10 =°	10 =°	10 ∮°	0.0		=° *° ∮ n, ∮ =° a, ∮° =° p
9	14.4	14.7	14.0	- 9.3	- 8.6	- 8.8		-10.2	82	85	88	04 4	04 4	04 5	7	10 *°	10 =	10 *°	0.1		*° =° n, ∮° = a, *° =° p
10	15.4	17.9	19.7	- 8.3	- 8.3	- 8.3		- 9.0	90	92	89	04 6	02 6	04 6	6	10 =°	10 *°	10 *°	0.0		*° =° n,a,p
11	23.0	**23.3**	22.1	- 7.4	- 5.2	- 2.4		- 9.8	85	78	78	01 4	28 4	26 5	9	9 =°	9	9 =°	0.0		*° =° n, =° a,p
12	17.4	11.6	03.9	- 3.0	- 2.3	- 0.3		- 3.6	82	97	95	22 5	20 5	20 7	8	10 =°	10 =°	10 =°	0.0		*° =° n, *° ∮° =° a, ∮° =° p
13	92.0	89.7	88.7	- 1.8	- 1.6	- 2.9		- 5.4	98	99	00	32 5	24 4	28 7	7	10 =°	10 *°	10 =°	0.3		=° *° ∮° n, *° =° a,p
14	99.7	01.4	01.9	- 6.2	- 6.0	- 5.4		- 7.0	78	78	74	31 5	28 5	32 5	8	10 =°	10 =°	8	0.6		*° =° n, =° a,p
15	99.7	99.1	99.3	- 5.8	- 6.8	- 8.2		- 8.8	78	86	88	32 3	00 0	08 2	9	10	9	1	0.0		*° n, ☁ p
16	97.1	96.3	97.1	- 6.5	- 4.3	- 4.1		- 9.2	93	92	99	10 6	10 6	08 6	8	10 =°	10 =°	10 =°			☁ n, =° a, *° =° p
17	93.5	88.5	85.6	- 0.2	2.4	2.6		- 4.1	85	00	00	12 6	18 6	17 6	6	10 =°	10 •°	10 •	0.0		=° * n, ‡° •° = a, •° = p
18	**82.5**	83.4	85.5	2.2	- 1.3	- 2.2		- 2.2	00	00	97	16 4	32 3	02 4	4	10 =°	10 •	10 ▲°	5.0		=° • n, = ≡ a, = p
19	92.4	96.2	96.7	- 4.5	- 4.6	- 5.2		- 5.9	79	85	86	28 6	24 7	26 8	7	10 =°	10 *°	10 =°	0.1		=° ∮° n, *° =° a, =° ∮° p
20	91.6	91.0	90.8	- 5.8	- 6.4	- 9.4		- 9.6	85	94	94	25 5	04 7	04 7	7	10 *	10 =°	10 =°	0.4		* *² ∮° n, *° =° a, =° p
21	93.4	96.6	98.9	-12.3	-11.8	-10.9		**-13.2**	90	88	82	02 6	04 6	32 5	9	10	10	10 ∮°	0.0		*° =° n, ∮° p, = 18ᵐ
22	00.0	00.7	03.3	- 7.8	- 8.2	- 8.7		-12.3	82	85	89	28 7	30 8	30 8	7	10 =°	10 =°	10 =°	0.0		=° ∮° n, *° =° a, ∮° *° =° p
23	08.2	14.1	16.6	- 8.1	- 9.4	- 7.2		-10.1	92	92	88	32 6	31 5	28 6	7	10 =°	10 =°	10 =°	0.0		∮ =° n, =° ∮° a,p
24	20.6	14.1	03.8	- 7.8	- 5.6	- 3.3		- 8.4	84	00	99	10 1	12 4	12 7	4	10	10 ⌂	10 *²	0.1		=° ∮° n, = ⌂ a, * p
25	01.8	06.2	05.5	- 2.3	- 4.4	- 4.3		- 4.7	99	00	00	04 6	04 4	10 4	2	10 =°	10 ≡	5 ≡	1.4		=° * n, =° a
26	89.5	85.1	93.1	1.0	0.8	- 3.9		- 5.1	00	00	98	12 7	23 5	28 9	4	10 •°	10 =²	10 =°	0.2		=² * n, •° = a, •° ‡° =\ p
27	07.4	06.1	97.1	- 3.8	- 4.7	- 3.2		- 5.0	92	00	00	30 4	10 4	08 6	3	10	10 ⌂	10 *²	0.6		=°\n, ⌂ =° a, * =² + p
28	85.1	92.3	98.4	- 1.4	- 4.0	- 5.8		- 5.9	00	85	90	08 6	04 7	05 6	7	10 ‡	10 =°	10 =°	6.1		‡ • * = + n, *° + =° a, =° p
29	99.5	97.9	96.2	- 4.5	- 2.6	- 1.3		- 6.1	98	00	00	08 8	08 7	08 6	4	10 *°	10 *°	10 ▲°	0.9		=° * +° n, = + a, ⊙ + p
30	91.2	93.6	94.0	- 2.8	- 2.9	- 4.1		- 4.6	00	94	94	04 1	04 5	06 5	8	10 =²	10 =°	10 =	1.8		⌂° *° ≡ n, = ⌂ a, = p
M	99.4	99.7	99.6	- 4.4	- 4.7	- 4.6		- 6.8	90	91	92	5.1	5.4	5.9	6.3	9.9	9.8	9.4	26		

Desember XII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.2	03.3	04.9	- 9.7	-10.8	-10.2		-11.1	97	86	89	04 7	32 6	04 4	8	10 =°	10 =°	10 *°	0.0		=° n,a, *° p
2	12.7	16.1	15.6	-14.6	-16.0	-16.6		-16.8	78	81	81	32 5	04 3	07 4	9	8 =°	10	8	0.1		∮° ☁ n
3	08.9	04.2	02.0	-14.3	-13.8	-13.2		-16.9	00	99	97	06 6	04 8	04 8	9	8 +	9	1			=° +° ☁ n, +° a, ∮° ☁° p
4	05.6	08.6	10.3	-18.0	-18.6	-18.8		-19.0	98	98	98	04 7	04 6	04 6	7	9 =°	10 =°	1	0.0		*° ☁ =° n, =° a, =° ☁° p
5	14.7	16.5	17.1	-17.6	-17.5	-16.9		-19.4	94	89	89	04 5	04 4	04 3	9	5	1	0	0.0		▲° ☁ n
6	13.0	10.7	07.2	- 9.3	- 9.8	- 7.2		-16.9	94	94	81	08 3	10 3	10 5	9	9	4	9	0.0		=° ☁° ⌂° n, ☁ a,p
7	89.0	83.6	80.8	- 1.6	- 1.0	- 0.3		- 7.3	00	00	00	12 7	11 3	20 5	5	10 *	10 *°	10 *	0.5		*° +° = ☁ n, *° +° =° a,*° =° ☁ p
8	93.6	99.3	01.0	-10.4	-10.0	- 9.2		-11.4	00	85	85	28 8	28 7	24 7	7	8 *°	10 ∮	6 ∮	3.3		=° ∮° ☁ +° n, * ∮ =° a, ∮ = p
9	88.8	91.5	88.8	- 6.8	- 9.6	-10.6		-11.5	00	95	**75**	26 7	00 0	28 5	2	0 +°	10 *²	10 *°	2.0		=° ☁° ∮ n, * =° a, * p
10	88.8	90.4	92.0	-14.0	-14.1	-12.0		-17.8	93	90	82	13 3	02 7	32 6	7	10 =°	4 +°	10 *°	2.4		*° ∮ =°\ n,=° +° a, *° =° p
11	09.5	15.2	18.5	-14.0	-12.2	-12.9		-14.9	85	92	94	01 5	32 5	04 2	7	8 =°	10 =°	1	0.6		=° *° ∮° ☁ n, *° =° a, =° ☁ p
12	**20.7**	19.2	18.9	-11.8	-10.8	-12.0		-16.2	98	99	98	06 5	06 4	06 5	7	10 *°	10 =	10 =°	0.1		=° *° n, ∮° = +° a, =° p
13	15.6	12.8	09.1	-13.0	-12.7	-11.0		-13.3	98	98	00	06 6	06 5	06 6	5	10 *°	10 *°	10 *	0.5		* = n, *° +° =° a,p
14	04.9	04.5	04.1	- 6.1	- 5.0	- 3.6		-11.0	98	00	98	08 8	08 7	08 7	4	10 *°	10 *	10 =°	8.0		*° +² \ n, *° +² a, *° +° =° p
15	07.6	08.5	09.5	- 2.8	- 2.6	- 2.1		- 4.1	95	98	94	10 8	12 9	12 7	6	10 +²	10 +	10 +°	0.5		+ \ n, =° + \ a,p
16	10.5	10.5	10.4	0.1	- 0.4	0.0		- 3.0	85	92	98	14 8	14 8	14 6	7	10 =°	10 =°	10 =°			=° +° \n,=° \ a, =° p
17	03.8	04.3	09.1	2.0	- 1.6	- 3.0		- 4.3	98	00	98	16 7	25 6	27 7	5	10 =°	10 *	10 =°			=° n, ∮ ∮ = a, ∮° = p
18	07.7	87.7	83.0	- 3.6	2.6	1.9		- 4.8	86	00	00	12 4	17 7	20 5	5	10	10 ‡	10 =°	3.1		* ‡² +°\ a, ‡ = p
19	92.3	95.1	86.9	0.3	- 0.8	- 1.7		- 2.7	99	94	98	24 8	22 5	10 5	6	10 =°	10 =°	10 =°	6.6		=° • n, =° a,p
20	81.4	90.5	99.4	- 1.5	- 2.4	- 4.4		- 8.0	00	98	94	24 5	04 8	01 8	6	10 =°	10 =	10 *°	5.2		=° n, * = a, *° =° p
21	08.9	17.3	19.8	- 9.8	-13.2	-14.2		-14.8	94	93	84	04 8	02 5	02 4	7	10 *	10 =°	4	0.2		* = n, ∮° =° a, ☁ =° p
22	07.5	00.3	97.7	- 8.3	- 5.4	- 3.3		-15.2	79	88	98	14 4	12 7	12 7	7	9	10 =°	10 *°	0.1		=° n, *° +° p
23	99.6	03.7	02.0	- 4.6	- 7.8	- 7.2		- 8.6	00	00	93	32 6	30 5	04 4	6	10 =	10 =°	10 =²	1.7		*° = +° n, *° =° a,p
24	88.6	97.2	01.3	- 0.8	- 6.8	- 9.6		- 9.6	94	98	95	26 5	31 6	31 4	7	10 =°	5 =°	10 =	2.4		*° =° n, *° • =² a, = p
25	01.1	08.9	13.7	- 3.4	-12.4	-15.2		-15.5	98	97	95	22 5	32 6	04 6	5	10 *°	10 =°	10 =°	0.5		*° =° n, =° a, *° =° p
26	17.7	13.2	05.0	-13.4	- 8.3	- 3.7		**-19.8**	93	94	00	04 6	12 6	12 8	5	10 =°	10 *°	10 *°	0.0		=° ☁ n, * = +° a, *° = + p
27	84.2	88.9	99.6	1.6	1.1	0.5		- 3.7	00	00	00	24 4	20 5	17 3	5	10 •°	10 =	10 •°	6.6		• = n, •° = a,p
28	77.5	74.1	72.1	**2.9**	1.9	0.6		0.5	80	85	77	19 9	27 9	22 9	7	10 •°	9 =°	3 =°	1.1		• =°\n, ‡° =° •°\a, ‡° =° ☁°\p
29	70.5	67.6	**66.0**	0.2	- 0.1	- 2.9		- 2.9	98	98	98	09 3	08 3	08 7	5	10 *°	10 =	10 *°	1.9		‡ ☁²\n, * •° = a, *° =° +° p
30	68.8	72.3	75.8	- 4.5	- 5.4	- 6.0		- 6.0	94	99	99	06 9	04 9	08 9	1	10 +°	10 ∮²	10 ∮²	5.0		*° +°\n, ∮ +²\a, ∮² +²\p
31	82.2	83.6	85.7	- 3.2	- 1.9	- 1.0		- 6.0	95	00	98	10 8	10 9	12 8	3	10 +°	10 +°	10 +	6.2		∮ *² + =\n, *° =° +°\a, =° +°\p
M	99.1	00.0	99.9	- 6.5	- 7.3	- 7.3		-11.1	94	95	93	6.1	5.8	5.8	6.1	9.2	9.1	8.2	59		

1948

Jan Mayen

$\varphi = 71°\ 1'$ N $\lambda = 8°\ 26'$ W $g = 9.829$ $\Delta G = +1^h$

Januar I

$H_s = 5$ $H_b = 4.5$ $h_t = 2.4$ $h_a = 6.0$ $h_d = 4.5$ $h_r = 1.6$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	07.9	08.7	08.4	- 7.2	- 8.9	- 9.8		-10.3	90	77	82	31 5	32 5	32 5	8	9 =	7 =°	10 *°	1.4		= ◊ n, *° * △ a, =° *° p
2	07.1	07.9	08.3	- 9.1	- 8.7	- 8.2		- 9.8	77	76	79	32 3	32 3	32 3	8	10 *°	9 =°	4 *°	2.7		=° * *° n, *° =° a, =° ◊° ⌓ p
3	08.3	08.2	08.0	- 8.6	- 9.6	- 8.1		-10.6	66	66	70	32 1	22 1	00 0	8	9 =°	2 =°	10 =°	0.1		=° ⌓ *° n, =° a,p
4	06.9	96.6	06.5	- 6.3	- 5.7	- 6.9		- 9.1	71	72	75	04 1	08 1	06 1	9	10 =°	9	2			=° n,a
5	06.2	06.4	05.9	- 7.8	- 9.1	-10.8		-12.3	76	76	71	02 4	02 4	32 2	9	2 ◊	2	1	0.1		⌓ ◊ n, ◊° *° a, ⌓ p
6	04.4	04.2	03.5	-10.1	- 9.8	- 9.2		-11.8	71	71	70	08 3	00 0	07 1	8	2 =°	10 =°	10 =°			⌓ n, =° a,p
7	01.3	00.7	01.3	- 4.2	- 3.2	- 7.1		- 9.5	64	76	93	08 4	13 4	32 4	8	10 =°	10 =°	10 *°			=° n,a, = *² =° *° p
8	03.6	04.3	05.3	-10.1	- 9.4	- 9.6		-10.5	84	89	86	32 4	32 4	32 4	4	10 *°	10 *	10 *	4.6		=° *° + n, △° *° * a, * p
9	10.9	13.7	15.1	-11.8	-11.5	-12.0		-12.8	83	74	77	32 5	32 5	32 5	8	10 =°	10 =°	8 =°	1.0		* + *² n, =° a,p
10	15.9	16.2	16.2	-14.3	-18.3	-14.4		-18.3	74	70	66	32 3	32 3	32 3	9	2 =°	3	1			=° ⌓ n,a, ⌓ p
11	18.1	18.6	16.8	-16.1	-16.3	-15.2		-17.8	83	82	80	32 3	32 3	00 0	9	1	3	2			⌓ n,a, 19
12	14.3	13.1	11.9	-13.8	-13.6	-14.6		-17.3	71	79	79	01 1	32 4	32 4	8	1 =°	9 =°	10 *			⌓ =° n, =° a, =° = p
13	08.4	08.3	07.6	-17.1	-17.1	-16.9		-18.1	83	83	84	32 5	31 5	31 4	7	4 *°	8 =°	5 =°	0.2		=° *° r,a, =° ⌓ p
14	07.8	08.9	08.8	-17.9	-17.4	-18.4		-18.7	84	76	75	32 2	32 3	32 4	9	1	9	1	0.1		=° ⌓ n
15	10.5	11.9	13.3	-18.2	-19.3	-20.3		-20.8	87	84	79	30 3	31 3	31 4	9	1	1	1			⌓ n
16	12.1	09.3	05.6	-23.1	-16.6	- 8.6		-24.9	86	80	74	00 0	06 2	12 4	8	1	4 =°	9 *°			⌓ n, =° ⌓ a, =° *° p
17	97.3	96.0	95.8	- 2.3	- 1.0	- 0.6		- 8.7	75	84	84	15 5	08 5	08 5	8	3	9 *	10 *	0.1		* *° ⌓ n, * a, *² ◊ *° p
18	02.0	05.1	04.0	- 1.2	- 2.1	- 3.0		- 4.0	70	89	64	10 4	04 3	03 3	7	1 =°	8 =°	2 =°	0.2		◊° ⌓ =° n, =° a, =° ◊° p
19	04.5	06.7	08.4	- 4.2	- 3.6	- 3.5		- 5.1	72	80	76	32 5	32 5	32 6	8	4 ◊°	6 =°	8 =°	0.0		◊° =° n,a,p
20	15.3	18.1	19.2	- 7.2	- 9.3	-11.8		-11.8	95	93	87	32 5	32 5	32 3	5	10 *	10 *	10 =°	0.7		⌓ =° * n, * a, *° =° p
21	16.7	15.1	14.1	- 8.5	- 8.8	- 0.5		-12.9	87	91	62	00 0	00 0	08 2	9	7 =°	5	9	0.7		*° =° n
22	13.1	13.3	12.6	0.6	- 0.4	0.3		- 0.6	57	82	75	12 2	14 2	14 3	8	10 =°	5 =°	4 =°			=° n,a,p
23	10.5	10.0	09.0	0.0	0.0	- 0.4		- 0.7	76	76	76	14 4	08 3	12 3	9	1	7	2	0.0		*° =° n, ⌓ 19
24	05.0	05.1	04.5	- 5.0	- 5.5	- 5.1		- 7.3	76	79	70	00 0	00 0	04 1	9	5	2	6			
25	05.5	07.5	08.6	- 4.3	- 3.3	- 1.2		- 6.9	65	79	75	12 2	12 2	12 3	9	3	7	3			⌓ n,p
26	10.9	12.1	11.7	3.6	3.6	3.7		- 1.4	82	93	80	10 3	12 5	08 3	8	10 =°	9 =°	9			⌓ =° n, =° △ = a
27	09.7	08.2	08.7	1.3	0.4	- 1.8		- 1.8	64	65	75	32 1	03 5	04 2	9	1	2	3	0.0		⌓ n
28	06.2	04.2	01.0	- 2.1	- 2.3	- 2.6		- 3.5	76	77	90	09 2	00 0	07 1	8	2	5 =°	2 =°			⌓ r, =° a, =° ⌓° p
29	95.8	96.3	97.2	- 1.6	- 2.1	- 2.6		- 3.2	94	94	93	32 4	32 4	30 3	6	10 *°	6 *°	10 =°	0.0		=° ◊° ⌓ *° n, *° =° a, =° p
30	98.1	97.9	96.9	- 7.0	- 7.4	- 7.2		- 7.9	89	86	83	31 3	02 1	03 1	8	10 =°	10 =°	10 =°	0.0		⌓ =° *° n, =° a,p
31	97.6	98.4	99.3	-12.7	-13.3	-12.3		-14.6	87	77	82	32 3	32 2	32 3	9	10 =°	1	9 =°			+ =° n, =° a,p
M	07.5	07.8	07.5	- 7.9	- 8.1	- 7.7		-10.4	78	80	78	2.9	3.0	2.9	8.0	5.5	6.4	6.2	12		

Februar II

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	06.0	10.1	10.7	-13.2	-11.2	-10.0		-14.4	82	82	82	32 4	00 0	32 2	8	10 =°	10 =°	10 =°	0.0		◊° ⌓² △° =° n, *° =° a,p
2	03.0	98.0	92.9	- 2.4	- 0.7	0.8		-10.1	76	74	74	06 5	12 6	10 8	6	8 +	10 *°	10 *°	0.0		* *° =° n, *° a,p
3	90.9	91.6	92.0	1.9	1.9	2.3		0.8	66	68	66	12 6	12 4	13 4	7	7 =	8 =°	9 =°	0.0		=\n, =° a,p
4	93.0	93.9	94.9	2.4	2.8	2.6		1.2	84	90	93	12 5	08 4	12 1	8	8 =°	9 =°	3 =°	0.0		=° ·° ⌓ n, =° a, ·° =° p
5	94.0	91.5	87.3	4.1	3.6	1.7		0.3	84	82	91	12 3	10 4	09 5	6	10 =°	10 ·	10 ◊²	0.7		=° = · n, =° · a, =° = ◊ p
6	84.0	85.0	85.9	- 0.8	- 1.8	- 3.6		- 3.6	93	93	93	12 4	00 0	28 1	7	10 *	10 △°	10 *°	2.3		=° ◊° = *° n, *° = a, *° =° p
7	83.5	80.0	77.9	- 2.4	- 0.5	3.7		- 4.9	90	89	80	00 0	32 3	04 3	6	3 =°	9 =°	9 =	0.4		*° = =° n, =° = a, ◊ = p
8	78.7	82.4	85.5	1.7	- 0.7	- 0.9		- 0.9	86	93	93	29 2	32 5	31 4	4	7 =°	8 =²	10 ≡°	0.9		=° ⌓² * n, = * ◊° ⌓ a, = *° ≡ p
9	93.3	97.0	99.5	- 3.3	- 7.1	- 7.2		- 8.4	91	91	87	32 4	28 3	28 3	5	10 =	10 *°	8 =°	0.9		=° * △ = n, = *° ∧ a, =° ⊙ p
10	98.5	97.7	98.2	- 2.9	- 2.0	- 4.5		- 7.9	65	60	79	05 4	16 1	00 0	9	10 =	3	5	1.8		=° ⌓ n, =° ⊙ a,p
11	03.9	00.4	94.3	- 6.2	- 2.9	- 0.9		- 7.8	83	69	87	32 2	09 5	12 7	8	3 =°	8 =°	10 +²	2.4		*° ⌓ ◊ =° n, =° a, +² =° p
12	82.7	81.6	81.0	1.0	1.1	1.4		- 1.1	94	93	89	13 5	14 4	12 5	6	9 ·°	10 ⁝	9 =°	12.3		= · + ⁝ ⁝ n, · = ⁝² a, ·° = p
13	82.7	86.7	93.6	0.0	- 5.0	- 6.8		- 6.9	83	93	89	15 5	21 3	27 3	4	10 =	10 =²	10 =	6.0		⁝ = n, △ = ◊ a, = p
14	05.3	11.4	15.1	- 0.9	- 2.8	- 2.9		- 7.3	84	84	86	10 2	24 4	31 2	8	3 =°	9 =°	10 =°	3.2		=° ◊ · = *° n, =° *° ⊙ a, =° ⊙ p
15	24.3	25.1	23.9	- 6.6	- 4.0	- 0.2		- 8.2	93	90	77	00 0	12 2	12 4	9	0	8	10	0.0		=° ⌓ n
16	15.1	13.4	14.0	1.1	2.0	0.1		- 0.9	93	93	93	09 7	12 5	14 4	3	10 ⁝²	10 ·	10 ·	1.1		=° ⁝ n, · · =² a, · · ≡ p
17	13.5	12.6	11.0	1.3	2.4	2.4		- 0.3	90	90	94	12 4	12 6	10 6	6	10 =²	10 =	10 ≡	1.5		· · ≡ =² n, = a, = ≡ p
18	11.1	14.8	17.6	1.8	2.0	1.0		0.9	90	89	87	10 4	14 3	13 3	8	10 =°	10 =°	10	0.1		=² ·° ≡ = n, ≡ = =° a
19	25.3	30.3	33.5	- 1.3	- 3.6	- 4.2		- 4.2	87	93	83	28 3	24 3	00 0	7	1	9 △	1			⌓ n, =° ∧ a
20	34.4	32.8	30.3	0.6	1.0	- 0.7		- 4.8	74	70	84	17 2	19 3	20 2	9	10 =°	3	9 =°			=° n, =° ⊙ ⊕ a, ⊙ =° p.
21	25.7	16.8	12.9	- 4.0	2.4	0.1		- 5.6	72	86	84	32 1	20 4	24 4	8	0	10 =°	1			=° n,a,p
22	23.4	21.0	17.7	- 7.4	- 3.4	- 2.2		- 7.9	74	74	83	04 3	12 3	12 3	9	1	1	3			⌓ n, ⊙ a,p
23	10.7	06.8	05.7	- 2.7	- 0.6	- 3.7		- 4.8	89	91	91	17 1	22 1	30 2	3	10 =°	10 *	10 =°			=° n, = (≡) ⌓ * a, = △° *° p
24	02.2	98.7	95.3	2.1	- 0.2	- 0.9		- 3.8	84	84	69	22 4	22 3	16 3	8	9 =°	10 =°	8	1.4		*° = =° n, *° =° a, =° p
25	09.7	17.8	21.9	-14.0	-15.0	-15.7		-16.1	87	89	76	32 5	30 5	30 3	7	9 =°	2 =°	4 =°	0.0		=° ◊° n, =° ⊙ a,p
26	02.1	97.5	02.0	- 3.9	- 1.4	- 4.2		-16.0	69	93	95	12 7	12 2	32 5	4	10 +²	10 *°	10 =	0.3		* = +² \ n,=° = △ *° a, = *° =° p
27	21.2	23.0	20.2	-12.3	- 9.8	- 4.0		-12.9	95	95	77	07 2	00 0	12 4	8	10 =°	9 =°	10 =°	2.2		=° * = n, *° =° a, =° p
28	07.4	06.1	05.7	2.2	1.5	1.2		- 4.4	95	91	90	07 6	23 3	12 4	8	10 ·	6 =°	8 =°	0.1		⁝° ·° = *° n, ·° ≡ = ⊙° a, =° ⊙ p
29	97.8	04.6	08.8	2.6	0.8	1.3		0.2	62	84	89	20 5	24 4	11 1	7	8 =°	4 =°	10 =°	0.6		=° ⁝ *° = r, =° ⊙ a, =° ⊙° *° p
M	04.3	04.4	04.5	- 2.1	- 1.8	- 1.9		- 5.5	83	85	85	3.6	3.2	3.3	6.8	7.4	8.1	8.2	38		

Jan Mayen

φ = 71° 1'N λ = 8° 26'W g = 9.829 ΔG = + 1ʰ

Mars III

H_s = 5 H_b = 4.5 h_t = 2.4 h_a = 6.0 h_d = 4.5 h_r = 1.6

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	07.4	08.0	05.6	**4.8**	2.9	3.4		1.0	94	87	82	00 0	15 5	15 7	8	10 =⁰	10 =⁰	9 =⁰	3.8		=⁰ ⁑ · n, =⁰ ·⁰ a, =⁰ ⊙ p
2	99.5	96.4	92.3	2.8	2.5	2.0		1.1	90	94	93	08 6	12 5	16 5	3	10 =²	10 ·	10 ·	0.4		=² = ·⁰ ·⁰ a, · =² · =⁰ a, · ⁑ ≡p
3	11.7	20.6	22.7	-16.7	-18.2	-18.7		-19.5	86	87	75	31 4	32 4	32 4	8	10 *⁰	10 =⁰	10 =⁰	2.2		* ⁑ = (≡) n, (≡) = ⊙ a, =⁰ ⊙ *⁰ p
4	14.0	04.6	02.5	-11.2	2.6	1.2		-19.7	90	65	93	32 1	12 5	18 2	7	10 *	10 =⁰	10 =⁰	6.1		* *⁰ =⁰ n, * + *⁰ =⁰ a, =⁰ p
5	06.8	11.1	14.6	-13.2	-16.3	-18.6		-19.2	90	84	84	28 4	30 4	30 4	7	10 =	7 =⁰	4 =²	0.5		*⁰ =⁰ n, =⁰ a, ⊙ 14, =² p
6	15.7	17.3	20.2	-20.4	-18.3	-17.6		-22.0	71	79	64	03 1	32 3	30 4	8	2 =⁰	5 =⁰	2			=⁰ n, =⁰ ⊙ a,p
7	28.7	**31.0**	28.7	-21.3	-20.5	-19.1		**-22.9**	54	**51**	52	32 3	32 3	32 1	9	1	7	8			=² n, =⁰ p
8	14.9	10.8	06.5	-14.6	- 8.8	- 3.6		-20.0	77	79	79	08 1	24 1	32 2	7	10 *⁰	10 *⁰	10 *⁰	0.2		=⁰ *⁰ n, *⁰ a,p
9	93.5	93.9	92.5	- 1.6	- 1.1	- 0.4		- 4.1	94	94	87	12 8	12 7	12 8	0	10 +²	10 +²	10 *⁰	2.4		*² + = n, +² ≡ a, * +² ≡ p
10	96.6	04.0	06.6	- 0.3	0.1	0.0		- 0.4	72	71	74	12 6	12 5	12 5	6	10 *⁰	9 *⁰	10 *⁰	4.3		* + n, *⁰ + a,p
11	11.5	11.5	08.0	0.8	- 2.6	- 1.8		- 3.0	87	89	89	12 4	14 5	14 3	4	10 *	10 *⁰	10 =	1.1		* +⁰ ⁑ n, *⁰ + = a, *⁰ = p
12	86.4	89.0	00.1	- 0.3	- 2.4	- 9.4		- 9.5	93	95	91	28 1	30 5	31 5	1	10 =	10 *²	10 *	1.2		= * ⧫ n, *² ≡ a, * = p
13	10.4	13.5	15.6	-13.4	- 9.8	- 8.5		-16.9	64	83	86	32 2	18 1	14 1	7	10	10 =	10 =⁰	3.8		=⁰ * ⌓ n, *⁰ = a, =⁰ p
14	16.8	13.2	06.6	- 0.5	0.4	2.6		-10.1	84	93	89	12 5	12 5	12 7	5	10 *⁰	10 ·	10 ·⁰	0.8		* + n, = · a, = ·⁰ p
15	85.7	77.5	68.5	2.7	2.4	2.7		1.8	90	93	91	12 7	12 7	12 7	4	10 =	10 ·	10 ·	0.0		= =² n, = · ⁑ ≡ a, · = =⁰ p
16	71.7	71.0	70.7	- 1.2	- 0.9	- 1.1		- 4.5	76	72	65	14 5	10 5	10 3	8	6 =⁰	5 =⁰	9 ⧫⁰	17.6		=⁰ *² ⧫ = n, *⁰ =⁰ ⊙ a, ⧫ =⁰ ⊙ p
17	73.6	75.6	74.8	- 2.6	- 4.5	- 3.2		- 4.9	70	57	59	10 4	14 3	11 3	8	10 =	1 =⁰	10 *	0.3		=⁰ ⌓ ⧫ n, △ = ⊙ a, * ⊙ = =⁰ p
18	87.7	88.4	81.3	-10.9	- 8.8	- 3.9		-11.2	76	59	82	26 4	12 4	12 7	8	10 *⁰	7 =⁰	10 *⁰	2.6		= ⧫ + * n, * =⁰ ⊙ = a, * + p
19	72.9	72.0	73.3	0.4	- 0.6	- 1.4		- 4.2	68	86	75	09 4	10 4	16 3	8	10 =⁰	5 ∞⁰	2 =⁰	6.5		⁑ ≡ * n, *⁰ ∞⁰ ⊙ a, =⁰ ⊙ ⧫⁰ p
20	**69.6**	70.2	69.7	- 1.5	- 0.3	- 2.4		- 3.7	90	75	71	08 1	10 2	10 1	8	10 *²	1 =⁰	5 =⁰	5.4		= * ⧫ ⌓ n, * ⊙ *⁰ a, =⁰ ⊙ p
21	71.7	74.3	75.2	- 5.0	- 5.4	- 6.9		- 6.9	94	80	80	30 3	27 3	24 2	8	10 =⁰	9 =⁰	9 =⁰	0.6		*⁰ =⁰ n, =⁰ a,p
22	86.9	95.1	00.7	- 5.8	- 6.8	- 5.5		- 7.5	83	93	94	32 5	32 5	32 5	7	10 =⁰	10 =⁰	10 =⁰	0.2		*⁰ =⁰ ⌓ n, =⁰ a,p
23	09.4	10.5	06.6	- 7.2	- 8.5	- 3.4		- 7.2	91	77	74	32 3	07 1	08 4	8	10 =⁰	8 =⁰	10 =⁰			=⁰ n, =⁰ ⊙ a,p
24	92.4	96.1	01.4	1.6	0.0	- 2.5		- 5.1	82	94	95	10 4	32 1	24 3	3	10 ⁑⁰	10 *⁰	10 =²	1.6		* ⁑ = n,a, ≡ =² *⁰ p
25	00.2	97.0	97.6	3.0	2.1	1.8		- 5.9	71	94	87	10 7	10 4	10 3	3	10 ⁑	10 ≡⁰	9 =⁰	2.8		*⁰ = n, · = ≡⁰ a, ≡⁰ = =⁰ p
26	99.8	03.7	07.4	2.6	2.2	0.5		0.5	69	79	87	16 4	20 5	20 4	6	3 =⁰	10 =	9 =⁰	4.4		=⁰ n, =⁰ ⊙ = a, =⁰ = p
27	17.5	23.4	25.3	- 2.1	- 4.1	- 3.7		- 4.6	54	57	59	28 3	29 3	12 4	9	1	6	10 =⁰			=⁰ ⌓ n, =⁰ p
28	13.8	11.8	09.9	1.3	1.3	2.3		- 3.7	95	93	84	14 5	16 4	12 1	7	10 ·	0(≡)	0 ∞	0.0		≡ · = ⌓ n, (≡) ⊙ = a, = =⁰ ⊙ p
29	04.4	03.8	02.4	4.5	0.2	1.1		- 0.9	77	93	94	08 5	08 5	09 4	2	1 =	10 ≡	10 ≡⁰			⌓ =⁰ = n, ≡ a, ≡⁰ p
30	97.9	94.5	90.7	1.4	3.2	3.4		- 1.2	95	80	93	12 4	12 5	12 4	6	10 ·	10 =	10 ·⁰	0.1		≡ · = n,a, ·⁰ ≡ (≡) = p
31	78.3	74.9	76.2	4.6	3.6	0.0		0.0	91	91	94	12 7	12 4	10 4	6	10 =	10 ·⁰	10 ·⁰	10.9		≡⁰ · ⧫ n, =² ⧫ a, =² · p
M	98.3	98.9	98.6	- 3.8	- 3.7	- 3.6		- 7.6	81	81	81	3.9	4.0	3.9	6.1	8.5	8.1	8.6	80		

April IV

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	81.8	84.5	84.4	- 1.9	- 4.4	- 4.5		- 5.0	91	89	90	30 1	32 5	32 6	6	10 *⁰	9 =	9 ⧫	4.0		= · ≡ ⌓⁰ *⁰ n, = a, ⧫ = p
2	83.3	83.4	83.9	- 6.3	- 6.5	- 5.1		- 7.1	91	91	93	31 7	30 7	32 6	2	10 *⁰	10 *⁰	10 *⁰	1.7		≡ *⁰ + n,a,p
3	81.0	80.1	**79.4**	- 3.2	- 3.3	- 2.6		- 6.0	91	93	91	31 6	32 6	32 6	1	10 *	10 *²	10 +	7.2		* *² = + n, *² +² a, * + p
4	82.6	84.7	88.4	- 3.2	- 1.7	- 1.2		- 4.0	91	90	90	32 6	32 5	03 5	4	10 +⁰	10 *⁰	9 =	4.9		*² * + n, * + a, * + = p
5	94.7	96.9	98.0	- 2.3	- 0.1	- 0.4		- 3.1	87	76	74	02 6	32 2	02 2	7	8 =	9 =⁰	8 =⁰	2.8		*⁰ + = n, *² = =⁰ a, =⁰ p
6	01.6	03.1	04.2	- 2.9	- 0.5	- 1.4		- 3.9	75	70	70	02 1	00 0	08 1	8	1 =⁰	8 =⁰	9 =⁰	0.1		=⁰ ⌓ n, =⁰ ⊙ a,p
7	05.9	06.2	05.7	- 2.9	- 1.6	- 2.0		- 4.0	70	65	64	08 2	00 0	24 1	8	9 =⁰	10 =⁰	9 =⁰			=⁰ n, =⁰ *⁰ a, =⁰ p
8	04.8	05.4	05.2	- 3.6	- 1.1	- 1.1		- 6.7	84	84	**58**	30 3	00 0	11 3	9	8 =⁰	9	1	0.0		=⁰ n, ⊙ a,p
9	07.6	09.0	09.5	- 5.0	0.7	- 0.5		- 7.0	70	70	68	00 0	00 0	00 0	9	1	1	1			⊙ n,a,p
10	11.7	11.4	09.3	1.2	2.5	2.9		- 3.2	68	63	69	10 3	12 5	12 6	8	9	10 =⁰	10 =⁰			⌓ n, =⁰ a,p
11	06.2	08.1	08.1	2.9	1.1	1.7		- 1.0	90	91	87	14 6	14 4	14 3	6	10 ·⁰	9 =	10 =⁰	6.6		*² · n, · ⁑ * = a, =⁰ * p
12	93.0	98.8	99.7	1.1	- 3.8	- 3.6		- 4.2	91	90	87	10 5	24 4	24 3	7	10 ⁑²	9 =⁰	8 =⁰	8.5		=⁰ · ⁑ n, *⁰ ⁑ =⁰ a, =⁰ p
13	01.7	03.9	03.9	- 6.2	- 5.2	- 5.4		- 6.5	77	71	75	27 3	28 3	30 4	8	10 *⁰	8 =⁰	10 =⁰	1.6		=⁰ *⁰ n, =⁰ a, =⁰ ⊙ p
14	02.2	05.2	07.2	- 7.5	- 8.1	- 7.8		- 8.4	76	80	76	30 4	30 6	31 4	6	10 *⁰	9 =	9 =	0.2		*⁰ =⁰ ⧫ n,a, ⊙ = ⧫ p
15	03.0	96.3	92.7	- 8.3	- 6.0	- 7.1		-10.2	66	64	82	32 1	00 0	32 5	8	10 =⁰	10 =⁰	9 *⁰	0.3		=⁰ n,a, =⁰ *⁰ p
16	06.6	12.6	14.6	- 8.0	- 7.6	- 8.2		- 8.3	89	79	80	30 4	30 3	30 3	7	10 =⁰	10 *⁰	10 *⁰	0.5		* =⁰ n, *⁰ =⁰ a, * p
17	17.8	22.0	24.0	- 7.6	- 9.3	-10.2		-10.7	84	79	77	31 3	29 2	30 3	6	10 *⁰	10 =⁰	9 =⁰	0.1		*⁰ =⁰ n, *⁰ =⁰ = a,p
18	27.1	**28.1**	27.3	-10.3	- 6.7	- 5.1		**-11.6**	71	70	65	00 0	28 1	32 1	9	1	1	4	0.1		=⁰ ⊙ n, ⊙ a,p
19	21.4	18.0	14.5	- 1.4	- 1.1	0.1		-10.5	89	87	86	12 3	12 2	20 1	7	9 ∩	10 =⁰	9 =⁰	0.0		=⁰ n, ⧫ =⁰ a, *⁰ =⁰ p
20	12.7	13.2	14.2	0.6	1.8	1.4		- 0.5	83	79	86	09 1	23 2	28 2	9	8	2	9 =⁰	0.0		=⁰ n, ⊙ a, =⁰ ⊙ p
21	15.7	16.8	17.7	- 0.7	0.0	0.4		- 1.2	93	90	86	00 0	00 0	08 1	6	10 *	10 *⁰	10 =⁰	0.0		*⁰ =⁰ n,a, =⁰ p
22	22.0	25.2	25.6	- 1.4	- 0.4	- 1.0		- 2.0	90	84	87	30 1	14 3	16 2	7	10 =⁰	8 ⧫	10 =⁰	0.1		=⁰ ≡ n, ⧫ = =⁰ a, =⁰ p
23	25.8	25.8	24.5	1.1	2.8	2.8		- 2.4	82	82	86	12 4	13 4	12 5	8	9 =⁰	9 =⁰	9 =⁰	0.0		=⁰ n,e,p
24	20.5	19.9	19.4	**4.4**	4.3	2.9		- 0.7	93	94	94	12 6	12 6	12 4	2	7 =⁰	10 ≡	10 ≡			=⁰ = n, = ≡ a, ≡ · ·⁰ p
25	14.3	14.9	11.7	0.9	3.2	1.2		- 1.0	91	69	87	28 1	16 1	14 3	8	9 =⁰	4 =⁰	9 =⁰	0.0		≡⁰ =⁰ n, =⁰ a, =⁰ ⊙ p
26	04.4	01.8	02.0	- 0.1	- 0.7	- 1.9		- 2.0	76	93	89	16 2	16 4	29 2	3	9 =⁰	10 ⧫²	8 ⧫⁰	0.0		∩ =⁰ n, =⁰ ⊙ ⧫ = a, ⧫ =⁰ ⊙ p
27	08.8	08.7	08.9	- 8.3	- 7.6	- 7.1		-11.0	76	80	77	31 7	31 6	31 5	6	9 =⁰	10 *⁰	10 *⁰	3.5		=⁰ * + n, *⁰ = a,p
28	05.0	05.5	06.3	- 6.6	- 5.2	- 4.1		- 8.0	76	79	86	30 4	30 4	30 4	6	9 =⁰	10 *	8 =⁰	0.4		*⁰ =⁰ ⧫ n, ⧫ =⁰ a, △ ⧫ * =⁰ p
29	08.1	10.3	13.0	- 2.1	- 2.9	- 3.9		- 4.4	90	89	83	30 4	30 5	30 4	6	10 +⁰	9 ⧫⁰	10 ⧫⁰	1.5		⧫ * = +⁰ n,a, ⧫⁰ = ⊙ p
30	17.3	19.4	21.8	- 4.0	- 5.2	- 6.1		- 6.4	71	91	74	32 4	32 5	32 4	2	9	10 *²	8 =⁰	0.8		=⁰ ⧫⁰ n, *² =⁰ a, =⁰ ⊙ * p
M	07.0	07.3	07.5	- 3.1	- 2.4	- 2.6		- 5.0	82	81	81	3.2	3.2	3.3	6.3	8.5	8.5	8.5	45		

Ekstensotabell

1948

Jan Mayen

$\varphi = 71°\ 1'N$ $\lambda = 8°\ 26'\ W$ $g = 9.829$ $\Delta G = +1^h$

Mai V

$H_s = 5$ $H_b = 4.5$ $h_t = 2.4$ $h_a = 6.0$ $h_d = 4.5$ $h_r = 1.6$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	23.5	23.1	20.9	- 7.5	- 6.9	- 7.1		- 8.4	65	63	62	31 3	32 3	31 3	8	9 *°	10 =°	9	2.7		*° △° ♦° =° n, =° ⊙° ♦° a, =° ⊙ p
2	13.7	10.1	08.3	- 8.2	- 6.2	- 6.6		**- 9.0**	59	59	60	27 1	27 1	24 2	9	5	5	5	0.2		⊙ 8,a,p
3	07.6	08.7	08.4	- 6.1	- 3.2	- 2.8		- 7.5	70	**56**	62	12 3	12 2	29 1	9	9 =°	7	9 =°	0.1		*° =° n, =° ⊙ a, = ⊙ * p
4	09.1	09.8	09.7	- 3.3	- 1.6	- 0.1		- 5.8	71	68	63	00 0	31 1	00 0	9	8	6	8	0.0		⊙ a,p
5	10.6	13.3	18.3	1.7	0.4	- 3.4		- 3.4	91	93	95	14 5	15 3	29 3	5	10 =	10 =	10 =°	0.2		= ' ⁝ ≡° n,a, *° = =° p
6	17.4	15.6	12.2	2.6	2.9	3.5		- 4.5	94	94	91	12 5	11 6	12 6	2	10 =	10 ,°	10 .°	0.9		=° ⁝ n, = ≡ a, = p
7	03.4	08.6	09.3	2.2	- 1.4	0.4		- 2.1	93	76	82	12 5	32 1	12 5	9	10 •	1	10 =°	9.3		≡ ' . = n, .° =° ⊙ a, ⊙ =° p
8	10.8	12.3	12.8	0.8	1.6	0.8		0.0	93	79	87	12 3	24 1	00 0	7	10 =°	9 =°	10 =°	1.6		=° ⊙ △° ∞° n, =° a, =° ⊙ p
9	16.4	25.7	**27.9**	- 2.8	- 4.3	- 4.3		- 4.7	89	76	68	32 4	31 3	31 3	8	7 =°	9 =°	1	2.3		* =° n, =° ⊙ a, ⊙ p
10	26.3	21.9	17.3	- 5.5	- 3.0	- 3.5		- 6.0	71	70	91	31 2	00 0	17 1	9	10	10	10 *			* *° p
11	07.0	00.5	94.8	- 0.7	0.9	0.1		- 3.6	87	86	93	32 2	32 2	32 2	6	10 *°	10 •	10 .°	1.9		* = *° n, *° = ⁝° • a, .² . = p
12	**94.7**	97.7	99.1	- 1.4	- 3.3	- 3.8		- 4.8	86	90	90	16 4	24 3	24 4	7	10 ,°	10 =°	10 =°	14.0		=° ♦° *² ,° n, △° =° a, *° = p
13	07.4	10.4	11.2	- 4.6	- 4.3	- 4.6		- 4.9	89	87	83	30 4	29 3	28 1	8	10 =°	10 =°	10 =°	2.1		=° n,a,p
14	04.1	01.8	02.1	- 0.5	**6.0**	4.2		- 4.8	84	76	80	30 3	12 4	00 0	5	10 =°	10 .°	9 =°	0.1		△ = =° n, . =° .° a, =° ⊙ p
15	09.3	14.2	18.0	- 0.1	1.0	1.1		- 0.2	94	93	93	26 1	00 0	00 0	2	10 ≡	10 ≡	10 =	3.3		≡ = n, ≡ a, ≡ p
16	25.3	23.4	19.8	- 0.1	2.3	3.8		- 0.8	94	87	93	16 1	12 5	12 6	6	10 =	10 =	10 ≡°	0.1		≡° ,° = n, = =° a, =° = ≡° p
17	15.5	14.7	15.0	1.9	3.1	2.0		1.5	95	93	93	15 3	16 2	31 2	7	10 ≡°	9 =°	10 =²	0.0		≡ ,° ≡° n, ≡ =° ⊙ a, ≡ = p
18	21.7	22.9	20.6	- 1.1	- 0.1	- 0.2		- 1.6	89	89	91	24 2	02 2	28 1	7	8 △	10 =°	10 *	0.1		=° ∧ (≡) = n, =° a, =° *° p
19	24.5	27.3	26.1	- 1.4	0.1	1.3		- 1.9	89	74	77	28 3	30 2	28 1	9	0	1	0	5.7		* *° =° ⊙ n, ⊙ a,p
20	05.5	99.9	93.3	2.6	2.1	- 0.9		- 1.4	69	70	82	24 3	16 3	21 1	9	9 =°	2	10 △°			=° n, =° ⊙ a, ⊙° =° △° = p
21	12.5	18.5	21.2	- 3.2	- 4.3	- 3.9		- 4.8	87	82	82	30 7	31 6	31 5	7	10 *°	10 =°	10 =°	1.3		*° △° ♦ * = n,=° ♦° * a,=° ♦ * p
22	23.0	24.3	24.3	- 2.1	- 2.0	- 1.6		- 3.9	76	80	79	32 4	32 5	30 4	7	10 =°	10 *°	10 =°	0.4		=° ♦° *° n,a, =° *° p
23	23.6	22.2	21.4	- 2.0	- 3.7	- 3.5		- 3.9	86	87	86	32 5	32 4	01 4	5	9 =°	10 *°	10 =°	0.3		=° *° ♦° *° n,a, =° ♦° *° p
24	18.1	17.5	16.6	- 3.5	- 3.0	- 2.7		- 4.0	82	84	80	32 3	32 3	32 2	7	10 =°	10 =°	10 =°	0.4		=° ♦° n, =° a, =° * p
25	16.9	19.0	19.6	- 1.3	- 1.1	- 1.9		- 2.9	76	72	77	28 1	32 4	30 3	9	3 =°	2	10	0.2		=° ♦° ∧ ⊙ n, =° ⊙ a, ⊙ p
26	21.5	23.2	23.5	- 3.3	- 2.3	- 2.9		- 3.6	83	83	77	32 3	31 3	27 3	9	8 ♦°	9	10 △°	0.0		△ ♦° n, *° ⊙° ♦° a, =° ♦° △° p
27	22.9	23.3	22.2	- 3.2	- 2.8	- 2.3		- 3.7	90	86	80	31 4	32 3	32 3	7	10 *°	10 ♦°	9 =°	0.3		♦° =° *° n, =° ♦° ⊙ a, ♦° =° p
28	18.2	16.3	13.7	- 3.8	- 3.4	- 3.3		- 4.5	83	79	83	32 3	32 3	31 3	9	10	10	10 =°	0.3		=° n
29	08.5	08.1	07.7	- 3.6	- 3.2	- 2.7		- 3.7	86	87	87	30 4	31 4	31 4	9	10	10	10			
30	10.1	12.7	14.2	- 2.4	- 1.9	- 2.4		- 3.2	86	83	83	29 3	29 2	28 1	9	10	10	10			
31	15.3	15.1	13.5	0.9	0.1	- 0.4		- 3.2	87	77	77	18 1	17 3	12 3	9	8	10	10 =°			⊙ a, =° p
M	14.8	15.4	14.8	- 1.9	- 1.3	- 1.5		- 3.7	84	80	82	3.1	2.8	2.5	7.4	8.8	8.4	9.1	48		

Juni VI

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	12.7	15.1	16.1	0.6	1.8	2.4		- 0.8	91	89	91	13 5	15 3	15 3	6	4 =°	10 =	9 =	0.0		=° ♦° ≡ n, ≡ =² ⊙° a, = ⊙ p
2	16.5	16.4	16.4	1.3	1.5	0.6		- 0.4	93	93	93	32 1	32 1	32 2	5	10 =	10 =	10 =			=² ≡ (≡) n, ≡° (≡) = a,p
3	16.7	16.5	15.9	- 2.9	- 0.3	0.4		**- 3.1**	93	89	87	28 1	30 1	31 1	7	10 ,°	10 =°	10 =°	0.0		≡° ,° =° n, ⊙ =° a,p
4	14.6	13.9	13.4	- 2.4	- 1.7	- 1.8		- 2.7	90	89	87	32 2	32 3	32 4	8	10 =°	9 =°	8 =°	0.3		= *° ∧ n, =° ⊙° a, =° ⊙ ♦° p
5	10.8	10.1	09.3	- 1.8	- 1.2	- 0.3		- 2.3	84	87	82	32 5	32 5	32 6	7	6 =°	6 =°	3 =°	0.0		=° ⊙ ♦° n, =° ⊙ a, =° ⊙ ♦° p
6	**08.1**	08.9	10.2	2.4	0.1	- 0.3		- 1.2	76	93	94	01 3	01 7	32 6	7	3 =°	2 =°	3 =°	0.1		=° ♦° ⊙ n, =° ⊙ a,p
7	10.0	09.0	09.4	- 1.2	- 0.2	1.8		- 1.8	93	90	83	32 6	32 5	05 2	5	10 *	9 *°	9 =°	4.2		* =° ♦° ⊙ n, *² * a, =° p
8	13.0	15.9	16.8	0.4	0.6	0.4		- 0.3	93	93	93	09 2	32 3	32 3	6	9 =°	10 =	10 =	2.3		=° ⊙° (≡) ≡ n, = (≡) a,p
9	20.0	22.7	24.8	0.7	1.7	1.5		- 0.9	93	91	90	00 0	31 1	00 0	5	10 =	10 =	10 =°			=² (≡) n, = a, = =° p
10	26.3	**26.6**	26.3	0.3	1.8	1.3		- 0.1	86	84	86	14 3	16 2	16 3	9	10	9	8			=° ⊙ n, ⊙ a,p
11	25.7	25.1	24.3	0.6	1.3	1.2		- 0.2	91	90	91	00 0	16 2	19 3	7	10 =	10 =°	8 =°			= ⊙ ≡ n, =° a, =° ⊙ p
12	22.8	21.8	19.9	0.6	2.6	2.9		- 0.8	93	93	91	15 4	15 3	28 1	3	10 =²	10 =°	10 =²			≡ =° a, =° =² p
13	22.1	25.0	25.8	- 1.2	- 0.8	- 0.2		- 2.0	90	89	89	32 3	32 4	32 4	6	6 =°	7 =°	8 =°	0.0		=² ,° = =° n, =° ⊙ a,p
14	26.1	24.9	22.5	0.3	2.0	0.1		- 0.7	86	80	84	00 0	28 2	28 2	7	9 =°	6 =°	10 =°	0.2		*° = =° ♦ ⊙ n, =° ♦° ⊙ a, =° ⊙ p
15	19.5	17.9	15.2	- 1.5	- 0.1	0.0		- 2.3	93	90	93	30 3	31 4	31 3	7	10 ♦	9 =°	10 =²	0.0		=² ,° ♦° n, =² =° a, = =° ⊙° p
16	14.5	14.4	15.0	- 0.8	- 0.8	- 0.4		- 1.7	90	93	91	30 3	30 3	30 2	5	9 =	10 *°	10 =²	0.0		♦° (≡) =° n, = ♦° a, =° ♦° =²,° p
17	16.2	17.7	17.5	- 0.8	0.4	- 0.2		- 1.6	93	90	91	00 0	30 1	30 1	4	6 =	10 =²	10 =²	0.1		=° △ = n, ≡ =² a, = =² p
18	16.9	19.6	20.8	0.0	1.6	0.3		- 1.5	90	87	91	31 4	30 1	31 4	8	6 =°	9 =°	5 =°	0.0		≡ ♦° =° ⊙ n, =° ⊙ a, =° ⊙° *° p
19	19.3	19.6	19.4	- 0.4	- 0.3	- 0.5		- 1.2	89	89	86	30 3	31 3	31 4	7	10 =°	8 =°	3 =°	0.0		♦° = ⊙ n, =° ⊙ a, =° ⊙ ♦° p
20	16.7	15.9	15.9	- 0.9	- 0.5	0.2		- 1.5	91	84	91	31 3	31 3	31 3	8	9	8 =°	9 =°	0.1		=° ♦° ⊙ n,a, =° ⊙ p
21	14.7	14.9	14.5	- 0.1	- 0.1	- 1.1		- 1.4	94	91	93	30 3	30 3	30 3	6	10 ≡°	10 =	10 =	0.2		△ = *° ≡° n, = ≡ a, = p
22	14.5	15.5	16.0	- 2.2	- 1.0	- 0.7		- 2.4	94	94	93	30 2	30 2	30 2	3	10 ≡°	10 ≡°	10 =	0.6		*° = ∨ ≡° n, ≡ a, ≡ (≡) = p
23	17.0	18.5	18.9	- 0.8	0.4	0.8		- 1.7	91	90	91	28 2	31 2	26 1	6	6 =°	9 =°	10 =°	0.1		=² =° ♦° ⊙° n, =° ⊙° ♦° a, =° p
24	17.7	18.9	19.8	- 0.2	6.7	3.8		- 0.5	93	68	90	14 3	16 2	15 3	8	10 =²	3 ∞	6 ∞	0.0		= =² n, = ∞ ⊙ a, ∞ ⊙ p
25	20.1	21.4	20.8	4.7	2.4	3.0		1.0	76	94	93	16 2	13 4	13 5	4	1	10 =²	9 =			⊙ n, = =² a, =° = p
26	21.5	21.0	20.0	4.9	7.0	6.7		2.7	83	**64**	65	17 2	12 3	12 3	8	7	9 =°	9			= ⊙° (≡) ≡ n, =° ⊙ a, =° p
27	18.0	18.6	18.9	4.5	5.6	5.2		3.4	89	76	79	15 1	00 0	00 0	9	10	9	8			
28	20.2	20.1	20.7	5.3	5.8	3.5		2.9	70	82	94	17 2	16 2	32 1	8	1	9 =°	10 ≡			⊙ n, =° ⊙ a, = ≡ p
29	21.6	21.2	21.4	5.4	**9.3**	2.5		0.9	89	69	94	02 1	15 4	17 3	9	8	8	8 =°			⊙ ≡ (≡) =° n, ⊙ a,p
30	22.8	24.3	23.6	4.8	3.2	3.5		1.5	89	93	90	13 3	32 1	12 3	6	10 =°	10 =	10 =°			≡° =° n, = ,° a, =° p
M	17.9	18.4	18.4	0.7	1.6	1.2		- 0.7	89	87	89	2.4	2.7	2.7	6.5	8.0	8.6	8.4	8		

1948

Jan Mayen

$\varphi = 71°\ 1'N$ $\lambda = 8°\ 26'W$ $g = 9.829$ $\Delta G = +1^h$ **Juli VII** $H_s = 5$ $H_b = 4.5$ $h_t = 2.4$ $h_a = 6.0$ $h_d = 4.5$ $h_r = 1.6$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	20.8	18.6	16.4	2.5	3.6	5.5		2.0	91	89	83	14	2	32	1	12	1	8	10 =°	10 =°	10 =°	0.0		= ,° n, =° a,p
2	12.2	12.0	11.7	5.6	6.0	5.4		3.5	94	93	90	12	3	13	3	16	1	4	10 ≡°	10 •	9 =	0.0		≡ ,° =² n, ,° ,° ≡° a, = ⊙ ·°,° p
3	11.4	11.7	11.8	6.1	7.6	6.8		2.7	91	90	84	13	5	12	4	12	1	4	9 =	9 =°	10 =°	0.3		= n, , =² ⊙ a, =° p
4	10.7	12.3	14.0	3.9	8.5	9.1		3.6	91	87	77	28	1	32	1	14	2	6	9 =°	9 •	9 =°	0.4		=° ⊙ n, ⊙ = • a, =° ⊙ p
5	16.1	15.9	15.2	5.7	5.9	5.8		5.5	91	91	90	30	1	00	0	14	1	8	10 •°	9 =°	9 =°	0.3		=° ⊙ ∞° n, =° • a, =° p
6	16.5	18.3	18.7	5.7	5.4	5.2		4.0	89	90	90	16	1	00	0	00	0	6	9 ∞°	10 =	10 =°	0.0		=° ∞° n, = =° a,p
7	20.3	21.5	21.6	3.2	3.4	3.0		2.5	90	90	90	30	3	30	3	29	3	7	10 =°	10 =°	10 =°			≡° =° n, =° a,p
8	22.6	**23.8**	**23.8**	2.5	3.8	3.6		2.3	91	91	90	31	2	30	2	31	2	3	10 ≡	10 ≡°	10 ≡°	0.0		= ,° n, ≡ ≡° a,p
9	22.7	22.7	21.4	1.8	2.9	3.3		1.7	91	89	90	31	1	26	1	00	0	4	10 =°	10 =²	10 ≡	0.0		≡° ≡ ,° n, ≡° a, =² ≡ p
10	17.4	14.8	12.1	2.0	6.2	6.2		1.5	91	82	87	16	1	14	4	14	4	7	10 ≡	10(≡)	9 =			≡ n, = ≡ (≡) a, (≡) =° = p
11	11.8	13.7	15.6	8.1	9.0	8.2		6.0	86	79	79	16	3	12	4	09	3	7	10 =	9 =°	10 =°			=° = n, =° ,° a, =° p
12	17.7	18.6	18.6	5.0	3.3	3.8		2.9	91	90	91	00	0	30	4	31	4	5	10 ,°	9 =	10 =²	0.1		=° ,° n,a, =² , p
13	19.0	19.8	19.5	2.9	4.1	4.4		2.7	91	91	91	11	1	00	0	26	1	2	10 ≡°	10 ≡	10 ,°	0.0		= ,° n, = ≡° ≡ a, = ,° p
14	18.8	20.2	20.7	5.1	6.5	6.0		3.7	89	79	84	00	0	00	0	00	0	8	10 =	9 =°	10 =°	0.1		= ,° =² n, = , =° ⊙ a, =° p
15	21.3	21.8	20.9	4.6	4.2	4.4		3.9	91	86	91	00	0	31	2	30	2	5	10 =°	10(≡)	10 =°	0.0		≡ , =° n, =° a, = p
16	18.3	18.2	17.3	3.7	4.5	4.1		2.0	93	87	91	00	0	30	2	28	3	4	10 ,°	9 ,	9 ,°	0.0		= ,° n, =° ⊙° a,p
17	14.4	13.9	13.9	1.6	4.6	3.0		1.0	90	84	84	30	2	26	2	29	3	8	9 =°	7 =°	7 =°	0.0		, = n, , =° a, =° ⊙° p
18	14.2	14.5	13.9	1.7	3.7	4.8		**0.9**	89	82	76	00	0	28	2	31	1	9	7 =°	9	10 =°	0.1		=° ⊙° n,a,p
19	12.8	13.4	12.7	5.1	5.7	6.9		3.9	79	79	74	12	2	30	3	28	2	9	9	9	9			=° ⊙° n, ⊙° a, ∞° ⊙° p
20	08.2	06.7	05.0	5.0	5.9	5.0		4.0	76	75	90	26	1	28	5	30	6	9	8	5	8 =°			⊙° n,a, =° ⊙° p
21	03.3	02.7	01.4	5.7	8.9	7.9		4.4	87	75	80	15	3	30	1	14	2	8	9 =°	8 =°	10 =°	0.0		=° ⊙ n, =° ⊙° a, =° ·° ⊙ p
22	98.9	00.4	01.3	5.1	6.8	6.2		4.2	93	86	89	23	3	27	2	29	1	7	9 =°	9 =°	9 =°	0.4		=° ·° ⊙ n, =° ⊙° a, =° p
23	01.9	02.9	03.3	4.0	4.6	4.9		3.4	94	93	93	28	4	29	2	28	2	2	10 ≡	10 ≡	10 ≡			=° ≡ n, ≡ a, ≡ , p
24	06.5	09.5	11.4	3.3	3.9	4.0		2.0	93	91	89	28	2	32	1	00	0	3	10 =²	10 ≡°	1	0.3		≡ , ·° n, ≡° a, ≡ ⊙ p
25	14.5	15.2	12.2	4.3	10.1	10.1		1.0	91	66	**58**	13	5	12	4	11	6	7	10 =	6 =°	8 =°	0.0		≡ (≡) = , n, =° ⊙° a,p
26	99.7	95.8	89.5	**10.2**	8.6	7.6		7.0	90	93	94	12	7	12	5	28	1	5	10 ·°	10 ·°	10 ·²	2.1		=° ·° ≡ \ n,·° ≡° ≡ a, ·° = · p
27	86.9	87.1	**85.8**	5.3	4.7	3.7		2.5	93	93	90	13	7	15	6	22	4	5	10 •	10 ,°	10 ·°	20.3		=° ≡ • n, = ·° ≡ ,° a,=° ·° = • p
28	01.2	09.7	12.5	2.7	2.9	4.3		2.1	90	90	83	26	7	27	5	28	3	5	10 =°	10 ·°	7 =°	4.5		= • =° n, =° ,° a,⊙=°,° ·° ⊙ p
29	13.9	13.4	10.8	5.8	6.4	9.6		2.8	75	75	83	29	3	04	3	12	7	8	8	10 ∞	10 =°	0.0		⊙ ⊙° n, ∞ =° a, =° ·° p
30	14.3	14.7	12.9	6.3	7.4	7.9		4.4	93	90	91	17	4	19	4	03	3	8	9 =°	10 =°	10 •	0.0		= =° n, =° ⊙ a, =° ·° • p
31	14.2	16.6	17.6	4.2	3.7	3.4		3.0	93	93	93	26	3	26	4	26	4	7	10 ,	10 =°	10 =°	2.7		= , ·° =° ≡ n, = , =° a, =° ,° p
M	12.3	12.9	12.1	4.5	5.6	5.6		3.2	90	86	86	2.5		2.6		2.4		6.1	9.5	9.2	9.1	32		

August VIII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	15.9	16.1	17.0	5.0	3.1	4.2		2.2	93	93	93	28	3	28	3	28	6	4	10 ,°	10 ,	10 ,	1.5		=² , ·° n,a, = =² , p
2	17.9	16.4	14.6	0.5	4.2	4.1		**0.4**	93	91	93	28	2	16	4	15	3	9	6 =	2	9 =°	0.5		= , n, =° ⊙ a, ⊙ = =° ⊙° p
3	09.4	09.6	11.1	5.8	6.4	5.6		2.1	89	89	90	11	5	12	4	24	2	7	9 ,°	9 =°	9	0.0		= ,° =° n, =° ,° ⊙° a,p
4	15.7	16.6	15.9	1.6	2.8	3.2		0.8	94	93	93	28	3	26	3	26	2	5	10 ,	10 =	10 ≡	0.2		=° ⊙° = , n, = , a, ≡° ⊙° ≡ p
5	12.8	13.2	12.7	3.1	4.0	4.3		1.1	93	91	90	24	4	24	3	24	3	6	10 ,°	9 =	10 =°	0.0		≡ ,° ≡° = n, = ,° a, =° p
6	11.8	12.3	12.1	3.6	2.4	2.9		2.4	87	91	89	31	2	29	3	29	4	8	10	10 =°	10	0.3		, ·° = ,° n, =° ,° ⊙° a, ⊙° p
7	12.4	12.7	11.5	1.8	3.6	3.2		1.0	87	79	79	12	2	13	4	13	4	9	10	10	9	1.5		, =° = n, ⊙° p
8	08.1	07.6	06.5	4.6	5.3	6.3		2.5	89	94	83	13	5	16	3	09	3	9	10 =°	10 ,°	8	0.0		= ,° =° n, =° , ,° a, =° ,° ⊙° p
9	04.8	05.1	05.1	3.7	4.2	4.0		3.3	93	93	90	31	2	29	3	29	2	3	10 ≡	10 ,	9 =°	0.0		=° ⊙° ≡ n, ≡ ⊙° ,° a, = , ⊙° p
10	04.6	05.8	06.7	1.6	2.2	2.8		0.9	94	93	93	16	4	16	5	14	4	5	10 ,	10(≡)	8(≡)	0.6		≡ ,° , = n, = ,(≡) a, (≡) , p
11	10.3	13.2	14.3	2.9	6.1	6.6		2.8	89	70	70	12	3	12	3	12	3	9	10	10	10	0.0		(≡) n
12	15.0	16.6	15.8	6.6	7.4	6.6		5.2	91	90	94	12	4	11	4	12	4	8	9 ,²	10 =°	10 ,°	0.0		=° ∞ ⊙° , n, , =° • a, =° ⊙° ,° p
13	16.9	18.5	18.8	6.2	7.8	7.6		5.3	94	89	91	12	5	14	4	12	4	8	10 ,	10 =°	10 =°	0.1		=° , = n, (≡) ,° =° a, =° p
14	**19.7**	**19.7**	**19.7**	7.5	8.8	8.1		6.0	89	66	68	11	5	11	5	13	4	9	9 =°	2	2	0.0		=° = n, =° ⊙ a, ⊙ p
15	19.4	19.4	18.9	6.3	7.1	7.6		5.6	76	69	66	12	3	11	5	11	3	9	10	7	3			,° a, ⊙ ⊙° p
16	16.9	15.9	13.7	5.8	6.2	6.4		3.9	83	79	94	12	4	12	4	14	5	9	9	9	10 •	0.0		=° n, ⊙° a, • p
17	09.0	08.2	08.0	5.8	5.9	8.0		5.2	89	94	93	14	5	13	4	21	3	6	9 =°	10 ,°	10 ,°	0.1		·° ⊙ = n, =° , a, = p
18	11.1	12.7	13.1	4.7	5.3	4.9		4.3	94	94	94	30	3	30	1	30	2	7	10 ,°	10 =°	10 ,	0.5		= , ·° n, = ,° a, =° ,° = , p
19	13.5	14.4	14.1	1.2	3.2	3.1		0.7	93	93	94	00	0	28	2	28	2	4	3	10 =²	10 =	0.5		,° (≡) = , n, = ⊙° (≡) a, = =² p
20	13.0	12.4	11.2	1.8	3.1	3.4		1.5	93	93	93	07	1	29	1	29	3	5	10 =°	10 ,°	10 =°			=° = n, = ,° a, =° p
21	09.9	10.5	10.0	3.6	3.9	3.4		2.9	94	90	80	30	4	30	5	30	5	8	10 =°	9 =°	9	0.4		= ,° =° n, = , =° ⊙° a, ⊙° p
22	10.3	11.1	11.2	2.4	5.4	3.9		0.8	83	70	75	12	3	04	4	30	6	9	4	8	2	0.1		⊙ ⊙° a,p
23	11.1	12.4	14.3	2.6	3.9	3.9		2.1	75	69	69	31	6	32	6	32	5	7	4 =°	7 =°	4 =°			=° n, ⊙ ⊙° =° a,p
24	14.6	15.1	15.4	2.0	2.4	2.4		0.9	72	70	69	32	4	30	3	30	3	9	9 =°	7	9			=° n, =° ⊙° a, ⊙° p
25	14.4	14.9	16.1	1.8	2.2	2.7		0.7	77	68	**64**	26	3	28	2	26	3	9	10 =°	9	4			=° n, ⊙° a,p
26	13.9	14.5	14.1	2.4	2.6	2.7		0.3	75	77	82	26	3	24	4	25	3	8	7	9 =°	10 =°			=° a,p
27	13.4	13.3	13.3	2.6	2.9	2.8		1.7	82	93	86	19	3	25	3	31	3	8	10 =°	9 =°	9			=° n, =° ,° ·° a, =° p
28	11.1	09.6	07.7	4.6	5.9	6.6		2.4	84	83	94	12	4	12	4	14	3	9	5	10	10 ,	0.4		=° ,° = , p
29	05.6	06.1	06.6	4.7	4.5	5.4		3.7	94	94	90	19	1	31	2	32	3	2	10 ≡	10 ≡	9 =°	0.1		= , (≡) ≡ n, = ≡° a, = p
30	08.3	08.5	08.4	7.1	**10.1**	7.7		5.3	82	90	91	27	1	13	3	31	2	5	9 =°	10 ,°	10 ·°			=° n, , ·° a, ,° ·° = =° p
31	06.5	04.9	**02.0**	6.9	6.8	6.9		5.3	93	93	89	30	2	32	3	23	2	7	10 =	10 =°	10 •	0.4		,° ·° = ⊙ n, = ≡ (≡) a, =° p
M	12.2	12.5	12.2	3.9	4.8	4.9		2.7	88	85	85	3.2		3.4		3.4		7.4	8.8	8.9	8.5	7		

Ekstensotabell

1948

Jan Mayen

φ = 71° 1'N λ = 8° 26' W g = 9.829 ΔG = + 1h

September IX

H_s = 5 H_b = 4.5 h_t = 2.4 h_a = 6.0 h_d = 4.5 h_r = 1.6

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	97.6	98.0	98.1	7.3	**10.0**	6.9		5.0	93	91	94	08 1	15 2	00 0	5	9 =°	9 =	10 =	1.4		•° =° n, • = •° ⌒ a, = •° p
2	02.0	04.9	06.0	7.2	7.2	6.2		5.7	93	93	93	15 2	15 3	30 3	5	10 =	10 •°	10 •°	0.5		• = •° =° n, = •° a, = •° (≡) p
3	04.3	04.4	04.4	4.8	5.6	6.4		4.2	94	94	93	28 3	20 2	12 5	4	10 •°	10 •	10 •°	2.4		= • • n, =² • a, = =² p
4	07.7	08.9	08.5	4.3	3.9	3.6		3.5	94	93	93	27 2	25 3	25 3	4	10 =²	10 •°	10 •°	0.1		= =° •° n, =° •° =² a, • = •° p
5	09.0	09.6	09.1	3.3	3.8	4.0		3.1	93	93	93	30 4	30 4	30 4	8	10 •°	10 •°	10 •	0.5		• = •° =° n, =° •° a,p
6	06.0	04.3	00.6	5.0	6.9	5.4		3.1	87	77	86	08 3	31 5	29 6	7	10	9 =°	10 •	0.1		= =° n, ⊙ =° a, •° • p
7	93.4	93.6	92.4	6.1	5.7	4.7		3.4	93	91	91	12 2	15 5	31 1	5	10 •°	9 •°	7 =	5.5		= =° •° • n, = •° a, ⚥° = p
8	91.7	95.4	98.2	3.1	2.1	2.1		1.2	93	86	72	30 6	30 7	28 7	7	10 •	9 =°	0	3.7		= •° =° n, = • ⚥ a, =° p
9	05.0	08.1	10.1	1.5	1.6	0.9		0.4	82	76	82	28 6	28 7	28 7	8	9 =°	9 =°	10 ⚥	0.7		⛅ △ n, =° △ a, ⚥ =° p
10	15.0	15.8	15.8	0.6	1.0	1.2		- 0.1	86	90	89	28 5	30 4	30 3	5	9 ⚥°	9 =	9 =°	0.3		⚥ ⚥ =° n,a, = ⊙° =° p
11	08.0	02.6	98.0	2.4	7.0	8.5		- 0.3	82	66	59	27 2	09 8	09 9	7	10 =°	10 •	10	0.1		⛅ =° n, =° •° a, • =° \ p
12	88.1	85.3	83.3	6.0	5.2	3.7		3.5	94	94	94	12 1	28 2	30 3	4	10 =°	10 =	10 •	14.4		=° ⚥ \ • n,= =° a, =° = • p
13	83.0	83.7	83.9	- 0.1	0.7	0.8		- 0.3	84	79	75	25 5	19 6	18 5	7	10 =°	10 =°	9 =°	11.3		≡ • ‡ = n, ‡ =° △° a, =° ⚥° △° p
14	**82.7**	85.8	90.0	1.3	2.1	1.5		0.3	87	87	91	26 4	29 5	29 7	8	9 ⚥°	9 =°	9 ⚥	1.9		‡ = =° n, ⚥ ⛅ =° ⊙° a, =° ⊙° ⚥ p
15	00.9	03.9	04.1	0.2	0.3	0.1		- 0.2	77	71	66	28 7	28 6	28 2	9	10	7	2	1.7		⚥ =° n, ⊙° a,p
16	01.0	02.4	02.0	2.1	3.6	3.6		- 0.8	66	68	75	09 3	12 2	14 3	9	9	9	9			=° n, ⊙° a
17	97.4	97.0	98.3	3.1	4.7	3.0		3.0	66	59	82	11 3	11 2	31 3	9	9	3	7 =°			⛅ n, ⊙° ⊙ a, =° ⊙ p
18	03.7	06.3	07.1	0.0	0.4	0.2		- 0.4	77	71	70	28 4	28 3	28 2	9	9	7	3	0.0		=° △ ⚥ ⛅ ⊙° n, ⊙° a,p
19	06.3	07.1	07.9	- 0.9	- 0.3	0.5		- 3.1	74	84	90	32 3	30 5	29 7	8	8	10 =°	10 =°	0.0		⛅ △ n, ⊙° =° a, =° ‡° p
20	13.8	15.6	16.4	- 0.6	- 0.1	- 0.2		- 1.2	89	84	80	30 7	30 6	30 5	8	10 ⚥	9 ⚥	9 ⚥	0.4		‡ △ = =° n, =° ⚥ a,p
21	16.6	17.6	**17.7**	0.0	1.0	- 0.5		- 1.5	95	93	91	30 5	28 3	32 2	7	10 ⚥	5 ⚥	5 ⚥	1.1		⚥ =° n, ⚥ a, ⊙° 13ᵐ, ⚥ p
22	15.8	14.3	12.9	- 1.9	- 0.5	- 0.6		**- 4.0**	90	87	84	28 2	31 ● 5	29 6	8	9	9 =°	10	0.3		⚥ n, =° a,p
23	09.9	09.4	09.0	- 0.9	0.3	0.4		- 1.8	76	68	70	30 4	28 2	30 2	9	1	1	5			⊙ a,p
24	08.1	08.0	07.8	0.4	1.8	2.2		- 1.5	**53**	83	84	11 3	12 5	12 3	9	0	4	10			⛅ n, ⊙ a, ⊙° =° p
25	05.4	10.7	11.9	0.3	- 1.4	- 1.7		- 2.0	94	64	60	29 6	27 6	27 5	9	9 =°	9	9	1.3		⚥ •° ‡° =° n, =° a, ⚥° △° p
26	08.0	06.5	05.8	- 0.5	- 0.4	0.6		- 2.5	79	90	94	28 5	28 6	28 5	5	10	10 ⚥	10 ⚥°	0.2		*° ⛅ ⚥ n, ⚥ *° a, ⚥ ⚥ p
27	00.6	98.4	97.0	0.2	1.3	0.7		- 0.8	93	90	89	30 3	32 2	30 4	9	10	5	3	0.4		⚥° =° ⚥ n, ⊙° a,p
28	98.5	99.2	00.4	0.0	0.2	- 0.3		- 0.9	94	86	83	26 4	28 5	29 4	9	10 ‡°	9	7 =°	0.0		⚥ ⚥° ‡° = n, = • a, ⊙ 13ᵐ, =° p
29	04.6	07.6	08.9	- 1.2	- 0.9	- 0.6		- 1.5	90	86	83	29 5	30 4	30 4	9	9	6	9	0.1		⚥ ⛅ n, ⊙° a, ⊙° =° (⚥) p
30	13.7	15.4	15.1	- 0.4	- 0.2	- 0.3		- 1.2	91	82	74	26 3	28 3	26 4	9	10 ⚥°	10	10	0.2		⚥ * =° (*) n
M	03.3	04.0	04.0	1.8	2.4	2.1		0.4	85	82	83	3.8	4.3	4.1	7.3	8.9	8.2	8.4	49		

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	10.3	08.7	07.0	- 2.1	- 0.9	- 1.3		- 2.4	75	71	72	07 3	30 3	31 4	9	9	9	9			=° = n
2	02.7	05.0	05.6	- 2.2	- 0.9	- 1.3		- 3.0	71	74	72	32 4	30 5	30 5	9	7	9	9			⛅ n, ⊙° a
3	07.8	09.1	07.1	- 2.8	- 2.0	- 0.1		- 3.4	83	82	80	29 5	29 4	24 3	9	10	7	9			=° n, ⊙° a, ⊙ p
4	99.6	98.6	98.3	- 0.3	0.2	- 1.2		- 1.2	90	86	89	26 3	26 2	30 3	9	10 =°	10	10 =°	0.0		=° *° n, =° a,p
5	00.3	00.1	98.0	- 0.9	- 0.6	- 1.0		- 1.2	82	79	93	24 2	32 2	04 1	9	10	9	10 ⚥			=° n, ⚥ p
6	96.1	96.2	98.4	- 1.4	- 0.5	- 1.2		- 2.7	93	93	87	32 2	30 7	28 8	7	9	10 ⚥°	10 =°	1.9		⚥ (*) *° n, ⚥° a, * ‡ =° p
7	04.7	15.9	21.4	1.4	1.2	- 0.2		- 2.5	93	82	83	28 7	29 6	30 6	5	10	9 ⚥	9 =°	6.4		* ‡ = •\ n,⚥ = a, ⚥° =° = •° p
8	32.6	**35.9**	35.0	- 2.0	- 1.7	0.4		- 2.3	82	77	71	32 3	11 3	09 6	9	10	9	10	0.5		⚥ ⚥ =° n, =° a
9	29.6	26.0	20.5	5.0	5.7	5.7		0.4	82	80	83	13 7	11 7	13 9	7	10 =°	10 =°	10 =°	0.1		•° = =° n, =° a, =° \ p
10	03.7	94.1	95.0	6.4	5.7	3.4		3.3	93	93	93	12 8	12 5	14 4	4	10 •°	10 =²	10 =²	1.2		= •°\ n,= • a, =² = •° p
11	97.9	99.3	99.4	0.0	- 0.4	- 0.7		- 1.2	91	87	87	25 4	27 3	28 2	9	10 ‡°	9(⚥)	9	1.5		•° = •² ‡ n, ⚥° ⚥° =° ⚥ a
12	94.3	89.9	87.5	- 0.2	**7.7**	6.9		- 1.8	90	76	80	04 1	12 6	13 7	7	10 •	10 •°	10 •	0.1		⛅ =° •° n, •° a, • p
13	83.3	78.3	75.0	5.0	5.0	4.7		2.8	79	83	90	04 3	02 3	02 2	5	5 =	9 •	10 •	14.3		• = ⛅ •° n, = =° • a,p
14	**71.4**	72.8	73.4	0.8	- 1.0	- 2.2		- 2.3	94	89	86	28 3	26 5	22 3	8	10 ‡	10 =°	10 ⚥	5.8		⛅ = • ≡ •° ‡ n, •° = ⚥ a, =° ⚥ p
15	75.7	78.4	83.4	- 1.9	- 0.7	- 0.6		- 2.2	84	89	94	13 5	29 2	29 6	6	10 *°	9 *°	10 *²	1.5		* ⚥ =° n, ⛅° *° =° a, * *² p
16	91.2	92.5	93.1	- 1.8	- 2.1	- 1.7		- 2.8	90	90	91	28 7	30 7	28 6	5	10 =°	10 •°	10 ⚥	7.8		⚥ =° = n, ⚥ =° •° = a, =° • ⚥° p
17	90.8	92.0	92.7	- 1.0	- 0.2	- 0.2		- 3.2	91	93	93	30 8	30 8	01 8	7	9 =°	9 ⚥°	9 =°	2.1		⚥ =° n, ⚥° ⊙° a, =° ⚥° •° p
18	94.6	95.8	95.9	- 0.6	- 0.7	- 1.1		- 1.5	93	93	93	29 6	29 4	29 4	6	10 •°	7 =	9 =	0.3		⚥ =° • n, = • a, ⊙° 13ᵐ, ⚥° = p
19	93.3	91.6	89.1	- 0.5	0.0	0.2		- 1.8	93	93	93	30 4	30 4	30 5	4	10 ⚥°	10 ⚥	10 ⚥	0.3		• ⚥° n, ⚥° ⚥ a, ⚥° p
20	87.7	88.2	88.0	- 0.5	- 2.5	- 4.2		- 4.3	89	87	87	01 7	32 7	30 6	9	9 =°	9	10	0.9		⚥ ⚥° =° n, =° a
21	86.8	89.6	90.7	- 1.5	- 1.7	- 1.8		- 5.0	90	87	87	29 7	28 6	29 6	7	10 *°	10 *°	10 =	1.0		△° * n, =° ⛅° *° a, *° ⛅° = p
22	88.1	92.3	96.0	- 2.4	- 3.2	- 3.5		- 4.8	93	83	79	30 9	30 8	30 7	7	10 ⚥	9 =°	10 =°	4.2		*° =° ⚥ \n, ⚥ ⚥° a, ⚥ =° ⚥° p
23	01.7	04.2	05.4	- 4.2	- 3.9	- 4.0		- 5.0	82	72	83	30 7	30 5	30 6	8	9 ⚥°	9 =°	9	3.7		=° ⚥° n, ⚥ ⚥° a, ⚥ p
24	08.2	07.6	05.6	- 6.3	- 6.4	- 5.3		- 7.1	79	83	90	30 7	28 6	28 8	7	10 ⚥°	10 *°	10 *°	0.9		⚥° * ⛅ n, *° a, * *° p
25	06.6	07.2	07.1	- 3.8	- 3.7	- 4.9		**- 8.2**	79	72	**69**	30 7	30 6	30 6	8	10 =°	9 ⚥°	9 =°	1.0		*° =° △ = n, =° a, ⚥ =° ⚥° p
26	07.6	08.9	11.2	- 4.2	- 4.4	- 4.1		- 5.0	79	83	86	30 6	30 6	28 5	9	10	9	9	0.2		⚥° =° n
27	13.9	13.9	13.4	- 4.7	- 2.0	- 0.9		- 7.7	79	92	89	05 3	11 2	22 2	7	7	9 =°	10 =°			⛅ n, =° a, ⛅° *° p
28	09.8	09.5	08.1	0.7	0.2	2.4		- 1.6	83	83	91	16 2	12 3	10 4	9	7 =°	8	9 ⚥	0.1		=° n, ⊙° a, =° ⚥ p
29	08.6	10.0	11.7	2.0	4.4	3.3		- 1.0	90	87	91	12 2	12 4	13 6	7	4 =°	10 •°	10 =°	0.2		=° ⛅ ⚥ = • n, =° •° •° a, •°= •° p
30	13.2	14.0	12.7	4.1	4.7	4.6		- 0.3	90	87	74	12 7	12 7	12 7	8	8 =	9 =°	8 =°	0.2		=° •° n, = =° a, =° p
31	00.8	99.5	99.3	4.2	3.5	3.7		0.2	93	89	91	10 7	12 6	12 6	7	10 =	8 =°	9 =	2.4		=° • n, • = ⚥° =° a, = =° p
M	00.4	00.8	00.8	- 0.5	0.0	- 0.2		- 2.5	86	84	85	5.0	4.0	5.2	7.3	9.1	9.1	9.5	59		

Ekstensotabell

1948

Jan Mayen

φ = 71° 1′ N λ = 8° 26′ W g = 9.829 ΔG = + 1ʰ

November XI

H_s = 5 H_b = 4.5 h_t = 2.4 h_a = 6.0 h_d = 4.5 h_r = 1.6

Datum	Lufttrykk P 8	P 14	P 19	Lufttemperatur T 8	T 14	T 19	Max	Min	Relativ fuktighet U 8	U 14	U 19	Vindens retning og styrke D,F 8	D,F 14	D,F 19	Synsvidde V 14	Skydekke og vær N,w 8	N,w 14	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	89.1	87.1	88.3	**6.1**	5.5	4.9		0.5	90	90	83	13 6	12 6	12 6	8	10 •°	9 =°	7 ⁑°	2.1		⁑ = ⁑° n, ⁑° =° •° ⌒ a, ⁑° ,° =° p
2	94.9	99.0	99.7	0.8	- 0.3	- 0.4		- 0.9	93	93	91	29 6	30 7	30 7	5	5 =	10 =	8 =	5.3		⁑° =° ⌂ = n, ⁑° = =° a, = ,° p
3	00.7	01.7	02.4	- 2.8	- 3.3	- 2.7		- 3.3	83	80	89	30 7	30 7	30 7	9	10 =°	7	8 ⁂°	0.1		*° = ⌂ ⌂ =° n, =° a, ⁂ ⁂° p
4	04.1	05.8	07.1	- 4.4	- 4.6	- 4.2		- 5.7	75	74	79	30 7	30 7	30 7	8	10 =°	9 *°	10 *°	0.5		⁂° ⌂ *° =° n, *° =° a, *° p
5	09.5	09.8	10.1	- 7.2	- 6.4	- 5.9		- 9.4	74	79	86	32 6	30 9	28 8	5	10 ⁂	9 ⁂°	10 ⁂	0.7		= ⁂° =° n, ⁂° a, ⁂° \ p
6	13.9	17.0	18.2	- 6.7	- 6.5	- 6.3		-10.0	77	76	83	29 7	29 7	30 7	8	10	9 ⁂°	9 ⁂°	0.5		⁂° \ n, ⁂° a, ⁂° =° p
7	22.1	24.0	25.4	- 7.6	- 7.2	- 7.4		- 8.3	82	83	82	30 7	29 7	29 7	7	10 *°	9 =°	10 *°	0.8		*° =° n, *° =° a,p
8	26.3	26.8	26.1	- 5.6	- 5.6	- 5.6		- 7.8	75	71	75	29 6	28 5	29 6	9	10 =	8	10	0.7		*° =° = n, ⁂° =° a, ⁂° p
9	21.2	19.9	19.7	- 7.2	- 6.7	- 6.2		- 8.1	**64**	74	75	31 5	30 6	30 6	9	9	9	9 ⁂°	0.3		⁂° =° ⌂ n, ⁂° a,p
10	24.2	28.3	30.5	- 4.1	- 4.5	- 4.7		- 6.8	87	86	80	29 6	29 6	29 4	5	9 =°	9 *°	6 =°	0.2		⁂° =° n, ⁂° *° a, =° p
11	**33.0**	32.7	29.8	- 5.2	- 6.0	- 6.0		- 9.6	89	74	75	28 4	04 2	11 3	9	10 ⁂°	8	7	0.4		⌂ ⁂° n, *° =° a
12	10.3	08.2	08.9	0.6	- 1.6	- 3.9		- 6.4	91	87	82	13 7	27 5	30 5	9	10 ⁑	10	2	0.9		*° ⁑ n, ⁑ ⁑° •° a
13	04.9	04.2	04.9	- 3.6	- 2.0	- 1.3		- 8.1	84	89	93	07 3	10 2	15 5	7	3	9 *°	10 =	1.0		⌂ ⊕ n, =° a, ,° =° = p
14	00.5	99.7	99.2	2.8	0.2	0.2		- 1.8	93	93	93	14 4	16 2	26 1	4	10 =²	10 =²	10 ,°	0.0		= =° n, =² ≡ = • a, =° ,° p
15	94.4	90.2	92.4	1.4	2.6	- 0.9		- 0.9	90	93	86	12 5	13 5	20 5	6	7 =°	10 ⁑	8	0.1		=° =² ,° n, ,° =° • a, ⁑° =° p
16	92.0	93.2	91.8	- 2.6	- 7.4	- 6.9		- 8.3	93	89	89	24 3	24 4	27 3	8	8 ⁂°	10 =°	9 =°	4.3		=° ⁂ n, =° a,p
17	83.2	**82.1**	82.3	- 1.2	- 1.5	- 0.8		- 6.9	93	84	84	24 2	30 4	32 5	8	10 *	9 =°	9 =°	3.5		* n, *° =° a, =° p
18	88.0	95.3	00.4	- 2.2	- 3.2	- 4.8		- 4.9	91	91	84	31 9	30 8	30 7	6	9 ⁂	9 ⁂°	4 =°	0.6		⁂° =° ⁂ \ n, \ ⁂° a, ⁂° p
19	06.8	07.0	05.1	- 6.7	- 8.8	- 7.9		- 8.9	79	74	74	02 2	05 2	31 4	9	10 =°	7	3	1.7		=° n, ⌂ p
20	97.1	99.2	02.0	- 7.4	- 6.2	- 5.7		- 8.2	87	82	76	30 8	30 7	30 7	6	10 *	7 ⁂°	9 =°	0.0		⌂ ⁂° =° ⁂ \ n, ⁂ \ a, ⁂° =° \ p
21	09.5	12.7	14.7	- 5.7	- 7.4	- 8.2		- 8.3	84	77	75	30 3	32 5	31 5	9	8 =°	9	3	0.5		⁂° =° n,a, ⁂° p
22	21.0	24.6	26.8	- 8.8	- 8.8	-10.3		-10.6	69	79	75	29 4	28 5	28 5	5	8 =°	10 *°	10 *°	0.3		⁂° =° ⌂ n, *° * a, *° =° p
23	28.7	26.6	19.8	-11.5	- 9.1	- 5.8		**-13.0**	59	**64**	90	06 2	12 4	14 6	9	10	10	10 *°	1.1		=° n, *° p
24	00.5	01.1	06.0	2.1	1.7	- 3.2		- 5.8	90	91	91	14 5	25 2	31 6	5	10 •°	10 ,°	10 =°	3.1		* • =° ≡ \ n, •° =° ,° a, •° =° p
25	02.5	97.2	98.5	2.4	3.3	0.0		- 4.2	79	91	91	16 7	13 6	24 1	7	10 •	10 =°	10 =°	2.0		*° =° ⁂° ⁑° n, •° =° a, ≡° =° p
26	03.9	08.3	06.0	- 2.4	- 1.3	2.0		- 4.4	91	84	84	26 5	26 2	14 7	8	10 =°	10 =°	10 =°	1.6		⁂° ⌂ =° n, =° a,p
27	89.5	85.8	85.9	5.2	2.7	1.9		1.0	90	93	91	14 7	13 4	17 1	5	10 •	10 ,°	10 •°	13.7		• = •° =° n, • ,° =° a,p
28	91.3	98.3	01.4	- 0.4	- 3.0	- 3.6		- 3.6	91	86	90	30 1	26 7	26 6	8	10 *	10 =°	10 =°	9.0		•° ,° =° * n, =° ⁂ a, =° p
29	03.6	00.3	96.1	- 0.8	1.1	- 0.2		- 3.6	86	87	91	10 5	13 3	09 2	9	9 =°	8	9 =°	2.8		⁂° =° ⌂ n, =° ,° a, =° p
30	00.7	05.0	07.0	- 4.8	- 8.3	- 8.6		- 9.3	90	82	76	29 6	29 6	29 6	7	10 *°	10 =°	10 *°	2.9		* *° n, =° *° a,p
M	05.6	06.4	06.9	- 2.9	- 3.4	- 3.7		- 6.2	84	83	84	5.2	5.0	5.1	7.6	9.2	9.1	8.3	61		

Desember XII

Datum	P 8	P 14	P 19	T 8	T 14	T 19	Max	Min	U 8	U 14	U 19	D,F 8	D,F 14	D,F 19	V 14	N,w 8	N,w 14	N,w 19	R	h_s	W
1	17.3	21.8	22.7	-11.5	-11.3	-12.5		-12.5	69	65	62	28 6	30 6	30 6	8	7	8 =°	8 =°	0.3		*° * ⁂ n, =° a,p
2	08.5	98.5	91.5	- 9.2	- 5.6	- 3.3		-12.7	76	80	91	28 4	28 6	08 10	5	10 *°	10 *°	10 +	0.5		=° *° n, *° a, *° + \ p
3	86.8	90.2	91.8	- 0.7	- 3.0	- 2.8		- 3.4	72	72	63	31 5	32 9	14 3	7	10 *°	10 =°	3 =°	10.6		+ ⌂ =° ⁂°\n, =° ⁂°\a, ⁂°\p
4	99.4	02.1	02.9	- 4.8	- 4.0	- 3.0		- 4.8	**59**	62	71	18 2	10 1	14 5	8	4	9 =°	10 *°	0.2		⌂ n, =° a, =° = *° p
5	02.5	01.2	99.7	0.0	1.0	- 1.3		- 3.0	74	80	91	11 7	11 6	10 3	6	8 ⁂°	8 ⁂°	6 =°	0.2		*° =° ⁂° n, ⁂° * a, =° ⁂° p
6	86.5	82.9	84.2	2.0	1.4	- 2.6		- 2.6	65	82	93	00 0	29 5	31 10	8	5 =°	10 =°	10 *²	0.9		=° ⌂ n, =° a, ⁂° =° \ p
7	99.3	06.3	10.2	- 7.5	- 9.8	- 9.6		- 9.9	91	79	77	30 9	30 9	30 5	7	10 *	9 =°	10 =°	7.4		* +\ n, ⁂ *° \a, *° p
8	10.5	06.3	03.6	- 9.1	**- 5.7**	- 5.7		-10.6	60	74	84	12 3	14 4	30 4	9	10 *°	10	10 *°	0.7		=° ⁂° *° * n, *° p
9	09.0	14.1	18.6	-12.4	-13.6	-12.5		**-13.9**	71	75	89	30 5	29 6	29 8	7	9 ⁂°	10 *°	10 *²	2.0		*° ⌂ ⁂° n, =° (⁂) a, *° * p
10	24.8	24.2	23.8	-11.0	-11.0	-10.2		-12.5	77	74	70	30 7	30 5	30 5	7	10 =°	9 =°	9 =°	1.3		⁂ ⌂ =° n, =° a, ⁂° =° p
11	22.5	22.9	21.9	-10.1	- 8.6	- 3.3		-10.4	63	63	64	02 2	25 1	15 1	9	10	10	10	0.3		=° *° n
12	16.8	10.0	97.5	-11.9	- 9.5	0.7		-11.9	87	93	82	31 9	32 8	30 8	1	10 *°	10 +	10 ,°	0.1		=° *°\ n, *° + * \ a, + * \ p
13	80.2	78.8	80.9	1.5	- 0.2	- 0.4		- 0.4	83	93	90	30 5	28 2	24 3	4	10 •	10 •	10 =°	32.1		• n, • =° , = a, ≡ = =° p
14	90.3	93.0	91.8	- 6.5	- 6.9	- 7.3		- 7.3	89	94	83	29 5	29 5	28 6	6	10 =°	10 ⁂°	10 ⁂°	0.4		=° •° n, =° ⁂° a,p
15	87.0	89.6	92.8	- 6.1	- 5.3	- 5.0		- 7.5	90	90	87	31 9	31 8	31 9	5	10 *°	10 *°	10 =°	0.9		⁂° + *° \ n, *° \a, *° =° p
16	04.3	10.0	13.7	- 6.5	- 6.4	- 7.4		- 6.5	87	82	76	30 7	30 6	30 5	8	10 =°	10 =°	10 =°	0.9		=° ⁂° n, =° a, = ⁂° p
17	18.3	16.2	05.7	- 9.4	- 7.1	- 3.4		- 9.4	69	66	80	30 3	11 5	10 9	9	9	9	10 *°	0.2		=° n, *° \ p
18	81.6	83.3	99.4	3.3	1.6	- 2.3		- 3.5	89	91	76	15 6	21 6	25 7	5	10 •	10 =	10 =°	4.1		*° + • ,° ⌒ \ n, •° =° a, •° =°\p
19	85.8	89.4	87.1	2.3	- 3.0	- 6.8		- 6.8	91	77	70	12 5	22 8	22 7	8	10 =°	9 =°	9 =°	0.2		⌂ =° n, ⁑ ⁂ =° ⁂° a, ⁂° =° p
20	16.2	29.6	**33.1**	- 7.9	- 8.7	- 7.9		- 9.2	89	79	72	30 10	30 8	28 5	8	9 ⁂°	9 =°	1	9.9		=° + ⁂\ n, ⁂ =° \ a, =° ⌂ p.
21	28.4	22.3	10.6	- 4.3	- 4.0	- 0.7		- 7.9	80	89	90	00 0	13 6	14 7	6	10 =°	10 *°	10 *²	2.3		* *° n, =° * a, * p
22	00.1	05.3	11.6	- 5.6	- 4.5	- 3.6		- 5.6	87	90	90	28 7	28 7	28 6	8	10 =°	10 =°	10 =°	3.0		⁑ = =² , n, =° a,p
23	12.7	09.0	07.2	- 1.7	2.4	2.9		- 5.6	84	87	90	12 5	16 6	19 4	8	10	9 =°	10 =°			=° ⌂ n, =° a,p
24	08.6	10.2	10.9	0.7	2.0	1.8		0.7	90	90	90	28 3	18 4	22 3	6	10 •°	10 =	10 =°	0.1		=° = ,° n, , ,° a, =° p
25	13.1	14.8	12.8	0.3	0.2	2.0		0.0	91	91	91	29 2	14 3	14 3	5	10 =°	10 •	10 =	0.7		, = n, =° = a, = , ,° p
26	01.9	91.4	86.2	2.9	**4.2**	2.9		2.0	91	89	89	13 5	13 7	12 5	7	10 =	10 •	10 =°	1.7		= • =° ,° n, • = a, • =° p
27	89.8	79.0	66.3	- 2.7	**4.2**	3.6		- 3.0	90	90	90	13 4	12 6	12 8	6	10 =°	10 •°	10 •°	6.1		=° ⌂ n, * ,° , , = a, • = •° \ p
28	80.5	79.8	71.3	- 3.0	- 5.2	- 4.5		- 5.3	79	84	87	24 7	23 2	28 3	9	7	8	10 *°	3.9		*° = ⁂° \ n, =° * p
29	**61.2**	65.6	68.7	- 5.9	- 7.4	- 6.7		- 7.4	93	90	90	32 10	31 10	30 9	2	10 +	10 +	10 ⁂°	0.8		+ \ n,a, +° + ⁂° \ p
30	74.9	77.8	79.8	- 6.3	- 5.8	- 6.7		- 7.0	90	87	89	30 9	30 9	30 8	7	10 =°	10 =°	10 =°	2.7		⁂° ⁂ *° \ n, =° \ a,p
31	78.6	79.3	80.0	- 7.2	- 7.0	- 7.4		- 7.8	89	89	87	32 10	32 11	32 10	5	10 ⁂°	10 ⁂°	10 ⁂°	1.0		⁂° =° + \ n, ⁂°\ a, ⁂° + \ p
M	00.0	00.0	99.3	- 4.8	- 4.4	- 4.1		- 6.6	81	82	82	5.5	5.9	6.0	6.6	9.3	9.6	9.2	96		

Myggbukta

$\varphi = 73° 29' N$ $\lambda = 21° 34' W$ $g = 9.828$ $\Delta G = +1^h$ **Januar I** $H_s = 2$ $H_b = 3.2$ $h_t = 1.6$ $h_a = 5.0$ $h_d = 5.5$ $h_r = 2.0$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	24.7	23.0	20.8	-20.3	-18.7	-16.3		-23.1	53	54	53	32 2	32 3	32 2	9	8 ⊕	10	10 =°			⊕ a, =° p
2	15.5	14.0	12.4	-20.1	-15.5	-18.5		-22.9	69	49	53	31 1	32 2	32 2	9	0	0	0			⌓ n, ⌓° a,19
3	12.4	12.9	14.8	-26.1	-26.9	-29.3		-30.3	63	71	76	15 1	00 0	32 1	9	0	0	0			⌓° n,a
4	20.5	22.0	22.2	-32.7	-31.7	-32.7		-33.9	85	86	85	00 0	00 0	32 1	9	2	0	2			
5	19.2	16.3	13.1	-34.3	-32.5	-30.1		-34.9	82	82	81	00 0	00 0	00 0	9	0	8	9			
6	05.9	04.4	03.5	-28.3	-23.9	-25.5		-31.5	81	74	71	32 1	32 3	00 0	9	2	8	0			
7	09.4	09.6	09.7	-31.3	-31.9	-35.3		-35.3	62	62	63	00 0	28 1	00 0	9	0	2	0			⌓ n, ⌓° a
8	09.4	11.4	12.4	-22.3	-20.9	-18.3		-35.7	63	51	46	01 2	32 3	32 4	9	0	0	0			⌓ n, ⌓° a
9	16.3	19.8	19.5	-18.7	-25.1	-30.5		-31.5	**44**	53	65	32 4	32 1	00 0	9	0	5	8			⌓° n,a
10	18.9	21.7	22.2	-30.3	-31.5	-32.7		-33.7	71	76	77	01 1	24 1	00 0	9	0	4	2			⌓ n, ⌓° a,19
11	24.2	24.7	24.2	-33.3	-34.9	-35.1		-35.9	83	85	85	00 0	00 0	00 0	9	0	0	0			⌓ n,a
12	27.3	24.5	21.0	-35.1	-25.5	-32.1		-36.9	86	74	69	31 1	01 2	01 1	9	0	0	0			⌓ n,a
13	14.7	14.0	12.2	-34.7	-36.5	-37.3		-38.1	85	85	83	00 0	00 0	00 0	9	0	0	0			⌓ n,a, ⌓° 19
14	13.0	15.7	16.4	-36.2	-35.7	-36.8		-37.6	83	83	83	00 0	00 0	00 0	9	0	1	2			⌓ n, ⌓° 19
15	16.7	18.2	17.1	-33.9	-38.3	-36.8		-38.3	86	85	85	00 0	00 0	00 0	9	0	0	2			⌓° n
16	14.7	13.1	11.3	-37.6	-38.5	-37.5		**-40.3**	85	85	85	00 0	00 0	00 0	9	0	0	10			⌓ n
17	05.4	06.1	07.0	-30.3	-28.3	-25.7		-37.5	88	88	85	00 0	00 0	00 0	9	10	10 ∧°	10			⌂° a,p
18	15.1	19.2	20.1	-21.5	-21.3	-19.9		-26.0	83	88	89	00 0	00 0	00 0	9	10	10	10	0.0		∧° n,a, *° p
19	17.9	22.4	24.3	-28.5	-30.3	-30.9		-33.2	89	89	89	00 0	00 0	00 0	9	0	6	10 ⊕°	0.3		
20	**29.5**	29.2	27.5	-37.1	-36.7	-35.6		-37.1	83	85	83	00 0	02 1	00 0	9	0	3	10 ⊕°			⊕° p
21	18.1	15.7	14.1	-33.0	-30.3	-29.7		-35.6	88	96	88	00 0	00 0	00 0	9	10	10	10			⊕° n
22	13.7	13.2	11.3	-32.9	-30.5	-27.1		-34.2	88	89	89	00 0	00 0	00 0	9	0	5	1			
23	10.6	09.7	09.6	-26.3	-17.9	-21.3		-27.1	82	75	61	00 0	04 1	00 0	9	0	3	3			
24	05.1	01.1	00.2	-11.6	-11.1	-11.6		-21.3	49	47	47	02 3	02 3	02 2	9	3	5	10 ⊕°			
25	**98.4**	04.8	10.8	**- 9.1**	-22.3	-23.4		-23.4	47	71	77	02 3	00 0	00 0	9	1	5	1			
26	12.8	12.1	11.6	-26.0	-19.7	-18.5		-28.6	90	76	72	00 0	00 0	00 0	9	10 ⊕°	10	10 ⊕°			⊕° a
27	15.0	16.5	14.6	-23.5	-27.0	-27.7		-29.7	88	92	93	00 0	00 0	00 0	9	0	2	2			
28	08.9	08.6	05.7	-28.3	-27.7	-30.1		-31.3	92	93	92	00 0	00 0	12 1	9	0	0	0			
29	05.5	04.8	04.4	-30.1	-31.1	-30.3		-33.7	92	92	92	00 0	00 0	00 0	9	0	5	6			
30	02.3	04.0	04.6	-33.3	-33.1	-27.7		-34.6	90	90	92	00 0	00 0	00 0	8	0	10 =°	10 =°			⌓ n, =° a,p
31	07.7	08.7	09.9	-26.3	-26.1	-26.5		-27.7	93	93	93	00 0	00 0	00 0	8	10 ⌂°	10 =°	10 =°	0.0		=° n, ∧° =° a, =° p
M	13.8	14.2	13.9	-28.2	-27.8	-28.1		-32.3	78	78	78	0.6	0.7	0.5	8.9	2.1	4.3	4.8	0.3		

Februar II

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	16.4	20.4	22.1	-34.5	-30.9	-28.9		**-35.5**	92	92	92	00 0	00 0	00 0	9	0	6	10	0.0		=° n
2	22.5	20.5	17.8	-27.6	-26.7	-26.0		-32.9	92	92	90	00 0	00 0	00 0	9	10	10	10			
3	07.7	06.2	04.8	-18.5	-16.1	-13.1		-26.5	72	70	68	02 3	02 4	02 2	9	10	10	7			
4	02.3	02.0	02.7	- 9.9	-10.5	-10.4		-13.1	62	71	86	02 3	02 2	02 2	6	10	10 *	10 *°			+° *° a, + *° p
5	01.8	99.5	96.5	-17.5	-22.3	-22.3		-24.1	96	96	95	00 0	00 0	00 0	8	0	10 =°	6	1.1		*° ⌓° n
6	90.6	92.2	95.2	-23.4	-27.5	-24.0		-28.7	95	93	93	00 0	00 0	00 0	9	0	0	0			⌓² 8, ⊙° a, ≡² ⊙° p
7	01.8	02.4	02.5	-26.7	-30.1	-30.3		-34.3	92	90	90	00 0	00 0	00 0	9	0	10	10			⌓ 8
8	00.7	99.7	99.8	-22.1	-14.7	-19.3		-33.5	78	67	78	00 0	02 2	00 0	9	6	10	10			
9	98.4	97.8	97.7	-17.3	-19.9	-23.5		-24.1	92	90	90	32 3	12 1	00 0	9	10 *°	5	6	0.0		*° ⊙° a, ⊙° p
10	00.3	03.9	08.1	-23.7	-18.1	-19.7		-26.7	83	76	83	32 1	00 0	00 0	9	3	8	6	0.0		
11	11.7	09.8	07.3	-29.5	-32.1	-29.3		-32.5	92	89	89	00 0	00 0	00 0	9	0	5 ⊕°	10			⊙° a, ⊕° p
12	95.5	90.6	**85.3**	-16.5	-13.5	-11.1		-30.9	96	93	98	32 5	32 6	32 8	1	10 =°	10 +²	10 +²			=° n, + +² a, +² p
13	85.4	99.3	92.1	-13.9	-18.9	-24.5		-24.7	98	95	96	08 3	01 3	01 1	9	10 *	3	0 =°	3.0		+ * n, * =° ⊙° a, =° ⊙° p
14	00.7	06.3	12.3	-20.5	-13.7	-11.7		-25.3	76	63	60	20 2	01 3	32 4	9	0	2	5	0.1		⊙ a,p
15	20.7	19.8	16.3	-17.7	-16.3	-17.7		-21.1	70	78	88	00 0	08 1	00 0	9	10	10	10			
16	08.5	06.7	05.7	-10.5	- 7.3	-16.3		-19.4	90	62	86	12 1	32 2	02 1	9	10	9	8			⊙° a,p
17	04.0	99.0	96.3	-17.3	- 7.0	- 6.3		-22.9	92	00	89	00 0	00 0	32 2	4	10	10 ⌂°	10 =			(*) ∧° a, ⌂° =° p
18	97.1	01.3	11.8	-16.7	- 8.9	-12.3		-19.8	96	67	61	00 0	02 3	02 2	8	10 =	0 =°	0	2.4		* ⌣ n, =° ⊙° a,p
19	24.1	28.2	**31.4**	-15.1	-12.0	-19.7		-24.1	56	46	63	02 1	30 1	00 0	9	0	10	8			⊙° a, ⊙ p
20	26.1	25.7	27.9	-22.9	- 3.9	- 5.5		-26.2	81	45	50	26 1	32 4	32 5	9	3	10	10			⊙° a,p
21	13.2	08.6	19.0	-12.6	- 2.1	- 5.5		-15.4	71	47	53	00 0	28 5	28 1	9	10	1	2 =			⊙ a =° ⊙ \ p
22	16.8	12.0	13.2	-13.5	- 4.1	- 5.5		-18.0	70	46	45	00 0	02 4	00 0	9	10 ⊕°	10	10			
23	04.1	00.3	01.1	- 2.5	**- 1.1**	- 8.5		-17.7	51	**44**	70	32 4	32 4	28 1	9	3	8	6			⊙ a,p
24	98.8	99.5	02.2	-11.9	-11.5	-14.1		-14.9	69	81	81	01 1	32 1	00 0	7	10	10 ∧°	10 =°			*° ⌂° a, =° ∧° p
25	16.5	20.3	21.2	-23.7	-22.3	-27.3		-27.3	80	92	85	32 1	01 2	24 2	8	2 =°	3 =°	3 =°	0.7		=° *° n, =° ⊙° a, =° ⊙ p
26	16.3	14.4	12.9	-22.3	-26.9	-30.3		-30.3	69	69	72	08 1	00 0	12 1	9	10 =°	3	0			=° n, ⊙ a, ⊙² p
27	18.0	18.8	17.6	-31.3	-31.3	-27.7		-34.9	80	80	78	00 0	12 1	28 1	9	0	10	10			⊙° a,p
28	06.2	99.1	96.2	-20.5	-19.3	-20.5		-28.3	90	93	95	00 0	00 0	12 2	9	10 *	6	8	1.5		* n, * ⊙° a, ⊙° p
29	92.3	07.1	11.2	-18.3	-20.7	-21.5		-24.1	98	92	90	12 1	00 0	00 0	8	10 *	10 *°	10 =°	2.5		* n, *° a, *° =° p
M	06.8	06.9	07.9	-19.3	-16.9	-18.4		-25.4	82	77	80	1.1	1.7	1.2	8.2	6.1	7.2	7.1	11		

1948

Myggbukta

φ = 73° 29′ N λ = 21° 34′ W g = 9.828 ΔG = + 1ʰ **Mars III** H_s = 2 H_b = 3.2 h_t = 1.6 h_a = 5.0 h_d = 5.5 h_r = 2.0

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	04.2	99.5	96.1	-22.9	-20.3	-19.9		-23.1	90	95	96	00 0	12 2	00 0	8	10 =°	10 =°	10 *°	1.1		*° =° n, =° a, =° *° p
2	01.1	03.9	03.1	-21.0	-22.7	-23.7		-23.7	92	93	92	28 1	00 0	00 0	2	10 *°	10 *	10 *°	0.5		*° n, *° * a, *² * p
3	13.7	20.8	25.4	-28.1	-34.4	-32.9		-39.3	90	90	89	12 1	00 0	00 0	9	5 =°	2 ⊙²	10	5.3		*° =° n, ⊙² a, ⊕ ⊙° p
4	27.0	21.4	14.2	-25.7	-24.3	-24.5		-35.9	93	92	90	00 0	00 0	28 1	6	10 *°	10 *°	10 *	0.5		*° n,a,p
5	10.9	14.5	15.2	-32.1	-37.5	-39.1		**-42.1**	92	89	89	02 1	00 0	00 0	9	0	0	0 =°	1.4		*° n, =° ⊙² a,p
6	15.7	19.6	23.3	-37.9	-35.1	-36.5		-39.1	89	89	89	00 0	00 0	00 0	9	0	0	1			⊙² a,p
7	33.1	35.2	**35.7**	-25.1	-23.9	-29.7		-36.6	70	59	67	02 2	32 2	00 0	9	0	10	10			⊙ a,p
8	28.3	26.4	24.6	-29.3	-30.8	-26.6		-37.3	81	78	80	00 0	00 0	00 0	9	10	10	10			
9	18.6	16.8	15.6	-23.3	-21.1	-20.1		-27.5	98	92	92	32 4	08 2	08 1	5	10 =°	10 *	10 *	0.0		*° n, * a,p
10	14.3	15.4	17.2	-22.3	-13.9	-15.7		-22.3	89	78	93	08 1	01 3	00 0	8	9 =°	10 =°	10 *	1.5		* =° n, =° a, =° * p
11	28.1	23.6	18.2	-17.0	-21.1	-20.7		-21.7	96	90	88	31 1	28 2	00 0	9	10 *°	9	10	1.0		* n, =° * a
12	05.4	06.5	09.5	-25.5	-22.3	-27.7		-28.3	92	76	77	00 0	00 0	00 0	9	10	6	6	0.3		⊙ a, ⊙² p
13	13.7	17.8	21.0	-31.5	-30.9	-32.5		-32.5	85	76	82	00 0	00 0	00 0	9	6	0	3			⊙ a, ⊙² p
14	17.9	08.6	90.2	-25.5	-22.5	-20.3		-33.3	89	86	90	28 1	01 4	24 2	4	10 *°	10 +°	10 *°	0.4		* n, * *° a, +° * p
15	73.8	69.8	**67.7**	-17.1	-15.3	-17.5		-21.1	96	95	95	12 2	12 1	16 2	7	10 *	10 *°	10 *²	3.9		* n, *° a, * *² p
16	71.0	73.0	74.5	-22.7	-28.9	-17.9		-34.9	93	90	89	01 2	12 1	00 0	9	3	6	10 *°	2.8		* n, ⊙ a, ⊕ p
17	77.1	77.4	77.4	-17.5	-17.5	-14.1		-18.3	92	95	85	12 1	12 1	32 2	6	10 *°	10 *°	10 =°	1.2		* n, * *° a, *° =° p
18	82.4	84.3	83.6	-28.1	-29.1	-16.7		-29.3	92	88	68	12 1	12 1	32 4	9	0	3	10 ⊕°	1.4		*° n, ⊙² a, ⊕ p
19	73.1	74.0	73.7	-11.0	-10.3	- 9.7		-23.2	93	99	90	30 5	04 8	32 5	0	10 +²	10 +²	10 +			+² n, +² \ a, +² + p
20	72.0	76.0	76.4	-10.3	-12.3	-11.1		-12.9	96	88	85	12 2	00 0	32 4	8	10 *	8 =°	10 +²	1.6		+ * n, (*) ⊙° + a, ⊙² + p
21	79.1	80.4	83.7	- 8.1	- 7.7	- 7.7		-11.9	95	90	82	32 4	32 5	32 5	3	10 +	10 +²	8 +°	0.0		+² n,a, +² + p
22	97.3	03.3	06.4	-11.1	- 7.7	- 7.1		-13.2	70	65	65	04 1	02 2	02 1	9	3	6	9			+ n, ⊙° a
23	07.6	95.1	02.1	-22.5	-20.3	-18.9		-23.9	89	85	80	00 0	00 0	00 0	9	10 =°	10 ⊙°	10			=° ⊕° (≡, a, ⊕° p
24	95.7	96.4	96.4	-10.5	- 7.7	- 8.3		-21.9	83	71	71	04 2	32 1	02 1	9	10 *	9	2	0.0		*° +° a, ⊙² p
25	95.5	84.3	81.3	-15.2	- **5.5**	-10.2		-20.4	90	89	90	00 0	00 0	00 0	8	10 *	10 =°	10	0.2		*° n, * a, + ⊙° p
26	87.9	96.7	99.9	-11.3	- 9.8	-11.0		-14.9	76	58	54	32 7	32 7	00 0	3	1 +²	2 +²	3	5.0		+² n, +² ⊙° a, ⊙² p
27	17.7	25.0	22.7	-10.4	-10.6	-10.8		-15.2	**52**	62	71	32 3	12 1	12 1	9	10	10	10			⊕ ⊙° a,p
28	07.0	04.1	01.4	- 7.6	-10.3	-10.3		-12.7	60	76	85	02 5	00 0	12 1	9	10	3	6			⊙° ⊙² a, ⊙² p
29	98.8	98.0	94.5	-11.5	- 7.5	- 8.2		-16.3	95	80	85	00 0	00 0	00 0	9	5	1	8			⊙² a,p
30	99.0	02.1	01.9	-12.7	12.5	-12.3		-15.1	95	82	70	01 1	00 0	17 2	9	10 —	10 ⊕	10 =°			⊙° ⊕ a, ⊙° ⊕° =° p
31	00.6	97.6	96.4	-13.9	-14.3	-14.1		-14.9	71	71	71	01 3	01 5	01 3	3	10 =°	10 +²	10 =°	0.1		*° =° n, =° +° a, =° + p
M	02.2	02.5	01.9	-19.7	-19.0	-18.6		-24.6	86	83	82	1.6	1.4	1.1	7.2	7.5	7.3	8.3	28		

April IV

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	00.7	04.1	05.9	-15.1	-15.3	-17.1		-17.1	58	56	65	32 2	12 1	12 1	9	2	6 ⊕	10			=° n, ⊙ a, ⊕ p
2	00.3	10.8	11.6	-20.7	-20.1	-18.5		-22.5	66	65	63	12 1	12 1	04 1	9	8	10 ⊕	3			⊙ ⊕° a, ⊕ ⊙² p
3	15.2	16.1	15.8	-25.3	-20.9	-19.5		-25.9	67	62	65	12 1	12 1	00 0	9	8 =°	10 ⊕°	10 ⊕°			⊙ =° n, =° ⊕° a, ⊕ p
4	17.1	18.2	18.2	-22.3	-18.3	-18.1		-23.9	63	67	65	09 1	15 1	12 2	9	9	9	10			⊙° a,p
5	18.7	17.7	18.0	-26.3	-19.3	-19.5		-27.5	76	66	66	28 1	00 0	00 0	9	3	0	0			⊙² a,p
6	16.2	14.8	13.0	-28.3	-22.5	-21.8		-31.5	75	68	71	00 0	00 0	00 0	9	3	0	5 ⊕			⊙² a,p
7	08.9	09.3	09.3	-30.6	-24.9	-20.3		**-32.4**	77	71	70	00 0	12 1	00 0	9	0	0	0			⊙² a,p
8	09.7	09.1	08.6	-28.9	-21.7	-19.6		-30.7	77	70	75	00 0	00 0	00 0	9	7	3	7			⊙² a,p
9	11.2	13.6	14.1	-25.1	-21.3	-17.7		-25.8	74	70	69	00 0	00 0	00 0	9	10 ⊕	10 ⊕	10 ⊕°			⊕ a, ⊕° p
10	14.0	16.6	15.4	-26.5	-16.1	-13.4		-28.8	80	68	86	00 0	00 0	00 0	9	9	10	10 *²			* *² p
11	05.0	04.1	03.0	- 6.5	- 6.9	- 6.9		-13.4	93	95	95	28 2	32 4	12 1	2	10 *	10 +	10 *°	4.6		* + n,a,p
12	03.0	01.8	01.3	-10.0	-10.1	-11.2		-11.2	93	88	85	00 0	32 3	32 3	8	10 *°	3 +°	2 +°	4.8		*° n, *° ⊙ +° a, +° ⊙² p
13	03.0	06.0	07.6	-12.2	-10.0	- 9.0		-14.0	80	83	85	02 4	02 1	00 0	5	10 =°	10 *°	10 *°	0.3		+° n, + (*°) a, *° p
14	07.1	08.5	07.7	-14.4	-12.9	-14.2		-17.5	76	74	76	02 2	00 0	00 0	9	2	1	0 ∞°	1.6		*° n, ⊙² a,p
15	07.5	07.2	06.1	-29.9	-19.6	-17.7		-30.8	81	78	70	00 0	00 0	00 0	9	5 =°	2	3			⊥° n, ⊙² a,p
16	11.7	17.3	19.5	-19.0	-13.7	-12.8		-26.4	81	77	80	00 0	00 0	00 0	9	10	10	10 =°			=° p
17	24.0	24.3	23.4	-17.7	-13.0	-14.5		-19.9	86	81	81	02 1	28 1	12 1	8	8 =	10 =°	5	0.8		*° n, =° ⊙° ⊕° a, +° ⊙² p
18	21.2	23.5	23.2	-12.4	-12.9	-13.0		-24.8	65	78	70	32 3	00 0	00 0	9	0	0	10			⊙² a, ⊕ p
19	11.7	08.3	05.7	-24.3	-15.5	- 5.5		-25.5	85	76	69	00 0	00 0	12 1	9	6	3	0			⊙ n, ⊙° a, ⊙² p
20	02.3	04.3	12.6	-11.1	**2.1**	- 5.9		-15.7	77	49	55	00 0	00 0	00 0	9	6	3	3 =°			⊙ n, ⊙² a, ⊙² =° (≡) p
21	16.1	17.0	18.2	-12.1	-14.3	-11.3		-16.5	61	72	78	01 3	12 1	12 1	9	5	6	1			⊙² a,p
22	20.3	21.4	21.0	-13.9	-13.5	- 9.9		-22.3	81	82	89	04 2	12 1	12 2	9	0	0	1			⊙ n, ⊙² a,p
23	20.8	21.7	21.8	- 9.7	- 7.7	- 5.9		-10.3	93	93	85	00 0	00 0	00 0	8	10 ≡	10 =°	10 ⊙°			=° ⊙ ≡ n, ≡ =° a, =° p
24	17.4	15.8	13.4	- 1.5	- 0.3	- 0.4		- 5.9	90	88	90	00 0	00 0	12 2	8	10 =°	10 =°	8(≡)	3.0		⊙° *° n, =° a, =° ⊙² (≡) p
25	03.6	97.9	**95.1**	- 1.5	- 1.5	- 0.1		- 2.0	96	85	74	14 2	12 1	28 2	8	10 *°	9 =°	7 =°	0.9		=² ≡ *° n, ≡ =° ‡° a, =° p
26	08.9	17.8	22.9	- 7.9	- 7.3	- 8.7		- 9.9	61	51	53	01 3	32 3	01 3	8	10 =°	3 =°	9 =°	0.0		=° n,a,p
27	24.9	21.4	16.4	-11.3	- 8.9	- 7.3		-14.3	50	56	65	32 2	12 2	15 1	9	2	0	3			=° ⊙ n, ⊙² a,p
28	08.9	15.6	21.8	- 3.5	- 0.9	- 5.5		- 9.7	45	44	56	01 4	09 2	04 4	9	3	6	9 =°			⊙ n, ⊙² a, =° ⊙° p
29	20.8	20.0	21.7	- 7.3	- 0.3	- 5.3		-17.5	57	**42**	75	00 0	01 3	12 1	9	0	4	8			⊙² n,a,p
30	26.9	**30.1**	28.7	- 8.7	- 8.1	- 8.7		- 9.9	81	81	69	00 0	12 2	12 1	9	9	9	2			⊙ n, ⊙² p
M	13.0	13.8	14.0	-16.1	-12.5	-12.0		-19.5	75	71	73	1.1	1.0	0.9	8.4	6.2	5.7	5.9	16		

1948

Myggbukta

φ = 73° 29′ N λ = 21° 34′ W g = 9.828 ΔG = + 1ʰ

Mai V

H_s = 2 H_b = 3.2 h_t = 1.6 h_a = 5.0 h_d = 5.5 h_r = 2.0

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	24.9	20.2	15.9	-15.3	- 7.7	- 6.7		-20.0	93	74	72	04 2	00 0	12 1	9	5	0	1			⊙ n, ⊙² a,p
2	06.2	02.9	02.4	- 9.1	- 5.3	- 3.3		-16.0	66	67	68	28 1	00 0	00 0	9	8 ⊕°	9	6			⊙ n, ⊕° ⊙° a, ⊙° ⊙² p
3	06.6	09.5	10.0	- 9.3	- 6.3	- 7.3		-10.9	83	83	81	00 0	28 1	24 1	6	10	10 *°	5 *°			*° a, +° ⊙° p
4	11.1	11.1	10.8	-11.7	- 8.7	- 9.1		-15.3	90	83	86	00 0	00 0	00 0	5	10 *°	10 *°	10 *°	0.8		*° n,a,p
5	08.0	11.2	15.0	-10.1	- 9.0	- 8.7		-10.9	92	83	56	30 5	32 3	28 3	3	10 +²	10 +²	1 +°	5.0		* +² n, +² a, ⊙² +° p
6	19.6	16.9	10.7	-11.5	- 8.6	- 9.8		-11.9	67	78	89	00 0	00 0	30 4	3	10	10 *	10 +²			*° a, +² * +° p
7	**95.7**	99.4	01.0	- 5.1	- 6.2	- 8.4		-10.0	89	90	90	28 3	16 1	12 2	2	10 *	10 *	10 *°	1.0		+² *° n, +° * a, +° *° p
8	06.2	13.1	17.3	-11.6	- 8.3	- 6.7		-17.9	58	52	50	02 2	02 1	00 0	9	2	1	0	3.8		*° n, ⊙² a,p
9	25.0	27.5	28.4	-13.0	- 8.7	- 9.1		-15.4	55	49	55	02 2	02 2	00 0	9	2	0	0			⊙ n, ⊙² a,p
10	29.5	28.6	27.1	-10.3	- 5.5	- 5.9		-17.8	53	42	52	32 3	01 3	00 0	9	0	0	0			⊙ n, ⊙² a,p
11	24.8×	23.8	20.4	-11.1	- 5.7	- 4.1		-16.3	56	52	47	01× 3×	01 4	32 2	9	5×	10 ⊕²	10 ⊕°			⊙ n, ⊕ a, ⊕² ⊕° p
12	12.4	09.8	10.3	- 5.9	- 2.5	- 2.5		- 8.2	59	57	49	01 4	32 3	01 3	9	9	9	8			⊙ p
13	13.4	14.8	15.3	-12.8	- 5.3	- 5.9		-16.0	70	61	76	01× 2×	00 0	12 1	9	9×	10 ⊕	0			⊙ ⊕ a, ⊙² p
14	17.3×	19.1	19.7	-10.3	- 8.5	- 7.1		-19.0	81	76	82	02 1	00 0	00 0	9	6 ⊕°	10	7			⊕° a, ⊕° ⊙ p
15	23.6	25.5	27.1	-16.6	- 7.5	- 7.7		-19.3	90	71	81	00 0	00 0	00 0	9	7 ⊕	5	6			⊕° a, ⊙² p
16	27.8	26.1	20.8	-16.4	- 7.3	- 4.0		**-22.6**	88	78	82	00 0	00 0	12 1	5	10 ⊕°	10 *°	10 *°			(≡) a, ≡° *° p
17	11.0	10.0	09.0	- 1.5	- 3.5	1.7		-11.0	58	76	70	02 3	12 1	00 0	9	1	8	0	0.1		*° n, ⊙ a, ⊙² p
18	17.3	19.3	18.6	- 1.3	2.3	1.6		- 3.0	45	41	58	26 3	32 1	00 0	9	5	2	2			⊙² n,a,p
19	24.1	23.3	17.1	2.9	**7.6**	1.9		- 4.1	42	**38**	70	32 3	02 1	00 0	9	3	10 ⊕°	10			⊙² =° n, ⊙° a, ⊙ p
20	00.5	11.5	19.4	1.5	- 1.3	- 0.4		- 4.8	65	89	70	02 3	30 6	30 2	2	10 =°	10 *	10			⊙° n, +² *² a, * =° p
21	29.2	30.5	29.7	- 2.3	2.7	3.7		- 4.8	55	44	**38**	01 4	32 2	32 2	9	6	3	5	0.7		⊙² n,a,p
22	30.0	31.0	31.4	0.1	4.3	1.1		- 2.8	46	39	49	32 3	32 2	10 3	9	6	3	4			⊙ n, ⊙² a,p
23	**34.9**	33.3	30.0	- 3.7	1.9	0.1		- 5.6	68	59	89	31 3	00 0	12 2	9	6	3	0			⊙ n, ⊙² a,p
24	19.9	20.3	19.4	- 2.5	1.3	- 1.9		- 5.0	85	66	83	12 1	12 1	14 1	9	4	4	0			⊙ n, ⊙² a,p
25	21.6	24.7	25.9	- 8.1	- 0.1	- 1.9		-10.0	96	69	80	12 1	29 1	17 2	9	0 =°	6	6			=° ⊙ n, ⊙² a, ⊙ p
26	26.3	27.1	25.1	- 3.3	- 1.3	- 1.1		- 5.0	85	71	86	00 0	12 1	12 2	9	9	6	1			⊙ n,a, ⊙² p
27	23.1	22.0	20.2	- 7.1	- 4.3	- 3.9		- 7.6	95	96	96	00 0	12 1	12 1	2	0(≡)	10 ≡	10 =²			⊙ n, ⊙° ≡ a, ≡ =² p
28	15.8	14.2	11.9	- 4.1	- 4.7	- 2.7		- 5.2	90	96	88	00 0	12 2	17 2	4	10 =°	10 =²	10 =°	0.0		♎° =° n, =° a, ♎° =° p
29	08.9	08.4	08.3	- 3.5	- 2.3	- 3.1		- 3.8	85	82	89	00 0	16 1	14 1	8	10 =°	10 =°	10 =°	0.0		=° n,a, =° ⊙° p
30	11.2	12.8	12.4	- 5.7	- 3.9	- 3.5		- 6.4	93	90	89	00 0	14 1	12 2	8	10 =²	10 =°	10 =°	0.0		♎° ≡ =² n, ⊙° =² (≡) a, =° ⊙° p
31	05.8	02.7	00.9	- 4.7	- 4.0	- 1.7		- 5.0	92	89	88	18 1	12 1	00 0	8	10 =°	9 =°	10 ♎°	0.0		♎° =° n, =° a, ♎° =° p
M	17.2	17.8	17.1	- 7.2	- 3.8	- 3.8		-10.7	74	68	73	1.6	1.3	1.2	7.3	6.5	7.0	5.5	11		

Juni VI

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	07.5	13.8	16.7	- 2.6	0.7	2.2		- 3.0	90	80	72	00 0	00 0	00 0	9	10 ♎°	8	9	0.1		=° n, ♎° =° ⊙° a, ⊙° p
2	14.4	13.1	12.7	- 3.7	- 0.1	0.1		- 4.2	88	86	90	00 0	12 1	12 1	9	3	2	2	0.0		⊙ n, ⊙² a,p
3	16.0	16.5	15.7	- 2.6	- 1.3	- 1.4		- 3.2	92	86	92	00 0	00 0	18 1	5	10 =²	10 =	10 =²			≡ =² n, =² a, =° ⊙° =² p
4	16.4	18.2	18.9	- 5.1	- 1.5	- 2.0		- 5.2	92	81	86	00 0	00 0	16 1	7	10 =²	5 =°	5 =°	0.2		♎° ⌣ ≡ =² n, =° =² a, =° ⊙ p
5	19.7	20.9	19.9	1.7	0.1	0.7		- **6.4**	74	81	76	04 1	12 1	12 1	9	0	0	0			≡° =² n, ⊙° a,p
6	18.8	19.1	19.5	- 2.1	0.9	0.4		- 4.3	80	74	78	00 0	12 1	12 1	9	0	10 ⊕°	0			⊙² n, ⊙² ⊕° a, ⊙² p
7	22.0	23.0	22.9	- 2.0	1.5	0.7		- 2.4	93	76	78	12 1	12 1	14 1	9	1 =°	0	0			⊙² =° n, =° ⊙² a, ⊙² p
8	23.6	23.3	22.2	- 4.3	- 2.3	- 2.9		- 5.0	92	89	95	12 1	12 1	12 2	4	2 =°	10 =²	10 =²			⊙ = n, =° ⊙ =² a, =² ⊙° p
9	23.6	26.0	**26.4**	- 3.9	- 2.1	- 2.7		- 5.2	93	89	93	12 2	12 1	12 1	8	10 =°	10 =°	10 ≡			≡ ⊙° = ⌣° n, =° ⊙° a, = ≡ p
10	21.9	18.2	16.6	- 4.9	- 0.5	2.0		- 5.4	92	60	77	12 2	12 2	12 1	9	10 ♎°	6 ⊕°	10 ⊕°	0.0		≡ ♎° n, = ≡ ⊕ a, ⊕² p
11	18.6	18.4	17.6	- 0.4	1.9	1.2		- 1.5	86	80	86	12 1	12 1	12 2	9	3	6	3			⊙° n, ⊙² a,p
12	19.8	24.7	**26.4**	- 2.3	4.4	4.4		- 3.4	89	70	78	12 1	00 0	12 1	9	0	8	5			⊙° n,a, ⊙° ♈° (♈) p
13	24.6	26.1	**26.4**	2.0	4.3	2.1		0.8	85	72	83	12 1	12 1	12 1	9	0	1	2	0.1		⊙ n, ⊙² a,p
14	22.5	19.1	18.3	1.8	2.0	2.4		- 0.2	86	82	86	00 0	12 1	28 1	9	5	2	3			⊙² n, ⊕ ⊙² a, ⊙² p
15	24.7	19.2	18.6	2.1	3.8	3.7		1.9	86	83	83	00 0	12 1	12 1	9	5	5	8			⊙° (≡) n, ⊙² a, ⊕° ⊙ p
16	16.3	17.8	17.4	2.6	7.9	7.9		1.8	86	67	**50**	12 1	12 1	12 1	9	2	0	0			⊙² n,a,p
17	17.6	20.8	22.4	2.3	6.3	5.7		1.0	85	63	63	00 0	00 0	00 0	9	2	0	1			⊙² n,a,p
18	25.3	25.9	24.6	1.3	0.8	0.9		0.0	93	80	86	18 1	14 1	12 1	7	7 =°	7 =°	9			⊙ n, =° =² a, =° ⊙° p
19	24.2	24.3	23.8	0.5	1.9	3.3		0.2	92	80	80	12 1	12 1	00 0	9	9	9	8	0.0		♎° n, •° p
20	21.2	20.0	19.3	2.1	3.7	0.9		0.9	86	81	90	00 0	12 1	12 1	9	1	5	2	0.1		⊙² n, ⊙ a,p
21	14.8	13.5	12.4	- 2.8	- 1.1	- 0.8		- 3.3	93	92	95	12 1	12 2	12 2	2	10 ≡²	0 ≡	10 •°	0.0		⊙ ≡ •° n, ≡² ⊙° a, =° ≡ ⊙² •° p
22	12.7	14.2	14.5	- 0.1	2.1	1.5		- 2.8	90	82	89	14 1	12 2	12 2	9	0	1	0(≡)	0.0		•° ≡ =² ⊙ n, ⊙² a,p
23	15.3	14.6	13.0	0.2	0.8	- 0.6		- 0.8	86	90	96	12 2	12 2	12 2	9	0	0	0 ≡			⊙² (≡) n, ⊙² a, ⊙² (≡) =² ≡ p
24	09.6	08.1	**07.0**	- 2.1	- 1.7	- 0.6		- 2.2	90	92	93	12 2	12 1	12 2	4	9 =°	10 =²	10 =²			≡ ⊙° =° ⌣ n, =² ⊙° a, ≡ =² ⊙² p
25	07.9	09.2	10.3	0.1	- 0.9	- 0.6		- 1.6	90	96	96	14 2	14 2	14 2	1	9 =	10 =²	10 =²			= ⊙ n, =² = ⊙° a, =² p
26	16.1	15.7	13.2	- 1.2	- 0.7	- 0.6		- 2.0	95	95	96	00 0	14 1	14 2	2	10 ≡²	10 ≡	10 =²			≡² n, ≡ ⊙° a, =² p
27	11.2	13.7	12.5	- 1.8	1.6	4.8		- 2.3	95	80	67	14 2	00 0	12 2	9	10 =²	10 ⊕	2			≡ =² n, =² ⊙° ≡ ⊕ a, ⊙² ⊕ p
28	13.4	16.8	18.0	- 1.1	**9.5**	2.7		- 2.6	88	57	82	00 0	28 1	12 2	9	5	10 ⊕	9			⊙ n, =° ⊕ ⊙ a, ⊙° p
29	14.8	13.7	13.4	- 2.7	- 0.7	0.1		- 5.2	92	90	89	00 0	12 1	12 1	4	10 =²	10 =²	10(=)			≡ ⌣ n, =² ⊙² =° a, =² ⊙° (=) p
30	21.4	23.8	24.1	1.2	5.4	3.0		- 1.8	85	67	81	12 1	00 0	12 1	9	9	9	8(≡)			= n, ⊙° (≡) p
M	17.8	18.4	18.2	- 0.9	1.6	1.3		- 2.2	89	80	84	0.8	0.9	1.2	7.5	5.4	5.8	5.5	0.5		

Myggbukta

φ = 73° 29′N λ = 21° 34′W g = 9.829 ΔG = + 1ʰ

Juli VII

$H_s = 2$ $H_b = 3.2$ $h_t = 1.6$ $h_a = 5.0$ $h_d = 5.5$ $h_r = 2.0$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	20.4	17.6	15.5	- 0.2	1.3	0.9		- 1.3	92	90	90	12 1	12 1	14 1	4	10 ≡	10 =²	10 =²			≡ n, ≡ =² a,p
2	13.0	12.1	11.8	0.4	1.5	1.1		1.0	89	86	86	00 0	12 1	00 0	9	10(≡)	10	10 ,°			≡ =² n, (≡) a, =° p
3	11.2	11.9	12.9	1.9	3.1	2.4		0.6	85	89	90	00 0	16 1	00 0	8	10 =°	10 •°	9 =°	0.0		,° =° n, =° (•) a, ,° (≡) =° = p
4	16.5	18.6	20.3	3.7	2.7	3.5		1.1	92	93	90	00 0	12 1	00 0	6	10 =°	10 •	10 •	0.1		,° =° n, • = a,p
5	21.9	22.4	20.9	2.2	2.4	6.8		0.8	90	92	81	15 1	20 1	32 3	7	10 •	10 •°	9	16.2		=° •² n, =° •° a, •° p
6	18.8	20.5	21.9	2.3	2.7	3.5		1.0	92	93	82	00 0	12 1	12 2	8	10 •°	10 =°	10	4.5		•° =° n, •° ,° =° a, =° p
7	24.6	26.4	26.5	4.3	3.7	3.0		1.7	82	93	90	30 1	00 0	00 0	9	10	10	10	0.3		• a, •° p
8	**26.8**	26.5	25.3	1.8	2.1	2.6		1.3	95	92	92	12 2	12 2	12 1	8	10 =°	10 =°	10 •	7.8		•² =° n, =° (≡) a, =° • p
9	20.3	18.9	17.4	1.5	0.3	3.2		- 0.1	95	93	88	14 1	14 2	12 1	3	10 =²	9 ≡	0	4.2		• =° ≡ n, =² ⊙° a, ≡ = ⊙² p
10	14.3	12.8	11.8	1.5	2.7	2.2		1.0	89	88	89	12 1	14 2	14 2	8	0 =°	3 =°	4 =°			=° ⊙ n, =° ⊙² a,p
11	13.1	14.3	15.0	1.7	2.8	3.2		- 0.4	90	86	93	14 1	12 2	12 3	8	5 =°	6 =°	3 =²	.		≡ ⊙ =° n, =° ⊙² a, =° ⊙² (≡) p
12	16.5	17.3	17.7	0.1	2.0	1.1		- 0.9	93	88	92	12 1	12 1	14 1	8	10 =²	7 =°	8 =°			≡ =° n, =² =² ⊙° a, ⊙² (≡) p
13	17.8	18.1	17.4	0.2	1.8	1.8		- 1.1	90	85	89	14 1	12 1	12 1	9	0(≡)	2	3(≡)			(≡) ⊙² n, ⊙² a, =² (≡) ⊙ p
14	15.0	17.6	20.3	- 0.3	0.6	0.7		- 1.1	93	90	90	14 1	14 1	14 1	7	10 =	9 ≡	9 =			=² ≡ n, ≡ =² a, = ⊙° (≡) p
15	19.9	19.9	18.4	2.6	4.7	3.9		0.4	88	81	85	14 1	14 1	14 1	9	1	2	3			=° ⊙ n, ⊙² a,p
16	17.1	18.1	17.5	1.9	3.2	2.8		0.8	92	90	89	00 0	12 1	12 1	9	10 •°	10	9	1.2		•° n, •° =° a
17	12.3	11.4	10.7	1.0	2.2	0.5		0.1	92	92	95	16 1	12 2	12 2	6	8 =°	3 =	10 ≡	0.5		=° ⊙ n,a, =² ≡ ⊙° p
18	12.0	12.1	10.9	0.7	1.3	1.4		- 1.1	93	92	93	14 1	14 1	14 2	3	10 ≡	10 ≡	10 ≡			≡ =² n, = ⊙² a, =² ⊙ ≡ p
19	11.6	13.4	13.4	- 0.5	0.0	- 0.2		- 1.0	90	88	89	14 1	14 2	14 2	8	10 =°	10 =°	10 =²			=° =° n, =° a, = ⊙² p
20	12.2	12.1	11.2	2.4	2.2	2.6		- 0.6	83	86	90	00 0	14 2	17 2	8	10 =°	3 =°	9 =	0.0		= •° n, =° ⊙² (≡) a,p
21	11.2	11.0	10.0	1.1	1.7	1.8		0.7	90	90	89	16 1	16 1	14 2	7	9 =°	9 =	10 =°			= ≡ n, =° a, =° p
22	08.6	08.7	07.9	- 0.5	2.8	5.2		- **1.6**	92	85	71	16 1	14 2	14 2	9	9 =²	6	4			≡ =² n, ⌒° =² ≡ ⊙ a, ⊙² p
23	04.5	03.6	02.8	1.6	3.8	4.5		1.3	90	83	80	00 0	12 2	12 2	9	5	3	3			⊙² n,a,p
24	03.6	04.8	05.4	2.8	2.9	0.7		0.6	90	88	95	00 0	12 2	14 3	9	8	9	10 ,°			⊙ n, ⊙² ≡ ,° p
25	09.4	11.6	11.5	0.1	1.1	2.1		- 1.1	93	89	88	14 1	16 1	12 1	8	10 =²	9 =°	9(≡)	0.0		≡ = ⊙ n, =² ≡ ⊙ a, ⊙² (≡) p
26	08.8	04.0	98.1	2.9	7.3	8.9		1.3	90	76	80	14 1	30 3	32 2	8	10	10 =°	10 •°			=° a, =° ⊙° p
27	**92.6**	93.5	95.0	8.6	**9.7**	4.5		4.5	69	**61**	85	30 5	30 4	12 1	9	10 =°	10	9	2.9		• =° n, =° a, ⊙° p
28	05.5	08.4	08.7	3.5	5.5	4.9		3.1	86	80	83	00 0	12 1	12 2	9	10	5	1			⊙° a, ⊙² p
29	09.6	11.5	13.5	- 0.3	2.1	3.1		- 1.2	92	88	83	00 0	12 1	12 1	9	10 =²	7	10			≡ ⌒ n, (≡) ⊙² a, ⊙° p
30	16.6	16.5	15.2	6.2	6.0	5.8		2.5	96	90	86	00 0	12 1	00 0	8	10 •°	10 •°	10 •°	0.6		•° =° n, •° a, •° =° p
31	17.6	20.1	21.0	2.8	6.0	6.5		2.2	92	89	88	00 0	00 0	12 1	7	10 •°	10 •°	10 •°	4.7		•° = n, •° =° a, •° =° ,° p
M	13.6	14.0	13.7	1.9	3.0	3.1		0.4	90	87	87	0.8	1.4	1.4	7.6	8.5	7.8	7.8	43		

August VIII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	**21.2**	**21.2**	19.1	3.1	7.6	5.5		1.7	93	77	81	12 1	12 1	14 2	9	5	2	2	0.6		• =° n, ⊙² a,p
2	11.7	09.3	08.1	1.3	4.9	2.3		- 1.2	89	76	89	14 1	14 1	12 3	9	1	0	9			⊙ n, ⊙² a, ⊕ p
3	10.1	13.1	14.5	0.3	1.5	1.9		- 1.2	88	83	85	16 1	12 1	14 2	9	6	3	3			≡ n, ⊙² a,p
4	13.6	11.8	08.8	3.8	5.1	3.6		- 0.5	77	72	86	12 1	12 2	12 2	9	2	0	1			⊙ n, ⊙² a,p
5	08.4	11.3	12.9	1.4	7.2	3.9		- 0.3	89	69	75	00 0	00 0	12 2	9	6	6	0			⊙ n, ⊙² a,p
6	14.0	14.3	12.9	- 2.7	- 1.7	- 1.5		- 3.1	93	92	92	12 1	12 2	12 3	2	10 =²	10 ≡	10 ≡			⊙ ≡ n, ≡ =² a, =² ≡ p
7	10.9	09.4	05.5	- 1.5	- 0.9	1.4		- 2.4	93	89	85	12 1	12 2	12 3	7	10 =	10 =	8 =°	0.0		⌒° ≡ n, = a, = ⊙² p
8	03.9	04.8	03.8	1.9	3.0	1.0		- 1.6	60	82	86	12 1	12 1	12 1	9	0	1	2			⊙ n,a,p
9	06.2	06.6	04.5	0.0	- 0.2	- 1.3		- 2.3	88	92	93	00 0	12 1	12 2	2	3 =	9 =	9 =			= n, ⊙° = a,p
10	01.5	03.7	05.3	- 4.4	- 2.5	- 0.1		- **5.3**	86	90	85	00 0	12 1	16 1	3	10 ≡	10 =	2			≡ ⌣ n, = ⊙° a, =° ⊙° p
11	11.2	13.2	12.9	- 1.2	- 0.6	- 0.4		- 1.5	93	92	90	12 1	12 2	12 3	2	10 ≡	10 ≡	9 =			≡ n,a, = ⊙° p
12	09.5	08.5	07.6	- 1.2	0.3	- 0.4		- 2.8	92	89	90	00 0	16 1	12 2	4	10 ≡	10 =	8 =			≡ n, = a, = ⊙° p
13	10.0	12.0	12.9	- 0.6	2.3	1.8		- 2.3	89	82	85	00 0	12 1	12 2	8	9	9	8			⊙° p
14	14.8	15.6	15.9	1.7	2.3	2.1		0.7	89	85	88	00 0	12 1	12 2	8	10	9	8			
15	16.2	14.1	13.3	1.3	1.6	1.2		0.5	92	90	92	00 0	14 2	12 3	1	10 ≡	10 ≡	10 ≡	0.0		≡ ,° n, ≡ a, = • p
16	06.0	02.9	00.4	0.3	0.1	0.0		- 0.5	92	92	90	12 1	14 2	14 1	1	10 ≡	10 ≡	10 ≡	0.0		≡ n,a,p
17	**97.3**	98.1	01.3	- 1.4	5.1	**16.4**		- 3.0	90	75	**25**	00 0	12 1	02 2	9	3	3	2			⊙ n,a, ⊙² p
18	11.8	13.8	12.9	2.8	4.1	3.5		- 2.8	78	78	80	00 0	12 1	12 1	9	7	9	10			
19	08.7	11.8	13.9	0.9	6.3	6.0		- 1.4	83	63	60	28 1	20 1	20 2	9	1	0	0			⊙ n, ⊙² a,p
20	12.6	13.6	13.2	6.8	7.3	7.2		- 1.3	44	48	46	32 3	12 1	12 1	9	0	0	1			⊙ n, ⊙² a,p
21	13.7	13.0	11.9	4.2	6.2	3.6		- 0.7	58	55	83	24 2	16 1	12 1	9	1	1	7			⊙ n, ⊙² a, ⊙° p
22	17.9	20.1	21.1	1.5	6.2	4.3		- 1.2	74	55	72	32 1	26 1	24 4	8	7	7	9			
23	21.0	18.3	15.3	0.9	4.5	8.2		- 1.0	70	61	**25**	00 0	12 1	26 3	9	7	7	5			⊙ a,p
24	13.6	13.9	14.1	2.2	3.4	2.3		1.0	45	59	74	02 5	12 3	12 1	9	7	5	1			⊙ p
25	10.2	10.2	10.7	1.1	5.0	3.5		- 3.2	55	47	71	32 3	14 3	12 1	9	5	3	1			⊙ a,p
26	09.8	11.4	11.0	6.4	8.5	3.4		- 1.2	48	55	56	32 4	12 1	14 1	9	7	1	7			⊙ a,p
27	12.4	09.2	04.6	1.2	3.2	4.7		- 0.8	92	83	77	12 1	12 2	12 2	9	3	0	1			⊙ a,p
28	02.9	03.8	02.0	9.5	14.3	15.2		2.0	41	35	29	02 5	02 5	32 5	9	10	3	3			⊙ a,p
29	05.6	06.4	06.0	2.6	4.3	- 0.5		- 0.5	68	83	97	00 0	14 1	12 1	9	1	1	10 ≡			⊙ a, ≡ p
30	10.3	12.0	12.7	- 2.3	2.0	3.2		- 3.2	93	82	78	00 0	16 1	12 1	9	10 ≡	1	3			≡ ∨ n, ⊙² a,p
31	11.3	10.1	09.6	- 1.3	3.0	3.8		- 2.0	88	82	85	04 1	14 1	00 0	9	0 ⌣	1	2			⌣ n, ⊙² a,p
M	10.6	10.9	10.3	1.2	3.7	3.4		- 1.3	79	75	76	1.1	1.5	1.9	7.3	5.8	4.9	5.2	1		

1948

Myggbukta

$\varphi = 73° 29'$ N $\lambda = 21° 34'$ W $g = 9.828$ $\Delta G = +1^h$ **Mai V** $H_s = 2$ $H_b = 3.2$ $h_t = 1.6$ $h_a = 5.0$ $h_d = 5.5$ $h_r = 2.0$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	24.9	20.2	15.9	-15.3	- 7.7	- 6.7		-20.0	93	74	72	04 2	00 0	12 1	9	5	0	1			⊙ n, ⊙² a,p
2	06.2	02.9	02.4	- 9.1	- 5.3	- 3.3		-16.0	66	67	68	28 1	00 0	00 0	9	8 ⊕°	9	6			⊙ n, ⊕° ⊙° a, ⊙° ⊙² p
3	06.6	09.5	10.0	- 9.3	- 6.3	- 7.3		-10.9	83	83	81	00 0	28 1	24 1	6	10	10 *°	5 *°			*° a, *° ⊙° p
4	11.1	11.1	10.8	-11.7	- 8.7	- 9.1		-15.3	90	83	86	00 0	00 0	00 0	5	10 *°	10 *°	10 *°	0.8		*° n,a,p
5	08.0	11.2	15.0	-10.1	- 9.0	- 8.7		-10.9	92	83	56	30 5	32 3	28 3	3	10 +²	10 +²	1 +°	5.0		* +² n, +² a, ⊙² +° p
6	19.6	16.9	10.7	-11.5	- 8.6	- 9.8		-11.9	67	78	89	00 0	00 0	30 4	3	10	10 *	10 +²			*° a, +² * +° p
7	**95.7**	99.4	01.0	- 5.1	- 6.2	- 8.4		-10.0	89	90	90	28 3	16 1	12 2	2	10 *	10 *	10 *°	1.0		+² *° n, +° * a, +° *° p
8	06.2	13.1	17.3	-11.6	- 8.3	- 6.7		-17.9	58	52	50	02 2	02 1	00 0	9	2	1	0	3.8		*° n, ⊙² a,p
9	25.0	27.5	28.4	-13.0	- 8.7	- 9.1		-15.4	55	49	55	02 2	02 2	00 0	9	2	0	0			⊙ n, ⊙² a,p
10	29.5	28.6	27.1	-10.3	- 5.5	- 5.9		-17.8	53	42	52	32 3	01 3	00 0	9	0	0	0			⊙ n, ⊙² a,p
11	24.8×	23.8	20.4	-11.1	- 5.7	- 4.1		-16.3	56	52	47	01× 3×	01 4	32 2	9	5×	10 ⊕²	10 ⊕°			⊙ n, ⊕ a, ⊕² ⊕° p
12	12.4	09.8	10.3	- 5.9	- 2.5	- 2.5		- 8.2	59	57	49	01 4	32 3	01 3	9	9	9	8			⊙ p
13	13.4	14.8	15.3	-12.8	- 5.3	- 5.9		-16.0	70	61	76	01× 2×	00 0	12 1	9	9×	10 ⊕	0			⊙ ⊕ a, ⊙² p
14	17.3×	19.1	19.7	-10.3	- 8.5	- 7.1		-19.0	81	76	82	02 1	00 0	00 0	9	6 ⊕°	10	7			⊕° a, ⊕° ⊙ p
15	23.6	25.5	27.1	-16.6	- 7.5	- 7.7		-19.3	90	71	81	00 0	00 0	00 0	9	7 ⊕	5	6			⊕° a, ⊙² p
16	27.8	26.1	20.8	-16.4	- 7.3	- 4.0		**-22.6**	88	78	82	00 0	00 0	12 1	5	10 ⊕°	10 *°	10 *°			(≡) a, ≡° *° p
17	11.0	10.0	09.0	- 1.5	- 3.5	1.7		-11.0	58	75	70	02 3	12 1	00 0	9	1	8	0	0.1		*° n, ⊙ a, ⊙² p
18	17.3	19.3	18.6	- 1.3	2.3	1.6		- 3.0	45	41	58	26 3	32 1	00 0	9	5	2	2			⊙² n,a,p
19	24.1	23.3	17.1	2.9	**7.6**	1.9		- 4.1	42	**38**	70	32 3	02 1	00 0	9	3	10 ⊕°	10			⊙² =° n, ⊙° a, ⊙ p
20	00.5	11.5	19.4	1.5	- 1.3	- 0.4		- 4.8	65	89	70	02 3	30 6	30 2	2	10 =°	10 *	10			⊙° n, +² *² a, * =° p
21	29.2	30.5	29.7	- 2.3	2.7	3.7		- 4.8	55	44	**38**	01 4	32 2	32 2	9	6	3	5	0.7		⊙² n,a,p
22	30.0	31.0	31.4	0.1	4.3	1.1		- 2.9	46	39	49	32 3	32 2	10 3	9	6	3	4			⊙ n, ⊙² a,p
23	**34.9**	33.3	30.0	- 3.7	1.9	0.1		- 5.6	68	59	89	31 3	00 0	12 2	9	6	3	0			⊙ n, ⊙² a,p
24	19.9	20.3	19.4	- 2.5	1.3	- 1.9		- 5.0	85	66	83	12 1	12 1	14 1	9	4	4	0			⊙ n, ⊙² a,p
25	21.6	24.7	25.9	- 8.1	- 0.1	- 1.9		-10.0	96	69	80	12 1	28 1	17 2	9	0 =°	6	6			=° ⊙ n, ⊙² a, ⊙ p
26	26.3	27.1	25.1	- 3.3	- 1.3	- 1.1		- 5.0	85	71	86	00 0	12 1	12 2	9	9	6	1			⊙ n,a, ⊙² p
27	23.1	22.0	20.2	- 7.1	- 4.3	- 3.9		- 7.6	95	96	96	00 0	12 1	12 1	2	0(≡)	10 ≡	10 =²			⊙ n, ⊙° ≡ a, ≡ =² p
28	15.8	14.2	11.9	- 4.1	- 4.7	- 2.7		- 5.2	90	96	88	00 0	12 2	17 2	4	10 =°	10 =²	10 =°	0.0		⚡° =° n, =° a, ⚡° =° p
29	08.9	06.4	08.3	- 3.5	- 2.3	- 3.1		- 3.8	85	82	89	00 0	16 1	14 1	8	10 =°	10 =°	10 =°	0.0		=° n,a, =° ⊙° p
30	11.2	12.8	12.4	- 5.7	- 3.9	- 3.5		- 6.4	93	90	89	00 0	14 1	12 2	8	10 =²	10 =°	10 =°	0.0		⚡° ≡ =² n, ⊙° =² (≡) a, =° ⊙° p
31	05.8	02.7	00.9	- 4.7	- 4.0	- 1.7		- 5.0	92	89	88	18 1	12 1	00 0	8	10 =°	9 =°	10 ⚡°	0.0		⚡° =° n, =° a, ⚡° =° p
M	17.2	17.8	17.1	- 7.2	- 3.8	- 3.8		-10.7	74	68	73	1.6	1.3	1.2	7.3	6.5	7.0	5.5	11		

Juni VI

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	07.5	13.8	16.7	- 2.6	0.7	2.2		- 3.0	90	80	72	00 0	00 0	00 0	9	10 ⚡°	8	9	0.1		=° n, ⚡° =° ⊙° a, ⊙° p
2	14.4	13.1	12.7	- 3.7	- 0.1	0.1		- 4.2	88	86	90	00 0	12 1	12 1	9	3	2	2	0.0		⊙ n, ⊙² a,p
3	16.0	16.5	15.7	- 2.6	- 1.3	- 1.4		- 3.2	92	86	92	00 0	00 0	18 1	5	10 =²	10 =	10 =²			≡ =² n, =² a, =° ⊙° =² p
4	16.4	18.2	18.9	- 5.1	- 1.5	- 2.0		- 5.2	92	81	86	00 0	00 0	16 1	7	10 =²	5 =°	5 =°	0.2		⚡° ⌣ ≡ =² n, =° =² a, =° ⊙ p
5	19.7	20.9	19.9	1.7	0.1	0.7		- **6.4**	74	81	76	04 1	12 1	12 1	9	0	0	0			≡° =² n, ⊙° a,p
6	18.8	19.1	19.5	- 2.1	0.9	0.4		- 4.3	80	74	78	00 0	12 1	12 1	9	0	10 ⊕°	0			⊙² n, ⊙² ⊕° a, ⊙² p
7	22.0	23.0	22.9	- 2.0	1.5	0.7		- 2.4	93	76	78	12 1	12 1	14 1	9	1 =°	0	0			⊙² =° n, =° ⊙² a, ⊙² p
8	23.6	23.3	22.2	- 4.3	- 2.3	- 2.9		- 5.0	92	89	95	12 1	12 1	12 2	4	2 =°	10 =²	10 =²			⊙ = n, =° ⊙ =² a, =² ⊙° p
9	23.6	26.0	**26.4**	- 3.9	- 2.1	- 2.7		- 5.2	93	89	93	12 2	12 1	12 1	8	10 =°	10 =°	10 ≡			≡ ⊙° = ⌣° n, =° ⊙° a, = ≡ p
10	21.9	18.2	16.6	- 4.9	- 0.5	2.0		- 5.4	92	60	77	12 2	12 2	12 1	9	10 ⚡°	6 ⊕°	10 ⊕°	0.0		≡ ⚡° n, = ≡ ⊕ a, ⊕² p
11	18.6	18.4	17.6	- 0.4	1.9	1.2		- 1.5	86	80	86	12 1	12 1	12 2	9	3	6	3			⊙° n, ⊙² a,p
12	18.8	24.7	**26.4**	- 2.3	4.4	4.4		- 3.4	89	70	78	12 1	00 0	12 1	9	0	8	5			⊙² n,a, ⊙° ⚥° (⚥) p
13	24.6	26.1	**26.4**	2.0	4.3	2.1		0.8	85	72	83	12 1	12 1	12 1	9	0	1	2	0.1		⊙ n, ⊙² a,p
14	22.5	19.1	18.3	1.8	2.0	2.4		- 0.2	86	82	86	00 0	12 1	28 1	9	5	2	3			⊙² n, ⊕ ⊙² a, ⊙² p
15	24.7	19.2	18.6	2.1	3.8	3.7		1.9	86	83	83	00 0	12 1	12 1	9	5	5	8			⊙° (≡) n, ⊙² a, ⊕° ⊙ p
16	16.3	17.8	17.4	2.6	7.9	7.9		1.8	86	67	**50**	12 1	12 1	12 1	9	2	0	0			⊙² n,a,p
17	17.6	20.8	22.4	2.3	6.3	5.7		1.0	85	63	63	00 0	00 0	00 0	9	2	0	1			⊙² n,a,p
18	25.3	25.0	24.6	1.3	0.8	0.9		0.0	93	89	86	18 1	14 1	12 1	7	7 =°	7 =°	9			⊙ n, =° =² a, =° ⊙° p
19	24.2	24.3	23.8	0.5	1.9	3.3		0.2	92	80	80	12 1	12 1	00 0	9	9	9	8	0.0		⚡° n, •° p
20	21.2	20.0	19.3	2.1	3.7	0.9		0.9	86	81	90	00 0	12 1	12 1	9	1	5	2	0.1		⊙² n, ⊙ a,p
21	14.8	13.5	12.4	- 2.8	- 1.1	- 0.8		- 3.3	93	92	95	12 1	12 2	12 2	2	10 ≡²	0 ≡	10 •°	0.0		⊙ ≡ •° n, ≡² ⊙° a, =° ≡ ⊙² • p
22	12.7	14.2	14.5	- 0.1	2.1	1.5		- 2.8	90	82	89	14 1	12 2	12 2	9	0	1	0(≡)	0.0		•° ≡ =² ⊙ n, ⊙² a,p
23	15.3	14.6	13.0	0.2	0.8	- 0.6		- 0.8	86	90	96	12 2	12 2	12 2	9	0	0	0 ≡			⊙² (≡) n, ⊙² a, ⊙² (=) =² ≡ p
24	09.6	08.1	**07.0**	- 2.1	- 1.3	- 0.6		- 2.2	90	92	93	12 2	12 1	12 2	4	9 =°	10 =²	10 =²			≡ ⊙° =° ⌣ n, =² ⊙° a, ≡ =² ⊙² p
25	07.9	09.2	10.3	0.1	- 0.9	- 0.6		- 1.6	90	96	96	14 2	14 2	14 2	1	9 =	10 =²	10 =²			= ⊙ n, =² = ⊙° a, =² p
26	16.1	15.7	13.2	- 1.2	- 0.7	- 0.6		- 2.0	95	95	96	00 0	14 1	14 2	2	10 =²	10 ≡	10 ²			=² n, ≡ ⊙° a, =² p
27	11.2	13.7	12.5	- 1.8	1.6	4.8		- 2.3	95	80	67	14 2	00 0	12 2	9	10 =²	10 ⊕	2			≡ =² n, =² ⊙° ≡ ⊕ a, ⊙² ⊕ p
28	13.4	16.8	18.0	- 1.1	**9.5**	2.7		- 2.6	88	57	82	00 0	28 1	12 2	9	5	10 ⊕	9			⊙ n, =° ⊕ ⊙ a, ⊕° p
29	14.8	13.7	13.4	- 2.7	- 0.7	0.1		- 3.2	92	90	89	00 0	12 1	12 1	4	10 =²	10 =²	10(=)			≡ ⌣ n, =² ⊙² =° a, =² ⊙° (=) p
30	21.4	23.8	24.1	1.2	5.4	3.0		- 1.8	85	67	81	12 1	00 0	12 1	9	9	9	8(≡)			= n, ⊙° (≡) p
M	17.8	18.4	18.2	- 0.9	1.6	1.3		- 2.2	89	80	84	0.8	0.9	1.2	7.5	5.4	5.8	5.5	0.5		

Myggbukta

φ = 73° 29′N λ = 21° 34′W g = 9.829 ΔG = + 1ʰ

Juli VII

$H_s = 2$ $H_b = 3.2$ $h_t = 1.6$ $h_a = 5.0$ $h_d = 5.5$ $h_r = 2.0$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	20.4	17.6	15.5	- 0.2	1.3	0.9		- 1.3	92	90	90	12 1	12 1	14 1	4	10 ≡	10 =³	10 =³			≡ n, ≡ =³ a,p
2	13.0	12.1	11.8	0.4	1.5	1.1		1.0	89	86	86	00 0	12 1	00 0	9	10(≡)	10	10 ,°			≡ =² n, (≡) a, =° p
3	11.2	11.9	12.9	1.9	3.1	2.4		0.6	85	89	90	00 0	16 1	00 0	8	10 =°	10 •°	9 =°	0.0		,° =° n, =° (•) a, ,° (≡) =° = p
4	16.5	18.6	20.3	3.7	2.7	3.5		1.1	92	93	90	00 0	12 1	00 0	6	10 =°	10 •	10 •	0.1		,° =° n, • = a,p
5	21.9	22.4	20.9	2.2	2.4	6.8		0.8	90	92	81	15 1	20 1	32 3	7	10 •	10 •°	9	16.2		=° •² n, =° •° a, •° p
6	18.8	20.5	21.9	2.3	2.7	3.5		1.0	92	93	82	00 0	12 1	12 2	8	10 •°	10 =°	10	4.5		•° =° n, •° ,° =° a, =° p
7	24.6	26.4	26.5	4.3	3.7	3.0		1.7	82	93	90	30 1	00 0	00 0	9	10	10	10	0.3		• a, •° p
8	**26.8**	26.5	25.3	1.8	2.1	2.6		1.3	95	92	92	12 2	12 2	12 1	8	10 =°	10 =°	10 •	7.8		•² =° n, =° (≡) a, =° • p
9	20.3	18.9	17.4	1.5	0.3	3.2		- 0.1	95	93	88	14 1	14 2	12 1	3	10 =³	9 ≡	0	4.2		• =° ≡ n, =³ ⊙° a, ≡ = ⊙² p
10	14.5	12.8	11.8	1.5	2.7	2.2		1.0	89	88	89	12 1	14 2	14 2	8	0 =°	3 =°	4 =°			=° ⊙ n, =° ⊙² a,p
11	13.1	14.3	15.0	1.7	2.8	3.2		- 0.4	90	86	93	14 1	12 2	12 3	8	5 =°	6 =°	3 =³			≡ ⊙ =° n, =° ⊙² a, =° ⊙² (≡) p
12	16.5	17.3	17.7	0.1	2.0	1.1		- 0.9	93	88	92	12 1	12 1	14 1	8	10 =³	7 =°	8 =°			≡ =° n, =² =³ ⊙° a, ⊙² (≡) p
13	17.8	18.1	17.4	0.2	1.8	1.8		- 1.1	90	85	89	14 1	12 1	12 1	9	0(≡)	2	3(≡)			(≡) ⊙² n, ⊙² a, =³ (≡) ⊙ p
14	15.0	17.6	20.3	- 0.3	0.6	0.7		- 1.1	93	90	90	14 1	14 1	14 1	7	10 =	9 ≡	9 =			=³ ≡ n, ≡ =² a, = ⊙° (≡) p
15	19.9	19.9	18.4	2.6	4.7	3.9		0.4	88	81	85	14 1	14 1	14 1	9	1	2	3			=° ⊙ n, ⊙² a,p
16	17.1	18.1	17.5	1.9	3.2	2.8		0.8	92	90	89	00 0	12 1	12 1	9	10 •°	10	9	1.2		•° n, •° =° a
17	12.3	11.4	10.7	1.0	2.2	0.5		0.1	92	92	95	16 1	12 2	12 2	6	8 =°	3 =	10 ≡	0.5		=° ⊙ n,a, =³ ≡ ⊙° p
18	12.0	12.1	10.9	0.7	1.3	1.4		- 1.1	93	92	93	14 1	14 1	14 2	3	10 ≡	10 ≡	10 ≡			≡ =³ n, = ⊙³ a, =³ ⊙ ≡ p
19	11.6	13.4	13.4	- 0.5	0.0	- 0.2		- 1.0	90	88	89	14 1	14 2	14 2	8	10 =°	10 =°	10 =³			≡° =° n, =° a, = ⊙³ p
20	12.2	12.1	11.2	2.4	2.2	2.6		- 0.6	83	86	90	00 0	14 2	17 2	8	10 =°	3 =°	9 =	0.0		= •° n, =° ⊙² (≡) a,p
21	11.2	11.0	10.0	1.1	1.7	1.8		0.7	90	90	89	16 1	16 1	14 2	7	9 =°	9 =	10 =°			= ≡ n, =° a, =° p
22	08.6	08.7	07.9	- 0.5	2.8	5.2		- **1.6**	92	85	71	16 1	14 2	14 2	9	9 =³	6	4			≡ =² n, ⌒° =³ ≡ ⊙ a, ⊙² p
23	04.5	03.6	02.8	1.6	3.8	4.5		1.3	90	83	80	00 0	12 2	12 2	9	5	3	3			⊙² n,a,p
24	03.6	04.8	05.4	2.8	2.9	0.7		0.6	90	88	95	00 0	12 2	14 3	9	8	9	10 ,°			⊙ n, ⊙² ≡ ,° p
25	09.4	11.6	11.5	0.1	1.1	2.1		- 1.1	93	89	88	14 1	16 1	12 1	8	10 =³	9 =°	9(≡)	0.0		≡ = ⊙ n, =³ ≡ ⊙ a, ⊙² (≡) p
26	08.8	04.0	98.1	2.9	7.3	8.9		1.3	90	76	80	14 1	30 3	32 2	8	10	10 =°	10 •°			=° a, =° ⊙° p
27	**92.6**	93.5	95.0	8.6	**9.7**	4.5		4.5	69	**61**	85	30 5	30 4	12 1	9	10 =°	10	9	2.9		• =° n, =° a, ⊙° p
28	05.5	08.4	08.7	3.5	5.5	4.9		3.1	86	80	83	00 0	12 1	12 2	9	10	5	1			⊙° a, ⊙² p
29	09.6	11.5	13.5	- 0.3	2.1	3.1		- 1.2	92	88	83	00 0	12 1	12 1	9	10 =³	7	10			≡ ⌒ n, (≡) ⊙² a, ⊙° p
30	16.6	16.5	15.2	6.2	6.0	5.8		2.5	96	90	86	00 0	12 1	00 0	8	10 •°	10 •°	10 •°	0.6		•° =° n, •° a, •° =° p
31	17.6	20.1	21.0	2.8	6.0	6.5		2.2	92	89	88	00 0	00 0	12 1	7	10 •°	10 •°	10 ,°	4.7		•° = n, •° =° a, •° =° ,° p
M	13.6	14.0	13.7	1.9	3.0	3.1		0.4	90	87	87	0.8	1.4	1.4	7.6	8.5	7.8	7.8	43		

August VIII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	**21.2**	**21.2**	19.1	3.1	7.6	5.5		1.7	93	77	81	12 1	12 1	14 2	9	5	2	2	0.6		• =° n, ⊙² a,p
2	11.7	09.3	08.1	1.3	4.9	2.3		- 1.2	89	76	89	14 1	14 1	12 3	9	1	0	9			⊙ n, ⊙² a, ⊕ p
3	10.1	13.1	14.5	0.3	1.5	1.9		- 1.2	88	83	85	16 1	12 1	14 2	9	6	3	3			≡ n, ⊙² a,p
4	13.6	11.8	08.8	3.8	5.1	3.6		- 0.5	77	72	86	12 1	12 2	12 2	9	2	0	1			⊙ n, ⊙² a,p
5	08.4	11.3	12.9	1.4	7.2	3.9		- 0.3	89	69	75	00 0	00 0	12 2	9	6	6	0			⊙ n, ⊙² a,p
6	14.0	14.3	12.9	- 2.7	- 1.7	- 1.5		- 3.1	93	92	92	12 1	12 2	12 3	2	10 =³	10 ≡	10 ≡			⊙ ≡ n, ≡ =² a, =³ ≡ p
7	10.9	09.4	05.5	- 1.5	- 0.9	1.4		- 2.4	93	89	85	12 1	12 2	12 3	7	10 =	10 =	8 =°	0.0		⌂° ≡ n, = a, = ⊙² p
8	03.9	04.8	03.8	1.9	3.0	1.0		- 1.6	60	82	86	12 1	12 1	12 1	9	0	1	2			⊙ n,a,p
9	06.2	06.6	04.5	0.0	- 0.2	- 1.3		- 2.3	98	92	93	00 0	12 1	12 2	2	3 =	9 =	9 =			≡ n, ⊙° = a,p
10	01.5	03.7	05.3	- 4.4	- 2.5	- 0.1		- **5.3**	86	90	85	00 0	12 1	16 1	3	10 ≡	10 =	2			≡ ⌣ n, = ⊙° a, =° ⊙° p
11	11.2	13.2	12.9	- 1.2	- 0.6	- 0.4		- 1.5	93	92	90	12 1	12 2	12 3	2	10 ≡	10 ≡	9 =			≡ n,a, = ⊙° p
12	09.5	08.5	07.6	- 1.2	0.3	- 0.4		- 2.8	92	89	90	00 0	16 1	12 2	4	10 ≡	10 =	8 =			≡ n, = a, = ⊙° p
13	10.0	12.0	12.9	- 0.6	2.3	1.8		- 2.3	89	82	85	00 0	12 1	12 2	8	9	9	8			⊙° p
14	14.8	15.6	15.9	1.7	2.3	2.1		0.7	89	85	88	00 0	12 1	12 2	8	10	9	8			
15	16.2	14.1	13.3	1.3	1.6	1.2		0.5	92	90	92	00 0	14 2	12 3	1	10 ≡	10 ≡	10 ≡	0.0		≡ ,° n, ≡ a, = , p
16	06.0	02.9	00.4	0.3	0.1	0.0		- 0.5	92	92	90	12 1	14 2	14 1	1	10 ≡	10 ≡	10 ≡	0.0		≡ n,a,p
17	**97.3**	98.1	01.3	- 1.4	5.1	**16.4**		- 3.0	90	75	**25**	00 0	12 1	02 2	9	3	3	2			⊙ n,a, ⊙² p
18	11.8	13.8	12.9	2.8	4.1	3.5		- 2.8	78	78	80	00 0	12 1	12 1	9	7	9	10			
19	08.7	11.8	13.9	0.9	6.3	6.0		- 1.4	83	63	60	28 1	20 1	20 2	9	1	0	0			⊙ n, ⊙² a,p
20	12.6	13.6	13.2	6.8	7.3	7.2		- 1.3	44	45	46	32 3	12 1	12 1	9	0	0	1			⊙ n, ⊙² a,p
21	13.7	13.0	11.9	4.2	6.2	3.6		- 0.7	58	55	83	24 2	16 1	12 1	9	1	1	7			⊙ n, ⊙² a, ⊙° p
22	17.9	20.1	21.1	1.5	6.2	4.3		- 1.2	74	55	72	32 1	26 1	24 4	8	7	7	9			
23	21.0	18.3	15.3	0.9	4.5	8.2		- 1.0	70	61	**25**	00 0	12 1	26 3	9	7	7	5			⊙ a,p
24	13.6	13.9	14.1	2.2	3.4	2.3		1.0	45	59	74	02 5	12 3	12 1	9	7	5	1			⊙ p
25	10.2	10.2	10.7	1.1	5.0	3.5		- 3.2	55	47	71	32 3	14 3	12 1	9	5	3	1			⊙ a,p
26	09.8	11.4	11.0	6.4	8.5	3.4		- 1.2	48	55	56	32 4	12 1	14 1	9	7	1	7			⊙ a,p
27	12.4	09.2	04.6	1.2	3.2	4.7		- 0.8	92	83	77	12 1	12 2	12 2	9	3	0	1			⊙ a,p
28	02.9	03.8	02.0	9.5	14.3	15.2		2.0	41	35	29	02 5	02 5	32 5	9	10	3	3			⊙ a,p
29	05.6	06.4	06.0	2.6	4.3	- 0.5		- 0.5	68	83	97	00 0	14 1	12 1	9	1	1	10 ≡			⊙ a, ≡ p
30	10.3	12.0	12.7	- 2.3	2.0	3.2		- 3.2	93	82	78	00 0	16 1	12 1	9	10 ≡	1	3			≡ ∨ n, ⊙² a,p
31	11.3	10.1	09.6	- 1.3	3.0	3.8		- 2.0	88	82	85	04 1	14 1	00 0	9	0 –	1	2			⌣ n, ⊙² a,p
M	10.6	10.9	10.3	1.2	3.7	3.4		- 1.3	79	75	76	1.1	1.5	1.9	7.3	5.8	4.9	5.2	1		

1948

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 $\Delta G = +1^h$

September IX

H_s = 2 H_b = 3.2 h_t = 1.6 h_a = 5.0 h_d = 5.5 h_r = 2.0

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	12.8	13.0	11.4	4.6	6.6	**7.9**		- 2.1	56	55	51	04 2	16 1	24 2	9	10	9	7			⊙° a, ⊙ p
2	10.3	10.2	11.5	5.2	7.7	4.6		3.1	44	36	65	32 4	02 3	12 3	9	8	9	10			
3	13.7	13.8	13.4	1.8	7.0	4.0		1.2	72	47	72	26 1	12 1	14 1	9	10	3	1			⊙² p
4	12.9	12.1	10.6	- 1.8	3.3	2.8		- 2.8	72	71	83	00 0	12 1	12 2	9	1 ⌣	0	4			⌣ n, ⊙² a, ⊙° p
5	10.9	12.6	13.2	- 3.2	4.8	1.2		- 3.5	95	65	88	00 0	00 0	12 2	9	1 ⌣	1	8			⌣ n, ⊙ a,p
6	17.8	18.3	16.5	- 3.6	1.9	1.9		- 4.2	92	65	57	12 1	26 1	06 3	8	5 ⌣	10	10			⌣ n, ⊙° ⌣° a
7	12.8	09.4	05.4	- 2.0	3.2	4.8		- 3.2	57	36	**29**	30 4	28 5	32 4	9	2	1	1			⊙ a,p
8	00.4	00.0	00.7	- 1.2	4.8	6.4		- 3.2	47	36	33	32 3	30 3	28 1	9	0	9	7			⊙° a,p
9	08.4	12.7	14.9	0.6	1.0	1.4		0.0	80	82	77	30 5	30 3	02 2	6	10 +°	10	10	0.1	0	* n, +° a
10	18.6	**20.1**	19.8	- 2.5	1.6	0.1		- 3.0	72	61	71	04 2	16 1	16 2	9	5	1	8		0	⊙° a, ⊙ p
11	20.0	19.4	18.4	- 4.0	- 0.8	- 0.2		- 5.2	89	67	62	00 0	30 2	28 3	8	7	10	10 =°		0	
12	12.6	07.5	02.1	- 1.9	- 0.8	- 0.6		- 5.0	65	67	63	02 4	02 6	02 5	6	10 =°	10 =	10		0	=° n, = a, =° p
13	90.8	**89.9**	91.7	- 1.2	0.6	- 0.3		- 2.0	89	80	85	02 6	32 6	02 6	7	10 *°	10 +°	10 +	0.0	1	*° n, *° +° a, * + p
14	97.8	00.8	02.6	- 0.5	0.8	- 0.1		- 1.1	48	46	51	02 4	02 3	12 3	9	10	5	4	0.1	2	+° n, ⊙ a,p
15	04.2	03.0	01.1	- 8.6	- 2.2	- 1.2		- 8.7	67	43	42	04 1	02 3	20 1	9	0	0	0		2	⊙² a,p
16	00.0	99.2	97.6	- 8.4	0.6	- 1.3		- 9.5	62	45	56	28 1	02 3	20 1	9	0	0	1		1	⊙² a,p
17	97.6	99.3	00.9	- 3.9	0.7	- 0.5		- 6.8	66	53	63	02 1	02 1	00 0	9	10	10	10		1	
18	04.1	07.2	09.8	- 2.4	- 0.3	0.8		- 4.0	54	49	54	32 3	32 2	32 3	9	5	9	3		1	⊙° a,p
19	15.8	17.2	17.0	- 5.0	- 0.5	- 2.6		- 7.2	61	48	62	02 3	32 3	12 3	8	6	8 =°	9	0.1	1	*° n, =° ⊙° a, =° ⊙ p
20	17.3	19.0	19.8	- 1.2	- 1.0	- 2.3		- 8.3	45	50	72	02 5	12 2	16 1	9	1	0	0		1	⊙° a, ⊙ p
21	17.3	15.6	15.3	- 8.0	- 2.6	- 3.2		-10.0	83	81	88	00 0	00 0	00 0	9	1	1	9		1	⊙ a, ⊙° p
22	19.9	17.2	14.0	- 6.0	- 1.6	- 2.5		- 6.2	66	69	83	00 0	12 1	00 0	9	0	1	4		1	⊙ a,p
23	06.8	09.0	09.1	4.1	7.1	2.4		- 9.8	45	41	47	32 6	02 4	12 3	9	5	9	9		1	⊙° a,p
24	09.4	09.6	09.4	- 5.0	- 3.6	- 3.8		- 5.5	67	82	86	00 0	16 1	00 0	8	6	9	2 =		1	=° ⊙ p
25	12.5	12.3	10.3	- 6.5	- 2.2	- 1.5		- 9.8	51	49	56	02 3	20 1	04 1	9	1	1	7		1	⊙ a, ⊙° p
26	12.4	07.2	04.6	- 3.4	5.1	2.5		- 4.3	88	38	51	00 0	02 5	16 1	8	8	0	0		1	⊙² a,p
27	03.9	03.8	02.1	- 4.9	- 1.8	- 2.4		- 7.0	70	67	88	30 1	00 0	14 1	9	0	8	1		1	⌒ n, ⊙ a,p
28	05.0	04.0	04.5	- 7.6	- 4.7	- 2.8		- 9.0	80	63	72	28 1	12 1	12 1	9	0	0	0		1	⊙² a, ⊙° p
29	10.3	11.5	12.3	-11.3	- 4.6	- 5.9		-12.3	96	81	90	00 0	00 0	00 0	9	1 ⌣	4 ⌣	0		1	=° ⌣ n, ⊙ ⌣ a, ⊙ p
30	15.9	16.4	14.6	-11.6	- 4.4	- 6.0		**-12.7**	85	76	82	00 0	00 0	12 1	9	4 ⌣	9	10		1	⌣ n,a
M	09.7	09.7	09.2	- 3.3	0.9	0.1		- 5.4	69	58	66	2.0	2.1	1.9	8.6	4.6	5.2	5.5	0.3	1	

Oktober X

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	08.2	08.8	07.9	- 9.8	- **3.1**	- 5.7		-11.5	69	54	61	00 0	00 0	00 0	9	1	0	8		1	⊙ a,p
2	06.1	09.5	10.0	-11.2	- 6.8	- 6.5		-12.5	80	77	88	28 1	16 1	14 1	9	1	5	0		1	⊙ a,p
3	07.7	04.0	02.0	-12.2	- 7.6	- 5.6		-12.4	95	89	76	00 0	28 1	32 4	9	2 ⌣	3 ⌣	8 ⌣°		1	⌒ ⌣ n, ⊙ ⌣ a, ⊙° ⌣° p
4	99.9	02.6	04.5	- 7.8	- 3.7	- 6.2		- 8.3	74	75	85	30 1	00 0	12 1	9	1	0	1		1	⊙ a,p
5	08.8	09.2	11.5	- 7.5	- 3.5	- 5.5		- 8.4	85	74	86	28 1	12 1	28 2	6	10	10	9		1	
6	14.2	14.8	15.2	- 5.8	- 3.4	- 3.7		- 7.2	70	60	52	32 4	30 2	30 3	7	9	10	8		1	⌒° n, ⊙° a, ⊙ p
7	23.8	28.1	29.8	- 7.5	- 5.5	- 7.1		- 8.3	70	81	82	12 2	00 0	12 1	8	10	7	4		1	⊙° a, ⊙ p
8	35.8	37.5	**37.9**	-11.6	- 9.7	- 9.4		-15.1	74	72	80	32 1	02 1	12 1	8	1 ⌣	10 ⌣°	10		1	⌣ ⌒ n, ⊙ ⌣° a
9	25.6	19.5	14.9	- 8.2	- 6.2	- 5.0		-10.1	90	89	97	04 6	04 6	04 4	7	10 *	10 +	10 *°	1.8	2	* n, * + a, *° p
10	11.2	10.0	07.3	- 5.4	- 6.4	- 7.6		- 7.6	95	89	89	00 0	00 0	00 0	3	10 *	10 *	10	6.9	4	* n,a
11	06.2	06.6	06.1	-11.4	-10.7	-11.5		-11.6	89	88	86	28 1	28 1	30 1	3	10 *	10 *	9	1.5	5	* n,a,p
12	07.0	07.5	07.2	-12.2	-11.6	-16.1		-17.1	88	82	83	00 0	04 1	28 1	9	10	6	10	1.0	6	
13	03.2	01.2	98.3	-10.2	- 7.9	- 7.7		-17.5	67	74	81	32 5	32 6	32 6	6	10 +°	10 +°	10 +°	1.0	6	+° *° n, +° a,p
14	91.0	87.3	**85.4**	- 7.2	- 4.5	- **3.1**		- 9.0	81	74	85	32 5	32 5	32 6	7	10 +°	10	10 +	1.0	6	*° +° n
15	91.1	94.5	96.5	- 3.4	- 5.6	- 5.6		- 6.1	78	88	88	32 4	12 1	14 1	9	9	10	8		5	+ n
16	98.1	98.8	99.2	-12.8	-14.1	-14.2		-15.9	83	74	76	28 1	04 1	26 1	9	0	0	0		5	⊙ a,p
17	01.7	04.4	04.7	-14.9	-13.0	-14.1		-20.2	77	70	78	26 3	00 0	00 0	9	0	0	0		5	⊙ a,p
18	05.0	03.4	00.5	-14.2	-16.3	- 8.4		-17.4	75	77	53	32 1	00 0	02 5	9	1	2	6		5	⌒ n, ⊙ a
19	99.7	01.1	01.4	-13.3	-12.2	-12.0		-17.5	76	83	81	12 2	00 0	10 1	8	10	10	10	0.0	4	*° n
20	01.5	99.8	99.4	-17.0	-12.1	- 8.8		-17.6	89	82	69	00 0	30 4	10 5	8	8	9	10		4	
21	01.3	01.5	01.4	-11.1	- 8.2	-10.5		-11.8	89	75	82	00 0	00 0	14 1	8	10	9	10	0.3	4	*° n
22	01.4	04.1	05.9	-10.3	- 9.2	- 8.2		-19.8	58	55	50	02 6	02 6	32 7	9	2	1	2		4	⊙ a
23	06.7	14.9	17.6	- 7.2	-10.0	-13.8		-13.8	**44**	50	54	32 7	22 1	32 4	9	1 ⊕	5	1		4	⌒ ⊕ n, ⊙ a
24	15.2	15.1	15.3	-17.6	-17.3	-16.3		-19.2	59	61	72	32 1	12 1	28 1	9	0	1	1		4	⊙ a,p
25	12.7	11.3	10.3	-18.3	-15.2	-18.3		-21.4	82	74	82	04 1	28 1	28 1	9	0	0	1		4	⌒ n, ⊙ a
26	10.9	12.2	12.3	-22.4	-20.1	-19.3		**-25.0**	78	80	71	00 0	20 1	00 0	9	0	4	3		4	⌒ n, ⊙ a
27	12.4	11.2	09.6	-12.4	-12.5	-12.8		-20.6	53	61	52	04 1	24 1	32 5	9	10	10	1		4	⌒ n
28	09.0	07.3	06.2	-18.4	-18.8	-20.9		-20.9	69	75	82	24 3	28 1	06 1	9	5	10	6		3	⌒ n, ⊙° a
29	04.7	06.2	06.8	-21.4	-15.4	-15.3		**-25.0**	81	81	82	28 1	20 1	00 0	9	0	10	10		3	⌒ n
30	10.0	09.5	11.1	-11.9	- 8.3	- 8.6		-16.0	89	93	96	00 0	02 5	10 1	2	10 *°	10 *	10 *	0.3	3	*° n, * a,p
31	07.8	02.3	00.4	- 7.9	- 7.3	- 4.4		-10.0	88	90	96	04 6	32 9	32 9	1	10 +	10 +	10 +	10.0	8	* + n, + \ a, + * \ p
M	07.6	07.9	07.7	-11.7	- 9.9	-10.1		-14.7	77	76	77	2.1	1.9	2.4	7.6	5.5	6.5	6.3	24	4	

Myggbukta

$\varphi = 73° 29'N$ $\lambda = 21° 34'W$ $g = 9.828$ $\Delta G = +1^h$ **November XI** $H_s = 2$ $H_b = 3.2$ $h_t = 1.6$ $h_a = 5.0$ $h_d = 5.5$ $h_r = 2.0$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	03.4	05.2	06.0	- 8.7	- 9.0	- **6.7**		-10.3	96	93	67	00 0	20 1	32 5	8	10 *°	9	9	7.0	15	* n, *° a
2	08.5	09.5	08.1	- 9.2	-12.0	- 9.6		-13.2	59	61	60	32 6	00 0	02 5	9	1	1	1	0.0	10	+° n, +° ⊙° a, ⊙° p
3	10.5	13.2	14.0	-14.2	-14.7	-23.2		-23.5	61	66	76	02 3	00 0	00 0	9	0	0	0		10	+° ⛆ n, ⛆° ⊙ a, ⊙ p
4	13.3	17.5	19.7	-23.2	-24.5	-26.0		-26.3	86	98	93	00 0	29 1	00 0	9	0	1	1		10	⛆° n, ⊙ a,p
5	20.3	22.3	21.9	-20.5	-25.9	-28.7		-28.8	90	89	86	00 0	29 1	00 0	9	0	4	1		10	⛆° ⛆° n, ⛆° ⊙° a, ⊙ p
6	22.8	27.8	30.8	-28.7	-25.3	-24.2		-30.5	88	86	88	00 0	28 1	00 0	9	0	3	3		10	⛆ n, ⛆° ⊙° a, ⊙ p
7	32.2	31.1	28.7	-21.3	-15.3	-13.4		-30.5	82	52	**49**	28 4	01 6	02 6	9	0	3	0		10	⛆ n, ⊙° a,p
8	31.3	33.1	**33.3**	-13.1	-14.7	-21.8		-22.0	50	54	66	02 6	02 5	20 1	9	0	0	0		10	⛆ n, ⊙° a
9	27.6	25.9	25.2	-12.2	-18.6	-17.2		-23.0	51	54	59	32 4	24 3	28 2	9	0	0	0		9	⛆ n, ⊙° a
10	32.5	34.0	33.2	-27.2	-29.5	-30.2		-31.2	76	80	82	24 1	14 1	00 0	9	0	0	0		9	⛆ n, ⊙ a
11	29.2	24.5	18.2	-32.2	-28.6	-23.0		-32.4	83	85	82	00 0	18 1	12 1	9	0	10	10		9	⛆ n
12	07.6	15.3	12.6	-21.0	-19.4	-17.6		-31.5	80	72	76	00 0	04 1	04 3	9	0	5	9		9	⛆ n
13	04.1	07.4	08.2	-22.4	-21.2	-20.9		-23.5	88	85	82	30 1	00 0	00 0	9	2	7	7		8	⛆ n
14	06.6	06.7	05.9	-16.1	-19.2	-20.9		-22.4	85	88	90	00 0	02 1	00 0	8	10	4	9		8	
15	01.6	98.8	**95.4**	-18.7	-20.0	-18.2		-22.6	92	89	83	00 0	00 0	02 3	8	10	9	10 *°		8	*° p
16	96.2	99.7	01.0	-16.8	-18.3	-16.7		-18.9	90	89	92	00 0	00 0	00 0	8	10 *°	9	9	4.6	10	* n, *° a
17	01.4	01.4	01.9	-19.1	-27.5	-22.8		-29.3	83	96	88	02 2	00 0	02 1	9	3	2	1	0.1	10	⛆° n, ⊕ a, ⛆° 19
18	05.8	07.6	07.1	-23.6	-34.2	-36.1		-37.1	88	85	83	02 3	00 0	00 0	9	0	1	5		10	⛆ n, ⛆° a,p
19	09.9	13.6	14.1	-31.8	-30.0	-22.3		-37.5	85	86	86	00 0	12 2	00 0	9	5	5	0		10	⛆ n, ⛆° 19
20	11.8	12.0	14.2	-31.4	-27.3	-22.3		-32.1	82	85	96	00 0	00 0	00 0	8	2	10	10		10	⛆ n, ⊕ a
21	21.5	23.5	24.7	-32.4	-34.9	-33.3		-35.5	83	83	83	28 1	00 0	24 1	9	0	0	0		10	⛆ n
22	25.4	28.1	28.4	-26.3	-22.2	-23.3		-38.5	86	61	61	32 2	02 5	02 3	9	0	0	2		10	⛆ n,a, ⛆° p
23	25.8	20.2	15.5	-30.8	-22.8	-20.2		-37.5	77	80	86	28 1	00 0	28 2	8	10	10	10		10	⛆ n, *° p
24	12.3	13.5	12.9	-17.3	-22.2	-23.2		-25.4	74	74	80	14 2	00 0	00 0	9	10	7	2	0.0	10	⛆° p
25	06.1	02.2	00.3	-20.8	-19.8	-18.7		-25.5	85	88	81	00 0	00 0	00 0	4	10	10	9		10	*° a
26	11.1	14.2	12.6	-27.4	-19.4	-18.6		-27.9	83	89	88	00 0	02 1	28 1	2	2	10 *°	10	1.0	11	*° a,p
27	03.5	02.0	02.6	-22.5	-15.3	-18.9		-26.5	86	77	81	02 2	02 4	08 3	8	4	10	5	1.5	11	+ a
28	02.9	02.2	02.5	-15.3	-12.0	-14.4		-21.1	83	85	90	02 5	06 1	00 0	5	10 *°	10 *°	10 *	2.0	11	*° n,a, * p
29	08.5	10.2	10.9	-16.4	-17.1	-18.5		-18.5	93	93	56	20 2	32 1	20 2	5	10 *°	10 *°	10 *°	3.3	15	*° n,a,p
30	16.0	18.8	20.9	-26.2	-35.3	-38.2		**-39.2**	88	85	85	00 0	00 0	00 0	9	1	0	0	0.3	15	*° n
M	13.7	14.7	14.3	-21.6	-20.7	-21.6		-27.4	81	80	80	1.5	1.2	1.3	8.1	3.7	5.0	4.8	20	10	

Desember XII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	27.1	30.7	31.3	-30.2	-41.7	-40.2		**-42.5**	86	82	83	02 3	00 0	00 0	9	0	0	0		15	⛆ n
2	28.5	26.3	24.0	-33.2	-27.5	-25.5		-42.0	83	88	85	00 0	20 1	32 4	8	0	10	5		15	⛆ n,p ⛆² 19
3	18.5	16.9	15.2	-22.2	-20.8	-19.3		-25.5	68	65	70	32 6	32 6	32 7	6	5	7 +°	10 +°		15	⛆² n, +° a,p
4	14.1	14.9	14.2	-20.7	-21.2	-21.8		-21.8	82	86	88	32 2	00 0	16 1	6	3	10 *°	9 *°	0.1	15	*° n,a,p
5	11.9	11.1	10.7	-27.9	-28.5	-31.6		-31.6	81	85	85	00 0	00 0	00 0	9	3	3	3	1.5	15	*° n, ⛆ p
6	11.8	14.4	15.7	-23.2	-25.4	-28.3		-32.5	82	77	80	02 1	28 2	28 1	9	10	7	3		15	⛆ n
7	16.7	17.8	15.1	-34.9	-30.5	-38.4		-38.4	75	81	76	00 0	04 2	24 1	9	0	1	2		15	⛆ n
8	10.7	12.0	13.9	-21.6	-21.4	-22.6		-40.0	65	56	55	32 7	32 7	32 5	9	0	0	0		14	⛆ n
9	15.5	21.8	26.6	-24.4	-20.3	-20.9		-25.5	58	53	52	32 4	30 3	32 5	9	0	0	1		14	⛆ n
10	32.8	31.1	27.9	-29.5	-27.6	-32.5		-32.5	68	72	75	00 0	00 0	00 0	9	10	3	3		12	⛆ n
11	28.8	34.2	37.6	-32.2	-24.8	-24.5		-34.2	72	81	82	00 0	18 1	00 0	4	0	10 *°	10 *°		12	⛆ n, *° a,p
12	**39.6**	39.0	36.8	-27.8	-27.8	-25.4		-28.9	57	55	55	04 5	02 5	32 6	9	1	1	1	0.2	12	*° n
13	27.2	21.5	16.8	-20.0	-17.6	-17.6		-25.4	76	88	88	32 7	32 9	32 9	1	10 +°	10 *	10 *		12	* \ a,p
14	07.9	05.8	03.7	-15.6	-16.0	-15.1		-21.2	90	76	67	32 7	32 6	32 6	8	7 +°	8	2	1.5	5	* + \ n
15	03.4	05.3	06.1	-19.3	-18.1	-17.4		-19.5	61	56	53	32 6	32 6	32 6	9	2	3	2		5	
16	13.8	17.6	17.8	-22.6	-26.2	-28.8		-28.8	54	66	70	00 0	02 2	00 0	9	0	0	0		4	⛆ n,p
17	14.6	12.1	07.0	-31.6	-31.4	-30.3		-32.0	78	81	82	00 0	00 0	00 0	9	1	4	1		4	⛆ n, ⊕° p
18	86.4	88.8	91.7	-14.7	-15.1	**-13.7**		-32.0	88	80	78	32 7	24 3	12 3	7	9 *	10 *°	8	3.2	6	* n, *° a
19	92.3	98.3	06.4	-14.4	-16.3	-17.4		-17.6	89	89	88	32 6	32 6	32 7	3	10 *°	10 *	10 *	2.2	6	*° n,a, * p
20	31.5	32.7	33.4	-18.2	-18.1	-15.4		-19.0	62	54	**50**	32 6	02 4	04 3	9	0	2	3	2.5	6	*° n
21	31.4	20.9	06.9	-19.0	-17.5	-19.2		-21.0	76	88	82	12 2	00 0	32 6	4	10	10 *°	10		6	*° a, +° p
22	06.2	15.0	17.2	-21.9	-23.0	-24.9		-26.0	81	85	83	32 1	02 2	00 0	9	0	2	3	2.0	6	
23	01.4	95.0	95.3	-22.7	-18.6	-18.8		-27.0	88	82	85	24 1	00 0	16 1	9	10	5	10		6	
24	07.0	08.9	12.0	-21.9	-21.7	-25.4		-25.6	86	83	83	28 1	00 0	00 0	9	10	6	0		6	
25	18.1	20.3	20.3	-24.4	-26.8	-26.8		-27.0	83	85	82	00 0	18 1	00 0	6	0	5	5		6	⛆° n
26	08.3	98.5	94.3	-21.6	-20.4	-20.2		-31.0	80	80	80	02 5	12 1	02 2	7	10 *°	10	7	1.6	6	*° n
27	90.3	83.8	**77.3**	-22.0	-23.3	-20.5		-26.6	95	86	85	00 0	28 2	00 0	8	2	9	10 *°	0.0	6	⛆ n
28	78.1	80.5	81.0	-16.8	-16.5	-16.8		-20.8	90	88	88	12 2	04 1	02 3	4	8 *°	9 ≡	10 *°	4.3	10	* n, ≡ a, *° p
29	85.5	88.4	91.2	-18.8	-17.8	-20.4		-20.4	86	74	80	02 3	00 0	00 0	8	2	9	5	0.5	10	*° ⛆ n, ⛆ p
30	97.6	01.2	02.6	-28.6	-28.7	-29.5		-30.5	85	85	82	00 0	00 0	00 0	9	2	1	1		10	⛆ n,p
31	04.9	08.5	10.5	-22.0	-25.3	-21.8		-29.5	65	69	59	02 5	00 0	32 6	9	0	0	0		10	⛆ n,p
M	11.7	12.0	11.6	-23.4	-23.1	-23.6		-28.3	76	77	76	2.8	2.3	2.6	7.5	4.0	5.3	4.6	20	10	

1948

Isfjord Radio

φ = 78° 4′ N λ = 13° 38′ E g = 9.830 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1003.5	1004.7	-15.4	-15.6	-15.6	-15.5		-19.0	- 3.0	27	-26.0	21	5.5	2.7	39	3.4	23	3.5	2	2.2	5.5	3.5	7	3.5	2	2.0	3	3.2	6
II	05.9	07.1	-13.9	-13.7	-14.1	-14.0		-18.9	1.0	17	-31.0	27	9	2.0	28	3.8	17	3.9	1	1.5	10	4.7	11.5	4.4	3	2.2	5.5	2.8	2
III	999.4	00.6	-13.1	-12.6	-13.0	-13.1		-16.2	2.7	16	-28.9	9	6	3.9	31.5	4.3	26	4.2	2	2.8	11.5	5.0	6.5	4.2	2	3.8	7.5	3.7	0
IV	~~[illegible]~~	~~[illegible]~~	- 9.2	- 8.1	- 8.4	- 9.0		-11.1	1.8	13	-20.1	7	2.5	3.2	44.5	4.7	20	4.2	0.5	4.0	7.5	4.3	4.5	3.8	3.5	3.9	4	4.5	3
V	1013.7	1014.9	- 5.2	- 4.2	- 4.3	- 5.1		- 6.8	3.1	7	-19.1	2	1.5	2.7	28.5	3.8	24	2.8	1.5	1.3	11	3.8	4	3.2	6.5	3.2	13	3.5	3
VI	15.8	16.9	1.0	1.6	1.6	1.0		- 0.4	5.5	20	- 3.5	1	4.5	2.3	31	2.7	2.5	3.4	0	-	23.5	2.9	12	2.0	1.5	1.7	6	3.0	9
VII	15.8	17.0	3.7	4.4	4.4	3.7		2.0	8.8	20	- 1.3	3	12	1.8	10	3.6	0.5	5.0	0	-	22.5	2.3	24	4.9	4.5	1.2	8.5	1.8	11
VIII	10.5	11.6	2.9	3.6	2.9	2.7		1.4	6.1	5	- 2.0	26	1	2.0	16	4.2	3	1.5	0.5	1.0	32	3.2	15	2.0	7	1.8	7.5	2.2	11
IX	02.6	03.7	1.7	2.2	1.9	1.7		0.3	8.6	2	- 2.5	21	4.5	2.8	58	4.1	10	2.8	0	-	7	3.3	0	-	1.5	1.7	5	3.7	4
X	998.8	999.9	- 2.7	- 2.4	- 2.6	- 2.6		- 4.3	3.0	15	-10.4	27	6.5	2.6	41.5	4.2	20	3.8	1.5	1.7	15.5	3.0	2	2.5	2.5	4.0	0.5	4.0	3
XI	1002.7	1003.8	-11.0	-11.2	-11.2	-11.1		-13.8	2.0	1	-18.7	24	5.5	4.2	35.5	4.4	22	4.4	1.5	1.6	3.5	2.6	5	3.2	3	4.3	11	3.3	3
XII	01.9	03.1	-14.0	-14.1	-14.0	-14.0		-17.0	2.0	28	-25.2	8	6	5.7	48	4.6	27.5	5.0	1.5	6.3	4.5	5.1	1.5	5.7	0	-	2	5.5	2
1948	1004.[illegible]	~~[illegible]~~	- 6.3	- 5.8	- 6.0	- 6.3		- 8.6	8.8		-31.0		64.5	2.9	411.5	4.1	195.5	3.9	12	2.5	154	3.4	93	2.8	37	2.7	73.5	3.2	57

Hopen

φ = 76° 30′ N λ = 25° 4′ E g = 9.829 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1002.4	1003.3	-16.4	-16.1	-16.2	-16.2		-20.4	- 3.6	23	-30.7	22	6.5	4.0	33.5	3.2	8.5	3.1	1	3.0	3	4.3	3.5	4.9	10.5	3.1	9.5	4.7	17
II	07.6	08.5	-13.6	-14.0	-13.8	-13.8		-18.0	1.9	18	-29.5	3	9	4.1	19.5	3.5	8.5	3.5	0	-	2	3.5	16.5	3.8	6	2.2	7.5	3.3	18
III	00.4	01.4	-14.3	-12.9	-14.0	-13.9		-17.5	- 0.5	26	-30.5	8	14	3.8	21.5	4.0	9	3.4	4.5	3.7	7.5	4.2	12	4.2	7.5	3.3	8	3.6	9
IV	09.6	10.5	-11.7	-10.9	-12.2	-12.2		-15.9	- 0.2	14	-26.8	6	7.5	6.1	45	4.4	7.5	2.7	3	2.5	4.5	2.6	3.5	3.6	4.5	3.7	1.5	3.0	13
V	13.6	14.5	- 5.1	- 4.5	- 5.0	- 5.3		- 7.4	2.3	8	-22.1	1	13.5	3.2	23.5	3.0	11	3.3	2	1.0	9.5	3.2	10.5	3.4	14	3.5	3	2.2	6
VI	14.7	15.6	- 1.0	- 0.6	- 0.9	- 1.1		- 2.2	3.1	29	- 5.9	9	7.5	4.0	32	3.8	5.5	3.2	0	-	2.5	2.6	10.5	3.0	16.5	3.2	5.5	2.7	10
VII	16.0	16.9	1.5	2.1	1.5	1.3		- 0.2	7.4	27	- 3.0	10	4.5	3.2	34.5	2.3	10	1.6	1	1.0	1	1.0	3.5	4.7	23.5	3.3	4	3.0	11
VIII	09.9	10.8	1.6	2.0	1.3	1.3	3.5	- 0.3	6.2	15	- 2.5	1	4.5	3.2	32	2.7	2.5	2.0	0	-	5.5	1.5	9.5	2.5	26.5	2.3	8.5	3.1	4
IX	01.4	02.2	0.8	1.2	1.2	1.0	2.9	- 0.1	10.3	5	- 2.5	18	8.5	3.6	42.5	3.0	18.5	2.6	3	3.8	0	-	6	3.7	4	2.2	3.5	2.9	4
X	996.9	997.8	- 1.8	- 1.5	- 1.5	- 1.6	- 0.1	- 3.3	2.7	16	-10.5	28	22	3.1	40.5	2.6	12.5	2.8	0.5	2.0	1.5	1.0	6.5	4.7	2.5	1.2	3	2.2	4
XI	1000.6	1001.6	-10.6	-10.9	-10.8	-10.8	- 7.5	-13.6	3.2	1	-21.2	22	16.5	4.7	35.5	4.1	4.5	2.2	1.5	2.3	3	2.5	3	3.7	15	2.8	8	2.9	3
XII	03.3	04.2	-14.8	-15.3	-15.3	-15.1	-10.9	-19.5	2.5	28	-30.5	26	12.5	4.0	35.5	3.9	15.5	4.3	3	2.8	3.5	5.1	5	5.2	10	4.6	5	2.8	3
1948	1006.4	1007.3	- 7.1	- 6.8	- 7.1	- 7.2		- 9.9	10.3		-30.7		126.5	3.9	395.5	3.4	113.5	3.0	19.5	2.8	43.5	3.1	90	3.8	140.5	3.0	67	3.2	102

Bjørnøya

φ = 74° 31′ N λ = 19° 1′ E g = 9.828 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1001.8	1003.7	-11.3	-11.5	-11.8	-11.5	- 8.7	-15.2	0.6	30	-24.3	3	23	4.1	17.5	4.4	8.5	3.6	3.5	3.0	11.5	3.7	3	3.3	9	4.2	11	4.7	6
II	06.4	08.2	- 5.6	- 7.0	- 6.6	- 6.5	- 2.7	-11.8	2.3	18	-24.5	4	9.5	4.7	6	4.7	7.5	4.5	24	4.4	11	4.7	13.5	4.6	4	6.2	8.5	3.7	3
III	00.0	01.8	- 6.8	- 6.3	- 7.0	- 7.0	- 2.9	-11.0	6.2	3	-25.0	14	9.5	5.0	5.5	3.7	16	4.3	13.5	5.2	19	5.1	7.5	6.1	13.5	6.8	8.5	6.9	0
IV	06.7	08.6	- 4.7	- 4.2	- 4.8	- 5.0	- 1.7	- 7.8	4.1	1	-17.2	7	2.5	5.4	22.5	5.7	21.5	4.3	16.5	4.2	8	4.8	8.5	3.6	6.5	4.5	4	5.9	0
V	13.0	14.8	- 2.1	- 1.6	- 1.7	- 2.2	0.1	- 4.2	4.2	30	-17.8	2	4.5	3.2	13	4.8	17.5	4.4	14.5	3.8	16.5	5.1	8.5	4.1	10.5	4.4	7	4.6	1
VI	14.0	15.9	0.2	0.7	0.3	0.1	1.5	- 1.0	5.2	26	- 2.6	6	10	4.2	20	5.1	26.5	4.8	5.5	3.1	2	2.0	8.5	3.4	9.5	3.3	8	3.6	0
VII	14.9	16.8	3.5	4.1	3.8	3.3	6.8	1.2	14.5	4	- 1.8	10	12	2.0	28.5	2.8	17	3.3	12	4.2	5.5	5.0	3.5	4.0	7.5	3.0	7	1.9	0
VIII	10.2	12.0	3.1	3.8	3.6	3.2		1.6	7.8	31	- 0.1	3	11.5	4.1	25.5	3.2	13.5	3.7	4	3.4	5.5	3.3	7.5	3.3	14.5	2.1	9	2.7	2
IX	999.9	01.7	3.2	3.4	2.8	2.9		1.2	9.8	3	- 3.6	26	15.5	5.9	19.5	4.6	15.5	4.4	14.5	5.0	10.5	4.5	4	4.0	2.5	3.2	8	6.0	0
X	96.8	998.6	0.3	0.7	0.3	0.4		- 1.1	4.8	14	- 6.4	28	14.5	5.2	12.5	4.5	18	3.8	10.5	4.3	8	3.8	8.5	4.3	4.5	5.9	10.5	4.7	6
XI	99.6	1001.4	- 4.4	- 4.7	- 4.6	- 4.6		- 6.8	3.0	1	-13.2	21	18	5.4	25.5	5.7	11	5.5	6.5	5.3	7.5	4.9	4	4.9	5.5	5.4	11	6.1	1
XII	99.7	01.5	- 6.5	- 7.3	- 7.3	- 7.0		-11.1	2.9	28	-19.8	26	12	5.6	23.5	5.7	16	5.8	16	6.3	5	6.0	5.5	6.1	7.5	6.1	6.5	6.8	1
1948	1005.2	1007.1	- 2.6	- 2.5	- 2.8	- 2.8		- 5.5	14.5		-25.0		142.5	4.6	219.5	4.6	188.5	4.5	141	4.6	110	4.6	82.5	4.3	95.[illegible]	4.5	99	4.8	20

Jan Mayen

φ = 71° 1′ N λ = 8° 26′ W g = 9.829 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1007.6	1008.2	- 7.9	- 8.1	- 7.7	- 7.9		-10.4	3.7	26	-24.9	16	48	3.6	9	2.2	13	2.7	10.5	3.1	2.5	3.8	0	-	0	-	1	3.0	9
II	04.4	04.9	- 2.1	- 1.8	- 1.9	- 2.0		- 5.5	4.1	5	-16.1	25	12.5	3.4	3.5	3.6	9	4.8	28	4.1	6.5	2.7	6.5	3.2	6.5	2.3	7.5	2.7	7
III	998.6	999.1	- 3.8	- 3.7	- 3.6	- 3.8		- 7.6	4.1	1	-22.9	7	18.5	3.3	1	1.0	14.5	3.6	33.5	4.6	10	4.0	3	3.5	3.5	2.3	8	3.2	1
IV	1007.3	1007.8	- 3.1	- 2.4	- 2.6	- 2.9		- 5.0	4.4	24	-11.6	18	31	4.4	2.5	3.8	5	1.8	14.5	4.2	6.5	2.8	1	1.0	4	2.5	15.5	3.0	10
V	15.0	15.6	- 1.9	- 1.3	- 1.5	- 1.8		- 3.7	6.0	14	- 9.0	2	38	3.2	0.5	2.0	0	-	12.5	4.4	9	2.6	1.5	1.0	6.5	2.4	18	2.2	7
VI	18.2	18.8	0.7	1.6	1.2	0.9		- 0.7	9.3	29	- 3.1	3	41	3.1	1.5	1.7	1	2.0	8	3.6	17	2.6	1	3.0	0.5	1.0	13	1.9	7
VII	12.4	13.0	4.5	5.6	5.6	4.8		3.2	10.2	26	1.6	17	14.5	2.0	2	3.0	1	3.0	19	3.8	10	2.6	1.5	4.0	5.5	3.0	26.5	2.6	13
VIII	12.3	12.9	3.9	4.8	4.9	4.2		2.7	10.1	30	0.5	2	16	3.4	1	4.0	2	2.0	29.5	3.9	7.5	3.9	3	2.3	10.5	3.0	22.5	2.8	1
IX	03.8	04.3	1.8	2.4	2.1	2.0		0.4	10.0	1	- 4.0	22	17	3.8	0	-	5	4.8	9.5	2.9	5	3.2	2.5	4.2	4	3.7	46	4.5	1
X	00.7	01.2	- 0.5	0.0	- 0.2	- 0.2		- 2.5	7.7	12	- 8.2	25	21.5	5.3	5	2.1	3	4.8	20.5	5.5	1.5	2.6	1	2.5	5.5	3.0	35	5.4	0
XI	06.3	06.8	- 2.9	- 3.4	- 3.7	- 3.3		- 6.2	6.1	1	-13.0	23	19.5	5.9	3	2.0	3.5	2.7	14.5	5.0	6.5	4.2	1	5.0	7.5	3.0	34.5	5.8	0
XII	999.8	00.4	- 4.8	- 4.4	- 4.1	- 4.4		- 6.6	4.2	27	-13.9	9	24	7.9	0	-	3.5	5.3	17.5	5.3	7	4.3	4.5	4.9	5.5	4.9	29	5.5	2
1948	1007.1	1007.7	- 1.3	- 0.9	- 1.0	- 1.2		- 3.5	10.2		-24.9		301.5	4.1	29	2.5	60.5	3.5	217.5	4.9	89	3.2	26.5	3.4	59.5	3.1	256.5	4.1	58

Myggbukta

φ = 73° 29′ N λ = 21° 34′ W g = 9.828 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1014.0	1014.5	-28.2	-27.8	-28.1	-28.0		-32.3	- 9.1	25	-40.3	16	21.5	2.0	3.5	2.0	0	-	1	1.0	1	1.0	0	-	1	1.0	1	1.0	64
II	07.2	07.7	-19.3	-16.9	-18.4	-18.2		-25.4	- 1.1	23	-35.5	1	25.5	3.0	6	2.4	3	1.7	6	1.2	0	-	1	2.0	1.5	1.7	5	1.8	39
III	02.2	02.6	-19.7	-19.0	-18.6	-19.4		-24.6	- 5.5	25	-42.1	5	24.5	3.4	6	2.8	3	1.3	13	1.2	2	2.0	0	-	1	2.0	4.5	1.7	39
IV	13.6	14.0	-16.1	-12.5	-12.0	-14.6		-19.5	2.1	20	-32.4	7	14	2.9	5	2.2	2	1.5	21.5	1.3	2.5	1.2	0	-	0	-	4	1.5	41
V	17.4	17.8	- 7.2	- 3.8	- 3.8	- 6.1		-10.7	7.6	19	-22.6	16	24	2.7	5	1.9	0.5	3.0	18	1.4	6	1.3	0.5	1.0	1.5	1.7	7.5	2.5	30
VI	18.1	18.5	- 0.9	1.6	1.3	0.2		- 2.2	9.5	28	- 6.4	5	0	-	1	1.0	0	-	57.5	1.3	6.5	1.4	1	1.0	0	-	2	1.0	22
VII	13.8	14.2	1.9	3.0	3.1	2.3		0.4	9.7	27	- 1.6	22	4	2.9	0	-	0	-	45.5	1.4	21.5	1.3	1	1.0	0	-	2	3.3	19
VIII	10.6	11.0	1.2	3.7	3.4	2.1		- 1.3	16.4	17	- 5.3	10	7	3.5	3	3.2	0	-	51.5	1.5	10.5	1.3	2	1.5	3	2.7	2	1.5	14
IX	09.5	09.9	- 3.3	0.9	0.1	- 1.4		- 5.4	7.9	1	-12.7	30	21	3.6	13.5	3.0	0.5	3.0	15	1.7	7	1.1	3	1.0	2	1.5	9	2.3	19
X	07.7	08.2	-11.7	- 9.9	-10.1	-10.8		-14.7	- 3.1	1	-25.0	26	23	4.6	11	3.5	2	2.0	11	1.4	2.5	1.0	2.5	1.0	3.5	1.9	16.5	1.3	21
XI	14.2	14.7	-21.6	-20.7	-21.6	-21.6		-27.4	- 6.7	1	-39.2	30	14.5	3.6	10.5	3.0	1.5	2.3	3	1.5	1.5	1.3	4.5	1.4	3	1.6	9.5	1.5	42
XII	11.8	12.2	-23.4	-23.1	-23.6	-23.4		-28.3	-13.7	18	-42.5	1	34	5.4	9.5	3.0	0	-	4	2.0	3	1.0	2	1.0	3	1.7	4.5	1.7	33
1948	1011.7	1012.1	-12.4	-10.4	-10.7	-11.6		-16.0	16.4		-42.5		213	3.6	74	2.8	12.5	1.8	247	1.4	64	1.3	17.5	1.2	19.5	1.8	67.5	1.8	383

1948

Isfjord Radio

$H_s = 7$ $H_b = 9.0$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.7$

Måned	Midlere relativ fuktighet U_m 8	14	19	Dies	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	82	82	83	83	4.8	7.2	6.1	8	3	22	31		28		13	2	0	12	2	0	0	13	0	0	0	0	0	0	1	0	0	0	7	10	
II	83	83	82	83	6.0	7.0	7.1	15	3	6	29		26		11	7	0	12	2	0	1	11	1	0	0	0	0	0	4	1	1	4	12	
III	84	84	83	83	7.3	8.0	7.5	19	6	26	31		20		14	4	0	19	6	1	3	14	3	0	0	0	0	0	5	0	10	2	20	
IV	84	84	83	83	6.3	7.0	7.0	12	5	25	30		16		13	4	0	15	1	0	1	13	1	1	1	0	0	0	5	0	15	4	17	
V	80	78	81	82	7.8	7.6	7.8	17	7	18	31		4		14	5	0	13	0	0	3	13	1	1	0	0	0	0	0	0	13	2	20	
VI	89	87	96	88	7.2	7.8	7.5	6	2	28	16		0		8	2	0	1	0	0	7	4	3	3	0	0	0	0	4	1	14	2	14	
VII	91	89	89	91	8.3	7.9	7.3	26	15	28	1		0		6	3	1	1	0	0	6	0	0	7	0	0	0	0	3	12	16	2	18	
VIII	87	85	88	88	9.3	9.0	8.7	26	5	6	6		0		12	7	0	4	0	0	10	5	3	9	0	0	0	0	6	6	12	0	26	
IX	85	83	84	84	9.2	7.9	8.4	36	10	8	13		0		10	8	0	12	1	0	10	1	1	6	0	0	0	0	1	3	13	0	21	
X	86	84	83	84	8.0	8.0	8.4	35	14	16	29		1		14	6	1	13	0	0	3	12	0	2	0	0	0	0	0	2	2	0	16	
XI	81	80	79	80	6.1	6.4	7.1	12	8	2	30		27		8	3	0	12	0	0	2	8	0	2	0	0	0	0	0	0	0	5	14	
XII	84	83	82	83	6.9	7.3	6.5	32	12	17	31		27		19	7	1	23	3	1	3	19	3	0	0	0	0	0	8	11	0	3	14	
1948	85	84	84	84	7.3	7.6	7.4	244	15		278		149		142	58	3	137	15	2	49	113	16	31	1	0	0	0	28	36	96	31	202	

Hopen

$H_s = 6$ $H_b = 7.1$ $h_t = 1.8$ $h_a =$ $h_d = 8.0$ $h_r = 1.9$

Måned	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	86	87	87	87	5.4	5.9	5.5	15	2	12	31		29		17	6	0	10	1	0	0	15	0	0	0	0	0	0	4	1	0	9	9	31
II	86	86	86	86	7.4	7.7	7.2	23	4	22	29		24		18	7	0	11	4	1	3	17	1	3	0	0	0	0	0	2	8	2	15	29
III	83	83	84	83	7.5	6.6	7.0	30	6	16	31		21		23	12	0	16	7	5	2	23	1	1	0	0	0	0	2	5	21	4	15	31
IV	85	83	85	86	7.0	6.5	6.7	22	10	25	30		25		15	5	1	14	3	1	0	15	0	0	0	0	0	0	2	2	22	4	15	30
V	86	83	84	86	7.9	7.1	8.4	19	6	18	31		6		17	4	0	12	1	0	4	17	2	3	0	0	0	0	1	6	26	0	17	31
VI	93	90	91	94	8.9	8.8	9.3	27	10	14	27		0		13	4	1	4	0	0	3	14	2	5	0	0	0	0	2	13	16	1	24	30
VII	94	91	93	94	7.3	7.3	7.6	6	5	28	18		0		5	1	0	4	0	0	4	0	0	8	0	0	0	0	2	20	17	3	17	3
VIII	92	90	93	93	8.3	7.5	8.1	27	7	30	17	0	0	0	17	6	0	0	0	0	16	7	5	14	0	0	0	0	5	16	10	1	20	1
IX	95	94	93	94	9.4	9.6	9.6	50	8	25	16	4	0	0	24	15	0	4	1	0	20	15	9	13	0	0	0	0	3	15	2	0	29	7
X	92	92	92	92	9.1	8.6	9.2	47	16	11	30	12	1	0	30	9	1	9	1	0	10	26	1	7	0	0	0	0	1	8	0	0	24	31
XI	88	86	86	87	6.8	7.5	7.0	44	12	18	30	26	24	0	26	12	1	9	2	2	3	25	2	0	0	0	0	0	2	0	0	2	11	30
XII	84	83	83	83	6.3	7.1	6.8	19	4	23	31	29	27	0	20	7	0	22	8	3	3	20	2	0	0	0	0	0	2	1	0	7	17	31
1948	89	87	88	89	7.6	7.5	7.7	329	16		321		157		225	88	4	115	28	12	68	194	25	54	0	0	0	0	26	89	122	33	213	285

Bjørnøya

$H_s = 15$ $H_b = 14.4$ $h_t = 1.9$ $h_a = 7.6$ $h_d = 6$ $h_r = 2.0$

Måned	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	93	93	92	92	6.6	6.7	5.7	14	4	10	31	30	24	0	13	3	0	11	5	0	0	13	0	0	0	0	0	0	4	2	0	4	13	31
II	93	93	91	92	8.0	8.9	7.5	18	3	9	28	17	17	0	13	8	0	20	8	1	4	13	5	2	0	0	0	0	2	1	0	0	18	29
III	93	93	93	93	7.8	7.6	7.4	27	9	3	30	16	14	0	21	8	0	22	14	8	8	20	2	8	0	0	0	0	7	3	9	1	17	31
IV	92	90	92	92	8.0	7.3	7.4	12	5	1	30	15	9	0	17	3	0	22	2	2	5	17	2	2	0	0	0	0	3	3	15	2	15	30
V	92	91	91	91	8.2	7.9	8.0	43	12	18	27	13	4	0	14	9	1	18	3	1	11	8	2	8	0	1	0	0	3	11	14	1	22	31
VI	94	94	93	93	9.5	9.9	8.9	25	19	28	23	7	0	0	12	3	1	12	1	1	3	11	1	7	0	2	0	0	4	10	9	0	26	5
VII	96	93	94	96	8.9	7.2	7.4	14	4	27	6	0	0	0	16	4	0	5	1	0	16	0	0	18	0	0	0	0	1	25	16	3	21	0
VIII	95	93	92	93	9.2	9.2	9.6	34	11	22	1		0		19	7	1	4	0	0	19	0	0	17	0	0	0	0	4	16	11	0	26	0
IX	95	91	95	95	9.6	9.6	9.5	61	11	13	9		0		27	14	1	19	8	4	25	11	8	15	0	0	0	0	4	15	13	0	27	0
X	95	96	96	96	9.3	9.5	9.1	24	5	14	20		0		25	8	0	18	7	1	15	15	3	8	0	0	0	0	7	10	7	0	26	0
XI	90	91	92	91	9.9	9.8	9.4	26	6	28	29		5		18	6	0	24	14	4	6	15	3	1	1	0	0	0	13	3	0	0	29	
XII	94	95	93	94	9.2	9.1	8.2	59	8	14	30		17		23	14	0	28	18	8	6	22	2	3	0	0	0	0	17	0	0	0	21	
1948	94	93	93	93	8.7	8.6	8.2	357	19		264		90		218	87	4	203	81	30	118	145	28	89	1	3	0	0	69	99	94	11	261	

Jan Mayen

$H_s = 5$ $H_b = 4.5$ $h_t = 2.4$ $h_a = 6.0$ $h_d = 4.5$ $h_r = 1.6$

Måned	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	78	80	78	78	5.5	6.4	6.2	12	5	8	31		16		12	4	0	4	0	0	1	12	1	0	0	0	0	0	2	0	0	2	8	
II	83	85	85	84	7.4	8.1	8.2	38	12	12	24		5		18	10	1	11	4	2	11	15	7	5	2	0	0	0	9	5	8	1	15	
III	81	81	81	81	8.5	8.1	8.6	80	18	16	26		9		24	16	2	18	3	0	12	20	8	6	1	0	0	0	8	11	12	0	20	
IV	82	81	81	81	8.5	8.5	8.5	45	8	12	31		5		19	10	0	13	0	0	4	18	2	2	0	0	0	0	6	6	11	1	24	
V	84	80	82	83	8.8	8.4	9.1	48	14	12	29		0		23	10	1	7	1	0	7	19	3	6	5	5	0	0	4	6	15	1	24	
VI	89	87	89	89	8.0	8.6	8.4	8	4	7	24		0		10	2	0	3	0	0	0	10	0	3	0	0	0	0	8	15	20	0	20	
VII	90	86	86	88	9.5	9.2	9.1	32	20	27	0		0		12	4	1	6	1	1	12	0	0	18	0	0	0	0	8	13	17	0	27	
VIII	88	85	85	86	8.8	8.9	8.5	7	2	1	0		0		15	2	0	7	0	0	15	0	0	21	0	0	0	0	10	6	16	0	24	
IX	85	82	83	84	8.9	8.2	8.4	49	14	12	18		0		23	10	2	13	6	1	18	14	9	9	1	4	0	0	7	4	14	0	23	
X	86	84	85	85	9.1	9.1	9.5	59	14	13	27		0		25	14	1	22	10	3	16	18	7	7	1	2	0	0	12	1	5	0	28	
XI	84	83	84	84	9.2	9.1	8.3	61	14	27	28		2		28	14	1	24	11	5	11	23	4	8	0	0	0	0	6	3	0	0	23	
XII	81	82	82	82	9.3	9.6	9.2	96	32	13	28		7		30	14	2	28	19	14	11	24	1	8	0	0	0	0	6	1	0	0	26	
1948	84	83	83	84	8.5	8.5	8.5	535	32		266		44		239	110	11	156	55	26	118	173	42	90	10	11	0	0	86	71	118	5	262	

Myggbukta

$H_s = 2$ $H_b = 3.2$ $h_t = 1.6$ $h_a = 5.0$ $h_d = 5.5$ $h_r = 2.0$

Måned	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	78	78	78	78	2.1	4.3	4.8	0.3	0.3	19	31		31		1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	12	6	31
II	82	77	80	79	6.1	7.2	7.1	11	3	13	29		29		7	5	0	4	3	1	0	7	0	0	0	0	0	0	1	1	17	1	11	29
III	86	83	82	84	7.5	7.3	8.3	28	5	3	31		31		17	11	0	4	2	1	0	17	0	0	0	0	0	0	0	0	19	2	18	31
IV	75	71	73	75	6.2	5.7	5.9	16	5	12	30		25		7	4	0	2	2	2	2	7	0	1	0	0	0	0	0	2	25	4	11	30
V	74	68	73	75	6.5	7.0	5.5	11	5	5	31		15		6	3	0	3	0	0	0	6	0	0	0	0	0	0	1	2	25	3	12	31
VI	89	80	84	86	5.4	5.8	5.5	0.5	0.2	4	23		0		4	0	0	0	0	0	2	2	0	2	0	0	0	0	2	13	29	7	10	6
VII	90	87	87	88	8.5	7.8	7.8	43	16	5	12		0		11	7	1	0	0	0	11	0	0	5	0	0	0	0	0	14	19	1	21	0
VIII	79	75	76	76	5.8	4.9	5.2	1	1	1	26		0		1	0	0	0	0	0	1	0	0	3	0	0	0	0	0	9	28	6	9	0
IX	69	58	66	64	4.6	5.2	5.5	0.3	0.1	9	27		2		3	0	0	4	0	0	0	3	0	0	0	0	0	0	2	0	23	7	8	3
X	77	76	77	77	5.5	6.5	6.3	24	10	31	31		23		9	7	1	8	2	1	0	9	0	0	0	0	0	0	0	0	17	6	14	23
XI	81	80	80	80	3.7	5.0	4.8	20	7	1	30		30		8	6	0	6	0	0	0	8	0	0	0	0	0	0	0	0	9	11	7	30
XII	76	77	76	76	4.0	5.3	4.6	20	4	28	31		31		11	8	0	13	2	1	0	11	0	0	0	0	0	0	0	1	0	10	7	31
1948	80	76	78	78	5.5	6.0	5.9	175	16		332		217		85	51	2	44	11	6	16	71	0	11	0	0	0	0	6	42	211	70	134	245

Temperatur-Faktor k

8-13-19. Min (19-19)

Stasjon	Jan. I	Febr. II	Mars III	April IV	Mai V	Juni VI	Juli VII	Aug. VIII	Sept. IX	Okt. X	Nov. XI	Des. XII
Røros	0.02	0.05	0.10	0.20	0.26	0.26	0.25	0.24	0.20	0.11	0.04	0.02
Tynset	.04	.09	.14	.22	.27	.27	.26	.24	.21	.11	.06	.03
Alvdal	.04	.10	.15	.23	.27	.27	.27	.24	.21	.11	.06	.03
Drevsjø	.05	.09	.14	.21	.26	.26	.25	.24	.20	.11	.06	.03
Ytre Rendal	.06	.10	.16	.24	.27	.27	.26	.24	.21	.11	.06	.04
Fokstua	.05	.10	.16	.22	.26	.26	.26	.24	.20	.10	.06	.04
Dombås	.05	.10	.16	.22	.26	.26	.26	.24	.20	.10	.06	.04
Vågåmo	.05	.10	.16	.22	.26	.26	.26	.24	.20	.10	.06	.04
Elveseter	.05	.10	.16	.22	.26	.26	.26	.24	.19	.10	.06	.04
Bygdin	.07	.11	.18	.24	.27	.27	.27	.24	.21	.11	.08	.05
Vinstra	.07	.11	.18	.24	.27	.27	.27	.24	.21	.11	.07	.05
Vollen i Slidre	.07	.11	.18	.24	.27	.27	.27	.24	.21	.12	.08	.05
Åbjersbråten	.08	.11	.19	.25	.28	.27	.27	.25	.22	.12	.09	.05
Lillehammer	.09	.12	.19	.26	.28	.27	.27	.25	.22	.14	.08	.05
Åmot	.07	.10	.16	.24	.26	.26	.26	.25	.21	.12	.07	.05
Trysil	.05	.09	.13	.21	.25	.25	.25	.23	.18	.11	.06	.04
Vang på Hedmark	.07	.10	.16	.24	.27	.26	.26	.24	.21	.12	.08	.05
Ø. Toten	.08	.11	.17	.25	.27	.26	.26	.25	.22	.13	.09	.05
Kutjern	.09	.12	.17	.26	.28	.27	.26	.25	.21	.14	.09	.06
Eggemoen	.08	.11	.17	.24	.27	.27	.27	.24	.20	.13	.09	.06
Gardermoen	.06	.08	.13	.21	.25	.25	.25	.23	.19	.12	.09	.06
Flisa	.04	.07	.12	.20	.24	.24	.24	.22	.16	.10	.07	.04
Vinger	.04	.07	.12	.20	.24	.24	.24	.22	.16	.10	.07	.04
Hvam	.05	.07	.12	.20	.24	.24	.24	.22	.18	.11	.09	.05
Tryvasshøgda	.06	.08	.13	.21	.24	.24	.24	.23	.19	.12	.10	.06
Oslo (Blindern)	.06	.08	.13	.21	.24	.24	.24	.23	.19	.12	.10	.06
Fornebu	.06	.08	.13	.21	.24	.24	.24	.23	.19	.12	.10	.06
Asker	.07	.09	.14	.22	.24	.24	.24	.23	.19	.12	.10	.06
Modum	.08	.11	.16	.24	.26	.26	.26	.24	.20	.13	.10	.06
Nesbyen II	.09	.12	.19	.25	.28	.27	.27	.25	.22	.14	.10	.06
Geilo	.06	.10	.18	.23	.27	.26	.26	.24	.21	.12	.09	.05
Haugastøl	.06	.10	.18	.22	.26	.26	.26	.24	.20	.12	.09	.05
Dagali	.07	.10	.18	.22	.26	.26	.26	.24	.20	.12	.09	.05
Svene	.09	.11	.17	.24	.26	.26	.26	.24	.20	.13	.11	.06
Kongsberg	.09	.11	.17	.24	.26	.26	.26	.24	.20	.13	.10	.06
Gaustatoppen	.08	.10	.16	.23	.24	.24	.23	.22	.18	.12	.09	.05
Rømnes	.06	.09	.14	.21	.24	.24	.24	.23	.19	.12	.09	.06
Ås	.06	.08	.13	.20	.24	.24	.23	.22	.18	.11	.09	.06
Eidsberg	.06	.08	.13	.20	.24	.24	.23	.22	.18	.11	.09	.06
Råde (Tomb)	.06	.08	.13	.20	.24	.24	.23	.22	.18	.11	.09	.06
Kalnes	.06	.08	.13	.20	.24	.24	.23	.22	.18	.11	.08	.06
Brekke Sluse	.05	.08	.13	.20	.24	.24	.23	.22	.18	.11	.08	.06
Ferder	.06	.09	.13	.20	.24	.25	.24	.22	.18	.11	.08	.06
Gvarv	.07	.11	.16	.23	.25	.26	.26	.24	.20	.12	.09	.06
Dalen i Telemark	.06	.11	.16	.22	.25	.26	.25	.24	.20	.11	.09	.05
Vefall i Drangedal	.07	.09	.14	.21	.25	.26	.25	.24	.19	.11	.09	.06
Jomfruland	.06	.09	.14	.20	.25	.26	.25	.23	.18	.11	.09	.06
Lyngør Fyr	.06	.09	.13	.20	.24	.25	.24	.23	.18	.11	.08	.05
Merdøy	.06	.09	.13	.20	.24	.25	.24	.23	.18	.10	.08	.05
Torungen Fyr	.05	.09	.12	.20	.24	.25	.24	.22	.17	.10	.08	.05
Tveitsund	.06	.10	.14	.21	.25	.26	.25	.24	.19	.11	.09	.05
Grimstad	.05	.09	.12	.20	.24	.25	.24	.22	.16	.10	.08	.05
Byglandsfjord	.05	.09	.12	.20	.24	.25	.24	.22	.17	.10	.08	.05
Kristiansand S.	.04	.09	.11	.20	.23	.25	.24	.21	.16	.09	.07	.04
Kjevik	.04	.09	.11	.20	.23	.25	.24	.21	.16	.09	.07	.04
Oksøy	.04	.08	.10	.19	.22	.24	.23	.20	.15	.09	.07	.04
Mandal II	.04	.08	.10	.19	.22	.24	.23	.20	.15	.09	.07	.04
Glåben	.05	.09	.11	.19	.23	.24	.23	.22	.16	.10	.07	.05
Lindesnes	.04	.08	.10	.19	.22	.24	.23	.20	.15	.09	.07	.04
Lista	.04	.08	.10	.19	.22	.24	.23	.20	.15	.09	.07	.04
Tonstad	.05	.09	.11	.20	.23	.25	.24	.22	.16	.10	.07	.04
Obrestad	.04	.08	.10	.18	.22	.24	.23	.19	.15	.09	.07	.04
Klepp	.04	.08	.10	.18	.22	.24	.23	.19	.15	.09	.07	.04
Sola	.04	.08	.10	.18	.22	.24	.23	.19	.15	.09	.07	.04
Stavanger	.04	.08	.10	.18	.22	.24	.23	.19	.15	.09	.07	.04
Årdal i Ryfylke	.04	.08	.11	.19	.23	.25	.24	.21	.16	.09	.07	.04
Sauda	.05	.09	.12	.20	.23	.25	.24	.22	.17	.10	.07	.04
Hellandsbygd	.05	.09	.12	.20	.23	.25	.24	.22	.17	.10	.07	.05
Skudenes II	.04	.07	.10	.18	.22	.24	.23	.19	.15	.09	.07	.04
Utsira	.04	.07	.09	.17	.21	.24	.23	.19	.14	.09	.07	.04
Indre Matre	.05	.09	.11	.19	.22	.24	.23	.21	.16	.10	.07	.04
Slåtterøy	.04	.07	.09	.17	.21	.24	.23	.19	.15	.09	.07	.04
Svandalsflona	.06	.10	.14	.21	.24	.24	.24	.23	.18	.11	.08	.05
Maurset	.06	.10	.14	.21	.24	.25	.25	.23	.19	.11	.08	.05
Ullensvang	.05	.09	.13	.20	.24	.25	.24	.22	.18	.10	.08	.04
Kvamskogen	.05	.09	.12	.19	.23	.23	.23	.21	.16	.10	.07	.04
Slira	.06	.10	.14	.21	.24	.24	.24	.23	.19	.11	.08	.05
Myrdal	.06	.10	.14	.21	.24	.24	.24	.23	.19	.11	.08	.05
Voss	.06	.10	.14	.21	.24	.25	.24	.22	.18	.11	.07	.04
Bergsdal	.05	.09	.12	.19	.23	.24	.23	.21	.16	.10	.07	.04
Hjellestad	.04	.08	.10	.18	.22	.24	.23	.19	.15	.09	.07	.03
Bergen (Fr.berg)	.04	.08	.10	.18	.22	.24	.23	.19	.15	.09	.07	.03
Herdla	.04	.08	.10	.18	.22	.24	.23	.19	.15	.09	.07	.03
Syfteland	.04	.08	.10	.18	.22	.24	.23	.19	.15	.09	.07	.03
Hellisøy Fyr	.03	.07	.09	.17	.21	.23	.22	.19	.14	.09	.07	.03

Stasjon	Jan. I	Febr. II	Mars III	April IV	Mai V	Juni VI	Juli VII	Aug. VIII	Sept. IX	Okt. X	Nov. XI	Des. XII
Modalen	0.05	0.09	0.12	0.19	0.23	0.24	0.23	0.21	0.16	0.10	0.07	0.04
Vangsnes	.05	.08	.13	.20	.23	.24	.23	.21	.17	.11	.07	.04
Fjærland	.04	.07	.10	.14	.19	.20	.19	.17	.12	.09	.06	.04
Lærdal (Tønjum)	.06	.09	.14	.21	.24	.25	.24	.23	.18	.11	.07	.05
Leikanger	.05	.08	.13	.20	.24	.24	.24	.22	.18	.10	.07	.04
Luster Sanat.	.05	.09	.14	.21	.24	.24	.24	.23	.18	.10	.07	.04
Fortun	.05	.09	.14	.21	.24	.24	.24	.23	.18	.10	.07	.04
Fanaråken	.04	.07	.11	.17	.19	.20	.19	.17	.13	.08	.05	.03
Førde i Sunnfjord	.03	.07	.10	.18	.22	.24	.23	.21	.16	.08	.07	.03
Kinn	.03	.07	.09	.17	.21	.23	.22	.19	.14	.09	.06	.02
Nordfjordeid	.03	.07	.11	.18	.21	.22	.20	.16	.11	.07	.05	.02
Opstryn	.05	.09	.13	.20	.23	.24	.24	.22	.17	.10	.07	.04
Kråkenes Fyr	.03	.07	.09	.17	.21	.23	.22	.19	.14	.08	.06	.02
Tafjord	.04	.08	.11	.19	.23	.24	.24	.22	.17	.09	.06	.03
Runde	.03	.07	.09	.18	.21	.23	.23	.20	.15	.08	.05	.02
Ørsta	.04	.08	.11	.19	.22	.23	.23	.21	.16	.09	.06	.03
Ona	.03	.07	.10	.19	.22	.23	.22	.20	.15	.08	.05	.02
Molde	.04	.08	.11	.19	.22	.23	.22	.20	.15	.09	.05	.02
Gjermundnes	.04	.08	.11	.19	.22	.23	.22	.20	.15	.09	.05	.02
Sunndal	.04	.09	.13	.22	.25	.25	.25	.25	.18	.11	.06	.02
Tingvoll	.04	.08	.11	.19	.23	.23	.23	.24	.16	.09	.05	.02
Kristiansund N.	.03	.07	.10	.19	.22	.23	.23	.23	.15	.08	.06	.02
Sula Fyr	.03	.06	.09	.17	.21	.22	.22	.23	.14	.07	.04	.02
Vallersund	.03	.07	.10	.18	.22	.23	.23	.24	.15	.08	.06	.02
Ørland II	.03	.07	.10	.18	.22	.23	.23	.24	.15	.08	.06	.02
Trondheim (Voll)	.04	.08	.11	.21	.23	.23	.24	.24	.16	.10	.07	.02
Selbu	.04	.09	.12	.22	.24	.24	.25	.25	.17	.10	.07	.02
Berkåk	.04	.09	.13	.22	.25	.25	.25	.25	.18	.11	.06	.02
Meråker II	.04	.09	.12	.21	.23	.23	.23	.24	.17	.10	.06	.02
Værnes	.04	.08	.12	.21	.23	.23	.24	.24	.16	.10	.07	.02
Sulstua	.04	.09	.11	.21	.23	.23	.24	.24	.17	.10	.07	.02
Ytterøy	.04	.09	.11	.21	.23	.23	.23	.24	.16	.09	.07	.02
Kjevli i Snåsa	.04	.08	.11	.20	.22	.23	.23	.24	.16	.09	.07	.02
Grong	.03	.07	.10	.19	.22	.23	.23	.24	.16	.09	.06	.02
Nordli II	.04	.08	.11	.20	.22	.23	.23	.24	.17	.09	.07	.02
Nordøyan	.02	.06	.09	.18	.21	.22	.21	.22	.15	.08	.04	.02
Leka	.02	.06	.09	.18	.21	.22	.21	.22	.15	.08	.04	.02
Majavatn	.02	.06	.11	.19	.22	.22	.23	.24	.16	.08	.05	.02
Brønnøysund	.02	.06	.09	.18	.22	.22	.22	.23	.15	.08	.04	.02
Skålvær	.02	.06	.09	.18	.22	.22	.22	.23	.15	.08	.04	.02
Mo i Rana II	.02	.06	.11	.18	.22	.22	.22	.23	.16	.08	.04	.02
Nord-Solvær	.01	.06	.08	.17	.21	.22	.21	.22	.15	.08	.03	.01
Myken	.01	.05	.08	.16	.20	.21	.20	.21	.15	.08	.03	.01
Glomfjord	.01	.05	.08	.17	.21	.22	.21	.22	.16	.08	.03	.01
Helligvær	.01	.05	.08	.16	.19	.21	.21	.22	.15	.08	.02	.01
Bodø V	.00	.05	.08	.17	.19	.21	.21	.22	.15	.08	.02	.01
Fauske	.00	.05	.10	.18	.20	.22	.21	.22	.15	.08	.02	.01
Grøtøy	.00	.04	.08	.16	.18	.20	.20	.21	.15	.08	.01	.01
Drag i Tysfjord	.00	.05	.09	.17	.19	.20	.20	.20	.15	.08	.01	.01
Bjørnfjell	.00	.05	.10	.17	.18	.20	.20	.19	.15	.08	.01	.00
Narvik	.00	.05	.10	.17	.18	.20	.20	.19	.15	.08	.01	.00
Offersøy	.00	.04	.09	.16	.18	.20	.19	.20	.14	.08	.00	.00
Skrova	.00	.04	.07	.15	.18	.20	.18	.20	.14	.07	.00	.00
Glåpen Fyr	.00	.04	.07	.15	.18	.20	.18	.20	.14	.07	.00	.00
Røst	.00	.03	.06	.15	.18	.20	.18	.20	.14	.07	.00	.00
Skomvær Fyr	.00	.03	.06	.15	.18	.20	.18	.20	.14	.06	.00	.00
Eggum	.00	.03	.07	.15	.17	.19	.18	.19	.14	.06	.00	.00
Bø i Vesterålen	.00	.02	.07	.15	.17	.19	.17	.18	.14	.06	.00	.00
Andenes	.00	.02	.06	.14	.16	.18	.17	.18	.14	.06	.00	.00
Sandsøy i Senja	.00	.02	.07	.15	.17	.19	.18	.18	.14	.07	.00	.00
Gibostad	.00	.03	.08	.15	.17	.19	.18	.19	.14	.08	.00	.00
Sommarøy i Senja	.00	.02	.06	.14	.17	.19	.18	.17	.13	.07	.00	.00
Bardufoss	.00	.04	.08	.16	.18	.20	.19	.19	.14	.08	.01	.00
Skibotn	.00	.05	.09	.16	.18	.20	.18	.18	.15	.08	.01	.00
Tromsø	.00	.03	.07	.15	.17	.19	.18	.18	.13	.07	.00	.00
Skattøra	.00	.03	.07	.15	.17	.19	.18	.18	.13	.07	.00	.00
Dividalen	.00	.04	.10	.18	.20	.21	.21	.21	.15	.09	.01	.00
Torsvåg	.00	.02	.06	.14	.16	.18	.17	.16	.12	.05	.00	.00
Loppa	.00	.02	.06	.14	.16	.18	.17	.16	.12	.05	.00	.00
Alta (Elvebakken)	.00	.04	.10	.18	.19	.19	.18	.17	.14	.08	.00	.00
Ingøy	.00	.01	.06	.11	.14	.16	.14	.13	.10	.03	.00	.00
Sværholt	.00	.02	.06	.14	.15	.17	.15	.14	.11	.04	.00	.00
Gamvik	.00	.02	.05	.12	.15	.17	.16	.15	.10	.03	.00	.00
Makkaur Fyr	.00	.02	.04	.12	.15	.17	.17	.16	.11	.03	.00	.00
Vardø	.00	.02	.04	.11	.15	.17	.17	.16	.12	.03	.00	.00
Ekkerøy	.00	.02	.06	.13	.17	.18	.18	.17	.13	.05	.01	.00
Pasvik	.00	.04	.10	.17	.20	.21	.20	.18	.14	.07	.01	.00
Karasjok	.00	.04	.12	.18	.20	.21	.20	.19	.15	.08	.02	.00
Kautokeino	.00	.04	.12	.19	.21	.21	.21	.20	.15	.08	.02	.00
Siccajavre	.00	.04	.13	.20	.21	.22	.22	.21	.16	.09	.02	.00
Isfjord Rådio	.00	.03	.07	.17	.21	.23	.21	.23	.13	.03	.00	.00
Hopen	.00	.02	.07	.15	.19	.21	.20	.19	.13	.02	.00	.00
Bjørnøya	.00	.02	.07	.13	.17	.19	.19	.18	.13	.02	.00	.00
Jan Mayen	.00	.03	.03	.11	.12	.15	.17	.17	.09	.04	.02	.00
Myggbukta	.00	.00	.06	.18	.20	.17	.18	.18	.14	.06	.00	.00

Relativ Fuktighets-Faktor c

8-13-19

Stasjon	Jan. I	Febr. II	Mars III	April IV	Mai V	Juni VI	Juli VII	Aug. VIII	Sept. IX	Okt. X	Nov. XI	Des. XII
Røros	0.15	0.17	0.14	-0.02	-0.22	-0.29	-0.21	-0.05	0.14	0.23	0.20	0.17
Tynset	.15	.18	.14	- .02	- .22	- .30	- .21	- .05	.14	.22	.20	.17
Alvdal	.15	.18	.14	- .01	- .23	- .30	- .21	- .04	.14	.22	.20	.17
Drevsje	.15	.18	.14	- .02	- .24	- .31	- .21	- .05	.14	.23	.21	.17
Ytre Rendal	.16	.19	.14	- .01	- .24	- .31	- .21	- .04	.14	.22	.20	.18
Fokstua	.15	.18	.14	- .01	- .21	- .29	- .19	- .03	.14	.20	.19	.17
Dombås	.15	.18	.14	- .01	- .21	- .29	- .19	- .03	.14	.20	.19	.17
Vågåmo	.15	.18	.15	- .01	- .21	- .30	- .19	- .03	.14	.20	.20	.17
Elveseter	.15	.18	.15	.00	- .20	- .30	- .19	- .02	.14	.19	.19	.17
Bygdin	.15	.18	.15	- .01	- .22	- .32	- .19	- .03	.14	.20	.20	.17
Vinstra	.15	.18	.14	- .01	- .22	- .31	- .20	- .04	.14	.21	.20	.17
Vollen i Slidre	.16	.19	.15	.00	- .22	- .32	- .19	- .02	.14	.20	.20	.17
Åbjørsbråten	.16	.19	.15	.00	- .22	- .33	- .19	- .02	.14	.20	.20	.17
Lillehammer	.16	.19	.15	- .01	- .24	- .34	- .20	- .04	.14	.21	.20	.17
Åmot	.16	.19	.14	- .01	- .25	- .34	- .21	- .04	.14	.22	.21	.17
Trysil	.16	.19	.14	- .01	- .25	- .34	- .21	- .04	.14	.23	.21	.17
Vang på Hedmark	.16	.19	.15	- .01	- .25	- .35	- .21	- .04	.14	.22	.21	.17
Ø. Toten	.16	.20	.15	- .01	- .25	- .35	- .20	- .03	.14	.22	.20	.17
Kutjern	.16	.20	.15	- .01	- .25	- .36	- .20	- .03	.14	.21	.20	.17
Eggemoen	.17	.20	.15	- .01	- .25	- .37	- .20	- .02	.15	.21	.20	.17
Gardermoen	.17	.20	.15	- .01	- .26	- .37	- .20	- .03	.14	.22	.20	.16
Flisa	.16	.20	.14	- .02	- .27	- .36	- .21	- .04	.14	.23	.21	.16
Vinger	.17	.20	.15	- .02	- .28	- .37	- .21	- .04	.14	.23	.21	.17
Hvam	.17	.20	.15	- .01	- .28	- .37	- .20	- .03	.14	.22	.20	.17
Tryvasshøgda	.17	.21	.15	- .01	- .26	- .37	- .20	- .02	.14	.21	.20	.17
Oslo (Blindern)	.17	.21	.15	- .01	- .26	- .37	- .20	- .02	.14	.21	.20	.17
Fornebu	.17	.21	.15	- .01	- .26	- .37	- .20	- .02	.14	.21	.20	.17
Asker	.17	.21	.15	- .01	- .26	- .37	- .20	- .01	.14	.21	.20	.17
Modum	.17	.20	.15	.00	- .25	- .37	- .19	- .01	.15	.21	.20	.17
Nesbyen II	.16	.19	.15	.00	- .23	- .34	- .19	- .01	.14	.19	.20	.17
Geilo	.16	.19	.15	.00	- .22	- .34	- .18	- .01	.14	.19	.19	.17
Haugastøl	.16	.19	.15	.00	- .21	- .34	- .18	.00	.14	.19	.19	.18
Dagali	.16	.19	.15	.00	- .22	- .34	- .18	- .01	.14	.19	.19	.18
Svene	.17	.20	.16	.00	- .24	- .37	- .18	.00	.15	.20	.20	.17
Kongsberg	.17	.20	.16	.00	- .25	- .37	- .18	.00	.15	.21	.20	.17
Gaustatoppen	.16	.19	.16	.01	- .23	- .36	- .17	.00	.15	.19	.19	.18
Ramnes	.17	.21	.16	.00	- .26	- .38	- .18	.00	.15	.22	.20	.18
Ås	.17	.22	.15	- .01	- .27	- .38	- .20	- .01	.15	.22	.20	.17
Eidsberg	.18	.22	.15	- .01	- .28	- .39	- .20	- .01	.15	.22	.20	.18
Råde (Tomb)	.18	.22	.15	- .01	- .27	- .39	- .19	- .01	.15	.22	.20	.18
Kalnes	.18	.23	.15	- .01	- .28	- .40	- .19	- .01	.15	.22	.20	.18
Brekke Sluse	.18	.23	.15	- .01	- .28	- .40	- .19	- .01	.15	.23	.20	.18
Ferder	.18	.22	.16	.00	- .27	- .39	- .16	.00	.16	.23	.20	.19
Gvarv	.17	.20	.16	.01	- .24	- .37	- .17	.01	.16	.21	.19	.18
Dalen i Telemark	.16	.19	.16	.02	- .22	- .35	- .16	.02	.16	.19	.18	.19
Vefall i Drangedal	.17	.20	.16	.02	- .24	- .37	- .16	.02	.16	.22	.19	.20
Jomfruland	.17	.21	.16	.01	- .25	- .37	- .16	.02	.16	.22	.19	.20
Lyngør Fyr	.17	.20	.16	.02	- .24	- .37	- .15	.03	.17	.22	.19	.21
Merdøy	.17	.20	.17	.03	- .24	- .37	- .14	.04	.17	.22	.19	.22
Torungen Fyr	.17	.20	.17	.03	- .24	- .37	- .14	.04	.17	.22	.19	.22
Tveitsund	.17	.20	.16	.03	- .23	- .36	- .15	.03	.16	.21	.19	.20
Grimstad	.17	.20	.17	.04	- .23	- .37	- .14	.05	.17	.22	.19	.23
Byglandsfjord	.17	.20	.17	.04	- .23	- .35	- .14	.05	.17	.22	.19	.22
Kristiansand S.	.17	.20	.17	.04	- .23	- .36	- .13	.06	.18	.22	.19	.24
Kjevik	.17	.20	.17	.04	- .23	- .36	- .13	.06	.18	.22	.19	.24
Oksøy	.17	.20	.17	.04	- .23	- .36	- .13	.06	.18	.22	.19	.24
Mandal II	.17	.20	.18	.05	- .22	- .35	- .13	.06	.18	.22	.19	.24
Gløåen	.17	.20	.18	.05	- .22	- .35	- .13	.05	.18	.22	.19	.23
Lindesnes	.17	.20	.18	.05	- .21	- .35	- .13	.06	.18	.22	.19	.24
Lista	.17	.19	.18	.05	- .21	- .35	- .13	.06	.18	.21	.19	.24
Tonstad	.17	.19	.17	.05	- .21	- .35	- .14	.05	.17	.20	.18	.23
Obrestad	.16	.19	.18	.05	- .19	- .34	- .13	.06	.18	.19	.18	.24
Klepp	.16	.19	.18	.05	- .19	- .34	- .13	.06	.18	.19	.18	.24
Sola	.16	.19	.18	.05	- .19	- .34	- .14	.06	.17	.19	.18	.24
Stavanger	.16	.19	.18	.05	- .19	- .34	- .14	.05	.17	.19	.18	.24
Årdal i Ryfylke	.16	.19	.17	.04	- .20	- .34	- .14	.05	.17	.19	.18	.23
Sauda	.16	.19	.16	.03	- .20	- .34	- .15	.03	.16	.18	.18	.21
Hellandsbygd	.16	.19	.16	.03	- .20	- .34	- .15	.03	.16	.18	.18	.21
Skudenes II	.16	.19	.17	.04	- .19	- .33	- .14	.05	.17	.18	.18	.24
Utsira	.16	.19	.17	.04	- .18	- .33	- .14	.05	.17	.18	.18	.24
Indre Matre	.16	.18	.16	.03	- .19	- .33	- .15	.03	.16	.18	.18	.21
Slåtterøy	.15	.18	.16	.03	- .18	- .32	- .15	.04	.16	.17	.18	.23
Svandalsflona	.16	.19	.16	.02	- .20	- .34	- .16	.02	.16	.18	.19	.20
Maurset	.16	.19	.16	.02	- .21	- .33	- .16	.01	.15	.18	.19	.20
Ullensvang	.15	.18	.16	.02	- .20	- .33	- .16	.01	.15	.17	.19	.21
Kvamskogen	.15	.18	.16	.02	- .19	- .32	- .15	.02	.15	.17	.18	.22
Slira	.15	.18	.16	.01	- .20	- .33	- .17	.00	.14	.18	.19	.20
Myrdal	.15	.18	.16	.01	- .20	- .32	- .17	.00	.14	.18	.19	.20
Voss	.15	.18	.16	.01	- .19	- .32	- .16	.01	.15	.17	.19	.21
Bergsdal	.15	.18	.16	.02	- .19	- .32	- .16	.01	.15	.17	.18	.21
Hjellestad	.15	.18	.16	.02	- .18	- .32	- .15	.02	.15	.17	.18	.22
Bergen (Fr.berg)	.15	.18	.16	.02	- .18	- .32	- .15	.02	.15	.17	.18	.22
Herdla	.15	.18	.16	.02	- .18	- .32	- .15	.02	.15	.17	.18	.22
Sytteland	.15	.18	.16	.02	- .18	- .32	- .15	.02	.15	.17	.18	.22
Hellisøy Fyr	.15	.17	.16	.02	- .17	- .30	- .15	.02	.15	.16	.18	.23

Stasjon	Jan. I	Febr. II	Mars III	April IV	Mai V	Juni VI	Juli VII	Aug. VIII	Sept. IX	Okt. X	Nov. XI	Des. XII
Modalen	0.15	0.18	0.16	0.01	-0.18	-0.31	-0.16	0.01	0.15	0.17	0.18	0.22
Vangsnes	.15	.18	.15	.01	- .19	- .31	- .17	.00	.14	.17	.19	.22
Fjærland	.16	.20	.22	.11	- .08	- .12	- .01	.11	.24	.22	.20	.23
Lærdal (Tønjum)	.15	.18	.15	.00	- .20	- .32	- .18	- .02	.14	.18	.19	.20
Leikanger	.15	.18	.15	.01	- .19	- .31	- .17	- .01	.14	.17	.19	.21
Luster Sanat.	.15	.18	.15	.00	- .20	- .30	- .18	- .01	.14	.18	.19	.20
Fortun	.15	.18	.15	.00	- .20	- .30	- .18	- .02	.14	.18	.19	.20
Fanaråken	.33	.33	.33	.33	.00	.00	.00	.00	.00	.33	.33	.33
Førde i Sunnfjord	.14	.17	.16	.01	- .18	- .29	- .17	.00	.15	.16	.18	.23
Kinn	.14	.17	.16	.01	- .17	- .28	- .16	.01	.15	.16	.18	.24
Nordfjordeid	.14	.17	.15	.00	- .18	- .28	- .17	.00	.15	.16	.18	.24
Opstryn	.15	.17	.15	.00	- .19	- .29	- .18	- .01	.15	.17	.19	.22
Kråkenes Fyr	.14	.16	.16	.01	- .17	- .27	- .16	.01	.15	.16	.18	.24
Tafjord	.15	.17	.15	.00	- .19	- .28	- .18	- .02	.15	.18	.19	.22
Runde	.14	.16	.15	.00	- .17	- .27	- .17	.00	.15	.16	.18	.24
Ørsta	.14	.16	.15	.00	- .18	- .27	- .17	.00	.15	.16	.18	.24
Ona	.14	.16	.15	.00	- .17	- .26	- .18	.00	.15	.16	.18	.24
Molde	.14	.16	.15	- .01	- .18	- .27	- .18	- .01	.15	.16	.18	.24
Gjermundnes	.14	.16	.15	- .01	- .18	- .27	- .18	- .01	.15	.16	.18	.24
Sunndal	.15	.17	.14	- .01	- .20	- .28	- .20	- .03	.14	.20	.19	.20
Tingvoll	.14	.16	.15	- .01	- .19	- .27	- .19	- .02	.15	.18	.19	.22
Kristiansund N.	.14	.16	.15	- .01	- .18	- .26	- .19	- .01	.15	.17	.18	.24
Sula Fyr	.12	.14	.14	- .01	- .17	- .24	- .19	.00	.15	.16	.18	.25
Vallersund	.13	.15	.13	- .02	- .18	- .25	- .20	- .02	.15	.17	.19	.25
Ørland II	.13	.15	.14	- .02	- .18	- .25	- .20	- .02	.15	.18	.19	.24
Trondheim (Voll)	.14	.16	.14	- .02	- .19	- .26	- .20	- .04	.14	.22	.19	.21
Selbu	.14	.16	.14	- .02	- .20	- .27	- .21	- .05	.14	.23	.20	.20
Berkåk	.14	.17	.14	- .02	- .20	- .27	- .20	- .04	.14	.22	.19	.20
Meråker II	.14	.17	.13	- .03	- .21	- .26	- .21	- .05	.14	.23	.20	.20
Værnes	.14	.16	.14	- .02	- .20	- .26	- .20	- .04	.14	.22	.19	.20
Sulstua	.14	.17	.14	- .03	- .21	- .26	- .21	- .05	.14	.22	.20	.22
Ytterøy	.14	.16	.14	- .03	- .20	- .25	- .20	- .04	.14	.21	.20	.22
Kjevli i Snåsa	.14	.17	.15	- .04	- .20	- .24	- .21	- .04	.14	.19	.20	.24
Grong	.14	.17	.15	- .04	- .20	- .24	- .21	- .04	.13	.18	.20	.24
Nordli II	.15	.18	.15	- .05	- .21	- .24	- .22	- .04	.13	.18	.21	.25
Nordøyan	.12	.14	.12	- .02	- .16	- .21	- .15	.00	.15	.17	.18	.20
Leka	.12	.14	.13	- .02	- .17	- .21	- .16	- .01	.15	.16	.19	.22
Majavatn	.14	.17	.14	- .05	- .19	- .21	- .22	- .03	.10	.15	.22	.28
Brønnøysund	.13	.15	.13	- .03	- .16	- .21	- .17	- .01	.14	.16	.20	.25
Skålvær	.12	.15	.12	- .03	- .16	- .20	- .17	- .01	.14	.16	.21	.26
Mo i Rana II	.14	.17	.13	- .04	- .19	- .20	- .24	- .02	.11	.15	.25	.32
Nord-Solvær	.12	.14	.12	- .03	- .16	- .19	- .17	- .01	.15	.16	.22	.28
Myken	.11	.13	.11	- .02	- .14	- .18	- .14	.00	.15	.17	.21	.26
Glomfjord	.14	.16	.12	- .03	- .17	- .19	- .20	- .01	.13	.16	.24	.30
Helligvær	.13	.15	.12	- .02	- .15	- .18	- .17	- .01	.15	.16	.23	.28
Bodø V	.13	.16	.12	- .03	- .15	- .18	- .21	- .01	.13	.16	.25	.30
Fauske	.14	.17	.13	- .04	- .19	- .21	- .24	- .03	.10	.15	.27	.35
Grøtøy	.13	.15	.12	- .02	- .15	- .18	- .17	- .01	.14	.17	.24	.30
Drag i Tysfjord	.14	.17	.14	- .04	- .18	- .20	- .24	- .02	.11	.17	.32	.40
Bjørnfjell	.16	.20	.17	- .05	- .20	- .22	- .25	- .04	.04	.16	.39	.70
Narvik	.16	.20	.17	- .05	- .20	- .22	- .21	- .03	.08	.17	.36	.55
Offersøy	.13	.16	.13	- .02	- .16	- .18	- .16	- .01	.15	.18	.28	.36
Skrova	.12	.15	.13	- .02	- .15	- .17	- .15	.00	.15	.18	.23	.30
Gløpen Fyr	.11	.13	.11	- .01	- .13	- .15	- .10	.01	.16	.18	.20	.26
Røst	.10	.12	.10	- .01	- .12	- .14	- .10	.01	.16	.18	.20	.25
Skomvær Fyr	.10	.12	.10	- .01	- .12	- .14	- .10	.01	.16	.18	.20	.25
Eggum	.11	.13	.12	- .01	- .13	- .14	- .11	.00	.16	.19	.22	.27
Bø i Vesterålen	.11	.14	.13	- .01	- .13	- .14	- .12	.00	.16	.20	.24	.29
Andenes	.11	.16	.14	- .01	- .14	- .16	- .15	- .01	.16	.20	.30	.38
Sandsøy i Senja	.13	.18	.16	- .02	- .14	- .16	- .18	- .01	.15	.19	.35	.45
Gibostad	.14	.20	.18	- .02	- .16	- .18	- .20	- .01	.15	.19	.40	.60
Sommarøy i Senja	.13	.20	.18	- .01	- .16	- .17	- .18	- .01	.15	.19	.40	.60
Bardufoss	.15	.21	.19	- .05	- .20	- .22	- .26	- .03	.12	.17	.42	.66
Skibotn	.16	.24	.20	- .10	- .25	- .30	- .38	- .06	.10	.16	.53	.75
Tromsø	.15	.23	.20	- .02	- .18	- .20	- .25	- .01	.14	.19	.51	.73
Skattøra	.15	.23	.20	- .02	- .18	- .20	- .25	- .01	.14	.19	.51	.73
Dividalen	.17	.24	.20	- .18	- .30	- .35	- .42	- .15	.04	.14	.52	.75
Torsvåg	.12	.18	.17	- .02	- .17	- .19	- .22	- .02	.14	.18	.37	.55
Loppa	.12	.18	.17	- .03	- .21	- .25	- .28	- .04	.12	.16	.38	.56
Alta (Elvebakken)	.14	.19	.18	- .20	- .45	- .50	- .70	- .30	.06	.08	.45	.62
Ingøy	.11	.16	.15	- .05	- .32	- .36	- .50	- .18	.07	.13	.36	.48
Sværholt	.11	.15	.14	- .06	- .38	- .42	- .62	- .24	.05	.10	.35	.43
Gamvik	.10	.14	.13	- .17	- .44	- .49	- .70	- .32	.05	.08	.34	.42
Makkaur Fyr	.11	.14	.13	- .21	- .50	- .53	- .73	- .33	.03	.07	.35	.44
Vardø	.11	.14	.13	- .22	- .51	- .55	- .75	- .34	.02	.06	.36	.46
Ekkerøy	.12	.15	.15	- .23	- .52	- .57	- .77	- .37	.02	.05	.38	.51
Pasvik	.13	.17	.16	- .25	- .54	- .60	- .80	- .40	.01	.04	.44	.60
Karasjok	.15	.20	.19	- .25	- .55	- .61	- .82	- .40	.04	.05	.51	.76
Kautokeino	.16	.20	.19	- .25	- .54	- .59	- .79	- .39	.04	.05	.51	.76
Siccajavre	.17	.21	.19	- .26	- .56	- .62	- .81	- .40	.04	.05	.52	.77
Isfjord Radio	.00	.16	.09	- .14	- .33	- .15	.07	.24	.07	.07	.00	.00
Hopen	.00	.18	.10	- .13	- .30	- .20	.01	.23	.05	.05	.00	.00
Bjørnøya	.00	.21	.10	- .12	- .29	- .19	.00	.22	.05	.05	.00	.00
Jan Mayen	.00	.15	.13	- .15	- .18	- .11	.03	.24	.09	.09	.00	.00
Myggbukta	.00	.11	.10	- .17	- .20	- .08	.10	.25	.11	.11	.00	.00

Temperatur-Faktor k

8-13-19. Min (19-19)

Pentade	Røros	Alvdal	Dombås	Vinstra	Vollen i Slidre	Lillehammer	Vang på Hedmark	Østre Toten	Flisa	Vinger	Hvam	Oslo (Blindern)	Modum	Nesbyen II	Ramnes	Ås	Eidsberg	Gvarv	Byglandsfjord
1.I - 5.I	0.02	0.03	0.04	0.06	0.06	0.07	0.06	0.07	0.04	0.04	0.05	0.06	0.07	0.08	0.06	0.06	0.06	0.07	0.05
6.I - 10.I	0.02	0.03	0.04	0.06	0.06	0.08	0.06	0.07	0.04	0.04	0.05	0.06	0.08	0.08	0.06	0.06	0.06	0.07	0.05
11.I - 15.I	0.02	0.04	0.05	0.07	0.07	0.09	0.07	0.08	0.04	0.04	0.05	0.06	0.08	0.09	0.06	0.06	0.06	0.07	0.05
16.I - 20.I	0.02	0.04	0.05	0.07	0.08	0.09	0.07	0.08	0.04	0.04	0.05	0.06	0.08	0.09	0.06	0.06	0.06	0.07	0.05
21.I - 25.I	0.03	0.05	0.06	0.08	0.09	0.10	0.08	0.09	0.05	0.05	0.05	0.06	0.09	0.10	0.07	0.06	0.06	0.08	0.06
26.I - 30.I	0.03	0.06	0.07	0.09	0.09	0.10	0.08	0.09	0.05	0.05	0.06	0.07	0.09	0.10	0.07	0.07	0.07	0.08	0.07
31.I - 4.II	0.04	0.07	0.08	0.09	0.10	0.11	0.09	0.10	0.06	0.06	0.06	0.07	0.10	0.11	0.08	0.07	0.07	0.09	0.07
5.II - 9.II	0.04	0.08	0.09	0.10	0.11	0.11	0.09	0.10	0.06	0.06	0.06	0.07	0.10	0.11	0.08	0.07	0.07	0.10	0.08
10.II - 14.II	0.04	0.09	0.10	0.11	0.12	0.12	0.10	0.11	0.07	0.07	0.07	0.08	0.11	0.12	0.09	0.08	0.08	0.10	0.08
15.II - 19.II	0.05	0.10	0.10	0.12	0.13	0.13	0.11	0.11	0.08	0.07	0.07	0.08	0.11	0.13	0.09	0.08	0.08	0.11	0.09
20.II - 24.II	0.06	0.11	0.11	0.13	0.14	0.14	0.12	0.12	0.08	0.08	0.08	0.09	0.12	0.14	0.10	0.09	0.09	0.12	0.10
25.II - 1.III	0.07	0.12	0.12	0.14	0.15	0.15	0.13	0.13	0.09	0.09	0.09	0.10	0.13	0.15	0.11	0.10	0.10	0.13	0.10
2.III - 6.III	0.08	0.13	0.13	0.15	0.16	0.16	0.14	0.15	0.10	0.10	0.10	0.11	0.14	0.16	0.12	0.11	0.11	0.14	0.11
7.III - 11.III	0.09	0.14	0.14	0.16	0.17	0.17	0.15	0.16	0.11	0.11	0.11	0.12	0.15	0.17	0.13	0.12	0.12	0.15	0.11
12.III - 16.III	0.10	0.15	0.15	0.17	0.19	0.19	0.16	0.17	0.12	0.12	0.12	0.13	0.16	0.19	0.14	0.13	0.13	0.16	0.12
17.III - 21.III	0.11	0.16	0.16	0.19	0.20	0.20	0.17	0.18	0.13	0.13	0.13	0.14	0.17	0.20	0.15	0.14	0.14	0.17	0.13
22.III - 26.III	0.12	0.17	0.17	0.20	0.21	0.21	0.18	0.19	0.14	0.14	0.14	0.15	0.18	0.21	0.16	0.15	0.15	0.18	0.14
27.III - 31.III	0.14	0.19	0.18	0.21	0.21	0.22	0.20	0.20	0.16	0.15	0.15	0.16	0.19	0.22	0.17	0.16	0.16	0.19	0.15
1.IV - 5.IV	0.16	0.20	0.19	0.21	0.22	0.23	0.21	0.22	0.17	0.17	0.17	0.18	0.21	0.23	0.18	0.17	0.17	0.20	0.16
6.IV - 10.IV	0.17	0.21	0.20	0.22	0.23	0.24	0.22	0.23	0.18	0.18	0.18	0.19	0.22	0.24	0.19	0.18	0.18	0.21	0.17
11.IV - 15.IV	0.19	0.22	0.21	0.23	0.24	0.25	0.23	0.24	0.19	0.19	0.19	0.20	0.23	0.24	0.20	0.19	0.19	0.22	0.18
16.IV - 20.IV	0.21	0.23	0.22	0.24	0.25	0.26	0.24	0.25	0.20	0.20	0.20	0.21	0.24	0.25	0.21	0.20	0.20	0.23	0.19
21.IV - 25.IV	0.22	0.24	0.23	0.25	0.25	0.26	0.25	0.25	0.21	0.21	0.21	0.22	0.24	0.26	0.22	0.21	0.21	0.23	0.20
26.IV - 30.IV	0.23	0.25	0.23	0.25	0.26	0.27	0.25	0.26	0.22	0.22	0.21	0.22	0.25	0.26	0.22	0.21	0.21	0.23	0.21
1.V - 5.V	0.24	0.26	0.24	0.26	0.26	0.27	0.26	0.26	0.22	0.22	0.22	0.23	0.25	0.27	0.23	0.22	0.22	0.24	0.22
6.V - 10.V	0.25	0.26	0.25	0.26	0.27	0.27	0.26	0.27	0.23	0.23	0.23	0.23	0.25	0.27	0.23	0.23	0.23	0.24	0.23
11.V - 15.V	0.25	0.26	0.25	0.27	0.27	0.28	0.27	0.27	0.24	0.23	0.23	0.24	0.26	0.28	0.24	0.23	0.23	0.25	0.23
16.V - 20.V	0.26	0.27	0.26	0.27	0.27	0.28	0.27	0.27	0.24	0.24	0.24	0.24	0.26	0.28	0.24	0.24	0.24	0.25	0.24
21.V - 25.V	0.26	0.27	0.26	0.27	0.27	0.28	0.27	0.27	0.24	0.24	0.24	0.24	0.26	0.28	0.24	0.24	0.24	0.25	0.24
26.V - 30.V	0.26	0.27	0.26	0.27	0.27	0.27	0.27	0.26	0.24	0.24	0.24	0.24	0.26	0.28	0.24	0.24	0.24	0.25	0.24
31.V - 4.VI	0.26	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.28	0.24	0.24	0.24	0.25	0.24
5.VI - 9.VI	0.26	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.24	0.24	0.26	0.25
10.VI - 14.VI	0.26	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.24	0.24	0.26	0.25
15.VI - 19.VI	0.26	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.24	0.24	0.26	0.25
20.VI - 24.VI	0.26	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.24	0.24	0.26	0.25
25.VI - 29.VI	0.26	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.24	0.24	0.26	0.25
30.VI - 4.VII	0.25	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.23	0.23	0.26	0.24
5.VII - 9.VII	0.25	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.23	0.23	0.26	0.24
10.VII - 14.VII	0.25	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.23	0.23	0.26	0.24
15.VII - 19.VII	0.25	0.27	0.26	0.27	0.27	0.27	0.26	0.26	0.24	0.24	0.24	0.24	0.26	0.27	0.24	0.23	0.23	0.26	0.24
20.VII - 24.VII	0.25	0.26	0.25	0.26	0.26	0.26	0.26	0.26	0.24	0.23	0.23	0.24	0.25	0.27	0.24	0.23	0.23	0.25	0.23
25.VII - 29.VII	0.24	0.26	0.25	0.26	0.26	0.26	0.25	0.26	0.23	0.23	0.23	0.23	0.25	0.26	0.24	0.23	0.23	0.25	0.23
30.VII - 3.VIII	0.24	0.25	0.25	0.25	0.25	0.26	0.25	0.26	0.23	0.23	0.23	0.23	0.25	0.26	0.24	0.23	0.23	0.25	0.23
4.VIII - 8.VIII	0.24	0.24	0.25	0.25	0.25	0.25	0.25	0.25	0.23	0.22	0.23	0.23	0.25	0.26	0.23	0.22	0.22	0.24	0.22
9.VIII - 13.VIII	0.24	0.24	0.24	0.24	0.24	0.25	0.24	0.25	0.22	0.22	0.22	0.23	0.24	0.25	0.23	0.22	0.22	0.24	0.22
14.VIII - 18.VIII	0.24	0.23	0.24	0.24	0.24	0.25	0.24	0.25	0.22	0.22	0.22	0.23	0.24	0.25	0.23	0.22	0.22	0.24	0.22
19.VIII - 23.VIII	0.24	0.23	0.23	0.23	0.23	0.24	0.23	0.24	0.21	0.21	0.21	0.22	0.23	0.24	0.22	0.21	0.21	0.23	0.21
24.VIII - 28.VIII	0.23	0.23	0.23	0.23	0.23	0.24	0.23	0.24	0.20	0.20	0.21	0.22	0.23	0.24	0.22	0.21	0.21	0.23	0.20
29.VIII - 2.IX	0.23	0.23	0.22	0.22	0.22	0.23	0.22	0.23	0.19	0.19	0.20	0.21	0.22	0.23	0.21	0.20	0.20	0.22	0.19
3.IX - 7.IX	0.22	0.22	0.21	0.22	0.22	0.23	0.22	0.23	0.18	0.18	0.19	0.20	0.21	0.23	0.20	0.19	0.19	0.21	0.18
8.IX - 12.IX	0.21	0.21	0.20	0.21	0.21	0.22	0.21	0.22	0.17	0.17	0.18	0.20	0.21	0.22	0.20	0.18	0.18	0.20	0.17
13.IX - 17.IX	0.20	0.20	0.19	0.20	0.20	0.21	0.20	0.21	0.16	0.16	0.17	0.19	0.20	0.21	0.19	0.17	0.17	0.19	0.16
18.IX - 22.IX	0.19	0.19	0.18	0.19	0.19	0.20	0.19	0.20	0.15	0.15	0.16	0.18	0.19	0.20	0.18	0.16	0.16	0.18	0.15
23.IX - 27.IX	0.18	0.18	0.17	0.18	0.18	0.19	0.18	0.19	0.14	0.14	0.15	0.17	0.18	0.19	0.17	0.15	0.15	0.17	0.14
28.IX - 2.X	0.16	0.16	0.15	0.16	0.17	0.18	0.17	0.18	0.13	0.13	0.14	0.16	0.17	0.18	0.16	0.14	0.14	0.16	0.13
3.X - 7.X	0.15	0.14	0.13	0.14	0.15	0.16	0.15	0.16	0.12	0.12	0.13	0.14	0.15	0.17	0.14	0.13	0.13	0.15	0.12
8.X - 12.X	0.13	0.13	0.12	0.13	0.14	0.15	0.14	0.15	0.11	0.11	0.12	0.13	0.14	0.15	0.13	0.12	0.12	0.14	0.11
13.X - 17.X	0.12	0.12	0.11	0.12	0.13	0.14	0.12	0.14	0.10	0.10	0.11	0.12	0.13	0.14	0.12	0.11	0.11	0.13	0.10
18.X - 22.X	0.10	0.11	0.10	0.11	0.12	0.13	0.11	0.13	0.10	0.09	0.11	0.12	0.12	0.13	0.12	0.11	0.11	0.12	0.10
23.X - 27.X	0.09	0.10	0.09	0.10	0.11	0.12	0.11	0.12	0.09	0.09	0.10	0.11	0.12	0.12	0.11	0.11	0.11	0.11	0.09
28.X - 1.XI	0.08	0.09	0.08	0.10	0.10	0.11	0.10	0.11	0.08	0.08	0.10	0.11	0.11	0.12	0.11	0.10	0.10	0.11	0.09
2.XI - 6.XI	0.06	0.08	0.08	0.09	0.10	0.10	0.10	0.10	0.08	0.08	0.10	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.08
7.XI - 11.XI	0.05	0.07	0.07	0.08	0.09	0.09	0.09	0.10	0.07	0.07	0.09	0.10	0.10	0.11	0.10	0.10	0.10	0.10	0.08
12.XI - 16.XI	0.04	0.06	0.06	0.07	0.08	0.08	0.08	0.09	0.07	0.07	0.09	0.10	0.10	0.10	0.09	0.09	0.09	0.09	0.08
17.XI - 21.XI	0.04	0.05	0.06	0.07	0.08	0.08	0.08	0.08	0.07	0.06	0.08	0.10	0.10	0.09	0.09	0.09	0.09	0.09	0.07
22.XI - 26.XI	0.03	0.05	0.05	0.06	0.07	0.07	0.07	0.08	0.06	0.06	0.08	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.07
27.XI - 1.XII	0.03	0.04	0.05	0.06	0.07	0.07	0.06	0.07	0.06	0.05	0.07	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.06
2.XII - 6.XII	0.03	0.04	0.05	0.06	0.06	0.06	0.06	0.07	0.05	0.05	0.06	0.07	0.08	0.07	0.07	0.07	0.07	0.07	0.06
7.XII - 11.XII	0.02	0.04	0.04	0.05	0.06	0.06	0.05	0.06	0.04	0.05	0.06	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.05
12.XII - 16.XII	0.02	0.03	0.04	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05
17.XII - 21.XII	0.02	0.03	0.03	0.04	0.04	0.05	0.05	0.05	0.04	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05
22.XII - 26.XII	0.02	0.03	0.03	0.04	0.04	0.05	0.06	0.06	0.04	0.04	0.05	0.06	0.06	0.07	0.06	0.06	0.06	0.06	0.05
27.XII - 31.XII	0.02	0.03	0.04	0.05	0.05	0.06	0.06	0.06	0.04	0.04	0.05	0.06	0.07	0.07	0.06	0.06	0.06	0.07	0.05

Temperatur-Faktor k

8-13-19. Min (19-19)

Pentade	Kristiansand S.	Klepp	Sauda	Ullensvang	Syfteland	Leikanger	Nordfjordeid	Tafjord	Runde	Tingvoll	Vallersund	Trondheim (Voll)	Værnes	Kjevli i Snåsa	Brønnøysund II	Mo i Rana II	Bodø V	Offersøy	Tromsø
1.I - 5.I	0.04	0.04	0.05	0.05	0.04	0.05	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.00	0.00	0.00
6.I - 10.I	0.04	0.04	0.05	0.05	0.04	0.05	0.03	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.00	0.00	0.00
11.I - 15.I	0.04	0.04	0.05	0.05	0.04	0.05	0.03	0.04	0.03	0.04	0.03	0.04	0.04	0.04	0.02	0.02	0.00	0.00	0.00
16.I - 20.I	0.04	0.04	0.05	0.05	0.04	0.05	0.03	0.04	0.03	0.04	0.03	0.04	0.04	0.04	0.02	0.02	0.00	0.00	0.00
21.I - 25.I	0.05	0.05	0.06	0.06	0.05	0.06	0.04	0.05	0.04	0.05	0.04	0.05	0.05	0.05	0.03	0.03	0.01	0.01	0.01
26.I - 30.I	0.06	0.06	0.06	0.07	0.05	0.06	0.05	0.06	0.04	0.05	0.04	0.05	0.05	0.05	0.03	0.03	0.02	0.02	0.01
31.I - 4.II	0.07	0.07	0.07	0.07	0.06	0.07	0.05	0.06	0.05	0.06	0.05	0.06	0.06	0.06	0.04	0.04	0.03	0.02	0.02
5.II - 9.II	0.08	0.07	0.08	0.08	0.07	0.07	0.06	0.07	0.06	0.07	0.06	0.07	0.07	0.07	0.05	0.05	0.04	0.03	0.02
10.II - 14.II	0.09	0.08	0.09	0.09	0.07	0.08	0.07	0.08	0.06	0.07	0.06	0.07	0.07	0.07	0.06	0.06	0.05	0.04	0.03
15.II - 19.II	0.10	0.08	0.09	0.09	0.08	0.09	0.07	0.08	0.07	0.08	0.07	0.08	0.08	0.08	0.06	0.06	0.05	0.04	0.03
20.II - 24.II	0.10	0.09	0.10	0.10	0.08	0.09	0.08	0.09	0.07	0.08	0.07	0.09	0.09	0.09	0.07	0.07	0.06	0.05	0.04
25.II - 1.III	0.11	0.09	0.10	0.11	0.09	0.10	0.09	0.09	0.08	0.09	0.08	0.09	0.10	0.09	0.07	0.08	0.06	0.06	0.05
2.III - 6.III	0.11	0.10	0.11	0.11	0.09	0.11	0.09	0.10	0.08	0.10	0.08	0.10	0.11	0.10	0.08	0.09	0.07	0.07	0.05
7.III - 11.III	0.12	0.10	0.11	0.12	0.10	0.12	0.10	0.10	0.09	0.10	0.09	0.11	0.12	0.10	0.08	0.10	0.08	0.08	0.06
12.III - 16.III	0.12	0.11	0.12	0.13	0.10	0.13	0.11	0.11	0.09	0.11	0.10	0.12	0.13	0.11	0.09	0.11	0.09	0.09	0.07
17.III - 21.III	0.13	0.12	0.13	0.14	0.11	0.14	0.12	0.12	0.10	0.12	0.11	0.13	0.14	0.12	0.10	0.12	0.10	0.10	0.08
22.III - 26.III	0.14	0.13	0.14	0.15	0.12	0.15	0.13	0.13	0.11	0.13	0.12	0.14	0.15	0.13	0.11	0.13	0.11	0.11	0.09
27.III - 31.III	0.15	0.14	0.15	0.16	0.13	0.16	0.14	0.14	0.13	0.14	0.13	0.15	0.16	0.15	0.13	0.14	0.12	0.12	0.10
1.IV - 5.IV	0.16	0.15	0.16	0.17	0.15	0.17	0.15	0.16	0.14	0.16	0.14	0.17	0.17	0.16	0.14	0.15	0.13	0.13	0.12
6.IV - 10.IV	0.17	0.16	0.18	0.18	0.16	0.18	0.16	0.17	0.16	0.17	0.16	0.18	0.19	0.17	0.15	0.16	0.14	0.14	0.13
11.IV - 15.IV	0.19	0.17	0.19	0.19	0.17	0.19	0.17	0.18	0.17	0.18	0.17	0.19	0.20	0.19	0.16	0.17	0.15	0.15	0.14
16.IV - 20.IV	0.20	0.18	0.20	0.20	0.18	0.20	0.18	0.19	0.18	0.19	0.18	0.20	0.21	0.20	0.17	0.18	0.16	0.16	0.15
21.IV - 25.IV	0.20	0.19	0.20	0.21	0.19	0.21	0.18	0.20	0.18	0.20	0.19	0.21	0.22	0.20	0.18	0.19	0.17	0.16	0.15
26.IV - 30.IV	0.21	0.20	0.21	0.21	0.20	0.22	0.19	0.21	0.19	0.20	0.20	0.22	0.22	0.21	0.19	0.20	0.17	0.17	0.16
1.V - 5.V	0.21	0.20	0.21	0.22	0.20	0.22	0.19	0.21	0.19	0.21	0.20	0.22	0.22	0.21	0.20	0.20	0.18	0.17	0.16
6.V - 10.V	0.22	0.21	0.22	0.23	0.21	0.23	0.20	0.22	0.20	0.22	0.21	0.23	0.22	0.21	0.21	0.21	0.18	0.17	0.16
11.V - 15.V	0.22	0.21	0.22	0.23	0.21	0.24	0.20	0.22	0.20	0.22	0.21	0.23	0.23	0.22	0.21	0.21	0.19	0.18	0.17
16.V - 20.V	0.23	0.22	0.23	0.24	0.22	0.24	0.21	0.23	0.21	0.23	0.22	0.23	0.23	0.22	0.22	0.22	0.19	0.18	0.17
21.V - 25.V	0.23	0.22	0.23	0.24	0.22	0.24	0.21	0.23	0.21	0.23	0.22	0.23	0.23	0.22	0.22	0.22	0.20	0.18	0.17
26.V - 30.V	0.24	0.23	0.24	0.24	0.23	0.24	0.21	0.23	0.21	0.23	0.22	0.23	0.23	0.22	0.22	0.22	0.20	0.19	0.18
31.V - 4.VI	0.24	0.23	0.24	0.24	0.23	0.24	0.22	0.23	0.22	0.23	0.22	0.23	0.23	0.22	0.22	0.22	0.20	0.19	0.18
5.VI - 9.VI	0.24	0.23	0.24	0.25	0.23	0.24	0.22	0.24	0.22	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.21	0.19	0.18
10.VI - 14.VI	0.25	0.24	0.25	0.25	0.24	0.24	0.22	0.24	0.22	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.21	0.20	0.19
15.VI - 19.VI	0.25	0.24	0.25	0.25	0.24	0.24	0.22	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.21	0.20	0.19
20.VI - 24.VI	0.25	0.24	0.25	0.25	0.24	0.24	0.21	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.21	0.20	0.19
25.VI - 29.VI	0.24	0.23	0.24	0.24	0.23	0.24	0.21	0.24	0.23	0.23	0.23	0.24	0.24	0.23	0.22	0.22	0.21	0.20	0.19
30.VI - 4.VII	0.24	0.23	0.24	0.24	0.23	0.24	0.21	0.24	0.23	0.23	0.23	0.24	0.24	0.23	0.22	0.22	0.21	0.19	0.18
5.VII - 9.VII	0.24	0.23	0.24	0.24	0.23	0.24	0.20	0.24	0.23	0.23	0.23	0.24	0.24	0.23	0.22	0.22	0.21	0.19	0.18
10.VII - 14.VII	0.24	0.23	0.24	0.24	0.23	0.24	0.20	0.24	0.23	0.23	0.23	0.24	0.24	0.23	0.22	0.22	0.21	0.19	0.18
15.VII - 19.VII	0.24	0.23	0.24	0.24	0.23	0.24	0.20	0.24	0.23	0.23	0.23	0.24	0.24	0.23	0.22	0.22	0.21	0.19	0.18
20.VII - 24.VII	0.23	0.22	0.23	0.24	0.22	0.24	0.19	0.24	0.22	0.23	0.23	0.24	0.24	0.23	0.22	0.22	0.21	0.19	0.18
25.VII - 29.VII	0.23	0.22	0.23	0.23	0.22	0.23	0.19	0.23	0.22	0.23	0.23	0.24	0.24	0.23	0.22	0.22	0.21	0.19	0.18
30.VII - 3.VIII	0.22	0.21	0.23	0.23	0.21	0.23	0.18	0.23	0.21	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.22	0.20	0.18
4.VIII - 8.VIII	0.22	0.20	0.22	0.23	0.20	0.23	0.17	0.23	0.21	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.22	0.20	0.18
9.VIII - 13.VIII	0.21	0.20	0.22	0.22	0.19	0.22	0.17	0.22	0.20	0.24	0.24	0.24	0.24	0.24	0.23	0.23	0.22	0.20	0.18
14.VIII - 18.VIII	0.21	0.19	0.21	0.22	0.19	0.22	0.16	0.22	0.20	0.23	0.23	0.23	0.23	0.23	0.22	0.22	0.21	0.20	0.17
19.VIII - 23.VIII	0.20	0.18	0.21	0.21	0.18	0.21	0.15	0.21	0.19	0.22	0.22	0.22	0.22	0.22	0.21	0.21	0.20	0.19	0.17
24.VIII - 28.VIII	0.19	0.18	0.20	0.21	0.18	0.21	0.14	0.20	0.18	0.21	0.21	0.21	0.21	0.21	0.20	0.20	0.19	0.18	0.16
29.VIII - 2.IX	0.18	0.17	0.19	0.20	0.17	0.20	0.13	0.19	0.17	0.20	0.19	0.20	0.20	0.20	0.19	0.19	0.18	0.17	0.16
3.IX - 7.IX	0.18	0.16	0.18	0.19	0.16	0.19	0.12	0.18	0.17	0.18	0.18	0.19	0.19	0.18	0.17	0.18	0.17	0.16	0.15
8.IX - 12.IX	0.17	0.16	0.17	0.18	0.16	0.18	0.12	0.17	0.16	0.17	0.16	0.17	0.18	0.17	0.16	0.17	0.16	0.15	0.14
13.IX - 17.IX	0.16	0.15	0.16	0.17	0.15	0.17	0.11	0.16	0.15	0.16	0.15	0.16	0.16	0.16	0.15	0.16	0.15	0.14	0.13
18.IX - 22.IX	0.15	0.14	0.15	0.16	0.14	0.16	0.10	0.15	0.14	0.14	0.14	0.15	0.15	0.15	0.14	0.15	0.14	0.13	0.12
23.IX - 27.IX	0.14	0.13	0.14	0.15	0.13	0.15	0.10	0.14	0.13	0.13	0.13	0.14	0.14	0.14	0.13	0.13	0.13	0.12	0.11
28.IX - 2.X	0.13	0.12	0.13	0.14	0.12	0.14	0.09	0.13	0.11	0.12	0.12	0.13	0.13	0.12	0.11	0.12	0.12	0.11	0.10
3.X - 7.X	0.12	0.11	0.12	0.13	0.11	0.12	0.08	0.11	0.10	0.11	0.11	0.12	0.12	0.11	0.10	0.11	0.11	0.10	0.09
8.X - 12.X	0.11	0.10	0.11	0.11	0.10	0.11	0.08	0.10	0.09	0.10	0.10	0.11	0.11	0.10	0.09	0.10	0.09	0.09	0.08
13.X - 17.X	0.10	0.10	0.10	0.10	0.10	0.10	0.07	0.09	0.08	0.09	0.09	0.10	0.10	0.09	0.08	0.08	0.08	0.08	0.07
18.X - 22.X	0.09	0.09	0.10	0.10	0.09	0.09	0.07	0.09	0.07	0.08	0.08	0.09	0.10	0.09	0.07	0.07	0.07	0.07	0.06
23.X - 27.X	0.09	0.09	0.09	0.09	0.09	0.09	0.06	0.08	0.07	0.07	0.08	0.09	0.09	0.08	0.07	0.07	0.06	0.06	0.05
28.X - 1.XI	0.08	0.08	0.08	0.09	0.08	0.08	0.06	0.08	0.06	0.07	0.07	0.08	0.09	0.08	0.06	0.06	0.05	0.05	0.04
2.XI - 6.XI	0.08	0.08	0.08	0.09	0.08	0.08	0.06	0.07	0.06	0.06	0.07	0.08	0.08	0.08	0.05	0.05	0.04	0.04	0.03
7.XI - 11.XI	0.07	0.07	0.07	0.08	0.07	0.07	0.05	0.07	0.05	0.05	0.06	0.07	0.08	0.07	0.05	0.05	0.03	0.03	0.02
12.XI - 16.XI	0.07	0.07	0.07	0.08	0.07	0.07	0.05	0.06	0.05	0.05	0.06	0.07	0.07	0.07	0.04	0.04	0.02	0.02	0.01
17.XI - 21.XI	0.07	0.07	0.06	0.07	0.06	0.06	0.05	0.06	0.04	0.04	0.05	0.06	0.06	0.06	0.04	0.04	0.02	0.01	0.00
22.XI - 26.XI	0.06	0.06	0.06	0.07	0.06	0.06	0.04	0.05	0.04	0.04	0.04	0.05	0.06	0.05	0.03	0.03	0.02	0.00	0.00
27.XI - 1.XII	0.06	0.06	0.05	0.06	0.05	0.05	0.04	0.04	0.03	0.03	0.04	0.04	0.05	0.04	0.03	0.03	0.01	0.00	0.00
2.XII - 6.XII	0.05	0.05	0.05	0.05	0.04	0.05	0.03	0.04	0.03	0.03	0.03	0.04	0.04	0.04	0.03	0.03	0.01	0.00	0.00
7.XII - 11.XII	0.05	0.05	0.04	0.05	0.04	0.04	0.03	0.03	0.03	0.02	0.03	0.03	0.03	0.03	0.02	0.02	0.01	0.00	0.00
12.XII - 16.XII	0.04	0.04	0.04	0.04	0.03	0.04	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.00	0.00
17.XII - 21.XII	0.04	0.04	0.04	0.04	0.03	0.04	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.00	0.00
22.XII - 26.XII	0.04	0.03	0.04	0.04	0.03	0.04	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.00	0.00
27.XII - 31.XII	0.04	0.03	0.04	0.04	0.03	0.04	0.02	0.03	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.01	0.00	0.00

Temperatur-Faktor k

7-13-19. Min (19-19)

Stasjon	Jan. I	Febr. II	Mars III	April IV	Mai V	Juni VI	Juli VII	Aug. VIII	Sept. IX	Okt. X	Nov. XI	Des. XII
Røros	0.02	0.05	0.07	0.14	0.19	0.19	0.18	0.17	0.14	0.09	0.03	0.02
Tynset	.04	.09	.10	.15	.20	.20	.19	.18	.15	.10	.05	.03
Alvdal	.04	.10	.11	.16	.20	.20	.20	.18	.15	.10	.05	.03
Drevsjø	.05	.09	.10	.14	.19	.19	.18	.17	.14	.09	.05	.03
Koppang	.05	.10	.11	.16	.20	.20	.20	.18	.15	.10	.05	.04
Fokstua	.05	.10	.11	.16	.19	.19	.19	.17	.15	.09	.05	.04
Dombås	.05	.10	.11	.16	.19	.19	.19	.17	.15	.09	.05	.04
Vågåmo	.05	.10	.11	.16	.19	.19	.19	.17	.15	.09	.05	.04
Elveseter	.05	.10	.11	.16	.19	.19	.19	.17	.14	.09	.05	.04
Bygdin	.07	.11	.12	.17	.21	.21	.21	.19	.17	.11	.07	.05
Vinstra	.07	.11	.12	.17	.20	.20	.20	.18	.16	.10	.06	.05
Vollen i Slidre	.07	.11	.12	.17	.21	.21	.21	.19	.17	.11	.07	.05
Abjørsbråten	.08	.11	.13	.18	.22	.21	.21	.20	.18	.11	.08	.05
Lillehammer	.09	.12	.13	.19	.22	.21	.21	.20	.18	.12	.08	.05
Åmot	.07	.10	.11	.17	.20	.20	.20	.19	.16	.11	.06	.05
Trysil	.05	.09	.10	.15	.19	.19	.19	.17	.14	.09	.05	.04
Vang på Hedmark	.07	.10	.11	.17	.21	.20	.20	.19	.16	.10	.07	.05
Ø. Toten	.08	.11	.12	.18	.21	.20	.20	.19	.17	.11	.08	.05
Kutjern	.09	.11	.12	.19	.22	.21	.20	.19	.17	.12	.08	.06
Eggemoen	.08	.11	.12	.17	.21	.21	.21	.19	.17	.11	.08	.06
Gardermoen	.06	.08	.10	.15	.19	.19	.19	.18	.15	.10	.08	.06
Flisa	.04	.07	.04	.14	.19	.19	.19	.16	.12	.09	.06	.04
Vinger	.04	.07	.09	.14	.19	.19	.19	.16	.12	.09	.06	.04
Hvam	.05	.07	.09	.14	.19	.19	.19	.17	.14	.09	.08	.05
Tryvasshøgda	.06	.08	.10	.15	.19	.20	.20	.19	.15	.10	.09	.06
Oslo (Blindern)	.06	.08	.10	.15	.19	.20	.20	.19	.15	.10	.09	.06
Fornebu	.06	.08	.10	.15	.19	.20	.20	.19	.15	.10	.09	.06
Asker	.07	.09	.11	.16	.19	.20	.20	.19	.16	.10	.09	.06
Modum	.08	.11	.12	.17	.20	.21	.21	.19	.17	.11	.09	.06
Nesbyen II	.09	.12	.13	.18	.22	.21	.21	.20	.18	.12	.09	.06
Geilo	.06	.10	.12	.17	.21	.20	.20	.19	.17	.10	.08	.05
Haugastøl	.06	.10	.12	.16	.20	.20	.20	.19	.17	.10	.08	.05
Dagali	.07	.10	.12	.16	.20	.20	.20	.19	.17	.10	.08	.05
Svene	.09	.11	.12	.17	.20	.20	.20	.19	.17	.11	.10	.06
Kongsberg	.09	.11	.12	.17	.20	.20	.20	.19	.17	.11	.09	.06
Gaustadtoppen	.08	.10	.11	.16	.18	.18	.18	.17	.15	.10	.08	.05
Rammes	.06	.09	.10	.15	.19	.20	.20	.19	.15	.10	.08	.06
Ås	.06	.08	.10	.15	.19	.20	.20	.18	.15	.09	.08	.06
Eidsberg	.06	.08	.10	.15	.19	.20	.20	.18	.15	.09	.08	.06
Råde (Tomb)	.06	.08	.10	.15	.19	.20	.20	.18	.15	.09	.08	.06
Kalnes	.06	.08	.10	.15	.19	.20	.20	.18	.15	.09	.07	.06
Brekke Sluse	.06	.08	.10	.15	.19	.20	.20	.18	.15	.09	.07	.06
Ferder	.06	.09	.10	.15	.19	.20	.19	.18	.15	.09	.07	.06
Gvarv	.07	.11	.12	.17	.20	.21	.21	.19	.17	.10	.08	.06
Dalen i Telemark	.06	.11	.12	.16	.20	.21	.20	.19	.17	.10	.08	.05
Vefall i Drangedal	.07	.09	.10	.15	.20	.21	.20	.19	.16	.10	.08	.06
Jomfruland	.06	.09	.10	.15	.20	.21	.20	.17	.15	.09	.08	.06
Lyngør Fyr	.06	.09	.10	.15	.19	.20	.19	.17	.14	.09	.07	.05
Merdøy	.06	.09	.10	.15	.19	.20	.19	.17	.14	.08	.07	.05
Torungen Fyr	.05	.09	.09	.15	.18	.20	.19	.16	.14	.08	.07	.05
Tveitsund	.06	.10	.10	.16	.19	.21	.20	.18	.16	.09	.08	.05
Grimstad	.05	.09	.09	.15	.18	.20	.19	.16	.14	.08	.07	.05
Byglandsfjord	.05	.09	.10	.15	.18	.20	.19	.16	.14	.08	.07	.05
Kristiansand S.	.04	.09	.09	.14	.17	.20	.19	.16	.13	.07	.06	.04
Kjevik	.04	.09	.09	.14	.17	.20	.19	.16	.13	.07	.06	.04
Oksøy	.04	.08	.08	.14	.17	.19	.18	.16	.13	.07	.06	.04
Mandal II	.04	.08	.08	.14	.17	.19	.18	.15	.12	.07	.06	.04
Glåben	.05	.09	.09	.15	.18	.19	.18	.16	.13	.08	.06	.05
Lindesnes	.04	.08	.08	.13	.17	.19	.18	.15	.12	.07	.06	.04
Lista	.04	.08	.08	.13	.17	.19	.18	.15	.12	.07	.06	.04
Tonstad	.05	.09	.09	.14	.18	.20	.19	.16	.13	.08	.06	.04
Obrestad	.04	.08	.08	.13	.17	.19	.18	.14	.11	.07	.06	.04
Klepp	.04	.08	.08	.13	.17	.19	.18	.14	.11	.07	.06	.04
Sola	.04	.08	.08	.13	.17	.19	.18	.14	.11	.07	.06	.04
Stavanger	.04	.08	.08	.13	.17	.19	.18	.14	.11	.07	.06	.04
Sauda	.05	.09	.09	.15	.18	.20	.19	.16	.13	.08	.06	.04
Fister	.04	.08	.08	.14	.18	.20	.19	.15	.12	.07	.06	.04
Hellandsbygd	.05	.09	.09	.15	.18	.20	.19	.16	.13	.08	.06	.05
Skudenes II	.04	.07	.07	.13	.17	.19	.18	.14	.11	.07	.06	.04
Utsira	.04	.07	.07	.13	.17	.19	.18	.14	.11	.07	.06	.04
Indre Matre	.05	.09	.09	.14	.18	.19	.18	.15	.12	.08	.06	.04
Slåtterøy	.04	.07	.07	.13	.17	.19	.18	.14	.11	.07	.06	.04
Svandalsflona	.06	.10	.10	.16	.19	.20	.20	.17	.14	.09	.07	.05
Ullensvang	.05	.09	.09	.15	.18	.20	.19	.15	.14	.08	.07	.04
Kvamskogen	.05	.09	.09	.14	.18	.19	.19	.15	.12	.08	.06	.04
Slira	.06	.10	.10	.16	.19	.20	.20	.17	.15	.09	.07	.05
Myrdal	.06	.10	.10	.15	.19	.20	.20	.17	.15	.09	.07	.05
Voss	.06	.10	.10	.15	.18	.19	.19	.16	.14	.09	.06	.04
Hjellestad	.04	.08	.08	.13	.17	.18	.18	.14	.11	.07	.06	.03
Bergen (Fr.berg)	.04	.08	.08	.13	.17	.18	.18	.14	.11	.07	.06	.03
Herdla	.04	.08	.08	.13	.17	.18	.18	.14	.11	.07	.06	.03
Sytteland	.04	.08	.08	.13	.17	.18	.18	.14	.11	.07	.06	.03
Hellisøy Fyr	.03	.07	.07	.12	.17	.18	.18	.14	.11	.07	.06	.03
Modalen	.05	.09	.09	.14	.18	.19	.19	.15	.13	.08	.06	.04
Takle	.04	.08	.08	.13	.17	.18	.18	.14	.11	.07	.06	.03

Stasjon	Jan. I	Febr. II	Mars III	April IV	Mai V	Juni VI	Juli VII	Aug. VIII	Sept. IX	Okt. X	Nov. XI	Des. XII
Vangsnes	0.05	0.08	0.09	0.15	0.19	0.20	0.20	0.15	0.14	0.09	0.06	0.04
Fjærland	.04	.07	.08	.10	.15	.16	.15	.13	.09	.07	.05	.04
Lærdal (Tønjum)	.06	.09	.10	.16	.19	.20	.20	.17	.15	.09	.06	.05
Leikanger	.05	.08	.09	.15	.19	.20	.20	.16	.15	.08	.06	.04
Luster Sanat.	.05	.09	.10	.16	.19	.20	.20	.17	.15	.08	.06	.04
Fortun	.05	.09	.10	.16	.19	.20	.20	.17	.15	.09	.06	.04
Fanaråken	.04	.07	.08	.13	.15	.16	.15	.13	.10	.07	.04	.03
Førde i Sunnfjord	.03	.07	.08	.14	.17	.20	.19	.14	.11	.08	.06	.03
Kinn	.03	.07	.07	.13	.17	.19	.18	.13	.10	.08	.05	.02
Nordfjordeid	.03	.07	.08	.14	.17	.18	.16	.12	.08	.06	.04	.02
Opstryn	.05	.09	.09	.15	.18	.20	.20	.15	.13	.09	.06	.04
Kråkenes Fyr	.03	.07	.07	.13	.17	.19	.18	.13	.10	.07	.05	.02
Tafjord	.04	.08	.09	.14	.18	.20	.20	.15	.13	.08	.05	.03
Runde	.03	.07	.07	.13	.17	.19	.19	.13	.10	.07	.04	.02
Ona	.03	.07	.07	.14	.17	.19	.19	.13	.10	.07	.04	.02
Gjerdmundnes	.04	.08	.08	.14	.17	.19	.19	.13	.10	.08	.04	.02
Sunndal	.04	.09	.09	.15	.20	.20	.20	.17	.14	.09	.05	.02
Tingvoll	.04	.08	.08	.14	.18	.19	.19	.15	.12	.08	.04	.02
Kristiansund N.	.03	.07	.07	.14	.17	.19	.19	.14	.11	.07	.05	.02
Sula Fyr	.03	.06	.06	.13	.16	.18	.18	.13	.10	.06	.03	.02
Vallersund	.03	.07	.07	.13	.17	.19	.19	.14	.11	.07	.05	.02
Ørland II	.03	.07	.07	.13	.17	.19	.19	.15	.11	.07	.05	.02
Trondheim (Voll)	.04	.08	.08	.14	.17	.19	.19	.16	.12	.09	.06	.02
Selbu	.04	.09	.09	.15	.18	.19	.19	.17	.13	.09	.06	.02
Berkåk	.04	.09	.09	.15	.19	.20	.20	.17	.14	.09	.05	.02
Meråker II	.04	.09	.09	.14	.17	.19	.19	.17	.13	.09	.05	.02
Værnes	.04	.08	.08	.14	.17	.19	.19	.16	.12	.09	.06	.02
Sulstua	.04	.09	.09	.14	.17	.19	.19	.16	.12	.09	.06	.02
Ytterøy	.04	.09	.09	.14	.17	.19	.19	.16	.11	.08	.06	.02
Kjevli i Snåsa	.04	.08	.08	.13	.16	.19	.19	.16	.11	.08	.06	.02
Grong	.03	.07	.07	.12	.16	.18	.18	.15	.11	.07	.05	.02
Nordli II	.04	.09	.08	.13	.16	.19	.19	.15	.12	.08	.06	.02
Nordøyan	.02	.06	.06	.11	.14	.16	.15	.13	.09	.07	.03	.02
Leka	.02	.06	.06	.11	.14	.16	.15	.13	.09	.07	.03	.02
Majavatn	.02	.06	.07	.12	.15	.16	.16	.14	.10	.07	.04	.02
Brønnøysund II	.02	.06	.07	.11	.15	.16	.15	.13	.09	.07	.03	.02
Skålvær	.02	.06	.07	.11	.15	.16	.15	.13	.09	.07	.03	.02
Mo i Rana II	.02	.06	.08	.11	.15	.16	.16	.14	.10	.07	.03	.02
Nord-Solvær	.01	.06	.07	.10	.14	.16	.15	.12	.08	.06	.02	.01
Myken	.01	.05	.06	.09	.13	.15	.14	.11	.08	.06	.02	.01
Glomfjord	.01	.05	.07	.10	.13	.16	.15	.13	.09	.06	.02	.01
Saltfjellet	.02	.06	.09	.12	.15	.17	.17	.14	.10	.07	.02	.01
Helligvær	.01	.05	.06	.09	.13	.15	.14	.12	.08	.05	.01	.01
Bodø V	.00	.05	.07	.10	.13	.15	.14	.12	.08	.05	.01	.00
Fauske	.00	.05	.08	.11	.14	.16	.16	.13	.09	.06	.01	.00
Gretøy	.00	.04	.06	.09	.13	.15	.14	.12	.08	.05	.01	.00
Drag i Tysfjord	.00	.05	.07	.11	.14	.16	.15	.13	.09	.05	.01	.00
Bjørnfjell	.00	.05	.08	.11	.15	.18	.18	.14	.11	.06	.00	.00
Narvik	.00	.05	.08	.10	.15	.17	.17	.13	.10	.05	.00	.00
Offersøy	.00	.04	.06	.09	.13	.16	.14	.11	.08	.05	.00	.00
Skrova	.00	.04	.05	.08	.13	.15	.14	.11	.07	.04	.00	.00
Gløpen Fyr	.00	.04	.05	.07	.13	.15	.14	.11	.07	.04	.00	.00
Røst	.00	.03	.04	.07	.12	.15	.14	.10	.06	.04	.00	.00
Skomvær Fyr	.00	.03	.04	.07	.12	.15	.14	.10	.06	.03	.00	.00
Eggum	.00	.03	.05	.07	.12	.14	.13	.10	.06	.03	.00	.00
Borge i Lofoten	.00	.03	.05	.07	.12	.14	.13	.10	.06	.03	.00	.00
Bø i Vesterålen	.00	.02	.05	.07	.12	.14	.12	.10	.06	.03	.00	.00
Andenes	.00	.02	.04	.07	.12	.14	.12	.10	.06	.03	.00	.00
Sandsøy i Senja	.00	.02	.05	.08	.13	.15	.14	.11	.08	.04	.00	.00
Gibostad	.00	.03	.06	.09	.14	.15	.14	.11	.09	.05	.00	.00
Sommarøy i Senja	.00	.02	.05	.08	.13	.15	.14	.10	.08	.04	.00	.00
Bardufoss	.00	.04	.07	.11	.15	.17	.16	.12	.10	.05	.01	.00
Skibotn	.00	.05	.08	.11	.15	.17	.15	.12	.10	.05	.01	.00
Tromsø	.00	.03	.06	.09	.14	.16	.14	.11	.09	.04	.00	.00
Skattøra	.00	.03	.06	.09	.14	.16	.14	.11	.09	.04	.00	.00
Dividalen	.00	.04	.09	.13	.17	.18	.18	.14	.12	.07	.01	.00
Torsvåg	.00	.02	.04	.07	.12	.14	.12	.10	.07	.02	.00	.00
Loppa	.00	.02	.04	.07	.12	.14	.12	.10	.07	.02	.00	.00
Alta (Elvebakken)	.00	.04	.08	.12	.16	.18	.16	.12	.10	.06	.00	.00
Ingøy	.00	.01	.04	.07	.12	.14	.12	.10	.07	.02	.00	.00
Kistrand	.00	.03	.06	.10	.14	.17	.15	.11	.09	.05	.00	.00
Sværholt	.00	.02	.04	.07	.12	.14	.12	.10	.07	.02	.00	.00
Gamvik	.00	.02	.03	.07	.12	.14	.12	.10	.07	.02	.00	.00
Makkaur Fyr	.00	.02	.02	.08	.13	.14	.13	.11	.08	.02	.00	.00
Vardø	.00	.02	.02	.09	.14	.15	.14	.12	.09	.02	.00	.00
Ekkerøy	.00	.02	.03	.10	.15	.16	.15	.13	.09	.04	.00	.00
Pasvik	.00	.04	.08	.11	.18	.18	.17	.14	.10	.06	.01	.00
Karasjok	.00	.04	.10	.13	.18	.19	.19	.14	.12	.07	.02	.00
Kautokeino	.00	.04	.10	.14	.19	.19	.19	.15	.12	.07	.02	.00
Siccajavre	.00	.04	.11	.15	.19	.20	.20	.16	.13	.08	.02	.00
Isfjord Radio	.00	.02	.04	.12	.17	.18	.16	.17	.10	.02	.00	.00
Hopen	.00	.02	.04	.10	.15	.16	.15	.14	.10	.02	.00	.00
Bjørnøya	.00	.02	.07	.09	.13	.15	.15	.14	.10	.02	.00	.00
Jan Mayen	.00	.02	.03	.08	.09	.11	.13	.13	.08	.03	.02	.00
Myggbukta	.00	.00	.03	.13	.16	.13	.14	.14	.11	.05	.00	.00

Relativ Fuktighets-Faktor c

7-13-19

Stasjon	Jan. I	Febr. II	Mars III	April IV	Mai V	Juni VI	Juli VII	Aug. VIII	Sept. IX	Okt. X	Nov. XI	Des. XII
Røros	0.14	0.21	0.21	0.17	-0.04	-0.04	-0.02	0.06	0.18	0.24	0.21	0.45
Tynset	.15	.21	.21	.17	- .04	- .05	- .02	.06	.18	.24	.21	.43
Alvdal	.15	.21	.21	.17	- .04	- .05	- .02	.06	.18	.24	.21	.42
Drevsje	.15	.21	.21	.17	- .05	- .06	- .03	.05	.18	.25	.22	.45
Koppang	.15	.21	.21	.17	- .04	- .06	- .02	.06	.18	.24	.21	.41
Fokstua	.15	.19	.20	.15	- .01	- .03	.00	.07	.18	.23	.20	.37
Dombås	.15	.19	.20	.15	- .01	- .03	.00	.07	.18	.23	.20	.38
Vågåmo	.15	.18	.20	.15	- .01	- .04	.00	.07	.18	.23	.20	.35
Elveseter	.15	.18	.20	.15	- .01	- .03	.00	.07	.18	.23	.20	.36
Bygdin	.16	.19	.20	.15	- .03	- .05	.00	.06	.18	.23	.21	.35
Vinstra	.15	.20	.20	.16	- .03	- .05	- .01	.06	.18	.24	.21	.38
Vollen i Slidre	.16	.19	.20	.15	- .02	- .05	.00	.06	.18	.23	.21	.34
Abjørsbråten	.16	.19	.20	.15	- .03	- .06	.00	.06	.17	.23	.21	.34
Lillehammer	.16	.20	.20	.15	- .04	- .06	- .01	.06	.17	.24	.21	.36
Åmot	.16	.21	.20	.15	- .05	- .07	- .02	.06	.17	.24	.22	.38
Trysil	.16	.21	.20	.16	- .05	- .07	- .02	.05	.17	.25	.21	.41
Vang på Hedmark	.16	.21	.19	.14	- .04	- .07	- .01	.06	.17	.24	.21	.35
Ø. Toten	.16	.20	.19	.14	- .04	- .07	- .01	.06	.17	.24	.21	.34
Kutjern	.16	.20	.19	.13	- .04	- .07	- .01	.06	.17	.23	.21	.33
Eggemoen	.17	.20	.18	.13	- .03	- .08	.00	.08	.16	.23	.21	.29
Gardermoen	.17	.20	.18	.12	- .04	- .08	.00	.07	.16	.23	.21	.31
Flisa	.16	.21	.18	.13	- .05	- .08	- .01	.07	.16	.24	.22	.35
Vinger	.17	.21	.18	.12	- .04	- .08	- .01	.07	.16	.23	.22	.33
Hvam	.17	.20	.17	.12	- .04	- .08	.00	.08	.16	.23	.21	.32
Tryvasshøgda	.17	.20	.17	.12	- .03	- .08	.00	.08	.16	.22	.21	.28
Oslo (Blindern)	.17	.20	.17	.12	- .03	- .08	.00	.08	.16	.22	.21	.28
Fornebu	.17	.20	.17	.12	- .03	- .08	.00	.08	.16	.22	.21	.28
Asker	.17	.20	.17	.12	- .03	- .08	.00	.08	.16	.22	.21	.28
Modum	.17	.20	.18	.13	- .03	- .08	.00	.08	.16	.22	.21	.28
Nesbyen II	.16	.19	.19	.15	- .02	- .06	.00	.07	.17	.22	.21	.30
Geilo	.16	.18	.19	.15	- .01	- .06	.00	.07	.17	.21	.20	.28
Haugastøl	.16	.18	.19	.14	- .01	- .06	.01	.08	.17	.21	.20	.28
Dagali	.16	.18	.19	.14	- .01	- .06	.01	.07	.17	.21	.20	.28
Svene	.17	.19	.18	.13	- .02	- .08	.01	.08	.16	.21	.21	.27
Kongsberg	.17	.19	.17	.13	- .02	- .08	.01	.09	.16	.21	.21	.27
Gaustadtoppen	.16	.18	.18	.14	.00	- .07	.03	.10	.17	.22	.20	.26
Ramnes	.17	.19	.17	.11	- .02	- .09	.02	.11	.16	.21	.21	.25
Ås	.17	.20	.17	.11	- .03	- .08	.00	.10	.16	.22	.21	.27
Eidsberg	.17	.20	.17	.11	- .03	- .09	.00	.10	.16	.22	.21	.26
Råde (Tomb)	.17	.19	.17	.11	- .02	- .09	.01	.11	.16	.22	.21	.25
Kalnes	.17	.19	.17	.11	- .02	- .09	.02	.11	.16	.22	.21	.25
Brekke Sluse	.18	.19	.17	.11	- .03	- .09	.01	.11	.16	.22	.21	.25
Ferder	.18	.18	.17	.11	- .02	- .09	.02	.11	.16	.21	.21	.23
Gvarv	.17	.18	.17	.13	- .01	- .08	.02	.09	.16	.21	.21	.25
Dalen i Telemark	.17	.17	.18	.14	.00	- .07	.03	.09	.17	.20	.20	.24
Vefall i Drangedal	.17	.17	.17	.12	.00	- .08	.04	.10	.16	.21	.20	.22
Jomfruland	.17	.17	.17	.11	.00	- .09	.04	.11	.16	.21	.20	.22
Lyngør Fyr	.17	.16	.17	.11	.00	- .09	.05	.11	.16	.21	.20	.20
Merdøy	.17	.16	.17	.11	.01	- .09	.05	.12	.16	.20	.20	.19
Torungen Fyr	.17	.16	.17	.11	.01	- .09	.06	.12	.16	.20	.20	.19
Tveitsund	.17	.17	.17	.13	.00	- .08	.04	.10	.16	.20	.20	.22
Grimstad	.17	.15	.17	.11	.01	- .09	.06	.12	.16	.20	.20	.18
Byglandsfjord	.17	.15	.17	.13	.01	- .09	.06	.11	.16	.20	.20	.19
Kristiansand S.	.17	.15	.17	.11	.02	- .09	.07	.12	.16	.19	.20	.18
Kjevik	.17	.15	.17	.11	.02	- .09	.07	.12	.16	.19	.20	.18
Oksøy	.17	.15	.17	.11	.02	- .09	.07	.12	.16	.19	.20	.18
Mandal II	.17	.14	.17	.11	.02	- .09	.07	.12	.16	.18	.19	.18
Gåsen	.17	.15	.17	.12	.02	- .08	.06	.11	.16	.19	.19	.19
Lindesnes	.17	.14	.17	.11	.02	- .09	.07	.12	.16	.18	.19	.18
Lista	.17	.14	.17	.11	.02	- .08	.07	.12	.16	.18	.19	.18
Tonstad	.17	.15	.17	.12	.02	- .08	.06	.11	.16	.18	.19	.18
Obrestad	.16	.14	.17	.11	.03	- .07	.07	.12	.16	.18	.18	.18
Klepp	.16	.14	.17	.11	.03	- .07	.07	.12	.17	.18	.18	.18
Sola	.16	.14	.17	.11	.03	- .07	.07	.12	.17	.18	.18	.18
Stavanger	.16	.14	.17	.11	.03	- .07	.07	.12	.17	.18	.18	.18
Sauda	.16	.16	.18	.12	.02	- .07	.04	.10	.17	.19	.19	.23
Fister	.16	.15	.17	.12	.02	- .07	.06	.11	.17	.18	.19	.20
Hellandsbygd	.16	.16	.18	.13	.01	- .07	.03	.10	.17	.19	.19	.24
Skudenes II	.16	.14	.17	.11	.03	- .07	.07	.12	.17	.18	.18	.19
Utsira	.16	.14	.17	.11	.03	- .07	.06	.12	.17	.18	.18	.19
Indre Matre	.16	.16	.17	.12	.02	- .06	.04	.10	.17	.19	.19	.23
Slåtterøy	.15	.15	.17	.11	.03	- .05	.05	.11	.18	.18	.18	.22
Svandalsflona	.16	.17	.18	.13	.01	- .06	.03	.09	.17	.20	.20	.25
Ullensvang	.16	.17	.18	.13	.01	- .06	.02	.09	.18	.20	.19	.26
Kvamskogen	.15	.16	.18	.12	.02	- .05	.03	.10	.18	.19	.18	.25
Slira	.16	.17	.19	.13	.01	- .05	.01	.08	.18	.21	.20	.28
Myrdal	.15	.17	.19	.13	.01	- .05	.01	.08	.18	.21	.20	.28
Voss	.15	.17	.18	.12	.02	- .05	.02	.09	.18	.20	.19	.27
Hjellestad	.15	.16	.17	.11	.03	- .05	.03	.11	.18	.18	.18	.24
Bergen (Fr.berg)	.15	.16	.17	.11	.03	- .05	.03	.11	.18	.18	.18	.24
Herdla	.15	.16	.17	.11	.03	- .05	.03	.11	.18	.18	.18	.24
Sfyteland	.15	.16	.17	.11	.03	- .05	.03	.11	.18	.18	.18	.24
Hellisøy Fyr	.14	.16	.17	.11	.03	- .03	.03	.12	.18	.18	.17	.24
Modalen	.15	.17	.18	.12	.02	- .04	.02	.10	.18	.19	.18	.26
Takle	.14	.16	.17	.11	.03	- .03	.03	.11	.18	.19	.18	.25

Stasjon	Jan. I	Febr. II	Mars III	April IV	Mai V	Juni VI	Juli VII	Aug. VIII	Sept. IX	Okt. X	Nov. XI	Des. XII
Vangsnes	0.15	0.17	0.18	0.12	0.01	-0.04	0.01	0.09	0.18	0.20	0.19	0.28
Fjærland	.16	.19	.24	.22	.11	.05	.15	.20	.28	.25	.21	.30
Lærdal (Tenjum)	.15	.18	.19	.13	.01	- .05	.01	.08	.18	.21	.20	.29
Leikanger	.15	.17	.18	.12	.01	- .04	.01	.09	.18	.21	.19	.28
Luster Sanat.	.15	.18	.19	.13	.01	- .04	.01	.08	.18	.21	.20	.30
Fortun	.15	.18	.19	.13	.01	- .04	.01	.08	.18	.20	.20	.30
Fanaråken	.33	.33	.33	.33	.00	.00	.00	.00	.00	.33	.33	.33
Førde i Sunnfjord	.14	.16	.17	.12	.03	- .02	.02	.11	.19	.19	.18	.27
Kinn	.13	.16	.17	.11	.03	- .01	.03	.12	.19	.18	.17	.24
Nordfjordeid	.14	.17	.17	.11	.03	- .01	.02	.11	.19	.19	.18	.27
Opstryn	.14	.17	.18	.12	.02	- .02	.01	.09	.19	.21	.19	.30
Kråkenes Fyr	.13	.16	.17	.11	.03	.00	.03	.12	.19	.18	.17	.25
Tafjord	.14	.17	.18	.12	.02	- .01	.01	.09	.19	.21	.18	.30
Runde	.13	.16	.17	.11	.03	.00	.02	.12	.20	.18	.17	.26
Ona	.12	.16	.17	.11	.03	.01	.02	.12	.20	.18	.17	.28
Gjerdmundnes	.13	.17	.17	.11	.03	.00	.01	.11	.20	.20	.17	.30
Sunndal	.14	.18	.20	.15	.01	- .02	.00	.08	.19	.22	.20	.38
Tingvoll	.13	.17	.18	.12	.02	.00	.01	.09	.19	.21	.18	.34
Kristiansund N.	.12	.17	.17	.11	.03	.01	.01	.11	.20	.20	.17	.30
Sula Fyr	.11	.17	.17	.11	.03	.01	.01	.12	.20	.18	.17	.30
Vallersund	.12	.17	.18	.12	.03	.01	.00	.11	.20	.19	.18	.35
Ørland II	.12	.18	.18	.13	.02	.01	.00	.11	.20	.20	.18	.35
Trondheim (Voll)	.13	.18	.20	.15	.01	- .01	.00	.08	.19	.22	.19	.40
Selbu	.14	.20	.21	.16	- .02	- .02	- .01	.07	.19	.23	.20	.43
Berkåk	.14	.19	.20	.16	- .01	- .02	- .01	.07	.19	.23	.20	.42
Meråker II	.14	.20	.21	.17	- .03	- .03	- .02	.07	.19	.23	.20	.44
Værnes	.13	.18	.20	.15	.01	- .01	.00	.08	.19	.22	.19	.40
Sulstua	.14	.20	.21	.16	- .03	- .02	- .02	.08	.19	.23	.20	.43
Ytterøy	.13	.19	.20	.15	.00	- .01	- .01	.09	.19	.22	.19	.40
Kjevli i Snåsa	.14	.20	.21	.16	- .02	- .02	- .02	.10	.19	.22	.21	.43
Grong	.13	.19	.20	.16	- .01	- .02	- .01	.11	.20	.21	.20	.42
Nordli II	.14	.20	.21	.17	- .03	- .03	- .03	.09	.19	.22	.22	.45
Nordøyan	.11	.17	.17	.10	.03	.02	.00	.18	.21	.18	.18	.25
Leka	.11	.17	.17	.10	.03	.02	.00	.17	.21	.19	.19	.27
Majavatn	.13	.19	.20	.14	.00	- .02	- .02	.13	.20	.21	.20	.43
Brønnøysund II	.11	.17	.17	.11	.03	.02	.00	.17	.21	.20	.19	.33
Skålvær	.11	.17	.17	.10	.03	.02	.00	.18	.21	.20	.19	.33
Mo i Rana II	.12	.19	.19	.13	.00	.00	- .02	.15	.20	.21	.22	.45
Nord-Solvær	.10	.17	.17	.09	.03	.02	.00	.18	.21	.20	.19	.36
Myken	.09	.16	.17	.08	.03	.02	.00	.21	.21	.18	.19	.30
Glomfjord	.11	.18	.17	.11	.02	.01	.00	.17	.21	.20	.22	.42
Saltfjellet	.13	.19	.22	.15	- .01	- .03	- .04	.14	.20	.21	.30	.50
Helligvær	.09	.17	.17	.10	.03	.02	.00	.19	.21	.19	.20	.38
Bodø V	.10	.17	.17	.12	.03	.02	.00	.18	.21	.20	.24	.42
Fauske	.12	.19	.19	.14	.00	.00	- .02	.15	.20	.21	.29	.48
Grøtøy	.09	.17	.17	.11	.03	.02	.00	.18	.21	.19	.26	.40
Drag i Tysfjord	.11	.18	.22	.14	.01	.00	- .03	.17	.21	.19	.35	.50
Bjørnfjell	.13	.21	.29	.17	- .04	- .05	- .07	.15	.20	.20	.48	.65
Narvik	.12	.19	.26	.16	- .02	- .03	- .05	.16	.20	.19	.44	.62
Offersøy	.09	.17	.19	.12	.03	.01	.00	.19	.21	.18	.33	.43
Skrova	.08	.16	.17	.10	.03	.02	.00	.20	.21	.17	.28	.36
Gåpen Fyr	.07	.15	.16	.06	.04	.03	.01	.21	.22	.16	.20	.25
Røst	.07	.15	.16	.05	.04	.03	.01	.22	.22	.16	.18	.20
Skomvær Fyr	.07	.15	.16	.05	.04	.03	.01	.22	.22	.16	.18	.20
Eggum	.07	.15	.16	.06	.04	.03	.01	.21	.22	.16	.22	.26
Borge i Lofoten	.07	.15	.16	.06	.04	.03	.01	.21	.22	.16	.22	.26
Bø i Vesterålen	.07	.15	.17	.06	.04	.03	.00	.21	.22	.15	.27	.31
Andenes	.06	.15	.18	.07	.04	.02	.00	.20	.22	.15	.32	.41
Sandsøy i Senja	.08	.16	.20	.12	.03	.01	- .02	.18	.21	.16	.37	.50
Gibostad	.10	.16	.25	.12	.03	.01	- .05	.17	.21	.16	.46	.61
Sommarøy i Senja	.08	.16	.21	.10	.03	.01	- .04	.18	.21	.15	.43	.55
Bardufoss	.13	.19	.28	.15	- .01	- .03	- .08	.15	.20	.19	.52	.67
Skibotn	.13	.19	.28	.14	- .02	- .06	- .12	.11	.19	.19	.54	.67
Tromsø	.10	.16	.25	.12	.03	.00	- .06	.16	.21	.15	.50	.62
Skattøra	.10	.16	.25	.12	.03	.00	- .06	.16	.21	.15	.50	.62
Dividalen	.15	.22	.31	.18	- .07	- .10	- .20	.10	.17	.21	.60	.68
Torsvåg	.06	.15	.20	.07	.03	.01	- .05	.16	.21	.14	.35	.52
Loppa	.06	.15	.20	.07	.00	- .04	- .15	.10	.19	.14	.37	.54
Alta (Elvebakken)	.09	.19	.23	.10	- .10	- .15	- .30	.00	.16	.16	.48	.63
Ingøy	.04	.15	.18	.04	- .03	- .05	- .18	.05	.18	.12	.25	.38
Kistrand	.07	.17	.20	.07	- .11	- .15	- .32	- .02	.15	.14	.35	.48
Sværholt	.04	.15	.18	.04	- .08	- .10	- .26	.00	.17	.12	.24	.35
Gamvik	.03	.15	.17	.03	- .12	- .15	- .33	- .04	.15	.12	.20	.30
Makkaur Fyr	.03	.15	.17	.03	- .17	- .19	- .40	- .08	.14	.12	.20	.33
Vardø	.03	.15	.17	.03	- .18	- .19	- .42	- .10	.13	.12	.20	.35
Ekkerøy	.04	.16	.18	.04	- .19	- .20	- .44	- .12	.12	.13	.24	.40
Pasvik	.09	.18	.22	.10	- .21	- .22	- .50	- .15	.10	.16	.50	.60
Karasjok	.14	.21	.30	.18	- .21	- .22	- .51	- .15	.10	.17	.60	.68
Kautokeino	.15	.22	.31	.19	- .20	- .21	- .50	- .14	.10	.18	.61	.70
Siccajavre	.16	.22	.31	.19	- .22	- .23	- .52	- .16	.10	.18	.63	.70
Isfjord Radio	.00	.19	.20	.20	.00	.00	- .05	.10	.11	.19	.33	.00
Hopen	.00	.25	.21	.17	.00	.00	- .08	.05	.10	.17	.33	.00
Bjørnøya	.00	.22	.21	.18	.00	.00	- .07	.05	.11	.19	.33	.00
Jan Mayen	.00	.16	.17	.21	.00	.00	.05	.17	.12	.20	.33	.00
Myggbukta	.00	.12	.15	.22	.00	.00	.10	.19	.16	.24	.33	.00

Temperatur-Faktor k

7-13-19. Min (19-19)

Pentade	Røros	Alvdal	Dombås	Vinstra	Vollen i Slidre	Lillehammer	Vang på Hedmark	Østre Toten	Flisa	Vinger	Hvam	Oslo (Blindern)	Modum	Nesbyen II	Ramnes	Ås	Eidsberg	Garv	Byglandsfjord
1.I - 5.I	0.01	0.03	0.04	0.06	0.06	0.07	0.06	0.07	0.04	0.04	0.05	0.06	0.07	0.08	0.06	0.06	0.06	0.07	0.05
6.I - 10.I	0.01	0.03	0.04	0.06	0.06	0.08	0.06	0.07	0.04	0.04	0.05	0.06	0.07	0.08	0.06	0.06	0.06	0.07	0.05
11.I - 15.I	0.02	0.04	0.05	0.07	0.07	0.08	0.07	0.08	0.04	0.04	0.05	0.06	0.08	0.09	0.06	0.06	0.06	0.07	0.05
16.I - 20.I	0.02	0.04	0.05	0.07	0.07	0.09	0.07	0.08	0.04	0.04	0.05	0.06	0.08	0.09	0.06	0.06	0.06	0.07	0.06
21.I - 25.I	0.03	0.05	0.06	0.08	0.08	0.09	0.08	0.09	0.05	0.05	0.05	0.06	0.09	0.10	0.07	0.06	0.06	0.08	0.06
26.I - 30.I	0.03	0.06	0.07	0.09	0.09	0.10	0.08	0.09	0.05	0.05	0.06	0.07	0.09	0.10	0.07	0.07	0.07	0.08	0.07
31.I - 4.II	0.04	0.07	0.08	0.09	0.09	0.10	0.09	0.10	0.06	0.06	0.06	0.07	0.10	0.11	0.08	0.07	0.07	0.09	0.07
5.II - 9.II	0.04	0.08	0.08	0.10	0.10	0.11	0.09	0.10	0.06	0.06	0.06	0.07	0.10	0.11	0.08	0.07	0.07	0.10	0.08
10.II - 14.II	0.05	0.09	0.09	0.10	0.10	0.11	0.09	0.11	0.07	0.07	0.07	0.08	0.10	0.12	0.09	0.08	0.08	0.10	0.08
15.II - 19.II	0.05	0.09	0.09	0.11	0.11	0.11	0.10	0.11	0.07	0.07	0.07	0.08	0.11	0.12	0.09	0.08	0.08	0.11	0.09
20.II - 24.II	0.06	0.10	0.10	0.11	0.11	0.12	0.10	0.11	0.07	0.07	0.07	0.08	0.11	0.12	0.09	0.08	0.08	0.11	0.09
25.II - 1.III	0.06	0.10	0.10	0.11	0.11	0.12	0.10	0.12	0.08	0.08	0.08	0.09	0.11	0.12	0.10	0.09	0.09	0.11	0.09
2.III - 6.III	0.07	0.11	0.11	0.12	0.12	0.12	0.11	0.12	0.08	0.08	0.08	0.09	0.11	0.13	0.10	0.09	0.09	0.12	0.10
7.III - 11.III	0.07	0.11	0.11	0.12	0.12	0.13	0.11	0.12	0.09	0.09	0.09	0.09	0.12	0.13	0.10	0.09	0.10	0.12	0.10
12.III - 16.III	0.08	0.12	0.12	0.12	0.12	0.13	0.12	0.13	0.09	0.09	0.09	0.10	0.12	0.13	0.10	0.10	0.10	0.12	0.10
17.III - 21.III	0.08	0.12	0.12	0.13	0.13	0.13	0.12	0.13	0.10	0.10	0.10	0.10	0.13	0.14	0.11	0.10	0.11	0.13	0.11
22.III - 26.III	0.09	0.13	0.13	0.13	0.13	0.14	0.13	0.14	0.10	0.10	0.10	0.11	0.13	0.14	0.11	0.11	0.11	0.13	0.11
27.III - 31.III	0.10	0.13	0.13	0.14	0.14	0.15	0.14	0.15	0.11	0.11	0.11	0.12	0.14	0.15	0.12	0.12	0.12	0.14	0.12
1.IV - 5.IV	0.11	0.14	0.14	0.15	0.15	0.16	0.15	0.16	0.12	0.12	0.12	0.13	0.15	0.16	0.13	0.13	0.13	0.15	0.13
6.IV - 10.IV	0.12	0.15	0.15	0.16	0.16	0.17	0.16	0.17	0.13	0.13	0.13	0.14	0.16	0.17	0.14	0.14	0.14	0.16	0.14
11.IV - 15.IV	0.13	0.16	0.16	0.17	0.16	0.18	0.17	0.18	0.13	0.13	0.13	0.14	0.17	0.17	0.14	0.14	0.14	0.16	0.15
16.IV - 20.IV	0.14	0.17	0.16	0.17	0.17	0.19	0.18	0.16	0.14	0.14	0.14	0.15	0.17	0.18	0.15	0.15	0.15	0.17	0.15
21.IV - 25.IV	0.15	0.17	0.17	0.18	0.18	0.20	0.18	0.19	0.15	0.15	0.15	0.16	0.18	0.19	0.16	0.16	0.16	0.18	0.16
26.IV - 30.IV	0.16	0.18	0.17	0.18	0.19	0.20	0.19	0.19	0.16	0.16	0.16	0.16	0.18	0.20	0.17	0.16	0.17	0.18	0.16
1.V - 5.V	0.17	0.18	0.18	0.19	0.19	0.21	0.19	0.20	0.17	0.17	0.17	0.17	0.19	0.20	0.17	0.17	0.17	0.19	0.17
6.V - 10.V	0.18	0.19	0.18	0.19	0.20	0.21	0.20	0.20	0.18	0.18	0.18	0.18	0.19	0.21	0.18	0.18	0.18	0.19	0.17
11.V - 15.V	0.19	0.20	0.19	0.20	0.21	0.22	0.20	0.21	0.18	0.18	0.18	0.18	0.19	0.22	0.18	0.18	0.18	0.20	0.18
16.V - 20.V	0.20	0.20	0.19	0.20	0.21	0.22	0.21	0.21	0.19	0.19	0.19	0.19	0.20	0.22	0.19	0.19	0.19	0.20	0.18
21.V - 25.V	0.20	0.20	0.19	0.20	0.21	0.22	0.21	0.21	0.19	0.19	0.19	0.19	0.20	0.22	0.19	0.19	0.19	0.20	0.19
26.V - 30.V	0.20	0.20	0.19	0.20	0.21	0.21	0.21	0.21	0.19	0.19	0.19	0.19	0.20	0.22	0.19	0.19	0.19	0.20	0.19
31.V - 4.VI	0.20	0.20	0.19	0.20	0.21	0.21	0.20	0.21	0.19	0.19	0.19	0.19	0.20	0.22	0.19	0.19	0.19	0.21	0.19
5.VI - 9.VI	0.20	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.19
10.VI - 14.VI	0.20	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.20
15.VI - 19.VI	0.20	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.20
20.VI - 24.VI	0.20	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.20
25.VI - 29.VI	0.19	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.20
30.VI - 4.VII	0.19	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.20
5.VII - 9.VII	0.19	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.19
10.VII - 14.VII	0.18	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.19
15.VII - 19.VII	0.18	0.20	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.20	0.21	0.19
20.VII - 24.VII	0.18	0.20	0.19	0.19	0.21	0.21	0.20	0.20	0.18	0.19	0.19	0.20	0.21	0.21	0.20	0.20	0.19	0.21	0.18
25.VII - 29.VII	0.18	0.19	0.18	0.19	0.20	0.21	0.20	0.20	0.18	0.18	0.18	0.20	0.20	0.20	0.19	0.19	0.19	0.20	0.18
30.VII - 3.VIII	0.17	0.19	0.18	0.19	0.20	0.21	0.20	0.19	0.17	0.17	0.18	0.19	0.20	0.20	0.19	0.19	0.19	0.20	0.17
4.VIII - 8.VIII	0.17	0.19	0.17	0.18	0.20	0.20	0.19	0.19	0.17	0.17	0.18	0.19	0.20	0.20	0.19	0.19	0.19	0.20	0.17
9.VIII - 13.VIII	0.17	0.18	0.17	0.18	0.19	0.20	0.19	0.19	0.16	0.16	0.17	0.19	0.20	0.20	0.19	0.18	0.18	0.19	0.16
14.VIII - 18.VIII	0.17	0.18	0.17	0.18	0.19	0.20	0.19	0.19	0.16	0.16	0.17	0.19	0.19	0.20	0.19	0.18	0.18	0.19	0.16
19.VIII - 23.VIII	0.16	0.17	0.16	0.17	0.18	0.19	0.19	0.19	0.15	0.15	0.17	0.18	0.19	0.19	0.18	0.17	0.17	0.19	0.15
24.VIII - 28.VIII	0.16	0.17	0.16	0.17	0.18	0.19	0.18	0.18	0.14	0.14	0.16	0.17	0.19	0.19	0.18	0.17	0.17	0.18	0.15
29.VIII - 2.IX	0.15	0.16	0.16	0.17	0.18	0.19	0.18	0.18	0.14	0.14	0.16	0.17	0.18	0.19	0.17	0.16	0.16	0.18	0.15
3.IX - 7.IX	0.15	0.16	0.15	0.16	0.17	0.18	0.17	0.18	0.13	0.13	0.15	0.16	0.18	0.18	0.16	0.16	0.16	0.17	0.14
8.IX - 12.IX	0.14	0.15	0.15	0.16	0.17	0.18	0.17	0.17	0.12	0.12	0.15	0.15	0.17	0.18	0.16	0.15	0.15	0.17	0.14
13.IX - 17.IX	0.14	0.15	0.14	0.15	0.16	0.17	0.16	0.17	0.12	0.12	0.14	0.15	0.17	0.17	0.15	0.15	0.15	0.16	0.13
18.IX - 22.IX	0.13	0.14	0.14	0.15	0.16	0.17	0.15	0.16	0.11	0.11	0.13	0.14	0.16	0.17	0.14	0.14	0.14	0.15	0.13
23.IX - 27.IX	0.12	0.13	0.13	0.14	0.15	0.16	0.14	0.15	0.11	0.11	0.12	0.13	0.15	0.16	0.13	0.13	0.13	0.14	0.12
28.IX - 2.X	0.11	0.12	0.12	0.13	0.14	0.15	0.13	0.14	0.10	0.10	0.12	0.12	0.14	0.15	0.13	0.12	0.12	0.13	0.11
3.X - 7.X	0.11	0.11	0.11	0.12	0.13	0.14	0.12	0.13	0.10	0.10	0.11	0.12	0.13	0.14	0.12	0.11	0.11	0.12	0.10
8.X - 12.X	0.10	0.11	0.10	0.11	0.12	0.13	0.11	0.12	0.09	0.09	0.10	0.11	0.12	0.13	0.11	0.10	0.10	0.11	0.09
13.X - 17.X	0.09	0.10	0.09	0.10	0.11	0.12	0.10	0.11	0.09	0.09	0.10	0.11	0.11	0.12	0.10	0.09	0.10	0.10	0.08
18.X - 22.X	0.08	0.09	0.08	0.09	0.11	0.11	0.10	0.11	0.08	0.08	0.09	0.10	0.11	0.12	0.10	0.09	0.09	0.10	0.08
23.X - 27.X	0.07	0.08	0.08	0.09	0.10	0.11	0.09	0.10	0.08	0.08	0.09	0.10	0.10	0.11	0.09	0.09	0.09	0.09	0.08
28.X - 1.XI	0.06	0.08	0.07	0.08	0.09	0.10	0.09	0.10	0.07	0.07	0.09	0.10	0.10	0.11	0.09	0.09	0.09	0.09	0.07
2.XI - 6.XI	0.05	0.07	0.06	0.07	0.08	0.09	0.08	0.09	0.07	0.07	0.08	0.09	0.10	0.10	0.09	0.08	0.08	0.08	0.07
7.XI - 11.XI	0.04	0.06	0.05	0.07	0.08	0.09	0.08	0.09	0.06	0.06	0.08	0.09	0.09	0.10	0.08	0.08	0.08	0.08	0.07
12.XI - 16.XI	0.03	0.05	0.05	0.06	0.07	0.08	0.07	0.08	0.06	0.06	0.08	0.09	0.09	0.09	0.08	0.08	0.08	0.08	0.07
17.XI - 21.XI	0.03	0.05	0.05	0.06	0.07	0.08	0.07	0.08	0.05	0.05	0.07	0.08	0.09	0.08	0.08	0.08	0.08	0.08	0.07
22.XI - 26.XI	0.03	0.04	0.05	0.05	0.06	0.07	0.06	0.07	0.05	0.05	0.07	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07
27.XI - 1.XII	0.03	0.04	0.04	0.05	0.06	0.07	0.06	0.07	0.05	0.05	0.07	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.06
2.XII - 6.XII	0.02	0.04	0.04	0.05	0.06	0.06	0.06	0.06	0.05	0.05	0.06	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06
7.XII - 11.XII	0.02	0.03	0.04	0.05	0.05	0.06	0.05	0.06	0.04	0.04	0.06	0.07	0.07	0.06	0.06	0.06	0.06	0.06	0.06
12.XII - 16.XII	0.02	0.03	0.04	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05
17.XII - 21.XII	0.02	0.03	0.04	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05
22.XII - 26.XII	0.01	0.03	0.04	0.05	0.05	0.06	0.06	0.06	0.04	0.04	0.05	0.06	0.06	0.07	0.06	0.06	0.06	0.06	0.05
27.XII - 31.XII	0.01	0.03	0.04	0.05	0.05	0.06	0.06	0.06	0.04	0.04	0.05	0.06	0.07	0.07	0.06	0.06	0.06	0.07	0.05

Vorwort.

Das Jahrbuch für 1924 enthält stündliche Werte des Luftdrucks und der Temperatur in Kristiania, diejenigen des Niederschlags und des luftelektrischen Potentialgefälles in Aas, die Terminbeobachtungen für 10 Stationen, die Uebersichtstabellen für 132 Stationen und vier Anhänge. Im ersten von den Anhängen finden sich die Abweichungen des Luftdrucks und der Temperatur von den normalen Werten für einige älteren Stationen, im zweiten die Monatsmittel der Seetemperatur für einige Küstenstationen, im dritten stündliche Werte der Temperatur und Terminbeobachtungen mit Uebersichtstabellen für Green Harbour in Spitzbergen und Terminbeobachtungen mit Uebersichtstabellen für Jan Mayen, im vierten stündliche Werte des Luftdrucks und der Temperatur nebst Terminbeobachtungen für Haldde.

Von den 134 Stationen haben 61 Quecksilberbarometer, 97 Psykrometer oder Haarhygrometer und 37 nur trockenes Thermometer. Sämtliche Stationen haben Minimumsthermometer, während nur Kristiania, Bergen, Trondhjem, Tromsø (Geof. Inst.)und Haldde mit Maximumsthermometer versehen sind. Die Thermometer sind in kleinen Gehäusen am Fenster aufgestellt. Hütten sind nur an Stationen mit Thermographen im Gebrauch.

Die Quecksilberbarometer sind Stationsbarometer hauptsächlich englischen Fabrikates. Ungefähr drei Viertel der Stationen haben neue Barometer mit Millibarteilung erhalten. Die Thermometer sind Küchlerthermometer mit Papierskala und 1/5° C Einteilung, für Minimumsthermometer 1/1° C. Bei den Psykrometerbeobachtungen wird Aspirator nicht verwendet. Die Haarhygrometer, die bei uns verwendet werden, sind hauptsächlich die Russeltvedt'schen Torsionshygrometer [1]). Die meisten Stationen im nördlichen Teile des Landes haben doch Devik'sche Hygrometre [2]).

Ungefähr 50 Stationen sind mit Barograph, 20 mit Thermograph und 6 mit Hygrograph versehen. Von den Registrierungen dieser Instrumente sind die Barogrammen in Kristiania und Haldde, die Thermogrammen in Kristiania, Aas, Bergen, Rundemanden, Trondhjem, Lærdal, Rena, Spitzbergen, Jan Mayen und Haldde, die Hygrogrammen in Aas, Bergen und Lærdal zur Ermittelung der stündlichen Werte benutzt.

In diesem Jahrbuch befinden sich dieselben Stationen wie im vorhergehenden mit Ausnahme von Austlid, Mysen und Sørli, die herausgegangen sind, während Kjeller, Jomfruland, Slotterøy und Sværholt zugekommen sind.

In Bezug auf die einzelnen Stationen ist zu erwähnen:

Aasberg. Die Station wurde am 18. December 1924 nach einen neuen Lokale verlegt.

Austlid. Nach dem Aufhören der Wetterprognosen für die Landwirte wurde die Station als entbehrlich angesehen und daher am 31. December 1923 aufgehoben.

---

[1]) Met. Zeitschrift 1908 S. 396–400.

[2]) Das Prinzip des Instrumentes beruht darauf, dass die Länge des Haares durch eine Mikrometerschraube gemessen wird. Keine Beschreibung veröffentlicht.