NORSK METEOROLOGISK ÅRBOK

1955

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

QC
984
.N8
N6
1955

LIBRARY
APR 2000
National Oceanic &
Atmospheric Administration
U.S. Dept. of Commerce

PRIS KR. 10.00

I KOMMISJON HOS H. ASCHEHOUG & CO.

OSLO 1956

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

NORSK METEOROLOGISK ÅRBOK

1955

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

LIBRARY

PRIS KR. 10.00

I KOMMISJON HOS H. ASCHEHOUG & CO.
OSLO 1956

1/481
102 326

INNHOLD

	Side
Stasjonskart 1955	IV
Meteorologiske stasjoner, instrumenter og observasjoner 1955	V
Forklaringer til tabellene	XI
Symboler	XV
Stasjonsfortegnelse 1955	XVII
Rettelser	XX
De bearbeidede data fra registreringene av lufttrykk, lufttemperatur, relativ fuktighet, vind og nedbør i Oslo (Blindern) 1955	1
Avvikelser i lufttrykksmidlene og lufttemperaturmidlene i 1955 fra de tilsvarende midler for perioden 1901—30	15
Sjøtemperaturen 1955 på 12 representative kyststasjoner	15
Daglige observasjoner (Ekstensotabell) i Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) og Tromsø 1955	16
Måneds- og årsoversikter for 164 stasjoner 1955	40
Pentademidler av lufttemperaturen for 37 stasjoner 1955	106
Daglige observasjoner (Ekstensotabell) på Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og i Myggbukta 1954	108
Måneds- og årsoversikter for Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og Myggbukta 1954	138

CONTENTS

	Page
Map of stations 1955	IV
Meteorological stations, instruments and observations 1955	V
Explanatory notes to the tables	XI
Symbols	XVI
List of stations 1955	XVII
Corrigenda	XX
Data of atmospheric pressure, air temperature, relative humidity, wind and precipitation obtained from recording instruments at Oslo (Blindern) 1955	1
Departures of the mean pressures and mean air temperatures for 1955 from the corresponding means for the period 1901—30	15
Sea surface temperature 1955 at 12 representative coastal stations	15
Individual observations (Ekstensotabell) at Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) and Tromsø 1955	16
Monthly and annual summaries for 164 stations 1955	40
Five-day means of air temperature for 37 stations 1955	106
Individual observations (Ekstensotabell) on Isfjord Radio, Hopen, Bjørnøya, Jan Mayen and Myggbukta 1954	108
Monthly and annual summaries for Isfjord Radio, Hopen, Bjørnøya, Jan Mayen and Myggbukta 1954	138


STASJONSKART
(MAP OF STATIONS)
1955
Fruholmen
Helnes Fyr
Gamvik
Makkaur Fyr
Vardø
Kistrand
Rustefjelbma
Ekkerøy
Loppa
Torsvåg
Alta (Elvebakken)
Karasjok
Pasvik
Sommarøy i Senja
Tromsø
Skattøra
Andenes
Gibostad
Kautokeino
Bardufoss
Sandsøy i Senja
Siccajavre
Dividalen
Bø i Vesterålen
Narvik II
Bjørnfjell
Borge i Lofoten
Offersøy
Skrova
Drag i Tysfjord
Glåpen Fyr
Grøtøy
Røst
Skomvær Fyr
Helligvær
Bodø VI
Fauske
Myken
Glomfjord
Nord-Solvær
Mo i Rana II
Skålvær
Hattfjelldal
Majavatn
Leka
Nordøyar
Hoylandet
Nordli II
Nordli II
Kjevli i Snåsa
Vallersund
Sula Fyr
Örland III
Ytterøy
Sulstua
Værnes
Meråker II
Trondheim (Voll)
Selbu
Vinjeøra
Kristiansund N
Ona
Tingvoll II
Tingvoll
Berkåk
Gjermundnes
Sunndal
Røros
Runde
Svinøy Fyr
Tynset
Tafjord
Fokstua
Dombås
Alvdal
Drevsjø
Kråkenes Fyr
Nordfjordeid
Opstryn
Vågåmo
Sör-Nesset
Elveseter
Vinstra
Koppang (Øyset)
Kinn
Førde i Sunnfjord
Fanaråken
Sikkilsdal
Luster Sanat.
Fortun
Trysil
Fjærland (Skarestad)
Åmot
Leikanger
Vollen i Slidre
Lillehammer
Takle
Vangshes
Lærdal (Tønjum)
Åbjørsbråten
Modalen
Fluberg (Røen)
Kise på Hedmark
Hellisøy Fyr
Vatnahalsen
Myrdal
Ö.Toten
Flisa
Voss
Slirå
Geilo (Strand)
Nesbyen II
Vinger
Bergen (Fredriksberg)
Kvamskogen
Haygastøl
Dagali
Eggemoen
Gardermoen
Ullensvang
Hvam
Syfteland
Kalhovd
Skotterud
Modum
Tryvasshøgda
Lyngdal i Numedal
Oslo (Blindern)
Slåtterøy
Indre Matre
Svanaalsflona
Gaustatoppen
Asker
Fornebu
Ås
Sauda
Kongsberg
Eidsberg
Dalen i Telemark
Gvarv
Råde (Tomb)
Utsira
Kalnes
Brekke Sluse
Skudenes II
Fister
Stokke
Ferder
Tveitsuna
Vefall i Drangedal
Slavanger
Sola
Klepp
Jomfruland
Tonstad
Byglandsfjord II
Lyngør Fyr
Obrestad
Torungen Fyr
Grimstad
Konsmo
Kr.sand S.
Kjevik
Lista
Oksøy
Lindesnes
Mandal II
Isfjord Radio
Hopen
Bjørnøya
Myggbukta
Jan Mayen

METEOROLOGISKE STASJONER, INSTRUMENTER OG OBSERVASJONER

Bortsett fra nedbørstasjonene var det 209 meteorologiske stasjoner i drift i 1955, heri er også medregnet værskipet på stasjon M, de 4 radiosondestasjonene og de 5 arktiske stasjonene. Av stasjonene sendte 175 værtelegrammer til forskjellige tider, mens 34 bare sendte månedsrapporter. På de telegraferende stasjonene ble hovedobservasjonene tatt kl. 7, 13 og 19 M.E.T., på de ikke-telegraferende kl. 8, 13 og 19 M.E.T. Den klimatologiske statistikken i Årboken er basert på observasjonene tatt kl. 7, 13 og 19, henholdsvis kl. 8, 13 og 19 M.E.T.

Årboken for 1955 inneholder forskjellige klimatologiske data fra 164 stasjoner. Dessuten inneholder den tilsvarende data fra de arktiske stasjonene Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og Myggbukta for 1954.

I Årboken 1955 er følgende 5 nye stasjoner tatt inn: Kise på Hedmark, til erstatning for Vang på Hedmark, som ble nedlagt 15. juni 1955, Svinøy Fyr, til erstatning for Runde, som ble nedlagt 6. juni 1955, Tingvoll II, til erstatning for Tingvoll, som ble nedlagt 16. september 1955, Vatnahalsen, til erstatning for Myrdal, som ble nedlagt 19. oktober 1955, og Ørland III, til erstatning for Ørland II, som ble nedlagt 30. september 1955.

Med hensyn til de enkelte stasjoner er følgende å bemerke:

Røros: Instrumenthytten ble flyttet 6.5 m mot W, bygget om til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 5. oktober 1955.

Alvdal: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 7. august 1955.

Koppang (Øyset): Nedbørstolpen ble flyttet 11,5 m mot SE sommeren 1955. Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 12. august 1955.

Sikkilsdal: Ingen observasjoner fra 1. oktober 1955, fordi stasjonen var ubebodd vinteren 1955/56.

METEOROLOGICAL STATIONS, INSTRUMENTS AND OBSERVATIONS

Not including rainfall stations, 209 meteorological stations were in operation during the year 1955, including also the ocean weather ship at station M, the 4 radiosondestations and the 5 arctic stations. Telegraphic reports were received at various hours from 175 stations, the remaining 34 stations furnishing monthly reports only. At the stations furnishing telegraphic reports the hours of observations were 7, 13 and 19^h C.E.T., at the remaining stations 8, 13 and 19^h C.E.T. The climatological statistics in the Year Book refer to the observations made at 7, 13 and 19^h and 8, 13 and 19^h C.E.T., respectively.

The Year Book for 1955 contains various climatological data from 164 stations. In addition it also contains similar data from the arctic stations Isfjord Radio, Hopen, Bjørnøya (Bear Island), Jan Mayen and Myggbukta (Greenland) for 1954.

In the Year Book for 1955 the following 5 new stations have been included: Kise pa Hedmark, replacing Vang på Hedmark, which was closed on June 15, 1955, Svinøy Fyr, replacing Runde, which was closed on June 6, 1955, Tingvoll II, replacing Tingvoll, which was closed on September 16, 1955, Vatnahalsen, replacing Myrdal, which was closed on October 19, 1955, and Ørland III, replacing Ørland II, which was closed on September 30, 1955.

With regard to the individual stations the following should be noted:

Røros: The thermometer screen was moved 6.5 m westward, rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on October 5, 1955.

Alvdal: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on August 7, 1955.

Koppang (Øyset): The rain gauge was moved 11.5 m towards SE during the summer 1955. The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on August 12, 1955.

Sikkilsdal: No observations after October 1, 1955, as the station was uninhabited during the winter season 1955/56.

Vollen i Slidre: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 20. september 1955.

Åbjørsbråten: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 19. september 1955.

Vang på Hedmark: Stasjonen ble nedlagt 15. juni 1955. Den nye stasjonen Kise på Hedmark, ca. 18 km WSW for Vang på Hedmark, har vært i drift som privat stasjon siden april 1951.

Ø. Toten: Stasjonen fikk ny instrumenthytte M.I. 46 og ble utstyrt med sylindriske maksimum- og minimumtermometre 12. desember 1955.

Hvam: Nedbørstolpen ble flyttet ca. 1,5 m mot S 8. juni 1955.

Lyngdal i Numedal: Stasjonen fikk barograf 20. august 1955.

Eidsberg: Instrumenthytten ble flyttet ca. 5 m mot WNW, ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 27. oktober 1955.

Råde (Tomb): Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 27. oktober 1955.

Kalnes: Retningskorset har siden juni 1953 pekt 30—40° for langt mot W; feilen ble rettet 25. oktober 1955. Den nye h_s skyldes flytningen i 1953.

Brekke Sluse: Den nye h_r skyldes utskiftning av nedbørstolpen 20. juli 1953. Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 25. oktober 1955.

Gvarv: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 17. august 1955.

Tveitsund: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 27. august 1955. Samme dag ble retningskorset, som pekte 15° for langt mot W, rettet.

Vollen i Slidre: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on September 20. 1955.

Åbjørsbråten: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on September 19. 1955.

Vang på Hedmark: The station was closed on June 15. 1955. The new station Kise på Hedmark, situated about 18 km WSW of Vang på Hedmark, has been operated as a private station since April 1951.

Ø. Toten: The station was equipped with a new thermometer screen, pattern M.I. 46, and with cylindrical maximum- and minimum thermometers on December 12. 1955.

Hvam: The rain gauge was moved about 1,5 m towards S on June 8. 1955.

Lyngdal i Numedal: The station was equipped with a barograph on August 20. 1955.

Eidsberg: The thermometer screen was moved about 5 m towards WNW, rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on October 27. 1955.

Råde (Tomb): The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on October 27. 1955.

Kalnes: The arm N has since June 1953 pointed 30—40° towards W, this was put right on October 25. 1955. The new H_s is due to the moving of the thermometer screen etc. in 1953.

Brekke Sluse: The new h_r is due to the new rain gauge which was put up on July 20. 1953. The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on October 25. 1955.

Gvarv: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on August 17. 1955.

Tveitsund: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on August 27. 1955. On the same day the arm N, which was pointing 15° towards W, was put right.

Byglandsfjord II: Taket på våningshuset ble hevet i 1955, derav den nye h_d. Barometeret ble flyttet ca. 13 m mot N til det nye kontoret 28. oktober 1955.

Klepp: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 19. juli 1955.

Ullensvang: Stasjonen ble flyttet ca. 2 km mot N 26. oktober 1955.

Kvamskogen: Stasjonen fikk vindfløy M.I. 47 15. november 1955.

Myrdal: Stasjonen ble nedlagt som værstasjon 19. oktober 1955, men fortsetter som nedbørstasjon. Ny stasjon ble opprettet samme dag ca. 1,4 km NE for den gamle stasjonen. Den nye stasjonen heter Vatnahalsen.

Syfteland: Stasjonen fikk ekstremtermometer 1. januar 1955.

Luster Sanatorium: Nedbørstolpen ble flyttet ca. 190 m i sørlig retning 20. oktober 1954.

Førde i Sunnfjord: Stasjonen ble flyttet ca. 30 m i sørvestlig retning 1. september 1955. Den 8. september 1955 ble stasjonen utstyrt med sylindriske maksimum- og minimumtermometre.

Kinn: Stasjonen fikk hygrometer 25. april 1955.

Runde: Stasjonen ble nedlagt 6. juni 1955. Ny stasjon ble opprettet 11. juni 1955 22 km WSW for den gamle stasjonen. Den nye stasjonen heter Svinøy Fyr.

Tingvoll: Stasjonen ble flyttet ca. 9 km i nordvestlig retning 16. september 1955, og kalles etter flytningen Tingvoll II. Dagen etter flytningen ble instrumenthytten ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre.

Kristiansund N.: Stasjonen ble flyttet ca. 250 m mot SE i dagene 9.—15. september 1955. Instrumenthytten og nedbørstolpen ble montert på det nye stedet 13. september 1955.

Vallersund: Barometer og barograf ble flyttet ca. 50 m mot NE 13. april 1955. Instrumenthytten ble flyttet ca. 20 m mot E 25. mai 1955, vindfløyen ca. 40 m mot E og nedbørstolpen ca. 15 m mot ENE 26. mai 1955.

Byglandsfjord II: The new h_d is due to the roof of the house being raised during the year 1955. The barometer was moved about 13 m towards N to the new office on October 28. 1955.

Klepp: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum and minimum thermometers on July 19. 1955.

Ullensvang: The station was moved about 2 km towards N on October 26. 1955.

Kvamskogen: The station was equipped with a wind vane pattern M.I. 47 on November 15. 1955.

Myrdal: The weather station was closed on 19. October 1955, but the station Myrdal goes on as a precipitation station. A new station was established on the same day about 1.4 km NE of the old station. The new station is called Vatnahalsen.

Syfteland: The station was equipped with an extreme thermometer on January 1. 1955.

Luster Sanatorium: The rain gauge was moved about 190 m southward on October 20. 1954.

Førde i Sunnfjord: The station was moved about 30 m southwestward on September 1. 1955. The station was equipped with cylindrical maximum- and minimum thermometers on September 8. 1955.

Kinn: The station was equipped with a hygrometer on April 25. 1955.

Runde: The station was closed on June 6. 1955. A new station was established 22 km WSW of the old station on June 11. 1955. The new station is called Svinøy Fyr.

Tingvoll: The station was moved about 9 km northwestward on September 16. 1955. The new station is called Tingvoll II. The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on September 17. 1955.

Kristiansund N.: The station was moved about 250 m towards SE in the period September 9.—15. 1955. The thermometer screen and the rain gauge were put up on the new place on September 13. 1955.

Vallersund: The barometer and the barograph were moved about 50 m towards NE on April 13. 1955. The thermometer screen was moved about 20 m towards E on May 25. 1955, the wind vane about 40 m towards E and the rain gauge about 15 m towards ENE on May 26. 1955.

Ørland II: Stasjonen ble nedlagt 30. september 1955. Stasjonen Ørland III, som ligger ca. 2 km NE for Ørland II, ble opprettet i oktober 1954.

Selbu: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 23. mai 1955.

Berkåk: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 20. mai 1955. Dagen etter fikk stasjonen vindfløy M.I. 47.

Ytterøy: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 14. september 1955.

Kjevli i Snåsa: Instrumenthytten ble ombygget til M.I. 46 og utstyrt med sylindriske maksimum- og minimumtermometre 13. september 1955.

Høylandet: Den nye H_s skyldes bedre høydebestemmelse. Stasjonen fikk barograf 11. september 1955 og barometer 5. november 1955.

Skålvær: Stasjonen fikk vindfløy M.I. 47 11. september 1955.

Nord-Solvær: Stasjonen fikk vindfløy M.I. 47 14. september 1955.

Glomfjord: Stasjonen, som tidligere hadde vindusbur, fikk instrumenthytte M.I. 46 og sylindriske maksimum- og minimumtermometre 11. november 1955.

Fauske: Barometer og barograf ble flyttet 18 m i sørøstlig retning til et annet rom i samme etasje 2. desember 1955.

Skrova: Stasjonen fikk vindfløy M.I. 47 10. november 1955.

Glåpen Fyr: Instrumenthytten ble ombygget til M.I. 33 4. juli 1955, og ble utstyrt med sylindriske maksimum- og minimumtermometre 9. juli 1955.

Bø i Vesterålen: Stasjonen fikk vindfløy M.I. 47 15. oktober 1955.

Andenes: I årbøkene 1953 og 1954 skal h_t være 2,0, ikke 1,8. Den nye H_b skyldes bedre høydebestemmelse.

Ørland II: The station was closed on September 30. 1955. The station Ørland III, situated about 2 km NE of Ørland II, was established in October 1954.

Selbu: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on May 23. 1955.

Berkåk: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on May 20. 1955. The next day the station was equipped with a wind vane pattern M.I. 47.

Ytterøy: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on September 14. 1955.

Kjevli i Snåsa: The thermometer screen was rebuilt to pattern M.I. 46 and equipped with cylindrical maximum- and minimum thermometers on September 13. 1955.

Høylandet: The new H_s is due to a better levelling. The station was equipped with a barograph on September 11. 1955 and with a barometer on November 5. 1955.

Skålvær: The station was equipped with a wind vane pattern M.I. 47 on September 11. 1955.

Nord-Solvær: The station was equipped with a wind vane pattern M.I. 47 on September 14. 1955.

Glomfjord: The station, which had a small screen with window exposure, was equipped with a thermometer screen pattern M.I. 46 and with cylindrical maximum- and minimum thermometers on November 11. 1955.

Fauske: The barometer and the barograph were moved 18 m southeastward to another room on the same floor on December 2. 1955.

Skrova: The station was equipped with a wind vane pattern M.I. 47 on November 10. 1955.

Glåpen Fyr: The thermometer screen was rebuilt to pattern M.I. 33 on July 4. 1955, and was equipped with cylindrical maximum- and minimum thermometers on July 9. 1955.

Bø i Vesterålen: The station was equipped with a wind vane pattern M.I. 47 on October 15. 1955.

Andenes: In the Year Books 1953 and 1954 h_t should be 2,0 instead of 1,8. The new H_b is due to a better levelling.

Gibostad: Instrumenthytten og nedbørstolpen ble flyttet ca. 15 m i vestlig retning 27. juli 1955 og ca. 250 m mot WNW henholdsvis 7. og 8. september 1955.

Bardufoss: Vindindikator, barometer og barograf ble 14. mai 1955 flyttet til rommet ved siden av den gamle oppstillingen.

Gamvik: Stasjonen fikk sylindrisk maksimumtermometer 19. september 1955.

Karasjok: Den nye H_s og H_b skyldes bedre høydebestemmelse.

Kautokeino: Den nye H_s skyldes bedre høydebestemmelse.

Lufttrykket ble i 1955 observert på 99 stasjoner, men lufttrykksobservasjonene er bearbeidet klimatologisk bare for 42 stasjoner. Stasjonsbarometrene er kvikksølvbarometre av Fuess- eller Kew konstruksjon. Av stasjonene er 91 utstyrt med barograf, de fleste av typen Fuess.

Lufttemperaturen ble observert på 177 stasjoner. Alle disse målte også minimumstemperaturen og 145 maksimumstemperaturen. Mens lufttemperaturen blir observert kl. (8), 7, 13 og 19 M. E. T. på de fleste stasjonene, blir ekstremtemperaturene avlest bare kl. (8), 7 og 19 M. E. T. Termometrene er hovedsakelig av tysk type, inndelt i $^1/_5$° C. De fleste maksimums- og minimumstermometre er inndeldt i $^1/_2$° C. 33 stasjoner er utstyrt med termograf, de fleste av typen Fuess.

176 stasjoner er utstyrt med instrumenthytte av tre, 1 med vindusbur og 5 stasjoner har slyngetermometer. 5 stasjoner er utstyrt med aspirasjonspsykrometer. 19 stasjoner er ikke utstyrt med instrumenter, og utfører bare visuelle observasjoner for flygeværtjenesten.

Temperaturen i havoverflaten ble målt hver dag kl. 13 M. E. T. på 14 representative kyststasjoner.

Luftens fuktighet ble målt på 150 stasjoner: av disse har 145 stasjoner Russeltvedts torsjonshygrometer montert i instrumenthytten, 5 stasjoner brukte aspirasjonspsykrometer (4 radiosondestasjoner og værskipet på stasjon M), 27 stasjoner har hygrograf av typen Fuess.

Gibostad: The thermometer screen and the rain gauge were moved about 15 m westward on July 27, 1955, and about 250 m towards WNW on September 7. and 8. 1955, respectively.

Bardufoss: The wind dial recorder, the barometer and the barograph were moved to the next room on May 14. 1955.

Gamvik: The station was equipped with a cylindrical maximum thermometer on September 19. 1955.

Karasjok: The new H_s and H_b are due to a better levelling.

Kautokeino: The new H_s is due to a better levelling.

Atmospheric pressure was observed at 99 stations in 1955, but only the observations from 42 of these have been included in the climatological statistics. The station barometers are mercurial barometers of the Fuess or of the Kew pattern. 91 stations are supplied with barographs, most of them of the Fuess type.

The air temperature was observed at 177 stations. All of them recorded the minimum temperature and 145 the maximum temperature. Whilst the air temperature is read at (8), 7, 13 and 19h C. E. T. on most of the stations, the extreme temperatures are observed only at (8), 7 and 19h C. E. T. The thermometers are mostly of the german type, graduated in fifths of degrees Centigrade. Most of the maximum- and minimum thermometers are graduated in half degrees Centigrade. 33 stations are equipped with thermographs, most of them of the Fuess type.

176 stations are equipped with louvre-boarded thermometer screens, 1 station has a small screen of sheet metal with window exposure and 5 stations use whirling thermometers. 5 stations are equipped with aspiration psychrometers. 19 stations are not equipped with instruments, anh furnish only visual observations for aviation reports.

The temperature of the sea surface was observed daily at 13h C.E.T. at 14 representative coastal stations.

Humidity observations were made at 150 stations. 145 of the stations are equipped with a Russeltvedt torsion hygrometer, mounted in the thermometer screen, 5 stations used aspiration psychrometers (the 4 radiosondestations and the weather ship at station M), 27 stations are equipped with hygrographs of the Fuess type.

Vindens retning og styrke observeres på alle stasjonene, og likeså noteres også den maksimale vindstyrke mellom observasjonsterminene. På 98 stasjoner bedømmes vindretningen etter vindfløy eller vaker, den registreres på 24 stasjoner (hvorav 10 også har indikator), 5 stasjoner har bare indikator. På de øvrige stasjonene bedømmes vindretningen etter skjønn. Vindstyrken registreres på 33 stasjoner (hvorav 10 også har indikator), 7 stasjoner har bare indikator. På de øvrige stasjonene bedømmes vindstyrken skjønnsmessig etter Beauforts skala.

Nedbørmengden (smeltevannet når det er snø eller hagl) blir målt på samtlige stasjoner kl. (8) 7 M.E.T. I den årstid nedbøren vesentlig faller som snø, benyttes en snømåler. Både regn- og snømålerne har en samleflate på 225 cm². 107 stasjoner er utstyrt med Nipher vindskjerm, 7 stasjoner er også forsynt med pluviograf. Når det er snø på bakken, observeres snødybden og snødekket hver dag kl. (8) 7 M. E. T.

Været, skydekket, synsvidden og nedbørslags samt været mellom observasjonsterminene observeres på samtlige stasjoner.

Av registreringene er bare verdiene fra Oslo (Blindern) tatt inn i Årboken.

The direction and the force of the wind are observed at all stations, and so is also the maximum wind force occurring between the standard hours of observation. 98 stations are equipped with a wind vane or a «wind sleeve», 24 stations with dial recorders, (10 of the stations having also dial indicators), 5 stations with dial indicators only. On the remaining stations the wind direction are estimated. 33 stations are equipped with wind recorders (10 of the stations having also dial indicators), 7 stations having dial indicators only. On the remaining stations the wind force are estimated according to the Beaufort scale.

The amount of precipitation (melted when snow or hail) is measured at all stations at (8) 7^h C. E. T. During the time of the year when the precipitation is mainly falling as snow, a snow-gauge is used. Both the rain-gauge and the snow-gauge have a collecting surface of 225 sq.cm. 107 stations are equipped with a Nipher wind shield, 7 stations are also supplied with a pluviograph. When snow is present on the ground, the depth of the snow and the snow cover are observed daily at (8)7^h C. E. T.

Observations of weather, cloudiness, visibility, type of precipitation and past weather are made at all stations.

Only data obtained from the recording instruments at Oslo (Blindern), are included in the Year Book.

FORKLARINGER TIL TABELLENE

Tabellene er satt opp i overensstemmelse med de vedtak som ble gjort av den Internasjonale Meteorologiske Organisasjon på møtene i Warszawa 1935 og i Salzburg 1937. Interpolerte verdier er angitt ved et ^{x}, de andre symboler som er benyttet er forklart på side *XV*.

Registreringene i Oslo (Blindern). — Verdiene i tabellene på side 1—14 er tatt ut for hver annen time av registreringene og påført de nødvendige korreksjoner. Vindhastigheten representerer den midlere hastighet i m/sek. i 10 minutter forut for det anførte klokkeslett. Verdiene for de øvrige elementer er momentanverdier. Ekstremverdier er trykt med fete typer. Følgende registrerinstrumenter har vært benyttet:

Sprung-Fuess kvikksølvbarograf.
Fuess termograf.
Fuess hygrograf.
Skålkorsanemometer M.I. 48/250 og anemograf Fuess.
Hellmann—Fuess vektpluviograf.

Ekstensotabellene. — Tabellene på side 16—39 inneholder observasjonene kl. 8, 13 og 19 M.E.T. fra Oslo (Blindern) og Tromsø og for kl. 7, 13 og 19 M. E. T. fra Bergen (Fredriksberg) og Trondheim (Voll) for 1955. Tabellene på side 103—133 inneholder observasjonene kl. 6,30, 12,30 og 18,30 M.E.T. fra Isfjord Radio, Jan Mayen og Myggbukta, og kl. 6.45, 12,45 og 18,45 M.E.T. for Bjørnøya og Hopen for 1954.

Regnet fra venstre til høyre inneholder rubrikkene:

1. *Datum.*
2. *Lufttrykket* (P) i millibar i stasjonens nivå.
3. *Lufttemperaturen* (T) og ekstremtemperaturene (Max og Min) i Celsiusgrader.
4. *Relativ fuktighet* (U) i prosent.
5. *Vindretningen* (D) i skalaen 01—36 og vindstyrken (F) etter Beaufort-skalaen.
6. *Synsvidden* (V) i skalaen 0—9, hvor 9 betyr synsvidde større enn 100 km.
7. *Skydekket* (N) i skalaen 0—8, og været (w) ved observasjonsterminene uttrykt ved symbolene på side *XV*.
8. *Nedbørhøyden* (R) i mm.
9. *Snødybden* (h_s) i cm.
10. *Værforløpet* (W) i døgnet uttrykt ved symbolene på side *XV*.

Måneds- og årsoversikter. — Tabellene på side 40—105 og 138—139 inneholder måneds- og årsmidler og

EXPLANATORY NOTES TO THE TABLES

The tables are arranged in accordance with the decisions made by the International Meteorological Organisation at the meetings in Warsaw 1935 and Salzburg 1937. Interpolated values are indicated by superscript x, other symbols used are defined on page *XVI*.

Data obtained from recording instruments at Oslo (Blindern). — The values given in the tables on pp. 1—14 are obtained from the bi-hourly readings of the self recording instruments appropriately corrected. The values for wind speed represent the mean values in m/sec through a period of 10 minutes prior to the time indicated. The other elements represent instantaneous values. The extreme values are printed in bold face type. The following recording instruments have been used:

Sprung-Fuess mercury barograph.
Fuess thermograph.
Fuess hygrograph.
Cup anemometer M.I. 48/250 and anemograph Fuess.
Hellmann—Fuess pluviograph of the weighing type.

Tables of individual observations. — The tables on pp. 16—39 contain observations made at 8, 13 and 19^h C.E.T. at Oslo (Blindern) and Tromsø and those made at 7, 13 and 19^h C. E. T. at Bergen (Fredriksberg) and Trondheim (Voll) for 1955. The tables on pp. 103—133 contain observations made at 6,30, 12,30 and $18,30^h$ C.E.T. at the stations Isfjord Radio, Jan Mayen and Myggbukta and at 6,45, 12,45 and $18,45^h$ C.E.T. at Bjørnøya and Hopen for 1954.

The contents of the columns from left to right are as follows:

1. *Date.*
2. *Pressure* (P) in millibars at station level.
3. *The air temperature* (T) and the extreme temperatures (Max and Min) in degrees Centigrade.
4. *Relative humidity* (U) in per cent.
5. *Wind direction* (D) on the scale 01—36 and the wind force (F) according to the Beaufort scale.
6. *Visibility* (V) on the scale 0—9, where 9 signifies visibility in excess of 100 km.
7. *Cloud cover* (N) on the scale 0—8, and the weather (w) at the time of observation represented by the symbols given on page *XVI*.
8. *Amount of precipitation* (R) in mm.
9. *Depth of snow on the ground* (h_s) in cm.
10. *Sequence of weather phenomena* (W) during the 24 hour period, expressed by the symbols defined on page *XVI*.

Monthly and annual summaries. — The tables on pp. 40—105 and 138—139 contain monthly and

summer av de forskjellige elementer. Regnet fra venstre til høyre inneholder rubrikkene:

1. *Måned.*

2. *Lufttrykket i stasjonens nivå* (P_m) og lufttrykket redusert til havets overflate (P_{om}) eller til nærmeste standard-geopotensial flate. Her er gjort en unntakelse for lufttrykket på Røros og Dombås som er redusert til havet. Siden 1. januar 1944 har Eliassens[1]) reduksjonstabeller vært benyttet, og disse tabeller gir verdier som for enkelte stasjoner er litt forskjellige fra dem en fikk av de tabellene som ble brukt tidligere. Lufttrykket på kyststasjonene reduseres (som før 1. januar 1944) på grunnlag av en konstant temperaturavtagen med høyden på 0.6° C pr. 100 m. For innlandsstasjonene Røros, Dombås, Nordli II og Karasjok benyttes den samme konstante temperaturgradient, og dessuten tilføyes en temperaturkorreksjon[2]) når lufttemperaturen er under 2° C.

Reduksjonen til havet av lufttrykket på Dalen i Telemark og på Vollen i Slidre utføres i overensstemmelse med Eliassens 4. metode (loc. cit. p. 10).

3. *Lufttemperaturen* (i Celsiusgrader). — Månedsmidlene (Dies) er beregnet av formelen[3])

$$M = n - k(n - \overline{\text{Min.}})$$

hvor n er midlet av observasjonene kl. (8) 7, 13 og 19 M. E. T., k en faktor som varierer med årstiden og fra stasjon til stasjon,[4]) og $\overline{\text{Min.}}$ er den midlere minimumstemperatur. Temperaturekstremene gjelder for døgnet regnet fra kl. 19 til kl. 19.

4. *Vindfordelingen.* — Vindstyrken er gitt etter Beaufortskalaen. Vindretningen er gitt i skalaen 01—36 og henført til den nærmeste retning delelig med 3, nemlig:

N (36), N30°E (03), N60°E (06), E (09)
E 30°S (12), E60°S (15), S (18), S30°W (21)
S60°W (24), W (27), W30°N (30), W60°N (33).

Den første tallkolonnen under hver retning gir antall tilfeller med vind fra vedkommende retning, og den andre kolonnen gir den midlere vindstyrke.

5. *Relativ fuktighet* (i prosent). — På stasjoner hvor Russeltvedts torsjonshygrometer blir brukt, tas den relative fuktighet ut av tabeller som er beregnet for hvert instrument. Fuktighetene som

annual means and sums of the different elements. The contents of the columns from left to right, are as follows:

1. *Month.*

2. *Atmospheric pressure at station level* (P_m) and atmospheric pressure reduced to mean sea level (P_{om}) or to the nearest standard geopotential surface, the latter with the exception that the pressures observed at Røros and Dombås are reduced to mean sea level. Since January 1. 1944, Eliassen's[1]) reduction tables have been in use, and these tables render results that, for some stations, differ slightly from those obtained from the tables previously used. The pressure observed at coastal stations are reduced (as prior to January 1. 1944) on the assumption of a constant lapse rate of temperature equal to 0.6° C per 100 m elevation. For the inland stations Røros, Dombås, Nordli II and Karasjok the same constant lapse rate is used, and, in addition, a temperature correction[2]) is applied when the air temperature is below 2° C.

The reduction to mean sea level of the pressure observations at Dalen i Telemark and Vollen i Slidre is performed according to Eliassen's fourth method (loc. cit. p. 10).

3. *Air temperature* (in degrees Centigrade). — The monthly means are computed from the formula[3])

$$M = n - k(n - \overline{\text{Min.}})$$

where n is the mean of the observations made at (8) 7, 13 and 19^h C. E. T., k a factor appropriate for the station and season,[4]) and $\overline{\text{Min.}}$ is the mean minimum temperature. The extreme temperatures refer to the 24-hour period from 19 to 19 hours.

4. *Wind distribution.* — The wind force is given according to the Beaufort scale. The wind direction is given on the scale 01—36, reduced to the nearest direction divisible by 3, viz:

N (36), N30°E (03), N60°E (06), E (09)
E30°S (12), E60°S (15) ,S (18), S30°W (21)
S60°W (24), W (27), W30°N (30), W60°N (33).

The first column of figures under each direction gives the number of cases of winds from the direction indicated, and the second column of figures gives the mean wind force.

5. *Relative humidity* (in per cent). — At stations where Russeltvedt's torsion hygrometers are used, the relative humidity is obtained from tables computed for each instrument. Humidities observed by

[1] Arnt Eliassen: On the Correction and Reduction of Barometer Readings. Geof. Publ. Vol XIII No: 11.

[2] Jahrbuch des Norwegischen Meteorologischen Instituts für 1944 S. XI.

[3] H. Mohn: Mitteilungen aus dem Norwegischen Meteorologischen Institute II. Die Temperatur der Luft. Met. Zeitschr. 1891 S. 253.

[3] B. J. Birkeland: Mittel und Extreme der Lufttemperatur. Geof. Publ. XIV. 1, Oslo 1936 S. 9—10.

[4] Jahrbuch des Norwegischen Instituts für 1938, S. VIII und 35 og Norsk Meteorologisk Årbok 1949, S 134 og 138.

observeres med psykrometer blir omregnet til relativ fuktighet ved hjelp av Jelineks tabeller når temperaturen er over frysepunktet, og ved hjelp av Birkelands[5]) tabeller når temperaturen er under frysepunktet. Den relative fuktighet refererer seg alltid til metningstrykket over vann.

Månedsmidlet er beregnet av Køppens formel

$$M = q + c(p - q)$$

hvor q er midlet av morgen- og aftenobservasjonene, p midlet av middagsobservasjonene og c er en faktor som varierer med stedet og tiden.[6])

6. *Skydekket* (i skalaen 0—8). — Månedsmidlene beregnes særskilt for morgen-, middags- og kvelds-observasjonene.

7. *Nedbøren* (i mm). — Nedbørhøyden blir målt kl. (8) 7 M. E. T., og gjelder for de foregående 24 timer. Månedssummene er gitt på nærmeste hele mm, og det samme er også tilfelle med de maksimale nedbørhøyder (Max).

8. *Antall dager med visse fenomener.* — Når det gjelder nedbørmengden, regnes døgnet fra kl. (8) 7 til kl. (8) 7, i forbindelse med andre fenomener regnes det fra kl. 19 til kl. 19.

Som nedbørdager regnes alle dager når nedbørhøyden er 0.1 mm eller mer. Dager med sludd telles opp for seg og tas dessuten med i kolonnene under dager med regn og dager med snø. Likeledes telles også antall dager med yr opp som dager med regn når nedbørmengden er 0.1 mm eller mer. Til antall dager med yr, hagl og tordenvær regnes alle dager da slike fenomener har forekommet, uten hensyn til nedbørhøyden. Dessuten skjelnes mellom tåke og tåkedis ettersom den tilhørende synsvidden er mindre eller større enn 1 km. Hvis tåke og tåkedis har forekommet på samme dag, regnes dagen som tåkedag. Som solskinnsdag regnes alle dager da solskinn har forekommet, uten hensyn til varigheten. Som klare dager regnes dager på hvilke summen av skydekketallene kl. (8) 7, 13 og 19 M. E. T. er 4 ($^4/_8$) eller mindre. På samme vis regnes hver dag når summen av skydekketallene kl. (8) 7, 13 og 19 M. E. T. er 20 ($^{20}/_8$) eller mer, som en overskyet dag. Dager med snødekke er dager når $^3/_4$ eller mer av bakken er dekket med snø.

[5] B. J. Birkeland: Neue Feuchtigkeitstafeln für das Psychrometer unter dem Gefrierpunkt, Christiania, 1907, Vorwort.

psychrometers are converted to relative humidity by the aid of Jelinek's tables when the temperature is above freezing and by aid of Birkeland's[5]) tables when the temperature is below freezing. Throughout, the relative humidity refers to saturation over water. The monthly means are computed from Køppen's formula

$$M = q + c(p - q)$$

where q denotes the mean of the morning and the evening observations, p the mean of the midday observations and c is a factor appropriate for the station and the season.[6])

6. *Amount of cloud cover* (on the scale 0—8). — The monthly means are computed separately for the morning, midday and evening observations.

7. *Amount of precipitation* (in mm). — The amount of precipitation is measured at (8) 7^h C. E. T. and refers to the preceding 24-hour period. The monthly sums are given to the nearest mm and so are also the maximum amounts (Max).

8. *Number of days with certain phenomena.* — Insofar as the amount of precipitation is concerned, the «day» is reckoned from (8) 7 to (8) 7 hours, in connection with other elements the «day» refers to the period from 19 to 19 hours.

As a day with precipitation is counted any day on which the amount of precipitation is 0.1 mm or more. Days with sleet are counted separately and are also included in the columns referring to days with rain and snow. Likewise the number of days with drizzle is included in the number of days with rain when the amount of precipitation is 0.1 mm or more. As days with drizzle, hail and thunderstorm are reckoned any day on which such phenomena occurred, regardless of the amount of precipitation associated with them. Furthermore, differentiation is made between fog and mist according to whether the associated visibility is lower or higher than 1 km. If fog and mist have occurred on the same day, the day is counted as one of fog. As a day with sunshine is counted any day on which sunshine has occurred, regardless of duration. As clear days are counted days on which the sum of the amount of cloud cover at (8) 7, 13 and 19^h C. E. T. is 4 (i.e. $^4/_8$) or less. Similarly, as an overcast day is taken any day when the sum of the cloud cover at (8) 7, 13 and 19^h C. E. T. is 20 (i.e. $^{20}/_8$) or more. Finally, a day with snow cover is a day on which $^3/_4$ or more of the ground is covered by snow.

[6] Jahrbuch des Norwegischen Meteorologischen Instituts für 1920, S. XI og Norsk Meteorologisk Årbok 1949, S. 135 og 139.

Avvikelser fra normalene. — Tabellene på side 15 gir avvikelsene i det midlere lufttrykk (ΔP) og i middeltemperaturene (ΔT) i 1955 fra middelverdiene for perioden 1901—1930.

Sjøtemperaturen (T_1). — Måneds- og årsmidler for temperaturen i havoverflaten 1955 på 12 representative kyststasjoner finnes på side 15.

Pentademidler av lufttemperaturen. — Tabellene på side 106—107 viser temperaturmidlene i perioder på 5 dager for 37 utvalgte stasjoner i 1955. Midlene er beregnet av formelen

$$M = n - k(n - \overline{\mathrm{Min}})$$

hvor n er midlet av observasjonene kl. (8) 7, 13 og 19 M. E. T., k en faktor som varierer med årstiden og fra stasjon til stasjon[7]) og $\overline{\mathrm{Min}}$ den midlere minimumstemperatur i 5-dagers perioden.

Oslo i oktober 1956.

[7] Jahrbuch des Norwegischen Meteorologischen Instituts für 1943, S. 96—97 og Norsk Meteorologisk Årbok 1949, S. 136—137 og 140—141.

Departures from normals. — The tables on p. 15 give the departures of the mean pressures (ΔP) and the mean temperatures (ΔT) for 1955 from the mean values for the period 1901—1930.

Sea surface temperatures (T_1). — Monthly and annual means of the sea surface temperature 1955 at 12 representative coastal stations are given on p. 15.

Five-day means of temperature. — The tables on pp. 106—107 give the mean temperature for consecutive periods of 5 days for 37 selected stations in 1955. The means are computed from the formula

$$M = n - k(n - \overline{\mathrm{Min}})$$

where n is the mean of the observations at (8) 7, 13 and 19^h C. E. T., k a factor appropriate for the station and season[7]) and $\overline{\mathrm{Min}}$ is the mean minimum temperature during the 5-day period.

Oslo, October 1956.

SYMBOLER

Symboler som forekommer i rubrikkene «Skydekke og vær» og «Værforløp» (Ekstensotabellene).

∞ Ølrøyk.
= Tåkedis.
≡ Tåke.
, Yr.
• Regn.
* Snø.
⁂ Sludd.
Kornsnø.
Iskorn.
Isnåler.
Regnbyer.
Snøbyer.
Sluddbyer.
Sprøhagl.
△ Hagl.
▲ Ishagl.
Kornmo.
Tordenvær.
Snøfokk.
Dugg.
Rim.
∿ Is-slag.
∨ Tåkerim.
Storm (F≧9).
⊙ Solskinn.
⊕ Halo (værgard).
Krans.
Regnbue.
Nordlys.
n om natten.
a om formiddagen.
p om ettermiddagen.
na etter midnatt (før morgenobservasjonen).
np før midnatt (etter kveldsobservasjonen).
i med avbrytelser.
() blir satt omkring værfenomener som forekommer innen synsvidde (men ikke på selve stasjonen).
0 og 2 som øvre indeks betegner intensitetsgraden, 0 svakt eller lett, 2 sterkt eller tett.

Andre symboler.

P Lufttrykk.
T Lufttemperatur.
T_1 Sjøtemperatur.
U Relativ fuktighet.
D Vindretning.
v Vindhastighet.
F Vindstyrke.
C Vindstille.
V Synsvidde.
R Nedbørhøyde.
N Skydekke.
w Vær.
W Værforløp.
φ Geografisk bredde.
λ Geografisk lengde.
g Tyngdens accelerasjon.
Δ G Forskjellen mellom den benyttede tid og Greenwich tid.
H_s Stasjonens høyde over havet.
H_b Barometerets høyde over havet (overkant av kvikksølvkoppen).
h_t Høyden over marka av termometerkula.
h_a Høyden over marka av vindhastighetsmåleren.
h_d Høyden over marka av vindretningsmåleren (vindfløy, vaker).
h_r Høyden over marka av nedbørmålerens overkant.
Φ Geopotensial.
m som nedre indeks angir midlet av elementet.
— over betegnelsen ($\overline{\text{Max}}$, $\overline{\text{Min}}$) blir benyttet for å angi at det er en middelverdi.
Δ Avvikelse.
Σ Sum.
n Antall observasjoner.
An Årsverdi.
M Månedsverdi.
Dat Datum.
Dies Døgnmiddel.

SYMBOLS

Symbols occurring in the columns «Skydekke og vær» and «Værforløp» of the Ekstensotabell.

∞ Haze.
= Mist.
≡ Fog.
• Drizzle.
• Rain.
* Snow.
Sleet.
Granular snow.
Grains of ice.
Ice needles.
Shower of rain.
Shower of snow.
Shower of rain and snow (sleet).
Soft hail.
△ Small hail.
▲ Hail.
Distant lightning.
Thunderstorm.
Drifting snow.
Dew.

Hoarfrost.
Glazed frost.
Soft rime.
Gale ($F_x \geqq 9$).
⊙ Sunshine.
Solar halo.
Solar corona.
Rainbow.
Aurora Borealis.
n in the night.
a in the forenoon.
p in the afternoon.
na after midnight.
np before midnight.
i intermittent.
( ) brackets are used to indicate weather phenomena occurring in the neighbourhood of the station, but not at the station itself.

0 and 2 appearing as superscript indicate the intensity of the weather phenomena, such that 0 = slight or weak, and 2 = heavy or thick.

Further symbols.

P Atmospheric pressure.
T Air temperature.
T^1 Sea surface temperature.
U Relative humidity.
D Wind direction.
v Wind speed.
F Wind force.
C Calm.
V Visibility.
R Amount of precipitation.
N Amount of cloud cover.
w Weather.
W Sequence of weather.
φ Latitude.
λ Longitude.
g Acceleration of gravity.
Δ G Difference between the time used and Greenwich time.
H_s Height of station above mean sea level.
H_b Height of the barometer cistern above mean sea level.

h_t Height above the ground of the thermometer bulb.
h_a Height above the ground of the anemometer.
h_d Height above the ground of the wind vane.
h_r Height above the ground of the collecting surface of the precipitation gauge.
Φ Geopotential.
m as subscript, indicate the mean value of an element.
— (e.g. $\overline{\text{Max}}$, $\overline{\text{Min}}$) indicates a mean value.
Δ Departures.
Σ Sum.
n Number of observations.
An Annual value.
M Monthly value.
Dat Date.
Dies 24-hour means.

STASJONSFORTEGNELSE 1955
(List of Stations 1955).

Stasjon (Station)	Side (Page)	φ N	λ E Gr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1])	Observasjonstider. Mellem-europ. tid	Observator (Observer)
Åbjørsbråten	44	60° 55′	9° 18′		635		1.8		13.0	1.4		8 13 19	Lage Åbjørsbråten, gårdbruker.
Amot	46	61 7	11 18		310		2.0		6.7	1.7	R	7 13 19	Fru Ester Svenningsen.
Ås	15, 56, 106	59 40	10 47		95		2.0		8.3	2.0	R	8 13 19	Halvor Tønseth, kontrollassistent.
Alta (Elvebakken)	100	69 58	23 22	9.826	4	4.7	2.0		10	1.6	R	7 13 19	Thomas Thomassen, oppsynsbetjent.
Alvdal	15, 40, 106	62 2	10 48		485		1.9		8.0	1.5	R	7 13 19	Fru Marit Nordrum Søgård.
Andenes	15, 96	69 19	16 7	9.826	5	6.4	2.0	10.9	10.2	1.7	R	7 13 19	Aron Th. Hanssen, fyrmester.
Asker	50	59 51	10 26		154		1.9			2.0		8 13 19	Statens Småbrukslærerskole.
Bardufoss	98	69 4	18 31	9.825	76	82.6	2.0	10.7	10.3	2.3	R	6^{45} 12^{45} 18^{45}	Værtjenesten.
Bergen (Fredriksb.)	15, 22, 70	60 24	5 19	9.819	43	44.4	1.7	19.0	19.0	1.4	R	6^{45} 12^{45} 18^{45}	Anton Bakke, vaktm. ved Vervarslinga.
Berkak	82	62 50	10 1		424		2.0		11.0	1.8	R	7 13 19	Fru Sina Kosberg.
Bjørnfjell	92	68 26	18 4		514		1.9			2.5		7 13 19	Erling Stubo, stasjonsmester.
Bjørnøya	120, 138	74 31	19 1	9.828	15	14.4	1.9	10.0	9	2.0	R	6^{45} 12^{45} 18^{45}	Radiostasjonen.
Bodø VI	15, 90, 107	67 16	14 22	9.824	10	16.6	2.0	11.2	11.2	1.4	R	6^{40} 12^{40} 18^{40}	Værtjenesten.
Borge i Lofoten	94	68 20	13 53		5		1.8			1.6	R	6^{30} 12^{30} 18^{30}	Frøken Liv Jensen.
Brekke Sluse	56	59 9	11 34		114		2.0		8.5	1.8	R	7 13 19	Harald Thorsen, slusemester.
Bronnøysund II	15, 88, 107	65 29	12 13	9.823	13	13.2	2.0		11.0	1.8	R	7 13 19	Peder Haus, radiobestyrer.
Byglandsfjord II	15, 60, 106	58 40	7 49		206		2.1		10.0	1.6	R	7 13 19	Ragnar Rike, telefonbestyrer.
Bø i Vesterålen	15, 96	68 37	14 27		7		2.0		9.9	1.8		7 13 19	Frøken Valborg Henriksen.
Dagali	15, 52	60 25	8 26		887		2.0		7.5	1.7	R	8 13 19	Frøken Ragnhild Aasberg.
Dalen i Telemark.	15, 58	59 27	8 0	9.818	77	79.6	2.0			1.8	R	7 13 19	Arne Bergland, snekkermester.
Dividalen	15, 98	68 47	19 44		202		2.0			1.4	R	8 13 19	Johan Stenvold, skogvokter.
Dombås	15, 42, 106	62 4	9 7	9.819	643	647.1	1.9		7	1.7	R	7 13 19	Sverre Hodneland, telegrafbestyrer.
Drag i Tysfjord	92	68 3	16 2		60		1.9			1.8		7 13 19	Adelsten Ellingsen, småbruker.
Drevsjø	40	61 53	12 3		675		2.0		9.7	1.6	R	7 13 19	Ingeborg Berndtsson, telefonbestyrerinne.
Eggemoen	46	60 13	10 19		195		2.0	10.7	10.5	1.7	R	7 13 19	Ole Nystrand, oppsynsmann.
Eidsberg	56, 106	59 30	11 17		140		2.2		9.1	1.7	R	7 13 19	Olav Bakka, gårdbruker.
Ekkerøy	102	70 5	30 6		7		1.5		8.7	1.9		7 13 19	Einar Nielsen, telefonbestyrer.
Elvesæter	42	61 42	8 17		675		2.0			1.5	R	7 13 19	Olav Lilleødegård, småbruker.
Fanaraken	76	61 31	7 54	9.816	2062	2070.3	4.2	9.7	9.7	3.0	R	6^{45} 12^{45} 18^{45}	Observatoriet.
Fauske	90	67 15	15 23		15		1.9			2.0	R	7 13 19	Arnold Brembo, avdelingssjef.
Ferder	15, 58	59 2	10 32	9.819	6	7.7	2.0	8.2	17.5	1.0	R	7 13 19	Ole Utheim, fyrmester.
Fister	66	59 11	6 4		1		2.1		7	1.5	R	7 13 19	Martin Hammer, småbruker.
Fjærland (Skarestad)	74	61 25	6 47		10		2.0		6.2	1.4	R	7 13 19	Anders Skarestad, gårdbruker.
Flisa	15, 48, 106	60 37	12 1		183		1.9		8.0	1.5	R	7 13 19	Fru Ingeborg Sørknes.
Flubø (Røen)	48	60 47	10 12		160		2.0			1.9	R	7 13 19	Hallstein Røen, gårdbruker.
Fokstua	42	62 7	9 17		952		1.8		6.8	1.5	R	8 13 19	Paul S. Kolstad, stasjonsbestyrer.
Fornebu	50	59 54	10 38	9.819	18	23.2	1.9	11.5	11.1	1.8	R	6^{30} 12^{30} 18^{30}	Værtjenesten.
Fortun	74	61 30	7 42	9.820	27	29.6	2.0		7.0	1.3	R	7 13 19	Erik Fortun, poståpner.
Fruheimen	100	71 6	24 0	9.827	13	14.2	2.0	9.2	7.1	1.4	R	7 13 19	Hans Hansen, fyrmester.
Førde i Sunnfjord	76	61 27	5 51		3		1.9		16.0	1.7	R	8 13 19	Gunvor Thingvold, telegrafassistent.
Gamvik	102	71 4	28 15	9.827	6	9.3	2.0			1.6	R	6^{45} 12^{45} 18^{45}	Karl Henriksen, arbeider.
Gardermoen	48	60 12	11 5	9.820	202	211.5	1.9	11.6	11.2	1.7	R	7 13 19	Værtjenesten.
Gausstoppen	54	59 51	8 40	9.815	1828	1828.7	2.1		3.5	1.3	R	7 13 19	John Solheim.
Geilo (Strand)	52	60 32	8 13		768		1.9		6.2	2.0	R	7 13 19	Johannes O. Strand, knivmaker.
Gibostad	96	69 21	18 5		12		1.9			1.6	R	7 13 19	Arthur Bendiksen, kasserer.
Gjermundnes	78	62 37	7 10		51		1.8		8.5	1.6	R	7 13 19	Edvard Ansnes, håndverkslærer.
Glomfjord	90	66 49	13 59		39		1.3			1.8		8 13 19	Glomfjord kraftverk.
Glæpen Fyr	94	67 53	13 3		31		1.9			1.7		6^{45} 12^{45} 18^{45}	Nordahl Jensen, fyrmester.
Grimstad	60	58 20	8 36		7		1.8		5.0	1.4		7 13 19	Frantz L. Nilsen, pensjonist.
Grøtøy	92	67 50	14 47		6		2.1			1.4	R	7 13 19	Ingrid Dahl, telefonstasjonsholder.
Gvarv	15, 58, 106	59 24	9 10		26		1.9		6.5	1.7	R	7 13 19	Fru Marie Magnussen.
Hattfjelldal	88	65 36	13 59		221		1.9			1.9	R	7 13 19	Fru Ida Slettbakken.
Haugastøl	52	60 31	7 52		988		1.8		8	2.8	R	7 13 19	Lars Bæra, telegrafist.
Helligvær	90	67 24	13 54		14		2.0		9	1.6	R	7 13 19	Marius Hansen, fisker.
Hellisøy Fyr	15, 72	60 45	4 43		20		1.8	12.5	12.5	1.2	R	7 13 19	Henry Hansen, fyrmester.
Helnes Fyr	100	71 4	26 14		33		2.1			1.8	R	7 13 19	Ingvard Johansen, fyrmester.
Hopen	114, 138	76 30	25 4	9.829	6	7.2	1.8		8.0	1.9	R	6^{45} 12^{45} 18^{45}	Radiostasjonen.
Hvam	48, 106	60 6	11 24		162		2.0		10.0	2.0	R	8 13 19	Torgeir Blakarstuen, forsøksleder.
Høylandet	86	64 36	12 16		21		2.0		10	1.4	R	6^{45} 12^{45} 18^{45}	Ivar Mørkved, gårdbruker.
Indre Matre	68	59 51	6 0		24		2.0			1.7		6^{45} 12^{45} 18^{45}	Arnfinn Matre, gårdbruker.
Isfjord Radio	108, 138	78 4	13 38	9.830	7	9.0	1.9	10.0	11.6	1.7	R	6^{30} 12^{30} 18^{30}	Radiostasjonen.
Jan Mayen	126, 138	71 1	8 28w	9.829	40	39.3	2.0	9.8	10.5	1.7	R	6^{30} 12^{30} 18^{30}	Radiostasjonen.
Jomfruland	58	58 52	9 36		15		2.1		23.6	1.7	R	7 13 19	Anders Johansen Gjøen, fyrmester.
Kalhovd	54	60 4	8 22		1101		1.9			1.6	R	7 13 19	Arne Nilsen, bestyrer.
Kalnes	56	59 19	11 3		58		2.0		7.5	1.7	R	8 13 19	Einar Sætherbakken, fjøsmester.
Karasjok	15, 104	69 28	25 31	9.825	129	130.8	1.9		10.0	1.3	R	7 13 19	Fru Anna Næss.
Kautokeino	104	69 0	23 2		306		1.9			1.9	R	6^{45} 12^{45} 18^{45}	Fru Julie Oskal.
Kinn	15, 76	61 34	4 48	9.821	9	7.6	2.0			1.4	R	6^{45} 12^{45} 18^{45}	Edvin Gjertsen, telefonbestyrer.

R: Russeltvedt torsjonshygrometer.

Stasjon (Station)	Side (Page)	φ N	λ E. Gr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1]	Observasjonstider. Mellemeuropeisk tid.	Observatør (Observer)
Kise på Hedmark..	46, 106	60°46′	10°49′		128	130.9	2.0			1.3	R	7 13 19	Johannes Thorsrud, forsøksleder.
Kistrand	100	70 27	25 13		12		2.0			1.5	R	6^{45} 12^{45} 18^{45}	Olaf Sætrum, snekker.
Kjevik	62	58 12	8 5	9.818	12	15.2	2.0	10.0	10.0	1.6	R	6^{45} 12^{45} 18^{45}	Værtjenesten.
Kjevli i Snåsa....	15, 84, 107	64 10	12 29		195		2.0		11.0	1.5		8 13 19	Sverre Kjøbli, gårdbruker.
Klepp	15, 64, 107	58 48	5 38		14		2.0		12.5	1.5	R	8 13 19	Ingar Øglænd, planteskolebestyrer.
Kongsberg	15, 54	59 40	9 39		169		2.0		7.5	1.8	R	8 13 19	Gotfred Lofthus, brannkonstabel.
Konsmo.....	62	58 16	7 20		337		2.1		9	1.7	R	6^{45} 12^{45} 18^{45}	Sem Hægland, gårdbruker.
Koppang (Øyset)..	42	61 37	10 53		303		2.1		14.4	1.5	R	7 13 19	Ole Velten, postbud.
Kristiansand S....	62, 107	58 10	7 59		22		2.0			1.7	R	8 13 19	Richard Huseby, arbeidsleder.
Kristiansund N....	80	63 7	7 45		48		2.0			1.6	R	7 13 19	Carsten Junge, vaktsjef.
Kråkenes Fyr	78	62 2	4 59		38		2.2	13.5	7	1.4	R	7 13 19	Sverre Eriksen, fyrmester.
Kvamskogen	70	60 24	5 55		408		2.0		8	1.8	R	7 13 19	Trygve Totland, telefonbestyrer.
Leikanger	15, 74, 107	61 11	6 52		22		2.0			1.8		8 13 19	Erling Kvaale, forsøksleder.
Leka	86	65 6	11 42		50		2.0		9	1.8	R	6^{45} 12^{45} 18^{45}	Knut Leknes, gårdbruker.
Lillehammer.....	15, 44, 106	61 6	10 29		226		2.0		9.4	1.5	R	7 13 19	Thorleif A. Ulsaker, gårdbruker.
Lindesnes	15, 64	57 59	7 3		10		2.0		19.0	1.4		7 13 19	Reinert Rasmussen, fyrmester.
Lista	15, 64	58 6	6 34		13		2.1	10.4	10.3	1.6	R	7 13 19	Sverre Røsstad, fyrmester.
Loppa	100	70 20	21 28		8		1.9			1.8		7 13 19	Fru Hulda Soelberg.
Luster Sanat.	74	61 26	7 25		484		2.0			2.0	R	8 13 19	Helgv Wullum, gartner.
Lyngdal i Numedal	54	59 54	9 32		290		2.0		10	1.8	R	7 13 19	Olav Homelien, kjøpmann.
Lyngør Fyr.....	15, 60	58 38	9 9		4		2.2		10.0	1.4	R	7 13 19	Olav Ringdal, fyrmester.
Lærdal (Tønjum)	74	61 4	7 31	9.819	36	36.4	1.8		10.0	1.7	R	6^{45} 12^{45} 18^{45}	Kristian Øvgard, lærer.
Majavatn	86	65 13	13 22		352		2.0			1.9		7 13 19	Andreas Nilsen Kappfjelli, gårdbruker
Makkaur Fyr.....	102	70 42	30 5		11		2.1			1.8		6^{15} 12^{30} 18^{30}	Nils M. Nilsen, fyrmester.
Mandal II	62	58 3	7 27		138		1.9		9	1.6		8 13 19	Albert Håland, gårdbruker.
Meråker II	84	63 25	11 46		218		2.0		14.2	1.8	R	7 13 19	Arvid Jensen, telegrafist.
Mo i Rana II	88, 107	66 20	14 11		25		2.0			1.6	R	7 13 19	Osvald Alternes, lærer.
Modalen	72	60 50	5 56		104		2.0			1.1	R	7 13 19	Olav Farestveit, gårdbruker.
Modum	52, 106	59 58	9 58		135		1.8		7.4	1.7	R	8 13 19	Reidar Barland, lærer.
Myggbukta	132, 138	73 29	21 34w	9.828	3	4.2	1.8	6.5	6.9	1.9	R	6^{30} 12^{30} 18^{30}	Radiostasjonen.
Myken	15, 90	66 46	12 29		19		2.1	9.7		1.8	R	6^{45} 12^{45} 18^{45}	Petter Moe.
Myrdal	70	60 44	7 7		870		1.9	9.6	7.4	2.8		7 13 19	Anfinn Gjerde, formann.
Narvik II	92	68 28	17 30		32		2.0			1.8		6^{45} 12^{45} 18^{45}	Arne Wiker, gårdbruker.
Nesbyen II	15, 52, 106	60 34	9 8		165		2.1		7.3	1.7	R	6^{45} 12^{45} 18^{45}	Frøken Olava Kvarteig.
Nordfjordeid	76, 107	61 56	6 6		71		1.9			1.7	R	7 13 19	Fru Pernille N. F. Leivdal.
Nordli II.....	86	64 27	13 36	9.822	408	412.7	2.0		13	1.4		7 13 19	Bernt Elvseth, småbruker.
Nord-Solvær.....	88	66 22	12 39		7		2.1		10	1.7		7 13 19	Alf Johansen, poståpner.
Nordøyan	15, 86	64 48	10 33		33		1.9	10.4	10.3	1.7	R	6^{40} 12^{40} 18^{40}	Peder Krøvel, fyrmester.
Obrestad	64	58 39	5 34		24		2.1		10.5	1.4	R	7 13 19	Elias Breivik, fyrmester.
Offersøy	15, 92, 107	68 20	15 38	9.825	16	20.3	2.0		9.2	1.8	R	7 13 19	Magnus Os, lærer.
Oksøy	15, 62	58 4	8 3	9.818	9	8.0	2.0		8.1	1.8	R	7 13 19	John Holthe, fyrmester.
Ona	15, 78	62 52	6 33	9.822	11	12.5	2.1	13		1.4	R	7 13 19	Sivert Jonas Viken, poståpner.
Opstryn	15, 76	61 56	7 14		205		1.8			1.7		8 13 19	Frøken Ingebjørg Skåre.
Oslo (Blindern) ...	1, 15, 16, 50	59 56	10 44	9.819	94	95.6	2.2	25.6	25.6	1.6	R	8 13 19	Lågstad, Bakken, vaktmestere v. Met. I
Pasvik.....	104	69 10	29 15		54		2.0		9.2	1.7	R	8 13 19	Gunnar Schaaning, småbruker.
Runde	78, 107	62 24	5 39		21		1.9			1.3		7 13 19	Karoline Runde, telefonbestyrerinne.
Rustefjelbma.....	102	70 24	28 12		9		2.0			1.8	R	7 13 19	Sabba A. Sabbasen, småbruker.
Røros	15, 40, 106	62 34	11 23	9.819	628	629.8	1.8		14.7	1.9	R	7 13 19	Magnus Skanche, stasjonsmester.
Røst	94	67 30	12 4		8		1.9		15.6	1.6	R	7 13 19	Percival T. Pedersen, telegrafbestyrer.
Råde (Tomb)	56	59 19	10 49		14		1.9		6.9	1.5	R	8 13 19	Andreas Nome, landbrukslærer.
Sandsøy i Senja ..	96	68 57	16 40		17		2.2		9.2	1.7	R	7 13 19	Alf O. Skogsletten, kjøpmann.
Sauda	15, 66, 107	59 39	6 22		5		1.8			1.5	R	7 13 19	Oscar Pedersen, vaktsjef.
Selbu	82	63 12	11 7		197		2.0		8	1.4	R	7 13 19	Olav Engen, snekker.
Siččajavre	15, 104	68 45	23 33		382		2.1		6	1.6	R	7 13 19	Elias Øvergård, fjellstueoppsitter.
Sikkilsdal	44	61 29	9 2		1015		2.1		7.2	2.2	R	7 13 19	Sigvald Sande, bestyrer.
Skattøra	98	69 42	19 1		14		2.0	10.8	10.5	1.6	R	7 13 19	Værtjenesten.
Skomvær Fyr	15, 94	67 25	11 53	9.826	18	21.4	1.9	20.1		1.5	R	6^{45} 12^{45} 18^{45}	Bjarne Mathisen, fyrmester.
Skotterud	50	59 59	12 8		150		2.0			1.8	R	7 13 19	Hans Christensen, småbruker.
Skrova	15, 94	68 9	14 39		11		2.2		8	1.7	R	7 13 19	Arild Klefstad, fyrbetjent.
Skudenes II.....	15, 66	59 9	5 15	9.819	7	9.2	2.2		7	1.7	R	8 13 19	Lars Aadnesen, gårdbruker.
Skålvær.....	88	65 52	12 11		4		2.2		10	1.7		7 13 19	Henrik Jenssen, kjøpmann.
Slirå	15, 70	60 37	7 25		1300		3.2	11.5	12	3.8	R	6^{45} 12^{45} 18^{45}	Sverre Bostad, banevokter.
Slåtterøy	15, 68	59 54	5 4		15		2.1		3.5	1.4	R	7 13 19	Nils Eriksen, fyrbetjent.
Sola	66	58 53	5 38	9.819	8	12.7	1.8	10.3	10.3	1.6	R	7 13 19	Værtjenesten.
Sommarøy i Senja	96	69 38	18 1		2		2.0			1.7		7 13 19	Konrad Olsen, tilsynsmann.
Stavanger.....	66	58 57	5 44		67		1.7		5	1.6	R	8 13 19	Ingmar Vareng, meteorologisk assiste
Stokke.....	54, 106	59 14	10 17		76		2.0		12	1.7	R	7 13 19	Kristoffer Holt, hagebrukslærer.
Sula Fyr.....	15, 80	63 51	8 28	9.822	27	30.0	1.8	13.0	13.0	1.7	R	7 13 19	Alfred Bekken, fyrbetjent.
Sulstua	15, 84	63 40	12 1		251		1.9			1.6		8 13 19	Rasmus Brendmo, gårdsarbeider.
Sunndal.....	15, 80	62 33	9 7		195		2.0		9.5	1.8		7 13 19	Endre G. Nisja, gårdbruker.
Svandalsflona	68	59 51	6 57		1048		3.1		8.0	3.6	R	7 13 19	Torjus Svandalsflona, fjellstueeier.
Svinøy Fyr	78, 107	62 20	5 16		39		1.8			1.7		6^{45} 12^{45} 18^{45}	Petter Tarberg, fyrbetjent.
Syfteland	72, 107	60 14	5 27		55		2.0		6.8	1.4	R	8 13 19	Jakob Hjelle, treskjærer.

[1]) R: Russeltvedt torsjonshygrometer.

Stasjon (Station)	Side (Page)	φ N	λ E. Fr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1]	Observasjonstider. Mellomeuropeisk tid.	Observator (Observer)
ør-Nesset	40, 106	61°53′	10° 9′		738		2.0			1.8	R	7 13 19	Orner Sørensen, forpakter.
afjord	78, 107	62 13	7 26	9.821	27	27.7	1.9			1.5	R	7 13 19	Johannes Flø, maskinmester.
akle	72	61 2	5 20		36		2.1			1.7	R	7 13 19	Johannes J. Takle, gårdbruker.
ingvoll	80, 107	62 50	8 19		51		1.8		9.7	1.6	R	7 13 19	Peter Oftedal, maskinmester.
ingvoll II	80, 107	62 54	8 13		ca. 87		2.0		8.6	1.7	R	7 13 19	— » —
onstad	15, 64	58 40	6 42		57		2.1		9.5	1.4	R	6^{45} 12^{45} 18^{45}	Fru Thrine Bjunes.
orsvåg	15, 98	70 15	19 30		22		1.9	4.4		1.8	R	7 13 19	Arne Eriksen, fyrmester.
orungen Fyr	15, 60	58 24	8 48		12		2.0	10.4	10.5	1.3	R	6^{45} 12^{45} 18^{45}	Kjell Selvig, fyrmester.
romsø	15, 34, 98, 107	69 39	18 57	9.826	102	114.5	2.8	12.3	20.7	1.7	R	8 13 19	Olaf Pedersen, vaktm. ved Vervarslinga.
rondheim (Voll)..	15, 28, 82, 107	63 25	10 27	9.822	127	133.0	2.0	16.6	16.6	1.3	R	7 13 19	Ole Tuset, småbrukskandidat.
rysil	46	61 20	12 15		362		1.9			1.5	R	7 13 19	Magnus Holt, urmaker.
ryvasshøgda	50	59 59	10 41		512		2.1		20.3	2.0	R	7 13 19	Andreas Hagenæs, telegrafbestyrer.
veitsund	60	59 2	8 31		252		2.0		11	1.7	R	7 13 19	Fru Eldbjørg Tveit.
ynset	40	62 18	10 45		483		2.0		9.7	1.8	R	7 13 19	Nils Hansæl, gårdbruker.
llensvang	15, 68, 107	60 19	6 40	9.819	30	32.1	2.0		7	1.5	R	7 13 19	Fru Anna Skarstein.
tsira	68	59 18	4 53		55		2.2	10.6	10.6	1.6	R	7 13 19	Severin Haugland, fyrmester.
allersund	82, 107	63 51	9 44		4		2.0		10.0	1.6		7 13 19	Kåre Stenstvedt, telefonbestyrer.
angsnes	72	61 10	6 39		53		2.0		5.7	1.9	R	7 13 19	Johan Handal, gårdbruker.
arde	15, 102	70 22	31 6	9.826	13	14.6	1.9	8.4	9.5	2.0	R	6^{45} 12^{45} 18^{45}	Martin Johnsen, telegrafbestyrer.
atnahalsen	70	60 45	7 8		760		2.0	9.6	9.0	2.5	R	6^{45} 12^{45} 18^{45}	Fru Aslaug Erlandsrud.
efall i Drangedal	58	59 0	9 13		68		2.0		12.3	1.6	R	8 13 19	Hans Lauvtangen, gårdsarbeider.
inger	48, 106	60 13	12 1		175		2.0		10	1.6	R	8 13 19	Karstein Seland, jordbrukslærer.
injeora	80	63 12	9 0		9		2.0			1.8		7 13 19	Fru Mildrid Schei.
instra	15, 44, 106	61 36	9 45		241		2.1		8.6	1.5	R	7 13 19	Anton P. Thorsheim, fhv. smed.
ollen i Slidre....	15, 44, 106	61 5	8 59	9.819	403	404.6	1.9		12.0	1.6	R	6^{45} 12^{45} 18^{45}	Frøken Olga Breyholtz.
oss	70	60 38	6 26		61		2.0			1.7	R	7 13 19	Torstein Seim, vaktmester.
ærnes	84, 107	63 28	10 56	9.822	12	15.8	2.0	10.6	10.2	1.8	R	6^{30} 12^{30} 18^{30}	Værtjenesten.
agåne	42	61 52	9 6		371		2.1		9	1.8	R	7 13 19	Anton Strupstad, hagebrukslærer.
ttere	84	63 48	11 13		74		1.9		12.4	1.6	R	7 13 19	Kristian Henning, gårdbruker.
ørland III	82	63 42	9 37		9		2.0		10.2	1.9	R	6^{45} 12^{45} 18^{45}	Værtjenesten.
Ø. Toten	15, 46, 106	60 42	10 53		270		1.9		10.7	1.7		8 13 19	Konrad Finstad, gårdsbestyrer.

[1]) R. Russeltvedts torsjonshygrometer.

RETTELSER
(Corrigenda)

	Står (Instead of)	Skal være (Read)
I Jahrbuch des Norwegischen Meteorologischen Instituts for:		
1920. S. 148. Vardo: Lufttemperatur: Mittel: III	0.1	—0.4
» » » » » » 1920	2.8	2.7
1926. » 133. Trondhjem: Niederschlag: Summe: IV	66.8	68.8
» » » » » » 1926	863.0	865.0
1927. » 125. » » » V	74.9	75.3
» » » » » » 1927	726.9	727.3
1936. » 57. Vollen i Slidre: Niederschlag: Σ: VIII	31.8	33.1
» » » —»— » Σ: 1936	469.7	471.0
I Norsk Meteorologisk Årbok for:		
1945. S. 48. Asker: Lufttemperatur: $\overline{Max}$: 1945	1.0	10.3
1947. » 84. Bodo: Lufttrykk: P_m: X	10.4	09.4
» » » » » $P_{\circ m}$: X	14.8	13.8
» » » » » P_m: XII	03.6	01.4
» » » » » $P_{\circ m}$: XII	08.0	05.8
» » » » » P_m: 1947	1008.3	1008.0
» » » » » $P_{\circ m}$: 1947	1012.7	1012.4
1948. » 62. Stavanger: Midlere Lufttemperatur T_m: Dies: II	2.6	1.7
» » » » » » » 1948	8.2	8.1
» » 88. Fauske: » » » 1948	4.3	4.5
1950. » 90. Røst: Lufttemperatur T: $\overline{Min}$: 1950	3.7	4.5
1954. » 68. Utsira: Midlere Lufttemperatur T_m: Dies: VIII	14.7	14.4
» » 71. Myrdal: Antall dager n: Snø: I	17	18
» » 73. Vangsnes: Antall dager n: Max>25°: VII	0	1
» » » » —»— » » : 1954	0	1
» » 88. Mo i Rana: Lufttemperatur T: Min: XI	—12.9	—15.6
» » » —»— —»— Dat: XI	23	20
» » 99. Bardufoss: Antall dager n: Regn: III	6	7
» » » » —»— » 1954	120	121

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

Oslo (Blindern) **1955**

Januar (I) $\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$ Februar (II)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	29.0	28.8	28.9	29.3	29.2	29.6	29.5	29.8	30.0	30.7	29.9	31.3	31.3	28.8	29.67
2	31.7	31.8	32.0	32.8	33.3	33.9	33.6	34.0	34.5	35.4	35.6	35.9	35.9	31.3	**33.71**
3	35.9	35.2	34.3	34.6	34.2	33.4	32.3	31.6	31.3	31.1	30.4	30.0	**36.0**	30.0	32.86
4	29.5	28.9	27.7	27.2	27.2	27.0	26.0	25.2	24.3	23.7	22.7	21.7	30.0	21.7	25.92
5	20.6	19.7	18.6	18.2	18.3	17.7	16.7	15.3	15.6	15.6	15.8	15.6	21.7	15.6	17.39
6	15.2	15.1	14.8	15.1	15.3	15.1	13.7	12.5	11.4	10.5	09.9	08.8	15.6	08.8	13.12
7	07.4	06.2	04.3	03.2	02.2	00.9	99.6	99.0	98.7	98.0	97.9	98.0	08.8	97.9	01.28
8	98.3	98.4	98.2	98.8	99.5	99.7	99.5	99.5	99.5	99.7	99.7	99.3	99.8	98.0	99.18
9	99.1	98.6	97.8	97.4	96.8	95.8	94.5	93.1	91.7	90.7	89.6	88.2	99.3	88.2	94.44
10	86.7	84.9	82.6	80.3	77.6	74.1	69.1	63.4	60.3	60.1	59.7	58.2	88.2	58.2	71.42
11	57.6	58.0	59.4	61.1	62.5	63.7	64.4	65.2	65.6	66.1	67.0	67.8	67.8	**57.6**	**63.20**
12	68.8	69.1	70.1	71.1	72.3	73.5	73.2	73.5	72.7	73.0	71.8	70.4	73.5	67.7	71.62
13	69.4	69.0	68.8	69.5	70.2	71.0	71.6	71.8	72.2	73.0	72.9	73.0	73.3	68.8	71.03
14	72.6	72.3	72.9	74.0	75.4	76.5	77.4	78.1	79.6	80.4	81.8	82.7	82.7	72.3	76.98
15	83.4	83.9	84.0	84.6	85.7	86.7	86.9	87.2	86.8	85.2	83.6	80.7	87.6	80.7	84.89
16	75.9	72.7	72.0	72.5	73.6	74.5	75.0	75.6	75.4	75.4	75.2	74.1	80.7	71.7	74.32
17	73.0	72.2	71.8	71.8	72.5	72.3	72.0	72.5	72.2	72.3	72.0	71.8	74.1	71.7	72.20
18	71.4	70.7	70.3	70.2	70.7	71.3	71.8	72.2	73.3	74.7	76.0	77.7	77.7	70.1	72.52
19	78.9	79.9	80.6	81.3	82.2	82.5	82.8	83.6	84.2	85.2	86.9	88.5	88.5	77.7	83.05
20	90.0	91.5	92.8	94.5	97.2	99.0	00.8	02.7	04.3	05.9	07.0	07.8	07.8	88.5	99.46
21	08.1	08.8	08.9	09.0	09.5	09.9	09.6	09.4	09.2	09.3	09.2	08.9	09.9	07.8	09.15
22	08.7	08.3	08.3	08.3	08.9	09.2	09.1	09.0	09.6	09.2	10.1	10.6	10.6	08.2	09.11
23	10.5	11.0	11.3	12.3	12.6	12.9	12.4	12.1	11.7	11.3	10.5	08.6	12.9	08.6	11.43
24	06.8	03.5	01.5	99.9	98.9	97.3	95.4	93.4	91.9	90.4	89.0	88.1	08.6	88.1	96.34
25	88.0	88.1	88.7	89.2	91.7	94.0	95.8	96.6	98.8	99.0	98.9	99.4	99.5	87.7	94.02
26	99.5	98.5	97.9	98.0	97.8	97.4	96.2	94.7	94.5	94.3	94.6	94.5	99.6	94.1	96.49
27	94.3	94.4	94.8	95.7	96.3	97.4	97.1	97.5	97.4	97.5	97.5	97.1	97.7	94.2	96.42
28	97.0	97.1	96.7	96.4	96.6	96.6	96.3	95.6	94.9	94.1	93.9	92.8	97.3	92.8	95.67
29	92.1	90.5	89.8	89.2	89.0	89.9	90.8	91.2	91.7	92.4	92.3	92.6	92.8	88.9	90.96
30	92.1	90.8	89.8	89.4	88.9	88.8	88.4	87.4	86.8	86.1	85.6	85.4	92.6	85.3	88.29
31	85.4	86.1	86.7	88.1	89.3	90.1	90.4	90.6	91.2	91.8	92.3	92.8	92.8	85.4	89.57
M	96.03	95.61	95.36	95.58	95.98	**96.18**	95.87	95.62	95.53	95.55	95.46	**95.24**	99.83	91.82	95.67

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	92.9	92.8	92.7	92.9	93.1	92.8	92.4	91.9	91.8	92.0	92.2	92.1	93.1	91.8	92.47	1
2	91.9	91.9	91.7	92.2	92.4	92.8	92.6	91.7	91.7	91.4	91.0	90.5	92.1	90.5	91.32	2
3	89.8	88.5	87.5	87.0	86.7	85.8	84.7	84.1	84.1	83.7	83.8	83.5	90.5	83.5	85.77	3
4	83.1	82.2	82.1	82.1	82.2	82.3	82.0	81.6	81.0	80.5	80.4	80.1	83.5	80.1	81.63	4
5	79.6	78.8	78.4	78.3	78.3	78.0	77.9	77.3	77.4	77.5	77.7	77.9	80.1	77.2	78.09	5
6	78.4	78.6	79.0	79.8	80.2	81.2	82.0	82.9	83.9	84.9	86.1	87.1	87.1	77.9	82.01	6
7	87.9	87.9	88.1	89.3	89.9	90.3	90.1	89.8	90.0	90.0	90.2	90.1	90.3	87.1	89.47	7
8	90.2	89.9	89.9	89.6	89.4	90.1	87.8	86.9	86.5	86.1	85.9	86.0	90.5	85.9	88.19	8
9	86.1	86.4	86.6	87.5	88.3	89.4	89.7	89.9	90.4	90.8	91.0	91.3	91.3	86.0	88.95	9
10	91.5	92.1	92.4	92.6	92.9	92.9	92.6	92.3	92.4	92.5	92.8	92.9	93.0	91.3	92.49	10
11	92.9	92.6	92.4	92.9	93.6	94.2	94.8	95.4	95.9	96.9	97.8	98.8	98.8	92.3	94.85	11
12	99.4	99.8	00.9	02.8	04.3	05.1	05.2	05.6	06.5	06.9	07.2	07.0	07.3	98.8	04.22	12
13	06.0	04.7	03.3	02.4	02.3	02.3	01.5	00.7	99.6	98.5	97.4	96.3	07.0	96.3	01.25	13
14	95.4	94.5	94.4	95.6	96.9	97.8	98.6	99.5	00.7	01.3	02.0	02.6	02.7	94.2	98.28	14
15	03.1	02.3	01.5	01.1	99.9	98.1	96.0	93.3	90.9	87.5	84.3	80.4	03.1	80.4	94.87	15
16	76.7	74.0	72.8	72.5	72.8	73.4	73.1	73.4	73.9	74.9	75.5	76.4	80.4	**72.3**	**74.12**	16
17	77.2	77.5	78.7	79.5	80.4	81.0	81.8	82.6	84.0	85.1	86.5	88.0	88.0	76.4	81.86	17
18	87.9	88.0	88.4	88.9	88.6	89.3	89.1	89.5	89.8	90.5	91.3	91.8	91.8	87.8	89.42	18
19	92.2	92.4	92.9	93.5	94.9	95.6	96.4	97.5	98.7	00.4	01.6	02.0	02.0	91.8	96.51	19
20	02.4	03.2	03.2	03.9	04.3	04.4	04.3	04.0	04.4	04.9	05.1	05.3	05.3	02.0	04.12	20
21	05.3	05.4	05.2	05.4	05.7	05.5	05.1	04.7	05.0	04.9	05.1	05.0	05.7	04.7	05.19	21
22	04.9	05.0	04.7	05.0	05.2	05.5	05.3	05.1	05.4	06.1	07.1	07.8	07.8	04.6	05.59	22
23	08.2	08.6	09.1	09.7	10.4	10.4	09.9	09.3	09.2	08.7	08.6	08.7	10.5	07.8	09.23	23
24	08.8	08.6	08.7	08.3	08.2	08.2	07.9	07.7	07.8	07.7	07.9	08.4	08.9	07.7	08.18	24
25	08.5	08.6	08.7	09.1	09.2	09.0	08.4	07.8	07.4	07.7	07.8	07.7	09.2	07.4	08.32	25
26	07.5	07.3	06.7	06.8	06.8	06.5	05.7	05.2	05.3	06.0	07.1	08.5	08.5	05.1	06.62	26
27	09.7	10.2	10.8	11.7	12.5	12.9	13.3	13.4	14.1	15.2	16.1	17.2	17.2	08.5	13.09	27
28	17.5	18.0	18.5	19.0	19.2	19.6	19.1	18.8	18.6	18.7	18.2	18.1	**19.7**	17.2	**18.61**	28
M	95.54	95.35	**95.33**	95.69	96.02	96.23	95.98	95.78	95.94	96.12	96.35	**96.48**	98.76	93.09	95.90	M

Mars (III) April (IV)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	17.9	17.3	15.7	16.9	16.9	16.8	16.5	16.3	15.0	15.6	15.4	15.0	18.2	15.0	16.44
2	14.6	14.1	14.4	14.4	15.4	16.6	17.3	18.0	18.9	19.6	20.8	20.8	20.9	14.0	17.08
3	21.0	20.7	20.4	19.9	19.6	18.4	17.2	15.6	14.0	12.4	10.7	09.5	**21.2**	09.4	15.62
4	07.0	04.0	01.2	98.2	96.4	94.9	93.6	93.2	93.4	93.2	93.3	93.8	09.5	93.2	96.85
5	95.3	96.2	97.2	99.2	02.1	04.3	06.3	07.9	09.8	11.7	13.2	14.6	14.6	93.8	04.82
6	15.5	15.9	16.4	16.8	16.9	16.6	15.7	14.6	13.6	12.6	11.9	10.7	16.9	10.7	14.77
7	09.3	07.4	05.4	05.0	04.1	03.0	01.1	99.7	99.0	98.3	97.7	97.5	10.7	97.5	02.29
8	96.6	95.9	95.9	96.5	97.3	98.0	98.4	98.4	98.7	99.2	00.1	01.1	01.1	95.8	98.01
9	02.4	03.3	04.1	04.8	05.9	06.4	06.6	06.3	06.2	06.8	07.1	07.7	07.7	01.1	05.63
10	09.3	09.6	10.6	11.6	12.9	13.8	14.3	14.6	15.6	16.6	17.4	18.0	18.0	07.7	13.69
11	16.2	18.0	18.2	18.7	19.0	19.2	18.9	18.7	18.3	18.3	18.3	18.4	19.2	18.0	**18.52**
12	18.4	18.0	17.8	17.7	17.7	17.4	16.1	15.1	13.8	13.2	12.2	11.7	18.4	11.7	15.76
13	09.7	07.8	06.3	05.0	03.0	01.0	99.0	98.7	98.9	00.3	00.9	00.5	11.7	98.4	02.59
14	00.2	99.1	98.5	98.3	99.3	00.6	01.2	01.5	01.6	01.9	01.4	00.0	02.0	97.8	00.28
15	98.3	96.6	94.7	92.9	90.2	87.5	85.8	85.3	86.5	87.7	87.7	86.6	00.0	**84.9**	89.98
16	85.6	86.7	87.6	88.2	87.7	87.1	86.3	85.3	85.4	85.2	85.3	85.3	88.2	85.2	**86.31**
17	85.5	85.7	85.8	86.4	87.1	89.1	91.2	92.9	94.6	96.5	98.3	99.0	99.0	85.3	91.01
18	99.0	98.8	98.4	97.4	96.5	95.8	94.7	93.6	93.5	93.5	93.6	93.7	99.1	93.5	95.71
19	93.8	93.8	94.0	94.5	94.4	94.2	94.0	93.9	94.1	94.8	94.9	95.0	95.0	93.7	94.28
20	95.0	94.7	94.7	94.4	94.9	94.9	94.9	94.9	95.4	96.3	96.7	97.4	97.4	94.2	95.35
21	97.8	98.0	98.1	98.7	98.9	98.7	98.6	98.0	97.9	98.1	98.3	98.7	98.9	97.4	98.32
22	98.4	98.1	98.1	98.9	99.7	00.0	00.3	00.9	01.9	03.8	05.0	06.3	06.3	98.0	00.95
23	07.3	08.2	08.9	09.9	10.4	10.2	09.0	07.6	06.5	05.7	05.0	04.1	10.4	04.1	07.73
24	02.5	01.0	00.5	01.7	00.7	00.0	99.1	98.6	98.2	98.6	99.0	99.4	04.1	98.2	99.94
25	00.1	01.0	01.4	02.2	02.3	02.4	01.9	00.7	00.8	00.3	00.1	99.6	02.7	99.4	01.07
26	98.8	97.8	96.3	95.9	95.3	94.0	93.1	93.2	93.0	93.6	94.1	94.6	99.7	93.0	94.08
27	95.2	96.0	97.3	98.3	99.9	99.7	98.0	97.9	98.5	99.1	99.4	99.6	99.6	94.6	98.24
28	99.7	99.8	99.9	00.1	99.1	99.5	99.2	99.0	99.9	01.8	04.1	06.8	06.8	99.0	00.74
29	08.5	10.1	11.3	13.0	13.7	14.3	14.3	14.2	13.5	13.0	12.2	11.3	14.4	06.8	12.45
30	09.5	06.4	04.4	01.9	99.7	97.2	95.9	95.7	95.5	95.2	94.5	94.4	11.3	94.2	99.19
31	94.1	94.0	94.1	94.4	94.5	94.3	94.7	94.1	94.3	95.2	95.9	96.8	96.8	93.9	94.70
M	**03.37**	03.03	02.86	02.96	02.95	02.77	02.36	**02.07**	02.17	02.52	02.73	02.84	07.09	99.34	02.72

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	96.9	96.7	97.0	97.5	97.9	98.0	98.5	98.7	99.5	00.8	01.8	02.5	02.5	96.5	98.82	1
2	02.4	02.1	01.7	01.6	01.5	01.8	02.0	01.4	01.3	01.3	01.5	01.6	02.5	01.3	01.68	2
3	01.5	01.3	01.4	01.4	01.1	00.5	99.7	98.7	98.3	97.8	97.4	96.8	01.6	96.8	99.66	3
4	96.5	96.6	97.0	98.2	99.3	00.2	01.3	02.0	02.8	04.1	04.9	05.6	05.6	96.4	00.71	4
5	06.1	06.5	06.7	07.3	07.3	07.3	07.1	06.4	06.0	06.0	06.2	06.0	07.4	05.6	06.58	5
6	05.9	05.8	05.5	05.6	05.5	05.2	05.0	04.6	04.3	04.7	05.1	05.5	06.0	04.3	05.22	6
7	05.6	05.6	05.6	06.1	06.4	06.6	06.8	07.2	08.0	09.5	10.4	11.1	11.1	05.5	07.41	7
8	11.6	12.2	12.7	13.5	14.2	14.0	13.8	13.6	13.5	14.1	14.3	14.5	14.5	11.1	13.50	8
9	14.6	14.8	14.4	14.4	14.0	13.5	12.9	11.9	11.5	11.4	10.8	10.6	14.8	10.6	12.90	9
10	10.5	10.0	09.7	09.5	09.4	09.1	08.5	08.0	07.4	06.6	05.1	04.2	10.7	04.2	08.17	10
11	02.8	01.2	00.1	99.4	99.3	99.7	00.3	00.8	01.6	03.3	04.5	05.1	05.1	99.2	01.51	11
12	05.8	06.3	06.8	07.0	06.5	05.3	03.5	02.3	01.6	01.7	01.7	01.2	07.2	01.2	04.14	12
13	99.9	98.4	97.5	97.1	95.9	94.2	93.3	93.2	93.3	94.9	96.8	99.4	01.2	92.9	96.16	13
14	01.3	02.4	04.0	05.3	06.5	07.7	09.4	10.4	12.2	14.2	15.2	16.2	16.2	99.4	08.73	14
15	16.6	17.0	17.4	17.7	17.6	17.3	16.8	16.0	16.0	16.4	16.6	16.7	17.8	15.9	16.84	15
16	16.8	17.0	17.4	18.3	18.7	18.5	18.2	18.3	19.0	21.0	22.5	24.0	24.0	16.6	19.14	16
17	24.7	25.1	25.7	26.1	25.8	24.9	24.0	23.5	23.2	23.8	24.4	25.0	**26.1**	23.2	**24.68**	17
18	25.6	25.4	25.3	25.3	24.7	23.8	22.3	21.0	19.5	18.8	18.3	17.7	25.6	17.7	22.31	18
19	17.0	16.1	15.6	15.5	14.7	12.9	11.5	10.1	08.3	07.1	06.4	05.2	17.7	05.2	11.70	19
20	03.8	02.0	00.8	99.5	98.4	96.5	95.0	95.5	94.0	94.2	94.4	94.7	05.2	93.9	97.40	20
21	94.8	95.7	96.8	98.0	98.6	98.6	98.9	99.1	99.7	00.3	01.1	01.8	01.8	94.7	98.62	21
22	01.9	02.3	02.3	02.7	02.5	02.2	01.9	01.5	01.3	01.4	01.4	01.5	02.7	01.3	01.91	22
23	01.3	00.9	01.0	00.9	00.4	99.4	98.5	97.3	96.8	96.7	96.6	96.9	01.5	96.5	98.89	23
24	97.0	97.4	98.2	99.0	98.7	98.5	98.9	99.2	99.5	01.8	03.0	03.9	03.9	96.9	99.59	24
25	04.6	04.8	05.0	05.5	05.9	05.8	05.8	05.9	05.8	06.3	06.5	06.8	06.8	03.9	05.72	25
26	06.8	06.6	06.6	06.2	05.4	04.2	02.8	01.7	01.4	01.6	01.6	01.7	06.8	01.4	03.88	26
27	01.5	01.4	01.4	01.5	00.8	00.1	99.3	98.8	98.6	98.7	98.7	98.7	01.7	98.5	99.96	27
28	98.4	97.6	96.6	95.3	93.3	92.4	91.9	92.0	92.3	93.5	94.7	95.9	98.7	**91.8**	**94.49**	28
29	97.0	98.0	99.3	00.5	01.1	01.6	01.7	01.9	02.2	03.2	03.4	04.5	04.5	95.9	01.20	29
30	04.3	03.7	03.3	02.6	02.1	01.5	01.5	01.1	01.1	01.2	01.5	01.5	04.5	01.1	02.12	30
M	05.78	05.70	05.76	**05.95**	05.78	05.38	05.04	04.74	**04.67**	05.21	05.56	05.89	08.52	02.65	05.46	M

Registreringer av lufttrykk· P

(Records of atmospheric pressure: P)

Oslo (Blindern) **1955**

φ = 59° 56′N λ = 10° 44′E g = 9.819 G = + 1h H_t = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Mai (V) / Juni (VI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	91.3	91.3	91.5	91.3	91.3	90.5	89.8	89.3	88.6	88.6	88.7	88.5	91.6	88.3	90.04
2	97.3	96.4	94.5	93.2	91.8	88.2	86.5	84.8	84.1	84.0	84.1	84.0	98.3	84.0	89.08
3	83.2	82.2	81.6	81.4	81.4	81.9	82.4	82.7	83.2	84.1	84.9	85.3	89.3	81.3	82.86
4	85.3	84.8	84.5	84.8	84.5	83.0	81.1	79.9	79.4	79.7	79.8	79.7	85.3	79.4	82.23
5	79.6	79.9	80.1	80.9	81.4	82.1	82.4	82.8	82.9	83.6	84.1	84.3	84.3	79.6	82.01
6	84.4	84.8	85.3	86.3	87.3	88.3	89.0	89.1	89.6	90.6	91.4	91.6	91.6	84.3	88.14
7	91.8	92.6	93.4	94.3	95.0	95.5	96.7	97.2	97.7	99.3	00.6	01.2	01.2	91.6	96.30
8	01.6	02.4	03.1	03.3	03.1	02.6	02.0	00.9	00.0	99.5	98.1	96.8	03.3	96.8	01.12
9	95.7	94.7	93.8	93.3	92.3	90.5	89.2	87.0	86.9	85.8	84.7	83.6	96.8	83.6	89.88
10	82.8	82.0	81.1	81.2	81.1	81.3	81.5	81.9	82.9	83.6	84.7	85.5	85.5	81.1	82.49
11	85.9	86.2	87.2	87.8	88.1	88.6	89.2	89.6	89.7	90.5	91.8	92.0	92.1	85.5	88.87
12	91.3	89.5	88.4	88.8	89.0	89.2	89.9	90.0	90.3	91.2	92.1	92.7	92.7	88.4	90.20
13	93.0	92.9	92.8	92.9	92.7	92.2	91.1	90.4	89.5	88.8	87.7	85.8	93.0	85.8	90.82
14	83.7	81.8	80.1	79.7	79.8	79.8	80.0	80.0	79.9	79.7	79.3	78.8	85.8	78.8	80.22
15	78.8	78.6	78.6	78.0	78.2	78.9	78.8	79.3	80.9	82.5	83.9	84.7	84.7	**77.7**	**80.10**
16	85.5	86.1	87.1	88.3	89.0	89.7	90.2	90.8	91.8	92.2	92.8	92.7	92.8	84.7	89.68
17	92.5	92.5	92.6	92.8	92.8	93.0	93.2	93.3	93.9	94.8	95.5	95.5	95.5	92.4	93.53
18	95.1	94.9	94.4	93.9	93.0	90.7	89.5	88.2	87.4	87.9	87.9	87.1	95.5	87.1	90.83
19	85.8	84.6	83.8	82.7	82.1	81.5	81.6	81.9	82.7	83.6	84.4	84.9	87.1	81.5	83.30
20	84.9	86.1	86.1	87.4	88.0	88.3	89.0	89.3	90.0	91.6	93.2	93.7	93.7	84.9	88.88
21	94.7	95.5	95.9	96.6	97.0	97.2	97.8	98.5	99.3	99.8	01.0	02.2	02.2	93.7	97.96
22	03.2	03.9	04.8	05.3	05.3	05.0	04.2	03.9	03.5	03.5	03.3	03.1	05.4	03.1	04.08
23	03.2	04.2	04.8	05.2	05.8	05.9	05.7	05.6	05.6	06.4	07.6	09.0	09.0	03.1	05.75
24	09.3	09.6	09.5	08.5	08.0	06.5	04.9	03.9	02.6	01.6	01.3	00.7	09.7	00.7	05.53
25	00.2	99.9	00.3	01.0	01.2	01.4	01.5	01.9	02.3	03.8	05.0	05.5	05.5	99.7	02.00
26	06.0	06.3	06.9	07.3	07.4	07.6	07.8	08.0	08.1	08.5	09.2	10.0	10.0	05.5	07.76
27	10.4	10.7	11.1	10.7	10.3	09.2	08.4	07.7	07.3	07.4	07.9	08.1	11.1	07.3	09.10
28	08.8	08.7	08.6	08.4	07.4	06.8	06.3	05.9	06.0	06.9	08.2	09.9	09.9	05.8	07.66
29	10.9	13.1	14.3	14.8	14.9	14.7	14.8	14.5	14.4	15.1	15.7	16.7	16.7	09.9	14.49
30	17.3	17.4	17.9	17.8	17.0	16.1	15.3	14.8	14.4	14.6	15.3	15.9	**17.9**	14.3	**16.15**
31	16.6	16.9	14.0	17.1	17.0	16.1	15.3	14.4	13.9	13.7	13.8	13.8	17.2	13.7	15.22
M	95.49	95.47	95.44	95.65	95.59	95.25	95.00	**94.79**	94.80	95.25	95.74	**95.91**	98.73	92.37	95.36

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	14.0	14.4	14.0	13.8	12.9	11.7	10.7	10.0	09.1	09.2	09.7	09.9	**14.4**	09.0	**11.62**
2	09.8	09.9	10.2	11.0	11.2	10.9	10.3	09.6	09.2	09.0	09.1	09.1	11.2	09.0	09.94
3	09.1	09.3	09.7	10.2	10.2	09.8	09.1	09.0	09.1	09.0	09.3	09.4	10.4	08.9	09.43
4	09.1	09.1	09.0	08.9	08.1	07.1	06.2	05.1	04.4	04.2	04.5	04.5	09.5	04.2	06.68
5	04.4	04.4	04.3	04.2	03.3	02.7	01.5	00.6	00.2	00.3	00.4	00.4	04.5	00.2	02.27
6	00.0	99.6	99.6	99.1	98.5	97.6	95.7	94.0	92.9	93.8	95.8	96.7	00.4	92.7	96.93
7	98.0	98.4	98.8	99.0	98.6	97.9	97.1	96.0	96.3	96.5	98.1	98.5	99.0	96.0	97.77
8	98.8	99.1	98.9	98.4	97.8	96.8	96.5	96.2	96.3	96.7	97.1	97.3	99.1	96.0	97.49
9	97.8	98.3	98.5	98.6	98.2	97.8	97.2	98.7	98.0	98.1	98.5	98.9	98.9	97.3	98.22
10	98.9	99.1	99.5	00.0	00.6	00.3	99.6	99.3	99.4	99.8	00.3	00.4	00.6	98.8	99.77
11	00.3	00.6	00.9	01.4	01.7	01.5	00.6	00.5	00.3	00.8	01.0	01.2	01.9	00.3	00.90
12	01.2	00.9	00.9	00.7	00.4	99.6	99.2	99.3	99.0	99.4	99.9	99.7	01.2	99.0	00.02
13	99.8	99.8	00.0	00.1	00.0	99.5	99.0	98.8	98.7	99.4	00.3	00.9	00.9	98.7	99.69
14	01.1	01.2	01.5	01.7	01.6	00.7	00.2	99.8	99.7	99.4	99.0	98.4	01.7	98.4	00.36
15	96.4	93.7	91.0	88.2	86.9	86.2	85.3	85.0	84.9	85.8	87.5	89.1	98.4	**84.9**	**88.33**
16	90.8	92.2	93.9	95.2	95.7	95.8	96.3	96.7	97.1	98.3	99.2	99.7	99.7	89.1	95.91
17	00.4	00.8	01.6	01.9	02.3	02.6	02.9	03.4	03.5	04.5	05.7	07.0	07.0	99.7	03.05
18	07.8	08.0	08.3	08.3	08.0	06.6	05.9	05.7	05.9	06.7	07.6	08.0	08.3	05.7	07.23
19	08.5	08.5	08.7	08.4	07.8	06.8	06.0	05.3	04.4	04.0	04.2	04.1	08.9	04.0	06.39
20	03.7	03.7	03.7	03.9	03.9	03.9	03.5	03.3	03.4	03.9	04.5	05.7	05.7	03.2	03.92
21	06.8	07.5	08.4	08.7	08.4	08.0	07.3	07.0	06.6	06.7	07.1	07.2	08.7	05.7	07.48
22	07.2	07.2	07.5	07.5	07.4	06.8	06.2	05.5	04.9	04.3	03.5	02.7	07.5	02.7	05.89
23	01.3	00.5	99.8	99.4	99.4	99.3	99.5	00.1	00.8	01.5	02.3	02.8	02.8	99.3	00.56
24	02.6	02.5	02.1	01.3	99.8	99.0	98.2	97.8	98.1	99.3	01.5	03.1	03.1	97.7	00.44
25	04.4	05.3	06.0	06.8	07.0	06.6	06.1	05.8	05.5	05.7	06.8	07.5	07.5	03.1	06.12
26	08.1	08.1	08.5	08.3	08.0	07.8	07.1	06.3	05.1	05.0	05.5	05.6	08.6	04.9	06.95
27	05.7	05.7	06.0	06.3	06.5	06.6	05.9	05.5	05.0	05.0	06.1	06.1	06.7	04.9	05.87
28	06.0	06.1	06.3	06.1	05.8	04.8	04.0	03.8	03.5	03.3	03.1	02.9	06.3	02.9	04.64
29	02.3	01.7	01.7	01.5	01.3	00.8	00.3	00.4	99.8	99.3	99.2	99.1	02.9	99.1	00.62
30	98.9	98.8	98.8	98.8	99.0	99.0	99.0	98.9	99.1	99.4	99.7	99.7	99.8	98.7	99.09
31															
M	03.11	03.15	**03.27**	03.26	03.03	02.48	01.88	01.58	**01.34**	01.51	02.22	02.52	04.52	00.47	02.45

Juli (VII) / August (VIII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	99.8	99.7	99.7	99.8	99.5	98.9	98.6	99.1	98.3	98.1	98.0	97.8	99.8	97.8	98.94
2	97.1	96.5	95.7	95.1	94.1	93.2	92.5	91.4	89.7	88.4	88.6	88.1	97.8	88.0	92.53
3	87.3	87.5	88.0	88.8	89.6	90.1	90.8	91.0	91.0	91.4	92.3	92.9	92.9	**87.3**	**90.06**
4	93.0	93.0	93.2	93.7	94.0	94.5	94.9	94.8	94.8	95.7	96.2	96.4	96.4	92.9	94.52
5	96.5	96.7	97.0	97.9	98.3	98.4	98.6	98.9	99.4	01.0	02.4	03.7	03.7	96.4	99.07
6	04.7	05.3	06.3	07.1	07.0	06.8	06.4	06.2	06.0	06.4	06.5	06.5	07.1	03.7	06.27
7	07.0	07.4	07.8	08.4	08.6	08.8	08.9	08.9	09.1	10.0	11.1	11.9	11.9	06.5	08.99
8	13.1	14.4	15.7	16.7	17.2	16.8	16.7	16.1	15.7	15.8	16.5	17.2	17.2	11.9	15.99
9	17.6	18.1	18.8	19.0	19.0	18.2	17.4	16.1	15.3	15.0	15.2	15.8	**19.1**	15.0	**17.12**
10	16.4	16.4	16.4	16.3	16.3	15.6	14.5	13.6	12.6	13.1	13.3	13.9	16.4	12.6	14.87
11	14.0	14.3	14.1	14.4	14.1	13.0	12.3	11.7	11.2	11.3	11.7	11.7	14.4	11.1	12.82
12	12.1	12.3	12.0	11.8	11.0	10.3	09.8	08.8	08.2	07.9	08.3	08.6	12.3	07.8	10.09
13	08.8	08.7	08.6	08.9	08.8	08.4	07.5	06.5	05.9	06.1	06.3	06.4	08.9	05.9	07.58
14	06.3	06.2	06.2	06.2	06.0	05.4	04.6	03.7	03.5	03.3	03.8	04.1	06.4	03.1	04.92
15	04.1	04.1	04.1	04.0	03.3	02.4	01.3	00.5	00.4	01.2	01.4	02.1	04.2	00.0	02.41
16	01.7	01.6	01.7	01.0	01.1	00.7	00.4	00.2	00.3	01.2	02.5	03.1	03.1	99.9	01.29
17	03.3	03.0	03.2	02.8	02.3	00.6	99.3	98.0	96.8	97.3	00.2	02.5	03.5	96.8	00.76
18	04.1	04.8	05.7	07.3	07.5	07.3	07.0	06.5	06.2	06.4	06.8	06.9	07.6	02.5	06.38
19	06.7	06.4	06.0	05.6	05.0	04.2	03.1	03.0	02.8	02.9	03.5	03.8	06.9	02.8	04.42
20	03.9	04.1	04.0	04.2	04.0	03.7	03.1	02.7	02.5	02.9	04.1	04.7	04.7	02.4	03.66
21	05.4	06.0	06.0	06.1	06.3	05.6	05.2	04.6	04.2	04.0	04.6	04.7	06.3	04.0	05.22
22	05.4	05.4	06.0	06.7	06.3	05.4	04.8	04.0	03.3	03.5	04.1	04.1	06.7	03.2	04.92
23	04.0	03.7	03.2	03.3	04.3	04.5	04.9	05.0	05.1	05.4	07.0	09.1	09.1	02.8	04.96
24	10.0	09.9	10.0	10.3	10.1	09.8	09.2	09.0	08.6	08.5	08.9	10.2	10.3	08.5	09.54
25	11.6	12.2	12.7	12.6	12.1	11.0	10.0	09.2	08.9	08.5	08.6	09.1	12.7	08.5	10.54
26	09.6	10.2	10.3	10.5	10.5	09.8	09.0	08.4	07.9	07.7	08.2	09.1	10.7	07.6	09.27
27	09.6	09.6	09.4	09.0	08.3	07.0	05.3	04.5	03.5	03.0	03.0	03.2	09.7	02.9	06.28
28	03.0	03.0	02.6	02.7	02.2	01.5	00.5	99.6	99.0	99.0	99.1	99.4	03.2	98.9	00.97
29	99.6	00.4	01.5	02.1	02.3	02.0	01.3	00.5	00.2	00.5	01.5	02.4	02.5	99.4	01.19
30	03.3	03.7	04.1	04.7	04.8	04.3	03.9	03.5	03.2	03.2	03.4	03.7	04.9	02.4	03.82
31	03.3	03.5	03.6	04.1	03.9	03.3	02.8	02.3	02.6	02.8	03.4	03.8	04.1	02.2	03.28
M	05.24	05.42	05.60	**05.84**	05.74	05.21	04.56	04.14	**03.74**	03.92	04.53	05.05	06.02	03.74	04.92

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	03.6	03.5	03.7	03.2	02.6	01.4	00.2	99.9	99.0	99.1	99.0	99.2	03.7	98.9	01.20
2	99.4	99.6	00.6	01.6	01.4	01.2	00.9	00.9	00.7	01.3	02.8	03.8	03.8	99.2	01.18
3	04.3	04.6	05.0	05.2	04.9	03.9	03.1	01.9	00.9	01.3	01.8	01.7	05.2	00.9	03.22
4	01.7	01.6	01.7	02.2	02.2	02.2	01.7	01.4	00.9	01.5	02.8	02.8	02.8	00.8	01.89
5	02.7	02.5	02.2	01.9	01.3	99.9	98.9	98.7	98.0	97.4	97.2	96.5	02.9	96.5	99.78
6	95.8	95.2	94.2	93.3	92.3	91.3	90.4	89.9	89.0	88.0	87.4	87.0	96.5	86.9	91.15
7	86.4	86.2	86.4	86.9	87.4	87.9	88.2	88.9	90.1	91.4	92.6	93.7	93.7	**86.2**	**88.84**
8	95.2	96.2	97.9	99.6	00.8	01.5	01.7	02.6	03.6	04.5	05.5	06.7	06.7	93.7	01.32
9	07.3	07.7	08.6	09.8	10.2	10.2	10.2	10.1	10.5	11.6	12.8	13.5	13.5	06.7	10.21
10	13.8	13.8	14.3	14.6	14.5	14.1	13.1	13.2	13.1	13.2	13.5	13.9	14.6	12.9	13.76
11	14.0	14.4	15.0	15.5	15.0	14.6	13.9	13.2	12.7	12.8	12.8	12.9	15.5	12.6	13.90
12	12.8	12.5	12.7	12.7	12.3	12.1	11.5	10.7	09.9	09.9	10.2	10.2	12.9	09.7	11.46
13	10.2	10.2	10.3	10.3	10.3	09.6	08.9	08.4	07.9	07.9	08.2	08.5	10.4	07.9	09.22
14	08.3	08.2	08.4	08.0	07.8	07.0	06.6	06.0	05.2	05.2	05.4	05.6	08.5	05.0	06.81
15	05.4	05.2	05.2	05.3	05.5	05.0	04.6	04.2	04.0	04.2	04.6	04.9	05.6	04.0	04.84
16	05.0	04.9	05.5	05.9	06.3	06.0	05.6	05.7	06.0	06.6	07.2	07.5	07.5	04.8	06.02
17	07.3	07.3	07.6	07.7	07.8	07.5	06.7	06.4	06.2	06.4	06.3	06.4	07.8	06.2	06.97
18	06.1	05.2	04.6	04.4	04.2	04.6	04.3	03.9	04.2	04.9	05.4	06.0	06.4	03.9	04.82
19	06.1	06.4	07.1	07.8	08.7	09.3	09.4	09.4	09.1	09.4	10.2	10.7	10.8	06.0	08.63
20	10.7	11.3	11.6	12.4	13.0	13.5	13.4	13.3	13.4	13.7	13.8	14.0	14.3	10.6	12.84
21	14.1	13.8	13.9	14.3	14.2	14.3	14.3	14.3	14.4	15.3	15.2	16.5	16.5	13.7	14.63
22	17.0	17.4	17.6	18.2	17.9	17.2	16.6	16.2	15.8	16.3	15.6	17.2	18.2	15.8	17.00
23	17.5	17.6	18.3	18.7	18.6	18.2	17.3	16.6	16.2	16.6	15.7	17.0	**18.8**	16.2	**17.44**
24	17.0	17.1	17.1	17.5	17.1	16.2	15.0	14.1	13.5	13.4	13.5	13.9	17.5	13.2	15.45
25	13.9	13.7	13.7	13.6	13.3	12.7	11.4	11.0	10.6	10.5	10.6	10.7	13.9	10.5	12.14
26	10.6	10.5	10.9	11.0	10.9	10.4	09.8	08.9	08.9	08.7	08.9	08.8	11.0	08.7	09.86
27	08.9	08.8	08.6	08.4	08.3	07.8	06.6	05.7	05.2	05.4	05.7	05.8	09.0	05.1	07.10
28	06.1	05.6	05.8	06.1	05.8	05.4	04.7	04.0	03.5	04.3	04.4	05.0	06.1	03.5	05.06
29	05.3	05.0	05.0	05.4	05.5	05.2	04.3	03.5	03.1	03.7	04.1	04.3	05.6	03.0	04.53
30	03.9	03.9	04.0	04.3	04.3	04.1	03.4	03.2	03.0	03.2	03.1	02.9	04.3	02.9	03.61
31	02.1	01.7	00.9	00.2	99.7	98.4	96.9	96.1	95.6	95.1	94.6	94.4	02.9	94.4	97.98
M	06.85	06.83	07.05	07.29	07.23	06.96	06.25	05.98	**05.62**	05.90	06.25	06.52	08.61	04.53	06.54

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

Oslo (Blindern)

1955

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September (IX)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	93.5	93.1	92.5	92.3	92.2	91.7	90.9	90.2	89.8	90.1	90.2	90.5	94.4	89.8	91.42
2	90.5	90.3	90.1	90.0	90.1	89.1	87.6	84.4	81.3	79.9	79.5	79.8	90.6	**79.1**	86.05
3	79.8	79.9	81.2	82.8	84.6	86.1	87.1	88.1	89.1	90.8	92.4	93.9	93.9	79.6	86.32
4	95.2	95.8	96.8	97.9	98.0	98.0	97.9	97.8	97.9	98.1	98.4	98.6	98.6	93.9	97.53
5	98.2	97.9	97.7	97.6	97.4	96.8	96.2	96.1	96.3	96.9	96.7	96.8	98.6	96.0	97.05
6	96.7	96.5	96.3	96.7	96.8	96.3	96.2	96.8	98.1	99.6	00.7	02.2	02.2	96.2	97.74
7	03.2	04.2	05.2	06.9	07.5	07.6	07.6	07.5	07.6	08.6	09.5	09.9	09.9	02.2	07.11
8	09.7	09.8	10.3	10.7	10.9	10.7	09.8	09.0	07.7	07.5	06.9	05.7	11.0	05.7	09.06
9	04.5	04.1	00.9	01.8	01.4	01.3	01.6	01.9	02.3	02.6	02.8	02.9	05.7	00.5	02.34
10	03.1	02.9	02.8	02.7	02.4	02.0	01.4	01.4	01.2	00.4	00.4	00.4	03.1	00.4	01.76
11	99.7	98.9	98.7	98.4	97.8	96.8	95.8	95.9	94.9	94.7	94.9	96.5	00.5	94.6	96.92
12	97.3	98.1	98.7	98.8	99.1	98.8	98.5	97.7	97.5	97.3	97.1	96.9	99.3	96.5	97.98
13	96.0	94.4	93.7	93.3	92.8	92.3	91.4	90.8	90.1	89.9	89.8	89.8	96.9	89.8	92.02
14	89.8	89.1	89.1	89.6	90.4	90.9	91.2	91.3	91.5	92.2	92.5	92.8	92.8	89.0	90.87
15	92.8	92.9	93.0	93.4	93.3	93.6	93.0	92.5	92.1	91.8	91.1	90.0	93.6	90.0	92.46
16	89.0	87.4	85.9	85.5	85.2	84.4	83.9	84.1	83.9	84.1	83.9	84.1	90.0	83.7	**85.12**
17	84.4	84.8	85.8	87.8	89.5	91.3	92.6	93.4	94.1	95.0	95.0	95.0	95.2	84.1	90.72
18	94.7	93.1	92.7	93.5	93.6	93.6	94.1	94.6	95.1	96.7	98.2	00.2	00.2	92.5	95.01
19	01.6	02.8	04.1	04.9	05.7	06.0	06.4	06.5	06.8	07.8	08.3	08.6	08.7	00.2	05.79
20	08.8	09.0	09.2	09.5	09.6	09.5	09.1	08.7	08.8	09.1	09.3	09.6	09.8	08.6	09.18
21	09.9	09.7	09.9	10.5	10.8	10.4	09.9	09.3	09.1	09.4	09.9	10.0	10.8	09.1	09.90
22	09.9	10.0	09.9	10.4	10.6	10.9	10.6	10.2	10.1	10.6	11.3	11.8	11.8	09.8	10.52
23	**11.9**	12.4	12.9	13.7	14.0	14.3	13.9	14.0	14.2	14.5	14.7	14.9	**14.9**	11.8	**13.78**
24	**14.9**	14.7	14.7	14.6	14.5	14.3	13.9	13.3	12.8	12.2	11.2	10.6	**14.9**	10.6	13.48
25	08.6	06.9	05.1	03.5	02.9	01.9	00.9	99.7	98.7	98.0	97.5	97.4	10.6	97.4	01.76
26	97.6	97.4	96.8	96.3	95.8	95.2	94.2	94.3	95.3	96.1	96.1	96.4	97.6	94.1	95.96
27	96.2	96.2	96.4	97.4	98.3	98.6	99.1	99.2	99.6	00.0	00.9	01.7	01.7	96.2	98.63
28	02.1	02.7	03.6	04.6	05.2	05.3	05.4	05.3	05.4	05.5	04.7	05.0	06.0	01.7	04.57
29	04.5	03.8	03.6	03.2	03.5	02.9	02.2	00.7	00.2	00.4	99.7	99.3	05.0	99.3	02.00
30	98.6	97.3	95.7	93.3	92.2	91.4	91.2	92.7	93.9	95.0	95.0	94.6	99.3	91.2	94.24
M	99.42	99.20	99.11	99.39	**99.54**	99.40	99.12	98.91	**98.85**	99.16	99.29	99.53	02.25	96.45	99.24

Oktober (X)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	93.5	93.1	92.7	93.0	93.7	94.7	96.4	97.5	98.9	00.7	01.1	01.9	01.9	92.6	96.43
2	02.3	02.6	03.1	03.4	03.7	03.5	02.4	00.9	99.9	99.0	98.0	97.0	03.8	97.0	01.32
3	95.9	95.4	95.4	95.4	95.2	94.4	93.4	92.3	92.2	93.1	93.4	93.5	97.0	91.6	94.13
4	93.8	94.5	95.3	96.6	97.4	97.8	97.8	98.1	98.5	99.4	00.0	00.4	00.4	93.5	97.47
5	00.7	00.8	01.0	01.8	01.8	01.3	00.7	99.9	99.7	99.4	98.4	97.6	01.8	97.6	00.26
6	96.7	95.5	94.5	95.3	95.3	95.0	94.8	94.7	94.8	94.9	95.6	95.3	97.6	94.5	95.20
7	95.4	95.1	95.7	96.6	97.3	98.3	98.9	99.6	00.5	01.8	02.7	03.6	03.6	95.1	98.79
8	04.3	04.6	05.0	06.3	07.0	07.3	07.4	07.0	07.0	06.6	05.5	04.6	07.6	03.6	06.05
9	03.4	03.1	03.4	03.9	04.9	05.4	06.4	06.8	08.1	08.9	09.9	10.1	10.1	02.9	06.19
10	10.6	11.2	11.9	12.5	12.8	12.7	12.1	11.7	11.4	11.2	11.0	10.7	12.9	10.1	11.65
11	10.2	09.6	09.1	09.0	08.6	08.2	07.5	07.4	07.4	07.3	07.0	07.0	10.7	07.0	08.19
12	06.6	06.0	05.7	05.6	05.8	06.0	05.8	05.3	05.0	04.9	04.6	03.9	07.0	03.9	05.43
13	03.4	02.7	02.1	01.9	01.7	00.9	99.4	98.2	96.5	95.8	94.4	93.1	03.9	93.0	99.18
14	92.8	92.5	92.7	93.8	94.2	94.6	94.3	93.1	92.3	90.6	88.1	84.1	94.6	84.1	91.92
15	79.6	76.5	75.1	73.5	73.0	77.3	77.3	78.4	79.5	81.4	83.7	85.8	85.8	**72.9**	**78.42**
16	87.6	87.9	88.1	87.9	87.9	87.8	86.4	85.2	84.6	83.9	83.7	83.2	88.1	83.2	86.18
17	82.9	82.4	82.7	83.5	84.0	84.5	83.9	84.4	84.9	85.8	87.0	87.4	87.4	82.3	84.45
18	88.0	88.5	89.1	90.1	90.9	90.9	91.1	91.8	92.7	93.4	94.1	94.6	94.6	87.4	91.27
19	95.1	95.6	96.2	97.4	98.6	98.9	98.7	98.7	99.0	98.7	98.2	96.4	99.3	94.6	97.62
20	93.7	90.6	88.0	86.6	85.6	84.9	83.9	84.0	84.2	85.2	85.4	85.2	96.4	83.7	86.44
21	85.2	85.2	85.8	87.1	88.2	89.1	89.7	91.4	93.5	95.4	97.8	99.9	99.9	85.0	90.69
22	02.3	04.2	06.1	09.1	10.7	10.9	11.5	12.2	13.5	14.4	15.5	15.8	**15.8**	99.9	10.52
23	15.6	15.3	15.2	14.7	14.4	13.7	12.5	11.2	10.5	09.9	09.4	08.2	**15.8**	08.2	**12.55**
24	06.8	05.5	04.6	04.1	03.2	02.0	00.9	00.8	00.4	00.1	99.6	99.4	08.2	99.4	02.28
25	98.7	98.1	97.4	96.9	96.5	95.5	93.3	90.5	88.2	85.0	84.3	84.4	99.4	84.3	92.40
26	84.6	84.6	84.9	86.2	86.8	87.0	86.9	86.8	86.7	86.5	86.3	86.8	87.0	84.3	86.18
27	87.1	87.3	87.2	86.9	87.1	87.0	86.7	86.6	86.8	87.1	87.9	88.4	88.4	86.6	87.18
28	88.9	89.6	90.5	91.8	92.7	93.3	93.6	94.3	95.3	95.7	95.9	95.7	95.9	88.4	93.11
29	94.4	92.9	90.7	88.4	87.1	85.2	83.8	82.9	83.2	83.7	84.4	84.8	95.7	82.9	86.79
30	85.0	85.1	85.3	86.3	87.3	88.2	88.7	89.6	91.0	93.0	94.2	95.7	95.7	84.8	89.12
31	96.1	96.4	96.6	97.4	97.7	98.0	98.0	98.1	98.1	98.2	98.2	98.2	98.2	95.7	97.58
M	96.17	95.88	**95.84**	96.23	96.48	96.59	96.26	96.11	96.27	96.48	**96.62**	96.54	00.15	95.81	96.29

November (XI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	98.0	97.9	98.0	98.5	99.2	99.1	99.0	99.0	99.3	00.0	01.0	01.2	01.2	97.8	99.18
2	02.0	02.4	03.1	04.0	05.0	05.8	06.0	06.4	07.0	07.6	07.9	08.3	08.4	01.2	05.46
3	08.0	07.9	07.9	07.5	07.5	07.6	07.2	05.9	05.7	05.9	05.7	04.8	08.3	04.8	06.80
4	04.1	03.6	03.1	03.3	03.3	03.1	02.7	02.2	02.2	02.2	02.2	01.8	04.8	01.8	02.82
5	01.2	00.6	00.4	00.3	00.6	00.7	00.9	01.5	02.7	04.1	05.8	06.5	06.5	00.2	02.11
6	08.3	09.7	11.0	12.7	13.7	14.5	14.5	15.1	15.1	15.5	15.5	15.1	15.5	06.5	13.39
7	14.8	13.7	14.5	14.0	13.9	13.9	13.1	12.0	11.9	11.6	10.8	10.3	15.1	10.3	12.88
8	09.4	08.6	07.4	06.3	06.1	05.0	03.7	04.0	03.9	03.2	02.9	02.0	10.3	02.0	05.21
9	00.9	99.3	98.2	97.6	96.7	96.0	95.2	94.9	94.9	94.7	94.5	94.1	02.0	94.1	96.42
10	93.9	93.2	92.8	92.8	92.7	92.8	92.7	92.5	92.6	92.8	92.7	92.5	94.1	92.5	92.83
11	92.2	92.7	93.6	95.1	96.4	97.5	97.7	97.6	97.2	96.8	96.9	97.0	97.7	92.1	95.89
12	97.0	97.0	97.4	97.9	98.3	98.7	98.7	98.4	97.5	97.0	95.8	95.5	98.9	95.1	97.43
13	97.4	98.3	98.7	99.0	99.1	00.0	00.4	01.0	02.5	03.3	03.8	04.0	04.0	95.5	00.62
14	04.4	05.2	06.4	07.2	07.7	08.8	10.0	11.0	11.9	13.9	14.8	15.5	15.5	04.0	09.73
15	15.2	15.1	14.3	13.3	12.5	11.6	10.4	09.9	09.9	11.0	12.5	13.3	15.5	09.9	12.42
16	14.4	15.5	16.9	18.2	18.9	19.6	19.0	19.1	19.2	19.4	19.6	19.7	19.7	13.3	**18.29**
17	19.7	19.5	19.5	19.3	19.4	19.0	17.4	16.5	15.2	14.2	13.0	11.7	**19.8**	11.7	17.03
18	10.5	09.0	08.6	08.9	08.6	09.4	10.7	13.0	14.9	15.7	17.3	17.9	17.9	08.6	12.04
19	18.2	18.6	18.2	17.5	17.4	15.7	13.4	10.9	08.4	05.4	03.0	01.3	18.7	01.3	12.33
20	00.4	01.1	03.4	05.3	07.7	10.7	12.8	14.7	15.6	16.4	17.1	16.7	17.1	00.3	10.16
21	16.0	14.8	12.9	11.4	09.9	08.4	06.8	05.2	05.1	05.7	05.2	05.6	16.7	04.9	08.92
22	05.5	05.2	05.1	04.7	03.7	01.5	98.6	95.2	92.6	90.0	88.3	87.2	05.6	87.2	98.13
23	85.2	84.8	84.2	83.8	83.7	82.0	80.4	82.0	83.9	85.8	86.2	87.2	87.2	**80.2**	**84.10**
24	87.3	88.5	90.1	93.5	96.5	98.6	00.3	02.2	04.3	06.0	06.9	07.5	07.5	87.2	98.48
25	07.9	07.5	07.0	06.1	05.1	03.0	00.7	99.0	97.2	95.7	94.1	93.4	08.0	93.4	01.39
26	92.6	92.8	92.4	91.4	90.6	88.0	84.6	83.6	83.5	84.4	84.6	85.6	93.4	82.9	87.84
27	86.4	87.1	87.8	88.7	89.2	88.8	88.4	88.1	88.5	89.4	90.0	91.1	91.1	85.6	88.62
28	92.4	93.5	94.5	96.5	98.6	99.8	01.6	03.9	06.3	09.2	11.8	13.9	13.8	91.1	01.82
29	15.1	16.4	17.2	18.5	19.0	19.3	18.6	17.4	16.6	15.2	13.2	10.9	19.3	10.9	16.45
30	08.1	05.3	03.7	02.7	02.1	01.2	00.2	99.1	98.0	97.6	96.5	96.7	10.9	95.7	00.85
M	03.55	03.49	03.61	03.87	**04.10**	04.00	03.52	**03.38**	03.45	03.66	03.65	03.77	08.15	98.73	03.65

Desember (XII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	95.0	94.3	93.7	93.2	93.3	93.0	92.2	91.6	91.4	91.4	90.7	89.7	95.7	89.7	92.46
2	89.2	89.6	90.7	92.7	94.4	95.7	96.4	96.3	96.6	95.4	93.9	92.6	96.6	89.1	93.62
3	90.2	88.2	86.3	84.4	82.3	81.1	80.5	80.8	81.6	82.4	83.2	83.7	92.6	80.4	83.39
4	84.2	85.5	87.8	90.4	93.4	95.8	98.0	00.6	02.1	03.1	03.7	03.8	04.0	83.7	95.70
5	03.5	03.3	03.0	02.4	01.5	99.0	95.8	92.9	89.9	86.2	82.4	80.8	03.8	80.8	95.06
6	79.8	79.9	80.6	82.0	84.3	85.8	87.7	90.0	91.4	92.1	91.3	89.6	92.4	79.6	86.21
7	87.6	85.3	83.4	82.1	80.8	79.7	78.7	78.8	78.1	77.1	77.4	79.9	89.6	77.0	80.74
8	82.8	85.8	88.6	90.9	92.0	92.6	91.9	91.8	93.6	94.5	94.5	94.3	94.7	79.9	91.11
9	93.3	92.0	89.8	87.9	87.0	86.4	86.3	86.6	86.7	87.5	87.5	87.1	94.3	86.2	88.18
10	86.3	85.1	84.1	83.1	82.7	82.2	81.6	81.5	81.8	82.9	84.2	85.3	87.1	81.4	83.40
11	87.1	88.8	90.4	92.1	93.9	94.6	95.6	96.1	96.9	97.4	97.4	97.3	97.6	85.3	93.97
12	97.0	97.0	97.1	97.6	98.4	99.1	99.9	01.1	01.9	02.9	03.8	04.2	04.2	97.0	00.00
13	04.1	04.0	04.1	04.3	05.0	05.6	05.5	05.6	05.6	05.6	05.1	04.7	**05.9**	04.0	**04.93**
14	04.1	03.8	03.4	03.9	04.4	04.4	03.4	02.6	01.2	00.0	99.3	98.1	04.7	98.1	02.38
15	96.1	94.0	92.7	91.1	89.9	88.2	86.4	85.9	85.5	85.1	85.1	85.2	98.1	84.9	88.77
16	85.3	85.6	86.4	87.0	88.0	88.5	89.2	90.1	90.6	90.9	91.2	90.8	91.2	85.2	88.63
17	90.6	90.3	89.9	88.9	88.1	87.2	85.9	84.9	83.7	82.4	81.7	81.1	90.9	81.1	86.22
18	81.2	81.3	81.6	81.9	83.0	83.7	84.0	84.3	84.6	85.5	85.5	86.4	86.4	80.9	83.58
19	86.5	87.1	87.2	87.6	88.4	88.9	89.4	89.7	89.7	90.1	90.3	90.4	90.6	86.4	88.78
20	90.4	90.3	90.2	90.3	90.7	91.1	91.5	91.3	91.7	92.0	92.2	92.6	92.6	90.2	91.19
21	92.7	92.9	93.6	93.4	94.8	95.2	95.4	95.8	96.1	96.2	96.3	96.9	96.9	92.6	94.94
22	96.7	96.9	97.6	98.7	99.2	99.5	00.5	01.6	02.7	03.2	03.1	03.6	03.6	96.7	00.28
23	04.2	03.4	03.0	01.9	00.3	98.6	96.8	93.8	91.9	89.2	87.6	86.1	04.2	86.1	96.40
24	85.0	83.9	83.2	82.3	82.2	81.8	81.2	81.3	81.4	81.6	82.3	83.1	86.1	81.2	82.44
25	83.8	84.3	84.5	85.0	86.3	88.6	91.9	94.5	97.1	98.6	99.9	00.1	00.5	83.0	91.22
26	00.2	99.8	98.8	96.9	95.0	93.3	91.1	88.7	86.6	85.0	83.5	82.5	00.6	82.4	91.78
27	80.9	79.8	79.6	80.1	80.5	80.1	80.1	81.0	82.5	83.7	84.3	84.6	84.6	79.6	81.43
28	84.3	83.9	81.4	78.1	73.0	67.4	62.1	60.8	59.2	58.1	57.9	57.4	84.6	57.4	68.63
29	55.9	54.8	55.3	57.2	55.8	59.1	58.6	57.9	56.3	55.4	55.6	56.1	59.1	**54.7**	**56.75**
30	68.7	61.3	63.2	65.6	68.1	70.6	72.0	73.6	75.2	76.5	77.9	79.2	79.2	56.1	70.16
31	79.9	80.3	81.1	81.6	83.1	83.8	84.2	85.5	86.8	87.9	88.1	88.5	88.5	79.2	84.22
M	88.27	88.15	**88.14**	88.21	**88.48**	88.41	88.19	88.29	88.40	88.38	88.29	88.25	93.58	82.90	88.29

Registreringer av lufttemperatur T

(Records of temperature: T)

1955

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Januar (I)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	-2.0	-2.0	-2.1	-1.8	-1.5	-1.3	-1.2	-1.5	-2.1	-3.1	-2.7	-2.2	-1.2	-3.1	-1.96
2	-2.7	-1.3	1.9	2.3	2.4	2.4	2.1	0.6	-0.5	-2.6	-3.2	-3.6	2.4	-3.6	-0.18
3	-4.6	-5.3	-5.8	-5.7	-4.7	-4.3	-4.3	-4.1	-4.5	-4.4	-4.2	-4.3	-3.6	-5.8	-4.68
4	-4.6	-4.6	-5.3	-5.3	-6.2	-7.0	-7.9	-8.8	-9.9	-12.1	-12.8	-13.1	-4.3	-13.2	-8.13
5	-10.8	-9.5	-8.5	-7.8	-9.2	-7.6	-6.6	-8.0	-8.9	-7.3	-6.4	-5.4	-5.4	-13.1	-8.00
6	-5.0	-4.2	-3.4	-3.1	-2.2	-2.0	-1.9	-1.9	-1.9	-2.1	-2.4	-2.9	-1.8	-5.4	-2.75
7	-3.7	-4.4	-5.3	-4.8	-4.3	-4.3	-4.3	-3.9	-3.4	-3.6	-3.9	-4.5	-2.9	-5.3	-4.20
8	-3.6	-4.4	-1.7	-2.4	-1.1	-1.0	-1.0	-1.3	-1.9	-2.2	-2.5	-2.8	-1.0	-5.4	-2.16
9	-3.0	-3.1	-3.0	-2.6	-2.3	-2.1	-2.2	-1.3	-1.3	-1.1	-0.6	-0.2	-0.2	-3.2	-1.90
10	0.2	-0.2	-0.3	-0.5	-0.9	-1.7	-2.9	-3.2	-3.2	-5.0	-5.9	-4.5	0.3	-7.0	-2.34
11	-4.1	-4.5	-4.3	-4.1	-3.1	-2.9	-1.7	-5.5	-8.6	-9.7	-9.7	-11.1	-1.6	-11.1	-5.80
12	-11.6	-11.6	-10.5	-11.3	-9.3	-8.4	-7.3	-9.8	-9.7	-11.9	-10.0	-7.0	-6.5	-12.9	-9.87
13	-5.7	-6.0	-5.3	-4.1	-3.5	-3.8	-3.5	-3.6	-4.0	-4.5	-6.8	-7.2	-3.5	-7.4	-4.83
14	-6.6	-6.6	-7.7	-7.8	-9.9	-10.9	-8.2	-8.9	-10.4	-12.3	-13.2	-13.3	-6.4	-14.1	-9.65
15	-13.0	-12.1	-12.2	-13.2	-10.9	-9.5	-4.3	-7.3	-11.1	-10.1	-9.4	-8.4	-4.3	-14.1	-10.12
16	-6.5	-5.6	-7.6	-8.1	-8.5	-7.0	-6.6	-10.5	-11.5	-13.8	-14.5	-14.8	-5.4	-14.9	-9.59
17	-15.6	-14.6	-16.2	-16.2	-14.8	-13.4	-11.6	-13.9	-15.7	-15.7	-15.8	-16.2	-11.5	-16.6	**-14.98**
18	-16.2	-14.0	-15.1	-13.6	-13.2	-11.4	-8.9	-5.9	-5.5	-5.3	-6.8	-7.7	-5.2	**-16.7**	-10.30
19	-9.7	-9.3	-10.4	-12.5	-12.1	-9.4	-8.3	-9.9	-9.4	-10.6	-11.9	-12.0	-7.7	-13.1	-10.46
20	-10.9	-10.7	-9.9	-10.7	-9.4	-6.0	-4.9	-6.6	-8.2	-8.8	-10.3	-10.5	-4.8	-12.9	-8.91
21	-11.0	-11.0	-11.0	-11.3	-9.7	-7.3	-6.2	-5.6	-5.1	-3.7	-3.6	-4.0	-3.5	-11.5	-7.46
22	-4.5	-4.4	-4.0	-4.0	-4.7	-3.5	-3.5	-3.6	-5.4	-5.9	-6.1	-5.4	-3.4	-6.6	-4.58
23	-5.3	-5.4	-5.6	-6.9	-5.7	-4.9	-4.5	-4.8	-4.9	-4.9	-4.8	-5.0	-4.4	-7.0	-5.22
24	-3.4	-3.3	-2.3	-1.6	0.0	0.6	0.9	1.5	1.2	1.4	2.7	2.4	2.8	-5.0	0.01
25	2.2	0.9	1.1	2.5	6.0	7.2	8.6	5.5	2.2	1.8	0.9	0.1	**8.9**	-0.7	**3.25**
26	-0.7	-0.2	0.2	0.4	1.4	1.8	2.5	2.9	2.9	1.9	1.8	1.9	3.0	-1.2	1.40
27	1.6	0.0	-1.2	-0.2	-0.4	-1.1	-1.5	-1.9	-3.2	-3.3	-3.4	-3.0	1.9	-3.4	-1.47
28	-2.5	-2.3	-1.1	-1.0	-1.0	-0.7	-0.1	1.0	1.2	1.2	0.8	0.5	1.2	-3.1	-0.35
29	0.4	0.6	0.8	1.0	1.5	1.7	1.9	1.7	1.6	1.5	1.5	1.7	1.9	0.3	1.31
30	2.1	2.3	2.4	2.4	2.6	2.5	2.6	2.9	2.9	2.5	2.3	2.3	2.9	1.7	2.48
31	2.1	2.1	2.1	2.0	2.0	1.6	1.7	2.2	2.2	2.2	1.8	2.0	2.5	1.5	2.00
M	-5.12	-5.00	-4.88	-4.84	-4.28	-3.67	**-3.00**	-3.66	-4.39	-4.89	**-5.14**	-5.10	-1.96	-7.55	-4.50

Februar (II)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	1.6	1.4	1.5	1.5	1.9	2.0	2.0	1.9	2.0	2.1	2.1	2.1	2.2	1.4	1.84
2	2.1	2.1	2.1	2.2	1.9	1.8	1.9	1.9	1.9	1.7	1.8	1.7	2.2	1.7	**1.92**
3	1.5	1.7	1.8	1.7	2.1	2.1	2.2	1.8	0.8	0.5	0.4	0.4	**2.4**	0.3	1.42
4	0.4	0.2	0.1	0.7	1.0	1.1	1.1	1.3	0.9	0.7	0.4	0.0	1.4	0.0	0.66
5	0.1	0.3	-0.2	0.3	1.0	1.8	2.3	1.9	0.9	1.0	0.6	0.1	2.3	-0.2	0.84
6	-1.7	-3.4	-4.5	-4.4	-2.7	0.3	0.3	-1.5	-2.6	-4.0	-5.6	-5.7	0.3	-5.7	-2.96
7	-6.5	-6.6	-8.0	-7.7	-5.6	-3.4	-0.5	0.0	-3.5	-5.9	-7.3	-8.0	0.2	-8.3	-5.25
8	-9.4	-9.0	-10.3	-10.4	-7.7	-5.7	-4.1	-3.8	-4.0	-3.5	-3.3	-3.3	-3.3	-10.9	-6.21
9	-3.2	-3.2	-3.2	-3.3	-3.4	-3.4	-2.6	-3.5	-5.4	-7.4	-8.4	-8.0	-2.5	-8.5	-4.58
10	-4.3	-4.4	-4.6	-4.5	-5.0	-0.8	0.3	-0.9	-4.5	-7.2	-8.5	-9.1	0.9	-9.1	-4.46
11	-10.8	-11.7	-12.1	-13.1	-10.7	-5.9	-4.5	-4.8	-7.4	-8.9	-8.6	-7.8	-4.4	-13.1	-8.86
12	-7.6	-6.7	-6.1	-8.0	-7.4	-7.4	-6.9	-6.7	-9.1	-11.0	-12.2	-13.1	-6.0	-13.1	-8.52
13	-14.1	-15.4	-13.2	-11.5	-10.0	-7.3	-4.5	-3.9	-7.1	-6.7	-6.4	-6.0	-3.5	-15.6	-8.85
14	-3.0	-2.7	-3.9	-4.8	-4.5	-4.3	-4.8	-5.9	-6.8	-8.2	-11.0	-11.3	-2.7	-11.3	-5.93
15	-11.4	-12.2	-14.0	-14.6	-12.1	-10.0	-8.8	-8.7	-9.0	-9.3	-9.5	-9.3	-8.0	-14.9	-10.74
16	-8.8	-8.3	-8.2	-7.8	-6.7	-6.8	-6.6	-6.7	-6.8	-7.4	-7.5	-7.4	-6.6	-9.3	-7.42
17	-7.3	-7.5	-7.6	-8.4	-7.1	-5.8	-5.8	-6.7	-6.8	-8.9	-10.1	-12.0	-5.8	-12.0	-7.83
18	-12.4	-12.4	-12.4	-12.4	-12.2	-11.2	-10.4	-10.7	-10.7	-10.7	-11.1	-11.6	-10.2	-12.5	-11.52
19	-11.1	-11.0	-10.6	-10.6	-9.7	-9.6	-9.3	-9.0	-9.4	-9.8	-10.4	-11.9	-8.9	-12.0	-10.20
20	-12.1	-14.3	-12.9	-12.6	-11.0	-7.1	-7.2	-7.0	-9.7	-13.3	-14.7	-14.7	-5.7	-15.0	-11.38
21	-16.0	-16.8	-17.2	-17.6	-12.3	-8.2	-4.9	-5.0	-9.5	-12.7	-14.0	-14.9	-3.9	**-17.6**	**-12.42**
22	-15.4	-15.0	-15.2	-16.8	-12.6	-8.5	-5.2	-4.3	-8.4	-9.9	-10.4	-10.5	-4.1	-16.8	-11.02
23	-9.9	-10.2	-9.8	-9.8	-6.7	-2.7	-0.3	0.0	-2.5	-5.5	-6.7	-4.6	0.4	-10.5	-5.72
24	-5.7	-7.7	-8.8	-9.6	-6.4	-3.5	-1.5	-0.5	-3.7	-7.7	-9.3	-10.9	0.3	-10.9	-6.28
25	-11.9	-12.9	-13.9	-14.5	-9.1	-5.3	-3.2	-1.7	-4.9	-8.1	-9.0	-9.6	-1.6	-14.5	-8.68
26	-10.3	-10.5	-11.2	-11.2	-6.7	-3.5	-0.7	0.3	-2.8	-4.7	-1.2	-2.0	0.5	-11.3	-5.38
27	-4.8	-6.1	-8.0	-7.0	-4.9	-1.0	0.3	1.3	-1.8	-5.4	-7.3	-9.5	1.4	-9.5	-4.52
28	-10.5	-11.9	-11.2	-12.4	-8.4	-6.9	-5.4	-3.7	-4.6	-3.8	-4.4	-5.1	-3.4	-12.4	-7.36
M	-7.23	-7.65	-7.91	**-8.10**	-6.25	-4.26	-3.10	**-3.02**	-4.80	-6.21	-6.84	-7.21	-2.36	-9.70	-6.05

Mars (III)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	-3.3	-1.9	-1.5	-1.4	-1.0	0.3	0.9	0.2	-0.3	-0.4	-0.6	-1.2	1.6	-5.1	-0.85
2	-1.3	-1.3	-1.2	-1.4	-0.1	1.8	4.5	5.1	3.3	0.3	1.4	1.4	5.6	-1.4	1.04
3	-1.6	-3.5	-4.3	-4.5	-2.9	-1.6	0.1	1.8	-0.1	-1.1	-2.0	-1.4	1.8	-4.8	-1.76
4	-2.1	-1.2	-0.3	-0.2	-0.9	-0.4	0.1	0.2	-0.4	0.2	1.3	1.3	1.7	-2.1	-0.20
5	0.9	0.5	1.2	1.3	0.6	0.5	0.7	0.7	0.2	0.0	-0.2	-1.2	1.6	-1.2	0.43
6	-2.1	-2.4	-2.7	-2.7	-1.3	-0.8	-0.8	-0.6	-1.6	-3.7	-5.6	-6.1	-0.5	-6.1	-2.53
7	-5.2	-5.0	-4.8	-4.5	-2.9	0.2	5.7	5.1	3.9	2.9	1.8	1.2	5.8	-6.1	-0.13
8	1.3	0.8	0.2	0.6	1.6	2.1	1.6	2.0	0.7	0.0	-0.4	-0.6	2.4	-0.6	0.82
9	-2.8	-4.4	-5.4	-5.9	-5.5	-5.1	-4.2	-3.3	-3.6	-5.3	-7.5	-8.1	-0.6	-8.3	-5.09
10	-8.9	-8.5	-9.0	-8.8	-4.0	0.5	3.4	3.9	3.3	-1.6	-3.6	-4.7	4.7	-9.3	-3.17
11	-5.7	-6.1	-5.3	-4.2	-2.5	-0.8	1.8	2.6	1.7	-0.2	-2.3	-4.3	2.7	-6.4	-2.11
12	-4.8	-3.4	-3.9	-3.4	-3.0	-2.3	-0.7	0.1	0.1	-0.4	-1.2	-1.5	0.3	-5.4	-2.03
13	-1.8	-2.2	-2.8	-2.8	-3.1	-2.6	-1.3	5.2	3.7	2.3	1.4	1.7	5.3	-3.2	-0.19
14	1.4	-0.2	1.5	1.8	4.7	6.3	7.1	7.6	5.3	1.1	-0.7	-0.4	8.4	-0.9	2.96
15	-1.2	0.2	0.8	4.9	6.5	7.6	9.5	8.6	5.4	3.1	1.3	0.7	10.7	-1.2	**3.95**
16	0.7	-0.2	-2.7	-1.3	2.1	3.1	3.1	3.5	-1.3	-0.9	-1.1	-1.5	4.0	-3.2	0.29
17	-2.8	-3.0	-4.4	-3.2	0.4	-1.0	-1.8	-2.4	-4.2	-5.7	-7.4	-8.5	0.8	-8.5	-3.67
18	-9.2	-9.2	-9.6	-8.8	-5.5	-2.9	-0.5	0.1	-1.5	-3.9	-5.8	-6.5	0.4	-10.0	-5.28
19	-6.2	-6.6	-8.4	-8.0	-5.6	-4.7	-4.1	-4.0	-5.4	-7.1	-7.7	-8.2	-3.6	-8.7	-6.33
20	-8.4	-8.9	-9.1	-8.5	-6.0	-4.3	-3.4	-3.0	-4.5	-6.2	-8.0	-8.8	-2.9	-9.2	-6.59
21	-10.3	-9.9	-11.3	-9.5	-6.1	-4.5	-2.8	-1.4	-2.8	-6.5	-8.6	-9.7	-1.4	-11.3	**-6.95**
22	-10.4	-11.4	-12.4	-10.4	-6.4	-3.2	-1.5	0.2	-0.1	-3.4	-7.2	-8.5	0.3	**-12.4**	-6.22
23	-8.9	-10.0	-10.3	-9.1	-4.4	-1.5	1.2	2.7	0.8	-1.8	-2.0	-3.2	2.9	-10.4	-3.88
24	-3.5	-3.5	-3.9	-3.2	-2.5	-0.2	1.8	2.4	1.7	0.2	-1.3	-1.8	2.6	-4.0	-1.15
25	-2.2	-2.8	-3.3	-3.2	-0.1	1.4	3.2	3.1	1.6	0.8	0.3	-0.2	3.3	-3.5	-0.12
26	-0.8	-2.3	-2.4	-2.4	-1.5	0.0	0.4	0.2	0.6	-0.7	-0.7	-1.6	0.8	-2.5	-0.93
27	-2.9	-3.7	-4.9	-3.6	0.8	2.3	4.0	4.8	4.0	0.3	-1.5	-3.2	5.5	-5.0	-0.30
28	-3.5	-4.4	-5.2	-3.9	0.3	2.0	3.2	3.7	-0.3	0.0	-1.5	-3.9	4.6	-5.3	-1.12
29	-4.7	-5.9	-6.2	-4.7	-1.6	0.4	2.4	3.0	2.4	-1.0	0.0	-1.8	3.4	-6.5	-1.48
30	-2.9	-2.5	-1.2	0.6	4.6	9.3	11.2	10.9	6.3	3.8	2.7	1.7	**11.2**	-3.2	3.71
31	-0.4	-1.1	-1.3	-0.6	2.0	4.0	2.5	4.6	4.6	1.8	1.1	-1.0	5.6	-1.3	1.35
M	-3.66	-4.00	**-4.33**	-3.58	-1.40	0.19	1.53	**2.18**	0.75	-1.07	-2.12	-2.90	2.87	-5.59	-1.53

April (IV)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	-2.3	-3.1	-4.0	-2.0	3.1	4.5	4.5	4.1	3.4	-0.3	-1.0	-2.4	5.5	-4.4	0.38
2	-4.0	-5.6	-5.7	-1.5	0.9	3.9	5.3	5.6	4.3	1.8	0.5	-0.1	5.7	-5.7	0.45
3	-0.6	-1.6	-2.6	-2.1	-0.6	2.7	2.7	2.7	1.5	1.4	1.6	1.5	4.0	-2.8	0.55
4	1.2	1.0	0.8	1.7	3.8	4.6	5.1	5.1	4.7	2.7	2.1	1.7	5.1	0.8	2.88
5	2.0	1.9	1.6	1.4	1.9	1.8	2.1	2.3	2.4	2.1	1.7	1.5	2.4	1.3	1.89
6	1.3	0.4	0.0	0.1	0.2	0.7	1.1	1.8	2.4	1.9	1.9	-0.3	2.5	-0.3	0.96
7	-2.0	-2.4	-2.8	-2.7	-1.5	-1.1	-0.7	-0.3	-0.7	-1.8	-2.6	-3.2	0.0	-3.2	-1.82
8	-4.2	-4.2	-5.1	-3.9	-0.3	0.6	1.5	2.1	1.3	-1.3	-3.4	-5.3	3.2	-5.3	**-1.85**
9	-5.7	-6.6	-7.6	-3.6	1.0	1.4	1.8	1.5	1.7	0.4	-1.0	-1.3	2.7	**-7.9**	-1.50
10	-1.0	-1.8	-2.4	-2.0	-0.6	0.2	0.9	1.3	1.2	0.5	0.1	-0.1	1.6	-2.4	-0.31
11	-1.0	-1.1	-1.1	-0.6	0.2	0.7	1.4	1.5	1.4	1.1	0.7	0.4	1.6	-1.1	0.30
12	0.2	-0.6	-0.7	-0.3	0.3	0.9	1.2	2.1	2.6	2.0	0.9	0.6	2.9	-0.8	0.77
13	-0.6	-1.0	-1.6	-0.9	1.8	7.2	10.7	9.3	8.3	7.1	6.2	5.3	11.1	-1.6	4.32
14	4.8	4.7	5.2	7.3	8.6	9.3	9.7	9.5	8.8	6.5	5.3	4.1	10.2	4.1	6.98
15	3.8	2.4	3.3	5.1	7.0	8.7	10.5	10.8	10.0	6.7	4.3	2.5	12.1	2.3	6.26
16	2.9	3.3	3.3	4.8	7.8	11.8	14.1	14.0	11.5	6.8	4.6	2.8	15.0	2.2	7.31
17	1.4	-0.3	0.2	3.2	4.9	6.0	7.6	8.4	7.2	4.8	2.8	1.8	8.8	-0.5	4.00
18	0.9	0.1	-0.6	1.9	4.6	7.0	9.8	11.4	11.5	8.5	3.7	2.6	11.7	-1.0	5.12
19	2.1	0.9	1.5	5.7	10.2	13.2	15.1	16.1	16.2	11.0	5.8	3.8	**16.6**	0.6	8.47
20	3.2	2.1	2.9	9.2	11.8	12.3	13.2	9.2	7.3	5.2	4.1	2.9	14.0	1.3	5.95
21	1.1	0.4	0.5	1.6	2.9	4.3	4.4	5.4	4.4	2.4	1.0	-0.2	6.2	-0.2	2.35
22	-1.4	-3.2	-2.9	1.3	4.2	5.4	5.2	6.0	4.9	2.5	0.5	-0.5	6.5	-3.6	1.83
23	-1.4	-2.7	-0.6	2.6	4.7	5.9	6.7	6.9	5.9	4.4	2.7	1.4	7.6	-3.2	3.04
24	0.8	-0.3	-0.9	1.2	3.8	5.9	6.0	5.3	4.8	2.2	1.3	0.7	6.5	-1.1	2.57
25	-1.8	-3.6	-2.1	3.0	5.4	6.2	6.3	7.2	6.1	4.2	1.7	1.3	7.5	-4.1	2.82
26	-0.3	-1.4	-0.8	3.4	5.9	6.5	7.9	9.3	7.0	5.0	0.6	-0.2	9.4	-1.5	3.58
27	-0.3	-1.4	-0.3	3.1	6.1	6.3	9.1	10.4	8.1	6.1	4.6	3.9	10.7	-1.4	4.64
28	3.8	3.6	3.4	2.8	3.8	3.4	4.5	5.4	5.6	5.9	6.2	5.5	6.2	2.6	4.49
29	4.8	4.4	4.0	6.0	11.2	13.8	15.3	16.0	15.0	11.4	9.2	6.9	16.4	3.8	**9.83**
30	5.8	5.6	5.1	5.8	5.7	5.8	6.0	6.1	6.5	6.4	6.2	6.1	6.6	5.1	5.92
M	0.45	**-0.34**	-0.33	1.72	3.99	[illegible]	[illegible]	6.55	[illegible]	3.92	2.41	1.46	7.34	-0.93	3.11

Oslo (Blindern) **1955**

φ = 59° 58'N λ = 10° 44' E g = 9.819 $\Delta G = +1^h$ H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.5 h_d = 25.6 h_r = 1.6

Mai (V) / Juni (VI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	5.6	5.7	5.6	6.4	8.5	10.0	11.3	11.9	10.9	7.5	5.3	4.6	12.6	4.6	7.78
2	4.1	4.0	4.3	5.3	5.3	5.2	6.0	6.2	6.2	5.9	6.1	5.6	6.3	3.9	5.35
3	5.5	5.0	5.0	5.0	5.7	6.8	7.5	6.9	6.5	5.8	5.5	5.3	7.7	5.1	5.88
4	5.3	5.1	5.3	6.1	5.6	5.1	6.0	6.8	6.9	6.7	6.2	6.0	6.9	5.0	5.92
5	5.8	5.7	5.7	6.0	6.8	7.3	8.4	8.0	7.6	6.8	6.4	6.0	8.8	5.6	6.71
6	6.1	6.0	5.8	6.1	7.2	7.5	9.4	11.5	11.2	9.8	6.5	7.2	12.2	5.8	7.86
7	7.0	7.2	6.8	7.6	9.0	8.4	10.5	10.6	10.8	9.6	7.3	6.3	12.9	6.3	8.42
8	6.5	6.2	6.1	6.6	7.7	7.3	8.2	9.1	8.2	7.4	6.5	6.5	9.6	5.5	7.19
9	6.4	6.1	6.6	7.1	10.3	12.7	11.6	10.3	8.9	7.6	7.4	7.4	13.2	6.1	8.53
10	7.5	7.4	7.4	8.6	10.5	9.0	8.4	9.1	7.6	7.2	4.3	3.3	10.7	3.3	7.52
11	1.6	1.3	4.0	6.5	8.3	8.9	8.9	10.3	8.5	6.8	4.2	1.8	10.3	1.2	5.92
12	3.1	3.6	3.3	4.5	7.9	8.9	8.7	9.8	9.6	7.0	4.4	2.2	10.3	1.7	6.08
13	-0.3	-1.2	-0.6	5.3	7.4	7.8	8.8	7.4	6.2	4.9	4.1	3.9	9.3	**-1.2**	**4.48**
14	4.1	4.1	4.2	5.2	6.5	8.1	9.4	8.4	7.2	6.1	5.3	5.3	9.4	4.0	6.16
15	4.3	3.7	4.2	5.8	6.2	6.2	7.1	8.8	8.4	6.9	6.1	5.6	9.0	3.4	6.11
16	5.0	4.0	4.3	5.7	8.4	8.8	7.6	8.7	4.3	5.8	4.8	3.9	10.7	3.7	5.94
17	2.1	2.0	4.0	6.7	8.2	8.4	10.0	11.3	8.3	7.7	6.6	3.0	12.0	1.9	6.52
18	1.8	3.1	5.8	6.7	7.4	6.3	6.0	6.5	6.7	6.9	6.9	6.3	7.5	1.8	5.87
19	6.3	6.7	5.3	5.8	5.1	6.1	5.9	8.2	8.3	7.3	6.6	6.3	8.6	5.1	6.49
20	6.2	5.6	5.5	6.2	9.8	11.0	12.6	12.1	11.9	9.2	7.2	6.2	12.7	5.2	8.62
21	5.1	4.1	6.2	7.1	9.1	9.4	7.5	6.0	4.2	4.8	4.8	4.1	9.4	3.9	6.03
22	2.1	0.9	3.7	4.5	5.6	7.3	9.3	9.3	8.4	6.9	5.8	5.0	10.3	0.9	5.73
23	4.1	2.4	4.8	8.4	10.4	10.6	12.3	11.8	11.6	10.1	6.9	5.1	14.0	2.1	8.21
24	3.7	2.4	5.1	6.7	7.3	9.2	10.6	10.1	9.8	9.0	7.6	6.7	11.3	2.4	7.35
25	4.9	3.3	5.6	9.4	11.2	10.9	11.3	11.8	11.8	9.8	6.8	5.3	11.9	3.3	8.51
26	5.2	4.5	6.2	8.9	10.6	11.1	11.6	12.9	13.2	12.3	6.3	4.4	14.2	4.4	8.93
27	3.7	3.3	6.3	10.4	13.4	15.7	17.3	18.3	18.4	16.9	13.1	11.0	19.4	3.1	12.32
28	8.6	8.2	10.7	14.6	16.8	18.6	20.8	21.6	20.1	18.0	14.0	12.1	21.8	6.5	15.34
29	9.2	8.1	9.2	11.1	14.4	16.0	17.4	20.0	20.5	18.7	14.4	12.8	21.5	8.0	14.32
30	11.9	8.7	12.1	15.0	19.8	21.2	22.8	22.8	22.4	20.3	17.1	14.9	**23.5**	8.4	**17.42**
31	12.8	12.3	14.2	15.7	17.8	19.4	20.5	21.5	21.3	20.0	13.8	12.8	21.7	12.0	16.84
M	5.33	**4.82**	5.89	7.58	9.30	9.97	10.76	**11.23**	10.51	9.35	7.36	6.35	12.25	4.29	8.20

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	13.7	12.1	14.8	17.7	20.0	21.6	22.3	22.5	22.4	19.3	15.4	11.4	22.8	11.4	17.77
2	10.4	9.9	12.2	15.9	17.0	18.4	20.2	21.4	19.5	19.3	16.2	12.3	21.8	9.9	16.06
3	11.9	11.4	12.1	15.5	19.4	21.9	23.9	20.5	20.4	18.4	14.5	11.1	24.4	11.1	16.75
4	9.5	8.8	10.4	13.3	20.7	23.6	24.7	26.7	25.9	23.6	18.2	12.0	**26.8**	8.8	18.12
5	14.5	13.8	15.6	17.8	21.2	23.0	24.3	23.3	22.3	19.4	16.8	12.0	25.2	12.0	**18.67**
6	9.5	9.1	13.3	18.5	20.6	21.6	23.6	24.1	23.2	18.4	12.0	9.6	24.6	8.9	16.96
7	8.1	7.2	6.8	7.4	10.3	11.5	12.8	12.4	12.1	10.5	8.3	6.8	13.4	6.8	9.52
8	5.6	4.7	6.3	8.4	10.1	11.0	11.7	11.9	10.4	9.7	6.4	5.2	12.0	4.7	**8.45**
9	5.3	5.1	6.0	9.0	11.9	13.1	14.0	8.3	9.0	9.1	6.7	5.5	14.4	4.8	8.58
10	3.8	3.7	8.6	8.9	7.0	10.7	12.3	13.1	12.1	10.9	9.5	8.9	13.9	**2.8**	9.12
11	8.0	6.7	9.6	11.2	8.9	11.6	14.1	13.1	14.0	11.2	9.9	8.6	15.2	6.5	10.58
12	7.1	7.1	8.7	12.1	12.6	15.2	15.9	14.4	13.3	11.0	9.0	5.5	16.0	5.5	10.99
13	4.5	5.8	8.8	11.9	14.2	16.1	17.3	18.7	16.4	14.4	12.4	8.4	19.1	4.3	12.41
14	7.7	6.5	10.1	13.1	15.4	17.5	17.4	16.9	14.5	12.1	11.5	9.8	18.1	6.5	12.71
15	9.0	9.4	9.8	10.0	12.8	13.4	16.0	15.6	15.5	14.9	12.6	12.0	16.8	9.0	12.58
16	11.2	10.6	10.6	11.4	12.5	13.2	13.9	13.6	12.7	11.1	9.2	8.6	14.3	8.3	11.55
17	5.2	3.1	6.9	11.0	13.8	14.7	14.8	15.9	15.1	13.8	10.1	6.4	16.1	3.1	10.90
18	4.0	4.1	6.8	9.0	13.4	15.0	16.8	16.8	15.4	14.2	11.3	9.0	18.0	3.1	11.32
19	8.4	9.5	12.3	14.1	15.8	17.2	17.2	18.3	17.7	15.0	12.3	8.3	18.6	8.2	13.84
20	6.3	6.7	12.5	15.5	17.9	19.1	20.7	20.7	20.6	19.3	16.2	14.9	21.4	6.3	15.87
21	13.0	10.8	12.5	15.1	17.0	19.7	20.7	21.3	20.0	18.3	16.5	15.3	22.2	10.4	16.68
22	14.4	14.2	14.2	15.2	16.3	18.1	18.6	17.2	15.9	15.0	13.9	13.3	19.2	13.3	15.52
23	12.8	13.8	13.4	15.1	18.1	19.4	20.4	20.1	20.4	17.1	15.2	12.7	20.7	12.7	16.54
24	10.6	10.6	11.8	11.7	13.0	13.7	14.3	14.7	15.1	15.2	13.0	10.2	15.4	10.0	12.82
25	7.5	6.2	11.1	14.0	16.4	18.9	19.1	17.9	19.3	16.9	14.9	11.5	20.4	6.0	14.48
26	10.0	7.4	10.9	16.0	17.3	18.3	19.2	20.8	19.3	16.6	14.2	12.8	21.2	7.4	15.23
27	12.0	11.8	11.9	14.6	14.6	15.3	18.0	19.0	20.0	18.1	14.2	11.1	20.1	11.1	15.05
28	10.1	9.7	12.1	14.9	16.5	19.3	20.4	19.3	16.6	14.2	13.8	13.2	20.9	9.1	15.01
29	13.0	12.9	12.9	14.2	15.3	15.6	17.1	14.4	14.2	13.2	13.6	13.7	17.4	12.9	14.18
30	13.0	12.9	12.9	13.8	15.2	16.2	16.6	18.1	15.9	15.9	14.7	14.1	18.1	12.9	14.94
M	9.34	**8.85**	10.86	13.21	15.17	15.80	**17.94**	17.70	16.97	15.20	12.75	10.47	18.95	8.26	13.77

Juli (VII) / August (VIII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	13.7	12.8	15.6	17.5	19.7	20.9	20.7	16.6	16.7	16.5	15.4	14.3	21.8	12.4	16.70
2	14.4	14.2	14.2	14.9	16.8	15.3	13.9	14.3	14.8	14.6	13.0	12.0	17.3	12.0	**14.37**
3	11.8	11.9	12.0	13.0	16.0	18.4	20.3	21.2	20.3	18.4	16.5	14.3	21.2	11.6	16.18
4	13.2	12.8	12.8	13.6	16.9	18.0	17.6	18.3	18.0	15.4	13.3	11.7	18.9	11.7	15.13
5	11.3	11.5	13.0	14.2	17.2	19.8	20.5	20.9	20.9	19.6	17.1	17.0	21.4	11.3	16.92
6	15.3	14.3	15.9	18.3	20.2	21.3	22.3	22.8	21.9	20.5	19.2	17.2	23.3	14.3	19.10
7	16.0	14.8	16.2	20.2	22.4	23.4	25.2	26.5	27.0	25.0	18.0	16.7	27.3	14.8	20.95
8	16.4	14.4	19.3	20.3	23.9	25.5	27.7	29.0	29.4	26.6	21.2	19.2	29.4	14.4	22.74
9	18.2	19.7	22.4	23.6	25.9	26.9	28.8	28.9	28.8	27.7	22.8	21.1	29.4	18.2	24.57
10	18.6	18.2	21.9	25.8	28.5	29.0	30.0	31.8	32.0	26.1	24.6	23.0	**32.8**	17.9	**25.79**
11	20.0	19.9	21.1	25.5	26.6	28.7	30.0	30.6	30.0	27.7	21.9	19.2	30.9	19.2	25.10
12	18.6	18.7	20.7	24.1	27.6	29.7	30.4	30.4	29.2	26.2	21.6	18.1	30.8	18.0	24.61
13	17.7	16.3	18.7	23.0	24.8	27.6	29.2	28.8	28.1	25.4	22.9	20.7	29.8	15.8	23.60
14	17.7	17.2	18.4	21.5	25.6	28.6	29.8	27.9	26.4	24.5	21.6	19.5	29.8	17.2	23.14
15	16.5	15.4	17.3	21.3	26.0	26.9	27.4	27.0	24.0	21.6	19.2	17.2	28.8	15.4	21.65
16	15.2	15.6	17.1	19.7	23.3	24.9	26.9	26.9	26.7	23.6	20.4	18.4	28.2	14.7	21.56
17	17.6	17.4	18.0	20.5	24.8	25.6	26.2	25.8	24.0	22.8	18.9	14.6	27.8	14.6	21.35
18	11.3	10.7	12.6	15.8	19.1	20.3	20.9	22.7	24.0	21.2	15.1	13.5	24.2	**9.5**	17.27
19	12.9	12.0	13.9	17.4	18.8	19.8	22.1	21.5	22.5	19.9	15.1	14.0	22.7	11.6	17.49
20	12.8	11.2	13.4	17.9	22.3	26.4	27.1	29.9	27.9	25.5	21.2	16.5	30.3	10.7	21.01
21	14.7	14.5	16.6	22.2	24.7	25.9	27.4	28.9	28.4	26.1	20.1	18.9	29.5	13.8	22.37
22	20.7	20.7	20.5	23.0	25.5	26.9	28.9	29.4	29.0	25.8	22.6	17.8	30.1	17.8	24.23
23	16.2	16.7	16.8	18.9	18.3	21.0	21.2	20.5	20.3	20.6	17.8	16.4	22.3	16.2	18.72
24	14.6	14.4	16.5	19.5	22.7	24.2	24.5	25.6	25.8	24.3	19.0	20.7	25.9	14.2	20.98
25	18.6	16.8	18.1	20.9	23.9	25.5	27.0	28.1	28.0	26.6	19.7	19.3	28.3	16.5	22.71
26	16.7	17.4	21.2	23.0	25.9	27.1	28.1	28.4	28.1	26.7	22.0	20.1	28.8	15.9	23.72
27	17.5	15.9	17.5	20.9	23.9	26.5	28.3	29.5	29.4	26.7	21.1	18.0	30.1	15.3	22.93
28	16.8	15.7	18.0	22.1	25.2	26.5	28.1	29.1	29.0	25.2	20.8	17.3	29.9	15.6	22.82
29	18.7	18.3	18.0	19.6	22.0	24.0	26.0	27.5	27.7	25.3	22.3	20.1	27.7	16.7	22.46
30	19.0	16.5	17.5	20.8	24.3	26.6	27.6	27.9	26.0	23.8	21.3	19.5	28.3	15.9	22.57
31	15.6	14.6	15.3	20.6	24.9	27.9	29.3	29.9	25.8	23.2	20.0	16.8	30.0	14.4	21.99
M	16.07	**15.50**	17.11	19.99	22.83	24.49	25.59	**26.02**	25.49	23.33	19.54	17.49	27.00	14.76	21.12

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	15.3	13.6	15.8	20.5	25.0	26.8	27.3	25.8	23.6	21.5	19.5	18.7	28.0	13.5	21.12
2	15.8	15.6	16.2	16.7	18.4	20.0	20.9	20.4	20.3	18.5	15.5	15.1	21.0	14.5	17.75
3	13.7	12.3	13.6	16.4	18.7	20.2	22.7	23.9	23.1	19.5	17.4	15.6	24.2	12.3	18.09
4	14.5	13.3	14.4	17.8	20.2	21.5	23.7	23.5	25.5	19.3	17.2	15.2	26.0	13.0	18.92
5	15.4	14.4	15.0	16.9	20.4	22.7	22.9	20.6	19.4	17.3	15.9	15.5	23.6	14.4	18.03
6	15.3	14.5	14.8	17.2	18.2	19.3	17.1	15.9	14.9	14.1	12.6	12.1	19.4	12.1	15.50
7	11.8	11.0	11.5	13.3	14.8	16.1	17.4	16.8	14.8	14.2	14.0	13.6	18.2	**11.0**	**14.11**
8	11.4	11.7	12.5	14.5	17.4	17.5	20.1	18.6	19.2	17.4	15.8	16.5	20.9	**11.0**	16.05
9	15.9	15.9	16.0	15.4	17.6	20.3	22.8	23.1	22.5	20.8	19.9	18.4	23.4	15.4	19.05
10	18.4	16.9	16.5	18.5	24.1	26.0	27.6	25.3	25.4	19.8	17.0	16.3	28.0	16.3	20.98
11	16.4	15.0	15.7	18.9	24.3	25.2	26.9	27.6	25.7	24.2	21.2	20.8	27.8	14.7	**21.82**
12	20.8	20.6	20.8	21.0	22.5	22.6	23.0	24.8	23.4	21.7	19.0	16.7	25.0	16.7	21.41
13	15.3	14.4	13.8	20.5	21.8	24.3	25.5	25.7	25.6	21.9	16.7	14.7	26.2	13.1	20.02
14	14.1	13.2	13.8	18.4	23.0	24.9	26.0	25.7	25.2	22.3	17.9	14.7	26.5	12.3	19.93
15	13.6	12.6	14.6	18.4	21.0	23.4	24.4	23.6	22.3	19.7	17.7	15.8	24.5	12.6	18.92
16	15.2	16.1	16.2	18.0	21.0	24.5	26.1	25.0	22.8	20.4	17.9	17.6	26.5	14.3	20.07
17	17.6	16.8	16.6	17.4	20.6	21.7	23.7	21.6	19.5	17.7	16.8	16.5	24.7	16.5	18.88
18	16.5	16.3	16.6	18.0	20.1	16.0	17.0	17.4	17.4	16.4	16.0	15.0	20.3	15.0	16.89
19	15.1	14.8	14.7	15.2	17.2	17.8	18.7	19.4	18.5	17.1	14.2	13.5	19.5	13.3	16.35
20	14.1	14.4	15.1	16.1	17.5	19.5	21.9	21.5	20.4	18.7	17.3	17.3	22.4	13.5	17.82
21	17.3	17.1	16.9	17.2	18.5	20.5	20.1	20.5	19.9	18.4	16.5	16.5	20.5	16.5	18.28
22	16.3	15.4	15.0	16.4	19.6	21.1	22.5	24.2	23.2	18.1	15.2	13.9	24.4	13.8	18.41
23	12.7	11.4	11.3	16.2	21.2	23.8	26.2	25.8	23.8	20.2	18.3	17.6	26.2	11.1	19.04
24	15.7	15.1	16.8	21.1	23.4	25.8	27.0	27.9	26.9	20.7	18.4	16.0	**28.8**	14.8	21.23
25	15.1	13.7	13.9	18.6	21.9	25.0	27.1	26.9	24.8	21.3	16.8	14.9	27.7	13.2	20.00
26	13.8	12.9	14.0	17.9	22.0	24.7	25.8	25.8	23.7	19.7	15.6	14.1	26.3	12.8	19.17
27	13.2	12.6	13.9	17.4	19.4	23.6	26.6	26.1	23.9	21.9	18.7	15.8	26.8	12.6	19.42
28	14.9	13.8	14.6	18.2	23.1	25.2	26.4	27.0	25.0	22.0	19.8	18.7	27.6	13.7	20.72
29	17.0	15.8	14.9	16.8	18.9	22.9	24.9	25.0	23.6	20.7	18.9	17.7	25.8	14.8	19.76
30	16.7	15.7	14.8	17.7	22.7	24.6	24.8	23.7	21.7	19.5	17.6	16.2	25.2	14.7	19.64
31	15.4	16.2	16.7	17.0	19.6	21.9	23.6	22.1	19.5	17.7	16.8	16.5	23.6	14.9	18.58
M	15.30	**14.62**	15.06	17.54	20.45	22.24	**23.56**	23.26	22.11	19.44	17.16	16.08	24.48	13.82	18.90

Registreringer av lufttemperatur T

(Records of temperature: T)

Oslo (Blindern) **1955**

September (IX)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	15.5	13.7	13.3	14.9	20.3	21.4	22.3	21.2	19.2	16.5	15.3	11.9	23.0	11.9	17.12
2	9.3	8.3	8.8	12.0	14.4	15.1	12.8	12.4	12.5	12.8	12.3	11.7	15.1	7.1	11.87
3	11.3	10.3	10.4	11.6	15.5	17.5	19.5	20.5	18.7	16.5	15.8	13.8	20.6	10.2	15.12
4	11.8	9.6	8.0	11.5	15.3	17.1	19.4	19.7	17.6	15.8	12.7	12.4	20.2	7.6	14.24
5	12.4	12.4	12.4	13.8	17.2	16.4	18.2	18.2	17.5	16.5	16.1	15.5	19.3	12.4	15.55
6	15.5	13.5	14.3	15.2	17.7	18.7	20.8	20.8	19.3	17.0	15.1	13.6	21.8	12.9	16.79
7	11.4	11.1	9.2	12.9	18.5	19.6	21.7	22.8	22.5	17.9	12.8	11.9	22.9	9.2	16.02
8	14.1	14.3	14.3	15.1	17.5	19.4	20.7	22.3	21.4	19.6	17.6	18.6	22.5	14.1	**17.82**
9	17.9	16.8	15.0	15.6	16.6	19.0	18.7	18.4	16.0	16.4	16.1	15.5	19.6	15.0	16.83
10	15.0	14.6	14.9	15.5	15.6	17.1	16.6	14.6	14.7	15.0	14.9	14.4	17.3	14.4	15.24
11	13.4	13.3	13.5	13.5	15.6	17.0	17.9	16.6	14.6	14.5	14.3	13.3	18.2	12.3	14.71
12	9.6	8.6	9.5	11.5	14.5	15.9	16.4	15.6	13.3	11.5	9.0	7.7	16.7	7.6	11.92
13	7.7	7.9	7.9	8.9	12.5	14.5	14.6	13.4	13.1	11.2	11.0	10.0	14.8	7.6	11.06
14	10.0	9.6	10.1	10.6	11.5	12.5	12.7	12.4	12.4	11.3	11.3	11.1	13.0	9.6	11.29
15	10.7	10.9	9.8	10.0	11.0	12.6	12.3	12.6	11.3	10.7	10.2	10.4	12.7	9.8	11.04
16	10.0	9.1	9.6	10.4	10.7	11.6	12.6	12.6	11.6	11.9	11.1	11.0	12.7	9.1	11.02
17	10.9	10.5	10.0	10.6	13.4	16.2	17.1	17.2	14.7	9.8	7.8	7.0	18.0	6.9	12.10
18	7.4	8.8	9.0	8.9	13.3	12.1	12.4	12.4	12.0	8.9	9.7	9.1	14.2	6.9	10.33
19	7.3	5.6	4.3	6.4	11.6	15.0	16.2	17.0	13.9	8.0	7.2	6.8	17.0	4.3	9.94
20	7.1	6.8	5.6	9.0	12.7	15.0	17.4	18.2	14.4	11.0	9.1	9.0	18.2	5.1	11.28
21	7.8	8.7	8.7	8.7	14.8	17.7	18.5	19.3	16.0	12.0	11.8	9.3	19.4	7.8	12.78
22	11.2	11.5	10.8	10.7	12.4	12.5	13.2	14.0	12.1	9.0	8.9	9.6	14.1	8.9	11.32
23	10.0	9.2	10.2	10.5	11.2	11.7	11.9	12.4	12.2	11.5	11.4	10.5	12.4	9.0	11.06
24	10.4	9.8	9.8	10.4	11.3	13.1	13.1	13.0	13.3	13.2	13.2	13.2	13.3	9.5	11.98
25	12.5	12.3	12.4	12.4	13.4	13.3	13.2	12.3	12.4	12.5	12.3	11.2	13.4	11.2	12.52
26	11.2	10.4	9.4	9.2	11.2	11.8	12.3	12.3	10.4	6.9	5.9	5.8	13.0	5.8	9.73
27	5.1	4.0	3.9	6.6	10.4	13.5	13.2	12.8	9.1	7.8	6.4	4.8	14.1	**3.8**	**8.13**
28	6.4	4.9	5.1	5.7	10.7	12.3	13.8	13.3	9.7	6.8	6.8	7.6	14.0	4.7	8.59
29	7.5	7.9	7.5	8.1	10.7	12.1	11.9	13.9	13.9	13.4	11.6	11.5	14.3	7.3	10.83
30	11.7	10.7	11.8	13.8	15.7	17.8	18.0	17.3	12.7	10.6	8.1	7.9	19.1	7.9	13.01
M	10.74	10.17	**9.98**	11.13	13.91	15.32	**15.98**	**15.98**	14.42	12.52	11.53	10.84	16.82	9.00	12.71

Oktober (X)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	5.3	6.8	5.5	7.5	11.2	12.6	13.4	13.4	10.2	8.7	6.3	7.9	13.7	5.1	9.32
2	6.9	7.7	6.5	7.5	9.8	11.0	11.3	10.4	10.5	10.6	10.7	10.8	11.6	6.7	9.48
3	9.9	9.1	8.0	8.8	11.9	12.8	12.6	11.5	8.5	7.1	5.7	3.7	13.3	3.7	9.13
4	3.7	2.4	2.1	3.5	6.6	10.6	12.9	13.1	7.8	5.7	5.5	5.6	13.2	1.9	6.62
5	6.9	6.9	6.5	6.4	6.8	6.7	6.9	6.5	6.5	6.3	6.2	5.7	7.2	5.7	6.52
6	5.0	5.1	5.8	5.8	7.0	9.2	9.9	9.7	9.5	9.7	9.3	9.2	10.0	5.0	7.03
7	8.8	8.8	8.9	9.4	11.1	12.6	13.3	12.5	11.8	10.8	10.9	9.9	13.4	8.7	10.74
8	9.6	8.8	8.0	8.2	9.1	9.2	9.7	9.9	9.9	9.5	9.8	10.3	10.3	7.7	9.33
9	10.9	11.8	12.0	12.6	13.7	16.6	18.7	19.1	16.6	15.0	13.1	10.9	**20.0**	10.9	**14.25**
10	9.8	9.0	8.1	9.5	11.4	12.9	15.2	15.4	12.7	12.2	12.2	13.0	15.6	8.1	11.78
11	13.2	13.2	13.0	12.1	13.2	13.3	14.1	12.9	11.9	11.6	11.1	11.1	14.3	11.1	12.56
12	10.9	11.0	10.9	10.4	10.9	11.1	11.9	12.3	12.2	12.3	11.8	11.4	12.3	10.3	11.42
13	11.0	10.6	10.3	10.5	11.4	13.4	14.3	14.3	13.2	12.3	11.5	11.6	14.5	10.3	12.05
14	12.1	10.9	9.0	7.8	11.5	12.9	13.6	13.2	12.8	9.9	8.9	9.6	13.8	7.8	11.01
15	9.0	8.5	7.5	6.4	8.9	5.6	8.3	5.9	4.5	2.6	5.0	3.9	9.0	2.6	6.34
16	3.5	2.6	1.9	2.6	4.9	5.3	6.6	5.8	1.3	- 0.1	- 1.5	- 1.5	7.1	- 2.3	2.62
17	- 0.8	- 0.8	- 0.6	- 0.5	1.7	3.6	4.4	4.2	1.7	1.7	1.0	0.6	4.6	- 1.6	1.35
18	1.1	1.5	1.9	2.2	2.7	3.6	4.1	3.6	2.7	1.6	0.3	0.5	4.1	0.1	2.15
19	0.2	- 2.2	- 2.6	- 2.5	1.3	4.2	5.0	4.8	4.2	3.6	3.0	2.8	5.2	- 2.7	1.82
20	3.9	3.7	4.2	5.4	6.4	6.9	9.0	9.2	9.5	9.7	8.9	8.8	9.7	2.7	7.13
21	8.8	8.5	8.2	7.6	7.7	7.9	9.0	8.7	6.9	6.3	5.9	6.3	9.0	5.9	7.65
22	5.4	3.7	3.4	2.9	5.8	6.4	6.8	5.8	2.6	1.5	0.7	- 0.5	6.9	- 0.5	3.71
23	- 1.1	- 1.5	- 1.9	- 1.4	1.9	3.9	4.4	3.6	- 0.2	- 0.5	- 1.9	- 2.0	4.8	- 2.0	0.28
24	- 2.6	- 3.1	- 3.2	- 2.0	- 0.7	0.0	0.5	0.5	0.3	- 0.9	- 0.9	- 1.3	0.7	- 3.6	- 1.12
25	- 1.7	- 1.0	- 0.7	- 0.6	- 0.2	0.0	0.3	0.5	0.5	1.4	1.0	1.3	1.4	- 1.8	0.07
26	1.4	2.4	3.2	3.4	4.5	6.0	5.6	5.6	2.4	2.0	0.5	2.5	7.0	0.1	3.29
27	0.0	- 1.5	- 1.9	- 1.8	1.1	5.1	6.0	5.3	2.0	1.5	0.6	0.9	6.0	- 2.6	1.44
28	0.1	0.6	0.0	- 0.6	0.4	3.0	3.0	2.6	- 0.2	- 2.0	- 2.0	- 2.4	3.5	- 2.4	0.25
29	- 3.0	- 3.4	- 3.1	- 2.5	- 0.9	- 1.8	5.4	5.3	1.6	1.7	- 0.2	- 1.9	6.0	- 3.6	- 0.23
30	- 3.3	- 3.2	- 3.1	- 3.5	0.7	3.2	3.4	1.6	- 0.4	- 1.7	- 2.2	- 2.7	3.9	- 3.6	- 0.93
31	- 4.6	- 6.1	- 6.4	- 6.8	- 3.8	0.6	3.1	2.5	- 0.8	- 1.4	- 1.4	- 0.5	3.6	**- 6.9**	**- 2.13**
M	4.57	4.22	**3.92**	4.14	6.06	7.36	**8.47**	8.05	6.22	5.45	4.90	4.69	8.89	2.61	5.67

November (XI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	- 0.8	- 1.8	- 2.8	- 3.8	- 1.2	3.3	3.1	2.9	0.7	- 0.1	- 0.5	- 1.4	3.7	- 3.9	- 0.20
2	- 0.5	0.0	0.6	1.0	1.8	1.9	3.7	2.4	0.0	- 1.0	0.2	1.9	3.8	- 1.4	1.00
3	0.9	0.7	1.4	1.6	1.2	0.7	1.1	1.2	1.1	1.0	0.8	0.5	2.3	0.7	1.02
4	0.5	0.5	0.8	1.1	1.5	2.0	2.3	1.5	1.6	2.2	2.2	2.4	2.4	0.4	1.55
5	2.4	2.4	2.5	2.6	2.8	2.9	3.4	3.4	3.2	3.1	3.0	2.4	3.4	2.4	2.84
6	1.4	2.1	1.8	1.5	1.5	1.5	1.6	0.7	1.0	1.1	1.0	1.1	2.4	0.7	1.36
7	0.8	1.1	1.2	1.6	2.1	2.2	2.2	2.4	2.5	2.7	3.2	3.3	3.3	0.8	2.11
8	3.1	3.2	3.2	3.3	3.7	3.6	3.6	3.6	3.9	3.8	3.7	4.0	4.0	3.0	3.56
9	4.2	4.4	4.5	4.5	4.6	4.6	4.5	4.1	3.6	2.6	1.4	1.9	4.6	1.4	3.74
10	2.6	2.7	2.9	2.9	3.6	3.9	4.1	4.2	4.2	4.2	4.3	5.0	5.0	1.9	3.72
11	5.4	5.1	5.0	5.3	6.2	7.3	7.7	8.0	8.2	8.6	8.8	8.8	8.8	5.0	7.03
12	8.8	9.0	9.1	8.8	9.0	9.1	8.9	8.8	8.8	8.4	7.3	6.6	**9.3**	6.6	**8.55**
13	6.0	4.1	2.0	0.6	4.0	6.0	6.9	5.3	1.8	0.0	0.6	- 0.3	6.9	- 0.3	3.08
14	- 0.8	0.3	- 0.2	- 1.8	0.0	6.9	7.2	5.9	5.4	4.7	3.1	2.5	8.1	- 1.8	2.77
15	0.0	- 0.6	- 0.6	- 0.6	0.6	1.7	2.5	1.9	1.2	1.3	2.4	0.5	3.5	- 1.1	0.86
16	- 0.6	- 0.9	- 1.6	- 0.6	1.3	1.5	4.3	2.7	1.4	1.3	0.4	- 0.6	4.7	- 1.6	0.72
17	- 0.8	- 1.7	- 2.3	- 2.6	- 2.5	- 1.4	- 1.6	- 0.6	- 0.2	0.2	0.1	- 0.3	0.2	- 3.1	- 1.14
18	- 1.1	- 1.7	- 1.5	- 2.7	- 1.6	2.0	2.6	1.4	1.7	1.6	- 0.4	- 1.2	3.6	- 2.8	0.08
19	- 1.7	- 1.6	- 2.4	- 3.0	- 4.0	- 2.2	- 0.8	- 0.7	- 0.7	- 0.6	0.3	0.4	0.8	- 4.3	- 1.42
20	0.5	0.3	1.8	5.6	7.2	7.5	6.5	4.8	3.6	1.2	0.2	- 1.7	7.6	- 1.7	3.12
21	- 2.1	- 1.6	- 1.3	- 0.8	- 0.5	1.1	1.1	1.1	1.3	1.3	1.3	0.5	1.8	- 2.6	0.12
22	- 0.1	- 0.3	- 0.7	0.1	- 0.2	1.6	1.5	0.4	1.3	1.2	5.1	4.2	5.2	- 1.1	1.18
23	3.5	0.3	0.0	3.0	2.3	3.7	5.3	5.1	4.8	4.7	4.8	2.9	5.3	- 1.0	3.37
24	2.5	2.1	1.9	0.1	- 0.6	- 0.1	- 0.1	- 0.7	- 0.7	- 2.9	- 5.1	- 4.9	2.9	- 5.4	- 0.71
25	- 5.9	- 5.4	- 5.4	- 5.4	- 4.9	- 2.5	- 1.1	- 0.7	- 0.7	0.1	- 0.5	- 0.5	0.1	- 5.9	- 2.74
26	- 1.8	- 2.6	- 2.4	- 2.6	- 0.2	1.1	3.8	5.7	4.2	4.6	3.6	4.1	6.6	- 2.8	1.46
27	4.0	2.8	2.4	- 0.8	0.8	4.7	5.8	5.2	3.6	2.5	1.6	1.6	5.8	- 0.8	2.85
28	0.4	- 0.6	- 1.7	- 4.6	- 4.8	- 0.3	0.9	- 1.5	- 2.9	- 4.5	- 7.0	- 8.1	1.6	- 8.1	- 2.89
29	- 9.2	- 9.2	- 9.2	-10.0	- 9.2	- 7.9	- 6.7	- 7.0	- 7.3	- 6.3	- 5.5	- 5.7	- 5.4	**-11.0**	**- 7.77**
30	- 6.5	- 6.1	- 5.8	- 5.0	- 3.6	- 2.4	- 0.4	0.8	1.0	1.2	0.8	0.8	1.9	- 6.5	- 2.10
M	0.50	0.23	0.11	- 0.02	0.70	2.13	**2.80**	2.41	0.93	1.61	1.37	1.02	3.81	- 1.43	1.23

Desember (XII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	- 0.1	- 0.6	- 1.7	- 1.2	0.6	1.7	- 0.4	- 1.6	- 2.8	- 2.8	- 2.8	- 1.9	1.8	- 3.7	- 1.13
2	- 2.7	- 2.7	- 3.0	- 2.7	- 2.6	- 1.6	- 0.7	- 1.7	- 1.8	- 0.9	- 0.5	0.0	0.0	- 3.0	- 1.74
3	0.3	2.2	2.0	2.8	3.8	3.8	3.7	1.8	1.5	0.5	- 0.2	- 0.7	4.0	- 1.2	1.79
4	- 1.6	- 0.8	- 0.7	- 0.4	- 1.7	- 1.6	- 0.8	- 1.9	- 2.9	- 2.8	- 3.7	- 3.3	0.1	- 3.8	- 1.85
5	- 3.7	- 3.7	- 2.6	- 1.4	0.5	1.0	1.9	1.9	2.7	4.4	5.6	5.3	5.6	- 4.2	0.99
6	3.6	3.4	3.9	2.4	8.9	7.6	9.5	6.7	2.9	1.5	0.8	- 0.5	**9.5**	- 0.5	**4.22**
7	- 0.6	0.3	- 0.8	- 2.0	- 2.5	0.5	1.1	1.4	1.5	1.6	2.5	1.6	2.5	- 2.6	0.38
8	0.6	1.7	1.5	0.8	- 1.9	- 1.2	- 0.8	- 0.6	- 0.4	- 1.7	- 3.0	- 3.8	2.3	- 3.8	- 0.73
9	- 4.5	- 5.5	- 6.6	- 2.4	- 1.8	0.1	1.1	0.1	- 0.9	- 3.9	- 6.1	- 7.1	1.1	- 7.3	- 3.12
10	- 8.2	- 8.7	- 9.3	- 9.3	- 9.8	- 8.0	- 7.1	- 9.2	- 9.9	-11.1	-11.4	- 6.3	- 7.1	-11.5	- 9.02
11	- 6.4	- 6.8	- 8.2	- 9.1	- 9.2	- 6.5	- 6.2	- 7.7	- 8.9	-10.2	-10.0	- 9.8	- 5.5	-10.2	- 8.25
12	- 9.5	- 8.8	- 8.0	- 8.0	- 8.3	- 7.3	- 6.5	- 8.9	-10.5	-11.5	-11.7	-12.3	- 6.5	-12.3	- 9.28
13	-12.5	-12.6	-13.5	-12.4	-11.8	-10.9	- 9.7	-11.0	-11.7	-12.2	-12.4	-13.3	- 9.7	-13.5	-12.00
14	-12.5	-11.8	-10.4	- 9.7	-10.0	-10.5	-11.1	-11.1	-11.1	-11.0	-10.6	-10.3	- 9.6	-13.5	-10.84
15	-10.1	- 9.6	- 9.3	- 8.5	- 9.0	- 8.5	- 7.9	- 7.9	- 7.7	- 7.7	- 7.7	- 7.7	- 7.1	-10.3	- 8.47
16	- 7.1	- 7.1	- 7.4	- 7.4	- 7.5	- 7.2	- 8.0	- 8.2	- 8.2	- 9.0	- 9.3	- 9.5	- 7.1	- 9.5	- 7.99
17	-10.1	-10.7	-10.7	-10.8	-11.1	-11.6	-11.2	-11.1	-11.4	-11.4	-11.4	-11.4	- 9.5	-11.6	-11.08
18	-11.4	-11.4	-11.3	-10.6	-10.0	-10.0	- 9.8	-10.0	-11.3	-11.5	-10.6	-10.0	- 9.8	-11.5	-10.66
19	-11.2	-11.8	-13.1	-13.2	-11.2	-10.6	-14.2	-15.2	-12.9	-12.1	-11.6	-10.0	-15.6	-12.48	
20	-13.5	-13.4	-13.5	-15.2	-16.0	-14.1	-15.2	-17.4	-18.5	-17.6	-17.0	-15.6	-11.6	-19.1	-15.58
21	-17.2	-18.1	-19.6	-19.2	-17.6	-17.3	-17.5	-17.5	-18.0	-18.6	-17.6	-17.4	-15.6	-19.6	**-17.97**
22	-19.2	-19.8	-18.9	-18.9	-18.2	-15.1	-13.5	-15.2	-15.7	-15.4	-15.4	-16.2	-13.3	**-20.0**	-16.79
23	-17.3	-17.2	-17.3	-17.3	-14.5	-10.8	- 9.5	- 9.8	- 8.3	- 7.9	- 5.7	- 4.3	- 4.3	-17.8	-11.66
24	- 5.0	- 4.2	- 3.3	- 2.7	- 1.9	- 1.8	- 1.8	- 1.6	- 0.8	- 0.6	- 0.7	- 0.8	- 0.4	- 5.0	- 2.10
25	- 2.1	- 2.0	- 2.0	- 2.0	- 2.2	- 1.7	- 1.8	- 3.9	- 6.0	- 8.0	- 7.2	- 8.4	- 0.8	- 8.7	- 3.94
26	- 9.0	- 8.2	- 6.0	- 4.4	- 2.6	- 0.5	1.1	2.4	2.4	3.2	3.2	2.1	3.2	- 9.3	- 1.36
27	2.9	3.2	3.0	2.7	2.4	2.9	3.2	3.4	2.5	0.5	- 0.3	0.2	3.7	- 0.5	2.22
28	- 0.4	0.3	1.2	2.4	3.6	3.6	5.4	4.8	4.2	4.2	3.1	3.0	5.4	- 0.4	2.95
29	2.5	3.0	2.0	3.0	3.0	3.1	3.0	2.5	2.9	2.0	1.2	- 0.1	3.9	- 0.1	2.34
30	1.2	1.0	0.0	2.9	4.3	3.1	2.5	1.1	- 1.6	- 2.9	- 1.6	- 1.1	4.5	- 3.2	0.74
31	- 2.0	- 4.6	- 4.1	- 4.9	- 3.1	- 3.2	- 3.6	- 4.3	- 5.7	- 6.4	- 6.8	- 8.0	- 0.2	- 8.0	- 4.72
M	-6.03	- 5.97	**- 6.05**	- 5.68	- 5.14	- 4.30	**- 3.91**	- 4.80	- 5.44	- 5.81	- 5.79	- 5.78	- 2.60	- 8.43	- 5.39

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

Oslo (Blindern) **1955**

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Januar (I)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	93	94	94	96	96	96	95	93	93	92	94	94	96	92	94.2
2	92	92	88	87	74	72	71	67	69	82	83	81	94	66	79.8
3	82	85	88	86	84	79	78	75	75	75	73	72	88	71	79.3
4	72	71	73	72	74	76	76	76	80	77	90	82	83	70	75.8
5	83	82	84	88	89	82	82	87	93	94	91	90	96	81	87.1
6	90	87	90	90	97	93	92	95	98	96	92	93	98	85	92.8
7	93	95	95	95	94	94	95	92	94	93	94	92	96	87	93.8
8	85	88	77	86	77	76	75	77	78	87	85	87	92	73	81.5
9	87	90	92	91	93	94	98	96	95	95	95	95	98	86	93.4
10	93	94	91	91	89	90	90	92	93	87	92	93	96	81	90.4
11	94	93	92	89	64	66	50	71	80	87	88	86	95	50	80.0
12	89	90	86	84	85	85	82	87	88	87	87	90	93	84	86.7
13	89	95	90	87	90	90	90	96	96	91	91	90	98	85	91.2
14	86	84	72	62	73	76	65	67	67	75	78	87	90	55	**74.3**
15	85	86	87	89	94	91	43	51	72	79	82	83	94	**41**	78.5
16	95	93	92	95	93	84	63	73	71	76	79	79	**99**	58	82.5
17	95	78	83	80	85	79	68	77	82	82	86	87	87	68	81.0
18	88	94	90	92	92	91	90	55	57	56	62	66	96	55	77.8
19	70	68	67	76	79	68	67	78	79	86	90	93	95	66	76.8
20	85	85	82	84	75	66	65	69	73	79	84	85	94	64	77.7
21	88	89	90	95	98	99	94	91	93	88	77	81	**99**	77	90.2
22	87	87	84	80	83	73	71	73	78	82	85	84	88	71	80.6
23	86	88	90	95	98	98	94	97	98	97	96	94	98	84	94.2
24	92	93	91	90	90	91	95	98	96	96	95	95	98	89	93.5
25	95	92	88	57	57	50	47	59	79	85	89	94	95	47	**74.3**
26	97	95	95	95	95	95	95	93	82	83	84	87	98	81	91.3
27	90	94	96	96	95	95	95	95	95	94	93	93	96	87	94.2
28	94	93	97	98	98	97	96	97	98	97	95	94	98	93	96.2
29	95	96	97	98	97	98	98	98	97	97	96	96	98	94	96.9
30	96	96	97	98	98	97	97	96	95	96	97	95	98	95	96.5
31	95	95	96	97	98	98	98	99	99	98	97	97	**99**	95	**97.2**
M	88.7	**89.1**	88.2	87.7	87.2	85.1	**81.1**	82.9	84.9	86.7	87.4	88.2	95.2	74.9	86.4

Februar (II)

2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
94	94	95	97	97	96	97	97	98	96	96	97	98	94	96.2	1
96	96	97	98	98	97	97	97	97	96	96	96	98	95	**96.8**	2
96	95	93	90	90	87	86	90	96	96	95	95	96	86	92.4	3
95	94	95	97	96	95	94	95	96	95	95	94	97	94	95.1	4
94	94	93	94	93	90	86	90	86	82	85	79	94	76	88.8	5
86	88	89	85	82	58	54	65	78	90	85	84	90	51	77.8	6
91	93	90	90	86	78	61	57	73	82	85	85	93	57	80.9	7
89	86	88	90	86	82	93	94	94	93	92	93	95	82	90.0	8
92	91	90	90	85	83	79	78	79	87	87	92	94	75	86.1	9
69	69	73	68	68	51	52	53	66	91	83	86	92	47	68.2	10
89	87	39	90	84	65	61	63	79	86	85	82	91	59	80.0	11
82	78	73	74	67	61	60	57	67	73	79	83	83	57	71.2	12
87	89	89	90	85	75	62	59	78	85	85	81	92	57	80.4	13
79	68	73	61	56	51	51	57	54	54	57	60	95	50	**60.1**	14
59	62	69	75	66	60	58	61	72	75	85	97	97	56	69.9	15
95	94	89	87	79	77	75	79	84	86	86	79	97	74	84.2	16
79	77	75	74	72	64	63	64	63	63	63	62	79	60	68.2	17
62	62	63	66	67	63	69	68	70	74	79	81	81	62	68.7	18
80	82	77	80	78	77	77	73	73	69	70	71	85	69	75.6	19
65	73	66	63	59	40	48	40	56	68	77	78	79	39	61.1	20
79	80	78	79	67	49	39	40	56	69	74	77	80	**38**	65.6	21
79	80	81	82	74	64	51	43	61	72	75	80	83	43	70.2	22
85	88	97	98	79	60	53	47	47	58	61	52	**00**	45	68.8	23
56	64	73	78	73	67	52	46	58	79	87	91	91	45	68.7	24
95	91	92	92	79	69	65	47	57	73	78	83	95	45	76.8	25
89	92	93	94	81	73	57	49	60	63	55	58	95	49	72.0	26
65	71	83	82	75	61	58	45	53	65	76	86	86	43	68.3	27
92	95	98	98	00	93	89	74	73	87	88	84	**00**	72	89.2	28
82.8	83.3	84.3	**84.4**	79.4	70.9	67.4	**65.3**	72.3	78.1	80.7	81.6	90.9	61.4	77.5	M

Mars (III)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	77	77	79	82	87	77	77	87	92	92	90	90	93	68	83.9
2	90	90	90	90	77	62	52	50	56	63	55	56	90	48	69.2
3	73	84	87	99	91	82	73	69	76	84	92	97	99	55	83.9
4	98	93	91	90	91	94	78	90	78	66	64	69	99	62	83.5
5	73	81	72	62	66	60	60	64	63	59	58	58	92	56	64.7
6	64	57	56	58	57	55	53	56	59	67	79	84	84	52	62.1
7	85	86	88	88	80	66	36	34	43	49	50	54	90	32	63.2
8	55	56	68	65	59	50	50	45	47	53	57	59	72	45	55.3
9	67	80	95	95	87	85	80	79	81	92	98	00	**00**	58	86.6
10	94	96	95	95	76	54	41	34	37	57	65	69	**00**	33	67.8
11	77	82	82	79	74	71	59	57	62	73	87	94	94	57	74.8
12	00	97	96	95	95	95	95	94	93	94	94	94	**00**	93	**95.2**
13	94	94	94	94	94	94	94	26	24	30	34	36	94	21	67.3
14	37	45	44	46	41	33	29	25	31	54	69	71	73	22	43.8
15	74	74	73	55	50	49	44	34	33	37	39	39	77	32	50.1
16	38	40	50	47	37	34	29	29	30	41	40	42	57	28	38.1
17	49	50	58	56	45	63	53	49	45	49	45	47	66	42	50.8
18	48	45	46	48	44	36	42	40	55	68	72	62	73	35	50.5
19	72	71	67	61	58	59	54	56	70	74	73	78	78	51	66.1
20	77	76	74	76	77	67	60	57	69	82	84	85	85	56	73.7
21	88	90	95	88	79	72	48	45	46	61	71	79	95	44	71.8
22	83	87	91	83	73	60	48	41	41	60	79	86	92	40	69.3
23	87	90	88	85	82	56	49	34	34	45	47	50	92	33	62.2
24	55	54	55	57	60	50	42	42	34	37	39	38	61	34	46.9
25	39	40	42	46	40	32	25	19	33	42	42	56	56	**17**	**38.0**
26	77	90	96	95	89	77	73	73	64	67	65	58	97	58	77.0
27	53	49	51	47	41	37	28	24	28	41	44	52	59	23	41.2
28	56	63	72	70	59	49	43	42	91	61	48	58	92	38	59.3
29	57	60	60	55	46	34	35	29	31	46	27	38	60	25	43.2
30	48	55	66	61	57	40	31	31	51	62	62	68	68	30	52.7
31	97	00	95	82	57	34	55	34	26	31	31	39	**00**	26	56.9
M	70.4	72.6	**74.7**	72.6	66.7	58.9	52.8	**48.0**	52.4	59.3	61.4	64.7	83.5	42.4	62.9

April (IV)

2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
46	54	60	57	40	28	26	28	30	50	50	57	67	24	43.8	1
64	79	85	67	60	54	50	50	57	72	83	87	87	49	67.3	2
87	86	88	00	95	69	71	82	98	95	95	94	**00**	67	88.3	3
93	93	93	92	92	73	70	71	73	85	90	92	94	69	83.9	4
93	92	95	92	92	97	93	92	90	92	93	94	97	90	92.9	5
95	95	95	96	95	91	90	87	88	94	91	91	96	86	92.3	6
90	91	85	85	78	79	79	75	83	87	79	79	92	71	82.9	7
79	75	79	72	44	44	39	39	41	58	73	83	83	36	60.4	8
87	90	93	65	67	59	54	49	52	61	72	79	93	47	69.0	9
83	95	87	82	84	89	85	68	65	63	68	74	95	61	78.6	10
98	96	96	95	91	89	80	77	86	91	92	95	98	74	90.5	11
92	97	96	94	92	93	95	90	88	93	95	95	97	88	93.3	12
95	95	95	95	88	46	30	31	34	35	39	43	95	28	60.5	13
44	45	43	36	32	32	29	31	32	37	42	46	46	29	**37.6**	14
49	52	50	45	41	38	29	24	27	36	44	60	60	23	41.2	15
67	71	72	73	64	45	37	37	40	44	46	53	77	31	54.1	16
58	68	67	55	50	47	43	38	40	45	50	56	71	38	51.4	17
57	59	66	56	47	46	44	40	41	53	76	85	85	40	55.8	18
89	95	91	65	50	42	36	29	27	45	70	75	96	27	59.5	19
73	75	79	53	44	42	36	50	53	58	57	55	83	34	56.2	20
55	53	50	45	40	38	34	31	31	35	40	45	56	29	41.4	21
50	63	65	49	43	35	31	30	32	43	55	59	67	29	46.2	22
61	66	65	50	49	40	35	32	34	45	46	49	68	32	**47.7**	23
49	49	54	47	42	37	36	40	42	58	55	53	64	35	46.8	24
61	73	67	52	43	38	34	35	36	40	46	48	76	34	47.8	25
52	57	59	49	45	42	39	34	42	50	72	76	77	34	51.4	26
76	81	76	54	50	55	45	43	60	89	95	97	97	43	68.4	27
97	98	99	96	96	96	98	96	96	95	95	96	**00**	95	**96.5**	28
94	94	95	75	54	37	28	20	25	38	50	88	96	**20**	58.2	29
83	93	96	91	90	87	90	95	94	95	96	96	98	83	92.2	30
73.9	77.7	**78.0**	69.5	62.9	56.9	52.8	**51.5**	54.6	62.7	68.5	73.3	83.7	48.2	65.2	M

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

Oslo (Blindern) **1955**

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Mai (V)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	94	90	90	86	73	60	56	54	65	88	95	96	97	52	78.9
2	96	93	88	86	91	90	90	90	94	97	96	95	98	85	92.2
3	94	94	92	91	90	85	78	84	90	93	91	92	95	77	89.5
4	93	95	95	99	83	92	95	95	95	95	95	95	96	83	**93.1**
5	94	93	92	95	93	93	87	92	91	94	95	95	95	85	92.8
6	94	94	94	93	88	85	73	60	61	78	91	90	95	57	83.4
7	90	93	83	82	75	74	61	59	60	73	95	96	96	48	78.4
8	96	95	94	85	80	86	79	76	88	90	96	95	96	73	88.3
9	94	93	93	86	70	61	73	84	90	95	95	95	95	59	85.8
10	95	94	93	86	46	42	41	20	23	24	40	50	95	20	54.5
11	65	67	49	41	33	27	24	24	26	31	41	54	70	23	40.2
12	54	64	77	67	44	33	37	26	20	26	34	50	77	18	44.3
13	71	80	75	51	43	37	37	46	69	92	94	95	95	34	65.8
14	96	95	95	97	96	76	56	50	55	69	84	86	99	49	79.6
15	85	83	79	80	77	80	79	68	63	77	75	74	94	60	76.7
16	75	82	82	68	55	57	61	66	90	83	90	96	96	46	75.4
17	99	97	90	72	61	64	60	52	71	80	66	90	99	50	75.2
18	90	83	77	75	73	85	91	95	95	97	79	89	97	72	85.8
19	83	85	87	85	95	90	99	76	85	93	96	96	**00**	73	89.2
20	98	98	96	86	55	44	32	26	28	31	40	39	99	26	56.1
21	43	50	42	37	33	31	44	55	89	77	56	52	89	29	50.8
22	60	61	44	36	34	32	27	27	31	45	50	59	61	26	42.2
23	67	82	71	37	34	34	30	32	34	34	42	50	83	29	45.6
24	59	64	55	50	46	46	48	49	59	66	91	93	93	45	60.5
25	95	95	85	55	41	40	42	40	31	49	60	66	97	28	58.2
26	62	64	58	44	36	32	27	26	24	27	58	62	67	21	43.3
27	67	72	61	52	35	24	21	22	23	30	40	49	72	21	41.3
28	60	69	59	40	40	35	24	18	18	24	33	39	73	**17**	38.2
29	50	56	54	51	42	39	37	29	22	23	29	29	56	22	38.4
30	33	45	43	37	28	23	23	20	20	23	29	33	47	20	**29.8**
31	42	44	41	36	33	29	28	27	27	32	49	48	49	26	36.3
M	77.2	**79.7**	75.3	67.0	58.8	55.7	53.5	**51.2**	56.0	62.5	68.5	72.5	85.2	44.3	64.8

Juni (VI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	44	49	49	41	41	35	29	29	28	40	54	77	78	28	43.0	1
2	79	82	75	61	55	51	45	39	40	42	56	74	84	36	58.2	2
3	79	81	81	64	50	45	40	56	51	54	71	90	90	38	63.5	3
4	95	98	93	72	44	33	24	21	22	30	54	60	98	**19**	53.8	4
5	80	67	61	50	37	33	29	32	37	40	41	77	80	29	48.7	5
6	92	95	73	35	33	33	28	23	32	34	43	47	96	21	47.3	6
7	50	52	51	49	44	37	33	31	32	35	45	45	53	30	42.0	7
8	50	61	57	49	40	40	38	35	38	40	49	60	62	35	46.4	8
9	61	65	61	54	45	44	40	74	74	72	90	92	93	39	64.3	9
10	99	00	72	66	89	66	45	43	51	61	67	67	**00**	40	68.8	10
11	67	74	66	60	73	67	44	50	43	61	70	82	82	38	63.1	11
12	90	90	85	70	61	44	45	36	45	56	71	96	96	35	65.8	12
13	00	98	79	60	42	37	24	23	29	43	61	89	**00**	21	57.1	13
14	91	97	79	66	53	45	35	33	46	78	77	00	**00**	29	66.7	14
15	96	95	95	94	93	90	74	74	80	64	73	70	**00**	59	83.2	15
16	61	56	43	37	31	30	29	31	30	30	35	43	70	29	**38.0**	16
17	60	81	64	34	29	27	24	20	21	25	36	57	87	20	39.8	17
18	77	73	70	56	45	36	33	42	46	50	69	72	83	33	55.8	18
19	67	59	52	48	44	43	36	37	35	35	49	85	85	30	49.2	19
20	97	91	55	47	45	41	34	34	34	38	48	52	97	34	51.3	20
21	73	85	73	57	50	41	36	37	45	52	72	84	87	33	58.8	21
22	91	92	93	85	82	73	69	78	82	90	93	93	94	69	85.1	22
23	97	91	99	78	47	40	35	31	29	33	39	51	**00**	29	55.8	23
24	71	85	93	97	95	94	90	90	85	80	45	58	**00**	45	81.9	24
25	83	88	58	45	40	35	38	45	41	56	46	57	89	31	52.7	25
26	63	82	68	43	39	33	33	29	27	45	59	73	84	26	49.5	26
27	79	81	84	65	69	67	53	49	45	50	73	87	87	43	66.8	27
28	92	91	79	84	73	58	34	49	67	78	82	90	96	32	73.1	28
29	91	95	95	87	83	79	59	80	90	97	95	95	99	57	87.2	29
30	97	95	93	92	86	79	82	72	90	85	90	87	99	69	**87.3**	30
M	79.1	**81.6**	73.2	61.5	55.3	49.2	**41.9**	44.1	47.2	53.1	61.8	73.7	89.0	35.9	60.1	M

Juli (VII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	94	95	73	68	65	61	54	86	81	86	92	92	96	51	78.9
2	97	95	94	89	73	92	95	80	79	79	95	96	98	69	**88.7**
3	95	95	95	93	84	65	56	54	56	67	73	90	96	49	76.9
4	95	95	95	92	68	60	60	55	61	73	90	95	96	54	78.2
5	96	95	92	89	66	58	50	47	47	50	59	57	96	46	67.2
6	60	61	55	49	48	47	40	38	45	48	51	67	67	34	50.8
7	70	70	56	45	40	40	36	33	30	38	61	59	74	29	48.2
8	61	72	53	52	48	44	33	31	31	38	57	67	73	30	48.9
9	69	59	45	45	49	46	33	32	34	35	52	56	69	31	46.2
10	71	76	66	56	39	37	33	29	28	43	47	56	77	27	48.4
11	73	74	73	57	53	45	39	35	34	34	61	69	77	31	53.9
12	71	70	74	56	50	38	33	32	37	45	63	76	79	31	53.8
13	78	86	83	58	50	45	41	42	41	52	68	89	89	41	61.1
14	95	95	94	83	56	35	29	44	51	56	73	92	95	26	66.9
15	96	95	94	74	42	34	34	26	33	35	44	49	96	25	54.7
16	59	62	61	54	46	38	33	33	34	42	53	62	67	30	48.1
17	64	67	71	63	47	45	42	42	57	43	36	44	71	36	51.8
18	54	61	58	46	39	34	32	28	26	28	58	60	66	25	43.7
19	60	59	59	60	57	46	34	40	34	40	58	68	68	32	51.2
20	74	90	77	58	46	37	30	24	33	24	31	49	91	21	47.9
21	59	61	60	41	34	32	29	26	25	36	50	56	66	25	42.4
22	54	55	61	55	50	45	40	36	35	48	57	86	86	32	51.8
23	92	87	95	93	73	61	43	52	45	40	48	48	95	39	64.8
24	51	49	44	35	32	25	17	15	15	19	29	24	52	**14**	29.6
25	31	38	36	32	30	24	18	16	15	21	38	38	40	15	**28.1**
26	48	54	46	41	39	34	34	30	29	31	45	58	58	28	40.8
27	75	89	82	67	57	45	37	30	30	41	56	72	93	28	56.8
28	84	90	78	61	52	45	40	33	32	50	69	85	91	29	59.9
29	72	65	63	57	53	49	44	40	40	44	54	64	88	39	53.8
30	69	85	83	63	55	48	45	44	45	58	67	85	90	43	62.2
31	00	97	92	76	52	29	25	27	40	56	85	93	**00**	24	64.3
M	73.1	**75.5**	71.2	61.5	51.4	44.6	39.0	**38.1**	39.5	45.2	58.7	67.8	80.6	33.4	55.5

August (VIII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	77	82	78	61	37	30	34	47	63	81	62	54	93	27	58.8	1
2	55	54	54	48	44	38	33	32	31	39	47	45	59	31	**43.3**	2
3	49	57	55	47	42	40	33	29	30	50	64	79	79	29	47.9	3
4	88	95	84	51	43	41	34	30	24	47	67	82	96	24	57.2	4
5	90	95	96	88	68	53	47	44	50	90	98	91	97	42	75.8	5
6	73	78	72	55	51	46	63	75	89	00	94	00	**00**	45	74.7	6
7	97	93	87	72	66	59	47	47	59	61	65	69	**00**	44	68.5	7
8	97	94	95	87	63	72	57	64	66	69	74	71	99	50	75.8	8
9	75	79	76	82	71	62	54	52	60	64	67	85	85	50	69.1	9
10	79	92	94	81	57	47	55	54	61	91	77	85	98	35	72.8	10
11	82	89	91	73	55	47	40	34	44	49	60	61	94	33	60.4	11
12	61	63	61	56	45	48	45	42	42	50	60	71	71	40	53.7	12
13	73	79	88	56	57	44	40	33	34	41	69	78	88	32	57.7	13
14	79	85	84	65	48	43	36	32	33	46	74	94	95	28	59.9	14
15	98	00	90	70	61	45	49	55	58	73	87	00	**00**	44	73.8	15
16	98	94	93	85	66	48	39	42	50	69	93	95	**00**	39	72.7	16
17	95	97	95	85	71	64	51	59	79	88	91	90	97	46	80.4	17
18	92	95	95	84	69	00	91	88	82	88	96	99	**00**	66	**89.9**	18
19	98	97	95	95	87	83	77	76	86	93	96	95	99	73	89.8	19
20	95	95	95	92	74	63	51	56	73	85	95	96	96	51	80.8	20
21	95	95	96	96	90	78	86	82	89	80	90	73	96	70	87.5	21
22	69	71	70	59	48	41	34	32	32	61	68	75	75	30	55.0	22
23	85	92	95	66	50	39	20	25	39	55	58	64	95	**20**	57.3	23
24	69	68	62	50	40	34	33	28	29	57	58	69	72	28	49.8	24
25	75	83	85	69	62	45	33	32	41	57	81	89	89	31	62.7	25
26	92	95	89	79	60	47	40	40	45	64	88	95	95	39	69.5	26
27	98	00	91	84	73	52	38	41	56	71	83	97	**00**	37	73.7	27
28	97	97	88	73	56	42	34	32	38	47	53	67	98	32	60.3	28
29	82	90	94	85	83	67	56	53	60	76	92	00	**00**	50	78.2	29
30	97	96	96	83	51	47	46	51	61	79	93	98	**00**	42	74.8	30
31	97	96	95	92	77	56	36	41	69	83	87	94	98	35	76.9	31
M	84.1	**87.0**	85.2	73.2	60.2	52.3	**46.2**	46.7	54.0	67.9	77.0	82.6	92.4	40.1	68.0	M

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

Oslo (Blindern) **1955**

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September (IX)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	97	95	96	89	48	38	30	29	34	35	37	54	97	27	**56.8**
2	66	72	77	67	56	53	95	97	96	96	96	95	98	51	80.5
3	95	95	95	95	75	61	47	43	50	71	59	56	95	39	70.2
4	59	78	88	70	50	44	43	45	57	75	94	94	94	42	66.4
5	92	92	96	82	62	73	63	63	77	86	90	95	99	56	80.9
6	90	00	97	91	75	62	58	66	82	61	58	63	**00**	50	75.2
7	83	80	89	70	46	43	30	28	36	58	90	97	98	**26**	62.5
8	98	95	95	81	66	58	58	57	61	78	83	74	98	55	75.3
9	75	85	96	90	98	78	71	72	98	94	95	99	99	69	87.3
10	96	95	92	90	87	80	95	98	97	95	95	96	**00**	79	93.0
11	96	96	95	95	89	73	65	74	95	85	91	71	97	67	85.4
12	73	73	73	71	57	46	47	48	61	74	88	95	95	44	67.2
13	95	94	95	88	72	66	58	61	68	87	91	99	**00**	55	81.2
14	98	95	95	90	88	79	69	74	81	87	86	85	99	67	85.6
15	86	82	95	93	67	60	59	54	62	77	73	67	97	54	72.9
16	78	90	93	89	98	90	83	86	87	85	97	97	99	67	89.4
17	99	96	96	95	66	48	44	35	45	75	85	92	99	29	73.0
18	90	97	95	90	60	76	65	61	65	71	59	56	99	54	73.8
19	65	79	91	84	56	42	32	33	44	79	81	85	93	31	64.2
20	89	83	87	75	57	51	48	46	66	92	95	94	97	43	73.6
21	99	94	95	97	66	49	48	48	62	94	99	97	99	47	79.0
22	92	94	95	94	85	84	85	79	87	95	95	92	97	72	89.8
23	92	97	92	88	85	82	86	82	85	83	80	81	97	79	86.1
24	85	92	90	88	84	76	73	79	84	93	89	90	96	69	85.2
25	86	89	92	98	96	95	94	92	95	95	95	95	**00**	86	**93.5**
26	94	94	94	91	88	80	69	58	59	85	87	92	95	53	82.6
27	93	95	97	86	68	44	40	49	77	79	85	93	97	32	75.5
28	79	96	94	88	59	45	41	40	69	89	95	92	97	37	73.9
29	97	95	97	91	82	69	81	79	90	95	98	97	99	66	89.2
30	96	97	96	93	**87**	67	40	29	35	45	59	67	98	28	67.6
M	87.8	90.5	**92.6**	87.0	72.4	63.7	60.6	**60.2**	70.2	80.5	84.2	85.3	97.6	52.5	77.9

Oktober (X)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	82	76	90	70	38	34	28	28	42	56	56	57	92	28	54.8
2	65	59	69	65	57	52	59	75	90	91	85	90	93	51	71.4
3	94	95	98	92	72	63	78	79	98	98	97	98	**00**	61	88.5
4	98	96	97	98	97	72	46	43	76	84	86	85	99	43	81.5
5	82	82	82	79	74	85	88	95	92	92	91	94	96	73	86.3
6	95	95	93	00	97	89	85	85	90	87	92	90	**00**	83	91.5
7	96	98	98	97	90	76	72	79	90	96	96	98	99	68	90.5
8	98	97	98	98	93	94	90	87	92	93	97	95	98	86	94.3
9	97	96	95	95	94	82	73	62	81	90	95	98	98	58	88.2
10	97	96	96	95	95	85	76	81	94	95	97	93	98	74	91.7
11	92	94	95	89	79	71	72	82	90	93	91	90	96	69	86.5
12	88	91	93	92	90	86	77	78	90	97	97	97	97	76	89.7
13	95	96	96	96	95	80	75	73	75	73	79	87	97	69	85.1
14	93	95	87	90	81	77	65	59	54	66	85	95	95	52	78.9
15	96	95	95	94	89	61	25	28	47	88	43	42	99	19	66.9
16	40	44	43	41	37	36	30	32	61	65	79	78	83	29	**48.8**
17	66	67	67	67	56	47	40	43	50	58	70	79	79	39	59.2
18	75	73	71	70	66	64	64	67	72	78	87	90	90	63	73.1
19	93	99	98	99	93	67	70	71	67	64	71	83	**00**	61	81.2
20	87	95	97	96	98	97	96	95	95	92	93	95	**00**	83	94.7
21	96	96	96	95	95	95	86	79	72	65	65	55	97	55	82.9
22	64	58	58	61	50	46	45	46	65	72	75	84	84	44	60.3
23	87	94	97	90	79	61	58	61	88	90	97	96	98	56	83.2
24	96	97	98	96	98	99	96	95	97	99	99	98	99	95	**97.3**
25	97	97	97	97	97	96	96	96	96	95	89	90	98	88	95.2
26	93	82	71	59	55	48	49	69	75	73	79	68	94	44	68.4
27	81	89	93	89	84	60	52	59	67	67	73	66	93	50	73.3
28	61	58	59	61	61	50	48	50	65	77	78	82	82	46	62.5
29	88	95	97	95	88	69	46	37	50	47	56	66	97	37	69.5
30	77	77	81	90	86	44	42	46	55	59	66	73	93	41	66.3
31	81	88	91	90	81	54	47	48	62	67	64	61	92	45	69.5
M	85.5	86.1	**87.0**	85.4	79.5	69.0	**63.7**	65.4	75.4	79.6	81.5	83.0	94.7	57.6	78.4

November (XI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	66	69	75	87	84	58	60	61	80	85	87	95	96	55	75.6
2	96	96	00	99	98	97	87	92	98	99	97	98	**00**	85	96.3
3	98	98	98	96	91	88	87	87	87	87	89	90	98	82	91.3
4	88	87	87	87	86	84	86	95	95	93	96	95	97	83	89.9
5	93	93	97	96	96	95	93	92	96	96	92	93	98	92	94.3
6	92	86	90	90	91	90	85	92	90	90	91	91	93	85	89.8
7	93	95	94	91	90	91	97	97	96	96	97	97	98	90	94.5
8	96	95	96	94	95	95	94	93	93	94	94	95	97	92	94.5
9	94	95	92	92	92	90	90	86	87	91	94	92	95	85	91.2
10	88	87	92	95	94	91	93	92	95	96	95	95	96	87	92.8
11	95	95	95	95	95	95	94	93	95	95	94	93	95	93	94.5
12	92	93	95	95	95	92	93	95	94	93	89	84	95	84	92.5
13	54	48	61	65	66	59	36	40	64	76	66	68	85	34	58.6
14	73	67	77	85	86	45	45	51	41	44	50	53	87	40	59.8
15	67	75	82	89	89	87	77	75	86	86	79	88	92	53	81.7
16	95	95	95	90	86	95	68	79	88	90	93	97	97	66	89.2
17	98	00	99	99	99	97	96	96	96	95	95	95	**00**	95	97.1
18	95	95	95	94	94	94	92	90	86	70	83	85	95	57	89.4
19	87	86	88	96	96	97	96	96	95	92	91	88	97	82	92.3
20	88	79	67	50	42	32	34	40	53	52	69	79	89	32	57.1
21	83	84	90	90	93	89	87	86	85	87	87	90	93	82	87.6
22	95	97	99	91	93	92	90	95	87	78	38	38	99	36	82.9
23	45	56	58	43	44	38	37	45	45	41	35	36	67	35	43.6
24	37	40	42	37	39	37	36	40	41	49	61	66	67	35	43.8
25	73	73	80	87	90	79	68	71	73	70	76	79	92	68	76.6
26	88	93	94	96	94	87	74	77	82	48	50	45	97	42	77.3
27	43	48	46	59	56	42	34	34	34	34	37	30	58	**30**	**41.4**
28	32	34	38	48	56	41	35	40	49	52	60	65	65	34	45.8
29	73	76	76	80	79	65	69	79	79	79	73	85	85	65	76.1
30	98	97	96	98	99	99	99	98	97	95	95	95	**00**	85	**97.2**
M	80.5	81.1	83.1	**83.8**	83.7	78.0	**74.4**	76.9	79.6	78.4	78.4	80.0	90.8	66.1	79.8

Desember (XII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	95	95	95	95	95	94	93	95	95	95	95	95	95	92	94.8
2	95	95	95	95	94	93	83	94	85	82	75	84	95	73	88.3
3	91	93	94	95	95	94	93	96	95	95	95	94	96	84	94.2
4	92	87	89	85	91	92	91	93	93	90	92	87	94	85	90.2
5	87	89	87	84	83	84	87	92	94	93	93	93	95	82	88.8
6	93	92	89	91	41	61	33	32	47	47	50	59	93	**31**	61.2
7	64	67	73	86	92	70	73	45	40	43	42	41	92	40	61.3
8	46	45	43	46	57	54	55	58	59	49	45	45	62	40	50.2
9	45	49	53	42	40	35	35	40	45	54	67	75	78	34	**48.3**
10	80	85	88	90	92	88	90	89	85	91	92	70	93	70	86.7
11	65	67	70	71	75	68	67	71	73	81	85	90	92	65	73.6
12	92	90	89	84	90	85	84	90	90	89	89	90	93	83	88.5
13	92	95	93	90	90	91	89	90	90	91	90	91	95	87	91.0
14	90	90	91	82	72	71	74	74	76	79	81	79	93	71	79.9
15	90	81	82	84	85	87	84	90	83	84	85	88	90	78	84.4
16	85	79	82	80	81	81	85	85	84	86	87	85	88	79	83.3
17	87	84	85	84	84	85	82	85	85	88	94	92	95	82	86.2
18	86	84	82	79	75	93	80	76	76	84	90	79	92	72	81.2
19	79	85	88	87	90	90	85	90	91	98	97	99	99	78	89.9
20	99	98	98	97	96	97	96	95	93	94	94	95	99	93	**96.0**
21	94	94	93	93	94	94	94	94	93	93	93	93	95	92	93.5
22	92	92	93	93	94	95	96	95	95	95	95	95	97	92	94.2
23	94	94	94	94	96	98	99	96	97	98	92	89	**00**	89	95.1
24	94	98	94	98	92	92	98	96	98	97	97	96	**00**	89	95.8
25	96	96	95	94	95	86	78	86	92	92	90	89	96	78	90.8
26	97	94	96	96	96	96	96	95	95	95	95	95	98	89	95.5
27	95	95	95	95	94	94	94	90	92	94	94	94	95	90	93.8
28	94	94	94	94	94	93	93	93	93	88	86	87	94	82	91.9
29	87	88	93	57	58	58	58	67	77	80	88	93	95	56	75.3
30	75	62	62	56	49	57	49	48	56	61	61	56	93	45	57.7
31	59	62	58	60	64	63	62	58	60	63	64	67	68	48	61.7
M	84.5	84.5	**84.9**	83.1	82.1	81.6	**79.9**	80.3	81.5	82.9	83.6	83.4	92.3	73.2	82.7

Registreringer av vind D, v

(Records of wind: D, v)

Oslo (Blindern) **1955**

φ = 59° 56′N λ = 10° 44′ E g = 9.819 ΔG = + 1^h H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Januar (I)

Dat	2		4		6		8		10		12		14		16		18		20		22		24	
1	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0
2	00	0.0	00	0.0	08	2.4	00	0.0	02	6.6	02	6.2	01	4.5	02	6.2	05	5.8	07	5.0	06	3.7	05	4.1
3	03	5.8	05	5.8	02	6.2	01	7.0	02	5.8	02	5.8	01	4.5	01	6.6	02	6.6	02	7.4	01	7.8	01	6.2
4	01	5.4	01	4.5	01	4.1	35	5.0	36	3.3	01	2.9	02	5.0	01	2.0	36	3.3	02	3.7	35	2.0	03	3.3
5	00	0.0	00	0.0	00	0.0	00	0.0	03	1.2	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0
6	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	19	1.6	20	2.0	21	3.3	28	1.2	24	2.0	21	1.6	24	2.9
7	25	2.9	27	2.9	26	2.4	25	2.4	00	0.0	36	1.2	03	2.0	03	2.4	02	2.4	03	2.0	03	3.7	06	1.2
8	02	4.5	00	0.0	03	4.5	29	1.2	05	3.7	05	3.7	03	2.9	03	4.1	05	2.9	03	2.4	05	2.9	05	1.6
9	00	0.0	00	0.0	21	1.2	24	1.6	18	2.0	18	2.4	24	3.7	17	2.0	26	1.6	25	1.2	21	3.7	20	2.4
10	19	6.2	20	6.6	17	7.4	17	9.5	17	9.1	16	6.2	14	5.4	05	4.1	01	7.4	26	2.0	18	1.2	02	1.2
11	28	3.3	02	2.0	20	1.2	00	0.0	33	5.0	20	1.6	28	3.3	29	1.2	24	1.2	28	1.2	06	1.2	07	1.6
12	06	1.2	05	1.6	05	2.0	05	1.6	06	1.2	00	0.0	00	0.0	35	1.2	03	4.5	02	3.3	03	6.2	05	4.5
13	06	4.5	06	5.0	05	5.8	05	4.1	10	2.0	05	2.9	00	0.0	00	0.0	23	2.4	25	2.0	29	3.3	03	2.4
14	06	2.9	15	1.2	00	0.0	10	2.4	19	2.4	11	1.2	25	1.6	32	1.2	30	1.2	00	0.0	00	0.0	11	2.0
15	17	1.2	00	0.0	05	2.0	05	0.5	00	0.0	03	0.5	28	3.0	16	1.0	05	2.0	05	1.0	00	0.0	02	1.5
16	02	2.5	05	2.0	00	0.0	00	0.0	15	0.5	17	0.5	16	1.0	03	0.7	12	1.8	02	1.0	02	1.5	00	0.0
17	36	0.2	01	1.0	00	0.0	06	2.0	00	0.0	00	0.0	00	0.0	00	0.0	03	1.2	05	1.2	00	0.0	09	1.2
18	00	0.0	03	1.2	00	0.0	06	1.2	05	1.6	10	1.2	17	2.0	35	5.4	35	4.1	35	3.7	11	1.6	34	2.0
19	17	1.2	08	1.2	02	1.6	00	0.0	06	1.6	11	1.2	00	0.0	00	0.0	00	0.0	07	2.0	00	0.0	14	1.2
20	14	2.4	00	0.0	00	0.0	09	2.9	03	1.2	00	0.0	00	0.0	00	0.0	03	2.0	00	0.0	03	2.4	00	0.0
21	03	1.6	01	1.6	00	0.0	06	1.2	00	0.0	00	0.0	00	0.0	24	1.2	05	1.0	05	2.9	10	2.9	05	2.9
22	05	2.9	05	2.9	07	3.7	07	3.7	05	3.7	10	2.9	08	3.3	06	2.4	03	2.0	03	3.7	03	2.9	05	2.9
23	05	2.4	05	1.2	00	0.0	00	0.0	00	0.0	27	1.6	27	1.2	27	2.0	29	1.6	00	0.0	00	0.0	00	0.0
24	26	2.0	24	3.3	21	4.1	21	2.9	21	4.1	24	3.3	24	2.4	19	4.1	23	1.2	17	1.2	18	4.5	23	2.9
25	03	3.3	02	3.3	03	1.6	28	5.0	08	3.7	28	3.7	25	2.0	19	1.6	09	1.2	03	1.2	03	1.2	00	0.0
26	20	3.3	00	0.0	00	0.0	32	1.2	27	2.0	26	1.6	19	2.0	19	6.2	19	5.4	19	4.5	23	3.3	21	4.5
27	18	1.6	25	2.4	08	2.9	01	2.0	00	0.0	25	2.0	00	0.0	00	0.0	01	1.2	05	1.2	06	1.6	05	2.0
28	02	2.4	00	0.0	02	2.4	11	2.9	00	0.0	00	0.0	00	0.0	18	2.4	17	4.1	19	5.4	20	3.7	17	5.4
29	20	2.9	18	4.5	20	4.1	21	3.3	24	1.2	23	2.9	00	0.0	24	1.6	00	0.0	00	0.0	02	1.6	03	1.2
30	00	0.0	00	0.0	18	3.3	17	4.1	17	3.7	17	3.3	21	3.3	19	2.9	18	2.4	18	2.9	19	4.1	20	2.9
31	23	2.9	20	1.6	21	1.6	00	0.0	19	2.0	21	2.4	34	1.2	00	0.0	00	0.0	21	2.0	00	0.0	20	4.5
M	2.24		1.80		2.08		2.18		2.18		2.03		1.82		2.12		2.31		2.13		2.21		2.21	

Februar (II)

2		4		6		8		10		12		14		16		18		20		22		24		Dat
18	5.8	19	2.4	19	4.1	00	0.0	18	2.4	00	0.0	20	1.6	05	2.0	00	0.0	00	0.0	06	2.0	05	2.0	1
03	2.0	00	0.0	00	0.0	00	0.0	00	0.0	35	1.2	00	0.0	05	2.0	06	1.6	05	2.0	03	2.4	01	2.4	2
05	2.0	05	3.7	02	3.3	03	4.1	05	3.7	02	4.1	06	4.5	12	5.4	14	3.3	12	2.9	14	1.2	16	2.0	3
14	1.6	06	1.6	00	0.0	14	2.0	00	0.0	00	0.0	07	1.6	06	2.0	03	2.9	02	2.4	09	1.6	00	0.0	4
00	0.0	05	2.0	29	1.6	30	1.6	02	2.0	00	0.0	00	0.0	06	1.2	03	2.9	11	1.6	00	0.0	29	2.0	5
05	2.4	00	0.0	00	0.0	19	1.2	11	1.6	03	1.2	30	3.7	24	1.2	00	0.0	01	1.2	08	1.6	16	1.2	6
00	0.0	36	1.6	00	0.0	03	2.0	06	2.0	00	0.0	21	1.6	21	3.7	00	0.0	11	1.2	06	1.2	05	2.4	7
00	0.0	02	3.3	00	0.0	36	1.6	05	2.0	00	0.0	07	2.0	03	3.7	05	3.7	03	3.7	03	3.7	05	3.3	8
03	4.5	02	5.4	02	3.3	03	3.7	02	4.1	02	4.5	02	3.3	07	1.2	06	2.0	00	0.0	25	1.2	23	1.6	9
36	7.8	01	6.2	02	5.4	02	5.0	02	3.7	01	5.8	20	1.2	08	2.0	06	2.0	06	2.4	03	2.4	14	1.2	10
00	0.0	35	1.2	35	1.2	00	0.0	00	0.0	16	1.2	23	2.0	24	1.6	00	0.0	02	1.2	02	2.0	34	1.6	11
08	1.6	02	2.9	05	5.4	02	5.8	06	3.3	03	5.8	06	2.5	05	2.2	01	2.5	02	2.0	09	1.3	00	0.0	12
00	0.0	00	0.0	00	0.0	00	0.0	06	1.6	21	1.6	20	1.6	00	0.0	00	0.0	18	1.2	10	1.2	06	2.9	13
34	2.9	06	2.9	03	5.8	05	5.0	03	5.4	05	6.2	05	5.8	05	6.6	05	5.8	01	4.5	05	7.8	36	5.0	14
01	6.2	35	2.9	32	1.2	06	1.2	06	1.2	20	1.6	25	2.4	26	1.6	21	2.0	17	2.4	00	0.0	00	0.0	15
05	2.0	03	4.1	01	6.2	02	10.8	03	9.5	03	10.3	03	8.7	03	7.8	03	8.3	02	8.7	02	8.7	03	9.7	16
02	8.7	02	9.5	03	9.9	02	10.3	02	9.5	03	8.3	05	9.1	03	8.3	03	7.4	05	9.1	03	9.1	02	7.8	17
01	9.9	01	9.9	03	8.3	01	7.8	01	10.3	02	5.8	03	9.5	03	8.7	02	10.8	03	9.5	03	10.3	02	9.9	18
02	10.8	02	12.8	03	12.0	01	12.0	05	6.6	01	9.1	03	10.8	03	7.4	03	8.3	02	7.4	02	7.0	01	7.4	19
02	6.6	36	2.9	01	7.0	02	5.8	00	0.0	02	3.7	16	2.0	01	4.1	03	1.2	01	1.6	33	1.2	00	0.0	20
00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	17	1.2	00	0.0	03	1.6	34	1.2	00	0.0	21
00	0.0	36	1.2	32	1.2	00	0.0	00	0.0	21	1.6	00	0.0	00	0.0	03	2.0	00	0.0	27	1.2	25	1.6	22
00	0.0	25	2.4	20	1.6	00	0.0	25	1.6	00	0.0	21	1.2	23	2.0	00	0.0	33	2.0	20	1.2	36	5.8	23
00	0.0	35	2.0	00	0.0	00	0.0	25	1.6	21	1.6	23	2.0	23	2.0	00	0.0	06	2.0	02	2.4	01	2.0	24
26	1.6	27	2.0	00	0.0	01	1.2	02	1.2	21	1.2	21	1.6	00	0.0	01	2.0	00	0.0	00	0.0	00	0.0	25
27	1.2	00	0.0	00	0.0	01	1.2	00	0.0	23	1.2	21	1.6	00	0.0	05	2.4	03	1.2	02	5.8	05	4.1	26
24	1.2	02	4.5	14	1.2	02	1.6	00	0.0	20	1.2	23	1.6	23	2.0	00	0.0	27	1.2	02	2.4	00	0.0	27
00	0.0	03	1.6	03	3.3	05	1.2	10	1.2	00	0.0	27	1.6	00	0.0	27	1.6	28	2.0	24	2.0	24	2.4	28
2.81		3.18		2.93		3.04		2.66		2.76		2.98		2.85		2.60		2.68		2.93		2.76		M

Mars (III)

Dat	2		4		6		8		10		12		14		16		18		20		22		24	
1	23	3.7	20	6.6	20	5.4	20	4.5	19	5.0	21	6.6	20	5.8	18	6.2	19	5.8	19	7.8	18	5.0	19	6.6
2	20	7.8	19	5.8	19	4.1	21	4.1	23	5.0	23	4.1	20	1.6	15	2.0	27	4.1	00	0.0	24	5.0	15	1.6
3	24	2.0	26	1.2	00	0.0	00	0.0	20	2.0	23	1.6	23	2.4	23	1.6	24	1.2	17	1.6	00	0.0	20	2.0
4	21	1.2	25	1.6	19	5.8	16	4.5	17	4.5	10	1.2	05	3.7	05	3.7	36	4.1	02	4.5	02	6.6	03	9.9
5	03	9.9	02	6.6	03	9.1	05	9.1	06	8.3	05	8.3	03	7.8	02	7.0	03	5.8	03	8.3	06	7.8	05	7.0
6	09	4.1	03	4.5	03	4.5	36	3.7	03	4.5	01	3.3	03	1.6	11	3.3	25	2.0	30	1.6	05	1.2	00	0.0
7	26	1.6	00	0.0	23	1.6	01	2.0	19	1.6	24	1.6	02	7.0	02	8.7	01	4.1	01	5.0	36	2.4	36	3.7
8	01	6.2	01	6.2	02	9.1	02	7.8	02	7.8	02	8.7	02	7.4	03	3.3	36	3.7	01	5.0	36	5.0	06	4.1
9	18	3.7	17	3.7	16	2.0	18	3.7	21	4.5	18	2.9	23	2.0	19	2.4	19	2.9	17	2.0	00	0.0	02	1.6
10	05	1.6	00	0.0	36	1.2	05	1.2	00	0.0	20	2.0	26	1.6	14	2.9	11	1.2	02	2.0	00	0.0	28	1.2
11	32	1.6	00	0.0	02	1.6	00	0.0	00	0.0	25	2.0	23	1.6	24	2.4	23	1.2	18	2.0	00	0.0	02	2.4
12	00	0.0	00	0.0	28	1.2	26	1.6	27	1.6	33	1.2	32	1.6	27	1.6	25	2.0	23	3.7	20	4.5	24	2.4
13	23	2.4	20	2.4	21	2.4	23	3.3	18	2.0	30	2.0	23	3.3	33	7.4	30	8.7	32	7.8	33	7.4	32	6.6
14	29	4.5	19	2.0	30	3.3	12	2.0	28	3.3	36	7.4	08	2.9	28	4.5	21	2.0	00	0.0	00	0.0	00	0.0
15	00	0.0	10	1.6	00	0.0	26	2.0	19	5.4	19	5.8	28	3.7	29	7.8	30	8.7	30	8.3	30	9.1	32	8.7
16	30	12.8	33	3.7	00	0.0	25	2.0	33	4.5	32	6.6	32	6.2	32	6.2	33	3.7	32	2.4	33	2.0	34	1.2
17	11	1.2	15	2.0	00	0.0	00	0.0	36	5.4	05	7.0	03	9.5	36	10.3	36	9.1	01	7.8	36	9.1	36	5.8
18	05	2.9	02	5.4	02	1.6	00	0.0	20	2.9	19	2.9	02	3.7	01	5.0	34	4.1	02	4.5	36	3.7	36	2.0
19	36	5.8	36	3.7	36	6.2	36	4.5	03	6.2	02	6.2	03	5.0	03	3.3	02	6.6	01	3.7	36	5.0	36	5.8
20	01	5.8	36	7.0	36	6.6	36	7.0	01	6.2	02	6.6	01	6.2	02	4.5	01	4.1	02	2.9	01	3.3	01	3.7
21	02	2.9	01	2.0	02	1.6	00	0.0	21	1.6	17	1.6	23	3.3	19	2.0	24	1.6	01	3.3	02	3.3	05	2.9
22	01	3.7	01	3.3	01	2.0	00	0.0	20	1.2	17	2.9	21	2.9	20	3.7	23	2.4	19	2.0	05	1.6	03	2.9
23	02	3.3	01	3.3	01	3.3	02	1.2	20	1.2	21	2.4	18	2.4	21	1.2	23	2.0	03	4.1	06	3.7	02	4.5
24	01	6.2	02	7.8	02	8.3	03	6.6	05	6.2	05	6.6	02	6.6	03	6.6	01	4.1	01	5.4	01	5.0	36	4.5
25	01	5.4	01	4.1	01	2.9	00	0.0	12	2.4	12	2.4	14	3.7	11	2.0	21	2.0	00	0.0	10	2.0	14	1.6
26	05	1.2	03	2.9	02	4.1	01	1.2	03	2.4	02	4.1	02	5.0	02	3.7	02	4.1	00	0.0	03	3.7	00	0.0
27	01	1.6	00	0.0	00	0.0	00	0.0	03	2.4	01	3.7	02	5.8	30	4.5	36	7.0	30	7.0	02	8.7	03	3.7
28	02	2.4	36	2.0	26	1.6	18	4.1	18	5.8	16	6.6	32	8.7	01	6.6	02	2.4	02	3.7	01	2.9	36	4.5
29	01	5.4	00	0.0	00	0.0	36	7.0	36	4.5	06	2.4	20	2.0	18	4.1	20	4.1	00	0.0	27	4.1	00	0.0
30	00	0.0	00	0.0	23	2.4	00	0.0	21	2.4	27	2.0	32	5.4	34	3.7	11	2.4	06	6.2	03	5.0	06	5.8
31	02	5.8	25	6.2	05	7.8	08	1.6	19	5.8	02	6.2	35	4.5	30	5.8	34	4.5	34	5.0	36	1.6	36	2.0
M	3.76		3.08		3.22		2.73		3.76		4.16		4.35		4.45		3.03		3.79		3.83		3.51	

April (IV)

2		4		6		8		10		12		14		16		18		20		22		24		Dat
11	4.1	00	0.0	00	0.0	15	6.2	16	5.8	29	7.8	33	6.6	29	6.2	02	2.0	06	3.3	02	3.7	35	5.8	1
03	7.0	23	6.2	18	3.7	00	0.0	24	1.6	23	2.0	24	1.6	24	1.6	00	0.0	32	1.2	02	1.2	09	1.2	2
29	2.0	02	2.4	30	1.2	35	1.2	21	2.0	20	2.4	18	2.4	17	5.4	16	3.3	16	2.0	16	2.4	16	1.2	3
03	1.2	01	2.0	01	1.2	03	1.6	03	3.7	01	3.3	05	2.0	06	1.6	05	1.2	05	1.2	02	2.0	00	0.0	4
20	2.0	20	2.4	19	3.3	20	4.5	19	2.4	23	2.0	20	3.7	19	3.7	19	4.1	20	2.4	19	2.0	00	0.0	5
00	0.0	27	1.6	33	2.4	24	1.6	26	1.2	24	2.4	18	2.4	24	1.2	09	1.6	02	4.5	02	3.7	03	7.8	6
02	6.6	02	7.0	02	6.2	01	6.6	02	6.2	01	5.8	02	6.2	03	6.6	03	4.5	05	4.5	02	5.0	05	4.5	7
02	4.5	02	5.8	02	4.1	02	4.0	10	2.0	10	1.0	12	2.5	11	1.0	11	1.5	00	0.0	02	1.5	02	2.5	8
02	2.5	02	1.7	00	0.0	00	0.0	18	2.0	24	4.5	24	5.4	21	4.5	23	4.1	24	1.6	00	0.0	00	0.0	9
32	1.2	03	2.9	09	2.9	09	2.4	06	1.6	23	1.2	20	2.4	20	5.4	19	5.4	18	3.7	17	3.7	17	4.1	10
17	2.9	16	3.3	14	2.0	15	2.0	17	3.3	16	2.9	19	2.9	23	1.6	21	1.6	20	2.9	23	1.6	23	2.0	11
24	2.4	17	2.9	16	2.9	20	2.9	20	2.4	18	4.1	17	5.0	17	4.1	24	2.0	35	1.2	32	1.2	02	1.6	12
01	2.4	00	0.0	02	1.2	00	0.0	21	1.2	26	1.6	26	5.0	28	5.8	32	6.2	33	6.6	36	9.1	35	5.4	13
01	5.4	01	4.5	33	4.1	34	7.0	01	10.8	01	12.4	02	10.3	02	9.9	01	7.0	36	6.6	01	7.4	01	8.3	14
01	7.8	01	1.2	02	4.5	01	5.8	06	5.8	06	3.7	05	2.9	05	1.2	28	2.0	36	2.4	03	3.3	00	0.0	15
03	1.2	00	0.0	00	0.0	00	0.0	18	1.6	19	2.4	19	2.4	03	5.0	03	6.2	02	9.5	01	4.1	36	2.4	16
36	2.0	32	2.0	01	2.4	02	6.2	05	7.0	05	5.4	05	5.0	05	5.8	05	5.8	02	4.1	02	5.4	01	2.4	17
02	4.1	35	3.7	00	0.0	02	2.4	03	2.9	19	3.3	21	2.9	21	3.7	20	2.4	00	0.0	32	1.6	34	1.2	18
00	0.0	00	0.0	00	0.0	00	0.0	23	2.0	23	3.3	25	2.0	16	2.9	20	2.0	28	2.4	34	1.6	03	1.5	19
05	1.2	00	0.0	01	2.4	16	1.6	35	5.0	28	5.8	35	6.2	03	9.5	05	7.4	02	9.1	01	6.6	35	6.6	20
36	7.0	36	7.0	36	8.3	01	9.1	34	8.7	01	7.4	01	9.1	34	7.8	32	6.6	32	3.3	32	6.6	32	3.7	21
09	1.6	10	1.6	00	0.0	17	1.6	19	2.9	20	3.3	16	3.7	28	5.8	29	4.5	36	3.7	02	4.1	02	2.9	22
02	2.4	36	1.6	01	2.9	06	2.9	14	3.3	28	1.6	21	3.7	14	2.4	35	1.2	35	2.4	01	5.8	02	6.2	23
02	6.2	01	7.8	36	5.4	01	5.4	36	7.0	34	6.6	35	9.1	35	6.6	34	8.3	34	5.8	34	5.4	36	5.8	24
18	1.6	35	1.2	06	2.0	34	1.6	02	5.8	02	5.4	01	4.5	35	5.8	05	4.1	02	2.9	01	5.8	01	5.0	25
01	3.7	34	1.2	00	0.0	01	2.4	21	2.4	17	4.1	18	4.1	21	2.9	23	5.0	18	2.0	00	0.0	03	3.3	26
03	3.3	05	1.6	06	1.6	03	2.4	12	1.6	23	3.3	17	4.5	20	4.1	19	4.5	17	5.0	17	4.1	16	3.7	27
21	2.4	24	2.9	00	0.0	06	2.9	05	3.3	03	3.7	02	2.4	00	0.0	23	3.3	26	1.6	24	2.0	21	2.9	28
26	1.6	00	0.0	00	0.0	21	1.6	20	2.4	18	4.1	23	4.1	29	5.4	29	6.6	29	5.4	01	2.0	27	2.4	29
05	2.9	00	0.0	03	1.2	01	4.1	02	6.2	02	6.2	02	4.5	02	3.7	05	2.0	05	1.2	23	1.6	00	0.0	30
3.11		2.48		2.20		3.00		3.80		4.10		4.32		4.37		3.88		3.42		3.48		3.15		M

Oslo (Blindern) **1955**

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Mai (V)

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	01 2.0	03 1.6	03 1.6	00 0.0	20 3.3	20 2.0	19 2.9	19 3.3	20 5.4	21 2.4	20 3.3	24 1.2
2	00 0.0	02 2.4	03 5.0	06 5.8	10 5.8	05 8.7	06 5.0	06 5.0	06 5.4	09 2.9	17 2.4	18 2.0
3	12 1.6	05 2.9	02 4.5	02 5.4	03 5.4	03 5.4	05 3.3	08 2.9	02 3.7	05 2.4	06 2.4	03 2.9
4	03 2.4	03 1.6	15 2.0	17 3.3	16 4.5	11 3.7	07 1.5	18 2.0	18 3.5	19 4.2	18 3.0	18 4.0
5	19 4.5	19 4.5	17 4.5	17 3.3	19 4.1	19 4.1	18 6.2	18 5.8	18 4.1	18 5.0	18 5.0	16 5.0
6	17 3.7	17 3.3	17 3.3	19 2.9	23 1.2	02 1.2	10 2.4	28 1.2	20 3.3	19 1.2	03 2.0	02 3.7
7	01 2.9	05 4.1	02 4.1	02 4.5	02 5.0	06 4.1	07 2.4	05 2.9	11 4.5	24 2.9	03 2.9	00 0.0
8	17 2.0	21 2.9	24 2.4	23 2.4	21 2.9	17 6.6	24 3.7	21 4.5	19 3.7	19 5.0	17 4.5	20 2.9
9	21 4.1	19 2.4	23 3.3	23 2.9	18 3.3	18 6.6	20 5.0	20 4.5	18 5.4	18 2.9	17 3.7	19 3.3
10	19 3.3	18 2.9	16 2.0	17 1.2	29 5.8	32 7.8	29 3.7	33 5.8	30 6.6	28 5.4	00 0.0	21 3.3
11	00 0.0	25 1.2	24 3.3	26 4.5	28 7.0	26 7.8	28 7.8	27 6.6	27 5.4	28 6.6	26 2.9	00 0.0
12	24 3.3	20 4.5	24 3.7	25 2.4	34 5.8	33 5.0	29 4.5	28 5.8	29 5.8	27 3.7	29 3.7	20 1.2
13	02 2.0	00 0.0	00 0.0	17 2.0	19 2.4	21 3.7	23 3.3	21 3.7	11 3.7	07 3.3	03 4.5	01 6.6
14	03 5.8	02 6.6	02 8.7	03 4.5	17 4.5	20 6.6	18 8.3	18 9.9	20 7.4	19 7.4	18 5.8	18 5.8
15	19 5.8	19 4.5	20 6.2	17 8.7	18 9.5	19 9.5	18 9.5	19 8.7	20 9.1	18 7.8	18 7.0	19 5.0
16	19 6.6	18 5.4	18 5.0	16 4.5	21 4.5	18 6.2	25 5.8	20 5.8	06 5.0	17 6.6	15 2.9	06 2.4
17	03 2.4	02 3.7	02 4.1	06 3.3	09 2.9	20 4.5	17 4.1	26 2.9	15 4.5	12 1.2	20 2.9	01 1.6
18	03 3.3	02 4.1	02 3.7	05 5.4	06 6.2	05 7.4	03 8.7	05 8.3	02 5.4	09 2.4	16 3.7	08 2.9
19	09 2.9	09 4.5	07 4.1	06 4.5	06 4.1	00 0.0	24 2.9	21 3.3	20 3.3	19 3.3	18 4.5	18 3.7
20	19 3.3	23 2.0	21 1.6	21 2.4	33 5.8	29 6.2	30 6.6	30 7.8	34 7.0	35 6.6	35 7.8	36 8.7
21	21 2.4	28 1.2	35 6.2	01 5.4	36 5.8	02 4.1	11 3.3	28 4.1	01 4.1	20 1.6	36 5.0	01 5.8
22	01 5.8	01 5.4	01 5.4	01 4.1	32 3.7	32 3.7	27 3.3	27 6.6	27 5.8	28 6.6	21 2.0	21 2.0
23	00 0.0	03 2.9	23 2.4	36 6.6	02 5.4	02 5.4	29 2.9	14 2.9	12 5.4	05 4.1	02 4.5	03 4.1
24	02 4.1	02 2.4	05 2.4	18 1.6	17 3.7	17 3.7	20 4.1	24 6.2	23 4.1	21 2.0	00 0.0	00 0.0
25	02 2.0	05 2.9	17 2.9	01 5.4	05 7.8	02 5.8	06 3.7	05 4.5	03 6.6	08 2.9	02 5.4	01 4.5
26	01 7.0	01 7.0	01 6.2	01 5.4	03 5.0	03 4.5	01 4.1	34 1.2	35 2.0	33 1.2	02 1.2	02 1.2
27	24 1.6	02 1.6	19 1.2	19 2.0	19 3.7	26 3.3	21 1.6	21 4.1	03 2.4	36 3.3	36 6.2	36 5.0
28	00 0.0	02 2.4	00 0.0	03 3.7	21 3.3	24 2.4	36 7.0	36 7.0	02 5.8	36 5.0	36 5.8	02 7.8
29	01 5.8	01 8.3	02 7.0	03 5.4	06 5.0	05 5.0	19 4.5	25 3.3	06 4.1	01 3.3	01 6.2	01 6.2
30	01 5.0	36 1.6	20 1.2	17 1.6	06 2.9	02 5.0	01 6.6	01 6.2	03 5.8	02 5.0	02 4.5	01 5.4
31	02 5.8	01 3.7	02 5.8	03 5.0	05 4.5	05 5.8	06 5.4	12 3.3	07 2.4	25 2.0	01 2.0	02 3.3
M	3.27	3.37	3.67	3.87	4.67	5.03	4.65	4.84	4.86	3.88	3.80	3.60

Juni (VI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	01 4.5	02 3.3	02 2.9	06 2.9	19 1.2	08 3.7	03 3.3	09 3.7	10 4.5	19 3.3	03 1.6	03 2.9
2	03 2.0	02 3.3	24 1.6	18 2.9	21 2.9	21 4.1	26 3.3	25 3.7	21 4.5	21 5.0	21 2.0	00 0.0
3	05 1.2	02 2.4	02 2.4	21 2.4	20 2.4	16 2.4	18 4.1	28 2.9	32 1.6	17 2.4	00 0.0	00 0.0
4	36 1.2	00 0.0	00 0.0	00 0.0	21 2.9	24 2.9	20 2.4	14 2.0	25 2.4	28 1.2	00 0.0	03 3.3
5	26 2.0	00 0.0	00 0.0	20 1.6	18 2.9	18 4.1	19 6.6	18 6.6	16 3.7	17 3.7	16 2.9	00 0.0
6	02 2.0	03 1.6	00 0.0	05 4.1	06 3.7	18 2.9	15 2.9	19 5.0	19 3.7	03 11.2	02 15.3	02 10.3
7	01 9.9	02 9.9	01 9.9	05 8.3	06 6.6	05 6.2	02 7.8	02 9.1	02 5.8	02 6.6	01 5.4	02 5.8
8	01 7.8	02 7.0	01 8.3	02 6.6	06 7.4	01 7.8	06 8.3	05 6.6	05 5.8	01 4.1	01 4.5	01 5.4
9	01 6.6	03 3.3	02 4.5	05 2.4	21 3.7	25 4.5	16 3.7	27 4.5	25 2.4	17 2.4	01 2.9	03 2.4
10	05 2.4	09 1.6	03 2.4	03 3.3	34 5.8	01 4.5	03 2.4	02 2.0	24 4.5	24 2.4	33 1.2	36 5.0
11	36 5.4	00 0.0	01 4.5	01 2.9	15 5.8	05 5.8	03 3.3	03 3.7	33 3.3	12 2.9	06 2.0	05 2.0
12	03 2.4	03 2.9	05 2.0	16 1.2	25 4.1	18 5.8	21 5.8	19 6.2	18 6.2	17 5.0	16 4.5	03 2.4
13	03 4.5	02 3.7	07 2.9	18 1.2	17 2.9	23 3.3	16 2.9	23 2.9	21 4.5	28 4.1	12 1.2	03 2.0
14	02 2.4	02 2.4	02 1.2	15 2.4	19 2.9	17 4.1	18 7.8	20 7.4	18 7.0	16 7.8	18 7.4	18 5.0
15	16 6.2	15 4.1	12 3.3	09 4.1	23 2.4	25 5.0	18 5.8	17 5.0	20 2.0	02 4.5	34 4.5	34 6.6
16	01 2.0	30 5.8	34 6.6	35 4.1	34 7.8	34 7.0	29 9.1	30 7.4	33 7.8	35 7.8	33 6.6	33 6.6
17	32 1.2	29 1.6	25 2.0	34 7.0	35 7.8	01 9.9	02 8.7	01 9.5	01 7.4	34 5.0	02 5.4	01 2.0
18	02 1.6	05 2.9	14 1.2	19 1.2	17 2.9	17 4.5	21 4.5	24 4.1	21 3.7	00 0.0	02 1.2	00 0.0
19	06 2.4	02 5.0	05 4.1	18 3.0	21 2.5	21 2.0	20 4.5	17 4.5	18 4.5	20 5.0	18 2.0	00 0.0
20	00 0.0	02 2.5	03 2.5	05 3.7	03 4.5	06 4.5	07 4.5	08 4.5	10 5.0	07 3.3	05 4.1	06 2.9
21	10 2.4	15 2.4	08 2.4	19 1.6	20 2.9	20 3.7	25 3.7	23 5.0	19 3.7	18 4.1	18 4.1	17 2.0
22	16 2.4	18 3.7	17 3.7	17 5.4	19 6.2	19 5.4	18 7.4	20 6.6	19 6.2	18 5.8	17 6.2	17 3.7
23	14 2.4	19 5.8	19 4.5	21 5.8	20 6.6	20 9.1	23 7.8	25 8.7	27 7.0	26 5.4	26 4.1	24 2.9
24	03 2.9	10 1.6	17 5.0	18 2.9	20 2.9	18 7.8	18 7.8	18 8.3	18 8.3	25 3.7	26 6.2	25 5.0
25	03 1.2	00 0.0	00 0.0	19 3.7	19 5.0	17 5.0	20 5.8	19 5.8	20 6.6	27 1.2	30 3.7	00 0.0
26	02 2.0	10 1.6	00 0.0	03 2.4	20 2.4	23 3.7	24 3.7	26 3.3	20 1.6	18 5.4	09 3.7	05 4.1
27	03 3.3	05 3.7	05 1.2	20 1.6	05 4.1	03 5.8	06 3.7	11 3.7	26 3.7	00 0.0	33 1.2	02 3.3
28	02 4.1	02 4.5	15 1.6	19 2.9	16 3.7	20 2.9	24 5.8	19 7.8	19 6.6	19 5.8	18 4.1	17 4.5
29	18 4.5	17 4.5	17 4.5	18 4.5	18 5.0	24 3.3	21 5.0	20 4.5	20 1.6	14 2.9	10 2.0	11 2.4
30	21 1.2	11 1.2	07 1.6	10 1.6	09 1.6	10 2.0	17 2.9	21 2.0	27 2.4	00 0.0	03 1.6	36 3.3
M	3.14	3.08	2.89	3.26	4.12	4.79	5.18	5.23	4.60	4.07	3.72	3.19

Juli (VII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	02 2.4	05 2.4	02 1.0	00 0.0	29 1.2	20 3.7	19 2.0	12 1.2	12 1.2	00 0.0	01 1.6	02 2.9
2	16 3.3	12 1.6	12 2.9	10 3.3	15 3.7	14 3.7	21 3.7	08 1.2	02 3.3	02 4.5	16 2.4	12 3.3
3	10 1.2	07 1.6	10 1.6	15 1.2	20 3.3	20 3.7	23 4.1	23 4.5	20 4.5	18 3.7	18 3.7	18 2.4
4	16 2.4	12 1.6	12 2.0	02 2.4	16 2.0	17 7.4	17 6.2	18 4.5	18 4.5	17 4.1	25 1.6	35 1.6
5	32 1.6	03 1.6	00 0.0	21 1.2	03 5.4	05 5.8	05 7.0	03 5.8	06 5.0	02 4.5	02 5.0	02 7.4
6	02 5.4	02 6.2	01 5.0	05 2.9	20 1.2	23 3.3	19 2.9	20 3.7	21 3.7	18 4.5	19 1.2	02 2.4
7	01 1.2	33 1.2	36 3.3	02 4.1	35 4.1	21 4.5	26 2.4	19 3.7	21 2.9	19 1.2	01 1.6	02 2.9
8	06 4.5	01 2.9	03 6.6	06 5.0	07 3.3	08 2.0	19 3.7	20 2.4	23 3.3	23 2.4	03 3.7	03 3.7
9	02 2.4	01 5.0	03 7.4	05 5.4	05 3.7	14 3.7	05 4.5	05 2.0	10 3.7	06 3.3	01 3.3	03 4.1
10	03 2.9	02 3.7	03 1.0	17 1.2	08 3.3	06 3.7	09 3.3	20 2.9	23 2.4	02 7.4	02 2.9	05 2.0
11	02 2.9	03 2.9	19 1.6	11 2.4	21 3.7	09 5.0	14 5.0	19 5.4	21 3.7	18 3.7	02 1.6	02 4.1
12	02 4.1	02 3.7	00 0.0	00 0.0	24 0.8	18 3.0	18 3.0	23 2.8	21 3.0	21 1.8	00 0.0	03 1.0
13	03 1.0	02 1.2	00 0.0	00 0.0	20 2.9	25 2.4	20 4.5	18 5.8	17 6.2	19 4.1	17 2.9	16 2.0
14	03 2.9	03 2.0	03 1.6	20 1.6	20 2.9	21 5.0	17 7.4	17 8.7	17 8.3	18 5.0	17 1.2	00 0.0
15	05 2.0	03 1.6	00 0.0	20 2.0	20 4.1	21 5.8	21 6.2	21 5.8	33 6.2	27 4.1	28 4.5	29 1.6
16	17 2.4	21 2.4	20 2.0	27 5.8	28 5.8	28 6.6	30 3.7	24 3.7	28 6.6	30 5.0	29 3.3	23 3.7
17	32 3.7	29 2.9	27 2.9	21 5.0	20 4.5	23 4.0	20 7.0	21 5.4	20 8.7	28 4.0	30 7.8	30 4.8
18	00 0.0	33 5.4	21 1.6	26 4.5	14 2.0	21 4.1	07 3.7	15 2.4	28 4.1	28 3.7	05 2.4	01 2.9
19	03 3.7	03 3.7	02 4.1	16 2.4	20 2.4	26 3.3	17 4.1	29 4.5	28 3.7	02 1.2	30 2.9	00 0.0
20	09 2.0	02 2.0	05 1.2	17 2.0	18 2.9	25 2.9	17 2.9	29 4.1	23 5.8	32 5.0	28 2.4	09 2.0
21	07 1.6	06 2.0	01 1.2	02 4.5	05 4.1	21 2.9	23 4.1	24 4.1	18 2.9	24 1.2	36 1.6	02 3.7
22	02 5.8	03 5.4	01 4.1	05 4.1	11 3.7	09 3.3	23 3.7	18 4.1	24 2.9	17 3.7	19 1.6	36 1.6
23	00 0.0	02 2.0	00 0.0	16 1.6	02 4.1	36 8.3	36 12.0	36 7.0	01 7.4	02 5.8	02 6.2	36 5.0
24	36 4.5	36 7.4	01 4.1	02 4.5	03 2.0	07 4.5	07 4.5	05 7.4	03 5.4	02 2.4	01 4.1	01 7.8
25	02 7.0	36 6.6	01 5.8	02 5.4	05 5.0	05 5.4	06 5.4	05 4.5	03 5.4	02 1.6	36 2.0	01 3.7
26	07 1.2	03 4.1	03 4.1	03 5.8	05 4.1	05 6.6	08 5.0	07 4.5	05 3.7	06 2.9	02 2.9	02 2.4
27	05 2.9	05 1.6	05 1.6	21 1.6	19 2.4	12 2.9	16 2.4	19 2.0	23 2.9	23 1.6	02 3.3	07 1.2
28	03 2.9	03 2.9	03 2.9	18 2.4	18 3.3	19 4.1	20 4.5	17 2.4	23 3.3	23 3.3	00 0.0	02 1.2
29	02 5.0	02 6.6	02 7.8	05 5.8	06 5.0	05 5.4	01 3.7	12 2.0	11 2.9	11 3.7	03 3.7	06 2.0
30	10 2.0	03 1.6	08 2.0	20 2.4	20 3.7	24 5.0	20 5.4	18 5.0	18 5.8	19 5.4	18 4.5	20 2.0
31	00 0.0	03 2.0	08 1.2	13 2.0	17 2.0	20 3.7	19 4.5	19 4.5	17 5.4	19 3.7	00 0.0	02 1.6
M	2.74	3.15	2.60	2.98	3.31	4.38	4.60	4.13	4.48	3.50	2.77	2.81

August (VIII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	35 1.6	00 0.0	00 0.0	20 2.4	19 3.3	20 3.3	20 5.8	23 5.0	19 5.0	18 3.7	29 1.6	29 3.7
2	02 2.4	01 6.2	02 9.5	02 9.9	06 7.0	06 6.2	03 6.2	01 5.8	03 7.0	02 6.2	01 5.4	02 7.0
3	02 7.4	02 6.2	02 5.4	05 2.9	12 2.9	21 2.9	20 2.0	25 3.3	23 3.7	23 5.4	19 4.1	00 0.0
4	03 2.4	03 2.0	01 2.0	06 2.4	06 4.1	03 3.3	18 3.7	12 4.1	26 1.6	16 5.8	21 2.9	15 1.6
5	18 1.6	16 1.2	21 2.4	18 2.4	16 3.7	18 4.1	18 4.5	23 4.5	19 3.3	29 1.2	02 1.6	03 2.0
6	35 1.2	02 1.2	36 1.2	20 2.4	19 2.0	29 2.9	18 5.0	17 3.7	26 2.9	00 0.0	25 1.6	36 3.3
7	36 4.1	36 5.4	35 5.0	35 6.2	36 7.0	36 7.8	36 10.8	02 7.8	02 8.3	03 6.2	02 6.2	02 8.3
8	02 6.2	02 5.8	03 6.2	02 5.0	06 5.8	02 4.5	03 6.6	02 5.0	35 2.9	36 5.4	01 5.4	01 5.8
9	03 5.0	02 7.0	02 7.8	02 5.0	03 5.0	06 5.0	03 3.7	02 2.4	02 3.7	01 3.7	08 3.3	03 6.2
10	03 4.1	00 0.0	02 2.0	17 1.2	20 2.0	20 3.7	17 4.1	21 4.5	03 2.9	03 2.4	02 2.9	35 2.0
11	03 2.4	01 1.2	10 1.6	25 1.2	12 2.9	14 2.0	24 2.9	02 1.6	02 2.0	02 2.4	01 4.1	03 3.3
12	02 3.7	02 4.5	02 5.0	05 3.7	02 2.4	08 2.9	05 2.4	30 2.0	07 1.2	06 2.4	03 2.4	02 2.9
13	05 2.9	02 2.9	02 1.6	19 2.0	28 1.6	20 2.9	20 3.7	23 3.7	23 3.3	23 2.0	17 1.2	01 2.0
14	01 2.0	01 2.9	00 0.0	15 1.2	17 2.4	18 4.1	20 4.1	18 5.4	20 5.0	17 4.5	30 1.2	03 2.4
15	03 2.0	03 3.3	02 3.3	12 2.0	24 2.0	21 3.7	21 3.7	20 4.1	18 4.5	21 2.9	17 3.3	17 2.0
16	00 0.0	17 2.0	00 0.0	19 2.9	20 2.4	23 3.7	18 5.0	17 6.2	18 5.0	17 3.7	18 2.9	16 2.4
17	14 1.2	09 2.0	10 2.0	14 1.2	17 3.3	17 3.7	17 6.2	17 7.0	18 7.0	18 5.8	19 3.7	19 4.1
18	18 3.7	18 2.4	15 2.4	15 3.7	11 4.5	00 0.0	17 3.7	14 2.9	16 3.7	19 3.7	16 2.0	08 1.2
19	00 0.0	06 1.2	05 1.2	00 0.0	15 1.6	17 1.6	20 2.4	26 1.2	00 0.0	24 1.2	05 2.0	03 2.4
20	05 2.4	09 1.2	09 1.2	19 2.9	20 2.4	26 1.6	18 3.7	20 2.0	17 4.1	18 2.4	16 2.0	16 1.6
21	18 2.4	18 1.6	24 1.2	18 2.0	15 1.2	16 1.2	24 2.4	24 1.2	25 1.2	05 3.7	03 3.7	05 6.2
22	02 5.0	02 4.5	01 4.5	02 5.8	02 3.7	05 4.1	08 5.4	24 2.9	24 2.4	30 1.6	01 2.4	02 4.5
23	35 1.6	05 1.2	00 0.0	15 1.2	19 2.0	20 2.4	19 2.9	20 2.0	00 0.0	36 2.4	00 0.0	02 2.9
24	00 0.0	02 2.4	03 2.0	10 1.6	19 2.0	20 1.6	23 2.9	21 2.4	23 1.2	01 1.6	02 3.7	03 3.3
25	03 3.3	03 2.4	00 0.0	11 1.2	20 1.6	20 2.4	19 3.7	20 3.3	21 3.3	24 2.4	01 1.2	02 2.4
26	03 2.0	03 2.4	03 3.7	18 1.6	15 2.0	21 2.0	16 5.0	20 4.5	18 4.1	00 0.0	06 1.2	03 2.4
27	03 2.9	03 2.4	02 2.4	00 0.0	19 1.6	21 2.4	18 2.9	17 5.4	18 3.7	17 4.5	00 0.0	03 2.4
28	01 2.0	36 2.0	02 2.4	00 0.0	14 2.0	10 2.9	19 2.9	14 1.2	08 1.2	02 1.2	03 5.0	03 4.5
29	02 3.7	02 3.3	02 2.0	03 1.6	09 2.4	20 2.0	19 4.1	17 5.0	18 4.5	17 3.7	16 4.1	17 2.0
30	15 2.4	16 1.6	00 0.0	00 0.0	20 3.7	18 5.0	18 7.0	19 6.6	19 5.0	17 3.3	17 3.3	11 2.0
31	17 1.6	20 1.2	17 2.0	19 3.7	21 3.7	17 3.3	17 5.8	18 7.0	17 5.0	18 5.0	17 4.1	20 2.4
M	2.68	2.7[illegible]	2.59	2.56	3.04	3.20	4.36	3.99	3.51	3.24	2.85	3.20

Oslo (Blindern) **1955**

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September (IX) / Oktober (X)

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	20 1.2	30 1.6	36 1.2	00 0.0	11 2.4	18 4.1	18 2.9	20 4.5	30 4.5	29 7.0	20 1.2	29 1.2
2	26 2.0	14 1.6	03 2.0	00 0.0	18 2.4	19 4.1	14 1.6	02 4.5	36 6.6	02 1.6	20 3.7	23 3.7
3	23 3.7	00 0.0	28 1.6	00 0.0	19 2.4	03 2.4	20 1.2	28 2.9	20 1.2	03 2.9	01 2.9	03 4.5
4	07 2.4	02 2.9	00 0.0	20 1.6	19 2.0	18 2.9	19 3.3	19 2.4	19 4.5	17 2.9	06 1.6	03 2.4
5	03 2.9	03 2.4	06 1.6	19 1.2	18 4.5	18 5.4	23 2.9	17 6.2	19 5.4	18 3.7	18 3.7	16 4.1
6	21 2.9	18 1.6	23 2.4	19 2.9	20 5.0	19 6.2	20 7.8	19 5.4	25 2.0	03 1.2	05 1.2	05 1.6
7	02 2.0	01 2.0	01 1.6	16 1.2	14 1.6	25 2.0	20 2.9	19 2.9	18 2.9	23 1.6	08 1.6	02 2.0
8	15 1.6	16 2.0	00 0.0	16 1.6	17 1.6	16 2.4	16 2.4	27 1.6	01 2.4	01 3.7	02 4.1	03 4.5
9	05 5.0	09 2.9	36 5.8	06 2.9	12 3.7	17 7.0	18 7.8	18 7.0	24 2.9	18 2.9	16 2.0	00 0.0
10	11 1.6	10 2.9	08 2.4	09 2.9	11 3.7	09 1.2	34 1.6	03 3.3	05 2.4	06 2.9	03 1.6	00 0.0
11	00 0.0	20 1.2	00 0.0	21 1.2	21 2.0	24 4.1	19 5.8	19 5.8	19 5.4	19 5.8	23 4.1	28 3.7
12	34 2.4	29 4.5	30 4.5	21 1.2	20 3.3	21 3.7	20 4.1	21 7.0	24 2.9	00 0.0	00 0.0	02 2.4
13	02 3.7	05 2.9	02 2.0	02 2.9	08 2.9	27 1.6	23 2.4	18 3.3	12 1.6	07 2.4	07 2.9	09 2.4
14	06 2.9	03 3.7	06 2.4	05 4.5	07 2.9	06 4.5	09 5.4	06 5.0	03 5.0	01 5.4	02 6.6	02 5.8
15	01 5.8	03 6.2	02 5.4	02 5.0	05 6.6	05 5.4	05 5.4	05 5.8	36 2.4	03 1.6	36 4.1	01 6.6
16	01 5.4	01 9.9	01 9.9	02 9.1	02 6.6	02 9.5	02 8.3	01 5.8	36 6.2	36 7.0	36 7.0	36 5.4
17	21 1.6	12 2.0	00 0.0	20 1.2	27 3.3	28 4.5	23 3.7	27 4.5	27 2.4	15 1.2	06 1.2	29 1.6
18	03 2.4	20 2.4	26 4.1	25 3.3	20 4.5	24 4.1	28 5.8	26 3.3	24 2.0	32 4.1	33 4.1	33 7.4
19	28 2.4	24 1.6	02 1.2	06 1.2	19 2.4	24 2.0	28 4.5	25 4.5	24 2.0	00 0.0	07 1.6	02 2.0
20	02 1.2	01 1.6	05 1.6	19 1.6	23 1.2	23 2.0	20 2.9	24 2.0	28 2.9	00 0.0	01 2.0	05 2.0
21	01 1.6	01 2.0	01 1.6	00 0.0	00 0.0	00 0.0	23 2.4	21 2.0	24 2.0	00 0.0	00 0.0	00 0.0
22	00 0.0	15 2.0	32 1.2	33 1.2	26 2.0	27 1.2	27 1.2	32 1.2	29 1.6	01 2.0	02 3.7	02 3.3
23	02 3.7	05 2.9	05 2.0	06 2.0	09 2.4	09 1.2	00 0.0	00 0.0	03 1.2	15 2.0	16 2.0	20 2.4
24	23 1.2	08 1.2	17 1.6	16 2.4	17 3.3	20 3.7	19 5.0	21 3.3	19 6.2	19 3.7	18 5.0	17 4.5
25	17 5.0	16 6.2	15 5.0	16 5.0	18 5.8	18 5.0	19 3.7	20 4.5	18 5.0	17 2.4	24 2.4	28 2.0
26	24 2.0	23 2.9	18 1.6	15 1.6	28 2.0	19 4.1	21 6.2	23 4.5	25 3.7	24 2.9	25 2.0	19 1.2
27	01 1.2	03 1.6	02 1.6	06 1.6	20 2.4	01 4.5	05 2.0	00 0.0	35 1.6	03 2.4	05 2.0	02 2.9
28	06 2.0	00 0.0	21 1.2	00 0.0	16 1.6	14 2.0	21 2.9	23 2.0	29 1.6	00 0.0	09 1.2	02 1.6
29	25 1.6	15 1.2	00 0.0	25 1.6	21 2.9	20 5.8	20 4.5	20 6.2	18 3.3	26 3.7	23 2.4	00 0.0
30	16 3.7	00 0.0	19 3.3	18 5.0	19 7.4	19 7.4	26 6.6	27 6.2	26 6.2	27 4.1	27 1.2	21 2.9
M	2.50	2.53	2.29	2.20	3.16	3.80	3.91	3.92	3.33	2.70	2.64	2.80

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	27 4.1	23 1.6	18 2.0	24 4.5	29 7.8	29 7.0	32 8.7	29 8.7	27 4.5	24 3.3	28 5.4	27 2.4	1
2	06 1.6	24 2.9	18 2.0	25 2.0	19 1.2	23 3.7	21 2.0	19 3.3	18 3.7	19 3.3	20 4.1	19 6.2	2
3	23 3.7	21 3.7	20 2.9	25 1.6	19 4.1	21 6.2	19 6.2	18 6.2	23 2.9	21 1.2	20 2.9	00 0.0	3
4	33 1.6	01 1.2	05 2.0	03 2.4	00 0.0	18 2.0	21 2.4	21 2.0	34 1.6	06 2.0	02 4.1	02 3.3	4
5	03 5.8	03 6.6	02 7.0	02 5.8	03 7.4	02 6.6	03 6.2	03 7.4	05 7.4	05 7.0	03 7.8	03 7.8	5
6	01 7.8	02 8.7	02 8.7	03 3.7	05 4.5	06 5.4	07 5.4	07 6.2	06 5.4	06 6.6	06 5.8	07 7.8	6
7	06 5.4	06 5.0	05 2.9	03 2.9	09 2.4	18 3.3	17 2.0	23 2.4	23 1.2	00 0.0	00 0.0	21 1.2	7
8	00 0.0	00 0.0	05 1.6	00 0.0	15 1.6	27 1.6	21 1.6	19 4.1	19 4.5	21 4.1	19 3.7	20 5.4	8
9	19 5.0	17 5.8	19 3.7	18 2.4	00 0.0	17 4.5	17 2.4	21 5.0	23 6.2	19 2.9	10 1.6	26 1.6	9
10	06 1.2	00 0.0	00 0.0	29 1.2	03 1.2	00 0.0	00 0.0	00 0.0	19 1.2	23 3.7	23 5.4	23 5.4	10
11	23 5.4	21 6.6	21 3.3	18 4.1	19 5.8	18 5.8	18 5.8	19 4.1	18 4.1	18 3.7	19 3.3	17 2.4	11
12	18 2.4	19 2.0	21 1.6	26 1.6	24 2.4	20 2.4	24 2.0	00 0.0	16 1.2	17 2.4	17 2.0	19 1.6	12
13	23 1.6	24 1.6	23 1.6	21 2.0	21 1.2	21 2.9	23 3.7	18 4.5	18 6.6	19 4.1	19 4.1	20 6.2	13
14	21 4.1	02 4.1	28 1.2	02 1.2	21 2.4	28 2.0	20 3.3	20 3.3	29 3.7	27 2.9	06 2.0	18 4.5	14
15	17 3.7	25 2.9	20 2.0	27 1.2	25 2.0	36 9.9	29 8.3	33 12.0	32 7.4	33 5.4	36 10.8	33 8.7	15
16	33 6.2	34 5.4	32 6.6	30 9.1	05 4.1	28 4.5	29 4.1	26 2.4	33 1.6	03 2.4	02 2.0	02 3.3	16
17	03 4.5	03 4.1	03 3.7	03 5.0	02 5.8	06 5.4	05 6.6	05 4.1	02 7.4	02 7.4	02 5.4	01 9.9	17
18	01 6.6	02 5.8	01 5.0	02 3.7	02 5.8	01 4.5	03 4.1	05 5.0	02 4.1	00 0.0	02 1.2	05 1.2	18
19	00 0.0	01 1.6	01 2.0	02 2.0	17 2.0	17 4.1	18 4.1	18 3.3	11 2.0	14 2.9	06 2.9	09 3.3	19
20	11 7.0	12 6.2	12 5.9	14 5.8	15 4.5	15 4.5	18 5.8	19 7.4	19 3.3	19 4.5	25 3.3	21 1.2	20
21	20 2.4	10 1.6	24 1.6	23 1.6	24 1.2	25 2.0	00 0.0	01 6.6	01 8.3	36 8.3	01 7.8	01 6.2	21
22	36 6.6	36 6.6	36 5.8	36 3.3	02 5.8	03 5.4	02 5.0	03 5.0	36 2.9	01 3.7	02 3.3	02 3.7	22
23	02 3.7	03 2.4	00 0.0	01 2.4	00 0.0	20 1.2	12 1.2	27 1.6	02 1.6	02 2.4	03 1.2	02 2.4	23
24	02 2.0	02 2.0	02 2.0	08 1.2	00 0.0	00 0.0	00 0.0	28 1.2	00 0.0	02 1.2	01 1.2	01 0.8	24
25	01 1.0	00 0.0	03 0.5	00 0.0	28 0.5	00 0.0	11 1.2	08 1.2	03 2.0	03 2.9	01 7.8	01 5.8	25
26	01 1.2	02 4.1	01 7.8	36 5.8	34 4.1	35 5.0	35 5.4	30 2.9	10 1.2	21 1.2	00 0.0	05 3.3	26
27	12 2.9	32 2.0	05 1.6	05 2.0	06 2.0	20 1.6	00 0.0	02 2.0	02 4.1	01 4.1	06 2.9	01 5.0	27
28	02 5.8	01 5.4	36 5.4	03 3.7	00 0.0	36 7.0	36 7.4	35 5.0	01 2.4	26 1.6	34 2.4	29 1.6	28
29	00 0.0	00 0.0	00 0.0	27 2.0	26 1.2	24 2.4	25 2.9	28 3.3	33 2.9	33 5.8	09 1.6	02 1.6	29
30	01 2.4	16 3.3	11 2.0	35 1.2	20 1.2	36 4.1	36 4.5	01 1.6	01 4.1	35 3.3	03 4.5	01 4.1	30
	06 1.2	02 2.0	14 1.2	05 1.2	08 1.2	19 2.4	20 2.4	21 3.3	00 0.0	00 0.0	26 2.4	00 0.0	31
M	3.45	3.39	3.02	2.79	2.69	3.79	3.70	4.04	3.53	3.36	3.64	3.80	M

November (XI) / Desember (XII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	33 2.0	03 1.6	25 1.2	07 1.2	00 0.0	21 2.0	00 0.0	32 1.2	35 1.6	02 2.9	02 4.1	02 2.9
2	00 0.0	33 1.2	24 1.6	29 2.0	28 1.2	00 0.0	00 0.0	24 1.6	06 1.6	00 0.0	03 1.6	00 0.0
3	00 0.0	00 0.0	00 0.0	10 1.2	20 1.6	00 0.0	15 1.6	07 2.4	00 0.0	08 1.2	00 0.0	02 2.0
4	03 2.0	03 2.4	05 1.6	09 2.0	01 2.4	05 2.9	03 2.0	03 3.7	02 2.0	03 2.9	02 3.7	06 2.9
5	03 3.7	06 3.3	03 2.9	02 2.4	03 2.0	03 3.3	03 3.7	01 4.5	01 4.5	01 5.4	01 6.6	02 7.0
6	02 6.6	02 7.8	01 7.0	01 5.0	02 5.4	01 5.8	02 6.6	01 5.0	02 5.4	02 5.4	02 5.0	03 3.7
7	01 4.1	01 3.3	03 2.9	02 2.0	05 2.9	03 2.0	03 2.9	02 3.7	05 2.0	03 2.4	02 2.9	05 2.0
8	03 2.0	09 1.6	05 1.6	03 3.3	02 2.4	02 2.4	36 3.3	02 3.3	05 2.9	01 2.9	01 3.3	05 3.3
9	03 3.3	03 3.7	02 5.0	02 4.5	01 5.8	01 5.4	01 2.9	02 1.6	36 2.0	01 2.0	03 3.3	02 3.3
10	03 3.7	01 2.9	03 2.0	00 0.0	02 3.3	02 2.9	05 2.9	02 2.9	05 2.9	03 2.0	03 3.3	03 4.1
11	06 2.4	24 1.6	00 0.0	25 1.2	20 1.2	24 1.2	21 2.0	18 4.5	18 4.5	19 5.0	19 6.6	18 7.8
12	19 5.4	19 5.8	23 5.4	20 2.9	17 4.1	18 4.5	18 5.0	19 5.0	20 3.3	19 2.4	19 3.3	28 2.4
13	28 2.0	27 2.9	27 1.6	25 5.8	23 4.5	24 3.3	26 4.1	28 2.0	12 2.4	25 2.0	16 2.0	08 1.2
14	36 1.2	06 4.1	33 3.3	05 2.4	10 1.2	01 7.0	35 5.0	05 3.7	36 4.5	35 4.1	02 5.4	01 4.5
15	32 1.6	00 0.0	00 0.0	00 0.0	00 0.0	26 1.2	00 0.0	02 1.6	03 1.6	08 2.9	05 3.7	02 1.6
16	00 0.0	14 2.0	32 2.0	05 2.0	27 1.2	00 0.0	00 0.0	00 0.0	02 1.6	03 2.0	00 0.0	01 1.2
17	00 0.0	27 1.6	00 0.0	00 0.0	26 1.2	00 0.0	00 0.0	17 2.4	29 1.6	25 1.2	15 1.6	25 1.2
18	26 1.6	26 1.2	03 1.6	06 1.6	26 1.6	00 0.0	33 1.6	36 2.4	15 2.9	02 2.4	36 2.4	00 0.0
19	36 1.2	01 3.3	03 1.6	00 0.0	26 2.4	25 1.2	00 0.0	35 1.2	00 0.0	02 3.7	28 2.0	05 2.9
20	12 1.2	07 2.4	33 1.6	33 2.9	02 5.0	36 9.1	03 5.4	02 2.4	25 1.6	05 2.0	05 2.0	34 1.2
21	03 1.2	36 1.2	03 1.2	00 0.0	00 0.0	21 1.6	26 1.2	06 1.6	06 2.4	09 1.6	02 1.2	16 1.2
22	02 2.0	10 2.4	33 2.9	06 2.0	00 0.0	03 2.0	19 1.2	34 2.0	23 2.9	30 1.6	30 7.4	28 4.5
23	29 5.4	26 2.4	28 4.1	29 4.5	29 5.0	29 7.0	29 7.0	34 9.5	33 7.4	34 7.8	35 8.3	33 9.9
24	34 10.8	34 9.9	01 10.3	36 9.1	01 9.9	02 9.1	01 7.4	36 6.2	02 8.7	25 2.9	02 2.0	36 2.9
25	02 1.6	16 2.0	05 2.0	05 1.2	00 0.0	29 1.2	00 0.0	00 0.0	35 1.2	36 1.2	33 2.0	00 0.0
26	05 1.2	06 1.2	00 0.0	02 1.2	25 1.2	19 1.2	23 4.5	21 5.4	28 4.1	32 1.6	24 5.4	27 4.1
27	27 4.1	26 4.1	28 5.0	09 2.0	19 2.0	25 5.4	19 3.3	30 7.4	32 4.1	29 10.3	29 10.3	29 10.3
28	30 4.1	09 2.4	25 2.4	30 1.2	00 0.0	19 3.3	18 1.2	28 1.2	05 4.5	06 5.4	01 4.1	36 3.3
29	02 4.5	03 3.7	01 2.9	06 1.2	03 2.4	14 2.0	20 1.6	17 2.9	00 0.0	00 0.0	17 1.6	00 0.0
30	02 1.6	03 1.2	02 1.2	00 0.0	27 1.6	00 0.0	36 1.2	33 1.6	00 0.0	36 1.6	19 1.6	00 0.0
M	2.68	2.77	2.50	2.16	2.38	2.99	2.59	2.19	2.91	2.96	3.56	3.05

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	00 0.0	00 0.0	03 2.0	05 1.2	02 2.4	00 0.0	00 0.0	00 0.0	00 0.0	07 1.6	02 1.6	00 0.0	1
2	00 0.0	27 1.6	19 2.0	05 1.6	11 2.4	01 1.2	05 2.9	26 1.2	00 0.0	18 1.6	03 2.4	06 1.6	2
3	32 1.2	27 2.0	27 1.2	00 0.0	33 1.6	33 1.6	21 2.4	06 1.6	01 1.2	07 2.0	00 0.0	03 2.4	3
4	05 1.2	03 4.5	03 6.6	02 2.9	01 1.6	00 0.0	00 0.0	06 1.6	02 2.0	03 2.4	29 1.2	00 0.0	4
5	06 1.2	00 0.0	19 1.6	00 0.0	28 1.2	00 0.0	24 1.6	06 1.6	27 1.2	23 2.0	20 3.3	18 1.2	5
6	28 2.0	36 1.6	05 4.1	28 3.3	25 2.9	24 1.2	28 5.8	24 3.3	00 0.0	27 3.7	19 2.4	00 0.0	6
7	29 2.0	24 3.3	26 2.9	05 2.4	27 2.0	27 2.4	17 2.9	27 5.4	28 7.0	29 7.8	30 7.0	34 3.3	7
8	36 2.0	34 6.2	34 6.6	01 1.6	08 1.6	21 1.2	25 2.0	36 2.4	35 9.5	30 3.7	30 4.5	29 4.1	8
9	28 4.5	23 3.3	23 1.6	24 5.8	24 3.7	30 7.9	30 9.9	30 7.8	09 5.8	02 2.0	11 2.4	03 3.3	9
10	02 2.9	03 2.9	02 2.9	05 1.2	00 0.0	18 1.6	00 0.0	00 0.0	05 1.6	15 1.2	00 0.0	01 5.4	10
11	02 5.0	01 6.2	02 2.9	03 2.0	27 1.2	00 0.0	00 0.0	02 1.2	02 2.9	03 1.6	00 0.0	03 1.6	11
12	36 2.4	36 1.6	05 2.0	02 2.0	36 1.2	00 0.0	00 0.0	00 0.0	33 1.2	02 1.2	03 1.2	00 0.0	12
13	00 0.0	00 0.0	03 1.6	24 1.2	05 2.0	00 0.0	00 0.0	28 1.6	02 1.2	34 1.2	03 1.2	00 0.0	13
14	05 1.2	23 3.3	03 3.3	02 7.8	03 6.6	02 5.0	02 5.0	02 5.4	01 6.2	01 5.8	02 5.0	02 6.6	14
15	01 6.6	01 9.1	01 6.6	02 6.6	01 7.8	03 9.1	05 10.3	05 12.0	03 9.9	02 9.9	02 10.8	03 8.3	15
16	02 9.9	02 10.8	02 8.7	03 9.5	03 7.4	03 7.4	03 7.8	03 8.7	03 9.1	02 8.3	02 8.3	02 8.7	16
17	02 10.3	02 9.9	02 10.3	02 12.0	02 14.9	02 14.9	02 13.2	02 13.2	02 16.1	01 15.7	01 13.6	01 12.0	17
18	01 9.9	36 7.4	36 8.3	01 8.3	01 9.1	36 5.4	36 6.6	36 4.5	36 3.3	36 1.2	36 0.5	36 2.0	18
19	36 3.0	05 0.8	36 0.5	02 0.5	00 0.0	08 1.0	00 0.0	00 0.0	00 0.0	03 1.0	03 0.5	36 0.5	19
20	02 1.9	01 1.9	01 1.0	01 1.0	00 0.0	03 1.6	00 0.0	06 1.0	06 2.0	08 1.2	01 1.4	03 2.4	20
21	02 1.6	03 2.4	05 1.6	03 4.5	02 3.7	33 3.3	21 1.2	03 1.2	05 2.4	08 2.0	03 2.4	03 4.1	21
22	00 0.0	05 1.2	00 0.0	30 1.2	00 0.0	00 0.0	00 0.0	00 0.0	02 1.2	00 0.0	08 2.4	08 1.2	22
23	00 0.0	26 1.2	00 0.0	07 1.6	21 1.2	07 1.2	10 2.4	03 4.5	05 5.8	05 4.5	03 5.8	05 5.0	23
24	03 5.4	02 4.1	02 5.0	02 4.1	02 4.1	01 5.8	01 6.6	01 4.1	03 4.5	02 3.7	00 0.0	19 2.0	24
25	00 0.0	24 1.6	25 0.5	00 0.0	28 1.2	02 2.4	05 2.4	03 2.0	00 0.0	00 0.0	02 4.1	05 3.3	25
26	00 0.0	00 0.0	05 1.6	34 1.6	36 2.4	17 2.0	16 1.6	17 3.3	00 0.0	14 2.4	12 1.2	07 2.0	26
27	09 1.2	19 3.3	19 1.2	15 3.7	20 1.6	20 1.6	29 1.2	24 5.0	00 0.0	00 0.0	00 0.0	00 0.0	27
28	17 1.2	05 1.2	12 1.6	17 2.0	17 6.6	18 4.5	17 5.8	19 2.0	20 4.5	18 3.3	19 1.2	16 4.1	28
29	19 5.0	19 2.4	24 1.6	26 4.5	20 3.7	15 2.0	21 4.5	17 4.1	18 6.2	19 3.7	17 3.3	00 0.0	29
30	35 2.0	36 1.6	00 0.0	32 2.9	34 6.2	26 1.0	27 1.0	18 0.8	25 0.5	00 0.0	09 0.5	05 1.0	30
	00 0.0	01 1.0	36 1.5	36 1.0	00 0.0	25 0.5	00 0.0	02 0.8	00 0.0	00 0.0	17 1.3	00 0.0	31
M	2.70	3.11	2.95	3.16	3.24	2.76	3.13	3.24	3.40	3.05	2.89	2.78	M

Registreringer av nedbør R

(Records of precipitation: R)

1955

Oslo (Blindern) $\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_t = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_s = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Januar (I)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	-	-	-	0.2	-	-	-	-	-	-	-	-	0.2	1.0
2	-	-	0.1	-	-	-	-	-	-	-	-	-	0.1	0.5
3	0.0	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.3	2.0
4	0.0	-	-	-	-	-	0.3	0.1	-	-	0.1	1.0	1.5	2.5
5	1.2	0.5	0.4	0.1	0.1	0.3	0.3	0.9	1.1	-	-	-	4.9	13.5
6	-	-	0.0	-	-	-	-	-	-	-	-	-	0.0	0.5
7	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	0.5
8	0.4	0.9	0.8	0.2	0.2	0.4	0.1	0.3	0.7	0.1	-	-	4.1	8.0
9	-	-	0.0	-	-	-	-	-	-	-	-	-	0.0	0.5
10	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.5
11	1.0	0.6	0.1	-	-	-	-	-	-	-	-	-	1.7	3.0
12	-	-	-	-	-	-	-	-	-	-	0.0	0.1	0.1	2.0
13	0.1	-	-	-	-	-	-	-	-	-	0.0	-	0.1	4.0
14	0.0	0.1	0.0	0.1	-	-	-	-	-	-	-	-	0.2	2.5
15	0.0	-	-	-	-	-	-	-	-	-	-	-	0.0	1.0
16	-	-	0.1	-	-	-	-	-	-	-	-	-	0.1	0.5
17	0.0	-	-	-	-	-	-	-	0.2	-	-	-	0.2	1.5
18	0.8	0.2	0.1	-	-	-	-	0.0	-	-	-	0.1	1.2	2.5
19	0.8	0.2	3.5	3.9	0.9	-	0.0	0.0	-	1.5	0.5	-	11.3	8.5
20	-	-	-	-	-	-	-	-	0.1	-	-	0.1	0.2	1.0
Σ	4.3	2.5	5.1	4.5	1.3	0.8	0.8	1.3	2.1	1.5	0.6	1.9	26.8	56.0

Februar (II)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	-	-	-	-	0.2	0.2	0.2	0.3	0.1	0.2	0.4	0.3	1.9	6.0
2	0.1	0.6	0.3	-	0.1	-	0.1	0.1	0.4	0.1	0.5	2.2	4.5	7.5
3	2.3	0.3	0.0	-	-	-	0.1	-	0.1	0.1	0.1	0.4	3.4	4.5
4	-	0.5	0.4	0.1	0.8	0.7	0.5	0.2	0.9	3.2	1.2	0.6	9.1	15.0
5	0.1	0.1	-	0.1	-	0.0	-	-	-	-	-	-	0.3	5.0
6	-	-	-	-	-	-	0.6	0.6	1.1	1.2	0.6	0.6	4.7	11.0
7	0.5	0.6	0.6	0.4	-	0.2	0.2	-	-	-	-	-	2.5	5.5
8	-	-	0.1	-	-	-	-	-	0.0	-	-	-	0.1	1.5
9	-	-	-	-	-	-	-	-	0.0	-	-	-	0.0	0.5
10	0.0	-	-	-	-	0.0	-	-	-	-	-	-	0.0	0.5
11	-	-	-	-	-	-	-	-	-	-	0.0	0.5	0.5	2.0
12	0.4	0.6	0.4	0.2	-	0.1	0.1	-	0.2	0.2	0.2	-	2.4	10.0
13	-	-	-	-	0.0	-	-	-	-	0.0	-	-	0.0	1.0
14	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.4	0.5	1.4	6.5
15	0.4	0.4	0.0	0.6	0.2	0.1	0.1	-	-	-	-	-	1.8	7.0
16	-	-	-	-	-	-	-	-	0.0	-	0.0	-	0.0	0.5
Σ	3.8	3.1	1.8	1.4	1.3	1.3	2.0	1.3	2.9	5.2	3.4	5.1	32.6	84.0

Mars (III)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	-	-	-	-	-	0.4	-	0.1	0.2	-	-	-	0.7	2.5
2	-	0.1	-	-	-	0.0	-	-	-	-	-	-	0.1	1.5
3	-	-	-	-	-	-	-	-	-	0.0	-	-	0.0	0.5
4	-	-	0.0	-	-	-	-	-	-	0.1	0.0	0.0	0.1	1.0
5	-	-	0.6	0.3	-	0.0	-	-	-	-	-	-	0.9	3.5
6	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
7	0.0	-	-	0.0	-	-	-	-	-	-	0.0	-	0.0	0.5
8	-	-	-	-	-	-	-	0.0	-	-	-	-	0.0	0.5
9	-	-	-	-	-	-	-	-	-	0.0	-	-	0.0	0.5
10	-	-	-	-	0.0	-	-	-	-	-	-	0.0	0.0	0.5
11	-	-	-	0.0	-	-	-	-	-	-	-	0.0	0.0	0.5
12	-	0.1	0.5	0.6	0.3	0.1	-	-	-	-	-	-	1.6	8.0
13	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.5
14	0.4	0.2	-	-	-	-	-	-	-	-	-	-	0.6	2.0
Σ	0.5	0.4	1.1	0.9	0.3	0.5	-	0.1	0.2	0.1	0.0	0.1	4.2	23.0

April (IV)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
2	-	-	-	-	-	-	-	-	-	-	0.0	0.1	0.1	1.0
3	-	-	0.0	0.1	-	-	-	-	-	0.4	0.0	0.3	0.8	1.5
4	0.1	0.2	0.2	0.2	-	-	-	-	-	-	-	0.0	0.7	4.5
5	0.1	0.0	0.1	0.0	-	0.8	0.4	-	-	-	-	0.0	1.4	4.5
6	0.0	0.1	0.0	-	-	-	-	-	-	-	-	0.8	0.9	3.5
7	1.0	1.8	1.4	1.3	0.2	0.2	0.6	0.3	0.1	0.3	0.1	-	7.3	14.0
8	-	-	-	0.0	-	-	-	-	-	-	-	-	0.0	0.5
9	-	0.1	0.1	0.1	0.2	0.4	0.2	-	-	-	-	-	1.1	3.0
10	0.7	1.7	3.4	1.8	0.4	0.6	0.1	-	-	-	-	-	8.7	10.0
11	-	-	-	-	-	0.1	-	-	-	-	-	0.0	0.1	0.5
12	0.1	-	0.1	-	-	-	-	-	-	-	-	-	0.2	1.5
13	-	-	-	-	-	-	-	-	-	0.1	-	-	0.1	0.5
14	-	-	-	-	0.0	-	-	-	-	-	-	-	0.0	0.5
15	-	0.0	1.0	2.8	4.4	0.8	0.3	-	-	-	-	-	9.3	7.5
16	-	-	0.1	-	-	-	-	-	-	-	-	-	0.1	0.5
17	0.1	0.3	2.4	1.5	0.3	-	-	-	-	-	-	-	4.6	4.0
Σ	2.1	4.2	8.8	7.8	5.5	2.9	1.6	0.3	0.1	0.8	0.1	1.2	35.4	57.5

Mai (V)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
2	-	-	-	-	0.7	3.9	2.3	2.4	3.2	1.2	0.2	0.4	14.3	12.0
3	0.8	1.0	2.0	0.8	1.6	0.6	-	-	0.3	0.5	0.0	0.1	7.7	10.0
4	-	-	-	0.1	-	1.5	3.3	2.9	0.1	0.4	1.3	2.6	12.2	9.0
5	0.8	0.1	0.0	0.1	0.5	-	-	0.6	1.2	-	-	-	3.3	7.5
6	-	-	0.0	0.1	-	-	-	-	-	-	-	-	0.1	0.5
7	-	-	-	0.1	-	-	-	-	-	-	0.6	-	0.7	2.0
8	-	-	-	-	-	-	-	-	0.6	0.5	1.6	0.4	3.1	4.5
9	-	-	-	-	-	-	0.1	-	-	-	-	0.2	0.3	1.5
10	-	-	-	-	0.0	-	-	-	-	-	-	-	0.0	0.5
11	-	-	-	-	-	0.0	0.0	0.1	-	-	-	-	0.1	1.5
12	-	-	-	-	-	-	0.0	-	0.0	0.2	0.8	0.4	1.4	5.0
13	0.3	1.8	1.4	0.2	0.4	-	-	-	-	-	0.0	-	4.1	5.5
14	-	-	-	-	-	-	-	5.6	-	-	-	-	5.6	0.5
15	-	-	-	0.1	0.0	0.0	0.4	0.6	5.6	0.1	-	-	6.8	4.0
16	-	-	-	-	-	-	-	-	-	0.2	-	-	0.2	0.5
17	-	-	-	-	-	1.1	6.5	4.2	1.2	-	-	-	13.0	6.5
18	-	-	0.0	0.1	1.0	2.1	3.3	-	-	0.4	-	-	6.9	7.0
19	-	-	-	-	0.0	-	-	0.0	-	-	-	-	0.0	1.0
20	-	-	-	-	-	-	-	-	0.1	-	0.0	-	0.1	1.0
21	1.9	2.9	3.4	1.6	4.2	9.2	15.9	16.4	12.3	3.5	4.5	4.1	79.9	80.0

Juni (VI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
3	-	-	-	-	-	-	-	0.4	-	-	-	-	0.4	0.5
9	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1	0.5
10	-	-	-	-	0.0	0.1	-	-	0.0	-	-	-	0.1	1.0
11	-	-	0.0	-	0.1	0.3	-	0.0	-	-	-	-	0.4	2.5
14	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.5
15	1.6	2.1	9.3	12.1	0.4	1.0	0.2	0.3	4.4	-	-	-	31.4	12.5
16	-	0.1	0.8	-	-	-	-	-	-	-	-	-	0.9	2.5
17	-	-	0.1	1.0	0.4	-	-	-	-	-	-	-	1.5	3.0
18	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.5
19	-	0.0	0.1	-	-	-	-	-	-	-	-	-	0.1	1.0
20	-	-	0.0	-	-	0.0	-	-	0.2	0.2	0.2	-	0.6	3.0
21	2.6	0.6	0.5	0.5	0.3	-	0.5	-	-	-	-	-	5.0	5.0
Σ	4.2	2.8	10.8	13.6	1.2	1.4	0.7	0.8	4.6	0.2	0.2	0.1	40.6	32.5

Registreringer av nedbør R

(Records of precipitation: R)

1955

Oslo (Blindern) $\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_c = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Juli (VII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	–	–	–	0.1	0.6	–	–	–	0.7	1.0
2	–	3.5	–	–	–	0.9	2.2	0.7	–	–	1.2	4.5	13.0	4.5
3	0.5	0.2	0.1	0.1	–	–	–	–	–	–	–	–	0.9	2.0
4	–	–	–	–	–	0.0	–	–	–	–	–	–	0.0	0.5
5	–	0.1	–	–	–	–	–	–	–	–	–	–	0.1	0.5
6	–	–	–	–	–	–	–	–	–	–	–	0.0	0.0	0.5
7	–	0.0	–	–	–	–	–	–	–	–	–	–	0.0	0.5
15	–	–	–	–	–	–	–	–	–	–	–	0.0	0.0	1.0
16	–	0.0	–	–	–	–	–	–	–	–	–	–	0.0	0.5
25	–	–	–	0.1	–	0.1	–	–	–	–	–	–	0.2	1.0
	0.5	3.8	0.1	0.2	–	1.0	2.2	0.8	0.6	–	1.2	4.5	14.9	12.0

August (VIII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
5	–	–	–	–	–	–	–	–	–	0.1	–	–	0.1	0.5
6	–	–	–	–	–	–	–	0.1	0.1	1.1	0.7	2.1	4.1	5.0
7	3.5	0.4	0.1	0.1	–	–	–	–	–	–	–	–	4.1	2.5
8	–	0.5	0.1	0.4	–	0.3	0.1	–	0.2	–	–	0.0	1.6	2.5
10	–	–	–	–	–	–	–	–	–	0.7	–	–	0.7	0.5
18	–	–	–	–	–	10.1	2.7	0.2	–	–	–	–	13.0	2.0
19	0.6	0.4	0.5	0.3	–	–	–	–	–	–	–	–	1.8	2.5
20	–	–	–	0.2	0.5	–	–	–	–	–	–	–	0.7	0.5
21	–	–	–	0.4	–	–	0.1	0.1	–	0.2	2.4	–	3.2	3.0
28	–	–	0.0	–	–	–	–	–	–	–	–	–	0.0	0.5
	4.1	1.3	0.7	1.4	0.5	10.4	2.9	0.4	0.3	2.1	3.1	2.1	29.3	19.5

September (IX)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	0.7	–	–	–	–	–	–	–	–	–	–	–	0.7	1.0
2	–	–	–	–	–	–	2.8	9.5	2.6	1.6	4.7	3.4	24.9	9.5
3	–	–	0.1	0.1	0.1	0.1	–	–	–	–	–	–	0.4	1.0
9	–	–	1.0	–	0.9	–	–	–	0.8	–	–	–	2.7	2.0
10	0.1	–	–	–	–	–	1.9	12.9	3.6	–	–	–	18.5	2.5
11	–	–	0.1	–	–	–	–	0.1	1.4	–	–	–	1.6	1.0
13	–	–	–	–	–	–	–	–	–	0.1	–	4.1	4.2	1.5
14	5.0	2.1	0.5	–	–	–	–	–	–	–	–	–	7.6	3.5
15	–	–	1.0	0.3	–	–	–	–	–	–	–	–	1.3	1.5
16	–	–	0.4	0.3	4.8	1.3	–	–	–	0.1	4.6	0.6	12.1	4.5
17	1.3	1.2	0.9	0.1	–	–	–	–	–	–	–	–	3.5	4.0
18	–	0.6	–	–	–	0.2	–	–	–	–	–	–	0.8	1.0
25	–	–	–	1.5	2.6	3.8	2.0	0.8	0.1	0.1	–	–	10.9	9.0
26	–	–	–	–	–	–	1.8	0.1	–	–	–	–	1.9	0.5
30	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
	7.1	3.9	4.0	2.4	8.4	5.4	8.5	23.5	8.7	1.9	9.3	8.1	91.2	43.0

Oktober (X)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
2	–	–	–	–	–	–	–	–	–	–	0.0	–	0.0	0.5
3	–	–	–	–	–	–	–	–	1.5	–	–	–	1.5	0.5
4	–	–	–	–	–	–	–	–	–	–	0.1	–	0.1	0.5
5	–	–	–	–	–	–	–	0.8	0.6	–	–	0.2	1.6	3.5
6	–	–	–	0.6	–	–	–	–	0.4	–	0.4	0.2	1.6	2.5
7	0.6	3.4	2.2	0.6	–	–	–	–	–	–	–	–	6.8	4.5
8	–	–	–	0.0	–	–	–	–	–	–	1.0	0.9	1.9	2.0
9	0.7	0.1	–	–	–	–	–	–	–	–	–	–	0.8	1.5
10	–	–	0.1	–	–	–	–	–	–	–	–	–	0.1	0.5
12	–	–	–	–	–	–	–	–	–	–	–	0.1	0.1	0.5
13	0.1	0.4	–	–	–	–	–	–	–	–	–	–	0.5	0.5
14	–	–	–	–	–	–	–	–	–	–	0.1	0.2	0.3	0.5
15	3.6	0.4	–	0.1	0.1	–	–	–	–	0.3	–	–	4.5	4.0
20	–	0.3	0.9	3.0	4.1	2.9	3.0	1.5	1.6	0.2	–	0.6	18.1	13.0
21	3.0	1.8	0.1	0.1	–	–	–	–	–	–	–	–	5.0	4.5
22	–	–	–	–	0.7	1.7	0.8	0.3	0.1	–	–	–	3.6	6.0
25	–	–	–	–	–	–	–	–	1.5	0.7	–	–	2.2	2.0
	8.0	6.4	3.3	4.4	4.9	4.6	3.8	2.6	5.7	1.2	1.6	2.2	48.7	47.0

November (XI)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
2	–	–	–	–	–	–	–	–	–	–	–	0.0	0.0	0.5
4	–	–	–	–	–	–	–	0.0	–	–	–	–	0.0	0.5
5	–	0.1	0.8	2.8	1.1	0.7	0.5	–	0.3	1.3	0.2	2.5	10.3	13.0
6	2.8	1.0	–	–	–	0.2	–	0.1	0.1	–	–	–	4.2	4.0
7	–	–	–	–	–	–	–	0.1	0.0	–	–	–	0.1	0.5
8	0.2	0.2	0.1	0.0	–	0.4	3.4	1.6	–	0.1	0.1	–	6.1	6.0
9	–	0.1	0.3	1.4	6.9	1.4	0.2	–	–	–	–	–	10.3	6.0
10	–	–	0.2	0.4	0.6	0.2	0.2	–	–	0.9	0.1	1.4	4.0	7.0
11	1.6	0.1	0.1	–	–	–	0.1	0.1	3.1	5.4	1.4	0.1	12.0	9.0
12	0.2	–	1.0	5.7	0.6	–	–	–	–	–	–	–	7.5	5.5
13	–	–	–	–	–	–	–	–	–	–	–	0.1	0.1	0.5
17	0.1	–	–	–	–	–	–	–	–	–	–	–	0.1	0.5
18	–	–	–	–	–	–	–	–	–	–	–	0.1	0.1	0.5
29	1.4	0.2	–	–	–	–	–	–	–	–	–	–	1.6	2.5
30														
	6.3	1.7	2.5	10.3	9.2	2.9	4.4	1.9	3.5	7.7	1.8	4.2	56.4	56.0

Desember (XII)

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	–	–	0.5	–	–	–	–	–	0.5	1.0
3	–	0.0	–	–	–	–	–	–	–	–	–	–	0.0	0.5
15	–	0.1	–	–	–	0.6	0.8	0.8	0.8	0.2	0.1	0.2	3.6	9.0
16	0.3	0.2	0.3	0.2	0.2	0.2	0.5	0.4	0.3	0.6	0.5	0.5	4.2	21.0
17	0.5	0.4	0.6	1.3*	0.8*	1.0*	1.0*	2.2*	2.0*	1.3*	1.2*	1.0*	13.3*	19.5
18	1.3*	0.7*	0.4*	1.5*	0.1*	0.2*	0.1*	–	–	–	–	–	4.3*	9.0
19	–	–	0.0	–	–	–	0.1	–	–	–	–	–	0.1	0.5
20	–	–	–	–	–	0.1	0.1	–	0.1	1.3	0.7	0.1	2.4	3.0
22	–	0.3	0.8	0.4	0.1	–	0.4	0.2	–	–	0.5	0.1	2.8	4.0
24	–	–	–	–	0.1	–	0.1	–	–	–	–	–	0.2	0.5
25	–	–	0.1	1.5	1.3	0.3	0.4	0.9	0.5	1.8	0.3	0.5	7.6	9.5
26	–	–	–	–	–	–	–	–	–	–	0.1	0.2	1.2	3.0
27	0.4	0.4	0.1	–	–	–	–	–	–	–	–	–	9.9	8.0
28	0.2	0.3	0.2	1.5	2.7	4.8	–	0.1	–	0.1	–	–	0.0	0.5
30	0.0	–	–	–	–	–	–	–	–	–	–	–		
	2.7	2.4	2.5	6.4	5.3	7.2	4.0	4.6	3.7	5.3	3.4	2.6	50.1	88.5

Avvikelse i lufttrykksmidlene 1955 fra de tilsvarende midler i perioden 1901—1930, ΔP

(Departures of the mean atmospheric pressures for 1955 from the corresponding mean atmospheric pressures for the period 1901—1930: ΔP)

Stasjon (Station)	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Dombås	62° 4'	9° 7'	- 4.2	- 3.3	2.7	4.2	- 7.8	1.5	6.0	8.3	- 3.4	- 4.6	4.5	- 9.5	- 0.4
Oslo(Blindern)	59 56	10 44	- 4.0	- 4.9	2.7	5.3	- 7.6	2.0	5.5	8.5	- 2.6	- 4.7	5.2	-10.1	- 0.4
Ferder	59 2	10 32	- 3.6	- 5.3	2.9	5.5	- 7.6	2.3	5.6	8.5	- 2.7	- 4.6	5.4	-10.1	- 0.3
Oksøy	58 4	8 3	- 3.2	- 5.6	3.9	5.2	- 6.9	2.3	5.5	8.2	- 2.5	- 3.8	4.2	- 8.8	- 0.1
Skudenes II	59 9	5 15	- 2.9	- 4.2	5.9	6.7	- 6.8	1.9	6.7	8.6	- 2.9	- 3.0	7.3	- 7.4	0.8
Ullensvang	60 19	6 40	- 3.4	- 3.7	5.1	5.8	- 7.3	1.7	6.4	8.4	- 3.2				
Bergen(Fredriksberg)	60 24	5 19	- 2.6	- 3.2	6.6	6.5	- 6.7	2.0	7.2	9.2	- 3.0	- 2.7	7.5	- 7.5	1.1
Kinn	61 34	4 48	- 3.9	- 3.4	5.5	5.2	- 7.4	1.3	6.5	8.5	- 4.6	- 3.8	6.1	- 9.4	0.0
Ona	62 52	6 33	- 3.1	- 1.5	5.9	5.8	- 7.2	2.0	6.6	9.1	- 3.8	- 3.4	6.3	- 6.6	0.6
Trondheim(Voll)	63 25	10 27	- 2.9	- 1.2	4.0	5.6	- 6.8	2.1	6.9	9.4	- 2.8	- 3.9	4.7	- 9.1	0.6
Brønnøysund II	65 29	12 13	- 3.8	- 1.2	1.4	4.6	- 7.7	1.3	5.7	8.6	- 3.1	- 5.1	3.3	- 9.6	- 0.5
Tromsø	69 39	18 57	- 1.9	1.7	- 0.3	3.7	- 5.8	1.5	3.1	5.6	- 0.6	- 5.2	5.2	- 7.4	0.0
Vardø	70 22	31 6	- 8.6	2.7	1.0	0.5	- 5.7	- 3.0	- 0.1	1.8	3.5	- 9.1	1.7	- 3.2	- 1.5
Karasjok	69 28	25 31	- 4.9	2.8	0.5	1.7	- 5.6	- 0.6	1.9	3.9	2.4	- 6.8	4.0	- 3.7	- 0.3

Avvikelse i lufttemperaturmidlene 1955 fra de tilsvarende midler i perioden 1901—1930, ΔT

(Departures of the mean temperatures for 1955 from the corresponding mean temperatures for the period 1901—1930: ΔT)

Stasjon (Station)	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Røros	62° 34'	11° 23'	1.9	- 3.6	- 1.3	- 1.3	- 2.2	- 0.9	2.4	3.0	1.7	- 0.5	3.3	- 2.4	0.0
Alvdal	62 2	10 48	1.9	- 4.4	- 1.3	- 1.7	- 2.2	- 1.3	2.8	3.3	1.2	- 0.6	3.8	- 2.8	- 0.1
Dombås	62 4	9 7	1.2	- 3.6	- 1.3	- 1.4	- 2.3	- 1.2	2.8	3.9	1.8	- 0.6	2.9	- 1.6	0.0
Vinstra	61 36	9 45	0.4	- 3.3	- 1.4	- 1.1	- 2.0	- 0.9	2.8	4.1	1.6	- 0.6	3.1	- 2.2	0.0
Vollen i Slidre	61 5	8 59	- 0.3	- 5.2	- 0.5	- 0.3	- 2.2	- 1.5	2.6	3.4	1.6	- 0.7	3.4	- 0.7	0.0
Lillehammer	61 6	10 29	0.7	- 2.4	- 1.6	- 1.4	- 2.1	- 0.9	3.1	3.7	1.4	- 0.2	2.0	- 2.4	0.0
Østre Toten	60 42	10 53	1.6	- 2.0	- 1.1	- 1.1	- 2.0	- 0.2	3.7	3.8	1.7	0.2	2.6	- 1.2	0.5
Flisa	60 37	12 1	- 0.3	- 3.9	- 1.8	- 1.1	- 1.8	- 0.6	3.5	3.5	1.8	- 0.1	1.3	- 2.0	- 0.1
Oslo(Blindern)	59 56	10 44	- 0.3	- 2.6	- 1.4	- 1.0	- 1.6	- 0.4	4.4	4.3	1.9	0.4	1.2	- 2.0	0.2
Nesbyen II	60 34	9 8	- 0.8	- 3.8	- 0.6	- 0.2	- 1.7	- 0.8	3.7	3.9	1.8	- 0.8	2.9	- 1.2	0.2
Dagali	60 25	8 26	0.4	- 4.3	- 2.0	- 0.5	- 2.2	- 0.8	3.6	3.9	1.4	- 0.1	2.5	- 1.2	0.0
Kongsberg	59 40	9 39	- 1.5	- 3.5	- 1.1	- 1.1	- 1.9	- 0.2	4.0	4.1	1.9	0.5	2.8	- 2.2	0.1
Ås	59 40	10 47	- 1.7	- 3.8	- 1.7	- 1.1	- 1.7	- 0.2	4.4	4.3	2.3	0.0	1.1	- 2.2	- 0.1
Ferder	59 2	10 32	- 0.2	- 2.0	- 1.4	- 0.7	- 1.9	- 0.4	3.1	3.4	2.0	0.6	2.1	- 0.4	0.3
Gvarv	59 24	9 10	- 4.3	- 4.5	- 1.5	- 1.1	- 1.2	- 0.6	3.6	3.8	1.6	- 0.3	1.3	- 2.8	- 0.5
Dalen i Telemark	59 27	8 0	- 3.1	- 3.2	- 0.7	- 0.4	- 1.5	- 0.5	3.7	4.5	1.6	0.3	3.6	- 0.9	0.3
Lyngør Fyr	58 38	9 9	- 0.5	- 2.8	- 1.4	- 1.1	- 1.7	- 1.3	2.7	3.3	2.0	0.7	2.5	- 0.4	0.1
Byglandsfjord II	58 40	7 49	- 2.6	- 4.1	- 0.9	- 0.4	- 1.1	- 0.2	4.5	4.5	2.0	0.6	2.4	- 0.7	0.3
Oksøy	58 4	8 3	- 0.8	- 2.6	- 1.0	- 0.8	- 1.6	- 0.7	2.4	3.1	1.7	0.1	1.8	- 0.7	0.1
Lista	58 6	6 34	- 0.8	- 2.4	- 0.8	- 0.7	- 1.7	0.1	1.9	2.5	1.8	0.1	2.1	- 0.5	0.2
Tonstad	58 40	6 42	- 3.2	- 4.9	- 1.7	- 0.8	- 1.2	- 0.6	4.1	3.7	1.5	- 0.5	2.1	- 1.6	- 0.2
Klepp	58 48	5 38	- 1.6	- 3.4	- 1.6	- 0.7	- 1.9	- 0.5	1.7	2.7	1.6	- 0.3	2.3	- 2.0	- 0.3
Sauda	59 39	6 22	- 2.2	- 5.2	- 1.5	- 0.6	- 1.5	0.0	3.2	3.9	1.5	- 0.3	1.7	- 1.0	- 0.2
Skudenes II	59 9	5 15	- 1.3	- 3.1	- 1.3	- 0.8	- 1.6	- 0.3	2.0	2.5	1.6	- 0.3	1.8	- 1.7	- 0.3
Ullensvang	60 19	6 40	- 0.9	- 3.3	- 0.8	- 0.4	- 1.7	- 0.2	2.7	3.6	1.2	- 0.2	1.7	- 1.7	0.0
Slirå	60 37	7 25	0.3	- 3.6	- 2.2	0.0	- 1.8	- 0.5	2.6	3.9	1.2	- 0.7	2.0	- 1.7	0.0
Bergen(Fredriksberg)	60 24	5 19	- 0.6	- 2.7	- 1.3	- 0.6	- 1.7	0.1	2.0	2.9	1.7	- 0.1	2.2	- 1.5	0.0
Leikanger	61 11	6 52	- 1.0	- 3.5	- 1.6	- 0.7	- 2.2	- 0.8	1.4	2.5	1.2	- 0.5	2.0	- 1.6	- 0.4
Kinn	61 34	4 48	0.2	- 1.8	- 1.0	- 0.8	- 1.8	- 1.3	0.4	0.8	2.2	0.1	2.6	- 1.0	- 0.1
Opstryn	61 56	7 14	- 0.8	- 3.6	- 2.3	- 1.5	- 2.7	- 0.9	1.7	3.0	1.6	- 0.8	1.2	- 2.3	- 0.7
Ona	62 52	6 33	- 0.5	- 2.0	- 1.1	- 0.8	- 1.9	- 0.8	0.6	0.8	1.7	- 0.5	1.5	- 1.8	- 0.4
Sunndal	62 33	9 7	- 0.3	- 4.6	- 1.9	- 1.8	- 2.9	- 0.5	1.5	2.1	1.4	- 0.9	1.7	- 2.0	- 0.7
Sula Fyr	63 51	8 28	- 0.2	- 1.5	- 0.7	- 1.2	- 1.6	- 1.2	0.2	0.9	1.9	- 0.2	1.2	- 1.8	- 0.3
Trondheim(Voll)	63 25	10 27	- 0.1	- 3.5	- 1.4	- 1.7	- 2.2	- 0.7	1.1	1.7	1.2	- 0.6	1.4	- 2.8	- 0.6
Sulstua	63 40	12 1	0.1	- 3.8	- 2.5	- 2.1	- 2.6	- 1.5	2.0	3.1	2.1	0.0	2.4	- 2.8	- 0.5
Kjevli i Snåsa	64 10	12 29	- 1.0	- 3.9	- 2.0	- 2.0	- 2.7	- 1.4	0.6	3.5	2.4	- 0.1	1.7	- 4.1	- 0.8
Nordøyan	64 48	10 33	- 0.4	- 1.3	- 0.4	- 1.9	- 2.0	- 1.7	- 0.7	0.6	1.8	- 0.1	0.8	- 2.5	- 0.7
Brønnøysund II	65 29	12 13	- 1.1	- 1.6	- 0.9	- 2.4	- 1.7	- 1.4	- 0.2	0.8	2.4	- 0.7	0.6	- 3.1	- 0.7
Myken	66 46	12 29	- 1.2	- 1.0	- 0.4	- 2.0	- 1.4	- 1.6	- 1.2	- 0.2	2.0	- 0.5	0.1	- 3.1	- 0.8
Bodø VI	67 16	14 22	- 2.0	- 1.8	- 1.0	- 2.7	- 1.7	- 2.0	- 1.3	0.2	2.5	- 0.9	0.0	- 4.2	- 1.2
Offersøy	68 20	15 38	- 1.7	- 2.3	- 1.0	- 2.2	- 1.7	- 2.3	- 2.1	- 0.7	1.8	- 0.7	- 0.9	- 3.6	- 1.5
Skomvær Fyr	67 25	11 53	- 1.4	- 0.9	- 0.3	- 1.4	- 1.5	- 1.4	- 1.5	- 0.4	2.0	- 0.2	0.1	- 2.4	- 0.8
Bø i Vesterålen	68 37	14 27	- 1.8	- 1.3	- 0.4	- 2.0	- 1.3	- 2.1	- 1.6	- 1.0	2.4	- 0.1	- 0.7	- 2.7	- 1.1
Andenes	69 19	16 7	- 0.9	- 1.2	- 0.2	- 1.3	- 0.7	- 1.7	- 0.9	- 0.2	1.9	0.0	- 0.5	- 2.7	- 0.7
Tromsø	69 39	18 57	- 1.6	- 2.7	- 0.7	- 1.5	- 0.3	- 2.1	- 1.2	- 0.3	2.1	- 0.5	- 1.7	- 4.7	- 1.3
Dividalen	68 47	19 44	- 1.6	- 2.5	- 1.3	- 2.4	- 1.8	- 2.8	- 0.1	1.0	1.8	- 0.9	- 2.0	- 6.7	- 1.6
Torsvåg	70 15	19 30	- 1.1	- 1.0	- 0.3	- 0.8	- 0.6	- 1.9	- 1.8	- 0.5	2.1	- 0.2	- 1.3	- 3.4	- 0.9
Vardø	70 22	31 6	1.3	- 1.2	- 1.3	0.0	0.1	- 0.9	- 1.0	0.2	0.5	0.3	- 1.3	- 4.7	- 0.7
Karasjok	69 28	25 31	- 1.7	- 7.2	- 3.5	- 2.7	- 1.4	- 3.1	- 1.0	1.2	1.2	- 0.4	- 5.5	- 9.4	- 2.1
Siččajavre	68 45	23 33	- 0.4	- 3.0	- 1.8	- 1.8	- 1.8	- 3.0	- 0.3	1.7	1.5	- 0.4	- 4.5	- 7.3	- 1.8

1955

Sjøtemperatur (Sea surface temperature) T_1

Stasjon (Station)	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Ferder	59° 2'	10° 32'	2.6	1.1	0.3	3.8	7.8	14.1	19.7	20.2	17.0	12.3	8.3	5.6	9.4
Torungen Fyr	58 24	8 48	2.7	0.1	0.3	3.6	7.8	13.0	18.5	19.6	16.5	11.5	7.7	4.9	8.8
Lindesnes	57 59	7 3	4.1	2.1	2.9	4.7	7.3	12.0	16.7	17.9	15.1	11.9	9.0	6.4	9.2
Slåtterøy	59 54	5 4	5.5	4.2	3.8	5.1	7.0	10.0	13.2	12.3	13.9	12.0	9.6	6.9	8.6
Hellisøy Fyr	60 45	4 43	5.8	4.5	4.3	5.2	6.6	9.3	13.2	13.4	15.0	11.8	9.6	6.9	8.8
Ona	62 52	6 33	5.0	3.6	3.6	4.6	6.2	9.0	12.4	13.7	13.0	10.2	8.2	5.1	7.9
Sula Fyr	63 51	8 28	4.8	3.4	3.9	5.0	6.9	10.2	13.0	13.7	12.7	9.5	7.4	4.2	7.9
Nordøyan	64 48	10 33	4.3	3.9	3.5	3.7	5.9	9.5	11.6	12.9	12.5	9.8	7.3	3.9	7.4
Myken	66 46	12 29	5.5	3.9	4.4	4.2	5.3	7.4	10.7	11.5	11.8	9.7	7.4	4.8	7.2
Skrova	68 9	14 39	4.8	3.3	2.9	2.8	4.4	6.7	10.0	11.3	11.1	9.0	6.3	4.3	6.4
Skomvær Fyr	67 25	11 53	3.6	2.8	3.6	4.0	5.3	7.1	9.2	10.5	9.7	6.4	4.4	3.5	5.8
Andenes	69 19	16 17	1.9	0.8	1.6	2.2	5.2	7.0	9.7	10.8	10.1	6.8	4.1	1.0	5.1

Ekstensotabell

1955

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44' E g = 9.819 ΔG = + 1h

Januar (I)

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	29.0	29.1	29.8	- 1.8	- 1.2	- 2.8	- 1.2	- 3.0	95	95	95	00 0	00 0	00 0	3	8 ≡°	8 ≡°	5 =°	0.7	7	≡° = ·° n, ≡ ≡° ∨ a, =° ≡° ∨ p
2	32.8	32.7	35.0	2.3	2.3	- 1.3	2.7	- 3.4	85	71	71	09 1	08 2	03 2	8	7 =	3 =°	2		7	=° n, =° ⊙ a,p
3	35.6	33.0	31.2	- 5.7	- 4.3	- 5.0	1.2	- 5.8	84	76	76	02 3	02 3	02 3	8	8 =°	5 =	3		7	=° n, = =° ⊙ a, = p
4	27.1	26.6	23.9	- 5.3	- 7.4	-11.4	- 4.1	-11.4	71	76	78	36 2	36 2	02 2	7	8	8 *°	1 =°		7	*° a, =° *° p
5	18.2	17.3	15.7	- 7.8	- 6.6	- 8.7	- 6.6	-13.2	86	86	85	00 0	00 0	00 0	6	7 =°	2 =°	7 =	0.0	7	=° n, =° ⊙ a, = ⊙ p
6	15.2	14.6	11.1	- 3.1	- 1.8	- 1.9	- 1.8	- 8.7	90	80	97	00 0	18 1	22 1	4	8 ≙	8 *°	8 ≡°	0.0	7	=² ≙ = n, =² *° ≙ a, =° =² * p
7	03.2	00.2	97.9	- 4.8	- 4.3	- 3.4	- 1.8	- 5.0	96	94	88	25 1	00 0	36 1	4	8 ≡°	7 =²	8 =°	0.2	7	≡° =° n, =² ≡° ∨ a, =² =° p
8	98.6	99.5	99.9	- 2.4	- 1.0	- 2.0	0.8	- 5.2	84	76	82	00 0	02 2	04 2	7	8 =²	8 =°	8 *°		7	=² n, =° a, =° *° p
9	97.7	95.4	91.4	- 2.6	- 2.0	- 1.2	- 1.2	- 2.8	92	97	95	25 1	19 2	25 1	5	8 =°	8 ≙°	8 =	0.0	7	=° *° n, = ≙° a,p
10	80.9	72.2	60.4	- 0.5	- 2.0	- 3.2	0.9	- 3.2	94	86	80	18 5	16 5	00 0	4	8 ≙°	8 ≙	7 =°	3.9	11	=° ≙° n, =² ≙ a, =° ≙ p
11	60.4	63.9	65.3	- 4.1	- 2.9	- 9.4	- 1.8	- 9.4	90	64	80	34 1	04 1	36 1	9	7 =°	1 =°	0 =°	4.5	19	=° ⧫° n, =° =° ⊙ a, =° ⊙ p
12	70.6	72.7	72.7	-11.3	- 6.9	-12.0	- 6.8	-12.5	85	84	83	00 0	36 1	02 1	6	7 =°	4 =	3 =°		19	=° n, = ⊙° a, =° ⊙° p
13	69.4	70.6	72.3	- 4.1	- 3.7	- 4.0	- 3.6	-12.7	86	90	95	04 2	04 1	22 1	6	8 *°	8 *°	8 ⧫	3.4	23	= * n, =° *° a, =° ⧫° p
14	73.4	76.7	79.3	- 7.8	- 9.6	-11.4	- 4.0	-11.4	61	73	85	04 1	04 1	04 1	8	3 =°	1 =°	0 =°	1.9	24	=° ⧫° n, =° ⊙ a,p
15	84.2	86.4	86.1	-13.2	- 4.7	-11.3	- 4.3	-14.2	89	47	76	04 1	28 3	02 1	8	1 =	3(=)	8 =°		22	=° n, =° ⊙ (=) a,p
16	72.2	74.6	75.0	- 8.1	- 6.2	-12.6	- 5.8	-13.0	97	66	73	36 1	09 1	36 1	8	1(≡)	1 =°	0 =°	1.7	24	* =° (≡) n, =° ⊙ (≡) a, =° ⊙ p
17	71.5	72.1	71.9	-16.2	-11.9	-15.6	-11.4	-17.2	79	68	82	05 1	00 0	00 0	4	2 =°	1 =²	0 =		23	=° n, =° =² ⊙ a, = =² ·p
18	70.1	71.3	73.6	-13.6	-10.4	- 5.4	- 5.4	-17.0	91	91	57	00 0	09 1	36 2	3	7 =²	2 ≡°	7		23	=² = ∨ n, ≡ ≡° =² ⊙ a, =° ⊙ p
19	80.6	82.1	84.0	-12.5	- 8.3	-10.0	- 5.0	-13.6	74	64	79	09 1	00 0	00 0	4	0(=)	1 =²	1 =		23	(=) n, (=) =² ⊙ a, =² = ⊙ p
20	93.8	99.1	04.5	-10.7	- 5.2	- 8.5	- 4.8	-13.3	82	64	73	32 1	00 0	00 0	3	1(=)	7 ≡°	0 =°		22	= (=) n, (=) ≡° ⊙ a, =° ≡° ⊙° p
21	08.0	09.0	08.5	-11.3	- 6.7	- 4.0	- 4.0	-11.7	95	97	91	00 0	03 1	04 1	4	7 =	8 *°	8 *°		22	= =° n, =² ≡° *° a, =² =° *° p
22	07.5	08.5	09.2	- 4.0	- 3.5	- 6.2	- 3.3	- 6.2	79	72	80	04 1	04 1	02 1	7	5 =°	4 =°	8 =°	0.1	22	=° *° n, =° ⊙° a,p
23	11.5	12.1	11.1	- 6.9	- 4.8	- 4.8	- 4.4	- 7.3	95	96	98	00 0	00 0	27 1	4	8 =°	8 =²	8 =		22	=° n, =² a, = =² p
24	99.5	96.1	90.9	- 1.6	0.9	1.6	1.6	- 5.1	90	95	96	20 1	20 1	16 1	5	8 =°	8 =	3 =°		21	=° n, = =° a, =° p
25	88.9	94.6	98.1	2.5	7.1	2.0	8.8	- 0.9	71	54	84	27 2	12 1	00 0	8	1	5 =°	8 =°		18	=° ⊙° a,p
26	97.7	96.7	94.3	0.4	2.2	2.7	3.4	- 1.3	95	95	80	00 0	27 1	18 3	1	8 ≡°	8 ≡²	8 =°		18	≡° ≡ n, ≡² ≡° a, =° ≡² p
27	95.5	96.9	96.9	- 0.2	- 1.4	- 3.2	2.7	- 3.2	96	96	95	01 1	00 0	36 1	1	8 ≡°	8 ≡²	0 ≡		17	≡° = n, ≡² a, ≡² =° p
28	96.4	96.0	94.6	- 1.0	- 0.6	1.2	1.3	- 3.5	95	94	95	11 1	00 0	18 2	3	8 ≡°	8 ·°	8 =°		17	≡° n, ≡° ·° a, ≡° =° ·° ⧫° p
29	89.1	90.5	92.1	1.0	1.9	1.7	1.9	0.5	95	95	95	20 2	20 1	00 0	3	8 ≡²	8 ≡°	8 ≡²	1.6	16	• ≡² =° ‡ n, ≡° ≡² a,p
30	89.4	88.7	86.6	2.4	2.8	2.8	2.9	0.9	95	95	95	18 2	18 2	18 2	1	8 •	8 ≡²	8 •	9.0	14	‡ • =² ≡² n, • =² ≡² a, • ≡² p
31	87.9	90.3	91.8	2.0	1.6	2.3	3.0	1.4	95	95	95	26 1	26 1	26 1	1	8 =²	8 ≡²	8 ≡°	3.6	11	• ≡² =² n, =² ≡² ≡ a, ≡² · ≡° p
M	95.3	95.6	95.3	- 4.8	- 3.2	- 4.7	- 1.6	- 7.5	86	82	85	1.1	1.1	1.1	4.9	6.2	5.6	5.1	31	16	

Februar (II)

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	92.6	92.5	91.8	1.5	2.0	2.2	2.4	1.4	95	95	95	00 0	18 1	00 0	3	8 ·°	8 ·°	8 ·°	0.4	9	≡°· ≡²n, ≡² ≡°·° ·° a,·° ≡° ·° p
2	91.9	92.3	91.5	2.2	1.9	1.9	2.4	1.5	95	95	94	00 0	04 1	04 1	1	8 ≡°	8 ≡²	8 =	3.4	7	·°≡° =²n, ≡° ≡² ·° a, ≡² · ·° p
3	86.9	85.4	83.7	1.7	2.4	0.7	2.4	0.6	91	86	95	04 1	04 2	09 1	6	7 =°	8 =°	8 ·°	6.7	4	= · n, =° a, · =° p
4	81.8	82.1	80.8	0.7	1.1	0.9	1.4	0.4	94	94	93	00 0	10 1	04 1	4	8 ‡°	8 ‡	8 ‡²	2.1	3	‡ ·° n, ‡ ‡° = a, ‡² ‡ p
5	78.1	78.0	77.3	0.3	2.0	1.1	2.2	0.3	93	86	85	31 1	00 0	27 1	7	8 =°	8 =°	8 =°	8.7	5	=° ⧫ ⧫ n, =° a,p
6	79.3	81.2	83.8	- 4.4	0.6	- 2.8	1.9	- 4.9	85	53	83	18 1	12 1	00 0	9	1 =°	5 =°	5 =°		5	=° n, =° ⊙ a,p
7	88.7	89.7	89.7	- 7.7	- 2.0	- 4.8	0.5	- 8.4	91	70	80	04 1	00 0	00 0	8	4 =°	0 =°	0 =°		5	=² n, =° ⊙ a,p
8	89.3	88.1	86.1	-10.4	- 4.7	- 3.6	- 3.6	-10.8	89	86	93	36 1	04 1	04 2	5	2 =°	8 *	8 *		5	=° n, = * a, p
9	87.1	88.9	90.2	- 3.3	- 3.0	- 6.4	- 2.2	- 6.5	91	82	85	03 1	02 2	01 1	5	8 *°	8 *°	0 =°	7.3	18	=° * n, = *° a, =° ⊙ p
10	91.9	92.3	92.1	- 4.5	0.0	- 5.1	1.1	- 8.8	68	52	70	03 2	02 2	01 1	8	1	1 =°	1 =°	0.5	17	=° ⊙ a,p
11	92.3	93.9	95.8	-13.1	- 5.6	- 6.8	- 4.5	-13.4	90	63	79	00 0	20 1	00 0	5	1 =°	0 =	0 =°		16	=° n, = ⊙ a, =° ⊙ = p
12	02.1	04.5	06.2	- 8.0	- 7.0	- 9.6	- 5.7	- 9.9	73	58	68	04 3	04 3	36 2	8	3 =°	1 =°	0		13	=° n, =° ⧫° ⊙ a, =° ⊙ p
13	02.0	01.3	98.7	-11.6	- 5.5	- 6.6	- 3.5	-15.7	90	65	80	00 0	00 0	00 0	4	8 =°	1 =²	7 =	0.0	13	=° n, =° =² ⊙ a, =² = ⊙ p
14	95.2	98.0	00.9	- 4.8	- 4.6	- 7.4	- 2.4	- 7.7	63	53	55	02 2	04 3	02 2	9	4 =°	7	6	0.0	13	≙° = =° n, *° =° ⊙ a, *° p
15	00.8	96.7	89.2	-14.6	- 9.1	- 9.2	- 7.2	-15.2	74	64	73	00 0	19 1	19 1	7	1 =°	2 =°	8 =°	0.0	12	=° n, =° ⊙ a, =° p
16	72.1	72.8	73.5	- 7.8	- 6.8	- 7.1	- 6.6	- 9.7	88	74	83	03 5	04 5	03 4	6	8 *°	8 *°	8 *°	2.1	17	=° * n, =° *° a, = *° p
17	78.6	80.5	83.6	- 8.4	- 5.8	- 8.1	- 5.7	- 8.6	71	63	63	04 5	04 5	04 4	6	6 =°	7 =°	5 =°	1.1	12	=° *° n, =° ⊙° a, =° ⊙° ⧫° p
18	87.9	88.6	89.2	-12.4	-10.2	-10.6	- 8.1	-12.6	65	64	68	36 4	36 2	02 5	6	8 ⧫°	7 *°	8 =	0.0	12	=° ⧫° n, =° *° ⊙° a, = *° p
19	92.7	95.5	98.7	-10.6	- 9.4	- 9.3	- 9.0	-11.7	80	77	68	02 6	06 4	32 4	5	8 *	8 *	4 =°	3.9	12	=° * n, a, =° * p
20	02.8	03.5	03.9	-12.6	- 7.8	-12.3	- 5.4	-14.2	64	48	52	02 2	16 1	00 0	7	1 =°	0 =°	0 =°	0.9	12	=° n, =° ⊙ a,p
21	04.5	04.5	04.1	-17.6	- 6.5	-11.6	- 3.6	-18.0	78	45	65	00 0	00 0	00 0	7	1 =°	0 =°	0 =°		12	=° n, =° ⊙ a,p
22	04.1	04.8	04.8	-16.8	- 6.3	- 9.3	- 3.8	-17.1	82	51	67	00 0	00 0	00 0	7	1 =°	0 =°	0 =°		12	=° n, =° ⊙ a, p
23	08.6	09.2	08.2	- 9.8	- 1.4	- 4.2	0.7	-10.6	00	59	54	00 0	00 0	00 0	6	3 =°	0 =°	1 =°		12	=° n, =° ⊙ a,p
24	07.6	07.5	06.9	- 9.6	- 2.3	- 5.9	0.3	-10.1	77	58	67	00 0	00 0	00 0	7	2 =°	3 =°	0 =°		12	=° n, =° ⊙ a,p
25	08.5	07.7	07.4	-14.5	- 3.0	- 7.0	- 1.5	-15.1	91	52	66	36 1	00 0	36 1	6	0 =°	0 =°	0 =°		12	=° n, = ⊙ a, =° ⊙ p
26	07.3	05.8	04.9	-11.2	- 1.4	- 4.0	0.3	-12.1	95	61	63	00 0	18 1	00 0	6	2 =°	5 =°	1 =°		12	=° n,= ⊙ a,p
27	11.2	12.7	13.9	- 7.0	- 0.1	- 3.9	1.7	- 8.5	82	60	59	04 1	18 1	36 1	9	6	3	1		11	=° n, ⊙ a,p
28	18.4	19.2	18.0	-12.4	- 6.5	- 4.0	- 3.4	-12.8	98	94	84	00 0	00 0	27 1	5	8 =°	8 =	7 =°		11	=° n, = (≡) a, = ≙° ⊙° p
M	95.2	95.6	95.5	- 8.1	- 3.5	- 5.5	- 2.1	- 9.2	84	68	74	1.3	1.4	1.2	6.1	4.5	4.4	3.9	37	11	

Ekstensotabell

1955

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1h Mars (III) H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 23.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	16.4	16.4	15.5	- 1.4	1.3	- 0.3	1.6	- 5.9	80	68	93	19 2	18 3	18 5	7	8 =°	7 =°	8 =°	0.0	11	=° n, =° ⊙° a,p
2	14.0	16.4	19.3	- 1.4	2.9	2.2	5.7	- 1.4	90	57	56	20 2	19 1	00 0	8	5 =°	0 =°	0		11	=° n, =° ⊙ a, ⊙ p
3	19.4	17.3	13.0	- 4.5	- 0.5	- 0.9	2.7	- 5.0	99	77	78	00 0	20 1	27 1	7	4 =°	3 =°	7 =°		10	=° n, =° ⊙ a,p
4	98.2	94.2	92.9	- 0.2	- 0.2	- 0.5	0.6	- 2.4	92	84	78	16 2	02 1	35 1	6	8 =	8 =°	8 =°		10	= n, = ⚥ a, =° ⚥ ⊙° p
5	98.9	04.6	10.5	1.3	0.7	0.0	1.9	- 0.6	63	59	58	05 5	03 5	04 4	8	7	8 =	6	0.8	10	=° ⚥° n, *° ⊙° = a, *° = p
6	16.3	15.9	12.7	- 2.7	- 0.8	- 2.3	0.2	-2.9	58	53	62	01 2	01 2	27 1	8	7 =°	8 =°	3 =°	0.0	10	=° n, =° ⊙° *° a, =° p
7	04.8	02.0	98.5	- 4.5	0.8	3.4	5.8	- 6.3	89	63	47	36 1	19 1	36 2	7	7 =	1 =°	4	0.0	10	=° = n, =° = ⊙ a, =° ⊙ p
8	96.3	98.3	98.9	0.6	2.1	- 0.7	3.4	- 0.7	64	48	53	02 4	02 4	36 1	8	6 =°	7 ⚥°	4	0.0	9	⚥° =° n, ⚥° =° ⊙ a,p
9	04.5	06.4	06.5	- 5.9	- 4.5	- 4.2	0.2	- 6.4	95	82	83	18 2	23 1	18 2	7	8 *°	8 =°	2 =°	1.0	10	* n, *° =° a, =° ⊙ p
10	11.2	13.9	15.8	- 8.8	1.3	- 0.8	5.0	- 9.6	96	49	53	36 1	22 1	00 0	6	4 =°	2 =°	2 =°	0.0	9	=° =° ⊙° n, =° ⊙ a, =° ⊙ p
11	18.2	18.8	17.9	- 4.2	0.4	0.8	2.8	- 6.5	78	66	68	00 0	22 1	21 1	6	7 =°	7 =°	6 =°		9	=° = ⊙° n, =° ⊙ a,p
12	17.2	16.3	12.8	- 3.4	- 1.4	- 0.1	0.9	- 5.6	95	95	96	27 1	30 1	26 1	4	8 ,°	8 =°	8 ,°	0.0	9	≡ ,° n, =° (≡) ,° a,p
13	04.6	99.5	99.2	- 2.8	- 2.0	3.4	5.5	- 3.0	94	94	26	20 1	26 1	30 4	6	8 ≡	7 =	0	0.0	8	≡ ,° n, = ≡ ⊙° a, = ⊙ ⊙ p
14	97.8	00.3	01.4	1.8	7.1	2.8	8.6	- 0.4	46	32	43	24 1	36 2	29 1	9	2	3	6	0.0	8	⊙° n, ⊙ a,p
15	92.5	86.5	86.9	4.9	8.5	3.9	11.0	- 1.1	54	48	39	28 2	18 3	27 3	9	6	3	1		2	⊙ a,p
16	87.5	86.4	85.3	- 1.3	3.5	- 0.1	4.0	- 3.7	52	33	36	25 1	32 3	31 1	9	,	6	2		0	⊙ n,a,p
17	85.9	90.3	94.8	- 3.2	- 1.9	- 5.0	0.9	- 5.2	56	58	47	00 0	02 4	36 4	8	6	6 =°	1 =°		0	=° ⚥° ⊙° a, =° ⊙ p
18	96.6	94.6	92.8	- 8.8	- 1.6	- 2.5	0.5	-10.3	49	39	59	00 0	25 2	02 1	9	1	2	3 =°	0.0	0	⊙ n,a, =° ⊙ ⚥° p
19	94.8	94.1	94.5	- 8.0	- 4.5	- 6.2	- 2.5	- 8.8	62	55	72	36 3	04 3	02 2	8	4	6 =°	4 =°	0.0	0	=° n, =° ⊙ (⚥) a, =° ⚥° ⊙ p
20	94.4	94.9	95.8	- 8.5	- 3.7	- 5.2	- 2.8	- 9.3	73	62	78	36 4	05 3	36 2	8	8 *	4 =°	6(⚥)	0.0	0	* ⚥° ⊙° n, * =° ⊙ a, =° ⚥° ⊙ p
21	98.6	98.6	97.8	- 9.5	- 3.2	- 4.4	- 1.3	-11.3	89	60	54	04 1	20 3	30 1	8	3 =°	4 =°	1 =°	0.0	0	⚥ =° ⊙ n, =° ⊙ a,p
22	98.8	99.9	02.7	-10.4	- 2.0	- 1.8	0.7	-13.0	85	53	49	00 0	18 1	18 1	8	1 =°	0 =°	1 =°		0	=° ⊙ n,a, =° ⊙ p
23	09.5	09.4	05.7	- 9.1	0.2	- 0.8	3.2	-11.7	83	54	42	00 0	20 1	01 1	7	0 =	6 =°	7 =°		0	=° = ⊙ n,a, =° ⊙ p
24	01.5	99.5	98.1	- 3.2	0.8	0.7	2.5	- 3.9	57	45	36	04 4	02 4	04 2	8	3 =°	6 =°	2 =°		0	=° ⊙ = n, =° ⊙ a,p
25	01.9	01.8	00.8	- 3.2	2.2	1.3	3.5	- 3.7	44	31	36	00 0	09 2	22 1	8	6 =°	1 =°	8 =°		0	(=) =° ⊙ n,a, =° ⊙ p
26	95.7	93.5	93.2	- 2.4	0.3	0.4	1.4	- 2.4	95	72	65	36 3	02 4	02 1	6	8 *	8 ⚥°	7 =°	1.1	2	= * n, =° = ⚥° ⊙° a, = ⚥ ⊙° p
27	97.8	97.8	98.5	- 3.6	3.0	2.6	6.0	- 5.3	49	32	31	16 1	36 3	36 2	9	0	1	1	0.8	0	⊙ n,a,p
28	99.8	99.3	01.3	- 3.9	3.0	- 0.3	4.5	- 6.5	71	46	84	00 0	30 2	36 3	9	2 =°	7	8 =°		0	=° ⊙ n, =° ⚥° ⊙ a, =° ⚥° p
29	12.4	13.7	12.8	- 4.7	1.5	0.8	3.6	- 6.3	55	30	38	36 4	09 3	27 1	9	0	1	1	0.1	0	⊙ n,a,p
30	01.7	96.4	95.0	0.6	10.1	4.7	11.1	- 3.2	61	36	48	24 2	27 4	04 2	9	6 =°	6	7 =°		0	=° n, ⊙ a, =° ⊙ p
31	94.3	94.3	94.7	- 0.6	4.1	2.9	6.0	- 1.4	85	37	28	00 0	19 2	34 3	8	7 =°	7 ≈°	2 =°	0.8	1	=° ⚥ n, =° ⊙ a, =° ⚥° ≈° ⊙ p
M	02.6	02.3	02.1	- 3.6	0.9	- 0.2	3.3	- 5.3	73	55	56	1.6	2.3	1.7	7.6	4.9	4.5	4.1	5	4	

April (IV)

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.0	98.0	99.5	- 2.0	4.9	2.6	5.3	- 4.9	58	26	35	16 1	34 3	34 2	9	0	3	2	0.0	0	=° ⊙ n, ⊙ a,p
2	01.3	01.7	01.0	- 1.5	4.9	3.5	5.8	- 5.5	70	54	62	00 0	18 1	00 0	8	7 =°	7 =°	8 =°		0	=° ⊙ n, =° ⊙° ⊙ a, =° ⊙ p
3	01.2	00.0	97.9	- 2.1	2.1	1.4	4.1	- 2.9	00	73	97	35 1	18 1	18 1	8	8 ≡	7 =°	8 •		0	≡ =° ⊙ n, ≡ ⊙ a, ≡ =° • p
4	98.0	00.7	03.1	1.7	4.9	4.4	5.1	0.9	93	71	77	02 1	05 2	09 1	7	8 =°	7 =°	5 =°	1.6	0	≡ =° •° n, =° •° a, =° p
5	06.9	06.8	05.5	1.4	2.1	2.3	4.4	1.1	92	95	91	18 2	19 2	19 2	6	8 ⚥°	8 •°	8 =	0.2	0	⚥° =° n, ⚥ •° =° ⚥° a, •° =° p
6	05.3	04.9	04.3	0.1	1.1	2.3	2.4	- 0.2	96	91	90	24 1	18 1	04 2	4	8 ≡°	8 =°	8 =°	1.4	0	,° ≡° =° n, =° ≡° a, =° p
7	05.9	06.6	08.4	- 2.7	- 0.7	- 1.1	2.4	- 2.9	85	76	80	02 4	03 4	04 3	4	8 *°	8 *°	8 *°	7.7	9	*° =° ⚥ n, * *° a, *° ⚥° p
8	13.0	13.6	13.5	- 3.9	1.8	1.0	3.4	- 5.1	73	41	44	02 2	15 1	27 1	8	6 =°	2 =°	1 =°	2.5	12	*° =° ⊙ n, =° ⊙ a,p
9	14.2	13.0	11.3	- 3.6	1.7	1.0	2.9	- 8.1	70	58	59	00 0	24 3	24 1	8	4 =°	6 =°	8 =°		10	(≡) =° ⊙ n,a, =° ⊙ p
10	09.3	08.4	06.8	- 2.0	0.6	0.8	1.6	- 2.6	83	86	64	09 2	24 1	19 3	4	8 *°	8 *°	7 =°	0.3	8	⊙° *° =° n, *° = a, =° = *° ⊙ p
11	99.5	00.0	02.3	- 0.6	1.3	1.3	1.7	-1.3	96	80	88	16 1	18 1	19 1	8	8 *	8 ⚥°	8 =°	8.3	17	=° * n, * ⚥° a, ⚥° =° p
12	06.9	04.4	01.6	- 0.3	1.2	2.5	2.8	- 0.7	95	94	89	18 1	18 2	24 1	4	8 =°	8 =°	7 =°	1.4	14	=° =° n, ⚥ * =° a, =° ⊙° p
13	97.1	93.7	94.0	- 0.9	9.3	7.8	11.4	- 1.7	96	37	34	18 1	27 3	34 3	8	8 ≡°	6 =	7	0.2	12	≡° =° ' n, ≡° ≡ = ⊙ a, = ⊙ p
14	05.0	08.4	13.3	7.3	9.6	7.8	10.5	4.1	38	32	33	34 4	36 5	36 4	9	1	2	1		5	⊙ = n, ⊙ a,p
15	17.4	16.8	16.0	5.1	9.4	9.1	12.4	2.0	45	34	30	01 3	04 2	36 1	8	1	1 =	6 =°		0	⊙ n,a, =° = ⊙ p
16	18.0	18.2	19.8	4.8	13.7	9.7	15.1	1.9	73	40	42	00 0	19 1	03 4	9	7 =°	3 =°	2 =°		0	=° =° n, =° =° ⚥° ⊙ a, =° ⊙ p
17	25.7	24.0	23.0	3.2	7.0	6.5	9.7	- 0.2	55	46	40	02 4	04 3	03 3	9	4 =°	2 =°	2 =°	0.0	0	=° ⊙ n,a,p
18	24.9	22.5	18.8	1.9	7.9	10.7	11.9	- 1.3	57	45	43	02 2	19 2	20 1	8	6 =°	4 =	4 =		0	=° ⊙ n,a, = ⊙ p
19	15.2	12.2	07.4	5.7	14.9	14.9	16.9	0.4	66	39	30	00 0	11 1	25 1	8	1 ≡	5 =	3 =		0	≡ = ⊙ n,a, = ⊙ p
20	99.6	95.7	94.0	9.2	13.3	6.6	14.9	1.0	57	40	53	16 1	27 3	03 4	9	4 =	7 =°	7 =°			= = ⊙ n, = ⊙ = ⊙° a, =° ⊙ p
21	98.0	98.6	00.0	1.6	4.4	4.0	6.7	0.0	46	37	31	36 5	36 4	30 2	9	0	6	1 =°			=° ⊙ n, ⊙ a, =° ⊙ p
22	02.5	01.7	01.3	1.3	5.7	4.4	6.8	- 3.5	49	34	36	22 1	18 2	34 2	9	1 =°	6 =°	5 =°			=° ⊙ n, = ⊙ a, =° ⊙ p
23	00.9	98.9	96.7	2.6	6.6	5.2	7.6	- 3.2	52	37	40	08 2	24 2	32 2	8	2 =°	7 =	8 =			=° =° ⊙ n, = =° ⊙ a, = ⊙ p
24	98.9	98.8	01.3	1.2	5.8	1.8	6.5	- 0.9	47	37	64	36 4	36 5	32 3	9	3	7 =°	4 =°			⊙ = n, =° ⊙ a, ⚥ =° ⊙ p
25	05.4	05.6	06.0	3.0	6.6	6.3	7.6	- 3.6	53	36	37	25 1	01 4	02 2	9	0 =°	6	3 =°	0.0		= =° ⊙ n, =° ⊙ a, ⚥° =° ⊙ p
26	06.1	03.4	01.6	3.4	7.5	6.3	9.5	- 1.5	51	41	58	04 2	18 3	22 2	9	0 =°	1 =°	7 =°	0.0		=° ⊙ n,a,p
27	01.5	00.0	98.5	3.1	8.3	7.3	10.6	- 1.5	56	47	77	02 1	22 1	18 2	8	8 =°	7 =	6 =°			=° =° ⊙° n,a, =° = ⊙ p
28	95.5	92.2	93.0	2.8	3.9	6.0	7.4	2.2	97	99	95	09 3	03 2	22 1	4	8 •	8 ,°	8 ≡°	3.6		• =° n, • ,° ≡° a, ≡° ,° p
29	00.3	01.5	02.7	6.0	14.6	13.3	16.7	3.3	80	31	31	21 1	22 2	28 4	9	3 =°	1 =°	3 =°	6.1		≡° , ⊙ n, =° =° ⊙ a, =° ⊙ p
30	02.5	01.7	01.0	5.8	6.0	6.6	13.3	4.6	91	85	93	02 2	02 3	04 1	8	8 •°	8 =°	8 =°	4.0		• =° ⊙ n, •° =° ⊙ a, =° p
M	05.8	05.1	04.8	1.7	6.0	5.2	7.9	- 1.0	71	55	58	1.8	2.3	2.0	7.6	4.9	5.6	5.4	37		

Ekstensotabell

1955

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1ʰ

Mai (V)

H_s = 94 H_b = 95.6 h_z = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	01.2	00.1	98.3	6.4	10.9	9.4	12.8	5.4	86	56	72	00 0	17 1	19 2	8	8 =°	8 =°	1 =°	0.5		=° n, =° ⊙ a,p
2	93.2	87.2	84.0	5.3	5.3	5.9	9.4	3.8	86	90	98	07 3	05 4	04 2	6	8 =°	8 •	8 •°			=° n, =° • a,p
3	81.4	82.0	83.7	5.0	7.2	6.2	8.9	4.9	92	80	94	02 3	36 2	04 1	8	8 •°	8 ⸮°	8 ⸮°	18.9		•° • n, ⸮° •° =° a, ⸮ =° ⊙° p
4	84.7	82.0	79.5	6.1	5.5	7.0	7.0	4.9	89	91	96	18 2	04 2	18 2	6	8 •°	8 •°	8 ,°	3.4		•° ⸮° n, •° • =° a, • ≡° ,⸮ p
5	80.7	82.1	83.1	6.0	8.3	7.4	8.7	5.7	95	85	90	18 2	18 2	18 3	5	8 •°	8 •°	8 ⸮	12.9		• ≡° • n, •° =ᵈ a, •° ⸮ = p
6	86.1	88.8	90.0	6.1	8.0	10.4	12.4	5.8	94	82	72	17 1	00 0	22 1	5	8 •°	8 =	5 =°	3.0		= •° n,a, =⊙ p
7	94.1	96.3	98.2	7.6	9.2	10.2	13.6	6.3	80	66	63	04 3	04 2	16 2	9	7 =°	7 =°	7 =°	0.2		⸮° =° ⊙ n, ⸮° = ⊙ a, ⸮° =° ⊙ p
8	03.0	02.4	99.6	6.6	7.9	8.3	10.3	5.1	90	78	85	22 1	19 3	19 2	8	8 =°	8 =	8 •°	0.5		⸮ =° ⊙ =° n, =° =° ⊙° a, •° = p
9	93.3	90.2	86.3	7.1	12.6	8.1	13.4	6.8	89	64	95	22 2	18 4	18 3	8	7 =°	6 =°	8 =°	3.1		=° • ⊙° n, =° ⊙ a, ⸮° =° ⊙ p
10	81.2	81.5	83.1	8.6	7.4	7.8	10.9	6.9	86	53	21	19 1	10 1	21 3	9	7 =°	8 =°	4	0.2		•° =° ⊙ n, ⸮° =° =° ⊙ a, =° ⊙ p
11	87.6	88.8	89.7	6.5	8.9	8.3	10.4	- 0.6	43	25	26	23 3	27 4	25 4	9	6 =°	7 =°	4	0.0		=° ⊙ n,a,p
12	88.6	89.3	90.4	4.5	9.6	8.7	10.5	1.3	67	36	22	25 1	18 2	27 4	9	3 =°	6 △°	2 =°			=° ⊙ n, △° =° ⊙ a, △° ⸮° =° ⊙ p
13	92.7	91.6	89.2	5.3	8.7	5.6	9.4	- 1.2	51	36	83	12 1	19 2	09 2	9	6 =°	8 =°	8 •°	0.0		=° =° ⊙ n, ⊕ =° ⊙ a, •° =° ⊙° p
14	79.6	79.9	79.6	5.2	7.7	6.9	9.4	3.8	95	72	61	04 3	22 3	18 4	8	8 •°	7 ⸮°	6 =°	5.0		• =ᵈ n, •° =ᵈ a, ⸮° =° ⊙ p
15	77.9	78.4	81.3	5.8	6.4	8.2	8.8	3.4	76	80	60	18 4	18 5	20 4	8	7 ⸮°	7(⸮)	5	0.6		⸮° =° n, ⸮ ⸮° ⊙ =° a, △ᵈ R ⸮ p
16	87.9	89.5	91.6	5.7	10.2	4.8	11.0	3.3	68	47	92	18 2	20 4	05 1	8	6 =°	6 ⸮°	6 =°	5.6		⸮° =° ⊙ n,a, ⸮ △ ∩ ⊙ p
17	92.3	93.0	94.1	6.7	9.6	7.9	12.2	1.9	70	60	73	04 2	20 2	10 1	8	6 =°	6 =°	6 =	7.1		⸮° =° ⊙ n,=° ⊙ a, ⸮° = =° ⊙ p
18	93.5	90.1	87.5	6.7	6.1	6.7	7.9	1.6	76	94	95	06 3	04 3	02 3	6	8 =°	8 •	8 =°	0.1		⸮° =° ⊙ n, =° • a, • •ᵈ =° p
19	82.7	81.4	82.9	5.8	5.9	8.3	8.8	4.7	85	00	80	06 3	27 1	18 3	7	8 •°	8 •	7 ⸮°	13.1		•° =° n, • =° a, • ⸮° ⊙ =° p
20	86.9	88.5	90.3	6.2	11.5	11.1	12.9	4.7	88	41	28	20 1	32 3	36 4	9	6= •	7	7	6.5		⸮° =° n, ⸮ =° ⊙ a, ⸮° ⊙ p
21	96.2	97.4	99.1	7.1	7.9	4.8	11.1	3.4	37	35	72	36 4	27 3	02 2	8	5	6 ⸮°	7(⸮)	0.0		⊙ n, ⸮° △° ⊙ a, ⸮° ⸮° ⊙ p
22	04.9	04.1	03.1	4.5	8.3	8.2	10.7	0.6	39	31	37	36 2	32 2	29 3	9	7	4 =°	6	0.1		⸮° ⊙ n, =° ⊙ a,p
23	04.8	05.5	05.4	8.4	11.1	11.4	13.3	2.0	38	33	34	36 4	04 2	09 3	9	3	6 =°	1 =°			⊙ n, = ⊙ a, =° ⊙ p
24	08.1	05.4	01.7	6.7	9.5	9.5	11.8	2.3	51	46	63	18 1	22 2	18 1	9	8 =°	8 =°	8 =			=° ⊙ n,a, =° ⊙° = p
25	00.4	01.2	02.5	9.4	11.1	11.9	12.3	2.9	58	41	31	36 4	04 3	01 4	9	5 =°	7 =°	3 =°	0.0		•° =° ⊙ n, ⸮° =° ⊙ a, ⸮° △° = ⊙ p
26	06.7	07.3	07.8	8.9	11.3	13.4	14.4	4.5	43	28	21	04 3	35 3	00 0	9	2 =°	5 =°	2 =°	0.0		=° ⊙ n,a,p
27	10.3	08.5	07.0	10.4	16.2	17.8	19.5	2.6	51	22	25	18 1	36 1	04 1	9	0 =°	1 =°	1 =°			=° =° ⊙ n,a, =° ⊙ p
28	08.0	05.7	05.7	14.6	20.4	19.3	22.0	6.3	41	27	20	04 2	36 3	36 3	9	2 =°	2 =°	2 =°			=° ⊙ n,a,p
29	14.0	14.1	14.1	11.1	17.6	19.7	21.3	7.9	52	37	21	05 3	18 2	04 2	9	1	0	1			⊙ n,a,p
30	17.1	15.3	13.7	15.0	21.8	21.9	23.3	8.1	38	22	21	18 1	36 3	04 3	9	1	1	1			⊙ n,a,p
31	16.4	15.1	13.3	15.7	19.6	21.3	21.9	11.8	37	28	27	04 3	18 3	15 1	9	4	7 =°	7 =°			⊙ n, =° ⊙ a,p
M	95.3	94.9	94.8	7.6	10.4	10.2	12.6	4.2	68	54	57	2.2	2.5	2.4	8.1	5.8	6.3	5.3	81		

Juni (VI)

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.6	11.0	08.9	17.7	22.0	21.8	22.8	11.5	43	33	31	04 2	04 2	10 2	9	0 =°	3 =°	2 =°			=° ⊙ n,a,p
2	10.7	10.5	08.9	15.9	19.4	19.5	21.8	9.6	58	48	41	18 2	23 2	23 2	9	1 =°	4 =°	5 =			=° ⊙ n,a,p
3	10.1	09.4	09.0	15.5	22.9	19.4	24.4	11.4	65	41	56	23 1	04 1	27 1	9	4 =	2 =°	3 =°			=° ⊙° n, =° ⊙ a, =° ⊙ ⸮ p
4	08.9	06.5	04.2	13.3	24.7	24.9	27.2	8.5	78	28	23	00 0	22 2	22 1	8	3 =°	3 =	3 =°	0.4		=° =° ⊙ n,a, =° = ⊙ p
5	04.3	02.1	00.4	17.8	24.2	21.3	25.4	13.2	53	34	38	18 1	18 1	18 3	9	1 =°	2 =°	3 =°			=° ⊙ n,a,p
6	99.3	96.9	93.1	18.5	22.7	23.0	24.8	8.5	37	31	22	04 2	17 2	27 3	9	1 =°	1 =°	1 =°			=° ⊙ n,a,p
7	98.9	97.4	96.2	7.4	12.1	11.3	23.0	6.9	49	37	34	03 4	05 4	03 3	9	7	1 =°	2 =°			=° ⊙ n,a,p
8	98.4	96.6	96.5	8.4	10.9	10.7	12.4	4.6	51	38	38	05 4	05 3	04 3	9	1 =°	6	6 =°			=° ⊙ n,a,p
9	98.5	97.5	97.9	9.0	14.2	8.9	14.6	4.8	54	41	74	03 2	22 2	02 2	9	3 =°	4 =°	7(⸮)			=° ⊙ n,a, ⸮° =° ⊙ p
10	99.9	99.8	99.7	8.9	12.7	11.8	14.0	2.7	65	48	55	04 2	36 2	27 1	8	5 =°	4 =	7 ⸮°	0.0		=° (⸮) =° ⊙ n, =° ⸮°= ⊙ a,⸮°= ⊙
11	01.1	00.9	00.0	11.2	13.2	13.0	15.7	6.3	61	49	49	36 1	04 1	09 2	9	5 =°	3 =°	7 =	0.1		= ⊙ ⸮° n, = ⊙ ⸮ a,p
12	00.6	99.3	99.0	12.1	15.5	11.8	16.4	7.4	70	48	54	13 1	22 3	18 3	9	6 =	5 =°	5	0.4		= ⊙ n, =° ⊙ a, ⊙ p
13	99.9	99.1	98.9	11.9	16.7	16.8	18.9	4.1	63	32	32	18 1	19 2	19 2	9	3 =	2 =°	3 =			= ⊙ n, =° ⊙ a,p
14	01.5	00.0	99.3	13.1	17.9	14.0	18.5	6.0	65	41	52	18 1	18 4	18 4	8	2 =	3 =	7 ⊕°			= ⊙ n,a, = ⊙ ⊕ p
15	88.3	85.9	84.9	10.0	15.6	16.5	16.5	9.4	94	82	61	10 2	19 3	26 2	8	8 •	6 =	3 =°	25.3		=ᵈ n, =° ⊙° R ⸮ a, = ⊙ △ᵈ ⸮ p
16	94.9	95.5	97.1	11.4	13.4	12.2	16.5	10.0	39	30	31	36 2	36 4	32 4	9	3	7 =°	7 =	6.9		= ⊙ n, =° ⊙ a, = p
17	01.0	02.4	03.2	11.0	14.0	15.0	16.4	2.5	35	26	22	32 4	36 5	36 4	9	1	2	2			⊙ n,a,p
18	07.9	06.0	06.0	9.0	16.4	15.1	18.0	2.9	58	36	47	18 1	18 2	18 2	9	5 =°	1 =°	6			=° ⊙ n, =° =° ⊙ a, =° ⊙ p
19	08.2	06.2	03.9	14.1	17.4	17.1	18.7	8.2	47	41	32	18 2	22 2	18 3	9	2 =°	1 =°	1 =°			=° ⊙ n,a,p
20	03.7	03.6	03.6	15.5	19.8	19.8	21.4	6.4	47	38	37	04 2	08 2	03 1	9	2 =°	3 =°	4 =°			=° ⊙ n,a,p
21	08.5	07.3	06.3	15.1	20.1	19.6	22.0	10.4	60	37	47	22 1	20 2	18 2	9	7 =°	5 =°	7 =°			=° ⊙ n,a, =° =° ⊙ p
22	07.2	06.3	04.6	15.2	18.4	15.3	19.6	13.7	85	68	86	18 3	18 3	18 4	7	7 =°	7 =°	8 =°			=° =° ⊙ n, =° ⊙ a,p
23	99.5	99.6	00.8	15.1	19.5	19.3	20.8	12.4	80	37	33	21 3	21 4	25 3	9	3 =°	6 =°	4 =°	1.0		•° =° ⊙ n, = =° ⊙ a, =° ⊙ p
24	01.3	98.5	98.2	11.7	14.1	15.2	19.3	9.8	98	93	82	18 1	18 4	18 4	4	8 •°	8 ,°	4 =°	1.3		• =ᵈ =° ⊙ n, • , =ᵈ a, =° ,° ⊙
25	06.5	06.0	05.1	14.0	18.4	17.5	20.3	5.6	48	35	47	18 1	17 3	18 2	9	0	5 =°	6 =°	0.6		⊙ n, =° ⊙ a,p
26	07.8	07.2	04.6	16.0	19.0	18.5	21.2	6.9	45	35	30	00 0	19 1	19 1	9	5	3	7 =°	0.0		⊙ ⸮° n, ⊙ a, =° ⊙ p
27	06.0	06.0	04.8	14.6	15.8	19.1	20.3	11.6	66	63	47	18 1	04 2	30 2	9	6 =°	6 =°	4 =°			= ⊙° n, =° ⊙ a,p
28	05.8	04.3	03.4	14.9	19.5	15.4	20.8	9.2	79	49	72	19 1	23 3	18 4	8	3 =°	6 =°	8 =°			=° = ⊙ n, =° ⊙ a,p
29	01.4	00.4	99.5	14.2	16.5	14.2	17.2	13.1	92	72	90	18 3	22 2	18 1	7	8 ⸮°	8 =°	8 ⸮°	0.0		=° ⸮° n,a, = ⸮° ,° p
30	98.6	99.0	99.0	13.8	16.7	16.2	18.1	13.2	94	83	86	09 1	11 2	27 1	6	8 •	8 ⸮°	8 =°	5.0		=° • n, =° ⸮ , a, =° ⸮° p
M	03.1	02.0	01.2	13.2	17.5	16.5	19.6	8.4	63	46	48	1.7	2.5	2.4	8.4	3.9	4.2	4.9	41		

1955

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1h

Juli (VII)

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	99.4	98.5	98.1	17.5	21.3	17.0	21.6	12.7	67	53	80	00 0	24 2	18 1	8	3 =°	6 =°	7 =•	1.0		=° ⊙° n,a, =° ∇̇ ⊙° p
2	95.2	92.3	88.9	14.9	16.2	14.9	17.3	14.2	91	90	77	11 2	17 2	02 2	6	8 =°	8 ∇̇	7 =°	4.3		=° ∇̇ n, =° ∇̇° a, =° ∇̇ ⊙° p
3	88.4	90.3	90.9	13.0	19.3	19.9	21.3	12.0	94	59	60	16 1	22 2	18 2	8	8 =°	3 =°	2 ∞°	10.8		=° ∇̇ n, =° ⊙ a,p
4	93.1	94.4	94.9	13.6	17.8	16.3	19.9	13.1	93	60	68	04 1	18 3	18 3	7	8 =°	6 =°	6 =°			=° n, =° ⊙ ' a, =° ⊙ p
5	97.3	98.2	00.0	14.2	20.1	20.6	21.3	11.2	90	55	47	00 0	04 3	04 3	8	8 =•	6 ∞	3 ∞°	0.0		=° ∇̇° n, ∞ =° ⊙ a, ∞° ⊙ p
6	06.5	06.3	05.8	18.3	22.2	21.5	23.5	14.2	47	42	45	03 1	21 2	17 2	9	1	7 ⊕°	8 ∞°			⊙ n, ∞° ⊕ ⊙ a,p
7	07.7	08.6	09.0	20.2	24.2	27.0	27.4	14.9	45	43	31	04 2	18 2	25 1	9	1	1	1	0.0		⊙ ∞° ∇̇° n, ⊙ a,p
8	16.0	16.3	15.3	20.3	26.4	28.5	29.2	14.0	53	41	32	04 3	18 1	27 1	9	1	1	1			⊙ n,a,p
9	18.7	17.7	14.7	23.6	27.9	28.4	29.6	17.8	45	42	35	04 2	11 2	09 2	9	1	1	1			⊙ n,a,p
10	16.1	15.1	12.9	25.8	29.6	30.6	32.8	17.4	58	36	30	00 0	02 1	04 3	9	0	1	5			⊙ n,a, ⊙ (R) p
11	14.0	12.6	11.2	25.5	28.8	29.2	31.4	18.7	59	42	34	09 1	09 3	18 2	9	1 ∞°	1 ∞°	1 ∞°			∞° ⊙ n,a,p
12	11.7	09.9	07.9	24.1	30.3	28.0	31.7	17.6	58	36	38	00 0	27 2	19 2	9	2 ∞°	2 ∞°	2 ∞°			∞° ⊙ n,a,p
13	08.8	08.0	05.9	23.0	28.7	27.1	30.0	15.4	61	44	43	04 1	18 2	18 3	8	3 =•	6 =•	5 ∞°			=° ⊙ n,a, ∞ ⊙ p
14	06.2	05.0	03.1	21.5	29.3	25.3	29.9	17.3	83	30	55	18 1	18 3	18 3	9	3 =•	1 ∞°	6 =°			=° ⊙ n, ∞° ⊙ a, =° ∞ ⊙ p
15	04.0	01.9	01.0	21.3	27.3	23.1	28.8	15.7	77	35	35	18 1	19 4	32 2	8	1 =°	7 =•	8 ∞°			=° ⊙ n, =° ⊙° a, ∞° ⊙ p
16	01.3	00.9	01.1	19.7	25.9	24.9	28.3	14.5	54	36	37	27 3	29 3	31 4	9	7	2	2 ∞°	0.0		•° ⊙ ∞° n, ⊙ a, ∞° ⊙ p
17	02.9	01.2	97.1	20.5	25.7	23.9	27.7	17.4	64	44	45	23 2	26 3	27 3	9	6	6	6 ∞			∞° ⊙ n, ⊙ a,p
18	07.1	07.0	06.1	15.8	21.2	22.8	24.2	9.0	47	33	26	27 2	20 2	27 1	9	1	2 ∞°	0 ∞°			∞ ⊙ n, ∞° ⊙ a,p
19	05.6	03.7	02.6	17.4	20.8	21.2	22.8	11.6	58	42	38	16 1	27 1	27 1	8	4 ∞°	7 =°	3 ∞°			∞° ⊙ n, =° ∞° ⊙ a,p
20	04.0	03.2	02.7	17.9	27.5	26.6	30.5	10.6	60	35	35	18 1	18 1	22 1	9	1 ∞	1 ∞°	1 ∞°			∞° ⊙ n, ∞° ∞ ⊙ a, ∞° ⊙ p
21	06.0	05.3	03.8	22.2	26.7	27.8	29.7	13.8	42	32	26	04 2	18 1	22 1	8	0 ∞	0 ∞	0 ∞			∞ ∞° ⊙ n, ∞ ⊙ a,p
22	06.6	05.0	03.1	23.0	27.8	28.8	30.4	17.6	55	43	35	05 2	18 1	20 1	9	1 ∞°	1 ∞°	4 ∞			∞° ∞ ⊙ n, ∞° ⊙ a, ∞ ∞° ⊙ p
23	03.3	04.9	05.2	18.9	21.1	21.4	28.8	16.2	82	57	42	18 1	36 4	36 4	9	7 ∇̇°	4	2	0.1		∇̇° ∞ ⊙ n, ∇̇° ⊙ a,p
24	10.2	09.3	08.4	19.5	24.5	25.7	25.9	14.1	37	21	16	03 2	08 2	05 2	9	0	1	1 ∞°	0.1		⊙ n,a, ∞° ⊙ p
25	12.5	10.3	08.6	20.9	26.1	27.7	28.3	16.5	33	20	15	05 3	06 3	05 2	9	1 ∞°	1 ∞°	1 ∞°			∞° ⊙ n,a,p
26	10.5	09.4	07.7	23.0	27.3	27.7	28.7	16.0	41	36	31	05 2	04 3	05 2	9	0 ∞°	1 ∞°	2 ∞°			∞° ⊙ n,a,p
27	09.0	06.2	03.2	20.9	27.3	28.4	30.5	15.3	67	41	33	00 0	34 1	22 1	8	2 =°	1 =•	0 ∞			=° ∞° ⊙ n, =° ⊙ a, ∞ =° ⊙ p
28	02.8	01.1	99.0	22.1	27.7	27.4	30.1	15.2	60	44	39	18 1	22 2	23 2	8	0 =•	1 ∞	0 ∞			=° ∞ ⊙ n,a,p
29	02.0	01.8	00.5	19.6	25.2	26.7	27.9	16.5	58	46	41	02 3	02 2	09 2	9	1 ∞°	1 ∞°	2 ∞°			∞ ∞° ⊙ n, ∞° ⊙ a,p
30	04.7	04.0	03.2	20.8	27.1	24.9	28.4	15.9	63	47	51	21 1	20 2	18 3	8	0 ∞	3 ∞	3 ∞			∞ ⊙ n,a,p
31	04.0	02.9	02.6	20.6	28.9	24.4	30.2	14.3	76	26	41	18 1	17 2	18 2	9	2 =°	1 ∞°	2 ∞			∞ =° ⊙ n, ∞° =° ⊙ a, ∞ ∞° ⊙ p
M	05.7	04.9	03.7	20.0	25.2	24.8	27.4	14.9	62	42	41	1.4	2.2	2.1	8.5	2.6	2.9	3.0	16		

August (VIII)

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	03.2	00.9	99.1	20.5	27.8	22.5	28.2	12.8	63	28	68	18 1	20 2	20 2	9	0 ∞°	1 ∞°	1 =°			∞° ∞ ⊙ n, ∞° ⊙ a, =° ⊙ ∞° p
2	01.5	00.9	00.9	16.7	20.3	19.5	22.5	14.5	49	36	35	02 5	05 4	04 4	9	2	2 ∞•	3			=° ⊙ n, ∞° ⊙ a,p
3	05.0	03.3	01.0	16.4	21.7	21.0	24.4	11.8	47	37	40	04 2	22 2	22 3	9	1	1 ∞°	6 ∞°			⊙ n, ∞° ⊙ a,p
4	02.0	01.9	01.0	17.8	22.5	23.3	26.7	12.9	54	37	30	06 1	06 2	16 1	9	6 ∞°	3 ∞°	3 ∞°			∞° ⊙ n,a,p
5	01.9	99.5	97.8	16.9	22.8	18.9	23.6	14.6	88	47	60	18 1	18 2	21 2	8	6 =°	6 ∞	8 ∇̇•			∞° =° ⊙ n, ∞ =° ⊙ a, ∇̇° ∞ ⊙ p
6	93.4	90.8	88.3	17.2	18.4	14.9	19.5	14.4	57	47	92	19 1	27 2	30 1	9	2 ∞°	8 ∞°	8 ∇̇°	0.0		∞° ⊙ ∇̇ n, ∞° ⊙ a, =° ∇̇° p
7	86.7	87.6	90.0	15.3	16.4	14.8	18.2	11.1	71	56	59	36 4	36 4	36 4	9	7 ∞°	6 ∞•	8 ∞•	8.7		∞° • n, ∞° ⊙° a, ∞° ⊙° ∇̇° p
8	98.9	01.2	03.1	14.5	18.4	19.8	21.0	11.4	89	66	60	36 4	01 3	36 2	8	7 =°	6 =•	4 ∞	1.3		=° ∇̇ n, =° ⊙° ∇̇ a, ∞ ⊙ ∇̇ p
9	09.1	09.8	10.1	15.4	21.3	21.7	23.7	15.3	83	59	61	03 3	04 2	36 2	7	8 =•	6 =•	7 =°	0.9		=° ,° ∇̇° n, =° ⊙° a,p
10	14.1	13.6	12.6	18.5	27.0	24.4	28.4	16.1	82	42	59	18 1	18 2	34 1	7	5 =°	5 =•	3 =°			=° ⊙° n, =° ⊙ a, =° ⊙ ∇̇ p
11	14.8	13.9	12.1	18.9	26.0	25.5	28.1	14.1	74	46	42	18 1	18 1	04 1	8	1 =•	3 =°	7 =°	0.6		=° ⊙ n,a,p
12	12.6	11.6	09.5	21.0	23.0	22.7	25.5	20.0	58	46	45	04 2	04 1	08 1	8	8 ∞	8 ∞	7 ∞			∞ n,a, ∞ ⊙ ∇̇° p
13	10.0	09.2	07.7	20.5	25.3	24.1	26.5	13.8	57	43	37	18 1	22 2	22 2	8	6 =•	2 =•	1 ∞•	0.0		=° ∞° ⊙ n, =° ⊙ a, ∞ =° ⊙ p
14	07.9	06.8	05.0	18.4	25.3	23.8	26.7	11.9	65	40	39	00 0	22 2	19 2	8	1 =•	1 ∞	0 ∞			=° ∞° ⊙ n, ∞ =° ⊙ a, ∞ ⊙ p
15	05.4	04.7	03.9	18.4	24.4	21.2	24.9	12.4	70	47	62	14 1	18 3	19 2	8	1 =°	4 =•	3 ∞			∞ =• ⊙ n, =° ⊙ a, ∞ =° ⊙ p
16	05.8	05.8	06.3	18.0	25.7	21.7	26.9	14.5	83	39	56	20 1	20 2	18 3	8	7 =•	1 ∞	2 =°			=° ⊙ n, ∞ =° ⊙ a,p
17	07.5	07.1	06.2	17.4	23.0	18.6	24.6	16.4	85	53	83	00 0	18 2	18 4	6	8 =2	3 =•	7 =°			=2 =° ⊙ n,a, =° ⊙ p
18	04.6	03.7	04.3	18.0	16.3	17.2	20.7	15.1	84	90	83	16 3	09 2	18 2	6	8 =°	7(∇̇)	7 =°			=° = n, =° R ∇̇2 a, ∇̇° =° ⊙ p
19	07.6	09.2	09.0	15.2	18.6	18.3	19.7	14.8	95	78	83	00 0	20 1	00 0	6	8 =2	7 =•	6 =•	14.9		• =2 n, =° =2 a, =° ⊙ p
20	11.8	13.2	13.2	16.1	20.7	19.6	22.6	13.5	95	56	78	18 1	17 2	18 3	7	8 •°	5 =°	7 =•	0.2		= •° n, =° •• ⊙ a, =° ⊙ p
21	13.6	13.7	14.2	17.2	20.5	19.9	20.7	16.9	91	82	89	18 1	17 1	25 1	7	8 =	8 =°	8 ∇̇°	1.1		= ∇̇° ' n, = =° a, =° ∇̇ p
22	17.8	16.7	15.4	16.4	21.6	22.2	24.8	14.4	61	36	37	02 4	09 2	26 1	8	6 ∞	1 ∞	2 ∞•	3.0		∞ = ⊙ ∇̇ n, ∞ ⊙ a,p
23	18.6	17.4	15.7	16.2	24.9	22.4	26.5	10.6	66	28	47	00 0	18 2	00 0	9	4 =•	4 ∞•	8 ∞•			=° ⊙ n, ∞° ⊙ a,p
24	16.9	15.1	12.9	21.1	26.1	25.7	29.0	14.2	52	37	38	09 1	19 2	22 1	9	1 ∞	1	1			∞ ⊙ n, ⊙ a,p
25	13.3	12.1	10.2	18.6	26.5	24.4	27.8	12.8	68	41	45	14 1	27 2	22 1	9	1 =•	0 ∞°	1–			=• ⊙ n, ∞• ⊙ a, ⊙ p
26	10.6	10.0	08.4	17.9	25.6	23.0	26.4	12.3	74	43	46	17 1	18 1	18 2	9	1 =•	1 ∞°	1 ∞°			=° ⊙ n, ∞° ⊙ a,p
27	08.5	07.4	05.2	17.4	24.7	22.9	27.2	12.3	85	47	60	00 0	18 2	18 2	7	6 =2	4 =•	5(∇̇)			=2 ∞° ⊙ n, =° =2 ⊙ a, =° ⊙ p
28	06.1	05.3	03.7	18.2	25.9	24.2	27.9	13.7	74	39	41	00 0	18 2	05 2	7	3 =•	2 =°	7 =•	0.0		∇̇° =• ⊙ n, =° ⊙ a,p
29	05.4	04.8	03.4	16.8	23.9	22.2	25.7	14.6	86	62	65	04 1	18 2	18 3	7	8 =•	3 =•	6 =•			=° ⊙ n,a,p
30	04.3	03.8	03.0	17.7	24.8	20.7	25.4	14.4	88	46	67	00 0	18 3	18 3	7	5 =•	4 =•	3 =°			∞ =° ⊙ n,a, =° ⊙ p
31	00.3	97.5	95.3	17.0	23.5	18.6	24.0	14.6	95	43	76	20 2	14 2	18 4	7	8 =	2 =°	7 =•			= =° ⊙° n, =• = a, =• ⊙ p
M	07.1	06.4	05.4	17.5	23.0	21.3	24.8	13.9	74	48	57	1.4	2.1	2.0	7.8	4.9	3.7	4.7	31		

1955

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1h

September (IX)

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	92.4	91.4	89.9	14.9	21.7	18.2	23.2	13.3	93	36	32	00 0	20 2	28 3	9	4 =•	4 ∞°	7	0.7		• =° ⊙ n, ∞° =° ⊙ a, ∞° ⊙ p
2	90.0	88.4	80.8	12.0	13.4	12.8	18.2	6.9	64	83	95	00 0	24 1	02 3	7	7 =•	8 •	8 •			=° ⊙ n, •° =° ⊙° a, • •° p
3	82.1	85.9	89.3	11.5	19.4	17.7	20.6	10.1	91	54	61	11 1	17 2	00 0	8	7 ••	7 =°	7 ∞	25.1		=° • n, =° •° ⊙ a, ∞ ⊙ p
4	97.0	97.3	97.1	11.5	18.2	16.7	20.2	7.2	70	44	68	00 0	18 2	18 3	9	6 ∞•	3 ∞°	8 ∞	0.2		∞° ⊙ n,a,p
5	97.1	96.2	95.9	13.8	18.2	16.8	19.8	12.1	90	62	79	18 1	20 3	18 3	7	7 =•	7 =°	7 =°	0.1		=° ⊙° v̇° n, =° ⊙ a,p
6	96.0	96.1	98.3	15.2	19.0	18.2	21.1	13.5	95	63	86	22 2	20 4	18 1	8	8 v̇•	8 ∞	7 ∞	0.0		=• v̇• n, ∞ =° v̇° ⊙° a, ∞ ⊙ p
7	06.2	07.3	07.3	12.9	20.5	18.9	23.2	9.3	73	42	44	22 1	20 2	18 1	9	6	4 ∞°	1	0.0		∞ ⊙ n, ∞° ⊙ a, ⊙ p
8	10.1	09.8	06.9	15.1	20.3	19.5	22.5	11.3	82	59	71	18 1	21 1	02 2	7	8 =°	0 =°	2 =°			∞ =° n, =° ⊙ a,p
9	01.7	01.3	01.7	15.6	19.2	16.5	19.5	14.8	95	71	90	09 3	18 4	18 2	6	8 =	7 =°	8 =	1.0		= • n, =° v̇ ⊙ a, = v̇ p
10	02.5	01.5	00.7	15.0	17.0	14.8	17.3	14.6	90	83	96	09 1	36 2	04 2	5	8 =²	8 R	8 =	1.9		v̇• = =² n, v̇° = =² R° a, R v̇² = p
11	98.3	96.2	94.6	13.5	17.9	14.5	17.9	12.9	95	62	91	20 1	22 3	18 3	7	8 =	7 =°	7 =•	18.6		v̇° = =² n, =° = ⊙ a, • =° p
12	98.7	98.8	97.1	11.5	16.5	12.8	16.9	7.5	71	44	63	26 1	22 2	22 1	8	6 =•	7 =°	7 ∞	1.5		=° ⊙ n,a,p
13	93.2	91.6	90.0	8.9	14.7	12.0	14.9	7.5	88	60	82	04 2	20 1	07 1	8	7 =•	7 =•	7 v̇°			=° ∞ n, =• ⊙ a,p
14	89.5	91.0	91.8	10.6	12.6	11.6	12.8	9.8	91	76	85	04 2	06 3	02 3	8	7 =°	8 =°	7 =°	11.9		=° • v̇° n, v̇° =° ⊙ a, v̇° =° p
15	93.4	93.2	91.8	10.0	12.6	10.4	12.6	9.7	94	57	73	03 3	04 3	36 1	8	7 =°	7 ∞	6 ∞°	1.5		• =° ⊙° n, v̇° ∞ =° ⊙ a, ∞° ∞ ⊙ p
16	85.4	84.2	84.0	10.4	11.8	11.6	12.5	8.9	88	83	88	02 5	03 5	01 4	8	8 •°	7 =°	8 ∞°	0.8		• ∞° =° n, •° • =° a, •° =° ∞° p
17	87.6	91.7	94.4	10.7	17.2	11.8	18.2	10.5	95	42	58	20 1	27 3	00 0	9	7 =°	4	5 ∞°	8.6		• =° n, •° =° ⊙ a, ∞° ⊙ p
18	93.2	93.8	95.5	8.9	13.4	9.7	14.4	6.9	92	61	82	25 1	27 4	27 1	8	2 ∞	6(v̇)	3 ∞°	6.8		v̇ ∞ ⊙ n,a, v̇° ⊙ p
19	04.6	06.0	06.8	6.4	16.1	10.2	17.4	3.5	85	37	66	14 1	26 2	30 1	9	2 =	1	1	0.3		∞° = ⊙ n, = =° ⊙ a, ⊙ p
20	09.3	09.1	08.7	9.0	16.0	12.7	18.4	5.1	72	51	78	18 1	18 1	00 0	8	2 =	1 ∞	3 =•			⌒ = ⊙ n, = ⌒ ∞ ⊙ a, =° ∞ ⊙ p
21	10.1	09.9	08.9	8.7	18.1	18.1	19.8	7.9	98	52	82	29 1	20 1	18 1	7	1 =	1 =°	1 =•			⌒ = =° ⊙ n,a, =° ⊙ p
22	10.2	10.6	10.1	10.7	12.9	10.5	14.4	9.4	94	82	92	34 1	00 0	36 1	5	8 =	8 =	2 =			=² =° n, = a, = ⊙ p
23	13.4	14.2	14.1	10.5	12.0	11.7	12.2	8.8	88	83	86	09 1	27 1	15 1	8	7 =•	8 =°	8 =°			=° = n, =° a,p
24	14.1	13.9	12.3	10.4	13.0	13.2	13.7	9.6	86	71	89	18 2	18 2	18 3	8	8 =°	8 =•	8 •			= n, =° ⊙° a, =° p
25	03.0	01.3	97.9	12.4	13.3	12.5	13.4	12.1	99	95	95	16 4	18 3	17 3	5	8 •	8 •	8 =	1.5		= • n,a,p
26	96.1	94.8	95.4	9.2	12.2	8.8	13.1	8.8	92	82	66	18 1	17 2	27 1	7	7 =•	7 =°	3 =°	9.7		=° ⊙° n, = v̇ ⊙ a, =° ⊙ v̇ R ⌒ p
27	97.1	98.5	99.4	6.6	14.0	7.1	14.0	3.2	84	42	84	06 1	04 2	35 1	9	6 =•	5 ∞°	3 ∞	2.1		=° ⊙ n, =° ∞° ⊙ a, ∞ ⊙ p
28	04.2	04.9	05.7	5.7	13.3	7.6	14.4	4.2	90	42	79	09 1	17 1	24 1	9	1 =•	1 ∞°	3 =•			=° ⊙ n, ∞° =° ⊙ a,p
29	03.2	02.4	00.3	8.1	12.0	13.5	14.4	6.6	90	76	91	26 1	20 3	18 3	9	7 v̇°	7 ∞°	7 =°	0.0		∞ v̇° n, ∞° v̇° a, =° ⊙° p
30	93.7	91.4	94.4	13.8	18.9	12.0	18.9	10.1	95	63	40	18 4	18 5	27 3	8	8 =•	5 =°	1 ∞	0.1		=• v̇° n, =° ⊙ a, ∞ ⊙ p
M	99.1	99.1	98.7	11.1	15.8	13.4	17.0	9.2	88	62	76	1.5	2.3	1.8	7.7	6.2	5.6	5.4	92		

Oktober (X)

Datum	P 7	13	19	T 7	13	19	Max	Min	U 7	13	19	D,F 7	13	19	V 13	N,w 7	13	19	R	h_s	W
1	93.2	95.9	00.1	7.5	12.9	9.3	13.7	4.4	72	31	48	22 3	28 5	22 2	9	1 ∞•	1	2			∞ ∞° ⊙ n, ∞° ⊙ a, ⊙ p
2	03.5	03.1	99.6	7.5	11.4	10.6	11.4	5.5	65	53	92	27 2	20 2	17 2	9	7 ∞°	7 ∞•	8 =°			∞° ⊙ n,a, =° •° ⊙° p
3	95.8	94.4	93.1	8.8	13.1	7.9	13.3	7.7	98	64	98	25 1	20 3	22 1	8	6 =•	7 =•	1	0.0		=° ⌒ ⊙ •° n, =° ⌒ ⊙ a, v̇ R =° ⊙ p
4	96.5	97.9	98.9	3.5	12.0	6.3	13.6	1.9	98	60	83	03 1	18 1	01 0	8	8 ≡•	1 =°	0 =°	1.5		⌒² ≡° ⊙ n, ≡ =° ⌒ ⊙ a, =° ⊙ p
5	01.6	00.9	99.5	6.4	6.5	6.4	7.4	4.9	79	83	93	02 3	02 4	04 4	7	7 ∞	7 =°	8 •°	0.1		∞° •° =° n, •° =° ∞ a, • =° p
6	95.2	95.0	94.9	5.8	10.0	9.8	10.1	5.1	00	83	89	03 2	07 4	05 4	7	8 =•	8 =°	8 =•	3.2		=° •° n,a,p
7	96.4	98.7	01.1	9.4	12.6	10.3	12.9	9.1	97	74	93	03 2	18 2	14 1	7	8 ••	6 =•	7 =°	8.1		• =° n, •° =° ⊙ a, =° ⊕ p
8	05.8	06.9	06.2	8.2	9.3	9.6	10.3	7.4	97	92	91	00 0	20 2	18 3	5	8 =	8 =	8 =	0.1		= v̇° n, = a,p
9	03.4	05.4	07.9	12.6	17.3	15.0	19.7	9.5	96	79	88	18 2	18 3	22 3	8	8 =°	3 =°	7 =°	2.8		=° = • n, =° ⊙ a,p
10	11.9	12.1	10.9	9.5	14.4	12.3	15.8	7.8	96	78	95	00 0	00 0	20 1	6	8 =	7 =°	6 =°	0.1		= (≡) ⌒² n, =° = ⊙ a, =° ⊙° p
11	08.8	07.9	07.5	12.1	14.1	11.8	14.4	11.8	86	71	91	18 2	18 3	18 3	7	3 =•	2 =°	8 =°			=° ⊙ ⌒ n, ⊙ a, = ⊙ p
12	06.0	06.2	05.2	10.4	11.2	12.3	12.3	10.4	92	84	95	27 1	22 1	00 0	7	8 =•	8 =°	8 =°			=° n,a,p
13	02.0	00.4	96.5	10.5	14.5	12.6	14.5	10.4	96	72	73	21 1	24 2	18 4	7	8 =²	7 =°	6 =°	0.4		=² (≡) v̇ n, =° ⊙° a, =° ⊙° v̇° p
14	93.8	94.7	91.9	7.8	13.5	10.9	13.6	7.3	86	63	58	04 1	23 2	35 1	8	3 =°	7 =°	8 =°	0.0		=° ⊙° n,a, =° p
15	73.8	77.1	79.8	6.4	6.5	4.0	10.9	3.9	93	53	57	27 1	36 4	34 3	9	3 ∞°	3 ∞°	7	4.6		=° ∞° • ⊙ n, v̇° ∞° ⊙ a, ∞° ⊙ p
16	87.7	86.9	84.4	2.6	5.6	0.0	7.3	- 0.2	53	37	68	29 4	27 3	01 1	9	4	4 ∞•	0	0.4		⩓° v̇° ⊙ n, ∞° ⊙ a,p
17	93.3	84.3	85.6	- 0.5	3.9	1.7	4.4	- 2.2	68	46	53	02 4	04 4	03 4	8	3 =•	2 =•	1			=² ⌣ ⊙ n,a, =° ⊙ p
18	89.9	90.9	93.2	2.2	4.1	2.6	4.1	0.5	71	63	71	02 3	03 3	02 1	9	7 ∞•	7 ∞•	4			∞° n, ∞° ⊙° a, ∞° p
19	97.1	98.6	98.3	- 2.5	4.9	3.9	5.2	- 2.8	98	65	63	02 1	19 1	09 1	7	1 =²	4 =•	6 =°			=² ⌣ ⊙ n,a, = ⊙ p
20	86.6	84.2	84.6	5.4	8.0	9.4	9.4	2.8	98	96	96	14 3	18 3	19 2	6	8 •	8 •	8 =°	4.2		• =° n,a, •² =° p
21	86.9	89.3	94.1	7.6	8.2	6.7	9.7	6.6	96	90	64	20 1	00 0	02 5	5	8 ≡•	7 =	8	19.6		≡° • = n, ≡° = a, = p
22	08.2	11.4	13.3	2.9	6.6	1.9	6.9	1.9	61	46	67	36 2	09 2	36 1	9	0	1	0 ∞			⊙ n,a, ∞ ⊙ p
23	14.1	12.7	09.9	- 1.4	4.1	- 0.4	4.5	- 2.1	90	58	89	02 1	00 0	02 1	9	1	2 ∞°	1 ∞°			∞ ⊙ n, ∞° ⊙ a,p
24	03.7	01.0	99.9	- 2.0	0.3	- 0.3	0.9	- 3.4	98	97	98	00 0	00 0	00 0	3	8 =•	8 *°	4 =°			=° ⌣ n, ≡° * a, =° * p
25	96.7	94.0	85.9	- 0.6	0.2	0.7	0.7	- 1.5	97	96	96	24 1	00 0	04 2	2	8 ≡	8 ≡	8 =•	3.8	2	≡ n,a, ≡ =° ⩓° v̇ p
26	85.8	86.4	86.0	3.4	6.9	2.3	6.9	0.5	59	46	68	36 4	34 3	32 1	9	6 ∞•	5	6 ∞	2.2	0	∞° =° n, ⊙ a, ∞ ⊙ p
27	86.7	86.7	86.7	- 1.8	5.6	1.5	5.9	- 2.4	92	58	68	04 1	00 0	02 1	8	7 =•	6 =•	2 ∞		0	=° n, =° ⊙° a, ∞ ⊙ p
28	91.3	92.8	95.3	- 0.6	3.5	- 1.3	3.5	- 1.4	62	47	71	04 2	36 4	00 0	9	1	3	1 ∞		0	⊙ n,a, ∞ ⊙ p
29	88.7	84.8	83.5	- 2.5	3.8	2.2	6.0	- 3.6	96	53	45	27 1	24 1	35 1	7	5 =•	1 =•	0		0	=° ∞° ⌣° n, *° =• ⌣ ⊙ a, =° ⊙ p
30	86.2	88.4	91.8	- 3.5	3.7	- 0.4	3.8	- 3.7	91	42	55	00 0	36 2	01 2	8	3 =•	3 =•	1	0.0	0	=° n, =° ⊙ a, =° ⊙ p
31	97.1	97.5	97.9	- 6.8	2.4	- 1.1	3.6	- 7.0	91	51	64	04 1	20 1	00 0	8	3 =•	2 ∞	7 ∞		0	=° ⊙° n, ∞ ⊙ =° a, ∞ ⊙ p
M	96.0	96.3	96.2	4.1	8.1	5.8	8.9	2.9	86	66	77	1.6	2.1	1.8	7.3	5.4	4.9	4.8	51	0	

1955

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1h

November (XI)

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	98.3	98.9	99.5	- 3.8	3.7	- 0.2	3.7	- 3.9	85	58	83	00 0	18 1	02 1	7	4 =°	5 =°	3 =°		0	=° ∞ ⊙° n, =° ⊙ a,p
2	03.7	05.8	07.1	1.0	2.4	- 0.5	3.9	- 2.1	98	94	00	28 1	00 0	00 0	4	8 =³	3 =³	0 ≡°		0	=° =³ n, =³ ⊙ a, =³ ≡° ⊙ p
3	07.3	07.1	05.7	1.6	0.8	1.1	2.4	- 1.2	97	82	88	09 1	02 1	00 0	7	8 =³	7 =°	8 =°	0.0	0	≡ =³ ,° n, =³ =° a, =° p
4	03.0	02.6	02.3	1.1	2.3	2.2	2.3	0.7	86	86	94	09 1	07 1	04 1	6	8 =	8 =°	8 =°		0	= =° n, = a, =° ,° p
5	00.2	00.6	02.9	2.6	3.2	3.2	3.3	2.1	98	93	95	02 1	04 2	04 3	6	8 •	8 •	8 •	3.5		= • n, = =° • a, = • p
6	12.2	13.9	14.9	1.5	1.6	1.2	3.2	0.8	91	90	91	02 3	02 4	02 3	6	8 ‡°	8 •°	8 =°	10.4		=° ‡ n, =° • ‡° a, =° • ‡ p
7	13.4	12.9	11.5	1.6	2.2	2.6	2.6	1.1	92	94	95	02 1	36 1	04 1	5	8 =°	8 =	8 =°	0.8		= ,° n, = a, = •° ,° p
8	06.0	04.7	03.3	3.3	3.6	3.8	3.8	2.5	96	95	95	04 1	03 1	03 2	5	8 =	8 •	8 •°	0.7		= •° ,° n, = • ,° a,p
9	97.6	95.6	95.2	4.5	4.6	3.5	4.6	3.5	96	91	88	02 2	03 3	02 1	7	8 =°	8 =°	4 =°	7.4		=° n, = =° • a, =° p
10	92.9	92.6	92.6	2.9	4.2	4.2	4.4	1.3	96	92	95	00 0	04 1	04 1	6	8 ,°	8 •°	8 •	10.0		=° •° n, = ,° •° a, = • p
11	94.8	97.1	97.2	5.3	7.3	8.5	8.5	4.1	95	94	95	27 1	00 0	18 2	5	8 =	8 ,°	8 •	5.7		=³ = • n, = ,° •° a, =° • p
12	97.7	98.7	97.1	8.8	9.1	8.7	9.2	8.4	00	91	92	18 2	18 2	18 2	6	8 •	8 =°	8 =°	18.0		• =° n,a, •° =° p
13	98.8	00.1	02.8	0.6	6.8	1.1	8.8	- 0.5	64	37	67	26 3	27 2	27 1	8	1	1 =°	0	0.9		=° n, =° ⊙ a,p
14	06.7	08.8	13.0	- 1.8	7.3	5.6	7.9	- 2.2	85	44	41	05 1	36 3	35 3	9	1 =³	1	2			≡³ n, ⊙ =³ a, ⊙ p
15	13.0	10.6	10.1	- 0.6	2.1	1.3	5.8	- 1.2	89	80	83	00 0	00 0	00 0	6	7 =	7 =°	0 =°			= n, = =° ⊙° a, =° ⊙ p
16	17.9	19.0	19.3	- 0.6	2.4	1.4	4.7	- 1.7	91	80	86	04 1	00 0	00 0	6	4 =°	4 =°	8 =°			=° ∞ ∪ n, =° ⊙ a,p
17	19.3	18.3	15.0	- 2.6	- 1.4	0.2	2.0	- 3.3	00	96	95	00 0	00 0	00 0	0	1 =³	8 ≡³	8 ≡³			≡° =³ =° ∪ n, =³ ≡³ ∪ p
18	08.9	10.0	15.3	- 2.7	2.7	1.6	4.6	- 3.1	95	94	76	04 1	05 1	06 1	4	8 =³	3 =³	1 =°	0.2		, =³ =³ n, =³ ≡° a, ⊙ = ≡° p, ∞ 19
19	17.3	14.5	07.3	- 3.0	- 1.2	- 0.8	3.6	- 3.4	95	96	95	00 0	00 0	00 0	2	3 =°	8 ≡	8 =°			=° ∪ ∞ n, ≡ =° a,p
20	05.1	11.7	15.7	5.6	7.1	1.8	7.7	- 1.1	49	33	57	36 1	36 4	02 1	9	1 ∪	2	2 ∞			∪ n, ⊙ a, ∞ ⊙ p
21	11.3	07.6	05.2	- 0.8	1.4	1.3	1.8	- 2.4	90	84	85	00 0	00 0	00 0	6	8 =°	7 =°	7 =°			=° ∞ n, =° a,p
22	04.9	00.3	91.5	0.1	1.7	1.1	2.0	- 2.5	91	89	88	04 1	00 0	34 1	6	2 =°	7 =°	1 ∞			= ∪ n, =° a, ∞ p
23	83.9	80.8	84.4	3.0	3.8	5.3	5.7	- 1.1	43	39	43	34 3	27 3	34 4	9	1 ∞°	3 ∞°	1 ∞			∞° n, ∞ ⊙ a,p
24	93.2	99.0	04.5	0.1	0.0	- 1.2	5.3	- 1.2	38	37	43	36 5	36 5	02 3	9	1 ∞	1	1 ∞			∞ n, ⊙ a,p
25	05.8	01.7	96.4	- 5.4	- 1.4	- 0.8	- 0.4	- 5.9	86	76	73	00 0	00 0	00 0	7	7 =³	7 =³	8 =°			=³ n,a, =° p
26	91.6	86.6	84.2	- 2.6	2.3	4.4	6.2	- 2.9	97	82	57	00 0	00 0	27 3	6	7 =°	8 =°	1			=° ∪ n, ⊙° =° ∪ a, ⊙ =° p
27	88.5	88.7	89.2	- 0.8	5.1	2.7	6.7	- 1.2	58	39	32	09 1	26 3	31 4	8	1	1 =°	0			=° ⊙ a, ⊙ p
28	96.2	00.5	07.5	- 4.6	0.8	- 3.1	2.7	- 5.8	47	37	49	00 0	04 1	02 3	8	2	1 =°	1			=° ⊙ a,p
29	18.3	18.6	15.9	-10.0	- 7.0	- 7.0	- 3.1	-10.7	79	64	78	04 1	18 1	00 0	7	4 =°	6 =°	7 =°			=° n, =° ⊙ a,p
30	02.7	00.7	97.9	- 5.0	- 1.3	1.2	1.2	- 7.5	97	00	96	00 0	00 0	00 0	3	8 =°	8 ≡°	8 =³	2.0	5	* =° n, =° ≡° a, ≡ =³ =° p
M	03.7	03.6	03.5	0.0	2.5	1.8	4.2	- 1.3	84	76	79	1.1	1.3	1.4	6.1	5.3	5.7	4.8	60	0	

Desember (XII)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	93.5	92.7	91.4	- 1.2	1.7	- 2.8	1.7	- 3.7	95	93	95	00 0	00 0	00 0	4	6 =³	5 =³	8 ≡³		4	= ∪ n, ≡° =³ ∪ ⊙ a, ≡³ =³ ⊙ p
2	92.3	96.3	95.2	- 2.7	- 1.5	- 0.8	0.3	- 3.7	95	91	78	00 0	00 0	03 1	6	1 ∨	7 =°	8 =°		4	∨ ≡³ =³ n, ≡ =° ⊙ ∨ a, =° ≡° p
3	84.4	80.9	81.5	2.8	3.9	1.4	4.0	- 1.3	95	94	96	00 0	00 0	00 0	6	8 =	8 •	8 ≡	0.0	3	= ‡° n, =° = • a, ≡ • p
4	89.7	95.9	02.1	- 0.4	- 0.8	- 2.9	1.8	- 2.9	90	92	93	02 1	00 0	02 1	5	8 =°	7 =	3 =°	0.5		=° ∪ n, = a, =° = ⊙° p
5	01.9	97.0	88.7	- 1.4	1.2	2.7	2.8	- 4.2	84	85	94	04 1	02 1	00 0	6	7 =°	8 =°	8 =°			=° ∪ n, =° a,p
6	81.7	86.3	91.4	2.4	8.4	1.7	8.4	1.6	92	40	36	27 1	28 4	20 1	9	1 ∞	2	0 ∞°			∞ n, ⊙ a,p
7	82.2	79.3	77.7	- 2.0	1.8	1.4	2.3	- 2.2	83	76	41	04 1	28 1	27 4	7	5 =°	5 =°	0 ∞			=° n, =° ⊙ a, ∞ p
8	90.2	91.9	93.7	0.8	- 0.8	- 0.3	2.6	- 2.3	45	54	53	36 1	24 1	36 4	8	0	7 ∞	1 ∞			∞ a,p
9	87.7	86.2	86.8	- 2.4	1.0	- 1.8	1.4	- 6.9	43	36	47	22 3	28 5	36 1	9	7 ∞	1	0 ∞			∞ n, ⊙ a, ∞ ⊙ p
10	83.2	82.0	82.3	- 9.3	- 7.1	-10.6	- 1.7	-10.7	90	89	89	00 0	00 0	00 0	4	3(=)	1 =³	0(=)			(=) ∞ n, =³ (=) ⊙ a,p
11	91.7	94.8	96.9	- 9.1	- 6.4	- 9.3	- 5.0	-11.0	73	67	74	02 1	00 0	00 0	4	0	0 =³	0 =°			(=) n, =³ ⊙ a, =° =³ ⊙ p
12	97.2	99.3	02.1	- 8.0	- 6.8	-10.7	- 6.7	-10.7	85	84	89	03 1	00 0	04 1	4	7 =°	0 =³	0 =°			=° n, =³ =° ⊙ a,p
13	04.0	05.5	05.6	-12.4	- 9.9	-11.5	- 9.5	-13.6	88	88	88	00 0	00 0	00 0	4	0 ∪	5 =³	0 =°			=° ∪ n, =³ =° ⊙ ∪ a, =° =³ ⊙ p
14	03.4	03.9	00.4	- 9.7	-10.5	-11.1	- 8.9	-13.5	70	70	76	02 4	04 2	04 3	8	8 =°	8 =°	4			=° ∪ n,a,p
15	91.2	87.4	85.5	- 8.5	- 8.1	- 7.7	- 7.6	-11.4	83	88	83	02 4	02 5	03 5	3	8 *°	8 *³	8 *	0.1	0	*° n, *° *³ a, * *³ p
16	86.8	88.8	90.5	- 7.4	- 7.5	- 8.3	- 7.1	- 8.5	79	83	83	03 5	03 4	03 4	4	8 *°	8 *	8 *°	5.9	4	*° * n,a,p
17	88.5	86.4	82.9	-10.8	-11.3	-11.4	- 8.3	-11.5	85	84	84	02 6	02 7	02 7	4	8 *°	8 *°	8 *	6.6	4	= *° n, =³ *° a, * p
18	81.0	83.0	84.2	-10.6	- 9.8	-11.5	- 9.8	-11.6	78	80	77	02 4	36 3	28 1	6	8 =°	8 *°	2 =°	14.8	3	= * n, = *° a, =° *° p
19	87.1	88.3	89.2	-12.7	-10.3	-14.8	- 9.6	-15.3	89	85	91	04 1	05 1	02 1	7	2 =°	4 =°	8 =°	0.5	3	=° n, =° ⊙ a,p
20	89.7	90.6	91.2	-15.2	-13.6	-17.9	-11.2	-19.1	93	97	94	02 1	04 1	04 1	3	8 *°	8 *°	4 =°	0.0	3	=° ∪³ n, ≡° *° ∪³ a, ≡° =° *° p
21	93.1	94.9	95.2	-19.2	-16.6	-18.4	-15.3	-20.0	91	95	95	03 2	04 1	02 1	7	1 =°	2 =°	0 =°	0.2	3	=° ∪³ n, =° ⊙ a,p
22	97.9	99.7	02.5	-18.9	-14.2	-15.8	-13.5	-20.0	92	96	96	00 0	00 0	32 1	7	0 =°	0 =°	1 =°		3	=° ∪³ n, =° ⊙ a,p
23	01.7	97.5	91.0	-17.3	-10.5	- 7.2	- 7.2	-17.3	93	98	98	08 1	04 2	08 3	6	8 =°	8 =°	8 *		3	=° ∪ n, =° ‡° a, = * p
24	82.5	82.4	81.6	- 2.7	- 1.7	- 0.8	- 0.8	- 8.1	97	91	98	02 3	02 2	04 2	4	8 *	8 *°	8 =	4.8	8	* = n, * *° = a, = * p
25	84.8	90.0	97.6	- 2.0	- 1.6	- 7.7	- 0.4	- 7.7	94	83	92	00 0	04 1	00 0	7	8 =°	1(=)	0 =°	1.6	8	= *° =° n, * =° ⊙ a, =° ⊙ p
26	96.8	92.2	86.1	- 4.4	0.4	2.6	2.6	- 9.3	97	97	96	34 1	18 1	00 0	3	8 *	8 •°	8 •	2.0	10	* =° n, •° ≡° * a, ≡° • p
27	80.2	80.3	83.1	2.7	2.8	1.5	4.0	0.9	95	94	94	17 1	27 1	00 0	7	4 =°	7 =°	1 =°	7.2	6	=° ‡ =° n, =° a, ⊙° =° p
28	78.6	65.0	59.0	2.4	4.6	4.2	5.5	- 0.7	94	93	92	18 1	18 2	18 3	3	8 •	8 •°	7 =°	2.5	5	‡° ‡ =° =° n, =° • a, •° =° =° ⊙ p
29	56.2	58.7	55.3	3.0	2.3	2.9	4.3	1.1	64	63	78	27 2	26 1	19 3	8	7 =°	4 ∞	8 =°	8.1	2	=° n, ∞ =° ⊙° a, =° p
30	64.5	69.7	74.9	2.9	2.4	- 2.4	4.3	- 2.5	58	56	60	32 3	34 1	18 1	8	3 =°	6 ∞	2 ∞	0.0	2	=° ‡° n, ∞ ⊙° a, ∞ p
31	80.7	83.2	86.8	- 4.9	- 3.4	- 6.1	0.0	- 6.1	60	61	61	36 1	00 0	00 0	7	1 ∞	3 =°	4 =°		2	∞ n, =° ⊙ a,p
M	87.9	88.1	88.1	- 5.7	- 3.9	- 5.6	- 2.5	- 8.1	83	81	81	1.6	1.5	1.6	5.6	5.1	5.3	4.0	55	3	

Ekstensotabell

1955

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1^h

Januar (I)

H_s = 43 H_b = 44.4 h_z = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Dätum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	35.1	36.7	36.5	3.5	3.4	3.7	4.2	3.2	91	95	90	00 0	35 1	17 1	7	8	8	8	0.0		⊙° a, = p
2	37.5	37.9	**38.1**	3.2	3.2	1.9	5.1	1.9	80	85	88	00 0	00 0	00 0	7	0	6	2 =			= ⌣ n, =⊙° a, =⊙° ⌣ p
3	37.4	35.9	34.1	- 0.5	0.1	- 1.8	1.9	- 1.8	83	83	87	00 0	00 0	00 0	3	0	0 =	0 =			= ⌣ n, =⊙° a, = ⌣° p
4	33.0	31.7	29.6	- 2.8	- 2.9	- 2.6	- 1.5	- 3.2	88	90	92	00 0	29 1	00 0	5	0	7 =	0 =			= ⌣ n, = ⊙° a, = ⌣° p
5	27.4	26.8	24.0	- 4.0	- 2.5	- 3.2	- 2.1	- 4.2	98	98	97	00 0	32 1	00 0	5	0	1 =	1 =			= ⌣° n, = ⊙ a,p
6	20.4	20.4	19.6	- 2.1	0.1	- 0.3	0.5	- 3.4	95	72	97	16 1	19 2	18 2	7	2	7	8 *			= ⌣ n, *° p
7	12.3	08.9	06.8	2.6	3.2	2.3	4.7	- 0.3	98	96	98	20 3	09 2	17 1	7	8	8 •	8 ⸱	0.5	0	* ⸱° n, =° a, = • ⸱ p
8	04.9	04.3	04.3	1.6	1.3	2.4	3.1	1.3	98	96	87	17 2	00 0	18 1	7	7	7 =	8	8.5		⸱ ∽ n, = ⊙ a, =⊙° p
9	99.4	97.6	93.8	1.7	4.1	2.6	4.1	1.1	98	96	93	19 4	19 4	20 4	8	8 •	8(⸱)	8 •°	2.9		• n, • ⸱ a, ⸱° •° p
10	75.4	69.1	**66.5**	1.2	1.3	1.6	3.0	0.8	98	99	97	20 6	18 3	33 5	7	8 ⸱	7 ⸱	8 ⸱°	22.8	0	• ⸱ n, ⸱° ⸱ a, ⸱ p
11	81.9	74.8	76.3	- 0.2	- 1.2	- 0.5	2.3	- 2.1	83	95	70	02 1	02 1	33 2	8	5	7	5	15.7	1	⸱ ⸱ n, ⸱ a,p
12	77.3	77.6	72.5	- 1.8	0.1	0.1	0.5	- 2.7	93	73	56	16 2	18 2	11 3	8	7 ⸱°	8	6	6.1	13	⸱ n,a
13	73.6	77.4	81.3	- 0.3	- 1.0	- 3.2	0.6	- 3.2	68	99	96	03 2	01 2	01 2	1	8	7 ⸱°	8 ⸱°	2.4	13	+° ⸱° n, * ⸱ a, ⸱° p
14	84.2	87.9	90.1	- 4.2	- 3.9	- 4.3	- 2.7	- 4.7	92	97	97	05 1	18 1	16 1	5	5	7 ⸱	2	15.4	24	⸱ n,a,p
15	94.2	93.6	84.5	- 4.1	- 3.7	- 0.1	- 0.1	- 4.7	92	78	95	03 2	18 2	19 4	8	5	7	8 ⸱°	8.2	33	⸱ n,a, ⸱ + p
16	83.3	84.8	82.5	- 4.8	- 4.8	- 5.3	0.7	- 6.0	79	92	96	07 2	18 1	15 2	4	1	7 ⸱	1	8.9	35	⸱ + n, ⸱ a,p
17	73.7	74.2	75.5	- 1.9	- 1.5	- 1.8	- 0.8	- 5.3	98	89	98	20 3	19 2	00 0	8	7 ⸱	7(⸱)	8 *	8.3	37	⸱ +° n, ⸱ a, ⸱ * p
18	78.3	82.0	85.7	- 4.2	- 2.7	- 5.5	- 1.8	- 5.7	54	51	69	36 2	06 3	26 1	9	1	1	0	3.3	38	* ⸱ n, ⊙ a,p
19	88.8	92.9	95.8	- 4.8	- 1.8	- 1.1	- 1.1	**- 7.3**	49	85	93	00 0	03 2	05 3	5	8 ⸱	4 ⸱	7 ⸱	0.0	35	⸱ n, ⸱ ⊙ a, ⸱ p
20	05.4	09.2	10.2	- 2.9	- 0.6	- 0.6	0.1	- 3.2	90	75	72	18 1	18 2	24 1	8	0	7	5	6.1	37	⸱ n
21	07.9	06.3	03.6	1.8	3.5	4.2	4.2	- 1.0	78	68	53	19 4	21 6	20 4	8	8	8	7		36	
22	01.9	05.0	10.9	5.5	3.1	0.8	5.7	0.8	**44**	73	98	20 3	21 3	19 2	7	8	8 ⸱°	8		28	•° ⸱° a, ⸱ p
23	17.7	18.7	16.3	1.3	1.8	2.3	2.4	0.8	98	98	90	19 3	18 4	20 4	7	8 ⸱	8 •°	8	5.7	25	⸱ n, ⸱ ⸱ •° a, •² p
24	04.5	01.3	99.2	3.5	6.0	6.8	6.8	1.7	98	98	98	20 6	19 5	24 4	7	8 •	8 •°	8 ⸱	16.6	0	⸱ • n, •² a, • ⸱ p
25	04.1	05.6	04.7	7.1	6.1	6.9	**8.0**	5.9	97	98	96	27 3	18 1	19 4	4	8	8 =²	8 •°	32.2	0	⸱ • n, = a, =² =° •° p
26	01.1	99.1	97.0	6.5	5.2	4.6	7.5	4.1	96	89	95	21 5	21 5	20 5	7	8	8 •°	8 •	1.7	0	• n, •° a, • p
27	02.2	04.2	03.0	4.7	4.7	4.5	5.7	4.2	98	96	88	23 2	19 2	18 2	7	4	7	8	6.3	0	• ⸱ ⌒ n, ⊙ a
28	97.9	98.0	95.7	3.5	3.9	4.6	4.7	2.8	92	97	98	20 4	20 4	20 4	7	8 •°	8 •	8 •	3.5		• ⌒ n, =° • a,p
29	93.9	97.3	95.5	5.7	6.3	6.8	6.8	4.6	99	99	98	20 4	19 2	20 2	4	8 •°	8 ⸱°	8 •°	26.5		=² • n, =² ⸱ • a, =² ⸱° • p
30	90.9	89.8	88.3	6.1	6.6	6.3	7.1	6.0	98	96	98	20 4	20 5	20 4	7	8 ⸱°	8 •°	8 •°	17.9		= • ⸱ n,a, =° • p
31	91.5	92.2	92.8	6.4	7.6	5.9	7.8	5.9	96	86	97	19 3	21 5	21 4	7	8	8 =°	8 •	12.0		• =° ⌒ n, =° a, =° • p
M	01.2	01.3	00.5	0.9	1.5	1.2	2.8	- 0.4	88	88	90	2.4	2.4	2.3	6.4	5.5	6.7	6.1	232	11	

Februar (II)

Dätum	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	91.3	90.8	93.3	7.8	7.8	6.3	8.4	5.5	83	82	97	20 3	20 4	24 3	7	8	8 •	8 •	17.9		• n,a, •° p
2	91.5	91.4	92.4	8.7	**10.5**	5.4	**10.5**	5.3	85	67	97	20 3	21 3	20 1	8	8	7	5 =°	5.9		• n, =° p
3	90.0	88.3	85.6	3.7	3.8	3.5	5.4	3.4	95	98	98	00 0	00 0	00 0	5	8 •°	8 •	8 •°	3.3		• ⌒ n, = • ⸱ a, = • p
4	84.2	84.1	83.9	2.9	4.4	3.7	4.4	2.8	98	95	95	00 0	15 1	00 0	7	8 •°	7 =°	7 =°	7.8		= • ⌒ n, =° •° a, •° ⸱° =° ⌒ p
5	83.6	85.5	87.9	3.2	3.7	1.8	3.7	1.8	96	95	90	29 1	00 0	03 3	7	8 •°	8 •°	7	1.0		=° •° ⌒ n, =° •° a,p
6	89.2	91.8	94.8	- 0.1	0.5	0.6	1.8	- 0.6	75	95	98	18 2	17 1	19 1	7	6	6	7 ⸱	0.2		⸱° n, ⸱ ⸱ ⊙ a,p
7	98.3	98.9	96.5	- 0.7	0.0	0.6	0.7	- 1.0	98	97	91	21 1	17 3	19 3	7	8 ⸱	6(⸱)	5	13.8	14	⸱ n,a,p
8	91.9	90.5	90.1	1.2	0.5	0.2	1.2	0.0	79	98	97	00 0	00 0	00 0	5	8	8 ⸱°	8	2.0	13	⸱ ⸱ a, ⸱ ⸱ p
9	92.9	95.9	98.8	- 3.2	1.3	- 0.7	1.9	- 3.4	98	62	**49**	00 0	25 1	34 1	8	0	0	1	2.8	14	⌣° n, ⊙ a,p
10	02.5	03.0	02.2	- 1.4	1.3	- 1.3	1.5	- 2.2	68	68	81	03 2	36 2	02 1	9	0	⸱	1		12	⊙ a,p
11	98.8	99.1	01.0	- 4.5	- 0.9	- 3.6	- 0.2	- 4.6	96	78	70	00 0	30 1	00 0	7	7	1	0		11	⌣ n, ⊙ a,p
12	05.8	10.6	13.7	- 6.4	- 1.7	- 4.1	- 1.0	- 6.5	86	57	51	00 0	06 2	29 1	9	4	0	0		10	⌒ n, ⊙ a,p
13	12.6	10.8	09.4	- 4.1	- 3.0	- 3.7	- 2.1	- 6.9	59	89	83	16 1	00 0	00 0	8	8 *°	7 *°	0	0.0	10	*° n,a, ⊙ p
14	02.7	04.5	05.6	- 5.1	0.0	- 0.3	0.4	- 6.0	95	73	64	00 0	03 3	07 3	8	1	1	1		10	⌣° n, ⊙ a,p
15	06.7	04.0	95.9	- 5.0	- 2.0	- 2.8	- 0.3	- 5.3	67	64	95	00 0	16 2	16 3	8	7	8	8 *°		8	* p
16	78.8	78.8	**77.0**	- 1.3	- 0.1	- 2.1	0.8	- 3.0	83	63	60	02 3	34 1	00 0	9	2	5	4	7.1	18	* ⸱ n, ⊙ a,p
17	81.8	**84.8**	87.3	- 4.3	- 1.5	- 2.7	- 1.0	- 5.5	66	51	50	00 0	11 2	21 1	8	5	7	7		14	⊙° a,p
18	92.3	94.7	95.4	- 7.9	- 3.8	- 6.3	- 2.7	- 8.1	60	52	52	20 1	30 1	25 1	8	4	2	1		12	⊙ a,p
19	97.3	99.1	00.7	- 9.2	- 3.4	- 4.3	- 3.2	- **9.5**	60	**49**	50	21 1	24 1	27 1	8	5	6	4		12	⊙ a, ⊙° p
20	06.4	08.7	10.8	- 6.7	- 2.8	- 5.2	- 2.3	- 7.3	60	54	55	00 0	16 1	00 0	7	0	0	0		11	⊙ a,p
21	13.5	12.9	13.2	- 8.6	- 2.7	- 5.4	- 2.1	- 8.7	69	61	55	00 0	00 0	18 1	7	0	0	1		11	⊙ a,p
22	12.2	13.2	14.0	- 3.7	0.2	- 2.8	0.5	- 5.9	59	78	76	01 3	30 1	00 0	7	8 *°	1	0	0.0	11	*° n, ⊙ *° ⸱° a, ⊙ p
23	15.9	17.1	16.5	- 5.8	0.5	- 1.8	1.5	- 6.1	86	67	68	00 0	30 1	00 0	7	0	1	0	0.7	8	⊙ a,p
24	15.0	14.8	14.9	- 5.6	0.4	- 1.6	1.6	- 5.9	85	70	72	00 0	30 1	00 0	7	0	0	1		8	⌣° n, ⊙ a,p
25	16.3	16.9	16.2	- 5.0	1.8	0.7	2.7	- 5.3	90	67	74	00 0	33 1	03 1	7	0	0	1		7	⌣° n, ⊙ a,p
26	14.7	14.2	13.8	- 4.3	2.5	- 0.1	3.5	- 4.3	89	67	66	00 0	25 1	19 2	7	0	1	0		6	⌣° ⌒ n, ⊙ a,p
27	17.2	19.7	21.4	- 4.7	2.0	0.8	2.2	- 4.9	76	56	72	00 0	21 2	20 2	9	0	1	7		6	⊙ a,p
28	**22.3**	21.0	17.5	0.2	1.5	0.8	1.5	- 0.5	68	68	70	20 4	17 6	18 8	9	7	7	8		5	
M	00.9	01.6	01.8	- 2.5	0.7	- 0.9	1.4	- 3.3	80	72	74	0.9	1.5	1.3	7.5	4.3	3.8	3.6	62	8	

Ekstensotabell

1955

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19' E g = 9.819 ΔG = + 1h

Mars (III)

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	17.1	17.5	15.2	2.1	3.0	3.3	3.4	0.8	78	73	60	18 7	17 6	13 6	8	8	8	8		0	
2	19.6	25.2	27.5	3.1	5.6	4.6	6.3	0.4	98	82	87	16 2	23 2	19 3	8	7	4	7	5.2	0	‡ • ⚲ n, ⊙ a, ⊙° p
3	26.1	24.2	17.8	2.8	2.8	3.6	4.6	2.6	80	82	54	15 4	18 5	17 5	8	1	8	7		0	•° p
4	05.0	06.7	08.7	0.8	2.1	2.5	3.7	0.7	99	97	89	14 2	34 2	36 5	8	7	7	5	9.7	1	‡ n
5	09.8	12.0	15.7	2.1	5.9	4.8	6.5	1.8	84	56	51	36 3	01 3	35 2	9	3	1	1	0.7	0	⊙ a,p
6	21.6	22.5	20.5	- 0.8	3.4	2.4	4.8	- 1.0	66	57	66	16 1	29 2	33 1	8	6	7	7		0	⊙ a,p
7	13.5	09.8	06.1	- 0.3	3.8	3.8	6.2	- 0.5	87	72	59	16 1	33 2	35 1	8	7	0	0	0.0	0	♦° ⌒° n, ⊙ a,p
8	05.3	06.9	07.7	0.8	4.2	2.8	5.4	0.8	54	48	46	05 2	03 2	01 2	9	0	0	0		0	⊙ a,p
9	10.8	14.1	16.3	- 2.0	2.7	1.4	3.5	- 2.1	69	60	94	00 0	30 1	14 1	8	7	7	7		0	⊙° a, ⊙° ‡ p
10	20.3	22.8	23.6	0.4	2.9	3.0	4.6	0.0	95	75	58	36 1	30 1	17 2	8	7	8	8	0.8	0	♦° n, ⊙° a,p
11	25.1	26.9	27.2	2.5	3.7	4.1	4.1	2.3	93	97	97	15 3	12 3	14 3	7	8 •°	8 •°	8	0.0	0	•° ⌒ n, ,° •° =° a,p
12	25.6	24.6	21.7	3.9	5.6	4.5	5.7	3.8	98	94	97	15 2	19 2	15 3	7	8	8 =°	8 =°	1.8		•° ,° ⌒ n, =° a, =° •° p
13	14.9	14.1	15.4	4.1	2.5	3.6	5.5	2.2	92	88	70	24 2	36 4	33 3	8	7	2	7	4.5		• n, △ ♦ ⊙ a, ⊙ p
14	10.5	13.5	13.5	3.1	4.8	3.2	5.5	1.0	98	67	80	33 1	33 3	17 2	8	7	7	8 •°	6.2	0	• ‡ n, ⊙° ⚲ a, ⊙° •° p
15	05.7	01.3	01.9	5.8	4.7	2.1	6.4	2.1	98	98	63	25 4	02 3	34 4	7	8 •	8 •	8	3.3		• =° n,a,p
16	01.2	00.6	99.0	- 0.7	- 0.6	- 0.7	2.1	- 1.7	94	92	92	34 3	34 3	35 3	6	7 △	7 ♦	7 ♦	5.7	1	♦ △ n,a, ♦ p
17	98.2	00.5	05.7	- 2.0	2.7	- 0.4	2.7	- 3.8	93	78	47	16 2	35 3	01 3	9	7	5	1	3.3	5	♦ n, ⊙ a,p
18	07.2	05.9	04.0	- 5.5	2.4	- 0.2	3.2	- 5.8	55	43	85	17 1	29 1	01 1	8	1	7	7		0	⊙ a, ⊙ ♦ p
19	01.5	02.3	01.9	- 2.9	- 1.1	- 1.4	0.9	- 3.1	73	50	45	02 3	04 1	03 2	8	7	7	2	1.6	2	♦ n, ⊙ p
20	01.5	01.4	07.9	- 5.9	- 2.0	- 1.9	0.2	- 6.1	61	49	47	20 1	24 1	18 1	8	1	3	3		0	⊙° a
21	01.4	01.8	01.2	- 6.0	1.2	0.1	3.0	- 6.0	62	46	40	00 0	28 1	21 1	8	0	2	3		0	⊙° a, ⊙ p
22	04.1	07.5	10.6	- 6.5	2.1	0.8	3.3	- 6.5	66	46	56	15 1	29 1	27 1	8	1	0	1		0	⊙ a,p
23	13.9	12.4	07.4	- 4.9	2.9	2.7	4.9	- 5.0	73	51	39	00 0	30 1	25 1	8	0	1	3		0	⊙ p
24	02.8	02.7	01.9	- 2.6	4.5	3.3	7.4	- 2.7	47	42	37	00 0	30 1	22 1	8	3	5	6		0	⊙ p
25	06.0	06.6	05.0	- 0.6	5.0	2.3	5.7	- 0.6	62	50	76	29 1	33 1	30 1	8	6	8	8 =°		0	♦° p
26	99.0	98.6	99.9	- 0.1	6.0	3.5	6.7	- 0.1	99	53	46	18 1	36 2	03 4	8	6 =°	1	0	0.0	0	♦° n, =° ⊙ a, ⊙ p
27	06.8	09.6	11.8	- 0.7	4.6	1.8	5.5	- 0.8	46	58	75	02 3	35 3	36 3	9	0	5	5 ♦°		0	⊙° n, ⊙ a, ♦° △ p
28	12.6	12.1	10.4	- 0.2	1.2	0.3	2.8	- 0.5	86	87	85	35 2	34 2	03 3	8	6	7	7 ♦	1.0	0	♦ △ n, ♦ △ ⊙° a, ♦ ⊙° p
29	20.3	23.4	24.1	- 2.2	3.6	2.7	5.9	- 2.4	50	39	52	36 2	33 1	27 2	9	0	0	1	0.3	0	♦ n, ⊙ a,p
30	15.2	13.3	09.2	4.4	5.9	4.2	6.8	0.8	99	97	98	30 5	33 3	33 2	8	8 •°	7(⚲)	8 •	5.1	0	‡ • n, •° ⚲ a, ⚲ • p
31	04.7	05.8	06.9	1.4	3.4	1.8	6.2	1.3	98	78	73	36 2	36 3	36 3	8	8 ‡°	7(♦)	4	7.4	0	• ‡° n, ‡° ♦ ⊙° a, ♦ ⊙ p
M	10.6	11.2	11.2	- 0.2	3.2	2.2	4.6	- 0.9	79	68	67	2.0	2.2	2.4	8.0	4.9	5.0	5.0	57	0	

April (IV)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	08.4	09.3	11.5	- 0.2	1.2	2.3	2.5	- 0.2	99	97	85	00 0	25 1	36 2	7	8 ♦°	7 ♦	7	0.8	0	♦ n, ♦ ♦ a, ♦ p
2	12.1	12.3	09.9	1.7	5.5	5.8	6.9	1.0	99	95	82	17 2	21 2	16 2	8	8 ♦	7	7	4.3	0	♦ ‡ • n, ♦ ⊙° a, ⊙° p
3	03.6	02.7	01.9	5.7	5.0	3.9	7.0	3.9	69	82	99	17 4	21 4	19 2	7	7 =°	8 •	8 •	0.3		=° n, =° • a, • p
4	04.7	06.4	06.5	4.7	8.9	8.8	10.5	3.6	98	93	68	16 2	23 2	19 3	8	7 ⚲	5 =°	7 =°	6.7		• ⚲ n, ⚲ =° ⊙ a, =° ⊙ p
5	07.8	11.6	12.5	6.1	5.1	4.9	8.8	4.8	97	98	99	18 4	19 4	00 0	6	6 =°	8 •°	8 •°	5.0		=° • n, =° =° ⚲° •° a, = •° p
6	09.5	07.9	06.1	6.3	8.6	6.5	9.0	2.3	92	70	98	18 2	18 3	21 1	8	7 =°	7 =	8 •°	0.6		=° ,° =° ≡° n, =° ⊙°a, ⊙° =° =° •°p
7	05.7	07.5	09.7	4.9	6.7	5.1	7.0	4.9	98	95	96	16 3	18 2	23 4	8	8 •	8 =°	8 •°	13.5		=° • n, =° =° • a, = •° =° p
8	13.2	14.7	15.2	3.4	5.7	4.3	6.7	2.2	95	95	82	18 2	30 1	20 2	8	7	7 =	7 =	6.8		=° • ⚲ ♦ n, = a, = ⊙°p
9	12.3	11.5	11.4	3.3	3.0	1.9	4.5	1.4	85	95	99	25 1	16 2	17 3	7	8 =°	8 •	8 •			= n, =° • a, • ‡ p
10	08.8	08.0	06.3	2.6	6.7	4.5	7.2	1.9	87	60	84	15 2	18 3	18 4	8	7	8 •°	8 •	8.4		• n, ⊙° a, • p
11	00.0	04.3	09.4	3.3	4.9	7.1	7.8	1.7	97	98	92	17 4	16 2	29 2	7	7 ⚲	8 ⚲	7	21.1		• ⚲ n, ⚲ a,p
12	11.9	10.8	12.0	5.0	7.2	7.6	9.0	4.7	98	99	93	18 5	29 3	27 2	7	8 •	8 =°	7 =°	5.5		• n, • =° a, =° p
13	07.6	07.5	10.5	4.7	5.8	5.1	8.1	4.4	91	89	92	29 4	33 4	33 4	7	8 ⚲	8 ⚲	8 ⚲	17 1		=° ⚲ n, ⚲ a,p
14	20.0	22.5	23.8	3.6	6.6	5.8	8.0	3.5	88	70	72	35 4	34 3	36 3	9	7	7	4	4.7		⚲ n, ⊙ a,p
15	25.0	25.3	25.9	2.1	8.4	8.4	11.4	1.9	97	60	76	18 1	32 2	35 2	8	7	5	7			⊙ n,a,p
16	26.5	27.2	27.3	6.3	12.4	11.1	12.9	6.0	95	63	59	33 2	34 3	36 3	9	7	1	1			⊙ a,p
17	30.7	31.9	31.3	4.2	9.8	10.0	11.4	4.0	93	58	58	00 0	20 3	15 1	8	3	0 =°	1 =°			⌒ =° ⊙ n, ⊙ =° a,p
18	30.5	31.0	29.7	3.4	11.1	7.7	11.2	3.2	99	73	82	00 0	30 2	30 1	8	1	1 =	7 =°			⌒ =° =° ⊙ n, = ⊙ a,p
19	25.8	23.5	19.9	4.3	10.1	7.6	11.8	3.6	98	67	85	35 2	33 2	30 2	7	1	1 =	1 =°			= =° ⌒ ⊙ n, ⊙ = a,p
20	12.7	11.1	09.3	5.6	6.0	2.8	7.9	2.6	98	72	72	33 2	36 4	36 4	8	4 =	7	4	1.3		= ≡ • ⌒ n, = ⊙ a, ⚲° ⊙ p
21	10.1	11.5	12.6	0.8	3.7	2.7	4.3	0.7	81	59	64	02 3	36 4	34 3	9	1	5	6	0.0		⊙ n, ⊙ ♦° △ a, ⊙ ♦ △ p
22	12.2	11.9	09.4	- 0.7	1.4	4.3	4.8	- 0.9	97	83	63	17 1	36 2	33 1	5	2	7 ♦	6	1.7	0	⊙ ♦ n,a,p
23	06.3	06.4	04.9	2.2	1.4	4.4	4.9	0.8	74	98	63	14 1	00 0	36 3	6	8 •°	8 ‡	7	0.2		⊙ ‡ n, * ‡ a, ‡ ⊙ p
24	08.7	11.8	14.2	0.8	6.0	3.6	6.5	0.1	59	47	69	02 2	36 3	36 4	9	1	1	3	4.0		⊙ n,a,p
25	15.8	16.2	13.9	1.6	5.2	5.5	6.6	0.7	83	58	55	05 3	01 2	34 1	8	7	7	5	0.2	0	⊙ ♦ n, ⊙ ♦° a,p
26	10.5	10.1	09.0	2.3	4.4	4.9	6.8	0.1	75	65	80	17 1	15 2	23 2	8	8	8 =	8 •°	0.0		⊙ n, = ⊙° •° a,p
27	07.5	06.5	04.1	3.2	7.0	7.7	7.7	3.1	90	76	70	00 0	32 1	16 2	7	7 •°	8 =	7 =	0.0		•° =° ⌒ n, =° •° = a, = ⊙° p
28	93.7	95.3	01.0	6.1	7.7	8.3	8.9	5.9	95	99	93	14 1	18 5	24 3	6	8 •	8 ⚲	8	7.1		= ⊙° • n, = • ⚲ = a, = ⚲ p
29	08.4	10.3	09.3	7.1	8.4	9.7	11.2	6.6	93	92	83	17 2	15 1	12 1	7	8(⚲)	8 ⚲°	7 =	5.7		⚲° n, = ⚲ a, = ⚲° p
30	02.6	04.9	06.6	7.0	7.0	6.8	9.7	6.8	97	99	99	22 4	21 4	21 4	6	8 •	8 •°	8 =	3.3		= =° • n, =° • a, = •° ⚲° p
M	11.8	12.1	12.5	3.7	6.4	6.0	8.0	2.8	91	80	80	2.1	2.5	2.4	7.5	6.2	5.9	6.3	118	0	

1955

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1h

Mai (V)

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	05.9	05.4	03.6	8.4	11.2	10.4	11.2	6.4	90	75	76	18 4	24 4	18 2	7	7	7(ṿ)	6 ṿ°	3.3		= ⌢ ṿ n, ∞ ⊙° ṿ a, ∞ ⊙° ṿ° p
2	92.3	89.9	87.8	8.6	7.9	6.3	10.7	6.2	66	72	98	11 1	10 2	32 1	7	8 •	8 •	8 •	0.9		ṿ° • n, • a,p
3	86.5	88.5	90.8	6.0	7.9	7.6	8.3	5.8	98	91	84	18 1	21 3	25 2	8	8 •	8 ∞	7 =°	17.9		=° • n, =° • ṿ ∞ a, ∞ ṿ =° p
4	83.6	81.0	81.6	7.6	8.9	8.1	8.9	6.1	63	72	97	14 3	18 4	19 4	8	8 •°	7 ṿ°	8 ṿ°	2.1		=° •° n, •° ṿ° a, =° ṿ p
5	82.1	84.2	86.1	7.8	8.1	7.8	8.9	7.6	88	97	98	19 4	18 4	18 3	6	8 ṿ°	8 ṿ	8 •	4.1		= ṿ n, =° ṿ a, =° ṿ • p
6	91.5	95.5	97.5	7.5	9.8	9.2	9.8	7.5	96	90	96	00 0	21 2	29 1	8	7 =°	8	7	4.2		= • ṿ ⌢ n, =° a, ṿ p
7	00.2	03.2	07.2	7.0	7.9	6.3	9.2	6.0	99	98	97	00 0	24 1	34 2	5	8 ≡	8 ṿ	7(=)	3.2		≡ ⌢ ṿ° n, ≡ =° ṿ° a, = ṿ p
8	11.1	07.7	01.9	4.2	7.8	6.4	8.1	2.9	93	61	90	19 1	19 4	17 4	8	8	8	8 •°	2.9		(=) ṿ° ⌢ n, • p
9	97.1	94.9	93.9	8.4	7.1	4.9	8.5	4.9	94	98	97	20 4	21 4	36 2	7	8 =°	8 •	8(=)	5.3		⌢ • n, =° • a, =° • ṿ p
10	95.0	94.9	95.7	1.2	4.8	4.2	5.4	**0.6**	61	53	75	01 4	30 2	33 3	8	7	2	6 △	15.0		(=) ṿ° ⊙ n, ⊙ ṿ° a, ⊙ ṿ ṿ △ p
11	99.0	00.2	00.6	2.7	4.3	2.2	5.2	1.8	85	81	90	32 1	30 2	27 3	7	7	7 △	8 ṿ	4.1		△ ṿ ⌢ n, ṿ △ a,p
12	97.9	00.2	00.3	1.6	3.5	4.6	5.5	**0.6**	98	90	68	15 1	34 2	29 2	5	2	7 △	2(ṿ)	11.4		ṿ n, ⊙ △ ṿ a,p
13	99.1	96.6	92.3	2.4	8.4	8.1	8.7	2.4	96	52	**40**	33 1	05 1	08 2	9	6(=)	7	7	3.2		⊙ ṿ° ⌢ – n, ⊙ (=) a, ⊙ p
14	91.3	80.9	79.9	6.5	7.4	4.9	8.7	4.9	73	66	85	27 1	19 4	16 3	8	8 •	7(ṿ)	8 •	0.7		⊙° • n, • ṿ° ⊙ a, ṿ ⊙° • p
15	**79.5**	81.4	86.6	4.0	5.6	6.7	7.7	2.9	99	92	80	19 1	15 3	29 2	7	7	7 ṿ°	7(ṿ)	8.9		• ṿ ⌢ n, ṿ a, ṿ ⊙ p
16	92.9	96.6	97.9	5.0	4.7	7.5	7.5	2.8	97	96	81	18 3	12 1	23 1	7	2 ṿ	7 ṿ	5	5.7		ṿ n, ṿ △ a, ṿ ⊙° p
17	99.2	99.8	00.4	4.2	8.9	8.0	9.7	2.1	98	66	73	00 0	29 1	35 3	8	1	7 ṿ°	1	8.6		⊙° ⌢ n, ⊙ a, ⊙ ṿ° p
18	96.8	93.2	90.6	7.1	9.9	8.3	10.3	5.4	64	56	72	36 2	07 3	01 1	8	6	8 ∞°	8	0.0		⊙ n, ⊙ ∞° a, ∞° • p
19	87.7	88.6	92.6	8.0	7.4	5.5	9.4	5.5	67	82	97	32 1	03 2	33 4	7	7 ṿ	7 ṿ	8 ṿ	1.0		ṿ° n, ṿ ⊙° a,p
20	01.6	04.3	05.9	4.3	5.9	5.1	6.1	3.9	95	80	84	36 3	36 4	34 3	7	8 ṿ	7(ṿ)	7(ṿ)	5.0		ṿ n,a,p
21	09.0	10.4	11.7	3.4	5.1	4.6	6.2	2.4	80	67	64	01 4	36 4	36 4	8	2	5 △	3	0.4		ṿ° n, ⊙ ṿ △ a, ⊙ ṿ° △° p
22	13.9	14.2	13.9	2.1	2.3	6.1	6.1	1.1	81	99	98	15 1	15 3	29 4	7	7 ṿ°	8 ✱°	8	0.0		⊙° n, ṿ ✱ ✱ a, ✱ • =° p
23	14.4	15.9	16.4	5.5	9.4	8.6	9.7	5.1	97	58	57	35 2	34 3	34 3	9	6 ṿ	7	2	14.1		=° • ṿ ⌢ n, ṿ ⊙ a, ⊙ p
24	16.9	16.4	14.8	4.9	11.0	9.9	11.7	3.6	93	66	68	32 1	34 2	34 2	8	7	7	2	0.2		⊙ n,a,p
25	11.7	10.4	09.8	7.0	11.7	12.6	12.9	6.5	97	65	59	36 2	35 2	34 2	9	7	5	7	0.1		⊙ ṿ° ⌢ n, ⊙ a,p
26	11.7	13.0	14.3	8.5	12.4	12.9	14.3	5.5	85	56	60	00 0	29 3	29 2	9	1	5	2			⊙ ⊕ ⌢ n, ⊙ a,p
27	18.9	18.1	17.1	8.8	14.4	13.8	15.0	6.1	87	63	65	12 1	33 2	33 2	9	1	1	1			⊙ ⌢ n, ⊙ a,p
28	16.5	16.3	15.8	10.1	16.1	15.8	16.7	6.7	92	55	60	02 1	30 3	32 1	9	0	1	1			⊙ ⌢ n, ⊙ a,p
29	19.4	21.0	22.7	11.6	18.7	19.1	**20.6**	7.7	90	48	47	00 0	30 1	36 1	9	0	0	0			⊙ ⌢ n, ⊙ a,p
30	**25.3**	24.6	23.6	12.2	17.6	16.1	19.3	9.0	89	61	68	00 0	30 2	29 2	9	0	4	4			⊙ ⌢ n, ⊙ a,p
31	20.9	22.0	21.5	8.1	19.1	16.5	20.3	8.1	99	58	58	00 0	33 1	29 2	8	7 ≡	6	7			⊙ ≡ ⌢ n,a, ⊙ p
M	01.3	02.2	02.4	6.3	9.2	8.6	10.3	4.8	88	73	77	1.5	2.5	2.4	7.7	5.5	6.2	5.5	122		

Juni (VI)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**19.8**	18.2	16.8	13.4	20.3	19.8	20.4	9.8	87	54	46	05 1	32 1	29 1	9	0	1	0			⊙ ⌢ n, ⊙ a,p
2	17.7	17.3	17.3	9.1	16.8	14.9	19.8	8.7	99	58	69	00 0	32 2	30 2	9	7 ≡	0	0			⊙ ≡ ⌢ n, ≡ ⊙ a, ⊙ p
3	18.4	19.0	17.3	9.5	16.9	15.6	17.7	8.9	98	69	69	25 1	34 1	30 1	9	8 =°	1	0			⊙ ≡ = ⌢ n, =° ⊙ a, ⊙ p
4	17.2	[illegible]	13.3	12.5	16.2	16.8	17.7	9.8	90	64	64	05 1	30 3	30 2	8	0	0	0			⊙ ⌢ n, ⊙ a,p
5	10.8	10.6	[illegible]	14.5	22.2	17.3	**22.2**	11.1	90	53	63	00 0	05 1	35 1	8	0	0 ∞	0 ∞			⊙ ⌢ n, ∞ ⊙ a,p
6	09.5	08.9	05.9	9.8	12.6	13.9	17.3	9.4	98	90	66	25 1	30 2	29 1	7	8 =°	1 =°	0			∞ ⊙ = ⌢ n, =° ⊙ a,p
7	02.5	02.6	02.6	10.5	14.6	13.9	16.2	8.0	84	50	**41**	07 1	06 3	09 3	9	4	5	1			⊙ n,a,p
8	04.1	05.4	02.7	10.9	14.1	13.5	15.3	5.6	48	43	42	15 1	30 2	35 3	9	1	2	1			⊙ ⌢ n, ⊙ a,p
9	[illegible]	03.6	04.3	8.9	11.7	11.7	13.5	6.9	80	61	57	36 1	29 3	35 2	9	1	5	1			⊙ ⌢ n, ⊙ a,p
10	[illegible]	07.2	07.7	9.6	12.1	11.7	12.5	[illegible]	66	68	61	03 1	33 2	03 3	9	3	6(ṿ)	2(ṿ)			⊙ ⌢ n, ⊙ ṿ a, ⊙ ṿ° p
11	09.3	10.1	09.6	8.6	12.4	10.6	12.6	5.6	83	58	62	01 2	33 2	35 1	9	1	1	6	0.9		⊙ ⌢ n, ⊙ a,p
12	07.9	06.5	05.2	8.1	12.0	12.9	12.9	**4.8**	90	64	60	08 1	27 3	32 2	9	1	3	3			⊙ ⌢ n, ⊙ a,p
13	05.9	07.1	08.6	9.4	13.0	11.5	13.8	7.5	67	64	74	00 0	29 3	29 2	8	7 ṿ°	7	1	0.0		⊙ ⌢ ṿ° n, ṿ° ⊙ a, ⊙ p
14	09.5	06.4	01.6	9.3	12.5	10.2	12.6	7.0	90	64	90	18 2	23 4	19 2	7	7	8 •°	8 •°	0.0		⊙ ⌢ n, ⊙° •° a, • p
15	**91.7**	93.0	00.6	10.4	10.2	9.5	11.5	9.6	97	99	98	18 4	28 2	33 4	6	8 •°	8 •	8 ṿ	12.2		• ⌢ n, • ʼ = a, • ʼ = ṿ p
16	10.9	12.2	13.0	7.2	9.1	8.8	10.0	6.5	85	69	68	01 4	36 4	36 3	9	7	6(ṿ)	7 ṿ°	4.1		ṿ ⌢ n, ⊙ ṿ° a,p
17	15.8	16.4	16.9	7.6	11.3	10.1	11.6	5.9	82	64	65	36 3	34 3	36 2	9	7	7	6	0.4		ṿ° ⊙ ⌢ n, ⊙ a,p
18	17.7	17.3	16.6	8.5	13.5	12.1	13.5	5.2	85	65	66	01 2	34 3	34 2	9	1	4	1			⊙ ⌢ n, ⊙ a,p
19	13.6	12.5	11.2	9.5	14.7	14.6	16.8	7.1	95	60	59	00 0	32 3	30 2	9	5	1	0			⊙ =° ⌢ n, ⊙ a,p
20	09.2	08.3	08.3	11.8	18.7	20.4	20.4	8.4	93	53	50	00 0	29 2	00 0	9	3	7	1			⊙ ⌢ n, ⊙ a,p
21	12.0	12.6	13.8	13.8	16.6	14.8	20.4	12.6	75	70	74	00 0	32 1	00 0	8	7	8	8			⊙ ⌢ n, •° p
22	13.5	12.5	10.4	12.6	15.2	11.3	15.9	10.9	90	74	91	20 2	18 4	18 4	7	8	8 •°	8 •	0.0		⌢ n, •° ∞ a, • ∞ = p
23	06.3	08.4	-09.6	11.5	11.8	12.8	13.2	10.7	97	96	70	15 4	21 3	23 3	7	7(ṿ)	8(ṿ)	4	13.1		• ⌢ n, ṿ a, (ṿ) p
24	98.3	02.3	08.5	13.1	11.1	10.7	13.7	10.4	97	94	87	18 5	19 5	24 7	7	8 •	8 ṿ	7	4.2		• n, • ṿ a, ṿ p
25	10.6	13.3	15.0	11.0	12.3	12.7	13.7	9.9	90	91	75	18 4	24 2	22 1	8	8	7	4	14.2		ṿ n, ṿ ⊙° a, ⊙° p
26	16.5	16.2	15.5	10.7	14.6	14.6	15.0	10.2	97	65	64	02 1	30 1	30 1	8	7	6	3	1.4		•° n, ⊙ p
27	14.1	13.9	12.7	11.0	16.9	16.1	16.7	7.9	90	60	62	15 1	21 1	23 2	8	0	2	1			⊙ a,p
28	15.6	09.2	06.9	12.7	15.4	13.5	16.2	10.6	95	76	98	16 2	16 3	17 4	8	6	8	8 •°			⊙° a, =° •° p
29	01.8	01.6	02.3	13.2	14.4	13.7	14.7	13.1	95	91	98	20 4	20 3	00 0	6	8 •°	8 •°	8 •°	3.4		=° • n,a, =° •° p
30	03.6	04.5	05.3	12.7	15.6	14.9	16.2	12.7	99	93	97	00 0	00 0	00 0	7	8 •°	7 =	8 =	2.8		= n,a, •° p
M	09.8	09.7	09.7	10.7	14.3	13.5	15.5	8.8	89	69	70	1.6	2.4	2.0	8.1	4.9	4.8	3.5	57		

Ekstensotabell

1955

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1ʰ

Juli (VII)

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	06.5	05.9	04.6	11.5	14.3	13.1	15.3	11.3	99	97	95	00 0	00 0	00 0	6	8 =	8 =	8 =	0.3		= ' n, ≡ a, =° p
2	98.8	95.8	**94.4**	12.3	16.7	16.9	19.0	12.1	98	87	63	00 0	00 0	00 0	7	8 =	7	7 ⚥°	0.1		= ' n, = a, ⊙° p
3	97.9	00.3	01.6	11.5	12.8	13.2	16.9	11.5	98	97	96	17 2	14 2	28 1	8	8 ,°	8	8 =°	1.0		=° ,° ⚥ • ⌒ n, = ,° a, =° p
4	01.5	02.1	02.9	12.0	16.0	15.8	17.2	11.5	97	86	82	35 1	32 2	34 2	7	8 =°	5 =°	6	0.1		=° ⌒ n, =° ⊙ a,p
5	06.7	08.6	10.4	11.7	16.2	14.7	16.8	11.4	96	80	70	36 1	35 2	34 3	8	8	6	1		⌒° ⊙° n, ⊙ p
6	15.4	16.9	17.8	11.1	15.1	13.1	15.1	9.9	95	79	85	01 1	30 2	03 1	8	7	7	8 •°			⊙ ⌒° n, ⊙° a, ⊙° •° p
7	18.9	20.3	21.6	12.1	15.2	15.1	16.5	11.9	98	94	95	16 1	19 1	35 1	7	8 •°	8(⚥)	7	0.1		•° = ' ⌒ n, = ' •° ⚥° a, ⚥° p
8	24.7	**25.0**	24.5	12.4	19.0	18.8	20.7	11.5	98	87	75	36 2	34 3	30 1	9	8 ≡°	3	0	0.3		≡ n, ≡ =° ⊙ a, ⊙ p
9	24.8	24.3	22.5	15.6	24.1	24.6	25.7	12.7	95	59	52	00 0	30 2	33 1	8	1	1 ∞°	1			⊙ ⌒ n, ∞° ⊙ a,p
10	21.6	20.9	19.5	20.4	28.4	26.5	28.8	17.1	85	50	50	00 0	02 1	29 1	9	1	1	0			⊙ ⌒ n, ⊙ a,p
11	18.4	17.2	17.3	19.5	28.9	24.0	**29.7**	16.9	90	**43**	53	00 0	20 3	29 2	8	1	1 ∞°	1			⊙ ⌒ n, ∞° ⊙ a,p
12	16.2	17.1	15.5	22.8	19.0	22.3	24.3	18.3	62	96	53	16 2	36 1	02 1	7	7 ∞°	8 ⚥°	7 ∞			∞° ⊙ ⌒ n, ∞° ⊙° ⚥² R a, ∞ ⚥° ⊙ p
13	15.0	14.4	13.5	17.6	25.5	23.1	26.2	17.2	98	60	62	00 0	23 2	21 2	7	5	7 ∞	7 ∞	19.4		∞ ⊙ ⌒ n, ⊙ a, ∞ ⊙ p
14	12.8	12.1	12.8	20.0	21.5	16.7	23.2	16.4	85	80	98	19 3	21 4	00 0	8	8 ∞	8 ∞	8 =°			∞ ⌒° n, ∞ a, ∞ ⚥ =° p
15	15.3	15.1	13.8	14.0	15.1	13.3	16.7	13.3	91	74	98	00 0	19 2	19 3	8	8	8	8 •	1.5		=° ⌒ ⚥° n, • p
16	11.4	12.6	13.7	13.6	14.9	14.6	14.9	13.0	99	96	98	28 1	21 2	21 2	5	8 •	8 •°	8 ,°	17.5		• ⌒ n, = • ' a, = ' •° p
17	10.2	09.8	12.9	15.1	13.6	13.6	15.8	12.6	98	98	85	17 4	29 1	31 1	5	7	8 •	4	9.5		= ' ⚥ ⌒ n, ⚥ =° • a, = • p
18	16.9	18.2	17.1	10.4	17.5	15.5	17.7	**9.6**	97	62	62	00 0	36 1	35 1	9	4	2	3	18.8		⊙ ⚥° ⌒ n, ⊙ a,p
19	14.7	14.8	14.4	11.3	12.8	13.1	15.5	10.2	96	81	89	00 0	17 1	21 1	7	7	8(•)	8			⊙ ⌒ n, •° a,p
20	16.7	16.8	16.7	13.2	17.2	16.0	17.6	12.4	96	85	84	00 0	30 2	30 2	7	8	1 ∞	6 ∞	0.7		⌒ •° n, ∞ ⊙ a,p
21	16.8	16.1	15.0	13.3	19.3	18.7	20.2	12.7	93	74	80	01 2	34 2	24 2	8	7	1 ∞°	3			∞° ⊙ =° ⌒ n, ⊙ ∞ a, ∞° ⊙ p
22	15.0	15.5	15.8	13.7	16.3	17.0	19.4	13.5	98	95	91	36 1	29 3	35 2	8	8	7	7			⊙° ⌒ n, ⊙° a,p
23	15.6	15.9	16.1	14.3	18.3	17.5	20.6	13.7	98	91	79	35 1	30 1	30 2	9	8 •°	4	6	5.5		⊙ ⌒ • =° n, •° =° ⊙ a, ⊙ p
24	17.3	17.7	16.8	13.9	21.7	21.2	22.2	12.7	97	74	67	32 1	33 1	36 1	9	1	1	5	0.0		⊙ ⌒ n, ⊙ a,p
25	17.1	18.0	18.5	17.0	26.2	22.7	26.8	14.2	94	45	51	00 0	32 1	30 1	9	0	1	1			⊙ ⌒ n, ⊙ a,p
26	16.8	16.3	14.9	15.9	23.5	22.8	24.5	14.0	93	61	59	00 0	34 1	32 1	9	0	0	1			⊙ ⌒ n, ⊙ a,p
27	14.2	13.9	12.9	14.9	21.5	20.3	22.8	14.7	98	85	67	00 0	36 1	32 1	9	8 ≡	2	3			⊙ ≡ ⌒ n, ≡ ⊙ a, ⊙ p
28	11.6	11.0	10.0	13.8	19.3	16.7	20.3	13.0	96	67	68	01 2	34 3	36 3	9	7	1	1			⊙ ⌒ =° n, ⊙ a,p
29	08.3	08.4	10.4	12.8	19.6	15.7	19.6	12.5	97	70	73	00 0	30 2	34 2	9	4	2	3			⊙ ⌒ n, ⊙ a,p
30	13.1	13.6	13.6	12.3	14.9	16.0	16.6	12.1	95	83	80	02 1	32 1	32 2	8	8	7	5			⊙ ⌒ n, ⊙° a, ⊙ p
31	14.8	15.7	15.2	13.7	15.5	17.7	19.4	13.1	98	98	84	16 1	20 1	32 1	8	8 •°	8	5	0.1		⊙ =° ⌒ •° n, =° •° a, ⊙ p
M	13.7	13.9	13.8	14.3	18.7	17.8	20.2	13.1	94	79	76	0.9	1.6	1.4	7.8	6.0	4.7	4.7	75		

August (VIII)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	13.0	12.4	12.1	14.5	15.1	14.2	17.7	13.8	98	98	98	15 1	15 2	30 2	7	8 •°	8 •°	8 •	0.2		⊙ ⌒ •° n, =° •° a, =° • p
2	12.4	11.9	10.8	12.3	15.7	15.7	16.7	12.1	94	**44**	63	36 2	36 2	36 2	9	6	5	1	2.2		= • ⌒ ⊙ n, ⊙ a,p
3	11.9	13.0	13.6	11.7	17.2	14.2	17.5	**10.4**	96	64	60	35 1	34 1	34 2	9	1	7	7			⊙ ⌒ n, ⊙ a,p
4	13.4	13.5	12.7	12.7	15.4	15.4	16.2	11.7	87	74	74	30 1	30 1	32 2	9	7	7	6 ∞°			⊙ ⌒° n, ⊙° a, ⊙ ∞° p
5	11.9	11.2	08.9	12.3	13.2	12.6	15.4	12.0	98	96	98	00 0	29 2	20 2	7	8	8 •	8 •	0.9		∞ ⌒ • n, •° a, =° • p
6	02.6	01.0	99.9	12.6	16.3	15.0	16.8	12.1	99	76	88	32 2	32 1	33 3	9	7	6	5	15.4		• ⌒ =° n, ⊙ ⚥° a, ⊙ ⚥ p
7	**99.2**	99.8	00.5	12.6	16.5	15.1	16.8	11.7	90	69	69	36 4	36 3	36 4	9	1	1	1	4.0		⊙ n,a,p
8	05.1	07.0	09.3	12.7	21.8	21.0	22.2	11.7	85	55	78	35 3	17 2	35 1	9	1	2	0			⊙ ⌒ n, ⊙ a,p
9	13.2	15.2	17.2	13.9	21.3	20.1	22.0	12.5	93	62	66	00 0	00 0	36 1	7	1	6	7 ∞			⊙ ⌒ n, ⊙ a, ⊙° ∞ p
10	21.5	22.3	22.5	14.9	21.1	17.6	21.2	14.7	98	78	65	00 0	35 1	34 2	8	7 ∞	7 ∞	7			∞ n, ∞ ⊙ a,p
11	22.4	21.4	19.9	12.4	19.3	17.4	19.3	12.1	98	79	76	02 1	30 1	30 2	8	2	4 ∞	2 ∞°			=° ⊙ ⌒ n, ∞ ⊙ a, ∞° ⊙ p
12	19.2	18.1	16.7	12.8	19.5	16.5	19.8	12.3	98	87	93	00 0	36 1	34 1	8	8 =°	7 ∞	8 •°			∞° =° ⌒ ⊙ n, =° ∞ ⊙° a, ∞ ⊙° •° p
13	14.8	14.5	14.5	15.1	22.9	21.6	22.9	14.8	98	75	58	00 0	27 1	34 1	8	8 •°	2 ∞	1 ∞°	0.8		∞ •° =° ⌒ n, ∞ =° •° ⊙ a, ∞ ⊙ p
14	13.6	13.1	11.3	14.7	23.1	21.2	23.8	14.2	97	56	55	00 0	21 2	30 1	8	1 =°	1 ∞	2 ∞°	0.0		∞° ⊙ =° ⌒ n, ∞° =° ⊙ a, ∞° ⊙ p
15	09.8	10.3	09.9	16.5	22.5	17.9	22.5	14.9	87	64	96	00 0	23 3	21 2	8	7 ∞°	5 ∞°	7 =°			∞° ⊙° ⌒ n, ∞° ⊙ a, ∞° ⊙ =° p
16	11.5	12.6	12.8	15.2	18.3	18.3	19.3	15.1	88	74	83	18 4	19 5	20 4	7	7 =°	7 =°	7 =°			=° ⊙ n, =° ⊙° a, =° ⊙° •° p
17	11.9	09.9	08.3	17.3	21.5	21.5	22.9	16.8	87	64	62	18 4	18 5	18 4	8	7 =°	7 ∞	7 ∞	0.0		=° ⊙° ⌒° n, =° ∞ ⊙ a, ∞ ⊙° p
18	07.6	10.0	10.8	14.8	17.5	18.0	21.5	14.7	98	93	76	21 1	35 1	32 1	7	8 ⚥°	7 =°	1	17.9		∞ •² ⌒ ⚥° n, ⚥° =° ⊙ a, =° ⊙ p
19	12.2	12.9	13.0	14.5	20.4	17.3	20.7	12.1	98	60	67	16 1	17 3	18 3	9	7 =°	3	8	0.1		⊙ =° ⌒ n, =° ⊙ a, ⊙ •° p
20	16.3	19.4	20.3	15.9	15.2	14.9	17.7	14.0	98	98	95	18 3	00 0	33 1	7	8 •°	7 =°	7 =°	5.6		• ⌒ n, •° =° ,° a, =° ⊙° p
21	22.4	23.5	23.1	12.9	19.1	17.8	19.3	12.3	97	60	65	34 2	34 3	36 2	9	4	0	0	0.6		=° ⊙° ⌒ n, ⊙ a,p
22	22.6	23.0	23.5	11.4	20.8	17.5	21.9	11.2	98	65	82	00 0	34 1	30 1	8	1 =°	3	7			⊙ =° ⌒ n, =° ⊙ a, ⊙ p
23	**24.8**	**24.8**	24.4	12.6	22.8	20.7	23.7	12.0	98	65	70	00 0	28 1	00 0	8	1	5 ∞	6 ∞°			⊙ ⌒ n, ∞ ⊙ a,p
24	23.9	22.8	21.6	14.1	23.6	21.3	24.3	13.4	97	63	62	00 0	00 0	00 0	7	5	5 ∞	0 ∞			∞° ⊙ ⌒ n, ∞ ⊙ a,p
25	20.2	18.5	17.0	13.0	24.3	21.5	**25.2**	12.8	96	48	57	00 0	00 0	33 1	8	0	0 ∞	0 ∞°			∞ ⊙ ⌒ n, ∞ ⊙ a,p
26	17.1	15.9	15.6	13.6	23.0	21.1	23.6	13.4	98	54	55	00 0	21 4	19 1	8	1	0 ∞	1 ∞			∞° ⊙ ⌒ n, ∞ ⊙ a,p
27	14.6	15.4	14.7	14.8	21.1	18.1	21.7	14.3	98	80	95	00 0	34 1	33 2	7	7	7 ∞	6 =°			∞ ⊙ ⌒ n, ∞ ⊙ a, ∞ ⊙ =° p
28	14.8	14.0	11.9	13.2	18.7	18.4	20.5	13.1	98	79	70	35 2	32 1	30 1	8	4	2 ∞°	1			=° ⌒ ⊙ n, ∞° ⊙ a,p
29	11.4	11.9	11.0	11.7	17.1	15.8	18.4	11.4	98	70	70	00 0	28 1	29 1	8	7	7	7 ⊕			⊙ ⌒ n, ⊙ a, ⊙ ⊕ p
30	10.5	10.5	09.3	14.2	16.9	15.4	16.9	12.8	96	82	98	17 4	16 4	19 2	7	7	8 •°	8 •			⊙° ⌒ n, =° •° a, =° • p
31	03.8	02.4	01.6	15.0	16.0	15.2	16.4	14.4	97	98	97	17 4	18 2	21 2	6	8 •²	8 ⚥	7(⚥)	58.2		=° •² R n, •² =° ⚥ a, ⚥ =° p
M	13.9	13.9	13.5	13.7	19.3	17.7	20.2	13.1	95	72	76	1.3	1.8	1.7	7.9	5.0	4.9	4.6	106		

1955

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1ʰ

September (IX)

$H_s = 43$ $H_b = 44.4$ $h_x = 1.7$ $h_a = 19.0$ $h_d = 19.0$ $h_r = 1.4$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	02.6	02.2	00.3	11.4	13.6	12.4	15.2	11.3	95	83	95	12 1	00 0	16 2	7	6	7(⩒)	7(⩒)	61.3		=⁰ ⩒ ⌓ n, ⩒ a,p
2	93.2	86.2	84.0	11.8	14.8	15.3	15.3	11.0	85	84	98	16 2	16 5	18 2	7	8 •	8 ⩒	8 ⩒	2.5		⩒ ⌓ • n, • ⩒ a, ⩒ p
3	90.5	97.8	01.2	12.7	15.9	14.1	16.4	12.4	97	73	70	35 2	34 4	30 2	9	6(⩒)	2	2	23.9		⩒ ⌓ n, ⊙ (⩒) a, ⊙ p
4	04.2	04.7	04.6	11.2	13.8	13.0	14.1	11.0	87	72	97	16 2	18 4	16 2	7	7	8 •⁰	8(⩒)			⊙ ⌓⁰ n, ⊙ •⁰ a, •⁰ ⩒⁰ p
5	00.9	99.8	98.2	13.9	15.8	15.3	16.8	13.0	97	90	98	16 3	16 4	18 4	8	7	7 ∞⁰	8 ⩒	5.3		• ⩒ ⌓ n, ⩒ ∞⁰ a, ∞⁰ ⩒⁰ p
6	02.8	05.2	08.3	12.4	12.8	14.1	15.3	12.4	97	98	94	12 1	16 3	00 0	5	5	8 •	7 =⁰	10.2		⩒ • ⌓ n, =⁰ • • a,p
7	13.9	16.4	15.8	12.6	14.7	15.8	16.8	11.8	96	93	81	15 1	00 0	02 1	7	7 =⁰	8 =⁰	1	3.5		=⁰ ⌓ n, =⁰ a,p
8	14.4	13.3	09.6	10.1	19.3	17.2	20.6	10.1	99	73	88	00 0	23 2	00 0	8	1 ⌓	0 ∞⁰	5 ∞⁰			⌓² n, ⌓ ∞⁰ ⊙ a, ∞⁰ ⊙ p
9	02.4	03.3	03.9	18.8	16.9	16.3	19.9	15.1	66	79	87	11 1	17 4	00 0	7	8 ⩒⁰	8 ⩒⁰	7 ∞	0.5		∞ ⩒⁰ n,a,p
10	04.3	06.3	06.2	14.3	15.7	15.0	16.9	14.2	95	94	92	00 0	21 3	17 3	7	7	6 ∞	4 ∞	5.0		∞ ⩒ ⌓ n, ⩒ ∞ a, ∞ p
11	01.4	98.9	03.2	13.9	13.2	12.0	15.0	11.4	93	99	97	18 5	16 5	12 1	6	7	8 •	5	5.9		∞ ⩒ ⌓⁰ n, •² a,p
12	04.9	05.2	04.1	10.6	11.1	10.1	12.4	9.3	99	98	96	15 2	12 3	14 1	8	7	7	5 ⩒⁰	31.8		• ⩒ ⌓ n, ⩒ ⊙⁰ K a, ⊙⁰ ⩒ Δ K p
13	96.9	95.1	93.7	11.0	10.6	10.4	12.8	10.0	78	95	90	16 3	19 2	15 2	6	7(⩒)	8 ⩒	7	15.0		⩒ ⌓ n, ⊙ a, ⩒ p
14	93.5	94.7	94.1	7.2	13.9	14.3	14.8	7.1	99	78	74	00 0	32 2	02 2	8	5	7	5	6.4		⩒⁰ ⌓² n
15	97.1	98.3	98.7	12.8	17.5	15.1	18.9	12.6	75	66	75	32 2	36 2	28 1	9	7	1	6	0.9		⩒ ⌓ n, ⊙ a,p
16	96.7	95.0	94.2	10.4	14.8	12.5	15.1	10.0	96	80	89	35 2	34 3	32 3	9	5	5	7			⊙ ⌓ n, ⊙ a,p
17	98.8	00.6	99.6	10.3	13.1	12.0	13.1	10.3	89	91	92	30 1	17 3	17 3	9	4	6	7	0.0		•ᵘ n, ⊙ ⩒ a,p
18	98.2	04.0	08.8	8.9	10.9	9.5	12.0	8.5	98	93	93	15 1	30 3	32 2	7	7	7 ⩒	7 ⩒	31.7		⩒ • ⌓ K n, ⩒ a,p
19	14.5	16.1	15.5	7.8	12.0	10.8	12.4	7.8	99	80	83	12 2	19 2	16 3	8	7(⩒)	7	8 •	9.1		⩒ ⌓ n, (⩒) a, • p
20	14.8	16.6	15.9	12.8	14.7	14.4	14.9	10.6	90	90	90	12 3	15 3	17 3	6	8 =⁰	8 •⁰	7 =	0.5		•⁰ =⁰ n,a,p
21	15.3	15.3	14.2	11.8	15.3	14.9	16.9	11.6	93	79	82	14 2	20 4	20 1	6	1 =	1 =	1 =⁰	0.1		= ⌓ n, = ⊙ a,p
22	12.1	11.2	10.1	12.0	21.3	19.3	21.5	11.4	90	53	57	09 1	16 3	16 3	8	2 =	7 ∞	7 ∞			= ⌓ n, = ∞ ⊙ a, ∞ ⊙ p
23	11.1	12.0	13.9	18.7	20.7	16.5	21.4	16.2	70	65	76	17 3	16 4	20 3	7	5 ∞	5 ∞	8 •⁰			∞ ⌓⁰ n, ∞ ⊙ a, ∞ ⊙⁰ • p
24	13.0	12.6	08.9	15.1	13.7	16.4	17.4	13.5	69	89	75	17 4	16 4	17 5	6	8 •⁰	8 •	8 ∞	1.1		•⁰ ∞ n, • ∞ K a, • ∞ p
25	03.7	04.4	04.1	13.2	14.2	13.2	16.4	13.1	99	89	92	20 3	20 3	18 4	8	7(⩒)	5	7	32.2		∞ •² ⩒ ⌓ n, ⩒⁰ a,p
26	01.1	02.1	01.9	9.3	9.1	9.8	13.2	8.3	97	98	98	17 3	16 3	24 2	8	7 ⩒⁰	7	7(⩒)	16.7		• ⩒ ⌓ n, ⩒ a,p
27	08.1	08.8	09.5	7.6	11.0	8.8	11.0	7.6	97	81	92	20 1	21 2	33 1	8	7	7	7	15.3		⩒ ⌓ n, ⊙ ⩒⁰ a, ⩒ ⊙⁰ p
28	11.8	13.5	12.9	6.1	11.0	9.5	11.6	5.3	98	78	92	00 0	25 1	18 2	8	6 ⌓	8(⩒)	8 ⩒	0.9		⌓² n, ⌓ (⩒) a, ⩒ p
29	10.4	09.8	07.2	11.6	10.3	14.3	14.3	8.3	99	98	99	21 2	16 6	23 3	6	8 =⁰	8 •	8 •	9.9		⩒ • ⌓ =⁰ n, = • a, = • • p
30	01.3	05.6	04.6	13.9	10.9	9.7	15.0	9.5	96	85	90	23 5	29 4	28 4	7	8 ⩒	5(⩒)	7 Δ	34.8		= • ⩒ ⌓ n, ⩒ ⊙ a, ⩒ ⊙⁰ Δ p
M	04.5	05.2	04.9	11.8	14.1	13.4	15.6	10.8	91	84	88	1.9	3.0	2.2	7.3	6.2	6.2	6.3	324		

Oktober (X)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	05.4	10.6	12.9	7.3	9.7	8.3	10.7	6.9	93	82	87	30 4	36 4	33 2	7	4 Δ	7 ⩒	5	11.5		⩒ Δ ⌓ n, ⩒ Δ a, ⩒ p
2	08.8	06.1	02.8	8.0	9.6	9.3	10.8	6.5	98	99	98	16 2	20 3	19 4	6	8 •	8 •	8 ⩒⁰	4.1		⩒ ⌓ • n, • a, • ⩒ p
3	99.6	99.1	99.6	8.1	9.7	8.6	10.4	6.8	98	84	94	16 3	20 3	17 2	7	7 K	7	7 ⩒	41.3		⩒ Δ K n, ⩒ K a, ⩒ ⊙⁰ p
4	03.4	05.0	05.3	8.4	11.4	9.7	12.0	7.9	98	90	93	15 3	21 2	19 1	9	7(⩒)	5	6 ⩒⁰	10.1		⩒ ⌓ n, ⩒ ⊙ a, ⊙ ⩒⁰ p
5	04.5	03.4	01.1	6.0	13.0	11.0	13.0	5.5	96	63	66	16 1	20 4	16 1	9	1	5	7	0.3		⩒⁰ ⌓ n, ⊙ a,p
6	95.3	95.0	97.7	10.7	13.0	11.9	13.1	9.0	63	60	62	11 4	12 4	09 2	8	6	8	7	0.0		•⁰ n,p
7	01.8	04.2	08.6	8.1	12.1	10.1	12.2	8.0	93	84	87	00 0	00 0	00 0	6	5	7	7	0.0		•⁰ n, ⊙⁰ a, ⊙⁰ •⁰ p
8	10.6	09.8	05.1	9.4	11.4	9.9	11.4	8.1	97	87	99	19 2	20 5	19 6	7	7	8 ∞	8 •	0.0		⌓ n, ∞ a, ∞ • p
9	10.4	13.2	15.3	13.5	14.3	13.9	14.9	9.7	98	94	98	27 2	20 4	20 4	7	8 =⁰	8 •⁰	7 =⁰	26.8		• = n, =⁰ •⁰ a, = •⁰ p
10	16.7	16.6	14.7	13.8	14.5	13.7	14.5	13.4	96	96	95	23 3	21 5	20 6	6	8 =⁰	8 =	8 •⁰	0.0		=⁰ •⁰ n, =⁰ a, = •⁰ p
11	13.9	13.8	12.6	11.3	12.9	12.9	14.9	11.3	98	92	85	20 4	21 4	18 3	6	8 •	8 =	8 =⁰	1.4		= • • n, = • a, =⁰ p
12	12.3	11.6	11.0	12.0	13.1	12.3	13.7	12.0	93	87	97	19 4	20 4	19 4	6	8 •⁰	8 =⁰	8 •⁰	0.1		=⁰ •⁰ n,a,p
13	09.2	06.1	01.8	11.0	10.6	12.8	12.8	10.6	96	95	98	18 3	20 5	24 5	7	7	8 •	8 =⁰	3.7		=⁰ • n, • a, •² =⁰ p
14	04.2	05.8	97.7	9.9	10.0	10.6	13.3	9.9	98	90	97	01 2	00 0	24 4	7	8 •⁰	8	8 •	27.0		=⁰ • n, •⁰ ⊙⁰ a, ⊙⁰ • p
15	89.5	93.2	97.6	4.7	5.3	6.2	10.6	1.4	89	68	81	01 5	34 6	03 4	9	7	7(Δ)	5	10.3		• n, ⩒ Δ a, ⩒ Δ ⩔ p
16	00.2	95.5	90.1	1.0	3.8	3.5	6.2	0.9	99	86	65	16 1	21 2	36 1	9	8 ⁂⁰	7 ●	8	8.3	0	⩒ ⩔ ⁂ n, ⁂⁰ =⁰ ⊙⁰ a, ⊙⁰ ⊕ p
17	86.0	88.2	90.2	1.0	5.4	4.1	6.5	0.8	69	66	60	00 0	12 3	30 1	8	7	7	1	0.0		⩔⁰ a, ⊙⁰ p
18	93.5	96.1	98.3	0.6	7.9	4.0	8.4	0.3	72	59	66	00 0	00 0	18 1	7	1	1	0	0.0		⌓ ⌣ n, ⊙ a,p
19	99.6	98.9	94.3	5.1	9.3	8.9	9.4	3.0	66	60	57	20 3	19 3	15 3	9	1	6	8			⊙ a,p
20	81.4	81.5	87.2	9.3	8.6	8.4	9.7	5.4	81	96	98	20 4	19 4	18 1	6	4	8 ⩒	7	20.6		• ⩒ n, ⩒ =⁰ K a, =⁰ ⩒ p
21	93.9	99.4	04.1	6.4	8.7	6.2	9.1	6.1	97	83	87	06 1	01 4	03 2	9	7	5	1	16.4		⩒ ⌓ n, ⊙ a,p
22	11.7	15.5	18.1	4.5	9.8	5.8	10.6	3.6	74	60	70	21 1	00 0	00 0	7	0	1	1			⊙ a, ⊙ ⌓ p
23	18.6	17.6	15.1	6.6	7.3	7.0	7.5	3.2	73	82	94	18 2	19 3	20 2	7	7	7	8			⌓ ⌓⁰ n, •⁰ a,p
24	09.3	08.9	08.5	5.7	7.6	6.7	8.2	5.7	98	93	99	18 4	16 2	18 2	7	7 ⩒⁰	7	7	2.8		⩒ n, ⩒⁰ a,p
25	05.0	98.4	93.8	6.5	7.6	6.8	10.0	6.1	98	98	98	17 2	21 3	01 4	6	7	8 •	7 ⩒	9.6		⩒ ⌓⁰ n, • =⁰ a, =⁰ • ⩒ p
26	97.8	99.0	99.5	4.0	7.4	5.1	7.5	3.4	92	85	88	02 2	03 1	03 2	7	7	7	1	11.0		⩒ ⌓ n, ⊙ a, ⊙ ⩒ p
27	97.6	96.2	95.4	3.3	5.7	3.2	6.0	2.9	92	85	86	02 1	02 1	03 2	8	7	7 ●	1	0.2		⩒ ⌓ n, ⊙ a,p
28	00.2	03.9	05.8	1.9	5.9	3.0	6.0	1.7	74	67	69	01 2	03 2	03 2	9	1	1	6			⌣ n, ⊙ a,p
29	96.9	95.8	95.7	3.2	3.7	1.3	4.0	0.9	99	97	99	32 2	02 1	00 0	6	8 ⩒	7 Δ	7	6.9	0	⁂ ⩒ n, ⩒ ⩔ Δ a, Δ ⩔ p
30	95.3	99.0	01.8	0.0	2.6	1.0	3.7	0.0	99	95	93	00 0	36 1	03 2	9	1	1	1	10.8	3	⁂ • n, ⊙ a,p
31	06.0	07.1	06.0	- 2.2	2.9	0.7	3.0	- 2.2	98	75	97	00 0	18 1	16 4	7	1	7	7 ⩔		0	⌣ n, ⊙ a, ⊙ ⩔ p
M	02.5	03.0	02.8	6.4	8.9	7.6	9.8	5.4	90	83	86	2.2	2.7	2.5	7.4	5.6	6.4	5.7	223	0	

Ekstensotabell

1955

Bergen (Fredriksberg)

$\varphi = 60° 24'$ N $\lambda = 5° 19'$ E $g = 9.819$ $\Delta G = +1^h$

November (XI)

$H_s = 43$ $H_b = 44.4$ $h_z = 1.7$ $h_a = 19.0$ $h_d = 19.0$ $h_r = 1.4$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	03.4	03.2	02.8	2.7	4.8	6.3	6.3	0.8	98	87	92	16 2	18 2	18 4	7	7	8 •°	8 ⸗	2.4	0	⸗ ⸗ ⌒ n, •° a, •° ⸗° p
2	07.3	09.8	08.9	8.5	8.2	8.7	8.7	4.9	96	91	81	20 4	20 4	20 3	6	7	7 •°	6 =°	5.3		⸗ • ⌒ n, = a, =° p
3	04.3	05.6	04.9	7.8	7.8	8.0	9.8	7.8	60	67	78	23 1	18 3	21 1	7	7	8 •°	8	0.0		=° n, •° a,p
4	01.1	98.8	98.7	5.6	8.6	7.4	9.5	5.4	98	89	99	00 0	00 0	00 0	5	7	7 =	8 •	0.2		⌒ •° n, = ⊙° a, = ⊙° • p
5	00.4	02.8	05.4	7.8	7.8	7.8	7.9	7.3	99	99	99	00 0	00 0	00 0	5	8	8 •°	8 =	17.8		= • ⌒ n, = • a,p
6	12.2	14.3	14.7	9.5	9.3	8.4	10.0	7.8	94	96	96	00 0	00 0	17 1	6	8	7	8	4.8		= • ⌒ n, •° p
7	13.1	11.5	09.3	7.5	8.3	8.2	8.7	7.4	98	98	99	00 0	01 1	00 0	6	8	8	5 ⌒	0.2		•° ,° ⌒ n, • ' a, •° ⌒ p
8	03.5	04.7	04.0	9.9	11.7	12.0	12.6	7.3	93	76	70	00 0	19 3	20 2	8	8 •	7	8	4.4		⌒ • n, • a
9	00.3	99.2	98.6	8.6	9.3	8.6	12.0	8.4	89	89	92	00 0	29 1	00 0	7	8	8	8	3.4		•° p
10	95.3	94.6	93.9	7.0	7.9	8.8	9.0	6.7	98	95	95	00 0	00 0	00 0	5	7 •°	7	8	0.5		• ⌒ n, •° a, • p
11	97.2	96.5	94.8	10.1	9.8	10.8	11.0	8.6	96	96	99	20 5	19 3	21 6	8	8	8 ⸗	8 •	6.2		• n, • ⸗ a,p
12	00.6	04.3	07.7	9.8	9.8	5.7	11.6	5.7	98	95	90	24 2	23 2	30 4	7	7	7(⸗)	8 ⸗	26.0		• ⌒ n, • ⸗ p
13	10.0	13.1	14.7	5.4	5.2	4.3	5.8	2.8	79	90	95	34 3	35 2	20 1	8	7	7(⸗)	8 ⸗	6.3		⸗ △ ⸗ n,a, ⸗ ⸗ p
14	17.9	20.6	22.6	4.4	5.9	4.5	6.0	3.7	81	79	85	05 1	02 3	36 1	9	1	1	0	3.4		⸗ ⌒ n, ⊙ a,p
15	24.5	24.2	23.8	4.5	6.5	8.3	8.3	3.5	96	99	98	00 0	00 0	01 3	5	8	7 =	8 •			⌒ n, = • ' a, = • p
16	26.8	27.8	28.7	7.4	8.0	6.9	8.4	6.8	98	95	95	03 2	03 2	36 1	8	7	7	7	3.0		• =° ⌒ n, ⊙° a, ⊙° ⸗ p
17	26.9	26.5	23.9	6.6	7.7	7.2	7.7	6.5	98	95	91	18 2	23 2	18 2	7	8	8 =°	8	1.6		• ⌒ n, =° •° a, =° p
18	22.1	22.8	26.9	8.0	7.7	6.2	8.7	6.2	97	87	85	00 0	02 4	05 1	7	7	7 =°	8	7.2		• ⌒ n, =° a,p
19	27.8	24.4	19.8	5.1	6.3	9.3	9.6	4.3	90	99	99	18 1	20 3	33 4	6	8 ⸗°	8 •	8 •	0.3		⸗° ⌒° n, ⸗° • = a, = • p
20	19.0	23.7	25.0	7.0	7.4	5.6	9.3	5.6	96	81	78	02 3	03 2	01 2	9	1	7	0	10.0		= • ⸗ ⌒ n, ⊙ a, ⊙ ⌒ p
21	23.3	22.5	19.8	3.5	5.3	7.6	7.7	3.4	99	99	99	16 3	17 2	03 1	6	8 •°	8 •°	8 •°	0.5		⌒² =° •° ' n, =° •° ' a, = .° ' p
22	16.7	12.2	05.6	6.9	7.8	6.4	8.5	6.4	99	92	85	00 0	27 2	34 3	7	8 •°	7 =°	7	2.2		=° •° ' ⌒ n, =° •° a, =° ⸗ p
23	01.5	00.8	04.5	2.8	5.2	4.8	6.6	2.0	94	85	81	36 5	36 6	02 4	7	7 ⸗	7(⸗)	2	11.5		⸗ ⸗ △ n,a, ⸗ △ p
24	06.2	12.0	16.2	2.6	3.9	2.4	4.8	2.2	84	69	67	03 4	02 4	05 2	9	0	1	1	3.0		⊙ a,p
25	15.9	13.0	05.3	1.4	2.3	4.0	4.0	0.9	85	99	99	17 2	18 3	18 2	6	8 *°	7 ⸗	7 ⸗	0.1	0	⸗° *° n, ‡ ⸗ a, ⸗ • ⸗ p
26	02.6	97.3	98.8	7.9	8.9	7.0	8.9	4.0	98	99	83	27 2	32 6	35 2	6	6 ⸗	8 •	6 △	13.6		⸗ • ⌒ n, ⸗ • = a, • = ⸗ △ p
27	02.5	03.2	05.1	4.1	2.9	0.9	7.0	0.9	89	99	87	35 2	35 3	01 3	6	8 ⸗°	8 ‡°	5 ⸗	19.3		⸗ △ ⸗ n, ⸗° ‡ a, • ‡ ⸗ p
28	09.1	11.7	13.4	- 1.2	- 0.3	- 1.8	1.5	- 1.8	95	88	88	03 2	20 1	00 0	6	6 ⸗	7	7	6.0	2	⸗ * n, ⸗ ⊙ a, ⊙ p
29	16.3	16.6	13.3	- 1.5	0.5	3.1	3.6	- 2.9	73	74	68	27 1	00 0	20 5	6	2	7	8 ⸗°	0.8	2	⊙ a, ‡° p
30	07.4	05.5	03.5	7.2	8.7	8.0	8.7	2.4	99	98	96	19 3	26 4	24 4	6	8 •	8 =	8 =	3.9		‡ • = n, = • a, = p
M	10.5	10.8	10.5	5.9	6.8	6.5	8.1	4.5	92	90	89	1.7	2.3	2.1	6.7	6.7	7.0	6.6	164	0	

Desember (XII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	99.6	99.2	97.9	6.6	5.8	8.4	8.4	5.8	97	98	98	20 4	19 4	27 4	6	8 •	8 •	8 •°	12.7		=° • n, = • a,p
2	02.3	02.8	97.1	4.4	4.8	6.9	8.5	3.9	87	89	95	20 1	19 4	20 5	7	7	8	8 •	18.6		• = ⌒ n, ⸗ a, ⸗ • p
3	88.8	88.7	89.2	6.7	6.6	6.3	8.2	5.7	98	98	94	20 4	24 4	24 3	7	8 ⸗	7 ⸗	7	14.6		• ⸗ ⌒ R n, ⸗ a,p
4	01.4	09.0	11.8	4.9	5.1	4.1	7.5	3.1	98	85	99	36 5	19 1	17 2	6	8 ⸗	7	8 ⸗	19.0		• ⸗ n,a, ⸗ p
5	09.6	02.2	94.0	6.9	9.3	9.9	9.9	4.1	98	98	98	25 4	26 4	27 6	6	8 •	8 •	8 •	14.0		⸗ • ⌒ n, •² a,p
6	95.2	01.0	01.8	6.1	4.3	4.7	9.9	4.1	98	90	72	26 2	00 0	29 3	7	8 ⸗	7(⸗)	8	44.0		• ⸗ n, ⸗ ⊙ a, ⸗° p
7	91.9	91.9	91.8	3.7	3.9	1.9	4.7	1.5	96	74	90	33 4	36 4	36 5	7	8 •	7 ⸗°	8 ⸗	6.2		⸗ • ⌒ n, • ⸗ ⸗ a, ⸗ △ p
8	00.6	06.7	07.9	1.5	0.0	- 1.0	3.0	- 1.8	95	89	91	28 1	02 4	03 3	7	8	6	8 ⸗	6.0	0	⸗ ~ ⌣° n, ⸗ ⸗ ⊙° a, ⸗ ⊙° p
9	03.8	00.8	97.9	- 1.2	1.8	0.1	2.3	- 2.8	93	80	99	03 2	34 4	00 0	6	1	7 ⸗	7	8.1	3	⸗ n,a, * ⸗ p
10	91.2	89.3	91.2	- 3.5	- 1.9	- 2.2	0.5	- 3.8	99	96	93	00 0	00 0	05 2	6	0	6	0	4.4	5	⸗ ⌣ n, ⊙ a, ⊙ ⸗ p
11	00.1	03.7	04.1	- 3.8	- 2.8	- 3.6	- 1.5	- 5.3	78	81	86	00 0	18 2	19 2	7	0	5	8 ⸗	0.2	5	⊙ a, ⊙ ⸗ p
12	05.3	08.9	11.0	- 2.1	- 2.1	- 4.3	- 1.8	- 4.3	99	98	99	18 1	00 0	00 0	6	7	1	0	2.8	8	⸗ n, ⊙ a,p
13	12.5	12.3	08.8	- 5.3	- 4.0	- 5.2	- 3.7	- 5.8	00	99	99	00 0	00 0	00 0	6	7	6	0		7	⌣ n, ⊙ a,p
14	01.7	99.5	95.1	- 3.5	- 1.9	- 0.3	- 0.3	- 5.2	97	80	70	00 0	00 0	00 0	6	0	7	8		6	⌣° n
15	86.4	85.2	82.7	- 1.3	- 2.3	- 1.6	0.2	- 3.3	66	85	67	11 3	14 3	12 5	7	8 *°	8 *°	1	0.0	6	*° n,a,p
16	86.6	90.0	91.3	- 2.4	- 2.9	- 3.8	- 1.4	- 3.8	67	82	69	00 0	00 0	14 3	7	8	7	0	0.3	6	*° a
17	93.1	94.6	95.9	- 5.2	- 5.2	- 7.4	- 3.5	- 7.3	66	65	65	12 3	12 3	11 4	9	0	0	0	0.0	5	⊙ a,p
18	95.4	95.6	95.7	- 7.0	- 4.9	- 3.8	- 3.8	- 7.8	68	68	67	03 3	02 3	03 3	9	0	0	0		5	⊙ a,p
19	97.7	98.8	97.8	- 5.4	- 3.3	- 3.0	- 2.8	- 5.6	97	00	99	00 0	17 1	17 2	3	6	7 ⸗	7	0.2	5	⸗° ⌣° n, ⸗ a,p
20	95.4	94.1	94.6	- 3.2	- 0.5	- 0.1	0.1	- 3.5	99	97	99	19 2	24 2	18 1	6	4	7 △	7 ⸗	10.2	12	⸗ n, ⸗ △ a,p
21	98.2	99.7	02.1	- 2.3	- 2.0	- 2.7	0.0	- 3.1	98	98	97	00 0	00 0	15 1	6	4	1	7 ⸗	15.2	24	⸗ △ n, ⊙ a, ⊙ ⸗ p
22	05.3	05.2	04.7	- 4.5	- 4.0	- 4.0	- 1.7	- 5.0	99	98	93	00 0	00 0	00 0	5	1	0	6	0.7	24	⸗ n, ⊙ a,p
23	91.4	82.9	81.6	3.0	1.1	2.4	4.3	- 4.1	61	95	83	20 5	19 6	18 5	6	8	7 ⸗	8 ⸗		21	‡ ⸗ a, ⸗ p
24	80.1	79.5	84.3	3.9	4.7	4.4	5.7	1.4	84	79	99	24 4	24 4	28 4	7	8	8 •°	8 •	1.3	19	⸗ n, ⸗ •° a, • p
25	91.5	00.6	03.4	6.0	4.7	4.0	6.2	4.0	00	98	99	32 6	00 0	20 2	6	8 ⸗	7	8 •°	18.5	0	• ⸗ ⸗ n, ⸗ a, •° p
26	92.5	89.1	85.4	4.8	6.6	7.7	7.8	3.6	98	98	99	20 6	20 4	21 5	8	8 •	8	8	9.5	0	• n,a, • ⸗ p
27	80.7	85.7	89.6	5.9	7.4	6.0	7.8	5.4	99	93	97	30 4	30 4	21 3	7	7 ⸗	7(⸗)	7 ⸗°	14.7		• ⸗ n, ⸗ a,p
28	75.6	67.7	63.7	6.1	7.8	6.4	8.3	5.4	98	97	94	20 5	26 4	25 4	7	8 •	7(⸗)	8	14.4		• ⸗ n,a, ⸗ p
29	66.3	63.2	63.9	4.5	3.9	5.4	6.7	3.1	95	93	95	24 2	24 6	36 3	7	7 ⸗°	8 ⸗	7 ⸗°	25.0		⸗ △ n,a, ⸗ p
30	79.4	85.4	88.0	3.8	1.2	0.4	5.4	- 0.1	80	84	94	02 5	02 3	03 1	8	7	3(⸗)	7	11.8		⸗ n, ⸗° a, ⸗ p
31	87.6	93.1	97.7	- 1.3	0.3	- 0.4	0.8	- 1.3	92	76	95	00 0	01 2	03 3	9	7	1	3	0.8	1	⊙ a, ⊙ ⸗ p
M	93.8	94.4	94.3	0.9	1.3	1.1	3.1	- 0.7	90	89	90	2.5	2.5	2.7	6.6	5.7	5.7	5.7	273	5	

Trondheim (Voll)

φ = 63° 25′N λ = 10° 27′E g = 9.822 $\Delta G = +1^h$

Januar (I)

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	22.1	24.2	27.2	1.1	2.0	2.5	3.0	0.5	87	93	99	24 2	21 2	18 1	8	8(♦)	8(≡)	8 •		18	•° a,p, = 19
2	**30.5**	29.9	29.4	- 0.9	- 3.4	- 5.0	2.5	- 6.0	98	98	96	12 1	00 0	00 0	9	8	2	0	1.3	15	• n, ⊙ 13
3	27.7	27.1	25.0	- 4.5	- 5.3	- 8.1	- 3.2	- 8.1	92	86	85	00 0	18 1	18 3	7	7 =	4 ∾	3		10	= n, ∾ a
4	21.3	17.7	16.0	- 7.9	- 4.8	- 2.5	- 1.6	- 9.0	71	82	87	18 2	21 2	24 1	8	8 ♦	8(*)	8(♦)		10	(*) n, *° a, ♦° p
5	13.0	12.9	11.8	1.4	0.9	0.3	1.5	- 2.5	98	92	92	24 2	27 2	00 0	7	8(♦)	8 ♦°	8	1.1	10	* n, ♦ ♦ a, * p
6	08.4	05.1	99.9	- 4.6	- 3.8	1.1	1.1	- 5.6	99	96	92	00 0	00 0	24 4	6	7	8 *	8 ♦	1.3	8	♦ n, * a, *° p
7	90.4	91.4	94.0	1.3	1.4	- 0.2	2.2	- 0.2	98	93	92	27 3	27 2	27 1	7	6(♦)	6(≡)	7	8.9	10	♦ ♦ n, ♦ a,p
8	95.0	95.0	93.8	- 4.3	- 6.4	- 7.8	- 0.1	- 9.0	98	98	87	00 0	18 1	24 2	7	6 ∾	6 =	7	3.0	12	* n, ⊙ a
9	88.7	85.8	81.0	- 7.2	- 6.3	- 5.8	- 5.0	- 8.5	77	79	90	24 2	24 1	00 0	7	8	8 *°	8 *°		12	= a, *° p
10	70.7	59.9	**52.5**	- 4.1	- 0.8	- 0.8	1.0	- 6.0	90	82	65	04 3	00 0	21 3	6	8	8 *	8(♦)	1.3	15	* n, *° a,p
11	54.3	54.6	55.4	- 3.9	- 3.7	- 3.0	- 0.8	- 4.5	87	92	93	24 1	25 1	30 2	6	6	7 ♦	7 ♦	3.0	20	* n, ♦ a,p
12	60.6	65.4	66.6	- 0.4	- 1.6	- 4.0	0.5	- 4.4	62	70	90	30 4	27 2	24 2	8	6	7	6(♦)	3.2	20	♦ n, ♦° a, ♦² p
13	62.6	61.8	61.1	- 6.7	- 4.8	- 4.0	- 3.1	- 6.8	59	66	64	00 0	22 5	21 4	8	3	8	8	2.1	20	
14	66.5	69.4	70.6	- 4.4	- 6.1	- 5.4	- 2.7	- 6.7	99	91	00	27 3	21 3	27 4	6	8 *	3 ♦	8 ♦	5.3	30	* n, ♦² a,p
15	73.8	77.2	73.8	- 6.8	- 6.5	- 7.1	- 4.7	- 7.5	93	71	78	27 4	24 2	21 4	8	8 ♦	8(♦)	1	11.8	45	♦ n, ♦² a, ♦ p
16	67.5	67.5	66.3	- 9.4	- 8.9	- 6.5	- 6.3	- 9.9	86	84	72	18 2	21 3	21 4	1	2	8 *²	4(♦)	1.7	50	*² a, * p
17	67.8	70.1	70.4	-13.1	-16.6	-16.1	- 6.1	**-17.6**	77	87	87	18 1	21 1	18 2	9	2	2	7	5.0	50	⊙ a
18	68.3	70.1	71.0	-12.1	- 8.2	- 7.5	- 6.8	**-17.6**	86	87	91	21 2	22 2	21 2	8	2	8	1		50	*° a,p
19	73.0	74.6	77.5	- 4.4	- 5.6	- 4.5	- 3.8	- 8.9	98	85	82	24 3	26 4	21 4	7	8 ♦	7 ♦	1	3.9	55	♦ n,a, * p
20	85.1	91.7	96.2	- 2.6	- 1.5	- 1.3	- 0.8	- 7.9	00	80	96	21 2	27 2	24 2	7	8(♦)	6(♦)	7	5.9	60	♦ n,a,p
21	97.5	97.9	95.5	- 4.5	- 3.0	- 3.6	- 1.2	- 5.0	80	60	61	00 0	00 0	18 2	9	0	7	2	7.6	70	* n
22	93.5	93.6	94.9	- 0.7	- 0.9	- 1.4	0.1	- 7.6	**56**	58	92	15 4	24 6	21 6	8	5	7 +²	8 +²		70	+ a, *° + p
23	97.3	97.5	97.9	1.8	1.6	0.5	3.5	- 2.5	77	98	00	21 5	24 4	24 1	4	8 •	8 •	8 ∾	2.2	30	* + n, ‡ + a, ‡ p
24	81.8	78.6	75.9	2.8	4.9	6.0	6.5	0.5	93	87	81	24 2	24 2	21 3	8	8 •	8 ♦	8 ∾	12.6	25	• n, ♦ a, ‡ p
25	79.4	89.5	90.4	4.7	3.5	0.8	**6.9**	0.8	99	00	00	27 4	00 0	27 1	6	8 ♦	8(≡)	8 •	8.3	15	♦ n, • a, • = p, ≡ 19
26	85.6	83.9	79.8	1.5	1.8	2.0	3.8	0.7	99	99	00	00 0	00 0	00 0	2	8 ≡²	8 ≡²	8 ≡²	5.2	10	• ≡ n,a, ≡ p
27	83.6	87.6	89.1	3.1	2.0	2.4	3.1	1.5	88	92	86	27 4	24 3	24 3	8	7 ♦	4(♦)	7	3.1	10	♦ n,a,p
28	88.3	86.5	85.5	1.5	- 0.4	- 0.4	2.4	- 1.1	78	66	86	18 1	00 0	00 0	9	7	3	8 *°	2.0	10	* p
29	81.9	83.7	87.0	- 0.7	- 1.0	- 1.4	0.0	- 1.4	96	96	99	09 1	06 2	06 2	7	8 •	8 •	8 *	2.5	10	* • n, • *° a, (≡) 13, * p
30	81.7	80.6	78.2	- 1.5	0.4	0.3	0.5	- 2.1	99	96	91	03 3	03 1	01 2	8	8 *	7(≡)	8	5.8	10	* n, ♦ a,p
31	78.6	81.0	80.6	- 0.4	0.5	0.2	0.5	- 1.6	98	98	99	06 1	00 0	00 0	6	8 •	7 =	8 ≡	6.4	15	* • n, •° ≡ a, ≡ p
M	87.0	87.5	86.9	- 2.8	- 2.6	- 2.6	- 0.2	- 5.3	88	86	88	2.0	1.7	2.1	6.9	6.5	6.6	6.3	114	26	

Februar (II)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	83.7	83.0	82.5	0.8	1.6	1.3	1.9	0.1	93	99	99	00 0	00 0	06 2	0	8 •	8 •	8(≡)	3.3	10	• n, ≡ • a, ≡² p
2	84.2	85.3	83.6	- 1.3	- 0.5	- 3.2	1.3	- 3.2	93	88	95	03 1	08 1	00 0	8	8(≡)	6(≡)	1	1.2	10	(≡) a
3	81.4	79.6	76.2	- 2.8	- 0.6	3.0	4.0	- 3.6	96	92	82	00 0	00 0	00 0	6	2	8 =	8(•)		10	= ♦° n, ♦° p
4	**72.6**	74.2	74.0	3.1	0.9	- 0.2	**5.1**	- 0.6	71	99	96	21 1	21 1	24 1	4	8	8 ‡	7	0.5	10	♦° n, ‡ a,p
5	74.2	75.1	75.0	- 3.2	- 1.1	- 4.0	- 0.1	- 4.5	86	82	96	00 0	21 1	00 0	6	3	2 =	4 ∾	3.2	10	= ⊙ a, ∾ p
6	76.2	78.4	79.5	- 1.3	- 1.0	- 2.0	- 0.5	- 4.1	99	93	96	27 1	21 2	21 1	8	8 *°	8(*)	7	3.0	20	* n, = a, ♦ p
7	81.0	80.9	80.7	- 7.7	- 5.4	- 2.1	- 1.5	- 8.1	91	78	72	21 2	21 1	21 4	9	6	1	6	3.4	25	⊙ a
8	80.4	80.7	80.9	- 6.6	- 5.2	- 7.8	- 1.0	- 8.3	67	61	69	21 3	20 2	00 0	9	2	1	0		25	⊙ a
9	84.4	85.9	87.7	-12.9	- 6.4	- 2.9	- 2.4	-13.4	81	79	98	18 4	20 4	21 1	7	2	8 *°	7(♦)		25	*° a, ♦ p
10	88.6	88.6	88.0	- 3.3	- 2.3	- 4.2	- 1.0	- 5.3	91	86	95	21 1	21 1	21 4	9	7(♦)	6	7(♦)	2.3	25	♦ n, ⊙ a, ♦ p
11	87.4	89.2	93.4	- 5.2	- 4.4	- 4.4	- 3.9	- 6.1	96	82	93	18 3	19 2	18 1	7	7	5 ♦	8 ♦	1.2	20	♦ n,a, ♦° p
12	99.7	03.2	03.0	-11.4	-10.6	-13.3	- 4.1	-14.1	78	78	84	00 0	21 1	21 2	9	0	1	1	2.2	25	♦ n, ⊙ a
13	98.3	95.0	94.9	- 7.1	- 2.5	- 2.6	- 1.6	-13.3	90	85	86	21 2	21 2	21 1	8	8	7(♦)	8	0.4	25	♦° n,a,p
14	92.2	97.5	00.2	- 4.5	- 6.9	-10.5	- 2.5	-11.7	95	66	69	06 2	36 1	09 1	9	8 ♦	1	0	0.5	25	♦° n, ♦ ⊙ a
15	93.3	86.9	74.9	-14.9	- 9.8	- 4.0	- 4.0	-16.8	81	86	93	21 2	27 2	27 5	5	4	8 *	8 *	0.2	25	* a,p
16	**68.6**	70.7	72.3	- 5.1	- 6.2	- 8.0	- 2.3	- 9.1	95	80	62	09 3	09 3	09 3	7	8 *	8(*)	3	6.5	40	* n,a
17	75.7	78.7	82.6	- 9.6	- 6.5	-11.3	- 6.5	**-11.3**	59	54	56	15 2	20 2	12 2	9	1	2	1	0.2	40	⊙ a
18	87.9	90.8	92.1	-17.1	-13.4	-16.6	-11.3	-17.6	56	55	59	06 2	09 3	09 2	9	1	4	2		40	⊙ a,p
19	94.4	95.8	96.7	-15.6	-12.4	-11.7	- 9.5	-18.1	62	61	54	09 2	06 2	15 3	9	1	0	0		30	⊙ a,p
20	98.9	99.7	99.3	-16.4	-12.0	-12.3	- 9.8	**-18.8**	61	56	54	18 1	15 1	18 3	9	1	7	1		30	⊙ a,p
21	99.1	98.5	97.5	-13.8	- 4.5	- 4.8	- 3.3	-16.1	58	54	**47**	24 3	24 3	21 3	9	8	7	3		25	
22	96.7	00.0	02.1	- 3.3	- 1.8	- 2.1	- 1.3	- 5.2	79	93	00	21 4	21 3	24 2	7	7(♦)	8 ♦°	7	1.2	25	♦ n, ♦² a,p
23	04.6	04.8	04.9	- 4.6	- 2.1	- 1.7	- 0.7	- 5.6	90	73	71	21 3	21 3	24 1	8	3	7(♦)	2	3.0	25	
24	03.6	03.0	02.4	- 9.1	- 3.7	- 5.4	- 1.7	- 9.6	75	64	65	21 2	21 1	21 1	9	1	6	0		25	⊙ a
25	01.9	01.7	00.9	- 8.8	- 0.5	0.6	1.4	-11.1	70	71	96	21 2	22 2	24 3	9	7	6	7		25	♦° p
26	99.7	01.6	03.1	- 0.5	1.3	- 1.7	1.5	- 3.7	00	81	90	21 1	36 1	00 0	8	8 *	6(♦)	6	4.4	30	* n, ♦ a, ⊙ p
27	05.6	07.1	07.6	- 3.7	0.1	- 3.6	0.2	- 4.2	96	78	81	24 1	21 1	21 1	9	7(♦)	2	1	1.8	30	♦° n, ⊙ a,p
28	**09.1**	06.6	02.8	-10.7	- 4.2	- 4.8	- 3.1	-11.3	80	66	76	21 2	00 0	00 0	9	3	7	7		30	⊙ a,p
M	90.1	90.8	90.7	- 7.0	- 4.3	- 5.0	- 2.0	- 9.1	82	76	80	1.8	1.6	1.7	7.7	4.9	5.3	4.3	38	24	

Ekstensotabell

1955

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 $\Delta G = +1^h$

Mars (III)

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	01.2	02.7	01.6	1.4	3.7	2.5	5.2	- 4.8	65	65	84	00 0	00 0	21 3	7	7	8 ∞	8 •°		30	∞ a, •° p
2	00.5	05.3	08.1	1.6	5.0	2.6	5.1	0.3	61	67	98	21 1	24 3	21 4	8	4	3 ♦	8(♦)	0.0	30	• n, ♦ a, ♦ p
3	07.8	06.6	09.8	0.3	4.3	0.5	5.0	- 0.7	69	59	82	00 0	06 2	00 0	9	4	0	8 ∞	3.9	30	* n, ⊙ a,p
4	92.3	02.1	94.9	0.3	0.8	1.6	1.8	- 0.5	87	00	87	24 1	22 2	32 4	4	7(*)	8 *	7(♦)		25	* a, ♦ p
5	02.6	08.3	10.5	1.0	1.8	- 1.6	2.0	- 2.6	86	69	71	36 1	03 2	09 2	9	7	7	1	3.9	25	⊙ p
6	11.8	08.6	04.3	- 9.3	- 1.3	0.0	0.1	- 9.9	88	73	84	24 2	24 2	24 5	7	3 ∞	8 ∞	8(*)		25	∞ n,a
7	01.2	00.0	97.3	1.3	1.0	0.5	2.3	- 0.3	84	93	91	30 2	32 1	27 1	6	7 ♦	7 ♦	7	0.4	20	♦ n,a, (≡) 13, ♦° p
8	97.1	97.1	96.5	- 0.4	1.8	- 3.6	3.0	- 3.9	90	78	95	00 0	21 1	18 1	9	7	7	2	0.2	20	♦° n, ○ 19
9	96.5	96.2	98.6	- 3.6	- 0.8	- 0.6	1.3	- 4.1	96	95	00	24 2	03 1	27 2	4	8(♦)	8 *	7(*)	0.1	20	♦° n, ♦ a, ♦² p
10	04.9	07.4	08.3	- 2.0	0.6	0.0	1.2	- 2.3	00	91	69	27 1	18 2	21 1	6	7(♦)	8(♦)	8	8.1	35	*² n,a, ♦° p
11	06.7	07.8	08.2	3.0	5.5	3.2	**6.1**	- 0.5	92	80	77	24 3	27 3	24 4	7	8 •°	8 ♦	8	6.7	25	• n, ♦° p
12	08.3	06.4	06.7	2.1	4.7	4.9	5.9	2.0	00	85	64	00 0	21 1	27 1	9	8 •	8	7	3.1	10	• n, (≡) 7, • a
13	92.5	90.4	93.5	2.2	1.4	1.6	5.3	- 0.9	77	75	84	27 3	27 4	27 4	6	8(♦)	8(*)	6 ♦	2.2	10	♦ ♦ n, ♦ a,p
14	92.3	96.9	92.3	- 0.2	0.2	0.6	2.0	- 1.1	91	91	92	27 2	27 3	21 4	1	7 ♦	8 ♦²	8 ♦	7.7	12	♦ n, ♦² a, ♦ p
15	78.5	77.7	**74.4**	3.2	- 0.3	0.3	4.4	- 2.1	87	95	86	27 4	27 5	30 6	6	8	6 ♦	8(♦)	3.2	10	♦ ♦ n, ♦² a,p
16	79.6	79.2	79.0	- 1.6	- 0.1	- 1.6	1.3	- 3.0	87	82	99	30 4	27 3	21 2	3	6	7 ♦	6	8.6	20	♦ △ < n, ♦² a, ♦ p
17	87.3	94.3	96.3	- 6.6	- 6.3	- 9.1	- 1.0	-10.0	77	65	51	03 4	03 4	00 0	9	7 ∞	2	1	2.3	20	♦ △ n, ⊙ a
18	90.9	91.3	90.6	- 6.4	- 2.3	- 4.8	- 1.0	-10.1	93	69	71	00 0	09 1	06 2	9	6	6	6	0.3	20	♦ r, ⊙ a,p
19	92.9	93.1	92.5	-11.0	- 4.5	- 8.0	- 3.5	-11.5	82	69	71	24 1	03 1	16 1	7	5 ∞	1 ∞	1 ∞		20	∞ n, ∞ ⊙ a,p
20	92.2	92.1	91.4	-16.6	- 6.2	- 7.2	- 3.9	**-16.9**	87	64	57	21 2	07 1	16 2	8	1 ∞	1 ∞	1		20	∞ n, ∞ ⊙ a,p
21	92.1	91.0	90.0	-15.6	- 7.2	- 5.1	- 2.0	-16.8	75	51	50	21 1	00 0	18 3	7	1 ∞	7 ∞	8		20	∞ n, ∞ ⊙ a,p
22	91.8	92.3	95.5	-11.4	- 2.7	- 2.6	- 0.7	-12.3	00	75	99	00 0	21 3	21 3	6	1 ∞	8(*)	6 ♦	2.6	25	* n, ♦ p
23	00.4	00.6	00.6	- 3.4	2.3	- 2.2	2.4	- 3.6	93	55	65	22 3	24 3	20 1	9	8 ♦	7	1	1.1	30	♦ n,a, ⊙ p
24	98.8	98.2	96.7	-10.3	- 1.5	- 5.0	- 1.2	-12.7	70	56	62	18 2	09 2	00 0	7	1	0 ∞	0 ∞	0.0	30	∞ ⊙ a, ♦ p
25	97.0	97.0	96.7	-10.1	1.0	- 2.5	3.2	-11.5	59	**44**	60	23 4	24 2	00 0	7	5	2 ∞°	2 =°	0.0	22	∞ n, ∞ ⊙ a,p
26	94.7	93.4	92.6	- 9.0	0.0	- 3.0	0.4	- 9.8	77	56	68	22 3	10 1	00 0	7	5	0 ∞	2 ∞		22	=° n, ∞ ⊙ a,p
27	92.6	93.8	94.8	- 3.4	0.4	- 1.7	2.5	- 7.1	92	92	00	23 3	23 1	00 0	7	6(♦)	7 ♦	8 ♦	1.2	23	♦ ∞ n, ♦ a,p
28	95.1	97.5	01.8	- 2.2	- 1.2	- 3.7	0.8	- 4.5	78	72	60	02 3	03 1	02 2	8	4	4 ♦	1	2.3	24	♦ n, ♦ ⊙ a, ⊙ p
29	07.3	05.5	03.0	- 8.6	0.4	- 0.8	0.8	- 9.2	92	79	92	27 4	24 5	27 5	6	2	5 ♦	7 ♦	0.0	24	♦ ⊙ a, ♦ p
30	96.0	93.7	90.9	- 0.5	- 0.9	- 1.8	0.9	- 3.0	86	70	81	30 4	27 3	27 3	6	7 ♦	7(♦)	7 ♦	6.4	28	♦ n,a, ♦² p
31	88.5	89.7	90.4	- 2.6	- 1.6	- 2.6	1.5	- 3.2	93	95	96	27 2	27 1	27 2	7	8 ♦²	8(♦)	6(♦)	3.9	35	♦ n,a, ♦² p
Σ	96.5	97.3	96.7	- 3.8	- 0.1	- 1.6	1.7	- 5.7	84	74	79	2.0	2.1	2.2	6.8	5.6	5.6	5.3	69	23	

April (IV)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	94.8	93.6	94.5	- 3.1	- 0.7	- 1.7	1.9	- 4.2	00	79	88	30 2	27 2	27 3	9	8 ♦²	3	7 ♦	8.1	35	♦² n, ♦ a, ⊙ 13, ♦ p
2	93.3	96.8	97.2	- 1.0	3.1	0.0	3.3	- 2.6	99	82	00	27 4	24 2	24 2	8	8 ♦	6(♦)	8 ♦	10.3	40	♦² n, ♦ a,p
3	95.7	93.2	93.3	- 2.5	3.4	1.0	5.0	- 2.7	92	77	96	21 2	00 0	03 1	9	5	7	7	1.5	45	♦° n, ○ p
4	93.9	96.3	97.6	- 3.6	2.2	1.8	2.2	- 5.5	00	71	75	00 0	03 1	21 1	6	5 ∞	7 =	8 =		45	∞ n, ⊙ 7, = a,p
5	97.4	98.3	99.7	0.2	4.5	2.0	5.0	0.0	99	69	99	00 0	03 1	00 0	7	6 =°	7 ∞	8 •		45	= n, = ⊙ a, • p
6	00.6	91.5	00.5	- 0.4	0.0	- 1.0	2.0	- 1.0	00	85	68	03 2	03 3	09 5	9	8 *	7	7	3.7	50	* n,a
7	99.4	99.7	99.7	- 3.0	- 0.6	- 0.8	- 0.2	- 3.4	62	59	64	15 6	21 5	18 5	9	6	6	8	1.0	50	⊙ a
8	03.4	05.0	05.5	- 2.7	0.8	1.6	3.0	- 2.9	77	77	82	00 0	18 1	00 0	9	8 *	8	7	2.3	50	* n, (≡) 7, * a
9	03.5	02.0	00.4	- 0.6	3.6	3.9	5.3	- 4.0	65	54	54	15 2	18 4	21 2	9	7	6 ⊕	7	3.4	50	⊙ a,p
10	98.8	97.7	94.9	- 0.2	5.7	2.8	6.7	- 1.4	61	54	57	15 1	18 3	15 3	9	6	3	6		50	⊙ a,p
11	98.8	90.7	93.5	1.7	5.9	4.0	7.7	- 0.2	66	55	67	09 1	12 2	00 0	9	6	1	8		40	⊙ a,p
12	95.8	90.1	91.5	3.5	3.2	4.6	5.9	2.0	80	93	77	21 2	21 3	24 3	8	7	8 •	3(♦)	0.5	35	♦ n, • ♦ a, ♦ ⊙ p
13	95.2	86.0	91.8	1.6	3.7	2.3	4.8	1.5	85	84	00	21 2	24 3	21 3	8	7 ♦	8(♦)	7 ♦	5.2	25	♦ n,a,p
14	94.3	10.0	13.2	2.5	3.9	3.0	4.2	2.0	99	80	80	27 3	33 2	27 2	9	8 ♦	5	6	4.3	15	♦ n, (≡) 7, ♦ a
15	13.7	13.0	12.2	1.0	4.3	3.6	4.8	0.8	95	87	99	24 1	24 1	21 2	9	8 *°	8	8	0.0	15	* a, •° p
16	16.2	20.0	22.7	2.8	3.1	1.6	4.1	1.5	92	73	78	30 1	33 2	27 2	9	7	7	7	1.8	10	♦ n
17	**23.9**	23.8	22.8	0.7	3.0	1.6	4.5	0.0	77	64	69	00 0	33 2	00 0	9	8	6	6		10	⊙ p
18	20.3	17.2	16.2	0.9	6.4	5.0	8.9	- 0.5	82	68	78	21 1	03 1	29 1	8	6	2 ∞	4 ∞		10	⊙ ∞ p
19	11.6	08.4	03.1	3.7	5.6	6.0	9.0	3.3	87	79	76	25 3	24 2	25 1	8	8 =	8 =°	1 =		10	= ∞ n, =° a, = ⊙ p
20	97.7	96.6	94.9	2.0	2.0	- 0.4	6.0	- 0.7	84	71	98	26 4	30 4	03 3	8	4(♦)	8 ♦	8(♦)	1.0	10	♦ = n, ♦ ⊙ a, ♦ p
21	95.0	94.6	96.2	- 2.4	0.5	- 1.4	2.5	- 5.0	92	81	85	27 2	27 2	27 1	9	5(♦)	6	3	6.2	15	♦ n, ♦² ⊙ a, ♦ p
22	96.4	97.5	98.3	- 2.1	0.8	- 0.5	3.5	- 4.1	95	69	79	21 1	33 1	21 1	9	3	5	3	14.3	23	♦² n,a, ♦ ⊙ p
23	98.4	97.7	95.8	- 5.9	3.0	0.6	5.3	**- 7.9**	91	58	62	21 2	09 1	33 1	9	1	1	3(♦)	3.2	23	△ ⊙ n, ⊙ a, ♦° p
24	95.6	96.2	98.9	- 0.6	1.8	0.4	4.0	- 3.7	86	75	64	27 1	27 3	30 3	8	3	7(♦)	6 ♦	0.8	23	♦ n, ♦° a, ♦ p
25	00.7	04.2	03.8	- 0.5	1.0	0.4	4.5	- 1.6	70	68	85	27 2	27 3	27 1	7	6(♦)	6 ♦°	7 ♦	0.5	23	♦ n,a, ♦° p
26	02.4	01.1	00.2	- 1.3	2.8	1.8	4.6	- 4.0	86	65	59	24 1	03 2	03 1	9	7	2	2	0.3	20	⊙ n,a,p
27	99.6	98.3	96.4	- 4.6	2.8	2.1	5.0	- 6.9	73	**51**	52	21 1	09 1	36 2	9	0	1	1		20	⊙ n,a,p
28	91.2	85.8	**84.8**	- 2.4	4.4	6.5	9.5	- 6.4	72	59	65	15 1	03 2	21 1	9	5	6	3		20	=² n, ⊙ a,p
29	91.9	95.6	97.9	3.0	7.0	5.9	7.5	2.5	00	79	84	21 3	27 2	27 2	8	8	7(♦)	7	0.8	10	• n, (≡) 7, • a, ♦ p
30	98.0	95.5	93.4	3.6	9.6	8.3	**10.5**	2.5	91	56	57	24 1	15 2	15 4	9	4	3	6	3.4	7	♦ n, ⊙ a
Σ	00.1	99.9	00.4	- 0.3	3.2	2.2	5.0	- 1.8	85	71	77	1.7	2.1	1.9	8.5	5.9	5.5	5.7	73	27	

Ekstensotabell

1955

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 ΔG = + 1^h

Mai (V)

H_s = 127 H_b = 133.0 h_z = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7		13		19		Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	95.9	96.0	94.5	5.4	8.1	8.0	9.0	3.4	88	78	75	21	1	30	1	06	1	9	7	8	6	0.2	4	⚥ n, ⊙ p
2	90.9	88.0	84.3	4.3	8.6	4.1	9.2	0.9	88	60	84	21	1	16	3	09	2	9	2	8	8 •°		0	⊙ 7, •° p
3	78.3	78.3	77.6	4.6	8.1	5.5	8.3	2.5	65	59	72	15	5	18	4	18	5	9	6	4	7	0.0	0	⚥ n, ⊙ a,p
4	78.7	77.0	73.3	1.8	5.6	6.7	9.0	1,5	00	95	68	00	0	09	2	18	4	8	8 •	6 •	8	3.0	0	• n, (≡) 7, • a
5	73.6	75.7	76.5	4.7	7.0	6.5	8.6	3.6	91	77	81	00	0	03	2	03	2	8	8	7 ⚥°	6	0.5	0	⚥° a
6	81.7	86.1	88.9	4.4	6.0	6.6	7.5	3.3	95	82	69	03	1	00	0	36	1	9	7	8	7	0.1	0	⚥ n,a
7	92.4	92.3	92.9	4.2	8.1	8.0	9.4	1.1	80	50	52	36	2	06	3	03	1	9	0	0	2	0.4	0	⊙ a,p
8	96.7	97.8	93.4	3.7	5.8	6.0	8.0	2.7	86	69	64	24	3	02	2	03	2	9	7(⚥)	7	4	1.1	0	⚥ n,a,⊙ p
9	83.7	80.1	82.9	3.4	8.4	0.4	8.4	0.4	87	70	00	00	0	33	1	27	4	8	8 •°	8 •	8 *²	0.5	0	⚧° n, • ═ a, • * p
10	80.7	78.7	73.7	- 1.5	3.6	4.0	6.4	- 2.2	85	58	42	24	2	24	4	24	4	9	4(⚧)	5	7	2.8	0	⚧ n
11	75.7	79.3	81.4	- 0.4	0.8	0.4	4.2	- 1.0	99	99	93	24	3	27	3	24	3	1	8 *²	8 *	7(⚧)	7.3	8	*² n,a, * p
12	81.4	83.3	84.2	0.8	4.1	2.3	4.5	- 1.1	65	60	78	18	1	24	3	24	4	9	6	6	7(⚧)	10.1	12	⚧° n, ⊙ 13, ⚧ p
13	87.8	89.2	87.9	2.0	5.1	5.2	8.0	0.5	76	59	51	21	3	24	1	03	1	9	3	5	1	0.5	5	⚧ n, ⊙ a,p
14	83.0	78.8	74.3	1.5	4.8	5.6	6.5	- 1.0	61	72	70	03	2	09	4	09	2	7	6	8 •	8		0	⊙ 7, ⚥ p
15	67.9	68.6	71.4	5.9	9.2	7.6	10.6	2.1	62	53	66	19	3	03	1	09	1	9	2	4	6(⚥)	0.3	0	⊙ n,a, ⊙ ⚥° p
16	76.9	80.8	84.0	4.8	8.4	6.3	8.6	3.3	81	59	60	23	3	27	4	25	4	9	3	4	5	0.5	0	⚥ n, ⊙ ⚥° a
17	87.5	88.3	89.6	4.8	9.5	8.4	10.6	2.4	69	54	51	24	3	27	1	27	3	9	7	3	1	0.0	0	⊙ a,p
18	92.7	92.1	89.9	5.0	8.2	8.0	10.3	- 0.2	79	64	70	00	0	36	3	20	2	9	3	4	8 •°		0	⊙ a, •° p
19	80.6	77.5	76.0	4.3	10.8	9.0	11.3	3.5	90	56	56	09	2	20	4	18	4	9	7	7	7	4.4	0	• n, ⊙ a,p
20	80.5	84.2	88.5	5.0	5.1	4.0	9.1	3.6	90	95	95	24	4	27	3	27	4	7	7	8(•)	8 •		0	⚥ a, • p
21	92.7	95.8	97.6	1.5	4.5	2.8	5.0	1.1	00	65	58	27	2	27	4	30	3	7	7 ⚧	3(⚥)	4(⚧)	6.9	0	⚧ ⚥ n, ⚧ ⊙ a, ⚧° p
22	98.3	97.4	96.1	- 0.5	3.1	2.8	3.5	- 1.9	93	90	93	24	2	27	2	24	3	7	8 ⚧	8 ⚧°	8(⚧)	4.6	0	* n, ⚸° a, ⚧ ⚥ p
23	02.1	04.0	05.9	1.2	4.1	3.1	4.6	- 0.5	98	85	84	27	1	30	2	27	2	9	6 ⚧	8	7(⚧)	6.4	0	⚧² n,a, ⚧ p
24	01.8	99.2	97.0	1.1	4.3	4.5	5.0	0.8	00	00	00	24	1	27	2	21	2	3	8 ⚸	8 •	8 •	3.2	0	⚧ n, • a,p, (≡) 19
25	00.2	01.8	03.1	4.0	7.4	6.8	8.9	3.5	80	61	69	30	2	36	2	30	2	9	7	4	3	14.2	0	⚥ n, ⊙ a,p
26	05.3	05.9	06.2	4.2	8.0	9.1	9.5	1.5	80	54	51	21	1	06	3	03	1	9	1	4	1			⊙ n,a,p
27	07.8	08.3	08.9	5.4	11.0	9.0	11.3	1.1	70	52	70	24	1	33	2	30	2	9	2	2	2			⊙ n,a,p
28	08.7	09.3	10.2	5.1	6.7	6.4	9.0	4.5	90	75	79	27	1	27	1	30	1	9	8	8	8			
29	13.7	14.4	14.6	5.4	9.0	13.0	14.0	4.4	75	64	48	00	0	36	2	33	1	9	6	0	0			⊙ a,p
30	16.0	15.2	14.8	9.0	16.1	15.3	17.8	3.5	71	43	41	00	0	33	2	03	2	9	0	1	6			⊙ n,a,p
31	15.0	14.1	12.8	9.9	14.4	17.0	17.0	5.0	70	50	51	00	0	36	2	03	2	9	5	7	7			⊙ n,a,p
M	91.3	91.5	91.4	3.7	7.2	6.5	8.8	1.7	83	68	69	1.6		2.4		2.4		8.2	5.4	5.5	5.6	67	1	

Juni (VI)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7		13		19		Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	12.0	10.0	07.7	11.3	15.6	18.8	19.4	4.6	64	50	35	00	0	03	2	06	2	9	2 ═	0	1			⊙ n,a,p
2	06.5	06.6	06.4	12.0	17.9	16.6	20.6	6.8	59	51	41	00	0	03	1	27	2	9	3 ═	0	0			═ ⊙ n, ⊙ a,p
3	09.0	09.0	07.4	11.5	15.7	17.0	19.6	5.6	69	54	51	12	1	03	2	30	2	8	0 ═	2 ═	1 ═			═ ⊙ n,a,p
4	07.7	07.0	05.1	9.1	14.9	14.4	17.3	6.8	87	59	48	18	2	03	1	30	3	8	1 ═	6 ═	1			═ ⊙ n, ⊙ a,p
5	02.4	00.4	01.2	9.2	14.1	8.9	14.4	4.9	75	55	75	21	1	33	3	30	3	9	1 ═	1	4			═ ⊙ n, ⊙ a,p
6	01.2	00.5	00.4	5.4	7.4	6.6	9.0	5.3	84	72	59	06	2	36	1	36	2	9	7	7	7	0.6		⚥ n, ⚥° p
7	99.0	97.5	97.4	3.3	8.1	7.6	9.3	2.0	88	60	54	21	2	33	2	33	4	9	8 ⚧	4	2	0.2		⚥ n, △ a, ⊙ p
8	97.1	96.2	95.7	5.1	6.8	6.4	8.1	2.3	73	67	62	33	2	33	3	30	2	9	6	5	7	0.4		△ a, ⊙ 13, △ p
9	95.9	95.8	95.7	3.6	6.8	6.4	9.0	1.8	86	65	69	21	2	33	3	30	3	8	7	6 ⚧	6	0.2		⊙ a
10	96.7	98.1	98.8	5.8	7.3	6.4	9.2	1.6	76	73	76	21	3	30	3	27	2	9	5	6	7 ⚥	0.0		⊙ a,p
11	99.5	99.4	98.4	4.7	8.7	8.2	9.2	2.4	91	69	58	24	2	36	2	03	2	9	6	7	6	1.4		⚥ n, ⚥ ⊙ △ a, ⚥ p
12	97.3	96.4	95.9	7.6	11.0	11.2	12.1	2.1	82	60	55	36	1	03	2	30	2	9	1	5	5	1.4		⚥ n, ⊙ a,p
13	95.7	95.2	96.3	9.3	13.4	12.6	14.7	4.2	76	57	61	00	0	03	2	21	1	9	1 ═	6	8(⚥)			═ ⊙ n, ⊙ a
14	97.5	96.5	93.9	8.8	12.5	12.2	13.6	5.5	90	65	62	24	1	06	2	03	3	9	6	4	7	3.1		⚥ n, ⚥° a, ⊙ p
15	82.2	82.9	83.6	10.8	10.0	9.7	13.2	9.7	65	86	00	21	4	17	4	24	1	6	7	8 ⚥	8 •	0.2		⚥ n, • a,p
16	93.3	95.4	97.1	4.5	5.7	5.4	9.7	4.0	93	92	91	27	4	27	4	27	3	8	8(⚥)	8 •	7 ⚥	7.6		• n,a, ⚥ p
17	99.6	02.7	04.3	4.8	6.6	5.8	8.0	3.7	90	78	75	27	4	30	3	27	2	9	7(⚥)	7	7(⚥)	8.2		⚥ n,a,p
18	01.0	02.8	04.3	4.4	8.3	7.2	9.7	3.8	00	93	98	21	4	27	3	27	2	9	8 •	6	7(⚥)	2.7		• n, (≡) 7, ⚥ a,p
19	03.5	02.6	02.5	7.0	8.8	7.8	9.2	5.9	00	91	99	21	2	03	2	27	2	8	8(≡)	8 •°	7 ⚥	9.5		• (≡) n, •° a,p, ⊙ 19
20	03.7	04.1	02.5	6.4	10.3	12.2	12.5	5.9	91	73	62	06	2	03	2	03	3	9	4	1	0	2.0		⚥ n, ⊙ a,p
21	00.3	00.1	00.8	10.8	16.5	15.6	18.7	5.8	59	56	60	00	0	03	1	00	0	9	4	7	6			⊙ n,a
22	01.5	98.8	95.1	13.3	16.0	16.2	17.5	8.7	77	57	68	00	0	03	3	18	1	9	4 ═	5	8			═ ⊙ n, ⊙ a
23	92.6	90.2	93.5	9.7	11.2	12.0	16.2	8.9	00	75	71	00	0	27	3	27	3	6	8(≡)	7 ⚥	6	4.3		• n,(R) 13, ⊙ a, ⚥° p
24	92.7	83.6	82.4	11.0	16.3	17.9	21.1	6.3	75	56	38	03	2	21	7	21	7	9	8	6	2	0.6		⊙ a,p
25	97.0	98.1	01.3	10.1	13.0	11.3	17.9	7.4	84	71	71	24	4	36	2	24	3	9	5 ⚥	7	5	3.0		⚥ n, ⊙ a, ⚥ p
26	05.9	06.5	05.7	8.8	12.3	12.0	14.2	7.8	98	79	64	24	1	36	1	27	1	9	7(≡)	4	5	4.1		⚥ n,a, ⊙ ⚥ p
27	04.4	03.0	02.0	8.6	14.4	15.0	16.5	6.4	92	58	58	06	2	03	2	27	1	9	4	1	6	1.4		⚥ n, ⊙ a,p
28	01.4	99.2	96.6	13.1	16.3	16.6	18.5	6.4	75	60	57	00	0	36	2	06	1	9	5	1	4			⊙ n,a,p
29	93.4	91.6	91.0	17.3	21.2	19.4	23.0	10.7	61	47	51	18	1	09	2	21	3	9	1	3	6			⊙ n,a,p
30	93.5	93.8	94.3	15.2	17.8	18.3	19.4	12.0	73	65	64	00	0	36	1	30	1	7	7 ═	8 ═	6 ═			═ ⊙ n,a, ═ p
M	99.4	98.8	98.6	8.8	12.2	11.9	14.4	5.6	82	66	64	1.6		2.4		2.2		8.6	5.0	4.9	5.1	51		

Ekstensotabell

1955

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 ΔG = + 1ʰ

Juli (VII)

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	96.3	95.2	94.3	14.0	15.6	15.8	18.3	12.5	88	79	88	21 2	03 2	03 1	9	8 ∞	7	4 ∞			∞ n,a, ∇̇ p
2	91.2	88.6	85.3	14.8	20.8	20.0	21.5	10.7	93	61	86	00 0	18 3	09 1	8	6 ∞	3 ∞	6 ∞	4.9		∇̇ n, ∞ ∇̇° ⊙ a, ∞ p
3	84.0	85.7	88.5	15.6	19.2	15.7	21.1	12.5	78	68	80	09 1	06 2	27 2	9	6	3	4 ∞	0.0		⊙ a,p
4	92.2	94.2	94.1	10.2	12.9	11.2	15.7	9.6	98	72	73	27 1	30 2	30 2	9	8	6	2			⊙ 13
5	98.8	00.9	02.2	9.7	12.1	11.7	13.0	7.5	90	70	67	27 1	21 1	31 1	9	8	7	3			
6	03.8	03.9	04.9	11.6	13.8	12.6	14.3	4.9	82	69	80	00 0	36 2	18 1	9	6 ∞	8	7			∞ ⊙ n, ∇̇ p
7	05.8	08.1	11.0	11.3	15.4	13.5	16.0	10.4	96	81	80	21 1	33 2	27 1	9	8(∇̇)	3	7	0.2		∇̇ n, ⊙ p
8	14.8	15.1	15.9	12.1	17.8	16.6	19.4	8.8	91	65	71	00 0	36 1	36 1	9	6	1	2			⊙ a,p
9	16.8	15.5	14.3	15.3	21.5	21.8	24.9	11.1	91	61	60	03 1	03 2	27 1	9	1 ∞	1	1			∞ ⊙ n, ⊙ p
10	14.4	13.3	11.8	18.2	22.2	23.1	24.5	12.5	82	67	57	36 1	06 2	30 1	9	0 ∞	1	1			∞ ⊙ n, ⊙ a,p
11	09.9	08.6	07.7	19.4	26.0	22.4	28.1	15.2	77	62	54	00 0	06 2	24 3	9	2 ∞	1	6			∞ ⊙ n,a, ∇̇ ⊙ p
12	05.3	06.0	05.9	22.4	21.7	19.4	23.8	16.8	65	65	71	18 1	30 3	03 1	9	5	7	6	0.1		∇̇ ⊙ n, ⊙ a, ∇̇ p
13	05.2	04.8	02.7	17.8	22.5	21.4	24.6	14.9	88	67	73	21 1	06 2	30 2	9	1 ∞	1	7(∇̇)	0.0		∞ ∇̇ ⊙ n, ⊙ a,p
14	00.7	99.9	98.2	20.1	23.2	22.3	25.5	14.3	80	78	66	00 0	00 0	00 0	7	1 ∞	7 ∞	3(≡)	4.0		∇̇² n, ∞ ⊙ a, ∞ ∇̇ p
15	01.5	99.8	95.7	12.5	14.2	14.1	22.3	11.9	90	69	92	24 1	03 1	15 1	9	7	8	8(≡)	1.4		∇̇ n,p
16	96.1	97.4	96.1	11.8	13.5	13.6	14.8	11.4	00	87	92	27 1	33 1	06 1	9	8(≡)	8	8 ∞	2.8		• n, ∇̇ p
17	94.0	95.3	95.2	14.1	12.5	11.2	14.5	11.1	98	92	79	21 2	27 2	27 3	9	7(≡)	7	7 ∇̇	4.0		∇̇ n, • a, ∇̇ p
18	01.1	05.0	06.1	7.4	11.0	11.4	13.8	7.4	96	69	69	27 4	30 2	27 2	9	7(≡)	4	3	13.9		∇̇ n, ⊙ a,p
19	01.7	00.4	98.7	10.0	11.0	12.6	13.0	6.9	91	90	81	21 2	24 2	24 2	8	8	8 •°	8(•)	0.2		∇̇ n, •° a
20	97.8	01.1	03.6	11.6	11.1	12.3	12.7	10.7	00	99	86	27 1	27 2	27 3	6	8 •°	8(≡)	7	4.3		• (≡) n,a, (≡) p
21	04.2	04.6	04.8	11.2	14.5	13.2	15.0	10.8	00	88	00	24 1	30 1	30 1	7	8(≡)	7(≡)	8(≡)	2.4		, (≡) n, (≡) a, , (≡) p
22	04.0	03.5	02.5	13.7	17.2	16.9	18.1	10.5	00	82	80	00 0	06 2	00 0	9	8(≡)	6	7	2.5		∇̇ , n, ∇̇° a
23	04.8	07.7	10.1	11.4	12.3	11.8	17.0	10.8	99	86	85	30 2	30 2	33 2	9	8	7	7	0.2		∇̇° n
24	11.6	11.5	11.1	9.6	13.4	15.1	17.1	8.9	80	64	59	09 2	36 1	36 1	9	7	4	3			⊙ a,p
25	12.4	10.9	09.1	13.2	17.6	19.6	21.5	6.8	82	58	55	36 1	00 0	00 0	9	1 ∞	0	0			∞ ⊙ n, ⊙ a,p
26	08.5	05.9	04.3	15.5	22.1	23.8	26.6	10.9	87	62	58	03 1	06 1	27 1	9	0	1	0			⊙ n,a,p
27	03.2	02.0	00.3	18.8	25.0	23.2	27.0	13.6	78	55	46	24 1	36 1	27 1	7	0 ∞	0 ∞	1			⊙ n, ∞ ⊙ a, ⊙ p
28	01.7	02.4	03.5	12.6	15.4	13.1	23.2	11.9	92	73	80	30 2	27 1	30 3	9	7	7	8			
29	03.8	02.5	99.8	11.3	14.0	15.5	16.5	9.9	81	67	69	00 0	03 3	06 2	9	8	1	3			⊙ a,p
30	02.0	01.7	00.4	12.8	15.6	15.7	16.5	8.4	92	79	70	00 0	06 2	03 1	9	7	7	1			⊙ n,p
31	99.5	02.1	03.1	12.6	14.8	14.0	16.7	10.9	93	85	58	21 2	30 3	27 2	9	8	7	2			∇̇° a, ⊙ p
M	02.8	03.0	02.6	13.6	16.8	16.3	19.3	10.8	89	73	73	1.1	1.7	1.4	8.6	5.6	4.7	4.5	41		

August (VIII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.9	96.4	94.9	13.2	13.0	13.2	14.8	10.0	86	95	99	24 1	36 1	33 1	6	8 ,	8 ,	7 •	0.3		, (≡) n, , =° a, • =° p
2	01.0	02.5	02.9	9.6	12.2	11.7	14.0	9.0	99	62	62	30 1	33 3	31 3	9	7	4	1	4.4		∇̇ n, ⊙ a,p
3	02.3	00.7	00.0	8.6	13.2	11.1	14.6	4.7	81	65	71	22 1	36 2	27 2	9	2	6	7			⊙ n,a,p
4	99.4	00.2	00.3	9.8	12.0	10.8	12.1	9.2	00	92	00	23 3	24 3	25 1	6	5 ,	8 ,	8 ,°	0.3		, n, ,° a, , p
5	97.2	97.1	96.0	11.1	12.2	12.6	14.0	10.4	99	91	81	20 5	27 5	30 1	9	8 •	7	6	2.6		, n, • a
6	90.5	89.0	88.6	11.5	14.2	12.8	15.5	10.3	95	88	88	00 0	27 1	27 1	8	8	5(∇̇)	5	1.3		∇̇ n,a
7	90.0	90.6	93.5	11.4	14.0	11.1	14.6	10.9	92	82	00	36 2	33 2	33 2	9	7 ∇̇	7	7(∇̇)	0.7		∇̇ n,a, ∇̇² p, (≡) 19
8	99.9	01.9	02.2	12.1	15.3	16.6	17.2	10.9	98	82	77	24 1	03 2	08 2	9	8	5	1 ∞°	10.0		∇̇ n, ⊙ a, ∞° p
9	04.4	05.6	06.5	16.8	20.0	19.3	22.1	10.7	72	61	56	00 0	02 1	30 1	9	0	1	1			⌒ n, ⊙ a,p
10	11.0	12.8	12.7	12.7	15.4	13.7	19.3	12.0	00	81	80	24 3	02 2	33 2	6	5 =	6 =°	8 =°	1.2		≡ n, =° ⊙ a,p
11	13.1	13.0	11.9	11.4	15.6	16.4	17.8	9.7	99	72	72	25 2	01 2	34 1	7	8 =°	6 ∞	1			=° n, =° ∞ a, ∞ ⊙ p
12	10.1	08.5	06.3	12.4	17.4	19.1	20.9	9.9	00	71	67	00 0	03 3	00 0	7	8 ≡	0 =°	1 ∞			(≡) ⌒ n, ≡ ⊙ a, = ∞ p
13	05.0	03.1	03.3	15.8	20.0	14.8	21.9	13.1	88	72	86	07 1	03 1	33 3	7	2 =	1 =°	2 =			= ⊙ ⌒ n, = ⊙ a,p
14	03.9	03.0	01.1	13.5	17.0	18.5	20.6	11.5	00	92	79	00 0	02 2	00 0	5	6 ≡	1 =	6 =,	1.9		≡ ∇̇ n, = ⊙ a, = ∇̇° p
15	99.2	99.4	99.5	14.2	18.6	17.1	19.3	11.7	95	75	80	24 1	27 3	00 0	7	1 ∞	2 ∞	2	0.0		∞ n, ∞ ⊙ a,p
16	97.6	99.0	98.9	14.1	19.8	18.5	21.1	11.2	92	78	82	18 1	03 2	09 1	8	4 ∞	6 ∞°	8 ∞			∞ ⊙ n,a, ∞ ∇̇° p
17	01.3	99.1	96.0	16.2	20.6	21.1	22.0	13.2	92	70	73	21 1	06 2	00 0	8	1(=)	1 ∞°	7 =°	0.0		(=) n, ∞ ⊙ a, ∞ ⊙ = p
18	96.1	98.3	00.7	17.6	20.3	14.3	21.1	14.3	75	57	00	27 1	03 2	27 2	9	7 =	5	8 •²			∞ ⊙ a, ⊙ •² p, (≡) 19
19	02.5	02.5	01.4	15.2	18.0	19.6	20.4	12.1	91	87	73	18 1	36 3	00 0	9	3	1	0	14.7		•² n, ⊙ a,p
20	05.0	09.3	09.3	16.1	15.1	15.1	19.7	12.3	79	98	93	24 1	00 0	36 1	6	6 ∇̇	8 ,	8	0.0		∇̇ n, ⌒ 7, , (≡) a,p
21	11.8	13.4	14.5	13.4	16.0	15.1	17.7	12.9	96	81	70	00 0	03 2	36 1	9	8(≡)	3	2	2.1		(≡) n, ⊙ a,p
22	14.5	13.0	13.6	9.0	16.8	16.1	18.8	7.8	98	69	64	24 1	33 1	27 1	9	1	1	6			⊙ n,a,p
23	15.2	15.4	14.5	11.6	16.3	16.1	18.1	9.6	93	79	73	24 1	03 1	00 0	7	7(≡)	8 =°	2			∞ ⊙ n, (≡) 7, ∞ a, ⊙ p
24	13.5	11.7	09.4	11.5	18.8	18.6	21.3	9.2	73	67	66	18 1	36 2	00 0	7	3	4 ∞	3 ∞			⊙ n, ∞ ⊙ a,p
25	07.3	07.5	06.7	15.5	20.6	19.3	21.8	13.1	80	72	59	21 1	03 1	09 1	7	2	3 ∞	1			⌒ n, ∞ ⊙ a,p
26	04.5	04.2	04.3	13.9	20.2	18.4	23.4	10.5	80	62	60	21 1	06 2	30 3	9	0	0	1			⊙ n,a,p
27	02.8	01.9	04.4	13.7	18.7	12.2	20.0	11.2	88	69	92	00 0	36 2	27 2	6	1 ∞	6(=)	8			∞ ⌒ n, ∞ ⊙ a, (=) 13, , p
28	06.1	06.8	05.9	10.0	11.9	10.4	12.7	8.5	81	72	69	24 2	27 2	36 1	9	6	7	3	0.0		∇̇° a, ⊙ p
29	00.4	00.0	00.0	7.0	12.5	14.0	16.7	4.5	92	69	75	00 0	36 1	33 1	9	6	6	7	0.0		⊙ n,a
30	98.8	99.2	98.4	11.0	13.4	13.8	15.0	9.1	00	90	93	00 0	06 1	03 1	8	8(≡)	7 ∞	7 ∞	0.3		, ≡ n, ∇̇ ∞ a, ∞ p
31	92.9	90.7	89.5	13.0	15.6	13.0	16.0	10.5	00	92	00	00 0	06 1	00 0	6	7 =	8 =	7 •	0.0		=² n, ⊙ 7, ∇̇ = (≡) a, • = (≡) p
M	03.1	03.1	02.8	12.7	16.3	15.3	18.2	10.5	91	77	79	1.1	1.9	1.1	7.7	5.0	4.5	4.5	40		

Ekstensotabell

1955

Trondheim (Voll)

φ = 63° 25′N λ = 10° 27′E g = 9.822 ΔG = + 1ʰ

September (IX)

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	92.3	90.2	88.7	9.6	11.5	10.8	14.5	9.5	98	90	81	21 2	27 2	21 1	8	6	7(⚲)	4	12.2		⚲ n,a
2	85.8	81.3	**76.3**	7.2	12.8	12.8	15.0	4.9	95	84	69	24 1	03 2	21 2	9	1	8	7	2.0		⛆² n, ⊙ 7, ⚲° p
3	76.9	83.0	88.9	10.8	10.6	9.6	12.8	8.2	95	00	91	27 1	27 4	27 2	4	8(⚲)	8 ⚲	7(⚲)	0.6		⚲ n,a, • ‧ p, (≡) 19
4	92.6	92.9	92.7	5.7	12.8	11.4	13.4	4.8	98	69	77	24 1	35 1	09 1	9	1	2	8	2.0		⛆ n, ⊙ a
5	91.8	88.9	86.6	9.2	15.5	16.4	17.9	8.4	99	79	70	00 0	00 0	21 1	8	5	6 ∞	5	0.3		⚲ n, ∞ ⊙ a
6	84.9	86.8	93.7	11.8	15.1	11.5	17.8	11.4	91	82	79	00 0	21 1	27 2	9	6 ∞	7	7 ⚲			∞ ⛆ n, ⚲° a,p
7	99.9	02.1	03.7	8.0	13.8	13.2	16.7	7.4	98	75	96	21 1	00 0	14 1	8	1 ∞	7 ∞	1	0.7		⚲ ⛆ n, ∞ a, ⊙ ∞ p
8	06.2	04.9	02.1	9.8	14.3	14.3	16.4	8.8	99	81	88	21 1	03 2	06 1	9	8(≡)	5	1			∞ n, ⛆² ⊙ a, ⊙ p
9	98.0	95.1	92.9	10.8	21.8	18.8	**21.8**	7.8	99	59	60	09 1	21 2	18 3	6	0 ∞	6 =	6 ∞			∞ ⛆ n, = ⊙ a, ⚲° ∞ ⊙ p
10	95.7	94.7	92.8	12.1	17.1	15.9	18.8	10.5	91	76	79	00 0	03 1	00 0	7	6 ∞	7 ∞	8 ∞	0.0		∞ n, ⊙ 7, ∞ a,p
11	91.1	95.2	85.4	10.1	19.6	12.6	19.8	9.6	99	**54**	93	18 1	21 3	21 2	9	1 =	3	8 ⚲	1.0		⚲° n, ⊙ a, ⚲ p
12	90.5	91.6	92.2	5.5	13.8	9.6	14.3	5.4	98	68	88	24 1	33 1	00 0	9	1	3	6	4.6		⚲ n, ⊙ a, ⚲ p
13	91.2	88.6	85.6	3.8	11.1	11.0	13.9	3.0	00	79	70	24 1	06 3	09 1	9	1	4	1	0.3		⚲ R n, ⊙ a,p
14	86.7	88.3	89.1	7.5	14.6	13.0	16.6	6.3	86	59	61	09 1	09 3	09 1	9	6	6	6			⊙ a
15	91.7	91.4	90.2	5.3	11.1	10.1	13.1	5.2	93	70	69	00 0	06 3	06 3	9	7	5	6			⊙ 13
16	89.5	87.6	84.5	5.8	10.5	8.8	10.5	4.7	98	86	00	00 0	09 1	09 1	9	6	8	8(≡)			• p
17	83.1	86.5	89.7	8.4	10.1	8.3	11.5	7.4	99	93	91	24 2	21 2	00 0	9	8 •	8	1	21.6		• n, (≡) 7, • a
18	85.1	88.4	92.5	5.8	10.4	7.8	11.2	3.8	92	87	98	00 0	06 2	27 1	9	6	7	7 ⚲	3.3		⚲ a, ⚲ (≡) p
19	97.7	01.4	04.0	7.0	9.8	7.8	10.0	6.3	99	86	91	21 3	27 2	21 1	9	7(⚲)	7	4	3.4		⚲ n,a,p
20	04.5	05.0	04.9	3.6	8.9	8.6	9.8	**2.4**	00	86	99	00 0	03 2	00 0	9	7	8	8 =	0.8		⚲ n, ⊙ 7, ⚲ = p
21	**06.3**	06.1	04.3	8.3	11.8	10.8	13.3	6.9	00	87	98	00 0	03 3	00 0	7	8(≡)	2(=)	2 ∞	0.2		⚲ ‧ n, (≡) ⊙ a, ⊙ p
22	04.4	03.4	02.3	6.6	13.7	11.0	15.0	5.9	99	78	93	00 0	03 3	00 0	9	1 ∞²	0	0	0.5		= ⛆² n, ⊙ a,p
23	04.2	03.8	03.3	7.8	15.4	13.1	17.0	7.4	90	76	71	00 0	00 0	18 1	9	0	0	0			⛆ n, ⊙ a
24	04.4	02.7	00.1	7.0	12.6	14.3	14.6	5.9	00	81	65	00 0	03 1	18 1	8	1 =	3 ∞	6 ∞			= ⛆ n, (≡) 7, ∞ ⊙ a, ∞ p
25	92.2	91.2	93.0	13.4	16.0	9.3	16.2	9.1	76	65	00	18 4	18 3	12 2	9	8 •°	7	8 •	1.0		•° n,a, • p, (≡) 19
26	87.5	88.4	89.3	4.7	9.2	7.1	9.7	4.4	99	93	90	00 0	00 0	18 2	5	0 ≡	8 ⚲	6 ⚲	8.6		• ≡² n, ⚲ ‧ (≡) a, ⚲ p
27	91.9	93.3	96.2	5.1	7.6	5.8	7.8	2.9	98	87	96	21 3	24 3	24 3	9	6(⚲)	6	7 ⚲	7.6		⚲ n, ⚲° a, ⚲ p
28	98.7	99.9	97.7	5.4	9.4	6.8	9.7	5.0	98	79	85	21 2	24 2	21 1	9	5	7	7	2.8		⚲ n, ⚲° a, ⚲ p
29	93.6	93.6	89.9	7.2	8.8	8.0	9.4	5.4	96	98	00	24 1	21 1	24 1	5	8 ‧	8 •	8 •	1.5		‧ n, (≡) 7, ‧ • a, • (≡) p
30	77.6	82.5	83.8	9.8	10.8	6.0	11.5	6.0	98	71	96	00 0	27 4	27 5	9	6 =	7	6 ⚲	18.6		• = n, • a, ⚲ p
M	93.1	93.3	93.2	7.8	12.7	10.8	14.0	6.5	96	79	85	0.9	1.9	1.3	8.2	4.5	5.7	5.3	94		

Oktober (X)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	83.8	86.6	91.8	3.1	7.0	6.0	7.5	2.8	99	96	99	24 3	25 4	27 2	7	7(≡)	5 ⚲	7 ⚲	27.9		• n, ⚲ (≡) a, ⚲² (≡) p
2	96.2	96.0	92.7	4.5	7.3	6.8	8.3	4.4	99	87	93	21 2	24 2	09 1	9	7	7	7	22.8		⚲² n, ⚲° a
3	88.7	88.6	87.3	4.1	6.0	5.3	6.8	3.8	00	96	99	00 0	03 1	03 1	9	8 ‧	8	7(≡)	1.1		‧ n, (≡) 7, ⚲ a,p
4	92.6	95.6	97.9	4.0	4.2	2.6	6.8	2.5	99	92	96	21 1	36 2	00 0	8	7	7(⚲)	3	11.9		⚲ ‧ n, ⚲ a,p
5	97.3	96.7	96.2	1.0	8.5	6.4	9.7	− 0.2	91	62	**58**	06 1	21 3	15 4	9	1	3	1	2.8		⊙ a
6	96.0	94.1	95.5	3.5	9.6	7.4	10.4	3.0	71	59	73	09 1	09 3	09 1	9	7	4	2	0.3		⚲ n, ⊙ a
7	95.4	95.4	95.6	9.6	11.5	7.6	11.6	5.3	72	68	00	12 1	15 2	09 1	9	7	8	8 •			• p
8	99.8	98.3	92.9	7.0	9.1	10.2	10.5	6.8	98	87	64	21 1	06 1	18 4	9	7	6	8	3.7		• n, ⊙ a
9	90.5	96.0	94.0	9.0	13.0	8.9	**13.0**	8.0	98	72	00	24 1	27 4	00 0	8	8 •	7(⚲)	8 •	2.4		• n, (≡) 7, ⚲ a, • ‧ p, (≡) 19
10	04.1	03.8	00.8	7.3	9.7	8.0	10.5	6.0	98	92	99	21 1	03 1	00 0	9	8 •	6	7 =	17.8		• ‧ n, (≡) 7, • a, = p
11	98.2	02.0	02.7	7.0	8.6	8.0	8.7	5.1	99	92	85	33 1	21 1	21 2	9	8 •	8	7	1.2		⚲ n, (≡) 7, ⚲ a,p
12	00.8	00.2	98.2	6.0	8.2	7.8	9.8	5.8	00	91	96	00 0	00 0	00 0	8	8 •°	1(≡)	8 =	1.4		•° n, = •° a, ⛆² p
13	93.3	89.7	80.0	9.1	10.0	8.6	10.2	7.4	99	98	99	27 1	15 1	00 0	6	8 •	8 •°	7 ≡	5.0		• n, • (≡) a, • = p
14	87.6	90.6	88.1	4.6	6.0	2.6	12.2	2.6	99	68	92	27 4	27 4	30 2	9	7(⚲)	4	5	16.3		⚲² n, ⚲ a, ⊙ 13, ⚲ p
15	74.0	74.8	82.0	0.8	1.1	2.0	3.0	0.4	00	00	93	00 0	27 1	30 3	1	8 ⁑	8 ⁑	8	3.4		• ⁑ n, ⁑ (≡) a, ⁑ p
16	82.3	80.6	78.3	0.2	3.2	− 0.6	3.3	− 0.6	91	81	92	27 1	27 4	24 3	8	3	6(⚲)	2	17.0		⁑ * n, ⚲ ⊙ a, ⚲ p
17	79.4	81.8	82.9	− 4.6	1.0	− 2.3	1.9	− 5.6	81	66	79	21 3	00 0	00 0	9	1	3	1	0.7		⊙ a
18	85.3	87.6	88.3	− 4.8	1.8	− 1.2	2.7	− 5.6	82	68	77	00 0	00 0	21 2	9	0	1	0			⊙ a
19	90.8	92.2	92.0	− 8.0	0.0	− 1.3	0.7	− **8.4**	88	70	61	21 2	03 1	15 1	9	1	1	0			⊙ a
20	81.5	74.5	**73.1**	3.3	5.6	7.1	7.3	− 4.2	67	64	60	18 4	18 6	18 3	9	8	6	6			
21	82.8	88.5	94.5	3.8	4.3	2.4	7.2	1.9	99	93	96	27 1	21 1	18 2	9	8	7	1	0.1		⚲ n, ⚲° a
22	04.7	**06.3**	05.9	− 0.8	4.8	0.8	5.0	− 1.0	00	82	72	21 1	00 0	21 1	9	1	1	8	0.1		⚲ n, ⊙ a
23	05.5	04.2	00.3	2.5	4.3	3.2	4.5	0.8	65	62	66	24 2	24 1	21 1	9	7	8	8			
24	95.9	94.9	93.2	3.0	6.0	5.0	6.0	1.9	00	88	87	24 1	24 1	24 2	9	8	7	6	4.6		• n
25	89.6	86.6	84.0	3.4	4.4	2.2	5.0	1.9	95	92	00	21 3	24 1	24 1	9	8	8	8	0.4		⚲ n, ⚲ p
26	83.1	81.9	82.9	0.8	2.0	1.9	2.7	0.5	00	98	99	21 2	21 3	00 0	6	6	8 ⚲	7	1.0		⚲ n, ⚲ a, ⚲ ⚲ p
27	81.3	81.5	84.3	1.3	1.6	1.2	2.9	1.1	95	99	98	30 3	21 3	21 2	8	8 ⚲	6 ⚲	3(⚲)	5.5		⚲ n, ⚲ a, ⁑ p
28	89.4	91.8	90.3	− 1.3	0.7	− 0.4	2.0	− 2.3	98	87	99	00 0	18 1	21 1	9	2	6	8	1.8		⚲ n, ⊙ a, ⚲ p
29	77.5	77.6	78.1	− 0.2	− 0.4	0.0	1.1	− 1.1	00	91	00	24 3	24 3	27 2	8	7 ⚲	6(⚲)	8 ⚲	7.5	8	⚲ n, ⚲ ⊙ a, ⚲ p
30	83.3	88.2	89.9	− 1.8	− 1.6	− 4.2	0.1	− 4.2	87	86	92	06 2	03 1	03 1	9	8	6	1	3.2	12	⚲ n, ⊙ a
31	89.4	89.8	88.6	− 0.3	0.3	− 0.3	1.0	− 5.1	96	99	96	24 1	24 3	24 3	1	8 ⚲	8 *²	7(⚲)	4.7	15	* n, *² a, ⚲ p
M	90.3	90.8	90.4	2.5	5.1	3.6	6.2	1.1	92	83	88	1.5	1.9	1.5	8.0	6.1	5.7	5.4	165	1	

Ekstensotabell

1955

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 $\Delta G = +1^h$

November (XI)

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	89.2	91.3	93.0	0.2	0.8	0.0	0.8	- 0.7	98	96	93	24 3	21 2	21 1	7	8(♦)	8(≡)	7	13.7	25	* n, ♦ (≡) a, ♦ p
2	92.8	95.6	97.2	- 1.7	1.1	2.8	3.5	- 2.6	00	96	90	21 1	24 1	24 2	6	8 ♦	8 •°	8	4.8	30	* n,a, (≡) 13, • p
3	97.1	95.4	95.6	0.8	3.6	1.3	4.0	- 0.4	91	69	69	18 1	09 1	00 0	6	8 ♦	7 =	6	9.8	20	⁝ n, = a,p
4	96.0	95.9	93.7	- 3.1	- 1.4	- 0.5	1.7	- 4.9	91	80	80	00 0	06 1	02 3	4	1 ≡	6 =	6		20	= n, = ⊙ a
5	92.8	95.5	98.4	2.4	2.6	3.1	4.0	- 0.6	82	69	78	06 1	09 3	09 2	9	7	7	8		20	
6	04.1	05.0	06.1	1.8	3.2	2.7	4.5	1.8	66	67	87	18 2	21 2	21 3	9	7	8	8		20	⁝ p
7	05.0	04.1	02.3	0.8	2.1	1.6	2.9	- 1.3	84	79	84	00 0	00 0	00 0	5	8	6 =	3	0.5	20	⁝ n, = a,p
8	96.4	94.9	95.2	- 0.6	1.6	2.0	2.2	- 1.8	00	98	99	00 0	00 0	00 0	9	2 ≡	6	8 =		20	= n, = ≡ a, = p
9	93.3	90.9	89.2	2.0	2.5	2.4	2.5	1.4	99	98	93	00 0	00 0	00 0	5	8(≡)	7 =	6 =		20	= n,a,p
10	87.6	86.7	86.1	- 0.8	0.8	- 1.0	2.5	- 1.1	99	93	96	00 0	00 0	00 0	4	2	1 =	0 =		20	= ⊙ a, = p
11	86.4	88.6	88.6	- 2.2	- 0.6	- 1.1	0.2	- 2.8	99	98	98	00 0	00 0	00 0	3	0 =	3 ≡	0 ≡		20	≡ n,a, = p
12	85.7	88.4	87.6	6.4	5.1	3.0	8.6	- 1.6	75	91	92	21 2	18 1	26 4	9	8	7	8 *	0.8	10	⁝ n, ⁝° a, ⊙ 13, ⁝ p
13	86.4	91.5	98.5	- 1.8	1.6	2.3	3.5	- 1.9	95	95	90	27 2	30 4	30 2	2	8 *	8 ♦	8 ⁝	3.5	15	* n, * • ♦ a, ⁝ • p
14	02.6	07.8	10.2	2.4	3.7	2.8	3.7	1.0	95	85	96	00 0	27 2	27 1	9	7	7	8	5.3	10	⁝ n, ♦ a, ⁝ p
15	02.1	04.7	08.0	2.6	4.6	3.7	5.8	1.9	99	84	93	24 4	30 4	30 3	8	8 ♦	8 ⁝	7	8.3	0	‡ • n, ♦ a, ⁝ p
16	12.9	12.9	12.3	3.8	4.6	4.6	5.1	2.3	96	92	90	21 1	21 3	24 3	9	8	8	8	8.9	0	⁝ n,p
17	11.2	08.6	02.0	5.1	6.1	5.4	6.3	4.4	96	85	77	24 2	21 3	21 2	9	8	6	8	1.8	0	⁝ n
18	01.3	06.5	10.4	4.6	5.1	4.3	7.0	3.9	88	92	95	24 5	27 4	24 3	8	7 ♦	5 ⁝	7	2.0	0	⁝ n,a,p
19	08.5	00.0	93.9	3.8	5.6	6.5	7.4	3.2	86	88	86	21 3	24 4	30 5	9	6	8	8 ⁝	4.0	0	⁝ n,a,p
20	06.5	11.7	10.8	3.8	3.0	2.2	6.5	1.5	71	85	93	20 3	30 3	30 2	8	8	7 ♦	7	9.1	0	⁝ n, ♦ a, ⁝ p
21	01.5	99.8	99.7	6.0	6.8	7.4	8.0	1.9	99	99	00	21 1	27 3	30 4	2	8 •	8 •	8 •	7.0	0	• n, • (≡) a,p
22	96.6	88.7	82.3	6.8	5.8	3.6	7.6	3.5	91	85	91	27 3	24 5	27 4	9	8	7	7	17.3	0	• n, ⁝ a, ⁝² p
23	76.4	79.3	86.6	0.8	1.8	2.4	3.6	- 0.1	96	96	72	27 1	30 2	36 5	8	5	7 ♦	6 ♦	12.2	0	‡ • n, ♦² a, ♦² p
24	95.0	00.2	02.2	- 1.0	- 0.6	- 1.6	2.5	- 3.1	66	72	84	36 2	33 3	00 0	9	4	6	7	4.2	0	♦ n
25	95.3	87.0	84.7	- 0.8	2.4	2.8	4.8	- 1.7	00	98	99	21 3	27 3	27 4	4	8	8 •	8 ⁝	5.0	5	* n, * • a, • p
26	78.9	73.9	73.1	4.5	5.0	1.2	5.0	0.8	96	86	92	21 4	27 5	24 5	8	8 •	6 ⁝	7 ♦	24.9	0	• n, (≡) 7, ⁝² a, ♦ ⁝² p
27	77.1	75.9	79.2	1.2	- 0.2	0.2	2.0	- 1.5	92	95	93	27 6	21 6	27 3	2	8 ♦	8 *	8 ♦	12.9	0	♦ ♦ n, * a, ♦ p
28	91.6	00.6	05.6	- 7.7	-10.1	-14.1	0.3	-14.2	81	78	92	03 3	09 2	06 1	9	6	1	0	18.7	6	♦ ♦ n, ⊙ a
29	05.9	02.7	98.1	-13.0	- 5.3	- 3.2	- 3.2	-16.6	76	70	78	00 0	24 2	21 5	9	6	8	8 +		6	+ p
30	88.7	81.6	82.9	2.0	4.2	3.8	4.9	- 3.7	84	92	87	21 4	21 4	21 3	8	8 •°	8(≡)	8 •°	0.4	6	• + n, • a, •° p
M	95.5	95.5	95.8	1.0	2.2	1.7	3.9	- 1.8	90	87	89	1.9	2.4	2.3	6.9	6.5	6.6	6.5	175	10	

Desember (XII)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	82.9	82.5	79.5	4.7	3.6	2.8	6.0	2.6	98	98	99	21 2	24 1	21 2	7	8 •°	8 •	7	3.8	0	• n,a, • ≡ p
2	84.6	87.7	86.0	1.3	1.6	2.0	3.8	0.7	96	92	88	21 2	21 2	00 0	9	6	7	8	8.1	0	⁝ n
3	77.9	75.0	75.3	0.6	0.3	- 1.0	3.0	- 1.3	85	90	87	27 1	03 2	06 1	9	7	7	0	0.3	0	♦ n
4	82.3	89.5	91.2	- 1.1	1.8	1.3	1.8	- 1.7	99	92	87	00 0	24 2	27 4	9	8 *°	8 ♦°	6	4.8	5	* n,a, ♦ p
5	92.3	83.8	70.4	1.7	2.3	4.6	4.7	0.2	93	92	90	21 2	24 2	18 5	9	8	6(⁝)	8 •	8.1	5	♦ n, •° a, ⁝ p
6	75.9	77.6	77.1	1.9	- 0.8	- 1.5	6.5	- 2.2	78	95	88	27 4	30 5	24 4	6	3	3 ♦	8 ♦²	12.4	5	⁝ n, ♦ + a, ♦ p
7	71.4	67.2	70.9	- 0.7	- 1.5	- 1.8	0.3	- 2.4	93	96	99	27 4	21 5	00 0	3	6 ♦	7 ⁝	7	3.4	10	♦ n, ♦² a,p
8	83.3	85.9	86.0	- 1.6	- 2.7	- 5.0	- 0.1	- 5.5	99	90	88	30 1	27 4	27 3	1	8 ♦	7 ♦²	2 +	6.6	15	♦ n,a,p
9	77.5	81.3	80.4	- 4.5	- 7.6	- 3.3	- 3.0	- 8.3	88	87	98	36 4	21 1	24 3	9	8(♦)	6	8 *°	12.9	15	♦ n, + 7, *° p
10	75.8	76.5	79.3	- 4.0	- 4.9	- 5.4	- 2.0	- 6.3	95	95	95	00 0	18 1	00 0	9	6	3	8	4.7	35	* n, ♦ a,p
11	84.3	86.9	87.2	- 5.4	- 4.5	- 4.6	- 4.3	- 6.3	98	95	98	30 2	21 2	21 1	1	6	8 ♦²	8 ♦	6.8	48	♦ n,p
12	89.4	93.1	93.5	- 4.0	- 3.7	- 3.5	- 2.8	- 5.8	93	96	93	21 3	21 2	21 3	9	8(♦)	6	3	9.0	50	♦ n, * a, ♦² p
13	96.9	99.0	99.8	- 4.6	- 4.8	- 6.8	- 3.0	- 7.6	98	95	96	21 2	21 2	03 2	9	8 ♦	5	8 ♦²	14.1	70	♦ n, ⊙ 13, ♦ p
14	01.3	99.5	95.3	-17.4	-12.6	-11.6	- 6.8	-19.8	86	76	65	00 0	09 1	12 5	9	0	0	0 +	2.8	70	⊙ a
15	89.9	88.7	88.1	-10.3	-10.5	-13.0	- 9.0	-13.8	65	64	71	09 5	12 5	36 2	9	0 +	1	1		60	+ n, ⊙ a
16	88.3	90.1	92.1	- 9.4	-12.4	-13.8	- 8.7	-14.8	62	69	75	09 2	09 1	03 2	9	4	5	0	0.0	60	* L
17	93.6	94.4	93.6	-17.5	-19.7	-18.4	-13.5	-21.2	70	71	67	15 1	09 2	09 1	9	0	1	0	0.0	60	* n, ⊙ a
18	90.8	88.7	83.3	-22.2	-21.4	-21.2	-17.3	-23.8	79	80	85	21 1	21 2	21 1	9	1	3	1		60	
19	84.8	83.1	81.4	-17.8	-15.0	-13.0	-12.0	-22.8	87	90	92	21 2	24 1	24 1	8	0	7(≡)	7(≡)	0.0	60	♦ + n, ♦ (≡) a, (≡) p
20	79.9	80.6	80.1	-10.6	-10.2	-12.6	- 9.6	-14.0	87	77	72	24 1	00 0	03 1	9	1	1	1	0.0	50	⊙ a
21	84.3	85.2	85.7	- 8.3	- 9.0	- 5.0	- 5.0	-13.3	95	76	98	00 0	21 3	24 5	9	8 ♦	6	8 *	3.2	55	* p
22	91.5	93.2	93.5	- 4.6	- 6.4	- 9.6	- 3.9	-10.2	98	88	82	24 3	18 2	21 3	9	7 *	1	1	8.7	60	* n, ⊙ *° a
23	89.8	83.5	77.6	-10.8	- 4.6	- 3.4	- 3.4	-12.4	71	55	55	00 0	18 2	18 5	9	0	7	8 +		60	♦ + p
24	73.2	73.3	71.9	- 1.6	- 0.8	- 4.0	- 0.8	- 5.3	69	64	67	21 5	18 4	00 0	9	8(♦)	6	1	1.5	60	♦ +² n, ⊙ a
25	80.2	87.5	91.8	- 7.0	- 9.4	- 4.0	- 2.9	- 9.8	92	98	95	00 0	21 3	24 2	0	0	1(≡)	6		50	⊙ (≡) a, (≡) p
26	82.0	78.9	74.9	- 3.8	2.8	1.8	3.6	- 8.5	77	73	81	24 1	18 3	21 1	9	8	7	8		30	• p
27	69.5	69.8	72.1	2.0	- 0.4	2.8	5.0	- 0.4	98	99	87	24 1	00 0	21 2	0	8 •	6 ≡²	7	3.5	25	• n, ≡² a, ⁝ p
28	65.6	51.9	46.8	4.1	5.2	2.7	5.2	- 0.4	60	68	91	21 4	21 5	00 0	9	7	8	6	5.8	25	⁝ n,p
29	47.3	48.1	49.5	1.7	- 1.1	- 3.2	3.3	- 3.7	88	87	77	21 4	24 1	21 2	9	8	6	5	3.3	20	⁝ n
30	59.2	62.8	69.8	1.4	0.6	0.4	2.0	- 3.6	95	99	93	24 4	21 3	24 2	5	7 *	8 *²	8 ♦	3.0	20	♦ n, *² a, * p
31	76.4	79.3	81.8	- 3.6	- 6.8	- 6.6	0.4	- 7.8	92	92	93	21 1	21 1	24 2	9	4	4	8	13.4	20	♦° n, ⊙ a
M	81.4	81.4	80.8	- 4.9	- 4.9	- 5.0	- 2.0	- 8.0	87	85	86	2.0	2.3	2.1	7.7	5.2	5.1	5.1	140	35	

Ekstensotabell

1955

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 ΔG = + 1ʰ

Januar (I)

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	05.2	15.0	23.0	3.4	0.7	0.0	6.8	- 0.1	67	93	91	22 5	26 3	00 0	4	6	8 ↓	8 ↓	3.2	13	↓ n, ↓ a,p
2	28.8	29.7	28.8	2.0	0.9	1.8	2.5	- 0.6	76	85	85	26 1	22 3	22 4	6	8	8 ↓	8 ↓	8.2	20	↓ n, ↓ a, ↓ p
3	20.9	18.7	17.3	1.8	2.2	1.9	2.7	1.2	92	94	95	27 4	23 4	23 4	4	8 ↓°	8 ↓	8 •	1.1	17	↓ a, ↓ • p
4	05.9	04.8	07.2	2.6	1.8	- 2.4	3.6	- 2.5	94	92	92	24 4	31 3	25 2	4	8 ↓	8 ↓°	8 ↓	2.3	13	↓ n, ↓° a, ↓ p
5	07.5	09.3	10.0	- 5.4	- 5.4	- 6.8	- 2.1	- 6.8	91	80	85	36 2	04 2	00 0	8	7 ↓	6	8 ↓°	11.3	25	△ ↓ n, ↓ a,p
6	00.4	94.0	89.5	- 4.1	- 3.2	- 3.2	- 2.5	- 7.4	96	94	96	23 3	22 4	02 1	4	8 ↓	8 ↓	7 *	9.8	33	↓ n,a,p
7	99.3	91.8	92.4	- 5.8	- 7.4	- 7.2	- 2.8	- 8.6	88	80	92	02 4	04 2	03 1	9	8	3	7	10.4	45	↓ n,p
8	89.8	91.8	91.2	- 6.0	- 8.2	- 8.4	- 5.1	- 9.8	94	86	88	31 2	02 2	25 1	9	8 ↓	4	5 =°	5.5	50	↓ n,a, =° p
9	81.1	77.7	77.7	- 6.4	- 6.0	- 6.3	- 5.6	- 9.1	98	93	93	20 3	20 4	00 0	9	8 ↓	8 =	8 ↓	4.2	52	↓ n, ↓° = a, ↓ p
10	70.3	69.3	68.0	- 6.4	- 6.4	- 6.1	- 5.3	- 7.5	91	73	63	20 4	20 5	21 4	6	8 ↓	7 ↓°	4	7.8	55	↓ n,a, + p
11	56.5	53.1	49.6	- 5.8	- 6.5	- 5.2	- 4.8	- 9.0	66	86	67	04 1	16 2	04 2	7	8 =	8 =	8 =°	0.5	50	= n,a,p
12	45.9	50.1	55.7	- 3.2	- 1.4	- 3.6	- 1.0	- 6.5	99	85	99	01 2	02 4	36 5	4	8 ↓²	8 ↓	8 ↓²	3.0	53	↓ n,a,p
13	66.0	66.8	66.2	- 6.4	- 6.2	- 6.2	- 3.4	- 7.9	89	88	66	02 2	20 3	21 4	8	4	7	2	6.0	48	↓ n, ↓° a
14	62.3	63.6	64.1	- 5.1	- 5.2	- 4.5	- 4.1	- 6.2	67	67	66	21 4	21 4	20 4	7	4	8 =°	4	0.2	45	⌒ p
15	69.1	71.9	74.5	- 5.4	- 5.4	- 6.6	- 3.6	- 6.8	60	57	60	21 3	21 2	21 3	9	3	3	1		41	
16	76.6	76.1	73.6	- 5.0	- 5.7	- 5.2	- 4.5	- 8.4	74	96	98	03 2	21 2	20 2	7	1	7 ↓°	8 ↓		41	↓° a, ↓ p
17	74.5	75.8	76.3	- 2.4	- 3.8	- 3.6	- 1.7	- 5.2	76	00	98	02 3	02 2	36 2	4	8 ↓°	8 ↓°	8 ↓°	10.9	55	↓² ↓° n, ↓ a,p
18	75.8	74.8	75.1	- 6.6	- 7.6	- 8.8	- 3.0	- 9.0	74	83	89	05 2	06 1	00 0	9	1	2	1	2.4	58	↓° n, ⌒ 19
19	76.1	79.2	80.1	- 8.8	- 8.4	- 8.5	- 7.7	- 9.4	00	00	98	21 2	21 2	00 0	4	0 ≡	0 ∨	8 =	0.1	55	⌣ ≡ n, ∨ a, = ∨ p
20	86.6	90.2	93.9	- 8.6	- 8.2	- 7.1	- 6.8	-10.5	96	96	95	21 1	21 1	24 2	9	1 ⌣²	6 ⌣	0	0.0	55	⌣² n, ⌣ a
21	98.8	99.9	99.8	- 3.4	- 3.6	- 4.1	- 3.1	- 7.5	59	60	66	21 4	21 4	26 4	9	5	2	0		50	
22	89.7	86.2	83.4	0.0	0.3	- 0.2	2.4	- 4.3	49	59	63	21 5	21 5	20 5	7	8	8 =	8		45	= a
23	79.0	78.7	81.3	- 1.8	- 2.6	- 1.8	1.2	- 3.2	93	89	94	22 4	24 4	28 4	1	8 ↓°	8 ↓²	8 ↓	2.1	48	↓° n, ↓² a, ↓ + p
24	79.4	74.9	71.6	- 2.4	- 3.6	- 3.4	- 0.9	- 4.5	94	95	94	21 2	21 1	05 1	6	8 ↓	8 =	8 ↓°	9.8	65	↓ n, = a, = ↓° p
25	76.7	80.4	84.4	- 4.9	- 4.6	- 3.7	- 3.0	- 6.1	95	93	93	03 1	13 2	23 1	4	7 =	7 ↓°	8 ↓	1.0	65	↓° = n,a, ↓ = p
26	86.6	86.2	85.3	- 4.4	- 3.6	- 4.8	- 2.9	- 5.1	95	88	70	20 1	06 2	13 1	9	6	5	0	2.7	65	↓° n
27	79.4	79.8	83.3	- 6.8	- 7.4	- 8.7	- 4.0	- 9.1	85	69	80	04 1	04 2	04 1	9	1 ⌣°	1	1 ⌣		65	⌣° n, ⌣ p
28	89.6	90.7	92.3	- 6.4	- 6.4	- 6.8	- 5.7	- 9.2	95	94	95	21 3	35 1	00 0	5	7 ↓°	5 ↓°	6 ↓°	1.5	65	↓° n, ↓° = a, ↓° p
29	94.4	95.0	95.3	- 7.4	- 7.2	- 7.2	- 6.3	- 8.8	94	96	96	21 2	21 2	23 3	6	8 ↓	4 =	3 =°	0.8	65	=° ⌣ n, ↓° = a, ↓ p
30	95.1	94.8	93.8	- 7.3	- 7.4	- 8.4	- 6.3	- 8.8	98	96	98	20 2	22 2	00 0	9	3	2	1	4.4	65	↓ n, ⊙ a
31	88.7	89.8	89.9	- 9.6	- 9.6	-10.3	- 7.9	-10.8	95	98	98	22 1	23 1	00 0	9	1 ⌣	0	0	0.0	65	⌣ n, ⊙ a
M	85.7	85.8	86.3	- 4.4	- 4.7	- 5.0	- 2.7	- 6.7	85	86	86	2.6	2.6	2.0	6.6	5.7	5.6	5.2	109	48	

Februar (II)

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	94.5	94.5	94.7	-10.8	-10.5	-11.0	- 9.8	-11.5	96	96	96	22 1	22 1	00 0	9	0 ⌣²	0	0	0.1	65	⌣² n, ⊙ a,p
2	93.3	93.1	92.5	-10.8	-10.4	-11.4	- 9.8	-12.3	95	95	92	27 1	27 1	22 1	9	1 ⌣²	1	0 ⌣	0.1	67	⌣² n, ⊙ a, ⌣ p
3	90.5	90.8	89.3	-12.4	-12.6	-12.8	-10.8	-13.8	91	92	91	04 1	04 1	04 1	9	1 ⌣²	1	2	0.0	67	⌣ n, ⊙ a
4	81.3	79.1	76.2	-10.2	- 8.6	- 8.0	- 7.4	-13.3	86	82	86	04 1	04 1	04 1	9	8	.4	7		65	⊙° a, * p
5	75.9	76.6	79.5	- 5.3	- 4.0	- 2.1	- 1.9	- 8.0	94	93	94	21 4	21 4	23 3	7	8 =°	8 =°	8 *°	0.1	62	↓° =° n, =° a, =° ↓ p
6	82.1	83.8	84.1	- 3.8	- 4.1	- 1.8	- 0.9	- 5.1	96	95	89	22 1	21 1	00 0	7	5 ⌣²	6 =°	8 *	0.0	60	⌣ n, =° ⊙ a, = ⊙ * p
7	84.3	84.5	84.2	- 2.4	- 1.4	- 0.8	- 0.2	- 3.1	85	82	80	04 1	04 1	00 0	9	8	4	6	0.0	60	⊙ a
8	82.5	82.4	82.2	- 1.8	- 0.8	- 0.9	- 0.4	- 3.3	95	93	67	27 1	26 1	20 2	9	7	5	1		60	⊙ a, ⊙ ⌒ p
9	84.1	85.0	85.7	- 5.8	- 4.1	- 2.8	- 0.6	- 6.9	93	92	92	03 1	22 2	36 4	6	3	8 =	8 ↓°		60	= a, ↓ p
10	86.5	86.2	83.5	- 5.2	- 4.7	- 3.6	- 2.7	- 5.7	80	95	00	36 1	35 1	18 3	2	8	8 ↓	8 *	1.2	60	*° n, ↓ p
11	95.4	98.1	00.3	- 7.2	- 6.4	- 9.2	- 3.2	- 9.4	69	77	92	05 2	27 1	00 0	9	1	0	0	5.2	70	↓² n, ⊙ a, ⌒ p
12	96.9	96.8	93.0	- 6.0	- 6.3	- 5.4	- 5.0	- 9.2	98	95	95	20 3	24 2	00 0	3	8 ↓²	8 ↓	6	0.6	65	↓ n,a, ↓ △ p
13	92.6	93.7	96.1	- 5.2	- 5.4	- 6.7	- 2.5	- 7.1	93	94	83	36 2	36 1	00 0	8	6(↓)	5(↓)	1	9.1	78	↓ △ n, ↓ a, ⌒° p
14	02.3	02.4	99.3	-10.1	- 9.6	- 9.1	- 6.2	-10.4	80	79	83	20 3	20 4	21 4	9	0	1	8(↓)	0.1	75	⊙ a, ↓° p
15	86.3	81.5	77.5	- 6.9	- 5.3	- 6.3	- 5.0	- 9.2	94	92	89	23 4	21 3	22 1	7	8 ↓	8(*)	6	0.5	73	=° ↓ n, = * a, =° p
16	79.3	81.6	81.0	-10.8	- 9.8	-11.9	- 5.9	-12.3	93	83	91	22 2	21 2	20 2	9	2	1	0	0.0	73	⊙ a,p
17	86.2	92.3	96.1	-12.3	-10.4	-10.2	- 9.5	-12.9	67	66	76	19 4	20 3	31 1	9	3	6	1		70	⊙° a,p
18	98.5	99.9	97.2	- 9.8	- 8.2	- 7.6	- 7.3	-11.2	94	85	86	20 2	21 3	22 4	9	3 ⌣²	3	8 *°		70	⌣° n, ⊙ a, *° p
19	95.5	94.0	93.0	- 5.8	- 5.4	- 5.3	- 4.5	- 8.0	99	89	96	20 1	21 3	20 3	9	6	4	8 *	4.8	75	↓ n, ⊙° a, * p
20	88.4	88.0	89.0	- 4.4	- 3.8	- 5.0	- 3.6	- 5.6	98	99	98	21 1	01 1	00 0	6	8 *°	8 *°	8(↓)	1.8	75	*° = n,a, ↓ p
21	93.1	92.6	94.0	- 7.2	- 8.2	-12.1	- 4.7	-12.3	89	76	86	29 2	00 0	00 0	9	8 *°	1	1	0.6	75	*° = n, ⊙ a,p
22	93.7	94.8	97.6	-12.4	-10.0	-12.2	-10.0	-13.5	79	77	92	28 2	14 1	00 0	9	1	2	1		75	⊙² a
23	03.3	04.2	03.4	-13.3	-10.1	- 9.4	- 8.8	-13.8	96	94	91	04 1	28 1	22 3	9	1 ⌣²	1	3	0.0	75	⌣² n, ⊙² a
24	97.6	96.7	95.1	- 4.4	- 1.4	- 1.2	- 0.4	- 9.7	76	73	69	20 4	20 4	20 4	9	8	7	6		75	⊙ p
25	94.6	96.1	96.5	- 2.2	- 2.0	- 4.0	- 0.1	- 4.4	95	91	96	04 2	04 1	00 0	6	8 ↓	6 =	8 ↓	2.1	75	↓ = n, = ⊙ a, ↓ = p
26	97.8	97.3	98.0	- 4.3	- 3.4	- 3.4	- 3.0	- 5.3	98	94	93	21 3	21 3	22 3	1	6 ↓	8 ↓²	3	4.2	75	↓° n, ↓² a, ↓ p
27	98.4	00.1	99.6	- 2.6	- 1.7	- 1.9	- 1.6	- 3.8	98	98	91	24 4	25 3	23 3	4	8 ↓²	8 ↓	8	14.5	94	=° ↓ n, =° ↓² a, ↓ p
28	02.6	04.5	04.6	- 4.1	- 1.6	- 1.7	- 1.5	- 5.1	96	93	92	22 2	21 2	18 2	7	3 ⌣²	6 =	8	7.2	95	⌣° n, = ⊙ a, *° ⊙° =° p
M	91.3	91.8	91.5	- 7.1	- 6.1	- 6.4	- 4.5	- 8.8	90	88	89	2.0	1.9	1.6	7.4	4.9	4.6	4.7	52	71	

Ekstensotabell

1955

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 ΔG = + 1h

Mars (III)

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	98.4	99.1	00.7	- 0.6	- 0.3	1.5	2.1	- 4.2	62	96	79	21 4	20 4	20 3	3	8 =	8 ♦	5	0.1	95	= n, ♦ = a,p
2	93.3	92.2	93.0	0.5	- 0.2	0.3	3.0	- 1.2	70	86	82	20 5	20 5	21 4	9	8 ♦	6	7 ♦°	0.3	85	= n, ⊙° a
3	96.5	94.6	92.7	1.0	- 0.2	3.2	3.3	- 0.7	80	96	91	19 3	20 4	20 4	3	6	8 ♦	8 •°	0.0	85	♦ = a, • p
4	91.2	92.2	94.7	3.0	3.2	1.8	4.8	1.7	88	82	80	20 2	21 3	21 3	7	8 ♦°	8 =	8 =	4.4	80	♦ = n, = a, = • p
5	02.5	02.8	07.5	0.7	0.4	0.3	2.1	0.2	86	95	98	20 4	21 3	20 3	3	8 =	8 ♦	7	0.1	75	• = n, ♦° = a, ♦ p
6	91.9	88.7	84.2	1.0	0.2	0.9	2.3	- 1.8	93	93	95	20 4	22 4	31 5	3	7 ♦°	8 ♦	7 ♦	1.9	75	♦° = n, ♦ = a,p
7	91.0	95.4	97.0	0.2	1.2	0.2	2.1	- 0.2	94	88	88	32 4	36 2	36 3	7	5 =	7 =	7	13.4	85	♦ = n, = a, ⊙° 13, ♦° p
8	01.0	04.2	03.2	- 3.8	- 5.0	- 8.6	1.0	- 8.7	70	67	69	02 1	21 4	20 3	9	3	0	0	0.0	85	⊙ 8, ⊙² a
9	96.5	96.8	96.2	-10.4	- 8.5	- 9.4	- 8.0	-11.0	69	66	64	20 4	20 4	22 4	6	0 =	0 =	0		80	= n, ⊙² = a, ⊙ p, ⌒ 19
10	01.3	03.9	02.8	-11.5	- 8.8	- 5.7	- 5.4	-12.0	88	71	79	20 3	20 4	20 4	7	0 =	6 =	6(*)		80	⊙ = n, ⊙² = a, * p
11	87.0	85.7	86.8	- 1.2	0.8	1.7	3.0	- 6.0	95	96	82	20 6	20 4	23 4	5	8 ♦°	8 ♦	7 ♦	1.0	80	♦° = n, ♦ = a, • * = p
12	95.5	96.8	94.5	- 2.2	0.0	- 1.0	2.0	- 2.6	92	74	88	31 4	18 2	22 3	5	6 ♦°	8 ♦°	4(♦)	10.6	85	♦ = n, ♦° = a, ♦ p
13	83.5	83.0	82.9	- 2.2	- 0.9	- 1.7	- 0.1	- 2.5	76	74	98	02 1	22 3	28 1	8	7 =°	8(♦)	8 ♦	1.2	85	=° n, = ♦° a, = ♦ p
14	83.7	83.6	82.3	- 4.2	- 3.4	- 5.1	- 1.5	- 5.7	86	91	96	22 3	21 2	20 3	6	5 ♦°	8 ♦°	6(•)	7.3	95	♦ = n, ♦² = a, ♦ p
15	69.0	67.8	70.6	- 5.0	- 0.5	- 5.6	- 0.3	- 6.4	71	59	63	00 0	12 2	30 1	9	5	6	6	7.2	100	♦ (=) n, ⊙ a,p
16	82.7	88.4	92.6	- 7.0	- 5.6	- 7.6	- 4.8	- 7.7	64	59	60	05 5	05 3	05 2	7	4	3 =	1		95	⊙ a,p
17	94.9	95.5	95.4	- 8.1	- 5.8	- 7.5	- 5.1	- 9.9	92	83	91	00 0	00 0	02 2	7	8 ♦	6 =	2	0.3	90	♦° = n, ♦° ⊙° a, ⊙ p
18	95.3	95.9	96.2	- 8.0	- 4.4	- 5.0	- 3.4	- 9.6	93	88	92	00 0	36 2	01 1	3	6 ⌣	7 ♦°	5 ♦°	0.4	90	♦° ⌣ n, ♦° ⊙° = a,p
19	94.8	94.5	94.4	- 4.8	- 2.6	- 5.4	- 2.6	- 6.2	96	88	93	00 0	01 2	00 0	9	8 ♦°	3	6	3.9	95	♦ = n, ♦ ⊙² a,p
20	94.5	96.0	96.1	- 5.4	- 2.6	- 6.7	- 2.6	- 6.9	89	77	82	19 2	00 0	00 0	9	6	8	3	0.1	95	⊙° a,p
21	94.6	92.3	87.2	- 7.8	- 5.4	- 5.4	- 4.6	- 9.9	94	86	95	19 2	18 2	18 3	9	6 ⌣°	8	8 *°		95	⌣° n, ⊙° a, ⊙ * p
22	81.4	82.2	84.2	- 6.1	- 3.5	- 7.2	- 3.5	- 7.3	69	64	67	22 1	20 1	18 3	9	3	1	3	3.1	97	⊙ ♦ n, ⊙ a
23	86.1	90.0	89.4	- 4.4	- 3.2	- 3.0	- 2.0	- 7.3	67	92	76	00 0	20 4	20 1	3	8 =	5 ♦	8 =		95	= n, ♦ = a, ⊙ 13, = p
24	92.3	93.3	93.2	- 4.1	- 0.8	- 4.0	- 0.8	- 6.8	88	71	82	26 1	00 0	35 1	9	4	3	2	0.3	95	⊙ n,a,p
25	94.8	95.6	96.3	- 5.4	- 1.5	- 5.3	- 1.5	- 7.9	96	73	77	29 1	00 0	00 0	9	1	0	1 ⌒		95	⊙ ⌣° n, ⊙ a,p
26	97.7	96.8	96.4	- 6.7	- 3.8	- 6.5	- 2.5	- 8.6	92	74	79	00 0	00 0	00 0	9	1	0	1		95	=° n, ⊙ a,p
27	96.7	97.4	97.9	- 6.1	- 3.2	- 7.4	- 3.1	- 8.9	91	77	71	00 0	00 0	05 2	9	5	1	1		95	⊙ a,p
28	98.1	01.3	01.8	- 6.4	- 4.2	- 5.4	- 3.5	- 9.2	86	91	74	21 1	01 1	34 1	4	8 ♦	6 =	7(♦)	0.1	95	♦° = n,a, ♦ ⊙ p
29	94.2	89.8	82.9	- 4.3	- 2.2	- 1.0	- 1.0	- 6.3	93	93	00	20 4	20 5	21 3	1	8 ♦	8 ♦	8 *	1.7	97	♦° = n, ♦ = a, * p
30	77.7	80.1	81.0	- 5.2	- 3.2	- 5.0	- 0.8	- 7.0	92	85	80	25 2	00 0	00 0	9	8 *	3	2	12.0	120	*² n, ⊙ a,p
31	86.5	85.4	84.2	- 5.2	- 1.3	- 5.5	- 1.0	- 6.9	79	66	88	36 2	00 0	04 3	9	4	8	8	0.5	115	♦° n, ⊙ 8, ⊙° a
M	91.5	92.3	92.2	- 4.2	- 2.4	- 3.7	- 1.0	- 6.0	84	81	82	2.2	2.3	2.3	6.6	5.5	5.4	4.9	70	91	

April (IV)

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	85.7	84.4	83.4	- 8.0	- 5.4	- 6.6	- 5.0	- 9.7	95	93	92	22 2	20 2	21 1	3	8 ♦²	8 ♦	8 ♦²	1.0	115	♦ n,a,p
2	83.4	83.7	87.4	- 7.2	- 3.3	- 5.9	- 3.3	- 9.5	96	85	70	20 4	31 4	32 2	5	8 ♦	8 ♦	6 =°	7.6	120	♦ n, ♦² a, ♦ =° p
3	91.4	93.7	95.6	- 5.8	- 3.5	- 5.6	- 3.2	- 7.8	95	92	96	28 2	21 2	21 1	4	8 ♦	8 ♦°	3	5.9	125	♦ n,a, ⊙° 13, ♦² p
4	02.0	04.5	05.3	- 5.0	- 2.3	- 4.9	- 1.8	- 7.4	91	92	80	21 2	21 2	21 1	9	3	0	1	6.4	130	♦° n, ⊙ a,p
5	08.2	07.8	10.2	- 5.2	- 1.4	- 4.8	- 1.4	- 7.7	93	79	69	21 1	03 1	07 1	4	4 ♦°	3 ⌒	1	0.0	125	⊙ n,a,p
6	17.0	17.8	18.3	- 4.6	- 1.6	- 4.8	- 1.5	- 8.6	74	66	62	00 0	00 0	00 0	9	0	0	0		120	⊙ a, ⊙² p
7	18.7	17.8	16.4	- 3.9	- 0.4	- 3.8	- 0.4	- 7.0	63	60	66	01 2	18 3	18 3	9	0	0	1		120	⊙ n,a,p
8	14.7	13.7	12.6	- 2.4	- 2.1	- 4.6	- 1.0	- 5.8	59	58	57	19 2	18 4	20 4	9	0	0	0		115	⊙ n,a,p
9	10.0	08.7	07.4	- 3.1	- 0.8	- 3.0	- 0.4	- 6.2	54	55	55	19 3	21 4	21 3	9	0	0	3		115	⊙ n,a,p
10	04.4	02.9	01.4	- 2.4	0.5	- 2.2	1.5	- 4.5	57	54	58	21 3	18 3	20 3	9	4	4	5		110	⊙° 8, ⊙ a,p
11	98.1	97.5	97.9	- 1.7	2.2	- 0.8	2.5	- 4.3	57	54	63	24 3	20 3	20 4	9	3 =°	3	1		110	=° ⊙ n, ⊙ a,p
12	96.3	91.6	86.6	- 1.8	0.0	- 1.2	0.1	- 3.2	67	64	67	21 4	21 4	22 4	9	0	2	6		110	⊙ n,a,p
13	81.4	83.0	83.7	2.6	4.0	2.3	4.9	- 2.0	70	67	86	20 4	20 4	20 5	9	5	6	8 ‡°	0.0	105	♦° n, ⊙ a, ⊙ ♦° •° p
14	98.2	03.2	07.4	1.4	3.0	1.0	3.3	- 0.7	80	83	95	35 1	21 2	21 2	4	8 ≡	8 =	7(♦)	8.0	110	♦ n, = a, ♦° = p
15	04.2	98.8	97.0	3.2	3.3	2.3	4.2	0.7	76	86	92	21 4	21 5	27 1	5	8	8 ♦	7 ♦	1.2	105	♦ n, ♦ = a, ♦ p
16	03.2	07.6	11.0	- 3.6	- 2.4	- 3.2	2.5	- 4.8	89	86	99	29 4	29 2	06 4	4	7 ♦°	8 △	8 ♦	7.9	100	♦ n, ⊙ 8, ♦ △ = a, ♦ = p
17	20.3	21.6	20.0	- 1.8	- 0.5	- 1.2	0.5	- 4.3	82	70	83	35 2	21 2	22 3	7	4 ♦°	7 =	8 ♦°	7.5	105	♦ = ⊙ n, ⊙° = a, ♦ ⊙° p
18	08.1	07.1	04.5	- 0.1	3.0	3.3	3.6	- 2.3	96	95	94	21 5	21 4	22 4	4	8 ♦	8 ♦	8 •	0.3	105	♦° n, ♦ ♦ = a, ♦ = • p
19	95.5	91.7	83.2	3.7	3.0	4.1	4.2	2.2	95	96	93	21 4	21 3	21 4	3	8 •	8 •	8 •	10.7	95	• = n,a, • p
20	83.2	87.1	89.3	- 2.5	- 0.7	- 4.1	4.5	- 4.4	95	79	95	35 5	35 2	36 2	4	8 ♦	8 ♦	8(•)	10.7	93	♦ = n, ♦° = a, ♦ p
21	90.6	90.1	91.1	- 4.2	- 3.0	- 4.2	- 2.1	- 6.7	88	80	95	20 2	21 2	21 2	6	5 ♦°	5 =	7 ♦	7.1	105	♦ = n, ♦° = ⊙ a, ⊙ ♦ p
22	94.3	97.1	99.2	- 2.2	- 0.2	- 1.4	0.4	- 5.0	71	62	64	20 3	18 3	20 1	9	4	2	1	0.9	100	♦ ⊙ n, ⊙ a,p
23	00.9	00.0	98.8	- 2.3	- 0.2	- 0.7	0.7	- 6.9	79	66	74	00 0	03 2	03 3	9	1	2	3		95	⊙ n,a,p
24	90.5	87.1	84.9	- 0.7	- 0.5	- 0.7	0.5	- 2.7	99	98	99	34 5	34 5	32 5	4	8 *	8 *	8 *	0.6	95	* n,a,p
25	87.8	91.1	96.1	- 1.3	0.0	- 0.6	0.6	- 2.0	57	57	58	29 3	27 2	21 3	1	8 ♦²	8 ♦	8 ♦	9.7	115	♦² = n, ♦ = a, ♦ p
26	01.8	02.7	03.9	- 1.2	1.9	0.8	2.5	- 2.1	51	35	35	20 4	23 3	25 2	9	6 ♦	5	1	12.7	130	♦ n, ⊙ a
27	04.5	02.9	00.9	- 0.8	1.1	1.1	2.0	- 4.0	39	40	45	04 1	02 3	20 1	8	8 =	8	8		125	= n,a
28	95.3	03.1	90.2	4.2	3.3	0.5	5.0	- 0.6	45	50	59	10 1	22 1	23 3	4	6 ⌒	8 ♦	8 *		122	⌒ n, ♦ ⌒ a, * p
29	92.7	92.5	94.9	2.6	4.5	2.2	4.8	- 1.1	37	27	34	21 1	04 1	01 1	9	1	1	1	7.1	120	♦ ⊙ n, ⊙ a,p
30	98.0	00.9	02.0	0.5	2.6	1.0	3.4	- 2.3	53	46	49	19 2	36 3	34 2	7	8 ♦°	7 =	8(♦)	0.1	112	♦° n, = a, ♦° = p
M	99.4	99.7	99.4	- 1.8	0.1	- 1.5	1.1	- 4.4	73	69	73	2.6	2.7	2.5	6.5	5.0	5.0	5.0	105	112	

Ekstensotabell

1955

Tromsø

$\varphi = 69° 39' N$ $\lambda = 18° 57' E$ $g = 9.826$ $\Delta G = +1^h$

Mai (V)

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	02.2	03.0	02.9	0.9	1.3	0.3	1.5	- 0.1	76	72	75	36 3	02 2	02 2	9	7(•)	7	8	0.1	110	♦° ⊙ =° n, *° a
2	03.4	02.1	01.3	0.4	1.7	0.7	2.3	- 0.6	75	68	72	04 2	03 2	04 2	9	8	6	2	0.0	108	⊙° a, ♦° ⊙ p
3	97.8	96.4	92.7	2.8	4.5	3.1	4.6	- 1.8	65	55	56	10 1	09 1	00 0	9	3	1	2	0.0	108	⊙ n,a,p
4	97.8	87.2	86.2	2.0	3.2	2.4	3.9	- 2.2	65	65	66	03 2	02 3	02 2	9	4	2	0		103	⊙ n,a,p
5	85.8	85.8	85.6	1.2	2.2	1.6	3.0	- 2.2	69	62	66	17 2	18 3	18 2	9	0	0	0		102	⊙ n,a,p
6	87.8	89.6	91.4	0.8	3.2	1.7	3.5	- 2.5	68	61	76	19 2	00 0	00 0	9	3	7	7 ♦°		100	⊙ n, ⊙° a, ⊙ p
7	95.8	97.8	99.8	1.2	2.8	2.3	4.6	- 1.9	80	70	84	19 2	19 1	26 2	4	7	6 ♦°	7 ♦°	0.6	100	♦° n, ⊙ ♦° a, ♦° p
8	97.6	97.3	94.4	2.6	5.0	3.5	5.5	- 1.2	75	55	58	32 1	00 0	32 1	9	2	1	7	0.1	97	⊙ n,a,p
9	88.6	85.4	80.9	3.0	5.7	4.6	6.4	0.0	65	55	56	32 2	29 2	17 3	9	4	6	7		95	⊙ n,a,p
10	80.7	91.7	78.0	- 0.2	- 0.2	- 0.5	4.9	- 0.6	91	82	89	17 2	01 3	01 2	3	8 ♦	8 ♦°	8 *	6.0	100	♦ n, ♦° a, * p
11	75.6	75.8	77.5	2.2	5.5	3.6	6.0	- 1.0	86	68	66	31 1	00 0	09 2	9	5	8	8	5.1	103	♦° n, ⊙° 8
12	82.6	84.8	86.2	1.2	2.6	0.9	4.0	0.9	77	70	79	02 4	04 4	04 3	9	8 =	8	7		95	= n, ⊙° 13
13	88.8	90.6	89.7	0.4	2.0	1.3	2.2	0.0	75	68	68	04 4	04 3	06 1	5	8 ♦	8 =	7	0.0	95	= n,a,p
14	91.1	91.9	91.8	2.2	3.2	2.6	4.2	- 1.3	58	55	59	06 2	18 2	07 1	9	4	6	6 =°		95	⊙ n,a,p
15	87.7	83.9	81.2	3.2	2.8	0.6	4.5	- 0.1	62	73	93	05 3	03 4	03 5	9	5	7	8 ♦		93	⊙ n,a, ♦ p
16	78.6	81.4	84.4	5.2	6.2	4.1	6.5	0.4	77	65	83	02 2	05 1	00 0	7	4	8 =	7 °	0.3	93	♦° n, ⊙ 8, = a, •° = p
17	88.3	89.6	90.9	4.9	7.1	6.4	7.5	1.9	80	70	69	03 1	02 2	05 2	9	3	4	3	0.2	89	♦° n, ⊙ a,p
18	93.4	95.4	97.2	5.4	8.6	6.8	9.5	2.4	70	61	73	19 2	19 1	32 2	9	5	3	1		85	⊙ n,a,p
19	98.7	97.4	90.2	4.7	6.1	5.9	7.1	1.8	82	70	68	22 2	05 2	05 2	9	3	3	8		80	⊙ n,a,p
20	83.7	84.4	85.2	7.1	8.1	7.1	9.4	4.5	62	62	63	32 4	31 4	20 4	9	3	3	7	0.0	73	•° ⊙ n, ⊙ a,p
21	80.0	80.9	84.5	3.8	3.2	0.9	7.3	0.9	80	79	93	20 2	31 3	23 3	6	8 ,°	8 =	7 ♦	0.0	68	,° n, •° = a, ♦ p
22	88.0	88.7	91.3	1.6	1.3	1.2	2.0	0.4	76	86	93	24 4	23 4	29 1	4	8 ♦°	8 ♦	8 ‡	1.2	67	♦° = ♦° n, ♦ =° a, * p
23	98.0	99.9	02.3	0.7	2.8	1.0	3.5	- 0.5	87	69	80	28 1	25 3	26 2	8	7 *°	6 *°	4(♦)	4.7	65	*° n, *° ⊙ a, ♦ p
24	03.3	02.7	03.4	2.2	3.1	2.2	3.8	- 0.8	69	61	68	21 2	03 2	04 3	9	3	1	1	0.1	60	⊙ n,a,p
25	04.9	06.0	05.9	3.2	4.4	4.2	4.7	- 0.3	65	59	62	04 2	04 2	05 1	9	1	3	3		59	⊙ n,a,p
26	06.2	06.3	03.5	3.4	3.7	2.8	4.8	- 0.2	70	68	82	26 3	26 4	22 3	9	6	8	8 ♦°		56	⊙ n,a, ♦° p
27	00.7	00.3	02.1	4.2	6.0	2.7	6.0	2.9	87	82	90	25 3	33 2	33 3	7	7 •	6 •°	7 ♦°	0.0	48	• n, •° a, •° ♦° p
28	05.5	08.3	10.6	2.2	2.7	1.3	3.4	1.0	73	73	80	02 2	35 3	02 2	7	8 △	8 ‡	8(♦)	0.4	47	△° n, ♦ ‡ a, ♦ p
29	08.7	08.1	07.0	4.0	4.6	5.0	5.7	0.8	70	73	77	25 4	25 5	25 5	9	6	8	7	0.3	45	♦° ⊙ n, ⊙ a, ⊙° p
30	11.3	12.9	13.4	4.7	5.3	6.4	6.7	4.1	87	73	77	28 3	25 3	24 3	9	8 •°	8	4	0.0	40	•° n, •° ,° a
31	14.0	15.9	15.1	7.6	7.8	9.6	9.6	5.4	70	72	62	24 4	24 3	24 3	8	7 =°	8 =°	1	0.0	30	=° ⊙ n, ⊙ p
M	94.1	94.6	94.4	2.9	4.1	3.1	5.1	0.3	74	68	74	2.4	2.4	2.2	8.0	5.3	5.6	5.4	19	81	

Juni (VI)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	13	19	8	13	19	Max	Min	8	13	19	8	13	19	13	8	13	19			
1	14.0	14.3	13.6	8.9	10.0	8.3	11.3	6.9	55	59	82	21 4	29 2	32 2	8	8	8 =°	4 =°		15	=° ⊙ a,p
2	11.6	11.2	10.5	5.1	8.5	6.0	9.4	3.5	93	79	90	32 1	04 2	04 2	8	0 ≡	0 =	8 ≡		15	≡ n, ⊙° 8, ≡ a, = ⊙° p
3	11.2	11.7	11.4	3.6	5.5	4.2	6.0	2.7	89	82	79	03 1	01 2	32 2	7	8 ,	8 =	7 =°	0.1	5	, ≡ n, , = a, •° ,° = p
4	09.6	07.8	04.4	4.2	5.5	4.1	6.7	2.7	80	70	79	30 2	27 2	30 2	9	8 ,	7	8	0.3		, ≡ n, •° p
5	97.4	98.1	98.6	2.9	2.2	0.6	4.4	- 0.1	75	77	86	35 3	36 4	31 2	1	8 =	8 ♦²	7 ♦	1.0		♦ = n, ♦ a, ⊙ ♦ p
6	94.1	93.3	96.6	1.2	0.4	3.2	3.7	- 0.6	70	93	68	02 2	22 3	06 3	1	5	8 ♦	4	8.5	5	♦ n, ⊙ 8, ♦ a, ♦ ⊙ p
7	99.8	00.5	99.6	3.2	3.0	1.3	3.9	0.0	68	73	82	04 4	06 4	07 3	6	7 =	7 ♦	8 ♦	5.3	5	♦ n, ♦ ⊙° a,p
8	96.9	00.7	95.8	1.5	4.8	1.2	4.9	0.6	82	58	90	01 4	04 4	04 1	9	8 ♦°	5	6 ♦°	0.3		♦° n,a, ⊙ ♦° p
9	93.5	93.8	93.9	1.9	3.0	2.9	3.8	0.6	89	83	83	30 2	30 2	32 1	6	8 ♦°	8 ♦°	8 =°	0.2		♦° n,a, ♦ =° p
10	95.2	96.2	97.2	3.2	6.2	6.4	8.0	1.5	82	59	61	00 0	30 1	04 3	9	6	6	5	0.1		♦° ⊙ n, ⊙ a,p
11	98.4	97.8	97.1	7.4	8.0	7.8	9.0	3.3	62	56	59	09 1	04 3	03 3	9	4	4	5			⊙ n,a,p
12	97.5	97.8	97.4	4.6	6.7	6.4	8.0	3.6	86	69	72	05 1	05 1	21 1	9	6 =°	5	7 ♦°	0.9		♦° =° ⊙ n,a, ⊙° p
13	97.1	96.7	96.1	6.8	10.2	9.4	10.5	3.6	72	54	59	25 2	21 2	23 3	9	5	8	8	0.9		♦ n, ⊙ a, ♦° ⊙ p
14	94.6	95.2	96.3	10.4	7.1	5.9	11.5	4.2	61	91	80	22 2	02 2	22 3	5	8	8 ♦	5(•)	6.5		♦° ⊙° n, ♦ = a,p
15	96.6	95.9	95.1	6.7	9.9	7.9	10.3	3.9	70	55	65	26 3	27 2	04 2	9	4	2	6	0.5		♦° ⊙ n, ⊙ a,p
16	93.8	94.2	94.8	5.1	6.8	5.8	8.1	3.8	84	86	90	31 3	31 3	02 2	4	8 ♦°	8 ♦°	8 ♦°	0.6		♦ = n, ♦° = a, ♦ = p
17	94.1	94.2	94.3	5.0	5.6	4.3	6.3	4.2	98	93	90	02 2	02 2	02 3	4	8 ♦	8 ♦°	8 •	4.3		♦ = n, ♦ ≡ a, • = p
18	93.9	94.5	97.1	3.6	5.1	4.4	5.8	2.1	93	87	89	29 2	31 3	28 3	5	8 ♦	8 ♦	8 ♦	10.1		♦ = n, ♦° = a, ♦ = p
19	01.5	02.3	04.1	4.3	6.6	5.1	7.0	3.0	90	77	84	31 1	31 2	07 2	9	8 ♦	8	8	4.8		♦ = n, ♦ ⊙ a, ⊙ p
20	05.2	05.8	05.9	4.6	6.4	4.8	7.0	2.7	80	73	76	31 1	32 2	32 2	9	7	4	6	1.3		♦ ⊙ n, ⊙° a, ⊙ p
21	03.0	02.4	01.5	4.8	6.7	4.6	7.1	2.9	83	80	89	29 2	31 3	33 1	6	8 •	7 ♦°	7 ♦	0.2		♦° = n, ♦ = a, ⊙ 13, ♦ p
22	01.0	99.8	99.6	5.2	6.8	6.0	7.7	3.1	80	86	82	22 2	24 4	00 0	9	8 ♦	8 ♦°	6	0.9		♦° n, ♦ a, △ p
23	91.3	90.8	88.6	7.0	10.0	10.2	11.8	4.8	91	80	80	22 4	27 1	32 1	9	8	8	6	2.1		♦ n, ♦° p
24	88.7	89.6	87.3	7.9	11.0	11.3	12.3	7.2	93	75	69	27 3	27 4	21 2	7	8 ♦°	7 ♦°	8	1.9		♦ n, ♦° a, ♦ p
25	82.8	87.7	90.4	8.4	8.4	7.4	12.3	7.2	89	89	94	32 2	21 2	23 3	5	8	8 ♦°	8 ♦	1.8		♦ n, ♦° a, = 13, ♦ p
26	97.9	02.2	04.8	6.2	6.4	5.9	7.7	5.6	98	89	91	20 3	29 2	32 2	7	8 •	8 •°	8 •°	6.6		• = n,a, •° p
27	06.6	07.5	07.8	5.6	5.5	5.6	7.2	3.7	87	86	82	31 1	36 2	02 3	5	8 •	7 ♦°	7	3.3		• = n,a, • ⊙ p
28	06.6	06.1	04.3	6.4	8.4	8.4	9.4	3.7	79	73	77	06 2	09 3	05 4	9	5	5	1	1.2		♦° ⊙ n, ⊙ a,p
29	03.9	01.7	00.5	8.8	10.9	10.6	12.3	5.0	79	75	73	05 2	05 3	05 2	9	1	1	1			⊙ n,a,p
30	00.0	99.7	00.2	9.4	12.0	11.2	12.7	5.4	77	68	54	03 2	06 4	03 4	9	1	1	1			⊙ n,a,p
M	99.3	99.6	99.5	5.5	6.9	6.0	8.2	3.4	81	76	78	2.1	2.5	2.2	7.0	6.5	6.3	6.2	64	2	

Ekstensotabell

1955

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 $\Delta G = +1^h$ H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Juli (VII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	00.6	00.6	98.1	8.6	11.8	11.0	12.6	6.1	70	65	70	05 3	05 3	03 3	9	2	1	1			⊙ n,a,p
2	99.0	97.1	95.1	9.6	11.8	12.2	13.0	6.1	77	73	75	06 2	06 2	05 2	9	3	6	4(•)			⊙° n,a, ⚥° p
3	91.0	90.2	90.2	10.8	12.5	11.7	15.3	7.2	75	67	86	05 2	06 2	04 2	9	4	7	7	0.0		⊙° n,a, ⚥° p
4	91.3	92.6	94.3	7.9	9.9	7.7	11.4	6.2	97	78	93	01 2	04 2	03 2	5	8 ≡	8 =	8 •°	0.0		≡ n, = a, = •° p
5	99.2	00.8	03.2	6.8	6.3	6.0	8.0	5.9	92	92	88	03 2	03 2	04 2	1	8 '	6 '	8 =	3.1		• ≡ ' n, ' ≡° a, ' ≡ = p
6	05.0	05.5	04.0	6.2	10.0	8.6	11.5	4.8	87	77	81	04 1	05 1	32 2	6	8 ≡	8 ∽	8	0.2		' ≡ n, ≡° a, ∽ p
7	01.2	02.3	03.8	10.8	12.0	9.5	13.0	8.2	70	70	83	23 3	23 3	27 3	9	6	8	7 ∽			⊙° n, ⚥° p
8	09.8	09.8	09.9	8.4	12.8	9.8	15.4	6.5	65	63	77	23 2	24 3	27 2	9	8	6	8 ⚥	0.5		⚥ n, ⊙° a, ⊙ p
9	08.7	09.1	08.3	11.0	12.3	13.2	13.8	8.1	86	81	77	27 3	27 4	24 3	6	8 •	8 =	8(⚥)	3.7		• = n, = a, ⚥° p
10	13.7	13.7	13.7	9.8	13.2	12.2	14.4	7.8	86	70	80	28 3	24 3	00 0	8	8	7 =	7	0.5		= ⚥ n, = a
11	13.7	12.5	09.6	14.8	18.0	20.8	21.5	9.9	73	63	60	22 2	22 3	23 2	7	7 =	4 ∽	1 ∽°			⊙ = n, ⊙ ∽ a,p
12	15.9	13.6	10.3	19.6	16.5	15.7	21.0	15.3	61	78	90	22 3	23 3	24 3	5	8 ∽°	8 •	8 •			∽ n, • ∽ a, • ⊙ p
13	07.2	08.2	07.4	8.3	9.8	10.6	16.0	7.2	83	67	67	05 1	07 2	07 3	9	8	5	2	5.5		• ≡° n, ⊙° a, ⊙ p
14	03.5	01.7	99.2	11.1	15.4	17.6	19.8	6.4	73	62	60	04 1	06 2	24 2	9	4	4	6			⊙° n,a, ☾ p
15	95.6	95.5	93.4	10.6	13.4	12.6	17.8	10.6	91	62	71	31 3	27 5	26 2	9	8 •	5	7	1.4		• = L, ⊙° a, ☾ p
16	87.2	89.8	90.1	12.1	8.9	9.6	12.8	8.7	78	90	90	23 3	32 1	25 4	6	8	8 =	8 ⚥°	0.4		⚥ n, • = a, • = ⚥° p
17	82.7	83.7	87.0	8.8	9.4	8.8	19.6	7.4	95	91	87	22 3	24 3	24 3	4	8 •²	8 •°	7 •²	3.0		•² = n, • = a, •² = p
18	90.0	94.6	98.5	7.5	6.5	6.0	9.1	6.0	90	85	94	31 2	02 2	32 2	7	8 •	8(⚥)	8 ⚥°	12.3		• = n, ⚥° = a, ⚥° = ⊙ p
19	99.4	98.4	96.3	6.6	8.8	9.1	10.4	5.4	86	79	76	32 2	36 2	09 1	9	8 •°	8	8	7.1		• = n, = a, ⊙° p
20	91.5	92.4	93.6	8.8	11.8	8.8	12.8	6.7	84	72	94	09 1	22 2	33 2	7	7	8 =°	8 •	0.1		⊙° ⚥° n, ⊙° a, • =° p
21	97.1	00.0	01.2	9.1	8.8	7.9	9.9	7.9	92	90	87	00 0	33 3	36 3	5	8 '	8 ≡	7(•)	1.7		' ≡ n, ≡ a, (•) p
22	02.5	01.8	98.9	8.6	11.0	14.4	14.5	7.3	85	72	67	30 1	23 1	24 2	9	8 =	8	3	1.1		⚥° n, ⊙° a, ⊙ p
23	02.1	06.8	10.9	8.9	9.1	8.4	9.8	8.3	91	85	80	31 4	32 3	32 2	6	7 =	7 =	7			= n,a, =⊙° p
24	11.5	11.0	12.1	9.4	12.4	9.9	13.5	4.9	72	70	78	23 3	29 2	34 3	9	3	6	7			⊙ n,a,p
25	13.7	14.6	14.4	9.6	11.0	10.2	11.6	8.7	84	88	95	22 3	33 1	33 2	9	8	8	8 =			= ⚥ p
26	09.2	07.1	06.2	12.2	17.5	12.1	19.1	8.3	78	62	91	24 3	00 0	34 1	9	2	2	7	0.0		(≡) n, ⊙ a,p
27	02.8	02.6	01.0	11.6	13.4	12.2	13.8	10.3	92	80	85	32 2	33 2	29 2	9	8	1	2	0.5		⚥ n, ⊙ a
28	92.8	92.9	92.4	12.9	13.8	10.8	15.6	7.3	88	66	83	27 2	25 4	26 4	9	2 =	6	8 ⚥	0.1		≡ ⊙ n, ⊙ a, =° ⚥ p
29	98.0	00.3	99.0	7.5	8.6	8.9	11.1	7.0	90	77	73	27 3	28 2	23 4	8	8 =	7 =	8 =°	3.7		= ⚥ n,a, =° ⚥ p
30	96.8	98.0	97.6	10.7	12.3	12.3	13.0	8.1	70	72	78	24 4	25 4	21 2	9	8 =°	8 =	7 =°	0.4		=° ⚥ n, =° a, =° ⊙ p
31	90.6	86.6	88.1	9.8	10.1	8.6	18.7	8.5	85	84	84	25 1	22 2	24 4	7	8 =	7	7 ⚥	5.9		⚥ = n, ⚥ ⊙ a,p
M	00.8	01.1	00.9	9.9	11.6	10.9	14.0	7.6	82	75	81	2.3	2.4	2.4	7.5	6.7	6.5	6.5	51		

August (VIII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	91.2	92.0	95.0	7.4	9.0	7.4	11.1	6.5	85	76	94	24 3	27 2	31 2	8	8 ∽	7 ⚥°	8 ⚥°	8.3		⚥ = n, ⚥ = ⊙ a,p
2	98.6	00.5	01.5	7.0	7.9	7.9	9.0	5.6	83	88	78	21 2	27 2	26 2	7	8 •°	6 ⚥°	6 =°	4.7		⚥ = n,a, ⊙° 13, ⚥ ⊙ =° p
3	98.3	96.3	93.3	7.4	9.2	8.0	9.9	6.1	80	73	87	22 3	22 4	23 4	7	8	8 ⚥°	8 •	2.3		⚥ = n,p
4	92.4	95.0	96.1	6.4	7.2	6.6	8.3	5.8	85	84	73	26 2	33 2	32 2	7	8 •°	8 ⚥°	6 =	2.5		⚥ = n,a, ⚥ p
5	96.4	95.4	95.1	5.4	7.6	6.8	8.3	4.6	86	76	76	24 3	27 2	32 2	6	8 ⚥°	8 =	7	4.5		⚥ = n, = a, ⊙° 13, ⚥ ⊙ p
6	94.6	94.3	94.9	7.0	8.8	8.4	9.7	5.3	84	69	73	28 1	04 2	04 2	9	6	5	6	0.1		⊙ a,p
7	99.7	01.5	02.8	6.7	8.8	8.4	9.9	5.5	73	66	68	04 3	04 4	05 4	9	8	5	1			⊙° a, ⊙ p
8	05.9	06.4	06.0	9.4	16.0	15.5	16.7	4.5	75	49	53	03 1	22 3	24 1	9	3 ⌒	2	4			⌒ ⊙ n, ⊙ a,p
9	07.0	06.4	06.2	11.4	18.0	14.4	18.5	8.2	77	49	56	26 2	23 2	03 2	9	3	1	1			⊙ n,a,p
10	09.1	09.4	07.8	9.8	11.8	12.3	14.6	8.8	96	81	77	31 1	24 3	28 3	6	8 ⚥°	8 '	8(≡)	0.1		⚥° = n, ' = a,p
11	04.4	04.4	02.6	10.6	11.4	12.0	13.0	10.1	87	89	81	24 4	26 4	25 4	5	8 '	8 '	7 •°	0.1		' = n,a, •° = p
12	09.3	09.5	09.6	9.8	10.6	10.3	12.3	9.0	95	98	99	22 3	31 2	31 2	4	8 '	8 '	8 '°	0.8		⚥° = n, ' ≡ a, ' = p
13	07.5	07.6	06.8	9.2	10.6	10.3	12.0	8.9	00	97	87	31 2	32 2	28 1	6	8 '	8 =	7 =	0.6		'° ≡ n, ≡² 8, ⊙ = a, = p
14	06.0	04.5	03.6	11.2	14.6	11.7	15.3	9.1	90	70	88	22 2	23 3	04 1	9	5 ⌒°	4	6	0.1		⊙ ⌒° n, ⊙ a,p
15	01.0	00.5	98.4	12.4	14.4	13.0	16.0	8.1	82	75	84	23 2	31 1	16 1	7	3 ∽°	5 ∽	8 ∽			⌒° ⊙ ∽° n, ⊙° ∽ a, ⊙ ∽ p
16	94.8	97.5	93.7	12.0	15.4	16.2	16.3	10.8	97	77	75	18 2	22 2	22 4	6	8 ⚥°	8 ∽	8(⚥)	1.2		⚥ =° n, ∽ a, ⚥ ∽ p, = 19
17	97.8	00.6	01.0	12.8	11.6	9.9	16.3	9.5	77	83	99	23 3	33 2	34 1	9	7	5	8 •	1.6		⊙ a, • p, =° 19
18	01.4	98.3	96.7	13.6	20.4	19.6	22.2	9.6	90	66	66	24 2	20 2	31 1	9	4	3	4	8.4		(⚥) ⊙ n, ⊙ a,p
19	04.1	06.5	06.9	10.4	12.4	12.0	19.6	10.3	97	86	96	32 3	35 2	02 2	9	8 =	6	7	10.0		•² R = n, ⊙ a,p
20	06.5	06.5	09.9	12.0	20.8	14.2	21.6	8.4	88	65	76	04 1	20 1	04 2	6	1 ∽	4	8			⌒ ⊙ n, ☾ a, ⚥° p
21	09.3	10.9	11.3	10.8	10.6	11.1	14.5	10.2	99	99	94	26 1	06 1	27 1	9	8 •	8	6	2.8		• = ≡ n, • ≡ a
22	14.9	15.7	12.8	10.9	13.3	12.8	15.2	9.2	87	63	59	23 1	24 3	27 3	9	4	5	5	1.4		• ⊙ n, ⊙ a,p
23	10.0	09.5	10.4	12.4	11.6	10.9	12.9	10.7	72	90	95	22 3	20 4	32 2	4	8	8 •	4(•)			• = n, • p
24	09.5	07.2	02.8	12.6	13.2	13.6	15.0	9.7	81	77	86	22 4	22 3	24 4	9	3	8	8 •	2.7		⚥° ⊙ n, ⚥ ⊙° a, • = p
25	96.6	98.3	00.3	14.6	11.3	9.6	15.3	9.5	97	98	88	30 3	32 2	27 2	6	8 •²	8 •²	6 =	15.1		•² ≡ n, • = a, =° •° p
26	03.1	00.6	99.0	9.9	11.0	13.7	14.8	8.5	87	87	94	22 2	23 3	23 4	7	8 =	8 =	8 •	3.0		⚥° = n, = a, •² = p
27	99.4	96.5	91.3	10.8	12.4	9.6	14.7	9.3	92	83	97	30 1	02 2	29 3	9	7	6	7 ⚥°	6.1		⚥ = n, ⊙° a, ⚥ = p
28	90.9	92.1	96.5	4.8	4.8	5.9	9.8	4.6	96	96	90	20 4	22 4	33 4	4	8 •²	8 •²	8 =	15.1		•² ≡ n,a, • ' = p
29	03.1	05.7	05.3	6.2	7.2	6.1	8.5	5.3	97	88	89	00 0	32 2	02 2	9	7 ⚥°	6	3	17.6		⚥ n,a
30	00.5	99.9	98.8	6.5	11.9	11.2	13.3	2.3	90	63	70	22 1	24 1	18 1	9	1	5	7	1.5		⚥ n, ⊙ a,p
31	96.5	95.6	92.1	10.4	14.2	12.4	14.5	9.0	90	80	78	22 3	00 0	01 1	9	7	7	7 =	0.9		⚥ n, = p
M	01.9	02.1	01.6	9.7	11.9	11.0	13.9	7.8	88	79	82	2.2	2.3	2.3	7.5	6.4	6.5	6.3	112		

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 ΔG = + 1h

September (IX)

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	85.6	86.3	87.2	13.9	11.0	8.0	14.0	8.0	84	99	99	00 0	28 1	32 1	6	8 ⌣	8 •	8 •	0.1		•° ⌣ = n, ⌣ = • a, • = p
2	84.1	84.8	85.8	8.6	10.9	9.4	11.9	5.9	89	78	80	23 3	22 3	23 1	8	7 =	3 =°	7	16.2		• ⌣ = n, ⚲ = a
3	83.6	83.9	85.8	9.2	14.5	10.5	15.5	5.7	86	62	76	04 1	25 1	28 1	9	2	1	5	0.4		• n, ⊙ a,p
4	91.9	91.8	93.4	8.7	11.7	9.8	11.7	7.5	90	75	81	00 0	23 2	00 0	9	8	6	7			
5	92.8	92.0	92.5	8.0	11.8	11.5	13.3	5.9	91	73	77	23 3	25 2	23 2	9	6 ⚲°	6	6	0.0		=° ⚲° n, ⊙° p
6	84.7	81.6	80.8	13.3	16.4	12.5	18.5	8.5	65	53	81	23 2	20 4	22 5	9	5	5	8 ⚲	0.0		⊙ n,a, ⚲ p
7	92.4	91.8	89.0	7.9	9.4	10.1	12.6	6.3	84	72	95	22 3	22 3	24 4	8	7	7 ⚲	8 ⚲	9.1		⚲ n,a,p
8	99.2	02.3	04.5	8.9	11.3	8.3	11.4	8.3	76	66	73	27 3	27 3	25 2	9	7	6	6 =°	10.2		⚲ n, ⊙ 13, =° p
9	06.1	05.6	05.1	8.4	10.4	7.4	11.0	7.2	92	68	80	00 0	03 2	02 3	9	5	2	1	0.4		⚲° n, ⊙ a,p
10	00.4	98.9	98.2	5.6	10.6	9.4	11.9	3.2	91	72	75	00 0	29 1	33 2	9	1 ⌒	2	7			⌣° ⊙ n, ⊙² a, ⊙ p
11	95.4	93.5	90.6	9.3	11.4	9.7	12.0	5.9	92	83	89	00 0	32 2	00 0	9	8 ⚲°	7	5	0.5		⚲° =° n, ⊙° a,p
12	86.2	87.2	88.9	9.5	10.1	8.1	10.3	8.1	77	77	96	21 3	25 3	00 0	9	8	8	8 ,	0.1		⚲° n, , ≡ p
13	91.5	94.5	95.1	7.9	8.4	7.6	8.6	6.6	00	95	98	19 2	21 2	03 3	6	8 •²	7 ≡	7 ,°	10.0		•² ≡ n, •° ≡ a, , = p
14	98.5	98.9	00.2	6.0	8.8	6.9	9.8	4.0	83	66	56	22 2	21 3	22 2	9	3	7	4	1.2		•° = n, ⊙ a
15	00.6	00.6	00.5	7.0	8.0	5.9	9.0	5.4	72	70	75	12 3	24 2	24 2	9	8	4	1	0.4		•° n, ⊙° a, ⊙ 19
16	98.4	96.6	95.5	4.4	8.8	8.2	10.4	2.7	86	77	76	00 0	00 0	09 2	9	5 ⌣	7	3			⌣° n, •° ⊙ a, ⊙ p
17	90.6	85.9	88.3	9.4	13.1	11.5	14.5	6.5	91	87	81	02 1	24 3	22 2	7	6 =	8 =	7 =	0.0		= n, •° ⊙° = a, = p
18	90.0	91.1	92.1	8.7	11.6	10.0	12.4	6.6	91	80	84	25 1	23 1	04 2	9	3	5	7	0.0		⊙ a, ⊙° p
19	97.8	99.8	02.2	8.2	11.4	8.2	12.2	7.5	99	89	94	00 0	00 0	04 1	7	6 =	5 =	1	0.6		•° = n, ⊙° = a, ⊙ p
20	07.1	08.7	08.1	4.0	8.8	6.7	10.5	3.8	00	95	92	00 0	32 1	00 0	5	3 =²	1 =	0	0.2		⌒² ≡ n, ⊙ ≡ a, ⊙ p
21	10.2	09.9	10.2	5.8	10.6	8.1	11.1	4.4	90	63	72	19 1	16 1	03 2	9	1 ⌒°	2	2	0.1		⌒° ⊙ n, ⊙ a,p
22	09.8	09.4	08.7	5.8	9.8	7.7	10.6	4.0	89	75	78	21 3	24 3	25 1	9	5	4	2	0.1		⌒ ⊙° n, ⊙ a,p
23	08.9	08.9	08.5	5.8	9.8	8.5	11.6	4.5	89	72	77	23 2	24 2	22 1	9	5	3	2			⊙ n,a,p
24	06.4	06.0	05.1	5.2	10.9	7.4	11.8	4.4	99	68	77	24 1	25 2	04 1	9	1 ⌒	1	1	0.1		⌒ ⊙ n, ⊙ a,p
25	96.0	93.6	94.0	5.4	13.2	11.7	13.8	3.4	90	58	63	31 1	25 3	23 3	9	1 ⌒	2	6	0.1		⌣ ⊙ n, ⊙ a,p
26	93.2	92.8	91.5	8.8	10.0	9.9	12.0	8.1	90	86	86	00 0	26 2	16 2	7	8	8 =	6	0.5		⚲° n, = a, = • p
27	91.4	92.1	92.3	10.2	10.3	8.3	12.2	8.3	76	70	76	15 2	22 3	23 3	9	6	7	5	0.4		⊙ ° 8
28	93.2	93.9	93.0	7.3	8.8	7.1	9.1	6.2	75	69	72	22 3	21 4	22 3	9	4	3	3			⊙ n,a
29	87.6	84.9	85.0	6.1	8.2	7.3	8.9	5.4	73	69	80	22 4	22 4	23 4	9	6	6	6			⊙ a, ⚲ p
30	81.1	72.2	68.7	6.9	7.7	7.8	8.4	6.4	78	78	81	21 2	29 1	23 3	5	7	8 •	6	0.1		⚲° n, = 13
M	95.2	94.6	94.7	7.8	10.6	8.8	11.7	6.0	86	75	81	1.5	2.1	1.9	8.3	5.3	5.0	4.8	51		

Oktober (X)

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	65.2	70.1	77.9	4.6	6.8	5.0	8.0	3.1	84	92	88	32 1	36 3	36 3	6	6 ⌣	8 •°	4(⚲)	0.8		⌣ n, •° = a, ⚲ p
2	85.0	85.3	84.3	2.0	2.5	1.8	5.1	0.5	92	99	96	27 2	24 3	23 4	6	7 ⚲	7 ⚲	7 ⚲	7.4		⚲ n, ⚲ ⚲ a, ⚲ ⊙ p
3	87.8	90.4	89.8	2.4	3.4	1.9	3.7	0.9	99	94	96	21 2	22 2	23 3	7	7 ⚲	8 =	8(•)	14.6		⚲ = n, ⚲ = a,p
4	90.7	91.3	94.2	1.2	2.4	0.7	3.2	0.2	98	94	99	29 2	22 2	22 2	5	8 ⚲°	8 ⚲	8 ⚲	4.9	0	⚲ ⚲ = n, ⚲ = a, ⚲ ⚲° p
5	02.1	05.6	07.4	0.8	2.8	1.2	3.7	0.2	00	89	86	22 2	23 2	20 1	9	5 =	6	1	14.5	0	⚲ = n, ⊙° a
6	06.2	05.9	05.6	1.9	4.6	2.5	4.9	- 0.1	66	59	59	00 0	22 4	36 1	9	1	2	3		0	⊙ a
7	04.8	05.7	01.9	1.2	4.2	1.8	4.4	0.7	72	70	70	20 1	33 1	04 1	9	0	3	8		0	⊙ n,a
8	98.1	96.7	96.9	5.2	4.6	5.6	5.8	0.8	73	94	87	22 3	22 3	22 3	7	8 ⚲°	8 ⚲°	8 =	0.0	0	⚲ = a,p
9	84.8	82.6	79.7	4.8	5.7	6.0	6.3	3.5	81	82	88	21 2	23 3	23 3	7	8	8 ⚲°	8 •°	4.1	0	⚲° = n,a, ⚲ p
10	92.1	98.1	98.4	5.4	4.2	5.6	7.3	3.5	88	91	78	22 3	22 3	23 4	5	8 ⚲	8 ⚲	7	15.6	0	⚲² = n, ⚲ = a, ⚲ p
11	78.0	71.6	86.0	7.8	7.0	4.8	9.5	3.3	94	81	90	24 4	32 6	33 4	5	7 ⚲²	8 ⚲	8 •	14.6	0	⚲² = n,a, =⊙ p
12	97.8	97.8	94.8	2.0	3.8	4.9	5.4	1.4	98	89	89	21 2	22 3	22 4	7	8 ⚲	8 =	8 ⚲	20.2	0	• = n, ⚲ a, ⚲ p
13	88.3	84.3	74.9	5.0	7.0	6.8	7.5	4.2	91	80	86	21 4	21 4	23 4	9	8 •	8	8 •	8.1	0	• = n, •° = a, = • p
14	65.0	71.0	76.2	5.0	1.2	- 0.7	7.9	- 0.7	82	91	98	22 5	31 4	33 5	3	7 ⚲°	8 ⚲	8 ⚲²	5.6	0	⚲ = n, ⚲ ⚲ = a, ⚲ p
15	72.1	71.6	68.2	- 0.2	0.4	1.2	1.3	- 1.3	86	92	99	29 2	22 4	22 3	8	8 •°	8 ⚲²	8 ⚲	15.0	3	⚲ = n,a, ⚲² p
16	76.5	80.8	84.9	2.5	2.9	1.1	3.1	0.6	89	81	89	04 5	05 5	05 4	7	8(•)	8(•)	8 ⚲	12.0	1	⚲ n, ⚲° a, (•) p
17	87.0	86.9	88.2	- 1.1	- 1.2	- 2.1	1.5	- 2.3	81	84	89	01 2	05 3	00 0	7	6 ⚲°	6 =	7	1.2	1	⚲ = n, = a, ⚲ = p
18	92.1	94.1	94.8	- 1.6	0.2	- 1.5	0.8	- 2.4	89	83	84	21 2	22 3	23 3	9	6	3	7	1.3	2	⚲ = n, ⊙ a
19	94.5	94.6	95.9	- 3.8	- 1.8	- 2.8	- 1.1	- 4.6	84	68	62	21 3	22 3	23 4	9	2	1	0		2	⊙ n,a,p
20	95.1	91.6	86.8	- 4.4	- 2.3	- 2.8	- 2.0	- 4.6	81	77	62	22 2	00 0	22 4	9	4	6	8		0	⊙ n, ⊙° a,p
21	82.3	86.9	93.2	- 2.6	- 0.3	- 1.6	0.8	- 3.3	99	99	75	05 1	09 2	04 2	6	6	7 =	3 =°	2.0	2	⚲ = n,a
22	01.5	02.0	00.6	- 1.4	- 0.6	1.8	2.0	- 3.0	99	98	78	21 2	20 4	21 5	1	5 =	8 ⚲²	8	4.7	10	⚲ = n,a, ⚲ p
23	92.4	92.9	91.1	3.9	5.6	6.2	6.4	1.7	94	97	99	20 5	22 3	21 5	7	8 •	7 •	8 •	2.5	0	• = n, •° = a, • p
24	87.6	88.4	87.1	6.0	5.5	5.0	7.0	4.6	90	87	81	22 2	22 3	23 3	7	8 •	5 •	4	9.9	0	• = n, •° = a, ⊙ = p
25	84.0	84.6	84.8	3.9	3.8	2.0	5.5	1.7	89	97	95	22 2	22 3	00 0	7	7	8 ⚲°	3	0.6	0	⚲° n, ⚲° = a, ⚲° p
26	87.0	86.6	86.8	2.5	2.4	0.1	3.0	0.1	77	73	69	06 2	07 2	09 1	9	8 =	5	4	0.3	0	⌣° = n, ⊙° a
27	87.3	88.2	89.5	- 0.2	0.4	- 2.2	1.0	- 2.4	78	72	88	05 4	07 3	33 3	9	6	5	3(•)	0.1	0	⚲° n, ⊙° a, ⚲° p
28	88.7	88.8	87.2	- 3.4	- 2.9	- 3.8	- 2.0	- 4.3	99	99	89	24 2	28 2	23 3	4	7 •°	7 ⚲	3	0.7	0	⚲° = n, ⚲ = a,p
29	85.7	86.1	86.5	- 5.3	- 4.2	- 5.6	- 3.2	- 6.4	91	81	82	27 2	29 1	24 1	8	2	2 =°	4	2.5	3	⊙ =° a
30	87.7	88.4	88.5	- 3.8	- 3.0	- 2.4	- 2.3	- 5.7	82	81	94	23 2	23 2	23 2	8	8 ⚲°	8 =	8 ⚲	0.0	3	⚲° = n, ⚲° a, ⚲ p
31	85.1	84.8	84.9	- 2.6	- 1.8	- 4.3	- 1.8	- 4.6	95	91	92	22 3	00 0	00 0	9	6	6	6 =	2.6	6	⚲ = n
M	88.2	88.8	89.9	1.2	2.0	1.2	3.3	- 0.5	88	86	85	2.5	2.8	2.7	7.0	6.2	6.4	6.1	166	1	

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 $\Delta G = +1^h$

November (XI)

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	86.7	89.3	90.1	- 5.4	- 3.8	- 2.9	- 2.6	- 5.6	98	95	98	21 2	21 3	23 3	9	4 ◡	4	8 ♦	0.1	5	◡ n, ⊙ a, ⊙ ♦ p
2	97.3	00.5	02.3	- 2.2	- 1.2	0.4	0.5	- 3.4	92	89	86	00 0	01 1	32 3	8	7 =	6 =	7 ♦	3.6	9	♦ = n, ♦° = a, ♦ p
3	05.9	07.5	07.3	- 0.6	- 1.1	- 2.4	0.6	- 2.9	72	86	72	21 2	00 0	00 0	7	6 ♦	5 =	2	1.2	9	♦° = n,a, ⊙° p
4	07.1	06.5	06.1	- 5.3	- 5.0	- 5.0	- 2.2	- 5.6	91	86	96	00 0	00 0	22 3	9	2 ◡°	3	3	0.6	8	◡ n, ⊙° a, ⊙ p
5	08.4	10.3	13.3	- 5.4	- 5.0	- 5.8	- 4.0	- 6.4	99	99	99	00 0	00 0	00 0	9	3 ◡	1	0 ➡	2.4	12	◡ ♦ n, ⊙ a
6	07.2	09.9	08.6	- 6.4	- 5.0	- 6.0	- 4.6	- 7.4	92	83	82	21 2	22 3	23 1	9	2 ◡	1	0	0.2	11	◡ n, ⊙ a, ☁ 19
7	06.4	06.0	05.3	- 3.2	- 3.4	- 3.2	- 2.8	- 6.8	77	77	83	21 3	22 2	24 2	9	7	3	8 =		10	⊙ a,p
8	02.8	02.6	01.2	- 4.2	- 3.8	- 2.3	- 2.1	- 5.4	97	97	97	00 0	00 0	23 1	9	3 ◡°	2	8		9	◡ n, ⊙° a,p
9	95.9	94.8	92.4	- 3.4	- 1.2	0.0	0.0	- 3.9	91	88	97	31 1	23 3	23 3	9	6	8	8 •°		9	•° p
10	90.2	90.8	90.6	2.4	3.0	1.7	3.3	- 0.1	91	89	90	21 3	22 3	20 3	9	8	7	2	1.1	6	♦° n, •° a, ⊙° 13
11	90.7	93.1	93.0	0.2	0.4	- 0.8	2.0	- 1.2	96	96	00	21 2	22 2	23 1	9	5	6	0 =	0.1	4	⊙° a
12	87.2	84.5	85.1	0.6	4.6	4.3	4.7	- 1.8	94	72	80	05 2	33 4	29 4	7	6 ◡	8 =	6 =	0.1	4	◡ n, = a, ♦ p
13	86.5	87.2	90.4	2.2	2.2	2.0	4.5	1.3	89	81	98	04 2	02 1	02 2	8	8 =	8 =	8 •°	2.0	4	♦° n, = a, = •° p
14	03.6	06.2	03.8	0.8	- 0.6	- 1.2	3.4	- 2.4	81	81	83	36 3	03 2	22 3	9	4	3	3 =°	0.4	0	•° n, ⊙° a, =° p
15	87.1	89.8	96.9	- 0.2	1.2	1.4	1.5	- 1.4	00	97	00	21 4	22 3	36 2	7	8 ♦	8 =	8 •°	1.2	4	♦ = n, ♦° = a, = •° ≡ p
16	01.6	96.8	96.0	1.1	1.6	6.2	6.3	0.3	94	98	78	22 3	21 4	30 4	3	8 ♦°	8 ♦*	8 ♦	5.2	0	♦ ≡ n, ♦ a, ♦ p
17	96.2	88.8	80.0	2.9	3.4	4.8	6.4	1.6	99	97	94	22 3	22 4	23 4	4	8 ♦	8 •*	8 •	9.8	0	♦ = n, •* = a, • p
18	89.3	96.4	99.2	- 2.3	- 4.0	- 3.8	5.7	- 4.5	86	86	99	34 4	01 2	02 1	6	8 =	7 =	8 *	36.0	1	♦° = n, = a, =° * p
19	03.9	00.6	95.3	- 4.4	- 4.8	- 4.0	- 3.0	- 5.4	96	92	68	33 2	22 2	04 2	7	8 *²	8 =°	5 =°	7.6	4	*² = n, =° a, ☁° =° p
20	04.0	03.8	99.0	- 4.0	- 3.2	- 2.6	- 2.5	- 6.0	76	96	95	23 1	20 2	22 4	7	7 =°	8 =°	8 =°	1.5	10	*° =° n, *° = a, ♦ =° p
21	88.8	90.6	93.3	0.0	- 1.2	- 1.1	0.1	- 2.8	00	00	00	21 1	00 0	00 0	9	8 *	5	7 =°	8.6	15	*² = n, *° = a, =° p
22	82.3	75.3	68.9	- 0.1	1.2	2.0	2.6	- 1.4	00	00	99	22 4	22 4	24 3	6	8 ♦°	8 ♦	8 •°	1.6	16	♦° = n, ♦ = a, ♦ • = p
23	76.1	83.8	90.6	- 2.4	- 1.8	- 4.0	2.5	- 4.7	99	99	88	06 6	06 3	29 4	5	8 ♦°	8 ♦°	4	7.3	11	♦ = n, ♦° = a, ♦ p
24	98.6	96.3	94.3	- 6.6	- 6.4	- 5.2	- 3.4	- 7.6	86	88	99	33 2	23 3	20 1	6	4 ♦°	6 ♦°	6(*)	1.0	10	♦° n, ♦° = a, ♦ △ p
25	92.5	92.4	91.0	- 7.5	- 8.4	- 8.6	- 5.1	- 9.3	72	72	57	05 2	02 1	33 1	9	4	2	1	5.7	15	♦° n
26	84.6	79.5	80.3	-10.0	- 9.0	- 8.8	- 7.1	-10.8	52	61	61	33 1	33 2	09 1	9	1	3	1		15	
27	88.6	90.8	93.5	-10.8	-10.4	-11.3	- 8.5	-12.5	53	54	88	09 2	05 3	00 0	9	1	1	1		15	
28	97.9	01.7	05.2	- 7.6	- 8.8	- 8.5	- 7.0	-12.1	91	88	89	36 4	02 3	36 4	6	6 =	6 =	7	2.0	16	♦ n, ♦ = a,p
29	03.8	95.9	81.8	- 7.2	- 6.2	- 4.4	- 4.1	-10.4	73	62	72	20 4	21 4	23 4	9	4	8	8 +	1.0	15	*° p
30	88.5	91.4	91.4	- 7.1	- 9.6	- 8.6	- 3.9	-10.1	91	92	83	36 4	02 3	02 4	6	5 =	6 =	6 =	2.7	19	♦ = n, = a, ♦° =° p
M	95.3	95.4	94.9	- 3.2	- 2.9	- 2.6	- 0.6	- 5.0	88	87	88	2.3	2.2	2.3	7.6	5.6	5.5	5.2	103	9	

Desember (XII)

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	90.4	89.8	90.5	-10.2	- 9.2	-10.0	- 7.0	-12.0	88	87	89	21 2	22 3	24 2	9	4 =°	2	1	0.2	17	◡° = n, ◡° =° a
2	92.6	94.8	95.1	- 8.8	- 9.6	- 9.2	- 8.4	-11.4	99	92	90	00 0	22 2	28 1	9	1 ◡	0	3 ◡	0.1	16	◡ n,a
3	87.7	84.0	83.2	- 5.6	- 6.0	- 6.6	- 5.0	-10.4	46	49	66	14 3	15 4	20 5	9	3	7	6		16	
4	84.9	86.1	87.1	- 8.0	- 8.8	- 7.6	- 6.4	- 8.8	69	70	73	20 4	21 4	23 4	9	1	5	8		15	
5	86.4	84.1	77.9	- 5.2	- 4.4	- 4.7	- 3.2	- 8.1	82	80	77	21 5	21 5	21 4	9	6	8	2	0.0	15	♦° n
6	55.3	55.0	53.7	- 7.6	- 6.8	- 5.0	- 2.5	- 8.3	96	97	99	21 5	21 4	21 4	5	8 ♦°	8 ♦°	8 ♦	0.1	15	♦° = n,a, ♦ p
7	58.2	60.7	64.0	- 3.2	- 3.0	- 3.3	- 2.3	- 5.3	00	00	00	20 3	21 2	23 2	5	8 ♦°	8 ♦°	8 ♦°	6.5	26	♦ n,a, ♦° p
8	71.2	73.4	75.8	- 6.9	- 7.4	- 7.3	- 2.8	- 7.7	86	88	88	21 4	22 4	22 2	7	8 =	8 ♦°	8 =°	1.4	26	♦° = n,a, ♦° =° p
9	77.7	78.2	78.3	- 8.1	-10.2	- 8.8	- 6.6	-10.4	88	97	99	04 2	21 2	22 3	8	3	6 =°	8	0.4	26	♦° = n, =° a, ♦ p
10	77.2	77.9	79.6	- 8.6	- 8.9	- 9.7	- 8.0	- 9.8	99	92	89	20 3	19 3	22 4	9	6 =	5	1	2.7	28	♦° = n
11	84.9	89.5	91.9	-11.5	-12.0	-12.5	- 9.4	-13.3	68	70	70	22 4	22 4	19 4	9	1	1	1		25	
12	96.1	97.9	99.1	-11.6	-12.7	-13.0	-11.4	-13.8	75	72	70	19 4	12 1	09 1	9	1	2	0		26	
13	04.3	06.8	07.1	-12.6	-12.9	-12.4	-11.5	-13.8	78	81	94	21 2	20 2	20 3	9	0 ◡°	1	0		26	◡ n
14	02.1	00.3	98.6	- 8.6	- 7.8	- 6.8	- 6.5	-12.8	99	99	98	20 3	21 3	20 3	7	6 ♦°	7 ♦°	8	1.3	28	♦° = n, ♦° a,p
15	97.5	98.1	99.5	- 8.4	-10.5	-12.0	- 6.4	-12.3	96	98	99	03 2	03 2	03 1	9	3	1	1	0.6	28	♦° n
16	01.1	01.7	02.1	-12.1	-11.6	- 9.8	- 9.5	-12.9	95	96	88	02 2	03 1	21 3	9	0 ◡	1 ◡	0 ◡	0.1	27	◡ n,a,p, ☁ 19
17	00.8	99.5	97.7	- 9.2	- 9.4	-10.5	- 8.7	-10.5	87	76	76	21 3	20 4	21 4	9	1	1	0		26	
18	90.3	88.6	86.5	-12.2	-12.0	-12.2	-10.3	-12.6	72	77	80	21 4	21 4	21 4	9	0	1	0		26	
19	84.9	84.3	83.9	-11.4	-12.2	-12.0	-11.0	-12.8	72	75	75	21 3	21 4	21 4	9	3	3	7		26	
20	82.6	84.1	87.1	-12.0	-11.0	-11.4	- 9.9	-12.3	80	75	73	21 5	21 4	21 4	9	2	1	0		25	
21	87.8	88.6	88.2	-10.6	-11.1	-12.0	- 9.5	-12.2	65	63	68	21 5	20 4	19 4	9	0	1	1		25	
22	86.6	86.3	86.6	-14.4	-12.2	- 5.8	- 5.6	-14.8	73	84	94	20 5	21 4	23 5	8	1	5 =	6		25	
23	83.4	83.0	84.3	- 4.0	- 1.9	- 1.0	- 0.6	- 6.4	99	99	98	21 4	21 4	21 3	7	8 ♦°	8 ♦°	7(♦)	0.3	26	♦° n, ♦ R a, ♦ p
24	82.6	80.7	80.3	- 1.6	- 2.3	- 4.2	- 0.7	- 4.4	94	88	86	04 3	05 4	18 1	5	6	6	8 =°	4.2	30	♦ n, = a
25	85.4	89.5	90.6	- 6.8	- 7.1	- 6.1	- 3.8	- 7.6	99	97	95	18 2	22 2	22 4	9	4	1	5	0.3	31	♦ n
26	92.6	89.8	83.0	- 5.6	- 7.2	- 5.4	- 4.5	- 7.4	86	94	73	22 2	32 1	05 1	9	1	3	3	0.3	30	♦ n
27	75.9	75.3	71.7	- 6.4	- 7.0	- 7.7	- 4.1	- 8.4	82	83	92	05 1	22 1	22 1	9	8 =°	7	6		30	= a
28	67.7	66.5	61.8	- 4.0	- 2.6	- 3.9	- 2.5	- 8.0	00	00	00	00 0	00 0	36 1	3	8 ≡	8 ♦°	2	3.3	32	♦° ≡ n,a
29	49.1	45.9	48.0	1.7	1.4	0.6	2.2	- 4.4	78	76	88	02 3	04 2	18 3	7	8 =°	6 =°	8 *°	0.6	32	=° a, = p
30	52.1	54.1	60.3	1.2	1.2	0.5	2.2	- 0.1	76	76	92	19 4	19 4	22 3	8	8 ♦°	6	8(*)	0.2	32	♦° n,a, ♦ p
31	74.8	77.6	81.0	- 0.6	- 3.8	- 3.2	0.6	- 4.1	00	00	00	00 0	19 1	00 0	9	6(*)	5	7 ◡	1.4	33	♦ n, ◡ p
M	82.7	83.0	83.0	- 7.5	- 7.7	- 7.5	- 5.6	- 9.6	85	85	86	3.0	2.9	2.8	8.1	4.0	4.3	4.2	24	25	

1955

Røros

φ = 62° 34′N λ = 11° 23′E g = 9.819 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	928.6	1005.4	- 9.1	- 7.9	- 8.6	- 8.6	- 4.7	-13.5	3.4	25	-26.9	17	0 -	1 2.0	0 -	2 2.5	2 3.0	11 2.3	2 4.5	3 3.3	4 2.8	8 2.6	22 2.0	4 2.2	34
II	30.9	98.6	-15.0	-10.0	-13.0	-13.0	- 7.0	-19.6	2.7	3	-39.3	20	0 -	0 -	1 1.0	8 1.5	9 2.1	2 2.0	2 1.0	1 3.0	3 1.7	1 2.0	11 1.8	2 2.5	44
III	36.5	13.8	-11.0	- 4.2	- 6.5	- 7.7	- 1.9	-14.0	6.1	12	-33.4	25	5 2.0	1 1.0	2 1.5	4 1.5	5 1.6	0 -	2 1.0	1 1.0	5 3.6	11 2.1	13 3.5	20 3.1	24
IV	40.3	17.2	- 5.4	0.2	- 1.0	- 2.8	2.2	- 7.3	8.0	18	-21.4	4	3 1.3	1 2.0	2 1.0	1 4.0	6 2.5	9 3.2	2 2.5	5 2.4	2 2.5	5 2.0	16 2.8	23 3.0	15
V	32.5	07.8	0.7	4.9	3.7	2.1	6.4	- 2.0	15.4	31	- 6.9	13	5 2.2	2 2.0	2 1.5	1 2.0	15 2.7	7 3.0	3 2.7	4 3.0	6 3.0	13 2.8	9 2.8	20 2.8	4
VI	40.1	14.5	5.9	10.8	10.1	7.6	13.5	1.8	20.5	22	- 2.5	1	2 2.0	3 1.7	4 1.2	0 -	3 3.0	5 3.0	3 3.0	3 3.7	6 3.3	6 2.3	12 3.2	26 3.0	17
VII	44.6	17.4	11.0	18.4	16.3	15.8	20.5	7.4	29.2	27	1.1	19	4 1.8	1 2.0	2 1.5	0 -	5 2.4	3 2.0	0 -	3 1.7	7 2.7	6 2.2	12 2.6	26 2.5	24
VIII	44.6	17.8	7.6	17.8	16.4	12.6	20.0	6.1	26.5	12	- 2.1	3	4 1.8	2 1.0	2 2.0	0 -	2 1.0	3 1.7	5 2.0	10 2.3	8 2.4	2 3.0	6 1.8	17 2.5	32
IX	36.1	10.1	3.7	11.3	9.3	7.3	13.3	2.2	21.1	8	- 2.8	20	0 -	3 1.7	1 1.0	3 1.7	7 2.1	10 2.7	5 3.8	4 1.5	5 2.0	5 1.2	11 1.9	8 1.8	28
X	32.1	07.9	- 1.3	1.9	- 0.2	- 0.3	3.4	- 3.8	13.4	9	-17.9	19	2 1.5	0 -	0 -	0 -	10 2.5	6 2.7	3 3.3	4 2.2	3 1.3	11 1.7	14 1.6	10 2.4	30
XI	37.0	13.6	- 3.0	- 1.5	- 2.2	- 2.3	0.6	- 6.1	5.5	12	-27.9	29	1 1.0	1 1.0	0 -	0 -	2 1.5	3 3.7	1 1.0	5 3.4	7 3.3	7 2.4	17 3.2	13 3.2	33
XII	22.9	999.7	-11.6	-11.1	-11.4	-11.5	- 7.2	-17.1	3.0	6	-36.0	22	1 2.0	0 -	2 1.5	0 -	5 2.6	6 2.3	3 3.7	0 -	2 2.5	10 3.2	9 2.3	9 2.2	46
1955	935.5	1011.2	- 2.3	2.6	1.1	- 0.2	4.9	- 5.5	29.2		-39.3		27 1.8	15 1.6	18 1.4	19 1.8	71 2.4	65 2.7	31 2.8	43 2.5	60 2.7	85 2.3	152 2.5	178 2.7	331

Tynset

φ = 62° 18′N λ = 10° 45′E g = ΔG = + 1ʰ

I			-10.9	- 9.1	- 9.6	-10.1	- 5.0	-15.0	6.4	25	-34.5	17	8 1.1	3 1.3	0 -	4 2.0	4 1.5	20 2.0	11 1.6	4 1.2	2 1.0	5 1.0	13 1.0	17 1.4	2
II			-18.3	-11.4	-14.3	-15.3	- 8.4	-21.7	2.5	3	-40.4	21	3 1.7	3 1.3	0 -	3 1.3	2 1.0	15 1.5	8 1.1	5 1.6	1 1.0	0 -	10 1.1	23 1.1	11
III			-11.9	- 2.8	- 5.3	- 7.5	- 0.5	-14.9	7.2	12	-32.9	21	6 2.5	6 2.0	2 2.5	2 1.0	1 2.0	18 1.2	8 1.5	3 2.0	2 1.5	2 1.0	11 1.6	32 2.1	9
IV			- 5.1	2.0	0.8	- 1.5	4.8	- 7.6	14.0	19	-19.8	4	8 2.2	2 2.5	1 4.0	4 2.0	3 1.7	24 1.8	14 2.6	0 -	3 2.0	0 -	7 2.4	23 2.9	1
V			1.3	6.7	5.6	3.1	8.1	- 2.3	18.0	31	- 7.5	22	12 3.2	3 2.3	2 3.0	3 1.3	5 1.8	26 2.5	6 3.0	4 1.5	0 -	7 2.7	7 3.0	17 3.1	1
VI			6.2	12.8	11.5	9.5	14.8	1.6	21.4	22	- 3.4	1	9 3.3	7 2.3	2 1.5	5 2.2	3 2.0	17 2.5	13 2.8	3 2.3	2 3.5	2 1.5	8 2.6	19 3.2	0
VII			11.1	20.2	18.0	14.7	22.2	7.5	29.5	27	- 0.5	19	15 2.4	2 3.0	1 3.0	3 1.0	3 1.7	21 1.8	11 2.1	5 2.0	3 3.0	4 1.5	2 2.5	23 2.5	0
VIII			8.2	18.9	17.2	13.2	21.2	6.1	27.5	12	- 1.0	3	12 2.3	5 2.2	1 2.0	2 1.5	3 1.7	19 2.2	15 2.3	4 1.5	2 2.5	2 2.5	5 1.4	22 1.8	1
IX			3.7	11.6	9.1	7.2	13.5	2.3	20.7	8	- 5.6	28	9 1.7	2 1.5	1 3.0	2 1.5	4 2.2	27 2.4	11 2.0	2 3.0	2 2.0	1 1.0	11 1.3	17 1.4	1
X			- 1.8	2.6	- 0.2	- 0.3	4.6	- 4.5	16.0	9	-17.5	18	8 1.1	3 1.0	0 -	0 -	0 -	21 2.2	12 1.7	7 1.6	3 2.0	1 1.0	8 1.0	29 1.8	1
XI			- 3.1	- 0.7	- 1.9	- 2.1	1.5	- 6.1	7.3	12	-28.0	29	6 1.2	4 1.5	1 1.0	3 1.0	6 1.7	14 1.7	7 1.6	6 2.2	4 1.2	6 1.8	4 1.8	29 2.8	0
XII			-14.3	-13.1	-13.6	-13.9	- 9.7	-19.4	5.0	6	-36.0	23	8 1.2	7 1.1	1 1.0	3 1.3	3 1.3	20 1.8	9 2.2	1 1.0	1 2.0	7 1.4	4 1.0	25 1.6	4
1955			- 2.9	3.1	1.4	- 0.4	5.7	- 6.2	29.5		-40.4		104 2.1	47 1.8	12 2.3	34 1.6	37 1.7	242 2.0	125 2.1	44 1.8	25 2.0	37 1.7	90 1.6	276 2.1	22

Alvdal

φ = 62° 2′N λ = 10° 48′E g = ΔG = + 1ʰ

I			- 9.0	- 7.5	- 8.4	- 8.5	- 4.1	-13.4	7.6	25	-30.7	17	0 -	0 -	0 -	35 2.0	5 2.6	0 -	0 -	0 -	0 -	4 1.8	6 2.2	7 1.8	36
II			-16.0	- 9.4	-11.5	-12.9	- 5.9	-18.3	2.5	3	-33.9	20	0 -	0 -	0 -	13 2.0	1 3.0	2 2.0	1 2.0	0 -	0 -	6 1.0	6 1.0	8 1.5	47
III			- 9.9	- 1.3	- 4.2	- 5.6	0.6	-11.5	6.4	12	-30.5	21	13 2.7	0 -	0 -	20 1.6	2 1.5	4 1.5	4 1.5	0 -	0 -	26 2.2	1 2.0	7 3.6	10
IV			- 4.1	2.9	1.4	- 1.0	5.1	- 6.7	13.7	19	-14.5	9	18 3.3	0 -	0 -	28 2.4	1 3.0	2 2.5	1 3.0	0 -	0 -	22 1.9	0 -	8 2.9	10
V			2.1	7.2	6.1	3.9	8.9	- 1.3	19.4	31	- 8.0	22	17 3.1	0 -	0 -	18 2.5	4 2.8	5 2.0	2 1.0	0 -	0 -	24 2.0	2 2.5	6 3.0	12
VI			7.4	13.3	12.3	9.5	15.5	2.4	22.4	13	- 3.0	8	24 3.1	0 -	0 -	17 1.8	0 -	4 1.2	3 1.3	0 -	0 -	29 1.6	1 3.0	6 3.5	6
VII			13.2	21.4	19.2	16.0	23.6	8.3	31.4	27	0.0	19	19 2.0	0 -	0 -	13 1.7	1 2.0	4 1.0	7 1.3	0 -	0 -	31 1.2	2 1.5	3 2.3	13
VIII			9.5	19.4	18.2	14.3	21.9	7.2	27.8	12	- 2.5	3	6 1.5	0 -	0 -	18 1.3	6 1.7	10 1.5	12 1.1	0 -	0 -	13 1.2	2 2.0	4 2.2	22
IX			5.0	12.0	9.6	8.0	13.6	3.1	20.8	8	- 3.6	28	4 3.2	0 -	0 -	26 2.4	7 1.7	11 1.9	0 -	0 -	0 -	14 1.4	2 1.0	0 -	26
X			- 1.0	3.3	0.3	0.6	4.8	- 3.2	16.6	9	-16.4	19	6 2.3	0 -	0 -	31 1.9	0 -	6 1.7	1 2.0	0 -	0 -	15 1.7	3 2.0	1 3.0	32
XI			- 2.3	- 0.4	- 1.0	- 1.4	1.9	- 4.6	8.4	21	-22.5	29	9 3.0	0 -	0 -	20 2.0	12 2.3	5 2.0	1 1.0	0 -	0 -	8 1.9	5 4.0	16 3.3	14
XII			-12.2	-10.9	-11.8	-11.9	- 7.2	-19.6	1.5	6	-32.7	23	6 3.3	0 -	0 -	30 2.3	6 2.0	3 2.0	0 -	0 -	0 -	8 1.2	1 3.0	6 1.8	33
1955			- 1.4	4.2	2.6	0.9	6.6	- 4.6	31.4		-33.9		122 2.8	0 -	0 -	269 2.1	45 2.2	57 1.7	32 1.3	0 -	0 -	200 1.7	31 2.2	74 2.7	285

Sør-Nesset

φ = 61° 53′N λ = 10° 9′E g = ΔG = + 1ʰ

I			- 8.4	- 6.1	- 7.4	- 7.6	- 3.4	-12.3	7.0	25	-28.7	17	0 -	0 -	20 1.2	0 -	0 -	21 1.2	0 -	0 -	8 3.0	0 -	0 -	44 1.5	0
II			-14.6	- 7.5	-10.2	-11.4	- 5.1	-17.0	1.8	2	-32.1	20	0 -	0 -	14 1.0	0 -	0 -	18 1.1	0 -	0 -	0 -	2 1.0	0 -	50 1.0	0
III			- 9.6	- 2.0	- 5.5	- 6.3	- 0.7	-11.5	6.0	11	-26.5	21	0 -	0 -	11 1.0	0 -	0 -	2 1.5	0 -	0 -	3 1.0	5 2.2	0 -	72 1.5	0
IV			- 4.7	1.8	- 0.2	- 2.1	3.5	- 7.3	12.6	19	-15.0	26	0 -	0 -	5 1.0	0 -	0 -	26 1.3	0 -	0 -	3 1.3	0 -	0 -	56 1.4	0
V			0.9	5.6	4.4	2.4	7.2	- 2.4	18.4	31	- 9.4	13	0 -	0 -	3 1.3	0 -	0 -	40 1.2	2 1.5	0 -	14 1.1	0 -	0 -	34 1.6	0
VI			5.7	11.6	10.2	7.7	13.2	1.8	19.0	3	- 4.0	8	0 -	0 -	9 1.0	0 -	0 -	31 1.0	2 3.5	0 -	19 1.4	2 1.0	0 -	27 1.7	0
VII			11.4	19.3	17.8	14.5	21.4	7.6	26.7	27	0.8	19	0 -	0 -	4 1.0	0 -	0 -	30 1.0	0 -	0 -	41 1.2	0 -	0 -	18 1.8	0
VIII			8.6	18.3	16.2	13.0	19.9	6.8	26.1	12	- 1.3	3	0 -	0 -	7 1.0	0 -	0 -	40 1.2	0 -	0 -	27 1.1	0 -	0 -	19 1.4	0
IX			5.0	11.4	8.5	7.5	12.6	3.2	23.1	7	- 2.9	27	0 -	0 -	5 1.0	0 -	0 -	43 1.3	0 -	0 -	12 1.9	0 -	0 -	30 1.5	0
X			- 1.1	2.9	0.0	0.3	4.1	- 2.6	13.7	9	-16.2	19	0 -	0 -	18 1.0	0 -	0 -	24 1.1	0 -	0 -	13 1.5	0 -	0 -	38 1.5	0
XI			- 1.9	0.4	- 1.5	- 1.2	2.2	- 4.9	7.1	12	-17.0	29	0 -	0 -	18 1.5	4 1.0	0 -	14 1.1	0 -	0 -	3 3.0	0 -	0 -	51 2.5	0
XII			- 9.2	- 8.6	- 9.8	- 9.4	- 5.6	-13.2	6.9	6	-25.1	23	1 2.0	0 -	14 1.3	0 -	0 -	24 1.4	0 -	0 -	4 1.2	1 2.0	0 -	49 1.7	0
1955			- 1.5	3.9	1.9	0.6	5.8	- 4.3	26.7		-32.1		1 2.0	0 -	128 1.1	4 1.0	0 -	313 1.2	4 2.5	0 -	147 1.4	10 1.7	0 -	488 1.6	0

Drevsjø

φ = 61° 53′N λ = 12° 3′E g = ΔG = + 1ʰ

I			-11.1	- 8.1	- 9.6	- 9.9	- 5.1	-15.4	4.0	25	-31.0	17	4 2.0	0 -	0 -	4 1.2	1 3.0	13 1.5	1 1.0	6 2.0	1 1.0	4 1.2	21 1.7	3 1.0	35
II			-16.0	- 7.7	-12.1	-12.7	- 6.7	-20.6	2.2	3	-37.7	20	0 -	0 -	2 2.0	8 1.1	1 1.0	8 1.2	0 -	5 1.4	0 -	7 1.0	15 1.4	4 1.0	34
III			-12.1	- 3.2	- 6.4	- 7.9	- 2.0	-14.6	6.0	12	-31.7	21	5 3.0	4 2.8	0 -	1 2.0	1 2.0	0 -	2 1.5	4 2.2	0 -	23 2.1	25 2.2	3 4.3	25
IV			- 5.4	0.2	- 1.1	- 3.2	1.8	- 9.9	11.0	19	-24.4	9	5 2.4	2 1.5	0 -	3 2.3	0 -	7 1.7	8 1.5	2 1.0	0 -	14 1.5	27 3.0	1 1.0	21
V			1.0	4.6	3.7	1.9	5.9	- 3.2	15.6	31	-14.1	13	6 1.8	3 1.7	1 2.0	3 1.3	4 2.0	10 1.9	5 2.0	2 2.0	4 1.5	4 1.8	25 2.3	9 2.9	17
VI			7.1	11.5	10.8	8.2	13.6	1.2	20.5	3	- 3.5	1	9 2.2	2 2.5	1 2.0	6 1.5	5 2.0	5 1.8	5 1.6	14 1.7	1 1.0	8 1.5	16 3.1	8 3.1	19
VII			13.2	18.9	17.6	14.8	21.1	6.6	26.4	27	- 1.5	19	3 2.0	8 1.5	0 -	4 1.5	1 1.0	4 1.8	6 1.2	6 1.8	3 1.0	11 1.4	22 2.2	6 2.3	19
VIII			10.4	17.6	16.7	13.3	19.5	5.5	25.0	12	- 2.1	3	8 2.4	7 1.7	1 1.0	2 1.5	1 1.0	8 1.1	14 1.8	15 1.9	2 2.0	5 1.2	4 1.2	5 1.2	21
IX			4.9	11.0	8.4	7.3	12.2	2.3	20.4	8	- 4.5	28	2 1.5	2 2.0	3 2.0	7 1.8	3 2.3	16 2.0	7 1.8	6 2.5	1 2.0	6 1.8	11 2.4	3 1.0	23
X			- 1.2	2.9	- 0.1	0.1	4.2	- 4.2	16.0	9	-16.1	19	6 1.7	6 2.0	1 3.0	3 2.0	3 2.7	4 2.0	4 1.0	10 2.6	6 1.8	8 1.5	17 2.2	3 2.0	22
XI			- 3.2	- 1.3	- 1.7	- 2.3	0.7	- 5.7	5.5	12	-25.0	29	1 1.0	2 4.5	0 -	7 1.7	0 -	6 1.7	2 1.0	10 1.7	0 -	14 1.6	24 3.3	1 5.0	23
XII			-13.0	-11.0	-13.4	-12.7	- 7.8	-18.4	3.5	8	-33.8	23	2 3.0	6 2.0	0 -	10 2.7	0 -	10 2.1	0 -	6 1.2	1 1.0	1 1.0	10 3.1	2 1.0	45
1955			- 2.1	3.0	1.1	- 0.3	4.8	- 6.4	26.4		-37.7		51 2.2	42 2.0	9 2.0	58 1.8	20 2.0	91 1.7	54 1.6	86 1.9	19 1.5	105 1.6	217 2.4	48 2.2	295

Årsoversikter

Annual Summaries)

1955

Røros

H_s = 628 H_b = 629.8 h_t = 1.8 h_a = h_d = 14.7 h_r = 1.9

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min <0°	Max <0°	Min <-10°	Max >25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n: Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	92	90	90	91	5.8	6.7	5.9	31	6	12	31	26	18	0	19	10	0	3	0	0	2	17	0	1	0	0	0	0	2	5	8	0	17	31
II	90	87	84	87	6.2	5.5	4.8	17	5	16	28	24	21	0	16	7	0	1	0	0	0	16	0	0	0	0	0	0	4	2	16	[illegible]	13	28
III	88	77	78	81	6.0	4.9	4.8	26	4	30	31	24	16	0	16	8	0	2	0	0	0	16	0	0	0	1	0	0	2	1	21	4	10	31
IV	92	76	78	83	6.1	5.8	5.4	15	2	2	30	10	6	0	18	8	0	2	0	0	3	13	2	1	0	0	0	0	0	0	24	1	12	30
V	86	65	71	79	5.4	5.7	5.4	19	6	19	22	0	0	0	16	7	0	3	0	0	8	14	3	3	0	0	0	0	3	1	25	3	13	12
VI	82	58	59	71	5.3	6.3	5.4	28	8	23	9	0	0	0	14	8	0	2	0	0	11	4	1	2	0	0	0	0	0	2	24	3	12	0
VII	89	57	65	78	5.0	5.3	5.2	46	13	2	0	0	0	8	11	7	1	0	0	0	11	0	0	1	0	1	0	6	1	11	28	4	12	0
VIII	98	60	67	81	4.2	5.1	5.0	54	17	8	1	0	0	3	8	6	2	1	0	0	8	0	0	1	0	0	0	0	0	18	26	3	9	0
IX	96	71	80	85	6.1	6.3	5.0	48	14	17	8	0	0	0	13	7	1	2	1	0	13	0	0	4	0	0	0	1	0	14	21	1	13	0
X	95	83	90	90	6.1	6.7	5.6	31	6	16	19	11	4	0	21	8	0	1	0	0	12	12	1	1	0	0	0	0	3	1	18	2	17	16
XI	94	91	94	93	6.0	6.6	6.9	42	10	28	29	11	7	0	23	12	0	5	0	0	9	19	2	4	0	0	0	0	3	4	6	0	17	30
XII	93	92	92	92	5.4	5.9	5.7	47	12	9	31	24	22	0	24	14	1	3	0	0	1	24	0	1	0	0	0	0	10	1	10	2	14	31
1955	91	76	79	84	5.6	5.9	5.4	404	17		239	130	94	11	199	102	5	25	1	0	78	140	9	19	0	2	0	7	28	60	227	24	159	209

Tynset

H_s = 483 H_b = h_t = 2.0 h_a = h_d = 9.7 h_r = 1.8

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	84	86	85	6.4	6.2	5.7	20	5	29	31	24	20	0	20	8	0	1	0	0	2	19	1	0	0	0	0	0	5	2	5	1	14	31
II	84	76	80	80	5.5	4.9	4.2	10	3	16	27	24	23	0	18	3	0	0	0	0	1	17	0	0	0	0	0	0	8	0	17	4	9	28
III	83	61	65	71	5.8	4.7	4.7	13	4	14	31	16	17	0	12	6	0	0	0	0	0	12	0	0	0	0	0	0	3	0	22	4	10	31
IV	86	60	63	72	5.9	5.3	5.3	6	2	6	30	1	10	0	14	3	0	2	0	0	4	13	2	0	0	0	0	0	3	0	25	2	13	29
V	77	52	58	68	5.6	5.8	5.1	18	7	19	24	0	0	0	13	6	0	0	0	0	8	10	4	0	0	1	0	0	4	0	23	2	12	2
VI	76	50	52	64	4.9	5.6	4.9	18	6	23	12	0	0	0	8	5	0	2	0	0	8	0	0	2	0	2	0	0	0	2	23	3	9	0
VII	84	50	56	70	4.6	4.2	4.6	25	7	3	3	0	0	9	9	6	0	0	0	0	9	0	0	1	0	0	0	3	2	6	28	5	10	0
VIII	91	54	59	74	5.5	4.7	4.8	36	10	22	1	0	0	3	10	6	0	0	0	0	10	0	0	1	0	0	0	0	2	12	26	2	8	0
IX	93	67	78	82	6.9	5.8	4.8	47	19	17	10	0	0	0	16	9	1	1	0	0	16	0	0	4	0	0	0	1	6	13	19	0	12	0
X	89	72	82	82	6.6	5.9	5.5	27	6	24	20	9	7	0	22	10	0	2	0	0	11	13	2	2	0	0	0	0	5	2	12	2	15	15
XI	86	78	84	84	6.9	6.2	6.2	10	2	24	25	8	8	0	18	2	0	4	0	0	4	16	2	0	0	0	0	0	2	2	7	0	19	27
XII	87	84	84	85	5.7	5.3	4.8	18	2	9	31	26	26	0	25	7	0	1	0	0	0	25	0	0	0	0	0	0	6	1	5	0	12	31
1955	85	66	71	76	5.9	5.4	5.0	248	19		245	108	111	12	185	71	1	13	0	0	73	125	11	10	0	3	0	4	46	40	215	25	143	194

Alvdal

H_s = 485 H_b = h_t = 1.9 h_a = h_d = 8.0 h_r = 1.5

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	85	88	88	5.7	6.0	4.8	25	5	29	31	22	17	0	18	7	0	1	0	0	0	18	0	0	0	0	0	0	7	0	7	1	13	31
II	88	78	83	84	4.8	4.8	3.8	16	4	16	27	6	22	0	19	6	0	0	0	0	1	19	1	0	0	0	0	0	3	0	15	5	8	28
III	85	59	65	72	5.1	4.6	4.6	12	2	14	31	9	14	0	15	5	0	7	0	0	0	15	0	0	0	0	0	0	0	0	20	5	8	31
IV	86	60	62	72	5.6	5.0	4.5	14	4	8	29	1	9	0	9	5	0	7	0	0	1	9	1	0	0	0	0	0	2	2	18	2	7	30
V	79	58	61	70	5.8	5.8	5.0	58	20	19	15	0	0	0	18	9	2	3	0	0	13	11	2	2	0	3	0	0	1	1	14	3	13	9
VI	76	53	52	65	5.0	5.7	5.3	19	5	29	8	0	0	0	11	5	0	3	2	0	9	3	0	1	0	2	0	0	0	0	19	4	9	0
VII	80	50	55	68	4.1	4.4	4.4	24	10	4	0	0	0	15	10	5	0	0	0	0	10	0	0	1	0	0	0	4	0	1	27	6	9	0
VIII	89	56	57	72	4.4	5.2	5.6	32	11	7	1	0	0	7	8	6	2	0	0	0	8	0	0	2	0	0	0	1	2	8	25	2	12	0
IX	94	68	79	83	7.0	5.7	4.7	67	24	17	7	0	0	0	14	10	2	0	0	0	14	0	0	0	0	0	0	1	4	14	17	0	10	0
X	89	74	83	83	6.2	5.9	4.7	52	11	8	19	7	5	0	13	15	1	3	0	0	9	11	2	0	0	0	0	0	2	4	13	2	12	17
XI	84	79	81	82	5.7	6.2	5.5	14	4	12	27	8	5	0	15	5	0	6	1	0	5	13	0	0	0	1	0	0	1	0	4	1	13	25
XII	89	87	86	87	5.3	5.4	4.4	28	7	16	31	27	21	0	21	8	0	3	0	0	0	21	0	0	0	0	0	0	0	1	0	5	10	31
1955	86	67	71	77	5.4	5.4	4.8	361	24		226	80	93	22	176	86	7	33	3	0	70	120	6	6	0	6	0	6	22	31	179	36	124	202

Sør-Nesset

H_s = 738 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	75	78	79	4.9	5.4	5.9	22	5	30	30	22	18	0	18	6	0	3	0	0	1	17	0	0	0	0	0	0	12	3	17	2	12	31
II	85	68	72	76	4.6	4.5	4.4	15	5	4	28	25	21	0	16	4	0	0	0	0	0	16	0	0	0	0	0	0	15	0	22	7	10	28
III	78	56	61	66	4.7	4.4	4.6	17	3	31	31	20	12	0	18	7	0	5	0	0	0	18	0	0	0	0	0	0	13	2	26	5	9	31
IV	79	58	62	69	4.1	4.6	4.4	16	5	8	28	7	9	0	11	4	0	2	0	0	2	11	2	0	0	0	0	0	14	0	28	3	5	30
V	76	59	60	68	5.6	5.8	5.0	45	14	19	26	0	0	0	15	10	2	1	0	0	8	15	7	0	0	3	0	0	10	4	24	3	15	6
VI	74	52	52	64	4.9	5.6	5.2	26	11	16	11	0	0	0	13	9	1	4	0	0	11	3	1	1	0	2	0	0	4	0	28	4	10	0
VII	82	50	53	68	3.9	4.6	4.0	38	16	12	0	0	0	7	10	6	1	2	0	0	10	0	0	0	0	0	0	6	4	0	27	5	8	0
VIII	91	53	57	73	4.3	5.2	5.2	43	15	22	1	0	0	1	10	7	1	1	0	0	10	0	0	0	0	0	0	1	6	1	29	4	9	0
IX	90	64	74	79	6.2	5.7	4.7	56	23	17	6	0	0	0	15	11	1	3	0	0	15	0	0	0	0	0	0	1	11	1	24	0	11	0
X	85	69	80	79	5.8	5.5	5.0	61	15	8	18	6	4	0	16	11	1	2	0	0	8	12	2	0	0	0	0	0	17	2	24	4	11	17
XI	80	73	80	78	5.6	5.5	5.2	18	7	6	27	6	3	0	11	5	0	9	1	0	2	9	0	1	0	0	0	0	10	3	20	1	11	30
XII	83	81	83	82	5.1	5.0	4.9	37	8	27	31	23	20	0	18	12	0	6	0	0	0	18	0	0	0	0	0	0	13	2	18	4	12	31
1955	82	63	68	73	5.0	5.2	4.9	394	23		237	109	87	8	171	92	7	38	1	0	67	119	12	2	0	5	0	8	129	18	287	42	123	204

Drevsjø

H_s = 675 H_b = h_t = 2.0 h_a = h_d = 9.7 h_r = 1.6

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	84	86	86	5.4	5.6	4.6	20	6	30	31	27	20	0	11	6	0	0	0	0	0	11	0	5	0	0	0	0	2	6	13	2	15	31
II	86	76	81	82	5.2	5.5	4.5	14	5	6	28	25	22	0	13	5	0	0	0	0	3	12	2	2	0	0	0	0	7	1	12	5	13	28
III	84	62	68	73	5.4	5.3	4.8	5	2	10	31	24	17	0	7	4	0	0	0	0	0	7	0	0	0	1	0	0	7	1	26	2	11	31
IV	85	64	68	74	5.3	5.6	5.1	10	4	8	30	13	12	0	8	3	0	0	0	0	1	8	0	3	0	1	0	0	6	3	20	3	8	30
V	77	59	65	72	5.8	5.5	5.3	44	12	19	26	0	2	0	13	6	2	0	0	0	4	13	2	4	0	2	0	0	0	7	19	1	12	23
VI	70	49	50	61	4.8	5.7	5.2	37	8	13	12	0	0	0	10	8	0	0	0	0	9	3	1	0	0	3	0	1	3	0	20	2	8	0
VII	75	50	52	64	3.8	4.4	4.2	54	19	12	2	0	0	6	11	7	2	0	0	0	11	0	0	2	0	0	0	8	1	1	18	5	5	0
VIII	89	53	55	71	4.5	4.6	4.7	45	13	8	2	0	0	0	6	6	2	0	0	0	6	0	0	0	0	0	0	0	1	11	22	5	6	0
IX	94	67	74	81	6.1	5.8	5.4	64	25	3	11	0	0	0	14	10	2	1	0	0	14	0	0	1	0	0	0	0	18	8	18	2	14	0
X	88	73	83	82	6.4	5.8	5.7	54	9	7	23	7	9	0	14	12	0	0	0	0	5	10	1	3	0	0	0	0	8	5	15	0	17	11
XI	84	80	83	83	6.7	6.7	6.3	18	5	6	27	10	9	0	13	7	0	2	0	0	8	12	2	0	0	1	0	0	6	4	7	0	19	30
XII	88	87	87	87	5.2	5.7	5.1	42	6	18	31	23	24	0	17	12	0	1	0	0	1	17	0	3	0	0	0	0	7	3	13	2	10	31
1955	84	67	71	76	5.4	5.5	5.1	407	25		254	129	115	6	137	86	8	4	0	0	62	93	8	23	0	8	0	9	66	50	203	29	138	215

1955

Koppang (Øyset)

φ = 61° 37′N λ = 10° 53′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.0	- 9.4	- 9.7	- 9.9		-14.1	7.8	25	-28.7	15	0 -	0 -	0 -	0 -	0 -	24 2.5	9 2.0	1 2.0	25 1.8	17 2.0	14 2.3	3 2.7	0
II			-14.2	- 8.5	-10.1	-11.3		-15.4	2.2	3	-28.9	20	2 2.5	0 -	0 -	0 -	0 -	18 2.4	0 -	0 -	14 2.1	18 2.0	20 2.6	12 2.8	0
III			- 9.7	- 0.4	- 2.8	- 5.1		-11.6	6.4	15	-23.2	21	2 2.5	0 -	0 -	0 -	0 -	19 2.3	5 2.8	2 3.0	11 1.8	19 1.7	19 3.2	16 3.7	0
IV			- 3.6	4.4	2.7	0.2		- 5.3	12.2	19	-16.0	1	0 -	0 -	0 -	2 2.5	1 3.0	32 2.5	1 2.0	1 1.0	11 1.4	10 2.1	13 3.1	19 3.4	0
V			2.8	9.0	8.0	5.2		- 0.5	20.8	31	- 6.2	13	6 2.5	0 -	0 -	1 1.0	0 -	31 2.0	2 1.5	1 1.0	14 1.9	4 2.0	13 2.7	21 3.2	0
VI			8.6	15.4	14.8	11.1		4.1	23.8	23	- 1.7	9	10 2.3	0 -	0 -	0 -	0 -	31 2.3	3 2.3	0 -	8 2.1	3 2.7	10 3.3	25 3.4	0
VII			13.0	22.9	21.3	17.1		9.1	30.2	9	1.3	19	5 2.8	0 -	0 -	0 -	0 -	32 1.8	15 2.0	1 2.0	6 2.0	5 1.8	13 2.5	16 3.2	0
VIII			10.0	20.7	18.9	15.0		8.2	29.0	25	1.0	3	6 2.2	0 -	0 -	0 -	2 3.0	35 2.3	13 2.0	5 2.0	7 1.8	8 1.9	7 2.1	10 2.8	0
IX			5.5	13.0	10.2	8.8	14.9	4.3	21.2	8	- 2.2	28	0 -	0 -	0 -	0 -	1 2.0	26 3.0	15 2.7	1 2.0	20 2.0	13 2.5	11 2.3	3 3.0	0
X			- 0.9	4.3	1.7	1.3	5.7	- 2.3	19.5	9	-13.1	19	2 2.5	0 -	0 -	0 -	0 -	16 2.1	2 2.5	4 2.8	27 2.2	12 2.0	17 2.5	13 3.5	0
XI			- 2.0	- 0.1	- 0.6	- 1.1	2.4	- 4.2	9.2	21	-17.2	29	0 -	0 -	0 -	0 -	0 -	20 2.2	0 -	6 2.0	30 2.0	4 2.0	21 3.6	9 4.3	0
XII			-10.9	-10.4	-11.4	-11.1	- 7.5	-15.0	5.8	6	-28.6	23	1 2.0	0 -	0 -	1 1.0	3 1.7	16 1.9	0 -	2 2.0	39 1.7	8 1.8	19 2.5	4 2.8	0
1955			- 1.0	5.1	3.6	1.7		- 3.6	30.2		-28.9		34 2.4	0 -	0 -	4 1.8	7 2.3	300 2.2	65 2.2	24 2.1	212 1.9	121 2.0	177 2.8	151 3.3	0

Fokstua

φ = 62° 7′N λ = 9° 17′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.0	- 7.9	- 7.9	- 8.5		-12.3	2.5	24	-27.1	17	1 1.0	8 1.1	0 -	2 1.0	2 1.0	7 2.1	5 2.6	27 2.8	18 2.8	5 4.0	1 4.0	0 -	17
II			-15.7	-10.7	-14.3	-14.2		-19.4	0.1	3	-31.5	20	1 1.0	25 1.6	8 1.0	1 1.0	2 1.0	9 2.7	4 1.5	19 1.9	2 2.0	0 -	2 2.5	0 -	11
III			-10.3	- 5.9	- 8.6	- 9.1		-13.4	1.7	11	-28.2	20	0 -	15 2.3	5 1.2	2 1.0	3 1.7	7 2.6	6 2.0	18 2.4	9 2.2	12 3.1	9 4.2	2 1.5	5
IV			- 5.4	- 0.6	- 2.6	- 4.3		- 9.4	6.6	19	-19.2	23	3 1.7	8 1.5	3 1.0	3 1.7	0 -	9 3.6	1 1.0	22 2.2	6 3.2	7 3.0	14 3.2	4 2.2	10
V			0.1	3.2	2.0	0.2		- 4.3	14.6	31	- 9.8	13	0 -	15 2.3	1 5.0	3 3.0	2 3.5	13 3.2	1 2.0	14 2.7	9 3.4	9 2.8	14 2.9	8 2.0	4
VI			6.1	8.9	8.1	5.9		0.6	15.6	22	- 7.1	8	5 3.2	13 2.7	0 -	3 2.7	2 1.5	13 3.6	3 2.0	21 2.8	8 2.6	4 4.0	10 3.0	6 4.2	2
VII			12.3	16.9	15.7	12.6		5.8	25.3	27	- 2.6	19	1 2.0	10 2.5	3 2.3	2 2.5	0 -	3 2.0	7 2.4	25 2.2	26 2.9	7 3.0	4 3.0	2 2.0	3
VIII			11.0	16.1	14.2	11.7		5.0	22.2	12	- 2.5	3	0 -	9 2.4	1 4.0	0 -	1 2.0	10 3.1	10 2.9	17 2.5	11 2.0	10 2.2	9 2.2	0 -	15
IX			4.4	9.4	6.7	5.6		0.7	17.9	8	- 7.6	4	0 -	7 1.9	0 -	1 1.0	1 1.0	14 4.1	9 2.9	22 2.4	11 2.5	9 2.4	0 -	1 3.0	15
X			- 2.9	0.8	- 2.2	- 1.8		- 5.7	10.9	10	-19.8	17	0 -	9 1.1	1 1.0	3 1.7	3 3.3	9 3.6	10 2.1	30 2.4	10 2.3	5 2.6	1 1.0	3 2.7	9
XI			- 3.5	- 1.8	- 3.5	- 3.2		- 7.4	4.1	12	-21.2	29	1 3.0	7 1.6	2 1.0	2 2.0	1 2.0	5 2.6	8 2.6	26 3.0	11 3.1	6 4.3	6 2.5	3 4.0	12
XII			-10.1	-10.0	-10.8	-10.5		-14.8	1.6	1	-25.6	23	3 2.7	9 2.3	2 1.5	2 2.5	1 1.0	11 4.2	9 3.0	24 2.7	8 3.0	7 3.1	1 4.0	3 1.3	13
1955			- 1.9	1.5	- 0.3	- 1.3		- 6.2	25.3		-31.5		15 2.4	135 2.0	26 1.5	24 2.0	18 1.9	110 3.3	73 2.5	265 2.5	129 2.7	81 3.0	71 3.0	32 2.6	116

Dombås

φ = 62° 4′N λ = 9° 7′E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	926.6	1005.1	- 7.3	- 5.9	- 6.9	- 6.9	- 3.8	-10.9	5.5	25	-20.8	17	3 1.0	0 -	0 -	4 3.2	0 -	3 2.0	15 2.9	0 -	0 -	4 2.5	0 -	0 -	64
II	28.5	07.7	-12.7	- 7.8	-10.3	-10.7	- 6.1	-14.5	2.0	3	-24.5	21	6 1.0	1 2.0	1 2.0	1 1.0	0 -	3 2.0	8 1.5	1 1.0	0 -	0 -	0 -	0 -	63
III	34.9	14.0	- 8.3	- 2.1	- 5.0	- 5.6	- 0.4	- 9.8	6.0	12	-22.0	20	14 1.4	1 1.0	2 1.5	1 1.0	0 -	1 3.0	11 1.9	2 1.0	1 3.0	6 1.3	0 -	1 2.0	53
IV	38.0	16.6	- 3.3	2.4	0.7	- 1.0	4.2	- 5.6	13.5	19	-13.0	23	12 1.6	2 3.0	0 -	1 1.0	0 -	7 2.6	18 2.6	4 1.5	1 3.0	8 1.9	0 -	1 1.0	36
V	29.6	06.6	1.8	6.5	4.9	3.3	7.8	- 1.3	18.7	31	- 6.4	13	19 1.4	2 2.0	1 2.0	4 1.5	1 1.0	3 1.0	23 1.5	3 1.7	5 2.0	6 2.0	3 1.0	2 1.0	21
VI	37.7	13.5	7.0	12.6	10.5	8.7	13.8	3.1	20.2	3	- 2.5	8	17 1.3	4 2.2	1 1.0	0 -	0 -	2 3.0	19 1.5	3 2.0	5 1.4	6 1.5	1 5.0	9 1.1	33
VII	42.0	16.5	12.2	20.0	18.1	15.3	21.9	9.0	29.2	27	1.7	19	5 1.8	3 1.7	2 1.0	0 -	1 1.0	2 1.0	20 1.2	4 1.2	6 1.8	8 1.1	1 1.0	1 1.0	40
VIII	42.4	17.8	10.6	19.0	16.8	14.3	20.5	8.4	26.5	25	1.1	3	6 1.3	0 -	0 -	0 -	1 2.0	3 1.3	24 1.5	3 1.0	3 1.0	3 1.3	0 -	0 -	50
IX	33.1	08.8	5.6	11.5	9.7	8.2	13.2	4.0	20.5	8	- 3.0	28	0 -	1 2.0	0 -	1 4.0	0 -	1 3.0	28 2.0	5 2.2	5 1.6	5 1.6	3 1.0	2 2.0	39
X	30.1	07.7	- 0.7	2.6	0.6	0.5	3.7	- 2.4	14.0	9	-14.4	18	5 1.2	0 -	0 -	1 1.0	1 1.0	5 1.6	8 1.8	3 2.0	5 2.4	3 3.3	0 -	0 -	62
XI	35.7	14.1	- 2.2	- 0.6	- 1.5	- 1.5	0.9	- 4.2	7.0	12	-15.0	29	9 1.7	1 2.0	0 -	3 2.0	0 -	3 3.0	13 1.5	4 1.5	2 2.0	9 2.2	0 -	3 2.3	43
XII	20.7	999.1	- 9.2	- 8.2	- 9.0	- 8.9	- 5.7	-12.3	6.2	6	-23.0	18	3 1.3	2 1.0	0 -	2 2.0	0 -	10 2.9	16 2.8	2 1.5	0 -	2 1.5	0 -	0 -	56
1955	933.3	1010.6	- 0.5	4.2	2.4	1.3	5.8	- 3.0	29.2		-24.5		99 1.4	17 1.9	7 1.4	18 2.1	4 1.2	43 2.3	203 1.9	34 1.6	33 1.8	60 1.8	8 1.5	19 1.4	550

Vågåmo

φ = 61° 52′N λ = 9° 6′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.9	- 6.7	- 7.4	- 7.2	- 3.3	-11.0	7.4	25	-25.4	18	0 -	1 3.0	20 1.6	18 1.8	9 2.2	4 1.5	4 1.2	2 4.0	15 1.7	10 2.1	0 -	1 1.0	9
II			-12.0	- 9.9	-10.1	-11.0	- 7.4	-14.0	3.0	3	-25.7	21	0 -	4 1.0	29 1.4	11 1.1	5 1.4	3 1.0	4 1.0	4 1.2	8 1.9	5 1.8	0 -	0 -	11
III			- 6.4	- 1.8	- 2.8	- 4.2	0.5	- 8.2	5.9	11	-19.9	21	8 -	0 -	11 2.0	5 1.8	4 2.2	5 1.4	9 1.2	8 3.0	38 3.4	9 3.3	0 -	0 -	4
IV			- 1.2	4.0	3.0	1.2	5.7	- 2.7	12.6	19	- 8.8	26	0 -	4 2.5	23 2.2	10 2.5	2 1.5	4 1.0	5 3.0	2 2.5	31 2.8	2 3.0	5 2.6	1 1.0	3
V			3.3	9.1	7.4	5.5	10.4	0.7	21.8	31	- 3.4	13	1 3.0	5 3.4	24 2.5	2 2.0	5 1.4	3 1.0	0 -	2 2.0	31 3.3	8 2.8	3 2.3	5 2.8	4
VI			8.0	14.3	13.1	10.6	16.2	5.3	22.7	3	- 0.1	8	2 2.5	4 3.2	10 2.2	8 2.4	2 1.0	3 1.3	3 1.0	9 1.6	29 4.0	8 3.2	0 -	5 2.2	7
VII			12.8	20.3	19.9	16.3	23.2	10.5	30.8	27	4.1	19	0 -	0 -	6 2.0	8 1.6	0 -	1 1.0	0 -	15 2.0	33 3.2	2 3.5	0 -	0 -	28
VIII			11.8	19.9	18.4	15.6	21.9	10.3	27.2	12	5.9	3	0 -	2 1.0	16 1.6	5 1.4	3 1.0	5 1.4	3 1.0	8 1.6	35 2.1	0 -	0 -	0 -	16
IX			7.1	12.5	11.2	9.6	14.4	5.7	21.9	8	- 1.1	28	0 -	4 2.5	23 2.2	12 2.1	3 1.7	4 2.0	2 5.0	8 3.0	21 3.2	0 -	0 -	0 -	13
X			1.5	4.1	2.9	2.5	5.3	- 0.2	15.5	10	-10.2	19	0 -	2 4.0	20 2.4	7 1.9	8 2.0	1 4.0	5 3.0	13 3.0	33 3.8	1 1.0	0 -	1 1.0	2
XI			0.0	1.2	0.7	0.5	2.7	- 2.0	7.8	21	-12.0	29	0 -	11 1.7	16 1.9	7 1.6	3 2.0	2 2.5	0 -	13 2.8	28 5.4	9 6.6	1 4.0	0 -	0
XII			- 8.1	- 8.0	- 8.9	- 8.4	- 4.9	-11.6	5.4	6	-23.7	23	0 -	8 3.5	35 2.5	14 1.8	2 3.5	5 2.0	3 3.0	7 3.0	14 4.3	3 6.3	1 5.0	0 -	1
1955			0.8	4.9	4.0	2.6	7.1	- 1.4	30.8		-25.7		3 2.7	45 2.5	233 2.1	107 1.8	46 1.8	40 1.5	36 1.9	91 2.5	316 3.4	57 3.5	10 2.9	13 2.2	98

Elveseter

φ = 61° 42′N λ = 8° 17′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.9	- 6.6	- 6.7	- 7.3		-11.1	5.8	24	-25.7	18	0 -	6 2.2	1 2.0	0 -	0 -	3 2.3	20 3.4	54 3.3	1 8.0	0 -	0 -	0 -	17
II			-14.3	-11.2	-12.1	-13.0		-17.1	0.0	2	-27.7	20	2 2.0	8 2.0	0 -	0 -	0 -	2 2.0	13 2.4	44 2.7	2 3.0	0 -	0 -	2 3.0	11
III			- 8.5	- 2.5	- 5.0	- 5.9		-10.7	4.0	11	-25.8	21	6 3.5	15 3.0	4 2.8	0 -	0 -	1 4.0	20 3.0	43 3.6	1 3.0	0 -	0 -	2 2.0	3
IV			- 2.9	2.5	1.3	- 0.5		- 4.4	10.9	19	-12.8	26	5 2.2	22 2.5	4 2.2	0 -	0 -	0 -	12 3.0	38 3.1	1 3.0	0 -	0 -	5 2.6	3
V			2.0	6.8	5.2	3.6		- 1.2	18.1	31	- 5.8	12	7 3.0	26 2.5	5 2.2	0 -	0 -	1 3.0	14 3.7	35 2.6	1 4.0	0 -	0 -	1 5.0	1
VI			6.8	12.1	10.4	8.3		1.8	18.7	3	- 4.8	8	11 3.0	22 2.3	1 3.0	0 -	0 -	2 3.0	16 3.1	36 2.9	0 -	0 -	0 -	0 -	2
VII			11.3	19.2	16.8	14.2		7.6	25.9	11	1.2	19	1 2.0	20 2.3	3 2.0	0 -	0 -	0 -	26 2.7	40 2.8	0 -	0 -	0 -	0 -	1
VIII			8.6	17.7	15.9	12.9		7.0	23.0	25	2.2	28	9 2.2	11 2.7	0 -	0 -	0 -	1 2.0	23 2.6	38 2.3	3 3.7	0 -	1 2.0	1 2.0	1
IX			4.9	10.3	8.1	7.2		3.4	15.1	7	- 3.5	28	2 2.5	17 2.2	1 3.0	0 -	0 -	0 -	6 3.5	53 2.9	3 3.7	0 -	0 -	2 3.0	1
X			- 0.5	1.9	0.2	0.2		- 2.4	14.9	10	-14.8	19	0 -	8 2.5	3 3.0	0 -	0 -	5 2.0	18 2.9	43 3.0	3 5.0	0 -	0 -	0 -	2
XI			- 1.6	- 0.3	- 1.0	- 1.2		- 4.6	6.6	21	-14.8	29	6 3.7	8 3.1	1 2.0	0 -	0 -	10 3.2	13 2.5	40 3.0	4 4.5	0 -	0 -	0 -	0
XII			- 8.2	- 7.5	- 8.3	- 8.1		-11.5	4.2	5	-24.7	18	2 2.5	7 2.9	0 -	0 -	0 -	8 2.4	9 3.6	47 2.8	5 4.6	1 4.0	0 -	7 2.3	6
1955			- 0.9	3.5	2.1	0.9		- 3.6	25.9		-27.7		51 2.8	170 2.5	23 2.4	0 -	0 -	33 2.6	190 3.0	516 2.9	24 4.2	1 4.0	1 2.0	20 2.6	

1955

Koppang (Øyset)

H_s = 303 H_b = h_t = 2.1 h_a = h_d = 9 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	86	88	88	4.7	5.5	4.9	19	6	30	30		20		17	7	0	1	0	0	0	17	0	0	0	0	0	0	13	0	0	3	11	31
II	86	73	82	82	4.3	4.8	4.1	8	2	19	25		21		12	4	0	0	0	0	1	12	1	0	0	0	0	0	8	0	18	6	8	28
III	84	58	61	70	4.9	4.3	4.4	5	3	31	31		17		7	1	0	1	0	0	0	7	0	0	0	0	0	0	7	0	25	3	6	31
IV	84	55	59	69	5.0	4.8	4.3	10	4	7	29		3		6	3	0	1	0	0	2	6	2	0	2	0	0	0	7	3	25	1	5	19
V	78	51	54	66	5.5	5.3	4.9	60	19	3	14		0		14	7	3	3	0	0	12	7	5	1	0	1	0	0	9	2	23	4	12	3
VI	73	48	46	60	4.0	5.4	5.1	21	11	16	2		0		10	4	1	3	0	0	10	1	1	0	0	2	0	0	3	0	27	3	5	0
VII	80	47	51	66	3.6	4.2	3.8	48	13	12	0		0		10	7	2	0	0	0	10	0	0	0	0	0	0	7	2	0	30	7	2	0
VIII	88	52	56	71	4.4	4.3	5.0	28	8	9	0		0		10	7	0	0	0	0	10	0	0	0	0	0	0	1	6	1	28	3	7	0
IX	91	64	77	80	6.5	5.4	5.2	87	33	3	4	0	0	0	15	9	2	0	0	0	15	0	0	1	0	0	0	0	12	4	22	1	13	0
X	87	68	81	80	5.8	5.4	4.8	62	14	7	18	5	3	0	15	11	3	0	0	0	12	7	3	0	0	0	0	0	11	2	22	2	14	12
XI	80	76	77	78	4.9	6.3	4.9	17	10	6	25	7	4	0	7	4	1	3	1	0	5	6	3	0	0	0	0	0	7	4	6	2	12	14
XII	83	84	84	84	5.1	5.2	4.0	40	13	16	31	26	22	0	13	9	1	1	0	0	2	13	2	0	0	0	0	0	14	2	0	7	11	30
1955	84	64	68	74	4.9	5.1	4.6	405	33		209		90		136	73	13	13	1	0	79	76	17	2	2	3	0	8	99	18	226	42	106	168

Fokstua

H_s = 952 H_b = h_t = 1.8 h_a = h_d = 6.8 h_r = 1.5

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	84	82	84	5.6	6.0	5.9	37	13	29	31		13		16	10	1	6	1	0	1	16	0	0	0	0	0	0	0	1	6	0	16	31
II	85	80	81	82	4.9	3.6	3.2	8	3	4	28		24		7	2	0	0	0	0	0	7	0	0	0	0	0	0	2	1	19	6	5	28
III	81	70	71	75	4.9	4.3	5.3	28	7	16	31		16		16	7	0	7	0	0	0	16	0	0	0	0	0	0	0	0	22	3	5	31
IV	82	67	72	77	5.1	4.8	5.1	18	4	7	30		13		12	6	0	2	0	0	0	12	0	1	0	0	0	0	0	0	25	2	10	30
V	75	62	66	72	4.9	4.9	4.9	18	4	3	29		0		12	5	0	5	0	0	2	11	0	0	0	0	0	0	0	0	19	7	12	27
VI	68	56	56	64	4.3	5.4	5.0	17	5	15	12		0		9	4	0	3	0	0	9	1	1	0	0	2	0	0	0	0	25	5	10	0
VII	75	52	55	67	4.4	4.2	4.0	32	11	4	3		0		8	7	1	0	0	0	8	0	0	1	0	0	0	1	2	0	25	8	9	0
VIII	80	53	60	70	4.4	4.8	5.5	16	7	7	1		0		8	4	0	1	0	0	8	0	0	3	0	1	0	0	1	2	22	2	8	0
IX	89	66	75	80	5.2	5.5	4.5	25	11	17	13		0		11	7	1	3	0	0	11	0	0	0	0	0	0	0	1	5	17	2	10	0
X	89	76	84	84	5.7	5.8	5.4	36	9	8	23		9		20	8	0	2	1	0	5	17	1	3	0	0	0	0	1	2	14	4	16	17
XI	85	81	84	84	6.5	5.9	6.2	38	8	24	29		9		20	11	0	9	0	0	2	18	0	1	0	0	0	0	1	4	6	0	17	30
XII	85	84	84	84	5.2	5.0	5.0	47	8	29	30		22		21	12	0	7	0	0	1	21	0	0	0	0	0	0	0	2	8	2	8	31
1955	82	69	72	77	5.1	5.0	5.0	320	13		260		111		160	83	3	45	2	0	47	119	2	9	0	3	0	1	8	17	208	41	126	225

Dombås

H_s = 643 H_b = 647.1 h_t = 1.9 h_a = h_d = 7 h_r = 1.7

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	84	86	87	5.5	6.4	5.6	26	9	12	30	23	16	0	9	7	0	3	0	0	1	8	0	0	0	0	0	0	2	3	6	0	14	31
II	86	72	76	80	4.5	4.1	3.2	5	2	16	27	24	22	0	5	2	0	1	0	0	1	5	1	0	0	0	0	0	0	0	17	7	6	28
III	80	62	65	70	5.5	4.8	5.1	36	10	14	30	19	12	0	12	6	1	0	0	0	0	12	0	0	0	0	0	0	0	0	18	4	12	31
IV	84	61	64	72	5.6	4.9	5.1	12	4	7	29	4	4	0	10	3	0	0	0	0	0	10	0	1	0	0	0	0	0	2	20	1	8	30
V	75	57	58	66	5.2	5.1	5.3	12	7	3	17	0	0	0	7	3	0	0	0	0	6	7	5	4	0	1	0	0	0	1	22	5	16	4
VI	77	54	55	66	4.3	5.1	4.8	9	6	16	4	0	0	0	4	3	0	0	0	0	4	0	0	2	0	0	0	0	0	0	25	5	7	0
VII	83	51	51	67	4.5	4.5	3.8	24	12	2	0	0	0	9	8	6	1	0	0	0	8	0	0	2	0	0	0	0	0	3	26	7	7	0
VIII	89	51	55	71	4.5	5.1	5.8	20	11	7	0	0	0	3	8	3	1	1	0	0	8	0	0	1	0	0	0	0	0	1	22	0	9	0
IX	92	66	68	78	6.0	6.0	4.5	25	16	17	3	0	0	0	10	3	1	0	0	0	10	0	0	1	0	0	0	0	1	5	11	1	11	0
X	91	75	82	84	6.2	6.0	5.6	46	10	8	18	11	4	0	15	9	1	0	0	0	6	9	0	4	0	0	0	0	0	3	10	3	18	17
XI	87	82	84	85	5.6	6.4	6.3	43	11	24	27	9	4	0	16	10	1	0	0	0	4	13	1	0	0	0	0	0	0	2	7	1	18	30
XII	89	85	85	86	4.4	5.6	4.8	36	7	8	31	24	19	0	18	11	0	3	0	0	1	18	0	0	0	0	0	0	0	0	3	3	13	31
1955	85	67	69	76	5.2	5.3	5.0	294	16		216	114	81	12	122	66	6	8	0	0	49	82	7	15	0	1	0	0	3	20	187	37	139	202

Vågåmo

H_s = 371 H_b = h_t = 2.1 h_a = h_d = 9 h_r = 1.8

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	85	85	86	4.5	6.7	4.5	17	5	25	31	24	13	0	14	5	0	1	0	0	1	14	0	0	0	0	0	0	0	2	0	0	10	31
II	89	83	81	84	4.3	4.4	2.9	2	1	4	26	22	22	0	4	0	0	0	0	0	1	4	0	0	0	0	0	0	1	4	3	8	6	28
III	76	63	61	68	4.7	4.8	4.3	7	3	16	31	13	10	0	10	2	0	8	2	2	2	9	1	0	0	0	0	0	0	0	24	4	7	31
IV	79	60	61	68	5.3	4.7	5.1	2	1	13	24	0	0	0	5	1	0	4	0	0	2	5	2	0	0	2	0	0	0	1	23	2	12	13
V	76	51	55	66	5.1	5.3	5.0	32	10	19	9	0	0	0	12	5	1	3	0	0	9	5	0	1	0	0	0	0	0	2	25	5	13	0
VI	75	51	50	63	4.3	5.3	4.9	21	8	28	1	0	0	0	7	4	0	9	2	0	7	1	0	0	0	0	0	0	1	1	29	5	9	0
VII	83	52	49	66	3.9	3.8	3.7	17	4	3	0	0	0	12	9	6	0	3	1	0	9	0	0	0	0	0	0	1	0	7	30	9	5	0
VIII	86	54	56	70	4.0	4.2	5.1	8	4	7	0	0	0	4	6	2	0	0	0	0	6	0	0	0	0	0	0	0	0	2	29	3	7	0
IX	91	66	68	77	6.5	5.8	4.8	30	13	17	1	0	0	0	12	7	1	7	3	1	12	0	0	0	0	0	0	0	2	10	21	0	12	0
X	85	73	76	79	6.5	5.9	5.3	32	10	8	15	6	1	0	16	7	1	4	1	0	11	7	0	3	0	0	0	0	1	14	9	2	11	8
XI	81	78	76	79	5.4	6.3	5.3	10	3	13	21	5	2	0	12	3	0	11	6	4	9	8	5	3	0	0	0	0	3	8	0	1	15	12
XII	86	86	88	87	4.9	5.1	4.7	16	5	16	31	22	18	0	19	4	0	6	2	0	6	17	1	5	0	0	0	0	1	7	0	6	12	28
1955	83	67	67	74	5.0	5.2	4.6	194	13		190	92	66	16	126	46	3	56	17	7	75	70	9	12	0	2	0	1	9	58	193	45	119	151

Elveseter

H_s = 675 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	81	83	84	5.9	5.5	5.2	60	10	29	29		17		18	11	1	4	2	0	1	18	0	0	0	0	0	0	14	0	0	3	15	31
II	89	81	82	85	4.4	3.7	3.2	18	8	4	28		24		9	5	0	0	0	0	0	9	0	0	0	0	0	0	7	0	15	8	8	28
III	78	58	62	68	6.0	4.9	4.9	12	3	5	31		13		13	4	0	7	0	0	1	13	1	0	0	0	0	0	13	0	18	5	11	31
IV	80	58	65	70	6.0	4.8	5.5	14	4	8	25		3		11	6	0	2	0	0	2	10	1	0	0	0	0	0	12	0	18	2	15	30
V	74	51	58	66	4.7	5.0	5.0	11	5	10	20		0		17	2	0	1	0	0	11	9	2	0	0	0	0	0	15	0	16	6	12	1
VI	70	50	53	62	4.7	4.7	4.5	18	7	24	5		0		7	6	0	3	1	0	6	1	0	0	0	0	0	0	6	0	18	8	10	0
VII	85	49	58	71	4.2	4.3	3.7	12	3	18	0		0		9	3	0	1	0	0	9	0	0	0	0	0	0	0	7	0	22	10	9	0
VIII	93	53	65	77	4.9	4.8	5.0	14	7	7	0		0		8	5	0	0	0	0	8	0	0	0	0	0	0	0	5	0	20	5	11	0
IX	94	69	82	85	6.0	5.4	5.2	47	9	17	5		0		19	10	0	3	0	0	19	0	0	0	0	0	0	0	16	0	11	3	12	0
X	87	76	85	83	6.8	6.2	5.8	56	12	14	18		6		16	12	1	6	1	0	10	10	0	0	0	0	0	0	17	0	6	3	21	17
XI	83	79	82	82	6.4	6.2	5.9	30	5	23	28		3		17	8	0	9	0	0	6	14	1	0	0	0	0	0	15	0	0	0	17	30
XII	84	82	73	80	5.0	5.4	4.5	52	10	29	30		17		19	14	0	5	0	0	2	18	1	0	0	0	0	0	17	0	0	5	10	28
1955	84	66	71	76	5.4	5.1	4.9	344	12		219		83		155	86	2	41	4	0	75	102	6	0	0	0	0	0	144	0	144	58	151	196

1955

Vinstra

φ = 61° 36′ N λ = 9° 45′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			-10.0	- 7.6	- 9.4	- 9.3	- 5.3	-13.3	6.6	25	-26.7	17
II			-13.5	- 6.4	-10.8	-11.4	- 6.4	-15.2	1.8	2	-23.4	21
III			- 9.1	- 0.2	- 3.0	- 4.8	1.7	-10.0	6.6	15	-19.6	22
IV			- 2.3	5.6	4.6	1.4	7.9	- 4.2	17.4	19	-10.0	1
V			3.4	10.6	9.8	6.4	12.4	0.5	23.0	31	- 4.8	12
VI			7.9	16.7	15.5	11.8	18.6	5.3	25.2	3	- 2.8	8
VII			12.8	23.1	22.6	17.7	26.2	10.6	32.3	9	3.6	19
VIII			11.2	22.4	21.2	16.7	25.1	10.0	30.5	25	4.6	3
IX			6.2	13.9	11.4	9.6	15.9	5.0	22.7	8	- 1.0	28
X			- 0.5	4.6	2.4	1.8	5.9	- 1.8	16.4	10	-11.5	31
XI			- 2.3	0.2	- 0.8	- 1.2	2.3	- 4.4	9.2	21	-13.9	1
XII			-11.3	-10.3	-11.0	-11.1	- 7.2	-14.7	5.8	6	-26.7	23
1955			- 0.6	5.9	4.4	2.3	8.1	- 2.7	32.3		-26.7	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1 3.0	0 -	1 2.0	3 2.7	0 -	7 2.7	0 -	0 -	2 2.0	12 2.2	1 2.0	12 2.3	54
II	0 -	0 -	0 -	1 2.0	0 -	6 2.5	2 2.0	3 1.3	2 2.0	17 2.2	6 2.3	11 2.4	36
III	3 3.0	7 2.3	0 -	6 2.2	2 1.0	8 2.4	1 2.0	10 2.0	1 2.0	23 3.2	17 2.8	2 3.0	13
IV	2 2.5	0 -	0 -	6 2.5	2 1.5	17 2.7	4 1.8	2 2.5	2 2.5	9 2.9	4 2.8	14 3.8	28
V	3 2.0	0 -	1 2.0	10 2.6	0 -	16 2.6	6 1.8	1 1.0	6 2.7	18 2.7	3 3.7	15 3.9	14
VI	1 4.0	0 -	3 2.3	8 2.5	0 -	10 2.9	7 2.6	1 2.0	8 2.5	15 2.8	0 -	15 4.4	22
VII	2 2.0	3 2.0	0 -	5 1.3	0 -	7 2.6	3 2.0	3 1.3	7 2.1	25 2.5	6 2.3	6 2.7	26
VIII	1 1.0	1 4.0	0 -	2 1.5	0 -	18 2.3	1 2.0	1 2.0	12 2.1	13 2.2	1 2.0	4 2.8	39
IX	1 2.0	1 2.0	1 2.0	9 2.4	0 -	12 2.7	3 2.0	0 -	4 2.0	9 2.9	3 2.0	4 3.0	43
X	0 -	1 2.0	0 -	3 2.0	0 -	4 2.5	3 2.0	4 1.5	2 2.5	18 2.5	6 2.2	8 3.4	44
XI	1 1.0	1 2.0	0 -	6 2.3	3 2.0	5 1.4	2 1.5	5 2.0	2 2.0	11 4.4	9 4.6	10 4.1	35
XII	0 -	0 -	3 1.0	2 1.0	0 -	5 1.2	0 -	1 1.0	4 1.8	9 1.9	2 1.0	10 2.0	57
1955	15 2.3	14 2.3	9 1.8	61 2.3	7 1.6	115 2.5	32 2.0	31 1.8	52 2.2	179 2.7	58 2.8	111 3.3	411

Sikkilsdal

φ = 61° 29′ N λ = 9° 2′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 7.8	- 6.9	- 7.1	- 7.3	- 3.7	-11.2	6.7	24	-21.9	17
II			-11.8	- 8.0	-10.7	-10.8	- 6.2	-15.2	2.2	1	-23.8	19
III			- 7.9	- 3.5	- 6.8	- 6.6	- 2.3	-10.6	3.4	11	-23.1	21
IV			- 4.2	0.3	- 1.2	- 2.6	2.5	- 6.8	11.1	19	-13.7	23
V			- 0.2	3.7	2.7	1.0	5.1	- 3.1	16.5	31	- 8.1	13
VI			5.9	10.3	9.0	7.1	11.9	2.3	17.0	4	- 4.7	8
VII			12.2	17.9	17.0	14.1	19.7	7.9	25.1	27	0.5	18
VIII			10.1	16.5	14.8	12.6	17.9	7.2	22.4	24	1.3	3
IX												
X												
XI												
XII												

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	2 2.5	0 -	0 -	0 -	1 2.0	0 -	5 3.4	5 2.8	24 3.5	23 2.5	4 3.2	29
II	2 2.0	3 1.7	0 -	3 2.0	1 2.0	0 -	0 -	5 3.2	3 1.7	8 1.8	22 1.4	1 3.0	36
III	10 2.7	6 2.3	0 -	1 1.0	0 -	0 -	0 -	4 3.0	3 4.0	19 3.5	23 3.0	4 3.0	23
IV	5 2.4	3 1.3	3 1.3	4 1.8	1 2.0	2 2.0	2 2.0	7 3.7	2 2.0	12 2.5	19 2.6	3 2.0	27
V	4 2.2	9 2.0	2 2.5	5 2.4	0 -	4 1.5	7 2.0	12 2.8	6 1.7	9 1.6	18 3.4	2 3.0	15
VI	4 4.0	11 2.1	4 1.0	2 1.5	3 1.3	1 2.0	1 2.0	11 2.3	14 3.6	19 2.4	8 2.0	3 1.0	9
VII	4 2.0	5 2.2	1 1.0	5 1.2	1 3.0	3 1.0	2 1.0	8 2.5	5 3.6	24 2.7	4 3.2	2 1.0	29
VIII	3 3.0	8 1.8	5 1.8	5 1.6	0 -	3 1.3	0 -	10 3.1	7 3.6	10 2.4	1 1.0	7 2.1	34
IX													
X													
XI													
XII													

Vollen i Slidre

φ = 61° 5′ N λ = 8° 59′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	955.7	1006.0	-10.1	- 9.2	- 9.6	- 9.9		-13.9	6.9	25	-28.7	19
II	56.8	07.6	-15.8	-11.9	-11.5	-13.6	- 7.7	-17.7	1.0	2	-29.5	21
III	63.5	15.7	- 8.4	- 1.6	- 2.0	- 4.7	1.6	- 9.9	6.5	15	-22.5	22
IV	67.2	17.0	- 2.4	4.6	4.1	1.1	7.4	- 3.8	13.7	19	- 9.5	23
V	58.0	06.4	1.9	9.1	8.3	5.0	11.9	- 0.3	23.4	31	- 5.4	13
VI	65.6	13.6	6.3	15.2	14.3	10.2	18.1	3.7	24.5	4	- 3.0	8
VII	69.1	16.1	12.1	21.9	21.4	16.7	25.3	10.1	31.2	11	2.6	19
VIII	69.9	17.2	10.2	20.2	19.7	15.3	23.4	9.1	29.0	26	4.3	3
IX	61.7	09.7	7.1	12.5	11.0	9.4	15.1	5.5	23.7	8	- 1.5	28
X	59.1	08.3	0.5	3.8	2.6	1.9	5.3	- 1.0	15.4	11	-11.2	31
XI	65.7	15.4	- 0.5	1.6	0.6	0.4	3.2	- 2.5	8.0	22	-12.5	29
XII	50.6	00.6	- 9.6	- 8.6	- 9.4	- 9.4	- 5.9	-12.6	- 9.5	6	-25.4	22
1955	961.9	1011.1	- 0.7	4.8	4.1	1.9		- 2.8	31.2		-29.5	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	0 -	1 1.0	0 -	1 2.0	9 1.7	0 -	0 -	0 -	0 -	0 -	18 1.9	64
II	0 -	0 -	5 1.0	0 -	0 -	2 1.0	0 -	0 -	2 1.5	0 -	0 -	5 1.8	70
III	0 -	2 3.0	6 1.7	0 -	1 2.0	3 1.0	0 -	0 -	4 1.2	0 -	1 6.0	39 3.5	37
IV	0 -	3 2.0	1 1.0	0 -	0 -	8 1.8	0 -	5 2.8	5 2.2	0 -	1 1.0	37 3.1	30
V	0 -	4 3.0	1 1.0	0 -	0 -	6 1.7	0 -	1 2.0	14 2.6	0 -	1 4.0	37 3.6	29
VI	0 -	8 2.9	0 -	0 -	0 -	5 2.2	0 -	11 2.4	8 3.0	0 -	0 -	26 4.0	32
VII	0 -	2 2.5	2 1.5	0 -	0 -	2 2.5	0 -	7 2.7	7 2.1	0 -	2 2.0	27 3.6	44
VIII	0 -	1 2.0	3 1.7	0 -	0 -	2 2.5	0 -	5 2.2	9 2.2	0 -	0 -	18 3.1	55
IX	0 -	1 1.0	0 -	0 -	0 -	1 2.0	0 -	11 3.0	7 2.1	0 -	1 2.0	24 3.1	45
X	0 -	2 2.5	0 -	0 -	0 -	2 1.5	0 -	1 4.0	1 2.0	0 -	0 -	27 3.1	60
XI	0 -	0 -	0 -	0 -	0 -	2 1.0	0 -	0 -	2 2.0	0 -	0 -	40 4.3	46
XII	0 -	0 -	2 2.5	0 -	0 -	1 1.0	0 -	0 -	0 -	0 -	0 -	21 3.8	69
1955	0 -	23 2.7	21 1.5	0 -	2 2.0	43 1.7	0 -	41 2.7	59 2.3	0 -	6 2.8	319 3.4	581

Åbjørsbråten

φ = 60° 55′ N λ = 9° 18′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 8.4	- 6.1	- 7.5	- 7.6		-11.6	6.4	25	-24.8	18
II			-13.1	- 7.3	-10.2	-10.5		-15.2	0.0	1	-23.5	22
III			- 7.0	- 1.1	- 4.1	- 5.3		-10.4	5.5	12	-23.3	21
IV			- 1.0	3.2	1.0	- 0.5		- 5.5	11.7	19	-12.6	23
V			3.4	6.6	4.9	3.2		- 1.4	17.5	30	- 7.3	13
VI			9.1	13.2	11.3	8.8		2.3	20.4	4	- 2.7	8
VII			15.2	20.9	18.7	15.7		8.5	27.2	10	0.4	19
VIII			13.2	19.5	16.1	14.2		7.8	25.1	25	4.7	2
IX			7.6	11.5	8.4	8.0		3.7	18.0	8	- 2.9	28
X			- 0.3	3.4	0.8	0.8	4.6	- 2.9	15.6	9	-15.0	30
XI			- 2.1	0.6	- 0.6	- 1.0	2.1	- 4.4	6.5	26	-17.4	29
XII			- 8.6	- 6.8	- 8.1	- 8.0	- 5.2	-11.6	6.4	6	-23.9	23
1955			0.7	4.8	2.6	1.5		- 3.4	27.2		-24.8	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	0 -	1 1.0	0 -	2 2.0	0 -	0 -	1 1.0	13 1.2	3 1.0	6 1.0	3 1.3	64
II	2 1.0	2 1.0	0 -	0 -	0 -	0 -	0 -	1 1.0	13 1.1	7 1.0	1 1.0	3 1.0	55
III	5 1.8	8 2.1	2 1.0	0 -	0 -	0 -	0 -	4 1.2	22 1.4	6 1.2	4 1.2	10 1.4	32
IV	5 1.2	7 1.1	6 1.0	0 -	1 2.0	2 1.0	0 -	1 1.0	11 1.4	4 1.0	2 1.0	16 1.2	35
V	1 1.0	6 1.2	4 1.0	7 1.0	6 1.0	6 1.3	1 3.0	2 1.5	5 1.4	0 -	2 1.5	27 1.2	26
VI	0 -	9 1.2	11 1.2	0 -	6 1.0	4 1.0	2 1.0	10 1.4	14 1.4	6 1.3	3 1.0	4 1.0	21
VII	2 1.0	5 1.2	3 1.0	0 -	7 1.1	8 1.1	1 2.0	5 1.6	7 1.1	2 1.0	3 1.3	8 1.1	42
VIII	4 2.2	12 1.2	7 1.0	2 1.0	6 1.0	4 1.2	2 1.5	4 1.0	6 1.3	6 1.0	7 1.0	12 1.1	21
IX	0 -	1 1.0	0 -	2 1.0	1 1.0	9 1.1	2 2.0	7 1.3	10 1.4	7 1.0	2 2.0	7 1.1	42
X	0 -	2 1.5	2 1.0	0 -	3 1.3	0 -	0 -	1 2.0	9 1.7	6 1.0	4 1.2	6 1.2	60
XI	1 3.0	5 2.4	0 -	0 -	0 -	0 -	0 -	2 1.5	14 1.0	6 1.0	7 1.1	5 2.0	50
XII	0 -	3 2.3	6 1.2	3 1.7	1 1.0	1 1.0	0 -	0 -	9 1.0	14 1.0	3 1.3	2 1.0	51
1955	20 1.6	60 1.5	42 1.1	14 1.1	33 1.2	34 1.1	8 1.8	38 1.3	133 1.3	67 1.0	44 1.2	103 1.2	499

Lillehammer

φ = 61° 6′ N λ = 10° 29′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 8.1	- 7.1	- 7.7	- 7.9	- 5.0	-11.0	6.1	25	-22.2	17
II			-11.0	- 7.5	- 8.7	- 9.5	- 5.7	-12.8	1.3	4	-20.7	21
III			- 8.0	- 0.8	- 2.7	- 4.5	1.0	- 9.4	9.0	15	-17.0	22
IV			- 2.0	4.1	3.3	0.7	6.3	- 3.9	13.9	19	-11.4	2
V			4.1	9.2	8.9	6.0	11.5	1.0	21.7	31	- 4.2	22
VI			9.5	16.2	15.3	12.0	18.3	5.6	24.8	4	- 0.9	8
VII			14.9	23.2	22.8	18.3	26.0	10.8	31.8	10	3.2	19
VIII			12.4	21.4	20.4	16.5	24.0	10.1	28.7	25	4.5	3
IX			7.6	13.8	11.2	10.0	15.5	6.0	20.9	7	- 0.2	27
X			1.1	5.3	3.1	2.8	6.3	- 0.5	17.3	9	- 8.8	31
XI			- 1.9	0.4	- 0.7	- 0.9	2.3	- 3.8	8.7	12	-14.3	29
XII			- 9.4	- 8.5	- 9.4	- 9.3	- 6.2	-12.4	2.7	28	-23.8	21
1955			0.8	5.8	4.6	2.8	7.9	- 1.7	31.8		-23.8	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	3 1.0	20 1.6	6 1.8	11 1.5	0 -	10 2.0	4 1.2	7 1.4	1 2.0	3 1.3	0 -	5 2.6	23
II	16 1.5	23 1.9	0 -	2 1.5	3 1.3	0 -	5 1.0	3 1.0	0 -	4 1.0	5 1.8	14 2.1	9
III	15 2.4	15 2.3	8 1.9	3 1.3	1 3.0	1 2.0	4 1.5	4 1.0	1 2.0	9 1.9	3 3.7	17 3.0	12
IV	10 2.4	7 2.0	1 1.0	2 2.5	3 1.7	6 2.2	9 1.3	9 1.3	4 1.8	4 2.2	1 4.0	17 3.5	17
V	14 3.1	6 2.8	0 -	1 3.0	2 3.0	4 1.5	13 2.2	16 1.6	0 -	0 -	13 3.6	12 3.2	12
VI	8 3.1	3 2.0	2 2.0	3 1.7	0 -	8 2.4	13 2.5	19 2.3	0 -	6 1.8	2 2.5	13 3.9	13
VII	10 1.6	2 2.0	0 -	2 1.5	0 -	6 2.5	7 2.4	18 2.3	0 -	15 2.3	14 2.0	8 2.4	11
VIII	7 1.0	3 2.0	1 1.0	1 3.0	0 -	11 2.4	11 1.5	19 2.1	0 -	8 2.0	6 2.7	9 2.6	17
IX	6 1.7	7 1.4	2 1.5	8 1.0	7 3.4	13 2.8	4 1.5	16 1.9	1 4.0	7 1.7	1 4.0	2 2.5	16
X	7 1.6	12 1.4	4 1.8	6 1.2	0 -	12 1.8	9 1.4	10 1.4	0 -	6 1.8	4 2.2	10 2.8	13
XI	5 1.4	4 2.0	3 1.3	5 1.8	2 2.0	8 1.1	10 1.3	7 1.1	0 -	2 3.0	4 1.8	18 2.6	22
XII	10 1.0	15 1.3	3 1.7	7 1.4	0 -	9 1.0	5 1.0	2 1.0	0 -	4 1.0	3 3.0	12 3.3	23
1955	111 2.0	117 1.8	30 1.7	51 1.5	18 2.6	88 2.0	94 1.7	130 1.8	7 2.1	68 1.9	56 2.7	137 3.0	188

1955

Vinstra

H_s = 241 H_b = h_t = 2.1 h_a = h_d = 8.6 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	87	88	88	4.8	6.4	5.3	10	3	30	31	28	20	0	13	3	0	0	0	0	0	13	0	0	0	0	0	0	3	0	16	2	14	31
II	86	75	79	81	4.6	4.7	3.9	7	3	4	27	23	23	0	8	2	0	0	0	0	3	8	3	0	0	0	0	0	4	2	23	8	11	28
III	80	56	59	67	4.8	5.0	4.0	4	1	14	31	6	14	0	8	2	0	2	0	0	2	8	0	1	0	0	0	0	0	0	26	4	8	31
IV	80	55	53	65	5.6	5.8	5.3	6	2	29	29	0	0	0	7	3	0	1	0	0	3	7	3	0	0	2	0	0	4	0	26	1	11	13
V	75	49	48	62	5.8	5.7	5.7	35	13	19	10	0	0	0	10	6	2	2	0	0	9	3	2	1	0	1	0	0	2	4	25	2	15	1
VI	74	45	45	60	4.5	5.5	5.0	14	5	16	1	0	0	3	8	5	0	2	0	0	8	2	2	1	0	1	0	0	1	1	29	2	9	0
VII	81	48	47	64	3.7	4.4	3.9	35	7	5	0	0	0	19	9	8	0	0	0	0	9	0	0	0	0	0	0	6	0	1	31	6	7	0
VIII	85	47	48	65	4.7	5.2	5.3	15	7	7	0	0	0	15	8	3	0	0	0	0	8	0	0	0	0	0	0	0	3	1	30	2	11	0
IX	90	61	70	76	6.3	5.9	5.3	48	19	17	2	0	0	0	12	6	2	0	0	0	12	0	0	0	0	0	0	0	1	7	27	0	13	0
X	87	69	77	79	5.8	5.8	5.1	43	8	8	19	3	2	0	17	10	0	1	0	0	13	5	1	0	0	0	0	0	5	7	21	2	12	12
XI	80	76	76	78	4.4	5.8	5.5	11	5	6	29	6	5	0	8	3	0	6	1	0	7	6	5	0	0	0	0	0	5	4	18	0	9	23
XII	86	87	86	86	4.7	5.0	4.7	29	10	16	31	27	22	0	12	7	0	0	0	0	1	12	1	0	0	0	0	0	6	1	8	5	14	30
1955	83	63	65	73	5.0	5.4	4.9	257	19		210	93	86	37	120	58	4	14	1	0	75	64	17	3	0	4	0	6	34	28	280	35	134	169

Sikkilsdal

H_s = 1015 H_b = h_t = 2.1 h_a = h_d = 7.2 h_r = 2.2

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	74	75	76	5.0	6.1	5.0	18	4	11	30	24	17	0	14	6	0	8	2	1	3	14	2	2	0	0	0	0	5	1	0	1	12	31
II	76	61	72	72	5.2	4.6	4.1	12	7	4	28	25	24	0	9	3	0	0	0	0	0	9	0	0	0	0	0	0	2	0	13	3	8	28
III	70	61	62	65	5.4	4.7	4.5	8	3	5	31	23	12	0	10	1	0	8	1	0	0	10	0	0	0	0	0	0	2	0	14	4	10	31
IV	76	62	66	70	5.3	4.5	4.9	5	2	8	29	9	5	0	6	3	0	0	0	0	0	6	0	0	0	0	0	0	0	0	16	0	7	30
V	75	60	62	69	4.9	5.1	5.2	47	14	3	27	2	0	0	11	8	2	4	0	0	2	11	1	0	0	0	0	0	1	0	20	3	11	29
VI	73	58	57	66	4.3	5.1	4.8	15	8	15	8	0	0	0	8	4	0	6	1	0	4	5	1	0	0	1	0	0	3	0	23	5	6	0
VII	77	53	51	64	3.7	4.4	3.9	25	10	3	0	0	0	1	8	6	0	3	0	0	8	0	0	0	0	0	0	1	1	0	21	5	6	0
VIII	86	56	58	71	4.6	5.2	6.0	23	8	7	0	0	0	0	7	6	0	3	0	0	7	0	0	1	0	0	0	0	0	1	16	2	12	0
IX																																		
X																																		
XI																																		
XII																																		

Vollen i Slidre

H_s = 403 H_b = 404.6 h_t = 1.9 h_a = h_d = 12.0 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	88	89	89	5.1	5.7	5.4	18	9	11	31		20		14	4	0	4	0	0	1	14	1	0	0	0	0	0	4	0	22	2	10	31
II	90	89	86	88	4.2	4.6	3.5	21	14	4	28	24	23	0	12	4	1	0	0	0	2	12	2	0	0	0	0	0	2	1	24	8	8	28
III	82	64	60	70	4.3	4.8	3.5	1	0.2	5	31	8	13	0	5	0	0	4	1	0	1	5	0	0	0	0	0	0	0	0	31	5	4	31
IV	87	59	57	70	5.2	4.9	5.2	15	7	29	27	0	0	0	8	4	0	2	0	0	4	8	4	0	0	0	0	0	4	0	27	2	10	18
V	84	54	55	70	4.8	5.6	4.5	52	17	3	13	0	0	0	14	9	1	2	0	0	13	8	6	0	1	1	0	0	3	2	27	4	11	1
VI	84	47	47	67	4.1	4.5	4.5	14	7	15	3	0	0	0	8	3	0	2	0	0	8	0	0	0	0	0	0	0	0	0	28	5	4	0
VII	90	51	48	69	3.3	3.9	3.3	37	10	1	0	0	0	18	9	7	1	1	0	0	13	0	0	0	0	0	0	3	2	0	31	8	4	0
VIII	93	54	54	72	4.4	4.8	5.2	20	9	7	0	0	0	11	8	5	0	1	0	0	8	0	0	0	0	1	0	0	1	0	30	2	4	0
IX	92	70	73	80	6.6	5.5	4.7	58	25	3	1	0	0	0	14	11	2	1	0	0	14	0	0	0	0	0	0	0	7	4	25	0	9	0
X	90	77	80	83	6.3	5.8	4.9	53	10	21	17	3	1	0	15	11	1	4	0	0	12	5	2	0	0	0	0	0	9	5	21	1	14	12
XI	83	78	79	80	4.8	6.0	4.8	20	6	5	22	4	2	0	12	6	0	11	3	0	11	8	6	0	0	0	0	0	6	2	20	2	12	15
XII	36	87	87	86	3.8	4.6	4.2	38	7	24	31	23	19	0	14	8	0	2	2	0	1	13	0	0	0	0	0	0	1	5	21	7	8	17
1955	88	68	68	77	4.7	5.0	4.5	347	25		204		78		133	72	6	34	6	0	88	73	21	0	1	2	0	3	39	19	307	46	98	153

Åbjørsbråten

H_s = 635 H_b = h_t = 1.8 h_a = h_d = 13.0 h_r = 1.4

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.9	4.6	4.3	11	4	30	30		18		8	2	0	0	0	0	1	8	0	1	0	0	0	0	5	3	15	6	9	31
II					3.8	4.0	3.5	18	3	4	28		23		12	8	0	0	0	0	0	12	0	0	0	0	0	0	7	3	16	12	9	28
III					3.9	4.1	3.2	3	1	5	31		13		8	1	0	0	0	0	0	8	0	0	0	0	0	0	3	0	29	7	6	31
IV					4.2	4.2	4.7	16	3	7	28		2		9	7	0	0	0	0	0	9	0	0	0	0	0	0	9	2	25	4	8	29
V					4.7	5.3	4.5	49	21	3	25		0		15	8	2	0	0	0	9	11	4	0	0	0	0	0	5	7	23	5	10	5
VI					3.5	4.9	4.0	21	7	15	8		0		9	5	0	0	0	0	9	1	1	1	0	0	0	0	1	1	26	4	4	0
VII					3.4	3.2	2.8	45	10	5	0		0		10	8	1	0	0	0	10	0	0	0	0	0	0	2	5	0	30	13	4	0
VIII					4.1	3.8	4.2	20	8	7	0		0		6	5	0	0	0	0	6	0	0	0	0	0	0	0	4	0	30	7	4	0
IX					4.8	5.2	3.9	80	31	3	3		0		15	10	2	0	0	0	15	0	0	0	0	0	0	1	9	4	23	3	5	0
X					4.5	4.8	4.2	51	14	7	22	4	5	0	15	10	1	0	0	0	9	7	2	0	0	0	0	0	3	7	20	3	9	12
XI					4.5	5.0	4.6	24	8	5	28	6	3	0	8	5	0	0	0	0	4	7	3	0	0	0	0	0	1	8	14	5	11	30
XII					4.5	4.3	3.4	39	14	16	30	23	19	0	14	9	1	0	0	0	1	13	0	0	0	0	0	0	9	2	18	9	7	31
1955					4.2	4.4	3.9	377	31		233		83		129	78	7	0	0	0	64	76	10	2	0	0	0	3	61	37	269	78	86	197

Lillehammer

H_s = 226 H_b = h_t = 2.0 h_a = h_d = 9.4 h_r = 1.5

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	94	93	94	94	4.9	5.7	5.6	23	8	30	31	27	15	0	11	6	0	0	0	0	1	10	0	1	0	0	0	0	8	3	14	0	13	31
II	88	80	83	84	4.4	3.7	4.2	24	5	9	27	22	21	0	10	8	0	0	0	0	3	9	2	0	0	0	0	0	1	4	21	5	9	28
III	83	69	67	74	5.0	4.4	3.8	2	1	5	31	10	12	0	5	1	0	3	0	0	0	5	0	0	0	2	0	0	0	1	28	1	5	31
IV	86	68	67	75	4.6	4.6	4.7	20	6	8	28	0	4	0	8	5	0	1	0	0	3	7	1	1	0	3	0	0	2	2	24	3	8	20
V	80	62	60	70	5.5	5.4	4.9	59	18	3	8	0	0	0	13	8	2	1	0	0	12	6	5	1	0	0	0	0	1	4	23	3	11	1
VI	73	54	54	64	3.8	4.6	4.3	22	9	15	2	0	0	0	6	4	0	1	0	0	6	0	0	1	0	1	0	1	2	0	28	3	4	0
VII	82	55	52	67	3.0	3.4	2.8	33	12	24	0	0	0	21	8	6	2	0	0	0	8	0	0	0	0	0	0	4	0	1	31	13	3	0
VIII	89	59	58	73	4.5	4.2	4.4	14	4	9	0	0	0	13	8	5	0	1	0	0	12	0	0	1	0	0	0	2	3	0	27	6	6	0
IX	97	73	80	86	5.8	5.0	4.6	82	34	3	1	0	0	0	18	9	2	0	0	0	18	0	0	2	0	0	0	2	5	0	22	1	9	0
X	91	77	83	85	5.0	4.8	5.0	60	13	7	15	4	0	0	16	10	3	1	0	0	12	6	2	2	0	0	0	0	5	0	19	4	11	8
XI	89	86	85	87	4.5	5.2	4.6	28	9	5	26	6	1	0	9	4	0	3	1	0	7	5	3	3	0	0	0	0	5	2	18	3	10	12
XII	93	92	92	92	4.5	4.7	4.2	53	14	27	31	25	19	0	11	8	2	3	0	0	1	11	1	0	0	0	0	0	3	2	17	8	9	19
1955	97	72	73	79	4.6	4.6	4.4	420	34		200	94	72	34	123	74	11	14	1	0	83	59	14	12	0	6	0	9	35	19	272	50	98	150

1955

Åmot

φ = 61° 7′N λ = 11° 18′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.6	- 5.8	- 7.0	- 7.0	- 4.1	-10.3	8.5	25	-24.5	17	16 1.2	30 1.1	0 -	0 -	0 -	5 2.0	0 -	9 1.4	0 -	14 1.4	18 1.0	1 1.0	0
II			-11.2	- 6.4	- 7.8	- 8.9	- 5.1	-12.0	1.5	2	-27.1	25	28 1.2	24 1.2	0 -	0 -	0 -	1 1.0	0 -	4 1.0	0 -	15 1.0	12 1.2	0 -	0
III			- 8.0	- 0.7	- 2.6	- 4.3	0.0	- 8.4	9.5	15	-17.5	22	24 1.8	2 2.0	0 -	0 -	0 -	13 1.1	0 -	6 1.8	0 -	38 1.4	10 2.1	0 -	0
IV			- 2.2	2.9	2.0	0.2	4.6	- 3.2	15.0	19	-10.4	9	32 1.9	6 1.2	0 -	5 1.2	1 2.0	19 1.2	0 -	2 1.5	0 -	20 1.0	5 1.6	0 -	0
V			2.7	8.2	7.2	5.0	9.7	1.1	20.0	31	- 4.4	14	29 1.9	5 1.6	0 -	0 -	2 2.0	21 1.6	0 -	1 2.0	0 -	23 1.2	11 1.1	1 2.0	0
VI			9.2	14.9	14.6	11.5	17.2	6.1	23.5	4	0.4	11	37 2.2	6 1.5	1 1.0	3 1.3	3 1.0	23 2.0	2 3.0	3 1.7	0 -	11 1.7	1 1.0	0 -	0
VII			15.1	22.1	21.6	17.9	24.7	11.3	29.4	21	3.4	19	15 2.0	16 1.0	0 -	9 1.1	1 1.0	21 1.4	0 -	11 2.1	0 -	12 1.6	8 1.2	0 -	0
VIII			12.3	20.0	18.7	15.6	22.1	9.7	27.1	25	3.4	3	15 1.7	23 1.0	0 -	0 -	0 -	36 1.2	0 -	4 1.5	1 2.0	14 1.0	0 -	0 -	0
IX			6.5	11.8	9.6	8.6	12.9	5.2	20.1	1	- 0.7	27	13 1.2	19 1.0	1 1.0	0 -	4 1.0	17 1.5	0 -	15 1.4	1 2.0	17 1.0	3 1.3	0 -	0
X			- 0.2	4.7	2.2	1.8	5.8	- 1.1	16.8	9	-10.0	17	31 1.0	30 1.1	0 -	0 -	0 -	9 1.2	0 -	3 2.0	0 -	10 1.1	10 1.5	0 -	0
XI			- 1.4	- 0.8	- 0.8	- 1.1	1.3	- 3.2	6.5	21	-16.3	29	23 1.5	3 1.0	0 -	0 -	0 -	28 1.2	0 -	6 1.0	0 -	25 1.3	5 1.0	0 -	0
XII			- 9.4	- 8.2	- 8.9	- 8.9	- 6.8	-10.8	1.4	27	-23.8	21	36 1.5	7 1.0	6 1.0	0 -	0 -	7 1.1	0 -	3 1.7	0 -	29 1.2	5 1.3	0 -	0
1955			0.5	5.2	4.1	2.5	6.9	- 1.3	29.4		-27.1		299 1.6	171 1.1	8 1.0	17 1.2	11 1.3	200 1.4	2 3.0	67 1.6	2 2.0	228 1.2	88 1.3	2 1.5	0

Trysil

φ = 61° 20′N λ = 12° 15′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.4	- 9.2	-10.2	-10.2		-15.1	2.1	26	-29.4	15	5 1.6	6 2.3	0 -	6 2.2	0 -	27 2.3	4 1.8	2 1.5	3 2.3	1 2.0	17 2.3	12 2.2	10
II			-14.5	- 7.5	- 9.4	-11.0		-16.5	1.7	1	-26.3	21	2 2.5	12 2.4	0 -	10 2.1	0 -	13 2.6	0 -	0 -	2 1.5	2 2.5	32 2.6	5 2.8	8
III			-10.9	- 1.2	- 3.8	- 6.0		-12.5	5.7	15	-25.4	22	2 2.5	4 2.8	0 -	10 2.3	2 2.5	9 2.8	1 2.0	0 -	1 2.0	9 2.3	43 3.2	7 3.0	5
IV			- 4.4	2.9	1.6	- 0.9		- 6.3	11.6	19	-17.6	9	0 -	5 1.8	0 -	2 2.0	13 2.8	16 2.4	0 -	0 -	2 2.5	5 2.0	37 3.3	7 2.6	3
V			2.7	7.2	6.3	4.3		- 0.6	19.1	31	- 6.1	13	1 2.0	4 2.5	0 -	5 1.8	1 2.0	27 2.9	2 3.5	2 3.0	2 2.5	4 2.8	37 3.5	3 2.3	5
VI			8.4	14.3	14.0	10.7		4.2	22.3	3	- 1.2	8	0 -	0 -	0 -	2 2.0	0 -	20 3.0	7 2.4	0 -	5 3.0	4 2.8	42 3.4	0 -	10
VII			12.8	21.9	21.3	16.9		9.2	28.5	11	1.0	19	1 3.0	0 -	0 -	4 1.5	0 -	13 2.7	3 2.3	0 -	10 2.8	5 2.0	40 2.8	5 3.0	10
VIII			10.0	19.8	19.2	14.9		8.3	25.9	25	1.0	3	1 2.0	5 1.4	0 -	5 1.2	0 -	25 2.5	5 2.0	0 -	8 2.4	14 2.6	24 2.5	2 2.5	3
IX			5.8	13.1	10.5	9.1		4.9	19.9	8	- 2.3	28	4 2.0	8 2.0	0 -	13 2.1	1 2.0	27 3.1	2 3.5	0 -	3 3.0	2 4.0	18 3.1	6 2.5	6
X			0.1	5.1	2.5	2.2		- 1.3	16.0	9	-11.9	30	2 2.0	9 2.0	0 -	10 2.6	2 3.0	20 2.5	4 2.5	0 -	3 3.3	3 3.0	28 3.0	3 2.7	8
XI			- 2.4	- 0.5	- 0.9	- 1.5		- 4.5	7.3	21	-18.8	29	6 2.7	11 2.3	0 -	9 2.6	0 -	20 2.2	1 3.0	0 -	1 2.0	4 2.8	21 3.4	6 3.5	11
XII			-12.5	-10.6	-12.1	-11.9		-16.6	3.6	28	-30.8	22	4 2.8	16 2.2	1 2.0	15 2.6	1 3.0	20 2.5	0 -	0 -	1 4.0	3 2.0	17 2.8	8 3.1	7
1955			- 1.3	4.6	3.2	1.4		- 3.9	28.3		-30.8		28 2.3	80 2.2	1 2.0	91 2.2	20 2.7	237 2.6	29 2.4	4 2.2	41 2.7	56 2.5	356 3.0	64 2.8	89

Kise på Hedmark

φ = 60° 46′N λ = 10° 49′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.2	- 4.1	- 5.0	- 5.1	- 2.0	- 8.9	7.6	25	-21.8	17	22 1.7	13 1.5	4 1.2	5 2.0	7 1.8	4 3.7	0 -	0 -	2 1.0	5 2.8	10 2.2	15 2.1	6
II			- 9.2	- 6.1	- 7.2	- 7.9	- 4.6	-11.3	2.6	3	-20.9	22	14 1.6	2 2.0	2 2.0	8 2.1	6 1.7	1 2.0	0 -	0 -	0 -	13 2.3	15 2.1	18 2.2	9
III			- 6.7	- 1.4	- 2.1	- 4.1	1.0	- 9.0	9.8	15	-17.2	22	24 2.2	6 1.7	6 1.7	4 1.7	15 1.4	4 1.5	1 1.0	1 1.0	2 3.0	9 2.3	10 2.0	7 2.3	3
IV			- 1.5	3.5	3.2	0.9	5.5	- 2.8	12.8	29	-11.0	9	14 1.7	3 2.0	1 1.0	5 2.2	24 2.0	9 1.4	0 -	1 1.0	2 1.5	6 1.8	9 2.0	13 2.2	3
V			4.4	9.4	8.9	6.4	11.0	2.0	22.1	30	- 2.3	13	14 2.4	1 2.0	2 2.0	4 2.0	13 1.9	11 1.8	1 2.0	2 3.0	3 1.0	15 1.7	10 2.0	8 2.9	8
VI			9.5	15.2	15.4	12.1	17.7	5.8	23.8	6	1.0	9	8 2.8	0 -	1 4.0	10 1.5	13 1.7	10 1.3	1 1.0	1 1.0	4 2.2	14 2.2	11 1.8	7 3.1	10
VII			15.4	21.5	22.9	18.4	24.9	12.3	29.4	14	5.6	19	2 2.5	1 3.0	1 3.0	2 1.5	14 1.8	22 1.5	1 2.0	0 -	4 1.5	13 1.7	18 1.7	4 1.5	11
VIII			13.8	19.2	20.5	16.6	22.5	11.5	26.5	1	9.2	3	6 1.7	1 1.0	1 2.0	3 1.0	15 1.6	19 1.7	1 2.0	1 2.0	3 1.3	9 1.6	6 2.5	9 1.1	19
IX			9.2	14.0	12.7	11.3	15.6	7.9	20.7	1	1.3	28	15 1.1	5 1.0	3 1.7	4 2.0	6 1.8	23 1.9	0 -	2 2.0	5 2.6	4 1.5	7 1.6	11 1.5	9
X			3.1	6.8	4.9	4.5	7.9	1.4	19.0	9	- 7.3	31	18 1.6	12 1.2	3 1.0	10 1.8	5 2.2	10 1.6	1 3.0	3 2.0	2 2.5	7 2.1	7 2.0	11 1.6	4
XI			0.0	2.0	1.3	0.9	3.5	- 1.9	9.3	12	-12.2	29	14 1.7	16 1.2	3 1.3	8 1.1	2 1.5	7 1.4	0 -	2 2.0	2 3.0	8 2.1	8 2.2	6 1.5	14
XII			- 6.8	- 5.4	- 6.3	- 6.3	- 3.6	- 9.5	7.1	6	-21.1	23	18 1.5	12 1.2	0 -	7 1.7	6 3.0	4 1.5	0 -	0 -	1 3.0	6 1.5	15 1.9	21 1.7	3
1955			2.2	6.2	5.8	4.0	8.3	- 0.1	29.4		-21.8		169 1.8	72 1.4	27 1.7	70 1.7	126 1.8	124 1.7	6 1.8	13 1.9	30 2.0	109 2.0	126 2.0	130 2.0	93

Ø. Toten

φ = 60° 42′N λ = 10° 53′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.4	- 4.5	- 5.2	- 5.3	- 2.5	- 8.3	7.6	25	-19.9	17	1 2.0	0 -	0 -	3 1.0	3 1.3	4 2.5	9 1.7	21 2.1	18 2.2	9 1.3	15 1.5	9 1.7	1
II			- 9.4	- 5.8	- 7.0	- 7.8	- 3.9	-10.9	1.4	3	-20.3	21	5 1.8	3 1.7	9 1.9	3 1.0	1 1.0	3 1.0	1 1.0	4 1.5	5 2.2	7 1.7	25 1.1	17 1.3	1
III			- 5.0	0.1	- 2.2	- 3.3	1.9	- 7.7	9.1	15	-16.1	22	0 -	3 3.0	2 3.0	2 1.0	2 1.0	3 1.3	5 1.8	18 2.2	6 1.3	4 2.2	22 2.4	26 2.0	2
IV			0.2	4.3	2.9	1.3	6.0	- 2.5	13.5	19	-10.4	9	14 2.3	10 2.4	5 1.4	7 1.1	1 1.0	2 2.0	9 1.3	12 1.5	2 2.0	3 1.7	8 1.6	17 1.9	6
V			5.4	9.0	8.2	6.1	10.7	2.3	21.3	31	- 2.0	13	9 2.2	9 1.7	19 1.6	5 2.2	3 2.3	3 2.0	2 4.5	9 3.7	2 1.5	4 2.2	8 2.5	20 2.1	0
VI			11.5	16.1	15.6	12.6	18.2	7.3	25.0	4	4.9	13	7 1.3	6 2.2	10 1.8	8 1.6	2 1.0	4 1.8	9 2.3	3 2.7	8 2.2	2 2.0	2 3.5	29 2.5	0
VII			17.5	22.9	22.9	18.9	25.7	12.5	29.7	14	7.0	24	4 2.5	7 1.6	14 1.4	10 1.3	2 1.5	1 1.0	9 1.7	6 1.8	2 1.5	6 1.7	9 1.7	19 1.5	4
VIII			15.7	21.5	19.4	17.0	23.3	11.2	27.1	1	8.1	3	4 1.8	17 1.8	8 1.5	4 1.2	2 1.0	3 2.0	13 1.8	8 1.6	2 2.0	3 1.3	12 1.3	17 1.7	0
IX			10.0	14.1	11.5	10.9	15.8	7.4	22.0	1	1.6	28	4 1.5	8 1.5	6 1.7	5 1.6	3 1.7	5 1.8	12 1.8	12 2.5	10 1.9	10 1.9	8 1.1	7 1.4	0
X			3.2	6.2	3.9	4.0	7.3	1.0	18.3	9	- 7.0	31	5 1.2	2 1.5	6 1.3	3 2.7	1 1.0	3 1.0	12 1.8	18 2.8	6 2.7	15 1.5	15 1.9	7 3.0	0
XI			- 0.1	1.9	1.1	0.8	3.1	- 1.7	8.4	12	-13.1	29	10 2.5	3 4.3	14 1.3	3 1.3	3 1.0	3 1.3	3 1.0	19 2.6	5 2.0	7 1.7	13 2.1	7 1.9	0
XII			- 6.6	- 5.9	- 6.6	- 6.5	- 3.6	- 9.2	8.2	6	-20.9	22	1 1.0	7 3.9	8 3.5	3 1.0	1 1.0	4 1.0	9 1.6	13 2.0	10 1.5	18 1.6	12 1.7	6 1.7	1
1955			3.1	6.7	5.4	4.1	8.5	0.1	29.7		-20.9		64 2.0	75 2.2	101 1.7	55 1.4	24 1.3	38 1.6	93 1.8	143 2.3	76 2.0	88 1.7	149 1.8	181 1.9	7

Eggemoen

φ = 60° 13′N λ = 10° 19′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 8.7	- 5.7	- 8.4	- 8.0	- 4.4	-12.2	9.4	25	-24.6	18	0 -	3 1.0	38 1.2	0 -	0 -	2 1.5	5 3.4	0 -	2 2.0	14 1.8	1 1.0	3 1.3	25
II			-13.5	- 7.3	-10.6	-11.0	- 5.1	-14.9	2.0	3	-26.7	21	2 3.0	6 3.7	50 1.6	0 -	0 -	2 1.0	6 1.0	0 -	0 -	2 1.0	0 -	0 -	16
III			- 8.0	0.9	- 2.0	- 4.0	3.2	-11.3	10.5	30	-21.6	22	11 3.5	2 3.5	31 1.7	1 2.0	0 -	0 -	18 1.9	2 1.5	3 1.3	12 2.0	2 3.0	3 1.7	8
IV			- 0.2	5.6	3.9	1.8	7.9	- 4.6	16.4	19	-12.9	1	9 3.0	4 2.8	20 1.8	0 -	0 -	3 1.7	15 1.7	5 1.6	10 2.3	10 2.2	0 -	3 4.0	11
V			5.7	10.5	9.7	6.7	13.0	- 0.5	24.3	30	- 7.4	13	6 2.7	10 3.3	21 2.1	2 1.5	0 -	2 2.0	10 3.2	8 2.9	8 2.2	12 3.1	1 5.0	2 2.5	11
VI			11.5	17.5	16.4	12.7	19.9	3.9	26.3	4	- 2.8	8	5 3.4	3 2.7	21 2.3	0 -	1 3.0	5 2.8	22 2.5	8 2.0	6 2.3	5 3.0	6 2.5	4 2.5	4
VII			17.8	24.7	24.8	19.8	27.5	10.0	31.8	14	1.7	18	3 2.0	7 2.3	23 1.4	1 1.0	1 1.0	3 2.3	16 2.3	12 2.2	10 1.0	5 2.4	5 2.4	1 2.0	6
VIII			14.5	22.6	21.2	17.5	24.9	9.2	29.6	1	5.6	14	2 1.0	4 3.0	15 1.9	4 1.5	0 -	2 1.0	11 2.2	10 1.7	23 1.8	4 1.5	1 1.0	0 -	17
IX			8.7	14.7	12.0	10.7	16.5	5.2	22.5	7	- 2.1	19	1 1.0	3 1.0	12 1.4	0 -	0 -	2 2.5	18 2.4	4 2.0	22 2.1	6 1.5	2 1.0	0 -	20
X			0.8	6.9	3.4	3.1	8.3	- 1.6	20.7	9	-14.5	31	4 3.0	3 1.7	32 1.6	0 -	0 -	3 2.3	14 2.6	4 2.8	13 1.7	4 1.5	1 2.0	2 1.5	13
XI			- 3.0	1.4	- 0.3	- 1.0	3.1	- 5.2	10.5	12	-17.9	29	3 4.0	6 2.2	26 1.3	1 1.0	0 -	3 1.0	8 1.8	0 -	12 2.1	11 1.5	3 2.3	3 2.3	14
XII			- 8.5	- 5.2	- 8.1	- 7.9	- 3.9	-12.4	8.7	6	-25.6	20	3 3.7	3 5.3	35 1.9	0 -	0 -	4 1.2	8 2.0	1 3.0	4 2.0	13 2.9	0 -	3 1.3	19
1955			1.4	7.1	5.2	3.4	9.2	- 2.9	31.8		-26.7		49 3.0	54 2.8	324 1.6	9 1.4	2 2.0	31 1.8	151 2.2	54 2.1	113 1.9	98 2.2	22 2.3	24 2.2	164

1955

Åmot

H_s = 310 H_b = h_t = 2.0 h_a = h_d = 6.7 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min <0°	Max <0°	Min <-10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	91	87	89	90	5.3	5.4	5.7	50	33	11	30	24	14	0	9	7	1	0	0	0	3	7	0	3	0	0	0	0	4	10	7	0	11	31
II	90	80	86	86	4.4	4.5	5.0	30	11	5	25	21	19	0	8	7	2	0	0	0	2	6	0	1	0	0	0	0	0	9	15	1	8	28
III	83	65	67	73	3.7	3.8	3.1	2	1	5	31	13	12	0	3	0	0	0	0	0	0	3	0	0	0	0	0	0	2	1	23	2	2	31
IV	78	61	62	69	4.0	3.8	3.8	5	3	29	27	3	1	0	3	2	0	0	0	0	1	2	0	0	0	0	0	0	2	6	24	3	5	30
V	76	60	62	70	4.6	4.6	4.5	47	12	19	10	0	0	0	9	9	2	0	0	0	6	5	2	2	0	0	0	0	2	6	23	2	8	10
VI	69	52	53	62	3.4	4.0	3.6	48	20	15	0	0	0	0	7	7	2	0	0	0	7	0	0	1	0	0	0	0	1	2	27	1	3	0
VII	72	47	46	59	2.8	3.2	2.8	54	28	3	0	0	0	20	6	4	2	0	0	0	6	0	0	1	0	0	0	2	0	1	29	7	2	0
VIII	87	61	60	73	4.5	3.5	3.2	26	10	7	0	0	0	5	6	4	1	0	0	0	6	0	0	1	0	0	0	1	3	1	30	4	3	0
IX	95	79	83	88	5.6	4.7	3.7	86	28	3	2	0	0	0	13	10	3	0	0	0	13	0	0	0	0	0	0	0	4	11	18	2	7	0
X	92	79	84	86	5.0	4.8	4.7	58	15	7	16	5	0	0	12	11	2	0	0	0	9	4	1	1	0	0	0	0	1	7	15	3	9	10
XI	88	80	85	85	5.5	5.3	5.2	11	5	12	26	7	2	0	4	3	0	0	0	0	1	3	0	0	0	0	0	0	5	6	5	0	12	30
XII	93	88	90	90	5.3	5.1	4.9	23	6	16	31	26	17	0	9	7	0	0	0	0	0	9	0	0	0	0	0	0	6	5	9	2	10	31
1955	84	70	72	78	4.5	4.4	4.2	450	33		198	99	65	25	89	71	15	0	0	0	54	39	3	10	0	0	0	3	30	65	225	27	80	201

Trysil

H_s = 362 H_b = h_t = 1.9 h_a = h_d = h_r = 1.5

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	88	91	90	4.8	5.5	5.7	38	9	31	31		20		11	9	0	0	0	0	1	11	0	2	0	0	0	0	19	5	18	2	14	31
II	89	76	82	84	4.9	4.5	4.4	25	5	6	25		22		11	7	0	0	0	0	3	10	2	0	0	0	0	0	14	2	21	5	9	28
III	86	59	63	72	4.9	4.5	3.9	0.2	0.2	9	31		18		1	0	0	3	0	0	0	1	0	0	0	0	0	0	8	0	26	5	7	31
IV	84	58	61	71	4.1	5.0	4.4	13	4	29	29		9		7	4	0	1	0	0	2	7	2	0	1	0	0	0	10	0	23	4	7	30
V	78	60	62	70	5.3	6.0	5.5	88	25	19	12		0		15	13	2	1	0	0	14	7	7	2	0	0	0	0	12	3	21	4	14	7
VI	71	49	49	61	4.0	5.8	5.2	46	26	16	1		0		11	8	1	2	0	0	11	0	0	2	0	0	0	0	5	1	25	3	6	0
VII	81	48	48	65	3.6	4.1	3.7	39	19	24	0		0		10	5	1	0	0	0	10	0	0	2	0	0	0	6	5	2	27	10	6	0
VIII	91	53	57	73	4.5	4.1	4.4	44	27	7	0		0		8	5	1	0	0	0	8	0	0	2	0	0	0	2	12	1	27	7	8	0
IX	95	66	78	83	6.2	5.7	5.1	81	21	3	2		0		15	11	3	0	0	0	15	0	0	10	0	0	0	0	12	5	20	3	16	0
X	89	70	81	81	5.3	5.0	6.0	71	21	21	17		1		13	11	2	0	0	0	11	4	2	3	0	0	0	0	10	2	22	1	14	6
XI	86	83	82	84	5.3	6.0	5.5	42	10	6	26		6		9	6	0	4	0	0	6	6	2	4	0	0	0	0	9	5	15	2	15	7
XII	88	87	88	87	5.1	5.0	4.7	52	14	29	31		25		14	9	2	1	0	0	2	14	2	1	0	0	0	0	19	5	17	6	12	29
1955	86	66	70	77	4.8	5.1	4.9	539	27		205		101		125	88	12	12	0	0	83	60	17	28	1	0	0	8	135	31	262	52	128	169

Kise på Hedmark

H_s = 128 H_b = h_t = 2.0 h_a = h_d = h_r = 1.3

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	85	86	87	5.1	5.5	5.3	20	8	30	31	22	12	0	8	7	0	2	0	0	4	7	4	0	0	0	0	0	12	13	15	1	11	31
II	86	78	92	83	4.6	3.7	5.1	30	8	19	25	22	19	0	13	8	0	0	0	0	6	10	2	4	0	0	0	0	12	3	19	5	10	28
III	82	70	66	73	4.3	4.0	3.9	4	3	5	31	11	13	0	3	1	0	1	1	0	0	3	0	0	0	0	0	0	6	4	26	6	5	26
IV	88	72	67	77	3.8	3.8	4.6	14	6	29	25	0	1	0	8	4	0	0	0	0	2	7	1	1	0	0	0	0	9	4	23	5	6	13
V	83	61	58	70	4.5	4.4	3.8	62	18	19	6	0	0	0	14	10	3	0	0	0	13	2	1	8	0	0	0	0	10	3	25	5	7	0
VI	80	56	53	67	3.3	4.1	3.7	22	8	15	0	0	0	0	7	4	0	0	0	0	7	0	0	1	0	0	0	0	5	1	28	6	4	0
VII	81	60	52	67	3.3	3.5	2.8	22	12	24	0	0	0	19	6	3	1	0	0	0	6	0	0	3	0	0	0	2	2	0	30	12	3	0
VIII	88	68	60	74	4.7	4.5	4.5	31	20	7	0	0	0	4	7	4	1	0	0	0	7	0	0	2	0	0	0	0	3	0	28	4	4	0
IX	90	72	77	82	6.1	5.3	5.3	60	23	3	0	0	0	0	15	7	2	0	0	0	15	0	0	3	0	0	0	0	1	3	24	1	13	0
X	84	72	78	79	5.1	5.5	5.2	50	10	6	14	0	0	0	13	9	1	0	0	0	12	2	1	2	0	0	0	0	3	2	18	4	14	6
XI	83	80	82	92	4.6	5.6	5.0	38	12	6	20	2	1	0	8	6	1	0	0	0	7	2	1	4	0	0	0	0	3	3	12	3	13	1
XII	86	84	84	85	5.5	6.1	4.7	37	8	24	31	19	15	0	13	10	0	0	0	0	3	12	2	0	0	0	0	0	6	1	13	4	14	17
1955	85	72	70	77	4.6	4.7	4.5	390	23		183	76	61	23	115	73	9	3	1	0	82	45	12	28	0	0	0	2	72	37	261	56	104	122

Ø. Toten

H_s = 270 H_b = h_t = 1.9 h_a = h_d = 10.7 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.6	5.3	4.7	15	8	30	30	22	12	0	10	4	0	1	0	0	2	9	1	0	0	0	0	0	8	6	12	1	12	28
II					4.7	4.6	5.4	33	11	19	26	21	17	0	11	8	1	0	0	0	3	9	0	2	0	0	0	0	3	7	17	5	9	28
III					4.7	4.3	4.2	8	8	5	31	9	10	0	4	1	0	4	0	0	0	4	0	0	0	0	0	0	3	0	30	4	8	31
IV					4.3	4.7	5.0	16	6	7	24	0	1	0	8	4	0	0	0	0	3	6	1	1	0	0	0	0	6	3	24	0	9	16
V					5.3	4.9	4.5	60	18	19	1	0	0	0	12	7	3	1	0	0	12	4	4	1	0	1	0	0	2	8	25	4	11	0
VI					3.9	4.5	4.3	18	11	16	0	0	0	0	7	3	1	1	0	0	7	0	0	1	0	0	0	0	0	1	27	3	6	0
VII					3.0	3.0	2.4	31	13	3	0	0	0	22	8	4	1	0	0	0	8	0	0	0	0	0	0	1	3	0	28	16	3	0
VIII					4.1	3.8	3.9	29	21	7	0	0	0	11	6	4	1	1	0	0	6	0	0	0	0	0	0	1	4	2	28	6	3	0
IX					5.4	4.9	4.4	67	22	3	0	0	0	0	15	7	2	0	0	0	15	0	0	0	0	1	0	1	6	2	20	4	11	0
X					5.0	5.0	4.9	46	12	6	15	0	0	0	13	9	1	2	1	0	11	3	1	0	0	0	0	0	8	3	20	2	12	7
XI					5.1	5.2	4.8	37	14	6	20	4	1	0	8	6	1	2	2	0	7	3	0	2	0	0	0	0	5	7	15	3	11	9
XII					5.8	5.2	5.4	28	6	24	29	17	18	0	13	9	0	2	0	0	3	12	1	1	0	0	0	0	6	10	15	4	15	17
1955					4.7	4.6	4.5	388	22		176	73	59	33	115	66	11	14	3	0	77	50	8	8	0	2	0	3	54	49	261	52	110	136

Eggemoen

H_s = 195 H_b = h_t = 2.0 h_a = 10.7 h_d = 10.5 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	88	90	90	5.5	5.2	4.3	21	8	31	30	22	17	0	11	7	0	0	0	0	1	10	0	0	0	0	0	0	8	4	12	6	13	31
II	89	80	86	86	4.5	3.9	3.7	33	6	19	26	21	23	0	13	9	0	1	0	0	5	10	1	0	0	0	0	0	6	3	17	10	9	28
III	88	52	59	70	5.0	4.5	4.1	18	14	5	31	5	15	0	9	2	1	4	0	0	1	9	0	0	0	0	0	0	1	2	26	6	7	31
IV	77	51	59	66	4.8	5.8	5.3	31	7	29	27	0	3	0	10	8	0	2	0	0	4	8	2	0	0	0	0	0	6	3	23	2	12	17
V	72	50	52	63	5.6	6.5	5.0	47	13	19	16	0	0	0	15	9	2	1	0	0	15	0	0	0	0	0	0	0	9	3	24	3	13	0
VI	63	41	43	52	3.7	4.8	4.7	37	18	15	7	0	0	2	7	4	2	3	0	0	7	0	0	0	0	0	0	0	3	0	26	5	6	0
VII	64	40	36	50	2.8	3.2	2.5	25	12	2	0	0	0	22	7	4	1	0	0	0	7	0	0	0	0	0	0	0	1	2	28	16	4	0
VIII	83	45	54	66	4.6	4.1	4.6	32	12	7	0	0	0	18	9	6	1	0	0	0	9	0	0	0	0	0	0	2	6	1	28	7	8	0
IX	92	65	76	81	6.0	5.7	5.6	70	23	3	2	0	0	0	17	9	2	0	0	0	17	0	0	1	0	0	0	1	6	2	18	3	17	0
X	91	69	78	81	5.2	5.1	4.6	46	11	7	17	1	4	0	13	8	1	2	0	0	11	3	1	0	0	0	0	0	6	4	17	5	12	5
XI	89	76	84	84	5.4	5.8	4.3	47	13	10	23	4	3	0	10	7	2	3	0	0	8	2	0	0	0	0	0	0	6	8	12	6	12	0
XII	88	85	86	86	5.3	5.4	5.2	47	10	18	31	18	17	0	13	10	1	4	1	0	3	11	1	0	0	0	0	0	11	5	10	4	14	23
1955	82	62	67	73	4.9	5.0	4.5	454	23		210	71	82	42	134	83	13	20	1	0	88	53	5	1	0	0	0	3	69	37	241	73	127	135

1955

Fluberg (Røen)

φ = 60° 47′ N λ = 10° 12′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.2	- 9.9	- 9.9	-10.4	- 6.5	-13.9	8.3	25	-28.0	17	3 1.0	1 1.0	0 -	1 1.0	4 1.0	5 1.4	4 1.0	1 1.0	0 -	14 1.1	26 1.0	2 1.0	32
II			-14.0	-10.5	-10.9	-12.3	- 7.8	-16.2	1.5	3	-29.2	22	4 1.0	5 1.2	2 1.0	10 1.0	9 1.0	3 1.0	3 1.3	0 -	0 -	4 1.2	18 1.2	0 -	26
III			- 8.7	- 1.7	- 2.1	- 5.0	1.3	-10.7	7.0	30	-20.8	22	10 1.7	2 1.5	2 2.0	14 1.1	4 1.0	10 1.1	5 1.2	0 -	2 1.5	8 1.2	23 1.7	0 -	13
IV			- 1.5	4.8	3.9	1.3	7.2	- 3.4	15.0	19	-11.7	2	6 1.5	2 1.5	1 1.0	4 1.0	5 1.2	8 1.2	16 1.5	0 -	2 2.0	9 2.1	14 1.7	0 -	23
V			4.6	10.1	9.1	6.5	12.0	1.2	21.5	30	- 3.4	13	7 2.0	6 1.2	3 2.0	3 1.0	12 1.4	10 1.8	6 1.0	0 -	0 -	10 2.2	15 1.7	2 1.5	19
VI			10.4	17.0	15.6	12.7	19.3	6.6	25.9	4	1.2	9	5 1.2	4 3.0	2 3.0	7 1.3	12 1.2	7 1.1	6 1.2	1 1.0	0 -	4 2.8	20 2.4	3 3.3	19
VII			15.8	24.6	23.4	19.7	26.9	13.1	31.2	10	6.3	19	3 1.0	2 1.5	3 1.7	7 1.4	6 1.3	7 1.3	6 1.5	1 2.0	0 -	7 1.9	26 1.8	8 1.1	17
VIII			13.2	22.6	20.0	17.2	24.5	11.3	28.5	24	7.3	3	2 1.5	2 2.5	2 2.0	7 1.1	14 1.4	13 1.4	4 1.0	0 -	0 -	3 1.3	29 1.5	5 1.2	12
IX			8.2	14.8	12.4	11.0	16.5	7.1	22.3	8	0.6	28	1 1.0	4 1.0	1 1.0	3 1.7	14 1.7	10 1.6	8 1.9	1 3.0	0 -	2 1.5	27 1.4	8 1.9	11
X			1.1	5.1	3.8	2.9	6.7	- 0.1	19.0	9	-10.9	31	2 2.0	2 2.0	0 -	3 1.3	7 1.3	5 2.2	3 2.0	1 3.0	0 -	6 1.5	39 1.8	5 1.2	20
XI			- 2.0	- 0.6	- 1.0	- 1.4	1.4	- 3.5	8.0	20	-14.3	29	3 1.7	0 -	1 1.0	1 1.0	1 1.0	6 1.0	1 1.0	1 1.0	0 -	12 1.0	32 1.8	3 2.7	29
XII			- 9.8	- 9.6	- 9.8	- 9.9	- 6.3	-13.6	1.7	28	-28.0	22	4 1.0	1 1.0	1 5.0	5 1.8	1 1.0	5 1.2	4 1.2	2 1.5	0 -	13 1.2	31 1.4	3 1.0	23
1955			0.6	5.6	4.5	2.7	7.9	- 1.8	31.2		-29.2		50 1.5	31 1.6	13 1.9	65 1.2	89 1.3	89 1.4	66 1.4	8 1.8	4 1.8	92 1.5	300 1.6	39 1.6	244

Gardermoen

φ = 60° 12′ N λ = 11° 5′ E g = 9.820 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	980.8	1007.7	- 6.9	- 4.8	- 6.8	- 6.6	- 3.2	-10.8	8.0	25	-24.2	17	10 1.5	4 2.5	3 1.0	8 1.2	1 1.0	5 2.0	13 1.8	16 2.9	1 3.0	2 1.5	6 2.2	5 2.0	19
II	81.2	08.2	-11.3	- 5.8	- 7.7	- 8.6	- 3.9	-12.6	2.0	1	-25.2	22	12 1.9	15 3.0	7 2.3	11 1.6	1 2.0	1 3.0	4 1.8	3 1.7	0 -	5 1.6	3 1.3	2 1.5	20
III	88.0	14.7	- 6.8	- 0.5	- 1.8	- 3.6	1.6	- 8.6	10.0	15	-19.6	22	13 2.2	20 2.6	4 2.2	5 2.2	0 -	1 2.0	12 2.3	13 2.9	3 3.0	3 1.7	5 3.2	2 2.5	12
IV	90.9	17.4	- 0.9	4.5	4.1	1.8	6.4	- 2.6	15.4	19	-12.1	9	18 2.7	13 2.5	9 2.6	2 1.5	2 1.0	2 2.0	14 2.6	5 2.4	5 2.6	1 1.0	4 2.2	4 2.2	11
V	81.1	06.9	5.1	9.3	9.4	6.9	11.3	2.8	21.6	30	- 2.2	13	19 2.7	12 3.2	5 2.4	10 2.5	0 -	2 4.0	9 3.2	15 3.1	5 2.4	5 3.2	6 2.8	4 2.5	1
VI	88.5	13.8	10.5	16.1	16.2	12.9	18.5	6.9	25.2	5	0.3	13	10 3.4	13 2.8	4 2.5	5 2.2	5 2.0	3 2.3	11 3.2	21 3.2	3 3.3	5 2.2	3 2.0	3 3.7	4
VII	91.4	16.1	16.5	23.5	24.2	19.8	26.2	13.0	30.2	10	7.2	19	9 3.1	20 2.7	5 2.0	6 1.3	3 1.7	4 1.8	9 2.4	7 2.6	3 2.0	6 2.8	6 2.7	8 2.0	7
VIII	92.9	17.8	13.8	21.5	20.9	17.4	23.8	11.7	28.7	1	8.5	3	7 2.6	14 2.1	3 2.0	6 1.7	1 3.0	5 2.2	8 2.1	22 2.8	8 2.4	1 2.0	1 1.0	1 1.0	16
IX	85.3	10.8	8.6	14.3	12.7	11.2	15.7	7.2	21.4	8	0.1	27	5 2.0	7 2.4	1 1.0	2 2.0	4 1.8	7 2.3	15 2.7	15 2.9	8 2.2	3 2.7	2 1.5	7 1.9	14
X	82.1	08.4	2.1	6.5	4.1	3.8	7.5	0.3	17.0	9	-11.6	31	9 2.1	5 3.0	2 2.5	11 2.9	0 -	10 2.6	10 2.9	11 2.8	5 2.2	3 2.0	5 2.6	6 2.3	16
XI	89.2	15.8	- 1.5	1.5	0.8	- 0.1	3.2	- 3.6	8.5	12	-16.0	29	12 3.1	5 3.2	1 4.0	3 2.3	1 2.0	3 2.3	8 1.8	8 2.6	3 1.3	4 3.2	5 2.8	10 1.8	27
XII	73.8	00.7	- 8.1	- 6.2	- 7.7	- 7.5	- 4.5	-10.9	6.2	6	-27.2	21	10 2.4	7 4.1	4 2.2	9 2.4	0 -	3 2.7	5 3.0	11 2.5	1 1.0	4 3.2	3 3.3	6 2.0	30
1955	985.4	1011.5	1.8	6.6	5.7	4.0	8.6	- 0.6	30.2		-27.2		134 2.5	135 2.8	48 2.2	78 2.1	18 1.8	46 2.4	118 2.5	147 2.8	45 2.4	42 2.5	49 2.5	58 2.1	177

Flisa

φ = 60° 37′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.0	- 6.7	- 8.6	- 8.3	- 4.5	-12.4	7.0	25	-28.8	17	0 -	1 2.0	0 -	2 1.0	0 -	11 3.2	4 3.0	0 -	0 -	0 -	3 3.3	0 -	72
II			-13.7	- 7.3	- 9.5	-10.5	- 5.3	-14.9	3.0	1	-29.8	22	3 3.0	1 1.0	1 2.0	1 3.0	6 2.3	2 2.5	3 2.3	0 -	0 -	0 -	1 3.0	4 3.0	63
III			- 8.9	0.2	- 3.0	- 4.2	2.0	-10.5	8.6	15	-19.7	22	6 3.8	6 1.3	0 -	4 1.8	1 2.0	2 2.0	3 3.0	6 2.3	1 4.0	1 3.0	5 2.4	10 2.7	49
IV			- 0.5	4.9	3.1	1.6	7.0	- 3.2	15.8	19	- 8.0	9	14 3.5	3 2.7	0 -	3 1.3	2 3.0	4 2.0	7 1.9	0 -	1 1.0	3 2.3	1 1.0	15 2.3	37
V			5.3	9.7	8.8	6.7	11.6	1.4	22.5	31	- 4.5	13	12 2.3	8 1.9	0 -	4 1.8	6 2.8	12 3.2	6 3.2	1 4.0	1 2.0	3 1.3	4 1.5	5 3.0	31
VI			11.0	16.3	15.6	12.6	18.7	5.6	26.0	4	- 1.7	8	7 3.0	3 2.3	0 -	3 2.0	5 2.4	14 2.5	7 2.3	10 2.8	2 3.0	1 1.0	1 3.0	11 3.3	26
VII			17.1	23.0	22.6	19.0	25.3	11.0	29.5	10	4.6	19	1 2.0	1 1.0	0 -	2 1.5	0 -	4 1.8	8 1.6	12 1.9	1 3.0	2 1.0	4 3.0	8 2.6	50
VIII			13.7	21.7	19.1	16.8	24.1	9.4	27.8	1	2.2	3	3 3.3	5 1.2	1 1.0	4 1.5	2 1.0	5 1.8	8 1.9	6 2.2	1 1.0	0 -	3 1.0	0 -	55
IX			8.0	14.5	11.0	10.6	16.4	6.1	22.4	8	- 1.7	27	5 1.8	1 1.0	0 -	2 1.5	2 1.5	13 2.2	7 2.3	4 3.0	1 2.0	1 4.0	2 2.5	2 2.5	50
X			1.6	6.4	3.4	3.4	7.9	- 0.2	17.0	9	-12.1	30	5 2.4	1 2.0	0 -	0 -	1 2.0	7 2.4	4 2.8	8 2.8	0 -	1 2.0	4 2.5	8 2.0	54
XI			- 2.2	0.4	- 0.3	- 1.1	2.4	- 4.4	8.8	12	-17.3	29	8 3.9	0 -	0 -	0 -	2 2.0	4 2.0	2 1.5	6 2.4	1 3.0	6 2.2	3 2.0	4 3.5	54
XII			- 9.3	- 7.7	- 8.9	- 8.7	- 5.3	-12.3	6.5	6	-29.5	23	11 3.1	0 -	3 2.0	3 1.3	1 2.0	6 3.3	4 2.5	3 1.7	1 1.0	5 1.8	2 2.0	3 3.7	51
1955			1.1	6.3	4.4	3.2	8.4	- 2.0	29.5		-29.8		75 3.0	30 1.7	5 1.8	28 1.6	28 2.3	84 2.5	63 2.3	56 2.4	10 2.3	23 1.9	33 2.3	70 2.7	590

Vinger

φ = 60° 13′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.6	- 5.9	- 7.6	- 7.2	- 4.2	-11.1	6.1	25	-24.0	13	2 2.5	5 1.2	5 1.2	7 1.4	3 1.0	11 2.4	10 1.8	7 2.1	7 1.6	1 3.0	11 1.6	8 1.6	16
II			-12.7	- 7.5	- 8.4	- 9.8	- 5.7	-13.7	1.8	2	-26.4	22	0 -	2 1.5	3 3.3	0 -	1 3.0	2 2.5	3 1.7	1 1.0	1 2.0	2 1.0	13 2.2	6 2.8	50
III			- 6.5	0.1	- 2.2	- 3.6	1.6	- 8.9	9.4	15	-19.0	21	1 6.0	4 3.0	4 2.2	0 -	2 1.0	1 4.0	4 1.2	5 2.6	3 3.0	9 1.7	14 2.2	12 2.8	34
IV			0.9	5.2	3.4	2.0	6.4	- 3.0	15.0	29	-11.8	9	2 5.5	5 2.4	8 1.6	11 2.5	2 2.5	3 2.7	6 3.8	1 2.0	5 3.0	4 3.5	16 2.4	15 3.4	12
V			6.6	9.6	8.7	6.8	11.0	2.1	21.9	31	- 3.2	13	2 3.0	10 2.3	4 2.0	10 2.5	5 3.2	6 2.7	11 2.5	8 2.8	5 1.8	5 2.8	12 2.7	11 2.0	4
VI			12.6	16.5	15.4	12.7	18.3	6.0	25.3	5	- 0.4	8	4 4.0	1 4.0	2 1.5	9 1.8	8 3.0	3 3.7	14 2.6	7 2.1	8 3.6	2 4.5	8 2.5	12 4.2	12
VII			19.4	24.1	23.3	19.7	26.2	11.6	30.2	14	5.6	19	8 1.8	4 1.8	6 2.2	6 2.0	5 2.8	7 1.6	7 2.4	5 3.6	5 2.2	17 3.1	9 1.8	9 3.1	5
VIII			16.4	22.1	19.9	17.6	23.6	10.9	28.6	1	6.6	23	2 3.0	7 1.0	5 2.0	9 1.8	3 3.3	1 3.0	7 2.0	6 2.8	12 2.4	10 2.2	11 1.7	9 2.3	11
IX			9.9	14.8	11.1	11.1	15.5	6.7	21.0	7	- 0.9	23	3 2.7	2 2.0	4 2.8	9 1.8	2 2.0	1 3.0	13 2.7	3 1.7	10 3.1	5 3.2	13 1.8	15 2.2	10
X			3.0	6.7	4.1	4.2	7.5	0.8	17.2	9	- 9.7	31	5 2.0	1 3.0	4 1.0	2 3.0	6 2.3	8 2.2	5 2.0	2 1.5	9 2.0	7 1.9	10 2.6	16 1.5	18
XI			- 1.2	1.4	0.6	0.1	3.1	- 2.9	9.1	12	-15.8	29	1 6.0	3 1.0	1 1.0	3 1.0	4 2.5	0 -	5 1.4	2 2.5	0 -	12 1.8	14 1.6	18 2.1	27
XII			- 8.2	- 6.7	- 8.0	- 7.7	- 4.9	-10.8	5.1	28	-27.7	23	6 3.7	11 3.4	2 2.0	0 -	2 1.5	6 2.7	5 2.8	2 1.5	1 3.0	8 1.5	17 1.4	12 1.8	27
1955			2.7	6.7	5.0	3.8	8.2	- 1.0	30.2		-27.7		36 3.1	55 2.2	48 1.9	66 2.0	43 2.6	49 2.5	90 2.4	49 2.4	66 2.5	82 2.4	148 2.0	143 2.5	220

Hvam

φ = 60° 6′ N λ = 11° 24′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.6	- 5.9	- 7.4	- 7.2	- 3.6	-11.5	5.6	25	-26.1	16	9 1.1	6 1.2	15 1.0	2 1.0	7 1.0	3 2.7	15 1.3	18 1.3	1 1.0	4 1.2	5 1.0	6 1.2	2
II			-13.1	- 5.8	- 8.0	- 9.4	- 4.2	-14.5	2.0	1	-30.3	22	3 1.0	36 1.4	11 1.3	1 1.0	3 1.0	1 1.0	8 1.0	6 1.0	2 1.0	2 1.0	3 1.0	7 1.0	1
III			- 5.9	0.9	- 2.1	- 3.2	2.0	- 9.0	9.0	15	-19.4	22	11 1.3	14 1.9	9 1.4	0 -	1 1.0	1 1.0	13 1.8	15 1.8	2 1.5	5 1.0	6 1.7	16 1.3	0
IV			0.8	5.7	3.9	2.2	7.2	- 3.2	16.2	19	-13.5	9	6 1.5	18 1.6	3 1.3	0 -	2 1.0	5 1.2	7 1.4	11 1.4	5 1.4	2 1.0	6 1.2	17 2.2	2
V			6.7	9.9	9.2	7.0	11.6	2.1	22.3	30	- 3.6	13	3 1.7	17 1.4	11 1.5	1 1.0	5 1.2	7 1.6	16 2.1	9 1.7	4 2.0	2 1.5	9 2.0	9 1.8	0
VI			12.5	17.3	15.5	12.8	18.7	5.6	25.3	5	- 2.0	9	4 2.8	11 1.7	10 1.5	6 1.3	1 1.0	2 1.5	27 1.9	10 2.9	5 1.6	1 3.0	5 2.0	8 2.6	0
VII			18.9	24.2	22.9	19.4	25.9	11.0	30.7	10	5.9	20	3 1.7	19 1.4	7 1.6	5 1.2	1 1.0	3 1.1	8 1.6	15 1.9	6 2.0	4 2.2	7 1.1	8 1.5	2
VIII			15.7	22.4	19.9	17.3	23.5	10.3	27.6	1	4.8	23	3 1.7	16 1.5	10 1.7	3 1.0	3 1.0	11 1.2	11 1.7	20 2.0	5 1.4	5 1.4	1 1.0	5 1.2	0
IX			9.6	15.3	12.0	11.2	16.1	6.4	21.0	1	- 3.1	28	1 1.0	11 1.3	7 1.0	3 1.0	3 1.0	4 1.5	23 1.6	17 1.8	12 1.5	1 1.0	5 1.2	3 2.3	0
X			1.6	7.2	3.8	3.7	7.9	- 0.2	17.6	9	-13.6	31	6 1.0	9 1.7	7 1.7	1 2.0	1 3.0	7 1.4	18 1.9	18 1.9	4 1.0	3 1.3	8 1.9	11 1.6	0
XI			- 2.2	1.5	0.5	- 0.4	3.0	- 3.9	8.9	12	-17.6	29	12 1.2	25 1.4	5 1.0	4 1.2	1 1.0	3 1.0	13 1.2	9 1.9	3 2.3	3 1.3	5 1.4	7 1.7	0
XII			- 8.2	- 6.1	- 7.6	- 7.5	- 4.3	-11.2	7.0	6	-27.4	22	7 1.4	35 1.9	5 1.0	1 1.0	3 1.0	3 2.0	7 2.0	10 1.5	2 1.5	3 1.3	2 1.5	10 1.2	5
1955			2.4	7.2	5.2	3.8	8.6	- 1.5	30.7		-30.3		68 1.4	217 1.5	106 1.3	27 1.2	31 1.1	55 1.4	166 1.7	158 1.8	51 1.6	35 1.4	62 1.5	107 1.6	12

1955

Fluberg (Røen)

H_s = 160 H_b = h_t = 2.0 h_a = h_d = h_r = 1.9

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Lufttemperatur T				Nedbør R			Vindstyrke F			Antall dager n													
	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ?	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær ℞	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ▣
I	95	94	95	95	4.9	5.3	5.5	21	9	30	30	25	19	0	12	4	0	0	0	0	1	9	0	0	0	0	0	0	22	7	14	2	11	31
II	93	90	91	92	4.6	4.3	4.4	24	8	9	27	23	23	0	13	9	0	0	0	0	4	12	1	2	0	0	0	0	10	4	19	5	9	28
III	86	70	65	74	4.5	4.0	4.5	2	1	5	31	9	15	0	7	1	0	0	0	0	1	6	0	0	0	0	0	0	11	1	27	2	8	31
IV	86	64	65	74	5.0	4.7	5.0	18	7	29	25	0	3	0	11	6	0	1	0	0	5	7	0	0	2	0	0	0	11	1	24	1	8	18
V	81	58	57	70	5.5	5.5	4.9	61	14	19	7	0	0	0	12	10	2	0	0	0	12	1	1	0	0	0	0	0	13	1	25	3	11	0
VI	75	54	54	66	3.8	4.8	4.7	38	21	15	0	0	0	1	7	7	1	2	0	0	7	0	0	1	0	0	0	0	8	0	28	1	6	0
VII	81	53	51	66	3.3	3.9	2.7	26	10	3	0	0	0	22	9	5	0	0	0	0	9	0	0	0	0	0	0	2	7	0	31	13	3	0
VIII	88	59	61	74	5.1	5.0	4.8	32	25	7	0	0	0	13	7	3	1	0	0	0	7	0	0	0	0	0	0	2	20	0	29	6	11	0
IX	94	73	77	83	6.0	5.2	4.5	80	30	3	0	0	0	0	18	9	2	0	0	0	18	0	0	1	0	0	0	1	10	0	23	3	11	0
X	91*	75*	81*	84*	5.5	5.5	5.5	62	16	7	14	2	1	0	13	9	2	2	1	1	11	4	1	1	0	0	0	0	9	1	21	2	13	6*
XI	89*	82*	84*	86*	4.9	5.2	5.3	38	11	6	23	9	2	0	9	6	1	3	0	0	7	4	2	4	0	0	0	0	8	7	18	5	12	11*
XII	90	91	90	90	4.9	4.6	4.3	52	11	18	31	25	19	0	12	11	1	2	0	0	1	12	1	0	0	0	0	0	8	6	16	8	10	20*
1955	87	72	73	80	4.8	4.8	4.7	454	30		188	93	82	36	130	80	10	10	1	1	83	55	6	9	2	0	0	5	137	31	275	52	113	145

Gardermoen

H_s = 202 H_b = 211.5 h_t = 1.9 h_a = 11.6 h_d = 11.2 h_r = 1.7

I	91	87	90	90	5.3	5.4	5.8	27	7	11	29	22	16	0	9	6	0	1	0	0	3	7	1	3	0	0	0	0	12	8	15	2	15	31
II	88	78	79	82	4.2	4.1	4.4	38	9	5	26	22	19	0	11	9	0	0	0	0	4	10	2	4	0	0	0	0	2	8	23	9	9	28
III	79	63	60	68	5.1	4.8	4.2	3	2	26	31	9	10	0	4	2	0	1	0	0	0	4	0	0	0	0	0	0	4	3	28	4	7	31
IV	81	59	60	69	4.5	5.4	4.9	33	8	29	23	0	1	0	10	8	0	1	0	0	6	8	3	4	0	0	0	0	6	4	23	0	9	16
V	79	57	57	68	6.0	6.0	5.2	88	31	3	4	0	0	0	13	8	3	1	0	0	13	0	0	5	0	0	0	0	5	4	24	3	14	0
VI	72	48	45	59	3.7	4.3	4.7	30	15	16	0	0	0	1	8	6	1	1	0	0	8	0	0	4	0	0	0	0	4	0	28	2	4	0
VII	72	45	39	55	2.8	3.0	2.9	24	12	2	0	0	0	23	5	4	1	0	0	0	5	0	0	2	0	0	0	1	0	3	31	13	3	0
VIII	87	51	52	68	4.6	3.8	4.1	24	9	7	0	0	0	12	8	5	0	0	0	0	8	0	0	1	0	0	0	2	5	3	30	5	4	0
IX	93	66	74	80	6.2	5.3	5.1	79	21	3	0	0	0	0	15	10	3	0	0	0	15	0	0	5	0	1	0	2	4	5	22	2	12	0
X	89	74	82	83	4.9	5.4	5.4	86	34	21	14	2	1	0	12	9	3	1	0	0	10	4	0	4	0	0	0	0	6	5	23	3	12	8
XI	85	82	81	83	4.6	5.4	4.7	60	15	6	25	1	3	0	10	9	2	2	2	0	9	3	0	9	0	0	0	0	2	9	20	5	10	11
XII	86	85	86	86	5.2	5.5	5.3	39	9	27	30	20	16	0	10	8	0	2	0	0	3	10	1	2	0	0	0	0	5	12	17	2	11	20
1955	84	66	67	74	4.8	4.9	4.7	531	34		182	76	66	36	115	84	13	10	2	0	84	46	7	43	0	1	0	5	55	64	284	50	110	145

Flisa

H_s = 183 H_b = h_t = 1.9 h_a = h_d = 8 h_r = 1.5

I	90	86	90	90	5.0	5.6	5.1	20	6	30	28	22	18	0	10	6	0	1	0	0	2	8	0	1	0	0	0	0	6	3	8	5	12	31
II	88	77	83	84	4.8	4.2	3.7	29	9	5	24	22	22	0	11	7	0	0	0	0	4	9	1	3	0	0	0	0	4	2	16	7	8	28
III	83	59	60	69	4.7	4.4	3.3	1	0.3	14	31	8	14	0	5	0	0	0	0	0	0	5	0	0	0	0	0	0	1	2	23	5	6	31
IV	80	57	58	68	4.2	5.1	4.8	13	4	7	24	0	0	0	7	3	0	0	0	0	3	6	2	1	0	0	0	0	6	2	21	1	9	13
V	78	56	57	68	5.7	5.9	5.1	55	16	19	9	0	0	0	12	11	2	1	0	0	14	1	1	3	0	1	0	0	8	0	23	4	11	0
VI	73	48	50	62	4.1	5.1	4.8	56	27	27	3	0	0	3	9	5	2	2	0	0	9	0	0	1	0	0	0	0	4	1	25	0	5	0
VII	72	50	49	61	2.4	3.7	2.9	22	13	24	0	0	0	21	7	4	1	0	0	0	7	0	0	1	0	0	0	2	3	0	29	12	0	0
VIII	87	52	61	73	4.5	3.9	4.1	26	14	7	0	0	0	15	6	5	1	0	0	0	6	0	0	0	0	0	0	1	8	0	26	6	7	0
IX	95	65	82	85	6.0	4.9	5.0	79	25	3	3	0	0	0	14	9	3	0	0	0	14	0	0	1	0	0	0	2	6	3	17	2	12	0
X	90	71	85	84	4.7	4.7	4.5	42	14	21	17	2	1	0	9	8	1	0	0	0	8	2	1	2	0	0	0	0	8	4	16	5	9	0
XI	87	80	84	84	4.9	5.4	4.8	49	17	6	24	3	4	0	9	8	2	3	1	0	8	3	1	4	0	0	0	0	7	4	12	2	11	4
XII	89	85	85	86	5.1	5.4	4.2	29	7	18	29	18	16	0	11	7	0	2	1	0	3	9	0	1	0	0	0	0	8	1	12	5	11	17
1955	84	66	70	76	4.7	4.9	4.4	421	27		192	75	75	39	112	73	12	9	2	0	78	43	6	18	0	1	0	5	69	22	228	54	101	124

Vinger

H_s = 175 H_b = h_t = 2.0 h_a = h_d = 10 h_r = 1.6

I	89	87	89	89	6.1	5.4	5.7	17	5	30	28	22	14	0	9	5	0	2	0	0	3	6	0	0	0	0	0	0	14	2	16	1	18	31
II	86	80	84	84	4.6	4.1	4.3	25	8	5	24	22	20	0	12	7	0	0	0	0	6	9	1	3	0	0	0	0	20	6	21	6	9	20
III	78	58	60	67	4.7	4.2	3.5	4	2	26	31	10	13	0	5	2	0	3	0	0	0	5	0	0	0	0	0	0	7	2	26	6	7	31
IV	74	57	59	67	3.5	4.8	4.8	16	6	29	24	0	1	0	7	6	0	4	0	0	4	4	1	2	0	1	0	0	7	2	23	4	10	8
V	73	60	61	69	5.5	5.5	5.5	74	18	19	9	0	0	0	21	11	2	2	0	0	20	2	1	4	0	2	0	0	8	0	25	4	13	1
VI	65	51	49	59	3.8	4.6	4.7	52	27	16	2	0	0	1	9	7	2	3	0	0	9	0	0	1	0	0	0	1	4	0	29	6	6	0
VII	63	46	46	56	1.9	2.3	2.3	13	5	11	0	0	0	20	8	3	0	7	0	0	8	0	0	0	0	0	0	2	4	0	31	16	3	0
VIII	76	52	57	67	3.9	3.9	3.6	23	10	19	0	0	0	11	7	2	1	1	0	0	7	0	0	0	0	0	0	1	7	0	29	7	5	0
IX	89	65	79	82	6.2	4.8	3.8	86	27	3	1	0	0	0	15	9	4	1	0	0	15	0	0	0	0	1	0	2	9	4	27	2	8	0
X	88	71	82	82	4.6	5.1	5.2	74	26	21	16	1	0	0	16	13	2	1	0	0	14	5	2	2	0	0	0	0	11	4	24	6	11	0
XI	84	78	80	81	4.8	5.6	4.7	44	14	6	22	1	2	0	9	7	1	1	0	0	9	2	1	3	0	0	0	0	8	6	11	5	12	3
XII	87	85	85	86	5.6	5.2	4.0	36	8	18	29	18	14	0	17	10	0	2	0	0	8	11	1	1	0	0	0	0	15	2	13	5	10	16
1955	79	66	69	74	4.6	4.6	4.3	466	27		186	74	64	32	135	82	12	27	0	0	103	44	7	16	0	4	0	6	114	28	275	68	112	110

Hvam

H_s = 162 H_b = h_t = 2.0 h_a = h_d = 10.0 h_r = 2.0

I	95	93	94	94	6.0	5.1	5.9	23	6	10	29	22	14	0	11	7	0	0	0	0	3	9	1	0	0	0	0	0	14	10	17	3	18	30
II	91	83	86	88	4.8	4.3	4.8	31	10	5	24	21	20	0	13	9	1	0	0	0	3	11	0	1	0	0	0	0	11	7	17	7	8	25
III	84	62	65	73	4.5	4.0	3.8	5	2	26	31	7	12	0	4	3	0	0	0	0	0	4	0	0	0	2	0	0	8	2	26	6	8	29
IV	80	62	65	73	3.8	4.7	4.9	28	9	7	23	0	1	0	11	7	0	1	0	0	6	8	2	0	0	0	0	0	7	4	24	2	8	7
V	78	64	65	74	5.4	5.9	5.0	75	12	19	6	0	0	0	21	15	2	0	0	0	20	1	0	0	0	3	2	0	11	1	27	4	12	0
VI	68	52	53	64	3.2	4.0	4.0	30	10	16	3	0	0	2	9	4	0	2	0	0	9	0	0	1	0	0	0	1	6	0	30	4	4	0
VII	69	50	50	62	2.3	2.5	2.5	16	11	2	0	0	0	22	6	3	1	0	0	0	6	0	0	0	0	0	0	2	3	0	31	15	0	0
VIII	83	55	62	73	4.4	3.6	3.8	20	9	19	0	0	0	10	9	3	0	0	0	0	9	0	0	1	0	0	0	2	6	2	31	5	4	0
IX	95	68	81	85	5.6	4.8	5.2	88	30	3	2	0	0	0	16	11	3	0	0	0	16	0	0	2	0	0	0	1	11	3	25	3	11	0
X	94	76	87	87	5.2	4.7	5.1	66	22	21	15	2	3	0	14	12	2	0	0	0	13	4	2	0	0	2	0	0	7	5	23	5	11	7
XI	89	83	84	86	5.0	5.2	5.0	53	14	12	23	2	3	0	10	8	2	2	0	0	8	3	0	4	0	0	0	0	11	4	15	5	12	7
XII	91	88	89	90	5.8	5.5	4.9	28	8	29	28	17	14	0	15	8	0	2	1	0	4	14	1	0	0	0	0	0	17	3	17	2	10	14
1955	85	70	73	79	4.7	4.5	4.6	463	30		184	71	67	34	139	90	11	7	1	0	97	54	6	9	0	7	2	6	112	41	283	61	106	119

1955

Skotterud

φ = 59° 59′ N λ = 12° 8′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 7.1	- 5.2	- 7.1	- 6.7	- 3.2	-11.2	7.5	25	-22.9	15	8	1.0	8	1.0	1	1.0	3	1.0	0	-	7	1.3	5	1.0	5	1.8	0	-	11	1.5	8	1.5	5	3.0	32
II			-11.8	- 4.9	- 7.0	- 8.2	- 2.9	-13.5	3.0	1	-26.3	22	13	1.5	16	2.0	0	-	13	2.4	0	-	0	-	3	1.0	3	1.7	0	-	1	1.0	11	1.5	1	1.0	23
III			- 7.4	0.3	- 1.1	- 3.2	2.6	- 9.0	8.0	30	-19.3	22	18	1.7	15	1.9	1	3.0	13	1.9	0	-	3	1.3	2	3.0	1	1.0	0	-	4	2.5	15	2.1	5	2.2	16
IV			- 0.6	5.8	4.5	2.3	8.1	- 3.5	17.0	19	-16.9	2	16	2.1	18	1.8	1	2.0	11	1.2	0	-	3	1.0	3	1.7	2	1.0	0	-	5	2.8	7	1.6	2	1.5	22
V			5.8	9.6	9.5	7.2	12.0	2.3	23.5	30	- 4.2	13	3	1.0	21	1.1	0	-	12	1.8	1	4.0	4	1.5	4	1.0	13	2.5	0	-	6	4.5	9	1.2	1	1.0	19
VI			11.3	16.8	15.9	12.9	19.4	5.2	27.0	4	- 0.8	8	6	2.0	5	2.2	0	-	3	1.7	1	3.0	4	3.5	7	1.6	17	2.5	0	-	8	2.2	8	2.4	2	1.0	29
VII			17.6	24.8	23.5	19.8	27.3	10.2	32.0	10	2.7	25	4	1.0	15	1.7	0	-	2	1.0	0	-	3	1.3	7	1.1	21	1.6	1	4.0	11	1.4	4	1.2	0	-	25
VIII			13.5	22.9	21.2	17.7	25.4	9.8	30.5	1	5.3	23	2	1.0	15	1.7	0	-	0	-	0	-	3	2.3	5	1.0	18	1.6	0	-	10	1.2	1	1.0	2	1.0	37
IX			8.7	13.5	12.6	11.6	17.1	6.1	23.5	7	- 1.3	27	2	1.0	7	1.4	0	-	4	1.0	1	4.0	2	1.5	10	1.9	10	1.5	0	-	11	2.0	13	1.5	1	3.0	29
X			1.8	7.4	4.1	4.0	8.9	0.3	18.5	9	-12.9	31	9	1.4	7	1.0	0	-	7	2.6	2	4.0	0	-	3	2.3	7	2.0	0	-	10	2.3	15	1.5	1	1.0	32
XI			- 2.0	1.5	0.6	- 0.2	3.5	- 3.9	9.5	12	-20.4	29	13	1.0	11	1.7	0	-	12	1.0	0	-	0	-	3	1.0	2	1.5	0	-	12	1.8	11	2.3	0	-	26
XII			- 7.8	- 6.1	- 7.4	- 7.3	- 4.2	-11.3	6.0	28	-25.5	21	6	1.2	22	1.9	0	-	8	1.0	0	-	2	2.0	1	1.0	2	2.5	0	-	8	1.0	16	1.4	1	1.0	27
1955			1.8	7.4	5.8	4.2	9.5	- 1.5	32.0		-26.3		100	1.5	160	1.7	3	2.0	88	1.6	5	3.8	31	1.7	53	1.5	101	1.9	1	4.0	97	1.8	118	1.7	21	1.9	317

Tryvasshøgda

φ = 59° 59′ N λ = 10° 41′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 5.3	- 4.3	- 5.2	- 5.0	- 3.0	- 7.3	7.0	25	-13.6	4	19	2.5	9	2.2	5	3.0	4	3.2	1	5.0	5	3.4	3	3.0	16	3.1	8	3.1	4	2.2	8	2.4	11	2.4	0
II			- 1.8	- 5.2	- 7.0	- 6.9	- 4.3	- 9.0	0.8	26	-16.6	18	22	2.7	24	3.4	3	4.7	4	4.0	0	-	0	-	3	2.3	4	2.2	2	3.5	3	3.0	4	2.0	15	2.1	0
III			- 5.6	- 1.5	- 3.7	- 3.9	0.3	- 6.9	8.0	15	-13.1	18	15	3.3	18	3.2	2	3.5	1	3.0	0	-	2	2.0	6	2.7	14	2.6	5	2.8	6	2.7	3	3.0	21	2.8	0
IV			- 1.4	2.5	1.3	0.3	4.4	- 2.8	13.0	19	- 8.8	8	20	3.3	16	2.3	3	3.7	7	2.4	2	2.5	5	2.8	11	2.4	5	2.2	1	3.0	4	2.5	1	2.0	12	3.2	3
V			3.6	7.1	6.1	4.8	9.6	1.6	21.0	30	- 3.0	13	22	2.5	9	1.9	9	2.2	10	3.2	2	1.5	6	2.3	20	3.3	10	2.7	1	2.0	2	2.5	0	-	2	3.5	0
VI			9.2	14.8	11.9	10.9	16.4	6.6	24.0	4	1.0	8	6	3.7	20	2.4	3	2.0	3	2.0	1	2.0	18	2.6	23	3.0	5	2.0	4	2.0	3	2.3	1	2.0	2	2.5	1
VII			15.9	22.1	20.3	18.2	24.3	13.5	28.5	10	7.0	18	14	2.4	12	2.9	2	2.0	3	1.7	2	2.5	14	2.9	13	2.6	18	2.2	1	2.0	2	2.5	4	2.0	8	2.1	0
VIII			14.4	20.1	17.2	16.4	22.2	12.9	26.7	1	7.6	7	5	3.8	15	2.1	8	2.4	8	1.9	0	-	23	2.7	17	2.5	8	1.8	2	1.5	0	-	0	-	4	3.0	3
IX			8.4	12.1	10.1	9.8	13.9	7.5	20.2	1	2.9	19	4	2.5	14	2.5	4	3.2	9	3.0	5	2.2	7	2.9	13	2.8	16	2.4	3	2.0	4	3.0	3	2.0	6	2.3	2
X			1.8	5.1	3.1	3.1	6.2	0.8	15.6	9	- 7.0	31	9	1.9	12	2.9	7	2.7	2	3.5	2	2.0	7	3.3	17	2.8	8	2.2	3	2.0	6	2.7	5	2.8	14	2.6	1
XI			- 0.6	1.4	0.6	0.3	3.1	- 1.9	6.6	12	-13.0	22	12	3.4	17	1.9	5	1.6	5	1.8	1	3.0	0	-	7	2.7	10	2.8	5	2.4	3	2.3	2	3.0	23	2.8	0
XII			- 5.9	- 4.6	- 5.9	- 5.6	- 3.7	- 7.7	7.1	6	-16.6	18	27	2.1	16	4.4	4	2.8	1	4.0	1	3.0	9	2.2	6	3.2	7	2.7	0	-	6	2.7	6	3.0	5	2.6	5
1955			2.2	5.8	4.1	3.5	7.4	0.6	28.5		-16.6		175	2.7	182	2.8	55	2.7	57	2.7	17	2.4	36	2.7	139	2.8	121	2.5	35	2.5	43	2.6	37	2.5	123	2.6	15

Oslo (Blindern)

φ = 59° 56′ N λ = 10° 44′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I	995.4	1007.6	- 4.8	- 3.2	- 4.7	- 4.4	- 1.6	- 7.5	8.8	25	-17.2	17	11	1.2	21	1.5	1	1.0	5	1.2	2	1.0	2	3.0	8	2.4	6	1.2	3	1.0	7	1.4	0	-	2	1.0	25
II	95.4	07.7	- 8.1	- 3.5	- 5.5	- 6.0	- 2.1	- 9.2	2.4	2	-18.0	21	9	1.6	28	2.7	0	-	2	1.0	1	1.0	1	1.0	6	1.0	1	1.0	0	-	2	1.0	1	1.0	1	4.0	32
III	1002.4	14.5	- 3.6	0.9	- 0.2	- 1.6	3.3	- 5.3	11.1	30	-13.0	22	19	2.3	16	2.9	2	4.0	2	2.5	0	-	2	1.5	11	1.9	9	1.3	5	1.4	9	1.7	6	1.7	2	3.0	11
IV	05.2	17.2	1.7	6.0	5.2	3.2	7.9	- 1.0	16.9	19	- 8.1	9	10	3.6	20	2.6	1	2.0	4	2.0	1	1.0	4	1.0	18	1.6	7	1.3	8	1.4	4	2.8	1	2.0	7	2.7	5
V	995.0	06.6	7.6	10.4	10.2	9.2	12.6	4.2	23.3	30	- 1.2	13	12	3.1	19	2.4	6	2.8	4	1.8	1	1.0	2	1.5	26	2.3	10	2.3	3	2.7	4	3.0	1	3.0	2	2.5	3
VI	1002.1	13.5	13.2	17.5	16.5	13.9	19.6	8.4	27.2	4	2.5	17	6	3.0	14	2.1	3	3.7	5	1.8	2	1.5	0	-	35	2.2	10	2.2	5	2.2	5	1.6	1	2.0	2	4.0	2
VII	04.7	15.9	20.0	25.2	24.8	21.3	27.4	14.9	32.8	10	9.0	18	2	4.0	15	2.2	7	2.3	5	2.0	2	2.0	3	1.0	27	1.9	10	1.5	4	1.8	9	1.9	2	3.5	2	1.5	5
VIII	06.3	17.6	17.5	23.0	21.3	19.1	24.8	13.9	29.0	24	10.6	23	7	3.3	10	2.5	4	2.2	4	1.5	0	-	5	1.6	34	1.9	14	1.8	1	1.0	3	1.7	1	1.0	1	1.0	9
IX	999.0	10.4	11.1	15.8	13.4	12.5	17.0	9.2	23.2	1	3.2	27	5	1.8	11	2.9	3	1.7	4	1.5	1	1.0	3	2.0	25	2.2	15	1.9	3	1.0	10	2.0	2	1.0	1	1.0	7
X	96.2	07.9	4.1	8.1	5.8	5.6	8.9	2.9	19.7	9	- 7.0	31	11	2.1	22	2.3	2	4.0	2	1.5	0	-	2	2.0	13	2.4	12	1.8	5	1.4	6	2.2	1	4.0	3	2.3	14
XI	1003.6	15.6	0.0	2.5	1.8	1.1	4.2	- 1.3	9.2	12	-10.7	29	7	3.1	27	1.7	4	1.0	3	1.0	0	-	0	-	6	1.7	0	-	0	-	8	2.1	1	4.0	3	2.7	31
XII	988.0	00.1	- 5.7	- 3.9	- 5.6	- 5.3	- 2.5	- 8.1	8.4	6	-20.0	21	5	2.0	35	2.5	1	1.0	2	2.0	0	-	0	-	7	1.7	2	2.0	1	1.0	9	2.2	0	-	4	1.5	27
1955	999.4	1011.2	4.4	8.2	6.9	5.6	10.0	1.8	32.8		-20.0		103	2.5	238	2.3	34	2.4	42	1.6	10	1.3	24	1.5	216	2.0	96	1.7	38	1.6	76	2.0	17	2.1	30	2.3	171

Fornebu

φ = 59° 54′ N λ = 10° 38′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I	1004.7	1007.6	- 5.0	- 3.3	- 4.5	- 4.5	- 1.4	- 7.9	9.7	25	-18.8	17	14	1.5	5	1.2	8	1.9	2	2.0	1	2.0	3	2.3	4	2.0	4	2.0	2	1.0	6	1.5	5	1.2	4	1.5	35
II	04.9	07.8	- 7.5	- 4.0	- 4.9	- 5.8	- 1.5	- 9.4	4.5	2	-18.4	21	7	2.0	11	2.8	9	1.4	10	1.0	3	1.0	0	-	0	-	2	1.5	0	-	4	1.0	3	1.7	6	1.2	29
III	11.6	14.6	- 3.4	1.1	0.8	- 1.0	3.9	- 5.2	12.5	15	-12.6	22	9	2.2	16	2.6	7	2.4	3	2.3	4	1.2	1	4.0	4	1.8	6	2.5	6	1.5	3	1.3	5	3.4	7	2.1	22
IV	14.3	17.2	0.8	6.3	6.1	3.7	8.8	- 0.5	17.4	19	- 7.3	9	8	3.1	12	2.5	5	2.8	6	1.5	4	1.2	1	2.0	14	1.9	7	2.0	5	1.6	0	-	8	2.1	5	1.8	15
V	03.8	06.6	7.2	10.9	11.0	8.8	13.2	5.0	24.0	30	- 0.2	13	8	2.9	5	3.2	15	2.7	7	2.4	3	1.7	6	1.5	13	3.2	14	2.8	2	2.5	9	2.6	4	3.5	0	-	7
VI	10.9	13.7	12.5	17.8	17.5	14.6	20.3	9.2	27.5	4	4.0	9	6	3.3	7	2.7	6	2.7	4	1.5	12	1.7	3	1.7	16	3.2	12	2.7	7	2.4	4	1.8	5	1.8	1	1.0	7
VII	13.2	15.9	19.3	25.0	25.8	21.9	27.8	15.7	32.6	10	11.2	19	3	2.3	5	2.0	6	2.3	12	1.9	2	2.0	7	2.1	15	2.4	17	2.3	6	2.5	5	1.8	3	2.0	6	2.5	6
VIII	14.9	17.7	16.6	22.7	22.4	19.5	24.9	14.7	28.7	24	11.8	8	7	2.6	5	2.0	10	1.8	7	1.6	7	2.0	7	1.5	23	2.6	11	2.5	2	2.0	3	1.3	0	-	0	-	11
IX	07.6	10.4	10.8	16.0	14.8	13.3	18.0	9.8	23.4	7	3.7	27	11	1.8	5	2.8	7	1.9	2	2.0	4	2.0	3	3.3	10	2.4	13	2.5	8	2.5	5	2.2	8	1.6	4	1.2	10
X	05.1	07.9	4.8	8.6	6.7	6.4	10.0	3.6	20.8	9	- 3.9	31	5	2.4	11	2.0	10	2.7	1	1.0	4	2.2	2	4.0	13	2.2	9	2.3	5	2.0	2	2.5	6	2.5	6	2.3	19
XI	12.7	15.6	0.6	2.5	2.2	1.6	4.8	- 0.7	10.5	12	-10.2	29	8	2.6	10	1.6	8	1.4	4	1.2	3	1.3	1	1.0	2	1.5	4	2.5	2	1.5	7	1.9	6	2.3	3	2.3	32
XII	097.3	00.2	- 5.5	- 4.1	- 4.8	- 5.0	- 1.8	- 7.7	9.4	6	-19.1	22	12	1.9	17	2.1	12	2.5	2	1.5	3	1.3	0	-	2	2.0	3	3.3	1	4.0	3	2.3	7	2.7	5	1.8	26
1955	1008.4	1011.3	4.2	8.3	7.8	6.1	10.6	2.2	32.6		-19.1		98	2.3	109	2.3	103	2.2	60	1.7	50	1.7	34	2.1	116	2.5	102	2.5	46	2.1	51	1.9	60	2.2	47	1.9	219

Asker

φ = 59° 51′ N λ = 10° 26′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 4.7	- 3.5	- 4.9	- 4.7	- 1.9	- 8.2	9.4	25	-16.2	13	20	2.0	0	-	0	-	7	1.3	0	-	0	-	2	3.5	0	-	0	-	8	1.2	0	-	1	1.0	55
II			- 7.3	- 4.3	- 5.6	- 6.0	- 2.9	- 9.2	2.6	1	-16.9	22	38	1.8	0	-	0	-	8	1.4	0	-	0	-	0	-	0	-	1	1.0	11	2.0	0	-	0	-	26
III			- 4.1	0.3	- 1.5	- 2.5	2.7	- 6.7	11.3	15	-15.2	22	22	1.5	1	1.0	0	-	10	1.1	0	-	0	-	0	-	0	-	1	1.0	17	1.4	3	2.0	4	2.2	35
IV			1.5	4.9	3.8	2.3	6.6	- 1.7	15.6	19	-11.3	9	21	1.5	0	-	0	-	10	1.2	0	-	0	-	3	1.0	0	-	0	-	15	1.5	1	3.0	4	2.5	36
V			7.0	9.7	9.7	7.6	11.9	3.7	22.4	30	- 0.5	13	19	1.7	1	2.0	1	1.0	19	1.1	0	-	0	-	7	2.1	0	-	1	1.0	17	1.6	0	-	8	2.2	20
VI			13.2	17.2	16.4	13.9	19.2	8.7	26.6	5	3.4	13	13	1.8	0	-	0	-	21	1.3	0	-	2	1.0	15	1.3	0	-	0	-	14	1.3	1	2.0	11	1.6	13
VII			19.4	24.0	24.1	20.5	26.8	14.6	31.5	10	9.5	19	7	2.6	0	-	0	-	30	1.3	4	1.0	1	5.0	1	2.0	0	-	1	1.0	19	1.6	15	2.7	10	2.7	5
VIII			16.9	21.3	20.3	18.1	23.4	13.4	27.5	1	10.6	3	8	1.5	0	-	0	-	25	1.2	2	1.5	2	1.5	12	1.3	0	-	0	-	7	1.1	0	-	7	2.0	30
IX			11.1	14.3	12.6	12.0	15.0	9.0	21.9	1	4.9	26	7	1.1	0	-	0	-	6	1.0	0	-	1	1.0	8	1.5	0	-	0	-	17	1.2	1	1.0	14	1.4	36
X			4.1	7.4	5.3	5.2	8.2	2.5	18.6	9	- 4.8	30	7	1.7	1	2.0	2	1.0	3	1.3	0	-	3	1.7	2	1.0	0	-	1	1.0	8	1.6	19	1.9	19	1.5	28
XI			0.9	2.1	1.7	1.4	4.2	- 0.9	8.9	12	-10.8	29	15	1.5	2	1.0	3	2.0	2	1.5	0	-	0	-	0	-	0	-	0	-	4	1.8	15	1.9	24	2.0	25
XII			- 5.6	- 3.7	- 5.0	- 5.0	- 1.7	- 8.6	8.4	6	-22.4	22	9	1.9	2	2.5	5	1.6	5	2.6	1	2.0	1	2.0	1	3.0	1	2.0	0	-	1	3.0	17	2.2	18	1.6	32
1955			4.4	7.5	6.4	5.3	9.3	1.4	31.5		-22.4		186	1.7	7	1.7	11	1.5	146	1.3	7	1.3	10	1.8	51	1.5	1	2.0	5	1.0	138	1.5	72	2.2	120	1.9	341

1955

Skotterud

H_s = 150 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet Um 7	13	19	Døgn	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	88	89	90	5.6	5.5	4.8	21	8	11	29	23	14	0	7	7	0	0	0	0	2	5	0	0	0	0	0	0	1	8	15	4	14	26
II	91	80	81	85	4.2	4.1	3.6	30	11	5	25	17	21	0	9	9	1	0	0	0	4	8	1	1	0	0	0	0	0	5	19	8	8	24
III	84	62	59	70	4.4	4.2	3.2	6	5	27	31	8	14	0	3	2	0	1	0	0	1	2	0	1	0	0	0	0	0	2	25	4	6	14
IV	82	58	58	69	3.6	4.9	4.9	27	8	8	22	0	2	0	7	7	0	0	0	0	5	4	1	2	0	0	0	0	1	7	21	4	8	7
V	81	63	61	71	5.2	5.5	4.8	95	19	3	6	0	0	0	13	12	3	0	0	0	13	1	1	0	0	0	0	0	3	3	24	5	12	0
VI	73	51	48	61	3.3	4.9	4.6	42	14	16	3	0	0	2	10	10	1	0	0	0	10	0	0	0	0	0	0	0	1	2	28	4	6	0
VII	75	45	47	61	2.2	2.6	2.4	22	6	3	0	0	0	22	5	5	0	0	0	0	5	0	0	0	0	0	0	1	0	0	31	14	1	0
VIII	90	50	53	70	4.6	3.8	3.8	26	14	19	0	0	0	18	4	3	1	0	0	0	4	0	0	0	0	0	0	0	0	5	29	6	6	0
IX	97	67	76	83	6.0	4.4	4.2	89	40	3	2	0	0	0	14	13	3	0	0	0	14	0	0	0	0	0	0	1	1	9	23	4	11	0
X	95	74	95	86	5.0	4.7	4.9	82	29	21	17	1	2	0	10	10	2	1	0	0	10	1	0	4	0	0	0	0	1	1	25	2	11	0
XI	89	82	85	86	4.4	4.9	5.3	50	15	6	23	1	4	0	9	9	3	0	0	0	8	3	1	3	0	0	0	0	0	9	13	5	13	0
XII	92	89	90	90	5.4	5.4	4.2	52	20	18	29	16	16	0	11	11	1	1	0	0	4	8	1	4	0	0	0	0	0	6	16	5	9	16
1955	87	67	69	77	4.5	4.6	4.2	541	40		187	66	73	42	102	98	15	3	0	0	80	32	5	15	0	0	0	2	8	57	268	65	105	87

Tryvasshøgda

H_s = 512 H_b = h_t = 2.1 h_a = h_d = 20.3 h_r = 2.0

Måned	Um 7	13	19	Døgn	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	98	86	87	87	5.2	4.9	5.0	33	8	13	31	22	9	0	14	8	0	0	0	0	2	9	0	0	0	0	0	0	0	17	14	4	12	31
II	79	73	78	77	3.7	4.3	3.6	29	8	9	28	24	11	0	11	10	0	1	0	0	3	10	1	1	0	0	0	0	5	6	18	10	8	28
III	77	63	68	71	4.0	4.3	3.4	8	2	26	31	14	6	0	7	4	0	1	0	0	0	7	0	0	0	0	0	0	1	5	23	5	6	31
IV	80	65	72	75	4.1	5.1	4.4	42	12	7	24	6	0	0	10	10	1	1	0	0	3	9	1	1	0	0	0	0	0	10	23	3	7	30
V	81	66	70	76	5.5	6.2	5.0	88	27	3	7	0	0	0	13	11	4	2	0	0	13	3	3	7	0	3	0	0	0	12	19	3	13	0
VI	74	55	59	67	3.0	3.3	4.3	62	20	15	0	0	0	0	10	9	3	1	0	0	10	0	0	3	0	2	0	1	0	6	26	6	3	0
VII	72	50	51	61	2.1	2.8	2.5	21	14	3	0	0	0	18	4	3	1	0	0	0	4	0	0	0	0	0	0	0	0	3	30	15	1	0
VIII	80	67	70	74	4.4	3.4	4.4	29	10	19	0	0	0	6	9	7	1	1	0	0	9	0	0	0	0	0	0	1	1	7	26	6	6	0
IX	88	72	80	82	6.1	5.4	4.8	155	44	11	0	0	0	0	18	14	5	0	0	0	18	0	0	4	0	0	0	1	0	18	17	3	14	0
X	88	76	83	83	4.4	4.9	4.4	70	33	21	16	1	0	0	13	9	2	2	0	0	10	4	1	5	0	0	0	0	0	11	23	7	10	7
XI	81	76	81	80	4.1	4.7	4.5	70	16	12	23	3	2	0	10	10	3	1	0	0	8	4	1	3	0	0	0	0	0	12	15	8	13	5
XII	86	83	84	84	4.6	4.4	3.5	56	16	29	31	19	11	0	11	8	2	3	0	0	3	9	0	0	0	0	0	0	3	8	16	8	10	19
1955	81	59	74	76	4.3	4.5	4.2	663	44		191	89	39	24	130	103	22	13	0	0	83	55	7	24	0	5	0	3	10	115	250	78	103	151

Oslo (Blindern)

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Måned	Um 7	13	19	Døgn	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	82	85	86	6.2	5.6	5.1	31	9	30	28	19	12	0	10	7	0	0	0	0	4	8	2	2	0	0	0	0	10	12	14	4	14	31
II	84	68	74	77	4.5	4.4	3.9	37	9	5	23	16	14	0	11	8	0	4	0	0	5	8	2	3	0	0	0	0	16	2	20	9	9	27
III	73	55	56	63	4.9	4.9	4.1	5	1	26	31	3	4	0	6	2	0	2	0	0	0	6	0	2	0	0	0	0	9	2	30	3	6	16
IV	71	55	58	64	4.9	5.6	5.4	37	8	11	19	0	0	0	12	9	0	3	0	0	9	8	5	3	0	0	0	0	10	4	24	1	13	7
V	68	54	57	64	5.8	6.3	5.3	81	19	3	2	0	0	0	17	10	3	1	0	0	17	1	1	1	0	4	0	1	7	2	28	3	14	0
VI	63	46	48	59	3.9	4.2	4.9	41	25	15	0	0	0	2	9	5	1	1	0	0	9	0	0	2	0	1	0	1	3	0	28	2	4	0
VII	62	42	41	53	2.6	2.9	3.0	16	11	3	0	0	0	23	5	3	1	0	0	0	5	0	0	2	0	0	0	0	2	0	31	13	2	0
VIII	74	48	58	66	4.9	3.7	4.7	31	15	19	0	0	0	16	8	5	1	1	0	0	8	0	0	2	0	0	0	1	10	0	30	5	8	0
IX	88	62	76	79	6.2	5.6	5.4	92	25	3	0	0	0	0	18	12	3	1	0	0	18	0	0	0	0	0	0	2	12	0	26	2	16	0
X	86	66	77	78	5.4	4.9	4.8	51	20	21	11	0	0	0	14	9	1	1	0	0	12	3	2	0	0	0	0	1	8	4	23	3	12	1
XI	84	76	79	80	5.3	5.7	4.8	60	18	12	21	2	1	0	11	7	3	3	0	0	10	3	2	8	0	0	0	0	16	6	14	5	13	1
XII	83	81	81	82	5.1	5.3	4.0	55	15	18	28	16	13	0	13	9	1	3	0	0	4	11	1	0	0	0	0	0	11	7	19	5	11	19
1955	77	61	66	71	5.0	4.9	4.6	537	25		163	56	44	41	134	86	14	20	0	0	101	48	15	25	0	5	0	6	114	39	287	55	122	102

Fornebu

H_s = 18 H_b = 23.2 h_t = 1.9 h_a = 11.5 h_d = 11.1 h_r = 1.8

Måned	Um 7	13	19	Døgn	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	93	89	91	91	5.8	5.6	5.3	31	7	13	28	21	12	0	10	8	0	0	0	0	4	7	1	2	0	3	0	0	13	10	10	2	13	31
II	86	76	76	80	4.2	4.3	4.2	30	8	5	25	17	15	0	10	7	0	0	0	0	5	7	2	5	0	0	0	0	10	5	19	8	9	27
III	73	60	55	63	5.0	4.7	4.1	5	2	26	29	3	4	0	5	3	0	2	0	0	1	5	1	1	0	0	0	0	4	3	24	4	5	16
IV	77	57	57	66	4.7	5.5	4.8	34	10	29	16	0	0	0	9	8	0	0	0	0	5	5	1	3	0	0	0	0	6	3	22	1	11	5
V	74	56	58	66	5.7	6.4	4.9	76	22	3	1	0	0	0	15	11	3	2	0	0	15	0	0	6	0	2	0	0	10	0	26	3	15	0
VI	70	46	46	59	3.5	3.6	4.6	38	17	15	0	0	0	3	7	4	2	0	0	0	7	0	0	2	0	1	0	0	3	0	30	3	3	0
VII	65	42	39	52	2.7	2.8	2.6	10	5	3	0	0	0	24	3	3	0	0	0	0	3	0	0	2	0	0	0	0	3	0	31	16	1	0
VIII	77	50	52	63	4.5	3.7	4.3	21	13	19	0	0	0	17	6	2	1	0	0	0	6	0	0	3	0	0	0	2	6	0	29	5	7	0
IX	88	61	68	75	6.0	5.4	4.8	100	26	11	0	0	0	0	17	11	3	0	0	0	17	0	0	1	0	1	0	1	7	1	23	0	11	0
X	82	66	72	75	4.9	4.5	5.1	60	24	21	10	0	0	0	11	9	2	3	0	0	11	2	2	3	0	0	0	0	7	3	25	4	10	1
XI	83	77	80	81	4.5	5.6	5.2	54	12	6	19	2	1	0	10	9	2	0	0	0	9	1	0	7	0	0	0	0	9	8	15	5	12	1
XII	85	82	82	85	4.2	5.1	4.3	41	12	18	28	15	13	0	8	7	1	1	0	0	2	7	0	1	0	0	0	0	11	9	13	4	9	22
1955	79	64	65	71	4.6	4.8	4.5	500	26		156	58	45	44	111	82	14	8	0	0	85	34	7	36	0	7	0	3	89	42	267	55	106	103

Asker

H_s = 154 H_b = h_t = 1.9 h_a = h_d = h_r = 2.0

Måned	Um 7	13	19	Døgn	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.5	4.9	4.0	27	7	30	28	20	14	0	10	6	0	0	0	0	4	7	1	0	0	0	0	0	3	10	13	7	13	31
II					4.1	3.9	3.5	38	9	9	24	19	13	0	11	10	0	0	0	0	3	8	0	3	0	0	0	0	2	5	16	10	11	28
III					4.1	3.7	3.5	4	2	26	31	5	8	0	4	1	0	0	0	0	0	4	0	0	0	0	0	0	2	2	23	7	5	31
IV					4.2	4.6	4.5	40	14	7	20	1	1	0	10	7	1	0	0	0	5	6	1	1	0	0	0	0	3	8	19	4	10	16
V					5.0	5.9	4.0	97	29	3	1	0	0	0	13	11	4	0	0	0	13	0	0	4	0	0	0	0	3	6	24	6	10	0
VI					2.9	3.0	3.9	38	18	15	0	0	0	2	8	5	2	0	0	0	8	0	0	4	0	0	0	0	2	2	28	5	4	0
VII					2.3	2.3	2.6	24	8	3	0	0	0	23	6	4	0	3	0	0	6	0	0	2	0	0	0	0	3	1	30	18	3	0
VIII					4.3	3.5	4.1	20	10	7	0	0	0	12	6	4	1	0	0	0	6	0	0	4	0	0	0	1	6	3	28	6	9	0
IX					5.2	5.0	4.4	140	48	11	0	0	0	0	15	12	5	0	0	0	15	0	0	2	0	0	0	0	4	8	16	6	12	0
X					4.8	4.8	4.1	68	24	21	12	0	0	0	11	9	3	0	0	0	11	1	1	3	0	0	0	0	3	6	17	6	9	0
XI					5.2	5.5	4.4	56	14	6	17	2	1	0	10	9	2	1	0	0	9	1	0	8	0	0	0	0	10	3	12	5	12	1
XII					5.0	5.2	4.3	33	7	18	30	15	12	0	13	8	0	0	0	0	4	10	0	3	0	0	0	0	0	7	13	5	10	16
1955					4.4	4.4	3.9	585	48		163	62	49	37	117	86	18	4	0	0	84	37	3	34	0	0	0	1	41	61	239	85	108	123

1955

Modum

φ = 59° 58′N λ = 9° 58′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 6.9	- 4.8	- 6.2	- 6.3	- 3.0	-10.1	9.9	25	-24.5	18
II			-11.3	- 7.5	- 8.0	- 9.3	- 5.2	-12.6	1.9	1	-23.6	22
III			- 4.9	- 0.1	- 1.1	- 2.8	2.1	- 7.2	12.0	15	-17.4	22
IV			1.1	5.5	4.6	2.2	7.9	- 2.6	16.8	29	- 7.4	9
V			6.8	10.7	9.6	7.1	12.7	1.7	22.6	30	- 3.1	13
VI			12.6	17.3	16.3	13.1	19.6	6.7	26.5	5	- 0.7	9
VII			19.5	24.8	23.8	20.0	26.8	12.5	31.0	10	5.8	19
VIII			16.1	23.0	21.1	18.0	24.8	11.4	30.6	25	8.2	23
IX			10.0	15.1	13.0	11.6	16.7	7.3	23.0	6	- 1.0	28
X			2.8	7.5	5.1	4.6	8.6	0.9	22.0	9	-10.6	31
XI			- 0.7	2.1	1.3	0.6	4.1	- 2.4	10.9	12	-12.8	29
XII			- 7.2	- 5.6	- 6.7	- 6.7	- 3.4	-10.1	11.1	6	-22.3	20
1955			3.2	7.3	6.1	4.3	9.3	- 0.4	31.0		-24.5	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	18 1.0	5 1.0	0 -	0 -	0 -	1 1.0	4 1.0	25 1.4	16 1.0	1 1.0	7 1.0	16 1.0	0
II	26 1.1	32 1.3	5 1.0	0 -	0 -	1 1.0	8 1.0	1 1.0	3 1.0	1 1.0	1 1.0	2 1.0	4
III	23 1.3	21 2.1	13 1.3	2 1.0	2 1.5	1 2.0	12 1.3	9 2.0	5 2.0	2 1.0	0 -	3 2.0	0
IV	14 2.4	16 1.7	11 1.9	7 1.4	2 1.0	3 2.3	8 1.5	12 2.0	6 2.0	2 2.0	0 -	8 1.9	1
V	15 1.7	20 2.6	10 1.8	7 1.7	3 1.0	1 1.0	16 2.6	8 2.2	6 2.2	1 1.0	1 3.0	5 3.2	0
VI	8 1.4	12 1.9	18 1.9	8 1.2	2 1.5	3 2.3	18 2.4	9 2.0	7 1.0	1 2.0	2 1.0	2 2.0	0
VII	9 1.3	20 1.6	7 1.4	13 1.3	5 1.4	2 1.5	13 1.7	12 1.5	4 1.8	1 1.0	1 3.0	5 1.6	1
VIII	8 1.2	13 1.5	12 1.9	5 1.4	2 1.0	3 1.0	18 2.2	17 1.6	7 1.6	4 1.0	2 1.0	2 1.0	0
IX	12 1.2	3 1.0	6 1.2	8 1.0	1 1.0	0 -	13 1.8	15 1.7	17 1.6	8 1.1	4 1.0	2 1.0	1
X	27 1.4	8 1.1	7 1.6	2 2.0	0 -	0 -	12 2.1	22 1.5	5 1.4	6 1.0	2 1.5	1 3.0	1
XI	16 2.0	19 1.5	1 1.0	3 1.0	0 -	3 1.0	1 1.0	6 1.8	12 1.6	9 1.1	15 1.0	5 1.0	0
XII	35 1.2	8 2.1	1 1.0	0 -	1 1.0	0 -	6 1.2	8 1.9	12 1.6	5 1.6	4 1.5	13 1.0	0
1955	211 1.4	177 1.7	91 1.6	55 1.3	18 1.2	18 1.6	129 1.9	144 1.7	100 1.5	41 1.2	39 1.2	64 1.4	8

Nesbyen II

φ = 60° 34′N λ = 9° 8′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			-11.4	- 9.5	-10.2	-10.8	- 6.4	-14.4	9.9	25	-26.7	17
II			-14.0	- 7.8	-10.9	-11.5	- 5.4	-15.9	3.6	1	-26.7	22
III			- 7.7	1.3	- 0.6	- 3.2	3.6	- 9.0	10.2	15	-19.5	22
IV			- 1.7	7.2	5.7	2.5	9.2	- 2.9	18.5	19	- 8.5	1
V			3.9	10.9	10.3	6.6	13.2	0.3	23.5	30	- 3.6	13
VI			9.0	17.0	16.0	12.1	19.4	5.0	26.4	4	- 1.4	8
VII			14.6	24.9	24.4	19.1	27.6	10.7	34.2	30	3.0	19
VIII			11.4	22.8	21.5	16.8	25.4	9.5	29.5	24	4.6	31
IX			6.2	14.9	12.5	10.1	16.8	5.1	23.1	8	- 2.6	28
X			- 0.7	5.0	2.4	1.7	6.4	- 2.2	19.7	9	-13.2	31
XI			- 2.5	0.0	- 0.4	- 1.3	2.6	- 4.3	10.0	21	-14.0	29
XII			-11.4	- 9.6	-10.6	-10.7	- 6.4	-14.1	11.3	6	-27.4	21
1955			- 0.5	6.4	5.0	2.6	8.8	- 2.7	34.2		-27.4	

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	9 1.0	1 1.0	0 -	0 -	0 -	3 1.0	3 1.3	7 1.0	1 1.0	3 1.7	3 1.3	1 1.0	62
II	0 -	0 -	0 -	0 -	0 -	4 1.2	2 1.0	3 1.0	0 -	0 -	2 1.0	17 1.1	56
III	2 1.0	0 -	0 -	0 -	1 1.0	4 1.8	12 1.2	2 1.0	1 1.0	3 3.3	8 2.1	17 2.6	43
IV	1 1.0	0 -	0 -	1 2.0	10 2.1	8 1.9	7 1.7	3 1.7	4 1.2	7 2.0	12 1.9	8 2.1	29
V	8 1.5	2 1.5	0 -	4 1.0	5 1.8	15 1.5	2 1.5	1 1.0	1 1.0	12 1.6	6 3.0	8 1.8	28
VI	4 2.2	1 1.0	0 -	6 1.7	0 -	17 2.2	5 1.2	8 1.6	1 1.0	12 2.1	12 2.8	6 1.8	18
VII	3 1.7	2 1.0	0 -	2 1.0	0 -	25 1.4	3 1.3	5 1.0	2 1.0	15 1.9	4 1.8	14 1.9	18
VIII	4 1.2	0 -	0 -	2 1.5	2 1.0	18 1.6	3 1.3	9 1.3	3 1.3	8 1.4	2 1.5	4 2.0	38
IX	1 3.0	0 -	1 1.0	8 2.0	1 3.0	3 1.3	1 2.0	6 1.0	1 1.0	7 2.0	3 2.0	6 1.8	52
X	4 2.2	1 1.0	0 -	4 1.8	0 -	4 1.8	2 1.0	3 1.3	2 1.0	8 1.4	4 3.8	4 1.2	57
XI	2 2.0	2 1.5	0 -	1 1.0	0 -	0 -	0 -	1 1.0	3 1.3	8 1.6	8 2.4	9 2.0	56
XII	2 1.0	0 -	0 -	4 1.0	0 -	0 -	1 1.0	1 2.0	0 -	6 1.2	12 1.3	15 1.5	52
1955	40 1.5	9 1.2	1 1.0	32 1.5	19 1.9	102 1.6	41 1.3	49 1.2	19 1.2	89 1.8	76 2.1	109 1.8	505

Geilo (Strand)

φ = 60° 32′N λ = 8° 13′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 8.0	- 6.5	- 8.0	- 7.8	- 3.6	-12.9	5.0	24	-27.8	18
II			-13.5	- 8.5	-12.2	-11.9	- 7.3	-16.8	3.0	1	-24.9	20
III			- 8.7	- 3.7	- 5.6	- 6.7	- 2.8	-11.8	3.3	11	-25.6	21
IV			- 3.4	1.3	0.6	- 1.3	2.3	- 5.5	10.1	19	-12.6	26
V			1.2	4.9	3.9	2.2	6.0	- 2.0	15.9	31	-10.2	13
VI			6.3	11.6	10.5	7.9	12.8	1.5	19.3	20	- 5.0	8
VII			-12.3	19.8	17.9	14.6	21.2	6.3	28.1	11	2.8	19
VIII			9.7	17.8	15.8	12.6	18.7	5.1	25.1	24	2.1	2
IX			4.4	10.5	7.8	6.6	11.2	1.9	18.7	8	- 6.2	28
X			- 0.7	3.7	0.9	0.9	4.3	- 2.7	12.5	10	-12.7	31
XI			- 1.3	0.5	- 0.7	- 0.8	1.4	- 3.9	6.4	21	-17.2	29
XII			- 8.8	- 7.5	- 8.3	- 8.4	- 5.2	-11.5	3.4	5	-26.9	23
1955			- 0.9	3.7	1.9	0.7	4.9	- 4.4	28.1		-27.8	

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	2 2.5	6 1.0	2 1.0	2 2.0	1 1.0	2 1.5	1 1.0	7 2.0	16 1.4	33 1.9	3 2.3	6 1.5	12
II	2 3.0	20 1.1	6 1.0	0 -	0 -	0 -	0 -	3 1.0	20 1.2	14 1.4	6 1.3	3 1.3	10
III	2 1.5	10 1.3	3 1.0	3 1.0	0 -	0 -	0 -	4 1.0	4 1.2	44 2.0	2 3.5	14 2.1	7
IV	1 1.0	9 1.1	1 1.0	0 -	0 -	0 -	1 2.0	1 1.0	10 1.2	37 1.3	1 1.0	19 1.8	10
V	0 -	12 1.0	0 -	0 -	1 1.0	0 -	1 1.0	3 2.7	4 2.0	43 1.9	4 2.8	23 2.0	7
VI	1 1.0	8 1.6	1 1.0	1 1.0	1 2.0	0 -	0 -	1 5.0	2 1.5	43 1.8	14 1.8	12 1.9	6
VII	0 -	4 1.0	0 -	1 1.0	2 1.0	1 1.0	1 1.0	2 1.0	5 1.4	49 1.3	3 1.3	19 1.6	6
VIII	4 1.5	7 1.4	1 1.0	0 -	1 1.0	1 1.0	1 1.0	4 1.5	19 1.4	31 1.3	4 1.0	6 1.2	14
IX	0 -	9 1.1	1 1.0	2 1.0	2 1.5	3 1.0	1 1.0	3 1.0	6 1.7	43 1.7	2 1.5	4 1.2	14
X	0 -	18 1.0	1 1.0	1 1.0	1 1.0	1 1.0	0 -	0 -	9 1.1	36 2.0	9 1.6	12 1.9	
XI	2 2.5	25 1.1	0 -	1 1.0	0 -	0 -	0 -	4 1.2	5 1.4	32 3.1	6 1.8	8 3.1	
XII	0 -	7 1.3	12 1.7	4 1.0	0 -	1 1.0	0 -	3 1.3	13 1.1	40 2.1	4 3.2	5 3.0	
1955	14 1.9	135 1.1	28 1.3	15 1.1	9 1.2	9 1.1	6 1.2	35 1.6	113 1.3	445 1.8	58. 1.9	131 1.9	9

Haugastøl

φ = 60° 31′N λ = 7° 52′E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 8.7	- 7.3	- 8.7	- 8.5	- 4.6	-12.5	4.1	24	-27.8	4
II			-14.9	- 9.5	-12.7	-13.1	- 7.2	-19.1	2.3	3	-31.0	21
III			-10.0	- 4.9	- 7.5	- 8.1	- 3.2	-12.8	2.2	11	-27.3	21
IV			- 4.9	0.1	- 1.5	- 2.9	2.6	- 6.9	9.2	19	-16.9	26
V			- 0.7	2.8	1.9	0.3	5.8	- 3.5	12.6	30	-12.5	13
VI			4.1	8.4	7.7	5.5	10.8	0.9	17.4	20	- 4.8	9
VII			11.1	16.3	15.7	13.0	19.5	7.4	24.9	25	2.0	19
VIII			10.1	15.9	14.6	12.4	18.9	7.9	23.1	26	4.6	3
IX			5.2	8.6	7.2	6.5	11.0	3.8	18.6	8	- 2.0	28
X			- 1.1	1.9	0.3	0.1	4.0	- 2.2	11.5	9	- 9.5	28
XI			- 2.1	- 0.9	- 1.3	- 1.6	1.1	- 4.3	4.0	12	-16.7	29
XII			- 8.4	- 7.5	- 8.5	- 8.3	- 5.1	-11.3	5.0	6	-23.2	23
1955			- 1.7	2.0	0.6	- 0.4	4.5	- 4.4	24.9		-31.0	

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1 3.0	6 1.3	0 -	0 -	5 1.8	2 2.0	0 -	1 3.0	2 2.0	5 2.0	36 3.4	10 2.1	2
II	3 2.3	0 -	1 1.0	5 2.8	13 2.3	2 1.5	0 -	0 -	2 1.0	7 2.0	22 2.2	7 1.6	2
III	1 1.0	8 2.1	2 3.0	1 2.0	5 2.4	2 3.0	0 -	0 -	0 -	12 2.7	38 4.4	14 2.9	1
IV	3 1.3	0 -	1 1.0	2 2.0	7 2.1	2 1.5	1 1.0	1 1.0	2 3.0	10 2.2	36 3.4	6 2.2	1
V	5 2.0	2 1.5	2 3.0	6 3.2	7 2.3	3 2.7	1 3.0	5 1.4	7 1.9	17 2.2	22 3.3	9 3.3	
VI	0 -	0 -	1 3.0	3 2.3	4 2.5	2 1.0	0 -	2 2.5	9 1.9	32 2.1	22 3.0	3 1.3	1
VII	0 -	0 -	0 -	0 -	13 2.0	0 -	1 1.0	4 1.8	6 2.0	36 1.9	19 2.5	3 2.0	1
VIII	2 2.0	5 2.0	2 2.5	2 1.5	8 1.8	3 1.7	3 2.0	1 2.0	8 1.8	19 1.8	23 1.7	5 2.4	1
IX	0 -	0 -	4 1.5	7 2.4	11 2.1	2 3.0	4 2.5	5 2.4	6 1.8	9 2.7	28 2.5	4 1.8	1
X	7 1.3	2 2.5	5 2.2	3 2.0	5 2.8	3 2.7	3 1.7	0 -	4 1.8	20 2.4	22 2.7	8 1.9	1
XI	1 2.0	0 -	0 -	3 1.3	7 1.4	3 1.0	0 -	4 2.5	2 2.0	8 2.1	35 3.9	10 3.6	1
XII	7 1.0	1 2.0	4 3.2	5 3.8	4 2.5	2 1.0	3 2.7	4 2.8	3 2.3	8 1.8	36 3.4	6 3.0	1
1955	30 1.6	24 1.9	22 2.4	37 2.6	89 2.1	26 1.9	16 2.1	27 2.1	51 1.9	183 2.1	339 3.2	85 2.4	1

Dagali

φ = 60° 25′N λ = 8° 26′E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 7.5	- 5.8	- 6.8	- 7.0	- 4.1	-10.4	4.2	26	-21.3	18
II			-12.2	- 8.9	-11.0	-11.1	- 7.4	-15.0	2.0	1	-23.6	12
III			- 8.2	- 3.9	- 6.5	- 7.1	- 3.0	-11.2	2.5	15	-24.0	21
IV			- 3.1	0.9	- 0.4	- 1.9	2.4	- 5.6	10.4	19	-12.2	26
V			1.5	4.3	3.3	1.7	5.7	- 2.0	16.5	31	- 9.3	13
VI			7.5	10.8	9.2	7.5	12.2	2.7	17.6	4	- 3.0	11
VII			13.8	18.8	17.5	14.6	20.4	8.6	26.4	28	1.5	19
VIII			11.9	17.1	15.6	13.3	18.8	8.1	23.8	24	4.0	3
IX			6.3	10.0	7.6	7.1	11.3	3.6	19.0	8	- 2.3	13
X			0.5	3.3	0.8	1.0	4.4	- 2.3	13.6	9	-11.7	31
XI			- 1.9	0.1	- 1.1	- 1.3	1.3	- 4.2	5.2	12	-16.7	29
XII			- 8.0	- 7.1	- 8.3	- 8.1	- 5.3	-11.1	4.5	6	-24.6	23
1955			0.0	3.3	1.7	0.7	4.7	- 3.2	26.4		-24.6	

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	4 1.0	0 -	7 1.1	2 2.5	4 1.8	0 -	7 1.3	9 1.1	47 1.7	8 1.1	5 2.2	
II	0 -	1 1.0	4 1.2	12 1.2	1 1.0	5 1.2	0 -	2 1.0	5 1.0	32 1.7	11 1.7	11 2.0	
III	0 -	0 -	4 1.0	13 1.5	2 1.5	1 3.0	0 -	4 2.0	6 2.0	49 2.3	11 1.8	3 2.0	
IV	0 -	0 -	0 -	8 1.4	0 -	3 1.0	0 -	9 1.6	17 1.8	46 1.8	6 1.3	1 2.0	
V	0 -	0 -	0 -	13 1.5	4 1.8	1 2.0	2 2.5	12 1.2	15 1.6	46 2.1	0 -	0 -	
VI	0 -	1 1.0	0 -	11 1.5	12 1.6	8 1.4	4 1.5	3 2.0	12 2.0	36 2.5	3 1.3	0 -	
VII	1 1.0	5 1.0	0 -	8 1.4	7 1.6	8 1.1	4 1.0	6 1.2	10 2.2	39 1.7	3 1.0	0 -	
VIII	0 -	2 1.0	4 1.0	12 1.2	5 1.2	6 1.3	0 -	13 1.4	18 1.4	25 1.4	5 1.2	3 1.0	
IX	0 -	0 -	0 -	13 1.6	6 1.8	5 1.8	3 1.0	4 2.0	18 1.7	36 1.9	5 1.0	0 -	
X	0 -	3 1.0	1 1.0	12 1.4	1 1.0	0 -	0 -	11 1.4	10 1.7	41 1.7	12 1.2	2 1.5	
XI	0 -	0 -	5 1.0	12 1.2	1 1.0	1 1.0	3 1.0	6 1.0	10 1.4	47 2.2	3 1.3	2 1.0	
XII	0 -	2 1.0	2 2.0	14 1.4	2 2.0	3 1.3	0 -	1 2.0	3 2.7	52 2.2	10 1.3	4 1.8	
1955	1 1.0	18 1.0	20 1.2	135 1.4	43 1.6	45 1.4	16 1.3	78 1.4	133 1.7	496 2.0	77 1.4	31 1.8	

1955

Modum

H_s = 135 H_b = h_t = 1.8 h_a = h_d = 7.4 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	95	92	93	93	5.9	5.4	5.1	20	6	30	30	20	17	0	14	5	0	0	0	0	2	10	0	0	0	0	0	0	12	6	16	2	15	31
II	90	82	83	86	4.5	4.1	3.5	44	9	17	26	22	18	0	13	10	0	0	0	0	4	11	0	4	0	0	0	0	6	6	21	10	9	28
III	78	61	61	68	4.0	4.7	4.0	18	14	5	30	6	8	0	9	2	1	2	0	0	1	8	0	0	1	0	0	0	5	1	29	6	5	31
IV	74	54	59	66	4.9	5.9	4.6	35	9	7	26	0	0	0	11	8	0	2	0	0	4	9	1	1	0	1	0	0	5	3	28	1	10	15
V	66	48	53	62	5.3	6.2	5.0	61	20	3	10	0	0	0	18	7	3	2	0	0	18	1	1	2	0	2	0	0	6	4	29	3	13	0
VI	59	41	45	56	3.0	4.2	4.8	23	11	15	1	0	0	3	6	4	1	1	0	0	6	0	0	1	0	1	0	0	0	0	28	4	3	0
VII	59	40	39	51	1.5	1.4	1.9	8	5	1	0	0	0	23	4	2	0	0	0	0	4	0	0	2	0	0	0	0	4	0	30	22	2	0
VIII	69	43	51	60	3.8	4.3	4.3	19	8	7	0	0	0	17	5	4	0	0	0	0	5	0	0	1	0	0	0	3	6	0	28	6	9	0
IX	81	69	64	72	5.6	5.7	5.0	69	24	3	1	0	0	0	16	9	2	0	0	0	16	0	0	2	0	0	0	2	6	5	23	1	13	0
X	80	63	69	72	5.3	4.8	4.9	61	20	7	15	0	0	0	14	8	3	0	0	0	12	2	0	2	0	0	0	0	5	7	24	5	12	1
XI	76	71	73	74	4.7	5.4	4.4	48	12	6	20	2	1	0	11	8	1	2	0	0	9	2	1	4	0	0	0	0	5	9	18	8	11	1
XII	77	75	75	76	5.3	5.8	4.8	60	18	16	29	18	17	0	14	9	2	0	0	0	3	11	0	2	0	0	0	0	12	4	16	4	13	17
1955	75	62	64	70	4.5	4.8	4.4	466	24		188	68	61	43	135	76	13	9	0	0	84	54	3	21	1	4	0	5	72	45	290	72	115	124

Nesbyen II

H_s = 165 H_b = h_t = 2.1 h_a = h_d = 7.3 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	90	91	90	4.1	5.4	5.3	9	4	30	30	26	20	0	8	3	0	0	0	0	2	7	1	0	0	0	0	0	7	0	14	4	10	31
II	89	77	84	85	4.0	4.3	3.4	11	6	9	26	23	23	0	9	2	0	0	0	0	3	8	1	1	0	0	0	0	6	2	20	10	8	28
III	84	58	49	65	4.5	4.5	3.5	2	2	5	30	3	13	0	2	1	0	1	0	0	0	2	0	0	0	0	0	0	5	1	28	7	8	31
IV	87	55	56	69	5.2	4.9	5.4	12	5	29	28	0	0	0	8	4	0	0	0	0	3	6	0	0	0	0	0	0	7	1	26	3	11	5
V	81	53	53	67	4.9	5.3	4.5	30	5	8	11	0	0	0	12	9	0	0	0	0	10	3	1	0	0	0	0	0	5	0	29	4	10	1
VI	75	49	50	63	3.8	4.8	4.9	22	10	15	1	0	0	3	9	5	0	1	0	0	9	0	0	0	0	1	0	1	4	0	27	3	5	0
VII	80	47	46	63	3.0	3.9	3.3	23	7	2	0	0	0	21	9	6	0	0	0	0	9	0	0	0	0	0	0	0	3	1	31	10	6	0
VIII	88	50	50	68	4.2	5.1	5.2	17	5	21	0	0	0	20	6	5	0	0	0	0	6	0	0	0	0	0	0	1	2	1	30	2	7	0
IX	93	64	69	78	5.6	5.1	4.9	60	28	3	3	0	0	0	16	8	2	0	0	0	14	0	0	1	0	0	0	1	11	4	23	3	10	0
X	91	72	81	83	5.4	5.2	4.5	29	12	7	17	2	3	0	12	9	1	2	0	0	10	3	1	0	0	0	0	0	8	4	20	2	8	8
XI	85	80	82	83	3.8	5.8	4.7	30	8	6	24	6	3	0	7	5	0	2	0	0	6	4	2	2	1	0	0	0	3	8	15	3	11	21
XII	86	83	84	84	3.5	4.4	3.2	24	6	16	31	23	18	0	9	8	0	0	0	0	1	8	1	0	0	0	0	0	4	1	14	11	7	17
1955	86	65	66	75	4.3	4.9	4.4	269	28		201	83	80	44	107	65	3	6	0	0	73	41	7	4	1	1	0	3	65	23	277	62	101	142

Geilo (Strand)

H_s = 768 H_b = h_t = 1.9 h_a = h_d = 6.2 h_r = 2.0

Måned	U_m 7	13	19	Dies	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	76	80	80	5.6	5.3	5.4	13	4	29	30	23	20	0	9	3	0	1	0	0	1	9	0	2	0	0	0	0	8	5	16	4	15	31
II	80	71	77	77	4.4	4.3	3.6	16	8	4	28	26	24	0	9	5	0	0	0	0	1	9	0	1	0	0	0	0	3	5	18	9	9	28
III	73	60	63	66	4.5	4.6	4.8	4	2	16	31	25	14	0	4	1	0	1	0	0	0	4	0	0	0	0	0	0	3	0	22	6	11	31
IV	79	63	65	71	5.1	5.2	5.0	28	7	29	28	9	4	0	8	6	0	0	0	0	2	8	2	0	0	0	0	0	2	4	23	3	11	30
V	74	61	62	68	5.1	5.4	4.5	57	21	3	26	0	1	0	13	9	2	1	0	0	9	10	5	3	0	0	0	0	0	6	22	4	12	21
VI	72	53	53	63	5.0	4.1	4.2	24	12	15	9	0	0	0	5	2	2	0	0	0	5	0	0	4	0	0	0	0	0	2	25	4	7	0
VII	78	48	50	64	3.5	3.9	3.2	20	6	1	0	0	0	12	6	4	0	0	0	0	6	0	0	3	0	0	0	0	1	1	25	9	7	0
VIII	91	56	60	74	5.0	5.3	5.3	20	5	8	0	0	0	1	7	6	0	0	0	0	7	0	0	3	0	0	0	0	0	2	24	2	11	0
IX	93	68	76	81	5.8	5.6	5.7	52	17	3	9	0	0	0	19	10	2	1	0	0	19	1	1	8	0	0	0	0	4	8	18	1	13	0
X	86	67	78	79	6.2	5.4	5.8	36	13	7	20	5	6	0	15	10	1	1	0	0	12	8	5	6	0	0	0	0	4	7	19	3	16	6
XI	80	78	79	79	5.7	6.2	5.5	37	15	5	27	11	3	0	13	7	1	5	1	1	7	11	3	3	0	0	0	0	5	9	8	2	17	26
XII	81	80	79	80	4.3	5.0	3.9	64	15	29	30	23	18	0	14	11	1	2	0	0	1	13	0	0	0	0	0	0	2	5	15	7	7	31
1955	81	65	68	74	5.0	5.0	4.7	371	21		238	122	90	13	122	74	9	12	1	1	70	73	16	33	0	0	0	0	32	54	235	54	136	204

Haugastøl

H_s = 988 H_b = h_t = 1.8 h_a = h_d = 8 h_r = 2.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	82	84	84	4.5	5.2	4.5	29	7	30	28	23	19	0	19	9	0	5	0	0	2	19	1	2	0	0	0	0	2	2	14	5	11	31
II	83	76	78	80	4.2	3.6	3.3	20	9	4	28	25	23	0	11	6	0	1	0	0	0	11	0	0	0	0	0	0	4	1	19	8	8	28
III	76	70	70	72	4.5	4.4	4.7	15	3	15	31	23	15	0	11	5	0	9	2	2	0	11	0	0	0	0	0	0	3	0	25	4	7	31
IV	83	70	75	78	4.9	5.0	4.8	48	11	7	28	11	6	0	16	11	2	4	0	0	1	16	0	0	0	0	0	0	5	0	26	3	7	30
V	81	70	73	76	5.4	4.9	4.9	52	11	3	31	1	1	0	16	9	1	2	0	0	4	15	3	1	0	0	0	0	4	0	27	4	12	31
VI	79	64	62	71	4.2	3.5	3.7	45	20	15	9	0	0	0	6	5	2	2	0	0	6	0	0	3	0	1	0	0	3	0	28	8	6	6
VII	82	60	60	71	3.6	3.7	3.5	14	6	1	0	0	0	0	7	4	0	0	0	0	7	0	0	4	0	0	0	1	1	0	28	8	7	0
VIII	77	45	45	60	5.1	5.2	5.0	27	7	21	0	0	0	0	10	7	0	0	0	0	10	0	0	3	0	0	0	0	6	0	30	1	8	0
IX	81	61	66	71	5.6	5.6	5.9	90	30	3	2	0	0	0	20	15	3	1	0	0	20	1	1	2	0	0	0	0	11	1	21	2	12	0
X	88	77	84	84	5.7	5.5	5.6	50	8	14	22	7	0	0	18	10	0	2	0	0	12	12	3	5	0	0	0	0	3	0	18	1	12	5
XI	86	85	84	85	5.3	6.5	5.4	57	13	5	29	7	3	0	21	15	1	11	2	1	6	19	0	4	0	0	0	0	7	1	12	3	17	28
XII	82	81	82	82	4.4	4.9	3.3	107	30	6	31	21	19	0	22	17	3	5	0	0	2	22	2	0	0	0	0	0	4	0	13	8	8	31
1955	82	70	72	76	4.8	4.8	4.6	554	30		239	118	86	0	177	113	12	42	4	3	70	126	10	24	0	1	0	1	53	5	261	55	115	221

Dagali

H_s = 887 H_b = h_t = 2.0 h_a = h_d = 7.5 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	76	79	79	5.4	5.1	5.6	6	2	30	29	23	16	0	14	1	0	1	0	0	3	12	1	0	0	0	0	0	2	0	23	4	14	31
II	79	71	76	76	4.8	4.0	3.8	17	7	3	28	25	24	0	12	3	0	0	0	0	0	12	0	0	0	0	0	0	7	0	21	8	10	28
III	72	61	65	67	4.7	4.6	5.2	8	2	15	31	25	13	0	14	3	0	1	0	0	0	14	0	0	0	0	0	0	3	0	27	4	8	31
IV	77	64	69	73	5.2	4.8	5.2	27	6	30	28	8	4	0	14	8	0	0	0	0	1	13	0	0	0	0	0	0	7	0	27	2	12	30
V	72	60	64	70	4.9	5.4	4.3	33	12	3	24	0	0	0	17	4	1	0	0	0	4	15	2	0	0	0	0	0	6	0	26	3	13	29
VI	68	55	57	65	4.0	4.8	4.3	20	11	30	8	0	0	0	6	3	1	2	0	0	5	1	0	0	0	1	0	0	2	0	28	4	7	0
VII	75	51	52	65	3.5	3.6	3.1	22	5	5	0	0	0	3	8	5	0	0	0	0	8	0	0	0	0	0	0	1	3	0	30	11	7	0
VIII	83	56	60	71	4.6	5.3	4.9	28	12	7	0	0	0	0	8	6	1	0	0	0	8	0	0	0	0	0	0	0	3	1	31	2	11	0
IX	87	66	78	80	5.5	5.3	5.8	56	20	3	2	0	0	0	15	10	2	1	0	0	15	0	0	0	0	0	0	0	5	4	26	2	13	0
X	81	70	79	78	5.5	5.1	5.0	30	14	7	21	7	3	0	14	6	1	1	0	0	10	8	2	0	0	0	0	0	4	0	27	3	13	13
XI	84	80	83	83	5.9	6.2	5.8	33	13	5	28	6	2	0	15	5	1	1	0	0	6	12	0	0	0	0	0	0	3	3	18	2	15	30
XII	83	79	82	82	5.0	4.2	4.0	39	9	6	30	20	19	0	18	9	0	1	0	0	2	16	0	0	0	0	0	0	9	0	22	8	10	31
1955	78	66	70	74	4.9	4.9	4.8	319	20		229	114	81	3	155	63	7	8	0	0	62	103	5	0	0	1	0	1	54	8	306	53	133	223

1955

Lyngdal i Numedal

φ = 59° 54'N λ = 9° 32'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 8.0	- 5.2	- 6.9	- 7.1	- 2.5	-11.5	9.2	25	-24.6	18	6 1.7	16 1.2	4 1.0	2 1.0	2 3.5	4 2.2	9 1.6	2 2.5	0 -	3 1.3	4 2.2	9 1.6	32
II			-12.4	- 5.4	- 8.2	- 9.3	- 3.3	-13.9	3.5	1	-24.8	21	7 1.6	30 1.1	5 1.0	0 -	3 1.0	2 1.5	4 1.0	1 2.0	0 -	1 2.0	3 1.0	12 1.8	16
III			- 7.5	1.7	- 1.6	- 3.3	3.2	- 9.0	10.4	15	-20.7	22	28 1.4	19 1.9	6 1.3	1 3.0	0 -	6 1.3	4 1.8	2 1.5	1 4.0	4 3.5	5 3.4	10 3.0	17
IV			- 1.9	5.4	4.8	1.6	7.6	- 4.3	17.4	19	-14.0	9	12 2.1	16 1.6	5 1.4	3 2.0	2 1.5	4 2.5	12 2.1	5 1.6	2 1.0	7 2.3	1 4.0	16 3.2	5
V			4.2	9.2	9.2	6.1	12.0	0.5	22.6	30	- 3.9	13	9 2.3	15 1.4	7 1.9	3 1.3	1 2.0	2 1.5	9 2.7	6 2.2	4 1.8	4 1.5	12 1.8	17 2.7	4
VI			9.8	16.4	15.7	12.2	18.7	4.8	25.2	5	- 1.5	9	6 3.8	13 1.7	4 1.8	3 1.7	3 1.0	9 1.9	15 2.2	9 2.6	2 3.5	3 3.7	5 3.0	8 3.2	10
VII			15.6	23.5	24.0	18.9	26.2	10.4	30.2	28	4.1	19	10 1.7	13 1.5	4 2.0	3 1.3	2 3.0	10 2.1	13 2.5	5 2.2	2 3.0	5 2.8	7 2.9	6 3.2	13
VIII			11.9	22.1	20.8	16.7	24.1	9.8	28.3	25	5.8	3	6 2.2	13 1.8	3 2.0	1 3.0	4 1.0	13 2.4	15 2.2	12 2.3	1 2.0	1 4.0	6 2.3	3 1.7	15
IX			6.9	14.3	11.7	10.0	15.9	5.4	22.7	7	- 2.7	28	5 1.4	18 1.2	0 -	4 2.0	5 1.0	11 1.7	15 2.0	1 2.0	1 2.0	5 2.0	2 2.0	13 1.8	10
X			0.9	6.8	3.8	3.3	8.0	- 0.8	19.7	9	-11.6	31	15 1.5	20 1.6	1 2.0	1 1.0	2 2.0	6 2.3	8 1.2	1 1.0	3 1.0	4 2.8	4 2.0	17 2.5	11
XI			- 1.2	2.3	1.4	0.4	4.7	- 3.2	10.8	26	-12.6	29	7 2.9	19 1.5	1 1.0	1 2.0	2 2.0	5 1.6	4 1.5	5 1.6	4 1.2	5 3.4	4 3.5	18 2.5	15
XII			- 8.0	- 5.5	- 7.4	- 7.2	- 3.2	-10.7	12.4	6	-24.0	23	17 2.1	17 1.7	3 2.0	2 1.0	2 1.0	4 2.5	2 1.0	2 2.0	6 1.8	4 1.8	8 2.4	16 2.2	10
1955			0.9	7.1	5.6	3.5	9.3	- 1.9	30.2		-24.8		128 1.9	209 1.5	43 1.6	24 1.7	28 1.5	76 2.0	110 2.0	51 2.1	26 1.8	46 2.5	61 2.4	145 2.5	149

Kongsberg

φ = 59° 40'N λ = 9° 39'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.7	- 5.4	- 6.9	- 7.1	- 3.1	-10.7	9.3	25	-21.9	18	3 1.3	5 1.8	1 1.0	2 2.5	0 -	1 1.0	0 -	2 1.0	1 1.0	5 1.4	3 1.0	8 1.5	62
II			-10.3	- 4.7	- 6.9	- 7.7	- 2.6	-11.3	3.2	3	-19.8	21	20 2.0	2 1.0	2 2.0	1 1.0	0 -	1 1.0	0 -	3 1.0	0 -	1 1.0	1 1.0	8 1.2	45
III			- 5.6	2.1	- 0.4	- 2.3	4.2	- 7.4	12.9	15	-16.9	22	6 1.2	6 1.5	6 1.9	1 1.0	1 3.0	7 1.0	2 1.0	1 1.0	1 2.0	2 3.5	0 -	21 2.2	39
IV			1.0	6.5	5.3	2.6	8.5	- 2.8	18.2	19	-10.8	9	5 1.8	7 1.1	0 -	1 1.0	1 2.0	6 1.0	3 1.3	4 1.5	1 2.0	3 1.3	1 2.0	15 2.1	43
V			6.8	10.6	10.1	7.3	12.9	1.8	23.4	30	- 2.8	13	5 1.4	3 1.0	7 1.3	1 1.0	2 1.0	4 1.5	8 1.8	3 1.0	5 1.6	3 1.7	0 -	25 1.8	27
VI			13.1	18.3	16.8	13.7	20.0	6.9	26.8	4	0.4	9	3 1.7	6 1.8	5 1.2	7 1.0	2 2.0	2 1.0	9 1.7	8 1.8	1 3.0	1 1.0	1 1.0	13 2.8	32
VII			18.3	25.4	24.4	20.0	27.7	12.2	31.7	22	6.5	19	4 1.5	7 1.7	4 1.5	5 1.6	1 1.0	3 1.7	10 1.2	7 1.4	2 2.0	7 1.6	3 1.7	4 1.2	36
VIII			15.2	23.0	21.0	17.7	25.1	11.3	29.2	25	8.6	5	1 5.0	14 1.4	12 1.3	6 1.3	1 1.0	1 2.0	12 1.5	8 1.9	6 1.2	6 1.5	4 1.5	5 1.6	17
IX			8.9	14.9	12.4	11.1	16.5	7.0	24.1	7	- 0.5	28	6 1.3	6 1.0	5 2.2	4 1.5	0 -	4 2.2	4 1.2	4 1.5	5 2.6	5 1.4	4 1.5	2 1.5	41
X			1.9	7.8	4.9	4.3	8.7	0.6	19.7	9	- 9.7	31	9 2.3	10 1.5	0 -	1 1.0	0 -	1 2.0	2 1.5	10 1.5	2 1.5	6 1.3	2 1.5	5 3.0	45
XI			- 0.5	2.4	1.7	0.9	5.0	- 2.2	10.8	12	-11.0	29	7 1.7	3 1.0	2 6.0	0 -	0 -	5 1.4	2 4.5	8 1.8	0 -	4 2.2	3 1.7	12 2.1	44
XII			- 8.2	- 5.9	- 7.2	- 7.3	- 3.1	-10.4	11.5	6	-26.7	22	3 1.0	6 1.5	9 3.0	1 1.0	0 -	2 1.0	0 -	4 1.2	1 1.0	1 2.0	1 1.0	14 1.8	51
1955			2.7	7.9	6.3	4.4	10.0	- 0.4	31.7		-26.7		72 1.7	75 1.4	53 1.9	30 1.3	8 1.6	37 1.4	52 1.5	62 1.5	25 1.8	44 1.6	23 1.4	132 2.0	482

Kalhovd

φ = 60° 4'N λ = 8° 22'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.4	- 8.1	- 9.5	- 9.3	- 6.0	-13.2	3.0	26	-27.3	18	0 -	5 2.4	0 -	2 3.0	1 6.0	1 5.0	4 5.2	10 4.6	11 4.6	25 2.8	14 5.6	9 4.8	11
II			-16.2	-11.5	-14.0	-14.5	- 9.1	-19.6	2.7	2	-31.7	21	1 5.0	10 4.8	2 4.5	3 1.7	4 2.2	4 2.2	1 3.0	2 5.0	0 -	21 2.7	6 3.5	25 3.9	5
III			-10.9	- 5.8	- 9.1	- 9.2	- 4.0	-13.7	1.7	11	-29.1	22	2 4.0	12 4.5	4 4.5	1 5.0	0 -	0 -	1 2.0	0 -	11 3.1	22 4.6	19 4.8	17 4.4	4
IV			- 6.2	- 0.6	- 2.5	- 4.2	1.7	- 9.3	10.2	18	-19.5	26	1 4.0	1 1.0	1 4.0	4 2.8	4 2.0	1 3.0	2 4.5	7 3.6	4 2.8	19 3.5	24 4.0	16 4.6	6
V			- 2.2	1.7	0.9	- 0.8	3.2	- 4.3	12.2	31	-12.3	17	0 -	1 2.0	7 4.6	5 4.6	2 2.5	0 -	6 3.3	6 2.5	6 2.8	29 3.4	15 3.4	10 4.4	6
VI			3.0	8.3	7.5	5.0	10.1	0.0	15.4	4	- 5.1	11	1 2.0	1 2.0	4 4.0	5 1.8	2 2.5	8 2.2	4 2.0	9 3.3	14 3.0	14 3.2	18 3.9	6 3.8	4
VII			10.8	17.2	15.9	13.3	18.7	8.0	23.6	27	2.0	18	3 1.7	3 1.7	5 2.8	7 3.3	3 2.3	3 2.0	2 2.0	3 3.0	17 3.5	25 3.5	10 3.0	6 3.3	6
VIII			9.1	15.6	14.5	12.1	16.8	7.6	21.5	25	4.0	3	0 -	6 2.8	3 3.3	6 2.2	4 2.2	1 3.0	2 2.0	13 2.8	13 1.8	16 2.8	11 3.1	3 4.0	15
IX			4.6	7.9	6.4	5.8	9.3	3.3	18.0	7	- 1.8	13	2 1.0	3 3.3	1 1.0	8 3.1	6 2.7	0 -	7 3.0	7 3.6	11 3.7	34 4.3	4 5.0	5 2.8	2
X			- 1.4	1.2	- 0.6	- 0.6	2.3	- 3.2	11.5	11	-10.7	31	1 3.0	7 2.6	6 4.7	5 3.4	1 4.0	0 -	0 -	1 3.0	18 4.2	28 3.9	12 4.5	10 4.0	4
XI			- 2.9	- 1.7	- 2.3	- 2.5	- 0.4	- 5.3	3.1	12	-14.4	30	1 7.0	1 5.0	1 1.0	3 1.0	4 1.2	13 1.3	1 1.0	6 2.2	6 4.0	17 5.6	27 5.1	6 4.5	4
XII			- 9.0	- 8.4	- 9.4	- 9.1	- 6.6	-12.3	2.4	6	-21.7	31	1 4.0	1 2.0	5 3.8	13 3.5	0 -	0 -	1 3.0	3 2.3	3 3.0	30 4.6	25 3.6	6 4.0	5
1955			- 2.6	1.3	- 0.2	- 1.2	3.0	- 5.2	23.6		-31.7		13 3.1	51 3.5	39 3.9	62 3.0	31 2.4	31 2.0	31 3.1	67 3.3	114 3.4	280 3.7	185 4.2	119 4.1	72

Gaustatoppen x)

φ = 59° 51'N λ = 8° 40'E g = 9.815 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	797.4	776.0	-10.9	-10.8	-10.6	-10.9		-12.3	- 1.0	25	-20.9	19	2 3.5	7 3.6	10 3.5	0 -	0 -	0 -	0 -	0 -	2 5.5	41 4.9	27 4.1	4 5.0	0
II	95.9	74.2	-14.4	-13.9	-14.1	-14.3		-15.9	- 3.0	2	-24.9	19	18 3.7	25 4.1	9 4.3	0 -	0 -	1 6.0	1 4.0	0 -	2 5.5	20 4.5	3 5.7	5 2.4	0
III	802.3	80.6	-13.1	-11.5	-12.5	-12.7		-15.0	- 2.6	12	-22.7	18	18 4.6	10 4.2	3 5.3	0 -	1 3.0	1 5.0	0 -	0 -	1 3.0	31 5.6	9 4.7	18 4.5	
IV	08.0	86.5	- 8.7	- 6.7	- 6.9	- 7.8		-10.1	- 0.6	19	-16.1	1	7 3.4	2 4.0	0 -	1 3.0	0 -	0 -	0 -	0 -	1 5.0	39 4.5	33 3.8	7 4.9	
V	01.8	80.8	- 6.2	- 4.2	- 4.4	- 5.3		- 7.4	2.2	31	-12.9	13	1 3.0	4 3.5	3 5.0	4 4.2	2 6.0	0 -	0 -	0 -	0 -	58 3.5	21 3.4	0 -	
VI	11.4	90.6	- 0.2	2.1	1.9	0.8		- 1.5	9.0	3	- 8.6	8	1 2.0	0 -	0 -	0 -	0 -	0 -	0 -	1 3.0	0 -	38 3.1	49 3.4	1 3.0	
VII	18.5	98.1	7.8	10.7	11.2	9.3		6.6	17.4	27	- 1.4	18	5 3.8	12 2.9	4 2.5	5 3.8	1 3.0	0 -	1 4.0	1 5.0	4 3.5	42 3.6	12 3.2	4 3.2	
VIII	18.6	98.2	6.3	9.2	9.4	7.8		5.3	14.7	25	- 0.2	7	7 3.9	8 3.4	2 2.5	3 4.3	2 2.0	1 3.0	1 2.0	0 -	5 2.6	53 3.3	7 3.0	0 -	
IX	09.0	88.2	0.9	1.8	1.5	1.1		- 0.4	10.6	7	- 5.2	28	1 4.0	2 2.5	6 4.7	0 -	3 4.7	0 -	0 -	1 5.0	6 4.8	58 4.6	12 5.2	1 4.0	
X	02.8	81.7	- 5.5	- 4.8	- 5.1	- 5.3		- 7.1	4.3	12	-15.6	31	9 3.3	8 3.6	12 5.2	0 -	0 -	0 -	0 -	2 6.0	0 -	42 4.7	14 4.6	6 4.3	
XI	07.7	86.3	- 6.4	- 6.0	- 5.9	- 6.3		- 8.6	- 0.6	5	-16.4	29	3 4.7	0 -	0 -	3 3.0	1 2.0	0 -	0 -	1 3.0	1 7.0	55 4.6	21 5.0	5 5.4	
XII	791.0	69.6	-12.7	-12.7	-12.9	-12.9		-14.6	- 4.4	26	-25.0	18	8 4.1	12 4.6	8 6.9	0 -	0 -	1 6.0	1 4.0	0 -	3 7.3	39 5.0	18 4.6	3 3.0	
1955	805.4	784.2	- 5.3	- 3.9	- 4.0	- 4.7		- 6.8	17.4		-25.0		80 3.9	90 3.8	57 4.6	16 3.8	10 3.8	4 5.0	4 3.5	6 4.7	25 4.6	516 4.3	226 4.0	54 4.2	

Stokke

φ = 59° 14'N λ = 10° 17'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.9	- 3.1	- 4.8	- 4.6	- 1.2	- 8.5	8.0	25	-25.0	18	12 1.6	0 -	4 2.2	0 -	0 -	1 5.0	6 1.8	3 3.3	21 2.3	17 1.4	0 -	17 1.1	
II			- 9.1	- 3.5	- 5.7	- 6.5	- 1.7	-11.0	3.0	26	-24.0	22	29 1.4	0 -	17 3.6	1 1.0	0 -	1 1.0	3 1.3	0 -	6 1.5	11 1.0	0 -	13 1.0	
III			- 5.0	1.2	- 0.4	- 1.9	2.9	- 6.1	10.4	15	-15.0	23	19 2.2	0 -	18 2.9	3 1.7	0 -	3 1.7	6 2.2	1 2.0	19 2.6	12 1.9	0 -	12 2.5	
IV			0.4	6.0	5.4	3.1	7.7	- 1.5	15.5	29	-10.7	9	20 2.6	0 -	16 2.6	4 2.0	0 -	4 2.5	15 2.1	0 -	15 1.8	5 2.0	0 -	9 1.7	
V			6.7	10.1	9.7	7.8	11.9	3.6	22.8	30	- 1.6	13	15 3.0	0 -	18 2.8	4 2.5	0 -	6 3.0	16 2.6	0 -	17 3.6	9 2.2	0 -	6 4.2	
VI			12.2	16.5	15.5	13.1	18.3	6.8	24.3	4	0.3	9	10 2.1	0 -	12 3.4	6 2.2	0 -	14 2.6	11 3.0	1 4.0	23 3.2	6 2.7	0 -	6 3.7	
VII			18.0	23.9	23.2	19.8	25.6	12.1	30.2	10	6.0	19	13 2.2	0 -	14 2.7	5 1.4	1 3.0	4 2.5	27 2.0	4 1.5	13 2.5	9 1.9	0 -	1 1.0	
VIII			15.1	21.8	20.4	17.8	23.3	12.2	27.4	11	7.4	5	5 3.2	7 1.6	10 3.3	2 3.5	0 -	8 2.4	16 2.2	13 2.2	18 1.9	5 1.2	0 -	6 2.2	
IX			9.7	15.6	13.2	12.1	16.8	8.0	22.5	1	0.7	28	4 2.8	0 -	4 2.5	3 2.3	0 -	4 2.5	18 1.8	6 2.8	17 2.4	21 1.8	0 -	5 1.4	
X			4.0	8.4	5.7	5.6	9.2	2.5	19.6	9	- 7.7	31	13 2.5	0 -	6 3.5	1 4.0	1 4.0	5 4.4	10 2.3	6 2.3	21 2.5	16 1.6	1 4.0	9 2.6	
XI			0.9	4.1	3.2	2.4	5.6	- 1.1	9.8	12	- 8.0	29	9 2.3	2 4.0	10 1.3	3 1.0	0 -	0 -	1 1.0	2 2.5	30 2.1	16 1.1	2 3.0	10 1.8	
XII			- 4.7	- 3.1	- 4.7	- 4.4	- 1.3	- 8.0	10.3	6	-24.9	20	15 2.8	5 4.2	7 3.3	0 -	0 -	4 2.5	5 2.0	7 2.4	18 2.6	18 1.8	3 1.7	10 1.5	
1955			3.6	8.2	6.7	5.4	9.8	0.8	30.2		-25.0		164 2.3	14 2.9	136 2.9	32 2.0	2 3.5	54 2.7	134 2.2	43 2.4	218 2.5	145 1.6	6 2.5	104 1.9	

x) Gaustatoppen: Lufttrykk red. til 2000 gdm

1955

Lyngdal i Numedal

H_s = 290 H_b = h_t = 2.0 h_a = h_d = 10 h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	82	85	86	5.2	5.1	4.7	19	6	11	30	19	17	0	11	5	0	2	0	0	2	9	0	0	0	0	0	0	16	7	12	5	10	31
II	91	71	80	85	4.5	4.1	4.0	34	7	9	27	21	22	0	15	9	0	0	0	0	3	14	0	1	0	0	0	0	5	4	17	9	10	28
III	82	49	57	66	4.1	4.2	3.6	18	12	5	30	6	12	0	14	2	1	10	0	0	1	13	0	0	0	0	0	0	2	0	30	6	5	31
IV	85	52	56	68	4.4	5.5	3.9	34	9	7	27	0	2	0	14	8	0	5	0	0	4	11	1	1	0	0	0	0	3	6	26	5	6	23
V	76	53	54	65	5.0	5.9	4.9	99	30	3	11	0	0	0	14	8	4	4	0	0	13	3	2	2	0	0	0	0	4	7	26	3	11	0
VI	72	44	46	60	4.0	4.6	4.4	24	11	30	2	0	0	1	9	5	1	6	0	0	9	0	0	0	0	0	0	0	3	3	28	3	5	0
VII	74	43	39	57	2.6	2.9	2.7	58	35	5	0	0	0	21	6	5	2	3	0	0	6	0	0	0	0	0	0	0	1	4	29	15	3	0
VIII	88	46	53	69	4.2	4.6	4.5	28	9	7	0	0	0	15	8	6	0	3	0	0	8	0	0	1	0	0	0	0	5	9	29	3	7	0
IX	93	63	72	79	5.4	5.3	5.0	82	18	3	2	0	0	0	16	10	3	0	0	0	16	0	0	1	0	0	0	2	8	11	23	1	12	0
X	84	63	77	77	5.0	4.8	4.5	56	18	7	15	0	2	0	9	7	3	3	1	0	9	1	1	0	0	0	0	0	6	9	22	2	8	0
XI	83	73	77	78	4.5	5.5	4.9	36	7	6	26	1	1	0	10	7	0	8	0	0	8	2	0	5	0	0	0	0	3	8	14	7	12	0
XII	84	80	82	82	3.8	4.2	3.4	43	10	17	30	18	17	0	11	8	1	5	0	0	2	9	0	0	0	0	0	0	1	1	21	11	7	17
1955	84	60	65	73	4.4	4.7	4.2	531	35		200	65	73	37	137	80	15	49	1	0	81	62	4	11	0	0	0	2	57	69	277	70	96	130

Kongsberg

H_s = 169 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.5	5.0	5.0	25	7	11	30	19	17	0	14	5	0	0	0	0	3	11	0	1	0	0	0	0	13	3	20	2	8	31
II					4.9	4.2	4.1	26	6	9	26	18	19	0	15	7	0	0	0	0	5	13	3	5	0	0	0	0	7	5	18	7	10	28
III					4.5	4.4	4.5	18	11	5	31	3	8	0	8	2	1	0	0	0	1	8	0	1	0	0	0	0	9	1	29	2	8	31
IV					5.0	5.2	4.3	38	9	7	24	0	1	0	16	9	0	0	0	0	9	12	5	3	0	0	0	0	11	2	22	1	9	18
V					5.0	5.2	4.7	76	26	19	7	0	0	0	15	8	3	0	0	0	15	3	3	1	0	0	0	0	7	3	27	4	10	0
VI					3.6	3.9	4.1	32	14	15	0	0	0	3	8	3	2	0	0	0	8	0	0	0	0	1	0	0	6	0	28	2	3	0
VII					2.8	2.5	2.5	14	6	1	0	0	0	25	4	3	0	0	0	0	4	0	0	0	0	0	0	0	4	0	30	10	1	0
VIII					3.8	4.2	4.2	41	14	22	0	0	0	19	7	5	2	0	0	0	7	0	0	0	0	0	0	1	4	2	29	3	5	0
IX					5.7	5.1	5.3	83	18	3	1	0	0	0	17	10	3	0	0	0	17	0	0	0	0	0	0	1	5	6	24	1	10	0
X					5.1	4.3	4.5	54	25	20	14	0	0	0	10	5	3	2	0	0	10	1	1	0	0	0	0	0	8	6	26	2	7	0
XI					4.9	5.3	5.0	48	10	6	18	1	1	0	12	8	0	2	0	0	12	2	1	5	0	0	0	0	6	7	20	2	10	1
XII					4.5	4.1	3.8	72	25	16	29	16	17	0	13	9	3	1	0	0	4	10	0	0	0	0	0	0	10	2	24	5	7	17
1955					4.6	4.4	4.3	527	26		180	57	63	47	139	74	17	5	0	0	95	60	13	16	0	1	0	2	90	37	297	41	88	126

Kalhovd

H_s = 1101 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	80	82	82	3.6	4.9	4.5	13	2	30	31	25	20	0	13	4	0	20	2	1	0	13	0	0	0	0	0	0	8	2	18	7	9	31
II	84	75	81	81	3.7	3.1	3.6	14	4	3	28	27	24	0	13	4	0	9	0	0	1	13	0	1	0	0	0	0	6	4	21	7	12	28
III	74	63	68	70	4.4	4.1	4.1	13	8	5	31	25	19	0	7	4	0	20	3	1	0	7	0	0	0	0	0	0	7	0	22	6	7	31
IV	81	65	70	79	4.1	4.4	4.1	25	5	7	30	12	13	0	13	9	0	11	2	0	0	13	0	0	0	0	0	0	8	3	22	6	6	30
V	88	72	78	83	4.6	5.1	4.4	27	7	3	31	5	2	0	15	9	0	9	0	0	4	14	3	2	0	0	0	0	13	0	22	5	10	31
VI	88	60	62	75	3.8	4.3	3.8	17	8	30	16	0	0	0	5	4	0	6	0	0	4	1	0	1	0	0	0	0	3	2	27	7	6	6
VII	88	54	59	74	3.0	3.6	3.7	25	11	29	0	0	0	0	6	5	1	5	0	0	6	0	0	3	0	0	0	0	2	2	29	7	4	0
VIII	96	61	67	80	4.3	4.8	4.7	35	15	7	0	0	0	0	9	8	1	0	0	0	9	0	0	0	0	0	0	0	7	5	26	3	6	0
IX	96	77	88	89	6.1	5.7	5.4	71	14	3	2	0	0	0	18	13	2	11	0	0	18	1	0	4	0	0	0	0	7	7	19	2	11	0
X	91	80	89	88	5.4	5.0	5.3	36	13	7	23	11	1	0	12	6	1	11	2	0	7	9	4	2	0	0	0	0	7	2	17	2	14	12
XI	90	89	99	90	4.8	5.6	5.4	15	4	12	29	15	4	0	15	5	0	16	7	0	6	13	3	4	0	0	0	0	5	7	10	4	11	30
XII	90	88	88	89	3.8	4.5	3.5	35	14	29	31	24	19	0	17	10	1	18	3	0	3	17	3	0	0	0	0	0	2	8	20	9	8	31
1955	87	72	77	82	4.3	4.6	4.4	326	15		252	144	102	0	143	81	6	136	19	2	58	101	13	17	0	0	0	0	75	42	253	65	104	230

Gaustatoppen

H_s = 1828 H_b = 1828.7 h_t = 2.1 h_a = h_d = 3.5 h_r = 1.3

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	83	82	84	4.6	4.9	4.9	98	20	11	31		20		22	16	3	15	2	0	0	21	0	0	0	0	0	0	0	22	18	6	11	31
II	82	80	79	80	4.2	3.6	4.1	78	28	3	28		24		18	11	3	12	0	0	0	17	0	0	0	0	0	0	0	19	22	10	7	28
III	61	79	79	80	4.8	3.9	3.7	117	39	5	31		30		21	11	3	18	2	0	0	20	0	0	0	0	0	0	0	25	29	6	7	31
IV	82	83	84	83	4.3	4.2	4.2	88	21	7	30		14		17	12	3	9	2	1	0	17	0	0	0	0	0	0	0	20	26	4	7	30
V	89	90	90	89	5.3	5.9	5.0	157	28	19	31		6		23	20	6	7	0	0	0	23	0	0	0	0	0	0	0	24	21	4	12	31
VI	79	72	74	77	3.7	4.3	4.5	43	13	15	18		0		17	15	1	2	0	0	8	8	0	1	0	3	0	0	0	12	27	7	8	29
VII	75	64	63	68	3.0	3.3	3.6	16	4	6	1		0		8	6	0	5	0	0	8	0	0	0	1	0	0	1	0	9	28	7	4	0
VIII	80	73	73	76	3.5	4.5	4.5	35	15	7	1		0		8	6	1	3	0	0	8	0	0	4	0	0	0	0	0	11	31	3	6	0
IX	86	89	92	89	5.5	5.7	5.5	87	17	3	16		0		22	13	4	20	1	0	16	11	1	13	0	0	0	1	0	26	27	2	13	8
X	87	85	87	86	4.3	5.0	5.5	54	17	21	29		11		20	12	1	20	2	1	2	17	0	1	0	0	0	0	0	25	25	2	10	21
XI	90	92	90	90	5.3	5.6	5.4	84	17	12	30		11		18	11	2	17	0	0	4	15	0	4	0	0	0	0	0	27	17	4	13	30
XII	87	87	86	86	4.2	5.0	4.5	139	27	29	31		22		16	16	5	19	2	0	0	16	0	0	0	0	0	0	0	23	18	9	11	31
1955	84	81	82	82	4.4	4.7	4.6	996	39		277		138		210	149	32	147	11	2	46	165	1	23	1	3	0	2	0	243	289	64	109	270

Stokke

H_s = 76 H_b = h_t = 2.0 h_a = h_d = 12 h_r = 1.7

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	91	88	90	90	5.3	5.1	4.9	54	23	11	26	17	14	0	9	7	1	1	0	0	3	7	1	0	0	0	0	0	10	4	19	6	11	31
II	89	74	81	83	4.4	4.0	3.5	50	11	9	28	18	17	0	11	10	2	0	0	0	5	8	2	1	0	0	0	0	0	6	18	10	9	28
III	78	61	65	70	4.5	4.2	3.7	10	6	26	29	5	7	0	6	3	0	3	0	0	0	6	0	0	0	0	0	0	9	3	25	3	6	31
IV	80	61	63	70	4.1	4.8	4.2	42	10	7	20	0	1	0	11	8	0	2	0	0	6	6	1	1	0	0	0	0	9	4	23	4	8	10
V	76	62	64	70	5.1	5.5	4.5	141	33	19	4	0	0	0	18	11	5	2	0	0	16	0	0	0	0	3	0	1	12	1	25	4	11	0
VI	70	50	51	62	3.4	3.5	3.8	16	8	15	0	0	0	0	5	4	0	5	0	0	5	0	0	1	0	0	0	0	7	1	28	6	4	0
VII	71	47	47	59	2.1	2.1	2.1	17	15	3	0	0	0	22	4	2	1	0	0	0	4	0	0	0	0	0	0	0	6	1	30	18	1	0
VIII	84	54	59	70	3.8	3.9	3.8	14	11	19	0	0	0	8	7	2	1	1	0	0	7	0	0	0	0	0	0	2	8	4	27	6	6	0
IX	93	65	78	82	5.1	4.8	3.9	100	28	3	0	0	0	0	16	12	3	2	0	0	16	0	0	0	0	0	0	3	12	6	26	3	10	0
X	88	70	81	82	4.0	4.7	4.5	115	42	21	11	0	0	0	14	11	3	5	0	0	12	3	0	1	0	0	0	0	11	5	21	5	7	0
XI	85	75	80	81	4.2	5.4	5.0	74	18	9	19	1	0	0	11	10	3	1	0	0	10	1	0	4	0	0	0	0	14	0	14	5	11	1
XII	87	83	84	85	4.7	4.6	3.9	95	37	24	24	15	15	0	14	9	3	4	1	0	7	10	2	1	0	0	0	0	13	5	17	7	11	17
1955	83	66	70	75	4.2	4.4	4.0	728	42		161	56	54	30	126	89	22	26	1	0	93	41	6	9	0	3	0	6	111	40	273	77	95	118

1955

Ås

φ = 59° 40′N λ = 10° 47′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.2	- 3.9	- 6.0	- 5.7	- 2.0	-10.1	8.5	25	-23.5	18	9 1.2	2 3.0	0 -	4 1.2	6 1.0	17 1.6	16 2.4	1 2.0	3 1.0	15 1.1	2 1.0	15 1.3	3
II			-10.0	- 3.5	- 7.2	- 7.3	- 2.0	-11.9	3.0	1	-23.0	22	12 2.2	9 1.9	7 1.9	3 1.0	2 1.0	5 1.0	1 1.0	3 1.7	1 1.0	6 1.0	2 1.0	24 1.2	9
III			- 4.9	1.1	- 1.2	- 2.4	2.9	- 7.2	10.3	30	-15.2	22	4 2.5	16 2.1	4 1.2	9 1.0	1 1.0	11 1.5	7 1.9	10 1.5	1 1.0	10 1.5	5 1.6	14 1.2	1
IV			1.4	6.0	4.7	2.8	8.1	- 1.9	17.9	19	-10.4	9	3 2.7	9 1.6	8 1.5	2 1.0	3 1.3	15 1.2	7 1.0	7 1.4	3 1.7	5 1.6	7 1.6	18 1.9	3
V			7.5	10.3	9.8	7.8	12.4	3.4	23.1	30	- 1.0	18	7 1.7	7 2.6	7 1.9	7 1.7	2 1.5	9 1.9	20 3.0	3 1.7	4 1.5	10 2.4	5 2.6	11 1.9	1
VI			13.7	17.5	15.9	13.6	19.7	6.8	27.0	4	0.7	9	1 3.0	12 2.9	5 1.8	2 1.5	2 2.0	18 2.0	15 2.9	11 2.7	9 1.8	4 1.0	1 2.0	10 2.7	0
VII			20.6	25.1	24.0	20.8	23.7	12.8	32.0	10	6.6	5	5 1.8	7 2.9	11 2.0	2 1.0	4 1.2	12 1.6	13 2.1	9 1.9	11 1.5	6 2.0	4 1.8	5 1.6	4
VIII			17.7	23.0	20.5	18.5	25.0	12.4	29.1	11	7.4	23	6 1.5	10 1.9	4 1.5	3 1.3	3 1.7	16 1.7	11 1.7	8 1.8	7 1.4	0 -	4 1.0	4 1.5	17
IX			11.3	16.2	12.9	12.6	17.4	8.3	23.8	1	0.8	28	1 3.0	5 2.2	1 3.0	6 1.7	3 1.0	11 1.5	19 2.3	7 1.7	5 1.4	5 1.4	4 1.0	3 1.7	20
X			3.6	8.6	5.0	5.2	9.4	1.4	19.5	9	- 8.9	31	7 1.3	6 1.8	2 2.5	5 1.2	4 1.8	13 2.1	10 1.4	9 3.0	3 2.0	3 2.0	7 2.0	4 1.8	20
XI			- 0.6	2.9	2.0	1.1	4.7	- 2.2	9.5	12	-12.4	29	2 3.5	3 1.3	1 1.0	0 -	2 1.0	7 1.1	13 1.8	3 1.3	1 1.0	6 2.7	12 1.1	7 2.0	33
XII			- 5.8	- 4.1	- 5.8	- 5.5	- 2.2	- 9.4	8.6	6	-22.0	21	3 1.0	10 2.2	5 3.8	3 2.0	0 -	10 1.8	10 2.1	3 1.7	1 1.0	3 1.3	9 1.9	9 1.7	27
1955			3.7	8.3	6.2	5.1	10.1	0.2	32.0		-23.5		60 1.8	96 2.2	55 2.0	46 1.3	32 1.3	144 1.6	142 2.2	74 2.0	49 1.5	73 1.6	62 1.6	124 1.6	139

Eidsberg

φ = 59° 30′N λ = 11° 17′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.9	- 3.3	- 4.9	- 4.6	- 1.7	- 7.7	6.4	25	-22.6	18	11 1.7	5 1.6	1 1.0	1 1.0	0 -	12 1.4	38 2.1	5 1.8	3 1.3	1 2.0	0 -	16 1.2	0
II			- 8.8	- 3.9	- 6.2	- 6.6	- 2.7	-10.1	2.7	1	-21.1	22	23 2.3	11 2.1	0 -	0 -	0 -	19 1.5	3 2.0	2 2.0	0 -	0 -	1 2.0	22 1.5	3
III			- 5.1	0.7	- 2.0	- 2.6	2.9	- 6.8	10.3	30	-14.7	22	20 2.1	8 2.6	3 2.0	2 3.5	0 -	12 1.8	12 2.3	9 2.3	0 -	1 3.0	0 -	26 1.8	0
IV			0.9	5.8	3.4	2.6	7.0	- 2.1	16.5	19	- 8.0	9	17 2.7	13 2.4	0 -	0 -	0 -	13 1.8	19 2.1	4 2.0	0 -	0 -	14 2.1	10 1.8	0
V			6.4	9.7	8.9	7.3	11.3	3.0	22.7	30	- 2.9	13	20 2.6	8 2.1	1 2.0	0 -	1 3.0	15 2.4	23 2.5	7 3.1	1 4.0	0 -	0 -	17 2.5	0
VI			11.8	17.0	14.9	13.0	18.4	6.6	25.3	4	1.4	9	17 2.9	1 2.0	0 -	4 1.8	0 -	4 2.0	34 2.7	12 2.5	5 3.4	0 -	1 2.0	12 2.4	0
VII			17.5	24.7	22.3	20.0	26.4	12.9	30.6	10	7.4	18	19 2.1	4 2.2	2 2.5	0 -	0 -	6 2.2	19 2.2	12 2.6	1 2.0	0 -	9 2.3	20 2.2	1
VIII			15.6	23.1	20.1	18.4	24.6	12.7	28.1	11	9.6	3	24 2.0	3 3.0	0 -	0 -	0 -	4 1.5	28 2.4	11 2.3	1 2.0	0 -	3 2.3	16 2.0	3
IX			10.3	16.0	12.6	12.4	17.0	8.7	23.1	8	2.3	28	9 1.7	3 2.3	0 -	0 -	1 1.0	18 2.0	32 2.0	11 2.8	0 -	0 -	0 -	14 2.1	2
X			3.2	8.0	4.9	5.1	9.1	2.0	17.9	9	- 8.3	31	19 2.0	7 2.4	1 2.0	1 1.0	2 2.0	13 2.2	21 2.6	12 2.9	1 2.0	0 -	0 -	16 2.2	0
XI			0.2	3.2	2.6	1.7	4.9	- 1.3	9.3	11	-11.7	29	13 2.5	6 1.8	0 -	3 1.7	8 1.9	11 2.0	23 2.3	3 2.7	0 -	0 -	2 3.0	20 1.8	1
XII			- 5.7	- 4.1	- 5.4	- 5.3	- 2.2	- 8.2	9.0	6	-21.9	23	9 1.6	21 3.0	0 -	1 2.0	0 -	9 1.7	22 2.5	5 1.8	0 -	0 -	0 -	26 2.0	0
1955			3.4	8.1	6.0	5.1	9.6	0.8	30.6		-22.6		201 2.2	90 2.4	8 2.0	12 1.9	12 1.9	136 1.9	274 2.3	93 2.5	12 2.6	2 2.5	30 2.2	215 1.9	10

Råde (Tomb)

φ = 59° 19′N λ = 10° 49′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.9	- 3.6	- 5.4	- 5.1		- 6.4	7.0	25	-26.8	18	0 -	12 1.2	6 2.0	10 2.2	1 2.0	15 1.3	14 1.5	13 2.3	15 1.9	1 3.0	0 -	0 -	6
II			- 9.0	- 3.2	- 6.2	- 6.5		-11.2	2.8	1	-24.5	22	1 1.0	7 2.1	13 2.7	17 2.4	3 1.0	22 1.0	5 1.0	5 1.2	8 1.5	1 2.0	0 -	0 -	2
III			- 3.9	1.4	- 0.7	- 1.8		- 6.5	7.2	14	-14.5	7	0 -	12 3.2	10 1.7	14 2.4	1 1.0	10 1.2	3 1.0	26 2.4	16 2.2	0 -	0 -	0 -	1
IV			2.2	6.3	4.3	3.1		- 1.9	13.2	29	- 8.5	9	0 -	7 2.9	12 2.3	10 2.2	1 1.0	4 1.2	5 1.6	31 1.7	17 2.4	0 -	0 -	0 -	3
V			8.2	10.3	9.3	8.0		3.7	21.9	30	- 2.3	13	0 -	7 2.4	8 2.8	7 1.9	4 2.8	11 1.6	9 1.7	24 2.3	22 2.2	1 3.0	0 -	0 -	0
VI			14.4	16.9	14.8	13.5		7.4	24.0	4	- 0.6	9	0 -	5 3.0	9 2.7	7 1.4	2 2.0	2 1.0	9 1.8	26 2.2	30 2.6	0 -	0 -	0 -	0
VII			21.0	24.2	22.9	20.4		12.7	29.8	10	6.2	5	0 -	7 3.7	4 2.5	3 2.0	3 2.0	2 1.5	4 1.2	17 1.9	50 1.9	2 2.5	0 -	0 -	1
VIII			18.6	22.2	20.4	18.7		12.6	24.8	24	9.7	14	0 -	4 3.2	13 2.8	6 1.7	0 -	2 1.0	5 1.6	23 1.6	31 2.3	1 1.0	0 -	0 -	8
IX			12.3	16.0	14.0	13.1		8.8	20.8	1	- 0.2	28	0 -	3 3.3	3 3.0	4 3.0	1 1.0	8 1.2	6 1.0	21 2.0	34 2.8	0 -	0 -	0 -	10
X			4.9	8.8	5.9	6.1		2.7	16.8	9	- 7.7	31	0 -	7 2.4	7 2.4	11 1.8	4 2.2	4 1.0	8 1.5	10 2.6	30 3.0	1 6.0	0 -	0 -	11
XI			0.7	4.2	3.4	2.4	6.1	- 1.7	9.8	12	-10.8	29	3 4.7	20 1.6	4 1.5	0 -	1 3.0	8 1.0	2 2.5	11 2.0	16 2.6	5 1.8	3 2.3	1 4.0	16
XII			- 4.4	- 2.7	- 4.4	- 4.0	- 1.0	- 7.8	10.9	6	-22.2	23	0 -	13 1.5	17 2.3	3 2.3	1 1.0	6 1.8	1 3.0	12 3.3	18 2.3	7 2.3	2 1.0	0 -	13
1955			4.9	8.4	6.5	5.7		1.0	29.8		-26.8		4 3.8	104 2.3	106 2.4	92 2.1	22 1.9	94 1.3	71 1.5	219 2.0	287 2.4	19 2.4	5 1.8	1 4.0	71

Kalnes

φ = 59° 19′N λ = 11° 3′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.6	- 3.5	- 5.3	- 5.0		- 8.9	6.8	25	-26.7	18	16 2.4	5 2.2	15 2.9	9 2.6	1 1.0	4 2.8	13 3.5	10 4.1	8 3.4	5 2.6	1 2.0	6 2.7	0
II			- 8.4	- 2.9	- 5.2	- 5.8		- 9.8	2.9	1	-21.8	22	20 3.6	11 3.7	13 3.6	9 2.8	2 2.5	3 2.7	12 2.8	2 2.5	3 3.0	0 -	2 1.5	7 2.6	0
III			- 4.4	1.6	- 1.0	- 1.9		- 6.0	7.8	14	-13.4	21	33 3.6	8 4.0	4 4.2	2 2.5	0 -	1 4.0	7 3.9	3 3.3	4 3.8	15 4.3	7 2.9	9 3.0	0
IV			1.4	6.3	4.8	3.1		- 1.2	15.1	19	- 8.5	9	19 3.6	8 4.1	11 3.3	4 2.8	2 3.0	3 3.0	9 3.9	9 3.3	5 3.8	11 3.1	2 3.0	7 3.9	0
V			7.5	10.1	9.5	7.9		4.5	22.0	30	- 0.7	13	17 3.4	7 3.0	4 4.2	7 4.1	1 3.0	3 2.3	15 3.8	6 4.2	6 5.0	17 3.8	7 3.3	3 3.0	0
VI			13.9	17.2	15.0	13.8		8.6	24.8	4	3.7	9	8 2.6	4 4.0	6 2.8	7 2.7	4 2.8	9 3.7	7 4.6	6 4.0	8 3.9	25 3.6	5 3.8	1 5.0	0
VII			20.4	24.6	23.0	20.7		13.9	29.7	10	9.9	5	4 2.8	9 3.4	5 1.6	13 2.5	8 2.6	2 1.5	7 3.1	5 3.6	19 3.1	12 2.7	6 3.2	3 4.0	0
VIII			17.4	22.7	20.0	18.7		14.1	26.8	11	11.0	7	5 2.8	4 4.2	13 3.7	12 2.8	3 2.3	4 3.2	16 3.4	10 3.9	11 3.5	11 3.2	3 2.7	1 1.0	0
IX			11.8	16.2	13.6	13.2		9.9	21.8	8	3.3	28	7 3.0	2 3.5	4 4.0	16 3.1	2 3.0	3 2.7	9 2.8	5 4.6	10 3.9	21 4.0	9 2.9	2 3.5	0
X			4.9	8.5	6.4	6.3		3.5	15.7	10	- 5.7	31	13 3.2	6 4.0	8 3.8	11 4.1	1 2.0	4 2.0	11 3.2	3 4.0	13 4.2	19 3.8	3 3.0	1 1.0	0
XI			1.2	3.9	3.5	2.6		- 0.3	9.2	11	- 9.5	29	24 3.5	9 4.0	9 4.0	4 2.0	2 2.0	2 2.5	10 3.9	4 3.0	5 5.2	12 4.0	5 4.4	4 4.0	0
XII			- 4.7	- 2.7	- 4.7	- 4.2		- 7.7	9.7	6	-22.7	20	25 3.4	2 5.0	16 3.8	9 3.9	2 3.5	3 2.7	5 4.2	5 4.0	7 4.8	9 3.3	9 3.3	1 1.0	0
1955			4.6	8.5	6.6	5.8		1.7	29.7		-26.7		191 3.3	75 3.7	108 3.5	103 3.1	28 2.6	41 2.9	121 3.5	68 3.8	99 3.9	157 3.6	59 3.2	45 3.1	0

Brekke Sluse

φ = 59° 9′N λ = 11° 34′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.9	- 4.1	- 5.8	- 5.5		- 9.4	3.4	31	-27.2	18	10 2.1	0 -	27 2.0	15 2.0	0 -	5 1.8	0 -	0 -	28 2.1	3 2.5	0 -	5 2.0	0
II			-10.2	- 4.0	- 6.6	- 5.3		-12.0	2.2	1	-27.2	22	9 3.9	0 -	39 2.6	6 2.2	0 -	3 3.0	0 -	0 -	9 1.7	1 2.0	0 -	15 2.3	2
III			- 6.8	0.5	- 1.3	- 3.1		- 8.5	6.0	14	-18.2	21	13 2.5	0 -	21 2.5	16 2.3	0 -	0 -	3 2.0	0 -	11 2.7	12 2.3	0 -	16 1.9	1
IV			- 0.9	6.1	4.6	2.3		- 3.3	15.4	19	-10.9	9	17 2.4	0 -	14 2.4	13 1.8	0 -	7 2.0	3 2.0	0 -	10 1.7	7 2.0	0 -	15 2.3	4
V			6.2	9.6	9.6	7.3		2.4	23.0	30	- 2.1	11	0 -	0 -	21 2.2	4 2.0	0 -	7 2.4	3 1.7	0 -	30 2.4	9 2.8	0 -	15 2.5	4
VI			12.0	16.6	15.3	12.9		6.0	23.2	6	0.6	18	8 2.6	0 -	17 2.3	6 2.2	0 -	2 2.0	2 2.5	2 2.0	23 2.4	19 2.6	0 -	10 2.3	1
VII			18.2	23.8	22.5	19.7		12.3	28.8	13	6.4	5	7 2.6	2 2.0	22 2.5	13 2.2	0 -	2 2.0	7 2.0	0 -	17 2.3	23 2.6	0 -	0 -	0
VIII			14.8	21.5	19.9	17.5		12.1	25.2	13	9.2	23	2 2.5	5 2.4	9 1.9	21 1.9	0 -	4 2.0	4 2.2	1 2.0	19 2.1	22 2.0	0 -	1 3.0	5
IX			10.0	14.9	12.4	11.8		8.5	20.8	8	0.0	28	6 1.3	1 2.0	4 2.0	12 2.8	0 -	8 1.8	7 1.7	0 -	24 2.4	15 2.1	0 -	8 1.8	5
X			3.5	7.6	5.3	5.2		2.3	15.0	10	- 8.4	31	9 2.1	16 2.0	5 2.4	3 2.3	1 2.0	6 1.8	3 3.3	0 -	24 2.2	8 2.0	0 -	15 2.6	3
XI			0.6	3.7	2.8	2.2	5.2	- 0.9	9.2	12	-10.2	29	5 2.4	17 2.7	1 2.0	3 3.0	0 -	6 2.0	8 2.4	0 -	15 2.5	6 2.2	0 -	26 2.1	3
XII			- 5.5	- 3.8	- 5.1	- 5.0	- 2.2	- 7.9	8.3	2	-26.0	20	12 2.2	20 2.6	0 -	9 3.3	0 -	6 2.3	6 3.0	0 -	12 2.6	5 2.4	0 -	22 2.0	1
1955			3.0	7.7	6.1	5.0		0.1	28.8		-27.2		98 2.3	61 2.4	180 2.3	121 2.2	1 2.0	56 2.1	46 2.3	3 2.0	222 2.3	130 2.3	0 -	148 2.2	29

1955

Ås

H_s = 95 H_b = h_t = 2.0 h_a = h_d = 8.3 h_r = 2.0

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	✱●	,	✱	△	▲	Ʀ	═	≡	⊙	◔	●	⊡
I	89	88	88	89	6.2	4.7	5.8	26	7	11	28	20	15	0	11	8	0	0	0	0	5	7	1	4	0	0	0	0	6	25	13	2	16	31
II	87	69	82	84	4.6	4.0	4.4	32	10	5	26	16	18	0	11	7	1	0	0	0	4	9	0	4	0	0	0	0	10	11	19	8	8	24
III	78	61	65	70	4.4	3.9	4.5	6	3	26	31	5	10	0	4	0	0	1	0	0	0	4	0	0	0	0	0	0	10	4	27	4	5	20
IV	75	56	63	69	4.0	4.2	4.7	31	8	7	21	0	1	0	8	7	0	1	0	0	5	4	0	2	0	0	0	0	6	8	24	9	3	6
V	71	59	62	69	4.7	5.2	4.8	80	19	3	4	0	0	0	15	11	2	2	0	0	15	0	0	10	0	3	0	0	10	8	27	5	11	0
VI	61	46	51	60	3.4	3.8	4.5	23	13	15	0	0	0	1	8	4	1	1	0	0	8	0	0	3	0	0	0	0	5	0	29	2	5	0
VII	60	42	43	53	2.4	2.5	2.5	17	10	3	0	0	0	23	3	3	1	0	0	0	3	0	0	2	0	0	0	2	3	0	31	15	1	0
VIII	72	48	58	65	4.1	3.7	4.4	24	15	19	0	0	0	15	5	4	1	0	0	0	5	0	0	1	0	0	0	1	11	8	28	5	7	0
IX	86	67	78	80	5.8	5.0	5.9	98	27	3	0	0	0	0	15	11	4	1	0	0	15	0	0	0	0	1	0	0	14	9	27	0	13	0
X	86	66	85	81	4.3	4.6	4.9	80	39	21	13	0	0	0	9	6	3	0	0	0	9	2	1	2	0	0	0	1	9	8	25	3	8	0
XI	87	78	81	83	4.9	5.0	5.3	55	13	9	20	1	1	0	10	9	2	0	0	0	9	3	2	7	0	0	0	0	6	12	18	4	12	1
XII	89	87	88	88	6.8	5.3	5.3	33	9	24	27	17	16	0	10	7	0	1	0	0	3	8	0	3	0	0	0	0	13	5	23	1	13	15
1955	78	64	70	74	4.6	4.3	4.8	505	39		170	59	61	39	109	77	15	7	0	0	81	37	4	38	0	4	0	4	103	98	291	58	102	97

Eidsberg

H_s = 140 H_b = h_t = 2.2 h_a = h_d = 9.1 h_r = 1.7

Måned	U 7	U 13	U 19	U Dies	N 7	N 13	N 19	R Σ	R Max	R Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	91	87	91	90	6.4	5.5	5.5	29	8	11	27	18	13	0	11	6	0	0	0	0	4	7	0	2	0	0	0	0	11	6	15	3	16	29
II	89	77	82	84	4.6	4.0	4.1	28	11	5	24	18	17	0	11	6	1	0	0	0	5	8	1	2	0	0	0	0	11	2	18	8	9	20
III	83	64	70	74	5.9	5.4	4.3	7	3	26	31	4	6	0	8	3	0	0	0	0	0	8	0	0	0	0	0	0	8	3	24	2	11	19
IV	81	61	69	69	4.2	5.8	5.6	29	8	7	22	0	0	0	9	8	0	0	0	0	5	4	0	2	0	0	0	0	7	5	21	2	12	5
V	77	65	68	73	6.1	6.4	5.6	88	15	3	3	0	0	0	18	12	4	1	0	0	18	0	0	4	0	2	0	0	10	5	22	2	20	0
VI	70	47	57	65	3.7	4.6	4.9	30	11	16	0	0	0	1	10	6	1	0	0	0	10	0	0	2	0	0	0	0	6	1	27	4	7	0
VII	74	46	49	61	2.4	2.8	2.5	39	21	2	0	0	0	22	3	3	2	0	0	0	3	0	0	2	0	0	0	0	4	1	31	16	2	0
VIII	86	52	62	72	4.8	4.3	4.7	21	10	19	0	0	0	14	7	2	0	0	0	0	7	0	0	3	0	0	0	2	7	4	27	2	8	0
IX	93	67	82	84	6.3	5.9	5.3	93	39	3	0	0	0	0	17	11	3	0	0	0	17	0	0	4	0	0	0	3	11	5	23	2	13	0
X	91	72	85	84	5.5	5.2	4.8	83	34	21	13	0	0	0	16	12	2	1	0	0	14	3	1	1	0	0	0	1	11	5	21	5	13	0
XI	86	75	80	81	5.2	5.6	5.6	67	14	6	18	1	1	0	10	7	2	1	0	0	9	1	0	2	0	0	0	0	16	5	14	3	14	1
XII	87	83	85	85	5.8	5.7	4.6	57	17	18	24	15	14	0	11	9	1	1	0	0	4	7	0	0	0	0	0	0	20	1	15	3	9	13
1955	84	66	73	77	5.1	5.1	4.8	571	39		162	56	51	37	131	85	16	4	0	0	96	38	2	24	0	2	0	6	122	43	258	52	134	87

Råde (Tomb)

H_s = 14 H_b = h_t = 1.9 h_a = h_d = 6.9 h_r = 1.5

Måned	U 7	U 13	U 19	U Dies	N 7	N 13	N 19	R Σ	R Max	R Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	91	89	91	90	5.6	4.8	5.1	44	20	11	26		15		8	7	1	2	0	0	3	6	0	0	0	0	0	0	11	4	17	5	14	27
II	91	79	82	85	4.9	3.6	2.5	39	13	3	25		17		11	7	1	0	0	0	5	8	1	5	0	0	0	0	7	7	18	10	7	20
III	81	63	67	73	4.6	4.1	3.9	8	5	26	31		8		4	2	0	2	0	0	0	4	0	0	0	0	0	0	6	3	22	6	6	21
IV	80	61	67	74	4.1	4.6	4.3	33	8	30	22		0		10	7	0	0	0	0	7	5	0	4	0	0	0	0	7	5	20	5	10	6
V	73	66	67	71	5.5	5.7	4.3	90	21	19	3		0		17	14	3	2	0	0	17	0	0	0	0	1	0	0	13	1	22	5	12	0
VI	64	51	56	64	3.2	3.6	3.5	21	17	15	1		0		7	2	1	2	0	0	6	0	0	5	1	0	0	0	9	0	29	6	4	0
VII	58	47	52	56	2.1	2.4	2.5	10	6	3	0		0		3	3	0	0	0	0	3	0	0	2	0	0	0	0	6	0	31	16	2	0
VIII	76	55	63	70	3.1	3.5	3.4	14	5	19	0		0		5	3	0	0	0	0	5	0	0	1	0	0	0	1	11	0	30	10	4	0
IX	89	68	77	81	5.7	5.2	5.1	111	48	3	1		0		15	13	2	2	0	0	15	0	0	3	0	0	0	2	9	6	23	4	12	0
X	86	72	81	81	5.5	4.9	4.7	95	34	21	10		0		13	8	3	5	0	0	13	1	1	2	0	0	0	1	8	4	18	4	13	0
XI	88	80	80	83	4.9	5.5	4.8	58	15	9	20	1	1	0	11	7	2	1	0	0	10	1	0	7	0	0	0	0	16	1	13	6	12	0
XII	87	85	96	86	5.3	5.0	3.9	43	9	27	23	14	15	0	16	9	0	2	0	0	8	8	0	1	0	0	0	0	11	1	17	5	11	11
1955	80	68	72	76	4.5	4.4	4.0	566	48		162		56		120	82	13	18	0	0	92	33	2	30	1	1	0	4	114	32	260	82	107	85

Kalnes

H_s = 58 H_b = h_t = 2.0 h_a = h_d = 7.5 h_r = 1.7

Måned	U 7	U 13	U 19	U Dies	N 7	N 13	N 19	R Σ	R Max	R Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	92	89	91	91	4.8	4.4	4.8	39	10	11	26		13		13	6	1	2	0	0	9	7	1	9	0	0	0	0	14	6	19	9	13	27
II	92	80	83	86	4.2	3.1	2.5	36	12	5	24		17		12	9	1	4	0	0	6	8	2	4	0	0	0	0	7	8	20	11	7	25
III	82	67	70	75	4.6	3.1	2.8	10	4	26	31		6		7	3	0	4	0	0	4	4	0	5	0	0	0	0	12	5	27	8	5	19
IV	79	62	64	72	3.5	4.1	4.1	30	6	30	20		0		12	9	0	1	0	0	12	4	2	7	0	0	0	0	6	10	22	10	12	5
V	76	71	70	74	5.1	5.0	4.2	90	17	3	1		0		22	13	4	2	0	0	22	0	0	2	0	0	0	0	7	8	24	7	12	0
VI	69	54	61	69	2.7	2.9	3.3	33	21	15	0		0		11	7	1	3	0	0	11	0	0	3	0	0	0	0	5	5	27	11	4	0
VII	68	51	55	64	1.0	1.2	1.5	26	15	3	0		0		4	2	2	2	0	0	4	0	0	1	0	0	0	1	4	0	31	22	2	0
VIII	82	56	66	74	3.1	2.3	3.2	18	10	19	0		0		6	4	1	1	0	0	6	0	0	1	0	0	0	2	8	8	30	11	4	0
IX	89	68	76	80	4.7	3.9	3.8	103	41	3	0		0		21	11	3	6	0	0	20	0	0	7	0	0	0	4	9	10	29	6	7	0
X	87	73	80	81	3.7	4.2	3.9	94	41	21	11		0		15	8	2	8	0	0	15	2	2	1	0	0	0	1	11	7	25	11	8	0
XI	87	80	83	84	3.5	5.0	4.4	64	13	6	15		0		12	8	3	7	1	0	11	1	0	8	0	0	0	0	15	5	19	10	11	1
XII	89	86	88	88	4.4	4.4	3.7	54	16	18	24		14		13	7	2	12	2	0	6	7	0	2	0	0	0	0	14	5	22	11	12	14
1955	83	70	74	78	3.8	3.6	3.5	597	41		152		50		148	87	20	52	3	0	126	33	7	50	0	0	0	8	112	77	295	127	97	91

Brekke Sluse

H_s = 114 H_b = h_t = 2.0 h_a = h_d = 8.5 h_r = 1.8

Måned	U 7	U 13	U 19	U Dies	N 7	N 13	N 19	R Σ	R Max	R Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	91	91	91	91	5.7	5.9	4.6	48	16	31	27		13		14	8	2	0	0	0	8	7	1	5	0	0	0	0	14	4	15	5	16	30
II	89	81	83	85	4.6	4.0	3.5	29	8	5	24		19		15	9	0	0	0	0	5	12	2	0	0	0	0	0	3	3	17	9	11	20
III	84	65	68	74	4.4	4.5	4.4	13	7	5	30		12		9	3	0	0	0	0	0	9	0	2	0	0	0	0	3	1	21	4	9	31
IV	85	59	63	72	4.5	5.3	5.1	34	9	7	24		3		10	8	0	0	0	0	7	4	1	1	0	0	0	0	2	6	16	5	13	10
V	80	66	67	74	5.4	5.7	4.9	119	19	3	6		0		23	17	5	0	0	0	23	0	0	3	0	0	0	0	15	2	21	5	15	0
VI	71	50	55	64	3.5	4.1	4.2	16	4	15	0		0		9	5	0	0	0	0	9	0	0	1	0	0	0	0	4	0	24	8	6	0
VII	74	48	54	63	2.3	2.6	2.6	32	23	2	0		0		6	2	1	0	0	0	6	0	0	1	0	0	0	1	3	0	29	15	3	0
VIII	93	62	65	77	4.6	4.6	4.0	33	14	11	0		0		6	4	1	0	0	0	6	0	0	0	0	0	0	3	8	0	26	4	8	0
IX	98	79	87	90	6.3	5.5	5.3	112	27	3	0		0		16	14	3	0	0	0	16	0	0	1	0	0	0	3	13	6	25	2	12	0
X	94	80	88	89	5.1	5.3	5.1	106	41	21	13		0		20	12	2	0	0	0	20	2	2	3	0	0	0	0	11	7	21	3	14	0
XI	92	83	87	88	4.3	5.5	5.6	74	19	11	19	1	1	0	12	7	3	0	0	0	12	1	1	0	0	0	0	0	12	1	16	6	14	0
XII	91	90	90	91	4.8	5.9	5.3	74	18	18	24	16	13	0	19	11	2	0	0	0	10	10	1	4	0	0	0	0	9	1	13	6	17	16
1955	87	71	75	80	4.6	4.9	4.6	690	41		167		61		159	100	19	0	0	0	122	45	8	21	0	0	0	7	97	31	244	72	138	107

1955

Ferder

φ = 59° 2′N λ = 10° 32′E g = 9.819 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1006.9	1007.8	- 0.4	- 0.3	- 0.1	- 0.4	1.7	- 2.1	8.0	25	-10.0	18	9 3.8	6 3.8	3 3.7	1 4.0	4 4.2	7 3.4	9 4.0	9 4.6	24 4.5	7 3.9	5 4.0	8 3.5	1
II	06.0	07.0	- 3.1	- 2.5	- 2.0	- 2.7	- 0.6	- 4.3	3.7	2	- 9.8	18	17 4.5	15 5.0	8 3.2	1 4.0	3 4.0	5 4.4	2 3.5	4 3.2	9 2.9	3 3.0	2 2.5	15 3.3	0
III	13.6	14.6	- 1.9	- 0.1	0.4	- 0.7	2.2	- 2.7	8.2	30	- 7.2	20	11 4.0	12 4.6	12 3.4	1 2.0	1 3.0	2 2.5	8 3.9	15 4.3	14 4.0	2 4.0	4 3.2	10 3.0	1
IV	16.2	17.2	2.4	4.6	4.6	3.6	6.2	1.6	11.0	20	- 3.0	8	11 3.9	8 3.9	5 4.2	0 -	3 3.0	6 4.2	6 3.3	12 3.6	17 3.8	5 2.4	3 2.7	11 4.1	3
V	05.9	06.8	7.2	7.3	9.0	7.5	10.4	6.0	19.5	30	3.3	2	5 4.6	1 2.0	6 4.2	3 4.0	4 4.0	6 2.7	18 4.0	15 5.2	17 4.4	2 3.5	1 6.0	12 3.7	2
VI	13.1	14.0	12.6	14.9	14.4	13.5	16.0	11.5	19.2	27	7.3	8	7 4.9	3 4.3	3 3.3	0 -	4 3.2	8 3.1	13 4.1	17 5.1	24 3.7	1 2.0	1 4.0	8 3.5	1
VII	15.5	16.4	18.6	21.5	21.1	19.8	23.2	17.5	28.0	10	12.5	3	10 3.9	8 3.5	1 1.0	1 3.0	3 3.0	3 4.0	12 3.4	13 4.3	27 3.6	2 3.5	1 2.0	11 3.0	1
VIII	17.0	17.9	19.3	20.2	20.0	19.1	21.5	17.4	24.3	10	12.6	7	9 3.9	12 3.8	4 4.0	1 2.0	0 -	6 3.2	19 3.6	20 3.4	15 3.5	0 -	1 4.0	4 2.8	2
IX	09.8	10.8	13.9	15.3	15.5	14.6	15.7	13.0	20.2	1	9.0	28	6 4.7	4 3.7	4 5.2	1 5.0	7 3.3	5 3.8	15 4.3	15 4.6	19 4.6	6 3.8	3 1.7	5 3.4	0
X	07.0	08.0	8.2	9.3	9.2	8.7	10.6	7.1	14.8	9	0.0	31	2 3.5	14 4.2	7 5.0	4 4.5	3 3.3	4 2.0	6 5.7	13 4.6	24 4.8	3 4.7	6 4.3	6 3.5	1
XI	14.6	15.5	5.5	5.9	6.5	5.9	8.0	4.0	10.6	20	- 4.1	29	5 4.8	13 5.1	6 3.7	2 4.0	5 4.2	2 4.5	5 4.2	4 4.2	23 4.6	12 4.0	4 3.8	9 3.3	0
XII	998.8	999.7	0.8	0.6	0.4	0.5	2.3	- 1.5	10.5	6	- 9.9	21	12 4.8	12 4.2	8 5.5	3 5.7	1 4.0	2 6.0	4 4.2	2 7.0	23 5.6	14 4.4	4 3.5	8 4.1	0
1955	1010.4	1011.3	6.8	8.1	8.2	7.4	9.8	5.6	28.0		-10.0		104 4.3	108 4.4	67 4.1	18 4.2	38 3.6	56 3.5	117 4.0	140 4.4	236 4.3	57 3.8	35 3.5	107 3.4	12

Gvarv

φ = 59° 24′N λ = 9° 10′E g = ΔG = + 1ʰ

I			- 9.8	- 6.9	- 9.3	- 9.1	- 4.3	-13.7	9.4	25	-31.0	18	2 1.0	0 -	0 -	0 -	2 1.5	2 4.0	0 -	1 2.0	0 -	2 1.5	2 1.5	8 1.0	74
II			-12.0	- 3.6	- 7.5	- 8.3	- 2.1	-13.5	2.9	5	-25.0	21	2 1.0	4 1.5	1 2.0	0 -	0 -	1 1.0	0 -	0 -	1 3.0	1 1.0	5 1.4	8 2.8	61
III			- 6.6	2.5	- 0.2	- 2.2	4.6	- 8.4	12.9	15	-17.7	21	3 2.0	2 3.0	1 1.0	0 -	1 4.0	8 1.6	2 2.0	1 3.0	1 2.0	7 2.0	10 2.8	8 3.2	49
IV			- 0.4	7.4	5.9	3.1	9.1	- 2.5	20.6	19	- 8.6	1	0 -	1 2.0	0 -	0 -	2 1.0	18 1.3	5 1.4	5 1.2	1 2.0	6 2.0	9 2.6	10 2.6	33
V			6.3	12.2	10.7	8.2	13.9	2.0	25.4	30	- 3.5	13	0 -	4 1.2	1 2.0	1 3.0	0 -	19 2.3	6 1.7	9 1.6	4 2.2	9 2.2	7 2.9	7 2.4	26
VI			11.3	18.4	16.4	13.2	20.1	4.9	25.8	5	- 1.1	10	0 -	4 3.0	2 2.5	0 -	0 -	18 2.2	11 2.4	7 2.9	2 2.5	3 2.3	5 2.2	9 3.1	29
VII			16.4	26.9	24.1	19.9	28.2	10.0	32.7	14	4.8	19	0 -	3 2.3	1 2.0	0 -	1 1.0	28 2.8	16 1.7	6 2.0	2 2.0	7 2.1	1 2.0	0 -	28
VIII			13.5	24.3	21.3	17.9	25.5	10.0	29.9	1	5.8	5	1 2.0	1 3.0	1 1.0	1 2.0	0 -	32 2.0	14 1.9	2 1.5	0 -	2 2.0	1 2.0	7 2.1	31
IX			8.1	16.4	13.0	11.4	17.6	6.2	23.5	7	- 1.9	28	0 -	1 4.0	1 1.0	1 3.0	0 -	16 1.9	7 1.5	9 1.4	2 3.5	3 3.0	3 2.7	0 -	47
X			1.8	8.4	4.0	4.2	9.7	0.0	20.7	9	- 9.8	31	0 -	0 -	4 1.8	2 2.0	1 1.0	10 1.8	1 2.0	1 3.0	3 1.3	5 1.8	7 3.7	4 1.8	55
XI			- 0.6	2.8	1.2	0.8	4.5	- 2.4	10.8	11	-10.9	29	0 -	2.7	0 -	0 -	0 -	1 2.0	1 2.0	0 -	1 1.0	4 2.5	5 3.2	9 3.0	66
XII			- 7.9	- 5.6	- 7.2	- 7.1	- 3.0	-11.0	12.2	6	-23.0	22	1 1.0	2.0	0 -	0 -	0 -	1 1.0	0 -	0 -	6 1.2	5 2.0	13 2.5	10 2.8	56
1955			1.7	8.6	6.0	4.3	10.3	- 1.5	32.7		-31.0		9 1.4	24 2.3	12 1.8	5 2.4	7 1.6	154 1.9	63 1.8	41 1.9	23 1.9	54 2.1	68 2.6	80 2.6	555

Dalen i Telemark

φ = 59° 27′N λ = 8° 0′E g = 9.818 ΔG = + 1ʰ

I	998.6	1008.5	- 6.4	- 5.1	- 5.9	- 5.9		- 8.4	9.0	25	-17.7	18	0 -	0 -	0 -	2 1.0	4 2.0	2 2.0	0 -	0 -	0 -	6 1.0	33 1.8	0 -	46
II	98.4	08.3	- 8.4	- 5.1	- 5.9	- 6.8		- 9.3	1.0	1	-17.6	21	0 -	0 -	0 -	1 1.0	9 1.2	0 -	0 -	0 -	0 -	2 1.5	50 1.9	0 -	22
III	1005.4	15.3	- 4.3	2.2	0.2	- 1.2		- 5.4	10.0	15	-13.7	21	0 -	0 -	0 -	3 1.3	11 1.7	5 2.4	0 -	0 -	0 -	6 1.7	58 2.4	0 -	10
IV	07.6	17.5	0.1	6.3	6.3	3.4		- 0.6	15.0	19	- 4.5	22	0 -	0 -	0 -	0 -	17 1.6	6 2.2	0 -	0 -	0 -	5 1.8	41 2.6	1 1.0	29
V	997.3	06.9	5.3	10.5	10.2	7.5		3.0	23.2	30	- 1.7	13	0 -	0 -	0 -	0 -	14 1.9	4 2.0	0 -	0 -	0 -	3 2.7	50 2.9	0 -	22
VI	1004.2	13.7	9.7	17.0	16.2	12.9		7.4	23.0	4	2.6	9	0 -	0 -	0 -	3 1.3	15 2.2	7 2.7	0 -	0 -	1 3.0	12 2.5	37 2.8	0 -	11
VII	06.9	16.1	15.1	25.0	23.8	19.6		12.9	30.2	26	8.2	18	0 -	0 -	0 -	5 2.2	21 1.7	0 -	0 -	0 -	0 -	2 1.5	49 2.5	0 -	10
VIII	08.0	17.3	14.1	22.7	21.8	18.3		13.2	27.0	1	11.0	31	0 -	0 -	0 -	3 1.7	22 1.9	1 2.0	0 -	0 -	0 -	1 1.0	31 1.9	0 -	35
IX	01.4	10.9	8.9	14.2	12.6	11.3		8.2	20.6	7	3.0	28	0 -	0 -	0 -	2 2.5	7 1.9	3 2.3	0 -	0 -	0 -	8 1.5	38 2.2	0 -	32
X	999.1	08.8	3.4	6.5	4.8	4.7		2.5	15.2	14	- 6.0	31	0 -	0 -	0 -	1 1.0	6 1.5	0 -	0 -	0 -	0 -	11 1.7	51 1.9	0 -	24
XI	1006.6	16.5	1.4	2.8	2.8	2.1		0.0	11.0	21	- 5.7	29	0 -	0 -	0 -	0 -	3 1.0	4 2.2	0 -	0 -	0 -	3 1.3	44 2.9	0 -	36
XII	991.2	01.0	- 4.3	- 3.5	- 4.2	- 4.1		- 6.4	10.6	6	-16.6	21	0 -	0 -	0 -	3 1.0	1 1.0	1 2.0	0 -	0 -	0 -	8 1.5	55 2.3	2 2.5	23
1955	1002.1	1011.7	2.9	7.8	6.9	5.2		1.4	30.2		-17.7		0 -	0 -	0 -	23 1.6	130 1.8	33 2.3	0 -	0 -	1 3.0	67 1.7	537 2.4	3 2.0	301

Vefall i Drangedal

φ = 59° 0′N λ = 9° 13′E g = ΔG = + 1ʰ

I			- 8.2	- 6.0	- 7.6	- 7.6	- 3.6	-12.1	9.7	25	-30.0	18	6 2.3	5 1.4	5 1.8	1 1.0	4 1.2	6 1.8	8 1.8	8 1.5	11 1.2	7 1.1	11 1.1	3 1.0	19
II			-11.7	- 3.8	- 6.4	- 7.8	- 1.3	-13.4	3.4	1	-27.3	22	19 2.1	17 1.6	3 1.0	2 1.5	1 1.0	0 -	1 1.0	6 1.3	0 -	9 1.1	1 2.0	3 2.0	22
III			- 5.1	2.8	- 0.1	- 1.8	4.2	- 7.2	11.5	15	-16.2	7	19 2.5	12 2.2	3 1.7	1 1.0	4 2.0	9 1.9	1 2.0	7 2.0	4 1.2	3 1.7	13 2.2	12 2.4	5
IV			1.8	6.5	5.7	3.2	8.6	- 2.3	16.1	29	- 8.3	9	14 1.7	7 2.1	4 1.5	3 1.3	0 -	19 2.1	6 1.7	5 2.2	2 2.0	5 1.6	6 2.5	19 2.6	0
V			8.0	11.5	10.4	8.2	13.1	2.9	25.0	30	- 0.9	27	13 2.3	8 2.5	3 1.7	2 1.5	4 2.5	14 2.2	13 2.4	7 3.1	4 2.0	3 2.0	10 3.0	11 2.6	1
VI			15.0	17.6	16.7	13.9	20.1	6.7	26.0	6	1.6	10	13 2.0	7 2.1	1 2.0	1 2.0	6 2.3	21 2.5	5 2.8	9 2.4	8 2.6	6 2.8	6 2.5	7 3.0	0
VII			21.5	26.3	24.0	20.8	28.0	11.5	31.4	31	6.5	19	16 2.2	10 2.0	1 2.0	2 2.0	9 2.0	29 2.5	5 2.2	5 2.2	7 2.6	1 4.0	3 3.3	5 2.2	0
VIII			17.6	24.2	20.9	18.8	25.8	12.0	30.4	16	7.9	26	16 2.6	9 2.3	5 1.4	1 2.0	0 -	32 2.4	8 2.1	5 2.2	7 2.1	3 2.3	5 1.8	1 2.0	1
IX			10.8	16.1	13.3	12.4	17.6	7.9	24.1	3	0.5	28	8 2.4	7 2.9	1 1.0	2 1.5	3 2.3	10 1.8	8 2.1	12 2.6	11 1.5	8 2.4	11 2.1	7 2.6	2
X			4.1	8.5	5.5	5.6	9.5	2.1	20.8	9	- 7.9	31	11 2.4	8 2.6	1 1.0	3 3.0	0 -	2 2.0	7 2.6	24 1.9	14 1.7	6 2.0	6 1.8	7 2.7	4
XI			1.1	3.9	3.0	2.4	5.9	- 0.6	11.0	26	- 8.2	29	17 2.4	7 1.9	1 2.0	0 -	0 -	3 2.0	4 2.2	15 1.5	15 1.3	12 1.7	1 1.0	10 2.5	4
XII			- 5.8	- 3.2	- 5.1	- 4.9	- 0.8	- 8.8	12.9	6	-24.2	21	9 2.4	8 3.6	1 1.0	0 -	2 3.5	2 1.5	3 2.7	10 1.6	20 1.4	14 1.4	16 2.2	2 3.0	6
1955			4.1	8.7	6.7	5.3	10.6	- 0.2	31.4		-30.0		161 2.2	105 2.3	29 1.5	18 1.8	33 2.1	147 2.3	69 2.2	113 2.0	104 1.7	77 1.8	89 2.2	87 2.5	63

Jomfruland

φ = 58° 52′N λ = 9° 36′E g = ΔG = + 1ʰ

I			- 2.4	- 1.4	- 2.2	- 2.2	0.1	- 4.5	7.0	25	-13.2	18	11 1.6	14 2.7	1 3.0	0 -	0 -	3 3.3	4 2.5	11 2.7	12 3.1	7 1.9	10 1.6	12 1.5	8
II			- 5.6	- 2.0	- 3.4	- 4.0	- 1.2	- 6.6	3.4	4	-11.8	22	10 1.4	23 4.0	3 2.7	4 1.5	2 2.5	7 1.7	4 1.2	1 1.0	5 2.2	2 2.0	6 1.0	6 1.7	11
III			- 3.1	2.1	0.0	- 0.7	3.4	- 3.8	10.1	15	- 8.6	21	14 1.9	23 3.5	3 1.3	2 2.5	2 2.5	5 1.4	4 1.8	12 3.4	7 2.7	6 2.8	3 2.7	6 2.7	6
IV			1.4	6.8	5.0	3.8	7.9	0.4	14.5	20	- 4.4	1	5 2.2	15 2.9	2 2.5	3 1.3	2 2.0	7 1.9	10 2.1	10 3.4	8 1.9	11 2.5	6 1.8	7 2.0	4
V			7.1	10.8	9.8	8.4	12.1	5.3	19.9	30	2.7	27	7 1.7	8 2.8	3 3.3	6 2.8	1 2.0	3 2.3	13 2.8	24 3.7	9 2.8	5 2.2	11 3.7	2 2.0	1
VI			11.9	17.1	15.4	13.7	18.2	9.6	21.6	5	5.7	11	1 1.0	14 2.4	2 3.5	4 3.2	4 2.5	6 2.3	9 2.4	28 3.9	10 2.9	4 2.5	1 2.0	5 2.8	2
VII			17.5	23.7	22.5	20.1	25.1	15.2	28.8	10	9.8	18	7 1.1	9 1.8	1 3.0	4 1.5	1 3.0	9 1.9	19 2.5	18 2.6	6 3.3	7 1.9	3 2.3	1 1.0	8
VIII			16.3	22.6	20.5	19.0	23.5	15.3	26.6	1	13.0	7	5 3.0	11 2.5	1 2.0	5 2.8	1 1.0	10 1.7	15 1.9	19 2.5	6 1.8	4 2.0	5 1.4	1 1.0	10
IX			11.9	16.8	14.5	13.9	17.6	11.1	23.0	1	5.7	28	8 1.8	11 2.5	1 4.0	4 3.2	1 3.0	8 2.6	4 3.0	19 2.9	10 3.3	10 3.2	7 2.0	6 2.8	1
X			6.1	9.1	7.7	7.4	10.0	5.2	16.6	9	- 3.0	31	7 2.3	19 3.4	2 6.5	2 2.5	4 5.5	1 7.0	6 4.1	5 2.6	14 3.5	14 2.4	14 2.4	3 2.7	2
XI			3.3	5.0	5.0	4.2	6.8	1.9	10.0	12	- 3.9	29	3 3.7	22 2.9	0 -	1 4.0	2 3.5	5 3.8	0 -	7 3.0	12 3.0	15 1.9	9 2.6	7 3.3	7
XII			- 1.5	- 0.3	- 1.1	- 1.1	1.0	- 3.2	11.1	6	-11.4	11	12 2.2	14 3.4	7 6.1	0 -	1 3.0	1 5.0	3 3.3	7 3.7	4 4.3	17 2.5	10 2.4	11 2.1	6
1955			5.2	9.2	7.8	6.9	10.4	3.8	28.8		-13.2		90 1.9	185 3.1	26 3.9	35 2.5	21 3.1	65 2.3	91 2.5	161 3.2	103 2.9	102 3.4	85 2.3	67 2.2	66

1955

Ferder

$H_s = 6$ $H_b = 7.7$ $h_t = 2.0$ $h_a = 8.2$ $h_d = 17.5$ $h_r = 1.0$

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dato	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	88	87	88	5.8	6.0	5.5	42	14	11	23	8	0	0	9	7	2	12	1	0	5	6	1	3	0	0	0	0	4	4	13	0	16	
II	88	95	81	85	4.9	4.6	5.0	35	9	5	24	17	0	0	11	8	0	8	1	0	6	8	3	4	0	0	0	0	5	5	17	7	11	
III	33	80	77	80	5.2	4.7	4.8	4	2	5	26	4	0	0	4	2	0	14	0	0	4	3	3	2	0	0	0	0	2	3	24	2	8	
IV	87	79	82	84	4.9	5.1	5.3	34	8	29	6	0	0	0	9	8	0	7	0	0	9	4	5	4	0	0	0	0	2	6	20	0	10	
V	91	96	88	89	5.7	5.8	5.1	84	22	19	0	0	0	0	14	10	3	14	1	0	14	0	0	4	0	0	0	0	7	4	25	3	12	
VI	90	90	86	89	4.4	3.7	4.4	13	5	15	0	0	0	0	6	4	0	8	0	0	5	0	0	4	1	0	0	0	2	2	27	2	5	
VII	92	83	89	90	3.0	2.4	2.8	14	10	3	0	0	0	9	5	3	0	5	0	0	5	0	0	1	0	0	0	0	1	0	30	13	2	
VIII	96	92	93	94	4.3	3.9	4.1	19	11	19	0	0	0	0	6	3	1	4	0	0	6	0	0	2	0	0	0	1	4	0	28	4	7	
IX	92	88	87	89	5.8	5.2	5.0	92	39	3	0	0	0	0	16	14	1	15	1	0	16	0	0	0	0	0	0	0	5	2	25	0	12	
X	88	84	93	85	5.1	5.2	5.5	96	37	21	0	0	0	0	12	9	3	20	2	0	12	0	0	1	0	0	0	1	4	0	22	1	12	
XI	87	95	86	86	4.6	5.3	5.5	60	18	9	3	0	0	0	10	7	1	14	1	1	10	0	0	10	0	0	0	0	7	0	16	2	11	
XII	91	91	89	90	4.8	6.3	4.8	41	10	24	19	12	0	0	11	8	1	20	5	1	8	4	0	3	0	0	0	0	3	5	13	3	12	
1955	89	95	86	87	4.9	4.8	4.8	534	39		103	41	0	9	113	83	12	141	12	2	100	25	12	38	1	0	0	2	46	31	260	37	118	

Gvarv

$H_s = 26$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 6.5$ $h_r = 1.7$

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	87	98	88	4.2	5.4	4.5	33	14	13	28	22	19	0	8	8	1	0	0	0	3	6	0	1	0	0	0	0	7	5	15	5	10	31
II	87	69	76	79	4.4	3.6	3.1	25	8	9	24	19	20	0	9	5	0	0	0	0	5	6	1	4	0	0	0	0	1	6	21	11	8	28
III	81	51	59	67	4.3	4.4	3.1	15	9	5	30	3	12	0	5	3	0	0	0	0	0	5	1	0	0	0	0	0	2	1	29	7	6	31
IV	87	52	59	69	4.5	5.2	4.0	44	12	7	24	0	0	0	12	8	1	0	0	0	7	6	1	0	0	0	0	0	5	5	26	4	9	6
V	75	50	56	66	5.3	5.8	5.4	60	23	19	8	0	0	1	12	9	2	0	0	0	12	0	0	1	0	1	0	1	3	6	27	2	14	0
VI	71	44	48	61	3.3	5.1	4.4	30	15	15	3	0	0	3	6	3	1	1	0	0	6	0	0	0	0	1	0	1	2	2	28	4	5	0
VII	73	38	45	59	2.6	2.9	3.0	18	9	1	0	0	0	25	2	2	0	0	0	0	2	0	0	0	0	0	0	0	1	3	29	14	4	0
VIII	84	45	58	68	4.4	4.4	4.8	16	7	19	0	0	0	23	6	5	0	0	0	0	6	0	0	0	0	0	0	3	4	1	29	5	8	0
IX	92	60	73	79	5.5	5.2	5.0	69	21	3	1	0	0	0	15	12	2	0	0	0	15	0	0	0	0	0	0	0	4	7	24	3	11	0
X	85	63	77	77	5.2	4.8	4.3	50	29	20	15	0	0	0	11	6	1	1	0	0	9	2	0	0	0	0	0	0	6	4	25	4	11	0
XI	84	75	79	80	4.3	5.7	5.0	42	9	12	19	2	1	0	11	8	0	2	0	0	10	1	0	8	0	0	0	0	3	8	17	6	13	1
XII	83	80	78	80	4.1	4.1	3.2	48	24	24	31	18	14	0	12	8	1	1	0	0	5	7	0	4	0	0	0	0	2	6	22	9	10	20
1955	82	60	66	73	4.3	4.7	4.2	450	29		183	64	66	52	109	77	9	5	0	0	80	33	3	18	0	2	0	5	40	54	292	74	109	117

Dalen i Telemark

$H_s = 77$ $H_b = 79.6$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	87	90	89	4.0	5.2	4.2	16	4	13	29		12		9	6	0	0	0	0	2	7	0	2	0	0	0	0	1	1	0	8	11	31
II	81	73	79	79	3.6	3.0	3.0	34	11	3	24		15		7	7	1	0	0	0	5	6	3	2	1	0	0	0	4	0	16	13	7	28
III	71	54	56	62	4.0	3.8	3.2	8	8	26	28		5		2	1	0	1	0	0	0	2	0	0	0	0	0	0	0	0	22	7	5	31
IV	82	60	58	68	4.4	5.0	4.1	48	13	30	18		0		12	8	2	0	0	0	9	8	3	0	0	0	0	0	2	0	21	8	11	5
V	74	55	55	64	4.6	5.6	4.2	79	25	19	2		0		13	10	3	0	0	0	13	1	1	2	0	0	0	0	2	0	25	5	9	1
VI	75	50	47	62	3.4	4.2	4.0	27	15	30	0		0		6	3	1	2	0	0	6	0	0	3	0	0	0	0	2	0	27	6	5	0
VII	76	45	47	62	2.5	2.6	2.6	12	5	1	0		0		6	4	0	0	0	0	6	0	0	0	0	0	0	2	1	0	30	13	3	0
VIII	83	54	54	67	3.5	3.9	4.3	27	12	19	0		0		6	5	1	0	0	0	6	0	0	0	0	0	0	0	1	0	24	7	3	0
IX	92	71	81	84	4.6	5.3	5.2	115	23	15	0		0		15	14	5	0	0	0	15	0	0	1	0	0	0	0	7	0	20	3	9	0
X	86	76	85	84	4.5	4.7	3.9	69	27	7	11		0		13	8	2	1	0	0	12	2	0	0	0	1	0	0	0	0	16	5	8	1
XI	82	80	82	82	4.5	5.7	4.4	58	15	12	15		0		11	8	2	5	0	0	10	1	0	9	0	0	0	0	8	0	0	7	12	1
XII	84	79	83	82	3.8	4.4	2.6	63	26	29	26		7		11	11	2	0	0	0	4	7	0	0	0	0	0	0	2	1	0	11	8	17
1955	81	65	68	74	4.0	4.4	3.8	556	27		153		39		111	85	19	9	0	0	88	34	7	19	1	1	0	2	30	2	201	93	91	115

Vefall i Drangedal

$H_s = 68$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 12.3$ $h_r = 1.6$

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	88	88	86	6.1	6.1	5.2	32	11	13	26	19	18	0	11	7	1	0	0	0	5	8	2	0	0	0	0	0	6	3	24	3	16	31
II	87	76	78	82	5.0	4.1	4.0	37	10	9	24	16	18	0	13	9	1	0	0	0	5	10	2	0	0	0	0	0	4	5	22	10	11	28
III	79	55	61	68	5.2	5.1	3.8	8	5	26	31	3	12	0	3	2	0	0	0	0	0	3	0	0	0	0	0	0	2	1	31	4	11	31
IV	78	60	60	68	5.7	6.2	5.2	57	16	30	22	0	0	0	11	9	2	0	0	0	7	5	1	0	0	0	0	0	7	2	29	2	14	13
V	69	58	59	66	6.0	6.5	5.1	82	30	19	3	0	0	1	16	9	3	1	0	0	16	1	1	0	0	3	0	0	4	3	29	2	16	0
VI	62	53	51	58	5.1	5.2	4.7	17	6	30	0	0	0	3	9	4	0	0	0	0	9	0	0	0	0	0	0	3	1	1	29	1	9	0
VII	61	45	49	54	3.5	3.7	3.3	29	21	3	0	0	0	25	4	3	1	0	0	0	4	0	0	0	0	0	0	1	0	1	31	11	6	0
VIII	74	52	59	66	5.3	5.4	5.5	28	14	19	0	0	0	21	8	5	1	0	0	0	8	0	0	0	0	0	0	5	4	0	31	14	3	0
IX	87	66	73	79	5.7	5.6	6.1	121	41	15	0	0	0	0	21	12	4	0	0	0	21	0	0	1	0	0	0	4	6	2	29	2	14	0
X	86	70	80	80	5.6	5.2	4.9	146	51	20	13	0	0	0	14	8	4	0	0	0	10	3	0	0	0	0	0	1	3	4	29	4	13	1
XI	85	81	83	83	5.9	5.9	5.3	62	12	9	16	1	0	0	13	9	1	3	0	0	12	2	0	0	0	0	0	0	5	3	20	4	15	1
XII	84	79	80	82	5.2	4.8	4.3	71	40	24	25	15	12	0	13	9	1	0	0	0	3	10	0	0	0	0	0	0	7	0	24	4	11	18
1955	78	65	68	73	5.4	5.3	4.3	690	51		160	54	60	50	136	86	19	4	0	0	100	42	6	1	0	3	0	14	49	25	328	61	139	123

Jomfruland

$H_s = 15$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 23.6$ $h_r = 1.7$

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	77	79	80	5.5	5.9	5.3	34	8	11	24	14	4	0	8	6	0	2	0	0	4	6	1	5	0	0	0	0	8	7	16	3	14	27
II	77	69	74	74	4.3	4.4	3.8	43	9	9	24	16	9	0	13	9	0	4	0	0	5	9	1	3	0	0	0	0	4	5	18	8	10	21
III	79	62	69	72	5.3	5.1	4.7	12	7	26	28	3	0	0	4	3	0	5	0	0	1	4	1	0	0	0	0	0	6	2	25	1	9	20
IV	81	65	69	74	5.2	6.1	5.0	50	14	7	12	0	0	0	10	9	1	0	0	0	8	5	2	3	0	0	0	0	4	8	25	0	10	2
V	78	68	68	73	5.6	5.6	5.2	79	21	19	0	0	0	0	17	12	3	3	0	0	17	1	1	0	0	0	0	0	1	11	25	2	14	0
VI	75	58	59	68	4.3	4.3	4.0	18	10	30	0	0	0	0	4	4	0	7	0	0	4	0	0	2	0	0	0	0	3	4	28	4	5	0
VII	75	58	59	67	2.9	2.6	2.6	24	17	3	0	0	0	19	2	2	1	0	0	0	2	0	0	1	0	0	0	0	5	1	31	13	2	0
VIII	84	64	69	75	3.9	4.1	4.0	15	8	19	0	0	0	7	5	4	0	0	0	0	5	0	0	0	0	0	0	0	3	2	29	7	7	0
IX	87	70	76	80	6.1	5.3	4.8	115	29	14	0	0	0	0	19	12	3	1	0	0	19	0	0	1	0	0	0	5	1	4	26	1	13	0
X	84	72	76	78	5.4	5.4	5.1	123	33	20	5	0	0	0	14	11	5	6	0	0	14	0	0	2	0	0	0	1	4	1	16	2	10	0
XI	82	76	81	81	4.1	5.5	4.7	82	16	6	7	0	0	0	12	10	4	2	0	0	11	1	0	4	0	0	0	0	5	1	10	5	12	1
XII	83	78	79	80	4.5	5.1	4.1	65	31	24	19	12	3	0	10	8	1	6	1	0	5	7	2	1	0	0	0	0	8	4	16	5	11	14
1955	81	68	72	75	4.8	5.0	4.4	660	33		119	45	16	26	116	90	18	36	1	0	95	33	8	22	0	0	0	6	52	50	265	51	117	85

1955

Lyngør Fyr

φ = 58° 38′N λ = 9° 9′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.0	- 0.2	- 0.7	- 0.7	1.6	- 2.9	9.5	25	-11.1	18	7 2.1	10 3.0	8 3.0	2 4.0	0 -	2 3.5	2 5.5	4 3.2	26 3.2	9 3.0	5 2.6	12 2.8	6
II			- 4.6	- 1.7	- 2.7	- 3.2	- 0.3	- 5.5	4.2	1	-11.7	22	10 2.6	19 3.9	15 3.9	7 2.6	1 1.0	1 3.0	3 2.0	2 2.0	5 2.4	3 1.3	2 1.5	5 2.8	11
III			- 2.0	1.5	0.8	- 0.2	3.4	- 2.9	10.3	15	- 8.2	21	7 3.3	5 2.2	27 3.7	5 2.8	1 3.0	0 -	2 1.0	3 2.0	20 3.2	5 3.6	8 2.6	5 2.4	5
IV			2.6	5.3	5.3	4.0	7.4	1.5	13.8	20	- 2.9	9	6 3.0	5 2.4	16 3.2	2 3.5	6 3.0	3 1.3	4 2.8	8 3.0	16 2.7	3 2.3	2 3.0	14 3.7	5
V			7.5	9.3	9.5	8.3	11.3	6.0	18.0	31	2.0	13	7 2.3	6 2.5	9 4.6	5 3.4	1 4.0	2 1.5	6 2.3	19 3.0	21 4.1	3 5.0	6 3.7	4 3.3	4
VI			12.3	14.2	14.6	13.0	16.3	10.4	21.2	7	5.8	10	0 -	3 3.7	12 3.8	8 3.5	2 3.5	6 3.2	5 2.2	23 4.1	18 3.8	0 -	3 3.3	5 4.2	5
VII			18.5	20.9	21.5	19.5	23.2	16.3	27.4	10	10.5	2	2 1.5	4 2.8	12 2.7	9 1.9	2 3.0	2 3.0	4 2.2	23 3.1	17 3.8	3 3.7	3 3.3	2 1.5	10
VIII			17.4	20.2	20.2	18.8	21.7	16.2	24.9	1	13.2	8	8 2.4	9 2.3	12 3.2	5 2.8	0 -	8 2.2	14 2.0	17 3.2	10 3.1	2 3.5	0 -	6 1.8	2
IX			12.6	16.0	15.2	14.2	17.1	11.9	22.0	3	7.8	28	7 2.6	1 4.0	6 4.8	4 3.5	5 4.0	1 4.0	11 2.7	8 3.8	21 3.4	16 3.2	5 3.0	3 2.7	2
X			7.2	9.5	8.7	8.3	11.0	6.1	16.6	9	- 0.6	31	9 2.0	7 3.4	12 5.3	3 6.7	0 -	2 6.5	2 5.0	7 3.3	27 3.3	7 3.0	6 5.0	9 2.9	2
XI			5.0	6.7	6.2	5.8	8.3	3.4	11.8	26	- 3.2	29	5 2.8	9 3.8	14 3.7	3 3.3	1 4.0	3 3.7	3 3.7	6 3.0	18 3.4	14 2.2	6 3.0	6 3.3	2
XII			- 0.3	1.1	0.1	0.2	2.6	- 2.1	13.1	6	-10.0	19	14 2.6	4 4.3	15 5.7	0 -	1 6.0	1 6.0	3 4.0	7 4.0	20 3.5	13 3.2	3 2.7	12 3.4	0
1955			6.3	8.6	8.3	7.3	10.3	4.9	27.4		-11.7		82 2.5	82 3.2	158 3.9	53 3.2	20 3.5	31 3.0	59 2.6	127 3.3	219 3.4	78 3.0	49 3.2	83 3.1	54

Torungen Fyr

φ = 58° 24′N λ = 8° 48′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.3	- 0.2	0.2	- 0.2	1.9	- 2.5	8.5	25	-10.7	17	9 2.7	13 3.5	4 3.5	3 3.0	1 1.0	3 4.7	3 5.3	6 3.5	25 3.6	5 2.6	7 3.1	14 2.7	0
II			- 3.9	- 1.5	- 1.8	- 2.7	- 0.2	- 5.5	4.2	1	-11.2	25	8 3.0	18 4.3	16 4.8	1 1.0	2 2.0	3 1.7	3 3.7	3 1.7	6 2.7	2 2.0	4 1.8	10 2.7	8
III			- 1.8	1.4	1.0	- 0.1	3.2	- 2.9	9.6	14	- 8.3	23	7 2.4	15 3.7	15 3.0	6 3.5	3 3.3	1 3.0	2 1.5	9 3.3	14 3.4	4 2.8	11 3.3	6 3.5	0
IV			2.3	5.2	4.8	3.6	6.7	1.0	13.4	20	- 1.9	8	2 4.5	13 3.7	6 3.7	4 2.2	6 3.0	9 2.4	3 3.0	13 3.5	11 2.7	4 4.0	7 4.3	12 3.8	0
V			6.9	8.8	8.8	7.7	10.7	5.4	17.0	31	1.8	13	1 4.0	9 3.3	7 5.1	3 2.7	6 3.0	3 3.0	3 3.3	25 4.0	21 3.5	4 4.8	4 5.2	7 4.1	0
VI			11.4	13.7	13.8	12.3	15.5	9.4	23.0	7	5.4	10	2 2.5	6 3.2	8 4.8	8 3.6	1 3.0	6 3.3	6 3.0	19 4.6	19 4.2	6 2.8	1 2.0	8 3.5	0
VII			17.3	20.3	20.6	18.6	22.1	15.3	27.5	31	10.2	3	6 2.3	8 2.5	6 4.0	4 3.0	6 2.7	8 2.1	4 2.2	23 4.1	11 3.9	6 2.3	4 4.0	6 2.3	1
VIII			16.3	20.1	19.8	18.1	21.7	15.2	27.5	1	12.2	19	7 3.0	6 3.0	9 4.6	7 2.7	4 2.2	9 3.1	5 2.8	13 3.6	17 3.9	3 3.0	4 3.0	6 2.8	3
IX			12.6	16.0	15.1	14.2	17.4	11.4	22.0	3	6.8	28	3 3.3	4 3.0	3 5.3	5 4.0	6 3.3	3 3.7	6 3.5	15 4.4	21 3.9	12 3.6	5 2.8	7 2.3	0
X			7.2	9.7	8.7	8.3	10.9	5.8	15.8	14	- 1.6	31	7 2.9	16 4.5	2 8.0	2 4.5	2 5.5	2 5.0	3 6.0	10 4.1	16 4.0	13 3.3	7 3.7	12 2.5	1
XI			5.0	6.7	6.4	5.8	8.1	3.1	11.3	20	- 3.3	25	6 2.5	10 4.1	8 4.5	8 3.8	0 -	4 4.0	3 4.0	6 4.7	16 3.0	8 3.8	12 3.0	8 3.9	1
XII			0.4	1.4	0.4	0.6	2.9	- 2.1	12.1	6	-11.3	19	11 2.5	17 4.9	3 6.3	1 4.0	1 7.0	1 9.0	1 6.0	5 5.0	20 4.1	10 3.8	13 2.5	10 3.5	0
1955			6.1	8.4	8.2	7.2	10.1	4.5	27.5		-11.3		69 2.8	135 3.9	87 4.6	52 3.3	38 3.1	52 3.2	42 3.5	147 4.1	197 3.7	77 3.3	79 3.2	106 3.1	14

Tveitsund

φ = 59° 2′N λ = 8° 31′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.0	- 2.4	- 4.7	- 4.3		- 8.5	6.2	25	-19.7	18	27 1.7	6 1.5	3 1.0	4 1.5	0 -	10 1.3	0 -	12 1.3	0 -	2 1.0	2 1.0	5 1.2	22
II			- 9.6	- 4.1	- 7.1	- 7.4		-11.4	2.0	5	-19.6	26	7 1.0	26 1.3	6 1.0	0 -	1 1.0	1 1.0	0 -	2 1.0	0 -	0 -	7 1.0	13 1.0	21
III			- 5.6	1.6	- 1.0	- 2.3		- 7.4	9.0	15	-15.7	21	18 3.0	21 1.8	3 1.0	2 1.0	1 1.0	5 1.0	0 -	1 1.0	1 1.0	1 1.0	2 1.5	9 2.0	29
IV			- 0.7	5.8	4.6	2.3		- 2.5	13.0	29	- 6.9	1	11 1.5	12 1.8	8 1.1	2 1.5	0 -	10 1.0	1 1.0	5 1.0	3 1.0	0 -	12 1.1	15 1.9	11
V			5.1	10.4	9.1	6.9		1.5	21.4	30	- 3.0	22	12 2.5	5 2.0	2 1.0	3 1.0	1 1.0	3 1.3	0 -	8 1.5	1 2.0	9 1.7	10 1.4	26 1.7	13
VI			10.0	16.7	14.9	12.1		5.2	23.2	6	0.1	10	7 3.6	7 1.6	2 2.0	5 2.0	2 1.5	3 2.3	3 2.0	18 1.8	0 -	8 2.0	11 1.4	20 1.4	4
VII			14.8	24.9	22.5	18.7		10.5	29.2	26	5.5	19	12 1.6	6 1.3	0 -	0 -	0 -	6 1.7	1 1.0	13 1.4	5 2.4	4 1.2	7 1.7	12 1.3	27
VIII			12.5	22.7	20.2	17.1		10.5	28.0	24	6.8	26	6 1.5	8 1.5	2 1.0	3 1.0	0 -	7 1.1	0 -	15 1.3	5 1.4	6 1.2	4 1.2	5 1.0	32
IX			8.5	14.6	12.3	11.0	16.1	7.0	23.2	7	0.3	28	10 2.8	15 1.3	4 1.0	1 1.0	0 -	12 1.3	3 1.3	7 1.0	5 2.4	2 1.0	6 1.0	9 2.0	16
X			3.1	8.0	4.9	4.9	9.0	0.9	19.4	9	- 8.3	31	34 2.1	19 1.1	4 1.0	4 2.0	1 1.0	6 1.5	0 -	8 1.1	3 1.7	0 -	0 -	6 2.0	8
XI			1.6	4.5	3.5	3.0	6.2	- 0.6	10.5	26	- 8.3	1	21 2.7	14 1.3	0 -	0 -	1 1.0	12 1.2	0 -	5 1.2	2 1.5	1 1.0	1 1.0	12 1.0	21
XII			- 3.7	- 1.4	- 3.8	- 3.2	- 0.3	- 7.0	11.6	6	-17.7	21	41 2.4	17 1.2	4 1.5	1 1.0	4 1.0	5 1.6	0 -	1 2.0	2 1.0	2 1.0	2 2.5	3 1.0	11
1955			2.6	9.4	6.3	4.9		- 0.2	29.2		-19.7		206 2.2	156 1.4	38 1.1	25 1.5	11 1.1	80 1.3	8 1.5	95 1.4	27 1.7	35 1.5	64 1.3	135 1.5	215

Grimstad

φ = 58° 20′N λ = 8° 36′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.5	0.0	- 1.0	- 0.9		- 3.3	7.4	25	-11.6	18	11 2.0	12 2.8	10 3.8	1 4.0	0 -	1 3.0	5 5.0	0 -	25 2.9	7 2.7	7 3.7	5 3.2	9
II			- 4.8	- 1.0	- 2.9	- 3.2		- 5.8	3.4	4	-12.7	22	6 2.2	11 3.9	34 3.8	5 2.0	0 -	4 2.5	3 2.3	1 3.0	3 3.0	3 3.3	2 4.0	0 -	12
III			- 2.1	2.4	0.8	0.1		- 3.4	10.0	14	- 9.9	23	0 -	11 2.8	28 4.1	5 2.6	1 2.0	1 3.0	0 -	1 2.0	19 3.3	7 2.9	9 3.1	9 3.3	2
IV			2.8	6.2	5.2	4.1		1.0	13.4	20	- 2.4	9	2 3.0	4 3.8	14 3.1	6 2.5	6 3.0	2 3.0	2 2.5	2 3.0	25 2.2	7 3.7	4 3.8	12 3.8	4
V			8.2	9.8	9.5	8.5		5.1	18.0	31	1.3	13	0 -	1 5.0	16 3.9	6 3.5	0 -	2 2.5	3 3.0	2 3.0	45 3.8	4 3.5	4 4.0	7 4.1	3
VI			13.0	14.7	14.8	13.2		9.3	23.0	6	5.3	11	0 -	3 2.3	17 3.8	5 3.0	5 2.8	2 3.0	3 3.3	1 2.0	39 3.9	5 3.8	2 2.5	4 4.0	4
VII			19.0	21.5	21.1	19.4		14.6	27.2	31	8.9	19	1 2.0	5 2.0	15 3.0	9 3.2	2 3.0	1 1.0	4 3.0	1 3.0	39 3.4	3 3.7	3 3.3	0 -	10
VIII			17.0	20.8	19.9	18.4		14.4	27.0	1	12.6	26	2 2.5	4 2.0	19 3.4	4 2.5	3 3.0	5 2.8	2 2.5	1 3.0	36 3.1	4 1.8	2 4.5	1 3.0	10
IX			12.3	16.5	14.2	13.8		10.8	21.9	1	6.2	29	2 2.0	0 -	11 3.7	5 3.4	1 3.0	2 3.5	2 2.5	4 4.0	28 3.6	20 2.8	6 3.0	4 1.8	5
X			6.3	10.0	7.7	7.8		5.0	17.9	9	- 3.4	31	4 2.2	13 3.2	11 4.0	3 3.7	1 4.0	1 5.0	2 3.5	2 5.0	25 3.1	14 3.1	4 2.2	3 4.7	10
XI			4.3	7.2	5.6	5.5		2.4	12.3	20	- 3.1	29	5 2.4	7 3.3	16 3.7	5 4.2	0 -	3 3.7	2 2.5	2 4.5	17 3.4	14 3.1	4 2.5	6 3.5	9
XII			- 0.6	1.3	- 0.7	- 0.2		- 3.1	10.0	6	-14.7	19	7 2.4	6 3.0	16 5.8	0 -	0 -	1 5.0	2 4.0	2 3.5	21 4.0	11 2.9	11 3.6	11 2.7	5
1955			6.2	9.1	7.8	7.2		3.9	27.2		-14.7		40 2.2	77 3.1	207 3.8	54 3.1	19 2.9	25 3.0	30 3.3	19 3.5	322 3.4	99 3.0	58 3.3	62 3.4	83

Byglandsfjord II

φ = 58° 40′N λ = 7° 49′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.5	- 4.0	- 5.3	- 5.1	- 2.1	- 8.5	8.2	25	-21.5	15	18 1.9	5 2.4	1 4.0	2 1.0	6 1.0	19 1.5	1 1.0	0 -	0 -	0 -	5 3.0	29 1.9	7
II			- 8.5	- 4.9	- 5.9	- 6.7	- 2.6	- 9.6	2.8	2	-16.5	15	58 2.2	11 2.2	3 3.3	0 -	0 -	1 1.0	3 2.0	0 -	0 -	0 -	2 2.0	5 3.0	1
III			- 4.4	1.6	- 0.2	- 1.5	3.2	- 5.7	8.2	14	-12.3	21	29 2.3	7 1.9	4 2.2	4 2.0	1 2.0	1 2.0	6 2.5	0 -	1 1.0	0 -	3 2.7	36 2.5	1
IV			0.0	5.9	5.3	2.9	8.2	- 1.3	17.4	19	- 5.9	25	24 2.2	4 1.5	1 1.0	0 -	3 2.0	5 1.8	3 1.7	2 2.5	1 1.0	1 1.0	6 2.8	33 1.9	7
V			5.2	10.3	9.2	7.3	12.1	3.3	23.5	31	- 1.2	8	28 2.0	3 2.3	1 2.0	5 3.0	2 1.5	13 2.0	7 2.7	4 2.2	1 3.0	1 2.0	10 3.0	18 3.1	0
VI			10.0	16.6	15.3	12.4	16.5	6.1	24.5	4	1.2	10	18 2.6	1 2.0	0 -	2 3.0	7 1.4	23 2.2	7 2.4	2 2.0	5 2.0	3 2.3	6 3.2	14 2.4	2
VII			15.9	24.6	23.3	19.5	26.4	12.0	31.0	22	5.9	18	21 2.0	5 1.8	2 2.0	2 2.0	7 1.6	20 2.4	3 3.0	1 3.0	3 2.0	0 -	8 2.1	16 2.3	5
VIII			14.1	21.9	20.1	17.6	23.8	12.1	28.8	24	7.3	26	14 1.9	3 2.0	0 -	1 3.0	7 2.1	24 1.7	7 2.0	1 2.0	2 2.5	5 2.2	5 2.4	20 2.3	4
IX			9.7	14.2	12.4	11.5	15.9	8.1	24.0	7	2.4	27	4 2.0	4 3.0	5 3.0	0 -	4 1.8	33 1.8	4 1.8	1 1.0	3 2.0	2 3.0	10 2.8	19 2.5	1
X			4.5	7.6	5.7	5.7	8.9	3.1	19.0	9	- 7.5	31	20 2.9	6 3.3	0 -	4 2.5	2 2.0	22 1.7	7 2.3	1 2.0	2 2.0	3 1.3	4 2.0	18 2.7	4
XI			2.3	4.6	3.9	3.4	6.3	0.5	10.2	26	- 7.4	25	15 3.3	6 2.7	0 -	2 2.5	1 1.0	17 1.6	3 1.3	2 1.0	0 -	1 3.0	2 3.5	38 2.7	3
XII			- 2.5	- 1.1	- 2.8	- 2.3	0.4	- 5.7	11.4	6	-17.6	19	30 3.0	5 3.4	6 3.2	1 2.0	8 1.9	17 1.5	1 1.0	0 -	0 -	1 3.0	3 2.7	17 2.5	4
1955			3.4	8.1	6.8	5.4	9.9	1.2	31.0		-21.5		279 2.3	60 2.4	23 2.8	23 2.4	48 1.7	195 1.8	52 2.2	14 2.0	18 2.0	17 2.2	64 2.7	263 2.4	39

1955

Lyngør Fyr

$H_s = 4$ $H_b =$ $h_t = 2.2$ $h_a =$ $h_d = 10$ $h_r = 1.4$

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*		,	*	△	▲		=	≡	⊙	◔	●	▣
I	83	80	82	82	5.1	6.1	5.0	29	11	11	23	9	1	0	9	7	1	6	0	0	8	5	3	4	0	1	0	0	5	3	14	5	13	
II	74	67	73	72	4.3	4.5	3.9	34	7	9	23	13	4	0	10	8	0	4	0	0	5	5	0	4	0	0	0	0	2	6	18	9	10	
III	70	62	64	66	4.4	4.4	4.4	6	4	26	25	3	0	0	4	3	0	8	0	0	2	4	2	0	0	0	0	0	2	3	23	5	6	
IV	73	66	66	69	5.0	5.3	4.4	54	13	30	8	0	0	0	10	9	1	6	0	0	10	5	5	2	0	0	0	0	1	8	22	3	8	
V	71	68	66	69	4.9	5.5	4.5	59	14	14	0	0	0	0	15	7	3	6	0	0	15	0	0	3	0	0	0	0	0	10	26	5	10	
VI	75	71	69	72	3.4	3.2	2.8	13	6	30	0	0	0	0	5	3	0	8	0	0	5	0	0	2	0	0	0	0	1	3	28	7	4	
VII	75	75	69	72	2.2	2.2	2.1	15	9	3	0	0	0	7	2	2	0	2	0	0	2	0	0	0	0	0	0	0	0	0	31	16	1	
VIII	81	79	80	80	3.4	3.5	3.5	16	8	19	0	0	0	0	5	3	0	2	0	0	5	0	0	0	0	0	0	1	0	2	30	7	4	
IX	85	74	78	80	5.2	4.9	4.7	92	27	3	0	0	0	0	19	9	3	7	1	0	18	0	0	0	0	1	0	4	0	1	23	3	10	
X	93	74	80	80	4.8	5.3	4.8	104	34	20	1	0	0	0	13	10	4	10	3	0	13	1	1	1	0	1	0	2	1	0	21	3	8	
XI	80	75	78	78	4.4	5.2	4.5	58	12	12	4	0	0	0	11	11	2	4	0	0	10	1	0	3	0	0	0	0	0	0	15	7	12	
XII	82	77	79	79	4.8	4.6	3.9	53	22	24	19	11	0	0	10	7	1	11	1	0	5	6	1	0	0	0	0	0	4	1	19	7	12	
1955	78	72	74	75	4.3	4.6	4.0	533	34		103	36	5	7	113	79	15	74	5	0	98	27	12	19	0	3	0	7	16	37	270	77	98	

Torungen Fyr

$H_s = 12$ $H_b =$ $h_t = 2.0$ $h_a = 10.4$ $h_d = 10.5$ $h_r = 1.3$

I	85	84	84	85	4.9	6.2	5.4	38	13	11	22	7	2	0	10	7	1	7	0	0	9	6	6	5	0	1	0	1	3	4	11	3	14	
II	75	68	76	74	4.1	4.6	4.4	33	6	9	23	15	6	0	13	7	0	6	0	0	6	8	1	4	0	0	0	0	0	5	19	9	9	
III	75	66	67	70	4.4	4.6	4.6	12	6	26	26	3	0	0	6	4	0	12	1	0	0	6	0	0	0	0	0	0	1	1	26	5	8	
IV	75	68	70	72	4.8	5.5	5.1	45	14	30	10	0	0	0	10	9	1	8	0	0	9	4	2	2	0	0	0	0	1	9	22	3	11	
V	77	73	71	74	5.1	5.5	5.1	72	15	3	0	0	0	0	18	9	3	12	1	0	18	0	0	4	0	0	0	0	2	8	25	3	8	
VI	75	70	71	74	5.8	5.9	3.7	24	9	30	0	0	0	0	7	5	0	11	0	0	7	0	0	2	0	0	0	1	1	7	28	6	4	
VII	70	69	65	68	2.5	2.6	2.7	28	26	3	0	0	0	3	2	2	1	6	0	0	2	0	0	1	0	0	0	1	2	1	30	11	3	
VIII	84	73	76	79	4.2	4.0	3.9	15	7	7	0	0	0	1	6	3	0	6	0	0	6	0	0	2	0	0	0	1	3	2	30	7	8	
IX	88	72	75	80	5.2	5.4	5.6	93	42	3	0	0	0	0	18	12	1	14	0	0	17	0	0	1	0	0	0	3	5	1	24	1	12	
X	82	71	78	78	5.2	5.4	5.2	163	38	18	1	0	0	0	17	11	6	12	2	1	17	1	1	5	0	0	0	1	3	4	21	2	11	
XI	81	77	80	80	4.4	5.1	4.2	66	12	12	3	0	0	0	12	10	3	9	2	0	12	1	0	7	0	0	0	0	6	1	15	8	12	
XII	82	76	77	79	4.9	4.8	4.2	67	16	17	19	8	1	0	12	10	3	17	6	2	5	8	0	1	0	0	0	0	3	0	17	4	11	
1955	79	72	74	76	4.5	4.8	4.5	656	42		104	33	9	4	131	89	19	120	12	3	108	34	10	34	0	1	0	8	30	43	268	61	111	

Tveitsund

$H_s = 252$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 11$ $h_r = 1.7$

I	85	79	82	83	4.2	5.6	4.7	26	9	13	28		13		8	7	0	3	1	0	3	6	0	0	0	0	0	0	10	0	15	6	12	
II	88	70	78	81	4.1	3.5	2.9	25	7	9	24		17		10	7	0	0	0	0	5	8	3	2	0	0	0	0	7	3	21	13	8	
III	77	51	56	64	4.8	4.4	3.4	11	6	26	29		10		3	3	0	3	1	0	0	3	0	0	0	0	0	0	3	0	25	8	9	
IV	83	55	58	69	4.8	5.1	4.3	62	14	30	24		0		11	10	2	1	1	0	7	7	3	0	0	0	0	0	9	4	24	5	10	
V	75	53	56	65	4.6	5.4	4.5	68	21	19	8		0		13	10	3	3	0	0	13	2	2	1	0	0	0	0	8	1	26	4	10	
VI	77	47	48	64	3.2	5.1	4.1	35	15	15	0		0		8	6	2	1	0	0	8	0	0	0	0	0	0	0	2	3	28	6	6	
VII	83	42	44	63	2.0	2.8	2.8	28	11	1	0		0		4	3	1	0	0	0	4	0	0	0	0	0	0	0	0	1	30	15	3	
VIII	90	47	54	70	3.8	4.4	4.3	37	16	19	0		0		10	8	1	0	0	0	10	0	0	0	0	0	0	1	4	0	29	6	8	
IX	88	65	72	78	5.3	5.6	5.4	131	46	15	0	0	0	0	15	11	4	0	0	0	15	0	0	1	0	0	0	2	11	3	23	3	12	
X	83	65	77	77	5.3	4.8	3.6	115	35	7	14	0	0	0	13	10	4	3	0	0	11	3	0	0	0	0	0	0	9	3	21	6	9	
XI	78	72	76	76	4.3	5.5	4.3	64	20	12	14	1	0	0	12	9	2	3	0	0	11	1	0	0	0	0	0	0	12	0	15	8	14	
XII	79	74	76	77	4.6	4.4	3.4	65	28	24	26	16	11	0	12	8	2	5	0	0	5	8	1	0	0	0	0	0	9	0	21	8	11	
1955	82	60	60	72	4.2	4.7	4.0	667	46		167		51		119	92	21	22	3	0	92	38	9	2	0	0	0	3	84	18	281	88	112	

Grimstad

$H_s = 7$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d = 5.0$ $h_r = 1.4$

I	83	81	84	83	5.2	5.9	5.3	45	11	11	21		3		14	8	2	1	1	0	10	7	1	0	0	0	0	0	2	4	16	4	15	25
II	76	70	76	75	4.4	4.3	4.1	41	8	4	23		7		13	8	0	4	0	0	5	8	0	3	0	0	0	0	1	4	21	8	10	21
III	74	62	68	69	4.0	4.7	4.1	19	10	26	27		0		8	4	1	5	0	0	0	8	0	0	0	0	0	0	0	1	25	7	7	12
IV	75	65	68	71	4.7	4.7	4.5	62	15	30	10		0		11	10	2	1	0	0	8	5	1	3	0	0	0	0	2	9	22	3	9	2
V	72	68	67	69	4.9	5.5	4.2	106	26	19	0		0		19	15	4	9	0	0	19	2	2	0	0	1	0	0	2	4	25	4	8	0
VI	67	63	62	64	3.4	3.4	2.6	30	16	30	0		0		8	5	1	4	0	0	8	0	0	2	0	0	0	0	2	2	26	9	3	0
VII	67	61	62	64	2.3	2.2	1.8	43	31	3	0		0		2	2	2	0	0	0	2	0	0	0	0	0	0	1	0	0	30	15	1	0
VIII	75	66	70	72	3.9	3.6	3.4	83	63	18	0		0		8	6	2	2	1	0	8	0	0	1	0	0	0	1	3	1	30	8	5	0
IX	81	71	75	77	4.8	4.7	4.7	124	47	3	0		0		17	14	4	3	0	0	17	0	0	0	0	0	0	3	2	1	27	2	10	0
X	81	70	78	77	4.8	5.2	4.7	209	68	18	5		0		17	13	6	6	1	0	16	3	1	2	0	1	0	2	4	0	23	3	12	1
XI	80	72	77	77	4.6	5.2	4.5	96	23	12	8		0		15	10	4	3	0	0	15	1	1	2	0	0	0	0	2	0	17	5	12	0
XII	79	74	75	77	4.5	4.2	4.1	112	25	16	19		5		16	13	5	8	1	0	8	9	0	1	0	0	0	0	0	2	20	6	11	17
1955	76	69	72	73	4.3	4.5	4.0	970	68		113		15		148	108	33	46	4	0	116	43	6	14	0	2	0	7	20	28	282	74	103	78

Byglandsfjord II

$H_s = 206$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 10.0$ $h_r = 1.6$

I	88	85	87	87	4.7	5.3	4.4	50	10	10	26	19	13	0	14	7	1	0	0	0	8	8	2	5	0	0	0	0	10	4	18	5	10	31
II	80	69	73	76	3.3	3.1	3.2	35	6	5	23	20	18	0	10	9	0	0	0	0	5	7	1	1	0	0	0	0	7	1	22	12	7	29
III	77	55	61	66	3.3	3.6	3.6	7	7	26	29	3	8	0	3	1	0	1	0	0	0	3	0	0	0	0	0	0	5	0	29	7	5	13
IV	83	62	63	72	4.6	4.3	3.7	58	19	30	20	0	0	0	13	10	1	1	0	0	8	9	3	0	0	0	0	0	9	3	24	7	9	5
V	79	60	64	72	4.8	5.0	4.6	95	22	19	2	0	0	0	18	12	4	1	0	0	17	2	1	0	0	1	0	0	12	1	30	7	10	0
VI	77	48	53	66	2.6	4.1	3.6	49	16	15	0	0	0	0	10	8	2	1	0	0	10	0	0	0	0	1	0	1	3	3	28	9	2	0
VII	78	43	47	61	1.7	2.2	2.2	32	15	3	0	0	0	22	3	3	2	0	0	0	3	0	0	0	0	0	0	2	1	1	31	20	3	0
VIII	86	56	61	72	3.5	3.9	3.1	41	16	7	0	0	0	11	9	6	1	0	0	0	9	0	0	0	0	0	0	5	6	4	31	10	5	0
IX	90	71	78	82	5.6	5.6	5.1	178	28	9	0	0	0	0	18	16	7	0	0	0	18	0	0	1	0	0	0	4	14	2	28	2	11	0
X	85	73	81	81	5.1	5.1	4.2	149	47	20	10	0	0	0	15	10	3	1	0	0	15	4	2	3	0	0	0	0	9	2	26	5	11	3
XI	84	78	82	82	4.4	5.4	4.9	95	45	12	15	1	0	0	13	10	2	3	0	0	12	2	0	0	0	0	0	0	11	2	20	6	14	1
XII	82	78	80	81	4.3	4.4	3.6	118	29	24	25	14	6	0	17	13	4	1	0	0	10	9	1	0	0	0	0	0	13	0	21	7	10	17
1955	82	65	69	75	4.0	4.3	3.8	907	47		150	57	45	33	143	105	27	9	0	0	115	44	10	10	0	2	0	12	100	23	308	97	97	98

1955

Kristiandsand S.

φ = 58° 10'N λ = 7° 59' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I			- 2.2	- 0.7	- 1.7	- 1.6	0.8	- 4.6	8.4	25	-15.4	19
II			- 5.6	- 0.6	- 3.1	- 3.4	0.1	- 6.9	4.1	1	-13.7	15
III			- 1.6	3.0	0.8	0.2	4.3	- 3.4	10.3	14	- 9.9	20
IV			3.1	6.7	5.1	4.1	8.2	0.6	14.0	14	- 2.7	26
V			8.4	10.6	9.4	8.4	12.6	4.7	21.9	31	0.9	13
VI			13.2	16.4	14.9	13.0	18.0	7.4	25.8	6	1.4	10
VII			18.8	23.3	21.6	19.2	24.8	13.0	30.8	31	6.7	19
VIII			16.3	21.3	19.4	17.8	23.1	13.2	30.5	1	9.8	30
IX			12.1	16.3	13.7	13.3	17.3	9.8	22.8	6	4.2	28
X			6.1	9.5	7.5	7.4	11.1	4.1	17.1	9	- 4.4	31
XI			3.9	6.8	5.5	5.1	8.3	1.7	11.8	20	- 5.9	25
XII			- 1.0	0.5	- 1.3	- 0.7	2.1	- 4.0	12.3	6	-17.4	19
1955			6.0	9.4	7.6	6.9	10.9	3.0	30.8		-17.4	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	10 1.4	11 2.9	6 3.5	2 4.5	2 1.5	6 2.3	0 -	0 -	9 2.0	6 2.3	10 2.5	14 2.4	17
II	9 1.4	27 3.1	14 2.6	2 1.0	0 -	4 1.5	2 1.5	0 -	1 2.0	4 2.2	2 1.5	6 1.2	13
III	8 1.8	13 4.3	7 3.7	7 3.9	3 1.7	8 2.4	1 3.0	4 2.0	10 3.0	4 2.5	8 4.1	13 3.4	7
IV	6 2.3	10 1.6	8 2.6	1 1.0	8 2.4	14 2.6	3 1.0	1 3.0	3 1.7	5 2.4	6 4.0	16 2.9	9
V	2 4.5	7 2.7	10 2.9	4 3.8	1 1.0	13 3.2	7 3.4	8 3.0	14 3.0	7 2.3	11 4.7	6 3.5	3
VI	2 1.0	4 1.8	6 3.2	8 3.4	1 5.0	19 2.7	4 3.2	7 2.1	12 3.4	7 3.0	11 4.1	6 3.8	3
VII	6 1.3	10 1.9	1 3.0	7 2.7	6 3.2	24 3.7	0 -	6 2.7	6 2.8	8 3.1	12 3.7	4 3.0	3
VIII	6 2.0	6 2.3	4 2.5	1 5.0	7 2.9	24 2.9	3 1.7	8 1.6	7 2.1	4 2.2	4 2.2	15 2.4	4
IX	5 1.2	2 3.0	5 2.4	1 4.0	5 3.4	15 2.3	3 3.0	7 2.4	6 3.8	9 3.0	15 3.0	14 2.9	3
X	11 1.9	9 2.3	5 4.8	2 5.0	0 -	9 3.1	3 1.3	7 2.4	4 3.2	6 2.0	16 3.1	18 2.3	3
XI	10 1.1	8 3.0	8 4.0	4 2.5	4 3.8	4 3.0	2 2.5	3 1.7	1 2.0	3 2.7	17 2.5	19 3.2	7
XII	14 1.9	10 4.3	7 5.3	4 2.8	0 -	3 2.0	2 3.0	3 3.0	6 4.2	3 4.0	17 3.4	16 3.0	8
1955	89 1.7	117 2.9	81 3.3	43 3.3	37 2.8	143 2.8	30 2.5	54 2.4	79 2.9	66 2.7	129 3.3	147 2.8	80

Kjevik

φ = 58° 12'N λ = 8° 5' E g = 9.818 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I	1006.2	1008.1	- 2.7	- 1.8	- 2.1	- 2.3	0.8	- 5.5	8.0	25	-19.1	19
II	04.6	06.5	- 7.0	- 1.3	- 2.9	- 4.1	0.3	- 8.4	4.0	1	-17.9	21
III	13.1	15.0	- 2.9	2.8	1.1	- 0.1	4.3	- 4.3	10.3	14	-11.7	20
IV	15.5	17.4	1.4	6.5	5.7	3.9	8.3	0.1	13.6	14	- 4.2	26
V	05.1	07.0	6.9	10.1	9.6	8.1	12.0	4.3	20.7	31	0.2	27
VI	12.3	14.2	11.0	15.8	15.5	12.7	17.9	6.7	25.5	6	0.3	10
VII	14.6	16.4	16.0	25.0	22.3	18.8	24.5	12.0	29.8	31	5.4	19
VIII	15.8	17.6	14.4	21.4	20.6	17.8	23.0	12.5	29.8	1	8.9	31
IX	09.1	10.9	10.6	15.9	14.4	13.1	16.9	9.4	21.2	6	1.8	28
X	06.2	08.1	5.2	9.2	7.2	6.9	10.5	3.4	16.5	9	- 6.5	31
XI	14.0	15.9	3.1	6.3	4.9	4.6	8.0	0.9	11.1	20	- 6.7	25
XII	998.4	00.3	- 1.9	- 0.6	- 2.2	- 1.8	1.5	- 5.4	12.1	6	-21.2	20
1955	1009.5	1011.4	4.5	8.9	7.8	6.5	10.7	2.1	29.8		-21.2	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	5 2.0	8 2.5	27 2.2	4 1.8	1 4.0	0 -	7 2.3	9 2.9	7 2.6	5 3.2	5 2.0	3 2.7	12
II	1 4.0	18 3.3	35 2.5	5 1.8	3 2.0	2 2.5	1 2.0	2 3.0	1 1.0	4 1.8	2 2.5	3 1.7	7
III	1 3.0	11 2.9	27 2.7	7 3.1	0 -	0 -	3 1.7	8 2.4	5 2.2	9 3.0	9 3.1	8 2.6	5
IV	1 3.0	4 2.8	17 2.2	11 2.5	3 3.0	2 1.5	8 1.9	12 2.6	2 2.0	5 3.2	6 3.3	11 3.2	8
V	1 2.0	3 3.7	11 2.7	1 4.0	4 3.8	1 1.0	7 2.0	27 3.0	9 3.3	9 3.7	7 3.3	8 2.9	5
VI	0 -	3 1.7	15 2.4	9 2.8	5 3.0	1 2.0	12 2.9	13 3.3	12 3.2	4 3.2	5 2.6	7 3.3	4
VII	0 -	0 -	21 1.7	10 2.7	5 2.8	2 1.5	12 2.5	20 2.6	10 2.6	3 3.0	6 2.5	2 3.0	2
VIII	1 3.0	2 2.5	21 1.5	9 2.4	7 2.3	5 2.6	7 1.9	24 2.7	9 2.6	1 2.0	2 4.0	2 2.5	3
IX	1 2.0	3 2.0	16 2.3	8 3.4	2 1.5	0 -	8 2.1	14 2.7	12 2.7	10 3.0	9 2.6	5 2.0	2
X	2 2.5	10 3.0	23 2.1	4 2.0	2 3.5	0 -	6 2.3	10 2.1	11 2.9	7 3.1	6 3.5	7 2.1	5
XI	2 3.0	4 3.0	34 2.4	7 3.0	1 3.0	1 4.0	1 4.0	8 2.4	7 2.9	7 3.3	10 2.8	6 4.2	2
XII	3 2.0	9 4.3	29 2.6	3 1.3	1 4.0	0 -	3 3.0	6 2.8	5 3.8	15 3.7	8 3.2	4 2.5	7
1955	18 2.4	75 3.1	276 2.3	78 2.6	34 2.8	14 2.2	75 2.3	153 2.7	90 2.8	79 3.2	75 2.9	66 2.8	62

Oksøy

φ = 58° 4'N λ = 8° 3'E g = 9.818 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I	1007.6	1008.6	0.0	0.6	0.3	0.2	2.3	- 1.8	7.7	25	- 9.4	19
II	05.9	06.9	- 3.7	- 0.8	- 1.4	- 2.2	0.4	- 4.4	5.0	2	- 9.6	21
III	14.6	15.6	- 1.0	2.0	1.1	0.5	3.2	- 2.0	8.3	14	- 7.4	20
IV	17.0	18.0	2.7	5.4	4.6	3.8	6.6	1.7	12.7	14	- 1.0	8
V	06.8	07.8	7.1	8.7	8.4	7.7	9.8	5.6	16.7	31	1.5	13
VI	14.0	14.9	11.6	14.0	13.3	12.4	15.1	9.8	20.2	6	5.2	10
VII	16.2	17.2	17.1	20.0	19.6	18.2	21.6	15.0	27.0	23	10.4	19
VIII	17.4	18.3	16.3	20.0	19.6	18.1	21.1	15.4	24.6	1	12.8	7
IX	10.6	11.6	12.5	15.8	14.5	14.0	16.3	11.9	19.5	7	7.0	28
X	07.7	08.7	7.7	9.7	8.8	8.5	10.7	6.3	14.6	14	- 1.0	31
XI	13.6	14.6	5.5	7.1	6.9	6.3	8.6	4.0	11.2	20	- 1.5	29
XII	999.8	00.8	1.3	1.9	1.0	1.3	3.2	- 0.8	11.5	6	- 5.4	18
1955	1010.9	1011.9	6.4	8.7	8.1	7.4	9.9	5.1	27.0		- 9.6	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	11 2.7	12 2.8	8 3.6	6 4.0	1 5.0	2 3.5	2 4.0	5 4.6	15 3.1	15 2.9	10 3.8	5 3.2	1
II	16 2.3	12 4.2	18 4.4	8 3.4	1 2.0	9 3.7	0 -	3 1.7	2 2.5	8 2.2	3 3.0	4 2.5	0
III	10 2.7	2 4.0	14 4.9	15 4.5	0 -	4 2.2	3 2.7	3 2.7	9 2.8	19 3.5	4 3.8	10 3.5	0
IV	11 2.8	3 2.3	6 3.5	13 2.8	8 2.9	7 2.6	4 1.5	5 1.4	10 2.8	10 2.9	4 4.5	6 3.5	3
V	5 2.4	3 2.0	6 4.0	7 3.4	3 2.3	1 2.0	6 3.0	8 2.9	24 3.5	12 2.9	8 4.0	9 4.0	1
VI	6 2.0	5 2.2	5 5.0	10 3.7	1 3.0	7 2.4	2 4.5	7 2.9	20 3.0	17 3.8	3 1.7	6 3.8	1
VII	13 1.7	5 2.4	2 3.0	12 2.6	2 3.5	3 1.7	10 1.8	5 2.6	16 3.1	17 3.1	1 4.0	5 3.0	2
VIII	11 2.8	6 2.5	2 3.0	15 3.3	4 2.8	6 2.5	3 1.7	9 2.4	14 3.1	10 2.8	2 4.0	6 2.7	3
IX	6 2.3	1 4.0	3 5.3	7 4.7	4 4.5	6 2.7	10 3.1	4 3.2	10 4.7	24 3.7	8 3.9	7 2.4	0
X	8 2.5	12 3.4	10 4.5	1 6.0	2 4.0	4 5.0	5 4.0	3 2.7	13 3.0	16 3.6	10 3.6	9 3.6	0
XI	13 2.8	3 2.7	12 4.0	6 4.3	5 4.8	6 4.7	5 4.4	1 3.0	3 4.3	15 3.5	11 4.2	10 2.8	0
XII	14 2.1	17 3.7	7 6.6	1 6.0	2 5.5	1 7.0	3 4.3	0 -	13 4.5	15 4.2	12 4.6	8 3.6	0
1955	124 2.4	81 3.2	93 4.4	101 3.6	33 3.6	58 3.1	53 3.0	53 2.7	149 3.4	178 3.4	76 3.9	85 3.3	11

Mandal II

φ = 58° 3'N λ = 7° 27'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I			- 1.3	- 0.1	- 1.1	- 0.9		- 3.1	5.1	25	-10.5	19
II			- 4.1	- 0.6	- 3.4	- 2.9		- 5.5	4.1	1	-12.0	19
III			- 1.2	2.1	- 0.1	0.0		- 3.1	8.0	14	- 9.5	18
IV			3.7	5.9	4.1	3.9		0.8	11.8	19	- 2.9	22
V			7.8	9.6	8.3	7.7		4.4	18.6	31	0.2	13
VI			13.7	15.1	13.6	12.7		8.1	24.4	6	3.1	10
VII			20.0	22.1	20.0	19.3		14.5	27.4	26	8.6	18
VIII			17.7	21.0	18.7	18.0		13.8	25.2	1	10.1	4
IX			12.3	15.0	12.9	12.9		10.0	20.4	8	5.5	28
X			6.1	8.0	7.0	6.8		4.5	14.6	9	- 4.3	31
XI			4.7	6.3	5.3	5.2		2.6	9.9	20	- 2.9	29
XII			0.4	0.9	- 0.3	0.2		- 2.2	8.8	6	-11.4	18
1955			6.6	8.8	7.1	6.9		3.7	27.4		-12.0	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	6 1.5	14 1.9	8 3.2	3 1.3	6 3.3	4 2.2	3 1.7	6 2.5	7 1.7	9 1.8	7 2.9	9 2.0	11
II	6 2.0	17 2.9	16 2.2	12 2.8	7 2.0	4 1.8	1 1.0	0 -	0 -	6 1.8	6 1.8	1 1.0	8
III	8 1.6	6 1.8	9 3.3	12 2.7	3 3.0	0 -	2 5.0	2 1.0	8 1.1	12 2.9	18 3.8	6 2.5	7
IV	4 2.2	2 1.0	4 3.0	18 2.9	10 2.4	6 1.8	4 2.2	1 2.0	9 1.4	17 2.6	5 2.0	6 3.2	4
V	1 2.0	0 -	4 4.2	7 3.7	5 2.8	2 2.5	7 2.4	10 3.1	13 2.5	24 3.0	12 5.8	2 4.5	6
VI	1 6.0	2 1.0	7 2.4	7 2.1	8 4.2	4 1.8	9 1.8	10 1.7	17 2.9	10 2.8	8 3.2	3 6.3	4
VII	4 2.2	0 -	2 3.0	16 1.6	9 2.2	7 1.7	8 1.5	5 1.6	7 1.3	14 2.7	11 3.2	3 3.0	7
VIII	5 2.4	1 1.0	3 2.7	18 2.0	11 2.6	2 1.0	6 2.0	3 2.0	9 2.3	7 2.7	5 2.2	1 2.0	22
IX	4 1.8	0 -	4 2.5	8 2.8	10 2.9	3 1.7	6 2.2	3 1.7	7 2.4	18 3.4	12 3.2	1 2.0	14
X	6 3.5	4 2.5	5 3.0	4 3.2	2 4.5	0 -	1 5.0	3 1.7	12 2.1	12 2.7	14 3.3	15 3.1	15
XI	7 2.6	3 2.3	8 2.2	12 2.8	7 3.9	1 6.0	2 2.0	1 1.0	4 2.0	14 2.3	14 3.5	10 3.7	7
XII	7 2.3	3 1.7	10 3.4	9 4.9	1 6.0	2 5.0	4 2.0	3 2.0	3 5.0	12 3.4	20 3.1	16 2.6	3
1955	59 2.3	52 2.2	80 2.8	126 2.7	79 3.0	35 2.1	53 2.1	47 2.1	96 2.2	155 2.8	132 3.4	73 3.0	108

Konsmo

φ = 58° 16'N λ = 7° 20'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat
I			- 3.1	- 1.8	- 2.9	- 2.7	- 0.3	- 5.4	6.7	25	-12.8	19
II			- 6.4	- 2.2	- 4.3	- 4.6	- 1.2	- 7.7	3.6	5	-14.8	15
III			- 3.7	0.8	- 0.8	- 1.5	2.6	- 4.9	8.6	9	-12.2	16
IV			1.1	5.5	4.4	3.1	7.1	- 0.4	17.8	19	- 4.3	22
V			5.2	8.3	7.5	6.3	10.1	3.0	21.2	31	- 0.7	22
VI			10.4	13.9	13.1	11.4	15.7	6.5	22.0	6	0.9	10
VII			16.4	22.1	20.5	18.5	23.4	12.8	28.1	26	6.5	2
VIII			14.0	20.0	18.4	16.7	21.3	12.2	25.2	1	9.4	4
IX			9.4	13.7	11.5	11.0	14.5	7.8	22.0	7	3.4	28
X			4.1	7.1	5.3	5.3	8.0	2.5	13.1	9	- 5.9	31
XI			2.9	4.6	3.7	3.5	5.9	0.9	9.1	11	- 5.3	29
XII			- 2.1	- 0.8	- 2.1	- 1.8	0.3	- 4.5	8.5	6	-14.9	18
1955			4.0	7.6	6.2	5.4	9.0	1.9	28.1		-14.9	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	3 1.0	16 1.4	13 3.1	2 2.5	0 -	4 1.5	1 1.0	5 2.2	18 2.6	12 3.4	3 2.3	2 1.0	14
II	6 2.2	30 2.4	11 2.6	6 3.2	1 5.0	0 -	0 -	3 2.0	3 1.7	5 1.8	3 1.0	4 1.8	12
III	8 1.0	21 2.0	12 3.5	3 4.0	0 -	0 -	0 -	5 2.4	9 3.1	21 2.6	8 2.1	2 4.0	4
IV	3 1.3	16 1.5	10 2.2	7 2.0	2 1.5	2 1.5	4 1.2	7 1.3	7 2.0	14 2.6	3 3.7	9 2.1	6
V	1 1.0	8 1.8	12 2.7	2 1.5	3 1.7	0 -	6 2.3	10 2.7	24 3.1	15 3.1	5 2.6	5 2.6	2
VI	1 3.0	5 1.8	11 2.2	5 2.0	5 1.6	3 2.0	11 1.8	12 2.6	20 2.8	7 3.3	6 2.0	1 3.0	2
VII	1 1.0	10 1.1	13 1.5	8 1.9	4 2.0	2 3.0	1 2.0	13 1.7	17 2.5	14 2.8	4 1.8	5 2.8	1
VIII	1 1.0	14 1.3	7 1.3	3 1.3	6 1.0	2 2.0	10 1.2	13 1.9	9 2.3	10 2.4	5 1.6	1 2.0	12
IX	0 -	10 1.7	9 3.4	3 1.3	2 2.5	0 -	3 1.7	16 2.8	11 2.7	21 2.7	3 2.0	1 1.0	11
X	2 1.0	14 2.2	8 2.5	3 2.7	1 3.0	0 -	5 1.8	9 1.8	14 3.1	17 2.7	4 3.0	3 1.0	13
XI	4 1.8	11 1.9	17 3.2	6 3.0	1 1.0	0 -	2 4.5	3 1.3	12 2.4	16 3.1	8 4.1	4 2.0	6
XII	6 1.3	22 2.9	3 4.0	1 5.0	1 5.0	2 1.0	2 1.5	3 3.0	14 3.9	24 3.6	2 1.5	3 2.3	10
1955	36 1.4	177 1.9	126 2.7	49 2.4	26 1.9	15 1.8	45 1.8	100 2.2	158 2.8	176 2.9	54 2.4	40 2.2	93

Årsoversikter

Annual Summaries)

1955

Kristiandsand S.

H_s = 22 H_b = h_t = 2.0 h_a = h_d = 14.4 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min <0°	Max <0°	Min <-10°	Max >25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	81	84	84	5.4	5.4	5.6	74	16	11	23	10	7	0	16	7	3	3	0	0	11	7	3	5	0	1	0	1	4	4	17	2	15	22
II	79	68	73	74	4.0	3.7	4.0	61	20	4	23	11	10	0	12	7	2	4	0	0	7	8	3	2	0	0	0	0	5	1	22	8	8	21
III	73	61	67	68	3.5	4.0	3.9	15	14	26	26	2	0	0	6	2	1	11	0	0	0	6	0	0	0	1	0	0	2	0	30	9	5	14
IV	77	67	70	73	4.9	4.5	4.5	56	14	28	14	0	0	0	12	8	3	3	0	0	12	6	6	5	0	0	0	0	9	4	24	7	9	1
V	73	63	67	71	4.3	4.5	4.0	118	22	2	0	0	0	0	18	16	5	7	0	0	17	1	1	3	0	2	0	0	8	2	26	5	6	0
VI	69	57	58	66	3.2	3.5	2.8	36	13	30	0	0	0	1	7	7	1	1	1	0	7	0	0	0	0	0	0	0	3	0	28	10	2	0
VII	71	56	57	65	2.0	1.8	1.9	33	26	3	0	0	0	19	3	2	1	2	0	0	3	0	0	0	0	0	0	1	1	0	30	19	1	0
VIII	85	67	70	76	3.7	3.3	3.3	68	25	18	0	0	0	4	8	4	3	5	0	0	8	0	0	0	0	0	0	3	9	0	30	10	5	0
IX	89	74	81	83	5.2	4.5	5.0	185	48	3	0	0	0	0	19	13	7	5	0	0	19	0	0	1	0	0	0	5	2	2	25	3	10	0
X	86	76	82	82	5.3	4.7	4.4	191	47	18	5	0	0	0	14	14	4	6	1	0	14	1	1	2	0	1	0	1	6	2	24	5	10	1
XI	85	78	82	83	4.9	5.2	4.9	119	42	12	13	0	0	0	14	10	5	6	1	0	13	2	0	6	0	0	0	1	10	1	17	5	12	0
XII	85	80	83	83	5.1	4.3	3.8	103	20	24	18	12	6	0	19	10	4	11	2	0	11	9	2	2	0	0	0	0	3	2	19	5	10	15
1955	80	69	73	76	4.3	4.1	4.0	1060	48		122	35	23	24	147	100	39	64	5	0	122	40	16	26	0	5	0	12	62	30	292	88	93	74

Kjevik

H_s = 12 H_b = 15.2 h_t = 2.0 h_a = 10.0 h_d = 10.0 h_r = 1.6

Måned	U 7	U 13	U 19	U Dies	N 7	N 13	N 19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	88	89	89	5.1	6.2	5.6	68	17	11	23	9	8	0	11	10	2	0	0	0	8	6	1	5	0	0	0	0	8	4	9	4	15	19
II	86	75	78	81	4.4	4.5	4.0	53	15	4	23	9	13	0	11	9	2	1	0	0	7	5	0	6	0	0	0	0	5	2	23	4	8	21
III	80	67	70	74	4.4	4.9	4.3	8	6	26	27	2	5	0	6	1	0	2	0	0	0	6	0	1	0	0	0	0	3	0	30	4	7	9
IV	85	70	71	77	5.2	5.4	5.0	52	13	30	16	0	0	0	12	9	1	1	0	0	11	6	4	7	0	0	0	0	5	6	26	3	11	3
V	83	71	71	77	5.4	5.9	5.5	126	27	19	0	0	0	0	21	18	5	1	0	0	21	2	2	7	0	3	0	0	4	6	25	2	11	0
VI	80	62	61	71	3.5	4.6	3.5	35	14	30	0	0	0	1	12	7	1	0	0	0	12	0	0	2	0	0	0	0	3	3	28	5	5	0
VII	84	60	60	71	2.8	3.0	2.9	37	29	3	0	0	0	21	5	2	1	0	0	0	5	0	0	1	0	0	0	1	2	0	30	8	2	0
VIII	89	69	68	77	4.5	4.4	4.3	66	28	18	0	0	0	5	16	6	2	0	0	0	9	0	0	3	0	0	0	3	5	2	31	5	6	0
IX	90	75	78	83	5.2	5.4	5.6	179	42	9	0	0	0	0	20	15	7	0	0	0	19	0	0	5	0	0	0	4	5	3	27	1	12	0
X	67	78	83	84	5.3	6.0	5.4	206	66	18	9	0	0	0	17	14	5	0	0	0	15	2	2	6	0	2	0	2	4	6	26	1	15	1
XI	87	80	84	84	4.7	5.9	4.7	100	34	12	15	0	0	0	14	10	4	1	0	0	13	1	1	10	0	0	0	1	12	2	20	3	12	0
XII	87	83	84	85	4.8	4.8	4.2	96	38	24	19	13	9	0	15	13	3	6	0	0	10	7	2	6	0	0	0	0	5	3	22	5	10	15
1955	86	73	75	79	4.6	5.1	4.6	1026	66		132	33	35	27	160	114	33	12	0	0	130	35	12	59	0	5	0	11	61	37	297	45	114	68

Oksøy

H_s = 9 H_b = 8.0 h_t = 2.0 h_a = h_d = 8.1 h_r = 1.8

Måned	U 7	U 13	U 19	U Dies	N 7	N 13	N 19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89*	85*	88*	88*	5.8	5.9	5.2	46	15	11	18	5	0	0	12	9	1	6	0	0	11	6	5	6	0	0	0	1	1	6	13	3	16	0
II	79	72	78	78	3.7	4.2	3.4	49	14	2	21	10	0	0	14	8	2	6	0	0	8	7	2	5	0	0	0	0	1	3	20	8	7	0
III	78	70	73	74	4.0	4.3	3.8	9	8	26	24	2	0	0	6	1	0	10	0	0	2	5	1	0	0	0	0	0	0	2	25	6	5	0
IV	81	74	78	79	4.4	5.1	4.5	51	13	28	5	0	0	0	14	9	2	2	0	0	12	6	4	8	0	0	0	0	2	10	24	6	10	0
V	81	76	77	79	4.8	5.1	4.7	109	20	19	0	0	0	0	20	17	4	6	0	0	20	1	1	5	0	2	0	1	3	8	26	4	9	0
VI	78	73	74	76	3.0	3.3	2.9	26	11	30	0	0	0	0	7	6	1	6	0	0	7	0	0	4	0	0	0	0	1	3	28	10	3	0
VII	80	76	75	78	2.3	2.3	2.2	28	23	3	0	0	0	3	4	2	1	2	0	0	3	0	0	1	0	0	0	1	1	2	30	17	2	0
VIII	88	77	78	82	3.5	3.6	3.3	48	17	18	0	0	0	0	10	6	2	4	0	0	10	0	0	1	0	0	0	2	2	2	29	8	6	0
IX	89	78	83	85	5.0	4.9	5.0	155	47	3	0	0	0	0	19	14	6	8	0	0	19	0	0	1	0	0	0	6	5	2	23	2	10	0
X	64	77	81	82	5.0	5.5	4.9	135	27	20	1	0	0	0	17	12	6	9	1	0	17	3	3	4	0	0	0	1	6	2	20	1	9	0
XI	84	78	82	82	4.6	5.2	4.5	78	21	12	2	0	0	0	15	11	3	9	1	0	14	2	1	6	0	0	0	1	6	1	17	8	9	0
XII	83	79	80	81	4.8	4.6	3.9	87	15	24	16	9	0	0	17	14	4	16	3	2	11	7	0	3	0	0	0	0	1	4	20	6	11	0
1955	83	76	79	80	4.2	4.5	4.0	821	*47		87	26	0	3	155	109	32	84	5	2	134	37	17	44	0	2	0	13	29	45	275	79	97*	0

Mandal II

H_s = 138 H_b = h_t = 1.9 h_a = h_d = 9 h_r = 1.6

Måned	U 7	U 13	U 19	U Dies	N 7	N 13	N 19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.5	5.4	5.3	72	18	16	23		2		11	9	3	3	0	0	6	6	1	3	0	0	0	0	14	7	13	3	17	12
II					3.8	3.1	3.1	52	16	4	23		5		10	9	1	5	1	0	5	4	0	4	0	0	0	0	6	4	21	12	7	21
III					4.1	4.6	4.1	18	16	26	28		0		9	2	1	8	1	0	1	8	0	0	0	0	0	0	17	0	27	7	8	14
IV					4.9	4.7	5.4	69	19	28	12		0		11	10	3	5	0	0	8	3	0	4	0	0	0	0	5	10	21	7	15	2
V					5.0	4.9	5.3	143	23	2	0		0		17	16	5	13	2	0	16	1	0	0	0	0	0	0	10	5	24	6	17	1
VI					3.1	4.0	3.2	55	16	15	0		0		9	7	2	9	1	0	9	0	0	7	0	0	0	0	9	2	24	11	7	0
VII					1.8	2.0	1.7	47	31	3	0		0		4	2	2	4	0	0	4	0	0	0	0	0	0	1	5	1	30	22	3	0
VIII					4.2	3.6	3.4	52	28	18	0		0		8	5	2	4	0	0	8	0	0	0	0	0	0	1	16	2	26	11	10	0
IX					5.9	5.6	6.6	245	55	3	0		0		21	17	9	7	0	0	21	0	0	0	0	0	0	4	16	1	21	3	19	0
X					5.7	5.2	4.7	168	34	7	6		0		19	16	7	9	4	1	19	1	0	1	0	0	0	1	12	2	22	4	13	0
XI					5.6	6.4	5.3	112	33	12	5		0		16	12	4	7	3	1	15	1	0	2	0	0	0	0	12	2	14	3	16	1
XII					5.1	5.3	3.8	140	23	26	18		1		21	17	4	13	7	1	14	8	0	1	0	0	0	1	13	1	19	7	13	1
1955			-		4.6	4.6	4.3	1173	55		115		8		156	122	43	87	19	3	126	32	1	22	0	0	0	8	135	37	262	96	145	52

Konsmo

H_s = 337 H_b = h_t = 2.1 h_a = h_d = 7.5 h_r = 1.7

Måned	U 7	U 13	U 19	U Dies	N 7	N 13	N 19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	80	84	83	5.7	5.7	5.1	115	20	11	26	18	6	0	16	13	5	1	0	0	8	9	0	6	0	0	0	0	1	8	15	4	16	31
II	75	65	71	72	3.8	3.2	3.6	38	10	5	26	15	9	0	10	8	0	0	0	0	5	8	2	3	0	0	0	0	0	5	23	10	6	28
III	75	64	64	69	3.7	3.3	2.4	18	11	26	28	5	4	0	10	4	1	0	0	0	2	9	0	1	0	0	0	0	0	2	29	7	5	31
IV	79	64	68	72	4.5	5.0	4.5	79	23	30	18	1	0	0	15	10	2	1	0	0	9	9	3	2	0	0	0	0	0	8	22	6	9	5
V	78	65	68	73	4.9	5.5	5.1	152	18	19	2	0	0	0	20	17	6	0	0	0	20	6	4	5	0	1	0	0	0	8	25	4	14	1
VI	72	59	60	67	3.3	4.5	3.5	45	12	15	0	0	0	0	11	8	2	1	0	0	11	0	0	4	0	1	0	0	1	2	26	7	5	0
VII	74	51	56	64	2.2	2.4	2.4	43	25	3	0	0	0	15	3	3	1	0	0	0	3	0	0	1	0	0	0	1	2	1	29	17	2	0
VIII	84	60	65	73	3.7	4.5	3.0	58	18	16	0	0	0	1	11	9	2	0	0	0	11	0	0	1	0	0	0	5	3	3	28	9	6	0
IX	89	72	80	82	5.8	5.6	5.4	279	60	9	0	0	0	0	26	19	9	1	0	0	26	0	0	7	0	0	0	4	3	10	21	2	12	0
X	85	76	80	81	5.3	5.4	5.0	190	48	20	9	0	0	0	22	18	5	3	0	0	19	3	0	9	0	0	0	0	1	7	21	4	13	3
XI	82	77	82	81	4.8	5.5	4.7	181	71	12	11	1	0	0	21	15	4	5	0	0	19	3	0	9	0	0	0	1	3	2	14	7	13	2
XII	81	75	76	78	5.0	4.8	3.6	179	37	29	22	14	5	0	22	16	6	8	2	0	14	13	1	1	0	2	0	0	4	4	20	8	10	14
1955	80	67	71	75	4.4	4.6	4.0	1377	60		142	54	24	16	187	140	43	20	2	0	147	60	10	49	0	4	0	11	18	60	273	85	111	115

1955

Lindesnes

φ = 57° 59′N λ = 7° 3′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.5	1.0	0.6	0.6	2.5	- 1.5	5.4	10	- 8.0	19	5 2.2	0 -	11 3.2	15 2.5	2 7.5	4 4.0	4 5.5	6 3.2	12 3.7	5 3.0	3 4.3	20 3.8	6
II			- 2.6	0.0	- 1.0	- 1.4	0.6	- 3.6	4.6	1	-10.0	19	5 2.0	1 1.0	20 3.6	17 3.4	7 3.4	6 2.0	3 4.3	3 2.0	2 3.0	0 -	0 -	17 2.8	3
III			- 0.1	2.2	1.5	1.0	3.1	- 1.2	5.7	13	- 7.5	20	3 2.7	0 -	7 3.4	20 4.4	4 3.5	5 1.8	1 4.0	2 3.5	3 2.7	4 4.5	4 3.0	34 4.4	6
IV			3.1	4.9	4.5	3.9	5.9	1.8	11.6	14	- 1.0	9	0 -	3 3.7	2 3.0	14 3.1	12 3.8	11 2.5	2 2.5	1 3.0	1 1.0	6 2.7	8 4.0	25 4.1	5
V			6.8	8.0	7.5	7.1	8.9	5.4	15.0	31	2.0	13	2 2.0	0 -	2 5.5	8 3.1	3 2.7	5 3.2	5 2.2	0 -	8 3.9	10 3.1	9 3.9	37 4.4	4
VI			11.8	12.8	12.4	11.8	14.1	9.9	19.0	5	6.5	10	2 1.5	0 -	1 5.0	5 2.6	5 3.8	8 2.8	8 2.2	1 3.0	4 3.2	1 4.0	10 3.0	40 3.6	5
VII			17.0	18.1	17.9	17.2	19.8	15.1	24.4	26	11.0	19	2 1.5	0 -	0 -	8 1.9	7 3.7	6 2.7	2 1.5	0 -	2 1.0	1 1.0	6 2.8	49 3.5	10
VIII			16.6	18.6	17.9	17.3	19.4	15.2	23.1	28	10.5	3	0 -	1 2.0	0 -	16 2.0	6 3.2	14 2.8	4 1.8	1 3.0	6 2.5	5 1.4	9 1.9	27 4.6	4
IX			13.2	15.0	14.5	14.0	15.8	12.2	19.4	8	7.4	28	0 -	2 1.5	2 4.5	8 3.5	12 4.9	2 4.0	3 3.3	7 3.6	4 4.5	10 3.4	16 3.9	24 4.6	0
X			8.2	9.6	9.1	8.9	10.7	7.0	14.4	4	- 1.6	31	3 1.3	2 2.5	9 3.9	11 3.1	3 6.7	4 4.0	1 2.0	6 2.7	9 3.9	3 3.7	10 4.7	27 3.7	5
XI			6.5	7.3	7.2	6.9	8.6	5.1	11.0	11	- 1.2	29	8 2.2	1 2.0	0 -	15 3.8	8 4.8	10 5.8	1 5.0	3 4.0	7 3.4	4 5.2	8 5.2	24 5.2	1
XII			2.0	2.6	2.0	2.1	3.7	0.2	9.8	6	- 8.3	18	3 2.0	5 2.2	10 4.7	10 5.0	3 5.3	1 2.0	2 6.5	1 4.0	7 3.7	3 3.7	16 6.1	29 4.4	3
1955			6.9	8.3	7.8	7.4	9.4	5.5	24.4		-10.0		33 2.0	15 2.3	64 3.8	147 3.3	72 4.2	76 3.2	36 3.1	31 3.2	65 3.4	52 3.2	99 4.1	353 4.1	52

Lista

φ = 58° 6′N λ = 6° 34′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.4	1.1	0.5	0.6	2.5	- 2.1	6.2	30	-10.8	19	6 3.7	6 3.0	8 2.4	6 2.7	11 4.4	14 3.2	9 4.3	2 4.5	5 3.8	2 2.5	4 3.5	16 4.6	4
II			- 3.1	0.2	- 1.3	- 1.6	1.0	- 4.2	5.5	2	-11.3	19	3 2.3	2 3.5	20 3.0	20 3.8	10 4.2	9 3.7	4 4.0	0 -	1 1.0	2 2.5	1 4.0	10 3.6	2
III			- 0.1	2.6	1.7	1.2	3.3	- 1.4	5.7	31	- 9.5	20	3 2.3	4 3.0	12 3.1	8 3.5	9 3.6	6 3.8	4 4.5	3 1.7	2 2.5	1 4.0	10 4.9	31 4.7	0
IV			3.3	5.3	4.7	4.1	6.2	2.1	9.8	14	- 0.9	26	3 3.0	0 -	2 3.0	1 1.0	14 3.9	19 4.0	4 3.2	4 1.5	2 3.5	7 2.6	7 4.6	24 4.5	3
V			6.6	8.1	7.7	7.1	8.9	5.3	14.2	31	2.6	13	3 2.7	2 1.0	0 -	5 3.4	5 4.2	5 3.4	6 3.3	6 4.3	5 3.4	11 3.5	11 4.1	32 4.3	2
VI			11.3	13.0	12.4	11.6	14.0	9.0	20.2	20	5.0	20	5 1.2	1 2.0	2 4.0	3 1.3	2 1.5	11 4.3	7 2.7	5 3.8	4 1.8	9 3.7	9 3.2	28 4.5	4
VII			15.7	17.6	16.9	16.1	18.9	13.6	26.0	11	8.5	2	5 2.4	1 1.0	0 -	1 3.0	5 3.4	8 3.4	1 6.0	0 -	2 1.5	6 2.2	5 3.8	52 3.6	7
VIII			15.4	18.4	17.9	16.7	19.3	13.9	24.0	27	9.7	3	3 2.0	1 1.0	6 1.0	3 1.0	4 2.0	11 3.5	11 3.5	3 2.7	3 2.3	4 1.8	9 3.1	28 3.6	7
IX			13.1	15.3	14.3	13.9	15.9	11.8	21.7	8	6.7	28	1 1.0	1 2.0	2 2.0	5 3.0	10 4.7	8 4.9	9 3.6	0 -	10 4.1	11 5.0	4 5.0	25 4.6	4
X			8.0	9.8	9.0	8.7	10.8	6.2	14.3	9	- 2.5	31	1 5.0	3 2.7	10 3.2	7 3.1	5 3.4	6 4.7	9 3.3	3 4.3	8 4.1	6 5.0	7 4.4	25 4.3	3
XI			6.2	7.5	7.3	6.9	8.8	4.6	10.8	11	- 2.3	25	9 4.1	2 2.5	3 1.7	3 2.7	23 4.6	6 3.7	4 4.8	1 5.0	4 4.5	2 4.5	5 5.4	26 5.6	0
XII			1.8	2.6	2.1	2.1	3.8	- 0.1	10.1	6	-10.3	18	0 -	4 2.2	13 2.3	12 4.8	4 5.0	3 4.7	2 3.5	1 5.0	8 5.2	10 5.3	8 6.6	25 5.2	3
1955			6.6	8.5	7.8	7.3	9.4	4.9	26.0		-11.3		42 2.9	27 2.5	78 2.6	74 3.4	102 4.1	106 3.9	70 3.7	28 3.4	54 3.7	71 3.8	80 4.4	322 4.4	41

Tonstad

φ = 58° 40′N λ = 6° 42′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.6	- 3.2	- 4.1	- 4.2	- 1.0	- 7.5	8.0	25	-21.1	19	11 1.9	2 1.0	0 -	0 -	0 -	0 -	1 2.0	1 4.0	0 -	1 1.0	0 -	2 2.0	75
II			- 8.6	- 2.7	- 5.3	- 6.0	- 1.0	-10.6	4.0	5	-19.8	21	2 1.5	9 3.0	0 -	2 3.0	0 -	0 -	1 1.0	2 2.0	0 -	1 1.0	1 1.0	0 -	66
III			- 3.9	2.4	0.7	- 0.7	3.8	- 5.3	7.2	13	-13.9	21	31 2.4	7 2.9	0 -	1 1.0	1 2.0	0 -	2 2.0	3 2.0	0 -	3 3.3	8 2.2	5 2.8	32
IV			1.5	6.7	5.7	3.9	8.6	- 0.4	17.0	19	- 3.8	26	19 2.0	3 3.0	0 -	2 2.5	0 -	0 -	2 2.0	6 1.3	0 -	4 2.0	10 1.9	4 1.5	40
V			6.2	10.1	9.4	7.6	11.9	3.0	24.0	30	- 1.5	17	25 2.4	3 3.0	1 1.0	2 1.5	1 1.0	1 1.0	7 2.3	9 2.3	0 -	10 2.6	4 3.0	8 2.3	22
VI			10.2	15.9	15.0	12.0	18.0	5.1	23.6	4	- 0.1	12	13 3.3	4 2.0	0 -	0 -	0 -	1 2.0	11 2.9	17 3.1	1 2.0	8 2.4	5 4.0	1 4.0	29
VII			16.3	24.1	22.6	19.1	25.8	11.0	31.5	26	6.2	19	16 3.1	5 2.0	0 -	3 2.0	0 -	1 1.0	6 2.0	12 2.9	2 2.0	10 2.0	4 2.8	5 3.2	29
VIII			13.7	22.2	19.9	17.4	23.4	11.2	27.5	25	5.8	30	14 2.4	8 1.8	0 -	0 -	0 -	1 1.0	9 2.1	18 1.9	1 2.0	8 1.5	3 2.3	3 3.7	28
IX			9.7	15.0	13.0	12.0	16.2	8.1	23.0	7	1.3	28	15 1.7	1 1.0	0 -	1 2.0	2 1.0	0 -	4 1.8	14 2.8	0 -	11 2.5	9 1.8	2 2.0	31
X			4.3	7.9	6.0	5.8	9.3	2.6	14.4	14	- 7.2	31	25 2.5	4 1.5	2 2.0	1 5.0	0 -	1 2.0	5 2.6	7 2.7	0 -	0 -	7 2.1	7 2.0	34
XI			3.5	5.8	4.2	4.3	7.0	0.9	11.0	22	- 5.2	25	10 2.8	13 2.5	0 -	2 2.0	0 -	2 3.5	4 1.2	2 2.5	0 -	4 3.5	1 1.0	9 4.3	43
XII			- 2.0	- 0.6	- 2.6	- 1.8	0.7	- 5.0	10.4	6	-14.6	22	27 2.1	3 3.0	0 -	9 4.1	0 -	0 -	5 3.4	3 3.3	5 3.4	7 3.9	2 4.5	5 2.8	27
1955			3.9	8.6	7.0	5.8	10.2	1.1	31.5		-21.1		208 2.4	62 2.4	3 1.7	23 3.0	4 1.2	7 2.0	57 2.3	94 2.5	9 2.8	67 2.5	54 2.4	51 2.8	456

Obrestad

φ = 58° 39′N λ = 5° 34′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.2	0.5	0.0	0.1	2.8	- 2.9	6.0	31	-15.2	19	2 3.5	6 1.3	9 1.6	4 1.2	3 2.7	35 2.8	14 4.0	1 1.0	3 2.0	5 3.0	4 4.8	6 4.8	1
II			- 3.6	0.1	- 2.4	- 2.3	0.8	- 6.0	8.0	2	-13.7	18	2 3.0	11 1.6	11 1.3	13 1.6	3 1.0	25 2.6	6 4.2	0 -	0 -	2 3.0	2 3.0	2 2.5	7
III			- 0.3	2.6	1.5	1.0	3.4	- 2.0	6.8	5	- 9.2	20	19 2.8	9 1.9	3 1.7	7 1.9	5 3.6	13 3.1	3 2.7	2 1.5	0 -	4 3.8	8 3.5	15 4.6	5
IV			3.2	4.8	4.6	3.9	5.9	1.7	9.0	30	- 2.2	9	10 4.3	4 2.0	0 -	1 1.0	0 -	32 3.5	15 2.7	1 1.0	3 1.7	4 3.0	7 3.6	13 4.2	0
V			5.8	7.1	7.0	6.1	8.2	3.6	12.0	30	0.1	23	13 2.7	2 2.0	6 1.5	0 -	0 -	12 3.7	10 3.0	3 3.0	7 2.4	4 3.0	1 2.0	33 3.4	2
VI			10.1	11.4	11.3	10.2	12.5	7.3	17.0	5	1.6	12	10 3.0	3 1.0	2 1.0	0 -	0 -	4 5.2	11 3.2	5 2.2	7 2.4	5 2.8	3 3.3	27 3.5	13
VII			13.7	14.9	14.9	14.0	16.6	11.7	24.7	11	8.3	25	35 3.4	3 2.0	0 -	1 1.0	1 3.0	8 2.4	6 1.2	1 4.0	1 1.0	1 1.0	5 1.8	29 2.9	2
VIII			14.0	17.0	16.3	15.3	17.8	12.1	22.3	27	7.8	8	20 3.1	7 1.1	2 1.0	3 1.3	3 1.0	14 3.5	12 3.1	2 2.5	3 1.0	1 3.0	1 1.0	24 2.3	1
IX			12.5	14.6	13.8	13.3	15.4	11.0	18.8	9	4.4	28	6 3.2	1 1.0	5 1.4	2 1.0	0 -	25 4.1	8 3.1	6 2.7	11 3.5	9 3.9	5 4.8	10 3.4	2
X			7.2	9.0	8.3	8.0	10.4	5.2	14.0	10	- 3.9	31	12 3.7	10 1.9	7 1.4	1 3.0	4 3.0	16 3.7	9 3.1	7 3.9	8 2.1	4 3.2	3 5.7	8 4.8	4
XI			6.1	7.4	6.9	6.6	8.7	3.7	10.6	8	- 2.2	29	17 3.5	6 2.2	2 1.0	0 -	1 6.0	31 3.7	4 3.2	4 3.5	2 3.5	4 3.8	3 5.0	14 5.6	2
XII			0.7	1.3	1.0	0.9	3.6	- 2.0	9.7	6	-12.2	13	5 4.4	5 2.2	8 1.2	15 2.0	1 2.0	17 3.8	2 5.0	4 4.2	5 4.8	12 4.1	9 5.3	10 5.0	0
1955			5.8	7.6	6.9	6.4	8.8	3.6	24.7		-15.2		151 3.3	67 1.7	55 1.4	47 1.7	21 2.6	232 3.4	100 3.2	36 3.0	50 2.7	55 3.5	51 4.0	191 3.7	39

Klepp

φ = 58° 48′N λ = 5° 38′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.5	0.0	- 0.7	- 0.5	2.1	- 3.3	6.8	31	-15.2	19	0 -	0 -	0 -	0 -	1 3.0	34 1.9	9 1.0	0 -	11 1.3	1 2.0	1 1.0	7 1.7	29
II			- 4.3	0.1	- 2.4	- 2.5	0.9	- 6.0	9.0	2	-14.2	18	3 1.3	0 -	6 1.3	3 1.0	0 -	47 1.4	3 1.0	0 -	2 1.0	2 2.0	1 1.0	0 -	17
III			- 0.4	3.1	1.1	0.9	3.7	- 2.3	6.4	5	- 9.2	20	8 2.2	2 2.0	9 1.9	2 2.5	0 -	21 1.9	2 1.0	0 -	11 2.0	8 1.6	1 1.0	18 2.1	11
IV			4.4	6.5	5.1	4.7	7.7	1.8	14.5	29	- 2.2	26	5 1.8	0 -	1 2.0	0 -	0 -	27 2.0	5 1.0	1 1.0	19 1.5	5 1.2	3 2.7	18 2.5	6
V			7.3	9.1	7.8	7.2	10.2	4.0	16.5	29	- 0.2	17	3 3.0	0 -	2 1.5	2 1.0	1 1.0	9 2.0	7 1.7	0 -	27 1.7	15 2.3	0 -	21 1.9	6
VI			12.0	13.8	12.3	11.3	14.9	6.7	20.2	5	0.0	12	4 2.0	0 -	3 1.7	0 -	0 -	7 2.0	2 1.0	1 1.0	34 1.6	8 2.0	6 2.5	22 2.3	3
VII			16.2	18.4	16.4	15.7	19.7	11.2	27.8	11	6.9	25	8 2.0	1 2.0	1 2.0	0 -	0 -	3 1.0	0 -	1 1.0	24 1.5	9 1.8	5 1.8	40 2.5	1
VIII			16.6	19.2	16.9	16.3	20.1	11.0	25.1	14	5.5	8	7 2.0	0 -	0 -	0 -	0 -	12 1.9	8 1.1	1 1.0	13 1.3	13 1.8	2 2.0	22 2.1	15
IX			12.7	15.2	13.3	13.1	15.9	9.9	21.5	8	2.8	28	1 1.0	0 -	2 1.5	1 1.0	0 -	22 2.7	5 1.0	0 -	28 1.8	2 2.0	3 3.3	13 2.0	13
X			6.6	9.2	7.5	7.5	10.2	4.4	15.0	9	- 3.5	31	5 2.2	1 1.0	0 -	1 1.0	1 4.0	22 2.2	12 1.2	1 1.0	17 1.6	4 2.2	1 2.0	15 2.6	13
XI			5.7	7.6	6.8	6.5	8.5	3.6	11.0	8	- 1.9	25	14 2.4	1 1.0	2 1.0	0 -	0 -	29 2.2	4 1.2	1 1.0	6 1.7	6 2.0	0 -	15 2.3	12
XII			0.0	0.7	0.1	0.2	2.5	- 2.8	9.6	6	-13.4	22	9 2.8	1 1.0	1 1.0	3 2.7	3 4.0	28 1.7	2 1.0	1 1.0	21 2.4	5 3.0	0 -	10 2.7	9
1955			6.4	8.6	7.0	6.7	9.7	3.2	27.8		-15.2		67 2.2	6 1.5	27 1.6	12 1.7	6 3.3	261 1.9	59 1.2	7 1.0	213 1.7	78 2.0	23 2.2	201 2.3	135

Årsoversikter

Annual Summaries)

1955

Lindesnes

$H_s = 10$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 19$ $h_r = 1.4$

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n: Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet ●	Snødekke
I					5.5	6.0	5.5	69	13	10	19	5	0	0	15	12	3	9	2	0	12	9	4	9	0	0	0	0	1	8	18	3	15	
II					3.4	4.0	3.7	57	14	4	20	9	0	0	8	8	1	3	0	0	7	3	2	6	0	0	0	0	0	3	21	5	5	
III					4.6	3.9	4.5	14	7	26	21	2	0	0	11	4	0	11	2	0	5	8	2	4	0	0	0	0	0	3	27	5	7	
IV					5.7	5.6	5.6	80	16	28	2	0	0	0	13	12	3	9	1	0	13	3	3	9	0	0	0	0	0	12	22	3	15	
V					4.9	5.5	5.0	106	17	2	0	0	0	0	19	16	4	11	3	0	19	0	0	5	0	0	0	0	0	9	24	3	10	
VI					3.9	4.4	4.1	32	13	15	0	0	0	0	8	6	2	8	2	0	8	0	0	3	0	0	0	0	1	3	27	5	7	
VII					3.4	3.0	3.0	30	26	3	0	0	0	0	2	2	1	9	1	0	2	0	0	3	0	0	0	0	0	0	30	9	3	
VIII					4.9	4.3	4.3	40	14	5	0	0	0	0	7	6	1	5	2	0	7	0	0	0	0	0	0	2	1	3	29	2	8	
IX					5.8	5.4	5.8	193	48	3	0	0	0	0	24	17	5	12	3	0	24	0	0	2	0	0	0	9	0	2	22	1	12	
X					5.3	5.3	5.0	123	24	7	1	0	0	0	23	17	3	11	5	1	23	2	2	8	0	0	0	1	0	4	18	2	14	
XI					5.1	5.9	5.4	88	20	12	1	0	0	0	19	13	3	15	6	2	18	3	2	9	0	0	0	0	0	0	17	2	14	
XII					4.9	5.6	4.2	105	19	24	15	8	0	0	21	16	3	17	10	3	14	8	1	5	0	0	0	0	0	2	20	4	13	
1955					4.8	4.9	4.7	937	48		79	24	0	0	170	129	29	120	37	6	152	36	16	63	0	0	0	12	3	49	275	44	123	

Lista

$H_s = 13$ $H_b =$ $h_t = 2.1$ $h_a = 10.4$ $h_d = 10.3$ $h_r = 1.6$

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	88	89	88	5.9	6.3	5.6	62	12	11	21	6	1	0	18	12	1	13	3	1	13	10	4	9	0	3	0	0	0	8	19	2	17	13
II	73	63	72	71	3.4	4.8	3.9	46	17	5	20	9	1	0	10	8	2	10	0	0	9	4	2	5	0	0	0	0	1	1	18	8	6	1
III	74	68	72	72	4.7	4.7	5.1	12	2	5	18	2	0	0	12	6	0	19	2	0	8	7	2	4	0	0	0	0	2	3	26	4	9	3
IV	82	79	82	82	5.7	5.5	5.7	66	14	28	3	0	0	0	15	10	2	10	1	0	13	3	2	9	0	1	0	0	0	11	20	4	17	1
V	84	81	80	82	5.1	5.6	5.4	80	22	2	0	0	0	0	16	13	2	13	0	0	15	2	2	5	0	2	0	0	0	8	24	5	11	0
VI	79	76	76	78	3.6	4.5	4.2	31	13	15	0	0	0	0	8	5	2	12	2	2	8	0	0	4	0	0	0	0	3	2	27	9	7	0
VII	85	78	79	82	3.1	3.0	3.3	26	20	3	0	0	0	1	5	4	1	12	0	0	5	0	0	4	0	0	0	0	0	1	29	11	5	0
VIII	87	80	82	84	4.8	4.0	4.4	53	25	10	0	0	0	0	7	5	1	6	0	0	7	0	0	3	0	0	0	1	2	3	28	5	7	0
IX	85	77	81	82	6.0	5.4	5.5	132	35	3	0	0	0	0	19	15	2	21	0	0	19	0	0	3	0	0	0	8	3	0	27	1	13	0
X	84	80	81	82	5.7	5.3	5.0	123	29	17	1	0	0	0	24	15	4	17	5	2	24	2	2	4	0	1	0	1	1	2	23	4	12	0
XI	85	83	84	84	5.2	6.2	5.4	78	26	12	2	0	0	0	15	10	1	22	5	1	14	1	1	12	0	1	0	0	0	0	21	4	14	1
XII	86	84	83	84	5.2	5.2	4.6	89	15	24	15	9	1	0	20	13	3	22	10	2	16	7	3	7	0	4	0	0	3	0	20	3	11	6
1955	83	78	80	81	4.9	5.0	4.8	798	35		80	26	3	1	169	117	21	177	28	8	152	36	18	69	0	12	0	10	15	39	284	60	129	25

Tonstad

$H_s = 57$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 9.5$ $h_r = 1.4$

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	89	90	90	5.6	5.9	5.9	130	21	31	28	12	12	0	15	15	6	0	0	0	8	8	0	5	0	0	0	0	7	1	10	6	20	31
II	86	72	77	80	4.2	3.5	3.0	52	11	4	24	15	17	0	9	8	2	0	0	0	5	4	0	3	0	0	0	0	0	0	23	11	6	28
III	79	58	61	68	4.7	4.4	4.3	34	12	16	27	3	6	0	8	6	1	0	0	0	3	7	1	0	0	0	0	0	2	0	24	6	9	31
IV	85	66	68	75	5.7	5.3	5.2	88	20	28	20	0	0	0	14	12	4	0	0	0	13	5	2	7	0	0	0	0	1	2	19	3	15	13
V	80	64	68	74	5.3	5.6	5.5	162	30	5	2	0	0	0	19	16	6	1	0	0	18	4	3	1	0	0	0	1	0	1	22	4	14	0
VI	81	57	58	70	3.3	5.0	4.0	54	19	15	1	0	0	0	10	8	1	0	0	0	10	0	0	1	0	0	0	0	0	0	28	5	6	0
VII	81	53	53	66	2.7	3.3	2.6	14	10	3	0	0	0	19	4	3	0	0	0	0	4	0	0	1	0	0	0	1	1	0	29	12	5	0
VIII	90	60	66	76	4.1	4.5	4.5	61	22	18	0	0	0	11	13	8	2	0	0	0	13	0	0	0	0	0	0	4	2	0	26	5	7	0
IX	94	71	82	85	6.3	6.3	6.5	286	56	3	0	0	0	0	20	18	11	0	0	0	20	0	0	2	0	0	0	3	4	2	17	2	17	0
X	91	77	87	86	5.8	6.2	5.6	206	39	20	9	0	0	0	21	19	8	2	0	0	20	2	0	3	0	0	0	1	4	2	13	5	19	2
XI	84	78	85	83	5.4	6.4	5.9	235	70	12	13	1	0	0	20	19	6	1	0	0	18	5	0	2	0	0	0	0	0	2	7	4	17	3
XII	86	80	84	84	5.3	5.1	4.7	289	59	6	19	12	10	0	19	17	9	2	0	0	14	7	0	4	0	1	0	1	2	0	17	6	14	22
1955	86	69	73	78	4.9	5.1	4.3	1611	70		143	43	45	30	172	149	56	6	0	0	146	42	6	29	0	1	0	11	23	10	235	69	149	130

Obrestad

$H_s = 24$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 10.5$ $h_r = 1.4$

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	90	89	89	5.9	6.2	5.7	75	17	10	9	3	3	0	20	17	1	8	2	0	14	11	4	3	0	3	0	0	3	6	9	3	16	13
II	75	70	75	74	3.6	4.2	3.8	33	13	4	23	10	9	0	11	7	1	2	0	0	9	6	4	2	0	1	0	0	1	0	11	8	5	1
III	81	72	73	76	5.2	4.6	4.5	37	16	26	21	1	0	0	12	9	1	9	1	0	11	7	5	1	0	1	0	0	2	1	16	2	9	2
IV	86	83	82	84	6.3	5.6	5.3	49	11	30	6	0	0	0	14	9	1	9	2	1	13	3	2	6	0	0	0	0	2	11	15	1	18	0
V	88	85	84	86	5.5	5.6	5.4	74	11	19	0	0	0	0	21	15	2	7	1	0	20	3	3	3	0	2	0	0	1	10	18	2	15	0
VI	85	81	79	82	5.1	4.2	4.1	40	17	5	0	0	0	0	8	6	1	6	0	0	8	0	0	3	0	0	0	0	4	8	26	5	9	0
VII	89	84	82	85	5.0	4.1	3.4	12	8	3	0	0	0	0	9	3	0	2	0	0	9	0	0	7	0	0	0	0	2	10	27	6	6	0
VIII	89	82	82	85	4.7	4.0	4.4	25	10	6	0	0	0	0	6	4	2	1	0	0	6	0	0	2	0	0	0	0	1	8	27	3	8	0
IX	85	77	79	81	5.9	5.6	6.3	141	20	3	0	0	0	0	21	20	5	9	0	0	21	0	0	2	0	2	0	7	1	0	20	1	12	0
X	86	82	83	84	5.8	5.6	5.5	148	26	20	4	0	0	0	23	19	7	7	3	2	23	4	4	2	0	2	0	3	0	2	10	1	13	0
XI	88	85	86	87	5.8	6.6	6.1	81	15	12	4	0	0	0	22	15	2	14	1	1	22	0	0	7	0	2	0	0	0	1	8	2	19	0
XII	85	81	81	83	5.3	5.5	4.5	140	15	24	18	9	5	0	21	18	5	11	5	3	19	8	6	1	0	5	0	0	1	2	12	3	9	12
1955	85	81	81	83	5.3	5.2	4.9	855	26		85	23	17	0	188	142	28	85	15	7	175	42	28	39	0	18	0	10	16	60	199	37	138	28

Klepp

$H_s = 14$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 12.5$ $h_r = 1.5$

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	89	90	89	5.3	5.3	5.2	95	21	10	21	7	4	0	23	15	3	0	0	0	13	13	2	7	0	4	0	0	17	5	18	3	15	15
II	78	69	76	76	4.0	3.0	3.6	29	10	4	22	12	9	0	11	6	1	0	0	0	6	5	1	1	0	1	0	0	6	1	24	9	6	[illegible]
III	83	68	74	76	3.9	3.2	4.3	38	9	26	21	1	0	0	16	13	0	0	0	0	12	10	5	3	0	1	0	0	15	4	27	10	8	9
IV	85	77	81	82	5.5	5.0	4.4	53	8	30	4	0	0	0	19	10	0	1	0	0	15	3	1	7	0	3	0	0	15	9	20	7	14	0
V	82	78	81	82	4.8	4.8	5.4	85	15	6	1	0	0	0	19	14	3	0	0	0	19	3	3	3	0	1	0	0	14	10	20	6	15	0
VI	80	69	74	80	3.9	3.1	3.0	36	15	15	0	0	0	0	7	5	1	1	0	0	7	0	0	0	0	0	0	0	19	6	26	10	7	0
VII	84	73	79	82	4.4	3.8	2.7	12	5	3	0	0	0	5	7	3	0	0	0	0	7	0	0	4	0	0	0	0	22	7	28	10	5	0
VIII	85	69	78	81	4.5	4.4	3.5	51	22	21	0	0	0	1	5	5	3	0	0	0	5	0	0	2	0	0	0	0	24	6	26	6	8	0
IX	89	75	85	85	5.9	5.9	6.5	174	29	13	0	0	0	0	23	21	6	1	0	0	23	0	0	0	0	2	0	4	23	3	26	0	11	0
X	90	80	86	86	5.9	6.0	5.1	142	24	15	5	0	0	0	24	20	6	3	0	0	24	3	3	2	0	2	0	2	18	1	17	2	15	1
XI	86	84	86	86	7.2	6.7	6.2	110	21	12	5	0	0	0	24	16	3	2	1	0	23	2	1	1	0	1	0	0	19	1	12	1	19	0
XII	85	81	81	83	6.2	5.4	3.6	146	19	6	17	11	7	0	24	20	5	6	0	0	17	11	3	0	0	7	0	0	14	2	17	3	10	18
1955	85	76	81	82	5.2	4.7	4.5	971	29		96	31	20	6	202	148	31	14	1	0	171	50	19	30	0	22	0	6	206	55	261	67	133	59

1955

Sola

φ = 58° 53′N λ = 5° 38′E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1006.2	1007.8	- 0.5	0.3	- 0.5	- 0.3	2.3	- 3.6	7.5	31	-15.5	19	3 3.7	2 1.0	2 1.0	3 1.3	12 2.7	27 3.1	17 3.3	3 3.0	2 3.5	1 1.0	7 3.7	3 3.7	11
II	05.3	06.9	- 4.5	0.1	- 2.2	- 2.5	1.3	- 6.4	9.4	2	-15.4	22	7 2.4	5 1.6	9 2.0	2 2.5	16 1.8	16 2.8	7 2.7	0 -	0 -	1 1.0	3 2.3	2 2.0	16
III	15.0	16.6	- 0.8	3.0	1.3	0.9	3.8	- 2.1	6.3	5	- 8.9	20	15 2.8	9 2.9	5 1.6	1 3.0	7 2.1	7 4.0	6 2.3	1 3.0	1 4.0	9 2.9	6 2.8	20 3.5	6
IV	16.5	18.1	3.5	6.5	5.6	4.8	7.7	2.0	13.8	29	- 1.8	15	10 2.5	0 -	0 -	2 2.0	7 3.0	17 3.2	11 3.1	7 3.0	3 3.0	6 3.5	7 3.3	15 4.2	5
V	06.5	08.0	6.2	8.6	7.9	7.0	10.0	4.1	16.7	29	0.4	17	3 3.3	3 2.3	3 2.7	1 2.0	5 3.0	5 3.8	11 4.0	6 2.8	9 3.4	7 2.4	20 3.2	18 3.9	2
VI	14.0	15.5	10.5	13.2	12.1	11.1	14.4	7.7	19.5	5	2.4	12	5 2.4	1 2.0	2 2.5	1 1.0	0 -	6 3.3	8 3.5	3 4.3	7 2.9	15 2.5	17 2.9	19 3.7	6
VII	17.5	19.0	14.6	18.1	16.6	15.6	19.4	11.9	28.3	11	8.2	3	9 2.7	1 3.0	0 -	1 3.0	1 2.0	1 2.0	2 3.5	1 4.0	3 3.0	9 2.1	22 2.8	36 3.1	7
VIII	17.5	19.0	13.8	18.8	17.3	15.9	19.9	11.8	24.6	14	6.8	8	5 1.8	2 1.5	1 2.0	1 1.0	4 1.2	8 3.2	10 3.5	4 2.8	3 2.7	8 2.1	15 2.9	25 3.2	7
IX	09.5	11.0	11.8	14.9	13.7	13.2	15.9	10.5	20.0	9	3.9	28	8 2.0	1 2.0	2 2.5	1 1.0	12 2.2	15 3.9	13 3.0	7 2.7	5 3.8	7 3.3	4 3.5	13 3.2	2
X	07.3	08.8	6.5	9.3	7.7	7.6	10.5	5.0	15.0	10	- 3.7	31	12 2.7	4 2.0	2 3.0	2 3.0	12 2.1	16 3.2	16 2.9	7 2.4	1 4.0	3 4.0	4 4.2	9 3.7	5
XI	15.0	16.6	5.9	7.3	6.9	6.5	8.7	3.9	11.5	8	- 2.1	15	20 3.6	2 1.5	1 1.0	2 2.0	12 3.2	10 3.5	8 2.9	5 3.4	1 1.0	2 3.5	7 3.9	13 4.4	7
XII	999.2	00.7	0.2	0.9	0.5	0.4	3.0	- 2.4	9.6	6	-13.8	22	11 3.9	6 3.3	5 1.6	3 2.7	10 2.5	15 3.4	8 3.4	2 3.5	6 3.1	7 4.6	5 4.6	8 3.4	7
1955	1010.8	1012.3	5.6	8.4	7.2	6.7	9.7	3.5	28.3		-15.5		108 2.9	36 2.3	32 2.0	20 2.1	98 2.4	143 3.3	117 3.2	46 3.0	41 3.2	75 2.8	117 3.2	181 3.5	81

Stavanger

φ = 58° 57′N λ = 5° 44′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.1	0.7	0.0	0.1	1.8	- 1.6	6.9	31	-13.3	19	4 2.0	1 1.0	0 -	1 1.0	2 3.5	20 2.3	21 3.5	6 1.8	2 1.0	4 2.0	5 2.4	5 2.8	2
II			- 2.5	0.3	- 1.5	- 1.4	1.1	- 3.8	9.7	2	- 9.9	19	8 2.0	5 1.0	3 1.0	17 1.2	3 1.0	9 2.1	7 3.6	2 1.0	0 -	1 3.0	2 1.0	1 1.0	26
III			- 0.1	2.9	1.3	1.2	3.5	- 1.1	5.6	24	- 6.4	20	15 3.5	8 1.6	0 -	5 2.6	5 2.8	2 3.5	5 4.2	1 1.0	2 3.0	9 2.6	8 3.6	18 4.1	15
IV			4.2	6.6	5.5	4.9	7.8	2.5	14.7	16	- 0.6	22	6 2.7	1 1.0	0 -	3 1.3	3 4.3	13 3.0	11 2.5	5 2.6	2 3.0	9 1.8	8 1.8	20 3.4	9
V			7.1	9.1	7.6	7.2	9.9	4.7	17.3	29	0.1	10	3 2.0	3 2.0	0 -	1 6.0	0 -	2 3.0	12 2.7	8 3.9	5 1.4	22 2.1	29 2.9	3 2.7	[illegible]
VI			11.6	13.9	12.3	11.5	15.1	8.2	19.9	5	4.2	12	1 5.0	1 1.0	0 -	1 1.0	1 2.0	1 1.0	5 4.0	5 2.6	7 3.4	31 1.5	14 2.6	15 3.5	9
VII			16.0	18.5	17.4	16.2	20.5	12.7	27.5	11	8.8	6	9 3.1	1 1.0	0 -	1 1.0	0 -	1 4.0	1 2.0	1 2.0	2 2.5	18 1.7	22 2.0	21 3.5	1
VIII			16.1	19.2	17.7	16.9	20.9	13.5	24.8	10	9.8	3	8 1.0	4 1.0	0 -	1 1.0	0 -	4 3.0	7 2.4	4 1.8	3 2.7	17 1.2	10 1.7	23 3.0	12
IX			12.2	14.2	13.4	12.9	15.5	10.8	19.8	8	6.7	28	3 1.0	1 1.0	2 1.5	2 1.0	4 2.2	16 2.1	5 1.4	7 2.0	14 2.6	11 2.2	13 2.8	7 2.3	9
X			6.6	8.8	7.2	7.3	9.7	5.5	14.8	10	- 0.9	31	7 1.3	4 1.8	3 2.3	4 2.2	3 4.0	3 1.7	9 2.4	16 2.8	4 2.0	11 2.9	5 3.2	13 4.0	11
XI			5.7	7.0	6.3	6.2	7.9	4.5	12.0	11	- 0.8	29	8 1.2	2 1.0	0 -	5 2.4	5 2.8	19 1.8	4 4.5	6 3.3	2 3.0	6 4.3	4 2.2	21 3.7	9
XII			0.9	1.6	0.9	1.0	2.3	- 0.5	8.5	5	- 7.6	18	16 1.9	1 1.0	3 1.0	7 3.4	6 4.2	7 3.9	9 4.1	6 3.7	6 4.0	9 3.3	9 3.2	6 3.5	8
1955			6.5	8.6	7.3	7.0	9.7	4.6	27.5		-13.3		88 2.2	32 1.3	11 1.5	48 2.0	32 3.1	97 2.4	96 3.2	67 2.7	49 2.7	148 2.1	129 2.6	153 3.4	145

Fister

φ = 59° 11′N λ = 6° 4′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.1	0.7	0.1	0.2	2.8	- 2.9	9.5	31	-13.3	19	0 -	0 -	1 1.0	1 2.0	3 1.0	43 1.1	7 1.6	2 1.0	0 -	3 1.0	2 1.0	6 1.8	21
II			- 4.0	0.9	- 2.2	- 2.1	2.3	- 5.9	11.0	2	-13.9	21	4 1.0	7 1.0	2 1.0	0 -	1 1.0	32 1.1	2 1.0	1 1.0	0 -	0 -	1 1.0	5 1.2	29
III			- 1.2	3.4	1.7	1.0	4.5	- 2.6	7.3	24	- 9.3	20	4 1.2	0 -	0 -	1 1.0	3 1.7	18 1.1	6 1.0	6 1.5	2 1.0	2 1.0	8 1.6	19 1.8	24
IV			3.3	6.6	6.3	4.9	8.3	1.7	14.8	16	- 2.2	25	8 2.2	3 1.0	0 -	0 -	2 1.0	12 1.8	2 1.0	9 1.1	1 1.0	1 1.0	8 1.5	18 1.4	26
V			6.0	9.5	9.2	7.5	11.0	4.3	18.8	30	0.0	13	2 1.0	3 1.0	1 1.0	1 1.0	1 1.0	14 1.9	7 1.6	16 1.2	3 2.0	2 1.0	11 2.0	15 1.8	17
VI			10.2	15.0	14.1	12.0	16.5	7.5	21.5	1	3.1	10	1 2.0	2 1.0	2 1.0	1 1.0	0 -	8 1.5	3 1.7	18 1.2	1 1.0	3 1.7	16 1.5	9 1.9	26
VII			14.1	19.8	19.2	16.6	21.5	11.9	30.0	11	8.1	19	0 -	2 1.0	2 1.0	1 1.0	0 -	2 1.5	2 1.5	19 1.0	1 1.0	5 1.4	19 1.3	7 1.4	33
VIII			14.1	20.2	18.8	16.9	21.2	12.2	24.6	10	8.1	3	4 1.2	1 1.0	1 1.0	0 -	0 -	5 1.0	5 1.4	13 1.0	1 1.0	3 1.0	12 1.7	8 1.2	40
IX			11.6	14.7	13.5	12.9	16.3	10.0	22.2	8	4.1	28	0 -	0 -	3 1.3	1 1.0	0 -	25 1.6	15 1.3	8 1.2	1 1.0	4 1.2	4 2.8	7 1.4	32
X			6.6	9.3	8.0	7.8	10.6	4.9	16.9	10	- 3.1	31	9 1.6	3 2.0	4 1.0	1 3.0	2 1.0	21 1.4	10 1.0	3 1.7	1 1.0	1 1.0	3 2.3	11 1.9	34
XI			5.9	7.2	6.4	6.3	8.4	3.6	12.4	11	- 4.5	29	1 2.0	0 -	2 1.0	2 1.0	6 1.8	25 1.5	7 1.0	0 -	1 1.0	1 3.0	7 1.9	15 2.2	23
XII			0.8	1.2	0.3	0.7	3.0	- 2.2	10.1	6	-10.9	11	4 1.5	3 1.3	5 1.2	1 1.0	2 2.0	34 1.6	7 1.9	2 2.0	0 -	1 1.0	5 3.0	10 2.6	19
1955			5.6	9.0	8.0	7.1	10.5	3.5	30.0		-13.9		37 1.6	24 1.2	23 1.1	10 1.3	20 1.4	239 1.4	73 1.3	97 1.2	12 1.2	26 1.3	96 1.7	130 1.8	308

Sauda

φ = 59° 39′N λ = 6° 22′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.0	- 3.5	- 3.7	- 3.9	- 0.8	- 6.9	7.3	25	-20.4	19	4 2.0	8 1.1	0 -	11 1.3	0 -	0 -	0 -	0 -	2 2.0	1 3.0	1 1.0	0 -	66
II			- 8.7	- 3.8	- 5.4	- 6.4	- 1.6	-10.5	3.8	2	-20.0	21	1 1.0	14 1.5	0 -	2 2.0	0 -	0 -	0 -	0 -	1 1.0	1 3.0	0 -	0 -	65
III			- 3.5	1.9	1.1	- 0.6	4.0	- 4.5	8.2	30	-12.0	21	19 1.9	14 1.4	0 -	6 1.7	1 2.0	0 -	1 1.0	0 -	7 2.1	7 2.9	2 1.5	0 -	36
IV			2.0	6.4	6.2	4.3	8.5	0.8	14.8	16	- 2.4	26	6 2.0	10 1.5	0 -	2 1.5	0 -	0 -	2 1.0	0 -	5 2.2	7 3.1	9 1.6	1 2.0	48
V			6.4	9.7	9.5	7.5	11.5	3.0	22.8	31	- 0.8	17	9 2.4	10 1.9	1 2.0	4 2.0	0 -	0 -	0 -	0 -	18 2.1	8 2.5	7 1.6	0 -	36
VI			10.4	15.7	15.6	12.4	18.2	6.6	24.7	5	1.7	9	7 2.6	5 3.2	0 -	1 2.0	0 -	0 -	5 1.6	1 2.0	25 2.2	6 2.5	1 2.0	1 2.0	38
VII			14.8	20.9	21.4	17.6	24.3	11.6	31.8	26	7.1	18	3 1.7	3 1.7	0 -	0 -	0 -	0 -	1 2.0	0 -	45 1.9	6 1.7	0 -	2 2.0	33
VIII			13.8	20.4	20.6	17.3	23.8	12.0	28.3	10	8.9	3	1 2.0	4 1.5	0 -	0 -	0 -	0 -	0 -	0 -	38 1.8	6 1.7	6 2.3	0 -	38
IX			9.7	13.3	12.7	11.5	15.8	8.6	21.5	8	2.1	28	5 3.2	6 1.2	0 -	1 2.0	0 -	1 4.0	1 1.0	0 -	20 2.4	4 3.5	0 -	1 2.0	51
X			4.5	7.2	6.1	5.7	9.2	3.0	15.2	10	- 8.8	31	6 1.3	10 2.1	0 -	4 2.2	0 -	0 -	0 -	1 1.0	9 2.7	4 2.5	3 1.7	0 -	56
XI			2.6	4.3	3.6	3.3	6.4	0.8	11.6	12	- 6.3	29	12 1.7	4 1.2	0 -	1 3.0	1 1.0	1 1.0	0 -	1 2.0	6 2.2	4 3.0	4 2.0	1 1.0	55
XII			- 1.6	- 1.4	- 1.9	- 1.7	1.3	- 4.5	10.7	6	-14.5	22	15 1.9	17 2.4	0 -	0 -	0 -	0 -	0 -	0 -	7 3.4	6 3.2	7 2.9	0 -	41
1955			3.9	7.6	7.2	5.6	10.0	1.7	31.8		-20.4		88 2.0	105 1.8	1 2.0	32 1.7	2 1.5	2 2.5	10 1.4	3 1.7	183 2.1	60 2.6	40 2.0	6 1.8	563

Skudenes II

φ = 59° 9′N λ = 5° 15′E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1006.2	1007.4	1.0	1.4	1.2	1.1	3.0	- 1.0	7.0	25	- 8.4	19	7 2.0	3 1.7	7 1.7	5 1.8	0 -	15 4.4	22 4.2	7 4.0	3 3.3	9 2.9	1 5.0	6 6.5	8
II	05.7	06.8	- 2.1	0.4	- 1.3	- 1.2	0.9	- 3.5	6.3	2	- 9.3	21	12 2.3	0 -	16 2.1	24 2.5	8 2.4	11 3.0	8 4.4	1 2.0	0 -	0 -	1 6.0	3 3.7	0
III	15.4	16.6	0.6	3.2	1.5	1.5	3.7	- 1.0	6.2	5	- 6.2	18	19 4.3	2 1.0	9 2.0	9 1.7	3 1.7	9 2.1	8 4.5	2 1.5	0 -	5 4.2	13 3.5	14 5.1	0
IV	17.0	18.1	4.3	5.8	4.7	4.5	6.6	2.6	10.8	16	- 0.9	26	15 5.2	0 -	2 2.5	1 3.0	1 1.0	15 4.2	25 3.8	3 3.0	3 2.7	4 4.2	9 3.9	12 5.0	0
V	06.8	07.9	7.0	8.4	7.3	6.9	9.2	4.5	15.2	29	0.9	13	8 5.0	0 -	3 3.0	3 4.3	1 5.0	5 3.6	16 4.1	10 3.5	3 4.7	9 3.8	8 2.5	27 5.1	0
VI	14.3	15.4	11.5	12.9	11.7	11.1	14.0	8.1	19.6	5	4.0	1	5 3.2	1 1.0	0 -	2 2.5	0 -	8 2.1	13 3.4	10 3.1	5 3.2	6 3.5	11 2.6	29 4.8	0
VII	17.9	19.0	15.7	17.7	16.0	15.6	18.5	12.5	28.0	11	9.3	19	26 4.6	0 -	1 3.0	1 1.0	0 -	8 1.8	2 1.0	3 1.3	2 2.0	8 2.1	13 2.3	28 3.8	1
VIII	17.9	19.0	16.2	18.5	16.2	16.3	19.2	13.1	23.7	27	8.9	8	21 4.1	1 1.0	3 1.7	3 1.0	1 1.0	6 4.0	11 3.1	10 2.0	2 1.0	11 2.0	4 3.0	20 3.4	0
IX	09.8	10.9	13.2	14.9	14.0	13.6	15.9	11.5	19.5	8	6.6	28	3 2.7	1 1.0	5 2.8	4 2.8	2 3.0	16 4.4	16 3.5	4 3.5	10 3.4	10 4.1	6 3.0	13 4.7	0
X	07.4	08.6	8.0	9.8	8.4	8.5	10.4	6.3	14.8	9	- 2.0	31	13 3.2	6 2.2	3 3.7	3 5.0	1 1.0	19 3.0	20 4.6	11 3.9	0 -	3 6.3	2 6.0	12 5.2	0
XI	15.5	16.7	6.8	7.8	7.3	7.2	8.9	5.2	10.7	12	- 0.5	29	20 3.7	4 2.5	1 1.0	4 3.2	0 -	19 3.9	13 4.2	6 3.8	0 -	4 5.8	3 5.0	15 5.5	1
XII	999.4	00.5	1.9	2.1	2.0	1.9	3.9	- 0.7	10.0	6	- 9.9	18	10 3.5	1 2.0	14 1.8	9 4.7	5 4.6	7 4.6	5 5.0	9 4.4	2 6.5	10 6.5	6 3.7	15 5.4	0
1955	1011.1	1012.2	7.0	8.6	7.4	7.2	9.5	4.8	28.0		- 9.9		159 3.9	19 1.8	64 2.1	68 2.9	22 2.8	138 3.5	159 4.0	76 3.3	30 3.4	79 3.9	77 3.2	194 4.7	10

Årsoversikter

Annual Summaries)

1955

Column key: Måned | Midlere relativ fuktighet U_m (7, 13, 19, Døgn) | Midlere skydekke N_m (7, 13, 19) | Nedbør R (Σ, Max, Dat) | Antall dager n: Lufttemperatur T (Min < 0°, Max < 0°, Min < -10°, Max > 25°) | Nedbør R (R ≥ 0,1, R ≥ 1,0, R ≥ 10,0) | Vindstyrke F (F ≥ 6, F ≥ 8, F ≥ 9) | Regn ● | Snø ✱ | Sludd | Yr | Sprøhagl | Hagl ∆ | Ishagl ▲ | Torden-vær | Tåkedis = | Tåke ≡ | Solskinn ⊙ | Klarvær | Over-skyet | Snødekke

Sola

$H_s = 8$ $H_b = 12.7$ $h_t = 1.8$ $h_a = 10.3$ $h_d = 10.3$ $h_r = 1.6$

Måned	U 7	U 13	U 19	U Døgn	N 7	N 13	N 19	Σ	Max	Dat	Min<0°	Max<0°	Min<-10°	Max>25°	R≥0,1	R≥1,0	R≥10,0	F≥6	F≥8	F≥9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	93	93	93	93	6.2	6.0	5.7	82	17	10	20	6	4	0	21	16	2	14	2	0	13	12	3	7	1	3	0	0	4	3	17	4	17	13
II	84	73	79	81	3.4	4.2	3.8	34	11	4	23	9	9	0	11	6	1	6	0	0	8	4	2	2	3	0	0	0	1	0	24	7	5	15
III	85	70	74	78	4.8	4.5	4.8	26	6	26	21	1	0	0	13	9	0	15	1	0	10	9	5	7	0	4	0	0	5	0	29	4	7	7
IV	90	78	82	85	6.1	5.5	5.6	49	8	7	3	0	0	0	16	9	0	13	0	0	14	6	3	7	0	1	0	0	6	4	24	4	18	0
V	90	80	82	86	5.5	5.3	5.7	59	11	19	0	0	0	0	19	12	1	18	0	0	19	4	4	9	0	4	0	0	4	6	26	3	15	0
VI	90	71	76	84	5.0	4.8	4.0	30	11	15	0	0	0	0	8	6	1	11	0	0	7	0	0	4	0	0	0	0	3	7	29	7	8	0
VII	94	74	79	86	5.0	4.3	3.2	8	4	3	0	0	0	3	6	3	0	10	0	0	6	0	0	11	0	0	0	0	3	4	30	5	6	0
VIII	97	72	80	86	4.6	4.0	4.1	55	23	21	0	0	0	0	10	6	2	8	0	0	7	0	0	4	0	0	0	1	6	3	31	3	6	0
IX	92	77	85	87	6.0	6.0	5.9	178	17	13	0	0	0	0	23	19	10	12	2	0	22	0	0	7	0	3	0	4	6	1	28	1	11	0
X	93	82	86	88	5.5	5.9	5.4	125	27	15	4	0	0	0	24	20	4	14	4	1	22	6	5	4	0	2	0	2	8	2	21	1	14	0
XI	91	88	89	89	6.1	6.8	6.2	99	20	12	5	0	0	0	23	18	2	18	1	1	22	2	1	12	1	4	0	0	5	1	18	2	19	0
XII	89	86	85	87	5.9	5.5	5.1	132	20	6	17	11	5	0	25	22	4	18	5	0	17	11	3	7	2	7	0	0	9	3	20	1	10	16
1955	91	79	82	86	5.3	5.2	5.0	877	27		93	27	18	3	199	146	27	157	15	2	167	54	26	81	7	28	0	7	60	34	297	42	136	51

Stavanger

$H_s = 67$ $H_b =$ $h_t = 1.7$ $h_a =$ $h_d = 5$ $h_r = 1.6$

Måned	U 7	U 13	U 19	U Døgn	N 7	N 13	N 19	Σ	Max	Dat	Min<0°	Max<0°	Min<-10°	Max>25°	R≥0,1	R≥1,0	R≥10,0	F≥6	F≥8	F≥9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	85	87	87	6.1	5.9	5.6	120	22	10	17	11	2	0	23	19	5	7	1	0	17	13	7	3	0	0	0	0	12	0	22	3	15	13
II	76	67	73	73	3.6	3.5	3.4	30	9	3	23	9	0	0	10	6	0	1	0	0	7	5	1	2	0	0	0	0	1	0	24	13	7	0
III	78	65	71	73	4.1	4.2	4.3	34	7	26	18	0	0	0	16	14	0	6	0	0	9	11	3	0	0	0	0	0	6	0	28	8	8	0
IV	84	76	78	81	6.1	5.5	5.3	67	14	7	3	0	0	0	20	11	1	6	0	0	18	9	6	3	0	1	0	0	14	2	23	4	18	0
V	80	72	81	82	5.6	5.1	5.7	70	9	19	0	0	0	0	17	14	0	4	0	0	17	2	1	5	0	1	0	0	21	3	20	4	15	0
VI	76	64	69	75	4.4	4.1	3.4	42	16	15	0	0	0	0	9	8	1	4	0	0	9	0	0	0	0	0	0	0	4	4	27	7	8	0
VII	81	68	70	77	4.5	3.6	2.6	13	4	16	0	0	0	3	6	4	0	0	0	0	6	0	0	2	0	0	0	1	6	2	29	8	4	0
VIII	82	66	71	76	4.8	3.4	3.8	55	21	21	0	0	0	0	8	7	2	0	0	0	8	0	0	0	0	0	0	2	8	0	31	5	5	0
IX	86	77	81	82	6.2	6.6	6.6	198	24	18	0	0	0	0	25	22	8	1	0	0	25	0	0	0	0	2	0	1	4	0	28	1	19	0
X	[illegible]	76	81	82	6.5	6.1	6.3	134	32	15	1	0	0	0	25	20	3	6	1	0	24	3	2	2	0	2	0	2	9	0	26	2	19	0
XI	[illegible]	81	92	82	6.9	7.0	6.4	122	24	12	2	0	0	0	26	21	3	7	1	0	26	2	2	0	0	1	0	0	6	0	19	2	22	0
XII	81	77	78	79	6.5	6.2	6.4	142	23	6	17	12	0	0	25	21	6	6	2	1	18	13	4	0	0	6	0	1	9	1	19	3	21	16
1955	82	73	77	79	5.4	5.1	5.0	1027	32		81	32	2	3	210	167	29	48	5	1	184	58	26	17	0	13	0	7	100	12	296	60	161	29

Fister

$H_s = 1$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 7$ $h_r = 1.5$

Måned	U 7	U 13	U 19	U Døgn	N 7	N 13	N 19	Σ	Max	Dat	Min<0°	Max<0°	Min<-10°	Max>25°	R≥0,1	R≥1,0	R≥10,0	F≥6	F≥8	F≥9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	86	87	88	6.4	6.0	5.3	102	22	12	19	8	4	0	21	15	3	0	0	0	12	11	2	0	0	0	0	0	14	0	8	5	19	15
II	78	66	72	74	3.8	3.8	3.2	33	9	7	23	7	9	0	10	5	0	0	0	0	6	4	0	0	0	0	0	0	2	0	16	11	9	22
III	78	63	66	71	5.4	4.8	4.5	32	6	16	21	0	0	0	16	9	0	0	0	0	13	12	7	1	0	0	0	0	10	0	22	4	11	9
IV	86	76	79	82	5.6	5.8	5.2	84	16	13	7	0	0	0	17	13	3	0	0	0	17	3	3	1	0	0	0	0	14	1	15	3	15	0
V	86	73	77	81	5.3	6.1	5.8	87	17	15	0	0	0	0	21	15	2	0	0	0	19	3	2	2	1	5	0	0	11	2	14	3	18	0
VI	89	66	70	80	4.2	4.7	3.9	43	12	15	0	0	0	0	18	5	1	0	0	0	10	0	0	0	0	0	0	0	7	1	20	9	9	0
VII	96	72	74	85	5.3	4.7	3.9	16	7	16	0	0	0	8	18	4	0	0	0	0	8	0	0	4	0	0	0	1	9	0	25	7	10	0
VIII	94	69	76	83	5.3	4.6	4.6	58	20	21	0	0	0	0	23	8	2	0	0	0	10	0	0	0	0	0	0	3	19	0	28	2	8	0
IX	92	78	87	87	6.6	6.4	6.1	185	32	3	0	0	0	0	28	19	6	0	0	0	25	0	0	0	0	0	0	5	17	0	9	1	18	0
X	89	77	83	84	6.5	6.0	6.1	160	39	15	4	0	0	0	22	16	6	1	0	0	21	4	4	2	0	0	0	2	10	0	13	2	20	0
XI	84	80	84	84	6.1	6.9	6.0	154	30	12	5	0	0	0	25	17	4	1	0	0	23	3	2	1	0	1	0	0	11	0	4	1	16	0
XII	84	81	83	83	5.2	5.6	5.0	211	67	6	17	10	3	0	24	20	6	1	1	0	16	11	3	0	0	0	0	0	7	0	6	2	13	15
1955	87	74	78	82	5.5	5.4	5.0	1165	67		96	25	16	8	243	146	33	3	1	0	180	51	23	11	1	6	0	11	131	4	180	50	166	61

Sauda

$H_s = 5$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d =$ $h_r = 1.5$

Måned	U 7	U 13	U 19	U Døgn	N 7	N 13	N 19	Σ	Max	Dat	Min<0°	Max<0°	Min<-10°	Max>25°	R≥0,1	R≥1,0	R≥10,0	F≥6	F≥8	F≥9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	93	93	93	93	5.8	6.1	6.3	211	31	25	23	14	11	0	24	20	10	0	0	0	12	19	3	6	0	0	0	0	8	16	6	5	20	31
II	88	79	78	82	2.9	3.1	3.1	49	18	4	24	17	19	0	10	8	1	0	0	0	6	4	0	1	0	0	0	0	5	2	20	13	6	28
III	81	60	62	70	4.2	4.1	4.7	61	20	16	26	1	6	0	13	10	2	0	0	0	7	11	4	0	0	0	0	0	3	4	24	5	10	29
IV	87	68	69	77	6.0	5.3	5.3	120	22	14	11	0	0	0	17	14	5	0	0	0	17	6	4	3	0	0	0	0	3	10	17	3	16	1
V	77	63	67	72	5.3	5.5	5.5	191	30	6	3	0	0	0	21	18	8	0	0	0	21	4	4	0	0	1	0	0	5	2	22	4	14	0
VI	78	56	56	68	3.4	4.4	4.0	72	18	25	0	0	0	0	10	8	3	0	0	0	10	0	0	1	0	0	0	0	0	1	22	10	9	0
VII	85	60	60	72	4.2	4.0	3.6	19	8	14	0	0	0	16	7	7	0	0	0	0	7	0	0	4	0	0	0	1	4	0	26	9	7	0
VIII	91	62	61	75	4.7	4.5	4.5	50	22	21	0	0	0	11	7	7	2	0	0	0	7	0	0	0	0	0	0	0	1	0	29	5	10	0
IX	95	76	83	87	6.3	6.5	6.3	329	50	30	0	0	0	0	29	18	12	1	0	0	25	0	0	1	0	0	0	2	8	0	14	2	18	0
X	91	78	85	86	6.1	6.1	6.4	206	37	3	8	1	0	0	21	17	8	0	0	0	19	4	2	4	1	3	0	2	5	4	13	2	18	3
XI	90	87	89	89	5.8	6.8	6.4	232	62	12	13	0	0	0	24	18	9	0	0	0	23	7	3	3	0	0	0	0	14	6	5	2	18	4
XII	82	79	81	81	5.7	5.4	5.6	369	102	6	18	13	10	0	21	20	11	1	0	0	14	10	3	0	0	0	0	1	10	0	7	4	16	23
1955	86	72	74	79	5.0	5.2	5.1	1909	102		126	46	46	27	204	165	71	2	0	0	168	65	23	23	1	4	0	6	71	45	205	64	162	119

Skudenes II

$H_s = 7$ $H_b = 9.2$ $h_t = 2.2$ $h_a =$ $h_d = 7$ $h_r = 1.7$

Måned	U 7	U 13	U 19	U Døgn	N 7	N 13	N 19	Σ	Max	Dat	Min<0°	Max<0°	Min<-10°	Max>25°	R≥0,1	R≥1,0	R≥10,0	F≥6	F≥8	F≥9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	86	87	86	6.6	6.1	7.2	112	20	12	15	4	0	0	24	19	3	11	2	1	15	12	3	3	0	0	0	0	0	6	14	0	21	13
II	78	70	74	75	4.1	3.3	4.9	36	9	4	22	11	0	0	12	9	0	3	0	0	9	5	2	0	0	0	0	0	0	0	23	3	6	6
III	78	67	72	74	3.6	2.5	3.8	35	6	4	19	0	0	0	16	12	0	13	3	0	13	9	5	3	0	0	0	0	0	0	29	13	4	3
IV	84	80	83	83	6.1	5.2	5.4	90	16	7	2	0	0	0	21	12	3	9	0	0	20	7	7	1	0	2	0	0	1	7	24	1	14	0
V	82	79	92	82	4.8	4.5	5.2	60	11	19	0	0	0	0	17	14	1	13	0	0	17	2	2	3	0	0	0	0	2	8	27	3	8	0
VI	80	72	76	80	3.7	3.3	3.5	39	19	15	0	0	0	0	8	6	1	8	0	0	8	0	0	4	0	0	0	0	1	7	28	3	3	0
VII	83	74	90	83	3.2	2.8	3.5	6	2	3	0	0	0	1	6	3	0	8	0	0	6	0	0	7	0	0	0	0	1	6	30	8	2	0
VIII	86	74	82	83	2.8	2.6	2.9	31	15	21	0	0	0	0	6	4	1	7	0	0	6	0	0	5	0	0	0	2	0	2	31	12	3	0
IX	87	81	85	85	5.2	5.4	6.3	187	28	12	0	0	0	0	21	19	8	9	1	0	21	0	0	3	0	0	0	6	0	0	27	0	10	0
X	89	82	86	86	5.1	5.1	6.1	137	20	15	1	0	0	0	25	20	5	14	7	2	25	0	0	1	0	4	0	2	0	2	29	1	12	0
XI	90	89	90	90	6.4	5.6	6.8	87	10	7	2	0	0	0	23	18	1	10	1	0	23	1	1	4	0	3	0	0	1	0	19	0	16	0
XII	88	84	85	86	7.2	5.8	7.0	138	12	27	18	7	0	0	27	24	3	20	3	0	19	13	5	3	0	4	0	1	0	3	19	0	22	16
1955	84	78	82	83	4.9	4.4	5.2	958	26		78	22	0	1	206	160	26	125	17	3	182	49	25	37	0	13	0	11	6	41	300	44	121	38

1955

Utsira

φ = 59° 18′N λ = 4° 53′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m: 7	13	19	Dies	Lufttemperatur T: $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m: N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.9	2.0	2.1	1.9	3.3	0.3	7.0	25	- 4.4	12	11 3.7	1 2.0	1 1.0	2 1.0	0 –	19 2.8	16 3.9	14 2.9	7 2.4	5 3.0	5 3.6	8 3.4	4
II			- 1.0	0.0	- 0.3	- 0.5	1.0	- 2.0	6.6	2	- 7.3	19	9 3.2	5 2.8	10 1.5	8 2.5	7 1.6	23 2.0	8 4.0	1 5.0	2 1.5	2 2.0	1 2.0	2 3.0	6
III			0.9	2.7	1.8	1.7	3.6	- 0.2	5.9	2	- 4.6	18	22 3.7	5 3.8	6 2.7	3 1.0	2 1.5	16 2.2	9 3.3	2 3.5	2 3.0	6 2.7	6 3.8	11 3.2	3
IV			3.4	4.7	4.0	3.8	5.5	2.4	7.8	28	- 0.3	22	17 3.6	2 2.0	0 –	0 –	1 1.0	26 3.1	11 2.5	6 2.3	5 1.8	6 2.7	2 1.5	12 3.2	2
V			5.7	7.1	6.5	6.1	8.2	4.5	14.4	29	1.5	10	16 2.6	2 2.5	3 2.7	3 2.0	2 2.0	10 3.0	6 3.0	3 2.3	8 2.1	5 2.6	6 2.8	23 3.0	6
VI			9.5	11.3	10.4	9.9	12.2	8.0	16.4	5	4.2	2	26 2.5	2 1.0	0 –	0 –	1 1.0	7 2.3	8 3.4	2 2.5	12 2.2	3 2.0	3 1.0	22 2.9	4
VII			13.9	15.6	14.7	14.3	16.5	12.6	26.6	11	9.4	5	44 2.9	3 1.3	1 1.0	1 1.0	3 1.0	2 2.5	3 2.0	3 2.3	4 1.8	4 1.8	4 1.8	16 1.8	5
VIII			14.2	16.5	15.2	15.0	17.4	13.0	21.6	14	8.9	8	32 2.8	3 1.0	0 –	1 1.0	0 –	4 1.2	7 3.1	8 2.9	10 2.1	1 1.0	2 1.5	21 1.7	4
IX			12.8	14.2	13.6	13.3	15.2	11.8	18.1	8	8.2	28	4 3.2	1 3.0	4 2.0	2 1.5	3 2.7	6 4.2	10 3.0	9 3.7	15 2.9	11 2.6	9 2.9	15 2.9	1
X			8.2	9.1	8.9	8.6	10.4	7.1	14.5	9	1.7	30	14 4.4	4 3.2	4 3.0	2 2.0	1 5.0	11 3.2	14 3.0	10 2.9	11 2.5	1 3.0	5 4.2	12 3.8	4
XI			7.0	7.6	7.4	7.2	8.7	5.8	10.7	12	0.1	29	20 4.6	4 4.8	0 –	2 1.0	1 2.0	16 3.1	12 4.2	3 3.0	8 4.1	1 1.0	4 3.2	19 3.6	0
XII			2.2	2.5	2.6	2.3	4.1	0.6	10.1	6	- 5.9	18	13 4.7	2 3.5	8 1.6	8 3.0	4 2.5	9 3.9	4 4.8	4 3.0	5 3.6	8 4.1	6 5.3	22 3.8	0
1955			6.6	7.8	7.2	7.0	8.8	5.3	26.6		- 7.3		228 3.4	34 2.8	37 2.0	32 2.1	25 1.9	149 2.8	108 3.4	65 3.0	89 2.6	53 2.7	53 3.2	183 3.0	39

Indre Matre

φ = 59° 51′N λ = 6° 0′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m: 7	13	19	Dies	Lufttemperatur T: $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m: N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.0	0.4	0.2	0.1	2.6	- 2.2	9.3	31	-10.0	19	0 –	10 1.8	0 –	9 1.4	0 –	0 –	6 2.3	1 3.0	0 –	0 –	0 –	0 –	67
II			- 3.0	- 0.4	- 1.6	- 2.0	1.4	- 4.8	11.5	2	-10.0	19	0 –	26 1.5	0 –	1 1.0	0 –	0 –	3 1.0	1 4.0	0 –	0 –	0 –	0 –	53
III			- 0.6	3.2	1.7	1.1	4.5	- 1.9	7.0	2	- 6.4	18	0 –	23 2.0	0 –	16 2.5	0 –	0 –	6 2.5	0 –	0 –	0 –	0 –	0 –	48
IV			3.4	6.9	6.1	5.0	8.6	2.2	15.0	16	- 0.4	1	0 –	3 1.0	0 –	11 2.7	0 –	0 –	7 1.9	0 –	0 –	0 –	0 –	0 –	69
V			6.4	9.4	8.5	7.4	11.0	4.0	22.0	31	0.1	12	0 –	0 –	0 –	28 1.6	0 –	0 –	9 2.4	0 –	0 –	0 –	0 –	0 –	56
VI			10.9	14.9	13.7	12.1	16.6	7.6	23.5	5	3.6	12	0 –	0 –	0 –	19 1.6	0 –	0 –	19 2.0	0 –	0 –	0 –	1 3.0	1 1.0	50
VII			14.9	19.4	17.5	16.3	21.5	11.5	30.1	10	7.6	19	0 –	0 –	0 –	8 1.8	0 –	0 –	15 1.1	0 –	0 –	0 –	1 1.0	0 –	69
VIII			14.0	18.8	17.5	16.1	21.1	12.2	25.0	26	8.8	3	0 –	1 1.0	0 –	12 2.2	0 –	0 –	4 1.5	1 1.0	0 –	0 –	0 –	1 1.0	74
IX			10.6	13.6	12.2	11.7	15.7	9.0	22.5	9	4.1	28	0 –	1 2.0	0 –	6 1.0	0 –	0 –	14 2.1	0 –	0 –	0 –	0 –	0 –	69
X			6.1	8.6	7.3	7.1	10.0	4.8	16.0	10	- 2.9	31	0 –	2 2.5	0 –	17 2.7	2 2.5	0 –	11 2.3	0 –	0 –	0 –	0 –	0 –	61
XI			5.2	6.4	6.1	5.7	8.5	3.2	14.0	8	- 4.1	29	0 –	2 2.5	0 –	24 2.6	1 5.0	0 –	8 2.1	0 –	0 –	0 –	0 –	0 –	55
XII			0.5	0.9	0.2	0.5	2.7	- 2.1	11.0	6	- 8.4	18	0 –	3 1.0	0 –	29 3.6	1 1.0	0 –	17 2.5	0 –	0 –	0 –	0 –	0 –	43
1955			5.7	8.5	7.4	6.8	10.4	3.6	30.1		-10.0		0 –	71 1.7	0 –	180 2.3	4 2.8	0 –	119 2.0	3 2.7	0 –	0 –	2 2.0	2 1.0	714

Slåtterøy

φ = 59° 54′N λ = 5° 4′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m: 7	13	19	Dies	Lufttemperatur T: $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m: N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.8	2.5	2.1	2.0	3.5	0.4	6.8	25	- 5.0	19	5 3.2	4 2.5	4 1.8	4 1.5	0 –	10 3.0	35 2.9	4 4.8	1 1.0	4 4.2	1 7.0	5 6.0	16
II			- 0.6	0.7	0.1	0.0	1.5	- 1.6	9.4	2	- 7.6	19	3 2.7	7 3.4	3 1.3	9 1.0	6 1.2	19 1.3	13 2.8	1 3.0	0 –	1 2.0	0 –	1 4.0	21
III			0.9	2.9	2.3	1.9	3.9	0.4	6.2	2	- 4.5	20	17 3.8	11 3.8	5 1.2	4 1.5	0 –	10 1.1	10 3.8	5 1.0	4 1.2	3 3.0	2 1.5	8 3.9	14
IV			3.9	5.0	4.8	4.4	6.1	3.0	9.8	29	0.0	22	18 4.1	2 2.5	2 3.0	1 1.0	0 –	7 1.7	20 1.6	8 1.8	5 1.8	4 2.5	0 –	4 3.8	19
V			6.1	7.3	7.0	6.5	8.6	4.9	15.0	29	0.5	12	16 3.9	3 1.7	4 2.0	3 2.0	0 –	3 1.7	13 2.8	3 1.7	1 1.0	6 3.2	3 2.3	18 2.8	20
VI			10.0	11.4	10.9	10.4	12.6	8.7	16.2	28	5.5	2	30 2.8	0 –	0 –	0 –	1 1.0	1 3.0	12 3.2	9 3.0	6 1.2	1 5.0	0 –	11 2.5	19
VII			14.1	15.4	15.2	14.5	16.9	12.7	27.0	11	9.9	30	28 3.0	2 1.0	0 –	2 1.5	0 –	1 1.0	2 2.0	3 1.7	4 1.0	4 2.2	2 2.0	19 2.6	26
VIII			14.3	16.5	15.8	15.2	17.8	13.4	24.6	25	10.0	8	26 3.4	1 4.0	0 –	2 1.0	0 –	1 1.0	11 2.7	8 2.9	3 1.0	2 1.5	5 1.0	8 2.6	26
IX			13.0	14.1	14.0	13.5	15.7	12.2	20.0	22	8.1	28	7 3.1	4 3.2	2 1.5	2 1.0	1 1.0	11 2.3	22 2.4	12 2.2	6 3.0	7 3.7	3 4.3	2 4.5	11
X			8.0	9.2	9.0	8.6	10.4	7.3	15.0	9	0.9	30	12 4.3	6 2.2	2 3.0	10 2.2	1 1.0	10 2.7	20 2.8	9 3.4	1 5.0	3 4.7	2 7.0	7 4.1	10
XI			7.4	7.7	7.5	7.4	8.9	5.8	11.7	4	- 1.4	29	16 4.1	4 3.8	2 1.5	0 –	3 1.3	7 1.9	19 1.9	8 2.5	0 –	2 3.0	3 4.3	14 4.6	12
XII			2.5	2.8	2.8	2.6	4.4	0.7	10.0	5	- 5.5	18	5 6.4	8 3.0	3 2.0	7 2.0	3 2.0	11 3.4	13 2.9	8 3.6	3 4.3	4 6.8	8 4.2	13 4.2	7
1955			6.9	8.0	7.6	7.2	9.2	5.7	27.0		- 7.6		183 3.6	52 2.9	27 1.8	44 1.6	15 1.3	91 2.1	190 2.6	78 2.7	34 1.9	41 3.6	29 3.4	110 3.5	201

Svandalsflona

φ = 59° 51′N λ = 6° 57′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m: 7	13	19	Dies	Lufttemperatur T: $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m: N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.6	- 5.0	- 6.6	- 6.3	- 3.9	- 9.2	2.5	30	-18.3	17	2 2.0	0 –	0 –	16 3.1	4 4.0	12 3.9	2 1.5	2 3.0	0 –	22 3.0	12 3.2	8 2.8	13
II			-11.1	- 6.1	-10.0	- 9.5	- 5.1	-12.7	2.0	2	-19.4	19	1 4.0	0 –	1 6.0	17 3.5	18 4.4	5 4.4	1 2.0	0 –	0 –	2 4.0	7 2.4	6 2.7	26
III			- 8.5	- 3.3	- 7.2	- 6.7	- 1.6	-10.2	5.0	12	-18.0	20	2 2.5	0 –	0 –	19 4.2	9 3.2	9 3.4	0 –	1 2.0	1 3.0	11 4.3	25 4.0	5 3.6	11
IV			- 3.4	1.8	- 1.7	- 1.3	4.1	- 5.5	12.7	18	-10.8	25	1 3.0	0 –	0 –	9 3.0	2 2.5	29 3.0	0 –	0 –	0 –	16 3.4	19 4.2	0 –	14
V			0.1	3.7	1.2	0.9	5.9	- 2.4	14.3	31	-10.1	13	0 –	0 –	0 –	12 2.8	5 5.2	18 3.3	1 2.0	1 5.0	1 3.0	19 2.9	16 3.6	3 2.3	17
VI			4.4	8.4	6.6	5.6	10.0	1.8	15.0	4	- 3.5	12	1 3.0	0 –	0 –	7 2.7	3 3.7	30 2.5	0 –	3 2.3	1 3.0	10 3.7	14 3.1	3 4.3	18
VII			11.0	17.3	14.9	13.1	18.6	8.1	25.5	26	2.7	18	0 –	1 2.0	0 –	1 3.0	0 –	18 3.2	0 –	3 2.7	3 3.7	22 3.2	18 3.2	3 2.0	24
VIII			10.3	15.0	13.8	12.6	17.4	8.9	22.4	24	4.9	4	0 –	0 –	0 –	5 2.4	5 3.0	10 3.0	2 2.0	0 –	9 2.8	24 2.7	11 2.5	0 –	27
IX			5.1	8.0	6.3	6.1	9.3	3.8	17.0	7	- 3.0	28	1 2.0	1 4.0	0 –	3 3.7	11 4.5	17 3.2	2 3.0	4 3.0	6 2.7	20 2.5	15 2.7	1 3.0	9
X			- 0.8	1.6	0.0	0.1	3.0	- 2.3	10.5	11	-12.4	31	0 –	1 4.0	0 –	10 3.1	8 5.0	12 2.9	0 –	1 4.0	4 2.8	22 2.5	22 2.9	3 2.7	10
XI			- 1.8	- 0.4	- 1.3	- 1.4	1.1	- 4.0	4.5	16	-12.0	28	2 2.5	0 –	0 –	0 –	11 4.3	21 4.1	0 –	1 4.0	0 –	25 3.8	22 3.9	3 4.0	5
XII			- 7.6	- 7.2	- 8.0	- 7.7	- 5.1	-10.1	2.3	6	-18.5	17	4 2.0	2 3.0	0 –	21 5.7	2 5.5	4 4.5	0 –	1 3.0	2 2.5	19 3.7	17 4.1	9 3.3	12
1955			- 0.7	2.9	0.7	0.4	4.5	- 2.8	25.5		-19.4		14 2.4	5 3.2	1 6.0	120 3.7	78 4.2	185 3.2	8 2.1	17 3.0	27 2.9	212 3.2	198 3.4	44 3.1	186

Ullensvang

φ = 60° 19′ / 60° 20′N λ = 6° 40′ / 6° 40′E g = 9.819 / 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m: 7	13	19	Dies	Lufttemperatur T: $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m: N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	[illegible]	1007.1	[illegible]	- 0.3	- 0.7	- 0.7	1.4	- 2.4	9.6	25	- 9.6	19	0 –	2 3.0	5 2.0	7 2.0	13 2.1	4 2.2	3 3.3	3 3.0	0 –	0 –	2 2.0	1 3.0	53
II	[illegible]	07.8	- 4.1	- 2.0	- 2.6	- 3.2	- 0.1	- 4.8	8.6	1	-10.8	21	1 1.0	0 –	2 1.5	2 1.5	15 1.7	16 2.9	1 1.0	2 2.5	0 –	0 –	0 –	1 3.0	44
III	[illegible]	16.1	[illegible]	2.8	1.7	1.0	4.3	- 1.8	9.0	30	- 7.8	21	3 4.7	5 3.0	9 3.0	5 2.2	6 2.0	7 3.4	2 4.0	3 3.7	1 2.0	0 –	4 4.0	8 3.6	40
IV	[illegible]	17.4	3.3	6.7	6.3	4.9	8.9	2.3	15.6	16	- 0.2	26	6 3.2	9 3.0	4 2.2	1 2.0	1 2.0	1 2.0	0 –	0 –	6 2.5	0 –	3 2.7	6 2.5	53
V	05.2	07.1	6.3	10.3	[illegible]	8.0	12.0	4.9	22.5	29	0.3	12	6 2.2	2 3.0	2 2.5	1 1.0	0 –	10 3.0	6 2.8	9 2.4	5 3.2	4 3.0	1 5.0	12 3.2	35
VI	06.6	1[illegible].4	10.4	15.8	1[illegible].4	12.9	17.9	8.9	25.0	5	5.7	12	0 –	3 3.0	1 3.0	1 1.0	3 2.0	5 2.8	2 3.0	5 3.0	4 3.5	13 3.1	1 2.0	16 2.6	36
VII	13.9	17.6	15.1	20.6	21.[illegible]	18.0	24.2	14.1	32.1	11	10.2	19	5 3.4	1 3.0	3 2.7	1 2.0	2 2.0	0 –	3 2.0	3 2.3	0 –	1 5.0	1 3.0	7 2.9	66
VIII	14.2	13.0	15.[illegible]	19.9	19.3	17.5	23.2	14.3	27.7	11	11.8	3	2 2.0	7 2.3	7 2.6	0 –	3 2.0	0 –	1 2.0	0 –	0 –	0 –	3 3.3	1 5.0	69
IX	06.3	10.1	10.[illegible]	13.8	11.8	11.7	14.9	9.5	19.5	9	6.8	13	0 –	0 –	1 2.0	8 1.8	17 2.1	6 2.2	4 4.0	1 3.0	0 –	0 –	1 3.0	2 2.5	50
X	04.4	08.3	[illegible]	7.5	6.7	6.4	9.2	4.4	15.8	11	- 3.0	31	3 3.3	1 1.0	11 2.0	7 1.1	8 1.9	5 1.8	4 2.2	0 –	1 2.0	3 3.7	0 –	2 3.5	48
XI	04.2	13.8	4.[illegible]	5.2	4.0	4.5	6.8	2.5	11.0	20	- 3.9	29	13 2.3	6 1.3	5 1.6	3 1.0	9 1.1	12 1.2	7 1.3	1 2.0	0 –	3 3.3	3 3.7	3 2.7	25
XII	990.3	00.0	- 0.7	- 0.6	- 0.5	- 0.7	2.0	- 2.9	11.8	6	- 9.4	13	5 2.2	2 2.5	8 1.4	5 1.8	13 1.8	9 2.7	10 2.2	0 –	0 –	1 2.0	1 2.0	2 2.0	37
1955		1011.1	5.4	8.3	7.7	6.7	10.4	4.1	32.1		-10.8		44 2.7	38 2.5	58 2.2	41 1.7	90 1.9	75 2.5	43 2.5	27 2.7	17 2.9	25 3.2	20 3.2	61 3.0	556

1955

Utsira

H_s = 55 H_b = h_t = 2.2 h_a = 10.6 h_d = 10.6 h_r = 1.6

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	✱	✱●	,	✱	△	▲	⊼	=	≡	⊙	◔	●	⊠
I	90	91	92	91	6.1	6.5	6.3	91	12	12	14	0	0	0	24	17	1	18	2	0	13	12	1	5	0	1	0	0	1	7	13	2	17	14
II	81	78	79	80	4.1	4.6	3.9	28	8	4	19	9	0	0	13	9	0	6	1	0	8	8	3	2	0	3	0	0	2	1	19	9	10	10
III	83	78	79	80	4.6	5.0	4.9	26	4	4	16	0	0	0	16	9	0	14	3	0	12	7	2	3	2	0	0	0	3	3	25	4	9	5
IV	91	88	88	89	6.4	6.0	6.3	66	11	7	3	0	0	0	25	12	2	9	0	0	24	10	6	13	2	0	0	0	1	10	19	0	21	1
V	89	86	87	88	6.2	5.8	5.3	59	10	19	0	0	0	0	23	12	1	7	0	0	23	3	0	7	0	2	0	0	3	9	23	3	16	0
VI	89	82	84	87	5.4	4.6	4.1	34	13	15	0	0	0	0	12	5	1	5	0	0	12	0	0	8	0	0	0	0	2	9	25	3	10	0
VII	89	83	85	87	5.6	5.5	5.0	8	2	7	0	0	0	1	11	3	0	2	0	0	11	0	0	8	0	0	0	0	4	8	26	2	11	0
VIII	92	83	86	88	5.0	4.4	4.5	19	8	6	0	0	0	0	9	3	0	2	0	0	9	0	0	8	0	0	0	2	6	5	25	4	10	0
IX	88	84	85	86	6.7	6.3	6.3	131	20	10	0	0	0	0	25	19	3	9	0	0	25	0	0	1	0	0	0	6	5	0	22	0	19	0
X	87	84	84	85	6.0	5.8	6.2	133	19	17	0	0	0	0	26	21	5	12	2	2	26	4	4	2	0	3	0	2	3	2	18	1	16	0
XI	89	87	87	88	6.9	6.8	6.7	73	8	1	0	0	0	0	27	18	0	15	2	1	26	2	1	9	2	3	0	0	5	0	10	0	23	0
XII	87	84	85	86	5.5	5.7	4.6	124	15	29	16	4	0	0	26	22	3	20	4	1	17	14	4	4	2	4	0	0	1	2	13	0	8	16
1955	88	84	85	86	5.7	5.6	5.3	792	20		68	13	0	1	237	150	16	119	14	4	206	60	21	70	8	16	0	10	36	56	237	28	170	46

Indre Matre

H_s = 24 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.6	5.8	5.7	338	76	25	15	9	0	0	23	22	12	0	0	0	14	13	4	3	0	0	0	0	17	0	5	7	18	30
II					3.2	3.1	2.4	46	12	7	23	9	0	0	10	8	3	0	0	0	5	5	0	1	0	0	0	0	6	0	16	12	6	22
III					4.3	4.5	4.9	97	42	16	20	0	0	0	14	11	3	1	0	0	8	11	5	4	0	0	0	0	4	1	14	6	8	12
IV					6.6	5.8	5.5	136	32	13	5	0	0	0	21	16	5	0	0	0	17	6	2	7	0	0	0	0	17	0	11	1	16	1
V					5.5	5.6	5.7	257	61	16	0	0	0	0	22	20	8	1	0	0	22	6	5	4	0	0	0	1	11	0	13	4	17	0
VI					3.5	4.2	4.0	116	30	23	0	0	0	0	11	10	5	0	0	0	11	0	0	2	0	0	0	0	7	0	20	9	9	0
VII					4.7	4.2	3.6	93	58	14	0	0	0	9	9	9	1	0	0	0	9	0	0	5	0	0	0	2	11	0	22	10	11	0
VIII					4.5	4.3	4.5	82	24	21	0	0	0	0	7	7	3	0	0	0	7	0	0	2	0	0	0	1	10	0	26	4	10	0
IX					5.8	6.5	6.2	395	66	30	0	0	0	0	23	19	12	1	0	0	22	0	0	2	0	0	0	1	14	0	7	1	17	0
X					6.1	6.0	5.8	353	63	14	1	0	0	0	22	19	11	1	0	0	21	4	2	1	0	0	0	2	14	0	5	3	15	3
XI					6.6	7.1	5.9	316	69	27	3	0	0	0	25	22	12	2	0	0	24	5	4	3	0	0	0	0	18	0	3	2	20	4
XII					5.4	5.5	5.8	723	218	6	17	12	0	0	21	20	16	4	0	0	16	10	4	0	0	0	0	1	16	0	5	6	15	19
1955					5.2	5.2	5.0	2952	218		85	30	0	9	208	183	91	10	0	0	176	60	26	34	0	0	0	8	145	1	147	65	162	91

Slåtterøy

H_s = 15 H_b = h_t = 2.1 h_a = h_d = 3.5 h_r = 1.4

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	86	86	86	5.4	7.0	6.1	115	22	25	14	1	0	0	18	17	4	9	1	1	12	9	3	7	0	2	0	0	9	1	7	1	15	
II	78	73	75	76	3.5	3.7	3.5	27	9	4	18	7	0	0	8	6	0	2	0	0	7	3	2	0	0	1	1	0	2	0	15	11	7	
III	78	72	75	76	4.3	4.1	4.4	35	6	2	9	0	0	0	12	9	0	7	3	0	9	6	3	5	0	2	0	0	2	0	18	5	9	
IV	85	82	84	84	6.3	5.6	5.2	99	15	8	0	0	0	0	16	15	3	5	0	0	16	2	2	9	0	0	0	0	3	8	16	5	20	
V	87	82	85	86	5.9	5.1	5.5	83	12	12	0	0	0	0	18	16	3	6	1	0	18	3	3	4	0	2	0	0	2	8	15	4	16	
VI	84	79	81	83	4.6	4.4	3.5	39	15	23	0	0	0	0	8	7	2	0	0	0	8	0	0	4	0	0	0	0	2	7	22	8	8	
VII	85	81	82	84	6.0	5.1	4.0	20	7	16	0	0	0	2	7	6	0	4	0	0	7	0	0	7	0	0	0	3	4	10	19	4	12	
VIII	91	80	83	86	4.6	3.9	4.0	76	28	18	0	0	0	0	7	6	4	1	1	0	7	0	0	2	0	0	0	1	1	4	24	8	8	
IX	85	82	84	84	5.8	5.9	5.9	215	31	30	0	0	0	0	22	19	9	8	3	0	22	0	0	4	0	0	0	2	2	0	9	1	12	
X	87	80	83	84	5.6	5.6	5.2	190	32	3	0	0	0	0	22	22	8	11	3	2	22	3	3	3	0	2	0	1	3	0	10	3	14	
XI	86	86	85	86	6.3	6.7	6.0	115	20	13	1	0	0	0	20	19	5	5	2	1	19	6	5	10	0	1	0	1	1	0	6	3	20	
XII	88	85	88	87	4.8	5.2	4.7	141	26	29	16	2	0	0	17	17	5	12	9	5	16	5	4	4	0	6	0	1	1	0	14	3	9	
1955	85	81	83	84	5.3	5.2	4.8	1155	32		58	10	0	2	175	159	43	72	23	9	163	37	25	59	0	16	1	9	32	38	175	56	150	

Svandalsflona

H_s = 1048 H_b = h_t = 3.1 h_a = h_d = 8.0 h_r = 3.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	74	79	79	5.8	5.7	5.8	96	24	25	30	24	13	0	22	17	2	5	1	0	3	22	2	1	0	0	0	0	4	3	11	4	15	31
II	69	61	67	67	3.6	3.1	2.9	17	8	16	28	25	22	0	9	6	0	7	0	0	1	9	0	0	0	0	0	0	0	0	17	13	6	28
III	69	59	67	67	3.9	4.4	4.7	22	10	16	31	21	12	0	15	6	1	8	2	1	0	15	0	0	0	0	0	0	3	0	21	5	6	31
IV	76	61	74	74	5.8	5.3	5.1	53	17	14	29	5	1	0	16	11	1	5	2	0	2	16	1	1	0	0	0	0	6	4	17	5	17	30
V	74	63	73	73	5.5	5.7	5.7	72	12	10	25	1	1	0	20	15	2	5	3	1	7	20	5	1	0	0	0	0	4	4	14	4	17	31
VI	73	60	64	69	3.5	4.2	3.8	62	12	23	7	0	0	0	12	8	3	2	1	0	10	3	1	1	0	0	0	0	5	1	21	11	9	19
VII	73	51	56	64	4.0	3.6	3.4	40	25	14	0	0	0	1	9	6	1	2	0	0	9	0	0	5	0	0	0	2	4	4	24	11	7	0
VIII	80	56	63	70	5.0	5.0	4.6	38	15	21	0	0	0	0	7	5	1	0	0	0	7	0	0	1	0	0	0	0	7	2	21	5	9	0
IX	85	75	83	82	6.4	6.4	6.4	234	30	30	1	0	0	0	24	20	9	4	0	0	24	6	4	1	0	0	0	0	8	2	7	2	22	0
X	83	74	78	79	6.0	6.4	5.9	149	37	15	20	6	1	0	19	16	6	4	2	0	13	14	5	2	0	0	0	0	10	0	8	1	16	21
XI	80	79	81	80	6.1	6.8	5.9	137	24	27	25	7	1	0	19	18	5	14	0	0	11	17	5	3	0	0	0	0	13	0	6	2	19	25
XII	80	74	76	77	5.1	5.4	5.5	220	65	6	31	24	17	0	22	18	6	14	5	3	4	22	2	1	0	0	0	0	2	3	11	6	15	31
1955	77	66	72	73	5.1	5.2	5.0	1140	65		227	113	68	1	194	146	37	70	16	5	91	144	25	17	0	0	0	2	66	23	178	69	158	247

Ullensvang

H_s = 30 / 71 H_b = 32.1 / 77.4 h_t = 2.0 / 2.0 h_a = h_d = 7 / 7 h_r = 1.5 / 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	85	85	84	5.9	6.1	5.5	156	48	25	22	10	0	0	21	15	6	0	0	0	10	15	2	0	0	0	0	0	2	0	10	4	16	31
II	74	68	69	71	3.6	3.5	2.5	27	8	4	23	15	1	0	11	7	0	0	0	0	6	5	0	0	0	0	0	0	0	1	22	10	4	22
III	65	57	54	59	4.2	3.8	4.2	39	19	16	21	2	0	0	13	7	1	2	0	0	11	8	5	2	0	1	0	0	3	0	23	7	6	1
IV	79	70	67	72	5.7	5.1	5.1	80	16	13	1	0	0	0	17	12	4	1	0	0	16	2	1	2	0	0	0	0	4	1	21	3	14	0
V	76	68	67	72	5.0	5.2	5.2	97	18	12	0	0	0	0	19	16	3	0	0	0	19	2	0	0	0	2	0	0	4	0	17	6	14	0
VI	79	66*	62	71	3.4	4.4*	4.1	51	11	23	0	0	0	0	10	9	1	0	0	0	10	0	0	0	0	0	0	0	2	0	24	11	7	0
VII	89	65*	66	77	4.2	3.9*	3.2	24	8	14	0	0	0	15	9	7	0	0	0	0	9	0	0	0	0	0	0	1	1	0	29	10	6	0
VIII	89	67*	70	79	4.1	4.1*	3.9	26	11	21	0	0	0	8	10	7	1	0	0	0	10	0	0	0	0	0	0	1	4	0	25	5	6	0
IX	90	80*	85	86	5.7	5.7*	5.7	169	34	30	0	0	0	0	21	17	7	1	0	0	21	0	0	0	0	0	0	0	0	0	13	3	13	0
X	84	78*	79	81	6.0	5.8*	5.9	164	33	14	5	0	0	0	20	17	7	2	0	0	18	3	1	0	0	0	0	0	2	0	16	2	16	1
XI	82	82	80	81	6.2	6.5	6.2	137	39	27	5	1	0	0	22	16	4	3	0	0	22	5	5	8	0	0	0	0	13	2	7	1	17	0
XII	78	76	79	78	5.3	6.1	6.9	391	86	6	20	13	0	0	22	20	12	1	0	0	14	10	2	6	0	1	0	0	7	0	7	0	17	14
1955	81	72	72	76	4.9	5.0	4.9	1361	86		97	41	1	23	195	150	46	10	0	0	166	50	16	18	0	4	0	2	42	4	214	62	136	69

1955

Kvamskogen

φ = 60° 24′ N λ = 5° 55′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.7	- 2.8	- 3.2	- 3.4	- 0.9	- 6.5	5.6	30	-18.0	19	0 -	17 1.2	0 -	5 1.6	2 1.5	4 1.5	4 2.2	1 1.0	8 1.8	6 1.2	1 2.0	9 1.0	36
II			- 8.3	- 3.1	- 6.9	- 6.5	- 2.6	-10.6	5.0	2	-19.2	21	0 -	20 1.1	2 2.0	1 1.0	0 -	4 2.5	1 3.0	1 2.0	3 1.0	3 1.0	0 -	11 1.1	38
III			- 5.2	0.6	- 2.3	- 2.7	1.5	- 6.9	4.9	12	-17.3	21	0 -	10 1.0	1 2.0	9 1.9	1 1.0	2 2.0	3 2.7	0 -	5 2.2	13 1.5	3 3.0	7 1.1	39
IV			0.4	4.4	2.5	1.9	5.5	- 1.3	11.7	18	- 7.7	26	0 -	5 1.0	0 -	5 1.6	0 -	0 -	1 1.0	2 1.0	5 1.4	17 1.4	4 1.0	1 1.0	50
V			3.3	6.9	5.3	4.4	8.0	0.7	20.2	31	- 6.9	13	1 1.0	7 1.0	11 1.0	4 1.2	9 1.9	4 1.5	6 1.3	0 -	3 1.3	11 1.4	7 1.4	3 1.3	27
VI			9.2	13.2	11.2	10.0	14.1	4.8	21.4	5	0.1	12	0 -	4 1.2	8 1.4	3 1.0	2 1.0	5 1.6	18 1.4	13 1.8	11 1.5	8 1.2	0 -	1 1.0	17
VII			13.6	18.6	16.4	15.1	19.8	10.6	28.0	10	5.2	19	0 -	0 -	0 -	3 1.3	4 1.2	7 1.3	18 1.1	10 1.4	17 1.1	9 1.0	1 1.0	1 1.0	23
VIII			12.6	17.9	15.7	14.7	18.8	10.5	24.5	25	5.9	3	0 -	2 1.5	5 1.0	10 1.5	4 1.8	6 1.3	17 1.5	4 1.5	4 1.0	18 1.1	1 1.0	0 -	22
IX			8.1	11.5	9.8	9.4	12.9	6.5	19.4	8	0.8	28	0 -	6 1.5	12 1.1	8 1.8	5 2.4	11 1.9	10 1.9	2 2.0	10 1.4	2 2.5	0 -	0 -	24
X			3.2	5.7	4.1	4.1	6.4	1.7	13.0	10	- 9.2	31	0 -	10 1.1	2 1.5	12 1.5	2 1.5	24 2.2	6 1.7	2 3.0	2 1.0	8 1.4	2 1.0	9 1.1	14
XI			2.5	4.1	2.7	2.9	4.8	0.1	9.2	12	- 9.1	28	0 -	6 1.3	0 -	1 1.0	0 -	2 1.5	5 1.2	6 1.2	26 1.2	21 1.4	4 1.8	4 1.2	15
XII			- 3.7	- 3.6	- 3.4	- 3.7	- 1.0	- 6.4	7.7	6	-15.3	22	2 1.0	7 1.3	7 2.1	6 2.0	3 2.3	2 2.0	4 2.8	5 1.4	11 1.9	16 2.0	6 1.0	13 1.5	11
1955			2.7	6.1	4.3	3.8	7.3	0.3	28.0		-19.2		3 1.0	94 1.2	48 1.3	67 1.6	32 1.8	71 1.9	93 1.5	46 1.7	105 1.4	132 1.4	29 1.4	59 1.2	316

Slirå

φ = 60° 37′N λ = 7° 25′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 8.8	- 8.3	- 8.4	- 8.7	- 5.9	-11.3	2.5	26	-20.4	18	4 4.0	5 1.8	2 3.0	1 4.0	2 4.0	3 3.7	3 4.7	4 5.0	9 4.8	17 4.7	16 3.7	6 3.2	21
II			-13.0	-10.8	-12.4	-12.5	- 9.2	-15.7	0.0	2	-26.1	18	9 2.7	4 2.2	5 3.0	6 3.2	8 4.1	10 4.0	3 2.7	0 -	0 -	6 4.3	2 5.0	11 2.9	20
III			-11.1	- 8.1	- 9.8	-10.1	- 6.5	-13.3	- 2.6	12	-22.4	20	6 3.3	5 2.4	8 3.2	14 2.9	0 -	1 3.0	0 -	1 2.0	0 -	20 4.5	21 5.0	9 4.1	8
IV			- 6.2	- 3.2	- 4.4	- 5.2	- 1.4	- 8.2	5.0	16	-14.4	23	8 2.4	6 1.8	1 1.0	10 3.4	2 4.0	6 3.5	3 3.3	1 2.0	1 4.0	6 4.5	27 4.1	10 4.1	9
V			- 3.1	- 0.5	- 1.3	- 2.3	1.2	- 5.2	10.2	31	-13.7	13	7 2.0	2 1.0	0 -	9 4.1	4 4.2	8 3.9	5 3.2	0 -	1 1.0	13 4.6	22 4.1	4 4.2	18
VI			1.8	5.2	3.8	2.8	7.1	- 0.5	11.8	20	- 6.5	8	4 1.8	0 -	3 2.0	1 1.0	6 3.0	6 3.2	2 5.0	0 -	1 3.0	20 3.8	6 3.7	5 2.4	36
VII			7.9	11.9	10.9	9.3	13.6	5.7	19.7	29	0.5	18	7 1.6	5 1.8	7 1.9	2 2.0	0 -	5 2.6	0 -	0 -	0 -	3 2.7	22 3.3	21 2.9	21
VIII			7.7	12.0	11.1	9.7	13.4	6.7	18.3	24	2.3	4	5 3.6	2 2.0	3 2.0	1 4.0	7 3.3	4 3.2	4 3.0	4 2.8	3 2.7	8 2.8	7 2.3	25 2.9	20
IX			3.2	4.9	4.3	3.7	6.1	1.6	15.2	8	- 4.4	28	1 2.0	0 -	1 1.0	11 3.9	9 3.7	5 3.0	9 3.6	2 3.0	1 2.0	32 4.0	14 2.9	0 -	5
X			- 3.1	- 1.8	- 2.2	- 2.6	- 0.1	- 4.6	8.2	11	-14.6	31	1 2.0	1 4.0	2 2.0	7 2.7	15 3.7	0 -	4 2.0	2 2.5	7 3.3	26 4.1	21 3.1	2 2.0	5
XI			- 4.0	- 3.5	- 3.7	- 3.9	- 1.6	- 6.6	2.9	12	-15.1	29	3 2.7	1 1.0	1 5.0	15 3.7	11 3.5	1 2.0	2 3.0	0 -	1 4.0	34 5.0	15 3.8	3 3.3	3
XII			- 9.8	-10.0	-10.1	-10.1	- 7.3	-12.7	0.4	5	-21.2	18	7 2.0	1 3.0	0 -	6 5.3	6 4.5	6 4.5	4 4.0	2 3.5	6 3.8	30 5.1	13 3.7	2 1.5	10
1955			- 3.2	- 1.0	- 1.8	- 2.5	0.8	- 5.3	19.7		-26.1		62 2.5	32 2.0	33 2.5	83 3.5	70 3.7	55 3.5	39 3.4	16 3.3	30 3.7	215 4.4	186 3.7	98 . 3.1	176

Vatnahalsen

φ = 60° 45′N λ = 7° 8′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I																									
II																									
III																									
IV																									
V																									
VI																									
VII																									
VIII																									
IX																									
X			- 0.3	1.0	0.3	0.1	2.6	- 3.1	6.0	12	-13.4	29	11 2.4	0 -	1 1.0	1 1.0	2 1.5	19 2.1	5 1.2	1 5.0	1 3.0	2 3.5	5 3.4	9 3.1	33
XI			- 5.9	- 5.9	- 6.3	- 6.2	- 3.3	- 9.1	5.5	6	-19.8	18	3 1.0	2 1.5	1 2.0	3 1.7	12 3.4	27 3.3	12 3.2	4 2.2	2 2.5	6 2.3	3 3.0	6 2.2	10
XII																									

Voss

φ = 60° 38′N λ = 6° 26′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.1	- 5.3	- 5.5	- 5.8	- 2.2	- 8.8	6.8	25	-25.8	19	0 -	0 -	6 2.7	5 2.6	0 -	1 2.0	0 -	0 -	2 3.0	0 -	0 -	0 -	79
II			-12.2	- 8.8	- 9.0	-10.4	- 5.7	-14.4	4.8	2	-25.9	21	0 -	0 -	0 -	16 2.6	0 -	1 2.0	0 -	0 -	1 2.0	0 -	0 -	0 -	68
III			- 5.1	0.8	0.5	- 1.7	3.3	- 5.7	7.5	5	-15.8	22	0 -	0 -	3 2.3	15 2.5	0 -	0 -	0 -	0 -	3 3.0	18 2.9	0 -	2 3.5	53
IV			1.3	6.9	6.0	4.0	8.7	0.0	15.5	18	- 5.5	26	4 3.2	0 -	6 2.7	15 2.7	0 -	1 4.0	0 -	0 -	9 2.3	10 2.9	0 -	4 3.2	41
V			5.3	10.2	9.1	7.2	11.8	2.6	24.0	31	- 1.4	13	0 -	0 -	18 2.5	18 2.5	0 -	1 3.0	0 -	0 -	8 2.2	13 3.3	1 1.0	3 3.0	31
VI			9.6	16.5	15.0	12.1	18.5	5.1	25.5	20	- 0.3	11	1 4.0	0 -	16 2.4	6 3.0	0 -	2 3.0	1 8.0	0 -	26 2.5	9 2.9	0 -	0 -	20
VII			14.0	21.7	21.1	17.5	25.0	11.4	32.6	10	5.3	19	0 -	0 -	0 -	3 2.7	0 -	0 -	3 2.0	0 -	29 2.6	9 2.1	0 -	0 -	49
VIII			13.2	20.3	20.0	16.8	23.5	11.3	29.2	25	6.0	3	0 -	0 -	7 2.4	0 -	0 -	0 -	0 -	0 -	22 2.4	6 2.8	0 -	0 -	59
IX			8.8	12.6	12.0	10.7	15.0	8.0	21.2	8	1.8	13	0 -	0 -	7 3.1	8 2.6	1 4.0	0 -	0 -	0 -	7 2.6	7 2.6	0 -	0 -	6.
X			3.2	6.3	5.2	4.6	7.8	2.1	15.4	10	- 9.8	31	1 2.0	0 -	7 2.4	11 2.8	2 2.0	0 -	0 -	0 -	3 2.7	11 3.5	0 -	0 -	58
XI			1.9	3.1	2.7	2.4	4.9	0.2	9.2	12	- 8.4	29	0 -	0 -	1 4.0	14 3.2	6 2.5	0 -	0 -	0 -	5 2.6	11 3.5	1 4.0	0 -	52
XII			- 4.1	- 3.8	- 4.3	- 4.2	- 1.1	- 6.8	9.8	6	-21.3	22	0 -	0 -	1 2.0	22 3.1	3 2.3	0 -	0 -	0 -	1 2.0	13 2.7	4 2.8	0 -	49
1955			2.5	6.7	6.1	4.4	9.1	0.4	32.6		-25.9		6 3.2	0 -	72 2.6	133 2.8	12 2.5	6 2.8	4 3.5	0 -	116 2.5	107 3.0	6 2.7	9 3.2	624

Bergen (Fredriksberg)

φ = 60° 24′N λ = 5° 19′E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1001.0	1006.6	0.9	1.5	1.2	1.1	2.8	- 0.4	8.0	25	- 7.3	19	4 1.8	5 1.6	4 2.2	1 2.0	1 3.0	3 1.7	29 2.3	23 4.2	3 2.3	2 2.0	1 1.0	3 2.7	14
II	01.4	07.0	- 2.5	0.7	- 0.9	- 1.1	1.4	- 3.3	10.5	2	- 9.5	19	2 2.5	6 2.2	2 2.5	0 -	1 2.0	5 1.6	9 3.0	12 2.2	5 1.4	1 1.0	7 1.0	3 1.0	31
III	11.0	16.6	- 0.2	3.2	2.2	1.5	4.6	- 0.9	7.4	24	- 6.5	22	20 2.6	8 2.6	1 2.0	0 -	1 3.0	12 2.1	12 3.4	3 1.0	5 2.0	3 1.3	10 1.5	14 2.2	4
IV	12.1	17.6	3.7	6.4	6.0	5.1	8.0	2.8	12.9	16	- 0.9	22	14 3.0	2 2.5	1 3.0	0 -	1 1.0	12 1.8	20 2.8	8 3.0	6 2.2	1 2.0	7 2.1	12 2.3	8
V	02.2	07.6	6.3	9.2	8.6	7.5	10.3	4.8	20.6	29	0.6	12	14 2.7	2 1.5	2 2.0	2 2.0	3 1.0	6 2.3	14 3.1	4 3.2	4 2.0	2 2.0	14 2.1	19 1.9	7
VI	09.7	15.1	10.7	14.3	13.5	12.1	15.5	8.8	22.2	5	4.8	12	12 2.3	3 1.7	5 1.4	2 2.0	0 -	4 1.8	10 3.8	6 2.3	7 2.9	2 2.5	15 1.9	12 2.2	12
VII	13.8	19.1	14.3	18.7	17.8	16.2	20.2	13.1	29.7	11	9.6	12	17 1.4	4 1.0	0 -	0 -	0 -	4 1.5	7 2.3	7 2.1	1 2.0	2 1.0	14 1.6	18 1.7	19
VIII	13.8	19.1	13.7	19.3	17.7	16.4	20.2	13.1	25.2	25	10.4	3	15 2.0	1 1.0	0 -	0 -	0 -	4 2.0	14 3.3	7 2.4	1 3.0	3 1.0	10 1.3	18 1.6	20
IX	04.8	10.2	11.8	14.1	13.4	12.8	15.6	10.8	21.5	22	5.3	28	3 2.0	2 1.5	0 -	1 1.0	7 1.7	24 2.9	17 3.3	9 2.4	5 2.6	2 2.5	4 2.5	7 2.4	9
X	02.8	08.2	6.4	8.9	7.6	7.4	9.8	5.4	14.9	9	- 2.2	31	8 2.9	12 1.8	1 1.0	1 2.0	3 3.7	9 2.2	19 2.7	19 3.6	3 4.0	1 2.0	2 2.5	3 3.3	12
XI	10.6	16.1	5.9	6.8	6.5	6.3	8.1	4.5	12.6	8	- 2.9	29	12 2.6	11 2.8	3 1.3	0 -	0 -	2 2.5	14 2.4	11 3.2	5 2.2	4 2.2	2 2.5	4 4.0	22
XII	994.1	999.7	0.9	1.3	1.1	1.0	3.1	- 0.7	9.9	5	- 7.8	18	5 3.8	10 3.0	1 2.0	0 -	5 3.6	3 2.3	13 2.5	12 4.0	9 3.7	7 3.6	2 3.5	3 4.7	23
1955	1006.4	1011.9	6.0	8.7	7.9	7.2	10.0	4.8	29.7		- 9.5		126 2.4	66 2.2	20 1.8	7 1.9	22 2.4	88 2.2	178 2.9	121 3.2	54 2.6	30 2.2	88 1.8	116 2.1	179

1955

H_s = 408 H_b = h_t = 2.0 h_a = h_d = 8 h_r = 1.8

Kvamskogen

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	93	84	84	6.2	6.1	5.7	258	59	25	24	15	11	0	23	22	12	0	0	0	8	17	0	1	0	0	0	0	14	2	6	4	21	31
II	74	62	68	69	3.8	3.1	2.4	70	15	16	25	21	20	0	12	9	3	0	0	0	3	10	1	0	0	0	0	0	3	0	19	13	9	28
III	74	55	62	66	4.6	4.7	4.3	146	43	16	30	6	8	0	17	12	5	0	0	0	5	16	3	2	0	3	0	0	10	0	24	7	13	31
IV	84	66	75	78	6.3	5.8	5.9	137	36	14	20	0	0	0	22	16	4	0	0	0	14	17	9	8	0	0	0	0	13	1	16	3	18	30
V	81	65	74	77	6.0	5.7	6.0	201	24	20	10	0	0	0	22	20	7	0	0	0	17	11	5	2	0	0	0	0	13	0	17	6	18	11
VI	77	56	62	70	3.9	4.8	4.1	104	16	23	0	0	0	0	11	11	5	0	0	0	11	0	0	0	0	0	0	0	8	0	24	8	10	0
VII	86	64	73	79	5.1	4.1	3.8	63	18	18	0	0	0	5	13	8	2	0	0	0	13	0	0	7	0	0	0	2	12	4	24	9	10	0
VIII	88	62	71	78	5.2	4.7	4.3	75	20	6	0	0	0	0	10	10	3	0	0	0	10	0	0	3	0	0	0	0	8	2	24	3	11	0
IX	90	73	82	84	6.3	6.7	6.2	425	76	3	0	0	0	0	25	20	11	1	0	0	25	0	0	2	0	0	0	0	18	0	17	2	19	0
X	82	74	81	80	6.1	6.3	6.0	294	45	1	12	1	0	0	24	21	11	1	0	0	20	4	0	4	0	2	0	1	14	0	11	3	20	7
XI	82	81	84	83	6.6	6.7	5.9	277	47	12	14	3	0	0	28	22	8	0	0	0	23	12	0	2	0	2	0	1	12	0	6	2	22	14
XII	80	81	83	81	4.7	5.6	5.6	519	102	6	22	17	12	0	21	21	18	0	0	0	13	15	3	0	0	4	0	1	13	0	0	4	15	28
1955	82	68	75	77	5.4	5.4	5.0	2569	102		157	63	51	5	228	192	89	2	0	0	162	102	21	31	0	11	0	5	138	9	188	64	186	180

H_s = 1300 H_b = h_t = 3.2 h_a = 11.5 h_d = 12.0 h_r = 3.8

Slirå

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	85	86	86	5.9	6.0	5.8	73	11	25	31	29	16	0	23	19	1	12	3	0	0	23	0	0	0	0	0	0	4	7	7	3	19	31
II	79	75	77	78	3.7	3.0	2.9	22	5	4	28	26	24	0	13	6	0	3	0	0	0	13	0	0	0	0	0	0	4	4	18	11	5	28
III	79	76	78	78	4.8	4.7	4.7	26	9	16	31	31	20	0	14	9	0	12	2	1	0	14	0	0	0	0	0	0	9	9	17	8	12	31
IV	86	80	85	85	5.6	5.2	5.8	27	5	29	30	19	10	0	19	9	0	8	1	0	0	19	0	0	0	0	0	0	15	6	15	4	15	30
V	86	79	83	85	5.6	4.8	5.5	56	9	12	29	12	2	0	23	14	0	12	0	0	4	23	2	2	0	0	0	0	13	4	19	5	13	31
VI	83	70	75	80	3.8	3.1	4.1	55	14	25	14	0	0	0	12	7	2	6	0	0	10	9	6	1	0	0	0	0	3	1	21	8	9	30
VII	86	72	74	80	4.0	3.3	3.5	31	7	17	0	0	0	0	12	8	0	0	0	0	12	0	0	10	0	0	0	1	1	11	22	13	8	13
VIII	93	71	75	83	5.0	4.5	4.5	44	14	7	0	0	0	0	10	7	2	0	0	0	10	0	0	6	0	0	0	0	5	3	22	3	8	0
IX	96	89	92	93	6.8	6.5	6.3	146	24	30	8	0	0	0	28	19	6	10	1	0	26	10	7	4	0	0	0	0	19	4	8	3	20	1
X	94	91	93	93	6.5	6.7	6.5	128	31	14	25	14	6	0	26	16	4	11	1	0	14	21	8	6	0	0	0	0	15	3	7	0	21	23
XI	96	95	96	96	7.4	6.8	6.9	87	14	27	30	21	6	0	28	18	2	18	5	0	8	28	5	3	0	0	0	0	14	6	5	0	24	30
XII	94	95	93	94	5.9	6.0	6.1	170	38	6	31	28	19	0	25	23	4	16	6	0	2	25	0	0	0	0	0	0	21	0	7	4	20	31
1955	88	82	84	86	5.4	5.0	5.2	865	38		257	180	103	0	233	155	21	108	19	1	86	185	28	32	0	0	0	1	122	58	168	62	174	279

H_s = 760 H_b = h_t = 2.0 h_a = 9.6 h_d = 9.0 h_r = 2.5

Vatnahalsen

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I																																		
II																																		
III																																		
IV																																		
V																																		
VI																																		
VII																																		
VIII																																		
IX																																		
X																																		
XI	85	83	83	84	6.2	6.3	6.4	110	22	13	23	5	2	0	19	18	4	3	0	0	13	12	2	5	0	0	0	0	3	5	1	2	20	6
XII	78	79	81	79	5.3	5.7	5.5	237	53	6	29	19	15	0	24	20	6	4	1	0	8	22	5	0	0	0	0	0	11	5	5	4	15	29

H_s = 61 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Voss

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	87	88	87	5.5	5.9	5.7	97	24	25	25	18	14	0	22	18	1	0	0	0	10	16	2	1	0	0	0	0	12	7	11	4	19	31
II	86	81	79	82	3.5	3.2	2.9	26	10	4	24	21	20	0	11	5	0	0	0	0	4	7	0	0	0	0	0	0	1	3	20	13	7	25
III	82	58	52	65	4.3	4.2	4.3	42	14	16	26	5	8	0	13	8	1	1	0	0	5	12	3	2	0	1	0	0	3	2	29	7	10	7
IV	82	57	57	68	5.7	5.4	5.7	66	15	13	14	0	0	0	15	11	3	0	0	0	13	7	3	0	0	0	0	0	5	2	25	2	17	0
V	77	54	59	68	5.1	5.4	5.5	74	11	12	3	0	0	0	20	16	2	0	0	0	17	4	0	0	0	1	0	0	2	1	26	5	16	1
VI	73	44	45	60	3.4	4.1	3.9	40	11	23	1	0	0	2	12	7	1	1	1	0	12	0	0	0	0	0	0	0	1	0	28	9	6	0
VII	84	50	50	66	4.7	3.6	3.7	22	8	18	0	0	0	17	10	6	0	0	0	0	10	0	0	2	0	0	0	2	2	0	30	9	9	0
VIII	89	57	54	70.	5.0	4.4	4.1	28	9	7	0	0	0	9	9	5	0	0	0	0	9	0	0	1	0	0	0	0	7	4	28	6	9	0
IX	91	73	78	82	7.1	6.5	5.7	196	32	30	0	0	0	0	25	15	8	1	0	0	25	0	0	4	0	0	0	0	9	4	27	1	19	0
X	87	75	79	82	5.8	5.6	5.5	157	28	1	10	1	0	0	20	16	7	1	0	0	18	3	0	1	0	0	0	0	8	4	20	3	15	3
XI	84	84	82	83	6.3	6.7	6.3	105	19	13	13	1	0	0	23	17	4	1	0	0	21	6	0	4	0	0	0	0	7	4	15	2	20	5
XII	82	80	83	82	5.9	5.6	6.1	218	52	6	20	14	12	0	21	19	7	2	0	0	14	10	0	1	0	0	0	0	10	0	12	4	16	20
1955	84	67	67	75	5.2	5.0	5.0	1071	52		136	60	54	28	201	143	34	7	1	0	158	65	8	16	0	2	0	2	67	31	271	65	163	92

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Bergen (Fredriksberg)

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	88	90	89	5.5	6.7	6.1	232	32	25	16	7	0	0	22	21	8	6	0	0	14	13	5	3	1	0	0	0	5	1	8	3	19	16
II	80	72	74	76	4.3	3.8	3.6	62	18	1	22	9	0	0	11	9	2	1	1	0	8	6	2	2	0	0	0	0	1	0	19	9	8	22
III	79	68	67	72	4.9	5.0	5.0	57	10	4	17	0	0	0	15	12	0	6	1	0	11	12	7	1	0	5	0	0	0	0	21	4	12	9
IV	91	80	80	85	6.2	5.9	6.3	118	21	11	2	0	0	0	21	16	3	2	0	0	20	9	8	1	0	1	0	0	4	2	21	2	18	2
V	88	73	77	82	5.5	6.2	5.5	122	18	3	0	0	0	0	23	18	4	2	0	0	23	4	4	0	0	5	0	0	1	2	21	3	18	1
VI	89	69	70	80	4.9	4.8	3.5	57	14	25	0	0	0	0	10	8	3	1	0	0	10	0	0	1	0	0	0	0	4	2	24	5	10	0
VII	94	79	76	85	6.0	4.7	4.7	75	19	13	0	0	0	5	14	7	3	0	0	0	14	0	0	7	0	0	0	1	7	3	25	5	13	0
VIII	95	72	76	84	5.0	4.9	4.6	106	58	31	0	0	0	1	11	6	3	1	0	0	11	0	0	1	0	0	0	1	7	0	29	6	12	0
IX	91	84	88	88	6.2	6.2	6.3	324	61	1	0	0	0	0	24	19	10	5	0	0	24	0	0	2	0	1	0	3	5	0	12	1	17	0
X	90	83	86	87	5.6	6.4	5.7	223	41	3	1	0	0	0	20	17	10	6	0	0	20	3	3	2	0	5	0	2	7	0	16	3	15	3
XI	92	90	89	90	6.7	7.0	6.6	164	26	12	2	0	0	0	28	21	6	4	0	0	26	11	9	4	0	5	0	0	9	0	7	2	25	4
XII	90	89	90	90	5.7	5.7	5.7	273	44	6	18	9	0	0	25	20	13	15	2	0	17	13	5	0	0	4	0	1	1	0	11	2	16	18
1955	89	79	80	84	5.5	5.6	5.3	1813	61		78	25	0	6	224	174	65	49	4	0	198	71	43	24	1	26	0	8	51	10	214	45	183	75

1955

Syfteland

φ = 60° 14'N λ = 5° 27'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.9	- 0.5	- 1.4	- 1.4	1.4	- 4.7	7.2	31	-21.8	19	2 1.0	12 1.3	7 1.7	5 1.4	2 3.5	11 2.3	2 2.0	19 2.4	16 1.6	0 -	2 1.0	10 1.5	5
II			- 8.3	- 0.9	- 5.1	- 5.3	0.2	-10.7	8.9	2	-21.1	21	11 1.5	10 1.1	10 1.7	5 1.0	3 1.3	3 1.7	4 2.8	8 2.1	8 1.4	1 1.0	4 1.8	10 1.5	7
III			- 2.9	3.0	0.2	- 0.4	3.7	- 5.3	6.1	2	-15.8	22	14 2.6	12 2.0	8 2.0	2 1.5	2 1.0	6 1.3	5 3.6	16 4.2	7 2.3	2 1.0	3 1.0	12 2.0	4
IV			3.6	6.6	4.9	4.2	7.9	0.8	14.8	16	- 4.2	26	11 2.6	9 2.6	12 1.6	2 1.0	0 -	13 1.5	9 2.0	13 2.0	8 2.5	2 1.5	1 1.1	8 2.2	2
V			7.4	9.3	7.9	7.0	10.5	2.8	21.1	29	- 3.2	13	9 3.1	11 2.1	8 2.1	3 2.3	0 -	14 1.6	3 2.7	22 2.3	9 2.6	1 2.0	3 2.3	9 2.3	1
VI			12.2	14.6	13.2	11.5	16.0	5.7	22.9	20	0.7	12	7 1.9	5 2.8	3 1.7	1 2.0	3 1.3	12 1.6	5 2.4	18 2.5	18 2.9	2 1.5	4 2.5	12 2.5	0
VII			16.1	19.6	17.5	16.2	21.0	11.0	30.1	10	5.9	19	8 2.5	11 2.4	2 3.5	1 2.0	1 1.0	8 1.4	4 1.5	14 2.1	16 2.4	3 2.3	10 2.2	14 2.5	1
VIII			14.9	19.5	16.8	16.9	20.3	10.7	24.2	25	6.1	3	4 2.2	9 2.4	11 1.5	0 -	1 1.0	11 1.6	7 2.7	18 2.3	13 2.4	3 1.3	5 2.4	11 2.6	0
IX			10.6	14.0	12.0	11.6	15.4	8.2	21.1	23	1.5	28	2 3.0	11 1.3	4 1.2	4 1.2	2 1.0	8 2.0	6 2.2	23 2.3	12 1.8	2 1.5	7 1.1	8 2.2	1
X			4.6	8.5	6.1	6.1	9.4	2.9	15.0	8	- 8.0	31	14 2.5	14 1.1	10 1.8	2 3.0	2 1.0	8 2.2	4 1.8	19 2.5	8 2.4	2 1.5	3 1.7	7 1.3	0
XI			4.3	6.4	5.1	5.1	7.6	2.1	12.9	8	- 7.9	29	11 2.5	9 2.4	4 1.8	3 1.7	1 1.0	11 1.7	3 2.3	16 1.9	5 1.4	6 1.3	6 1.5	11 1.6	4
XII			- 1.6	- 0.7	- 1.3	- 1.3	1.6	- 4.7	9.3	6	-17.0	22	17 2.3	6 1.8	6 1.7	0 -	1 1.0	8 2.6	6 3.0	16 2.1	4 2.2	5 2.6	5 1.4	11 1.9	8
1955			2.9	8.3	6.3	5.8	9.6	1.6	30.1		-21.8		110 2.4	119 1.9	85 1.8	28 1.6	18 1.4	113 1.8	58 2.4	202 2.2	124 2.2	29 1.7	53 1.8	123 2.1	33

Hellisøy Fyr

φ = 60° 45'N λ = 4° 43'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.1	2.3	2.1	2.1	3.8	0.4	7.4	25	- 4.3	16	5 2.2	2 1.0	3 1.7	13 1.4	7 2.0	23 4.4	13 3.9	4 2.2	5 3.6	4 3.2	0 -	14 3.9	0
II			- 1.0	0.3	0.0	- 0.3	1.7	- 1.9	8.0	2	- 7.3	19	10 2.5	2 2.5	2 1.0	13 1.5	19 1.7	22 2.7	6 2.8	0 -	0 -	1 2.0	2 2.0	4 2.8	3
III			0.8	2.8	2.2	1.8	3.7	- 0.1	6.2	15	- 5.0	22	20 3.1	4 1.8	4 1.5	8 1.4	4 1.5	5 3.4	17 3.2	4 2.2	5 1.6	5 2.4	1 3.0	15 3.9	1
IV			3.7	5.0	4.5	4.2	5.9	2.8	9.0	29	- 0.6	21	11 3.0	0 -	0 -	4 1.8	5 2.0	9 2.7	27 2.7	2 2.0	5 1.6	1 4.0	1 5.0	19 2.7	6
V			5.9	7.4	7.0	6.4	8.4	4.4	14.3	30	0.6	10	23 2.7	2 1.5	0 -	6 2.0	1 4.0	6 3.2	10 2.6	7 2.0	3 1.7	6 2.0	3 1.7	22 2.7	4
VI			9.5	11.0	10.5	9.9	12.1	8.2	17.4	20	5.4	12	10 2.4	11 5.3	2 5.0	0 -	0 -	9 3.6	13 3.0	8 2.1	0 -	1 1.0	1 1.0	30 2.3	5
VII			13.4	14.9	14.5	13.9	16.3	12.2	23.8	11	9.6	6	21 3.0	0 -	0 -	1 1.0	0 -	3 1.7	9 1.9	6 2.3	5 1.8	7 1.6	7 1.3	24 2.6	10
VIII			13.3	15.4	14.8	14.2	16.6	12.4	19.8	26	9.9	8	19 3.5	1 1.0	1 1.0	1 1.0	2 1.0	11 2.5	12 2.8	7 1.9	4 1.2	4 2.0	4 1.0	25 2.4	2
IX			12.6	13.8	13.4	13.1	15.0	11.6	18.5	23	8.4	28	7 2.9	1 1.0	0 -	2 2.0	4 2.2	21 3.4	12 3.8	10 2.8	16 2.6	9 2.4	1 1.0	6 3.5	1
X			7.5	8.8	8.4	8.1	10.0	6.4	14.0	11	0.7	31	18 3.1	6 1.5	0 -	6 1.7	5 3.0	18 3.2	13 4.0	5 3.6	5 2.6	3 3.0	2 4.5	11 2.7	1
XI			7.0	7.4	7.2	7.1	8.6	5.2	11.0	9	- 1.1	28	14 3.3	1 1.0	0 -	8 1.2	11 1.6	13 3.1	6 3.3	5 3.8	6 3.3	6 2.8	5 4.2	15 4.1	0
XII			2.1	2.2	2.5	2.2	4.0	0.5	9.5	5	- 6.9	18	7 3.1	5 1.4	2 1.5	12 2.4	9 2.7	13 4.1	4 4.2	1 5.0	10 3.6	8 3.4	3 4.0	17 4.3	2
1955			6.4	7.6	7.3	6.9	8.8	5.2	23.8		- 7.3		165 3.0	35 2.7	14 1.9	74 1.6	67 2.0	153 3.3	142 3.1	59 2.5	64 2.5	55 2.5	30 2.5	202 3.0	35

Modalen

φ = 60° 50'N λ = 5° 56'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.1	- 2.3	- 2.6	- 2.8	0.1	- 5.6	8.2	31	-16.7	18	0 -	0 -	0 -	51 1.5	2 2.5	0 -	0 -	0 -	0 -	31 2.4	0 -	0 -	0
II			- 7.2	- 4.7	- 5.5	- 6.1	- 2.8	- 8.9	4.0	1	-18.5	21	0 -	0 -	1 1.0	64 2.0	3 1.7	0 -	0 -	0 -	0 -	9 2.2	3 1.7	0 -	4
III			- 3.5	0.7	- 0.2	- 1.4	2.2	- 4.9	5.4	2	-13.0	20	0 -	1 2.0	4 1.5	49 2.1	1 2.0	0 -	0 -	0 -	0 -	26 2.2	11 2.6	0 -	1
IV			1.3	5.5	4.4	3.2	6.9	0.0	12.9	17	- 2.9	26	0 -	0 -	5 3.2	39 1.9	3 2.0	0 -	0 -	0 -	0 -	29 2.0	10 3.1	0 -	4
V			4.8	8.7	7.7	6.3	9.9	2.4	19.9	31	- 3.1	13	0 -	1 4.0	6 2.7	47 2.9	0 -	0 -	0 -	0 -	0 -	35 2.7	3 3.7	1 6.0	0
VI			8.8	14.3	13.5	10.9	15.4	5.3	22.7	1	0.4	12	0 -	2 2.0	6 2.8	49 2.1	0 -	1 4.0	0 -	3 2.7	0 -	27 2.9	2 3.5	0 -	0
VII			12.9	20.2	19.3	15.3	22.3	11.1	30.6	10	6.5	19	0 -	0 -	1 3.0	30 1.9	4 1.5	2 1.5	3 2.0	0 -	1 2.0	51 2.8	1 1.0	0 -	9
VIII			12.6	19.3	17.7	15.7	20.9	11.3	25.9	25	6.7	3	0 -	0 -	0 -	34 2.1	0 -	2 1.5	1 2.0	11 2.5	0 -	39 2.9	1 4.0	1 1.0	4
IX			9.5	12.7	11.2	10.7	14.8	8.1	21.2	8	4.3	14	0 -	3 2.7	3 2.7	23 1.9	1 1.0	6 2.3	1 2.0	7 2.9	0 -	39 2.9	3 3.0	1 3.0	3
X			4.4	6.4	5.1	5.1	7.8	2.7	15.9	10	- 9.1	31	0 -	8 2.8	6 2.7	35 1.8	0 -	2 1.5	0 -	0 -	0 -	30 2.5	6 2.8	0 -	6
XI			3.0	3.8	3.5	3.2	5.9	0.8	11.5	8	- 5.8	28	0 -	3 3.0	1 1.0	39 1.9	6 1.8	0 -	0 -	0 -	0 -	29 2.0	8 2.5	0 -	4
XII			- 2.2	- 2.6	- 2.5	- 2.5	0.7	- 5.2	9.4	6	-14.5	22	0 -	1 4.0	2 4.5	41 2.1	0 -	1 2.0	0 -	0 -	0 -	32 2.4	9 2.3	0 -	7
1955			3.4	6.8	6.0	4.9	8.8	1.4	30.6		-13.5		0 -	19 2.8	35 2.7	501 2.0	20 1.8	14 2.1	5 2.0	21 2.6	1 2.0	377 2.6	57 2.7	3 3.3	40

Takle

φ = 61° 2'N λ = 5° 20'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.0	1.4	1.3	1.1		- 1.1	8.0	31	- 8.2	18	1 1.0	0 -	13 3.2	14 3.6	3 3.0	2 2.0	17 4.0	24 2.4	8 4.0	0 -	1 1.0	6 3.2	4
II			- 2.2	- 0.6	- 1.8	- 1.5		- 4.0	7.6	1	-10.4	18	0 -	0 -	42 2.7	5 3.6	0 -	1 4.0	6 5.0	17 2.1	0 -	0 -	0 -	5 1.8	9
III			- 0.5	1.9	1.6	0.7		- 2.4	5.5	2	- 7.7	21	3 2.7	1 6.0	28 3.9	4 2.5	2 4.0	2 3.0	3 5.0	14 1.7	8 4.1	0 -	1 7.0	24 3.9	3
IV			3.8	5.7	5.4	4.6		2.1	10.5	29	- 1.5	26	2 3.0	0 -	25 3.2	4 3.0	4 4.5	5 3.0	2 1.5	8 2.6	7 4.0	2 3.5	0 -	21 4.0	10
V			6.3	8.4	8.3	7.0		3.8	18.5	29	- 1.5	13	0 -	1 1.0	7 2.9	19 2.2	10 4.3	2 2.5	3 2.7	3 2.7	7 3.0	2 2.5	2 4.5	28 4.1	9
VI			10.7	13.1	12.8	11.3		7.3	19.4	1	2.3	18	0 -	0 -	15 2.9	8 2.1	2 4.0	0 -	1 4.0	2 4.5	10 3.9	0 -	0 -	42 3.8	10
VII			15.0	17.5	17.4	15.8		12.2	26.0	10	7.4	6	1 1.0	0 -	18 2.0	0 -	0 -	0 -	3 3.7	10 2.2	6 3.5	0 -	0 -	42 3.3	13
VIII			14.2	17.6	16.8	15.6		12.1	22.2	17	8.1	3	1 2.0	1 5.0	13 1.8	2 3.0	2 4.0	2 3.5	3 4.3	10 2.2	6 2.3	2 4.0	1 2.0	37 3.2	13
IX			11.2	13.3	12.4	12.0		9.4	17.5	9	5.0	28	0 -	1 2.0	24 2.9	8 3.1	6 2.0	3 3.0	10 3.9	7 1.9	10 2.3	4 4.0	4 2.8	8 2.8	5
X			6.3	7.7	7.2	6.9		4.6	15.5	10	- 2.8	31	5 2.8	1 1.0	19 3.0	13 3.7	3 5.3	1 1.0	2 3.5	9 3.2	14 2.5	0 -	1 5.0	19 3.7	6
XI			5.6	6.4	6.3	6.0		3.7	10.8	11	- 2.7	28	1 5.0	0 -	7 3.1	9 2.8	16 2.8	5 3.2	1 5.0	1 4.0	19 3.0	4 4.8	3 2.7	15 4.1	9
XII			0.9	1.0	0.9	0.8		- 1.1	9.8	5	- 7.5	18	0 -	0 -	6 2.8	8 4.0	10 3.6	7 4.3	5 5.2	10 3.1	21 2.1	3 3.7	1 2.0	16 4.1	6
1955			6.0	7.8	7.4	6.7		3.9	26.0		-10.4		14 2.6	5 3.0	217 2.9	94 3.0	58 3.5	30 3.2	56 4.1	115 2.4	116 3.0	17 3.9	14 3.2	263 3.6	95

Vangsnes

φ = 61° 10'N λ = 6° 59'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.4	0.0	- 0.2	- 0.3	1.1	- 1.8	7.0	25	- 8.4	18	0 -	0 -	0 -	28 2.3	0 -	17 2.6	0 -	0 -	0 -	20 2.9	0 -	3 3.7	25
II			- 2.8	- 1.7	- 2.3	- 2.4	- 0.9	- 3.9	6.0	2	- 8.9	21	0 -	0 -	0 -	41 3.0	0 -	12 2.5	0 -	0 -	0 -	3 2.0	0 -	4 2.2	24
III			- 0.4	1.7	1.3	0.7	3.0	- 1.6	7.0	5	- 7.4	22	7 3.4	0 -	0 -	24 3.1	0 -	6 3.5	0 -	0 -	0 -	15 3.9	0 -	16 3.8	25
IV			3.5	5.8	5.5	4.5	7.4	1.9	12.6	17	- 0.9	22	5 3.4	0 -	0 -	13 2.9	0 -	13 3.8	0 -	0 -	1 5.0	24 3.6	0 -	7 3.7	27
V			6.7	9.2	8.8	7.6	10.5	4.8	21.6	31	0.4	13	6 4.0	0 -	0 -	22 2.8	0 -	9 3.1	0 -	0 -	2 3.5	28 3.4	0 -	8 4.1	18
VI			11.5	15.4	14.3	12.7	16.7	8.8	22.4	1	4.7	10	5 3.8	0 -	0 -	22 3.1	0 -	1 2.0	1 1.0	0 -	0 -	29 3.2	0 -	3 3.7	29
VII			15.4	18.8	18.5	16.7	20.9	13.3	29.0	11	10.6	19	0 -	0 -	0 -	9 2.4	0 -	5 2.8	0 -	0 -	2 3.0	55 3.9	0 -	1 3.0	21
VIII			15.3	18.2	17.6	16.4	19.7	13.3	23.8	25	10.7	29	2 3.5	0 -	0 -	9 2.4	0 -	3 3.3	0 -	0 -	0 -	37 3.8	0 -	1 4.0	41
IX			11.0	13.0	11.7	11.6	13.9	9.5	18.0	9	6.2	28	2 2.5	0 -	0 -	14 3.0	0 -	14 3.1	0 -	0 -	0 -	23 3.8	0 -	0 -	37
X			5.6	7.1	6.0	6.0	7.9	3.8	15.2	10	- 2.3	31	3 3.7	0 -	0 -	23 3.5	0 -	5 4.2	0 -	0 -	2 4.0	24 3.0	0 -	9 3.6	27
XI			4.7	5.4	5.4	5.0	6.8	2.4	11.5	9	- 2.3	30	4 2.5	0 -	0 -	9 3.0	0 -	20 3.4	0 -	1 5.0	0 -	30 4.0	0 -	10 3.2	15
XII			- 0.4	- 0.3	- 0.5	- 0.5	1.2	- 2.4	7.5	6	- 9.9	18	8 2.8	0 -	0 -	30 3.8	0 -	10 2.8	0 -	0 -	1 6.0	14 3.6	0 -	7 3.7	22
1955			5.8	7.7	7.2	6.5	9.0	4.0	29.0		- 9.9		42 3.3	0 -	0 -	244 3.0	0 -	115 3.1	1 1.0	1 5.0	8 4.0	302 3.6	0 -	69 3.6	313

1955

Syfteland

H_s = 55 H_b = h_t = 2.0 h_a = h_d = 6.8 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	92	90	91	91	6.6	6.4	6.1	280	36	25	19	11	7	0	24	23	12	2	0	0	16	14	5	3	0	3	0	0	21	3	10	1	21	21
II	87	72	79	81	4.0	3.6	3.3	74	13	1	23	14	18	0	13	10	4	0	0	0	6	8	1	1	0	0	0	0	10	0	21	10	9	22
III	85	61	68	74	4.7	4.4	4.5	78	14	31	20	2	8	0	17	13	2	2	0	0	12	14	7	1	0	4	0	0	17	2	25	7	8	25
IV	85	72	80	82	6.3	5.7	5.2	147	22	11	12	0	0	0	21	18	5	0	0	0	17	7	1	10	0	3	0	0	21	5	16	2	16	0
V	76	67	74	76	5.5	5.6	5.1	183	23	6	5	0	0	0	24	19	9	0	0	0	24	5	2	5	0	1	0	1	23	0	20	6	16	2
VI	73	60	63	71	4.3	4.7	3.1	75	21	23	0	0	0	0	10	8	2	1	0	0	10	0	0	2	0	1	0	0	13	3	27	8	8	0
VII	82	66	71	78	5.0	4.3	3.7	51	21	16	0	0	0	7	11	5	2	0	0	0	11	0	0	4	0	0	0	3	16	4	25	10	13	0
VIII	86	63	72	78	4.8	4.0	4.0	80	26	18	0	0	0	0	11	7	4	0	0	0	11	0	0	4	0	0	0	1	16	0	25	6	8	0
IX	90	75	86	86	6.1	6.3	5.8	390	51	30	0	0	0	0	25	22	13	0	0	0	25	0	0	1	0	2	0	2	27	1	20	1	15	0
X	87	73	85	84	5.9	5.7	5.5	240	34	3	11	0	0	0	24	18	9	1	0	0	22	3	3	3	0	0	0	2	26	1	14	1	14	4
XI	89	82	86	86	6.3	6.5	6.1	210	31	27	9	0	0	0	30	22	7	1	0	0	27	8	4	5	0	2	0	1	27	0	11	1	19	3
XII	83	82	86	84	6.2	5.5	5.9	314	74	6	18	14	11	0	23	21	12	3	0	0	15	11	3	2	0	4	0	0	25	0	14	4	18	19
1955	85	72	78	81	5.5	5.2	4.9	2122	74		117	41	44	7	233	186	81	10	0	0	196	70	26	41	0	20	0	10	242	19	228	57	165	96

Hellisøy Fyr

H_s = 20 H_b = h_t = 1.8 h_a = 12.5 h_d = 12.5 h_r = 1.2

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	77	80	77	77	6.3	7.1	6.2	146	20	25	14	3	0	0	23	21	5	14	2	0	15	15	7	9	0	7	0	0	7	3	10	1	20	10
II	70	63	62	66	4.9	4.4	4.1	38	10	2	21	7	0	0	9	9	1	2	0	0	6	6	3	1	0	4	0	0	1	1	24	4	9	14
III	78	69	73	74	4.7	4.8	5.2	48	8	4	14	1	0	0	18	12	0	5	1	0	13	14	8	2	0	9	0	0	4	0	28	4	10	8
IV	89	82	86	87	6.9	6.3	6.3	98	11	28	2	0	0	0	23	14	4	2	0	0	21	9	5	8	0	1	0	0	3	8	23	1	20	3
V	83	77	78	81	5.9	5.8	5.4	77	16	3	0	0	0	0	20	11	2	2	0	0	20	5	5	7	0	4	0	0	5	6	27	2	16	0
VI	87	80	82	85	5.0	4.1	4.2	32	9	23	0	0	0	0	7	7	0	5	0	0	7	0	0	4	0	0	0	0	4	6	25	6	10	0
VII	89	82	84	86	6.0	4.7	4.8	56	24	13	0	0	0	0	15	9	1	4	0	0	15	0	0	14	0	0	0	2	3	8	29	5	13	0
VIII	90	83	84	87	5.0	5.0	5.3	66	18	6	0	0	0	0	11	7	3	1	0	0	11	0	0	3	0	0	0	0	5	4	28	4	9	0
IX	81	80	85	82	6.2	6.0	6.4	143	23	25	0	0	0	0	22	15	5	5	0	0	22	0	0	4	0	0	0	3	2	0	26	0	15	0
X	83	78	79	81	6.2	6.2	6.5	158	20	3	0	0	0	0	22	20	7	11	2	1	22	5	5	4	0	3	0	0	6	1	23	0	19	0
XI	84	83	84	84	6.3	7.3	6.9	105	22	5	2	0	0	0	24	21	1	6	1	0	24	6	6	8	0	6	0	0	5	0	17	0	21	0
XII	79	81	80	80	5.9	5.8	6.0	150	15	6	17	5	0	0	26	23	4	14	0	0	17	14	5	3	0	10	0	0	7	0	20	1	16	15
1955	82	78	80	81	5.8	5.6	5.6	1117	24		70	16	0	0	220	169	33	71	6	1	193	74	44	67	0	44	0	5	52	37	280	28	178	50

Modalen

H_s = 104 H_b = h_t = 2.0 h_a = h_d = h_r = 1.1

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	88	89	89	6.4	6.4	6.1	334	64	25	23	13	8	0	24	21	15	0	0	0	12	17	5	6	0	0	0	0	23	1	0	3	18	31
II	83	75	77	79	4.0	3.6	3.0	52	12	2	24	21	13	0	11	7	2	0	0	0	6	6	1	0	0	0	0	0	8	2	15	9	7	28
III	79	61	62	68	4.6	4.5	4.7	127	18	16	27	6	5	0	16	13	7	1	0	0	8	13	3	5	0	0	0	0	15	0	13	6	12	31
IV	84	65	71	76	6.4	5.8	5.8	120	27	13	15	0	0	0	21	15	5	0	0	0	15	10	5	2	0	1	0	0	18	0	10	2	16	20
V	79	64	68	73	5.3	5.5	5.6	176	27	16	2	0	0	0	21	18	7	1	0	0	18	8	5	0	0	0	0	0	13	0	13	6	17	1
VI	79	53	58	69	3.4	4.2	3.8	109	22	23	0	0	0	0	13	10	6	3	0	0	12	1	0	1	0	0	0	0	7	0	25	12	9	0
VII	90	60	62	76	4.6	4.5	3.8	86	22	17	0	0	0	10	13	8	3	0	0	0	13	0	0	7	0	0	0	0	12	0	21	10	11	0
VIII	93	62	70	80	4.4	4.6	4.7	76	21	31	0	0	0	1	12	8	4	1	0	0	12	0	0	4	0	0	0	0	10	0	17	5	11	0
IX	91	74	86	86	6.7	6.7	6.5	366	50	3	0	0	0	0	25	20	11	1	0	0	25	0	0	3	0	0	0	0	14	2	7	1	22	0
X	85	75	85	83	5.9	6.2	5.8	304	48	3	8	2	0	0	22	20	10	2	0	0	21	3	1	8	0	0	0	0	19	0	5	2	17	3
XI	88	85	87	87	6.9	6.7	6.6	222	33	12	12	1	0	0	26	23	10	0	0	0	24	11	7	4	0	0	0	0	15	1	0	2	21	10
XII	84	84	86	85	5.7	5.6	5.4	589	93	6	20	16	10	0	22	21	16	1	0	0	14	14	6	2	0	0	0	0	22	0	0	4	18	25
1955	85	70	75	79	5.4	5.4	5.2	2561	93		131	59	36	11	226	184	96	10	0	0	180	83	33	42	0	1	0	0	176	6	126	62	179	149

Takle

H_s = 36 H_b = h_t = 2.1 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	81	81	81	6.4	6.3	5.8	332	67	25	19		0		21	20	13	9	5	2	14	9	2	2	0	0	0	0	18	0	0	2	19	14
II	78	75	74	76	4.8	3.7	3.4	80	25	1	23		2		12	11	2	2	1	0	6	7	0	2	0	0	0	0	6	0	17	7	8	22
III	74	68	68	70	4.6	4.5	4.9	126	19	13	20		0		15	14	7	9	2	0	11	9	3	0	0	0	0	0	10	0	18	7	11	19
IV	80	76	78	79	6.1	6.1	5.4	108	23	13	5		0		20	15	4	8	0	0	18	5	3	0	0	0	0	0	9	0	14	1	13	1
V	80	76	77	78	5.5	5.5	5.4	133	24	10	1		0		19	18	4	6	1	0	18	4	2	0	0	1	0	0	8	0	16	6	16	1
VI	80	72	72	76	3.9	4.2	3.8	88	33	25	0		0		10	9	4	7	0	0	10	0	0	0	0	0	0	0	5	2	22	10	9	0
VII	87	79	77	82	5.8	4.4	4.3	106	23	17	0		0		14	9	5	2	0	0	14	0	0	1	0	0	0	0	12	0	23	6	11	0
VIII	88	78	78	88	4.6	4.5	4.8	103	39	31	0		0		12	10	3	2	0	0	12	0	0	2	0	0	0	0	7	0	24	5	8	0
IX	87	81	83	84	6.4	6.3	6.0	281	42	30	0		0		24	21	10	8	0	0	24	0	0	1	0	0	0	0	12	0	10	0	19	0
X	83	78	81	81	5.4	6.2	5.9	258	46	14	4		0		23	21	9	9	0	0	23	2	1	2	0	1	0	0	8	0	11	1	18	2
XI	84	82	82	83	6.5	7.0	6.8	163	26	27	2		0		27	19	6	8	2	2	24	4	1	0	0	0	0	0	11	0	0	1	25	3
XII	78	79	80	79	6.3	6.0	5.7	480	93	6	18		0		23	22	13	9	1	1	15	10	2	1	0	1	0	1	19	0	0	2	17	19
1955	82	77	78	79	5.5	5.4	5.2	2258	93		92		2		220	189	80	79	12	5	189	50	14	11	0	3	0	1	125	2	155	48	174	81

Vangsnes

H_s = 53 H_b = h_t = 2.0 h_a = h_d = 5.7 h_r = 1.9

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	82	84	83	5.9	6.0	5.8	116	35	25	22	11	0	0	16	14	3	1	0	0	10	11	3	0	0	0	0	0	9	0	4	2	15	25
II	77	71	74	75	5.4	4.1	3.0	35	10	7	23	19	0	0	9	6	1	0	0	0	5	4	0	0	0	0	0	0	4	0	15	5	6	22
III	71	62	63	66	4.2	4.2	4.7	24	6	16	18	5	0	0	10	10	0	3	0	0	7	5	1	0	0	0	0	0	2	0	17	7	9	4
IV	78	71	69	73	5.7	5.6	5.2	57	20	13	5	0	0	0	9	7	2	2	0	0	9	0	0	0	0	0	0	0	4	0	12	2	16	0
V	76	68	68	72	5.3	5.1	5.2	53	9	10	0	0	0	0	13	13	0	3	0	0	13	2	2	0	0	0	0	0	2	0	15	5	15	0
VI	71	52	62	67	3.5	3.9	3.8	58	12	26	0	0	0	0	9	9	2	0	0	0	9	0	0	0	0	0	0	0	1	0	23	11	8	0
VII	82	71	69	76	4.6	3.5	3.3	30	9	15	0	0	0	5	8	6	0	2	0	0	8	0	0	0	0	0	0	1	1	0	23	11	7	0
VIII	85	74	72	78	3.9	4.7	4.5	34	9	20	0	0	0	0	8	5	0	0	0	0	8	0	0	2	0	0	0	1	2	1	22	3	7	0
IX	87	79	82	84	6.3	6.1	6.3	113	21	30	0	0	0	0	18	13	4	1	0	0	18	0	0	0	0	0	0	0	5	0	6	2	18	0
X	83	77	80	81	5.6	6.2	5.0	115	21	15	6	0	0	0	16	14	5	3	0	0	16	2	2	2	0	0	0	0	8	2	6	2	14	0
XI	82	81	82	82	6.4	6.7	6.1	91	17	27	6	0	0	0	14	14	3	5	0	0	13	2	1	2	0	0	0	0	4	0	4	2	20	0
XII	82	80	81	81	5.4	6.3	6.1	252	48	6	20	12	0	0	19	19	9	6	0	0	14	10	5	0	0	0	0	0	14	0	3	2	17	15
1955	80	73	74	76	5.2	5.2	4.9	978	48		100	47	0	5	149	130	29	26	0	0	130	36	14	6	0	0	0	2	56	3	150	54	152	66

1955

Fjærland (Skarestad)

φ = 61° 25′ N · λ = 6° 47′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.3	- 3.3	- 3.3	- 3.4	- 1.1	- 5.7	8.0	25	-16.1	18	1 1.0	1 1.0	1 1.0	3 1.0	1 1.0	0 -	2 1.0	1 2.0	3 1.0	2 1.0	3 1.7	1 1.0	74
II			- 8.2	- 4.5	- 6.8	- 6.8	- 2.7	-10.4	2.6	2	-19.8	21	2 1.0	1 1.0	6 1.2	5 1.0	2 1.5	1 1.0	0 -	0 -	1 1.0	1 2.0	1 1.0	2 1.5	62
III			- 4.2	1.7	- 0.6	- 1.4	3.3	- 5.8	7.9	5	-15.9	21	3 1.7	1 1.0	6 1.0	12 1.1	1 1.0	2 1.5	0 -	0 -	3 2.7	8 3.6	7 1.4	5 1.8	45
IV			1.5	6.2	4.0	3.5	7.2	- 0.3	13.4	18	- 5.1	26	3 2.0	0 -	5 1.2	4 1.2	3 1.0	0 -	0 -	0 -	6 1.5	8 2.0	3 1.3	9 1.8	49
V			5.4	10.0	8.8	7.3	11.1	2.7	22.6	31	- 0.1	17	1 1.0	1 1.0	3 1.7	6 1.2	7 1.4	4 1.2	6 1.5	8 2.1	13 1.5	22 1.6	5 1.2	6 2.3	11
VI			9.3	15.7	14.4	11.8	17.4	5.2	23.4	4	- 0.1	9	2 2.5	1 2.0	5 1.6	10 2.3	6 1.5	3 1.7	5 1.0	9 1.8	5 1.6	14 2.8	2 2.0	4 2.8	24
VII			12.1	20.5	18.9	16.1	22.4	10.1	31.0	11	5.7	19	0 -	0 -	1 1.0	9 1.1	5 1.0	3 1.0	4 2.0	10 1.3	6 2.0	6 2.0	2 2.0	1 2.0	46
VIII			11.7	18.9	17.2	15.1	20.9	10.0	26.4	11	5.2	3	1 2.0	0 -	2 1.5	4 1.2	1 1.0	5 1.0	7 1.1	7 1.7	4 1.0	2 1.5	5 3.6	2 3.0	53
IX			9.0	12.4	10.7	10.4	13.6	7.7	18.6	8	3.1	22	1 1.0	0 -	3 1.0	5 1.0	3 1.0	1 1.0	1 1.0	1 1.0	4 1.2	11 2.1	0 -	1 1.0	59
X			3.3	5.8	4.1	4.2	7.2	1.9	14.4	11	- 8.3	31	2 1.5	0 -	3 1.3	4 1.0	3 1.0	3 1.3	0 -	1 3.0	2 2.0	7 2.1	1 1.0	1 2.0	66
XI			2.3	2.9	2.9	2.6	4.6	0.6	8.8	18	- 6.2	29	2 5.0	1 1.0	5 1.4	6 1.2	2 1.5	1 1.0	0 -	1 5.0	6 3.3	3 2.7	5 1.4	12 2.4	46
XII			- 3.0	- 2.7	- 2.9	- 3.0	- 0.9	- 5.1	7.5	6	-16.7	18	2 2.0	0 -	4 1.2	7 1.3	1 3.0	1 2.0	1 4.0	4 2.2	3 3.7	8 2.8	8 1.6	1 1.0	53
1955			3.0	7.0	5.6	4.7	8.6	0.9	31.0		-19.8		20 2.0	6 1.2	44 1.3	75 1.3	35 1.3	24 1.2	26 1.4	42 1.9	56 1.9	92 2.2	42 1.7	45 2.1	588

Lærdal (Tønjum)

φ = 61° 4′ N λ = 7° 31′ E g = 9.819 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1002.2	1006.3	- 2.6	- 2.0	- 2.6	- 2.6	0.2	- 5.3	9.5	25	-13.7	19	9 2.7	3 1.3	0 -	6 3.0	7 1.9	11 2.4	15 1.4	3 1.0	1 4.0	6 2.0	9 2.6	6 2.3	17
II	04.9	08.9	- 6.4	- 4.1	- 5.5	- 5.6	- 2.5	- 8.2	10.7	1	-15.9	21	2 1.0	2 1.0	0 -	16 1.5	14 2.7	16 2.4	5 2.2	0 -	1 1.0	0 -	11 2.3	1 2.0	16
III	11.4	16.0	- 2.2	1.8	0.3	- 0.4	3.0	- 3.7	8.4	15	-12.5	22	12 3.7	6 2.5	1 1.0	2 2.0	7 1.9	12 2.2	5 1.6	1 1.0	1 2.0	11 3.5	13 2.9	10 4.1	12
IV	12.7	17.3	2.7	6.9	6.3	4.6	8.6	1.2	13.5	17	- 2.6	24	25 4.2	5 3.2	0 -	0 -	2 3.0	9 3.2	5 3.0	1 1.0	2 1.5	5 2.0	6 2.8	17 3.5	13
V	02.3	06.8	6.1	11.0	9.6	8.0	12.5	4.4	22.9	31	0.8	17	24 4.0	6 3.2	0 -	1 5.0	4 4.5	5 3.8	3 3.7	0 -	1 2.0	7 1.6	15 2.1	21 3.5	6
VI	09.7	14.1	9.1	16.5	15.1	12.3	18.2	7.0	24.0	4	1.6	8	20 4.0	2 5.0	0 -	0 -	2 3.0	2 3.5	3 4.7	1 1.0	2 2.0	9 1.9	20 2.0	10 3.2	19
VII	13.2	17.5	13.7	21.1	19.9	16.9	23.4	11.8	30.9	11	6.0	19	12 3.2	1 5.0	0 -	2 1.0	1 2.0	2 1.0	1 1.0	0 -	0 -	8 2.2	16 2.9	24 2.8	24
VIII	13.7	18.1	13.3	20.1	18.7	16.5	21.9	12.0	26.3	13	8.3	29	14 2.9	4 1.0	0 -	0 -	0 -	4 1.2	7 1.0	0 -	0 -	4 2.5	23 3.0	11 2.5	25
IX	05.7	10.1	9.9	13.5	11.9	11.3	15.3	8.2	21.3	9	3.6	13	4 3.2	2 2.0	1 1.0	1 2.0	2 3.0	6 2.7	10 1.9	2 1.5	0 -	9 1.8	13 2.3	18 2.9	22
X	03.7	08.2	3.9	6.4	5.1	4.9	8.1	2.4	16.3	11	- 5.9	31	11 3.2	7 2.3	0 -	4 1.5	6 2.8	5 2.5	12 1.3	2 1.0	0 -	2 3.0	16 2.6	1 3.0	27
XI	11.0	15.5	2.8	4.3	3.8	3.4	6.4	0.8	11.5	12	- 4.0	29	10 5.0	11 3.6	4 1.0	2 1.0	7 2.9	8 2.5	11 1.7	1 3.0	0 -	3 1.7	8 2.6	5 2.6	20
XII	995.4	00.0	- 2.3	- 1.5	- 2.0	- 2.0	0.6	- 4.4	10.2	6	-12.1	18	6 4.2	3 2.0	4 1.8	3 2.0	10 4.8	9 3.8	13 2.5	6 2.0	0 -	2 3.5	10 2.6	7 2.0	23
1955	1007.1	1011.5	4.0	7.8	6.7	5.6	9.6	2.2	30.9		-15.9		149 3.7	52 2.7	10 1.3	37 1.8	62 3.0	89 2.7	90 1.9	17 1.5	8 2.0	66 2.3	160 2.6	131 3.0	22

Leikanger

φ = 61° 11′ N λ = 6° 52′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.1	- 0.4	- 0.9	- 0.9	1.1	- 3.0	8.3	25	- 9.8	18	2 1.0	10 1.4	9 1.7	1 1.0	4 1.0	26 1.2	11 1.3	3 1.0	1 1.0	2 1.5	8 1.5	11 1.7	2
II			- 4.2	- 1.1	- 3.3	- 3.1	- 0.4	- 5.4	6.1	2	-11.0	21	0 -	10 1.8	5 1.2	19 1.6	5 1.2	31 1.2	6 1.0	0 -	3 1.0	0 -	1 1.0	1 1.0	3
III			- 0.9	3.0	1.3	0.6	3.9	- 2.4	8.0	2	- 9.2	21	7 1.6	12 1.0	0 -	13 1.2	3 1.0	16 1.2	3 1.0	0 -	5 1.2	9 2.7	14 2.0	9 2.4	3
IV			3.7	6.6	6.1	4.8	8.6	2.1	13.7	17	- 1.1	24	2 1.0	3 1.0	0 -	2 1.0	0 -	22 1.2	17 1.2	1 1.0	1 1.0	22 1.9	7 2.0	6 2.2	1
V			6.8	9.8	9.5	7.7	11.5	4.6	22.0	31	- 0.3	13	3 2.0	2 1.5	2 2.0	4 1.2	2 1.5	23 1.1	13 1.1	4 1.0	1 1.0	13 1.7	9 1.9	12 2.1	1
VI			11.0	15.8	15.3	12.6	17.8	8.5	23.5	5	3.8	8	5 1.2	3 2.7	0 -	2 1.0	0 -	15 1.1	10 1.1	5 1.2	3 1.3	13 1.4	3 1.7	16 1.7	12
VII			15.3	19.7	19.9	17.1	22.0	13.4	27.6	11	8.8	19	0 -	1 1.0	0 -	2 1.0	0 -	0 -	25 1.0	1 1.0	3 1.3	17 1.5	7 1.7	31 1.6	1
VIII			14.9	19.3	18.7	15.6	21.0	13.2	24.5	26	9.7	3	5 1.2	7 1.0	0 -	0 -	0 -	13 1.1	12 1.0	13 1.0	3 1.0	11 1.2	5 1.4	20 1.6	4
IX			11.0	13.5	11.8	11.6	15.1	9.1	20.0	10	5.7	28	10 1.1	4 1.0	4 1.2	0 -	2 1.5	18 1.5	18 1.1	2 1.0	0 -	3 1.7	12 1.7	10 2.0	7
X			4.8	7.8	5.5	5.7	8.9	3.3	16.0	10	- 3.8	31	3 1.7	1 2.0	4 2.0	8 1.2	6 1.0	25 1.2	1 1.0	8 1.0	0 -	2 1.5	10 2.3	12 1.8	13
XI			4.3	5.5	4.8	4.7	6.8	2.4	10.7	12	- 3.8	29	1 2.0	0 -	0 -	0 -	2 1.0	37 1.2	0 -	0 -	0 -	5 1.8	6 1.7	36 2.0	2
XII			- 0.7	- 0.4	- 0.7	- 0.7	1.3	- 3.1	10.0	6	-11.9	18	10 1.3	6 1.7	9 2.9	16 1.3	0 -	17 1.2	6 1.3	0 -	4 1.2	2 1.5	10 2.3	8 2.2	1
1955			5.4	8.3	7.3	6.4	9.8	3.5	27.6		-11.9		48 1.3	59 1.4	33 1.9	67 1.3	24 1.1	244 1.2	122 1.1	37 1.0	24 1.2	99 1.7	92 1.9	172 1.9	7[illegible]

Luster Sanat.

φ = 61° 26′ N λ = 7° 25′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.1	- 3.3	- 4.2	- 4.0		- 5.9	4.6	26	-14.0	18	2 1.0	8 1.2	12 1.2	2 1.0	4 1.2	3 1.0	2 1.0	12 1.2	8 1.0	9 1.3	15 1.1	16 1.2	
II			- 7.8	- 5.3	- 6.8	- 6.8		- 9.0	4.6	2	-16.6	18	1 1.0	3 1.0	15 1.1	10 1.0	6 1.0	10 1.0	0 -	5 1.0	5 1.0	12 1.1	5 1.0	12 1.1	
III			- 4.1	- 1.8	- 3.5	- 3.5		- 6.1	2.4	5	-14.2	22	3 1.0	14 1.1	20 1.0	7 1.0	11 1.2	8 1.0	0 -	7 1.1	7 1.0	8 1.1	6 1.7	2 1.0	
IV			0.6	3.1	1.7	1.1		- 1.3	7.3	18	- 5.2	1	3 1.0	4 1.0	4 1.0	1 1.0	10 1.0	11 1.0	2 1.0	17 1.1	18 1.0	14 1.2	4 1.2	2 1.0	
V			4.5	6.8	5.1	4.6		1.9	17.1	30	- 2.5	22	3 1.0	3 1.7	10 1.3	1 1.0	7 1.1	12 1.2	6 1.2	7 1.4	11 1.0	12 1.1	12 1.2	9 1.3	
VI			9.5	13.3	10.5	9.9		6.3	19.1	4	1.1	8	0 -	7 1.4	12 1.3	5 1.4	5 1.2	6 1.0	4 1.0	15 1.1	14 1.2	9 1.4	9 1.4	4 1.2	
VII			14.6	19.1	16.9	15.7		11.9	27.3	9	6.5	19	0 -	0 -	6 1.0	3 1.0	8 1.0	10 1.2	9 1.1	17 1.0	16 1.1	10 1.2	7 1.0	4 1.2	
VIII			14.1	17.4	14.9	14.7		12.0	21.9	26	8.6	3	1 1.0	1 4.0	0 -	9 1.5	10 1.1	10 1.0	10 1.0	18 1.1	15 1.1	9 1.0	7 1.3	3 1.0	
IX			8.4	10.3	9.3	8.9		6.8	17.3	9	3.0	28	1 1.0	5 1.2	4 1.0	4 1.0	0 -	3 1.3	7 1.3	29 1.9	13 1.7	13 1.6	6 1.0	5 1.0	
X			1.9	3.7	2.6	2.5		0.7	13.3	10	- 7.0	31	1 2.0	2 1.0	1 1.0	1 1.0	4 1.0	9 1.1	3 1.3	17 1.5	5 1.2	22 1.0	20 1.0	8 1.0	
XI			0.4	1.6	1.0	0.9		- 0.9	6.7	12	- 7.8	29	5 1.0	0 -	1 2.0	1 1.0	0 -	1 1.0	1 1.0	10 1.2	13 1.5	35 1.2	15 1.0	8 1.5	
XII			- 4.6	- 4.3	- 4.9	- 4.7		- 6.5	3.4	5	-15.5	18	0 -	1 2.0	0 -	0 -	1 1.0	1 2.0	0 -	4 2.2	17 1.1	18 1.1	27 1.4	24 1.2	
1955			2.8	5.0	3.6	3.3		0.8	27.3		-16.6		20 1.0	48 1.3	85 1.1	44 1.1	66 1.1	84 1.1	44 1.1	158 1.3	142 1.2	171 1.2	133 1.2	97 1.2	

Fortun

φ = 61° 30′ N λ = 7° 42′ E g = 9.820 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1003.2	1007.0	- 5.3	- 5.0	- 5.0	- 5.2	- 2.9	- 7.7	3.9	25	-17.9	18	17 1.1	11 1.2	6 1.0	5 1.0	1 1.0	11 1.0	6 1.0	2 1.0	4 1.0	5 1.0	2 1.0	20 1.0	3
II	05.3	09.1	- 8.8	- 7.0	- 7.6	- 8.0	- 4.1	-10.4	2.8	1	-19.1	21	25 1.0	15 1.1	4 1.0	1 1.0	0 -	4 1.0	5 1.0	1 1.0	4 1.0	8 1.0	1 1.0	14 1.1	2
III	12.3	16.1	- 3.9	0.1	- 0.7	- 1.9	2.7	- 5.8	6.6	5	-13.3	22	13 1.2	15 2.0	6 2.5	9 1.9	1 3.0	5 1.2	18 1.6	5 1.4	4 1.5	1 1.0	2 1.0	13 1.2	1
IV	13.4	17.2	0.7	6.6	5.1	3.4	8.0	- 0.5	13.6	29	- 4.2	26	12 1.2	14 1.4	1 3.0	4 1.5	0 -	11 1.5	24 1.4	7 1.6	4 1.0	2 1.0	3 1.0	4 1.2	4
V	03.2	06.8	5.2	10.8	9.6	7.5	12.3	3.1	22.8	31	0.3	13	13 1.5	12 1.5	3 1.7	1 1.0	0 -	15 1.7	31 1.5	3 2.3	2 2.0	5 1.2	1 1.0	7 1.4	0
VI	10.7	14.3	7.7	15.8	14.6	11.2	17.9	5.0	24.1	20	1.0	8	23 1.3	5 2.8	2 3.0	5 2.0	0 -	4 2.8	29 1.7	7 1.4	1 1.0	0 -	1 1.0	8 1.0	5
VII	14.1	17.7	11.4	21.1	18.9	15.5	23.8	9.1	31.9	10	5.0	19	11 1.1	3 1.0	3 1.0	1 1.0	0 -	12 1.4	25 1.6	9 1.3	4 1.0	3 1.0	0 -	13 1.0	9
VIII	14.4	18.0	12.0	20.2	18.0	15.6	22.6	10.0	27.5	25	6.1	29	9 1.1	8 1.0	5 1.2	5 1.4	0 -	8 1.5	25 1.4	6 1.8	3 1.0	5 1.2	0 -	16 1.4	3
IX	06.4	10.0	8.2	12.6	10.6	10.0	14.7	7.2	20.0	8	3.7	22	15 1.1	6 1.0	2 1.0	6 1.3	0 -	10 1.1	15 1.0	6 1.0	5 1.4	6 1.0	6 1.0	12 1.0	1
X	04.5	08.2	2.7	5.5	3.9	3.8	6.9	1.6	16.1	10	- 7.0	31	14 1.1	3 1.7	3 1.0	5 1.0	1 1.0	12 1.3	17 1.1	3 1.0	4 1.2	8 1.0	4 1.0	14 1.0	5
XI	12.0	15.7	0.8	2.0	1.5	1.3	3.7	- 0.9	9.6	12	- 8.0	29	11 1.2	14 1.3	6 1.2	5 1.0	1 1.0	9 1.4	10 1.2	6 1.3	5 1.0	2 1.0	2 1.0	15 1.2	4
XII	996.2	999.9	- 4.1	- 3.3	- 4.0	- 3.9	- 1.4	- 6.4	7.4	6	-16.0	23	17 1.2	4 1.0	7 1.9	7 1.1	1 1.0	1 1.0	10 1.2	3 1.0	2 1.5	6 1.0	4 1.0	19 1.8	12
1955	1008.0	1011.7	2.2	6.6	5.4	4.1	8.7	0.4	31.9		-19.1		180 1.2	110 1.4	48 1.5	54 1.4	5 1.4	102 1.4	215 1.4	58 1.4	42 1.2	51 1.0	26 1.0	155 1.2	49

1955

Fjærland (Skarestad)

H_s = 10 H_b = h_t = 2.0 h_a = h_d = 6.2 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	92	92	92	92	6.8	6.2	6.6	246	54	25	23	15	9	0	21	19	11	1	0	0	9	15	3	0	0	0	0	0	16	2	9	2	22	31
II	90	81	84	86	5.5	4.1	3.4	37	10	16	23	21	20	0	13	9	0	0	0	0	6	8	0	4	0	0	0	0	9	0	18	8	9	28
III	83	59	67	71	5.3	4.6	5.2	93	11	2	26	3	7	0	17	16	2	3	0	0	5	15	0	2	0	0	0	0	15	0	23	6	12	31
IV	85	60	69	73	6.2	6.2	6.0	96	43	13	14	0	0	0	17	9	3	0	0	0	11	8	2	3	0	0	0	0	12	0	19	1	19	29
V	76	57	60	67	5.8	6.0	5.6	93	25	10	1	0	0	0	20	16	2	2	0	0	19	4	1	0	0	0	0	0	16	0	16	5	20	1
VI	77	50	52	64	4.2	4.6	4.2	66	15	25	1	0	0	0	11	7	4	2	0	0	11	0	0	0	0	0	0	0	5	0	24	11	11	0
VII	89	57	60	72	5.0	4.5	3.8	55	18	17	0	0	0	10	11	6	3	0	0	0	11	0	0	3	0	0	0	0	9	0	24	9	12	0
VIII	91	64	73	78	4.5	5.3	5.1	46	11	14	0	0	0	5	13	11	2	2	0	0	13	0	0	3	0	0	0	0	5	0	23	2	9	0
IX	94	78	88	87	7.0	6.9	6.5	205	41	30	0	0	0	0	26	21	8	1	0	0	26	0	0	1	0	0	0	0	20	2	12	0	24	0
X	90	81	88	87	6.8	6.9	6.2	218	41	14	11	1	0	0	23	20	7	2	0	0	21	3	2	2	0	0	0	0	17	0	13	2	22	3
XI	89	88	88	88	7.2	6.8	7.1	158	20	12	10	1	0	0	28	21	7	3	0	0	24	10	3	3	0	0	0	0	22	0	6	0	23	10
XII	87	85	87	86	6.8	6.9	6.9	375	51	6	22	17	8	0	24	20	13	2	0	0	13	21	7	0	0	0	0	0	24	0	6	2	24	30
1955	87	71	76	79	5.9	5.8	5.6	1688	54		131	58	44	15	224	175	62	18	0	0	169	84	18	21	0	0	0	0	170	4	193	48	207	163

Lærdal (Tønjum)

H_s = 36 H_b = 36.4 h_t = 1.8 h_a = h_d = 10 h_r = 1.7

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	79	84	82	6.0	6.0	5.6	18	10	25	26	13	7	0	13	4	1	9	1	0	6	9	0	2	3	0	0	0	5	3	0	2	16	22
II	78	71	76	76	4.9	3.8	3.5	2	1	16	24	20	13	0	4	1	0	2	0	0	3	2	0	2	1	0	0	0	0	2	6	6	4	7
III	69	56	61	63	4.9	5.0	5.2	15	12	16	23	5	2	0	5	3	1	7	2	2	4	4	2	0	1	0	0	0	0	0	20	5	13	1
IV	73	56	57	64	6.0	6.0	5.9	9	3	13	8	0	0	0	6	3	0	9	0	0	6	0	0	0	2	0	0	0	4	0	14	1	18	0
V	75	52	60	66	5.7	5.9	5.6	16	3	1	0	0	0	0	11	6	0	11	1	0	10	5	4	1	2	0	0	0	2	0	10	3	19	0
VI	83	52	53	69	4.3	4.4	4.7	14	4	23	0	0	0	0	7	5	0	6	0	0	7	0	0	1	0	0	0	0	4	0	19	6	6	0
VII	90	58	59	74	4.5	3.9	3.9	14	7	23	0	0	0	12	9	5	0	1	0	0	9	0	0	3	0	0	0	0	7	1	21	8	9	0
VIII	91	61	67	78	4.9	5.2	5.1	10	4	7	0	0	0	3	7	4	0	0	0	0	7	0	0	2	0	0	0	0	16	0	18	2	8	0
IX	89	74	79	82	6.4	6.3	5.4	52	15	17	0	0	0	0	18	9	2	5	0	0	16	0	0	0	0	0	0	0	7	1	11	2	18	0
X	87	75	84	83	6.3	6.3	6.5	84	28	14	11	1	0	0	21	13	3	6	3	0	21	3	3	3	2	0	0	0	1	2	6	2	22	0
XI	81	76	79	79	6.7	6.6	7.0	34	7	13	12	2	0	0	17	8	0	12	5	4	15	6	5	2	3	0	0	0	3	0	0	0	22	1
XII	79	74	77	77	6.0	6.5	6.1	68	31	6	22	13	5	0	16	9	2	9	3	1	12	8	4	2	0	0	0	0	1	2	0	1	19	11
1955	81	66	70	74	5.6	5.5	5.4	336	31		126	54	27	15	134	70	9	77	15	7	116	37	18	18	14	0	0	0	50	11	125	38	176	42

Leikanger

H_s = 22 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.0	6.4	5.7	96	24	25	23	11	0	0	17	14	2	0	0	0	9	11	2	0	0	0	0	0	3	0	4	2	17	26
II					4.8	4.8	3.2	20	6	4	23	17	2	0	9	4	0	0	0	0	5	4	0	0	0	0	0	0	3	0	17	8	7	22
III					4.6	4.7	5.1	36	10	31	20	3	0	0	12	7	1	0	0	0	7	9	3	1	0	0	0	0	3	0	21	5	13	0
IV					5.6	6.3	5.3	57	18	13	3	0	0	0	12	8	2	0	0	0	12	1	1	1	0	0	0	0	8	0	23	2	14	0
V					5.2	5.8	5.6	55	8	19	1	0	0	0	19	11	0	0	0	0	19	4	3	0	0	0	0	0	0	0	18	6	16	0
VI					3.5	4.3	4.3	38	10	26	0	0	0	0	9	7	1	0	0	0	9	0	0	0	0	0	0	0	2	0	28	11	8	0
VII					4.5	3.8	3.5	23	7	23	0	0	0	8	8	6	0	0	0	0	8	0	0	0	0	0	0	0	5	0	27	11	9	0
VIII					4.5	5.1	4.8	19	7	6	0	0	0	0	7	4	0	0	0	0	7	0	0	0	0	0	0	1	3	0	28	5	9	0
IX					6.1	6.3	6.5	96	23	30	0	0	0	0	20	12	4	0	0	0	20	0	0	0	0	0	0	0	5	0	17	2	21	0
X					5.5	6.2	5.5	131	28	14	8	0	0	0	20	15	4	0	0	0	19	1	0	0	0	0	0	0	4	1	18	3	15	2
XI					6.3	6.6	6.4	83	17	27	7	1	0	0	21	15	2	0	0	0	18	5	0	0	0	0	0	0	2	0	5	2	19	4
XII					6.5	7.0	6.5	206	40	6	19	12	1	0	22	18	7	0	0	0	14	12	1	0	0	0	0	0	4	0	1	2	21	24
1955					5.3	5.6	5.2	860	40		104	44	3	8	176	121	23	0	0	0	147	47	10	2	0	0	0	1	42	1	207	59	169	78

Luster Sanat.

H_s = 484 H_b = h_t = 2.0 h_a = h_d = h_r = 2.0

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	81	81	82	6.2	6.0	6.1	141	44	25	27		8		19	17	4	0	0	0	8	16	1	1	0	0	0	0	20	0	8	2	20	31
II	73	73	71	72	5.1	4.1	3.9	17	5	3	25		14		8	6	0	0	0	0	4	5	0	0	0	0	0	0	10	1	18	6	9	28
III	68	62	62	65	4.3	4.3	3.9	58	13	16	31		4		15	10	1	0	0	0	2	15	2	0	0	0	0	0	6	1	21	8	8	31
IV	73	64	64	69	5.9	5.7	5.5	44	22	13	20		0		13	8	1	0	0	0	4	13	4	0	0	1	0	0	9	3	19	0	14	30
V	68	62	65	68	5.5	5.4	5.3	50	13	10	7		0		18	14	1	0	0	0	12	9	3	0	0	1	0	0	4	4	16	5	17	5
VI	61	55	57	50	4.2	4.5	4.1	48	14	26	0		0		6	6	2	0	0	0	6	0	0	0	0	0	0	0	3	1	24	5	8	0
VII	75	63	63	70	5.1	4.4	4.2	21	6	14	0		0		9	6	0	1	0	0	9	0	0	0	0	0	0	0	5	1	24	7	12	0
VIII	75	64	67	71	5.0	4.5	5.0	28	8	7	0		0		11	6	0	0	0	0	11	0	0	2	0	0	0	0	13	5	24	4	7	0
IX	86	80	79	82	6.4	6.2	5.7	137	23	17	0		0		21	16	7	0	0	0	21	0	0	2	0	0	0	0	17	5	19	1	16	0
X	82	78	79	80	5.6	5.6	5.4	117	26	14	14		0		23	17	5	0	0	0	17	12	5	0	0	0	0	0	10	8	15	4	15	7
XI	85	82	82	83	6.2	6.1	6.1	105	19	27	15		0		24	14	3	0	0	0	15	14	2	0	0	0	0	0	14	1	11	1	16	18
XII	80	81	81	81	5.8	5.9	5.6	234	63	6	28		10		24	20	8	0	0	0	9	23	3	0	0	0	0	0	12	3	8	2	14	31
1955	77	70	71	74	5.4	5.2	5.1	1000	63		167		36		191	140	32	1	0	0	118	107	20	5	0	2	0	0	123	33	207	45	155	179

Fortun

H_s = 27 H_b = 29.6 h_t = 2.0 h_a = h_d = 7.0 h_r = 1.3

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	95	95	95	95	5.6	5.5	5.5	71	22	25	27	20	14	0	17	15	1	0	0	0	6	13	1	2	0	0	0	0	0	2	0	3	14	31
II	91	85	86	88	4.3	3.8	2.9	12	7	4	28	22	19	0	8	3	0	0	0	0	4	4	0	0	0	0	0	0	0	1	13	9	6	28
III	84	64	64	72	4.7	3.9	4.2	39	17	31	29	6	5	0	13	7	1	0	0	0	6	11	3	0	0	0	0	0	0	0	23	6	8	31
IV	87	57	64	73	5.6	5.7	5.2	25	10	13	14	0	0	0	10	5	0	0	0	0	10	3	2	1	0	0	0	0	0	0	12	3	15	12
V	78	51	55	66	5.7	5.0	5.2	18	4	10	0	0	0	0	15	4	0	0	0	0	15	2	2	0	0	1	0	0	0	0	18	6	16	0
VI	84	49	47	66	4.1	4.1	4.3	28	6	24	0	0	0	0	7	6	0	0	0	0	7	0	0	0	0	0	0	0	0	0	22	8	10	0
VII	93	57	63	78	4.6	3.8	3.5	28	8	14	0	0	0	14	10	7	0	0	0	0	10	0	0	0	0	0	0	1	0	0	27	10	10	0
VIII	92	58	69	68	5.0	4.8	4.7	11	3	7	0	0	0	8	8	5	0	0	0	0	8	0	0	0	0	0	0	0	0	0	23	4	11	0
IX	97	77	88	90	6.5	6.6	5.7	93	18	17	0	0	0	0	22	16	3	1	0	0	22	0	0	0	0	0	0	0	0	1	15	2	20	0
X	95	83	91	91	6.2	6.1	5.7	77	19	14	11	2	0	0	24	15	2	2	0	0	21	3	0	2	0	0	0	0	0	1	9	4	19	0
XI	92	90	89	90	6.4	6.3	6.3	54	10	27	16	2	0	0	21	10	1	0	0	0	17	8	3	3	0	0	0	0	0	1	0	2	20	11
XII	89	86	87	87	5.0	5.7	6.0	103	25	6	24	16	11	0	19	17	2	3	0	0	11	14	3	1	0	0	0	0	0	0	0	3	16	25
1955	90	71	75	80	5.3	5.1	4.9	559	25		149	68	49	22	174	110	10	6	0	0	137	58	14	9	0	1	0	1	0	6	162	60	167	138

1955

Fanaråken x)

φ = 61° 31′ N λ = 7° 54′ E g = 9.816 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	772.2	775.6	-11.8	-11.3	-11.4	-11.6	- 8.9	-13.4	- 2.9	30	-22.9	16	4 3.5	2 4.0	5 1.8	3 2.7	6 4.7	5 4.6	2 5.0	11 5.4	16 5.4	22 6.0	10 4.3	7 4.6	0
II	71.8	75.1	-13.7	-12.8	-13.6	-13.4	-10.4	-15.6	- 2.3	2	-22.4	19	12 4.0	4 3.8	2 3.0	7 3.3	14 4.1	6 5.0	2 4.0	6 3.0	5 5.6	9 4.8	8 4.2	8 5.1	1
III	77.7	81.1	-13.9	-12.6	-14.0	-13.6	-11.1	-16.1	- 5.2	12	-22.5	18	4 4.0	4 3.8	2 2.0	3 3.7	3 4.3	9 3.2	2 2.0	1 4.0	9 6.2	27 6.3	11 5.1	16 5.2	2
IV	82.7	86.1	- 9.0	- 7.0	- 8.4	- 8.5	- 5.1	-11.1	- 0.8	19	-18.0	24	6 5.3	0 -	0 -	1 2.0	2 3.0	4 3.8	1 3.0	9 3.3	11 5.0	31 5.2	14 4.6	10 4.7	1
V	77.1	80.4	- 5.9	- 4.3	- 5.6	- 5.6	- 1.9	- 8.4	8.6	31	-16.0	22	4 3.0	6 3.2	10 2.8	5 5.6	10 4.7	11 3.9	1 5.0	8 3.5	12 4.3	12 5.5	6 5.2	7 3.9	1
VI	86.6	89.9	- 1.8	- 0.4	- 1.3	- 1.6	1.7	- 4.0	9.2	1	-10.4	7	6 3.3	2 1.0	2 4.5	1 1.0	2 2.0	19 3.1	8 4.2	7 3.7	15 4.9	7 3.9	7 4.4	13 4.3	1
VII	94.2	97.4	5.6	6.7	6.7	5.9	8.9	3.2	16.6	27	- 5.6	18	6 2.2	1 5.0	2 2.0	1 2.0	1 4.0	13 3.1	8 3.1	4 3.8	14 4.2	24 4.8	6 4.5	13 3.2	0
VIII	94.0	97.2	4.1	6.0	5.8	4.9	8.1	2.1	13.7	12	- 2.3	7	2 3.5	3 2.7	2 4.5	2 2.5	1 3.0	9 3.4	7 2.9	16 3.7	16 3.7	24 3.8	5 2.8	5 2.6	1
IX	83.7	87.0	- 0.7	- 0.3	- 0.7	- 0.5	1.8	- 2.7	9.5	8	- 7.3	28	1 4.0	1 2.0	0 -	1 3.0	8 4.4	5 4.8	9 4.2	13 4.4	4 4.8	16 3.9	17 5.0	14 5.2	1
X	76.7	80.1	- 7.5	- 6.9	- 7.2	- 7.1	- 4.9	- 9.1	2.6	11	-16.3	31	8 4.1	0 -	1 3.0	0 -	1 2.0	1 8.0	11 4.7	7 3.0	21 4.7	11 5.0	10 5.3	22 5.0	0
XI	81.4	84.7	- 7.7	- 7.1	- 7.2	- 7.4	- 5.1	- 9.8	0.1	5	-17.5	28	5 5.8	0 -	0 -	2 3.5	1 6.0	10 3.2	5 3.0	7 5.0	18 5.8	25 6.5	7 6.9	7 5.6	3
XII	65.2	68.6	-14.0	-14.2	-14.2	-14.0	-11.6	-16.5	- 2.8	6	-24.4	17	3 2.7	2 3.5	9 7.1	4 5.0	4 6.2	5 5.4	1 3.0	11 4.1	16 5.1	22 5.4	3 3.7	12 3.8	1
1955	780.3	783.6	- 6.4	- 5.4	- 5.9	- 6.0	- 3.4	- 8.4	16.6		-24.4		61 3.9	25 3.2	35 3.9	30 3.7	53 4.3	97 3.7	57 3.8	100 4.0	157 4.9	230 5.2	104 4.8	134 4.5	12

Førde i Sunnfjord

φ = 61° 27′ N (61° 27′) λ = 5° 51′ E (5° 51′) g = ΔG = + 1h

I			- 2.3	- 1.7	- 1.7	- 2.0		- 4.7	7.7	26	-16.9	18	0 -	0 -	1 1.0	0 -	9 1.8	48 1.6	1 1.0	0 -	6 1.8	1 1.0	0 -	14 1.8	12
II			- 7.4	- 5.0	- 5.5	- 6.2		- 9.5	7.1	1	-20.1	21	0 -	0 -	1 3.0	2 1.0	14 2.0	64 1.4	0 -	0 -	0 -	0 -	0 -	1 1.0	2
III			- 4.4	1.7	0.8	- 1.0		- 5.6	6.1	5	-15.3	21	0 -	1 3.0	11 1.5	2 1.5	19 1.9	30 1.6	1 1.0	1 1.0	2 1.0	3 2.3	2 4.0	20 1.6	1
IV			2.2	6.8	6.7	4.5		0.4	13.3	17	- 4.3	24	0 -	2 1.5	5 1.4	3 1.3	8 1.8	35 1.5	1 1.0	2 2.0	1 1.0	4 1.5	6 1.8	22 2.6	1
V			5.5	10.3	9.6	7.5		2.6	22.3	29	- 1.9	13	0 -	4 1.8	3 2.3	5 1.2	13 2.2	23 2.1	0 -	1 2.0	5 2.2	2 3.0	11 2.7	25 2.6	1
VI			9.9	16.2	14.7	12.0		5.4	22.9	1	- 0.2	11	0 -	1 2.0	4 2.8	1 2.0	10 2.3	29 2.0	0 -	1 2.0	2 3.5	0 -	9 2.8	33 3.1	0
VII																									
VIII																									
IX																									
X			3.7	6.3	5.2	4.8	8.0	1.8	17.0	10	- 9.1	31	3 1.0	2 1.5	0 -	5 2.0	45 2.0	3 2.0	4 3.0	1 1.0	1 1.0	9 2.3	18 2.3	0 -	2
XI			3.4	4.4	3.9	3.7	6.0	0.7	11.5	12	- 7.2	29	0 -	0 -	0 -	4 1.0	34 1.1	16 1.7	11 3.2	3 2.3	1 1.0	7 3.1	13 3.9	1 3.0	0
XII			- 1.9	- 2.3	- 2.3	- 2.3	0.8	- 5.3	10.0	5	-19.6	18	8 1.1	0 -	0 -	12 1.6	10 2.8	22 3.4	4 2.8	2 2.5	3 1.7	16 2.1	10 2.9	6 3.8	0

Kinn

φ = 61° 34′ N λ = 4° 48′ E g = 9.821 ΔG = + 1h

I	1003.4	1004.4	2.3	2.6	2.5	2.4	4.0	0.5	8.0	25	- 5.3	16	12 5.3	0 -	4 2.0	4 2.2	8 2.0	19 3.7	20 5.2	7 5.6	11 3.4	2 4.0	3 3.3	2 3.0	1
II	05.2	06.1	- 0.3	0.7	0.2	0.1	2.1	- 1.9	9.5	2	- 7.1	19	4 3.5	3 1.0	7 3.1	8 2.1	21 2.5	28 3.2	9 3.3	1 6.0	2 4.0	1 2.0	0 -	0 -	0
III	14.4	15.3	1.1	2.6	2.0	1.7	3.9	- 0.6	7.0	15	- 5.4	21	21 4.2	17 4.2	3 3.0	3 1.3	3 2.3	18 1.9	12 5.3	6 5.3	3 3.0	0 -	0 -	7 3.6	0
IV	15.6	16.5	3.9	5.3	4.9	4.4	6.6	2.7	10.4	17	- 2.1	21	12 3.1	8 4.0	0 -	4 2.0	0 -	19 1.8	20 2.8	8 2.6	5 2.0	2 3.5	1 2.0	11 2.7	0
V	06.2	07.2	6.2	7.4	7.4	6.6	8.9	4.4	15.4	30	0.0	13	19 2.9	10 3.8	6 3.5	5 1.4	3 2.7	3 2.0	12 2.1	7 2.1	6 2.7	3 2.0	3 2.3	16 2.6	0
VI	13.6	14.5	9.5	11.1	10.8	10.0	12.2	7.9	15.2	1	4.3	12	21 3.2	11 5.9	2 6.0	0 -	1 4.0	6 1.7	14 3.6	10 2.5	3 3.3	0 -	2 1.0	20 1.4	0
VII	17.6	18.5	13.5	14.9	14.9	14.0	16.6	12.2	25.2	11	9.1	8	24 3.2	4 5.2	1 6.0	1 1.0	0 -	3 1.3	7 2.7	29 2.1	7 1.1	1 1.0	1 2.0	13 1.1	2
VIII	17.5	18.4	13.5	15.2	14.5	14.1	16.3	12.1	19.2	26	9.9	23	24 2.2	5 5.6	0 -	1 1.0	0 -	10 2.7	19 3.3	13 1.5	3 2.3	1 2.0	0 -	16 1.6	1
IX	07.4	08.4	12.8	13.8	13.4	13.1	15.2	11.2	20.4	9	7.7	27	6 2.8	2 3.0	2 3.5	2 1.5	7 2.6	16 3.2	18 4.6	14 3.6	16 3.4	4 1.8	0 -	2 3.0	1
X	06.0	07.0	7.3	8.6	7.8	7.7	9.9	5.8	14.2	10	0.5	30	12 5.3	13 3.4	4 1.8	3 2.3	13 2.6	16 2.2	14 4.9	9 6.0	4 1.8	1 1.0	0 -	4 4.0	0
XI	13.4	14.4	7.1	7.6	7.0	7.1	8.6	4.7	11.8	8	- 1.4	28	6 6.3	8 4.6	0 -	2 1.0	4 1.8	27 2.3	5 4.2	9 5.7	4 3.8	3 3.0	5 4.0	17 4.1	0
XII	996.4	997.4	1.9	2.2	2.0	2.0	3.8	- 0.1	10.0	6	- 8.0	17	7 3.7	5 3.4	2 3.5	13 3.2	4 6.0	16 3.9	6 6.3	11 5.6	7 4.1	5 3.2	3 3.0	14 5.5	0
1955	1009.7	1010.7	6.6	7.7	7.3	6.9	9.0	4.9	25.2		- 8.0		168 3.6	86 4.2	31 3.2	46 2.2	64 2.7	181 2.7	156 4.0	124 3.5	71 3.0	23 2.6	18 2.9	122 2.8	5

Nordfjordeid

φ = 61° 56′ N λ = 6° 6′ E g = ΔG = + 1h

I			- 1.0	- 0.4	- 0.4	- 0.7	2.0	- 3.2	9.1	26	-12.0	18	0 -	42 1.4	0 -	0 -	1 4.0	2 3.5	1 4.0	1 3.0	12 1.5	5 1.6	0 -	29 1.4	0
II			- 5.3	- 2.7	- 4.1	- 4.2	- 1.1	- 7.4	7.1	1	-16.4	21	1 2.0	50 1.2	0 -	0 -	0 -	1 3.0	1 6.0	0 -	12 1.1	2 1.0	0 -	17 1.1	0
III			- 4.0	1.2	- 0.1	- 1.4	2.8	- 5.4	7.3	12	-18.2	21	0 -	39 1.5	0 -	0 -	0 -	4 1.2	0 -	0 -	15 1.6	5 1.4	0 -	30 1.6	0
IV			0.6	5.4	4.4	2.9	6.9	- 0.6	12.3	18	- 5.5	23	0 -	35 1.3	0 -	0 -	0 -	4 1.5	0 -	0 -	19 1.2	1 1.0	1 2.0	30 1.5	0
V			4.4	8.9	7.5	6.1	10.1	2.4	21.9	31	- 1.7	13	2 2.0	48 1.5	0 -	2 3.0	0 -	2 1.5	0 -	0 -	9 2.1	0 -	0 -	30 1.6	0
VI			8.9	14.4	13.0	11.0	16.1	5.8	22.1	2	0.7	12	0 -	59 1.5	0 -	0 -	0 -	0 -	0 -	0 -	18 1.3	0 -	0 -	13 1.7	0
VII			13.4	18.5	17.7	15.6	20.6	11.0	30.4	11	5.3	18	0 -	48 1.3	0 -	1 3.0	0 -	0 -	0 -	0 -	29 1.5	0 -	0 -	15 1.2	0
VIII			12.7	18.3	17.0	15.4	20.0	11.4	25.9	25	6.7	29	0 -	54 1.5	0 -	0 -	0 -	0 -	0 -	0 -	29 1.4	0 -	0 -	10 1.8	0
IX			9.2	13.2	11.6	11.0	15.3	7.8	21.2	8	2.9	28	0 -	47 1.3	0 -	0 -	0 -	2 1.0	0 -	2 1.0	16 1.3	1 1.0	0 -	22 1.5	0
X			4.0	6.8	5.3	5.2	8.3	2.7	17.6	10	- 6.0	18	1 3.0	30 1.3	0 -	0 -	2 3.5	0 -	0 -	1 1.0	18 1.9	3 1.0	0 -	38 1.5	0
XI			2.4	3.3	3.2	2.9	5.2	0.8	9.8	12	- 6.5	29	0 -	18 1.2	0 -	0 -	1 3.0	16 1.5	1 1.0	1 2.0	26 1.2	0 -	0 -	27 1.9	0
XII			- 1.2	- 1.8	- 1.7	- 1.7	1.0	- 4.1	9.5	6	-16.1	18	1 2.0	30 1.2	0 -	0 -	0 -	10 3.6	0 -	0 -	12 2.3	3 3.3	0 -	37 1.8	0
1955			3.7	7.1	6.1	5.2	8.9	1.8	30.4		-18.2		5 2.2	500 1.4	0 -	3 3.0	4 3.5	41 2.1	3 3.7	5 1.6	215 1.5	20 1.6	1 2.0	298 1.6	0

Opstryn

φ = 61° 56′ N λ = 7° 14′ E g = ΔG = + 1h

I			- 1.5	- 1.1	- 1.4	- 1.4		- 3.7	5.2	24	-11.2	18	0 -	1 1.0	2 2.0	5 1.0	4 1.2	5 1.6	1 1.0	1 2.0	2 1.0	1 2.0	0 -	0 -	71
II			- 4.8	- 3.7	- 3.7	- 4.3		- 6.6	9.7	1	-13.8	22	0 -	0 -	14 1.7	14 1.4	0 -	1 2.0	3 1.3	0 -	0 -	0 -	0 -	0 -	52
III			- 2.3	0.5	- 1.6	- 1.5		- 4.1	6.3	12	-10.7	22	0 -	4 1.5	5 1.2	9 1.6	1 1.0	2 1.0	1 3.0	0 -	4 1.8	5 1.6	0 -	0 -	62
IV			1.9	5.0	2.6	2.6		0.0	9.9	19	- 3.9	23	0 -	0 -	5 1.0	12 1.3	7 1.4	6 1.3	2 1.0	0 -	3 1.0	3 1.0	0 -	0 -	52
V			6.1	8.9	6.1	6.0		2.6	19.1	31	- 1.4	13	0 -	0 -	3 1.3	15 1.4	9 1.3	8 1.4	0 -	0 -	1 1.0	17 1.2	0 -	0 -	40
VI			11.4	14.0	11.4	11.1		7.5	20.6	20	3.3	8	0 -	1 1.0	5 1.0	17 1.1	9 1.2	8 1.1	3 1.7	3 1.7	3 2.0	4 1.0	0 -	0 -	37
VII			15.8	20.0	16.6	16.2		12.0	28.8	10	7.5	18	0 -	0 -	1 1.0	3 1.0	4 1.5	4 1.5	4 1.5	4 1.8	1 1.0	2 1.0	0 -	0 -	60
VIII			14.5	19.5	16.8	15.7		11.5	25.6	26	6.8	3	0 -	0 -	2 1.0	4 1.0	3 1.0	13 1.4	1 2.0	6 1.2	2 1.0	1 1.0	0 -	0 -	61
IX			10.1	13.1	10.9	10.8		7.8	20.7	10	1.9	28	0 -	1 1.0	0 -	8 1.6	5 3.2	8 2.6	2 1.0	10 2.6	6 1.5	5 1.2	0 -	0 -	45
X			4.5	5.6	4.6	4.7		2.6	14.3	11	- 4.8	31	0 -	4 3.8	2 2.0	5 2.0	6 2.3	10 2.4	1 1.0	4 2.2	3 1.0	6 1.5	0 -	0 -	52
XI			2.6	3.3	3.0	2.8		0.7	10.4	8	- 5.8	29	0 -	0 -	4 2.2	20 2.8	4 2.2	1 2.0	0 -	5 2.6	7 3.9	3 2.7	0 -	0 -	46
XII			- 2.1	- 1.6	- 2.3	- 2.1		- 4.2	9.0	26	-15.1	18	0 -	1 1.0	5 2.6	16 2.7	3 2.0	0 -	1 2.0	1 1.0	4 2.5	10 2.5	0 -	0 -	52
1955			4.7	7.0	5.2	5.0		2.2	28.8		-15.1		0 -	12 2.1	48 1.6	128 1.8	55 1.7	76 1.7	19 1.5	34 2.0	36 2.0	57 1.6	0 -	0 -	630

x) Fanaråken: Lufttrykk red. til 2000 gdm

1955

Fanaråken

H_s = 2062 H_b = 2070.3 h_t = 4.2 h_a = 9.5 h_d = 10 h_r = 3.0

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n: Regn ●	Snø ✱	Sludd	Yr ❟	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.5	6.5	6.4	108	20	25	31	31	24	0	25	19	2	25	10	3	0	25	0	0	0	0	0	0	2	27	18	2	21	31
II					4.7	4.6	4.5	44	10	4	28	28	24	0	20	14	0	14	3	1	0	20	0	0	0	0	0	0	2	21	24		8	28
III					6.1	5.9	5.3	126	30	16	31	31	30	0	22	17	4	26	15	8	0	22	0	0	0	0	0	0	1	27	23	3	13	31
IV					6.6	6.5	6.0	54	13	14	30	30	16	0	22	15	1	24	6	4	0	22	0	0	0	0	0	0	0	26	25	1	17	30
V					6.1	5.9	6.1	113	13	16	29	24	9	0	24	23	5	17	7	1	0	24	0	0	0	0	0	0	0	25	20	3	19	31
VI					5.4	5.1	5.2	17	4	16	23	9	2	0	14	6	0	11	5	4	4	14	4	0	4	0	0	0	0	20	26	4	13	30
VII					4.7	4.8	4.7	42	8	18	7	2	0	0	14	12	0	13	4	1	12	3	1	10	1	1	0	0	0	18	28	5	12	3
VIII					5.1	5.3	5.5	38	12	7	6	0	0	0	12	8	1	13	2	1	11	5	2	10	1	0	0	0	1	22	28	2	14	0
IX					6.2	6.9	6.4	133	20	3	24	8	0	0	24	22	4	21	6	2	14	16	6	11	0	0	0	0	0	28	17	0	19	19
X					6.8	6.9	6.5	170	20	2	31	25	13	0	26	24	5	21	8	7	4	23	1	0	0	0	0	0	0	29	11	1	21	31
XI					7.2	7.0	7.1	210	42	27	30	29	12	0	27	22	7	22	13	10	0	27	0	0	0	0	0	0	0	30	8	0	23	30
XII					7.0	6.7	6.7	164	21	6	31	31	28	0	27	23	6	21	13	8	0	27	0	0	0	0	0	0	0	31	13	0	19	31
1955					6.0	6.0	5.9	1219	42		301	248	158	0	257	205	35	228	92	50	45	228	14	31	6	1	0	0	6	304	241	27	199	295

Førde i Sunnfjord

H_s = 3 (3) H_b = h_t = 1.9 / 2.0 h_a = h_d = 16 / 15.7 h_r = 1.7 / 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	89	88	89	5.7	6.2	5.5	244	53	25	21		6		23	20	8	1	0	0	14	14	3	2	0	0	0	0	6	3	0	4	16	18
II	89	84	82	85	4.6	4.9	3.2	45	11	1	23		18		11	8	1	1	0	0	6	5	0	3	0	0	0	0	2	2	9	7	9	23
III	86	64	65	74	5.1	4.8	4.7	110	17	13	24		8		18	17	4	3	0	0	15	14	9	3	0	0	0	0	10	2	21	4	12	31
IV	87	66	64	74	5.9	6.2	5.7	104	34	13	14		0		19	11	4	0	0	0	15	6	2	0	0	0	0	0	4	9	18	2	15	5
V	81	60	64	72	5.3	5.6	5.3	119	30	10	3		0		18	18	2	2	0	0	18	5	4	1	0	0	0	0	6	5	19	5	13	1
VI	78	53	60	69	3.8	4.6	4.0	61	14	23	3		0		11	8	3	3	0	0	11	0	0	0	0	0	0	0	7	0	20	8	10	0
VII																																		
VIII																																		
IX																																		
X	91	83	88	88	5.9	6.4	5.4	227	40	14	11	0	0	0	24	21	8	0	0	0	23	4	3	4	0	0	0	0	9	6	10	2	18	0
XI	89	87	88	88	6.7	7.0	7.2	206	26	27	10	1	0	0	29	25	9	0	0	0	26	8	5	6	1	0	0	0	12	7	0	0	23	0
XII	83	85	86	85	5.9	6.4	5.7	439	71	29	18	14	9	0	25	22	15	2	2	2	13	14	2	1	0	2	0	0	16	3	0	3	19	24

Kinn

H_s = 9 H_b = 7.6 h_t = 2.0 h_a = h_d = h_r = 1.4

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.5	6.9	6.9	210	28	24	13	4	0	0	22	20	8	21	7	4	14	11	3	2	0	3	0	0	2	0	13	1	24	
II					5.5	4.8	4.5	88	16	1	22	6	0	0	18	14	2	4	1	1	6	13	1	0	0	3	0	0	0	0	23	0	8	
III					5.3	5.3	5.3	96	10	2	17	1	0	0	20	17	2	14	5	3	13	17	7	0	0	0	0	0	5	0	26	2	12	
IV					6.7	6.3	6.2	110	19	13	3	0	0	0	23	17	4	3	0	0	20	7	2	0	0	0	0	0	6	2	21	0	18	
V	83	92	82	82	6.1	5.7	5.2	126	17	5	0	0	0	0	22	21	4	6	1	0	22	6	6	1	0	2	0	0	3	1	23	4	17	
VI	86	81	83	84	4.6	4.6	4.2	56	11	23	0	0	0	0	10	9	1	10	1	1	10	0	0	2	0	0	0	0	0	3	27	5	10	
VII	90	87	86	88	6.1	5.3	5.1	79	22	16	0	0	0	1	19	12	2	6	1	0	19	0	0	6	0	0	0	1	0	8	24	4	16	
VIII	90	86	88	88	5.1	5.5	5.4	92	27	6	0	0	0	0	14	10	3	5	0	0	14	0	0	3	0	0	0	2	5	4	26	0	11	
IX	81	81	83	82	6.4	6.3	6.2	234	36	18	0	0	0	0	23	23	9	12	2	0	23	0	0	0	0	1	0	3	12	0	18	1	20	
X	86	85	84	85	5.9	6.1	6.0	298	43	12	0	0	0	0	24	23	15	18	5	1	24	6	6	0	0	4	0	1	11	0	17	1	14	
XI	86	86	88	87	6.8	7.0	7.2	161	20	1	1	0	0	0	29	24	5	16	2	2	29	4	4	0	0	4	0	0	12	0	6	0	23	
XII	83	83	85	84	5.9	6.0	6.3	219	21	6	17	5	0	0	26	25	10	20	9	2	17	14	5	0	0	10	0	1	8	0	16	0	13	
1955					5.9	5.8	5.7	1769	43		73	16	0	1	250	215	65	135	34	14	211	78	34	14	0	27	0	8	64	18	240	18	186	

Nordfjordeid

H_s = 71 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	87	87	87	7.5	6.8	6.8	234	31	25	21	11	1	0	20	20	10	0	0	0	11	14	2	0	0	0	0	0	10	2	0	0	24	31
II	87	80	79	82	4.8	4.5	4.4	100	33	16	23	20	9	0	14	13	2	1	0	0	5	10	1	0	0	0	0	0	0	2	19	6	12	26
III	91	69	74	80	6.6	5.8	5.5	202	22	30	25	4	9	0	20	20	8	0	0	0	11	19	6	1	0	0	0	1	0	0	15	3	19	31
IV	91	72	74	81	6.6	6.6	6.0	126	34	14	14	0	0	0	16	15	3	0	0	0	9	7	0	0	0	0	0	0	0	1	21	2	19	26
V	85	67	73	78	5.8	5.8	5.7	138	30	12	5	0	0	0	19	17	3	0	0	0	16	8	2	0	0	0	0	0	0	0	20	6	20	4
VI	87	61	68	78	4.7	5.1	5.0	61	13	25	0	0	0	0	9	9	2	1	0	0	9	0	0	0	0	0	0	0	0	0	25	7	16	0
VII	94	72	74	84	5.8	5.0	4.5	63	17	16	0	0	0	5	8	7	4	0	0	0	8	0	0	2	0	0	0	1	0	3	20	8	15	0
VIII	93	72	77	84	6.2	5.6	5.3	57	15	31	0	0	0	3	13	12	1	0	0	0	13	0	0	1	0	0	0	0	0	0	25	2	14	0
IX	97	76	89	90	7.0	6.8	6.6	168	22	12	0	0	0	0	19	17	6	0	0	0	19	0	0	1	0	0	0	0	0	1	13	1	22	0
X	92	82	86	88	6.4	6.8	6.3	245	35	1	10	0	0	0	22	22	10	0	0	0	20	7	3	0	0	0	0	0	0	2	8	3	23	7
XI	94	92	92	93	7.2	6.9	7.6	268	31	23	7	2	0	0	26	24	10	0	0	0	24	9	5	2	0	2	0	2	0	0	0	1	26	17
XII	85	87	88	87	6.0	6.2	6.3	354	67	6	21	14	6	0	24	23	14	0	0	0	14	16	3	1	0	2	0	0	0	0	0	3	20	26
1955	90	76	80	84	6.2	6.0	5.8	2016	67		126	51	25	8	210	199	73	2	0	0	159	90	22	8	0	4	0	4	10	11	166	42	230	168

Opstryn

H_s = 205 H_b = h_t = 1.8 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.2	6.8	5.9	121	29	25	23		2		19	16	4	0	0	0	8	14	2	1	0	1	0	0	20	1	0	2	18	31
II					4.3	4.3	4.4	21	8	16	23		6		14	7	0	0	0	0	4	10	0	0	0	0	0	0	9	2	8	7	8	28
III					5.9	5.2	5.4	121	20	30	27		2		19	16	4	0	0	0	8	19	7	0	0	0	0	0	15	0	21	2	15	31
IV					6.2	6.1	4.7	68	26	13	12		0		13	6	2	1	0	0	7	9	3	0	2	1	0	0	12	0	23	0	12	30
V					5.6	5.6	5.5	60	19	10	6		0		19	9	2	0	0	0	15	9	2	0	2	0	0	0	13	0	22	7	19	9
VI					4.6	5.0	5.0	32	11	24	0		0		9	6	1	0	0	0	9	0	0	0	0	0	0	0	7	0	25	6	13	0
VII					5.1	3.9	4.6	46	20	17	0		0		11	7	1	0	0	0	11	0	0	0	0	0	0	0	10	0	26	6	12	0
VIII					4.1	4.9	4.7	11	3	7	0		0		9	4	0	0	0	0	9	0	0	0	0	0	0	0	7	0	26	4	9	0
IX					5.5	5.8	5.9	79	25	30	0		0		20	10	3	6	0	0	20	0	0	0	0	0	0	0	13	0	25	2	15	0
X					6.5	6.4	6.4	193	39	27	10		0		24	18	8	4	0	0	20	7	2	0	0	0	0	0	22	0	7	2	21	12
XI					6.5	6.7	6.7	157	20	23	12		0		20	17	7	7	0	0	14	14	6	0	0	0	0	0	19	0	0	0	20	16
XII					6.9	6.3	6.3	224	48	6	24		3		22	19	7	3	0	0	10	17	2	0	0	1	0	0	24	0	0	2	21	31
1955					5.6	5.6	5.5	1133	48		137		13		199	135	39	21	0	0	135	99	24	1	4	3	0	0	171	3	183	40	183	188

1955

Kråkenes Fyr

φ = 62° 2′ N λ = 4° 59′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			2.6	2.7	2.6	2.5	4.0	0.9	8.2	26	- 5.6	16
II			0.2	0.6	0.4	0.3	2.0	- 1.1	9.6	2	- 7.5	19
III			1.5	1.9	2.0	1.7	3.2	0.0	5.6	12	- 5.3	21
IV			4.0	4.8	4.7	4.3	5.9	2.9	9.0	30	- 1.3	1
V			5.9	6.3	6.1	5.7	7.6	3.9	14.2	31	- 0.5	9
VI			9.3	9.7	9.7	9.3	11.1	7.9	17.4	2	5.2	9
VII			13.1	13.9	13.9	13.2	15.3	11.9	23.0	11	9.3	8
VIII			13.7	14.3	14.3	13.9	15.9	12.2	21.5	17	9.5	23
IX			12.7	13.3	13.1	12.8	14.8	11.2	21.3	23	7.4	27
X			7.3	7.7	7.7	7.4	9.3	5.6	15.2	10	0.6	30
XI			7.2	7.4	6.9	7.1	8.5	4.4	12.9	8	- 2.0	28
XII			2.0	2.0	2.1	2.0	3.8	- 0.1	9.1	6	- 7.1	17
1955			6.6	7.0	7.0	6.7	8.4	5.2	23.0		- 7.5	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1 9.0	1 4.0	4 5.5	9 2.4	2 2.5	2 5.0	36 5.6	10 4.0	13 4.6	3 4.7	1 9.0	11 5.2	0
II	3 4.0	0 -	12 3.6	13 2.8	0 -	4 2.2	27 4.0	11 3.3	11 3.7	1 7.0	0 -	2 4.0	0
III	9 5.0	1 4.0	25 5.0	9 2.7	0 -	2 2.0	10 6.5	11 6.0	14 4.9	0 -	2 6.5	10 4.8	0
IV	6 4.5	4 3.5	15 3.5	6 2.5	1 3.0	8 3.1	7 5.3	20 5.0	11 4.2	3 4.0	0 -	9 3.2	0
V	9 4.3	8 4.4	25 3.8	7 2.7	3 2.3	4 1.8	7 4.1	7 4.3	12 4.2	7 5.1	0 -	4 4.0	0
VI	8 4.6	8 4.5	24 4.4	6 2.2	1 4.0	2 2.5	2 3.5	9 5.6	21 4.0	1 3.0	2 1.5	6 2.5	0
VII	6 4.5	11 4.6	13 3.0	3 3.7	0 -	1 1.0	4 2.8	18 5.1	33 4.1	2 3.0	2 3.0	0 -	0
VIII	1 5.0	15 3.9	14 4.0	2 2.0	0 -	4 1.8	11 5.5	10 4.6	25 3.8	5 2.8	1 2.0	5 2.6	0
IX	0 -	3 4.7	4 3.5	12 3.2	1 4.0	3 3.0	28 4.8	12 5.2	20 5.8	3 4.7	1 4.0	3 4.0	0
X	9 6.8	3 3.7	15 3.5	10 2.7	1 2.0	9 3.0	11 5.4	12 6.4	11 4.5	2 4.5	6 5.7	4 4.8	0
XI	3 7.7	2 8.0	6 4.8	5 2.6	2 3.0	17 2.5	10 4.7	12 5.8	12 5.7	6 6.0	6 5.2	9 5.7	0
XII	4 5.5	1 4.0	9 3.8	9 3.8	3 3.7	5 4.6	14 5.7	11 5.9	16 5.9	4 7.5	1 6.0	15 5.8	1
1955	59 5.2	57 4.4	166 4.0	91 2.9	14 3.0	61 2.8	167 5.0	143 5.1	199 4.6	37 4.9	22 4.9	78 4.6	1

Tafjord

φ = 62° 13′ N λ = 7° 26′ E g = 9.821 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	1000.9	1004.3	0.0	0.4	0.2	0.1	2.9	- 2.4	12.6	26	-11.0	18
II	03.3	06.9	- 3.1	- 1.4	- 1.9	- 2.3	0.4	- 5.1	10.6	2	-12.5	21
III	11.7	15.0	- 1.4	1.4	0.1	- 0.3	2.9	- 3.0	9.4	4	- 9.2	20
IV	13.2	16.6	2.3	5.6	4.2	3.6	7.1	0.8	12.5	29	- 3.0	24
V	03.6	07.0	4.9	10.0	8.1	6.9	11.2	3.2	21.0	30	- 0.4	10
VI	11.2	14.6	8.7	14.9	13.2	11.3	16.6	7.2	22.0	28	2.5	8
VII	14.8	18.1	12.1	17.9	15.9	14.4	19.6	10.9	31.6	11	7.1	19
VIII	14.7	18.0	13.3	18.2	15.5	15.4	20.1	11.9	26.2	26	7.9	29
IX	04.8	08.1	11.0	14.4	12.0	12.0	15.7	8.8	22.6	10	3.6	28
X	03.4	06.8	5.3	7.5	6.3	6.2	9.2	4.0	20.5	11	- 3.0	31
XI	10.6	14.1	3.9	5.2	4.4	4.4	6.5	2.1	14.0	12	- 5.4	28
XII	994.4	997.8	- 0.5	- 0.3	- 1.0	- 0.7	1.6	- 3.2	10.2	28	-14.5	18
1955	1007.2	1010.6	4.7	7.8	6.5	5.9	9.5	2.9	31.6		-14.5	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	2 1.0	0 -	0 -	0 -	0 -	20 2.8	10 3.3	1 2.0	0 -	0 -	0 -	5 2.2	55
II	2 1.5	0 -	0 -	1 2.0	0 -	25 2.4	5 2.6	0 -	0 -	0 -	0 -	0 -	51
III	6 2.2	0 -	0 -	0 -	0 -	19 2.5	3 3.0	0 -	0 -	2 1.5	1 4.0	7 2.7	55
IV	6 2.3	0 -	0 -	0 -	0 -	15 2.9	9 2.7	1 3.0	0 -	0 -	0 -	6 1.5	53
V	9 1.4	1 1.0	0 -	0 -	0 -	13 2.3	3 1.3	1 2.0	0 -	0 -	2 1.5	12 1.9	59
VI	26 1.8	2 3.0	0 -	0 -	0 -	7 2.0	8 2.4	2 1.5	0 -	0 -	0 -	6 1.5	39
VII	6 1.0	0 -	0 -	0 -	0 -	2 1.5	2 2.5	1 1.0	0 -	0 -	3 2.0	3 1.3	75
VIII	15 1.5	0 -	0 -	0 -	0 -	3 2.3	4 2.0	0 -	0 -	1 2.0	0 -	7 2.1	67
IX	2 1.0	0 -	0 -	0 -	0 -	8 3.9	14 2.3	0 -	0 -	0 -	0 -	2 1.5	64
X	5 1.6	0 -	0 -	0 -	0 -	19 2.8	10 2.7	0 -	0 -	0 -	3 1.3	2 1.5	54
XI	8 3.8	0 -	0 -	0 -	0 -	30 3.7	2 1.0	0 -	0 -	0 -	1 2.0	9 2.8	40
XII	9 2.9	0 -	0 -	0 -	0 -	27 3.1	7 2.6	4 1.8	0 -	0 -	0 -	2 2.0	44
1955	96 2.0	3 2.3	0 -	1 2.0	0 -	188 2.9	77 2.5	10 1.8	0 -	3 1.7	10 1.9	61 2.0	64

Runde Svinøy Fyr

φ = 62° 24′ / 62° 20′ N λ = 5° 39′ / 5° 16′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			2.5	2.7	2.3	2.5	3.9	0.9	10.2	26	- 5.7	16
II			- 0.4	1.2	0.1	0.2	2.5	- 1.4	8.6	1	- 7.9	19
III			1.0	2.5	1.5	1.6	3.8	- 0.3	6.6	11	- 5.9	21
IV			3.6	5.7	4.7	4.4	6.8	2.4	10.4	30	- 1.4	1
V			5.7	7.1	6.2	5.9	8.4	3.8	17.5	30	- 1.0	9
VI			12.2	13.3	13.1	12.6	14.6	11.1	23.5	11	7.8	22
VII			13.4	14.5	13.9	13.7	15.8	12.1	21.0	17	9.5	8
VIII												
IX			12.4	13.2	12.8	12.6	14.6	11.0	20.5	23	7.4	27
X			7.3	8.1	7.8	7.6	9.6	5.8	16.0	10	0.7	30
XI			6.9	7.1	6.4	6.7	8.4	4.5	11.5	9	- 1.2	28
XII			2.4	2.2	2.1	2.2	4.2	0.4	9.9	5	- 6.6	18

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	3 5.7	3 3.3	4 1.5	0 -	10 3.1	11 2.5	32 4.0	3 3.0	3 4.7	4 3.8	13 4.8	7
II	2 4.0	8 4.4	3 2.7	1 1.0	3 1.0	18 1.6	14 2.4	14 3.3	2 2.5	2 6.0	0 -	2 3.5	15
III	6 3.3	12 4.8	11 3.1	3 1.3	0 -	3 1.3	4 5.0	19 4.5	0 -	8 3.6	13 4.0	5 5.8	9
IV	5 2.4	8 3.5	6 2.5	10 1.8	0 -	9 2.3	2 1.0	13 2.8	6 2.8	6 3.5	11 2.8	2 3.5	12
V	1 3.0	20 4.0	10 2.8	17 1.5	0 -	2 2.0	0 -	10 3.1	7 3.7	4 3.2	9 4.9	2 4.0	11
VI	9 2.2	9 3.6	13 4.0	0 -	0 -	0 -	1 2.0	1 5.0	39 4.2	10 3.1	0 -	3 1.7	8
VII	11 2.8	14 3.4	5 3.0	0 -	0 -	4 1.5	8 3.8	3 4.3	29 3.8	7 2.3	1 2.0	5 2.2	0
VIII													
IX	7 2.9	5 2.2	4 2.2	1 3.0	0 -	5 1.6	11 3.5	11 4.4	29 5.1	10 4.9	1 1.0	3 3.0	3
X	9 4.9	6 4.2	2 2.0	4 2.8	1 3.0	15 2.0	10 3.7	7 5.7	15 4.9	4 3.2	6 4.5	11 5.0	3
XI	4 5.2	3 5.0	2 3.5	3 1.0	1 1.0	11 1.9	12 2.4	0 -	26 5.8	11 5.2	4 6.0	10 6.0	5
XII	6 5.0	4 2.8	7 4.4	6 3.3	1 1.0	5 3.2	15 4.4	3 5.7	19 5.7	8 6.1	4 6.2	14 5.6	0

Ona

φ = 62° 52′ N λ = 6° 33′ E g = 9.822 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	1001.5	1003.1	2.6	2.6	2.6	2.5	4.0	0.9	8.5	26	- 5.6	16
II	04.4	06.0	0.2	0.9	0.7	0.5	2.3	- 0.9	6.5	1	- 6.2	19
III	13.0	14.5	1.5	2.5	2.1	1.9	3.7	- 0.1	6.7	12	- 4.8	21
IV	15.0	16.5	3.5	4.4	4.3	3.8	5.4	2.3	7.8	19	- 1.6	22
V	05.9	07.4	5.1	6.3	5.9	5.2	7.2	4.0	13.6	31	- 1.2	9
VI	13.7	15.2	8.9	9.8	9.2	9.0	10.8	7.5	16.0	24	3.7	7
VII	17.3	18.8	12.4	13.4	13.2	12.7	14.6	11.3	21.1	11	9.1	18
VIII	17.4	18.9	13.5	14.4	13.8	13.7	15.7	12.1	21.3	24	9.4	8
IX	06.6	08.1	12.1	13.3	13.0	12.6	14.7	10.9	19.5	9	7.5	28
X	04.8	06.4	7.2	7.9	7.6	7.4	9.6	5.6	15.4	10	0.5	16
XI	11.5	13.1	6.5	6.8	6.4	6.5	8.0	4.4	10.3	12	- 0.9	28
XII	994.8	996.3	1.7	1.6	1.8	1.7	3.5	- 0.2	9.5	5	- 8.6	18
1955	1008.8	1010.4	6.3	7.0	6.7	6.5	8.3	4.8	21.3		- 8.6	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	3 2.0	2 6.5	4 4.5	2 2.5	3 2.7	13 2.6	8 3.0	12 3.9	21 5.0	9 5.1	9 4.3	5 5.6	0
II	1 2.0	4 3.2	4 5.8	3 2.7	4 3.5	17 2.2	12 2.2	16 4.1	12 4.9	4 4.8	0 -	6 3.2	1
III	2 4.0	9 3.7	6 3.3	4 2.2	5 2.4	4 2.5	2 2.5	11 3.8	20 6.5	6 6.0	4 4.5	19 4.4	1
IV	2 3.0	7 2.7	10 3.9	6 2.0	2 2.0	6 2.0	3 2.3	11 2.5	16 4.9	10 3.0	4 3.2	12 3.2	1
V	2 3.0	10 3.5	31 2.2	4 2.2	0 -	1 3.0	2 1.5	4 3.2	9 5.7	17 4.4	2 2.5	8 3.6	3
VI	3 2.7	17 2.7	27 3.6	2 2.5	0 -	1 1.0	2 3.0	3 2.7	9 6.0	11 2.5	3 2.3	7 2.1	5
VII	4 2.2	19 2.5	15 3.9	2 1.5	0 -	1 3.0	2 1.5	4 2.2	20 4.8	19 3.8	2 2.0	1 1.0	4
VIII	2 2.0	14 3.2	13 2.8	3 1.3	0 -	4 2.2	5 1.8	7 2.3	15 3.3	14 3.5	1 2.0	11 2.5	4
IX	1 2.0	9 2.3	5 3.0	4 2.2	1 3.0	7 2.3	11 2.7	16 3.6	12 5.2	17 5.4	2 4.0	4 2.5	1
X	7 4.4	7 3.7	0 -	5 1.8	5 3.0	18 2.3	5 2.6	11 3.7	12 5.2	4 5.5	8 3.9	9 4.1	2
XI	2 5.5	7 4.3	1 4.0	4 2.8	2 2.5	14 2.5	6 2.5	7 3.9	18 6.0	16 5.8	6 6.0	6 4.7	1
XII	3 5.0	4 4.2	1 3.0	6 4.3	6 4.0	9 4.2	6 2.8	24 4.3	6 5.8	10 5.4	9 5.4	9 5.3	0
1955	32 3.4	109 3.2	117 3.7	45 2.4	28 3.0	95 2.5	64 2.5	126 3.6	170 5.2	137 4.5	50 4.2	97 3.7	25

Gjermundnes

φ = 62° 37′ N λ = 7° 10′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			0.0	0.3	0.1	0.0	2.4	- 2.3	11.0	26	-11.2	18
II			- 3.6	- 0.9	- 2.7	- 2.7	0.1	- 5.7	5.5	28	-14.0	19
III			- 1.0	1.8	0.6	0.3	3.7	- 2.6	8.6	3	-12.1	21
IV			2.3	4.7	4.0	3.2	6.7	0.2	12.0	19	- 6.8	23
V			4.9	7.7	7.4	6.0	9.6	2.4	21.6	31	- 2.2	10
VI			9.6	12.8	11.7	10.4	14.5	6.4	21.2	1	1.2	10
VII			13.8	16.7	16.4	14.8	18.9	11.6	27.0	11	6.8	6
VIII			13.2	16.3	15.4	14.5	18.2	11.1	23.9	17	4.9	3
IX			9.9	12.9	11.5	11.1	15.1	8.1	19.6	7	4.6	4
X			4.2	6.6	5.0	5.1	8.4	2.8	17.0	11	- 5.2	18
XI			3.8	4.7	3.9	4.0	6.3	1.7	10.1	12	- 5.0	29
XII			- 0.5	- 0.2	- 0.8	- 0.6	2.1	- 3.5	10.9	6	-16.0	18
1955			4.7	7.0	6.0	5.5	8.8	3.4	27.0		-16.0	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	3 1.7	0 -	7 1.3	15 1.3	2 1.5	2 1.0	23 2.3	24 1.9	14 2.5	3 2.7	0 -	0 -	0
II	1 1.0	2 2.0	2 2.0	8 1.0	0 -	4 1.0	10 1.7	30 1.6	11 1.3	2 1.0	1 1.0	0 -	13
III	2 2.0	3 2.3	9 1.3	4 1.0	1 1.0	1 1.0	12 2.3	19 2.7	24 2.6	5 3.2	5 3.6	2 2.5	6
IV	5 1.4	5 1.8	10 1.4	6 1.7	1 1.0	5 1.8	11 1.6	10 2.1	9 3.0	4 2.2	6 1.8	6 1.2	12
V	7 1.4	12 1.8	8 1.8	4 1.8	1 1.0	0 -	10 2.0	9 2.6	15 2.5	5 1.6	5 1.4	7 1.4	10
VI	10 1.7	10 1.9	9 1.3	4 1.5	0 -	1 1.0	3 1.0	7 2.3	6 2.8	4 1.2	17 2.1	13 2.2	6
VII	3 1.0	7 1.4	4 1.0	0 -	0 -	0 -	5 1.2	2 3.0	13 1.5	9 1.8	23 1.6	5 1.0	22
VIII	1 1.0	7 1.3	2 1.5	3 1.0	0 -	0 -	8 1.5	4 1.2	5 1.6	2 1.0	16 1.2	8 1.5	37
IX	2 1.0	5 1.2	7 1.1	7 1.1	1 1.0	3 1.0	15 1.5	13 2.5	7 3.6	3 2.0	5 1.6	1 1.0	21
X	0 -	5 1.2	2 1.5	10 1.2	2 1.0	1 1.0	11 1.8	28 1.2	19 2.2	5 2.8	2 3.0	1 3.0	7
XI	3 2.3	3 1.3	3 1.3	4 1.0	0 -	3 2.0	12 2.1	25 2.1	23 2.7	7 3.0	1 1.0	4 3.2	2
XII	1 6.0	2 1.0	4 1.0	4 1.2	11 2.0	6 1.2	31 2.3	11 2.5	13 2.4	6 3.8	2 2.5	0 -	2
1955	38 1.7	61 1.6	67 1.4	69 1.2	19 1.6	26 1.3	151 2.0	182 2.0	159 2.4	55 2.4	83 1.8	47 1.8	139

Årsoversikter

Annual Summaries)

1955

Kråkenes Fyr

H_s = 38 H_b = h_t = 2.2 h_a = 13.5 h_d = 7 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ,	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær	Over-skyet	Snødekke
I					6.6	7.0	7.0	143	22	10	10	3	0	0	24	18	6	21	9	7	16	11	3	2	0	3	0	0	0	0	4	1	24	
II					5.4	5.0	5.2	59	11	14	20	5	0	0	19	13	1	13	5	2	9	14	4	0	0	1	0	0	0	0	17	2	12	
III					5.9	5.7	5.4	57	7	4	14	2	0	0	23	16	0	24	9	4	15	15	7	1	0	1	0	0	0	0	16	3	14	
IV					6.3	6.3	5.7	45	8	7	6	0	0	0	19	13	0	20	2	2	16	5	2	0	0	3	0	0	1	2	19	1	14	
V					6.1	6.1	5.8	71	13	5	3	0	0	0	19	16	1	12	2	0	19	6	6	1	0	0	0	0	1	2	21	5	19	
VI					5.5	4.4	4.2	43	10	23	0	0	0	0	11	7	1	13	4	2	11	0	0	0	0	0	0	0	0	5	22	7	10	
VII					6.1	5.2	5.4	46	13	16	0	0	0.	0	15	11	1	13	4	2	15	0	0	5	0	0	0	1	0	11	22	5	14	
VIII	87	87	88	87	5.5	6.1	5.9	61	13	31	0	0	0	0	16	12	2	10	3	0	16	0	0	1	0	0	0	0	1	6	27	1	15	
IX	83	84	84	84	6.9	7.0	6.5	169	27	18	0	0	0	0	22	17	7	21	8	4	22	0	0	2	0	1	0	0	0	1	19	0	21	
X	86	84	84	84	6.5	6.3	6.0	201	49	12	0	0	0	0	24	23	6	19	10	6	24	6	6	0	0	2	0	1	0	0	15	2	19	
XI	88	88	90	89	7.2	7.2	7.3	100	10	26	2	0	0	0	29	21	0	23	13	8	29	6	5	0	0	4	0	1	0	0	6	0	26	
XII	88	87	89	89	5.9	6.7	6.1	147	18	2	18	4	0	0	25	22	5	24	10	7	16	14	5	0	0	1	0	0	0	0	5	1	17	
1952					6.2	6.1	5.9	1142	49		73	14	0	0	246	189	30	213	79	44	208	77	38	12	0	16	0	3	3	27	193	28	205	

Tafjord

H_s = 27 H_b = 27.7 h_t = 1.9 h_a = h_d = h_r = 1.5

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	78	74	75	76	6.5	6.0	6.1	120	24	15	19	9	1	0	18	16	5	0	0	0	8	12	2	0	0	0	0	0	4	0	0	4	19	26
II	70	63	64	66	4.6	4.9	3.9	34	13	16	23	18	1	0	9	7	1	0	0	0	0	9	0	0	0	0	0	0	3	0	1	9	10	23
III	75	62	65	68	6.1	5.5	5.4	178	33	28	22	5	0	0	16	14	8	2	0	0	6	15	5	0	0	0	0	0	7	0	13	4	16	28
IV	73	62	67	69	6.6	6.2	6.3	64	30	14	10	0	0	0	15	9	1	0	0	0	10	8	3	1	0	0	0	0	2	0	12	3	22	17
V	77	55	62	69	5.6	5.5	5.8	66	15	11	1	0	0	0	16	13	1	0	0	0	15	6	4	2	0	0	0	0	2	0	16	7	19	4
VI	80	52	53	66	4.8	4.6	5.5	21	9	24	0	0	0	0	8	5	0	1	0	0	8	0	0	0	0	0	0	0	0	0	19	7	13	0
VII	94	69	77	85	5.3	5.1	4.7	30	11	18	0	0	0	2	11	7	1	0	0	0	11	0	0	6	0	0	0	0	4	2	18	6	14	0
VIII	89	68	75	81	5.7	5.7	6.0	10	2	7	0	0	0	3	7	5	0	0	0	0	7	0	0	0	0	0	0	0	3	0	17	2	16	0
IX	84	70	80	80	6.4	6.2	5.8	44	13	17	0	0	0	0	13	11	1	1	0	0	13	0	0	0	0	0	0	0	0	0	10	3	21	0
X	84	77	78	80	6.5	6.3	6.2	200	33	30	4	0	0	0	21	18	8	1	1	0	17	7	3	2	0	0	0	0	7	0	6	4	23	8
XI	83	77	80	80	7.2	7.1	6.7	168	24	27	7	1	0	0	22	17	7	2	1	0	18	11	2	2	0	0	0	0	4	0	0	1	24	11
XII	72	70	74	72	5.5	6.7	6.3	191	25	8	21	15	2	0	19	17	8	1	0	0	9	14	4	0	0	0	0	0	0	0	0	3	19	25
1955	80	67	71	74	5.9	5.8	5.7	1126	33		107	48	4	5	175	139	41	8	2	0	122	82	23	13	0	0	0	0	36	2	112	53	216	142

Runde / Svinøy Fyr

H_s = 21 / 39 H_b = h_t = 1.9 / 1.8 h_a = h_d = h_r = 1.3 / 1.7

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.8	6.5	6.4	169	27	10	10	6	0	0	24	21	7	11	7	5	15	11	2	1	0	4	0	0	0	0	9	2	21	
II					4.7	4.4	3.3	79	11	10	17	5	0	0	18	17	1	5	1	1	8	14	3	1	0	1	0	1	0	0	20	9	6	
III					5.8	5.3	5.5	89	17	31	16	1	0	0	25	20	1	13	8	6	10	20	4	2	0	7	0	1	0	0	19	4	16	
IV					5.9	5.9	5.5	64	11	13	6	0	0	0	21	17	1	3	0	0	14	8	1	1	0	6	0	0	0	1	22	2	16	
V					5.1	5.7	5.5	108	25	10	3	0	0	0	22	18	3	6	0	0	18	7	0	3	0	2	0	0	0	1	24	6	14	
VI																																		
VII					6.5	5.4	5.2	23	8	13	0	0	0	0	13	7	0	7	1	1	13	0	0	10	0	0	0	0	1	16	16	2	14	0
VIII					6.4	6.2	6.0	36	11	31	0	0	0	0	15	9	1	5	0	0	15	0	0	3	0	0	0	0	0	5	19	1	16	0
IX					6.5	5.9	6.1	81	14	28	0	0	0	0	20	14	2	11	5	2	20	0	0	2	0	0	0	1	0	0	13	0	17	0
X					5.9	6.1	6.0	141	24	21	0	0	0	0	24	23	3	15	6	4	24	6	5	1	1	0	0	0	0	0	8	1	16	1
XI					6.6	6.9	6.8	76	7	2	1	0	0	0	27	21	0	18	10	4	27	10	10	7	0	4	0	0	0	0	4	0	19	0
XII					6.0	6.6	6.0	96	10	20	15	3	0	0	25	23	1	21	9	4	14	16	5	2	0	1	0	1	0	0	0	1	17	15

Ona

H_s = 11 H_b = 12.5 h_t = 2.1 h_a = 13 h_d = h_r = 1.4

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	83	85	82	6.4	6.7	6.7	208	33	29	11	3	0	0	26	24	7	15	9	4	16	14	2	3	0	0	0	0	0	0	2	1	21	16
II	81	60	78	80	4.8	5.1	4.4	85	13	16	16	4	0	0	18	16	2	9	3	0	10	14	6	0	0	0	0	0	0	0	7	6	10	19
III	82	77	79	80	5.5	5.5	6.1	96	14	30	16	1	0	0	25	20	1	16	8	5	16	15	5	1	0	4	0	1	0	0	9	3	17	16
IV	83	81	82	82	6.1	5.4	5.4	81	12	6	5	0	0	0	18	15	3	4	2	0	11	7	0	2	0	0	0	0	0	0	9	3	15	7
V	89	82	86	88	5.5	5.0	5.1	118	26	10	2	0	0	0	20	17	4	14	2	1	19	7	6	2	0	1	0	0	0	0	16	6	14	1
VI	85	83	84	84	4.8	4.8	4.7	50	14	25	0	0	0	0	12	10	2	8	1	1	12	0	0	1	0	0	0	0	0	2	16	5	12	0
VII	89	86	88	89	6.2	5.3	4.9	26	5	16	0	0	0	0	10	10	0	9	3	0	10	0	0	7	0	0	0	0	0	8	15	3	12	0
VIII	88	83	86	86	6.4	6.0	6.2	56	18	2	0	0	0	0	12	11	1	3	1	0	12	0	0	4	0	0	0	0	1	4	11	0	17	0
IX	86	78	80	82	5.8	6.1	5.5	119	21	12	0	0	0	0	20	16	4	12	3	1	19	0	0	0	0	0	0	0	0	0	10	2	13	0
X	80	78	80	80	5.7	6.0	6.3	232	57	10	0	0	0	0	24	24	7	11	6	3	23	7	6	1	0	7	0	0	0	0	7	3	20	0
XI	87	83	83	85	7.2	6.7	6.7	226	33	2	2	0	0	0	26	24	9	18	13	3	24	9	8	3	0	3	0	0	0	0	1	1	22	2
XII	80	78	80	79	5.9	5.8	6.0	193	20	2	17	6	0	0	23	23	7	21	7	4	13	14	4	0	0	4	0	1	0	0	3	2	17	22
1955	84	81	83	83	5.9	5.7	5.7	1490	57		69	14	0	0	234	210	47	140	58	22	185	87	37	24	0	19	0	2	1	14	106	35	190	83

Gjermundnes

H_s = 51 H_b = h_t = 1.8 h_a = h_d = 8.5 h_r = 1.6

Måned	U 7	13	19	Dies	N 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	84	83	82	5.9	6.7	6.5	183	37	10	18	8	2	0	23	18	6	4	0	0	13	15	5	2	3	0	0	0	1	3	2	1	20	31
II	82	75	76	78	4.7	4.8	4.2	57	16	10	22	13	5	0	17	10	2	0	0	0	8	12	4	1	0	0	0	0	3	0	14	8	10	26
III	82	68	70	75	6.3	5.5	5.7	164	22	31	20	3	2	0	23	17	7	2	1	0	15	21	13	1	3	0	0	1	5	0	15	3	16	31
IV	82	70	74	77	6.0	5.7	5.8	103	14	14	14	0	0	0	20	17	5	0	0	0	13	10	3	0	2	1	0	0	3	1	17	3	17	22
V	83	71	73	78	5.3	5.6	5.5	108	20	20	4	0	0	0	20	17	4	1	0	0	18	8	4	1	2	0	0	0	2	0	19	6	16	4
VI	82	68	72	77	4.6	5.0	5.0	44	8	24	0	0	0	0	13	10	0	1	1	0	13	1	1	0	3	0	0	0	1	0	24	5	10	0
VII	88	75	76	81	6.3	4.8	4.9	22	7	18	0	0	0	2	13	7	0	0	0	0	13	0	0	2	0	0	0	0	7	0	20	5	16	0
VIII	92	78	80	85	6.3	5.5	5.7	34	12	19	0	0	0	0	15	9	1	0	0	0	13	0	0	5	0	0	0	0	10	1	18	1	15	0
IX	88	76	82	83	5.6	6.0	5.6	78	21	17	0	0	0	0	25	15	2	1	1	0	19	0	0	1	0	0	0	0	3	1	20	1	12	0
X	88	78	83	84	6.3	5.9	5.8	216	25	1	10	0	0	0	24	21	12	3	1	1	22	7	6	0	2	1	0	0	2	0	11	4	20	5
XI	88	87	85	86	7.0	7.1	6.5	176	20	27	5	0	0	0	28	22	7	5	0	0	23	8	5	0	5	2	0	1	4	0	3	1	24	12
XII	78	75	61	78	5.0	6.5	5.8	226	43	6	21	10	5	0	23	22	7	3	0	0	10	15	2	0	3	0	0	0	0	0	0	3	16	25
1955	84	75	78	80	5.8	5.8	5.6	1411	43		114	34	14	2	244	185	53	20	4	1	180	97	43	13	23	4	0	2	41	6	163	41	192	158

1955

Sunndal

φ = 62° 33′ N λ = 9° 7′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.1	- 3.3	- 3.8	- 3.8		- 7.2	10.4	24	-19.6	18	0 -	1 2.0	1 1.0	9 1.9	30 1.6	11 1.6	5 1.2	3 1.7	6 1.0	4 1.8	12 1.9	9 1.3	2
II			- 8.9	- 5.6	- 6.4	- 7.3		-10.6	5.2	3	-19.8	18	0 -	0 -	5 2.2	26 2.0	25 1.8	4 2.5	6 1.3	4 2.2	0 -	1 1.0	1 1.0	7 1.7	5
III			- 4.8	1.0	- 2.4	- 2.5		- 6.7	7.0	12	-19.1	21	4 1.2	4 2.2	2 1.0	13 1.8	12 1.8	6 1.2	8 1.4	3 1.7	4 2.2	2 1.5	9 2.3	22 1.7	4
IV			- 0.6	5.3	1.5	1.4		- 2.3	10.9	30	- 9.8	26	12 2.1	2 2.5	2 1.0	1 1.0	8 2.0	5 1.8	10 1.7	13 1.3	3 1.7	1 1.0	4 1.2	26 1.8	3
V			4.0	9.2	5.6	5.2		0.8	20.7	31	- 3.0	12	7 3.1	3 3.3	3 2.0	3 2.7	12 1.9	3 2.0	6 2.5	10 1.6	11 2.2	8 2.0	8 3.2	17 2.1	2
VI			9.8	14.7	11.6	10.6		5.2	21.8	22	- 1.2	8	22 2.7	2 2.0	0 -	9 2.2	5 2.2	4 2.5	8 2.6	5 2.8	7 2.4	2 2.5	7 2.0	19 3.4	0
VII			13.8	19.3	16.4	15.3		10.5	28.4	11	4.1	19	19 2.7	5 2.0	0 -	3 1.3	5 1.6	5 2.2	14 2.4	4 2.2	4 2.0	5 3.2	10 3.2	16 2.5	3
VIII			11.9	19.0	14.7	14.4		10.5	26.1	24	5.0	29	9 3.2	1 3.0	0 -	1 3.0	13 1.8	7 1.9	7 2.0	12 1.8	6 2.8	6 2.5	7 2.6	13 2.8	11
IX			7.5	14.7	9.6	9.9		5.8	22.0	9	1.3	28	1 3.0	0 -	1 1.0	3 2.0	13 2.1	2 3.0	23 2.1	18 2.0	6 2.7	2 3.0	6 1.5	8 3.5	7
X			2.0	5.4	2.8	3.1		0.3	15.0	13	- 9.6	18	6 2.5	2 2.5	1 3.0	8 2.2	21 1.9	1 1.0	9 1.7	7 1.7	6 2.3	6 2.0	3 1.3	14 1.6	9
XI			0.0	2.3	0.8	0.8		- 1.7	9.9	12	-15.0	29	11 2.1	2 2.0	1 2.0	4 2.2	9 2.4	9 2.4	13 2.2	11 2.1	3 3.3	7 1.1	4 1.5	8 2.1	8
XII			- 5.4	- 4.6	- 4.8	- 5.0		- 8.2	6.2	28	-20.7	18	3 2.0	1 1.0	3 1.7	2 2.0	23 2.4	9 2.4	16 2.2	5 1.0	11 1.9	1 3.0	0 -	18 2.0	1
1955			2.1	6.4	3.8	3.5		- 0.3	28.4		-20.7		94 2.6	23 2.3	19 1.7	82 2.0	176 1.9	66 2.0	125 2.0	95 1.8	67 2.2	45 2.1	71 2.2	177 2.2	55

Tingvoll
Tingvoll II

φ = 62° 50′ / 62° 54′ N λ = 8° 19′ / 8° 13′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.2	- 0.9	- 1.3	- 1.6	1.1	- 4.1	8.4	24	-16.0	18	1 2.0	1 1.0	7 1.0	5 1.0	3 1.3	2 4.5	6 2.7	13 2.8	16 2.9	0 -	2 1.0	2 1.0	35
II			- 6.1	- 2.5	- 4.3	- 4.6	- 0.3	- 8.4	6.8	1	-16.2	18	3 1.0	5 1.4	1 1.0	10 1.1	4 1.0	1 2.0	6 1.5	1 1.0	7 2.1	2 1.5	1 1.0	1 1.0	42
III			- 2.5	1.9	- 0.2	- 0.6	3.5	- 4.1	9.2	12	-16.0	20	3 1.3	2 2.0	4 1.0	4 1.2	1 2.0	7 1.1	3 1.0	5 1.2	29 1.8	7 2.4	0 -	7 1.6	21
IV			0.3	5.7	3.9	2.7	7.1	- 1.3	13.5	30	- 9.0	23	1 1.0	4 1.2	3 1.3	5 1.2	1 1.0	2 1.5	1 1.0	4 1.8	28 1.9	6 1.7	6 1.5	12 1.2	17
V			3.9	9.6	8.2	6.1	11.6	1.3	23.8	31	- 2.2	10	6 2.3	6 1.8	1 3.0	4 2.0	14 2.0	4 1.0	3 2.0	9 2.4	21 3.0	4 2.0	5 2.6	7 2.3	9
VI			8.3	15.1	13.3	10.9	16.9	5.2	24.1	1	- 0.2	9	3 2.0	12 2.0	1 1.0	2 1.5	5 1.4	1 4.0	5 2.8	7 2.0	11 3.3	6 2.3	8 2.8	8 1.9	21
VII																									
VIII																									
IX																									
X			3.6	6.0	4.3	4.4	7.3	1.9	14.4	9	- 5.5	18	3 3.3	4 1.2	0 -	4 1.8	2 3.0	11 2.0	11 2.5	20 1.6	12 2.4	4 1.5	8 1.6	4 3.2	10
XI			2.2	3.3	2.2	2.5	4.6	- 0.3	8.8	22	-11.3	29	3 5.7	1 4.0	2 2.5	4 1.5	0 -	8 2.6	29 2.2	14 2.4	11 3.3	2 3.0	7 2.9	4 3.2	5
XII			- 2.5	- 3.0	- 2.4	- 2.7	0.8	- 6.7	9.0	6	-19.4	18	3 3.0	1 3.0	1 3.0	2 2.5	3 2.0	16 4.2	7 2.7	18 1.9	13 2.3	2 3.0	8 1.9	12 3.9	7

Kristiansund N.

φ = 63° 7′ N λ = 7° 45′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.4	1.6	1.4	1.5	3.0	- 0.1	9.2	24	- 8.7	18	1 4.0	2 3.0	0 -	1 2.0	2 3.0	34 1.6	2 1.0	0 -	25 3.8	4 4.5	7 5.3	2 5.0	12
II			- 1.6	0.1	- 0.7	- 0.9	1.1	- 3.4	6.7	1	-10.3	18	0 -	6 3.2	8 1.8	9 1.9	0 -	22 1.7	0 -	1 2.0	17 3.4	3 1.7	1 2.0	4 3.5	13
III			0.3	2.2	1.6	1.2	3.7	- 1.5	8.2	12	- 9.9	20	6 2.2	5 1.8	5 2.8	3 1.3	2 1.5	4 1.5	0 -	1 4.0	29 4.4	8 2.4	8 4.4	3 3.3	19
IV			2.8	5.4	4.6	3.9	6.5	1.3	12.2	30	- 2.6	23	5 2.2	2 2.0	4 3.0	4 1.5	3 3.0	16 2.0	0 -	0 -	22 3.6	6 2.5	4 3.2	7 3.0	17
V			5.2	8.1	7.3	6.3	9.4	3.3	20.4	31	- 2.0	10	4 1.8	17 2.7	16 2.6	6 2.3	0 -	0 -	0 -	3 3.7	21 3.8	6 2.0	6 3.2	4 4.2	10
VI			9.4	12.1	11.7	10.4	13.5	7.3	20.8	24	2.8	9	8 2.2	23 2.9	2 2.5	3 1.3	1 1.0	2 2.0	0 -	1 7.0	12 3.0	7 2.0	3 2.0	10 2.9	18
VII			13.1	15.8	15.6	14.2	17.6	11.9	25.4	11	7.7	6	9 2.0	12 1.9	3 2.0	5 2.0	1 1.0	1 2.0	0 -	0 -	35 3.3	9 1.8	2 3.0	4 1.0	12
VIII			13.0	16.0	15.2	14.3	17.5	11.7	25.3	17	6.9	3	0 -	20 1.2	14 2.0	10 3.0	2 3.5	4 1.2	1 1.0	0 -	14 3.4	2 1.5	0 -	3 2.0	23
IX			11.3	13.5	12.6	12.2	15.2	9.7	20.8	9	5.7	27	3 1.3	5 2.6	3 2.3	8 2.0	10 2.1	10 2.2	0 -	6 4.0	25 4.6	9 3.1	1 1.0	1 5.0	9
X			5.5	6.9	6.2	6.0	8.9	3.9	14.5	14	- 1.4	18	6 3.7	1 2.0	1 1.0	6 2.0	29 2.4	6 2.2	3 2.3	3 2.3	7 3.0	11 3.4	8 4.2	7 4.0	5
XI			5.0	5.5	5.0	5.1	7.3	2.5	10.0	12	- 6.0	29	6 4.5	3 2.0	1 3.0	4 1.8	16 2.1	10 1.7	2 4.0	1 4.0	23 4.6	9 4.8	5 7.2	10 4.6	6
XII			0.2	0.2	0.2	0.1	2.7	- 2.1	10.6	6	-12.5	18	5 4.8	4 2.5	1 3.0	21 2.7	12 2.9	9 3.1	6 3.3	1 7.0	13 4.5	3 3.0	6 4.5	10 5.4	2
1955			5.5	7.3	6.7	6.2	8.9	3.7	25.4		-12.5		53 2.8	100 2.3	58 2.3	80 2.2	78 2.4	118 2.0	14 2.7	17 3.9	243 3.9	77 2.9	51 4.3	65 3.8	141

Vinjeøra

φ = 63° 12′ N λ = 9° 0′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.7	- 1.0	- 1.4	- 1.5	1.2	- 4.7	8.0	25	-17.6	18	0 -	0 -	22 2.1	16 1.9	0 -	4 2.0	0 -	0 -	8 2.4	14 2.7	10 3.2	1 2.0	18
II			- 5.3	- 1.6	- 3.8	- 4.0	- 0.4	- 8.7	4.5	1	-18.8	18	0 -	0 -	21 2.0	17 2.2	0 -	16 1.9	0 -	0 -	10 2.2	12 2.8	0 -	0 -	8
III			- 2.2	1.6	- 0.3	- 1.2	3.0	- 4.7	7.4	12	-16.8	21	0 -	0 -	21 2.1	9 1.9	0 -	4 2.0	0 -	0 -	12 2.6	37 3.6	0 -	4 2.2	6
IV			0.9	4.4	3.6	2.4	6.0	- 1.4	11.8	30	- 7.7	26	0 -	0 -	20 2.0	10 1.9	0 -	9 1.9	0 -	0 -	13 2.4	29 2.6	0 -	4 2.0	5
V			4.7	8.9	7.6	6.1	10.2	1.5	20.6	31	- 1.0	7	0 -	0 -	30 2.3	7 2.3	0 -	4 2.2	0 -	0 -	11 2.4	32 2.9	2 2.5	4 2.2	3
VI			8.6	13.6	12.2	10.2	15.1	4.8	21.9	22	- 1.0	10	0 -	0 -	37 2.1	6 1.5	0 -	0 -	0 -	0 -	13 2.0	20 2.5	7 2.3	1 2.0	6
VII			13.6	17.8	16.5	14.9	19.4	10.4	28.8	11	5.7	6	0 -	0 -	18 2.3	8 1.6	0 -	8 1.5	0 -	0 -	28 2.5	21 2.8	0 -	0 -	10
VIII			12.2	17.6	15.9	14.4	19.0	9.8	25.7	17	3.1	3	1 1.0	0 -	17 1.8	8 1.2	3 1.0	9 1.4	0 -	0 -	18 1.8	13 2.1	1 3.0	0 -	23
IX			8.5	14.1	11.0	10.6	15.3	6.3	23.3	9	3.1	18	1 1.0	0 -	31 2.0	11 1.9	0 -	11 1.8	1 2.0	0 -	12 2.4	13 2.7	4 2.2	1 3.0	8
X			3.4	6.4	3.9	4.3	7.4	0.9	13.8	14	- 7.8	19	0 -	0 -	26 2.3	7 2.3	0 -	10 1.8	0 -	0 -	11 1.6	19 2.4	9 2.1	0 -	11
XI			2.4	3.4	2.9	2.7	5.3	0.1	9.5	19	-12.6	29	0 -	0 -	13 2.0	14 2.0	0 -	9 2.3	0 -	0 -	5 2.8	29 3.8	10 2.8	0 -	10
XII			- 2.8	- 2.9	- 2.7	- 2.9	0.8	- 7.2	8.9	6	-21.0	18	0 -	0 -	32 2.9	8 2.0	0 -	6 2.2	0 -	0 -	6 2.5	15 2.8	14 3.1	0 -	12
1955			3.5	6.9	5.4	4.7	8.5	0.6	28.8		-21.0		2 1.0	0 -	288 2.2	121 1.9	3 1.0	90 1.9	1 2.0	0 -	147 2.2	254 2.9	57 2.7	15 2.2	117

Sula Fyr

φ = 63° 51′ N λ = 8° 28′ E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	997.5	1001.2	1.8	1.8	1.9	1.7	3.8	- 0.1	8.0	26	- 6.2	15	6 4.5	4 5.2	2 4.0	12 4.0	2 3.5	7 3.7	4 3.5	15 4.3	10 6.9	11 5.5	13 6.6	4 5.0	3
II	1000.8	04.6	- 0.1	0.4	0.3	0.1	1.9	- 1.6	6.0	1	-13.2	18	8 4.8	8 4.0	1 5.0	5 4.2	11 5.0	5 3.4	4 4.0	18 5.0	8 5.5	7 3.9	3 3.7	5 3.4	1
III	07.8	11.5	1.1	1.8	1.8	1.5	3.4	- 0.3	6.0	12	- 5.0	22	9 5.5	10 4.5	3 4.0	0 -	2 3.5	5 3.6	2 4.5	21 5.5	7 7.3	8 7.0	9 5.0	11 4.9	6
IV	11.0	14.8	2.6	3.8	3.3	3.0	4.7	1.5	8.4	11	- 2.4	1	9 4.8	8 3.6	7 4.3	2 3.5	6 3.8	14 3.6	0 -	12 5.0	5 5.2	5 5.2	11 4.7	6 4.3	8
V	02.5	06.2	4.7	6.1	5.5	5.1	6.9	3.4	13.5	31	- 1.4	10	8 3.9	12 3.4	21 4.6	4 3.2	4 4.8	0 -	1 4.0	7 5.1	10 5.9	10 5.1	11 4.5	5 4.2	0
VI	10.6	14.4	8.1	8.9	8.6	8.3	10.4	6.7	18.0	29	3.0	9	5 4.2	28 4.0	11 4.0	7 3.3	0 -	2 3.5	1 4.0	3 4.3	7 5.1	13 4.2	5 3.6	3 5.3	5
VII	14.0	17.6	11.7	13.2	12.4	12.1	14.0	10.5	22.0	11	8.0	6	6 3.0	6 3.0	17 4.1	3 3.0	1 3.0	2 2.5	1 2.0	7 4.4	31 4.4	12 4.2	4 4.2	1 2.0	2
VIII	14.2	17.8	12.7	14.3	13.3	13.2	15.4	11.5	21.6	24	9.2	3	5 3.6	10 4.0	4 3.0	6 3.3	3 3.3	5 2.6	8 3.4	12 3.3	16 4.0	12 4.2	7 3.1	1 3.0	4
IX	03.3	06.9	11.4	12.8	12.0	11.9	14.0	10.4	19.5	9	7.8	27	2 4.5	1 2.0	5 3.8	11 3.5	7 4.4	13 2.3	5 3.4	3 4.0	14 5.6	26 5.2	0 -	1 5.0	2
X	01.2	04.8	6.4	7.1	7.0	6.7	8.5	5.0	14.3	11	2.5	30	8 5.1	6 3.7	2 3.5	4 3.8	9 4.3	10 3.1	4 3.8	2 3.5	11 4.6	20 4.8	9 4.7	7 4.7	1
XI	06.5	10.3	5.1	5.5	5.4	5.2	7.2	3.4	9.5	12	- 5.0	29	8 6.5	1 6.0	0 -	17 3.9	5 3.6	7 3.7	1 4.0	3 4.0	8 7.4	26 7.0	9 5.3	4 4.2	1
XII	991.0	994.8	0.5	0.3	0.7	0.5	2.4	- 1.0	8.6	6	-11.8	18	5 5.4	4 4.0	2 4.5	11 6.3	10 5.4	10 4.6	3 4.3	5 4.8	10 6.0	17 5.4	14 6.1	2 5.0	0
1955	1005.0	1008.7	5.5	6.3	6.0	5.8	7.8	4.1	22.0		-13.2		79 4.7	98 3.9	75 4.2	82 4.0	60 4.4	80 3.4	34 3.7	108 4.7	137 5.4	167 5.3	95 5.0	50 4.5	30

1955

Sunndal

H_s = 195 H_b = h_t = 2.0 h_a = h_d = 9.5 h_r = 1.8

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	✱		,		△	▲	ꓘ	=	≡	⊙	◔	●	⊡
I					5.5	6.5	6.0	84	16	20	26		11		18	14	3	2	0	0	2	16	0	0	0	0	0	0	8	0	1	2	17	31
II					5.0	4.4	4.4	25	7	10	24		16		9	6	0	0	0	0	0	9	0	0	0	0	0	0	2	0	18	6	8	28
III					5.9	5.5	5.5	166	25	17	28		11		18	15	7	3	2	0	2	18	1	0	1	0	0	0	8	0	22	4	15	31
IV					5.9	5.4	5.6	78	18	14	19		0		15	11	3	0	0	0	8	9	1	4	2	0	0	0	10	0	24	2	13	30
V					4.9	5.1	5.1	42	20	21	8		0		14	5	1	5	0	0	10	7	2	2	0	0	0	0	5	0	27	3	13	20
VI					4.8	5.1	4.7	27	10	16	1		0		14	6	1	5	0	0	13	0	0	3	0	1	0	0	4	0	27	5	10	0
VII					5.1	4.5	4.6	7	4	18	0		0		10	2	0	2	0	0	10	0	0	6	0	0	0	1	1	0	28	5	11	0
VIII					4.7	5.2	5.8	27	10	19	0		0		11	4	1	2	0	0	11	0	0	1	0	0	0	1	1	0	28	2	11	0
IX					5.3	5.8	4.5	19	7	17	0		0		12	7	0	2	0	0	12	0	0	0	0	0	0	0	1	0	22	2	10	0
X					6.2	5.9	5.4	108	20	27	15		0		21	14	4	4	1	0	15	9	3	2	1	0	0	0	11	0	18	3	15	10
XI					6.9	6.7	6.3	169	36	23	17		2		19	16	6	7	0	0	14	11	5	3	3	0	0	0	12	0	7	0	19	27
XII					5.4	6.2	5.6	104	14	5	26		12		17	13	3	6	1	0	3	17	2	0	2	0	0	0	0	0	0	2	13	31
1955					5.5	5.5	5.3	856	36		164		52		178	113	29	38	4	0	100	96	14	21	9	1	0	2	63	0	222	36	155	208

Tingvoll
Tingvoll II

H_s = 51 / 87 H_b = h_t = 1.8 / 2.0 h_a = h_d = 9.7 / 8.6 h_r = 1.6 / 1.7

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	90	88	88	89	6.0	7.3	7.0	128	20	10	22	11	3	0	23	20	3	4	0	0	13	14	2	2	1	2	0	0	2	3	0	0	22	31
II	91	84	81	86	5.1	4.8	4.5	51	14	16	26	14	15	0	16	9	3	0	0	0	5	11	0	1	0	1	0	0	2	1	15	4	11	28
III	88	72	75	80	6.5	6.1	6.1	161	19	14	23	4	7	0	20	18	8	2	0	0	11	17	6	1	0	1	0	0	6	0	20	1	19	31
IV	88	67	71	78	6.3	5.9	6.2	125	23	14	19	0	0	0	19	16	5	1	0	0	10	13	2	1	1	1	0	0	4	0	16	3	18	30
V	88	60	64	76	4.9	5.1	5.5	96	28	21	8	0	0	0	19	14	3	0	0	0	17	7	4	2	0	1	0	0	5	0	19	5	13	8
VI	89	58	64	76	4.6	5.0	5.1	73	25	16	2	0	0	0	15	12	2	2	0	0	15	0	0	2	0	1	0	1	0	0	22	5	10	0
VII																																		
VIII																																		
IX																																		
X	92	78	87	87	6.5	5.8	5.9	229	27	1	12	0	0	0	25	23	10	6	1	1	22	8	3	1	0	3	0	2	11	0	12	4	21	6
XI	90	86	88	89	7.2	6.7	6.6	186	35	28	15	1	2	0	26	20	7	13	4	1	22	11	6	1	0	2	0	0	4	0	6	0	21	24
XII	82	82	82	92	5.3	6.0	5.7	190	29	6	27	13	10	0	23	19	9	9	3	1	9	16	1	1	4	4	0	1	3	0	2	4	11	31

Kristiansund N.

H_s = 48 H_b = h_t = 2.0 h_a = h_d = h_r = 1.6

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	84	87	84	6.6	7.3	7.3	182	19	10	13	5	0	0	26	24	6	11	4	1	15	16	5	1	1	8	0	1	23	0	6	0	21	17
II	84	81	81	82	5.0	5.3	4.7	112	19	16	21	7	1	0	17	15	5	4	0	0	9	13	5	0	3	2	0	0	13	0	17	3	8	22
III	84	78	80	81	5.9	6.3	6.2	161	24	14	12	2	0	0	26	21	4	12	2	1	16	21	10	0	0	6	0	1	17	0	12	2	17	28
IV	84	75	81	82	6.3	5.9	6.1	120	15	29	10	0	0	0	19	14	4	4	0	0	13	9	4	0	0	4	0	0	11	0	23	0	18	12
V	85	76	83	84	5.7	5.5	5.5	126	20	12	2	0	0	0	18	15	5	7	1	0	18	8	8	0	0	3	0	0	9	0	25	3	14	1
VI	85	75	75	80	5.3	5.1	5.4	54	8	19	0	0	0	0	11	11	0	5	2	1	11	1	1	1	0	3	0	0	7	0	28	3	14	0
VII	89	81	83	86	6.1	5.4	5.5	50	10	16	0	0	0	1	12	11	0	4	0	0	12	0	0	9	0	0	0	0	8	3	24	3	19	0
VIII	91	82	83	86	6.5	6.0	6.0	56	16	2	0	0	0	1	12	11	1	1	0	0	12	0	0	5	0	0	0	0	7	4	22	0	17	0
IX	84	76	80	81	6.3	6.1	5.7	117	22	30	0	0	0	0	18	15	3	9	1	0	18	0	0	2	0	2	0	1	15	0	25	0	16	0
X	81	77	79	79	6.5	6.2	6.5	252	59	10	2	0	0	0	25	24	7	7	1	1	22	8	4	3	0	9	0	0	18	0	22	2	23	2
XI	83	81	82	83	7.1	7.0	7.0	172	26	22	5	0	0	0	24	20	7	12	7	2	24	8	8	4	0	4	0	0	18	0	13	0	20	2
XII	78	79	80	79	6.2	6.4	6.6	170	33	6	20	7	2	0	22	19	6	12	4	3	12	14	2	4	0	4	0	1	18	0	14	1	20	24
1955	84	79	81	82	6.1	6.0	6.0	1572	59		85	21	3	2	230	200	48	88	22	9	182	98	47	29	4	45	0	4	164	7	231	17	207	108

Vinjeøra

H_s = 9 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.8	7.3	6.4	170	16	25	22	11	5	0	24	24	4	1	0	0	14	18	7	0	0	4	0	0	0	0	0	1	20	31
II					4.9	4.9	4.4	53	14	16	25	15	14	0	17	10	2	2	0	0	5	13	1	0	0	1	0	0	1	0	22	5	10	28
III					5.8	5.5	5.8	133	19	30	23	3	5	0	24	20	2	7	1	0	14	21	4	0	0	8	0	1	2	0	24	2	17	28
IV					5.9	5.9	6.1	120	22	14	18	0	0	0	20	18	3	1	0	0	9	13	1	0	0	5	0	0	.1	0	25	2	18	30
V					5.6	5.6	5.7	120	29	21	8	0	0	0	18	17	3	2	1	0	16	8	4	0	0	3	0	0	1	0	23	3	15	4
VI					5.3	5.4	5.3	108	21	16	1	0	0	0	14	14	4	1	0	0	14	2	2	0	0	3	0	0	0	0	24	3	10	0
VII					5.6	5.3	5.5	57	16	18	0	0	0	4	17	9	2	1	0	0	17	0	0	3	0	1	0	1	0	0	26	5	17	0
VIII					5.7	5.5	5.5	75	18	7	0	0	0	1	14	13	2	0	0	0	14	0	0	1	0	0	0	1	0	1	24	2	11	0
IX					5.5	5.9	5.0	135	33	30	0	0	0	0	20	16	4	1	0	0	20	0	0	0	0	0	0	2	0	0	23	3	13	0
X					6.2	6.1	5.5	287	40	10	11	0	0	0	25	25	10	3	1	0	23	9	6	0	0	1	0	0	1	0	18	5	21	7
XI					6.7	6.8	6.0	391	46	22	11	0	1	0	24	22	16	8	1	0	22	12	4	0	0	3	0	0	0	0	3	Q	19	22
XII					5.3	6.1	5.6	241	30	6	27	13	9	0	22	20	11	10	3	0	9	18	4	0	0	6	0	0	1	0	0	3	14	30
1955					5.7	5.9	5.6	1890	46		146	42	34	5	239	208	63	37	7	0	177	114	33	4	0	35	0	5	7	1	212	34	185	180

Sula Fyr

H_s = 27 H_b = 30.0 h_t = 1.8 h_a = 13.0 h_d = 13.0 h_r = 1.7

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	84	85	85	5.9	6.9	6.8	121	20	24	13	1	0	0	27	20	3	18	7	4	17	14	3	3	0	0	0	0	2	0	1	0	18	
II	87	82	83	84	5.6	5.4	5.4	80	12	8	15	4	1	0	19	17	1	13	3	0	12	14	7	0	0	1	1	1	0	0	12	1	12	
III	84	80	81	82	5.6	5.5	5.7	84	14	12	14	3	0	0	28	21	1	22	9	3	19	22	12	3	0	4	0	0	4	0	9	1	9	
IV	83	77	83	82	5.9	5.6	6.1	40	9	13	5	0	0	0	23	14	0	12	1	1	16	10	2	7	0	0	0	0	2	1	10	0	14	
V	84	81	84	84	5.0	5.3	5.4	67	9	23	3	0	0	0	17	14	0	14	3	1	17	7	5	1	0	1	0	0	1	0	8	0	9	
VI	86	83	84	85	5.3	4.9	4.8	56	20	25	0	0	0	0	14	11	1	7	1	1	14	0	0	1	0	0	0	0	2	0	22	3	7	
VII	88	83	88	88	6.2	5.2	5.6	30	6	16	0	0	0	0	13	9	0	7	0	0	13	0	0	7	0	0	0	0	4	8	18	3	14	
VIII	87	80	84	85	6.0	5.7	5.2	47	14	2	0	0	0	0	13	11	1	1	0	0	13	0	0	2	0	0	0	0	4	2	17	1	9	
IX	86	80	82	83	5.5	5.4	5.2	117	36	30	0	0	0	0	17	16	3	10	2	1	17	0	0	0	0	0	0	1	7	0	16	2	8	
X	80	79	78	79	5.5	5.0	5.4	125	20	10	0	0	0	0	25	21	2	17	3	2	25	5	6	0	1	1	0	0	2	0	7	3	11	
XI	87	83	82	84	5.9	6.4	6.3	128	15	22	2	0	0	0	23	21	3	19	11	10	23	7	5	2	0	0	0	0	5	0	1	1	15	
XII	81	84	80	82	5.3	5.7	5.4	116	31	1	17	5	2	0	24	19	3	22	10	4	11	15	2	1	0	0	0	0	2	0	0	1	9	
1955	85	81	83	84	5.6	5.6	5.6	1011	36		69	13	3	0	243	194	18	162	50	27	197	94	42	27	1	7	1	2	35	11	121	16	135	

1955

Vallersund

φ = 63° 51'N λ = 9° 44'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.2	0.6	0.3	0.3	2.5	- 2.0	7.8	24	-11.2	17	0 -	6 2.5	0 -	13 1.7	20 3.1	9 2.6	3 2.0	9 5.0	5 4.0	11 4.1	3 5.0	9 4.7	5
II			- 2.2	- 1.1	- 1.9	- 1.9	0.7	- 5.0	6.5	1	-15.7	18	2 2.0	5 2.8	0 -	3 1.3	16 1.9	3 3.3	16 3.6	18 2.7	9 4.3	4 2.5	3 3.7	1 3.0	4
III			- 0.8	1.4	0.5	0.2	2.9	- 2.5	6.4	12	-10.6	22	3 3.7	2 2.0	4 2.8	2 2.5	12 2.4	3 2.3	2 2.0	12 5.1	11 4.6	9 4.8	13 5.3	7 5.4	13
IV			1.8	4.2	3.7	2.8	5.5	0.5	12.0	30	- 3.3	23	4 5.0	11 3.1	2 3.0	3 3.0	19 4.0	1 1.0	2 3.5	7 3.4	6 4.7	8 4.5	9 3.7	10 3.7	8
V			5.0	7.4	6.2	5.7	8.5	3.1	16.0	31	- 0.7	10	3 2.7	15 3.1	6 2.3	6 3.0	10 3.8	3 3.3	2 3.0	6 4.2	7 5.7	12 4.2	17 3.9	4 3.5	2
VI			9.1	10.9	9.9	9.4	12.5	6.6	21.5	24	2.2	9	12 2.9	22 3.0	5 2.0	1 1.0	4 3.0	0 -	0 -	7 2.9	9 3.0	7 2.4	9 3.1	13 3.3	1
VII			13.2	15.0	14.2	13.5	16.0	11.0	26.7	11	7.0	6	2 2.5	16 2.2	6 2.0	0 -	0 -	0 -	2 3.0	10 3.4	20 4.4	7 3.0	15 2.9	4 2.2	11
VIII			13.5	16.3	14.4	14.3	16.7	11.6	25.0	17	6.2	3	7 2.1	6 2.5	6 1.8	1 3.0	8 2.2	1 2.0	1 3.0	12 2.5	11 2.9	8 2.5	6 2.8	10 2.9	16
IX			11.0	13.9	12.2	12.1	15.3	9.4	22.8	9	6.7	20	0 -	2 2.0	3 2.3	12 2.4	24 3.0	3 3.3	7 2.3	24 4.5	5 3.4	5 4.4	4 4.2	0 -	1
X			5.3	6.9	5.7	5.8	8.0	3.7	14.0	11	- 4.5	30	1 3.0	2 4.5	4 2.2	6 2.5	24 3.3	6 3.0	7 3.0	11 4.0	4 4.0	5 3.4	16 4.6	1 6.0	6
XI			4.0	4.7	4.4	4.3	6.5	2.2	10.3	12	- 8.6	28	0 -	3 6.0	2 3.5	12 2.7	17 2.7	2 2.0	3 4.0	11 5.1	11 5.6	13 4.6	4 4.5	1	
XII			- 1.8	- 1.7	- 1.7	- 1.7	- 0.7	- 4.1	8.7	6	-16.7	18	0 -	3 2.7	1 1.0	0 -	31 3.8	12 3.9	1 4.0	15 3.5	6 3.0	5 5.8	10 5.1	6 4.3	3
1955			4.9	6.5	5.8	5.4	7.9	2.9	26.7		-16.7		34 3.0	93 2.9	39 2.3	59 2.3	185 3.1	43 3.1	46 3.1	142 3.9	104 4.2	92 4.0	116 4.1	69 3.8	71

Ørland III

φ = 63° 42'N λ = 9° 37'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.3	0.0	- 0.1	- 0.2	1.9	- 2.7	7.7	24	-13.5	17	5 2.6	2 2.0	4 2.0	9 2.3	30 3.7	5 3.2	5 3.0	0 -	15 4.8	4 5.0	10 4.7	2 4.0	2
II			- 2.8	- 2.0	- 2.4	- 2.6	0.2	- 5.5	5.4	4	-16.5	15	1 2.0	4 3.2	6 2.5	14 4.4	28 3.4	5 3.4	3 2.3	4 3.0	11 4.0	1 4.0	3 2.7	0 -	4
III			- 1.6	0.7	0.2	- 0.4	2.7	- 3.3	6.5	12	-14.0	22	4 3.0	1 4.0	6 2.0	3 1.0	12 3.0	4 3.2	1 2.0	5 3.0	22 5.0	4 5.2	11 5.3	8 3.9	12
IV			1.5	3.7	3.5	2.6	5.1	0.3	12.1	30	- 4.7	23	4 3.0	5 1.4	1 2.0	7 3.3	23 3.8	3 2.0	5 3.0	1 2.0	12 3.7	6 4.0	13 4.1	9 3.4	1
V			4.5	7.5	6.9	5.7	9.0	2.6	18.5	31	- 1.4	10	8 2.8	2 2.0	2 2.0	9 3.4	15 3.1	1 4.0	3 2.7	2 4.5	15 4.7	9 4.3	11 3.5	13 3.0	3
VI			8.7	11.7	10.8	9.6	13.4	6.1	22.2	29	1.3	9	13 2.9	6 2.5	1 2.0	3 2.3	10 2.8	0 -	0 -	0 -	8 3.0	4 4.8	12 3.5	23 3.2	10
VII			12.9	15.6	15.0	13.7	17.6	10.3	27.5	11	4.8	6	5 2.0	0 -	1 2.0	4 2.5	7 2.1	0 -	0 -	5 2.6	11 3.2	17 3.3	18 2.1	16 2.4	9
VIII			12.4	15.9	14.6	13.9	17.4	10.9	23.3	17	3.4	29	8 3.0	1 2.0	0 -	3 1.7	18 2.7	2 1.0	1 1.0	1 1.0	7 2.3	9 2.2	13 2.3	16 2.3	14
IX			10.3	13.1	11.7	11.4	14.6	8.9	20.8	9	5.9	20	1 1.0	1 1.0	2 3.0	5 2.8	35 3.1	6 2.7	2 2.5	1 2.0	16 3.1	11 4.4	4 3.8	2 3.0	4
X			4.7	6.2	5.1	5.2	7.2	3.5	12.8	14	- 5.2	30	1 1.0	1 4.0	3 2.0	9 3.0	21 3.7	8 3.0	1 2.0	6 2.3	16 3.8	2 4.5	13 4.2	5 4.0	7
XI			3.5	4.3	4.2	3.9	6.0	1.6	9.0	12	- 9.2	28	2 4.5	0 -	5 3.0	6 3.3	24 3.8	0 -	0 -	3 3.0	19 4.8	14 6.1	13 4.3	4 5.2	0
XII			- 2.2	- 2.0	- 2.0	- 2.2	0.4	- 4.7	8.7	6	-17.3	14	3 3.3	2 1.5	3 3.0	13 4.4	36 4.4	1 2.0	0 -	3 3.7	14 3.8	5 5.4	8 5.5	2 5.5	3
1955			4.3	6.2	5.6	5.0	8.0	2.3	27.5		-17.3		55 2.8	25 2.3	34 2.4	85 3.3	259 3.5	35 2.9	21 2.6	31 2.8	166 4.0	86 4.3	129 3.7	100 3.2	69

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	987.1	1003.8	- 2.8	- 2.6	- 2.6	- 2.8	- 0.2	- 5.3	6.9	25	-17.6	17	1 2.0	3 2.3	3 1.7	1 1.0	1 1.0	1 4.0	10 1.6	18 3.2	20 2.3	13 2.8	2 3.0	0 -	20
II	90.5	07.5	- 7.0	- 4.3	- 5.0	- 5.7	- 2.0	- 9.1	5.1	4	-18.8	20	2 1.0	1 1.0	4 2.0	8 2.2	1 2.0	3 2.0	6 2.3	36 1.9	7 2.0	3 2.7	0 -	0 -	13
III	96.8	13.7	- 3.8	- 0.1	- 1.6	- 2.1	1.7	- 5.7	6.1	11	-16.9	20	1 1.0	8 2.2	3 1.7	4 1.5	0 -	2 1.5	4 2.0	16 2.2	15 2.7	20 2.8	4 4.0	2 2.5	14
IV	1000.1	16.8	- 0.3	3.2	2.2	1.2	5.0	- 1.8	10.5	30	- 7.9	23	1 2.0	10 1.7	0 -	4 2.0	1 2.0	7 2.7	4 3.2	16 2.0	11 1.8	17 2.3	5 2.2	5 1.6	9
V	991.4	07.7	3.7	7.2	6.5	5.1	8.8	1.7	17.8	30	- 2.2	10	6 2.0	12 1.6	3 2.3	6 2.2	0 -	2 4.0	6 3.5	7 2.0	17 2.8	15 2.5	7 1.9	4 1.5	8
VI	98.9	15.1	8.8	12.2	11.9	10.0	14.4	5.6	23.0	29	1.6	10	8 1.5	15 2.0	6 1.8	1 2.0	1 1.0	0 -	4 2.0	11 3.3	6 2.0	14 2.6	9 2.4	6 2.8	0
VII	1002.8	18.7	13.6	16.8	16.3	14.7	19.3	10.8	28.1	11	4.9	6	8 1.1	9 1.4	9 1.8	3 1.3	0 -	1 1.0	3 1.7	7 1.6	6 1.7	17 1.7	14 1.9	3 1.7	13
VIII	03.0	18.9	12.7	16.3	15.3	14.1	18.2	10.5	23.4	26	4.5	29	11 1.6	12 1.7	5 1.4	3 1.3	0 -	0 -	3 1.0	5 1.8	12 1.7	10 2.0	5 1.8	9 1.8	18
IX	993.2	09.2	7.8	12.7	10.8	9.9	14.0	6.5	21.8	9	2.4	20	1 1.0	7 2.0	5 2.4	8 1.2	1 2.0	1 1.0	7 2.1	17 1.7	10 1.6	9 2.6	0 -	1 1.0	25
X	90.5	06.9	2.5	5.1	3.6	3.5	6.2	1.1	13.0	9	- 8.4	19	1 2.0	6 1.0	3 1.3	5 1.4	1 1.0	4 2.0	6 3.3	20 1.8	17 2.1	10 2.4	3 2.7	1 1.0	16
XI	95.6	12.2	1.0	2.2	1.7	1.4	3.9	- 1.8	8.6	12	-16.6	29	2 3.5	2 3.0	3 1.0	4 2.0	0 -	0 -	3 1.3	20 2.8	12 3.6	14 3.2	9 3.2	1 3.0	20
XII	81.2	998.0	- 4.9	- 4.9	- 5.0	- 5.0	- 2.0	- 8.0	6.5	6	-23.8	18	2 3.0	4 1.8	1 1.0	6 2.0	2 5.0	1 1.0	7 3.1	31 2.4	17 2.1	6 3.3	3 2.7	0 -	13
1955	994.3	1010.7	2.6	5.3	4.5	3.7	7.3	0.4	28.1		-23.8		44 1.7	89 1.8	45 1.8	53 1.8	8 2.4	22 2.3	63 2.4	204 2.2	150 2.2	148 2.5	61 2.4	32 1.9	176

Selbu

φ = 63° 12'N λ = 11° 7'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.5	- 2.9	- 3.5	- 3.4		- 6.7	4.4	24	-19.2	17	1 2.0	7 1.7	3 1.3	23 1.9	10 2.6	10 3.7	1 4.0	0 -	1 1.0	2 2.5	6 3.2	9 2.3	20
II			- 8.2	- 4.5	- 6.2	- 6.7		-10.2	6.0	3	-21.9	15	3 1.7	6 1.3	4 1.2	18 1.7	10 2.6	11 2.6	2 1.0	1 1.0	0 -	0 -	0 -	5 1.8	24
III			- 5.6	- 0.2	- 2.7	- 3.2		- 7.7	5.6	11	-21.0	20	6 2.2	9 1.4	3 2.3	13 2.2	4 2.8	4 2.5	1 3.0	1 1.0	3 2.7	11 2.5	5 3.2	18 2.9	15
IV			- 0.8	3.5	1.6	0.8		- 2.8	9.7	18	-10.5	27	11 2.6	0 -	2 1.0	10 2.8	12 2.4	14 3.4	1 4.0	0 -	1 4.0	8 2.0	5 2.8	20 2.8	6
V			3.2	7.8	6.4	4.8		0.5	16.8	31	- 3.2	10	7 2.9	0 -	1 3.0	11 2.1	6 2.7	21 3.3	6 3.0	1 3.0	0 -	9 3.0	7 2.7	14 2.6	10
VI			8.6	13.2	11.8	9.7	15.0	4.4	22.5	22	- 0.2	10	7 2.6	0 -	0 -	9 1.8	1 3.0	18 2.3	8 2.8	0 -	1 1.0	7 2.0	6 2.8	28 3.0	5
VII			13.2	18.4	16.9	15.0	20.6	10.1	31.3	11	4.9	6	11 2.1	3 2.7	1 1.0	5 1.0	3 1.7	14 1.6	5 1.6	1 3.0	0 -	8 1.5	9 2.1	24 2.3	9
VIII			12.0	19.5	15.6	14.5	20.4	9.5	27.2	13	2.1	3	6 2.7	3 1.7	1 2.0	9 1.6	2 2.5	6 2.2	13 2.3	4 1.8	0 -	3 1.3	5 2.6	23 2.3	18
IX			8.0	14.0	10.7	10.2	15.0	5.7	21.7	9	0.8	27	2 3.0	4 1.5	3 1.7	13 1.9	7 2.6	15 2.9	10 3.0	0 -	0 -	3 3.7	0 -	8 2.5	25
X			2.0	5.2	3.2	3.2	6.4	0.4	14.6	11	- 9.7	19	7 1.9	6 1.7	5 1.6	10 1.2	6 2.8	12 2.6	7 2.4	2 1.0	1 2.0	4 1.8	9 2.6	5 2.6	19
XI			0.7	1.8	1.1	1.0	3.7	- 2.1	9.0	12	-19.0	29	6 2.0	6 1.3	6 1.7	13 1.6	9 3.0	3 2.7	2 2.0	0 -	0 -	3 2.3	22 3.1	8 2.9	12
XII			- 5.1	- 5.1	- 5.2	- 5.2	- 2.2	- 8.5	6.5	1	-23.2	18	4 1.2	6 1.3	6 1.3	17 1.7	18 3.2	7 3.1	2 3.4	0 -	0 -	2 2.0	14 2.8	1 2.0	16
1955			2.0	5.9	4.1	3.4		- 0.6	31.3		-23.2		71 2.3	50 1.6	35 1.6	151 1.8	88 2.7	135 2.8	58 2.6	10 1.7	7 2.3	60 2.3	88 2.8	163 2.6	179

Berkåk

φ = 62° 50'N λ = 10° 1'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.8	- 4.1	- 5.6	- 5.4		-10.1	7.4	24	-29.4	17	2 3.0	0 -	14 2.4	6 2.3	2 2.5	13 3.4	12 3.8	14 2.4	4 2.5	2 3.0	4 2.5	11 2.3	9
II			-10.5	- 5.1	- 8.3	- 8.6		-14.8	5.0	3	-29.3	15	0 -	1 2.0	7 2.7	3 2.0	2 1.5	31 3.2	11 2.5	16 3.3	1 3.0	0 -	4 2.8	4 3.2	4
III			- 6.7	- 0.9	- 4.6	- 4.4		-11.0	5.8	2	-30.0	21	2 3.5	3 3.0	7 2.9	2 2.5	0 -	22 3.0	6 3.2	3 3.0	3 4.3	4 3.2	7 4.0	29 3.0	5
IV			- 2.2	2.9	0.9	- 0.4		- 5.5	10.2	18	-16.3	28	1 2.0	1 3.0	6 2.7	0 -	1 2.0	25 3.2	9 3.4	4 4.2	5 2.2	3 2.3	8 3.1	24 3.1	3
V			2.5	7.0	5.4	4.7		1.6	18.5	31	- 9.5	11	5 3.2	7 3.1	4 3.0	4 2.8	5 3.6	16 3.6	7 2.6	9 3.2	9 3.2	3 3.3	10 3.6	10 2.9	4
VI			7.7	12.5	10.7	8.6	14.2	2.0	21.5	22	- 2.9	11	3 3.3	9 2.7	5 3.2	1 3.0	2 3.0	10 2.5	6 2.8	10 3.9	6 3.7	5 2.8	6 3.2	26 3.5	1
VII			12.4	18.9	16.6	14.4	20.5	8.2	28.5	11	1.3	19	1 2.0	17 3.5	6 3.3	0 -	1 2.0	16 2.6	3 2.7	4 2.2	11 2.7	2 2.5	13 2.7	16 3.2	3
VIII			10.8	18.2	14.8	13.3	19.7	7.2	26.5	13	- 0.4	3	1 2.0	20 3.0	11 2.9	0 -	2 2.5	20 2.8	3 2.3	6 3.2	9 2.9	4 3.2	7 2.7	7 2.7	3
IX			5.6	12.8	8.7	8.1	13.9	2.5	19.2	9	- 1.5	20	1 2.0	9 2.9	20 2.6	0 -	1 2.0	24 3.3	4 4.5	10 3.9	5 2.6	0 -	4 2.8	6 3.7	6
X			0.0	3.8	0.9	1.3	5.2	- 2.2	15.6	11	-13.2	18	4 2.0	5 3.0	14 2.1	0 -	2 2.5	10 3.2	2 2.5	14 3.5	12 3.0	3 2.0	6 2.5	11 2.5	10
XI			- 0.7	0.7	- 0.4	- 0.3	2.7	- 4.5	8.9	12	-24.8	29	1 2.0	1 2.0	9 2.7	0 -	1 3.0	22 2.9	9 3.2	7 2.3	8 3.8	3 4.3	7 3.7	21 3.5	1
XII			- 7.6	- 6.9	- 8.2	- 7.7	- 3.9	-13.0	5.4	6	-31.1	18	4 2.2	6 2.6	7 2.1	0 -	2 2.0	21 3.3	18 4.2	13 3.3	3 2.0	1 3.0	3 3.7	7 2.9	8
1955			0.5	5.0	2.6	2.0		- 3.3	28.5		-31.1		25 2.6	79 3.0	110 2.6	16 2.4	21 2.6	230 3.1	90 3.3	110 3.2	76 3.0	30 3.0	79 3.1	172 3.1	57

1955

Vallersund

H_s = 4 H_b = h_t = 2.0 h_a = h_d = 10.0 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ▣
I					5.1	6.4	5.9	118	16	24	21	7	2	0	25	22	2	9	1	0	13	15	0	0	0	0	0	0	0	0	0	2	13	15
II					5.1	4.2	4.5	52	10	16	23	7	7	0	17	13	1	2	0	0	6	11	0	0	0	1	0	0	0	0	11	3	7	22
III					5.0	5.3	5.1	93	16	12	19	3	3	0	24	21	1	14	5	2	10	19	1	0	0	7	0	1	1	0	13	3	11	27
IV					5.8	4.9	5.3	58	15	14	12	0	0	0	19	12	1	7	0	0	12	11	0	3	0	1	0	0	3	0	15	0	10	11
V					5.2	5.1	5.2	60	8	25	1	0	0	0	19	14	0	6	1	0	17	7	3	0	0	1	0	0	0	0	20	2	12	0
VI					4.4	4.0	4.6	70	13	25	0	0	0	0	16	14	1	4	1	0	16	0	0	0	0	1	0	1	0	1	21	4	8	0
VII					5.6	4.7	4.6	59	11	17	0	0	0	1	15	11	1	5	0	0	15	0	0	3	0	0	0	2	4	3	17	5	12	0
VIII					5.3	4.7	5.2	52	11	19	0	0	0	0	14	9	2	2	0	0	14	0	0	3	0	0	0	0	0	2	19	3	10	0
IX					5.1	5.3	4.8	111	34	30	0	0	0	0	20	16	2	5	1	0	20	0	0	1	0	0	0	1	0	0	14	3	8	0
X					5.7	5.5	5.0	172	24	10	4	0	0	0	26	24	4	9	3	1	26	0	0	1	0	6	0	0	0	0	7	2	14	0
XI					5.8	6.2	5.5	174	31	22	5	0	0	0	22	20	8	15	5	2	20	8	0	0	0	2	0	0	0	0	2	2	15	0
XII					5.0	5.4	4.7	159	27	6	21	9	6	0	21	19	6	11	5	1	9	13	0	0	0	4	0	0	0	0	0	4	10	22
1955					5.3	5.1	5.0	1178	34		106	26	18	1	238	195	29	89	22	6	178	84	4	11	0	23	0	5	8	6	139	33	130	97

Ørland III

H_s = 9 H_b = h_t = 2.0 h_a = h_d = 10.2 h_r = 1.9

I	86	85	89	87	6.1	7.0	6.9	136	17	24	22	9	2	0	26	25	3	18	9	3	15	18	6	2	3	3	0	0	14	0	3	1	20	18
II	85	83	81	83	5.8	5.4	5.5	72	13	10	22	9	5	0	16	15	2	14	1	0	6	13	4	1	0	3	0	0	8	1	13	2	14	19
III	88	78	77	82	5.8	5.6	5.6	90	10	30	22	4	3	0	24	18	1	19	12	4	13	23	8	3	0	5	0	0	10	2	14	1	16	28
IV	84	73	78	80	6.6	6.1	6.1	78	12	16	14	0	0	0	20	17	1	18	5	1	12	12	4	5	0	7	0	0	10	0	20	0	18	17
V	84	73	75	79	5.9	5.8	5.9	74	12	25	3	0	0	0	22	15	1	19	9	2	22	8	8	1	0	4	0	0	5	0	24	0	15	1
VI	84	70	75	79	5.7	4.9	5.0	60	13	16	0	0	0	0	16	13	1	11	3	1	16	2	2	0	0	1	0	0	2	1	26	1	9	0
VII	91	79	82	86	6.0	5.4	5.0	54	11	22	0	0	0	1	15	10	2	7	2	0	15	0	0	10	0	0	0	1	8	7	22	4	14	0
VIII	93	77	84	87	6.0	5.4	5.8	49	15	2	0	0	0	0	12	7	2	4	0	0	12	0	0	5	0	0	0	1	9	3	25	2	13	0
IX	90	79	84	85	5.5	6.0	5.6	111	33	30	0	0	0	0	18	17	3	10	1	1	18	0	0	0	0	0	0	1	5	0	24	2	8	0
X	88	82	86	86	6.1	5.9	5.8	190	28	10	6	0	0	0	25	23	8	19	9	1	23	7	4	3	0	6	0	0	10	0	19	2	18	0
XI	90	88	86	88	6.4	6.8	6.6	189	36	22	5	0	0	0	22	21	7	25	17	13	22	11	6	5	0	8	0	0	15	0	6	0	21	3
XII	85	85	84	85	5.8	6.2	5.2	150	30	24	21	9	6	0	22	20	5	30	14	8	12	15	2	2	0	11	0	0	10	0	2	3	15	23
1955	87	79	82	84	6.0	5.9	5.8	1253	36		115	31	16	1	238	201	36	194	82	34	186	109	44	37	3	48	0	3	106	14	198	18	181	109

Trondheim (Voll)

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

I	88	86	88	88	6.5	6.6	6.3	114	13	24	26	14	2	0	25	25	2	2	0	0	11	21	3	5	0	0	0	0	2	3	3	0	16	31
II	82	76	80	80	4.9	5.3	4.3	38	6	16	27	21	12	0	18	13	0	0	0	0	5	16	2	0	0	0	0	0	2	1	14	5	10	28
III	84	74	79	80	5.6	5.6	5.3	69	9	16	29	7	7	0	21	15	0	3	0	0	8	19	2	0	0	2	0	0	0	0	14	2	13	31
IV	85	71	77	80	5.9	5.5	5.7	73	14	22	20	1	0	0	20	15	2	1	0	0	7	16	1	0	0	1	0	0	3	0	20	1	13	29
V	83	68	69	76	5.4	5.5	5.6	67	14	25	7	0	0	0	19	11	2	1	0	0	15	8	2	0	0	0	0	0	0	0	20	1	13	5
VI	82	66	64	73	5.0	4.9	5.1	51	9	19	0	0	0	0	18	12	0	3	0	0	16	1	1	1	0	3	0	0	0	0	24	3	8	0
VII	89	73	73	81	5.6	4.7	4.5	41	14	18	0	0	0	4	13	9	1	0	0	0	13	0	0	2	0	0	0	0	0	0	20	5	10	0
VIII	91	77	79	84	5.0	4.5	4.5	40	15	19	0	0	0	0	12	8	2	0	0	0	12	0	0	7	0	0	0	0	4	4	24	3	8	0
IX	96	79	85	88	4.5	5.7	5.3	94	22	17	0	0	0	0	21	14	3	1	0	0	21	0	0	5	0	0	0	1	7	0	17	2	8	0
X	92	83	88	89	6.1	5.7	5.4	165	28	1	11	0	0	0	26	21	6	2	2	0	25	8	5	3	0	0	0	0	2	1	12	2	16	3
XI	90	87	89	89	6.5	6.6	6.5	175	25	26	18	1	2	0	22	19	6	7	0	0	19	15	6	0	1	0	0	0	3	3	4	2	21	18
XII	87	85	86	86	5.2	5.1	5.1	140	14	13	27	18	10	0	22	21	4	9	0	0	8	16	1	0	0	0	0	0	0	2	9	4	13	28
1955	87	77	80	83	5.5	5.5	5.3	1067	28		165	62	33	4	237	183	28	29	2	0	160	120	23	23	1	6	0	1	23	14	181	30	149	173

Selbu

H_s = 197 H_b = h_t = 2.0 h_a = h_d = 8 h_r = 1.4

I	84	82	84	84	6.6	7.2	6.0	76	9	21	25		11		25	21	0	1	0	0	4	23	4	2	0	2	0	0	0	0	1	1	21	31
II	84	75	78	80	5.6	4.9	4.8	28	5	7	26		13		16	11	0	0	0	0	5	16	1	2	0	0	0	0	0	0	9	2	11	28
III	82	71	78	78	6.4	5.8	5.4	75	8	23	27		12		21	15	0	2	0	0	5	18	2	0	0	0	0	0	0	0	6	2	17	31
IV	81	65	72	75	6.8	6.2	6.0	72	15	14	21		1		21	15	2	1	0	0	10	14	3	0	0	1	0	0	1	0	11	1	17	30
V	78	59	63	71	6.3	5.7	5.4	56	15	21	11		0		14	12	1	1	0	0	12	8	6	6	0	2	0	0	0	0	18	2	15	9
VI	78	58	62	70	5.4	5.4	5.4	87	20	16	2		0		15	14	2	2	1	0	15	2	2	0	0	4	0	1	0	0	17	4	16	1
VII	85	65	68	76	5.5	5.0	5.1	67	33	4	0	0	0	8	14	9	2	0	0	0	14	0	0	10	0	0	0	3	0	0	21	4	10	0
VIII	85	60	70	78	4.7	5.1	4.9	31	7	8	0	0	0	5	9	8	0	0	0	0	9	0	0	2	0	0	0	1	0	0	25	4	10	0
IX	87	66	78	80	4.9	5.7	5.3	85	21	30	0	0	0	0	15	12	2	1	0	0	15	0	0	0	0	0	0	0	0	1	14	1	12	0
X	88	78	84	84	6.6	6.1	5.7	90	20	2	12	0	0	0	26	18	2	2	0	0	21	9	2	8	1	0	0	0	1	0	6	3	21	12
XI	86	84	86	86	6.5	6.7	6.6	138	24	22	16	1	3	0	22	18	5	0	0	0	15	11	1	1	0	1	0	0	0	0	4	1	22	21
XII	78	80	81	79	6.5	6.1	5.8	106	11	31	26	18	10	0	24	19	2	4	2	0	7	19	0	0	0	0	0	0	0	0	2	3	18	31
1955	83	70	75	78	6.0	5.8	5.5	911	33		166		50		222	172	18	14	3	0	132	120	21	31	1	10	0	4	2	1	134	28	190	194

Berkåk

H_s = 424 H_b = h_t = 2.0 h_a = h_d = 11 h_r = 1.8

I	85	83	87	85	4.9	6.4	6.0	88	13	15	29		15		19	16	1	2	0	0	3	17	0	0	0	0	0	0	1	0	1	1	15	31
II	81	72	76	78	4.2	4.2	3.4	37	8	27	25		22		13	7	0	0	0	0	1	12	0	0	0	0	0	0	0	0	13	7	4	28
III	84	67	75	77	5.4	4.6	5.6	112	22	28	30		13		19	13	4	3	0	0	0	19	0	0	0	0	0	0	0	0	15	3	10	31
IV	81	63	71	74	5.2	5.5	4.9	69	13	1	28		5		20	13	2	1	0	0	8	16	3	0	0	0	0	0	1	0	17	3	10	30
V	76	56	61	69	4.5	4.5	4.6	28	5	19	21		0		14	9	0	3	0	0	8	9	2	1	0	0	0	0	1	1	21	8	11	21
VI	73	66	60	67	4.0	4.6	4.8	36	14	17	9	0	0	0	12	7	1	1	0	0	9	6	3	1	0	0	0	0	1	0	23	5	6	0
VII	83	62	65	74	4.6	4.5	4.5	28	7	2	0	0	0	7	12	7	0	0	0	0	12	0	0	5	0	0	0	3	3	0	20	7	12	0
VIII	87	60	72	78	4.2	4.4	5.1	65	14	2	0	0	0	3	12	8	3	0	0	0	12	0	0	1	0	0	0	4	4	0	21	3	7	0
IX	91	67	84	84	4.0	5.0	3.8	45	13	17	8	0	0	0	16	12	1	3	0	0	16	0	0	1	0	0	0	0	3	1	18	4	3	0
X	92	78	85	86	6.1	5.5	5.5	101	23	2	19	5	4	0	22	18	3	4	0	0	15	12	2	2	0	0	0	0	4	1	8	5	18	10
XI	86	82	86	85	6.6	6.0	6.3	118	28	23	25	5	4	0	19	15	3	7	0	0	13	15	4	1	0	0	0	0	0	0	3	1	16	25
XII	84	80	83	82	4.6	4.9	5.4	111	27	9	31	22	18	0	18	17	4	5	2	1	1	18	1	0	0	0	0	0	0	0	7	5	13	31
1955	84	70	75	78	4.9	5.0	5.0	838	28		225		81		196	142	22	29	2	1	98	124	15	12	0	0	0	7	18	3	167	52	125	207

1955

Meråker II

φ = 63° 25'N λ = 11° 46'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.9	- 3.8	- 4.2	- 4.4	- 0.8	- 7.6	8.2	25	-21.6	17	0 -	2 1.0	2 1.0	5 1.2	4 2.2	11 3.4	2 1.0	2 3.5	3 2.3	4 2.2	1 4.0	0 -	57
II			- 8.9	- 5.9	- 7.0	- 7.7	- 2.7	-11.6	6.0	3	-24.6	20	1 1.0	1 2.0	2 1.5	5 1.0	7 1.3	1 2.0	0 -	0 -	1 1.0	2 1.0	2 2.0	0 -	62
III			- 6.6	- 1.6	- 3.2	- 4.2	0.9	- 8.3	6.5	13	-21.9	20	2 1.0	0 -	3 2.0	4 1.5	5 1.8	1 1.0	2 1.0	3 1.3	5 3.0	16 2.8	7 2.0	1 1.0	44
IV			-.1.4	2.6	1.5	0.4	4.1	- 2.5	9.7	30	-11.2	27	1 1.0	1 1.0	2 1.0	7 1.9	13 2.5	3 3.0	6 1.5	2 2.0	1 3.0	14 1.4	11 2.4	3 1.3	26
V			2.6	6.5	5.6	4.1	8.2	0.3	16.5	31	- 2.5	10	4 2.0	2 1.5	5 1.8	12 2.1	3 1.7	6 2.2	6 2.2	2 2.0	2 2.0	17 1.4	8 2.0	7 1.4	19
VI			7.1	11.9	11.8	9.1	14.8	3.9	21.8	22	- 1.0	7	2 2.0	4 1.2	3 1.7	5 1.4	2 1.5	1 1.0	7 2.0	2 2.0	2 1.5	21 1.2	13 1.5	5 1.6	23
VII			12.1	17.8	17.2	14.7	20.6	9.5	30.5	11	4.3	25	0 -	0 -	0 -	0 -	0 -	3 1.3	3 1.0	3 1.0	6 1.7	32 1.4	13 1.9	5 2.0	28
VIII			10.7	18.5	16.1	14.1	20.4	8.4	27.5	14	0.2	29	3 1.0	1 2.0	1 1.0	1 1.0	3 1.0	8 1.4	2 1.5	2 1.5	1 1.0	12 1.4	11 2.1	3 1.0	45
IX			6.9	13.1	10.2	9.4	14.5	4.9	21.8	9	1.0	15	2 1.5	1 1.0	1 2.0	7 2.1	5 1.0	9 2.4	3 2.3	2 2.5	4 2.8	10 2.0	8 1.6	0 -	38
X			1.3	4.2	2.9	2.6	6.0	0.2	12.5	9	-10.8	19	0 -	3 1.0	2 1.5	1 2.0	4 1.2	16 2.1	0 -	4 2.0	3 1.0	5 1.8	5 1.4	6 1.2	44
XI			- 0.4	1.2	0.5	0.2	3.6	- 2.9	9.4	12	-21.5	29	0 -	0 -	1 1.0	7 2.6	5 1.4	4 1.8	5 1.4	2 3.0	8 2.4	8 4.2	10 3.2	5 1.4	35
XII			- 6.7	- 6.5	- 7.1	- 6.9	- 0.6	- 9.6	7.0	6	-23.0	17	2 1.0	2 2.0	2 2.5	5 1.8	2 2.0	9 2.6	2 4.5	1 1.0	2 1.0	7 3.7	0 -	0 -	59
1955			1.0	4.8	3.7	2.6	7.4	- 1.3	30.5		-24.6		17 1.4	17 1.4	24 1.6	59 1.8	53 1.8	72 2.3	38 1.9	25 2.0	38 2.1	148 1.9	89 2.1	35 1.4	480

Værnes

φ = 63° 28'N λ = 10° 56'E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1001.4	1003.4	- 2.8	- 2.2	- 2.6	- 2.6	0.8	- 5.7	9.0	25	-18.7	17	0 -	0 -	2 2.5	2 3.0	31 1.9	18 2.1	9 2.0	4 2.8	7 3.9	2 4.0	7 2.9	1 1.0	10
II	05.1	07.2	- 7.1	- 4.7	- 4.5	- 5.7	- 0.7	- 9.5	7.0	3	-20.6	20	0 -	1 1.0	3 3.3	11 2.5	30 1.8	6 1.8	5 1.8	2 1.0	4 2.0	4 2.8	3 1.7	1 1.0	14
III	11.0	13.1	- 3.9	- 0.6	- 0.8	- 2.1	2.2	- 5.8	7.5	11	-16.7	21	3 2.0	3 2.3	2 1.0	2 1.5	30 1.8	2 2.0	3 1.7	2 2.0	15 3.2	10 4.4	14 2.9	1 4.0	6
IV	14.3	16.3	0.1	3.8	3.3	1.9	5.5	- 1.0	13.0	30	- 7.5	4	0 -	0 -	1 4.0	7 2.3	19 3.5	7 1.9	6 1.7	2 2.5	9 3.3	14 3.4	17 2.9	2 3.0	6
V	05.2	07.1	3.8	7.7	7.6	5.6	10.3	1.7	18.4	31	- 2.1	14	0 -	0 -	6 2.3	6 3.7	10 2.2	5 1.8	8 2.0	5 2.4	11 3.5	25 3.0	11 2.5	2 2.5	4
VI	12.5	14.5	8.5	12.5	12.9	10.2	15.7	5.7	23.6	29	0.7	7	1 3.0	1 3.0	4 2.0	1 1.0	13 1.6	5 1.8	4 3.2	1 4.0	11 2.6	28 2.9	15 3.1	4 3.0	2
VII	16.2	18.1	13.2	16.8	17.4	14.9	19.7	11.1	29.3	11	6.2	25	2 1.0	0 -	1 1.0	1 2.0	9 1.7	5 1.4	7 1.3	0 -	1 1.0	41 2.8	21 2.5	0 -	5
VIII	16.4	18.3	11.8	16.7	16.7	14.2	19.2	10.2	25.2	17	3.2	29	1 2.0	0 -	2 2.0	1 2.0	9 2.1	9 1.6	3 1.3	1 1.0	7 2.4	42 2.5	8 2.2	3 2.0	7
IX	06.8	08.7	8.2	13.9	12.3	10.9	15.7	6.8	22.9	9	2.7	27	1 1.0	0 -	1 2.0	9 2.3	16 1.9	9 1.4	12 1.7	4 1.8	8 2.5	16 2.8	5 2.4	2 1.5	5
X	04.5	06.4	3.2	6.0	4.3	4.2	7.8	1.5	13.9	14	- 7.7	19	0 -	0 -	0 -	4 2.2	21 1.4	11 2.0	6 1.5	7 1.3	13 2.9	13 2.4	9 2.8	1 1.0	8
XI	09.6	11.5	1.3	2.5	1.7	1.6	4.8	- 1.1	9.4	12	-15.8	29	0 -	1 1.0	1 1.0	6 2.3	21 1.7	12 1.5	3 2.0	3 2.0	7 3.6	14 4.1	15 3.9	3 2.3	4
XII	995.8	997.8	- 4.9	- 4.7	- 4.7	- 4.9	- 0.8	- 7.8	9.0	6	-23.4	18	1 1.0	0 -	3 2.0	10 2.6	26 1.8	13 2.0	13 2.2	4 1.5	4 2.2	4 4.8	5 3.8	2 2.0	8
1955	1008.2	1010.2	2.6	5.6	5.3	4.0	8.4	0.5	29.3		-23.4		9 1.7	6 2.0	26 2.2	60 2.5	237 1.8	102 1.8	79 1.8	35 1.9	97 3.0	213 3.0	130 2.9	22 2.3	79

Sulstua

φ = 63° 40'N λ = 12° 1'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.0	- 5.3	- 5.5	- 5.8		-10.7	5.6	24	-28.9	17	0 -	0 -	2 1.5	6 2.3	8 2.9	15 2.1	1 1.0	2 1.0	1 1.0	14 1.9	11 1.5	3 1.7	30
II			-10.3	- 6.0	- 8.9	- 9.0		-14.6	0.4	1	-29.9	20	0 -	0 -	1 4.0	4 2.0	10 2.0	16 1.8	3 1.7	1 1.0	5 1.0	4 1.5	3 1.6	1 1.0	36
III			- 7.6	- 1.7	- 5.0	- 5.6		-12.1	4.4	3	-28.9	22	0 -	0 -	0 -	2 1.5	1 3.0	5 1.2	3 1.7	2 1.5	4 2.5	22 2.5	12 2.3	2 2.5	40
IV			- 1.5	1.8	0.4	- 0.9		- 5.6	9.3	30	-22.1	4	0 -	0 -	0 -	0 -	4 3.2	24 2.5	3 2.3	0 -	0 -	18 2.1	24 2.2	3 2.7	14
V			3.7	6.3	4.9	3.4		- 1.8	15.8	31	- 5.8	26	0 -	0 -	5 3.0	10 2.3	3 2.7	17 2.2	5 1.2	0 -	2 2.0	20 2.0	16 2.4	4 1.5	11
VI			9.1	12.1	11.3	8.6		1.4	20.1	29	- 3.6	1	0 -	0 -	4 1.5	3 1.7	7 2.0	9 1.9	4 1.8	0 -	4 1.5	18 1.8	17 2.4	6 2.5	18
VII			14.3	17.6	16.6	15.1		8.1	28.2	26	0.0	25	0 -	0 -	3 1.3	1 2.0	4 1.8	5 1.6	2 1.0	0 -	0 -	26 1.7	23 1.7	7 1.7	22
VIII			13.3	21.8	15.7	14.5		6.9	26.2	13	- 2.1	29	0 -	0 -	0 -	3 2.0	6 2.3	11 1.7	0 -	0 -	5 1.4	23 1.8	11 1.9	4 1.8	30
IX			8.5	12.7	9.5	9.2		4.5	21.3	9	- 1.0	13	0 -	0 -	0 -	2 2.5	5 2.8	17 2.2	4 1.8	1 1.0	3 2.0	10 1.7	11 2.5	3 1.7	34
X			0.9	3.7	1.6	1.7		- 2.0	11.3	13	-14.5	31	0 -	0 -	0 -	3 2.3	13 1.8	4 2.2	0 -	1 2.0	12 1.9	14 1.9	1 2.0	4	42
XI			- 0.6	0.5	0.2	- 0.3		- 4.1	6.8	21	-23.3	29	0 -	0 -	0 -	3 2.0	6 2.3	16 2.0	3 1.0	0 -	7 3.1	19 2.6	14 2.9	1 3.0	21
XII			- 8.0	- 8.1	- 7.6	- 8.0		-11.7	3.6	1	-23.6	18	0 -	0 -	1 1.0	2 3.0	7 2.6	27 2.8	6 2.7	1 2.0	0 -	8 1.5	7 2.3	0 -	34
1955			1.3	4.6	2.8	1.9		- 3.5	28.2		-29.9		0 -	0 -	16 2.1	39 2.2	64 2.4	175 2.1	38 1.9	7 1.3	32 2.0	194 2.0	163 2.2	35 2.0	332

Ytterøy

φ = 63° 48'N λ = 11° 13'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.5	- 2.2	- 2.3	- 2.4		- 4.4	4.2	24	-13.0	17	3 1.7	14 1.2	3 2.7	19 1.7	1 1.0	2 2.0	2 1.0	3 3.3	34 2.4	6 1.5	2 1.0	3 2.0	1
II			- 4.9	- 3.4	- 4.0	- 4.3		- 6.6	1.3	3	-18.0	18	0 -	19 1.4	1 1.0	17 2.2	8 3.0	0 -	1 2.0	5 2.2	24 2.2	2 2.0	3 1.7	3 1.3	1
III			- 3.1	- 0.5	- 0.9	- 1.8		- 4.5	5.2	11	-13.0	22	4 1.5	12 1.3	1 2.0	12 1.4	3 1.3	0 -	2 1.5	7 3.1	24 2.5	11 2.4	7 2.6	9 2.6	1
IV			0.4	3.0	2.7	1.5		- 1.4	9.6	30	- 5.0	4	8 2.0	11 1.3	0 -	17 2.2	8 2.9	0 -	0 -	1 2.0	21 2.1	9 2.0	12 2.2	3 2.0	0
V			3.7	7.4	7.0	5.4		2.2	18.6	31	- 2.0	10	3 2.0	18 1.5	3 1.7	17 1.8	3 2.7	1 1.0	1 2.0	1 2.0	28 2.3	6 2.3	9 2.0	3 1.3	0
VI			8.6	12.8	12.8	10.5		6.5	22.4	29	2.7	9	5 2.0	26 1.5	3 1.3	7 1.3	0 -	1 1.0	6 1.5	2 2.5	10 1.9	10 1.8	7 2.1	12 2.7	1
VII			13.5	17.3	16.8	15.2		12.1	28.3	11	8.0	5	4 1.5	17 1.4	2 1.0	4 1.2	1 1.0	1 1.0	2 1.0	2 1.0	25 1.6	11 2.0	15 2.1	6 1.8	3
VIII			12.7	17.3	17.0	15.0		11.5	23.4	12	6.5	29	8 1.5	28 1.2	3 1.7	5 1.0	0 -	2 1.0	2 1.0	1 3.0	18 1.4	11 1.7	6 1.7	5 1.4	4
IX			9.2	12.6	11.6	10.8		8.5	21.0	9	5.3	20	1 1.0	14 1.4	5 1.8	17 1.9	0 -	4 1.0	2 1.5	11 1.5	17 2.1	10 1.9	3 2.3	2 1.5	4
X			3.4	5.1	4.3	4.1	6.4	2.4	12.3	9	- 3.5	30	2 1.0	14 1.3	1 1.0	14 1.9	2 2.5	0 -	1 1.0	7 1.6	28 1.9	13 2.2	7 2.0	2 1.5	2
XI			1.7	2.5	2.2	2.0	4.0	0.3	8.2	21	-12.0	29	3 2.7	23 1.4	1 3.0	8 2.1	1 1.0	1 1.0	0 -	1 3.0	27 2.3	17 2.5	7 1.7	1 2.0	0
XII			- 4.7	- 4.6	- 4.4	- 4.6	- 2.3	- 6.4	7.0	6	-16.5	17	1 4.0	16 1.4	3 2.7	26 2.5	2 1.5	1 1.0	1 1.0	3 1.7	28 1.8	5 1.8	5 2.2	1 1.0	1
1955			3.2	5.6	5.2	4.3		1.7	28.3		-18.0		42 1.8	212 1.4	26 1.8	163 1.9	29 2.4	13 1.2	20 1.4	44 2.3	284 2.0	111 2.0	83 2.0	50 2.0	18

Kjevli i Snåsa

φ = 64° 10'N λ = 12° 29'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.3	- 6.1	- 6.2	- 6.7	- 2.1	-11.3	5.4	25	-31.5	17	0 -	2 2.0	10 2.1	14 2.7	5 3.2	2 1.5	0 -	0 -	11 2.5	14 2.1	14 2.1	1 2.0	20
II			-10.4	- 5.5	- 8.3	- 8.6	- 3.6	-14.2	2.0	3	-30.9	20	0 -	3 3.3	11 3.0	20 2.0	3 2.3	1 1.0	1 1.0	2 2.0	11 1.9	9 2.3	4 1.5	1 2.0	18
III			- 7.8	- 0.5	- 4.2	- 5.0	1.7	-11.3	5.2	11	-30.9	22	0 -	4 1.0	11 1.7	5 1.8	1 2.0	0 -	1 1.0	1 3.0	25 2.8	15 2.4	8 2.9	4 2.8	18
IV			- 0.3	2.6	0.6	- 0.1	4.8	- 4.4	11.2	30	-15.6	27	0 -	4 1.5	3 3.7	18 3.6	5 3.2	4 3.0	1 3.0	3 3.0	21 2.6	19 2.5	9 2.6	0 -	3
V			4.0	6.5	4.8	3.8	7.8	- 0.7	17.5	31	- 6.0	14	0 -	3 1.3	13 2.0	17 3.1	5 3.2	4 2.8	2 2.5	4 3.0	13 2.8	19 2.7	7 2.1	5 2.2	1
VI			9.4	12.3	11.0	9.0	14.0	2.7	22.7	29	- 1.1	1	1 2.0	4 1.8	12 1.5	5 2.4	2 2.5	2 3.0	2 2.5	6 6.0	21 1.7	22 2.5	5 2.8	7 2.3	1
VII			14.0	17.5	16.4	14.2	19.8	8.2	30.0	11	0.7	19	0 -	4 1.5	5 3.2	4 1.5	1 1.0	0 -	4 1.8	7 1.9	22 2.7	31 2.6	11 2.4	2 2.0	2
VIII			13.2	17.9	15.8	15.4	19.6	7.6	26.5	13	- 0.2	29	0 -	5 1.8	9 1.7	5 2.2	3 1.7	0 -	1 1.0	8 2.2	15 2.2	17 2.3	2 1.0	6 1.8	22
IX			9.9	12.9	10.2	10.2	14.4	6.0	21.1	9	- 0.1	18	0 -	5 2.0	13 2.6	11 2.2	4 3.0	7 3.1	1 3.0	2 3.0	13 2.5	18 2.7	7 2.0	0 -	9
X			2.0	3.9	2.2	2.4	4.9	- 0.4	11.3	8	-13.2	30	0 -	6 2.3	9 2.1	7 3.0	5 2.6	2 4.5	0 -	3 1.7	17 1.9	18 2.2	4 2.5	6 2.0	16
XI			- 0.4	0.5	- 0.8	- 0.5	2.6	- 4.3	7.2	21	-29.4	29	0 -	4 2.8	14 2.5	12 2.5	1 2.0	1 2.0	0 -	2 1.0	8 2.8	27 3.1	9 2.0	0 -	12
XII			- 9.0	- 8.5	- 8.6	- 8.8	- 4.8	-12.6	5.5	1	-29.3	18	0 -	2 1.0	22 2.5	15 2.7	6 2.2	2 3.0	0 -	3 2.0	3 2.3	18 1.7	8 1.6	0 -	14
1955			1.4	4.5	2.7	2.1	6.6	- 2.8	30.0		-31.5		1 2.0	46 1.9	132 2.3	133 2.6	41 2.6	25 2.9	13 2.0	41 2.8	180 2.4	227 2.5	88 2.2	32 2.2	136

1955

Meråker II

H_s = 218 H_b = h_t = 2.0 h_a = h_d = 14.2 h_r = 1.8

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Lufttemperatur T				Nedbør R			Vindstyrke F			Antall dager n													
	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ⊞
I	88	85	86	86	7.1	6.9	6.2	99	14	24	27	18	11	0	26	21	2	0	0	0	11	21	4	4	0	0	0	0	2	0	1	2	22	31
II	86	79	81	82	5.6	5.1	4.9	31	5	26	27	19	14	0	15	10	0	0	0	0	2	15	0	1	0	0	0	0	1	0	9	3	12	28
III	85	74	80	81	5.7	4.9	5.4	106	16	17	28	9	13	0	18	15	4	1	1	1	6	14	5	1	0	0	0	0	4	0	10	2	14	31
IV	83	65	74	76	6.5	5.3	5.8	63	9	14	21	2	1	0	15	13	0	0	0	0	9	9	4	1	0	2	0	0	2	0	16	0	13	30
V	80	64	68	74	5.6	5.4	5.7	59	12	21	14	0	0	0	14	10	2	0	0	0	10	10	4	0	0	1	0	0	2	0	18	3	17	15
VI	82	60	61	72	5.1	4.9	4.7	87	14	17	1	0	0	0	16	12	3	0	0	0	16	3	3	2	0	2	0	2	0	0	21	6	10	0
VII	87	64	65	76	5.1	4.6	4.7	40	10	18	0	0	0	10	12	9	1	0	0	0	12	0	0	6	0	0	0	1	5	0	21	4	10	0
VIII	89	61	68	78	3.9	4.8	4.7	25	6	8	0	0	0	5	8	6	0	0	0	0	8	0	0	4	0	0	0	0	1	0	23	5	6	0
IX	90*	73*	77*	82*	4.6	5.5	5.0	72	14	30	0	0	0	0	15	12	2	0	0	0	15	0	0	5	0	0	0	0	5	3	8	3	9	0
X	92	82	84	87	6.6	6.2	5.7	98	19	2	12	2	1	0	24	19	4	0	0	0	21	8	5	7	0	0	0	0	1	2	9	3	19	9
XI	91	86	88	89	6.2	5.9	6.6	217	40	26	21	1	4	0	20	20	7	4	2	2	16	13	5	5	0	0	0	0	0	0	3	3	21	22
XII	85	83	84	84	5.5	5.3	5.8	158	23	13	27	20	14	0	24	19	6	3	2	1	11	23	10	1	0	1	0	0	1	0	8	4	16	29
1955	86	73	76	81	5.6	5.4	5.4	1055	40		178	71	58	15	207	166	31	8	5	4	137	116	40	37	0	6	0	3	24	5	147	38	169	195

Værnes

H_s = 12 H_b = 15.8 h_t = 2.0 h_a = 10.6 h_d = 10.2 h_r = 1.8

I	88	84	87	87	6.8	7.0	6.5	81	12	25	27	11	7	0	25	19	1	10	1	0	9	20	4	4	0	2	0	0	12	2	0	0	23	29
II	85	81	82	83	5.4	5.8	5.2	31	6	1	27	13	12	0	14	12	0	2	0	0	6	11	2	0	0	0	0	0	7	0	18	2	11	26
III	86	81	80	83	6.1	5.7	5.7	69	9	3	26	5	8	0	19	16	0	10	3	2	12	16	9	0	0	5	0	0	9	0	21	1	15	28
IV	84	72	74	75	6.6	6.1	6.4	47	8	22	18	0	0	0	16	12	0	9	0	0	7	9	3	2	0	5	0	0	3	0	26	1	18	18
V	85	72	72	78	6.1	5.9	5.9	54	14	12	7	0	0	0	15	11	2	9	0	0	4	7	4	2	0	3	0	0	4	0	28	1	16	1
VI	84	70	67	76	5.1	5.0	5.5	52	17	15	0	0	0	0	13	11	1	7	1	0	13	0	0	1	0	3	0	1	1	0	27	2	8	0
VII	90	76	72	81	5.6	5.4	5.2	40	15	18	0	0	0	5	11	9	1	3	0	0	11	0	0	7	0	0	0	1	2	0	28	4	14	0
VIII	90	77	76	88	5.4	4.8	5.4	33	7	19	0	0	0	1	10	8	0	0	0	0	10	0	0	4	0	0	0	0	1	0	29	2	8	0
IX	91	74	78	82	5.2	6.0	5.5	87	16	30	0	0	0	0	18	14	2	5	1	1	18	0	0	0	0	0	0	0	5	1	22	1	14	0
X	89	80	85	85	6.5	6.3	6.0	128	24	1	10	0	0	0	24	20	4	9	1	1	20	6	3	0	0	1	0	0	6	1	17	2	23	3
XI	88	86	89	88	6.2	6.5	6.2	132	27	26	16	2	2	0	20	19	6	13	7	2	19	12	7	2	0	0	0	0	6	0	6	1	18	18
XII	85	85	85	85	5.7	6.0	5.9	110	9	13	26	14	13	0	22	19	0	11	4	2	11	18	2	3	0	1	0	0	4	0	7	3	19	27
1955	86	78	79	83	5.8	5.9	5.8	884	27		157	45	42	6	207	170	17	88	18	8	140	99	34	25	0	20	0	2	60	4	229	20	187	150

Sulstua

H_s = 251 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

I					7.2	6.6	6.4	96	22	25	31		14		26	21	2	1	0	0	7	23	4	0	0	0	0	0	0	5	4	0	22	31
II					6.6	5.9	5.5	37	9	24	28		17		17	10	0	0	0	0	2	16	0	0	0	0	0	0	0	0	16	1	15	28
III					6.0	5.3	5.6	70	10	14	30		15		21	16	1	3	0	0	5	21	5	0	0	0	0	0	0	0	23	3	19	31
IV					6.3	5.9	6.1	61	8	13	26		6		19	13	0	1	0	0	9	18	6	2	2	0	0	0	0	0	29	0	15	30
V					5.5	5.8	5.8	50	10	21	23		0		17	9	0	1	0	0	15	12	12	1	0	2	0	0	0	0	28	2	13	21
VI					5.0	4.9	5.2	120	33	17	14		0		19	17	3	0	0	0	13	3	3	0	0	4	0	2	0	0	28	4	14	0
VII					5.5	4.8	5.2	77	26	4	1		0		13	10	2	0	0	0	13	0	0	3	0	0	0	3	0	2	29	5	15	0
VIII					4.8	5.1	5.4	33	6	5	2		0		14	9	0	0	0	0	14	0	0	0	0	0	0	0	0	1	31	2	9	0
IX					4.9	5.5	5.5	100	22	4	4		0		19	16	1	1	0	0	19	0	0	0	0	0	0	1	0	4	25	2	11	0
X					6.7	6.4	6.2	119	15	1	18		4		25	18	4	1	0	0	20	11	4	0	0	0	0	0	0	2	19	2	21	11
XI					6.7	6.4	6.8	178	48	26	21		5		22	20	4	2	0	0	18	13	9	0	0	0	0	0	1	1	8	2	22	23
XII					6.2	5.6	5.7	112	28	6	29		17		23	16	3	2	0	0	10	21	9	1	0	0	0	0	0	0	0	7	17	31
1955					6.0	5.7	5.8	1053	48		227		78		235	175	20	12	0	0	151	138	52	7	2	6	0	6	1	15	240	30	193	206

Ytterøy

H_s = 74 H_b = h_t = 1.9 h_a = h_d = 12.4 h_r = 1.6

I	86	84	85	85	6.4	6.8	5.8	110	14	25	25		2		26	19	3	2	0	0	10	21	2	0	0	1	0	0	1	4	4	0	16	31
II	82	76	77	79	6.0	5.6	4.3	37	8	7	27		9		16	11	0	0	0	0	5	12	1	0	0	0	0	0	0	3	15	1	10	28
III	83	73	76	76	5.7	5.4	5.1	83	15	17	27		5		19	15	2	1	0	0	6	19	2	0	0	0	0	0	0	1	14	2	14	31
IV	77	64	66	70	6.2	5.7	5.9	25	6	2	21		0		16	8	0	1	0	0	7	11	2	0	0	0	0	0	0	0	21	0	12	22
V	80	65	63	71	5.5	5.9	5.6	26	5	12	3		0		14	10	0	1	0	0	12	5	3	0	0	0	0	0	0	0	19	2	12	2
VI	78	60	58	68	4.7	4.9	5.2	66	11	16	0		0		16	12	1	0	0	0	16	1	0	0	0	2	0	0	0	0	23	5	14	0
VII	80	66	64	72	5.2	4.8	5.2	25	10	15	0		0		12	6	1	0	0	0	12	0	0	3	0	0	0	2	0	0	23	4	10	0
VIII	83	65	66	74	5.3	4.4	5.2	31	7	19	0		0		13	7	0	0	0	0	13	0	0	2	0	0	0	0	0	1	25	3	9	0
IX	89	74	76	81	5.4	5.5	4.8	97	21	30	0		0		19	15	3	1	0	0	19	0	0	0	0	0	0	0	0	2	17	4	14	0
X	87	77	80	82	6.3	6.2	5.0	114	22	1	6		0		24	19	2	2	0	0	20	6	1	0	0	0	0	0	2	13	1	13	3	
XI	86	83	84	84	6.1	5.9	6.1	100	29	26	10	2	2	0	22	16	4	2	0	0	16	12	1	2	0	0	0	0	1	1	8	3	15	19
XII	83	84	83	83	5.0	5.4	4.9	108	17	7	27	18	10	0	22	14	3	1	0	0	7	21	1	1	0	0	0	0	0	1	7	5	11	26
1955	83	73	65	77	5.6	5.5	5.3	822	29		146		28		219	152	19	11	0	0	143	108	13	8	0	3	0	2	2	15	189	30	152	162

Kjevli i Snåsa

H_s = 195 H_b = h_t = 2.0 h_a = h_d = 11.0 h_r = 1.5

I					6.3	5.8	5.6	110	19	25	30	18	14	0	25	19	4	2	0	0	10	21	5	5	0	0	0	0	21	2	5	2	14	31
II					5.5	5.3	4.3	45	14	26	28	16	16	0	19	11	1	1	0	0	2	18	1	0	0	0	0	0	14	1	16	3	8	28
III					5.0	5.0	5.2	114	20	31	29	25	16	0	23	18	4	1	0	0	6	23	4	0	0	0	0	0	19	0	21	5	14	31
IV					4.4	4.5	4.8	59	8	30	23	4	5	0	22	14	0	3	0	0	9	18	4	2	0	0	0	0	13	1	24	3	6	30
V					5.2	4.8	4.4	61	14	25	21	0	0	0	20	13	1	1	0	0	12	12	6	2	0	0	0	0	16	0	26	4	7	16
VI					4.5	4.2	4.7	76	16	17	5	0	0	0	20	14	2	1	0	0	20	3	1	2	0	1	0	2	11	0	27	7	10	0
VII					5.7	4.9	4.9	52	20	15	0	0	0	7	15	8	1	0	0	0	15	0	0	11	0	0	0	2	16	0	24	4	13	0
VIII					4.3	4.5	4.5	34	7	8	1	0	0	2	19	8	0	0	0	0	19	0	0	6	0	0	0	0	9	0	26	4	7	0
IX					4.8	5.5	5.3	90	15	1	1	0	0	0	21	17	2	2	0	0	21	0	0	2	0	0	0	1	17	1	20	3	11	0
X					6.3	6.5	5.1	110	14	16	17	4	1	0	26	19	5	3	0	0	20	11	5	0	0	0	0	0	21	0	10	2	14	8
XI					6.6	5.9	6.5	172	36	26	21	2	4	0	22	19	5	1	0	0	15	16	9	2	0	0	0	0	20	0	11	3	19	21
XII					5.6	5.6	5.7	91	20	1	30	21	17	0	24	13	2	2	0	0	6	24	4	0	0	0	0	0	19	0	0	4	18	31
1955					5.4	5.2	5.1	1014	36		206	90	73	9	256	173	27	17	0	0	155	146	39	32	0	1	0	5	196	5	210	44	141	196

1955

Høylandet

φ = 64° 36'N λ = 12° 16'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.6	- 7.8	- 7.8	- 7.8	- 3.6	-12.5	5.0	25	-28.6	17	1 3.0	6 1.5	6 1.2	3 1.0	0 -	0 -	0 -	9 1.7	9 1.4	4 1.0	1 1.0	3 2.0	51
II			-10.7	- 7.7	- 8.8	- 9.4	- 4.6	-13.8	1.0	25	-29.0	20	0 -	1 2.0	10 1.0	1 1.0	0 -	2 1.0	0 -	2 1.0	7 1.7	4 1.5	4 1.0	0 -	53
III			- 6.6	- 2.0	- 2.8	- 4.1	0.6	- 9.2	5.5	4	-23.6	29	0 -	3 1.0	5 1.4	1 2.0	0 -	1 1.0	2 1.5	4 1.0	28 1.8	8 1.9	6 2.8	0 -	35
IV			- 2.2	2.3	1.7	0.0	3.6	- 4.3	9.2	30	-15.3	4	1 2.0	9 1.7	12 1.6	3 2.0	0 -	4 1.5	1 1.0	2 1.0	11 1.6	5 1.0	10 1.9	7 1.7	25
V			3.0	6.5	6.4	4.4	6.2	- 0.3	17.5	31	- 4.3	9	0 -	2 1.0	17 1.5	2 1.5	0 -	3 1.7	1 1.0	4 1.2	27 1.5	5 1.8	9 1.6	1 1.0	22
VI			8.2	12.0	12.3	9.4	14.7	3.2	24.0	29	- 0.2	10	3 1.3	4 1.2	9 1.0	1 1.0	0 -	0 -	0 -	4 1.2	12 1.3	9 1.2	17 1.8	1 1.0	30
VII			13.0	17.8	17.2	14.9	20.5	9.9	31.0	11	3.4	19	2 1.0	1 1.0	2 1.5	1 1.0	0 -	1 1.0	4 1.0	3 1.0	25 1.2	11 1.2	10 1.4	5 1.0	28
VIII			11.2	17.5	16.8	14.2	19.8	8.8	25.6	13	3.5	29	1 1.0	2 1.5	9 1.2	1 1.0	0 -	0 -	1 1.0	2 1.0	10 1.2	8 1.6	6 1.3	0 -	53
IX			7.3	13.5	11.5	10.3	15.0	6.2	22.4	9	- 0.2	15	0 -	1 1.0	13 1.2	3 1.0	0 -	0 -	0 -	1 1.0	22 1.6	8 1.1	3 1.3	1 1.0	38
X			2.2	4.2	2.6	2.8	5.3	0.1	11.2	9	-10.1	31	1 1.0	2 1.5	4 1.8	2 3.0	0 -	0 -	0 -	2 1.0	15 2.1	2 1.0	3 2.0	4 1.8	58
XI			- 1.7	- 0.4	- 1.0	- 1.2	2.2	- 4.9	8.0	22	-25.9	29	3 2.0	2 1.5	6 1.5	2 1.0	0 -	0 -	0 -	1 1.0	21 1.8	2 2.0	8 1.8	0 -	45
XII			-10.4	-10.2	- 9.8	-10.2	- 6.2	-13.4	5.4	6	-29.7	15	0 -	2 1.5	9 1.0	2 1.0	0 -	1 1.0	0 -	5 1.8	8 2.2	3 1.7	4 1.0	0 -	59
1955			0.5	3.8	3.2	1.9	6.1	- 2.5	31.0		-29.7		12 1.6	35 1.4	102 1.3	22 1.4	0 -	12 1.3	9 1.1	39 1.3	195 1.6	69 1.4	81 1.7	22 1.5	497

Nordli II

φ = 64° 27'N λ = 13° 36'E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	953.2	1004.6	- 9.0	- 9.6	- 9.7	- 9.6		-14.5	3.8	24	-28.8	20	0 -	14 1.1	3 1.7	26 2.2	4 1.8	0 -	0 -	5 3.0	2 2.5	16 2.9	9 1.2	0 -	14
II	56.7	08.3	-12.3	- 8.5	-10.1	-10.6		-14.7	- 1.3	8	-31.2	20	0 -	26 2.0	0 -	13 2.1	2 1.5	0 -	1 3.0	7 1.9	0 -	19 1.5	7 1.0	0 -	9
III	60.8	12.3	-10.0	- 3.9	- 5.3	- 6.9		-12.6	2.9	11	-28.1	22	0 -	13 1.3	0 -	13 1.5	11 1.5	0 -	1 3.0	10 2.5	0 -	36 2.9	6 2.0	0 -	3
IV	65.6	16.8	- 5.5	- 0.5	- 0.8	- 3.0		- 7.5	8.1	30	-20.9	4	0 -	9 1.9	0 -	21 2.9	6 2.0	0 -	0 -	19 2.7	0 -	30 3.3	2 1.5	0 -	3
V	58.0	08.2	0.3	4.0	3.7	1.9		- 2.3	13.3	31	- 7.3	9	2 1.5	5 1.8	0 -	16 3.2	20 2.4	1 2.0	1 2.0	23 2.4	0 -	19 2.9	1 2.0	0 -	5
VI	64.9	14.6	4.8	9.1	9.4	6.5		0.9	18.8	29	- 2.2	1	0 -	0 -	0 -	6 2.7	9 1.8	0 -	0 -	21 1.9	0 -	41 3.0	4 2.2	0 -	9
VII	69.3	18.0	10.3	15.3	15.4	12.6		7.9	27.9	11	1.1	24	0 -	0 -	0 -	4 2.2	12 2.0	0 -	1 1.0	10 2.3	2 5.5	52 3.7	3 2.3	0 -	9
VIII	70.1	18.8	9.5	16.0	15.4	12.7		7.3	24.8	13	2.1	22	0 -	7 1.6	0 -	11 1.7	13 1.7	0 -	1 1.0	13 2.8	0 -	31 3.4	1 3.0	0 -	16
IX	61.1	10.3	6.6	10.4	9.5	8.3		4.9	16.9	9	- 1.2	18	0 -	16 2.1	0 -	17 2.6	13 2.7	0 -	1 3.0	12 2.8	0 -	26 3.9	1 3.0	0 -	4
X	57.8	08.0	0.5	2.0	0.5	0.8		- 1.2	9.1	11	-13.8	30	1 2.0	17 2.6	1 5.0	11 2.5	17 2.5	0 -	0 -	16 4.1	1 3.0	17 3.5	11 2.4	0 -	1
XI	61.5	12.5	- 3.4	- 2.7	- 3.0	- 3.2		- 5.7	4.8	21	-27.8	29	0 -	18 2.5	1 4.0	18 2.5	8 2.0	0 -	0 -	8 3.8	1 6.0	30 3.8	6 3.3	0 -	[illegible]
XII	49.1	00.5	-12.2	-13.1	-13.5	-13.0		-16.9	2.0	1	-38.2	16	0 -	13 1.6	4 2.5	35 2.4	10 1.5	0 -	3 2.0	5 2.8	0 -	8 3.4	6 1.8	0 -	9
1955	960.7	1011.1	- 1.7	1.5	1.0	- 0.3		- 4.5	27.9		-38.2		3 1.7	138 1.9	9 2.7	191 2.4	125 2.1	1 2.0	9 2.1	149 2.7	6 4.2	325 3.2	57 2.0	0 -	82

Nordøyan

φ = 64° 48'N λ = 10° 33'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.8	0.5	0.6	0.6	2.4	- 1.4	7.6	25	- 6.5	17	4 5.5	3 4.3	6 4.3	13 4.6	5 4.8	19 5.2	5 4.4	3 5.7	8 6.2	11 6.7	6 5.2	10 4.7	[illegible]
II			- 0.5	- 0.6	- 0.3	- 0.6	1.3	- 2.3	5.0	1	-14.0	18	6 4.3	4 4.5	1 4.0	9 5.4	6 5.2	21 4.8	5 4.6	5 3.4	10 5.2	8 5.6	4 5.5	2 5.0	[illegible]
III			0.7	1.3	1.4	1.0	2.8	- 0.7	5.7	3	- 5.6	22	7 4.3	5 3.8	2 3.0	6 3.8	1 4.0	10 3.4	5 3.8	7 4.3	10 6.8	18 6.0	10 5.6	8 6.2	[illegible]
IV			1.4	2.5	2.5	1.9	3.6	0.1	7.4	30	- 5.6	7	9 4.0	1 1.0	3 3.0	14 4.0	12 6.7	6 6.0	1 7.0	1 4.0	12 5.2	7 3.9	4 5.5	18 4.1	[illegible]
V			4.2	5.7	5.2	4.7	6.6	2.7	13.0	31	- 1.4	10	8 3.2	9 3.8	5 4.2	15 4.7	5 4.8	2 4.0	0 -	3 3.3	18 5.2	10 5.0	9 4.8	7 3.9	[illegible]
VI			7.5	8.9	8.6	7.9	10.3	6.1	19.8	29	2.1	9	13 4.2	26 4.1	2 3.0	5 3.8	2 3.5	2 3.0	1 1.0	0 -	8 4.1	16 3.6	5 4.0	7 5.6	[illegible]
VII			11.4	12.8	12.5	11.9	14.0	10.4	23.5	11	8.4	24	9 3.4	12 3.2	6 3.7	2 2.0	2 3.5	0 -	2 3.5	1 5.0	31 4.7	21 3.9	3 5.0	2 3.0	[illegible]
VIII			12.9	14.0	13.2	13.2	15.3	11.5	20.9	17	8.6	28	4 2.5	3 5.3	11 4.3	4 3.8	1 4.0	7 3.1	3 3.3	11 3.8	18 4.3	19 3.7	5 4.4	3 3.0	4
IX			11.4	12.4	12.1	11.8	13.6	10.1	18.5	9	7.3	28	3 3.7	0 -	2 4.0	14 4.3	12 4.3	11 3.9	8 3.4	3 4.0	15 5.7	17 5.6	5 4.2	0 -	[illegible]
X			5.9	6.6	6.4	6.2	7.9	4.7	13.6	10	- 0.3	19	2 5.5	6 4.8	3 3.7	4 3.8	6 5.2	19 5.3	3 3.0	10 4.3	10 6.0	11 6.5	15 5.5	3 4.7	[illegible]
XI			3.9	4.3	4.1	4.0	5.9	2.1	10.0	12	- 6.3	28	6 7.2	1 5.0	7 4.7	10 4.3	6 5.2	18 4.8	1 6.0	0 -	11 6.7	17 5.8	10 5.9	3 6.7	[illegible]
XII			- 1.3	- 1.3	- 1.1	- 1.2	- 0.7	- 3.3	8.0	6	-13.5	18	1 4.0	3 4.7	3 3.7	6 3.7	11 5.7	33 5.7	3 5.3	2 5.5	5 5.8	10 4.9	13 5.9	3 5.3	[illegible]
1955			4.9	5.6	5.4	5.1	6.9	3.3	23.5		-14.0		72 4.2	73 4.0	51 4.0	102 4.3	69 5.2	148 4.9	37 4.0	46 4.2	156 5.3	165 5.1	89 5.3	66 4.7	[illegible]

Leka

φ = 65° 6'N λ = 11° 42'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.8	- 1.6	- 1.9	- 1.9	0.7	- 5.2	7.0	25	-15.3	17	13 4.2	4 3.0	0 -	6 2.2	11 3.3	3 2.3	10 3.1	27 3.6	1 6.0	5 5.0	1 7.0	4 3.0	[illegible]
II			- 2.8	- 2.0	- 2.5	- 2.6	- 0.3	- 5.7	3.2	25	-15.0	20	8 4.2	2 1.5	0 -	6 3.0	10 2.7	2 2.5	15 2.8	26 3.1	1 6.0	5 4.4	2 2.0	2 4.5	[illegible]
III			- 1.5	0.5	- 0.6	- 0.7	2.4	- 4.4	6.4	12	-12.9	19	9 5.3	11 2.3	2 2.0	1 2.0	1 2.0	0 -	10 2.2	31 3.5	0 -	15 5.1	4 3.7	5 4.8	[illegible]
IV			0.1	2.3	1.4	0.9	3.3	- 1.9	7.0	30	- 6.4	27	16 4.2	5 3.6	3 2.7	9 2.4	5 4.6	10 3.7	9 3.0	12 3.3	0 -	7 4.0	3 4.0	6 2.7	[illegible]
V			4.0	6.2	5.6	4.7	7.6	3.3	14.1	31	- 1.2	14	10 2.4	8 2.2	7 2.6	8 2.2	9 3.7	5 2.8	9 3.1	14 3.0	0 -	9 3.7	4 3.2	7 3.9	[illegible]
VI			8.1	10.0	9.6	8.5	11.8	5.0	23.5	29	1.1	19	20 4.0	19 2.5	5 2.4	3 1.7	2 3.0	3 2.7	4 3.2	6 3.7	0 -	9 3.3	3 2.3	9 3.1	[illegible]
VII			12.3	14.3	13.4	12.8	16.0	9.8	27.4	11	4.8	19	9 2.1	12 1.9	0 -	1 1.0	1 2.0	2 2.0	1 2.0	26 3.4	3 4.3	17 3.8	5 3.2	8 2.6	[illegible]
VIII			12.9	15.3	13.9	13.6	16.6	10.8	22.0	15	6.9	29	2 2.5	17 2.4	2 2.0	2 2.0	1 2.0	3 2.3	10 2.3	26 2.5	2 3.0	15 2.7	3 3.3	4 2.5	[illegible]
IX			10.1	13.2	11.4	11.3	14.5	8.0	21.5	9	4.0	15	2 3.0	3 1.7	4 1.8	3 1.3	11 2.5	4 2.5	10 2.1	26 3.1	5 5.6	8 3.5	1 4.0	4 1.2	[illegible]
X			3.9	5.4	4.6	4.4	6.5	1.8	13.4	11	- 8.8	30	3 4.7	4 2.2	1 4.0	5 2.0	15 4.0	5 2.8	11 2.2	23 3.2	0 -	13 4.5	5 4.0	6 5.3	[illegible]
XI			2.1	2.6	1.7	2.1	4.6	- 1.3	8.4	12	-15.5	28	10 5.9	2 4.0	1 2.0	11 1.8	8 2.4	1 5.0	4 3.5	28 3.4	2 3.5	9 5.7	2 4.5	7 5.1	[illegible]
XII			- 3.5	- 3.8	- 3.4	- 3.7	- 0.9	- 6.7	6.7	6	-20.1	18	3 3.3	0 -	1 3.0	7 2.6	6 4.0	8 4.0	18 3.2	33 3.1	0 -	9 4.1	2 5.5	1 4.0	[illegible]
1955			3.7	5.2	4.4	4.1	6.9	1.0	27.4		-20.1		105 4.0	87 2.4	26 2.4	62 2.2	80 3.3	46 3.1	111 2.8	278 3.2	14 4.7	121 4.1	35 3.7	63 3.6	[illegible]

Majavatn

φ = 65° 13'N λ = 13° 22'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.9	- 7.3	- 7.3	- 7.6	- 4.2	-10.9	5.0	25	-23.6	10	22 1.5	1 1.0	2 1.5	2 1.0	0 -	20 2.0	13 2.4	0 -	6 2.2	10 2.1	12 1.9	2 3.0	[illegible]
II			- 9.1	- 7.9	- 7.7	- 8.4	- 5.4	-11.7	- 0.5	21	-23.5	19	18 1.2	0 -	6 1.5	3 1.0	0 -	22 1.5	15 2.3	2 1.0	5 1.8	3 1.3	5 1.0	0 -	[illegible]
III			- 7.6	- 4.3	- 3.3	- 5.4	- 1.3	- 9.3	3.8	11	-20.9	20	13 1.7	0 -	4 1.5	2 1.0	0 -	12 1.0	19 2.3	0 -	16 2.3	9 2.7	12 2.3	2 3.0	[illegible]
IV			- 4.6	- 1.0	- 1.1	- 2.7	0.6	- 6.1	7.1	30	-15.4	4	8 2.4	0 -	2 2.5	0 -	0 -	26 3.5	12 1.8	1 3.0	6 2.0	17 1.6	16 2.2	0 -	[illegible]
V			0.9	3.6	4.4	2.4	5.4	- 1.2	14.0	31	- 5.3	10	8 1.9	0 -	1 1.0	0 -	0 -	18 3.1	25 2.7	0 -	4 1.8	21 1.5	12 1.8	1 1.0	[illegible]
VI			4.9	8.4	9.3	6.7	10.7	2.9	19.7	29	- 1.3	10	7 2.4	0 -	0 -	1 1.0	0 -	10 2.8	7 1.9	0 -	8 1.9	34 1.6	20 2.6	1 4.0	[illegible]
VII			11.4	15.0	15.5	13.3	17.2	9.4	26.5	27	3.9	24	7 1.9	0 -	0 -	0 -	0 -	7 2.1	10 2.0	3 2.3	18 2.1	34 2.1	8 2.5	3 1.3	[illegible]
VIII			11.0	15.4	15.7	13.4	17.6	9.9	25.5	13	4.0	29	7 2.0	0 -	4 1.0	1 1.0	0 -	10 1.6	12 2.0	0 -	21 1.5	27 1.6	9 1.8	0 -	[illegible]
IX			7.3	10.6	10.4	9.4	12.6	6.4	20.1	9	0.9	15	9 1.2	0 -	6 1.5	2 1.0	0 -	26 2.1	22 2.4	2 2.5	9 2.4	7 2.0	4 1.8	0 -	[illegible]
X			0.6	1.8	1.3	1.2	3.3	- 0.9	11.0	11	-11.9	31	12 1.2	0 -	3 1.3	0 -	0 -	30 2.5	14 2.2	1 3.0	9 2.4	12 3.3	6 1.5	2 3.0	[illegible]
XI			- 2.5	- 2.1	- 2.0	- 2.3	0.5	- 5.0	5.7	18	-22.8	29	20 1.4	0 -	4 1.2	4 1.2	1 3.0	18 2.1	14 2.5	3 2.7	7 1.7	5 2.8	10 1.8	3 2.3	[illegible]
XII			-10.3	-10.5	-10.2	-10.4	- 7.6	-13.8	3.7	1	-30.5	14	16 1.0	1 1.0	2 1.0	1 1.0	0 -	36 2.1	18 2.2	1 1.0	2 1.5	7 3.0	4 1.8	1 1.0	[illegible]
1955			- 0.5	1.8	2.1	0.8	4.1	- 2.5	26.5		-30.5		147 1.5	2 1.0	34 1.4	16 1.1	1 3.0	235 2.3	181 2.3	13 2.2	111 2.0	186 2.0	118 2.0	15 2.3	[illegible]

1955

Høylandet

H_s = 21 H_b = h_t = 2.0 h_a = h_d = 10 h_r = 1.4

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Lufttemperatur T				Nedbør R			Vindstyrke F			Antall dager n													
	7	13	19	Dles	7	13	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	88	89	88	88	5.8	6.6	5.5	198	41	25	30	21	18	0	24	21	7	0	0	0	9	19	2	1	0	0	0	0	1	3	8	2	17	31
II	90	77	89	87	5.4	6.0	5.5	88	22	26	28	23	16	0	19	16	3	0	0	0	2	19	2	0	0	0	0	0	0	0	11	3	12	28
III	88	80	80	83	6.3	5.7	5.7	173	25	12	29	10	14	0	21	18	8	0	0	0	7	20	5	0	0	0	0	0	0	1	10	2	19	31
IV	82	62	67	72	5.8	5.7	5.6	59	13	13	23	1	3	0	18	13	1	0	0	0	7	12	0	4	0	0	0	0	0	0	15	0	13	30
V	81	61	62	71	6.0	6.0	5.7	56	15	19	17	0	0	0	16	12	1	0	0	0	9	0	0	5	0	0	0	0	1	0	14	2	15	24
VI	75	56	56	66	5.2	5.2	4.9	58	19	24	1	0	0	0	14	10	2	0	0	0	14	1	1	4	0	0	0	0	1	1	13	6	13	0
VII	86	63	63	74	6.7	5.2	5.5	51	10	15	0	0	0	6	13	11	0	0	0	0	13	0	0	10	0	0	0	0	1	2	14	0	8	0
VIII	92	62	64	75	6.1	6.0	5.4	34	8	6	0	0	0	3	15	10	0	0	0	0	15	0	0	11	0	0	0	0	4	1	13	2	15	0
IX	93	72	78	83	6.6	5.9	5.9	98	19	30	1	0	0	0	19	16	3	0	0	0	19	0	0	6	0	0	0	1	3	3	10	3	19	0
X	90	82	86	87	7.6	7.2	5.6	150	29	14	14	3	1	0	25	19	5	0	0	0	21	8	3	4	0	0	0	0	1	7	3	0	19	4
XI	92	92	90	91	6.6	6.7	6.4	297	47	26	22	4	2	0	24	22	10	0	0	0	15	14	5	1	0	0	0	0	2	1	8	1	19	23
XII	88	87	88	88	4.7	6.5	5.6	142	28	1	31	22	17	0	25	19	3	0	0	0	6	23	1	1	0	0	0	0	0	0	4	3	18	31
1955	87	74	76	80	6.1	6.1	5.6	1404	47		196	84	71	9	233	187	43	0	0	0	137	116	19	47	0	0	0	1	14	19	123	24	187	202

Nordli II

H_s = 408 H_b = 412.7 h_t = 2.0 h_a = h_d = 13 h_r = 1.4

I					5.6	5.7	5.5	65	11	25	30		21		19	13	1	0	0	0	3	16	0	2	0	0	0	0	0	0	7	3	14	31
II					5.9	5.0	6.1	45	8	26	28		20		13	9	0	0	0	0	0	13	0	0	0	0	0	0	0	0	9	3	15	28
III					5.9	5.8	5.9	39	7	31	31		18		17	10	0	2	0	0	5	16	3	1	0	0	0	0	0	0	12	4	18	31
IV					5.3	5.8	5.2	25	11	1	28		9		12	8	1	1	0	0	4	9	1	1	0	0	0	0	1	0	18	1	15	30
V					5.5	6.3	5.2	27	9	25	27		0		17	7	0	0	0	0	7	14	2	4	0	0	0	0	0	0	19	3	16	31
VI					4.7	5.0	5.1	28	8	24	14		0		10	6	0	1	0	0	10	1	1	6	0	0	0	1	0	0	19	6	12	0
VII					6.0	5.5	5.5	25	9	3	0		0		13	7	0	4	0	0	13	0	0	2	0	0	0	2	1	1	18	5	16	0
VIII					6.9	5.3	5.5	33	13	8	0		0		12	6	1	1	0	0	12	0	0	7	0	0	0	1	0	4	18	2	14	0
IX					7.9	6.6	6.5	67	12	1	2		0		18	12	1	3	0	0	18	0	0	6	0	0	0	0	0	3	8	0	23	0
X					7.0	7.2	6.8	80	19	14	20		1		20	15	1	5	0	0	14	8	1	3	0	0	0	0	0	0	3	2	26	16
XI					7.1	7.5	7.7	127	21	27	27		6		22	17	6	6	0	0	11	15	2	3	0	0	0	0	1	0	2	0	26	30
XII					6.0	6.6	6.3	84	28	1	31		20		18	15	2	1	0	0	3	18	0	0	0	0	0	0	0	1	3	3	21	31
1955					6.2	6.0	5.9	645	28		238		95		191	125	13	24	0	0	100	110	10	35	0	0	0	4	3	9	136	32	216	228

Nordøyan

H_s = 33 H_b = h_t = 1.9 h_a = 10.4 h_d = 10.3 h_r = 1.7

I	83	86	84	84	5.8	6.9	6.1	92	11	9	23	7	0	0	26	21	1	23	15	8	13	17	0	0	0	0	0	0	0	0	2	1	13	12
II	85	85	84	85	6.1	6.4	6.1	74	9	1	16	6	1	0	21	17	0	21	20	0	13	13	3	0	0	0	0	0	0	0	8	2	17	14
III	86	84	82	84	6.2	6.2	5.9	57	8	10	17	4	0	0	25	16	0	21	10	3	14	18	5	2	0	0	0	0	1	0	5	1	18	14
IV	85	80	81	83	6.6	5.9	5.9	35	7	3	15	0	0	0	17	12	0	18	6	1	8	10	0	2	0	1	0	0	4	0	15	1	17	7
V	89	83	86	88	6.1	5.5	6.2	42	7	24	3	0	0	0	16	11	0	17	2	1	16	7	7	1	0	0	0	0	1	0	14	1	16	0
VI	91	84	86	89	5.3	4.8	4.9	36	13	16	0	0	0	0	19	11	1	9	2	1	19	0	0	1	0	1	0	0	2	1	17	3	8	0
VII	94	89	92	93	7.2	6.4	6.1	28	4	16	0	0	0	0	18	9	0	10	1	0	18	0	0	11	0	0	0	0	0	8	12	1	20	0
VIII	92	88	91	91	6.5	6.0	6.2	41	8	28	0	0	0	0	15	10	0	10	0	0	15	0	0	3	0	0	0	0	8	1	15	2	19	0
IX	92	88	86	88	5.9	5.6	6.1	82	17	30	0	0	0	0	19	18	2	22	4	1	19	0	0	1	0	0	0	0	3	0	15	2	15	0
X	88	86	88	88	6.6	6.5	6.1	112	12	27	2	0	0	0	27	22	3	24	10	5	25	4	2	0	0	0	0	0	0	0	5	1	18	3
XI	90	90	90	90	6.8	6.7	6.7	96	19	26	5	1	0	0	25	20	2	25	12	8	25	7	5	1	0	0	0	0	4	0	5	1	25	4
XII	88	90	89	88	5.2	6.1	5.9	122	11	30	22	10	3	0	25	22	4	29	12	4	11	21	4	0	0	2	0	0	0	0	4	3	17	6
1955	89	86	81	88	6.2	6.1	6.0	817	19		103	28	4	0	253	189	13	229	94	32	196	97	26	22	0	4	0	0	23	10	117	19	203	60

Leka

H_s = 50 H_b = h_t = 2.0 h_a = h_d = 9.0 h_r = 1.8

I	83	82	84	83	6.0	6.5	5.7	167	47	25	27	15	4	0	24	19	6	7	4	1	11	20	3	1	0	8	0	0	12	0	10	1	16	
II	85	80	83	83	6.2	5.7	6.0	104	13	23	28	9	7	0	23	17	3	6	1	0	7	22	4	2	0	0	0	0	10	0	19	1	14	
III	84	79	83	83	6.3	5.5	6.0	151	20	11	26	4	9	0	25	19	6	11	8	2	13	22	9	1	0	4	0	0	14	0	20	1	17	
IV	85	75	77	81	5.8	5.3	5.4	85	13	13	23	2	0	0	21	17	2	9	2	2	21	15	3	3	0	3	0	0	6	0	26	1	7	
V	83	75	77	80	5.8	5.6	5.4	76	14	25	11	0	0	0	17	13	2	3	0	0	17	10	7	2	0	0	0	0	4	0	31	1	11	
VI	86	78	77	81	5.7	5.2	4.6	68	15	17	0	0	0	0	17	11	1	7	1	1	17	1	1	1	0	4	0	2	4	1	28	3	12	
VII	93	83	88	90	7.2	6.0	5.8	110	29	20	0	0	0	1	24	17	3	3	0	0	24	0	0	16	0	0	0	0	8	6	28	0	18	
VIII	91	84	89	89	6.1	6.2	5.6	64	18	6	0	0	0	0	19	12	1	0	0	0	19	0	0	8	0	0	0	0	7	0	28	1	13	
IX	94	82	88	89	5.7	5.4	5.9	138	29	30	0	0	0	0	20	16	5	3	1	1	20	0	0	2	0	0	0	0	3	1	25	3	12	
X	92	86	89	89	6.4	6.1	6.0	152	22	14	11	1	0	0	26	24	3	11	4	1	23	9	5	0	0	6	0	0	4	0	22	1	14	
XI	91	90	92	91	6.2	6.5	6.4	237	37	30	18	2	2	0	26	22	9	15	8	4	23	13	7	2	0	2	0	0	6	0	13	1	20	
XII	81	81	81	81	5.8	5.9	5.6	174	29	23	26	14	9	0	22	17	8	11	5	2	9	19	4	2	0	2	0	0	28	0	10	5	18	
1955	87	81	84	85	6.1	5.8	5.7	1526	47		170	47	31	1	264	204	49	86	34	14	204	131	43	40	0	29	0	0	106	8	260	19	172	

Majavatn

H_s = 352 H_b = h_t = 2.0 h_a = h_d = h_r = 1.9

I					5.9	6.3	5.8	147	33	25	31	25	17	0	24	19	5	1	0	0	5	22	2	0	0	0	0	0	8	0	10	3	17	31
II					6.1	4.8	5.7	91	20	22	28	28	14	0	21	17	2	0	0	0	0	21	0	0	0	0	0	0	11	0	16	3	13	28
III					5.5	5.9	6.0	194	30	12	29	20	12	0	22	20	7	0	0	0	6	22	2	0	0	0	0	0	16	1	13	6	18	31
IV					4.0	4.2	4.1	41	10	13	28	12	6	0	18	11	0	2	0	0	6	18	4	0	0	0	0	0	6	0	21	9	6	30
V					4.7	4.3	4.7	22	5	12	20	0	0	0	15	7	0	0	0	0	7	13	5	0	0	0	0	0	7	0	25	6	10	31
VI					4.8	4.2	4.2	65	18	25	1	0	0	0	16	9	2	0	0	0	15	4	3	0	0	0	0	1	5	0	22	9	12	11
VII					5.8	4.8	5.1	35	9	15	0	0	0	4	15	6	0	0	0	0	15	0	0	2	0	0	0	2	7	2	21	5	12	0
VIII					5.3	4.9	4.5	42	9	6	0	0	0	1	14	12	0	0	0	0	14	0	0	0	0	0	0	0	11	2	20	4	10	0
IX					5.9	5.0	5.1	148	22	30	0	0	0	0	19	18	7	0	0	0	19	0	0	0	0	0	0	2	12	5	17	3	12	0
X					6.4	5.9	6.2	178	32	1	16	7	2	0	22	18	7	2	0	0	18	8	3	0	0	0	0	0	14	3	10	1	15	17
XI					6.4	6.2	6.4	168	26	18	28	12	4	0	25	21	6	0	0	0	10	21	6	1	0	0	0	0	11	1	7	2	18	30
XII					5.2	5.7	5.6	113	15	23	31	24	17	0	23	15	3	1	0	0	3	23	2	0	0	0	0	0	9	0	6	5	16	31
1955					5.5	5.2	5.3	1244	33		212	128	72	5	234	173	39	6	0	0	118	152	27	3	0	0	0	5	117	14	188	56	159	240

1955

Brønnøysund II

φ = 65° 29′ N λ = 12° 13′ E g = 9.823 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	999.6	1001.3	- 1.0	- 1.1	- 1.4	- 1.2	1.0	- 3.3	7.0	1	- 8.6	17	7 4.6	6 3.2	18 2.6	15 2.5	8 4.4	2 5.0	12 3.3	4 3.5	5 5.0	1 6.0	2 5.0	7 5.7	6
II	1003.8	05.5	- 2.2	- 1.0	- 1.8	- 1.8	0.5	- 3.9	4.0	4	-13.8	18	5 2.4	3 2.3	13 2.6	21 2.7	13 2.5	1 1.0	10 2.9	4 3.8	1 5.0	3 6.0	0 -	4 5.0	6
III	08.0	09.6	- 0.9	0.9	0.3	- 0.1	2.6	- 2.2	5.4	12	- 7.9	22	8 4.8	1 3.0	3 2.7	12 2.4	2 2.0	1 3.0	11 3.5	12 5.0	9 5.0	8 5.1	2 5.0	8 5.6	16
IV	13.5	15.2	0.3	2.1	2.1	1.2	3.6	- 1.0	9.2	30	- 4.4	22	6 4.5	4 2.0	4 2.8	11 3.6	10 4.8	2 4.5	9 3.6	6 5.2	2 4.0	7 3.0	5 3.6	15 4.3	9
V	05.1	06.8	4.3	5.8	5.9	5.0	7.6	2.5	11.6	31	- 1.5	10	8 3.9	5 2.8	4 2.5	18 2.9	3 2.7	4 4.0	10 4.0	7 4.0	4 2.0	8 3.6	3 3.7	12 3.4	7
VI	12.3	13.9	7.5	9.3	9.4	8.2	10.4	5.7	22.9	29	3.1	10	36 4.6	0 -	3 2.0	6 3.0	0 -	1 1.0	1 3.0	9 3.4	8 3.9	2 2.0	4 2.8	12 3.1	8
VII	15.8	17.3	11.8	13.4	13.1	12.4	15.2	10.4	28.9	11	7.7	6	18 3.7	2 2.5	0 -	1 2.0	0 -	2 2.5	2 3.5	20 3.6	18 4.3	8 3.6	3 3.7	9 3.2	10
VIII	16.3	17.9	13.2	14.7	14.0	13.6	16.5	11.3	23.2	17	7.3	29	12 4.0	4 1.8	3 1.7	3 2.0	0 -	2 2.5	8 2.6	15 3.3	12 2.8	7 4.0	1 5.0	7 4.3	19
IX	06.3	07.8	10.7	13.3	12.0	11.8	15.0	9.5	22.0	9	5.6	15	1 2.0	3 1.7	2 1.5	23 2.2	7 2.1	4 1.5	10 3.1	10 4.0	7 5.3	7 4.6	0 -	1 5.0	15
X	03.0	04.6	4.4	5.7	4.8	4.9	7.0	3.1	14.6	11	- 2.7	30	8 2.5	9 2.3	2 1.5	24 2.9	3 4.3	2 3.0	12 3.5	4 4.5	5 6.0	6 5.3	5 4.8	3 5.0	10
XI	07.5	09.2	2.5	3.3	2.4	2.6	5.0	0.5	9.5	12	- 8.7	28	12 4.9	0 -	7 2.6	27 3.1	3 3.0	2 2.5	2 6.0	4 5.8	4 4.0	7 5.4	4 7.0	6 5.5	12
XII	994.4	996.1	- 3.3	- 3.0	- 3.1	- 3.1	0.6	- 5.4	6.9	1	-14.4	17	4 2.0	2 2.0	0 -	45 3.2	10 4.9	3 2.7	8 3.9	3 2.0	1 3.0	5 5.8	4 7.0	2 4.5	6
1955	1007.1	1008.8	3.9	5.3	4.8	4.5	7.1	2.3	28.9		-14.4		125 4.1	39 2.4	59 2.5	206 2.9	59 3.6	26 2.9	95 3.4	98 3.9	76 4.2	69 4.4	33 4.5	86 4.3	124

Hattfjelldal

φ = 65° 36′ N λ = 13° 59′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-12.7	-10.2	-10.5	-11.2	- 5.7	-16.9	5.5	25	-32.3	19	7 1.7	0 -	4 2.0	5 3.6	0 -	11 4.1	4 2.2	0 -	3 3.7	14 2.6	3 2.7	9 2.1	33
II			-11.5	- 7.7	- 9.3	- 9.8	- 5.2	-15.0	0.3	25	-29.8	19	3 1.7	0 -	5 1.6	17 2.4	0 -	13 2.5	1 1.0	0 -	0 -	12 2.1	0 -	4 2.8	29
III			-10.4	- 2.5	- 4.4	- 6.3	- 0.5	-12.4	4.5	11	-28.8	18	4 1.2	0 -	11 1.4	4 3.0	0 -	2 3.0	0 -	0 -	5 2.4	20 2.4	3 2.7	18 2.6	26
IV			- 4.8	0.4	- 0.5	- 2.2	1.8	- 6.9	6.8	30	-20.0	4	2 2.0	0 -	4 1.5	6 3.0	0 -	25 4.1	2 2.5	0 -	3 3.0	18 2.1	5 3.0	11 3.1	14
V			1.8	5.0	4.6	3.0	6.6	- 1.8	15.7	31	- 5.8	13	0 -	0 -	17 2.4	14 3.2	0 -	15 2.9	7 3.4	0 -	8 2.2	21 3.5	2 3.0	4 3.2	5
VI			6.2	10.3	9.6	7.5	12.2	1.1	21.5	29	- 2.6	21	12 3.0	0 -	6 1.5	8 2.8	0 -	5 2.8	7 2.3	0 -	7 2.0	29 2.5	1 3.0	13 3.2	2
VII			10.9	16.3	15.2	13.1	18.3	7.6	27.2	11	0.2	24	2 1.0	0 -	5 2.2	4 2.0	0 -	6 2.0	7 2.3	1 3.0	26 2.7	23 2.7	5 3.4	4 3.0	10
VIII			9.1	16.5	15.2	12.6	18.4	6.4	25.3	13	1.6	22	0 -	0 -	10 2.7	7 1.6	0 -	9 1.7	3 1.3	1 3.0	27 2.7	12 2.2	5 2.4	3 2.7	16
IX			6.2	11.8	9.9	8.9	13.5	4.9	22.0	9	- 1.9	24	5 2.0	0 -	16 2.3	8 2.4	0 -	20 3.0	4 2.8	0 -	10 2.0	14 2.1	2 2.5	5 1.8	6
X			- 0.6	2.3	0.6	0.6	3.7	- 2.6	10.4	11	-14.7	31	6 1.8	1 3.0	8 2.9	10 2.9	0 -	11 3.6	1 2.0	0 -	6 2.8	14 1.9	5 2.4	16 2.5	15
XI			- 4.5	- 3.8	- 3.7	- 3.9	0.3	- 7.9	5.5	18	-33.5	29	6 1.3	0 -	11 2.1	22 2.9	0 -	3 2.3	1 5.0	0 -	5 2.8	10 2.7	0 -	12 3.2	20
XII			-13.9	-15.1	-14.6	-14.6	-10.2	-19.0	2.8	28	-39.7	15	2 1.5	0 -	1 7.0	7 2.3	1 4.0	30 3.0	2 1.0	0 -	2 3.0	8 2.1	2 1.0	3 1.7	35
1955			- 2.0	1.9	0.9	- 0.2	4.4	- 4.9	27.2		-39.7		49 2.0	1 3.0	98 2.2	112 2.7	1 4.0	150 3.1	39 2.4	2 3.0	102 2.6	195 2.5	33 2.7	102 2.7	211

Skålvær

φ = 65° 52′ N λ = 12° 11′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.4	- 0.1	- 0.4	- 0.3	0.9	- 2.0	7.0	1	- 6.9	16	6 3.8	6 2.3	11 2.5	33 2.5	0 -	3 4.0	3 4.0	12 3.0	3 2.0	9 4.1	2 1.5	5 3.2	0
II			- 1.3	- 0.5	- 1.0	- 1.0	0.1	- 2.6	3.2	5	-11.1	18	3 4.0	9 1.9	4 2.8	39 2.6	3 2.0	3 2.7	9 2.3	3 3.0	2 1.5	4 2.5	1 2.0	4 2.5	0
III			- 0.1	0.9	0.4	0.5	1.9	- 1.5	6.2	15	- 6.2	21	7 3.3	8 1.6	7 2.1	19 1.8	1 2.0	0 -	3 1.7	20 4.0	6 3.5	12 3.6	2 3.5	8 4.5	0
IV			0.9	2.4	2.1	1.5	3.7	- 0.5	8.0	28	- 3.1	1	14 3.6	12 1.9	4 1.5	11 4.2	13 3.8	5 3.2	2 3.5	11 5.1	1 7.0	4 1.5	3 1.4	10 2.6	0
V			4.2	6.0	5.6	4.9	7.0	2.8	11.7	31	- 1.9	10	4 1.8	14 2.4	6 1.5	19 2.6	3 2.0	5 2.4	14 3.1	6 3.5	3 1.7	11 1.8	0 -	8 2.8	0
VI			7.6	9.6	8.9	8.3	10.5	6.3	19.3	30	2.9	9	19 3.2	28 2.2	2 3.0	3 1.3	0 -	0 -	2 1.0	17 2.6	2 2.0	11 1.2	0 -	6 3.2	0
VII			11.5	13.2	12.6	12.1	14.4	10.2	26.0	11	8.0	19	15 2.3	12 1.5	1 2.0	0 -	3 1.7	1 1.0	5 2.4	38 2.7	2 2.5	12 1.5	0 -	3 2.0	1
VIII			12.7	14.2	12.9	13.0	15.1	11.2	20.2	9	7.6	2	9 2.9	15 1.7	0 -	7 2.0	3 1.3	3 1.0	9 2.1	32 2.2	6 1.5	2 2.0	0 -	6 2.2	1
IX			11.3	12.9	11.8	11.8	13.8	10.1	18.2	9	7.7	29	1 3.0	10 1.5	5 1.6	20 2.2	4 1.5	0 -	8 2.0	28 2.7	8 3.4	3 2.3	0 -	0 -	3
X			5.3	5.9	5.5	5.5	6.9	3.8	12.4	11	- 2.1	30	0 -	9 2.2	4 3.0	36 2.5	0 -	0 -	4 2.5	16 3.1	5 3.8	15 3.6	1 4.0	3 5.0	0
XI			2.8	3.4	2.9	2.9	4.5	1.1	8.3	16	- 7.7	28	4 6.0	5 2.6	3 3.7	35 2.9	3 2.3	1 2.0	1 2.0	9 3.2	4 3.0	16 3.7	0 -	8 3.8	1
XII			- 2.7	- 2.4	- 2.5	- 2.5	- 1.0	- 4.1	5.3	28	-12.2	17	0 -	2 2.0	1 1.0	55 3.7	1 6.0	2 5.0	7 3.1	5 2.0	3 1.7	11 3.4	0 -	6 3.0	-
1955			4.3	5.5	4.9	4.7	6.4	2.9	26.0		-12.2		82 3.2	130 2.0	48 2.3	277 2.8	34 2.7	23 2.8	67 2.6	197 3.0	45 2.7	110 2.8	9 2.6	67 3.1	6

Mo i Rana II

φ = 66° 20′ N λ = 14° 11′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.4	- 8.6	- 8.8	- 8.9	- 5.4	-12.6	6.2	1	-25.1	19	1 1.0	1 3.0	1 1.0	52 1.4	0 -	11 1.9	0 -	0 -	4 3.0	9 2.8	0 -	7 2.1	9
II			- 9.0	- 6.6	- 8.1	- 8.1	- 4.3	-12.0	2.5	28	-23.2	19	0 -	3 1.0	1 1.0	58 1.5	0 -	1 1.0	0 -	0 -	3 3.0	8 1.9	0 -	6 1.2	4
III			- 7.1	- 3.0	- 3.8	- 4.9	- 0.3	- 8.7	5.4	11	-21.3	20	0 -	1 3.0	1 1.0	44 1.1	0 -	0 -	0 -	0 -	1 4.0	27 2.5	0 -	15 2.0	4
IV			- 2.7	1.1	0.4	- 0.9	2.6	- 4.9	7.5	30	-14.6	1	0 -	0 -	2 2.5	26 2.0	0 -	15 3.3	0 -	0 -	3 2.3	12 2.2	0 -	28 2.3	4
V			3.1	5.7	5.4	4.1	7.3	0.3	14.4	31	- 3.6	8	0 -	2 2.5	1 1.0	33 2.4	0 -	2 2.0	0 -	0 -	4 2.2	19 2.2	0 -	30 1.9	2
VI			7.0	10.1	9.5	8.1	11.8	3.4	20.6	30	- 0.5	20	0 -	1 3.0	5 1.0	9 1.3	0 -	3 2.7	0 -	0 -	15 1.8	14 2.7	0 -	41 2.2	2
VII			11.1	13.9	13.7	11.9	16.4	8.5	26.6	11	3.4	5	0 -	0 -	1 1.0	16 1.1	0 -	0 -	0 -	0 -	21 1.9	27 1.9	0 -	22 2.0	5
VIII			11.0	14.7	13.9	12.6	16.4	8.7	22.0	20	5.0	29	0 -	0 -	1 2.0	24 1.1	0 -	4 1.8	0 -	0 -	39 1.8	13 2.6	0 -	5 2.8	7
IX			7.5	11.7	10.5	9.5	13.7	6.2	19.7	9	1.0	24	0 -	1 2.0	2 1.0	42 1.7	0 -	6 1.8	0 -	0 -	16 1.8	11 2.1	0 -	8 1.9	4
X			0.4	2.9	1.8	1.6	4.3	- 0.8	10.9	11	-11.0	30	0 -	0 -	5 3.4	56 1.5	0 -	5 4.4	0 -	0 -	6 2.3	7 4.1	0 -	10 2.8	4
XI			- 2.6	- 2.4	- 2.5	- 2.6	0.6	- 5.5	8.0	18	-20.5	29	0 -	1 1.0	4 2.2	53 1.9	0 -	7 1.7	0 -	0 -	14 3.3	3 2.0	0 -	6 2.2	2
XII			-10.3	-10.4	-10.7	-10.6	- 6.5	-14.0	5.5	28	-29.4	14	0 -	0 -	0 -	72 2.2	0 -	6 2.2	0 -	0 -	2 4.5	1 2.0	0 -	7 2.6	5
1955			- 0.1	2.4	1.8	1.0	4.7	- 2.6	26.6		-29.4		1 1.0	10 2.0	24 1.9	485 1.7	0 -	60 2.5	0 -	0 -	128 2.1	131 2.4	0 -	185 2.1	31

Nord-Solvær

φ = 66° 22′ N λ = 12° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.7	- 0.6	- 0.7	- 0.7	1.4	- 2.4	7.0	1	- 7.0	16	8 5.0	3 3.7	8 2.8	10 2.9	19 3.7	11 4.4	5 4.2	7 4.1	9 4.3	4 3.2	0 -	7 4.7	2
II			- 1.1	- 0.7	- 1.1	- 1.1	1.0	- 3.1	4.4	25	-10.5	18	8 4.4	6 3.7	2 1.5	6 2.8	26 4.1	13 3.6	5 3.0	4 4.5	3 2.7	4 4.5	2 1.0	1 5.0	4
III			- 0.4	0.6	0.0	0.0	2.4	- 2.0	7.0	11	- 7.4	22	5 6.4	4 3.8	7 3.0	3 1.7	9 3.8	8 3.0	6 3.5	9 3.9	21 4.7	6 3.3	2 4.5	8 4.4	5
IV			0.5	2.0	1.6	1.2	3.2	- 0.8	6.5	29	- 4.1	22	10 4.4	8 1.9	4 1.8	4 3.2	14 5.1	12 5.3	3 2.0	11 4.6	10 3.6	0 -	0 -	11 4.8	3
V			4.4	5.6	4.7	4.5	7.2	2.4	9.5	30	- 2.1	10	9 3.2	8 2.9	1 2.0	14 3.8	6 4.7	11 3.6	7 3.9	7 2.9	11 2.6	7 2.1	1 2.0	3 5.3	8
VI			7.2	9.1	8.2	7.8	10.4	5.6	19.6	30	2.6	6	20 3.5	27 3.3	0 -	0 -	1 3.0	3 2.7	3 3.3	8 3.8	13 3.0	1 3.0	4 2.0	3 2.0	7
VII			11.2	12.9	12.2	11.7	14.9	9.5	26.0	11	6.1	19	20 2.4	2 1.5	0 -	0 -	2 3.0	1 1.0	4 3.0	17 3.8	30 3.3	2 2.0	3 2.0	4 2.5	8
VIII			12.4	13.8	12.7	12.7	15.4	10.3	22.3	18	6.8	5	8 2.6	7 2.3	3 2.0	1 2.0	7 2.6	7 2.3	8 2.0	19 3.4	19 3.3	5 3.8	2 1.0	3 1.3	4
IX			11.0	12.4	11.5	11.4	14.0	9.5	18.5	10	6.7	29	3 2.7	6 2.0	2 1.5	6 2.0	13 3.6	13 2.8	5 2.8	11 3.7	19 4.2	2 4.0	0 -	0 -	10
X			4.5	8.2	4.9	5.7	7.0	3.3	13.0	11	- 2.6	31	1 3.0	5 3.6	6 2.2	5 3.4	18 4.5	8 3.1	12 3.8	7 3.3	8 3.2	5 6.0	3 4.7	8 4.2	7
XI			2.6	2.9	2.8	2.8	5.1	0.8	8.8	12	- 5.7	28	7 6.3	3 6.0	3 2.3	5 2.2	25 5.0	11 3.3	2 1.5	4 2.5	11 4.6	4 3.8	4 4.5	4 3.8	7
XII			- 2.8	- 2.7	- 2.7	- 2.7	- 0.6	- 4.6	5.4	28	-13.0	17	2 4.0	4 3.0	1 1.0	5 3.2	44 5.8	15 4.7	6 3.2	2 2.5	3 4.7	4 4.2	1 2.0	2 4.5	4
1955			4.1	5.3	4.5	4.4	6.8	2.4	26.0		-13.0		101 3.8	83 3.1	37 2.3	59 2.9	184 4.6	113 3.7	66 3.2	106 3.7	157 3.7	44 3.7	22 2.9	54 4.1	69

1955

Brønnøysund II

H_s = 13 H_b = 13.2 h_t = 2.0 h_a = h_d = 11.0 h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr ❜	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet ●	Snødekke
I	73	76	79	76	5.0	6.2	5.3	137	29	25	25	14	0	0	22	18	4	9	3	3	8	17	1	1	1	0	0	0	1	0	9	3	14	19
II	82	75	80	80	5.5	5.8	5.5	76	12	23	21	8	2	0	22	13	2	8	1	0	6	20	4	0	0	0	0	0	0	0	20	2	15	28
III	83	75	78	80	5.7	5.4	5.7	130	22	12	9	6	0	0	23	21	4	14	4	2	13	20	11	1	0	1	0	1	1	0	21	4	19	23
IV	79	73	73	76	5.2	4.8	4.9	52	10	13	21	0	0	0	21	13	1	8	1	1	9	14	2	2	0	1	0	0	3	0	26	4	11	19
V	76	74	73	75	5.8	5.1	5.2	72	10	12	4	0	0	0	17	14	1	3	0	0	17	8	8	1	0	2	0	0	1	0	28	2	14	5
VI	85	74	75	80	5.1	4.6	4.4	52	10	25	0	0	0	0	17	15	0	6	0	0	17	0	0	1	0	2	0	2	0	0	24	6	9	0
VII	89	82	85	87	7.1	5.2	5.5	73	10	20	0	0	0	1	24	16	1	2	0	0	24	0	0	17	0	0	0	0	5	4	25	1	19	0
VIII	82	79	83	82	6.3	6.0	5.4	68	13	28	0	0	0	0	21	11	2	3	0	0	21	0	0	4	0	0	0	0	6	0	25	1	16	0
IX	86	75	79	80	5.5	5.2	5.3	132	22	30	0	0	0	0	21	17	4	5	1	1	21	0	0	1	0	0	0	0	5	0	24	3	14	0
X	81	74	78	79	5.9	5.5	5.4	146	30	14	7	1	0	0	24	19	4	7	3	2	22	5	2	0	0	1	0	0	2	0	22	3	16	3
XI	82	79	83	82	6.5	6.7	6.3	172	26	27	11	2	0	0	26	21	6	14	5	3	22	14	7	2	0	1	0	0	1	0	10	2	20	15
XII	76	77	78	77	4.6	5.6	5.4	140	18	6	27	14	7	0	21	18	6	7	2	2	8	20	4	0	0	0	0	0	0	0	10	5	12	29
1955	81	76	79	80	5.7	5.6	5.4	1250	30		125	45	9	1	259	196	35	86	20	14	188	118	39	30	1	8	0	3	25	4	244	36	179	141

Hattfjelldal

H_s = 221 H_b = h_t = 1.9 h_a = h_d = h_r = 1.9

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	86	86	86	4.8	5.2	4.5	139	26	25	31	23	22	0	20	17	6	0	0	0	6	17	2	0	0	0	0	0	0	0	10	4	9	31
II	88	80	87	86	5.1	4.6	4.1	63	28	21	28	26	17	0	20	15	1	0	0	0	1	20	0	1	0	0	0	0	0	0	22	3	8	28
III	91	77	81	84	4.7	4.5	4.6	195	27	12	31	16	15	0	22	20	7	0	0	0	7	22	5	0	0	0	0	0	0	0	21	5	8	31
IV	82	62	66	72	3.6	3.8	3.7	38	16	13	28	10	7	0	14	8	1	3	0	0	5	13	4	0	0	0	0	0	0	0	25	5	3	30
V	78	64	65	71	4.4	3.9	4.5	17	6	12	22	0	0	0	11	4	0	0	0	0	6	7	0	0	1	0	0	0	0	0	25	4	5	28
VI	79	60	62	70	4.9	4.5	4.5	67	20	25	12	0	0	0	14	10	2	0	0	0	12	2	1	0	2	0	0	1	1	0	24	8	14	0
VII	86	64	67	77	5.5	5.2	4.9	26	8	15	0	0	0	4	13	6	0	2	0	0	13	0	0	0	0	0	0	1	0	0	22	4	12	0
VIII	93	61	68	80	5.0	5.0	4.6	42	8	6	0	0	0	1	16	9	0	1	0	0	16	0	0	1	0	0	0	0	1	2	25	3	11	0
IX	94	74	81	88	6.1	5.1	5.1	100	12	30	4	0	0	0	21	17	2	1	0	0	21	0	0	0	0	0	0	1	2	2	20	4	14	0
X	93	81	87	88	5.3	5.3	4.8	149	31	1	17	6	4	0	19	14	6	3	0	0	17	5	2	0	0	0	0	0	3	1	11	3	12	6
XI	89	88	88	88	5.1	5.6	5.9	148	31	30	26	15	9	0	26	19	5	0	0	0	12	22	1	0	1	0	0	0	0	0	4	2	14	23
XII	85	84	85	84	3.8	4.0	4.3	111	22	7	31	26	25	0	21	15	3	2	0	0	0	21	0	0	0	0	0	0	0	0	0	8	9	31
1955	87	73	77	81	4.9	4.7	4.6	1096	31		230	122	99	5	217	154	33	12	0	0	116	129	15	2	4	0	0	3	7	5	209	53	119	208

Skålvær

H_s = 4 H_b = h_t = 2.2 h_a = h_d = 10 h_r = 1.7

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.0	6.3	4.9	91	20	25	24	15	0	0	18	16	3	7	3	2	7	3	0	2	0	0	0	0	4	0	5	2	15	19
II					6.3	6.6	5.6	56	9	23	23	9	1	0	18	15	0	3	0	0	6	18	4	0	0	0	0	0	0	0	6	2	15	27
III					5.7	5.8	6.3	103	17	11	11	5	0	0	23	18	2	11	2	0	13	16	2	2	0	2	0	0	5	0	11	4	20	17
IV					5.1	5.0	5.4	40	8	16	19	0	0	0	18	11	0	13	0	0	9	14	1	3	0	0	0	0	3	0	18	4	11	15
V					6.4	6.1	5.3	61	8	10	4	0	0	0	18	16	0	4	0	0	17	9	7	3	0	0	0	0	1	1	16	2	14	2
VI					5.4	4.7	5.0	68	19	25	0	0	0	0	18	14	1	3	0	0	18	2	0	3	0	2	0	1	1	1	21	3	14	0
VII					7.3	6.3	5.6	62	12	16	0	0	0	1	19	13	1	0	0	0	19	0	0	14	0	0	0	0	8	6	10	1	18	0
VIII					6.4	6.1	6.1	60	7	28	0	0	0	0	19	12	0	0	0	0	19	0	0	9	0	0	0	0	4	0	15	0	16	0
IX					5.7	5.0	5.5	79	14	30	0	0	0	0	18	14	2	4	1	0	18	0	0	2	0	0	0	0	2	0	15	3	15	0
X					6.1	5.9	5.7	155	32	14	6	0	0	0	24	24	3	8	3	1	22	5	1	0	0	1	0	0	1	0	10	1	15	3
XI					6.0	6.5	6.4	131	21	27	10	2	0	0	22	19	6	9	3	2	19	12	8	1	0	0	0	0	3	0	3	2	19	14
XII					5.2	5.8	6.1	102	18	30	27	15	4	0	20	17	2	9	4	1	12	20	10	0	0	1	0	0	1	0	2	4	16	31
1955					6.0	5.8	5.7	1008	32		124	46	5	1	235	189	20	71	16	6	179	99	33	39	0	6	0	1	33	8	132	28	188	128

Mo i Rana II

H_s = 25 H_b = h_t = 2.0 h_a = h_d = h_r = 1.6

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	81	83	83	4.9	6.0	4.4	152	44	25	31	24	20	0	18	15	5	0	0	0	5	16	1	0	0	0	0	0	4	0	1	4	15	31
II	83	76	85	82	5.2	5.6	5.0	42	10	21	28	22	14	0	18	12	1	0	0	0	0	18	0	0	0	0	0	0	4	0	16	5	15	28
III	86	77	82	82	5.5	6.1	5.5	232	38	12	27	13	12	0	20	19	8	2	0	0	8	18	5	0	0	0	0	0	4	0	15	3	17	31
IV	74	61	62	68	4.4	4.6	4.1	65	12	20	27	8	5	0	14	9	4	3	0	0	6	13	3	0	0	0	0	0	3	0	23	7	9	30
V	70	58	61	66	5.6	5.8	4.8	14	6	10	16	0	0	0	9	5	0	0	0	0	5	5	0	0	0	1	0	0	4	0	22	3	13	13
VI	75	60	61	68	5.3	5.3	4.7	86	18	24	1	0	0	0	15	10	5	0	0	0	15	0	0	1	0	0	0	0	5	0	19	8	14	0
VII	85	72	76	81	6.3	6.4	5.2	77	13	17	0	0	0	1	18	12	1	0	0	0	18	0	0	0	0	0	0	0	14	0	16	4	17	0
VIII	89	70	76	81	6.2	5.7	5.2	79	20	25	0	0	0	0	19	12	2	1	0	0	19	0	0	0	0	0	0	0	10	1	18	1	14	0
IX	90	75	80	83	5.8	5.6	4.9	110	17	30	0	0	0	0	19	12	5	0	0	0	19	0	0	1	0	0	0	1	10	0	16	3	16	0
X	84	75	78	80	5.8	5.8	5.1	181	41	14	15	5	2	0	20	17	5	5	1	0	18	4	1	0	0	0	0	0	9	0	14	3	14	0
XI	83	82	81	82	5.8	6.3	6.2	136	28	18	26	11	7	0	22	13	6	4	0	0	12	12	1	0	0	0	0	0	4	0	2	3	19	30
XII	84	84	84	84	5.0	5.0	5.2	80	11	6	31	0	18	0	19	14	1	4	0	0	3	18	0	0	0	0	0	0	5	0	0	6	15	31
1955	82	73	76	78	5.5	5.7	5.0	1254	44		202	83	78	1	211	150	43	19	1	0	128	104	11	2	0	1	0	1	76	1	162	50	178	194

Nord-Solvær

H_s = 7 H_b = h_t = 2.1 h_a = h_d = 10 h_r = 1.7

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.8	6.1	5.0	196	30	25	24	13	0	0	20	16	9	11	2	1	7	16	1	2	0	4	0	0	0	1	7	4	13	
II					5.4	5.6	5.1	72	18	25	24	8	1	0	19	15	2	12	0	0	7	18	7	0	0	2	1	0	0	0	17	2	11	
III					5.2	5.6	5.9	197	22	12	20	6	0	0	26	21	10	15	3	1	13	23	9	4	0	4	2	1	0	0	16	5	14	
IV					5.1	4.6	5.3	66	17	13	19	0	0	0	19	18	1	16	2	1	11	14	3	4	0	1	1	0	3	1	20	4	12	
V					5.9	5.0	5.3	71	11	20	4	0	0	0	18	14	2	5	0	0	14	9	5	4	0	2	0	0	3	0	26	3	13	
VI					5.2	4.7	5.3	88	20	25	0	0	0	0	20	15	3	6	0	0	20	1	0	5	0	2	0	0	1	1	25	5	9	
VII					7.2	7.0	5.9	91	12	31	0	0	0	1	24	17	1	2	0	0	24	0	0	14	0	0	0	1	8	5	15	1	21	
VIII					6.5	6.2	5.9	113	24	26	0	0	0	0	20	13	4	3	0	0	20	0	0	12	0	0	0	0	11	0	21	2	18	
IX					5.7	5.1	5.5	120	25	30	0	0	0	0	17	15	5	5	1	1	17	0	0	2	0	0	0	0	2	0	18	3	14	
X					5.9	5.9	5.6	201	37	14	5	0	0	0	24	23	5	12	2	1	23	6	3	3	0	0	2	0	1	0	17	2	17	
XI					5.3	6.0	6.2	141	17	21	10	1	0	0	20	17	7	20	4	2	12	10	1	4	0	3	0	0	5	0	8	2	17	
XII					4.8	5.4	5.3	130	22	23	28	15	2	0	18	18	4	16	4	3	4	18	0	0	0	2	0	0	5	0	3	3	13	
1955					5.6	5.6	5.5	1486	37		134	43	3	1	245	202	53	123	18	10	172	115	29	54	0	20	6	2	39	8	193	36	172	

1955

Myken

φ = 66° 46′N λ = 12° 29′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.2	0.2	0.0	0.0	1.7	- 2.0	8.0	1	- 6.4	15	4 5.5	7 3.7	14 4.4	8 3.0	7 3.1	11 4.3	11 4.7	4 6.5	5 4.0	4 5.8	3 3.3	12 4.7	3
II			- 0.3	0.0	- 0.2	- 0.3	1.3	- 1.8	4.2	28	- 7.5	18	4 4.2	8 4.5	9 2.8	5 1.6	1 3.0	16 4.2	6 4.7	9 3.7	6 4.8	2 6.0	2 4.5	10 4.1	6
III			0.5	1.3	0.9	0.8	2.4	- 0.9	6.3	11	- 5.0	17	6 5.7	5 3.6	16 3.7	3 1.3	1 1.0	9 3.3	2 5.5	6 5.8	21 4.8	6 4.7	3 4.3	13 5.6	2
IV			0.9	1.8	1.7	1.3	2.9	- 0.6	6.5	14	- 3.4	1	5 4.4	6 3.5	10 2.6	7 4.4	9 6.6	10 5.8	1 1.0	6 5.2	7 5.9	1 2.0	9 3.3	15 4.7	4
V			4.1	5.0	4.7	4.4	6.0	2.8	8.0	20	- 1.7	10	3 2.7	7 2.7	22 3.9	6 3.3	4 4.8	9 2.9	8 5.0	6 2.5	15 3.1	2 3.0	4 3.2	2 6.5	5
VI			6.7	8.0	7.6	7.1	8.8	5.3	15.9	30	2.5	1	7 4.0	16 4.0	18 3.6	1 2.0	1 3.0	0 -	4 4.5	8 3.4	10 3.7	5 3.2	6 3.0	9 3.2	5
VII			10.3	11.4	11.0	10.7	12.6	9.2	21.4	12	7.5	6	5 2.0	3 2.7	6 1.7	1 2.0	1 1.0	0 -	7 4.1	18 3.7	28 4.0	4 1.8	4 2.0	8 3.5	8
VIII			11.7	12.7	12.2	12.0	13.6	10.4	17.5	9	7.3	28	1 2.0	0 -	9 3.0	4 1.0	0 -	6 2.8	11 3.7	12 3.9	26 3.7	1 1.0	8 3.9	3 1.3	12
IX			11.1	12.3	11.2	11.4	13.2	9.9	15.4	6	7.5	30	2 4.0	1 2.0	12 2.3	9 1.3	6 4.3	10 3.0	12 3.1	8 4.2	21 4.7	3 4.7	0 -	0 -	6
X			5.2	6.0	5.5	5.5	6.9	3.7	12.2	11	- 1.5	19	4 3.8	4 4.0	12 3.7	7 3.0	4 5.0	12 5.2	4 5.0	4 5.5	14 5.1	8 5.4	4 4.0	10 5.4	6
XI			3.2	3.4	3.3	3.3	5.2	1.5	8.4	12	- 6.0	28	5 6.2	3 5.7	13 3.2	7 4.9	5 5.4	18 4.3	6 4.8	1 3.0	10 6.0	3 5.0	3 6.3	9 6.7	7
XII			- 1.6	- 1.6	- 1.6	- 1.6	- 0.1	- 3.4	5.2	6	- 9.0	17	5 3.6	1 4.0	5 3.2	5 3.2	10 6.7	28 5.1	6 5.2	8 4.4	5 3.8	6 4.5	3 5.3	5 5.0	6
1955			4.3	5.0	4.7	4.6	6.2	2.8	21.4		- 9.0		51 4.2	61 3.8	146 3.3	63 2.8	49 5.1	129 4.3	78 4.3	90 4.2	168 4.4	45 4.3	49 3.7	96 4.7	70

Glomfjord

φ = 66° 49′N λ = 13° 59′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.2	- 2.7	- 3.3	- 3.1		- 6.0	6.2	4	-12.0	17	1 1.0	3 1.0	8 1.2	8 2.9	7 1.9	19 1.9	3 2.0	0 -	10 2.5	5 3.2	4 1.5	10 2.9	15
II			- 3.3	- 2.4	- 3.4	- 3.2		- 6.1	3.0	5	-13.1	18	6 1.0	0 -	15 1.9	8 1.5	7 1.1	20 1.7	3 1.0	0 -	4 1.2	2 1.0	0 -	5 1.8	14
III			- 1.8	- 0.2	- 1.8	- 1.6		- 4.9	5.2	11	-11.4	21	0 -	1 1.0	14 1.9	2 1.5	0 -	11 1.6	7 1.1	3 1.7	17 2.0	11 1.4	7 1.6	15 1.8	5
IV			- 0.6	1.0	0.4	0.0		- 2.7	5.3	19	- 9.2	4	3 1.0	0 -	5 1.6	5 1.6	1 4.0	20 3.8	5 2.2	4 1.0	9 1.1	1 2.0	5 1.0	19 1.5	13
V			4.4	5.7	3.9	4.0		1.2	10.7	31	- 2.1	11	1 1.0	0 -	12 1.9	4 1.8	15 1.4	22 2.0	7 2.4	0 -	6 1.5	5 1.2	0 -	8 1.8	13
VI			8.6	10.2	8.0	8.0		4.8	16.9	30	1.1	6	10 1.6	1 2.0	14 1.6	5 1.8	3 1.7	14 1.5	7 1.4	1 2.0	16 1.6	6 1.2	0 -	6 1.8	7
VII			12.1	13.7	12.2	12.0		9.6	24.0	11	6.4	19	2 1.0	1 1.0	2 1.5	0 -	2 1.0	15 1.2	2 1.0	9 1.1	20 1.6	15 1.4	6 1.8	2 1.5	17
VIII			13.4	14.5	12.6	12.7		9.7	22.5	18	6.2	29	0 -	1 1.0	5 1.2	4 1.0	2 1.0	4 1.5	6 1.3	7 2.1	25 1.3	15 1.9	5 1.2	1 1.0	16
IX			10.8	12.0	9.9	10.5		8.1	15.2	10	4.7	15	0 -	0 -	5 1.0	2 1.5	6 1.2	15 1.2	5 1.2	4 1.0	23 1.4	3 1.0	1 1.0	0 -	26
X			3.2	4.3	3.1	3.3		1.3	10.3	7	- 5.6	30	6 1.2	0 -	9 1.0	3 1.0	1 1.0	12 3.2	6 1.7	4 1.0	9 1.1	12 2.1	15 1.6	10 1.3	6
XI			1.2	1.0	1.2	1.0		- 1.7	10.8	12	-10.8	28	5 1.2	1 1.0	9 2.1	4 1.8	4 2.0	19 3.2	9 1.4	0 -	10 2.1	9 3.4	2 2.0	11 2.5	7
XII			- 4.0	- 4.4	- 3.8	- 4.1		- 6.7	7.0	28	-14.6	14	3 2.0	2 1.5	10 1.2	7 2.7	11 1.2	21 3.1	5 1.4	0 -	5 1.4	3 1.0	2 1.0	12 2.2	12
1955			3.4	4.4	3.2	3.3		0.6	24.0		-14.6		37 1.3	10 1.2	108 1.6	52 1.9	59 1.4	192 2.3	65 1.6	32 1.4	154 1.6	87 1.8	47 1.5	99 1.9	153

Helligvær

φ = 67° 24′N λ = 13° 54′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.0	- 1.1	- 1.2	- 1.1	0.7	- 2.9	7.2	1	- 7.1	16	10 4.9	7 3.7	5 4.0	9 4.2	12 4.8	20 4.3	2 5.5	1 3.0	7 5.1	6 5.0	7 4.1	7 4.9	0
II			- 1.5	- 0.9	- 1.3	- 1.3	0.4	- 3.4	3.6	28	-10.7	17	13 4.0	7 3.3	1 2.0	7 4.0	28 4.7	5 3.4	1 5.0	0 -	8 5.0	5 4.0	5 4.8	4 3.2	0
III			- 0.4	0.5	- 0.2	- 0.2	1.9	- 2.5	5.7	11	- 6.9	28	8 4.3	4 3.5	9 3.1	4 4.8	8 4.8	7 2.6	8 3.1	2 4.5	10 5.1	20 5.0	9 4.2	4 4.2	0
IV			0.0	1.0	0.8	0.4	2.0	- 1.3	5.5	19	- 3.9	22	8 4.5	5 3.0	5 3.4	3 4.7	26 5.6	5 3.4	0 -	3 3.0	16 5.4	1 4.0	6 5.0	12 4.1	0
V			4.2	5.3	4.8	4.4	6.4	2.1	9.1	20	- 1.4	10	3 3.0	13 3.0	17 3.7	8 4.2	13 4.6	3 3.7	3 3.7	1 2.0	8 3.6	16 3.6	2 3.5	6 4.0	0
VI			6.8	8.3	7.7	7.3	9.2	5.3	16.2	30	1.9	6	12 4.9	21 3.8	9 3.1	2 3.5	3 4.3	0 -	1 2.0	5 3.6	10 3.9	10 3.6	5 4.0	12 3.2	0
VII			10.8	12.0	11.2	11.0	13.4	9.2	21.5	11	7.4	6	6 2.2	8 2.2	2 2.0	1 3.0	3 1.7	1 3.0	5 2.8	3 3.0	37 4.7	17 3.4	2 3.5	5 2.8	3
VIII			11.5	12.9	11.9	11.8	13.8	10.0	19.2	20	6.2	5	2 1.5	6 3.8	3 2.0	4 1.8	10 2.9	6 3.0	5 2.4	2 5.0	26 4.6	15 3.9	6 4.5	8 2.8	0
IX			10.6	11.9	10.8	10.9	12.8	9.1	15.8	3	7.1	29	2 3.0	3 3.7	8 2.5	12 3.2	21 3.6	6 3.0	4 3.5	2 3.5	23 4.9	9 3.8	0 -	0 -	0
X			4.6	5.1	4.7	4.7	6.6	3.1	12.6	11	- 2.3	30	6 4.0	3 3.7	8 3.8	5 3.8	20 4.8	6 3.2	4 4.2	3 3.3	16 5.4	5 6.0	4 5.2	13 4.1	0
XI			2.1	2.4	2.2	2.2	3.9	0.1	8.4	17	- 7.2	28	6 5.5	10 4.6	4 3.8	8 4.4	23 5.3	11 3.7	0 -	0 -	8 5.5	7 5.6	10 4.2	3 3.3	0
XII			- 2.9	- 2.8	- 3.1	- 2.9	- 1.2	- 5.1	6.4	6	-11.2	12	3 4.0	0 -	3 4.0	8 5.0	47 6.2	9 3.7	1 3.0	1 5.0	10 4.7	3 6.3	5 5.2	3 6.0	0
1955			3.7	4.6	4.0	3.9	5.8	2.0	21.5		-11.2		79 4.2	87 3.5	74 3.3	71 4.0	214 5.0	79 3.6	34 3.4	23 3.6	179 4.8	114 4.2	61 4.4	77 3.8	3

Bodø VI

φ = 67° 16′N λ = 14° 22′E g = 9.824 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	998.3	1000.4	- 3.5	- 3.1	- 3.6	- 3.4	- 1.3	- 5.8	7.9	1	-11.6	17	7 4.4	3 2.3	1 2.0	43 4.0	12 3.5	6 3.8	1 2.0	3 3.7	4 5.2	4 4.5	5 4.8	4 5.5	0
II	1002.8	04.9	- 3.9	- 3.0	- 3.3	- 3.5	- 1.2	- 6.2	3.2	28	-12.4	17	7 3.1	1 3.0	4 3.5	45 4.2	7 4.0	2 2.5	2 3.0	0 -	6 4.8	2 3.0	5 4.2	3 3.3	0
III	05.0	07.1	- 2.8	- 1.2	- 1.8	- 2.1	0.5	- 4.6	6.0	11	-12.8	31	1 4.0	2 2.5	2 3.0	36 3.6	7 2.4	4 3.8	2 2.5	7 4.6	14 5.4	7 3.6	7 4.6	4 5.0	0
IV	12.2	14.3	- 1.5	0.8	0.4	- 0.4	2.0	- 2.9	6.0	19	- 8.3	4	9 3.0	3 3.0	0 -	25 4.1	14 4.4	2 4.0	0 -	4 4.5	11 3.7	3 2.7	8 4.0	8 4.0	3
V	04.9	06.9	3.3	5.2	5.0	4.1	6.4	1.5	10.0	20	- 1.5	11	6 2.8	5 2.4	2 2.5	29 3.5	11 3.8	5 4.0	5 2.4	2 2.5	8 4.6	10 3.6	7 3.3	3 3.3	0
VI	11.5	13.5	6.9	8.8	8.3	7.5	10.0	4.9	19.0	30	1.4	1	17 3.1	10 3.4	3 2.7	13 3.4	0 -	1 3.0	2 3.0	4 3.5	14 3.9	7 3.0	14 3.6	2 3.0	3
VII	13.8	15.8	10.7	12.7	12.0	11.4	14.4	9.1	25.2	11	7.5	19	5 3.0	2 2.5	1 3.0	5 2.6	10 2.5	4 2.0	3 1.7	4 3.8	18 4.7	32 3.2	5 2.6	1 2.0	3
VIII	14.8	16.8	11.3	13.2	12.5	12.0	14.8	9.6	21.3	18	6.3	15	8 2.5	4 2.8	1 2.0	12 3.2	12 3.0	1 1.0	2 3.0	2 4.5	24 4.0	15 3.3	8 2.5	2 2.0	2
IX	05.4	07.4	9.7	12.0	11.1	10.7	13.4	8.3	17.7	9	3.1	20	8 1.9	2 3.0	6 3.0	33 3.5	6 2.7	2 4.0	6 2.3	10 3.8	9 4.3	6 3.5	1 1.0	0 -	1
X	01.5	03.6	2.8	4.3	3.3	3.4	5.6	1.3	14.0	11	- 6.5	30	2 4.0	1 3.0	6 3.0	35 3.4	8 3.2	4 2.5	9 2.6	5 4.4	8 4.9	7 3.9	2 4.0	6 3.2	0
XI	06.6	08.6	0.2	0.8	0.4	0.4	2.6	- 2.1	9.0	17	-11.7	28	4 5.0	0 -	8 3.0	43 4.3	5 5.6	3 4.3	2 3.5	1 5.0	9 6.0	3 4.7	6 4.0	5 4.0	1
XII	993.5	995.6	- 5.6	- 5.4	- 5.7	- 5.6	- 3.6	- 7.8	5.2	6	-15.6	21	1 3.0	0 -	1 4.0	70 5.1	5 4.4	1 2.0	3 3.0	1 4.0	0 -	5 6.2	3 3.3	3 4.3	0
1955	1005.9	1007.9	2.3	3.8	3.2	2.9	5.3	0.5	25.2		-15.6		75 3.1	33 2.9	35 3.0	389 4.0	97 3.5	35 3.3	37 2.6	43 4.0	125 4.6	101 3.6	71 3.6	41 3.9	13

Fauske

φ = 67° 15′N λ = 15° 23′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.3	- 5.6	- 5.7	- 5.9	- 3.0	- 9.4	8.0	1	-20.2	19	0 -	4 1.2	0 -	2 1.0	0 -	14 2.9	6 2.0	6 2.2	1 2.0	2 2.0	2 2.5	0 -	56
II			- 6.3	- 4.2	- 5.7	- 5.6	- 2.9	- 9.7	3.2	28	-19.9	19	0 -	0 -	0 -	1 1.0	0 -	19 2.2	25 1.5	1 2.0	0 -	3 3.0	1 1.0	0 -	34
III			- 4.8	- 1.6	- 3.1	- 3.5	- 0.1	- 7.3	5.6	3	-19.7	18	0 -	1 1.0	0 -	0 -	0 -	22 2.1	7 1.9	4 1.8	3 2.3	6 1.3	4 1.8	2 1.5	44
IV			- 2.1	1.1	- 0.3	- 0.9	2.2	- 4.5	7.4	13	-15.1	4	1 1.0	3 1.0	0 -	7 2.1	0 -	23 3.6	13 1.6	1 2.0	1 2.0	6 2.3	5 1.4	1 2.0	29
V			3.6	6.3	5.3	4.5	7.4	0.6	15.2	31	- 5.9	11	1 1.0	4 1.8	1 2.0	5 1.6	0 -	23 2.2	11 2.1	8 1.8	0 -	0 -	2 3.0	1 1.0	37
VI			7.7	10.4	9.3	8.4	11.8	4.8	19.8	30	0.7	7	1 1.0	5 1.8	0 -	4 1.2	2 4.0	10 2.0	8 1.8	16 2.1	6 1.7	6 2.0	4 2.0	2 1.5	26
VII			11.7	14.3	13.4	12.5	16.2	9.3	25.6	11	6.0	19	0 -	2 2.0	0 -	0 -	0 -	6 1.5	11 1.5	12 1.8	19 2.1	10 2.4	1 3.0	2 1.0	30
VIII			11.6	14.5	13.2	12.6	16.2	9.1	24.5	18	5.3	2	0 -	1 2.0	2 2.5	2 1.0	1 1.0	1 1.0	15 2.1	9 1.6	2 3.0	5 3.0	5 2.2	0 -	50
IX			8.7	12.4	10.6	10.3	13.5	6.8	17.0	9	1.2	20	0 -	1 1.0	3 1.0	3 1.0	1 3.0	21 2.3	14 1.9	8 2.4	2 1.5	2 1.5	0 -	0 -	35
X			1.6	4.1	2.6	2.6	5.2	0.0	11.8	11	- 9.8	30	2 2.0	9 1.0	0 -	0 -	0 -	14 2.4	26 1.9	9 2.6	0 -	5 2.4	4 3.5	1 1.0	23
XI			- 1.7	- 1.2	- 1.5	- 1.5	1.3	- 4.9	7.5	18	-17.8	29	0 -	7 1.3	0 -	1 2.0	0 -	22 2.9	8 2.0	2 3.0	2 3.5	7 2.0	0 -	1 1.0	40
XII			- 7.7	- 7.7	- 7.7	- 7.7	- 5.1	-10.6	3.5	6	-22.8	14	1 1.0	5 1.0	0 -	5 3.6	0 -	45 3.4	17 2.8	2 6.0	0 -	0 -	0 -	4 1.2	14
1955			1.3	3.6	2.5	2.2	5.2	- 1.3	25.6		-22.8		6 1.3	42 1.3	6 1.7	30 1.9	4 3.0	220 2.7	161 1.9	78 2.1	36 2.1	52 2.2	28 2.2	14 1.3	418

1955

Myken

H_s = 19 H_b = h_t = 2.1 h_a = 9.7 h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	73	75	77	5.1	6.2	5.5	78	17	25	24	12	0	0	19	16	2	21	9	4	8	15	2	2	0	7	0	0	2	0	7	3	15	7
II	79	78	77	78	6.0	6.3	5.8	45	10	25	17	8	0	0	23	9	1	13	8	0	8	20	6	0	0	5	0	0	0	0	17	0	14	2
III	83	78	79	81	5.8	6.3	6.7	131	14	15	18	5	0	0	26	19	4	23	13	3	16	21	11	4	0	8	0	0	4	0	18	1	18	8
IV	75	71	74	74	5.8	5.6	5.6	42	10	15	18	0	0	0	20	13	1	19	12	0	9	14	2	4	0	6	0	0	2	2	19	5	17	4
V	79	78	79	79	6.0	5.8	5.8	52	14	20	2	0	0	0	15	11	1	12	1	0	14	7	4	5	0	2	0	0	0	1	24	1	14	0
VI	82	78	79	81	5.4	5.0	5.6	71	12	25	0	0	0	0	16	13	2	9	0	0	16	3	3	6	0	3	0	0	1	2	27	3	13	0
VII	89	86	87	88	7.5	7.5	7.2	71	14	31	0	0	0	0	18	12	2	8	1	0	18	0	0	18	0	0	0	1	7	17	17	1	29	0
VIII	87	83	87	86	6.7	6.9	6.3	74	24	27	0	0	0	0	21	12	1	11	2	1	21	0	0	13	0	0	0	1	7	8	19	2	22	0
IX	84	80	85	83	5.5	5.1	5.0	86	12	30	0	0	0	0	19	16	2	8	4	2	19	0	0	5	0	0	0	1	5	2	23	4	12	0
X	77	72	77	76	6.3	6.3	5.8	163	36	24	4	0	0	0	23	21	4	19	14	5	22	5	4	3	2	4	0	0	2	0	17	1	16	0
XI	76	76	77	76	5.4	6.2	6.5	83	16	20	8	1	0	0	23	15	3	24	17	5	18	11	5	4	0	7	0	0	2	0	5	3	18	0
XII	78	77	77	77	5.5	6.5	6.4	58	8	23	24	14	0	0	20	12	0	23	11	2	6	20	5	0	0	7	0	0	0	0	2	2	16	16
1955	81	78	79	80	5.9	6.1	6.0	954	36		115	40	0	0	243	169	23	190	92	22	175	116	42	64	2	49	0	3	32	32	195	26	204	37

Glomfjord

H_s = 39 H_b = h_t = 1.3 h_a = h_d = h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.0	4.7	3.9	224	38	13	28		4		20	16	8	6	2	0	8	17	3	4	1	3	0	0	0	0	0	7	13	
II					5.1	5.7	6.0	141	21	13	27		7		16	14	7	3	0	0	3	16	3	0	0	0	0	0	0	1	1	2	13	
III					4.9	5.8	6.4	276	41	24	25		6		23'	19	10	4	0	0	13	18	6	0	0	4	0	0	2	0	12	3	17	
IV					4.2	5.4	5.0	120	19	21	25		0		18	16	5	4	0	0	8	14	1	1	0	0	0	0	1	0	20	8	14	
V					4.4	4.8	4.1	68	13	22	10		0		15	11	2	3	0	0	15	7	7	5	0	0	0	0	3	0	24	8	12	
VI					5.5	4.8	5.5	117	23	25	0		0		21	19	4	1	0	0	21	3	2	8	0	0	0	0	9	0	22	6	14	
VII					6.5	5.9	5.8	149	25	18	0		0		21	17	5	1	0	0	21	0	0	15	0	0	0	1	4	11	17	3	20	
VIII					6.1	6.6	6.6	143	23	26	0		0		21	17	7	1	0	0	21	0	0	15	1	0	0	0	2	14	15	3	21	
IX					5.1	4.9	4.8	107	30	7	0		0		17	13	4	1	1	0	17	0	0	5	0	0	0	0	2	0	21	6	14	
X					5.2	5.9	5.2	315	56	1	11		0		23	19	9	7	3	0	19	9	4	2	0	1	0	0	0	0	10	6	16	
XI					4.9	4.6	4.6	253	48	18	16		1		19	17	7	10	2	1	17	11	9	1	0	1	0	1	1	0	0	7	12	
XII					4.4	3.8	4.0	85	18	8	30		8		16	12	3	12	4	1	6	16	6	0	0	0	0	1	0	0	0	8	10	
1955					5.1	5.2	5.2	1998	56		172		26		230	190	71	53	12	2	169	111	41	56	2	9	0	3	24	26	142	67	176	

Helligvær

H_s = 14 H_b = h_t = 2.0 h_a = h_d = 9 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	74	76	74	74	5.1	5.3	4.7	90	20	27	26	15	0	0	20	15	3	15	2	1	9	16	2	0	4	7	0	0	6	0	12	7	16	0
II	82	81	78	80	5.3	5.6	4.6	40	7	28	25	11	2	0	18	10	0	9	0	0	4	18	4	0	1	4	0	0	5	0	17	1	11	0
III	84	79	79	81	6.0	5.8	6.3	117	22	4	21	6	0	0	23	21	2	13	0	0	16	20	10	0	2	5	0	0	5	0	22	1	19	6
IV	76	73	74	75	4.6	4.8	4.4	55	18	30	24	7	0	0	19	10	1	15	3	0	10	16	6	2	2	3	0	0	2	0	26	6	7	12
V	75	70	73	74	5.2	5.1	4.5	18	4	21	1	0	0	0	13	8	0	2	0	0	12	3	2	0	1	0	0	0	2	0	30	5	10	0
VI	84	77	79	81	5.7	4.7	5.0	54	9	14	0	0	0	0	17	13	0	3	0	0	17	1	1	2	0	0	0	0	6	1	25	4	13	0
VII	91	87	89	90	6.6	6.4	5.7	70	22	31	0	0	0	0	18	10	1	6	0	0	18	0	0	4	0	0	0	1	7	5	22	2	19	0
VIII	87	81	87	86	6.5	6.1	6.0	80	16	27	0	0	0	0	22	15	4	10	0	0	22	0	0	3	0	0	0	0	9	0	22	3	17	0
IX	82	79	85	83	5.2	4.7	4.5	90	12	1	0	0	0	0	16	14	3	5	1	1	16	0	0	0	0	0	0	0	2	0	23	4	10	0
X	74	71	74	73	4.9	5.7	5.5	146	19	26	7	0	0	0	24	17	5	10	1	1	21	6	2	0	2	5	0	0	3	0	24	1	12	0
XI	75	73	76	75	5.5	5.2	5.0	76	13	18	16	3	0	0	20	15	2	17	4	1	17	9	3	2	1	3	0	0	5	0	12	4	13	0
XII	78	75	76	76	4.3	5.3	5.0	66	11	23	29	19	2	0	16	12	1	21	5	1	7	15	5	0	0	6	0	0	9	0	1	3	7	9
1955	80	77	79	79	5.4	5.4	5.1	902	22		149	61	4	0	226	160	22	126	16	5	169	104	35	13	13	33	0	1	61	6	236	41	154	27

Bodø VI

H_s = 10 H_b = 16.6 h_t = 2.0 h_a = 11.2 h_d = 11.2 h_r = 1.4

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	82	82	83	5.4	5.8	5.2	156	30	13	29	19	4	0	21	19	5	13	4	2	9	20	8	2	2	3	0	0	8	0	7	4	14	26
II	85	84	81	83	5.9	6.1	5.4	63	10	28	27	18	7	0	18	16	1	9	1	1	4	18	4	0	0	4	0	0	11	0	13	1	13	28
III	87	86	84	85	6.1	6.1	6.4	175	19	24	24	11	8	0	21	19	8	13	6	0	12	19	8	2	1	3	0	3	1	0	19	0	19	31
IV	80	75	78	79	5.3	5.3	4.6	58	13	31	24	13	0	0	18	14	1	12	1	0	6	17	3	1	3	3	0	0	4	0	28	6	12	29
V	78	72	76	77	5.5	5.7	4.7	28	5	21	4	0	0	0	11	8	0	2	0	0	9	6	5	2	0	0	0	0	1	0	28	2	11	3
VI	84	77	79	82	6.0	5.3	5.1	69	9	17	0	0	0	0	19	16	0	5	0	0	19	1	1	4	0	1	0	0	2	1	27	4	16	0
VII	92	86	90	91	6.4	6.1	5.9	64	20	31	0	0	0	1	19	14	3	6	1	0	19	0	0	20	0	0	0	0	5	4	22	3	19	0
VIII	91	84	88	79	6.5	6.0	6.2	89	16	26	0	0	0	0	22	15	3	7	1	0	22	0	0	18	0	1	0	0	5	2	14	2	18	0
IX	87	79	85	84	6.1	5.0	5.0	99	15	30	0	0	0	0	16	14	4	4	1	0	15	0	0	4	0	1	0	2	2	1	22	2	14	0
X	87	79	82	83	5.5	6.1	5.6	105	17	14	11	1	0	0	21	19	2	9	4	2	18	8	4	3	0	6	0	0	3	0	14	2	16	1
XI	82	79	83	82	5.8	5.6	5.7	122	35	23	18	9	2	0	22	16	4	17	4	3	19	11	7	2	1	3	0	0	9	0	10	2	13	14
XII	78	78	78	78	4.6	5.1	5.3	42	8	23	29	23	12	0	16	11	0	20	6	2	4	16	2	0	2	3	0	1	4	0	1	3	11	28
1955	85	80	82	82	5.8	5.7	5.4	1090	35		166	94	33	1	224	181	31	117	29	10	156	116	42	58	9	28	0	6	55	8	205	31	176	160

Fauske

H_s = 15 H_b = 16.5 h_t = 1.9 h_a = h_d = h_r = 2.0

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	82	81	82	4.9	5.8	3.8	78	13	10	30	21	14	0	21	18	2	0	0	0	5	19	1	0	0	2	0	0	0	0	3	7	14	
II	81	76	80	80	5.8	5.7	4.2	43	10	28	27	19	13	0	12	12	1	0	0	0	1	12	0	0	0	0	0	0	0	0	8	4	11	
III	81	75	77	78	5.9	5.8	5.5	139	26	12	25	12	11	0	15	14	5	1	0	0	5	14	3	0	0	0	0	0	0	0	14	2	14	
IV	75	66	70	72	5.0	4.9	4.2	52	11	19	26	8	3	0	14	10	2	2	0	0	6	12	3	1	0	0	0	0	0	0	22	5	9	
V	72	63	66	69	5.3	5.3	4.8	30	7	16	13	0	0	0	9	6	0	0	0	0	5	6	1	2	0	0	0	0	2	0	22	3	9	
VI	78	67	70	74	6.1	5.6	5.8	97	16	26	0	0	0	0	17	14	4	0	0	0	17	2	2	0	0	0	0	0	1	0	16	4	17	
VII	86	75	79	82	6.6	6.1	5.7	54	16	18	0	0	0	1	16	11	1	0	0	0	16	0	0	4	0	0	0	1	4	4	11	2	18	
VIII	86	74	79	81	6.4	6.5	6.0	82	16	26	0	0	0	0	17	13	2	0	0	0	17	0	0	6	0	0	0	0	3	2	11	2	19	
IX	85	72	79	82	5.5	5.3	4.8	89	17	7	0	0	0	0	16	14	1	1	0	0	16	0	0	2	0	0	0	0	2	0	13	5	13	
X	81	71	75	76	4.7	5.9	5.4	86	15	1	13	2	0	0	15	13	3	5	0	0	13	3	0	2	0	0	0	0	1	1	7	3	14	
XI	84	79	82	82	5.6	5.1	5.6	134	25	21	23	11	7	0	17	15	5	2	0	0	9	10	0	0	0	0	0	0	0	0	8	5	16	
XII	74	75	76	75	3.8	4.2	4.1	38	10	7	31	24	15	0	11	9	1	4	2	1	2	11	1	0	0	1	0	0	0	0	0	10	6	
1955	81	73	76	78	5.5	5.5	5.0	922	26		188	97	63	1	180	149	27	15	2	1	112	89	11	17	0	3	0	1	13	7	135	52	160	

1955

Grøtøy

φ = 67° 50′N λ = 14° 47′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.4	- 1.2	- 1.7	- 1.4	0.1	- 3.7	6.9	1	- 8.0	30	4 6.8	6 3.5	18 3.8	14 3.7	2 1.5	15 4.1	1 5.0	0 -	12 4.6	5 5.0	2 3.5	10 4.8	4
II			- 2.2	- 1.6	- 2.1	- 2.1	- 0.4	- 4.7	3.8	6	-10.2	17	6 3.8	2 2.5	10 3.6	19 3.4	4 3.0	6 3.8	6 3.7	5 4.0	5 4.0	4 4.0	3 3.7	4 3.5	10
III			- 1.3	0.1	- 0.8	- 0.9	1.1	- 3.4	5.2	2	- 8.0	28	1 4.0	3 3.0	10 3.6	16 3.0	3 2.3	3 2.7	6 3.2	11 3.9	21 5.1	2 4.5	2 4.0	6 5.2	9
IV			- 0.3	1.2	0.9	0.4	2.2	- 1.9	5.8	14	- 5.6	2	5 4.6	3 2.3	4 2.8	13 3.8	8 4.1	16 4.5	1 1.0	3 4.3	15 4.5	0 -	9 3.2	11 4.8	2
V			4.2	5.5	4.7	4.4	6.4	2.1	10.3	20	- 1.0	10	8 2.5	5 3.0	11 3.6	18 4.0	8 3.1	5 4.6	4 2.0	5 4.0	17 4.0	0 -	4 3.0	5 3.8	3
VI			7.0	8.4	7.9	7.4	9.5	5.4	17.2	29	1.1	6	16 3.0	12 4.2	10 3.5	3 4.0	2 3.0	2 3.5	0 -	2 3.0	24 4.2	1 4.0	6 3.5	10 3.4	2
VII			10.9	12.2	11.6	11.3	13.8	9.3	24.0	11	7.4	19	4 2.0	4 2.5	4 2.8	1 4.0	0 -	0 -	1 3.0	4 2.8	57 4.1	4 3.0	4 3.0	6 2.2	4
VIII			11.8	12.9	12.2	12.0	13.9	9.8	23.6	18	6.6	5	3 2.0	2 1.5	9 3.3	1 1.0	0 -	4 3.8	3 3.3	11 2.4	40 4.0	7 4.0	5 2.8	3 1.7	5
IX			10.2	11.8	11.2	10.9	13.4	8.1	17.2	17	5.0	15	3 1.7	0 -	12 2.0	18 2.6	3 3.7	7 3.7	5 3.8	9 3.0	23 4.1	1 3.0	0 -	0 -	9
X			4.1	5.0	4.4	4.4	6.3	2.4	12.2	1	- 3.6	30	2 5.5	3 3.0	13 4.2	2 2.5	5 3.2	20 3.1	3 3.0	5 3.2	20 4.8	5 2.8	4 3.5	9 4.8	2
XI			1.4	1.7	1.2	1.4	3.2	- 0.9	8.6	12	- 7.0	28	4 5.0	5 4.4	14 3.9	18 2.7	3 3.0	12 4.3	1 5.0	1 3.0	12 4.8	1 3.0	2 5.0	7 4.4	10
XII			- 3.3	- 3.2	- 3.2	- 3.2	- 1.5	- 5.7	5.5	28	-12.0	12	1 5.0	0 -	11 3.1	10 3.1	3 3.0	35 4.0	4 3.8	8 3.8	4 4.5	0 -	5 4.8	4 4.2	8
1955			3.4	4.4	3.9	3.7	5.7	1.4	24.0		-12.0		57 3.5	45 3.4	126 3.4	133 3.3	41 3.2	125 3.9	35 3.3	64 3.4	250 4.3	30 3.8	46 3.5	75 4.1	68

Drag i Tysfjord

φ = 68° 3′N λ = 16° 2′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.0	- 6.2	- 6.7	- 6.3		-10.0	4.8	1	-16.3	30	3 3.7	2 3.0	0 -	2 3.0	0 -	8 2.0	4 1.5	4 2.8	0 -	8 2.2	4 2.5	0 -	58
II			- 6.6	- 4.6	- 5.9	- 5.9		-10.3	1.8	28	-17.0	14	3 2.0	4 2.2	0 -	1 4.0	0 -	17 2.0	0 -	1 2.0	0 -	5 2.0	0 -	0 -	53
III			- 4.5	- 1.0	- 4.4	- 3.6		- 7.8	5.2	11	-15.8	28	0 -	3 2.0	0 -	4 1.5	0 -	13 1.8	0 -	4 4.2	0 -	11 2.3	5 2.2	2 2.0	51
IV			- 2.2	0.9	- 0.8	- 1.3		- 6.1	5.6	30	-14.4	4	0 -	4 2.0	0 -	5 2.0	0 -	15 3.2	1 3.0	6 2.2	0 -	12 2.7	11 2.2	2 1.5	34
V			3.3	5.2	4.3	3.6		- 0.7	10.5	31	- 5.9	11	4 2.8	7 2.1	0 -	8 1.9	0 -	13 2.8	0 -	0 -	0 -	12 2.4	6 2.2	0 -	43
VI			7.0	9.0	8.3	7.4		3.5	18.8	30	0.1	12	11 3.0	4 2.0	0 -	0 -	0 -	11 1.4	2 1.5	8 2.6	0 -	9 1.3	12 2.2	0 -	33
VII			11.4	14.0	13.3	12.3		8.6	26.6	26	4.9	24	0 -	1 1.0	0 -	2 1.0	0 -	6 1.3	0 -	6 2.7	0 -	18 2.7	6 1.7	0 -	54
VIII			11.2	14.0	12.6	12.0		8.1	20.6	20	2.6	30	0 -	1 1.0	0 -	0 -	0 -	3 1.7	1 1.0	12 2.7	0 -	21 1.9	4 2.5	0 -	51
IX			8.5	11.5	9.5	9.4		5.7	16.0	11	0.4	15	0 -	1 3.0	0 -	0 -	0 -	22 2.3	2 2.5	10 1.9	0 -	4 3.0	0 -	0 -	51
X			0.6	3.2	1.3	1.5		- 1.8	10.0	11	-10.4	30	7 2.0	2 2.5	0 -	0 -	1 3.0	11 2.6	0 -	9 4.0	0 -	7 2.4	5 2.2	0 -	51
XI			- 2.2	- 0.8	- 2.3	- 1.8		- 5.7	7.1	17	-17.5	28	4 2.5	3 4.0	0 -	3 2.7	0 -	7 4.0	1 3.0	7 3.3	0 -	4 2.5	8 2.5	0 -	53
XII			- 7.8	- 7.6	- 7.8	- 7.7		-11.4	2.1	29	-21.3	14	0 -	7 2.7	0 -	17 3.5	0 -	16 2.9	0 -	0 -	0 -	9 3.1	1 2.0	0 -	43
1955			1.1	3.1	1.8	1.6		- 2.3	26.6		-21.3		32 2.7	39 2.4	0 -	42 2.6	1 3.0	142 2.4	11 1.9	67 2.8	0 -	120 2.3	62 2.2	4 1.8	575

Bjørnfjell

φ = 68° 26′N λ = 18° 4′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.3	-10.3	-11.5	-10.4		-15.0	1.6	4	-26.7	10	0 -	0 -	15 2.5	29 2.9	0 -	0 -	0 -	0 -	8 3.5	29 2.8	0 -	0 -	12
II			-14.7	-13.9	-14.7	-14.6		-18.2	- 1.9	28	-28.8	1	0 -	0 -	22 3.5	39 3.7	0 -	0 -	0 -	0 -	1 3.0	18 2.5	0 -	0 -	4
III			-12.0	- 9.9	-10.4	-11.1		-14.2	0.4	4	-25.0	10	0 -	0 -	13 3.5	39 3.5	0 -	0 -	0 -	0 -	2 3.0	28 3.1	0 -	3 3.7	8
IV			- 7.6	- 4.8	- 5.9	- 6.5		-10.0	2.3	19	-17.8	5	0 -	0 -	2 3.5	32 3.1	0 -	0 -	0 -	0 -	3 2.7	44 3.3	0 -	0 -	9
V			- 2.2	0.3	- 0.1	- 1.2		- 4.2	7.8	31	- 9.9	5	0 -	2 1.0	4 3.0	49 2.9	0 -	1 4.0	0 -	2 1.5	5 2.8	26 3.0	0 -	0 -	4
VI			3.0	5.0	4.4	3.5		0.9	15.0	30	- 5.8	7	2 3.5	0 -	0 -	15 2.5	0 -	1 2.0	3 2.0	0 -	23 2.6	44 2.9	2 1.5	0 -	0
VII			8.4	11.0	10.1	9.2		6.4	20.1	11	3.2	19	0 -	0 -	1 3.0	17 2.4	0 -	0 -	2 3.5	2 2.5	41 2.7	29 3.0	0 -	0 -	1
VIII			7.7	11.2	10.0	9.1		6.2	21.6	18	2.4	30	0 -	0 -	1 3.0	16 2.8	0 -	0 -	0 -	0 -	43 2.4	29 3.0	0 -	0 -	2
IX			4.5	7.2	6.1	5.6		3.3	14.6	6	0.6	21	0 -	2 2.0	10 3.3	51 3.3	1 2.0	0 -	3 3.3	0 -	4 2.8	14 3.1	1 2.0	0 -	4
X			- 3.3	- 2.3	- 2.9	- 3.0		- 5.5	6.4	13	-16.1	30	0 -	0 -	5 3.0	39 2.7	0 -	1 4.0	1 6.0	0 -	7 2.3	29 3.1	0 -	0 -	11
XI			- 7.9	- 7.9	- 8.2	- 8.0		-11.6	3.1	17	-21.5	28	0 -	0 -	17 3.4	38 3.1	0 -	0 -	1 1.0	0 -	3 3.7	26 3.4	1 4.0	0 -	4
XII			-17.2	-17.6	-17.6	-17.5		-21.1	- 2.9	29	-31.1	18	0 -	0 -	36 3.9	50 3.6	0 -	0 -	0 -	0 -	0 -	6 3.2	0 -	0 -	1
1955			- 4.2	- 2.7	- 3.4	- 3.7		- 6.9	21.6		-31.1		2 3.5	4 1.5	126 3.4	416 3.1	1 2.0	3 3.3	10 3.0	4 2.0	140 2.6	322 3.0	4 2.2	3 3.7	60

Narvik II

φ = 68° 28′N λ = 17° 30′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.0	- 4.0	- 4.8	- 4.3		- 6.9	4.8	4	-12.5	30	7 1.6	12 1.2	1 3.0	21 3.5	5 2.6	1 3.0	0 -	4 3.0	6 4.2	17 3.5	0 -	9 2.2	10
II			- 6.9	- 6.2	- 6.8	- 6.7		- 9.1	1.4	28	-15.6	17	2 1.0	0 -	0 -	51 4.1	5 3.6	0 -	0 -	0 -	3 2.3	8 2.8	0 -	2 2.0	13
III			- 5.2	- 2.9	- 4.3	- 4.3		- 6.7	2.9	4	-14.4	10	3 1.0	2 1.5	6 1.7	31 4.0	12 3.2	0 -	0 -	0 -	2 4.0	11 4.3	4 3.2	1 4.0	21
IV			- 1.9	0.6	- 0.4	- 0.9		- 3.9	6.0	15	-11.8	5	3 1.0	2 1.0	2 1.0	25 3.8	7 4.4	1 1.0	0 -	1 4.0	2 1.5	30 3.2	4 2.5	2 5.0	11
V			3.3	5.5	4.6	3.9		0.8	10.8	20	- 2.6	2	2 1.5	1 1.0	1 1.0	38 3.6	0 -	0 -	1 1.0	4 2.2	4 2.0	23 3.0	3 2.7	2 1.5	14
VI			7.1	8.7	8.4	7.5		4.7	19.2	30	0.2	7	5 1.6	3 1.7	1 1.0	7 2.3	0 -	0 -	1 2.0	3 1.7	6 2.7	32 2.8	12 2.7	3 1.7	17
VII			11.2	13.5	13.0	12.0		9.3	23.2	11	6.1	24	0 -	0 -	0 -	3 2.3	0 -	0 -	5 2.8	10 2.5	9 3.4	42 3.2	1 4.0	0 -	23
VIII			11.0	13.5	12.4	11.9		9.4	23.8	18	5.5	6	1 2.0	0 -	3 3.3	1 3.0	0 -	0 -	0 -	1 6.0	8 2.9	48 2.5	0 -	0 -	31
IX			9.1	11.8	9.6	9.9		7.5	17.4	6	3.1	20	1 3.0	0 -	3 3.7	31 3.3	12 3.2	0 -	1 2.0	5 2.0	3 2.3	6 2.7	1 2.0	0 -	27
X			1.8	3.2	2.3	2.3		0.5	10.4	11	- 7.6	30	1 2.0	5 1.2	2 1.5	22 2.6	3 3.7	0 -	0 -	0 -	3 4.3	20 3.8	1 4.0	2 1.5	34
XI			- 2.2	- 1.7	- 2.0	- 2.0		- 4.1	6.9	17	-12.7	29	9 1.8	7 1.9	5 2.0	30 3.6	12 3.8	1 2.0	0 -	0 -	0 -	9 4.3	4 2.5	1 2.0	12
XII			- 8.6	- 8.5	- 8.6	- 8.6		-10.9	3.1	7	-19.0	18	2 1.5	1 2.0	1 2.0	55 4.6	24 4.2	0 -	0 -	0 -	1 6.0	4 1.8	2 2.0	0 -	3
1955			1.2	2.8	2.0	1.7		- 0.8	23.8		-19.0		36 1.6	33 1.4	25 2.1	315 3.8	80 3.7	3 2.0	8 2.4	28 2.5	47 3.1	250 3.1	32 2.7	22 2.3	216

Offersøy

φ = 68° 20′N λ = 15° 38′E g = 9.825 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	998.1	1000.7	- 3.0	- 3.1	- 3.4	- 3.2	- 1.1	- 5.6	7.1	1	-10.1	29	1 3.0	19 2.2	16 2.3	2 3.0	2 3.5	10 2.7	1 2.0	4 3.0	7 4.3	11 2.1	4 2.8	0 -	16
II	1003.2	05.8	- 4.7	- 3.6	- 4.3	- 4.3	- 2.2	- 6.9	3.0	28	-10.9	19	1 1.0	6 2.7	36 2.6	2 5.0	3 3.7	1 2.0	3 2.0	3 1.7	6 2.2	9 1.8	5 1.2	0 -	9
III	04.2	06.8	- 3.2	- 1.2	- 2.3	- 2.4	0.1	- 5.0	4.7	11	-10.6	18	0 -	7 1.6	30 2.8	0 -	1 3.0	3 1.3	5 1.8	10 3.2	13 3.7	12 1.8	1 4.0	3 2.3	8
IV	11.8	14.4	- 1.4	0.6	- 0.3	- 0.7	1.6	- 3.4	5.7	30	- 9.3	4	0 -	3 3.0	18 2.1	5 3.4	9 3.9	4 3.5	3 1.3	4 3.8	13 3.5	10 2.1	15 1.7	1 1.0	5
V	05.3	07.9	3.6	4.9	4.1	3.8	6.2	0.9	11.6	20	- 2.2	11	2 1.0	3 2.7	27 3.3	19 2.7	3 2.7	3 2.7	2 1.5	2 1.0	19 3.4	8 2.2	2 3.0	1 1.0	2
VI	11.0	13.6	6.9	8.9	8.2	7.4	10.3	4.3	20.0	30	0.7	6	3 2.7	2 3.0	14 2.6	8 2.0	1 1.0	2 1.0	1 1.0	7 2.6	25 2.4	13 2.1	7 1.7	2 1.0	5
VII	12.8	15.2	10.7	12.4	11.7	11.2	14.1	9.1	23.0	11	7.0	19	0 -	0 -	13 1.7	4 2.5	1 1.0	0 -	1 1.0	4 3.8	42 3.4	18 2.2	7 2.1	0 -	3
VIII	14.0	16.5	10.9	12.7	11.7	11.5	13.9	8.9	24.0	18	3.2	5	0 -	0 -	15 2.7	0 -	1 2.0	0 -	0 -	8 3.2	37 3.4	20 2.0	3 1.7	0 -	9
IX	05.4	07.9	9.3	11.4	9.6	9.9	12.4	7.7	17.0	3	4.9	20	0 -	6 1.7	35 2.4	6 1.7	1 1.0	4 3.8	3 2.7	4 3.8	15 3.5	1 1.0	1 1.0	0 -	14
X	00.9	03.4	2.3	4.0	2.8	2.9	5.3	0.8	11.8	11	- 5.4	30	1 2.0	8 2.5	21 2.3	0 -	3 3.0	4 2.2	5 2.4	7 3.3	15 4.2	13 2.2	5 2.2	0 -	11
XI	06.6	09.2	- 0.8	- 0.2	- 0.9	- 0.6	1.2	- 3.0	7.5	18	-11.4	29	4 3.8	3 2.0	37 2.1	3 3.3	4 5.5	4 2.8	2 3.5	1 2.0	11 3.7	8 1.8	3 2.0	1 3.0	9
XII	993.8	996.4	- 5.2	- 5.0	- 5.1	- 5.1	- 3.1	- 7.3	3.6	6	-13.5	14	2 2.0	9 2.3	26 3.3	10 2.8	8 4.8	9 4.0	4 2.8	2 2.0	6 5.0	3 2.3	1 1.0	0 -	13
1955	1005.6	1008.2	2.1	3.5	2.6	2.5	4.9	0.0	24.0		-13.5		14 2.5	66 2.2	288 2.6	59 2.7	37 3.7	44 2.9	30 2.1	56 3.0	209 3.4	126 2.0	54 1.9	8 1.8	104

1955

Grøtøy

H_s = 6 H_b = h_t = 2.1 h_a = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	80	78	79	4.8	5.5	4.5	45	9	9	27	15	0	0	19	16	0	15	1	0	7	16	3	0	0	0	0	0	0	0	10	5	11	
II	85	84	83	84	5.0	5.5	4.2	33	8	28	26	16	1	0	19	9	0	8	0	0	4	19	2	0	0	0	0	0	0	0	10	5	7	
III	89	83	84	86	5.6	5.8	5.7	111	30	4	23	10	0	0	22	19	3	18	0	0	11	19	4	0	0	0	0	0	0	0	15	1	12	
IV	79	76	74	76	5.3	5.1	4.9	50	14	19	25	8	0	0	18	8	2	12	0	0	10	14	5	2	0	0	0	0	1	0	19	5	11	
V	77	73	78	77	4.7	5.2	5.1	17	11	16	2	0	0	0	12	3	1	8	0	0	12	3	3	2	0	0	0	0	1	0	25	3	9	
VI	86	81	82	84	5.8	5.0	5.4	63	11	24	0	0	0	0	16	14	1	4	0	0	16	2	2	4	0	1	0	0	1	1	21	4	13	
VII	94	88	90	92	6.9	6.2	6.1	107	25	31	0	0	0	0	18	13	3	5	0	0	18	0	0	14	0	0	0	0	1	5	14	2	20	
VIII	89	85	89	88	6.6	6.5	6.4	121	34	27	0	0	0	0	23	18	3	10	0	0	23	0	0	10	0	0	0	1	9	1	15	2	20	
IX	87	85	85	86	5.7	5.4	5.0	118	14	7	0	0	0	0	16	16	5	5	1	1	16	0	0	5	0	0	0	0	2	0	20	2	16	
X	80	78	79	79	4.9	5.7	5.5	165	33	24	7	0	0	0	22	15	8	11	4	1	20	2	0	3	0	0	0	0	1	0	19	2	11	1
XI	81	81	84	82	5.2	5.6	4.9	84	21	18	17	5	0	0	17	15	1	15	4	0	11	8	2	3	0	0	0	0	2	0	11	5	11	14
XII	79	77	75	77	3.8	5.0	4.6	56	22	23	30	17	5	0	13	9	1	15	4	2	6	13	5	0	0	0	0	0	0	0	1	6	9	31
1955	84	81	82	82	5.4	5.5	5.2	970	34		157	71	6	0	215	155	28	126	14	4	154	96	26	43	0	1	0	1	18	7	180	42	150	

Drag i Tysfjord

H_s = 60 H_b = h_t = 1.9 h_a = h_d = h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.6	5.4	3.6	46	7	27	30		18		19	16	0	2	0	0	4	17	2	0	0	0	0	0	0	0	4	8	9	31
II					5.2	5.9	4.5	40	12	28	28		16		19	12	1	0	0	0	3	19	3	0	0	0	0	0	0	0	9	5	13	28
III					6.1	6.2	5.1	121	34	4	28		14		19	18	3	1	0	0	6	18	3	1	0	0	0	0	0	0	10	2	15	31
IV					4.6	4.8	4.8	45	10	19	26		6		16	9	1	1	0	0	7	15	6	0	0	0	0	0	0	0	19	5	12	30
V					4.8	5.3	5.2	20	6	22	18		0		11	5	0	1	0	0	9	6	4	1	0	0	0	0	0	0	16	4	11	23
VI					5.9	6.1	5.4	79	10	24	0		0		21	19	1	0	0	0	21	4	4	0	0	0	0	0	0	0	9	5	16	0
VII					6.4	6.3	6.2	79	20	18	0		0		19	11	4	1	0	0	19	0	0	4	0	0	0	1	2	1	11	2	18	0
VIII					6.6	6.6	6.0	117	26	25	0		0		23	17	3	1	0	0	23	0	0	6	0	0	0	1	8	3	6	1	18	0
IX					5.3	4.9	4.3	66	17	13	0		0		18	12	1	1	0	0	18	0	0	5	0	0	0	0	1	4	9	4	10	0
X					5.1	5.7	5.0	122	24	1	17		2		22	17	4	2	1	0	18	9	5	0	0	0	0	0	0	0	4	3	7	0
XI					4.7	5.1	4.6	86	27	18	24		8		21	13	3	3	0	0	12	12	3	1	0	0	0	0	0	0	4	8	12	8
XII					3.3	4.3	4.1	40	7	7	31		18		10	9	0	2	0	0	0	10	0	0	0	0	0	0	0	0	0	10	8	31
1955					5.2	5.6	4.9	861	34		202		82		218	158	21	15	1	0	140	110	30	18	0	0	0	2	11	8	101	57	149	182

Bjørnfjell

H_s = 514 H_b = h_t = 1.9 h_a = h_d = h_r = 2.5

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.3	5.7	4.2	50	8	5	31		23		17	14	0	1	0	0	1	17	0	0	0	0	0	0	3	1	0	6	14	31
II					5.5	5.1	5.0	52	16	20	28		24		19	11	1	1	0	0	0	18	0	0	0	0	0	0	4	3	1	2	13	28
III					6.1	5.3	5.2	99	15	12	31		23		21	14	5	5	0	0	0	20	0	0	0	0	0	0	6	1	15	4	16	31
IV					4.9	4.5	5.2	79	14	19	29		14		19	14	3	4	0	0	3	19	3	0	0	0	0	0	5	0	20	6	15	30
V					5.7	4.8	5.1	45	14	16	28		0		16	10	1	3	0	0	6	13	2	1	0	0	0	0	7	2	23	4	13	31
VI					6.2	6.4	6.3	58	12	26	7		0		21	14	1	0	0	0	17	13	5	3	0	0	0	0	4	5	16	3	19	21
VII					6.9	6.4	6.7	38	9	13	0		0		15	10	0	0	0	0	15	0	0	8	0	0	0	0	8	8	15	1	21	0
VIII					6.8	6.5	6.9	122	32	26	0		0		21	17	3	1	0	0	21	0	0	5	0	0	0	1	3	10	16	0	22	0
IX					6.2	5.8	5.8	74	30	13	0		0		18	9	1	1	0	0	18	0	0	6	0	0	0	0	3	5	17	1	16	0
X					6.5	6.3	5.9	81	11	15	23		7		23	16	3	4	0	0	10	18	2	0	0	2	0	0	2	1	9	2	17	25
XI					5.5	5.7	5.8	91	26	18	29		17		22	12	2	3	0	0	3	22	2	2	0	0	0	0	0	5	0	3	15	30
XII					3.6	4.6	4.0	45	17	7	31		30		19	9	1	7	0	0	0	15	0	0	0	0	0	0	1	5	0	9	8	31
1955					5.8	5.6	5.5	834	32		237		138		231	150	21	30	0	0	94	155	14	25	0	2	0	1	46	46	132	41	189	258

Narvik II

H_s = 32 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.2	5.8	4.4	49	13	10	27		3		16	11	1	6	0	0	4	14	2	0	0	1	0	0	0	0	0	3	13	27
II					5.2	5.8	4.7	100	39	20	28		15		15	10	3	6	0	0	0	15	0	0	0	1	0	0	0	0	6	4	11	28
III					6.1	5.4	5.2	74	18	12	30		7		20	14	2	7	0	0	9	19	7	0	0	0	0	0	0	0	6	3	14	31
IV					5.2	5.3	5.5	59	13	19	26		1		16	12	2	7	0	0	5	15	4	0	0	0	0	0	0	0	17	5	15	30
V					5.6	5.2	5.5	19	9	10	12		0		9	5	0	2	0	0	8	6	4	0	0	2	0	0	0	0	21	3	13	23
VI					6.7	6.4	6.5	59	8	15	0		0		20	14	0	0	0	0	19	3	1	0	0	0	0	0	0	0	12	2	22	0
VII					7.4	6.5	7.0	60	11	13	0		0		20	13	1	2	0	0	20	0	0	0	0	0	0	1	3	0	11	1	25	0
VIII					7.1	6.7	6.8	132	50	25	0		0		24	15	2	2	0	0	22	0	0	0	0	0	0	2	6	0	11	0	25	0
IX					5.4	5.5	4.8	66	19	13	0		0		18	11	2	0	0	0	18	0	0	1	0	0	0	0	0	1	16	3	11	0
X					6.2	6.1	5.8	79	17	11	11		0		21	18	1	3	1	0	19	5	3	0	0	3	0	0	0	0	10	2	15	0
XI					5.0	5.4	5.0	74	16	21	26		4		16	11	3	4	0	0	8	12	4	0	0	0	0	0	0	0	3	7	15	12
XII					4.4	4.6	3.8	70	22	9	31		16		13	9	3	15	1	0	0	13	0	0	0	0	0	0	0	0	0	10	10	31
1955					5.8	5.7	5.4	841	50		191		46		208	143	20	54	2	0	132	102	25	1	0	7	0	3	9	1	113	43	189	182

Offersøy

H_s = 16 H_b = 20.3 h_t = 2.0 h_a = h_d = 9.2 h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	76	76	78	5.3	6.0	5.5	50	9	23	29	21	1	0	20	13	0	4	0	0	5	18	2	2	0	0	0	0	0	0	6	4	15	28
II	83	78	82	82	6.1	5.8	5.1	80	14	28	27	21	4	0	19	14	2	0	0	0	2	19	2	0	1	0	0	0	0	0	13	4	15	28
III	85	76	77	80	6.3	6.7	5.7	124	26	4	26	16	1	0	23	19	3	7	0	0	11	23	8	1	0	1	0	0	0	0	18	1	17	31
IV	73	69	70	71	5.2	5.1	5.3	58	16	16	24	8	0	0	15	11	2	5	0	0	9	13	6	2	0	0	0	0	0	0	24	5	17	30
V	74	69	75	74	6.2	6.1	5.5	17	8	16	14	0	0	0	9	4	0	1	0	0	7	6	4	1	0	0	0	0	0	0	22	2	19	14
VI	80	69	73	76	6.4	6.5	6.3	80	16	24	0	0	0	0	18	16	1	0	0	0	18	2	2	0	0	0	0	0	0	1	14	4	22	0
VII	88*	81*	83*	85*	7.1	7.0	6.4	75	14	17	0	0	0	0	18	11	2	3	0	0	18	0	0	9	0	0	0	0	0	3	13	2	21	0
VIII	89	81	85	86	6.5	7.1	7.1	133	46	25	0	0	0	0	23	14	3	2	0	0	23	0	0	13	0	0	0	1	1	1	14	1	22	0
IX	86	80	86	85	6.5	5.8	5.2	76	14	13	0	0	0	0	19	13	2	2	0	0	19	1	1	3	0	0	0	0	0	1	18	2	18	0
X	83	75	81	81	6.0	7.3	6.2	159	35	1	14	2	0	0	19	16	7	5	1	0	18	8	6	0	0	0	0	0	0	0	14	0	17	2
XI	82	79	84	82	6.4	5.8	5.9	104	20	15	21	12	1	0	19	14	4	5	0	0	10	12	1	0	0	0	0	0	0	0	6	3	19	14
XII	78	77	79	78	5.5	5.6	5.8	62	16	23	30	21	11	0	16	10	1	5	0	0	4	16	3	0	0	0	0	0	0	0	1	4	18	31
1955	82	76	79	80	6.1	6.2	5.8	1018	46		185	101	18	0	218	155	27	39	1	0	144	118	35	31	1	1	0	1	1	6	163	32	220	178

1955

Skrova

φ = 68° 9′N λ = 14° 39′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.2	- 1.1	- 1.5	- 1.3	0.6	- 3.4	7.6	1	- 6.9	5	2 4.5	2 3.0	19 3.5	23 4.0	1 1.0	9 4.1	3 3.7	0 -	12 5.5	5 3.8	7 4.1	9 3.3	1
II			- 2.1	- 1.9	- 1.9	- 2.1	- 0.2	- 3.9	3.4	28	- 9.3	17	4 2.2	3 2.3	12 4.5	33 4.4	2 4.0	0 -	0 -	4 6.0	9 5.1	4 3.0	2 4.0	11 3.6	0
III			- 1.3	- 0.3	- 0.5	- 0.8	1.2	- 2.6	5.4	11	-10.0	10	5 3.4	2 3.5	12 4.2	17 4.1	0 -	4 3.0	3 5.7	9 6.1	17 4.3	11 4.3	3 3.0	7 4.7	3
IV			- 0.4	0.7	0.9	0.2	2.1	- 1.7	6.2	30	- 6.2	1	5 4.2	4 1.8	9 3.2	17 4.2	3 4.0	10 4.1	0 -	9 4.4	8 5.1	4 4.0	3 3.7	15 3.9	3
V			3.4	4.5	4.4	3.8	6.0	2.0	10.0	20	- 0.7	10	1 3.0	3 3.0	22 5.3	20 3.8	4 2.0	6 3.3	1 2.0	2 3.0	18 4.0	3 2.7	2 2.0	6 3.3	5
VI			6.3	8.0	8.0	7.1	9.5	5.2	16.7	30	0.9	6	15 3.3	5 4.0	12 3.8	2 3.5	3 2.3	2 3.5	2 3.5	8 4.1	13 4.0	4 2.8	4 2.0	15 3.6	5
VII			10.2	11.5	11.2	10.7	13.2	9.1	21.7	11	7.4	19	3 2.3	1 3.0	4 2.0	8 2.6	2 2.0	1 1.0	3 3.7	17 3.6	31 4.6	9 1.8	2 2.0	7 2.6	5
VIII			11.1	12.3	11.9	11.6	13.6	10.1	21.9	18	6.8	28	0 -	1 4.0	7 3.6	12 2.9	1 3.0	6 2.2	4 3.2	10 3.2	35 4.0	8 3.8	3 3.7	3 3.0	3
IX			10.3	11.1	11.1	10.7	12.6	9.2	15.5	1	7.4	29	1 4.0	0 -	8 4.1	32 3.8	5 2.6	6 2.7	0 -	14 5.4	17 3.8	1 1.0	0 -	0 -	6
X			4.2	4.8	4.5	4.4	6.3	3.0	11.4	11	- 2.6	31	4 3.5	3 3.7	17 3.8	12 3.1	3 2.7	8 2.6	1 4.0	8 5.8	16 5.2	7 4.7	1 3.0	10 4.7	3
XI			1.4	1.6	1.0	1.3	2.9	- 0.4	8.0	18	- 6.7	28	4 4.2	2 6.0	14 3.9	38 3.9	1 5.0	2 4.0	1 6.0	2 5.0	11 5.5	1 4.0	8 4.0	5 5.0	1
XII			- 2.9	- 2.9	- 2.8	- 2.9	- 1.0	- 4.7	4.5	6	-10.8	12	1 3.0	2 2.5	18 4.9	30 4.8	5 3.4	11 3.2	5 4.8	4 5.8	7 3.7	4 5.5	2 6.5	4 4.0	0
1955			3.2	4.0	3.9	3.6	5.6	1.8	21.9		-10.8		45 3.4	28 3.2	154 4.1	244 4.0	30 2.9	65 3.2	23 4.1	87 4.7	194 4.5	61 3.6	37 3.6	92 3.8	35

Glåpen Fyr

φ = 67° 53′N λ = 13° 3′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.1	- 1.3	- 1.3	- 1.2		- 3.3	5.6	4	- 7.3	10	7 4.4	12 2.9	18 3.5	4 4.5	0 -	2 3.5	3 4.0	4 5.2	9 3.6	5 4.4	2 4.5	25 2.5	2
II			- 1.3	- 1.1	- 1.4	- 1.4		- 3.4	3.4	28	- 8.1	18	6 3.5	4 2.2	18 3.8	4 4.0	2 3.0	5 4.4	2 3.0	3 4.0	7 3.6	9 2.2	1 4.0	23 2.3	0
III			- 0.9	0.3	- 0.4	- 0.4		- 2.6	5.6	11	- 7.9	28	8 2.9	8 2.4	8 4.6	2 2.0	0 -	4 2.5	1 2.0	4 6.0	20 3.6	10 3.8	7 3.6	20 2.8	1
IV			- 0.5	1.1	0.6	0.2		- 1.8	5.6	19	- 6.0	22	9 3.9	2 1.5	12 3.2	2 1.5	2 4.0	19 4.6	0 -	3 5.7	9 4.6	1 5.0	3 3.0	24 2.5	4
V			3.4	4.6	4.1	3.7		1.8	8.3	30	- 2.1	10	6 2.7	3 2.3	32 3.6	6 2.2	1 3.0	3 3.7	3 2.0	5 2.4	15 3.2	6 2.7	1 2.0	7 2.1	5
VI			6.6	7.6	7.4	6.9		5.1	15.9	30	1.6	6	14 3.3	9 3.0	13 2.3	2 2.5	0 -	0 -	4 1.5	5 3.2	19 3.1	3 3.3	1 2.0	14 2.2	6
VII			9.5	10.5	10.1	9.8		8.3	17.7	12	6.0	24	2 2.5	0 -	21 1.8	0 -	0 -	1 1.0	1 1.0	6 2.8	50 3.6	1 2.0	1 3.0	10 2.1	0
VIII			10.7	11.6	11.2	11.0	13.0	9.5	18.3	18	6.2	28	0 -	0 -	18 2.4	0 -	0 -	3 1.3	3 2.3	16 2.9	38 3.5	5 2.8	5 3.8	2 2.0	3
IX			9.9	11.3	10.2	10.4	12.2	8.8	14.7	3	7.0	20	0 -	0 -	35 2.4	2 2.0	0 -	3 3.3	8 2.5	8 4.8	24 3.6	1 3.0	0 -	6 1.3	3
X			4.3	5.1	4.5	4.5	6.5	2.8	12.5	11	- 2.2	30	7 2.9	4 3.0	11 2.5	6 3.0	1 3.0	8 4.0	1 3.0	3 3.7	17 4.2	8 4.8	4 2.5	23 2.7	0
XI			2.1	2.1	1.9	2.0	3.9	- 0.3	8.8	19	- 7.4	29	8 3.9	2 3.0	22 3.7	6 4.0	4 4.0	5 3.6	3 3.0	1 6.0	11 3.4	4 5.2	3 4.3	21 2.7	0
XII			- 2.1	- 2.0	- 1.9	- 2.0	- 0.2	- 4.2	4.4	6	-10.8	14	9 2.7	3 2.7	14 4.1	10 3.6	5 3.8	17 4.9	4 4.2	3 5.7	4 3.5	5 3.4	3 6.3	16 2.4	0
1955			3.4	4.2	3.8	3.6		1.7	18.3		-10.8		76 3.3	47 2.7	222 3.1	44 3.2	15 3.7	70 4.1	33 2.7	61 3.9	223 3.6	58 3.6	31 3.7	191 2.5	24

Røst

φ = 67° 30′N λ = 12° 4′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.2	- 0.1	- 0.2	- 0.2	1.7	- 2.0	7.5	1	- 5.8	16	11 5.0	2 3.5	6 4.5	19 4.1	3 3.0	2 3.0	11 5.2	4 3.2	6 5.0	8 5.2	3 5.3	16 5.4	2
II			- 0.3	0.0	- 0.3	- 0.3	1.3	- 2.2	4.4	25	- 7.3	13	8 4.4	1 3.0	6 5.0	14 4.6	0 -	3 3.7	12 3.2	4 4.2	14 3.9	11 4.5	4 4.5	6 5.8	1
III			0.8	1.3	0.5	0.8	2.7	- 1.3	6.9	3	- 5.6	30	16 4.2	8 3.9	7 3.9	4 3.5	1 2.0	1 2.0	6 6.2	3 4.7	23 4.6	10 4.1	1 7.0	9 5.2	4
IV			1.6	2.1	1.4	1.5	3.2	- 0.6	7.0	14	- 4.4	21	18 4.8	3 2.3	8 3.2	8 3.4	1 7.0	11 4.2	13 3.9	2 5.5	7 5.6	3 3.0	2 6.6	10 4.3	4
V			4.1	4.4	3.7	3.9	5.3	2.2	7.5	20	- 2.1	10	5 3.2	1 4.0	21 4.5	15 4.3	3 3.0	9 2.9	6 3.0	8 4.9	13 3.3	7 3.9	0 -	4 5.2	1
VI			7.0	7.6	6.6	6.8	8.6	5.1	13.8	30	1.7	1	17 4.4	6 5.5	12 4.8	6 2.5	0 -	0 -	8 3.2	5 3.6	12 3.0	5 3.0	0 -	18 3.3	1
VII			9.5	10.0	9.6	9.5	11.2	8.1	15.2	12	5.1	6	5 3.4	3 4.0	8 2.9	5 3.0	0 -	0 -	18 3.4	10 3.2	28 4.6	4 4.8	5 3.8	7 2.4	0
VIII			11.0	11.5	10.9	10.9	12.5	9.4	16.6	18	6.6	4	6 3.2	1 6.0	3 4.3	11 2.6	2 2.5	6 3.3	24 3.8	5 4.2	23 4.6	7 4.6	1 4.0	3 2.7	1
IX			11.0	11.6	10.6	11.0	12.4	9.5	14.4	6	7.7	30	1 4.0	2 4.5	1 5.0	23 3.3	3 3.0	15 2.9	15 3.1	10 4.1	17 5.2	0 -	0 -	0 -	3
X			5.4	5.8	5.4	5.4	7.0	3.8	10.4	13	- 0.4	28	10 5.1	3 3.7	14 4.1	8 3.6	3 3.3	3 3.0	7 4.3	5 5.2	20 5.2	8 3.8	0 -	12 4.4	0
XI			3.4	3.2	3.3	3.3	5.2	1.1	9.0	17	- 5.2	27	6 5.8	2 5.0	20 5.3	17 4.7	0 -	10 4.5	4 3.2	2 7.5	15 5.2	2 7.0	2 5.0	10 5.3	0
XII			- 0.7	- 0.6	- 0.8	- 0.7	1.1	- 2.8	6.2	6	- 8.4	13	6 5.0	2 5.0	16 4.2	15 5.1	0 -	19 4.4	3 6.0	3 7.0	19 4.7	6 7.2	0 -	3 6.0	1
1955			4.4	4.7	4.2	4.3	6.0	2.5	16.6		- 8.4		109 4.5	34 4.2	122 4.4	145 3.9	15 3.2	79 3.7	127 3.8	61 4.4	197 4.6	71 4.5	18 4.8	98 4.5	18

Skomvær Fyr

φ = 67° 25′N λ = 11° 53′E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	997.2	999.8	0.3	0.1	0.1	0.2	2.0	- 1.8	8.0	1	- 6.1	16	10 5.4	15 4.7	11 5.2	9 5.0	7 4.1	1 3.0	7 7.7	6 5.0	5 5.6	2 7.0	8 5.6	11 6.0	1
II	1001.9	1004.5	- 0.2	0.3	0.0	- 0.1	1.5	- 2.0	4.4	6	- 6.7	18	12 4.9	7 5.1	16 4.9	5 4.6	2 3.0	7 3.9	3 4.7	4 3.8	10 5.0	4 4.5	3 4.7	8 5.1	3
III	04.0	06.6	0.8	1.4	0.9	0.9	2.7	- 1.2	6.1	11	- 4.7	17	5 5.4	16 4.3	5 5.4	2 2.5	0 -	3 2.3	4 5.8	6 5.0	11 5.5	15 4.5	11 5.6	11 6.4	4
IV	11.2	13.9	1.1	1.9	1.7	1.4	3.2	- 0.6	6.5	20	- 4.1	1	4 6.2	5 4.0	6 3.7	9 4.8	2 2.0	14 6.1	4 6.0	4 5.5	9 5.4	4 3.2	10 4.6	16 5.2	3
V	04.1	06.7	3.3	4.2	4.0	3.6	5.3	2.2	7.5	20	- 3.0	10	2 4.0	13 4.4	23 5.0	8 4.5	1 3.0	10 4.9	4 4.0	7 4.3	4 4.0	7 4.0	6 4.5	7 4.3	1
VI	11.1	13.8	6.1	7.2	6.8	6.4	8.1	4.7	12.0	30	1.4	1	18 4.6	16 4.7	7 4.0	0 -	2 2.5	2 4.5	3 3.7	11 4.8	4 3.8	5 2.8	7 4.0	12 3.5	3
VII	12.6	15.3	9.0	9.8	9.5	9.1	10.8	7.6	13.5	12	5.0	26	11 3.4	3 4.0	2 3.0	2 3.0	1 3.0	3 3.7	5 4.2	34 4.5	15 4.5	4 3.0	4 2.5	6 3.8	3
VIII	13.9	16.5	10.5	11.5	10.8	10.7	12.3	8.4	15.4	9	5.9	5	0 -	5 4.0	5 4.2	6 2.8	1 3.0	3 3.3	8 4.5	31 4.4	18 4.4	7 3.4	5 4.2	1 2.0	3
IX	03.9	06.5	10.7	11.4	10.6	10.8	12.3	9.3	14.0	6	7.4	7	0 -	2 4.0	1 2.0	26 3.5	2 3.5	12 4.2	2 4.5	16 4.8	22 5.3	2 4.0	1 4.0	1 5.0	3
X	00.6	03.3	5.4	5.8	5.5	5.5	7.2	3.7	11.5	11	- 0.9	29	4 5.2	3 5.0	12 4.8	8 4.2	2 3.5	7 5.0	0 -	6 4.8	20 5.5	11 4.3	5 4.2	15 5.1	0
XI	05.5	08.2	3.5	3.4	3.4	3.4	5.4	1.2	8.9	12	- 4.5	29	8 6.1	5 5.6	15 5.4	13 5.4	1 7.0	9 5.2	7 5.1	4 3.8	11 5.4	1 8.0	1 4.0	15 6.2	0
XII	991.9	994.6	- 0.6	- 0.7	- 0.3	- 0.5	1.3	- 3.1	5.8	28	-11.5	13	4 4.8	3 4.3	8 5.5	15 4.9	7 4.6	15 5.3	7 4.4	6 5.0	9 4.9	4 4.8	6 7.0	9 5.7	0
1955	1004.8	1007.5	4.2	4.7	4.4	4.3	6.0	2.4	15.4		-11.5		78 4.9	93 4.6	111 4.9	103 4.3	28 3.8	86 4.8	54 5.1	135 4.6	139 5.0	66 4.1	67 4.8	112 5.2	24

Borge i Lofoten

φ = 68° 20′N λ = 13° 53′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.4	- 2.0	- 2.7	- 2.4	- 0.2	- 5.3	7.9	1	-10.4	20	10 4.6	3 5.0	11 3.8	4 1.8	1 2.0	4 4.0	29 3.0	8 3.2	6 3.0	6 5.2	0 -	11 6.1	0
II			- 2.9	- 2.5	- 2.7	- 2.8	- 0.6	- 6.3	2.9	28	-12.3	1	9 4.7	0 -	5 2.4	1 5.0	0 -	13 2.5	25 2.3	11 3.2	6 2.5	5 4.4	2 5.0	6 5.5	1
III			- 1.4	0.0	- 0.8	- 0.9	1.5	- 4.1	6.4	11	- 9.9	28	7 5.7	5 5.0	7 2.9	1 8.0	0 -	10 3.6	29 3.5	16 3.7	5 5.2	4 4.5	6 5.2	2 6.0	1
IV			- 0.9	0.8	0.3	- 0.1	2.2	- 3.4	7.4	30	-11.2	5	8 5.1	1 3.0	6 3.3	4 5.0	0 -	17 4.8	13 4.0	14 3.1	10 2.1	3 3.3	6 5.3	8 5.5	0
V			3.5	4.9	4.4	3.9	7.0	1.3	10.9	30	- 2.6	11	6 4.7	2 4.5	25 4.2	3 3.0	0 -	14 3.8	9 4.0	0 -	8 3.8	12 3.4	5 4.2	6 4.2	3
VI			6.3	7.3	7.2	6.6	9.6	4.7	16.1	29	1.0	6	19 4.3	6 4.5	6 3.3	0 -	0 -	3 4.3	7 3.3	2 5.0	13 4.3	18 3.3	2 4.0	13 4.2	1
VII			9.8	11.2	10.7	10.2	13.0	7.3	24.1	11	3.9	29	8 3.2	4 3.8	5 3.2	0 -	0 -	5 4.4	12 4.2	16 4.0	22 3.8	10 2.7	4 2.8	6 2.8	1
VIII			10.7	12.6	11.5	11.3	13.7	8.2	19.5	20	4.9	4	3 2.3	5 3.2	2 1.5	1 1.0	0 -	12 3.8	15 3.7	17 3.5	13 3.3	13 3.5	6 1.5	4 2.5	2
IX			9.4	11.8	10.4	10.3	12.7	7.6	15.7	6	4.0	16	4 2.0	3 1.7	5 1.6	3 1.3	2 2.5	12 3.8	32 3.5	2 4.0	12 2.6	1 3.0	1 7.0	1 1.0	12
X			3.9	4.9	4.3	4.3	6.2	1.7	11.4	11	- 4.5	29	8 5.4	2 4.0	9 4.0	1 3.0	0 -	9 2.1	18 2.8	12 3.5	14 3.7	5 3.4	0 -	9 5.4	6
XI			1.3	1.6	1.0	1.3	3.1	- 2.1	9.1	17	- 8.7	29	10 5.4	5 5.0	7 4.3	5 3.4	1 3.0	10 4.4	19 3.2	9 3.0	6 3.2	2 4.5	0 -	10 5.2	6
XII			- 3.2	- 3.5	- 3.2	- 3.3	- 1.4	- 6.6	4.6	29	-15.0	13	2 5.0	2 5.0	7 2.9	3 2.7	0 -	29 4.7	25 2.7	7 2.4	2 1.0	6 5.2	3 1.7	3 4.7	4
1955			2.8	3.9	3.4	3.2	5.6	0.2	24.1		-15.0		94 4.5	38 4.2	95 3.5	26 3.2	4 2.5	138 3.9	233 3.2	114 3.4	117 3.4	85 3.7	35 3.8	79 4.8	37

1955

Skrova

H_s = 11 H_b = h_t = 2.2 h_a = h_d = 8 h_r = 1.7

Måned	Midlere relativ fuktighet Um 7	13	19	Dles	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	79	75	76	77	5.4	5.6	5.3	42	7	23	27	14	0	0	20	14	0	18	4	0	5	18	1	1	0	1	0	0	0	0	0	6	2	14	27
II	86	85	84	85	5.3	5.8	5.0	48	12	16	26	13	0	0	20	10	1	16	1	0	2	20	2	0	0	0	0	0	0	0	0	9	1	11	28
III	89	84	81	85	5.9	6.3	5.7	79	12	3	23	12	0	0	21	16	2	19	8	0	9	19	6	1	0	0	0	1	1	0	11	0	16	23
IV	78	74	72	74	5.4	5.4	4.6	44	8	20	22	7	0	0	17	13	0	14	3	0	9	14	4	2	0	0	0	0	2	0	15	5	13	24
V	74	70	73	74	5.3	5.6	5.1	15	7	16	4	0	0	0	10	5	0	12	1	0	7	5	2	0	0	0	0	0	1	0	20	2	14	0
VI	83	75	74	78	5.7	5.4	5.1	49	8	24	0	0	0	0	16	14	0	10	0	0	16	2	2	2	0	0	0	0	3	1	15	4	12	0
VII	90	84	85	87	7.0	6.7	6.3	77	16	15	0	0	0	0	15	9	3	9	2	0	15	0	0	11	0	0	0	0	7	6	14	1	20	0
VIII	87	81	83	84	6.2	6.5	6.5	85	22	27	0	0	0	0	20	14	2	12	1	0	20	0	0	11	0	0	0	1	5	7	16	1	20	0
IX	80	82	78	80	5.8	5.3	4.8	89	11	30	0	0	0	0	15	14	3	14	2	1	15	0	0	3	0	0	0	0	2	1	17	2	14	0
X	87	85	77	77	4.9	6.4	5.9	122	18	1	6	0	0	0	21	18	4	12	5	2	19	5	3	3	0	1	0	0	3	0	8	0	9	3
XI	76	77	82	78	5.2	5.7	5.5	79	15	18	16	5	0	0	19	15	2	18	6	2	12	11	2	3	0	0	0	0	1	0	5	4	12	18
XII	74	74	76	75	5.3	5.9	5.4	63	21	6	29	17	3	0	15	10	2	20	3	1	4	14	3	0	0	1	0	1	0	0	0	2	12	31
1955	81	78	78	80	5.6	5.9	5.4	792	22		153	68	3	0	209	152	19	174	36	6	133	108	25	37	0	3	0	3	25	15	136	24	167	154

Glåpen Fyr

H_s = 31 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

I					5.8	5.7	5.3	120	22	15	27		0		19	18	3	5	5	1	8	18	7	0	2	1	0	0	2	0	7	0	14	
II					5.8	5.9	6.0	107	15	28	23		0		22	18	3	11	0	0	7	22	7	0	2	1	0	0	1	0	15	1	13	
III					5.6	5.6	6.3	190	25	4	22		0		26	22	8	11	5	0	10	23	7	0	10	1	0	2	3	0	22	1	13	
IV					4.9	5.0	4.5	114	24	16	25		0		21	18	3	12	4	1	8	18	5	2	7	0	0	0	4	0	21	4	12	
V					4.8	4.9	4.6	60	10	22	2		0		16	10	0	3	0	0	13	7	4	2	4	1	0	0	1	0	25	3	10	
VI					5.4	5.5	5.2	75	14	23	0		0		17	14	1	1	0	0	17	2	2	0	3	0	0	0	1	1	25	4	10	
VII					6.8	6.5	6.4	109	23	17	0		0		17	14	3	5	0	0	17	0	0	5	0	0	0	0	8	9	16	1	23	
VIII					6.3	6.5	6.5	145	30	31	0	0	0	0	22	13	6	6	0	0	22	0	0	9	0	0	0	2	9	2	19	3	20	
IX					6.0	5.1	5.1	82	17	26	0	0	0	0	18	11	3	5	1	1	18	0	0	3	0	0	0	1	6	0	23	2	14	
X					5.5	5.9	5.5	222	36	1	4	0	0	0	24	18	9	8	2	1	19	11	7	0	5	0	0	1	2	0	26	0	11	
XI					6.3	6.2	6.2	242	46	21	16	2	0	0	26	22	10	13	3	1	18	17	9	3	7	1	0	0	8	0	10	1	19	
XII					6.0	6.4	6.2	176	27	11	28	16	1	0	24	20	6	13	2	1	8	22	6	0	9	2	0	0	1	0	0	0	17	
1955					5.8	5.8	5.6	1642	46		147		1		252	198	55	93	22	6	165	140	54	24	49	7	0	6	46	12	209	20	176	

Røst

H_s = 8 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

I	76	76	73	75	6.4	6.4	6.3	86	32	27	24	10	0	0	20	16	1	15	6	4	10	16	5	0	0	3	0	0	14	0	9	0	18	
II	80	80	78	79	6.9	6.2	6.5	45	10	5	23	7	0	0	20	11	0	12	0	0	9	17	3	0	0	0	0	0	3	0	8	0	15	
III	84	79	82	83	6.4	6.2	6.9	95	10	11	20	1	0	0	23	18	1	21	9	4	15	19	6	0	0	3	0	0	13	0	20	0	16	
IV	74	73	75	74	5.7	5.4	5.9	28	7	18	19	2	0	0	15	8	0	13	5	1	8	11	1	1	0	1	0	0	3	0	24	1	11	
V	80	81	84	82	5.8	5.6	5.9	54	14	21	3	0	0	0	16	11	1	8	0	0	16	6	5	2	0	0	0	0	11	0	22	2	14	
VI	82	83	85	83	5.6	5.6	6.1	20	4	16	0	0	0	0	16	9	0	7	0	0	16	2	2	0	0	0	0	0	7	2	27	1	11	
VII	93	91	93	93	7.4	7.4	7.4	37	8	31	0	0	0	0	20	8	0	7	0	0	20	0	0	3	0	0	0	0	13	6	15	0	27	
VIII	89	87	91	89	6.7	6.6	7.2	48	12	27	0	0	0	0	22	13	1	9	0	0	22	0	0	4	0	0	0	0	13	4	17	0	22	
IX	85	87	87	86	5.6	5.7	6.1	65	12	30	0	0	0	0	16	8	3	5	1	1	16	0	0	0	0	0	0	0	8	0	23	0	12	
X	76	76	77	77	6.1	6.0	6.1	104	23	1	2	0	0	0	19	17	2	13	6	3	18	3	2	0	0	2	0	0	6	0	18	0	12	
XI	79	82	76	78	6.9	6.7	6.7	77	9	21	8	1	0	0	25	19	0	24	11	7	18	12	5	0	0	2	0	0	11	0	6	0	21	
XII	78	80	81	79	7.3	7.3	7.3	75	13	4	24	10	0	0	23	17	1	23	11	1	7	23	6	0	0	5	0	0	9	0	0	0	27	
1955	81	81	82	82	6.4	6.3	6.5	734	32		123	31	0	0	235	155	10	157	49	21	175	109	35	10	0	16	0	0	111	12	189	4	206	

Skomvær Fyr

H_s = 18 H_b = 21.4 h_t = 1.9 h_a = 20.1 h_d = h_r = 1.5

I	82	83	81	82	5.3	6.2	5.4	73	16	27	24	7	0	0	20	18	1	23	6	2	9	15	4	2	0	4	0	0	5	0	4	0	14	17
II	89	88	87	88	5.9	6.1	5.1	45	8	5	20	5	0	0	20	15	0	19	1	1	8	18	4	2	0	0	0	0	6	0	12	0	12	17
III	90	87	88	89	6.1	6.0	6.1	73	9	14	20	3	0	0	26	21	0	21	8	5	12	23	7	2	0	3	0	0	3	0	23	0	13	8
IV	84	83	82	83	5.1	4.7	4.8	28	4	1	20	1	0	0	18	10	0	21	9	1	8	13	2	6	0	5	0	0	2	2	24	4	8	13
V	89	86	89	89	5.5	5.3	5.3	38	10	18	2	0	0	0	16	10	1	10	2	0	16	5	3	2	0	0	0	0	0	0	25	1	13	0
VI	92	90	90	91	5.7	5.0	5.3	24	7	16	0	0	0	0	17	7	0	9	1	0	17	3	3	3	0	0	0	0	2	4	26	2	11	0
VII	96	95	95	96	7.0	6.5	6.9	29	7	31	0	0	0	0	18	6	0	12	1	0	18	0	0	14	0	0	0	0	4	14	14	2	23	0
VIII	94	91	94	93	6.7	6.2	6.8	34	12	27	0	0	0	0	21	10	1	13	0	0	20	0	0	8	0	0	0	0	11	5	18	2	20	0
IX	91	89	90	90	5.4	5.1	4.7	35	10	12	0	0	0	0	15	10	0	12	5	3	13	0	0	5	0	0	0	0	5	2	23	3	11	0
X	81	82	84	82	5.2	6.0	5.8	76	31	1	1	0	0	0	25	19	1	19	5	1	22	4	0	2	0	0	0	0	4	0	15	0	9	1
XI	87	86	85	86	5.7	6.5	6.2	70	7	20	9	1	0	0	23	18	0	24	12	5	19	12	8	5	0	5	0	0	7	2	6	1	17	10
XII	86	90	87	87	5.2	6.5	6.5	70	15	12	27	10	2	0	24	19	1	22	8	2	8	23	5	1	0	2	0	0	5	0	0	0	12	22
1955	88	88	88	88	5.7	5.8	5.7	595	31		123	27	2	0	243	163	5	205	58	20	170	116	36	52	0	19	0	0	54	29	190	15	163	88

Borge i Lofoten

H_s = 5 H_b = h_t = 1.8 h_a = h_d = h_r = 1.6

I	82	75	77	79	5.5	5.8	4.8	85	13	23	27	17	1	0	21	19	2	10	3	2	13	17	9	0	1	3	2	0	6	0	7	4	15	27
II	82	79	80	81	5.5	6.0	5.2	73	17	28	27	16	5	0	19	17	2	11	0	0	9	18	8	0	0	4	1	0	5	0	17	2	13	28
III	85	82	82	83	5.6	6.9	6.6	81	12	2	27	11	0	0	26	17	2	17	5	1	15	23	12	0	1	11	0	0	5	0	21	0	17	31
IV	79	76	77	78	5.5	5.4	5.4	77	14	20	25	9	1	0	20	14	3	12	7	1	13	17	10	2	1	7	0	0	4	0	20	5	16	27
V	80	76	81	80	5.5	5.5	5.2	29	7	23	10	0	0	0	12	8	0	4	1	0	12	6	5	3	0	2	0	0	4	0	25	4	14	1
VI	90	85	87	88	6.2	6.0	6.1	45	6	17	0	0	0	0	19	14	0	5	0	0	19	5	5	2	0	0	0	0	4	4	21	5	22	0
VII	94	88	89	91	7.2	7.1	7.2	82	16	16	0	0	0	0	23	13	2	6	0	0	23	0	0	7	0	0	0	2	1	7	14	0	24	0
VIII	90	83	88	88	7.1	6.8	6.7	72	20	25	0	0	0	0	15	12	1	8	1	0	15	0	0	12	0	0	0	2	4	4	15	2	24	0
IX	90	84	86	87	5.7	5.8	5.5	55	9	7	0	0	0	0	15	12	0	7	2	1	15	0	0	8	0	0	0	0	2	0	17	3	19	0
X	82	81	81	82	6.0	6.9	6.4	135	15	24	9	0	0	0	22	19	6	8	4	2	21	6	5	0	0	7	0	0	5	0	17	0	17	3
XI	83	84	86	84	5.3	5.9	5.3	104	30	18	19	6	0	0	23	15	3	14	5	2	17	11	5	1	1	6	0	0	6	0	7	4	17	14
XII	78	79	80	79	4.7	5.6	5.0	78	18	11	30	18	7	0	14	10	4	9	4	0	10	9	6	0	0	2	0	0	5	0	0	6	14	27
1955	85	81	83	83	5.8	6.1	5.8	914	30		174	77	14	0	229	170	25	111	32	9	182	112	65	35	4	42	3	4	51	15	181	35	212	158

1955

Bø i Vesterålen

φ = 68° 37′N λ = 14° 27′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.9	- 2.2	- 2.9	- 2.7	0.2	- 5.8	7.7	1	-12.1	30	6 3.5	2 2.5	0 -	10 2.4	0 -	20 2.4	13 3.7	4 4.2	2 4.5	12 4.1	10 3.5	0 -	14
II			- 3.5	- 2.5	- 2.8	- 2.9	- 0.4	- 7.0	3.8	28	-12.1	18	2 4.0	2 1.5	1 3.0	8 2.5	6 2.2	12 2.7	8 3.2	0 -	3 2.3	3 3.3	11 3.2	4 4.8	24
III			- 1.9	0.0	- 1.4	- 1.3	1.5	- 4.5	6.0	11	-10.8	28	3 3.7	3 2.0	0 -	5 2.8	4 2.2	13 3.3	13 4.0	4 3.0	8 3.8	23 2.9	7 2.6	5 3.4	5
IV			- 1.1	1.1	0.1	- 0.2	2.2	- 3.1	7.5	30	- 9.4	4	2 2.0	11 2.4	7 1.7	5 2.6	3 3.3	6 2.3	22 3.0	4 4.0	6 2.5	7 3.6	10 4.0	7 3.6	0
V			3.3	4.8	4.5	3.8	6.8	0.7	11.0	20	- 3.0	6	0 -	5 3.6	3 3.0	6 3.7	0 -	12 2.6	20 3.0	7 2.6	10 2.9	18 2.8	10 2.8	2 2.5	0
VI			6.5	8.2	7.5	6.9	9.8	3.8	16.8	29	0.4	6	0 -	2 3.5	0 -	6 2.5	1 2.0	3 3.0	17 3.0	6 3.2	19 2.7	10 3.2	21 3.7	4 3.5	1
VII			9.7	11.3	11.2	10.4	12.9	8.2	24.0	11	6.0	6	0 -	1 2.0	0 -	3 2.3	0 -	3 2.3	25 2.9	24 3.2	26 2.5	7 2.9	1 3.0	1 3.0	2
VIII			10.0	12.4	11.2	10.8	13.8	7.7	22.0	18	5.2	6	0 -	5 3.2	0 -	1 3.0	0 -	1 2.0	21 3.0	26 3.3	18 2.8	15 2.9	3 2.3	0 -	3
IX			9.5	11.9	10.2	10.3	12.9	7.3	15.8	6	3.6	20	0 -	1 3.0	0 -	12 2.5	3 2.7	5 2.8	42 2.9	8 3.8	7 3.1	0 -	1 2.0	0 -	11
X			2.8	4.5	3.4	3.5	6.2	0.4	12.0	11	- 6.8	31	0 -	5 2.2	4 2.0	19 2.4	0 -	6 2.5	16 3.4	7 3.7	8 3.8	13 3.8	11 3.5	1 4.0	3
XI			- 0.3	0.4	0.4	0.2	2.3	- 3.0	8.5	17	-10.3	28	6 4.8	3 3.3	0 -	28 3.1	0 -	7 2.6	17 3.2	2 4.5	2 3.5	10 3.7	8 3.6	5 2.6	2
XII			- 3.9	- 3.3	- 3.4	- 3.5	- 1.4	- 7.2	3.7	29	-15.3	13	1 2.0	0 -	1 3.0	43 3.1	4 3.5	9 3.2	8 3.0	5 2.6	5 3.2	5 3.4	8 2.8	0 -	4
1955			2.4	3.9	3.2	2.9	5.6	- 0.2	24.0		-15.3		20 3.8	40 2.7	16 2.2	146 2.8	21 2.7	97 2.7	222 3.1	97 3.3	114 2.9	123 3.3	101 3.4	29 3.4	69

Andenes

φ = 69° 19′N λ = 16° 7′E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	999.1	999.9	- 1.6	- 1.7	- 2.3	- 1.9	0.1	- 4.2	6.9	1	- 8.9	19	8 2.8	8 4.5	8 4.4	9 2.4	0 -	6 3.0	12 2.6	14 2.9	12 4.2	3 4.7	8 5.6	3 5.0	2
II	1004.2	1005.1	- 3.3	- 2.6	- 2.7	- 3.0	- 1.1	- 5.4	2.0	25	-10.0	3	6 4.0	5 3.6	1 4.0	6 2.7	4 2.5	15 2.7	21 2.9	12 2.5	2 2.5	2 2.5	4 4.5	3 3.7	3
III	04.9	05.8	- 1.6	- 0.7	- 1.2	- 1.3	0.7	- 3.5	5.8	11	- 8.3	28	0 -	8 4.2	11 3.1	6 4.0	1 3.0	10 3.7	15 2.7	6 3.3	18 3.3	5 4.2	7 4.7	4 4.8	2
IV	12.7	13.5	- 0.5	1.0	0.2	0.0	2.1	- 2.3	6.1	19	- 6.6	4	4 4.5	9 3.4	8 2.6	1 3.0	2 3.0	16 3.6	10 2.8	11 2.6	9 3.9	4 5.5	9 5.2	5 4.4	2
V	06.9	07.7	3.4	4.6	4.1	3.7	5.6	1.8	11.0	20	- 0.7	10	2 1.5	4 2.0	25 3.7	11 2.7	2 2.5	14 2.3	4 2.2	3 2.0	12 4.6	7 3.4	5 3.6	3 3.7	1
VI	12.5	13.4	6.0	6.5	6.3	6.0	7.7	4.5	11.7	24	1.0	6	5 3.0	16 3.4	12 3.7	1 2.0	1 2.0	4 2.0	4 2.5	4 3.2	10 3.2	13 3.2	13 2.6	5 3.0	2
VII	13.5	14.2	9.1	10.1	10.2	9.6	12.2	8.0	19.2	12	5.2	24	1 2.0	13 2.5	4 3.0	0 -	0 -	7 2.3	7 3.0	5 3.2	31 4.2	16 3.9	6 3.5	1 3.0	2
VIII	14.5	15.2	10.1	11.3	10.7	10.5	13.1	8.6	21.7	18	5.5	6	0 -	2 3.0	4 4.0	3 1.7	0 -	6 2.2	7 2.6	8 2.8	31 4.3	19 4.2	9 3.3	0 -	4
IX	06.5	07.3	8.8	10.9	9.5	9.6	12.0	7.6	15.0	6	4.9	16	0 -	0 -	3 2.0	5 2.8	8 2.9	27 2.4	19 2.3	7 2.1	5 5.2	7 3.3	1 2.0	1 2.0	7
X	999.9	00.7	3.4	4.2	3.5	3.6	5.6	1.6	10.9	11	- 4.0	28	5 3.8	8 4.6	7 4.7	5 2.6	2 2.5	7 2.6	12 2.5	12 2.5	16 4.1	5 6.2	9 4.8	4 3.0	1
XI	1004.4	05.2	0.3	0.7	0.3	0.4	2.4	- 1.8	8.5	17	- 7.6	27	9 4.3	13 3.8	7 3.6	9 3.9	2 2.0	11 2.5	11 2.9	7 2.9	6 5.0	3 6.3	7 4.4	4 3.5	1
XII	991.0	991.8	- 3.5	- 3.8	- 3.6	- 3.6	- 2.0	- 6.0	3.3	29	-11.7	13	0 -	3 4.7	7 3.9	6 2.8	9 3.7	20 3.8	18 3.1	12 3.1	9 2.0	0 -	4 4.8	4 2.8	1
1955	1005.8	1006.6	2.6	3.4	2.9	2.8	4.9	0.7	21.7		-11.7		40 3.6	89 3.6	97 3.6	62 2.9	31 2.9	143 2.9	140 2.7	101 2.8	161 4.0	84 4.1	82 4.2	37 3.6	28

Sandsøy i Senja

φ = 68° 57′N λ = 16° 40′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.1	- 2.4	- 2.8	- 2.4	- 0.5	- 4.1	8.0	1	- 7.2	31	7 4.7	2 3.0	7 3.4	15 1.7	6 2.3	2 2.5	8 3.9	22 5.0	2 5.0	2 4.0	6 4.7	10 5.3	4
II			- 4.2	- 3.4	- 3.4	- 3.7	- 1.9	- 5.6	3.0	28	-10.2	17	1 3.0	2 2.0	5 2.6	12 1.6	11 2.5	17 2.5	6 3.7	11 4.4	0 -	4 3.0	5 4.4	5 5.8	5
III			- 2.4	- 0.9	- 1.6	- 1.7	0.6	- 3.5	6.4	11	- 8.3	9	1 5.0	2 1.5	5 3.2	8 2.8	5 2.8	8 1.8	17 3.5	27 4.5	0 -	4 4.5	4 4.8	6 4.8	6
IV			- 0.9	0.7	0.2	- 0.2	2.2	- 2.4	6.3	18	- 7.2	5	7 4.1	3 2.0	3 2.3	2 2.5	1 1.0	11 3.6	16 3.9	15 4.3	0 -	3 5.0	13 3.8	9 5.2	7
V			3.1	5.1	4.2	3.7	6.1	1.3	10.6	20	- 1.1	5	7 2.7	1 5.0	13 3.4	8 2.4	2 2.5	6 2.3	13 3.6	10 3.3	2 3.5	1 1.0	6 3.2	8 3.0	15
VI			6.2	7.4	6.9	6.5	8.7	4.6	14.9	30	0.5	6	18 3.6	3 1.3	2 2.0	2 2.5	0 -	8 1.9	12 3.8	6 3.5	1 5.0	1 3.0	9 3.3	24 3.5	4
VII			10.1	11.9	10.9	10.6	13.3	8.5	20.6	11	4.6	24	9 2.1	0 -	3 1.3	0 -	1 5.0	15 2.0	15 4.2	18 4.6	3 3.3	7 3.3	0 -	16 3.4	8
VIII			10.5	12.3	11.4	11.1	13.9	9.0	23.1	18	5.8	5	5 1.8	3 1.7	3 1.7	1 3.0	3 2.0	8 2.5	13 4.1	19 4.5	2 2.5	3 3.0	5 3.8	11 2.8	17
IX			9.0	11.3	9.6	9.8	12.2	7.8	15.2	6	5.1	13	0 -	0 -	2 3.0	4 2.2	15 2.0	18 2.1	21 3.6	10 3.2	0 -	1 1.0	0 -	2 2.0	17
X			3.1	4.0	3.5	3.4	5.3	1.7	12.0	11	- 4.5	30	2 4.5	2 2.0	16 2.8	5 2.2	1 2.0	4 2.8	18 3.4	24 3.2	4 3.5	5 2.6	6 5.5	5 6.0	1
XI			- 0.1	0.1	- 0.2	- 0.1	1.8	- 2.0	7.5	17	- 8.9	27	3 6.7	1 5.0	10 3.1	14 2.4	6 2.3	10 3.0	10 3.4	10 4.5	7 2.9	2 2.0	7 3.9	6 5.0	4
XII			- 4.7	- 4.7	- 4.4	- 4.6	- 2.9	- 6.5	3.0	29	-12.0	12	0 -	1 2.0	5 2.6	12 2.2	9 1.3	17 3.8	15 4.3	28 4.4	0 -	1 1.0	5 3.0	0 -	0
1955			2.3	3.4	2.9	2.7	4.9	0.7	23.1		-12.0		60 3.5	20 2.2	74 2.9	83 2.1	60 2.2	124 2.6	164 3.8	200 4.2	21 3.4	34 3.2	66 4.0	102 4.0	87

Gibostad

φ = 69° 21′N λ = 18° 5′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.4	- 4.5	- 5.2	- 4.7	- 2.5	- 7.7	6.7	1	-13.4	31	0 -	0 -	7 1.9	4 1.5	2 1.5	24 2.0	6 2.8	5 2.4	32 3.4	2 3.5	1 2.0	10 3.2	0
II			- 8.1	- 6.9	- 6.5	- 7.3	- 4.4	-10.5	0.9	25	-16.5	22	2 3.5	2 1.5	5 1.4	0 -	1 3.0	30 2.4	2 1.5	2 2.5	24 2.5	1 4.0	1 3.0	14 1.8	0
III			- 4.4	- 1.5	- 3.5	- 3.3	- 0.4	- 6.7	4.6	11	-14.4	10	0 -	2 2.5	6 2.2	5 1.4	2 3.0	26 2.0	0 -	14 2.1	32 3.0	1 1.0	1 2.0	4 2.5	0
IV			- 2.1	0.9	- 0.7	- 1.0	2.0	- 4.8	6.7	28	-13.5	5	0 -	0 -	9 1.9	1 4.0	4 2.8	16 2.8	2 1.5	2 2.5	33 3.1	0 -	3 3.0	20 3.0	0
V			3.3	4.8	3.8	3.5	6.0	0.6	11.7	31	- 4.4	6	2 2.0	4 3.0	19 2.1	8 2.6	5 2.0	13 2.2	3 1.7	0 -	27 3.1	1 2.0	1 2.0	10 2.2	0
VI			6.2	7.7	6.9	6.5	9.1	4.2	15.7	30	0.3	6	6 2.5	2 3.0	24 2.5	1 2.0	1 1.0	4 1.8	4 1.2	7 2.0	25 2.5	4 2.5	0 -	12 2.6	0
VII			10.8	12.6	11.5	11.2	14.3	9.0	22.2	11	6.3	6	15 2.5	1 1.0	13 1.8	0 -	0 -	0 -	5 1.8	20 2.6	32 3.0	3 1.3	0 -	0 -	4
VIII			10.5	13.1	11.8	11.5	14.3	8.7	24.6	18	2.7	30	2 2.0	1 3.0	6 2.0	2 1.0	0 -	6 1.0	0 -	6 1.7	61 2.7	2 4.0	0 -	7 2.0	0
IX			7.8	11.3	9.2	9.1	12.5	6.2	18.2	6	1.8	25	5 1.2	0 -	4 1.5	2 1.0	1 2.0	28 1.8	12 1.5	9 1.8	25 2.3	0 -	0 -	3 2.0	1
X			1.3	2.9	1.9	1.9	4.1	- 0.3	10.4	11	- 7.3	29	0 -	0 -	16 2.1	0 -	0 -	14 1.6	3 1.0	5 2.0	31 2.8	10 2.7	1 2.0	13 2.4	0
XI			- 2.6	- 1.5	- 2.6	- 2.2	- 0.3	- 4.8	6.6	12	-12.5	27	2 3.5	0 -	15 2.6	2 2.0	1 4.0	28 2.3	1 1.0	7 2.4	26 3.0	0 -	2 2.0	6 2.8	0
XII			- 8.2	- 7.4	- 8.0	- 7.9	- 5.5	-10.8	3.3	29	-15.7	19	0 -	1 2.0	12 2.1	2 2.5	1 2.0	37 2.6	1 2.0	8 2.1	24 2.7	2 2.0	0 -	5 1.8	0
1955			0.8	2.6	1.6	1.4	4.1	- 1.4	24.6		-16.5		34 2.4	13 2.5	136 2.1	27 2.0	18 2.3	226 2.2	39 1.7	85 2.2	372 2.9	26 2.6	10 2.4	104 2.5	5

Sommarøy i Senja

φ = 69° 38′N λ = 18° 1′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.3	- 2.2	- 2.4	- 2.3	0.0	- 4.2	7.3	1	- 7.3	19	4 5.0	14 2.5	0 -	2 1.0	0 -	23 3.0	21 3.5	10 2.4	4 5.5	0 -	3 4.0	12 4.1	0
II			- 4.0	- 3.5	- 3.3	- 3.6	1.4	- 5.6	2.8	7	-10.6	17	6 3.8	0 -	1 3.0	1 2.0	0 -	29 3.6	33 3.2	5 2.0	2 3.5	2 4.5	1 3.0	3 3.3	1
III			- 2.5	- 1.2	- 1.4	- 1.8	0.8	- 3.6	5.6	11	- 9.3	10	3 3.0	4 1.8	11 2.5	1 1.0	2 4.0	32 3.9	18 3.1	5 1.4	4 4.0	1 4.0	4 4.2	6 3.3	2
IV			- 0.9	0.8	- 0.1	- 0.3	2.1	- 2.4	5.6	29	- 7.7	2	7 3.1	1 2.0	1 1.0	0 -	5 2.6	24 6.8	20 3.3	3 2.7	9 2.8	4 4.0	4 4.2	11 4.2	1
V			3.2	4.4	3.9	3.5	5.7	1.5	10.2	31	- 1.0	10	5 2.4	5 2.0	13 2.7	0 -	8 3.0	12 3.5	11 2.7	5 1.4	4 1.8	9 2.4	4 2.5	9 2.0	8
VI			6.0	6.9	6.4	6.1	8.2	4.4	15.6	30	0.5	5	14 3.1	7 2.9	3 4.0	0 -	0 -	4 1.8	10 3.1	2 3.0	8 1.8	13 2.8	6 2.2	20 2.0	3
VII			9.7	10.7	10.4	10.0	12.7	8.3	19.7	12	5.8	5	4 2.5	5 1.6	5 1.0	0 -	1 2.0	4 3.0	13 3.2	9 2.8	16 2.7	11 3.0	5 1.8	14 1.9	6
VIII			10.1	11.8	11.0	10.8	13.5	8.7	17.4	20	5.5	6	5 2.6	5 2.2	1 1.0	1 2.0	0 -	7 4.0	18 3.4	6 2.5	19 3.4	12 3.3	8 3.0	8 1.5	3
IX			9.1	11.0	9.8	9.8	12.2	7.9	17.1	6	4.8	16	2 3.0	0 -	4 1.2	0 -	3 2.7	28 3.7	17 3.1	9 2.0	9 2.7	1 3.0	1 1.0	3 1.0	13
X			3.1	3.6	3.4	3.3	5.2	1.6	11.7	11	- 3.4	29	3 3.7	5 3.8	7 2.7	0 -	5 1.8	20 3.3	26 3.3	9 3.3	9 4.3	1 4.0	3 5.0	4 5.5	1
XI			- 0.6	- 0.3	- 0.2	- 0.4	1.8	- 2.2	7.2	16	- 9.1	27	6 5.5	8 4.1	1 4.0	2 2.0	5 3.8	26 3.0	17 3.8	6 3.0	6 4.2	0 -	2 2.5	9 2.7	2
XII			- 5.1	- 4.9	- 4.6	- 4.9	- 2.8	- 7.2	3.3	29	-13.4	18	1 1.0	0 -	3 2.3	0 -	3 1.3	56 4.3	18 3.8	6 1.8	1 4.0	1 3.0	0 -	3 2.7	1
1955			2.2	3.1	2.7	2.5	5.1	0.6	19.7		-13.4		60 3.4	54 2.7	50 2.4	7 1.6	32 2.7	265 3.7	222 3.3	75 2.4	91 3.2	55 3.1	41 3.1	102 2.7	41

Årsoversikter

Annual Summaries)

1955

Bø i Vesterålen

H_s = 7 H_b = h_t = 2.0 h_a = h_d = 9.9 h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dato	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.0	5.3	5.2	68	13	13	27	15	6	0	22	17	1	3	0	0	6	19	1	0	0	0	0	0	0	0	10	4	15	27
II					4.9	5.4	4.0	58	9	28	28	13	9	0	17	13	0	0	0	0	5	16	3	0	0	0	0	0	0	0	15	3	8	28
III					6.2	6.4	6.3	79	10	25	23	10	6	0	27	19	0	4	1	0	9	22	2	3	0	0	0	0	0	0	14	0	18	31
IV					5.8	5.5	5.5	82	21	20	25	10*	0	0	18	15	2	4	0	0	8	16	1	3	0	1	0	0	1	0	23	5	20	30
V					5.2	5.5	5.1	26	7	23	12	0	0	0	11	6	0	0	0	0	9	6	3	2	0	0	1	0	0	0	29	6	14	15
VI					6.1	6.1	6.0	56	8	16	0	0	0	0	22	15	0	0	0	0	17	7	1	3	0	0	0	0	0	2*	19	5	22	0
VII					7.6	7.1	6.8	84	16	15	0	0	0	0*	23	17	1	1	0	0	23	0	0	4	0	0	0	0	1*	8*	15	0	25	0
VIII					6.8	6.5	7.1	81	25	25	0	0	0	0*	22	16	2	1	0	0	22	0	0	5	0	0	0	1	1	2*	23	1	25	0
IX					5.3	5.3	5.3	70	14	28	0	0	0	0	14	9	3	3	1	0	14	0	0	0	0	0	0	0	1*	0	26	5	16	0
X					5.9	6.5	5.9	154	26	14	11	0	0	0	24	19	5	6	1	1	19	7	1	0	0	0	0	0	0	0	5	0	17	4
XI					6.0	5.8	5.5	120	33	18	23	11	1	0	20	13	5	6	1	1	12	11	2	0	0	0	0	0	0	0	11	2	17	13
XII					4.6	6.0	5.3	54	10	6	30	16	6	0	15	10	1	1	0	0	5	14	4	0	0	0	0	0	0	0	0	5	13	31
1955					5.8	6.0	5.7	932	33		179	75	28	0	235	169	20	29	4	2	149	118	18	20	0	1	1	1	4	12	190	37	210	179

Andenes

H_s = 5 H_b = 6.4 h_t = 2.0 h_a = 10.9 h_d = 10.2 h_r = 1.7

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	77	76	77	77	4.7	5.8	4.9	95	16	7	27	17	0	0	24	21	1	14	2	1	5	21	1	0	0	4	0	1	0	0	5	5	14	27
II	80	81	82	81	4.8	5.7	5.4	52	16	28	28	14	0	0	18	14	1	6	0	0	1	18	1	0	0	0	0	0	0	0	14	3	10	28
III	83	82	79	81	6.1	5.7	5.4	60	6	15	23	15	0	0	25	17	0	12	3	1	10	24	8	0	0	3	0	0	0	0	18	2	15	31
IV	81	77	76	79	5.0	5.8	5.2	88	25	20	23	8	0	0	20	15	2	9	3	0	9	18	5	0	0	1	0	0	0	0	19	4	16	30
V	81	77	83	82	5.5	5.6	5.3	23	8	23	4	0	0	0	13	7	0	5	0	0	12	8	6	2	0	1	0	0	0	0	25	4	17	14
VI	87	85	88	87	6.5	6.4	6.3	51	9	18	0	0	0	0	22	16	0	1	0	0	22	3	3	2	0	2	0	0	0	1	17	2	20	0
VII	91	88	88	90	7.2	6.8	6.7	52	9	3	0	0	0	0	22	11	0	10	1	0	22	0	0	9	0	0	0	0	1	8	16	1	23	0
VIII	89	86	88	88	6.9	6.7	7.0	68	22	25	0	0	0	0	25	17	1	9	2	0	25	0	0	7	0	0	0	1	1	2	17	0	19	0
IX	89	84	87	87	5.6	5.5	5.2	50	13	13	0	0	0	0	14	8	1	4	1	0	14	0	0	0	0	0	0	0	0	1	24	4	11	0
X	84	83	84	84	6.4	6.5	6.0	142	15	16	9	0	0	0	27	23	5	11	3	1	22	12	5	2	0	4	0	0	0	0	11	2	19	4
XI	80	81	81	81	5.3	6.4	5.6	99	20	18	21	7	0	0	21	18	2	13	4	0	11	13	2	0	0	0	0	0	0	0	8	3	14	19
XII	80	83	83	82	4.1	5.3	5.1	53	11	9	29	18	7	0	15	12	1	4	0	0	1	16	1	0	0	1	0	0	0	0	0	5	10	31
1955	84	82	83	83	5.7	6.0	5.7	833	25		154	79	7	0	247	179	14	98	19	3	154	133	32	22	0	16	0	2	2	12	174	35	188	184

Sandsøy i Senja

H_s = 17 H_b = h_t = 2.2 h_a = h_d = 9.2 h_r = 1.7

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	85	86	86	5.5	5.6	4.6	41	7	10	27	16	0	0	14	13	0	12	2	1	5	12	4	0	0	1	0	0	0	0	5	3	12	27
II	88	87	88	88	5.5	5.2	4.9	48	12	20	28	20	2	0	15	10	1	6	1	0	1	15	1	0	0	1	0	0	0	0	9	5	12	28
III	90	82	84	86	5.9	5.3	4.6	38	11	12	23	14	0	0	18	11	1	14	4	0	9	16	5	0	0	2	0	0	0	0	20	2	12	31
IV	82	77	76	79	4.8	5.3	5.3	43	8	19	23	6	0	0	15	11	0	13	4	1	6	12	2	0	0	4	0	0	0	0	20	7	13	30
V	83	72	79	81	5.1	5.6	4.9	15	4	24	9	0	0	0	10	6	0	3	0	0	9	6	5	1	0	1	0	0	0	0	19	6	13	2
VI	91	86	86	88	6.3	5.9	6.1	58	13	19	0	0	0	0	18	14	1	3	0	0	18	4	4	5	0	1	0	0	1	0	20	3	16	0
VII	94	88	90	92	7.0	6.6	6.5	47	15	18	0	0	0	0	15	8	1	5	2	0	15	0	0	8	0	0	0	0	0	4	17	0	23	0
VIII	92	84	89	89	6.4	6.6	6.6	49	9	1	0	0	0	0	21	12	0	8	0	0	21	0	0	7	0	0	0	0	5	0	23	0	19	0
IX	91	84	89	89	5.6	5.2	4.7	36	13	13	0	0	0	0	12	8	1	4	1	0	11	0	0	0	0	0	0	0	0	1	20	2	11	0
X	84	78	81	82	6.4	6.2	5.1	82	15	3	10	1	0	0	20	14	3	10	2	1	17	8	5	0	0	0	0	0	0	0	13	1	16	7
XI	82	83	83	83	6.0	5.9	5.4	82	37	18	21	11	0	0	17	13	1	12	4	0	9	10	2	1	0	3	0	0	0	0	7	2	13	19
XII	82	82	85	83	4.1	5.2	4.4	28	6	10	30	20	6	0	9	7	0	12	0	0	3	9	3	0	0	0	0	0	0	0	0	6	9	31
1955	87	82	85	86	5.7	5.7	5.3	567	37		171	88	8	0	184	127	9	102	20	3	124	92	31	22	0	13	0	0	6	5	173	37	169	175

Gibostad

H_s = 12 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	86	84	85	5.7	5.9	5.2	104	12	7	27	23	10	0	23	19	2	3	0	0	5	21	2	0	0	1	0	0	0	6	0	3	15	29
II	88	84	85	86	4.3	4.6	4.4	58	11	19	28	26	17	0	19	11	2	0	0	0	0	19	0	0	0	0	0	0	0	4	13	4	7	28
III	82	73	80	79	5.6	4.4	5.0	81	17	7	25	17	8	0	23	12	3	2	0	0	9	20	6	0	0	0	0	0	0	1	20	4	11	31
IV	78	68	73	75	4.7	4.7	4.9	80	12	25	26	8	2	0	17	14	1	2	0	0	6	16	4	0	0	0	0	0	0	0	16	8	14	30
V	74	65	71	72	4.6	5.3	4.9	32	13	11	12	0	0	0	15	7	1	1	0	0	11	11	7	0	0	0	0	0	0	0	23	5	11	21
VI	83	76	79	81	6.0	6.1	5.7	58	9	26	0	0	0	0	22	16	0	0	0	0	22	4	4	1	0	0	0	0	0	0	16	3	14	0
VII	85	78	81	83	7.0	6.4	6.5	55	20	18	0	0	0	0	15	11	1	2	0	0	15	0	0	4	0	0	0	0	0	4	13	1	20	0
VIII	88	79	83	84	5.7	6.3	5.4	75	12	1	0	0	0	0	22	17	1	1	0	0	22	0	0	1	0	0	0	0	0	0	21	2	13	0
IX	86	74	94	83	5.2	5.0	4.2	46	15	13	0	0	0	0	14	5	2	0	0	0	14	0	0	2	0	0	0	0	0	0	20	2	9	0
X	87	82	83	84	6.1	6.1	5.7	137	19	12	15	6	0	0	24	19	6	1	1	0	18	14	7	0	1	3	0	0	0	0	6	3	16	3
XI	81	82	84	82	4.9	5.6	4.2	88	34	18	26	16	2	0	19	13	2	0	0	0	9	14	4	0	0	0	0	0	0	0	10	4	12	25
XII	79	77	78	77	3.0	3.9	4.4	31	7	7	30	28	19	0	16	10	0	1	0	0	0	16	0	0	0	0	0	0	0	0	0	11	7	31
1955	83	77	80	81	5.2	5.4	5.0	845	34		189	124	58	0	229	154	21	13	1	0	131	135	34	8	1	4	0	0	0	15	158	50	149	198

Sommarøy i Senja

H_s = 2 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.6	5.3	4.3	90	15	7	28	19	0	0	22	18	1	12	2	0	5	20	2	0	0	4	0	0	0	0	5	7	11	27
II					3.5	3.4	4.2	50	9	19	27	16	1	0	12	10	0	4	0	0	0	12	0	0	2	0	0	0	0	0	22	7	5	28
III					4.7	4.5	4.5	53	9	12	24	14	0	0	19	11	0	6	3	0	7	19	7	0	2	2	0	0	0	0	21	7	7	31
IV					4.1	4.4	4.8	70	11	19	25	8	0	0	20	12	2	12	2	0	12	18	9	0	2	3	0	0	0	0	21	9	9	30
V					4.3	4.9	4.9	31	9	23	8	0	0	0	14	6	0	1	0	0	12	8	6	2	0	1	0	0	0	0	26	4	9	14
VI					6.1	5.9	5.6	47	10	18	0	0	0	0	24	15	1	0	0	0	24	5	5	9	0	0	0	0	0	2	20	2	14	0
VII					6.5	6.2	6.1	58	13	18	0	0	0	0	19	11	2	6	1	0	19	0	0	13	0	0	0	0	3	0	21	1	20	0
VIII					6.1	5.8	5.7	64	7	29	0	0	0	0	23	18	0	8	0	0	23	0	0	5	0	0	0	0	3	0	25	1	13	0
IX					4.4	4.3	3.8	48	16	13	0	0	0	0	12	4	3	5	0	0	12	0	0	1	0	0	0	0	0	1	25	5	5	0
X					5.5	5.7	4.5	122	18	4	11	1	0	0	23	18	4	6	2	0	20	13	11	0	3	6	0	0	0	0	19	2	12	12
XI					4.5	5.1	5.2	124	50	18	21	12	0	0	19	16	3	14	0	0	10	15	6	0	0	3	0	0	0	0	8	4	13	21
XII					2.8	3.1	3.9	53	14	10	30	23	8	0	16	10	1	13	0	0	1	16	1	0	0	1	0	0	0	0	0	11	4	31
1955					4.8	4.9	4.8	810	50		174	93	9	0	223	149	17	87	10	0	145	126	47	30	9	20	0	0	6	3	213	60	122	194

1955

Bardufoss

φ = 69° 4′N λ = 18° 31′E g = 9.825 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	990.3	1000.7	-10.0	-10.4	-12.2	-10.9	- 6.5	-16.5	6.8	1	-28.1	19	3 1.0	0 -	3 1.7	2 2.5	2 1.5	4 2.0	9 1.9	18 2.3	4 2.5	7 2.6	8 2.9	4 1.8	29
II	96.0	06.6	-14.8	-12.0	-12.6	-13.3	- 9.0	-13.5	- 0.8	27	-28.3	23	0 -	3 1.0	2 1.5	6 1.5	1 1.0	2 1.5	15 1.5	15 1.5	7 1.1	2 1.0	5 1.9	0 -	26
III	96.5	06.9	- 9.7	- 3.9	- 6.3	- 7.0	- 1.7	-12.6	4.9	4	-25.5	10	1 1.0	9 1.2	4 1.5	10 2.8	8 2.2	3 1.7	6 1.5	10 2.2	4 1.5	8 3.2	5 2.2	3 3.0	22
IV	1003.5	14.0	- 5.1	0.5	- 1.5	- 2.7	1.8	- 8.7	6.5	15	-22.0	5	3 1.7	6 1.3	2 2.5	6 2.5	7 2.7	1 1.0	12 2.2	7 3.4	6 2.7	15 2.3	12 3.2	4 1.7	9
V	997.8	08.0	2.1	4.5	3.7	2.7	5.5	- 1.4	11.5	31	- 8.3	6	1 3.0	5 2.0	7 2.1	23 3.0	4 4.5	1 1.0	7 2.4	2 2.5	6 2.8	15 2.2	15 2.3	0 -	7
VI	1002.8	12.9	6.2	8.7	7.7	6.8	10.3	3.3	18.0	30	- 0.9	7	5 2.8	4 2.2	3 2.0	4 1.5	1 2.0	3 1.7	2 2.5	2 2.5	11 2.6	14 2.2	36 2.4	3 3.3	2
VII	04.1	14.0	11.0	14.1	13.6	12.2	16.6	8.7	24.2	11	3.0	24	3 1.7	6 1.8	7 1.4	0 -	4 1.2	2 1.5	11 2.8	11 2.5	8 2.4	20 2.4	17 2.9	0 -	4
VIII	05.5	15.5	9.8	14.4	13.3	11.9	16.2	7.5	26.6	18	- 0.7	30	7 1.3	3 2.0	4 1.2	0 -	6 1.7	0 -	10 2.7	12 2.7	10 2.4	15 2.4	11 2.3	2 1.5	13
IX	998.5	08.5	5.0	11.7	8.5	7.9	13.0	3.3	19.0	6	- 2.6	25	4 1.0	4 1.2	6 1.3	10 2.3	10 2.3	3 1.7	10 1.6	8 1.5	3 1.7	6 1.8	4 1.5	1 1.0	21
X	92.9	03.2	- 2.0	1.5	- 0.7	- 0.6	5.7	- 4.0	11.9	11	-10.8	20	6 1.8	3 1.7	6 1.0	2 2.0	1 2.0	0 -	25 1.7	10 2.2	6 2.3	6 2.7	6 2.5	2 1.0	20
XI	99.5	10.0	- 7.7	- 6.8	- 7.6	- 7.4	- 3.4	-12.2	7.5	18	-23.8	28	4 2.8	5 1.8	4 2.8	5 2.2	1 1.0	5 2.0	15 1.3	11 1.2	5 2.2	7 1.3	7 3.1	0 -	21
XII	87.8	998.3	-15.3	-16.1	-16.4	-15.9	-11.6	-20.5	2.0	29	-29.7	14	0 -	2 1.0	10 1.7	13 2.8	10 2.4	6 1.7	19 1.2	4 1.0	2 1.0	1 1.0	5 1.2	1 1.0	2
1955	997.9	1008.2	- 2.5	0.5	- 0.9	- 1.4	3.1	- 6.0	26.6		-29.7		37 1.3	50 1.6	59 1.7	81 2.5	55 2.3	30 1.7	141 1.8	110 2.1	72 2.2	116 2.3	131 2.5	20 2.0	194

Tromsø

φ = 69° 39′N λ = 18° 57′E g = 9.826 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	985.9	1000.4	- 4.4	- 4.7	- 5.0	- 4.7	- 2.7	- 6.7	6.8	1	-10.8	31	5 2.4	17 1.9	4 1.5	0 -	2 1.5	1 2.0	0 -	38 3.0	11 2.6	5 3.2	2 3.0	0 -	9
II	91.6	06.2	- 7.1	- 6.1	- 6.4	- 6.6	- 4.5	- 8.8	- 0.1	25	-13.8	23	6 1.7	12 1.1	1 2.0	0 -	0 -	1 1.0	3 3.0	35 2.5	6 3.7	7 1.1	2 1.5	0 -	11
III	92.0	06.5	- 4.2	- 2.4	- 3.7	- 3.6	- 1.0	- 6.0	4.8	4	-12.0	10	8 1.8	4 1.8	4 3.0	0 -	1 2.0	0 -	7 2.4	39 3.4	2 3.0	2 1.0	4 2.8	2 2.5	26
IV	99.5	14.0	- 1.8	0.1	- 1.5	- 1.6	1.1	- 4.4	5.0	28	- 9.7	1	8 2.2	6 1.8	2 2.5	1 1.0	0 -	0 -	8 2.9	45 2.9	4 2.8	3 1.7	4 3.2	5 3.8	4
V	94.4	08.6	2.9	4.1	3.1	2.9	5.1	0.3	9.6	31	- 2.5	6	4 2.8	24 2.6	9 1.7	3 1.3	0 -	0 -	11 2.0	5 2.6	13 3.6	6 2.5	5 2.2	7 2.1	6
VI	99.5	13.6	5.5	6.9	6.0	5.6	8.2	3.4	12.7	30	- 0.6	6	5 3.0	19 2.5	12 2.6	2 2.0	0 -	0 -	0 -	11 2.5	4 3.0	7 2.6	18 1.9	10 1.6	2
VII	1000.9	14.8	9.9	11.6	10.9	10.2	14.0	7.6	21.5	11	4.8	6	3 2.3	10 1.9	12 2.1	2 1.0	0 -	0 -	0 -	8 2.5	24 2.9	11 3.0	6 2.3	14 2.0	3
VIII	01.9	15.8	9.7	11.9	11.0	10.3	13.9	7.8	22.2	18	2.3	30	2 1.5	12 2.0	2 2.5	0 -	0 -	1 1.0	2 1.5	19 2.8	18 2.8	14 2.0	10 1.8	11 2.2	2
IX	994.8	08.7	7.8	10.6	8.8	8.7	11.7	6.0	18.5	6	2.7	16	0 -	9 1.8	0 -	1 2.0	1 3.0	3 1.7	2 1.5	20 3.0	27 2.3	5 2.0	3 1.0	4 1.5	18
X	89.0	03.1	1.2	2.0	1.2	1.4	3.3	- 0.5	9.5	11	- 6.4	29	4 2.2	3 2.7	8 3.0	2 1.5	0 -	0 -	0 -	39 3.0	18 2.9	3 2.0	4 2.2	6 3.3	6
XI	95.2	09.7	- 3.2	- 2.9	- 2.6	- 2.9	- 0.6	- 5.0	6.4	17	-12.5	27	7 2.9	10 2.1	5 3.2	2 1.5	0 -	0 -	0 -	29 2.9	12 2.4	0 -	4 3.2	8 2.4	12
XII	82.9	997.5	- 7.5	- 7.7	- 7.5	- 7.6	- 5.6	- 9.6	2.2	30	-14.8	22	1 1.0	9 2.0	3 2.0	1 1.0	1 1.0	2 3.5	10 3.0	55 3.5	4 3.2	1 1.0	0 -	1 1.0	8
1955	994.0	1008.2	0.7	2.0	1.2	1.0	3.6	- 1.3	22.2		-14.8		53 2.3	135 2.1	62 2.4	14 1.4	5 1.8	8 2.0	43 2.5	343 3.0	143 2.8	64 2.2	62 2.2	68 2.2	95

Skattøra

φ = 69° 42′N λ = 19° 1′E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.6	- 3.8	- 4.1	- 3.8	- 1.9	- 6.2	7.2	1	-10.7	31	3 3.3	3 4.3	8 3.6	3 2.7	0 -	2 1.0	0 -	6 4.5	52 3.0	3 2.0	2 1.5	2 2.0	9
II			- 6.5	- 5.4	- 5.9	- 6.0	- 3.8	- 8.5	1.4	25	-13.7	23	3 2.7	1 1.0	1 2.0	0 -	0 -	1 2.0	0 -	3 1.0	56 2.1	3 1.7	0 -	2 2.0	14
III			- 3.9	- 1.1	- 2.9	- 2.8	0.3	- 5.4	4.9	4	-11.8	10	2 1.0	3 3.0	3 2.7	5 3.6	1 1.0	7 1.7	1 3.0	5 3.2	46 3.0	2 1.0	0 -	4 3.2	14
IV			- 1.8	1.1	- 1.0	- 0.9	2.2	- 4.1	7.1	29	- 9.2	2	10 4.1	4 1.8	6 2.5	0 -	0 -	1 1.0	1 1.0	7 4.1	41 2.6	2 3.5	4 2.0	2 3.0	1
V			2.9	4.4	3.6	3.2	5.6	0.7	10.7	31	- 2.9	6	9 2.3	3 2.0	19 3.6	5 2.2	2 5.0	6 2.5	2 2.0	1 6.0	25 3.0	2 1.5	0 -	1 3.0	19
VI			5.7	7.2	6.5	6.1	8.1	4.0	12.4	24	0.2	6	10 2.2	10 3.6	23 3.0	1 2.0	1 1.0	1 1.0	1 1.0	5 2.4	17 2.6	3 2.7	0 -	7 2.0	11
VII			9.8	11.8	11.1	10.5	13.7	8.0	22.2	11	5.6	6	16 2.3	14 2.6	4 2.5	1 1.0	0 -	1 1.0	1 1.0	6 2.3	31 3.3	4 2.8	0 -	4 2.0	1
VIII			9.8	12.0	11.4	10.8	13.8	8.3	20.1	19	2.8	30	10 1.9	9 2.2	7 2.4	0 -	0 -	0 -	1 3.0	8 2.4	34 3.3	3 2.7	0 -	1 1.0	2
IX			7.3	11.0	9.2	8.9	12.1	6.2	19.4	6	2.5	16	9 1.4	3 1.3	2 2.5	2 2.0	0 -	1 1.0	3 2.3	10 2.7	23 2.3	4 2.0	0 -	1 2.0	3
X			1.7	2.8	1.9	2.0	4.2	- 0.1	10.5	11	- 6.1	29	6 2.0	1 4.0	8 5.0	0 -	0 -	0 -	2 3.5	1 3.0	54 3.1	6 1.7	3 3.7	1 1.0	1
XI			- 2.3	- 1.9	- 1.9	- 2.0	0.3	- 4.3	6.5	16	-12.0	27	5 3.0	8 4.9	3 6.3	5 2.8	1 3.0	4 2.5	1 4.0	3 3.0	42 2.5	2 1.0	0 -	5 1.2	1
XII			- 6.7	- 6.8	- 6.8	- 6.8	- 4.8	- 9.0	3.0	30	-14.1	22	1 1.0	2 2.5	4 4.0	1 3.0	0 -	2 3.0	2 2.5	4 3.0	65 2.9	7 1.9	0 -	0 -	
1955			1.0	2.6	1.8	1.6	4.2	- 0.9	22.2		-14.1		84 2.4	61 3.0	88 3.4	23 2.7	5 3.0	26 2.0	15 2.4	59 3.0	486 2.8	41 2.0	9 2.4	30 2.1	166

Dividalen

φ = 68° 47′N λ = 19° 44′E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.7	- 9.6	-11.2	-10.2	- 6.1	-15.6	6.2	1	-25.3	19	5 1.4	0 -	3 4.0	3 3.3	0 -	31 2.7	3 1.7	0 -	6 4.7	9 1.9	0 -	11 2.2	22
II			-11.8	-10.2	-12.0	-11.5	- 8.2	-16.2	0.0	8	-25.9	18	3 3.0	0 -	2 1.0	0 -	0 -	32 4.2	5 2.4	4 4.0	0 -	6 3.2	0 -	2 2.0	3
III			- 6.9	- 4.8	- 8.1	- 7.3	- 3.2	-13.7	4.5	11	-26.4	17	1 2.0	0 -	19 3.5	1 3.0	0 -	21 4.0	3 4.0	5 5.6	7 4.4	1 4.0	0 -	22 3.0	13
IV			- 2.9	- 0.4	- 3.5	- 3.4	0.6	- 8.2	8.0	19	-21.8	5	0 -	0 -	4 2.2	0 -	0 -	8 4.0	13 4.9	0 -	8 2.4	3 3.0	0 -	44 4.0	13
V			2.9	4.3	2.5	2.2	4.8	- 1.6	13.5	31	- 7.7	6	0 -	4 1.8	8 4.1	6 5.0	2 7.0	26 3.1	3 4.0	0 -	2 4.0	6 2.8	0 -	26 4.0	10
VI			7.6	9.3	7.0	7.0	10.2	3.2	18.3	2	- 1.0	1	2 7.0	0 -	13 4.0	0 -	0 -	23 3.3	0 -	0 -	8 3.8	22 4.1	0 -	16 4.3	6
VII			13.5	16.6	13.8	13.4	17.9	9.0	24.5	11	3.0	1	7 2.6	0 -	3 2.0	0 -	1 3.0	11 2.6	3 2.7	0 -	15 3.0	39 2.7	0 -	9 3.2	5
VIII			12.6	15.8	12.3	12.2	17.0	6.9	25.9	20	- 0.5	6	0 -	0 -	0 -	0 -	0 -	10 2.5	12 2.2	2 3.0	8 3.2	48 2.4	0 -	5 4.0	8
IX			8.1	10.8	7.0	7.9	11.4	3.7	17.6	6	- 0.7	30	0 -	0 -	3 1.3	0 -	0 -	57 3.2	4 4.2	0 -	11 3.0	7 3.9	0 -	4 3.0	4
X			- 1.2	1.0	- 1.5	- 1.0	- 2.1	- 5.1	10.5	11	-15.8	20	2 3.0	0 -	0 -	0 -	0 -	8 3.9	9 3.4	2 3.0	8 3.5	16 3.1	0 -	12 3.8	36
XI			- 8.0	- 6.9	- 8.2	- 7.7	- 4.2	-12.7	7.3	17	-27.8	28	0 -	0 -	5 2.8	0 -	0 -	17 3.6	7 5.4	0 -	4 4.8	6 3.0	0 -	11 3.1	40
XII			-15.0	-15.1	-14.9	-15.0	-11.9	-18.6	1.8	29	-27.9	13	0 -	0 -	0 -	8 2.1	0 -	23 4.6	22 4.6	5 5.2	15 5.1	3 3.3	0 -	0 -	17
1955			- 0.9	0.9	- 1.5	- 1.1	2.2	- 5.7	25.9		-27.9		20 2.8	4 1.8	60 3.3	18 3.3	3 5.7	267 3.5	84 3.9	18 4.6	92 3.7	166 2.9	0 -	162 3.6	201

Torsvåg

φ = 70° 15′N λ = 19° 30′E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.4	- 1.5	- 1.5	- 1.5		- 3.0	4.8	3	- 6.5	8	8 5.9	19 5.6	0 -	2 2.5	1 3.0	11 4.5	14 4.1	6 4.8	2 6.0	5 6.0	13 5.3	10 4.6	2
II			- 2.9	- 2.4	- 2.6	- 2.6		- 4.2	1.8	5	- 8.1	22	4 5.8	5 4.6	3 3.0	12 4.1	6 3.7	21 3.5	15 3.6	1 5.0	2 2.5	4 3.5	3 4.7	3 5.7	5
III			- 1.9	- 1.1	- 1.3	- 1.5		- 3.2	4.8	3	- 6.8	10	2 4.0	15 4.0	2 4.0	9 4.0	3 3.7	18 4.2	8 3.9	5 3.8	5 5.8	3 6.7	8 4.5	5 4.8	10
IV			- 0.6	0.7	0.2	0.0		- 2.0	5.0	18	- 7.1	2	12 4.5	5 4.4	1 3.0	0 -	2 1.5	19 3.5	13 3.8	3 3.3	9 4.2	7 4.6	5 5.6	8 4.8	6
V			3.0	3.8	3.4	3.1		1.3	8.8	20	- 0.9	24	6 3.5	15 2.9	6 2.8	3 3.3	4 4.0	10 3.3	8 2.8	3 3.0	16 4.4	1 5.0	5 3.0	8 3.5	8
VI			5.2	6.1	5.7	5.4		3.6	11.3	24	- 1.4	6	11 1.7	19 4.0	2 1.5	0 -	0 -	2 3.0	7 2.7	5 2.6	6 3.7	8 3.1	10 3.1	11 2.7	9
VII			8.7	9.6	9.1	8.8		7.0	14.4	11	4.3	5	8 2.5	9 2.2	0 -	0 -	0 -	4 3.0	7 2.0	8 2.5	16 4.1	13 4.2	9 2.9	3 1.3	16
VIII			9.5	10.6	10.4	10.0		8.2	17.8	18	5.1	6	2 2.0	7 2.4	0 -	0 -	1 4.0	3 2.0	16 3.4	12 3.2	14 3.7	18 4.2	8 3.2	0 -	12
IX			9.1	11.0	9.4	9.6		7.6	17.4	17	5.0	10	0 -	2 2.0	0 -	4 3.2	0 -	8 3.2	43 2.3	4 3.0	2 3.5	6 4.0	1 2.0	1 1.0	19
X			3.5	3.7	3.2	3.5		1.6	8.1	1	- 2.8	28	2 3.5	20 4.2	0 -	2 6.0	1 2.0	14 2.9	14 3.4	5 4.6	5 4.6	6 4.7	7 5.4	8 4.0	9
XI			- 0.2	- 0.3	0.1	- 0.1		- 2.0	8.0	10	- 8.7	27	9 4.8	16 5.1	1 2.0	6 4.3	9 3.6	12 3.4	12 3.6	2 4.5	3 3.7	1 5.0	6 3.5	6 4.0	7
XII			- 3.9	- 3.6	- 3.5	- 3.7		- 5.2	3.0	29	-10.8	11	1 3.0	9 3.7	0 -	13 3.3	6 5.2	38 3.6	13 3.5	4 2.8	0 -	3 4.0	0 -	0 -	6
1955			2.3	3.0	2.7	2.6		0.8	17.8		-10.8		65 3.8	141 4.0	15 2.8	51 3.8	33 3.8	160 3.6	170 3.1	58 3.4	80 4.2	75 4.3	75 4.0	63 3.9	109

Årsoversikter

Annual Summaries)

1955

Bardufoss

H_s = 76 H_b = 82.6 h_t = 2.0 h_a = 10.7 h_d = 10.3 h_r = 2.3

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min <0°	Max <0°	Min <-10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	85	88	87	4.9	4.9	4.0	66	9	10	30	25	25	0	19	13	0	2	0	0	3	17	2	0	0	0	0	0	9	0	2	5	9	31
II	90	87	88	89	4.7	4.9	4.7	53	15	13	28	28	23	0	17	9	2	0	0	0	0	16	0	0	0	0	0	0	4	1	15	5	10	28
III	88	70	78	80	5.9	5.1	4.9	72	20	7	30	21	20	0	17	11	2	5	0	0	3	17	1	1	0	0	0	0	7	0	15	4	15	31
IV	82	64	73	78	4.9	5.0	5.3	77	16	25	28	9	14	0	17	10	2	4	0	0	4	16	1	1	0	2	0	0	4	0	19	5	13	30
V	75	65	72	73	5.2	5.9	5.5	25	10	11	21	0	0	0	11	5	0	6	0	0	7	8	3	0	0	0	0	0	1	0	23	2	15	30
VI	80	66	72	76	6.2	6.5	6.1	36	7	13	2	0	0	0	20	12	0	0	0	0	18	4	1	0	0	1	0	0	0	0	14	2	19	0
VII	86	72	72	80	6.7	6.3	6.2	34	9	18	0	0	0	0	15	6	0	3	0	0	15	0	0	4	0	0	0	0	0	0	20	0	21	0
VIII	89	69	75	80	6.1	6.0	5.8	53	8	28	0	0	0	1	21	12	0	2	0	0	21	0	0	0	0	0	0	0	0	2	23	0	19	0
IX	94	70	85	86	5.4	5.2	4.2	53	13	13	10	0	0	0	18	6	3	1	0	0	13	0	0	0	0	0	0	0	3	1	22	2	8	0
X	92	82	86	88	5.9	6.4	5.4	88	23	3	20	9	6	0	19	15	2	2	0	0	16	9	5	0	0	0	0	0	3	1	11	1	15	10
XI	90	88	90	89	4.7	5.2	4.6	66	14	18	29	21	20	0	13	10	1	4	0	0	6	13	0	0	0	0	0	0	3	0	5	5	9	22
XII	82	82	84	82	3.7	4.4	3.5	29	5	28	31	29	29	0	13	7	0	1	0	0	0	13	0	0	0	0	0	0	2	0	0	9	10	31
1955	86	75	80	82	5.4	5.5	5.0	652	23		229	142	137	1	205	116	12	30	0	0	106	113	13	6	0	3	0	0	36	5	169	40	162	213

Tromsø

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	86	86	86	5.7	5.6	5.2	109	11	5	30	25	2	0	24	20	3	1	0	0	5	21	2	0	0	1	0	0	4	1	2	3	14	31
II	90	88	89	89	4.9	4.6	4.7	52	14	27	28	28	11	0	16	9	1	0	0	0	0	14	0	0	0	1	0	0	5	0	19	6	8	28
III	84	81	82	82	5.5	5.4	4.9	70	13	7	29	21	2	0	21	12	3	1	0	0	5	20	4	0	0	0	0	0	10	0	21	4	13	31
IV	73	59	73	73	5.0	5.0	5.0	105	11	19	28	10	0	0	18	14	2	2	0	0	7	18	5	0	0	1	0	0	6	0	18	6	13	30
V	74	68	74	75	5.3	5.6	5.4	19	6	10	16	0	0	0	12	4	0	0	0	0	5	10	3	2	0	1	0	0	4	0	24	1	14	31
VI	81	76	78	81	6.5	6.3	6.2	64	10	18	2	0	0	0	25	14	1	0	0	0	22	5	2	2	0	1	0	0	12	3	20	2	19	2
VII	82	75	81	83	6.7	6.5	6.5	51	12	18	0	0	0	0	19	11	1	0	0	0	18	0	0	4	0	0	0	0	9	6	21	1	20	0
VIII	88	79	82	85	6.4	6.5	6.3	112	18	29	0	0	0	0	25	18	4	0	0	0	24	0	0	4	0	0	0	1	11	5	18	0	19	0
IX	86	75	81	82	5.3	5.0	4.8	51	16	2	0	0	0	0	20	5	3	0	0	0	15	0	0	2	0	0	0	0	3	3	22	1	10	0
X	88	86	85	86	6.2	6.4	6.1	166	20	12	14	6	0	0	25	20	7	2	0	0	18	17	8	0	0	0	0	0	13	0	11	1	16	12
XI	88	87	88	87	5.6	5.5	5.2	103	36	18	27	15	5	0	25	19	1	1	0	0	8	18	3	1	0	1	0	0	10	2	10	3	14	27
XII	85	85	86	85	4.0	4.3	4.2	24	6	7	31	28	16	0	18	7	0	1	0	0	0	16	0	0	0	0	0	1	2	1	0	9	9	31
1955	84	80	82	83	5.6	5.6	5.4	926	36		205	133	36	0	248	153	26	8	0	0	127	139	27	15	0	6	0	2	89	21	186	37	169	223

Skattøra

H_s = 14 H_b = h_t = 2.0 h_a = 10.8 h_d = 10.5 h_r = 1.6

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	80	81	80	5.1	5.4	4.9	112	13	7	29	23	1	0	26	19	4	13	4	1	5	21	3	0	0	2	0	0	1	0	1	5	12	31
II	84	82	83	83	4.4	4.4	4.4	56	14	27	28	26	12	0	19	9	3	7	0	0	0	16	0	0	0	1	0	0	0	0	17	5	7	28
III	80	73	77	77	5.1	4.8	5.0	82	22	30	26	15	2	0	21	12	3	9	1	1	4	21	3	0	0	2	0	0	0	0	23	5	13	31
IV	79	67	74	75	4.4	4.7	5.1	119	19	20	26	5	0	0	19	14	3	8	2	0	7	19	6	1	0	5	0	0	0	0	22	9	12	30
V	78	69	74	76	4.6	5.7	5.2	16	5	23	12	0	0	0	13	7	0	7	0	0	8	11	6	3	0	7	0	0	0	0	23	3	11	29
VI	87	78	80	83	6.5	6.2	6.1	74	11	18	0	0	0	0	23	16	3	4	0	0	23	5	4	2	0	1	0	0	0	2	21	2	18	1
VII	90	81	84	87	6.6	6.3	6.4	56	17	18	0	0	0	0	20	11	1	4	1	0	20	0	0	12	0	0	0	0	4	3	20	1	20	0
VIII	92	81	82	86	6.4	6.2	6.3	140	23	28	0	0	0	0	22	19	4	4	0	0	22	0	0	4	0	0	0	0	2	0	19	0	18	0
IX	91	75	82	84	4.6	5.0	4.5	65	18	2	0	0	0	0	18	6	4	3	0	0	14	0	0	6	0	0	0	0	2	2	26	1	7	0
X	88	85	84	86	6.1	6.3	5.8	175	25	12	14	6	0	0	26	20	5	12	2	0	18	14	3	0	0	6	0	0	1	0	14	1	16	8
XI	86	83	86	84	4.6	5.1	5.2	97	33	18	28	15	2	0	21	16	2	11	2	0	10	19	7	1	0	3	0	0	0	0	7	4	8	28
XII	78	78	80	79	3.5	3.7	3.9	31	7	7	30	26	14	0	15	8	0	11	0	0	0	15	0	0	0	2	0	0	0	0	0	9	6	31
1955	84	78	81	82	5.2	5.3	5.2	1023	33		193	116	31	0	243	157	32	93	12	2	131	141	32	29	0	29	0	0	10	7	193	45	148	217

Dividalen

H_s = 202 H_b = h_t = 2.0 h_a = h_d = h_r = 1.4

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	87	88	87	5.3	5.1	4.1	21	5	12	30	27	25	0	19	6	0	2	0	0	4	18	2	2	0	0	0	0	0	0	0	7	12	31
II	86	83	86	85	6.0	5.6	5.2	10	3	11	28	27	24	0	14	2	0	4	0	0	0	14	0	0	0	0	0	0	0	0	7	4	17	28
III	81	80	83	82	5.5	5.3	4.5	18	5	22	31	24	21	0	13	4	0	8	0	0	0	13	0	0	0	0	0	0	0	0	8	5	14	31
IV	74	70	74	75	4.7	5.4	5.0	10	2	28	30	13	12	0	16	5	0	12	2	0	4	15	1	0	0	0	0	0	0	0	12	8	15	30
V	67	67	70	69	5.7	6.2	4.7	18	7	11	22	0	0	0	11	3	0	6	1	0	7	10	6	0	0	0	0	0	0	2	16	3	15	18
VI	68	70	73	70	6.8	6.9	7.0	32	19	18	2	0	0	0	14	3	1	6	0	0	14	1	0	5	0	0	0	0	0	6	8	1	25	0
VII	68	67	68	69	6.5	6.1	5.8	5	2	6	0	0	0	0	8	3	0	1	0	0	8	0	0	4	0	0	0	1	0	2	11	1	19	0
VIII	71	66	74	74	6.5	6.5	6.1	11	6	25	1	0	0	2	10	3	0	1	0	0	10	0	0	4	0	0	0	0	0	2	5	1	19	0
IX	83	78	89	86	6.3	6.2	6.0	43	11	13	2	0	0	0	13	10	1	4	0	0	13	0	0	3	0	0	0	0	0	5	11	2	17	0
X	88	83	88	87	6.3	6.1	5.9	27	6	3	24	9	7	0	14	6	0	5	0	0	7	9	2	5	0	0	0	0	0	2	3	2	19	9
XI	90	89	91	89	5.3	5.1	4.8	21	7	23	29	24	16	0	15	7	0	7	0	0	3	15	1	0	0	0	0	0	0	0	0	8	17	16
XII	82	82	84	82	5.2	4.9	3.7	4	2	6	31	30	27	0	6	1	0	13	1	0	0	6	0	0	0	0	0	0	0	0	0	9	12	31
1955	79	77	81	80	5.8	5.8	5.2	220	19		230	154	132	2	153	53	2	69	4	0	70	101	12	23	0	0	0	1	0	19	81	51	201	194

Torsvåg

H_s = 22 H_b = h_t = 1.9 h_a = 4.4 h_d = h_r = 1.8

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	75	74	72	73	6.5	6.5	6.0	68	8	17	27		0		26	17	0	20	10	5	4	23	1	0	5	0	0	1	0	0	2	0	20	
II	76	75	76	76	4.9	5.0	4.3	20	5	10	25		0		15	7	0	15	4	1	1	15	1	0	0	1	0	0	0	0	18	6	10	
III	77	75	78	77	5.3	5.6	6.0	68	14	19	24		0		21	14	1	18	4	2	8	21	8	0	1	0	0	0	0	0	20	3	19	
IV	74	73	76	75	5.5	5.7	5.9	51	13	20	23		0		21	9	1	12	5	0	8	20	5	0	3	0	0	0	0	0	21	5	17	
V	77	74	78	77	6.1	5.8	6.2	16	5	16	7		0		16	5	0	7	0	0	9	12	5	3	0	0	0	0	2	0	22	1	15	
VI	86	84	82	84	7.2	6.7	6.5	52	14	18	1		0		22	14	1	4	0	0	17	6	0	2	0	0	0	0	1	1	20	1	22	
VII	90	87	88	89	7.1	7.3	7.1	41	10	18	0		0		18	8	0	7	0	0	18	0	0	10	0	0	0	0	0	3	14	0	23	
VIII	88	85	85	86	7.3	6.8	7.2	77	14	25	0		0		23	20	2	9	1	0	23	0	0	4	0	0	0	1	0	1	15	0	25	
IX	81	74	81	80	4.5	5.8	4.7	28	12	2	0		0		7	5	1	7	0	0	7	0	0	0	0	0	0	0	0	1	23	4	11	
X	81	80	84	82	6.7	6.7	6.9	142	16	10	10		0		26	24	5	13	5	2	20	16	9	1	0	0	0	0	0	0	8	0	23	
XI	78	77	80	78	5.8	6.6	6.2	110	21	18	20		0		26	19	3	17	4	3	12	21	6	0	1	0	0	0	0	0	7	1	17	
XII	76	78	77	77	4.1	5.0	4.0	59	20	10	29		2		15	11	2	13	4	0	0	15	0	0	0	0	0	0	0	0	0	2	6	
1955	80	78	80	80	5.9	6.1	5.9	732	21		166		2		236	153	16	142	37	13	127	149	35	20	10	1	0	2	3	6	170	23	208	

1955

Loppa

φ = 70° 20′ N λ = 21° 28′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.7	- 1.8	- 1.9	- 1.8		- 3.6	5.2	3	- 7.0	9	21 3.5	11 4.5	0 -	0 -	2 1.5	4 2.0	15 2.8	10 3.8	9 4.1	8 4.9	7 4.4	2 4.0	4
II			- 4.1	- 3.5	- 3.8	- 3.8		- 6.1	1.8	5	-10.8	4	2 4.5	3 4.7	1 2.0	10 1.9	12 1.5	12 1.2	17 1.9	13 3.1	7 3.0	0 -	2 3.0	0 -	5
III			- 2.5	- 1.4	- 2.1	- 2.1		- 4.4	4.5	4	- 9.9	10	3 2.7	18 3.6	2 3.5	2 3.0	12 2.2	9 2.3	10 2.6	18 2.7	8 4.2	2 5.0	1 5.0	3 3.7	5
IV			- 0.6	1.2	- 0.3	- 0.1		- 2.6	6.3	29	- 7.8	2	9 3.3	11 3.2	0 -	1 1.0	2 1.0	6 2.2	18 2.8	18 3.0	2 5.5	5 5.0	4 5.0	6 4.0	8
V			3.5	4.4	3.4	3.5		1.5	9.9	31	- 1.2	6	4 2.2	13 3.2	6 3.3	11 2.1	4 3.2	7 2.4	5 2.4	14 3.3	10 3.5	2 4.5	2 4.0	1 3.0	14
VI			5.6	6.5	5.7	5.6		3.9	13.0	14	0.2	6	2 1.0	14 2.5	16 2.9	0 -	0 -	1 2.0	4 2.0	5 2.0	9 2.3	13 3.1	13 2.8	4 1.5	9
VII			9.5	10.1	9.9	9.5		7.7	19.7	12	5.2	1	6 2.2	15 1.5	9 1.7	2 1.5	0 -	1 1.0	1 1.0	12 2.9	15 2.8	9 3.0	9 2.8	4 1.0	10
VIII			10.3	11.2	10.6	10.5		8.6	19.9	18	5.2	30	7 1.1	6 1.3	9 1.6	5 1.2	0 -	1 1.0	1 3.0	24 3.4	12 4.1	8 3.1	2 2.0	0 -	18
IX			9.0	11.1	9.4	9.6		7.1	16.7	6	4.6	16	7 1.3	7 1.3	5 1.8	12 2.2	3 2.7	7 2.3	12 2.8	5 2.0	0 -	2 4.0	0 -	1 2.0	29
X			3.4	4.0	3.2	3.5		1.5	9.3	11	- 2.6	22	3 5.3	5 5.0	15 3.5	1 1.0	1 1.0	5 2.2	7 2.1	20 3.0	19 3.3	0 -	2 6.0	4 3.5	11
XI			- 1.1	- 1.1	- 1.2	- 1.1		- 3.0	6.1	16	-12.3	27	10 3.8	12 4.2	11 3.5	3 3.3	4 3.0	8 2.4	5 1.6	10 2.4	3 2.0	1 2.0	5 2.0	4 2.5	14
XII			- 4.9	- 4.8	- 4.4	- 4.7		- 7.0	3.9	30	-11.7	22	3 1.7	3 2.0	2 2.5	7 1.1	7 2.9	25 2.4	15 3.1	14 3.3	3 3.7	1 2.0	0 -	1 1.0	12
1955			2.2	3.0	2.4	2.4		0.3	19.9		-12.3		77 2.9	118 3.0	76 2.8	54 1.9	47 2.2	86 2.1	110 2.5	163 3.0	97 3.4	51 3.7	47 3.4	30 2.8	139

Alta (Elvebakken)

φ = 69° 58′ N λ = 23° 22′ E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	998.9	999.5	- 6.4	- 6.2	- 6.8	- 6.5	- 2.8	-10.6	6.5	4	-18.8	20	4 3.2	3 3.3	0 -	0 -	20 2.3	8 2.2	23 2.8	2 2.5	0 -	5 3.8	18 3.8	0 -	10
II	1008.3	1008.9	-13.1	-11.4	-13.1	-12.7	- 9.0	-17.0	2.2	8	-26.3	23	0 -	1 2.0	0 -	0 -	27 2.4	20 3.0	13 2.6	0 -	1 3.0	1 3.0	2 2.5	0 -	19
III	07.9	08.5	- 9.7	- 5.9	- 6.9	- 7.9	- 4.0	-12.6	2.3	6	-20.9	10	1 3.0	2 3.0	0 -	0 -	15 2.6	9 3.3	19 3.3	4 3.2	0 -	0 -	13 3.3	0 -	30
IV	13.1	13.7	- 3.7	- 0.6	- 1.8	- 2.6	0.6	- 6.6	7.2	18	-19.2	4	6 3.8	0 -	0 -	0 -	4 2.8	13 3.3	21 2.7	2 2.5	1 5.0	15 3.8	4 2.0	6 2.7	18
V	08.6	09.2	2.9	4.6	4.1	3.3	5.7	0.2	13.0	31	- 6.1	6	12 2.2	4 1.8	0 -	1 3.0	8 3.0	28 3.0	5 2.4	0 -	0 -	7 2.6	5 3.4	12 3.7	11
VI	12.2	12.8	6.9	8.3	7.1	6.8	9.8	4.0	15.5	14	- 0.9	6	23 2.7	9 3.2	1 3.0	2 2.5	1 2.0	1 2.0	3 2.3	4 2.0	0 -	8 2.6	20 3.1	14 2.9	4
VII	13.2	13.8	11.7	13.5	12.3	11.9	15.7	8.7	25.2	12	4.7	2	19 2.6	8 2.2	0 -	6 2.2	0 -	3 1.7	8 2.1	2 2.5	1 3.0	13 3.2	17 2.6	8 3.9	8
VIII	14.5	15.0	11.1	13.9	12.5	12.0	15.7	8.0	25.2	18	1.5	8	5 2.2	5 2.4	0 -	0 -	0 -	1 1.0	12 2.3	9 2.3	0 -	6 3.0	33 2.6	7 2.6	15
IX	10.5	11.1	7.4	10.3	8.9	8.6	11.5	5.7	18.0	6	0.4	23	1 3.0	0 -	1 2.0	1 3.0	1 4.0	16 3.3	36 3.1	10 2.8	0 -	6 3.3	5 2.4	2 2.0	11
X	01.9	02.3	0.0	1.8	0.5	0.8	3.1	- 1.8	11.0	11	- 9.9	19	7 3.4	5 3.8	3 3.7	1 2.0	0 -	3 2.3	36 2.1	6 2.2	5 2.0	1 5.0	9 4.2	0 -	17
XI	10.3	10.9	- 7.2	- 6.2	- 7.1	- 6.8	- 3.9	-10.8	4.7	17	-26.1	27	3 6.0	2 3.5	0 -	4 3.0	0 -	10 2.9	38 2.1	0 -	0 -	1 5.0	7 3.6	0 -	25
XII	01.5	02.2	-13.6	-14.0	-14.4	-14.0	-10.8	-17.8	2.5	30	-25.8	15	0 -	0 -	0 -	1 3.0	0 -	10 3.3	22 3.4	42 3.0	0 -	1 2.0	0 -	0 -	17
1955	1008.4	1009.0	- 1.1	0.7	- 0.4	- 0.6	2.6	- 4.2	25.2		-26.3		81 2.9	39 2.8	5 3.2	16 2.6	76 2.5	122 3.0	236 2.6	81 2.8	8 2.6	64 3.3	133 3.0	49 3.1	185

Fruholmen *)

φ = 71° 6′ N λ = 24° 0′ E g = 9.827 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	995.0	996.8	- 1.9	- 1.7	- 1.4	- 1.7	0.4	- 3.7	8.4	1	- 6.9	5	6 5.2	20 5.7	3 3.3	1 5.0	2 4.0	4 4.2	8 4.6	1 5.0	10 6.7	5 5.2	7 6.0	25 5.7	1
II	1003.6	1005.4	- 4.2	- 3.6	- 3.7	- 3.8	- 2.1	- 5.8	2.3	8	-12.1	17	1 5.0	4 4.2	5 3.2	1 4.0	9 4.4	34 4.0	8 3.2	8 4.0	3 6.0	3 5.3	2 5.0	3 5.0	3
III	04.2	06.1	- 3.1	- 2.8	- 2.8	- 3.0	- 0.8	- 5.0	4.4	4	-11.3	9	3 5.0	9 6.2	5 6.6	3 6.3	12 4.9	29 5.4	10 3.9	4 5.0	4 5.2	6 6.2	7 5.7	1 5.0	0
IV	09.2	11.1	- 1.0	0.0	- 0.4	- 0.6	1.3	- 2.6	6.4	15	- 7.8	1	6 5.0	9 6.1	1 3.0	5 3.8	4 4.2	16 4.4	10 4.6	6 5.2	14 5.8	6 5.2	3 8.0	10 5.0	0
V	06.2	08.0	2.4	3.5	2.9	2.7	4.3	1.0	8.6	20	- 1.4	6	4 4.2	3 4.0	11 5.0	6 5.7	8 4.4	17 4.6	2 3.5	6 4.0	15 5.2	6 5.3	6 4.7	9 5.1	0
VI	09.6	11.4	4.7	5.5	4.9	4.8	6.3	3.4	12.8	25	- 0.3	6	4 3.5	5 5.0	13 5.0	10 3.6	0 -	6 3.2	2 5.0	9 5.3	13 4.9	9 4.2	17 4.3	0	0
VII	11.0	12.7	7.6	7.9	7.4	7.4	9.4	6.3	19.8	12	3.5	2	4 2.5	2 3.5	8 4.4	7 4.9	3 3.3	3 3.3	2 2.5	15 4.2	25 5.8	11 5.2	7 4.6	5 3.4	1
VIII	11.6	13.3	8.2	9.3	9.1	8.7	11.5	7.1	21.5	19	3.0	30	2 3.5	2 3.0	1 4.0	2 2.5	8 2.8	6 3.5	3 2.7	14 4.4	29 5.3	14 5.7	7 4.6	3 4.0	2
IX	07.7	09.5	8.0	9.7	8.8	8.7	10.6	7.0	15.5	1	4.8	10	0 -	3 2.3	0 -	11 4.3	9 3.8	27 4.3	17 4.8	8 3.5	7 4.3	3 5.7	4 5.5	1 2.0	0
X	998.2	999.9	3.1	3.7	3.1	3.3	4.8	1.5	8.9	11	- 3.1	21	5 5.2	12 4.8	13 6.2	2 7.0	2 4.5	12 3.1	7 3.6	9 4.3	5 5.8	7 5.9	10 6.1	9 5.6	0
XI	1006.4	1008.2	- 1.2	- 1.3	- 1.4	- 1.3	0.6	- 3.1	6.8	10	- 9.6	30	10 4.1	15 5.7	8 6.6	3 6.0	5 3.2	12 4.2	7 3.7	3 4.0	4 5.0	0 -	4 6.0	18 5.1	1
XII	996.5	998.3	- 5.6	- 5.7	- 5.6	- 5.6	- 3.5	- 7.3	3.3	30	-13.6	22	2 5.5	4 5.0	7 6.0	0 -	10 5.7	34 5.7	22 5.5	8 3.5	3 4.3	0 -	1 5.0	1 5.0	1
1955	1004.9	1006.7	1.4	2.0	1.7	1.6	3.6	- 0.2	21.5		-13.6		47 4.4	88 5.2	75 5.3	51 4.6	72 4.3	200 4.5	98 4.4	84 4.2	128 5.5	74 5.4	67 5.3	102 5.0	9

Helnes Fyr

φ = 71° 4′ N λ = 26° 14′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.8	- 2.6	- 2.7	- 2.7	- 0.5	- 4.6	5.8	3	- 9.0	10	9 4.4	4 4.5	2 3.5	4 2.5	2 3.5	2 3.0	21 3.9	0 -	5 2.0	3 3.7	12 4.3	29 4.8	0
II			- 5.7	- 5.4	- 5.4	- 5.5	- 3.8	- 7.4	2.0	8	-12.7	24	4 3.0	1 3.0	0 -	0 -	1 3.0	12 3.2	33 3.2	13 3.6	14 3.1	4 2.0	0 -	2 2.0	0
III			- 4.2	- 3.9	- 3.8	- 4.1	- 2.0	- 6.0	2.5	3	-11.4	9	2 4.0	2 5.5	6 4.3	7 4.6	2 4.5	23 3.7	30 3.9	2 3.0	6 2.8	2 3.5	7 3.6	4 3.8	0
IV			- 1.3	- 0.5	- 0.9	- 1.0	0.7	- 2.9	5.5	19	- 8.2	1	4 3.0	6 4.2	1 2.0	3 1.7	0 -	3 1.7	18 3.5	10 5.2	16 3.2	12 3.7	6 3.2	11 5.4	0
V			2.4	3.4	3.0	2.7	4.4	1.2	9.5	31	- 1.7	13	2 5.0	6 3.5	5 2.8	7 4.9	0 -	21 3.6	16 1.8	1 4.0	8 3.1	11 3.8	1 4.0	15 3.5	0
VI			4.6	5.2	4.7	4.6	6.6	3.2	13.3	14	- 0.8	7	15 3.1	8 5.6	3 2.7	6 1.8	0 -	1 1.0	11 1.9	0 -	3 2.7	14 3.4	6 4.5	23 3.9	0
VII			8.5	8.8	8.1	8.2	10.7	6.4	21.5	12	3.4	2	4 3.0	5 2.4	1 2.0	3 2.7	1 2.0	4 2.0	10 2.2	1 4.0	12 2.7	35 4.5	4 3.2	13 3.7	0
VIII			8.8	9.7	9.2	9.0	11.8	7.1	16.6	17	4.0	30	5 3.0	0 -	0 -	3 1.7	0 -	1 2.0	22 1.7	0 -	22 3.4	30 3.8	2 5.5	8 3.5	0
IX			7.8	8.6	8.0	8.0	9.8	6.4	14.4	17	4.5	12	0 -	5 3.0	0 -	7 3.7	0 -	20 3.2	34 3.5	2 3.5	8 2.6	7 4.1	3 5.3	4 3.0	0
X			2.3	3.0	2.3	2.5	3.9	0.8	8.4	11	- 3.9	21	2 4.0	2 5.0	13 4.9	4 1.5	0 -	2 1.5	17 3.5	2 3.0	15 2.9	8 3.5	3 6.3	25 4.3	0
XI			- 1.9	- 2.3	- 2.5	- 2.2	- 0.6	- 4.0	5.0	12	-10.4	30	14 5.1	2 4.5	9 4.7	1 4.0	2 3.0	4 1.8	15 3.5	1 2.0	10 3.4	5 2.6	0 -	27 4.3	0
XII			- 6.9	- 7.2	- 7.2	- 7.1	- 5.4	- 9.4	2.1	29	-15.5	22	1 1.0	5 3.6	3 3.3	5 3.4	7 6.7	14 4.2	24 4.7	11 5.2	18 4.2	1 1.0	1 3.0	3 3.3	0
1955			1.0	1.4	1.1	1.0	3.0	- 0.8	21.5		-15.5		62 3.8	46 4.1	43 4.1	50 3.2	15 4.9	107 3.3	251 3.3	43 4.3	137 3.2	132 3.8	45 4.8	164 4.2	0

Kistrand

φ = 70° 27′ N λ = 25° 13′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.7	- 5.1	- 4.6	- 4.8	- 2.0	- 7.9	5.2	4	-16.0	11	10 3.0	7 5.0	2 4.0	3 1.7	1 2.0	0 -	6 3.8	11 3.8	12 3.0	14 2.9	23 2.4	2 2.5	2
II			-10.0	- 9.3	- 9.4	- 9.7	- 7.1	-12.3	1.2	8	-19.0	24	0 -	0 -	0 -	1 2.0	0 -	0 -	18 2.6	44 2.9	6 2.0	8 2.1	3 3.3	0 -	4
III			- 7.5	- 5.6	- 6.3	- 6.7	- 3.5	- 9.7	0.5	5	-18.0	9	4 3.2	5 4.0	0 -	10 3.3	2 3.0	1 4.0	32 3.6	16 3.4	5 2.4	4 1.2	8 2.6	4 2.8	2
IV			- 2.6	- 1.1	- 2.3	- 2.3	0.1	- 5.2	5.1	19	-12.8	7	13 2.9	3 2.0	0 -	2 2.0	0 -	0 -	23 3.9	14 3.7	3 2.7	10 2.9	13 3.0	1 4.0	8
V			2.3	3.5	2.6	2.4	4.4	0.0	9.9	31	- 6.1	5	4 3.0	9 2.0	3 3.3	12 2.9	4 4.5	4 1.5	14 2.5	11 2.3	4 2.2	10 1.9	5 3.2	11 3.4	2
VI			5.3	6.4	5.4	5.3	8.1	3.2	15.8	15	- 0.9	6	6 3.0	28 3.3	2 2.5	2 3.5	1 1.0	2 1.0	0 -	5 2.4	2 2.5	6 3.7	17 3.4	16 3.0	3
VII			10.0	11.3	9.7	9.8	13.3	7.1	26.0	12	3.7	2	3 2.3	24 2.6	1 1.0	0 -	1 1.0	3 1.3	12 1.7	5 1.4	0 -	6 2.8	11 3.4	22 3.1	5
VIII			9.9	11.7	10.0	10.1	13.4	7.2	18.5	17	- 0.4	30	4 2.5	11 1.9	0 -	1 1.0	0 -	2 1.5	16 2.0	3 2.3	1 2.0	9 3.1	12 2.8	14 2.5	20
IX			7.1	8.8	7.4	7.6	9.9	5.1	14.0	3	1.1	12	6 1.3	5 2.0	0 -	8 2.8	6 2.2	4 1.2	30 3.2	5 3.0	1 1.0	0 -	4 2.2	4 1.8	17
X			0.8	2.1	0.9	1.2	3.5	- 1.2	9.0	11	- 8.2	19	5 3.2	5 3.8	1 5.0	3 5.0	0 -	0 -	17 2.9	17 2.5	3 2.0	9 2.9	22 2.7	7 2.0	4
XI			- 4.3	- 4.3	- 4.8	- 4.5	- 2.2	- 7.3	3.0	13	-17.5	27	10 3.9	11 3.7	2 3.5	1 3.0	0 -	1 2.0	20 2.9	9 2.4	12 2.1	5 2.0	11 2.2	4 2.2	4
XII			-11.2	-11.3	-11.6	-11.4	- 8.6	-14.5	1.9	29	-24.6	22	0 -	0 -	0 -	1 3.0	3 2.7	3 3.0	47 4.3	21 2.8	3 1.0	7 1.4	7 2.6	0 -	1
1955			- 0.4	0.6	- 0.2	- 0.2	2.4	- 3.0	26.0		-24.6		65 2.9	108 3.0	11 3.3	44 3.0	18 2.7	20 1.8	235 3.3	161 2.9	52 2.3	88 2.5	136 2.8	85 2.8	72

*) På grunn av de lokale terrengforhold antar en at anemometret viser noe for høye vindstyrker.

1955

Loppa

H_s = 8 H_b = h_t = 1.9 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ▣
I					7.4	6.8	6.7	110	20	25	28		0		22	21	2	11	1	0	4	19	1	0	0	3	0	0	17	0	1	0	25	29
II					5.1	5.3	3.5	52	18	19	28		2		11	8	2	2	0	0	0	11	0	0	0	1	0	0	8	0	15	5	8	28
III					5.4	5.9	6.1	38	7	7	27		0		17	11	0	3	0	0	3	16	2	0	0	1	0	0	9	0	19	2	15	31
IV					6.0	6.0	5.2	78	26	25	23		0		19	13	1	7	1	1	8	19	5	0	0	2	0	0	13	0	14	4	14	30
V					5.9	5.9	6.4	28	10	22	7		0		18	4	1	2	0	0	12	13	6	0	0	4	0	0	12	0	21	1	17	26
VI					7.0	7.1	6.8	82	17	18	0		0		22	16	3	1	0	0	21	5	3	5	0	2	0	0	11	1	12	0	21	0
VII					6.9	6.7	7.4	48	10	4	0		0		16	11	1	1	0	0	16	0	0	3	0	0	0	0	19	0	17	0	23	0
VIII					7.1	6.7	7.3	103	18	25	0		0		21	17	3	7	0	0	21	0	0	1	0	1	0	0	13	0	15	0	24	0
IX					5.1	5.8	4.8	37	18	2	0		0		4	4	2	1	0	0	4	0	0	0	0	0	0	0	3	0	20	5	10	0
X					7.0	7.1	6.7	156	21	11	12		0		24	19	6	9	2	0	16	14	5	0	0	8	0	0	12	0	6	0	26	8
XI					6.6	6.9	7.0	140	43	18	22		1		22	15	3	9	0	0	5	19	2	0	0	2	0	0	16	0	4	1	20	28
XII					5.0	4.8	4.2	29	10	10	29		6		13	5	0	4	0	0	1	13	0	0	0	2	0	0	3	0	0	5	13	31
1955					6.2	6.2	6.0	901	43		176		9		209	144	24	57	4	1	111	129	24	9	0	26	0	0	136	1	144	23	216	211

Alta (Elvebakken)

H_s = 4 H_b = 4.7 h_t = 2.0 h_a = h_d = 10 h_r = 1.6

I	85	86	86	85	5.9	5.8	5.4	64	8	30	29	27	18	0	18	15	0	2	0	0	1	18	1	0	0	0	0	0	0	0	0	1	12	31
II	89	87	88	88	3.8	3.7	2.9	15	6	11	28	25	26	0	14	5	0	0	0	0	0	14	0	0	0	0	0	0	0	0	15	9	1	28
III	87	81	84	84	5.1	4.8	5.0	20	5	12	31	27	19	0	14	7	0	0	0	0	0	14	0	0	0	0	0	0	0	0	24	3	7	31
IV	83	79	80	81	5.5	4.9	4.9	34	4	25	25	13	10	0	16	11	0	1	0	0	5	14	3	0	0	1	0	0	0	0	23	4	13	30
V	81	75	76	79	5.5	5.5	5.6	24	9	21	12	0	0	0	13	4	0	1	0	0	6	10	3	0	0	2	0	0	0	0	25	3	10	7
VI	81	77	80	80	6.2	6.1	6.3	47	12	13	1	0	0	0	16	9	1	0	0	0	15	4	0	0	0	0	0	0	0	0	21	0	11	0
VII	83	79	80	82	5.7	5.5	5.0	28	13	13	0	0	0	1	10	7	1	0	0	0	10	0	0	0	0	0	0	0	0	0	29	0	7	0
VIII	84	74	78	81	5.9	4.9	5.7	18	3	22	0	0	0	1	15	8	0	0	0	0	15	0	0	0	0	0	0	1	0	0	28	0	8	0
IX	87	76	81	82	5.7	5.3	5.6	49	30	2	0	0	0	0	9	4	2	0	0	0	9	0	0	0	0	0	0	0	0	0	23	1	8	0
X	89	81	85	86	5.7	5.3	5.5	56	11	11	19	6	0	0	20	12	1	1	1	0	14	8	1	0	0	0	0	0	0	0	21	1	10	3
XI	90	88	89	89	5.6	5.6	6.0	43	9	18	29	22	2	0	18	11	0	1	0	0	3	18	2	0	0	0	0	0	3	0	6	2	17	30
XII	83	82	82	82	4.2	4.5	3.2	16	4	1	31	2	27	0	9	5	0	1	0	0	0	9	0	0	0	0	0	0	0	1	0	8	4	31
1955	85	80	82	83	5.4	5.2	5.1	414	30		205	122	102	2	172	98	5	7	1	0	78	109	10	0	0	3	0	0	3	1	215	32	108	191

Fruholmen *)

H_s = 13 H_b = 14.2 h_t = 2.0 h_a = 9.2 h_d = 7.1 h_r = 1.4

I	86	86	85	86	6.4	7.1	6.4	112	17	4	28	16	0	0	27	22	3	27	12	4	5	25	3	0	9	1	0	0	4	0	0	1	20	
II	92	90	90	91	4.9	4.9	4.4	64	12	12	28	19	2	0	16	13	3	15	3	2	2	16	2	0	5	0	0	0	1	0	13	7	9	
III	86	88	86	86	6.1	5.6	6.0	86	13	20	29	19	2	0	22	18	1	30	16	3	4	21	3	0	7	0	0	0	4	0	19	2	20	
IV	84	81	85	85	5.2	5.4	5.5	76	20	25	22	12	0	0	21	14	2	22	11	4	13	18	10	0	2	0	0	0	3	0	22	4	14	
V	88	85	88	88	6.1	5.4	5.8	30	5	13	11	0	0	0	18	11	0	21	8	3	14	13	8	6	2	0	0	0	2	1	27	1	13	
VI	89	88	89	89	7.1	6.6	7.1	51	10	19	1	0	0	0	23	14	1	14	4	1	22	8	6	4	1	1	0	0	2	4	19	1	24	
VII	95	92	95	95	7.5	7.0	7.0	31	8	13	0	0	0	0	22	8	0	19	2	0	22	0	0	15	0	0	0	0	4	11	19	1	24	
VIII	94	89	90	92	6.8	6.7	6.8	74	7	28	0	0	0	0	26	6	0	20	8	1	26	0	0	8	0	0	0	1	10	6	19	0	24	
IX	88	79	83	84	5.4	4.7	4.7	21	14	2	0	0	0	0	10	4	1	22	2	1	10	0	0	2	0	0	0	0	0	0	27	1	5	
X	88	86	86	87	6.6	6.5	6.6	135	25	15	11	0	0	0	28	23	3	26	14	3	22	19	7	0	1	5	0	0	0	0	13	0	14	
XI	84	84	85	84	7.1	7.0	6.7	95	16	18	24	13	0	0	27	17	2	25	13	4	10	24	6	3	2	0	0	0	0	0	1	0	21	
XII	90	89	88	89	4.9	5.8	5.5	74	11	16	31	26	11	0	20	14	1	27	17	6	2	20	2	0	0	1	0	0	5	0	0	1	11	
1955	89	86	88	88	6.2	6.1	6.0	849	25		185	105	15	0	260	164	17	268	110	32	152	164	47	38	29	8	0	1	35	22	179	19	199	

Helnes Fyr

H_s = 33 H_b = h_t = 2.1 h_a = h_d = h_r = 1.8

I	83	84	87	85	5.9	6.8	6.1	86	13	9	28	17	0	0	27	21	2	13	1	0	5	24	2	0	0	4	0	0	0	0	1	0	20	
II	90	89	89	89	4.8	4.6	4.2	28	6	28	27	21	10	0	14	8	0	1	0	0	0	14	0	0	0	0	0	0	2	0	7	0	5	
III	83	82	83	83	5.9	6.0	5.9	90	15	12	31	24	3	0	20	18	1	7	1	0	4	20	4	0	0	0	0	0	2	0	13	2	17	
IV	78	73	77	77	5.2	5.2	4.9	66	18	25	21	13	0	0	18	15	1	11	3	0	10	15	6	0	0	0	0	0	0	0	21	4	9	
V	84	79	81	82	5.3	5.7	5.7	30	5	16	8	0	0	0	19	11	0	7	0	0	15	11	5	0	0	0	0	0	2	0	24	2	14	
VI	83	81	86	85	6.4	6.5	6.6	55	11	22	2	0	0	0	24	14	1	6	0	0	24	6	6	8	0	1	0	0	2	1	14	0	17	
VII	85	80	84	86	6.5	6.4	6.6	31	8	13	0	0	0	0	21	8	0	8	0	0	21	0	0	8	0	0	0	0	0	1	19	0	20	
VIII	83	82	83	83	6.3	6.1	6.5	50	6	1	0	0	0	0	22	18	0	7	1	0	22	0	0	3	0	0	0	1	1	2	19	0	19	
IX	81	80	81	81	5.5	4.6	5.8	25	18	2	0	0	0	0	9	3	1	4	1	0	9	0	0	0	0	0	0	0	0	0	24	1	9	
X	82	80	80	81	6.5	6.1	6.0	130	18	23	12	0	0	0	26	23	4	10	3	1	20	15	7	0	0	0	0	0	0	0	9	0	16	
XI	77	77	79	78	6.7	6.9	6.8	89	17	27	25	16	1	0	27	20	2	11	1	0	11	24	7	1	0	0	0	0	0	1	0	0	21	
XII	82	81	82	82	5.0	6.1	5.0	63	8	14	31	28	15	0	21	15	0	12	4	0	1	20	0	0	0	0	0	0	5	4	0	0	8	
1955	83	81	83	83	5.8	5.9	5.8	743	18		185	119	29	0	248	174	12	97	15	1	142	149	37	20	0	5	0	1	14	9	151	9	175	

Kistrand

H_s = 12 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

I	78	83	81	80	5.4	5.9	5.2	48	7	2	31	27	9	0	25	15	0	3	0	0	4	23	1	0	0	0	0	0	18	2	1	0	7	31
II	85	82	83	84	4.9	4.9	4.1	11	2	18	28	25	17	0	15	5	0	0	0	0	0	14	0	0	0	0	0	0	16	0	12	1	6	28
III	82	78	80	80	5.5	5.1	4.9	20	9	12	31	28	13	0	16	5	0	4	1	0	0	16	0	0	0	0	0	0	27	0	18	2	9	31
IV	79	76	79	79	4.8	4.6	5.0	53	26	25	26	13	4	0	18	10	1	2	0	0	6	16	3	0	0	0	0	0	14	0	21	4	9	30
V	76	72	76	76	5.5	5.5	5.5	18	9	21	17	0	0	0	10	5	0	0	0	0	7	6	3	0	0	0	0	0	7	0	23	1	13	18
VI	80	75	80	81	6.7	6.7	7.1	60	8	22	2	0	0	0	19	12	0	2	0	0	18	5	4	2	0	0	0	0	7	0	18	0	22	0
VII	82	77	80	82	6.7	6.6	6.4	18	4	16	0	0	0	1	13	5	0	2	0	0	13	0	0	3	0	0	0	1	8	0	20	0	16	0
VIII	84	75	83	84	6.6	6.1	6.1	35	9	29	1	0	0	0	15	11	0	0	0	0	15	0	0	3	0	0	0	1	0	1	16	0	22	0
IX	87	81	82	84	6.2	6.0	5.8	41	20	2	0	0	0	0	8	6	2	0	0	0	8	0	0	4	0	0	0	0	6	0	14	0	13	0
X	84	79	80	81	6.2	5.6	4.5	63	12	15	18	5	0	0	21	13	3	2	0	0	15	10	4	3	0	0	0	0	6	0	9	1	8	2
XI	82	81	82	82	5.9	6.4	5.5	48	10	28	29	19	7	0	21	11	0	2	1	0	4	21	4	0	0	0	0	0	4	0	4	0	14	30
XII	84	81	81	82	4.7	5.1	4.2	10	3	1	31	29	26	0	13	4	0	5	0	0	0	13	0	0	0	0	0	0	3	0	0	2	7	31
1955	82	78	81	81	5.8	5.7	5.4	425	26		214	146	76	1	194	102	6	22	2	0	90	124	19	15	0	0	0	2	116	3	156	11	146	201

*) På grunn av de lokale terrengforhold antar en at anemometret viser noe for høye vindstyrker.

1955

Gamvik

φ = 71° 4'N λ = 28° 15'E g = 9.827 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	994.8	996.0	- 3.5	- 3.5	- 3.6	- 3.5		- 5.6	5.2	3	-11.6	15	17 4.9	1 7.0	8 4.5	0 -	0 -	4 4.2	1 3.0	10 4.2	17 4.2	7 3.9	4 4.5	24 5.0	0
II	1000.9	1007.2	- 7.8	- 6.2	- 7.0	- 7.1		-10.5	0.2	7	-17.8	23	3 5.0	0 -	1 5.0	0 -	0 -	12 3.8	11 3.4	33 3.8	15 3.4	5 3.4	1 3.0	3 4.0	0
III	06.6	07.8	- 4.7	- 4.1	- 4.6	- 4.4		- 7.1	0.4	21	-11.8	10	2 3.5	1 5.0	5 5.4	7 4.3	7 4.1	24 4.0	4 3.2	24 4.1	11 3.1	1 4.0	3 3.7	4 4.5	0
IV	10.7	11.8	- 2.1	- 0.6	- 1.8	- 1.7		- 4.9	5.2	29	-18.4	3	3 4.7	1 4.0	5 3.6	5 3.2	4 4.0	4 3.8	4 3.8	19 3.8	22 3.8	12 3.8	4 5.0	7 4.9	0
V	08.1	09.3	2.5	3.8	2.8	2.7		0.1	9.6	20	- 3.8	15	3 3.7	2 4.5	3 3.7	13 3.5	13 4.1	16 3.6	6 3.8	3 2.7	12 3.6	8 3.9	6 4.2	8 4.4	0
VI	09.8	11.0	5.0	5.9	5.0	5.0		3.2	15.5	14	- 0.3	6	7 2.7	2 3.0	10 4.4	7 2.7	8 2.6	2 2.0	2 3.5	1 2.0	6 4.2	16 4.1	12 3.9	17 4.1	0
VII	11.9	13.1	8.8	9.3	8.2	8.4		6.4	21.0	12	3.2	1	3 3.7	0 -	3 2.0	10 2.5	11 3.3	5 2.6	2 5.0	0 -	9 3.8	26 4.2	11 3.9	13 3.2	0
VIII	12.9	14.0	9.4	10.3	8.9	9.3		7.0	18.2	15	3.8	30	0 -	0 -	0 -	6 2.5	8 2.9	7 2.7	5 2.8	4 2.8	18 4.1	22 3.9	14 4.0	9 3.6	0
IX	10.9	12.0	7.3	8.7	7.6	7.8		5.4	13.4	17	2.2	3	0 -	1 2.0	1 4.0	6 2.7	17 3.6	23 3.7	15 3.9	4 3.0	5 4.0	10 3.6	4 4.0	4 3.6	0
X	998.4	999.6	1.7	2.6	1.7	2.0	3.8	- 0.6	7.8	11	- 8.2	31	9 4.3	6 4.5	10 5.1	2 3.0	0 -	5 2.8	3 3.7	19 3.6	15 3.4	7 3.3	8 4.8	9 4.2	0
XI	1006.8	1008.0	- 2.8	- 2.9	- 3.7	- 3.1	- 1.0	- 5.7	4.6	10	-11.8	30	10 4.8	5 4.2	9 4.9	2 3.5	3 4.0	7 3.4	4 3.5	10 3.1	11 3.6	2 4.0	3 4.0	24 4.8	0
XII	00.3	01.5	- 8.3	- 8.4	- 8.7	- 8.5	- 6.4	-11.3	2.4	29	-18.2	22	2 4.0	3 4.3	3 4.3	4 4.0	3 5.3	14 4.2	31 4.3	18 3.9	7 3.0	3 3.0	2 2.5	3 3.3	0
1955	1006.4	1007.6	0.5	1.2	0.4	0.6		- 2.0	21.0		-18.4		59 4.3	22 4.3	58 4.5	62 3.2	74 3.6	123 3.7	88 3.9	145 3.7	148 3.7	119 3.9	72 4.1	125 4.3	0

Rustefjelbma

φ = 70° 24'N λ = 28° 12'E g = ΔG = + 1h

I			- 9.6	- 8.0	- 8.8	- 8.8	- 3.4	-15.7	5.5	4	-32.8	11	12 3.7	1 4.0	0 -	0 -	0 -	1 2.0	4 1.8	4 2.2	19 2.8	15 1.7	5 2.4	16 4.0	16
II			-19.7	-16.5	-19.4	-18.7	-13.4	-25.1	1.0	8	-39.4	24	1 4.0	0 -	0 -	0 -	0 -	3 1.7	7 1.3	6 1.0	11 1.1	8 1.0	1 3.0	0 -	47
III			-12.8	- 7.6	-11.0	-10.8	- 6.2	-17.7	0.6	21	-36.6	10	2 2.0	7 3.1	8 2.1	3 2.3	1 2.0	2 1.5	14 3.0	5 3.2	18 2.3	4 1.2	0 -	5 2.2	24
IV			- 5.3	- 0.6	- 3.4	- 3.8	0.5	-10.5	6.0	28	-31.3	3	5 4.2	1 2.0	8 2.6	0 -	0 -	10 3.4	16 2.6	5 2.4	8 2.4	4 4.0	4 3.2	4 3.2	25
V			2.5	4.3	2.7	2.6	4.8	- 0.8	11.4	31	- 8.1	9	14 2.9	1 5.0	13 1.9	8 3.1	1 6.0	15 2.5	8 1.8	5 3.2	4 4.0	7 2.7	1 2.0	2 3.5	14
VI			6.2	7.7	6.3	6.2	8.8	3.7	16.5	16	- 1.6	6	23 3.7	8 3.2	0 -	0 -	1 1.0	2 1.5	4 2.5	3 3.0	3 2.0	7 3.6	6 3.8	24 3.1	9
VII			10.7	13.0	11.2	11.0	14.5	7.4	26.0	12	4.2	2	14 3.1	7 1.7	1 1.0	0 -	0 -	1 3.0	13 2.5	3 2.0	4 2.0	8 3.4	9 3.1	12 3.5	21
VIII			10.3	14.0	11.4	11.2	15.0	6.2	21.8	18	- 1.2	30	0 -	0 -	1 2.0	0 -	0 -	1 3.0	11 1.9	4 1.8	13 1.8	18 2.8	4 2.5	12 3.3	29
IX			6.3	9.1	7.0	7.0	9.8	3.0	14.0	17	- 3.7	11	1 3.0	0 -	0 -	6 2.7	2 3.0	7 2.3	28 3.0	0 -	0 -	6 3.5	2 3.5	3 2.0	35
X			- 2.2	0.4	- 1.4	- 1.3	2.0	- 5.2	7.0	11	-20.6	31	4 4.2	6 3.5	2 4.5	0 -	0 -	1 1.0	15 2.3	8 2.9	4 3.2	10 2.2	3 4.7	8 4.8	32
XI			- 9.2	- 9.3	- 9.7	- 9.4	- 4.9	-14.9	2.0	14	-31.9	26	15 3.1	2 3.5	3 3.0	0 -	0 -	0 -	7 2.1	4 2.2	11 1.1	15 1.3	1 3.0	6 3.7	26
XII			-19.4	-19.2	-19.2	-19.3	-14.4	-25.5	1.5	30	-34.5	12	0 -	0 -	0 -	0 -	0 -	5 6.0	18 4.2	4 3.5	14 1.4	17 1.2	0 -	0 -	35
1955			- 3.5	- 1.1	- 2.9	- 2.8	1.1	- 7.9	26.0		-39.4		91 3.4	33 3.0	36 2.3	17 2.8	5 3.0	48 2.9	145 2.6	51 2.5	109 2.0	119 2.2	36 3.2	92 3.4	313

Makkaur Fyr

φ = 70° 42'N λ = 30° 5'E g = ΔG = + 1h

I			- 2.8	- 3.1	- 3.2	- 3.0	0.3	- 5.8	5.6	4	-12.2	10	10 6.0	7 5.3	14 4.4	0 -	0 -	2 3.5	6 1.8	0 -	26 4.5	12 4.3	5 5.2	11 4.8	0
II			- 7.0	- 6.6	- 7.4	- 7.0	- 4.3	- 9.8	2.5	7	-18.6	24	0 -	3 5.3	1 6.0	0 -	1 3.0	12 2.8	23 2.0	5 3.0	33 3.5	5 3.0	0 -	1 5.0	0
III			- 5.7	- 5.3	- 5.5	- 5.6	- 3.3	- 8.3	1.5	12	-13.5	11	2 5.0	3 5.0	5 4.4	6 4.3	4 4.8	10 3.4	24 3.5	8 4.5	19 3.6	9 2.3	1 1.0	2 4.0	0
IV			- 2.0	- 0.9	- 1.6	- 1.8	0.6	- 4.8	6.0	27	-12.1	3	3 6.0	1 5.0	9 4.2	4 2.0	1 3.0	4 2.2	15 2.3	3 3.3	27 4.1	10 3.2	6 3.5	6 4.5	1
V			2.3	3.6	2.7	2.5	4.2	0.0	9.6	21	- 4.9	7	6 4.7	8 3.2	4 4.2	2 2.5	1 4.0	20 3.5	13 1.5	8 2.2	11 2.6	6 3.8	1 4.0	12 3.8	1
VI			5.2	5.9	5.1	5.1	7.1	3.4	15.1	14	0.1	8	7 4.3	4 3.2	8 5.5	2 1.0	2 2.0	8 1.9	5 2.0	0 -	4 3.0	5 3.0	6 3.8	38 3.7	1
VII			8.8	9.3	8.7	8.6	11.8	6.4	23.9	12	3.2	2	6 4.8	0 -	4 1.2	1 3.0	1 3.0	21 2.9	4 2.5	0 -	5 4.0	3 4.0	7 3.9	31 3.4	10
VIII			9.5	10.5	9.4	9.5	12.9	7.3	19.6	19	4.4	30	2 4.5	0 -	0 -	0 -	1 4.0	14 2.6	1 1.0	0 -	12 3.2	16 2.8	4 3.5	26 3.8	17
IX			7.3	8.2	7.6	7.5	9.5	5.5	15.5	17	2.1	23	2 1.0	0 -	0 -	3 2.7	1 1.0	33 2.9	14 3.3	3 3.7	7 1.9	2 2.5	4 3.8	12 3.4	9
X			2.0	2.4	2.2	2.2	4.0	0.2	7.4	1	- 6.2	21	10 4.1	16 5.4	3 5.0	0 -	0 -	1 1.0	1 1.0	4 2.5	35 3.3	9 2.6	1 4.0	11 5.0	2
XI			- 2.9	- 2.9	- 2.9	- 2.9	- 0.5	- 5.7	4.5	12	-14.0	30	16 5.1	4 5.2	16 4.5	4 2.8	0 -	2 2.0	10 2.0	3 2.7	15 3.4	6 3.0	1 4.0	8 4.5	5
XII			- 9.0	- 9.2	- 9.4	- 9.2	- 6.4	-12.3	2.0	29	-20.4	23	1 2.0	0 -	11 3.5	1 3.0	0 -	13 4.1	27 4.1	13 2.8	23 3.3	2 2.0	1 1.0	1 4.0	0
1955			0.5	1.0	0.5	0.5	3.0	- 2.0	23.9		-20.4		65 4.8	46 4.8	75 4.3	23 2.9	12 3.4	140 3.0	143 2.8	47 3.1	217 3.5	85 3.1	37 3.8	159 3.9	46

Vardø

φ = 70° 22'N λ = 31° 6'E g = 9.826 ΔG = + 1h

I	993.0	994.8	- 3.6	- 3.4	- 3.5	- 3.5	- 1.3	- 6.0	4.5	4	-12.2	10	7 5.3	11 4.4	2 3.5	0 -	1 1.0	4 3.8	0 -	8 5.6	16 5.3	13 5.1	8 4.1	22 5.2	1
II	1005.9	1007.8	- 6.5	- 6.5	- 6.9	- 6.6	- 4.6	- 9.1	1.6	8	-17.2	24	4 4.7	1 5.0	2 3.0	2 4.0	3 2.3	12 3.6	4 3.2	10 3.9	33 4.1	5 3.6	4 3.0	2 3.5	2
III	06.4	08.3	- 5.6	- 5.3	- 5.2	- 5.4	- 3.3	- 7.6	0.5	21	-14.3	11	1 4.0	2 3.5	10 4.0	4 3.8	3 3.3	19 3.9	13 5.3	11 4.5	14 4.4	5 4.0	5 4.2	5 3.6	1
IV	10.1	11.9	- 1.6	- 0.5	- 1.0	- 1.2	0.7	- 3.7	5.0	27	-12.1	2	6 4.5	3 3.7	8 3.2	3 3.7	0 -	5 2.8	13 4.0	9 4.2	22 4.5	6 4.0	7 3.9	8 3.5	0
V	07.1	08.9	2.1	3.0	2.5	2.2	3.8	0.6	9.3	31	- 2.4	14	9 2.9	7 3.1	3 2.3	9 3.1	8 3.6	18 2.9	8 3.0	4 3.0	8 3.4	2 3.0	2 3.5	12 4.0	3
VI	07.7	09.5	4.9	5.6	5.0	4.9	7.1	3.2	13.4	14	- 0.5	8	18 3.3	1 3.0	11 3.7	1 3.0	4 2.8	10 2.8	2 1.5	1 2.0	3 4.0	2 3.5	5 4.6	29 4.1	3
VII	10.8	12.6	7.7	8.9	8.0	7.9	10.6	5.9	23.5	12	2.5	3	5 3.8	5 1.8	4 2.2	4 2.0	4 2.2	16 2.5	10 2.9	4 4.0	2 2.5	2 4.0	3 3.7	30 4.1	4
VIII	11.8	13.6	9.2	10.0	8.9	9.1	11.7	6.9	17.1	17	3.6	30	8 2.8	4 2.0	1 2.0	3 1.3	1 1.0	18 2.2	11 2.8	6 3.0	8 3.2	6 5.0	5 4.0	21 3.7	1
IX	10.8	12.6	6.8	7.5	7.0	7.0	8.3	5.5	12.2	17	3.6	12	0 -	2 2.0	4 2.0	14 2.0	6 3.2	17 2.9	18 3.8	5 2.8	4 2.8	2 3.0	2 6.0	13 3.2	3
X	997.1	998.9	1.7	2.3	2.1	2.0	3.7	0.0	7.3	11	- 7.1	20	4 4.0	11 4.3	3 4.7	3 2.0	0 -	0 -	3 2.0	10 4.4	24 4.0	10 3.6	8 3.8	16 4.2	1
XI	1005.0	1006.8	- 2.9	- 2.8	- 3.1	- 2.9	- 1.0	- 5.4	4.4	12	-11.6	29	18 4.0	11 4.0	1 4.0	3 3.3	1 2.0	2 3.0	3 3.7	4 3.8	14 4.4	8 4.5	9 4.2	16 4.1	0
XII	01.1	03.0	- 8.0	- 8.2	- 8.6	- 8.3	- 5.8	-11.1	2.4	29	-18.1	13	1 3.0	8 3.4	9 3.3	0 -	0 -	7 5.4	16 5.8	16 4.6	28 4.9	5 3.0	0 -	2 4.5	1
1955	1005.6	1007.4	0.4	0.9	0.4	0.4	2.5	- 1.7	23.5		-18.1		81 3.8	66 3.6	58 3.3	46 2.6	31 2.9	128 3.1	101 4.0	88 4.2	176 4.3	66 4.1	58 4.0	176 4.1	20

Ekkerøy

φ = 70° 4'N λ = 30° 6'E g = ΔG = + 1h

I			- 5.4	- 5.1	- 5.6	- 5.4		- 7.4	3.6	3	-12.1	10	16 4.1	4 5.5	0 -	3 3.7	0 -	0 -	0 -	1 4.0	20 5.5	22 3.3	17 3.5	10 3.7	0
II			- 8.8	- 8.3	- 8.6	- 8.6		-10.8	0.9	8	-18.4	23	2 4.5	1 6.0	0 -	4 3.5	7 2.9	2 3.0	2 2.0	4 3.2	32 3.8	21 3.2	1 2.0	6 3.3	2
III			- 7.5	- 6.2	- 6.9	- 7.0		- 9.0	- 1.3	21	-15.2	11	3 3.7	9 5.3	0 -	16 3.8	4 4.0	3 3.0	3 3.0	0 -	33 4.4	17 2.5	3 3.0	0 -	2
IV			- 2.5	- 0.7	- 2.4	- 2.2		- 4.9	3.9	19	-14.0	3	3 4.0	11 5.2	3 4.3	1 4.0	0 -	2 3.0	1 3.0	3 3.7	33 4.1	12 2.8	14 3.4	4 4.0	3
V			2.2	3.9	3.0	2.6		0.4	10.0	18	- 4.4	9	10 3.9	18 3.4	6 3.5	22 3.5	7 2.1	3 1.7	0 -	1 4.0	15 3.6	3 2.3	2 3.0	3 3.0	3
VI			6.0	7.0	6.2	6.1		4.3	13.2	14	0.1	8	15 3.6	13 4.4	7 2.9	14 2.1	0 -	2 1.0	2 2.5	1 3.0	8 3.4	13 4.5	5 3.6	5 4.4	5
VII			9.1	11.1	9.8	9.6		7.1	24.3	2	3.5	4	6 4.8	5 3.6	4 3.8	25 2.6	4 2.2	1 2.0	0 -	3 2.3	11 2.8	13 2.7	2 4.5	10 3.9	9
VIII			10.0	11.8	10.2	10.2		7.0	16.1	15	1.7	30	5 2.6	5 2.8	4 2.2	5 2.4	5 2.6	1 3.0	3 1.7	3 2.3	21 2.7	17 4.1	4 4.0	1 5.0	10
IX			7.0	8.1	7.2	7.2		5.0	12.1	8	2.0	3	2 3.0	8 3.4	4 2.5	24 2.9	4 2.8	1 3.0	3 3.3	5 3.8	23 3.3	3 3.7	2 4.0	0 -	11
X			0.8	1.9	1.4	1.3		- 0.9	8.0	11	- 7.3	20	5 3.2	16 4.9	0 -	0 -	0 -	1 2.0	1 4.0	0 -	38 4.3	7 2.0	13 4.3	5 3.2	7
XI			- 5.1	- 4.7	- 5.6	- 5.1		- 7.9	3.3	13	-16.0	30	16 3.6	10 4.7	2 4.0	2 4.0	0 -	1 7.0	0 -	4 4.0	19 3.8	16 2.9	7 2.4	9 3.7	4
XII			-10.1	- 9.8	- 9.6	- 9.8		-12.2	1.8	29	-17.5	19	6 2.7	8 4.1	0 -	2 2.5	4 4.8	2 6.0	5 3.6	7 5.3	41 4.6	13 3.0	0 -	1 3.0	4
1955			- 0.4	0.8	- 0.8	- 0.1		- 2.4	24.3		-18.4		89 3.7	108 4.3	30 3.2	118 3.0	35 2.9	19 3.0	20 2.9	32 3.8	294 4.0	157 3.2	70 3.6	54 3.7	69

1955

Gamvik

$H_s = 6$ $H_b = 9.3$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.6$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr ,	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær	Overskyet ●	Snødekke
I	80	83	85	82	6.7	6.7	5.7	174	18	4	29		1		27	·24	6	13	0	0	4	26	2	0	0	0	0	0	0	0	0	0	17	
II	95	82	83	84	3.6	4.2	2.4	40	10	13	28		19		14	8	0	2	0	0	0	14	0	0	0	0	0	0	0	0	12	8	2	
III	78	78	82	80	5.1	5.5	6.1	108	19	15	31		4		23	20	4	6	1	0	0	23	0	0	0	0	0	0	0	0	12	3	15	
IV	81	75	79	80	5.5	5.0	4.5	94	31	17	23		5		19	15	4	8	1	0	9	16	4	0	0	0	0	0	0	0	19	5	13	
V	81	74	79	80	5.2	5.3	5.4	32	6	16	12		0		19	11	0	7	0	0	8	·15	3	0	0	0	0	0	0	0	22	2	16	
VI	84	81	85	85	6.8	6.7	7.1	100	25	27	1		0		27	20	2	6	0	0	25	9	6	3	0	0	0	0	0	3	10	0	22	
VII	82	82	86	84	7.2	6.6	7.0	70	34	21	0		0		19	10	2	4	0	0	19	0	0	6	0	0	0	0	0	0	15	0	22	
VIII	83	78	86	84	6.3	6.2	6.3	73	12	2	0		0		20	13	2	5	0	0	20	0	0	4	0	0	0	0	0	1	17	0	18	
IX	85	78	80	82	5.5	5.3	5.5	40	15	2	0		0		13	9	1	5	0	0	13	0	0	4	0	0	0	0	0	0	19	5	12	
X	83	80	84	83	6.2	6.4	5.7	215	53	15	16	2	0	0	25	24	5	6	1	0	15	18	6	0	0	0	0	0	0	0	7	2	15	
XI	76	79	81	79	6.5	7.1	6.3	92	11	22	27	16	2	0	26	22	1	8	1	0	4	25	3	0	0	0	0	0	0	1	1	1	20	
XII	76	77	76	77	3.8	4.9	3.6	41	6	13	31	29	19	0	17	14	0	6	0	0	1	16	0	0	0	0	0	0	0	0	0	10	7	
1955	81	79	82	82	5.7	5.8	5.5	1079	53		198		50		249	190	27	76	4	0	118	162	24	17	0	0	0	0	0	5	134	36	179	

Rustefjelbma

$H_s = 9$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	85	86	85	6.3	6.3	5.2	57	9	17	31	27	20	0	27	16	0	7	0	0	3	25	2	0	3	0	0	0	8	0	4	1	14	31
II	88	88	88	88	4.7	4.1	3.5	16	6	18	28	27	25	0	12	5	0	0	0	0	0	10	0	0	1	0	0	0	7	1	20	6	6	28
III	85	77	85	83	5.4	5.1	4.7	27	5	3	31	28	27	0	20	9	0	3	1	0	0	20	0	0	0	0	0	0	11	1	26	5	13	31
IV	81	71	78	79	4.7	4.5	5.5	38	13	25	26	12	13	0	17	8	1	6	0	0	10	14	6	3	0	0	0	0	2	0	28	5	11	30
V	77	70	78	78	6.0	5.1	5.7	16	2	16	22	0	0	0	17	8	0	10	0	0	14	10	7	0	2	0	0	0	1	0	27	1	18	18
VI	78	73	80	80	7.2	6.8	7.0	56	20	24	1	0	0	0	24	11	1	11	1	1	24	7	7	4	2	0	0	1	7	0	21	0	21	0
VII	80	71	80	83	6.9	6.4	6.3	88	30	16	0	0	0	1	15	10	3	6	1	0	16	0	0	2	0	0	0	2	8	1	23	0	18	0
VIII	82	67	79	82	6.2	5.8	6.4	28	4	25	1	0	0	0	19	9	0	5	0	0	19	0	0	1	0	0	0	1	3	0	30	0	15	0
IX	90	77	86	87	6.7	6.3	6.4	42	13	2	7	0	0	0	14	7	1	7	0	0	13	0	0	3	0	0	0	0	3	9	17	0	20	0
X	89	85	86	87	5.8	5.8	5.5	67	10	15	24	5	5	0	24	14	1	8	4	1	16	16	10	3	0	0	0	0	4	4	16	3	15	15
XI	86	89	89	88	6.3	5.6	5.4	60	10	2	30	20	19	0	26	18	1	2	1	0	5	24	3	0	2	0	0	0	9	1	8	2	15	30
XII	85	86	86	86	4.3	5.0	4.4	23	6	14	31	29	27	0	16	9	0	7	2	1	2	16	1	1	0	0	0	0	5	2	0	7	11	31
1955	84	78	83	84	5.9	5.6	5.5	518	30		232	148	136	1	232	124	8	72	10	3	122	142	36	17	10	0	0	4	68	19	220	30	177	214

Makkaur Fyr

$H_s = 11$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.8	6.9	5.6	57	7	7	31	13	3	0	25	17	0	13	1	0	2	24	1	0	0	1	0	0	0	0	0	0	15	30
II					5.2	4.5	3.8	24	8	1	28	23	16	0	16	8	0	5	0	0	0	16	0	0	0	0	0	0	0	0	6	5	6	28
III					5.8	5.5	6.0	62	8	24	31	29	6	0	18	13	0	5	1	0	1	18	1	0	0	0	0	0	0	0	9	2	14	31
IV					4.9	5.2	5.4	64	24	24	25	13	5	0	17	9	2	8	1	0	9	12	3	0	0	0	0	0	0	0	19	4	11	25
V					6.1	5.5	5.8	24	7	16	14	0	0	0	15	5	0	6	0	0	13	13	11	0	1	0	0	0	0	1	18	1	15	0
VI					7.1	7.1	7.2	82	17	24	0	0	0	0	20	11	2	5	0	0	20	5	5	5	0	0	0	0	1	3	9	0	24	0
VII					6.9	6.9	6.5	110	31	16	0	0	0	0	18	12	4	3	0	0	18	0	0	12	0	0	0	1	0	3	9	0	22	0
VIII					6.3	5.8	6.7	45	6	29	0	0	0	0	19	14	0	4	0	0	19	0	0	2	0	0	0	1	0	1	14	0	19	0
IX					5.8	6.6	6.1	29	8	3	0	0	0	0	15	10	0	1	0	0	15	0	0	2	0	0	0	0	0	1	13	0	13	0
X					6.3	6.0	5.4	129	28	15	11	2	0	0	26	23	3	11	1	0	19	14	5	0	0	1	0	0	0	0	5	2	14	1
XI					6.2	6.5	5.8	66	8	8	28	15	5	0	26	17	0	11	2	0	8	24	5	2	0	0	0	0	0	1	0	0	13	25
XII					4.1	4.9	3.7	34	7	16	31	28	20	0	17	11	0	12	4	0	1	16	0	0	0	0	0	0	1	0	0	7	7	31
1955					5.9	6.0	5.7	726	31		199	123	55	0	232	150	11	84	10	0	125	142	31	23	1	2	0	2	2	10	.102	21	173	171

Vardø

$H_s = 13$ $H_b = 14.6$ $h_t = 1.9$ $h_a = 8.4$ $h_d = 9.5$ $h_r = 2.0$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	86	84	85	6.1	6.5	6.5	57	5	19	31	19	3	0	24	20	0	19	3	1	1	24	0	0	1	0	0	0	1	0	1	0	17	31
II	86	86	89	87	5.7	4.5	4.4	36	12	1	28	24	11	0	21	10	1	5	0	0	1	18	1	1	0	1	0	0	3	6	16	3	9	28
III	89	88	87	88	5.9	5.9	6.5	47	10	12	31	29	3	0	22	14	0	9	0	0	0	22	0	0	0	0	0	0	2	1	19	1	17	31
IV	84	83	83	84	5.4	4.9	5.2	58	14	24	25	11	2	0	20	11	1	7	0	0	8	15	3	1	0	0	0	0	0	0	24	4	13	30
V	83	81	82	82	6.1	4.9	6.4	30	5	20	16	0	0	0	18	12	0	2	0	0	16	13	11	0	0	0	0	0	0	0	21	1	15	6
VI	88	86	89	89	6.7	7.1	6.4	58	15	24	2	0	0	0	23	13	2	3	0	0	22	7	3	2	0	0	0	1	1	3	15	0	21	2
VII	90	87	89	91	7.4	6.5	6.3	101	18	20	0	0	0	0	19	13	4	4	0	0	19	0	0	4	0	0	0	2	0	5	17	0	20	0
VIII	86	84	87	87	5.8	5.9	6.0	41	7	28	0	0	0	0	17	11	0	4	0	0	17	0	0	4	0	0	0	2	0	3	23	0	15	0
IX	91	87	88	89	6.5	6.5	6.7	22	6	3	0	0	0	0	13	6	0	4	0	0	13	0	0	7	0	0	0	0	2	1	14	0	20	0
X	88	88	88	88	5.8	6.5	5.5	103	21	16	12	3	0	0	28	18	2	12	1	0	21	15	8	1	0	2	0	0	0	0	8	1	14	11
XI	86	84	85	85	6.1	6.3	6.4	65	6	26	28	16	2	0	28	19	0	11	1	0	6	26	3	0	1	2	0	0	0	2	3	0	14	30
XII	86	88	89	88	5.2	5.4	5.4	40	6	28	31	29	18	0	21	14	0	15	1	0	1	20	0	0	2	0	0	0	4	4	0	3	12	31
1955	87	86	87	87	6.1	5.9	6.0	658	21		204	131	39	0	254	161	10	95	6	1	125	160	29	20	4	5	0	5	13	25	161	13	187	200

Ekkerøy

$H_s = 7$ $H_b =$ $h_t = 1.5$ $h_a =$ $h_d = 8.7$ $h_r = 1.9$

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.3	5.6	4.6	27	4	12	31		8		14	9	0	12	3	0	0	14	0	0	0	0	0	0	14	2	4	0	6	31
II					6.0	5.9	5.5	20	4	18	27		17		19	8	0	4	0	0	1	18	1	0	0	0	0	0	13	9	15	0	12	28
III					5.6	4.9	4.9	27	5	19	31		10		18	11	0	10	0	0	0	18	0	0	0	0	0	0	9	2	24	1	10	31
IV					4.8	4.0	4.8	52	16	24	23		7		14	8	2	9	1	0	9	9	2	0	0	0	0	0	3	0	24	7	9	30
V					6.2	5.3	5.3	15	3	20	14		0		12	5	0	2	0	0	10	9	7	0	0	0	0	0	5	0	22	0	15	30
VI					6.3	6.3	6.3	57	14	7	0		0		15	6	3	4	0	0	15	0	4	2	0	0	0	0	8	0	17	0	16	4
VII					6.3	5.5	5.8	102	23	21	0		0		15	10	5	2	0	0	15	0	0	1	0	0	0	1	12	3	23	0	14	0
VIII					5.1	5.2	5.6	28	8	1	0		0		11	7	0	5	0	0	11	0	0	2	0	1	0	0	8	0	30	0	6	0
IX					6.5	6.6	6.3	29	5	19	0		0		14	7	0	1	0	·0	14	0	0	8	0	1	0	0	9	5	18	0	19	0
X					5.6	5.9	4.9	57	12	15	18		0		15	12	1	12	4	0	12	9	4	0	0	0	0	0	6	1	15	0	10	16
XI					5.2	5.3	4.7	24	7	14	29		9		13	7	0	7	1	1	1	13	1	0	0	0	0	0	15	0	6	0	10	30
XII					5.6	5.9	5.1	28	5	28	31		23		12	9	0	11	2	0	2	12	1	0	0	0	0	0	15	12	0	0	11	31
1955					5.7	5.5	5.3	466	23		204		74		172	99	11	79	11	1	90	102	20	13	0	2	0	1	117	34	198	8	138	231

1955

Pasvik

φ = 69° 10′N λ = 29° 15′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			-13.8	-12.9	-12.3	-13.0	- 7.5	-19.2	2.3	1	-33.4	15
II			-20.0	-17.2	-22.7	-20.3	-15.2	-26.3	0.7	8	-41.7	22
III			-15.3	- 8.6	-12.1	-12.9	- 7.1	-21.2	- 0.4	12	-40.1	10
IV			- 5.2	- 0.1	- 3.2	- 4.4	0.8	-12.2	8.0	27	-30.5	3
V			3.1	4.5	3.0	2.5	5.4	- 1.5	12.5	31	-12.2	5
VI			7.4	9.0	7.9	7.3	10.6	4.3	17.5	1	- 0.7	6
VII			12.3	14.9	13.7	12.5	17.3	8.0	27.0	28	3.0	2
VIII			12.6	15.6	13.5	12.8	16.8	7.7	24.1	18	- 0.8	30
IX			7.1	9.2	7.1	7.3	10.1	4.2	16.4	17	- 2.9	23
X			- 0.6	1.3	- 0.4	- 0.1	2.6	- 3.0	10.5	11	-14.1	20
XI			-12.4	-12.0	-13.0	-12.5	- 8.1	-16.7	2.3	17	-38.0	26
XII			-20.2	-19.2	-19.9	-19.8	-14.8	-26.6	1.2	29	-40.2	22
1955			- 3.8	- 1.3	- 3.2	- 3.4	0.9	- 8.5	27.0		-41.7	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	10 3.7	4 2.0	0 -	0 -	3 2.7	0 -	20 2.8	17 2.6	20 1.5	7 3.0	4 2.0	4 2.8	4
II	5 1.4	2 1.0	3 1.7	0 -	0 -	6 2.7	10 1.8	9 1.8	21 1.2	6 1.0	0 -	2 1.0	20
III	18 1.7	6 2.8	5 2.2	2 3.5	4 3.0	4 2.8	19 4.2	11 2.4	11 1.9	2 2.0	3 2.3	3 3.3	5
IV	15 3.9	7 2.3	6 2.2	4 1.5	1 1.0	0 -	18 3.6	18 3.1	13 2.8	2 4.0	4 3.2	1 4.0	1
V	18 3.6	7 2.6	11 3.9	16 3.2	0 -	4 3.8	17 3.3	3 2.3	7 2.3	3 3.3	1 3.0	6 4.0	0
VI	18 4.1	17 4.2	4 2.5	3 2.0	3 2.0	0 -	4 4.2	7 3.7	4 4.0	10 4.1	9 4.2	11 4.3	0
VII	20 4.4	10 3.8	8 3.2	1 3.0	1 3.0	4 2.5	5 3.2	17 3.3	5 3.0	9 3.9	6 2.8	6 3.2	1
VIII	16 2.4	5 2.8	2 1.5	1 3.0	0 -	3 3.3	16 2.5	17 2.9	16 3.2	9 3.9	4 3.8	4 3.2	0
IX	8 2.4	6 3.7	8 3.5	3 3.7	3 3.3	12 3.5	30 4.0	7 3.3	6 2.2	3 3.3	2 5.0	2 3.5	0
X	12 3.2	7 5.0	0 -	0 -	0 -	2 3.0	16 3.4	20 3.4	14 2.5	12 4.7	4 3.5	3 3.7	3
XI	12 3.5	8 2.0	3 1.0	3 1.0	0 -	1 1.0	7 2.9	25 1.6	17 1.2	2 3.0	3 2.7	3 2.7	6
XII	5 1.2	1 1.0	2 1.0	1 1.0	1 1.0	4 6.2	30 3.3	19 1.4	19 1.2	6 1.0	0 -	1 1.0	4
1955	157 3.2	80 3.3	52 2.8	34 2.7	16 2.6	40 3.4	192 3.3	170 2.6	153 2.0	71 3.3	40 3.3	46 3.4	44

Karasjok

φ = 69° 28′N λ = 25° 31′E g = 9.825 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	983.4	1000.3	-17.0	-15.7	-15.6	-16.1	- 8.7	-23.6	4.2	4	-39.0	11
II	92.7	10.0	-23.0	-19.2	-22.4	-21.9	-16.4	-27.9	0.5	8	-40.9	17
III	92.2	09.2	-16.8	- 8.9	-12.0	-13.4	- 6.9	-20.7	- 0.5	12	-39.0	10
IV	96.6	13.4	- 9.1	- 1.6	- 3.6	- 5.9	- 0.1	-13.1	7.6	19	-31.2	1
V	92.5	08.9	1.4	3.5	2.9	1.8	4.8	- 1.6	12.6	31	- 8.7	5
VI	94.7	11.0	6.0	8.2	7.3	6.4	9.7	3.2	16.0	24	- 1.4	6
VII	97.1	13.0	11.4	15.0	13.9	12.2	17.0	7.2	26.4	28	2.4	14
VIII	98.5	14.5	9.3	15.6	13.9	11.8	17.6	5.1	25.7	20	- 3.6	30
IX	95.4	11.6	5.0	9.2	7.3	6.8	10.3	3.5	16.2	6	- 2.6	10
X	86.0	02.6	- 3.8	- 0.2	- 2.6	- 2.5	1.4	- 6.3	11.1	11	-20.4	31
XI	93.7	10.7	-15.9	-14.4	-14.6	-15.1	-10.1	-20.5	4.0	17	-40.9	26
XII	87.1	04.3	-22.1	-22.3	-23.3	-22.6	-17.6	-29.1	1.0	30	-40.6	10
1955	992.5	1009.1	- 6.2	- 2.6	- 4.0	- 4.9	0.1	-10.3	26.4		-40.9	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	3 1.3	2 1.5	1 1.0	4 1.0	0 -	0 -	1 1.0	0 -	7 2.4	6 2.3	7 1.4	0 -	62
II	1 1.0	0 -	2 1.0	1 2.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 1.0	79
III	3 1.3	11 1.4	1 2.0	8 1.2	1 2.0	5 1.0	2 2.5	4 1.2	4 1.0	6 1.2	0 -	1 3.0	47
IV	6 1.8	10 1.6	0 -	0 -	2 1.0	0 -	4 1.0	6 1.0	7 1.6	11 1.8	4 1.5	5 1.4	35
V	11 1.8	17 1.6	6 1.8	6 1.7	2 1.0	5 1.0	1 1.0	8 1.1	2 1.0	16 1.4	3 1.3	3 1.3	13
VI	29 1.9	11 1.5	1 1.0	0 -	1 1.0	0 -	3 2.0	1 2.0	5 1.4	13 1.4	12 1.8	7 1.6	7
VII	16 1.8	2 2.0	0 -	4 1.0	2 1.5	1 1.0	0 -	4 1.0	4 1.5	7 1.4	10 1.6	14 1.4	29
VIII	6 1.3	0 -	0 -	1 1.0	1 1.0	0 -	2 1.0	6 1.5	2 1.0	19 1.3	6 1.3	7 1.6	43
IX	2 1.5	5 1.2	2 1.0	10 1.0	4 1.2	5 1.0	5 1.6	2 1.0	4 1.5	4 1.2	0 -	4 1.8	43
X	4 1.5	6 1.9	2 3.0	1 1.0	0 -	1 1.0	2 1.0	6 1.0	2 1.0	14 1.3	7 1.0	5 1.6	43
XI	4 1.5	4 1.5	2 2.0	4 1.2	0 -	0 -	0 -	0 -	0 -	12 1.1	0 -	1 1.0	63
XII	0 -	0 -	2 1.0	11 1.3	2 2.5	5 1.6	3 1.3	0 -	0 -	2 1.0	0 -	0 -	68
1955	85 1.7	68 1.5	19 1.6	50 1.2	15 1.3	22 1.1	23 1.4	37 1.2	37 1.5	110 1.4	49 1.5	48 1.5	532

Kautokeino

φ = 69° 0′N λ = 23° 2′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			-13.6	-12.3	-13.9	-13.3	- 8.0	-20.5	3.2	3	-33.0	10
II			-19.4	-17.7	-20.2	-19.4	-14.8	-26.2	- 0.8	8	-40.3	17
III			-15.2	-10.3	-12.7	-13.4	- 8.1	-19.6	- 1.5	6	-36.4	9
IV			-10.0	- 3.6	- 5.6	- 7.5	- 2.5	-14.0	5.9	19	-32.9	9
V			0.2	1.9	1.2	0.2	2.7	- 3.0	10.9	31	-14.6	11
VI			5.8	7.8	6.8	5.8	9.2	1.6	15.5	24	- 2.2	6
VII			12.0	15.6	14.1	12.7	17.3	7.4	25.4	12	1.7	1
VIII			10.0	15.7	13.5	11.9	17.0	5.2	24.8	20	- 2.6	8
IX			5.1	8.3	6.5	6.2	9.5	3.2	15.3	6	- 3.2	10
X			- 4.9	- 1.5	- 3.4	- 3.6	0.3	- 7.3	9.7	11	-22.2	31
XI			-15.3	-14.9	-14.6	-15.0	- 9.3	-20.5	4.0	17	-40.8	26
XII			-21.1	-21.9	-22.0	-21.7	-17.0	-27.3	- 0.2	30	-39.6	15
1955			- 5.5	- 2.7	- 4.2	- 4.8	- 0.3	-10.1	25.4		-40.8	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	8 2.2	4 1.8	0 -	0 -	0 -	1 1.0	13 1.7	21 2.6	6 2.0	7 2.3	7 1.7	2 2.5	24
II	1 1.0	1 1.0	0 -	0 -	0 -	1 1.0	15 1.2	8 1.2	2 1.0	0 -	1 1.0	3 1.0	52
III	6 2.2	4 2.2	1 1.0	1 1.0	0 -	1 3.0	17 3.4	12 2.2	1 2.0	5 1.8	11 1.6	2 4.5	32
IV	4 3.5	4 3.0	0 -	0 -	0 -	0 -	14 2.6	12 3.0	10 2.4	12 2.4	6 4.9	5 3.6	23
V	6 1.8	13 3.4	4 2.5	3 1.7	0 -	4 4.0	5 2.2	13 2.5	7 2.3	7 2.3	12 1.9	9 3.3	10
VI	18 3.3	7 2.0	0 -	0 -	0 -	1 1.0	4 1.5	4 1.5	4 2.0	18 1.9	13 2.9	9 3.6	12
VII	9 2.1	4 1.5	0 -	0 -	0 -	2 1.5	5 1.8	16 2.0	9 2.2	19 3.3	6 2.3	10 4.0	13
VIII	1 3.0	1 3.0	0 -	0 -	0 -	0 -	11 1.5	21 2.1	19 1.9	14 2.6	3 2.3	8 1.4	15
IX	2 1.0	5 2.0	3 2.3	4 1.5	3 1.3	7 1.6	17 3.1	18 2.1	1 2.0	5 2.4	2 1.0	1 1.0	22
X	9 4.0	0 -	0 -	0 -	0 -	1 1.0	13 2.2	24 2.4	4 3.2	15 2.7	2 2.5	4 2.8	21
XI	3 2.7	0 -	0 -	0 -	0 -	0 -	12 1.7	14 2.4	1 1.0	6 1.8	9 1.8	3 3.7	42
XII	0 -	0 -	0 -	0 -	1 4.0	1 5.0	17 2.0	32 2.9	2 1.5	0 -	0 -	1 1.0	39
1955	67 2.7	43 2.5	8 2.3	8 1.5	4 2.0	19 2.2	143 2.2	195 2.4	66 2.1	108 2.5	72 2.3	57 3.3	305

Siččajavre

φ = 68° 45′N λ = 23° 33′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			-14.0	-13.8	-15.0	-14.3	- 9.4	-26.7	1.2	1	-30.2	31
II			-17.2	-16.6	-19.0	-17.9	-13.8	-24.3	- 1.0	8	-38.8	17
III			-14.9	-11.0	-12.8	-13.6	- 8.7	-19.3	- 2.5	12	-35.0	10
IV			- 9.5	- 4.3	- 6.6	- 7.8	- 2.5	-13.4	5.5	19	-28.1	2
V			- 1.3	1.0	0.2	- 0.8	2.4	- 3.9	9.0	31	-16.3	6
VI			4.8	7.1	6.0	5.3	8.7	1.5	15.2	24	- 3.3	9
VII			11.3	15.3	13.6	12.2	16.9	7.3	25.3	12	2.4	20
VIII			9.8	14.8	13.4	11.4	16.6	5.1	23.5	20	- 1.2	5
IX			4.9	7.6	6.5	5.9	8.8	3.1	14.2	1	- 1.7	5
X			- 5.1	- 1.9	- 3.9	- 3.9	- 0.3	- 7.6	8.9	11	-24.8	29
XI			-15.2	-14.0	-14.5	-14.7	- 9.4	-19.7	3.5	18	-38.8	26
XII			-20.1	-20.1	-20.0	-20.1	-16.1	-25.4	- 0.5	30	-36.9	13
1955			- 5.5	- 3.0	- 4.3	- 4.9	- 0.6	-10.3	25.3		-38.8	

Måned	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	10 2.9	3 3.3	3 2.0	15 1.4	1 1.0	6 2.3	11 3.3	11 2.7	4 2.0	8 1.6	13 1.4	3 1.3	5
II	2 1.5	3 1.0	3 1.3	27 1.5	7 1.9	9 1.8	8 2.0	2 2.0	2 1.0	7 1.3	5 1.6	3 1.0	6
III	13 2.7	10 2.2	7 1.6	10 1.2	3 2.0	9 2.4	17 3.5	4 3.2	2 2.5	5 1.4	8 1.2	2 2.5	3
IV	8 3.8	5 2.4	5 1.6	5 1.4	4 1.5	6 2.7	10 3.1	9 2.7	4 2.0	5 1.6	7 2.4	15 2.3	7
V	13 2.3	8 2.2	11 2.7	14 2.6	7 2.6	5 2.8	7 2.3	2 2.0	5 2.2	8 2.0	5 1.6	7 1.4	1
VI	18 3.2	14 2.5	1 2.0	5 1.6	2 1.5	1 2.0	3 3.0	1 3.0	10 2.0	9 2.4	8 2.2	14 2.7	4
VII	14 3.1	8 2.1	3 1.3	4 2.0	3 2.0	4 2.5	13 2.5	4 2.8	5 3.0	12 2.8	8 3.4	11 3.2	4
VIII	4 2.2	3 2.3	3 2.0	6 1.8	2 2.0	6 2.2	14 2.1	8 2.0	12 2.8	14 2.2	8 2.9	9 2.9	4
IX	1 1.0	7 2.0	5 2.0	15 2.7	7 2.4	18 3.0	13 2.7	11 1.9	4 2.0	2 2.5	2 3.5	1 2.0	4
X	3 2.3	8 2.9	7 2.0	3 1.0	0 -	4 2.5	19 2.6	8 2.4	7 2.9	12 2.2	13 2.6	6 1.8	3
XI	4 3.0	8 1.6	8 1.5	6 1.2	2 2.5	6 2.3	12 1.8	3 1.7	5 2.0	14 1.1	7 1.4	1 2.0	14
XII	0 -	1 1.0	4 1.5	19 1.5	9 2.1	28 2.5	19 2.0	3 1.7	1 1.0	3 1.3	2 1.0	1 1.0	3
1955	90 2.9	78 2.2	60 1.9	129 1.7	47 2.1	102 2.5	146 2.6	66 2.3	61 2.4	99 1.9	86 2.1	73 2.4	58

Årsoversikter

Annual Summaries)

1955

Pasvik

H_s = 54 H_b = h_t = 2.0 h_a = h_d = 9.2 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	89	89	89	89	4.4	5.3	5.1	16	3	25	31	28	24	0	20	8	0	3	0	0	0	16	0	0	0	0	0	0	3	0	6	0	7	31
II	88	89	87	88	5.3	4.0	3.9	20	6	5	28	27	23	0	24	4	0	0	0	0	0	19	0	0	0	0	0	0	6	5	20	4	8	28
III	86	76	85	84	5.0	4.6	4.4	13	2	12	31	31	31	0	19	5	0	3	0	0	0	19	0	0	0	0	0	0	6	1	28	4	10	31
IV	80	67	74	80	4.6	5.0	5.2	32	9	25	25	11	15	0	16	5	0	6	0	0	5	15	4	0	0	0	0	0	0	0	28	4	10	30
V	70	63	71	74	5.9	6.5	6.3	20	4	16	21	0	1	0	18	8	0	4	0	0	10	12	2	0	0	0	0	0	0	2	28	0	15	17
VI	72	66	71	75	6.5	6.4	6.3	56	11	18	1	0	0	0	25	10	1	2	0	0	24	4	3	0	0	3	0	0	0	0	28	0	15	0
VII	76	67	71	79	5.9	5.8	5.8	104	15	16	0	0	0	2	19	12	3	4	0	0	18	0	0	2	0	1	0	3	0	0	27	0	11	0
VIII	74	59	71	78	5.2	5.1	5.4	22	15	28	1	0	0	0	13	4	1	2	0	0	13	0	0	0	0	0	0	3	1	1	31	1	8	0
IX	88	78	87	87	6.6	6.3	5.8	11	3	7	3	0	0	0	17	4	0	1	0	0	14	0	0	3	0	0	0	0	2	3	23	0	18	0
X	91	85	90	91	5.7	6.0	5.6	57	16	16	24	8	3	0	27	13	1	6	0	0	15	15	6	1	0	0	0	0	3	4	20	2	18	17
XI	92	91	92	91	5.4	5.4	5.4	31	10	18	30	26	19	0	25	9	1	1	0	0	2	21	1	0	0	0	0	0	2	5	11	2	14	30
XII	87	88	87	86	5.3	5.5	5.5	21	6	28	31	29	27	0	20	4	0	5	0	0	2	20	2	0	0	0	0	0	7	1	0	2	12	31
1955	83	76	81	84	6.0	5.5	5.4	403	16		226	160	143	2	243	86	7	37	0	0	103	141	18	6	0	4	0	6	30	22	250	19	146	215

Karasjok

H_s = 129 H_b = 130.8 h_t = 1.9 h_a = h_d = 10.0 h_r = 1.3

Måned	7	13	19	Døgn	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	88	87	87	4.8	5.3	3.6	17	4	12	31	27	28	0	13	6	0	0	0	0	1	13	1	0	0	0	0	0	2	2	3	2	5	31
II	88	89	88	88	4.9	4.2	4.1	12	6	5	28	27	28	0	17	1	0	0	0	0	0	17	0	0	0	0	0	0	0	7	15	5	8	28
III	87	80	83	84	5.0	4.9	4.9	19	6	14	31	31	30	0	13	4	0	0	0	0	0	13	0	0	0	0	0	0	1	5	23	6	12	31
IV	85	75	76	80	4.5	4.0	4.9	40	15	24	27	15	16	0	10	6	2	0	0	0	5	10	5	0	0	0	0	0	2	1	24	4	8	30
V	80	69	74	82	6.0	5.5	6.2	25	14	21	23	0	0	0	13	5	1	0	0	0	8	9	5	0	0	0	0	0	0	0	21	2	16	16
VI	77	64	67	74	7.0	6.1	6.0	67	20	17	3	0	0	0	19	12	2	1	0	0	18	5	4	0	0	0	0	0	3	0	23	0	15	1
VII	76	60	62	74	5.6	5.7	5.3	90	25	16	0	0	0	2	14	12	3	0	0	0	14	0	0	0	0	0	0	3	2	2	29	1	10	0
VIII	84	51	56	73	5.8	5.3	5.0	9	2	27	4	0	0	1	9	5	0	0	0	0	9	0	0	0	0	0	0	0	1	6	31	1	7	0
IX	92	75	82	86	6.8	5.7	5.9	35	17	2	4	0	0	0	9	5	2	0	0	0	9	0	0	0	0	0	0	0	7	7	16	1	18	0
X	91	83	88	88	6.2	5.6	5.4	32	6	16	25	10	8	0	16	9	0	0	0	0	9	9	2	0	0	0	0	0	2	3	19	0	11	16
XI	90	90	90	90	5.2	5.0	5.2	19	5	23	30	25	23	0	16	5	0	0	0	0	2	17	1	1	0	0	0	0	5	4	7	2	13	30
XII	87	87	86	87	4.4	4.5	4.4	21	5	28	31	29	27	0	16	8	0	0	0	0	0	16	0	0	0	0	0	0	3	6	0	6	10	31
1955	85	76	78	83	5.5	5.2	5.1	386	25		237	164	160	3	165	78	10	1	0	0	75	109	18	1	0	0	0	3	28	43	211	30	133	214

Kautokeino

H_s = 306 H_b = h_t = 1.9 h_a = h_d = h_r = 1.9

Måned	7	13	19	Døgn	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	86	86	86	4.2	4.9	4.0	5	2	12	31	27	28	0	9	3	0	3	0	0	0	9	0	0	0	0	0	0	0	0	6	4	5	31
II	86	87	88	87	6.7	5.0	4.8	17	4	5	28	28	27	0	5	5	0	0	0	0	0	5	0	0	0	0	0	0	2	7	15	1	12	28
III	88	81	85	85	5.7	4.9	4.9	8	2	14	31	31	30	0	19	3	0	4	0	0	0	19	0	0	0	0	0	0	1	2	17	4	12	31
IV	85	75	80	61	4.2	3.8	4.7	2	1	27	29	17	16	0	9	1	0	5	0	0	9	10	1	0	0	0	0	0	0	0	23	5	7	30
V	85	74	79	87	5.5	5.0	5.2	27	13	21	25	4	1	0	13	6	1	1	0	0	4	11	2	1	0	0	0	0	0	0	23	3	9	28
VI	74	65	68	73	6.1	6.1	5.7	29	9	24	8	0	0	0	11	8	0	2	0	0	9	4	2	1	0	0	0	0	0	0	22	0	16	1
VII	77	60	64	75	5.2	5.1	4.9	43	12	13	0	0	0	1	14	8	1	3	0	0	14	0	0	0	0	0	0	4	0	1	28	2	10	0
VIII	81	54	63	75	4.8	5.0	5.0	7	3	30	5	0	0	0	8	2	0	0	0	0	8	0	0	1	0	0	0	0	0	5	31	0	5	0
IX	92	77	86	88	7.0	6.8	6.9	32	16	2	4	0	0	0	13	5	1	0	0	0	13	1	1	12	0	0	0	0	5	7	9	0	21	0
X	89	77	84	85	5.3	5.3	4.5	22	4	21	25	11	8	0	17	8	0	5	0	0	9	10	1	1	0	0	0	0	2	3	18	3	9	16
XI	86	86	87	86	4.9	4.8	4.8	10	5	23	30	25	25	0	12	2	0	1	0	0	0	12	0	0	0	0	0	0	2	2	11	5	8	30
XII	85	85	85	85	6.0	5.6	5.5	12	5	28	31	31	27	0	15	4	0	1	0	0	0	15	0	0	0	0	0	0	7	5	0	1	16	31
1955	85	76	80	83	5.5	5.2	5.1	214	16		247	174	162	1	145	55	3	25	0	0	66	96	7	16	0	0	0	4	19	32	203	28	130	226

Siččajavre

H_s = 382 H_b = h_t = 2.1 h_a = h_d = 6 h_r = 1.6

Måned	7	13	19	Døgn	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	86	86	86	3.8	3.9	4.0	22	5	19	31	28	29	0	12	7	0	2	1	0	0	12	0	0	0	0	0	0	0	0	5	4	6	31
II	86	86	86	86	5.2	4.9	4.4	23	5	5	28	28	26	0	16	10	0	0	0	0	0	16	0	0	0	0	0	0	0	0	8	2	9	28
III	86	82	86	85	5.0	4.4	4.2	28	4	14	31	31	29	0	21	12	0	2	1	0	0	21	0	0	0	0	0	0	0	0	10	4	10	31
IV	83	74	80	80	3.1	3.2	3.6	34	17	24	30	19	18	0	11	5	1	2	0	0	2	10	1	0	0	0	0	0	0	0	18	9	4	30
V	84	74	79	85	4.2	4.2	4.9	43	16	21	26	6	3	0	14	12	1	1	0	0	8	12	6	1	0	0	0	0	0	0	15	3	8	31
VI	75	64	66	72	5.6	5.5	5.3	42	11	15	7	0	0	0	13	10	2	1	0	0	13	5	5	3	0	0	0	0	1	1	10	0	10	4
VII	74	57	59	72	4.5	4.3	3.8	62	16	6	0	0	0	1	10	8	4	4	0	0	10	0	0	3	0	0	0	0	0	1	17	2	6	0
VIII	79	52	60	72	4.2	3.9	4.3	9	2	30	6	0	0	0	6	5	0	2	0	0	6	0	0	3	0	0	0	0	0	3	17	1	2	0
IX	92	79	85	87	6.4	6.1	6.0	63	23	2	4	0	0	0	15	10	1	0	0	0	15	3	2	8	0	0	0	0	3	9	7	1	17	0
X	91	80	87	87	5.1	4.3	4.5	34	8	27	27	13	9	0	15	13	0	2	1	0	8	10	3	2	0	0	0	0	0	2	11	2	10	16
XI	90	88	89	89	4.6	4.2	4.4	28	11	23	30	28	25	0	12	8	1	0	0	0	0	12	0	0	0	0	0	0	0	0	7	2	7	30
XII	86	86	87	86	4.8	5.2	5.2	23	3	27	31	31	27	0	17	11	0	0	0	0	0	17	0	0	0	0	0	0	0	0	0	3	11	31
1955	84	76	79	82	4.7	4.5	4.5	411	23		251	184	166	1	162	111	10	16	3	0	62	118	17	20	0	0	0	0	4	16	125	33	100	232

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1955

Pentade	Røros	Alvdal	Sør-Nesset	Dombås	Vinstra	Vollen i Slidre	Lillehammer	Kise på Hedmark	Østre Toten	Flisa	Vinger	Hvam	Modum	Nesbyen II	Stokke	Ås	Eidsberg	Gvarv	Byglandsfjord II
1.I - 5.I	-11.0	-7.2	-9.0	-7.0	-7.8	-10.1	-7.7	-6.3	-7.1	-8.8	-7.8	-6.3	-7.9	-11.8	-5.3	-5.2	-5.0	-6.5	-3.7
6.I - 10.I	-9.7	-8.9	-8.9	-6.0	-6.4	-9.5	-5.1	-2.9	-3.5	-5.8	-5.0	-4.3	-3.6	-8.2	-2.5	-3.1	-2.5	-5.0	-4.1
11.I - 15.I	-10.5	-12.6	-9.9	-10.7	-14.4	-14.8	-13.0	-8.8	-8.4	-14.5	-13.3	-12.0	-10.0	-16.7	-8.2	-10.1	-8.0	-15.2	-9.4
16.I - 20.I	-13.8	-16.3	-14.1	-13.3	-15.8	-17.5	-13.6	-8.8	-10.1	-17.3	-15.9	-17.0	-13.9	-20.6	-13.0	-13.9	-13.2	-22.0	-14.6
21.I - 25.I	-3.9	-4.5	-3.1	-3.8	-7.3	-7.0	-6.3	-3.1	-3.3	-4.8	-4.1	-5.1	-3.7	-6.6	-2.5	-4.2	-2.0	-5.9	-2.0
26.I - 30.I	-4.0	-3.2	-1.8	-1.8	-6.0	-2.7	-3.3	-0.5	-0.4	-0.4	0.7	0.5	0.2	-2.5	2.5	0.8	1.7	-0.7	1.3
31.I - 4.II	-1.8	0.6	-0.5	0.1	0.8	-0.6	0.4	1.2	0.5	1.3	1.2	1.2	0.5	0.9	1.5	1.3	1.7	0.9	1.7
5.II - 9.II	-10.3	-11.5	-8.5	-10.0	-9.6	-11.8	-6.4	-5.8	-6.0	-6.5	-5.3	-5.0	-5.9	-9.1	-3.4	-4.8	-3.1	-4.9	-3.0
10.II - 14.II	-14.7	-12.3	-11.6	-11.1	-12.5	-15.1	-10.5	-7.7	-8.2	-13.5	-13.0	-11.9	-11.3	-14.5	-8.7	-9.7	-9.0	-12.4	-10.0
15.II - 19.II	-19.5	-19.8	-17.8	-15.4	-15.2	-14.6	-13.4	-10.8	-12.1	-12.5	-11.9	-11.2	-11.2	-12.4	-8.7	-9.9	-9.6	-8.5	-8.4
20.II - 24.II	-17.9	-18.4	-17.0	-16.0	-16.9	-20.4	-13.8	-12.8	-11.8	-16.9	-15.8	-15.8	-14.9	-17.1	-10.2	-10.9	-10.8	-13.0	-10.3
25.II - 1.III	-10.6	-10.9	-9.1	-8.0	-9.5	-15.4	-8.9	-8.7	-6.6	-10.4	-9.9	-9.5	-9.6	-12.6	-6.6	-6.7	-5.8	-8.5	-7.1
2.III - 6.III	-3.9	-1.6	-2.9	-1.9	-2.7	-1.4	-2.1	-1.5	-1.3	-2.0	-2.2	-1.8	-1.3	-1.1	-0.5	-1.7	-2.3	-1.8	-0.6
7.III - 11.III	-4.2	-2.9	-2.9	-2.6	-1.6	-3.7	-2.4	-2.9	-2.3	-4.4	-3.5	-3.7	-3.3	-2.6	-2.5	-3.1	-3.0	-3.5	-2.8
12.III - 16.III	-2.3	-2.1	-2.0	-1.5	-1.6	0.7	-2.5	-1.7	-0.2	-1.2	-0.1	-0.1	0.7	0.8	2.7	0.4	0.3	0.4	1.8
17.III - 21.III	-15.5	-12.2	-12.2	-12.1	-9.0	-10.3	-8.4	-7.3	-7.7	-9.6	-8.7	-7.7	-7.5	-8.3	-6.1	-6.1	-6.7	-6.5	-5.5
22.III - 26.III	-14.3	-11.7	-12.3	-10.4	-9.5	-9.4	-7.8	-7.7	-6.6	-6.9	-5.5	-4.9	-6.0	-6.6	-3.5	-3.4	-3.0	-3.3	-2.5
27.III - 31.III	-7.1	-5.3	-6.8	-6.0	-4.5	-3.4	-3.7	-2.8	-2.1	-3.4	-2.2	-1.5	-0.3	-1.4	-1.3	-0.9	-1.3	0.3	0.2
1.IV - 5.IV	-4.4	-2.7	-3.0	-1.9	-0.3	0.3	-1.1	-0.5	0.1	0.3	0.2	0.7	0.6	2.0	0.9	0.9	0.1	0.5	1.7
6.IV - 10.IV	-5.3	-3.0	-4.4	-3.1	-0.6	-1.0	-2.0	-2.1	-2.4	-1.5	-1.8	-1.9	-1.6	-0.3	-1.6	-1.3	-1.2	-0.1	-0.2
11.IV - 15.IV	0.2	1.4	-0.6	0.8	2.5	2.4	1.8	2.3	2.8	2.5	3.1	2.8	3.4	3.6	4.3	3.3	3.2	4.5	4.0
16.IV - 20.IV	0.0	2.1	2.1	2.7	5.5	4.5	3.8	3.3	4.5	4.1	4.7	5.4	5.2	5.9	6.4	6.2	5.6	5.8	5.7
21.IV - 25.IV	-4.4	-2.8	-4.7	-3.4	-0.2	-1.3	-0.3	0.7	0.3	0.9	1.4	1.6	1.7	0.5	2.6	2.3	1.9	2.6	1.4
26.IV - 30.IV	-2.8	-1.1	-1.9	-0.3	2.5	1.5	2.3	2.0	2.3	3.4	4.2	4.6	4.2	3.5	5.7	5.8	5.2	5.6	5.1
1.V - 5.V	1.7	2.3	1.4	2.8	4.9	3.2	3.5	3.2	3.2	4.2	4.9	5.3	4.8	4.6	6.1	6.3	5.9	5.7	5.3
6.V - 10.V	1.9	3.9	2.5	3.2	6.8	5.1	6.3	6.6	6.4	7.0	6.6	7.1	7.8	7.2	7.8	7.5	6.4	8.0	7.0
11.V - 15.V	0.2	1.7	-0.5	0.9	3.7	2.4	3.6	4.6	3.9	4.5	4.9	4.8	4.7	4.5	5.5	5.9	4.8	5.5	4.0
16.V - 20.V	2.7	3.4	1.8	2.3	5.6	4.5	4.9	5.9	5.0	5.3	5.5	5.4	5.8	5.7	5.7	5.8	6.2	6.5	5.4
21.V - 25.V	0.1	2.0	0.7	1.4	5.4	4.6	5.1	6.0	5.5	5.7	6.0	6.1	6.2	5.5	7.4	7.0	6.9	8.7	7.4
26.V - 30.V	4.9	8.0	7.1	7.5	10.8	8.9	11.2	11.0	11.1	12.0	11.4	12.0	11.8	10.8	12.9	12.8	12.5	13.2	11.9
31.V - 4.VI	10.6	12.5	10.7	12.2	15.4	13.1	16.0	14.9	17.3	16.2	16.1	16.2	16.1	14.7	16.2	16.4	16.1	14.7	14.9
5.VI - 9.VI	3.8	6.2	4.8	6.1	9.2	8.0	9.7	10.0	10.8	11.6	12.3	11.5	11.6	10.2	12.6	12.7	12.1	12.6	12.1
10.VI - 14.VI	5.5	6.8	5.6	6.8	9.1	7.4	9.3	9.4	9.5	10.0	9.8	10.3	9.7	8.7	10.2	11.0	10.6	9.8	8.9
15.VI - 19.VI	3.8	6.6	5.7	5.3	9.9	9.4	9.8	10.4	10.3	9.9	10.8	10.8	11.7	11.4	12.1	12.2	11.4	12.8	12.3
20.VI - 24.VI	10.9	12.3	10.5	11.3	14.3	12.2	14.0	14.2	14.6	14.9	14.4	14.5	15.9	14.1	14.9	15.1	14.2	15.9	14.1
25.VI - 29.VI	10.1	10.9	9.3	10.5	12.6	11.2	13.0	13.4	13.2	13.7	13.7	13.8	14.1	11.9	13.6	14.2	13.7	13.5	12.6
30.VI - 4.VII	12.8	13.3	11.2	12.5	14.0	13.5	14.9	14.8	14.4	15.1	15.7	15.3	14.9	13.9	14.6	15.7	14.4	15.0	13.5
5.VII - 9.VII	12.5	14.9	13.3	14.1	17.8	16.0	17.9	18.0	18.2	19.2	19.7	19.0	19.3	18.7	19.6	20.6	20.0	19.5	19.4
10.VII - 14.VII	18.6	19.0	17.0	18.8	19.3	19.4	21.7	21.6	22.4	22.4	23.0	22.2	23.3	22.0	23.8	24.1	23.5	22.0	21.6
15.VII - 19.VII	11.2	12.7	12.0	11.9	14.3	13.8	15.0	16.5	16.8	17.1	18.4	18.3	18.5	16.6	18.7	19.8	18.8	19.2	17.6
20.VII - 24.VII	13.0	16.5	15.1	15.6	18.9	17.3	18.6	18.2	18.9	18.6	19.2	19.2	20.3	20.3	20.3	20.9	19.8	20.5	21.5
25.VII - 29.VII	15.4	18.4	16.7	18.2	20.6	18.8	20.2	19.7	20.4	20.3	20.4	20.8	22.1	21.2	21.6	22.2	21.9	21.1	21.7
30.VII - 3.VIII	11.3	14.5	12.9	13.6	16.9	15.5	17.1	17.8	18.5	18.5	19.3	18.9	19.7	18.2	18.9	20.1	19.9	20.4	20.2
4.VIII - 8.VIII	10.0	11.5	10.3	10.9	14.4	13.3	14.5	14.7	14.6	14.5	15.2	15.7	16.0	15.7	15.3	16.4	15.6	16.0	16.1
9.VIII - 13.VIII	14.6	16.4	15.0	16.5	18.8	17.1	17.9	17.2	18.2	16.1	18.9	18.2	18.8	18.3	19.2	20.3	19.9	19.5	18.9
14.VIII - 18.VIII	15.4	15.6	14.0	15.5	17.7	15.9	17.5	17.6	17.6	18.1	18.8	18.0	17.9	17.2	17.3	18.6	18.0	17.3	16.8
19.VIII - 23.VIII	12.1	14.0	13.2	14.7	16.9	15.3	16.5	16.1	15.0	15.5	16.3	16.2	17.6	16.4	17.6	17.9	17.7	17.8	18.0
24.VIII - 28.VIII	13.2	15.2	14.0	15.8	17.7	16.4	17.5	17.5	18.6	17.5	18.9	18.2	19.6	17.4	18.9	19.8	19.7	17.9	18.6
29.VIII - 2.IX	10.2	11.9	11.2	11.2	14.0	12.1	14.3	15.9	15.8	16.3	17.1	16.4	16.3	13.1	16.3	17.2	17.5	15.1	14.0
3.IX - 7.IX	9.8	10.0	9.3	10.1	11.9	12.0	12.3	13.4	13.1	12.9	13.4	13.7	14.4	13.1	14.6	15.4	14.9	14.4	14.0
8.IX - 12.IX	9.0	10.6	9.7	11.2	11.9	11.9	12.4	13.4	13.0	12.7	13.8	14.0	13.0	12.3	14.1	15.1	15.2	13.4	13.0
13.IX - 17.IX	6.7	6.7	5.9	6.9	8.6	7.8	9.0	10.3	9.7	10.0	10.4	10.3	10.2	9.1	11.1	11.2	11.0	10.8	10.2
18.IX - 22.IX	5.6	6.0	6.7	7.0	8.2	8.0	7.5	8.6	9.0	8.1	8.8	9.3	10.1	7.8	10.4	11.0	10.6	9.4	10.6
23.IX - 27.IX	5.7	7.3	6.2	7.0	8.6	8.1	8.7	9.9	9.3	8.8	8.9	9.4	10.2	9.3	10.7	10.7	10.2	10.6	10.7
28.IX - 2.X	4.4	5.3	5.5	5.0	5.7	7.2	7.4	9.4	9.1	8.1	8.8	8.9	10.0	7.4	10.4	10.4	10.0	8.5	9.7
3.X - 7.X	2.9	4.0	3.0	3.6	5.2	4.4	5.9	6.8	6.6	6.9	7.7	7.2	6.7	4.2	7.7	7.6	7.7	6.4	7.7
8.X - 12.X	7.6	9.2	7.9	8.6	8.5	8.3	10.9	11.8	11.0	11.1	11.0	11.2	11.3	8.9	12.2	11.8	11.0	9.9	10.9
13.X - 17.X	-1.3	0.1	-0.8	-0.3	3.3	2.6	3.6	5.0	4.6	3.9	5.0	4.7	5.7	3.5	7.1	6.5	6.6	6.5	7.1
18.X - 22.X	-4.8	-4.0	-4.4	-4.1	-2.6	-2.1	-1.0	2.1	1.2	2.4	2.8	2.7	2.7	-1.3	4.3	3.8	3.9	3.7	4.3
23.X - 27.X	-2.8	-3.5	-2.3	-2.7	-2.3	-0.6	-1.7	0.0	-0.9	-1.8	-1.0	-2.1	-0.4	-1.6	1.6	0.0	0.2	0.0	2.5
28.X - 1.XI	-4.6	-5.0	-4.4	-5.0	-4.8	-3.3	-4.0	-1.8	-1.7	-5.3	-3.5	-3.8	-1.3	-5.9	-0.4	-3.6	-0.9	-1.8	0.1
2.XI - 6.XI	-3.1	-2.1	-1.6	-2.1	-2.6	-0.3	-1.1	0.1	-0.7	-0.3	0.5	0.0	0.2	-1.7	2.3	1.6	2.4	1.4	4.0
7.XI - 11.XI	-1.2	-0.3	-1.2	-0.4	0.2	0.6	0.7	2.0	1.1	1.6	2.4	2.3	2.2	0.6	4.5	4.1	5.2	3.8	5.7
12.XI - 16.XI	0.6	1.9	1.5	1.2	1.7	1.7	1.6	3.3	3.3	1.0	2.0	1.7	1.9	-1.4	3.5	2.3	2.3	1.2	3.5
17.XI - 21.XI	1.4	1.4	1.7	1.7	1.1	3.1	0.1	1.8	3.4	-0.5	0.6	-0.6	0.3	-0.1	2.8	0.0	2.3	-0.7	3.4
22.XI - 26.XI	-1.9	-0.4	-1.0	-1.3	-0.8	1.9	-0.9	1.2	1.6	-2.0	-1.2	-1.2	1.8	1.0	2.2	1.8	0.2	1.2	3.0
27.XI - 1.XII	-9.2	-7.6	-5.2	-6.3	-6.1	-4.4	-5.7	-2.9	-3.8	-4.4	-3.2	-3.2	-2.2	-5.5	0.0	-1.3	-0.5	-2.3	1.3
2.XII - 6.XII	-3.6	-3.4	-1.5	-1.5	-3.6	0.5	-3.3	-0.3	0.1	-1.3	0.3	0.1	1.4	-1.5	4.2	1.7	2.7	0.0	4.8
7.XII - 11.XII	-9.2	-11.8	-7.4	-8.5	-9.8	-5.4	-8.4	-4.9	-5.2	-9.3	-7.9	-7.4	-5.3	-9.3	-3.7	-4.6	-4.7	-6.4	-2.1
12.XII - 16.XII	-15.7	-16.5	-13.3	-12.9	-14.7	-12.4	-12.2	-10.1	-10.5	-14.2	-13.5	-12.7	-10.2	-13.6	-8.9	-10.3	-10.4	-10.0	-6.1
17.XII - 21.XII	-23.4	-19.8	-18.1	-17.9	-17.7	-15.9	-15.4	-12.6	-13.2	-17.8	-17.1	-16.7	-14.9	-18.1	-14.0	-14.8	-15.4	-15.0	-10.0
22.XII - 26.XII	-14.0	-14.6	-12.5	-10.1	-16.1	-17.3	-13.2	-10.8	-11.4	-12.0	-10.1	-9.9	-12.1	-17.3	-6.7	-7.4	-6.2	-10.2	-3.3
27.XII - 31.XII	-5.2	-6.3	-5.4	-4.1	-4.9	-7.3	-4.3	0.0	-0.5	0.0	0.1	0.2	-1.2	-6.2	1.0	0.7	0.8	-1.8	1.9

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1955

Pentade	Kristiansand S.	Klepp	Sauda	Ullensvang	Syfteland	Leikanger	Nordfjordeid	Tafjord	Runde Svinøy Fyr	Tingvoll Tingvoll II	Vallersund	Trondheim (Voll)	Værnes	Kjevli i Snåsa	Brønnøysund II	Mo i Rana II	Bodø VI	Offersøy	Tromsø
1.I - 5.I	- 2.3	- 2.7	- 6.3	- 2.2	- 3.7	- 3.4	- 2.6	- 0.7	3.5	- 1.3	1.9	- 2.4	- 2.8	- 4.9	1.0	- 5.7	1.6	0.9	- 0.1
6.I - 10.I	- 0.5	1.4	- 1.6	0.2	0.1	0.4	0.4	0.3	2.5	- 1.6	- 0.7	- 3.3	- 4.2	-10.4	- 2.5	-10.7	- 3.0	- 4.3	- 6.0
11.I - 15.I	- 2.8	- 2.6	- 5.5	- 2.5	- 5.0	- 3.4	- 4.7	- 3.6	- 1.9	- 4.6	- 1.6	- 4.6	- 3.5	- 7.7	- 2.7	- 7.8	- 4.8	- 4.5	- 5.1
16.I - 20.I	- 9.0	- 7.2	-12.3	- 5.2	- 8.6	- 5.4	- 6.1	- 5.1	- 1.6	- 7.1	- 3.8	- 8.1	- 8.8	-16.7	- 5.2	-20.6	- 8.9	- 4.6	- 6.5
21.I - 25.I	0.6	2.0	- 0.1	1.0	2.9	1.8	3.5	3.5	5.2	3.1	2.5	0.6	1.5	- 1.1	1.3	- 5.2	- 0.7	- 1.1	- 2.6
26.I - 30.I	3.0	4.4	1.2	3.8	4.4	3.4	3.9	5.0	6.1	1.4	2.6	0.6	1.4	- 0.6	1.1	- 4.9	- 3.3	- 4.6	- 6.7
31.I - 4.II	2.9	5.3	1.8	4.5	4.9	4.0	3.4	6.1	5.9	1.4	3.6	0.1	0.9	- 1.9	0.3	- 5.3	- 5.0	- 7.0	-10.6
5.II - 9.II	0.5	1.3	- 2.2	- 0.6	- 1.8	- 0.1	- 2.3	- 0.2	1.1	- 3.1	0.5	- 4.8	- 4.0	- 4.3	1.0	- 5.0	- 0.7	- 1.5	- 2.8
10.II - 14.II	- 5.4	- 4.4	- 9.8	- 5.3	- 7.5	- 4.9	- 4.6	- 4.1	- 0.8	- 5.8	- 3.9	- 6.5	- 7.1	-13.4	- 4.5	-13.9	- 5.5	- 5.9	- 6.8
15.II - 19.II	- 6.6	- 6.0	- 7.6	- 6.4	- 8.1	- 6.1	- 7.4	- 6.3	- 3.0	- 8.2	- 8.8	-11.1	-11.9	-15.3	- 7.4	-14.6	- 8.5	- 6.7	- 8.5
20.II - 24.II	- 6.0	- 5.7	-11.0	- 6.1	-10.6	- 6.7	- 9.3	- 6.6	- 1.8	- 8.5	- 2.0	- 6.9	- 7.2	- 8.0	- 0.3	- 5.5	- 1.4	- 3.3	- 7.8
25.II - 1.III	- 4.1	- 3.1	- 6.5	- 2.0	- 4.4	- 2.3	- 1.9	0.3	2.0	- 0.3	1.1	- 2.3	- 2.1	- 5.4	1.2	- 2.9	0.3	- 0.6	- 2.3
2.III - 6.III	1.2	2.0	- 0.2	2.8	1.6	3.0	1.9	2.8	3.5	1.5	2.2	0.2	1.3	- 1.0	2.8	0.7	2.4	1.9	1.0
7.III - 11.III	- 1.1	0.9	- 0.8	0.6	- 0.5	0.8	0.5	0.9	2.8	1.9	2.0	0.2	0.5	- 3.5	0.9	- 3.4	- 1.4	- 2.7	- 4.8
12.III - 16.III	3.9	2.8	2.0	3.3	1.8	2.8	1.7	2.4	3.0	1.9	0.3	1.0	1.5	- 0.4	1.6	- 1.6	- 0.5	- 2.4	- 3.6
17.III - 21.III	- 3.4	- 2.5	- 3.2	- 3.1	- 4.8	- 3.4	- 7.4	- 5.6	- 1.8	- 6.5	- 5.0	- 8.2	- 8.6	-13.1	- 4.7	-13.8	- 7.9	- 5.9	- 5.9
22.III - 26.III	- 1.2	0.2	- 1.0	- 0.2	- 2.1	- 1.0	- 4.0	- 2.2	0.5	- 2.7	- 1.1	- 4.5	- 4.8	- 6.8	- 0.1	- 3.5	- 1.3	- 2.1	- 4.7
27.III - 31.III	2.0	1.6	1.4	2.0	0.3	1.5	- 1.9	- 1.4	0.7	- 1.1	- 0.3	- 2.4	- 3.0	- 6.3	- 1.5	- 8.6	- 4.9	- 3.8	- 4.7
1.IV - 5.IV	2.7	3.9	2.8	4.0	3.4	4.0	2.0	2.6	4.0	1.4	2.3	0.0	0.2	- 1.2	- 0.1	- 4.6	- 3.1	- 4.3	- 5.4
6.IV - 10.IV	1.5	3.6	3.1	3.5	4.0	4.2	3.8	4.7	5.1	3.8	2.1	0.2	1.0	- 3.0	- 0.4	- 2.4	- 2.5	- 2.4	- 3.1
11.IV - 15.IV	5.4	5.1	4.5	5.1	4.9	5.2	4.0	4.4	5.4	3.9	4.5	3.0	4.0	2.1	3.3	1.5	1.8	1.4	0.9
16.IV - 20.IV	5.0	5.9	6.2	7.6	5.9	7.2	4.2	4.0	4.8	3.9	3.9	2.6	3.2	2.1	2.2	0.7	1.3	0.7	- 0.6
21.IV - 25.IV	3.9	3.1	2.5	3.3	1.6	3.1	- 0.5	0.6	1.4	- 0.2	1.2	- 0.9	0.1	- 0.4	0.0	- 1.6	- 0.5	- 0.9	- 2.0
26.IV - 30.IV	6.1	6.9	6.3	6.2	5.8	5.3	4.2	5.2	4.5	3.3	4.2	2.4	3.4	1.9	2.6	1.0	0.8	1.7	1.0
1.V - 5.V	7.0	8.5	6.6	7.4	7.4	6.8	6.5	9.0	7.5	7.2	7.0	5.4	6.2	3.4	6.1	3.4	3.2	2.4	1.4
6.V - 10.V	8.4	6.7	5.9	7.3	5.6	6.8	5.2	6.1	4.8	4.6	4.7	4.1	4.6	3.3	3.9	2.6	3.0	2.9	1.8
11.V - 15.V	5.2	5.3	4.8	4.5	4.1	4.8	3.1	4.8	3.8	4.4	4.2	3.1	3.7	2.2	4.1	3.0	3.0	2.0	1.9
16.V - 20.V	6.9	6.3	7.0	7.2	5.5	7.2	5.2	5.9	5.0	5.7	6.1	6.1	6.6	4.9	6.3	6.1	6.6	6.9	5.6
21.V - 25.V	9.1	6.5	6.7	7.4	5.8	6.7	4.4	4.0	4.1	3.6	4.1	2.9	3.4	2.1	2.8	2.9	3.2	3.4	2.0
26.V - 30.V	12.1	9.9	12.3	13.0	12.1	12.3	10.9	10.0	8.8	10.1	6.7	7.8	7.9	7.5	5.7	5.2	5.3	4.8	3.5
31.V - 4.VI	14.6	10.7	14.8	15.9	14.4	15.7	15.2	13.4	12.2	14.5	10.8	12.9	13.0	12.3	8.8	9.8	8.8	8.6	5.9
5.VI - 9.VI	12.9	11.0	12.9	13.2	11.5	12.5	9.5	8.7		7.4	6.3	6.3	6.7	5.0	5.5	5.1	5.0	4.6	1.8
10.VI - 14.VI	9.7	9.2	10.4	10.8	8.8	11.0	9.0	9.6		8.7	8.5	8.1	7.0	6.9	6.8	6.1	5.7	5.4	6.4
15.VI - 19.VI	12.5	9.6	11.2	10.5	9.1	10.7	8.3	9.0	8.0	7.8	7.8	6.8	7.5	5.8	6.8	6.7	6.5	6.6	5.3
20.VI - 24.VI	14.4	13.5	13.8	14.3	12.9	13.5	12.4	13.4	10.1	13.2	10.8	12.0	13.8	11.2	9.3	8.8	7.9	7.6	6.6
25.VI - 29.VI	14.2	12.8	12.1	12.8	12.4	12.9	12.4	13.4	10.7	13.6	11.7	12.8	13.4	11.8	10.7	10.2	9.5	9.8	7.0
30.VI - 4.VII	14.4	12.6	13.7	15.5	13.6	15.2	13.7	13.6	10.7		13.1	15.0	15.5	15.3	12.8	14.1	13.2	14.4	9.8
5.VII - 9.VII	18.9	14.0	16.8	18.1	15.5	16.6	14.8	13.2	10.6		12.4	13.3	13.8	12.6	11.4	9.7	9.9	9.7	9.1
10.VII - 14.VII	21.6	21.6	20.4	21.4	21.3	20.1	19.4	16.9	16.1		18.4	20.2	19.9	22.0	16.4	15.6	14.7	13.9	13.3
15.VII - 19.VII	18.3	15.1	15.2	15.8	12.9	14.2	12.6	12.2	12.0		12.2	11.6	14.3	9.3	10.9	9.9	10.1	9.6	8.9
20.VII - 24.VII	20.2	15.1	18.6	18.9	16.5	17.5	15.5	14.5	12.0		11.6	12.5	13.2	11.9	10.7	10.4	10.2	10.2	9.3
25.VII - 29.VII	20.5	16.2	20.6	21.2	18.1	18.6	17.8	15.3	13.1		13.7	16.2	15.8	16.0	12.5	14.4	11.5	11.5	10.9
30.VII - 3.VIII	20.1	14.2	16.7	17.5	13.6	16.3	14.0	14.7	12.7		12.0	12.1	12.3	10.2	11.2	10.1	10.4	9.5	8.6
4.VIII - 8.VIII	16.8	13.5	15.3	16.4	14.0	15.1	13.3	13.1	11.9		12.3	12.1	12.9	11.8	12.1	11.8	10.8	10.6	8.0
9.VIII - 13.VIII	18.5	17.0	18.8	19.7	17.4	18.3	16.4	15.7	12.9		13.8	15.3	15.0	15.4	13.3	13.6	12.0	11.7	11.1
14.VIII - 18.VIII	17.6	18.0	18.6	19.0	17.5	17.6	17.6	18.1	15.6		16.4	17.4	16.8	17.4	15.8	14.5	13.5	12.9	13.1
19.VIII - 23.VIII	17.8	16.6	17.0	17.6	16.1	16.4	15.5	15.1	13.7		14.9	14.6	15.4	14.5	14.4	14.0	13.5	12.7	12.0
24.VIII - 28.VIII	18.4	18.5	18.2	18.7	16.8	17.6	16.8	16.8	15.1		16.1	14.9	14.8	13.1	14.6	12.3	12.3	11.1	10.1
29.VIII - 2.IX	15.6	14.7	14.4	15.1	13.4	14.0	12.8	13.1	13.1		12.7	11.3	11.6	11.8	12.6	10.2	11.0	10.3	9.2
3.IX - 7.IX	15.8	14.4	13.4	13.4	12.7	12.9	12.3	13.2	13.5		12.9	11.2	12.4	11.2	12.5	10.6	12.0	10.9	10.4
8.IX - 12.IX	14.9	14.7	13.2	13.4	12.9	13.7	12.8	15.4	14.3		14.8	13.1	14.0	13.7	14.2	12.4	12.8	11.4	8.8
13.IX - 17.IX	11.6	11.4	10.5	10.7	10.6	11.1	9.9	9.3	12.0		10.7	8.9	9.3	8.9	10.5	9.5	10.3	9.7	7.7
18.IX - 22.IX	12.2	12.8	9.5	9.7	10.7	9.9	10.0	10.0	12.3	9.4	11.5	8.4	9.7	9.1	11.1	8.0	9.6	8.9	7.9
23.IX - 27.IX	12.9	13.4	11.7	11.8	12.4	11.4	11.4	13.7	12.6	10.6	12.1	9.5	10.4	10.1	11.8	8.7	10.4	9.6	8.6
28.IX - 2.X	11.0	11.1	8.8	9.0	8.7	8.5	8.0	8.3	9.7	8.0	9.1	6.9	7.9	5.8	8.9	6.5	7.9	7.1	5.6
3.X - 7.X	8.9	9.3	8.5	8.6	8.4	8.1	7.7	8.6	10.0	7.3	7.3	5.8	6.0	4.3	5.8	3.5	4.5	3.6	2.0
8.X - 12.X	12.1	12.8	10.2	11.3	12.1	10.9	11.7	12.9	11.7	9.1	10.0	8.3	8.6	8.2	9.6	7.0	7.7	7.2	5.0
13.X - 17.X	8.2	7.1	7.0	7.1	5.7	5.3	4.2	4.9	6.0	3.2	5.6	2.0	3.8	2.5	5.6	3.1	4.1	3.2	1.8
18.X - 22.X	6.3	5.9	3.9	4.4	5.2	3.4	2.4	5.0	6.6	1.3	3.7	0.8	1.8	0.5	2.4	- 1.6	1.1	- 0.4	- 1.8
23.X - 27.X	4.7	5.2	3.9	4.6	4.1	3.9	3.7	4.4	6.8	3.3	5.1	2.8	3.8	1.6	3.9	0.4	3.7	3.9	2.9
28.X - 1.XI	1.9	2.6	- 1.2	1.2	0.5	1.2	0.0	- 0.1	3.5	0.5	1.5	- 0.7	- 0.8	- 3.5	0.1	- 5.7	- 2.6	- 2.3	- 3.8
2.XI - 6.XI	5.2	7.6	4.7	5.6	7.4	5.4	4.2	6.9	8.3	1.9	3.6	1.0	0.4	- 0.3	0.9	- 4.4	- 2.7	- 2.4	- 3.8
7.XI - 11.XI	7.7	9.4	6.8	7.0	8.4	6.5	4.6	8.6	8.6	1.7	4.7	0.6	- 0.4	1.1	4.5	- 0.8	3.0	1.3	- 1.2
12.XI - 16.XI	5.1	5.9	2.8	4.9	4.6	6.2	3.3	3.7	6.7	3.9	5.8	3.1	1.8	1.9	5.2	1.2	4.6	3.5	1.7
17.XI - 21.XI	5.4	6.4	2.2	5.2	5.5	6.3	4.4	4.7	7.2	5.8	6.6	5.0	5.6	3.5	5.3	2.3	3.5	1.4	- 1.6
22.XI - 26.XI	4.6	5.6	2.9	3.9	3.6	3.9	1.6	2.3	5.5	3.0	3.7	2.1	2.4	- 1.8	2.4	- 3.3	- 0.3	- 1.6	- 5.0
27.XI - 1.XII	3.2	4.1	0.9	1.4	1.6	0.7	0.1	0.8	4.5	- 1.1	2.0	- 2.3	- 1.9	- 5.5	- 2.1	-10.1	- 5.3	- 6.4	- 8.7
2.XII - 6.XII	7.0	6.7	5.2	4.8	4.8	4.4	3.0	3.8	5.8	1.8	3.1	0.9	1.6	- 2.4	- 0.3	- 4.9	- 3.3	- 2.5	- 6.9
7.XII - 11.XII	- 0.7	- 1.8	- 4.0	- 1.6	- 3.6	- 0.6	- 2.2	- 2.4	1.1	- 1.9	- 1.0	- 3.9	- 3.8	- 7.1	- 2.9	- 9.3	- 4.1	- 5.0	- 8.1
12.XII - 16.XII	- 5.5	- 4.0	- 6.0	- 5.2	- 5.6	- 4.7	- 5.2	- 4.4	- 1.2	- 6.1	- 7.3	- 9.3	-10.3	-17.2	- 8.7	-20.5	-10.7	- 9.2	-10.9
17.XII - 21.XII	- 9.8	- 7.1	- 7.7	- 5.3	- 7.3	- 5.7	- 7.9	- 6.9	- 1.9	- 8.3	- 9.2	-14.9	-15.6	-17.6	- 9.5	-19.4	-11.5	- 9.5	-11.3
22.XII - 26.XII	- 0.3	1.5	- 1.5	0.0	- 0.3	- 0.7	0.1	1.8	4.2	- 2.7	- 0.7	- 4.5	- 4.7	- 8.7	- 1.2	- 9.1	- 4.7	- 3.8	- 5.7
27.XII - 31.XII	4.0	4.4	2.6	2.2	2.6	1.9	1.7	2.9	4.0	0.3	2.7	0.2	1.3	- 0.2	2.1	- 1.1	0.8	- 0.3	- 2.2

Ekstensotabell

1954

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 $\Delta G = +1^h$

Januar (I)

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = 10.0 h_d = 11.6 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	83.3	87.9	91.7	- 1.3	- 1.6	- 3.0	- 0.1	- 3.6	86	89	88	09 4	07 4	07 7	7	8	8 *°	8 *°	0.1		*° n,a,p
2	05.8	17.0	26.7	- 6.0	- 8.8	-12.1	- 3.0	-12.3	74	74	68	08 7	08 7	08 6	9	8	2	0	0.3		
3	**31.4**	18.4	99.7	-13.4	- 8.4	- 2.0	- 1.6	-16.0	61	82	95	09 2	18 8	18 8	9	0	8 +°	8 +*			+° a, + \ p
4	75.2	75.2	78.2	- 1.8	- 7.0	- 8.2	- 1.1	- 9.4	92	77	74	25 3	33 6	27 5	7	8 *°	8 *°	8	3.0		* n,a
5	75.0	72.9	**70.4**	- 5.3	- 6.6	- 7.2	- 4.7	- 8.5	78	77	74	30 5	30 5	03 5	9	4	5 *°	2	0.9		*° n,a
6	77.3	81.7	85.0	-11.1	-13.7	-14.2	- 6.2	-14.5	**58**	60	63	03 5	34 4	34 4	9	0	1	1	0.0		
7	88.1	91.1	94.6	-16.2	-14.0	-12.0	-11.6	**-22.8**	63	69	69	35 2	07 4	35 4	9	0	1	2			*° p
8	00.8	03.1	04.9	-12.4	-13.6	-15.0	-10.6	-15.5	66	66	72	03 5	04 5	04 4	9	1	1	1	0.0		⌓ n, ⌓° a,p
9	07.3	08.4	08.2	-16.2	-16.4	-17.0	-14.5	-17.4	81	81	78	08 4	07 3	08 3	8	1	7 *°	6 *°			*° a
10	05.4	03.6	01.9	-15.0	-14.7	-13.4	-13.1	-17.4	84	88	88	06 3	07 4	07 4	8	3 *°	1 *°	1 *°	0.3		*° n,a, *° ⌓° p
11	97.3	94.7	91.7	-13.2	-13.2	-10.7	-10.3	-15.6	90	74	81	07 4	07 5	04 5	9	8 *	4	5 *°	0.5		*° n, *° +° a
12	86.5	85.6	85.5	- 9.3	- 8.4	- 7.0	- 6.5	-12.8	77	77	63	02 7	02 6	04 6	9	3	1	3	0.1		*° n
13	86.8	89.4	90.9	- 7.4	- 5.9	- 5.0	- 4.8	- 8.7	74	74	68	04 5	05 5	05 4	9	1	1	1			⌓° n
14	93.8	95.1	95.0	- 4.6	- 5.0	- 5.0	- 4.0	- 5.8	63	74	77	04 5	04 5	04 5	9	1	1	1			⌓° a
15	92.5	91.5	89.8	- 4.8	- 6.7	-10.3	- 4.2	-10.5	71	74	86	07 5	05 3	09 2	9	1	1	4			
16	87.6	90.0	93.3	- 8.9	- 8.2	- 8.2	- 7.6	-11.5	87	81	69	07 4	07 4	07 4	9	6	1	0			
17	00.3	03.4	05.4	-11.3	-10.5	-11.1	- 7.9	-12.0	66	69	74	07 3	05 4	06 4	9	1	3	2			
18	07.5	09.2	10.2	-12.0	-10.8	-11.5	-10.2	-13.0	71	75	79	06 4	02 4	08 2	7	7	8 *°	8			*° p
19	11.2	12.3	11.2	-10.2	-12.6	-15.0	- 9.6	-15.4	81	86	84	07 4	07 4	09 2	9	7	2	6	0.8		* n
20	00.8	95.2	00.5	- 7.8	- 8.2	- 8.5	- 7.1	-15.2	92	84	75	18 4	04 6	34 5	5	8 *	8 *°	4 *°	0.6		* n,a,p
21	11.4	13.3	11.5	-13.1	-15.4	-13.7	- 8.2	-15.9	66	81	88	32 4	07 4	07 5	8	2	8 *°	8 *	3.0		* p
22	13.0	13.4	12.9	-12.4	- 8.4	- 7.2	- 7.1	-14.0	93	94	94	09 4	17 5	05 4	2	1	8 *ª	8 *°	0.2		*°n, * + a, * p
23	09.1	04.4	97.9	0.1	1.0	0.5	1.6	- 7.5	94	93	94	18 3	16 6	17 6	6	8 •	8 ‡	6	1.5		* n, ‡ a, • ‡ p
24	97.0	01.2	05.6	0.2	- 2.5	- 3.4	0.8	- 4.2	94	92	90	29 4	26 4	26 4	6	8 ,	8 ,	8	9.3		,° n, , a,p
25	13.5	15.3	16.5	- 3.8	- 3.0	- 1.6	- 1.4	- 4.2	84	79	91	07 3	10 5	09 5	9	8	8	8 *°	0.2		* p
26	19.2	20.4	20.9	2.7	2.5	2.6	**3.2**	- 2.2	83	91	92	18 5	17 6	17 6	9	8	8	8 •°	0.7		* n, •° p
27	20.9	21.0	20.1	2.2	1.8	1.2	2.8	1.0	93	93	93	17 6	17 6	17 6	7	8	8 •°	8 ‡	0.0		• n, •° a, • p
28	21.5	24.3	26.6	- 0.2	- 2.6	- 1.6	1.6	- 3.3	92	75	74	21 5	23 5	23 4	9	8	2	6	2.0		*° n, +° a
29	26.9	27.1	25.1	- 0.2	- 0.2	0.4	0.7	- 2.0	84	87	87	23 5	26 4	26 5	9	6	8	8			
30	23.7	23.4	22.6	0.2	- 0.1	- 1.9	0.5	- 2.2	84	81	83	24 5	24 5	26 5	7	8	8 *°	8 *°	0.0		*° n, * p
31	19.7	17.9	13.4	- 4.0	- 4.6	- 1.1	- 0.9	- 5.2	78	77	92	23 5	23 4	21 5	9	8	8	8 *°	0.0		*° n,p
M	02.9	03.5	03.5	- 7.0	- 7.3	- 7.2	- 4.7	-10.2	79	80	81	4.3	4.8	4.6	8.0	4.8	5.0	5.1	24		

Februar (II)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	04.2	00.1	98.3	0.4	0.4	0.6	1.0	- 1.7	91	94	94	23 7	23 7	23 6	6	8 *°	8 ‡	8 ‡	0.0		* n, ‡ a,p
2	92.9	91.6	89.9	0.6	0.0	- 2.2	1.2	- 2.3	93	93	89	20 6	20 4	24 3	6	8 ‡	8 ‡°	8	5.6		‡ n, ‡° a, * p
3	92.3	98.1	02.9	- 8.6	-11.4	-13.6	- 2.0	-13.9	90	69	68	02 2	32 4	33 4	9	8 *	7	3	3.0		* n, *° a
4	12.2	12.4	08.3	-15.7	-13.5	-11.2	-10.5	-16.1	75	75	93	06 4	09 5	09 6	9	1	7	8 *°	1.8		+ *° p
5	93.4	89.7	87.9	- 9.0	- 7.8	- 8.2	- 7.0	**-19.1**	90	83	83	07 8	06 7	06 6	9	8 *°	8 +°	8 *°	0.3		* n, *° + a,p
6	90.0	93.6	98.1	-11.3	-12.1	-14.9	- 7.6	-15.6	81	88	91	05 5	04 8	04 8	5	2 *°	8 +	7 +	0.6		*° n, + a,p
7	05.9	08.3	10.2	-17.9	-18.0	-17.4	-12.7	-18.7	68	72	81	02 4	06 4	06 3	9	0	5	8 *°			⌓° n, *° p
8	06.8	02.9	01.0	-13.6	- 8.1	- 4.4	- 4.3	-17.9	82	92	93	05 6	15 5	23 5	3	8 *°	8 *	8 *ª	0.1		*° r, * a,p
9	03.4	03.8	04.3	- 6.0	- 5.9	- 4.8	- 4.1	- 6.6	88	91	90	28 1	05 3	05 4	9	8 *	8	3	3.5		* n,a
10	04.4	04.4	02.9	0.0	0.4	- 0.1	1.2	- 5.1	92	89	89	16 3	16 4	10 4	9	8 *	8	8	0.8		*° n, * a,p
11	98.1	98.1	98.6	0.0	- 1.2	- 3.2	2.4	- 4.3	92	79	90	05 4	16 4	18 3	9	8 *°	2	7 *°	1.9		* n, *° p
12	07.5	10.4	12.3	- 3.4	- 5.5	- 5.0	- 1.2	- 6.3	87	81	77	29 3	25 4	21 3	9	7 *°	8	8	0.2		*° n,a
13	11.5	10.5	09.1	- 2.4	- 1.0	- 1.4	- 0.9	- 5.3	90	90	94	17 4	16 5	18 6	7	7 *°	8 *°	8 *	0.2		*° n, ϑ p
14	09.9	11.7	14.2	- 1.8	- 1.8	- 1.7	- 0.6	- 2.9	89	84	87	18 3	16 3	16 4	9	8	8	8	0.7		*° n
15	17.4	19.1	20.9	- 2.3	- 2.5	- 1.6	- 1.0	- 2.8	89	90	91	20 4	17 4	17 4	9	8	8	7 *°	0.0		*° n,p
16	**24.2**	24.0	23.7	- 1.8	- 0.5	- 0.9	- 0.1	- 2.9	90	84	90	17 4	16 5	18 5	9	8	7	8 *°	0.0		*° n,p
17	20.2	19.1	17.1	1.5	2.0	1.1	2.6	- 1.4	81	74	87	17 5	17 5	17 5	9	7	7	8 ‡°	0.0		*° n, ‡° p
18	13.0	13.3	13.8	1.2	0.6	0.1	2.0	- 0.2	84	92	94	18 6	17 7	17 4	5	7	8 *°	8 *	0.1		* n, *° a, * p
19	14.7	17.0	17.8	- 0.7	- 1.0	- 1.8	0.6	- 2.8	91	92	81	00 0	22 1	00 0	9	6	7	6	2.4		* n, *° a
20	17.9	18.3	18.1	- 4.6	- 4.4	- 5.0	- 1.0	- 6.3	89	93	92	09 2	05 3	07 4	9	2	2	1	0.0		⌓° a, *° p
21	18.6	20.3	21.7	- 7.0	- 3.9	- 3.1	- 3.0	- 8.0	92	83	88	04 3	07 3	06 4	5	2	8 *°	7	0.0		*° n, * (≡) a, *° p
22	19.5	15.3	10.8	- 5.0	- 1.0	1.6	2.4	- 9.1	79	75	**64**	09 2	09 6	16 7	9	1	5	1	0.0		⌓° n
23	05.7	05.6	02.9	1.4	1.8	2.2	3.1	0.4	93	90	86	17 7	17 6	17 5	7	8	6(≡)	5(≡)	0.0		•° n, ϑ° a, (≡) p
24	94.1	**86.7**	87.1	2.4	3.5	1.2	**4.4**	- 1.9	71	84	92	15 5	14 6	18 6	7	7	8 ϑ	8 ‡	1.8		• n, ‡° a, •° p
25	91.4	91.5	96.8	- 0.6	- 2.4	- 6.6	1.8	- 6.6	92	93	92	19 5	32 4	05 6	2	8 *°	8 *ª	8 *°	2.2		*° n, * a, * + p
26	08.1	10.4	11.5	- 9.4	-10.0	-10.6	- 6.1	-10.9	93	91	84	05 7	04 6	04 5	6	3 *°	7 *°	6 *°	1.9		*° n,a,p
27	13.3	14.3	13.8	-12.0	-12.0	-11.3	-10.1	-13.2	89	89	84	05 7	07 5	08 6	3	8 ϑ	8 *°	8 +	0.3		*° n, *° + a, + p
28	10.7	09.7	09.7	- 9.9	- 8.1	- 5.8	- 5.5	-12.8	92	92	87	08 6	04 7	04 6	5	8 *	7 +	7 +°	1.1		* +° n, *° a, + p
M	07.2	07.2	07.3	- 4.8	- 4.4	- 4.6	- 2.0	- 7.7	87	86	87	4.4	4.8	4.7	7.2	6.3	7.0	6.7	28		

1954

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 ΔG = + 1h

Mars (III)

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = 10.0 h_d = 11.6 h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	08.2	09.4	08.8	- 4.3	- 4.4	- 5.6	- 3.3	- 6.3	86	84	86	05 4	05 5	04 4	9	2	1	1	0.4		⊙° a
2	11.2	12.3	12.0	- 6.6	- 6.8	- 7.6	- 5.4	- 8.1	74	78	79	05 5	03 6	03 6	9	0	1	0			▲° n, ⊙° a
3	13.4	13.4	13.3	-10.4	-10.9	-11.4	- 7.3	-12.5	78	79	84	05 7	04 7	04 6	9	0	1	1			▲° n, ⊙° a,p
4	10.9	10.9	10.0	-11.6	-11.3	-11.8	-10.2	-12.4	93	93	89	05 6	05 5	07 5	5	8 *°	8 ✻°	2 *°	0.0		*° (≡) n, * ⊙° a, *° p
5	10.0	09.9	09.2	-10.8	- 8.5	- 7.7	- 7.4	-12.4	91	91	89	07 4	05 5	04 5	7	2 *°	3 *°	6 *°	0.0		*° ▲° n, *° ⊙° a, *° p
6	06.8	07.5	06.7	- 5.4	- 5.5	- 5.4	- 3.3	- 8.2	90	92	91	05 6	04 6	04 5	6	5 *°	7(*)	5(*)	0.1		*° (≡) n, (*) ⊙° a, * (*) p
7	02.9	01.3	01.1	- 2.9	- 3.0	- 2.7	- 2.2	- 5.8	89	79	88	04 6	04 6	04 5	9	6(*)	7	8	0.0		(*) n,a, *° p
8	04.0	05.1	04.5	- 5.2	- 6.2	- 6.2	- 2.5	- 6.8	74	68	88	08 4	06 4	04 4	9	8	7	8	0.1		*° n
9	97.7	92.1	90.0	- 4.3	- 3.9	- 3.9	- 3.4	- 6.5	91	90	84	05 7	05 7	04 6	5	8 *°	8 *°	4	0.1		*° n,a,p
10	90.8	93.0	94.1	- 6.8	- 9.0	-10.3	- 3.7	-11.6	83	83	86	05 6	04 7	04 8	9	2	7	7	0.0		
11	01.4	06.6	10.9	-14.6	-16.6	-18.7	-10.1	-19.1	90	86	69	05 7	03 6	01 4	9	4 =	2	3	0.0		*° ≡ n, ⊙° p
12	10.7	13.9	17.6	-18.2	-19.3	-22.1	-16.8	-22.8	82	90	77	06 4	24 6	36 4	2	8 *°	8 *	6	0.1		*° +° n,a, *° p
13	17.6	19.2	19.4	-17.6	-18.6	-19.0	-16.5	-22.2	90	87	88	34 4	03 4	03 4	9	8 *°	5	8	0.5		≡ * + n, *° a,p
14	18.0	17.0	14.0	-17.2	-16.0	-14.4	-14.0	**-22.9**	88	89	89	09 3	04 4	08 4	9	6 =	8(≡)	8 *°	0.3		* ≡ n, (≡) a, *° p
15	06.4	07.6	09.2	-11.9	-11.0	-10.8	-10.3	-14.4	91	82	83	06 5	04 6	04 6	9	8(*)	8	8	0.1		*° n, (*) a, *° p
16	17.3	**21.5**	21.3	-15.2	-15.0	-15.4	-10.6	-16.9	88	71	84	08 5	08 4	09 3	8	1	2(≡)	2(≡)	0.0		⊙ (≡) a, ⊙ (≡) *° p
17	16.8	14.8	12.8	-16.8	-12.7	-13.6	-11.9	-19.2	89	84	89	17 3	08 4	00 0	9	3(*)	1	1	0.0		*° ▲ n, ⊙° a,p
18	09.3	06.3	01.3	-14.8	-10.7	- 7.3	- 6.6	-16.1	92	93	94	17 2	07 2	17 5	5	1	8 *°	8 *²	0.0		*° n,a, * + p
19	94.9	93.8	93.3	- 8.4	- 9.8	- 9.9	- 5.5	-10.6	86	83	87	33 4	31 4	04 3	9	8 *°	7	8 *°	3.4		*° n,a,p
20	94.1	95.4	94.6	-12.9	-12.7	-13.2	- 9.7	-14.4	94	94	94	04 7	04 7	05 7	4	6 +²	7 +²	6 +	0.3		+² * n, +² a, + p
21	92.6	88.2	**84.2**	-13.8	-13.1	-13.5	-12.2	-15.0	86	84	91	10 5	06 6	08 7	5	8 *°	8 *°	8 *°	0.4		*° n,a, * + p
22	88.7	91.9	93.9	-11.1	-12.2	-14.0	-10.5	-15.0	92	90	87	05 5	04 6	05 5	6	7 *°	6 +	7 +	1.8		*° + n, + a, (+) *° p
23	98.2	00.5	01.1	-17.0	-16.7	-17.0	-13.3	-18.3	75	69	72	10 4	10 4	04 5	9	2	7	8	0.0		*° n, ⊙° a
24	02.8	04.2	05.4	-18.6	-14.6	-17.4	-13.9	-19.0	69	74	73	10 4	09 3	14 3	7	1	1(≡)	1(≡)			(≡) ⊙° a,p
25	06.4	05.2	00.5	-12.6	-10.8	- 9.6	- 9.4	-17.7	92	94	84	08 4	03 6	09 6	4	8 *	8 *	8 *°	0.2		*° n, * a, *° p
26	96.4	97.0	96.7	- 6.8	- 4.6	- 7.2	- 4.4	-10.8	94	75	81	17 5	28 4	25 5	9	7 +	7	7 +	0.4		*° n,a, + p
27	99.0	03.9	07.7	- 8.9	- 9.1	-10.8	- 6.8	-12.3	81	68	92	09 3	32 3	04 5	9	6	7	8 *	3.9		*° n, * p
28	13.1	14.8	15.1	-12.6	-12.4	-10.8	- 7.1	-14.7	89	87	91	08 4	16 4	16 4	7	8 *°	8(*)	8 *°	0.2		*° n,a,p
29	13.0	07.6	04.3	- 7.9	- 3.7	0.1	**0.3**	-11.0	93	93	93	17 5	17 8	17 6	1	8 *°	8 *	8 •°	2.1		*° n, * +² a, * + •° p
30	08.3	11.0	13.2	- 3.4	- 5.8	- 7.7	0.2	- 8.2	91	89	81	24 4	30 4	32 5	9	8 ⁑°	7	7	15.9		⁑° n, (≡) a, *° p
31	13.7	13.5	12.3	- 9.9	- 9.8	- 9.6	- 7.5	-10.7	74	82	79	33 3	09 3	07 4	9	5	3	8(*)	0.2		⊙° *° a, (*) *° p
M	05.6	06.1	05.8	-10.9	-10.5	-10.8	- 7.9	-13.6	86	84	85	4.7	5.0	4.8	7.3	5.2	5.7	5.8	30		

April (IV)

Datum	P 7	P 13	P 19	T 7	T 13	T 19	Max	Min	U 7	U 13	U 19	D,F 7	D,F 13	D,F 19	V 13	N,w 7	N,w 13	N,w 19	R	h_s	W
1	09.3	08.6	08.7	- 8.2	- 6.7	- 6.4	- 5.7	- 9.9	87	89	90	04 4	05 4	04 4	5	8 *°	8 *°	8(*)	0.2		*° n,a,p
2	09.1	10.4	10.4	- 5.0	- 4.7	- 5.8	- 3.4	- 8.3	88	89	89	06 4	06 4	07 5	9	8 *	7	1	1.2		*° n, ⊙° a,p
3	12.6	14.8	16.1	- 5.2	- 6.6	- 7.3	- 4.5	- 8.0	81	71	71	04 5	06 5	08 5	9	2	1	1	0.0		⊙° a,p
4	17.5	18.4	18.3	- 6.7	- 5.5	- 5.5	- 5.2	- 8.7	77	68	71	06 5	08 4	07 4	9	3	8	7	0.0		* n
5	17.6	17.9	17.2	- 5.6	- 5.4	-10.2	- 4.6	-10.2	78	75	78	05 3	00 0	18 1	9	7	4	1			⊙° a, ⊙ p
6	15.3	13.6	11.4	-11.6	- 5.6	- 2.8	- 2.7	**-12.0**	87	82	92	08 2	04 3	17 5	6	1	7 *°	8 *			* a,p
7	11.6	13.3	14.3	- 2.0	- 1.5	- 1.9	- 1.0	- 4.9	92	92	93	17 5	18 4	17 4	9	7 *°	8	8	1.3		*° n
8	13.9	15.6	13.4	- 0.8	- 1.5	- 0.3	**0.0**	- 2.1	90	92	89	21 4	16 5	16 5	9	7	8	1 +	0.8		*° +° n, * a, ⊙ + p
9	10.3	09.8	10.6	- 3.5	- 4.8	- 5.7	- 0.2	- 5.9	74	78	83	20 5	20 5	30 4	7	8 *°	8 *°	7 *°	1.6		*° n
10	06.7	00.2	98.5	- 7.2	- 5.8	- 3.9	- 3.5	- 9.0	79	69	92	07 4	06 5	03 4	6	7	8(*)	8(*)	0.0		⊙° n, * p
11	92.7	89.4	81.6	- 1.0	- 1.1	- 0.6	**0.0**	- 4.6	91	92	89	17 4	04 1	04 5	6	8 *°	8 *°	7	2.5		*° n,a, ⊙ p
12	**70.6**	72.6	74.7	- 0.8	- 0.8	- 1.2	- 0.5	- 1.6	87	84	84	04 5	04 4	04 5	6	5	8 *°	6	0.2		⊙° n,p
13	83.3	88.3	91.4	- 4.9	- 4.7	- 5.9	- 0.9	- 6.1	81	79	88	05 5	04 5	04 6	7	1	7 *°	8 *°			⊙ n, *° p
14	96.7	00.6	04.9	- 8.3	- 8.3	- 8.0	- 5.7	- 8.6	84	84	83	05 6	03 5	04 5	9	5 ✻°	2	2	0.0		*° n, ⊙° a,p
15	13.4	17.4	19.7	- 9.0	- 8.6	- 8.8	- 7.7	- 9.5	84	82	86	05 5	08 3	13 2	6	6	7 *°	8 *°			*° p
16	22.8	22.8	20.4	- 8.9	- 8.0	- 7.6	- 7.1	- 9.5	91	84	86	06 3	06 4	06 5	9	4(*)	7	8 *°	0.1		*° n,p
17	15.4	14.6	14.6	- 6.4	- 5.4	- 4.0	- 3.8	- 8.0	83	89	79	08 5	04 6	04 4	9	8 *°	7	6(*)	0.2		*° n, ⊙° a
18	16.7	18.3	18.2	- 4.4	- 4.2	- 4.9	- 3.6	- 7.5	84	84	89	05 6	04 6	02 7	9	1	3	6			⊙ n,a
19	13.5	10.0	05.8	- 4.9	- 3.8	- 4.4	- 3.7	- 6.1	93	83	83	08 5	04 7	03 6	7	8 *	8(*)	7	1.2		* n, (*) +° a, ⊙° p
20	97.4	96.3	96.8	- 4.0	- 1.3	- 5.4	- 1.1	- 5.6	86	72	77	04 4	00 0	04 4	9	4	4	8	0.0		⊙° n, ⊙ a, *° p
21	01.8	06.0	09.1	- 7.4	- 5.2	- 3.8	- 3.7	- 8.0	71	68	74	05 4	05 4	04 5	9	2	1	1	0.0		⊙° n, ⊙² a, ⊙ p
22	11.0	12.4	13.3	- 6.8	- 7.0	- 7.6	- 3.7	- 7.9	71	71	72	04 5	04 5	04 5	9	1	1	1			⊙ n,a,p
23	17.0	18.4	19.4	-10.0	- 9.4	- 9.3	- 7.3	-10.2	74	71	71	06 4	08 4	07 3	9	1	1	7			⊙° n, ⊙ a,p
24	17.9	18.6	19.3	- 9.8	- 8.2	- 8.9	- 7.8	-10.4	86	77	77	04 4	32 4	32 5	9	7(*)	5	3	0.0		*° n, ⊙° p
25	20.0	20.6	20.0	- 7.8	- 6.6	- 8.0	- 6.3	- 9.9	75	69	75	32 5	03 2	07 2	9	5	1	1			⊙° n, ⊙ a,p
26	18.5	17.5	16.3	- 7.4	- 7.2	- 8.2	- 6.8	- 8.5	69	**66**	71	03 4	03 4	07 2	9	4	1	1			⊙° n, ⊙ a,p
27	16.5	17.2	17.7	- 7.6	- 7.4	- 8.2	- 7.0	-11.7	74	75	75	32 4	32 5	30 4	9	2	5	7			⊙ n,a, * p
28	19.2	20.7	22.1	- 8.7	- 8.1	- 8.2	- 7.5	- 9.5	81	78	82	04 3	06 2	04 3	7	8 *°	8 *°	5	0.0		*° n, ⊙° 19
29	24.0	26.4	28.0	- 9.3	- 8.6	- 8.8	- 7.8	- 9.7	74	72	71	04 4	06 4	06 3	9	3	1	2	0.0		⊙ n,a,p
30	33.4	35.0	**35.1**	- 8.5	- 7.5	- 7.5	- 7.0	-11.4	87	82	83	04 5	05 3	08 3	9	1	1	1	0.0		✻° n, ⊙ a,p
M	10.9	11.8	11.6	- 6.4	- 5.7	- 6.0	- 4.3	- 8.1	82	79	81	4.4	3.9	4.2	7.8	4.7	4.9	4.8	9		

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 ΔG = + 1^h **Mai (V)** H_s = 7 H_b = 9.0 h_t = 1.9 h_a = 10.0 h_d = 11.6 h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	33.4	32.1	30.2	- 9.0	- 5.6	- 5.3	- 4.0	-10.0	79	74	83	17 3	16 1	06 3	7	3	7 *°	1	0.0		⊙ n, *° a, ⊙ *° p
2	27.5	28.2	28.5	- 6.6	- 8.2	- 9.6	- 5.0	- 9.6	81	68	66	04 5	08 4	08 4	9	1	2	2	0.0		⊙ n,a,p
3	28.7	28.2	28.2	-11.1	- 8.3	- 7.3	- 7.0	-12.3	72	72	78	09 3	04 4	04 4	9	4	3	2			⊙° n, ⊙ *° a, ⊙ p
4	26.1	24.8	24.9	- 6.3	- 3.9	- 3.2	- 3.0	- 7.5	74	77	68	05 4	03 5	04 5	9	2	3	1			⊙ n,a,p
5	28.3	30.0	30.0	- 3.3	- 2.7	- 2.2	- 1.6	- 3.8	78	72	68	05 5	06 3	10 1	9	1	1	0			⊙ n,a,p
6	29.7	29.1	26.7	- 3.6	- 3.3	- 3.0	- 1.7	- 5.5	83	84	83	06 4	05 3	04 4	9	1	1	1			⊙ n,a,p
7	26.1	27.0	27.5	- 3.8	- 3.7	- 6.2	- 2.6	- 6.8	75	75	68	06 4	03 6	08 5	9	6	6	1			⊙ n,a, ⊙° p
8	28.1	27.5	26.6	- 6.6	- 3.0	- 2.8	- 1.9	- 8.7	71	81	75	09 5	04 5	09 5	9	6	8	8			⊙ n, ⊙° p
9	22.6	22.1	23.0	- 2.2	- 0.4	- 0.1	0.6	- 3.6	83	92	94	04 6	05 5	06 4	7	7(*)	8(≡)	8 *°	0.0		*° n, (≡) (*) *° a, *° (≡) p
10	25.2	28.0	28.5	0.8	1.9	0.4	2.4*	- 0.6	75	75	92	11 4	16 2	22 1	7	7	8(≡)	8 *°	0.2		(*) *° ⊙ n, *° p
11	34.3	37.1	37.0	- 2.0	- 1.6	- 2.2	0.5	- 2.7	79	78	77	28 3	20 2	17 2	9	8	8	8	1.0		*° n
12	32.7	32.5	32.9	- 0.1	1.9	1.8	2.4	- 3.5	89	91	92	17 7	16 6	16 5	7	8(*)	8 •°	8 •°	0.9		*° +° n,a, •° p
13	29.8	29.5	27.0	2.0	2.1	1.4	3.0	0.7	90	90	90	19 4	17 4	31 1	9	8	8	8	1.0		•° n
14	21.8	22.7	24.7	2.8	2.3	1.2	3.6	1.1	92	93	93	17 5	17 6	17 4	3	8	8 •°	8 •°			≡ •° a, •° ≡° p
15	26.7	27.0	26.6	1.0	2.0	2.2	2.9	0.6	93	92	92	05 2	29 2	17 2	5	7 ≡	8 =	8(≡)	2.8		≡ •° n, = (≡) a, ≡ (≡) p
16	26.2	25.0	23.4	2.0	1.9	2.2	3.0	1.3	87	88	88	17 4	17 1	00 0	8	8(≡)	8(≡)	6	0.0		,° (≡) n, (≡) a,p
17	19.5	18.2	17.2	1.2	1.8	2.1	3.6	0.6	88	87	90	00 0	06 1	00 0	9	5	3	7			⊙ n, ⊙° a
18	17.0	16.4	14.8	0.9	2.0	2.4	2.7	0.2	91	83	79	07 1	06 3	04 4	9	8	3	1	0.3		*° (*) n, ⊙° 13, ⊙° p
19	14.5	16.6	18.7	1.3	3.0	2.2	3.3	0.4	92	90	90	00 0	20 2	22 2	9	2	1	7			⊙ n,a
20	21.6	22.2	22.0	1.2	2.6	2.7	3.5	0.7	90	83	87	20 1	17 2	04 1	9	8	8	7			
21	23.8	25.5	26.0	2.1	2.0	2.0	3.6	1.4	92	92	93	18 2	17 2	18 3	2	8(≡)	8 ≡°	8 ≡°	0.1		(≡) • n, ≡° •° a,p
22	21.1	17.1	14.8	3.8	4.0	1.6	4.3	1.1	86	79	92	09 3	06 5	16 2	9	3(≡)	5	8 •°	0.5		(≡) ≡ n, (≡) a, • •° (≡) p
23	09.0	08.9	10.8	2.9	1.5	3.3	3.5	0.8	84	91	89	07 3	05 4	28 1	8	8(≡)	8 *°	3	0.8		⊙ •° ‡° n, ‡ *° (=) a, ⊙ p
24	18.5	20.8	21.8	- 0.6	- 0.3	- 0.8	3.5	- 1.2	86	78	78	32 5	28 3	24 2	9	4	6	8	0.1		⊙ n, ⊙° a
25	21.6	21.8	21.2	0.3	0.9	0.8	1.5	- 1.3	77	79	91	18 2	18 2	23 3	9	8	8	8 ϕ			• ϕ p
26	23.9	26.1	27.4	- 0.2	0.8	2.0	2.2	- 1.5	84	74	61	32 5	34 3	07 1	9	3	1	1	0.0		⊙ n, ⊙° a,p
27	26.0	22.3	17.2	0.4	0.9	1.6	2.5	0.4	89	94	93	17 2	18 4	18 4	5	8(‡)	8 *°	8			(‡) n, *° a, , ϕ *° p
28	07.3	05.4	02.4	1.0	0.6	- 0.6	1.9	- 1.2	93	84	87	26 2	31 6	26 5	9	8 ,°	2	8 ϕ	2.3		‡ , • n, ⊙ ‡ a, ϕ° ⊙ p
29	04.8	12.6	16.1	0.9	0.6	0.6	1.3	- 1.1	61	68	68	02 5	05 6	04 3	9	4	3	1	0.0		⊙ n,a,p
30	16.3	16.2	15.6	0.4	0.2	0.8	1.5	0.1	88	77	71	19 1	04 2	04 2	9	8	7	4			⊙ n,p
31	14.8	15.3	14.3	0.4	0.4	0.6	1.0	- 0.2	75	68	78	04 3	04 3	03 3	9	2	5	2			⊙ n,a,p
M	22.8	23.1	22.8	- 1.0	- 0.2	- 0.4	1.0	- 2.3	83	82	82	3.3	3.5	2.8	8.0	5.5	5.5	5.1	10		

Juni (VI)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	12.6	12.7	11.3	- 2.4	- 2.4	- 2.3	1.2	- 3.0	72	66	66	04 5	05 4	04 4	9	5	1	2			⊙ n,a,p
2	07.4	06.9	06.8	- 2.8	- 1.8	- 2.8	- 1.5	- 3.5	74	69	91	04 4	04 3	31 5	9	7	2	7 ϕ			⊙ a, ϕ ⊙ p
3	05.4	05.7	05.1	- 2.4	- 0.7	0.0	0.1	- 3.8	90	84	89	32 4	02 2	18 2	7	8 *°	8 =°	5(ϕ)	0.9		⊙ ϕ°*° n,*° ⊙ ϕ° =° a,ϕ° ⊙° =° p
4	05.7	08.5	11.6	- 0.9	- 0.1	0.0	0.2	- 1.2	86	61	68	18 1	06 3	04 5	9	6(ϕ)	5	3	0.1		⊙ ϕ° n, ⊙ a, ⊙° p
5	17.7	18.9	17.1	0.1	1.4	1.9	2.4	- 1.2	69	60	68	04 3	36 1	32 3	9	1	1	1			⊙ n, ⊙° a,p
6	10.0	07.2	05.9	1.9	1.4	3.9	4.3	0.1	87	92	72	33 5	34 6	02 2	8	2	7	4			⊙ n, ⊙° a, ⊙ p
7	05.4	07.1	07.8	2.9	3.2	2.5	4.5	2.2	81	82	81	06 5	05 5	04 3	9	4	5	7			⊙ n,a, ⊙° p
8	09.6	11.9	13.2	2.6	3.1	3.4	4.1	2.0	74	61	68	09 3	05 4	06 5	9	8	4	7	0.1		ϕ° n, ⊙° a, ⊙ p
9	14.1	11.2	05.4	3.4	2.9	1.2	4.1	1.2	74	81	94	09 5	02 3	04 3	9	7	8	8			⊙ a, * p
10	99.6	99.7	99.2	1.9	3.9	4.6	5.0	0.1	93	78	79	05 5	04 5	03 3	9	8	7	6	2.5		ϕ n, ⊙° a,p
11	95.7	97.8	99.0	4.3	2.1	2.9	5.0	1.6	83	92	82	05 2	09 2	10 3	7	8	8	7			⊙° n, • p
12	02.9	04.8	05.3	2.4	2.8	3.0	3.6	1.5	89	91	91	08 1	04 2	02 2	8	8 ,	8	7	1.7		, • n,a, , p
13	08.3	09.1	06.5	3.4	3.9	3.9	4.6	2.7	92	86	77	02 2	04 3	05 2	9	7	7	6	0.0		⊙ a,p
14	96.1	96.2	98.6	3.9	4.6	5.0	5.8	0.1	84	94	75	05 5	06 1	17 4	8	7	8	5	0.4		≏ ϕ n, ⊙ ⚥ a, ⊙° p
15	99.1	99.0	97.9	3.3	4.9	4.8	6.2	2.5	90	75	82	04 2	05 1	35 1	9	1	2	5	0.8		⊙ n,a,p
16	98.1	99.6	99.6	2.4	3.7	2.1	5.7	1.0	93	91	93	18 2	19 1	18 2	8	8 ,	8 •	8 •			, • a, ‡ • p
17	97.5	98.3	98.0	2.9	3.2	5.1	5.4	0.7	84	87	82	05 3	03 3	28 1	8	8 •	7	7	2.8		, • n,a, ⊙° p
18	00.8	04.2	07.9	3.9	2.9	2.8	5.2	2.1	86	87	91	34 1	32 6	30 5	9	3	5	5	1.7		⊙ n, ⊙° a,p
19	14.7	17.0	17.8	2.9	3.4	3.1	4.1	2.2	92	89	89	28 2	29 1	31 1	9	7	7	5			⊙ n,p
20	18.8	19.9	17.9	5.2	6.4	5.0	7.0	2.8	72	82	74	10 3	27 1	07 1	9	8	1	4	0.0		⚥ (=) ⊙ n, ⊙ a,p
21	14.2	12.5	10.9	4.5	5.0	5.0	5.9	3.1	75	74	79	05 4	10 4	09 4	9	7	7	8 •°			⊙° n, •° ,° a,p
22	08.7	08.4	07.3	4.1	4.7	5.8	6.0	3.5	93	88	90	04 4	07 4	07 3	8	8	8 •	6	0.4		• n,a,p
23	06.4	07.2	07.8	4.7	4.9	3.7	6.1	3.5	82	86	93	08 4	09 4	05 3	8	8 •°	8 •°	7	1.2		•° n,a,p
24	06.3	07.0	07.5	2.3	1.6	2.0	4.1	1.2	94	95	93	22 1	21 1	23 1	7	8 ‡°	8 ‡	8 •	0.9		= •° n, ‡ a, ‡ • p
25	09.0	11.2	12.0	2.7	3.8	4.0	5.2	1.2	93	92	92	25 1	21 1	22 1	9	8 •	7	7	3.0		• n, (=) a, ⊙° p
26	14.0	15.1	16.2	3.2	3.9	3.3	4.9	2.4	94	92	90	19 2	21 2	21 2	8	8 =	8(≡)	7	0.0		= n, ⊙° , (≡) a,p
27	16.3	16.6	15.8	4.0	4.2	3.9	4.8	2.7	90	77	88	00 0	31 1	30 3	9	6	2	6	0.0		⊙° n, (⚥) ⊙ a, ⊙ p
28	12.8	12.4	11.3	3.8	4.3	4.7	5.9	2.7	87	91	84	25 1	28 1	26 1	9	7	6	7			⊙ n, ⊙° a, ⊙ p
29	11.3	12.3	12.0	2.2	3.7	3.2	4.8	1.9	93	89	81	21 3	28 1	28 2	8	8	5	7	0.0		, n, , ⊙° a, ⊙° p
30	10.9	10.4	08.6	2.4	3.2	3.1	4.2	1.8	81	81	79	20 1	20 2	20 1	9	7	7	7	0.0		⊙° n,p
M	07.6	08.3	08.1	2.4	2.9	3.0	4.3	1.1	85	83	83	2.8	2.6	2.6	8.5	6.5	5.8	6.0	15		

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 $\Delta G = +1^h$

Juli (VII)

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = 10.0 h_d = 11.6 h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F				Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19		13	7	13	19			
1	05.0	04.1	03.7	2.6	3.4	4.3	4.5	1.7	86	77	74	21 2	19 1	27 1		9	7	7(⚥)	7(⚥)	0.0		⚥ n, ⊙ (⚥) p
2	04.0	05.3	06.9	1.6	3.7	4.8	5.5	**1.0**	94	74	75	03 1	02 2	32 2		9	8 •	7	2	2.8		• * n, • a, ⊙ p
3	09.3	10.3	10.1	3.4	3.3	2.9	5.5	2.5	87	84	94	27 3	22 3	20 3		9	7	7	8 •°	0.0		⊙ n, ⚥ a, ' •° p
4	11.6	12.7	13.1	3.3	4.7	4.8	4.9	2.3	90	88	88	18 2	24 3	27 2		9	7	7	4	0.4		' •° n, ⊙ a,p
5	14.1	14.0	14.1	2.1	3.9	3.5	5.0	1.2	91	87	93	19 1	18 4	17 4		7	8 '	8 =	8 '°	0.1		' ⊙ n, = a, '° (≡) p
6	13.5	13.5	11.7	3.8	4.2	8.2	8.6	1.8	88	88	72	32 1	32 2	15 1		9	8	7	5	0.0		⊙° a, ⊙ p
7	08.0	06.9	07.1	5.5	5.8	4.0	8.6	3.6	92	92	93	18 4	17 5	18 5		7	7	8 '	8 '			' ⊙ a, ' = p
8	07.3	04.1	01.9	3.9	4.9	6.5	6.8	3.0	93	90	88	20 4	08 4	19 4		8	8 '	8 =	8 =	0.1		' = n, • ' = a, • = p
9	07.5	11.5	14.8	3.9	3.9	3.5	6.8	3.3	92	93	92	25 3	26 2	23 3		7	8	8 =	8 '°	2.6		• ' = n, ' = a, '° p
10	17.7	18.6	16.5	2.8	3.8	3.4	4.5	2.0	93	93	93	20 4	20 4	17 6		5	8 •	8 '	8 '	0.8		• = n, ' = • a, ' = p
11	11.7	11.9	11.0	4.7	4.6	3.8	5.8	3.3	93	93	93	17 5	18 5	18 4		6	8 •	8 =	8 •	6.2		• = n,a, • ' = p
12	10.4	10.1	08.7	2.8	3.7	4.4	4.9	2.1	92	91	92	22 4	19 5	19 5		7	7 '	7 =	8 =	2.9		• ' = ⊙ n, ⚥° = ⊙ a, = ⚥ p
13	07.3	07.1	05.4	4.2	4.9	5.3	5.6	3.5	92	93	93	18 4	19 4	18 4		7	7 '°	7 '°	8 '°	0.0		'° =° n, '° = a,p
14	02.0	03.8	05.6	5.1	5.0	4.7	6.6	3.9	93	93	93	18 5	17 5	17 5		4	8 •°	8 •	8 •	2.2		•° = n, ≡ • (≡) a, ≡ • p
15	08.5	09.1	08.1	4.6	5.0	6.2	6.7	4.1	93	93	92	19 1	02 1	04 3		8	8 =²	8 =	8	1.0		=² =² ' n, = a, =° p
16	03.0	00.2	97.0	5.3	6.7	6.9	8.3	4.6	93	87	82	04 6	04 5	03 5		8	8 •	7	4	5.0		• n, •° a, ⊙° • p
17	**92.2**	93.3	94.8	5.3	5.3	5.4	7.5	4.8	89	91	94	03 4	19 1	17 2		9	8	8	8 '°	1.1		⊙°n, (≡) p
18	97.0	97.8	98.0	5.6	5.7	6.9	8.3	4.7	93	93	88	05 2	04 3	04 2		6	8(≡)	8 •	8 •°	0.0		≡ '° n, • ' = a, • ' p
19	96.8	97.7	97.7	7.6	6.6	6.2	10.0	5.2	87	93	92	04 3	19 3	18 2		7	7	7 '	7(')	7.0		' a,p
20	02.5	07.3	10.9	2.8	3.3	3.0	6.5	2.1	88	87	91	26 3	20 4	20 4		8	7 =°	8 '°	8 '°	0.1		=° ⚥ ' ⊙ n, ' ⚥ ≡ = a, '° ≡ (≡) p
21	12.9	12.6	12.3	3.7	5.1	4.4	6.0	2.5	86	81	78	20 3	19 2	28 1		9	4	4	7	0.7		• ⚥ ' ≡ n, ⊙ = a, ⊙ p
22	10.0	08.0	06.0	5.4	6.2	6.0	6.5	4.2	78	74	79	04 4	03 2	32 2		9	7	3	3			⊙° n, ⊙ a,p
23	99.8	99.0	01.0	5.6	6.2	4.3	6.8	4.2	89	78	87	33 2	26 3	21 3		8	7	6	8(=)			⊙ n,a, ⊙ (=) p
24	06.7	10.5	12.2	4.4	4.8	5.7	6.0	3.8	87	88	82	26 3	21 2	19 2		9	8	8 •°	8(≡)	0.0		' (=) n, (=) p
25	14.4	15.2	16.5	6.0	8.8	6.4	**10.1**	4.4	86	69	88	05 3	09 3	20 1		9	6	7	8 =	0.1		' ⊙° n, ⊙° a, = •° p
26	19.0	20.6	20.9	8.1	6.3	5.7	8.9	5.2	83	90	94	16 3	19 4	19 3		8	8 '	8 =	8 ≡	0.0		= ' n, = a, = ≡ p
27	21.8	21.4	21.4	3.5	5.9	6.0	6.5	2.7	79	74	**71**	27 2	35 1	04 6		9	6	1	4	0.0		=° ⊙ n, ⊙ a,p
28	21.0	19.2	17.8	4.7	8.3	7.2	9.5	4.0	87	77	77	30 3	26 1	04 2		9	1	4	2			⊙ a,p
29	20.0	21.3	22.0	5.8	5.9	6.2	7.5	4.2	81	86	81	04 4	31 1	02 2		9	7	7	5			⊙ a,p
30	23.0	**23.8**	**23.8**	6.3	7.8	7.2	7.8	5.4	74	78	86	04 3	33 3	28 2		9	1	1	1			⊙ n,a,p
31	23.0	22.4	21.5	6.8	7.2	7.7	8.6	5.1	88	83	84	21 1	32 1	30 2		9	1	1	1			⊙ n,a,p
M	09.7	10.1	10.1	4.6	5.3	5.3	6.9	3.4	88	86	86	3.0	2.9	3.0		7.9	6.7	6.5	6.3	33		

August (VIII)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F				Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19		13	7	13	19			
1	21.1	21.0	**21.5**	4.4	6.4	4.2	8.3	3.8	94	90	93	13 4	21 2	21 2		9	8 ≡	6	8 ≡	0.0		≡ '° ⊙° n, ≡ ⊙ a,p
2	19.3	18.6	17.8	4.0	8.9	5.8	9.6	3.1	94	79	77	33 1	30 1	29 1		9	8 ≡	0(≡)	1	0.1		≡ =² n, ≡ (≡) ⊙² a, ≡ ⊙ p
3	16.8	16.0	15.7	5.7	7.0	6.4	7.7	3.6	92	78	82	02 2	28 1	23 1		9	7	7	4	0.0		⊙ ≡ (≡) n, (≡) a, ⊙ p
4	15.5	16.1	16.1	6.4	7.9	7.0	8.7	5.6	83	83	86	00 0	34 1	32 3		9	7	7	7			⊙° n,a,p
5	16.8	18.0	18.6	6.8	7.5	7.8	8.5	6.6	89	86	81	26 2	30 2	29 2		9	8	7	6			⊙° n,p
6	20.4	21.1	20.8	7.2	8.3	7.5	8.6	6.6	82	77	81	00 0	04 3	33 2		9	7	2	3			⊙° n, ⊙ a,p
7	20.6	20.3	19.7	6.0	6.7	6.0	7.7	5.6	84	84	86	25 2	34 1	27 1		9	7	6	7			⊙ n,a
8	17.3	16.3	15.0	5.6	7.1	7.3	7.8	4.8	93	83	89	34 2	33 3	32 3		9	8(≡)	4	7			(≡) n, ⊙ a,p
9	13.9	13.8	13.8	6.0	8.2	8.2	9.1	4.6	93	81	83	30 3	33 3	19 2		9	6	2	0			(≡) ⊙ n, ⊙ a, ⊙² p
10	15.2	15.0	14.2	5.2	5.5	5.4	8.5	4.8	88	84	78	25 2	25 2	25 2		9	7	8	8			⊙° n
11	12.3	12.6	13.0	4.4	6.2	5.8	6.8	3.5	86	72	78	17 3	22 3	26 2		8	7(≡)	5(≡)	2	0.0		'° ⊙° n, ⊙° a, ⊙² p
12	11.5	10.7	09.2	4.5	3.7	3.4	6.1	3.4	83	86	77	29 2	27 3	30 2		9	7	8	7	0.3		(≡) ' n
13	05.4	01.8	98.8	3.5	4.8	5.6	5.7	2.1	75	77	79	08 3	02 4	02 6		9	7	8	8 •°	0.0		' n, •° p
14	93.1	92.2	**91.9**	6.4	8.0	11.4	**12.0**	4.6	91	78	77	06 5	03 6	10 6		8	8 •	8 •	8(≡)	3.0		• n, • •° a, •° p
15	00.8	06.9	11.5	3.8	5.3	4.8	11.5	3.3	91	83	75	19 4	19 4	18 3		9	7 •°	4	6	1.2		•° ≡ n, •° ⊙°a, ⊙ p
16	16.9	17.3	15.9	3.8	5.6	5.2	6.4	2.1	78	69	74	15 1	26 1	32 2		9	3	1	1	0.2		•° ' ⊙ n, ⊙² a,p
17	14.5	13.6	12.2	4.2	5.4	5.4	6.5	1.7	72	64	79	17 3	16 3	18 4		9	7	7	7			⊙ n,a
18	12.6	13.6	13.5	3.9	4.6	4.7	5.6	3.3	83	72	78	26 3	26 2	29 3		9	7	1	1	0.7		(≡) ' n, ⊙² a,p
19	12.7	12.6	11.5	4.2	5.4	4.9	5.9	2.1	84	77	88	00 0	20 4	20 3		9	3	7	7 =			⊙² n, ⊙° a, = ⊙° p
20	00.7	97.8	02.1	4.0	3.7	4.3	5.4	2.5	83	91	84	09 4	04 6	04 4		7	8 •	8 •	6	2.0		• ' ≡ n, • a, ⊙ p
21	08.5	10.1	11.4	3.7	4.7	3.0	4.8	1.8	72	**63**	69	09 3	10 4	10 3		9	6	5	7	10.5		⊙ a
22	16.0	19.2	19.4	2.0	3.2	3.0	3.7	1.8	71	71	88	00 0	28 2	17 3		9	8	8	6 •°			•° ⊙ p
23	18.4	16.1	14.8	2.8	4.1	3.6	4.4	1.7	84	84	84	30 4	28 3	30 5		9	7	8	3	0.0		⊙ p
24	13.6	12.4	10.5	3.4	4.4	3.9	4.6	2.6	88	86	88	31 4	28 4	27 4		9	5	7	8			⊙ n, = ⊙ p
25	06.5	06.2	04.9	3.2	4.1	4.1	4.5	2.8	89	88	93	30 3	25 3	26 2		9	7 '°	7	8 •°	0.2		' (≡) n, ⊙ a, ' •° ⊙ p
26	99.0	97.3	94.8	2.8	3.5	2.9	4.1	2.1	95	88	83	20 2	25 2	30 4		9	7(≡)	7	8 =	4.6		• (≡) n, = p
27	95.6	98.0	98.4	2.4	3.8	4.0	4.5	**0.3**	77	81	75	05 3	04 4	03 2		9	4	7	7	2.4		• * ⊙ n
28	98.0	98.1	97.8	2.1	3.4	3.7	4.1	1.6	83	79	78	00 0	32 2	03 3		9	3	8	7			⊙ n
29	98.3	98.9	99.4	3.4	4.9	3.6	5.2	2.6	86	81	90	17 2	20 2	25 3		9	7	7	8 '			
30	00.2	01.1	01.1	3.6	4.9	4.6	5.0	2.7	89	88	84	15 2	19 3	16 3		7	8 •°	8 •°	8 •	0.5		•° (≡) n,a, •(≡) p
31	00.4	01.0	03.2	3.2	3.9	2.8	5.0	2.6	94	91	89	18 4	18 4	20 4		8	8 •	7(•)	7 ⚥	6.1		• (≡) n, •° = (≡) a, ⚥ (•) p
M	10.1	10.1	10.0	4.3	5.5	5.2	6.7	3.2	85	80	82	2.4	2.8	2.9		8.8	6.7	6.0	5.8	32		

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 ΔG = + 1h

September (IX)

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = 10.0 h_d = 11.6 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	09.5	12.4	14.2	3.6	4.2	3.7	4.8	1.1	82	84	90	00 0	21 2	20 3	8	7(≡)	8	6	3.7		⊙ • n, (≡) a, ⊙ (•) p
2	16.8	17.5	16.6	2.0	2.7	3.8	4.2	1.6	94	82	87	00 0	02 2	00 0	9	5	7	7	0.2		⊙° • (≡) n, ⊙ a
3	14.1	13.6	12.8	3.2	3.6	3.9	4.8	2.1	77	88	86	08 4	07 4	04 4	8	6	8(≡)	1			⊙° n, • (≡) • a, ⊙ p
4	11.3	10.9	09.9	2.8	4.4	4.6	5.2	2.5	78	77	66	05 3	05 5	04 3	9	1	1	1	0.1		⊙ n,a,p
5	07.3	07.1	06.3	4.0	4.8	4.6	5.5	3.1	86	78	68	03 6	08 4	06 4	9	7	8	8			
6	06.9	09.3	11.6	3.5	4.0	3.9	4.6	2.7	77	79	81	03 6	03 5	04 4	9	8 =°	7	7 •°			≡ (≡) n
7	15.0	18.1	20.2	2.8	2.9	3.0	4.0	2.3	89	91	88	03 5	04 4	05 4	8	8 •	8 •°	8 •°	1.0		• n,a, •° p
8	23.5	24.6	24.5	2.4	3.0	3.1	4.3	2.1	92	81	86	04 3	08 4	17 2	9	5	4	8	2.3		⊙° (≡) n, ⊙ a,p
9	21.8	18.1	14.1	1.0	2.8	1.8	3.3	0.6	88	78	95	17 3	17 4	18 5	8	7(≡)	8(•)	8 •°			(≡) n, (•) a, •° •° p
10	10.7	10.5	10.2	0.4	1.2	1.2	2.0	- 0.3	71	69	72	25 2	03 2	05 1	9	7	7	1	1.7		(≡) •° n, ⊙ a, ⊙² p
11	08.9	08.1	05.8	- 0.6	2.1	1.3	2.4	- 0.8	81	79	72	00 0	27 2	33 3	9	1	7	7			⊙ n, ⊙² a, ⊙ p
12	06.5	08.6	07.2	0.4	0.9	0.2	1.5	0.1	77	71	71	04 3	05 3	00 0	9	1	1	1			⊙ a,p
13	07.6	08.3	08.3	- 0.2	- 0.6	- 1.0	0.7	- 1.5	74	79	83	05 3	04 3	04 3	9	8	8	7			•° p
14	08.6	09.0	08.5	- 2.3	- 0.8	- 1.7	- 0.6	- 2.4	72	60	66	11 2	08 3	09 3	9	2	1	4	0.0		⊙ a,p
15	07.8	07.3	06.4	- 2.2	- 0.7	0.1	0.2	- 3.5	72	72	72	09 3	05 4	05 4	9	7	7	7			⊙° p
16	04.3	03.8	03.4	- 0.3	1.1	0.2	1.3	- 1.3	72	74	92	07 3	03 4	08 5	9	5	8	8 *°			*° p
17	04.7	05.7	06.1	0.2	0.6	0.1	1.2	- 0.4	92	77	78	04 5	04 5	04 5	9	8 *°	7	4	3.8		*° n,a, ⊙° p
18	06.1	07.2	07.6	- 1.7	- 0.6	- 1.8	0.1	- 2.3	81	77	83	08 4	08 3	17 3	9	4	8	8	0.0		
19	05.9	06.4	08.7	0.3	- 0.2	- 3.1	1.0	- 3.3	95	87	69	17 4	28 6	27 5	7	8 *	7(ϕ)	7(ϕ)	1.8		‡ * n, (ϕ) (≡) ‡ a,p
20	11.3	12.3	12.5	- 1.9	- 1.9	- 2.4	- 1.4	- 3.6	78	72	79	32 5	30 4	30 2	9	7(ϕ)	8	7	0.4		(ϕ) n,a, ⊙ (ϕ) p
21	12.0	12.4	11.6	- 2.6	- 2.6	- 2.6	- 1.8	- 4.4	71	90	77	27 1	08 2	17 3	7	8	8(ϕ)	8(ϕ)			ϕ° (ϕ) a, (ϕ) ϕ ⊙ p
22	10.5	10.0	08.8	- 3.1	- 1.5	- 2.6	- 1.3	- 4.8	84	78	79	08 4	07 4	08 4	9	7	6	7	0.1		⊙° n, ⊙ a,p
23	05.4	04.3	01.8	- 0.6	- 0.6	- 0.3	0.1	- 3.0	81	79	82	04 6	05 5	03 5	9	8	6	7			⊙° a
24	98.6	97.6	97.2	- 1.2	- 1.0	- 2.6	0.1	- 2.7	92	87	94	04 4	04 4	28 4	8	8 *°	8(ϕ)	7(*)	0.2		*° ϕ° n, ϕ° (ϕ) a, * p
25	98.4	94.9	90.0	- 4.3	- 3.4	- 1.7	- 1.0	- 6.5	68	87	82	31 3	04 6	03 7	8	5	8 +	7	2.7		⌓ n, + a, + ⊙° p
26	83.0	80.4	82.1	2.2	2.6	3.6	5.1	- 2.2	84	90	91	05 6	04 8	05 5	8	8	8(ϕ̇)	8 •			\ n, ϕ̇° = a, (ϕ̇) = • p
27	94.5	95.6	92.8	1.8	2.7	2.8	4.6	0.4	82	86	83	07 4	04 5	05 6	9	2	6	8	2.1		= • n, = a,p
28	90.6	95.1	00.1	3.0	3.5	2.8	4.4	1.2	92	94	92	04 6	16 4	16 5	7	8(ϕ̇)	8 •°	5(=)	0.0		(ϕ̇) •° n, (•) (≡) a, (≡) •° ⊙ p
29	08.7	10.6	09.6	3.3	2.9	2.3	4.0	2.1	79	84	86	17 3	04 5	05 6	9	2	1	5	0.1		⊙ a,p
30	06.2	03.8	98.2	3.3	3.0	3.7	5.5	2.0	88	94	89	04 4	04 4	04 6	7	8	8 •°	8 •°			•° a,p
M	07.2	07.4	06.9	0.6	1.3	1.0	2.3	- 0.6	82	81	81	3.5	4.0	3.8	8.5	5.9	6.5	6.2	20		

Oktober (X)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	93.4	96.2	96.7	4.4	5.0	3.0	6.1	2.8	82	69	88	04 4	04 3	04 4	9	6	2	7(=)	2.4		•° n, (=) ⊙ a, (≡) p
2	04.1	08.2	09.9	1.1	1.0	0.2	3.6	0.1	93	91	79	17 5	17 3	00 0	8	8(•)	6(≡)	1	0.4		(=) •° •° n, •° ϕ° ⊙ a,ϕ° (=) ⊙ p
3	14.4	16.2	15.6	0.1	0.1	0.0	0.6	- 1.3	90	92	91	17 3	20 3	36 3	6	7(≡)	8 *°	8(≡)	0.0		(≡) ⌓ n, ϕ° (≡) a, *° (≡) p
4	12.2	09.3	06.5	- 1.1	0.5	0.8	2.0	- 2.7	78	79	90	09 4	04 5	04 6	9	4	8	8 ‡°	0.2		*° n, ‡° = p
5	08.7	11.8	09.1	1.7	2.4	2.0	3.5	0.2	93	94	95	08 4	04 2	04 6	7	8(•)	7(≡)	8 •	6.0		‡° •° (≡) n, (•) (≡) a, • (≡) p
6	14.7	17.8	17.5	5.1	5.4	5.6	6.0	1.8	84	89	75	18 5	18 5	11 5	7	7(≡)	6(•)	7	6.3		(≡) •° n, (•) a, (=) p
7	14.4	13.2	11.6	6.3	5.6	5.8	7.3	3.1	78	77	79	08 5	10 5	12 4	7	7	7(≡)	8(≡)			⊙ (≡) a, (≡) •° p
8	13.9	14.7	11.9	0.4	0.8	0.0	6.3	0.0	93	72	90	22 5	23 4	13 4	9	8 ‡°	8	7(≡)	1.8		•° (•) ‡° n, ‡ (ϕ) a, (≡) p
9	06.1	03.2	99.2	0.9	1.8	1.6	2.4	- 0.4	87	79	82	19 4	08 3	06 4	8	8	8(≡)	8	0.1		ϕ° n, (≡) a
10	94.6	94.7	95.5	1.7	2.2	1.0	2.7	0.1	79	74	71	04 3	08 4	10 4	9	2	5	3			⌓ n, ⊙ a, ⊙° p
11	96.8	97.8	98.0	- 1.1	- 0.2	- 0.8	1.5	- 2.3	71	74	71	07 4	09 3	08 4	9	3	7	7			
12	96.0	94.2	93.9	- 1.6	0.1	- 0.2	0.7	- 3.4	64	66	63	03 6	04 8	04 8	8	1	6(•)	4			(≡) a,p
13	94.8	99.5	01.6	- 1.6	- 1.2	- 3.6	0.0	- 3.9	61	66	63	05 8	04 6	04 4	7	3	3(≡)	1			\ n, (≡) a
14	05.0	06.0	06.5	- 3.7	- 4.0	- 5.0	- 2.9	- 5.4	66	61	87	05 2	08 2	04 3	9	4	4(ϕ)	8 *°			ϕ° (ϕ) a, *° * p
15	08.5	11.0	11.8	- 4.1	- 4.9	- 5.2	- 2.8	- 6.7	77	69	81	04 5	04 2	04 4	8	6(ϕ)	7 ϕ°	7 *°	0.4		ϕ° (ϕ) n, ϕ° (ϕ) ⊙ a, *° p
16	13.7	14.4	13.5	- 6.7	- 6.2	- 5.8	- 4.6	- 7.9	87	82	58	19 2	15 1	04 4	6	8(ϕ)	7(*)	1	0.3		*° ϕ° n, (ϕ) (*) a
17	12.0	11.0	08.0	- 6.8	- 8.8	- 8.8	- 5.5	- 8.9	68	78	63	10 2	09 3	16 1	9	2	1	3			⊙ a
18	02.2	01.1	98.2	- 5.2	- 4.8	- 4.8	- 3.8	- 8.8	57	52	69	10 3	06 5	06 4	6	7	8(ϕ)	2			ϕ a, ⌓ p
19	92.3	90.9	88.9	- 3.8	- 3.3	- 3.6	- 2.2	- 4.9	72	74	75	08 5	08 5	08 5	9	7	6	6	0.0		
20	87.3	89.1	90.4	- 3.5	- 4.0	- 4.4	- 2.6	- 4.9	74	78	81	06 6	06 5	06 5	9	3	2	2			⌓ 19
21	93.4	95.1	95.7	- 5.1	- 4.6	- 4.6	- 3.6	- 5.7	78	81	78	09 3	05 3	05 3	9	2	5	6			
22	93.3	93.3	92.0	- 4.9	- 5.2	- 5.8	- 4.0	- 6.4	84	88	74	05 4	08 3	05 4	7	8(ϕ)	8(*)	6	0.3		*° (ϕ) n, *° a, ⌓ 19
23	91.1	92.2	92.5	- 6.9	- 7.0	- 8.2	- 5.2	- 8.4	83	84	81	04 5	04 5	08 5	8	2(ϕ)	5 ϕ	2	0.1		⌓ n, ϕ (ϕ) a, (=) p
24	91.5	92.5	93.1	- 7.1	- 6.8	- 6.4	- 6.0	- 8.5	68	64	77	08 5	08 5	08 5	9	5	2	1	0.0		⌓ n, ⊙ a, ⌓ p
25	92.9	94.3	95.8	- 4.6	- 3.4	- 4.6	- 2.8	- 7.0	75	79	74	06 5	06 4	07 4	9	4	3	1			⌓ n, ⊙° a
26	96.7	97.3	95.6	- 1.1	- 0.8	- 2.0	- 0.4	- 4.6	79	74	72	08 6	09 4	08 5	9	7	7	5			⌓ 7, *° (ϕ) a, ⌓ p
27	89.0	89.4	92.8	- 3.6	- 3.2	- 5.7	- 1.5	- 5.8	74	92	89	09 4	26 6	29 4	7	5	8 *°	8 *°	0.0		⌓ n, *° a,p
28	94.3	98.9	03.3	- 3.8	- 4.9	- 1.9	- 1.4	- 7.2	89	83	74	33 5	04 1	04 5	9	4 *°	3	2	3.2		*° n,a, ⌓ p
29	10.4	12.5	13.9	- 4.7	- 4.1	- 4.9	- 1.9	- 6.6	72	74	75	08 3	05 4	08 3	9	7	8	7	0.0		⌓ n
30	16.1	16.7	16.5	- 6.8	- 9.9	- 9.6	- 4.8	-10.5	68	74	81	08 3	09 3	09 3	9	3	1	1	0.0		⌓ *° n
31	15.5	13.1	11.1	- 7.7	- 3.0	- 2.9	- 1.9	-11.0	79	84	94	07 5	17 3	18 7	6	7	8 *°	8 *			⌓ n, * a,p
M	02.2	03.1	02.8	- 2.4	- 2.1	- 2.5	- 0.5	- 4.4	77	78	78	4.3	3.8	4.2	8.1	5.3	5.6	4.9	22		

Ekstensotabell

1954

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 $\Delta G = +1^h$

November (XI)

$H_s = 7$ $H_b = 9.0$ $h_t = 1.9$ $h_a = 10.0$ $h_d = 11.6$ $h_r = 1.7$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.8	02.0	01.0	- 1.4	- 1.1	- 2.6	- 0.9	- 3.1	82	94	90	17 6	18 6	18 3	5	8 +	8 +	8 *°	14.3		* + n, + a, *° p
2	05.4	07.3	08.7	- 4.6	- 6.0	- 6.6	- 2.0	- 6.6	79	71	75	34 5	35 3	00 0	9	5	7	8 *°	5.8		+° *° ⌒° n, *° p
3	09.4	09.5	09.4	- 6.8	- 6.8	- 6.6	- 6.0	- 8.4	83	75	81	10 2	08 3	04 5	9	8 *	8	2	0.4		* n, (*) *° a, *° ⌒ p
4	09.9	10.0	10.6	- 6.6	- 6.2	- 5.8	- 5.4	- 9.1	75	72	78	08 5	06 5	04 5	9	1	2	1	0.1		⌒ 19
5	10.2	10.3	09.9	- 7.3	- 9.0	- 8.6	- 5.2	-10.0	75	79	69	09 4	07 4	09 3	9	4	2	4			⌒ n
6	07.4	06.7	03.8	- 8.3	- 8.8	- 5.9	- 5.4	-10.5	72	75	63	17 3	08 2	07 5	9	8 *°	7	7	0.0		*° a
7	96.5	96.3	97.5	- 0.8	0.1	- 2.4	0.1	- 7.1	95	93	88	19 5	25 5	31 3	5	8 *	8 ‡	8(≡)	1.8		* n, *° ‡ a, ‡ p
8	94.7	**93.6**	94.5	2.3	2.1	1.3	2.6	- 3.1	84	92	94	17 5	17 6	17 4	7	6 ,°	8 •°	8 •°	1.7		,° (≡) n, •° (≡) a,p
9	98.2	00.4	02.1	- 0.8	- 0.4	- 0.9	1.6	- 1.4	93	94	94	02 1	03 3	06 4	6	8 ,	8 *°	8 *°	5.7		•° , ≡ ∿ n, ‡° * a, (≡) , *° p
10	04.9	06.3	04.7	- 1.5	- 0.9	- 0.9	0.3	- 2.1	90	83	71	03 5	04 4	04 6	9	7	7	3	4.6		*° (≡) n, ,° (≡) a
11	04.4	04.3	03.9	- 1.6	- 0.6	- 1.4	- 0.1	- 2.5	72	64	69	07 4	06 4	06 6	9	2	5	7	0.0		
12	05.9	08.0	09.7	- 6.0	- 9.2	- 9.5	- 1.3	-11.1	54	55	**52**	05 6	07 5	04 5	9	0	1	1			
13	11.5	10.7	08.6	- 8.7	- 8.8	- 9.9	- 8.1	-11.1	66	74	72	05 5	04 4	08 3	9	1	3	1			⌒° n
14	04.4	05.8	07.7	- 9.9	- 8.9	-10.3	- 8.4	**-13.7**	77	74	74	25 2	05 4	07 2	9	2	1	1			⌒° n, *° a
15	11.1	13.3	13.5	- 8.2	- 9.2	- 7.2	- 7.2	-12.6	82	79	72	34 5	31 4	34 4	9	8	7	8	0.0		ϕ° p
16	14.7	15.6	15.5	-10.8	-10.2	- 6.3	- 6.1	-11.5	81	78	78	09 3	09 2	09 1	9	1	7	8	0.0		⌒ n
17	11.9	08.5	07.0	- 1.6	0.2	0.7	1.1	- 6.6	81	94	89	18 6	18 7	19 6	7	7 ϕ°	8 ‡	8	0.0		ϕ° n, * ‡ a
18	03.8	98.3	99.1	2.2	2.8	2.1	3.0	- 0.4	86	92	92	18 7	18 7	18 6	7	8 •°	8 =	8 =	1.7		(=) •° n, = a, •° = p
19	03.1	03.8	05.7	1.2	1.2	0.4	3.0	- 0.4	91	92	83	17 7	18 6	24 6	6	8 Δ°	8 *	8	3.9		= R ϕ° Δ° n, ϕ ϕ * a, ϕ p
20	20.4	19.9	18.5	- 2.4	0.8	2.6	3.0	- 3.6	72	91	90	23 5	18 6	17 7	9	4	8	8 •°	3.2		ϕ ⌒ n, ⌒ a, •° p
21	18.5	20.9	22.5	2.0	2.8	2.1	3.2	- 2.4	93	92	87	17 7	17 7	17 6	7	8 •°	8 =	5 =	1.5		=° ϕ° n, •° = a,p
22	24.4	25.9	**26.4**	2.5	1.2	1.3	2.6	0.4	84	81	79	17 5	17 2	21 1	7	8 =°	7 =°	2	0.7		= •° n, =° a, • p
23	22.1	20.4	14.0	0.5	1.0	- 1.1	1.3	- 1.3	87	84	94	04 6	04 5	17 2	7	8	8 *	7 *°	0.1		•° n, ‡° , a, *° p
24	12.9	14.8	17.3	0.6	0.2	0.6	0.8	- 2.1	93	91	93	12 4	18 4	19 4	9	8 *°	7	7 *°	1.6		*° n,p
25	18.1	16.5	14.4	0.9	0.6	1.1	1.2	- 0.1	92	93	92	17 5	18 4	18 4	8	8 =°	8 •°	8 =	0.6		=° *° n, •° a, •° = p
26	10.9	11.1	11.4	0.9	0.9	0.5	1.5	0.3	93	93	93	17 5	23 3	19 2	7	8 *°	8 ,°	8 =°	3.6		*° ,° n, ,° a, ,° *° =° p
27	10.3	09.7	08.5	1.2	0.9	0.6	1.6	- 0.3	93	92	93	18 4	18 5	18 4	8	7	8	8 *°	1.2		ϕ a, *° p
28	03.7	02.6	01.9	- 0.6	- 1.0	- 0.6	1.5	- 1.6	82	79	72	18 4	17 4	15 1	9	4	7	3	1.5		* n
29	03.2	04.3	02.0	- 2.2	- 1.9	- 0.9	- 0.1	- 3.5	84	81	89	00 0	09 3	04 5	9	8	2	8			
30	97.1	97.6	97.1	3.2	2.8	1.0	**4.7**	- 1.3	92	93	94	17 7	17 7	19 4	6	8 •	8 •°	8 •°	3.2		• *° n, •° a, •° ,° p
M	08.5	08.5	08.2	- 2.4	- 2.4	- 2.4	- 0.8	- 4.9	83	83	82	4.6	4.5	3.9	7.9	6.0	6.4	6.0	57		

Desember (XII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	01.0	07.2	10.8	- 6.4	- 6.2	- 6.2	3.7	- 7.0	78	74	66	27 4	31 4	35 3	8	8	8	8	2.5		=° •° n, ϕ° a
2	09.7	05.1	98.9	- 5.2	- 3.8	- 2.3	- 1.8	- 6.6	69	78	89	04 5	08 6	05 5	8	6	8 *°	8 *°	0.0		*° a,p
3	87.0	82.2	80.0	- 0.2	0.2	0.1	1.0	- 2.4	93	93	94	04 4	05 4	04 4	6	8 *°	8 *°	8 *°	0.5		*° n,a,p
4	82.0	84.6	87.3	- 1.5	- 4.6	- 2.2	0.3	-11.6	93	92	78	33 3	05 1	05 3	9	2	1	1	0.9		*° n, ⌒ a,p
5	93.4	96.0	00.0	- 4.6	- 6.9	- 9.4	- 1.7	-10.0	74	78	88	04 5	04 7	04 7	9	3	8	8 *°			⌒ n, *° p
6	08.2	10.6	12.1	-11.8	-12.1	-14.3	- 9.0	-14.5	86	83	69	04 8	04 7	08 3	7	8 *°	6 *°	3	0.2		*° n,a,p
7	13.2	12.7	12.9	-14.1	-13.8	-15.2	-12.2	-16.0	64	71	61	36 3	06 5	08 4	9	4	3	2	0.5		*° n
8	12.6	13.2	14.0	-15.6	-14.7	-14.6	-14.0	**-16.7**	64	61	61	09 4	09 4	08 4	9	1	1	3			⌒² n, ⌒ p
9	12.8	11.4	08.9	-10.6	- 6.6	- 4.4	- 4.4	-14.7	**60**	64	63	08 7	06 7	05 6	9	6	8	8			
10	94.6	92.2	92.2	- 1.1	0.1	0.6	1.3	- 5.1	86	91	92	04 7	16 6	16 6	6	8	8 *°	8 Δ			*° a, ϕ Δ p
11	84.1	81.2	81.6	1.2	0.3	- 0.4	2.7	- 1.0	66	81	88	09 5	09 5	18 3	9	8	8 *°	8	0.6		, p
12	90.2	96.5	02.5	- 2.2	- 2.4	- 1.9	0.0	- 2.7	81	81	68	27 4	27 4	29 4	8	8 *°	8(=)	8 *°	2.0		*° =° n, (=) a, *° p
13	10.2	12.1	11.9	- 1.8	- 2.3	- 1.9	- 1.4	- 3.8	69	78	75	28 4	16 3	09 3	9	8	8	5	0.7		
14	11.3	07.6	99.1	- 0.8	0.2	1.2	1.5	- 2.1	69	71	83	08 3	11 5	10 6	9	8	5	8 *°			*° p
15	93.1	90.0	91.5	1.4	0.1	- 1.3	**4.0**	- 1.3	77	92	93	05 4	03 4	00 0	8	8(=)	8(=)	7	0.1		(=) n, *° ‡° a, *° p
16	97.9	03.1	05.6	- 0.8	- 1.4	- 2.6	0.0	- 2.6	94	91	90	04 4	27 3	00 0	6	8 *°	8 *°	8 *°	0.7		*° n,a,p
17	02.5	01.0	98.4	- 3.6	0.3	- 0.2	1.0	- 6.6	87	74	75	04 6	09 4	06 5	9	3	4	1	1.0		⌒ n, ⌒ 19
18	89.4	84.9	80.8	1.5	1.4	1.9	2.5	- 1.1	77	83	81	04 5	05 6	05 4	9	5	7	8 *°			⌒ n, *° p
19	75.8	75.0	73.5	- 0.7	- 0.1	- 0.3	2.0	- 2.7	91	90	93	04 8	04 8	04 8	9	8	8	4	0.0		, n, , \ a, \ p
20	79.3	80.4	78,9	0.4	- 0.6	- 0.4	1.0	- 2.9	87	78	72	04 6	04 7	03 8	9	8	3	6	0.0		
21	75.8	74.2	**72.3**	- 1.2	- 0.9	- 0.8	0.0	- 1.5	74	69	61	04 6	04 6	01 5	9	8	8	2			⌒° p
22	73.7	79.2	84.4	1.0	2.0	0.4	2.5	- 1.1	87	71	71	04 5	06 5	03 5	9	8 *°	3	3	0.0		*° = n
23	91.8	94.5	95.7	- 0.8	- 0.5	- 0.8	1.0	- 1.2	74	75	87	04 6	04 5	04 6	9	2	3	4	0.0		⌒° *° n
24	99.1	99.7	00.4	0.2	- 0.8	- 1.2	0.5	- 2.1	72	66	71	09 4	11 5	08 5	9	7	1	2	0.0		⌒° *° n
25	00.7	00.9	02.3	- 2.5	- 0.7	- 0.4	0.6	- 3.1	82	75	71	03 4	11 4	11 4	9	2	7	7			⌒° n
26	00.0	96.9	93.4	- 2.2	- 2.8	- 2.4	0.2	- 3.5	88	83	75	04 5	06 3	04 4	9	2	3	2			⌒° p
27	90.4	93.6	97.8	- 2.5	- 2.8	- 3.5	- 2.0	- 5.4	89	79	72	33 6	31 4	36 3	9	1	8	1			⌒° n, ⌒ p
28	04.9	07.4	10.5	- 4.0	- 3.8	- 4.6	- 3.0	- 7.1	69	79	81	07 4	05 4	06 2	9	8 =°	8	4			=° ⌒ n, ⌒ p
29	16.7	18.6	**19.1**	- 6.2	- 6.5	- 4.9	- 4.2	- 8.1	83	79	84	07 3	09 4	05 4	9	6	1	7			⌒° n, ⌒ p
30	18.4	18.0	16.2	- 4.2	- 2.8	- 1.0	- 1.0	- 6.7	82	83	81	04 3	09 4	10 4	9	8 *°	8	3	0.0		*° n
31	97.2	97.0	99.6	2.6	1.1	0.2	3.1	- 1.7	83	84	92	15 9	20 7	27 4	6	8 ,	8 =	8	3.3		\ ,² * n, , = \ a, ϕ, ‡ p
M	97.3	97.6	97.8	- 3.1	- 2.9	- 3.0	- 0.8	- 5.6	79	79	78	5.0	4.9	4.3	8.4	6.0	5.9	5.3	13		

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 ΔG = + 1h H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Januar (I)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7		13		19		Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	86.8	88.8	90.9	- 0.6	- 1.2	- 1.1	- 0.2	- 2.3	87	92	89	13	2	14	2	10	3	3	8 *	8 *	8 *	0.1	11	= n, ♎° = * a, * =° p
2	02.8	11.9	22.4	- 3.6	- 5.3	- 9.0	- 1.1	- 9.5	89	75	75	09	7	07	7	06	6	7	8 +°	8 +°	8 ♦°	2.5	13	*² + n, ♦ (♦) +° a, +° ♦° p
3	32.6	30.0	18.3	-11.2	-10.7	- 6.6	- 6.4	-12.5	72	71	71	01	2	00	0	18	4	8	8 *°	8 ♦°	8	0.3	14	♦ (♦) *° n, ♦° a
4	78.3	69.2	72.3	- 0.8	- 0.8	- 4.5	0.6	- 6.9	94	84	84	20	6	33	3	30	7	7	8 *	7(♦)	8 +²	1.6	16	* + n, *° +* ♎° = a, +² (♦) p
5	74.3	71.6	66.3	- 3.6	- 3.6	- 4.0	- 3.0	- 7.9	68	74	67	28	6	27	4	34	2	9	8 +°	4	5	3.9	16	+° * n
6	68.5	72.9	77.0	- 9.2	-11.0	-11.5	- 3.9	-12.0	80	82	75	04	5	03	5	04	5	3	8 ♦	8 *	2 +	0.7	16	♦ + n, ♦° ♎° * +° a, * ♦+p
7	82.4	85.3	89.2	-11.4	-10.2	- 9.2	- 8.6	-12.5	72	77	75	33	3	33	3	02	3	7	6	7 ♦°	6 ♦°	1.4	17	+ ♦° n, *° ♦° a, ♦° p
8	95.9	99.3	01.6	-11.0	-11.9	-12.8	- 9.1	-13.3	74	72	73	02	3	03	3	02	3	7	8 ♦°	8 *°	8 ♦	1.8	18	♦° n, *° a, * ♦° p
9	05.0	06.6	07.0	-15.4	-15.6	-15.7	-12.8	-16.5	72	71	66	03	3	02	2	02	3	8	6 ♦°	6	3	1.4	20	♦° n,a
10	03.4	01.8	99.9	-13.5	-12.8	-13.2	-12.0	-16.1	75	79	84	00	0	04	1	05	3	8	7 ♦°	6	8 ♦	0.2	20	♦° n,a,p
11	92.5	81.5	82.9	-12.0	- 9.1	- 9.6	- 8.0	-14.8	86	91	88	06	5	34	4	30	1	8	8 ♦°	4(♦)	8	0.3	21	♦° n, +² ♦ a
12	75.6	75.2	76.0	- 5.0	- 4.0	- 4.1	- 2.9	- 9.9	88	83	84	02	5	03	4	01	5	8	8 ♎°	5	8(♦)	0.3	20	♦° +° ♎ n, ♎° + a, ♎ ♦ + p
13	78.9	81.5	83.3	- 5.8	- 5.8	- 5.5	- 3.9	- 6.6	87	87	88	02	6	04	5	36	5	8	3 +°	7 ♦	5	1.3	22	♦° +° n,a, (♦) p
14	87.5	88.8	88.5	- 4.8	- 5.7	- 5.8	- 4.4	- 7.1	89	86	86	01	1	35	2	04	4	7	7 =°	2 =°	7 ♦°	0.1	20	= n, =° a, =° ♦° p
15	88.3	87.2	88.1	- 8.3	- 8.3	-10.0	- 5.4	-10.4	87	84	82	04	3	05	3	03	3	8	0	4	3 ♎°	0.2	20	♦ n, ♦° a, ♎° ♦° p
16	85.2	86.7	88.6	-10.8	-11.4	-11.1	- 9.4	-11.7	69	74	79	01	3	01	2	03	4	9	1	3	4	0.2	20	♦° ♎° n, ♦° p
17	94.5	98.9	01.4	-10.7	-10.7	-11.8	-10.2	-12.5	82	82	82	02	6	05	5	35	3	5	6 +	8 ♦°	7 ♦°	1.2	20	♦ + n, ♦° + a, ♦° p
18	05.0	06.2	06.3	-12.5	-12.0	-12.0	-11.1	-14.1	80	80	78	01	2	33	3	03	3	7	6 ♦°	7 ♦°	1	0.4	21	♦° a, ♎° p
19	06.9	07.9	08.3	-15.8	-15.9	-16.8	-11.9	-17.3	77	80	77	01	6	36	4	01	5	7	5 +°	8(♦)	1	0.1	22	+° n, + (♦) a, + p
20	07.4	02.4	93.1	-16.9	-11.1	- 6.3	- 5.4	-18.6	72	86	72	33	2	13	2	20	2	6	0	8 *°	1		22	☁ n, *° a, * p
21	07.6	13.4	14.7	-18.4	-19.7	-20.0	- 6.1	-20.7	82	79	74	35	7	36	3	00	0	8	2 +	0	0	2.1	20	♦° +² n, + a, ☁ p
22	17.1	20.6	18.7	-18.8	-19.6	-15.0	-14.7	-21.9	75	82	83	06	2	12	2	15	3	8	3	6	8 ♦		20	☁ n, ♦ p
23	13.8	12.2	06.7	- 0.1	0.3	1.0	1.6	-15.2	84	92	87	25	5	24	4	25	6	6	3 =	8 *°	7 =	0.5	20	*° ♎° =° ☁ n, = * ⁝ a, = ⁝° p
24	99.3	01.3	03.3	0.4	0.1	- 1.8	1.3	- 2.2	92	97	86	23	5	23	5	25	5	8	8 =°	4	7 =°	1.5	15	⁝° ·° =° n, =° a,p
25	16.4	21.8	23.8	- 7.5	- 8.7	- 7.2	- 1.5	- 9.1	84	98	89	04	2	09	3	08	3	8	0	6	8 *°		15	=° n, *° p
26	25.5	26.9	27.6	- 0.8	3.2	3.1	4.0	- 7.4	95	95	78	08	1	20	2	20	3	7	8 °	8 =°	8 =°	5.1	17	* *° n, = 7, ° ≡ a, =° p
27	27.3	27.4	26.6	3.3	2.8	3.2	3.9	1.9	80	94	75	23	3	23	3	22	3	7	8	8 =°	8 =°	0.0	15	=° n,a,p
28	25.1	24.9	25.5	1.0	0.0	- 2.2	3.4	- 2.5	88	95	77	24	3	23	4	24	3	3	6	8 ≡°	0		12	=° n, ♦° = a, ≡° p
29	25.2	24.5	23.1	- 1.3	- 1.0	- 1.5	- 0.5	- 2.7	77	82	83	25	4	27	4	27	4	8	0	3	0	0.1	10	☁ n,p
30	22.2	22.6	21.8	- 1.7	- 1.8	- 1.5	1.0	- 2.3	84	86	86	28	3	29	3	29	4	9	0	5	2		10	☁ n
31	20.2	18.6	16.9	- 3.2	- 2.7	- 2.8	- 1.4	- 4.5	83	74	77	32	3	28	3	30	3	9	3 ♦°	3	0	0.1	11	☁ *° ♦° n, (♦) ☁ p
M	01.7	02.2	02.3	- 7.4	- 7.2	- 7.3	- 4.5	-10.3	81	83	80		3.7		3.2		3.6	7.1	5.2	6.0	5.1	27	17	

Februar (II)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7		13		19		Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	11.6	09.2	05.5	- 0.3	0.8	1.4	1.6	- 3.3	80	75	84	25	6	23	5	24	7	8	7	8	8		11	☁ n, (♦) a
2	01.7	98.6	94.1	1.4	1.1	1.1	2.0	0.0	91	86	91	23	6	24	5	23	5	8	8	7	8 ·°		11	=° ·° p
3	89.5	95.8	00.3	- 7.6	-10.7	-11.0	1.3	-11.3	83	78	69	02	5	05	2	05	3	8	8 +°	7	8 ♦°	3.4	15	=° ·° * *° n, ♦° a,p
4	12.1	15.9	13.9	-13.8	-14.3	-11.9	-10.8	-15.0	68	72	75	03	4	12	2	12	4	8	8 ♦°	3	4 ♦°	0.2	15	♦° n,a,p
5	98.8	89.9	84.5	- 6.0	- 3.9	- 3.1	- 2.6	-15.3	83	92	84	09	5	09	7	26	2	2	8	8 *	3	0.1	15	♦° n, * + a, ☁ * p
6	84.9	87.5	93.1	-17.7	-19.7	-20.7	- 3.1	-21.2	82	80	79	03	6	03	6	02	6	2	8 =	8 =	8 =	2.5	15	♦° * = +² n, = +² a, = + * p
7	03.9	08.1	11.0	-22.2	-23.6	-22.0	-20.1	-24.2	78	74	72	02	3	35	2	01	3	8	6 ♦	3	1	2.8	15	+° ♦² n, ♦° p
8	13.8	12.1	08.4	-18.3	-13.1	- 6.4	- 6.3	-22.4	72	80	74	20	2	21	3	22	4	9	8 *°	7	8	0.1	15	☁ n, ♎° *° a
9	04.9	05.8	08.3	- 2.5	- 2.7	- 3.7	- 2.0	- 7.0	78	87	86	24	5	28	2	08	3	8	7	8(♦)	8	0.1	15	☁ n, ♦° p
10	10.3	10.7	09.9	- 1.3	- 0.6	- 0.6	- 0.1	- 4.6	87	92	80	07	2	32	1	30	1	6	8	8 *°	6 =	3.9	20	♦² = n, *° a, = * p
11	08.3	06.2	05.3	0.6	0.2	- 0.3	1.1	- 3.1	83	91	83	23	2	21	2	22	5	6	8 =	8 ♦	7 +°	1.8	20	= ☁ n, △ ♦ = a, ♦ p
12	08.9	10.9	12.1	- 1.3	- 2.1	- 2.2	0.0	- 3.4	77	72	80	22	4	22	3	27	3	9	8	5	8 ♦°	0.6	20	+° *° n, ♦ a, ♦° p
13	13.8	14.4	15.1	- 4.7	- 4.7	- 4.1	- 2.0	- 6.4	72	77	82	26	1	27	2	32	1	9	2	1	6	0.7	23	⊙° a
14	14.8	15.6	16.9	- 3.5	- 3.8	- 3.2	- 1.4	- 5.2	75	84	83	23	2	15	2	08	2	9	8	6	8 *°		23	*° p
15	18.2	19.9	21.4	- 1.7	- 1.0	- 1.0	- 0.3	- 4.4	92	80	78	08	1	25	2	26	2	8	8 *°	8	8	2.3	25	=° *° n,a
16	24.4	25.6	26.5	- 2.6	- 1.9	- 2.7	- 0.7	- 3.9	82	77	82	27	2	26	3	27	3	9	1	4	1	0.0	25	⊙° a
17	27.2	26.5	24.8	- 1.8	- 1.8	- 0.6	0.6	- 3.4	73	83	77	18	1	20	1	20	2	9	6	7	7		25	☁ n
18	20.8	20.6	18.6	- 0.9	- 0.4	0.4	0.4	- 2.2	79	67	68	23	2	22	3	22	5	8	7	7	8		25	
19	13.0	13.8	15.5	- 1.2	- 0.4	- 2.1	1.5	- 3.0	94	94	92	22	2	27	2	03	1	3	8 ♦°	8 ≡°	8 =	0.2	25	⁝ =° ♦° ♦° n, = ♦° ≡° a, ≡° = p
20	16.3	16.8	17.5	- 5.1	- 4.7	- 3.8	- 1.7	- 6.7	91	92	87	30	4	30	1	33	1	7	7 =*	7 =°	4	0.9	25	= · n, =° a,p
21	20.2	22.4	24.3	- 5.6	- 5.1	- 6.1	- 3.4	- 6.7	92	84	88	10	1	02	2	10	1	8	7	7	8		25	= n, ⊙° a
22	25.1	24.5	20.9	- 7.6	- 5.8	- 1.8	- 1.4	- 9.3	91	89	89	02	2	08	2	08	1	8	5	8	8 ♦°		25	(≡) a, ♦° p
23	14.8	13.5	11.2	- 1.5	- 1.4	- 1.8	- 1.0	- 3.1	86	98	98	18	2	21	3	00	0	2	7	8 ≡	8 ≡	0.1	25	♦° =° n, *° = ≡ ∨ a, ≡ ∨ p
24	02.5	00.4	98.6	- 2.2	- 0.8	1.3	1.7	- 2.6	92	88	89	08	2	35	2	22	4	8	7	8	8 ·°	1.5	25	= * ≡° ♎° n, * ⁝° ·° p
25	97.5	99.1	99.2	0.9	2.4	1.1	3.0	0.3	88	78	75	23	4	23	5	22	5	8	8 =	3	5	1.4	20	· ·° = n, = ⊙° a, ⊙° p
26	07.3	09.2	11.7	- 6.1	- 8.5	-10.8	1.1	-11.3	91	84	83	07	4	08	4	09	3	6	8 ·	6 ♦°	8	0.0	18	· n, · ♦ a, ♦ p
27	14.7	16.4	18.0	-13.7	-13.7	-13.9	-10.4	-14.7	75	77	77	09	4	09	5	09	4	9	1	6	8	0.2	18	☁ n, ⊙ a
28	13.5	11.6	09.5	- 5.1	- 2.6	- 2.5	- 2.2	-14.5	82	86	84	13	5	11	4	09	3	4	8 *°	8 *	8 *	0.4	18	* n, * +° a, *° p
M	10.5	10.8	10.6	- 5.4	- 5.0	- 4.7	- 2.0	- 8.1	83	82	82		3.2		3.0		3.0	7.0	6.8	6.5	6.7	23	20	

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 ΔG = + 1h

Mars (III)

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.7	07.7	08.1	- 3.4	- 6.0	- 5.6	- 2.0	- 7.1	87	86	86	00 0	00 0	05 3	6	8 ≡°	8 =	8 *°	1.6	25	* n, ≡° = a, * = p
2	08.9	10.4	10.4	- 5.7	-10.2	-14.3	- 4.6	-15.2	84	80	78	06 5	04 6	06 6	3	8 *°	7 +	8 +	0.5	27	= * + n, * +° a, + p
3	09.7	09.8	09.7	-14.6	-16.2	-17.6	-12.5	-18.2	77	75	74	05 7	04 7	05 7	3	8 +²	8 +	3 +	0.3	25	* +² n, +² a, + p
4	08.8	09.2	08.8	-15.4	-15.2	-15.0	-14.4	-18.3	77	77	78	04 5	04 4	04 4	6	8 =	8 +°	8 ♨°		25	+² n, ♨° = +° a, +° ♨° p
5	06.9	07.1	05.8	- 4.3	- 2.6	- 1.7	- 1.4	-15.3	87	80	91	05 3	07 3	07 3	7	6 =	8 =°	8 *°	0.6	25	= ♨ ☁ n, * = a, = p
6	06.5	07.3	05.4	- 1.6	- 1.8	- 2.2	- 1.2	- 2.5	88	87	86	06 2	06 2	05 4	6	8 =	8 =	7 =°	0.8	25	= *° n, = △ ☂° ☉° a, * = p
7	97.4	96.1	97.1	- 0.8	- 2.0	- 3.3	- 0.6	- 3.3	91	89	84	06 5	09 4	08 3	4	8 =°	8 *°	7 ☂°	1.4	28	=° *° ☂° n, = *° a, = ♨ *° p
8	04.7	08.0	07.6	- 7.6	- 8.4	- 6.0	- 3.1	-10.1	80	82	78	34 2	06 3	09 3	8	4	8 ♨°	7	0.6	28	=° *° n, ♨ p
9	96.6	92.4	89.4	- 1.3	- 0.5	- 1.0	- 0.4	- 6.3	91	94	94	09 6	16 3	00 0	4	8 *	8 *°	8 =	0.2	30	= ♨ n, = *° a,p
10	87.2	90.0	93.7	- 4.8	-11.6	-15.2	- 0.6	-15.8	86	77	77	36 4	04 3	04 5	4	8 =	5 =²	5 =	3.3	32	≡ n, = + a,p
11	94.6	99.6	05.7	-19.9	-21.9	-22.4	-15.1	-23.1	73	74	71	04 6	03 8	01 7	1	8 =	8 =	0 =°	0.0	30	+² ♨° = n, + = a, +² = p
12	13.0	12.7	12.8	-22.4	-18.9	-21.5	-17.2	-23.3	68	69	74	33 2	13 3	05 6	8	1	4	8 *		30	+ = n, ⊙ a, * =° + p
13	18.5	18.8	19.7	-25.5	-23.0	-24.6	-21.0	-26.6	67	67	63	00 0	04 2	03 1	9	4	0	0	0.6	31	* + = ☁ n, ☂° ☉ a, ⊙ p
14	19.7	19.7	17.3	-23.8	-21.7	-21.7	-21.1	-25.2	69	69	74	30 1	03 1	03 2	9	0	0	8	0.1	30	☁ ⊙ n, ⊙² a,p
15	11.3	09.3	09.2	-21.4	-20.3	-20.7	-19.8	-22.1	75	75	77	07 3	06 4	05 3	9	8	8	8 ☂°		30	⊙ a, ☂° p
16	16.8	20.3	**20.6**	-23.3	-23.6	-23.3	-19.2	-25.2	72	71	73	04 5	03 4	34 5	4	0 =²	0 =²	0 =²	0.0	30	= n, = ⊙ a, =² ⊙° p
17	15.8	13.3	10.5	-18.8	-16.7	-16.1	-15.6	-23.7	66	62	61	04 1	02 2	34 4	9	1	4	8		30	☁ ⊙ n, ⊙² a, +° p
18	08.2	07.4	04.8	-16.3	-14.1	-13.3	-12.2	-16.9	63	**50**	77	34 2	34 3	31 4	9	1	1	0		30	⊕ ☁ n, ⊙ a,p
19	95.1	90.8	90.5	- 8.6	- 6.4	-13.8	- 5.4	-14.1	84	86	82	00 0	29 3	35 6	6	8 *°	8 *°	4 +°	0.2	30	☁ *° n, *° a, *° = +° p
20	93.9	96.7	97.6	-18.4	-18.7	-21.6	-12.8	-21.9	78	75	75	04 3	05 4	06 5	6	0 =	4 =	6	1.1	30	+ n, ⊙° ⊕ = a, = ⊙ • p
21	98.7	94.8	**82.9**	-22.1	-17.9	-14.7	-12.9	-23.2	80	82	83	07 4	07 5	06 6	4	8	8 ♨°	8 ♨		30	♨ +° a, ♨ + p
22	90.9	93.8	93.9	-19.8	-19.0	-20.4	- 9.7	-20.6	77	75	77	36 6	05 5	04 6	6	6 =°	8 =	8 =	1.9	30	+° ♨ = n, ⊙° ⊕ = a, = p
23	98.4	99.9	98.8	-25.6	-25.4	-24.6	-19.8	-26.2	75	77	77	06 6	05 6	06 6	6	4 =	8 =°	8 =°	0.4	30	=² ♨ n, =° +° ⊙ a,p
24	98.8	02.5	06.6	-25.2	-23.4	-25.4	-22.4	-25.7	77	72	75	07 7	04 5	36 1	8	0 =²	1	0		30	=² + n, = ⊙ a, ⊙ p
25	12.8	14.1	10.7	-26.2	-22.7	-14.4	-14.0	**-27.5**	78	79	83	00 0	09 1	06 3	9	1	2	8		30	☁ ⊙ n, ⊙² a, ⊙ p
26	00.5	98.8	97.5	- 4.2	- 1.3	- 6.0	- 0.7	-15.4	88	89	87	23 4	24 5	28 3	5	8 ♨	8 ♨	8 ♨	2.3	35	* = n,a, * ♨ = p
27	00.4	05.9	10.9	-12.4	-19.1	-21.9	- 5.6	-22.3	78	68	74	33 2	03 4	05 2	9	1	3	0	4.9	40	♨ = ≡° n, =° ⊙ +° a, ⊙ p
28	17.6	19.8	20.4	-25.6	-22.9	-22.2	-21.1	-26.8	77	78	78	12 1	08 2	09 1	8	0	0	8	0.0	40	☁ ⊙ n, ⊙ a,p
29	15.6	17.5	14.3	- 5.2	- 8.1	- 4.2	- 3.2	-22.2	87	74	80	31 2	00 0	22 4	8	8	6	8	2.8	43	* n, ⊙° ⊕ a
30	08.4	08.5	09.6	1.4	1.2	- 3.7	1.7	- 4.7	88	88	83	22 7	24 6	08 3	6	8 =	8 =	8 =	0.1	43	* =° • ‧ n, = a,p
31	13.2	14.2	14.4	-10.2	-12.3	-13.6	- 3.4	-14.0	78	73	78	06 3	06 3	06 3	8	8	8 *°	8 *°	0.0	40	= ‧° n, *° p
M	05.7	06.3	06.0	-14.0	-13.9	-14.6	-10.0	-18.2	79	77	78	3.4	3.6	3.8	6.4	5.1	5.6	5.9	24	31	

April (IV)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	14.4	12.8	10.5	-13.8	- 7.8	- 2.8	- 2.5	-14.8	83	84	87	07 3	07 3	00 0	8	6 ☂°	8 ☂°	8 *°	0.2	42	*° =° n, ☂° a, ☂° *° =° p
2	09.7	10.5	11.4	- 1.0	- 7.5	-12.6	0.3	-13.0	88	83	80	00 0	08 3	08 3	4	8 *	8 =²	1 =°	2.2	45	* = n, = *° ♨° ✳ a, * = p
3	10.7	11.2	13.0	-11.4	- 7.1	- 7.0	- 6.3	-15.6	75	83	86	36 7	04 6	04 7	4	8 +²	8 =	8 *	1.8	45	= +² n, + = a,p
4	18.6	19.7	19.1	-11.8	-12.5	-14.1	- 4.5	-14.8	82	80	82	05 4	05 5	06 4	7	2 ☂°	0 =°	0 =°	0.3	45	* = +° n, =° ⊙ a,p
5	18.2	18.2	18.0	-13.4	-10.5	-13.5	- 9.4	-16.8	83	75	77	07 2	06 4	05 1	9	2	0	0	0.0	45	= *° ⊙ n, ⊙² a,p
6	16.8	16.5	15.8	-12.1	- 8.6	- 7.2	- 6.8	-15.2	77	83	84	33 1	28 3	22 2	8	3	6	6(☂)	0.0	45	⊙ n, ⊙° a, ⊙° ☂° p
7	15.3	14.8	14.1	- 2.7	- 1.2	- 1.3	- 0.4	- 7.4	82	89	83	23 4	21 3	25 4	8	7	7 ☂°	8	0.1	45	*° =° n, ☂ a
8	15.3	16.6	18.6	- 0.6	- 0.2	- 1.6	1.6	- 3.0	78	83	80	24 4	27 4	28 4	8	4	2	0	0.1	45	⊙ a, ⊙² p
9	14.8	11.0	08.3	0.0	0.8	- 1.9	1.4	- 2.1	79	89	74	25 6	25 5	28 3	7	7	7 =°	0		45	⊙²n, ⊙ = a, =° ‧° p
10	10.4	05.3	99.9	- 6.2	- 5.3	- 1.9	- 0.2	- 8.0	78	80	92	04 3	11 4	28 6	4	6	8 *	6 +°	0.0	42	⊙° n,a, * ☂ + p
11	99.7	94.1	84.2	1.4	0.0	1.1	**2.4**	- 4.1	79	88	96	24 3	07 3	30 1	6	7	8 =	8 •	1.4	45	⊙° =° a, = * • ‧ p
12	**72.9**	75.9	77.9	0.5	1.1	0.8	2.1	0.2	89	84	87	20 6	20 4	21 5	7	8 *	6 =°	7	7.4	50	• ‧ ‡ * n, *° =° a, =° p
13	83.1	89.1	91.9	- 0.9	- 1.1	- 7.6	1.2	- 8.0	88	75	87	23 5	25 3	05 4	8	8 *	7(☂)	7 ☂°	1.0	50	= ‧ * + n, + *° ☂° a, ☂° +° p
14	96.5	00.1	03.9	-10.6	-12.0	-13.0	- 7.0	-13.2	82	80	80	06 6	06 5	07 4	6	8 *°	8 =	6 =°	1.6	50	*° n, *° = a, ♨° =° p
15	13.4	17.6	20.9	-15.2	-15.4	-14.8	-12.3	-16.1	78	78	78	05 3	07 3	05 2	8	7 ☂°	7	6	1.1	52	= ☂² n, ☂° =° a
16	24.9	25.7	25.0	-15.5	-12.6	-13.2	-11.6	-17.6	82	79	72	07 2	07 1	00 0	9	2	0	4	0.1	52	⊙ n, ⊙ Φ² a, ⊙ p
17	18.5	16.9	15.5	- 5.8	- 3.3	- 2.7	- 2.2	-13.3	80	80	87	07 4	09 4	09 5	8	5	8	8 *°		52	⊙ ⊕ n, ⊙ a, * p
18	15.6	18.0	18.8	- 1.7	- 1.0	- 1.2	- 0.7	- 2.8	88	89	88	09 3	09 4	08 3	6	8 =°	8 =°	7	1.4	53	* + n, =° a,p
19	14.4	10.6	05.1	- 1.0	0.2	- 0.7	1.2	- 3.0	92	95	88	09 4	09 3	00 0	5	8 *	8 *°	4 =²	0.3	54	* n, ≡ * = a, •° * ‡° = p
20	92.2	90.1	93.7	- 0.9	- 1.2	- 5.6	0.6	- 5.9	94	88	86	16 2	27 2	31 3	5	8 ≡	8 *°	8 =	4.2	56	=² *² ≡ n,a, ♨° =° *° p
21	99.4	02.4	04.0	- 6.1	- 5.6	- 6.5	- 5.0	- 6.8	74	75	83	35 2	33 4	04 5	8	8	8	7 ☂°	0.7	55	=° n, ☂° p
22	06.5	08.0	09.4	-13.0	-12.3	-13.8	- 6.3	-14.2	78	77	77	36 7	33 7	02 6	5	2 +°	3 +°	4 +°	1.0	56	☂° + ⊙° n, +° ⊙ a,p
23	14.8	18.4	20.7	-17.4	-16.2	-16.3	-13.4	-18.2	75	72	71	33 3	33 4	34 3	8	0 =°	0	0		52	+ =° ⊙° n, ⊙ a, ⊙² p
24	21.3	19.6	17.7	-14.3	- 9.6	- 8.9	- 8.1	**-18.8**	74	**61**	75	00 0	00 0	03 2	9	3	8	6		52	⊙ n, ⊙° a,p
25	18.8	19.3	18.6	- 9.3	- 9.6	- 9.8	- 7.7	-11.6	77	71	74	34 1	34 2	34 2	9	4	0	2	3.2	53	*° ⊙° n, ☂° ⊙ a,⊙² p
26	15.5	14.5	14.2	-10.1	- 9.4	-10.8	- 8.8	-11.2	77	75	75	01 3	05 3	05 5	5	8 *°	7 ☂°	7 ☂°	0.3	55	☂° =° *° n, ☂° ⊙ a,p
27	15.7	16.8	18.2	-11.2	- 9.2	- 9.5	- 8.6	-13.1	75	77	75	35 2	31 4	09 1	8	6	2	6 ☂°	0.6	55	☂° ⊙° n, ⊙ a, (☂) ☂° p
28	18.2	19.7	20.7	- 6.4	- 7.4	- 8.6	- 5.5	-10.8	83	80	82	00 0	06 3	04 5	8	6 ☂°	4	7 ☂°	0.3	55	☂° ⊙° n,a,p
29	21.6	23.3	26.1	- 8.1	- 5.0	- 5.9	- 3.6	-10.0	82	84	86	06 3	06 3	08 4	6	3	5 ☂°	8 *°	0.3	55	☂° ⊙° n, ⊙ ☂° a, ☂° *° p
30	33.1	**34.6**	34.3	-12.2	-12.3	-12.0	- 5.3	-13.8	83	82	82	08 4	07 3	35 3	8	7	1	3	0.1	55	*° n, ⊙² a,p
M	11.3	11.7	11.6	- 7.7	- 6.7	- 7.4	- 4.2	-10.8	81	81	82	3.2	3.5	3.2	7.0	5.6	5.3	5.1	30	50	

1954

Hopen

φ = 76° 30′ N λ = 25° 4′ E g = 9.829 ΔG = + 1ʰ

Mai (V)

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	32.5	31.4	29.3	- 7.9	- 6.5	- 8.0	- 6.2	-12.2	73	74	73	02 2	33 2	04 3	8	6	1	6	0.0	55	♦° ⊙ n, ⊙ a, ⊙° p
2	26.9	26.0	25.3	-11.0	-10.2	-11.2	- 7.4	-12.3	94	84	86	04 2	05 4	07 4	7	4	7 ♦°	6	0.1	55	♦° ⊙ n, ♦° ⊙° a, ⊙ p
3	24.9	23.7	20.6	-13.4	-10.6	- 9.8	- 9.1	**-14.2**	94	82	87	05 3	34 5	33 6	6	5	6 ♦°	8 *	0.2	55	♦° n, ⊙° a, ♦° + * p
4	15.0	14.5	16.9	- 7.2	- 4.1	- 4.1	- 3.4	-10.6	89	88	87	35 3	27 3	07 3	7	8 *²	8(♦)	8	6.0	60	+ * = n, * ♦ +° a, (♦) p
5	25.1	27.5	28.0	- 4.2	- 4.0	- 3.9	- 3.3	- 4.8	87	87	88	10 3	06 4	04 4	6	8	8 *°	8 *²	1.4	61	*° =° n, *° a, *° * p
6	28.4	27.9	27.0	- 7.8	- 9.4	- 9.0	- 3.4	-10.3	87	80	86	07 4	06 4	05 6	8	8	2	8 +°	2.4	63	=° *° n, ⊙² a, +° p
7	27.8	29.0	29.1	-11.4	- 9.8	- 6.8	- 6.4	-11.9	83	84	88	07 4	08 4	08 5	7	7	8 *°	8		63	+° n, *° = p
8	28.7	28.8	27.9	- 2.1	- 2.4	- 2.0	- 1.0	- 7.6	80	82	82	10 4	10 5	09 5	8	8	8	8	0.2	64	♫° = n
9	24.1	26.0	26.5	- 0.4	- 0.3	- 1.2	0.3	- 2.5	95	91	91	09 4	10 4	10 3	5	8 *°	8 ♫°	8 ♫°	1.2	65	♫° *° =° + n, ♫° = a,p
10	28.1	30.5	32.2	- 2.2	- 1.4	- 1.2	- 0.4	- 2.5	84	84	84	09 3	08 3	09 2	8	8	8	8 ♫°	0.3	65	♫° =° n,p
11	35.9	37.8	38.7	- 1.0	1.2	- 0.6	2.6	- 2.7	89	80	86	09 1	00 0	27 1	7	8 =°	7 =°	6	0.0	65	♫° *° =° n, = ≡° a, ⊙° p
12	**38.8**	37.9	36.9	- 1.8	1.3	1.7	2.6	- 3.3	77	83	**72**	26 2	22 5	24 4	9	7	7	5		60	
13	35.5	35.1	33.6	0.7	0.3	0.0	2.6	- 0.3	75	79	83	25 2	24 2	24 1	9	8	8	7		55	
14	30.3	30.9	28.7	0.1	1.1	1.9	2.2	- 0.5	83	83	83	22 3	20 3	21 5	8	6	4	6		52	⊙° a, ⊙ p
15	30.3	31.3	31.1	1.4	1.1	0.2	3.2	- 0.2	83	87	89	20 5	21 3	27 5	8	6	1	0 ≡		45	⊙° a, ⊙ p
16	28.5	25.6	22.9	- 2.8	- 2.1	- 0.4	0.8	- 3.5	95	91	86	09 3	07 3	05 4	8	8 =	1(≡)	7		42	= n, = (≡) ⊙ a, (≡) ⊙ p
17	20.2	19.4	19.3	- 0.2	- 0.5	- 0.1	0.8	- 1.1	97	98	96	07 2	06 1	00 0	1	8 ≡	8 ≡²	8 ≡²	0.0	38	=° ,° ≡ n, ≡ ,° a, ≡ ≡² p
18	19.1	16.0	13.4	0.8	1.1	0.8	1.8	- 1.3	97	88	97	08 2	06 3	09 1	6	8 ≡	8 •°	8 =	0.0	35	= ≡ n,a, ≡² •° ,° = p
19	13.6	16.5	18.9	0.2	- 0.2	- 2.0	1.7	- 2.3	97	98	97	30 3	29 3	28 3	5	8 ≡²	8 =	8 ≡	0.2	32	≡² ,° n, ≡² a, =² p
20	22.4	23.5	23.9	2.1	2.6	1.7	3.5	- 2.4	84	84	89	24 3	23 3	27 3	8	1	0	2(≡)		30	≡ ⊙° n, ⊙ a, (≡) ⊙ p
21	24.5	26.4	26.9	0.8	2.7	0.9	3.7	0.0	97	89	92	27 3	27 3	28 2	6	8 =	6(≡)	6		25	(=) ≡ n, = a, ⊙ p
22	24.7	21.8	17.2	1.2	1.3	1.2	4.1	- 0.1	92	98	98	05 1	05 3	10 2	1	8 =	8 ≡²	8 ≡²		20	(≡) ⊙ n, ≡² a,p
23	13.3	10.6	06.7	1.7	3.6	0.2	**4.3**	0.0	83	80	94	23 4	21 3	27 4	7	7	8 •	8 ‡°	0.0	15	≡ ,° =° n, ⊙ a, • * ‡ p
24	16.8	20.6	21.7	- 0.9	- 1.0	- 0.6	1.1	- 1.6	83	75	77	32 2	04 1	16 1	9	5	3	7	2.7	15	• , ‡° ♦° n, ⊙ a, ⊙° p
25	21.9	23.2	22.1	- 1.6	- 0.3	0.4	1.2	- 2.4	91	89	79	27 3	27 1	24 3	8	7	4	3		15	⊙ ≡° a, ⊙² p
26	21.5	25.0	27.4	- 1.4	- 0.7	- 1.2	1.6	- 2.5	94	77	75	27 1	05 2	04 2	9	5	8	6		15	⊙ ≡² n, ⊙° p
27	29.5	27.9	22.3	- 2.1	- 1.5	- 1.1	- 0.4	- 2.6	78	79	91	00 0	20 3	21 3	9	8	8	8 *		14	*° * p
28	07.8	03.2	99.6	2.0	1.6	0.2	2.6	- 1.3	95	94	88	24 3	26 4	28 4	3	8 ≡	8 ≡°	8 ♦	1.6	12	• *° ‡ ≡ n, ≡ = a, =° p
29	**95.6**	01.8	11.6	- 2.1	- 1.6	- 2.4	0.7	- 3.1	77	80	84	31 4	05 6	04 5	8	7	7 ♦°	8	0.3	10	♦° ⊙ n,a, ♫° *° ‡° p
30	15.6	14.9	13.6	- 2.1	- 2.0	- 2.6	- 1.4	- 4.7	78	75	79	06 2	06 2	36 2	8	8	8 *°	8	0.2	10	*° p
31	12.6	13.5	13.2	- 4.7	- 4.6	- 4.7	- 1.8	- 6.5	83	82	79	03 3	05 4	04 3	8	8	8	7 ♦°	0.0	9	♦° p
M	23.2	23.5	22.9	- 2.6	- 1.8	- 2.1	- 0.1	- 4.2	87	84	86	2.7	3.1	3.2	6.9	7.0	6.2	6.8	17	39	

Juni (VI)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	11.9	11.4	09.5	- 4.4	- 4.6	- 5.1	- 3.6	- 6.3	79	75	77	03 3	04 3	06 3	8	8 *°	8 *°	8 ♦°	0.1	9	♦° *° n, *° a, *° ♦° p
2	04.6	04.8	05.5	- 5.1	- 4.3	- 3.6	- 3.4	**- 6.4**	79	77	80	34 3	02 3	31 3	6	8 ♦°	5 ♦°	4	0.2	7	♦° n, ♦° ⊙° a,p
3	06.5	07.4	07.0	- 1.8	- 1.0	- 0.9	- 0.3	- 4.4	77	78	78	20 2	27 1	21 1	8	7	7	4	0.1	5	⊙ n, ⊙ ♦° * p
4	06.4	07.3	07.1	- 0.4	- 0.8	- 1.2	0.5	- 2.1	86	80	92	15 2	12 3	05 4	8	5 ♦°	7	8 *	0.3	0	♦° n, ♦° ⊙° a, ♦° ⊙° * p
5	13.3	14.8	13.4	- 0.9	- 0.2	- 1.7	0.2	- 2.4	78	**66**	77	06 5	04 2	06 5	9	3 =°	3	6	2.5	0	* = n, ⊙ a, *° ⊙ p
6	03.2	99.1	99.2	- 0.6	- 0.4	0.3	0.7	- 2.2	83	91	83	35 3	36 4	04 3	4	8 *	8 *	6(♦)	0.2	0	♦° *° n, * a, * ♫° = p
7	01.6	03.1	04.7	- 0.7	- 0.1	0.0	0.7	- 1.7	84	86	91	03 3	04 2	00 0	7	8 *°	7(♦)	8 ,°	7.6	2	*° =° n, *° ♦° a, ♦° = ,° p
8	10.7	11.5	13.1	- 0.2	1.6	1.1	2.0	- 1.8	89	89	97	06 3	08 3	07 3	8	7 =°	8	8 =²	0.3	2	,° = *° ♦ n, *° a, = ≡° p
9	09.5	02.5	99.0	- 0.4	- 0.2	- 0.1	1.6	- 2.8	87	87	95	34 5	02 4	04 4	4	6	8 *	8 ≡	0.4	0	,° ≡ n, = * a, * ,° ≡ p
10	96.2	96.5	**96.0**	- 0.8	- 0.8	0.1	0.6	- 1.8	96	96	89	07 3	06 2	36 3	5	8 ♫°	8 =	8	2.2	2	≡ ,° n, ≡° = a, ≡ * = p
11	96.1	99.2	02.4	- 0.4	0.4	- 0.6	2.0	- 1.1	94	92	92	30 3	27 3	16 1	8	8 =°	7	8 =	1.5	2	*° =° n, ♦° , = ≡° a, ⊙ ≡ = p
12	04.9	05.5	07.0	0.1	0.7	0.5	1.3	- 1.0	89	96	95	07 3	06 2	00 0	5	8 =°	8 =	8 ≡	0.2	0	≡ = n, = ‡° ,° a, =² ≡ p
13	09.2	07.9	02.9	- 0.7	- 0.4	0.4	1.2	- 1.3	89	92	96	08 2	08 3	07 4	7	7 =°	8 =°	8 •°	0.1	0	≡ = n, = ≡° a, , 19
14	97.6	00.0	01.4	0.5	3.6	3.0	4.0	- 0.4	98	78	78	00 0	25 5	25 3	7	8 ≡²	6 =°	7	2.3	0	• = n, ≡ = a, ⊙° p
15	01.6	01.9	02.2	2.3	3.3	2.0	**4.9**	1.2	87	83	86	18 2	18 1	23 3	7	6 =°	7 =°	6 ♦		0	⊙² n, =° ⊙ a, ⊙° p
16	00.4	01.7	05.3	1.4	1.1	2.3	2.7	- 0.1	89	91	86	20 2	24 3	22 5	7	7 =°	8 =°	6	0.3	0	• ‡° =° ♦° n, =° ‡° ,° a, =° p
17	00.8	00.9	99.3	1.5	1.1	2.0	2.7	0.3	91	94	87	21 4	21 3	24 4	5	8 •°	8 *°	7 ♦°	2.2		• =° n,a, •° p
18	99.5	02.2	05.1	1.9	1.8	1.1	3.0	0.3	84	86	89	25 4	28 3	28 3	9	7 =°	6	7	0.8		[illegible] =° n, ⊙° a, ♦° p
19	12.6	16.0	18.2	1.2	1.5	0.0	2.5	- 0.4	86	82	91	30 2	31 3	06 3	8	7 =°	6	8	0.0		⊙ n, ⊙° a
20	21.7	**22.5**	21.6	- 0.9	- 0.3	0.4	0.7	- 2.4	92	92	91	12 2	09 3	08 3	7	8 =°	8 ,°	8	0.0		, =² =° n, =° a
21	17.2	15.5	13.0	0.6	0.8	1.1	1.5	- 0.4	96	95	95	07 3	07 3	08 3	7	8 =°	8 =°	8 •°	0.0		, = n, •° = a, = p
22	11.0	10.5	09.9	1.3	1.4	1.2	1.9	0.5	95	95	95	08 3	08 3	08 3	5	8 =²	8 =	8 =	0.1		•° = ,° n, ≡ a, = p
23	09.4	09.5	08.6	1.2	0.6	0.0	1.8	- 0.2	92	91	92	09 3	08 3	08 3	8	8 ‡°	8	8	0.1		≡ = ,° ‡ n, = a
24	07.1	07.4	07.6	- 0.2	0.6	0.3	1.0	- 0.5	89	86	87	08 3	07 2	08 2	8	8 =°	8	8 ♫°			*° p
25	08.6	10.5	11.8	0.4	0.8	0.5	1.3	- 0.4	87	84	84	06 2	05 3	07 3	8	8 =°	7 ♦°	8	0.0		♦° a,p
26	14.0	15.5	16.3	- 0.6	0.0	0.3	0.8	- 1.1	78	83	79	07 2	07 2	00 0	9	8	7	8	0.0		⊙° n
27	16.9	16.5	15.4	0.0	1.1	0.2	1.8	- 1.5	79	74	83	05 1	00 0	33 1	9	7 =°	7	8			⊙ = (≡) n, ⊙° a
28	11.9	11.6	11.2	- 0.5	- 0.6	- 0.2	0.9	- 1.3	84	88	87	04 1	05 2	05 2	6	8 ♫°	8 ,°	8 °	0.1		♫° n, ♫° ,° a, ,° • p
29	11.7	13.2	13.3	- 0.2	0.8	0.3	1.4	- 0.9	86	80	83	02 1	02 1	02 1	8	8 =°	6 *°	7	0.1		= n
30	12.2	11.8	10.3	- 0.1	1.0	1.1	1.7	- 0.8	86	83	84	07 1	09 1	05 2	8	7 =°	7	8	0.0		⊙° p
M	07.6	07.9	07.9	- 0.2	0.3	0.2	1.3	- 1.4	87	86	87	2.5	2.5	2.6	7.1	7.3	7.0	7.3	22	1	

Hopen

1954

φ = 76° 30′N λ = 25° 4′E g = 9.829 ΔG = + 1h

Juli (VII)

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.5	05.4	03.7	0.9	0.9	1.0	1:8	0.0	86	86	83	03 2	05 2	06 4	8	8 =°	8 =°	8 =°			=° n,a,p
2	01.0	02.2	04.4	1.8	2.1	1.7	2.6	0.3	94	94	91	05 4	04 3	05 4	6	8 •°	8 •	8 •	0.9		,² = •° ≡ n, =° • a, • p
3	08.4	09.8	09.8	0.3	2.3	1.7	2.7	- 0.8	92	91	91	31 2	31 3	25 3	8	8 =°	4 =°	2(≡)	2.9		•° =° n, ≡ a, ⊙ ≡ (≡)•p
4	11.5	13.6	14.0	- 0.8	- 0.3	0.8	2.8	- **1.5**	92	91	95	00 0	00 0	29 3	2	8 =²	8 ≡	8 ≡			=² ⊙ n, ≡ ⊙° a, ⊙ = p
5	15.0	16.1	15.9	3.3	3.5	2.4	3.8	0.6	89	78	80	25 3	26 3	18 2	8	8 =°	7 =°	7 =°	0.2		=° ,° n, =° ,° =° a, =° p
6	15.2	16.0	15.6	2.7	2.4	2.7	3.3	1.6	86	91	95	09 1	07 2	08 3	6	8 =°	8 •	8 =	0.0		=° , n, = • a, = ,° p
7	12.6	09.8	07.8	2.7	3.6	3.3	4.2	1.5	98	97	96	09 2	20 1	27 3	2	8 ≡	8 ,°	8 ≡	0.9		≡ , n, ≡ •° , a, ≡ ,° p
8	08.0	10.1	08.5	1.8	4.9	5.1	7.1	0.8	97	87	94	27 4	21 4	23 5	6	8 =°	8 =	8 •	7.3		= (≡) ≡ n, ≡° = , a, = • ,° p
9	07.6	12.0	14.5	4.4	4.5	3.7	5.8	3.0	87	82	84	24 6	24 5	23 5	7	8 =°	5 =°	5 =°	0.9		= ,° •° n, =° ⊙° a,p
10	18.7	20.2	20.1	4.0	3.0	2.8	4.6	1.3	82	89	95	26 4	25 4	25 5	6	2	6 =	8 ,			⊙ n, = a, = =² , p
11	16.0	15.3	13.4	4.6	4.9	4.5	5.8	2.5	95	97	97	23 4	23 4	24 4	2	8 =°	6 ≡	8 ,°	2.7		= •° ≡ n, ≡ ,° a, ≡ p
12	10.2	10.9	09.2	3.5	3.1	4.6	4.8	2.5	92	95	96	28 4	27 4	26 5	2	8 =	8 ≡	8 ≡	0.1		= ≡ ,° n, = ≡° a, ≡ ,° p
13	07.4	07.9	06.4	3.4	4.0	5.1	5.5	2.2	97	96	88	28 4	28 5	26 5	2	8 ,	8 ≡	8 •°	0.7		≡ , n, ≡ ,° a, = ≡ ,° p
14	03.9	04.0	04.9	7.0	4.6	3.2	**10.5**	2.4	87	95	97	26 5	27 5	29 4	4	7 =	8 =²	2(≡)	0.6		= n, ≡ a, ⊙° 13, ≡ ,° (≡) p
15	08.1	09.2	08.8	4.0	3.5	3.5	6.3	2.7	92	91	94	07 2	07 3	07 4	7	7 =°	8 =°	8 =	0.0		=° n, =° ⊙° a, =° p
16	03.7	00.9	96.7	3.5	3.7	4.2	4.5	2.5	98	98	97	07 4	08 3	07 3	4	8 ,°	8 =²	8 •°	0.1		≡ ,° n, =² ,° a, =° =² •° p
17	**90.8**	92.3	95.6	2.9	3.5	2.2	5.1	2.2	98	98	95	07 1	24 2	08 3	1	8 ≡²	8 ,°	8 =²	1.4		=² ,° •° n, =² ,° a, = ⊙ =² p
18	97.9	00.2	99.4	2.7	3.5	4.2	4.7	1.5	98	98	98	08 2	07 2	15 1	2	8 =²	8 ≡	8 ≡	0.1		≡ n,a,p
19	00.1	98.6	98.1	5.0	4.4	4.9	7.0	2.6	97	94	97	27 1	00 0	16 1	5	8 =²	8 =	8 •°			≡ n, ≡ =² a, = ≡° ,° p
20	02.3	08.2	12.3	4.2	4.7	3.5	6.7	3.2	88	78	84	24 6	23 5	27 4	8	7 =°	0 =°	7 =°	2.8		= •° n, =° ⊙ a,p
21	13.5	13.5	12.5	4.3	4.1	3.0	5.1	2.6	77	**73**	80	29 3	28 1	06 2	8	5 =°	7 =°	7			=° n, =° ⊙ a, =° p
22	07.2	04.1	99.8	4.2	4.1	3.4	4.5	1.6	**73**	83	86	06 6	05 6	03 6	7	7 =°	8 •°	8 •°			=° n, =° •° a,p
23	92.8	**94.3**	98.2	1.5	1.7	3.0	3.5	1.0	92	92	92	35 6	33 5	28 3	7	8 ,	8 ,°	7 =°	11.3		= • n, = ,° • a, =° ⊙° ,° p
24	06.2	10.9	13.7	3.9	5.3	3.4	5.9	2.7	94	88	92	24 4	24 5	28 3	7	8 =²	1(≡)	8 =°	5.9		=° ⊙° n, =² ≡° a, =° ⊙° p
25	16.6	18.2	19.1	3.7	5.1	4.2	5.4	2.1	96	89	95	17 2	18 1	09 1	7	7 =²	7 =°	8 ≡²			≡ n, ≡° = a, =° p
26	20.8	21.8	22.2	1.8	2.6	2.0	5.0	1.4	98	91	95	11 1	09 1	08 1	6	8 ≡	2(≡)	8 ≡			≡ n, ≡ (≡) ⊙° a, ≡ p
27	21.7	21.7	21.8	2.9	3.7	2.9	4.4	0.9	98	91	89	14 1	27 2	07 3	7	8 =	8 =°	8 =°			≡ = n, = (≡) ≡ a, =° (≡) p
28	20.5	20.0	19.5	2.5	3.9	3.6	5.0	2.0	86	78	79	07 2	15 1	08 1	8	4 =°	7 =°	7 =°			=° ⊙ n, =° ⊙° a, =° p
29	19.9	21.1	21.8	2.7	2.4	2.1	4.0	1.7	87	88	92	07 4	08 4	08 4	8	7 =°	8 =°	8 ,°			=° n,a, =° ,° p
30	23.5	**24.6**	24.5	1.1	1.7	2.8	3.0	0.2	96	95	86	07 4	10 4	09 3	8	8 =°	8 =°	7 =°	0.2		= ,° n, =° a,p
31	23.8	23.5	22.8	1.6	2.6	2.8	3.2	1.0	97	94	94	12 3	07 1	09 2	5	8 =	8 =	8 ,°	0.0		= ,° n, = a, = ,° p
M	10.0	10.8	10.8	3.0	3.4	3.2	4.8	1.6	92	90	91	3.1	2.9	3.2	5.9	7.4	7.0	7.3	39		

August (VIII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**21.9**	**21.9**	21.8	2.1	2.7	1.4	3.3	1.0	88	82	91	09 1	12 1	12 2	6	7(≡)	0(≡)	8 =°	0.2		= , ⊙ n, (≡) ⊙ a, (≡) ⊙° p
2	21.4	21.2	20.4	1.9	2.9	2.8	3.2	- **0.2**	95	94	94	10 3	10 3	10 3	5	8 =	8 •°	8 =°			= n, = ,° a, = ≡° ,° p
3	18.4	18.2	17.1	2.4	2.7	2.7	3.2	2.2	89	91	91	11 3	10 3	10 3	7	7 =°	7 =°	7 =	0.2		= ,° n,a, ⊙° 13, = ,° p
4	16.0	16.3	16.8	1.9	3.5	2.5	3.8	1.6	91	86	84	09 4	06 3	12 2	8	7 =	8 =°	8 =°	0.2		= ,° n, =° ≡° a, =° p
5	16.6	17.4	18.2	1.9	1.5	1.5	2.7	0.7	88	92	96	07 2	05 2	07 2	3	5 =°	8 ≡°	8 ≡	0.1		= ,° ⊙° n, = ⊙° a, ≡ p
6	19.8	21.0	20.9	2.1	2.0	2.2	2.6	0.6	92	94	96	06 2	08 3	07 4	6	8 =°	8 =	8 ,°	0.1		≡ ,° n, = a, ≡ = ,° p
7	19.8	20.0	18.8	1.9	2.6	2.6	2.8	1.3	95	91	94	07 3	08 3	07 4	7	8 ,°	8 =°	8 ,°	0.2		= ,° n, =° a, =° ,° p
8	16.2	15.6	14.1	3.2	3.4	3.5	3.7	2.4	95	95	95	08 4	08 4	08 3	6	8 ,°	8 ,°	8 ,°	0.2		=° ,° n, = ,° a,p
9	12.3	12.5	12.8	3.6	4.2	4.0	4.7	3.0	95	91	84	06 3	05 3	06 3	7	8 =°	7 =°	8 =°	0.4		=° •° n,a, =° p
10	13.1	13.5	13.7	4.6	4.9	3.8	5.1	3.7	87	92	95	07 2	06 2	06 1	6	7 =°	8 =	7 =°	0.1		=° •° n, =° a, =° (≡) p
11	13.1	13.2	13.1	2.2	3.2	4.4	4.6	1.7	94	91	92	08 1	09 1	21 1	3	0 =²	8 ≡°	7 =°	0.1		=² ⊙ ,° n, = (≡) ⊙° a, =° (≡) •°p
12	12.1	11.1	09.8	4.3	4.2	3.7	4.7	3.7	94	92	86	15 1	19 3	07 1	5	8 =°	8 ,°	8 =°	0.1		≡° ,° n, =° a,p
13	02.8	98.4	98.1	4.4	5.2	5.1	5.9	3.7	96	96	97	08 4	05 4	09 2	4	8 •°	8 •°	8 =²	0.2		≡° ,° n, =² •° = a, ≡² •° p
14	97.1	98.4	98.5	5.5	5.6	5.4	**6.3**	4.9	97	97	97	08 3	09 3	08 3	1	8 ≡²	8 ≡²	8 ,°	6.1		≡² , n, ≡² a, ≡² ,° p
15	03.7	09.9	13.4	4.2	5.8	4.3	6.1	3.7	96	**73**	80	26 5	24 4	24 3	8	7 =	3 =°	1 =°	0.5		≡² = •° ,° n, =° ⊙° a, =° ⊙² p
16	16.3	15.8	15.2	3.4	4.8	3.4	5.2	2.7	89	79	79	28 2	29 2	33 2	8	3 =°	4 =°	2 =°			=° ⊙° n, =° ⊙ a,p
17	14.1	12.2	10.0	2.7	4.2	2.5	4.6	0.7	89	83	92	08 3	03 4	36 6	7	8 =°	8 =°	8 =²			=° n,a, = =° p
18	10.4	11.4	11.9	2.8	3.9	2.6	4.3	1.7	83	80	84	34 3	34 2	02 1	8	6 =°	4 =°	7 =°			= ⊙ n, =° ⊙ a,p
19	12.3	12.7	12.9	2.2	2.6	2.6	3.0	0.7	83	82	75	01 4	06 4	03 3	8	6 =°	7 =°	7 =°			=° n, =° ⊙° a, =° p
20	07.6	97.6	**93.0**	2.3	4.1	4.2	5.8	0.7	89	95	96	17 3	12 5	27 3	5	8 =°	8 •	8 •°	0.4		=° ,° •° n, = • •° a, ≡° •° • p
21	06.7	09.4	10.6	1.5	1.8	1.3	4.4	0.8	79	79	87	36 4	02 2	04 4	7	7 ϕ°	7(ϕ)	7 ϕ°	11.0		=° ϕ° n, =° ϕ° ⊙° a,p
22	13.5	16.4	17.7	1.2	1.5	2.0	2.5	0.1	79	74	78	36 3	04 3	36 3	8	8(ϕ)	8 =°	6 =°	0.2		ϕ° =° n, =° a, =° ϕ° p
23	14.8	12.1	10.7	3.1	3.7	3.6	4.2	1.1	75	78	79	28 4	29 4	02 2	8	5 =°	6 =°	7 =°	0.1		=° n, =° ⊙° a, =° p
24	09.8	09.3	06.4	3.4	4.8	4.6	6.0	1.8	79	79	72	33 4	29 3	25 4	8	7 =°	7 =°	7(≡)			=° n,a,p
25	04.8	04.0	03.9	2.3	4.5	3.6	5.3	1.8	89	84	88	09 1	29 2	27 2	8	8 =°	5 =°	4 =°			=° n,a,p
26	99.4	97.3	95.5	3.0	3.9	3.6	4.2	2.7	88	87	88	27 1	23 3	20 2	7	8 •°	8 •°	7 =°	2.0		=° •° n,a, = •° p
27	95.0	96.9	97.1	3.3	3.9	3.6	4.4	2.8	97	91	88	06 1	07 1	34 1	7	8 ≡²	8 =°	8 =°	1.0		= ,° ≡ n, =° ,° a, =° p
28	96.5	96.3	95.0	2.1	1.0	1.4	3.9	0.2	86	89	87	06 4	34 4	05 3	7	8 =°	8 =°	8 ϕ°	0.1		=° (≡) n, =° a, ϕ° =° p
29	96.5	98.0	99.2	0.8	1.7	1.8	2.1	0.1	82	75	80	06 4	03 4	01 3	7	7(ϕ)	6(ϕ)	8 ϕ°	1.0		= =° ϕ° n, ϕ° =° ⊙° a, =° ⊙°(ϕ) p
30	99.9	01.4	03.1	3.4	2.7	2.2	4.2	0.7	89	82	86	32 3	30 3	32 4	8	7 =°	2 =°	6 ,°	0.1		=° n,a, ⊙ 13, =° , ⌒° p
31	05.9	06.6	06.5	2.1	4.7	4.2	4.9	1.2	84	79	89	20 3	22 4	24 5	8	8 =°	7 =°	8 =°	0.7		=° ,° n, =° a, =° ,° p
M	09.9	09.6	09.6	2.8	3.5	3.1	4.2	1.7	89	86	88	2.8	3.0	2.7	6.5	7.0	6.7	7.0	25		

Ekstensotabell

1954

Hopen

φ = 76° 30'N / λ = 25° 4'E g = 9.829 ΔG = + 1ʰ

September (IX)

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	09.0	12.3	14.1	3.8	4.2	3.1	4.8	2.8	84	84	82	23 5	24 3	24 2	8	3 =°	3 =°	3 =°	0.7		=° ▽° ,° n, =° ⊙ a,p
2	17.0	18.5	18.3	3.4	3.3	2.4	3.9	2.3	78	75	89	25 2	29 1	07 1	8	7 =°	8 =°	8 ▽°			=° n,a, ▽° =° p
3	15.6	14.7	12.7	3.7	3.6	3.5	3.9	1.9	92	92	92	09 3	11 4	09 4	6	6 =°	7 =	7 ,°	1.7		=° ≡ ,° n, =° = a, =° ,° p
4	09.7	09.2	07.8	3.6	3.7	3.9	4.0	2.8	89	94	92	09 5	09 4	09 5	6	8 ,°	8 •°	8 =	0.2		=° ,° n, •° =° a, = •° p
5	04.1	03.0	01.7	3.8	3.8	3.8	4.2	3.6	95	97	98	07 5	08 6	07 5	4	8 •°	8 ,°	8 ,°	3.2		= •° n, = =² ,° a, =² ≡° ,° •° p
6	00.7	02.8	06.6	4.0	4.0	4.0	4.4	3.6	98	98	98	04 4	05 4	07 4	3	8 •	8 •	8 •°	3.2		≡° ,° •° n, ≡° • a, ≡ •° • p
7	14.5	18.2	20.1	3.3	2.6	2.5	4.4	2.4	91	82	83	09 3	09 3	07 4	8	7 =°	8 =°	7 =°	7.0		=° • n, =° a,p
8	22.5	24.2	**24.6**	1.4	0.6	0.2	2.7	- 0.3	84	83	88	07 3	05 3	05 3	8	7(▽)	6 ▽°	8 *°	0.1		=° ▽° n,a, =° *° p
9	24.0	22.6	19.4	1.0	1.8	2.2	2.3	- 0.3	83	83	89	11 2	19 1	18 2	8	8 =°	8 =°	8 ▽°	0.2		=° ▽° n, =° a, =° ▽° p
10	11.6	09.5	07.8	3.0	4.6	3.2	4.8	1.3	84	86	88	21 4	23 4	27 2	8	7 =°	6 =°	6 =°	0.7		=° ⁑ ▽° n, =° a,p
11	06.5	06.2	04.5	1.7	1.2	1.2	3.4	0.5	86	80	82	06 4	05 4	05 3	8	7 =•	5 =°	6(▽)	0.2		=° ,° n, =° ⊙ a, =° ▽° ⊙ p
12	03.6	03.8	04.4	0.4	- 0.1	- 0.8	1.5	- 1.3	79	80	82	03 3	05 4	02 4	7	7 =°	8 =°	8 ▽°	0.1	1	=° ▽° n, =° a, = ▽° *° p
13	04.9	06.4	07.9	- 0.2	- 0.1	- 1.4	0.4	- 1.5	83	77	79	06 5	06 4	03 3	7	8 ▽°	7(▽)	8 ▽°	0.5	1	=° ▽° n, =° ▽° ⊙° a, =° (▽) p
14	07.4	08.2	08.0	- 1.7	- 1.7	- 0.8	- 0.6	- **2.9**	77	84	77	05 3	05 3	05 2	7	8 =°	7 ,°	7 =°	0.0	1	=° n,a,p
15	07.9	07.9	07.4	- 0.7	0.2	0.4	0.8	- 1.4	79	75	78	10 4	11 4	09 4	8	7 ▽°	8 =°	8 =°	0.0	1	=° ▽° (▽) n, =° a,p
16	05.7	05.5	05.3	0.7	1.0	1.0	1.5	- 0.4	88	91	88	11 5	09 4	11 4	8	7(▽)	6 =°	8 =°	0.0	1	=° ▽° n, =° a,p
17	04.8	05.3	05.0	0.1	0.3	- 0.7	1.6	- 1.0	82	82	92	09 4	09 3	06 4	7	7 =°	7(▽)	7 ▽			=° n, =° ▽° (▽) a,p
18	05.2	06.3	07.5	0.0	- 0.5	- 1.9	0.4	- 2.1	82	92	86	11 4	09 4	02 3	6	7(▽)	8 ▽°	8 ▽°	0.7	1	=° ▽ n, =° (▽) ▽° a, =° ▽° p
19	08.3	08.7	08.3	- 1.6	- 0.2	- 0.4	1.4	- 2.5	79	80	82	09 2	19 1	27 2	8	5 =°	4 =°	2 =°	0.3	1	=° ▽° n, =° ⊙° a,p
20	08.7	11.1	12.0	- 0.4	- 1.2	- 1.5	1.0	- 2.0	79	**71**	**71**	05 3	04 3	02 3	8	6 =•	7 =•	8 =°	0.1	1	=° ▽° ▽° n, =° a,p
21	12.4	12.6	11.5	0.3	0.0	1.3	1.5	- 2.6	72	87	84	09 3	12 3	15 4	5	8 =°	8 *°	8 =•		1	=° n, =° *° a,p
22	09.9	09.5	08.0	1.2	1.9	2.0	2.2	0.2	94	91	91	14 2	07 3	09 4	8	8 ⁑°	6 =°	7 =°	1.5	1	=° ⁑° ▽° n, =° ▽° a, =° (≡) p
23	04.3	03.6	01.2	3.1	2.9	2.9	3.2	1.7	96	94	95	11 3	15 3	10 2	7	8 =•	7 •°	8 •°	0.2		=° ,• n, =° a, =° •° ,° p
24	97.2	99.3	00.4	0.4	0.7	0.4	3.2	0.1	96	92	73	27 2	27 3	28 4	8	8 ⁑	7 =°	3 =°	11.4	1	=• ⁑ n, =° ⁑° a,p
25	99.4	96.1	89.7	0.4	2.9	3.2	3.4	- 1.3	73	86	91	14 2	12 4	10 6	7	8 *°	8 =°	8 •°	0.1	1	=° n,a, =° • p
26	85.7	**85.5**	86.6	3.6	3.8	3.8	4.0	2.9	97	97	98	14 4	10 4	21 2	4	8 ,°	8 ,°	8 ,°	0.7		=° ,° n, ≡ ,° a, ≡ • ,° p
27	93.7	90.8	89.5	4.1	4.1	2.9	**6.1**	2.7	**71**	94	99	36 5	05 5	14 4	6	7 =°	8 •	8 ,°	1.9		=° ≡² • n, = • a, ≡ = • ,° p
28	94.6	00.6	05.4	3.4	5.6	5.0	5.7	1.9	94	82	86	25 4	21 5	22 5	7	8 ,°	1 =°	1 =°	5.5		=° ,° ≡° n, = ⊙ a,p
29	10.1	09.3	08.1	3.7	3.7	3.1	5.5	1.9	97	91	99	08 3	07 4	05 4	6	8 ,°	8 =	8 ≡	0.1		≡ = ,° n, =° ,° a, ≡ p
30	03.6	00.2	96.5	3.2	3.1	3.2	4.0	2.7	98	98	98	05 6	07 4	06 5	1	8 =²	8 ,°	8 •	1.2		≡ = •° ,° n, ≡² ,° a, ≡² • p
M	06.8	07.1	06.7	1.4	2.0	1.7	3.0	0.5	86	87	88	3.6	3.5	3.5	6.7	7.2	6.9	6.9	42	0	

Oktober (X)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	96.3	93.4	97.2	3.1	3.2	3.2	3.7	2.7	92	94	88	08 4	07 4	23 4	8	5 =	6 =°	8 =°	2.9		= •° =² =° n, =° • a, = p
2	08.6	11.3	11.4	3.1	2.9	2.0	3.8	1.6	83	87	83	24 3	18 3	24 3	8	6 =°	5 =°	3 =°	2.9		=° •° ,° n, =° ▽° ⊙ a, =° p
3	14.1	15.8	16.6	1.3	2.3	1.9	2.6	0.8	84	83	83	29 2	29 2	27 2	8	1 =•	2 =°	8 =•	0.3		=° n, =° ⊙ a, =° p
4	15.4	12.5	08.7	1.0	1.8	2.8	3.0	0.0	83	92	96	11 3	11 4	08 3	7	7(▽)	8 =°	8 ,°	0.3	1	=° (▽) ▽° n, =° ▽° a, = •° p
5	12.6	16.1	15.9	3.3	4.4	4.6	5.7	2.6	95	94	98	22 4	23 4	23 2	7	6 =²	6 =°	8 •	1.3		=² •° ,° n, =° a, ≡ •° p
6	19.0	21.6	**21.8**	5.9	5.3	3.5	**6.8**	3.4	80	95	92	25 4	23 3	20 2	7	6 =°	7 ,°	5 =°	0.9		=° ,° n, =° a, =° ,° p
7	19.4	19.3	17.8	2.9	3.6	4.4	4.8	1.1	98	91	98	11 3	20 2	23 4	7	8 ,°	8 =°	8 =°	0.7		= ,° n, =° a, ≡ ,° p
8	16.6	15.8	14.1	2.9	2.4	1.8	5.8	1.5	80	77	75	27 5	27 5	28 4	8	8 =°	8 =°	8 =°	0.4		=° ,° n, =° a,p
9	09.4	07.4	04.2	1.4	1.0	0.5	2.2	- 0.4	87	94	83	25 2	20 2	14 3	7	7 ▽°	4 =°	8 =°	0.2		=° ▽° n,a, =° ,° p
10	98.0	96.8	95.9	1.1	1.0	1.1	1.6	- 0.4	86	80	89	12 4	10 4	09 4	8	7 ▽°	6 =°	8 ▽°	0.4	1	▽° =° *° n, =° ▽° a,p
11	96.0	95.3	95.1	0.2	- 0.6	- 1.6	2.0	- 1.9	75	83	79	07 4	04 3	03 4	7	8 =°	7 =°	7 =°	0.1		=° ▽° n,a,p
12	91.5	89.6	**85.4**	- 1.2	- 1.0	0.0	2.0	- 2.2	75	73	92	02 3	03 3	36 2	8	8 =°	7 *°	4(▽)	0.1	1	=° n,a, =° ▽° p
13	90.1	94.5	96.9	1.6	0.2	- 0.8	2.0	- 1.4	95	86	77	07 5	06 6	06 6	4	8 ,°	8 *°	8 =°	0.9	1	=° ,° ≡ n, =² *° ⁑° a, =° *° p
14	98.4	99.0	99.1	- 1.8	- 2.3	- 3.3	- 0.5	- 3.9	77	73	71	05 6	05 5	05 5	7	8 =•	8 ▽°	7 *°	0.9	1	=° *° n, =° ▽° a, =° *° p
15	00.8	05.0	06.6	- 2.2	- 3.7	- 3.4	- 0.8	- 4.4	84	69	74	02 5	03 5	04 5	7	8 =	2 =•	7 ▽°	0.4	1	= ▽° *° n, = =° ▽° a, = ▽° +° p
16	09.7	11.0	11.0	- 4.5	- 4.5	- 4.8	- 2.4	- 5.4	72	84	69	05 4	36 3	02 3	4	8 =°	7 ▽	8 =•	0.4	1	=° ▽° n, =° ▽ (▽) a, =° ▽ p
17	08.3	07.6	06.0	- 5.5	- 5.5	- 5.6	- 4.4	- 6.9	69	74	69	02 3	03 3	02 2	6	8(▽)	6(▽)	6(▽)	1.6	2	=° ▽° n, =° ▽ ⊙ a, =° ▽ p
18	03.4	03.3	01.4	- 5.4	- 5.5	- 5.8	- 4.7	- 7.2	67	**62**	67	36 1	05 2	34 2	8	8 =°	1 =•	2 =°	0.4	2	=° (▽) n, =° ⊙ a, =° ⌓ p
19	95.8	94.3	92.0	- 4.2	- 3.5	- 3.7	- 2.8	- 6.5	92	82	82	09 3	07 3	07 2	8	8 *	6 =°	2 =°	0.6	5	=° * *° n, =° *° ⊙ a, =° ⌓° p
20	90.5	91.0	91.0	- 3.6	- 3.6	- 4.5	- 2.9	- 5.3	77	80	80	09 3	11 3	07 3	8	6 =°	8 =°	8 =°	0.1	5	=° n, =° ⊙ a, =° p
21	90.4	91.4	93.1	- 2.6	- 2.0	- 4.4	- 1.6	- 5.1	89	86	82	03 3	07 4	04 4	7	8 *	8 =°	8 =°	0.4	5	=° *° n,a, =° ▽° p
22	92.0	92.3	91.3	- 5.2	- 6.2	- 6.2	- 4.3	- 6.7	69	71	75	36 4	02 4	02 2	7	5 =°	5 =°	6 ▽°	0.5	5	=° *° n, =° ▽° a, =° p
23	90.4	91.2	91.2	- 4.9	- 4.3	- 3.8	- 3.7	- 7.4	69	75	74	03 3	06 3	07 4	7	7 =°	6 =°	7 =°	0.1	5	=° *° n, =° ▽° ⊙ a, =° ⌓ p
24	90.2	89.2	86.1	- 3.5	- 2.5	- 0.7	- 0.6	- 4.5	84	77	96	07 6	07 6	07 6	8	7 =°	6 ≡°	8 *	0.1	4	=° n,a, =° * ≡ p
25	88.0	89.5	91.7	0.0	0.2	0.2	0.5	- 1.3	96	96	96	05 5	06 3	07 3	4	8 *°	8 =²	8 ▽°	3.7	4	= * n, = ,° =² a, = ▽° *° ,• p
26	96.9	97.7	95.6	- 0.4	- 0.8	- 1.4	0.7	- 1.6	89	86	88	06 4	07 4	07 4	7	8 =	8 =°	5 =°	0.9	3	= ⁑° △° n, =° *° a, =° p
27	89.7	89.7	89.7	- 1.2	- 1.5	- 3.0	- 0.8	- 3.2	94	84	87	28 3	24 2	26 7	7	7 ▽°	7 =°	8 *°	0.3	3	=° ▽° n,a, *° +° p
28	88.9	92.0	98.7	- 3.7	- 2.2	- 2.5	- 1.4	- 5.1	92	79	82	25 8	05 5	02 5	7	8 *°	8(▽)	8 =°	1.5	5	+° *° n, =• +° *° a, =° (▽) p
29	07.4	10.7	12.8	- 3.5	- 3.8	- 4.7	- 1.9	- 5.0	80	79	79	36 3	02 3	03 3	8	8 =°	8 =°	8 *°	2.0	5	=• ▽° n, =° a, =° *° p
30	14.4	15.5	15.9	- 7.0	- 7.7	- 6.9	- 4.3	- 7.7	69	77	80	05 2	02 3	02 4	7	8 =°	8 *°	8 *°	0.1	5	=° *° n,a,p
31	17.2	18.1	18.0	- 7.3	- 7.9	- 7.7	- 6.5	- **8.6**	79	79	78	07 2	02 1	22 1	8	7 =°	7 *°	6 =°	0.8	6	=° ▽ n, =° *° a, =° p, ⌓ 19
M	01.9	02.5	02.3	- 1.3	- 1.3	- 1.6	0.1	- 2.8	83	82	83	3.7	3.5	3.5	7.1	7.1	6.4	6.8	26	2	

Hopen

φ = 76° 30′N λ = 25° 4′E g = 9.829 ΔG = + 1ʰ

November (XI)

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	14.4	11.4	08.4	- 6.2	- 3.9	- 2.2	- 2.1	- 8.1	79	73	74	18 1	18 2	18 3	8	4 =°	6 =°	3 =°	0.0	6	=° n,a,p, ⛅ 19
2	05.2	05.6	06.6	- 1.0	0.0	- 0.4	0.2	- 2.3	89	88	88	18 2	25 2	22 1	7	6 =°	7 ≡°	5 =°		6	=° ⛅° n, =° a, =° ≡° p
3	07.0	08.8	09.3	- 2.8	- 4.4	- 4.5	- 0.3	- 5.5	87	82	80	05 4	02 2	07 3	7	8 *°	7 =°	8 =°	0.8	7	=° ≡° n, =° *° a,p
4	11.0	11.1	10.4	- 5.1	- 3.2	- 2.4	- 2.0	- 5.5	79	74	75	07 3	09 4	09 5	8	8 =°	4 =°	7 =°	0.1	7	=° *° n, =° a,p
5	08.3	08.0	06.9	- 3.7	- 4.8	- 4.7	- 2.2	- 5.4	78	77	74	09 7	09 6	08 5	7	6 =°	7 =°	7 =°		6	=° n,a,p
6	05.6	06.6	06.6	- 3.8	- 3.9	- 3.6	- 3.3	- 5.2	78	67	77	09 5	09 2	13 3	7	7 ≡°	7 *°	7 *°	0.1	6	=° ≡° n, =° *° a,p
7	04.6	01.9	00.6	- 1.4	- 0.6	1.5	1.7	- 4.3	80	89	87	16 3	21 4	21 4	5	8 *°	8 *°	7 =°	0.0	6	=° n, =° *° a,p
8	00.7	01.2	00.8	1.9	2.6	2.8	3.0	0.9	75	80	86	24 4	23 3	23 5	8	3 =°	8 =°	4 =°	0.1	5	=° n,a,p, ⊕ 19
9	02.0	03.5	04.3	3.1	3.2	2.8	3.6	2.0	84	83	78	23 4	24 4	24 4	7	2 =°	6 =°	6 =°		3	=° ⊕ n, =° a,p
10	06.2	07.3	07.0	0.3	- 0.1	- 0.2	2.9	- 1.0	83	86	84	08 2	11 3	09 4	7	8 =°	8 =°	7 =°		2	=° n,a, =° ' p
11	03.7	01.8	99.9	- 0.6	- 0.6	- 0.9	0.2	- 1.3	89	91	91	09 4	09 4	07 5	7	8 ⛆°	8 =°	8 *°	0.0	2	=° n, =° ⛆° a, =° *° p
12	00.0	02.4	04.0	- 2.7	- 5.0	- 7.6	- 0.8	- 8.2	84	79	83	07 7	07 6	05 6	6	8 *°	8 =	8 *°	0.1	2	=° *° n, =° a, = ≡° p
13	05.2	06.0	03.5	- 8.8	-10.4	-11.7	- 7.1	-12.3	79	78	83	05 7	02 5	36 4	5	7 ≡°	7 ≡°	7 ≡	0.0	3	≡° =° n,a,p
14	01.2	01.8	03.0	-12.1	-10.4	-11.3	- 9.7	**-13.3**	68	82	79	02 3	05 4	05 5	7	6 =°	8 =°	7 *°	1.7	5	=° ≡° ⊕ n, =° a, =° *° p
15	06.1	09.1	10.4	- 9.0	- 9.0	- 8.7	- 8.5	-12.1	77	72	73	36 4	35 4	34 3	8	5 =°	6 =°	6 =°	0.0	5	=° ≡° n, =° a,p
16	13.5	15.6	16.9	- 8.2	- 7.4	- 7.0	- 6.8	-10.2	77	86	86	36 3	07 2	36 1	7	8 =°	8 *°	8 =°		5	=° ⛅ n, =° *° a,p
17	18.4	17.9	15.4	- 4.4	- 2.5	0.2	0.3	- 7.3	77	78	82	25 3	21 3	21 5	8	7 =°	7 =°	4 =°	0.0	5	=° n,a,p
18	12.5	11.4	10.6	1.0	2.6	1.8	2.8	- 0.1	87	87	87	24 5	23 6	23 5	6	8 ·°	6 •°	8 =°	0.0	4	=° n, =° •° a, =° p
19	12.4	13.1	11.9	1.6	2.3	1.1	3.7	- 0.3	78	84	89	20 4	22 5	20 4	7	0 =°	2 =°	7 =°	0.1	2	=° ⛅° · n, =² ≡° =° a, =° ⛅° p
20	22.5	27.4	28.3	0.2	1.4	2.8	3.6	- 0.5	74	86	86	25 5	23 5	23 5	7	6 =°	6 =°	8 =°	0.0	2	=° ⛅° n, =° a, =° ⛅ p
21	29.6	**30.6**	30.3	2.6	0.4	0.4	2.8	- 0.2	84	86	84	21 5	21 4	23 2	7	6 =°	8 =°	7 =°		1	=° n,a,p
22	29.8	30.2	29.9	- 0.5	- 0.3	- 0.1	0.7	- 1.1	92	92	94	00 0	16 1	15 1	7	8 *°	8 =°	8 =	0.0	1	=° n, =° *° a,p
23	24.3	20.9	15.0	- 0.7	- 1.2	- 1.3	0.2	- 1.7	97	97	91	05 1	07 1	10 3	7	8 *°	4 =°	6 =°	1.2	2	=° *° n,a, =° ⛅ p
24	13.1	15.3	17.8	- 0.6	1.2	2.0	2.0	- 2.1	82	95	86	27 4	25 4	25 4	7	3 =°	5 =°	6 =°	3.1	4	=° ≡° n, =° (≡) a, =° ⛅° p
25	20.3	19.7	17.7	2.1	1.6	2.4	2.7	0.0	89	92	78	29 5	24 4	25 3	7	4 =°	7 =°	7 =°		2	=° n,a,p
26	12.3	11.3	10.5	- 0.4	0.8	1.1	2.6	- 1.3	83	79	91	20 2	24 3	24 3	8	2 =°	5 =°	2 =°		2	=° ⛅° n, =° a, =° ⛅° p
27	11.9	12.6	12.1	0.9	2.6	0.0	2.9	- 1.3	87	73	89	23 2	24 2	19 2	8	5 =°	7 =°	8 =°		2	=° ⛅° n, =° a,p
28	05.3	03.1	02.2	- 0.2	- 1.0	- 0.2	0.3	- 1.4	86	94	96	07 2	00 0	34 1	4	8 =°	8 =²	8 =°		2	=° n, = ≡ Δ° a, =° p
29	04.1	05.9	05.0	- 2.4	- 1.2	2.0	2.3	- 2.8	98	99	99	00 0	00 0	20 4	4	8 =²	8 ≡°	8 ·	1.6	4	= *° n, = ≡° ≡ a, ≡° · p
30	04.9	05.0	01.5	3.4	3.8	0.8	**4.1**	- 0.1	94	88	98	22 5	22 4	19 1	6	8 =	8 =	8 ·°	4.7	2	= ≡ ·° n, = a, = ·° p
M	10.5	10.9	10.2	- 1.9	- 1.6	- 1.5	0.0	- 3.7	83	84	85	3.5	3.3	3.5	6.8	6.1	6.7	6.7	14	4	

Desember (XII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	95.8	02.5	09.7	0.7	- 1.2	- 3.0	1.8	- 3.3	98	97	77	27 2	32 4	00 0	8	8 =²	4 =°	2 =°	4.4	1	= ≡ ·° * n, =° a, =° ⛅° p
2	13.0	08.0	01.7	- 2.2	- 0.5	- 0.2	0.2	- 3.3	80	92	92	11 5	07 4	18 1	6	8 =°	8 *°	8 =°		1	=° ⛅° n, =° *° a,p
3	91.7	88.2	84.0	- 0.7	- 0.8	- 0.2	0.2	- 1.8	92	91	86	14 1	00 0	09 3	6	8 ⛆	7 *°	8 =°	0.3	2	=° ⛅° *° n,a, =° p
4	80.6	81.0	82.8	- 0.4	1.0	- 0.5	1.5	- 1.4	96	80	78	28 2	02 3	02 5	6	8 =	8 =	8 =°	0.5	2	=° ⛆° =² n, =° = a, =° = p
5	88.5	93.8	97.4	- 3.2	- 4.3	- 5.6	- 0.4	- 6.0	82	82	82	02 5	05 4	02 4	5	7 ≡°	8 =	8 *°	0.8	3	=° ≡° ⛆ n, =° a,p
6	04.6	07.7	08.8	- 9.1	- 9.8	-10.0	- 5.4	-11.2	72	73	73	04 5	03 5	03 5	7	8 *°	7 =°	7 *°	0.7	4	=° *° +° n, *° = a, *° =° p
7	07.8	06.5	05.3	-10.6	-10.4	-13.6	- 9.2	-14.1	80	82	77	06 7	05 7	02 7	6	8 =°	8 =°	5 ≡°	0.5	5	=° n, =° +° a,p
8	08.0	12.0	14.8	-13.0	-13.2	-11.4	-11.3	**-14.2**	80	78	78	02 4	03 3	07 4	6	8 ≡°	7 ≡°	7 *°	1.2	6	=° ≡° n,a, =° *° ≡° p
9	16.6	14.3	08.1	- 5.6	- 3.1	- 1.4	- 1.3	-11.7	77	80	92	09 5	09 5	09 5	7	7 =°	8 =°	8 ⛆°	0.4	6	=° ≡° *° n, =° a, =° ⛆° *° p
10	98.9	99.4	99.2	- 0.8	- 0.5	- 1.3	2.0	- 1.9	91	92	88	07 2	21 4	01 2	6	8 *°	6 =	7 =°	0.5	7	= * ⛆° n, =° a, =° p
11	88.5	84.9	85.0	- 0.8	- 1.1	- 2.6	- 0.2	- 2.8	83	96	96	07 3	00 0	09 1	5	8 =°	8 *°	8 =	0.1	7	=° ⊕ n, =° *° a, ≡ ·° *° p
12	88.8	94.3	01.5	- 0.1	- 1.1	- 1.7	0.8	- 3.1	96	79	75	27 3	32 3	31 3	8	8 ≡°	3 =°	4 =°	2.3	8	=° ≡ * n, =° = a, =° p
13	09.9	13.3	15.2	- 0.7	- 2.1	- 1.0	- 0.4	- 3.1	80	**68**	71	23 2	32 1	32 1	8	7 =°	2 =°	6 =°		3	=° ⛅° n, =° a,p
14	16.0	13.4	08.3	- 0.9	- 0.6	0.0	0.0	- 3.4	80	82	87	11 2	09 4	09 5	7	7 =°	8 =°	8 *°		8	=° ⛅° n, =° a, =° *° p
15	93.8	93.3	94.0	- 0.8	- 1.0	- 0.4	0.1	- 1.2	95	96	97	11 3	17 1	20 1	2	8 =	8 ≡	8 *°	0.6	9	=° *° * n, = ≡ *° a, ≡° =² *° p
16	99.8	03.2	05.2	0.7	1.1	1.1	1.5	- 0.8	94	84	83	23 5	25 4	25 3	7	6 =²	7 =°	7 =°	0.5	8	=° ≡° ·° n, =° = a, =° p
17	07.3	05.8	02.5	- 1.2	- 0.9	- 0.8	1.1	- 1.5	92	95	92	18 1	07 1	07 2	7	8 =°	6 =°	8 =°		7	=° n, ≡° *° = a, =° p
18	91.9	87.0	81.4	- 0.5	- 0.5	- 0.7	- 0.1	- 1.1	92	95	95	09 5	10 6	09 7	5	8 ⛆°	8 *°	8 *°	0.7	8	=° ⛅° n, =° *° a,p
19	72.6	70.7	71.6	- 0.6	- 0.4	- 0.7	- 0.3	- 1.0	95	95	96	09 5	09 5	09 5	4	8 *°	8 *°	8 *°	0.8	9	= *° n,a,p
20	72.5	71.7	70.1	- 1.0	- 1.6	- 1.8	- 0.7	- 2.1	95	94	94	07 4	05 5	07 6	4	8 ≡°	8 *°	8 *°	0.4	10	= *° =² n, = *° a,p
21	66.7	**65.5**	65.8	- 1.1	- 0.6	- 0.4	- 0.4	- 2.1	94	88	95	07 5	07 5	07 4	6	8 *°	5 =	8 =°	0.2	10	= =° n, = *° a, =° p
22	75.5	79.6	81.8	- 0.8	- 0.8	- 1.0	- 0.4	- 1.4	95	86	94	10 4	09 4	07 3	8	8 *°	1 =°	8 =°	0.2	11	=° *° n,a, =° p
23	87.5	91.9	96.1	- 1.0	- 0.8	- 0.9	0.2	- 1.3	94	95	89	04 3	07 2	07 3	3	1 =°	8 ≡	8 =°	0.1	11	=° n, =° ≡° a, = ≡ p
24	99.6	00.2	99.9	- 1.3	- 1.0	- 0.8	- 0.5	- 1.5	89	91	95	05 3	05 3	05 3	7	7 =°	7 =°	8 =	0.8	13	=° n,a,p
25	02.1	02.6	02.4	- 0.4	- 0.8	- 0.9	- 0.3	- 1.7	88	89	89	08 2	02 2	04 3	8	2 =°	6 =°	1 =°	0.0	15	=° ≡° n, =° a, =° ⛅° p
26	94.0	92.6	88.1	- 1.4	- 0.3	- 1.0	- 0.1	- 2.5	88	95	89	02 4	07 1	05 2	7	8 *°	6 =°	4 =°	0.7	14	= ⛆ ⛅° n, =° *° a, =° p
27	89.7	93.4	98.1	- 2.7	- 2.0	- 1.8	- 0.3	- 3.9	95	88	79	27 1	31 2	27 2	7	8 =°	7 =°	1 =°	1.4	16	=° ≡° n, = a, =° p
28	05.7	06.4	10.0	- 1.4	- 0.8	- 1.4	- 0.7	- 2.3	88	84	83	36 1	23 3	25 3	7	6 =°	4 =°	4 =°		16	=° ⛅° n, =° * a, =° ⛅° p
29	15.6	18.6	20.5	- 2.3	- 2.0	- 1.6	- 0.5	- 2.9	92	94	79	04 2	06 1	31 1	8	6 =°	7 =°	5 =°	1.9	18	=° *° ⛅° n, =° ≡° a, =° ⛅° p
30	22.4	**23.0**	22.4	- 1.5	- 1.7	- 1.4	- 1.0	- 3.1	92	89	92	00 0	00 0	20 2	8	8 *°	4 =°	6 =°	0.1	18	=° n, =° *° a, =° p
31	16.4	08.9	03.3	- 1.0	- 0.2	1.9	**3.4**	- 2.4	87	96	96	18 3	20 5	23 5	6	8 =°	8 ·°	8 =°	0.1	18	=° ⛅° n, =° ·° *° a, =° ·° p
M	97.8	97.9	97.9	- 2.2	- 2.0	- 2.1	- 0.7	- 3.6	89	88	87	3.2	3.1	3.3	6.3	7.2	6.5	6.5	20	9	

Ekstensotabell

1954

Bjørnøya

φ = 74° 31'N λ = 19° 1' E g = 9.828 ΔG = + 1h

Januar (I)

H_s = 15 H_b = 14.4 h_z = 1.9 h_a = 10.0 h_d = 9 h_r = 2.0

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	87.0	88.9	89.9	- 1.2	- 2.0	- 1.3	- 0.3	- 3.7	75	81	75	27 5	25 3	27 3	6	8 ♦°	7(♦)	4 =°	3.4	6	♦° ♦ = ☁ n, ♦° = a, =° p
2	92.3	98.5	13.0	- 5.0	- 1.4	- 2.6	- 0.3	- 5.9	89	90	80	11 2	05 7	06 7	6	3 =°	2 +	3 +	1.5	7	☁ =° =³ ♦° ♦² n, ☁° + =° a,p
3	30.0	29.2	18.8	- 7.4	- 7.9	- 5.2	- 2.3	- 8.6	57	63	73	04 4	18 2	19 6	8	5(♦)	6 =°	8 +•	0.2	7	= =° ♦° ☁° + n, =° = ♦° a, = =° p
4	78.5	76.3	81.8	0.2	- 0.2	- 2.8	1.0	- 5.1	98	83	72	22 4	27 7	29 7	7	8 ♦	8 =°	8 ♦°	6.4	9	♦ +² ♦° n, =° * ♦ +° a, ♦° = ♨ p
5	80.4	73.2	**68.0**	- 2.0	- 2.3	- 3.4	- 0.7	- 4.8	81	94	94	27 4	08 1	30 5	5	8 ♦°	8 ♦°	8 ♦°	3.2	12	♦° =° +° = n, ♦° = =° ♦ a, = ♦° p
6	70.2	74.5	78.5	- 4.2	- 4.3	- 5.0	- 1.8	- 6.1	94	73	63	02 4	02 3	32 6	7	8 *	8 =°	3 =°	4.6	15	+° * ☁° = ♦°n, +° * = a,=° +° ♦°p
7	87.0	89.8	90.0	- 7.1	- 7.5	- 7.3	- 4.8	-10.2	77	91	79	32 7	30 6	29 5	6	3 +°	6 ♦°	3 ♦°	0.8	16	+ = ♦° n,♦° +° ♦ = a,= *° ♦° p
8	92.5	94.9	98.2	-11.0	- 6.6	- 7.6	- 5.5	-11.9	83	71	80	01 6	03 3	05 4	7	3 +°	5(♦)	3 ♦°	5.6	18	= +° ☁ ♦° n, =° ♦² +° a, = ♦ +° p
9	02.5	03.7	04.0	- 8.4	- 9.8	- 7.3	- 6.8	-10.9	59	94	65	05 3	17 2	35 3	6	2 =°	6 *°	6 =°	2.7	19	☁ ♦° = +° n, =° +° ♦² a, = ♦° +°p
10	02.0	00.0	98.0	- 8.0	- 8.0	-13.0	- 6.4	**-13.4**	73	**57**	65	28 1	26 3	22 2	7	2 =°	4(♦)	3(♦)	3.6	20	☁° = ♦² n, ♦° =° ☁ a, =° ♦° p
11	88.6	85.9	82.9	- 6.4	- 6.2	- 6.5	- 6.0	-13.0	78	70	71	06 5	03 5	36 5	7	8 +°	5 =°	5 =°	1.4	21	= ☁° ♦° n, ♦° = a, ☁° =° (♦) p
12	71.7	75.2	77.2	- 3.3	- 3.8	- 3.2	- 1.8	- 7.1	89	84	81	01 6	36 6	35 6	5	7 +°	8 ♦°	8 ♦°	0.6	23	♦° = ☁ n, ♦° = +° a, = ♦° p
13	80.3	83.0	84.5	- 3.5	- 2.8	- 2.6	- 2.2	- 3.5	95	76	77	34 6	36 5	36 5	7	7 *	7 =°	8(♦)	0.6	23	= ☁° ♦° n,a, = ♦ p
14	87.0	88.2	88.2	- 2.5	- 2.5	- 3.4	- 1.8	- 3.7	86	71	91	33 4	34 3	01 1	8	4(♦)	7(♦)	4(♦)	0.2	24	= ♦° n,a, ♦° =° p
15	85.0	84.5	83.0	- 3.2	- 4.0	- 4.8	- 2.5	- 5.2	86	71	72	34 5	03 4	03 4	7	6 ♦°	6 =°	8(♦)	0.4	26	= + * ♦° n, = ♦° a,p
16	82.2	84.0	87.0	- 5.7	- 6.0	- 6.4	- 4.5	- 6.6	67	77	64	04 4	01 5	01 5	5	6(♦)	8 ♦°	6 =°	0.5	26	= ♦ *° n, ♦° = a, ♦ + = p
17	93.9	00.5	01.8	- 6.0	- 5.8	- 5.3	- 5.3	- 7.6	77	87	76	04 6	35 5	01 5	6	8 =°	8 +°	7 =°	0.3	27	= ♦° n, = + =° a, +° = p
18	04.6	05.7	06.0	- 5.6	- 6.0	- 6.6	- 5.0	- 6.8	75	72	81	35 5	01 3	05 1	8	8(♦)	6 =°	8 ♦°	0.0	25	♦° = n, (♦) = a, ♦° =° p
19	06.0	07.4	07.7	- 7.0	- 7.7	- 7.3	- 5.5	- 7.9	75	83	80	01 4	02 4	02 5	5	6(♦)	8 ♦°	5 =°	0.0	24	♦° = ☁° n, = ♦° =° a,p
20	09.0	03.7	98.7	- 6.4	- 8.5	- 3.7	- 3.0	-11.1	72	86	76	34 3	23 6	29 7	7	3 =°	8(♦)	6(♦)	0.0	24	= ♦° n, = (♦) a, + = ♦° p
21	09.0	13.0	11.7	- 6.5	- 7.2	- 4.5	- 3.7	- 8.6	76	87	71	36 5	36 1	27 4	5	8 ♦°	8 ♦°	5(♦)	0.3	25	+° = ♦ +² n, ♦ = a, ☁ = ♦ p
22	12.4	18.0	17.7	- 2.3	- 1.6	0.8	0.8	- 5.7	81	77	97	28 5	28 5	25 6	7	8 ♦°	8(♦)	7 ♦°	1.1	26	+ = ♦ n,a, ♦° ♦ = p
23	17.5	13.9	07.8	1.3	1.8	1.6	2.0	0.3	92	94	97	22 4	21 5	20 5	7	8 =	8 =	7 •°	1.0	22	♦° = ☁° n, = •° ' a, = '° p
24	04.2	05.7	08.7	2.2	0.0	0.0	2.3	- 0.2	89	95	91	22 4	26 4	25 4	7	8 =	8 =	3 =°	2.2	20	= '° • n, ♦ = a, = (♦) p
25	14.0	16.7	19.4	- 0.5	2.3	1.9	**2.7**	- 1.4	97	97	97	10 3	20 4	18 3	4	8 ♦°	8 '	8 •°	0.6	20	♦° = n, =³ '° •° a,p
26	24.2	26.2	27.4	1.6	1.8	1.7	2.4	1.1	91	89	91	17 3	18 4	16 3	7	2 =°	6 =°	7 =°	2.6	16	= •° n, =° = a, =° p
27	27.0	27.3	27.2	1.7	2.0	1.5	2.2	1.0	92	91	92	18 3	18 3	18 3	7	8 =°	8 =°	8 =°		15	=° n,a,p
28	26.7	28.4	29.6	0.7	0.6	0.2	1.9	- 0.1	97	95	86	18 4	28 4	25 3	6	8 ♦°	8 =	0	1.0	13	♦° =° ♦° n, = ♦° a, ☁ = p
29	**31.3**	31.0	29.8	0.4	0.8	0.4	1.1	- 2.4	87	83	92	28 3	28 5	28 5	8	0	6 =°	8 =°	0.3	12	☁° ☁² n, =° a,p
30	28.6	28.6	28.3	0.6	0.4	0.6	1.0	0.0	86	90	90	28 5	28 5	27 5	7	1	3 =°	0 =°		12	=° ☁° n, =° a, ☁° =° p
31	25.4	23.6	22.0	0.8	0.8	1.0	1.2	- 0.5	84	79	80	28 5	27 5	26 5	8	2(♦)	8 =°	8 =°	0.0	12	☁° ♦° =° ☁ n, = ♦° a, =° p
M	01.6	02.6	02.8	- 3.3	- 3.3	- 3.2	- 1.7	- 5.5	83	82	81	4.3	4.1	4.5	6.5	5.6	6.8	5.6	45	18	

Februar (II)

Datum	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19	R	h_s	W
1	16.6	16.7	11.0	0.6	0.8	1.5	2.0	- 0.6	81	91	89	28 5	22 5	22 5	6	8 ♦°	8(♦)	8 =	0.0	11	♦° =° = n, = ♦° a,p
2	05.2	00.7	94.7	1.4	1.7	1.8	2.2	0.4	76	92	91	20 5	21 5	18 5	5	3 =°	8 •	8 •°	0.7	13	♦° = n, = • (♦) a, = • p
3	92.6	95.3	98.5	- 0.8	- 2.8	- 4.2	2.0	- 4.6	79	79	66	28 4	35 5	36 5	6	4 =°	8(♦)	5 =°	2.8	10	=°•° *° ♦° ♦° n, = ♦° a, = ♦° p
4	09.8	12.6	05.5	- 5.8	- 8.2	- 5.5	- 4.0	- 8.8	**64**	71	79	34 5	15 3	11 4	8	4 =°	5 =°	6 =°	0.4	11	☁ =° ♦° n, =° ☁° a, =° p
5	88.8	88.6	86.7	- 2.0	- 4.0	- 4.2	- 0.6	- 7.6	87	77	77	23 1	25 2	20 3	7	8 =°	7(♦)	8 ♦	2.0	14	=° +² *² n, =° ♦ = a,p
6	**79.2**	86.3	93.7	- 4.2	- 8.6	- 9.2	- 2.3	- 9.5	89	81	77	02 6	01 6	36 4	5	8 *	8 ♦	7 ♦°	11.4	23	*² +² ♦² = n, ♦ +² * a, = + ♦° p
7	99.5	04.6	08.7	-11.0	-11.7	-13.0	- 9.1	-13.2	72	75	69	04 4	06 4	04 4	6	8 =°	7 ♦°	6 =°	0.9	25	+° ♦° * =° n, +° ♦° =° a,p
8	11.9	10.3	07.6	-14.0	- 9.7	- 4.1	- 4.0	**-14.7**	72	78	80	12 3	11 4	14 4	8	6 =°	4 =°	6 =°	0.3	26	♦° =° = n, =° a,p
9	02.8	02.9	04.9	- 1.0	- 0.7	- 1.0	- 0.7	- 4.2	84	92	90	15 4	18 4	18 4	7	8 =°	8(♦)	6 =°	0.2	27	=° ♦° n, =° ♦° = a, =° (♦) p
10	07.0	06.4	06.4	1.0	- 0.4	2.3	2.3	- 2.5	77	81	80	17 4	15 4	17 5	8	5 =°	2 =°	7 =°	0.0	26	=° = • n, =° a,p
11	03.4	05.4	08.2	2.2	0.6	0.1	**3.0**	- 0.7	90	79	71	18 8	20 4	**22** 4	7	8 •	2(♦)	6 =°	1.2	22	= • '° n, = ♦° • (≡) a, =° ♦° p
12	11.0	12.7	14.2	- 3.3	- 2.6	- 3.0	0.4	- 4.2	89	73	73	19 3	26 3	29 3	9	6 ♦°	1	5 =°	1.0	20	= ☁ n, =° ♦° a, =° p
13	15.3	15.8	15.4	- 2.4	- 3.0	- 4.6	- 2.0	- 6.5	69	70	79	36 2	19 2	16 3	8	8 =°	7 =°	7 =°	0.0	20	=° n,a,p
14	11.9	11.9	13.3	- 1.6	- 0.8	- 1.2	- 0.5	- 4.7	91	92	91	18 2	17 3	16 3	7	8 =°	7 =°	4 =°	0.2	21	= ♦° n, =° a,p
15	18.0	20.1	22.2	- 1.3	- 1.3	- 0.3	0.0	- 4.0	79	94	90	20 2	20 2	35 1	7	7 =°	8 =°	7 =°		21	=° n,a, = ♨° ♦° p
16	25.9	**27.1**	27.0	- 0.7	- 1.0	- 1.6	0.3	- 2.3	87	73	84	25 1	22 1	11 3	3	8 =°	7 =°	7 =°	0.0	20	=° n,a,p
17	24.7	23.4	20.9	0.5	- 0.9	- 1.0	1.2	- 3.4	78	79	80	18 4	15 4	16 4	8	7 =°	2 =°	2		20	=° n,a, ☁° =° p
18	18.0	18.7	18.1	- 0.3	0.4	1.2	1.3	- 2.2	75	78	86	15 3	18 4	18 5	8	7 =°	8 =°	6 =°		20	=° ☁ n, =° a,p
19	16.4	16.6	16.5	0.3	- 0.6	- 1.5	2.0	- 3.3	94	97	97	29 2	21 2	02 1	5	8 ♦°	6 ♦°	5 =	0.4	21	♦° = ♦° n, ♦ n, ♦ = a,p
20	16.8	16.8	16.5	- 4.4	- 5.1	- 3.4	- 1.0	- 8.0	95	94	95	00 0	12 1	00 0	6	2 =	4 =	8 =°	0.9	24	=² ⌣ (≡) ☁° n, = a,p
21	18.2	20.0	21.6	- 3.9	- 7.4	- 3.5	- 2.1	- 9.8	95	89	90	02 2	05 2	11 4	9	7(♦)	4	6 =°	0.8	26	♦° ♨ = n, =° (♦) a, = p
22	20.3	17.7	13.8	- 0.3	1.3	0.4	1.8	- 4.5	79	92	75	16 4	15 4	16 6	6	3 =°	5 =	2 =°		25	=° ☁° n, ♦° = '° a, = ☁° p
23	11.4	11.1	07.8	- 0.2	1.2	1.0	2.0	- 1.2	91	89	91	17 3	18 4	16 4	7	4 =°	6 =°	6 =°	0.5	23	= ♦° ☁° n, =° ⊙ a, =° p
24	98.1	**96.7**	96.6	1.5	2.5	2.2	**3.0**	- 1.7	87	90	90	17 5	18 6	19 5	6	7 =°	8 =	8 =	0.1	23	= *° n, = a, = '° p
25	**97.2**	98.2	01.4	2.0	2.2	0.4	2.5	0.3	83	89	95	18 5	22 6	18 2	5	5 =°	8 ♦	8 ♦°	0.5	25	= ♦° n, = ♦° ♦ a, = ♦ ♦ p
26	04.0	06.3	07.1	- 0.6	- 1.3	- 2.3	0.8	- 2.5	95	76	71	02 3	01 4	27 4	8	8 ♦°	7 =°	6 =°	4.1	26	= ♦° ♦° ♦° n, = ♦ a, =° p
27	08.5	07.4	05.6	- 4.6	- 1.9	- 0.5	0.0	- 6.7	84	95	89	18 3	09 5	16 5	4	7 =°	8 ♦	8(♦)	0.2	26	☁° ♦° =° n, ♦ = a, ♦ = + * p
28	03.8	03.2	03.3	- 1.3	- 2.1	- 3.2	- 0.3	- 4.8	75	90	92	15 4	12 3	10 3	7	7(♦)	5 ♦°	1 =°	1.8	28	=° (♦) n, =° ♦° a, =° ☁° ♦° p
M	06.4	09.0	08.8	- 1.9	- 2.3	- 2.0	0.0	- 4.8	83	84	84	3.5	3.6	3.7	6.8	6.4	6.0	6.0	30	21	

Ekstensotabell

1954

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1h

Mars (III)

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 10.0 h_d = 9 h_r = 2.0

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	03.8	04.2	03.4	- 6.7	- 1.7	- 1.7	- 1.3	- 7.1	90	76	86	10 3	12 1	08 3	7	5 =³	6 =°	7 =°	0.0	28	=² ⌓° n, =² ⌣ ., =° p
2	02.2	02.9	02.9	- 1.0	- 1.7	- 1.7	- 0.7	- 2.5	84	80	84	07 4	09 4	08 4	6	8 ♦°	8(♦)	8(♦)	0.3	29	= ♦° n, = ♦ a, +♦ = p
3	03.6	05.2	05.0	- 3.0	- 4.9	- 6.4	- 1.5	- 6.6	87	89	89	04 5	04 5	04 5	7	8 =•	8 =°	8 =°	1.2	30	= ♦° + n, =° a,p
4	02.7	02.4	02.3	- 6.7	- 4.7	- 2.4	- 2.4	- 7.8	91	89	92	06 6	05 6	06 5	6	8 ♦°	8 +°	8(♦)	0.3	30	= ♦ +° n, = ♦° + a,p
5	00.2	00.3	00.0	- 1.2	- 1.1	- 3.2	- 1.0	- 3.8	90	92	90	05 4	07 3	09 3	5	8(♦)	8 ♦°	2 =°	0.9	31	= ♦° +° n, ♦ = a, ♦° = p
6	01.2	00.7	97.3	- 2.8	- 2.1	- 0.8	- 0.8	- 6.4	94	86	90	09 2	08 4	06 5	7	4 =	7 =°	8(♦)	1.1	32	= ∨ ≡° ⌓° n, = ♦° a, +° ♦ = ⊕° p
7	93.0	93.7	96.3	- 0.9	- 0.4	- 1.2	0.0	- 1.4	95	91	90	04 3	34 1	19 3	6	8 =²	8 =	6 =°	1.3	34	=² + * ♦° n, =² = a, = p
8	02.4	02.5	98.3	- 2.1	- 1.0	- 0.4	0.2	- 7.2	94	90	90	10 4	10 4	10 4	7	8 ≡	6 =°	3 =°		34	= ≡° ⌓² n, =° ≡ a, + =° ⊙ p
9	90.3	89.5	87.2	1.9	0.4	- 1.6	2.0	- 1.9	84	86	86	16 4	18 4	17 3	7	8 ♦°	7 =°	5 =°	0.4	34	= ,° ♦° n,a, =° p
10	87.2	89.9	88.0	- 0.4	- 0.6	- 0.9	0.6	- 2.2	94	89	34	01 3	05 3	20 5	6	8 =	8 =	7 ♦°	0.0	33	= ⌓ n, ,° = a, = *² p
11	90.5	00.0	05.3	- 8.9	- 9.8	-11.0	- 0.6	-11.5	80	78	69	36 7	01 5	01 4	6	8 ♦°	7 ♦°	5(♦)	1.8	35	+ = ♦° +² n, = ♦° + a, = ♦° p
12	12.3	11.0	11.8	-12.4	-13.7	- 9.0	- 8.0	-15.2	61	73	81	08 3	28 6	34 6	4	3 =°	6 ♦°	8 ♦²	0.6	35	= +° ♦° n, = + ♦² a, +² ♦ = p
13	16.9	15.9	15.2	-12.6	- 8.8	-10.6	- 8.2	-13.2	87	64	81	10 3	28 5	05 4	3	8 *°	7 ♦°	8 ♦	4.5	39	+ = * ♦ n,a, = ♦ +° ♦° p
14	16.4	15.0	11.3	-15.4	-12.4	- 9.6	- 9.5	-15.9	79	79	89	09 4	07 4	09 5	8	6(♦)	7 =°	7(♦)	1.2	40	♦ = +° n, ⊙° =° (♦) a, +° ♦° = ⊙ p
15	03.7	01.8	03.0	- 6.3	- 6.8	- 9.8	- 6.0	-10.1	87	79	84	09 4	07 4	04 5	7	7(♦)	6 =°	8(♦)	0.3	40	+ ♦ = n, = +° ♦° a, +° ♦° = p
16	12.6	17.3	**19.2**	-14.3	-15.7	-16.7	- 9.7	-16.7	81	81	80	03 6	04 5	03 4	5	7 =°	5 ♦°	5 ♦°	0.3	41	= +° ♦° n, = ♦° (♦) a,p
17	15.9	13.3	10.7	-17.0	-13.4	-11.5	-11.2	-17.7	76	67	78	09 2	05 2	05 3	8	4 =°	4 =°	4	0.1	41	=° ♦° = n, ⊙ =° a,p
18	08.4	07.4	04.9	- 9.2	-13.3	- 4.3	- 4.3	-13.7	**58**	75	77	04 3	15 3	32 3	9	3	3	7 =°		41	⌓ n, ⊙ a, =° ♦ ⊙ p
19	96.0	92.8	91.2	- 3.4	- 3.4	- 3.0	- 2.4	- 6.7	81	90	83	24 4	25 4	01 3	5	8(♦)	8 ♦°	8 ♦°	2.5	44	= ♦° ♦² n, = ♦° ε, ♦ = p
20	91.5	91.4	91.2	- 5.4	- 8.7	-10.2	- 3.0	-10.7	81	89	90	10 4	09 6	08 6	5	8 =°	8 ♦°	8 ♦	0.7	45	= ♦ n, = +° ♦° a, + ♦ = p
21	87.2	84.8	87.5	- 4.0	1.0	- 2.2	1.3	-10.7	92	97	75	07 6	21 4	29 6	6	8 ♦	8 ♦°	8 =°	1.5	48	+ ♦ n, ♦° , ♦ + a, = ♦° ⊙ ♦ p
22	88.1	87.7	87.9	- 5.9	- 7.4	- 9.7	- 2.2	- 9.9	75	67	84	03 3	08 5	07 5	5	8 ♦°	8 ♦°	8 ♦°	1.4	49	= ♦° n, +° ♦° = a,p
23	87.3	85.0	**83.9**	- 8.4	- 8.3	- 9.9	- 7.9	-11.3	87	89	90	05 7	06 7	06 8	1	8 ♦	8 ♦	8 ♦	0.8	50	♦ +° = n, ♦ +² a,p
24	89.5	98.1	05.1	-14.0	-15.4	-15.7	-10.0	-15.7	81	87	78	01 7	01 6	02 4	7	8 ♦	4(♦)	1 =°	1.0	51	+² ♦ n, =° ⊙ +² ♦ a, =° ⊙ (♦) p
25	09.8	09.0	04.2	-16.5	- 7.7	- 1.8	- 1.8	**-20.7**	80	80	94	09 2	14 5	21 4	6	5 =°	8 *°	8 =°	0.1	51	=° ⌓ n, = *° a, +² +² =° p
26	03.8	02.7	00.3	- 0.5	- 0.6	- 1.1	0.2	- 2.4	75	89	94	22 5	19 3	20 4	7	3(♦)	4(♦)	5 ♦°	3.9	54	♦² = +° * ♦° n, ♦° ⊙ =° a,p
27	01.4	04.0	06.3	- 4.4	- 4.5	- 5.5	- 0.5	- 5.7	72	71	84	32 4	01 3	24 2	7	7 =°	4(♦)	5(♦)	1.3	55	= ♦ * n, ♦° ⊙ =° a,p
28	11.7	14.5	14.8	- 7.3	- 4.9	- 3.8	- 3.8	- 8.0	83	77	89	09 5	09 5	11 5	8	7 =°	7 =°	7 ♦	0.0	55	= ⌓ ♦° n, =° + ♦° a,p
29	18.0	17.2	16.9	- 6.3	- 1.2	1.1	1.1	- 7.3	77	81	89	19 2	16 4	21 4	8	4 =°	4 =°	8 ♦	1.1	56	⊙ +° =° ⌓ ♦° n, =° ⊙ a,p
30	16.3	17.0	15.1	1.8	2.0	2.0	**2.5**	0.6	89	81	76	25 4	24 4	26 4	8	7 =°	7 =°	7 =°	0.0	56	=° ♦° ♦° n, =° a,p
31	13.5	12.6	11.5	1.2	1.4	0.9	2.3	0.3	80	83	81	25 3	25 2	25 3	7	8 =°	8 =°	8 =°		56	=° n,a,p
M	02.5	02.9	02.5	- 6.2	- 5.5	- 5.2	- 2.8	- 8.7	83	83	85	4.1	4.1	4.3	6.3	6.7	6.6	6.5	29	42	

April (IV)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	09.7	08.2	07.0	- 0.1	1.4	0.9	1.7	- 1.9	78	79	89	15 3	15 3	18 3	7	7 =°	6 =°	7 =°		56	=° n,a,p
2	07.3	07.5	07.4	- 1.3	0.3	- 2.8	1.2	- 3.2	92	89	94	12 3	11 3	10 3	7	3 =°	1 =°	2 =°		55	=° ⊙ n,a,p
3	09.2	10.3	09.7	- 6.2	- 7.6	- 6.5	- 2.2	- 8.2	86	78	84	07 4	03 4	02 4	8	2 =°	6 =°	8 ♦°	0.0	55	= ⌓ ≡ ∨°♦° n, =° ⊙ ♦° a,=° p
4	09.2	11.6	11.1	- 1.0	- 2.6	- 2.7	- 0.6	- 6.7	83	78	79	09 5	07 5	07 5	8	4(♦)	3 =°	5 =°	0.4	56	= ♦° +° n, = ⊙ +° ♦° a,p
5	10.3	11.0	12.9	- 3.4	- 2.1	- 2.4	- 1.6	- 3.8	84	90	81	05 6	07 5	07 4	4	6 =°	8 ♦	5(♦)	0.2	57	=° (♦) ⊙ n, ♦° +° =° ♦ a,p
6	15.2	16.1	16.5	- 4.1	- 3.2	- 4.2	- 2.2	- 5.8	77	72	78	06 2	00 0	16 2	8	3	7 =°	6 =°	0.6	58	=° ♦° ⊙ n, ⊙ =° a,p
7	17.0	18.1	18.8	- 0.4	0.1	0.4	0.5	- **9.7**	87	86	78	27 4	27 4	27 4	7	8 =°	8 =°	8 =°	0.0	58	=° ♦° n, ♦ = ♦° a, ♦° =° p
8	18.7	20.3	20.3	2.0	2.2	1.1	2.5	0.2	83	86	92	25 4	25 3	19 3	6	8 =°	4 =	7 ♦°	0.0	56	=° ♦° n, = ♦ ,° a,p
9	17.7	13.2	12.1	1.2	2.1	2.2	2.6	- 0.4	90	91	86	22 4	21 5	25 4	6	8(♦)	8 ♦	7 =°	0.7	54	= ♦° n, ♦° = ♦ a,p
10	05.3	03.2	05.4	1.9	2.7	1.8	**3.2**	0.8	95	91	73	18 4	22 4	23 4	5	8 •	8 =	5 =	4.7	50	• = ♦° n, • ,° = a, = ⊙ ♦° p
11	98.5	87.9	77.9	1.6	2.7	2.6	**3.2**	0.1	86	91	90	18 4	18 4	18 6	6	7 =°	8 •°	8 •	2.4	47	= ♦° n, •° =° a,p
12	**75.4**	76.7	77.7	1.2	1.4	0.8	2.8	0.4	89	90	81	21 4	20 4	21 5	7	6 =	2(♦)	4(♦)	8.4	40	= •° ♦ n, = ♦° ♦ ⊙ a, ⊙ △° ♦ ♦ p
13	87.2	89.3	90.1	- 1.5	- 1.3	- 0.9	1.0	- 1.7	83	81	84	23 4	22 4	20 4	7	7 ♦°	8 *°	2 *	0.6	41	= ♦ ♦° * n, =° ♦° *° a, =° *° ⊙ p
14	91.0	94.6	98.2	- 1.9	- 1.8	- 1.7	0.1	- 4.1	87	83	92	20 3	29 3	06 3	6	3 =°	7 ♦°	8 ♦°	0.2	41	=° (♦) n, = ♦° a,p
15	10.0	14.9	18.5	- 4.8	- 6.1	- 6.4	- 1.6	- 6.7	84	80	81	05 4	03 3	06 3	8	8 =°	8 =°	7 =°	0.8	42	= ♦° +° n,=° a,p
16	17.0	24.0	22.9	- 2.5	- 3.8	- 5.2	- 1.4	- 6.7	83	80	79	16 3	04 3	14 3	7	6(♦)	8 =°	7 =°	0.5	42	= ♦ * n, (♦) + =° ⊙ a, =° ⊙ p
17	05.7	06.9	07.8	1.2	0.7	0.7	1.3	- 5.7	94	95	90	20 4	20 3	27 3	5	8 •°	7 ,°	8 ,°	2.3	45	•° = * +° ♦ a, =² •° ,° a, = ,° p
18	09.7	11.5	11.3	- 1.3	1.1	1.4	1.5	- 2.0	95	84	92	00 0	17 1	11 4	9	0 =²	7	8 =	0.2	43	=² ,° =° n, = =² a, ♦° = p
19	09.5	03.7	97.9	- 0.4	1.3	1.0	2.5	- 1.0	99	87	91	15 4	16 5	16 4	6	5(≡)	8 ♦°	8 ♦	1.9	41	*° ♦° ♦² ♦ = ⊙ n, ♦ ♦° a,p
20	95.2	96.0	97.4	- 0.7	- 0.6	- 2.0	1.5	- 2.2	83	83	73	30 5	28 5	29 5	6	7(♦)	8 *°	8 ♦°	4.3	43	♦ = ♦ ⊙ n, =° ♦° *° a, =° *° (♦)p
21	00.9	03.5	05.0	- 3.0	- 1.8	- 1.8	- 0.6	- 4.6	70	70	80	32 5	28 5	31 3	7	5(♦)	6(♦)	8 ♦°	0.3	43	=° ♦ △ ⊙ n, ♦° =° * a,p
22	08.0	08.6	09.5	- 3.8	- 4.7	- 5.7	- 1.2	- 5.9	81	76	72	01 4	02 3	02 4	8	8 =°	6 =°	4 =°	0.5	42	♦° =° * n, =° a, =° ⊙ p
23	14.6	17.6	19.0	- 7.9	- 8.4	- 8.3	- 5.0	- 8.7	77	72	67	01 4	04 3	09 2	9	4 =°	2	4		41	=° ⊙ n,a, ⊙ p
24	16.4	13.4	12.8	- 4.8	- 2.0	- 1.4	0.3	- 9.2	92	91	77	12 4	11 5	28 5	5	7(♦)	7 ♦	3(♦)	0.2	41	⊙ = ♦° n, ♦ +° = a, ♦ + * = p
25	17.1	17.5	16.8	- 4.6	- 4.8	- 6.2	- 0.9	- 6.4	78	75	75	01 4	35 4	01 3	9	8 =•	4	5	0.7	42	= ♦° + n, ⊙ =° a,p
26	15.2	14.5	14.3	- 5.4	- 5.3	- 5.6	- 5.0	- 7.2	65	72	75	36 4	36 4	01 4	8	3	6 =°	5 =°		41	⊙ (♦) =° n,a, =° p
27	14.6	15.5	16.9	- 5.8	- 5.0	- 5.0	- 4.4	- 9.2	84	78	77	09 3	11 4	11 2	8	4(♦)	4 =°	2	0.0	40	=° ♦° ⊙ n, =° ⊙ a,p
28	17.9	19.1	19.5	- 5.2	- 1.6	- 4.1	- 1.3	- 6.8	72	**57**	70	11 3	09 1	04 4	8	3 =°	4 =°	3		40	(♦) =° ⊙ n, =° ⊙ a,p
29	20.2	20.6	20.0	- 7.6	- 7.2	- 4.9	- 3.7	- 8.1	81	86	94	04 4	03 4	02 4	8	6 =°	6 =°	8 ♦²		40	⊙ =° n,a, = ♦° ♦² p
30	23.3	27.3	**29.6**	- 2.0	- 3.7	- 4.2	- 0.8	- 8.0	84	89	87	07 6	07 6	07 5	5	8(♦)	8 ♦	8 =•	1.0	41	♦² + n, ♦ = +° a, = ♦° +° p
M	08.9	09.4	09.5	- 2.4	- 1.9	- 2.3	- 0.2	- 4.7	84	82	82	3.8	3.7	3.7	6.9	5.7	6.2	5.9	31	46	

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 $\Delta G = +1^h$

Mai (V)

H_s = 15 H_b = 14.4 h_I = 1.9 h_a = 10.0 h_d = 9 h_r = 2.0

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	30.8	29.8	28.0	- 6.2	- 6.2	- 5.0	- 4.0	- 6.9	70	76	77	07 4	07 3	06 4	7	3 =°	8(ϕ)	8 =°	0.4	40	=° ϕ° ⊙ n,a, =° ϕ° p
2	23.8	22.3	21.1	- 5.1	- 5.5	- 7.5	- 4.5	- 7.7	84	86	77	07 3	07 4	02 4	6	7 ϕ°	8 ϕ°	6 =°	0.0	40	=° ϕ° n, ϕ° =° +° a, =° ϕ° +° ⊙ p
3	21.4	23.6	24.3	- 6.9	- 7.3	- 8.7	- 5.7	- 8.8	84	72	70	03 5	04 3	01 3	7	7(ϕ)	4(ϕ)	8 ϕ°	0.2	41	* =° ϕ +° n, ϕ° =° ⊙ a, ϕ =⊙ p
4	23.8	22.9	23.2	- 4.5	- 1.6	- 2.8	- 1.5	- 8.7	72	72	89	32 4	29 4	25 3	6	8 ϕ°	7(ϕ)	8 ϕ	0.2	41	=° ϕ° n, =° ⊙ ϕ a, =⊙ ϕ p
5	24.6	26.0	26.0	- 3.2	- 2.1	- 2.4	- 1.4	- 6.1	83	67	72	05 2	04 1	02 3	9	6 =°	1	1	2.2	44	= ϕ² ⊙ ϕ° n, =° ⊙ a,⊙ p
6	23.3	21.6	19.0	- 3.8	- 2.5	- 3.8	- 1.0	- 4.6	78	90	95	05 5	07 5	05 5	7	2 +°	8 =°	8(ϕ)		44	⊙ =° + n, =° +° a, =° (ϕ) p
7	17.5	18.6	18.4	- 1.1	- 1.1	- 0.2	- 0.2	- 3.8	95	94	95	06 5	07 6	08 6	4	8 *	8 *°	8 *°	0.8	45	=° *° + * n, *° +° * a, *° +° p
8	16.6	17.2	16.6	1.2	1.4	1.8	2.0	- 0.3	91	95	97	10 6	10 4	10 3	4	8 ϕ	8 ,°	7 ≡	5.9	50	* + • = n, ‡ = ,° =² a, ,° ≡ =² p
9	16.4	18.2	18.5	3.0	2.4	2.2	3.2	0.5	91	92	87	16 5	12 4	11 4	7	8 ϕ̇	8 •°	8 •°	4.7	46	= ϕ̇° ≡ ,° n, =° •° ϕ̇° a, = •° p
10	22.2	25.8	28.7	0.9	1.6	1.6	2.5	0.4	90	87	89	11 3	09 3	11 3	7	8 ϕ°	6 =°	7 =°	0.7	42	= •° ϕ̇° ϕ° n, ϕ̇° = ϕ° a, =° p
11	34.0	36.8	37.9	0.6	1.0	0.2	1.9	0.0	94	87	84	31 3	36 1	10 3	7	8(ϕ)	5 =°	5 =°	0.0	39	=° (ϕ) n, =° a,p
12	37.6	37.1	35.8	2.0	3.1	1.7	3.5	- 1.0	83	79	79	16 3	16 3	16 3	8	8(ϕ̇)	6 =°	8 =°	0.0	37	= ϕ° ϕ̇° ϕ° n, =° a,p
13	32.1	30.6	28.6	1.9	3.1	2.5	3.7	0.9	80	80	87	16 4	16 4	17 5	8	7 =°	3 =°	5 =°	0.0	33	=° ϕ̇° n, =° ⊙ a,p
14	26.5	27.1	26.1	3.2	4.6	3.6	4.6	0.9	89	84	83	16 6	14 4	19 6	8	2 =°	3 =°	5 =°		28	=° (ϕ̇) ⊙ n, =° ⊙ a,p
15	28.0	28.2	27.5	2.9	4.0	3.0	4.4	1.5	87	79	84	16 4	16 3	10 3	8	2 =°	6 =°	8 =°		24	=° (≡) ⊙ n,a, =° p
16	22.9	19.3	17.3	- 0.4	0.3	0.7	3.3	- 0.6	95	87	97	05 5	06 5	07 4	7	8 =°	8 =°	8 ,°		22	=° n, = a, ‡° = • ≡ p
17	16.8	16.1	15.8	3.6	4.9	4.8	5.6	0.4	87	70	73	10 2	11 3	14 3	8	5 =°	6 =°	3 =°	0.3	20	⊙ ,° ≡ • n, =° ⊙ a,p
18	11.7	09.8	09.8	1.9	1.5	1.6	5.8	1.4	94	97	94	07 4	06 1	00 0	3	8 •°	8 ,°	8 ≡	0.1	18	= ⊙ ,° •° n, •° ,° ≡° = a,≡ ,° p
19	15.2	18.0	19.7	2.9	4.4	5.4	5.6	1.4	90	84	75	25 3	27 3	22 2	8	8 =°	4 =°	3 =°	0.0	16	= ,° •° ≡ n, =° ,° ⊙ a, =° ⊙ p
20	22.3	23.1	23.5	4.8	6.1	4.7	7.0	2.5	92	91	92	18 2	19 3	18 3	4	6 =°	7 =²	8 =	1.7	14	=° ⊙ ϕ̇ n, (≡) ⊙ =² a, =² ⊙ , p
21	25.5	25.9	25.3	5.1	6.8	6.2	7.1	2.8	78	80	86	19 1	10 3	11 4	8	8 =°	3 =°	3 =°	0.0	11	=° ,° =² n, =° ⊙ a, =° ⊙ (≡) p
22	19.2	16.1	17.2	3.6	7.4	4.6	9.3	2.3	97	80	80	15 5	17 3	26 4	7	8 ≡°	6 =°	8 =°		7	⊙ ≡° =² n, ⊙ ≡° a, =° (≡) ϕ̇° p
23	13.9	09.4	12.1	3.8	4.2	2.5	5.4	1.8	84	83	81	19 4	22 6	28 5	7	4(ϕ̇)	8 ϕ̇°	4(ϕ)	0.0	4	ϕ̇ ⊙ n, (ϕ̇) ϕ̇° a, ϕ̇° ⊙ ϕ° p
24	19.1	21.5	22.4	2.0	3.4	3.2	3.9	1.7	90	73	75	27 4	29 3	28 2	8	6(ϕ̇)	6 =°	5 =°	0.2	1	=° ϕ° ϕ̇ n, ϕ̇° ⊙ a, =° ⊙ p
25	23.4	24.6	24.5	2.6	3.0	2.2	3.4	1.8	75	86	79	26 3	29 1	27 2	8	8 =°	7(ϕ̇)	8 =°	0.0		=° ⊙ n, =° (ϕ̇) a,p
26	23.9	25.6	27.2	2.3	2.7	0.6	2.9	0.3	92	86	83	28 3	31 3	01 3	7	8 =	8 =°	7 =°	0.0		=° ,° = n, = a, =° p
27	27.7	25.8	20.0	2.0	4.4	4.0	4.4	- 0.8	76	80	94	13 4	18 4	19 4	8	6 =°	8 =°	8 •°			= ⊙ n, =° a, (ϕ̇) ,° = • p
28	10.7	08.5	06.1	4.2	3.2	2.4	5.0	1.7	97	86	84	26 4	27 4	29 4	7	8 =	8 =°	8 =°	3.1		=² • =² , n, =² =° a, =° p
29	99.1	02.3	12.0	1.2	0.2	- 0.9	2.5	- 1.7	71	90	80	31 7	34 7	01 6	6	6(ϕ)	8 =	7 =°	0.5		ϕ = n, ϕ° ϕ = a, = p
30	15.9	15.3	14.2	- 1.5	- 1.1	- 0.6	0.0	- 1.6	80	72	76	01 3	04 2	35 2	9	8 =°	4	7 ϕ°	0.0		=° n, =° ⊙ a, =° ⊙ ϕ° p
31	12.4	13.4	13.6	- 1.0	- 2.0	- 1.6	- 0.1	- 2.1	76	73	70	02 4	36 4	01 3	8	5 =°	8 =°	6 =°	0.0		=° ϕ° n, =° a,p
M	21.2	21.3	21.3	0.7	1.4	0.8	2.5	- 1.0	85	82	84	3.9	3.5	3.5	7.0	6.5	6.3	6.5	21	23	

Juni (VI)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	11.7	10.5	08.5	- 1.0	- 0.6	- 0.7	0.7	- 1.7	84	83	77	36 1	10 3	08 4	7	8 *°	8 =°	8 ϕ°	0.2	0	=° ϕ° *° = n,a, = p
2	06.8	07.3	07.4	- 2.2	- 0.4	0.5	0.9	- 3.1	69	66	79	02 4	26 3	31 5	7	6 =°	7 =°	8(ϕ)	0.5	1	* = n, =° a, * =° ϕ° p
3	09.4	09.1	08.1	- 0.2	0.1	- 0.4	0.7	- 1.0	79	92	91	29 5	26 3	29 2	6	8 *°	8 ϕ°	5 ϕ°	0.1	0	*° =°n, =° ϕ° *° a, ϕ° =° p
4	05.5	05.0	04.5	- 0.6	- 0.4	- 0.1	1.0	- 2.5	84	84	84	31 3	03 1	03 2	6	7 ϕ	7(ϕ̇)	6(ϕ)	1.3	1	ϕ² ⊙ n, =° ϕ a, =° (ϕ̇) ⊙ p
5	06.8	12.9	15.3	1.3	0.8	0.4	1.5	- 1.1	87	86	72	04 6	02 5	36 4	7	8(ϕ̇)	6 =°	3 =°	0.7	0	= ϕ ‡°*°n,=° ϕ a, =° ⊙ p
6	09.1	04.8	01.7	1.6	1.2	0.7	1.7	0.2	76	95	97	32 5	29 5	31 4	6	8 =°	8 ‡	8 ‡°	0.0		=° ⊙ n, = ‡° a, •° = ‡° p
7	02.1	03.0	04.8	0.2	1.0	0.8	1.7	0.0	91	94	83	36 3	36 2	02 2	5	8 ϕ°	7 ϕ°	7 =°	1.0		= • ‡° ϕ° n, ϕ = a,p
8	06.9	07.4	07.2	0.5	1.2	2.2	4.0	0.4	84	90	92	09 2	05 4	07 4	5	5 =°	7 ϕ°	7(ϕ)	0.9		ϕ° =° ⊙ *° n, = ⊙ a,p
9	05.9	05.2	00.8	2.0	1.0	0.9	3.5	- 0.9	94	80	89	09 5	02 4	36 5	8	8 ≡	5 =°	8 =°	3.7		ϕ² ≡ ϕ̇ =² n, ≡ =° ⊙ a, =° ⊙ p
10	95.6	95.2	95.9	0.3	1.1	0.8	1.3	- 1.0	97	89	89	04 3	05 3	02 3	7	8 =	8 =°	8 =°	0.1		ϕ° = ,° n, = a, =° p
11	97.8	99.4	00.1	0.6	2.9	5.1	5.2	0.5	91	76	73	32 3	22 3	17 1	9	7 •°	7	7 =°	0.2		,° = n, ⊙ ,° =° a, =° p
12	01.9	04.1	05.6	4.2	4.8	4.5	5.6	0.5	84	77	81	36 1	03 2	01 2	9	7 =°	7	7	0.0		=° (ϕ̇) ⊙ n, =° a
13	05.0	02.5	97.7	0.7	1.1	1.1	5.5	0.2	91	94	95	07 3	05 4	05 5	6	8 =	8 ‡°	8 ‡°			= ⊙ n, ≡° ‡° a, = ‡° ,° •° p
14	97.3	99.8	00.4	3.7	6.5	7.1	7.6	0.2	83	69	71	22 4	22 4	18 4	8	8 =°	3 =°	2 =°	1.4		≡ ,° ‡° =° n, =° ⊙ a,p
15	98.6	00.1	00.2	5.2	3.6	4.5	7.1	3.0	83	87	90	19 4	21 5	20 5	7	2 =°	7(ϕ̇)	4(ϕ̇)			=° ⊙ n, =° ϕ̇° ⊙ a, =° (ϕ̇) ⊙ p
16	99.8	05.1	04.4	3.6	4.4	5.2	5.7	2.0	89	75	75	20 4	23 5	20 4	8	6(ϕ̇)	6 =°	5(ϕ̇)	1.3		=° ϕ̇° ⊙ n,a, =° (ϕ̇) ⊙ p
17	01.8	02.3	02.6	3.2	3.1	4.0	5.4	2.6	90	91	80	23 6	24 4	24 4	6	8 •°	8 •°	2 =°	3.5		• , = ϕ̇° n, •° = a, •° = ⊙ p
18	04.9	08.6	11.3	3.4	3.2	3.1	4.5	1.7	87	90	86	27 5	27 5	27 4	6	6 ϕ°	7 △	7(ϕ̇)	3.2		= ϕ̇ n, ϕ° = a, ϕ̇ = △ p
19	14.9	16.5	16.7	2.8	3.4	3.0	3.6	1.9	89	90	83	31 3	00 0	05 1	7	8 ,°	8 ,°	7 =°	2.1		= ϕ̇° ,° n, =° ,° a, = p
20	16.0	15.7	14.2	3.8	4.8	5.3	5.7	1.5	81	81	84	10 4	11 4	12 4	8	8 =°	8 =°	8 =	0.0		=° ⊙ n, =° a, = p
21	09.7	09.1	08.0	5.7	7.5	7.8	8.5	4.2	94	92	95	13 4	17 3	19 2	5	8 •	8 ,°	8 =²	4.0		ϕ̇° = • ,° n, • ,° = a, =² , p
22	05.1	03.7	04.2	5.6	6.9	6.2	8.0	5.0	94	95	94	10 4	19 4	19 3	3	8 ϕ̇	8 ,	8 ,°	5.9		=² • ϕ̇ n, ,° =² ϕ̇ ≡° a, = ,° ≡° p
23	03.4	02.9	03.1	3.4	3.9	3.0	6.3	2.6	97	97	94	05 2	08 3	06 4	5	8 ,	8 •	8 =	0.7		= , ≡² n, • = ,° ≡² a, • = p
24	02.3	02.8	02.7	3.0	3.8	2.8	5.0	2.1	95	89	95	06 4	06 4	08 4	6	8 ≡	7(ϕ̇)	8 ,°	11.4		= ≡° , n, = ≡° a, = ,° ≡° p
25	04.3	05.8	07.0	2.5	3.2	2.2	4.2	2.0	94	84	89	05 4	06 4	05 5	7	8 ,°	7 =°	8 =°	0.2		,° = ≡° n, = ,° a, =° p
26	10.1	12.3	13.6	2.0	2.4	1.8	2.6	1.8	90	84	76	05 5	05 4	07 4	7	7 =°	7 =°	2 =°	0.0		=° n,a, =° ⊙ p
27	14.5	14.7	14.0	1.3	1.2	0.5	2.5	0.2	83	81	80	06 4	06 4	05 4	7	8 =°	7(ϕ̇)	8(ϕ)			=° ⊙ n, =° ϕ̇° ⊙° a, =° ⊙° ϕ° p
28	11.1	10.3	10.4	1.1	1.8	1.5	2.4	- 0.4	86	92	83	04 3	02 3	02 3	6	8 =°	8 ,°	7 ϕ°	0.0		ϕ =° (ϕ) n, = a, = ,° ϕ° p
29	11.0	12.2	11.7	1.2	1.7	2.2	2.4	0.3	87	81	80	05 2	06 3	08 3	8	8 =°	6 =°	4 =°	0.2		=° ϕ° n, =° ⊙ a,p
30	10.5	10.1	08.6	3.0	3.8	4.1	4.4	1.1	78	76	76	09 2	34 2	09 2	9	8 =°	6	7(ϕ̇)			=° ⊙ n,a,p
M	06.0	06.6	06.4	2.1	2.6	2.7	4.0	0.7	87	85	84	3.6	3.4	3.4	6.7	7.4	7.0	6.4	43	0	

Ekstensotabell

1954

Bjørnøya

φ = 74° 31'N λ = 19° 1' E g = 9.828 $\Delta G = +1^h$ Juli (VII) H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 10.0 h_d = 9 h_r = 2.0

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	03.1	00.9	98.6	3.4	2.2	2.2	4.5	0.7	79	94	95	09 3	05 4	05 4	6	7 •⁰	8 ,⁰	8 •	0.0		=⁰ ⊙ n, = ,⁰ a, = • , p
2	95.1	98.6	02.7	2.9	2.6	2.1	3.5	0.9	94	94	91	36 4	01 5	36 4	5	8 •	8 •⁰	8 •⁰	6.1		• = n, • = ,⁰ a,p
3	08.4	10.4	11.6	2.4	2.8	3.8	6.0	0.7	95	90	87	01 2	36 3	36 1	7	8 ≡⁰	8 =⁰	1	2.7		≡ =² •⁰ ,⁰ n, ≡ ⊙ =⁰ a,p
4	12.8	14.4	15.4	3.6	4.8	4.2	5.7	1.9	84	78	75	36 1	34 2	31 2	8	7 =⁰	7 =⁰	8 =			⊙ =⁰ n,a, =⁰ = p
5	14.8	14.1	12.7	3.1	3.2	4.8	6.5	1.5	73	83	87	11 3	08 4	08 3	7	8 =⁰	8 =⁰	8 =⁰			=⁰ = n, =⁰ a,p
6	09.9	10.2	11.0	6.0	10.3	8.8	11.5	3.3	94	80	90	11 4	16 4	18 4	6	8 ,	4 =	8 ≡⁰	0.6		= ⊙ , n, = =² ,⁰ ⊙⁰ a,p
7	08.7	09.0	09.2	4.4	4.4	4.2	9.1	3.4	95	91	94	27 3	31 3	28 3	3	8 ,⁰	8 ≡⁰	8 ≡	0.2		≡ ,⁰ ⊙ =⁰ n, ≡ , a, = ≡⁰ ⊙ p
8	08.9	08.4	08.0	5.8	7.8	7.2	8.5	2.7	86	90	90	19 5	18 6	20 6	5	6 =⁰	8 ,⁰	8 ,²	0.5		≡ = ,⁰ ⊙ n, =⁰ ⊙ ,⁰ a, ≡ ,⁰ = p
9	14.1	17.8	19.7	4.0	4.3	4.3	7.5	3.7	89	89	86	26 4	26 4	25 4	4	8 ,⁰	8 ,⁰	8 ,⁰	0.6		≡ , = n, =² ,⁰ = a,p
10	22.2	23.4	21.2	3.2	4.0	6.8	7.1	2.7	91	87	92	26 3	24 4	19 4	6	8 ,⁰	8 ,⁰	8 =	0.1		=⁰ ,⁰ = n, = ,⁰ a,p
11	18.8	18.8	17.2	6.2	6.2	5.4	7.3	4.8	97	94	95	22 4	23 4	23 4	2	8 ≡²	8 ≡	8 ≡²	0.2		≡² ,⁰ ≡ n,a, ≡² ≡ p
12	14.7	13.8	11.1	5.1	5.8	7.2	7.3	4.3	95	90	84	22 4	20 4	22 3	4	8 ≡²	7 =²	7 =⁰	0.0		=² , n, ≡ ⊙ =² a, = ⊙⁰ p
13	08.8	08.5	07.0	3.0	4.8	13.8	16.2	1.9	95	86	63	29 1	33 1	20 2	7	8 ≡	6 =⁰	4 =⁰			=² ≡ =⁰ ⊙ n,a, =⁰ ⊙ p
14	05.5	06.8	06.8	5.4	5.4	5.2	14.8	4.1	95	94	95	29 2	33 1	04 1	1	8 ≡²	8 ,⁰	8 =²	0.1		≡ = ⊙ n, ≡ ≡² ,⁰ a, ≡² ,⁰ p
15	05.9	04.8	01.2	4.4	5.7	6.2	7.2	3.3	94	87	84	09 3	09 4	11 6	8	7 =⁰	6 =⁰	1	0.4		≡ = ⊙̇ n, =⁰ ⊙ a,p
16	95.1	93.3	91.3	12.6	16.0	11.4	16.1	5.5	76	70	91	11 4	36 3	00 0	6	3 =⁰	3 =	8 ⊙̇			= =⁰ ⊙ n,a, ⊙̇ = ⊙ =² p
17	89.3	91.2	93.4	11.1	12.4	8.6	13.4	5.9	90	84	95	22 3	21 4	22 4	5	5 =⁰	3 =	6 ,⁰	1.4		≡ =² ⊙ n, = =⁰ ⊙ a, =² ⊙⁰ ,⁰ p
18	97.9	98.0	98.5	9.9	9.8	9.3	11.1	7.6	94	95	91	00 0	23 4	12 4	4	8(⊙̇)	8 =²	6 =	0.7		≡ ,⁰ =² n, (≡) =² ⊙ a,p
19	98.8	98.3	99.3	6.1	6.9	8.1	11.0	4.8	97	94	80	05 1	29 1	24 4	5	8 ,⁰	8 =	7 =⁰	0.1		≡⁰ =² ⊙ ,⁰ n, ≡² ,⁰ = a, = ⊙̇⁰ ⊙⁰p
20	07.5	11.7	13.7	4.4	5.4	5.1	8.3	3.9	79	78	73	27 4	29 4	30 1	8	8(⊙̇)	7 =⁰	8 =⁰	0.2		= ⊙ ⊙̇⁰ n, =⁰ ⊙ (⊙̇) a, =⁰ p
21	12.9	11.8	10.6	4.7	3.6	2.8	5.4	2.1	73	87	91	09 2	11 3	05 3	8	6 =⁰	6 =⁰	7 ,⁰	0.0		=⁰ ⊙ ,⁰ n, =⁰ ⊙ a, = ,⁰ ⊙̇⁰ p
22	05.4	02.8	00.3	3.0	3.8	3.9	5.4	2.2	91	90	90	03 4	03 4	01 4	7	8 =⁰	7(⊙̇)	4 =	2.6		⊙̇⁰ = ,⁰ •⁰ n, =⁰ ⊙̇⁰ a, =⁰ ⊙ = p
23	98.6	01.3	04.9	4.8	6.0	6.4	7.3	2.7	90	83	83	33 4	32 4	27 4	8	8 =⁰	5 =⁰	5 =⁰	0.0		= ,⁰ ⊙⁰ n, =⁰ ⊙⁰ a, = =⁰ ⊙ p
24	09.8	12.1	13.1	7.6	8.5	8.5	9.4	5.7	90	73	76	23 4	21 3	17 3	7	8 =	8 =⁰	8 =			=⁰ = ⊙ n,a,p
25	13.8	14.8	15.4	8.8	10.6	6.2	11.7	5.2	81	72	95	16 4	13 4	13 4	8	7 =⁰	5 =⁰	8 ≡²	0.0		= ,⁰ ⊙⁰ n, = ⊙ =⁰ a, ,⁰ ≡ ⊙ = p
26	15.6	16.2	16.8	6.4	7.5	5.7	8.1	5.3	90	90	95	09 5	12 5	12 5	4	8 =	8 ,	8 ,²	0.0		≡² , = n, = ⊙ , a,p
27	17.6	18.0	17.4	6.0	6.2	6.7	7.0	4.2	91	87	87	09 4	07 3	11 4	7	8 =⁰	8 =⁰	8 =⁰	0.5		= , n, = ⊙⁰ , a, =² ,² ⊙⁰ p
28	15.8	15.6	15.5	5.4	6.3	5.2	7.6	3.9	90	83	90	10 4	11 5	09 4	7	8 =⁰	8 =⁰	8 =⁰	0.0		=⁰ ,⁰ n, =⁰ a,p
29	14.3	14.2	14.5	4.0	4.2	4.2	5.5	3.4	91	94	92	07 5	07 5	07 5	5	8 =⁰	8 ,⁰	8 ,⁰	0.0		=⁰ ⊙⁰ ⊙̇⁰ n, = ,⁰ a,p
30	15.9	16.5	17.0	4.2	5.2	5.4	5.7	3.5	95	91	94	09 5	08 5	09 6	5	8 ,⁰	8 =	8 ,⁰	0.0		=² , n, =⁰ = ,⁰ a,p
31	16.8	17.4	17.2	5.0	5.8	5.6	6.4	4.3	97	94	94	08 5	08 4	09 4	3	8 ,	8 ≡⁰	8 =²	0.3		≡⁰ ,⁰ ⊙̇⁰ = n, ≡ , ⊙ a, ≡ = ⊙ p
M	08.9	09.6	09.4	5.4	6.2	6.1	8.5	3.6	89	87	88	3.4	3.7	3.5	5.7	7.5	7.0	7.0	17		

August (VIII)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	16.3	15.7	15.9	4.7	5.4	5.2	6.1	3.9	91	90	94	08 4	07 4	09 4	6	8 ,⁰	8 ,⁰	8 ,⁰	0.3		=⁰ , =² n, = ,⁰ a, = =² ,⁰ p
2	14.0	13.4	13.8	5.6	7.0	7.0	8.5	4.5	97	97	94	10 4	12 5	13 5	1	8 ,	8 ≡	8 ,⁰	0.6		≡ , = n, ≡ , a, ≡ =⁰ ⊙ p
3	12.8	12.4	10.7	5.8	5.2	5.3	7.2	4.2	92	91	91	11 3	08 3	08 3	7	8 =	8 =⁰	8 ,⁰	0.5		≡⁰ ,⁰ = n, =⁰ ,⁰ = a,p
4	10.5	11.4	12.2	4.4	4.9	4.8	6.3	3.8	90	90	90	07 3	07 3	07 3	7	8 =⁰	7 ,⁰	8 =⁰	0.2		=² =⁰ , n, =⁰ ,⁰ ⊙⁰ a,p
5	14.1	15.6	17.9	3.5	3.0	2.1	5.2	1.3	84	90	94	07 2	06 2	07 3	7	6 =⁰	8 ,⁰	6 =	0.0		=⁰ ,⁰ ⊙⁰ n,a, = ⊙⁰ , •⁰ p
6	17.3	17.5	18.3	1.6	3.7	2.8	4.6	0.5	94	91	94	07 2	08 3	08 2	7	8 ,⁰	8 =⁰	8 ,⁰	0.4		≡ ,⁰ =² n, =² ,⁰ = a,p
7	16.8	16.3	15.3	2.0	3.6	3.3	3.9	0.8	97	92	92	07 3	08 1	09 3	4	8 ,⁰	8 ,⁰	8 ,⁰	0.2		≡ , ⊙⁰ ≡² n, ≡² ⊙⁰ ,⁰ a, ≡⁰ , =²p
8	12.1	11.1	09.8	3.5	4.0	4.2	4.4	2.9	97	95	94	06 3	07 2	07 3	1	8 ,⁰	8 ≡	8 =	0.4		≡ , = n, ≡ =² ,⁰ a, ≡ ,⁰ = p
9	08.3	08.3	07.4	3.8	4.0	4.4	4.5	3.6	97	91	95	03 4	03 4	04 4	7	8 ,	7 =⁰	8 •⁰	0.7		≡⁰ , =² n, = , a, ≡⁰ =² , • p
10	09.9	10.9	11.0	4.0	3.4	3.8	4.5	2.8	94	95	97	05 3	05 4	06 3	3	8 =	8 ≡⁰	8 =	1.0		≡ • ,² n, = ≡⁰ ⊙ a, ≡ ⊙⁰ = p
11	10.2	10.8	11.3	6.0	7.6	5.8	7.9	3.5	97	79	80	11 2	13 4	11 2	8	8 =	6 =⁰	6 =⁰	0.5		≡ = ,⁰ n, =⁰ = ⊙⁰ a, =⁰ ⊙ p
12	09.1	07.1	04.1	4.7	5.3	5.0	6.2	4.4	87	90	95	09 3	08 3	09 3	7	8 =⁰	7 ,⁰	8 =	0.0		=⁰ ⊙ ,⁰ n, =⁰ ⊙⁰ a, ≡⁰ = ⊙⁰ ,⁰ p
13	94.2	91.6	91.0	5.5	7.4	10.9	12.4	4.5	97	98	86	08 5	09 3	14 3	5	8 •⁰	6 =	6 =⁰	4.2		≡ • , = n, ≡ • , ⊙⁰ a, = ⊙ p
14	89.9	91.8	94.3	10.6	11.5	7.2	14.0	7.2	87	89	95	17 5	16 4	22 4	7	8 =⁰	8 ⊙̇⁰	8 ,⁰	0.2		= ⊙⁰ =⁰ n, =⁰ ⊙⁰ ⊙̇⁰ a, ≡ ⊙̇ , ⊙ p
15	05.6	10.2	13.4	4.7	7.0	6.4	7.3	4.0	76	64	75	27 3	25 3	00 0	8	4 =⁰	3 =⁰	3 =⁰	0.5		≡ ⊙̇ ,² = n, =⁰ ⊙ a,p
16	15.7	14.9	15.2	5.1	4.7	4.4	7.0	3.6	83	89	89	00 0	00 0	05 1	8	7 =⁰	5 =⁰	2 =⁰			=⁰ ⊙ n,a,p
17	12.7	12.1	11.7	3.6	2.6	3.2	5.2	2.1	81	97	86	04 2	03 3	03 3	6	6 =⁰	8 ,⁰	7 =⁰			=⁰ ⊙ n, = ⊙ ,⁰ a, =⁰ ,⁰ ⊙⁰ p
18	12.7	12.8	13.3	5.0	6.9	4.9	7.6	2.8	86	89	87	27 2	33 3	31 3	6	5 =⁰	7 =	6 =⁰	0.0		=⁰ ⊙ n, =⁰ ,⁰ ⊙⁰ a,p
19	12.4	12.5	13.1	5.0	5.2	5.4	6.5	4.1	95	95	95	00 0	28 2	33 3	6	8 ,⁰	8 =	7 ,⁰	0.2		=² ⊙ ,⁰ n, = =² =⁰ a,p
20	05.4	99.7	01.1	7.0	5.8	5.1	7.5	4.5	95	94	89	20 5	28 5	28 6	4	8 •	8 •⁰	7 ,⁰	0.7		=² ⊙ , n, =² • , a,p
21	08.1	08.2	08.6	3.8	3.9	2.7	5.3	1.9	92	87	94	00 0	13 3	12 4	5	7 ,⁰	7 •	8 ,⁰	4.0		= ⊙ , n, = ,⁰ • a, =² • , p
22	10.5	14.8	18.4	5.3	3.0	2.8	5.6	2.0	95	89	78	00 0	06 3	01 3	7	7 ,⁰	8 =⁰	2 =⁰	6.2		=² ,⁰ ⊙̇ n, ≡ ,⁰ = a, =⁰ ⊙ p
23	18.3	17.2	15.1	4.0	5.0	5.0	6.2	1.7	90	87	86	29 4	31 4	31 4	7	7 ,⁰	3 =⁰	7 =⁰	0.4		= ,⁰ ⊙ ⊙̇ n, = ,⁰ ⊙ a, =⁰ ⊙ ⊙̇⁰,⁰ p
24	12.7	12.6	11.1	3.8	4.8	4.8	5.2	3.5	95	83	83	36 2	32 2	32 4	7	7 ,	7 =⁰	7 =⁰	0.3		= , ⊙̇ n, = , a, =⁰ ⊙⁰ p
25	07.7	08.1	06.9	4.0	4.4	4.2	5.7	3.6	92	91	83	31 3	30 2	27 3	7	8 ,	7 ,⁰	6 =⁰	0.5		=² ,² n, = , ⊙ ⊙̇ a, =⁰ ⊙ p
26	01.2	99.3	96.7	3.8	5.1	5.0	5.3	3.4	94	87	90	27 4	26 3	24 3	6	8 •⁰	8 =	8 =	0.6		= • ⊙̇ ⊙ n, = • , ⊙ a, = ⊙̇ ,⁰ ⊙⁰ p
27	95.0	97.2	97.5	4.1	4.9	4.1	5.2	3.7	92	80	90	00 0	00 0	00 0	7	5 =⁰	6 =⁰	6 =⁰	0.5		= ⊙̇ ⊙⁰ n, =⁰ ⊙ a,p
28	96.2	97.2	98.0	2.4	3.8	4.0	4.3	1.9	92	77	73	00 0	36 2	32 3	7	7 ,⁰	7 =⁰	7 =⁰	1.5		= • ,⁰ n, =⁰ ⊙ ,⁰ a, =⁰ p
29	97.3	98.5	99.7	3.6	4.1	3.7	4.3	3.0	94	80	83	00 0	00 0	00 0	8	7 =	7 =⁰	8 =⁰	0.1		⊙̇ = n, = ,⁰ =⁰ a, =⁰ p
30	00.8	02.1	03.3	4.4	4.8	4.7	6.5	3.0	76	81	76	00 0	30 1	00 0	8	3 =⁰	3 =⁰	2 =⁰	0.0		=⁰ ⊙ n,a,p
31	06.4	08.0	09.3	2.7	6.3	5.2	6.6	0.5	80	69	79	21 1	23 4	22 3	8	1 =⁰	6 =⁰	6 =⁰			= ⊙ ⊔ n, =⁰ ⊙ a,p
M	08.2	08.4	08.6	4.5	5.1	4.8	6.4	3.1	91	88	88	2.3	2.7	2.8	6.2	6.9	6.9	6.6	25		

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 $\Delta G = +1^h$ **September (IX)** H_s = 15 H_b = 14.4 h_L = 1.9 h_a = 10.0 h_d = 9 h_r = 2.0

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	11.4	13.8	14.5	4.7	5.6	5.2	6.0	2.6	87	73	79	19 1	24 1	00 0	7	8 =°	7 =°	8 =°	0.0		= ,° n, = ,² a, =° p
2	15.0	15.1	12.4	4.4	5.6	4.8	6.2	4.0	94	89	98	07 4	09 4	06 2	6	8 ,²	8 =	8 ≡	0.0		=² ,² n, =² , ⊙ a, ≡ =² ,° p
3	08.1	04.9	02.7	5.1	5.5	5.0	6.8	4.4	92	84	92	08 4	08 6	07 4	4	7 =°	8 =²	8 =²	0.3		≡ = , n, =² , ⊙ a, = =² , p
4	98.8	99.2	97.9	5.6	6.0	5.2	6.5	4.6	95	95	97	07 3	08 3	06 1	2	8 ≡	8 ≡	8 ≡	6.3		≡ • =² n, =² ≡ ,° a, ≡ ,° p
5	96.7	96.5	96.3	4.4	5.2	5.0	5.9	4.2	97	97	97	03 1	00 0	24 1	2	8 ,	8 ,°	8 =²	0.8		=² , n,a, ≡ =² , p
6	97.0	99.3	03.2	4.4	4.7	4.4	5.1	4.2	97	97	97	00 0	00 0	01 2	2	7 =²	8 •°	8 •°	0.8		≡ , • = n, ≡ ,° =² a, ≡ =² •° p
7	10.4	14.3	16.0	3.8	4.2	4.4	5.0	3.6	97	94	86	34 4	32 1	00 0	6	8 •°	7 =	5 =°	3.5		≡ • , = n, = •° =² a, =° = p
8	18.5	20.3	21.3	3.3	4.0	3.5	4.9	2.7	92	84	81	10 4	06 2	07 3	7	8 ,°	3 =°	4(ϑ̇)	0.6		= , n, = • ,° ⊙ a, =° (ϑ̇) ⊙ p
9	**21.5**	19.8	16.9	2.2	4.6	3.5	5.0	1.8	81	72	71	10 3	12 3	14 3	8	5 =°	3 =°	3 =°	1.1		ϑ̇ =° ,° ⊙ n, =° ⊙ a,p
10	10.1	07.9	05.5	3.0	4.3	3.9	4.7	1.2	92	84	90	13 1	06 1	05 2	8	5 =°	8 =°	7 =°	0.0		=° ,° n, =° ⊙ a, =° p
11	02.0	01.8	01.1	3.6	4.0	3.2	4.2	3.1	90	86	84	05 5	05 4	05 4	8	7 =°	6 =°	7 ϑ̇°			=° n, =° = a, =° ϑ̇ ⊙ a, =° p
12	01.4	02.6	03.8	1.4	3.2	1.6	3.4	0.6	81	75	70	05 4	04 4	03 4	7	4 =°	4(ϑ̇)	8 =°	0.1		= ϑ̇ • , ⊙ n, =° ϑ̇ ⊙ a, = *° ⊙ p
13	06.3	06.3	06.3	0.2	0.1	0.4	1.7	− 0.3	72	71	69	04 4	01 3	05 2	7	7(ϑ̇)	8 =°	6 =°	0.0	1	♨ = ϑ̇° n, =° (ϑ̇) a, =° ⊙ p
14	05.5	05.6	05.0	0.6	1.2	0.2	2.1	0.1	83	66	75	04 3	06 4	07 4	8	3 =°	3 =°	8 =°		0	=° ⊙ (ϑ̇) n,a, =° ⊙ p
15	01.2	99.4	97.1	2.3	4.4	3.7	4.7	− 0.4	77	81	89	10 4	10 6	11 7	6	5 =°	8 =	8 •		0	=° ⊙ n, = ⊙ ϑ̇ a, = , • p
16	96.8	98.4	98.2	5.2	5.8	3.9	6.4	2.8	92	87	83	16 3	13 5	09 5	6	7 =²	8 =°	7 =°	8.7	0	≡ • =² , ⊙ n, =² , ⊙ a, =° ⊙° p
17	96.2	96.6	96.5	4.2	4.0	4.1	4.5	3.1	95	90	86	08 5	07 5	07 6	5	8 ,	8 •	8 =	1.0	0	= , ϑ̇² n, =² • , a,p
18	97.0	00.1	02.8	3.4	4.1	3.0	4.3	2.5	92	91	75	07 5	07 5	08 4	6	8 ,°	8 ,°	5 =°	6.5	0	= , ϑ̇² • n, = • a, = ⊙° ,° p
19	05.2	06.6	07.2	1.4	2.2	1.4	3.8	0.6	84	72	70	08 4	06 3	06 1	8	7 =°	7 =°	7 =°	0.7	0	=° ϑ̇° n, =° ϑ̇ a, =° p
20	08.5	10.3	10.3	1.1	0.9	0.2	2.0	− 0.1	72	73	**64**	01 3	02 3	01 1	8	7 =°	7 =°	7 =°	0.0	0	=° n, =° ϑ̇ ⊙ a, =° p
21	09.1	08.5	07.5	− 0.1	2.4	2.5	3.1	− 0.6	91	90	86	00 0	10 1	11 4	6	7 =°	7 =°	7 ϑ̇°	0.1	0	=° ⌣ n, ⁑ ♨ =° ϑ̇ a, =° p
22	04.6	03.8	02.4	2.6	3.8	3.8	4.5	0.7	90	95	97	07 4	03 2	06 2	6	8 =	7 =	8 =	2.3	0	= • ϑ̇ n, = , a, ≡ =² p
23	00.6	00.6	99.8	2.9	4.3	3.2	4.5	2.6	97	80	91	00 0	22 1	22 2	7	7 ≡	7 =°	7 =°	0.1	0	≡ = n, =° ≡ ⊙ a, =° ⊙ ,° p
24	00.9	02.9	02.1	2.6	2.1	− 0.2	3.6	− 0.3	84	**64**	73	30 5	30 4	00 0	7	6 =°	7 =°	3 =°	0.0	0	= ϑ̇° n, =° ⊙ a,p
25	91.4	85.6	82.6	3.6	5.2	3.9	5.8	− **1.2**	89	84	94	11 4	12 4	13 3	7	6 =°	6 =°	5 =°	0.5	0	= , ♨ ⊙° n, = ϑ̇ ⊙° a, =° ⊙ p
26	**75.9**	77.3	86.5	5.4	7.6	4.0	**7.9**	2.0	94	92	73	12 4	21 6	23 4	5	8 =	8 •°	4 =	0.4	0	= ☁ n, = ϑ̇ •° a, = •° ⊙ p
27	91.9	90.0	87.7	1.2	3.8	2.4	4.0	0.2	89	81	89	11 2	05 4	00 0	7	4 =°	6 =°	8 =°	0.3	0	= ⊙ n, =° ⊙ a, ,° =° p
28	93.6	99.5	03.6	4.6	6.2	3.3	6.3	1.5	83	83	89	20 5	20 5	14 3	8	2 =°	1 =°	1 =°	0.2	0	=° = n, =° (ϑ̇) ⊙ a, =° ⊙ p
29	04.2	02.9	02.3	4.2	4.3	4.5	5.3	1.9	92	97	97	06 2	06 4	11 1	3	8 =°	8 ,	8 ,°		0	=° ☁ n, ≡ •° , =° a, =² ,° =² p
30	97.8	92.9	89.2	3.9	4.2	4.2	5.0	3.6	97	97	95	04 4	06 4	07 4	2	8 •	8 •°	8 =²	2.4	0	≡ ,° • =² n, ≡ • = a, =² • ,° p
M	02.6	02.8	02.6	3.2	4.1	3.3	4.8	1.8	89	84	85	3.2	3.3	2.6	6.0	6.6	6.7	6.6	37	0	

Oktober (X)

1	88.6	92.8	98.7	4.3	5.4	4.0	5.4	3.7	86	87	86	10 3	23 2	26 5	6	7 =	7 =°	7(ϑ̇)	9.5	0	≡ • , = n, = =° a, ϑ̇° =² =° p
2	08.4	10.0	12.1	1.6	2.6	1.6	4.0	1.1	87	72	81	23 4	24 4	25 3	6	3(ϑ̇)	6(ϑ̇)	6(ϑ̇)	1.4	0	= ϑ̇° , n, ϑ̇° =° ϑ̇ a, =° ϑ̇° *° p
3	15.6	16.2	15.8	3.0	2.5	1.1	3.6	1.0	81	72	89	35 3	00 0	15 1	7	7(ϑ̇)	6(ϑ̇)	8 *°	1.0	0	=° ϑ̇ •° n, =° ⊙ •° a, =° ⊙° *° p
4	08.1	03.2	07.2	3.6	5.4	5.4	6.5	0.2	89	95	92	13 5	15 6	22 4	4	8 •	8 •°	8 =	0.4	0	= • * ϑ̇° n, = • ,² a, =² ,² • ≡ p
5	13.0	13.2	13.5	5.7	8.1	7.0	**9.7**	4.5	94	94	92	20 4	20 4	20 5	6	7 =	7 =	7 =	4.2	0	= ,° n, ≡° = a, =° ⊙° = p
6	18.3	18.5	15.9	6.0	6.2	5.2	7.2	4.8	87	92	92	17 3	13 4	12 6	5	4 =°	8 =°	3 =°	0.0	0	= ,° ⊙° n, = ⊙ a, ϑ̇ ≡ ⊙° =° p
7	16.7	17.9	18.7	5.7	6.2	5.0	6.8	2.9	87	97	89	21 5	21 4	24 4	1	3 =°	8 ≡	6 =°	0.6	0	=° ☁° ϑ̇ n, =° ⊙° ,° ≡ a,p
8	**19.3**	18.0	15.4	3.2	2.8	1.5	5.0	1.5	78	79	91	25 3	28 1	23 1	7	8 =°	7 =°	2 =°	0.0	0	= =° , n, =° ,° a, =° ♨ p
9	08.7	04.9	03.6	1.0	4.1	2.9	4.5	0.2	92	92	90	15 3	17 2	14 4	8	4 =°	4 =°	5 =°	0.4	0	=° ♨ ☁° ⌣ n, =° ⌣ ⊙° ,° a, =° ⊙ p
10	89.7	88.6	87.9	3.0	3.6	3.0	3.8	2.3	86	80	90	12 4	11 4	09 6	7	5 =°	6 =°	8 •	0.4	0	=° ☁° ϑ̇° n, =° ϑ̇° ⊙° a,=° ⊙° ϑ̇ • p
11	89.5	90.6	90.8	2.6	2.2	0.7	3.3	0.3	89	83	86	09 6	08 6	04 5	6	8 •	8(ϑ̇)	8 *°	7.8	0	=° • n, = • ϑ̇ a, *° p
12	88.3	87.0	84.5	0.8	0.5	0.2	1.4	− 0.4	78	71	86	05 5	05 4	05 4	7	8 =°	8 =°	8 *°	1.0	1	*° = ,° n, =° ♨° a, =° ♨° *° p
13	83.1	86.5	89.6	1.7	3.1	2.2	3.5	− 0.2	97	84	90	06 5	06 5	05 7	7	8 ⁑°	7 =°	8 =	2.3	2	=° ♨° *² ⁑ n, = ⁑° a, = p
14	94.2	95.7	96.3	0.4	− 0.2	− 0.7	2.2	− 1.3	81	72	71	04 6	03 6	03 6	7	8 =°	8 =°	8 =°	0.0	0	= =° n, =° ♨° *° a, =° *° p
15	97.3	00.3	04.7	− 0.1	0.3	− 0.9	0.6	− 2.2	86	83	69	01 6	03 6	03 6	6	8 ♨°	8 =°	7 =°	0.0	1	=° ♨ n, =° ♨° a,p
16	07.8	10.0	10.0	− 1.2	− 2.1	− 2.5	0.2	− 3.2	71	73	81	03 4	04 4	03 4	6	7 =°	7 ♨°	6 =°	0.2	2	=° * n, =° ♨° a, =° ♨° △° p
17	07.9	06.9	06.1	− 3.0	− 5.0	− 3.0	− 2.0	− 6.8	70	92	**64**	00 0	00 0	03 3	6	4(ϑ̇)	4(ϑ̇)	5(ϑ̇)	0.6	2	=° △ *° n, ♨° =° ⊙ a, (ϑ̇) =° p
18	03.6	02.4	99.7	− 8.7	− 5.2	− 4.5	− 2.5	− **9.6**	77	77	90	19 2	16 3	19 3	8	2	4 =°	4 =°	0.2	2	(ϑ̇) = n, =° a,p, ☁ 19
19	91.4	88.2	86.0	1.0	1.0	0.3	1.6	− 4.8	92	95	91	16 4	21 2	16 3	6	8 *°	8 •°	3 =°	1.0	3	=° ♨° *° n, =° *° a, =° • ⁑° p
20	83.7	84.3	84.7	0.7	1.6	1.0	2.0	− 4.8	97	95	97	13 3	00 0	10 1	6	7 =°	6 ϑ̇°	8 ϑ̇°	2.0	2	=° n, =° ϑ̇° a, (ϑ̇) =° = ϑ̇ p
21	86.1	88.2	87.8	0.6	− 0.6	0.2	1.9	− 0.8	94	92	97	08 4	07 4	05 5	5	8 ⁑°	8 *°	6(ϑ̇)	2.1	0	ϑ̇° =° = ,° n,=° *° a,*° ♨° =° p
22	89.2	89.2	88.3	− 2.2	− 2.6	− 2.1	0.2	− 3.3	77	70	70	08 5	06 4	04 4	8	7 =°	6 =°	6 =°	0.9	2	♨ + =° n, =° a,p
23	85.5	84.3	82.3	− 1.9	− 2.0	− 1.0	− 0.5	− 3.8	89	91	86	04 5	04 6	08 7	2	8 =°	8 ♨²	8 ♨		2	=° ☁ n, ♨ + =° a, ♨² +² p
24	83.4	83.2	**80.8**	− 1.2	− 1.4	− 0.4	0.4	− 2.2	83	92	91	05 6	03 7	03 6	2	8 =	8 ♨	8 +	1.8	3	= =° + ♨ n,a, ♨° + ♨ p
25	83.9	87.7	90.9	− 1.3	− 1.9	− 0.3	2.0	− 4.6	95	95	97	00 0	14 2	09 1	7	5 =°	2 =°	2 =°	0.4	4	+ , ⁑ = ☁° n, = ⊙° a, =° ⊙° ☁° p
26	94.3	94.9	93.8	− 1.0	− 1.6	− 1.3	1.3	− 3.2	91	95	98	08 1	09 2	12 3	7	8 =°	7 =°	4 =°		4	=° ☁ n, =² ♨° ⊙° a, =° ≡° p
27	89.4	93.7	97.0	0.8	− 2.3	− 3.3	1.0	− 4.6	95	72	73	22 4	29 6	29 6	7	7 ⁑	6 △	6 =°	0.8	4	= *°,°,° n,⁑ , • * △ + a,△ =°♨ p
28	95.7	96.8	00.1	− 3.8	− 3.7	0.1	0.1	− 5.2	91	92	81	29 6	28 4	35 4	3	5 ♨°	6 *	4 =°	0.8	4	=° ♨° ☁° n, =° + ⊙° *° a, =° *°p
29	07.5	10.2	11.0	− 0.4	− 6.4	− 3.6	0.7	− 7.9	72	80	84	04 3	00 0	00 0	8	4 =°	2 =°	5 =°	0.4	4	=° △ ♨° ☁ n, =° ⊙ a, =° ⊙° ♨° p
30	12.5	13.9	14.0	− 1.8	− 3.4	− 3.6	− 1.4	− 5.1	89	72	69	08 3	06 4	04 4	7	8 *°	7 +°	4 =°	0.3	5	=° ♨° ☁° n, =° *° +° a, =° +° p
31	14.0	15.0	15.0	− 3.3	− 3.7	− 4.3	− 2.8	− 5.5	70	78	75	06 4	07 3	10 4	7	5 =°	6 =°	2 =°	0.0	5	=° n,a, =° ☁ p
M	99.2	99.8	00.1	0.5	0.4	0.3	2.2	− 1.8	85	84	85	3.8	3.5	4.0	6.0	6.4	6.5	5.8	40	2	

Ekstensotabell

1954

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1h

November (XI)

H_s = 15 H_b = 14.4 h_x = 1.9 h_a = 10.0 h_d = 9 h_r = 2.0

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	11.2	08.5	05.2	- 3.8	- 2.8	- 1.4	- 1.1	- 6.3	73	79	81	13 3	14 4	16 4	7	6 =	6 =°	4 =•		5	= =² ⌓ n, =° a, =° ⌓ p
2	03.4	05.3	07.5	- 0.2	- 2.0	- 2.4	0.5	- 3.2	81	97	84	25 2	00 0	00 0	7	8 ✱	7 =°	3 =°	3.2	6	=° ⌓ ✱ n, ✱ = =° a, =° ⇞°p
3	07.6	06.6	05.3	- 4.4	- 0.8	- 3.8	0.1	- 6.7	81	79	90	00 0	11 3	13 3	7	7 =	7 =°	3 =°	0.5	6	=° ⌓ n, =° a, =° ⇞° ⇞° ⌓ p
4	03.8	01.9	99.2	- 2.6	1.3	0.9	1.4	- 4.7	94	89	84	13 3	10 5	08 6	7	1 =°	7 =°	7 =	0.2	6	= =° ⌓ n, =° ⇞° a, = ⇞ ⇞° p
5	97.0	97.7	98.8	0.9	0.2	- 0.5	1.3	- 1.0	87	81	80	06 6	06 7	06 6	6	7 =	8 =	8 =	0.4	6	= ⇞° △° ⌓ n, = ⇞° a,p
6	00.8	03.4	04.5	- 0.2	- 1.4	- 3.3	0.1	- 3.7	83	76	75	05 5	08 4	10 3	7	8 =	5 =°	2 =°	0.0	5	= =° △°n, = =° a, =° ⇞° ⌓° p
7	02.5	02.7	01.7	1.8	0.8	1.5	2.0	- 6.0	76	95	95	20 5	24 4	20 3	5	8 =°	8 ⁑	7 =°	0.0	5	=° ⌓ n, =° ⁑° • ⁑ a, •° ⁑ = p
8	00.2	00.1	00.3	2.4	2.0	2.2	2.7	0.5	87	89	89	20 4	20 4	20 4	7	3 =°	7 =°	7 =°	6.2	4	=° ⊕ n, =° (⇞) a, =° ⊕ p
9	01.3	02.4	01.8	1.9	0.0	- 0.3	2.7	- 1.7	89	83	84	20 4	13 3	12 3	8	8 =°	5(⇞)	4 =°		3	=° ⊕ ⌓ n, =° (⇞) a, =° p
10	00.6	00.3	99.3	1.0	1.0	0.3	1.5	- 1.5	70	75	75	13 4	13 4	14 4	8	8 =°	8 =°	3 =°		3	=° n,a,p
11	95.0	92.6	90.8	0.8	1.0	0.7	1.3	- 1.0	90	94	91	08 4	07 4	05 6	6	8 =°	8 ⁑°	8 ✱°		2	=° n, =° ⇞° ⁑° a,p
12	90.7	93.2	96.5	0.8	- 0.2	- 2.5	1.4	- 3.0	89	87	76	06 6	06 7	05 7	7	3 =°	8 =°	8 ⇞°	0.5	2	=° ✱° ⁑° n, =° ⇞° a,p
13	99.8	01.6	02.6	- 5.0	- 5.0	- 6.0	- 2.5	- 6.7	77	72	70	03 7	05 6	03 5	6	7 ⇞°	8 ⇞°	7 ⇞°	0.0	2	=° ⇞° ✱° n, ⇞° =° + a, ⇞° =° p
14	00.2	02.8	03.8	- 4.8	- 5.1	- 3.8	- 3.5	- 7.8	75	72	70	02 5	02 5	36 5	7	8 =°	8 =°	6 =°	0.0	3	⇞° =° n, =° (⇞) a, =° ✱° p
15	08.8	11.3	12.9	- 1.7	- 2.0	- 2.7	- 1.3	- 5.0	76	87	86	35 5	34 6	32 5	7	5 =°	5(⇞)	5 ⇞	0.0	3	=° ✱° ⇞ n, ⇞ =°△ +°a, =° ⇞ + ⌓ p
16	12.5	14.4	15.8	- 4.0	- 4.7	- 5.6	- 1.6	- 6.0	71	70	72	01 4	04 2	00 0	7	7 =°	8 ✱	8 ✱°	0.4	4	=° ⇞² ⌓ ✱° n, ✱° =° ✱° a,p
17	17.6	17.6	16.5	- 3.5	- 1.6	1.3	1.5	- 5.9	79	92	83	14 3	19 4	21 5	7	7 =°	6(⇞)	6 =°	0.0	4	=° n, =° (⇞) a,p
18	11.1	10.1	08.9	1.9	2.3	2.7	3.0	0.4	92	87	95	21 5	20 6	20 6	6	2 =°	6 •°	8 •	0.0	4	=° ⇞ n, = ▽̇° •° a,p
19	11.3	13.7	15.9	3.0	2.2	2.2	3.5	1.6	91	89	84	20 6	21 5	26 5	6	6 =	4 =	0 =	0.3	3	= • , ⌓° n, = a, = ▽̇² ⌓ p
20	26.8	28.3	27.8	1.7	2.2	3.2	3.4	0.6	91	91	94	22 3	21 4	20 5	6	3 =	7 =	6 =°	0.1	3	= ⌓ n, = a, =° = p
21	27.7	27.4	26.8	2.2	2.5	1.2	3.5	0.7	89	84	78	20 4	20 4	17 4	7	3 =°	6 =°	5 =°		2	=° = n, =° a,p
22	25.1	24.9	23.4	0.8	0.8	1.3	1.5	0.0	81	94	84	12 3	12 3	13 4	6	8 =°	6 =°	8 =°		2	=° n,a, =° △ p
23	18.1	14.2	12.5	0.9	- 1.3	- 0.2	1.9	- 2.0	84	94	97	11 4	00 0	00 0	6	8 =°	8 =	5 ⇞°	0.1	2	= ⇞° n, ⇞° =° a, = ⇞° p
24	17.7	20.0	22.6	2.1	2.9	2.4	3.2	- 2.8	86	92	90	27 4	26 4	25 4	6	5 ✱°	7 =	8 =	1.3	2	⇞° ✱° ,° ✱ ⌓ n, ⇞ = a, = ▽̇° p
25	21.8	18.6	16.0	2.0	1.7	1.4	2.8	1.0	91	90	94	20 3	14 3	00 0	7	8 =	8 =°	6 •°	0.2	1	= =° •° n, = =° a, = =° •° p
26	11.4	11.7	11.6	0.5	1.0	1.1	1.8	0.1	97	97	97	00 0	21 3	19 3	5	8 =	8 =	8 =	0.3	1	= •° =² n, = a,p
27	11.7	11.2	08.4	1.9	1.4	1.0	2.4	0.7	72	87	83	13 3	12 3	10 3	8	8 =°	7 =°	8 =°		0	= =° n, =° a,p
28	02.0	01.4	00.6	1.7	2.2	2.2	4.2	0.5	89	91	94	13 2	17 4	16 3	6	3 =°	8 •°	8 =°	0.0	0	=° ⇞° n, =° •° a, =° = •° p
29	02.3	03.7	03.6	3.4	3.6	3.3	3.8	1.5	96	95	94	19 4	20 4	20 4	7	8 •°	8 =°	8 •°	0.9	0	=° •° n, •° =° = a, =° •° p
30	04.2	03.1	98.6	3.4	2.7	1.6	4.4	1.5	92	92	95	21 4	20 4	11 2	5	8 =	8 ▽̇°	8 ⁑°	0.9	0	=° •° ⌓ n, =° = a, ⁑° = •° △ p
M	08.1	08.4	08.0	0.2	0.2	- 0.1	1.5	- 2.2	84	87	86	3.8	4.0	3.7	6.6	6.4	7.0	6.1	16	3	

Desember (XII)

Datum	P 7	13	19	T 7	13	19	Max	Min	U 7	13	19	D,F 7	13	19	V 13	N,w 7	13	19	R	h_s	W
1	01.2	07.6	10.1	2.6	1.9	0.8	2.9	0.1	90	87	83	29 4	31 3	00 0	6	8 =	6 ▽̇°	3 =,	9.1	2	⁑ = ✱ n, = (▽̇) =° a, = ▽̇° =° p
2	06.3	02.3	96.8	1.7	0.8	2.0	2.3	- 0.4	92	92	87	12 4	12 2	17 5	6	7 ▽̇°	8 ,°	7 =	0.6	1	= =° • n, = =° ,° a, = ,° p
3	87.6	83.8	80.7	2.0	1.8	1.3	2.5	0.9	79	84	86	17 4	14 4	12 3	7	7 =°	6 =°	7 =°	0.5	0	= =° •° n, =° a,p
4	78.4	79.4	82.0	1.2	1.0	1.2	1.6	0.7	86	84	89	05 3	04 4	02 3	8	3 =	5 =°	7 =°		0	= =° n,a, =° p
5	90.3	94.1	96.6	0.4	- 0.2	- 1.5	1.6	- 1.7	71	81	89	02 4	01 3	00 0	6	2 =°	8 △	7 =	0.0	0	=° △ n, =° = △ a, =° = △ ⌓ p
6	96.8	00.1	00.4	- 1.1	- 3.5	- 4.9	- 0.7	- 5.6	76	89	84	00 0	05 6	04 7	5	6 =°	8 ✱°	8 ✱	0.2	1	✱° = △ n, =° ✱° +° a, ✱ + p
7	99.6	00.3	02.5	- 4.2	- 4.9	- 7.5	- 3.5	- 7.8	77	77	77	05 7	03 7	03 6	6	8 ✱°	7 ⇞°	8 ✱°	0.3	2	✱ + ⇞° n, = ✱° a, = ⇞° ✱ p
8	05.2	06.7	05.5	- 7.2	- 6.9	- 2.7	- 2.7	- 8.3	75	72	75	06 4	08 5	09 6	7	7 ⇞°	6 =°	8 =°	0.0	2	✱° =° ⇞° n, ⇞ = =° a, ✱° =° p
9	04.2	01.8	97.6	1.0	0.8	0.4	1.5	- 6.5	84	94	91	11 4	08 4	15 4	5	6(⇞)	7 ,°	8 △°	0.2	2	△ = ⇞ n, = ⇞² ⇞ ,° a, = △° ,° p
10	97.7	98.3	92.8	- 1.4	- 0.4	1.5	2.3	- 3.1	87	81	84	20 4	15 4	12 5	7	2 =°	4 =°	8 =	1.9	2	= △ ✱ n, (⇞) =° ⇞² a, =° Φ = p
11	82.7	81.3	82.3	- 0.2	1.3	1.3	2.0	- 1.8	91	89	95	16 4	14 3	27 3	4	5 ✱°	8 •°	7 =	0.4	2	= △ ✱° n, =² ✱° ⁑° •° a, =² •° p
12	91.0	97.5	04.6	- 1.5	0.5	- 3.6	1.6	- 3.9	87	94	92	00 0	35 4	00 0	7	3	5 ⇞°	1	1.0	2	= Φ ⇞° n, ⇞° a, =° ⇞ ⌓ p
13	11.2	12.3	11.6	- 5.5	- 4.2	- 0.6	- 0.2	- 6.9	79	84	89	00 0	00 0	11 4	8	1	1 =°	2 =°	0.3	2	⌓ =° n, =° a,p
14	05.7	00.9	98.4	1.4	1.4	1.5	2.7	- 1.6	89	89	90	12 5	15 7	13 4	6	7 =°	8 •	8 =°	0.0	2	= +° ⌓ ⁑° ,° n, • =° a,p
15	90.1	91.7	93.8	0.8	0.4	0.2	2.0	0.0	92	90	90	19 4	22 3	23 3	6	4 =°	6(▽̇)	1 =°	3.6	1	, = • n, ,° = =° a, = =° p
16	00.7	04.4	06.2	1.0	- 0.2	0.1	1.6	- 1.9	89	92	90	26 2	23 2	25 2	7	4 =°	6 =°	3 ⇞°	0.2	1	=° ⌓° n, =° •° a, =° ,° p
17	03.2	98.9	92.7	- 0.3	0.6	1.4	1.7	- 2.7	89	91	86	15 4	12 4	13 5	7	1 =°	5 =°	8 △	0.2	1	=° ⇞° n, =° ,° a, =° ⌓ = p
18	80.2	75.4	70.4	0.5	1.3	0.9	2.0	0.2	95	92	94	11 4	12 5	10 4	6	8 ⁑	7 ▽̇	4 =°	1.4	1	= ,° ⁑ •° n,a, =° = ▽̇ ⌓ p
19	60.0	61.9	63.2	0.7	0.7	0.8	1.4	- 0.7	92	90	89	07 4	15 4	08 4	7	8	3(⇞)	2 =	1.1	1	= ⌓ ▽̇ , △ n, = ⇞° a,p
20	65.1	66.4	65.9	0.8	- 0.4	- 0.6	1.3	- 0.7	92	87	87	05 5	03 6	03 6	6	7 =	8 ⇞°	8 ⇞°	2.6	1	=° = n, =° = ⇞ a, ⇞° =° p
21	62.2	61.4	62.2	0.4	- 0.4	- 0.4	0.6	- 1.4	87	91	92	01 6	01 6	01 7	6	8 =°	8(⇞)	8 ⇞°	0.3	2	⇞ =° ⇞° n,a, ⇞° p
22	63.6	67.2	71.7	0.3	0.8	1.0	1.2	- 0.8	94	92	86	07 5	10 6	10 6	6	3 =°	8 ▽̇°	3 ▽̇°	2.0	3	⇞° =° ⇞° n, ▲ =° ⇞° ▽̇° a, ▽̇° =° p
23	81.5	85.9	89.5	0.5	0.0	- 1.5	1.5	- 1.7	92	95	95	06 4	10 3	00 0	5	2 =°	6(⇞)	2 =°	0.8	3	▽̇° =° ⇞° n, =° ⇞° a, =° ⇞° ⌓° p
24	94.2	95.4	96.7	- 1.0	1.7	- 0.4	1.7	- 2.3	94	95	90	10 3	10 3	14 3	8	2 =	2 =°	8 =°	0.3	3	=° ⌓ = n, =° = a, =² =° = p
25	97.8	97.5	96.9	- 1.8	- 0.4	0.4	0.5	- 2.7	92	95	95	07 2	07 3	06 4	6	2 =°	8 =	7 =°		3	=° ⌓ n, = =° a, =° ⌓° ⇞ p
26	91.3	89.5	87.0	- 1.3	- 1.2	- 0.4	- 0.3	- 1.6	89	94	91	03 6	02 6	01 5	3	8 ✱°	8 ✱	8 +°	0.2	3	=° ⌓° + ✱° n, = ✱ a, = + ✱ p
27	91.0	96.5	00.4	- 0.6	- 0.2	- 5.3	0.2	- 7.6	81	81	84	33 3	32 3	14 4	7	2 =	4 ✱•	3 =°	0.6	4	= + ⇞ n, = ✱ ⇞ a, =° ⌓ ✱ p
28	04.8	07.3	08.8	- 0.6	- 2.8	- 3.7	- 0.5	- 6.6	89	75	95	33 2	14 2	00 0	7	1 =°	6 =°	2 =°	1.4	5	=° ✱ ⌓ ⇞ n, =° a,p
29	13.2	15.6	17.2	- 4.5	- 2.9	- 2.7	- 0.1	- 6.1	72	86	77	13 3	14 4	14 3	8	1 =°	4 =°	3 =°	0.0	5	=° ✱° n, =° a, =° ⌓° p
30	18.6	18.6	18.8	- 0.7	- 0.3	- 2.3	0.2	- 6.1	89	92	89	15 2	19 5	16 4	7	4 =°	4 +°	3 =°	0.0	5	=° ⌓ △ n, =° ⇞° + ✱² a, =° ⌓° p
31	10.0	98.5	04.2	1.8	2.8	2.7	3.4	- 3.0	94	94	95	16 7	21 5	20 5	5	8 ,	8 =	8 •°	0.9	6	=° ⌓ △ ⇞ , n, = ,° a, =² • p
M	93.1	93.5	93.8	- 0.5	- 0.4	- 0.7	1.0	- 3.0	87	88	88	3.6	4.1	3.7	6.3	4.7	6.1	5.5	30	2	

Ekstensotabell

1954

Jan Mayen

φ = 71° 1'N λ = 8° 28'W g = 9.829 ΔG = + 1h

Januar (I)

H_s = 40 H_b = 39.3 h_I = 2.0 h_a = 9.8 h_d = 10.5 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	95.5	00.6	04.0	- 4.8	- 7.4	- 8.9	- 1.0	- 9.1	69	63	66	30 5	30 5	33 5	8	6 =°	3 =°	7 *°	0.8		*° n, * + a, =° *° p
2	09.2	19.5	29.7	- 7.6	- 6.2	- 4.5	- 4.5	- 9.3	75	86	89	34 6	35 7	35 6	8	8 *°	8 =°	8 *°	0.0		*° n, *° =° a, *° = p
3	29.3	18.2	07.5	- 2.9	- 1.0	1.2	1.3	- 5.3	85	86	93	14 4	18 7	18 4	6	8 =°	8 *°	8 •°	0.1		= =° n, *° =° a, •° = p
4	99.6	00.2	90.1	- 0.4	0.2	0.9	2.5	- 0.9	83	85	89	24 6	24 4	19 5	6	8 =°	8 =	8 *°	2.2		=° n, = a, *° p
5	79.3	**76.9**	79.5	- 4.6	- 6.2	- 6.2	1.2	- 8.1	83	77	88	23 4	19 2	02 4	7	8 *=	8 =°	8 *	1.0		* n, *° a, =° * + p
6	02.5	10.1	11.6	-10.0	-10.2	-10.0	- 4.5	-10.5	72	76	65	36 8	34 6	30 4	6	8	8 *°	8 *°	1.5		* \ n, *° + a, *° p
7	99.7	96.5	97.3	- 6.0	- 4.2	- 6.2	- 4.0	-10.0	70	70	85	16 2	16 2	36 5	9	1 =°	8	8 *°	0.3		*° =° n, =° a, *° p
8	04.2	09.8	14.3	- 8.4	-10.6	-12.0	- 5.6	-12.5	80	70	67	34 7	35 6	32 5	6	8 =°	8 *°	7 *°	2.0		=° *° n,a, *° =° p
9	16.9	17.1	15.4	-11.9	-10.0	-10.0	- 9.5	-13.2	70	75	72	34 5	35 5	33 3	7	8 =°	8 *°	8	0.2		=° n, *° =° a, =° p
10	08.0	03.5	00.7	- 7.4	- 8.2	- 8.2	- 6.5	-10.3	70	78	79	30 4	04 4	36 3	7	8	8 =°	8 =°	0.0		=° * n, =° a,p
11	98.2	98.6	97.6	- 8.6	-10.6	-11.8	- 7.2	-11.8	80	77	73	30 5	04 4	36 4	8	8 *°	8 =°	8 =°	0.0		=° *° + n, =° a, *° =° p
12	92.1	91.4	86.7	-12.0	-11.5	-10.4	-10.2	-12.0	72	78	69	36 4	04 4	09 3	8	8 *°	8 =°	5 =°	0.1		=° n,a, *° =° p
13	82.6	77.9	81.6	- 7.6	- 3.2	- 2.5	- 0.7	-10.4	70	76	71	10 2	08 9	29 3	7	2	6 +	8 =°	0.0		=° a, \ 13, =° p
14	86.6	89.0	89.6	- 3.8	- 3.8	- 3.7	- 1.7	- 4.8	79	77	72	11 1	20 3	16 2	8	3 =°	5 =°	8	0.1		=° * n, =° a
15	86.5	85.2	85.2	- 3.0	- 4.0	- 5.8	- 2.9	- 7.2	65	**61**	69	03 3	21 3	33 3	8	1	1 =°	2 =°			=°a,p
16	89.8	93.0	95.7	- 6.3	- 7.1	-11.4	- 5.5	-11.4	73	75	81	01 4	35 5	02 5	9	8 *°	6	8 *°	0.0		*° = n, *° =° a
17	04.0	08.7	11.6	-10.5	- 9.8	- 9.1	- 8.1	-12.2	78	80	73	36 4	34 4	33 4	8	8 *°	8 *°	8 =°	0.0		*° =° n,a,p
18	15.2	16.4	16.4	-10.7	-11.0	-11.6	- 8.5	-11.8	79	77	75	01 3	36 4	34 4	9	8 *°	6	8	0.1		*° =° n, =° a
19	15.6	16.8	17.2	- 8.4	- 9.6	- 9.1	- 8.0	-11.8	82	76	65	36 5	36 4	35 4	9	8	1	0	0.0		*° n, ⌒ p
20	17.4	18.3	18.0	- 8.2	- 3.6	- 3.2	- 2.2	-12.3	77	74	76	08 2	28 4	28 4	8	6	7 =°	5 =°			=° ⌒° p
21	17.4	18.0	17.3	- 3.4	- 3.0	- 0.2	0.0	- 5.0	81	79	83	22 3	18 3	18 4	9	7	8	6 =°			=° p
22	13.8	10.9	03.9	1.0	1.8	1.6	2.1	- 0.3	85	80	89	18 5	14 6	14 6	8	8 =°	8 =°	8 ‡°			=° n,a, ‡° =° p
23	95.8	97.7	01.0	1.6	1.8	- 1.6	1.8	- 1.8	97	82	89	16 6	16 5	20 3	7	8 ,°	6 =°	8 ∮°	2.7		,° =‡ n, =° a, ∮° =° p
24	99.1	94.7	91.1	0.4	3.4	3.8	**5.3**	- 3.5	89	87	92	10 4	11 5	13 6	5	7 =°	8 •	8 •°	0.1		= * n, = • , a, •° p
25	88.6	89.9	91.5	2.8	2.6	0.4	3.9	0.2	93	88	88	11 6	14 5	16 4	6	8 •°	8 =	8 ‡°	11.7		= ≡ •° ,° n, ,° •° = a, ∮° p
26	01.2	03.7	03.9	1.3	3.4	1.8	3.6	0.4	86	68	90	16 5	12 4	14 6	7	8 =°	8 =°	8 •°	6.2		=° n,a, ∮° =° p
27	11.1	15.5	18.2	1.2	0.7	0.4	2.4	- 0.4	89	89	91	14 5	14 4	15 4	5	4 =°	8 ,°	8 *°	2.0		=° n, ,° =° a, ,° *° = p
28	25.1	27.3	28.4	- 0.6	1.9	1.9	2.4	- 1.9	97	76	84	17 2	12 3	14 4	8	3 =°	6 =°	6 =°	0.2		,° =‡ n, =° a,p
29	31.7	**31.9**	31.7	1.8	1.4	0.9	2.4	- 0.1	79	80	83	16 3	14 3	15 3	8	3 =°	3 =°	3 =°			=° n, =° *° a, =° p
30	30.9	31.4	31.6	1.4	0.6	0.4	2.6	- 0.4	87	89	89	16 3	14 3	12 3	8	6 =°	8 =°	7 ∮°	0.0		=° n,a, ∮° =° p
31	26.7	21.8	13.2	- 0.3	0.2	0.0	1.0	- 0.8	89	89	80	18 5	16 5	14 7	7	8 =°	8 =°	8 =°	0.0		=° ⌒ * n, =° a,p
M	05.6	06.2	05.9	- 4.4	- 4.0	- 4.3	- 1.9	- 6.7	80	78	80	4.2	4.5	4.2	7.4	6.5	6.8	7.0	31		

Februar (II)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.4	91.9	94.0	0.8	1.0	0.4	1.2	- 0.2	92	91	97	16 7	16 6	15 4	5	8 *	8 *°	8 *°	4.5		* n, ‡° =° a, , = ≡ p
2	95.1	96.3	02.2	0.0	- 4.1	- 9.2	0.8	- 9.3	88	83	88	16 4	35 6	34 5	4	8 *°	8 *	8 *°	4.4		= *° n, = * + a, ∮° =° p
3	08.1	09.2	09.3	- 9.8	- 9.0	- 8.0	- 8.0	-11.7	72	72	65	30 2	00 0	10 4	8	3	8 *°	4 =°	1.8		*° n, =° *° a
4	89.8	89.1	88.1	0.7	- 0.4	- 3.9	1.7	- 8.0	90	87	83	15 5	21 5	26 4	7	8 *	7 ∮°	8 =°	5.1		*° \ n, ∮° a, =° p
5	86.5	90.6	97.3	- 6.8	-10.7	-10.4	- 3.5	-10.7	75	80	93	28 6	33 6	36 7	6	8 *°	8 *°	8 +°	0.1		*° =° n,a, *°+° = p
6	05.3	06.5	05.9	-14.4	-14.0	-13.6	- 9.8	-14.8	77	81	77	35 6	01 6	35 7	6	8 =°	6 +	8 *°	0.6		* + =° n, + =° a, +° =° *° p
7	05.1	04.0	02.0	-12.0	-12.6	- 9.4	- 8.7	-13.7	76	77	73	36 6	05 4	16 3	8	5 =°	2 =°	1	0.1		=° a,p
8	94.6	92.2	89.6	- 3.6	- 1.9	- 3.0	- 1.5	-10.3	86	84	84	36 4	00 0	00 0	9	6	7	6(≡)			⊙° (≡) p
9	88.7	89.3	89.5	- 3.8	- 1.2	- 0.6	- 0.1	- 4.4	86	92	90	03 2	00 0	03 2	6	4 =°	7 =	8 =°			=° n, =° * a, =° ∮ p
10	88.7	91.7	96.6	- 1.2	- 1.3	- 4.0	0.1	- 4.3	93	92	87	36 4	35 4	36 4	6	8 *°	8 *°	6 *°	1.3		*° ≡ n, *° = a,p
11	03.3	05.8	06.2	- 6.4	- 5.4	- 1.8	- 1.7	- 6.8	82	84	75	07 2	00 0	15 4	9	2	8	8 =	0.3		=° n, = p
12	07.2	08.9	10.6	- 0.1	0.4	- 0.3	1.0	- 2.4	81	70	89	15 4	16 4	16 4	9	8 *°	7 =°	8 ≡	1.0		=° *° ,° n, =° a, = p
13	14.3	16.1	16.8	- 1.1	- 0.5	- 0.6	1.0	- 2.5	89	78	70	16 3	17 2	14 2	9	3 =	3 =°	2	0.0		= n, =° ⊙° a, ⊙ p
14	17.3	18.7	19.1	- 1.1	- 0.9	- 0.1	0.2	- 2.3	72	89	82	14 3	17 3	16 4	8	0	2 =°	6 =°			⌒° n, =° a,p
15	16.0	13.0	05.7	0.4	1.0	1.7	1.8	- 1.8	87	82	81	15 4	15 3	15 2	8	5 =°	6 =°	7 =°			=° n, =° , a, =° p
16	04.7	97.4	88.4	1.0	2.1	1.8	2.8	0.3	90	82	88	16 6	14 8	14 7	7	8 =°	8 =°	8 •	0.9		=° ∮° n, =° a, =° • p
17	89.8	92.0	96.0	1.0	1.1	- 0.3	2.2	- 0.6	76	76	83	16 4	16 4	16 4	7	3 =°	6 =°	3 =°	10.1		=° • n, =° a, =° ⊙° p
18	02.0	04.7	04.6	0.0	0.6	1.6	1.8	- 1.1	77	78	80	16 5	15 5	15 5	8	7 =°	4 =°	7 =°			=° n,a,p
19	05.4	06.1	03.7	2.1	2.2	1.8	3.3	0.7	87	82	84	14 5	11 4	12 5	8	8 =°	7 =°	8 ∮°	0.0		,° =° n, =° a, ∮° =° p
20	01.9	00.6	99.3	1.8	1.9	1.6	2.3	0.6	72	72	88	15 4	11 7	10 6	8	7 =°	6 =°	8 ‡	1.4		=° * n, =° a, =° ‡ p
21	94.7	90.4	85.1	2.8	2.4	2.0	**3.5**	1.3	82	81	89	10 7	11 8	12 7	5	8 =	8 •	8 ‡°	0.6		•° = n, • = a, ‡ ‡° p
22	84.0	85.7	86.4	- 0.2	1.0	1.6	2.4	- 0.5	89	84	83	15 5	15 5	14 6	7	8 ,°	8 ,°	8 =°	15.2		‡° ,° =° n, ,° = a, =° p
23	83.8	84.0	78.9	0.9	2.4	1.8	2.8	0.0	90	84	86	11 5	14 6	16 5	6	8 ‡	8 =	8 •°	0.6		‡ =° n, ‡ = a, ‡ • =° p
24	**70.0**	77.1	81.8	0.4	- 2.6	- 4.0	2.4	- 4.2	89	81	81	15 3	23 4	25 4	8	8 *°	8 =°	8	8.7		•° *° =° n, =° a,p
25	89.8	94.4	96.5	- 4.5	- 5.0	- 5.3	- 3.5	- 6.5	75	74	76	34 3	02 4	36 5	9	8	8	7 ∮°	0.4		*° =° ⊙ p
26	02.9	07.7	14.6	- 5.6	- 6.6	- 8.1	- 3.6	- 8.3	84	88	88	36 6	04 7	01 7	6	8 *°	8 +°	8 *°	0.0		*° =° n, +° a, +° *° p
27	19.4	**19.5**	18.0	-12.5	-15.6	-14.5	- 8.0	**-15.6**	**62**	68	81	34 6	36 6	36 7	6	8	8 =	8 *°	1.0		⌒ n, = a, *° +° = p
28	11.0	08.2	06.9	-15.3	-14.0	-13.5	-13.0	-15.3	76	74	68	36 4	35 4	36 4	9	8 *°	3	1	0.1		*° =° n, *° ⊙ a, ⊙° p
M	99.2	99.7	99.8	- 3.1	- 3.2	- 3.4	- 1.1	- 5.4	82	81	82	4.5	4.3	4.6	7.2	6.5	6.6	6.6	58		

1954

Jan Mayen

φ = 71° 1′N. λ = 8° 28′W g = 9.829 ΔG = + 1ʰ

Mars (III)

H_s = 40 H_b = 39.3 h_t = 2.0 h_s = 9.8 h_d = 10.5 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær $N_h w$ 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	00.4	93.1	92.5	-12.9	-12.0	- 9.4	- 8.0	-14.9	74	83	72	36 5	34 5	10 5	4	6 *°	8 *	3	0.0		*° n, * + a, *° *° p
2	94.4	93.6	93.5	- 4.2	- 3.5	- 0.4	0.2	-10.2	56	89	78	23 4	26 3	07 4	6	8	8 *°	7 *	1.0		=° n, *° a, * + p
3	01.6	05.4	07.1	- 2.3	- 1.2	- 5.2	0.5	- 5.9	79	79	89	06 1	00 0	02 6	8	4 =°	3 =°	5 ϕ°	3.0		=° n, =° ⊙° a, ϕ° =° p
4	07.4	07.1	06.7	- 8.4	- 7.5	- 6.8	- 5.0	- 8.9	89	87	88	35 5	36 4	02 4	7	8 *°	6 *°	8 *°	0.1		*° n, +° *° a, ϕ° =° *° p
5	04.3	04.0	02.7	- 7.2	- 8.0	- 8.4	- 6.0	- 9.7	70	70	72	34 3	17 2	29 2	6	5 =°	2(≡)	1 =°	0.3		*° ⌒ =° n, (≡) =° ⊙° a,p
6	02.0	02.0	01.6	-10.6	-10.4	-10.6	- 7.9	-11.4	85	88	89	36 5	02 6	01 7	2	3 =°	3 +²	3 *°			+° =° n, =° +² a, +° *° p
7	98.7	97.8	95.6	-12.0	-12.1	-13.2	-10.3	-15.4	89	89	87	36 7	36 7	01 8	4	3 +	4 +	8 *	0.1		+ n, + =² a, * + p
8	88.1	86.6	85.4	-10.1	- 7.6	- 5.3	- 3.4	-14.3	90	91	93	36 9	04 7	36 6	5	8 *°	8 *°	8 *°	3.1		*° + \ n, +² + *° \ a, *° + = p
9	89.8	95.1	97.8	- 6.3	-10.9	-13.6	- 4.3	-13.6	89	88	77	36 7	36 6	34 6	2	8 *	8 *	8 *°	2.8		*° + n, * + a, *° +° =° p
10	03.2	07.7	11.3	-15.9	-18.4	-18.9	-13.2	-18.9	81	81	79	35 4	35 6	36 5	6	8 *°	7 +	6 =°	1.3		*° =° n, +° = a, =° p
11	19.3	21.6	22.6	-20.0	-19.8	-19.6	-18.5	-20.0	80	81	77	35 4	36 4	02 3	9	2 =°	1	0 =°			=° ⌒ n, ⊙ a,p
12	23.3	24.2	21.8	-14.2	-10.9	- 8.6	- 8.3	-20.9	80	81	75	12 3	12 4	10 3	5	1 =°	6 *°	6 =°			=° n, *° =° a, =° p
13	04.8	00.1	00.0	- 0.6	1.1	- 0.6	2.8	- 8.6	85	89	88	09 8	06 2	00 0	8	8 *°	8 =°	8 =°	0.9		*° +² n, *° a, =° p
14	03.6	07.7	09.5	- 5.0	- 6.8	- 9.6	- 0.5	- 9.9	89	89	83	35 4	32 4	34 4	8	8 =°	8 =°	8 *°	2.4		=° * n, =° a, *° =° p
15	12.8	15.2	17.3	-14.6	-15.9	-16.4	- 9.5	-16.6	83	80	84	36 4	36 4	36 3	8	8 =°	8 =°	7 =°	0.0		=° a, ⊙ 13, =° p
16	20.5	20.4	17.5	-12.0	-11.0	-12.3	-10.2	-17.2	84	77	72	00 0	20 2	15 4	9	8 =°	2	7 =°	0.0		=° *° n, *° ⊙ a, =° ⊙° p
17	08.2	08.8	11.9	- 9.8	-13.1	-14.6	- 4.6	-14.6	89	86	81	30 3	36 5	01 4	7	8 =°	4 =°	2	0.3		*° =° n,a, ⊙ 13, =° ⊙° p
18	11.1	08.9	05.1	-10.8	- 4.8	- 3.3	- 3.1	-17.5	78	83	88	14 2	17 4	17 4	8	5 =°	8 =°	8 *°	0.0		⌒ n, =° a, *° =° p
19	95.9	94.5	90.8	0.0	- 1.3	- 0.4	1.0	- 3.5	94	97	92	16 4	00 0	14 3	6	8 ,°	8 =	7 =•	0.0		=° ,° n, = a, = ,° =° p
20	85.5	84.8	85.0	- 1.0	- 1.2	- 6.2	1.0	- 7.4	97	97	91	18 3	14 4	02 4	4	8 ,°	8 *°	8 *°	0.1		≡ ,° n, ≡ =² a, *° = p
21	90.5	93.5	94.3	-15.4	-18.3	-19.8	- 6.2	-19.8	88	86	83	01 6	36 7	36 7	5	8 *	8 *	8 *°	0.1		* n, *° a,p
22	99.3	01.6	03.4	-24.6	-23.6	-23.2	-19.5	-25.1	81	78	75	35 6	36 5	36 5	6	4 =°	0 =°	4 =°	0.2		=° * n, =° a, =° ⊙ p
23	07.7	10.4	12.4	-21.7	-20.0	-18.6	-18.4	-23.8	76	75	72	33 5	34 6	36 4	7	8 =	4 =°	1 =°			= n, =° ⊙ a,p
24	10.9	03.6	97.7	-15.4	- 7.3	- 2.8	- 2.5	-20.9	76	86	89	09 3	10 5	16 4	4	0 =°	8 *	8 *			= n, =° ⊙ * a, *° p
25	92.2	90.5	91.3	- 0.8	0.0	0.2	0.3	- 3.0	89	92	93	16 5	10 6	14 5	4	8 *°	8 *	8 *°	0.8		, *² *° n, *. , a,p
26	95.0	98.7	00.0	- 6.0	- 8.8	-11.0	0.5	-11.5	91	87	85	36 3	04 4	02 4	7	8 *°	8 =	8 =	15.9		*° = n,a, = + p
27	07.0	09.1	09.9	-14.3	-14.4	-13.8	-10.5	-15.2	82	77	76	03 4	03 4	04 3	6	8 *°	7 ϕ°	5 ϕ°	0.5		*° =° n, =° ϕ° a,p
28	07.5	03.4	00.3	- 6.4	- 1.6	1.4	2.2	-14.0	81	84	85	12 4	12 6	14 5	8	8	8 ϕ°	8 =°	0.0		ϕ° + a, = *° ,° p
29	97.9	98.9	00.0	1.4	1.6	2.2	2.3	0.6	99	98	89	15 5	16 6	12 6	1	8 ,°	8 ,	8 =	5.0		=° =² , n, =° ,° a, = p
30	05.9	07.0	07.4	2.0	2.8	3.3	3.4	1.5	80	62	68	17 5	11 5	10 4	9	8 ϕ	1	6 =°	1.0		=° n, =° ⊙ a
31	05.5	02.4	00.0	2.3	2.2	1.4	3.6	- 1.5	79	82	82	10 4	10 5	04 2	7	8 ⁝	6 =°	6 =°	0.0		⁝° n, =° a,p
M	03.0	03.2	03.0	- 8.9	- 8.5	- 8.5	- 5.1	-12.6	83	84	82	4.4	4.5	4.3	6.0	6.5	5.9	6.0	39		

April (IV)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær $N_h w$ 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	96.7	97.1	97.3	2.6	3.3	2.6	3.8	0.2	67	66	79	12 3	14 2	14 3	7	8 =°	7 =°	7 =°			=° n,a,p
2	98.0	98.5	97.3	2.0	- 0.6	- 0.5	3.3	- 1.1	87	93	94	12 3	04 2	20 1	4	6 =°	8 =²	7 =°			=° n, ≡ =² a, =° p
3	95.4	95.2	93.0	1.8	2.6	3.2	4.6	- 1.6	62	75	78	04 4	08 4	10 7	7	6 =°	6 =°	8 ϕ°			=° n, =° ϕ ⊙ a, =° ⊙ ϕ° p
4	96.2	99.1	02.5	3.0	2.8	0.4	3.8	- 0.6	66	66	62	10 7	09 6	32 3	8	5 =°	6 =°	3 =°	6.0		=° ⁝ n, =° ⊙ a,p
5	10.0	13.9	15.4	- 2.6	- 2.6	- 2.0	0.9	- 2.8	70	71	76	01 4	36 4	35 2	9	8	1	8 =°			=° n, ⊙ a, ⊙° =° p
6	15.1	13.0	06.1	- 2.2	- 1.8	- 0.9	- 0.9	- 3.6	76	73	76	17 4	16 6	16 6	8	8 =°	8 =°	8 =°	0.0		*° =° n, =° a,p
7	04.9	10.1	12.4	0.4	0.3	1.4	4.3	- 1.1	90	89	78	17 6	18 3	16 4	8	8 *	7 =°	6 =°	1.0		⁝ * n, =° a, = =° p
8	13.7	12.6	09.2	- 0.4	- 1.5	- 1.6	1.6	- 3.2	72	89	86	14 3	14 4	02 2	8	0 =°	4 =°	8 ≡²	0.1		(≡) =° n, ,° a, =² p
9	02.1	94.2	90.8	- 0.9	4.4	3.0	4.5	- 3.3	87	73	70	16 5	14 7	16 6	6	8 =	8 ⁝	4 =°	0.5		, n, ⁝ ⁝ = a, =° ⁝ p
10	92.0	95.5	91.9	- 0.8	0.7	1.2	3.1	- 4.8	64	70	82	20 8	13 5	14 4	8	7 =°	6 =°	8 ϕ	9.9		= \ *° n, =° a, ϕ = p
11	71.9	71.1	74.8	1.6	- 0.8	- 2.7	2.5	- 2.7	79	86	85	12 3	02 4	01 6	6	6 =°	8 ,°	8 *	2.9		*° n, =° ,° n, * = +° p
12	87.6	92.4	95.9	- 8.2	- 9.1	- 9.4	- 2.6	- 9.6	82	75	68	35 5	02 5	34 5	8	8 *°	8 *°	8 ϕ°	3.0		*° n, *° =° a, * =° ϕ° p
13	02.2	05.0	05.4	- 9.6	- 7.9	- 7.6	- 7.1	- 9.6	64	62	61	34 5	34 4	36 3	8	8 =°	8 =°	4 =°	0.1		=° * n, =° a, *° ⊙° p
14	04.7	07.6	13.2	- 9.1	- 6.5	- 6.3	- 5.1	- 9.5	61	58	49	15 2	25 2	01 3	9	1	4	8	0.0		
15	22.1	25.4	23.5	- 4.6	- 3.1	- 1.9	- 1.9	- 6.4	67	61	78	36 2	23 3	14 5	9	8 *°	8	8 *°	0.4		*° n,a, * p
16	11.8	11.6	12.2	0.2	- 0.8	- 1.3	0.3	- 7.9	87	89	89	16 5	30 3	32 2	9	7 ,	8	8 ≡²	2.5		*° = ,° n, ≡ ,° a, = =² p
17	06.7	90.6	96.3	3.9	2.5	0.4	5.5	- 2.0	72	79	87	12 5	15 5	02 3	7	8 *°	8 =	8 ≡	4.9		*° =° * n, = * a, ≡ p
18	02.4	08.3	10.3	- 6.0	- 8.4	-10.0	0.7	-10.1	78	79	80	34 8	35 7	33 7	5	8 *°	8 *°	8 *	7.3		*° =° n, *° ,° =° a, *° , + p
19	13.5	17.1	20.7	-10.4	-11.9	-11.6	- 9.0	-11.9	82	78	75	35 7	35 6	35 6	3	8 *²	8 *°	7 *°	6.3		*² +² n,a, *° + p
20	25.9	26.4	25.0	-15.3	-13.2	- 8.4	- 8.2	-15.3	65	62	75	36 6	32 2	00 0	9	3	0	1	3.6		⊙ n,a,p
21	15.5	14.3	11.6	- 2.9	- 0.6	- 0.5	0.5	- 8.9	80	80	87	16 3	10 2	19 2	7	8 *°	8 *°	8 *°	0.4		*° = n, *° a, *° =° p
22	12.5	16.7	19.0	- 9.8	-10.2	- 6.2	- 0.4	-10.6	78	78	85	34 5	34 4	36 4	7	8 =°	8 =°	8 *°	1.0		=² n,a, *° =° p
23	22.9	24.0	24.0	-10.8	- 4.9	- 3.7	- 3.3	-11.6	80	62	70	01 2	34 2	33 2	9	0	1	4 =	0.0		* n
24	24.2	24.8	23.6	- 5.8	- 2.5	- 1.2	- 0.7	- 6.2	78	71	73	34 2	30 1	16 3	9	7 =°	7	8 =°			=° n,a,p
25	19.4	20.1	20.2	- 1.1	- 5.3	- 8.6	0.0	- 8.9	97	87	76	20 2	36 4	36 4	8	8 ,°	8 =°	7 =°	0.0		≡² ,° n, ≡² ,° =° a, =° p
26	20.2	18.7	15.4	- 7.6	- 4.5	- 3.8	- 3.6	- 8.8	80	73	72	00 0	20 3	02 2	8	8 =°	6 =°	8 =°	0.0		=° n, =° ⊙ a, ⊙ =° p
27	17.6	19.1	20.6	-11.2	-10.4	- 6.7	- 3.6	-11.7	80	70	65	36 4	01 2	24 2	9	8 ϕ°	4 =°	1 =°	0.0		ϕ° =° r, ϕ° =° ⊙° a, ϕ =° ⊙ p
28	22.2	23.7	25.2	- 9.6	- 8.8	- 8.4	- 6.5	- 9.9	86	70	75	36 4	36 4	35 4	9	2	1	7 ϕ°	0.2		=° a, =° ϕ° p
29	27.4	28.1	28.3	- 9.1	- 8.2	- 7.0	- 6.8	- 9.2	70	75	78	36 5	36 5	01 5	7	8 =°	8 =°	7 *°	0.0		⁝ ϕ° =° n, *° ϕ° =° a, =° *° p
30	29.6	29.3	28.2	- 9.2	- 7.4	- 8.5	- 6.7	-10.9	76	67	73	36 6	36 5	36 5	8	4 *°	6 =°	6 *°	0.1		=° *° n, *° =° a,p
M	09.5	10.1	10.3	- 4.4	- 3.8	- 3.6	- 0.9	- 6.8	76	74	76	4.3	3.9	3.7	7.6	6.3	6.2	6.6	50		

Ekstensotabell

1954

Jan Mayen

φ = 71° 1'N λ = 8° 28' W g = 9.829 $\Delta G = +1^h$

Mai (V)

H_s = 40 H_b = 39.3 h_Σ = 2.0 h_s = 9.8 h_d = 10.5 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	20.9	20.9	20.0	- 3.8	0.2	0.6	2.6	- 9.2	89	80	80	36 6	04 2	35 2	8	6 *°	2 =°	3 =°	0.6		⚥° =° *° n, =° ⊙ a, =° ⊙° p
2	21.3	23.1	23.7	- 1.8	- 0.3	- 2.1	1.5	- 2.9	73	**53**	73	06 3	17 4	36 5	9	1 =°	1	2 =°	0.0		=° ⊙° n, ⊙ a, =° ⊙ p
3	25.6	26.5	27.0	-10.0	- 8.5	- 7.4	- 2.1	**-10.3**	80	73	82	01 4	36 3	36 3	7	7 ⚥°	7 *°	8 =°	0.0		⚥° n, *° a, =° p
4	**27.2**	26.9	25.2	- 9.6	- 8.4	- 8.2	- 5.8	- 9.9	87	78	73	34 4	35 3	36 3	7	7 =°	7 *°	7 =°	0.0		=° n, *° =° a,p
5	22.0	21.6	20.3	- 8.0	- 2.8	- 4.2	- 2.0	- 8.4	92	62	65	25 2	06 6	04 5	8	2 =°	1	5 =°	0.0		=° ⊙° n, ⊙ a, =° ⊙ p
6	17.4	16.0	14.7	- 5.7	- 4.4	- 3.3	- 3.2	- 6.0	92	87	90	01 7	36 7	36 6	7	5 =°	8 ⚥°	7 △°			=° n, =° ⊙° ⚥° a, =° △° p
7	09.0	09.7	07.7	- 3.2	- 2.8	- 2.9	0.0	- 3.3	83	78	90	01 8	02 8	36 8	4	7 +	5 +	8 ⚥	0.2		⚥ n, + a, ⚥ + p
8	10.2	12.6	14.8	- 3.0	- 3.2	- 3.2	- 2.5	- 4.2	92	89	90	06 7	02 6	36 6	6	8 ⚥°	8 =	6 *°	2.4		⚥° + n, + = a, ⊙ 13, *° = + p
9	21.1	24.3	25.9	- 4.8	- 4.1	- 3.6	- 3.0	- 5.1	94	92	90	36 4	36 4	36 3	7	8 ,°	8 =°	8 =°	2.0		,° = n, =° a,p
10	26.4	24.0	20.7	- 3.0	0.3	4.1	4.4	- 4.1	92	79	79	00 0	10 5	11 6	6	8 =²	8 *°	6 =			(≡) =° n, *° a, = p
11	18.8	20.0	19.8	3.8	3.0	4.9	6.0	2.2	86	93	89	12 5	11 4	12 4	2	8 =	8 ≡	7 =°	0.1		= (≡) n, ≡ ,° a, ≡ = p
12	19.6	19.3	18.3	4.2	5.2	5.1	6.7	0.1	93	89	86	16 4	11 2	18 4	7	8 ,°	8 =°	8 =²	0.0		,° =° n, ,° (≡) =° a, = ≡ p
13	13.8	15.0	15.2	8.2	2.6	3.4	9.3	2.5	73	89	90	15 6	16 5	16 6	3	7 =	8 ,°	8 ,	0.1		• = n, ,° = ≡ a, =² ,° p
14	21.1	20.2	20.5	4.4	2.0	0.4	6.8	- 0.3	66	85	87	15 5	15 4	20 3	5	1 =°	0 =	1 =°	0.1		=° ⊙ n, (≡) = ⊙ a, ≡ =° ⊙ p
15	21.3	21.2	20.9	2.0	4.1	2.2	6.2	- 1.1	79	70	78	00 0	20 1	20 2	9	0	0	1			⊙ n,a,p
16	21.0	20.6	19.9	- 0.9	- 0.4	- 0.8	2.5	- 2.0	93	94	97	30 2	35 2	35 2	2	8 =°	8 ≡	8 ≡²			≡² n, ≡ a,p
17	17.0	15.5	13.3	- 3.0	0.7	2.2	3.0	- 4.2	94	90	76	00 0	20 3	15 4	7	7 =°	8 =°	*8(≡)			≡² =° n, =° ⊙ a, (≡) =° p
18	**10.4**	09.1	**06.0**	- 0.8	2.2	4.8	6.8	- 1.9	94	83	83	18 4	14 4	14 4	2	7 =°	7 ≡	8 •°			≡ = ⊙° n, =° ⊙ a, ' =² p
19	06.6	08.0	08.7	1.6	3.3	- 0.8	5.1	- 1.1	97	96	90	29 2	29 3	36 4	7	8 ,°	8 =°	8 ≡²	1.1		,° =° n, = a, =° p
20	09.9	11.7	13.0	- 0.8	0.2	1.4	3.2	- 1.6	97	97	96	02 2	35 2	17 2	8	7 ≡	8 ,°	8 ≡	0.4		≡ n, =² ⊙,° a, ≡ p
21	13.9	14.0	14.0	0.2	3.3	3.2	3.9	- 1.2	67	65	70	15 4	17 4	12 3	9	7 *°	6 ,°	7 =°	0.2		= *° n, *° ,° a, ,° =° p
22	12.9	12.7	12.6	0.0	0.3	- 0.9	3.6	- 1.4	86	93	89	24 2	26 2	26 2	1	8 ,°	8 ,°	8 ≡²	0.2		= ,° n, ≡ ,° a, ≡² p
23	16.2	17.2	18.4	- 2.5	0.0	1.2	2.9	- 2.9	83	80	78	32 2	33 2	14 4	8	8 =°	7 =°	7 =°			=° n, =° ⊙° a, =° p
24	19.4	19.0	17.4	2.6	3.1	4.2	5.3	1.2	83	73	76	11 3	10 3	12 4	8	8 ,°	7 =°	7 ,	0.1		,° =° n, =° a, =° , p
25	14.7	13.8	13.3	4.3	4.6	6.2	7.0	2.4	78	79	83	12 3	36 2	10 4	8	8 •°	7 =°	8 ,°	2.0		=° •° n, =° a, ,° =° p
26	15.9	17.3	18.5	3.4	7.3	6.4	**11.3**	0.9	93	71	83	16 4	14 5	12 4	7	7 =°	7 =°	7 =	2.3		≡° ,° =° n, =° ⊙ a, = ,° p
27	19.8	20.6	19.7	3.2	3.2	2.0	6.7	0.8	92	94	94	00 0	28 1	28 2	1	8 ,°	8 ≡²	8 ≡²	0.1		≡² ,° n, ≡² a,p
28	16.4	16.7	16.7	1.8	1.6	1.2	4.2	0.1	97	92	89	18 1	36 3	36 3	1	8 ,°	8 ≡²	8 ≡²	0.0		,° ≡ n, ≡² a, =° ≡² p
29	16.6	16.4	14.7	- 1.0	3.8	3.4	5.0	- 2.1	96	64	59	32 2	10 5	11 5	8	4(≡)	7 =°	8 △°	0.0		≡ (≡) ⊙° n, ≡° a, •° △° p
30	15.5	18.7	20.1	- 0.8	- 0.6	- 0.8	3.5	- 1.6	76	72	70	01 3	36 4	36 3	9	7 =°	8	8 =°	7.6		* n, =° a, *° =° p
31	21.5	21.4	19.1	- 2.2	- 1.2	- 1.0	- 0.1	- 2.5	66	65	64	36 3	27 2	12 3	9	7	8	8 *°	0.0		=° n, ⊙° a, *° p
M	17.4	17.9	17.4	- 0.8	0.4	0.6	3.2	- 2.5	86	81	82	3.3	3.6	3.8	6.1	6.5	6.4	6.7	20		

Juni (VI)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	14.5	16.1	16.0	- 1.1	- 1.1	- 1.0	0.3	- 2.0	76	62	64	00 0	36 5	36 4	9	8 =°	4 =°	7 =°	0.0		=° *° n, =° a, =° ,° p
2	17.1	17.2	15.9	- 2.1	- 1.2	- 1.2	- 0.4	- 2.4	73	71	75	36 2	18 4	16 3	8	7 =°	3 =°	8	0.0		=° ⊙ n, =° a,p
3	10.8	09.5	08.6	1.9	4.6	2.7	5.0	- 1.2	89	86	87	17 3	19 2	18 1	7	8 =°	8 •°	8 =°			=° n, •° =° a,p
4	11.9	16.0	18.1	- 0.6	- 1.1	- 1.1	2.7	- 1.8	96	73	70	34 4	36 3	36 3	8	8 *°	8 =°	8	0.5		*° ,° =° =° n, ⚥° =° a, =° p
5	20.6	**21.5**	21.0	- 2.6	- 0.9	1.1	1.4	**- 3.0**	71	70	61	14 3	16 4	17 3	8	8 =°	4 =°	4	1.4		=° ⊙° a, =° ⊙ p
6	19.2	19.1	18.5	2.0	3.2	3.7	5.1	0.1	62	62	65	16 4	16 4	25 2	8	8 =°	8 =°	7 =°	0.0		=° ⊙° , n, =° ⊙° a,p
7	16.9	17.0	15.7	0.2	0.9	1.6	4.0	0.0	89	80	79	14 2	32 2	24 2	8	8 *°	8 ,°	8 =°	0.2		•° =° *° ,° n, ,° a, =° ,° p
8	12.2	11.4	11.3	0.2	- 0.4	- 0.6	2.3	- 1.3	89	80	78	28 4	34 3	34 3	7	8 =°	7 *°	8 =	0.0		≡² = n, *° =° a,p
9	10.2	09.5	09.3	- 1.2	0.2	- 0.5	1.0	- 1.9	83	73	90	01 4	36 5	02 4	8	8 *°	7 =°	8 *°	0.0		*° n, *° =° a,p
10	06.1	02.8	95.8	- 1.1	- 1.5	- 1.4	- 0.1	- 2.4	96	90	90	36 5	33 4	33 5	5	8 =²	8 ⚥°	8 *°	0.2		= *° n, *° ⚥° = a, ⚥° =° *° p
11	95.8	99.7	02.9	- 0.8	0.7	0.3	0.8	- 1.6	92	70	70	36 5	36 4	35 3	9	3 =°	2 =°	7 =°	4.5		* =° ⊙ n, =° ⊙ a,p
12	04.9	06.9	07.4	- 0.3	0.2	- 0.5	0.7	- 0.9	92	80	78	35 4	36 5	35 4	8	7 *°	7 =°	8 =°	0.1		*° =° n, ,° *° =° a, =° p
13	05.0	04.8	04.7	- 2.0	0.0	0.0	0.7	- 2.2	89	80	76	35 3	36 4	36 4	7	8 ,°	8 =°	7 =°	0.0		= ≡ ,° n, = ,° a, *° =° p
14	02.5	03.3	04.9	- 1.1	- 0.2	- 0.2	0.2	- 2.1	87	87	85	34 4	36 4	33 4	7	8 *°	8 =°	8 ⚥°	0.7		*° =° n, *° a, ⚥° =° p
15	05.0	07.0	06.8	- 0.9	- 0.1	0.6	1.0	- 1.8	87	85	79	34 3	32 3	29 3	7	8 =°	8 =°	8 =°	1.7		,° *° ⚥° = n, =° a,p
16	07.0	07.4	06.9	1.3	1.6	1.6	3.4	- 2.0	80	75	80	24 3	26 3	24 3	7	8 =	8 ,°	8 =	0.1		=° ,° (≡) n,a,p
17	07.8	09.6	09.6	1.0	1.6	2.8	3.3	0.5	92	92	80	26 2	27 2	24 2	5	8 ,°	8 =°	8 =°	0.2		,° ≡ n, ,° ≡ =² a, = p
18	08.0	06.3	03.8	3.7	8.0	6.9	8.4	2.1	72	72	86	11 2	15 5	14 4	7	7 =°	6 =°	8 •	0.0		=° n, =° ,° a, •° =° p
19	97.2	94.5	93.9	8.7	7.4	8.5	9.6	4.6	78	85	83	12 5	12 4	16 2	5	8 •	8 ⚥°	7 =°	3.3		• =° n, ⚥° =° a, =° =° ⚥° p
20	92.5	90.7	**89.8**	8.8	10.1	3.3	**10.6**	3.0	75	62	86	08 4	12 3	24 3	8	7 ⚥°	6 =°	8 =°	7.0		⚥° =² n, ⚥° =° ⊙° a, = ≡ •° ⊙ p
21	94.6	96.6	97.5	1.8	2.2	1.8	4.0	1.2	94	90	90	30 1	30 1	33 1	3	8 ≡	8 =°	8 ≡°	1.1		≡² ,° •° n, ≡ a, =² ≡ ,° p
22	97.7	97.8	98.5	1.4	2.4	2.3	2.9	0.7	96	86	86	30 1	30 1	24 1	7	8 ≡²	8 =°	8 =²	0.0		≡² ,° n, =° , a, = (≡) p
23	99.2	00.1	00.3	1.6	2.2	2.0	2.6	0.7	87	87	90	00 0	00 0	24 2	5	8 =°	8 =	8 ≡	0.6		=° n,a, =° ≡ p
24	98.1	97.1	97.2	2.0	3.8	6.7	7.5	0.7	86	86	65	02 2	00 0	11 4	1	8 •°	8 •°	8 •°	0.1		=° n, •° a, •° ≡² p
25	98.3	01.0	02.8	5.6	5.0	3.7	8.6	3.2	68	71	76	36 2	01 3	16 2	9	7 =°	8 =°	8 =°	4.2		=° •° n, =° a, =° •° p
26	06.1	08.3	10.2	4.2	4.4	3.4	5.6	2.5	73	66	66	15 3	01 6	02 6	7	7 =°	5 =°	6 =	0.0		(≡) =° n, =° ⊙° a, = ⊙° p
27	13.6	16.3	17.4	1.1	1.0	0.3	5.2	- 0.7	78	79	83	02 5	36 4	34 4	8	1 =°	1 =°	8 *°			=° ⊙° n,a,p
28	16.2	16.0	13.0	- 1.2	- 0.3	1.1	2.1	- 1.5	85	83	87	35 3	33 2	19 3	7	8 *°	7(*)	8 ⚥°	0.0		*° =° ⊙° n, (≡) (*) =° a, ⚥° =° p
29	06.9	06.3	05.3	2.7	3.1	5.8	7.2	0.5	72	68	**56**	12 4	36 2	02 4	9	7 ⚥°	5	2 =°	0.0		⚥° =° n, =° ⚥° ⊙° a, ,° =° ⊙° p
30	04.9	04.8	04.6	3.2	3.5	2.2	7.0	1.6	72	68	72	26 2	35 4	36 5	8	4 =°	2 =°	4 =°	0.0		= ⊙° n, = ⊙ a, =° ⊙° p
M	06.7	07.2	06.9	1.2	2.0	1.9	3.8	- 0.2	83	77	78	3.0	3.2	3.1	7.0	7.2	6.7	7.3	26		

Ekstensotabell

1954

Jan Mayen

φ = 71° 1'N λ = 8° 28'W g = 9.829 ΔG = + 1ʰ

Juli (VII)

H_s = 40 H_b = 39.3 h_t = 2.0 h_a = 9.8 h_d = 10.7 h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	04.2	04.1	04.1	− 0.6	− 0.1	0.4	2.5	− 1.6	83	81	87	36 4	32 2	34 2	7	8 =°	8 =°	8 =°	0.5		*° =° n, =°(≡) a, *° =° p
2	04.8	05.9	06.4	0.9	1.8	2.2	2.9	− 0.3	82	79	78	35 3	33 3	35 2	9	7 =°	6	7	0.1		=° *° ,° n, =° a
3	06.5	07.4	08.3	0.1	2.3	3.1	4.2	− 0.5	86	70	67	02 4	35 4	22 3	9	7 *°	4	4	0.0		*° =° n, =° ⊙ a,p
4	11.9	13.4	13.6	3.6	3.4	2.6	4.4	2.0	84	75	79	35 1	35 3	35 3	8	2	4 =°	7 =°			⊙² n, ⊙ =° a, =° p
5	11.7	10.1	08.6	0.1	1.6	2.2	3.1	− 0.5	91	79	78	34 2	32 1	32 1	6	7 ⸸°	7(≡)	7(≡)	0.4		=° ⸸° =° ⊙° n, ⊙° = ⸸³ a,p
6	07.4	07.7	08.0	1.8	3.2	2.2	3.6	0.5	85	83	83	20 1	20 3	16 3	9	7 ,°	7	7 ,°	0.0		=° ,° (≡) n, =° ⊙° a, ,=° ,° p
7	98.6	93.6	92.8	5.9	6.8	3.5	8.0	2.0	84	77	90	10 5	17 1	36 6	6	8 ,²	8 ,°	5 =	4.3		=² ,² ,° n, ,² = ≡ a, ,³ = p
8	04.1	07.9	10.5	0.7	0.6	1.4	3.8	0.6	97	88	82	35 4	33 3	30 2	6	7 ⸸°	6 ⸸°	8	16.6		=° ⸸² n, ⸸° ⸸° = a, ⸸° = p
9	12.8	13.2	11.8	1.8	5.1	5.8	8.3	0.6	89	80	79	15 4	11 3	34 3	9	8 ,°	7	6	0.0		,° n, ,° (,) a, ,° p
10	10.5	11.7	10.4	6.0	6.7	8.3	10.3	4.5	93	92	88	14 4	16 4	17 3	1	8 ,	8 ,°	8 ,°	0.8		, =² n, =² ,° a, ,° =² = p
11	07.9	07.7	07.5	10.2	10.0	9.7	11.9	5.0	78	85	86	14 3	14 5	16 5	7	6 =°	7 =°	7	0.9		⊙° =² , n, =° a, ,° = (≡) p
12	07.0	05.4	03.1	7.7	5.9	5.8	12.7	5.0	92	92	91	14 4	17 1	16 2	1	7 =	8 =²	8 ,°	0.0		=° n, =² a, =² ,° p
13	98.4	99.4	00.2	5.2	5.3	8.3	8.4	3.6	92	90	87	16 5	17 5	17 3	2	7 =²	8 ,	7 =°	6.2		=° ,° n, ≡ ⊙° a, ⊙ =° p
14	00.1	01.1	01.9	4.2	6.2	6.1	8.5	3.6	89	88	83	18 4	17 4	19 4	4	8 ≡	7 ,°	2	0.0		≡ ⊙° n, ,° =² a, ⊙ =° ,° p
15	02.4	02.9	02.9	2.6	3.2	3.2	7.0	2.4	91	91	90	21 2	26 2	30 2	1	8 ,°	8 ,°	8 =²	0.0		=² ,° ⊙ n, =² , a, =² ,° p
16	02.6	01.9	00.9	3.5	4.4	4.3	5.2	2.0	96	83	90	36 3	35 3	36 2	1	8 ,°	8 =²	8 =²	0.1		≡ ,° n, =² ,° a, =² p
17	98.5	98.3	97.9	2.2	4.3	5.0	5.3	1.8	95	96	91	34 2	34 2	35 4	3	8 ,°	8 =°	8 =°	0.5		=² ,° n, ≡ a, =° ,° =° p
18	97.7	98.4	98.4	2.8	2.0	3.8	5.3	1.5	88	87	89	34 4	33 4	35 4	5	8 =	8 =	8(⸸)	0.0		=² , n, = a, ≡ ⸸ • ,° p
19	01.7	02.4	02.3	1.8	4.3	4.7	5.5	0.7	80	73	77	26 2	19 3	16 3	9	7 ⸸°	6	7 ,°	0.8		⸸° = ,° n, ⸸° a, ⊙° p
20	01.4	01.6	01.8	5.2	8.2	8.3	9.0	4.4	88	71	75	17 4	10 2	16 2	9	7 ,	3	8	0.1		,² n, ⊙ ,° a, ⊙² p
21	02.9	03.7	04.6	7.4	11.9	9.7	12.6	6.5	81	71	79	00 0	18 3	17 3	8	7	7 =°	7	0.0		⊙ a, ⊙° p
22	03.1	02.1	01.4	7.6	6.3	5.5	10.0	5.0	97	89	92	16 4	16 4	25 2	2	8 •	8 •	8 =²	1.8		• =² , =° n, • =² a,p
23	99.6	99.3	99.8	3.8	3.8	3.6	5.7	3.2	88	88	86	20 4	21 3	26 2	6	9 ,°	8 =°	8 =°	12.2		= ,° n, =² a, =° =² p
24	02.6	03.9	02.6	2.0	3.1	3.5	4.0	1.7	92	91	87	29 1	29 2	34 3	6	8 ,°	8(≡)	8(≡)	0.0		=² ,° n, ≡ ,° a, (≡) ,° p
25	93.4	94.3	96.6	10.5	9.7	9.9	14.7	1.9	71	89	89	05 6	13 4	18 4	1	7 ⸸	8 •	7	2.7		⸸ ,° n, • ⸸ a, • p
26	97.8	97.4	00.1	6.0	8.2	10.9	13.6	6.0	89	90	77	26 2	20 2	11 6	1	8 ,°	8 ,²	5(,)	6.3		,° ,° n, ,² a, ⊙ ,° • p
27	09.5	10.5	10.2	6.8	5.2	7.3	11.3	4.9	36	91	86	31 2	01 4	21 2	1	7	8 =²	8 =°	9.8		⊙° =° , n, =² ⊙² a, =° =² p
28	08.6	05.7	04.7	3.4	4.4	4.2	7.4	3.4	83	82	87	01 6	01 7	02 8	6	6	3 =	5 =²			⊙ n, ⌒⊙ =° a, = ⊙ p
29	06.0	04.9	04.2	3.9	3.2	6.4	9.2	3.0	89	91	73	36 7	01 8	02 5	4	7(≡)	7 =²	6(≡)			(≡) n,a, = p
30	04.2	04.0	03.3	6.1	5.5	7.7	8.6	4.1	81	84	86	02 4	36 4	03 3	6	6(≡)	6(≡)	7(=)	0.6		•° = n, ⊙° (≡) a, ,° ⊙ (≡) =° p
31	00.6	01.0	00.6	5.6	6.9	9.1	11.0	3.3	89	84	74	25 2	23 2	23 2	8	6(≡)	7(≡)	6(≡)	0.0		(≡) n, ⊙ (≡) a,p
M	03.8	03.9	03.8	4.2	4.9	5.4	7.7	2.6	87	84	83	3.3	3.3	3.2	5.2	7.2	6.9	6.9	65		

August (VIII)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	03.0	05.0	08.1	3.7	13.1	9.1	13.9	2.8	93	73	80	22 2	14 4	01 2	4	3 =²	6 =²	4 =°	3.2		⊙° = ⸸ n, ⊙° (≡) a, ⊙ (≡) • p
2	08.9	08.8	08.1	3.4	4.8	5.3	10.1	3.0	93	93	88	33 1	33 2	32 1	3	8 =²	7 ≡	8(≡)			=² n,a, =² (≡) p
3	05.7	05.6	05.6	5.3	6.2	6.6	6.6	4.8	92	92	91	00 0	20 1	00 0	3	8 •	8 •	8 ,°	10.0		• (≡) n, • ≡ a, ,° ≡ p
4	06.6	08.4	09.2	4.3	5.0	5.0	7.1	4.3	93	92	88	22 2	31 2	35 3	4	8(≡)	8(≡)	8(≡)	11.4		(≡) • n, =² (≡) a, =² p
5	10.9	11.6	12.1	3.9	4.0	4.3	5.2	2.3	85	92	93	35 2	33 3	34 3	0	8(≡)	8 =²	8 =²	0.0		(≡) n, (≡) =² a, =² p
6	13.2	13.9	14.0	4.2	4.7	4.7	5.8	3.4	96	91	81	00 0	36 2	35 4	8	8 =²	1	5			≡ n, =² a, ⊙² p
7	12.3	11.7	10.6	2.8	3.2	3.9	4.8	2.3	88	89	86	36 3	36 4	35 4	6	5	7(≡)	6	0.0		, (≡) n, = a, (≡) p
8	08.6	07.7	07.5	3.4	5.7	6.1	7.0	2.3	89	84	81	30 2	35 4	08 3	9	8 –	6	7			(≡) a, =° p
9	07.1	06.5	06.3	3.5	5.9	7.5	9.2	2.4	88	81	73	21 2	34 2	25 3	7	5	4(≡)	3(≡)			(≡) n, ⊙ a, ⊙ (≡) p
10	06.2	07.7	09.2	5.1	6.3	5.9	8.2	4.3	79	77	82	27 2	07 2	26 2	7	7(≡)	6(≡)	7(≡)			(≡)n,a,p
11	08.5	08.3	08.1	3.3	3.8	4.4	6.1	2.9	89	87	84	25 1	35 2	21 2	7	8 ,°	8(≡)	8(≡)	0.0		,° ≡ n, ,° (≡) a, (≡) p
12	07.0	05.0	04.4	2.9	3.0	2.8	4.6	1.1	88	85	84	01 2	01 4	36 5	9	7(≡)	4	6 =°	0.0		(≡) n, = (≡) a, ⊙° p
13	03.2	02.8	02.6	0.9	2.0	3.0	3.2	0.3	92	89	84	36 5	35 4	36 5	8	8(≡)	6(≡)	4 =°			(≡) n,a, ⊙° (≡) p
14	04.0	04.6	04.3	2.5	3.1	3.1	3.9	0.8	83	80	82	01 4	34 3	30 3	8	7 ⸸°	8 ⸸°	8 ,°	0.2		⸸° (≡) n,a, ,° ⸸° p
15	03.0	02.8	03.3	4.5	4.8	5.2	5.5	2.5	85	78	86	20 4	19 6	18 5	8	8	8 ,°	8 ,°	0.2		,° p
16	02.9	04.0	06.1	5.5	5.7	5.6	6.3	4.8	90	92	92	17 4	19 5	23 1	2	8 ,°	8 ,²	8(,)	1.2		,° n, =° ,° a, ,° =° p
17	08.6	09.9	10.1	6.8	7.8	5.0	8.5	4.0	91	81	93	26 2	12 4	12 5	9	8 =°	2	8 ≡	2.7		(≡) ,° n, ⊙² =° a, ≡ p
18	11.9	13.1	13.7	4.5	6.4	7.2	10.3	4.1	92	89	87	13 3	19 3	19 4	9	1 =°	2	6			(≡) n, =° ⊙ a
19	14.8	13.1	10.1	6.9	7.2	8.2	8.5	4.8	89	87	83	23 2	17 4	17 6	9	8	8(≡)	7(≡)	0.2		,° (≡) n, (≡) a,p
20	09.5	07.3	05.4	9.8	9.7	8.6	10.7	6.8	85	77	84	19 3	16 5	20 4	9	7(•)	7	7 •°	0.1		•° n,p
21	07.7	09.2	12.3	7.3	7.3	6.0	9.8	4.8	77	82	89	24 4	24 5	26 4	8	7 –	8 ,°	8 ,°	0.4		, (≡) n, • a, , ,° p
22	16.8	20.8	22.6	2.0	1.9	2.5	6.2	1.3	88	85	84	33 4	35 3	35 2	9	7 =°	8	7	1.4		(≡) n
23	23.8	23.6	22.1	2.6	4.3	4.0	4.7	1.8	85	83	89	12 1	19 2	26 2	9	8	6	8 =²	0.0		,° n, =² p
24	18.8	17.7	15.7	3.8	2.5	2.3	4.6	1.8	89	92	90	01 3	35 3	35 2	2	8 ,°	8 ≡	8(≡)	0.0		≡ (≡) ,° n, ≡ ,° a, =° =° p
25	11.0	08.8	06.2	2.7	3.4	3.8	4.4	1.8	84	81	79	17 1	19 2	19 3	9	8	8	7	0.0		(≡) n
26	01.7	00.4	99.7	1.1	1.5	2.8	4.2	0.7	89	89	83	08 3	36 4	01 5	9	8(≡)	8	6(≡)			(≡) n,a
27	04.6	05.2	04.8	1.2	1.2	1.2	3.0	0.8	82	83	89	36 3	36 4	35 4	9	7	7	8(≡)			(≡) p
28	99.1	99.7	00.3	2.6	2.1	3.0	3.2	1.0	88	83	86	01 3	01 4	35 4	9	7 •°	7	8 ⸸°	0.0		•° n,a, ⊙° (⸸) p
29	00.6	01.0	99.8	3.0	3.8	4.2	5.1	1.3	93	89	88	35 4	34 3	36 2	9	7(=)	7	7	0.3		⸸° =° n, =° a, ⊙ p
30	99.2	00.6	01.5	2.7	3.3	3.4	4.4	2.1	93	94	91	00 0	28 3	29 2	2	8 ,	8 ,°	7(≡)	1.2		(≡) , ⸸ =² n, ≡ ,° a,p
31	02.5	02.8	01.9	3.1	5.5	5.7	7.0	1.8	86	77	79	12 3	11 4	11 4	9	5	5	7 =°	1.1		(≡) n, ⊙° a, ⊙ =° p
M	07.8	08.0	07.9	3.8	4.8	4.9	6.5	2.7	88	85	86	2.4	3.3	3.2	6.9	7.0	6.5	6.9	34		

1954

Jan Mayen

φ = 71° 1'N λ = 8° 28' W g = 9.829 ΔG = + 1ʰ

September (IX)

$H_s = 40$ $H_b = 39.3$ $h_t = 2.0$ $h_a = 9.8$ $h_d = 10.5$ $h_r = 1.7$

Datum	Lufttrykk P 7	P 13	P 19	Lufttemperatur T 7	T 13	T 19	Max	Min	Relativ fuktighet U 7	U 13	U 19	Vindens retning og styrke D,F 7	D,F 13	D,F 19	Synsvidde V 13	Skydekke og vær N,w 7	N,w 13	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	98.8	00.3	01.0	8.2	8.2	8.9	9.6	5.3	90	89	81	15 4	17 4	13 4	7	8 •²	8(•)	7 •°	5.8		• =° n, •² a, •° ⌒ =° p
2	99.1	99.3	98.6	6.4	8.5	7.2	**10.0**	5.8	87	80	86	22 1	02 3	28 2	9	5	4	6(≡)	5.6		•° n, ,° ⊙° (≡) a, (≡) ⊙ p
3	97.6	00.0	01.2	5.8	5.8	5.2	7.4	4.4	87	89	90	01 1	01 5	36 4	7	5(≡)	7(≡)	7(≡)	0.3		(≡) ∇̇ n, =² (≡) a, =² (≡) ,° p
4	00.5	00.4	01.8	3.1	3.9	3.8	6.0	2.3	89	88	86	07 1	01 5	01 5	7	4(≡)	7(≡)	7(≡)	0.0		(≡) ⌓ n, (≡) ⊙° a, (≡) p
5	09.6	10.1	12.1	2.5	2.8	1.7	4.0	1.5	89	82	82	36 5	36 4	01 4	9	3(≡)	6	6 ♦	0.0		(≡) ,° ∇̇ n, ⌒ ∇̇ ⊙° (≡) a, ♦ ⊙° p
6	15.7	17.8	18.7	1.0	2.3	2.8	3.1	0.3	81	82	78	36 4	01 3	34 2	9	3	4	7	1.4		,° (≡) ⊙ ♦ n, ♦° a
7	19.6	**20.9**	20.8	1.4	2.2	2.6	3.1	0.3	80	78	78	20 1	21 2	29 2	9	8	8	6	0.0		
8	20.2	19.8	18.8	3.3	4.9	5.2	5.5	1.3	79	75	77	11 2	36 3	10 3	9	7	5	7(≡)			⌒ (≡) p
9	15.7	14.9	12.4	2.9	3.9	3.8	5.6	2.6	80	82	84	06 1	01 3	35 3	8	6	8(≡)	6(≡)			⊙° a, (≡) p
10	07.5	06.2	03.9	1.4	3.0	3.1	3.9	0.8	85	79	76	03 1	00 0	29 1	9	8(≡)	3	7(≡)			(≡) n, ⊙ (≡) a, ⊙ p
11	01.8	00.9	00.4	0.3	1.2	1.3	3.6	- 0.1	82	84	87	01 4	01 5	01 5	6	5(≡)	2 *°	5(≡)			(≡) ⌓ n, ≡ ⊙° (≡) a, *° (≡) ⌒ ⊙° p
12	99.3	00.4	01.3	2.1	4.6	4.4	5.0	0.0	85	78	73	01 4	18 3	19 2	9	4(≡)	6	7	0.1		(≡) *° n, ⊙ (≡) a, ⊙ p
13	01.5	02.0	01.2	1.9	3.2	4.2	4.6	0.3	81	77	75	16 2	02 2	29 2	9	1 ⌣	7	3			⌣ ⌓ n, ⌣ ⊙° a, ⊙ p
14	98.3	97.1	94.6	2.2	4.7	5.4	5.7	1.8	79	74	72	04 2	06 1	09 4	9	1	5	7			⊙ n, ⊙² a, ∇̇° ⊙² p
15	87.9	84.5	81.7	2.3	5.6	7.4	8.3	1.8	77	70	68	07 4	30 3	04 4	9	1	6	8 •°	0.0		⊕ n, ⊙° a, •° ⊙° p
16	80.3	83.0	84.6	8.7	9.3	8.3	9.4	4.8	81	69	73	11 5	06 6	09 7	9	7 •	5	6	4.3		•° n, =° • a
17	88.0	90.0	91.4	4.2	5.2	3.4	8.3	3.2	81	81	84	01 4	02 4	02 6	7	4(≡)	6(≡)	6(≡)	0.6		(≡) a,p
18	91.7	92.2	95.1	3.4	3.9	5.2	6.2	2.9	89	90	77	02 6	01 6	36 3	6	1(≡)	7(∇̇)	6(≡)	0.7		, (≡) n, = ∇̇ a, (≡) ∇̇ = p
19	97.4	01.1	03.1	3.2	5.4	5.8	6.0	2.2	89	84	79	02 6	20 1	20 4	8	2(≡)	7(≡)	5(≡)	0.6		(≡) ,° ⌓ n, (≡) ⊙° • a, (≡) ⊙ p
20	05.8	07.3	07.8	2.7	2.8	1.2	6.0	1.0	84	84	75	00 0	34 2	36 3	9	7	7	3	0.0		⊙ p
21	06.1	08.0	08.0	0.2	1.0	0.8	1.5	0.0	81	65	**62**	36 3	01 4	01 3	9	6 •°	2	7	0.0		•° a
22	07.0	06.7	05.2	- 0.3	0.5	0.8	1.2	- 1.4	71	69	79	02 2	31 2	31 2	9	3	7	7 ♦°	0.0		♦° (≡) p
23	04.6	05.1	04.2	- 0.3	1.2	0.4	1.5	- 1.0	85	79	80	05 3	34 3	00 0	8	8 *²	7 *	7	0.5		*² ⌓ ♦ n, ♦ * a,p
24	99.2	95.6	90.2	- 0.1	1.0	0.7	1.3	- 1.2	76	76	67	00 0	26 2	35 5	8	8	7(≡)	7 ♦°	0.6		*° ⌓ n, *° a, ≡ ♦ p
25	86.4	83.8	82.0	- 1.6	- 3.4	- 2.4	1.1	- 3.8	73	89	79	36 7	01 7	01 7	2	7 ⇟	8 +²	8 +°	0.0		♦ ⇟ n, +² a, +° p
26	74.8	66.3	**59.2**	- 3.2	- 2.1	- 0.9	- 0.4	**- 5.2**	89	93	90	34 7	31 8	33 6	0	8 ▲°	8(♦)	8 +°	0.3		△ +² n, +² ▲° ♦ a, △ +² ▲ \ p
27	63.8	64.5	69.5	0.8	1.2	2.1	2.1	- 1.9	95	91	97	33 10	33 9	01 6	4	8 ∇̇	8(∇̇)	8 ∇̇	19.2		∇̇ ♦ , ~ \ n, ∇̇ \ a, ♦ ∇̇ \ p
28	75.1	75.4	84.4	1.4	2.4	2.9	3.6	0.1	98	97	77	01 6	08 2	28 3	8	8 •	3(≡)	3	3.0		• =² n, (≡) ≡ •∇̇ △ a, (≡) ⊙° p
29	94.7	98.2	00.4	1.1	0.0	- 0.8	3.5	- 1.0	98	98	93	34 5	01 5	36 5	1	8 =²	8 ♦²	8 ♦	5.2		⌓ =² ⌓² \ n, ♦² ♦² * ⌓ a, ♦² p
30	99.5	01.7	03.2	- 0.3	- 1.2	- 1.5	0.4	- 2.1	93	88	88	01 2	36 5	35 5	6	8 ♦°	8(≡)	8 =	4.5		♦ ♦ n, =° ♦ a, ∨ ≡ = p
M	98.2	98.4	98.6	2.2	3.1	3.1	4.6	0.8	84	82	80	3.4	3.7	3.7	7.3	5.4	6.1	6.4	53		

Oktober (X)

Datum	Lufttrykk P 7	P 13	P 19	Lufttemperatur T 7	T 13	T 19	Max	Min	Relativ fuktighet U 7	U 13	U 19	Vindens retning og styrke D,F 7	D,F 13	D,F 19	Synsvidde V 13	Skydekke og vær N,w 7	N,w 13	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	05.9	08.2	10.5	- 2.5	- 2.3	- 2.2	- 1.3	- 2.8	89	88	84	35 4	01 4	36 3	9	8 *	8	8	0.0		+ ∨ ≡ n, * (♦) a
2	12.5	11.7	06.9	- 3.1	- 0.1	2.8	2.9	- 3.3	89	73	71	02 2	10 4	10 5	9	8	7	8	0.0		,° n, ⊙° a
3	93.8	91.1	90.2	6.4	7.1	6.0	**7.4**	0.8	82	89	92	09 7	11 3	10 4	7	6 •	7 ,	8 ,	8.5		• n, • ,² a, , ≡ p
4	89.5	93.3	95.5	5.5	4.7	4.6	6.8	3.8	92	93	88	11 3	16 3	13 2	3	8 ,²	8 ,	4 =°	12.3		,² =° n,a, = , p
5	92.4	93.6	98.4	5.4	4.2	3.0	6.5	2.7	90	92	96	15 3	14 5	14 3	7	8 •²	8 =°	8 =°	3.4		•² ≡ =° ⌓ n, =° •² ≡ a, , =° p
6	97.9	96.3	96.9	3.0	2.8	1.2	5.9	1.0	90	98	98	01 2	36 2	36 4	1	8 =²	8 •°	8 •	3.1		=² , n, = =² a, • =² p
7	10.7	15.0	15.6	- 1.3	- 0.9	- 0.6	2.3	- 1.7	93	85	86	33 2	29 1	14 3	9	8 =°	7	7 ♦	11.4		≡ * , • n, =° a, ♦ p
8	10.1	05.6	01.0	4.1	6.5	5.3	6.5	- 0.9	89	89	91	15 3	16 7	16 6	7	8 ,°	8(∇̇)	8 ∇̇	0.2		,° =° n, ∇̇° =° a, ∇̇ = p
9	80.0	69.7	65.2	6.0	4.9	4.8	6.5	2.4	89	89	84	16 6	12 5	14 5	8	8 ∇̇	6(∇̇)	6 ∇̇°	7.5		∇̇ (≡) n, ∇̇ a,p
10	64.2	67.3	71.2	5.0	5.8	4.7	6.2	4.1	77	77	79	14 4	10 4	00 0	9	3	4 =°	4 =°	7.0		∇̇° n, =° a, =° ⊙° ∇̇ p
11	77.0	79.9	81.1	2.2	2.1	2.0	5.8	0.8	92	98	95	01 6	01 5	01 6	5	8 ≡	5(∇̇)	8 ∇̇	0.0		(≡) =° n, ∇̇ =° (≡) a, ∇̇ (≡) p
12	78.7	79.7	84.3	1.0	1.6	0.8	2.1	0.2	98	97	94	01 5	01 6	36 7	6	8 ♦	6(≡)	6 ♦	4.7		♦ ♦ n, ⌒ ⊙ (≡) ∇̇° a, ♦ ≡ ,° ⊙ p
13	96.3	98.4	98.8	0.0	- 0.5	- 0.6	0.9	- 1.8	74	88	83	02 5	02 5	01 5	4	6 △°	7 ♦	8 ♦	0.3		= ≡ ♦ △° n, △ ♦ a, ♦ p
14	99.0	02.1	04.6	- 0.3	- 0.6	- 1.4	- 0.2	- 2.7	98	94	85	36 6	01 6	36 6	8	8 ♦	7 =°	8 +°	0.5		♦ +° n, +° △ ♦ a, + ♦ =° p
15	08.3	10.9	11.7	- 1.8	- 2.9	- 2.2	- 0.4	- 3.4	74	73	72	01 4	35 3	36 4	8	5	8 △°	8 ♦	0.1		△ + ∇̇° = n, △ ♦ p
16	13.9	15.4	15.2	- 3.3	- 3.7	- 2.4	- 1.7	- 4.8	85	65	75	01 4	35 5	36 5	9	8 ♦²	5(+)	7 +°	1.5		♦² n, ♦ a, +° p
17	**16.9**	14.4	09.1	- 3.7	- 2.9	- 2.9	- 1.4	- 4.1	69	66	68	34 4	29 4	23 4	9	5	7	8	0.4		+° △ ♦ n
18	93.1	87.9	83.8	0.0	1.4	1.9	2.1	- 3.2	87	98	87	20 6	21 7	23 5	5	8 ♦°	8 ♦°	8 ♦°	0.1		+° n, ♦° ♦ + a, ♦° p
19	78.7	77.6	72.7	- 3.6	- 3.7	- 3.8	4.7	- 4.3	79	91	91	30 4	33 2	35 4	8	8 =°	8 ,°	8 =°	5.2		♦° △ =° n, = a, ,° =° p
20	**60.4**	63.4	67.7	3.6	4.0	3.9	5.2	- 3.8	83	76	72	09 6	07 6	30 1	8	8 •	8 •°	6 =°	8.6		*° =° • n, • (≡) = a, •° = p
21	75.4	80.3	84.8	3.0	3.4	0.4	5.0	0.2	67	**61**	94	19 4	33 4	01 6	8	5	6 =°	8 ♦	13.1		=° n, ⊙° =° a, ♦ + (≡) =° ⊙° p
22	90.9	92.2	92.8	- 1.0	- 1.3	- 2.7	2.3	- 2.9	91	97	88	34 6	36 5	36 4	2	3 ♦	4(♦)	8 +°	0.2		♦ ♦ + n, + ♦ △ ▲ a, + (♦) p
23	92.0	92.0	91.7	- 5.8	- 5.3	- 6.7	- 2.5	- 6.9	63	62	67	36 4	33 3	04 3	9	7 =°	5	4	1.7		=° ♦° + n, ⊙° =° a, ⊙° p
24	88.9	87.6	85.9	- 4.9	- 2.6	- 1.0	- 0.7	- 7.7	**61**	65	65	15 2	13 3	19 4	9	0	3	7			⌓ n, ⌓ ⊙° a, ⊙° p
25	83.7	86.3	88.0	- 0.5	- 1.2	- 1.8	0.6	- 2.7	73	74	79	32 3	32 3	35 3	9	8	8	8			=° n
26	91.0	95.4	99.5	- 1.6	- 3.6	- 6.4	- 0.7	- 6.6	92	85	69	33 4	35 6	33 5	5	8 ,°	8 *°	7 +°	0.1		♦° ,° n, =° ,° ♦ a, ,° ♦° *° =° p
27	01.5	01.6	00.8	- 8.7	- 8.3	- 8.6	- 5.9	- 9.3	67	66	63	06 3	06 2	08 4	9	2	2	1	0.1		+° n, ⊙° a, ⊙ p
28	97.4	97.2	97.4	- 6.2	- 2.7	- 1.4	- 1.4	**- 9.4**	66	63	65	07 1	33 1	00 0	7	3	7(≡)	7(≡)			⌓ n, (≡) p
29	98.5	00.3	02.3	0.0	0.3	- 0.1	0.8	- 2.1	72	76	77	00 0	26 1	02 3	8	7 =°	7 =°	8 =°			(≡) = n, =° ♦° a, =° p
30	04.0	05.1	05.7	0.1	- 1.7	- 3.1	1.0	- 4.3	85	73	78	15 2	01 3	01 3	8	3 =°	2(≡)	3(≡)	0.2		*° n, =° *° ⊙° a, (≡) ⊙° p
31	07.9	10.4	11.7	- 1.9	- 2.5	- 2.0	- 1.2	- 3.9	73	74	71	35 4	35 4	34 4	9	7(≡)	8	8	0.0		(≡) ⌓ n, (≡) a
M	93.9	94.5	94.9	- 0.2	0.1	- 0.3	2.1	- 2.5	82	81	81	3.8	3.9	3.9	7.2	6.4	6.5	6.9	90		

Ekstensotabell

1954

Jan Mayen

$\varphi = 71°\ 1'N$ $\lambda = 8°\ 28'W$ $g = 9.829$ $\Delta G = +1^h$

November (XI)

$H_s = 40$ $H_b = 39.3$ $h_z = 2.0$ $h_a = 9.8$ $h_d = 10.5$ $h_r = 1.7$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.8	13.7	09.4	- 6.1	- 6.4	- 4.8	- 1.7	- 6.6	72	72	70	36 5	03 2	12 4	9	2	7	7			☁ n,a
2	98.8	97.0	95.0	0.0	1.2	0.8	2.5	- 4.9	74	87	91	17 4	10 4	00 0	8	8	8 *°	8 •°			*° a, *° • p
3	87.6	81.9	75.7	3.8	4.3	3.0	4.5	0.5	89	91	95	15 4	16 5	16 5	6	8 •	8 •	8 •°	15.3		• n,a,p
4	70.2	67.9	74.4	4.4	5.0	3.8	5.7	0.7	82	81	73	07 5	04 9	08 10	7	7 •°	8 •°	8 ϕ°	20.3		•° =° n, •° =° \ a, ϕ° =° \ p
5	87.9	92.2	96.7	- 0.2	0.0	0.0	5.4	- 0.5	94	98	91	35 6	01 7	01 6	2	8 ϕ²	7 ϕ	7 +°	24.5		\ ϕ² +° n, ϕ² + a, ϕ + p
6	01.3	99.5	96.5	- 0.9	0.0	0.0	0.5	- 1.7	88	82	79	00 0	20 5	20 5	8	6 =°	8 =°	8 =°	3.5		=° n,a,p
7	87.8	84.8	86.7	2.9	2.9	1.4	3.1	- 0.4	97	93	91	16 5	17 6	26 4	6	8 •	8 •°	6 =°	0.9		ϕ =° • n, • =² •° a, •° p
8	87.0	84.2	79.0	1.4	1.4	2.6	3.5	- 0.2	74	72	79	13 4	09 4	08 7	9	2	6	7 ϕ	2.0		ϕ° =° n, =° ϕ p
9	69.9	75.0	76.5	5.2	2.0	2.4	6.2	1.3	89	91	78	10 8	17 4	09 3	6	8 ϕ	8 ϕ°	7 =°	4.3		ϕ n, ϕ =° a,p
10	79.3	81.0	83.4	1.9	1.2	2.2	2.7	0.3	82	84	68	10 4	10 4	11 4	9	6	5	1	7.3		ϕ° n
11	79.5	80.7	83.6	4.9	4.7	3.1	5.3	1.4	84	75	75	12 5	11 8	10 7	8	7 ϕ°	6 =°	3	4.0		(≡) • ϕ n, ϕ° =° a, =° p
12	83.6	85.6	87.1	0.4	0.9	0.4	3.9	- 0.7	91	84	95	36 4	01 4	01 5	7	7	7 ϕ	7 ϕ°	0.1		ϕ° n,a, ϕ° ≡ p
13	95.7	02.3	08.8	0.8	- 0.7	- 2.5	3.5	- 2.8	74	67	66	33 5	03 2	36 6	7	6(ϕ)	4 +°	7(≡)	0.2		(≡) ϕ° n, +° (≡) =° (ϕ) a, ϕ° p
14	15.1	17.2	17.5	- 4.4	- 2.3	- 2.4	- 2.0	- 5.5	66	63	72	03 3	28 2	28 4	6	3 =°	7 ϕ°	7 ϕ°	0.1		(≡) =° n, =° a, ϕ° =° p
15	17.6	15.3	07.5	- 1.2	- 0.5	1.8	2.0	- 3.2	66	70	77	24 3	25 4	17 6	9	7	7	8 =°	0.2		ϕ° n, =° p
16	97.9	00.6	02.2	2.0	2.0	2.0	3.1	1.3	88	83	87	16 3	16 4	16 4	9	3(≡)	3	2(≡)	7.1		(≡) • n, (≡) =° a, (≡) p
17	05.5	99.4	90.5	2.3	3.6	3.5	4.4	0.4	93	88	94	16 5	15 6	15 6	8	8 ,°	6 =°	8 •°	0.2		(≡) ,° n, ,° =° a, = •° p
18	87.5	87.6	90.3	0.4	1.6	1.7	3.9	- 0.2	91	83	81	19 6	20 7	19 6	8	7 ϕ°	3 =°	3 =°	2.4		=° •° ϕ° n, =° ϕ° ϕ° a, =° ϕ° p
19	97.7	05.8	05.6	0.5	1.2	3.5	3.7	- 0.2	76	73	85	21 5	17 3	12 6	8	7 ϕ°	6(≡)	8(≡)	0.2		=° ϕ° n,a, (≡) =° ϕ° p
20	99.9	93.2	96.8	4.2	5.4	3.0	5.5	2.8	82	90	89	16 7	13 8	16 5	7	7(≡)	8 •°	8 =°	0.0		•° (≡) n, (≡) a, •° (≡) p
21	01.4	00.9	96.3	3.5	2.7	5.8	6.3	0.8	93	91	90	16 5	11 4	14 5	9	8 =°	7	8 •	2.2		•° =° n, =° a, =° (≡) • • p
22	97.1	02.0	03.0	2.2	3.2	4.9	6.5	1.2	86	78	93	14 6	17 5	15 4	9	7 =°	7	8 •°	9.5		ϕ ,° n, =° a, ,° •° p
23	06.7	08.4	08.7	4.8	4.8	5.4	5.6	4.3	89	82	83	16 4	12 4	11 4	9	7 ϕ°	3	7 =°	5.0		,° • n, ϕ° a
24	07.5	08.3	07.9	5.0	5.5	6.2	6.2	4.3	91	90	81	15 6	12 4	12 4	8	7 ϕ	7 =°	8 ϕ°	1.3		=° ϕ n, ϕ a, ϕ° =° p
25	05.4	03.5	01.8	4.2	3.6	3.1	6.4	2.9	81	82	86	12 5	12 6	11 4	6	7 ,°	8 ϕ	8 ϕ°	1.6		,° =° n, =° ,° a, ϕ° p
26	95.2	94.5	93.8	3.6	3.9	4.8	5.0	2.5	84	85	88	11 6	11 5	10 5	9	8 ϕ°	3(ϕ)	8 ϕ	1.5		=° ☁ ϕ° n, ϕ n,p
27	93.2	92.7	91.5	4.0	4.2	4.8	5.4	2.3	80	81	79	09 5	10 6	10 4	8	8 =°	6 =°	3	16.7		•° ϕ n, =° a,p, ☁ 19
28	91.8	90.1	89.3	2.3	3.4	1.8	6.2	1.3	93	85	93	30 1	35 4	25 2	7	5	7(≡)	8 =	0.0		☁ ,° n, (≡) = p
29	85.2	84.2	86.2	4.5	3.5	4.8	5.6	1.7	86	87	93	11 3	00 0	17 3	8	8 •°	7 =°	8 •°	2.1		= ,° n, ,° = a, •° =° p
30	91.0	93.2	94.8	5.9	5.9	4.5	6.5	2.2	86	87	86	13 4	11 4	08 3	5	5	8 •°	3 =°	2.4		' = n, ,° •° a, •° ϕ° =° p, ☁ 19
M	94.6	94.8	94.6	2.1	2.3	2.4	4.2	0.2	84	82	84	4.5	4.7	4.7	7.5	6.5	6.4	6.5	135		

Desember (XII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	94.5	91.2	84.6	4.4	4.4	6.6	6.9	3.2	83	85	87	10 7	08 7	08 7	6	4 =°	8 •	8 ϕ	0.8		☁ ,° =° n, =° a, •° = p
2	78.0	77.7	73.6	5.4	5.1	5.4	7.2	4.3	90	91	83	10 7	17 5	10 5	7	8 ϕ°	8 ϕ°	8 ϕ	2.1		ϕ° =° n, =° ϕ a,p
3	65.0	66.9	69.7	6.1	4.5	1.0	6.6	0.9	87	90	98	09 5	00 0	01 4	8	4(ϕ)	6 =°	8 ≡	6.2		ϕ° =° n, =° ϕ a, =° ≡ p
4	77.1	82.4	87.8	1.0	1.9	0.1	2.5	- 0.2	98	97	91	03 1	17 2	02 5	8	8 ,°	7 =°	8 ,°	0.2		(≡) ,° n, ≡ ,° a, =° , p
5	97.0	01.5	05.1	- 2.5	- 5.9	- 7.5	0.5	- 7.8	91	95	90	03 6	03 7	02 6	0	8 *°	8 +²	8 +	0.6		*° +° n, *° + a, +² *° p
6	07.9	09.0	09.3	- 8.8	- 9.6	- 9.6	- 7.0	-10.6	81	82	71	01 6	04 6	02 5	2	8 *°	4 +	5 +°	0.5		+ *° n,a, + p
7	05.5	02.5	00.5	-10.1	- 8.9	- 9.6	- 7.6	-11.2	73	81	84	02 5	03 4	03 6	9	1	4(ϕ)	8 +²	0.8		+ ϕ° (≡) n, ϕ° a, +² ϕ° p
8	88.3	83.8	83.7	- 5.3	- 2.6	- 2.7	- 2.0	-10.2	86	90	82	32 8	30 4	28 3	7	8 ϕ°	7(ϕ)	7	1.3		+ ϕ° n, ϕ° +° a, (ϕ) p
9	81.1	79.7	77.0	- 1.6	- 0.4	1.8	3.0	- 5.2	92	97	72	36 4	26 2	26 4	8	8 ☆°	4(≡)	3	0.0		☆ = ≡ (≡) a, (≡) p
10	77.2	77.5	76.4	- 0.4	- 0.6	- 0.8	2.5	- 2.7	93	92	95	00 0	12 3	27 1	7	7 =°	6 =°	8 *°	0.1		(≡) n, ☆° =° a, =° *° p
11	80.2	85.2	88.8	- 2.6	- 3.7	- 3.2	- 0.8	- 4.4	89	86	72	29 5	31 4	31 2	7	8 *°	8 *°	7	0.3		=° *° n, ☆° *° a, *° ☆° p
12	92.9	94.4	92.7	- 1.5	- 0.8	0.6	1.0	- 3.5	59	61	66	15 5	11 5	11 6	9	8	7	3	0.2		☁° n,19
13	89.3	89.7	88.0	3.6	3.6	3.7	4.2	- 0.9	90	80	80	17 6	15 5	12 6	9	8 •	7	5	3.2		,° •° n, • a
14	84.8	85.3	84.4	4.0	0.6	1.4	4.2	- 1.2	90	97	89	16 4	18 4	16 4	8	8 •°	8 =°	3	1.9		•° ≡ a, ≡ =° •° p
15	84.1	84.9	86.3	2.8	3.8	4.0	4.4	1.3	80	80	79	12 2	10 4	17 3	8	7	8 =°	8 ,°	1.0		=° •° *° n, =° a, , = p
16	95.8	95.6	86.5	0.2	0.8	2.2	4.3	- 0.7	84	77	79	25 2	15 4	10 6	9	2	8	8 •°	4.3		=° ,° * n, •° p
17	70.9	68.8	66.6	3.9	3.8	2.9	5.5	1.4	89	88	93	13 4	02 1	11 2	8	8 ,°	7 =°	8 ≡°	1.4		•° ☁ = n, ,° •° a, = p
18	61.1	59.8	60.5	- 1.8	- 2.8	- 2.5	3.2	- 3.2	81	74	68	24 4	23 4	00 0	9	4	7	8	3.1		≡ =° ϕ° n, ϕ° a
19	68.1	69.9	71.2	- 1.2	- 1.2	- 2.4	- 0.6	- 3.6	89	95	97	32 4	01 4	02 6	6	8 ϕ°	5 ϕ°	8 ϕ°	0.2		=° ϕ° n, +° ϕ° a,p
20	76.7	83.2	86.5	- 3.0	- 3.1	- 3.6	- 0.9	- 4.1	95	97	97	01 6	01 7	36 6	2	8 +²	8 ϕ°	8 +	2.2		ϕ° ~² , + n, +² ϕ a, + ϕ p
21	81.8	79.6	83.3	- 4.2	- 3.6	- 5.4	- 3.0	- 5.5	82	96	97	36 5	36 6	36 6	3	8 ϕ	8 +°	8 +	1.0		ϕ +° n,a, + p
22	83.8	81.1	80.0	- 5.9	- 6.4	- 7.4	- 5.0	- 7.9	77	90	87	36 5	36 6	36 6	2	5 =°	8 +	8 ϕ	0.5		ϕ° ☁ n, ϕ° =° a, ϕ° + p
23	82.9	88.3	92.7	- 4.3	- 0.7	- 1.5	- 0.5	- 7.7	87	94	97	36 4	03 5	03 7	6	8 ϕ°	8 ,°	8 *°	0.5		ϕ° +° n, =° ϕ° a, *° ,° +° p
24	01.8	03.1	04.1	- 4.8	- 5.4	- 5.7	- 1.0	- 6.2	90	79	76	36 6	36 4	36 4	6	8	8 ϕ	4	1.6		☆° +° ,° n, ϕ° a,p
25	03.6	03.0	01.8	- 6.0	- 6.8	- 6.6	- 5.0	- 8.2	79	69	69	36 4	08 3	10 3	9	8 *²	1	2	1.2		ϕ *² n, =° *° a,p
26	99.5	98.0	97.0	- 5.6	- 5.8	- 7.2	- 5.0	- 8.3	63	57	62	14 3	11 4	09 4	9	3	2	4	0.0		☁ p
27	96.1	95.6	94.9	- 4.4	- 3.6	- 3.0	- 2.2	- 7.7	63	63	72	08 3	08 3	08 2	8	7	6 ϕ°	8 ϕ°	0.0		☁ ϕ° n, ϕ° a,p
28	96.1	99.7	02.7	- 2.0	- 3.4	- 2.6	- 1.4	- 3.7	90	97	97	07 2	03 2	08 3	8	3	3(≡)	8 ≡°	0.0		☁ n, (≡) ≡° p
29	04.4	05.2	06.8	- 0.2	0.0	- 1.6	1.1	- 4.8	84	79	79	13 4	16 4	15 3	7	2	7(ϕ)	0			≡° (≡) n, ϕ =° ≡° a, ϕ° =° p
30	05.1	98.5	90.0	- 2.0	1.4	3.3	4.0	- 4.8	73	69	89	00 0	08 4	14 6	9	2	8	6 =°	2.2		☁ n, \ • p
31	97.0	98.9	07.5	0.3	- 1.9	- 3.2	3.4	- 3.4	85	93	92	26 5	01 6	33 4	3	8 ϕ°	8 ☆°	8 ☆°	2.6		=° n, ϕ° ≡° =² ∨ a, ☆° ≡° =° p
M	88.0	88.4	88.4	- 1.5	- 1.5	- 1.7	0.7	- 4.1	84	85	84	4.3	4.2	4.4	6.7	6.3	6.5	6.5	40		

Ekstensotabell

1954

Myggbukta

$\varphi = 73° 29'$ N $\lambda = 21° 34'$ W $g = 9.828$ $\Delta G = +1^h$

Januar (I)

$H_s = 3$ $H_b = 4.2$ $h_t = 1.8$ $h_s = 6.5$ $h_d = 6.9$ $h_r = 1.9$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	02.4	07.1	10.5	-17.2	-17.3	-15.8	-13.1	-19.9	79	69	63	35 6	36 5	36 6	9	3	0	0		53	
2	23.0	34.4	**37.9**	-12.8	-11.8	-21.2	-11.7	-21.6	58	54	68	35 6	35 5	33 2	9	0	0	1		53	
3	21.2	08.4	99.2	-12.1	-11.4	- 4.9	- 4.9	-23.1	61	65	54	15 3	01 7	36 7	9	8	7	2		53	
4	96.9	95.2	**85.3**	- 4.6	- 9.2	- 8.0	- **3.0**	-12.3	53	51	76	36 6	36 6	08 9	9	1	1	8 +°		53	⌒° n, +° \ p
5	90.3	97.5	08.3	-12.3	-10.8	-12.4	- 6.9	-12.6	94	79	69	04 7	35 6	35 4	8	8 *°	8	8	6.2	60	*° +° \ n, *° a
6	17.3	15.6	09.3	-18.9	-23.3	-16.2	-12.3	-25.9	62	63	50	02 4	28 2	36 5	9	0	1	1	0.8	60	⌒ n
7	06.7	11.3	17.1	-22.0	-28.0	-27.9	-15.1	-28.9	77	80	82	15 2	00 0	02 1	9	7	2	1		60	
8	20.9	24.6	26.9	-29.8	-31.5	-33.0	-23.6	-36.1	80	72	75	36 1	28 1	34 2	9	1	1	1		60	⌒ n, ⌒° p
9	31.2	31.5	28.0	-30.0	-28.0	-25.8	-25.7	-**38.6**	76	72	83	32 1	24 2	00 0	9	8	8	8 *°		60	*° p
10	18.2	17.5	18.1	-27.6	-26.2	-28.2	-24.9	-29.1	82	82	83	36 1	02 1	29 1	8	5	7	2	0.4	60	⌒ n, *° a, ⌒ 19
11	17.4	14.7	11.5	-29.2	-25.5	-24.7	-24.0	-31.9	80	77	72	03 1	29 2	36 3	8	6	8	7	0.0	60	*° p
12	05.8	04.9	02.3	-22.6	-26.8	-26.8	-22.6	-29.7	66	70	75	01 4	28 1	34 2	9	7	2	4	0.0	60	
13	03.2	05.6	06.6	-25.3	-25.0	-20.7	-20.3	-29.5	77	73	77	35 1	17 1	04 1	9	5	8	8 *°		60	(*) p
14	08.1	08.6	07.2	-24.4	-25.4	-30.2	-20.7	-31.5	86	84	84	29 2	27 2	30 1	9	7	5	1	0.6	60	* n
15	03.3	01.4	99.3	-31.6	-35.1	-34.7	-28.0	-36.5	84	83	83	17 1	15 1	34 1	9	4	0	0		60	
16	02.4	06.2	09.4	-36.4	-33.7	-35.8	-31.1	-37.8	83	83	83	08 1	15 1	15 1	9	1	0	0		60	
17	15.1	17.7	19.3	-26.3	-25.6	-31.6	-25.5	-36.4	86	86	86	00 0	00 0	01 1	9	4	6	1		60	⌒° n
18	21.7	22.5	21.7	-30.2	-33.2	-29.4	-20.8	-34.8	86	84	84	00 0	34 2	06 1	9	1	2	0		60	⌒° n
19	22.1	21.0	16.7	-14.1	-20.2	- 9.1	- 9.0	-31.5	84	65	**48**	34 1	34 2	02 6	9	6	0	0		60	
20	17.5	21.2	18.6	-17.5	-19.7	-24.3	- 6.3	-24.8	66	72	80	03 2	00 0	32 3	9	0	0	1		60	⌒° n, ⌒° 19
21	10.4	13.0	14.7	-24.1	-20.2	-28.0	-12.7	-28.3	82	75	89	09 2	09 1	09 3	9	7	2	1		60	
22	14.4	11.5	05.0	-27.8	-21.8	-16.6	-16.6	-28.9	89	91	93	00 0	30 4	09 4	7	0	8(*)	8 *		60	* p
23	03.0	04.6	06.6	-19.3	-18.5	-18.9	-15.5	-21.5	94	93	93	00 0	00 0	36 1	8	8	8(*)	8	9.6	70	* n
24	07.8	08.6	03.8	-19.6	-19.1	-17.0	-17.0	-21.0	94	94	87	01 2	02 1	08 3	8	8	8	8	0.1	70	*° n, (*) p
25	96.9	92.3	89.0	- 8.6	-11.4	- 6.0	- 6.0	-17.1	97	97	97	36 5	35 1	36 6	3	8 *²	8 *²	8 *	5.3	65	+ * n, *² a, * + p
26	00.5	08.1	09.2	-14.0	-16.6	-12.5	- 3.3	-23.3	97	93	96	35 3	35 1	36 6	9	2	3	3	24.3	85	* + n
27	09.8	15.0	19.2	- 9.0	- 9.4	-10.7	- 7.1	-14.6	94	91	89	35 5	36 5	35 6	9	5	0	1		82	
28	26.4	29.8	31.3	- 9.6	-20.7	-22.8	- 8.6	-23.4	96	86	86	01 5	12 1	30 2	9	3	6	1		70	
29	32.1	31.8	30.9	-26.7	-25.6	-27.3	-20.5	-28.3	87	87	86	10 1	25 3	28 1	9	1	1	0		70	⌒ n
30	27.9	28.8	29.0	-27.2	-25.0	-23.8	-20.7	-29.8	87	89	89	10 1	27 2	11 1	9	0	1	0		70	⌒ n
31	20.6	12.2	04.0	-17.0	-10.6	- 9.8	- 9.6	-28.0	91	97	93	00 0	09 2	01 4	5	8	8 *°	7		70	⌒ n, *° a
M	12.7	13.6	12.8	-20.9	-21.5	-21.1	-15.7	-27.0	82	79	80	2.4	2.2	3.0	8.5	4.3	3.8	3.2	47	63	

Februar (II)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	92.2	93.9	99.3	- 7.6	- 7.3	- 9.4	- 5.6	-10.9	91	93	93	34 3	34 3	27 2	7	8	8 *°	8 *°	3.1	72	* n, *° a, * p
2	09.2	11.8	11.9	-15.2	-19.3	-18.2	- 9.2	-20.1	89	87	91	20 3	34 2	00 0	9	8 *°	7	8 ≡	3.1	75	*° n, * a, ≡ p
3	09.7	13.1	14.0	-18.0	-25.5	-29.0	-17.7	-32.2	62	77	77	36 5	23 1	36 2	9	0	1	8	0.5	75	≡ ⌒ n
4	04.5	99.4	00.8	-16.9	-14.6	-13.6	-11.6	-29.0	87	90	82	36 4	36 7	36 5	2	8 *°	8 +	8	1.2	76	*° n, + a,p
5	09.0	15.5	18.9	-13.4	-18.9	-25.5	-12.5	-26.5	72	66	79	36 5	36 3	34 3	9	8	6	1		76	
6	20.3	19.7	19.1	-25.8	-35.0	-38.7	-21.3	-39.0	80	82	79	36 3	07 1	16 1	9	0	0	0		76	⌒ n
7	11.7	07.2	02.5	-37.6	-35.1	-33.0	-31.9	-40.2	79	80	82	36 1	08 1	29 1	9	0	0	0		76	⊙° 13
8	01.8	05.2	05.6	-30.4	-31.2	-30.9	-26.5	-39.6	84	83	83	36 1	16 1	11 1	9	1	3	3		76	⊙° 13
9	05.7	06.0	06.9	-35.0	-34.8	-37.8	-29.1	-38.9	82	82	80	36 2	18 1	26 1	9	0	0	1		76	⌒ n, ⊙° 13
10	07.7	07.7	08.3	-38.0	-38.3	-38.6	-36.6	-39.5	82	80	80	27 1	00 0	20 1	9	0	0	0		76	⌒ n, ⊙° 13, ⊙° p
11	08.0	07.9	08.1	-39.0	-36.8	-37.0	-35.6	-**40.6**	80	80	80	16 1	30 1	16 1	9	0	0	3		76	⌒ n, ⊙° 13, ⊙° p
12	08.2	08.3	08.3	-32.0	-31.8	-27.8	-27.7	-38.4	83	82	84	16 1	11 1	10 1	9	7	6	4		76	
13	10.4	10.7	10.3	-26.4	-28.4	-21.4	-20.7	-28.4	86	84	89	17 1	34 1	09 1	9	0	1	0		76	⊙° p
14	10.1	10.4	10.3	-22.4	-23.3	- 8.6	- 8.5	-25.6	89	87	98	00 0	09 1	10 3	3	0	0 ≡°	8 ≡²		76	⊙° a, ≡° p
15	04.9	02.7	98.0	- 1.9	- 0.6	- 0.8	- 0.3	-13.4	99	99	97	10 4	09 5	09 7	5	8 *	8 *°	8 +	0.7	77	≡° *° n, *° a, + * p
16	88.3	95.9	81.7	- 4.2	- 5.1	- 0.6	- 0.5	- 6.4	98	75	98	04 5	04 3	04 8	9	4	8	8 +²	13.4	80	+ * n, * + p
17	82.1	85.7	86.3	- 0.8	- 1.4	- 3.5	0.7	- 4.2	87	76	86	09 5	09 4	03 4	3	8	8 *	8	18.3	85	+ ‡ n, * a, *° p
18	99.0	03.3	05.0	- 6.0	-12.8	-18.5	- 2.7	-19.9	83	80	75	10 1	22 2	00 0	3	8	7 ≡	4 ≡°	4.0	85	* n, ≡ a, ≡° p
19	03.5	03.8	04.3	- 7.5	- 2.8	- 3.3	- 2.1	-19.4	83	91	90	32 4	34 3	34 3	3	8 *°	8 ,	8 *°	1.6	86	*° n, ≡ , a, * ≡° p
20	03.3	03.3	00.8	- 1.3	- 2.2	- 2.0	- 0.1	- 3.4	94	94	97	09 6	04 7	04 8	6	8 +	7 +	8 *°	1.3	90	+ *° n, + a, +² *° p
21	95.8	90.5	86.7	- 1.2	0.7	0.6	0.7	- 2.5	93	93	94	04 7	06 8	09 6	2	8 +²	8 ‡°	8(*)	5.6	90	+ *° n, *° ≡ +° a, ‡ ≡ p
22	**75.0**	82.0	82.8	- 0.7	- 4.9	- 4.2	0.6	- 6.0	96	89	90	14 4	10 4	34 1	8	8 *°	8	8 *°	17.8	95	*° ≡ n, *° p
23	81.2	83.0	85.0	- 3.8	- 4.4	- 9.4	- 2.6	- 9.6	91	87	80	35 6	36 5	35 5	9	8 *°	6	4	9.0	95	* +° n, * a, ⊙° 13, ⊙° p
24	84.0	86.5	93.6	-14.0	-11.8	-19.9	- 8.9	-21.9	70	62	72	36 6	35 6	09 1	9	2	1	0	0.6	95	⌒ n, ⊙° p, ⊙° 19
25	08.9	17.3	20.2	-27.2	-30.0	-30.9	-19.4	-33.2	76	76	75	32 1	19 1	35 2	9	0	0	1		95	⌒ n, ⊙° a, ⊙° 13, ⊙ p, ⊙° 19
26	26.0	29.5	29.9	-16.0	-15.9	-16.2	-14.3	-35.8	61	59	58	36 5	34 5	35 6	9	0	2	0		95	⌒ n, ⌒ 7, ⊙ 13, ⊙ p, ⊙° 19
27	**38.0**	35.6	31.9	-22.0	-23.0	-29.0	-16.2	-29.9	58	**55**	61	36 5	35 5	36 1	9	3	0	1		95	⊙° a, ⊙° 13, ⊙ p, ⊙ 19
28	15.0	12.9	13.5	-35.2	-35.0	-29.5	-25.9	-38.8	72	72	69	35 2	09 2	08 3	9	1	0	1		95	⌒ n, ⌒ 7, ⊙ a, ⊙ 13, ⊙ p
M	04.1	05.3	05.1	-17.8	-18.9	-19.2	-13.8	-24.8	82	81	83	3.3	3.0	2.8	7.3	4.1	4.0	4.2	90	83	

Ekstensotabell

1954

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 $\Delta G = +1^h$ Mars (III) $H_s = 3$ $H_b = 4.2$ $h_t = 1.8$ $h_a = 6.5$ $h_d = 6.9$ $h_r = 1.9$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	15.1	13.1	11.9	-28.2	-10.6	-10.2	- 7.9	-31.2	69	63	61	35 1	35 6	01 5	9	2	2	1		95	≈° 7, ⊙ a,p
2	13.3	17.5	19.0	- 9.9	-12.1	-12.2	- 9.1	-14.8	62	62	61	01 6	01 4	36 5	9	8 +	6	1		95	+ n, ⊙ p
3	24.3	26.7	26.5	-24.9	-24.5	-29.2	-12.2	-29.3	73	73	72	00 0	34 2	17 1	9	0	7	7		95	⊙° a,p
4	22.1	21.9	21.4	-29.8	-24.6	-28.4	-22.2	-34.1	76	77	76	00 0	18 1	28 1	4	8	8 ≏°	8 =°		95	≏° = a, =° p
5	19.7	21.0	22.0	-29.2	-26.1	-28.6	-25.3	-32.5	77	77	75	00 0	00 0	00 0	8	7	8	7	0.1	95	
6	21.6	22.9	22.5	-33.9	-30.7	-25.8	-23.9	-36.8	69	69	65	18 2	36 1	36 4	9	0	0	1		95	≈° n, ⊙ a,p
7	21.6	20.8	19.0	-36.6	-33.8	-33.8	-25.7	-38.8	73	70	70	24 2	35 1	21 1	9	2	0	1		95	≈° n, ⊙° a, ⊙ p
8	11.5	08.6	09.9	-25.0	-14.7	-25.4	-13.3	-36.7	68	54	66	29 4	36 6	00 0	9	2	1	5		95	☽ a,p
9	12.6	14.7	14.7	-20.1	-20.8	-21.0	-11.9	-29.3	66	70	72	36 3	02 3	34 3	9	1	1	1		95	⊙ a,p
10	20.2	22.4	21.8	-26.5	-30.8	-27.9	-20.8	-37.3	79	77	75	36 3	23 2	34 1	9	0	0	7		95	⊙ a,p
11	27.2	26.0	24.6	-38.3	-36.6	-35.4	-27.5	-40.5	76	76	75	00 0	00 0	09 3	9	0	0	0		95	≈ n, ⊙ a,p
12	24.4	29.0	27.5	-35.6	-28.4	-28.0	-24.8	-40.5	73	79	75	33 2	12 1	09 1	9	0	6	7		95	⊙ a,p
13	22.8	23.4	22.2	-29.6	-21.4	-20.1	-19.6	-34.7	73	75	80	08 1	00 0	09 3	6	6	8 *°	8 *		95	(*) a, * p
14	15.0	15.6	19.2	-24.8	-30.0	-27.6	-18.8	-31.4	82	77	75	01 3	25 2	00 0	9	7	1	2	0.9	95	* n, ⊙ a,p
15	23.2	25.9	27.1	-29.2	-30.4	-25.5	-24.5	-32.7	73	73	76	36 3	32 2	00 0	9	1	6	8		95	
16	29.3	27.6	22.8	-28.5	-27.0	-26.1	-23.2	-31.6	76	75	75	34 1	05 2	00 0	9	7	7	7		95	
17	20.8	20.6	16.0	-28.2	-26.4	-24.5	-20.7	-31.0	79	76	76	05 2	23 3	09 3	9	6	7	6		95	⊙ p
18	08.5	07.2	06.1	-28.0	-21.5	-19.2	-18.0	-29.2	80	77	75	05 1	36 2	27 1	8	0	8	1		95	= a, ⊙ p
19	03.9	03.5	03.2	-25.1	-23.8	-24.8	-19.1	-29.7	82	82	77	03 1	28 1	23 2	8	1	6	6		95	= a
20	01.2	01.7	04.2	-22.5	-20.6	-20.9	-19.8	-25.3	82	80	76	08 2	10 2	20 3	6	8 *°	8 *°	8	0.6	95	*° n,a,p
21	12.4	14.1	13.7	-34.4	-33.0	-34.8	-20.8	-38.7	80	77	75	30 2	17 1	00 0	9	1	0	0	0.4	95	⊙ a,p
22	13.8	15.1	16.0	-33.8	-25.1	-26.2	-22.2	-42.2	77	62	62	30 3	25 4	31 2	9	1	1	4		95	⊙ a,p
23	17.6	16.8	14.7	-34.1	-31.8	-28.8	-24.7	-34.0	66	63	65	33 2	11 3	00 0	9	0	0	4		95	⊙ a,p
24	06.5	01.5	98.8	-33.0	-27.8	-26.7	-24.7	-35.7	76	65	68	04 2	27 2	08 1	9	7	6	2		95	⊙ a,p
25	05.8	09.4	12.6	-34.4	-26.0	-24.7	-22.0	-35.5	76	69	68	34 2	00 0	28 2	9	1	7	1		95	⊙ a,p
26	16.7	19.5	19.8	-39.0	-28.8	-27.4	-24.1	-39.1	75	68	68	10 2	33 1	17 1	9	0	6	0		95	⊙ a,p
27	21.2	21.5	19.7	-33.8	-30.2	-30.3	-27.2	-40.9	76	72	72	27 2	09 1	08 1	9	0	1	1		95	⊙ a,p
28	13.2	12.4	08.8	-29.4	-24.7	-21.0	-20.9	-34.7	77	77	80	14 2	08 2	09 2	6	8	8 *°	8 *°		95	*° p
29	99.9	04.5	07.1	-16.2	-18.8	-17.2	-15.0	-21.4	86	83	82	10 3	09 2	32 2	9	8 *°	5	6	4.8	100	*° n, ⊙° a,p
30	14.5	17.0	17.5	-17.4	-16.2	-15.0	-14.2	-23.1	79	75	77	36 4	36 3	32 3	9	8	8	8		100	
31	18.5	17.4	14.1	-16.5	-14.9	-18.4	-13.8	-18.4	80	79	76	09 3	00 0	09 3	9	8	7	1	0.0	100	*° n,a, ⊙ p
M	16.1	16.8	16.3	-27.4	-24.9	-24.7	-19.9	-32.6	75	73	72	2.1	1.9	1.7	8.5	3.5	4.5	4.1	7	96	

April (IV)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	10.1	10.2	08.7	-28.2	-19.0	-16.9	-15.6	-29.8	82	79	79	32 1	06 1	09 3	8	1	8	7	0.6	100	
2	08.2	07.9	07.3	-17.9	-15.6	-13.6	-13.6	-18.2	83	76	76	00 0	29 1	00 0	9	8(*)	8	7	0.2	100	*° n,a
3	09.1	10.7	10.9	-28.0	-22.1	-20.1	-13.6	-29.0	82	73	73	09 1	34 1	00 0	9	1(≡)	0	1	0.0	100	⊙° a, ⊙ p
4	12.5	15.1	16.6	-18.7	-12.9	-11.5	- 8.7	-31.3	82	75	68	29 1	33 1	09 1	9	7	8	7		100	⊙ p
5	14.1	12.4	11.0	-23.8	- 5.0	- 8.9	- 3.5	-25.6	84	62	68	00 0	36 6	26 1	9	1	1	4		100	⊙ p
6	05.9	05.2	05.6	-19.4	-13.2	-12.1	- 8.9	-20.9	87	83	79	00 0	14 1	08 1	9	4	5	8		100	⊙° p
7	01.4	03.8	06.0	- 2.7	- 3.3	- 4.2	- 2.4	-12.1	91	89	96	03 7	09 2	15 1	8	8 +	8	8	1.8	102	*° n,a, = p
8	08.9	11.8	13.2	-11.4	- 3.8	- 6.2	- 3.8	-13.6	94	56	65	23 2	36 6	36 6	9	0(≡)	1	1 +°	2.1	100	≡ n, ⊙ a, ⊙ +° p
9	11.7	09.6	01.2	- 9.1	- 3.1	- 6.3	- 3.1	- 9.9	62	43	73	36 6	30 2	34 7	9	5	8	8 +		100	+ p
10	91.2	95.5	97.2	- 5.9	- 6.0	- 6.0	- 3.9	- 7.4	82	89	84	36 4	10 1	00 0	4	8(*)	8 *	8 *°	14.0	110	+ * n, *° a, *° ≡ p
11	95.5	94.7	95.5	-10.9	- 8.9	-11.5	- 6.0	-12.5	86	72	73	00 0	36 5	09 1	9	6 =	1	1	1.7	110	= * n, ⊙ a,p
12	00.8	03.0	05.6	-18.4	-12.2	-14.6	-10.2	-20.5	87	70	75	27 1	36 1	00 0	9	6 =°	1	0	0.1	110	≡ ∨ n, ⊙ a,p
13	09.1	09.8	09.3	-16.8	-14.2	-15.9	-13.9	-24.9	66	56	65	02 5	09 1	00 0	9	1	1	1		105	⊙ a,p
14	09.3	12.1	16.2	-29.3	-19.6	-17.9	-15.5	-30.6	75	63	66	20 1	00 0	03 1	9	0	0	0		105	☾ a,p
15	25.0	26.9	25.4	-26.7	-18.6	-16.5	-15.8	-31.0	75	62	72	28 1	20 1	00 0	9	7	1	4		105	⊙ a, ⊙° p
16	17.2	17.8	20.6	-22.2	-19.1	-14.5	-12.7	-26.7	80	72	69	27 3	28 2	00 0	9	1	0	1		105	⊙ a,p
17	23.8	23.9	23.7	-23.0	-16.6	-13.6	-13.2	-24.3	82	75	62	36 1	32 4	26 1	9	7	8	8		105	
18	29.6	33.0	33.0	-18.5	-13.8	-13.2	-11.3	-20.5	72	61	63	10 1	00 0	00 0	9	8	1	0		105	⊙ a,p
19	33.1	32.5	34.6	-26.7	-18.2	-13.9	-12.7	-28.5	80	75	65	00 0	14 1	00 0	9	0	0	1		105	☾ a,p
20	30.5	26.7	20.9	-28.1	-21.5	-14.9	-13.8	-30.5	80	76	69	00 0	14 1	00 0	9	0	1	2		105	⊙ a,p
21	22.0	21.6	20.4	-15.5	-13.8	-11.6	-11.5	-23.5	70	82	75	16 3	09 3	36 1	5	8	8 *°	7 =°		105	*° =° a,p
22	22.8	24.1	23.1	-11.6	-13.1	-10.9	- 5.9	-21.6	80	75	75	36 4	09 3	00 0	9	1 =°	1	1	3.1	105	=° n, ⊙ a,p
23	23.6	25.8	26.5	-15.0	- 9.8	- 7.4	- 6.5	-22.6	80	61	66	36 1	00 0	00 0	9	1	0	0		105	☾ a,p
24	24.1	26.0	26.4	-21.8	-13.4	-10.4	- 7.4	-24.1	89	73	75	33 1	26 3	16 1	9	6	7	7		105	⊙ a, ⊙° p
25	29.6	30.8	28.1	-23.2	-14.7	- 9.8	- 7.1	-23.9	89	63	65	00 0	00 0	00 0	9	0	5	0		105	⊙ a,p
26	20.4	24.0	25.2	-22.6	-11.4	- 7.8	- 6.5	-24.9	91	70	63	00 0	00 0	29 1	9	3	0	4		105	⊙ a,p
27	23.3	23.0	26.7	-23.1	-11.7	- 7.7	- 7.1	-23.7	84	73	66	00 0	00 0	16 1	9	0	2	1		105	⊙ a,p
28	30.3	33.9	35.7	-21.4	-11.8	-11.8	- 7.0	-23.4	86	70	72	16 1	00 0	15 1	9	1	7	6		105	⊙ a,p
29	37.5	37.3	37.6	-18.8	-14.4	-10.8	- 8.9	-23.3	84	72	75	34 3	00 0	00 0	9	2	1	2		105	⊙ a,p
30	41.6	42.0	40.5	-23.8	-11.5	- 9.6	- 7.9	-25.5	84	72	76	00 0	00 0	09 1	9	0	2	0		105	☾ a,p
M	17.4	18.4	18.5	-19.4	-13.1	-11.7	- 9.3	-22.8	82	71	72	1.6	1.6	1.0	8.6	3.4	3.4	3.5	24	104	

1954

Myggbukta

φ = 73° 29′ N λ = 21° 34′ W g = 9.828 ΔG = + 1ʰ

Mai (V)

$H_s = 3$ $H_b = 4.2$ $h_I = 1.8$ $h_a = 6.5$ $h_d = 6.9$ $h_r = 1.9$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	32.8	31.7	32.2	-21.8	-15.0	- 9.6	- 9.6	-22.9	87	90	77	11 1	00 0	00 0	9	8	7	8(*)		105	*° a
2	34.0	34.6	34.5	-14.9	- 9.2	- 6.6	- 6.6	-16.8	96	80	83	27 1	18 1	00 0	9	8	2	8 ≏°	0.1	105	⊙ a, ≏° *° p
3	**35.1**	35.0	33.4	-12.0	- 9.3	- 8.4	- 6.5	-12.9	91	79	82	01 5	12 1	00 0	9	0	0	0	0.2	105	⊙ ≏ n, ⊙ a,p
4	32.0	31.5	28.1	-22.0	-12.8	-12.1	- 8.4	-23.2	91	96	96	00 0	11 2	15 2	4	3(≡)	7 ≏°	8 ≏°		105	(≡) ⊙ n, (≡) ≡ a, ≏° (≡) p
5	25.7	28.3	31.0	-12.0	- 7.9	- 9.0	- 6.1	-12.5	97	79	82	34 1	30 1	30 2	6	8 *°	8 *°	7	0.6	105	*° (≡) n, *° a,p
6	32.7	32.7	32.1	-13.0	- 9.6	- 8.4	- 6.5	-15.1	91	79	75	00 0	00 0	33 1	9	7	6	6	0.3	105	⊙ a,p
7	30.9	32.0	32.5	-17.4	- 8.9	- 4.4	- 3.5	-18.6	90	79	61	25 4	10 2	00 0	9	7	3	3		105	⊙ n,a,p
8	33.6	33.7	33.5	-16.4	- 7.9	- 6.0	- 3.3	-20.9	86	63	77	19 1	25 2	28 1	9	3	2	0		105	⊙ n,a,p
9	33.5	33.6	33.0	-21.1	- 9.4	- 5.4	- 5.4	-22.3	84	70	66	00 0	00 0	00 0	9	0	0	0		100	⊙ n,a,p
10	31.7	32.0	31.1	-19.8	-12.4	- 9.6	- 5.4	**-23.5**	93	89	83	00 0	00 0	00 0	6	1(≡)	1(≡)	2		100	(≡) ⊙ n,a, ⊙ p
11	27.1	25.6	24.1	- 5.7	- 2.9	0.0	0.0	-15.1	72	84	70	34 3	01 5	35 5	9	8 *°	2	1		100	*° ⊙ a, ⊙ p
12	23.2	23.5	22.0	- 0.5	0.2	- 0.5	1.9	- 6.6	69	70	80	01 6	34 1	17 2	9	4	1	7	0.1	100	⊙ n,p
13	16.3	14.2	14.6	- 0.1	2.6	2.3	3.5	- 0.9	97	86	89	00 0	00 0	00 0	8	8 •°	8	8	0.1	100	•° n,a
14	16.3	18.1	19.2	0.0	0.3	2.2	2.4	- 0.1	97	91	77	02 1	20 1	00 0	4	8 *°	8 *	7	6.5	100	* n, *° a
15	21.6	23.4	25.1	- 0.3	1.2	0.2	2.4	- 1.4	96	82	93	20 1	00 0	09 2	8	8	8	8	0.9	96	
16	25.3	22.7	21.0	- 0.8	0.8	0.4	1.1	- 1.4	84	76	82	19 2	18 1	16 2	9	6	7	8	0.0	96	*° n
17	15.5	13.5	**11.3**	- 2.4	- 1.2	- 1.4	0.4	- 3.3	91	86	90	36 2	00 0	17 1	9	8	8	8 *°	0.2	96	*° n, (≡) *° a,p
18	12.6	14.0	14.1	- 4.6	- 1.7	- 1.4	- 0.2	- 4.8	99	82	83	13 1	00 0	27 1	6	8(≡)	8(≡)	8	0.1	96	(≡) *° n, (≡) a
19	14.5	17.3	19.3	- 1.6	2.1	1.2	2.3	- 2.5	87	76	73	00 0	09 1	28 1	9	7	8	8		96	
20	20.7	19.3	17.3	- 3.4	3.6	1.7	3.7	- 4.1	89	68	75	09 1	00 0	07 1	9	0	1	1		96	⊙ n,a,p
21	13.4	17.5	21.0	- 5.6	0.8	2.3	2.3	- 7.1	00	79	77	00 0	17 1	26 2	9	8 ≡	3	7		96	≡ n, ⊙ a, ⊙° p
22	21.0	18.5	17.3	- 3.6	2.6	- 0.2	3.2	- 4.4	89	86	89	10 1	29 2	28 1	9	1	6	7		85	⊙ n,a,p
23	19.9	21.4	21.1	- 3.6	0.8	0.2	2.7	- 6.2	87	82	93	00 0	00 0	10 2	9	2	6	1(≡)		85	⊙ n, ⊙° a, ⊙ (≡) p
24	19.5	19.4	19.1	- 6.3	- 0.6	0.7	0.7	- 6.3	97	87	89	34 1	09 1	14 2	9	8 ≡	1	5		84	⊙ n,a,p
25	20.3	23.1	24.4	- 1.9	1.2	1.0	3.1	- 3.9	93	86	90	26 1	10 1	10 1	9	7(≡)	8	8		80	≡ n
26	24.7	26.5	26.6	- 0.2	0.3	0.3	3.0	- 0.2	87	93	90	32 2	23 2	16 1	8	8	8	8	0.0	78	*° n
27	22.1	22.2	21.1	- 3.3	2.3	4.5	7.4	- 3.5	97	82	73	10 1	12 2	00 0	9	1(≡)	7	7		75	⊙ ≡ n, ⊙ a,p
28	15.9	20.5	25.6	7.4	6.5	3.6	**8.3**	0.2	**54**	63	70	36 5	32 4	32 3	9	8	5	7		65	⊙ a
29	24.0	23.3	23.6	0.3	0.4	2.4	4.0	0.2	82	91	73	10 2	15 3	35 1	9	7	6	8		60	
30	24.8	25.2	25.4	- 1.2	- 1.0	- 0.8	2.8	- 1.4	90	94	98	34 2	16 3	08 3	7	8	8 *°	8		60	*° p
31	25.9	25.5	24.8	- 1.4	- 0.9	- 1.8	0.3	- 1.8	99	97	94	09 2	11 2	12 2	4	8 *°	8 *	8 *°	0.2	45	*° n, * a,p
M	24.1	24.5	24.5	- 6.7	- 2.7	- 2.0	- 0.2	- 8.5	89	82	82	1.5	1.3	1.3	8.1	5.7	5.2	5.8	9	91	

Juni (VI)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**25.0**	24.8	24.3	- 3.2	0.7	- 2.2	1.2	- 5.3	87	65	86	02 3	36 4	12 1	9	5	0	0	5.7	45	⊙° *° n, ⊙ a,p
2	15.0	14.3	15.0	- 5.4	- 1.0	- 1.0	- 0.1	- 7.0	87	87	89	11 1	17 1	16 1	8	6	8	7		45	⊙° n, *° p
3	16.5	17.7	17.2	- 3.5	- 1.3	- 1.2	0.3	- 5.4	82	72	77	09 1	16 2	17 1	9	6	8	4	0.0	45	⊙° n,a, ⊙ p
4	17.9	19.3	19.9	- 7.4	- 2.0	- 0.4	0.1	- **7.7**	91	84	90	10 3	15 1	11 2	9	2	2	3		45	⊙° n, ⊙ a,p
5	20.7	22.5	22.1	- 4.4	- 1.2	- 0.8	- 0.4	- 5.8	99	98	93	11 1	14 3	12 3	5	8 ≡	8(≡)	7(≡)		40	≡ ⊙ n, (≡) ≡ a, (≡) p
6	22.3	23.6	23.6	- 0.6	0.7	0.1	1.1	- 1.8	84	72	84	00 0	32 2	00 0	8	8 *°	8	8	0.0	37	*° n
7	21.3	16.4	16.4	- 1.6	- 1.2	- 1.1	1.1	- 2.3	87	90	97	00 0	15 2	12 1	8	8 *	8 *°	8 ≡	0.0	35	*° a
8	16.0	20.8	20.8	- 3.6	1.8	0.9	3.4	- 4.5	93	76	90	00 0	32 3	10 1	9	1	5	2	0.0	35	≡ ⊙ n, ⊙° a, ⊙ p
9	19.4	18.7	19.1	- 3.1	- 2.3	- 1.7	1.3	- 3.5	84	97	97	32 1	12 2	12 3	2	1	0 ≡	8 ≡		30	⊙ n, ≡ a,p
10	16.5	13.2	10.6	- 3.9	- 1.6	- 0.3	- 0.3	- 4.1	94	94	89	25 3	10 1	00 0	1	8 ≏	8 ≡°	8	0.1	30	≏ ≡ n, ≡° a, ≡ p
11	09.5	10.8	12.9	4.0	2.5	6.3	6.5	- 0.7	75	86	77	01 4	26 2	01 2	9	8	8	8 •°		27	
12	14.8	13.4	11.1	3.9	2.9	1.9	6.5	0.7	77	87	93	32 2	09 2	08 2	9	7	1	0	0.0	25	•° n, ⊙ a,p
13	11.3	12.0	10.7	- 0.6	2.8	1.5	3.5	- 1.4	94	89	93	08 1	00 0	17 1	9	0	6	1		25	⊙ n,a,p
14	11.0	12.8	10.8	- 0.4	4.0	2.2	5.8	- 1.8	94	80	77	17 1	26 1	11 3	9	7	7	2		25	⊙ n, ⊙° 13, ⊙ p
15	06.9	07.4	07.2	- 1.2	1.7	1.3	2.5	- 2.0	96	87	97	09 1	09 1	11 2	9	0	1	1		22	⊙ n,a,p
16	06.0	06.4	06.8	- 3.2	- 1.2	- 0.8	1.3	- 4.0	98	98	98	12 1	13 2	15 2	3	8(≡)	8 ≡	2(≡)		20	(≡) ⊙ n, (≡) ≡ a, ≡ p
17	06.6	12.8	14.2	- 2.2	2.8	2.6	4.0	- 2.7	97	84	90	00 0	23 1	28 2	9	1	8	8 •°		20	⊙ n,a, •° p
18	11.9	10.7	07.5	0.4	- 0.3	- 0.4	2.7	- 1.1	99	99	97	00 0	13 2	15 1	4	8	8 •	8 •	0.3	17	•° n, • (≡) a, • p
19	03.4	03.9	01.9	1.2	1.4	4.9	5.0	- 1.8	96	97	77	00 0	00 0	36 7	8	8	8 •°	8 •°	6.0	15	• n, ‡ • a, •° p
20	**01.5**	03.6	05.2	3.6	4.7	3.7	**6.8**	2.7	80	76	79	14 2	35 6	34 7	7	8 •	8 •°	8 •°	16.2	12	• n, •° a, •° \ p
21	06.6	06.6	05.5	3.8	4.5	6.2	6.2	2.6	82	82	82	35 4	02 1	35 4	9	8 •°	8	8	3.5	8	•° n
22	04.9	05.4	05.8	1.1	3.2	2.2	6.3	0.4	98	93	97	00 0	00 0	12 2	7	8 ≡°	8	8 •°	0.6	6	•° ≡ n, ≡° (≡) a, •° p
23	07.9	08.8	09.0	1.5	2.3	3.3	4.0	0.8	97	94	91	28 2	00 0	00 0	3	8(≡)	8	7	3.3	5	•° n, •° ≡ (≡) a, ≡° (≡) p
24	08.3	07.5	08.0	3.1	2.5	3.4	4.4	1.0	83	90	87	32 2	14 2	02 4	9	7	6	8	0.5	3	(≡) a, ⊙° 13, ≡° p
25	12.5	15.5	18.3	4.4	3.9	3.3	6.4	1.1	68	75	79	36 4	07 1	00 0	9	7	7	8		0	
26	22.0	23.0	22.9	1.6	3.3	1.5	3.6	1.1	90	80	87	00 0	32 2	10 1	9	8	8	8			
27	21.5	21.2	21.2	- 0.4	- 1.4	- 1.2	1.8	- 2.4	96	99	99	10 1	10 2	16 2	2	2(≡)	8 ≡	8 ≡			≡° a, ≡ p
28	18.0	15.6	13.6	- 2.2	0.8	- 1.0	2.6	- 2.8	98	93	98	13 1	15 2	14 2	6	8 ≡	5 =	8 ≡			≡ n, ≡ (≡) a, = ≡ p
29	12.5	13.7	14.1	- 1.0	- 0.7	- 0.2	0.1	- 2.1	98	96	98	15 2	12 3	13 2	5	8 ≡	8 =	8 •°			≡ n, ≡ ⊙ a, = ≡ p
30	13.7	13.1	10.9	- 0.8	- 1.2	- 1.6	- 0.1	- 2.1	97	87	98	25 2	17 2	14 3	2	8(≡)	8 ≡	8 ≡°	0.0		(≡) n, ≡ (≡) a,p
M	13.4	13.8	13.6	- 0.7	1.0	1.0	2.9	- 2.1	90	87	90	1.4	1.8	2.1	6.8	6.0	6.4	6.0	36	21	

1954

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 ΔG = + 1h Juli (VII) H_s = 3 H_b = 4.2 h_t = 1.8 h_a = 6.5 h_d = 6.9 h_r = 1.9

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	06.3	06.7	08.4	- 3.4	- 0.1	0.2	1.8	- 4.2	97	89	90	13	1	13	2	12	2	9	4	6	7			≡ ⊙ n, ⊙ a,p
2	11.9	13.9	15.2	- 2.0	4.4	5.5	6.6	- 2.4	94	86	80	13	1	10	3	11	2	9	1	1	6			⊙ n,a,p
3	16.2	16.9	17.4	4.4	4.1	8.0	8.0	2.0	77	83	70	19	1	11	2	12	2	9	7	8	7			
4	16.1	15.2	13.4	2.3	2.1	2.9	8.0	1.6	94	96	87	09	1	10	1	14	2	9	7	7	8			
5	10.5	08.5	07.1	- 0.9	- 0.7	- 1.0	3.5	- 1.4	99	97	97	14	3	14	3	14	3	4	8 ≡	8 =³	8 ≡			≡ n, =° a, ≡ p
6	08.4	10.2	10.9	- 0.1	0.9	2.8	3.6	- 1.8	89	90	83	17	1	17	2	00	0	8	8 ≡	7	8			≡ n, ≡ (≡) a
7	09.6	08.6	07.9	0.7	0.7	0.2	3.1	0.2	90	97	97	00	0	17	2	16	3	8	8	8	8			•° p
8	09.2	10.8	12.1	- 1.2	0.3	0.3	0.6	- 1.6	99	91	90	14	2	14	3	15	3	8	8(≡)	8	7	0.0		(≡) a
9	14.3	15.4	15.0	- 0.4	- 0.2	- 0.3	0.5	- 1.2	97	99	98	27	2	14	2	16	3	1	8 ≡	8 =³	8 ≡			=° n, ≡ a,p
10	12.6	11.3	09 6	- 2.3	- 0.9	2.4	2.8	- 3.0	87	98	87	00	0	15	3	15	3	9	8 ≡	0(≡)	1			≡ n,a, ⊙ p
11	10.8	13.2	13.5	0.8	3.4	2.3	4.2	0.1	94	83	90	09	1	11	2	12	1	9	1	4	6			⊙ n,a,p
12	11.2	09.7	07.0	1.6	4.0	2.8	6.0	0.4	93	82	89	12	1	15	2	14	3	9	7	3	3			⊙ n,a,p
13	00.5	00.4	00.4	4.4	3.0	2.8	6.6	2.1	99	87	98	33	1	10	2	11	2	6	8 ≡	8 •²	8 •°			≡ n, ≡ • a, ≡ •° p
14	00.8	02.0	03.2	1.4	1.4	1.8	3.5	0.8	99	99	98	11	2	12	3	15	2	1	8 •°	8 =³	8 =²	10.5		•° ≡ n, •° =² a, ≡² • p
15	04.7	05.5	05.2	2.2	3.2	3.8	4.5	1.3	98	98	91	12	1	11	2	11	2	8	8 •°	8	8	4.0		(≡) ≡ •° n, (≡) a
16	06.0	06.3	04.9	0.9	2.2	1.7	3.8	0.7	98	94	96	18	3	17	1	16	2	7	8 =°	8(≡)	8			≡ n,a, ≡ •° p
17	02.2	02.6	02.6	2.2	2.5	2.1	3.1	1.3	87	91	96	16	2	16	2	11	4	9	8	8	5(≡)	0.0		⊙ p
18	03.7	03.8	03.1	- 0.5	0.4	4.8	4.8	- 0.9	97	90	80	12	1	15	2	11	4	9	0(≡)	1(≡)	1			≡ ⊙ n,a, ⊙ p
19	02.1	01.6	01.6	- 1.7	- 0.6	- 0.2	4.8	- 2.0	98	96	97	11	2	14	3	15	4	2	8(≡)	8 ≡	8 ≡			≡ n,a,p
20	02.9	03.7	05.2	- 0.4	1.8	0.7	2.2	- 1.2	91	83	98	15	2	16	3	16	4	9	7(≡)	2	8 ≡			≡ n, ⊙ a, ⊙ ≡ p
21	06.8	07.2	06.7	- 0.2	1.7	2.7	2.7	- 0.8	99	93	90	10	2	16	3	16	3	9	8 ≡	1(≡)	7			≡ n,a, ⊙ p
22	03.8	02.0	00.2	3.6	13.2	10.1	**13.6**	2.4	86	**37**	54	00	0	32	2	10	3	9	1	1	2			⊙ n,a,p
23	**99.9**	01.8	03.6	7.1	6.2	2.2	10.1	2.2	70	89	00	00	0	18	3	18	4	9	1	1	7			⊙ n,a,p
24	09.9	11.1	11.8	2.3	4.0	3.3	5.3	1.8	94	86	87	18	2	17	4	16	3	8	8	7	1	0.0		•° n, ⊙ p
25	12.0	12.9	13.5	3.8	6.2	10.0	10.0	2.7	89	80	55	28	2	17	2	03	6	9	7	6	7			⊙° p
26	20.6	22.6	23.5	6.6	9.4	10.4	10.4	5.1	73	63	53	01	1	34	2	34	4	9	8	8	8			
27	27.2	28.8	**28.9**	5.4	5.6	6.0	10.4	4.2	83	83	79	17	1	17	2	21	3	9	8	8	8			
28	26.9	26.5	25.5	2.8	5.4	3.9	6.5	1.6	94	82	86	00	0	13	2	12	3	9	2	1	4			⊙ n,a,p
29	24.3	22.5	24.2	3.8	6.2	7.8	9.0	1.9	96	80	70	11	1	11	2	11	3	9	3	1	1			⊙ n,a,p
30	24.8	25.2	23.8	4.2	6.2	5.0	8.1	3.6	87	77	86	11	1	12	1	11	2	9	7	5	2			⊙° a, ⊙ p
31	24.5	24.3	23.5	4.0	5.6	6.4	10.3	3.0	93	77	79	08	1	15	1	16	3	9	3	7	6			⊙ n,a,p
M	11.0	11.3	11.3	1.7	3.3	3.6	5.8	0.6	92	86	86		1.3		2.2		2.8	7.8	6.0	5.3	5.9	14		

August (VIII)

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	21.0	19.1	18.2	1.8	5.0	2.9	6.6	1.4	99	83	93	09	2	12	3	14	2	9	1	1	1			⊙ n,a,p
2	16.6	16.3	16.0	0.3	2.3	2.5	3.1	- 0.3	99	91	93	00	0	12	2	12	1	9	8 =³	8	8			⊙ ≡ n, =² a
3	12.2	11.2	10.2	2.1	3.6	4.8	4.8	0.2	97	89	89	14	1	16	2	12	3	9	7	6	7			⊙° a
4	12.4	14.8	15.1	0.6	1.6	2.7	4.8	0.0	99	97	90	33	1	12	2	12	3	2	7 =°	8 ≡	3 =°			=° n, =° =³ a, ≡ (≡) =° p
5	15.6	18.1	18.3	2.8	2.9	1.0	4.0	0.8	93	90	97	29	2	16	2	17	2	9	2(≡)	1	1 =°			=° (≡) n, (≡) ⊙ a, ⊙ (≡) =° p
6	20.8	22.5	23.0	1.6	2.5	3.9	4.0	0.4	98	91	86	00	0	14	2	12	2	9	7(≡)	7(≡)	7			=° (≡) n, ≡ (≡) a, (≡) =° p
7	21.2	19.6	19.4	3.0	3.4	3.5	6.0	2.2	96	91	91	11	1	14	3	14	3	8	1	1(≡)	1			⊙ n, (≡) ⊙ a, (≡) =° ⊙ p
8	17.8	18.5	20.1	- 0.6	1.0	3.0	3.9	- 1.2	99	98	90	00	0	14	2	20	3	2	8 =³	8 ≡	7(≡)			⊙ =³ n, =³ a, ≡ =° (≡) p
9	21.1	21.0	21.0	1.5	3.5	4.5	5.4	1.2	91	83	83	12	2	12	1	12	3	9	2	2	7			(≡) ⊙ n, ⊙ a,p
10	22.2	21.9	20.0	2.3	3.8	5.6	5.9	1.6	90	79	82	16	1	16	2	16	3	9	6	6	1			⊙ a,p
11	14.3	13.8	16.8	- 1.4	1.8	0.7	5.7	- 1.7	99	90	98	00	0	13	2	16	2	9	8 =³	1	8 ≡			⊙ ≡ n, =² ⊙ a, ⊙ ≡ p
12	14.6	08.5	09.0	- 0.6	3.0	3.4	4.7	- 2.8	98	79	83	18	1	15	2	14	2	9	0	1	2			≡ ⊙ n, ⊙ a,p
13	12.6	13.4	13.6	5.4	8.0	2.3	10.2	2.3	79	69	89	03	2	17	3	15	3	9	6	5	7			⊙° n, ⊙ a,p
14	08.8	05.8	02.7	0.4	3.2	3.6	3.6	- 1.1	97	86	91	02	1	15	2	15	3	9	6	6	7			⊙° n,a,p
15	02.2	02.9	02.1	1.4	0.8	2.0	4.4	0.4	97	98	97	16	2	32	2	18	2	3	8	8 *	8			• * a, * p
16	01.9	05.6	07.3	0.0	2.8	3.1	4.6	- 2.1	96	89	83	36	2	15	2	12	3	9	2	4	2	7.7		⊙° a,p
17	08.5	09.8	09.2	- 1.6	0.4	1.6	3.5	**- 3.6**	99	90	89	15	2	16	3	11	4	9	1(≡)	1	0			≡ (≡) ⊙ n, (≡) ⊙ a, ⊙ p
18	12.5	14.7	13.6	- 1.3	0.5	1.6	1.6	- 1.9	99	97	94	00	0	14	2	11	3	2	0(≡)	8 ≡	1			≡ (≡) ⊙ n, (≡) ⊙ ≡ a, ≡ ⊙ p
19	10.3	07.0	04.0	- 0.9	0.8	1.0	1.6	- 1.5	98	97	98	16	1	12	1	11	2	2	8 ≡	8 ≡	8 ≡			⊙ ≡ n, =³ ≡ a, (≡) ≡ p
20	12.6	11.6	08.0	1.6	1.3	0.8	1.6	- 0.1	96	86	94	00	0	16	2	16	2	9	8 •°	7	8	0.0		≡ •° n, •° a, *° p
21	07.3	11.2	16.0	- 0.2	0.5	0.5	0.9	- 0.5	98	96	94	14	1	17	2	16	3	9	8 *°	8	8	2.6		*° n, ≡
22	22.8	**25.7**	**26.6**	0.4	0.7	0.3	1.4	- 0.2	89	98	99	00	0	14	2	14	3	9	7	8	8 =°	0.6		≡ =° p
23	25.0	23.1	24.3	- 2.0	10.0	5.0	10.5	- 3.0	98	39	75	34	1	02	5	14	1	9	8 ≡	1 =°	0			=° ≡ n, ≡ (≡) =° ⊙ a, =° ⊙ p
24	22.3	18.8	17.4	1.2	12.7	5.7	**14.5**	- 0.5	82	**34**	65	00	0	33	4	14	1	9	0	0	0			⊙ n,a,p
25	10.6	06.9	07.4	2.2	8.3	9.4	13.4	0.4	79	47	51	30	1	10	3	10	1	9	0	0	0			⊙° n,a, ⊙ p
26	08.3	09.2	09.3	2.4	3.7	2.4	10.2	2.1	86	89	97	00	0	18	3	18	3	9	7	7	8(≡)			⊙ n, •° (≡) p
27	07.3	10.6	10.1	2.1	1.2	5.7	5.8	- 2.5	73	94	69	36	5	10	1	10	2	9	3(≡)	7	8 •°	0.1		=³ •° n, (≡) ⊙ a, •° p
28	10.5	11.1	10.6	2.6	3.9	5.9	7.5	1.8	99	97	90	10	1	33	2	14	2	9	8 =	8 •°	8 =°	2.5		= •° n,a, •° =° p
29	06.2	02.7	99.7	2.1	2.4	4.3	7.6	- 0.5	97	91	84	10	2	14	2	12	3	8	3 =°	0 =°	2 =°	0.1		(≡) =° ⊙° n,a, =° ⊙ p
30	**99.2**	02.0	03.0	2.0	5.5	6.6	8.4	0.3	86	65	65	00	0	00	0	24	4	9	3	8 =°	8 =°			=° ⊙ n, =° ⊙ a, (≡) =° ⊙° p
31	04.9	05.8	06.0	- 2.2	- 0.9	0.4	6.6	- 2.6	99	98	91	00	0	00	0	14	2	8	8 =³	6 =°	7 =°			(≡) =³ ⊙ n, =³ (≡) =° a, (≡) =° p
M	13.0	13.0	12.8	0.9	3.2	3.2	5.7	- 0.4	94	85	87		1.0		2.1		2.5	7.8	4.9	4.8	4.9	14		

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 ΔG = + 1h

September (IX)

H_s = 3 H_b = 4.2 h_t = 1.8 h_a = 6.5 h_d = 6.9 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	07.5	10.4	10.9	- 0.2	2.8	3.0	4.2	- 0.7	98	84	83	00 0	14 1	00 0	8	8 ≡°	6 =°	7 =°			(≡) =° ≡° n, (≡) =° ⊙ a,p
2	12.2	13.6	13.1	1.9	6.4	2.9	7.6	- 0.2	80	47	80	14 1	32 4	11 2	9	4 =°	2	1			=° ⊙ n,a, ⊙ p
3	10.3	11.5	11.4	- 3.1	- 0.3	- 0.8	2.9	- 3.5	98	94	99	00 0	14 1	10 2	4	7 =°	6 =ᵃ	6 =ᵃ			⊙ =° n, (≡) =ᵃ a,p
4	11.2	13.3	13.8	- 2.0	0.8	2.4	2.8	- 2.2	99	86	84	00 0	00 0	23 2	8	8 =ᵃ	6 =°	6 =°			≡ =ᵃ n, =ᵃ =° a,≡ =° p
5	16.5	19.2	20.0	- 1.0	2.2	1.0	3.0	- 1.5	91	77	86	08 1	17 3	16 3	9	4	1	7	0.2		=° ,° n, ⊙° a, ⊙ p
6	19.7	20.9	22.0	0.0	1.7	1.2	2.5	- 0.7	98	91	96	10 2	10 2	14 2	9	8	7	3			⊙ p
7	23.0	24.4	23.6	- 4.1	- 1.5	- 0.6	1.2	- 4.4	99	99	96	11 1	17 2	12 3	4	8 ≡	8(≡)	4			≡ ⌣ n, ≡ ⌣ (≡) a, (≡) ⊙ p
8	22.9	22.6	21.2	- 2.1	0.0	- 0.6	1.0	- 3.0	97	84	99	15 1	24 2	11 3	9	8	3	3			⊙ n, ⊙° a, ⊙ p
9	21.4	22.4	21.1	- 2.4	- 2.0	- 0.9	1.1	- 3.5	00	99	89	07 1	07 1	18 2	2	8 ≡	8 ≡	2			⊙ ≡ ⌣ n, ≡ ⌣ a, ≡ ⌣ ⊙ p
10	16.9	14.9	13.3	- 3.8	- 0.3	- 1.0	0.4	- 5.0	98	86	91	30 1	19 1	14 1	9	4 ⌣	3	7			⊙ ⌣ n,a, ⊙ p
11	12.9	12.4	11.5	1.0	0.2	0.8	1.0	- 1.7	94	99	98	01 2	01 1	34 1	3	8 *°	8 *	8 *°	0.0		*° n,a, * p
12	11.9	12.8	11.4	- 0.6	- 1.0	- 0.6	0.8	- 2.0	98	91	90	00 0	15 1	11 2	9	8 *	8 *°	6	3.5		*° * n, * a, *° p
13	08.6	08.4	06.6	- 6.0	- 3.0	- 2.3	- 0.6	- 6.6	93	97	93	01 3	01 1	12 1	3	2(≡)	0 ≡°	3(≡)	0.5		*° (≡) n, (≡) ≡° a, (≡) ≡° ⌂ p
14	03.4	02.8	01.0	- 2.8	- 2.1	- 3.0	- 1.1	- 4.1	94	91	96	00 0	00 0	15 2	7	8 *°	8 *	3 *°	0.0		(≡) *° n, *° a, (≡) *° p
15	97.8	98.0	99.2	- 2.4	- 0.5	- 0.7	- 0.5	- 6.9	79	83	94	01 2	36 4	30 3	5	8	8 *°	8 *°	0.1		(≡) ≡ *° n, *° a, * p
16	02.5	04.5	05.7	0.4	0.3	0.6	1.0	- 0.7	70	70	68	33 4	34 2	01 5	9	7	7	7	0.5		*° n
17	08.3	10.3	10.6	- 1.8	0.9	- 0.8	1.2	- 2.6	63	56	80	34 4	01 4	16 2	9	2	7 =°	8 =°			=° ⊙° a, =° ⊙ p
18	10.3	12.3	14.3	- 5.2	- 0.5	- 1.1	1.0	- 6.0	80	55	62	03 2	01 2	15 1	9	0	0	1 =°			=° ⊙° n, ⊙° a, =° ⊙ p
19	18.2	19.8	18.4	- 5.7	- 2.3	- 2.6	- 0.9	- 7.3	77	70	76	01 4	08 2	16 2	9	4	6	2			=° ⊙ n, ⊙° a, ⊙ p
20	15.5	15.5	14.1	- 5.6	- 2.8	- 3.0	- 1.8	- 6.5	83	56	58	01 1	01 3	28 2	9	7	2	5			⊙ n, ⊙° a, ⊙ p
21	12.3	14.9	16.6	- 9.4	- 4.2	- 4.3	- 3.0	- 9.7	79	53	56	03 1	30 1	00 0	9	3	7	8			⊙ n, ⊙° a,p
22	17.8	18.6	18.8	- 7.0	- 5.8	- 4.6	- 3.6	- 8.8	56	55	43	35 4	01 4	35 2	9	8	8	4			⊙° n,a,p
23	19.4	18.1	15.2	- 9.2	- 4.6	- 6.0	- 3.6	-10.7	61	40	55	34 1	01 3	12 2	9	8	0	1			⊙ n, ⊙° a, ⊙ p
24	12.0	10.6	07.2	- 7.5	- 1.6	- 3.6	- 0.1	-10.5	54	45	63	36 4	36 4	35 3	9	3	3	7			⊙ n, ⊙° a, ⊙ p
25	04.1	00.2	98.2	- 9.3	- 3.6	- 4.2	- 0.5	-10.0	96	77	75	01 1	33 3	14 1	9	6	6	6			⊙° a,p
26	97.6	95.4	94.0	- 8.5	0.5	- 0.1	1.7	-10.4	87	47	42	28 1	33 5	33 4	7	2	5 =°	7 =°			(≡) =° a,p
27	96.9	99.9	02.0	- 1.7	- 1.0	- 1.1	0.0	- 3.3	47	47	44	34 6	33 6	33 7	6	6 ϟ	7 ϟ	7 ϟ			=° ϟ n, ϟ a,p
28	06.9	08.5	09.7	- 1.4	- 0.1	- 0.5	0.4	- 3.2	55	48	48	36 6	35 5	34 4	8	8	8	8	0.1		*° \ n
29	14.0	14.5	15.1	- 3.5	- 3.6	- 4.2	- 0.4	- 5.0	84	91	94	32 2	12 3	16 2	8	4	3 =°	1			=° a, =° ⊙° p
30	15.0	14.5	14.4	-11.5	- 5.7	- 6.4	- 3.5	-12.5	91	66	91	36 1	36 4	14 2	9	1	1	0			⊙ n, ⊙° a, ⊙ p
M	11.6	12.2	11.8	- 3.8	- 1.0	- 1.4	0.5	- 5.1	83	73	78	1.9	2.5	2.3	7.5	5.7	5.1	4.9	5		

Oktober (X)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	14.9	15.2	14.4	-11.9	- 7.6	- 6.6	- 4.8	-13.6	69	63	51	00 0	27 3	27 2	9	0	1	3			⊙ n, ⊙° a, ⊙ p
2	14.6	14.9	14.6	-11.9	- 7.0	- 9.0	- 4.7	-13.5	70	62	77	29 1	00 0	14 1	9	0	1	7			⊙ n,a,p
3	10.9	08.9	06.4	-13.8	- 5.4	- 4.3	- 2.4	-15.1	82	53	47	26 1	28 3	35 4	9	1	1	1			⊙° ⛅° n,a, ⊙ p
4	03.4	05.9	08.2	- 1.5	- 1.0	- 1.5	0.4	- 6.3	48	58	98	36 6	02 5	12 1	7	7	8 ⛆°	7 =°			⊙° n, ⛆° a, ⛆° *° =° p
5	07.6	05.7	05.1	- 2.6	- 2.0	- 4.4	0.4	- 4.5	65	61	82	05 3	34 6	09 2	9	6	7	6	0.6		=° *° n
6	08.0	09.8	10.5	- 5.6	- 6.4	- 7.3	- 3.8	- 7.6	83	94	97	01 2	11 1	11 1	9	8	7	3			⊙° a, ⊙ p
7	12.7	14.8	14.4	-13.1	- 8.6	- 8.8	- 6.8	-13.6	97	83	90	00 0	00 0	01 1	9	0 ⌣	0 ⌣	6 ⌣			⌣ n, ⊙° ⌣ a, ⊙ ⌣ p
8	11.4	08.7	01.3	-12.6	- 8.4	- 1.6	- 1.6	-13.6	99	99	99	00 0	19 1	01 5	9	2 ⌣	7 ⌣	6			⌣ ⛆ n,a, ⌣ *° p
9	85.8	80.1	73.4	0.0	- 1.4	1.0	2.2	- 4.5	51	91	89	02 5	35 2	34 8	4	8	8 *	8 *°	0.4		* a, * *° p
10	76.5	82.2	86.2	1.1	1.4	2.5	2.6	0.2	82	84	73	01 7	34 4	34 5	9	8	7(ϟ)	7	3.6		*° n, ϟ° a, (ϟ) p
11	94.5	96.5	98.2	2.0	1.5	1.4	3.1	0.7	86	93	90	32 4	36 4	35 5	5	8	8 *°	8 *°	0.0		=° *° a, *° *° p
12	99.6	02.2	05.3	- 1.0	- 1.5	- 2.9	1.5	- 2.9	97	97	94	02 1	11 2	19 2	8	8 =°	8 *°	8 *°	1.9		*° =° n;a, *° p
13	11.1	14.7	16.7	- 4.5	- 4.1	- 4.2	- 2.9	- 8.9	86	66	84	36 3	01 3	21 1	9	7	8	8	0.4		*° n
14	18.8	19.0	19.5	-14.1	-10.4	- 9.7	- 4.1	-15.0	91	79	84	00 0	00 0	06 1	9	1	1	7			⊙° a, ⊙ p
15	19.8	20.4	22.8	-12.6	-12.0	-12.0	- 9.1	-16.6	87	73	63	36 4	01 5	27 1	9	1	0(≡)	0			(≡) ⊙° a, (≡) ⊙ p
16	24.9	27.4	26.5	- 8.4	-10.3	- 9.0	- 7.8	-14.5	59	58	45	36 5	01 4	36 5	9	8	1(≡)	1			(≡) ⊙° a,p
17	15.4	07.3	98.0	- 8.0	-10.4	- 9.2	- 5.8	-13.7	51	58	79	02 5	32 4	09 3	9	0	7	8			⛅ n, ⛅° ⊙° a, ⊙° p
18	87.2	89.4	89.3	- 7.5	- 8.3	-12.2	- 7.1	-12.6	73	76	83	02 2	11 2	34 2	9	8	6	1			⊙° p
19	83.0	86.7	84.4	-13.0	-10.8	- 7.4	- 7.0	-17.1	86	72	61	02 2	36 6	36 6	9	0	7	8			⊙ ⛅° n,a
20	85.0	90.6	94.6	- 1.7	- 2.4	- 2.7	- 1.6	- 8.0	65	63	54	34 7	33 5	35 4	9	3	7	7			*° a
21	01.4	05.8	08.6	- 6.4	- 6.1	- 8.5	- 2.6	- 9.1	73	77	63	00 0	19 3	01 2	8	5	8(*)	7	0.0		(*) a,p
22	07.3	02.9	00.2	-13.9	- 9.6	- 9.1	- 7.8	-15.4	76	45	51	27 4	36 5	03 4	9	2	3	7			⛅° n,a, ⊙° p
23	96.0	95.0	94.4	- 6.5	- 4.4	-10.9	- 4.3	-14.5	48	42	77	01 5	35 5	18 1	9	7	6	1			⊙° a,p
24	86.4	83.5	85.5	-14.5	-13.0	-10.5	- 7.1	-15.5	82	90	75	28 1	28 1	07 1	9	1	2	1			⛅° n, ⊙° a,p
25	94.8	96.9	99.0	-14.8	-14.7	-14.5	-10.1	-15.8	89	82	91	00 0	34 3	00 0	9	1	6	8 *°			⛅° n, ⛅ ⊙° a, *° p
26	03.8	06.8	07.4	-15.4	-17.3	-17.1	-13.5	-18.3	56	58	56	36 4	36 3	36 6	9	0	0	0	1.2		*° n, ⊙° a,p
27	03.3	04.5	05.1	-13.4	-14.0	-13.1	-10.8	-17.3	43	47	49	35 6	35 5	35 5	9	0	0	0			⛅ n, ⛅ ⊙° a, ⊙° p
28	13.7	16.6	19.2	-12.4	-11.2	-13.9	-10.0	-14.9	54	49	53	36 5	01 5	00 0	9	6	7	0			⛅ n,a, ⊙° p
29	19.4	18.8	19.8	-22.4	-21.5	-19.0	-12.7	-23.1	76	80	87	10 2	00 0	00 0	9	0	6	7			⛅ n,a
30	16.7	14.9	12.7	-22.5	-20.9	-19.8	-17.2	-25.0	87	84	87	00 0	00 0	00 0	9	0	1	7			⛅ n, ⛅ ⊙° a, ⊙° p
31	14.3	18.4	20.4	-15.1	-17.1	-20.6	-14.9	-20.6	82	91	93	28 3	15 1	00 0	9	4	0	1			⛅ n, ⛅ ⊙° a, ⊙° p
M	04.8	05.3	05.2	- 9.6	- 8.5	- 8.5	- 5.5	-12.6	74	72	75	2.8	2.9	2.5	8.6	3.7	4.5	4.8	8		

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 $\Delta G = +1^h$

November (XI)

H_s = 3 H_b = 4.2 h_t = 1.8 h_a = 6.5 h_d = 6.9 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	18.1	12.3	03.8	-19.0	-18.3	-15.5	-15.1	-21.6	91	94	86	01 2	10 1	01 2	9	1	8	4			⌓ n, ⌓° 7, ⌓ a
2	04.7	07.6	10.8	-15.7	-16.8	-14.5	- 7.1	-19.0	80	79	94	34 3	28 3	08 2	9	2	7	7			⌓ n, ⌓² 7, ⌓ a
3	09.1	06.8	03.5	-12.6	-13.3	-12.2	-11.6	-21.2	62	55	48	34 6	01 6	35 6	9	7	5	4			
4	03.9	07.2	12.6	- 6.1	- 5.7	- 6.8	- 5.5	-13.1	45	55	99	36 8	35 8	35 6	9	6	8	8 *²			*² p
5	15.1	13.9	10.0	-12.5	-16.4	-15.8	- 5.6	-19.6	90	90	93	36 3	25 2	02 1	9	2	0	8	2.8		*² ⌓ n, ⌓ ⊙° a, ⊙° p
6	93.9	91.0	92.6	-18.8	-14.6	-17.4	-14.0	-19.4	93	91	93	27 1	35 1	00 0	9	3	7	7			⌓ n,a, ⊙° p
7	95.4	92.8	91.0	-16.0	-14.6	-14.7	-13.9	-18.9	86	94	96	16 3	07 2	18 1	3	7	8 *	8 *			* a, * *² p
8	98.0	99.1	98.8	-18.2	-23.4	-15.6	-14.7	-24.5	91	91	76	18 1	28 3	10 3	9	8	5	8	9.4		* n
9	93.2	88.6	90.0	- 8.9	- 7.5	- 8.6	- 7.4	-17.5	75	98	99	35 8	34 8	36 9	0	7 +	8 +²	8 +²			+ n, + +² a, * +² \ p
10	90.0	91.7	93.3	- 6.6	- 7.4	- 6.1	- 5.5	- 9.0	00	98	00	36 7	34 7	01 4	1	8 *	8 *	8 +°	4.7		* +² \ n, * + a,p
11	06.5	06.0	09.0	- 7.5	- 7.2	- 3.0	- 3.0	- 8.9	86	86	90	34 5	34 6	35 7	9	6 +°	8 +	8 +	3.3		+° n, +° + a, * +² \ p
12	07.5	11.6	15.0	- 1.3	- 2.2	- 4.5	- 1.0	- 5.0	84	89	86	35 4	34 2	01 5	7	8	8 *°	8	0.3		*° a, +° *² * p
13	20.1	20.2	24.3	-10.6	-16.2	-17.7	- 3.6	-21.5	83	84	83	09 2	09 1	01 2	9	6	5	7	5.3		
14	20.5	18.9	18.6	-25.7	-27.4	-25.5	-17.2	-29.0	83	82	77	28 1	00 0	00 0	9	1	2	6			
15	17.3	14.7	09.8	-20.5	-14.2	-11.2	-10.9	-28.7	83	82	83	00 0	08 1	35 3	9	7	7	7			
16	95.3	95.2	00.3	- 4.8	- 1.7	- 6.5	- 0.5	-12.2	91	90	89	33 7	12 3	33 2	7	7 +°	8 *°	7	3.5		*° +° n,a, *° p
17	95.4	91.3	78.3	-10.0	- 9.6	- 5.3	- 3.4	-13.3	89	89	91	02 4	10 1	35 2	9	1	7	8 *²	1.4		*² p
18	72.6	75.3	78.6	-11.6	-16.4	-15.4	- 4.0	-23.9	90	87	87	02 3	00 0	01 4	9	8 *°	7	2	10.2		*² +° *° n, *° a
19	96.1	06.1	09.8	-12.4	-12.5	-11.5	-10.8	-15.9	80	73	75	35 5	14 3	07 5	9	2 +°	2	4	0.0		+° n
20	97.0	87.0	90.5	-11.5	- 7.5	- 9.0	- 5.8	-12.0	98	99	99	36 7	34 8	33 5	3	6 +°	8 *²	8 *			+ n, * +² \ a, * + p
21	00.5	06.5	12.0	-10.5	-13.5	-12.6	- 9.0	-14.2	99	99	96	29 4	27 4	03 4	7	8 *°	8 *°	8 +°	9.3		* n, *° a, +° p
22	11.6	12.0	12.3	- 9.0	- 5.4	- 5.4	- 4.5	-12.6	76	83	90	36 5	30 5	33 7	5	8 +	8 *°	8 *°	0.7		*° + n,a, *° +² p
23	18.2	19.0	17.8	- 8.6	- 8.6	- 8.3	- 5.4	- 9.9	96	91	94	00 0	00 0	30 1	9	8	8	8 *°	5.7		*° +² n, *° p
24	14.0	13.3	12.3	- 2.9	- 4.8	- 5.7	- 1.2	- 8.5	61	82	80	01 4	30 4	28 2	9	8	8	8	0.2		*° +° n
25	08.6	08.6	07.3	- 1.4	- 1.7	- 0.9	- 0.2	- 4.4	94	96	93	01 4	01 4	02 1	4	8 *°	8 *°	8	3.2		* +² n, *° +° a,p
26	03.4	02.4	01.3	- 1.1	- 1.2	- 1.6	- 0.6	- 3.0	98	87	97	12 1	01 4	36 1	9	8 *°	8	8 *°	0.6		*° n,a,p
27	02.4	04.0	03.3	- 2.5	- 5.1	- 8.1	0.1	- 8.9	89	83	83	02 1	10 2	09 3	9	8	7	2	1.2		* +° n
28	02.8	03.6	05.0	-15.5	-20.3	-19.1	- 7.0	-20.8	94	94	93	15 1	00 0	01 1	8	0	1 =°	0 =°			=° ∨ a, =° p
29	05.6	03.2	00.3	-22.5	-26.6	-23.5	-17.4	-27.8	87	87	89	08 1	30 2	00 0	9	0 =°	1	1			=° ∨ ⌓ n, =° ∨° ⌓° a
30	00.7	04.6	06.7	-10.3	-15.2	-19.2	- 9.9	-27.0	61	73	76	35 6	09 2	30 3	9	0 +²	6	3			+² n, +² + a
M	03.9	03.8	04.0	-11.2	-11.9	-11.3	- 7.2	-16.4	84	86	88	3.6	3.1	3.1	7.5	5.3	6.4	6.3	62		

Desember (XII)

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.1	07.3	04.8	-21.4	-12.2	-10.6	-10.6	-22.9	75	55	62	12 1	05 3	00 0	9	1	6	8			
2	87.8	83.3	81.7	- 6.0	- 0.6	- 0.4	1.6	-12.7	97	94	89	33 8	32 6	33 6	2	8 *°	8 *°	8 *°	7.8		*² +² \ n, *° +² a,p
3	83.7	85.5	86.6	- 5.0	- 7.1	- 8.1	- 0.4	- 8.3	94	93	96	18 3	18 3	16 3	8	8 *°	8 =°	8 *°	4.5		*° +² n, *° =° a,p
4	94.6	02.3	10.1	-10.4	-11.0	-14.3	- 8.1	-14.3	91	94	91	21 1	19 3	29 3	5	8 *°	8 *°	8 *	1.1		*° ⌓° n, *° a, *° * p
5	21.7	24.7	25.2	-21.0	-27.8	-31.9	-14.3	-34.0	84	89	84	12 1	35 1	30 1	9	0 =°	1	1 =°	2.6		*° =° n, =° a,p
6	23.2	24.8	23.1	-18.6	-22.0	-25.1	-17.0	-31.9	58	58	62	36 5	36 3	33 4	9	1 +°	1	0			=° + ⌓ n, +° a
7	20.0	18.9	18.0	-34.3	-32.9	-36.6	-24.6	-37.3	75	73	76	29 1	29 1	00 0	9	0	0	0			
8	11.3	08.4	04.3	-28.2	-19.5	-17.4	-16.6	-36.6	63	55	62	27 3	01 5	35 8	9	0	1 +°	2 +°			+° a,p
9	99.5	00.7	99.4	-10.8	-10.4	-10.0	-10.0	-18.9	96	94	89	33 8	32 6	33 7	2	8 *°	8 *°	8 *°	1.3		*° +² n, * +² a, *° + p
10	95.6	93.2	90.0	-10.5	-10.6	-11.2	- 9.9	-12.2	89	86	89	36 5	35 4	01 4	6	8 *°	8 *°	8 *°	4.5		*° +² n, *° +° a, *° p
11	86.6	87.4	88.4	-19.9	-14.6	-23.5	-10.7	-24.3	90	69	75	28 1	35 5	26 2	9	1	4	0	0.7		*° n, +° a
12	92.4	95.6	96.0	-15.4	-13.5	-11.6	-11.6	-23.5	72	82	96	25 3	01 1	35 4	9	8	8	8 *°			*° p
13	92.0	89.2	86.2	- 4.6	- 3.5	- 4.6	- 0.1	-11.6	99	98	97	25 1	29 2	30 5	3	8 *²	8 *	8 *	17.4		*° *² n, *² a, * + p
14	86.0	89.0	89.6	- 5.0	- 5.8	- 6.6	- 2.8	- 7.6	97	99	99	08 2	18 1	09 1	6	8 *°	8 *°	8 =°	22.1		* n, *° *° a, *° =° p
15	92.8	95.3	97.7	- 9.0	-14.5	-14.2	- 5.6	-18.6	96	93	93	00 0	28 1	00 0	9	8 *°	3	8	0.7		=° *° n, *° a
16	00.9	02.6	02.4	-12.0	-16.5	-20.7	-11.4	-22.8	90	91	91	15 1	34 2	08 1	6	8 *°	1 =°	1 =°	2.2		*° n, *° =° a, =° p
17	96.7	92.2	87.0	-15.6	-15.2	- 9.1	- 8.8	-23.0	79	87	72	09 2	34 8	34 6	1	8	8 +²	8 *°	0.5		=° n, +² \ a, +² *° + p
18	77.4	75.0	77.0	- 5.1	- 3.2	- 3.0	- 3.0	-10.1	97	98	98	34 6	33 9	34 8	0	8 *°	8 *°	8 *	7.3		*° +² n, *° +² \ a,p
19	88.0	92.2	94.3	- 4.4	- 8.2	- 3.5	- 2.5	- 9.0	98	91	72	34 7	32 3	35 6	9	8 *°	8	8 +°	24.4		* +² n, *° +² a, +° p
20	99.5	00.6	00.2	- 6.5	- 8.5	-10.5	- 3.2	-10.8	66	82	90	36 4	09 3	11 2	9	8	8	8	0.6		+° n
21	94.3	94.9	97.7	-11.0	-12.1	-14.2	-10.2	-14.2	90	96	77	03 1	00 0	01 4	6	8 *°	8 *°	8 *°	0.8		*° n,a,p
22	99.5	00.1	98.7	-15.2	-14.7	-13.0	-12.9	-18.1	70	59	68	35 5	35 5	36 7	9	0 +°	3 +°	6 +°	0.7		*° +° n, +° a,p
23	06.4	12.7	16.6	- 6.9	- 8.4	- 9.9	- 6.1	-13.2	83	96	87	35 3	08 1	06 2	9	8 *°	7	6	0.2		+° *° n, *° a
24	15.3	13.2	10.7	-12.7	-14.0	-21.2	- 9.1	-22.3	93	91	91	15 1	02 2	34 1	7	8 *°	8 *°	0	0.4		*° n, *° =° a, *° p
25	08.1	07.1	06.7	-27.3	-29.4	-27.1	-14.2	-31.6	84	82	86	00 0	29 2	00 0	9	0	1	3	0.5		
26	04.8	04.2	03.6	-29.6	-32.0	-30.5	-25.5	-35.0	87	84	84	00 0	11 2	00 0	9	2	3	1			⌓ n, ⌓² ⌓° a, ⌓ p
27	03.5	03.7	03.9	-31.9	-28.8	-30.9	-24.0	-33.9	84	84	84	00 0	11 1	33 2	9	2	7	3			⌓² n, ⌓ a
28	08.7	11.0	12.8	-28.7	-19.0	-17.5	-16.9	-32.6	86	86	87	14 2	12 3	32 1	9	2	8	8 *°			*° p
29	12.5	12.8	12.6	-15.9	-22.2	-17.8	-14.2	-23.2	91	87	90	00 0	00 0	34 3	9	8 *°	5	6	1.5		*° n,a
30	14.8	13.9	09.6	-21.0	-24.2	-20.0	-11.6	-27.9	90	87	89	00 0	34 1	10 1	9	0	1	8	0.2		
31	08.2	11.0	17.5	-23.0	-21.9	-29.5	-11.5	-31.7	77	79	86	00 0	01 2	32 2	9	1	2	2			⌓° n,p
M	01.0	01.7	01.7	-15.7	-15.6	-16.3	-10.5	-21.7	85	84	84	2.4	2.9	3.0	7.2	5.0	5.4	5.4	101		

1954
~~1955~~

Isfjord Radio 1954

φ = 78° 4′ N λ = 13° 38′ E g = 9.830 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1003.3	1004.4	- 7.0	- 7.3	- 7.2	- 7.2	- 4.7	-10.2	3.2	26	-22.8	7	2 3.0	15 5.2	26 4.1	13 4.1	0 -	1 6.0	12 5.8	2 5.0	8 4.5	6 4.5	3 4.7	5 4.6	0
II	07.2	08.4	- 4.8	- 4.4	- 4.6	- 4.7	- 2.0	- 7.7	4.4	24	-19.1	1	0 -	9 5.4	19 4.9	8 4.6	0 -	11 4.6	18 5.2	5 3.6	7 4.6	1 1.0	1 3.0	3 4.0	2
III	05.8	07.0	-10.9	-10.5	-10.8	-10.8	- 7.9	-13.6	0.3	29	-22.9	14	2 4.0	28 5.6	23 5.3	18 4.1	0 -	3 4.0	7 4.9	0 -	3 4.3	1 4.0	2 4.0	5 3.8	1
IV	11.4	12.6	- 6.4	- 5.7	- 6.0	- 6.3	- 4.3	- 8.1	0.0	11	-12.0	6	0 -	34 4.5	26 4.0	9 3.9	1 2.0	2 5.0	6 3.9	3 4.7	0 -	0 -	2 4.0	5 4.6	2
V	22.9	24.0	- 1.0	- 0.2	- 0.4	- 0.8	1.0	- 2.3	4.3	22	-12.3	3	0 -	18 3.9	18 3.4	8 3.9	1 5.0	5 3.2	21 3.0	5 1.6	2 2.5	5 2.8	3 3.0	3 4.3	4
VI	08.0	09.1	2.4	2.9	3.0	2.5	4.3	1.1	7.0	20	- 3.8	3	2 1.0	20 3.2	18 3.3	10 3.3	0 -	0 -	7 2.0	10 1.5	3 1.0	7 1.3	6 2.7	6 4.2	1
VII	10.0	11.1	4.6	5.3	5.3	4.8	6.9	3.4	10.1	25	1.0	2	2 1.0	17 3.0	2 2.5	4 3.5	0 -	2 2.0	29 3.7	14 3.0	3 3.0	10 2.3	3 2.0	7 1.9	0
VIII	10.0	11.2	4.3	5.5	5.2	4.7	6.7	3.2	12.0	14	0.3	27	0 -	10 4.0	2 4.0	6 3.8	0 -	4 2.2	13 3.3	8 2.1	8 2.1	13 2.3	13 2.8	11 2.1	5
IX	07.2	08.3	0.6	1.3	1.0	0.8	2.3	- 0.6	5.5	5	- 6.5	25	0 -	30 4.6	18 4.1	13 3.6	1 2.0	2 4.5	8 3.4	2 2.5	1 2.0	5 3.6	3 3.0	2 4.0	5
X	02.7	03.8	- 2.4	- 2.1	- 2.5	- 2.3	- 0.5	- 4.4	7.3	7	-11.0	31	1 3.0	22 4.5	18 4.4	31 3.9	3 4.3	2 1.0	9 4.1	2 4.0	1 4.0	1 6.0	1 4.0	1 5.0	1
XI	08.4	09.6	- 2.4	- 2.4	- 2.4	- 2.4	- 0.8	- 4.9	4.7	30	-13.7	14	1 3.0	12 4.5	12 4.5	11 2.8	1 4.0	1 1.0	39 5.1	1 1.0	5 4.2	0 -	2 3.5	3 4.7	2
XII	997.6	998.8	- 3.1	- 2.9	- 3.0	- 3.0	- 0.8	- 5.6	4.0	15	-16.7	8	4 3.5	30 5.7	18 4.2	18 4.5	4 4.5	4 6.0	1 3.0	1 7.0	0 -	6 3.8	3 4.0	2 4.5	2
1954	1007.9	1009.0	- 2.2	- 1.7	- 1.9	- 2.0	0.0	- 4.1	12.0		-22.9		14 2.6	245 4.6	200 4.2	149 3.9	11 4.0	37 3.9	170 4.2	53 2.8	41 3.5	55 2.8	42 3.1	53 3.5	25

Hopen

φ = 76° 30′ N λ = 25° 4′ E g = 9.829 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1002.0	1003.0	- 7.4	- 7.2	- 7.3	- 7.3	- 4.5	-10.3	4.0	26	-21.9	22	14 3.6	22 3.6	7 4.4	5 3.6	3 2.0	2 2.5	1 4.0	5 3.2	12 4.2	6 4.0	5 3.6	8 2.9	3
II	10.6	11.5	- 5.4	- 5.0	- 4.7	- 5.1	- 2.0	- 8.1	3.1	25	-24.2	7	3 2.3	9 3.9	5 2.6	16 3.0	4 3.8	1 2.0	2 1.5	15 3.2	12 4.5	10 2.2	3 2.0	3 1.0	1
III	06.0	06.9	-14.0	-13.9	-14.6	-14.4	-10.0	-18.2	1.7	30	-27.5	25	5 4.8	21 4.0	32 4.3	8 2.9	2 2.0	1 3.0	0 -	2 5.5	3 5.0	1 3.0	4 2.5	7 2.9	7
IV	11.6	12.5	- 7.7	- 6.7	- 7.4	- 7.7	- 4.2	-10.8	2.4	11	-18.8	24	6 4.0	7 4.6	25 3.3	12 3.4	1 4.0	1 2.0	0 -	5 4.0	8 4.0	6 3.7	3 2.7	9 3.0	7
V	23.2	24.1	- 2.6	- 1.8	- 2.1	- 2.5	- 0.1	- 4.2	4.3	23	-14.2	3	2 2.5	9 2.8	21 3.3	17 3.2	0 -	1 1.0	0 -	9 3.7	9 2.8	15 2.8	3 3.3	4 3.8	3
VI	07.8	08.7	- 0.2	0.3	0.2	- 0.1	1.3	- 1.4	4.9	15	- 6.4	2	3 3.3	13 2.4	25 2.7	15 2.7	2 2.5	2 1.5	2 1.5	6 2.8	6 3.7	4 2.5	4 2.8	3 3.0	5
VII	10.6	11.5	3.0	3.4	3.2	3.0	4.8	1.6	10.5	14	- 1.5	4	1 6.0	3 3.7	20 3.1	15 2.3	2 2.0	4 1.0	3 1.7	2 2.5	16 4.4	18 3.6	5 3.0	1 5.0	3
VIII	09.7	10.6	2.8	3.5	3.1	2.9	4.2	1.7	6.3	14	- 0.2	2	6 3.7	8 3.0	22 2.7	21 2.7	5 2.6	1 1.0	2 3.0	4 2.5	5 3.8	6 2.8	5 2.8	8 2.9	0
IX	06.8	07.7	1.4	2.0	1.7	1.6	3.0	- 0.5	6.1	27	- 2.9	14	1 5.0	7 3.3	27 3.8	21 3.8	9 3.7	6 3.2	3 1.3	4 4.0	6 3.3	5 2.6	1 1.0	0 -	0
X	02.2	03.1	- 1.3	- 1.3	- 1.6	- 1.4	0.1	- 2.8	6.8	6	- 8.6	31	5 2.6	22 3.4	28 4.1	6 3.5	5 3.4	1 3.0	1 3.0	5 2.2	11 3.5	6 4.3	2 2.0	1 2.0	0
XI	10.6	11.5	- 1.9	- 1.6	- 1.5	- 1.7	0.0	- 3.7	4.1	30	-13.3	14	5 3.2	3 3.3	14 3.8	12 4.5	2 3.0	3 1.7	6 1.8	14 3.7	23 3.8	1 4.0	1 5.0	2 2.0	4
XII	997.8	998.8	- 2.2	- 2.0	- 2.1	- 2.1	- 0.7	- 3.6	3.4	31	-14.2	3	2 1.5	15 4.0	14 5.9	16 4.4	3 3.3	1 1.0	4 1.5	4 3.0	7 3.7	5 2.0	3 2.0	4 2.2	5
1954	1008.2	1009.2	- 3.0	- 2.5	- 2.8	- 2.9	- 0.7	- 5.0	10.5		-27.5		53 3.5	139 3.5	240 3.7	164 3.3	38 3.1	24 2.0	24 1.9	75 3.3	118 3.9	83 3.1	39 2.8	50 2.8	38

Bjørnøya

φ = 74° 31′ N λ = 19° 1′ E g = 9.828 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1002.3	1004.2	- 3.3	- 3.3	- 3.2	- 3.3	- 1.7	- 5.5	2.7	25	-13.4	10	18 4.5	11 4.2	6 4.5	2 2.0	1 2.0	1 3.0	10 3.3	7 4.0	5 4.4	20 4.4	5 6.0	7 4.9	0
II	08.8	10.6	- 1.9	- 2.3	- 2.0	- 2.2	0.0	- 4.8	3.0	24	-14.7	8	7 3.9	6 3.3	2 3.0	2 4.0	7 3.1	15 3.9	21 4.1	12 3.7	3 1.3	4 4.0	2 2.5	1 5.0	2
III	02.6	04.5	- 6.2	- 5.5	- 5.2	- 5.8	- 2.8	- 8.7	2.5	30	-20.7	25	8 4.8	11 4.4	18 4.8	23 4.1	2 3.0	4 2.8	5 3.0	6 4.3	8 3.2	3 5.0	1 6.0	4 3.5	0
IV	09.3	11.1	- 2.4	- 1.9	- 2.3	- 2.4	- 0.2	- 4.7	3.2	11	- 9.7	7	8 3.9	11 3.6	13 3.4	5 2.8	8 3.5	8 3.4	8 3.1	11 4.0	5 3.8	7 4.3	4 4.0	1 5.0	2
V	21.3	23.1	0.7	1.4	0.8	0.7	2.5	- 1.0	9.3	22	- 8.8	3	8 3.0	7 3.1	16 4.0	9 3.7	7 3.6	12 3.9	10 3.5	2 4.0	2 3.5	10 3.4	7 3.6	2 5.5	1
VI	06.3	08.1	2.1	2.6	2.7	2.2	4.0	0.7	8.5	21	- 3.1	2	7 2.6	13 3.2	22 3.7	11 3.3	3 4.0	0 -	7 3.0	7 4.1	4 4.8	5 4.0	7 3.9	3 3.3	1
VII	09.3	11.1	5.4	6.2	6.1	5.6	8.5	3.6	16.2	13	0.7	1	8 3.1	3 3.0	8 3.8	16 4.1	12 4.2	2 4.0	5 4.4	10 3.7	7 4.0	8 3.4	7 2.0	5 2.4	2
VIII	08.4	10.2	4.5	5.1	4.8	4.6	6.4	3.1	14.0	14	0.5	6	3 2.3	6 3.3	17 2.8	14 3.1	8 3.5	2 3.5	1 5.0	4 3.2	3 3.3	8 3.5	7 3.0	5 3.0	15
IX	02.7	04.4	3.2	4.1	3.3	3.3	4.8	1.8	7.9	26	- 1.2	25	4 2.2	8 3.1	29 3.4	13 4.1	11 3.5	3 3.0	1 1.0	5 3.8	3 2.0	0 -	2 4.5	2 2.5	9
X	999.7	01.5	0.5	0.4	0.3	0.4	2.2	- 1.8	9.7	5	- 9.6	13	3 4.3	17 5.0	13 4.6	13 3.8	7 4.1	8 3.3	4 2.5	8 4.0	7 3.0	3 3.3	3 6.0	0 -	7
XI	1008.2	10.0	0.2	0.2	- 0.1	0.1	1.5	- 2.2	4.4	30	- 7.8	14	3 4.7	5 4.8	10 6.0	6 4.2	16 3.1	6 3.5	5 3.8	23 4.3	3 3.3	3 4.3	0 -	2 5.5	8
XII	993.5	995.3	- 0.5	- 0.4	- 0.7	- 0.5	1.0	- 3.0	3.4	31	- 8.3	8	6 5.2	10 5.5	11 4.3	10 4.4	13 4.1	16 3.9	4 4.5	4 4.2	3 2.3	2 2.5	2 3.5	3 2.7	9
1954	1006.0	1007.8	0.2	0.6	0.4	0.2	2.2	- 1.9	16.2		-20.7		83 3.8	108 4.0	165 4.0	124 3.8	95 3.7	77 3.6	81 3.6	99 4.0	53 3.4	73 3.9	47 3.8	35 3.7	56

Jan Mayen 1954

φ = 71° 1′ N λ = 8° 28′ W g = 9.829 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1005.9	1010.9	- 4.4	- 4.0	- 4.3	- 4.2	- 1.9	- 6.7	5.3	24	-13.2	9	17 4.8	6 4.0	0 -	5 4.0	6 3.7	23 4.2	10 4.3	4 3.0	3 4.7	2 4.0	6 4.3	11 4.7	0
II	999.5	04.5	- 3.1	- 3.2	- 3.4	- 3.3	- 1.1	- 5.4	3.5	21	-15.6	27	18 5.4	4 3.8	2 3.0	3 6.3	6 6.0	34 4.4	2 2.5	1 5.0	2 4.0	2 5.0	1 2.0	4 5.0	5
III	1003.1	08.2	- 8.9	- 8.5	- 8.5	- 8.7	- 5.1	-12.6	3.6	31	-25.1	22	31 5.4	12 4.3	3 2.3	9 4.8	6 4.7	11 4.3	5 3.6	1 2.0	1 4.0	1 3.0	2 2.5	7 4.7	4
IV	10.0	15.0	- 4.4	- 3.8	- 3.6	- 4.1	- 0.9	- 6.8	5.5	17	-15.3	20	28 4.4	7 3.1	0 -	5 5.2	4 3.5	17 4.3	5 4.0	4 3.5	3 2.3	0 -	2 2.0	13 3.9	2
V	17.6	22.6	- 0.8	0.4	0.6	- 0.1	3.2	- 2.5	11.3	26	-10.3	3	28 4.0	5 4.6	3 5.3	4 4.2	12 3.8	13 4.5	6 3.2	4 2.2	2 2.0	5 1.8	3 2.3	4 2.5	4
VI	06.9	11.8	1.2	2.0	1.9	1.5	3.8	- 0.2	10.6	20	- 3.0	5	26 4.0	5 4.2	0 -	1 4.0	6 3.7	11 3.3	6 2.7	0 -	8 2.2	5 2.6	5 1.4	13 3.0	4
VII	03.9	08.7	4.2	4.9	5.4	4.5	7.7	2.6	14.7	25	- 1.6	1	20 4.1	5 4.8	1 6.0	2 3.5	3 4.3	14 3.7	13 3.2	8 2.5	4 2.0	4 2.0	5 1.8	13 2.4	1
VIII	07.9	12.8	3.8	4.8	4.9	4.3	6.5	2.7	13.9	1	0.3	13	32 3.4	0 -	1 2.0	2 3.0	7 3.4	2 4.5	13 3.7	7 2.4	6 2.7	6 2.5	4 2.2	9 2.4	4
IX	998.4	03.3	2.2	3.1	3.1	2.6	4.6	0.8	10.0	2	- 5.2	26	35 4.4	10 3.6	6 2.7	4 4.0	3 3.7	2 3.0	3 3.0	5 1.8	0 -	3 2.3	7 2.9	8 5.5	4
X	94.4	999.3	- 0.2	0.1	- 0.3	- 0.2	2.1	- 2.5	7.4	3	- 9.4	28	33 4.4	5 3.6	4 3.0	7 4.9	5 3.2	13 4.2	2 4.0	2 6.5	2 4.5	1 1.0	4 2.5	12 3.3	3
XI	94.6	99.5	2.1	2.3	2.4	2.3	4.2	0.2	6.5	30	- 6.6	1	9 5.2	4 4.0	1 5.0	14 5.3	20 4.8	18 4.9	9 4.8	4 5.5	3 3.0	3 3.3	1 1.0	1 5.0	3
XII	88.3	93.2	- 1.5	- 1.5	- 1.7	- 1.6	0.7	- 4.1	7.2	2	-11.2	7	19 5.2	15 4.8	1 2.0	16 4.6	9 4.0	9 4.3	5 4.0	0 -	3 3.3	5 3.0	4 3.8	3 5.3	4
1954	1002.5	1007.5	- 0.8	- 0.3	- 0.3	- 0.6	2.0	- 2.9	14.7		-25.1		296 4.4	78 4.1	22 3.3	72 4.7	87 4.2	167 4.2	79 3.7	40 3.1	37 2.9	37 2.7	44 2.7	98 3.7	38

Myggbukta

φ = 73° 29′ N λ = 21° 34′ W g = 9.828 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1013.0	1013.6	-20.9	-21.5	-21.1	-21.2	-15.7	-27.0	- 3.0	4	-38.6	16	31 4.2	9 2.7	1 1.0	10 2.7	2 1.0	5 1.6	2 1.0	0 -	2 2.5	6 1.5	6 2.0	9 1.8	10
II	04.8	05.4	-17.8	-18.9	-19.2	-18.6	-13.8	-24.8	0.7	21	-40.6	11	23 4.0	7 6.0	2 4.5	16 3.4	2 1.0	7 1.3	3 1.0	3 2.0	1 3.0	3 1.3	2 1.0	11 2.5	4
III	16.4	17.0	-27.4	-24.9	-24.7	-26.7	-19.9	-32.6	- 7.9	1	-42.2	22	17 3.7	3 2.0	3 1.7	17 1.9	2 2.0	1 2.0	5 1.2	2 2.0	6 2.5	6 1.5	4 2.8	11 1.9	16
IV	18.1	18.7	-19.4	-13.1	-11.7	-15.8	- 9.3	-22.8	- 2.4	7	-31.3	4	11 3.7	3 4.3	1 1.0	12 1.6	0 -	9 1.2	0 -	2 1.0	1 2.0	7 1.7	4 1.2	7 2.6	33
V	24.4	24.9	- 6.7	- 2.7	- 2.0	- 4.6	- 0.2	- 8.5	8.3	28	-23.5	10	7 4.1	1 1.0	1 1.0	14 1.5	6 1.7	6 2.2	7 1.3	2 1.0	3 2.7	7 1.1	3 1.7	9 2.0	27
VI	13.6	14.2	- 0.7	1.0	1.0	0.1	2.9	- 2.1	6.8	20	- 7.7	4	8 4.1	3 2.7	1 1.0	12 1.4	16 2.0	14 1.9	5 1.2	0 -	4 2.0	4 1.8	0 -	7 2.7	16
VII	11.2	11.7	1.7	3.3	3.6	2.6	5.8	0.6	13.6	22	- 4.2	1	1 1.0	1 6.0	0 -	8 1.8	28 2.0	29 2.6	13 2.2	1 3.0	0 -	2 2.0	0 -	4 2.2	6
VIII	12.9	13.5	0.9	3.2	3.2	2.0	5.7	- 0.4	14.5	24	- 3.6	17	2 3.5	3 2.7	0 -	7 1.7	18 2.3	34 2.1	7 2.3	1 3.0	1 4.0	0 -	2 1.5	5 2.0	13
IX	11.9	12.4	- 3.8	- 1.0	- 1.4	- 1.8	0.5	- 5.1	7.6	2	-12.5	30	24 3.0	2 1.5	2 1.0	4 1.8	8 2.1	15 1.5	4 2.0	0 -	2 2.0	2 1.5	3 1.7	15 3.7	9
X	05.1	05.6	- 9.6	- 8.5	- 8.5	- 9.1	- 5.5	-12.6	3.1	11	-25.0	30	31 4.3	7 3.4	3 1.7	3 3.7	5 1.4	2 1.0	4 1.8	1 1.0	0 -	9 2.1	1 1.0	10 4.8	17
XI	03.9	04.5	-11.2	-11.9	-11.3	-11.5	- 7.2	-16.4	0.1	27	-29.0	14	30 4.6	6 2.3	2 3.5	11 1.7	2 2.0	3 2.3	2 1.0	0 -	1 2.0	6 2.3	6 3.2	12 5.6	9
XII	01.5	02.0	-15.7	-15.6	-16.3	-15.9	-10.5	-21.7	1.6	2	-37.3	7	19 4.3	2 1.5	2 2.5	7 1.6	6 1.7	4 1.8	4 2.5	1 1.0	2 2.0	4 1.8	7 2.1	21 5.0	14
1954	1011.4	1012.0	-10.9	- 9.2	- 9.0	-10.0	- 5.6	-14.4	14.5		-42.2		204 4.0	47 3.3	18 2.1	121 2.0	95 2.0	129 2.0	56 1.7	13 1.7	23 2.4	56 1.7	38 2.1	121 3.4	174

Årsoversikter

Annual Summaries)

~~1955~~ 1954

Isfjord Radio

$H_s = 7$ $H_b = 9.0$ $h_t = 1.9$ $h_a = 10.0$ $h_d = 11.6$ $h_r = 1.7$

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I	79	80	81	80	4.8	5.0	5.1	24	9	24	30	24	17	0	16	4	0	17	2	1	3	15	1	2	0	0	0	0	0	0	0	5	13	
II	87	86	87	87	6.3	7.0	6.7	28	6	2	27	17	9	0	19	10	0	18	3	0	5	18	5	0	0	0	0	0	0	0	1	0	17	
III	86	84	85	86	5.2	5.7	5.8	30	16	30	31	29	24	0	19	5	1	21	4	0	1	19	1	0	0	0	0	0	0	3	12	4	16	
IV	82	79	81	81	4.7	4.9	4.8	9	2	11	30	28	6	0	10	5	0	9	0	0	0	10	0	0	0	0	0	0	0	0	23	4	9	
V	83	82	82	83	5.5	5.5	5.1	10	3	15	18	8	2	0	11	4	0	6	0	0	6	8	4	2	0	0	0	0	0	4	19	2	13	
VI	85	83	83	84	6.5	5.8	6.0	15	3	25	5	1	0	0	13	6	0	2	0	0	10	8	5	9	0	0	0	0	0	0	24	1	18	
VII	88	86	86	88	6.7	6.5	6.3	33	7	19	0	0	0	0	16	9	0	4	0	0	16	1	0	18	0	0	0	0	1	5	20	2	21	
VIII	85	80	82	84	6.7	6.0	5.8	32	10	21	0	0	0	0	13	7	1	4	0	0	12	1	0	10	0	0	0	0	0	4	22	0	17	0
IX	82	81	81	81	5.9	6.5	6.2	20	4	17	16	5	0	0	15	10	0	12	1	1	9	6	1	4	0	0	0	0	0	1	18	2	19	10
X	77	78	78	78	5.3	5.6	4.9	22	6	6	24	18	2	0	6	5	0	14	2	1	7	10	4	2	0	0	0	0	0	0	7	0	12	10
XI	83	83	82	83	6.0	6.4	6.0	57	14	1	28	13	6	0	20	15	1	17	1	0	12	16	6	7	1	1	0	1	2	1	0	3	17	27
XII	79	79	78	79	6.0	5.9	5.3	13	3	31	31	11	6	0	12	4	0	17	6	2	4	11	0	5	0	0	0	0	1	0	0	1	15	31
1954	83	82	82	83	5.8	5.9	5.7	293	16		240	154	72	0	170	84	3	141	19	5	85	123	27	59	1	1	0	1	4	18	146	24	187	

Hopen

$H_s = 6$ $H_b = 7.2$ $h_t = 1.8$ $h_a =$ $h_d = 8.0$ $h_r = 1.9$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	83	80	81	5.2	6.0	5.1	27	5	26	30	24	16	0	25	11	0	14	2	0	1	25	1	2	0	0	0	0	1	2	0	2	11	31
II	83	82	82	83	6.8	6.5	6.7	23	4	10	26	17	9	0	19	8	0	9	0	0	5	19	3	4	0	0	0	0	4	3	5	0	20	28
III	79	77	78	78	5.1	5.6	5.9	24	5	27	31	30	26	0	19	8	0	14	3	0	1	19	0	2	0	0	0	0	10	3	16	5	15	31
IV	81	81	82	82	5.6	5.3	5.1	30	7	12	29	22	18	0	23	11	0	11	1	0	3	23	2	2	0	0	0	0	4	2	18	3	15	30
V	87	84	86	86	7.0	6.2	6.8	17	6	4	29	12	6	0	13	6	0	7	0	0	4	12	3	5	0	0	0	0	0	12	16	0	19	27
VI	87	86	87	87	7.3	7.2	7.3	22	8	7	26	3	0	0	21	6	0	0	0	0	11	19	3	13	2	0	0	0	0	10	12	0	26	4
VII	92	90	91	92	7.4	7.0	7.3	39	11	23	2	0	0	0	17	7	1	8	0	0	17	0	0	18	0	0	0	0	2	18	12	0	22	0
VIII	89	86	88	88	7.0	6.7	7.0	25	11	21	1	0	0	0	24	5	1	1	0	0	21	5	2	17	0	0	0	0	2	12	12	0	23	0
IX	86	87	88	87	7.2	6.9	6.9	42	11	24	13	1	0	0	24	9	1	5	0	0	19	12	6	13	1	0	0	0	0	8	5	0	24	6
X	83	82	83	82	7.1	6.4	6.8	26	4	25	23	16	0	0	31	7	0	7	1	0	11	25	3	7	0	0	0	0	3	4	7	0	21	14
XI	83	84	85	84	6.1	6.7	6.7	14	5	30	27	10	4	0	11	5	0	7	2	0	2	10	1	4	0	1	0	0	4	2	0	0	17	25
XII	89	88	87	88	7.2	6.5	6.5	20	4	1	31	19	4	0	25	5	0	8	1	0	2	25	2	2	0	0	0	0	10	3	0	0	21	29
1954	85	84	85	85	6.6	6.4	6.5	309	11		268	154	83	0	252	88	3	91	10	0	97	194	26	89	3	1	0	0	40	79	103	10	234	225

Bjørnøya

$H_s = 15$ $H_b = 14.4$ $h_t = 1.9$ $h_a = 10.0$ $h_d = 9$ $h_r = 2.0$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	82	81	82	5.6	6.8	5.6	45	6	4	27	20	6	0	25	14	0	20	6	0	6	22	3	2	4	0	0	0	7	0	0	0	13	31
II	83	84	84	83	6.4	6.0	6.0	30	11	6	26	10	2	0	20	7	1	11	1	0	7	17	4	4	2	0	0	0	5	0	1	0	13	28
III	83	83	85	84	6.7	6.6	6.5	29	4	13	29	22	13	0	24	13	0	13	2	0	3	24	2	4	0	0	0	0	4	2	9	0	19	31
IV	84	82	82	83	5.7	6.2	5.9	31	8	12	26	15	0	0	20	7	0	9	0	0	9	16	6	3	6	0	0	0	3	2	20	0	13	30
V	85	82	84	84	6.5	6.3	6.5	21	6	8	14	8	0	0	14	5	0	9	0	0	9	11	5	8	0	0	0	0	4	9	19	0	16	16
VI	87	85	84	86	7.4	7.0	6.4	43	11	24	8	0	0	0	21	11	1	6	0	0	17	11	6	14	0	1	0	0	3	7	17	0	23	0
VII	89	87	88	89	7.5	7.0	7.0	17	6	2	0	0	0	0	17	4	0	7	0	0	17	0	0	23	0	0	0	0	5	17	22	0	23	0
VIII	91	88	88	89	6.9	6.9	6.6	25	6	22	0	0	0	0	24	5	0	2	0	0	24	0	0	28	0	0	0	0	9	13	26	0	23	0
IX	89	84	85	86	6.6	6.7	6.6	37	9	16	6	0	0	0	20	8	0	5	0	0	19	3	2	18	1	0	0	0	4	11	18	1	22	0
X	85	84	85	85	6.4	6.5	5.8	40	10	1	20	5	0	0	24	11	0	13	2	0	16	18	9	10	2	4	0	0	1	4	11	0	14	17
XI	84	87	86	86	6.4	7.0	6.1	16	6	8	18	4	0	0	17	3	0	13	0	0	12	10	6	2	4	0	0	0	13	1	0	0	15	21
XII	87	88	88	87	4.7	6.1	5.5	30	9	1	26	7	0	0	24	9	0	12	2	0	14	21	7	9	5	1	0	0	13	0	0	1	12	20
1954	86	85	85	85	6.4	6.6	6.2	364	11		200	91	21	0	250	97	2	120	13	0	153	153	50	125	24	6	0	0	71	66	143	2	206	194

Jan Mayen

$H_s = 40$ $H_b = 39.3$ $h_t = 2.0$ $h_a = 9.8$ $h_d = 10.5$ $h_r = 1.7$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	78	80	80	6.5	6.8	7.0	31	12	25	29	17	12	0	17	8	1	15	4	2	5	15	1	4	0	0	0	0	0	2	0	1	21	
II	82	81	82	82	6.5	6.6	6.6	58	15	22	23	11	7	0	20	11	2	14	4	1	8	19	6	6	0	0	0	0	8	3	6	0	17	
III	83	84	82	83	6.5	5.9	6.0	39	16	26	29	21	20	0	20	9	1	14	4	1	5	20	1	5	0	0	0	0	4	2	9	1	18	
IV	76	74	76	76	6.3	6.2	6.6	50	10	10	29	15	7	0	18	11	0	13	2	1	7	17	2	7	0	0	0	0	1	5	8	1	21	
V	86	81	82	84	6.5	6.4	6.7	20	8	30	23	0	1	0	16	6	0	9	1	0	12	6	0	12	0	0	0	0	2	13	13	3	25	
VI	83	77	78	80	7.2	6.7	7.3	26	7	20	16	2	0	0	16	7	0	2	0	0	12	8	0	16	0	0	0	0	2	10	10	0	23	
VII	87	84	83	85	7.2	6.9	5.9	65	17	8	4	0	0	0	18	8	2	5	2	0	18	5	1	20	0	0	0	0	3	15	15	0	24	
VIII	88	85	86	87	7.0	6.5	6.9	34	11	4	0	0	0	0	14	8	2	4	0	0	14	2	2	13	0	0	0	0	2	9	10	0	22	
IX	84	82	80	82	5.4	6.1	6.4	53	19	27	9	1	0	0	16	8	1	11	4	3	12	7	4	6	1	2	2	0	0	6	14	0	10	
X	82	81	81	81	6.4	6.5	6.9	90	13	21	22	11	0	0	23	13	3	13	1	0	19	17	4	10	2	0	0	0	0	8	9	0	21	
XI	84	82	84	83	6.5	6.4	6.5	135	24	5	12	2	0	0	26	19	4	21	6	2	22	11	0	11	0	0	0	0	2	1	0	0	18	
XII	84	85	84	84	6.3	6.5	6.5	40	6	3	26	14	3	0	26	15	0	18	3	1	13	18	0	7	0	1	0	0	0	9	0	0	17	
1954	83	81	82	82	6.5	6.5	6.7	641	24		222	94	50	0	230	123	16	139	31	11	147	145	21	117	3	3	2	0	24	83	94	6	237	

Myggbukta

$H_s = 3$ $H_b = 4.2$ $h_t = 1.8$ $h_a = 6.5$ $h_d = 6.9$ $h_r = 1.9$

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	79	80	81	4.3	3.8	3.2	47	24	26	31	31	31	0	8	4	1	9	2	2	0	8	0	0	0	0	0	0	0	0	0	10	8	31
II	82	81	83	82	4.1	4.0	4.2	90	18	17	28	25	22	0	14	11	4	10	5	0	3	14	2	1	0	0	0	0	0	8	13	10	10	28
III	75	73	72	74	3.5	4.5	4.1	7	5	29	31	31	31	0	5	1	0	3	0	0	0	5	0	0	0	0	0	0	0	0	22	7	8	31
IV	82	71	72	75	3.4	3.4	3.5	24	14	10	30	30	28	0	8	5	1	5	0	0	0	7	0	0	0	0	0	0	0	2	22	11	8	30
V	89	82	82	85	5.7	5.2	5.8	9	6	14	29	11	11	0	11	1	0	2	0	0	2	10	0	0	0	0	0	0	0	5	17	4	15	31
VI	90	87	90	90	6.0	6.4	6.0	36	16	20	22	2	0	0	9	5	1	3	2	1	7	3	1	2	0	0	0	0	0	10	15	1	18	28
VII	92	85	86	88	6.0	5.3	5.9	14	10	14	11	0	0	0	2	2	1	1	0	0	2	0	0	1	0	0	0	0	0	13	17	2	16	0
VIII	94	85	87	89	4.9	4.8	4.9	14	8	16	17	0	0	0	6	3	0	0	0	0	5	3	0	3	0	0	0	0	1	15	25	6	12	1
IX	83	73	78	79	5.7	5.1	4.9	5	4	12	30	12	4	0	6	1	0	2	1	1	1	5	0	1	0	0	0	0	1	5	20	2	9	5
X	74	72	75	74	3.7	4.5	4.8	8	4	10	29	25	21	0	6	3	0	14	1	0	1	6	1	0	0	0	0	0	0	0	21	6	7	6
XI	84	86	88	86	5.3	6.4	6.3	62	10	18	30	29	22	0	16	12	1	12	5	3	0	16	0	0	0	0	0	0	0	0	2	2	16	25
XII	85	84	84	85	5.0	5.4	5.4	101	24	19	31	30	28	0	21	12	3	12	5	3	1	21	0	1	0	0	0	0	1	0	0	5	14	31
1954	84	80	81	82	4.8	4.9	4.9	417	24		319	226	198	0	112	60	12	73	21	10	22	98	4	9	0	0	0	0	3	58	174	66	141	247