NORSK METEOROLOGISK ÅRBOK

1954

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

QC
989
.N8
N6
1954

LIBRARY
WEATHER BUREAU

PRIS KR. 10.00

TRYKT HOS GRØNDAHL & SØN OSLO 1955

LIBRARY
APR 2000
National Oceanic &
Atmospheric Administration
U.S. Dept. of Commerce

102 326

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

NORSK METEOROLOGISK ÅRBOK

1954

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

PRIS KR. 10.00

TRYKT HOS GRØNDAHL & SØN · OSLO 1955

LIBRARY
MAR 5 1956
WEATHER BUREAU

INNHOLD

	Side
Stasjonskart 1954	IV
Meteorologiske stasjoner, instrumenter og observasjoner 1954	V
Forklaringer til tabellene	X
Symboler	XIV
Stasjonsfortegnelse 1954	XVI
Rettelser	XIX
De bearbeidede data fra registreringene av lufttrykk, lufttemperatur, relativ fuktighet, vind og nedbør i Oslo (Blindern) 1954	1
Avvikelser i lufttrykksmidlene og lufttemperaturmidlene i 1954 fra de tilsvarende midler for perioden 1901—30	15
Sjøtemperaturen 1954 på 12 representative kyststasjoner	15
Daglige observasjoner (Ekstensotabell) i Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) og Tromsø 1954	16
Måneds- og årsoversikter for 164 stasjoner 1954	40
Pentademidler av lufttemperaturen for 37 stasjoner 1954	106
Daglige observasjoner (Ekstensotabell) på Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og i Myggbukta 1953	108
Måneds- og årsoversikter for Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og Myggbukta 1953	138

CONTENTS

	Page
Map of stations 1954	IV
Meteorological stations, instruments and observations 1954	V
Explanatory notes to the tables	X
Symbols	XV
List of stations 1954	XVI
Corrigenda	XIX
Data of atmospheric pressure, air temperature, relative humidity, wind and precipitation obtained from recording instruments at Oslo (Blindern) 1954	1
Departures of the mean pressures and mean air temperatures for 1954 from the corresponding means for the period 1901—30	15
Sea surface temperature 1954 at 12 representative coastal stations	15
Individual observations (Ekstensotabell) at Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) and Tromsø 1954	16
Monthly and annual summaries for 164 stations 1954	40
Five-day means of air temperature for 37 stations 1954	106
Individual observations (Ekstensotabell) on Isfjord Radio, Hopen, Bjørnøya, Jan Mayen and Myggbukta 1953	108
Monthly and annual summaries for Isfjord Radio, Hopen, Bjørnøya, Jan Mayen and Myggbukta 1953	138


STASJONSKART
(MAP OF STATIONS)
1954
Fruholmen
Jngöy
Helnes Fyr
Gamvik
Makkaur Fyr
Vardø
Kistrand
Rustefjelbma
Ekkerøy
Loppa
Torsvåg
Alta (Elvebakken)
Karasjok
Pasvik
Tromsø Skattøra
Summarøy i Senja
Andenes
Gibostad
Kautokeino
Bardufoss
Sandsøy i Senja
Siččajavre
Diviaalen
Narvik II
Bjørnfjell
Vestfjorden
Borge i Lofoten
Vottersøy
Skrova
Drag i Tysfjord
Gråpen fyr
Grøtøy
Røst
Helligvær
Bodø V.
Fauske
Myken
Glomfjord
Nordskjær
Mo i Rana II
Skålvær
Hattfjelldal
Majavatn
Hoylandet
Norafjell
Grong
Norafjell II
Kjevli i Snåsa
Vallersund
Sula Fyr
Ytterøy
Brønd II
Sulstua
Værnes
Meråker II
Trondheim (Voll)
Selbu
Vinjeøra
Kristiansund N.
Ona
Tingvoll
Berkåk
Gjermundnes
Røros
Sunndal
Kvande
Tynset
Tafjord
Fokstua
Dombås
Alvdal
Drevsjø
Kråkenes fyr
Nordfjordeid
Opstryn
Vågåmo
Sör-Nesset
Elveseter
Vinstra
Koppang (Øysel)
Kinn
Førde i Sunnfjord
Fagerås
Sikkilsdal
Trysil
Lustrasanat
Tørlun
Dærland (Skarestad)
Åmot
Leikanger
Vollen i Stiåre
Lillehammer
Takle
Hyangshes
Lærdal (Tønjum)
Bjørsbråten
Vang på Hedmark
Hellisøy fyr
Modalen
Flåberg (Røen)
Toten
Flisa
Voss
Myrdal
Stiri
Geilo (Strand)
Nesbyen II
Kutjern
Bergen (Fredriksberg)
Kvamskogen
Haugastøl
Vinger
Ulvensvang
Bagali
Eggemoen
Gardermoen
Fyttelund
Hvam
Kalnova
Skotterud
Maaum
Tryvannshøgda
Lyngdal i Numedal
Oslo (Blindern)
Sildtreøy
Indre Matre
Svanaatsfjona
Gausrotoppen
Kornebu
Asker
Svene
Ås
Sauda
Kongsberg
Eidsberg
Dalen i Telemark
Gvarv
Råde (Tomb)
Kalnes
Ulsira
Lister
Stokke
Brekke Sluse
Jan Mayen
Skudenes II
Tveitsund
Feræer
Stavanger
Sola
Velaa i Drangedal
Jomfruland
Klepp
Tonstad
Byglandsfjord II
Lyngør Fyr
Oanestad
Torungen Fyr
Grimstad
Konsmo
Kristiansand S.
Kjevik
Lista
Øksøy
Lindesnes
Mandal II
Istjord Radio
Hopen
Bjørnøya
Myggbukta
9° 10° 11° 12° 13° 14° 15° 16° 17° 18° 19° 20° 21° 22° 23° 24° 25° 26° 27° 28° 29° 30° 31° 32°
71° 70° 69° 68° 67° 66° 65° 64° 63° 62° 61° 60° 59° 58°
5° 6° 7° 8° 9° 10° 11° 12° 13°
85° 80° 70° 60° 40°
20° W 0° 20° E

METEOROLOGISKE STASJONER, INSTRUMENTER OG OBSERVASJONER

Bortsett fra nedbørstasjonene var det 209 meteorologiske stasjoner i drift i 1954, heri er også medregnet 1 værskip (som i tiden 1. januar—30. juni 1954 lå på stasjon M, i tiden 1. juli—31. desember 1954 på stasjon A), de 4 radiosondestasjonene og de 5 arktiske stasjonene. Av stasjonene sendte 175 værtelegrammer til forskjellige tider, mens 34 bare sendte månedsrapporter. På de telegraferende stasjonene ble hovedobservasjonene tatt kl. 7, 13 og 19 M.E.T., på de ikke telegraferende kl. 8, 13 og 19 M.E.T. Den klimatologiske statistikken i Årboken er basert på observasjonene tatt kl. 7, 13 og 19, henholdsvis kl. 8, 13 og 19 M.E.T.

Årboken for 1954 inneholder forskjellige klimatologiske data fra 164 stasjoner. Dessuten inneholder den tilsvarende data fra de arktiske stasjonene Isfjord Radio, Hopen, Bjørnøya, Jan Mayen og Myggbukta for 1953.

I Årboken 1954 er følgende 8 nye stasjoner tatt inn: Fluberg (Røen), til erstatning for Kutjern, som ble nedlagt 29. mai 1954, Fruholmen, til erstatning for Ingøy, som ble nedlagt 14. juni 1954, Hattfjelldal, Høylandet, til erstatning for Grong, som bie nedlagt 25. mai 1954, Lyngdal i Numedal, til erstatning for Svene, som ble nedlagt 25. mai 1954, Sikkilsdal, Skotterud og Sør-Nesset.

Med hensyn til de enkelte stasjoner er følgende å bemerke:

Dombås: Barograf og barometer ble flyttet til et annet rom i samme etasje 1. mars 1954.

Vinstra: Instrumenthytten ble ombygget til M.I. 46 7. oktober 1954. Samme dag fikk stasjonen vindfløy M.I. 47.

Eggemoen: Barometeret ble flyttet ca. 7 m i sørlig retning 4. februar 1954.

Kutjern: Stasjonen ble nedlagt 29. mai 1954. Ny stasjon ble opprettet samme dag ca. 31 km NW for den gamle. Den nye stasjonen heter Fluberg (Røen).

Flisa: Stasjonen fikk vindfløy M.I. 47 8. oktober 1954.

METEOROLOGICAL STATIONS, INSTRUMENTS AND OBSERVATIONS

Not including rainfall stations, 209 meteorological stations were in operation during the year 1954, including also 1 ocean weather ship (which from January 1.–June 30. 1954 was at station M, from July 1.–December 31. 1954 at station A), the 4 radiosondestations and the 5 arctic stations. Telegraphic reports were received at various hours from 175 stations, the remaining stations furnishing monthly reports only. At the stations furnishing telegraphic reports the hours of observation were 7, 13 and 19^h C.E.T., at the remaining stations 8, 13 and 19^h C.E.T. The climatological statistics in the Year Book refer to the observations made at 7, 13 and 19^h and 8, 13 and 19^h C.E.T., respectively.

The Year Book for 1954 contains various climatological data from 164 stations. In addition it also contains similar data from the arctic stations Isfjord Radio, Hopen, Bjørnøya (Bear Island), Jan Mayen and Myggbukta (Greenland) for 1953.

In the Year Book for 1954 the following 8 new stations have been included: Fluberg (Røen), replacing Kutjern, which was closed on May 29. 1954, Fruholmen, replacing Ingøy, which was closed on June 14. 1954, Hattfjelldal, Høylandet, replacing Grong, which was closed on May 25. 1954, Lyngdal i Numedal, replacing Svene, which was closed on May 25. 1954, Sikkilsdal, Skotterud and Sør-Nesset.

With regard to the individual stations the following should be noted:

Dombås: The barograph and the barometer were moved to another room on the same floor on March 1. 1954.

Vinstra: The thermometer screen was rebuilt to pattern M.I. 46 on October 7. 1954. On the same day the station was equipped with a wind vane pattern M.I. 47.

Eggemoen: The barometer was moved about 7 m southward on February 4. 1954.

Kutjern: The station was closed on May 29. 1954. A new station was established on the same day about 31 km NW of the old station. The new station is called Fluberg (Røen).

Flisa: The station was equipped with a wind vane pattern M.I. 47 on October 8. 1954.

Hvam: Stasjonen fikk ny nedbørstolpe i august 1952, derav den nye h_r.

Nesbyen II: Stasjonen fikk ny barograf 1. mars 1954. Instrumenthytten ble ombygget til M.I. 46 14. oktober 1954. Stasjonen fikk ny vindfløy M.I. 47 16. oktober 1954.

Svene: Stasjonen ble nedlagt 25. mai 1954. Ny stasjon ble opprettet samme dag ca. 17 km NNW for den gamle. Den nye stasjonen heter Lyngdal i Numedal.

Vefall i Drangedal: Stasjonen fikk ny vaker 7. mai 1954.

Torungen Fyr: Barograf, hygrometer, vindretningsregistrator type M.I. 48 og anemometer type M.I. 48 ble tatt i bruk da stasjonen ble telegraferende 1. juli 1954.

Kjevik: Stasjonen fikk nytt barometer 9. juli 1954.

Indre Matre: Instrumenthytten ble ombygget til M.I. 46 13. september 1954.

Svandalsflona: Instrumenthytten ble ombygget til M.I. 33 18. november 1954.

Slirå: Barometeret ble flyttet 60 cm mot E 24. august 1954. Stasjonen fikk termograf 25. august 1954 og ny vindretningsregistrator M.I. 48 27. august 1954.

Modalen: Instrumenthytten ble ombygget til M.I. 46 3. august 1954.

Fortun: Stasjonen fikk ny hygrograf 24. november 1954.

Sula Fyr: Stasjonen fikk nytt anemometer 1. desember 1954.

Vallersund: Instrumenthytten ble ombygget til M.I. 33 13. mai 1954.

Trondheim (Voll): Pluviografen ble flyttet ca. 50 m mot SSW 19. april 1952.

Værnes: Ny anemograf ble montert på egen stolpe ca. 130 m N for den gamle oppstillingen 5. november 1954.

Hvam: The new h_r is due to a new rain gauge which was put up in August 1952.

Nesbyen II: The station got a new barograph on March 1. 1954. The thermometer screen was rebuilt to pattern M.I. 46 on October 14. 1954. A new wind vane pattern M.I. 47 was put up on October 16. 1954.

Svene: The station was closed on May 25. 1954. A new station was established on the same day about 17 km NNW of the old station. The new station is called Lyngdal i Numedal.

Vefall i Drangedal: A new wind sleeve was put up on May 7. 1954.

Torungen Fyr: The barograph, the hygrometer, the wind recorder pattern M.I. 48 and the anemometer pattern M.I. 48 were taken into use when the station started sending telegrahic reports on July 1. 1954.

Kjevik: The station was equipped with a new barometer on July 9. 1954.

Indre Matre: The thermometer screen was rebuilt to pattern M.I. 46 on September 13. 1954.

Svandalsflona: The thermometer screen was rebuilt to pattern M.I. 33 on November 18. 1954.

Slirå: The barometer was moved 60 cm towards east on August 24. 1954. The station was equipped with a thermograph on August 25. 1954 and a new wind recorder pattern M.I. 48 on August 27. 1954.

Modalen: The thermometer screen was rebuilt to pattern M.I. 46 on August 3. 1954.

Fortun: The station was equipped with a new hygrograph on November 24. 1954.

Sula Fyr: The station was equipped with a new anemometer on December 1. 1954.

Vallersund: The thermometer screen was rebuilt to pattern M.I. 33 on May 13. 1954.

Trondheim (Voll): The pluviograph was moved about 50 m towards SSW on April 19. 1952.

Værnes: A new anemograph was put up on a separate post about 130 m N of the old place on November 5. 1954.

Grong: Stasjonen ble nedlagt 25. mai 1954. Samtidig ble den tidligere nedbørstasjon Høylandet, som ligger ca. 17 km N for Grong, utvidet til værstasjon.

Nordøyan: Barometer og barograf ble flyttet 3 m mot NNE 24. oktober 1954. Instrumenthytten ble flyttet ca. 4 m mot NE 26. oktober 1954. Ny vindfløy M.I. 47 ble montert ca. 52 m NNW for den gamle oppstillingen og nytt anemometer ble montert ca. 70 m NNE for den gamle plassen 27. oktober 1954.

Leka: Den nye h_r skyldes at nedbørstolpen ble flyttet ca. 4 m vestover høsten 1950.

Instrumenthytten ble ombygget til M.I. 33 10. september 1954.

Myken: Instrumenthytten ble ombygget til M.I. 33 3. september 1954. Anemometeret ble flyttet 25 m mot ENE 6. september 1954.

Bodø VI: Anemografen ble flyttet 60 m mot E 21. mai 1954.

Grøtøy: Instrumenthytten ble ombygget til M.I. 33 16. august 1954.

Offersøy: Stasjonen fikk ny vindfløy M.I. 47 på egen stolpe 13. august 1954, ca. 36 m NNW for den gamle oppstillingen på skolens tak.

Bardufoss: Instrumenthytten ble flyttet 128 m mot SSE 2. november 1954, og nedbørstolpen 115 m mot SSE 3. november 1954.

Alta (Elvebakken): Instrumenthytten ble ombygget til M.I. 46 27. august 1954. Stasjonen fikk nytt barometer 28. august og ny barograf 31. august 1954.

Ingøy: Stasjonen ble nedlagt 14. juni 1954. Ny stasjon ble opprettet samme dag 6 km WNW for den gamle. Den nye stasjonen heter Fruholmen.

Kistrand: Instrumenthytten ble ombygget til M.I. 46 2. august 1954.

Rustefjelbma: Instrumenthytten ble ombygget til M.I. 46 3. august 1954.

Grong: The station was closed on May 25. 1954. On the same day the previous precipitation station Høylandet, which is situated about 17 km N of Grong, was established as weather station.

Nordøyan: The barometer and the barograph were moved 3 m towards NNE on October 24. 1954. The thermometer screen was moved about 4 m towards NE on October 26. 1954. A new wind vane pattern M.I. 47 was put up about 52 m NNW of the old place and a new anemometer about 70 m NNE of the old place on October 27. 1954.

Leka: The new h_r is due to the moving of the rain gauge about 4 m westward in the autumn 1950.

The thermometer screen was rebuilt to pattern M.I. 33 on September 10. 1954.

Myken: The thermometer screen was rebuilt to pattern M.I. 33 on September 3. 1954. The anemometer was moved 25 m ENE of the old place on September 6. 1954.

Bodø VI: The anemograph was moved 60 m eastward on May 21. 1954.

Grøtøy: The thermometer screen was rebuilt to pattern M.I. 33 on August 16. 1954.

Offersøy: The station got a new wind vane pattern M.I. 47 on a separate post on August 13. 1954, which was put up about 36 m NNW of the old place on the roof of the school.

Bardufoss: The thermometer screen was moved 128 m towards SSE on November 2. 1954, and the rain gauge 115 m towards SSE on November 3. 1954.

Alta (Elvebakken): The thermometer screen was rebuilt to pattern M.I. 46 on August 27. 1954. The station was equipped with a new barometer on August 28. and a new barograph on August 31. 1954.

Ingøy: The station was closed on June 14. 1954. A new station was established on the same day 6 km WNW of the old station. The new station is called Fruholmen.

Kistrand: The thermometer screen was rebuilt to pattern M.I. 46 on August 2. 1954.

Rustefjelbma: The thermometer screen was rebuilt to pattern M.I. 46 on August 3. 1954.

Vardø: Forandringen i H_b skyldes et bedre nivellement. Instrumenthytten ble ombygget til M.I. 33 15. juni 1954. Stasjonen fikk nytt barometer 16. juni 1954.

Pasvik: Instrumenthytten ble ombygget til M.I. 46 og fikk ny vindfløy M.I. 47 10. juni 1954.

Karasjok: Stasjonen fikk ny vaker 23. mars 1954.

Siččajavre: Instrumenthytten ble ombygget til M.I. 46 24. august 1954.

Bjørnøya: Ny stolpe for anemometer og vindfløy ble satt opp 9. juli 1953.

Lufttrykket ble i 1954 observert på 98 stasjoner, men lufttrykksobservasjonene er bearbeidet klimatologisk bare for 42 stasjoner. Stasjonsbarometrene er kvikksølvbarometre av Fuess- eller Kew konstruksjon. Av stasjonene er 89 utstyrt med barograf.

Lufttemperaturen ble observert på 177 stasjoner. Alle disse målte også minimumstemperaturen og 115 maksimumstemperaturen. Mens lufttemperaturen blir observert kl. (8), 7, 13 og 19 M. E. T. på de fleste stasjonene, blir ekstremtemperaturene avlest bare kl. (8), 7 og 19 M. E. T. Termometrene er hovedsakelig av tysk type, inndelt i $^1/_5$° C. De fleste maksimums- og minimumstermometre er inndelt i $^1/_2$° C. 33 stasjoner er utstyrt med termograf av Fuess- eller Richard typen.

176 stasjoner er utstyrt med instrumenthytte av tre, 1 med vindusbur og 5 stasjoner har slyngetermometer. 5 stasjoner er utstyrt med aspirasjonspsykrometer. 17 stasjoner er ikke utstyrt med instrumenter, og utfører bare visuelle observasjoner for flygeværtjenesten.

Temperaturen i havoverflaten ble målt hver dag kl. 13 M. E. T. på 14 representative kyststasjoner.

Luftens fuktighet ble målt på 147 stasjoner, hvorav de fleste er utstyrt med Russeltvedts torsjonshygrometer. 27 stasjoner er også utstyrt med Fuess- eller Richard hygrograf. Fuktighetsmålinger foretas på de stasjoner som har instrumenthytte, og

Vardø: The new H_b is due to a better levelling. The thermometer screen was rebuilt to pattern M.I. 33 on June 15. 1954. The station was equipped with a new barometer on June 16 1954.

Pasvik: The thermometer screen was rebuilt to pattern M.I. 46 and the station was equipped with a new wind vane pattern M.I. 47 on June 10. 1954.

Karasjok: The station got a new wind sleeve on March 23. 1954.

Siččajavre: The thermometer screen was rebuilt to pattern M.I. 46 on August 24. 1954.

Bjørnøya: A new iron post for the anemometer and the wind vane was put up on July 9. 1953.

Atmospheric pressure was observed at 98 stations in 1954, but only the observations from 42 of these have been included in the climatological statistics. The station barometers are mercurial barometers of the Fuess or of the Kew pattern. 89 stations are supplied with barographs.

The air temperature was observed at 177 stations. All of them recorded the minimum temperature and 115 the maximum temperature. Whilst the air temperature is read at (8), 7, 13 and 19^h C. E. T. on most of the stations, the extreme temperatures are observed only at (8), 7 and 19^h C. E. T. The thermometers are mostly of the german type, graduated in fifths of degrees Centigrade. Most of the maximum- and minimum thermometers are graduated in half degrees Centigrade. 33 stations are equipped with thermographs of the Fuess or Richard type.

176 stations are equipped with louvre-boarded thermometer screens, 1 station have a small screen of sheet metal with window exposure and 5 stations use whirling thermometers. 5 stations are equipped with aspiration psychrometers. 17 stations are not equipped with instruments, and furnish only visual observations for aviation reports.

The temperature of the sea surface was observed daily at 13^h C. E. T. at 14 representative coastal stations.

Humidity observations were made at 147 stations, most of which are equipped with a Russeltvedt torsion hygrometer. 27 stations are also equipped with hygrographs of the Fuess or Richard type. Humidity observations are made at stations equipped

der er fuktighetsinstrumentet anbrakt i hytten, og dessuten på de 4 radiosondestasjonene og på værskipene på stasjon M og A.

Vindens retning og styrke observeres på alle stasjonene, og likeså noteres også den maksimale vindstyrke mellom observasjonsterminene. På 100 stasjoner bedømmes vindretningen etter vindfløy eller vaker, den registreres på 20 stasjoner og 5 stasjoner har indikator. På de øvrige stasjonene bedømmes vindretningen etter skjønn. Vindstyrken registreres på 31 stasjoner, 7 stasjoner har indikator, og på de øvrige bedømmes vindstyrken skjønnsmessig etter Beauforts skala.

Nedbørmengden (smeltevannet når det er snø eller hagl) blir målt på samtlige stasjoner kl. (8) 7 M.E.T. I den årstid nedbøren vesentlig faller som snø, benyttes en snømåler. Både regn- og snømålerne har en samleflate på 225 cm². 103 stasjoner er utstyrt med Nipher vindskjerm, 7 stasjoner er også forsynt med pluviograf. Når det er snø på bakken, observeres snødybden og snødekket hver dag kl. (8) 7 M. E. T.

Været, skydekket, synsvidden og nedbørslags samt været mellom observasjonsterminene observeres på samtlige stasjoner.

Av registreringene er bare verdiene fra Oslo (Blindern) tatt inn i Årboken.

with a thermometer screen, and also at the 4 radiosondestations and the ocean weather ships at the stations M and A.

The direction and the force of the wind are observed at all stations, and so is also the maximum wind force occurring between the standard hours of observation. 100 stations are equipped with a wind vane or a «wind sleeve», 20 stations with dial recorders, 5 stations with dial indicators, the remaining stations estimating the wind direction. 31 stations are equipped with wind recorders, 7 stations with dial indicators, the remaining stations estimating the wind force according to the Beaufort scale.

The amount of precipitation (melted when snow or hail) is measured at all stations at (8) 7^h C. E. T. During the time of the year when the precipitation is mainly falling as snow, a snow-gauge is used. Both the rain-gauge and the snow-gauge have a collecting surface of 225 sq.cm. 103 stations are equipped with a Nipher wind shield, 7 stations are also supplied with a pluviograph. When snow is present on the ground, the depth of the snow and the snow cover are observed daily at (8)7^h C. E. T.

Observations of weather, cloudiness, visibility, type of precipitation and past weather are made at all stations.

Only data obtained from the recording instruments at Oslo (Blindern), are included in the Year Book.

FORKLARINGER TIL TABELLENE

Tabellene er satt opp i overensstemmelse med de vedtak som ble gjort av den Internasjonale Meteorologiske Organisasjon på møtene i Warszawa 1935 og i Salzburg 1937. Interpolerte verdier er angitt ved et ^{x}, de andre symboler som er benyttet er forklart på side *XIV*.

Registreringene i Oslo (Blindern). — Verdiene i tabellene på side 1—14 er tatt ut for hver annen time av registreringene og påført de nødvendige korreksjoner. Vindhastigheten representerer den midlere hastighet i m/sek. i 10 minutter forut for det anførte klokkeslett. Verdiene for de øvrige elementer er momentanverdier. Ekstremverdier er trykt med fete typer. Følgende registrerinstrumenter har vært benyttet:

Sprung-Fuess kvikksølvbarograf.
Fuess termograf nr. 172446.
Fuess hygrograf nr. 114634.
Skålkorsanemometer M.I. 48/250 nr. 2 og anemograf Fuess nr. 217289.
Hellmann—Fuess pluviograf nr. 11791.

Ekstensotabellene. — Tabellene på side 16—39 inneholder observasjonene kl. 8, 13 og 19 M.E.T. fra Oslo (Blindern) og Tromsø og for kl. 7, 13 og 19 M. E. T. fra Bergen (Fredriksberg) og Trondheim (Voll) for 1954. Tabellene på side 103—133 inneholder observasjonene kl. 6,30, 12,30 og 18,30 M. E. T. fra Isfjord Radio, Jan Mayen og Myggbukta, og kl. 6,45, 12,45 og 18,45 M.E.T. for Bjørnøya og Hopen for 1953.

Regnet fra venstre til høyre inneholder rubrikkene:

1. *Datum.*
2. *Lufttrykket* (P) i millibar i stasjonens nivå.
3. *Lufttemperaturen* (T) og ekstremtemperaturene (Max og Min) i Celsiusgrader.
4. *Relativ fuktighet* (U) i prosent.
5. *Vindretningen* (D) i skalaen 01—36 og vindstyrken (F) etter Beaufort-skalaen.
6. *Synsvidden* (V) i skalaen 0—9, hvor 9 betyr synsvidde større enn 100 km.
7. *Skydekket* (N) i skalaen 0—8, og været (w) ved observasjonsterminene uttrykt ved symbolene på side *XIV*.
8. *Nedbørhøyden* (R) i mm.
9. *Snødybden* (h_s) i cm.
10. *Værforløpet* (W) i døgnet uttrykt ved symbolene på side *XIV*.

Måneds- og årsoversikter. — Tabellene på side 40—105 og 138—139 inneholder måneds- og årsmidler og

EXPLANATORY NOTES TO THE TABLES

The tables are arranged in accordance with the decisions made by the International Meteorological Organisation at the meetings in Warsaw 1935 and Salzburg 1937. Interpolated values are indicated by superscript x, other symbols used are defined on page *XV*.

Data obtained from recording instruments at Oslo (Blindern). — The values given in the tables on pp. 1—14 are obtained from the bi-hourly readings of the self recording instruments appropriately corrected. The values for wind speed represent the mean values in $^{m}/_{sec}$ through a period of 10 minutes prior to the time indicated. The other elements represent instantaneous values. The extreme values are printed in bold face type. The following recording instruments have been used:

Sprung-Fuess mercury barograph.
Fuess thermograph No. 172446.
Fuess hygrograph No. 114634.
Cup anemometer M.I. 48/250 No. 2 and anemograph Fuess No. 217289.
Hellmann—Fuess pluviograph No. 11791.

Tables of individual observations. — The tables on pp. 16—39 contain observations made at 8, 13 and 19^h C.E.T. at Oslo (Blindern) and Tromsø and those made at 7, 13 and 19^h C. E. T. at Bergen (Fredriksberg) and Trondheim (Voll) for 1954. The tables on pp. 103—133 contain observations made at 6,30, 12,30 and $18{,}30^h$ C.E.T. at the stations Isfjord Radio, Jan Mayen and Myggbukta and at 6.45, 12.45 and 18.45^h C.E.T. at Bjørnøya and Hopen for 1953.

The contents of the columns from left to right are as follows:

1. *Date.*
2. *Pressure* (P) in millibars at station level.
3. *The air temperature* (T) and the extreme temperatures (Max and Min) in degrees Centigrade.
4. *Relative humidity* (U) in per cent.
5. *Wind direction* (D) on the scale 01—36 and the wind force (F) according to the Beaufort scale.
6. *Visibility* (V) on the scale 0—9, where 9 signifies visibility in excess of 100 km.
7. *Cloud cover* (N) on the scale 0—8, and the weather (w) at the time of observation represented by the symbols given on page *XV*.
8. *Amount of precipitation* (R) in mm.
9. *Depth of snow on the ground* (h_s) in cm.
10. *Sequence of weather phenomena* (W) during the 24 hour period, expressed by the symbols defined on page *XV*.

Monthly and annual summaries. — The tables on pp. 40—105 and 138—139 contain monthly and

summer av de forskjellige elementer. Regnet fra venstre til høyre inneholder rubrikkene:

1. *Måned.*

2. *Lufttrykket i stasjonens nivå* (P_m) og lufttrykket redusert til havets overflate (P_{om}) eller til nærmeste standard-geopotensial flate. Her er gjort en unntakelse for lufttrykket på Røros og Dombås som er redusert til havet. Siden 1. januar 1944 har Eliassens[1]) reduksjonstabeller vært benyttet, og disse tabeller gir verdier som for enkelte stasjoner er litt forskjellige fra dem en fikk av de tabellene som ble brukt tidligere. Lufttrykket på kyststasjonene reduseres (som før 1. januar 1944) på grunnlag av en konstant temperaturavtagen med høyden på 0.6° C pr. 100 m. For innlandsstasjonene Røros, Dombås, Nordli II og Karasjok benyttes den samme konstante temperaturgradient, og dessuten tilføyes en temperaturkorreksjon[2]) når lufttemperaturen er under 2° C.

Reduksjonen til havet av lufttrykket på Dalen i Telemark og på Vollen i Slidre utføres i overensstemmelse med Eliassens 4. metode (loc. cit. p. 10).

3. *Lufttemperaturen* (i Celsiusgrader). — Månedsmidlene (Dies) er beregnet av formelen[3])

$$M = n - k(n - \overline{\text{Min.}})$$

hvor n er midlet av observasjonene kl. (8) 7, 13 og 19 M. E. T., k en faktor som varierer med årstiden og fra stasjon til stasjon,[4]) og $\overline{\text{Min.}}$ er den midlere minimumstemperatur. Temperaturekstremene gjelder for døgnet regnet fra kl. 19 til kl. 19.

4. *Vindfordelingen.* — Vindstyrken er gitt etter Beaufortskalaen. Vindretningen er gitt i skalaen 01—36 og henført til den nærmeste retning delelig med 3, nemlig:

N (36), N30°E (03), N60°E (06), E (09)
E 30°S (12), E60°S (15), S (18), S30°W (21)
S60°W (24), W (27), W30°N (30), W60°N (33).

Den første tallkolonnen under hver retning gir antall tilfeller med vind fra vedkommende retning, og den andre kolonnen gir den midlere vindstyrke.

5. *Relativ fuktighet* (i prosent). — På stasjoner hvor Russeltvedts torsjonshygrometer blir brukt, tas den relative fuktighet ut av tabeller som er beregnet for hvert instrument. Fuktighetene som

[1] Arnt Eliassen: On the Correction and Reduction of Barometer Readings. Geof. Publ. Vol XIII No: 11.

[2] Jahrbuch des Norwegischen Meteorologischen Instituts für 1944 S. XI.

[3] H. Mohn: Mitteilungen aus dem Norwegischen Meteorologischen Institute II. Die Temperatur der Luft. Met. Zeitschr. 1891 S. 253.

[4] Jahrbuch des Norwegischen Instituts für 1938, S. VIII und 35 og Norsk Meteorologisk Årbok 1949, S 134 og 138.

annual means and sums of the different elements. The contents of the columns from left to right, are as follows:

1. *Month.*

2. *Atmospheric pressure at station level* (P_m) and atmospheric pressure reduced to mean sea level (P_{om}) or to the nearest standard geopotential surface, the latter with the exception that the pressures observed at Röros and Dombås are reduced to mean sea level. Since January 1. 1944, Eliassen's[1]) reduction tables have been in use, and these tables render results that, for some stations, differ slightly from those obtained from the tables previously used. The pressure observed at coastal stations are reduced (as prior to January 1. 1944) on the assumption of a constant lapse rate of temperature equal to 0.6° C per 100 m elevation. For the inland stations Röros, Dombås, Nordli II and Karasjok the same constant lapse rate is used, and, in addition, a temperature correction[2]) is applied when the air temperature is below 2° C.

The reduction to mean sea level of the pressure observations at Dalen i Telemark and Vollen i Slidre is performed according to Eliassen's fourth method (loc. cit. p. 10).

3. *Air temperature* (in degrees Centigrade). — The monthly means are computed from the formula[3])

$$M = n - k(n - \overline{\text{Min.}})$$

where n is the mean of the observations made at (8) 7, 13 and 19^h C. E. T., k a factor appropriate for the station and season,[4]) and $\overline{\text{Min.}}$ is the mean minimum temperature. The extreme temperatures refer to the 24-hour period from 19 to 19 hours.

4. *Wind distribution.* — The wind force is given according to the Beaufort scale. The wind direction is given on the scale 01—36, reduced to the nearest direction divisible by 3, viz:

N (36), N30°E (03), N60°E (06), E (09)
E30°S (12), E60°S (15) ,S (18), S30°W (21)
S60°W (24), W (27), W30°N (30), W60°N (33).

The first column of figures under each direction gives the number of cases of winds from the direction indicated, and the second column of figures gives the mean wind force.

5. *Relative humidity* (in per cent). — At stations where Russeltvedt's torsion hygrometers are used, the relative humidity is obtained from tables computed for each instrument. Humidities observed by

observeres med psykrometer blir omregnet til relativ fuktighet ved hjelp av Jelineks tabeller når temperaturen er over frysepunktet, og ved hjelp av Birkelands[5]) tabeller når temperaturen er under frysepunktet. Den relative fuktighet refererer seg alltid til metningstrykket over vann.

Månedsmidlet er beregnet av Køppens formel

$$M = q + c(p - q)$$

hvor q er midlet av morgen- og aftenobservasjonene, p midlet av middagsobservasjonene og c er en faktor som varierer med stedet og tiden.[6])

6. *Skydekket* (i skalaen 0—8). — Månedsmidlene beregnes særskilt for morgen-, middags- og kveldsobservasjonene.

7. *Nedbøren* (i mm). — Nedbørhøyden blir målt kl. (8) 7 M. E. T., og gjelder for de foregående 24 timer. Månedssummene er gitt på nærmeste hele mm, og det samme er også tilfelle med de maksimale nedbørhøyder (Max).

8. *Antall dager med visse fenomener.* — Når det gjelder nedbørmengden, regnes døgnet fra kl. (8) 7 til kl. (8) 7, i forbindelse med andre fenomener regnes det fra kl. 19 til kl. 19.

Som nedbørdager regnes alle dager når nedbørhøyden er 0.1 mm eller mer. Dager med sludd telles opp for seg og tas dessuten med i kolonnene under dager med regn og dager med snø. Likeledes telles også antall dager med yr opp som dager med regn når nedbørmengden er 0.1 mm eller mer. Til antall dager med yr, hagl og tordenvær regnes alle dager da slike fenomener har forekommet, uten hensyn til nedbørhøyden. Dessuten skjelnes mellom tåke og tåkedis ettersom den tilhørende synsvidden er mindre eller større enn 1 km. Hvis tåke og tåkedis har forekommet på samme dag, regnes dagen som tåkedag. Som solskinnsdag regnes alle dager da solskinn har forekommet, uten hensyn til varigheten. Som klare dager regnes dager på hvilke summen av skydekketallene kl. (8) 7, 13 og 19 M. E. T. er 4 ($^4/_8$) eller mindre. På samme vis regnes hver dag når summen av skydekketallene kl. (8) 7, 13 og 19 M. E. T. er 20 ($^{20}/_8$) eller mer, som en overskyet dag. Dager med snødekke er dager når $^3/_4$ eller mer av bakken er dekket med snø.

[5] B. J. Birkeland: Neue Feuchtigkeitstafeln für das Psychrometer unter dem Gefrierpunkt, Christiania, 1907, Vorwort.

psychrometers are converted to relative humidity by the aid of Jelinek's tables when the temperature is above freezing and by aid of Birkeland's[5]) tables when the temperature is below freezing. Throughout, the relative humidity refers to saturation over water. The monthly means are computed from Køppen's formula

$$M = q + c(p - q)$$

where q denotes the mean of the morning and the evening observations, p the mean of the midday observations and c is a factor appropriate for the station and the season.[6])

6. *Amount of cloud cover* (on the scale 0—8). — The monthly means are computed separately for the morning, midday and evening observations.

7. *Amount of precipitation* (in mm). — The amount of precipitation is measured at (8) 7^h C. E. T. and refers to the preceding 24-hour period. The monthly sums are given to the nearest mm and so are also the maximum amounts (Max).

8. *Number of days with certain phenomena.* — Insofar as the amount of precipitation is concerned, the «day» is reckoned from (8) 7 to (8) 7 hours, in connection with other elements the «day» refers to the period from 19 to 19 hours.

As a day with precipitation is counted any day on which the amount of precipitation is 0.1 mm or more. Days with sleet are counted separately and are also included in the columns referring to days with rain and snow. Likewise the number of days with drizzle is included in the number of days with rain when the amount of precipitation is 0.1 mm or more. As days with drizzle, hail and thunderstorm are reckoned any day on which such phenomena occurred, regardless of the amount of precipitation associated with them. Furthermore, differentiation is made between fog and mist according to whether the associated visibility is lower or higher than 1 km. If fog and mist have occurred on the same day, the day is counted as one of fog. As a day with sunshine is counted any day on which sunshine has occurred, regardless of duration. As clear days are counted days on which the sum of the amount of cloud cover at (8) 7, 13 and 19^h C. E. T. is 4 (i.e. $^4/_8$) or less. Similarly, as an overcast day is taken any day when the sum of the cloud cover at (8) 7, 13 and 19^h C. E. T. is 20 (i.e. $^{20}/_8$) or more. Finally, a day with snow cover is a day on which $^3/_4$ or more of the ground is covered by snow.

[6] Jahrbuch des Norwegischen Meteorologischen Instituts für 1920, S. XI og Norsk Meteorologisk Årbok 1949, S. 135 og 139.

Avvikelser fra normalene. — Tabellene på side 15 gir avvikelsene i det midlere lufttrykk (ΔP) og i middeltemperaturene (ΔT) i 1954 fra middelverdiene for perioden 1901—1930.

Sjøtemperaturen (T_1). — Måneds- og årsmidler for temperaturen i havoverflaten 1954 på 12 representative kyststasjoner finnes på side 15.

Pentademidler av lufttemperaturen. — Tabellene på side 106—107 viser temperaturmidlene i perioder på 5 dager for 37 utvalgte stasjoner i 1954. Midlene er beregnet av formelen

$$M = n - k(n - \overline{\mathrm{Min}})$$

hvor n er midlet av observasjonene kl. (8) 7, 13 og 19 M. E. T., k en faktor som varierer med årstiden og fra stasjon til stasjon[7]) og $\overline{\mathrm{Min}}$ den midlere minimumstemperatur i 5-dagers perioden.

Oslo i september 1955.

[7] Jahrbuch des Norwegischen Meteorologischen Instituts für 1943, S. 96—97 og Norsk Meteorologisk Årbok 1949, S. 136—137 og 140—141.

Departures from normals. — The tables on p. 15 give the departures of the mean pressures (ΔP) and the mean temperatures (ΔT) for 1954 from the mean values for the period 1901—1930.

Sea surface temperatures (T_1). — Monthly and annual means of the sea surface temperature 1954 at 12 representative coastal stations are given on p. 15.

Five-day means of temperature. — The tables on pp. 106—107 give the mean temperature for consecutive periods of 5 days for 37 selected stations in 1954. The means are computed from the formula

$$M = n - k(n - \overline{\mathrm{Min}})$$

where n is the mean of the observations at (8) 7, 13 and 19^h C. E. T., k a factor appropriate for the station and season[7]) and $\overline{\mathrm{Min}}$ is the mean minimum temperature during the 5-day period.

Oslo, September 1955.

SYMBOLER

Symboler som forekommer i rubrikkene «Skydekke og vær» og «Værforløp» (Ekstensotabellene).

∞	Ølrøyk.
=	Tåkedis.
≡	Tåke.
,	Yr.
•	Regn.
*	Snø.
⁎	Sludd.
⌂	Kornsnø.
△	Iskorn.
↔	Isnåler.
∇̇	Regnbyer.
∇̈	Snøbyer.
∇̇̈	Sluddbyer.
⁑	Sprøhagl.
△	Hagl.
▲	Ishagl.
⟨	Kornmo.
⌈	Tordenvær.
+	Snøfokk.
⌓	Dugg.
⌴	Rim.
∾	Is-slag.
∨	Tåkerim.
⚡	Storm (F≥9).
⊙	Solskinn.
⊕	Halo (værgard).
⦶	Krans.
⌒	Regnbue.
⌓	Nordlys.
n	om natten.
a	om formiddagen.
p	om ettermiddagen.
na	etter midnatt (før morgenobservasjonen).
np	før midnatt (etter kveldsobservasjonen).
i	med avbrytelser.
( )	blir satt omkring værfenomener som forekommer innen synsvidde (men ikke på selve stasjonen).
0 og 2	som øvre indeks betegner intensitetsgraden, 0 svakt eller lett, 2 sterkt eller tett.

Andre symboler.

P	Lufttrykk.
T	Lufttemperatur.
T_1	Sjøtemperatur.
U	Relativ fuktighet.
D	Vindretning.
v	Vindhastighet.
F	Vindstyrke.
C	Vindstille.
V	Synsvidde.
R	Nedbørhøyde.
N	Skydekke.
w	Vær.
W	Værforløp.
φ	Geografisk bredde.
λ	Geografisk lengde.
g	Tyngdens accelerasjon.
Δ G	Forskjellen mellom den benyttede tid og Greenwich tid.
H_s	Stasjonens høyde over havet.
H_b	Barometerets høyde over havet (overkant av kvikksølvkoppen).
h_t	Høyden over marka av termometerkula.
h_a	Høyden over marka av vindhastighetsmåleren.
h_d	Høyden over marka av vindretningsmåleren (vindfløy, vaker).
h_r	Høyden over marka av nedbørmålerens overkant.
Φ	Geopotensial.
m	som nedre indeks angir midlet av elementet.
—	over betegnelsen ($\overline{\text{Max}}$, $\overline{\text{Min}}$) blir benyttet for å angi at det er en middelverdi.
Δ	Avvikelse.
Σ	Sum.
n	Antall observasjoner.
An	Årsverdi.
M	Månedsverdi.
Dat	Datum.
Dies	Døgnmiddel.

SYMBOLS

Symbols occurring in the columns «Skydekke og vær» and «Værforløp» of the Ekstensotabell.

∞ Haze.
= Mist.
≡ Fog.
, Drizzle.
• Rain.
* Snow.
⁂ Sleet.
Granular snow.
Grains of ice.
Ice needles.
Shower of rain.
Shower of snow.
Shower of rain and snow (sleet).
Soft hail.
△ Small hail.
▲ Hail.
Distant lightning.
Thunderstorm.
Drifting snow.
Dew.
Hoarfrost.
Glazed frost.
∨ Soft rime.
Gale ($F_x \geqq 9$).
⊙ Sunshine.
⊕ Solar halo.
Solar corona.
Rainbow.
Aurora Borealis.
n in the night.
a in the forenoon.
p in the afternoon.
na after midnight.
np before midnight.
i intermittent.
( ) brackets are used to indicate weather phenomena occurring in the neighbourhood of the station, but not at the station itself.

0 and 2 appearing as superscript indicate the intensity of the weather phenomena, such that 0 = slight or weak, and 2 = heavy or thick.

Further symbols.

P Atmospheric pressure.
T Air temperature.
T^1 Sea surface temperature.
U Relative humidity.
D Wind direction.
v Wind speed.
F Wind force.
C Calm.
V Visibility.
R Amount of precipitation.
N Amount of cloud cover.
w Weather.
W Sequence of weather.
φ Latitude.
λ Longitude.
g Acceleration of gravity.
Δ G Difference between the time used and Greenwich time.
H_s Height of station above mean sea level.
H_b Height of the barometer cistern above mean sea level.
h_t Height above the ground of the thermometer bulb.
h_a Height above the ground of the anemometer.
h_d Height above the ground of the wind vane.
h_r Height above the ground of the collecting surface of the precipitation gauge.
Φ Geopotential.
m as subscript, indicate the mean value of an element.
— (e.g. $\overline{\text{Max}}$, $\overline{\text{Min}}$) indicates a mean value.
Δ Departures.
Σ Sum.
n Number of observations.
An Annual value.
M Monthly value.
Dat Date.
Dies 24-hour means.

STASJONSFORTEGNELSE 1954
(List of Stations 1954).

Stasjon (Station)	Side (Page)	φ N	λ E Gr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1]	Observasjonstider. Mellem-europ. tid	Observatør (Observer)
Åbjørsbråten	44	60° 55′	9° 18′		635		1.8		13.0	1.4		8 13 19	Lage Åbjørsbråten, gårdbruker.
Åmot	44	61 7	11 18		310		2.0		6.7	1.6	R	7 13 19	Fru Ester Skramstad Svenningsen.
Ås	15, 56, 106	59 40	10 47		95		2.0		8.3	2.0	R	8 13 19	Halvor Tønseth, kontrollassistent.
Alta (Elvebakken)	100	69 58	23 22	9.826	4	4.7	2.0		10	1.6	R	7 13 19	Thomas Thomassen, oppsynsbetjent.
Alvdal	15, 40, 106	62 2	10 48		485		1.9		8.0	1.5	R	7 13 19	Fru Marit Nordrum Søgård.
Andenes	15, 96	69 19	16 7	9.826	5	6.5	1.8	10.9	10.2	1.7	R	7 13 19	Aron Th. Hanssen, fyrmester.
Asker	50	59 51	10 26		154		1.9			2.0		8 13 19	Statens Småbrukslærerskole.
Bardufoss	98	69 4	18 31	9.825	76	82.6	2.0	10.7	10.3	2.3	R	6^{45} 12^{45} 18^{45}	Værtjenesten.
Bergen (Fredriksb.)	15, 22, 70	60 24	5 19	9.819	43	44.4	1.7	19.0	19.0	1.4	R	6^{45} 12^{45} 18^{45}	Anton Bakke, vaktm. ved Vervarslinga
Berkåk	82	62 50	10 1		424		1.8		10.0	1.8	R	7 13 19	Fru Sina Kosberg.
Bjørnfjell	92	68 26	18 4		514		1.9			2.5		7 13 19	Peder Kvernrød, stasjonsmester.
Bjørnøya	120, 138	74 31	19 1	9.828	15	14.4	1.9	10.0	9	2.0	R	6^{45} 12^{45} 18^{45}	Radiostasjonen.
Bodø VI	15, 90, 107	67 16	14 22	9.824	10	16.6	2.0	11.2	11.2	1.4	R	6^{40} 12^{40} 18^{40}	Værtjenesten.
Borge i Lofoten	94	68 20	13 53		5		1.8			1.6	R	6^{30} 12^{30} 18^{30}	Frøken Liv Jensen.
Brekke Sluse	56	59 9	11 34		114		2.0		8.5	1.5	R	7 13 19	Harald Thorsen, slusemester.
Brønnøysund II	15, 88, 107	65 29	12 13	9.823	13	13.2	2.0		11.0	1.8	R	7 13 19	Peder Haus, radiobestyrer.
Byglandsfjord II	15, 60, 106	58 40	7 49		206		2.1		9.5	1.6	R	7 13 19	Ragnar Rike, telefonbestyrer.
Bø i Vesterålen	15, 96	68 37	14 27		7		2.0			1.8		7 13 19	Frøken Valborg Henriksen.
Dagali	15, 52	60 25	8 26		887		2.0		7.5	1.7	R	8 13 19	Frøken Ragnhild Aasberg.
Dalen i Telemark.	15, 58	59 27	8 0	9.818	77	79.6	2.0			1.8	R	7 13 19	Arne Bergland, snekkermester.
Dividalen	15, 98	68 47	19 44		202		2.0			1.4	R	8 13 19	Johan Stenvold, skogvokter.
Dombås	15, 42, 106	62 4	9 7	9.819	643	647.1	1.9		7	1.7	R	7 13 19	Sverre Hodneland, telegrafbestyrer.
Drag i Tysfjord	92	68 3	16 2		60		1.9			1.8		7 13 19	Adelsten Ellingsen, småbruker.
Drevsjø	40	61 53	12 3		675		2.0		9.7	1.6	R	7 13 19	Ingeborg Berndtsson, telefonbestyrerin
Eggemoen	46	60 13	10 19		195		2.0	10.7	10.5	1.7	R	7 13 19	Ole Nystrand, oppsynsmann.
Eidsberg	56, 106	59 30	11 17		140		1.9		9.1	1.6		7 13 19	Olav Bakka, gårdbruker.
Ekkerøy	102	70 4	30 6		7		1.5		8.7	1.9		7 13 19	Einar Nielsen, telefonbestyrer.
Elveseter	42	61 42	8 17		675		2.0			1.5	R	7 13 19	Olav Lilleødegård, småbruker.
Fanaråken	76	61 31	7 54	9.816	2062	2070.3	4.2	9.7	9.7	3.0	R	6^{45} 12^{45} 18^{45}	Observatoriet.
Fauske	90	67 15	15 23		15		1.9			2.0	R	7 13 19	Arnold Brembo, avdelingssjef.
Ferder	15, 58	59 2	10 32	9.819	6	7.7	2.0	8.2	17.5	1.0	R	7 13 19	Peter Teige, fyrmester.
Fister	66	59 11	6 4		1		2.1		7	1.5	R	7 13 19	Martin Hammer, småbruker.
Fjærland (Skarestad)	74	61 25	6 47		10		2.0		6.2	1.4	R	7 13 19	Anders Skarestad, gårdbruker.
Flisa	15, 48, 106	60 37	12 1		183		1.9		8.2	1.5	R	7 13 19	Fru Ingeborg Sorknes.
Fluberg (Røen)	48	60 47	10 12		160		2.0			1.9	R	7 13 19	Hallstein Røen, gårdbruker.
Fokstua	42	62 7	9 17		952		1.8		6.8	1.5	R	8 13 19	Paul S. Kolstad, stasjonsbestyrer.
Fornebu	50	59 54	10 38	9.819	18	23.2	1.9	11.5	11.1	1.8	R	6^{30} 12^{30} 18^{30}	Værtjenesten.
Fortun	74	61 30	7 42	9.820	27	29.6	2.0		7.0	1.3	R	7 13 19	Erik Fortun, gårdbruker.
Fruholmen	100	71 6	24 0	9.827	13	14.2	2.0	9.2	7.1	1.4	R	7 13 19	Hans Hansen, fyrmester.
Førde i Sunnfjord	76	61 27	5 51		3		1.9		16.0	1.7	R	8 13 19	Gunvor Thingvold, telegrafassistent.
Gamvik	102	71 4	28 15	9.827	6	9.3	2.0			1.6	R	7 13 19	Karl Henriksen, arbeider.
Gardermoen	48	60 12	11 5	9.820	202	211.5	1.9	11.6	11.2	1.7	R	7 13 19	Værtjenesten.
Gaustatoppen	54	59 51	8 40	9.815	1828	1828.7	2.1		3.5	1.3	R	7 13 19	John Solheim.
Geilo (Strand)	52	60 32	8 13		768		1.9		6.2	2 0	R	7 13 19	Johannes O. Strand, knivmaker.
Gibostad	96	69 21	18 5		6		2.0			1.8	R	7 13 19	Arthur Bendiksen, kasserer.
Gjermundnes	78	62 37	7 10		51		1.8		8.5	1.6	R	7 13 19	Edvard Ansnes, håndverkslærer.
Glomfjord	90	66 49	13 59		39		1.3			1.8		8 13 19	Glomfjord kraftverk.
Gløpen Fyr	94	67 53	13 3		31		1.9			1.7		7 13 19	Nordahl Jensen, fyrmester.
Grimstad	60	58 20	8 36		7		1.8		5.0	1.4		7 13 19	Frantz L. Nilsen, pensjonist.
Grong	86	64 27	12 18		72		2.0		13.5	1.7	R	7 13 19	Torbjørn Rosten, gårdbruker.
Grøtøy	92	67 50	14 47		6		2.1			1.4	R	7 13 19	Ingrid Dahl, telefonstasjonsholder.
Gvarv	15, 58, 106	59 24	9 10		26		1.8		6.5	1.6	R	7 13 19	Fru Marie Magnussen.
Hattfjelldal	88	65 36	13 59		221		1.9			1.9	R	7 13 19	Fru Ida Slettbakken.
Haugastøl	52	60 31	7 52		988		1.8		8	2.8	R	7 13 19	Lars Bæra, telegrafist.
Helligvær	90	67 24	13 54		14		2.0		9	1.6	R	7 13 19	Marius Hansen, fisker.
Hellisøy Fyr	15, 72	60 45	4 43		20		1.8	12.5	12.5	1.2	R	7 13 19	Henry Hansen, fyrmester.
Helnes Fyr	100	71 4	26 14		33		2.1			1.8	R	7 13 19	Ingvard Johansen, fyrmester.
Hopen	114, 138	76 30	25 4	9.829	6	7.2	1.8		8.0	1.9	R	6^{45} 12^{45} 18^{45}	Radiostasjonen.
Hvam	48, 106	60 6	11 24		162		2.0		10.0	1.8	R	8 13 19	Torgeir Blakarstuen, forsøksleder.
Høylandet	86	64 36	12 16		28		2.0		10	1.4	R	6^{45} 12^{45} 18^{45}	Ivar Mørkved, gårdbruker.
Indre Matre	68	59 51	6 0		24		2.0			1.7		6^{45} 12^{45} 18^{45}	Arnfinn Matre, gårdbruker.
Ingøy	15, 100	71 4	24 9	9.827	4	7.8	1.9	6.7	8.1	1.6	R	7 13 19	Arne Digre, handelsmann.
Isfjord Radio	108, 138	78 4	13 38	9.830	7	9.0	1.9	10.0	11.4	1.7	R	6^{30} 12^{30} 18^{30}	Radiostasjonen.
Jan Mayen	126, 138	71 1	8 25w	9.829	40	39.3	2.0	9.8	10.5	1.7	R	6^{30} 12^{30} 18^{30}	Radiostasjonen.
Jomfruland	58	58 52	9 36		15		2.1		23.6	1.7	R	7 13 19	Anders Johansen Gjøen, fyrmester.
Kalhovd	54	60 4	8 22		1101		1.9			1.6	R	7 13 19	Arne Nilsen, bestyrer.
Kalnes	56	59 19	11 3		50		2.0		6.1	1.8	R	8 13 19	Einar Sætherbakken, fjøsmester.
Karasjok	15, 104	69 28	25 31	9.825	131	132.7	1.9		10.0	1.3	R	7 13 19	Fru Anna Næss.
Kautokeino	104	69 0	23 2		308		1.9			1.9	R	6^{45} 12^{45} 18^{45}	Fru Julie Oskal.
Kinn	15, 76	61 34	4 48	9.821	9	7.6	2.0			1.4		7 13 19	Peder Gjertsen, telefonbestyrer.

[1]) R: Russeltvedt torsjonshygr.

Stasjon (Station)	Side (Page)	φ N	λ E. Gr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1])	Observasjonstider. Mellemeuropeisk tid.	Observator (Observer)
and	100	70 27	25 13		12		2.0			1.5		6^{45} 12^{45} 18^{45}	Olaf Sætrum, snekker.
ik	62	58 12	8 5	9.818	12	15.2	2.0	10.0	10.0	1.6	R	6^{45} 12^{45} 18^{45}	Værtjenesten.
li i Snåsa....	15, 84, 107	64 10	12 29		195		2.0		11.0	1.5		8 13 19	Sverre Kjøbli, gårdbruker.
p	15, 64, 107	58 48	5 38		14		1.9		12.5	1.5	R	8 13 19	Ingar Øglænd, planteskolebestyrer.
sberg	54	59 40	9 39		169		2.0			1.8	R	8 13 19	Gotfred Lofthus, brannkonstabel.
mo.....	62	58 16	7 20		337		2.1		7.5	1.7	R	7 13 19	Sem Hægland, gårdbruker.
ng (Øyset)..	42	61 37	10 53		303		2.4		15	1.6	R	7 13 19	Ole Velten, postbud.
iansand S....	62, 105	58 10	7 59		22		2.0		14.4	1.7	R	8 13 19	Richard Huseby, arbeidsleder.
iansund N....	80	63 6	7 45		13		1.9			1.8	R	7 13 19	Sigurd Gjølme, brannkonstabel.
enes Fyr	78	62 2	4 59		38		2.2	13.5	7	1.4	R	7 13 19	Sverre Eriksen, fyrmester.
ern.....	48	60 33	10 33		493		2.0		8.3	1.9	R	7 13 19	Ivar Disen, jernbaneekspeditør.
nskogen	70	60 24	5 55		408		2.0			1.8	R	7 13 19	Trygve Totland, gårdbruker.
nger	15, 74, 107	61 11	6 52		22		2.0			1.8		8 13 19	Erling Kvaale, forsøksleder.
.....	86	65 6	11 42		50		2.0		9	1.8	R	6^{45} 12^{45} 18^{45}	Knut Leknes, gårdbruker.
ammer.....	15, 44, 106	61 6	10 29		226		2.0		9.4	1.5	R	7 13 19	Thorleif A. Ulsaker, gårdbruker.
snes	15, 64	57 59	7 3		10		2.0		19.0	1.4		7 13 19	Reinert Rasmussen, fyrmester.
.....	15, 64	58 6	6 34		13		2.1	10.4	10.3	1.6	R	7 13 19	Sverre Røsstad, fyrmester.
.....	100	70°20′	21°28′		8		1.9			1.8		7 13 19	Osvald Soelberg, kjøpmann.
Sanat.	74	61 26	7 25		503		2.0			1.9	R	8 13 19	Helgy Wullum, gartner.
ial i Numedal	54	59 54	9 32		290		2.0		10	1.8	R	7 13 19	Olav Homelien, kjøpmann.
r Fyr.....	15, 60	58 38	9 9		4		2.2		10.0	1.4	R	7 13 19	Petter Pedersen, fyrmester.
l (Tønjum)	74	61 4	7 31	9.819	36	36.4	1.8		10.0	1.7	R	6^{45} 12^{45} 18^{45}	Kristian Øygard, lærer.
atn	86	65 13	13 22		352		2.0			1.9		7 13 19	Andreas Nilsen Kappfjelli, gårdbruker.
aur Fyr.....	102	70 42	30 5		11		2.1			1.8		6^{45} 12^{30} 18^{30}	Nils M. Nilsen, fyrmester.
ial II	62	58 3	7 27		138		1.9		9	1.6		8 13 19	Albert Håland, gårdbruker
er II.....	84	63 25	11 46		218		2.0		14.2	1.8	R	7 13 19	Arvid Jensen, telegrafist.
Rana II	88, 107	66 20	14 11		25		2.0			1.6	R	7 13 19	Osvald Alternes, lærer.
ien	72	60 50	5 56		104		2.0			1.1	R	7 13 19	Olav Farestveit, gårdbruker.
n	52, 106	59 58	9 58		135		1.8		7.4	1.7	R	8 13 19	Johannes Brunæs, gårdbruker.
ukta	132, 138	73 29	21 34w	9.828	3	4.2	1.8	6.5	6.9	1.9	R	6^{30} 12^{30} 18^{30}	Radiostasjonen.
.....	15 , 90	66 46	12 29		19		2.1	9.7		1.4	R	6^{45} 12^{45} 18^{45}	Petter Moe, dampskipsekspeditør.
al	70	60 44	7 7		870		1.9	9.6	7.4	2.8		7 13 19	Anfinn Gjerde, formann.
k II	92	68 28	17 30		32		2.0			1.8		7 13 19	Arne Wiker, gårdbruker.
en II	15, 52, 106	60 34	9 8		165		2.1		7.3	1.7	R	6^{45} 12^{45} 18^{45}	Frøken Olava Kvarteig.
jordeid	76, 107	61 56	6 6		71		1.9			1.7	R	7 13 19	Fru Pernille N. F. Leivdal.
II.....	86	64 27	13 36	9.822	408	412.7	2.0		13	1.4		7 13 19	Bernt Elvseth, småbruker.
Solvær.....	88	66 22	12 39		7		2.1			1.7		7 13 19	Alf Johansen, telefonbestyrer.
oyan	15, 86	64 48	10 33		33		1.9	10.4	10.3	1.7	R	6^{40} 12^{40} 18^{40}	Peder Krøvel, fyrmester.
stad	64	58 39	5 34		24		2.1		10.5	1.4	R	7 13 19	Elias Breivik, fyrmester.
søy	15, 92, 107	68 20	15 38	9.825	16	20.3	2.0		9.2	1.8	R	7 13 19	Magnus Os, lærer.
v	15, 62	58 4	8 3	9.818	9	8.0	2.0		8.1	1.8	R	7 13 19	Kristian Torsø, fyrassistent.
.....	15, 78	62 52	6 33	9.822	11	12.5	2.1	13		1.4	R	7 13 19	Sivert Jonas Viken, poståpner.
yn	15, 76	61 56	7 14		205		1.9			1.7		8 13 19	Frøken Ingebjørg Skåre.
Blindern) ...	1, 15, 16, 50	59 56	10 44	9.819	94	95.6	2.2	25.6	25.6	1.6	R	8 13 19	Lågstad, Bakken, vaktmestere v. Met. Inst.
k	104	69 10	29 15		54		2.0		9.2	1.7	R	8 13 19	Gunnar Schaaning, småbruker.
.....	78, 107	62 24	5 39		21		1.9			1.3		7 13 19	Frk. Karoline Runde, telefonbestyrerinne.
jelbma.....	102	70 24	28 12		9		2.0			1.8		7 13 19	Sabba A. Sabbasen, småbruker.
.....	15, 40, 106	62 34	11 23	9.819	628	629.8	1.8		14.7	1.9	R	7 13 19	Magnus Skanche, stasjonsmester.
.....	94	67 30	12 4		8		2.0		15.6	1.6	R	7 13 19	Percival T. Pedersen, telegrafbestyrer.
(Tomb)	56	59 19	10 49		14		1.9		6.9	1.5	R	8 13 19	Andreas Nome, landbrukslærer.
dsøy i Senja ..	96	68 57	16 40		17		2.1		9.2	1.7	R	7 13 19	Alf O. Skogsletten, kjøpmann.
d	15, 66, 107	59 39	6 22		5		1.8			1.5	R	7 13 19	Oscar Pedersen, vaktsjef.
u	82	63 12	11 7		197		2.0		8	1.4	R	7 13 19	Olav Engen, snekker.
ajavre	15, 104	68 45	23 33		382		2.1		6	1.6	R	7 13 19	Elias Øvergård, fjellstueoppsitter.
ilsdal	44	61 29	9 2		1015		2.1		7.2	2.2	R	7 13 19	Sigvald Sande, bestyrer.
tøra	98	69 42	19 1		14		2.0	10.8	10.5	1.6	R	7 13 19	Værtjenesten.
nvær Fyr	15, 94	67 25	11 53	9.826	18	21.3	2.0	20.1		1.5	R	6^{45} 12^{45} 18^{45}	Alfred Skaar, fyrmester.
tterud	50	59 59	12 8		150		2.0			1.8	R	7 13 19	Hans Christensen, småbruker.
ova	15, 94	68 9	14 39		11		2.2			1.7	R	7 13 19	Arild Klefstad, fyrassistent.
nenes II.....	15, 66	59 9	5 15	9.819	7	9.2	2.2		7	1.7	R	8 13 19	Lars Aadnesen, gårdbruker.
lvær.....	88	65 52	12 11		4		2.2			1.7		7 13 19	Henrik Jenssen, kjøpmann.
a	15, 70	60 37	7 25		1300		3.2	11.5	12	3.8	R	6^{45} 12^{45} 18^{45}	Harald Mjeldheim, banevokter.
tterøy	15, 68	59 54	5 4		15		2.1		3.5	1.4	R	7 13 19	Nils Eriksen, fyrbetjent.
a	66	58 53	5 38	9.819	8	12.7	1.8	10.3	10.3	1.6	R	7 13 19	Værtjenesten.
nnarøy i Senja	96	69 38	18 1		2		2.0			1.7		7 13 19	Konrad Olsen, tilsynsmann.
vanger.....	66	58 57	5 44		67		1.7		5	1.6	R	8 13 19	Ingmar Vareng, meteorologisk assistent.
kke.....	54, 106	59 14	10 17		76		2.0		12	1.7	R	7 13 19	Kristoffer Holt, hagebrukslærer.
a Fyr.....	15, 80	63 51	8 28	9.822	27	30.0	1.8	13.0	13.0	1.7	R	7 13 19	Johan Jøstensen, fyrmester.
stua	15, 84	63 40	12 1		251		1.9			1.6		8 13 19	Rasmus Brendmo, gårdsarbeider.
ndal.....	15, 80	62 33	9 7		195		2.0		9.5	1.8		7 13 19	Endre G. Nisja, gårdbruker.
ndalsflona	68	59 51	6 57		1048		3.1		8.0	3.6	R	7 13 19	Torjus Svandalsflona, fjellstueeier.
ne	15, 54	59 46	9 35		176		1.9		10	1.6	R	7 13 19	Fru Jørgine Hvila.
teland	72, 107	60 14	5 27		55		2.0		6.8	1.4	R	8 13 19	Jakob Hjelle, treskjærer.

[1]) R: Russeltvedt torsjonshygr.

Stasjon (Station)	Side (Page)	φ N	λ E. Fr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1])	Observasjonstider. Mellomeuropeisk tid.	Observatør (Observer)
Sør-Nesset	40	61°53′	10° 9′		738		2.0			1.8	R	7 13 19	Ørner Sørensen, forpakter.
Tafjord	78, 107	62 13	7 26	9.821	27	27.7	1.9			1.5	R	7 13 19	Johannes Flø, maskinmester.
Takle	72	61 2	5 20		36		2.1			1.7	R	7 13 19	Johannes J. Takle, gårdbruker.
Tingvoll	80, 107	62 50	8 19		51		1.8		9.7	1.6	R	7 13 19	Peter Oftedal, maskinmester.
Tonstad	15, 64	58 40	6 42		57		2.1		9.5	1.4	R	7 13 19	Fru Thrine Bjunes.
Torsvåg	98	70 15	19 30		22		1.9	4.4		1.8	R	7 13 19	Arne Eriksen, fyrmester.
Torungen Fyr	15, 60	58 24	8 48		12		2.0	10.4	10.5	1.3	R	6^{45} 12^{45} 18^{45}	Carl A. Jensen, fyrmester.
Tromsø	15, 34, 98, 107	69 39	18 57	9.826	102	114.5	2.8	12.3	20.7	1.7	R	8 13 19	Olaf Pedersen, vaktm. ved Vervarsli
Trondheim (Voll)..	15, 28, 82, 107	63 25	10 27	9.822	127	133.0	2.0	16.6	16.6	1.3	R	7 13 19	Ole Tuset, småbrukskandidat.
Trysil	46	61 20	12 15		362		1.9			1.5	R	7 13 19	Magnus Holt, urmaker.
Tryvasshøgda	50	59 59	10 41		512		2.1		20.3	2.0	R	7 13 19	Andreas Hagenæs, telegrafbestyrer.
Tveitsund	60	59 2	8 31		252		2.0		7.7	1.5	R	7 13 19	Fru Eldbjørg Tveit.
Tynset	40	62 18	10 45		483		2.0		9.7	1.8	R	7 13 19	Nils Hansæl, gårdbruker.
Ullensvang	15, 68, 107	60 19	6 40	9.819	30	32.1	2.0		7	1.5	R	7 13 19	Fru Anna Skarstein.
Utsira	68	59 18	4 53		55		2.2	10.6	10.6	1.6	R	7 13 19	Severin Haugland, fyrmester.
Vallersund	82, 107	63 51	9 44		4		2.0		10.0	1.5		7 13 19	Kåre Stenstvedt, telefonbestyrer.
Vang på Hedm...	15, 46, 106	60 49	11 11		219		2.0		9	1.7	R	7 13 19	Nils Wangensten, håndverkslærer.
Vangsnes	72	61 10	6 39		53		2.0		5.7	1.8	R	7 13 19	Johan Handal, gårdbruker.
Vardø	15, 102	70 22	31 6	9.826	13	14.6	1.9	8.4	9.5	2.0	R	6^{40} 12^{40} 18^{40}	Martin Johnsen, telegrafbestyrer.
Vefall i Drangedal	58	59 0	9 13		68		2.0		12.3	1.6	R	8 13 19	Hans Lauvtangen, gårdsarbeider.
Vinger	48, 106	60 13	12 1		175		2.0		10	1.6	R	8 13 19	Karstein Seland, småbrukslærer.
Vinjeøra	80	63 12	9 0		9		2.0			1.8		7 13 19	Fru Mildrid Schei.
Vinstra	15, 44, 106	61 36	9 45		241		2.1		8.6	1.5	R	7 13 19	Anton P. Thorsheim, fhv. smed.
Vollen i Slidre....	15, 44, 106	61 5	8 59	9.819	403	404.6	1.9		12.0	1.6	R	7 13 19	Frøken Olga Breyholtz.
Voss	70	60 38	6 26		61		2.0			1.7	R	7 13 19	Torstein Seim, vaktmester.
Værnes	84, 107	63 28	10 56	9.822	12	15.8	2.0	10.6	10.2	1.8	R	6^{30} 12^{30} 18^{30}	Værtjenesten.
Vågåmo	42	61 52	9 6		371		2.1		9	1.8	R	7 13 19	Trygve Aasmundstad, agronom.
Ytterøy	84	63 48	11 13		74		1.9		12.4	1.6	R	7 13 19	Kristian Henning, gårdbruker.
Ørland II	82	63 41	9 36		4		1.9		10.0	1.6	R	7 13 19	Sverre Eriksen, bestyrer.
Ø. Toten	46, 106	60 42	10 53		270		2.0		10.7	1.7		8 13 19	Konrad Finstad, gårdsbestyrer.

[1]) R: Russeltvedts torsjonshygr.

Rettelser.

(Corrigenda)

	Står (Instead of)	Skal være (Read)
I Jahrbuch des Norwegischen Meteorologischen Instituts for:		
1924. S. 104. Dalen: Lufttemperatur: Max: VII	24.2	34.4.
» » » » » Min. Dat. VII	5.5 den 2.	4.3 den 29
1933. » 82. Opstryn: Mittel: VI	20.9	18.2
» » » » » » 1933	7.0	6.8
1938. » 21. Oslo (Blindern) T Max: 11. VIII	22.7	27.7
1940. » 6. Ås: » T Max.: 22. XI	—2.9	2.9
I Norsk Meteorologisk Årbok for:		
1949. S. 59. Grimstad: Antall dager n: regn: XI	20	21
» » » » —»— » 1949	164	165
» » » » —»— sludd: XI	0	3
» » » » —»— » XII	0	1
» » » » —»— » 1949	5	9
» » 87. Bodø IV: Antall dager n: F ≧ 6: IV	7	6
» » » » —»— F ≧ 8: IV	1	0
1950. » 59. Grimstad: Antall dager n: regn: III	9	10
» » » » —»— » XII	6	12
» » » » —»— » 1950	162	169
» » » » —»— sludd: III	0	1
» » » » —»— » X	0	2
» » » » —»— » XI	0	2
» » » » —»— » XII	0	8
» » » » —»— » 1950	0	13
» » 76. Sunndal: Midlere lufttemperatur T_m: Dies: V	8.1	8.4
» » » » —»— » VI	11.5	11.7
» » » » —»— » VII	13.5	13.8
» » » » —»— » VIII	14.7	15.1
» » » » —»— » IX	9.4	9.6
» » » » —»— » X	5.7	5.8
» » » » —»— » XI	—1.0	—0.9
» » » » —»— » 1950	4.6	4.8
1951. » 59. Grimstad: Antall dager n: regn: II	11	15
» » » » —»— » III	2	3
» » » » —»— » IV	20	22
» » » » —»— » 1951	161	168
» » » » —»— sludd: I	0	3
» » » » —»— » II	0	5
» » » » —»— » III	0	2
» » » » —»— » IV	0	4
» » » » —»— » XI	0	1
» » » » —»— » XII	0	1
» » » » —»— » 1951	0	16
» » 78. Sunndal: Midlere lufttemperatur T_m: Dies: III	—2.7	—2.5
» » » » —»— » IV	2.6	2.9
» » » » —»— » V	6.8	7.1
» » » » —»— » VI	10.1	10.4
» » » » —»— » VII	11.5	11.7
» » » » —»— » VIII	13.8	14.2
» » » » —»— » IX	10.0	10.2
» » » » —»— » X	6.0	6.1
» » » » —»— » XI	—0.2	—0.1
» » » » —»— » 1951	4.0	4.2
1952. » 46. Vang på Hedmark: Lufttemperatur T: Min.: 1952	1.5	—1.5
» » 61. Grimstad: Antall dager n: regn: XI	13	18
» » » » —»— » XII	13	18
» » » » —»— » 1952	147	157
» » » » —»— sludd: I	0	3
» » » » —»— » II	0	1
» » » » —»— » III	0	2
» » » » —»— » XI	0	6
» » » » —»— » XII	0	7
» » » » —»— » 1952	0	19
» » 78. Sunndal: Midlere lufttemperatur T_m: Dies: III	—1.8	—1.6
» » » » —»— » IV	4.9	5.3
» » » » —»— » V	8.2	8.5
» » » » —»— » VI	10.2	10.4
» » » » —»— » VII	12.4	12.7
» » » » —»— » VIII	11.1	11.4
» » » » —»— » IX	5.7	5.8
» » » » —»— » X	2.6	2.7
» » » » —»— » XI	—4.2	—4.1
» » » » —»— » 1952	3.0	3.1
1953. » 60. Grimstad: Antall dager n: sludd: XII	0	2
» » » » —»— » 1953	0	2
» » » Kjevik: Midlere lufttemperatur T_m: Dies: VIII	14.9	15.1
» » 95. Borge i Lofoten: Midlere relativ fuktighet U_m:		

	Står (Insted of)				Skal være (Read)			
	7	13	19	Dies	7	13	19	Dies
VII	73	72	75	74	82	81	84	83
VIII	75	73	76	75	88	86	88	87
IX	73	64	72	71	86	79	85	84
X	68	68	69	68	82	82	83	82
XI	68	73	71	74	86	86	85	84
XII	71	70	69	70	85	84	83	84
1953	77	76	78	78	83	82	84	84

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

1954

Oslo (Blindern)

Januar I — Februar II

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	17.2	17.3	17.3	17.3	17.9	17.4	16.4	15.7	14.1	13.2	12.1	11.3	18.0	11.3	13.60	25.2	25.0	24.9	25.0	25.0	25.0	24.5	24.2	24.2	24.1	24.0	24.2	**25.4**	24.0	**24.61**	1
2	10.2	08.6	07.5	06.0	04.1	00.7	95.4	91.5	87.3	85.4	86.2	88.4	11.3	85.2	97.61	24.2	24.0	23.9	23.9	24.1	24.0	23.7	23.2	22.9	22.7	21.8	21.5	24.2	21.4	23.32	2
3	89.7	89.6	90.2	91.9	94.5	96.3	00.1	02.5	05.4	08.2	11.0	13.3	13.3	88.4	99.39	20.3	18.9	18.0	17.6	17.4	17.1	16.9	17.1	17.5	18.1	18.2	18.4	21.5	16.9	17.96	3
4	14.9	17.1	17.6	19.4	20.5	21.0	20.6	20.9	21.2	21.2	21.2	20.5	21.4	13.3	19.68	18.8	18.6	18.4	19.5	18.5	18.5	17.8	17.4	17.0	16.9	17.0	17.1	18.8	16.8	17.88	4
5	19.5	18.6	17.1	15.8	15.2	13.6	11.5	10.3	09.2	07.4	06.1	04.5	20.5	04.5	12.40	16.8	16.3	15.6	15.1	14.9	14.3	13.4	12.8	12.1	11.8	11.3	10.8	17.1	10.8	13.77	5
6	02.8	01.1	99.0	97.3	96.4	95.0	94.2	94.5	95.4	96.8	97.9	98.4	04.5	94.2	97.40	09.9	09.0	08.2	07.6	07.0	06.4	05.0	03.8	03.0	02.4	01.5	99.7	10.8	99.7	05.29	6
7	00.1	01.0	02.0	03.7	05.6	06.8	07.6	09.0	10.5	11.4	11.7	12.0	12.0	98.4	06.78	98.4	97.5	96.2	95.5	95.6	95.4	95.3	95.2	95.2	95.1	94.9	95.0	99.7	94.6	95.78	7
8	11.9	11.1	10.4	09.0	08.5	06.5	04.2	02.8	01.0	98.6	95.7	92.3	12.0	92.3	04.33	95.1	95.3	96.0	97.2	98.2	98.5	98.0	98.4	97.9	97.2	95.9	93.8	98.6	93.8	96.79	8
9	89.7	91.1	91.7	90.7	90.5	90.5	90.5	90.3	90.5	91.3	92.2	92.0	92.2	89.7	90.92	92.0	92.3	93.1	94.4	95.8	96.9	98.1	99.2	00.1	00.9	01.2	01.6	01.7	91.7	97.13	9
10	92.5	93.2	93.1	92.6	92.4	92.1	92.0	92.3	92.3	92.1	92.2	92.0	93.2	91.7	92.40	01.9	01.7	01.9	02.1	02.5	02.7	02.7	02.9	03.3	04.0	04.4	05.1	05.1	01.6	02.93	10
11	92.5	93.2	93.5	93.7	94.2	94.3	93.7	93.2	92.0	91.2	90.4	89.2	94.6	89.1	92.58	05.5	05.9	06.4	07.2	07.8	07.9	07.5	07.6	08.0	08.9	09.6	09.9	09.9	05.1	07.68	11
12	88.7	88.3	88.2	88.9	89.3	89.8	89.8	89.8	90.2	90.4	90.2	90.5	90.6	88.1	89.51	09.8	09.8	09.7	09.8	10.2	10.2	09.4	08.8	08.8	08.7	08.6	08.4	10.3	08.4	09.35	12
13	89.8	89.0	88.2	87.3	87.1	86.4	84.8	83.7	82.2	80.9	80.0	79.0	90.5	79.0	84.87	08.1	07.7	07.7	07.7	08.2	08.4	08.2	08.1	08.6	09.2	10.1	10.7	10.7	07.6	08.56	13
14	77.4	75.9	74.3	72.7	71.5	70.2	68.8	68.0	68.4	67.8	66.6	66.1	79.0	66.1	70.64	11.1	11.4	12.0	12.3	12.9	13.7	13.9	13.9	14.1	14.9	16.0	16.5	16.5	10.7	13.56	14
15	66.0	66.9	67.7	67.4	67.3	67.0	64.8	60.0	55.0	50.3	49.2	50.2	67.7	**49.1**	**60.98**	17.0	17.0	17.2	18.1	18.9	19.3	19.0	18.7	19.3	20.1	20.9	21.1	21.2	16.5	18.88	15
16	51.1	52.3	54.5	56.9	60.8	63.6	65.3	68.1	70.3	72.4	74.3	75.9	75.9	50.2	63.79	21.5	21.5	21.5	21.5	21.9	21.5	20.1	19.5	19.3	19.7	19.9	20.2	22.0	19.3	20.68	16
17	78.0	80.1	82.6	84.2	86.5	88.9	91.2	93.6	96.5	98.8	01.0	03.1	03.1	75.9	90.38	20.1	19.7	19.7	19.3	19.5	19.1	18.2	17.3	17.1	16.5	15.8	15.4	20.2	15.4	18.14	17
18	04.5	05.9	07.2	08.4	09.5	10.4	10.9	11.9	12.5	12.5	12.3	11.9	12.6	03.1	09.82	14.8	14.3	14.2	14.6	15.2	16.1	16.0	16.1	16.5	17.2	17.3	17.6	17.6	14.2	15.82	18
19	10.4	08.2	05.4	02.0	98.6	95.0	91.6	88.1	85.0	81.7	79.1	76.8	11.9	76.7	93.49	17.5	17.2	17.3	17.8	18.1	18.2	17.7	17.5	17.8	17.8	17.6	17.9	18.2	17.2	17.70	19
20	74.6	72.5	72.2	74.0	76.9	79.3	81.2	83.0	84.1	85.1	87.0	89.0	89.0	72.1	79.91	18.1	18.5	18.7	19.7	20.4	20.6	20.4	20.4	20.7	20.8	20.9	20.7	20.9	17.9	19.99	20
21	92.4	95.3	98.4	01.0	03.8	05.8	08.2	10.5	13.0	15.0	18.2	20.7	20.7	89.0	06.86	20.7	20.2	20.3	20.2	20.2	20.2	19.9	19.6	19.0	19.1	18.9	18.6	20.7	18.6	19.74	21
22	22.1	23.6	24.8	26.3	27.9	29.2	30.1	30.9	31.7	31.6	32.4	32.6	32.6	20.7	28.60	18.1	17.3	16.5	16.1	15.3	15.5	16.2	15.9	16.1	16.2	16.0	16.0	18.6	15.9	16.43	22
23	33.0	32.7	32.6	32.4	32.4	32.2	31.6	31.5	30.7	30.1	29.6	29.3	**33.0**	29.3	**31.51**	15.7	15.2	14.3	13.9	13.8	13.5	12.7	12.3	11.9	10.8	09.6	08.7	16.0	08.7	12.70	23
24	28.6	27.9	26.9	26.3	26.0	25.2	24.2	23.7	23.1	22.0	21.7	21.6	29.3	21.6	24.77	07.8	07.3	07.2	07.0	06.9	06.8	06.6	05.8	05.4	04.8	04.2	03.7	08.7	03.7	06.12	24
25	21.6	21.4	21.4	21.1	21.3	21.2	21.0	21.2	21.5	21.9	22.3	22.7	22.7	21.0	21.55	02.8	01.7	00.6	99.4	98.7	97.9	96.1	94.8	94.0	92.3	90.7	89.2	03.7	89.2	96.52	25
26	23.4	23.9	24.2	24.5	25.0	25.2	25.0	25.4	25.8	26.0	26.3	26.1	26.3	22.7	25.07	88.4	87.3	86.4	85.9	85.7	85.8	85.7	85.8	86.4	87.2	87.2	87.8	89.2	**85.5**	**86.63**	26
27	25.8	25.5	24.5	24.0	23.9	23.4	22.0	20.7	20.0	19.5	18.8	17.7	26.1	17.7	22.15	88.0	87.9	87.9	88.9	89.2	89.4	89.2	89.7	90.5	91.3	91.6	91.9	91.9	87.7	89.62	27
28	17.0	16.5	15.9	16.1	16.7	17.3	17.4	17.3	17.6	17.6	18.2	18.5	18.5	15.8	17.18	92.1	91.8	91.7	92.4	91.9	91.8	91.5	90.6	90.2	90.2	90.0	89.5	92.4	89.5	91.14	28
29	18.0	17.7	17.2	16.7	16.9	16.7	16.0	15.9	16.2	17.1	17.4	18.3	18.5	15.9	17.01																
30	19.1	19.8	20.5	21.5	22.3	23.2	23.8	24.5	25.8	26.7	27.5	28.2	28.3	19.3	23.58																
31	28.3	27.2	27.2	26.5	26.3	26.3	25.6	25.0	24.5	24.6	24.8	25.2	28.4	24.5	25.96																
M	03.57	03.63	03.65	03.73	04.19	**04.21**	03.85	03.74	03.65	**03.51**	03.66	03.78	09.60	97.25	03.76	**09.99**	09.65	09.48	09.60	09.81	09.85	09.42	09.16	09.18	09.25	09.11	**08.96**	11.84	07.23	09.46	M

Mars III — April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	89.2	88.7	88.6	88.7	88.7	88.9	88.3	88.3	88.4	88.6	88.4	88.0	89.5	88.0	88.57	97.8	96.2	95.0	93.5	93.3	93.3	93.4	93.4	93.7	94.8	95.4	95.7	98.8	93.3	94.62	1
2	87.4	86.6	86.2	85.8	85.8	85.6	85.1	84.9	84.9	85.1	85.0	85.1	88.0	84.9	85.62	96.5	97.1	97.5	98.5	98.8	98.9	99.1	99.0	98.7	98.6	98.0	97.4	99.2	95.7	98.18	2
3	84.9	84.5	84.4	84.4	84.8	84.8	84.8	84.6	84.9	85.5	85.7	85.5	85.8	84.3	84.90	96.9	95.8	95.3	94.8	94.8	94.6	94.3	93.9	93.4	93.5	93.2	92.4	97.4	92.3	94.41	3
4	84.8	83.6	83.0	81.8	81.1	81.1	79.9	79.3	78.5	77.7	77.6	77.6	85.5	**77.1**	80.50	90.4	88.1	86.1	84.1	82.6	81.5	80.0	78.5	77.8	77.3	77.1	77.1	92.4	77.1	**81.72**	4
5	77.4	77.2	77.2	78.3	79.1	79.8	80.1	81.1	82.4	83.3	83.7	83.8	84.1	**77.2**	**80.28**	77.3	78.9	80.9	83.1	85.1	86.8	88.3	89.4	90.6	92.5	94.0	95.7	95.7	**76.8**	86.88	5
6	83.6	83.0	82.7	82.7	83.0	83.7	84.6	85.8	87.0	88.6	90.0	90.7	90.7	82.5	85.45	97.7	98.9	00.4	02.4	03.5	04.3	04.5	04.7	05.7	07.4	08.9	10.2	10.2	95.7	04.05	6
7	91.3	91.2	91.3	91.5	90.2	89.3	87.1	84.9	83.8	83.8	84.0	84.1	91.5	83.8	87.71	11.1	11.8	12.8	13.7	13.9	14.3	14.6	14.2	14.6	15.5	16.3	17.1	17.1	10.2	14.16	7
8	84.2	84.1	83.9	84.2	84.9	86.1	87.5	88.4	90.1	91.8	93.4	94.9	94.9	83.9	87.79	17.7	18.3	18.8	19.4	20.0	20.0	19.9	19.9	20.0	20.9	21.6	22.3	22.3	17.1	19.90	8
9	96.9	98.4	99.9	02.1	03.7	04.6	05.4	05.8	06.5	07.1	07.3	07.5	07.5	94.9	03.77	22.9	23.1	23.5	23.9	24.1	24.0	23.9	23.3	22.7	22.6	22.8	22.8	**24.1**	22.3	**23.30**	9
10	07.6	07.6	07.6	08.0	08.5	08.7	08.5	08.7	08.9	09.2	09.5	09.9	09.9	07.5	08.56	22.8	22.6	22.1	22.2	22.2	21.6	20.5	19.0	18.0	17.6	17.3	16.8	22.8	16.8	20.22	10
11	10.0	10.0	10.5	11.1	11.7	11.8	11.6	11.6	11.8	12.4	12.5	12.7	12.7	09.8	11.48	15.7	14.9	14.3	13.7	13.2	12.2	10.9	09.8	08.1	07.1	06.1	04.7	16.8	04.7	10.89	11
12	12.6	12.5	12.4	13.0	13.3	13.6	13.5	13.6	14.0	15.3	16.3	17.2	17.2	12.4	13.94	02.9	01.7	00.9	00.4	99.7	98.8	98.2	97.7	96.9	97.0	96.2	96.0	04.7	95.9	98.87	12
13	18.0	18.7	19.9	21.4	22.6	23.0	23.0	23.0	23.0	23.1	23.0	22.3	**23.2**	17.2	**21.75**	95.0	94.6	93.8	92.8	91.3	90.3	89.9	90.4	91.1	93.0	95.1	97.0	97.0	89.9	92.86	13
14	21.4	20.1	18.9	18.2	17.6	16.9	15.5	14.4	13.4	12.9	12.4	11.9	22.3	11.9	16.13	98.4	98.8	99.3	98.6	97.2	94.6	92.4	89.7	88.2	87.0	86.9	87.2	99.3	86.8	93.19	14
15	11.3	10.7	10.3	10.3	09.9	09.6	08.0	06.7	05.9	05.8	05.6	05.4	11.9	05.2	08.29	87.8	89.6	92.7	96.2	00.6	04.1	06.6	08.5	10.4	12.0	13.5	14.6	14.6	87.2	03.05	15
16	04.9	04.5	03.9	04.2	04.4	04.4	04.1	03.8	04.2	05.3	06.3	07.2	07.2	03.8	04.77	15.6	16.6	17.7	19.1	19.4	19.6	19.6	19.8	20.6	21.6	22.1	22.3	22.3	14.6	19.50	16
17	07.2	07.2	07.1	07.0	06.7	06.0	04.3	03.3	02.9	02.7	02.0	01.3	07.5	01.3	04.81	22.2	22.2	22.4	22.4	22.1	21.1	20.0	18.7	17.8	17.6	17.1	15.9	22.5	15.9	19.96	17
18	00.7	00.2	99.9	99.7	99.3	98.7	98.4	98.6	99.8	02.3	04.2	05.7	05.7	98.2	00.62	14.5	12.7	11.8	10.8	10.5	10.5	10.5	10.1	10.6	11.7	12.8	13.4	15.9	10.1	11.66	18
19	07.8	09.0	10.1	11.2	11.9	12.0	11.7	10.8	10.9	11.3	11.4	11.4	12.1	05.7	10.79	14.1	14.3	14.6	15.3	15.6	15.1	14.8	14.2	14.1	14.9	15.8	16.1	16.1	13.4	14.91	19
20	11.2	11.0	11.0	10.7	10.9	10.8	10.5	09.6	09.4	09.4	09.3	08.6	11.4	08.6	10.20	16.2	16.2	16.0	16.0	15.6	14.3	13.0	11.4	10.8	10.7	10.8	10.6	16.2	10.6	13.47	20
21	07.7	06.0	04.8	04.1	03.4	02.5	01.7	00.3	99.7	99.7	99.8	99.6	08.6	99.6	02.44	10.3	10.6	11.1	12.2	13.8	13.4	13.1	12.8	12.9	13.4	14.2	14.9	14.9	10.3	12.72	21
22	98.8	97.5	96.5	95.8	95.3	95.2	95.0	94.7	94.2	94.3	94.7	95.1	99.6	94.2	95.59	15.4	15.5	15.5	15.4	14.8	13.8	12.7	11.4	10.8	11.0	10.9	10.7	15.5	10.7	13.16	22
23	95.1	94.8	94.7	94.8	95.6	95.2	94.5	93.5	93.3	93.5	93.6	93.4	95.1	93.1	94.33	10.0	09.0	07.9	06.5	05.4	04.3	04.9	06.7	07.6	08.5	09.5	10.3	10.7	04.1	07.55	23
24	93.2	93.3	93.2	94.6	96.9	98.7	00.1	00.9	01.5	02.3	02.8	02.9	02.9	93.1	98.37	10.6	10.9	10.9	11.2	11.2	10.5	10.0	09.7	09.7	10.3	10.7	11.1	11.3	09.7	10.57	24
25	03.0	02.6	02.8	02.9	02.3	01.7	01.0	00.7	00.7	01.0	01.0	00.8	03.0	00.8	01.71	11.5	11.9	12.5	12.8	12.6	12.3	11.8	11.4	11.2	11.6	11.8	11.9	12.8	11.2	11.94	25
26	00.2	99.8	99.3	99.3	99.1	98.7	98.0	97.1	96.4	96.3	95.9	94.9	00.8	94.9	97.92	11.7	11.3	10.7	09.8	09.0	07.9	07.1	06.0	05.0	05.1	05.5	05.3	11.9	05.0	07.85	26
27	94.2	93.7	93.5	93.9	94.3	94.8	94.6	94.5	94.8	95.9	96.4	96.9	96.9	93.5	94.79	05.5	05.9	06.8	07.0	07.0	06.9	06.7	06.2	06.5	07.2	07.8	08.1	08.1	05.3	06.80	27
28	97.1	97.9	98.7	99.3	99.4	99.6	99.7	99.6	00.1	01.2	02.0	02.6	02.6	96.9	99.77	07.9	07.7	07.5	09.2	06.4	05.3	04.1	02.9	02.1	01.4	00.2	99.1	08.1	99.1	04.40	28
29	03.0	03.6	04.5	05.7	06.8	07.3	07.4	07.4	07.4	07.9	08.2	08.6	08.6	02.6	06.48	97.3	95.3	93.6	92.8	92.7	93.1	93.1	93.1	93.5	94.3	95.0	95.4	99.1	92.6	94.10	29
30	08.3	07.6	07.0	06.5	05.3	04.4	03.4	02.3	01.5	01.6	01.2	00.8	08.6	00.8	04.16	95.9	96.1	96.6	97.1	96.8	96.6	96.4	96.0	96.0	96.4	96.9	97.6	97.6	95.4	96.53	30
31	99.6	99.1	99.2	99.3	99.9	99.9	99.7	99.6	99.5	99.7	99.6	98.8	00.9	98.8	99.49																
M	99.76	99.51	99.45	99.69	99.88	99.92	99.58	**99.28**	99.35	99.83	00.09	**00.17**	02.78	96.98	99.71	06.32	06.22	06.30	**06.46**	06.44	06.13	05.81	05.39	**05.30**	05.75	06.11	06.32	09.85	02.33	06.05	M

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

1954

Oslo (Blindern)

Mai V — Juni VI

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1h H_s = 94 H_b = 95.6 h_f = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	97.3	97.1	97.1	97.5	97.8	98.6	99.2	99.5	99.5	00.0	00.2	00.2	00.4	97.0	98.67
2	01.2	01.4	01.9	02.1	01.6	00.5	99.7	98.9	98.6	98.7	98.7	98.9	02.1	98.6	00.18
3	98.7	98.3	98.1	97.8	98.4	98.8	99.2	99.9	00.1	00.8	01.7	02.2	02.2	97.8	99.50
4	02.6	02.9	03.6	03.7	04.0	04.1	04.1	04.3	04.0	04.5	04.4	04.4	04.7	02.2	03.88
5	04.0	03.0	01.6	00.3	00.0	00.1	00.0	00.2	01.5	01.6	01.2	01.0	04.4	99.7	01.21
6	01.0	02.0	02.6	03.4	03.5	03.6	03.5	03.0	02.1	02.0	02.0	02.4	03.7	00.9	02.59
7	03.5	03.6	04.4	05.4	06.6	07.4	07.8	08.2	08.8	09.9	10.7	11.2	11.2	02.4	07.29
8	11.2	11.3	12.4	13.1	13.9	13.5	13.6	13.9	14.1	15.2	16.4	17.4	17.4	11.2	13.83
9	18.0	18.7	19.7	20.4	20.3	20.0	19.2	18.4	17.7	17.7	18.3	18.7	20.4	17.4	18.92
10	19.1	20.3	20.8	20.8	20.6	20.1	19.3	18.4	17.9	17.8	18.3	18.6	**20.8**	17.8	**19.33**
11	18.9	18.8	18.9	18.8	18.2	17.2	16.2	15.3	14.8	14.8	15.0	15.2	18.9	14.7	16.84
12	15.7	17.5	18.8	19.7	19.4	18.0	17.2	16.2	15.3	15.1	15.0	15.3	19.8	15.0	16.93
13	15.9	17.6	19.0	19.8	19.6	18.7	17.8	16.8	15.9	15.4	15.0	14.8	19.9	14.8	17.19
14	14.5	13.7	13.1	12.4	11.8	10.7	09.5	08.2	06.9	06.2	05.4	05.1	14.8	05.1	09.79
15	04.5	03.9	02.9	02.3	01.7	00.8	99.6	99.0	98.7	98.6	98.4	98.0	05.1	98.0	00.70
16	97.2	95.7	94.4	93.3	92.7	93.1	93.6	93.7	93.9	95.0	96.4	97.4	98.0	**92.2**	**94.70**
17	98.0	98.7	99.1	99.3	99.1	98.7	98.5	98.3	98.5	99.3	99.8	00.2	00.2	97.4	98.96
18	00.3	00.4	01.3	01.7	02.2	02.4	02.5	03.4	04.0	04.7	05.5	05.7	05.9	00.1	02.84
19	05.8	05.5	06.0	06.4	06.5	06.8	06.4	06.0	05.2	04.7	04.9	05.0	06.8	04.7	05.77
20	04.8	04.7	04.8	04.2	03.4	02.4	01.2	00.5	00.7	00.8	00.6	00.6	05.0	00.4	02.39
21	00.7	00.9	01.1	01.5	01.6	01.4	00.5	00.3	09.8	00.2	00.6	00.7	01.8	99.4	00.78
22	00.3	00.8	01.1	01.3	02.0	02.4	03.1	03.8	04.3	04.9	05.3	05.2	05.3	00.3	02.88
23	05.2	05.0	05.0	05.5	05.6	05.2	05.4	05.3	05.1	05.1	05.3	05.3	05.8	04.9	05.25
24	05.4	06.3	06.5	06.4	06.2	05.4	04.9	04.8	05.0	05.9	06.2	07.4	07.4	04.7	05.87
25	08.0	08.2	09.1	09.8	10.5	11.1	11.3	11.6	11.8	12.4	13.4	14.2	14.2	07.4	10.95
26	15.1	15.4	16.1	16.4	16.3	16.1	15.6	15.4	15.0	15.0	15.3	15.6	16.4	14.2	15.61
27	15.5	15.4	15.6	15.7	15.4	14.9	14.3	13.6	13.1	13.1	13.5	13.7	15.7	13.0	14.48
28	13.6	13.5	13.6	13.6	13.4	12.7	11.9	11.1	10.5	10.5	10.6	10.6	13.7	10.4	12.13
29	10.8	10.8	11.0	11.3	11.1	10.5	09.7	08.6	08.2	08.2	08.4	08.4	11.3	08.0	09.75
30	08.3	08.3	08.3	08.6	08.2	07.5	05.8	04.4	03.4	02.4	02.7	03.5	08.6	02.4	05.95
31	04.2	04.6	05.0	05.0	04.4	03.5	02.9	02.0	01.8	02.4	03.8	04.8	05.1	01.7	03.70
M	07.07	07.24	07.51	**07.66**	07.61	07.30	06.89	06.55	**06.33**	06.55	06.87	07.15	09.26	04.96	07.06

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	05.3	05.7	06.1	05.9	05.5	04.6	03.9	03.2	02.8	03.5	04.1	04.5	06.2	02.7	04.59
2	05.0	04.7	04.7	04.3	03.6	02.3	01.1	00.5	00.5	02.6	05.5	08.7	08.7	00.3	03.62
3	11.0	11.9	13.0	13.1	12.9	12.7	12.1	11.2	10.5	10.6	11.1	11.0	**13.1**	10.5	**11.76**
4	11.0	11.1	11.0	10.7	10.5	09.8	08.6	07.8	07.3	07.3	07.3	07.1	11.1	07.1	09.12
5	06.7	06.1	05.5	04.8	03.9	02.3	00.8	99.3	98.6	98.1	98.2	98.9	07.1	98.0	01.03
6	99.6	99.9	00.3	99.8	99.2	98.2	97.2	96.3	95.5	95.1	95.6	95.7	00.4	95.1	97.70
7	95.7	95.8	95.7	95.7	95.9	95.2	94.6	94.0	93.8	93.4	93.6	93.7	95.9	93.0	94.76
8	93.6	93.7	94.0	94.2	94.4	94.2	94.1	94.0	94.5	95.0	96.2	96.2	96.3	93.5	94.51
9	96.2	95.9	95.7	95.7	94.9	94.2	92.5	90.3	89.5	89.0	89.0	89.0	96.2	88.8	92.66
10	88.9	88.9	89.2	89.4	89.4	89.7	89.5	88.7	88.4	88.2	88.3	88.3	90.5	88.2	88.91
11	89.0	89.2	90.5	91.4	92.4	93.4	93.9	94.0	94.3	94.8	95.3	95.0	95.4	88.3	92.77
12	94.9	94.6	94.3	94.2	94.1	93.8	94.6	95.2	95.5	96.9	98.2	98.7	98.7	93.8	95.42
13	99.0	98.7	98.7	99.1	99.5	99.3	99.9	99.9	00.2	01.0	02.0	02.4	02.4	98.7	99.98
14	03.0	03.9	04.9	05.7	06.1	06.2	06.0	05.9	05.8	05.9	06.2	06.5	06.6	02.4	05.51
15	06.5	06.7	06.7	06.7	06.4	05.9	04.9	04.4	04.3	03.6	03.8	04.4	06.8	03.6	05.36
16	04.5	04.6	04.9	05.0	05.2	05.3	05.1	05.1	05.1	05.2	05.2	05.4	05.4	04.4	05.05
17	05.6	05.9	06.5	07.2	08.0	08.2	08.3	08.3	08.2	08.3	08.4	08.3	08.4	05.4	07.60
18	08.1	08.1	08.3	08.7	09.2	09.4	09.7	09.4	09.1	09.4	09.4	09.0	09.7	08.1	08.98
19	08.5	08.3	08.1	07.9	07.6	07.8	07.7	07.4	06.6	06.7	06.6	06.2	09.0	06.2	07.45
20	06.2	05.6	05.5	05.3	04.9	04.5	04.1	02.4	01.6	01.6	01.2	01.3	06.4	01.0	03.68
21	01.0	00.5	00.4	00.4	00.7	00.5	00.5	00.2	99.8	99.7	99.8	98.6	01.3	98.6	00.18
22	97.9	97.2	96.5	95.7	95.4	95.0	94.7	94.5	94.2	94.4	94.7	94.8	98.6	94.2	95.42
23	94.7	94.5	94.1	93.7	93.3	93.6	92.7	90.5	88.3	86.9	86.1	86.4	94.8	86.1	91.23
24	86.2	86.0	86.2	86.0	85.7	85.2	85.4	85.5	85.6	86.1	86.8	87.0	87.0	85.2	85.98
25	87.7	88.1	88.5	88.6	88.6	88.6	88.2	87.9	87.7	87.4	87.0	86.2	88.7	86.2	87.88
26	85.5	84.8	83.9	83.2	82.4	80.9	80.5	79.5	79.5	79.5	79.7	79.6	86.2	79.6	81.58
27	79.3	79.2	78.8	78.8	78.8	79.0	79.9	80.1	80.9	81.4	82.2	82.9	82.9	**78.7**	**80.11**
28	83.3	83.9	84.6	86.0	87.0	87.9	88.8	89.6	90.1	91.5	93.3	94.6	94.6	82.9	88.38
29	95.6	96.6	98.0	98.6	99.2	99.6	99.7	00.0	00.1	00.6	01.0	01.7	01.7	94.6	99.22
30	01.9	01.7	02.3	02.8	03.2	03.1	03.1	03.0	02.0	01.8	01.8	02.0	03.2	01.6	02.39
M	98.38	98.39	98.56	**98.62**	98.60	98.35	98.07	97.60	**97.34**	97.52	97.92	98.14	00.44	95.89	98.12

Juli VII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	01.3	00.9	00.3	99.9	99.5	98.7	98.3	97.8	97.2	97.0	96.4	96.2	02.0	96.2	98.62
2	95.5	94.5	94.2	94.1	94.0	93.5	93.0	93.0	92.1	92.2	91.6	91.4	96.2	91.4	93.26
3	90.8	90.4	90.3	90.3	90.5	90.7	90.9	91.1	91.3	92.0	92.8	93.1	93.1	90.2	91.18
4	93.1	93.4	93.7	94.0	93.9	93.8	93.9	93.4	93.1	93.0	92.4	92.5	94.1	92.5	93.35
5	92.9	93.1	93.7	94.6	95.4	95.9	96.3	96.6	97.3	97.3	97.9	98.4	98.4	92.5	95.78
6	98.8	99.1	99.7	00.4	00.5	00.3	00.7	00.6	00.1	98.8	99.6	00.0	00.7	98.4	99.97
7	99.9	00.3	00.7	01.3	01.6	02.8	03.0	03.9	04.7	05.2	06.4	06.9	06.9	99.7	03.06
8	07.7	07.9	08.6	08.8	09.5	09.5	09.6	09.6	09.7	10.0	10.7	11.1	11.1	06.9	09.39
9	11.4	11.5	11.7	12.1	12.3	11.9	11.4	10.9	10.7	10.6	10.8	10.8	**12.3**	10.5	**11.34**
10	10.6	10.4	09.8	09.1	08.2	06.9	06.4	06.1	04.7	03.8	03.3	02.5	10.8	02.5	06.82
11	01.3	00.3	99.4	99.3	98.6	98.0	97.5	97.0	96.4	96.1	96.2	96.2	02.5	95.7	98.02
12	96.1	95.3	95.0	94.9	95.2	95.2	95.1	95.0	94.2	94.1	94.2	94.0	96.2	94.0	94.86
13	93.7	93.3	93.1	93.4	93.9	94.1	93.8	93.6	93.4	93.6	93.8	93.6	94.2	93.1	93.61
14	93.3	92.8	92.1	91.6	90.9	90.1	89.5	88.5	87.8	87.6	87.0	86.4	93.6	86.4	89.80
15	85.2	83.9	83.3	83.1	83.0	82.9	82.9	82.8	82.6	82.5	82.6	82.5	86.4	82.5	83.11
16	82.1	81.9	81.8	82.3	83.0	84.2	84.6	85.0	85.2	85.2	85.7	85.9	85.9	81.8	83.91
17	85.6	85.3	85.3	84.7	84.0	83.2	82.2	81.5	81.4	81.5	81.7	81.5	86.0	81.2	83.16
18	80.5	79.8	79.9	79.9	80.1	80.3	80.7	81.7	82.6	83.6	84.7	86.1	86.1	79.8	81.66
19	87.3	88.6	90.1	91.1	91.9	92.8	93.4	94.4	95.7	97.1	98.7	99.9	99.9	86.1	93.42
20	01.5	01.9	02.2	01.9	01.5	00.9	99.7	99.0	98.0	97.3	96.6	95.8	02.3	95.8	99.69
21	94.6	93.4	92.6	91.9	91.5	90.9	90.1	90.5	90.2	90.0	90.2	90.4	95.8	89.9	91.36
22	90.1	90.1	90.1	90.2	90.0	89.9	89.4	89.8	90.5	91.0	91.7	92.5	92.5	89.3	90.44
23	92.9	93.5	94.2	95.0	95.4	95.2	95.8	95.9	96.3	97.2	98.3	99.3	99.3	92.5	95.75
24	99.7	00.0	00.7	01.0	01.0	00.9	00.5	00.3	00.4	01.0	00.9	00.7	01.0	99.3	00.59
25	99.7	98.8	98.0	97.1	96.6	95.6	94.6	94.2	93.2	92.8	92.2	92.0	00.7	92.0	95.40
26	91.5	91.1	90.7	90.7	90.5	90.3	89.9	89.4	88.9	88.9	89.0	89.1	92.0	88.7	90.00
27	89.1	88.5	88.2	87.0	86.1	85.0	84.2	83.2	81.9	81.0	79.9	79.8	89.1	79.8	84.49
28	79.6	79.6	79.8	79.8	79.7	79.6	79.8	79.9	80.2	80.8	81.4	81.9	81.9	**79.4**	**80.18**
29	82.1	82.5	82.9	83.3	83.4	83.4	83.9	84.0	84.1	84.7	85.2	85.7	85.7	81.9	83.77
30	85.6	85.5	85.4	85.2	85.2	85.1	85.0	85.1	85.2	85.3	85.4	85.7	85.7	85.0	85.31
31	86.3	86.8	87.6	88.4	89.6	90.1	91.1	92.0	93.2	94.1	95.1	96.4	96.4	85.7	90.89
M	**93.54**	93.37	93.39	93.43	93.44	93.28	93.14	93.09	**92.98**	93.11	93.30	93.49	96.09	90.99	93.30

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	96.8	97.2	97.8	98.3	98.6	98.6	98.6	98.8	99.1	99.8	00.2	00.4	00.4	96.4	98.68
2	00.2	00.3	00.1	99.9	99.9	99.3	98.3	97.8	97.2	96.7	96.3	95.9	00.4	95.9	98.49
3	95.2	94.3	93.6	92.6	92.1	91.5	90.6	90.1	89.9	90.5	91.3	91.5	95.9	89.9	91.93
4	91.5	91.6	91.8	92.1	92.1	91.7	91.7	91.2	90.9	91.0	91.3	91.5	92.2	90.9	91.53
5	92.0	92.8	93.3	93.7	94.2	94.1	94.2	94.1	94.2	94.6	95.6	96.0	96.0	91.5	94.07
6	96.5	97.1	97.4	97.5	98.2	98.2	97.8	97.6	97.4	97.1	96.7	95.9	98.2	95.9	97.28
7	95.0	94.1	92.9	91.4	90.5	89.4	88.6	87.4	86.6	86.8	87.0	87.3	95.9	86.6	89.75
8	87.8	87.6	87.7	87.8	88.0	88.0	87.8	87.9	88.1	88.7	89.6	89.6	89.8	87.3	88.22
9	89.4	89.2	89.3	89.5	89.9	90.1	89.9	89.5	89.7	89.7	89.6	89.1	90.2	89.1	89.58
10	88.1	86.6	85.6	84.5	84.1	83.8	83.1	82.4	82.4	82.7	82.9	83.1	89.2	82.4	84.11
11	83.5	83.4	83.3	83.2	83.5	83.1	82.6	82.3	82.7	82.5	82.3	81.9	83.5	81.9	82.86
12	81.3	80.7	80.4	80.3	80.5	80.7	80.6	81.4	81.7	82.3	83.0	83.7	83.7	**80.2**	**81.78**
13	84.0	84.5	84.8	85.2	86.0	86.7	86.9	87.3	87.9	88.8	89.0	89.6	89.7	83.7	86.72
14	89.9	89.7	90.4	91.0	91.5	91.5	91.2	91.4	91.4	91.6	91.4	92.0	92.0	89.6	91.08
15	91.9	92.0	92.1	92.1	92.1	92.1	91.5	91.4	91.2	91.0	91.7	92.0	92.2	90.9	91.76
16	92.6	93.5	94.2	95.0	95.1	95.9	96.4	96.8	97.3	97.9	98.4	98.9	98.9	92.0	96.00
17	99.2	99.5	00.1	00.7	01.4	01.3	00.9	01.1	01.6	02.4	02.8	03.2	03.2	98.9	01.18
18	03.1	03.1	03.5	04.0	04.4	04.4	04.6	04.6	04.7	05.3	05.8	06.2	06.2	02.4	04.48
19	06.1	06.0	06.4	06.7	07.3	07.6	07.5	07.5	08.1	09.0	09.8	10.2	10.2	05.9	07.68
20	10.6	10.9	11.9	12.7	12.5	12.4	12.0	12.0	12.1	12.6	13.0	13.4	13.4	10.2	12.18
21	13.5	13.4	13.6	13.9	13.7	12.8	12.0	11.5	11.0	11.3	11.2	11.3	**13.9**	10.9	**12.43**
22	11.4	11.0	10.6	10.9	10.2	09.5	08.3	07.2	06.8	06.2	06.1	05.7	11.6	05.7	08.66
23	05.4	05.4	04.8	04.0	03.2	02.4	00.8	99.6	99.0	99.2	99.2	99.4	05.7	98.9	01.87
24	99.1	99.0	98.6	98.9	98.7	98.2	97.7	97.4	97.4	98.1	99.2	99.3	99.4	97.4	98.47
25	99.5	99.4	99.7	00.5	00.8	01.0	01.2	01.0	01.1	02.0	02.4	03.0	03.0	99.3	00.97
26	02.8	03.2	03.3	03.9	03.9	04.1	03.5	03.0	03.2	04.0	04.2	04.3	04.3	02.7	03.62
27	04.5	04.6	04.6	05.0	05.0	04.8	04.4	03.9	03.6	03.7	03.4	02.6	05.0	02.6	04.18
28	01.5	00.4	99.4	99.3	99.1	98.4	97.4	96.3	95.8	96.1	96.5	96.8	02.6	95.7	98.08
29	96.7	96.4	96.4	96.7	96.6	96.5	95.9	95.6	95.3	95.1	94.8	93.8	96.8	93.8	95.82
30	92.2	89.5	86.6	84.2	82.7	82.7	83.1	83.2	83.4	84.2	85.7	86.9	93.8	82.4	85.37
31	88.4	89.9	91.7	93.1	94.4	95.3	95.9	96.5	97.7	98.8	99.8	01.1	01.1	86.9	95.22
M	96.44	96.33	96.32	96.41	96.46	96.33	95.97	**95.74**	95.76	96.12	96.46	**96.63**	98.66	94.13	96.25

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

1954

Oslo (Blindern)

September IX — $\varphi = 59° 56' N$ — $\lambda = 10° 44' E$ — $g = 9.819$ — $\Delta G = +1^h$ — $H_s = 94$ — $H_b = 95.6$ — $h_t = 2.2$ — $h_s = 25.6$ — $h_d = 25.6$ — $h_r = 1.6$ — Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	01.7	02.4	02.7	02.5	02.7	02.8	02.7	02.2	02.3	02.4	02.7	02.6	03.1	01.1	02.48	92.3	93.2	94.0	95.6	96.9	97.8	98.6	99.5	00.5	01.6	02.9	04.0	04.0	91.8	98.08	1
2	02.6	02.0	02.2	02.2	02.3	02.1	01.2	00.5	99.3	99.0	99.0	99.3	03.0	99.0	00.98	04.9	05.9	07.2	08.3	09.6	10.2	10.5	11.0	11.5	12.2	12.6	12.7	12.7	04.0	09.72	2
3	99.4	00.1	01.1	01.9	02.7	02.8	02.7	02.3	01.8	02.0	01.8	00.8	03.0	99.3	01.62	12.7	12.2	11.5	11.2	11.3	10.9	10.4	10.1	09.5	09.4	09.4	09.5	12.8	09.3	10.68	3
4	00.4	99.8	99.4	99.1	98.6	97.8	97.6	97.8	98.1	99.4	00.1	00.7	00.8	97.6	99.07	09.2	08.6	08.5	08.3	08.2	08.4	07.9	07.5	07.5	07.9	08.3	08.7	09.5	07.3	08.25	4
5	00.8	00.3	00.0	99.6	00.8	01.1	01.6	01.9	02.3	04.1	05.1	05.8	05.8	99.5	01.95	08.9	09.7	10.3	10.9	11.6	12.6	12.8	12.8	12.8	13.1	12.9	12.4	13.2	08.6	11.73	5
6	06.3	06.5	07.5	07.8	08.0	07.7	07.3	06.5	05.6	05.6	05.3	04.8	08.0	04.8	06.58	11.5	10.2	09.8	09.4	09.2	08.5	07.9	07.9	08.6	09.8	10.8	11.8	12.4	07.7	09.62	6
7	04.2	03.5	03.0	03.1	03.8	03.6	03.7	03.5	03.6	04.2	04.4	04.9	04.9	03.0	03.79	12.7	13.3	14.3	15.4	16.5	16.9	16.6	16.6	16.5	16.6	16.6	16.5	16.9	11.8	15.71	7
8	05.0	04.9	04.9	05.2	05.6	05.0	04.4	03.8	03.1	03.2	02.9	02.4	05.7	02.4	04.20	16.1	15.3	14.7	14.3	14.1	13.5	12.0	11.6	11.2	11.3	10.8	11.0	16.5	10.7	12.99	8
9	01.8	01.0	99.8	99.4	99.4	98.1	97.7	97.3	96.9	96.4	95.3	93.3	02.4	93.3	98.03	10.8	10.3	09.8	09.0	08.3	06.8	04.9	03.4	01.6	99.9	97.4	96.2	11.1	96.2	04.87	9
10	91.7	89.7	89.6	89.1	89.0	88.6	88.7	88.8	88.9	90.0	90.1	88.8	93.3	88.6	89.42	95.4	94.6	94.6	95.2	95.4	95.0	94.0	93.3	93.2	93.8	95.3	96.3	96.3	93.0	94.68	10
11	87.7	85.2	83.2	81.2	80.8	80.5	79.4	78.5	78.0	79.3	80.6	81.5	88.8	77.8	81.32	96.9	96.6	96.4	96.4	96.6	96.4	96.0	95.9	96.1	96.9	97.3	98.0	98.0	95.9	96.62	11
12	82.4	82.8	83.2	83.5	83.8	83.6	83.5	83.1	83.2	83.8	83.8	83.7	83.8	81.5	83.37	98.6	98.4	98.3	97.6	96.6	95.2	93.6	92.1	90.6	89.0	88.3	88.4	98.7	88.1	93.89	12
13	83.8	83.9	84.0	85.0	86.2	87.1	87.8	88.3	89.1	90.6	91.8	92.8	92.8	83.7	87.53	90.4	92.6	94.2	95.9	97.2	96.2	94.8	91.9	89.2	86.1	84.1	82.0	97.3	82.0	91.22	13
14	94.0	94.7	95.7	96.6	97.3	97.2	96.8	96.5	95.6	95.2	94.3	93.5	97.3	92.8	95.62	80.8	81.0	82.4	85.4	88.1	89.6	90.8	92.2	93.7	95.0	95.7	96.2	96.2	80.4	89.24	14
15	92.5	91.8	91.1	90.4	89.4	87.4	84.3	80.9	79.8	79.7	80.1	81.2	93.5	79.5	85.72	96.8	97.0	97.1	97.7	98.2	98.5	98.0	98.2	98.4	98.5	98.5	97.8	98.5	96.2	97.89	15
16	82.3	83.3	83.7	84.0	83.2	81.2	77.8	74.0	68.9	67.5	68.2	68.4	84.0	67.3	76.88	97.2	97.0	95.8	93.9	93.6	92.7	92.6	93.4	94.5	96.3	98.1	99.4	99.4	92.4	95.38	16
17	67.7	65.9	64.6	65.5	66.9	69.2	71.0	72.3	74.6	76.9	77.7	78.3	78.3	64.5	70.88	00.9	02.3	03.6	05.4	06.4	07.0	07.2	06.9	06.7	06.0	05.8	05.0	07.2	99.4	05.27	17
18	79.0	80.2	82.0	84.0	85.8	87.4	88.2	89.2	90.4	92.2	93.7	94.7	94.7	78.3	87.23	03.1	00.7	99.1	98.6	98.0	97.7	97.0	96.8	97.1	97.5	97.3	96.0	05.0	96.0	98.24	18
19	96.0	96.9	98.0	98.8	99.2	99.5	99.4	99.0	98.8	98.7	98.7	98.5	99.6	94.7	98.47	94.6	92.4	89.1	86.4	83.6	80.8	77.9	76.5	75.7	76.5	76.9	77.6	96.3	75.7	82.33	19
20	97.8	96.6	95.7	94.5	93.3	91.7	89.7	87.6	85.6	84.1	83.2	83.3	98.5	83.0	90.26	78.5	78.9	78.8	79.1	78.1	76.7	75.4	74.8	75.4	76.1	77.0	77.3	79.3	74.7	77.18	20
21	83.5	83.3	83.3	83.3	83.3	83.6	84.0	84.2	84.9	85.9	86.8	87.1	87.1	83.1	84.43	77.9	78.6	79.3	80.9	81.6	82.3	81.9	82.2	82.3	83.4	83.4	82.9	83.6	77.3	81.39	21
22	87.4	87.8	88.3	89.3	90.0	91.1	91.9	92.7	93.3	94.9	96.1	96.9	96.9	87.1	91.64	82.6	81.7	81.5	81.5	81.7	81.6	81.3	80.1	79.7	79.7	78.8	78.0	82.9	78.0	80.68	22
23	98.1	98.7	98.8	99.3	99.2	98.9	98.4	98.0	98.1	99.4	00.5	00.9	00.9	96.9	99.02	77.6	76.9	77.2	78.6	79.6	81.1	81.6	82.1	82.4	83.0	82.7	80.8	83.0	76.9	80.30	23
24	01.2	01.4	00.6	99.7	98.2	95.6	92.8	90.7	89.2	87.5	85.2	83.4	01.6	83.4	93.79	77.9	75.0	74.0	74.2	74.2	74.2	73.6	72.5	72.0	71.2	70.4	69.1	80.8	69.1	73.19	24
25	81.3	80.3	79.5	78.0	76.1	75.0	.74.6	74.1	74.8	75.4	76.0	76.2	83.4	74.1	76.78	68.2	68.6	69.3	70.7	71.3	71.0	70.7	70.4	70.8	71.2	71.8	72.3	72.3	68.1	70.52	25
26	77.1	78.2	80.0	81.7	82.4	82.4	82.5	81.9	81.5	80.9	79.9	79.6	82.5	76.2	80.68	74.0	75.9	78.2	80.6	82.7	85.0	87.1	89.5	91.9	94.2	96.2	97.5	97.5	72.3	86.07	26
27	78.4	78.2	79.0	81.0	83.8	85.2	86.4	87.5	88.5	89.8	91.2	92.0	92.0	78.2	85.08	99.0	00.0	00.2	01.1	01.3	01.3	00.5	00.3	01.1	01.6	01.8	01.8	01.8	97.5	00.83	27
28	92.2	92.2	92.0	91.7	91.4	90.8	90.3	90.1	90.3	90.6	90.8	91.0	92.3	90.0	91.12	01.4	01.2	00.8	00.6	99.9	99.0	98.6	98.0	98.0	98.4	98.3	97.5	01.8	97.5	99.31	28
29	90.9	90.7	90.7	91.1	91.1	91.1	91.3	91.4	91.4	91.2	91.4	91.4	91.6	90.6	91.14	96.0	94.1	94.5	95.8	96.6	96.4	95.5	93.6	91.0	88.7	85.2	83.8	97.5	83.7	92.60	29
30	91.4	91.3	91.3	91.4	91.4	91.3	90.9	91.1	91.4	91.5	91.5	91.8	91.8	90.9	91.36	83.2	82.3	81.9	82.1	82.2	81.8	81.4	81.9	82.5	82.8	82.8	82.6	83.8	81.4	82.29	30
																82.0	81.4	81.2	81.7	82.7	83.8	85.0	86.7	88.4	90.9	92.7	94.4	94.4	81.1	85.91	31
M	91.95	91.79	91.85	92.00	92.19	91.98	91.62	91.19	90.98	91.38	91.61	91.65	95.38	88.07	91.68	94.58	94.38	94.44	94.90	95.20	95.13	94.71	94.51	94.53	94.79	94.84	94.76	98.73	90.45	94.73	M

November XI — Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	96.1	97.8	99.2	00.9	02.3	03.3	03.6	03.8	04.2	04.8	04.7	04.6	04.9	94.4	02.11	94.6	94.6	95.0	95.8	96.6	97.2	97.3	98.1	98.8	99.6	00.6	01.6	01.6	94.4	97.48	1
2	04.4	04.0	03.3	03.1	03.2	02.9	02.1	01.3	01.1	00.7	99.9	98.8	04.6	98.8	02.07	02.2	01.5	02.1	01.3	00.6	99.5	98.1	97.2	95.8	94.1	92.7	91.3	02.4	91.3	98.03	2
3	98.3	97.4	96.3	96.6	96.6	96.9	97.0	97.4	98.2	98.7	99.0	99.0	99.4	96.3	97.62	91.4	91.9	93.5	94.1	94.8	94.0	93.2	92.8	92.8	93.5	94.2	95.6	95.6	91.0	93.48	3
4	99.0	98.3	97.8	97.2	96.6	95.5	94.5	93.5	91.8	91.6	91.8	91.7	99.1	91.6	94.94	96.8	97.2	97.0	96.7	95.4	92.8	88.6	85.2	82.6	81.2	80.0	80.0	97.5	80.0	89.46	4
5	91.8	92.0	92.7	93.3	93.3	93.9	94.8	95.4	95.8	96.9	97.4	97.4	97.5	91.6	94.56	80.0	80.1	80.9	81.4	81.9	82.1	82.3	82.6	82.9	82.9	82.7	82.7	83.2	80.0	81.88	5
6	97.4	97.2	97.0	96.9	97.2	97.0	96.5	95.9	95.8	95.7	95.6	95.7	97.4	95.5	96.49	82.1	81.8	81.6	81.4	81.5	81.3	80.9	81.0	81.0	81.0	81.0	81.1	82.7	80.9	81.31	6
7	95.9	96.2	97.0	98.4	99.2	99.4	00.1	00.5	00.9	01.5	01.2	01.2	02.2	95.7	99.29	81.1	81.1	81.1	81.0	81.4	81.4	81.5	81.6	81.6	81.6	82.1	82.3	82.3	81.0	81.48	7
8	01.0	99.8	99.2	99.0	98.9	98.2	96.8	95.7	95.1	94.9	94.1	93.2	01.2	93.2	97.16	82.3	82.7	83.2	83.9	84.2	84.5	84.8	85.2	85.6	86.3	86.5	86.7	86.7	82.3	84.66	8
9	92.2	91.6	90.6	90.3	90.0	88.2	86.7	85.9	86.0	86.0	86.2	87.3	93.2	85.8	88.42	87.7	87.3	87.4	87.2	86.4	86.2	84.0	82.1	80.2	78.3	77.8	77.9	87.8	77.5	83.54	9
10	88.4	89.3	90.2	92.2	93.1	93.3	93.6	93.6	93.6	93.0	91.9	90.6	93.8	87.3	91.90	77.6	77.6	77.6	78.1	79.2	80.0	80.3	80.5	81.6	83.7	85.4	86.9	86.9	77.5	80.71	10
11	89.8	88.3	87.7	87.3	86.8	87.6	87.8	87.5	86.0	81.5	74.4	69.3	90.6	69.3	84.50	88.5	90.6	92.1	93.3	95.1	96.2	96.6	97.1	98.3	98.4	98.5	98.0	98.7	86.9	95.22	11
12	67.0	65.3	66.7	72.7	78.9	81.9	82.5	83.7	82.8	80.9	79.7	79.1	83.7	65.2	76.77	96.8	95.5	94.2	92.0	90.2	87.6	84.9	84.7	84.7	86.1	87.9	89.4	98.0	84.0	89.50	12
13	78.9	80.1	82.9	85.7	88.1	89.6	90.1	90.6	90.0	89.6	88.1	86.0	90.7	78.9	86.64	90.3	91.6	92.1	92.5	92.4	91.6	90.6	89.6	88.3	86.9	86.0	85.7	92.5	85.7	89.80	13
14	84.0	83.4	83.4	84.5	86.0	87.9	89.6	91.9	94.4	96.9	99.0	00.9	00.9	83.3	90.16	85.9	86.5	87.8	89.8	92.1	93.2	94.3	96.1	97.3	97.5	97.3	95.6	97.5	85.7	92.78	14
15	02.9	04.6	06.8	09.0	12.1	13.3	14.4	15.8	17.0	17.4	17.8	18.4	19.4	00.9	12.46	93.8	91.8	89.8	89.5	89.6	90.4	91.2	93.3	95.8	98.7	01.3	04.1	04.1	89.4	94.11	15
16	18.4	18.2	17.9	17.9	17.3	16.7	15.5	14.4	14.0	14.0	13.7	13.4	18.5	13.4	15.95	06.3	08.4	10.9	11.9	13.1	12.7	12.8	12.8	11.7	10.9	10.2	09.0	13.4	04.1	10.89	16
17	11.9	10.3	09.0	09.0	09.4	09.6	10.4	11.0	11.8	12.6	13.7	14.1	14.1	09.0	11.07	07.1	05.4	03.3	00.6	98.7	96.9	97.8	99.6	00.7	02.4	02.4	02.3	09.0	96.9	01.43	17
18	14.1	14.3	14.6	15.6	16.1	16.5	16.5	15.7	17.2	17.8	18.2	18.6	18.6	14.0	16.27	01.0	99.0	97.0	94.9	92.4	90.5	88.4	87.7	86.7	85.9	85.8	86.6	02.3	85.6	91.32	18
19	18.5	18.5	18.7	19.5	20.2	20.6	20.8	21.2	22.0	22.9	23.3	23.4	23.4	18.5	20.80	87.8	88.7	88.9	89.6	90.4	91.1	90.9	90.3	90.2	89.4	88.3	87.2	91.3	86.6	89.40	19
20	23.4	23.4	23.4	23.6	23.6	23.2	22.1	21.4	21.1	20.9	20.3	19.8	23.7	19.8	22.18	85.0	83.0	81.7	80.5	79.9	78.6	76.3	75.5	75.3	76.0	76.9	77.4	87.4	75.1	78.84	20
21	19.0	18.3	17.4	17.1	16.9	15.2	15.3	14.9	14.8	14.8	14.4	14.0	19.8	14.0	16.09	77.5	78.4	79.3	79.3	77.8	76.1	73.5	68.9	64.8	62.1	60.3	60.7	79.3	60.1	71.56	21
22	13.7	13.4	13.2	13.2	13.4	13.5	13.6	13.7	14.1	14.4	14.4	14.0	14.5	13.1	13.72	62.2	64.3	65.7	68.2	69.7	70.3	71.8	71.2	71.2	70.5	69.2	67.9	71.9	60.7	68.52	22
23	14.1	13.8	13.6	14.1	14.7	14.9	15.1	15.4	15.9	16.3	16.1	16.2	16.4	13.6	15.02	66.0	63.6	62.5	62.2	62.3	63.2	63.9	65.3	66.8	68.8	70.9	73.1	73.3	62.2	65.72	23
24	15.8	15.5	15.0	14.7	14.1	13.7	12.4	11.6	10.8	10.4	10.0	08.6	16.2	08.6	12.72	75.5	77.7	79.8	81.6	83.4	84.2	85.5	86.7	87.4	88.1	88.4	89.0	89.0	73.1	83.94	24
25	07.6	06.5	05.6	05.0	04.8	04.2	03.4	02.7	02.6	02.1	01.5	00.7	08.6	00.7	03.89	89.4	89.8	89.1	88.3	89.6	90.3	91.5	92.5	93.3	93.7	94.2	93.6	94.3	89.0	91.28	25
26	99.8	98.9	98.2	97.9	98.0	97.8	97.2	97.0	96.5	96.3	96.3	95.5	00.7	95.5	97.45	93.6	92.6	91.2	89.8	89.3	88.4	87.9	87.8	87.5	86.6	85.7	84.7	93.6	84.7	88.76	26
27	95.2	94.2	94.0	93.6	92.2	91.2	91.3	91.2	91.3	91.3	91.7	92.8	95.5	91.1	92.50	83.4	82.6	82.1	82.3	83.0	83.6	84.3	85.9	87.2	88.1	89.0	90.3	90.3	82.0	85.15	27
28	93.0	93.0	93.0	92.9	92.2	91.9	90.6	90.7	91.1	91.9	93.1	94.0	94.0	90.3	92.28	90.5	90.4	90.0	89.9	90.1	90.5	90.8	91.8	92.7	93.7	95.5	97.3	97.3	89.9	91.93	28
29	94.5	95.0	95.0	95.2	94.8	93.5	92.8	92.5	92.6	92.7	92.8	93.1	95.2	92.5	93.71	99.3	01.3	02.9	04.6	06.0	07.3	08.3	08.8	10.9	12.5	13.7	14.8	14.8	97.3	07.53	29
30	93.1	93.6	94.2	94.4	94.7	94.3	93.7	93.3	93.4	93.3	93.6	94.5	94.8	93.1	93.84	16.0	17.0	17.8	18.6	19.3	20.1	20.7	21.2	22.0	22.5	23.0	23.9	23.9	14.8	20.18	30
																24.1	24.3	24.6	25.2	25.7	26.2	26.5	27.0	27 3	28.0	28.5	28.8	28.8	23.9	26.35	31
M	00.64	00.41	00.45	01.03	01.49	01.56	01.36	01.31	01.40	01.39	01.13	00.86	04.39	97.17	01.09	90.19	90.27	90.39	90.50	90.71	90.58	90.31	90.33	90.42	90.61	90.84	91.15	95.40	85.60	90.52	M

Registreringer av lufttemperatur T

(Records of temperature: T)

1954

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	-10.4	-10.4	-10.4	-10.6	-10.1	-8.3	-7.3	-6.9	-6.3	-6.3	-5.3	-4.5	-4.5	-10.6	-8.07
2	-3.6	-3.6	-4.2	-3.2	-3.0	-1.9	-0.5	-0.1	0.8	0.7	5.3	3.2	5.3	-4.5	-0.84
3	1.1	1.1	1.1	1.0	0.9	0.9	0.9	0.9	0.7	-0.7	-1.3	-2.3	3.2	-2.3	0.36
4	-3.6	-4.3	-5.3	-5.5	-5.5	-5.2	-4.6	-6.4	-8.1	-8.9	-10.4	-11.5	-2.3	-11.5	-6.61
5	-11.7	-12.1	-12.2	-11.9	-10.9	-8.1	-6.2	-7.3	-9.1	-9.6	-10.0	-9.9	-6.0	-12.5	-9.92
6	-10.0	-10.8	-10.4	-10.0	-6.9	-3.0	-1.9	-0.9	-1.2	-0.8	-1.6	-3.7	-0.1	-11.2	-5.10
7	-5.2	-6.8	-5.9	-4.3	-4.3	-2.5	-1.2	-3.3	-4.7	-6.6	-8.4	-8.7	-1.2	-9.3	-5.16
8	-10.8	-12.0	-11.9	-11.3	-8.9	-7.8	-6.5	-7.1	-7.2	-7.2	-7.3	-6.2	-6.2	-12.4	-8.68
9	-5.8	-1.7	-2.6	-2.0	-0.2	0.7	0.9	0.6	-0.4	-1.3	-1.5	-2.4	1.2	-7.1	-1.31
10	-2.9	-2.9	-3.4	-3.5	-4.0	-1.4	-0.9	-1.4	-2.3	-1.2	-1.2	-1.3	-0.5	-4.7	-2.20
11	-1.9	-3.9	-4.8	-4.2	-5.0	-4.4	-3.4	-3.7	-4.3	-4.2	-4.1	-3.7	-1.3	-5.2	-3.97
12	-3.7	-3.6	-3.5	-3.2	-3.2	-2.7	-2.1	-2.4	-3.3	-3.9	-4.1	-3.7	-2.0	-4.2	-3.28
13	-4.1	-3.8	-2.8	-2.3	-0.9	0.0	0.6	1.7	2.4	3.8	2.8	1.9	3.8	-4.2	-0.06
14	1.2	0.6	0.7	0.9	1.6	1.1	1.1	1.1	1.3	1.4	1.0	0.7	1.9	0.5	1.06
15	0.3	-0.1	-0.6	-1.1	-2.1	-1.1	-0.3	-0.3	0.7	0.9	0.7	0.7	1.3	-2.1	-0.19
16	0.6	0.4	0.0	-0.9	-2.7	-2.0	-1.5	-1.2	-1.7	-2.7	-3.3	-3.4	0.7	-4.1	-1.53
17	-5.3	-2.8	-5.0	-7.0	-3.9	-2.6	-0.7	-1.4	-3.7	-5.1	-5.7	-5.4	-0.2	-7.1	-4.05
18	-4.5	-4.1	-6.1	-6.2	-6.5	-4.1	-2.9	-4.5	-4.5	-7.7	-8.2	-8.7	-2.8	-8.7	-5.67
19	-8.0	-7.6	-5.6	-4.0	-2.4	-1.4	-0.1	0.2	0.7	0.8	0.8	0.5	0.9	-9.1	-2.18
20	0.2	0.1	0.2	-0.1	-0.7	-0.5	0.5	-1.2	-1.4	-1.4	-1.2	-1.9	0.6	-1.9	-0.62
21	-2.0	-2.6	-2.9	-3.6	-4.0	-3.8	-3.5	-3.3	-3.6	-4.8	-5.5	-6.0	-1.9	-6.1	-3.80
22	-6.7	-5.7	-6.0	-6.1	-5.7	-5.1	-4.7	-6.8	-9.9	-11.9	-13.2	-14.4	-4.7	-14.4	-8.02
23	-16.0	-16.3	-17.9	-19.0	-17.6	-14.4	-13.5	-14.1	-15.3	-16.3	-14.6	-13.7	-13.7	-19.0	-15.72
24	-12.4	-12.0	-12.1	-11.7	-11.2	-10.2	-8.9	-8.5	-8.3	-9.0	-9.7	-9.7	-8.3	-13.7	-10.31
25	-10.0	-10.6	-9.9	-9.6	-9.7	-7.2	-6.6	-5.8	-6.0	-6.3	-6.3	-6.7	-5.8	-10.6	-7.89
26	-6.8	-7.8	-7.9	-8.9	-8.6	-8.1	-7.8	-8.8	-10.2	-11.4	-13.0	-13.6	-6.7	-13.6	-9.41
27	-15.0	-17.0	-18.2	-17.8	-17.3	-14.2	-12.8	-13.1	-16.1	-16.1	-16.9	-16.4	-12.0	-18.6	-15.91
28	-16.2	-15.3	-15.1	-13.1	-11.4	-5.6	-5.0	-5.1	-4.8	-4.6	-6.2	-8.4	-4.5	-16.4	-9.23
29	-9.8	-9.3	-9.4	-9.0	-9.8	-9.1	-9.2	-10.2	-11.0	-11.6	-11.8	-11.0	-8.4	-11.8	-10.10
30	-11.0	-11.4	-11.2	-11.2	-10.6	-9.9	-9.5	-10.2	-11.8	-12.2	-12.6	-13.6	-9.4	-13.7	-11.27
31	-14.2	-16.0	-16.2	-16.8	-10.9	-9.3	-6.9	-6.8	-6.0	-4.6	-4.1	-5.3	-4.1	-16.8	-9.76
M	-6.72	-6.85	-7.08	-6.97	-6.31	-4.88	-4.02	-4.40	-4.99	-5.45	-5.71	-6.10	-2.83	-9.25	-5.79

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	-5.5	-5.7	-6.1	-6.2	-5.6	-4.5	-4.4	-4.1	-4.5	-4.5	-5.2	-5.9	-4.1	-6.2	-5.18
2	-5.6	-5.4	-5.6	-5.9	-4.6	-3.7	-3.2	-2.9	-5.0	-7.2	-9.8	-11.7	-2.3	-11.8	-5.88
3	-10.7	-11.1	-10.8	-11.2	-9.1	-7.2	-6.6	-6.3	-8.1	-9.9	-11.1	-11.7	-6.0	-11.7	-9.48
4	-12.0	-12.1	-11.1	-11.2	-10.8	-8.8	-8.3	-7.9	-7.7	-8.5	-9.9	-12.3	-7.7	-12.7	-10.05
5	-13.3	-13.4	-13.0	-13.7	-11.9	-8.8	-7.8	-7.5	-8.7	-7.9	-8.1	-8.1	-7.1	-13.9	-10.18
6	-7.7	-7.1	-7.0	-6.7	-6.0	-5.2	-4.5	-3.7	-3.6	-4.4	-3.7	-2.5	-2.5	-8.1	-5.18
7	-1.3	-1.7	-2.3	-2.0	-2.0	-2.9	-3.4	-4.2	-4.1	-4.2	-4.2	-4.2	-0.7	-4.2	-3.04
8	-4.3	-4.6	-5.3	-5.4	-5.7	-5.3	-4.8	-5.3	-5.6	-6.1	-6.0	-6.0	-4.2	-6.1	-5.37
9	-6.1	-6.6	-7.8	-9.2	-8.4	-7.8	-7.8	-8.5	-9.0	-9.2	-8.2	-7.6	-5.7	-9.6	-8.02
10	-6.4	-7.1	-6.5	-5.7	-5.0	-4.4	-3.9	-3.8	-4.4	-4.4	-4.6	-5.3	-3.8	-7.6	-5.12
11	-6.4	-6.5	-6.5	-6.4	-6.7	-6.1	-5.8	-6.6	-6.8	-6.7	-7.4	-8.0	-5.3	-8.0	-6.66
12	-8.2	-8.7	-9.0	-9.2	-7.9	-6.7	-6.7	-7.8	-10.4	-10.0	-9.4	-9.5	-6.5	-11.0	-8.62
13	-9.6	-9.8	-9.8	-9.8	-9.8	-8.7	-8.2	-9.2	-11.1	-12.1	-12.4	-14.0	-8.0	-14.0	-10.38
14	-15.6	-17.1	-18.9	-18.1	-16.2	-14.4	-11.6	-12.1	-14.3	-16.3	-18.0	-19.4	-11.6	-19.4	-16.00
15	-18.9	-19.6	-19.5	-18.9	-16.7	-11.6	-8.3	-8.1	-12.1	-14.1	-15.0	-15.1	-7.7	-19.6	-14.82
16	-16.0	-16.3	-16.0	-14.6	-12.9	-10.0	-9.0	-9.5	-11.0	-13.3	-14.1	-15.6	-8.9	-16.4	-13.19
17	-12.8	-12.1	-11.5	-11.6	-9.9	-8.9	-8.0	-8.2	-8.5	-8.5	-8.6	-8.8	-7.8	-16.1	-9.78
18	-8.8	-8.5	-8.4	-7.8	-6.8	-6.4	-5.9	-6.0	-6.8	-6.7	-6.7	-6.9	-5.9	-9.0	-7.14
19	-7.3	-7.7	-8.0	-8.4	-8.5	-7.7	-7.1	-7.2	-8.0	-8.2	-8.7	-8.7	-6.9	-8.7	-7.96
20	-8.9	-9.1	-9.4	-9.2	-8.6	-7.4	-6.0	-6.3	-8.6	-8.7	-8.6	-8.8	-5.7	-9.4	-8.30
21	-8.8	-10.2	-10.0	-9.7	-8.4	-7.2	-6.6	-6.0	-5.6	-5.4	-5.5	-5.1	-5.1	-10.5	-7.38
22	-5.1	-5.1	-4.7	-4.4	-4.0	-3.8	-3.7	-3.7	-3.7	-4.3	-4.8	-5.1	-3.7	-5.1	-4.37
23	-5.3	-5.3	-5.7	-5.4	-5.2	-5.2	-5.0	-5.1	-5.7	-6.0	-5.2	-4.9	-4.9	-6.0	-5.33
24	-5.1	-5.6	-6.2	-6.4	-5.7	-5.3	-5.2	-5.2	-4.7	-5.0	-4.8	-4.9	-4.7	-6.6	-5.34
25	-5.2	-5.4	-5.5	-5.3	-4.5	-4.2	-3.8	-3.9	-3.8	-3.7	-4.2	-4.3	-3.8	-5.5	-4.48
26	-4.8	-5.4	-5.6	-5.6	-5.0	-5.1	-5.1	-4.6	-4.4	-4.9	-5.1	-5.0	-4.3	-5.6	-5.05
27	-5.0	-5.0	-5.0	-4.6	-4.8	-4.4	-3.8	-3.7	-3.8	-4.0	-4.1	-4.5	-3.6	-5.0	-4.39
28	-4.8	-5.3	-5.5	-5.6	-5.7	-5.7	-5.8	-5.9	-6.0	-6.3	-6.0	-6.1	-4.5	-6.4	-5.72
M	-8.20	-8.48	-8.60	-8.51	-7.73	-6.69	-6.08	-6.19	-7.00	-7.52	-7.84	-8.21	-5.46	-9.79	-7.59

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	-6.1	-6.1	-5.8	-5.5	-4.2	-3.8	-3.2	-2.7	-2.1	-2.1	-1.9	-2.2	-1.8	-6.2	-3.81
2	-2.4	-3.1	-3.2	-3.3	-2.2	-2.4	-1.4	-1.4	-2.8	-4.4	-5.5	-6.0	-1.0	-7.3	-3.18
3	-5.7	-6.3	-5.8	-4.9	-3.3	-2.6	-2.0	-2.4	-3.7	-4.1	-4.3	-4.5	-1.3	-6.4	-4.13
4	-4.6	-4.6	-4.9	-5.1	-4.3	-4.0	-3.6	-3.2	-2.8	-2.1	-2.1	-2.0	-1.9	-5.1	-3.61
5	-2.0	-1.6	-1.1	-0.8	0.3	0.6	1.2	1.0	0.6	0.4	0.1	0.0	1.3	-2.0	-0.11
6	-0.1	-0.2	-0.2	-1.2	-0.4	1.8	1.9	1.8	0.8	-0.2	-0.3	-0.3	2.5	-1.2	0.28
7	0.0	0.0	0.0	0.1	0.7	0.9	1.1	1.5	1.0	0.6	0.6	0.7	1.5	-0.3	0.60
8	0.8	0.8	1.2	1.5	1.6	1.5	1.1	0.8	0.9	1.1	1.1	1.1	1.6	0.8	1.12
9	1.0	0.8	0.8	0.7	1.1	1.2	1.1	1.1	0.9	0.5	0.3	0.0	1.3	0.0	0.79
10	0.0	0.2	0.2	0.6	1.4	1.9	2.2	1.0	0.6	0.3	0.2	0.0	2.2	0.0	0.72
11	-0.3	-0.3	-0.3	0.1	0.7	0.8	0.8	0.8	0.8	0.5	0.4	0.3	0.8	-0.3	0.36
12	0.2	0.3	0.3	0.3	0.0	0.3	0.2	0.2	0.2	0.0	-0.1	0.0	0.4	-0.1	0.16
13	-0.4	-1.3	-0.5	1.5	2.9	3.0	3.2	3.1	2.6	2.0	1.4	1.5	3.3	-1.3	1.58
14	0.0	-0.1	-0.3	-0.2	0.8	1.1	1.2	1.1	1.0	0.2	0.3	-0.7	1.2	-0.7	0.37
15	-0.7	-0.9	-1.5	-1.3	-0.4	1.5	2.8	3.2	2.0	-0.5	-2.0	-2.2	3.4	-2.3	0.00
16	-3.0	-3.0	-3.1	-3.0	-2.4	-2.9	-1.5	1.1	0.1	-2.9	-3.3	-3.7	1.3	-3.7	-2.30
17	-4.0	-4.1	-4.2	-4.2	-3.4	0.0	2.8	2.6	-0.3	-2.4	-2.8	-3.2	3.6	-4.4	-1.93
18	-3.3	-3.9	-4.1	-5.0	-3.6	-1.4	1.7	3.2	2.3	2.9	2.2	1.3	3.5	-5.1	-0.64
19	-0.6	-2.1	-3.5	-3.0	0.5	1.5	2.8	3.1	1.8	-1.4	-3.4	-4.7	3.2	-4.7	-0.75
20	-5.1	-5.7	-5.5	-4.3	-2.1	-2.0	-0.3	-0.3	-0.7	-1.0	-1.3	-1.5	-0.2	-5.8	-2.48
21	-1.7	-1.8	-2.4	-2.2	-1.4	-1.4	-0.5	-0.6	-0.5	-0.4	-0.4	-0.4	-0.4	-2.4	-1.14
22	-0.4	-0.1	0.5	0.9	1.8	2.0	2.2	2.5	2.4	2.1	2.0	1.6	2.9	-0.5	1.46
23	1.4	1.4	2.0	2.1	3.0	3.1	3.4	3.6	3.5	2.9	2.3	1.8	3.6	1.2	2.54
24	1.8	1.8	1.8	2.5	-0.2	-1.0	-0.8	-2.6	-0.4	-1.1	-1.4	-1.8	2.8	-1.8	0.05
25	-2.0	-2.1	-2.2	-2.2	-0.6	-0.2	1.2	0.5	-0.3	-0.9	-1.1	-1.8	1.3	-2.2	-0.98
26	-2.0	-2.8	-2.9	-2.3	-2.1	-1.2	-0.8	-0.9	-1.0	-0.9	-0.8	-0.7	-0.7	-2.9	-1.53
27	-0.6	-0.5	-0.4	-0.1	1.3	2.1	4.0	4.2	4.0	0.8	0.0	-1.2	4.9	-1.2	1.13
28	-1.4	-1.2	-1.4	-0.2	3.5	5.4	6.8	7.4	6.8	2.4	0.1	-1.6	7.4	-1.6	2.22
29	-1.1	-0.7	-0.5	2.0	1.3	1.7	2.3	2.4	2.7	2.0	2.1	1.1	2.8	-1.6	1.28
30	0.4	-0.1	-0.8	-0.7	1.1	0.8	0.9	0.6	1.0	0.8	0.6	0.6	1.1	-0.8	0.43
31	-0.3	-0.3	-0.6	-0.4	0.7	1.0	1.4	1.7	1.6	1.0	1.0	0.4	1.7	-0.7	0.60
M	-1.36	-1.54	-1.56	-1.21	-0.25	0.30	1.04	1.17	0.74	-0.13	-0.52	-0.91	1.65	-2.28	-0.35

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	0.3	0.2	0.2	0.1	0.5	1.0	1.4	1.5	1.7	1.6	1.6	1.7	1.7	0.1	0.98
2	1.6	1.6	1.6	1.9	2.7	3.6	3.7	3.8	3.3	2.3	1.9	1.4	4.5	1.4	2.45
3	0.4	0.2	0.0	0.4	1.3	1.4	1.7	2.7	2.3	2.1	1.8	1.5	2.7	-0.1	1.32
4	0.7	0.8	1.0	1.6	2.3	3.8	6.0	9.3	6.5	4.6	4.7	4.7	9.5	0.7	3.83
5	6.7	6.5	6.4	6.4	7.5	8.5	9.3	8.7	7.3	4.0	2.5	1.5	9.9	1.5	6.28
6	0.1	0.1	0.4	3.6	8.1	8.3	8.5	10.3	7.5	5.7	3.4	2.1	10.3	-0.3	4.84
7	0.8	-0.8	-2.2	2.4	5.8	6.7	7.4	8.5	7.4	2.8	-0.7	-0.6	8.5	-2.3	3.12
8	-2.7	-2.9	-3.8	2.1	3.0	5.3	6.5	6.4	5.5	3.4	1.2	-0.3	7.3	-4.1	1.98
9	-0.9	-1.1	-0.8	0.7	1.4	1.9	3.7	4.6	4.1	2.6	1.3	0.5	5.5	-1.1	1.50
10	0.0	-0.5	-0.4	-0.2	0.6	1.2	3.3	5.9	6.2	2.7	-0.1	-1.0	6.2	-1.0	1.48
11	-1.8	-2.6	-2.7	-1.0	-0.4	1.2	5.6	6.2	5.4	3.8	2.2	2.0	6.3	-3.3	1.49
12	1.1	0.2	0.5	1.8	6.1	10.0	10.3	10.4	8.8	6.0	5.2	3.6	11.0	0.2	5.33
13	2.8	0.9	1.0	3.0	5.4	3.3	2.5	3.4	3.0	4.7	4.7	4.0	6.2	0.5	3.22
14	2.8	1.2	0.0	3.0	4.3	4.7	1.4	0.5	0.8	0.4	-0.5	-0.6	4.8	-0.9	1.50
15	-0.1	0.4	1.4	3.0	3.4	4.4	5.3	6.5	6.5	5.3	4.6	5.5	7.0	-0.9	3.68
16	2.5	1.4	1.5	2.5	4.6	5.7	6.6	7.1	6.4	3.7	3.2	1.3	7.1	1.3	3.88
17	0.1	-0.5	-1.0	2.7	5.7	6.7	8.1	9.5	8.3	5.0	1.5	0.3	10.4	-2.2	3.87
18	-1.6	-1.8	-0.7	0.2	5.0	5.5	6.0	6.3	6.3	5.3	3.5	2.5	6.3	-1.8	3.04
19	3.0	1.9	2.0	2.8	5.4	6.4	7.3	8.9	8.0	4.1	0.6	0.2	10.0	0.2	4.22
20	-0.2	-1.7	-1.0	1.7	6.0	8.9	11.2	11.6	9.3	6.0	1.9	2.4	12.4	-2.5	4.51
21	-0.5	0.2	4.6	5.5	6.3	6.5	7.4	7.4	6.4	4.4	3.3	1.3	7.6	-0.5	4.40
22	0.4	-0.2	0.2	3.0	5.7	6.7	8.4	9.3	9.2	5.4	1.3	-0.5	9.5	-0.5	4.08
23	-1.2	-1.9	-1.0	1.5	6.2	12.6	11.4	9.5	8.9	6.8	5.5	4.3	14.3	-2.5	5.22
24	1.7	3.6	3.8	6.2	8.1	8.9	9.1	8.7	7.4	6.0	4.5	4.0	10.2	1.7	6.00
25	2.5	2.2	2.8	4.5	5.0	6.1	7.2	7.2	6.8	4.7	1.3	-0.5	8.2	-0.5	4.15
26	-1.5	-0.8	-1.4	1.3	6.0	6.2	6.9	7.7	7.9	5.1	1.0	0.0	8.8	-1.5	3.20
27	-0.9	-1.0	3.2	5.5	7.3	8.3	9.0	9.5	8.5	5.8	4.2	3.5	10.6	-1.2	5.24
28	3.0	2.2	2.7	5.7	8.4	10.5	11.5	12.6	10.6	7.6	4.4	1.8	13.4	1.3	6.76
29	2.0	2.1	2.4	2.9	4.0	4.9	6.8	7.3	7.0	4.7	3.4	2.5	8.3	1.6	4.17
30	0.4	0.4	2.2	4.1	6.3	6.7	8.6	9.3	8.3	6.4	5.7	3.7	9.8	-0.4	5.18
M	0.72	0.34	0.76	2.63	4.73	5.87	6.74	7.35	6.52	4.43	2.64	1.63	8.28	-0.57	3.70

Registreringer av lufttemperatur T

(Records of temperature: T)

1954

Oslo *(Blindern)*

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	2.6	1.3	2.2	2.8	4.0	5.3	5.8	6.8	7.1	7.5	7.4	7.3	7.6	**1.3**	**5.01**
2	5.6	5.5	4.9	4.4	6.9	8.9	10.5	11.6	11.9	10.4	8.8	9.6	12.0	4.4	8.25
3	8.3	7.5	7.3	7.8	8.0	6.3	6.8	7.8	8.5	8.9	9.1	8.9	9.6	6.2	7.93
4	7.6	7.0	7.2	7.8	8.6	9.9	10.4	10.6	10.0	9.9	9.3	8.5	10.7	7.0	8.90
5	7.6	7.5	7.5	7.6	7.4	7.8	8.0	8.4	7.8	7.5	7.4	7.0	8.5	7.0	7.62
6	6.5	6.2	6.2	6.9	9.5	9.4	10.1	10.4	11.3	10.9	10.6	9.2	11.4	5.9	8.93
7	5.8	5.7	6.0	6.8	7.3	8.3	10.8	11.2	10.2	8.4	6.5	5.4	11.6	5.3	7.70
8	3.4	3.6	3.9	4.2	5.6	10.8	13.9	14.2	15.3	11.7	8.4	7.2	16.8	3.0	8.52
9	5.4	4.5	6.0	11.1	13.9	15.4	16.5	17.8	17.7	14.7	10.8	10.3	18.6	4.5	12.01
10	7.4	4.9	8.1	13.6	15.2	17.6	19.7	21.1	21.6	17.5	12.2	8.6	21.6	4.4	13.96
11	6.4	5.4	8.8	12.9	16.1	19.5	21.4	22.9	21.1	18.3	11.0	9.7	22.9	5.2	14.46
12	8.6	10.1	10.2	10.7	12.0	14.3	16.2	16.7	16.0	15.0	12.0	9.4	17.9	7.8	12.60
13	9.4	8.3	7.5	7.5	10.3	12.5	14.6	15.5	16.1	13.4	8.9	7.5	16.6	7.5	10.96
14	6.3	4.6	6.0	10.2	11.1	13.3	15.1	14.7	14.0	12.3	10.4	9.4	16.2	4.3	10.62
15	8.6	8.6	8.6	8.9	9.6	11.4	14.2	14.8	11.7	11.1	9.7	6.9	15.0	6.9	10.34
16	7.5	7.3	7.5	8.5	11.6	10.4	11.2	11.6	11.6	10.3	8.0	6.7	14.2	6.7	9.35
17	4.7	3.2	6.9	8.9	10.5	12.0	14.3	13.1	12.7	9.4	8.0	7.0	15.0	3.1	9.22
18	7.2	7.1	5.9	8.0	10.1	11.4	13.4	11.2	10.7	9.8	9.2	8.8	13.4	5.8	9.40
19	8.9	8.9	8.4	8.2	8.6	8.9	12.1	13.3	15.3	13.7	11.5	11.6	15.3	7.6	10.78
20	11.2	10.4	9.3	10.4	10.7	11.0	12.6	14.1	12.0	12.2	12.0	12.2	14.1	9.2	11.51
21	11.9	11.9	11.7	11.4	12.1	13.3	16.3	18.7	18.4	13.9	14.9	14.7	19.5	11.4	14.10
22	12.6	11.7	11.9	12.2	12.9	13.6	11.0	10.9	10.5	9.9	9.8	9.6	14.7	9.6	11.38
23	9.3	9.5	9.9	9.9	11.3	14.5	13.6	12.9	12.6	12.4	12.4	12.4	14.6	9.2	11.72
24	12.0	11.0	10.9	13.8	15.6	18.3	19.6	18.5	18.9	13.1	14.7	12.3	22.1	10.8	14.89
25	11.6	10.6	10.9	14.6	17.3	18.9	19.3	18.4	17.8	15.4	12.8	8.9	19.8	8.3	14.71
26	7.3	6.6	9.7	13.3	16.2	20.0	21.5	22.0	20.2	18.1	13.5	10.5	22.0	6.6	14.91
27	9.8	8.9	11.4	16.4	19.6	22.8	24.7	26.0	26.1	22.1	16.3	13.0	26.3	8.9	18.09
28	11.5	10.1	13.9	17.3	21.1	24.3	25.8	26.1	24.8	22.1	15.8	15.5	26.1	10.0	19.02
29	12.9	13.6	18.9	21.2	24.1	25.1	26.8	28.1	27.5	23.8	19.7	18.5	**28.2**	12.3	**21.68**
30	17.4	16.8	19.4	19.9	22.6	22.6	24.6	24.7	24.3	22.1	18.1	17.7	26.1	16.4	20.85
31	14.7	12.9	13.0	14.6	16.7	17.7	18.8	19.1	19.0	17.2	13.2	11.8	19.4	11.8	15.72
M	8.71	**8.10**	9.03	10.70	12.47	14.05	15.47	**15.91**	15.57	13.65	11.37	10.20	17.03	7.37	12.10

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	9.7	8.4	9.3	10.2	13.1	15.3	17.8	18.6	17.9	16.0	11.1	11.5	19.4	8.3	13.24	1
2	9.8	8.0	12.2	14.7	17.9	20.5	20.8	20.8	22.0	18.8	14.2	10.1	22.9	7.9	15.82	2
3	7.2	5.7	8.3	10.5	13.3	15.7	16.9	19.6	20.2	16.8	12.3	8.8	20.2	5.2	12.94	3
4	7.0	6.8	11.0	14.7	17.4	20.5	22.5	21.7	19.6	17.0	14.0	9.8	22.6	6.4	15.17	4
5	8.0	7.7	12.1	16.8	19.8	23.3	24.8	24.2	22.5	19.0	14.9	12.4	**25.8**	7.7	17.12	5
6	13.9	11.9	12.8	13.6	14.8	17.3	18.9	18.8	18.3	17.7	14.9	14.0	20.7	11.0	15.58	6
7	12.6	11.1	11.6	12.4	12.1	14.6	16.8	17.1	15.2	15.0	14.3	13.9	17.4	11.1	13.89	7
8	13.4	13.5	13.2	12.5	12.6	16.1	18.0	17.1	15.1	14.5	13.1	12.4	18.6	12.1	14.29	8
9	11.2	11.6	12.1	12.6	12.8	12.0	11.7	12.3	13.5	13.7	13.2	12.1	13.7	11.2	12.40	9
10	11.1	11.1	11.6	13.2	15.9	16.3	15.6	17.6	13.2	13.4	12.7	12.6	18.0	10.9	13.69	10
11	12.4	12.3	12.5	14.8	14.2	13.3	13.5	14.0	14.0	13.6	12.9	12.2	14.8	12.2	13.31	11
12	11.6	11.5	11.6	10.9	13.1	14.2	11.6	12.8	15.9	13.3	8.6	6.2	16.1	6.2	11.78	12
13	4.6	4.1	8.7	11.9	13.1	13.9	12.1	13.7	13.0	12.2	9.2	6.7	14.6	**3.9**	**10.27**	13
14	7.4	5.9	8.5	13.8	15.6	16.1	17.9	19.4	19.5	16.6	10.3	8.1	19.7	5.8	13.26	14
15	9.0	8.0	10.2	11.3	11.7	11.7	12.3	14.4	13.7	13.3	13.0	12.2	14.4	7.5	11.73	15
16	10.8	9.9	11.3	12.6	13.5	13.0	12.6	13.6	13.2	13.2	12.8	12.8	13.7	9.9	12.44	16
17	12.6	12.5	12.6	14.0	15.5	17.3	17.9	17.2	16.2	15.1	13.8	13.6	18.2	12.4	14.86	17
18	13.6	13.3	13.5	13.7	13.9	14.0	14.6	14.6	14.6	13.6	13.6	13.4	15.2	13.3	13.87	18
19	13.2	13.3	13.6	14.9	15.6	15.7	15.7	16.8	17.7	16.2	15.2	14.8	17.9	13.1	15.22	19
20	14.6	14.4	14.8	15.4	15.9	17.8	17.2	19.2	19.6	19.2	17.0	16.0	20.6	14.4	16.75	20
21	15.7	15.5	15.5	16.7	18.9	20.3	20.8	20.0	18.7	16.4	14.3	13.4	21.1	13.4	**17.18**	21
22	12.2	13.4	14.0	14.8	15.6	16.3	16.7	18.9	17.9	16.9	16.2	12.8	19.1	12.0	15.48	22
23	10.7	10.2	12.8	14.6	15.6	12.2	11.5	12.3	13.5	13.6	12.7	11.7	16.0	9.8	12.62	23
24	11.1	9.6	9.9	14.4	16.8	17.9	17.8	19.6	18.5	16.7	13.5	10.5	20.2	9.0	14.69	24
25	8.0	6.7	11.3	12.6	14.6	14.9	17.1	16.5	15.6	14.0	13.2	13.1	17.3	6.7	13.13	25
26	12.3	12.3	12.5	12.6	13.2	12.7	12.2	13.6	13.9	12.6	11.3	10.1	14.5	10.1	12.44	26
27	9.5	9.2	8.9	10.2	12.7	14.1	12.5	15.5	14.1	13.4	10.9	9.0	16.2	8.9	11.67	27
28	8.8	9.3	10.3	11.6	13.9	16.0	16.0	16.0	16.5	16.0	13.4	11.9	17.1	8.7	13.31	28
29	11.6	10.9	13.1	16.3	17.6	18.3	20.4	19.6	15.3	14.9	14.1	13.2	21.8	10.7	15.44	29
30	12.9	12.8	12.7	13.4	14.2	15.4	14.9	17.1	16.5	16.0	14.3	13.6	17.2	12.7	14.48	30
M	10.88	**10.36**	11.75	13.39	14.83	15.89	16.30	**17.09**	16.51	15.29	13.17	11.76	18.17	9.75	13.94	M

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	13.4	13.1	13.0	15.3	16.5	19.4	18.5	17.6	15.8	14.6	14.0	13.5	19.5	12.8	15.39
2	13.1	13.0	13.2	13.6	14.4	14.4	15.4	14.9	15.3	14.4	13.8	12.9	16.3	12.9	14.03
3	12.4	10.9	11.6	12.6	13.1	16.2	17.7	16.6	16.5	14.4	12.8	10.7	18.2	10.8	13.79
4	9.5	10.5	11.3	12.7	14.3	15.2	13.6	13.5	14.4	13.5	13.6	13.6	15.2	9.3	12.98
5	12.8	11.9	12.7	13.3	15.9	17.1	18.1	17.0	15.7	14.5	12.1	10.0	18.2	10.0	14.26
6	10.6	9.9	10.8	12.9	15.2	17.5	16.3	16.3	18.6	16.6	13.8	12.5	18.9	9.9	14.25
7	10.9	11.0	11.4	13.1	15.9	13.0	18.0	18.1	14.3	13.5	11.0	9.3	18.9	9.3	13.29
8	8.5	8.0	10.3	15.1	12.7	15.7	17.0	17.9	19.0	16.6	13.3	11.3	19.6	7.8	13.78
9	10.6	9.7	11.4	13.9	16.8	19.1	21.5	22.9	22.5	22.2	15.6	15.1	23.0	9.6	16.78
10	14.7	14.0	15.8	17.8	19.4	20.9	21.3	18.5	16.0	16.1	14.9	15.7	21.6	13.8	17.09
11	15.9	16.2	17.2	20.4	18.6	21.5	20.4	19.6	20.0	20.7	20.6	19.7	22.4	15.7	19.23
12	19.1	18.8	18.5	18.6	17.5	18.5	17.6	18.8	21.5	19.8	17.8	17.2	22.0	16.7	18.64
13	19.2	18.8	21.0	21.4	19.6	20.9	22.3	23.1	23.2	21.8	20.4	19.7	**23.7**	17.2	**20.95**
14	18.7	18.4	18.2	19.1	20.7	19.9	18.9	19.4	18.4	16.9	15.5	14.8	20.9	14.8	18.24
15	14.3	14.3	14.2	14.4	14.1	14.5	15.7	15.8	15.3	15.4	14.2	13.5	15.8	13.5	14.64
16	12.7	12.1	11.6	12.6	11.7	11.8	12.8	13.9	14.9	13.8	12.6	12.2	15.0	11.6	**12.72**
17	10.2	9.0	11.6	16.2	18.0	19.1	20.1	20.3	17.9	15.5	13.4	11.9	21.0	8.9	15.27
18	11.7	13.1	13.9	15.1	17.2	18.5	20.0	18.1	17.4	17.8	15.1	14.0	20.1	11.1	15.99
19	12.0	12.1	12.8	18.1	20.5	20.6	20.9	21.5	20.0	18.6	15.8	14.0	22.0	11.5	17.24
20	12.2	11.3	12.6	13.7	16.2	17.5	19.1	20.3	19.9	16.8	14.5	12.1	20.7	11.2	15.52
21	12.9	13.0	13.3	15.4	15.4	17.7	19.9	16.6	16.1	15.7	13.1	10.3	20.2	10.3	14.95
22	8.6	7.8	11.4	15.1	17.3	19.1	19.9	17.9	15.7	14.4	13.0	12.0	20.5	**7.7**	14.35
23	12.0	12.0	12.0	15.3	17.0	18.1	18.6	21.0	19.7	17.4	14.0	12.5	21.6	11.1	15.80
24	12.0	12.4	14.7	16.5	18.8	19.9	21.8	21.8	19.4	15.4	14.1	14.1	22.7	11.6	16.74
25	13.8	13.8	13.9	14.3	14.3	14.9	15.5	15.2	15.0	14.8	14.5	14.1	15.8	13.7	14.51
26	14.1	14.0	13.9	14.1	13.3	14.8	17.6	18.8	19.0	18.2	14.1	14.6	19.7	13.9	15.54
27	14.6	14.1	14.8	15.1	16.1	18.1	16.8	15.0	14.6	13.7	13.1	12.5	19.0	12.5	14.88
28	11.4	10.8	11.3	12.7	14.5	13.8	14.1	14.4	14.6	13.8	12.5	12.6	15.0	10.3	13.04
29	11.6	11.4	11.4	13.4	15.7	17.0	15.8	16.5	16.3	14.1	12.2	10.4	17.5	10.4	13.82
30	10.7	10.9	11.5	12.7	13.3	12.3	13.7	14.5	14.7	13.8	13.7	13.6	15.4	10.7	12.95
31	13.1	12.6	12.5	12.9	16.5	16.3	18.2	15.9	15.2	14.6	13.5	13.2	18.6	12.3	14.54
M	12.82	**12.55**	13.35	15.08	16.15	17.20	**17.97**	17.80	17.32	16.11	14.28	13.34	19.32	11.71	15.33

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	12.9	12.4	12.9	13.4	16.4	17.3	18.6	18.6	14.6	13.8	12.9	12.5	19.5	12.3	14.69	1
2	11.1	10.5	11.2	12.2	12.9	15.8	18.8	17.1	16.2	14.4	12.4	11.1	19.2	10.5	13.64	2
3	9.3	9.3	10.2	12.7	15.9	19.7	20.9	19.4	18.0	16.2	12.3	10.4	20.9	9.3	14.52	3
4	9.0	7.1	9.7	14.8	17.5	19.4	19.6	20.7	19.8	16.9	15.8	12.9	20.8	**7.1**	15.27	4
5	12.0	10.0	14.0	16.1	18.2	20.1	21.4	22.6	19.2	17.8	15.0	12.9	**22.9**	9.9	16.61	5
6	10.7	10.1	11.3	14.3	15.1	17.5	18.6	17.8	16.0	15.2	14.2	13.9	19.6	10.1	14.56	6
7	14.1	14.4	14.1	14.1	14.3	14.4	14.3	13.8	13.5	14.0	14.1	14.1	15.1	13.3	14.10	7
8	13.3	13.3	13.3	13.5	15.8	16.8	18.8	18.1	18.2	15.9	13.8	13.3	18.9	13.3	15.34	8
9	13.3	12.5	12.7	13.4	12.4	15.1	18.9	19.7	15.4	14.6	13.2	12.9	20.2	12.4	14.51	9
10	12.9	13.2	13.7	13.7	14.4	15.7	16.6	16.6	15.9	15.4	14.3	14.0	16.7	12.8	14.70	10
11	13.5	12.0	12.8	15.7	16.0	17.3	19.1	20.1	15.7	13.3	12.4	11.3	20.5	11.3	14.93	11
12	10.6	10.6	11.3	13.0	13.8	16.1	19.8	15.1	16.7	14.9	14.0	13.1	20.2	10.3	14.06	12
13	13.1	12.2	12.1	13.5	14.3	14.5	16.2	16.3	13.8	13.1	12.6	11.8	17.3	11.8	13.62	13
14	11.9	12.8	13.2	13.4	14.8	17.2	18.0	16.7	15.7	14.9	13.9	13.6	18.0	11.8	14.68	14
15	13.2	12.9	12.9	13.5	16.0	17.6	18.7	19.7	18.9	15.9	13.6	14.1	20.5	12.5	15.58	15
16	13.2	11.5	12.4	15.2	18.0	17.4	18.4	19.2	17.9	16.1	12.8	11.8	20.5	11.4	15.32	16
17	11.6	10.7	12.9	14.4	15.9	17.7	17.9	17.6	15.8	13.4	12.3	11.9	19.3	10.5	14.34	17
18	11.4	11.0	11.3	11.9	15.4	16.7	16.2	16.1	15.4	13.0	11.7	12.0	16.9	11.0	**13.51**	18
19	11.5	12.1	12.1	13.1	14.4	15.3	16.0	16.0	15.2	14.2	13.9	13.4	16.3	11.4	13.93	19
20	13.4	14.0	13.5	14.5	16.9	18.5	19.9	19.5	18.4	15.1	13.5	12.6	20.3	12.6	15.82	20
21	11.9	11.8	11.4	14.2	18.4	18.5	19.5	19.6	18.2	14.8	13.0	11.5	20.0	10.7	15.23	21
22	10.4	9.3	11.1	14.3	18.3	17.8	18.6	18.4	17.5	16.5	15.8	15.4	19.5	8.9	15.28	22
23	14.6	13.6	14.1	15.4	16.8	18.5	20.9	21.9	21.4	18.2	17.0	16.0	22.0	13.0	**17.37**	23
24	14.7	13.6	14.5	16.0	17.9	19.5	20.9	21.8	21.4	17.7	15.1	12.8	21.9	12.8	17.16	24
25	12.0	11.3	10.7	13.7	15.2	18.7	20.1	20.4	18.7	16.7	15.0	15.0	20.6	10.6	15.62	25
26	14.6	14.9	14.7	15.3	18.6	19.8	22.0	21.9	19.1	16.3	16.1	15.1	22.7	14.6	**17.37**	26
27	15.3	15.1	15.1	16.2	17.6	19.8	**21.8**	21.3	18.8	16.2	15.3	15.1	22.0	14.7	17.30	27
28	15.2	14.9	14.9	15.2	16.6	19.4	19.3	19.6	17.3	16.0	13.0	9.9	20.7	9.9	15.94	28
29	8.6	7.8	8.2	11.5	16.4	18.6	17.6	19.5	18.1	13.9	12.5	11.2	19.7	7.7	13.66	29
30	11.0	13.0	13.0	13.6	16.7	17.1	16.5	18.1	15.9	12.9	10.0	10.0	18.1	9.5	13.98	30
31	10.6	10.8	9.9	13.7	17.9	19.4	19.3	20.9	18.8	13.6	11.0	12.2	21.2	9.2	14.84	31
M	12.29	**11.89**	12.43	14.05	16.09	17.65	18.81	**18.84**	17.27	15.19	13.63	12.83	19.74	11.20	15.08	M

Registreringer av lufttemperatur T

(Records of temperature: T)

1954

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September IX / Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	11.4	10.4	9.4	10.9	12.1	13.4	15.4	16.4	15.5	14.6	13.7	14.0	16.6	9.3	13.10
2	14.0	14.6	15.1	15.5	17.3	20.3	20.5	19.4	18.3	17.3	16.7	16.1	**21.2**	13.9	**17.09**
3	16.0	15.1	13.3	14.3	16.8	18.9	18.9	18.7	17.3	15.9	15.7	15.5	19.8	12.6	16.37
4	15.3	14.9	15.3	15.8	16.3	18.1	19.0	17.7	16.3	15.7	13.6	12.8	19.2	12.8	15.90
5	13.3	13.0	13.0	13.3	13.9	16.1	18.1	18.8	17.3	12.7	11.0	11.4	19.4	10.7	14.32
6	11.1	10.6	10.7	10.1	10.7	11.3	12.4	13.2	13.2	12.9	12.8	12.3	13.4	9.8	11.78
7	12.1	11.8	11.8	12.2	13.0	14.4	14.5	16.3	15.6	14.7	13.9	13.5	17.0	11.7	13.65
8	13.2	12.9	12.9	13.8	15.4	16.8	16.9	16.2	16.0	14.8	13.9	13.5	17.2	12.9	14.69
9	13.1	12.9	12.9	13.6	12.6	12.9	15.0	15.6	14.8	14.2	13.8	13.7	15.8	12.5	13.76
10	13.6	13.8	13.3	14.5	14.8	15.8	17.2	16.9	15.2	14.1	13.7	13.2	17.7	13.1	14.68
11	13.3	13.2	12.9	12.9	13.8	13.9	14.8	13.8	13.7	13.3	11.8	10.4	15.4	10.4	13.15
12	8.4	6.5	5.9	9.7	13.8	15.9	15.7	16.1	13.3	11.2	11.4	10.5	16.7	5.8	11.53
13	9.2	9.0	8.6	9.6	12.7	14.0	15.1	15.2	14.1	11.2	8.9	8.0	15.8	7.7	11.30
14	8.8	6.7	5.8	9.1	12.6	14.5	13.9	13.2	12.2	10.8	9.6	9.4	15.1	5.8	10.55
15	9.4	9.0	8.4	8.2	10.4	10.8	10.4	10.5	11.4	11.3	9.6	8.9	11.7	8.1	9.86
16	7.8	6.7	4.7	7.1	11.4	12.6	11.5	9.9	9.5	10.6	9.8	9.2	13.0	4.5	9.23
17	9.1	9.6	9.4	8.8	11.5	13.8	13.7	14.4	12.4	10.2	8.4	7.0	14.7	7.0	10.69
18	7.4	7.0	7.0	7.7	12.0	14.7	16.2	15.1	13.2	10.3	8.3	5.9	16.2	5.9	10.40
19	5.1	3.5	4.5	5.9	10.8	12.2	13.3	13.3	10.7	7.2	5.4	4.6	13.6	3.5	8.04
20	5.1	6.2	6.5	7.5	7.3	8.2	10.2	10.4	9.7	8.7	8.4	7.5	10.7	4.5	7.98
21	6.4	6.0	5.9	6.1	8.1	9.0	10.4	10.5	9.4	7.6	7.2	6.5	10.6	5.8	7.76
22	7.2	6.4	5.1	6.3	11.2	11.9	12.0	12.3	10.2	7.2	7.2	7.2	13.1	4.8	8.68
23	4.5	2.7	1.4	4.0	8.1	11.8	13.0	11.9	10.2	7.2	5.0	3.4	13.2	1.4	6.93
24	3.7	2.3	1.7	5.1	7.7	7.9	11.5	10.0	9.0	9.0	9.7	9.8	11.6	1.2	7.28
25	10.3	10.4	11.3	11.6	12.9	13.2	13.2	13.3	12.8	11.9	11.2	10.1	13.3	10.1	11.85
26	8.8	7.7	8.0	8.6	11.6	12.2	11.2	11.7	9.9	8.8	5.5	5.1	12.6	4.8	9.09
27	7.0	5.8	4.9	4.9	6.3	8.8	9.1	8.7	6.0	4.3	3.3	1.6	9.8	1.6	5.89
28	-0.3	-0.9	-1.0	0.6	6.2	11.1	12.4	12.9	9.7	5.3	4.0	2.9	12.9	**-1.1**	**5.24**
29	1.9	0.8	0.3	1.4	7.1	10.3	8.8	7.6	7.0	6.4	6.1	5.7	11.0	0.2	5.28
30	4.9	4.5	4.9	5.0	7.3	9.0	11.1	6.1	5.0	3.9	3.3	3.0	11.4	3.0	5.67
M	9.04	8.44	**8.13**	9.14	11.52	13.13	**13.85**	13.54	12.30	10.78	9.76	9.09	14.66	7.14	10.73

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	2.8	3.1	3.1	4.3	7.1	7.5	8.0	8.9	6.0	3.8	1.8	2.3	9.1	0.8	4.89	1
2	0.1	-0.5	-0.8	1.1	7.0	10.0	11.2	11.0	6.2	2.6	1.6	0.6	11.3	-0.9	4.18	2
3	0.2	1.3	2.5	3.7	6.8	9.2	11.0	10.4	10.3	10.0	9.9	9.8	11.3	0.1	7.09	3
4	10.0	9.8	9.5	9.6	10.9	10.7	11.0	10.9	10.5	8.8	7.1	7.1	11.0	6.8	**9.66**	4
5	7.3	7.0	7.4	7.7	8.1	7.8	7.6	6.8	6.0	5.7	5.2	5.3	9.3	5.1	6.82	5
6	5.4	5.3	5.3	5.7	6.5	7.6	7.7	7.1	6.4	6.1	5.9	5.4	7.9	5.3	6.20	6
7	5.3	5.2	5.0	5.3	6.4	6.7	7.2	7.0	6.0	5.4	5.1	4.7	7.3	4.7	5.78	7
8	4.3	4.0	3.9	3.9	5.1	5.7	6.1	5.9	5.2	4.6	2.8	2.5	6.3	2.1	4.50	8
9	3.2	3.6	3.7	4.2	5.9	7.2	8.2	7.8	7.8	8.2	8.3	8.8	8.8	2.5	6.41	9
10	8.9	7.9	4.5	4.9	10.3	11.7	11.4	11.4	10.5	7.9	5.8	3.9	12.5	3.6	8.26	10
11	3.0	4.3	3.8	3.8	8.4	11.2	11.7	10.8	8.5	6.5	6.4	5.2	11.8	2.9	6.97	11
12	4.4	3.4	4.4	5.2	9.2	11.7	12.0	11.8	11.2	10.3	9.5	9.3	12.3	3.3	8.53	12
13	7.5	7.8	4.4	5.8	8.9	8.6	8.0	6.2	6.4	7.3	10.4	11.1	11.1	3.9	7.70	13
14	10.8	10.8	9.3	9.7	10.8	12.4	13.3	11.1	7.1	6.5	5.1	2.9	13.4	2.9	9.15	14
15	1.4	1.6	0.0	0.2	3.2	7.1	9.0	7.6	4.4	3.9	3.9	4.8	9.0	-0.2	3.92	15
16	3.9	3.8	2.7	2.1	2.0	1.1	1.5	2.4	2.6	2.6	2.0	2.6	4.8	1.1	2.44	16
17	1.3	-0.1	-1.1	-1.2	3.2	5.7	6.4	5.3	0.9	0.2	0.5	0.2	7.1	-2.2	1.78	17
18	0.5	0.5	0.8	0.8	1.3	2.2	2.6	2.3	1.8	1.1	1.4	1.1	2.6	0.2	1.37	18
19	0.6	1.0	1.0	0.6	-0.4	-0.5	0.4	1.2	1.2	1.2	0.2	-0.3	1.3	-0.6	**0.52**	19
20	-2.7	-2.9	-3.3	-2.0	1.2	2.2	3.5	5.0	2.1	1.5	0.7	1.8	5.0	**-3.9**	0.59	20
21	1.1	1.5	1.7	1.6	6.0	6.3	6.6	6.6	4.2	3.4	3.1	1.8	7.0	0.9	3.66	21
22	2.2	4.3	3.7	4.4	7.1	7.5	7.6	6.3	5.2	4.2	3.0	2.9	7.8	1.6	4.87	22
23	1.3	1.8	0.0	-1.0	1.5	7.5	8.3	8.5	3.3	2.4	3.6	3.8	8.8	-1.0	3.42	23
24	5.9	8.8	10.0	10.2	10.6	10.2	10.1	9.7	9.6	8.4	7.2	7.9	10.6	3.8	9.05	24
25	10.9	9.6	8.7	8.1	8.9	9.3	9.7	8.4	7.2	6.7	6.1	5.9	11.1	5.9	8.29	25
26	2.9	3.1	3.7	3.2	6.0	7.8	9.2	9.1	6.9	5.5	4.9	2.3	9.6	2.3	5.38	26
27	0.7	-0.6	0.7	-1.4	2.7	5.1	5.9	4.7	1.2	1.3	0.7	1.0	6.4	-1.4	1.83	27
28	1.8	2.2	2.4	3.0	3.8	4.1	4.0	4.0	4.3	4.6	4.4	4.5	4.6	1.0	3.59	28
29	5.1	5.8	6.1	5.9	6.0	6.5	6.8	7.4	8.8	9.6	9.7	9.9	10.1	4.5	7.30	29
30	9.5	9.4	9.3	9.1	10.3	11.2	12.3	10.3	8.1	5.8	5.9	4.0	12.3	4.0	8.77	30
31	3.3	3.5	4.0	4.7	5.1	5.9	6.3	6.2	5.3	4.4	4.2	3.3	6.4	3.3	4.68	31
M	3.96	4.07	**3.75**	3.97	6.13	7.33	**7.89**	7.49	5.97	5.18	4.72	4.40	8.64	2.01	5.40	M

November XI / Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	3.4	3.0	3.3	3.3	5.2	6.5	7.8	6.5	5.6	5.0	5.0	4.3	8.0	2.6	4.91
2	3.9	3.9	4.1	3.9	4.7	4.1	4.1	4.0	3.2	2.9	2.5	2.9	4.7	2.5	3.68
3	2.9	2.4	2.2	2.3	2.7	3.0	3.1	2.9	2.9	2.6	2.1	2.3	3.4	2.0	2.62
4	2.3	2.6	2.9	3.6	4.2	5.2	6.7	8.1	8.2	8.6	8.8	7.6	**9.4**	2.0	5.73
5	8.6	8.5	8.3	8.1	8.5	8.1	8.1	7.7	7.3	6.8	6.1	5.4	8.8	5.4	**7.62**
6	5.0	4.1	4.9	4.2	4.5	5.5	5.4	4.5	2.8	2.2	1.8	0.3	5.5	0.3	3.77
7	-1.3	-1.4	-1.4	-0.6	3.7	6.4	6.6	4.9	1.8	0.5	-0.1	-1.3	7.0	-1.7	1.48
8	-2.4	-2.7	-2.9	-3.4	-2.2	-0.8	-0.1	0.5	0.5	0.4	0.7	0.5	0.7	-3.7	-0.99
9	0.8	0.2	-0.9	-0.6	-0.7	-0.6	-0.9	-0.2	-0.2	0.0	-0.1	-0.3	0.8	-0.9	-0.29
10	-0.5	-1.0	-2.8	-2.8	-1.1	-0.1	0.8	-0.2	0.1	0.8	1.2	1.8	2.0	-3.2	-0.32
11	4.4	4.6	3.7	3.5	3.5	3.9	5.1	3.5	2.4	3.4	3.4	2.5	5.1	2.4	3.66
12	5.8	6.8	6.8	7.0	7.1	8.1	8.2	5.9	3.0	2.3	2.8	2.9	8.7	1.7	5.56
13	1.5	2.5	2.0	1.9	1.2	2.6	4.0	3.0	0.3	-0.2	0.0	0.9	4.1	-0.3	1.64
14	0.1	0.3	0.8	0.5	1.1	1.9	2.3	1.3	0.7	0.6	0.3	-0.1	2.3	-0.4	0.82
15	0.8	0.8	1.4	1.5	1.8	2.9	3.3	0.8	-2.2	-3.8	-5.2	-5.2	3.5	-5.5	-0.26
16	-4.9	-6.5	-7.0	-7.4	-5.9	-4.0	-2.7	-2.7	-2.4	-3.0	-4.9	-4.5	-2.2	**-7.6**	**-4.66**
17	-4.2	-3.4	-2.9	-2.6	-1.2	0.8	1.4	-0.4	-1.3	1.3	-2.2	-2.6	1.6	-4.9	-1.44
18	-2.0	-2.0	-1.4	-1.1	-0.5	-0.1	-0.1	-0.1	0.0	-0.1	-0.4	-0.6	0.0	-2.8	-0.70
19	-0.8	-0.7	-0.7	-0.7	-0.3	-0.8	-0.8	-0.6	-1.3	-1.8	-1.5	-1.4	-0.1	-1.9	-0.95
20	-1.3	-1.4	-1.5	-1.5	-1.5	-1.7	-1.5	-1.7	-1.7	-1.7	-1.7	-2.1	-1.3	-2.1	-1.62
21	-2.4	-3.0	-3.0	-3.2	-3.2	-3.1	-3.2	-3.4	-3.5	-3.5	-3.5	-3.6	-2.1	-3.6	-3.22
22	-3.4	-3.4	-3.2	-2.7	-1.9	-1.0	-1.0	-1.8	-1.7	-1.3	-2.1	-2.5	-0.5	-3.6	-2.21
23	-2.5	-2.4	-2.8	-2.8	-2.1	-1.6	-1.2	-2.1	-2.0	-2.0	-2.1	-1.3	-1.1	-3.0	-2.08
24	-1.2	-1.2	-1.2	-1.4	-1.4	-1.5	-1.2	-1.0	-0.2	-0.2	-0.1	0.2	0.2	-1.5	-0.87
25	-0.2	-0.2	-0.7	-1.0	-0.9	-1.0	-1.0	0.7	1.9	0.8	1.0	1.1	1.3	0.2	0.80
26	1.2	1.2	1.3	1.2	1.7	1.7	1.5	1.5	1.5	1.7	1.7	1.2	1.8	1.1	1.45
27	1.1	1.3	2.1	3.0	3.3	3.2	2.6	2.5	3.1	3.3	3.5	4.1	4.1	1.1	2.76
28	4.2	3.5	3.8	3.3	3.2	3.7	3.9	3.2	2.8	3.0	2.8	2.8	4.3	2.4	3.35
29	2.9	3.1	3.1	2.2	1.9	1.5	1.6	2.3	2.2	1.3	1.2	1.6	3.4	1.1	2.08
30	1.9	2.6	3.8	4.0	4.4	4.6	4.5	4.1	3.9	3.5	2.9	2.3	4.8	1.3	3.54
M	0.80	0.75	0.78	0.79	1.38	1.98	**2.31**	1.79	1.23	1.10	0.80	**0.64**	2.94	-0.69	1.20

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	1.3	1.3	1.9	1.9	2.1	2.0	2.1	1.6	1.5	1.9	1.9	2.1	2.3	1.0	1.80	1
2	2.0	2.1	2.1	2.1	4.9	6.1	6.4	6.5	6.6	6.7	6.7	7.1	7.1	1.9	4.94	2
3	7.2	7.4	7.0	6.5	6.8	7.1	7.0	6.2	5.1	3.5	4.3	3.4	7.4	3.4	**5.96**	3
4	1.6	2.8	3.0	4.1	3.8	4.9	5.3	5.1	5.2	5.6	5.1	4.9	5.7	1.3	4.28	4
5	4.1	4.0	4.0	3.3	2.7	3.1	3.8	4.3	4.4	4.4	3.9	3.7	4.7	2.5	3.81	5
6	3.0	0.6	0.7	0.6	0.7	1.9	2.1	0.4	-0.8	-2.5	-3.2	-3.5	3.8	-3.5	0.00	6
7	-3.9	-5.3	-5.3	-5.1	-5.0	-4.0	-2.4	-2.5	-2.7	-2.2	-2.2	-1.5	-1.5	-5.4	-3.51	7
8	-1.5	-1.5	-1.7	-1.4	-1.1	-0.5	-0.2	-0.3	-0.4	-0.7	-1.1	-1.2	-0.2	-1.7	-0.97	8
9	-1.3	-1.3	-1.5	-0.9	0.0	-0.7	-0.1	-0.8	-0.6	-0.1	0.0	0.1	0.1	-1.6	-0.60	9
10	0.6	1.1	1.7	2.6	4.0	4.6	5.0	4.3	4.5	5.1	5.4	5.2	5.4	0.1	3.68	10
11	5.2	5.2	5.1	5.0	5.0	5.4	5.4	4.1	3.5	3.0	2.9	2.6	5.9	2.2	4.37	11
12	2.2	1.7	1.9	1.7	1.3	1.2	1.7	1.5	1.1	1.1	1.1	1.2	2.8	1.0	1.48	12
13	1.5	1.3	1.3	2.0	2.0	2.4	2.1	2.0	1.7	1.0	2.0	2.4	2.9	1.0	1.81	13
14	2.8	2.8	3.7	2.7	2.3	2.2	2.2	0.8	1.0	0.5	1.0	1.6	3.7	0.3	1.97	14
15	3.3	3.1	3.0	4.1	5.2	5.3	5.2	3.3	2.5	2.8	4.2	2.8	5.3	1.1	3.73	15
16	4.0	4.0	1.5	3.3	1.1	1.2	1.6	0.9	-0.5	-0.7	-1.0	-0.9	4.5	-1.4	1.21	16
17	-1.4	-0.4	0.7	2.2	3.8	5.2	5.0	4.0	3.0	1.9	0.9	0.7	5.2	-1.5	2.13	17
18	1.2	2.8	3.2	4.4	5.5	7.2	6.8	6.6	6.8	6.3	5.9	4.1	7.3	0.7	5.07	18
19	7.0	6.9	3.5	6.5	6.8	7.5	7.4	5.3	2.9	2.9	3.8	3.0	**7.7**	1.4	5.29	19
20	2.8	2.0	1.0	1.0	2.4	3.6	4.3	2.8	2.7	1.9	1.5	0.3	4.3	0.2	2.20	20
21	-0.2	3.4	2.3	-0.6	1.0	0.1	0.3	0.5	-0.3	0.3	-1.4	-1.5	3.4	-1.5	0.32	21
22	-0.8	-0.9	-0.6	-0.3	-0.4	-0.3	-0.3	-1.8	-3.6	-3.9	-4.2	-5.8	-0.1	-5.8	-1.91	22
23	-7.5	-6.2	-5.8	-5.4	-5.5	-4.5	-3.9	-3.6	-3.2	-2.2	-1.4	-1.3	-1.3	-7.5	-4.21	23
24	-1.3	-1.3	-1.2	-0.6	-1.2	0.0	0.1	-1.6	-3.0	-5.5	-5.5	-7.1	0.4	-7.1	-2.35	24
25	-8.0	-8.7	-9.3	-9.9	-10.0	-7.6	-6.8	-8.6	-8.6	-8.9	-9.6	-9.6	-6.8	-10.2	**-8.80**	25
26	-10.4	-10.1	-10.5	-9.0	-5.8	-5.5	-5.4	-5.4	-5.4	-4.8	-4.6	-4.4	-4.4	-10.7	-6.78	26
27	-3.9	-3.3	-3.0	-2.6	-2.5	-2.2	-1.7	-2.1	-2.2	-2.7	-2.7	-3.1	-1.6	-4.4	-2.67	27
28	-3.2	-3.2	-3.0	-2.4	-2.3	-1.7	-1.4	-2.1	-2.1	-2.9	-4.3	-5.9	-1.4	-5.9	-2.88	28
29	-6.3	-6.8	-7.1	-8.0	-7.8	-6.6	-6.5	-7.6	-7.9	-8.8	-9.2	-9.9	-5.9	-9.9	-7.71	29
30	-9.8	-10.9	-10.8	-11.0	-9.1	-7.0	-5.7	-5.4	-5.4	-5.4	-5.1	-4.7	-4.7	**-11.1**	-7.52	30
31	-4.3	-4.2	-3.7	-3.3	-2.9	-2.4	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.7	-4.7	-2.68	31
M	-0.45	-0.37	-0.51	-0.21	0.25	0.90	**1.21**	0.53	0.13	-0.14	-0.22	**-0.55**	1.95	-2.45	0.05	M

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1954

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	90	90	90	90	90	92	93	93	94	93	95	95	95	90	92.1
2	97	96	95	96	98	99	98	98	96	94	49	44	**99**	44	88.3
3	44	46	45	43	42	43	45	45	44	45	40	37	47	37	**43.2**
4	36	36	38	40	43	42	40	43	47	52	57	69	69	**36**	45.2
5	73	82	88	88	72	70	68	72	77	77	81	84	88	39	77.7
6	93	90	88	88	89	89	88	89	90	62	51	56	93	50	81.1
7	59	64	63	60	60	55	50	52	55	60	65	66	68	50	59.1
8	73	79	83	85	88	87	80	81	85	85	84	85	89	66	82.9
9	87	77	62	51	55	56	56	49	49	50	51	52	89	48	57.9
10	52	53	53	53	54	50	47	48	50	49	50	50	55	46	50.8
11	51	56	60	62	64	65	71	77	91	92	93	90	95	50	72.7
12	90	92	96	97	88	87	91	93	95	96	97	96	98	87	93.2
13	95	96	97	98	99	98	98	98	97	97	96	94	**99**	94	**96.9**
14	92	93	94	92	91	94	91	91	93	85	89	90	94	79	91.2
15	88	88	90	94	95	91	92	97	93	92	94	93	97	86	92.2
16	93	93	93	90	87	89	90	90	92	95	93	89	95	83	91.2
17	89	71	80	88	77	75	67	64	75	80	80	79	91	62	77.1
18	77	74	83	85	87	78	81	86	90	86	87	89	90	73	83.6
19	89	90	93	95	96	97	98	98	96	95	94	95	98	89	94.7
20	95	96	97	77	71	61	59	59	58	57	62	68	97	56	71.7
21	68	67	67	73	76	78	69	64	62	63	64	65	78	62	68.0
22	66	67	65	66	66	68	67	66	73	74	74	76	76	62	69.0
23	78	79	81	82	83	78	77	78	81	81	82	84	84	75	80.3
24	90	91	91	91	92	93	93	93	94	93	92	92	94	84	92.1
25	91	90	92	92	93	95	95	96	95	89	85	80	96	80	91.1
26	80	79	82	80	79	75	74	75	78	80	81	82	83	73	78.8
27	80	81	81	82	82	78	75	77	81	83	83	84	85	73	80.6
28	85	83	82	83	79	75	82	76	73	72	74	67	85	65	77.6
29	68	67	67	68	72	64	62	63	65	66	67	71	72	60	66.7
30	67	68	66	67	62	66	62	63	65	65	65	66	69	62	65.2
31	65	66	67	70	64	62	61	64	64	59	57	67	72	57	63.8
M	77.5	77.4	**78.4**	78.3	77.2	75.8	**74.8**	75.4	77.4	76.4	75.2	76.0	85.2	65.1	76.6

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	67	70	85	76	77	72	77	78	82	84	88	86	88	64	78.5
2	86	86	89	90	91	90	87	79	77	83	85	89	92	75	86.0
3	92	91	93	93	94	96	97	95	93	93	90	90	97	89	93.1
4	90	91	91	91	92	94	94	95	95	94	92	90	95	89	92.4
5	90	89	90	90	91	93	95	95	94	95	94	94	95	89	92.5
6	94	94	95	96	96	97	98	98	98	97	97	98	**98**	94	**96.5**
7	97	77	83	81	84	88	90	91	78	74	70	72	**98**	70	82.1
8	75	73	74	74	73	69	70	71	75	75	75	80	80	69	73.7
9	90	95	82	78	74	71	76	75	75	75	75	74	95	71	78.3
10	73	79	77	82	86	88	84	84	83	83	82	81	88	73	81.8
11	81	81	82	81	77	69	70	73	79	80	76	74	82	69	76.9
12	75	77	78	76	71	70	65	65	77	77	74	72	79	64	73.1
13	74	73	74	**72**	71	68	67	69	73	73	72	73	75	66	**71.6**
14	79	82	84	84	82	75	70	72	74	77	81	82	84	69	78.5
15	82	82	83	83	83	73	62	60	76	84	85	84	86	**59**	78.1
16	84	84	85	85	86	77	72	73	79	81	82	84	86	71	81.0
17	83	84	84	85	86	82	82	88	90	90	90	91	91	80	86.2
18	91	90	91	88	86	82	81	82	82	81	82	81	92	79	84.8
19	80	81	80	80	79	76	74	73	74	72	77	78	82	72	77.0
20	78	79	82	84	83	78	72	73	80	80	81	82	84	71	79.3
21	84	86	86	89	87	81	80	79	82	82	83	84	89	79	83.6
22	85	85	89	94	93	95	87	90	91	90	90	90	95	84	89.9
23	90	84	89	86	89	89	82	78	81	87	74	77	90	73	83.8
24	80	79	90	93	94	92	86	89	92	92	93	92	93	77	89.3
25	90	88	86	85	86	86	83	85	84	83	87	88	92	83	85.9
26	92	92	91	90	84	89	92	85	84	83	89	88	93	84	88.2
27	79	79	81	81	89	83	81	83	90	89	83	84	91	78	83.5
28	85	85	83	81	81	79	78	81	84	83	80	82	90	78	81.8
M	83.8	83.4	**84.9**	84.6	84.5	82.2	**80.4**	80.7	82.9	83.5	83.1	83.6	89.3	75.7	83.1

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	81	86	88	87	85	86	84	87	86	85	83	85	90	81	85.2
2	89	85	87	89	82	83	84	83	96	95	90	92	97	81	87.9
3	89	90	89	86	81	74	74	73	76	77	78	79	91	70	80.5
4	79	80	86	89	88	82	83	86	90	92	97	92	97	79	87.0
5	90	90	95	88	88	93	88	94	97	98	98	97	98	88	93.0
6	97	97	97	86	78	67	69	73	82	94	96	97	97	66	86.1
7	97	97	98	98	97	88	91	91	94	96	96	96	98	88	94.9
8	95	96	93	90	93	94	97	97	95	97	97	97	97	90	95.1
9	97	97	97	98	97	96	90	83	89	92	94	95	98	83	93.8
10	94	90	91	92	89	82	80	95	97	98	98	97	98	79	91.9
11	98	97	97	97	98	98	97	95	94	96	97	97	98	94	96.8
12	97	97	98	98	97	93	91	92	93	95	97	96	98	91	95.3
13	96	97	98	84	80	80	81	82	86	90	94	97	98	79	88.8
14	97	97	98	98	97	90	84	85	87	91	94	96	98	84	92.8
15	96	94	93	94	87	76	70	68	73	92	98	98	98	66	86.6
16	98	97	97	97	97	98	98	75	82	95	97	97	**99**	72	94.0
17	96	95	95	97	99	98	55	57	81	96	97	97	**99**	52	88.6
18	97	97	95	96	97	95	60	58	66	58	55	56	97	53	77.5
19	62	68	76	72	62	58	54	51	57	68	76	81	81	51	65.4
20	85	90	92	91	87	78	75	78	83	79	82	86	92	74	83.8
21	88	86	95	97	93	95	91	93	98	98	97	98	98	86	94.1
22	98	98	98	99	99	99	99	98	98	98	98	98	**99**	98	**98.3**
23	98	98	98	98	98	98	98	96	92	91	93	96	98	91	96.2
24	97	98	98	97	70	68	70	59	56	48	48	48	98	46	71.4
25	51	54	56	55	53	50	47	52	63	66	68	71	72	47	**57.2**
26	71	80	82	78	78	76	75	83	85	86	89	95	95	70	81.5
27	96	96	95	84	74	68	63	59	61	77	82	88	96	57	78.6
28	91	92	87	78	63	48	45	42	43	57	63	70	92	**42**	64.9
29	72	68	69	69	77	77	73	72	68	72	64	63	78	61	70.3
30	64	65	72	72	66	65	65	70	68	69	71	75	75	63	68.5
31	84	84	86	88	81	81	84	83	86	90	88	89	91	75	85.2
M	88.4	88.9	**90.2**	88.5	84.9	81.7	77.9	**77.7**	81.3	85.0	86.3	87.7	93.9	72.8	84.9

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	88	86	90	95	96	93	92	93	92	93	92	93	97	86	91.9
2	92	94	94	92	80	83	71	69	73	81	90	92	95	68	84.2
3	98	97	98	98	96	97	94	91	93	94	96	97	98	90	**95.8**
4	97	98	98	98	98	97	74	45	53	62	62	62	98	45	78.7
5	53	53	53	52	49	43	42	42	47	59	69	75	75	41	53.1
6	80	79	77	66	47	49	45	44	49	49	53	54	82	44	57.7
7	57	64	69	59	53	53	49	45	45	58	68	66	70	43	57.2
8	73	75	82	74	74	64	59	59	60	67	76	82	83	56	70.4
9	94	95	98	98	97	89	77	71	80	88	94	97	98	69	89.8
10	97	97	98	98	96	88	76	62	62	76	90	92	98	61	86.0
11	94	95	95	99	98	97	65	59	57	73	86	88	**99**	56	83.8
12	89	92	91	88	72	39	36	35	40	47	53	61	92	35	61.9
13	63	67	65	62	56	77	79	83	88	59	56	56	90	54	67.6
14	59	64	70	60	57	58	80	97	95	93	89	91	97	55	76.1
15	82	80	83	77	78	68	60	55	51	58	57	56	91	51	67.1
16	56	58	56	50	48	46	43	41	41	46	46	49	58	40	48.3
17	52	55	59	52	47	44	40	36	38	49	64	76	76	35	51.0
18	82	83	83	87	73	62	54	51	50	51	54	56	90	49	65.5
19	55	57	57	55	51	49	45	39	42	58	73	76	77	39	54.8
20	82	85	83	74	59	50	42	40	52	60	80	85	88	39	66.0
21	89	89	57	55	53	48	45	42	43	48	52	53	94	42	56.2
22	53	56	56	52	50	45	45	43	44	53	72	82	82	43	54.2
23	85	90	90	78	61	47	44	40	40	44	49	54	95	38	60.2
24	65	64	64	55	48	45	42	46	47	51	52	54	67	42	52.8
25	59	60	59	55	47	47	45	45	45	51	60	66	66	43	53.2
26	71	72	75	68	54	52	50	45	42	53	69	71	76	41	60.2
27	78	82	71	63	52	48	46	43	44	51	58	60	84	41	58.0
28	62	68	69	62	53	48	44	42	52	63	76	89	89	41	60.7
29	90	91	97	91	87	69	55	47	40	38	41	45	97	38	65.9
30	53	53	50	47	44	39	30	28	30	33	36	68	68	**27**	**42.6**
M	74.9	**76.6**	76.2	72.0	65.8	61.1	55.6	**52.6**	54.5	60.2	67.1	71.5	85.7	48.4	65.7

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1954

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_t = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	80	92	92	94	94	94	93	89	89	81	79	73	95	73	87.5
2	81	72	57	67	60	54	48	41	41	46	50	63	82	40	56.7
3	67	69	69	66	67	88	90	87	85	82	79	79	91	63	77.3
4	86	88	86	84	82	79	76	75	76	74	76	74	88	75	79.7
5	77	79	79	80	91	94	94	93	83	86	83	90	97	74	85.8
6	91	94	92	89	75	78	79	73	72	74	70	86	97	67	81.1
7	89	88	88	86	80	69	62	62	63	75	81	89	89	59	77.7
8	94	96	97	98	83	57	43	32	30	36	43	47	**98**	29	63.0
9	55	60	59	47	43	39	35	32	32	39	50	50	61	31	45.1
10	56	67	63	47	40	31	29	28	26	38	47	57	72	**26**	**44.1**
11	67	71	65	55	50	39	36	31	34	45	65	66	74	30	52.0
12	67	65	65	60	56	54	51	50	51	56	65	73	73	47	59.4
13	73	66	68	69	62	58	56	53	51	56	74	78	78	51	63.7
14	86	92	83	76	69	63	63	61	66	70	77	87	92	59	74.4
15	94	95	90	85	88	78	69	62	77	75	86	96	96	62	82.9
16	97	97	96	90	76	62	52	50	60	63	79	63	97	47	73.8
17	69	73	58	52	50	46	41	41	39	60	67	73	73	39	55.8
18	72	71	81	70	63	57	53	59	61	62	64	66	82	53	64.9
19	65	63	63	73	78	81	71	67	62	66	72	71	90	62	69.3
20	75	76	88	79	74	77	72	68	90	90	91	89	95	68	80.8
21	88	85	86	91	88	85	73	65	66	80	75	70	94	63	79.3
22	86	92	93	96	95	95	98	97	97	97	96	96	**98**	70	**94.8**
23	96	96	97	96	88	69	83	91	94	95	95	94	97	69	91.2
24	94	90	93	79	70	57	49	56	54	81	70	90	95	45	73.6
25	92	90	89	76	60	58	55	55	55	57	68	90	93	51	70.4
26	91	93	84	77	65	51	48	47	54	56	81	90	93	46	69.8
27	93	95	90	69	55	49	37	35	34	50	70	81	95	31	63.2
28	82	88	75	67	57	49	35	36	39	50	69	66	89	33	59.4
29	75	74	53	48	43	41	38	38	39	47	58	59	77	35	52.1
30	66	66	59	50	56	58	53	53	58	61	68	64	71	51	60.2
31	57	59	59	58	55	53	50	49	48	50	58	58	64	48	54.5
M	79.4	**80.7**	78.0	73.7	68.2	63.3	59.1	**57.3**	58.9	64.5	71.2	75.1	86.6	51.5	69.1

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	61	62	60	60	57	56	55	53	50	53	67	67	68	49	58.4	1
2	71	82	73	66	62	56	55	56	55	48	54	55	83	48	61.1	2
3	58	62	62	54	50	50	47	41	40	51	62	79	79	40	54.7	3
4	83	85	69	64	59	52	47	53	54	58	65	90	90	46	64.9	4
5	93	94	77	65	55	38	34	42	49	55	76	78	94	32	63.0	5
6	56	58	59	56	54	52	49	49	51	53	60	63	78	48	55.0	6
7	66	69	70	73	80	75	73	72	81	87	93	93	93	63	77.7	7
8	95	95	94	97	92	67	61	61	67	71	80	85	97	58	80.4	8
9	88	90	89	89	86	90	87	93	96	94	91	88	96	85	90.1	9
10	88	92	87	78	65	65	66	63	89	94	90	91	95	62	80.7	10
11	82	90	84	78	77	90	85	84	78	81	83	96	96	76	84.0	11
12	95	92	89	94	78	78	95	86	66	46	65	77	96	43	80.1	12
13	88	93	73	62	55	50	64	60	59	68	88	85	93	49	70.4	13
14	59	67	56	46	42	38	37	36	31	37	66	72	85	**30**	**48.9**	14
15	70	80	70	92	92	91	84	56	64	77	68	69	93	54	76.1	15
16	77	91	84	78	74	77	92	91	92	94	97	95	97	69	86.8	16
17	95	96	93	83	69	64	66	71	71	86	96	96	96	63	82.2	17
18	95	95	94	89	87	84	80	79	79	86	89	93	96	77	87.5	18
19	95	93	96	96	95	90	89	86	82	91	94	96	96	80	**91.8**	19
20	96	96	95	93	89	77	93	79	78	88	93	96	96	72	89.4	20
21	94	96	91	77	67	63	58	58	61	74	81	86	96	57	75.5	21
22	93	87	89	83	84	80	77	68	75	82	85	83	94	67	82.2	22
23	88	91	86	75	65	90	95	98	93	91	93	97	**98**	66	88.5	23
24	96	87	79	61	52	50	49	44	45	48	53	67	97	43	60.9	24
25	82	87	74	71	60	59	66	73	79	90	88	91	91	59	76.7	25
26	95	91	89	86	93	94	94	77	63	68	78	88	95	63	84.7	26
27	95	91	92	95	81	71	88	69	74	78	92	96	96	62	85.2	27
28	95	95	93	90	70	64	72	74	72	77	79	83	95	60	80.3	28
29	74	79	66	59	55	57	51	60	88	90	88	93	93	47	71.7	29
30	90	92	93	92	85	79	77	73	76	79	85	92	93	71	84.4	30
M	83.8	**85.9**	80.9	76.7	70.9	68.2	69.5	**66.8**	68.6	73.2	80.0	84.7	92.2	58.0	75.8	M

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	96	94	90	78	73	61	63	71	77	85	89	89	96	61	80.5
2	86	85	83	83	82	81	77	76	76	80	85	88	89	72	81.8
3	92	90	79	73	75	69	60	59	57	65	76	89	94	57	73.3
4	96	92	88	83	76	69	92	89	80	86	79	80	96	69	84.2
5	93	97	95	81	65	55	56	61	62	74	90	94	97	54	76.9
6	93	95	91	79	70	58	64	65	52	57	74	85	97	50	73.5
7	92	96	96	89	72	75	63	54	67	74	85	89	97	52	79.3
8	92	94	88	74	82	68	66	61	55	55	81	91	94	55	75.6
9	92	93	87	80	69	54	53	46	44	48	68	66	94	**41**	66.7
10	67	69	67	66	62	57	55	70	83	86	84	85	93	55	70.9
11	73	72	71	67	80	69	77	83	84	84	83	79	86	67	76.8
12	77	74	71	73	84	84	94	88	74	88	95	89	95	71	82.6
13	79	77	71	69	80	79	72	69	70	74	84	87	89	68	75.9
14	94	93	99	96	84	95	93	90	89	92	95	96	99	83	93.0
15	00	00	00	00	99	98	98	94	99	98	94	87	**00**	90	97.2
16	81	86	88	82	95	97	94	93	86	85	87	91	98	81	88.8
17	95	00	88	70	69	65	61	53	62	72	82	91	**00**	51	75.7
18	89	90	87	73	67	63	58	64	64	66	74	75	94	58	72.5
19	86	87	86	65	61	56	55	53	55	57	56	57	92	51	64.5
20	61	62	61	60	57	55	58	55	57	78	87	97	97	55	65.7
21	96	97	97	87	73	60	54	54	71	75	82	91	98	52	78.9
22	95	97	81	66	59	51	50	60	66	71	85	92	99	49	72.8
23	75	68	70	59	55	53	54	49	53	65	78	76	92	48	62.9
24	75	71	67	62	54	58	56	58	66	68	92	92	93	54	68.3
25	93	95	99	99	00	99	97	99	99	96	98	97	**00**	92	**97.6**
26	96	98	94	96	99	80	71	65	58	66	84	82	99	58	82.4
27	88	93	83	82	73	63	70	89	98	00	00	99	**00**	60	86.5
28	99	91	82	89	79	89	98	89	74	82	91	91	99	74	87.8
29	94	93	90	81	77	71	70	67	65	78	91	98	98	62	81.2
30	97	98	94	93	95	00	95	89	87	91	94	98	**00**	82	94.2
31	97	00	97	90	74	69	66	70	82	83	90	94	**00**	64	84.3
M	88.4	**88.6**	85.2	78.9	75.5	70.9	**70.6**	70.7	71.4	76.8	84.9	87.6	96.0	62.5	79.1

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	94	96	93	90	78	72	60	59	88	93	95	99	99	57	84.8	1
2	00	00	99	97	88	73	62	68	69	78	92	98	**00**	60	85.3	2
3	99	99	00	88	73	58	52	49	49	51	61	68	**00**	45	70.6	3
4	77	90	80	65	54	50	52	52	57	69	83	85	91	49	67.8	4
5	88	91	83	72	63	53	52	48	62	68	76	94	95	47	70.8	5
6	96	97	00	88	90	75	68	76	78	82	85	84	**00**	68	85.0	6
7	72	83	93	97	99	94	99	94	99	99	99	98	**00**	72	93.8	7
8	92	93	95	90	77	65	68	66	68	75	93	94	96	62	81.3	8
9	99	99	99	00	96	82	63	61	93	91	90	94	**00**	60	88.9	9
10	90	84	85	93	94	91	95	89	99	97	99	98	99	84	92.8	10
11	94	99	94	80	71	66	59	61	93	94	98	99	99	55	84.0	11
12	00	00	99	00	98	88	67	92	84	96	98	99	**00**	67	93.4	12
13	99	99	94	99	99	98	90	86	92	96	95	94	**00**	81	**95.1**	13
14	93	94	94	93	86	74	68	74	80	90	95	95	97	68	86.3	14
15	96	97	96	88	76	63	60	62	53	73	86	81	97	51	77.6	15
16	86	94	83	67	60	66	61	57	70	82	96	95	**00**	52	76.4	16
17	96	90	67	66	63	60	63	71	74	90	98	95	**00**	59	77.8	17
18	98	97	97	95	68	53	58	58	64	84	93	87	**00**	52	79.3	18
19	85	84	84	84	77	69	64	70	72	79	83	87	90	64	78.2	19
20	81	77	81	80	64	53	47	45	51	70	73	78	88	45	66.7	20
21	84	88	95	85	53	50	47	41	52	85	85	89	98	41	71.2	21
22	94	99	83	80	54	55	57	57	66	67	67	66	**00**	54	70.4	22
23	70	73	73	72	66	57	42	39	40	51	57	65	75	37	**58.8**	23
24	74	81	78	69	66	57	54	51	52	87	99	99	**00**	49	72.2	24
25	95	96	95	96	92	79	73	75	83	90	98	97	99	72	89.1	25
26	97	95	95	93	74	67	57	60	70	92	97	98	98	53	82.9	26
27	96	95	95	84	83	69	62	65	79	98	94	95	98	60	84.6	27
28	98	93	96	90	83	64	67	60	62	57	69	84	**00**	56	76.9	28
29	92	96	96	78	52	48	49	39	39	69	91	99	97	**35**	70.7	29
30	99	96	96	94	84	63	55	53	58	84	97	93	**00**	51	81.0	30
31	88	84	91	78	52	49	53	37	43	64	74	65	97	36	64.8	31
M	91.0	**92.2**	90.6	85.5	75.3	66.5	62.1	**81.8**	69.0	80.7	87.6	89.4	97.2	56.2	79.3	M

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1954

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	67	73	81	73	67	68	67	67	73	90	98	98	**00**	63	76.8
2	96	94	94	94	88	67	64	63	92	96	97	97	98	57	86.8
3	96	95	95	60	51	46	48	51	66	93	96	96	97	44	74.4
4	88	94	96	92	88	76	65	73	78	92	99	99	**00**	65	86.7
5	95	96	95	94	86	62	57	55	63	94	97	91	99	54	82.1
6	98	98	94	93	98	95	94	89	93	92	92	93	99	89	94.1
7	96	97	97	95	96	93	96	85	91	97	96	95	98	82	**94.3**
8	95	95	94	89	83	77	80	87	85	96	95	96	98	77	89.3
9	95	95	94	95	94	95	91	81	81	95	97	94	97	78	92.2
10	94	93	92	93	85	76	66	63	77	85	84	98	98	62	83.8
11	92	97	95	95	93	86	76	90	89	75	79	82	98	71	87.4
12	89	99	99	80	65	54	60	64	82	95	94	98	99	52	81.6
13	00	98	97	91	70	67	60	58	54	72	90	95	**00**	51	79.3
14	90	98	97	78	63	56	59	63	76	93	98	99	**00**	52	80.8
15	98	97	94	92	84	92	96	97	96	92	88	74	99	74	91.7
16	70	74	90	84	63	59	81	97	97	88	83	85	98	70	80.9
17	86	82	94	98	81	59	66	55	65	84	94	99	99	54	80.2
18	94	00	94	88	63	50	42	54	53	59	70	85	**00**	42	71.0
19	86	94	85	83	58	52	45	49	65	92	99	99	**00**	43	75.6
20	98	98	97	93	98	95	82	62	65	72	69	84	99	58	84.4
21	99	99	98	96	89	79	72	76	73	88	94	89	**00**	67	87.7
22	79	80	96	93	60	56	54	53	64	74	69	64	98	51	70.2
23	86	99	00	89	82	58	47	54	56	70	86	86	**00**	47	76.1
24	89	95	93	83	72	00	74	98	97	97	95	94	**00**	66	90.6
25	94	94	94	94	94	90	93	89	90	94	97	95	97	88	93.2
26	95	94	89	77	61	55	68	61	82	93	98	97	98	54	80.8
27	89	96	97	68	54	41	28	31	40	46	51	65	98	**27**	**58.8**
28	88	89	91	81	70	45	41	40	50	81	84	90	93	40	70.8
29	98	98	97	95	75	56	78	87	97	91	90	92	**00**	55	87.8
30	97	98	94	95	90	78	53	97	94	93	99	00	**00**	51	90.7
M	91.2	93.6	**94.1**	87.7	77.4	69.4	**66.8**	69.6	76.1	86.0	89.3	91.0	98.7	59.5	82.7

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	99	96	98	89	71	70	61	52	68	88	96	81	**00**	51	80.8
2	91	92	92	83	57	49	44	42	78	95	97	00	**00**	41	76.7
3	00	98	96	94	88	83	79	91	00	99	95	95	**00**	77	93.2
4	94	94	94	94	94	94	94	93	93	95	94	93	95	93	93.8
5	92	92	89	89	87	96	96	93	94	92	88	87	96	87	91.2
6	85	86	87	88	85	80	78	67	74	74	72	78	91	66	79.5
7	77	77	76	75	64	63	64	66	81	85	79	82	85	60	74.1
8	84	89	84	92	81	69	70	75	85	92	97	96	98	66	84.5
9	93	95	97	97	92	81	80	93	97	96	89	81	99	72	90.9
10	84	90	99	92	58	51	55	53	57	63	67	73	99	50	70.2
11	85	89	92	95	78	62	58	65	83	97	91	00	**00**	58	82.9
12	00	00	98	95	83	65	66	70	73	80	88	90	**00**	62	84.0
13	79	54	73	66	57	63	72	00	99	95	93	92	**00**	53	78.6
14	94	50	53	48	44	37	32	30	53	57	67	84	94	**30**	**54.1**
15	90	92	96	95	97	63	47	54	75	71	71	63	99	41	76.2
16	61	59	72	78	88	99	92	80	79	80	80	76	**00**	59	78.7
17	77	86	93	85	64	53	53	56	84	82	84	92	98	48	75.8
18	93	95	95	00	98	90	85	85	84	92	89	87	**00**	81	91.1
19	89	84	81	91	99	95	92	89	88	83	87	92	**00**	81	89.2
20	98	96	97	98	90	86	89	87	99	97	95	92	99	83	93.7
21	90	90	92	93	75	74	72	77	93	96	97	98	98	71	87.2
22	98	90	96	98	86	83	82	92	98	98	95	86	99	78	91.8
23	88	67	79	86	69	44	43	48	82	88	93	99	99	40	73.8
24	96	95	94	94	93	95	95	94	94	91	92	94	99	91	93.9
25	93	84	79	80	72	70	77	74	77	78	81	79	94	65	78.7
26	96	97	92	95	74	50	44	40	44	48	48	62	97	38	65.8
27	76	88	78	93	77	60	57	61	86	83	87	87	93	54	77.8
28	88	89	93	94	94	94	93	93	93	94	93	89	95	87	92.2
29	87	87	91	93	93	97	99	98	96	97	96	95	**00**	84	**94.1**
30	94	93	94	84	75	66	62	81	92	95	97	97	98	61	85.8
31	96	95	95	95	96	90	86	88	93	95	94	97	98	84	93.3
M	**89.3**	86.7	88.5	88.7	80.0	73.3	**71.5**	73.8	83.6	86.3	86.8	87.6	97.5	64.9	83.0

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	95	94	94	94	93	88	77	92	80	81	79	84	95	73	87.6
2	87	85	79	84	83	90	87	87	87	87	93	87	94	79	86.3
3	87	93	93	94	90	85	87	84	88	91	98	99	99	83	90.8
4	98	94	91	93	96	93	94	86	97	91	89	94	99	83	93.0
5	95	87	92	98	94	92	83	83	83	83	89	90	98	81	89.1
6	92	97	96	98	96	83	85	87	97	99	97	99	99	81	93.8
7	97	98	91	91	64	47	52	52	71	83	83	90	99	44	76.6
8	97	96	95	97	96	93	89	85	85	89	90	89	**00**	84	91.8
9	90	93	88	85	85	86	96	97	97	93	92	93	**00**	85	91.2
10	00	99	98	96	97	94	86	94	94	93	97	98	**00**	86	95.5
11	88	93	94	97	97	94	86	86	94	90	98	96	98	82	92.8
12	92	74	71	67	53	45	40	49	70	73	69	70	99	**40**	64.4
13	88	68	61	64	62	56	66	81	96	00	97	95	**00**	55	77.8
14	00	96	90	72	62	58	55	60	62	62	60	60	**00**	55	69.8
15	61	61	61	53	52	48	45	50	65	80	87	86	88	50	**62.4**
16	82	91	93	95	95	98	94	98	98	97	95	98	**00**	82	94.5
17	96	00	98	93	90	77	72	81	84	64	88	87	**00**	63	85.8
18	85	89	90	91	93	92	90	93	95	97	97	98	99	79	92.5
19	98	98	96	97	95	86	88	83	95	98	97	95	**00**	80	93.8
20	94	97	99	99	97	94	95	95	91	94	91	91	**00**	91	94.8
21	88	92	84	92	96	90	90	91	92	92	90	94	96	84	90.9
22	92	93	92	92	95	79	81	86	87	76	80	85	96	73	86.5
23	85	85	84	85	83	80	79	82	83	84	83	81	86	78	82.8
24	79	80	74	79	80	87	88	88	83	84	89	83	90	73	82.8
25	85	90	88	86	97	93	88	92	92	97	99	96	99	83	91.9
26	90	91	93	98	96	94	95	95	95	98	98	95	**00**	90	94.8
27	96	97	95	91	90	91	96	99	99	98	98	96	**00**	89	95.5
28	96	96	91	94	92	90	90	94	93	93	91	95	97	88	92.9
29	97	97	95	95	93	95	96	95	95	97	97	96	98	92	**95.7**
30	98	97	96	94	93	92	93	96	93	94	90	91	98	90	93.9
M	**90.9**	90.7	88.7	88.8	86.8	83.0	**82.1**	84.7	88.0	88.6	90.0	90.4	97.6	76.5	87.7

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	94	93	92	92	91	90	90	93	96	94	93	95	97	88	92.8
2	95	95	99	99	98	96	95	93	95	95	95	95	99	92	95.8
3	95	94	94	92	93	92	93	93	95	95	92	89	95	89	93.1
4	92	79	77	80	85	91	95	95	97	95	93	90	97	73	89.1
5	92	93	87	91	92	88	76	70	66	63	55	51	93	51	77.0
6	51	63	62	60	60	54	53	57	64	76	77	78	78	51	62.9
7	81	89	92	93	94	83	83	87	98	97	97	84	98	78	89.8
8	83	83	86	86	88	88	87	89	88	88	88	85	92	83	86.6
9	85	86	89	87	84	85	83	96	97	95	95	94	00	81	89.7
10	92	92	93	92	93	92	90	90	85	76	67	64	94	64	85.5
11	64	64	66	66	67	63	60	80	90	95	93	94	96	59	75.2
12	94	93	88	90	95	93	86	93	97	97	97	97	98	85	93.5
13	93	98	98	95	93	89	92	94	99	97	93	93	99	87	94.5
14	95	98	95	93	95	94	90	98	98	97	96	96	98	88	95.4
15	91	93	95	97	97	96	95	95	94	81	58	59	97	56	87.6
16	48	47	60	61	77	78	84	85	91	92	93	94	96	44	75.8
17	97	97	94	97	96	95	94	59	60	64	70	79	98	53	83.5
18	88	81	87	90	91	86	92	93	88	89	91	97	97	79	89.4
19	57	46	69	49	50	45	47	57	69	72	74	84	98	43	**59.9**
20	94	98	95	89	80	71	62	73	65	50	46	54	98	46	73.1
21	62	43	43	53	51	62	64	63	69	69	94	99	**00**	**40**	64.3
22	73	66	69	66	65	59	57	60	65	71	70	74	99	56	66.2
23	81	79	81	79	77	78	72	74	73	71	67	68	81	67	75.0
24	74	78	80	66	61	53	51	54	58	69	66	76	85	51	65.5
25	86	90	93	95	95	92	98	00	99	98	93	91	**00**	76	94.2
26	94	93	95	94	79	78	80	86	92	93	99	99	**00**	78	90.2
27	95	89	88	91	96	94	88	87	92	87	93	96	99	86	91.3
28	96	97	98	97	98	94	96	00	99	89	91	92	**00**	88	95.6
29	99	89	90	92	93	92	90	92	95	94	93	91	95	89	91.7
30	93	92	92	92	94	94	93	92	94	93	96	00	**00**	88	93.8
31	99	98	98	98	98	98	97	97	96	95	93	92	**00**	92	**96.6**
M	84.6	83.7	85.3	84.6	84.7	82.7	**81.7**	83.7	**85.9**	85.1	84.5	85.5	96.0	71.0	84.3

Registreringer av vind D, v

(Records of wind: D, v)

1954

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_t = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
2	00 0.0	05 1.6	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	07 1.6	03 2.4	36 2.9	36 9.9	36 10.3
3	35 9.1	35 12.0	36 11.2	36 7.8	36 9.1	36 17.4	02 13.2	02 11.6	02 14.9	01 12.0	36 9.5	02 11.6
4	02 12.4	02 10.3	01 9.9	02 7.4	03 11.2	02 5.8	02 4.5	35 2.0	02 2.0	03 3.3	00 0.0	00 0.0
5	00 0.0	00 0.0	00 0.0	05 2.0	00 0.0	03 1.6	00 0.0	29 1.2	00 0.0	00 0.0	00 0.0	00 0.0
6	06 2.0	03 1.6	03 2.9	05 1.6	03 1.2	24 2.0	28 2.0	27 1.6	03 1.6	23 1.2	06 2.0	16 2.0
7	03 1.2	06 2.0	01 2.0	03 5.0	00 0.0	00 0.0	02 2.0	02 3.7	02 2.0	32 1.6	08 1.6	02 1.6
8	00 0.0	00 0.0	36 2.0	03 1.6	03 1.6	00 0.0	00 0.0	00 0.0	02 1.6	00 0.0	02 2.0	00 0.0
9	03 2.9	34 12.0	34 3.7	30 7.8	32 8.7	33 8.3	33 6.2	33 9.5	34 10.3	34 12.4	34 11.2	34 10.3
10	33 7.0	33 9.5	33 5.8	33 5.8	28 2.4	34 5.4	34 7.8	34 8.7	35 5.0	34 7.8	34 6.2	34 5.4
11	33 4.5	36 2.9	03 2.0	36 4.1	36 1.6	00 0.0	00 0.0	16 2.9	17 4.1	19 2.9	17 2.4	18 3.3
12	16 1.2	02 3.3	06 2.9	05 3.7	05 3.3	08 1.6	00 0.0	02 2.4	03 2.4	05 2.4	06 2.4	00 0.0
13	02 2.4	02 1.6	02 2.0	00 0.0	00 0.0	00 0.0	02 2.4	00 0.0	21 1.6	17 2.9	17 5.0	14 4.5
14	11 4.5	09 3.7	07 4.1	06 5.0	08 5.0	09 3.7	09 3.7	10 3.3	14 4.1	08 4.5	01 6.2	01 7.8
15	01 6.2	26 2.4	27 1.6	21 2.9	25 1.6	21 2.4	18 3.3	12 2.4	12 5.0	06 5.0	01 5.0	34 2.0
16	00 0.0	11 1.2	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
17	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	02 1.2	33 7.4	07 2.9	03 3.3	09 2.0	12 2.0
18	06 2.0	05 2.9	10 1.2	36 1.2	11 2.0	02 1.2	15 2.0	03 1.2	08 2.4	03 1.6	03 2.4	00 0.0
19	05 2.9	02 1.2	00 0.0	33 1.2	05 2.0	06 1.2	00 0.0	00 0.0	03 2.9	03 2.4	03 1.6	00 0.0
20	00 0.0	00 0.0	00 0.0	01 7.0	01 9.5	01 8.7	35 6.6	34 6.2	34 8.3	35 8.3	01 7.8	01 12.0
21	01 11.6	01 9.1	01 8.7	01 7.8	01 7.4	01 7.0	02 8.3	02 9.9	03 7.8	03 8.3	03 7.0	03 3.7
22	01 6.6	02 7.4	01 6.2	36 6.2	01 5.4	01 4.5	01 4.5	02 3.7	00 0.0	02 3.3	02 2.4	02 1.2
23	02 1.6	02 3.7	35 1.2	05 1.2	00 0.0	11 1.2	00 0.0	11 1.2	05 2.9	03 2.0	06 1.6	00 0.0
24	00 0.0	00 0.0	00 0.0	05 2.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	06 1.6	05 2.0	03 1.6
25	06 1.2	06 1.6	06 1.2	00 0.0	00 0.0	03 2.0	00 0.0	06 2.0	05 2.4	05 2.4	06 1.6	05 4.5
26	03 4.5	36 3.7	06 3.3	02 5.0	02 5.8	02 4.5	03 6.2	02 4.5	01 5.0	01 2.9	02 2.9	02 2.9
27	03 3.7	05 3.7	05 1.2	05 2.4	00 0.0	00 0.0	11 2.0	09 2.0	00 0.0	02 2.0	00 0.0	00 0.0
28	25 1.2	00 0.0	33 1.2	03 1.6	06 1.2	02 5.0	02 7.0	02 7.4	02 5.4	03 5.0	07 6.2	05 3.7
29	02 3.3	03 3.7	03 2.9	01 5.4	02 6.6	36 4.5	03 7.0	01 6.6	01 6.6	02 5.8	01 6.2	01 5.8
30	03 6.6	02 6.2	02 6.2	01 6.2	01 8.3	02 6.6	02 8.7	01 7.0	01 7.4	01 7.8	01 7.8	02 7.0
31	02 6.2	01 2.4	00 0.0	16 1.2	01 6.2	25 2.9	14 1.6	27 1.2	36 5.4	36 7.0	36 5.4	21 2.0
M	3.38	3.54	2.69	3.33	3.23	3.15	3.23	3.59	3.75	3.95	3.88	3.39

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	02 1.6	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	16 1.6	00 0.0	00 0.0	00 0.0	00 0.0	06 1.2
2	00 0.0	02 1.6	00 0.0	00 0.0	00 0.0	21 1.2	25 1.6	27 4.1	26 1.2	27 1.2	06 1.2	06 1.2
3	03 2.4	03 2.9	02 1.6	03 3.3	00 0.0	00 0.0	00 0.0	26 1.6	02 2.9	00 0.0	00 0.0	01 1.2
4	00 0.0	00 0.0	03 2.0	03 1.2	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
5	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	28 1.2	00 0.0	00 0.0	00 0.0
6	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	26 1.2	00 0.0	00 0.0	00 0.0	00 0.0
7	18 7.8	18 6.2	17 6.6	17 7.8	17 7.0	17 6.6	17 7.4	15 5.8	15 6.6	14 6.2	15 6.2	15 6.2
8	14 5.8	14 3.7	11 1.6	12 3.7	11 5.0	10 3.7	10 3.3	07 5.0	06 5.0	36 5.8	02 7.4	02 9.9
9	02 7.8	12 4.1	11 3.7	11 2.4	10 3.7	05 4.1	03 4.1	05 4.5	01 5.8	01 6.2	01 5.0	01 6.6
10	01 7.0	01 8.7	01 7.4	02 6.6	02 6.2	02 6.6	03 6.6	02 6.6	06 7.0	02 5.0	05 5.0	08 5.4
11	05 5.8	03 6.2	03 5.4	02 5.4	05 5.4	05 5.0	05 4.1	02 3.7	02 3.7	10 2.9	03 1.6	01 2.4
12	02 3.3	00 0.0	36 1.6	09 3.3	03 1.6	36 2.0	03 2.0	08 1.6	07 2.9	05 2.0	03 4.1	01 2.4
13	02 3.3	01 3.3	01 4.1	01 4.1	03 3.7	03 4.5	03 5.4	03 6.2	02 5.4	01 5.0	01 4.5	28 3.3
14	00 0.0	29 1.2	27 1.2	00 0.0	24 1.8	24 1.6	00 0.0	25 2.0	02 4.5	00 0.0	00 0.0	00 0.0
15	03 2.0	27 1.2	00 0.0	08 1.6	09 1.2	21 1.2	23 1.2	00 0.0	00 0.0	00 0.0	00 0.0	03 2.0
16	01 1.2	03 1.6	03 1.6	06 2.0	06 1.6	12 1.6	16 1.6	14 2.0	06 4.5	03 3.3	03 4.1	03 2.0
17	19 1.2	05 2.4	10 2.0	00 0.0	08 1.2	03 1.2	15 3.3	12 3.3	11 2.0	11 3.3	10 1.2	06 2.4
18	03 3.7	05 3.3	06 3.3	05 3.7	07 3.3	08 4.1	09 3.7	05 3.7	07 2.9	06 3.7	05 4.1	08 5.0
19	07 5.4	07 5.8	07 3.3	06 5.8	03 5.0	06 3.7	07 4.1	08 5.0	08 4.5	07 5.0	05 5.0	06 5.0
20	05 2.9	03 1.6	05 3.7	05 2.9	05 3.3	03 2.4	00 0.0	05 3.3	03 3.7	03 2.9	05 1.6	03 2.0
21	03 2.0	03 1.6	05 1.6	05 1.2	00 0.0	18 1.6	21 2.0	19 2.0	18 3.7	18 4.5	19 3.7	20 2.9
22	19 3.7	20 4.1	20 4.1	19 4.5	20 6.2	20 6.6	20 6.2	20 5.8	20 6.2	20 6.2	17 5.8	18 4.1
23	18 4.1	18 5.4	17 4.1	16 3.3	18 3.7	18 4.5	16 4.5	16 4.5	16 5.0	20 2.4	11 2.4	15 4.1
24	15 4.5	15 5.0	09 2.0	07 2.0	08 1.6	09 2.0	12 2.0	07 2.4	06 2.4	10 2.9	11 2.4	11 2.4
25	12 2.4	09 2.4	03 2.4	09 3.7	08 5.0	09 4.1	10 4.1	09 5.4	08 5.8	08 6.2	07 7.4	06 7.4
26	05 6.2	05 6.6	03 7.8	03 8.7	03 9.5	02 10.3	02 10.3	02 9.1	02 9.1	02 9.1	02 10.3	02 9.5
27	03 10.3	02 9.5	02 9.5	02 8.3	03 10.8	03 8.3	03 9.5	03 8.7	03 9.1	05 8.3	06 7.8	05 6.6
28	03 6.2	05 5.8	03 5.8	06 6.2	05 6.2	03 5.8	05 6.2	03 6.6	02 8.3	02 6.2	02 8.7	02 7.8
M	3.59	3.36	3.09	3.28	3.31	3.31	3.39	3.68	4.05	3.55	3.55	3.68

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	02 8.3	03 6.6	02 7.0	02 7.8	02 7.8	02 5.8	02 6.2	02 6.6	02 5.8	02 5.0	03 7.0	02 7.0
2	02 5.0	02 5.8	02 5.0	02 5.0	02 2.9	00 0.0	06 2.9	00 0.0	00 0.0	00 0.0	02 3.3	02 3.7
3	05 1.6	02 1.6	03 1.2	10 1.2	08 1.6	03 2.4	20 1.2	05 3.7	06 4.1	06 4.1	02 4.5	03 6.2
4	03 7.8	03 8.7	03 9.3	02 11.2	03 11.2	05 8.3	03 9.5	03 9.1	05 7.8	01 9.1	03 6.2	03 8.3
5	02 8.7	01 8.7	01 6.6	02 4.1	02 3.3	06 2.0	00 0.0	02 1.2	17 2.4	18 1.2	00 0.0	07 1.2
6	01 1.2	00 0.0	05 1.2	03 2.0	00 0.0	21 2.9	23 4.5	23 3.3	19 2.9	19 3.7	19 2.4	18 3.7
7	25 2.0	19 3.3	18 5.8	18 3.7	14 5.4	14 5.8	15 7.0	15 7.0	17 6.2	18 5.4	18 4.5	17 5.4
8	16 5.0	18 4.5	18 6.2	17 6.6	19 6.6	18 6.6	20 6.6	20 5.0	19 6.2	20 3.7	19 4.5	18 5.4
9	17 4.5	20 3.3	19 4.1	19 3.3	18 2.0	23 2.4	24 2.9	23 2.0	23 1.2	26 1.6	24 2.0	00 0.0
10	23 1.6	33 2.0	34 1.2	02 2.0	30 1.2	00 0.0	24 1.2	24 1.2	00 0.0	00 0.0	00 0.0	00 0.0
11	00 0.0	00 0.0	00 0.0	00 0.0	23 2.0	24 2.0	23 2.0	24 1.6	26 1.2	26 1.2	19 1.6	18 1.2
12	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	21 2.4	23 1.6	15 1.5	27 1.2	00 0.0	00 0.0	03 2.0
13	00 0.0	00 0.0	00 0.0	05 2.9	07 2.4	05 2.9	05 2.4	08 1.2	20 2.0	19 2.4	18 1.2	20 1.6
14	19 2.4	20 2.4	20 3.7	20 3.3	24 2.0	21 2.0	21 3.3	18 3.7	20 2.9	20 4.1	20 3.7	20 2.0
15	25 1.6	27 1.6	33 2.0	33 1.2	26 1.2	19 1.2	23 1.6	21 2.4	23 1.6	24 1.6	20 2.4	24 2.9
16	28 2.0	30 2.0	30 1.2	33 1.2	20 1.2	00 0.0	21 1.6	21 1.6	24 1.6	00 0.0	00 0.0	00 0.0
17	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	23 3.3	23 2.4	20 3.7	25 3.7	27 1.6	20 2.0
18	29 2.4	24 1.2	01 1.6	00 0.0	23 1.2	00 0.0	20 1.5	12 2.0	18 2.0	05 5.8	02 5.8	05 5.8
19	02 5.0	36 2.4	36 1.2	00 0.0	20 2.0	23 3.3	23 2.9	21 4.5	23 2.4	00 0.0	06 1.2	00 0.0
20	00 0.0	00 0.0	00 0.0	00 0.0	23 2.0	21 7.0	20 5.8	19 4.5	18 5.8	20 5.4	21 4.1	20 3.7
21	23 2.9	24 1.2	00 0.0	00 0.0	00 0.0	26 1.2	00 0.0	25 2.0	29 1.2	23 1.6	19 1.6	18 3.3
22	20 1.6	18 2.0	18 1.6	17 2.9	19 4.1	16 2.4	18 5.0	19 2.9	17 4.1	18 3.7	17 2.9	23 1.6
23	21 1.6	24 1.2	19 4.1	18 1.2	23 2.0	00 0.0	00 0.0	27 2.0	21 3.3	19 2.0	18 3.7	17 2.4
24	00 0.0	00 0.0	06 2.0	03 6.6	03 14.5	03 13.6	03 11.6	05 9.9	02 5.4	01 4.5	02 4.5	02 8.3
25	02 7.4	02 7.0	02 5.0	02 5.4	02 5.0	06 3.7	02 2.9	08 3.3	10 3.7	11 2.9	16 3.7	17 2.4
26	14 2.9	23 2.0	00 0.0	19 2.4	20 2.4	21 2.9	21 2.9	18 4.1	17 5.8	18 3.7	18 4.1	19 4.1
27	21 2.4	21 1.6	33 2.0	00 0.0	36 1.2	08 1.6	12 2.0	10 1.6	23 2.0	02 2.0	02 2.4	24 2.4
28	00 0.0	00 0.0	00 0.0	11 1.2	21 2.9	20 2.4	21 4.1	20 4.1	21 1.2	36 3.7	36 1.6	00 0.0
29	00 0.0	05 2.4	05 2.4	05 4.1	05 3.7	09 3.7	09 4.1	10 2.4	06 1.2	03 3.3	07 3.7	03 4.5
30	02 5.8	03 5.4	03 3.7	06 4.1	07 5.0	08 5.0	10 4.5	08 6.2	10 4.1	09 5.4	07 4.1	08 4.5
31	05 5.4	05 5.0	06 5.4	06 3.3	07 4.1	08 5.4	05 3.7	03 3.7	05 3.7	03 4.1	01 2.9	02 5.4
M	2.87	2.64	2.66	2.80	3.25	3.19	3.51	3.45	3.12	3.06	2.94	3.26

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	01 3.3	02 7.8	03 7.0	02 9.1	03 7.0	03 6.6	05 5.0	03 4.5	02 4.5	02 4.1	01 4.5	02 2.4
2	01 3.7	10 2.0	36 2.4	00 0.0	01 2.9	20 2.9	21 3.3	18 1.6	23 1.6	20 1.2	17 1.6	18 3.3
3	23 2.0	18 1.6	00 0.0	07 1.6	00 0.0	20 1.6	26 2.0	21 2.0	17 3.3	19 2.0	17 2.0	18 2.4
4	23 1.2	18 2.4	18 2.9	18 2.4	29 1.2	19 2.9	18 6.2	21 8.7	20 8.7	20 7.4	20 8.3	20 8.3
5	25 6.2	26 6.2	26 5.4	26 6.6	27 7.0	25 7.0	25 6.6	27 6.2	18 3.7	27 1.2	16 2.0	03 1.2
6	00 0.0	00 0.0	02 1.6	19 1.2	01 2.4	23 3.7	18 1.2	21 3.3	06 2.9	01 4.1	36 6.2	36 7.0
7	10 2.0	06 1.6	10 1.2	01 5.0	07 2.9	23 1.6	19 2.9	21 2.9	27 1.6	01 2.9	00 0.0	02 3.7
8	02 2.0	03 4.1	03 2.0	00 0.0	19 2.0	21 2.9	19 4.5	18 6.6	17 5.0	16 2.9	16 2.4	17 1.6
9	18 2.4	00 0.0	36 2.0	16 2.0	20 1.2	21 2.0	24 1.6	19 2.4	17 4.1	20 2.4	17 2.9	20 2.4
10	17 1.6	24 2.0	00 0.0	28 1.2	00 0.0	23 1.5	25 1.6	24 2.0	00 0.0	06 1.5	00 0.0	00 0.0
11	00 0.0	00 0.0	01 1.2	00 0.0	23 1.2	29 1.2	21 2.9	20 2.9	19 3.3	15 3.7	28 1.2	17 1.6
12	00 0.0	00 0.0	33 2.0	03 1.2	18 3.3	28 6.2	33 6.6	29 6.5	29 4.5	23 2.0	26 3.3	15 3.7
13	20 2.9	09 2.0	21 2.0	20 3.7	19 3.7	20 3.7	12 1.6	25 1.6	17 1.6	34 3.7	35 6.6	36 5.8
14	02 5.4	10 1.6	24 1.2	00 0.0	19 2.4	18 5.0	18 7.8	19 2.0	25 1.6	35 2.4	00 0.0	00 0.0
15	36 3.7	01 6.2	01 6.6	02 7.4	02 6.2	02 9.5	05 6.6	02 6.2	36 4.5	36 6.6	36 7.8	36 7.0
16	36 7.8	01 5.4	36 5.8	01 9.7	36 11.2	01 9.9	05 7.8	02 7.8	01 7.4	36 3.7	36 7.4	36 6.6
17	01 5.8	05 2.0	12 1.2	00 0.0	11 2.4	23 3.3	21 2.9	23 2.9	24 2.4	25 2.0	21 2.0	00 0.0
18	00 0.0	00 0.0	03 1.2	00 0.0	36 6.6	01 6.6	01 8.7	02 9.9	02 9.9	02 6.2	36 5.4	02 7.4
19	36 7.8	01 9.1	01 9.1	01 9.5	05 6.6	02 4.1	06 3.3	02 3.3	10 2.4	21 1.2	00 0.0	02 2.9
20	02 1.2	00 0.0	00 0.0	20 1.2	21 2.9	20 4.1	19 4.1	23 5.0	20 5.0	21 1.6	00 0.0	10 1.2
21	00 0.0	00 0.0	03 4.1	02 9.9	05 7.4	05 5.8	05 5.4	05 6.6	05 5.0	06 4.1	02 6.5	02 2.0
22	03 3.7	02 4.1	03 1.6	02 3.3	17 2.0	20 3.7	19 3.7	19 3.3	24 3.7	23 3.3	29 1.2	00 0.0
23	01 1.6	00 0.0	02 2.9	21 1.2	21 2.0	20 2.0	05 8.3	05 10.3	05 7.4	35 5.0	34 6.6	34 4.1
24	02 1.6	36 5.0	01 5.4	01 5.4	34 5.0	33 4.5	02 4.1	06 5.8	07 6.2	03 3.7	03 3.7	02 4.5
25	01 2.4	02 6.2	01 5.8	01 5.0	01 5.8	01 7.0	01 6.2	01 7.0	05 6.6	05 2.9	01 3.3	05 1.6
26	00 0.0	00 0.0	00 0.0	00 0.0	20 2.0	20 2.4	34 2.0	29 3.3	07 1.6	28 2.4	02 3.3	03 2.4
27	00 0.0	00 0.0	36 4.5	01 3.3	01 4.1	01 6.2	02 4.5	03 5.4	05 5.0	02 2.0	06 3.7	02 2.4
28	03 2.9	01 2.9	00 0.0	19 2.0	20 4.5	18 5.0	20 5.4	20 5.8	20 5.8	18 5.0	00 0.0	02 2.9
29	02 2.0	02 2.9	02 2.9	01 5.8	01 7.0	02 8.3	02 8.7	01 9.1	36 7.4	36 5.0	35 6.2	35 5.8
30	01 3.7	05 4.1	01 3.3	05 2.0	17 2.0	24 3.7	17 2.4	25 2.9	20 5.0	18 3.7	17 3.7	05 4.1
M	2.56	2.64	2.84	3.29	3.83	4.50	4.60	4.93	4.39	3.33	3.40	3.28

1954

Oslo (Blindern)

Mai V — Juni VI

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Dat	2	4	6	8	10	12	14	16	18	20	22	24	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	02 2.0	03 4.1	03 4.1	02 3.7	03 3.7	12 4.1	14 1.6	16 2.0	05 3.7	06 4.5	06 1.5	07 3.7	02 7.8	02 9.1	03 6.2	03 6.2	05 4.5	21 1.5	19 3.7	23 3.3	10 4.1	10 3.7	01 2.4	03 2.9	1
2	03 4.1	06 2.9	06 4.5	05 5.0	10 4.5	09 7.0	08 6.2	09 6.2	10 5.0	03 4.5	03 6.2	06 5.8	03 3.3	02 1.6	07 1.6	21 2.0	20 3.3	19 5.0	17 6.2	19 6.2	19 2.4	01 6.2	36 9.1	02 12.0	2
3	03 7.0	05 6.6	02 8.7	05 9.9	05 7.0	01 8.7	02 7.4	03 5.8	02 5.0	03 5.0	03 5.4	02 5.4	02 4.1	05 2.9	05 1.6	03 5.8	08 3.7	19 2.9	23 2.0	24 2.9	26 3.3	24 2.9	20 2.0	02 2.0	3
4	02 6.6	02 9.1	03 6.6	01 7.0	03 7.8	05 7.0	03 6.6	05 7.0	03 5.8	02 5.0	01 6.6	03 5.4	01 1.2	02 2.4	00 0.0	18 1.2	21 2.0	21 3.3	21 3.7	20 6.6	18 5.0	18 5.0	18 2.4	03 1.2	4
5	02 6.6	02 6.2	03 8.3	03 8.7	05 4.5	06 4.1	08 5.0	16 4.5	19 5.0	12 3.7	10 3.7	15 5.0	03 2.4	05 2.0	00 0.0	20 1.2	23 2.9	21 2.9	19 5.0	21 7.0	23 4.1	21 2.4	24 2.4	02 4.1	5
6	18 6.6	19 7.4	17 3.3	17 4.5	19 5.4	17 5.0	23 2.0	29 1.6	08 1.6	15 2.0	17 3.3	19 7.0	02 7.0	02 9.5	02 7.8	03 7.4	06 5.0	10 4.1	14 2.4	09 3.7	10 2.9	16 5.4	12 1.6	17 1.6	6
7	17 3.7	17 4.1	17 4.5	18 6.2	18 4.5	17 5.0	17 4.5	17 5.4	18 6.2	20 6.2	17 4.1	14 2.4	15 2.4	14 3.3	10 2.0	17 2.9	19 2.0	19 1.6	18 2.4	19 4.1	21 4.5	24 3.7	19 2.0	17 2.0	7
8	05 1.2	10 1.6	00 0.0	27 1.2	27 1.2	20 3.7	19 5.0	03 4.5	03 5.4	36 4.1	02 7.4	01 4.1	17 3.7	18 3.3	20 3.7	19 2.4	20 3.7	20 3.7	19 5.4	19 5.0	19 4.5	16 5.0	12 2.9	15 2.9	8
9	21 1.6	06 2.0	20 1.6	05 5.0	03 4.1	03 5.0	09 4.5	09 4.1	05 3.3	01 3.7	02 5.0	02 5.8	12 2.0	10 1.2	09 2.0	09 3.3	07 4.5	08 3.3	08 5.8	07 6.2	17 4.5	17 5.0	20 5.2	19 5.4	9
10	26 1.2	35 1.2	05 1.6	16 3.3	23 2.9	24 2.4	24 2.0	19 1.6	26 2.4	32 2.4	03 3.7	03 1.2	19 2.9	18 3.7	20 5.0	20 4.5	21 4.1	19 6.6	20 5.8	23 6.2	18 4.1	18 5.8	19 6.6	19 7.4	10
11	36 1.2	33 1.2	00 0.0	00 0.0	19 2.9	21 3.3	19 5.0	19 5.0	21 4.1	20 2.4	34 2.0	02 4.1	18 7.0	19 7.0	20 7.0	17 7.4	21 8.3	18 7.0	20 8.3	17 5.4	19 6.2	19 6.2	19 5.8	17 5.4	11
12	01 1.2	01 5.0	05 5.0	05 4.5	11 3.7	11 1.6	23 2.4	23 2.4	24 2.0	00 0.0	29 1.6	03 2.0	18 5.0	19 6.2	19 5.4	17 5.0	18 5.4	19 8.3	00 0.0	20 4.1	25 3.3	28 5.4	29 2.4	33 1.6	12
13	05 4.1	09 3.7	06 3.7	03 3.3	21 1.6	24 2.9	16 3.7	19 3.7	23 2.4	25 2.0	00 0.0	03 2.0	06 2.0	00 0.0	00 0.0	20 4.1	21 6.2	21 7.4	27 8.3	20 5.8	21 5.4	18 5.4	00 0.0	03 2.9	13
14	03 2.4	03 2.4	05 2.0	11 1.2	18 1.2	21 3.3	20 4.5	20 4.5	19 4.1	19 4.5	15 2.9	36 1.2	01 6.2	33 1.6	05 1.6	01 2.4	16 3.3	11 3.7	23 4.1	21 4.1	23 3.3	26 2.0	03 1.6	02 2.4	14
15	00 0.0	23 2.0	00 0.0	21 1.6	19 2.4	21 1.6	25 4.5	14 2.9	00 0.0	21 2.4	18 2.0	00 0.0	03 3.7	02 2.9	05 2.4	07 2.0	05 3.7	06 2.9	15 2.4	19 5.4	19 6.6	17 4.5	20 4.5	21 4.5	15
16	00 0.0	17 2.0	20 2.9	19 4.5	24 2.0	05 9.5	10 3.3	23 2.4	19 2.9	16 3.7	01 3.7	03 6.6	21 2.9	00 0.0	19 2.9	16 1.2	16 2.0	12 1.6	03 2.9	00 0.0	24 1.6	18 2.4	19 2.0	20 2.9	16
17	01 6.6	08 2.0	03 2.4	05 3.7	03 4.1	20 2.9	18 4.1	24 3.3	24 3.7	02 7.0	06 4.1	05 2.4	19 2.4	21 1.2	21 1.6	17 1.6	19 1.2	17 3.7	21 4.1	21 4.5	19 4.5	23 4.1	24 2.0	24 1.2	17
18	36 5.4	01 6.6	01 8.3	02 10.3	05 8.3	02 9.5	03 9.5	03 9.5	03 7.4	03 8.3	03 9.1	02 7.4	17 2.0	24 2.4	21 1.2	23 2.0	19 5.4	17 5.4	19 4.5	18 5.0	19 6.2	19 5.8	19 3.7	21 3.3	18
19	02 7.8	02 7.8	02 9.5	02 9.5	02 7.8	03 5.0	07 4.1	02 5.0	01 3.3	01 5.4	02 5.8	01 5.4	18 2.0	19 3.7	18 4.1	19 3.7	19 5.0	19 5.8	19 5.8	20 5.8	20 5.0	20 4.5	20 2.4	19 2.9	19
20	01 5.8	01 5.4	01 5.0	02 7.0	02 8.7	02 8.7	03 8.7	02 9.1	03 5.8	08 5.4	08 4.1	08 5.4	17 2.9	18 2.4	17 4.5	18 2.9	15 1.6	21 2.9	19 1.6	16 1.2	18 2.0	20 4.1	03 2.0	17 1.2	20
21	07 5.0	06 5.0	03 4.5	02 5.0	02 7.8	03 7.4	02 9.1	03 7.8	03 7.4	03 5.0	02 6.6	05 7.4	18 3.7	19 4.5	18 5.0	18 5.0	19 4.5	19 5.8	19 7.0	19 5.8	20 5.4	19 5.4	18 3.7	18 2.0	21
22	05 8.3	05 6.6	01 6.2	03 6.2	05 4.1	07 2.9	20 2.9	18 2.0	21 2.4	20 2.4	00 0.0	00 0.0	15 2.0	20 3.7	19 3.3	19 1.2	19 3.7	20 3.3	20 5.0	24 5.8	19 4.1	19 1.2	00 0.0	05 2.0	22
23	00 0.0	00 0.0	00 0.0	28 1.2	00 0.0	20 1.2	06 2.9	03 2.9	36 1.6	00 0.0	05 1.6	06 2.9	00 0.0	00 0.0	00 0.0	17 2.4	19 4.1	21 5.8	23 4.1	18 4.1	19 5.4	19 5.0	00 0.0	21 2.4	23
24	06 3.7	07 1.6	02 2.9	02 2.0	03 3.3	28 2.9	06 1.6	25 3.3	19 2.4	33 5.8	03 2.0	18 1.2	24 3.3	24 2.0	21 1.2	20 5.4	24 6.2	21 5.4	23 5.8	27 5.5	26 5.5	26 3.8	27 2.0	26 1.0	24
25	03 2.0	05 1.6	29 1.2	18 1.6	21 2.9	21 3.7	18 5.4	17 5.4	18 5.0	17 5.4	00 0.0	00 0.0	33 0.2	03 1.2	17 1.0	25 1.2	20 3.7	19 3.7	21 3.7	19 6.2	19 6.2	19 5.0	18 5.0	17 5.4	25
26	02 2.0	02 2.0	00 0.0	20 2.0	19 2.9	20 5.0	20 4.1	21 4.5	21 3.7	19 2.9	00 0.0	02 2.0	18 2.9	18 5.0	18 3.7	18 3.7	12 1.6	11 2.4	15 3.7	18 6.6	18 8.7	19 6.6	16 4.1	11 3.7	26
27	02 1.2	02 1.6	00 0.0	20 1.2	23 2.0	20 2.9	23 3.3	18 2.4	23 2.9	25 2.0	32 1.6	01 1.6	15 3.3	06 2.9	05 3.7	05 3.7	09 2.9	07 2.0	08 3.3	15 1.6	10 1.2	24 1.6	00 0.0	05 2.9	27
28	36 1.6	36 1.2	00 0.0	20 1.6	19 2.0	20 2.9	21 4.1	20 5.0	21 3.7	24 1.2	00 0.0	01 5.0	03 1.6	03 2.0	00 0.0	00 0.0	03 1.2	28 2.0	28 1.6	00 0.0	07 1.2	35 1.2	03 3.7	29 1.2	28
29	05 1.2	02 1.2	02 6.6	03 5.4	03 3.7	10 2.9	08 3.7	21 3.7	25 3.7	32 3.7	01 3.3	01 2.0	01 6.6	01 5.0	01 5.0	03 4.5	16 2.0	20 4.1	20 3.7	21 6.2	19 1.6	21 2.0	18 3.7	17 4.1	29
30	01 1.2	06 1.6	01 5.4	02 2.0	11 2.0	24 2.9	21 2.4	23 2.9	21 5.0	25 1.2	03 4.5	03 10.3	18 5.4	17 4.1	25 2.4	23 3.3	21 3.7	18 6.6	19 5.4	24 5.0	19 5.4	18 5.0	19 3.7	20 1.6	30
31	02 12.4	02 9.9	03 7.8	05 6.2	06 5.4	07 6.2	05 7.0	06 5.8	05 7.0	06 5.0	03 5.4	02 6.2													
M	3.67	3.73	3.76	4.36	4.01	4.55	4.55	4.39	4.00	3.77	3.46	3.90	3.40	3.23	2.86	3.32	3.71	4.16	4.26	4.64	4.27	4.21	3.00	3.20	M

Juli VII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	18 2.0	19 3.3	17 2.9	17 2.9	20 3.3	18 6.6	18 7.0	18 6.2	18 5.8	17 5.0	17 4.5	18 5.8	16 3.7	17 2.9	18 3.7	17 2.4	12 4.1	24 1.6	18 4.5	19 5.0	05 2.9	18 3.7	16 2.0	06 2.0	1
2	20 4.5	19 3.7	17 5.8	18 5.8	19 6.2	18 5.8	17 6.2	19 6.6	17 7.0	17 5.4	18 4.5	18 4.1	00 0.0	02 2.0	03 2.9	30 1.2	26 1.2	16 1.6	20 4.5	19 7.4	19 5.0	19 4.5	19 2.4	08 1.6	2
3	18 5.0	16 2.9	17 5.4	19 5.0	20 2.9	19 1.6	19 5.0	19 6.2	19 5.8	18 5.4	17 5.0	15 2.4	06 2.0	06 1.2	00 0.0	21 2.0	19 2.0	20 5.0	24 7.8	21 8.3	28 5.4	25 7.0	28 1.6	28 2.9	3
4	00 0.0	06 2.0	16 2.9	15 2.4	18 2.9	16 2.0	00 0.0	02 2.9	03 2.9	02 3.7	05 4.5	10 3.7	18 1.6	19 1.6	00 0.0	20 2.4	28 2.5	19 2.0	23 3.5	19 4.0	20 3.5	18 3.5	06 0.5	01 1.5	4
5	16 3.3	16 3.7	16 3.3	17 3.3	19 4.1	19 5.8	19 5.0	21 5.0	20 4.5	19 4.5	06 1.6	06 2.0	00 0.0	36 0.5	00 0.0	23 1.6	18 2.9	20 6.2	20 5.0	24 4.1	18 5.4	17 4.1	10 2.0	05 1.6	5
6	05 2.0	06 1.6	12 1.6	00 0.0	17 2.0	24 5.0	15 1.6	24 1.6	23 1.6	20 1.2	03 2.4	17 2.9	03 2.4	06 2.4	02 2.0	01 1.2	18 1.2	18 2.4	20 4.5	23 6.2	23 3.3	00 0.0	36 1.6	02 4.1	6
7	03 2.4	28 1.6	00 0.0	27 1.2	23 2.4	29 4.5	24 4.5	18 4.1	10 3.7	15 3.7	07 1.2	05 2.0	03 3.3	03 3.3	02 4.5	02 5.8	05 6.2	07 6.2	08 5.0	06 5.8	06 5.0	10 2.0	16 5.4	17 3.7	7
8	03 3.7	02 2.0	07 3.7	14 3.7	16 5.8	14 2.4	23 5.0	23 4.1	24 3.3	17 2.9	32 1.2	03 2.4	18 5.4	17 5.0	19 4.5	21 6.2	21 5.0	20 5.0	19 7.0	18 7.0	19 6.2	19 3.7	10 2.0	03 3.7	8
9	03 2.4	03 3.7	05 2.4	07 1.2	23 1.6	21 2.4	28 3.7	23 1.6	33 1.6	09 2.4	01 3.7	03 5.4	03 4.5	01 3.7	03 2.9	00 0.0	15 1.6	17 2.9	19 3.7	10 2.0	02 2.4	02 3.3	03 4.5	03 4.5	9
10	02 5.4	02 5.0	02 5.8	03 4.5	05 5.0	05 5.4	06 7.0	09 4.5	03 7.4	02 8.7	03 7.8	02 7.4	03 5.0	02 7.4	02 8.3	02 9.1	02 6.6	03 5.4	06 3.7	06 5.0	06 4.1	10 4.5	10 3.3	12 3.3	10
11	02 8.3	01 9.1	01 8.7	03 7.4	02 5.8	03 7.4	03 7.8	03 6.2	03 5.4	01 6.6	03 7.4	02 6.6	08 2.4	03 3.3	02 4.5	03 3.7	06 4.1	11 3.3	09 4.1	16 2.0	27 3.3	36 5.0	02 4.1	02 2.4	11
12	02 7.4	03 5.0	05 3.7	03 5.4	02 4.1	03 6.6	02 5.4	02 1.2	23 1.6	00 0.0	06 1.2	36 3.7	02 2.0	00 0.0	02 2.0	00 0.0	23 1.6	19 1.2	23 3.3	28 5.4	19 2.9	20 1.2	03 2.0	00 0.0	12
13	01 4.5	36 4.1	02 5.8	05 6.6	03 4.1	05 5.4	02 2.9	05 2.9	09 5.4	09 3.3	03 2.9	03 2.9	02 2.9	03 1.6	06 3.3	06 2.0	19 2.9	28 1.2	29 2.4	20 5.8	21 5.4	28 2.0	02 2.0	03 2.4	13
14	36 1.2	05 1.6	00 0.0	00 0.0	00 0.0	24 2.9	20 4.5	21 3.2	19 4.5	20 5.4	18 2.9	16 4.1	03 3.3	02 3.7	15 3.3	17 4.1	24 3.7	17 2.9	18 7.0	18 7.4	18 6.6	17 5.8	16 4.5	17 4.1	14
15	18 2.0	15 1.2	17 1.6	15 3.3	17 2.0	17 2.0	20 2.0	00 0.0	27 1.6	16 1.2	02 1.6	01 5.0	16 4.1	16 3.7	21 1.6	00 0.0	19 2.4	18 2.4	01 4.1	28 2.9	03 2.4	36 4.5	02 5.0	01 6.6	15
16	01 4.5	01 5.0	01 8.7	01 7.8	02 4.5	02 4.5	01 2.0	02 1.6	03 4.5	01 3.3	02 3.3	25 5.0	25 1.6	05 1.6	17 1.2	01 5.0	08 2.9	24 1.6	02 1.2	00 0.0	24 3.3	06 1.2	03 3.7	03 3.7	16
17	03 2.0	02 1.2	14 1.2	16 2.0	24 3.3	19 4.1	21 4.1	20 5.4	19 6.2	20 5.4	21 3.3	36 1.6	03 3.7	06 2.9	02 2.9	02 5.8	03 2.9	11 2.0	15 4.1	13 4.1	28 2.4	10 4.5	05 2.9	05 2.9	17
18	01 3.7	03 3.7	02 6.2	03 5.8	05 5.8	05 2.9	02 6.6	01 6.6	01 5.4	01 4.1	01 5.4	01 4.5	17 1.6	02 4.1	05 2.9	02 2.0	16 4.1	19 3.3	20 6.2	19 5.4	21 5.0	23 3.3	02 3.7	05 4.1	18
19	35 1.2	26 5.4	34 1.2	05 4.5	02 1.2	02 5.4	06 6.6	06 2.4	05 5.0	03 3.7	03 8.7	03 8.7	02 4.1	02 5.4	03 5.8	03 5.0	05 5.0	08 3.7	08 2.4	06 2.0	07 2.4	02 4.5	02 3.7	01 3.7	19
20	03 5.4	02 3.7	03 3.7	05 2.4	24 2.4	19 3.7	18 2.4	19 5.0	19 4.1	17 5.0	13 3.7	00 0.0	02 4.5	02 6.6	01 7.4	02 5.8	05 5.4	03 7.0	06 6.5	02 5.0	03 5.0	02 4.1	01 4.5	03 4.5	20
21	06 1.6	00 0.0	21 1.2	19 3.7	26 4.1	27 3.7	23 5.4	09 5.0	11 4.5	21 3.7	02 4.5	03 2.9	03 2.0	03 2.0	09 2.0	23 1.2	09 4.1	08 4.1	06 5.0	07 3.7	03 2.0	14 1.2	03 3.7	03 3.7	21
22	02 2.9	02 1.6	05 1.6	17 2.0	21 2.4	23 3.7	20 4.1	05 3.3	17 3.7	00 0.0	00 0.0	03 2.0	02 2.4	02 3.7	03 2.4	00 0.0	07 4.1	10 4.5	09 4.1	06 4.1	05 2.0	02 9.1	03 4.1	02 5.0	22
23	02 3.3	01 5.9	01 5.4	06 3.7	03 5.8	02 5.4	34 2.4	23 3.7	21 3.3	21 3.7	03 2.4	03 4.1	03 4.1	02 4.5	02 5.4	02 7.8	03 5.8	05 6.2	07 6.2	05 5.8	03 5.8	01 3.7	03 5.0	03 4.1	23
24	05 2.9	03 4.1	05 2.9	05 2.0	19 2.0	25 3.7	24 3.7	17 6.6	18 5.8	19 5.8	17 3.7	19 4.1	03 5.4	03 7.4	03 6.5	05 5.4	05 5.0	06 5.8	05 5.4	05 4.1	02 3.7	17 2.9	16 2.0	01 1.2	24
25	16 4.5	18 2.0	15 2.9	09 2.4	10 2.0	12 3.7	15 5.4	17 5.0	17 5.4	17 5.0	13 4.1	11 1.6	02 2.9	02 2.0	05 2.4	15 1.2	20 1.2	20 3.3	21 4.5	21 5.4	19 4.5	17 5.0	17 3.3	17 1.6	25
26	00 0.0	11 1.2	17 1.6	12 1.6	36 1.2	07 1.6	03 3.7	02 2.0	09 2.0	08 1.2	02 3.7	02 4.1	13 2.0	20 1.6	27 1.2	26 2.0	18 2.4	21 3.7	20 3.3	20 5.4	19 4.5	20 5.0	19 2.9	21 2.4	26
27	03 2.4	01 5.0	05 5.0	05 4.1	08 5.0	19 6.2	14 7.0	08 5.0	10 4.1	10 2.0	20 3.3	15 4.5	21 1.2	21 2.0	00 0.0	17 1.6	19 3.3	15 3.3	24 3.7	23 3.7	23 5.0	23 5.0	17 5.0	21 4.1	27
28	15 4.1	17 4.5	16 2.4	17 5.4	17 4.5	23 3.7	27 3.7	17 4.1	17 5.8	19 4.5	18 3.7	19 2.4	13 4.1	17 5.8	13 5.0	23 5.8	21 4.1	18 5.0	20 4.5	24 7.4	21 5.0	29 4.5	24 3.3	25 3.7	28
29	16 1.6	16 2.0	17 2.4	17 2.0	19 2.0	17 2.9	16 1.6	19 2.9	19 5.0	19 5.4	16 4.1	09 5.9	01 3.3	27 2.0	26 1.6	21 2.0	25 5.4	26 6.2	21 5.0	26 4.5	29 3.3	27 2.0	13 2.4	06 2.4	29
30	09 4.5	10 4.5	09 4.1	15 3.3	11 3.3	11 1.2	16 2.4	17 5.4	19 5.8	17 6.2	16 5.8	17 5.0	14 2.0	19 3.7	13 3.7	20 3.7	21 4.5	25 5.0	24 6.6	19 4.5	23 7.8	20 1.2	03 1.2	00 0.0	30
31	19 4.5	19 3.7	17 4.1	17 5.8	20 3.7	19 7.0	19 7.4	19 7.0	19 4.5	19 6.2	16 4.1	17 2.4	01 2.4	06 2.4	36 1.2	09 1.6	34 3.3	24 5.0	01 1.2	29 5.4	34 2.9	01 4.5	25 2.0	02 6.2	31
M	3.33	3.35	3.49	3.59	3.40	4.17	4.39	4.12	4.40	4.02	3.75	3.8[illegible]	2.90	3.23	3.07	3.15	3.60	3.84	4.52	4.90	4.20	3.76	3.11	3.15	M

Registreringer av vind D, v

(Records of wind: D, v)

1954

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_a = 25.6$ $h_d = 25.6$ $h_r = 1.6$

IX September

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	05 3.7	02 3.7	02 2.4	06 2.0	11 2.0	23 2.0	23 2.9	23 2.9	21 2.9	17 2.0	00 0.0	36 1.2
2	03 2.4	00 0.0	20 2.4	21 2.0	23 2.4	21 2.4	18 6.6	20 5.8	20 2.4	19 3.7	18 3.3	18 4.5
3	21 2.0	26 2.4	07 2.0	29 3.7	24 3.7	20 3.7	20 4.1	23 1.6	18 4.5	17 5.4	19 4.5	17 5.0
4	19 7.0	18 4.5	20 5.8	20 7.4	18 7.4	18 7.0	18 7.8	19 6.2	18 6.2	18 4.5	15 3.7	18 2.9
5	17 2.4	09 1.2	05 2.4	36 2.9	02 1.6	08 1.6	16 1.6	19 2.4	11 2.0	03 1.6	05 2.9	02 5.0
6	02 4.5	01 6.2	05 3.7	02 6.2	03 2.0	03 1.6	01 3.3	01 3.7	01 2.9	05 2.9	03 2.9	06 2.9
7	03 2.4	02 4.1	02 3.3	03 2.9	03 1.6	00 0.0	27 2.9	21 2.0	00 0.0	19 2.9	21 2.4	16 2.9
8	15 1.6	10 1.6	07 2.0	05 2.0	05 2.9	02 2.9	05 3.7	05 3.7	06 2.4	12 1.6	19 2.0	20 2.0
9	19 2.4	21 2.4	16 4.1	19 5.0	07 1.2	17 2.9	18 6.6	18 5.8	18 3.7	17 2.4	20 1.2	16 5.4
10	19 4.5	19 7.4	19 6.6	19 6.2	19 6.6	20 6.6	20 7.4	21 9.1	19 7.8	19 5.4	19 4.5	17 4.5
11	19 4.5	18 5.4	16 7.0	18 7.0	19 5.8	19 7.0	18 8.7	19 6.2	23 5.4	24 5.4	24 5.8	24 4.5
12	21 3.3	35 1.6	25 2.0	19 2.4	19 2.9	19 5.4	18 5.0	19 6.2	23 7.8	00 0.0	17 4.5	16 2.0
13	00 0.0	00 0.0	00 0.0	19 2.4	20 4.1	19 5.0	21 6.2	23 4.5	23 5.4	17 2.4	19 1.6	17 1.6
14	25 3.7	23 1.2	00 0.0	21 1.6	19 2.9	20 3.7	18 5.4	19 5.4	17 5.0	18 2.9	11 2.9	15 1.6
15	00 0.0	20 2.4	15 2.9	14 2.0	17 2.0	15 2.0	15 5.0	16 5.8	18 5.4	23 5.4	24 5.8	23 6.2
16	21 2.0	20 2.9	33 2.9	29 1.2	19 3.3	18 4.1	17 5.4	11 4.1	08 7.0	20 8.7	19 6.6	20 7.8
17	19 5.8	19 7.4	21 6.6	25 3.7	26 2.9	26 5.8	26 4.1	26 5.8	28 5.4	28 5.4	30 3.7	00 0.0
18	05 2.4	00 0.0	09 1.2	16 1.6	24 1.6	28 4.5	28 5.8	23 3.7	29 2.9	33 4.1	34 2.0	00 0.0
19	18 2.4	12 1.6	18 2.0	21 1.2	19 2.4	20 3.7	17 4.1	21 4.1	17 2.9	00 0.0	03 3.7	03 2.9
20	02 2.9	02 3.3	02 4.1	07 3.7	08 5.4	08 5.4	07 3.3	09 6.2	05 4.5	03 7.0	03 5.8	02 5.0
21	35 2.4	00 0.0	00 0.0	00 0.0	20 1.6	26 2.4	21 3.7	20 3.7	01 5.8	00 0.0	02 2.4	01 2.4
22	01 5.4	02 4.5	00 0.0	00 0.0	01 7.4	02 4.5	02 2.4	01 2.0	35 2.4	03 5.4	01 6.2	01 7.4
23	03 1.6	02 2.0	29 1.2	00 0.0	18 1.6	21 3.3	20 7.0	23 4.1	30 3.3	28 3.7	00 0.0	02 3.7
24	03 2.0	02 2.9	02 4.5	06 1.6	14 2.0	16 2.4	18 7.4	18 8.7	17 7.8	17 4.5	17 3.7	10 2.0
25	06 1.6	00 0.0	19 3.7	16 4.5	19 5.8	19 5.8	19 6.6	19 8.3	19 4.1	19 5.4	18 3.3	27 1.6
26	35 1.2	06 1.6	05 2.9	02 2.4	05 4.5	05 3.7	23 2.9	00 0.0	20 2.4	16 2.4	19 1.2	24 1.2
27	18 2.9	00 0.0	27 1.6	35 5.0	35 3.7	32 6.2	29 5.8	30 5.4	34 3.3	35 3.7	34 6.2	15 1.2
28	20 2.0	00 0.0	06 1.2	00 0.0	19 1.6	29 4.5	26 4.5	26 5.8	25 3.3	30 2.9	24 3.3	25 2.0
29	10 2.0	00 0.0	03 1.6	00 0.0	24 2.4	20 2.4	18 5.8	17 6.6	14 2.9	14 2.9	09 1.6	06 1.2
30	03 2.4	05 2.9	03 2.9	03 3.3	05 3.3	15 1.2	24 2.0	30 3.7	03 2.0	03 4.5	00 0.0	00 0.0
31												
M	2.78	2.44	2.77	2.80	3.29	3.79	4.93	4.78	4.13	3.64	3.26	3.02

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	00 0.0	00 0.0	10 1.2	17 1.6	05 2.4	02 4.5	02 4.5	35 6.2	02 3.3	35 3.7	11 2.0	01 4.5
2	28 2.0	17 1.2	11 1.2	23 1.6	16 1.2	17 2.0	20 3.7	21 3.7	34 1.2	05 2.0	03 2.9	03 2.4
3	03 3.3	03 2.0	03 2.4	03 2.0	00 0.0	24 2.4	19 2.0	19 4.5	18 4.5	21 3.7	23 2.0	23 1.6
4	24 2.0	28 1.6	00 0.0	02 2.0	17 3.7	18 2.4	00 0.0	00 0.0	03 1.6	03 2.0	02 2.4	02 4.5
5	02 4.1	03 4.1	03 5.0	02 4.1	06 2.4	08 2.0	08 2.4	09 3.7	09 3.7	10 3.7	07 2.9	06 2.9
6	06 3.7	06 2.9	05 2.4	12 2.0	08 2.4	10 2.9	10 5.8	07 3.7	03 3.3	05 5.8	06 5.8	02 4.5
7	03 5.8	01 4.1	01 4.5	36 2.9	05 3.3	09 2.9	26 1.2	00 0.0	11 1.2	05 2.0	01 2.0	02 2.4
8	00 0.0	03 2.0	05 1.6	05 1.2	24 1.2	16 1.6	20 2.0	26 2.0	00 0.0	06 1.2	03 2.9	03 2.4
9	03 2.4	05 2.0	00 0.0	17 1.6	20 2.4	23 4.1	20 7.8	21 6.6	19 6.2	19 5.8	19 4.5	19 5.8
10	23 4.5	05 1.2	29 1.2	19 2.0	21 6.2	21 7.4	19 6.2	21 6.2	21 6.6	24 5.4	28 2.9	35 2.9
11	27 1.2	24 3.3	21 1.2	35 2.0	20 3.7	20 6.2	20 7.8	20 6.2	23 3.7	00 0.0	19 5.0	17 2.4
12	05 1.2	00 0.0	00 0.0	00 0.0	20 3.7	20 5.8	19 3.3	21 7.4	20 8.7	20 7.0	19 6.2	23 4.5
13	00 0.0	23 3.7	26 4.1	26 5.0	23 6.6	19 4.1	17 5.8	19 4.5	25 3.7	21 1.6	19 9.1	19 8.7
14	21 7.8	21 8.7	21 6.6	24 4.5	26 5.0	28 6.6	29 6.6	27 5.8	28 3.3	29 4.1	28 1.2	02 2.4
15	00 0.0	06 1.6	02 3.3	02 2.9	26 1.2	18 2.4	23 2.4	21 2.0	02 3.7	05 1.6	06 2.4	03 7.0
16	01 6.6	02 4.5	02 4.5	02 7.0	03 6.2	02 9.5	05 10.8	03 9.5	03 8.7	01 7.8	01 6.6	02 5.4
17	05 4.5	28 1.0	02 1.0	32 0.5	19 1.0	20 1.0	24 3.0	21 2.5	05 0.5	03 1.5	03 2.0	00 0.0
18	03 1.0	00 0.0	02 1.0	02 1.2	02 2.9	01 3.7	03 2.0	02 2.9	06 4.1	02 2.4	02 3.3	02 3.3
19	03 4.1	05 3.3	05 5.0	05 6.2	02 10.3	02 7.8	02 9.5	02 9.1	02 9.5	01 4.5	24 3.3	02 2.9
20	34 1.6	03 1.2	00 0.0	00 0.0	16 3.7	00 0.0	05 1.2	26 1.6	29 1.6	02 2.4	16 1.6	03 1.6
21	36 2.9	03 2.4	32 2.9	00 0.0	23 2.9	23 2.4	21 4.5	26 1.6	00 0.0	00 0.0	07 2.0	24 1.6
22	23 2.4	21 3.3	05 2.4	27 1.6	21 5.4	23 3.3	19 2.4	25 1.2	03 2.4	03 2.0	06 1.2	00 0.0
23	00 0.0	03 2.9	08 2.0	00 0.0	18 0.8	27 2.5	27 3.5	21 2.2	20 0.2	00 0.0	03 2.0	05 2.2
24	08 1.9	18 4.0	20 3.2	18 4.5	18 4.8	18 4.5	19 3.2	18 1.8	00 0.0	01 6.2	03 7.0	03 3.7
25	18 6.2	18 6.6	18 6.2	19 7.0	19 7.4	18 8.7	19 8.3	19 8.7	19 7.0	19 5.8	20 4.1	18 3.7
26	00 0.0	17 1.2	10 2.4	34 1.2	26 1.2	26 3.7	32 2.9	35 3.7	35 5.0	34 4.5	02 3.7	05 1.2
27	09 2.4	03 1.2	03 3.7	00 0.0	19 1.6	08 2.0	00 0.0	07 3.7	03 3.3	03 4.5	03 3.7	03 3.7
28	03 4.1	05 3.7	03 4.1	06 3.3	05 4.1	07 4.5	03 4.1	02 2.4	03 4.1	35 2.0	00 0.0	00 0.0
29	03 1.6	03 3.7	00 0.0	20 2.0	32 1.6	18 1.6	36 2.0	03 4.1	09 4.5	18 4.5	17 6.2	18 9.1
30	19 8.7	19 8.7	19 6.6	20 5.8	21 7.0	20 7.8	20 7.0	18 5.8	20 4.1	24 2.0	20 1.6	00 0.0
31	21 1.6	00 0.0	00 0.0	06 1.6	06 1.6	00 0.0	00 0.0	00 0.0	02 1.6	00 0.0	00 0.0	00 0.0
M	2.83	2.78	2.57	2.49	3.48	3.88	4.06	3.98	3.59	3.22	3.31	3.14

XI November

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	00 0.0	05 2.4	18 1.2	00 0.0	00 0.0	07 1.2	08 1.6	00 0.0	02 2.0	00 0.0	03 2.4	02 2.9
2	35 1.6	03 2.0	14 1.6	11 2.0	01 2.0	03 5.0	03 5.4	02 3.7	03 2.4	05 1.6	29 2.0	03 2.0
3	02 4.1	03 2.4	01 3.3	03 2.9	02 4.1	06 5.0	01 4.5	02 4.5	03 3.3	05 2.4	11 2.0	10 1.2
4	23 2.4	17 2.0	19 4.5	17 7.0	19 5.4	17 7.0	18 5.8	18 5.4	19 7.8	19 7.0	19 6.6	18 4.5
5	19 3.7	21 5.8	20 4.5	19 2.0	21 3.7	23 4.1	21 5.0	25 4.1	25 3.3	00 0.0	20 2.0	24 1.2
6	00 0.0	11 1.2	24 1.6	24 2.9	00 0.0	21 1.6	00 0.0	25 1.2	00 0.0	00 0.0	00 0.0	07 2.0
7	00 0.0	25 1.6	00 0.0	00 0.0	01 1.2	02 2.9	21 1.6	03 3.3	01 3.7	36 2.4	03 5.8	03 3.7
8	00 0.0	01 2.0	02 2.0	03 3.3	09 1.2	01 1.6	03 1.6	10 2.0	03 2.0	07 2.4	15 2.9	11 4.1
9	06 2.4	09 3.7	08 5.4	05 5.4	03 4.5	03 4.5	03 5.8	03 6.2	02 6.6	01 6.6	01 6.6	01 3.7
10	00 0.0	00 0.0	29 1.6	00 0.0	21 1.2	00 0.0	21 2.4	02 2.4	02 3.3	03 3.3	03 3.7	05 2.4
11	18 5.4	18 6.2	19 7.8	17 5.4	03 2.4	15 1.2	23 3.7	24 3.3	18 1.2	11 3.7	12 6.2	03 4.1
12	18 4.5	20 8.3	21 5.8	27 3.3	27 5.8	25 4.5	26 5.8	20 2.0	03 4.5	03 3.7	03 5.4	02 7.0
13	02 7.8	01 7.8	36 6.6	14 3.3	30 2.0	00 0.0	18 2.4	19 2.0	03 1.6	00 0.0	03 3.3	01 3.7
14	02 8.3	02 7.4	36 7.4	36 9.1	36 9.1	36 6.6	36 6.6	01 4.5	03 1.6	03 4.1	02 3.3	05 1.6
15	01 4.5	36 4.1	01 5.8	36 9.1	01 6.6	36 5.8	36 6.2	36 3.7	35 2.4	02 1.6	00 0.0	35 2.0
16	08 2.0	00 0.0	00 0.0	03 1.6	08 1.2	00 0.0	26 2.0	00 0.0	05 1.2	02 1.6	02 2.0	05 2.4
17	05 1.6	25 1.6	01 2.0	01 3.7	00 0.0	09 1.2	00 0.0	35 2.4	01 2.0	01 4.1	00 0.0	02 2.4
18	14 1.6	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	18 1.6	24 1.6	14 2.0	16 1.6
19	17 1.6	17 2.4	17 3.7	17 2.4	17 2.9	16 3.3	17 3.3	15 3.3	17 2.9	17 2.9	17 3.3	17 1.6
20	15 2.0	17 2.0	14 1.2	14 1.2	00 0.0	12 2.0	00 0.0	00 0.0	10 2.0	07 1.6	09 2.0	06 1.6
21	07 2.0	00 0.0	06 2.4	06 2.0	00 0.0	00 0.0	06 2.0	00 0.0	12 1.6	14 1.6	15 2.0	15 1.6
22	14 2.4	00 0.0	03 1.2	03 2.0	06 2.0	17 2.9	18 1.2	12 3.7	14 2.0	15 4.1	07 2.4	10 2.4
23	10 4.1	09 3.7	09 3.3	06 1.6	10 1.6	06 2.9	06 2.9	02 4.5	03 4.5	05 4.5	02 5.8	05 4.5
24	05 6.6	03 5.8	03 5.8	03 5.4	05 6.6	03 5.8	05 5.0	05 5.4	05 5.8	05 6.2	06 5.8	07 6.6
25	07 6.2	07 5.8	08 5.4	08 5.8	08 4.5	10 2.4	11 3.7	08 4.1	10 4.1	08 3.3	08 3.3	08 4.1
26	10 2.4	07 4.1	07 2.4	08 3.7	09 2.4	05 2.0	08 2.4	03 2.0	07 3.3	07 4.5	05 3.3	06 4.1
27	03 3.3	03 4.5	08 5.0	05 3.3	07 6.2	09 2.9	07 3.7	07 4.5	12 2.0	14 5.0	15 4.1	16 5.8
28	14 5.8	11 5.4	11 5.0	02 2.0	05 3.7	12 4.1	06 4.5	10 2.9	06 3.7	06 4.5	05 4.5	03 4.5
29	05 4.5	03 3.7	05 4.1	02 3.7	03 5.4	02 4.1	02 3.7	05 3.7	03 3.3	05 3.7	05 4.1	03 3.3
30	02 3.7	05 4.5	05 4.5	07 4.1	08 5.4	10 3.7	09 2.0	10 6.2	09 5.4	09 6.2	06 4.5	05 2.9
M	3.15	3.35	3.50	3.27	3.04	2.94	3.16	3.03	3.04	3.14	3.38	3.18

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	03 3.7	03 4.5	02 3.7	02 3.7	02 4.5	02 4.5	02 5.0	02 4.1	02 3.7	01 3.7	05 2.4	00 0.0
2	02 1.2	05 4.1	09 1.2	02 2.9	18 3.7	19 8.3	18 8.7	18 8.7	19 6.6	18 6.2	18 7.0	19 6.2
3	21 4.5	20 3.7	20 5.8	19 7.0	20 4.1	19 4.5	19 5.0	30 1.2	25 3.3	21 1.2	20 2.9	14 3.3
4	09 1.2	34 2.0	18 1.2	16 3.7	19 3.7	17 4.5	15 3.7	09 2.0	15 2.0	10 2.0	00 0.0	06 2.0
5	02 5.4	01 5.0	05 5.8	21 1.6	12 1.2	00 0.0	01 3.3	01 7.4	01 6.6	34 7.8	01 4.5	35 5.4
6	01 6.2	06 1.2	07 2.4	02 3.7	05 3.7	06 3.7	36 5.0	02 2.0	05 2.9	02 1.6	02 1.6	01 3.3
7	02 2.4	00 0.0	02 2.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	05 1.6	00 0.0	00 0.0	03 4.5
8	03 2.4	00 0.0	03 1.6	05 3.3	00 0.0	02 2.4	05 2.0	36 2.0	06 2.0	03 2.4	03 2.9	02 3.7
9	03 2.9	03 5.0	06 4.5	06 5.0	07 6.2	07 5.0	10 8.3	06 7.8	07 7.4	07 6.6	09 5.4	07 3.3
10	10 5.4	11 4.5	12 3.7	14 6.6	17 4.5	18 5.4	17 5.8	17 6.6	19 7.4	19 6.6	19 7.4	20 7.4
11	19 8.7	19 6.6	19 6.6	19 5.8	18 3.7	18 5.8	20 5.4	21 4.1	18 3.7	20 2.0	18 2.0	15 3.3
12	00 0.0	05 3.7	03 5.4	02 3.7	01 3.3	01 5.4	36 7.0	17 1.2	23 2.0	23 3.7	21 3.7	19 4.5
13	23 2.4	18 1.6	08 1.2	10 2.0	08 3.7	09 4.1	09 5.0	09 4.5	08 7.0	05 5.8	09 4.5	10 4.5
14	14 4.5	14 1.2	19 4.5	17 3.3	17 2.9	00 0.0	20 1.2	00 0.0	17 2.4	14 2.0	19 1.6	14 1.2
15	18 8.3	18 7.4	17 7.4	18 5.0	23 2.9	26 1.2	25 2.0	23 4.1	24 3.3	28 3.7	30 5.8	28 2.4
16	26 4.1	26 4.5	09 2.4	12 4.5	06 2.0	08 1.2	00 0.0	03 1.6	03 1.6	05 3.3	05 1.6	14 2.0
17	00 0.0	00 0.0	25 2.0	25 1.6	20 2.0	19 3.7	26 2.4	33 3.3	10 2.4	00 0.0	21 2.0	19 2.0
18	29 1.6	19 4.1	24 5.4	17 5.8	20 6.2	20 7.4	20 7.8	20 5.0	20 2.4	24 3.7	00 0.0	24 1.2
19	26 6.6	26 3.7	25 2.0	27 3.3	25 4.5	26 6.6	25 6.6	21 6.2	24 2.9	18 4.1	19 5.4	18 4.5
20	00 0.0	20 4.5	24 2.4	23 1.6	19 2.9	25 2.4	21 5.0	23 5.4	18 3.3	32 6.6	30 7.4	23 2.0
21	29 2.4	30 8.7	23 5.0	27 3.3	20 3.3	19 1.2	23 2.4	16 2.4	06 1.2	05 4.5	02 9.5	02 10.8
22	02 9.9	01 7.8	01 7.8	02 7.4	03 5.4	01 4.5	02 2.0	09 1.6	09 1.2	00 0.0	00 0.0	02 3.7
23	02 3.3	01 5.8	02 5.0	05 5.8	01 3.7	35 2.9	03 4.5	01 9.9	01 8.7	01 7.0	01 7.8	02 6.6
24	01 6.2	01 7.8	01 6.6	01 6.2	01 5.4	36 6.2	01 6.6	34 5.4	02 3.3	05 2.4	05 3.3	09 1.6
25	00 0.0	03 1.6	03 2.0	00 0.0	00 0.0	00 0.0	00 0.0	05 1.6	00 0.0	01 1.2	01 2.0	36 1.6
26	00 0.0	01 2.0	27 1.6	00 0.0	05 4.1	03 5.4	03 5.8	02 6.2	03 6.2	05 3.7	02 3.7	02 3.7
27	01 5.4	01 4.1	02 6.2	01 5.0	34 1.6	02 2.9	02 2.4	05 2.0	03 2.0	01 2.9	01 2.0	00 0.0
28	03 1.2	00 0.0	00 0.0	03 1.6	05 2.4	02 1.2	00 0.0	24 1.2	23 1.6	02 3.3	02 2.4	00 0.0
29	02 3.7	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
30	00 0.0	00 0.0	00 0.0	32 1.2	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0
31	00 0.0	00 0.0	06 1.2	00 0.0	00 0.0	00 0.0	00 0.0	00 0.0	20 0.9	00 0.0	21 0.3	20 0.9
M	3.34	3.39	3.44	3.37	2.95	3.24	3.64	3.47	3.21	3.16	3.20	3.08

Registreringer av nedbør R

(Records of precipitation: R)

1954

Oslo (Blindern) $\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_t = 94$ $H_b = 95.6$ $h_t = 2.2$ $h_s = 25.6$ $h_d = 25.6$ $h_r = 1.6$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
11	-	-	-	-	-	-	-	-	0.5	0.5	1.4	0.1	2.5	4.0
13	-	-	-	-	0.1	0.5	1.0	0.4	0.8	1.0	0.5	1.2	5.5	11.0
14	0.9	1.2	1.3	1.8	1.3	1.8	0.9	0.1	0.3	0.7	0.1	0.3	10.7	15.0
15	0.2	-	-	-	-	-	0.3	1.5	0.7	2.3	2.6	1.3	8.9	10.0
16	1.0	1.4*	1.4*	1.6*	-	-	-	-	-	-	-	-	5.4	8.0
19	-	-	-	1.4	1.6	2.3	4.5	2.7	1.6	3.0	2.4	1.1	20.6	15.0
20	1.1	0.1	0.4	1.4	-	-	-	-	-	-	-	-	3.0	4.0
21	-	-	-	-	-	-	0.1	-	-	-	-	-	0.1	0.5
	3.2	2.7	3.1	6.2	3.0	4.6	6.8	4.7	3.9	7.5	7.0	4.0	56.7	67.5

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
7	0.6	-	0.0	0.1	0.0	0.4	0.1	0.1	0.1	-	-	-	1.4	4.0
8	-	-	-	-	-	-	-	-	-	-	0.0	0.2	0.2	1.0
9	1.3	0.7	-	-	-	-	-	-	-	-	-	0.1	2.1	3.0
10	-	-	-	-	0.1	0.3	0.1	0.1	0.1	0.0	-	0.1	0.8	3.0
11	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
17	-	0.1	-	-	-	-	0.1	0.1	0.5	0.4	0.4	0.5	2.1	6.0
18	0.9	0.7	0.9	0.5	0.1	0.1	0.2	-	-	-	-	0.0	3.4	8.0
21	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	1.0
22	-	-	-	0.2	0.8	1.2	0.6	-	0.1	0.1	0.1	0.2	3.3	6.0
23	0.5	0.1	0.5	0.5	0.7	0.9	0.5	0.0	0.1	0.1	0.0	0.1	4.0	8.5
24	-	-	0.4	2.3	3.2	1.6	1.0	0.4	1.0	1.0	0.6	1.0	12.5	15.0
25	0.3	0.2	0.2	0.6	-	-	0.1	-	-	0.4	-	0.4	2.2	5.0
26	0.9	1.3	1.3	1.4	0.9	0.8	1.5	0.3	-	0.2	1.1	0.7	10.4	12.0
27	0.1	-	-	0.1	0.9	0.3	0.3	0.1	0.5	1.2	0.2	-	3.7	7.0
28	0.3	0.1	0.2	0.0	-	-	-	0.1	0.4	0.6	0.4	0.1	2.2	5.5
	5.0	3.2	3.5	5.7	6.7	5.6	4.5	1.2	2.8	4.0	2.8	3.5	48.5	85.5

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
1	0.3	0.1	0.5	0.8	0.3	0.0	-	-	-	-	-	-	2.0	4.5
2	0.1	0.3	0.3	0.4	0.1	0.2	0.5	-	0.1	-	0.1	-	2.1	9.0
3	-	-	-	0.1	-	-	-	-	-	-	-	-	0.1	0.5
4	-	-	0.2	1.6	1.1	0.2	0.1	-	-	-	1.8	1.0	6.0	9.0
5	1.1	0.5	1.1	0.8	-	0.1	0.6	0.2	0.2	0.4	-	-	5.0	13.0
6	0.1	-	-	0.1	-	-	-	-	-	-	-	-	0.2	1.0
7	0.1	-	-	-	-	0.3	0.5	0.8	1.9	1.7	2.0	2.0	9.3	13.0
8	0.2	-	0.1	0.0	0.7	0.1	-	0.1	0.1	0.1	-	-	1.4	4.0
10	-	-	-	-	-	-	-	0.4	0.4	0.3	-	0.4	1.5	3.0
11	-	0.0	0.1	-	-	-	-	-	-	-	-	-	0.1	1.5
12	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
19	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.5
21	-	-	1.0	1.7	0.2	1.4	2.6	-	-	-	-	-	6.9	6.0
22	0.1	-	0.1	0.2	-	-	-	-	0.4	0.8	-	-	1.6	4.5
23	-	-	0.1	-	-	-	-	-	-	-	-	-	0.1	0.5
24	0.1	-	-	-	-	-	0.6	-	-	-	-	-	0.7	1.5
26	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.2	1.5
31	0.3	0.1	0.2	-	-	-	-	-	-	-	-	-	0.6	1.0
	2.5	1.0	3.7	5.7	2.4	2.3	4.9	1.6	3.2	3.3	3.9	3.5	38.0	74.5

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
1	-	-	-	0.4	1.0	0.6	0.4	0.7	0.3	0.5	0.1	-	4.0	7.0
3	-	0.2	0.2	0.6	-	0.6	0.5	-	-	-	-	-	2.1	5.5
4	-	0.6	0.5	0.3	-	-	0.2	-	-	-	-	-	1.6	4.0
13	-	-	-	-	-	-	0.1	-	-	-	-	-	0.1	0.5
14	-	-	-	-	-	-	0.1	3.8	2.0	0.4	-	-	6.3	3.5
15	-	-	-	-	0.2	-	-	-	-	-	-	-	0.2	0.5
18	-	-	-	0.1	-	-	-	-	-	-	-	-	0.1	0.5
29	-	-	0.1	0.5	0.4	0.0	-	-	-	-	-	-	1.0	4.0
	-	0.8	0.8	1.9	1.6	1.2	1.3	4.5	2.3	0.9	0.1	-	15.4	25.5

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
1	0.1	0.5	0.2	0.1	-	0.1	0.7	0.6	-	-	-	-	2.3	3.5
2	0.1	0.2	-	-	-	-	-	-	-	-	-	-	0.3	1.0
3	-	-	-	-	-	0.2	0.4	-	-	-	-	-	0.6	2.0
4	0.4	0.2	-	-	-	-	-	-	-	-	-	-	0.6	1.5
5	-	-	-	-	2.4	2.7	1.1	0.2	0.2	0.1	-	0.2	6.9	5.0
6	0.6	0.1	0.1	-	-	-	-	-	-	-	-	-	0.8	1.5
7	0.2	0.1	-	-	-	-	-	-	-	-	-	-	0.3	1.0
14	-	-	-	-	-	-	-	-	0.1	0.1	-	0.1	0.3	1.0
15	-	-	-	-	-	-	-	-	0.8	0.2	-	-	1.0	1.5
18	-	-	-	0.1	-	-	-	-	-	-	-	-	0.1	0.5
19	-	-	-	-	0.2	0.2	0.1	-	-	-	-	-	0.5	2.5
20	-	0.1	0.2	-	-	-	0.2	-	0.3	1.1	-	0.3	2.2	3.5
21	0.1	-	-	0.1	0.6	0.2	-	-	-	3.3	-	0.2	4.5	3.0
22	1.6	2.9	0.2	1.8	1.5	1.1	0.8	0.1	0.2	0.8	-	-	11.0	10.5
23	0.6	0.1	-	-	-	-	-	0.1	0.1	0.5	0.7	1.5	3.6	4.0
24	1.3	3.2	1.5	0.1	-	-	-	-	0.1	1.0	-	-	7.2	6.5
25	0.4	-	-	-	-	-	-	-	-	-	-	-	0.4	0.5
	5.4	7.4	2.2	2.2	4.7	4.5	3.3	1.0	1.8	7.1	0.7	2.3	42.6	46.0

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
8	0.1	-	2.5	4.2	0.3	-	-	-	1.0	0.7	-	-	8.8	6.0
9	-	0.0	-	-	-	1.5	2.1	1.5	0.8	0.4	-	0.0	6.3	6.5
10	0.1	-	-	-	-	-	0.2	-	0.2	1.5	0.2	-	2.2	2.0
11	-	-	-	-	-	-	0.8	0.0	-	-	-	-	0.8	1.5
12	1.2	0.0	0.1	0.7	-	0.5	2.2	1.3	0.1	0.2	-	-	6.3	4.5
13	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2	0.5
15	-	0.1	-	0.5	0.2	-	0.4	-	-	-	-	-	1.2	2.0
16	-	-	-	-	-	-	0.6	-	0.2	-	-	-	0.8	1.0
17	-	-	-	-	-	-	-	-	-	-	0.7	0.0	0.7	1.0
18	0.1	0.0	0.1	-	-	-	-	-	-	-	-	-	0.2	0.5
19	-	-	0.6	0.2	-	0.3	-	-	-	0.5	1.8	0.2	3.6	4.5
20	-	0.1	-	0.1	-	-	2.9	1.2	-	0.1	-	-	4.4	2.5
21	-	-	0.0	-	-	-	-	-	-	-	-	-	0.0	0.5
23	-	-	-	-	-	-	1.6	1.8	0.7	0.1	5.7	2.2	12.1	7.0
24	0.9	-	-	-	-	-	-	-	-	-	-	-	0.9	1.0
26	0.3	0.1	-	-	3.0	2.2	3.1	1.1	-	-	-	-	9.8	7.0
27	-	0.1	0.3	0.8	1.8	0.2	1.0	1.1	-	0.5	-	0.1	5.9	5.0
28	-	0.1	0.2	-	-	-	-	0.5	0.1	-	-	-	0.9	1.5
29	-	-	-	-	-	-	-	-	1.6	-	-	-	1.6	1.0
30	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
	2.8	0.5	3.8	6.5	5.3	4.7	15.0	8.6	4.7	4.0	8.4	2.5	66.8	56.0

Registreringer av nedbør R

(Records of precipitation: R)

1954

Oslo (Blindern) φ = 59° 56′ N λ = 10° 44′ E g = 9.819 $\Delta G = +1^h$ H_t = 94 H_b = 95.6 h_t = 2.2 h_s = 25.6 h_d = 25.6 h_r = 1.6

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
2	-	-	-	-	-	-	-	0.2	-	-	-	-	0.2	0.5
4	-	-	-	-	-	-	0.9	0.4	-	0.1	-	-	1.4	2.0
5	0.5	1.6	-	-	-	-	-	-	-	-	-	-	2.1	2.0
6	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.5
7	-	0.9	0.1	-	-	-	-	-	-	0.1	-	-	1.1	0.5
8	-	-	-	-	2.4	-	-	-	-	-	-	-	2.4	0.5
10	-	-	-	-	0.1	-	-	0.1	0.5	0.6	-	0.2	1.5	2.5
11	-	-	-	-	0.1	-	-	-	-	-	0.0	-	0.1	0.5
13	-	-	-	-	0.1	-	-	-	-	-	0.1	-	0.2	1.0
14	0.1	-	3.5	-	-	0.4	6.2	-	-	-	-	-	10.2	3.0
15	-	-	0.1	1.3	0.2	1.4	2.0	0.1	1.0	1.1	-	0.2	7.4	9.5
16	-	0.1	0.1	0.1	3.0	4.6	2.3	0.8	0.1	0.5	-	-	11.6	6.5
21	-	-	-	-	0.1	-	-	-	0.1	-	-	-	0.2	0.5
23	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
24	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.5
25	-	0.1	0.9	0.2	8.9	0.5	0.3	0.5	0.3	-	-	0.0	11.7	5.5
26	-	-	-	-	0.4	-	-	-	-	-	-	-	0.4	0.5
27	-	-	-	-	-	-	0.1	1.0	3.0	9.9	4.3	1.2	19.5	9.5
28	0.2	-	-	0.1	-	0.5	1.0	0.4	0.1	0.1	-	-	2.4	4.5
30	-	0.1	0.1	-	0.3	1.2	0.8	4.4	-	0.3	0.1	-	7.3	5.0
31	-	-	-	0.5	-	-	-	-	1.2	-	-	-	1.7	2.0
	0.9	2.8	4.8	2.2	15.6	8.6	13.6	7.9	6.3	12.7	4.5	1.8	81.7	57.5

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
1	-	-	-	-	0.1	0.3	-	-	7.6	0.5	-	-	8.5	1.5
2	-	0.1	-	0.1	-	-	-	-	-	-	-	-	0.2	0.5
3	-	0.1	-	0.2	-	-	-	-	-	-	-	-	0.3	0.5
7	-	-	0.7	0.3	2.9	0.6	0.2	1.0	7.1	1.9	-	-	14.7	10.5
8	-	0.1	-	-	-	-	-	-	-	-	-	-	0.1	0.5
9	4.1	2.4	9.6	4.7	-	0.4	-	-	7.5	-	-	-	28.7	7.0
10	0.1	-	-	0.1	-	-	-	2.9	2.6	0.8	0.2	0.1	6.8	3.5
11	-	-	-	0.2	-	-	-	-	-	3.7	2.1	-	6.0	2.5
12	-	0.1	-	0.2	-	0.1	-	0.7	0.4	0.6	0.1	-	2.2	3.0
13	-	-	-	-	-	5.9	1.0	-	-	-	0.1	-	7.0	3.0
14	0.1	-	-	-	-	-	-	-	-	0.0	-	-	0.1	0.5
17	-	-	-	-	-	-	-	-	0.0	-	1.5	-	1.5	0.5
18	2.1	0.1	-	-	-	-	-	-	-	-	0.0	-	2.2	1.0
29	-	-	-	-	-	-	-	-	-	-	0.1	-	0.1	0.5
30	0.1	0.6	1.2	1.0	-	-	-	-	-	-	-	-	2.9	1.5
31	-	-	-	-	-	-	0.0	-	-	-	-	-	0.0	0.5
	6.5	3.5	11.5	6.8	3.0	7.3	1.2	4.6	25.2	7.5	4.1	0.1	81.3	37.0

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
1	-	-	-	-	-	-	-	-	-	-	0.1	-	0.1	0.5
2	0.1	-	0.2	-	-	-	-	-	-	-	-	-	0.3	0.5
3	-	0.0	-	-	-	-	-	-	-	-	-	-	0.0	0.5
5	-	0.2	0.2	0.6	0.0	-	-	-	-	-	-	-	1.0	1.5
6	-	-	-	-	2.1	0.1	-	-	-	-	-	0.2	2.4	2.0
7	0.3	0.3	1.6	0.8	0.3	-	0.1	-	-	-	-	-	3.4	3.0
8	-	-	-	-	-	-	-	0.1	-	2.4	-	-	2.5	1.0
9	-	-	4.2	2.1	7.2	3.1	1.6	0.1	-	-	7.1	3.6	29.0	9.0
10	2.1	2.4	-	0.3	1.0	-	-	-	-	-	-	0.1	5.9	3.0
11	0.1	1.9	1.1	6.3	0.1	-	0.3	-	0.1	-	-	-	9.9	4.5
15	-	-	-	-	-	0.2	1.3	5.0	0.2	-	-	-	6.7	5.5
16	-	-	-	-	-	-	-	2.8	2.8	0.8	-	-	6.4	5.0
17	-	-	0.1	1.0	0.1	0.4	-	-	-	0.1	-	-	1.7	2.0
20	-	-	0.1	-	0.5	1.5	-	-	-	-	-	-	2.1	3.5
21	1.8	0.6	-	-	-	-	-	-	-	-	-	-	2.4	3.5
24	-	-	-	-	-	0.3	-	0.3	5.7	5.6	1.7	7.6	21.2	9.5
25	1.2	-	-	0.1	-	0.1	-	-	-	-	0.1	-	1.5	1.5
26	-	-	-	0.4	-	-	-	-	-	0.0	0.1	-	0.5	0.5
27	0.1	3.6	0.1	0.1	-	-	-	-	-	-	-	-	3.9	2.5
29	-	-	-	-	-	-	0.1	-	0.1	0.1	-	-	0.3	0.5
30	0.1	-	-	-	0.1	-	-	1.0	0.3	-	-	-	1.5	2.0
	5.8	9.0	7.6	11.7	11.4	5.7	3.4	9.3	9.2	9.0	9.1	11.5	102.7	61.5

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
3	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.5
4	-	-	-	-	-	0.4	0.4	-	-	-	-	-	0.8	1.5
5	-	-	-	-	-	-	0.6	0.3	0.3	-	0.5	0.2	1.9	4.5
6	-	0.1	-	-	-	-	-	-	-	-	-	-	0.1	0.5
9	-	-	-	-	-	-	-	-	0.7	0.4	0.2	-	1.3	3.0
13	-	-	-	-	-	-	-	1.4	-	-	-	-	1.4	0.5
16	-	-	0.0	-	0.1	0.5	0.1	-	-	-	-	-	0.7	1.5
18	0.1	-	-	-	0.5	0.1	-	-	-	-	-	-	0.7	2.0
19	-	-	-	0.1	3.4	4.0	1.4	0.2	-	-	-	-	9.1	6.0
23	-	-	-	-	-	-	-	-	-	-	0.1	1.3	1.4	2.0
24	2.6	2.7	0.9	0.7	-	-	1.4	4.1	2.7	2.3	4.6	2.4	24.4	14.0
25	4.4	0.1	-	-	-	-	-	-	-	-	-	-	4.5	1.5
26	-	-	-	0.0	-	-	-	-	-	-	-	-	0.0	0.5
29	-	-	-	-	-	-	0.7	2.6	0.6	1.0	-	-	4.9	5.5
30	0.1	6.1	0.1	0.1	-	1.1*	1.3*	1.1*	1.2*	1.2*	1.2*	1.2*	14.7*	8.0*
31	1.8*	2.1*	2.0*	2.8*	-	-	-	-	-	-	-	-	8.7*	8.0*
	-	0.1	-	-	-	-	-	-	-	-	-	-	0.1	0.5
	9.0	11.2	3.0	3.7	4.0	6.1	5.9	9.7	5.5	4.9	6.6	5.2	74.8	60.0

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
2	-	-	-	-	0.4	0.6	-	-	-	-	-	-	1.0	2.0
4	-	0.1	-	-	0.1	0.5	-	-	-	0.3	-	-	1.0	1.5
9	-	-	-	-	-	-	-	0.5	0.6	0.3	0.1	0.1	1.6	4.0
10	0.3	0.2	-	-	-	-	-	-	-	-	0.3	1.6	2.4	5.0
11	1.1	0.5	0.4	1.8	3.1	-	-	-	-	0.2	2.0	3.8	12.9	10.0
12	-	0.1	-	-	-	-	-	-	-	-	-	-	0.1	0.5
13	0.6	-	-	-	-	-	-	-	-	-	-	-	0.6	0.5
14	1.3	3.2	1.2	0.3	-	-	-	-	-	-	-	-	6.0	6.0
18	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	1.0
19	0.2	0.3	0.6	0.6	0.3	0.1	0.2	0.1	0.5	1.2	1.1	0.5	5.7	13.5
20	0.5	0.4	0.7	0.5	0.4	0.6	0.4	0.4	0.3	0.6	0.7	0.6	6.1	20.0
21	0.2	0.7	0.3	0.3	1.0	0.5	0.2	-	0.3	0.1	0.2	0.3	4.1	16.0
22	0.1	0.2	0.1	-	0.5	-	-	-	-	-	-	-	0.9	5.5
24	-	-	-	-	-	0.1	0.1	0.1	-	-	0.1	-	0.4	1.0
25	-	-	-	-	0.4	0.2	-	0.1	-	-	0.1	-	0.8	2.5
26	-	0.2	0.1	1.6	0.5	0.1	0.7	0.4	0.5	0.2	-	0.4	4.7	9.0
27	0.5	0.7	0.5	-	-	0.1	1.1	0.9	0.5	0.3	-	0.1	4.7	8.0
28	-	-	-	-	-	-	-	0.5	0.7	0.6	0.3	0.3	2.4	6.0
29	0.4	0.2	0.8	6.0	3.5	2.4	2.5	2.0	1.7	2.9	3.4	1.1	26.9	20.5
30	0.7	0.9	0.1	0.1	-	-	-	-	0.2	1.4	0.6	1.1	5.1	7.5
	5.9	7.7	4.8	11.2	10.2	5.2	5.2	5.0	5.3	8.1	8.9	10.1	87.6	140.0

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Dauer in Stunden
1	3.7	3.6	0.3	0.2	-	-	-	0.7	1.2	0.3	-	-	10.0	7.5
2	-	-	-	0.1	0.2	0.3	0.1	0.1	0.4	3.9	2.2	1.5	8.8	6.5
4	-	0.1	-	-	-	-	0.9	2.6	0.3	0.1	0.9	0.1	5.0	4.5
5	1.2	1.2	0.1	-	-	-	-	-	-	-	-	-	2.5	3.0
8	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5
9	-	-	-	-	-	-	-	0.8	3.6	3.4	0.7	0.3	8.8	8.0
10	2.0	0.2	1.2	0.2	0.1	0.1	-	0.2	-	-	-	-	4.0	3.5
11	-	-	-	-	0.9	1.0	1.1	0.5	0.3	-	0.4	-	4.2	8.0
13	-	0.2	0.1	0.2	0.2	-	-	0.1	0.4	1.9	0.3	0.3	3.7	4.0
14	1.1	1.1	-	-	-	-	-	-	-	-	0.1	-	2.3	2.0
15	1.4	1.8	1.2	0.4	0.3	-	-	-	0.1	-	-	-	5.2	7.5
17	0.1	-	-	0.5	-	0.2	-	-	-	-	-	-	0.8	1.5
21	-	-	-	-	-	-	-	-	-	-	0.4	0.6	1.0	3.0
22	0.2	-	-	-	-	-	-	-	-	-	-	-	0.2	1.0
26	-	-	-	-	-	-	-	-	0.3	0.5	1.4	1.2	3.4	6.5
27	0.3	0.1	-	-	-	-	-	-	-	-	-	0.0	0.4	2.5
28	-	-	-	-	0.1	-	0.1	0.4	-	-	-	-	0.6	1.0
31	-	0.2	0.1	0.1	-	0.1	0.1	0.1	0.1	0.2	-	-	1.0	2.5
	10.1	8.5	3.0	1.7	1.8	1.7	2.3	5.5	6.7	10.3	6.4	4.0	62.0	73.0

Avvikelse i lufttrykksmidlene 1954 fra de tilsvarende midler i perioden 1901—1930, ΔP

(Departures of the mean atmospheric pressures for 1954 from the corresponding mean atmospheric pressures for the period 1901—1930: ΔP)

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Dombås	62° 4′	9° 7′	5.2	7.2	- 0.5	5.3	5.2	- 3.4	- 6.5	- 1.6	-10.8	- 7.6	1.8	- 7.9	- 1.1
Oslo(Blindern)	59° 56′	10° 44′	4.2	9.1	- 0.2	5.8	4.3	- 2.2	- 6.2	- 1.9	-10.2	- 6.2	2.7	- 7.9	- 0.7
Ferder	59° 2′	10° 32′	3.7	8.4	- 0.3	6.1	3.9	- 1.8	- 6.4	- 1.8	- 9.9	- 6.0	2.2	- 7.8	- 0.8
Oksøy	58° 4′	8° 3′	4.0	5.4	- 1.3	7.1	3.1	- 2.2	- 6.8	- 2.3	- 9.8	- 5.5	0.6	- 7.2	- 1.3
Skudenes II	59° 9′	5° 15′	5.8	3.7	- 2.0	8.1	2.8	- 3.6	- 7.3	- 2.2	-10.8	- 6.4	- 1.2	- 6.9	- 1.7
Ullensvang	60° 19′	6° 40′	5.8	5.9	- 1.7	7.2	3.4	- 3.5	- 7.3	- 1.9	-11.3	- 6.9	0.1	- 8.3	- [illegible].5
Bergen(Fredriksberg)	60° 24′	5° 19′	6.6	4.1	- 1.4	7.9	3.4	- 3.4	- 7.1	- 1.8	-11.0	- 6.7	- 0.8	- 7.0	- 1.4
Kinn	61° 34′	4° 48′	5.8	3.3	- 2.5	6.7	3.4	- 4.2	- 8.0	- 2.6	-12.7	- 8.4	- 2.0	- 8.9	- 2.5
Ona	62° 52′	6° 33′	7.1	5.4	- 1.0	6.9	4.5	- 3.2	- 7.2	- 1.6	-11.7	- 7.8	0.0	- 8.4	- 1.5
Trondheim(Voll)	63° 25′	10° 27′	7.0	8.3	- 0.2	6.3	5.3	- 3.0	- 6.3	- 1.2	-10.6	- 7.5	2.5	- 8.2	- 0.6
Brønnøysund II	65° 29′	12° 12′	6.2	9.3	- 0.3	4.9	5.0	- 3.7	- 6.4	- 2.0	-10.5	- 8.2	3.6	- 9.4	- 1.0
Tromsø	69° 39′	18° 57′	6.3	11.2	0.6	4.2	7.8	- 3.8	- 3.8	- 2.3	- 8.3	- 6.9	7.2	- 8.2	0.3
Vardø	70° 22′	31° 6′	1.1	12.7	- 1.0	1.6	8.2	- 4.2	- 2.0	- 2.8	- 5.9	- 7.2	9.7	- 6.2	0.3
Karasjok	69° 28′	25° 31′	3.4	13.2	- 0.2	2.9	7.6	- 3.8	- 1.9	- 1.6	- 6.1	- 6.3	9.3	- 7.1	0.8

Avvikelse i lufttemperaturmidlene 1954 fra de tilsvarende midler i perioden 1901—1930, ΔT

(Departures of the mean temperatures for 1954 from the corresponding mean temperatures for the period 1901—1930: ΔT)

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Røros	62° 34′	11° 23′	- 3.1	- 5.7	1.5	0.3	3.4	0.8	0.6	1.2	0.6	- 0.1	1.5	4.1	0.4
Alvdal	62° 2′	10° 48′	- 3.2	- 6.8	0.5	0.0	2.9	0.6	- 0.3	0.9	0.1	- 0.2	1.6	3.8	0.0
Dombås	62° 4′	9° 7′	- 2.4	- 5.6	0.6	- 0.6	2.8	0.2	- 1.0	0.9	- 0.2	0.1	0.8	2.9	- 0.2
Vinstra	61° 36′	9° 45′	- 3.1	- 5.5	0.8	0.4	1.9	0.3	- 0.7	0.6	- 0.3	- 1.0	0.9	3.5	- 0.2
Vollen i Slidre	61° 5′	8° 59′	- 2.4	- 5.1	0.3	- 0.3	1.3	0.1	- 1.1	0.4	- 0.6	- 1.1	- 0.9	2.9	- 0.5
Lillehammer	61° 6′	10° 29′	- 2.2	- 4.7	0.4	- 0.2	2.3	- 0.1	- 1.4	0.2	- 0.4	- 0.8	1.2	3.8	- 0.1
Vang på Hedmark	60° 49′	11° 11′	- 2.1	- 4.6	1.1	- 0.4	2.6	0.0	- 1.1	0.2	- 0.2	- 0.4	1.4	4.1	0.0
Flisa	60° 37′	12° 1′	- 2.3	- 4.7	1.6	- 0.2	2.7	0.0	- 0.9	0.1	0.0	- 0.1	1.5	4.6	0.2
Oslo(Blindern)	59° 56′	10° 44′	- 1.6	- 4.1	- 0.1	- 0.4	2.2	- 0.3	- 1.4	0.4	0.0	0.2	1.4	3.5	0.0
Nesbyen II	60° 34′	9° 8′	- 2.4	- 4.5	0.1	0.4	2.2	0.4	- 1.0	0.5	- 0.6	- 0.7	1.0	4.8	0.0
Dagali	60° 25′	8° 26′	- 1.5	- 5.3	0.2	- 0.5	2.7	0.8	- 0.9	0.2	- 0.6	- 0.7	0.0	2.1	- 0.3
Svene	59° 46′	9° 35′	- 2.7	- 4.0	1.5	0.0									
Ås	59° 40′	10° 47′	- 2.0	- 4.4	- 0.1	- 0.7	2.1	- 0.1	- 1.4	0.6	0.3	0.3	0.7	2.7	- 0.2
Ferder	59° 2′	10° 32′	0.0	- 3.6	- 1.3	- 0.4	1.5	0.2	- 1.1	0.1	0.3	0.6	0.7	2.1	- 0.1
Gvarv	59° 24′	9° 10′	- 2.3	- 3.7	0.3	- 0.4	1.7	0.5	- 1.1	0.2	0.0	0.1	1.1	2.7	0.0
Dalen i Telemark	59° 27′	8° 0′	- 1.5	- 3.0	- 0.2	0.1	0.9	- 0.1	- 1.0	0.1	0.1	0.2	1.5	2.3	- 0.1
Lyngør Fyr	58° 38′	9° 9′	0.0	- 3.3	- 1.6	- 0.5	0.8	- 0.5	- 1.4	- 0.2	0.0	1.0	1.5	2.4	- 0.2
Byglandsfjord II	58° 40′	7° 49′	- 0.3	- 3.0	0.2	- 0.1	2.0	0.6	- 0.8	0.5	0.2	0.8	0.9	2.7	0.3
Oksøy	58° 4′	8° 3′	- 0.3	- 2.8	- 1.4	- 0.3	1.2	- 0.1	- 1.2	- 0.1	- 0.1	0.7	0.9	1.9	- 0.1
Lista	58° 6′	6° 34′	- 0.2	- 2.7	- 0.6	0.2	2.4	1.0	- 0.3	0.6	- 0.1	0.6	0.9	2.2	0.4
Tonstad	58° 40′	6° 42′	- 1.4	- 2.3	0.3	- 0.7	2.3	0.4	- 0.9	0.7	- 0.6	0.0	0.8	2.1	0.1
Klepp	58° 48′	5° 38′	- 0.6	- 2.3	- 0.2	- 0.4	2.6	0.7	- 0.5	0.8	- 0.5	0.5	0.9	1.8	0.2
Sauda	59° 39′	6° 22′	- 1.9	- 1.9	0.0	- 0.5	3.3	0.8	- 0.3	1.0	- 0.3	0.5	2.0	2.7	0.4
Skudenes II	59° 9′	5° 15′	- 0.7	- 1.6	- 0.4	- 0.2	2.6	0.8	0.0	1.2	- 0.6	0.1	0.7	1.4	0.2
Ullensvang	60° 19′	6° 40′	- 1.4	- 2.2	0.4	- 0.3	2.9	0.7	- 0.2	0.5	- 0.6	- 0.2	1.4	2.1	0.3
Slirå	60° 37′	7° 25′	- 1.7	- 4.9	0.8	- 0.5	3.0	1.4	- 0.1	1.0	- 0.6	- 0.4	- 0.4	2.1	0.0
Bergen(Fredriksberg)	60° 24′	5° 19′	- 0.8	- 1.5	0.3	- 0.4	3.5	0.6	- 0.4	1.6	- 0.5	0.4	1.8	1.7	0.5
Leikanger	61° 11′	6° 52′	- 1.4	- 3.1	0.3	- 0.6	2.2	0.0	- 0.2	1.1	- 0.6	0.0	1.1	2.0	0.1
Kinn	61° 34′	4° 48′	0.0	- 0.9	0.6	- 0.5	2.7	- 0.4	- 0.3	1.3	0.2	0.7	1.9	1.9	0.6
Opstryn	61° 56′	7° 14′	- 1.7	- 1.8	0.7	- 0.5	3.8	0.5	0.1	1.5	0.3	- 0.1	1.7	1.4	0.5
Ona	62° 52′	6° 33′	- 0.8	- 0.7	0.8	- 0.1	2.0	- 0.2	0.6	0.4	0.4	0.0	1.2	1.4	0.4
Sunndal	62° 33′	9° 7′	- 2.5	- 4.6	0.4	- 0.6	3.1	0.4	- 0.3	0.1	- 0.1	0.1	1.4	1.6	- 0.1
Sula Fyr	63° 51′	8° 28′	- 0.6	- 1.6	0.7	- 0.2	2.0	- 0.2	0.5	0.4	0.5	0.1	0.8	1.6	0.4
Trondheim(Voll)	63° 25′	10° 27′	- 1.5	- 3.3	0.9	- 0.1	4.1	- 0.1	0.5	0.2	- 0.1	0.3	1.4	2.4	0.4
Sulstua	63° 40′	12° 1′	- 1.5	- 3.5	0.3	- 0.5	3.7	0.2	1.1	0.3	0.6	0.8	0.9	3.7	0.5
Kjevli i Snåsa	64° 10′	12° 29′	- 2.0	- 3.5	1.8	- 0.4	4.0	0.0	1.1	0.2	0.6	0.7	1.6	3.6	0.6
Nordøyan	64° 48′	10° 33′	- 0.4	- 1.8	0.5	- 0.2	2.7	- 0.4	0.6	0.0	0.3	4.0	0.6	2.2	0.3
Brønnøysund II	65° 29′	12° 12′	- 0.3	- 1.8	0.3	- 0.4	3.7	0.2	1.8	0.0	0.6	0.0	0.6	2.4	0.6
Myken	66° 46′	12° 29′	0.3	- 0.7	0.0	- 0.2	2.7	0.0	1.9	0.6	0.4	0.4	0.6	2.3	0.7
Bodø VI	67° 16′	14° 22′	- 0.2	- 0.7	0.3	- 0.5	3.6	- 0.2	2.4	1.0	0.8	0.1	0.4	3.2	0.9
Offersøy	68° 20′	15° 38′	- 0.3	0.1	0.2	- 0.1	3.4	- 0.5	2.8	0.8	0.4	- 0.2	0.8	2.9	0.8
Skomvær Fyr	67° 25′	11° 53′	0.1	0.5	0.2	0.0	1.8	- 0.2	1.6	0.7	0.4	0.6	0.9	2.3	0.7
Bø i Vesterålen	68° 37′	14° 27′	0.5	1.3	0.6	- 0.1	3.2	- 0.3	3.3	1.3	0.9	0.9	1.1	3.0	1.3
Andenes	69° 19′	16° 7′	1.3	0.5	0.6	0.5	2.3	- 0.4	3.1	0.9	1.0	0.7	0.5	2.7	1.1
Tromsø	69° 39′	18° 57′	0.5	0.0	0.7	0.4	3.2	0.2	4.2	0.4	1.0	0.3	0.2	2.3	1.1
Dividalen	68° 47′	19° 44′	1.7	- 0.9	1.5	- 0.3	3.3	- 0.5	2.5	0.4	0.9	- 0.3	0.5	4.2	1.1
Ingøy	71° 4′	24° 9′	1.6	1.2	0.9	1.6	2.3								
Vardø	70° 22′	31° 6′	1.9	- 0.2	1.4	1.5	1.7	0.4	1.7	- 0.2	0.4	0.2	- 0.4	3.1	1.0
Karasjok	69° 28′	25° 31′	0.4	- 2.4	2.2	1.2	3.0	- 0.3	1.6	0.0	0.5	- 1.1	2.1	7.0	1.2
Siččajavre	68° 45′	23° 33′	0.6	- 2.0	2.6	0.9	3.8	- 0.2	1.4	0.3	0.7	- 0.3	2.0	6.1	1.3

1954

Sjøtemperatur (Sea surface temperature) T_1

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Ferder	59° 2′	10° 32′	5.1	- 0.2	0.1	3.5	10.5	15.1	16.6	16.8	14.8	10.9	7.5	5.1	8.8
Torungen Fyr	58° 24′	8° 48′	4.1	0.7	0.4	4.6	10.2	14.4	15.7	16.1	14.6	11.2	7.3	5.2	8.7
Lindesnes	57° 59′	7° 3′	5.5	1.6	1.5	5.1	10.2	12.6	14.4	15.0	14.1	11.7	8.7	6.5	8.9
Slottersøy	59° 54′	5° 4′	7.3	5.3	3.7	5.3	8.8	11.8	13.6	15.0	13.9	11.8	9.8	7.7	9.5
Hellisøy Fyr	60° 45′	4° 43′	7.2	6.0	4.1	5.4	8.4	11.4	12.8	15.1	13.7	11.4	9.7	8.0	9.4
Ona	62° 52′	6° 33′	5.3	4.6	4.6	5.2	7.9	9.4	12.5	13.3	12.8	9.7	7.6	6.6	9.3
Sula Fyr	63° 51′	8° 28′	5.1	3.4	4.4	5.7	9.5	10.4	12.8	14.0	12.3	9.6	7.4	6.5	8.4
Nordøyan	64° 48′	10° 33′	4.8	3.3	3.6	4.8	8.0	10.3	13.8	13.2	11.2	9.3	7.0	6.0	7.9
Myken	66° 46′	12° 29′	6.0	4.3	3.7	5.2	7.8	9.1	13.0	13.0	10.7	9.4	7.3	6.5	8.0
Skrova	68° 9′	14° 39′	4.8	3.6	3.0	3.7	6.2	8.4	13.3	12.5	10.2	8.5	7.3	6.5	7.3
Skomvær Fyr	67° 25′	11° 53′	5.4	4.4	3.8	4.4	7.1	8.2	11.5	11.8	9.2	8.7	7.0	6.0	7.3
Andenes	69° 19′	16° 17′	3.1	1.8	1.7	3.5	6.5	8.2	11.1	12.0	9.8	6.2	4.4	3.9	6.0

Ekstensotabell

1954

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1ʰ

Januar I

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	17.2	16.9	13.5	-10.6	- 7.7	- 6.3	- 5.6	-11.0	90	92	94	00 0	00 0	00 0	2	1 ∞	8 ≡	8 =°		10	∞ n, ≡ ∞ a, =° ≡ p
2	06.0	98.2	86.0	- 3.2	- 0.2	0.8	2.2	- 6.6	96	98	96	00 0	00 0	27 1	7	8 ∞²	7 ∞²	0 ∞		10	∞² n, ∞² (≡) a, ∞ p
3	91.6	98.2	06.0	1.0	0.9	0.2	5.8	- 0.1	44	43	43	36 6	36 7	01 6	9	5 ∞	3 ∞°	0 ∞°		6	∞ n, ∞° ⊙ a,p
4	19.0	20.4	20.7	- 5.5	- 4.8	- 8.4	0.2	- 9.5	40	41	49	03 4	04 2	04 1	9	0 ∞°	2	0 ∞°		3	∞° n, ⊙ a, ∞° ⊙ p
5	15.8	12.3	08.3	-11.9	- 7.4	- 9.5	- 6.0	-12.6	87	81	77	00 0	00 0	00 0	7	1 ∞	2 ∞²	0 ∞		3	∞ n, ∞² ⊙° a,p
6	97.5	94.7	96.1	-10.0	- 2.3	- 1.6	- 0.8	-11.2	88	89	90	04 1	36 1	00 0	7	2 ∞	7 ∞²	3 ∞²		3	∞ n, ∞² a,p
7	03.3	07.0	10.4	- 4.3	- 1.5	- 5.5	- 0.3	- 7.9	60	52	57	04 1	02 2	10 1	9	1 ∞	0	0 ∞°		3	∞ n, ⊙ a, ∞° ⊙ p
8	08.7	05.4	00.0	-11.3	- 7.0	- 7.1	- 5.5	-12.3	85	85	85	04 1	00 0	02 1	4	4 ∞	8 =²	8 =°		3	∞ n, =² ∞ (≡) a, =° (≡) p
9	91.0	90.7	91.0	- 2.0	0.8	- 0.7	1.1	- 7.8	48	59	49	29 5	31 5	33 6	8	4	7 =°	0	0.0	3	=° *° n, ϕ° =° ⊙ a,p
10	92.6	92.2	92.4	- 3.5	- 0.9	- 1.7	- 0.6	- 5.3	53	48	49	31 3	33 1	02 3	8	1	3 =°	8 =°	0.0	3	⊙ a, =° ⊙ p
11	93.8	94.3	91.9	- 4.2	- 3.8	- 4.3	- 1.4	- 6.1	61	66	90	36 2	00 0	18 2	4	7(=)	8 =²	8 *°		3	=° (=) n, =² (=) a, * =² p
12	89.0	89.9	90.5	- 3.2	- 2.1	- 3.6	- 2.1	- 4.4	97	88	96	05 1	00 0	03 1	5	8 =°	8 =	8 =²	3.0	7	* =° n, =° = a, =² = p
13	87.6	85.8	81.6	- 2.3	0.2	3.3	3.3	- 4.2	97	98	97	00 0	00 0	18 1	4	8 ·°	8 •	8 •	0.1	7	≡ ·° =² n, ≡° ·° • a, =² • ≡° p
14	72.9	69.5	68.1	0.9	1.1	1.3	3.4	0.5	92	92	78	05 3	09 2	09 2	4	8 ⁝	8 ⁝	6 =°	12.0	5	• ⁝ n, ⁝ a, ⁝ =° p
15	67.2	65.8	51.7	- 1.1	- 0.6	1.3	1.6	- 1.6	94	87	90	22 1	18 1	09 2	7	6 =°	7 =°	8 ·	6.5	8	*° * =° n, =° a, · =° = p
16	56.9	63.7	70.3	- 0.9	- 1.7	- 2.0	1.4	- 3.4	88	87	92	02 1	00 0	09 1	7	3 ∞²	7 ∞²	6 =°	15.7	14	∞² ⁝ * n, ∞² ⊙° a, =° p
17	83.3	89.1	01.6	- 7.0	- 1.4	- 4.4	- 0.3	- 7.4	97	70	76	00 0	00 0	04 2	8	1	0 ∞	1 ∞°		14	∞° =° n, ∞ ⊙ a, ⊙ p
18	07.4	10.2	11.8	- 6.2	- 3.5	- 6.4	- 2.7	- 7.3	85	78	85	00 0	27 1	00 0	7	5 ∞°	5 =°	0 ∞°		14	∞° n, =° ∞° ⊙° a, ∞° ⊙° p
19	01.5	93.2	83.2	- 4.0	- 0.6	0.8	0.8	- 9.3	95	97	95	32 1	00 0	04 1	4	8 *	8 *	8 •	1.8	17	= * n,a, =° *° ⁝ • p
20	73.4	79.6	83.5	- 0.1	0.2	- 1.2	1.0	- 1.2	76	59	58	36 4	36 4	36 4	9	8 ∞²	3 ∞°	1 ∞°	21.1	23	∞² =° ϕ • n, ∞° ⊙ a,p
21	99.9	06.0	12.8	- 3.6	- 3.7	- 3.7	- 0.7	- 4.1	73	88	61	36 4	36 4	04 5	5	8 *°	8 *	8 =°	0.0	23	=° *° n, = * a, =° *° p
22	25.6	29.1	31.6	- 6.1	- 4.8	-11.0	- 3.7	-11.0	66	67	73	36 3	36 2	04 1	8	8 ∞	8 *°	0 ∞°	0.3	20	∞ n, ∞ *° a, ∞° ⊙° *° p
23	32.3	32.0	30.4	-19.0	-14.3	-16.2	-11.0	-19.2	87	78	80	00 0	00 0	04 1	4	0(=)	4 =²	2 =	0.0	20	(=) ∞° n, (=) =² ⊙ a, = =² ⊙ p
24	26.1	24.5	22.1	-11.7	- 9.6	- 8.5	- 8.4	-16.9	91	93	93	03 1	00 0	00 0	4	8 ≡°	8 =²	8 =°		20	≡° = ∨ n, ≡° =² a, ≡° =² ⊙° p
25	20.7	21.0	21.3	- 9.6	- 6.7	- 5.9	- 5.8	-11.0	92	95	92	00 0	00 0	04 1	3	8 =²	8 *°	8 *°		20	≡° =² n, *° =² ≡° a, *° ≡° p
26	24.1	24.8	25.5	- 8.9	- 8.2	-10.8	- 5.8	-10.9	81	75	78	02 3	02 3	02 2	7	8 =°	2 =°	0(=)	0.1	20	=° = *° n, *° =° ⊙ a, (=) =° ⊙ p
27	23.9	22.3	19.7	-17.8	-13.0	-16.4	-10.7	-19.1	82	76	82	04 1	00 0	04 1	4	0 =	0 =²	0(=)	0.0	20	(=) = n, = =² ⊙ a, (=) =² ⊙ p
28	15.7	17.3	17.3	-13.1	- 5.5	- 4.5	- 4.4	-16.9	83	80	71	00 0	04 4	02 4	7	5 =	8 *°	8 =°		20	(=) = n, *° = a, =° ⊙ p
29	16.5	15.9	16.1	- 9.0	- 8.9	-11.2	- 4.4	-11.4	67	61	66	02 3	01 4	02 3	8	7 =°	3 =°	0	0.0	20	=° n, =° ⊙ a,p
30	21.0	23.1	25.5	-11.2	- 9.4	-11.9	- 9.4	-12.0	66	65	66	36 3	02 4	36 4	8	8 ∞²	5 ∞	1 ∞°		20	∞² n, ∞ ⊙° ϕ° a, ∞° ⊙° p
31	26.0	26.0	24.3	-16.8	- 8.4	- 5.5	- 5.5	-17.0	70	62	61	00 0	20 1	36 3	7	0	0 ∞²	8 =°	0.0	20	∞² ⊙ a, =° ∞² ⊙ p
M	03.5	03.8	03.4	- 7.0	- 4.3	- 5.2	- 2.4	- 9.0	78	76	76	1.7	1.5	1.9	6.3	4.8	5.3	4.0	61	12	

Februar II

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	24.6	24.5	24.0	- 6.2	- 4.1	- 4.5	- 4.0	- 6.5	75	72	80	00 0	00 0	00 0	5	8 =°	8 =	8 ϕ°		20	=° n, = a, = ϕ p
2	23.4	23.5	22.5	- 5.9	- 3.6	- 6.0	- 2.3	- 6.2	90	85	80	00 0	00 0	27 1	6	8 =	5 =°	0 ∞	0.0	20	= ϕ° n, =° = a, ∞ ⊙° p
3	17.5	16.9	17.8	-11.2	- 6.9	- 8.9	- 5.9	-12.5	93	96	90	04 1	00 0	00 0	5	8 =²	7 =	8 =		20	= n, = ϕ° a, = ⊙° p
4	18.2	18.2	16.5	-11.2	- 8.8	- 7.8	- 7.5	-12.9	91	94	95	00 0	00 0	00 0	4	8 ≡	6 =²	8 =²	0.0	20	≡ ∨ n, =² ≡ ⊙° ∨ a,p
5	15.2	13.5	12.0	-13.7	- 8.1	- 8.1	- 7.1	-14.0	90	94	93	00 0	00 0	00 0	5	4 ∞²	3 =	8 =		20	∞² ∨ n, = ⊙ ∨ a, = ⊙ p
6	07.6	05.8	02.6	- 6.7	- 5.0	- 3.7	- 3.6	- 8.2	95	97	97	00 0	27 1	22 1	2	8 ≡	8 ≡	8 ≡°		20	= ≡ ∨ n, ≡ ∨ a, ≡ ≡° ∨ p
7	95.6	95.4	95.2	- 2.0	- 2.9	- 4.2	- 0.8	- 5.0	81	85	75	18 4	17 5	15 4	5	8 ♎°	8 *	8 =°	0.9	21	*°♎° ≡° n, ♎° * a, * =° p
8	97.1	98.3	97.8	- 5.4	- 5.3	- 5.6	- 4.1	- 6.2	75	69	76	14 2	12 2	04 3	7	7 =°	5 =°	8 *°	1.6	25	=° n, = ⊙ a, =° ⊙° *° p
9	94.2	97.6	00.6	- 9.2	- 7.3	- 8.9	- 5.2	- 9.6	77	77	75	10 1	04 2	02 4	5	6 =°	7 ϕ	0 =°	3.1	28	= *° * n, ϕ =° a, ϕ =° ⊙ p
10	01.9	02.7	03.4	- 5.7	- 4.0	- 4.4	- 3.8	- 9.7	81	83	82	02 3	03 3	04 2	5	8 *°	8 *	7 *°	0.2	27	*° =° n, *° = *² a, *° *² p
11	06.9	07.5	08.2	- 6.4	- 6.0	- 6.6	- 4.2	- 7.1	81	69	78	04 3	01 2	04 1	8	8 *	5 =°	6 ϕ°	1.3	29	*° * = n, * = ⊙ a, ϕ =° ⊙ p
12	09.6	09.7	08.6	- 9.2	- 6.5	-10.1	- 6.5	-11.2	76	66	77	09 1	00 0	02 1	8	7 =°	7 =°	8 =°	0.0	28	ϕ° =° n, ⊙ =° ϕ° a, =° ⊙ p
13	07.3	08.0	08.5	- 9.8	- 8.3	-11.4	- 8.0	-11.4	73	67	72	02 1	03 2	02 2	7	8 ∞	8 ∞²	0 ∞	0.0	28	∞ n, ∞² a, ∞ p
14	12.0	13.6	14.1	-18.1	-12.8	-14.8	-11.4	-18.4	84	72	75	00 0	20 1	04 1	7	5 ∞	6 ∞²	1 ∞°		28	∞ n, ∞² ⊙° a, ∞° ⊙° p
15	17.6	19.1	19.1	-18.9	- 9.9	-12.9	- 7.5	-19.9	84	67	82	00 0	00 0	00 0	6	3 ∞²	3 =°	0 ∞		28	∞² n, =° ⊙ a, ∞ ⊙ p
16	20.8	20.6	19.4	-14.6	- 9.4	-12.5	- 8.5	-17.4	85	74	80	04 1	15 1	02 1	6	8 *°	1 =°	0 ∞	0.0	28	=° *° n,a, ∞ = ⊙° p
17	19.1	18.7	16.7	-11.6	- 8.4	- 8.5	- 7.9	-16.6	84	81	90	09 1	08 1	22 1	6	8 *°	8 =°	8 *	0.2	28	=° *° n, =° * a, = * p
18	14.3	16.0	16.8	- 7.8	- 6.0	- 6.6	- 5.8	- 9.0	89	81	81	04 1	06 2	05 2	6	8 *°	8 *°	8 =°	6.6	30	=° * n,a,p
19	17.7	18.1	17.6	- 8.4	- 7.3	- 8.2	- 6.5	- 8.5	80	75	72	04 2	06 2	07 3	8	8 ∞²	8 ∞	8 ∞²	0.9	32	∞² ϕ° n, ∞ a, ∞² p
20	19.4	20.9	20.9	- 9.2	- 6.7	- 8.7	- 5.6	- 9.4	84	75	79	04 1	04 1	03 1	6	8 *	3 =°	2(=)	0.2	34	=° *° n, *° =° ⊙ a,p
21	20.1	20.1	19.1	- 9.7	- 6.9	- 5.3	- 5.2	-10.6	88	82	82	00 0	26 1	18 2	7	7 =°	7 =°	8 *°	0.2	34	ϕ° (=) =° n, ⊙° =° *° a, =° *° p
22	16.3	16.4	16.2	- 4.4	- 3.8	- 3.8	- 3.6	- 5.7	94	94	90	18 3	18 3	18 2	4	8 *	8 *²	8 *°	0.4	32	*° * =° n, * *² a,p
23	14.1	13.2	11.7	- 5.4	- 4.9	- 5.7	- 3.7	- 5.7	84	88	82	18 2	18 2	16 2	5	8 *°	8 *°	8 ♎°	5.8	37	*° = * n,a, ♎ *° = p
24	07.1	07.0	05.3	- 6.4	- 5.3	- 4.8	- 4.3	- 6.7	92	92	91	08 1	08 2	08 2	4	8 *²	8 *	8 *	6.3	43	*² *° n, *² * a, *² * =° p
25	99.8	97.2	93.6	- 5.3	- 3.9	- 3.7	- 3.7	- 5.6	85	83	84	08 2	09 2	09 3	6	8 *°	8 *°	8 *°	13.4	57	* *° =° n, =° *° a, *° * =° p
26	86.2	85.9	87.0	- 5.6	- 5.1	- 4.5	- 3.7	- 5.9	80	88	82	03 5	03 5	02 5	3	8 *²	8 *²	8 *°	9.1	61	*² *° n, *² * a, *² *° ⊙
27	88.4	89.2	90.8	- 4.6	- 4.2	- 3.8	- 3.5	- 5.6	80	82	89	03 4	03 4	03 4	6	8 *°	8 *°	8 *	8.2	58	=° * + n, = *° a, = * p
28	92.2	91.9	90.3	- 5.6	- 5.8	- 6.2	- 3.8	- 6.2	81	78	82	04 2	05 2	02 3	7	8 *°	8 ∞²	8 *°	5.3	60	= * n, ∞² =° *° a, = * n
M	09.4	09.6	09.2	- 8.5	- 6.3	- 7.2	- 5.3	- 9.7	84	81	82	1.5	1.6	1.8	5.7	7.4	6.6	6.8	64	32	

Ekstensotabell

1954

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 $\Delta G = +1^h$

Mars III

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	88.6	88.5	88.2	- 5.5	- 3.5	- 2.0	- 2.0	- 6.4	87	85	85	03 4	02 3	02 2	5	8 *	8 *	8 =²	4.0	64	= * n,a, =° * p
2	85.9	85.6	85.0	- 3.3	- 1.0	- 3.0	- 1.0	- 3.3	87	82	96	36 3	00 0	00 0	6	8 *	8 *°	8 *°	3.9	64	= *° * n, =° *° a, =° * p
3	84.5	85.0	85.1	- 4.9	- 1.8	- 4.1	- 1.1	- **7.6**	86	72	77	36 1	04 1	03 1	7	8 =°	8 =²	8 =²	1.1	63	=° *° n, =² a,p
4	82.1	80.3	**77.3**	- 5.1	- 3.7	- 3.4	- 2.5	- 5.1	88	81	90	02 6	03 4	03 5	5	8 *	8 =°	8 =°	1.8	59	= + * n, =° = + * a, =° *° p
5	77.9	79.5	82.5	- 0.8	1.0	0.6	1.5	- 3.4	90	90	97	02 2	04 1	18 1	6	8 *°	8 *°	8 =°	11.0	68	=° * n,a, =° ↓ ↓ p
6	82.6	83.9	87.4	- 1.2	1.9	0.6	2.4	- 1.8	88	66	87	03 1	19 2	16 1	6	6 =°	0 =°	8 =°	1.6	64	=° ≡° ,° n, =° ⊙ a,p
7	91.1	88.0	83.9	0.1	1.2	0.8	1.5	- 0.8	98	89	94	18 2	12 3	16 3	4	8 ,°	8 ‡	8 ‡²	0.1	62	,° ≡ =° n, ,° ‡ * a, ‡ ‡² p
8	84.2	86.7	90.5	1.5	1.5	1.1	1.8	0.3	90	96	95	17 3	18 4	18 4	3	8 ‡°	8 ≡°	8 ,°	12.2	61	‡° ‡² =° n, ‡° ≡° • a, ‡ ,° ≡ p
9	01.7	05.0	06.3	0.7	1.1	0.7	1.4	0.5	97	93	88	18 1	15 1	23 1	6	8 =²	8 =°	8 =°	1.1	56	,° ≡ =² n, =² =° a, =° p
10	07.5	08.4	08.8	0.6	2.2	0.4	2.4	0.0	91	81	96	01 1	00 0	00 0	6	8 =	6 =°	8 ‡°		52	=° = n,a, ‡ =° ≡° p
11	10.7	11.5	11.9	0.1	0.8	0.7	1.0	- 0.1	98	97	94	18 1	22 1	00 0	4	8 ≡°	8 =²	8 =²	1.8	51	≡° ‡ n, ≡° ≡ =² a, =² ≡° p
12	12.5	13.3	14.2	- 0.3	0.4	0.1	0.8	- 0.4	97	92	95	22 1	22 1	00 0	4	8 =²	8 =²	8 =²	0.1	49	=² , n, =² a,p
13	20.6	22.4	**22.5**	1.5	3.3	2.4	3.5	- 2.2	84	80	89	04 2	04 1	18 1	7	6 =°	8 =²	8 =°		48	=° (≡) n, =² =° a, =° p
14	17.9	16.0	12.8	- 0.2	1.2	0.6	2.5	- 0.4	98	85	87	19 1	19 1	22 1	7	8 =	8 =²	8 =²		45	= (≡) n, =² = a, =² p
15	09.9	08.7	05.5	- 1.3	1.9	1.1	4.7	- 1.5	94	77	81	00 0	00 0	00 0	7	8 =°	6 =²	5 =		44	=° n, =° =° ⊙° a, = ⊙° p
16	03.9	04.1	04.5	- 3.0	- 1.5	- 1.8	2.8	- 3.3	97	98	90	00 0	00 0	20 1	3	8 ≡	8 ≡°	3 =°		43	≡ n, ≡° ≡ a, =° (≡) ≡° p
17	06.7	05.1	02.9	- 4.2	1.0	- 2.0	4.3	- 5.2	97	60	91	00 0	00 0	18 1	7	8 ≡	8 =°	8 =°		43	≡ ∨ n, =° ≡ ⊙ a, =° p
18	99.7	98.6	00.7	- 5.0	0.8	1.0	5.4	- 5.5	95	70	69	00 0	00 0	18 1	6	8 ≡	3 =°	2 =²		43	≡ n, =° ≡ ↓° ⊙ a, =² ⊙ p
19	10.7	11.6	10.6	- 3.0	2.3	0.3	3.8	- 5.1	73	56	61	00 0	20 2	19 1	9	1 =	0	2 =°	0.0	42	= ⊙ n,a, =° ⊙ p
20	10.6	10.6	09.1	- 4.3	- 0.3	- 0.8	0.3	- 7.1	90	76	84	18 1	21 3	20 3	8	8 *°	8 =°	8 *°	0.0	42	*° =° =° n,a, =° *° p
21	04.1	01.9	99.8	- 2.2	- 1.0	- 0.4	- 0.3	- 2.5	96	95	98	22 1	00 0	23 1	3	8 *°	8 *²	8 ≡°	3.3	45	*² *° =° n, *² * a, ≡° *² * p
22	96.1	95.2	94.4	0.9	2.1	2.4	3.1	- 0.5	98	98	98	18 1	16 1	18 1	2	8 ,°	8 ≡	8 •	4.6	49	≡° ≡ ,° n, ≡ ,° a, ≡ • ≡° p
23	95.0	94.9	93.4	2.1	3.3	2.9	4.0	1.1	97	98	91	18 1	16 1	16 1	2	8 ≡²	8 ≡	8 =²	1.6	43	• ≡² ≡ n, ,° ≡² ≡ a, ,° ≡ =² p
24	94.8	99.7	01.8	2.5	- 1.0	- 0.3	3.0	- 1.3	97	73	49	03 4	03 6	03 4	4	8 =	8 *²	8	0.2	39	=² ,° = n, *² = a, *² * p
25	02.8	01.3	00.9	- 2.2	0.9	- 0.5	1.4	- 2.5	56	48	65	03 2	09 2	08 1	8	7	4 =°	8 =°	0.6	39	=° ⊙ a,p
26	99.3	98.3	96.6	- 2.3	- 0.8	- 0.7	- 0.4	- 2.8	77	75	85	18 1	22 1	18 2	8	8 =°	8 =°	8 =°	0.0	39	=° *° n,a, * =° ⊙ p
27	93.8	94.3	95.4	- 0.1	3.7	2.6	6.1	- 1.1	86	66	67	00 0	15 1	22 1	8	8 =²	3 =	3 =	0.3	39	=² n, = ⊙ a,p
28	99.1	99.6	00.6	- 0.2	6.6	3.9	**8.2**	- 2.3	81	**47**	51	00 0	22 1	36 1	9	5 =	2 =°	2 =°		38	= ⊙ n, =° ⊙ a,p
29	05.3	07.1	07.6	2.0	2.1	2.4	3.9	- 1.9	68	75	70	04 2	08 2	00 0	9	8 =	8 =°	8 =²		36	= n, =° a, =² =° p
30	06.4	03.8	01.5	- 0.7	1.2	0.9	2.5	- 1.1	73	64	67	07 2	09 3	10 2	8	8 =	8 =	8 =	0.0	34	= ↓° n, = ⊙° a, = ↓° p
31	99.3	99.7	99.6	- 0.4	1.2	1.5	1.5	- 1.0	85	81	86	04 2	04 1	04 1	6	8 *	8 =°	8 =²	0.7	34	= * n, =° ↓° a, =² = ↓° ↓° p
M	99.5	99.6	99.4	- 1.2	0.9	0.3	2.1	- 2.4	88	79	80	1.5	1.5	1.4	5.9	7.5	6.7	7.0	50	48	

April IV

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde v 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	93.6	93.3	94.2	0.1	1.4	1.6	1.6	0.0	95	91	92	03 4	04 3	02 2	6	8 *	8 ‡	8 =²	0.6	34	= * n, = * ‡ a, =² =° ↓ p
2	98.2	98.6	98.5	1.9	3.6	2.8	4.0	1.4	92	78	75	00 0	20 1	18 1	7	8 =²	8 =²	8 =²	4.5	34	=² ↓° , n, =² a,p
3	95.0	94.5	93.6	0.4	1.6	2.1	2.9	0.1	97	95	92	00 0	18 1	20 1	4	8 ‡	8 •°	8 =°	1.4	34	‡ * =² n, ‡ • =° a, =² •° = p
4	84.3	81.4	**77.4**	1.6	4.4	5.6	9.3	0.7	98	88	57	18 1	18 2	19 4	7	8 ,	7 =°	2	3.1	34	• , =² n, • ⊙° , =° a, =° ⊙ p
5	82.7	87.4	90.9	6.4	8.6	6.1	9.9	4.3	52	42	52	27 4	26 5	20 1	9	6	5	4	0.2	32	⊙ n,a,p
6	01.8	04.0	06.4	3.6	8.5	6.9	9.2	- 0.3	66	47	66	00 0	19 2	36 2	9	4 =	6 =°	6 =°		28	= ⊙ n, =° = ⊙ a, ↓° =° =° ⊙ p
7	13.1	14.2	14.6	2.4	6.8	6.0	8.6	- 2.1	61	53	49	36 2	21 1	01 1	8	1(=)	2 =	2 =	0.0	23	(=) =° ⊙ n, = (=) ⊙ a, = ⊙ p
8	19.1	19.6	19.9	2.1	5.6	4.7	7.2	- 3.2	72	63	63	00 0	18. 2	18 3	7	1 =	2 =°	6 =		22	= = ⊙ n, =° = ⊙ a, =° ⊙ p
9	23.6	**23.7**	22.3	0.7	2.8	3.5	5.8	- 0.6	98	87	83	00 0	27 1	18 2	6	8 ≡°	8 =°	7 =°	0.0	18	≡ = ,° n, =° ≡° a, =° ⊙ p
10	21.6	21.0	17.3	- 0.2	1.7	5.1	6.5	- 0.4	98	87	66	00 0	00 0	00 0	4	8 ≡°	8 =²	1 =°	0.0	16	≡° ,° n, =² ≡ a, =° ⊙ p
11	13.5	11.3	07.0	- 1.0	4.2	4.8	6.5	- **3.4**	99	72	63	00 0	24 1	18 2	6	8 ≡	6 =°	8 =		16	≡ n, =° ≡ ⊙° a, = ⊙ p
12	00.3	98.4	97.0	1.8	10.3	7.1	11.0	0.0	87	36	43	00 0	28 3	25 2	9	6 =²	1	3	0.0	15	=² ↓° n, ⊙ a,p
13	92.7	90.1	91.8	3.0	2.8	2.8	7.1	0.6	63	78	85	19 2	27 1	19 1	7	7 =°	8 ↓°	8 =°		5	=² ⊙° n, =² ⊙° ↓° a, = ↓° ↓° p
14	98.5	93.5	97.4	3.0	4.3	0.7	4.9	- 1.1	61	58	94	00 0	18 4	30 1	8	7 =	8 =	8 =	0.2	0	=° ⊙° n, = ⊙° a, * ‡ p
15	95.7	05.0	10.4	3.0	4.4	6.5	7.0	- 1.0	77	65	51	02 4	02 4	34 2	9	6 =°	7 =°	1	7.2	7	=° ⊙° ↓° n, =° ↓° a, ⊙ p
16	18.0	18.7	20.0	2.5	6.6	5.8	6.9	1.1	46	45	42	36 6	36 4	36 2	9	2	3	1	0.0	0	⊙ n,a,p
17	21.4	19.8	16.3	2.7	7.7	7.3	10.0	- 2.3	58	43	49	00 0	17 1	24 1	9	1	2	4 =°		0	⊙ n,a,p
18	10.1	09.8	10.1	0.2	5.7	6.0	7.3	- 1.8	87	57	50	00 0	36 4	02 3	9	7 =	8 =°	5	0.1	0	= ↓° n, =° ↓ a, =° ⊙° p
19	14.4	14.4	13.6	2.8	7.3	7.7	10.0	1.8	55	54	43	02 5	02 2	06 1	9	4 =°	2	1	0.0	0	=° n, ⊙ a,p
20	15.3	13.2	10.2	1.7	10.0	8.2	12.1	- 2.4	74	45	53	00 0	27 2	18 1	9	1 =²	3	1		0	=² =° n, =² ⊙ a, ⊙ p
21	11.4	12.6	12.4	5.5	7.4	5.7	8.2	- 0.5	57	47	44	02 6	04 3	04 2	9	2	2	7		0	⊙ n,a,p
22	14.9	13.3	10.4	3.0	6.9	8.0	9.6	- 0.3	52	45	45	36 1	18 2	24 1	9	6 =	0 =°	0		0	= ⊙° n, =° ⊙ a, ⊙ p
23	06.3	03.9	07.3	1.5	13.5	8.4	**14.2**	- 2.5	82	39	41	20 1	36 3	02 2	9	2 =²	6 =°	2		0	=² ⊙ n, =° ⊙ a, ⊙ p
24	11.0	10.0	09.6	6.2	8.9	7.1	10.4	1.0	56	44	47	36 3	02 3	04 3	9	1 =°	6	5 =°		0	=° ⊙ n,a, =° ⊙ p
25	12.4	12.0	11.1	4.5	6.1	6.3	8.2	1.3	56	47	45	36 3	01 3	04 2	9	2	4 =°	3 =°		0	=° ⊙ n, =° ⊙ a,p
26	09.8	07.5	05.3	1.3	8.1	7.2	9.1	- 1.6	68	50	45	00 0	16 2	19 1	9	6 =°	6 =°	1 =		0	=° =° ⊙ n,a, = =° ⊙ p
27	07.1	06.9	06.9	5.5	8.8	7.5	10.7	- 1.3	62	47	46	04 1	36 3	04 2	9	2 =°	6 =°	4 =		0	=° = ⊙ n, =° =° ⊙ a, =° ⊙ p
28	07.3	05.0	02.1	5.7	10.9	8.8	13.2	1.0	63	46	58	18 1	18 3	17 3	9	3 =	2 =°	6 =°		0	= = ⊙ n, = =° ⊙ a, = ⊙ =° p
29	93.1	93.2	94.0	2.9	6.0	6.6	8.9	1.5	92	63	34	02 3	03 5	36 3	9	8 •°	7 =°	3 =°	0.8	0	•° =° = n, ⊙ •° =° =° a, =° ⊙ p
30	97.1	96.7	96.2	4.1	8.2	7.3	9.8	- 0.2	46	37	**31**	36 1	18 2	19 2	9	3 =°	6 =°	7 =°	0.5		=° ⊙ n,a,p
M	06.1	05.8	05.1	2.6	6.4	5.8	8.3	- 0.3	72	58	57	1.6	2.4	1.8	8.0	4.8	5.2	4.3	19	11	

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 $\Delta G = +1^h$

Mai V

H_s = 94 H_b = 95.6 h_t = 2.2 h_s = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.5	98.5	99.5	2.8	5.6	6.9	7.3	**1.6**	93	92	87	04 2	12 2	04 2	6	8 •°	8 •	8 ⸗²	0.7		=° •° n, =° • a, ⸗² • p
2	01.7	00.2	98.4	4.4	9.6	11.4	11.7	4.2	67	54	42	04 2	09 4	09 2	8	8 ⸗°	8 ⸗	4 ⸗°	2.5		⸗° ⸗² ⸗° n, ⸗° ⊙° a, ⸗° ⊙ p
3	97.8	99.1	00.1	7.8	6.6	8.9	11.4	6.7	68	90	82	04 4	03 4	02 2	7	8 ⸗	8 ⸗°	7 ⸗²	0.0		⊙° ⸗° ⸗° n, ⸗° ⊙° a, ⸗ ⸗° p
4	03.5	04.2	04.2	7.8	10.0	10.0	10.4	7.3	84	77	75	02 4	03 2	02 3	7	8 ⸗²	8 ⸗²	8 ⸗²	1.1		⸗² ⸗° n, ⸗² a,p
5	00.4	00.1	01.6	7.6	7.9	7.4	10.0	7.4	80	92	85	03 4	04 3	18 2	6	8 ⸗²	8 •	8 ⸗²	0.0		⸗² ⸗° n, =° • a, ⸗² • p
6	03.3	03.3	02.7	6.9	10.0	11.4	11.6	6.0	91	80	71	18 2	16 1	14 1	6	8 =°	8 ⸗°	8 ⸗²	8.3		=° ⸗ n, =° ⸗° a, ⸗² =° ⸗° p
7	05.4	08.1	09.1	6.8	9.3	9.5	11.7	5.5	86	67	66	18 3	18 2	18 2	8	8 ⸗²	7 ⸗	5 ⸗	0.6		⸗² ⸗° n, ⸗ ⊙° a, ⸗ ⊙ p
8	13.1	13.4	14.4	4.2	12.6	14.8	17.0	2.9	97	50	30	27 1	18 1	36 2	8	8 ≡°	1 ⸗	1 ⸗°			≡° ⸗ ⊙ n,a, ⸗° ⸗ ⊙ p
9	20.0	19.5	17.5	11.1	16.0	17.6	18.4	4.5	47	38	34	04 3	36 2	02 2	8	2 ⸗°	4 ⸗	1 ⸗°			⸗° ⊙ n,a, ⸗° ⸗ ⊙ p
10	**20.6**	19.8	18.0	13.6	18.4	20.1	21.6	4.6	48	32	**28**	00 0	27 1	27 1	9	0 ⸗	0 ⸗°	0 ⸗			⸗ ⸗° ⊙ n,a, ⸗° ⊙ p
11	18.8	16.8	14.8	12.9	20.4	20.4	22.9	4.9	57	35	38	00 0	18 2	20 2	9	1 =	1 ⸗°	1 ⸗			= ⸗ ⊙ n, = ⸗° ⊙ a, ⸗ ⊙ p
12	19.7	17.5	15.2	10.7	15.5	15.8	20.4	7.9	60	52	54	05 2	18 1	00 0	8	5 ⸗°	5 ⸗	6 ⸗			⸗° ⸗ ⊙ n,a, ⸗ ⊙ p
13	19.7	18.4	15.4	7.5	13.4	15.2	16.7	7.4	68	57	52	04 1	22 1	22 1	8	7 ⸗	1 ⸗	3 ⸗			⸗°⊙°n, ⸗ ⊙ a,p
14	12.5	10.2	06.6	10.2	13.5	12.8	16.1	4.5	77	65	66	12 1	27 2	18 1	7	7 =°	6 =°	5 ⸗			=° ⸗ ⊙ n, •° =° ⊙ a, ⸗ ⸗ =° ⊙ p
15	02.2	00.0	98.3	8.9	12.0	12.7	14.5	8.4	85	72	72	22 1	26 1	22 1	8	8 =°	6 ⸗	6 ⸗	0.5		=° ⸗° n, ⸗ =° ⊙ a, ⸗ ⸗ ⸗ ⊙ p
16	**93.4**	**93.4**	93.9	8.5	11.7	11.1	14.0	6.7	90	52	57	19 1	02 3	18 2	9	8 =°	8 ⸗°	7 ⸗°	1.2		=° ⸗° n, ⸗° =° ⸗ ⊙ a, ⸗° p
17	99.0	98.3	98.3	8.9	12.9	11.7	15.3	2.7	52	44	46	02 2	18 2	35 3	9	1	6	8 ⸗°	0.0		⊙ n,a, ⸗° ⊙ p
18	01.2	01.9	03.6	8.0	11.8	10.5	13.2	6.1	71	54	61	36 5	36 5	04 3	9	7 ⸗	6 ⸗°	7 ⸗°	0.1		⸗ ⸗° ⊙° n,a, ⸗ ⸗° ⊙ p
19	05.7	06.3	04.5	8.2	9.2	14.4	15.5	8.1	70	88	64	02 5	24 1	36 2	7	8 ⸗°	8 •°	3 ⸗	0.0		⸗² ⸗° n, ⸗ • a, ⸗ •° ⊙ p
20	03.9	01.7	00.3	10.4	11.4	11.7	14.4	9.1	80	76	94	02 4	03 4	04 2	7	8 •°	8 ⸗²	8 •	1.3		⸗² •° n,a, =° • p
21	01.2	00.9	00.2	11.4	13.8	14.4	18.9	11.1	89	84	78	04 2	02 4	02 3	6	8 •	8 =°	7 ⸗	3.0		=° • n,a, ⸗ ⊙ ⸗² ⸗ p
22	01.2	02.8	04.4	12.2	12.2	10.4	15.4	10.3	94	97	97	03 3	19 1	18 1	3	8 •	8 •	8 •	13.3		• ⸗ n, • ≡° a, ⸗ • ≡° p
23	05.3	05.3	04.9	9.9	13.9	12.5	14.6	9.3	95	74	95	00 0	03 1	00 0	6	8 =²	8 =°	8 •°	6.8		=² • • ≡° n, =² =° a, =° •° p
24	05.8	05.1	05.7	13.8	19.8	13.9	21.7	10.9	79	54	82	04 1	24 1	22 4	8	7 ⸗²	6 =°	7 ⸗	11.2		⸗² • ⸗ ⊙° n, =° ⸗² ⊙ a,⸗°⸗°=°⊙ p
25	09.6	11.1	12.0	14.6	19.3	16.7	19.6	9.7	74	57	51	18 1	20 2	18 2	7	3 =°	5 =°	1 =°	2.0		⸗ ⊙ n, =° ⸗ ⊙ a, =° ⊙ p
26	16.2	15.7	14.6	13.3	21.1	19.9	22.0	6.7	77	50	55	16 1	22 2	21 1	7	1 =	3 =°	1 =°			= =° ⸗ ⊙ n,a, =° ⊙ p
27	15.6	14.5	12.9	16.4	23.9	24.2	26.1	9.2	69	44	38	00 0	23 1	23 1	8	0 =°	1 =°	0 ⸗			=° ⊙ ⸗ n,a, ⸗ =° ⊙ p
28	13.6	12.5	10.3	17.3	25.1	23.9	26.0	10.5	67	40	43	00 0	18 1	22 1	7	0 =²	1 =°	0 =°			=² ⸗ ⊙ n, =° =² ⊙ a, =° ⊙ p
29	11.0	10.0	08.0	21.2	25.9	26.1	**27.9**	12.5	49	40	42	04 3	04 2	29 1	9	3 ⸗	4 ⸗°	5 ⸗°			⸗ ⊙ n, ⸗° ⊙ a,p
30	08.3	06.6	02.7	19.9	23.7	23.4	26.1	16.5	59	57	57	04 1	19 1	18 2	7	8 ⸗°	6 ⸗²	5 ⸗²	0.0		⸗ ⸗° n, ⸗² ⊙ ⸗° a, ⸗² ⊙ p
31	05.0	03.2	01.7	14.6	18.4	18.5	23.4	13.1	58	53	54	04 3	36 2	05 3	9	5	2	1	0.0		⊙ n,a,p
⌀	07.5	07.0	06.2	10.7	14.7	14.8	17.3	7.6	74	62	61	2.0	2.0	1.8	7.5	5.7	5.4	4.7	53		

Juni VI

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.0	04.6	03.0	10.2	15.8	17.5	19.3	8.4	60	57	49	04 3	20 2	04 1	9	7 ⸗°	1	3			⸗ ⊙ n, ⸗° ⊙ a, ⊙ p
2	04.3	01.8	01.1	14.7	20.7	21.8	22.4	8.0	66	57	53	18 1	18 3	02 2	9	4 ⸗°	2 ⸗°	1 ⸗°			⸗° ⊙ n,a,p
3	**13.0**	12.3	10.4	10.5	15.5	18.6	21.8	5.1	55	49	42	04 3	18 2	24 2	9	0	1	5			⊙ n,a,p
4	10.6	09.1	07.2	14.7	21.4	18.6	22.7	6.6	64	50	56	00 0	18 2	18 2	4	1 ⸗°	1 ⸗°	1 ⸗°			⸗° ⊙ n,a,p
5	05.1	01.9	98.5	16.8	23.6	20.1	**25.7**	8.3	65	34	50	00 0	18 2	18 3	8	0 =°	1 =°	2 =°			⸗° =° ⊙ n, =° ⊙ a,p
6	00.2	97.9	95.3	13.6	17.9	18.7	20.6	11.5	57	57	50	01 4	09 2	09 2	9	1	3 ⸗°	4 ⸗°			=° ⊙ n, ⸗° ⊙ a,p
7	95.9	95.1	93.5	12.4	15.6	15.2	18.7	11.2	72	75	86	18 1	18 1	18 2	8	8 ⸗°	7 =°	8 =°			⸗° ⊙ n, =° ⸗° ⊙ a, ⸗ =° ⊙ p
8	94.3	94.3	94.9	12.5	16.6	14.7	18.5	12.2	95	66	68	18 1	18 2	18 2	8	8 •	6 =°	6 ⸗°	7.2		• =° n, • =° ⊙ a, ⸗² ⸗° =° ⊙ p
9	95.8	93.3	89.3	12.6	11.6	13.7	14.7	11.5	89	88	95	09 1	05 2	17 2	7	8 •°	8 ⸗°	8 •°	3.1		•° =° n, • •° =° a, •² •° =° p
10	89.4	90.2	88.4	13.2	13.6	13.1	17.5	11.1	78	91	95	19 1	27 1	18 1	8	6 =°	7 =°	8 ⸗°	7.2		=° •° n, ⸗ =° ⊙ a, ⸗² =° ⊙ p
11	91.2	93.6	94.4	14.8	13.1	13.7	14.9	12.4	75	94	81	18 4	18 3	18 3	7	6 =°	7 ⸗	7 =°	3.5		⸗° =° ⊙ n, ⸗ ⊙° a, ⸗ =° ⊙ p
12	94.1	94.1	95.6	10.9	11.5	15.0	16.0	10.7	94	85	44	18 3	27 3	27 2	7	8 ⸗	8 ⸗	2	4.5		⸗² ⸗ n, ⸗² ⸗ ⊙° a, ⸗² ⸗ ⊙ p
13	98.8	99.3	00.2	11.9	11.5	13.3	15.0	**3.5**	63	66	61	18 2	31 3	18 2	9	3	8 ⸗	2 ⸗°	5.5		⊙ n, ⸗° ⊙ ⸗ a, ⸗° ⸗° ⊙ p
14	05.3	05.8	05.4	13.8	16.5	18.7	19.5	5.6	46	35	**32**	02 1	04 1	24 1	9	0	1	1	0.3		⊙ n,a,p
15	06.1	05.0	03.6	11.3	11.8	13.3	18.5	7.7	90	92	66	04 1	15 2	14 1	7	8 ⸗	8 •	3 ⸗	0.6		⸗ ⸗ n, =° ⸗ • ⸗ a, ⸗ ⊙ •° p
16	05.0	05.1	05.1	12.6	12.7	13.4	13.5	9.7	78	88	90	16 1	36 1	19 1	6	8 ⸗²	8 •°	8 =°	0.8		⸗² ⊙° n, =° ⸗² • a, =° •° p
17	06.8	08.1	08.1	14.0	17.9	15.8	18.5	12.5	85	66	73	18 1	18 1	20 2	7	8 =°	8 ⸗²	8 ⸗²	1.6		=° ⸗° n, ⸗² ⊙ a, ⸗ ⊙ p
18	08.1	09.2	09.0	13.7	14.8	14.0	15.8	13.3	89	80	82	27 1	16 3	18 4	6	8 ⸗²	8 =°	8 =°	1.0		⸗² =° ⸗° n, =° ⸗² ⊙° a, =° •° p
19	07.9	07.7	06.3	14.9	15.7	17.1	17.7	13.6	95	89	81	18 2	18 3	18 3	6	8 =°	8 =°	8 =°	1.2		• =° n,a, •° =° p
20	05.3	04.0	01.5	15.4	19.7	19.4	21.0	14.3	94	75	77	18 1	18 1	18 2	6	8 =°	7 ⸗°	3 =°	4.1		= • n, ⸗ =° ⸗° ⊙ a, ⸗ ⸗² =° ⊙ p
21	00.5	00.5	99.8	16.7	20.9	18.3	21.0	15.5	77	59	66	18 3	18 3	18 3	7	6 =°	4 =°	4 =°	5.2		⸗° =° ⊙ n, =° ⊙ a,p
22	95.9	95.0	94.2	14.8	16.4	17.6	19.2	12.3	85	78	78	25 1	20 2	19 2	7	8 =°	7 =°	4 =°	0.0		•° =° ⊙ n, =° • a, ⸗° ⊙ p
23	94.0	93.4	87.7	14.6	11.6	14.1	17.7	10.0	77	92	90	18 2	20 3	18 3	8	7 ⸗	8 •°	7 =°	0.1		=° ⸗ ⊙ n, •° • ⸗ a, •° • ⊙ p
24	86.1	85.6	85.9	14.4	17.1	18.4	20.2	8.9	62	54	45	20 3	29 2	27 3	9	2	7(⸗)	4	14.7		⊙ •² n, ⸗° ⊙ a,p
25	88.4	88.4	87.4	12.6	15.4	14.8	18.4	6.9	71	65	84	27 1	18 2	18 3	8	7 =°	7 ⸗	8 •°	0.0		=° ⊙ n, ⸗° =° a, •° ⸗ p
26	83.0	80.3	79.1	12.6	12.5	13.3	14.8	12.3	90	94	66	16 2	18 3	18 4	7	8 ⸗²	8 •	5 ⸗°	0.6		⸗² ⸗° ⊙° n, ⸗² • a, ⸗² =° • ⊙ p
27	**78.4**	78.9	80.3	10.2	13.6	14.3	16.1	8.9	95	72	70	04 2	17 2	18 1	7	8 ⸗	8 ⸗	7 ⸗°	13.0		⸗² ⸗ n, ⸗² ⸗° ⊙ a, ⸗° ⸗° ⊙ p
28	85.4	87.6	90.3	11.6	16.4	16.5	16.9	8.5	92	60	71	00 0	10 1	36 1	9	8 ⸗	7 ⸗°	6 ⸗°	7.5		⸗ ⸗ n, ⸗ ⊙ ⸗° a, ⸗ ⊙ ⸗° p
29	97.9	99.0	99.9	16.3	20.1	15.3	21.8	10.7	60	51	90	04 2	17 1	18 1	9	2	6	7 ⸗	0.8		⊙ n,a, ⸗ ⊙ ⸗ p
30	02.0	02.7	01.3	13.4	15.7	16.2	17.0	12.8	92	75	76	18 1	18 4	19 2	7	8 ⸗²	8 ⸗²	5 ⸗	1.6		⸗² • n, ⸗² a, ⸗ ⊙ p
⌀	98.5	98.1	97.2	13.4	15.9	16.2	18.5	10.1	77	70	69	1.6	2.1	2.1	7.7	5.7	5.9	5.1	84		

Ekstensotabell

1954

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1h

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Juli VII

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	99.6	98.1	96.9	15.3	19.3	14.9	19.7	12.9	76	63	80	18 1	18 4	18 4	9	4 ∞	2	8 ∞^2	0.2		∞ ⊙ , n, ∞ ⊙ a, ∞^2 ⊙ p
2	93.9	93.1	91.7	13.6	14.7	15.0	16.2	12.9	83	79	77	18 3	18 3	18 3	8	8 ∞	8 ∞	7 ∞			∞ n, ∞ ▽̇° a, ∞ ▽̇ ⊙ p
3	90.1	90.5	91.4	12.6	17.3	15.4	17.9	10.9	74	63	61	18 2	18 2	18 4	9	7 ∞°	6 ∞°	1 ∞°	0.2		∞° ∞ ⊙ n, ∞° ⊙ a,p
4	93.8	93.7	93.2	12.7	14.8	14.2	15.4	9.2	84	75	82	14 1	22 1	04 1	7	8 =°	8 =°	8 •°			=° △° ⊙ △ n, •° =° △ a, • •° =° p
5	94.4	96.0	97.0	13.3	17.6	14.9	18.1	11.8	86	57	73	18 2	18 2	15 2	8	4 =°	7 ∞	7 =°	4.3		• ▽̇ =° ⊙ n, ∞ =° ⊙ a, =° •° ∞ ⊙ p
6	00.1	00.3	99.6	12.9	15.0	17.9	19.1	9.8	78	75	50	00 0	22 1	22 1	8	4 =°	7 ∞	5 ∞	0.1		=° △ ⊙ n, ▽̇° ∞ ⊙ a, =° ∞ ⊙ p
7	01.2	02.6	04.6	13.1	16.0	13.9	18.7	10.6	91	68	72	22 1	27 1	04 1	8	7 =°	4 ∞	6(▽̇)	1.0		▽̇ ∞ ⊙ n, ▽̇ ∞ =° ⊙ a, ▽̇° ꓘ ⊙ p
8	08.5	09.3	09.3	15.1	15.4	18.5	19.4	8.2	73	67	56	09 2	23 1	22 1	7	7 =°	7(▽̇)	3 ∞	0.1		=° △ ⊙ n, ꓘ ▽̇^2 =° △ ⊙ a, ∞ ▽̇ ⊙ p
9	11.7	11.3	10.3	13.9	19.8	22.2	23.1	9.8	81	56	46	04 1	22 1	23 1	8	6 =°	3 ∞	1 ∞	2.9		△ =° ∞ ⊙ n,a, ∞ ⊙ p
10	09.0	06.5	03.7	17.8	21.3	15.7	22.2	13.7	66	58	91	02 3	05 2	03 4	8	7 =°	7 ∞	8 •°			∞ =° ⊙ n,a, • •° ∞ p
11	99.1	97.5	96.1	20.4	22.2	20.7	22.3	15.5	67	67	83	03 4	03 5	03 3	8	5 ∞	7 ∞	4 =°	1.7		•° =° ∞ ⊙ n, ▽̇ ∞ ⊙ a,p
12	94.9	95.2	94.2	18.6	18.2	21.0	22.3	17.3	72	87	81	04 3	04 2	23 1	6	8 ∞	8 •°	4 =°	0.0		▽̇° ∞ =° ⊙ n, •° = ∞ a, •° =° ⊙ p
13	93.4	94.3	93.5	21.4	21.1	22.5	24.1	16.9	69	77	71	03 4	03 3	09 2	8	6 =°	8 =°	7 =°	0.0		=° ⊙ n, ▽̇° =° ⊙ a, =° ⊙ p
14	91.7	90.1	87.6	19.1	18.9	18.0	22.5	18.0	97	99	89	00 0	17 2	22 2	6	7 =°	8 ▽̇	8 =°	4.0		▽̇° =° ⊙ n, ▽̇^2 =° ⊙ a, ▽̇° =° p
15	83.2	82.9	82.5	14.4	15.5	15.4	18.0	14.2	00	98	99	16 1	20 1	27 1	7	8 •	8 •	7 ▽̇°	8.7		• ≡° =° n,a, • ▽̇° =° p
16	82.2	83.9	85.1	12.6	12.2	14.9	15.5	11.6	83	93	86	01 4	03 3	36 1	8	8 =°	8 •	5 ∞°	7.8		▽̇° =° n, •^2 =° a, • ∞ ⊙ p
17	84.9	82.6	81.3	16.2	19.6	16.8	20.8	9.1	71	62	64	16 1	18 2	18 2	9	2 =°	4 ∞°	3 ∞°	12.6		=° ∞° ⊙ n,a, ∞° ⊙ p
18	79.9	80.5	82.8	15.1	16.8	18.7	19.9	11.1	78	70	63	04 4	36 3	02 2	8	4 ∞°	6(▽̇)	2 ∞°			∞° ⊙ n, ▽̇° ∞° ⊙ a, ∞° ⊙ p
19	90.7	93.0	95.9	18.1	20.9	19.3	21.9	12.2	66	58	56	05 2	36 2	05 2	9	2	4(▽̇)	6	0.0		∞° ⊙ n, ▽̇ ⊙ a, (▽̇) ⊙ p
20	01.5	00.0	97.3	13.7	17.6	18.8	20.4	11.2	61	57	61	02 2	22 1	18 3	9	2 ∞°	4	1 ∞°	0.0		=° ⊙ n,a,p
21	91.9	90.4	90.0	15.4	19.5	18.1	20.5	12.4	85	57	63	19 2	27 2	26 1	9	6 =°	7(▽̇)	4			△ ∞° ⊙ n, ▽̇° ∞° =° ⊙ a, ꓘ° ▽̇ ⊙ p
22	90.1	89.8	90.6	15.1	19.8	14.7	20.4	7.8	66	50	71	18 1	18 2	09 2	9	2 ∞°	5(▽̇)	7(▽̇)	0.2		∞° ⊙ n, (▽̇) ∞° ⊙ a, ꓘ ∞° ⊙ p
23	94.7	95.3	96.3	15.3	17.9	19.1	21.5	11.6	60	57	57	06 2	04 2	22 2	9	3 ∞°	7 ∞°	3 ∞°	0.0		∞° ⊙ ▽̇° n, ∞° ⊙ a,p
24	00.3	00.3	00.3	16.5	20.9	17.3	22.1	11.1	63	58	65	36 1	19 2	20 2	9	0	2	4			⊙ n,a,p
25	96.9	94.9	92.9	14.3	15.3	15.1	17.3	14.0	98	98	99	09 1	14 2	18 1	7	8 •°	8 ∞^2	8 •	1.4		∞^2 •° ▽̇ n, ∞^2 • a, ∞^2 ▽̇ p
26	90.5	90.1	88.5	14.1	17.3	19.2	19.7	14.0	94	69	60	13 1	11 1	09 2	8	8 ∞^2	7 ∞	3 ∞°	12.5		∞^2 ,° n, ∞^2 ∞ ⊙° ▽̇ a, ∞° ⊙ p
27	87.2	84.3	81.3	15.1	18.1	14.0	19.2	14.0	83	54	00	05 2	19 2	04 2	8	8 ∞	7 ∞	8 •	0.6		∞ n, ∞ ⊙° a, =° ∞ • p
28	79.4	79.4	80.0	12.7	13.8	14.2	14.9	10.8	88	95	79	18 2	27 1	18 3	7	7 ∞^2	8 ▽̇	7 ∞	21.6		∞^2 • n, ∞^2 ▽̇ a, ∞ ▽̇ ⊙° p
29	82.7	83.2	84.0	13.4	16.0	15.0	17.0	11.5	83	68	72	16 3	18 3	18 2	9	6 ∞	6 ∞°	5 ∞°	3.0		∞ ⊙° n, ∞ ∞° ⊙° a, ∞ ⊙ p
30	85.0	85.0	85.0	12.7	13.5	14.2	15.2	10.4	94	97	89	16 1	14 2	18 3	7	8 •°	8 ∞^2	8 ∞^2	0.4		∞^2 ▽̇ n,a,p
31	87.9	90.1	92.9	12.9	18.1	15.2	18.3	12.4	90	66	80	18 3	18 3	18 2	9	7 ∞	5 ∞°	5 ∞	11.3		∞ ▽̇ n, ∞° ⊙ a, ∞ ▽̇ ⊙ p
M	93.2	93.0	92.8	15.1	17.6	16.9	19.5	12.2	79	71	73	1.9	2.1	2.0	8.0	5.7	6.3	5.3	95		

August VIII

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.5	98.0	99.0	13.4	18.5	14.6	19.5	12.5	92	66	92	18 2	19 3	08 1	9	7 ∞	3 ∞°	5 ∞°	1.7		∞ ▽̇° n, ∞° ▽̇ ⊙ a, ∞° ▽̇^2 ꓘ ⊙ p
2	99.4	98.3	96.5	12.2	18.0	15.4	19.2	10.8	98	66	69	32 1	24 2	18 3	8	8 =°	3 ∞	5 ∞	10.0		=° ▽̇° n, ∞ ⊙ a,p
3	92.4	90.6	90.0	12.7	19.9	18.9	21.5	9.3	90	55	72	00 0	18 3	27 2	8	3 =°	4 ∞	2 ∞°	0.4		=° ⊙ ▽̇ n, ∞ ⊙ a, ∞° ⊙ p
4	91.9	91.5	90.6	14.8	20.2	18.0	20.8	7.7	66	51	61	24 1	19 2	18 2	9	1 △^2	3	2			⊙ △^2 n, ⊙ a,p
5	93.4	94.0	93.9	16.1	20.6	18.7	22.8	9.9	69	54	65	22 1	22 2	18 3	9	1 △	5	2			⊙ △ n, ⊙ a,p
6	97.0	97.6	96.9	14.3	18.6	15.7	19.7	10.0	88	72	87	00 0	16 1	27 1	8	8 ∞^2	7 ∞	8 ▽̇°			∞^2 △ n, ∞ ⊙° ,° a, ∞° ⊙° ▽̇° p
7	91.4	89.1	86.6	14.1	14.4	14.0	15.7	13.4	95	95	00	04 3	05 2	09 3	7	8 •	8 ∞^2	8 •	1.1		=° • •^2 n, ∞^2 • a,p
8	87.4	87.7	87.9	13.5	18.8	17.0	18.9	12.8	91	63	70	22 3	20 3	18 3	8	8 ∞^2	7 ∞	2 ∞°	15.7		∞^2 • n, ∞ ⊙ a, ∞° ⊙ p
9	89.4	89.9	89.4	13.4	17.1	15.6	20.4	12.5	00	76	94	00 0	16 1	03 1	7	8 =	7 ∞^2	4 ∞	22.0		= • n, ∞^2 ⊙° a, ∞ ▽̇^2 ⊙ p
10	84.7	83.3	82.5	13.7	15.6	16.0	16.6	13.1	93	98	96	02 4	02 2	04 2	7	8 ▽̇	8 ▽̇°	8 ▽̇	9.8		=° ▽̇ n, ∞^2 =° ▽̇ a, =^2 ▽̇ p
11	83.1	82.7	82.2	15.7	18.0	14.7	20.5	11.6	80	65	94	04 2	04 1	34 1	8	2 ∞	7 ∞	7 ∞	7.9		∞ ⊙ ▽̇ n, ∞ ⊙ a, ⊙ ∞ ꓘ ▽̇ p
12	80.3	80.5	81.7	13.0	18.0	16.2	19.7	10.7	00	80	89	00 0	18 1	19 1	7	8 •°	7 ∞^2	5 ∞	7.6		= • n, ∞^2 = • ⊙° a, ∞ ▽̇ ꓘ ⊙ p
13	85.1	87.7	87.5	13.5	15.9	13.4	17.4	12.1	00	94	99	09 1	18 1	18 1	7	8 ,°	8 ∞^2	8 ▽̇	3.2		= , n, ∞^2 ▽̇ a,p
14	90.7	91.1	91.2	13.4	17.3	15.4	17.9	11.8	94	75	87	18 2	17 2	18 4	8	8 ∞	5 ∞	8 ∞^2	8.6		∞ =° , ▽̇° n, ∞ ⊙ ▽̇ a, ∞^2 ⊙ ꓘ p
15	91.9	91.9	90.9	13.5	18.8	18.1	20.7	12.7	95	63	68	00 0	27 1	36 1	9	7 ∞^2	5 ∞°	5	0.0		∞^2 △ n, ∞° ⊙ a, ⊙ p
16	94.6	95.9	97.3	15.2	17.6	17.2	20.6	11.1	72	67	75	36 2	11 1	29 1	9	3 ∞°	7 ∞°	6 ∞°			∞° △ ⊙ n, ⊙ ∞° a,p
17	00.2	00.9	01.5	14.4	18.6	14.6	19.8	10.3	69	64	82	02 2	34 1	02 2	9	3 △	7 ∞°	7 ∞			⊙ △ n, ∞° ⊙ a, ∞° ⊙ ▽̇° ꓘ p
18	03.5	04.1	04.4	11.9	16.8	14.5	17.1	11.0	97	61	75	01 1	18 2	19 1	8	7 ∞^2	7 ∞	5 ∞	4.0		∞^2 =° ▽̇ ꓘ n, ∞ ⊙ a,p
19	06.2	07.3	08.2	13.1	15.6	15.0	16.4	11.5	84	76	80	02 2	12 2	02 2	8	8 ∞	8 ∞	8 ∞	0.0		∞ ▽̇° n, ∞ a,p
20	12.1	11.9	11.9	14.5	19.3	17.7	20.2	12.2	81	58	60	02 3	04 3	02 2	9	6 ∞	3	2			∞° ⊙° n, ⊙ a,p
21	13.6	12.3	10.7	14.2	19.7	16.6	20.2	10.3	87	54	72	00 0	05 2	09 1	9	6 =°	4 ∞°	7 ∞°			=° ⊙ n, ∞° =° ⊙ a, ∞° ⊙ p
22	10.9	08.9	06.0	14.3	19.2	16.9	19.6	8.8	81	63	70	00 0	09 2	03 2	9	5 ∞	7 ∞°	7 ∞°			△ ∞° ⊙ n, △ ∞° ∞ ⊙ a, ∞° ⊙ p
23	04.0	02.7	99.0	15.4	19.9	20.5	22.0	12.9	73	56	49	02 4	04 4	05 2	9	7 ∞	2 ∞°	1 ∞			∞° ∞ ⊙ n,a,p
24	98.9	98.0	97.5	16.0	20.0	20.7	21.7	12.8	72	62	59	05 3	04 3	01 2	9	2 ∞°	2 ∞°	3 ∞			∞° ∞ ⊙ n, ∞° ⊙ a, ∞ ∞° ⊙ p
25	00.4	01.1	01.5	13.7	19.5	17.5	20.7	10.6	91	78	88	14 1	20 2	18 2	7	7 =^2	3 =°	6 =°			△^2 ∞ =^2 ⊙ n, =^2 =° ⊙ a, =° ⊙ p
26	03.8	03.9	03.2	15.3	21.0	18.1	23.1	14.6	91	65	82	26 1	18 2	18 2	8	6 =°	3 =°	7 =°			△ =° =^2 n, △ =° ⊙ a, =° ⊙ p
27	05.0	04.7	03.5	16.2	20.5	17.8	22.1	14.5	86	71	89	00 0	22 1	18 3	8	6 =°	3 =°	5 =°			△ =° n, =° ⊙ a,p
28	99.4	97.9	95.6	15.2	19.4	17.2	20.8	14.7	91	69	66	19 3	18 3	20 2	7	8 ∞^2	5 ∞^2	6 ∞°			∞^2 n, ∞^2 ⊙ a, ∞° ⊙ p
29	96.7	96.4	94.9	11.5	18.4	16.4	20.2	7.3	79	56	53	20 1	26 3	24 2	9	3 △	6	5			⊙ △ n, ⊙ a,p
30	84.6	82.7	83.2	13.6	16.8	15.2	18.0	9.9	95	58	67	18 2	20 2	20 2	8	8 ∞^2	8 ∞	1	3.0		∞^2 ▽̇ n, ∞ ⊙° a, ⊙ p
31	92.5	95.4	97.4	13.7	18.5	17.5	21.3	8.8	76	58	52	16 1	34 2	36 1	9	6 △	4 ▽̇°	2 ∞°			⊙ △ n, ∞° ▽̇ ⊙ a,p
M	96.2	96.1	95.6	14.0	18.4	16.6	19.8	11.4	86	67	76	1.5	2.0	1.9	8.2	5.9	5.4	5.1	95		

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 $\Delta G = +1^h$

September IX

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	02.3	02.7	02.0	10.9	13.9	15.0	17.5	8.4	75	71	80	04 1	35 1	19 1	9	8 =⁰	8 =⁰	6 =			=⁰ n,a, = ⊙ p
2	02.0	01.5	99.2	15.5	20.5	17.9	**21.3**	13.6	94	72	94	22 ↑	19 1	18 2	8	8 =⁰	6 =	8 =⁰	0.5		=⁰ = ̇ n, = =⁰ ⊙ a, =⁰ = p
3	01.5	02.9	01.9	14.3	18.5	16.6	19.8	12.6	68	54	67	27 1	19 2	18 2	9	5 =⁰	6 =⁰	7 =	0.0		=⁰ •⁰ ⊙ ⌒ n, =⁰ ⊙ a, = ⊙ p
4	99.3	97.9	98.9	15.8	18.7	15.8	19.3	15.0	94	76	84	19 4	18 4	18 3	8	8 =⁰	6 =⁰	4 =⁰			=² =⁰ = n, =⁰ ⊙ a,p
5	99.8	01.4	03.1	13.3	17.4	16.3	19.7	12.9	93	63	71	01 1	22 1	00 0	8	7 ̇⁰	4 =⁰	1 =	1.0		•⁰ =⁰ ̇ n, ̇⁰ ⊙ =⁰ a, = =⁰ ⊙ p
6	07.7	**07.8**	05.6	10.1	11.6	13.1	16.3	9.9	94	95	95	02 3	02 1	02 1	8	7 =⁰	8 •⁰	8 =⁰	0.0		⌒⁰ =⁰ = n, •² •⁰ =⁰ a, •⁰ =⁰ p
7	03.0	03.5	03.6	12.2	15.0	15.1	17.4	11.7	96	89	95	02 2	00 0	00 0	6	8 =⁰	8 •⁰	7 =⁰	6.8		• =⁰ n, • •⁰ = a, •⁰ =⁰ ⊙ p
8	05.2	04.8	02.8	13.8	17.1	16.1	17.1	12.9	90	78	87	06 1	04 2	10 1	7	8 =	8 =⁰	7 ̇	0.9		= =⁰ ⌒² n, ⌒² = ⊙ a, ̇ =⁰ p
9	99.6	97.9	96.5	13.6	14.5	14.5	16.1	12.4	94	95	86	18 2	18 3	18 2	5	8 •²	8 =	8 =⁰	9.7		• ̇ = • n, •² • = a, = =⁰ p
10	89.3	88.8	89.4	14.5	15.8	14.8	17.6	13.5	92	76	80	18 4	19 4	19 4	8	8 •	7 =⁰	7 =⁰	30.2		•² • =⁰ ⊙ n, • = =⁰ a, =⁰ ⊙ p
11	81.2	79.9	77.9	12.9	14.5	13.4	15.5	12.6	96	84	86	18 4	18 4	22 3	7	8 •⁰	7 =²	7 =	11.9		=⁰ • n, =² =⁰ ⊙⁰ ̇ •⁰ a, = ⊙ ̇ p
12	83.0	83.0	83.1	9.7	16.2	12.0	16.6	5.4	82	60	86	18 1	20 2	18 1	9	1 =⁰	3 =⁰	7 =⁰	1.1		=⁰ ⊙ ⌒² n, =⁰ ⊙ a,p
13	84.5	86.9	89.5	9.6	15.4	12.8	16.0	8.5	92	64	65	18 1	19 3	24 2	8	7 =	6 =	3 =⁰			= ⌒² ⊙⁰ n, = ⊙ a, =⁰ ⊙ p
14	96.0	96.9	94.9	9.1	14.8	11.7	15.0	5.0	77	58	84	18 1	18 3	18 3	8	3 ⌒²	4 =⁰	5 =			⊙ ⌒² n, =⁰ ⊙ ⌒² a, = ⊙ p
15	90.1	86.3	79.1	8.2	10.2	11.6	11.7	8.1	94	95	95	12 1	14 2	19 2	6	7 =⁰	8 •⁰	8 =⁰			=⁰ ⊙⁰ ⌒ n, =⁰ ⊙⁰ • a, =⁰ ̇ p
16	83.6	79.7	67.1	7.1	12.5	10.3	13.1	3.6	85	65	96	27 1	18 2	14 3	8	2 =⁰	7 =	8 •⁰	7.8		=² ⊙ ⌒² n,a, = • p
17	**64.7**	69.7	74.6	8.8	14.0	11.4	14.5	8.8	00	61	80	25 2	27 3	27 3	9	8 •⁰	8 =⁰	8 ̇	8.6		= =⁰ • n, = ⊙ ̇⁰ a, = ̇ p
18	83.5	87.4	90.7	7.7	15.2	12.0	16.6	6.7	93	53	57	18 1	27 2	30 2	9	5(=)	3	3	1.4		̇ (=) = ⊙ n, (=) ⊙ a, (̇) ⊙ p
19	98.2	99.1	98.2	5.9	12.9	9.5	13.7	3.0	85	51	75	00 0	22 2	18 1	9	2 ⌣⁰	1	3 =⁰			⌣ ⊙ n, ⌣⁰ ⊙ a, =⁰ ⊙ p
20	94.3	90.5	84.8	7.5	9.4	9.0	10.8	4.3	92	89	76	09 2	08 2	02 3	8	8 •⁰	8 =⁰	8 =⁰	0.3		•⁰ =⁰ n, • =⁰ a, •⁰ =⁰ p
21	83.2	83.7	85.3	6.1	9.5	8.8	10.6	5.6	96	78	74	18 1	22 1	00 0	9	8 =⁰	7 =⁰	7	5.2		• =⁰ n, =⁰ =⁰ a, =⁰ p
22	89.0	91.3	93.8	6.3	11.9	8.1	13.2	4.3	91	60	78	18 1	02 2	02 2	9	6 =⁰	7	2 =⁰	0.1		̇ =⁰ ⊙ n, =⁰ ⊙ a, =⁰ ⊙ p
23	98.9	98.5	98.6	4.0	12.7	8.9	13.5	1.3	94	57	65	00 0	22 2	27 1	9	1 ⌣	3	1			⌣ (=) =⁰ ⊙ n, ⌣ (=) ⊙ a, ̇ ⊙ p
24	99.4	94.3	88.1	5.1	10.1	8.9	11.5	0.8	83	90	97	05 1	16 3	18 4	7	7 =⁰	8 =⁰	8 •	0.0		⌒ =⁰ ⊙ n, • ⌒ =⁰ ⊙⁰ a, • =⁰ p
25	**78.2**	74.8	74.8	11.6	13.1	12.5	13.5	8.7	94	94	91	17 2	18 4	17 2	6	8 •	8 =⁰	7 =⁰	29.2		=⁰ • n, =⁰ ̇ a, =⁰ ̇⁰ p
26	80.9	81.8	81.3	8.6	12.6	9.2	12.6	7.8	79	60	89	04 1	04 1	19 2	9	8 =	4 =⁰	2 =⁰	2.6		= ̇⁰ n, =⁰ ⊙ a, =⁰ ⊙ ̇⁰ p
27	80.4	85.5	88.2	4.9	9.0	4.7	9.8	4.4	74	**45**	52	36 2	30 4	30 2	9	5 =⁰	5 =⁰	1 =⁰	4.5		=⁰ = ̇ n, =⁰ ⊙ a,p
28	91.5	90.5	90.3	0.6	12.0	6.6	13.0	- **1.8**	83	49	74	00 0	27 4	00 0	9	2 =⁰	3	1 =⁰			=⁰ ⊙⁰ ⌣ n, =⁰ ⊙ ⌣ a, =⁰ ⊙ p
29	90.6	90.9	91.1	1.4	10.2	6.7	11.0	- 0.4	95	64	92	00 0	18 2	04 1	8	1 =⁰	7 =	8 =²			=² ⌣ ⊙ n, = ⊙ a, =² ̇⁰ p
30	91.4	91.1	91.5	5.0	9.0	4.4	11.8	4.4	95	73	93	04 2	34 1	02 1	8	8 ̇⁰	5 =	6 =	0.5		= ̇⁰ n, = ⊙ ̇⁰ a, = ̇ p
M	91.7	91.7	90.9	9.1	13.6	11.6	14.9	7.5	89	71	82	1.5	2.3	1.8	8.0	6.0	6.0	5.5	122		

Oktober X

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	95.3	97.6	00.5	4.3	8.0	5.0	9.2	2.5	95	62	78	18 1	02 2	02 2	8	4 =²	5 =	2 =	2.2		=² ⊙ ̇⁰ n, = ⊙ a,p
2	07.8	09.9	11.6	1.1	10.6	4.2	11.6	- 1.2	84	47	84	22 1	18 2	00 0	9	1 =	1 =⁰	1 =⁰			⌣² = = ⊙ n, ⌣ =⁰ = ⊙ a, =⁰ = ⊙ p
3	10.9	10.4	09.1	3.7	10.7	10.2	11.5	0.4	95	76	99	04 1	25 1	18 2	6	7 =⁰	7 =⁰	8 =⁰			=⁰ ⊙ n,a, •⁰ =⁰ ⊙ p
4	08.1	08.0	07.4	9.6	10.9	10.3	11.1	9.4	94	94	92	00 0	18 1	04 1	4	8 •	8 •⁰	3 =⁰	0.1		=² •⁰ =⁰ n, • •⁰ =² a, =⁰ •⁰ ⌣² p
5	10.9	12.6	12.7	7.7	7.8	6.1	10.3	6.1	89	94	92	02 2	09 1	08 2	5	8 =⁰	8 •⁰	8 •⁰	1.1		=⁰ ⌒ n, •⁰ •⁰ = a, •⁰ = p
6	09.4	08.0	08.8	5.7	7.7	6.3	7.8	5.1	83	72	76	15 2	09 3	05 2	8	8 =⁰	8 =	8 =⁰	2.7		=⁰ •⁰ •⁰ n, =⁰ = a,p
7	15.1	**16.5**	16.3	5.3	7.1	5.7	7.4	5.0	74	61	82	36 1	05 2	00 0	8	7 =⁰	7 =⁰	8 =⁰			=⁰ n,a,p
8	14.2	12.6	11.0	3.9	5.7	4.8	6.3	3.7	93	67	88	04 1	22 1	00 0	7	7 =⁰	7 =⁰	8 =⁰			=⁰ n,a,p
9	08.9	06.0	00.4	4.2	8.2	8.1	8.6	2.1	95	70	96	18 1	20 4	18 3	7	8 =⁰	8 =²	8 •⁰			=⁰ n, =² =⁰ ⊙⁰ a, = •⁰ p
10	95.0	94.5	93.3	4.9	11.9	9.8	12.5	3.4	95	56	63	00 0	20 3	20 3	9	1	2	5 =	1.8		=⁰ ⊙ •⁰ n, ⊙ a, = ⊙ p
11	95.4	96.3	96.3	3.8	11.3	8.0	12.0	2.7	95	61	90	34 1	20 3	20 2	9	5 =	5 =⁰	5 =			= ⌒ ⊙⁰ n, =⁰ ⊙ a,p
12	97.7	95.3	90.4	5.2	11.7	10.7	12.4	3.0	95	67	77	00 0	20 3	20 4	8	5 =	7 =	5 =			= ⌒ n, = ⊙ a, = p
13	95.9	96.7	88.5	5.8	8.9	7.0	10.7	3.5	65	64	98	26 2	18 2	19 1	7	5 =⁰	8 •	8 =			=⁰ ⊙⁰ n, =² ⊙⁰ •⁰ a, = =² •⁰ p
14	95.3	90.2	94.0	9.7	13.0	7.7	**13.5**	7.0	48	**36**	51	25 3	27 3	29 3	9	3	2	1 =	1.4		= ⊙ n, ⊙ a,p
15	97.6	98.3	98.3	0.2	8.1	4.2	9.2	- 0.4	95	57	71	04 1	20 2	04 2	7	6 =	7 =²	4 =²			= ⌣ n, =² ⊙⁰ a,p
16	94.4	92.9	95.6	2.1	1.1	2.6	4.9	0.9	78	97	79	02 3	01 5	02 4	4	8 *⁰	8 *	7	0.0		*⁰ =² n, *⁰ * a, * p
17	05.5	07.2	06.5	- 1.2	6.0	0.1	7.0	- 2.3	91	54	82	00 0	20 1	04 1	8	1 ⌣	2 =⁰	1	0.6		⌣ (=) ⊙ n,a, (=) =⁰ ⊙ p
18	98.7	97.2	97.6	0.8	2.6	1.6	2.6	0.0	00	90	84	02 1	02 2	05 1	6	8 *	8 •⁰	7 =⁰	0.1	0	* (=) n, * * • =⁰ ⊙⁰ a, •⁰ =⁰ p
19	86.7	79.2	76.0	0.6	- 0.1	1.3	1.9	- 0.8	89	93	84	04 4	03 5	03 4	4	8 *	8 *²	7 =⁰	0.7	0	* =⁰ n, *² * a, =⁰ *² *⁰ p
20	78.9	75.6	75.9	- 2.0	3.5	1.7	4.8	- **4.0**	98	85	99	09 1	09 1	00 0	6	7 =²	8 =⁰	0 =	10.2	10	=² = ⌒⁰ n, =⁰ =² ⊙ a, =⁰ = ⊙ p
21	80.4	81.7	82.7	1.6	6.6	4.6	7.2	0.0	94	74	92	30 1	24 1	22 1	8	2 =⁰	8 =	0 =⁰		4	⌣ = =⁰ ⊙ n, = =⁰ ⊙⁰ a, =⁰ = ⊙ p
22	81.4	81.3	79.7	4.4	7.6	4.2	7.7	1.3	97	80	98	27 1	18 2	00 0	8	6 =⁰	8 =	7 =		2	=⁰ ⊙ n, = =⁰ ⊙ a, •⁰ =⁰ = p
23	77.9	81.1	82.5	- 1.0	8.0	2.4	8.8	- 1.2	86	46	84	24 1	27 2	00 0	9	3 =⁰	1	2 =²	0.1	2	=⁰ n, ⊙ a, =² ⊙ p
24	73.9	73.9	71.5	10.2	10.3	9.6	10.5	1.9	94	95	95	18 3	18 2	04 1	5	8 =²	8 •	8 •	8.9		=² =⁰ • ̇ n, = • a,p
25	**70.3**	70.9	70.7	8.1	9.4	7.0	11.8	6.9	78	71	73	19 4	18 5	18 4	8	7 =	7 =	3 =²	26.0		= = • n, = ⊙ a,p
26	79.9	85.6	92.4	3.2	8.5	6.0	9.5	2.6	95	45	46	00 0	27 1	04 1	9	6 =⁰	6 =⁰	1 =⁰	0.0		=² ⊙⁰ ̇⁰ n, = ⊙ a, =⁰ ⊙⁰ p
27	00.5	00.5	00.7	- 1.4	5.7	1.4	6.7	- 1.6	94	58	84	20 1	04 1	03 2	7	1 =	1 =²	1 =²			= ⌣ ⊙⁰ n, = ⊙ a,p
28	00.0	98.4	97.7	3.0	4.2	4.5	4.5	0.6	93	00	95	04 2	06 2	04 2	6	8 =²	8 •	8 =			=² n, =⁰ =² • a, = • p
29	95.4	96.1	89.6	5.9	6.5	9.4	9.5	4.5	95	94	94	18 1	27 1	04 2	4	8 ≡	8 =²	8 •	12.8		≡ • n, =² ≡ a, =⁰ • (≡) p
30	82.2	81.6	82.6	9.1	11.5	7.9	12.2	7.9	85	63	92	18 3	19 4	30 1	8	4 =⁰	5 =⁰	1 =⁰	17.2		=⁰ •² n, =⁰ ⊙ a,p
31	91.5	84.2	89.4	4.7	6.4	4.7	8.0	3.3	95	92	94	05 1	23 1	00 0	6	7 =⁰	6 =⁰	4 =⁰	0.1		•⁰ ⌒² ⌣ = ⌒⁰ ⊙⁰ n, =⁰ ⌒² ⊙ a,p
M	94.7	94.8	94.5	4.0	7.7	5.7	8.8	2.3	89	72	84	1.4	2.2	1.6	7.0	5.6	6.1	4.7	86	1	

1954

Oslo (Blindern)

φ = 59° 56′N λ = 10° 44′E g = 9.819 ΔG = + 1ʰ

November XI

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	00.3	03.2	04.0	3.3	6.5	5.4	8.1	2.5	95	90	77	00 0	09 1	02 1	4	7 =°	7 ▽̇°	7 =°			= ∞ ∞ n, =² ▽̇° a, = ⊙° ▽̇° p
2	02.8	02.3	01.0	3.9	4.0	3.5	5.4	3.2	86	89	85	09 1	04 2	05 1	8	7 =°	7 =°	7 =°	0.0		=° n, =° ▽̇ △° a, =° ▽̇ ⊙ p
3	96.4	96.7	99.4	2.3	3.1	2.8	3.6	2.2	92	82	89	04 2	04 3	04 1	8	8 =°	8 =°	8 =°	1.0		=° n,a,p
4	97.3	94.8	91.7	3.6	5.7	8.6	8.6	2.3	93	95	94	18 4	18 4	18 4	7	8 =°	8 •°	8 •°	0.1		•° =° n,a,p
5	93.1	94.6	96.4	8.1	8.1	7.2	**9.2**	6.8	97	88	80	18 2	18 2	03 1	8	8 =	8 =°	8 =°	1.2		=° • n, =° a,p
6	96.7	96.7	95.6	4.2	5.5	2.5	7.2	2.5	98	88	98	25 1	19 1	00 0	7	8 ∞²	8 ∞²	8 ∞²			∞² n,a,p
7	97.6	99.7	01.0	- 0.6	7.0	1.2	7.0	- 1.5	90	**43**	74	05 1	36 1	36 1	9	1	3 ∞°	1 ∞			∞² ⌣ n, ∞° ⊙ ⌣ a, ∞° ⊙ p
8	98.7	97.5	94.8	- 3.4	- 0.2	0.5	1.2	- 3.9	00	90	85	04 1	04 1	00 0	7	2 ∞	8 ∞²	8 ∞²			∞ ⌣ n, ∞ ⊙ a, ∞² p
9	90.2	87.5	85.8	- 0.6	- 0.5	0.0	1.0	- 0.9	85	90	95	04 3	02 4	02 4	6	8 ∞	8 *°	8 *			∞ n, =° ∞ *° a, = * p
10	91.5	93.0	93.0	- 2.8	0.1	0.4	0.7	- 3.5	98	93	98	00 0	00 0	02 1	8	7 =°	3 ∞	8 ∞²	2.6	3	= ∞ * n, ∞ ⊙ a, ∞² p
11	87.2	87.2	84.6	3.5	4.9	3.6	5.2	0.4	98	91	90	18 4	19 1	18 2	6	8 •	6 =°	8 •°	6.0		=° • *• n, =° ⊙° a, =° ⊙° •° p
12	**72.0**	81.6	82.0	7.0	8.5	2.7	8.5	2.1	64	45	72	27 2	27 4	02 1	9	3 ∞°	1	8 ∞	9.8		∞° =° • n, ⊙ a, ∞ ⊙ p
13	85.5	89.7	90.0	1.7	3.7	- 0.3	3.8	- 0.4	62	59	96	13 2	18 1	04 1	7	7 =°	7 =°	7 =°	0.5		=° ▽̇ ∞ n, =° ⊙ a,p
14	84.4	88.7	95.3	0.5	2.3	1.0	2.3	- 0.4	73	58	61	36 5	36 3	36 4	8	7	2(=)	0	9.5	5	* *• =° n, (=) ⊙ a,p
15	08.7	13.4	16.9	1.5	3.3	- 2.4	3.3	- 2.5	54	47	68	36 5	04 2	01 1	8	1(=)	1 =°	0(=)		5	(=) n, =° ⊙ a, (=) =° ⊙ p
16	17.9	16.2	14.1	- 7.4	- 3.4	- 2.2	- 2.2	**- 7.5**	95	97	96	04 1	00 0	03 1	4	6 =	8 =²	1 =		5	= (=) n, =² = a, *° =² p
17	09.0	09.8	12.2	- 2.6	1.4	1.1	1.6	- 5.0	94	71	67	03 2	19 1	02 2	4	8 =	0 =²	0(=)	0.0	5	= =² n, ≡° = ⊙ a, (=) =² ⊙ p
18	15.4	16.6	17.4	- 1.1	- 0.1	0.0	1.4	- 3.0	90	89	93	00 0	00 0	18 1	5	8 =²	8 *°	8 =°		5	=² (=) n, =² *° a, *° = =° p
19	19.3	20.5	22.1	- 0.7	- 0.8	- 1.6	0.1	- 1.7	97	85	97	17 2	17 2	18 2	4	8 *°	8 △	8 *°	2.0	7	* = n, △ *° =² a, * △ p
20	**22.9**	22.3	20.5	- 1.5	- 1.5	- 1.7	- 1.2	- 1.8	00	95	95	00 0	00 0	04 1	6	8 *°	8 *°	8 *°	6.9	14	=° * n, =° *° a,p
21	16.7	15.4	14.3	- 3.2	- 3.1	- 3.4	- 1.7	- 3.4	95	88	90	05 1	04 1	09 1	5	8 *	8 *	8 *°	5.3	20	= * n,a,p
22	12.8	13.3	13.8	- 2.7	- 0.7	- 1.4	- 0.6	- 3.5	97	78	73	04 1	19 1	18 1	7	8 *°	7 ∞²	7 ∞²	3.3	24	=° *° n, ∞² =° *° a, ∞ p
23	13.8	14.7	15.7	- 2.8	- 1.2	- 1.8	- 1.2	- 2.9	84	78	83	02 1	04 2	04 3	8	6 ∞	6 ∞	2 ∞	0.3	22	∞ n, ∞ ⊙° a,p
24	14.4	12.7	10.3	- 1.4	- 1.4	- 0.2	- 0.2	- 2.1	77	88	82	04 3	04 3	04 3	6	8 *°	8 *°	8 =	0.0	20	∞° *° n, =° * a, = *° p
25	04.9	03.4	02.0	1.0	1.0	1.0	1.1	- 0.4	85	88	92	06 3	09 2	09 3	6	8 ∞²	8 *°	8 *°	0.4	18	∞² ,° *° n, =° ∞² *° a, =° *° p
26	98.0	97.3	96.6	1.2	1.7	1.8	1.8	- 0.1	99	94	94	08 2	04 2	04 2	6	8 *•°	8 *•	8 ,	2.9	15	= *• n, = ▽̇° ▽̇ , a,p
27	94.0	91.3	91.2	3.0	3.1	3.3	3.4	1.5	90	95	98	04 2	09 2	12 2	6	7 =°	8 •°	8 •°	4.4	10	• , =° n, *• •° =° a, • •° = p
28	92.8	91.3	91.4	3.3	4.0	3.0	4.0	2.9	95	88	92	03 1	10 3	07 2	6	8 =°	8 =°	8 •°	3.5	5	•° =° n, =° a, =° •° p
29	95.0	93.2	92.6	2.2	1.6	2.2	3.4	1.3	94	94	96	03 2	02 2	04 2	5	8 •	8 •	8 •	9.8	0	•° • n, • a,p
30	94.2	94.1	93.3	4.0	4.7	3.9	4.7	0.9	95	91	96	08 2	09 2	09 4	6	8 =°	8 =°	8 •	22.9	0	• =° n, =° a, =° • p
M	00.8	01.3	01.3	0.8	2.2	1.4	3.0	- 0.5	89	82	87	1.9	1.8	1.8	6.5	6.8	6.5	6.4	92	6	

Desember XII

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	95.6	96.6	99.0	1.9	2.1	1.6	3.9	1.1	92	89	95	04 2	04 2	02 2	7	8 •°	8 ∞²	8 •	10.7	0	• n, ∞² •° a, • •° ∞² p
2	01.1	98.9	94.9	2.1	6.2	6.7	6.8	1.6	98	96	95	02 1	18 4	18 4	3	8 •°	8 ,	8 •	2.6	0	•° ≡° =² n, • , ≡° a,p
3	93.8	93.8	92.9	6.5	7.1	4.8	**7.6**	4.5	92	92	95	19 4	19 2	00 0	5	4 =°	8 =	2 =	9.1		=° • n, =° = a, ⊙° =° = p
4	96.6	90.6	81.9	4.1	5.2	5.7	5.7	1.4	78	95	97	16 2	16 2	18 1	6	3 ∞	8 ,°	8 =	0.2		∞ ▽̇° n, =° ∞ ▽̇° , a, = • p
5	80.9	81.7	82.6	3.3	3.8	4.4	5.7	3.3	86	83	64	22 1	00 0	36 4	8	6 ∞	7 ∞	3 ∞²	7.8		∞ • n, ∞ a, ∞² p
6	81.4	81.4	80.8	0.6	2.0	- 1.6	4.4	- 1.6	62	56	68	04 2	36 1	02 1	9	2 ∞	6 ∞°	0 ∞			∞ n, ∞° ⊙° a, ∞° ⊙ p
7	81.0	81.1	81.5	- 5.1	- 2.8	- 2.4	- 1.6	- 5.5	91	83	98	00 0	00 0	00 0	7	1 ∞²	7 ∞²	0 ∞²			∞² n, ∞² ⊙° a, ∞² p
8	83.6	84.5	85.7	- 1.4	- 0.5	- 0.6	- 0.2	- 2.5	85	86	86	04 1	04 1	02 1	6	8 ∞²	8 *°	8 =°	0.1		∞² ▽̇° n, =° *° a,p
9	87.5	85.8	79.7	- 0.9	- 0.7	- 0.6	- 0.5	- 1.7	88	84	98	04 3	04 4	18 3	7	8 ∞²	8 ∞²	8 *²	0.0		∞² n,a, = *² p
10	77.8	80.0	82.1	2.6	5.0	4.6	5.0	- 0.6	92	90	85	14 3	17 3	18 3	6	8 =	8 =°	8 =°	15.3	20	= * ▽̇ ▽̇ n, = ▽̇° a,p
11	93.0	96.1	98.0	5.0	5.7	3.8	5.7	3.2	65	60	94	18 3	20 3	18 2	7	6 =°	6 =°	7 =°	0.4	0	=° n, =° ⊙ a,p
12	92.2	86.5	85.2	1.7	1.4	1.0	3.8	0.7	91	91	97	04 2	36 3	18 1	4	8 *•°	8 *•	8 *•°	0.0	0	*•° =° n, *•° *• a,p
13	92.0	90.9	87.7	2.0	2.9	1.9	2.9	0.7	96	86	91	05 1	10 3	09 3	6	8 •	8 =°	8 *•°	5.0	0	• *•° n, =° • a, *•° • =° p
14	89.5	93.7	96.9	2.7	2.5	0.7	2.8	0.5	94	92	98	18 2	20 1	22 1	5	8 =°	6 =	8 =²	6.1	0	*• , =° n, = =° ⊙ a, =² = ⊙ ,° p
15	89.5	90.6	96.3	4.1	5.3	2.5	5.3	0.4	97	95	92	18 3	24 1	19 1	4	8 ,	7 =²	0	5.3		≡° , • =² n, ⊙ ≡ , =² a, =² ⊙² p
16	11.3	**12.5**	10.6	- 3.3	1.8	- 0.5	5.0	- 0.9	56	74	90	10 2	00 0	02 1	5	2 =°	7 =	4 =°	0.6		=° ⌣ n, =° ⊙ = a, = =° p
17	00.6	97.1	01.1	2.2	5.2	1.8	5.2	- 1.5	98	95	65	25 1	18 1	27 1	5	8 ,°	7 =	0 =°	0.5		≡° •° ,° n,a, =° = ⊙° p
18	94.8	90.1	86.8	4.4	6.9	6.7	7.4	- 0.1	90	88	89	18 2	19 4	18 2	8	7 ∞²	8 ∞	6 ∞²	0.2		∞² n, ∞ a, ∞² p
19	88.9	91.2	89.8	6.5	7.2	2.0	**7.6**	1.6	48	**47**	74	27 2	23 2	18 1	9	1 ∞°	1 ∞°	0 ∞			∞ n, ⊙ a, ∞ ⊙ p
20	80.5	77.6	75.4	1.0	3.5	1.8	4.1	0.8	89	66	62	20 1	22 2	26 1	8	2 ∞	7 ∞	0 ∞			∞ n, ∞ ⊙° a,p
21	78.9	74.7	63.1	- 0.6	0.4	- 0.2	3.5	- 1.1	58	61	68	27 2	22 1	04 2	9	4 ∞	7 ∞°	8 ∞			∞ n, ∞° a, ∞ p
22	67.2	69.8	70.5	- 0.3	- 0.1	- 3.6	- 0.1	- 3.6	67	58	64	02 4	26 2	02 1	9	8 ∞	5 ∞°	6 ∞	1.1	1	∞ ▽̇ n, ∞ a, ∞ ⊙° p
23	**62.0**	62.6	67.2	- 5.4	- 4.2	- 2.7	- 2.7	- 7.7	79	76	66	04 3	02 3	36 5	9	3 ∞	2 ∞°	8 ∞²		1	∞ n, ∞° ⊙ a, ∞² ⊙° p
24	80.6	84.0	87.1	- 0.6	0.4	- 3.8	0.5	- 3.8	68	52	62	02 3	36 4	09 1	9	7 ∞	2	0 ∞		1	∞ n, ⊙ a, ∞ ⊙ p
25	88.3	90.5	92.5	- 9.9	- 7.0	- 8.3	- 3.8	- 9.9	95	90	00	00 0	00 0	00 0	7	0	5 ∞²	0 =°		1	∞ n, ∞² ⊙° a, =° ⊙° p
26	89.1	87.4	86.9	- 9.0	- 5.4	- 5.2	- 5.2	-10.7	95	78	93	02 1	04 3	02 3	8	8 ∞²	8 ∞	8 *		0	∞² n, ∞ a, =° * p
27	81.8	83.6	87.1	- 2.6	- 1.6	- 2.2	- 1.6	- 5.2	91	91	89	02 3	00 0	04 1	6	8 ∞²	8 =°	8 =°	4.5	9	∞² = * n, =° a,p
28	89.4	90.2	92.6	- 2.4	- 1.4	- 2.0	- 1.4	- 3.1	98	93	99	02 1	00 0	00 0	6	8 *°	8 *°	8 =°	0.0	8	=° *° n,a,p
29	05.9	07.2	11.2	- 8.0	- 6.5	- 7.9	- 2.0	- 8.1	94	93	94	00 0	00 0	00 0	4	1 ∞	0 =²	0 =°	0.6	8	∞ n, =² ⊙° a, =° ⊙° p
30	18.1	20.0	21.8	-11.0	- 6.4	- 5.3	- 5.2	**-11.0**	93	92	94	00 0	00 0	00 0	3	1 =°	7 ≡°	8 =²		8	=° n, =° ≡° a, ≡° =² p
31	24.7	25.8	**27.5**	- 3.3	- 2.2	- 1.7	- 1.7	- 5.2	98	97	96	00 0	00 0	18 1	3	8 ,°	8 ,°	8 ,°	0.5	8	≡° ,° n,a,p
M	90.2	90.2	90.2	- 0.2	1.2	0.0	2.2	- 2.1	85	82	86	1.8	1.7	1.5	6.4	5.5	6.5	5.0	71	2	

Ekstensotabell

1954

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1ʰ

Januar I

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7		13		19		Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	22.9	22.4	22.4	4.3	5.1	7.1	7.7	3.1	93	97	98	14	4	14	3	17	2	7	8 •°	8 •	8 •	4.3		• ⌒ n, • a,p
2	19.3	08.5	06.7	8.4	8.5	4.4	8.9	4.4	98	97	80	24	2	25	4	33	6	6	8 •°	8 •	8 ⸱̇	22.3		• ⸱ n, = • ⸱ a, • ⸱ ⸱̇ p
3	10.0	12.7	21.8	2.8	4.7	3.3	4.7	0.9	63	54	43	33	5	34	3	35	2	9	0	1	0	11.9		⸱̇ ⸱̇ n, ⊙ ⸱̇° a, ⊙ p
4	24.9	26.9	25.9	2.3	1.5	- 0.1	3.5	- 0.3	51	67	64	02	1	00	0	12	1	7	1	1	0	0.0		⊙ a,p
5	23.2	20.9	15.1	0.9	1.3	1.8	1.8	- 0.2	48	58	64	14	2	14	4	15	5	8	0	7	8			⊙° a
6	02.7	05.0	07.5	1.9	1.8	- 0.8	4.4	- 0.8	99	63	87	00	0	34	3	15	2	7	8 •	7(⸱̇)	4 ⸱̇°	24.6		• n, • ⸱̇ a, ⸱̇° p
7	14.0	17.5	19.5	- 1.6	- 1.0	- 3.1	- 0.1	- 3.1	87	80	82	34	2	27	1	00	0	7	1	1	0	2.0	2	⸱̇ n, ⊙ a,p
8	13.6	11.7	07.2	- 0.6	1.2	3.4	3.4	- 4.0	89	96	97	15	5	10	2	00	0	7	8 *	7	8 •	0.2	1	* +° n, * +° ⁝ ⸱̇ a, ⸱̇ ⁝ • p
9	08.7	08.9	08.2	0.1	0.1	- 0.5	3.4	- 1.3	83	72	85	32	4	34	3	34	2	7	8 ⸱̇	8 △	7	14.6	1	• ⸱̇ △ ⸱̇ n, ⸱̇ △ a,p
10	05.2	04.0	03.0	0.2	1.0	0.8	1.5	- 0.6	84	82	66	36	1	35	2	35	1	8	7	7	7	1.3	2	⸱̇ n
11	01.6	00.7	98.3	0.3	0.5	6.1	6.3	- 0.4	79	97	99	00	0	14	3	32	3	7	8	8 *	8 •		1	* a, * ⁝ • p
12	99.0	98.6	96.3	5.8	6.0	5.1	6.9	5.1	98	97	97	00	0	00	0	16	3	6	8 •°	7 =°	8 •	16.9		• ⌒ n, •° =° a, • =° p
13	87.6	83.8	80.4	6.0	5.9	5.1	6.2	4.1	92	92	91	16	4	16	3	15	1	7	8 •	8 •	8 ⸱̇	12.9		=° • n, • a, • ⸱̇ p
14	70.5	70.0	71.0	6.6	6.4	3.8	7.4	3.8	58	49	79	08	3	09	2	12	1	8	8 ⸱̇°	8	8 ⸱̇°	28.0		⸱̇ n,a, ⸱̇° p
15	72.8	61.6	56.9	4.4	2.6	4.3	5.3	1.2	68	91	92	20	2	15	4	25	3	7	1	8 ⁝	8 •	9.7		• ⸱̇ n, • ⁝ a,p
16	66.7	75.1	78.4	3.0	4.0	3.8	5.4	1.7	98	90	91	14	2	27	1	00	0	7	8 •°	7 △	1	23.0		• n, • ⸱̇ △ a, ⸱̇ △ p
17	90.2	00.3	09.2	0.7	2.2	1.2	3.8	0.0	99	65	84	00	0	34	1	29	1	9	0	0	1	3.0		⸱̇ ⌣ ⌒ ∿° n, ⊙ a,p
18	19.0	20.3	17.1	0.3	1.2	1.3	1.7	- 0.4	98	93	73	00	0	00	0	14	2	7	1	7	7	0.3	1	⸱̇ n, ⊙° a
19	09.5	93.8	84.7	3.9	5.7	6.0	6.3	1.4	93	98	95	16	4	15	3	14	2	7	8 •	8 •	8 •	8.4		• n,a,p
20	98.4	97.7	02.6	3.2	1.2	0.9	7.0	0.9	74	86	81	34	5	34	2	34	3	7	1	7 ⸱̇	1	19.1		• ⸱̇ n, ⊙ ⸱̇ a,p
21	08.4	13.5	19.3	0.2	1.8	- 0.3	1.8	- 0.3	63	51	61	36	2	34	1	00	0	8	0	6	0	0.3	0	⊙ a,p
22	28.5	32.1	33.7	- 2.6	- 0.4	- 0.8	1.1	- 2.9	68	68	55	00	0	00	0	14	1	5	0	1 =	0		0	= ⊙ a,p
23	32.9	32.3	31.1	0.2	1.2	1.9	1.9	- 2.7	59	62	61	15	4	16	5	16	4	8	8	8	8		0	
24	27.4	25.2	22.7	1.3	1.7	1.8	2.2	1.3	61	61	59	15	5	16	5	16	5	8	7	7	7		0	
25	19.5	19.1	19.0	0.5	1.5	- 0.2	1.8	- 0.2	57	53	53	15	4	16	3	11	2	7	7	7	1			⊙ a,p
26	22.1	25.3	27.5	- 3.1	0.1	- 3.1	0.2	- 3.1	67	50	56	00	0	00	0	00	0	7	1	1	0			⊙ a,p
27	28.7	28.4	25.8	- 4.6	- 2.0	- 4.2	- 2.0	- 4.9	68	64	74	00	0	00	0	00	0	6	0	0	0			⊙ a,p
28	20.4	18.2	16.7	- 6.3	- 3.7	- 3.3	- 2.3	- 6.8	78	74	67	00	0	00	0	00	0	7	0	7 =	1 =			⌣° n, = ⊙° a,p
29	19.3	19.2	19.2	- 3.9	- 1.6	- 2.7	- 1.5	- 4.5	63	63	70	00	0	00	0	00	0	4	0	7 =	8 *°			= ⌣° n, = a, = *° p
30	22.5	26.2	30.0	- 5.8	- 4.8	- 7.2	- 2.7	- 7.2	72	52	42	00	0	01	1	00	0	7	8	2	0	0.2	1	* n, ⊙ a,p
31	34.0	34.0	32.6	- 9.3	- 5.2	- 6.5	- 4.0	- 9.4	66	61	57	00	0	16	1	00	0	5	0	0 =°	0		0	=° ⊙ a,p
M	10.4	10.1	10.0	0.6	1.6	0.9	3.0	- 0.8	77	74	74	2.0		1.9		1.7		6.9	4.2	5.5	4.3	203	0	

Februar II

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7		13		19		Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	30.0	28.6	26.9	- 6.7	0.7	0.5	0.9	- 7.5	68	44	42	00	0	15	2	15	2	7	0	7	8		0	⊙ a, ⊙° p
2	27.5	29.0	28.8	- 1.4	0.6	- 0.2	0.8	- 1.5	54	49	54	16	4	16	4	16	3	8	1	3	8			⊙ a,p
3	23.4	23.3	24.7	- 0.7	1.4	1.9	2.4	- 0.8	97	91	81	16	4	14	3	00	0	7	8 *	7(⸱̇)	2	1.7	1	* n, * ⸱̇ a, ⸱̇° p
4	25.1	25.6	24.1	0.2	2.6	3.4	3.4	- 1.0	86	73	86	00	0	14	2	15	2	7	8	8	8 •°	2.2	2	•° p
5	20.6	19.4	16.7	3.4	3.5	4.0	4.0	3.2	93	96	85	12	1	12	2	15	3	7	8 •°	8(⸱̇)	8	0.0	0	•° n, •° ⸱̇ a, ⸱̇ p
6	11.4	08.6	03.4	2.6	2.2	2.3	4.0	1.8	76	79	64	16	4	16	4	16	5	7	7	7(⸱̇)	8	5.4	0	⸱̇° n, ⸱̇° a,p
7	90.0	88.1	88.5	1.8	2.1	1.8	2.5	1.4	57	54	51	17	6	16	6	16	4	7	8	8 =°	8 =°	0.0	0	=° a,p
8	88.8	91.4	94.8	2.9	2.5	1.4	3.2	1.2	38	39	36	15	3	15	3	14	3	7	8	8	7		0	=° n, *° a
9	93.9	96.1	00.0	- 2.4	- 1.9	- 0.8	1.4	- 3.0	52	49	57	17	2	14	4	16	4	7	8	8 =°	8	0.0		=° a, =° *° p
10	04.0	03.9	03.9	- 4.0	0.6	- 0.3	0.7	- 4.1	59	51	43	15	1	00	0	07	3	6	0	0	0	0.0		⊙ a,p
11	08.2	10.1	11.6	- 3.3	0.0	- 2.3	0.0	- 3.7	59	51	51	00	0	00	0	17	1	7	0	7	5			⊙ a,p
12	13.0	13.2	10.9	- 5.8	- 1.5	- 4.6	- 1.5	- 5.8	62	47	51	00	0	18	1	00	0	7	1	5	1			⌒ n, ⊙ a,p
13	06.6	06.4	06.6	- 7.6	- 2.6	- 3.8	- 1.3	- 7.8	66	50	45	00	0	00	0	00	0	7	5	7	1			⊙ a,p
14	08.6	13.0	13.8	- 4.9	- 0.4	- 1.4	0.9	- 5.3	53	53	50	00	0	00	0	00	0	7	5	8	1			⊙° a,p
15	18.7	21.4	22.5	- 1.7	1.1	- 0.5	2.0	- 3.5	56	45	48	00	0	00	0	00	0	7	7	6	7			⊙ a,p
16	23.4	22.8	20.6	- 4.4	0.1	- 0.8	0.4	- 4.5	67	48	50	00	0	16	3	15	3	7	1	1	7			⊙ a, ⊙ ⌒ p
17	15.1	13.7	11.5	- 2.4	- 2.2	0.0	0.0	- 2.9	90	98	68	16	5	16	6	16	6	5	8 *	8 *	8 ⸱̇°	2.8	0	⌒ * n, * + a, * + ⸱̇° p
18	12.0	14.9	16.0	0.5	2.1	- 0.9	2.3	- 1.1	63	62	49	00	0	26	1	00	0	7	7	7	1	6.1	0	⸱̇° n
19	15.5	15.6	15.4	- 3.6	- 0.7	- 3.1	0.1	- 4.6	51	39	43	00	0	12	2	00	0	7	7	7	0		0	⊙ a,p
20	17.2	19.4	20.4	- 6.4	- 0.4	- 1.2	0.8	- 6.7	56	47	40	00	0	00	0	00	0	7	1	6	4		0	⊙ a, ⊙° p
21	18.3	17.6	15.3	- 1.0	1.6	1.1	2.6	- 2.4	48	48	55	15	2	16	3	17	6	8	7	8	8 *		0	*° p
22	12.5	14.3	12.8	2.2	2.5	2.9	3.0	0.0	92	95	94	16	6	15	3	12	1	7	8 ⁝	8 •	8 •	6.7	0	* ⁝ n, ⁝ • ⸱ = a, • ⸱ = p
23	03.2	01.3	99.3	4.8	4.9	4.6	6.5	2.4	89	83	82	16	4	16	6	17	6	7	8 •	8 •°	8 •	12.8	0	=° • n, • a, •° p
24	99.2	00.9	99.7	3.5	4.0	3.8	4.8	1.8	74	64	57	17	5	16	4	16	4	7	7	7 ⸱̇°	7	7.4		• ⸱̇ R n, ⸱̇° a,p
25	90.4	87.3	85.3	4.1	5.2	3.0	5.3	3.0	44	41	49	15	4	14	3	08	2	8	7	8	8 ⁝°	0.0		⁝° p
26	81.7	84.3	86.8	0.6	1.4	1.6	3.0	- 0.2	48	49	43	05	6	06	4	05	3	8	6	7	7	0.0	0	⁝° *° n, *° a
27	88.5	89.7	91.2	1.1	3.3	2.4	3.7	0.6	44	42	43	09	3	10	4	07	4	8	7	7	8	0.0		*° a
28	91.0	90.7	89.6	1.5	2.6	2.1	3.3	1.2	70	63	52	00	0	05	1	06	3	7	8	7	7	0.0		*° a
M	08.5	09.0	08.6	- 1.0	1.3	0.6	2.1	- 1.8	65	59	56	2.1		2.5		2.4		7.1	5.6	6.7	5.8	45	0	

Ekstensotabell

1954

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1ʰ

Mars III

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	88.6	90.3	91.7	1.0	3.0	1.3	3.4	- 0.1	63	53	66	08 1	09 1	00 0	7	7	8	7	0.0		⊙° a, ⊙° *° p
2	91.1	90.6	89.5	1.6	2.5	1.8	4.0	1.0	63	58	61	00 0	14 3	15 1	7	7	6	1	0.0		*° n, ⊙° a,p
3	88.6	87.9	85.9	- 2.3	3.1	1.1	4.5	- 2.4	80	54	43	00 0	00 0	23 1	7	0	0	1			◡° n, ⊙ a,p
4	81.9	78.9	78.6	0.7	3.3	1.9	3.8	0.6	42	44	67	00 0	05 4	34 2	8	7	8	8			*° p
5	81.1	83.7	86.3	0.7	3.8	2.1	4.9	0.5	90	69	93	00 0	00 0	16 3	7	7	7	8 •°	0.2	1	* n, ‡° •° p
6	89.3	89.9	89.2	1.2	3.8	3.4	4.0	0.6	99	82	73	11 1	16 2	17 4	8	8 •°	7	7	6.0		• ‡ n, •° a
7	81.0	78.1	78.2	7.0	5.4	4.5	8.0	3.2	48	63	73	15 4	14 4	16 4	7	7	8 •°	5	0.0		•° a, • p
8	75.5	84.1	90.8	4.8	5.7	5.2	6.5	2.8	87	85	92	16 5	16 4	16 5	7	8 ⸱°	7	8 ⸱	3.5		⸱° n, ⸱ • a, ⸱ p
9	06.5	10.3	10.6	3.2	5.8	4.5	6.2	3.1	87	78	81	00 0	18 1	00 0	8	7	7	7	5.8		⸱ ◠ n, ⊙° a,p
10	11.5	12.0	12.0	0.6	6.0	5.0	7.4	0.1	84	65	63	00 0	28 1	00 0	8	5	1	7			◡ n, ⊙ a,p
11	13.9	15.8	16.7	2.4	2.9	2.1	5.2	2.1	95	98	99	00 0	19 1	19 1	7	8 =°	8 =	8 ⸱°	0.3		=° • n, = •° a, = ⸱ p
12	19.1	20.4	20.9	1.4	2.0	2.0	2.3	1.1	99	98	95	19 1	29 1	35 1	6	8 ⸱°	8 =°	8 =°	0.4		=° ⸱° n,a, =° p
13	24.3	25.9	27.0	- 0.1	0.1	0.4	2.2	- 0.1	98	98	98	00 0	14 1	23 1	3	8 ≡	8 ≡°	8 =	0.0		= ≡ ◠ n, ≡ a, ≡° = p
14	25.7	24.6	22.6	1.2	2.6	2.1	2.6	- 0.3	98	87	94	12 1	00 0	00 0	7	8 =°	8	8 •°	0.0		=° ⸱° ◠ n, =° a, =° •° p
15	19.0	19.1	17.3	1.4	2.9	3.5	4.5	1.1	96	96	96	32 2	00 0	29 2	5	7	8 •°	7 =°	0.0		=° •° ◠ ◡ n, = •° a, = •° ◠ p
16	16.3	16.2	15.6	3.2	5.6	4.9	6.5	2.8	98	85	81	34 2	34 3	33 2	7	7	7	1	0.9		= • n, ⊙ a,p
17	13.7	12.9	11.5	0.4	1.7	3.4	4.9	- 0.1	99	99	94	24 1	36 1	34 1	7	8 ≡	8 =°	7			= ≡ ◠ ◡ n, ≡ = ◠ ⊙° a, =° ⊙° p
18	09.9	09.6	10.1	2.0	5.8	4.0	6.7	1.9	98	75	80	28 1	32 2	35 2	9	7	2	1	0.0		◠ •° n, ⊙ a,p
19	12.8	14.3	14.5	- 0.3	7.6	3.5	8.4	- 0.6	98	59	79	00 0	00 0	14 1	7	0	0	0			◠ ◡ n, ⊙ a,p
20	12.1	11.2	09.7	- 0.3	1.8	1.4	3.5	- 0.3	89	72	89	00 0	18 1	14 1	7	3	8 ‡°	8 ‡			◠ ◡ n, ‡° a,p
21	03.2	00.9	02.9	2.9	4.3	5.7	5.8	0.7	97	97	98	16 4	16 5	17 4	5	8 •	8 •	8 •°	7.9	0	‡ • n, =° • a,p
22	96.0	97.1	97.1	7.0	6.1	6.0	7.2	5.0	93	98	97	16 6	16 5	16 4	5	8 =	8 •	8 •	18.5		=° ⸱ n, = • a, =° • p
23	95.1	93.6	97.0	8.8	13.0	6.1	13.9	5.7	93	76	92	17 4	17 4	15 3	7	8	8 •°	8 •	26.9		=° • ◠ n, =° ∞ •° a, =° ∞ • p
24	03.4	04.0	03.1	0.3	3.9	3.3	6.1	0.2	85	58	60	34 3	32 3	32 2	9	3	0	7	14.6		=° ∞ • n, ⊙ a,p
25	04.3	04.1	01.2	2.0	3.2	1.3	3.8	1.3	74	64	92	17 4	16 3	16 4	8	7	7 ‡°	8 ‡	0.0		•° n, ‡° a, ‡ ‡ p
26	99.0	98.2	98.8	1.6	1.9	4.0	4.4	0.9	98	97	95	17 5	16 6	18 2	6	8 ‡	8 ‡	7 ⸱	6.5	0	‡ n,a, ‡ ‡ ⸱ p
27	03.6	05.5	06.4	1.8	4.8	3.4	5.3	1.6	98	76	78	36 2	36 2	32 1	8	7	6(⸱)	7	11.8		⸱ ◠ ‡ • n, ⸱ ⊙ a,p
28	06.5	06.7	08.0	- 0.7	5.0	5.5	7.2	- 0.8	97	57	53	00 0	29 1	00 0	9	0	1	1	0.4		◠ ◡ n, ⊙ a,p
29	10.0	10.0	08.7	- 0.9	7.9	6.7	8.3	- 1.0	90	43	40	00 0	12 3	14 2	9	0	1	2			◠ ◡ n, ⊙ a,p
30	02.8	98.4	95.8	3.2	4.6	3.5	6.7	3.1	44	41	53	11 2	09 2	09 3	8	7	8	8 ‡°			
31	98.5	00.0	99.4	3.8	5.0	6.8	7.0	3.5	60	67	59	00 0	15 3	14 2	7	8	8 •°	5	0.0		‡° n, •° a,p
M	02.7	03.0	03.1	1.9	4.4	3.6	5.7	1.2	85	74	78	1.6	2.2	1.9	7.1	6.2	6.0	5.9	104	0	

April IV

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	96.3	95.6	97.1	5.7	7.3	6.5	8.6	3.9	54	48	49	09 1	05 2	00 0	8	7	7	7	0.0		
2	01.6	02.8	00.3	2.6	6.3	6.1	6.9	2.1	81	74	78	00 0	17 4	17 4	8	7	8	8 =°			=° p
3	00.1	00.1	95.9	2.9	5.6	6.2	7.0	1.3	98	79	72	15 3	18 3	16 4	7	8	7 ⸱	8 •°	11.6		=° • n, ⸱ a, ⸱ •° p
4	85.5	84.5	88.1	6.1	6.0	5.1	6.5	4.8	84	80	90	17 4	20 5	25 5	7	7 ⸱	8 ⸱°	8 ⸱	4.9		• ⸱ n, ⸱ a,p
5	95.5	98.6	02.5	4.4	4.9	5.2	5.8	2.3	85	95	83	26 4	00 0	32 2	7	7 ⸱	7 =°	7	12.9		⸱ n, ⸱ ‡ =° ⊙° a, =° ⊙° ⸱° p
6	11.2	14.5	15.8	2.6	7.8	5.8	7.9	2.6	93	58	69	34 2	34 3	34 2	8	1	3	1	5.3		⊙° ◠ ◡° n, ⊙ a,p
7	20.1	21.3	21.8	0.0	8.4	5.8	8.7	0.0	93	50	58	00 0	34 1	30 1	8	1	1	1			⊙ ◠ ◡ n, ⊙ a,p
8	22.7	23.5	24.6	3.4	6.2	6.5	6.5	1.1	69	55	58	17 1	16 3	16 4	8	7	8	7			
9	27.1	26.2	26.2	4.1	9.6	7.7	9.8	4.0	89	60	64	00 0	20 3	19 3	7	8	1 ∞	7 ∞			∞ ⊙ a,p
10	27.3	27.0	24.7	5.5	8.4	5.1	8.4	4.7	60	55	54	17 4	17 5	18 5	7	8 .°	7	1	0.0		∞ •° n, ∞ ⊙ •° a, ⊙ p
11	18.5	16.5	12.8	3.5	5.0	4.1	5.3	2.6	62	63	97	16 5	17 5	16 5	8	8	8	8 •	0.0		=° • p
12	11.3	09.6	07.6	4.4	7.2	4.0	7.5	4.0	97	70	85	27 2	23 3	23 2	8	7 ⸱	7(⸱)	7 ⸱	14.0		• ⸱ n, ⸱ ⊙ a, ⸱ p
13	98.6	00.6	06.8	2.4	3.8	3.6	6.2	1.1	98	90	91	16 2	33 2	33 3	7	7	7(⸱)	7 ⸱	9.2		⸱ △ n, ⸱ ‡ △ ⊙ a,p
14	03.8	95.8	95.7	1.2	4.9	5.6	5.8	1.0	93	97	90	16 4	29 1	29 2	7	8 ‡	8 ⸱	6 ⸱	2.4	0	⸱ ‡ =° n, ‡ • =° ⸱ a, ⸱ ⊙° p
15	03.8	13.6	21.7	4.3	8.9	8.5	9.5	4.1	95	50	39	35 1	33 3	35 3	9	1	2	7	17.4		⸱ ◠ ◡° ⊙ n, ⊙ a,p
16	27.9	28.3	28.2	2.9	8.6	8.0	9.8	2.0	73	41	39	29 1	36 1	33 1	9	1	1	5			⊙ ◠ n, ⊙ a,p
17	28.7	28.0	26.6	4.6	8.6	6.5	8.6	4.1	65	49	48	16 1	20 1	17 2	8	7	8	7			⊙° n, •° a
18	23.9	23.2	22.6	3.4	7.5	6.4	7.9	3.1	97	55	56	30 1	33 3	33 3	9	7	3	5	3.1		• ⸱ ◠ n, ⊙ ⸱ a, ⊙ p
19	21.9	21.0	20.6	3.0	9.5	7.5	10.3	1.7	73	49	51	35 1	33 1	27 1	9	7	4	2	0.1		⊙ ◠ n, ⊙ a,p
20	23.0	23.2	22.2	1.5	8.4	6.7	9.4	1.2	85	46	68	00 0	28 1	29 2	9	1	1	7			⊙ ◠ ◡ n, ⊙ a,p
21	20.3	20.4	19.5	4.1	7.6	7.2	10.3	4.0	95	74	62	29 1	32 1	34 2	9	7	6	7	0.2		⸱ ◠ n, ⊙ a,p
22	20.5	20.5	20.0	2.5	9.3	7.9	10.9	2.2	91	56	59	34 1	32 1	32 3	8	7	1	1			⊙ ◠ ◡ n, ⊙ a,p
23	19.1	18.1	17.8	4.5	8.8	7.0	9.2	4.4	99	76	67	00 0	34 3	33 3	8	8 •°	7	1	0.4		⊙ ◠ •° n, •° ⸱ a, ⊙ p
24	19.0	18.7	17.7	3.3	10.2	7.4	10.3	2.8	68	48	63	32 2	30 2	33 3	9	0	1	1	0.0		⊙ ◠° n, ⊙ a,p
25	18.2	18.6	18.5	3.9	9.4	9.3	10.8	2.7	63	47	45	32 1	29 1	32 1	9	1	2	1			⊙ n,a,p
26	18.2	17.7	16.1	2.6	6.3	5.3	9.3	2.2	90	63	92	34 1	34 1	34 1	8	2	8 •°	7 ⸱			⊙ ◠ ◡ n, ⊙ •° a, •° ⸱ p
27	16.5	16.2	16.4	3.4	8.5	7.4	9.4	3.0	87	58	60	34 1	33 2	33 2	8	1	7	1	1.6		⸱ ◠ ⊙ n, ⊙ a,p
28	16.4	16.0	11.9	4.2	6.4	5.8	7.3	3.6	93	93	98	00 0	26 2	16 1	7	8 •°	8 •°	8 •	0.4		⊙ ◠ •° n, •° a, • p
29	05.5	05.3	05.3	3.8	6.9	5.6	8.2	3.8	93	58	62	34 3	34 3	33 3	9	7	3	7	11.0		• ⸱ ◠ n, ⊙ a,p
30	02.5	01.4	00.3	2.8	6.8	5.0	7.7	2.4	85	56	74	35 1	30 1	35 1	8	7	7	7 ⸱°			⊙° ◠ n, ⊙° a, ⸱ ‡ p
M	13.5	13.6	13.5	3.5	7.4	6.3	8.3	2.8	84	63	67	1.6	2.2	2.5	8.0	5.4	5.2	5.2	94	0	

Ekstensotabell

1954

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1ʰ

Mai V

H_s = 43 H_b = 44.4 h_t = 1.7 h_s = 19.0 h_d = 19.0 h_r = 1.4

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	98.6	00.2	00.6	2.9	7.9	8.3	8.7	2.3	97	76	81	23 1	19 4	00 0	8	8	8	8 •°	5.3		ẏ • ‡ ⌒ n, ẏ a, •° p
2	99.7	00.3	99.4	9.8	10.3	11.1	12.5	7.0	66	62	50	17 2	10 3	07 1	8	7	7 =°	7 =°	6.5		• ẏ ⌒ n, ⊙° =° a, =° ẏ° p
3	98.0	00.7	04.2	11.9	13.8	10.0	13.9	9.2	49	48	82	07 4	09 1	34 1	8	8 •°	8 •°	8 =°	0.5		=° •° n,a,p
4	07.1	06.4	04.2	9.4	17.3	14.3	17.4	7.9	85	49	50	32 1	07 1	05 4	8	7	7 =	7	0.8		=° •° ⌒ n, = ⊙ •° a, = ⊙ p
5	02.9	02.4	00.9	11.0	9.4	8.5	14.3	8.5	70	93	98	23 1	30 1	19 1	7	8 •	8 •	8 •	0.9		• n,a,p
6	99.7	99.6	99.9	8.6	12.7	8.4	12.7	7.0	70	52	95	12 3	16 3	14 1	8	8 •	8	7	8.6		• ⌒ n, • a, • ⊙° p
7	04.2	10.2	13.7	6.9	8.7	6.3	9.3	5.4	91	82	89	17 5	20 5	16 4	8	7	7	8	10.7		• n, ẏ ⊙° a,p
8	19.3	21.5	23.0	6.2	10.7	10.8	11.5	5.4	91	51	50	16 3	18 3	19 3	8	6	6	6	4.1		ẏ ⌒ n, ⊙° a, ⊙ p
9	25.0	24.7	22.5	6.0	16.3	15.1	17.0	4.2	92	42	36	00 0	36 1	30 2	9	7	1	1			⊙ ⌒ n, ⊙ a,p
10	23.3	23.4	23.6	10.7	20.8	15.3	21.7	7.7	57	38	48	25 1	12 2	34 1	8	1	1 =	3			⊙ ⌒ n, = ⊙ a,p
11	24.2	23.5	22.5	10.8	20.6	18.3	21.2	7.6	80	34	43	00 0	30 1	30 1	8	1	6 =	1 =			⊙ ⌒ n, = ⊙ a,p
12	23.1	22.4	22.5	13.0	21.5	18.0	21.5	9.8	68	42	42	00 0	01 1	00 0	8	0	0 =	0			= ⊙ ⌒ n, ⊙ = a,p
13	22.1	21.6	21.1	10.2	17.8	17.1	18.6	8.5	87	53	51	02 1	27 3	32 1	8	2	0 =	1 =			⊙ ⌒ n, = ⊙ a,p
14	20.8	17.7	15.1	10.9	14.5	14.1	17.4	9.7	88	73	60	00 0	27 3	26 2	8	7	6 =	6			= ⊙ ⌒ n, = ⊙ a,p
15	10.5	07.9	05.9	9.3	13.1	16.3	17.1	8.6	94	80	55	34 1	28 2	33 2	7	8 =°	1 =	1			⊙ =° ⌒° n, =° = ⊙ a, = ⊙ p
16	05.8	05.0	04.9	8.5	10.6	9.8	16.3	8.2	94	57	68	32 2	33 3	33 3	9	8(ẏ)	2	1	1.2		⊙ ⌒ ẏ n, ẏ ⊙ a, ⊙ p
17	05.6	06.7	07.9	7.4	11.9	10.0	12.4	5.4	78	62	68	33 2	32 3	34 3	9	7	2	1	0.2		⊙ ⌒ n, ⊙ a,p
18	11.4	12.3	13.2	8.4	13.1	12.1	13.7	5.8	80	52	62	35 2	34 3	34 3	9	1	3	1			⊙ ⌒ n, ⊙ a,p
19	14.4	12.8	12.2	11.6	15.3	12.5	15.7	7.8	51	44	60	29 1	32 3	28 1	9	1	1	1			⊙ ⌒ n, ⊙ a,p
20	11.0	10.0	04.4	8.7	11.2	11.9	13.0	7.9	93	83	82	29 1	32 2	31 2	7	7	8 •°	8 ẏ°	0.0		⊙ ⌒ •° n, •° =° a, ẏ° •° =° p
21	06.8	08.5	06.9	10.0	15.6	16.0	17.1	9.4	97	76	65	00 0	30 2	35 3	8	7 =°	8 =°	8 •°	3.0		=° • ẏ n, =° ⊙° a, =° ⊙ •° p
22	05.7	09.0	10.5	12.3	10.5	11.7	16.3	10.3	95	92	69	32 3	12 1	17 1	8	7 =°	8 =°	8 =°	4.3		= •° n, =° a,p
23	11.5	12.0	11.4	10.4	15.7	14.7	15.7	9.9	91	57	60	00 0	36 1	29 1	9	7 =°	6 =°	6 =°			=° n, =° ⊙ a,p
24	11.0	11.1	11.1	12.2	16.4	15.8	18.0	10.0	88	59	56	00 0	18 3	28 1	7	4 =°	7 =°	5 =°			=° =° n, =° =° ⊙° ⊕° a,p
25	13.1	15.4	16.4	11.8	16.1	16.7	17.6	11.5	84	58	57	00 0	20 5	16 2	8	8 =°	7 =°	7 =°			=° =° n, =° ⊙ a, =° ⊙° p
26	18.5	20.3	19.5	16.6	20.1	20.7	21.0	15.0	53	51	55	15 3	14 3	00 0	9	7 =°	7 =°	5 =°			=° n, =° ⊙° a, =° ẏ° ⊙ p
27	19.5	19.7	20.2	16.4	24.6	20.8	25.2	13.1	65	41	57	00 0	10 1	32 1	9	0 =°	4 =°	0 =°	0.0		=° ⊙ n,a,p
28	19.6	19.2	18.5	15.4	24.5	21.8	25.2	12.8	90	39	44	00 0	23 2	29 2	7	0 =°	0 =	0 =°			=° ⊙ n, = ⊙ a, =° ⊙ p
29	17.0	17.7	16.9	16.3	23.0	23.0	24.5	13.7	78	49	49	00 0	34 1	28 1	8	0 =°	0 =°	0 =°			=° ⊙ n,a, =° =° ⊙ p
30	16.1	17.7	14.8	15.5	21.2	17.5	23.0	13.8	85	55	58	31 1	33 3	32 2	9	3	3	1			⊙ n,a,p
31	12.3	10.7	07.8	12.7	16.8	17.5	18.2	11.1	75	61	59	34 2	33 3	30 3	9	5	1	7			⊙ n,a,p
M	12.2	12.6	12.1	10.7	15.5	14.3	18.6	8.5	80	59	61	1.3	2.4	1.7	8.2	5.1	4.5	4.2	46		

Juni VI

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	09.1	08.9	09.5	12.9	19.9	18.6	20.4	10.6	83	53	54	32 1	20 3	23 1	8	1	1	4			⊙ ⌒° n, ⊙ a,p
2	13.1	14.8	15.5	11.6	14.9	13.6	18.6	10.4	89	69	72	32 1	33 3	33 3	8	0	1	1			⊙ ⌒ n, ⊙ a,p
3	18.1	19.6	19.5	11.9	17.0	16.0	19.3	9.1	88	56	49	35 1	27 3	27 2	8	0	1	7			⊙ ⌒ n, ⊙ a,p
4	19.0	18.4	16.3	10.8	16.7	17.5	18.7	8.1	92	67	66	28 1	27 3	28 1	8	0	0	0			⊙ ⌒ n, ⊙ a,p
5	13.1	11.1	07.9	14.1	20.7	19.4	22.0	11.5	85	48	43	36 1	36 2	33 1	8	0	1 =	6 ⊕°			= ⌒ n, ⊙ = a,p
6	03.2	02.5	01.2	12.1	16.9	16.1	19.4	9.5	96	73	63	14 1	30 1	27 1	7	1 =°	3 =°	7 =°			⊙ ⌒ =° = n, =° ⊙ a,p
7	00.1	99.9	00.0	11.8	19.0	16.7	19.5	10.9	97	49	52	36 1	21 3	01 1	8	7 =°	7 =	7 =			=° ⌒ n, =° = ⊙ a, = ⊙ p
8	00.5	01.6	00.3	11.5	12.6	16.5	16.8	11.4	97	95	69	18 1	11 1	34 1	8	8 •°	8	5	3.6		= • ⌒ n, • a, ⊙ •° p
9	93.4	91.3	91.2	15.3	14.4	15.3	17.5	12.8	64	85	76	36 1	19 3	20 4	7	8	7 ẏ	5	5.2		⊙ ⌒ ẏ° n, ẏ a, ẏ° ⊙ p
10	91.1	91.4	88.4	14.2	13.6	14.6	16.9	12.8	69	84	85	19 4	18 2	36 1	7	7	8 ẏ	7	3.9		ẏ° ⌒° n, ẏ a,p
11	92.0	95.3	97.0	12.0	12.1	11.3	14.6	10.9	98	98	98	20 2	27 1	18 3	7	8 =°	7 ẏ°	8 ẏ	9.1		=° ẏ ⌒ n, =° • ẏ a, ẏ p
12	03.1	06.1	06.0	7.3	9.6	8.1	11.2	6.9	90	63	89	36 2	29 3	20 1	9	7(ẏ)	6	8 ẏ	35.5		• ẏ ⌒ n, ⊙ ẏ° a, ⊙ ẏ p
13	07.6	09.8	11.1	7.5	9.3	10.9	11.8	6.3	84	72	63	03 1	34 2	36 2	8	4	5 ẏ°	4	6.5		ẏ ⌒ ⊙ n, ⊙ ẏ a,p
14	13.6	14.5	14.9	9.3	13.7	12.0	13.7	6.1	79	58	57	01 1	35 1	35 1	9	1	1	1	1.2		⊙ ⌒ n, ⊙ a,p
15	13.7	13.0	11.0	8.2	11.8	11.4	13.8	6.4	83	62	65	00 0	30 1	24 2	8	7	7	7			⊙ ⌒ n, ⊙° a,p
16	10.2	10.4	11.4	11.6	15.1	14.6	16.3	9.8	76	69	67	00 0	32 2	29 2	8	7	6	4	0.0		•° ⌒ n, ⊙ a,p
17	13.2	13.5	14.2	12.0	17.1	15.0	17.5	8.6	94	59	73	00 0	28 2	23 3	7	7	7 =	7 =			⊙ ⌒ n, = ⊙ a, = ⊙ •° p
18	12.2	10.9	09.0	13.7	17.7	15.2	17.8	12.5	90	69	96	19 3	18 4	19 4	7	8 =°	8 =°	8 •°	0.0		= =° ⌒ n, =° a, =° • p
19	08.9	09.5	09.3	14.0	15.4	15.9	17.0	13.4	97	80	61	19 4	18 4	20 4	7	8 =°	7 =°	3	30.8		• ẏ =° ⌒ n, =° ẏ° a, =° ⊙ p
20	09.5	09.1	07.8	12.6	16.0	15.5	16.5	12.4	84	63	66	18 4	18 3	21 2	7	8 •°	8 =	4 =	0.7		⊙ • ⌒ n, = •° a, = ⊙° p
21	06.7	06.6	05.4	13.2	15.3	14.7	15.5	12.5	76	68	76	19 3	18 4	17 2	7	8	7 =	7 =	0.4		= ⊙ •° ⌒ n, = ⊙° a, = ⊙° •° p
22	03.2	06.1	08.4	12.2	10.8	11.6	15.4	10.4	97	98	86	00 0	33 2	32 2	6	8 ẏ	8 •	7	0.8		= = •° ẏ ⌒ n,= • ' a,= • • ẏ ⊙° p
23	98.6	94.4	95.6	10.6	11.5	10.9	12.2	9.8	75	96	90	19 2	19 5	20 3	7	8	8 ẏ	8 ẏ°	3.4		ẏ ⌒ n, • ẏ a, ẏ p
24	94.3	96.8	97.3	10.7	10.9	10.4	11.4	10.0	97	91	96	27 1	27 2	27 1	8	8 ẏ	8 ẏ°	8(ẏ)	10.5		ẏ ⌒ n, ẏ a,p
25	93.5	92.5	90.9	9.8	11.2	12.8	12.8	8.3	96	97	97	00 0	00 0	18 2	5	8 •	8 •	8 •	5.5		ẏ ⌒ • n, • = a,p
26	85.5	83.1	84.0	11.5	13.6	11.3	14.5	10.7	97	90	87	00 0	25 1	15 1	7	7	8 ẏ	8 ẏ	10.3		= • ⌒ n, ẏ a, ẏ² p
27	85.0	86.8	88.7	10.2	14.9	14.8	16.8	8.0	97	72	78	00 0	36 2	36 1	8	3	7	7	9.5		ẏ ⌒² ⊙ n, ⊙ a, ⊙° p
28	93.4	96.8	98.6	13.5	15.3	15.1	16.1	11.7	84	72	73	36 2	36 3	36 3	9	1	4	5			⊙ ⌒ n, ⊙ a,p
29	05.5	09.2	11.6	12.2	13.8	11.6	15.0	9.7	85	67	66	02 1	01 3	03 3	8	4	6 =°	6 =°			⊙ ⌒ n, ⊙ =° =° a, =° =° ⊙° p
30	11.3	11.7	11.1	10.2	11.4	11.8	11.8	7.8	80	94	98	19 4	18 3	21 3	6	8	8 •°	8 •			=° =° ⊙ ⌒ n, = ' •° a, = ' • p
M	04.1	04.5	04.4	11.6	14.1	14.0	16.0	10.0	87	74	74	1.4	2.4	2.0	7.3	5.3	5.7	5.8	137		

Ekstensotabell

1954

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1ʰ

Juli VII

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.8

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	07.3	05.8	04.2	11.9	12.4	11.9	12.6	11.0	98	97	98	19 4	20 2	21 2	7	8 •⁰	8 =⁰	8 •	19.5		= , • ▲ n, =⁰ • a, ≈ • p
2	01.2	99.6	98.7	11.6	14.4	11.2	15.7	9.9	98	81	85	00 0	34 1	24 1	8	7	7	7	8.0		= • ▲ ⊙ n, ⊙⁰ a,p
3	96.1	96.1	96.2	11.2	12.0	11.9	14.0	9.6	76	83	90	17 2	18 2	18 2	7	8	7 ∇̇	7 ∇̇	0.1		⊙ ∇̇ ▲⁰ n, ⊙ ∇̇ a, ∇̇ p
4	95.0	94.9	95.5	11.1	14.7	13.1	16.0	10.9	95	81	91	00 0	24 1	17 1	7	7 ∇̇⁰	8 ∇̇	8 ∇̇	4.8		∇̇ ▲ n, ∇̇ a,p
5	97.4	99.4	01.0	12.3	12.7	14.5	16.7	11.0	85	87	63	14 1	14 2	19 1	7	2	6 ∇̇⁰	7	12.4		∇̇ ▲ ⊙ n, ⊙ ∇̇ a,p
6	04.0	05.8	06.7	11.4	15.9	15.2	17.8	10.4	95	68	75	00 0	30 1	29 1	7	7 =⁰	7 ∞	7(∇̇)	8.7		▲ =⁰ ⊙⁰∇̇ K n,=⁰∞ ⊙ a,∞ ⊙ ∇̇ K p
7	05.6	06.6	09.1	12.6	17.0	12.8	17.8	12.0	97	64	92	00 0	21 4	21 2	7	7	7 ∞	7 ∞	3.6		∇̇ ▲ ⊙⁰ n, ∞ ⊙ a, ∞ ⊙ ∇̇ K p
8	12.7	15.0	15.3	12.0	11.8	14.6	14.6	11.3	89	92	76	19 2	18 1	19 1	7	7 ∇̇⁰	8 ∇̇	6	5.9		▲ ∞ ∇̇⁰ n, ∇̇ a, ∇̇ ⊙⁰ p
9	17.0	**17.2**	16.9	13.7	19.0	17.9	19.7	9.7	90	63	62	00 0	23 1	28 2	8	1	4	1	3.2		⊙⁰ ▲ ∇̇⁰ n, ⊙ a,p
10	13.1	10.4	08.7	14.7	23.9	17.8	**24.4**	11.4	91	**34**	65	01 1	16 2	35 1	8	1	1 ∞⁰	7 ∞⁰			⊙ ▲ n, ∞⁰ ⊙ a,p
11	04.2	02.0	01.2	15.7	21.9	20.0	24.2	14.9	98	80	85	30 1	33 1	00 0	8	7 =⁰	5 ∞	7 ∞	6.1		∞⁰ • ▲ =⁰ n, =⁰ ∞ ⊙ a, ∞ ⊙ p
12	00.3	01.1	01.0	17.5	23.4	19.4	24.1	15.9	98	70	80	00 0	30 1	30 1	8	3	7 ∞	6 ∞	0.2		∞ = ∇̇ ⊙ n, ∞ ⊙⁰ a, ∞⁰ p
13	02.3	02.5	03.7	14.6	14.9	13.6	19.4	13.6	98	98	98	35 1	30 1	33 1	7	8 =⁰	8 •⁰	8 •⁰	0.7		∞ ▲ ⊙⁰ ∇̇ ,⁰ n, =⁰ •⁰ ,⁰ a,=⁰ •⁰ p
14	01.9	00.2	98.6	13.0	13.4	14.4	15.2	12.4	98	93	83	32 1	32 1	35 2	7	8	7 ∇̇⁰	8	1.3		=⁰ • ▲² n, ∇̇⁰ a, ∇̇ p
15	95.1	95.1	96.5	12.3	13.2	11.4	14.4	11.4	94	86	95	34 2	36 4	36 3	7	8 •⁰	8 •⁰	8 •	1.6		▲ •⁰ n, •⁰ a, • p
16	96.9	97.0	96.9	11.4	13.2	12.8	13.8	10.6	87	80	80	36 3	35 3	36 3	8	7	7	7	10.5		▲ • n, ⊙⁰ ∇̇⁰ a, ⊙⁰ p
17	91.6	87.8	84.9	11.3	15.9	15.1	16.2	9.8	90	61	69	00 0	30 1	34 1	9	7	7	7	0.1		⊙⁰ ▲ n, ⊙ a,p
18	84.7	88.1	90.7	12.9	17.5	18.5	18.6	12.3	96	65	63	00 0	36 1	36 2	8	8	7 =⁰	7 =⁰	0.0		⊙⁰ ∇̇⁰ ▲ n, ⊙⁰ ∇̇⁰ a, =⁰ ∞⁰ ⊙⁰ p
19	98.4	02.0	06.0	13.1	18.8	15.2	18.9	12.9	89	65	66	36 2	35 2	33 2	9	7	1	1	0.0		=⁰ ∞ ▲ n, ⊙ a,p
20	09.8	08.6	06.0	11.4	13.2	11.5	15.2	10.0	86	62	93	00 0	23 4	19 3	8	7	8	8 •			⊙ ▲ n, ⊙⁰ a, • =⁰ p
21	02.2	01.2	99.9	12.1	12.0	11.6	14.2	11.4	97	90	97	19 1	24 4	21 2	7	7 ∇̇	7 ∇̇	7 ∇̇	5.6		=⁰ • ∇̇ ▲ n, ∇̇ a,p
22	97.3	98.5	99.7	11.7	13.3	13.3	14.8	11.1	98	85	88	20 1	18 1	18 1	7	7 ∇̇⁰	7 ∇̇⁰	6(∇̇)	27.2		∇̇ ▲ n, ∇̇ ⊙⁰ a, ∇̇ ⊙ p
23	03.3	05.6	07.1	11.2	16.6	15.3	16.8	9.7	97	64	58	34 1	36 2	34 1	9	6	4	1	7.2		∇̇⁰ ⊙ ▲ n, ⊙ a,p
24	07.1	06.2	04.9	12.1	17.3	15.5	19.2	**9.3**	81	54	83	00 0	24 3	21 1	8	6	7	8 ∞			⊙ ▲ n, ⊙ a, ∞ ⊙⁰ p
25	00.0	00.9	01.5	14.0	15.4	15.2	16.5	13.8	98	88	72	23 3	18 2	25 2	8	8 •⁰	7	5	17.8		• n, • ∇̇ ⊙⁰ a, ⊙ p
26	99.2	95.7	92.0	12.6	18.0	19.5	19.9	11.4	90	62	63	36 1	34 2	00 0	9	1	2	1	3.5		⊙ ▲ n, ⊙ a,p
27	87.7	84.6	86.1	15.5	21.0	13.5	22.1	11.9	84	44	93	00 0	09 2	00 0	8	5	8 •⁰	8			⊙ ▲ n, ⊙ ∞ •⁰ a, • ∞ p
28	83.8	**83.6**	85.1	11.9	16.2	14.2	16.7	11.4	97	62	79	00 0	30 1	20 3	8	7	7	7 ∇̇	7.7		⊙⁰ ∇̇⁰ ▲ n, ⊙⁰ a, ⊙⁰ ∇̇ p
29	85.5	86.5	87.1	13.2	14.1	12.7	14.7	12.1	80	82	94	19 3	18 3	19 4	8	8	8 ∇̇⁰	8 •	0.5		∇̇ ▲⁰ n, ∇̇⁰ ⊙⁰ a, ∇̇ • p
30	86.6	87.9	88.7	11.9	12.3	12.5	13.3	11.5	99	97	97	21 3	21 4	18 3	6	8 •²	8 ∇̇	8 •	24.2		•⁰ =⁰ n, •² =⁰ ∇̇ a, ∇̇ = • p
31	91.9	95.7	99.2	12.4	13.6	12.8	13.9	11.9	97	85	88	20 2	21 3	18 3	7	7 ∇̇	8 ∇̇⁰	7(∇̇)	38.9		∇̇ ▲ n, ∇̇ a,p
M	99.3	99.4	99.6	12.7	15.8	14.5	17.1	11.5	92	75	81	1.1	2.0	1.7	7.6	6.3	6.5	6.4	219		

August VIII

Datum	P 7	13	19	T 7	13	19	Max	Min	U 7	13	19	D,F 7	13	19	V 13	N,w 7	13	19	R	h_s	W
1	02.7	05.1	06.5	12.5	13.3	14.3	15.6	11.9	89	91	80	18 2	00 0	30 1	7	6	7 ∇̇⁰	7 ∇̇	9.2		∇̇ ▲ ⊙ n, ⊙ ∇̇ a,p
2	05.4	04.5	01.3	11.2	16.6	16.9	18.3	**8.1**	98	69	65	00 0	02 1	22 1	8	3 =⁰	7 ∞	7 ∞⁰	3.3		=⁰ ∇̇ n, =⁰ ∞ ⊙ a, ∞⁰ ⊙ p
3	99.0	99.5	99.7	13.8	15.5	14.8	16.9	12.4	97	76	83	21 3	21 3	25 3	8	7 =⁰	7 =⁰	5 =⁰	12.7		=⁰ ∇̇ K n, =⁰ ∇̇ a, ⊙ ∇̇ =⁰ p
4	01.2	02.1	01.7	11.9	14.0	15.6	17.4	11.6	96	85	70	16 1	00 0	31 2	9	7	7	5	5.3		∇̇ n, =⁰ ∇̇ a, ⊙ p
5	04.4	05.0	04.1	12.4	15.4	16.3	17.2	11.1	97	75	72	00 0	00 0	35 2	9	7	7	5	4.4		=⁰ n, ⊙ p
6	02.2	00.6	97.9	12.0	19.8	16.1	20.0	11.6	97	63	89	00 0	02 1	36 1	8	7	7	8 ∞			⊙ a, ⊙ •⁰ ∞ p
7	92.4	91.7	89.8	16.6	16.0	15.3	17.9	14.9	86	93	98	18 1	00 0	00 0	7	7	8 •	8 •	2.6		∞ • ∇̇ ▲ n, • a, = • p
8	92.3	92.8	92.6	12.8	16.9	15.3	19.4	10.6	98	74	83	18 3	20 3	14 2	8	8 ∇̇	2	7 ∇̇⁰	38.1		= • ∇̇² n, ∇̇ =⁰ ⊙ a, ⊙ ∇̇⁰ p
9	93.6	93.9	94.4	13.7	18.5	17.7	19.7	13.0	95	66	75	00 0	25 2	30 1	8	7	5	4 ∞	4.7		∇̇⁰ ▲ ⊙ n, ⊙ a, ⊙ ∇̇ ∞ p
10	91.0	87.6	**85.5**	14.4	19.7	20.7	21.8	11.9	89	53	53	36 2	01 2	07 2	8	7	7 ∞	7	0.4		⊙ ∞ ▲ n, ⊙⁰ ∞ a,p
11	86.5	87.5	88.9	14.4	20.3	19.5	20.7	13.9	96	55	64	00 0	36 1	28 1	7	2	4	1			⊙⁰ ▲ n, ⊙ a,p
12	89.8	90.4	91.3	14.8	15.4	14.7	19.5	14.7	96	90	97	00 0	29 1	30 2	7	8 =⁰	8 •⁰	8 •⁰	0.0		⊙ =⁰ ∇̇⁰ ▲ n, =⁰ •⁰ a,p
13	93.0	94.6	95.9	13.4	18.6	15.3	18.7	13.3	98	69	75	36 2	01 1	30 1	8	7 ∇̇	7	7	9.7		=⁰ •⁰ ∇̇ ▲ n, =⁰ ∇̇ ⊙ a, ⊙ p
14	96.7	97.3	98.3	12.7	15.1	14.7	15.8	12.7	93	74	68	11 1	29 2	25 2	8	7 ∇̇⁰	7	7	0.9		▲ ∇̇⁰ n, ∇̇⁰ a, ⊙⁰ p
15	99.8	00.5	01.1	13.3	15.1	15.4	17.0	12.0	87	80	67	20 1	29 2	34 3	9	7	7	1	0.1		⊙⁰ ▲⁰ n, ⊙⁰ a, ⊙ ∇̇ p
16	03.6	05.2	06.1	11.6	15.9	14.8	16.8	10.6	93	65	67	00 0	30 3	28 2	9	1	5	1	0.1		⊙ ▲ n, ⊙ a,p
17	07.3	08.2	08.7	11.8	16.0	13.6	17.0	11.4	96	68	78	16 1	17 3	17 2	9	7 ∇̇	5	6 ∇̇	1.4		⊙ ▲ ∇̇ n, ∇̇ ⊙ a,p
18	09.9	09.9	08.7	10.9	15.8	17.0	17.7	10.8	93	65	49	00 0	32 1	35 1	8	5	7	7	0.9		⊙⁰ ▲ ∇̇ n, ⊙⁰ a,p
19	10.6	12.4	13.8	15.0	17.1	18.7	18.7	14.1	59	56	53	11 1	10 3	03 2	8	7	7	1			⊙ p
20	17.1	18.5	18.5	13.3	19.6	20.0	20.9	12.9	79	51	49	00 0	29 2	35 1	8	1	1 ∞	2(∇̇)			▲ ⊙ n, ∞ ⊙ a, ∞ ⊙ (∇̇) ⌒ p
21	**19.3**	18.8	16.9	12.7	20.6	19.1	21.1	12.1	88	50	62	00 0	34 1	00 0	9	6	5	6			▲ ∞⁰ ⊙ (∇̇) ⌒ n, ⊙ a,p
22	15.2	13.4	11.2	13.4	19.0	17.9	20.4	12.9	92	56	64	00 0	29 1	36 1	8	7	7	8			⊙ ▲ n, ⊙ a,p
23	07.8	05.1	03.5	15.0	21.5	22.8	24.0	14.6	85	53	49	35 2	30 1	32 1	8	7 •⁰	5 ∞⁰	6 ∞⁰	0.2		•⁰ ▲ n, •⁰ ∞⁰ ⊙ a, ∞⁰ ⊙ p
24	02.6	01.6	02.2	14.2	23.9	22.1	**24.3**	13.9	75	**42**	47	00 0	35 2	29 1	8	6	1 ∞	0 ∞	0.0		∞⁰ ⊙ ▲ n, ⊙ ∞ a,p
25	07.3	09.1	10.3	15.4	16.8	15.5	22.1	14.9	90	85	84	16 2	27 2	29 1	8	7	8	8			∞ ▲ ⊙ n, ⊙⁰ a
26	12.9	13.7	13.9	13.3	15.0	14.4	15.5	13.0	97	74	81	00 0	23 2	18 3	8	7	8 •⁰	7	0.6		▲ , •⁰ n, •⁰ a,p
27	12.8	10.7	08.6	13.3	19.3	17.4	19.5	12.9	87	66	80	16 2	21 2	18 4	8	7	1	7 =⁰	0.0		▲⁰ n, ⊙ a, ⊙ =⁰ p
28	07.6	07.4	06.0	13.7	14.7	12.3	17.4	12.0	92	72	90	27 2	25 3	25 3	8	7	7 ∇̇⁰	7 ∇̇	8.0		=⁰ ▲ • n, ∇̇ ⊙⁰ a, ∇̇ p
29	05.5	05.6	01.5	10.7	12.5	14.1	14.2	10.6	98	90	90	15 1	14 2	19 3	7	7(∇̇)	8 ∇̇⁰	8 •⁰	23.6		∇̇ ▲ n, ∇̇ a, ∇̇ •⁰ p
30	92.4	88.3	94.3	12.2	13.1	13.2	14.9	11.1	89	97	96	21 2	21 3	30 4	7	8 ∇̇	8 ∇̇	7(∇̇)	31.3		•² ▲ ∇̇ n, ∇̇ a,p
31	05.1	08.1	08.2	11.7	14.3	12.8	14.6	11.5	91	64	67	01 3	30 2	00 0	9	7	4	7	21.8		∇̇ ▲ n, ∇̇⁰ ⊙ a, ⊙ p
M	02.8	02.9	02.6	13.2	16.9	16.4	18.5	12.4	90	70	72	1.0	1.7	1.7	8.0	6.3	6.0	5.6	179		

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 $\Delta G = +1^h$

September IX

H_s = 43 H_b = 44.4 h_I = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	05.7	06.9	07.2	12.1	14.2	15.3	15.3	10.8	93	98	98	17 3	17 3	18 3	6	8 •°	8 •°	8 =°	1.8		• ⌒ ⊙ n, = •° a, =° •° ,° p
2	04.6	04.3	07.2	17.1	17.2	13.5	**18.2**	13.5	62	80	97	18 4	20 3	27 1	7	7	8 •°	7 =°	1.0		=° •° n,a, =° • p
3	10.7	09.9	06.0	11.4	14.3	11.9	14.3	11.2	89	72	93	16 1	18 1	00 0	8	5	8	8 •°	5.0		= ⌒ n, =° • p
4	00.1	02.0	07.7	15.1	14.1	11.0	15.5	11.0	86	97	96	19 5	20 3	34 1	7	7 =°	8 ⌒°	7 ⌒	12.9		=° •° ⌒ n, =° • ⌒ a, =° ⌒ p
5	09.4	**11.2**	11.1	9.5	15.8	13.7	16.4	9.3	87	**58**	68	00 0	33 1	35 2	9	1	3	1	13.6		=° ⌒ ⌒ n, ⊙ a,p
6	10.5	10.6	09.3	8.0	16.6	13.0	16.6	7.8	97	63	93	00 0	20 2	00 0	8	1	7	8 •°			⊙ ⌒ n, ⊙ a, ⊙ • =° p
7	07.4	08.9	09.2	12.3	13.7	14.8	15.0	12.1	98	98	93	00 0	19 2	00 0	7	8 •	8 •	7	7.3		=° • ⌒ n, =° • • a,p
8	09.0	08.7	06.0	13.2	16.1	15.1	16.5	11.9	97	76	85	00 0	21 1	00 0	7	7 =°	7 =°	7 =°	10.3		=° ⌒ •° n, =° •° a, =° p
9	01.0	00.6	95.5	11.6	13.5	15.4	15.4	11.6	94	89	64	16 3	19 2	18 2	7	7 ⌒	8 ⌒	7 =°	9.5		=° • ⌒ ⌒ R n, =° ⌒ a,p
10	85.2	90.6	92.6	13.0	12.7	13.2	16.3	11.9	94	95	85	19 5	21 5	18 4	6	8 •	8 ⌒	7 ⌒	9.8		=° • ⌒ n, =° • ⌒ a, =° ⌒² p
11	81.9	82.0	88.2	12.3	11.0	11.7	14.6	11.7	93	78	87	18 4	18 4	29 3	8	8(⌒)	7(⌒)	7 ⌒	27.6		⌒ • ⌒ n, ⌒° a, ⌒ p
12	87.6	88.4	89.0	10.4	11.1	11.1	12.3	10.2	96	88	95	17 2	18 4	20 1	7	5	7 ⌒	7	11.6		⌒ ⌒ n, ⌒ a,p
13	91.3	95.5	99.6	11.5	11.7	10.8	13.3	9.6	96	90	88	30 3	34 2	27 1	7	7 ⌒	7 ⌒	7 ⌒°	23.1		⌒ ⌒ n, ⌒ a, ⌒ ⌒ p
14	03.1	03.1	01.4	8.8	11.6	10.5	11.9	8.8	97	74	93	20 2	17 3	18 2	8	8 ⌒	7	7	19.8		⌒ ⌒ n, ⌒ ⊙° a,p
15	90.7	83.8	86.1	10.4	10.7	10.3	11.7	9.0	80	90	92	18 3	18 4	25 4	7	7 ⌒°	7(⌒)	7 ⌒	7.9		⊙° ⌒° ⌒ n, ⌒ • ⊙° a, ⌒ p
16	86.4	75.9	**67.2**	9.5	12.1	9.6	12.9	8.0	89	68	90	18 3	09 3	18 6	8	5	7 •°	7 ⌒	13.9		⌒ ⌒ n, ⊙° •° a, • ⌒ p
17	73.7	80.4	84.1	9.3	11.1	8.1	11.4	8.1	97	94	93	16 1	27 2	28 1	7	7(⌒)	8 ⌒	8	22.3		⌒ ⌒ n, ⌒ R° a, ⌒ p
18	94.1	00.2	02.5	8.3	10.4	8.2	11.6	7.2	99	68	90	36 1	34 2	15 1	8	8 •	7	7 ⌒	16.4		⌒ • ⌒ n, • ⌒ ⊙° a, ⊙° ⌒ p
19	03.8	04.1	01.8	7.8	11.3	10.6	12.0	7.0	90	63	73	16 2	18 4	18 3	8	5 ⌒	6(⌒)	7	9.6		⌒ ⌒ n, ⌒ ⊙° a, ⊙° (⌒) p
20	92.2	88.1	88.7	11.6	10.6	8.8	12.7	8.8	**58**	88	95	16 2	36 1	15 2	7	7	8 •	8 •	1.0		⌒ n, • a,p
21	90.1	92.3	94.3	6.9	11.4	9.1	12.2	6.5	94	68	88	00 0	36 1	36 1	8	7	7	7	6.7		• ⌒ n, ⊙° a, ⊙° • p
22	97.6	00.4	03.4	5.0	12.0	11.0	13.3	5.7	99	80	79	00 0	34 2	36 2	8	8 ≡°	4	1	0.9		≡ ⌒ n, ≡° =° ⌒ ⊙ a, ⊙ p
23	07.4	08.3	07.4	7.8	9.5	9.3	11.0	7.6	95	89	76	16 2	25 1	00 0	7	7	7 ⌒	7	2.9		⌒ ⌒ n, ⌒ a, ⌒ ⊙ p
24	96.1	87.2	85.6	11.2	10.5	12.8	12.8	8.3	61	85	96	16 4	19 6	18 5	7	8 ∞	8 •	8 ⌒°	4.3		∞ n, ∞ • a, • ⌒ ∞ p
25	75.5	76.5	84.5	12.2	12.3	9.5	13.2	9.4	95	95	92	20 5	20 4	30 3	7	8 ⌒	8 ⌒	8 ⌒	37.9		⌒ ∞ n,a, ⌒ p
26	91.1	89.2	81.8	6.0	10.0	8.5	11.0	6.0	86	60	83	16 2	17 3	18 5	9	1	5	8 •	11.4		⌒ ∞ ⌒ n, ⊙ a, ⊙ ⌒ • p
27	95.0	96.8	00.4	3.5	4.8	4.7	8.5	**3.3**	80	87	88	36 1	17 1	18 1	7	5(⌒)	7(⌒)	4 =°	8.8		⌒ △ ⌒ ⌒ R n, ⌒ ⌒ a, ⌒ =° p
28	00.7	99.2	97.9	5.3	9.4	8.7	9.7	3.6	93	74	83	18 3	22 4	20 4	7	7 ⌒	8 =°	6	5.3		=° ⌒ ⌒ n, =° ⌒ a, =° p
29	92.4	94.3	96.7	5.5	9.2	6.2	10.0	5.4	95	75	90	17 4	17 1	19 1	8	7 ⌒	6	7 ⌒	31.7		⌒ •² R ⌒ n, ⌒ ⊙ a,p
30	00.6	00.7	01.0	3.8	7.1	5.2	8.3	3.8	95	80	86	18 1	28 1	01 1	7	7 ⌒	4 ⌒°	7 ⌒°	15.1		⌒ ⌒ n, ⌒° ⊙ a, ⌒ ⊙ p
M	96.5	96.7	97.1	9.7	12.0	10.7	13.1	8.6	90	81	87	2.2	2.5	2.0	7.4	6.4	6.7	6.5	349		

Oktober X

1	05.2	08.6	10.6	2.3	8.3	6.4	9.6	2.3	98	62	68	00 0	28 1	00 0	9	1	1	1	1.8		⌒° ⌒ ⌒° n, ⊙ a,p
2	14.6	15.7	15.1	1.9	8.7	10.2	10.4	1.8	98	65	**42**	00 0	00 0	18 3	7	7	8	8			⌒ ⌒ n, ⊙ a,p
3	11.3	09.3	08.5	13.6	15.6	15.8	16.8	10.1	74	73	84	18 4	18 3	18 5	8	8	7 ∞	8 ∞	0.0		•° n, ∞ ⊙° •° a,p
4	05.7	04.1	06.9	17.3	18.9	11.7	**18.9**	11.7	58	48	73	17 3	17 5	21 4	8	5	7	8 •°	0.0		⊙° •° p
5	11.7	10.9	07.7	10.1	14.2	13.8	14.5	10.0	93	56	48	00 0	17 4	17 3	7	8	7	8	0.4		•° ⌒° n, ⊙° a,p
6	06.3	08.4	11.8	9.6	10.0	8.7	13.8	8.7	98	98	95	00 0	00 0	00 0	7	8 •	8 •	8 •	7.7		• ⌒ n, =° • a,p
7	19.7	23.2	**23.6**	7.1	7.8	7.2	8.9	7.1	98	89	97	00 0	12 1	15 1	7	8 •	8 •	7	12.5		=° • n, • a,p
8	19.2	17.2	15.7	5.0	8.7	7.6	8.8	4.7	97	68	86	15 1	19 2	16 2	8	7	7	7	2.8		⌒ n
9	12.5	08.1	02.1	8.2	9.2	9.8	10.0	7.2	81	85	98	18 4	18 5	18 4	7	8	8 •	8 •	0.1		•° n, • a,p
10	01.4	99.3	01.7	8.4	9.5	8.5	10.4	6.4	83	81	78	24 3	23 4	27 2	7	7(⌒)	7(⌒)	6 ⌒	20.1		• ⌒ ⌒ n, ⌒ △ R a, ⌒ p
11	01.1	01.9	03.6	7.6	9.3	9.9	9.9	6.3	84	85	85	27 2	21 4	25 2	7	8 ⌒	7 ⌒	8	16.3		⌒ R ⌒ n, ⌒ a,p
12	03.1	00.2	97.2	10.4	10.4	10.6	10.6	8.9	95	97	95	24 3	21 4	23 3	6	8 ⌒°	8 •	8 •	10.8		• ⌒ ⌒ n, ⌒ • =° a, • =° p
13	02.8	96.9	89.7	7.7	7.2	12.1	12.5	6.9	83	97	95	18 2	17 4	20 5	7	8	8 •°	8 •	30.5		• ⌒ =° ⌒ n, • a,p
14	97.5	01.6	04.1	6.7	6.6	5.7	12.6	5.7	95	93	95	33 2	10 1	16 2	7	6 ⌒°	7 ⌒	5 ⌒	19.7		• ⌒ ⌒ n, ⌒ a, ⌒ ⌒ p
15	06.3	07.0	02.6	5.2	7.3	6.2	7.4	4.7	87	62	68	00 0	02 1	36 1	8	6	8 ⊕	8	14.5		⌒² ⌒ n, ⊙ a, ⊙° ⊕ p
16	93.8	97.6	03.6	4.6	5.1	5.2	6.8	4.4	87	89	64	10 4	33 1	06 2	7	8 •	7 •°	1	10.5		• ⌒ n, • a, •° ⊙ p
17	11.8	14.6	11.3	1.2	4.7	3.8	5.5	**0.9**	92	73	81	24 1	00 0	00 0	7	1	8	8	5.8		⌒ ⌣ n, ⊙ a, ⊙° p
18	02.0	01.0	99.2	3.2	5.7	4.3	7.2	3.2	89	79	84	27 1	00 0	00 0	7	7	3	1	1.2		• ⌒ n, ⊙ a,p
19	83.6	80.1	82.9	6.1	5.5	4.7	6.4	2.9	92	96	74	14 2	36 1	36 1	7	8 •	8 •	0	6.6		⌒ • n, • a,p
20	81.3	80.9	83.6	6.3	8.9	8.1	9.8	2.4	98	85	78	19 4	20 4	31 3	7	8 •	7(⌒)	8	23.8		⌒° n, • ⌒ a, ⌒ p
21	87.3	88.6	88.8	6.6	6.4	7.8	8.5	6.0	88	94	89	29 3	27 2	27 3	7	7	8 ⌒	8	12.8		⌒ △ R ⌒ n, ⌒ a,p
22	86.9	87.2	86.8	7.2	7.9	5.7	8.9	5.7	78	73	85	33 2	25 2	25 2	8	7 ⌒	7(⌒)	6 ⌒	14.6		⌒ =° n, ⌒° a, ⌒ p
23	86.9	87.2	83.1	4.5	6.5	6.5	7.6	4.3	94	85	86	26 2	26 4	27 3	7	7 ⌒	7 ⌒	8 •	2.2		⌒ ⌒ ⌒ n, ⌒ a, ⌒ • p
24	77.8	77.9	73.8	7.9	10.1	9.4	10.3	6.5	90	80	62	25 2	24 2	13 2	7	3	3	8	15.3		• ⌒ ⌒ n, ⊙ a,p
25	**64.1**	69.4	79.1	7.9	7.2	6.4	9.4	6.3	97	98	86	00 0	27 3	33 5	6	8 •°	8 ⌒	8	13.4		• ⌒ R n, • ⌒ =° a, ⌒ =° p
26	93.8	99.4	03.3	4.8	7.7	5.4	7.7	4.8	89	79	84	35 1	33 2	36 1	7	5	7 ⌒°	1	8.7		⌒ ⌒ n, ⌒ ⊙ a, ⌒° ⊙ p
27	01.2	99.6	98.9	2.5	7.0	8.8	8.9	2.0	86	54	46	09 1	05 1	15 4	7	1	7	8	0.2		⌒ ⌣ n, ⊙° a,p
28	94.7	97.1	98.4	10.8	9.7	10.6	11.3	7.8	59	84	96	16 4	15 4	17 5	8	8 •°	8(⌒)	8	0.2		•° n, •° ⌒ a, ⌒ p
29	98.2	95.5	82.7	10.2	11.3	12.8	12.9	9.5	94	69	69	17 4	16 4	14 4	7	8	8 •°	7 ⌒	12.7		⌒ ⌒ n, •° a, • ⌒ p
30	81.8	88.6	88.4	9.8	8.4	7.7	12.8	7.5	99	93	96	24 4	24 3	20 3	7	8 ⌒	8 •	8 •	30.2		⌒² • n, ⌒ • a, • p
31	90.8	94.8	99.7	7.8	8.4	8.1	9.0	7.7	98	98	98	32 2	30 1	29 1	8	8 •	8	7	36.1		• ⌒ n, • a
M	98.5	99.1	98.8	7.2	8.8	8.4	10.3	5.9	89	80	80	2.0	2.4	2.5	7.2	6.6	7.0	6.5	332		

Ekstensotabell

1954

Bergen (Fredriksberg)

$\varphi = 60° 24'$ N $\lambda = 5° 19'$ E $g = 9.819$ $\Delta G = +1^h$

November XI

$H_s = 43$ $H_b = 44.4$ $h_t = 1.7$ $h_a = 19.0$ $h_d = 19.0$ $h_r = 1.4$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	08.8	11.7	12.1	4.8	7.0	5.8	8.1	4.8	99	98	90	00 0	35 1	29 1	7	8 ≡	7	1 ⌒°	5.3		≡ ⌒ ·, ·° n, ≡ = ⌒ ⊙° a, ⊙ p
2	11.7	09.9	05.6	2.7	5.7	5.3	6.1	2.6	99	93	86	00 0	16 2	15 3	7	8 ≡	7	7	0.3		≡ ·, ⌒² n, ≡° ⌒ ⊙ a, ⊙ ⚳ p
3	97.7	00.1	01.5	6.0	7.6	7.3	7.8	4.8	67	59	60	16 3	16 2	15 4	8	8 ·°	7	8	1.2		·° n, ·° ⊙° a, ⊙° p
4	95.9	96.1	95.4	7.1	9.3	7.8	9.4	6.1	95	82	84	17 5	18 3	18 3	7	8 ·	8	8	6.1		· ⌒ n, · ⚳ a, ⚳ p
5	98.5	00.4	02.8	5.4	7.0	5.9	8.2	5.3	84	81	72	17 2	21 4	17 2	7	7	7(⚳)	7	13.3		· ⌒ n, ⚳ △ a, ⚳ p
6	02.6	04.1	05.0	5.2	5.7	4.6	6.0	4.3	85	91	93	15 3	18 2	11 1	7	7	6 ⚳	1	2.1		⚳ ⌒ n, ⚳ ⊙ a, ⚳ p
7	07.8	06.3	06.7	0.3	2.8	3.1	4.6	- 0.3	99	99	80	00 0	00 0	00 0	5	8 ≡	4 =	7	6.6		⚳ ≡ ⌒² n, ≡ = ⌒ ⌣ ⊙ a, = ⊙ p
8	00.3	96.7	91.0	4.5	5.9	6.6	6.6	3.1	56	59	53	17 4	16 5	17 5	8	7	7	8	0.2		·° a
9	81.1	82.7	90.7	8.5	7.2	2.9	8.6	2.9	49	60	95	15 7	16 5	13 2	7	8	7 ⚳	8 △	0.0		·° n, · ⚳ a, △ ⚳ ⚳ p
10	95.8	94.2	89.3	3.8	5.5	7.5	7.5	2.8	89	78	70	16 4	15 3	16 4	8	3	6(⚳)	7	12.0		⚳ ⌒ ⚳ ⚳ n, ⚳ n, ⚳° p
11	92.7	92.5	75.0	6.0	5.3	4.5	7.8	4.2	70	79	82	29 2	15 2	15 4	7	3	7(⚳)	8 ·°	13.5		⚳ n,a, ⚳ · p
12	87.1	90.2	85.9	7.[illegible]	6.8	4.9	7.2	4.2	78	84	87	31 3	17 1	24 1	7	7	8(⚳)	8	15.7		· ⚳ ⌒ n, ⚳ a, ⚳° p
13	92.4	96.5	94.3	3.6	4.8	2.4	5.5	2.4	80	91	95	15 2	17 2	11 1	7	7	7 ⚳	8 ·°	2.1		⚳ a, ⚳ △ · p
14	97.3	01.6	07.9	1.6	6.0	4.4	6.0	1.3	99	84	89	14 1	34 5	34 4	8	6 ⚳°	5	8 ⚳	20.2	0	· ⚳ ⚳ ⚳ n, ⚳ ⊙ a,p
15	18.7	23.5	24.2	3.6	4.6	1.8	5.0	1.8	79	64	69	36 2	35 2	18 1	9	0	1	0	5.4		⚳ ⌒ ⌣° n, ⊙ a,p
16	21.5	22.3	23.2	1.5	2.9	3.3	3.7	0.2	87	94	97	14 4	13 3	14 2	7	8	7 ⚳°	2	0.7	0	⚳ △ ⚳ n, · ⚳ ⚳ a, ⚳ p
17	19.1	19.1	19.7	6.2	5.5	4.6	6.8	3.2	98	98	99	34 3	00 0	00 0	5	8 ⚳	7 ·°	7 =°	12.7		⚳ ⌒ n, ⚳ · = ·, a, = ·° p
18	17.9	18.3	18.8	4.1	4.4	3.5	5.1	2.8	80	85	93	13 2	15 3	16 4	8	8	8 ·°	8 ·	4.5		=° ⌒ n, ·° a, · p
19	20.4	21.9	23.2	4.3	4.2	4.7	4.7	3.5	89	93	90	15 4	16 4	16 4	7	8 ⚳	8 ·	8 ·	8.5		· ⚳ ⌒ n, ⚳ · a, · p
20	**24.5**	**24.5**	22.8	5.0	5.4	4.4	5.5	4.4	90	84	78	16 3	16 2	17 4	7	8 ·°	8 ·°	8	20.6		· ⌒ n, ·° a,p
21	17.1	14.8	12.9	3.4	4.8	5.0	5.4	3.1	75	65	62	16 2	15 4	17 4	8	8	7 ·	8	0.2		
22	09.5	07.9	05.7	5.5	7.8	7.8	8.0	5.0	51	34	36	17 3	16 4	15 3	8	1	7	7			⊙° p
23	03.4	03.8	05.8	8.1	7.9	8.1	8.7	7.0	37	40	42	14 3	14 4	14 3	8	8	8	8			
24	03.9	04.9	03.4	5.3	5.9	4.9	8.4	4.6	34	**31**	35	10 7	09 4	09 5	8	1	7	1			⊙° p
25	01.1	99.7	97.7	5.6	6.7	7.0	7.4	4.6	41	42	42	12 3	16 2	14 3	8	4	7	8			⊙ a,p
26	92.4	89.8	93.6	8.8	10.3	6.4	10.3	4.6	51	52	90	14 2	15 4	16 4	8	8	8 ·°	8 ·	0.1		·° n,a, · p
27	86.9	82.2	82.6	8.0	11.3	10.1	11.9	5.9	57	46	63	16 1	10 4	17 6	8	5	7	8 ·°	5.3		· n, ·° p
28	81.4	82.9	87.2	12.3	9.6	10.4	12.3	6.1	41	60	58	16 7	16 5	18 5	8	7	8	7	0.8		· n,a,p
29	93.2	92.0	90.5	9.7	11.0	10.4	11.2	8.9	56	54	55	18 2	18 2	17 3	8	8	7	7	0.4		⚳° a,p
30	88.1	84.2	86.1	7.9	12.1	11.7	**12.9**	7.0	65	54	53	21 1	12 2	16 4	8	7	8 ·°	6	0.0		·° a,p
M	02.3	02.5	02.0	5.5	6.7	5.9	7.6	4.0	73	71	73	2.8	2.9	3.0	7.4	6.2	6.9	6.5	158	0	

Desember XII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	92.0	95.8	98.6	10.6	9.8	7.3	**12.4**	7.2	55	60	87	18 4	18 4	16 4	8	8 ⚳	7	7	0.1		·° n, ⚳° a, ⚳ p
2	96.5	94.2	91.5	8.2	7.7	9.9	9.9	6.8	90	97	97	17 5	16 6	17 5	6	8 ⚳	8 ·	8 ·°	14.7		⚳ n, ⚳ · a, · p
3	96.4	98.3	01.1	9.2	9.1	8.5	10.4	8.4	89	87	88	17 3	20 3	27 3	7	8	7 =°	8	19.1		·° ⚳ n, =° a, =° ⚳ p
4	00.4	87.5	83.2	7.2	5.8	7.1	8.5	5.6	92	90	74	17 3	17 4	32 3	7	7 ⚳	7 ·	7	2.0		⚳ n, ⚳ · a,p
5	93.5	96.0	95.6	6.3	5.4	3.4	7.1	3.4	87	86	90	35 4	35 1	00 0	8	7	7(⚳)	1	6.0		⚳ n, ⊙° ⚳ a,p
6	91.4	89.6	87.2	1.7	2.4	2.2	3.4	1.2	99	98	98	15 2	11 2	14 2	7	6	7 ⚳°	7	6.9		⚳ ⌒ ⌣ n, ⚳° ⊙° a, ⚳ p
7	85.3	85.6	84.4	2.7	1.7	2.5	3.3	1.3	93	95	89	16 1	12 3	17 3	7	8 ⚳	8 ⚳	8 ⚳°	3.9		⚳ ⚳ ⌒ n, ⚳ a, ⚳ ⚳° p
8	84.9	86.9	87.5	1.3	2.0	1.9	2.5	0.5	95	76	63	18 4	16 3	16 3	8	4	7	6	10.6	0	⚳ ⚳ n, ⚳° a
9	83.0	78.5	74.3	1.9	3.6	4.2	4.3	- 0.6	**50**	**50**	52	05 2	09 4	15 2	7	8	8 ‡°	7	0.4	0	‡° a, ‡ p
10	73.8	77.1	81.2	6.0	6.8	5.4	7.3	3.9	73	73	91	18 3	17 3	17 3	7	7	7	8 ⚳	0.9		⚳ ⚳ n, ⚳° a, ⚳ p
11	96.5	00.9	01.0	3.8	2.9	1.7	5.7	1.6	90	93	95	12 2	14 1	00 0	7	8 ⚳°	7	5 ⌣°	9.6		⚳ ⌒ n, ⚳° ⊙° a, ⊙° ⌣° p
12	96.2	93.6	92.1	5.0	4.8	3.9	5.5	1.5	58	72	82	15 2	00 0	14 1	7	4	8 =°	8 =°	2.2		⌣° ⚳ n, ° a, =° ⚳° p
13	92.6	90.8	88.7	4.6	5.2	5.2	5.5	3.4	66	64	68	17 1	11 1	11 1	7	2	8 ·°	7 =°	0.0		=° n, =° ·°a,p
14	94.7	98.3	95.3	4.3	4.7	6.2	6.2	2.8	69	81	80	14 1	17 3	18 5	8	2	7	8	0.0		=° n, ·° p
15	90.6	00.5	09.7	8.1	8.0	6.8	8.5	4.2	93	84	79	19 4	27 5	30 3	7	8 ·°	8 ⚳°	2	10.6		· n, · ⚳ =° a, =° ⚳° p
16	18.4	17.6	12.9	4.8	6.3	7.2	7.2	4.4	92	84	83	15 2	16 5	18 6	7	7	7	8 ⚳°	4.3		⚳ ⌒ n, ⊙° ⚳ p
17	04.1	07.1	09.5	6.6	6.2	5.6	8.4	4.8	97	81	90	21 3	25 3	18 2	8	8 ·	7	8	12.5		⚳ · n, · ⚳ △ a, ⚳ p
18	99.6	94.8	93.9	8.0	8.4	9.1	9.2	5.4	98	98	90	18 4	20 4	27 3	5	8 ·	8 ·	8	27.4		·² n, = ·² a, · = p
19	00.3	00.9	98.4	6.6	6.5	6.3	9.0	5.2	82	85	85	27 4	23 2	27 2	7	8	7(⚳)	7	28.9		⚳ △ n, ⚳ ⊃° a,p
20	89.3	85.5	89.2	3.7	3.2	2.1	6.5	1.5	89	84	89	30 2	32 3	35 2	8	7	8	7 △	5.6		⚳ ⌒ n, ⚳ ⚳ △ a,p
21	92.4	76.4	**61.8**	1.8	0.7	2.6	4.3	0.7	92	99	94	07 1	13 4	14 2	5	8	8 ‡²	8 ⚳	7.5		⚳ △ ⚳ n, ‡ a, ‡ ⚳ p
22	78.5	81.2	78.8	2.2	0.9	0.4	3.0	0.4	87	98	93	02 3	34 1	17 2	5	1	7 ⚳	1	7.9	0	⚳ △ n, ⚳ a, ⚳ ⚳ p
23	63.9	70.9	78.3	- 0.2	- 0.3	- 0.8	1.0	- 1.4	87	79	61	00 0	00 0	07 2	7	8	7 =°	0	3.9	2	⚳ n, ⚳° =° ⊙° a, =° ⊙° p
24	92.9	96.9	97.2	- 1.0	- 0.4	0.2	0.3	- 1.7	68	97	98	36 2	00 0	18 1	5	0	7 ⚳	8 ⚳	0.0	1	= ⚳ a,p
25	98.4	00.2	99.5	0.3	- 0.5	- 3.3	0.8	- 3.3	99	99	99	17 1	00 0	00 0	1	6 ⚳°	1 ≡	0 ≡	5.8	8	⚳ n, ⚳ = ≡ ⊙ a, ≡ ⊙° p
26	84.8	85.0	85.3	0.8	2.6	3.1	3.3	- 3.3	86	88	87	16 1	20 3	20 4	7	8 *°	8 ·°	8 ·°	0.5	8	≡ *° n, ‡° ·° a, ·° p
27	82.4	85.2	91.2	4.8	5.1	5.3	6.2	1.4	99	99	98	20 2	29 1	28 2	5	8 ·	8 ·	8 ·	20.9	0	· n, · = a,p
28	92.5	97.3	01.8	3.6	4.1	2.8	5.6	2.6	99	87	95	17 2	36 2	18 1	7	8 ·	8 ⚳	7 ⚳	24.3		· = n, =° ⚳ ⚳ △ a, ℞ 13, ⚳ p
29	10.7	14.4	16.1	3.7	4.2	3.6	4.2	2.6	90	95	86	20 2	18 2	16 1	7	7 ⚳°	7	7	7.5		⚳ ⌒ n, ⚳° ⊙ a, ⊙ p
30	19.1	20.7	23.2	4.7	4.8	5.0	5.4	3.4	73	93	98	20 3	20 4	20 2	7	8	8 ·°	8 ·°	0.1		=° ·° ·° a,p
31	26.9	30.2	**32.6**	5.1	4.6	3.6	5.7	3.6	66	70	84	20 4	23 3	19 2	8	8 ⚳°	7	8	0.5		=° ·° ·° ⚳ n, ⚳° a
M	94.3	94.8	94.9	4.4	4.4	4.2	5.8	2.5	84	85	86	2.5	2.6	2.3	6.7	6.5	7.2	6.4	245	1	

Ekstensotabell

1954

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 $\Delta G = +1^h$

Januar I

H_s = 127 H_b = 133.0 h_1 = 2.0 h_a = 16.6 h_d = 16.6

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsylvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	04.1	01.2	98.1	2.3	4.6	4.1	4.6	0.4	69	66	95	21 4	21 5	23 5	8	8	8 •	8 •	2.0	17	• a,p
2	94.5	82.7	84.8	5.8	5.1	1.7	6.4	1.5	99	90	93	21 3	24 5	33 5	8	8 •	8 •°	8 ⁑	20.3		• n, (≡) 7, • a,p
3	96.8	08.4	13.4	0.0	- 0.6	- 4.2	1.7	- 4.2	99	60	71	03 3	36 4	00 0	9	8 ♦	0	0	11.9	2	♦ n, ♦° a, ⊙ 13
4	15.7	13.0	09.4	- 8.8	- 5.2	- 1.4	- 1.3	- 9.1	88	67	70	21 2	24 3	24 4	9	4	6	8	0.1		
5	00.8	97.6	91.7	3.5	3.6	2.5	5.7	- 1.5	76	78	69	24 4	24 3	24 4	9	8	7	6			
6	83.0	77.5	88.0	1.7	- 1.2	- 3.4	4.0	- 3.6	99	86	99	21 3	24 5	24 4	7	8 •	8 ♦	6 ♦	1.6		• n, ♦ a, ♦² p
7	98.5	02.6	03.5	- 3.2	- 3.8	- 4.2	- 2.0	- 5.1	00	99	90	27 2	20 1	21 3	3	8 *	8 *	2	8.8	10	* n,a, ♦ p
8	94.9	92.1	88.6	- 1.2	0.6	0.2	1.0	- 5.6	82	88	99	21 4	21 5	27 2	5	8	6 ♦	8 ♦²	7.1	20	♦ + n, ♦² a, ♦ p
9	93.1	88.1	89.9	- 3.1	- 2.3	- 3.4	0.2	- 5.1	98	99	00	24 2	36 4	36 6	3	7	8 *²	8 *²	12.3	35	♦ n, * a,p
10	89.6	90.7	89.3	- 3.5	- 2.6	- 2.6	- 2.4	- 4.6	00	84	99	30 6	27 3	30 2	6	8 *²	7 ♦	8(♦)	10.8	40	*² n, ♦ a,p
11	87.8	83.4	79.2	- 3.2	- 2.6	- 1.2	- 0.8	- 5.2	90	77	96	21 2	21 4	18 3	7	7	8 =	8 *	1.2	40	♦ n, = a, * p
12	79.2	81.7	81.5	1.5	1.8	1.6	2.0	- 1.4	98	98	00	21 3	27 3	24 2	6	8 •	8 •°	8 *	7.0	35	⁑ n, • a,p
13	75.7	74.7	72.2	1.6	1.8	2.0	2.8	0.2	87	84	77	21 1	00 0	18 3	6	6	8 =	5	5.9	25	• n, = a
14	66.4	64.4	63.6	3.8	3.6	3.2	4.4	0.3	66	65	65	18 3	20 5	00 0	9	1	6	7		20	
15	58.1	54.3	49.6	1.0	0.0	- 1.3	3.3	- 3.1	55	71	81	18 3	21 4	00 0	5	1	8 *	1		20	* a, ♦ p
16	58.7	60.6	66.7	- 5.8	- 3.3	- 1.1	- 0.8	- 6.6	87	85	91	18 3	24 3	18 2	9	4	7	8	0.6	20	♦° p
17	78.3	85.2	92.5	- 1.2	- 0.3	- 0.4	0.4	- 3.1	96	99	00	00 0	27 2	27 1	6	8	7 ♦	8 *	0.0	20	♦ a, * p
18	00.3	04.0	04.4	- 0.4	- 0.2	- 1.8	0.0	- 2.3	93	99	93	27 3	27 2	21 2	5	8 ♦	8 ♦	6	5.2	30	♦ n, * a, ♦° p
19	90.4	82.2	75.9	- 3.4	- 2.5	- 1.2	- 1.2	- 5.3	68	70	91	00 0	00 0	03 2	6	8	8 *	8	4.8	35	
20	79.1	82.4	89.4	- 3.8	- 2.8	- 4.2	- 1.1	- 4.6	92	73	85	03 2	01 3	03 4	9	7 ♦	6	8 *	3.4	35	♦ n,a, * p
21	04.1	10.8	14.5	- 6.4	- 8.5	-13.6	- 3.6	-14.1	70	75	78	06 2	00 0	18 2	9	4	1	1	0.8	35	♦ + n
22	20.5	23.0	23.7	-17.8	-14.6	-14.2	-10.2	-18.1	91	85	84	18 1	21 1	18 1	8	1	0 ∞	0 ∞		35	∞ ⊙ a, ∞ p
23	19.9	18.7	18.1	-13.3	- 9.6	- 8.5	- 7.8	-16.7	90	92	87	00 0	27 1	00 0	5	2 ∞	7 ∞	3 ∞		35	∞ n, ∞ = a, ∞ p
24	13.7	12.6	10.9	- 5.3	- 4.8	- 7.4	- 4.6	-10.1	78	67	73	00 0	00 0	00 0	9	8 ∞	7	1		35	∞ n
25	08.5	09.2	09.1	-10.8	- 8.1	- 8.0	- 6.7	-12.1	82	69	56	18 1	09 1	09 2	9	1	0	0		35	⊙ 13
26	11.6	14.4	16.6	- 6.7	- 7.2	-10.8	- 6.3	-12.0	59	58	61	15 2	12 2	18 1	9	1	0	0		35	⊙ a
27	17.9	17.8	15.7	-10.6	- 9.1	- 7.5	- 7.4	-13.0	76	79	82	18 3	21 2	24 1	6	8	5 ∞	8 ∞		35	∞ a,p
28	12.8	12.2	11.7	- 5.1	- 5.1	- 4.9	- 3.3	- 8.2	87	70	69	00 0	09 2	00 0	9	8 ∞	1	0		35	∞ n, ⊙ a
29	12.8	14.0	14.7	-12.3	-11.3	-12.5	- 4.6	-14.2	62	58	60	15 1	03 1	06 1	9	1	1	0		35	⊙ a
30	18.7	21.0	21.4	-15.4	-13.8	-15.4	-12.1	-17.6	62	62	65	12 1	03 1	06 1	9	0	0	0		35	⊙ a
31	23.1	24.2	22.6	-17.4	-16.8	-14.8	-14.3	-19.8	76	76	71	18 2	21 1	00 0	9	0	0	0		35	⊙ a
M	97.0	96.9	97.1	- 4.4	- 3.7	- 4.3	- 1.7	- 7.2	83	78	82	2.1	2.5	2.0	7.3	5.4	5.2	4.6	104	25	

Februar II

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsylvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	18.7	20.4	16.6	-16.2	-12.9	-11.7	-11.4	-19.0	86	95	71	21 1	00 0	00 0	6	0	1(≡)	0		30	≡ ∨ a, ⌒ 19
2	14.2	13.6	10.3	-14.0	- 8.0	- 5.6	- 5.6	-15.0	73	66	66	21 1	15 1	21 2	9	6	8	8		30	
3	04.1	08.1	08.2	0.0	1.8	1.9	2.0	- 8.0	99	82	92	24 2	27 4	24 4	6	8 *	8 ♦	6 ♦	3.1	35	* n, ♦ a
4	08.9	08.9	07.8	2.3	2.8	2.4	3.6	1.5	87	98	82	21 4	24 3	21 3	9	8 •	7	7	6.0	30	• n,a, ♦ p
5	05.7	04.3	01.6	2.3	3.2	2.5	4.0	1.8	78	73	75	00 0	21 1	15 1	9	8	8	6	1.7	30	♦ n
6	95.2	92.7	89.4	0.3	2.2	- 0.1	3.1	- 0.5	70	65	65	21 2	21 2	18 3	9	8	8	2		30	♦° a
7	81.0	80.1	79.9	- 1.7	- 0.1	- 1.8	0.3	- 4.2	56	54	55	18 4	21 6	21 4	9	3	6	0	0.0	30	
8	83.3	86.4	89.4	- 2.2	- 2.4	- 4.5	- 1.6	- 4.5	56	54	51	18 6	18 6	18 6	9	7	7	4		25	
9	88.7	89.0	88.8	- 5.7	- 3.8	- 6.6	- 3.6	- 8.9	59	59	54	15 5	21 4	18 7	8	1	2 ∞	0		25	∞ ⊙ a
10	96.7	98.3	02.4	- 8.5	- 2.6	- 5.0	- 2.2	- 9.0	55	57	57	00 0	21 3	18 3	8	0	1 ∞	0		25	∞ ⊙ a
11	01.2	01.5	01.9	- 6.6	- 4.1	- 7.0	- 4.1	- 7.1	57	55	57	18 5	21 4	00 0	9	0	0	0		25	⊙ a
12	02.7	03.4	02.3	-12.0	- 9.3	-11.3	- 6.8	-13.7	67	64	62	00 0	00 0	00 0	9	0	0	0		25	⊙ 13
13	01.4	02.0	02.9	-13.1	-10.2	-12.1	-10.0	-15.6	66	60	59	18 1	21 1	15 1	9	0	0	0		25	⊙ a
14	06.1	07.9	09.1	-17.0	-12.7	-13.4	-10.7	-18.8	72	69	68	15 1	21 1	00 0	9	0	1	0		25	⊙ a
15	12.1	12.4	11.7	-15.0	-13.3	- 9.6	- 7.4	-16.5	75	62	71	18 1	21 1	00 0	9	1	0	0		25	⊙ a
16	13.4	12.2	09.5	-12.8	- 7.8	- 8.2	- 7.4	-14.4	71	60	59	18 8	00 0	18 1	9	0	0	1		25	⊙ a,p
17	04.2	02.3	02.5	- 5.7	- 3.7	- 5.1	- 3.4	-12.0	57	56	72	21 3	21 4	21 4	9	7	8	8 ♦		25	♦ p
18	02.7	04.8	05.7	- 5.8	- 4.0	- 5.5	- 3.6	- 6.3	69	59	57	21 3	18 4	18 5	8	8	7 ∞	2	0.6	25	∞ a
19	07.2	07.0	07.3	- 6.7	- 5.0	- 7.4	- 4.9	- 8.0	67	50	54	18 7	18 2	18 6	9	0	0	0		25	⊙ a
20	07.4	09.3	10.3	- 8.3	- 4.8	- 5.8	- 4.3	- 9.3	54	49	49	21 4	21 3	21 2	9	1	0	2		25	⊙ 13
21	10.7	08.9	05.8	-12.5	- 7.6	- 6.2	- 5.3	-13.1	55	55	54	21 1	21 1	15 3	9	0	3	3		25	⊙ a
22	00.5	03.4	04.2	- 2.6	- 2.6	- 2.3	- 1.6	- 7.4	64	98	99	15 2	09 2	15 2	6	8	8 *°	8 *°		25	* a,p
23	96.3	93.6	93.2	0.0	1.4	0.2	1.5	- 3.0	65	62	56	18 3	18 7	18 5	6	7	8 +	8	3.4	30	+ a,p
24	90.9	92.1	91.1	- 2.9	- 1.8	- 2.8	0.2	- 5.1	58	54	54	18 9	18 8	18 7	9	8 +	6 +	6(*)		25	\ + n,a, + p
25	88.2	87.3	85.9	- 3.9	- 2.1	- 3.0	- 2.1	- 5.0	56	54	55	18 7	18 7	18 5	9	3	2	3 ∞		20	⊙ 13
26	85.1	85.8	86.4	- 4.7	- 3.6	- 4.8	- 3.0	- 5.0	56	54	56	18 5	03 2	15 4	8	7	6 ∞	4 ∞		20	∞ a,p
27	88.8	87.9	85.8	- 5.3	- 3.4	- 4.8	- 3.1	- 6.9	57	54	56	09 4	09 4	18 5	9	6	6	5 ∞		20	⊙ a, ∞ p
28	84.2	82.6	81.8	- 4.5	- 0.6	- 4.8	- 0.6	- 5.5	58	54	57	18 2	18 3	15 4	9	3	4	4		20	⊙ a
M	00.0	00.2	99.7	- 6.5	- 4.1	- 5.1	- 3.1	- 8.5	66	63	63	3.2	3.0	3.1	8.4	3.9	4.1	3.1	15	26	

ndheim (Voll)

67° ... λ = 10° 27'E g = 9.822 ΔG = + 1h

Mars III

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
83.9	84.0	83.8	- 5.1	- 2.0	- 4.8	- 0.9	- 8.0	61	56	61	21 1	18 4	15 3	8	6 ∞	2 ∞	3		20	∞ n, ∞ ⊙ a
82.0	81.6	79.8	- 5.8	- 2.2	- 5.2	- 2.0	- 8.5	68	65	67	15 3	09 1	15 1	6	3 ∞	0 ∞	0 ∞		20	∞ n, ∞ ⊙ a,p
80.9	81.7	81.2	-12.6	- 5.5	- 6.7	- 4.5	-13.5	92	77	81	18 2	21 1	00 0	5	1 ∞	3 =	4 =		20	∞ n, = a, ⊙ 13, = p
81.6	81.8	80.4	-13.5	- 8.0	- 6.0	- 4.5	**-13.9**	90	72	92	21 1	00 0	03 1	6	1(≡)	8 =	8 *		20	= n,a, *° p
75.2	75.2	75.1	- 1.0	0.4	0.3	1.0	- 9.0	67	62	65	09 5	18 4	18 2	8	8 ♦	8 ∞	8 ∞	1.4	20	* n, + 7, ∞ a,p
76.7	78.2	79.0	- 5.3	2.8	- 0.4	2.8	- 5.5	69	53	68	09 1	27 1	27 1	4	1 ∞	1 ∞	2 ∞		20	∞ n, ∞ ⊙ a,p
80.3	78.5	76.6	- 3.6	3.4	3.2	3.6	- 6.4	62	55	64	15 1	18 5	16 5	9	1	4	7		20	⊙ a,p
73.1	71.7	74.9	2.9	5.5	5.1	6.2	2.0	57	58	64	18 5	21 5	18 6	9	2	7	3		20	
89.6	96.4	97.5	3.8	5.0	3.8	**6.7**	2.6	79	72	68	21 4	21 3	18 2	9	6	5	3		15	⊙ 13
99.9	00.9	01.5	- 3.3	4.4	2.1	5.4	- 3.4	86	64	64	24 1	00 0	21 2	9	1	0	2		10	∞ n, ⊙ a
03.7	03.9	03.9	- 4.2	2.0	1.4	2.6	- 4.5	78	62	72	21 2	00 0	00 0	9	3	3	8 ∞		10	⊙ a,p
04.3	07.3	11.6	2.1	3.8	0.7	3.8	0.7	93	91	96	21 2	21 3	03 2	6	8 •	8 •	7	5.2	10	‡ • n, (≡) 7, • = a, • p
11.7	**13.2**	12.5	- 0.2	2.4	1.0	3.3	- 0.2	99	80	93	03 1	03 1	09 1	9	8 ♦	5	0 =	1.6	8	= a,p
09.6	07.4	05.0	0.5	3.5	2.6	3.5	- 0.1	00	82	92	21 3	21 4	24 4	9	8 =	8	8 •		0	= n, ♦° a, • p, (≡) 19
02.1	00.8	97.8	2.9	3.7	3.4	4.0	2.2	98	90	90	27 2	27 4	27 4	6	8 •°	8 •°	8 •	3.5	0	• n, • (≡) a, • p
99.2	02.2	02.9	2.1	2.1	1.3	3.4	1.0	87	69	77	30 4	30 2	30 1	8	7(♦)	7 ♦	8	10.0	0	• n, ♦° a,p
01.2	98.9	94.3	- 0.2	2.2	1.3	2.2	- 0.4	96	87	98	24 1	21 3	24 2	6	8(♦)	8 ♦	8	0.6	0	‡ n, ♦ p
90.7	95.3	99.8	1.6	3.0	1.1	3.5	0.5	98	72	90	27 3	03 3	30 1	9	8 •	3	5	4.9	0	• n, ♦ a, ♦ p
01.3	03.5	02.8	- 1.2	3.4	2.8	4.4	- 1.3	79	58	60	15 2	24 1	00 0	9	1	6	3	0.8	0	⊙ a,p
00.4	98.5	96.1	- 5.0	3.1	2.0	3.5	- 5.2	85	65	68	21 2	00 0	06 1	9	1	0	8		0	⊙ a
91.7	89.9	86.2	1.9	6.4	4.8	6.5	1.8	70	61	68	15 1	24 1	18 4	9	8	6	8		0	⊙ a
83.3	81.8	83.7	3.2	4.7	3.8	5.5	1.5	90	93	00	21 4	24 1	21 1	6	8 •	8 •	8 =	0.4		♦ n, • a,p
84.4	86.2	85.9	2.4	4.9	2.0	4.9	2.0	00	00	99	24 1	00 0	**24** 1	4	8	8 •	8 •	4.4		• n, • ≡ a, (≡) 13, • ≡ p,(≡) 19
98.7	01.0	00.8	- 3.6	0.3	- 2.2	2.0	- 3.8	81	58	85	30 3	30 2	24 2	9	7 ♦	5	7	7.3		♦ ♦ n, △ ♦ p
96.1	92.5	92.0	- 4.6	0.4	- 0.6	1.4	- 7.0	76	54	**51**	15 4	21 4	15 4	9	6	7	3	0.3		♦ n
87.0	85.4	84.2	- 1.6	4.0	2.1	4.1	- 2.2	58	54	58	18 4	18 3	21 3	9	4	6	8			⊙ 7
84.5	87.9	91.3	2.3	2.2	2.2	4.3	- 0.2	90	96	79	15 4	27 4	27 3	6	6(♦)	8 ‡°	7 ♦	0.3		♦ n, ‡ a, ♦ p
95.0	96.7	98.8	0.4	0.6	0.9	4.2	0.2	85	00	81	21 4	21 2	36 1	5	7(♦)	8 *	7	1.0		♦ n, * (≡) a, * p
01.6	02.1	02.1	- 1.7	3.1	1.4	3.9	- 2.9	71	55	56	12 4	15 4	15 5	4	0	1	0	1.4		⊙ a,p
02.2	98.7	96.5	- 1.2	1.6	0.6	2.1	- 1.8	61	57	59	15 3	18 5	15 5	9	1	2	2			⊙ a
93.6	93.1	92.1	0.6	2.0	3.5	4.5	- 0.2	61	57	57	18 4	21 4	21 6	9	4	8	6			
92.4	92.8	92.6	- 1.5	2.0	0.9	2.9	- 2.7	80	70	75	2.6	2.4	2.4	7.5	4.8	5.2	5.4	43	7	

April IV

1	91.0	90.1	89.5	1.8	5.5	3.9	6.5	0.6	61	54	59	18 2	18 4	21 2	9	1	4	6			⊙ 7, ⊙ p
2	90.7	91.5	90.2	0.0	6.0	4.4	7.1	- 0.9	76	64	58	00 0	03 1	15 1	8	3	2	3			⊙ a
3	85.6	86.4	86.6	1.6	5.3	2.9	5.5	- 0.6	77	70	93	15 1	21 2	24 1	8	7	8 ∞	5(≡)			⊕ 7, ∞ a, ♦ p
4	71.1	65.9	**62.9**	4.1	6.8	4.8	7.6	0.5	76	58	66	21 3	21 6	21 3	9	6	8	3	1.0		
5	70.9	78.5	85.3	2.0	3.4	2.4	4.8	1.8	00	91	93	24 3	27 4	27 3	9	8 •°	8	8(♦)	0.6		• n, (≡) 7, • a, ‡° p
6	95.7	99.5	02.6	1.0	4.9	1.4	4.9	0.0	95	87	98	27 2	27 4	27 2	5	7 ♦	6 ♦	7(≡)	2.7		♦ n, * a, ♦ p
7	08.7	10.3	12.2	0.4	3.6	2.7	5.6	- 0.3	92	75	80	21 2	06 1	15 1	9	3	4	6	3.6		♦ n, ♦° a
8	13.0	12.8	12.9	- 1.5	4.8	4.1	6.6	- **2.3**	92	54	54	00 0	15 3	18 3	9	1	1	0	0.0		⊙ a,p
9	16.4	15.8	14.1	0.6	4.2	5.1	6.2	- 0.6	81	70	73	21 1	03 3	21 1	9	8	1	1 ∞			⊙ a, ⊙ ∞ p
0	14.3	12.7	10.2	0.1	7.3	7.1	9.4	- 1.0	77	67	70	21 1	03 1	00 0	9	0	2	3 ∞			⊙ a, ⊙ ∞ p
1	02.3	97.7	93.1	4.5	9.8	9.6	**11.0**	0.9	64	69	58	21 4	21 3	21 4	8	6 ∞	8 ∞	8 ∞			∞ n,a,p
2	93.6	92.4	91.2	3.4	6.8	3.5	9.6	2.0	85	58	85	21 2	27 5	27 4	9	1	3	6 ♦°	1.6		♦ n, ⊙ 7, ♦° p
3	87.4	87.3	91.2	0.9	5.5	3.0	7.1	- 0.5	85	65	90	24 1	03 2	30 4	9	6	4	7 ♦	0.3		♦ n, ⊙ a
4	92.6	84.9	82.1	1.5	5.6	4.2	7.1	0.4	87	55	**52**	18 2	18 5	18 4	9	1	2	7	1.0		♦ n, ⊙ a,p
5	95.9	05.0	11.0	2.4	7.1	2.6	7.9	0.2	80	57	80	03 4	36 3	33 3	9	1	4	6			⊙ a, △° p
6	19.0	**19.5**	18.8	0.8	4.6	3.0	5.1	0.0	84	55	58	33 1	33 1	36 2	9	7	6	4	0.0		♦ n, ⊙ a
7	16.0	14.5	09.9	- 0.2	6.3	4.6	6.6	- 1.5	76	57	75	27 1	24 1	03 1	9	8	8	7			
8	08.3	09.3	09.9	2.0	4.4	2.7	5.7	0.6	95	79	76	24 2	27 3	27 1	6	6(♦)	3(♦)	6	2.8		♦ n, ♦ a,p
9	09.4	09.4	09.6	1.8	8.0	5.8	9.1	0.3	80	55	75	24 4	24 3	15 1	9	7	6	6	1.2		♦ n, ⊙ 13
0	08.2	06.6	07.1	0.7	6.4	2.1	6.5	- 0.5	75	55	99	24 2	27 4	30 1	9	7	8	8 •°			• p, (≡) 19
1	11.4	12.3	11.0	- 0.6	1.7	1.0	2.8	- 1.1	76	73	69	27 1	30 3	27 3	8	6 ♦	6 ♦	7 ♦	1.5		♦ n, ♦° a,p
2	09.8	08.0	04.4	0.4	3.6	3.2	4.0	- 0.1	75	64	93	21 5	27 4	24 3	8	7	8(♦)	8 *°	0.2		• p
3	02.3	03.7	06.1	1.1	4.4	3.8	6.5	1.0	90	92	86	30 4	27 4	30 3	5	6 ♦	7(♦)	7	9.1		♦ ♦ n, ♦° a, ♦ ⊙ p
4	08.1	08.2	08.6	2.4	3.4	2.7	5.3	1.0	68	69	71	35 2	35 3	33 2	7	7 =	7 ♦	7	0.5		♦ n, ♦ ∞ a, ♦ ⊙ p
5	09.8	09.8	08.4	0.6	4.0	2.4	4.4	- 0.1	95	76	87	21 2	30 3	30 2	9	7	6	8	3.0		♦ △ n, ♦ a, ⊙ 13, ♦° p
6	05.3	02.3	00.7	0.9	2.4	2.3	5.4	0.1	95	96	96	21 3	21 3	24 2	6	7 *	8 ‡	6	1.8		* n,a, ♦ ♦ p
7	04.3	04.2	03.4	1.4	4.2	3.7	5.0	0.8	96	77	92	24 1	27 1	21 1	9	7	8	7	4.4		♦ n, ♦ p
8	00.5	00.8	98.8	1.8	4.6	2.0	5.4	0.6	98	69	87	27 3	30 4	24 2	9	8(≡)	5	8(♦)	4.2		♦ n, ♦ a,p.
9	94.5	94.1	93.7	- 0.2	2.2	2.0	4.0	- 0.9	99	88	85	21 2	21 1	21 1	6	8 *°	7(♦)	5(♦)	5.2		* n, (≡) 7, ♦ a, ♦² p
0	93.1	92.9	92.4	0.3	3.9	4.0	5.0	- 1.0	90	71	62	21 2	03 3	03 2	9	6	3	1	3.3		♦ n, ⊙ a,p
M	01.0	00.9	00.6	1.2	5.0	3.6	6.3	0.0	84	69	77	2.1	2.9	2.1	8.2	5.4	5.4	5.7	48		

Ekstensotabell

1954

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 $\Delta G = +1^h$

Mai V

H_s = 127 H_b = 135.0 h_L = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	92.0	91.8	93.2	3.7	7.4	8.8	9.6	- 0.3	57	56	56	18 4	21 4	18 4	9	7	8	6			⊙ p
2	93.9	95.6	95.6	8.0	9.0	8.4	9.6	5.4	76	53	56	18 5	18 5	21 4	9	8	8	6			
3	96.8	97.0	97.6	7.1	12.2	11.7	12.8	2.8	60	55	54	00 0	18 4	18 4	9	2	3	0			⊙ n,a,p
4	00.0	00.8	00.1	8.4	13.8	12.5	14.5	8.1	61	53	54	00 0	18 4	18 4	9	3	2	2			⊙ a,p
5	97.3	97.3	94.8	10.0	10.7	10.0	12.5	6.5	64	61	65	18 5	18 3	18 5	9	5	7	8			⊙ 7
6	92.3	94.5	95.7	8.8	12.5	10.2	13.5	6.9	67	52	60	21 4	21 6	21 7	9	2	5	8 ∽			⊙ a, ∽ p
7	92.8	96.0	99.4	11.2	13.2	11.2	14.9	9.2	60	46	51	21 4	18 5	24 3	9	2(♀)	6	5			⊙ a,p
8	04.3	07.4	12.0	8.9	10.6	7.6	12.2	4.0	65	58	60	00 0	33 4	27 3	6	3	5(♀)	2			⊙ a, ⊙ ♀° p
9	15.0	15.6	15.0	5.4	11.1	11.1	14.3	1.8	79	60	55	00 0	03 2	03 2	9	6	7	7	0.0		
10	15.3	14.7	14.3	8.4	15.2	16.8	18.3	3.9	78	52	43	03 1	36 2	00 0	9	1	0	0			⊙ n,a,p
11	14.7	14.0	13.0	9.4	15.8	17.0	18.5	4.4	70	53	49	21 1	03 2	03 1	9	5 ∽	1	5			∽ n, ⊙ a,p
12	13.7	12.8	12.0	11.4	16.8	15.8	17.5	6.2	88	59	56	00 0	03 2	03 2	9	1 ∽	2	1			∽ ⊙ n; ⊙ a,p
13	13.0	11.8	09.9	9.1	15.0	15.2	16.0	6.1	84	59	55	00 0	03 3	03 2	9	3	6	1			⊙ n,a,p
14	08.5	06.5	03.5	10.6	15.0	13.9	16.8	6.1	72	49	49	06 1	06 1	30 2	9	1	5	1			⊙ n,a,p
15	99.2	97.3	94.8	8.2	8.2	8.4	13.9	5.7	84	91	82	24 2	24 3	27 3	8	7	8 ∽	8			♀° p
16	89.8	91.8	94.0	3.2	4.8	5.4	8.4	2.2	00	79	65	24 2	03 4	03 2	9	7 ♀	6	7	7.0		♀ n, ♀ (≡) a, ♀ p
17	92.9	93.5	97.0	3.1	6.1	5.7	6.6	2.7	99	88	81	24 3	27 3	24 3	6	8 ≡	8 ♀	7	0.4		♀ n,a,p
18	02.7	03.9	06.1	4.8	8.8	9.1	10.6	2.9	96	72	66	27 1	30 3	03 2	9	8 ♀	2	4	3.2		♀ n, ⊙ p
19	07.4	04.9	02.4	6.2	10.3	14.2	14.4	3.0	91	59	54	03 2	36 2	09 2	9	2 ∽	5	2			∽ n, ⊙ p
20	02.0	00.9	99.6	10.6	14.8	13.8	16.4	7.9	78	61	65	00 0	00 0	00 0	8	7 ∽	7 ∽	7 ∽			∽ n,a,p
21	00.0	00.2	01.8	14.1	19.0	16.5	19.1	8.1	69	54	67	09 2	18 6	09 1	8	5 ∽	6 ∽	7 ∽			∽ ⊙ n,a, ∽ ♀° p
22	03.1	01.0	99.9	12.8	21.4	19.2	22.1	9.0	78	56	49	06 1	09 3	18 4	8	6 ≡	6 =	8 ♀°	0.0		= n, ⊙ = a, ♀ p
23	01.4	01.5	01.8	14.8	16.6	17.6	19.6	12.7	78	78	68	00 0	03 2	18 3	9	6 ∽	6	4	0.0		∽ n, ⊙ p
24	04.7	01.0	99.8	15.1	20.3	20.4	23.0	11.7	79	43	40	00 0	12 4	15 4	9	1 ∽	3	6			∽ ⊙ n, ⊙ a,p
25	02.9	04.3	06.1	12.6	18.8	16.8	21.1	10.9	85	57	56	24 1	03 2	30 1	9	5 ∽	1	5			∽ n, ⊙ a,p
26	09.7	11.0	12.2	13.0	17.3	18.7	20.8	9.2	80	62	54	00 0	27 1	03 1	8	2 ∽	6 ∽	3 ∽	0.0		♀° ⊙ n, ∽ ⊙ a,p
27	13.5	11.0	09.8	14.2	19.4	19.6	22.4	13.4	79	51	48	00 0	03 2	06 1	8	0 =°	3 ∽	1 ∽			= ⊙ n,a, ∽ ⊙ p
28	09.7	09.4	09.0	15.6	22.6	20.4	23.1	10.8	71	48	49	00 0	03 1	33 2	6	6 ∽	6 ∽	3 ∽			∽ n, ∽ ⊙ a,p
29	08.4	07.6	07.1	14.5	22.6	20.0	22.6	10.0	81	53	47	21 2	30 1	00 0	5	4 ∽	0 ∽	2 ∽			∽ ⊙ n,a,p
30	06.4	06.0	05.4	14.2	11.2	11.4	20.0	10.5	82	98	82	00 0	27 3	27 2	5	3(≡)	8(≡)	7			∽ ⊙ n, (≡) a
31	04.2	05.0	05.0	6.8	9.1	6.6	11.5	6.4	00	82	88	27 3	30 3	27 2	9	7(≡)	7	6	1.1		♀ n,a,p
M	03.5	03.4	03.5	9.8	13.9	13.4	16.0	6.7	78	61	59	1.4	2.9	2.5	8.3	4.3	4.9	4.5	12		

Juni VI

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	04.7	04.4	03.9	6.2	9.6	8.3	11.0	4.3	84	64	64	27 1	27 2	30 2	9	6	5	3	2.4		♀ n, ♀ ⊙ a, ⊙ p
2	99.4	00.0	06.0	6.0	6.6	6.3	9.3	3.7	87	99	90	24 2	27 3	27 3	5	8(♀)	7(≡)	6	0.2		♀ a,p
3	10.0	09.4	07.7	6.6	8.8	10.4	12.8	2.8	85	65	66	18 1	03 2	24 1	9	5	5	8	3.2		♀ n, ⊙ a
4	07.7	07.6	06.6	7.4	10.5	9.9	11.2	6.3	91	90	88	21 5	30 3	27 3	5	8 •	8 =	8 =	0.0		≡ • n, • = a, = p
5	03.9	02.8	02.1	7.6	9.2	7.9	10.0	7.6	92	88	82	29 5	29 3	30 2	5	8 •	8 =	8 =°	0.0		• = n, = a,p
6	01.4	98.7	95.9	5.1	8.5	10.3	10.5	3.9	60	55	51	07 2	02 4	03 3	9	7	1	1			=° n, ⊙ a,p
7	92.1	91.2	91.9	7.9	13.6	12.0	16.0	4.1	70	43	51	06 3	04 3	30 4	9	0	1	1 ∽°			⊙ n,a,p
8	94.6	93.4	92.4	5.9	10.8	11.9	13.3	2.8	85	57	60	00 0	06 3	01 1	9	7 =°	1	1			∽° = ⊙ n, =° ⊙ a, ⊙ p
9	90.9	85.3	82.6	9.0	16.4	11.6	19.1	5.7	80	59	99	07 2	04 3	09 1	7	1 ∽	4 ∽°	8 •			∽ n, ∽ ⊙ a, • p
10	81.2	82.0	80.9	10.4	13.9	13.2	14.5	9.5	96	78	92	08 2	04 3	04 2	4	8(♀)	4 =	2 =	9.1		• ♀ n, = ⊙ a, ♀ = p, ⊙ 19
11	78.5	81.4	85.3	14.5	16.4	19.6	17.3	10.6	80	73	98	00 0	32 1	28 1	7	6 =°	3 =°	8 ♀	1.8		☈ ♀ =° n, =° ♀ ⊙ a, ☈ ♀ = ⊙ p
12	86.5	91.3	92.5	8.4	6.4	8.2	10.6	5.9	00	96	73	00 0	30 2	00 0	6	8 •	8 •	5 =°	5.9		☈ ♀ n, • ♀ a, • =° p
13	92.9	93.8	96.0	6.1	8.2	8.9	11.5	3.7	88	85	62	23 1	29 3	29 4	9	7(♀)	7	6 ♀	4.5		♀ n, ♀ ⊙ a,p
14	01.4	02.8	03.7	6.9	11.6	9.7	12.5	4.1	77	59	59	25 3	29 2	36 1	9	7(♀)	2	1	2.6		♀ n, (♀) ⊙ a, ⊙ p
15	02.3	01.4	00.3	7.6	10.4	10.1	11.0	4.3	96	75	91	00 0	28 1	24 1	4	7 =	8 •°	8 =			= ⊙ n, = •° a,p
16	00.8	01.2	00.4	11.1	12.9	12.1	13.8	6.4	76	58	70	24 1	04 2	30 1	8	1 ∽°	4 ∽°	8 •	0.0		∽ = ⊙ n, ∽ ⊙ a, •° ∽° = p
17	04.1	05.2	03.7	9.7	12.8	14.0	14.1	6.8	90	64	67	00 0	03 2	04 3	8	8 =	1	1 ∽	11.7		•ᵃ = n, = ⊙ a, ∽ ⊙ p
18	01.7	00.3	98.0	12.6	17.8	19.9	20.4	7.9	80	64	54	05 1	10 2	03 1	5	3 =	5 ♀	8			= ∽ ⊙ n, • = ⊙ a
19	97.7	95.9	96.6	16.5	23.5	16.1	23.5	15.8	77	54	85	21 2	24 2	30 2	9	8 ♀°	7	2	0.0		♀° n,a, ☈ ♀ᵃ p, ⊙ 19
20	96.6	97.4	96.6	14.8	17.8	16.3	19.5	11.7	88	56	68	21 2	09 2	03 1	8	6 =	7 ∽	8 ∽	4.2		♀ = n, ∽ a,p
21	95.4	95.5	94.8	13.2	16.8	17.0	19.3	10.8	82	69	62	00 0	30 3	36 1	6	6 =	6 =	3			= n, = ⊙ a, ⊙ p
22	90.5	90.8	91.2	13.5	12.5	11.8	17.0	10.6	93	99	98	21 2	27 1	27 2	4	7 =	8(≡)	8 =			= n, ☈ ♀ᵃ a, = p
23	91.7	86.5	80.8	9.8	12.2	14.2	14.2	9.0	84	80	84	30 1	03 3	16 2	9	7	7	8 •	7.2		♀ n, • p
24	79.1	79.7	81.5	12.0	11.0	9.0	14.2	9.0	82	95	99	24 3	27 3	27 2	8	7	8 •	8 •	1.0		♀ n, • a, (≡) 13, • p
25	84.1	84.8	82.4	9.1	12.0	13.0	14.3	8.2	99	78	75	00 0	09 2	06 3	9	8(≡)	5	5	7.7		• n
26	78.7	75.5	73.6	13.9	18.7	17.0	19.7	9.4	82	55	65	06 3	12 4	21 3	9	3	7	6			⊙ n,a
27	74.2	75.0	76.6	13.2	15.6	14.0	17.0	11.9	82	84	98	00 0	30 2	24 1	9	8	8	7(♀)			☈ ♀ᵃ p
28	85.3	86.2	90.3	10.5	10.1	9.6	14.4	9.6	93	00	00	27 4	27 4	27 3	5	8(♀)	8 •	8(≡)	15.4		♀ᵃ n, • (≡) a,p
29	96.3	99.6	98.9	8.6	10.4	9.8	11.2	8.0	93	71	70	27 2	30 2	30 2	9	7	7	7	5.6		♀ n
30	96.4	94.2	93.0	10.6	12.1	12.2	13.0	6.1	84	81	85	00 0	09 4	03 1	9	7	8	8			⊙ 7, ♀° a,p
M	93.9	93.8	93.6	9.8	12.6	11.8	14.5	7.4	85	73	77	1.6	2.5	1.9	7.4	6.2	5.6	5.6	82		

Ekstensotabell

1954

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 ΔG = + 1ᵇ

Juli VII

H_s = 127 H_b = 133.0 h_z = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	91.6	91.9	92.8	11.1	13.6	12.4	16.0	10.2	00	90	85	00 0	33 3	30 1	9	8(≡)	7	8	1.1		ẏ n, ẏ° p
2	90.8	89.5	87.1	10.8	11.6	12.6	13.4	10.1	99	99	96	06 2	03 3	30 2	5	8(≡)	8 •	7 ẏ	0.4		ẏ n, • (≡) a, • p, (≡) 19
3	84.8	86.0	87.0	11.4	12.8	12.3	13.4	10.9	00	77	84	24 1	30 3	27 2	9	8(≡)	8	7	2.0		ẏ n, • a
4	97.4	87.6	86.8	13.0	17.8	17.1	19.2	9.1	91	56	51	03 1	00 0	18 2	8	7	8	8	0.8		⊙ 7
5	87.6	88.7	98.4	16.6	20.5	14.3	21.0	12.1	61	51	70	21 2	21 4	27 5	9	6	4	7			⊙ 13
6	93.3	95.4	97.1	12.4	16.2	14.8	17.3	10.9	99	81	72	00 0	33 4	36 2	9	7 =	3	1	2.0		ẏ n, ⊙ a,p
7	97.6	97.7	97.0	11.4	15.3	16.6	17.3	9.0	91	84	70	21 1	06 4	03 3	9	8	3	1			⊙ n,a, R ẏ p, ⊙ 19
8	01.4	02.2	03.9	16.1	21.1	13.8	21.1	12.9	57	41	68	18 3	18 4	09 2	9	1	3	7 R	0.3		⊙ n,a, ẏ° p, (ẏ) 19
9	08.0	07.8	07.2	12.7	17.1	17.4	19.5	8.5	80	58	54	00 0	36 2	06 1	9	1	2	1	0.1		⊙ n,a,p
10	06.7	04.1	00.2	15.0	19.3	20.6	23.6	9.9	79	71	53	03 1	36 1	06 2	9	5	7	1			⊙ n,p
11	97.9	96.3	94.3	18.0	23.4	23.4	27.3	11.8	70	58	64	00 0	09 3	06 2	9	8	6	6			⊙ p
12	93.8	92.7	91.0	19.8	22.0	23.8	24.5	16.1	84	75	66	06 1	24 1	21 1	8	6 ▬	6 ▬	6 ▬			▬ n,a,p
13	92.6	92.8	91.5	17.7	17.6	18.4	23.8	16.4	98	88	84	21 3	30 2	30 2	8	6(≡)	7 ▬	7 =			▬ a,p
14	88.8	87.2	86.2	15.0	15.4	13.2	18.4	13.1	98	87	98	00 0	27 3	27 2	9	8 =	8	8 •°	1.8		• n, •ᵃ p
15	83.8	82.9	82.5	12.4	12.2	11.7	13.3	11.2	00	93	95	21 2	27 1	24 2	9	8(≡)	8	8	29.4		• n,a
16	83.4	84.2	84.8	10.3	12.6	11.3	13.0	9.9	99	87	90	24 2	27 2	27 1	9	8(≡)	8	8 ẏ	4.2		ẏ n, ẏ° a,p
17	82.6	80.1	77.7	10.5	13.7	15.4	15.5	9.7	99	76	73	21 1	03 1	06 3	9	8	4	3	1.2		• n, ⊙ p
18	78.0	79.0	81.8	15.6	17.5	15.8	20.0	9.1	76	68	72	03 2	03 4	30 3	9	2	4	5			⊙ a, 19
19	90.9	95.5	98.0	10.1	11.0	10.4	17.2	9.9	95	79	80	36 3	33 2	27 3	9	8 •°	7	7	5.0		• n,a
20	97.8	97.7	95.4	9.6	12.0	12.6	14.3	7.9	86	67	69	00 0	06 2	06 1	9	8	5	5	1.3		ẏ n, ⊙ 13
21	89.8	89.0	87.7	11.4	12.7	13.9	15.6	10.3	92	87	79	00 0	30 1	30 1	8	7	7 •°	7			• a, •° p
22	87.3	88.2	88.7	10.2	12.3	11.6	13.9	7.7	90	84	81	33 3	33 3	30 3	9	8(≡)	8 •	7	0.5		ẏ n, • a, ẏ p
23	91.5	94.3	96.4	9.7	12.2	10.6	12.8	8.8	96	73	72	27 1	27 3	27 2	9	8	7	6	0.6		ẏ n,a
24	97.6	96.5	94.0	9.8	13.8	15.0	15.8	6.9	75	71	75	09 1	03 3	03 2	9	6	6	5	0.0		⊙ a,p
25	89.5	87.1	88.4	16.1	20.2	13.0	21.2	10.2	81	53	85	00 0	21 4	30 3	9	6	7	8			⊙ a, ẏ ° p
26	89.4	88.6	86.9	11.4	13.0	15.9	16.3	11.0	00	98	92	06 1	06 1	06 1	9	8 •	8	7 =	4.1		• n, (≡) 7, • a, = p
27	84.6	81.7	76.9	15.6	20.8	19.8	22.3	12.2	70	52	58	12 3	12 4	09 4	9	6	5	5	1.4		ẏ n, ⊙ a,p
28	73.7	72.3	73.3	15.0	14.6	11.8	19.8	11.8	87	98	99	09 1	27 1	24 2	5	7	8 ẏᵃ	8 •			ẏᵃ a, (≡) 13, • p
29	76.0	76.1	76.4	12.8	17.3	18.0	19.5	9.0	81	67	50	09 1	09 4	21 5	9	6	6	3	18.9		• n, ⊙ a,p
30	78.7	78.8	78.7	14.7	19.2	18.6	20.5	10.4	69	49	50	18 4	21 4	21 3	9	1	2	2			⊙ n,a,p
31	80.5	82.6	86.0	14.6	19.4	16.1	20.1	10.8	73	58	71	21 1	18 4	30 2	9	7	6	5	0.0		ẏ° n, ⊙ ẏ p
M	89.9	89.5	89.5	13.3	16.1	15.2	18.3	10.6	86	73	74	1.3	2.6	2.3	8.6	6.4	6.0	5.6	75		

August VIII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	92.4	93.4	93.5	12.0	16.4	15.9	18.3	8.9	93	78	73	00 0	06 2	00 0	9	7	7	5	0.0		▲ n, ẏ° a, ⊙ 13, ẏ° p
2	95.8	94.3	92.0	11.8	16.2	16.9	18.8	10.4	93	75	71	24 1	06 2	00 0	9	7	4	6	0.2		⊙ ẏ a, ⊙ p
3	86.4	84.9	84.8	8.7	15.3	12.4	16.9	7.2	00	70	99	24 2	36 1	33 2	8	4(≡)	8(=)	8 •	0.8		▲ n, (≡) 7, ẏ° a, • p
4	84.6	86.3	86.6	11.6	12.0	11.6	12.4	11.2	99	99	99	27 3	27 3	27 3	6	8(≡)	8 •	8 •	12.2		• n, • (≡) a, (=) 13, • (≡) p
5	87.4	90.1	91.9	10.6	12.8	13.0	13.8	10.5	00	85	72	27 3	27 3	24 3	6	8(≡)	7 ẏ	7	13.1		• n, ẏ a
6	93.7	92.8	91.5	11.0	14.3	14.6	15.8	10.3	92	75	80	00 0	03 3	03 3	9	8(≡)	1	1	3.7		ẏ n, ⊙ a,p
7	87.3	86.2	84.8	17.2	19.3	15.9	19.8	10.5	69	56	67	00 0	18 6	21 2	9	7	7	7			▲ n, ẏ° a,p
8	81.1	81.0	81.8	15.3	14.1	12.3	16.5	12.2	78	99	99	36 1	06 2	27 2	5	7	8 •°	8 •	0.0		•° a, (≡) 13, • (≡) p
9	85.7	85.8	85.9	14.0	18.8	17.6	20.9	12.2	84	58	59	00 0	21 3	18 4	9	1	7	7	14.1		• n, ⊙ 7
10	85.5	83.7	82.6	14.0	17.6	17.7	20.0	10.8	80	75	64	09 2	06 2	09 1	9	0	7	6			⊙ n,a
11	80.9	79.6	78.7	15.6	19.8	18.0	20.2	13.5	70	57	43	21 1	15 4	09 1	9	6	5	4			⊙ a,p
12	75.0	75.3	76.8	13.4	13.4	12.6	18.0	11.3	75	95	00	21 2	27 4	30 3	5	6	8(≡)	8(ẏ)			ẏ • p
13	80.4	82.6	84.8	12.6	15.8	13.6	17.8	11.7	91	66	76	24 1	27 2	27 2	9	7	7	3	0.5		ẏ° n, ẏ a, ⊙ p
14	87.5	87.9	87.1	10.4	14.0	12.3	14.3	7.9	99	75	98	00 0	03 1	00 0	9	6	6	7 ẏ	0.0		ẏ p
15	88.2	90.8	91.1	11.1	14.6	12.3	14.6	10.4	00	73	77	30 1	33 1	00 0	9	8 •°	6	6	11.3		• n,a
16	93.3	94.5	97.0	9.2	14.6	11.6	15.3	7.2	93	61	65	27 1	27 3	30 3	9	3	3	1	1.2		ẏ n, ⊙ a,p
17	99.5	00.3	00.8	8.8	11.8	12.1	13.8	7.0	92	60	66	24 1	36 1	36 1	9	7	3	6			⊙ a, 19
18	02.2	02.9	02.9	9.0	14.2	14.5	14.5	6.4	95	69	71	00 0	06 3	00 0	9	3	6	6			▲ᵃ n, ⊙ 13
19	06.5	07.4	08.1	9.6	13.5	13.1	16.5	7.4	95	62	79	06 1	06 2	27 1	9	0	1	3			⊙ a,p
20	11.5	11.5	10.6	7.6	14.2	14.8	16.5	5.8	00	76	54	24 1	03 2	00 0	9	8	1	3			▲ᵃ n, ⊙ a,p
21	10.8	10.0	08.7	6.8	15.2	15.4	17.5	4.9	93	64	62	00 0	03 1	06 1	9	3(≡)	6	3			▲ (≡) n, ⊙ a,p
22	08.2	06.1	04.0	7.8	14.6	14.0	17.6	5.0	99	75	75	00 0	02 2	00 0	9	7	1	5			
23	02.3	99.8	97.1	8.8	17.0	17.8	20.1	7.4	96	69	65	00 0	06 3	06 2	9	3(≡)	2	1			(≡) ▲ᵃ n, ⊙ a,p
24	95.7	94.3	92.9	12.4	18.0	17.8	20.3	8.0	90	68	81	00 0	36 2	00 0	9	0 =	5	6 ▬			= ⊙ n, ⊙ a, ▬ ⊙ p
25	94.9	96.4	98.0	10.3	14.3	12.6	17.8	8.7	00	86	88	24 2	36 2	30 1	9	8 ≡	6	7			≡ n, ≡ ⊙ a
26	99.2	99.8	98.6	11.7	13.6	12.6	14.0	10.4	98	82	90	24 2	00 0	00 0	9	2	8	8	0.0		ẏ° n,a
27	98.4	98.9	95.7	12.2	15.8	14.6	17.0	11.1	99	96	99	21 1	21 2	06 1	9	8	8	7(≡)	1.1		• n, • • a
28	91.4	91.7	88.7	14.2	12.4	12.4	14.6	11.9	99	95	95	00 0	06 1	12 3	6	8	8 •	7 ẏᵃ	2.3		• n, •ᵃ a, ẏ p, ⊙ 19
29	86.5	89.8	90.4	9.3	11.0	10.2	12.4	8.8	92	93	93	21 4	26 3	24 1	6	8	8 ẏ	7	13.3		ẏ n, ẏᵃ a,p
30	78.5	77.9	79.5	8.2	12.0	11.9	14.2	7.6	99	81	87	00 0	24 1	27 1	9	8 •	8	7(ẏ)	5.9		• n,a, ẏ p
31	89.7	93.7	96.5	9.0	9.5	8.6	12.0	8.0	92	86	85	27 1	27 2	27 3	8	6	5(ẏ)	6	3.1		ẏ n,a,p
M	92.3	92.6	92.4	11.1	14.7	13.9	16.5	9.2	92	76	78	1.0	2.2	1.4	8.3	5.5	5.6	5.6	83		

Ekstensotabell

1954

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 $\Delta G = +1^h$

September IX

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_t	Værforløp W
1	96.4	95.8	95.9	5.6	11.6	11.8	13.5	3.4	90	71	81	24 1	03 2	03 1	9	1	6	7 ∞	3.0		⚲ n, ◎ 7, ◎ p
2	93.9	93.5	89.8	10.0	12.2	13.3	14.8	9.6	99	95	98	09 1	00 0	00 0	9	8 =	8	8 =	2.0		• = n, •° a, = p
3	96.5	98.3	97.4	10.3	14.0	11.4	14.5	9.9	85	72	84	24 2	27 3	06 1	9	4	3	7	3.5		⚲ n, ◎ 13
4	98.2	96.4	92.7	9.4	15.1	11.2	15.7	8.4	98	79	92	00 0	03 1	27 3	9	7	7	7	0.2		⚲ n,p
5	97.4	00.3	02.0	8.8	12.1	10.0	14.1	7.5	81	71	79	21 3	27 4	24 1	9	4	6	2	0.7		⚲ n, ◎ 7, ⚲ a, ◎ p
6	**03.4**	02.0	00.6	8.1	12.3	11.3	13.5	4.9	86	67	75	12 1	03 3	00 0	9	1	0	1	0.4		⌒ n, ◎ a,p
7	99.5	97.5	98.3	6.1	12.1	12.6	14.3	5.3	00	81	84	00 0	03 2	24 3	9	6	7	7 ∩			⌒² n, ∞ p
8	00.5	99.7	97.2	8.8	14.6	14.1	16.6	7.4	99	82	90	00 0	06 3	00 0	9	1(≡)	3	6 ∞			⌒ n, ◎ a, ∞ ◎ p
9	01.4	89.6	89.6	15.4	17.6	12.4	**19.0**	11.0	69	56	86	18 4	21 4	00 0	9	7	7	7 ∞			⚲° a, ∞ p
10	81.0	77.1	76.5	12.1	17.8	16.4	18.7	8.2	93	56	58	36 1	18 6	18 3	9	8 •°	6	7	0.5		• n, ∞ 7, • a
11	77.0	72.7	70.7	9.6	16.0	13.0	16.4	6.4	99	67	90	00 0	21 2	27 2	8	2	7 ⚲°	8(⚲)	7.4		⚲² n, ◎ 7, ⚲° a,p
12	75.9	77.3	77.0	9.3	13.2	10.4	14.5	8.8	95	69	77	21 1	05 1	00 0	9	7	5	1	11.1		⚲² n, ◎ a,p
13	77.8	80.1	83.1	6.0	11.7	9.4	15.0	4.9	98	85	76	24 1	03 1	27 1	9	5	3	5			⌒ n, ◎ a
14	88.4	90.6	90.1	8.3	12.0	9.1	12.8	7.9	93	76	82	24 2	27 2	06 1	9	8 •	6	6	1.4		• n, ⚲ a
15	82.9	77.4	71.7	4.6	14.2	11.4	14.2	2.9	98	55	57	15 1	18 3	18 4	9	1(≡)	2	6	0.4		⌣ n, ◎ a
16	77.6	74.4	67.6	7.1	10.9	9.1	11.5	6.1	81	69	69	24 4	06 1	09 1	9	7	3	6	2.4		⚲ n, ◎ a,p
17	62.1	66.0	79.2	7.6	9.1	7.6	10.5	6.8	80	78	91	06 3	03 2	27 1	9	7 ∞	7	1			∞ n
18	76.0	81.5	86.8	7.0	9.6	7.0	10.0	5.4	99	91	91	21 3	24 2	24 3	9	6(⚲)	7	7(⚲)	1.8		⚲ n,a,p
19	91.5	92.6	92.3	4.6	10.8	7.4	12.9	3.4	86	61	71	21 3	21 1	09 1	9	1	5	1	6.7		⚲ n, ◎ 7, ◎ p
20	88.5	84.9	83.1	3.8	11.5	10.5	11.5	2.0	84	54	58	00 0	18 5	21 3	9	6	8	8			
21	81.4	81.7	83.3	4.6	8.0	8.2	10.5	3.9	86	80	80	06 1	06 2	03 4	8	6 ∞	7 ⚲°	8 •°			•° p
22	87.3	89.8	92.1	6.4	9.8	6.6	10.5	5.9	84	72	85	27 1	27 3	27 1	9	4	6	3	0.2		⚲ p
23	00.6	91.8	93.2	2.3	5.0	3.4	6.6	1.9	00	99	95	24 1	21 4	21 4	6	6	7 ⚲	7	0.4		⚲ n,a,p
24	91.1	84.0	75.7	4.1	8.8	7.2	8.8	1.8	80	**51**	80	15 4	18 4	21 5	9	8	8	7 •	1.7		⚲ n, • p
25	68.3	**61.8**	62.6	10.2	14.2	13.5	16.5	7.9	72	65	66	18 3	21 5	24 1	9	3	7	3	5.0		• n
26	77.9	76.7	71.2	4.6	9.8	5.8	13.5	3.8	84	55	73	18 1	24 1	21 1	9	6	2	1	1.0		⚲ n, ◎ a,p
27	78.0	81.2	84.5	2.8	5.0	3.2	5.8	2.0	87	69	82	27 2	24 4	24 3	9	8 △	3	7	0.3		⚲ n, △ ◎ a, △ p
28	85.9	84.9	83.8	1.5	6.2	3.8	6.5	0.4	91	78	87	24 1	03 1	00 0	9	7	7	2	0.2		◎ a,p
29	83.4	83.3	83.7	- 0.8	6.3	5.5	8.5	- **1.3**	00	80	95	00 0	03 3	00 0	9	1 ∞	1	2			⌣ n, ◎ a,p
30	87.0	87.7	88.9	2.9	4.6	3.8	5.5	2.1	87	98	00	24 2	27 2	24 1	6	7	8 •	8 ⚲			• a, • ⚲ p
M	85.9	85.4	85.0	6.7	11.2	9.3	12.6	5.3	90	73	81	1.6	2.6	1.6	8.7	5.1	5.4	5.2	50		

Oktober X

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_t	Værforløp W
1	92.5	94.9	96.8	2.3	8.3	3.0	8.7	2.1	00	68	86	24 2	24 1	03 1	9	7	4	1	3.7		⚲ n, ◎ a,p
2	03.7	06.1	06.0	- 1.0	8.3	4.0	8.3	- 1.2	98	71	81	24 2	21 1	15 1	9	1	6	1			
3	01.2	01.3	99.1	2.1	7.8	5.8	8.7	0.0	87	78	93	21 1	03 2	00 0	9	6	7	6	0.2		⚲ n
4	99.9	00.5	98.1	5.8	10.0	12.8	13.0	3.9	00	80	70	00 0	03 2	21 4	9	6	7	7			◎ a
5	02.5	02.9	02.4	10.2	14.6	9.8	**14.6**	10.2	**55**	**55**	65	21 4	15 4	18 3	9	3	2	1			◎ a
6	97.5	99.3	02.3	7.6	9.3	8.5	9.8	6.8	66	62	64	21 5	18 5	18 4	9	1	7	7			
7	08.4	10.8	**12.3**	5.3	8.0	5.8	8.5	4.4	85	76	00	00 0	00 0	00 0	6	6	8 ∞	8 •°			• p
8	09.2	06.8	05.0	5.1	7.4	5.9	7.5	4.8	00	90	87	21 1	00 0	00 0	6	7	8 =	7	1.5		• n, = (≡) a
9	99.3	93.0	85.2	1.0	6.8	6.8	7.5	0.4	00	58	93	00 0	00 0	24 4	9	4	8	8			⌣ n, • p
10	83.3	80.9	83.2	3.4	8.6	4.5	10.4	1.9	90	**55**	93	24 2	27 1	00 0	9	7	7	5	1.7		⚲ n, ◎ a
11	84.7	84.9	85.7	4.0	8.2	5.3	8.4	1.7	68	69	93	00 0	15 1	24 4	9	8	7	7	0.5		⚲ n,p
12	82.3	79.7	77.8	6.6	8.8	4.5	12.1	4.0	71	82	00	24 2	27 3	27 4	6	8	8 ⚲	8 ⚲	0.8		⚲ n,p
13	82.5	85.5	79.9	5.2	4.0	4.8	5.5	3.3	78	99	00	27 5	24 4	27 3	5	5	8 •	8 •°	14.0		⚲² n, • (≡) a, •° p
14	76.6	84.5	88.3	3.8	3.2	1.4	6.0	1.3	91	93	00	27 2	27 2	27 3	9	8	6	7 ⚲°	12.4		• n, • (≡) a, ⚲ p
15	85.7	93.0	94.7	1.1	3.3	1.5	3.5	0.7	00	88	93	24 5	30 3	30 2	8	8 ⚲	5 ⚲	2	7.8		⚲ n, ⚲ △ a, ⚲ ⚲ p
16	92.6	91.7	93.7	- 2.8	1.5	- 0.6	2.1	- 3.0	95	80	87	00 0	03 2	00 0	9	4	3	0	5.1		◎ 13
17	98.6	01.1	00.4	- 0.4	2.8	1.4	3.5	- 3.1	95	93	90	21 3	27 3	27 1	8	3 ⚲	6(⚲)	4	1.5		⚲ n, ⚲ a
18	93.7	93.3	92.7	1.0	2.2	- 0.1	3.3	- 1.4	80	73	76	21 1	21 2	06 1	9	8	1	1	1.1		◎ a
19	79.8	74.2	73.5	0.0	3.3	1.8	3.3	- **4.0**	62	56	60	21 4	21 4	21 4	9	1	5	6			◎ a
20	67.0	**62.5**	63.8	- 0.2	5.5	3.2	5.8	- 3.0	87	58	81	00 0	00 0	24 1	9	8	7	3			⚲ p
21	65.8	69.5	71.2	3.6	7.0	4.8	7.0	1.0	80	64	67	24 4	24 2	24 4	9	1	7	8	0.3		⚲° p
22	68.9	71.3	72.0	2.6	5.2	3.4	5.8	1.3	96	73	68	24 5	21 4	21 1	9	7 ⚲	1	7	0.8		⚲ n, ◎ ⚲ a
23	72.8	74.8	76.3	2.8	5.6	3.3	5.6	1.8	85	79	93	21 3	24 2	00 0	9	5	7	8	0.2		
24	67.3	69.5	73.0	1.4	3.3	1.6	3.5	- 0.8	00	90	92	06 1	24 1	00 0	9	7	7	1	0.8		⚲ n
25	68.6	62.9	63.5	0.3	5.3	5.0	6.2	- 0.1	95	68	84	06 3	09 5	00 0	9	8 *	8	8(≡)	2.1		* n, ⚲ a
26	74.7	82.9	89.3	3.7	4.3	3.3	5.5	3.0	00	91	76	27 2	27 4	00 0	8	8 •	7 ⚲	2	13.2		• n, ⚲ a
27	94.2	92.5	91.1	0.3	4.8	3.3	5.3	- 0.2	00	67	58	24 1	00 0	00 0	9	2	2	0	1.2		⚲ n, ◎ a
28	87.6	86.9	86.8	5.3	8.2	7.8	8.2	2.7	58	58	59	21 4	18 5	18 5	9	6	2	5			◎ a
29	86.8	88.6	85.6	4.1	6.2	6.5	7.8	3.0	84	77	68	00 0	09 2	15 3	9	7 ⚲°	7	1	0.5		⚲ n
30	69.6	70.0	72.5	8.8	8.4	6.6	9.5	5.6	93	79	92	09 2	21 1	21 2	8	6	8 •	8 •	4.0		⚲ n,a, • n
31	75.7	80.6	85.8	5.6	6.2	6.2	6.7	5.2	00	92	92	00 0	00 0	00 0	9	8 ≡*	8	8 •°	11.1		• n, • a, •° p
M	86.2	87.0	87.4	3.2	6.3	4.6	7.1	1.7	86	75	83	2.1	2.1	1.8	8.5	5.6	5.9	4.9	85		

Ekstensotabell

1954

Trondheim (Voll)

φ = 63° 25'N λ = 10° 27'E g = 9.822 $\Delta G = +1^h$

November XI

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	95.2	98.5	99.9	4.4	4.9	3.2	6.4	3.2	96	90	92	24 1	24 1	00 0	8	8 ∴	8 ⚥°	4	1.7		⚥ n, ⚥° a, ⚥ p
2	98.7	98.2	95.8	3.0	3.4	0.6	3.6	0.6	87	92	88	24 1	00 0	00 0	9	7	6	0	2.4		⚥ n, △ a
3	89.7	89.4	89.0	- 0.8	2.6	2.0	3.5	- 1.0	75	68	59	18 1	00 0	18 3	9	2	6	3	0.0		⊙ a
4	79.6	80.4	78.7	4.1	6.7	5.8	7.3	- 0.6	54	55	59	18 6	18 2	18 4	9	6	2	1			⊙ a
5	83.6	86.0	86.9	0.4	3.8	2.6	5.8	0.1	92	71	76	21 1	21 1	00 0	9	6	7	7	0.8		⚥ n, ⚥° a, △ p
6	87.1	88.7	89.5	3.6	5.1	3.4	6.0	- 1.2	52	52	86	18 3	21 2	24 3	9	6	5	7	0.0		⚥ p
7	93.0	95.4	95.6	2.5	3.5	2.1	3.5	2.0	99	96	90	24 1	21 2	21 1	6	8	7(≡)	5	4.9		⚥ n, ⚥ (≡) a
8	90.3	87.4	83.5	- 1.6	2.3	1.5	2.4	- 2.5	86	56	55	00 0	18 2	19 5	9	2	1	0	0.4		⊙ a,p
9	79.1	78.2	78.6	2.5	1.8	1.3	2.8	0.8	54	55	55	18 4	21 4	21 4	9	2	8	8 ⚥			⚥ p
10	82.0	84.3	83.8	1.1	2.5	- 2.0	2.5	- 2.0	98	79	73	21 2	24 2	00 0	9	8	7	0	1.6	1	* n, ⊙ a, ∴ p
11	75.1	78.8	75.0	4.6	3.2	1.6	5.0	1.5	62	86	77	24 3	21 2	15 1	9	7	6	5	1.0		⚥ a
12	73.3	**72.4**	75.1	1.3	2.2	2.3	3.0	0.9	84	95	85	21 1	21 1	24 2	6	8 *	8(⚥)	8 ⚥	1.9		* n, ⚥ a, ⚥ p
13	79.3	81.4	82.1	0.4	0.8	- 0.2	2.3	- 0.5	84	85	85	21 2	24 2	24 2	9	7	6	3	3.2		* n,a, ⚥ p
14	94.4	89.2	94.1	- 3.7	- 3.8	- 4.6	0.3	- 5.4	77	80	82	24 1	21 1	24 1	9	1	1	6	0.6		⊙ a
15	08.3	11.6	13.3	- 1.2	- 0.2	- 1.0	0.6	- 4.6	86	95	92	00 0	24 2	24 1	9	1	3	2	0.2	0	⚥ n, ⊙ 13, ⚥ a,p
16	07.8	05.3	04.3	- 6.4	- 3.3	1.2	1.5	**- 7.7**	85	88	95	00 0	24 3	24 2	5	0	8 *	3	0.8	0	* a, ⚥ p
17	03.4	06.4	08.1	1.6	2.0	1.8	2.2	0.5	98	91	88	27 2	21 2	21 2	9	7	6	6	5.9	0	⚥ n,a
18	07.3	07.4	08.2	- 1.3	0.0	1.1	1.8	- 3.1	80	75	66	00 0	00 0	00 0	9	1	7	8	0.8		
19	09.6	12.2	14.6	1.4	1.6	1.0	1.7	0.4	69	70	73	18 1	12 1	00 0	9	8	8	8			
20	**15.2**	14.7	13.1	- 5.0	- 3.0	- 1.8	1.0	- 5.5	96	86	73	00 0	00 0	15 2	8	1	0 ∞	0			∞ ⊙ a
21	06.5	06.0	04.7	- 2.0	- 1.6	- 3.8	- 1.2	- 3.9	65	62	66	18 3	15 1	15 2	9	1	1	0			⊙ a
22	04.1	04.0	03.3	- 7.2	- 4.9	- 6.3	- 1.4	- 7.6	84	79	79	00 0	00 0	00 0	9	0	1	0			⊙ a
23	99.7	01.8	03.9	0.8	1.3	0.2	1.5	- 7.2	54	51	**50**	18 5	18 5	18 6	9	1	4	5			
24	06.5	05.8	04.0	0.0	- 0.5	0.2	0.3	- 1.3	55	55	55	18 4	18 6	18 5	9	0	1	0			⊙ a
25	97.4	97.2	95.3	1.3	2.6	2.3	2.8	0.2	55	56	58	18 6	18 5	15 4	9	1	6	3			
26	89.4	87.7	87.4	3.2	4.5	4.8	4.9	2.0	62	59	62	18 4	21 5	21 4	9	2	6	8			
27	88.5	84.9	82.9	3.2	4.9	5.6	5.7	2.0	69	67	62	15 1	18 4	18 4	9	2	3	6			
28	83.9	83.1	81.1	5.4	6.1	6.0	6.5	4.8	67	64	64	15 4	18 4	18 5	9	1	7	8			⚥° p
29	87.6	88.0	84.9	5.5	5.2	5.6	6.5	5.1	68	69	66	18 3	21 1	18 5	9	7	8	8	0.0		
30	85.8	86.2	82.9	5.9	6.3	7.5	**7.5**	4.1	61	65	62	13 5	21 6	13 7	9	7	6	8			
M	93.0	93.7	93.3	0.9	2.0	1.5	3.2	- 0.9	75	73	72	2.2	2.2	2.5	8.6	3.9	5.1	4.3	26	0	

Desember XII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	86.4	89.1	90.3	5.3	5.2	4.6	7.6	4.3	65	61	62	13 6	18 4	13 2	9	8	8	8			
2	89.3	85.0	78.5	4.6	6.5	8.3	8.4	2.9	64	64	61	21 4	24 3	21 7	9	1	8	7			⚥° p
3	75.6	78.9	80.0	3.2	5.1	4.7	**9.3**	1.8	93	71	78	24 1	00 0	00 0	9	6	2	7	1.4		⚥ n, ⊙ a
4	83.2	81.4	79.2	4.8	2.1	1.3	5.2	1.3	80	86	76	24 4	21 2	21 1	9	3	7	6	3.0		⚥ n, ⚥° a
5	80.8	81.8	81.2	1.0	1.0	1.8	3.0	0.4	90	00	96	24 2	21 1	21 1	6	8	8	7	0.0		• a
6	77.4	76.6	75.9	1.3	1.1	- 0.3	1.8	- 0.4	92	90	98	24 2	21 1	24 1	6	8	7(≡)	7 ⚥°	2.2		⚥ n, ⚥° p
7	74.9	74.3	73.1	- 4.2	- 4.3	- 4.6	- 0.3	- 5.2	99	96	92	21 1	00 0	00 0	8	1	2 ∞	2 ∞	0.1		⚥ n, ∞ ⊙ a, ∞ p
8	75.5	76.1	77.8	- 1.1	0.0	- 0.6	0.1	- 6.2	61	60	**57**	18 2	18 4	18 4	9	2	5	6			⊙ a
9	81.4	81.7	79.1	- 4.0	- 1.1	0.4	0.4	- 4.9	65	58	58	00 0	21 1	18 4	9	0	7	8			
10	71.7	70.9	70.7	2.4	4.6	5.4	6.1	0.0	60	60	60	18 3	18 4	13 4	9	7	7	6			
11	79.4	87.2	91.7	4.0	1.6	0.2	6.0	- 0.6	81	93	91	21 3	21 3	13 2	6	8	8 *	3	0.6		⚥ n, *° a, ⚥ p
12	89.6	86.9	82.6	- 2.0	0.4	- 0.2	1.0	- 4.1	80	82	00	00 0	06 1	06 4	8	6	8 ∞	8 *	0.4		⚥ n, ∞ a, * p
13	81.9	85.5	84.5	1.8	1.6	3.1	3.2	- 2.8	85	61	68	24 4	21 4	24 3	9	8	2	8	1.3	4	* n
14	82.6	85.9	87.2	1.3	- 0.2	- 1.9	3.4	- 2.0	72	80	79	21 2	24 2	18 4	9	6	2	0		4	⊙ a, ∞ p
15	73.4	75.2	82.9	3.8	6.9	4.0	7.5	- 3.0	77	59	92	21 3	24 3	24 6	9	3(⚥)	8	8 •	0.2		⚥ n, ⚥° a, •° p
16	02.8	04.3	99.7	3.0	2.5	2.3	4.4	1.4	76	90	73	18 1	21 3	21 1	6	3	7 ⚥	8	3.6		⚥ n
17	86.4	87.7	89.8	5.0	3.5	2.3	7.4	1.9	67	91	80	00 0	21 3	21 4	9	8	7	3	0.6		⚥ n,a
18	74.3	71.2	71.1	6.1	7.8	5.9	8.0	2.2	82	82	87	24 5	21 5	21 5	9	8 •	8	7	3.1		⚥ n, • a, ⚥ p
19	74.7	78.1	77.2	1.6	1.5	0.5	5.9	0.4	82	85	00	27 5	24 5	24 3	5	5 △	7 *	8 ⚥	10.1	4	⚥ n, △ a, * ∴ p
20	66.7	66.8	68.3	0.8	- 0.1	- 1.7	2.1	- 1.7	96	99	96	24 4	24 3	21 4	5	8 ⚥	7 ⚥	6 ⚥	8.3	7	⚥ n, ⚥ a,p
21	67.4	65.7	**60.9**	0.6	0.4	- 1.4	1.1	- 2.2	99	96	91	21 2	21 3	21 1	4	8 ⚥	7 ⚥	6	8.9	10	* ⚥ n, ⚥ ⚥ a, ⚥ p
22	65.1	66.3	64.9	- 7.0	- 4.6	- 6.7	- 1.4	- 8.6	88	86	82	24 3	21 3	21 4	9	8	3	0	4.0	10	
23	**60.9**	64.8	70.8	- 8.0	- 5.3	- 6.6	- 4.9	**- 9.9**	86	72	87	18 1	09 1	12 2	9	1	7	1		10	
24	80.2	81.3	82.4	- 6.1	- 3.9	- 2.3	- 2.3	- 7.8	92	87	95	18 2	21 1	24 3	9	8	6	3 ⚥		10	⊙ a, ⚥° p
25	83.9	85.3	86.0	- 1.9	- 2.6	- 1.2	- 1.1	- 4.2	90	96	99	00 0	24 1	24 3	4	8	8(•)	7 ⚥	0.8	10	* n,a, ⚥° p
26	81.2	79.2	77.1	- 5.3	- 7.6	- 8.2	- 0.9	- 8.4	85	76	76	00 0	09 1	12 1	9	0	3	1	0.5	12	⚥ n
27	74.0	76.2	78.7	- 3.7	- 3.0	- 5.4	- 1.8	- 8.2	73	76	79	18 1	00 0	00 0	9	0	3	0		12	⊙ a
28	80.0	82.0	86.6	0.4	- 1.0	- 0.4	1.0	- 6.2	73	95	00	18 2	00 0	00 0	9	7	7	8		10	*° p
29	96.7	00.5	05.5	1.1	0.8	- 1.4	1.2	- 1.4	88	90	86	21 4	18 3	18 1	8	6	5(⚥)	5	6.9	18	* n, ⚥ a
30	07.5	10.3	12.0	- 3.8	- 0.6	0.5	0.5	- 6.2	80	82	92	00 0	15 1	00 0	6	5	8(*)	7	0.3	18	
31	14.2	15.5	**18.2**	- 0.5	0.1	0.5	0.8	- 1.1	96	93	85	21 1	00 0	18 1	6	7	7 =	8 =		18	= a,p
M	81.3	82.3	82.7	0.1	0.6	0.1	2.7	- 2.5	81	81	83	2.2	2.1	2.5	7.7	5.5	6.1	5.3	56	5	

Ekstensotabell

1954

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 $\Delta G = +1^h$

Januar I

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	80.3	80.2	85.3	0.3	0.4	- 0.1	1.9	- 2.1	96	98	95	19 5	21 5	23 4	4	8 ♦	8 ♦²	8 ♦	10.8	12	* ♦ n, ♦ △ ♦² a, ♦ ⸱̇ p
2	86.2	89.3	86.0	- 2.6	- 4.6	- 5.1	0.2	- 5.2	94	92	95	13 1	06 1	23 1	8	8 =	7(♦)	3	19.5	30	♦ ♦ = n, = a, ♦ p
3	07.4	12.2	12.8	- 1.6	- 3.7	- 4.3	- 1.1	- 5.4	77	93	92	34 1	01 2	20 3	8	6 =	5(♦)	2	0.8	26	♦° = n, ♦° a, ♦ p
4	93.7	86.2	87.6	- 1.6	2.0	3.8	4.4	- 4.4	92	94	66	20 6	26 7	28 5	6	8 +	7 •°	8 △	0.7	20	* + n, + ♦ • a, =° ⸱̇ △ p
5	77.2	74.7	71.4	3.1	4.0	1.0	**4.6**	0.9	93	94	94	21 5	22 3	25 3	7	8 •°	8 •	8 =	10.8	13	♦ • n, = •° a, = • p
6	71.8	73.2	74.5	- 2.6	- 2.2	- 2.9	1.3	- 4.0	92	95	92	21 3	24 3	20 3	8	8 ♦°	8 ♦	8(♦)	10.8	10	♦ n,a,p
7	88.1	91.3	90.8	- 6.0	- 6.0	- 5.3	- 2.8	- 6.9	88	92	93	27 1	25 1	21 4	6	4(♦)	8 ♦°	8 ♦	11.0	25	♦ n, ♦ △ ♦° a, ♦ △ p
8	83.7	81.8	79.7	- 3.8	- 4.5	- 3.0	- 2.4	- 5.5	96	96	91	03 1	00 0	05 2	9	6 ♦°	7	8	8.3	27	♦ + n, ♦ a,p
9	81.8	82.0	85.2	- 4.4	- 4.6	- 7.2	- 3.0	- 7.5	94	92	86	20 3	21 3	04 1	9	7(♦)	5	3	5.7	35	♦ n, ⸗ p
10	88.4	88.6	88.0	- 6.4	- 7.2	- 6.7	- 5.1	- 8.0	94	94	69	00 0	24 2	18 4	9	4	3	3	0.7	30	⸗ n
11	82.5	72.6	69.3	- 6.4	- 5.0	- 5.0	- 1.8	- 7.5	89	93	98	16 3	18 4	28 3	3	5	8 *	8 *²	0.4	30	* n,a, * + *² p
12	69.4	70.9	75.8	- 4.4	- 5.0	- 6.1	- 4.2	- 6.4	95	95	92	29 2	34 1	25 3	3	8 *	8 *	7	10.5	37	* n,a,p
13	75.7	76.4	75.8	- 4.3	- 4.0	- 4.8	- 3.7	- 5.9	96	96	94	21 2	21 2	21 1	8	8(♦)	8(♦)	7(♦)	12.9	50	♦ n,a,p
14	73.9	74.0	74.0	- 5.1	- 5.2	- 6.3	- 4.3	- 7.2	93	92	91	36 1	00 0	03 1	9	3 =°	5	1	3.1	55	=° a
15	68.1	65.7	62.7	- 2.5	- 2.1	- 2.9	- 1.6	- 6.5	71	74	82	04 1	05 3	05 3	9	7	8	8 *°		44	=° p
16	**61.8**	64.3	68.9	- 3.7	- 3.5	- 3.1	- 2.5	- 4.4	74	91	91	05 3	05 3	03 2	9	3	3	3	0.0	43	♦ p
17	76.1	81.1	86.9	- 3.1	- 3.2	- 5.2	- 2.0	- 5.7	94	91	92	23 4	01 3	36 3	8	8 ♦	5(♦)	4(♦)	4.0	45	♦ n,a,p
18	95.2	96.0	94.1	- 5.4	- 3.8	- 3.4	- 3.1	- 6.1	92	95	71	04 1	20 3	20 4	8	8(♦)	6(♦)	8 ♦°	5.0	50	♦ n,a,p
19	89.2	89.0	89.5	- 4.2	- 3.0	- 4.7	- 2.7	- 5.1	94	94	67	20 4	23 3	22 2	3	6 ♦°	8 ♦	5	6.2	53	♦ n,a,p
20	94.1	97.1	00.5	- 5.0	- 7.0	- 7.2	- 3.8	**- 8.4**	86	92	95	36 2	00 0	22 2	9	5	3 ♦°	3	7.1	58	♦° n,a, ♦° ⸗ p
21	04.5	07.3	08.9	- 3.4	- 3.2	- 2.5	- 2.3	- 7.8	95	92	91	21 2	29 2	23 1	7	8 ♦	5	7 ♦°	2.2	60	♦ n,a,p
22	03.7	06.8	20.0	- 0.2	0.5	0.7	1.6	- 2.9	96	93	89	29 1	26 1	24 2	7	8 ♦	4 ♦°	7(♦)	8.6	70	♦ n,a,p
23	18.4	15.7	10.7	- 0.8	- 1.9	0.6	1.2	- 2.5	74	76	**62**	21 4	23 4	22 3	9	1	8	8	2.0	65	⊙ a
24	07.1	06.7	07.6	2.5	1.7	2.7	3.3	0.4	83	93	89	21 4	20 4	23 4	6	8 •°	8 ⸱̇	8 •°	0.0	59	•° n, • ⸱̇ a, • p
25	10.8	11.2	12.1	3.2	2.3	0.3	**4.6**	- 0.1	85	89	95	20 2	00 0	00 0	9	7	4	1	2.6	40	• n, ⊙ a
26	14.7	16.9	17.7	- 1.2	- 2.1	- 1.5	0.8	- 2.4	86	85	86	26 2	00 0	24 2	8	0	7	7 =°		39	=° p
27	17.6	18.0	17.5	- 1.0	- 0.6	- 0.6	- 0.4	- 1.9	96	98	96	23 2	24 2	00 0	8	8 =°	8 =°	8	0.1	40	=° * n, =° *° a, =° p
28	18.1	18.8	18.9	- 0.8	- 0.7	- 0.8	- 0.2	- 1.3	96	95	86	22 2	25 2	24 2	9	8 =°	8	8	0.0	40	=° n
29	18.9	19.8	20.6	0.3	- 0.8	- 3.2	0.7	- 3.5	96	89	85	06 1	04 2	03 2	8	8 ♦	2 =°	1	2.5	45	♦ n, ♦° a
30	21.6	22.7	**23.2**	- 4.0	- 3.6	- 2.8	- 2.6	- 4.8	94	94	95	23 2	23 3	23 2	7	7	7 *°	8 ♦	0.5	42	*° a, *° ♦° p
31	22.4	22.3	20.8	- 0.1	0.1	- 0.2	1.0	- 2.9	94	94	88	27 1	23 1	29 2	7	8 *	6 △°	6 ♦	3.5	40	♦ n, ♦° a,p
M	93.6	94.0	94.7	- 2.4	- 2.5	- 2.8	- 0.8	- 4.5	90	92	87	2.3	2.3	2.4	7.2	6.4	6.3	5.9	150	40	

Februar II

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**16.7**	15.0	13.5	- 1.2	- 2.4	- 2.9	0.4	- 3.7	76	70	71	22 3	20 3	21 4	9	7	4	6	0.2	45	♦° n, ⊙ 13, ⸗ 19
2	08.4	05.2	00.5	- 1.5	- 0.2	- 0.3	1.6	- 3.5	69	63	64	20 3	23 4	22 3	9	4	4	3		45	
3	88.4	89.8	93.7	0.0	- 0.4	- 2.2	0.8	- 2.7	98	99	95	22 4	22 3	25 3	4	8 ⸱̇	8 ♦	8 ♦²	2.4	45	♦ n,a, ♦² p
4	01.0	02.6	95.3	- 4.6	- 3.6	- 3.0	- 1.5	- 6.0	73	80	76	23 2	23 3	21 4	9	8 *	6	8 +°	8.9	60	* n, ♦ a, * p
5	91.7	90.1	89.2	1.3	0.1	0.0	**2.4**	- 3.2	83	95	93	21 4	22 4	23 4	3	6	8 ♦	8 △	3.5	60	♦ n, ♦² a, ♦ p
6	**81.7**	84.0	84.5	- 1.1	- 2.2	- 2.2	1.2	- 3.3	92	85	85	21 4	23 4	24 2	3	4 ♦	5 ♦	8	15.5	70	♦ n,a,p
7	83.8	83.8	85.0	- 2.5	- 2.1	- 1.4	- 0.6	- 3.3	95	94	93	00 0	06 1	05 3	9	8 ♦	2	8 ♦	9.2	73	♦ n,a,p
8	88.8	90.0	91.5	- 1.6	- 2.3	- 3.8	- 0.2	- 4.3	91	74	69	22 2	24 3	24 4	9	7	2	0	0.7	70	♦ n, ⸗ a
9	94.6	95.3	96.3	- 5.6	- 5.2	- 5.6	- 3.3	- 7.3	76	80	74	21 2	00 0	23 2	9	1	4 =°	0		70	=° a, ⸗ 19
10	98.8	00.2	01.1	- 2.5	- 2.1	- 3.2	- 1.5	- 6.5	60	62	63	21 4	22 4	23 3	9	0	0	0		70	⊙ p
11	03.9	04.8	05.1	- 4.3	- 4.2	- 5.4	- 3.0	- 5.8	76	76	80	22 4	22 4	23 3	9	4	4	3 ⊕		68	⊙ a,p
12	03.6	04.8	05.0	- 7.1	- 6.2	- 6.3	- 5.1	- 7.5	83	79	77	21 3	20 3	23 3	9	7	4	6		65	⊙ a
13	03.2	03.0	02.6	- 5.6	- 4.8	- 4.0	- 3.4	- 6.5	98	96	96	23 4	23 4	23 3	4	8 *	8 *	7	0.1	65	* n,a,p
14	04.3	05.0	07.2	- 2.4	- 2.7	- 2.7	- 1.8	- 4.2	98	96	95	20 2	00 0	22 2	9	8	5	7	4.8	70	♦ n, ⊙ a
15	08.1	10.2	10.8	- 0.8	- 0.6	- 1.6	- 0.2	- 2.8	91	89	88	20 3	20 3	23 2	9	6	4	6	0.1	70	♦ n, ⊙ a,p
16	13.7	15.4	16.2	- 3.8	- 3.2	- 2.7	- 1.2	- 4.9	94	95	63	00 0	00 0	21 1	9	0	0	0		70	⊙ a
17	14.4	13.3	10.0	- 4.0	- 2.9	- 5.0	- 2.5	- 6.9	62	**58**	60	19 4	19 2	18 2	9	1	0	0		70	⊙ a,p
18	09.9	12.3	12.1	- 7.3	- 6.6	- 8.3	- 4.2	- 9.0	62	70	83	17 3	18 2	22 1	9	0	0	0		65	⊙ a
19	10.9	10.4	09.3	- 9.6	- 6.8	- 8.8	- 6.2	-10.4	95	86	85	18 2	19 2	21 1	9	2	0	0		65	⊙ a
20	07.0	06.8	06.7	- 8.1	- 6.2	- 6.4	- 5.4	-10.1	88	82	79	19 3	19 1	21 2	9	3	6	8		65	⊙ a,p
21	09.2	10.6	12.0	- 7.2	- 5.0	- 3.3	- 3.0	- 7.7	82	79	85	22 3	22 2	21 3	9	1	7	8 *°		65	⊙ a, *° p
22	08.9	05.1	04.4	- 2.6	- 2.2	- 2.2	- 1.6	- 5.0	69	60	60	19 4	19 5	21 4	9	1	2	8	0.0	65	♦ n, ⊙ a,p
23	03.9	00.6	96.3	- 4.1	- 4.3	- 2.6	- 1.8	- 5.0	62	64	67	19 3	19 4	21 4	9	8	6	2		60	
24	91.7	92.8	93.5	0.9	1.4	0.1	2.0	- 3.5	66	66	66	19 5	19 5	20 4	9	8	8	7		60	+ p
25	94.2	95.4	96.4	- 3.6	- 2.1	- 4.0	0.4	- 4.3	66	62	64	19 4	19 4	19 4	9	6	4	0		60	⊙ a, ⸗ 19
26	97.2	98.8	98.4	- 7.8	- 7.0	- 9.0	- 3.6	- 9.4	62	60	63	18 4	19 4	21 4	6	3	2 =	0		55	⊙ a
27	97.7	97.4	94.9	- 9.8	- 7.0	- 7.3	- 6.5	**-11.7**	64	60	64	19 4	18 2	18 4	9	0	0	1		55	⊙ n,a,p
28	93.4	92.9	91.7	- 7.8	- 5.4	- 6.9	- 5.3	- 9.2	66	63	64	18 2	19 2	13 2	8	7 ⸗	6 ⸗	1		55	⸗ n, ⊙ ⸗ a, ○ p
M	01.0	01.3	00.8	- 4.1	- 3.4	- 4.0	- 1.9	- 6.0	78	76	76	3.0	2.8	2.9	8.1	4.5	3.9	4.0	45	63	

Ekstensotabell

1954

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 $\Delta G = +1^h$

Mars III

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	00.9	91.7	90.4	- 7.6	- 7.0	- 9.4	- 5.1	- 9.5	70	66	64	18 4	18 4	18 4	7	6 ≈	4 ≈	2 ≈°		55	≈ n, ≈ ⊙ a,p
2	88.1	89.7	88.2	-10.2	- 7.2	- 7.9	- 6.8	-10.6	64	70	76	18 3	19 3	19 1	9	3 ≈	0	0		55	≈ n, ≈ ⊙ a,p
3	86.9	86.7	84.0	- 6.1	- 4.2	- 5.4	- 3.6	- 9.2	86	70	69	19 1	18 3	19 3	7	7 ≈	7 ≈	5 ≈		55	≈ n, ≈ ⊙ a, ≈ p
4	84.0	86.1	84.6	- 6.8	- 3.8	- 5.0	- 3.6	- 7.5	77	66	77	18 1	23 1	20 4	7	7 ≈	3 ≈	7 =°		55	≈ n, ≈ ⊙ a, =° *° p
5	92.3	88.1	86.9	- 5.8	- 4.4	- 7.3	- 3.7	- 7.9	71	64	73	19 3	18 4	32 2	7	4	2 ≈	3	0.0	55	≈ ⊙ a
6	83.9	85.3	82.4	- 2.2	0.2	- 2.1	0.6	- 7.8	69	66	71	11 2	18 3	02 2	9	4	7	6		55	⊙ a,p
7	84.2	87.7	87.9	- 1.4	1.7	- 1.9	1.7	- 2.6	88	74	86	20 3	18 2	18 1	8	7	2 =°	0		55	⊙° a, ⊙ =° p
8	88.2	85.9	84.0	- 2.4	2.2	1.9	4.7	- 3.5	66	60	69	20 2	07 1	27 2	7	6	8 ≈	3		55	⊙ n, ≈ a, ⊙ p
9	81.2	82.8	85.3	2.2	3.6	3.8	5.0	1.2	67	67	73	20 3	18 1	20 4	8	6	7 ⚲°	7 =		55	⊙ n, ⚲ ⊙ a, ⚲ p
10	88.2	91.8	89.2	2.8	1.8	1.8	4.1	1.3	73	94	88	18 4	19 4	20 4	5	8 =	8 •	8 ⚱°	1.1	50	= ⚲° n, • = a, ⚱ p
11	94.0	97.0	98.5	- 3.1	- 3.4	- 4.6	2.0	- 4.7	92	92	95	22 3	22 2	22 1	4	8 *	6 ⚱	8 ⚱²	6.3	55	* n, ⚱ a, ⚱² p
12	02.5	05.8	10.0	- 6.0	- 5.8	- 5.6	- 3.6	- 6.4	94	93	95	31 1	24 3	21 1	3	7 ⚱	8 ⚱	7 ⚱	10.6	65	⚱ n,a,p
13	11.6	10.3	03.9	- 4.5	- 3.1	- 3.4	- 2.3	- 6.0	94	95	94	27 1	19 2	20 3	1	8 *	8 *	8 *	7.2	70	* = n, * a,p
14	94.4	90.6	87.8	- 2.4	- 1.4	- 1.0	- 0.2	- 3.9	98	98	98	36 1	36 1	24 3	1	8 *	8 *	8 *	31.4	100	* n,a,p
15	83.0	83.6	84.7	- 0.2	- 1.6	- 4.4	0.3	- 4.8	98	93	82	03 1	03 2	03 2	9	8 *	6	5(⚱)	21.4	120	* n, ⊙ a, ⚱ p
16	92.8	96.0	99.4	- 3.8	- 2.5	- 5.7	- 1.9	- 5.7	82	80	74	36 3	02 4	28 4	9	5 ⚱°	5	5 =°	2.0	117	⚱ ⊙ n, ⊙ a, =° ⚱ p
17	01.2	00.2	95.1	- 8.4	- 6.1	- 8.8	- 5.1	-10.0	80	63	59	22 1	18 2	10 1	9	3	7	8	0.5	110	⚱° ⊙ n, ⊙ a
18	96.0	99.1	97.9	- 9.4	- 6.2	- 6.3	- 5.5	-10.4	80	63	60	19 1	19 3	19 3	9	1	1	8		105	⊙ n,a
19	94.5	93.8	89.3	- 0.6	0.0	0.7	2.6	- 6.3	98	99	96	19 3	19 4	22 4	2	8 ⚱	8 ⚱	8 ⚱	9.1	110	⚱ n,a, ⚱ ⚱ p
20	89.9	88.5	88.0	1.8	2.6	3.1	3.4	0.7	92	92	91	21 4	19 4	22 4	9	8 ⚲	8 ⚲	8 ⚲	7.0	105	⚲ n,a,p
21	85.9	86.4	85.6	3.3	3.2	3.3	4.0	1.4	89	91	83	20 4	22 3	20 3	8	7	8 •	8 •°	2.0	90	• n,a, •° = p
22	77.8	79.7	72.7	2.4	3.8	2.5	4.7	1.6	93	80	94	20 4	18 4	22 3	7	8 •	8 •	8 •	0.8	85	• n, • = a, • p
23	80.8	83.0	80.9	- 1.0	- 1.0	- 3.6	3.2	- 3.6	95	89	95	28 3	28 1	27 1	4	8 ⚱	8 *	8 *°	5.1	70	⚱ n, * a, *° p
24	80.5	85.7	91.4	- 4.0	- 4.6	- 4.0	- 3.0	- 7.2	82	88	77	31 5	30 3	31 3	3	6 ⚱	7 △	8 ⚱	5.4	75	⚱ ⊙ n, △ a, ⚱ ⚱ p
25	00.6	01.1	01.4	- 5.0	- 2.6	- 4.4	- 1.9	- 6.3	96	79	66	19 1	18 2	00 0	7	5 *	6 *	7 ≈°	8.1	85	* ⊙ n,a, ⊙ ≈° p
26	97.5	95.6	93.5	- 4.3	- 1.6	- 3.2	- 1.2	- 6.7	58	57	57	18 4	18 4	18 3	9	7	5	5	0.2	80	⊙ a,p
27	92.1	92.3	94.5	- 4.9	- 2.4	- 5.6	- 1.6	- 7.2	67	59	67	11 2	20 2	00 0	9	1	1	0		80	⊙ n,a,p
28	98.7	02.9	04.7	- 5.2	- 1.7	- 3.6	- 0.5	- 7.7	83	69	71	19 1	20 2	00 0	9	1	0	2		80	⊙ n,a
29	09.9	11.3	12.3	- 1.8	1.4	0.2	1.7	- 5.9	64	57	58	18 3	18 3	19 2	9	1	1	1		75	⊙ a,p
30	12.1	11.0	08.8	- 0.6	2.0	- 1.2	3.2	- 3.0	60	59	60	19 3	19 3	04 1	9	2	1	1		75	⊙ n,a,p
31	04.5	04.1	00.4	- 1.6	2.8	0.0	4.4	- 5.3	70	63	66	18 1	19 1	04 1	9	0	0	0		75	⊙ n,a,p
M	92.8	93.4	92.4	- 3.1	- 1.5	- 2.8	- 0.1	- 5.3	80	76	77	2.5	2.6	2.3	6.9	5.4	5.1	5.2	118	76	

April IV

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	99.2	97.1	96.4	- 0.6	1.6	- 0.6	2.4	- 2.2	73	67	70	20 1	20 3	00 0	9	4	0	3		75	⊙ a,p
2	94.6	94.1	94.0	- 1.1	2.4	- 0.9	2.6	- 3.5	88	70	73	30 1	20 1	00 0	9	6	3	5 =°		75	⊙ a, ⊙ = p
3	94.2	93.7	92.6	- 1.8	- 1.2	- 1.0	2.1	- 4.6	91	71	74	20 1	20 2	00 0	9	3	4	1		75	⊙ a,p
4	90.3	87.2	84.3	- 1.5	2.2	- 1.2	2.7	- 4.8	92	64	60	00 0	26 1	09 2	9	0 ≈	0	1		75	≈ ⊙ n,a, ⊙ p
5	82.3	84.3	88.5	0.6	0.5	- 1.2	1.1	- 1.9	60	63	76	09 3	28 3	29 3	9	6	7	7 =°		75	⊙ a,p
6	00.4	03.1	06.9	- 1.9	- 0.1	- 2.0	0.5	- 4.4	66	57	60	28 2	28 2	34 1	9	2	0	0		75	⊙ a,p
7	12.1	13.1	14.0	- 3.8	- 0.4	- 1.2	0.4	- 5.8	79	66	66	28 2	27 2	27 1	9	4	2	6		75	⊙ a,p
8	11.4	11.2	16.6	- 2.4	1.3	- 0.8	2.1	- 3.7	79	62	62	19 3	19 2	19 2	9	6	3	3		75	⊙ a,p
9	16.4	14.4	13.1	- 1.6	1.6	2.3	2.8	- 4.5	74	58	58	20 3	19 4	21 4	9	1	6	8		75	⊙ a,p
10	08.9	08.2	06.3	4.2	5.6	5.1	6.2	1.6	74	73	76	18 4	19 5	20 3	7	7	7 ≈	7 =	0.0	75	•° n, ≈ a, = p
11	95.0	88.3	83.9	5.4	6.9	6.4	7.4	4.0	73	63	66	19 5	18 5	18 5	6	8 =	8 =	7	0.0	65	= ⚲° n, = a,p
12	81.0	81.5	80.8	3.8	4.6	4.4	6.9	2.4	76	69	66	19 5	20 4	19 5	9	6 =°	6	7(⚱)	0.8	55	= ⚲ n, ⊙ a, △° ⊙ p
13	84.5	85.0	87.0	1.0	4.3	- 0.4	4.7	- 0.5	98	73	98	24 1	19 2	32 3	9	8 =	5	7 ⚱²	6.6	55	= ⚱ n, ⊙ a, ⚱² p
14	90.9	91.7	93.5	- 0.3	2.1	1.1	3.0	- 2.6	91	64	69	20 3	20 3	00 0	9	6	4	6	2.4	55	⚱ n, ⊙ a,p
15	00.1	03.6	08.7	0.4	2.2	- 0.9	2.6	- 3.8	73	60	98	20 1	20 2	00 0	9	7	7	7 ⚱		57	⊙ n,a, ⚱ p
16	17.7	17.9	17.7	- 1.0	0.5	- 0.8	1.2	- 3.0	82	76	73	26 2	21 2	20 3	7	8 *	7 *°	8 *°	2.8	60	* n, *° ⊙ a, *° ⊙° p
17	06.8	06.2	05.0	- 1.6	1.3	2.3	2.8	- 3.6	98	95	93	19 5	19 4	18 4	5	8 *²	8 *	8 •°	1.6	63	* n,a, * *° p
18	02.3	04.0	04.8	1.7	6.0	4.0	7.2	1.8	74	66	66	18 3	22 3	23 3	9	7 =°	5	5	1.8	55	=° •° n, ⊙ a,p
19	01.8	00.3	99.7	3.0	3.5	1.2	4.4	0.8	63	62	89	18 4	18 4	22 3	9	2	7(⚲)	8 ⚱		50	⊙ n,a, (⚲) p
20	94.6	89.3	92.0	1.0	0.2	- 1.5	2.6	- 1.8	96	71	92	18 4	02 1	32 2	1	8 ⚱	8 ⚱	7 △°	0.2	50	⚱ n,a,p
21	99.2	00.6	01.3	- 4.3	- 3.6	- 4.8	- 0.3	- 6.1	82	66	89	31 3	26 3	22 1	2	7 △°	8 *	8 ⚱	17.8	65	⚱ △ n, * a, ⚱ =° p
22	02.2	00.1	97.4	- 3.4	- 2.2	- 1.0	- 0.6	- 7.6	76	79	82	19 3	19 3	19 3	4	4	8 ⚱°	7	4.8	70	⚱ n, ⊙ a, ⚱° p
23	01.2	02.5	05.5	- 0.4	0.2	- 1.5	0.7	- 2.3	95	79	66	04 1	03 2	36 2	9	8 ⚱°	5	4	0.8	70	⚱° n, ⊙ a,p
24	06.6	05.6	07.0	- 1.6	- 0.8	- 1.8	0.4	- 4.9	67	74	98	18 3	18 3	36 1	5	3	8 ⚱°	8 ⚱	0.0	65	⚱° n, ⊙ a, ⚱ ⊙ p
25	05.6	05.0	03.3	- 1.1	- 1.7	- 1.0	1.2	- 3.4	93	92	82	21 2	30 3	00 0	5	6 ⚱°	8 ⚱	7	4.4	70	⚱ n, ⚱ ⊙ a, ⚱ p
26	99.6	00.4	00.9	- 1.1	- 0.2	- 1.7	1.4	- 3.8	92	69	70	20 1	31 2	00 0	7	8 ⚱°	5	3	3.0	76	⚱° n, ⊙ a,p
27	02.8	00.9	99.5	- 0.9	1.4	0.5	2.2	- 3.3	74	62	57	19 2	18 3	16 1	9	5	3	5		70	⊙ a,p
28	98.0	99.3	98.4	1.1	3.8	1.3	4.0	- 1.8	62	57	60	04 2	36 2	04 2	9	6	7	4		67	⊙ a,p
29	97.8	99.1	99.3	2.0	4.8	3.2	5.2	- 2.4	73	55	57	23 1	10 2	14 2	9	3	2	2	0.0	68	⚱° n, ⊙ a,p
30	03.2	03.6	05.4	1.3	4.6	3.8	4.7	- 2.1	60	55	54	00 0	36 1	00 0	9	7	2	2		65	⊙ n,a,p
M	00.0	99.7	00.1	0.1	1.8	0.4	2.8	- 2.6	79	68	73	2.4	2.6	1.9	7.6	5.5	5.1	5.4	47	67	

1954

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 ΔG = + 1h

Mai V

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.6	05.8	04.6	3.9	4.4	4.2	5.9	- 0.4	57	57	60	09 1	05 1	19 2	9	5	7	7		65	⊙ 8, ⊙° p
2	02.1	03.8	02.4	5.3	7.2	5.9	8.1	2.0	67	64	62	00 0	21 2	03 2	9	6	2	3		62	⊙ n,a, ⊙² p
3	05.0	06.5	07.8	2.9	2.4	0.2	5.9	0.4	92	85	98	04 1	02 3	04 3	9	8	8 °	8 *°	0.0	60	,° a, =° *° p
4	09.7	11.3	10.5	1.1	2.2	2.2	3.1	0.1	79	82	82	04 3	04 4	04 3	9	8	7	1 ∞	0.1	60	*° n, ⊙ a,p
5	07.5	06.8	04.4	5.0	7.9	7.1	8.8	- 0.1	70	64	64	03 1	03 1	02 1	6	1	6 ∞	3		60	⊙ a,p
6	02.1	00.3	99.0	10.0	9.8	8.8	11.0	5.1	64	64	70	27 1	34 1	18 4	7	6 ∞°	8 •°	4		55	⊙° a, ∞° 13, • p
7	02.3	01.6	00.7	8.4	9.0	9.9	10.8	5.4	76	69	63	19 1	18 2	25 2	9	4	6	7 =	0.0	53	⊙ n,a, = ⊙° p
8	06.0	06.6	06.8	8.2	8.3	6.8	10.5	5.7	71	69	73	21 2	21 2	21 3	6	5 ∞°	8 •°	6		40	⊙ n,a, ∞° 13, •° ∞ p
9	07.7	09.5	11.2	3.6	4.2	3.2	7.1	3.1	95	94	99	20 4	23 4	22 3	8	8 •	8 •°	8 •°	0.7	32	• n, =° •° a,p
10	14.4	17.0	19.2	3.4	4.6	3.6	4.8	2.6	94	85	93	19 1	28 2	29 2	9	8 ⚥	7 ⚥	7(⚥)	3.3	25	⚥ n,a, ⊙ p
11	21.1	**21.9**	21.8	3.8	5.6	4.9	5.9	1.9	86	67	71	34 1	03 2	03 3	9	6	4	1	1.3	20	⊙ a,p
12	20.6	20.4	20.2	6.1	6.5	6.0	7.2	1.9	59	59	60	15 1	19 4	18 3	9	1	1	1		20	⊙ n,a,p
13	18.5	19.1	17.4	5.8	9.0	8.9	9.9	2.8	63	54	54	19 2	19 2	00 0	9	2	1	1		15	⊙ n,a,p
14	15.8	13.8	11.5	6.7	8.8	8.4	9.8	3.0	70	59	59	04 1	02 2	04 1	9	1	1	0		15	⊙ n,a,p
15	07.3	05.9	05.3	5.0	5.2	4.6	8.4	2.8	62	53	59	06 4	09 4	07 2	9	5	5	6		10	⊙ n,a
16	97.5	97.7	00.3	1.6	5.6	5.5	6.5	1.5	98	79	53	03 2	19 3	16 2	9	8 ⚡	5	3	1.0	10	⚡ n, ⊙ a,p
17	99.9	**96.9**	**95.0**	7.3	7.8	6.9	9.1	2.3	54	59	62	15 3	09 3	29 1	9	2	7	5	0.4	0	⊙ n,a,p
18	01.2	04.3	07.1	4.6	6.6	5.5	7.1	3.0	91	79	74	18 3	22 3	19 3	7	8 •	8	6(•)	4.0	0	• n, ⊙° a, ⊙ p
19	10.8	11.1	10.5	6.5	9.2	9.9	10.0	5.0	70	55	**50**	20 3	22 3	23 1	9	4	4	3	0.1		⊙ n,a,p
20	11.6	08.9	09.0	8.3	10.9	11.8	13.0	3.9	60	54	53	36 1	36 3	36 2	9	2	1	0			⊙ n,a,p
21	09.2	10.1	08.6	11.5	16.0	16.0	17.3	6.4	67	54	**50**	20 1	28 1	00 0	9	5	2	0			⊙ n,a,p
22	07.2	08.4	08.5	14.6	15.0	10.3	**18.2**	9.6	57	58	88	22 2	28 3	36 2	9	4	6	7			⊙ n,a, ⚥ ⊙ p
23	05.7	06.8	07.6	10.6	14.8	9.5	15.6	6.8	86	64	88	34 1	29 2	02 2	9	4	6	8 •°	0.0		⊙ n,a, =° ⊙° p
24	08.9	09.9	09.2	7.0	9.1	8.8	11.0	6.4	92	85	85	02 1	02 2	02 2	9	8 ≡°	8	5	0.3		≡° •° n, ⊙ p
25	08.0	06.3	06.4	7.8	12.7	11.9	13.3	5.1	91	74	73	27 2	19 2	04 1	9	6 ≡	2 ∞°	3			≡ ⊙ n, ∞° ⊙ a,p
26	11.0	13.8	14.7	7.1	7.1	6.7	12.2	6.7	96	96	92	19 3	02 2	03 2	4	8 =	8 =²	8 =	4.4		⚥ = n, = a,p
27	16.4	16.3	16.1	6.5	9.4	8.7	10.2	5.2	82	67	74	28 2	23 1	00 0	9	7	6	7 =°			⊙° 13, =° p
28	07.8	07.3	04.4	7.8	8.8	8.1	9.2	7.1	96	96	96	19 4	19 3	20 2	7	8 •	8 •°	8 •°	1.8		= • n, = •° a,p
29	99.7	03.0	05.1	6.3	5.3	3.0	8.6	3.0	92	69	76	28 2	29 3	31 3	6	8 •	7 ⚥	7 △°	1.0		=° • n, ⚥ a, △ ⚥ p
30	03.6	02.4	98.1	4.1	4.8	4.2	5.4	1.5	76	74	85	30 2	20 1	02 2	8	4 ⚥°	8 ⚥°	8 •°	3.2		⚥ n, ⚥° a, •° ⊙° p
31	98.3	99.9	00.8	3.8	3.1	3.6	5.5	0.9	86	94	69	32 2	04 3	36 4	5	8 ⚥°	8 ⚥	6(⚥)	4.9		⚥° n, =° 13, ⚥ a,p
M	07.8	08.1	07.9	6.3	7.8	6.9	9.3	3.6	77	70	72	1.9	2.4	2.0	8.2	5.4	5.6	4.7	26	19	

Juni VI

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde V 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	01.4	02.2	00.0	1.7	2.9	2.7	5.1	0.2	93	91	82	02 2	03 2	27 3	9	6 ⚥°	6	7(•)	5.3		⚥ =° n, ⚥ △° p
2	90.3	92.3	99.4	3.8	6.6	4.7	7.2	0.6	79	62	64	04 2	03 3	32 2	9	7 =°	6	6	1.7		=° ⊙° n, ⊙° a, ⊙ p
3	05.1	04.7	02.9	3.6	4.8	4.3	5.9	1.8	88	88	91	25 2	20 2	20 1	7	7 ⚥°	8 ⚥°	8 ⚥°	0.6		⚥ n, =° 8, ⚥° a,p
4	95.8	94.9	95.3	4.2	4.9	3.0	6.0	3.0	95	96	92	18 3	18 3	33 2	3	8 •²	8 •	8(⚥)	5.6		•² n, • =° a,p
5	96.7	87.7	97.0	1.3	3.2	3.5	5.2	- **0.8**	83	66	77	30 3	28 3	36 4	2	5 ⚥°	8 ⚥	5(⚥)	15.9		⚥° n, ⚥ a, ⚥ p
6	01.9	01.7	00.6	2.0	2.4	1.8	4.3	0.3	83	89	96	34 3	06 2	25 2	8	8(⚥)	8(⚥)	7 •	3.8		⚥ n,a, * p
7	97.5	96.6	96.9	2.4	4.8	4.0	5.7	0.4	91	66	74	19 3	22 3	18 3	7	7 ⚥	8 ⚥°	7	0.8		⚥ n, ⚥° a, ⚥° p
8	95.8	95.4	94.2	6.1	7.0	5.3	7.5	2.6	66	64	83	18 3	22 3	20 2	9	5 •°	8 •°	7 =°	0.1		•° n, =° p
9	93.8	92.8	91.3	3.9	5.0	6.4	7.1	3.8	94	85	71	30 1	28 2	28 1	7	8 ⚥°	7 ⚥°	7	3.2		⚥ n,a, ⚥ ⊙ p
10	82.4	**78.9**	82.4	7.2	7.9	6.8	9.2	3.7	70	70	95	01 3	36 2	24 2	6	5	7 ⚥°	7	0.5		⊙ n, •° a, ⚥° ⊙ p
11	85.9	84.1	85.6	8.5	12.8	10.4	13.7	5.0	71	58	85	04 2	07 2	32 2	9	5	6	8 •	1.9		⊙° n, ⚥ ⊙ a, • p
12	89.2	92.8	90.9	8.8	8.4	9.6	11.9	7.2	91	96	93	04 2	01 1	05 2	2	8 ∞	8 •	6 =	0.3		∞° n, • ≡ a, ⚥ = p
13	88.9	90.0	91.8	6.0	7.7	7.1	9.9	5.5	96	88	74	32 3	22 4	25 2	8	8 •²	8 =	6	8.7		• = n,a, = p
14	91.1	93.6	94.8	6.2	7.2	5.4	8.0	4.6	86	85	93	21 2	25 2	23 3	8	8 •°	7 •°	8 •	4.5		•° n,a, ⊙ • p
15	99.1	00.7	00.4	5.6	10.6	10.3	11.3	5.3	89	70	66	20 3	23 3	22 4	9	7 •°	6(⚥)	6	5.1		•° n, ⚥ ⊙ a,p
16	99.6	99.9	01.2	9.4	11.3	7.4	12.7	5.8	74	62	88	12 2	25 2	29 3	9	6	4	7(⚥)	0.5		⊙ n,a, ⊙ ⚥ p
17	02.9	04.2	04.5	7.7	10.5	8.4	11.3	5.4	76	60	73	28 2	28 3	27 2	9	8	7	7	0.2		•° ⊙° a, ⊙ p
18	04.4	05.7	**06.6**	7.7	9.8	9.3	10.2	6.2	91	76	76	19 3	25 2	00 0	9	7 •°	8 •°	6	0.4		•° n,a, •° ⊙ p
19	02.0	00.2	00.8	10.2	13.4	10.0	14.9	5.9	71	62	77	25 1	04 2	09 1	9	1	3	7 •°	0.2		⊙ n,a, ⊙ =° p
20	99.4	00.0	99.8	12.8	12.1	15.1	15.5	9.2	77	89	73	17 2	29 2	03 2	8	7	8 ∞°	7 ∞°	0.0		∞° a, • ∞° ⊙ p
21	99.4	98.3	96.3	13.1	16.4	14.9	17.0	9.6	86	66	74	21 2	20 1	04 1	8	5 ∞°	7 ∞°	8	0.7		∞° ⊙° • n, ⊙ ∞ a
22	96.4	93.7	90.7	12.0	15.1	13.6	15.8	10.5	88	74	79	18 1	22 2	03 2	7	8 ∞°	6 ∞°	7			∞° a
23	88.7	89.0	89.8	8.6	8.4	8.8	13.8	8.2	96	95	92	23 2	30 3	30 2	7	8 ≡²	8 ∞°	8			≡² n, ∞° a, ⚥° ∞ ⊙ p
24	85.5	84.3	83.2	9.6	12.7	11.9	14.6	7.0	80	71	77	02 2	33 3	34 1	9	4	3	6	0.1		⊙ n,a,p
25	83.3	83.0	83.8	14.6	17.9	18.0	**19.6**	9.6	76	57	**54**	01 1	18 3	36 3	9	5	6	6			⊙ n,a,p
26	86.5	87.7	87.0	12.0	16.0	15.1	18.1	10.9	89	69	60	36 2	03 3	09 3	9	4	4	3	0.7		⊙° n, ⊙ a,p
27	86.0	86.3	86.8	15.4	16.6	10.5	17.1	10.4	60	**54**	76	04 2	04 2	02 4	9	6	2	7			⊙ n,a,p
28	87.9	89.8	91.4	7.2	9.2	9.1	10.8	6.9	89	86	82	03 4	03 4	03 4	9	8	7	7			⊙° •° a
29	93.5	93.8	93.8	8.1	11.4	8.4	11.9	6.9	95	79	95	03 2	03 2	32 1	7	8	8 •°	8 •²	0.7		⚥° n, •° ⊙ a, •² = p
30	96.4	96.2	93.5	7.6	8.5	9.7	10.9	5.8	79	74	66	27 2	31 1	04 2	9	8 •°	4	4	7.7		⚥ n, ∞° 8, ⊙ a, ⊙° p
M	97.6	94.0	94.4	7.6	9.5	8.5	11.1	5.4	83	75	79	2.2	2.4	2.2	7.7	6.5	6.5	6.7	69		

1954

Tromsø

φ = 69° 39′N λ = 18° 57′E g = 9.826 $\Delta G = +1^h$ **Juli VII** H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	85.1	84.2	84.3	8.9	12.0	12.8	13.8	7.0	94	85	66	36 1	20 3	23 4	7	8 ⚲°	8 ⚲	6	2.3		⚲ n,a,p
2	88.7	93.2	94.2	7.8	8.2	8.0	12.8	7.4	83	88	79	20 4	28 3	32 1	9	8 ⚲°	8	8	3.8		⚲ n,p
3	93.2	91.2	91.1	9.0	13.7	13.6	14.9	5.5	76	62	64	03 2	02 3	03 2	9	7	6	3	0.2		⊙ n,a,p
4	93.1	94.9	94.3	14.0	15.6	16.9	18.9	8.9	77	67	63	02 1	01 3	36 2	9	1	3	4			⊙ n,a,p
5	93.0	92.3	93.0	17.0	20.5	21.4	21.9	12.3	67	55	58	30 1	20 2	21 1	9	4	3	2 ∞°			⊙ n,a, ∞° p
6	98.3	97.1	94.9	18.5	20.6	22.8	23.2	14.8	70	62	55	29 1	36 2	00 0	7	6 ∞°	2 ∞°	6 ∞			⊙ n, ∞ ⊙ a, ∞° ⊙ p
7	97.6	98.0	00.1	11.2	10.4	8.6	22.8	8.6	95	96	98	36 1	28 1	29 1	3	8 ⚲°	8 ⚲	8 •°	0.0		∞ n, ≡ ⚲ a, =° •° p
8	05.8	03.7	05.0	12.6	18.3	14.6	19.3	8.5	85	62	77	19 2	25 2	28 2	9	3	1	8 ⚲°	11.0		• n, ⊙ a,p, =° 19
9	08.6	10.4	10.8	12.4	13.8	13.7	14.7	10.3	83	76	70	35 2	29 2	04 1	9	7	4	3 ∞	0.0		⊙° n, ⊙ a, ∞ ⊙ p
10	10.0	**11.5**	10.5	11.9	13.4	13.6	14.5	8.8	76	74	76	03 2	30 2	03 2	6	7 ∞°	4 ∞	1 =°			∞° n, ∞ ⊙° a, =° ⊙ p
11	07.1	06.6	03.7	14.9	19.6	20.4	20.6	8.2	69	54	53	24 1	23 1	04 2	9	1	0	0 ∞°			= ⊙ n, ⊙² ȧ, ⊙ ∞° p
12	01.6	98.8	97.2	17.2	22.3	21.4	23.3	12.3	76	48	49	03 1	20 2	04 2	9	0	1	1			⊙ n,a, ⊙² p
13	99.3	95.2	94.4	18.8	23.6	22.2	25.5	15.0	67	58	57	03 1	04 1	14 2	9	3	1	1			⊙ n,a,p
14	91.4	91.7	89.4	21.2	24.4	23.0	26.3	17.0	73	59	59	15 1	23 2	13 1	9	1	3	1			⊙ n,a,p
15	88.1	86.7	84.6	22.9	27.2	22.6	**27.9**	16.4	62	48	58	04 1	19 2	20 3	9	4	3	6(•)			⊙ n,a, ⚲² ⊙ p
16	82.3	81.1	81.9	20.4	21.0	16.6	23.0	16.6	71	69	88	19 1	18 3	18 3	9	6	6	8 ⚲²	0.3		⊙° n,a,p
17	83.5	**81.0**	83.2	15.7	18.2	17.4	19.8	14.1	95	85	86	28 2	28 2	04 1	6	5 ≡	7 ∞°	4 ∞°	5.0		≡ ⊙ ⚲ n, ∞° ⊙° a,p
18	85.0	85.5	85.3	17.5	20.8	18.6	22.3	13.8	60	**47**	54	19 3	20 3	06 2	9	4	2	4			⊙ n,a,p
19	88.6	90.8	95.6	10.0	9.9	9.4	13.9	8.9	95	95	93	04 2	02 2	26 1	6	8 •	8 •	8 =²	0.0		≡ • n,a, =² p
20	98.2	99.6	98.6	8.8	10.6	9.8	11.1	7.5	88	69	76	01 2	04 2	03 2	9	6	7	8(⚲)	1.2		• ⊙ n, ⊙° a
21	92.9	91.5	90.6	9.0	10.8	10.7	11.3	7.9	92	88	95	02 2	03 2	02 2	9	7	7	8 =°	0.8		⚲° n, •° p
22	87.2	87.4	87.9	10.2	10.4	9.7	11.2	9.1	95	95	98	02 1	01 2	02 1	2	8 ⚲°	8 •	8 •	2.6		∞° ⚲ n, ≡ • a, (≡) • p
23	90.6	92.7	95.3	8.3	9.7	10.2	10.8	7.0	92	80	79	03 1	02 1	02 1	7	3 •	8 ⚲°	8(⚲)	2.1		∞° • n, ∞ ⚲° a, =° p
24	99.6	00.8	00.8	10.0	11.2	12.0	12.2	8.5	91	80	70	06 1	28 2	02 3	9	3 •°	7	2	0.1		=° •° n, ⊙ a,p
25	97.7	96.3	95.1	10.7	13.3	20.8	21.6	7.6	85	64	55	00 0	05 1	20 1	9	7	4	5	0.0		⚲° n, ⊙ a,p
26	95.8	95.6	96.3	19.0	22.3	20.4	24.0	14.6	63	51	62	20 1	18 3	00 0	9	3	3	7			⊙ n, ⊙² a,p
27	96.9	95.3	93.4	17.5	17.8	18.5	22.0	13.9	76	71	70	36 1	14 1	22 1	8	6 ∞°	8 ∞°	7 ∞°			∞ ⊙° n, ∞° ⊙° a, ∞ • ⊙° p
28	90.2	89.8	88.1	15.2	17.7	19.3	19.8	14.9	73	66	63	03 2	03 2	28 2	9	7	6	5 =°	0.0		⊙° 13, =° ⊙ p
29	87.5	88.4	88.6	15.4	20.0	20.2	21.4	10.9	88	66	63	25 1	04 1	20 1	9	6 ⚲	5	6	0.0		⚲ ⊙° n, ⊙ a, ∞ ⊙° p
30	89.3	89.3	89.4	20.4	22.1	20.3	23.2	15.8	70	62	60	19 2	29 2	04 1	9	5	5	6			⊙ n,a,p
31	92.6	92.7	95.0	19.7	20.4	20.6	22.2	16.6	60	59	63	28 2	18 3	14 1	9	5	5	6			⊙ n, ⊙² a, ⊙ p
Σ	94.2	94.0	94.0	14.4	17.0	16.5	19.2	11.2	79	69	70	1.5	2.0	1.6	8.1	5.4	4.9	5.1	29		

August VIII

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.9	97.6	99.3	18.2	21.3	18.4	**22.0**	15.3	70	58	66	19 3	19 3	04 1	9	6 ⚲	4	4(⚲)	0.0		⚲ ⊙ n, ⊙ a, ⊙ ⚲° p
2	99.6	98.7	96.7	16.0	19.4	18.8	20.1	11.7	79	62	60	03 1	03 2	04 3	8	2	4 ∞°	8 ∞	0.0		⊙ n,a, ∞ ⊙ p
3	90.3	89.1	85.4	15.8	17.6	15.8	19.0	11.1	80	73	69	03 1	32 1	04 2	8	7 ∞°	8 ∞	8 •	0.0		⚲ ⊙ n, ⊙ a, ∞° ⚲ p
4	83.8	84.2	85.7	13.5	14.9	15.7	18.0	13.1	77	71	63	36 4	09 2	06 3	9	7	7	6	0.0		⚲° n, ⊙ p
5	88.1	89.9	91.5	13.8	15.4	14.4	15.9	10.7	73	62	69	03 3	06 2	04 1	9	6	6	2			⊙ a,p
6	95.2	95.2	96.3	11.6	15.4	14.5	16.6	9.2	74	59	**55**	04 1	05 1	03 1	9	5	3	2			⊙ a,p
7	97.2	96.9	94.7	11.6	14.7	13.2	16.4	7.7	83	66	73	01 1	04 2	02 3	9	4	3	1			⊙ a,p
8	93.2	92.6	92.3	13.4	19.6	16.7	20.8	7.6	76	57	59	01 1	23 2	20 2	9	1	3	7			⊙ n,a
9	91.9	92.3	92.5	12.2	13.0	11.4	15.7	11.2	95	89	93	01 1	03 2	03 1	9	8 ⚲	8	8 =	0.4		∞° ⚲ n, ⊙ 8, = p
10	92.8	93.6	91.5	10.0	11.6	10.8	12.2	9.0	95	89	93	03 2	03 2	01 2	6	8 ⚲	8 ∞	8 =°	0.4		⚲ = n, ⚲ ∞ a, =° p
11	89.3	89.1	90.0	11.0	15.7	16.8	18.1	8.8	94	77	74	36 1	02 1	00 0	9	6 =	6	6	0.1		≡ n, ⊙° a,p
12	85.6	82.6	80.5	13.6	13.7	15.1	16.8	11.8	85	80	70	35 1	28 1	27 1	9	8 •	8	3	0.0		• ∞ n, • a, ⊙ 19
13	77.4	**76.5**	77.4	17.5	17.2	14.9	18.5	12.5	60	60	76	19 2	19 4	21 3	7	5 ⚲	7 ⚲°	7(⚲)	2.0		⚲ n, ⚲° ⊙ a,p
14	80.6	87.0	92.2	13.3	9.7	8.5	15.2	8.4	89	94	91	19 3	28 3	29 3	5	5	8 ⚲	6	0.0		⚲ n,a, = 13, ⚲ p, ⊙ 19
15	95.1	94.3	94.9	9.7	12.0	11.8	13.0	7.1	80	80	71	01 3	02 3	36 3	9	6	3	5 =°	3.5		⚲ n, ⊙ a, =° ⊙ p
16	95.2	94.6	93.2	11.1	15.2	14.4	17.0	7.9	88	83	71	32 1	34 1	33 1	9	6	5	8	0.0		⚲° n, ⊙° a
17	94.3	96.4	00.1	11.1	10.6	8.5	14.6	8.3	96	94	94	36 1	36 3	34 3	6	8 •	8 •	8 =	0.9		⚲ = n, • = a,p
18	02.8	03.4	05.3	9.0	9.6	7.6	10.4	6.8	74	89	88	22 1	21 2	30 3	4	6	8 ⚲	7 ⚲°	0.0		⚲ n,a, = 13, ⚲° p
19	06.4	**09.2**	08.8	8.0	9.9	9.4	10.5	6.3	96	93	85	20 2	30 1	21 1	3	7 ⚲°	8 ⚲°	8 •²	1.4		⚲ ∞° n, ⊙ 8, ⚲ = a, • • =² p
20	09.1	08.5	06.5	9.4	10.3	9.6	10.4	8.1	91	79	94	18 3	23 4	20 4	7	8(⚲)	8 ⚲°	8 ⚲°	2.8		⚲ n,a,p
21	04.5	04.3	07.1	9.9	11.4	10.2	11.8	9.3	94	92	93	21 4	25 4	30 2	7	8 ⚲°	8	7 =	2.6		⚲ n,a, = p
22	98.0	98.2	08.1	10.4	12.1	9.4	13.4	8.1	76	69	94	24 1	30 1	27 1	8	8 =°	8 =°	8	0.2		•° n, ⊙° =° a, ⊙ p
23	07.2	07.4	06.4	7.8	8.8	7.4	9.7	7.1	92	77	86	30 2	30 1	02 3	9	8	8(⚲)	7(⚲)	0.4		⚲ n, ⚲° p
24	04.3	03.3	01.4	6.5	7.8	7.1	9.2	**4.8**	70	64	79	36 1	00 0	06 2	9	5	6	7	0.0		⚲° ⊙ n, ⊙° a,p
25	99.8	00.2	99.6	6.8	8.4	7.1	9.2	4.9	85	71	79	05 1	06 1	05 2	9	8	6	6			
26	96.7	95.4	93.0	5.4	7.4	7.8	7.8	4.9	96	83	82	18 2	23 2	21 2	8	8 •	8 •°	7	0.4		• n, ⚲ = a
27	88.9	91.2	92.5	8.8	9.6	7.8	10.1	7.0	83	95	96	22 3	31 2	33 2	7	8	8 •	8 •	0.2		⚲ n,a, • p
28	84.8	85.9	84.8	6.6	7.2	6.4	8.1	6.0	98	96	98	03 2	06 3	04 2	4	8 •²	8 •²	8 •²	11.9		•² n,a, • p
29	82.5	82.5	82.3	8.3	11.0	8.6	11.2	6.3	98	91	95	36 2	05 1	06 2	9	7 =°	7 =°	7	18.0		• n, =° a, ⚲° p
30	83.3	84.4	85.0	8.0	8.2	8.4	9.9	7.5	96	96	94	00 0	07 2	05 2	6	8 •	8 •°	7	7.0		• n,a,p
31	88.0	89.5	91.5	7.8	11.6	10.8	13.4	5.8	95	86	89	05 1	27 1	34 1	9	7 =°	5	6	2.0		=° •° n, ⊙ a, ⚲ ⊙ p
Σ	93.7	94.0	94.4	10.8	12.6	11.5	14.1	8.5	85	78	81	1.8	1.9	2.0	7.7	6.5	6.5	6.4	54		

1954

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 ΔG = + 1h **September IX** H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	96.8	97.0	98.2	9.8	12.1	9.9	12.6	8.5	95	86	94	36 1	00 0	04 2	9	7	6	7	0.0		• n, ⊙° 13, ⊙ ⚥° p
2	99.3	98.8	95.8	9.6	13.0	10.9	**13.3**	8.5	96	71	76	00 0	20 1	00 0	9	8 ≡	4	6	0.9		⚥ ≡ n, ≡ ⊙ a, ⊙ p
3	88.4	88.3	86.9	10.9	10.2	10.4	12.7	8.8	93	91	77	23 4	23 3	23 4	8	8 •	8 •°	7(⚥)	1.0		• n,a, ⚥ p
4	89.7	90.9	88.8	8.7	11.0	10.3	11.6	8.3	94	74	77	25 3	25 3	27 1	9	8 ⚥	7	6	7.8		⚥ n, ⚥ ⊙ a, ⊙ p
5	89.0	88.2	88.4	10.2	11.0	6.5	12.2	6.3	66	66	94	02 4	04 2	04 2	9	3	4	8 ⚥°	0.3		⚥ ⊙ n, ⊙ a, ⚥ ⊙ p, (≡) 19
6	96.1	97.5	99.9	7.1	6.2	4.8	7.4	3.8	95	92	98	34 1	02 3	36 2	7	6(⚥)	8 ⚥	8(•)	11.1		⚥ n, ⚥ ⊙ a, ⚥ p
7	03.8	07.2	06.8	5.4	7.2	6.0	8.7	3.5	95	95	85	06 1	06 1	04 2	7	8 ⚥	8 ⚥	7(⚥)	18.3		⚥² n, ⚥ a, ⊙° p
8	**07.6**	07.5	06.9	4.6	7.3	4.8	7.9	2.8	93	70	80	00 0	04 1	07 3	9	7	5(⚥)	2	5.6		⊙° ⚥° n, ⊙° a, ⊙ p
9	02.8	00.4	97.4	5.2	10.0	8.1	10.9	3.6	83	63	70	00 0	36 2	00 0	9	1	1	1			⊙ a,p
10	90.2	87.9	84.4	7.2	10.2	9.4	12.3	5.3	85	76	85	00 0	03 1	03 2	9	6	6	2			⚥° a, ⊙ p
11	78.7	78.5	78.4	8.2	9.5	9.4	10.1	6.8	94	93	98	05 1	06 1	00 0	7	7 •	8 ⚥°	8 •	0.0		•° n, ⚥° =° a, • ≡ p
12	79.0	79.4	79.7	8.8	9.8	9.1	10.4	7.7	96	93	89	06 1	06 3	15 3	7	8 ≡	8 =	8	1.6		⚥° ≡ n, = a,p
13	81.9	83.5	84.7	9.1	9.9	7.5	10.4	7.3	95	80	96	23 1	26 1	05 1	9	8	8 ⚥°	8 •	0.0		⚥° n, ⚥ a, • p, =° 19
14	85.3	86.2	88.3	7.6	8.7	8.6	9.2	6.8	96	94	89	14 1	22 2	12 3	7	8 •	8 •	8 •	10.0		• =° n, • = a, ⚥ p, = 19
15	85.0	86.2	83.6	8.8	10.6	8.6	11.6	6.9	73	67	70	21 3	27 2	05 3	9	7	5	2	1.2		⚥ n, ⊙ a,p
16	76.6	75.5	74.7	7.4	12.7	9.0	13.0	5.3	86	63	77	28 2	28 1	34 1	9	7	4	4	0.2		⚥° n, ⚥° ⊙° p
17	73.1	72.6	72.1	7.4	11.3	9.0	12.8	6.5	80	67	69	10 2	15 1	00 0	7	6 ▬	5 ▬°	6	0.0		▬° n,a, ⊙ p
18	71.5	74.6	77.7	7.6	10.4	8.6	10.7	7.0	91	73	80	15 1	14 1	03 1	9	6	4	6 ≡			⊙ 13
19	84.1	86.8	89.2	7.8	8.2	6.8	9.0	6.2	95	93	96	23 2	23 2	12 1	8	8(•)	8(•)	8 •	0.1		• n,p
20	91.7	92.2	92.1	6.0	9.6	6.3	10.0	4.7	88	64	77	21 2	23 2	04 1	9	3	3	5	7.8		⚥ n, ⊙ a,p
21	89.7	89.9	90.1	6.4	9.1	6.9	9.7	5.2	89	76	80	24 2	36 1	12 1	9	6	4	4	0.1		⚥° n, ⊙ a,p
22	89.7	89.8	89.2	5.8	8.3	6.2	8.7	4.7	82	66	88	23 2	26 1	36 2	9	6	6	7			
23	88.4	88.8	90.5	4.9	7.5	4.2	7.9	3.4	93	73	92	28 3	27 3	22 1	9	3	4	7 ⚥			⊙ a, ⚥ ⊙ p
24	94.5	93.7	88.1	3.4	6.8	5.2	7.5	2.2	96	71	66	21 1	23 2	23 2	9	2	1	8	6.0		•² ⊙ n, ⊙ a
25	74.1	71.5	**67.9**	6.6	8.9	9.2	10.5	5.0	83	83	67	22 3	20 4	24 4	9	7	5	3	0.1		⚥° n, ⊙ a,p
26	70.6	76.6	78.9	7.9	7.0	4.1	11.9	4.1	91	70	70	26 2	30 2	08 2	7	8 •	7 •°	1	1.3		• n,a
27	73.1	73.8	80.4	4.1	9.5	6.5	10.3	**1.6**	74	**62**	76	07 1	22 2	28 1	9	2 ⌣	2	7 ⚥°	0.6		⊙ ⌣ n, ⊙ a, ⚥° ⊙ p
28	88.4	89.1	88.6	4.5	8.1	5.1	8.4	4.3	82	66	71	24 2	24 1	00 0	9	4	2	2	0.0		⊙ n,a,p
29	86.7	87.1	86.9	4.5	8.8	5.6	8.9	3.8	85	76	63	07 1	23 2	15 1	7	6	5	2			⊙ a, ⊙° p
30	80.3	77.4	78.2	3.6	4.2	5.9	6.4	3.3	96	96	95	22 3	22 3	27 2	4	8 •	8 •²	8 •	9.5		•² n,a, ▬ 13, • = p
M	86.0	87.2	87.1	7.0	9.2	7.4	10.2	5.4	89	77	82	1.7	1.8	1.6	8.2	6.1	5.4	5.5	84		

Oktober X

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	89.6	93.2	98.2	5.7	6.8	3.4	7.1	3.3	85	64	86	26 3	26 2	00 0	7	7 •	7 •°	6	28.2		• = n, •° = ⊙ a, ⚥° p
2	03.7	05.1	05.9	2.4	4.8	3.0	5.7	2.0	94	91	91	28 1	00 0	04 1	7	4 =	4 =	6	0.3		⚥° = n, ⊙° 13, = ⚥ =° a, ⚥ = p
3	05.9	04.6	01.9	1.9	4.6	5.1	5.4	1.4	96	77	57	00 0	25 1	22 2	9	7	6	0	1.8		⚥ n, ⊙ a,p
4	99.2	00.1	04.5	7.2	11.1	9.9	11.2	4.2	91	76	80	27 4	22 4	25 3	7	8 •²	8 •°	8	2.9		• = n,a, = p
5	04.3	07.5	08.7	9.0	10.6	8.1	11.2	5.4	67	60	70	23 3	22 4	25 3	9	6	3	6	0.8		⊙ a,p
6	04.5	03.4	05.0	3.8	10.6	7.6	**11.3**	2.7	79	**51**	53	29 2	18 3	18 2	9	0	1	0			⊙ a,p
7	11.0	11.2	**12.5**	3.2	5.7	5.1	7.8	3.0	82	71	80	23 3	22 2	25 1	9	4	6	8 =°			⊙ a, =° p
8	09.0	08.0	06.9	3.9	4.7	4.0	5.5	3.6	98	96	89	22 3	22 2	25 1	5	8 =°	8 •	5 •	2.0		⚥ =° n,a, ⚥ • p
9	99.9	96.5	87.1	3.0	5.3	3.5	5.6	2.5	95	73	69	23 3	22 2	23 1	9	3	3	8	1.2		⚥° ⊙ n, ⊙ a,p
10	76.4	76.4	76.2	3.0	5.4	4.6	5.8	2.3	94	80	79	22 4	23 4	23 3	9	8	4	8	1.3		⚥ n, ⊙ a,p
11	77.2	79.2	79.7	4.3	5.5	5.3	6.2	3.3	79	79	88	28 3	22 3	25 3	7	7 =	8 =°	7			•° =° a, ⚥ p
12	76.9	74.1	67.3	5.1	6.2	4.0	6.4	3.8	73	66	74	22 4	24 4	23 5	9	5	5	8 •°	0.3		⚥° ⊙ n, ⊙ a, •° p
13	**65.4**	67.4	70.5	4.2	3.0	4.0	4.8	2.2	89	96	94	23 3	28 1	31 2	4	7	8 •	8 •	0.5		⚥ n, • = a, • p
14	73.3	74.7	78.0	3.1	3.9	2.8	4.7	2.4	96	92	93	25 1	02 3	02 3	5	8 •°	8 •	7 ⚥°	19.2		•² = n, • = a, ⚥ = p
15	82.7	85.7	86.8	0.7	1.4	0.6	3.2	- 0.3	93	80	85	29 1	27 2	29 2	4	8 ⚱	8 ⚱	8 ⚱	2.6	0	⁂ = ⚱ n, ⚱ = a,p
16	91.4	94.3	94.7	1.8	2.2	1.1	2.5	0.0	80	76	83	24 2	24 3	24 3	7	8 =	8 =	6	2.4	0	⚱ = n, = a
17	94.2	95.1	94.4	0.0	1.0	- 1.1	1.6	- 1.3	96	95	96	24 3	24 1	23 3	4	8 *	6(⚱)	5 ⚥°	0.6	2	* n, ⚥ a, ⊙ 13, ⚱² p
18	90.9	91.8	91.9	- 1.6	- 0.4	- 1.1	0.0	- 2.4	96	93	92	21 1	24 1	25 3	7	8 ⚱²	5	4	11.8	10	⚱ = n, ⊙ 13, ⚥° a,p
19	86.0	84.1	80.5	0.0	0.4	- 1.2	0.8	- 1.3	76	66	62	23 3	25 3	25 4	9	8	6	1	5.3	13	⚥ n, ⊙ a, ⊙ ▬ p
20	74.5	71.2	67.2	- 4.5	- 1.2	- 3.1	- 0.8	**- 4.7**	62	60	67	22 2	07 2	04 1	9	2	1	0		10	⊙ a, ⊙ ▬ p
21	66.2	66.6	67.6	- 2.9	- 0.4	0.0	3.4	- 3.4	79	71	71	03 2	04 2	04 2	7	5	5 ▬	8 ▬		7	▬ a,p
22	66.8	67.0	68.1	0.0	1.2	0.3	1.5	- 0.5	94	93	95	19 1	28 1	00 0	7	7 ▬°	7 ▬°	8 *°	0.3	7	⚥° ▬° n, ▬° a, *° ▬° p
23	68.4	70.5	70.9	0.0	0.9	0.1	1.6	- 1.2	94	92	96	22 3	24 4	26 4	5	6 =	6 *	7 ⚱	0.1	5	= n, * a, ⚥ p
24	71.0	70.8	70.6	0.4	- 0.9	- 1.4	1.1	- 1.5	82	96	93	22 3	23 1	23 3	1	8 ⚱	8 ⚱²	5	5.8	8	⚱ n, ⚱² a, ⚥ p
25	75.6	79.7	81.5	0.5	1.7	- 0.1	2.1	- 2.0	96	86	89	21 2	24 2	00 0	9	5 ⚱	8	1	13.3	20	⚱ n
26	81.5	82.5	83.7	- 2.3	- 0.6	- 2.5	0.0	- 2.9	95	92	92	16 1	25 1	27 1	7	3	5 ▬°	0	0.1	20	⊙ a, ▬° ⊙ p
27	84.7	90.3	93.7	0.9	1.0	1.0	1.5	- 3.0	89	96	74	24 4	22 1	31 3	6	8 ⚥°	7 *°	8(*)	0.0	17	⚥° n, ⁂ *° a, ⚥ p
28	93.2	90.5	90.9	0.8	0.6	0.8	1.7	- 0.7	71	77	77	22 1	24 1	23 3	9	5	6	3	4.8	16	⊙ a
29	92.2	92.5	92.7	- 0.6	0.4	- 1.4	1.1	- 1.7	92	92	95	22 1	25 1	31 1	9	8	3	3		16	⊙ a,p
30	90.6	88.9	87.9	- 2.6	- 1.3	0.4	0.4	- 3.0	94	83	79	24 1	02 2	06 1	9	4 ⌣	4	2 ⌣		16	⌣ n, ⊙ a
31	87.6	88.5	90.4	2.6	3.1	2.8	3.2	- 0.6	76	69	64	00 0	13 2	16 2	9	8 •°	7	8	0.1	17	•° n,a, ⊙° p
M	86.9	87.5	87.6	1.7	3.1	2.1	4.0	0.4	86	80	81	2.2	2.1	2.1	7.2	6.2	5.8	5.2	106	6	

Ekstensotabell

1954

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 ΔG = + 1^h **November XI** H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	92.8	93.6	93.7	1.3	1.2	0.4	3.1	- 0.3	70	71	89	24 2	22 3	23 4	7	8 =	8 =	8 ♦°	0.0	14	= n,a, = ♦° p
2	94.0	96.5	97.4	1.4	0.4	0.1	1.7	- 0.3	86	96	71	22 4	30 1	00 0	6	8 =	8 =	8 =	0.2	14	♦° = n,a, ♦ = p
3	97.1	97.0	94.5	- 1.6	0.6	- 1.5	0.8	- 2.5	67	60	70	22 1	21 2	23 3	9	5	6	1	1.7	15	
4	86.5	84.1	82.4	- 1.1	1.0	1.5	2.2	- 3.0	60	59	62	18 2	22 3	23 3	7	3	6 =	8		15	
5	80.5	80.3	81.2	0.4	0.4	1.9	2.0	- 0.3	74	96	91	14 2	22 2	22 3	1	7	8 ♦	8(♦)		14	♦ a,p
6	84.7	87.9	90.2	2.9	3.2	2.2	3.4	1.6	79	74	91	22 3	22 3	23 3	7	6	6 =°	7 ♦°	2.7	11	=° a, ♦° p
7	94.9	95.9	96.0	1.5	1.6	0.9	2.3	0.6	79	83	85	22 3	23 3	22 2	9	5	7	6	0.0	9	
8	94.2	93.7	92.2	- 0.6	- 1.1	- 3.7	1.0	- 4.4	89	86	93	22 3	22 1	23 1	9	2	1	2		8	⊙ a, ⌒ 19
9	90.4	90.6	90.0	0.4	- 0.2	- 2.6	0.9	- 4.0	**55**	57	64	22 4	22 5	24 5	9	5	3	0		8	⊙ a
10	86.2	85.2	84.7	- 2.8	- 3.0	- 3.7	- 1.4	- 4.1	66	69	69	21 3	22 4	23 4	9	3	7	7		8	
11	81.1	79.3	77.6	- 3.3	- 2.4	- 2.8	- 2.0	- 4.2	74	74	89	22 4	23 4	00 0	9	8 =	4	2		7	= n, ⊙° a, ⌒ 19
12	**73.4**	74.0	74.4	- 4.5	- 4.0	- 4.5	- 2.6	- **5.4**	89	88	98	22 1	22 1	00 0	9	3 ⌣	3	7		7	⌣ n, ⊙ a
13	76.9	77.4	80.7	- 2.3	- 1.4	- 1.2	- 0.9	- 4.5	93	94	98	22 3	22 2	22 1	7	8	7 ♦°	7		7	⌣ n, ♦° ⊙° a, ♦² ♦° p
14	90.0	93.2	95.7	- 3.6	- 3.5	- 2.0	- 0.1	- 4.0	89	85	96	29 3	29 1	34 2	8	7 ♦	7(*)	7 ♦	2.0	10	♦ n, ♦ ⊙° a, ♦ p
15	01.7	04.4	06.5	- 0.1	- 1.6	- 1.8	0.4	- 2.4	73	94	95	34 3	31 2	00 0	1	6 ♦°	8 ♦	8 ♦	10.9	15	♦ n,a,p
16	03.2	00.8	99.4	- 1.2	- 0.6	- 0.2	0.0	- 2.6	95	98	98	23 3	25 1	23 1	3	8 ♦	8 ♦	8 *²	8.4	21	♦ n, ♦ = a, *² p
17	03.1	07.4	09.5	- 1.8	- 2.8	- 3.5	**0.2**	- 3.8	94	77	71	29 2	29 3	23 4	9	3	1	0	6.4	34	* n, ⊙ a
18	08.8	09.3	09.1	- 2.9	- 2.1	- 1.4	- 1.2	- 3.6	69	64	62	24 4	24 4	22 4	9	0	2	0		32	⊙ a
19	11.0	13.5	16.6	- 2.3	- 2.4	- 1.8	- 0.7	- 2.9	58	58	60	22 4	22 4	22 3	8	7	7	7		29	
20	**20.8**	20.5	19.6	- 2.1	- 2.2	- 1.6	- 0.4	- 3.3	88	93	74	25 2	23 1	23 3	9	1	3	0		26	⊙ a, ⌒ 19
21	17.7	16.5	14.1	- 2.8	- 3.6	- 3.1	- 1.2	- 4.7	62	63	63	21 4	22 3	24 3	9	3	4	0		26	⊙° a
22	10.3	10.7	10.2	- 3.0	- 2.4	- 2.4	- 1.9	- 4.2	66	66	66	20 4	23 3	23 3	9	5	8	0		25	
23	08.3	08.8	09.7	- 2.5	- 2.1	- 0.8	- 0.4	- 2.9	63	64	66	22 4	22 4	24 4	9	8	3	3		24	⊙ a
24	14.2	14.1	14.1	- 3.2	- 2.0	- 1.9	- 0.3	- 4.1	80	67	63	27 1	23 3	23 3	9	0	0	0		23	
25	09.8	08.6	07.0	- 4.0	- 3.9	- 3.9	- 1.7	- 4.5	63	66	69	21 3	22 4	23 4	9	0	0	0		22	
26	02.0	01.2	99.1	- 4.2	- 3.9	- 4.0	- 3.3	- 5.1	73	76	73	14 1	07 2	06 1	9	1	1	0		22	
27	95.5	95.2	94.9	0.0	1.6	1.6	2.1	- 4.8	71	74	76	01 1	03 2	12 1	9	8	8	7		22	
28	91.7	92.8	93.1	2.4	2.5	2.0	3.3	0.3	69	69	70	23 4	25 4	24 1	9	5	7	3		**22**	
29	94.7	96.2	96.5	2.9	3.0	2.2	3.5	0.4	70	69	76	18 3	23 4	00 0	9	4	6	4		21	
30	91.9	89.9	92.2	5.2	4.6	3.4	**6.0**	1.1	69	69	71	22 3	24 6	23 5	9	4	5	6		**21**	
M	96.9	97.3	97.4	- 1.0	- 0.8	- 1.1	0.5	- 2.7	74	75	77	2.8	2.8	2.4	7.8	4.7	5.1	4.1	32	18	

Desember XII

Datum	Lufttrykk P 8	13	19	Lufttemperatur T 8	13	19	Max	Min	Relativ fuktighet U 8	13	19	Vindens retning og styrke D,F 8	13	19	Synsvidde > 13	Skydekke og vær N,w 8	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	96.6	98.1	98.3	1.8	0.9	1.4	4.6	0.6	69	69	70	22 3	22 3	22 2	9	1	4	3		16	
2	95.0	92.7	86.8	1.2	1.2	1.5	2.2	- 0.2	64	69	67	22 3	20 3	22 4	9	3	6	2		16	
3	73.7	72.4	70.1	4.6	4.4	4.7	5.6	1.1	69	69	69	17 3	21 4	22 4	9	6	6	4		16	♦° a,p
4	67.9	68.0	70.1	5.0	4.3	3.8	5.9	3.3	77	86	94	20 4	20 4	23 4	4	8 ♦°	8 ♦²	8	0.1	13	♦° = n, ♦ = a,p
5	78.5	81.5	83.9	2.9	2.7	2.2	4.2	2.1	95	96	96	21 2	21 2	02 2	7	8 ♦°	8 ♦°	7 =°	10.5	6	♦° n, ♦° =° a,p
6	82.7	81.7	79.9	1.4	0.1	- 0.4	2.6	- 0.5	94	95	96	04 2	05 1	04 1	7	6 ∞	6 =	7 =	1.3	5	♦° ∞ n, = a,p
7	78.6	79.7	80.7	- 1.8	- 2.2	- 2.8	- 0.2	- 3.3	93	93	91	04 1	05 1	08 1	9	3 ⌣	5 ⌣	3 ⌣		5	⌣ n,a,p
8	84.4	84.6	85.6	- 0.4	0.0	1.4	2.5	- 4.1	64	67	58	18 2	30 2	22 1	9	5	6	1	0.2	5	
9	85.5	85.2	88.1	- 1.6	- 2.3	- 3.0	2.3	- 3.2	66	66	69	08 3	22 4	22 4	9	6	7	0		5	
10	88.6	83.5	78.1	- 2.5	1.1	0.6	1.8	- 4.9	71	**53**	59	22 1	20 4	22 4	9	8	5	5		5	
11	74.3	77.2	80.4	2.2	2.9	3.0	3.4	0.1	71	73	83	21 3	21 4	26 1	7	7	8 =	8 •°		5	= a, •° = p
12	91.5	95.1	96.3	1.8	1.1	1.2	3.2	0.2	82	93	79	22 3	29 3	23 2	7	7 ♦°	8 *°	3	0.5	5	♦° n, *° a, ♦° p
13	92.5	90.8	90.1	- 1.8	- 0.2	1.0	1.6	- 2.6	86	79	69	04 1	32 2	22 2	9	6 ⌣°	8	2	0.4	5	⌣ *° n
14	90.0	88.7	87.3	0.0	1.6	1.5	2.5	- 0.8	67	91	92	22 1	22 3	21 4	6	6	8 ♦°	8		5	△ p
15	86.4	84.2	81.7	0.0	- 2.2	- 1.4	2.3	- 2.7	80	91	73	21 2	22 2	00 0	9	1	2	3 =°	0.1	5	= p
16	91.0	95.0	98.2	- 2.3	0.3	0.5	0.7	- 2.7	96	92	88	26 1	23 2	24 3	9	6 ⌣°	7	4		5	
17	88.6	82.9	79.3	2.0	2.5	1.6	3.1	- 0.6	60	62	89	14 2	22 4	24 4	9	7	8	8 •		5	• p
18	70.2	58.7	53.7	1.4	2.8	2.8	3.0	0.7	70	64	93	21 4	22 4	22 5	7	3	8 =°	8 ♦	0.1	5	• n, =° a, ♦ p
19	**43.9**	45.0	51.5	2.0	2.2	- 0.2	4.8	- 0.5	60	95	98	20 5	27 4	23 3	5	8 △	7 ♦	8 ♦²	2.2	4	♦° △ n, ♦ a, ♦ ♦² p
20	54.1	54.9	54.5	0.2	0.5	0.0	1.6	- 0.3	98	95	93	25 3	25 4	23 3	5	8 ♦²	8 ♦°	8 ♦	32.4	15	♦² n, ♦° a, ♦ p
21	53.8	53.7	55.0	0.3	0.0	- 0.6	0.7	- 0.7	96	96	96	00 0	00 0	00 0	2	8 ♦°	8 ♦²	4	15.6	23	♦ n,a,p
22	58.9	61.0	63.4	- 0.6	0.6	- 0.4	0.6	- 1.2	96	96	95	21 2	22 2	23 2	6	6 ♦°	6 =	7(♦)	8.0	30	♦ n, = a, ♦ (♦) p
23	69.7	72.4	75.9	- 5.0	- 5.6	- 5.6	0.0	- 6.6	95	96	91	22 1	22 1	23 2	9	1 ⌣	2	0	0.4	28	⌣ n
24	81.6	82.5	83.6	- 5.8	- 7.1	- 6.2	- 4.8	- 7.8	94	95	94	23 1	00 0	23 2	9	1 ⌣	3 ⌣	0 ⌣		28	⌣ n,a,p
25	83.9	83.4	80.5	- 8.0	- 8.2	- 7.4	- 5.7	- **8.9**	95	96	96	22 1	23 1	23 1	9	2 ⌣	6 ⌣	6	0.1	25	⌣ n,a
26	80.2	79.4	79.3	- 4.2	- 3.1	- 2.2	- 2.0	- 7.5	95	98	96	00 0	23 4	23 4	3	8 *	8 *	8 ♦	0.3	25	* n,a, * ♦ p
27	86.1	88.2	90.1	- 2.3	- 4.7	- 5.4	- 1.8	- 6.1	92	94	85	22 3	22 1	22 2	9	4	4	0	3.6	35	♦ n
28	92.5	93.8	95.5	- 3.4	- 3.8	- 5.6	- 2.8	- 6.2	70	64	70	23 3	22 2	26 1	9	1	1	0		33	
29	00.2	02.7	05.2	- 4.8	- 5.8	- 5.4	- 4.2	- 6.5	69	70	73	23 3	22 2	23 2	9	0	1	1		30	
30	09.0	10.1	10.1	- 5.8	- 5.6	- 3.8	- 3.5	- 6.7	88	88	89	22 2	23 2	23 2	9	1	3	8		28	
31	**11.1**	10.0	05.5	2.7	4.0	6.2	**6.5**	- 3.8	92	85	66	22 4	22 4	19 5	8	8	8	8	1.0	25	♦ n
M	82.0	82.4	81.9	- 0.7	- 0.6	- 0.5	1.6	- 2.6	81	83	83	2.2	2.5	2.5	7.6	4.9	5.9	4.6	77	15	

1954

Røros

φ = 62° 34'N λ = 11° 23'E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	937.6	1015.8	-14.7	-12.1	-13.8	-13.6		-18.8	4.8	2	-39.9	23	0 -	4 1.2	3 1.0	2 2.5	2 1.5	3 2.3	0 -	0 -	4 2.8	5 1.4	16 2.3	15 2.9	39
II	41.8	20.6	-17.0	-12.3	-15.0	-15.1		-20.9	- 3.4	3	-37.4	2	0 -	1 4.0	1 3.0	2 2.5	18 4.0	13 3.9	5 4.6	1 5.0	1 3.0	1 2.0	2 1.5	2 2.0	37
III	34.1	11.3	- 8.0	- 2.1	- 3.4	- 4.9		- 9.7	5.0	23	-27.7	4	1 1.0	4 1.2	3 1.3	0 -	11 3.1	10 4.1	4 4.5	2 4.0	9 2.3	2 1.5	10 2.8	6 2.7	31
IV	41.2	17.9	- 3.9	1.8	0.6	- 1.2		- 5.4	6.2	11	-15.1	8	3 2.0	3 2.0	1 2.0	1 2.0	4 2.2	5 2.6	4 4.2	4 1.8	6 2.3	6 2.2	11 2.9	26 2.9	16
V	45.4	20.0	5.2	12.0	10.4	7.7		1.2	22.6	29	- 4.9	1	7 2.6	5 2.4	6 1.5	4 2.2	16 3.0	11 2.7	5 3.2	3 4.0	3 2.3	42 2.5	4 3.8	15 2.8	12
VI	35.7	09.2	7.4	12.4	11.6	9.3		4.2	18.8	20	- 2.3	14	1 2.0	2 2.5	1 3.0	0 -	7 2.1	6 2.2	4 3.8	13 3.9	9 3.0	1 3.0	11 2.9	24 3.1	11
VII	32.6	05.1	10.5	14.4	13.6	12.0		8.4	24.6	13	3.9	9	2 3.5	0 -	0 -	4 2.2	12 3.1	15 3.5	12 2.6	6 3.0	3 3.0	0 -	5 1.8	20 2.8	14
VIII	35.1	08.1	7.8	14.4	13.1	10.8		6.0	20.2	27	- 0.9	21	5 2.4	2 1.5	0 -	2 1.5	11 2.1	7 2.6	3 2.3	2 1.0	5 1.8	10 1.7	9 2.6	17 2.4	20
IX	28.8	02.8	3.5	9.3	7.8	6.2		2.1	16.4	4	- 7.0	29	2 2.0	2 2.0	1 2.0	0 -	8 2.4	7 2.8	7 3.6	5 4.0	6 2.3	0 -	2 3.0	17 2.4	33
X	29.7	05.2	- 2.1	2.9	0.6	0.1		- 4.5	7.9	4	-14.0	19	1 2.0	1 2.0	3 2.3	0 -	8 2.9	8 2.6	6 3.2	7 3.0	11 2.4	5 1.4	10 2.1	7 1.8	26
XI	36.1	12.9	- 4.4	- 2.9	- 4.7	- 4.1		- 8.7	3.2	5	-18.5	15	0 -	3 2.3	0 -	4 2.0	20 3.8	9 4.1	6 3.5	2 4.5	4 2.8	2 1.5	7 1.7	6 1.7	27
XII	25.0	01.0	- 4.8	- 4.8	- 5.4	- 5.0		- 9.7	4.4	3	-23.7	23	0 -	1 1.0	0 -	3 1.3	9 3.1	13 3.4	3 3.0	7 2.4	10 2.7	5 1.4	5 1.6	6 1.7	31
1954	935.3	1010.8	- 1.7	2.8	1.3	0.2		- 4.6	24.6		-39.9		22 2.4	28 1.9	19 1.7	22 2.0	126 3.1	107 3.2	59 3.4	52 3.3	71 2.5	39 1.7	92 2.4	161 2.6	297

Tynset

φ = 62° 18'N λ = 10° 45'E g = ΔG = + 1h

I			-13.6	-13.6	-15.7	-15.5	-11.0	-21.0	6.5	2	-39.8	31	7 2.0	4 1.8	4 1.0	6 2.3	1 1.0	10 1.6	5 1.4	2 2.0	0 -	3 1.0	5 1.0	32 2.1	14
II			-18.9	-13.7	-16.1	-16.7	-12.4	-21.4	- 3.5	7	-38.5	14	3 1.0	0 -	0 -	3 1.7	1 1.0	38 2.8	11 3.6	0 -	0 -	1 1.0	6 1.0	18 1.1	3
III			- 8.0	- 1.5	- 2.9	- 4.7	0.9	- 9.9	7.2	23	-29.2	3	3 2.7	2 1.0	0 -	2 2.5	5 1.6	33 2.4	12 2.1	5 2.0	0 -	2 1.0	9 1.6	17 1.7	3
IV			- 3.4	3.2	1.9	- 0.3	4.7	- 5.2	9.3	9	-14.1	8	10 1.9	3 1.3	0 -	1 1.0	2 2.5	13 1.7	10 2.5	1 1.0	4 1.8	1 1.0	9 2.3	36 2.2	0
V			4.6	12.6	11.5	7.9	14.3	1.0	23.8	27	- 4.5	9	6 1.8	6 2.0	1 2.0	4 1.8	9 2.0	19 2.3	15 2.3	3 2.0	2 1.0	1 2.0	8 2.2	19 2.0	0
VI			7.9	13.8	12.7	10.1	15.7	4.4	20.0	20	- 3.4	14	8 2.6	3 2.0	3 1.3	1 3.0	4 1.8	23 1.8	20 2.6	2 2.0	2 2.0	1 2.0	5 1.8	18 2.4	0
VII			10.3	15.0	14.4	12.2	17.7	8.0	24.1	13	2.0	9	14 2.2	1 3.0	3 2.0	3 1.0	1 2.0	31 2.1	18 1.9	5 1.4	0 -	1 2.0	4 2.0	10 1.9	2
VIII			7.5	15.1	13.9	11.0	17.0	5.4	24.0	27	- 1.0	21	8 1.6	5 1.8	2 2.0	6 1.7	4 1.5	23 1.9	13 1.6	5 1.8	2 1.0	4 2.0	6 1.5	14 2.8	1
IX			2.7	10.0	7.4	5.9	11.6	1.3	18.2	3	- 8.7	29	8 1.6	5 1.8	3 2.0	3 1.0	3 1.7	16 2.2	20 2.8	7 2.1	0 -	3 1.7	3 2.7	17 1.9	2
X			- 2.7	3.3	0.8	0.0	4.8	- 4.6	10.5	12	-14.5	19	7 1.1	3 1.0	1 1.0	2 1.0	2 2.5	26 2.2	14 2.1	3 2.7	1 2.0	4 1.2	11 1.6	18 1.3	1
XI			- 5.3	- 3.2	- 4.8	- 4.6	- 1.4	- 8.4	5.0	5	-19.4	18	6 1.0	2 1.5	0 -	1 1.0	5 2.4	38 2.5	13 2.3	4 2.0	1 1.0	3 1.0	4 1.5	13 1.2	0
XII			- 7.4	- 6.0	- 7.3	- 7.1	- 2.1	-12.8	7.0	18	-26.5	26	4 1.0	0 -	0 -	4 2.0	3 1.3	16 2.2	18 2.0	7 2.8	3 1.7	2 1.0	9 1.3	24 1.3	3
1954			- 2.4	2.9	1.3	- 0.2	5.0	- 5.3	24.1		-39.8		84 1.8	34 1.7	17 1.6	36 1.7	40 1.8	286 2.2	169 2.3	44 2.1	15 1.5	26 1.4	79 1.7	236 1.8	29

Alvdal

φ = 62° 2'N λ = 10° 48'E g = ΔG = + 1h

I			-13.8	-12.4	-13.9	-13.6		-18.6	5.6	2	-36.0	23	1 6.0	0 -	0 -	22 1.8	12 2.6	1 2.0	0 -	0 -	0 -	2 2.5	17 1.6	16 2.2	22
II			-17.2	-12.5	-14.6	-15.3		-20.1	- 4.1	7	-34.0	14	0 -	0 -	0 -	35 2.6	8 3.0	0 -	0 -	0 -	0 -	4 1.0	14 1.0	0 -	23
III			- 7.1	- 0.4	- 2.3	- 4.0		- 9.4	5.4	23	-27.2	4	3 2.3	0 -	0 -	34 2.1	4 1.8	11 2.1	3 3.3	0 -	0 -	9 1.2	3 1.0	4 3.0	22
IV			- 1.9	4.0	2.8	0.7		- 4.0	7.9	20	-12.5	9	23 2.5	0 -	0 -	20 1.6	0 -	4 1.0	1 1.0	1 4.0	0 -	23 1.2	1 1.0	4 2.8	13
V			6.4	13.2	11.8	8.9		2.3	25.2	28	- 3.4	3	11 2.2	0 -	0 -	22 2.0	7 1.7	8 1.2	3 1.6	1 1.0	0 -	14 1.4	0 -	4 2.2	23
VI			9.6	15.0	13.5	11.2		5.0	20.2	4	- 2.7	14	22 2.0	0 -	0 -	35 1.6	7 1.6	4 2.2	4 2.0	0 -	0 -	12 1.4	0 -	0 -	6
VII			11.2	16.2	15.0	12.9		8.2	25.2	13	0.5	20	9 2.0	0 -	0 -	36 1.8	5 1.4	8 1.9	2 1.0	2 1.5	0 -	8 1.6	0 -	11 1.9	12
VIII			9.2	16.3	14.2	11.9		6.0	23.4	27	1.0	21	1 2.0	0 -	0 -	21 1.6	2 2.0	9 1.4	1 1.0	0 -	0 -	27 1.2	1 2.0	7 1.7	24
IX			4.2	10.9	8.0	6.9		2.5	18.6	3	- 7.0	29	2 2.5	0 -	0 -	38 2.0	6 1.7	7 1.7	0 -	0 -	0 -	17 1.6	0 -	6 2.3	14
X			- 0.9	4.4	1.1	1.0		- 3.8	10.2	10	-13.3	19	8 2.4	0 -	0 -	35 2.0	3 1.7	4 2.0	2 1.0	0 -	0 -	13 1.8	1 4.0	3 2.0	24
XI			- 4.6	- 2.2	- 3.5	- 3.6		- 7.3	5.8	1	-18.1	18	3 1.0	0 -	0 -	48 2.4	4 3.0	1 3.0	0 -	0 -	0 -	7 1.3	1 3.0	2 3.0	24
XII			- 5.6	- 4.0	- 5.3	- 5.2		-10.0	5.8	3	-24.1	26	0 -	0 -	0 -	37 2.1	6 2.2	3 2.3	1 1.0	0 -	0 -	7 2.4	2 1.0	5 2.0	32
1954			- 0.9	4.0	2.2	1.0		- 4.1	25.2		-36.0		83 2.2	0 -	0 -	383 2.0	64 2.1	60 1.8	17 1.8	4 2.0	0 -	143 1.4	40 1.4	62 2.2	239

Sør-Nesset

φ = 61° 53'N λ = 10° 9'E g = ΔG = + 1h

I			-12.3	- 9.0	-11.1	-11.1	- 6.0	-15.9	7.6	2	-32.3	31	0 -	0 -	18 1.3	0 -	0 -	28 1.2	0 -	0 -	2 3.0	0 -	0 -	45 2.2	0
II			-15.8	-10.0	-13.1	-13.6	- 8.0	-18.7	1.1	3	-33.0	14	0 -	0 -	20 1.2	0 -	0 -	39 2.1	0 -	0 -	11 1.0	0 -	0 -	14 1.1	0
III			- 8.4	- 0.9	- 3.7	- 5.0	0.7	-10.3	7.8	12	-26.1	4	0 -	0 -	7 1.1	0 -	0 -	46 1.8	1 5.0	0 -	8 1.4	1 1.0	0 -	30 1.7	0
IV			- 4.3	2.3	0.5	- 1.4	3.6	- 5.7	7.7	10	-14.9	8	0 -	0 -	1 1.0	0 -	0 -	26 1.4	0 -	0 -	13 1.2	0 -	0 -	50 1.6	0
V			4.1	10.6	9.5	6.7	12.0	0.9	23.3	28	- 5.4	9	0 -	0 -	7 1.1	0 -	0 -	48 1.4	1 2.0	0 -	15 1.7	0 -	0 -	22 1.3	0
VI			7.5	12.4	11.4	9.1	14.5	4.1	19.5	4	- 2.5	14	0 -	0 -	0 -	0 -	0 -	54 1.3	0 -	0 -	14 1.1	0 -	0 -	22 1.4	0
VII			9.3	13.3	12.7	10.9	15.6	7.1	20.8	11	- 0.5	20	0 -	0 -	5 1.2	0 -	0 -	57 1.2	3 2.0	0 -	11 1.0	0 -	0 -	17 1.4	0
VIII			7.0	14.0	12.4	10.1	15.6	5.6	22.5	27	- 0.3	21	0 -	0 -	14 1.1	0 -	0 -	34 1.1	0 -	0 -	22 1.2	0 -	0 -	23 1.3	0
IX			3.4	9.1	6.8	5.7	10.2	2.2	15.5	4	- 4.8	29	0 -	0 -	7 1.1	0 -	0 -	40 1.5	0 -	0 -	16 1.5	0 -	0 -	27 1.4	0
X			- 1.2	3.2	0.3	0.4	4.2	- 3.2	11.5	3	-10.4	19	0 -	0 -	9 1.0	0 -	0 -	31 1.2	0 -	0 -	16 2.1	0 -	0 -	37 1.2	0
XI			- 5.0	- 2.1	- 4.2	- 4.0	- 1.1	- 7.3	3.6	1	-18.7	16	1 1.0	0 -	13 1.2	9 1.1	0 -	41 1.7	0 -	0 -	2 1.5	4 2.2	0 -	20 1.2	0
XII			- 6.1	- 4.2	- 5.9	- 5.6	- 1.9	-10.2	8.0	18	-23.2	23	0 -	0 -	5 1.0	1 1.0	0 -	33 1.4	1 2.0	0 -	10 3.0	5 2.4	0 -	38 1.1	0
1954			- 1.8	3.2	1.3	0.2	5.0	- 4.3	23.3		-33.0		1 1.0	0 -	106 1.2	10 1.1	0 -	477 1.4	6 2.5	0 -	140 1.5	10 2.2	0 -	345 1.5	0

Drevsjø

φ = 61° 53'N λ = 12° 3'E g = ΔG = + 1h

I			-14.8	-10.2	-12.7	-13.0	- 7.8	-19.6	5.0	2	-35.4	23	0 -	0 -	6 1.2	0 -	3 2.3	8 1.8	2 2.5	0 -	4 2.0	3 3.0	1 1.0	32 3.0	34
II			-15.6	- 9.8	-14.2	-13.9	- 8.8	-20.8	- 1.5	4	-37.5	14	0 -	0 -	1 4.0	6 1.8	15 2.8	19 2.3	0 -	1 1.0	11 2.3	3 2.0	2 2.5	5 1.0	21
III			- 7.2	- 1.7	- 4.0	- 4.9	- 0.6	-10.3	6.4	23	-22.3	7	1 4.0	1 1.0	3 2.0	6 2.0	8 2.1	13 2.5	2 2.5	1 3.0	22 2.0	4 1.0	9 1.3	9 3.0	14
IV			- 4.1	1.5	0.4	- 0.4	2.9	- 7.1	6.5	20	-18.2	17	6 2.5	2 2.0	2 1.0	4 2.0	0 -	7 2.4	2 2.5	3 1.7	2 2.5	7 1.1	3 1.7	37 2.7	15
V			5.7	10.7	10.4	7.2	12.5	- 0.2	23.5	28	- 7.3	1	2 2.5	1 4.0	2 2.5	7 2.1	7 2.3	19 2.2	7 2.1	1 2.0	4 1.2	7 1.3	3 1.7	15 2.5	18
VI			8.1	12.7	11.4	9.6	14.4	4.8	19.5	20	- 1.4	4	0 -	1 1.0	0 -	3 1.7	2 2.5	8 1.2	17 2.0	11 2.0	3 2.0	3 1.0	7 1.8	28 1.7	7
VII			10.6	14.2	13.2	11.6	16.6	6.5	22.4	11	1.2	10	0 -	2 1.0	2 2.0	8 2.2	12 1.7	20 2.1	12 1.2	1 1.0	4 1.0	6 1.5	3 2.0	17 2.6	6
VIII			8.6	13.9	12.7	10.3	15.8	3.6	23.0	27	- 2.5	17	1 2.0	2 1.5	7 1.6	8 1.4	6 2.0	13 1.5	1 1.0	4 2.0	7 2.6	3 1.7	4 2.0	21 2.3	16
IX			3.9	8.8	6.6	5.7	10.4	1.3	16.5	6	- 6.5	24	1 3.0	0 -	0 -	5 1.6	1 1.0	11 2.6	14 2.0	6 2.0	5 2.4	5 1.6	2 2.5	27 2.2	13
X			- 1.7	2.8	0.3	0.0	4.0	- 4.6	10.2	3	-13.5	19	1 1.0	0 -	1 1.0	5 1.2	5 2.2	9 2.3	6 2.0	4 2.2	9 2.3	10 2.4	2 2.5	20 2.1	21
XI			- 5.5	- 2.8	- 5.2	- 4.7	- 1.5	- 8.7	4.5	5	-24.8	16	0 -	0 -	1 2.0	7 1.9	12 3.5	16 2.4	1 4.0	2 3.0	9 2.6	2 1.5	1 4.0	8 2.4	31
XII			- 5.8	- 4.1	- 5.6	- 5.4	- 2.2	-10.2	4.0	3	-25.5	26	2 2.0	0 -	2 2.5	3 2.0	7 2.1	20 2.6	1 5.0	6 2.3	12 2.4	2 2.0	7 1.7	7 1.7	24
1954			- 1.5	3.0	1.1	0.2	4.6	- 5.4	23.5		-37.5		14 2.4	9 1.7	27 1.7	62 1.8	78 2.4	163 2.2	65 2.0	40 2.1	92 2.2	55 1.7	44 1.8	226 2.4	220

1954

Røros

H_s = 628 H_b = 629.8 h_t = 1.8 h_a = h_d = 14.7 h_r = 1.9

Måned	Midlere relativ fuktighet Um 7	13	19	Diøgn	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dato	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n: Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I	95	95	95	95	4.6	5.6	4.2	27	9	18	31		21		17	7	0	1	0	0	2	17	0	0	0	0	0	0	7	2	14	5	10	31
II	90	88	88	89	4.7	4.3	3.8	6	4	25	28		24		10	1	0	6	0	0	0	10	0	0	0	0	0	0	4	0	19	7	7	28
III	95	86	86	90	6.6	5.3	6.3	8	2	5	30		11		9	4	0	2	0	0	1	9	0	1	0	0	0	0	2	6	24	1	18	31
IV	95	79	82	87	6.0	4.8	4.9	10	2	18	30		5		16	5	0	1	0	0	2	16	2	0	0	2	0	0	1	1	27	2	12	30
V	92	65	70	81	4.1	5.1	5.0	9	5	16	12		0		8	2	0	2	0	0	7	3	1	1	0	0	0	0	0	1	27	3	8	4
VI	89	70	72	81	6.5	6.3	6.6	64	15	28	5		0		15	10	3	4	0	0	14	2	0	1	0	0	0	1	0	4	26	0	20	0
VII	87	71	73	80	6.5	6.5	6.4	138	38	16	0		0		23	17	5	0	0	0	23	0	0	1	0	0	0	3	0	1	24	0	16	0
VIII	90	66	69	79	6.1	6.4	5.5	42	14	9	1		0		15	9	1	0	0	0	15	0	0	5	0	0	0	1	0	9	24	3	16	0
IX	91	67	74	79	7.0	5.7	5.6	30	6	22	10		0		19	9	0	2	0	0	17	2	1	2	0	0	0	0	0	9	24	0	13	0
X	91	80	84	78	6.0	6.0	5.2	25	5	25	26		6		14	8	0	2	0	0	6	10	2	0	0	1	0	0	2	4	19	1	15	7
XI	93	91	92	92	6.6	6.2	5.2	15	4	10	30		12		15	6	0	7	0	0	1	14	0	1	0	0	0	0	0	4	13	0	15	24
XII	95	94	96	95	5.9	6.2	6.2	22	8	13	30		13		18	8	0	6	0	0	5	17	1	2	0	0	0	0	4	3	8	0	11	31
1954	92	79	82	86	5.9	5.7	5.4	394	38		233		92		179	86	9	33	0	0	93	100	7	14	0	3	0	5	20	44	249	22	161	186

Tynset

H_s = 483 H_b = h_t = 2.0 h_a = h_d = 9.7 h_r = 1.8

Måned	7	13	19	Diøgn	7	13	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I	86	82	85	85	5.2	4.7	3.6	26	8	20	31	28	24	0	19	6	0	3	0	0	2	17	0	1	0	0	0	0	9	0	12	5	10	31
II	82	76	80	80	5.4	5.0	3.3	8	4	23	28	28	23	0	14	2	0	5	0	0	0	14	0	0	0	0	0	0	5	0	12	7	10	28
III	88	69	75	79	6.4	6.0	5.5	7	3	5	30	11	12	0	10	2	0	0	0	0	2	8	1	1	0	0	0	0	6	1	20	1	19	31
IV	85	55	62	70	5.6	5.3	5.2	5	3	18	30	0	4	0	11	1	0	0	0	0	2	11	2	0	0	1	0	0	2	0	24	3	13	20
V	84	53	58	72	5.1	5.5	5.6	8	4	16	11	0	0	0	9	3	0	2	0	0	9	3	1	1	0	0	0	0	3	2	25	2	14	0
VI	81	56	60	70	5.8	5.9	6.2	49	17	28	5	0	0	0	15	9	1	0	0	0	14	2	1	0	0	1	0	1	2	2	22	0	17	0
VII	84	63	66	75	6.5	6.5	6.4	115	23	3	0	0	0	0	24	15	5	0	0	0	24	0	0	0	0	1	0	3	3	2	21	0	17	0
VIII	92	60	65	77	6.3	6.1	5.4	60	24	9	1	0	0	0	20	11	1	0	0	0	20	0	0	1	0	0	0	1	2	5	23	1	15	0
IX	92	62	76	80	6.9	5.4	5.9	37	8	12	12	0	0	0	18	9	0	0	0	0	18	2	2	0	0	0	0	0	5	8	19	1	15	0
X	90	72	82	82	6.0	5.9	4.9	34	10	1	24	2	5	0	18	6	1	0	0	0	16	10	6	1	0	0	0	0	4	2	15	2	17	5
XI	87	83	86	86	6.7	6.1	5.7	10	3	30	26	17	11	0	11	4	0	1	0	0	3	11	3	0	0	0	0	0	8	2	11	0	14	21
XII	84	82	85	83	5.5	5.9	4.9	18	5	13	31	16	18	0	19	5	0	1	0	0	4	18	3	0	0	0	0	0	2	0	4	0	11	31
1954	86	68	73	78	6.0	5.7	5.2	377	24		229	102	97	0	188	73	8	12	0	0	114	96	19	5	0	3	0	5	51	24	208	22	172	167

Alvdal

H_s = 485 H_b = h_t = 1.9 h_a = h_d = 8.0 h_r = 1.5

Måned	7	13	19	Diøgn	7	13	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I	86	85	86	86	4.0	4.6	3.1	34	9	10	31		22		15	7	0	6	0	0	0	15	0	0	0	0	0	0	1	0	12	8	9	31
II	87	81	84	84	5.8	5.3	4.1	21	6	27	28		24		18	7	0	1	0	0	0	18	0	0	0	0	0	0	0	0	9	6	14	28
III	88	71	77	80	6.1	5.2	5.5	19	10	5	30		11		9	5	0	2	0	0	0	9	0	0	0	0	0	0	4	1	13	3	15	31
IV	84	57	61	70	5.0	5.0	4.5	10	4	18	29		3		14	3	0	2	0	0	2	14	0	0	0	1	0	0	0	0	18	2	10	29
V	82	55	63	73	4.8	6.2	5.8	33	10	23	9		0		15	8	1	1	0	0	14	4	1	0	0	1	0	0	2	1	21	3	12	0
VI	80	60	66	74	5.5	5.7	5.8	42	12	28	3		0		17	11	1	1	0	0	17	0	0	0	0	0	0	1	0	0	22	3	14	0
VII	87	66	70	79	6.6	6.6	6.3	111	23	16	0		0		23	18	2	0	0	0	23	0	0	0	0	0	0	3	3	0	15	0	19	0
VIII	89	63	70	79	5.6	5.7	5.4	98	25	14	0		0		22	15	3	0	0	0	22	0	0	0	0	0	0	0	3	0	20	2	14	0
IX	90	65	78	81	6.7	6.0	5.7	70	13	17	10		0		21	15	1	1	0	0	20	2	0	2	0	1	0	0	3	8	16	0	14	1
X	90	74	87	85	5.4	6.0	4.2	56	10	25	24		1		15	8	0	4	0	0	10	8	3	0	0	0	0	0	1	4	15	4	11	12
XI	90	85	91	89	6.0	5.7	5.6	41	15	30	30		8		20	9	1	0	0	0	5	18	1	0	0	0	0	0	9	1	12	1	14	21
XII	88	85	88	86	4.5	5.7	5.1	44	7	13	31		14		16	12	0	7	0	0	4	15	2	0	0	0	0	0	6	0	1	2	12	31
1954	87	71	77	80	5.5	5.6	5.1	579	25		225		83		205	118	9	25	0	0	117	103	7	2	0	3	0	4	32	15	174	34	158	184

Sør-Nesset

H_s = 738 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	7	13	19	Diøgn	7	13	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I	84	77	81	81	4.8	4.4	3.7	38	8	10	31	25	24	0	18	9	0	6	1	0	1	9	0	0	0	0	0	0	12	0	21	7	7	31
II	86	74	83	82	5.6	5.2	4.8	26	5	24	28	27	27	0	17	9	0	3	0	0	0	17	0	0	0	0	0	0	16	0	17	5	14	28
III	88	68	76	79	5.4	5.2	4.9	18	8	5	29	13	15	0	12	4	0	4	1	0	1	12	0	0	0	0	0	0	12	4	21	4	14	31
IV	82	57	62	70	4.8	4.7	4.8	6	1	4	27	1	7	0	11	2	0	1	0	0	0	11	0	0	0	0	0	0	11	0	27	3	5	22
V	85	61	66	76	5.0	5.4	5.6	39	9	23	11	0	0	0	15	9	0	0	0	0	14	4	1	1	0	2	0	0	11	3	22	2	13	1
VI	83	62	66	75	5.8	5.9	6.1	72	14	28	4	0	0	0	18	16	2	0	0	0	18	0	0	0	0	2	0	2	12	0	25	2	17	0
VII	88	69	72	80	6.6	6.9	6.1	145	17	29	1	0	0	0	25	21	6	0	0	0	25	0	0	2	0	0	0	2	20	1	19	0	21	0
VIII	92	63	68	79	5.9	5.9	5.5	109	17	8	1	0	0	0	20	16	5	0	0	0	20	0	0	2	0	0	0	1	11	3	25	2	17	0
IX	89	65	74	78	6.2	5.9	5.9	50	9	10	10	0	0	0	17	11	0	2	0	0	17	3	2	2	0	0	0	0	16	2	22	0	16	0
X	86	70	81	80	5.3	5.5	5.0	53	13	30	23	3	1	0	18	9	2	4	0	0	7	16	4	1	0	0	0	0	16	1	23	3	12	12
XI	89	78	85	85	6.7	6.4	6.7	47	16	30	30	17	6	0	20	13	1	1	0	0	3	19	2	0	0	0	0	0	16	3	19	0	19	30
XII	84	81	85	83	5.6	6.3	5.6	44	7	10	31	20	15	0	22	13	0	5	0	0	3	21	1	0	0	0	0	0	24	0	13	1	17	31
1954	86	69	75	79	5.6	5.6	5.4	647	17		226	106	95	0	213	132	16	26	2	0	109	112	10	8	0	4	0	5	177	17	254	29	172	186

Drevsjø

H_s = 675 H_b = h_t = 2.0 h_a = h_d = 9.7 h_r = 1.6

Måned	7	13	19	Diøgn	7	13	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I	84	81	84	83	4.6	4.8	5.0	15	9	20	31	29	24	0	8	4	0	1	0	0	1	8	0	1	0	0	0	0	4	0	11	7	13	31
II	86	77	85	84	6.4	5.6	5.6	16	6	27	28	27	24	0	16	4	0	0	0	0	3	16	0	7	0	0	0	0	10	2	12	3	16	28
III	91	72	82	84	6.6	6.1	5.9	17	5	6	30	13	13	0	12	3	0	0	0	0	3	12	0	5	0	0	0	0	20	2	12	1	18	31
IV	87	58	63	72	5.8	5.0	4.4	7	3	15	29	1	10	0	11	2	0	0	0	0	2	10	0	4	0	0	0	0	6	2	23	0	6	30
V	78	56	58	68	5.0	5.7	4.9	16	5	16	15	0	0	0	6	4	0	0	0	0	6	2	1	0	0	2	0	1	7	3	19	2	12	4
VI	82	59	66	74	5.8	5.8	5.9	61	11	28	2	0	0	0	15	11	1	0	0	0	15	0	0	0	0	2	0	1	0	1	20	1	16	0
VII	83	65	69	76	6.2	6.0	6.0	114	23	16	0	0	0	0	16	15	5	0	0	0	16	0	0	0	0	0	0	4	13	0	25	0	14	0
VIII	88	63	67	77	5.9	5.9	5.5	75	11	9	3	0	0	0	17	13	2	1	0	0	17	0	0	0	0	0	0	1	10	2	23	0	12	0
IX	92	66	74	80	6.7	6.0	5.5	51	12	17	13	0	0	0	18	12	1	0	0	0	17	1	0	1	0	1	0	0	14	1	20	0	13	0
X	90	72	83	83	5.3	6.0	5.0	38	12	25	27	4	2	0	9	8	1	0	0	0	8	5	3	6	0	0	0	0	4	5	11	2	13	0
XI	91	85	91	90	7.0	6.7	5.7	40	17	30	30	16	10	0	14	9	1	0	0	0	4	13	2	5	0	0	0	0	1	4	5	0	17	20
XII	88	86	88	87	5.7	6.6	5.5	44	12	13	30	18	14	0	13	12	1	0	0	0	4	13	2	6	0	0	0	0	9	2	4	2	16	31
1954	87	70	76	80	5.9	5.8	5.4	494	25		238	108	97	0	155	97	12	2	0	0	96	80	8	35	0	5	0	7	98	24	185	18	166	175

1954

Koppang (Øyset)

φ = 61° 37'N λ = 10° 53'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-13.2	-12.0	-12.4	-12.7		-16.3	0.9	14	-31.0	23	0 -	0 -	0 -	0 -	1 1.0	29 1.9	0 -	1 2.0	18 1.9	5 1.8	33 2.6	6 2.8	0
II			-15.3	-11.9	-12.8	-13.8		-18.1	- 3.3	7	-31.0	14	2 1.5	0 -	0 -	0 -	0 -	30 3.1	1 1.0	0 -	17 1.2	10 1.2	22 1.8	1 2.0	1
III			- 6.0	0.2	- 1.5	- 2.9		- 7.2	7.1	16	-19.5	3	1 2.0	0 -	0 -	0 -	0 -	39 2.7	2 2.0	1 4.0	14 2.1	13 1.7	19 2.3	3 4.0	1
IV			- 2.0	5.1	3.7	1.4		- 3.5	8.9	20	- 9.8	9	1 2.0	0 -	0 -	0 -	1 4.0	18 2.7	2 2.0	3 1.3	13 1.8	11 2.0	32 3.1	9 3.7	0
V			6.2	14.0	13.1	9.4		2.8	26.2	29	- 3.6	1	0 -	0 -	0 -	0 -	0 -	28 2.6	2 1.5	0 -	14 1.7	18 2.0	24 2.6	7 3.6	0
VI			9.6	16.2	15.2	12.2		6.4	23.2	5	- 1.2	14	0 -	0 -	0 -	0 -	0 -	46 3.2	2 1.5	3 1.7	3 1.7	7 2.0	20 2.6	9 3.2	0
VII			11.4	16.6	15.0	13.5		9.2	23.2	11	1.4	20	0 -	0 -	0 -	1 3.0	1 2.0	43 2.7	3 2.0	4 2.0	7 1.7	9 1.9	16 3.4	8 3.1	1
VIII			8.4	16.8	14.4	12.1		6.9	21.8	27	2.9	17	1 4.0	0 -	0 -	0 -	2 1.5	16 2.5	4 1.8	2 2.0	22 1.7	21 2.3	19 2.4	6 2.8	0
IX			4.2	11.4	8.3	7.3		3.3	19.0	3	- 5.7	28	0 -	0 -	0 -	0 -	0 -	29 3.3	5 2.4	10 1.6	20 2.1	20 2.2	4 3.5	2 4.0	0
X			- 1.0	4.3	1.8	1.2		- 3.0	10.2	10	-11.0	19	2 2.0	0 -	0 -	0 -	0 -	36 2.8	1 1.0	6 2.7	29 2.2	5 2.4	11 3.4	3 3.0	0
XI			- 3.8	- 2.0	- 2.6	- 2.9		- 5.5	5.2	4	-15.8	15	0 -	0 -	0 -	0 -	0 -	41 3.0	1 2.0	3 1.7	20 2.2	19 2.1	5 2.8	1 4.0	0
XII			- 4.6	- 3.3	- 4.5	- 4.3		- 8.1	6.4	3	-20.8	26	2 3.0	0 -	0 -	0 -	0 -	24 3.0	3 2.7	0 -	32 1.8	18 1.8	14 2.6	0 -	0
1954			- 0.5	4.6	3.2	1.7		- 2.8	26.2		-31.0		9 2.3	0 -	0 -	1 3.0	5 2.0	379 2.8	26 2.0	33 1.9	209 1.9	156 2.0	219 2.7	55 3.3	3

Fokstua

φ = 62° 7'N λ = 9° 17'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-11.4	- 9.9	-12.1	-11.3		-16.0	3.1	2	-32.2	31	5 4.0	19 1.5	3 1.3	4 1.8	3 2.7	10 4.2	4 2.2	22 2.7	6 2.7	5 2.6	4 3.5	2 3.0	6
II			-15.1	-11.4	-14.1	-14.0		-18.6	- 1.6	4	-31.4	14	2 2.5	15 1.6	1 1.0	6 1.2	6 1.8	17 4.8	4 5.0	14 2.9	4 2.5	3 1.7	1 2.0	2 3.5	8
III			- 8.4	- 3.7	- 5.9	- 6.8		-11.1	4.3	23	-24.2	4	0 -	9 2.8	3 1.3	4 1.5	4 1.2	10 2.8	17 3.8	23 3.7	4 3.0	7 2.7	4 3.0	2 1.5	6
IV			- 4.0	- 0.2	- 1.5	- 3.1		- 7.4	3.1	10	-17.1	8	1 1.0	7 2.4	0 -	1 1.0	0 -	9 3.8	6 2.8	15 2.7	14 2.6	10 2.7	5 3.0	12 2.6	10
V			6.2	9.4	8.2	5.9		0.4	19.5	28	- 3.8	18	0 -	16 2.9	3 2.7	2 3.5	1 2.0	16 3.9	10 3.2	14 2.6	5 2.8	8 2.2	6 2.7	7 3.0	5
VI			7.9	11.0	10.0	7.9		2.4	18.6	4	- 5.2	3	0 -	8 3.2	0 -	0 -	4 2.0	15 3.9	10 3.7	23 2.5	18 2.9	5 2.8	4 3.0	2 3.0	1
VII			9.1	12.0	11.0	9.4		5.7	21.3	13	- 2.6	20	1 1.0	14 1.9	5 2.6	3 2.0	3 1.7	21 3.7	7 3.4	18 2.1	10 1.9	5 2.2	2 1.5	1 1.0	3
VIII			8.4	12.0	10.6	8.8		4.1	18.2	27	- 2.0	21	1 1.0	29 2.5	1 3.0	3 2.7	1 2.0	7 2.4	5 2.0	13 2.5	14 2.7	11 2.8	2 2.0	2 2.5	4
IX			2.7	7.2	4.8	3.9		0.1	12.7	8	- 6.4	29	0 -	7 2.1	1 5.0	5 1.8	1 1.0	15 4.3	9 3.9	29 2.3	11 2.5	7 2.0	2 2.0	0 -	3
X			- 2.4	1.4	- 1.6	- 1.3		- 5.1	11.5	4	-16.1	17	0 -	10 1.5	0 -	3 1.0	3 1.0	9 4.6	2 3.5	37 2.7	5 3.0	4 3.5	5 2.0	0 -	15
XI			- 6.3	- 4.5	- 6.5	- 6.0		- 9.8	1.0	4	-20.2	16	0 -	7 1.1	2 1.5	1 2.0	0 -	24 4.5	8 2.9	10 2.3	6 2.5	5 2.0	4 2.2	2 1.0	21
XII			- 6.3	- 5.7	- 7.4	- 6.7		-11.8	3.7	19	-22.8	26	0 -	12 1.4	0 -	1 1.0	2 2.0	15 4.6	6 2.3	27 2.9	3 2.0	4 2.5	3 1.0	2 2.0	17
1954			- 1.6	1.5	- 0.4	- 1.1		- 5.6	21.3		-32.2		10 2.8	154 2.1	19 2.2	33 1.7	28 1.8	169 4.1	88 3.3	245 2.7	100 2.6	74 2.5	42 2.5	34 2.5	99

Dombås

φ = 62° 4'N λ = 9° 7'E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	936.0	1015.9	-11.1	- 9.1	-10.6	-10.5	- 7.4	-13.7	6.5	2	-27.6	31	4 2.2	0 -	4 2.0	10 1.3	0 -	0 -	11 2.0	0 -	0 -	1 5.0	0 -	1 2.0	62
II	39.0	19.6	-13.8	-11.0	-12.2	-12.7	- 9.5	-16.1	- 2.0	3	-27.1	14	1 1.0	0 -	0 -	1 1.0	2 2.0	4 2.8	28 3.9	0 -	3 2.7	3 2.7	1 1.0	2 2.0	39
III	31.7	10.2	- 6.2	- 1.1	- 2.6	- 3.7	0.2	- 6.9	6.0	23	-19.5	4	5 1.8	1 3.0	0 -	4 2.0	0 -	5 1.8	30 2.7	5 3.6	4 2.2	0 -	0 -	1 2.0	38
IV	39.1	17.7	- 2.2	2.8	1.1	- 0.2	4.0	- 4.1	7.0	10	-10.5	8	4 1.0	2 1.0	1 1.0	3 1.0	0 -	4 2.2	11 1.8	8 1.1	3 1.3	6 1.2	5 1.6	2 1.5	41
V	42.6	19.1	6.4	12.1	10.5	8.4	13.1	3.0	23.5	28	- 2.6	1	5 1.4	1 1.0	1 5.0	5 1.2	1 2.0	5 3.2	24 2.3	4 1.5	1 1.0	4 1.2	2 1.0	0 -	40
VI	38.8	08.0	8.5	13.7	12.1	10.1	15.3	4.7	18.7	6	- 1.4	14	17 1.1	2 1.0	1 1.0	2 1.0	2 2.5	7 2.0	14 2.5	4 1.2	4 2.0	4 1.8	1 1.0	0 -	32
VII	29.5	04.0	10.0	14.0	13.0	11.5	16.1	7.9	24.0	13	1.3	20	5 1.0	0 -	0 -	0 -	1 4.0	11 1.9	25 1.9	3 1.0	1 2.0	4 1.5	0 -	3 1.3	40
VIII	32.5	07.3	8.6	14.7	13.2	11.3	16.3	6.7	21.7	27	3.0	6	8 1.2	1 1.0	2 1.0	5 1.6	0 -	3 1.7	19 1.6	0 -	4 1.0	12 1.3	2 1.0	0 -	37
IX	25.7	01.4	3.5	9.8	7.5	6.2	10.8	2.2	16.3	3	- 4.5	28	1 1.0	1 1.0	1 1.0	5 1.6	0 -	6 2.8	28 2.7	0 -	1 2.0	9 2.3	0 -	0 -	38
X	27.1	04.3	- 0.3	3.5	1.2	1.2	4.6	- 1.6	11.2	4	- 8.5	18	5 1.2	1 2.0	1 2.0	5 1.2	0 -	6 2.5	20 3.0	5 2.0	0 -	4 2.5	0 -	0 -	46
XI	33.0	11.6	- 4.1	- 2.3	- 3.8	- 3.6	- 1.1	- 6.5	4.0	1	-14.5	16	4 1.0	1 1.0	2 1.0	4 2.0	0 -	9 3.6	19 3.4	4 2.2	6 3.2	4 2.5	1 2.0	1 2.0	35
XII	22.3	00.2	- 4.4	- 3.7	- 4.9	- 4.4	- 1.8	- 7.9	7.7	18	-16.4	26	2 1.5	0 -	3 1.0	2 1.5	0 -	2 1.5	20 2.7	3 2.7	3 3.0	8 2.0	1 5.0	0 -	49
1954	932.6	1009.7	- 0.4	3.6	2.0	1.1	5.0	- 2.7	24.0		-27.6		61 1.3	10 1.3	16 1.6	46 1.4	6 2.5	62 2.5	249 2.6	36 1.9	30 2.2	59 1.9	13 1.6	10 1.7	497

Vågåmo

φ = 61° 52'N λ = 9° 6'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.5	- 9.8	-10.8	-10.6	- 7.2	-13.6	7.8	2	-28.6	31	0 -	0 -	28 1.4	10 1.4	0 -	2 1.0	0 -	2 1.0	30 2.2	7 2.6	2 3.5	0 -	12
II			-14.8	-13.3	-13.8	-14.4	-11.3	-17.9	- 2.0	7	-29.3	14	0 -	2 1.5	59 2.2	3 2.0	2 2.5	5 2.0	0 -	1 1.0	6 1.0	2 1.0	0 -	0 -	4
III			- 5.7	- 0.9	- 1.6	- 3.2	1.0	- 6.9	6.5	23	-24.3	4	1 3.0	2 2.5	27 2.5	8 1.5	1 1.0	8 1.5	10 1.5	4 1.8	23 2.7	3 5.3	1 5.0	1 9.0	4
IV			- 0.5	4.8	3.5	1.9	6.5	- 1.7	10.0	17	- 7.6	8	4 2.0	1 1.0	19 1.8	5 1.4	1 1.0	4 1.2	3 2.7	3 2.0	37 2.9	8 1.8	3 3.7	0 -	2
V			6.1	13.4	12.0	9.3	14.7	4.2	24.5	28	- 1.7	9	0 -	2 2.5	31 2.0	5 1.4	1 1.0	7 1.0	3 1.3	1 1.0	32 2.6	6 2.5	2 1.5	1 2.0	2
VI			9.9	15.8	14.4	12.2	17.7	7.1	21.5	17	0.9	14	0 -	2 2.5	34 2.1	3 1.3	0 -	7 1.3	0 -	3 2.7	35 3.0	1 4.0	2 4.0	1 2.0	2
VII			11.3	15.6	15.2	13.2	18.0	9.9	23.5	13	4.5	20	2 1.0	0 -	41 1.9	5 1.0	2 1.0	2 1.0	2 1.0	1 1.0	29 2.4	0 -	0 -	0 -	3
VIII			9.8	16.0	14.8	12.7	17.9	8.9	22.8	27	4.9	21	0 -	1 1.0	30 1.4	5 1.4	1 2.0	8 1.1	4 1.0	0 -	26 2.1	8 3.4	1 3.0	1 2.0	6
IX			5.2	11.2	8.9	7.8	12.3	4.1	18.0	6	- 1.8	29	1 1.0	1 2.0	32 1.9	9 1.0	3 1.0	6 1.3	3 1.0	3 1.0	24 2.5	2 1.0	1 1.0	3 1.3	1
X			0.8	4.3	2.4	2.2	5.5	- 0.9	10.0	4	- 6.8	19	0 -	3 1.3	36 1.7	9 1.3	6 1.3	4 1.0	1 1.0	2 2.0	19 2.4	8 3.2	0 -	0 -	1
XI			- 2.8	- 2.2	- 3.1	- 2.8	- 0.3	- 5.4	7.0	1	-13.5	16	0 -	1 2.0	45 2.0	16 1.1	2 1.0	2 1.5	0 -	3 1.0	15 1.9	0 -	0 -	0 -	1
XII			- 4.9	- 4.1	- 4.8	- 4.7	- 1.5	- 7.9	8.1	18	-17.1	30	0 -	0 -	35 1.7	15 1.1	2 1.0	5 1.0	1 1.0	2 1.5	11 1.8	12 2.5	0 -	0 -	10
1954			0.3	4.2	3.1	2.0	6.1	- 1.7	24.5		-29.3		8 1.8	15 1.9	417 1.9	93 1.3	21 1.3	60 1.3	27 1.4	25 1.6	287 2.5	57 2.7	12 3.2	7 2.7	6

Elveseter

φ = 61° 42'N λ = 8° 17'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.2	- 9.0	-10.5	-10.1		-14.1	6.2	2	-29.8	31	5 3.8	15 3.1	2 4.0	0 -	0 -	4 3.2	17 3.2	41 3.4	2 5.5	0 -	0 -	2 3.0	
II			-17.1	-13.2	-14.2	-15.2		-19.2	1.7	4	-29.8	14	3 2.3	3 2.0	1 2.0	0 -	0 -	1 2.0	17 2.4	51 2.8	1 5.0	0 -	0 -	2 5.0	
III			- 8.6	- 1.5	- 3.6	- 5.2		-10.4	8.2	23	-24.8	4	9 2.9	13 2.6	1 5.0	0 -	0 -	6 2.7	19 2.9	39 2.8	1 4.0	0 -	0 -	0 -	
IV			- 3.0	2.5	1.3	- 0.5		- 4.5	5.7	17	-11.8	8	10 2.6	17 2.5	4 2.5	0 -	1 5.0	2 2.0	27 3.2	26 3.3	1 4.0	0 -	0 -	1 3.0	
V			5.1	12.0	10.1	7.7		1.5	21.7	29	- 3.3	9	10 3.1	26 2.9	5 2.4	0 -	0 -	1 4.0	22 3.2	26 2.5	1 3.0	0 -	0 -	1 3.0	
VI			8.0	13.5	12.2	9.8		3.9	19.2	5	- 1.8	3	9 2.9	20 2.3	1 2.0	0 -	0 -	3 3.3	31 3.8	22 2.8	0 -	0 -	0 -	
VII			9.2	14.2	12.8	11.1		6.8	21.5	13	2.7	24	11 2.5	35 2.3	2 3.0	1 2.0	0 -	3 2.7	11 2.8	22 2.4	0 -	0 -	0 -	
VIII			7.4	14.1	12.0	10.3		6.1	20.2	25	1.2	21	9 2.3	33 2.6	4 2.2	0 -	0 -	1 1.0	16 3.1	26 3.3	0 -	0 -	0 -	
IX			3.5	8.4	6.6	5.7		2.4	14.0	4	- 1.8	20	0 -	19 2.5	4 2.5	0 -	0 -	0 -	19 3.0	39 2.6	1 3.0	0 -	0 -	0 -	
X			- 0.8	2.2	0.5	0.3		- 2.7	7.6	5	-16.8	19	5 2.4	7 2.1	0 -	0 -	0 -	0 -	16 2.7	46 2.9	4 4.5	0 -	0 -	0 -	1
XI			- 6.0	- 3.6	- 5.1	- 5.1		- 8.5	4.9	28	-17.7	16	5 3.0	15 2.6	3 1.7	0 -	0 -	0 -	9 1.9	48 2.4	1 3.0	0 -	0 -	0 -	
XII			- 6.7	- 5.1	- 5.8	- 6.0		- 9.3	5.2	3	-20.5	23	0 -	6 3.3	3 2.7	0 -	0 -	0 -	22 2.9	51 3.0	2 5.5	1 5.0	0 -	0 -	
1954			- 1.6	2.9	1.4	0.2		- 4.0	21.7		-29.8		76 2.8	209 2.6	30 2.6	1 2.0	1 5.0	21 2.8	226 3.0	437 2.8	14 4.4	1 5.0	0 -	6 3.7	

1954

Koppang (Øyset)

H_s = 305 H_b = h_t = 2.4 h_n = h_d = 19 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dag	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Regn ●	Sne *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær R	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	84	83	84	84	4.3	4.9	3.3	28	11	20	31		21		12	7	1	0	0	0	0	12	0	0	0	0	0	0	9	3	3	9	8	31
II	85	80	84	84	5.9	5.3	4.8	33	8	27	28		22		15	11	0	0	0	0	0	15	0	0	0	0	0	0	16	1	9	5	15	28
III	89	68	76	80	6.4	5.4	5.4	27	9	5	30		9		10	4	0	0	0	0	2	10	1	1	0	0	0	0	15	5	18	1	13	31
IV	83	50	55	66	4.9	4.7	4.3	7	3	18	25		0		10	2	0	0	0	0	3	10	3	0	0	0	0	0	11	0	27	1	5	7
V	83	52	57	70	4.6	5.3	5.2	32	10	25	8		0		14	8	1	0	0	0	13	2	1	1	0	0	0	1	12	2	22	3	14	0
VI	82	53	61	72	5.3	5.2	5.5	64	13	28	3		0		20	14	1	0	0	0	20	0	0	0	0	0	0	2	14	0	24	2	11	0
VII	88	66	70	79	6.1	6.2	6.0	175	24	15	0		0		25	21	5	0	0	0	25	0	0	0	0	0	0	3	16	1	21	0	14	0
VIII	94	62	75	85	5.4	5.4	5.1	111	26	11	0		0		20	16	5	0	0	0	20	0	0	0	0	0	0	2	13	0	23	2	10	0
IX	95	65	80	83	6.5	5.7	5.3	53	15	17	9		0		17	10	1	1	0	0	17	2	2	0	0	0	0	0	12	4	22	1	13	0
X	90	71	84	85	5.5	5.1	4.1	55	13	25	24		1		16	7	1	2	0	0	16	5	2	1	0	0	0	0	10	1	20	5	12	10
XI	89	84	88	88	5.9	6.0	5.8	45	19	30	26		6		18	10	1	0	0	0	6	16	3	2	0	0	0	0	17	2	12	1	19	21
XII	86	86	89	87	4.4	6.3	4.9	58	10	10	28		12		17	14	1	0	0	0	7	16	6	3	0	0	0	0	16	1	0	4	14	31
1954	87	68	75	80	5.4	5.5	5.0	688	26		212		71		194	124	17	3	0	0	129	88	18	8	0	0	0	8	161	20	201	34	148	159

Fokstua

H_s = 952 H_b = h_t = 1.8 h_n = h_d = 6.8 h_r = 1.5

I	83	80	81	82	4.8	4.5	4.2	39	11	20	31		22		12	8	1	8	0	0	0	12	0	0	0	0	0	0	0	0	17	6	7	31
II	84	81	81	83	5.1	4.7	4.1	24	4	8	28		26		13	10	0	10	2	1	0	13	0	0	0	0	0	0	0	0	14	7	10	28
III	86	76	79	82	5.7	5.2	4.8	17	8	9	30		16		11	5	0	7	2	2	2	11	0	0	0	0	0	0	0	1	22	4	14	31
IV	78	62	70	74	3.9	4.3	5.0	7	1	15	30		7		10	3	0	3	0	0	0	10	0	0	0	0	0	0	0	0	26	4	6	30
V	72	58	63	70	4.2	4.9	4.9	13	3	7	16		0		12	8	0	5	0	0	9	6	1	1	0	0	0	0	0	1	24	4	11	9
VI	73	58	63	71	5.2	5.8	5.4	46	15	28	10		0		15	9	2	3	0	0	15	1	0	0	0	2	0	0	1	2	22	2	12	0
VII	84	70	74	80	6.7	6.6	6.2	133	24	15	2		0		24	19	5	0	0	0	24	0	0	3	0	0	0	2	0	1	19	1	22	0
VIII	83	65	70	77	5.5	5.8	5.3	81	20	15	1		0		18	12	3	0	0	0	18	0	0	1	0	2	0	1	0	3	20	1	15	0
IX	86	66	76	79	5.3	5.7	6.2	20	7	8	17		0		15	7	0	7	0	0	13	4	0	1	0	1	0	0	2	1	19	1	13	0
X	87	75	84	83	5.8	5.9	5.5	42	10	14	29		5		17	8	0	8	0	0	8	16	6	1	0	0	0	0	0	2	14	2	15	21
XI	87	83	85	86	6.2	5.5	5.6	23	4	30	30		12		17	9	0	10	1	0	0	17	0	0	0	0	0	0	0	2	10	0	13	30
XII	85	85	86	86	6.2	6.1	5.3	44	6	21	30		18		18	14	0	10	2	0	2	18	1	0	0	0	0	0	1	4	6	2	16	31
1954	82	72	76	79	5.4	5.4	5.2	489	24		254		106		182	112	11	71	7	3	91	108	8	7	0	5	0	3	4	17	213	34	154	211

Dombås

H_s = 643 H_b = 647.1 h_t = 1.9 h_n = h_d = 7 h_r = 1.7

I	86	81	83	84	4.8	4.7	4.5	40	10	10	31	29	19	0	10	8	1	2	0	0	1	10	0	0	0	0	0	0	0	1	12	7	12	31
II	84	78	77	80	4.9	4.8	4.5	5	2	18	28	28	21	0	6	3	0	6	0	0	0	6	0	0	0	0	0	0	0	0	13	7	10	28
III	86	70	72	77	5.5	5.3	4.6	12	4	24	29	14	7	0	7	4	0	2	0	0	0	7	0	0	0	0	0	0	0	0	17	4	13	31
IV	81	57	62	70	4.6	4.8	5.3	4	1	6	29	0	0	0	6	1	0	1	0	0	0	6	0	0	0	0	0	0	0	0	19	1	9	8
V	79	55	61	70	4.3	5.0	4.9	18	4	22	6	0	0	0	9	7	0	1	0	0	8	1	0	1	0	0	0	0	0	1	22	5	10	0
VI	81	56	61	72	5.4	5.8	6.0	30	10	28	2	0	0	0	8	5	1	0	0	0	8	0	0	0	0	0	0	0	0	2	16	2	14	0
VII	88	66	70	79	6.5	6.8	6.5	87	18	5	0	0	0	0	19	17	3	0	0	0	19	0	0	0	0	0	0	0	0	3	17	0	20	0
VIII	89	59	65	76	5.6	5.8	5.6	52	9	15	0	0	0	0	14	11	1	0	0	0	14	0	0	0	0	0	0	0	0	1	16	2	13	0
IX	90	62	70	77	6.3	5.8	6.4	21	6	8	10	0	0	0	8	6	0	1	0	0	8	1	1	0	0	0	0	0	0	4	17	1	15	0
X	86	71	80	80	6.1	5.7	5.9	37	15	14	19	1	0	0	10	6	1	1	0	0	5	8	2	1	0	0	0	0	0	3	9	2	17	7
XI	89	82	86	86	6.2	6.2	6.4	20	6	12	29	18	6	0	11	8	0	3	0	0	1	11	0	0	0	0	0	0	0	3	9	0	17	21
XII	88	83	87	87	5.9	6.3	5.7	37	9	21	30	18	9	0	17	11	0	1	0	0	1	17	0	0	0	0	0	0	0	0	2	3	16	31
1954	86	68	73	78	5.5	5.6	5.5	363	18		213	108	62	0	125	87	7	18	0	0	65	67	3	2	0	0	0	0	0	18	169	34	166	157

Vågåmo

H_s = 371 H_b = h_t = 2.1 h_n = h_d = 9 h_r = 1.8

I	82	80	83	82	3.1	4.5	3.1	16	4	3	31	27	19	0	11	5	0	3	1	0	1	11	0	0	0	0	0	0	2	0	0	9	5	24
II	88	83	84	85	5.2	4.7	3.6	11	5	18	28	28	22	0	11	2	0	4	0	0	0	11	0	0	0	0	0	0	5	0	3	6	9	28
III	84	72	73	77	5.5	4.8	3.9	8	3	5	27	8	6	0	8	3	0	6	2	1	3	6	1	0	0	0	0	0	1	4	22	4	8	15
IV	75	54	58	65	4.2	4.8	4.7	0.5	0.5	15	20	0	0	0	1	0	0	3	0	0	1	1	0	2	1	0	0	0	0	0	27	1	5	0
V	84	54	59	72	4.2	5.0	4.8	25	5	21	3	0	0	0	11	6	0	2	0	0	9	2	0	0	0	0	0	0	1	0	22	3	11	0
VI	81	55	59	71	4.9	5.5	5.6	33	9	28	0	0	0	0	12	8	0	6	1	0	12	0	0	0	0	0	0	0	0	1	28	2	10	0
VII	87	67	70	78	6.5	6.3	5.8	85	19	15	0	0	0	0	22	17	1	2	0	0	22	0	0	0	0	0	0	3	0	1	21	0	15	0
VIII	91	62	67	79	5.4	5.4	4.7	61	19	8	0	0	0	0	14	10	2	2	0	0	14	0	0	3	0	0	0	0	0	0	25	2	8	0
IX	88	63	72	77	5.5	5.5	6.0	24	8	25	6	0	0	0	15	8	0	1	0	0	15	0	0	4	0	0	0	0	0	1	19	0	12	0
X	86	74	80	81	6.0	5.9	5.0	34	9	14	15	2	0	0	15	7	0	4	1	1	10	6	1	4	0	0	0	0	2	1	13	3	13	4
XI	87	84	88	86	6.6	6.0	5.4	11	2	12	25	16	5	0	19	4	0	0	0	0	5	16	1	2	0	0	0	0	2	0	0	0	14	20
XII	89	86	88	88	4.4	6.1	4.4	34	8	21	28	18	11	0	17	12	0	4	3	0	6	14	1	2	0	0	0	0	4	0	0	2	8	22
1954	85	70	73	78	5.1	5.4	4.8	342	19		183	99	63	0	156	82	3	37	8	2	98	67	4	17	1	0	0	3	17	8	180	32	118	113

Elveseter

H_s = 675 H_b = h_t = 2.0 h_n = h_d = h_r = 1.5

I	82	79	81	81	5.1	5.3	4.6	36	10	20	30		18		14	8	1	8	3	0	2	14	1	0	0	0	0	0	15	0	0	7	13	31
II	86	82	84	85	4.3	4.0	3.6	21	11	24	28		24		9	5	1	2	0	0	0	9	0	0	0	0	0	0	7	0	14	9	7	28
III	82	66	73	75	5.5	4.4	4.5	22	4	24	29		15		12	8	0	1	0	0	2	12	0	0	0	0	0	0	12	0	21	5	10	31
IV	76	56	61	67	5.2	4.6	5.2	5	1	29	29		2		11	2	0	5	0	0	1	11	0	0	0	0	0	0	7	0	18	3	10	23
V	84	54	57	71	4.4	4.9	5.0	27	9	23	8		0		10	8	0	1	0	0	8	4	1	0	0	0	0	0	13	0	20	7	13	1
VI	82	56	59	71	5.5	5.5	5.4	31	8	28	3		0		14	9	0	1	0	0	13	1	0	0	0	0	0	0	12	1	14	5	15	0
VII	93	66	72	82	6.1	5.8	6.3	72	12	15	0		0		21	16	2	1	1	0	21	0	0	0	0	0	0	1	19	0	11	0	17	0
VIII	93	61	73	82	6.1	5.2	5.1	55	16	15	0		0		19	11	1	0	0	0	19	0	0	0	0	0	0	0	14	0	18	4	16	0
IX	90	70	80	83	6.1	5.7	6.7	46	8	12	9		0		24	15	0	2	0	0	22	5	2	0	0	0	0	0	18	0	12	1	15	1
X	86	76	84	85	6.5	6.0	5.8	94	40	14	18		2		22	14	2	7	0	0	11	17	5	0	0	0	0	0	19	0	6	4	18	18
XI	91	85	88	89	5.6	6.1	5.2	38	7	12	28		10		18	10	0	2	0	0	2	17	0	0	0	0	0	0	14	0	1	2	16	30
XII	90	86	89	88	5.6	6.7	5.5	77	20	19	29		16		24	14	1	6	3	0	6	24	2	0	0	0	0	0	19	0	0	2	17	31
1954	86	70	75	80	5.5	5.4	5.2	524	40		211		87		198	120	8	36	17	0	107	114	11	0	0	0	0	1	169	1	135	49	167	194

1954

Vinstra

φ = 61° 36′ N λ = 9° 45′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-13.7	-11.1	-12.7	-12.8		-16.7	3.2	2	-27.6	30	1 5.0	0 -	5 2.4	1 2.0	0 -	4 2.0	2 2.0	1 5.0	3 2.3	10 3.1	0 -	9 4.1	57
II			-15.1	-10.9	-13.3	-13.6		-17.3	- 2.8	7	-28.2	14	0 -	0 -	5 2.2	5 2.2	0 -	18 2.9	0 -	1 2.0	1 2.0	5 2.0	0 -	4 2.8	45
III			- 5.6	0.7	- 1.0	- 2.6		- 6.9	7.6	16	-25.0	4	0 -	0 -	8 2.2	2 3.0	1 2.0	18 3.2	1 3.0	0 -	0 -	6 2.3	3 2.7	15 2.6	39
IV			- 0.6	6.7	5.7	2.9		- 2.2	9.9	4	- 7.1	8	1 3.0	0 -	4 3.0	5 3.2	0 -	11 2.7	3 1.7	2 4.0	8 2.9	17 2.9	0 -	11 3.5	28
V			6.5	14.9	14.2	10.3		4.1	26.9	28	- 2.0	9	2 3.0	1 2.0	8 2.8	12 2.3	0 -	14 2.6	0 -	3 1.3	1 3.0	11 2.9	0 -	9 3.3	32
VI			9.6	17.5	16.2	13.0		7.5	23.3	5	0.9	14	1 1.0	5 2.4	4 2.5	17 3.0	5 2.8	11 3.0	1 3.0	3 2.3	4 3.2	9 3.3	0 -	3 3.3	27
VII			11.5	17.2	16.8	14.2		10.1	24.9	13	4.2	20	0 -	1 1.0	0 -	8 2.9	1 2.0	21 2.6	0 -	1 3.0	4 2.2	9 2.6	2 2.5	5 2.4	41
VIII			9.5	17.0	16.3	13.2		8.3	22.3	27	4.7	29	0 -	0 -	4 3.5	12 1.9	1 1.0	14 2.4	0 -	0 -	6 2.3	15 2.5	0 -	5 2.4	36
IX			4.6	11.5	9.5	7.7		3.5	19.7	4	- 4.9	29	1 2.0	1 3.0	1 2.0	6 2.2	0 -	13 3.3	0 -	1 2.0	5 2.8	7 2.6	0 -	8 3.1	47
X			- 0.7	4.8	1.4	1.4		- 2.5	11.4	11	- 8.1	21	2 2.0	2 2.0	1 1.0	4 2.8	0 -	14 2.4	3 2.0	2 2.0	4 1.5	12 2.0	2 2.0	7 3.3	40
XI			- 4.0	- 1.8	- 3.7	- 3.4	- 0.3	- 6.5	7.2	5	-15.7	17	0 -	0 -	1 1.0	2 1.5	0 -	26 2.5	4 1.5	2 1.0	5 1.4	9 2.3	2 2.5	1 1.0	38
XII			- 5.6	- 4.3	- 5.7	- 5.4	- 1.7	- 8.8	9.5	18	-19.5	23	3 1.7	1 1.0	2 3.0	4 2.2	1 2.0	13 2.4	0 -	2 2.5	3 1.7	10 2.0	4 2.0	6 2.5	44
1954			- 0.3	5.2	3.6	2.1		- 2.3	26.9		-28.2		11 2.4	11 2.1	43 2.5	78 2.5	9 2.3	177 2.7	14 1.9	18 2.3	44 2.3	120 2.6	13 2.3	83 3.1	474

Sikkilsdal

φ = 61° 29′ N λ = 9° 2′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.5	- 9.1	-10.4	-10.0	- 6.0	-14.0	5.7	2	-26.3	31	6 4.3	4 1.5	0 -	2 1.0	0 -	3 2.7	0 -	0 -	1 1.0	21 3.7	8 3.2	6 3.5	42
II			-13.9	-10.9	-13.2	-13.2	- 9.6	-17.9	- 1.1	6	-28.4	14	3 2.0	4 1.2	1 1.0	0 -	3 1.7	4 2.0	1 1.0	7 4.7	4 3.5	5 2.8	7 1.6	1 2.0	44
III			- 8.1	- 2.1	- 5.0	- 5.8	- 0.6	-10.8	6.6	12	-23.4	4	5 2.8	3 2.7	1 2.0	2 2.0	1 3.0	6 4.0	1 2.0	15 3.1	1 4.0	8 2.2	15 1.3	1 3.0	34
IV			- 4.7	0.3	- 1.3	- 2.8	1.8	- 7.0	6.7	17	-14.0	8	7 2.7	1 2.0	0 -	2 3.0	1 2.0	1 1.0	2 1.5	5 2.4	6 2.3	14 3.6	19 2.6	4 1.5	28
V			4.5	8.1	7.5	5.5	9.3	1.2	19.8	30	- 5.7	1	5 2.4	4 1.0	3 1.7	5 1.4	2 2.5	4 1.5	4 2.8	12 2.2	7 2.0	8 2.1	6 2.7	6 1.3	27
VI			7.6	10.8	10.4	8.4	13.2	3.7	18.4	5	- 2.1	14	4 3.2	5 1.4	3 1.0	3 2.0	3 2.7	3 3.0	5 3.0	18 2.7	8 3.2	11 2.7	4 3.8	1 1.0	22
VII			8.6	11.4	10.8	9.5	13.4	6.1	20.4	13	0.8	20	5 2.2	7 2.1	1 1.0	9 1.7	5 2.0	5 2.2	5 2.2	12 2.0	4 2.0	3 2.0	3 1.7	4 3.8	30
VIII			7.7	12.2	10.8	9.3	13.8	5.2	20.8	27	0.5	6	4 1.5	4 1.5	8 1.9	4 1.0	2 2.5	0 -	1 2.0	6 2.7	4 2.5	13 2.4	5 3.0	1 2.0	41
IX			3.1	6.8	5.3	4.5	8.2	1.5	14.0	2	- 3.0	28	2 1.0	3 1.7	1 2.0	1 1.0	2 2.0	4 3.0	3 3.0	26 2.6	5 3.0	10 2.8	9 2.3	3 1.7	21
X			- 1.7	1.9	- 0.5	- 0.4	2.8	- 3.2	9.9	3	-10.8	17	3 2.0	1 1.0	2 1.5	3 1.3	1 4.0	1 2.0	5 3.0	12 2.8	5 2.8	17 3.1	7 3.3	6 2.2	30
XI			- 5.8	- 4.4	- 5.9	- 5.6	- 2.7	- 8.8	3.6	1	-16.0	15	2 2.5	1 1.0	0 -	2 2.0	3 2.3	6 3.2	4 3.5	9 3.2	5 2.6	8 1.9	9 2.2	6 1.0	35
XII			- 5.4	- 5.1	- 6.1	- 5.7	- 2.5	- 9.5	6.3	18	-18.0	8	4 3.2	3 1.9	0 -	2 2.0	1 3.0	3 1.7	1 3.0	13 3.7	9 4.0	14 3.9	9 3.6	4 2.5	30
1954			- 1.5	1.7	0.2	- 0.5	3.4	- 4.4	20.8		-28.4		50 2.7	40 1.6	20 1.6	35 1.7	24 2.3	40 2.6	32 2.7	135 2.8	59 2.9	132 3.0	101 2.5	43 2.1	384

Vollen i Slidre

φ = 61° 5′ N λ = 8° 59′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	965.8	1016.8	-12.3	-10.9	-11.8	-12.0		-15.6	7.6	2	-30.0	31	0 -	1 6.0	5 1.4	0 -	0 -	5 2.0	0 -	0 -	2 1.5	0 -	1 5.0	20 2.7	59
II	70.2	21.6	-14.9	-11.7	-12.8	-13.5		-16.8	- 3.1	7	-29.4	14	0 -	0 -	3 1.0	1 1.0	0 -	7 2.7	0 -	1 2.0	6 1.0	0 -	0 -	3 1.3	63
III	61.1	11.1	- 7.4	- 1.4	- 1.2	- 3.9		- 8.4	7.1	23	-21.8	3	0 -	0 -	0 -	0 -	0 -	15 1.8	0 -	0 -	9 2.0	0 -	0 -	13 2.6	56
IV	68.2	19.0	- 3.1	5.1	4.2	1.1		- 3.9	9.6	23	- 9.9	8	0 -	6 2.5	3 1.3	0 -	0 -	6 2.0	0 -	1 4.0	7 1.9	0 -	2 1.5	33 3.2	32
V	70.5	19.1	4.5	13.2	12.4	8.5		2.9	25.3	29	- 3.3	9	0 -	0 -	2 1.5	0 -	0 -	5 3.4	0 -	4 2.2	9 1.7	0 -	0 -	29 2.4	44
VI	60.6	08.0	8.6	16.4	15.2	11.8		6.0	23.3	5	- 0.6	14	0 -	0 -	0 -	0 -	0 -	8 2.2	0 -	7 2.6	23 2.3	0 -	1 3.0	25 3.4	26
VII	56.5	03.6	10.7	16.3	15.3	13.0		8.7	22.7	13	4.6	24	0 -	2 2.5	3 2.0	0 -	0 -	12 1.8	0 -	6 2.5	25 1.7	0 -	0 -	8 2.4	37
VIII	60.0	07.4	9.0	16.3	15.0	12.3		7.6	20.3	27	4.1	25	0 -	0 -	1 1.0	0 -	0 -	7 1.4	0 -	12 2.0	6 1.7	0 -	0 -	22 3.0	45
IX	54.3	02.3	4.6	10.5	8.7	7.2		3.5	15.5	4	- 2.1	23	0 -	3 1.0	0 -	0 -	0 -	9 1.8	0 -	6 3.2	9 2.1	0 -	1 3.0	22 2.7	40
X	56.9	06.1	0.2	3.8	1.6	1.5		- 1.5	10.9	12	- 7.1	17	0 -	0 -	1 1.0	0 -	0 -	6 1.0	0 -	2 2.0	10 2.5	0 -	0 -	16 3.7	58
XI	62.8	12.9	- 4.4	- 3.0	- 3.9	- 3.9		- 5.6	3.5	4	-12.5	16	0 -	0 -	2 1.0	0 -	0 -	6 1.2	0 -	0 -	5 1.8	0 -	0 -	3 2.0	74
XII	51.3	01.0	- 5.7	- 5.3	- 6.1	- 5.8		- 8.6	7.8	18	-20.4	30	0 -	0 -	1 1.0	0 -	0 -	9 1.3	0 -	2 3.0	7 2.1	0 -	2 3.0	9 2.8	63
1954	961.5	1010.7	- 0.8	4.1	3.0	1.4		- 2.6	25.3		-30.0		0 -	12 2.4	21 1.3	1 1.0	0 -	95 1.9	0 -	41 2.5	118 1.9	0 -	7 2.9	203 2.9	597

Åbjørsbråten

φ = 60° 55′ N λ = 9° 18′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.3	- 7.8	- 9.7	- 9.6		-13.3	5.3	2	-26.3	31	2 3.0	5 2.2	0 -	2 1.5	0 -	0 -	0 -	0 -	3 1.0	11 1.4	2 1.0	14 1.6	54
II			-12.7	- 9.5	-12.0	-11.9		-15.6	- 0.6	6	-28.4	14	1 1.0	2 1.0	7 1.1	0 -	5 1.6	3 1.7	0 -	0 -	10 1.1	1 1.0	0 -	0 -	55
III			- 6.3	- 0.7	- 2.7	- 4.3		- 9.1	6.2	22	-20.7	3	0 -	1 1.0	7 1.0	2 1.0	7 1.4	2 1.0	0 -	3 1.0	16 1.3	6 1.0	5 1.0	1 1.0	43
IV			- 0.7	3.6	1.4	- 0.2		- 5.1	6.7	23	-12.0	17	3 2.0	13 1.2	7 1.1	0 -	2 1.0	4 1.2	0 -	1 1.0	9 1.7	6 1.0	7 1.1	4 2.0	34
V			7.4	10.9	9.5	7.3		2.3	22.0	28	- 3.7	17	0 -	8 1.1	12 1.2	2 1.5	9 1.0	5 1.0	0 -	2 1.0	1 1.0	1 1.0	2 1.0	6 1.2	45
VI			10.4	13.4	12.0	9.9		4.5	21.1	5	- 1.8	14	0 -	4 1.0	8 1.2	0 -	11 1.9	14 1.4	5 1.6	5 1.2	0 -	0 -	2 1.0	14 1.1	27
VII			11.1	14.3	12.8	11.2		7.3	20.6	13	1.8	8	0 -	9 1.1	2 1.0	2 1.0	4 1.0	6 1.2	1 1.0	1 1.0	5 1.0	1 1.0	3 1.0	4 1.0	55
VIII			10.5	14.6	11.9	10.7		5.9	20.0	27	2.4	22	2 1.0	1 1.0	8 1.1	3 1.7	3 1.0	3 1.0	0 -	3 1.0	4 1.2	7 1.1	6 1.0	8 1.0	45
IX			5.4	9.3	6.7	6.0		2.3	15.7	4	- 2.7	24	0 -	3 1.0	1 1.0	0 -	2 1.5	5 1.2	2 1.0	5 1.2	8 1.2	8 1.0	5 1.0	4 1.2	47
X			- 0.3	3.1	1.0	0.9		- 2.4	7.4	12	-11.1	17	2 1.0	1 1.0	1 1.0	0 -	1 2.0	7 1.7	0 -	3 1.3	16 1.1	1 1.0	0 -	2 1.0	59
XI			- 4.5	- 2.2	- 4.2	- 3.9		- 6.5	3.3	1	-15.4	16	0 -	0 -	3 1.7	6 1.3	6 1.2	4 1.2	0 -	1 1.0	4 1.0	0 -	1 1.0	2 1.0	63
XII			- 4.8	- 4.0	- 5.1	- 4.8		- 8.5	5.9	18	-18.2	26	0 -	0 -	3 1.3	6 1.3	1 1.0	0 -	0 -	0 -	13 1.6	2 1.0	7 1.0	0 -	61
1954			0.4	3.8	1.8	0.9		- 3.2	22.0		-28.4		10 1.7	47 1.2	59 1.2	23 1.5	51 1.2	53 1.3	8 1.4	24 1.1	89 1.3	44 1.1	40 1.0	59 1.3	588

Lillehammer

φ = 61° 6′ N λ = 10° 29′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-11.4	- 9.6	-10.6	-10.8	- 7.6	-14.2	3.6	3	-24.6	24	15 1.9	12 1.5	7 1.3	5 1.0	1 3.0	2 1.0	3 1.0	1 1.0	0 -	2 1.0	3 2.0	24 3.0	18
II			-12.6	-10.1	-11.5	-11.8	- 8.9	-14.8	- 2.8	7	-25.9	14	9 1.2	7 1.4	3 1.3	1 1.0	4 2.8	16 2.4	15 1.1	1 1.0	0 -	1 1.0	1 1.0	12 2.0	14
III			- 4.7	- 0.1	- 1.1	- 2.5	1.7	- 5.9	7.0	16	-15.7	3	8 1.6	8 1.8	0 -	3 1.3	5 2.8	13 2.2	9 1.2	13 1.4	1 1.0	4 2.0	1 4.0	7 1.7	21
IV			- 0.7	5.0	4.6	1.9	6.9	- 2.6	10.4	28	- 7.1	17	8 3.2	12 1.3	4 2.5	5 2.6	1 5.0	1 2.0	3 2.0	7 1.4	5 2.0	9 1.3	3 2.7	24 2.6	8
V			7.9	13.6	13.9	10.4	16.2	5.5	27.8	28	- 1.8	17	9 2.3	5 1.4	0 -	2 2.0	0 -	7 2.6	6 2.2	12 1.5	4 2.2	4 1.5	5 1.8	10 2.3	29
VI			11.1	15.6	15.6	12.8	18.2	7.8	25.3	5	0.7	14	4 2.2	2 1.5	1 1.0	0 -	2 2.5	25 2.9	10 2.6	10 1.9	7 2.0	4 2.0	4 2.2	7 2.1	14
VII			12.3	16.1	16.1	13.8	18.6	9.9	22.7	1	3.2	20	1 1.0	2 1.5	1 1.0	2 1.5	2 3.5	17 2.3	17 2.2	7 1.9	11 2.2	3 1.7	3 2.7	17 2.4	10
VIII			10.2	16.9	15.5	13.0	19.1	8.1	22.5	27	4.2	25	6 1.3	9 1.2	4 1.5	2 2.0	0 -	5 2.6	10 1.4	11 1.8	8 1.9	5 1.2	6 2.0	12 1.8	15
IX			5.8	11.5	9.6	8.2	13.2	4.3	19.7	5	- 3.0	29	6 2.0	6 1.2	1 1.0	9 1.8	5 1.2	15 2.5	5 3.4	6 2.5	6 2.0	4 1.5	2 1.0	8 2.5	17
X			0.8	4.8	2.3	2.2	6.1	- 1.1	12.4	12	- 5.9	17	3 1.3	5 1.4	5 1.2	4 1.0	2 3.0	18 2.4	6 2.0	9 1.7	6 1.0	4 1.0	1 1.0	12 2.9	18
XI			- 2.0	- 0.9	- 1.7	- 1.7	0.7	- 3.9	8.2	5	-12.7	16	6 1.8	8 1.6	4 1.2	11 2.3	3 3.3	17 2.1	8 2.2	3 1.0	6 1.2	2 1.0	5 1.6	7 2.3	10
XII			- 3.4	- 2.3	- 3.3	- 3.1	- 0.3	- 5.7	7.4	3	-14.8	23	11 1.5	12 1.3	4 1.0	5 2.2	3 3.0	16 2.8	8 2.4	3 2.0	3 1.3	4 1.5	3 1.3	10 1.9	11
1954			1.1	5.0	4.1	2.7	7.0	- 1.0	27.8		-25.9		86 1.9	88 1.4	34 1.4	49 1.8	28 2.7	152 2.5	100 1.9	83 1.7	57 1.8	46 1.4	37 1.9	150 2.4	185

1954

Vinstra

H_s = 241 H_b = . h_t = 2.1 h_a = h_d = 8.6 h_r = 1.5

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n: Regn ●	Sne *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	84	82	83	83	3.7	4.9	2.8	16	5	14	31		25		9	6	0	3	1	0	0	9	0	0	0	0	0	0	4	0	19	7	6	31
II	86	79	80	82	6.0	5.9	4.6	19	3	27	28		23		13	7	0	0	0	0	13	0	0	0	0	0	0	0	11	0	20	3	15	28
III	82	66	70	74	6.0	5.7	4.9	10	5	5	28		6		7	2	0	0	0	0	1	7	0	0	0	0	0	0	3	0	28	3	16	28
IV	78	46	47	60	4.8	5.3	4.8	0.5	0.2	1	23		0		3	0	0	0	0	0	1	3	1	0	0	0	0	0	1	1	29	3	9	2
V	84	54	56	70	4.8	5.5	5.3	36	11	23	7		0		11	8	1	0	0	0	10	2	1	0	0	1	0	0	5	5	24	2	12	1
VI	85	53	58	72	5.3	5.8	5.9	32	6	28	0		0		19	10	0	1	0	0	19	0	0	0	0	0	0	1	2	1	24	1	15	0
VII	90	65	68	80	6.6	6.8	6.6	132	38	15	0		0		24	22	2	0	0	0	24	0	0	0	0	0	0	3	6	8	23	0	21	0
VIII	94	64	66	79	6.6	6.2	5.7	80	14	11	0		0		17	15	4	0	0	0	17	0	0	0	0	0	0	1	1	10	29	0	16	0
IX	92	66	74	80	6.3	6.1	6.1	40	11	12	6		0		15	10	1	1	0	0	15	0	0	0	0	0	0	0	0	11	23	0	18	0
X	90	73	85	84	5.9	5.8	4.3	46	8	25	22		0		15	10	0	2	0	0	12	6	3	0	0	0	0	0	6	6	22	4	12	0
XI	91	83	90	89	5.6	6.0	5.6	39	12	30	29	18	7	0	17	9	1	0	0	0	4	15	2	1	0	0	0	0	9	5	17	2	16	22
XII	87	88	89	88	5.5	6.3	5.5	37	8	10	30	20	11	0	15	11	0	0	0	0	3	14	1	0	0	0	0	0	6	2	9	0	14	31
1954	87	68	72	78	5.6	5.9	5.2	488	38		204		72		165	110	9	7	1	0	119	56	8	1	0	1	0	5	54	49	267	25	170	143

Sikkilsdal

H_s = 1015 H_b = h_t = 2.1 h_a = h_d = 7.2 h_r = 2.2

I	76	74	76	76	4.3	4.6	3.5	28	6	10	31	26	23	0	11	7	0	12	1	0	3	10	1	4	0	0	0	0	3	0	2	8	9	31
II	84	78	80	81	5.2	5.4	4.8	25	6	26	28	28	28	0	14	11	0	3	0	0	0	14	0	0	0	0	0	0	3	0	10	3	13	28
III	85	70	75	78	5.1	5.3	4.9	22	6	9	30	14	16	0	12	8	0	6	0	0	2	11	0	4	0	0	0	0	1	0	18	4	13	31
IV	75	62	64	69	5.0	5.2	5.0	7	2	29	30	6	6	0	5	3	0	3	0	0	0	5	0	3	0	0	0	0	0	0	14	3	11	30
V	78	64	66	72	5.0	5.8	5.3	72	16	23	10	0	0	0	12	11	3	0	0	0	11	6	3	4	0	0	0	0	2	2	16	2	14	16
VI	77	60	63	71	5.2	6.3	5.9	90	16	10	3	0	0	0	14	12	4	4	0	0	14	1	0	0	0	0	0	2	4	0	8	2	16	0
VII	87	72	75	81	6.9	7.1	6.9	159	29	15	0	0	0	0	25	22	4	0	0	0	25	0	0	3	0	0	0	1	4	0	5	0	22	0
VIII	89	63	69	78	6.2	5.7	5.5	128	31	8	0	0	0	0	19	17	3	1	0	0	19	1	0	1	0	0	0	0	3	1	12	2	16	0
IX	84	69	75	77	5.8	5.8	6.4	70	13	10	13	0	0	0	16	9	2	2	0	0	15	5	0	9	0	0	0	0	5	1	11	0	17	3
X	83	73	78	79	5.1	5.6	4.8	94	23	30	25	5	1	0	20	12	4	11	1	0	15	15	5	12	0	0	0	0	4	4	11	3	11	18
XI	85	80	84	84	6.4	5.8	5.5	53	10	12	30	24	13	0	20	15	1	5	0	0	4	20	2	4	0	0	0	0	2	2	8	1	14	30
XII	81	80	82	81	5.3	6.0	5.0	56	13	3	30	23	15	0	20	13	1	12	4	1	4	20	2	1	0	0	0	0	0	1	0	1	14	31
1954	82	70	74	77	5.5	5.7	5.3	804	31		230	126	102	0	188	140	22	59	6	1	112	108	13	45	0	0	0	3	31	11	115	29	170	218

Vollen i Slidre

H_s = 403 H_b = 404.6 h_t = 1.9 h_a = h_d = 12.0 h_r = 1.6

I	84	84	84	84	4.2	4.9	3.9	27	11	14	31		24		11	6	1	4	0	0	1	10	0	0	0	0	0	0	0	0	26	7	6	20
II	91	86	88	89	6.1	5.7	5.4	31	7	18	28		22		18	10	0	0	0	0	0	18	0	0	0	0	0	0	0	0	20	3	15	28
III	91	74	73	80	5.4	5.2	4.3	16	6	5	29		11		13	5	0	0	0	0	3	11	0	0	0	0	0	0	0	0	28	4	10	31
IV	88	52	52	67	4.2	4.8	3.8	10	4	29	25		0		7	3	0	2	1	0	4	7	4	0	0	0	0	0	0	1	28	3	5	9
V	92	57	58	76	4.3	5.6	5.1	58	12	23	8		0		15	10	2	0	0	0	14	2	1	0	0	0	0	0	0	5	25	3	13	1
VI	88	56	61	76	5.3	5.3	5.4	51	9	10	1		0		15	10	0	0	0	0	15	0	0	0	0	0	0	0	0	1	28	3	11	0
VII	95	69	76	85	6.7	6.4	6.3	132	46	15	0		0		25	18	2	0	0	0	25	0	0	0	0	1	0	2	1	0	24	0	15	0
VIII	95	65	69	81	6.0	5.5	5.3	81	16	8	0		0		20	16	2	0	0	0	20	0	0	0	0	1	0	1	0	0	30	0	10	0
IX	94	70	78	83	6.5	5.9	5.7	69	14	17	6		0		17	13	1	1	0	0	17	1	1	0	0	0	0	0	1	1	26	0	14	0
X	91	77	86	86	5.7	5.8	5.5	88	17	30	20		0		19	13	3	6	1	1	12	10	3	0	0	0	0	0	1	1	23	2	15	16
XI	95	94	94	94	6.7	6.3	6.0	68	16	30	29		4		19	10	2	0	0	0	4	18	3	0	0	0	0	0	4	5	13	1	20	30
XII	89	90	91	90	5.1	5.8	5.5	66	12	10	31		13		19	14	1	1	0	0	7	19	7	0	0	0	0	0	0	2	19	4	15	31
1954	91	73	76	83	5.5	5.6	5.2	697	46		208		74		198	128	14	14	2	1	122	96	19	0	0	2	0	3	7	16	290	30	149	166

Åbjørsbråten

H_s = 635 H_b = h_t = 1.8 h_a = h_d = 13.0 h_r = 1.4

I					3.8	3.8	2.7	20	6	15	30		21		14	5	0	0	0	0	1	13	0	0	0	0	0	0	6	0	17	11	6	31
II					6.4	5.3	4.9	41	5	18	28		25		15	11	0	0	0	0	0	15	0	0	0	0	0	0	15	0	14	3	15	28
III					5.5	4.8	3.7	29	10	5	30		12		12	7	1	0	0	0	1	11	0	0	0	0	0	0	12	1	20	6	9	31
IV					3.9	3.6	2.9	14	5	29	29		2		8	5	0	0	0	0	0	8	0	0	0	0	0	0	5	0	26	6	2	30
V					4.5	5.6	4.9	94	25	23	7		0		15	12	3	0	0	0	14	3	2	2	0	0	0	0	4	7	19	6	13	5
VI					4.5	5.3	4.8	60	8	28	2		0		17	13	0	0	0	0	17	0	0	0	0	0	0	2	2	3	24	6	8	0
VII					6.8	6.4	6.0	141	30	15	0		0		26	23	3	0	0	0	26	0	0	0	0	1	0	1	8	7	17	0	18	0
VIII					5.4	4.7	4.1	96	33	11	0		0		18	16	1	0	0	0	18	0	0	1	0	1	0	2	5	3	25	2	9	0
IX					5.2	5.7	5.6	49	14	17	9		0		17	13	1	0	0	0	17	0	0	0	0	0	0	1	8	4	18	4	16	0
X					4.4	4.9	4.8	72	12	30	24		1		17	15	2	0	0	0	10	11	3	1	0	0	0	0	5	9	19	7	12	15
XI					5.6	5.4	5.7	57	10	30	30		4		18	14	1	0	0	0	3	17	2	0	0	0	0	0	9	6	12	4	15	30
XII					5.6	5.2	4.6	57	10	10	30		15		18	18	13	0	0	0	2	18	1	0	0	0	0	0	9	4	14	5	13	31
1954					5.1	5.1	4.6	730	33		219		80		195	152	25	0	0	0	109	96	8	4	0	2	0	6	88	44	225	60	136	201

Lillehammer

H_s = 226 H_b = h_t = 2.0 h_a = h_d = 9.4 h_r = 1.5

I	86	83	85	85	4.2	4.5	3.5	43	14	20	31	27	23	0	10	7	1	3	2	0	0	10	0	0	0	0	0	0	2	0	16	7	8	31
II	91	86	90	90	6.4	6.0	5.7	51	7	25	28	28	21	0	19	13	0	0	0	0	0	19	0	0	0	0	0	0	4	0	10	4	18	28
III	91	76	81	84	6.4	5.2	5.5	32	16	5	29	8	5	0	12	6	1	0	0	0	2	11	1	0	0	0	0	0	6	1	15	2	15	31
IV	82	58	57	68	4.4	4.3	3.9	8	4	1	26	0	0	0	6	2	0	2	0	0	1	6	1	0	0	0	0	0	3	0	28	6	5	20
V	83	64	61	72	4.7	5.2	4.5	72	24	25	1	0	0	4	12	10	1	0	0	0	11	2	0	3	0	0	0	0	7	2	23	4	9	1
VI	86	66	67	77	5.6	5.4	5.1	86	16	16	0	0	0	1	18	16	2	0	0	0	18	0	0	0	0	1	0	2	3	0	24	3	12	0
VII	91	76	75	83	6.2	6.1	5.5	123	14	31	0	0	0	0	25	20	4	0	0	0	25	0	0	2	0	0	0	3	2	0	26	0	15	0
VIII	95	69	72	82	5.6	5.3	4.5	103	20	9	0	0	0	0	21	13	5	0	0	0	21	0	0	0	0	0	0	4	0	0	28	3	9	0
IX	94	73	78	84	6.0	5.5	5.4	58	10	17	5	0	0	0	17	12	1	0	0	0	17	0	0	2	0	0	0	0	4	0	21	1	13	0
X	92	79	86	87	5.5	5.1	4.3	68	13	20	18	1	0	0	18	13	2	1	0	0	12	6	1	2	0	0	0	0	3	4	20	3	12	11
XI	92	91	92	92	6.1	6.3	6.3	64	26	30	26	15	2	0	17	13	1	0	0	0	7	16	6	2	0	0	0	0	3	1	11	2	17	21
XII	90	88	92	90	5.3	6.0	5.3	65	12	14	25	15	8	0	14	12	1	0	0	0	6	13	4	0	0	0	0	0	6	1	12	3	14	31
1954	89	76	78	85	5.5	5.4	5.0	773	26		189	94	59	5	189	137	19	6	2	0	120	83	13	11	0	1	0	9	43	9	234	38	147	174

1954

Åmot

φ = 61° 7'N λ = 11° 18'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			-11.1	- 8.9	-10.0	-10.3	- 6.6	-13.8	2.0	2	-26.2	31	10	4.3	19	1.2	0	-	0	-	0	-	16	1.2	0	-	0	-	0	-	15	1.5	32	1.6	1	1.0	0
II			-12.5	- 9.8	-10.9	-11.4	- 8.3	-13.8	- 3.8	7	-28.9	14	10	1.3	24	1.0	0	-	0	-	0	-	24	1.7	0	-	14	2.0	0	-	1	1.0	9	1.7	0	-	2
III			- 3.6	- 0.2	- 0.9	- 1.9	1.3	- 4.3	7.5	16	-12.5	3	11	1.7	9	1.1	0	-	2	1.0	8	1.4	21	1.5	1	1.0	15	1.2	1	1.0	13	1.8	12	1.6	0	-	0
IV			- 0.8	4.8	3.6	1.7	5.8	- 2.2	9.8	12	- 7.0	17	15	2.9	7	1.0	0	-	4	1.2	1	1.0	11	1.3	0	-	7	2.4	0	-	33	1.4	11	2.1	0	-	0
V			7.3	12.7	12.2	9.5	15.1	4.6	26.2	29	- 1.5	9	15	1.7	25	1.3	0	-	0	-	0	-	13	1.4	0	-	3	2.7	0	-	19	1.2	17	1.5	0	-	1
VI			10.4	14.8	14.0	11.9	16.8	7.1	23.5	5	0.5	14	5	2.2	17	1.2	0	-	0	-	11	1.1	37	1.5	0	-	7	1.1	0	-	7	1.6	6	1.5	0	-	0
VII			12.0	15.0	14.8	12.9	17.8	8.8	22.5	14	4.4	4	12	2.0	25	1.2	1	1.0	1	1.0	5	1.0	26	1.6	2	1.5	12	1.5	0	-	2	1.0	2	1.5	1	1.0	4
VIII			10.5	15.2	14.1	12.2	17.4	7.4	23.0	27	4.4	2	11	1.5	14	1.0	0	-	1	1.0	2	1.5	15	1.4	0	-	21	1.6	0	-	7	1.6	17	1.2	1	2.0	4
IX			5.9	11.1	8.6	7.7	12.2	3.7	18.6	3	- 3.1	28	14	1.2	8	1.6	0	-	4	1.0	5	1.0	21	1.6	0	-	10	1.8	0	-	17	1.3	11	1.1	0	-	0
X			0.0	4.5	2.7	2.0	6.1	- 1.5	12.8	7	- 7.7	19	21	1.4	3	2.0	0	-	0	-	3	1.7	23	1.1	0	-	12	1.8	0	-	22	1.7	5	1.4	0	-	4
XI			- 3.0	- 1.7	- 2.4	- 2.5	- 0.5	- 4.4	5.5	1	-11.2	16	14	1.3	27	1.0	0	-	0	-	0	-	6	1.2	0	-	12	1.0	0	-	16	1.1	14	1.0	0	-	1
XII			- 3.7	- 2.8	- 2.9	- 3.2	- 0.8	- 5.2	6.4	3	-16.7	26	11	1.6	17	1.1	0	-	0	-	0	-	9	1.3	0	-	5	1.4	0	-	20	1.1	27	1.3	0	-	4
1954			1.0	4.6	3.6	2.4	6.4	- 1.1	26.2		-28.9		150	1.9	195	1.2	1	1.0	12	1.1	35	1.2	222	1.4	3	1.3	118	1.6	1	1.0	172	1.4	163	1.4	3	1.3	20

Trysil

φ = 61° 20'N λ = 12° 15'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			-13.8	-10.6	-11.3	-12.1		-16.6	1.6	2	-31.0	23	7	2.0	11	2.5	0	-	7	2.3	0	-	21	2.5	0	-	0	-	1	2.0	9	2.9	21	3.5	4	2.8	12
II			-13.5	- 9.6	-12.2	-12.2		-16.5	- 3.8	7	-29.1	14	2	3.0	5	2.2	3	2.3	3	2.0	3	2.3	44	3.1	2	2.5	0	-	2	2.0	2	2.0	8	2.5	4	2.0	6
III			- 4.5	- 0.2	- 0.9	- 2.3		- 5.6	4.9	18	-16.0	20	1	2.0	6	2.3	0	-	11	2.3	0	-	41	3.1	1	2.0	0	-	1	1.0	2	1.5	27	2.8	1	3.0	2
IV			- 3.0	4.2	3.2	0.6		- 4.2	8.0	28	-10.6	17	3	2.7	4	2.5	0	-	2	2.5	0	-	17	2.7	1	3.0	0	-	3	1.7	8	2.6	42	3.7	4	2.0	6
V			6.2	13.5	13.2	9.5		3.0	24.4	29	- 3.3	1	2	2.0	3	1.3	0	-	3	2.7	2	3.0	24	2.7	4	2.2	0	-	3	2.7	5	2.4	31	2.7	3	2.7	13
VI			9.2	14.7	14.1	11.6		6.7	20.4	5	- 0.8	14	0	-	1	1.0	0	-	2	2.5	0	-	34	3.1	7	2.3	2	3.5	4	2.5	4	2.2	23	3.0	6	2.3	7
VII			11.5	16.0	15.6	13.4		9.1	21.9	11	4.0	4	1	4.0	1	3.0	0	-	6	2.2	1	3.0	39	3.3	4	2.8	0	-	4	3.0	4	2.0	24	3.2	4	2.8	5
VIII			8.7	16.3	14.7	12.2		7.2	22.6	27	2.8	22	3	2.7	9	1.9	0	-	8	2.2	0	-	29	3.0	3	2.7	0	-	4	1.8	8	2.4	18	2.9	4	2.5	7
IX			4.9	10.7	8.6	7.5		3.9	18.6	3	- 5.3	29	0	-	6	2.2	0	-	9	2.4	3	2.7	33	3.1	1	3.0	1	4.0	6	3.2	1	2.0	20	3.0	4	2.2	6
X			- 1.1	4.3	2.1	1.4		- 2.6	9.9	10	-10.3	19	2	2.5	14	2.1	0	-	7	1.9	4	3.2	30	2.7	4	3.2	0	-	5	3.4	2	4.0	17	2.9	4	2.5	4
XI			- 3.6	- 1.6	- 3.0	- 2.8		- 5.4	5.9	5	-17.5	16	2	2.5	8	2.0	0	-	21	2.3	5	2.6	32	2.8	0	-	0	-	1	2.0	2	2.0	13	2.6	2	2.5	4
XII			- 4.0	- 2.8	- 3.9	- 3.7		- 6.6	4.7	3	-23.1	26	2	2.5	7	2.1	0	-	6	2.3	4	2.2	34	2.8	2	2.5	0	-	6	3.0	2	4.0	13	2.6	10	2.9	7
1954			- 0.2	4.6	3.4	1.9		- 2.3	24.4		-31.0		25	2.4	75	2.2	3	2.3	85	2.3	22	2.7	378	2.9	29	2.6	3	3.7	40	2.6	49	2.5	257	3.1	50	2.5	79

Vang på Hedmark

φ = 60° 49'N λ = 11° 11'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			-10.4	- 8.3	- 9.5	- 9.7	- 6.2	-13.2	2.5	3	-26.7	31	3	3.0	26	1.5	26	1.1	13	1.2	2	1.0	3	1.0	0	-	0	-	0	-	1	1.0	6	1.7	13	2.2	0
II			-11.9	- 9.3	-11.1	-11.2	- 8.0	-14.7	- 3.0	8	-28.2	14	1	1.0	14	1.2	21	1.3	29	1.3	5	2.0	9	1.7	4	1.8	0	-	0	-	0	-	0	-	1	1.0	0
III			- 3.6	0.5	- 0.9	- 1.7	1.8	- 5.0	7.9	16	-12.0	3	2	1.5	7	2.7	5	1.8	14	1.3	1	2.0	28	1.5	12	1.7	5	1.0	7	1.0	5	1.4	2	1.5	5	1.4	0
IV			- 0.4	5.0	4.4	2.2	6.9	- 1.7	11.2	28	- 5.9	11	8	2.1	18	2.3	10	1.4	6	1.7	1	2.0	9	1.8	4	1.5	2	2.0	3	1.7	10	1.4	5	1.8	14	2.0	0
V			8.2	14.0	14.4	10.9	16.5	6.1	27.4	28	- 0.4	17	1	1.0	12	2.3	10	2.1	25	1.8	1	2.0	8	1.9	3	2.3	4	1.2	4	1.8	14	1.6	5	1.4	6	1.8	0
VI			10.9	15.4	15.6	12.9	18.2	8.5	25.4	5	2.1	14	0	-	5	2.8	9	1.7	4	2.0	6	1.8	15	2.1	18	2.1	8	1.6	4	2.0	12	1.5	1	2.0	8	1.5	0
VII			12.5	16.8	16.3	14.2	19.2	10.2	23.2	13	4.5	20	4	1.5	9	1.9	12	1.7	11	2.0	8	1.8	17	2.0	9	1.9	3	2.3	8	1.5	2	1.5	4	1.5	6	1.5	0
VIII			10.9	17.1	15.8	13.5	19.1	8.8	23.4	27	5.2	24	2	2.0	6	1.7	4	1.8	19	1.7	5	1.8	11	1.9	9	1.7	5	1.4	6	1.8	11	1.7	4	1.5	8	1.6	3
IX			6.4	11.9	10.0	8.8	13.3	5.4	19.3	4	- 2.6	29	4	1.5	8	1.5	8	1.5	12	1.5	4	1.8	14	1.9	12	1.7	3	1.0	2	1.5	9	1.8	11	1.7	3	1.7	0
X			1.4	5.6	3.4	3.1	6.9	- 0.5	12.0	14	- 6.0	23	2	2.0	11	1.2	14	1.4	21	1.1	4	1.8	4	1.5	4	2.5	5	2.0	7	1.6	6	1.5	6	1.2	9	1.4	0
XI			- 1.4	- 0.2	- 0.9	- 0.9	0.9	- 2.8	8.1	10	-11.0	16	1	1.0	12	1.3	26	1.6	24	1.3	5	1.4	5	1.8	2	2.0	2	1.5	3	1.0	2	1.5	0	-	7	1.3	1
XII			- 2.4	- 1.5	- 2.2	- 2.1	- 0.3	- 4.2	6.8	19	-15.2	30	0	-	3	1.7	20	1.3	15	1.3	6	1.7	11	1.8	2	1.0	4	1.5	2	1.0	5	1.9	9	1.2	15	1.2	1
1954			1.7	5.6	4.6	3.3	7.4	- 0.3	27.4		-28.2		28	1.9	131	1.7	165	1.5	193	1.4	48	1.7	134	1.8	79	1.8	41	1.5	46	1.5	77	1.6	53	1.5	95	1.6	5

Ø. Toten

φ = 60° 42'N λ = 10° 53'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 8.5	- 7.3	- 7.9	- 8.1		-10.8	0.4	14	-23.4	31	5	5.2	3	5.3	2	1.5	3	1.7	3	1.7	4	1.5	5	1.4	12	1.4	7	1.6	10	1.4	18	1.6	19	3.1	2
II			-11.7	- 9.2	-10.3	-10.8		-13.7	- 3.7	22	-24.1	14	4	1.2	5	1.2	13	2.1	8	1.8	5	2.0	10	2.0	8	2.1	3	3.0	7	1.3	4	1.0	5	1.8	11	1.1	1
III			- 2.9	0.6	- 0.8	- 1.6		- 4.5	8.0	16	-11.3	3	3	1.3	1	1.0	13	1.7	4	1.5	5	2.0	3	2.0	8	1.6	14	1.7	2	1.0	7	1.1	7	1.7	23	1.3	3
IV			1.4	5.1	3.9	2.3		- 1.5	9.4	28	- 6.6	8	8	1.9	9	2.0	6	1.7	3	1.3	2	1.0	2	2.5	4	1.5	14	2.0	4	2.0	5	2.0	4	2.0	29	2.2	0
V			9.1	13.4	13.5	10.6		7.0	24.9	28	0.2	1	16	1.5	17	1.8	12	1.8	7	1.7	2	2.0	0	-	10	1.8	4	1.5	0	-	2	2.0	5	1.2	17	1.6	1
VI			12.2	15.6	15.3	12.9		8.7	25.0	5	1.5	3	2	1.0	9	1.3	7	1.1	15	1.5	7	1.7	4	2.2	15	2.5	13	2.5	0	-	5	1.6	3	3.0	9	1.6	1
VII			13.6	16.5	16.0	14.0		10.2	21.8	1	6.1	24	5	1.4	7	1.6	6	1.0	13	1.3	1	1.0	14	1.9	9	2.1	4	1.2	0	-	1	2.0	6	1.3	25	1.4	2
VIII			12.6	17.0	15.2	13.5		9.1	20.0	25	5.9	24	10	1.0	7	1.6	10	1.3	8	1.1	2	1.5	5	1.8	6	1.7	13	2.5	4	2.2	3	2.3	8	1.2	13	1.5	4
IX			8.2	12.2	9.8	9.3		6.3	18.7	4	- 0.7	28	1	1.0	1	1.0	8	1.5	7	1.3	5	2.4	7	2.1	6	2.3	22	2.5	4	1.5	8	1.8	8	1.8	12	2.2	1
X			2.9	5.9	4.0	3.9		1.0	12.3	14	- 3.9	17	5	1.2	3	1.3	5	1.6	3	1.3	1	1.0	8	2.2	6	2.5	24	3.0	8	2.5	3	1.7	9	1.6	16	1.9	2
XI			- 1.0	0.4	- 0.8	- 0.7		- 2.3	6.8	5	- 8.7	16	3	1.7	0	-	6	1.8	13	1.9	8	2.6	6	1.5	15	1.4	5	2.4	3	1.3	9	1.1	11	1.1	10	1.3	1
XII			- 1.8	- 1.0	- 1.6	- 1.6		- 3.8	5.3	18	-12.6	30	3	1.0	3	1.0	4	1.8	4	1.5	1	2.0	6	2.0	11	2.0	15	2.9	6	2.3	15	1.4	8	1.4	17	2.4	0
1954			2.8	5.8	4.7	3.6		0.5	25.0		-24.1		65	1.7	65	1.7	92	1.6	88	1.5	42	2.0	69	2.0	103	1.9	143	2.4	45	1.8	72	1.5	92	1.5	231	1.8	18

Eggemoen

φ = 60° 13'N λ = 10° 19'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			-11.0	- 7.1	- 9.6	- 9.2	- 5.2	-13.9	4.6	2	-25.5	31	8	2.5	17	1.8	22	1.6	0	-	0	-	2	1.5	5	1.0	0		1	3.0	4	1.2	2	1.0	10	3.1	22
II			-11.6	- 8.3	-10.9	-10.8	- 7.0	-14.5	- 2.5	7	-26.8	15	9	3.3	14	1.6	22	1.5	2	3.0	1	1.0	3	1.7	9	2.1	8	3.0	1	1.0	0	-	0	-	2	1.5	13
III			- 3.4	0.7	- 0.7	- 1.6	2.4	- 4.9	9.8	16	-13.8	3	9	2.7	8	1.6	18	1.5	0	-	0	-	6	1.8	10	3.1	6	1.2	15	2.0	0	-	0	-	0	-	21
IV			0.9	6.4	5.1	2.8	8.5	- 3.7	13.1	23	- 8.5	8	11	2.7	15	2.3	15	2.1	0	-	0	-	2	2.0	10	2.2	2	2.0	19	1.8	6	2.5	2	3.0	2	2.0	5
V			8.7	14.3	14.2	10.8	15.9	4.6	28.4	29	- 2.1	9	10	2.4	8	2.0	18	2.3	6	2.5	0	-	5	2.2	13	2.2	7	1.9	18	2.1	3	1.3	1	1.0	2	2.5	2
VI			12.1	16.2	16.3	13.2	19.3	6.9	27.0	5	- 1.0	14	2	2.5	6	1.8	12	1.9	3	2.0	0	-	2	2.5	23	2.8	10	2.5	22	2.4	5	2.0	3	2.0	2	2.0	0
VII			13.4	17.3	15.8	14.3	19.9	8.6	25.0	13	2.7	22	5	3.0	5	1.8	19	1.8	2	1.5	1	2.0	8	1.9	28	1.8	10	2.5	10	2.0	2	1.5	0	-	1	1.0	2
VIII			11.9	18.0	15.7	13.6	20.0	6.8	23.6	27	1.9	4	7	2.1	2	2.0	26	1.8	1	2.0	0	-	1	3.0	14	2.0	5	1.4	20	2.3	11	2.0	2	1.0	2	3.0	2
IX			6.3	12.9	10.1	8.7	14.4	3.3	21.6	2	- 7.5	28	4	2.8	4	1.5	7	1.3	0	-	0	-	3	2.7	26	2.2	7	1.7	19	1.9	6	1.7	0	-	6	1.8	8
X			1.2	6.5	3.1	3.0	7.6	- 1.5	12.8	14	- 7.6	20	4	1.8	2	2.0	17	1.5	0	-	0	-	4	1.2	23	2.5	8	1.8	9	1.9	7	2.0	2	2.5	1	2.0	16
XI			- 1.0	1.2	- 1.0	- 0.5	2.0	- 3.4	9.5	5	-14.4	6	2	4.5	3	1.3	24	1.6	4	2.0	0	-	11	2.3	18	1.6	2	1.0	2	2.0	9	1.7	1	1.0	1	1.0	13
XII			- 2.3	- 0.6	- 2.3	- 1.9	0.8	- 5.5	8.5	19	-15.1	23	5	1.2	7	1.6	33	1.5	3	2.7	0	-	2	3.0	19	3.0	3	2.3	2	2.5	3	2.0	3	2.3	1	4.0	12
1954			2.1	6.5	4.7	3.5	8.3	- 1.4	28.4		-26.8		76	2.6	91	1.8	234	1.7	21	2.3	2	1.5	49	2.1	198	2.3	68	2.0	138	2.1	56	1.9	16	1.9	30	2.4	116

1954

Åmot

H_s = 310 H_b = h_t = 2.0 h_a = h_d = 6.7 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dag	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n: Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snedekke
I	89	82	86	86	4.5	4.4	4.5	38	14	15	31	30	20	0	6	6	1	1	0	0	0	6	0	0	0	0	0	0	3	10	12	3	8	31
II	90	87	90	90	5.6	6.0	5.6	106	14	24	28	28	21	0	17	17	5	0	0	0	0	17	0	0	0	0	0	0	9	6	6	3	13	28
III	90	90	81	84	5.9	5.3	5.1	33	12	8	29	9	2	0	5	5	2	0	0	0	0	5	0	0	0	0	0	0	8	7	14	1	12	31
IV	80	59	63	70	4.1	4.1	3.8	15	3	1	26	0	0	0	6	6	0	0	0	0	2	6	1	1	0	0	0	0	4	6	23	0	2	29
V	82	60	63	73	4.6	4.7	4.3	52	17	23	4	0	0	4	8	7	2	0	0	0	7	2	0	0	0	0	0	1	6	5	22	1	9	2
VI	80	60	63	72	4.8	4.6	4.3	88	12	10	0	0	0	0	16	16	2	0	0	0	16	0	0	1	0	0	0	0	4	5	21	1	6	0
VII	86	74	75	81	5.9	5.5	5.2	116	28	15	0	0	0	0	18	17	3	0	0	0	18	0	0	2	0	0	0	1	4	12	23	0	13	0
VIII	[illegible]	69	73	80	5.5	4.7	4.5	82	25	11	0	0	0	0	15	13	2	0	0	0	15	0	0	0	0	0	0	2	0	15	25	3	5	0
IX	92	73	80	84	5.3	5.1	4.4	101	23	17	5	0	0	0	15	14	3	0	0	0	15	0	0	0	0	0	0	0	6	8	18	0	9	0
X	91	80	84	86	4.6	5.4	4.9	75	16	30	19	1	0	0	11	11	2	0	0	0	8	4	0	1	0	0	0	0	6	8	12	2	11	9
XI	94	90	91	92	5.8	6.3	6.0	103	30	30	26	18	2	0	15	13	2	0	0	0	3	14	0	2	0	0	0	0	7	13	6	1	15	21
XII	90	82	86	87	4.8	5.4	5.5	91	17	1	30	16	6	0	11	11	4	0	0	0	6	9	2	1	0	0	0	0	3	12	5	0	12	31
1954	88	75	78	82	5.1	5.1	4.8	900	30		198	102	51	4	143	136	28	1	0	0	90	63	3	8	0	0	0	4	60	107	187	15	116	192

Trysil

H_s = 362 H_b = h_t = 1.9 h_a = h_d = h_r = 1.5

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dag	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snedekke
I	85	82	84	84	3.9	4.5	4.1	26	12	20	31		23		10	5	1	1	0	0	1	9	0	0	0	0	0	0	18	2	17	7	9	31
II	87	80	85	84	6.6	5.9	5.8	25	8	27	28		22		18	7	0	0	0	0	0	18	0	0	0	0	0	0	24	0	13	5	19	28
III	90	74	78	82	6.9	6.6	6.6	32	10	5	27		4		11	7	1	0	0	0	1	10	0	0	0	0	0	0	22	2	17	1	23	31
IV	84	52	57	68	4.4	4.8	4.0	12	4	29	29		1		8	4	0	2	0	0	2	8	1	0	0	0	0	0	8	1	26	1	7	21
V	81	54	55	68	4.6	5.3	4.6	32	9	2	7		0		12	8	0	0	0	0	11	1	1	0	0	0	0	2	7	1	25	2	8	0
VI	84	61	65	75	6.0	5.9	5.3	112	27	8	1		0		19	15	2	0	0	0	19	0	0	8	0	0	0	0	11	2	21	3	16	0
VII	85	63	69	77	6.0	6.1	5.9	118	18	16	0		0		21	18	5	1	0	0	21	0	0	3	0	0	0	1	10	0	23	1	15	0
VIII	94	60	69	80	5.5	5.4	4.8	92	19	8	0		0		18	14	3	0	0	0	18	0	0	8	0	0	0	3	12	1	28	4	11	0
IX	93	67	80	83	6.1	5.9	4.9	103	20	17	9		0		18	16	3	0	0	0	18	2	2	5	0	1	0	1	13	4	22	1	12	0
X	93	75	84	85	5.5	6.0	4.8	83	16	30	21		1		15	13	2	1	0	0	13	4	2	5	0	0	0	0	13	4	15	4	14	5
XI	91	87	92	90	6.7	6.2	6.2	80	26	30	26		3		17	15	2	0	0	0	5	17	4	1	0	0	0	0	22	1	11	2	20	22
XII	90	89	91	90	4.7	6.2	5.7	86	18	3	27		10		15	14	1	0	0	0	6	14	4	4	0	0	0	0	25	3	7	3	16	31
1954	88	70	76	80	5.6	5.7	5.2	801	27		206		64		182	136	20	5	0	0	115	83	14	34	0	1	0	7	185	21	225	34	170	169

Vang på Hedmark

H_s = 219 H_b = h_t = 2.0 h_a = h_d = 9 h_r = 1.7

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dag	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snedekke
I	80	77	79	79	4.7	4.7	4.2	25	12	20	30	25	20	0	6	4	1	0	0	0	0	6	0	0	0	0	0	0	5	1	13	3	9	31
II	83	79	83	82	6.7	6.1	6.2	39	12	25	28	28	20	0	13	12	1	0	0	0	0	13	0	0	0	0	0	0	9	2	6	2	16	28
III	86	71	76	79	6.8	5.9	6.1	31	11	5	29	6	3	0	9	8	1	0	0	0	1	8	0	0	0	0	0	0	8	2	17	0	19	31
IV	75	52	50	61	4.0	4.9	3.9	9	3	4	24	0	0	0	5	5	0	0	0	0	0	5	0	0	0	0	0	0	5	2	26	4	4	13
V	74	54	52	63	5.3	5.0	4.4	45	17	23	3	0	0	4	11	10	1	1	0	0	11	0	0	0	0	0	0	3	7	0	23	3	9	0
VI	79	59	60	70	5.4	5.3	5.3	58	8	10	0	0	0	1	13	11	0	0	0	0	13	0	0	0	0	0	0	0	8	0	23	3	12	0
VII	81	60	63	72	5.2	5.3	5.2	104	27	15	0	0	0	0	12	11	4	0	0	0	12	0	0	0	0	0	0	0	10	0	24	0	7	0
VIII	86	56	61	72	5.7	4.9	4.7	86	22	18	0	0	0	0	13	12	4	0	0	0	13	0	0	0	0	0	0	3	5	3	27	2	6	0
IX	82	61	72	74	5.5	5.8	5.1	50	14	17	4	0	0	0	13	12	2	0	0	0	13	0	0	0	0	0	0	0	7	0	18	1	10	0
X	93	69	79	78	5.5	6.0	4.7	54	13	25	19	0	0	0	10	10	2	0	0	0	8	2	0	1	0	0	0	0	8	2	9	3	11	6
XI	89	85	88	88	6.6	6.5	6.4	60	24	30	22	0	1	0	16	9	0	0	0	0	8	13	3	0	0	0	0	0	16	0	6	1	20	22
XII	84	84	85	84	5.3	6.3	5.3	45	6	2	23	13	4	0	13	11	0	0	0	0	8	9	4	0	0	0	0	0	9	1	5	3	14	13
1954	82	67	71	75	5.6	5.6	5.1	606	27		182	72	48	5	134	115	16	1	0	0	87	56	7	1	0	0	0	6	96	13	197	25	137	144

Ø. Toten

H_s = 270 H_b = h_t = 2.0 h_a = h_d = 10.7 h_r = 1.7

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dag	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snedekke
I					5.7	5.1	4.8	25	10	20	31		15		11	5	1	6	1	0	0	11	0	0	0	0	0	0	6	7	13	4	13	30
II					6.7	6.1	6.8	44	12	27	28		19		16	10	1	0	0	0	0	16	0	0	0	0	0	0	13	4	12	2	20	28
III					6.5	5.9	5.8	34	20	5	30		1		13	6	1	0	0	0	1	12	0	0	0	0	0	0	13	1	15	2	19	31
IV					4.3	4.0	3.9	8	4	2	23		0		7	4	0	1	0	0	3	7	3	0	0	0	0	0	6	1	29	3	4	21
V					5.2	4.7	4.6	63	22	23	0		0		14	9	2	0	0	0	14	0	0	3	0	0	0	1	7	2	22	5	9	0
VI					5.0	5.1	4.7	81	21	9	0		0		15	11	3	0	0	0	15	0	0	1	0	0	0	3	5	0	24	3	9	0
VII					5.6	5.6	5.2	95	15	12	0		0		19	14	4	0	0	0	19	0	0	1	0	0	0	1	6	0	26	0	12	0
VIII					5.1	4.8	4.2	91	35	11	0		0		16	9	4	0	0	0	16	0	0	1	0	0	0	3	7	2	26	3	4	0
IX					5.7	5.4	5.0	30	9	10	1		0		18	10	0	0	0	0	18	0	0	0	0	0	0	0	8	1	17	1	14	0
X					5.4	5.4	4.3	57	17	25	11		0		13	10	2	2	0	0	10	4	0	2	0	0	0	0	6	3	19	3	9	8
XI					6.9	6.3	6.1	32	12	30	21		0		16	8	1	0	0	0	6	13	3	1	0	0	0	0	15	2	7	0	19	21
XII					6.1	5.6	5.3	39	7	10	24		4		15	9	0	1	0	0	7	11	3	1	0	0	0	0	7	6	12	3	16	21
1954					5.7	5.3	5.1	599	35		169		39		173	105	19	10	1	0	109	74	9	10	0	0	0	8	99	29	222	29	148	160

Eggemoen

H_s = 195 H_b = h_t = 2.0 h_a = 10.7 h_d = 10.5 h_r = 1.7

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dag	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snedekke
I	90	87	88	88	5.2	4.6	3.4	32	14	20	31	27	23	0	13	6	1	2	0	0	1	13	1	1	0	0	0	0	9	5	15	5	10	31
II	91	87	90	90	6.8	6.1	5.4	53	8	25	28	28	19	0	16	10	0	0	0	0	0	16	0	0	0	0	0	0	16	1	9	3	18	26
III	94	79	84	87	7.3	6.5	6.3	33	15	5	29	6	3	0	13	9	1	1	0	0	3	13	1	2	0	0	0	0	14	4	11	2	22	31
IV	82	61	60	70	4.5	4.7	3.5	8	3	2	28	0	0	0	8	2	0	1	0	0	5	7	4	0	0	0	0	0	4	2	28	3	6	17
V	83	68	67	75	5.5	5.3	4.4	61	22	22	5	0	0	4	14	8	1	0	0	0	14	0	0	3	0	0	0	2	7	1	21	6	13	0
VI	81	70	69	76	5.5	5.9	5.0	47	9	24	1	0	0	2	16	11	0	0	0	0	16	0	0	0	0	0	0	0	7	0	25	4	11	0
VII	86	71	74	80	5.5	6.0	5.3	115	26	15	0	0	0	1	19	13	4	0	0	0	19	0	0	2	0	0	1	2	8	0	22	1	12	0
VIII	90	66	72	90	5.7	5.2	4.5	67	20	11	0	0	0	0	13	10	1	0	0	0	13	0	0	0	0	0	0	4	7	3	27	1	9	0
IX	94	67	78	85	6.0	6.0	5.0	57	12	10	9	0	0	0	20	12	1	1	0	0	20	0	0	0	0	0	0	0	9	0	16	1	15	0
X	92	72	88	86	5.7	5.5	4.3	61	20	25	22	0	0	0	16	10	1	0	0	0	11	5	0	1	0	0	0	0	6	1	12	5	14	3
XI	91	86	91	90	7.3	6.4	6.4	42	12	30	22	9	3	0	16	11	1	0	0	0	7	12	2	2	0	0	0	0	13	2	8	2	21	18
XII	87	87	90	88	6.0	6.6	5.1	48	10	10	26	13	7	0	17	12	1	3	0	0	7	10	0	2	0	0	0	0	15	0	8	3	16	18
1954	88	75	79	85	5.9	5.7	4.9	624	26		201	83	55	7	181	114	12	8	0	0	116	76	8	13	0	0	1	8	115	19	202	36	167	144

1954

Kutjern Fluberg (Røen)

φ = 60° 33' / 60° 47'N λ = 10° 33' / 10° 12'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.5	- 7.3	- 9.8	- 9.6	- 5.5	-14.2	4.4	2	-27.4	31	7 2.6	24 2.7	0 -	1 2.0	0 -	1 1.0	6 1.7	15 1.5	1 3.0	3 1.3	3 2.7	3 2.3	29
II			-12.4	- 8.3	-11.3	-11.2	- 7.6	-14.9	- 2.0	4	-28.5	14	2 1.5	15 3.2	0 -	2 1.5	1 1.0	2 2.0	9 3.0	16 2.4	0 -	1 1.0	0 -	0 -	36
III			- 4.4	- 0.8	- 2.2	- 3.0	0.5	- 6.5	7.8	16	-14.2	3	2 1.5	17 3.0	1 1.0	1 2.0	0 -	1 1.0	14 3.0	21 2.7	2 2.0	2 2.5	0 -	0 -	32
IV			- 0.8	3.7	2.4	0.6	5.4	- 4.6	9.8	23	-12.0	17	4 2.2	26 3.6	3 3.3	1 5.0	0 -	0 -	7 3.1	18 2.7	3 2.7	1 2.0	1 4.0	2 3.5	24
V																									
VI																									
VII			12.9	17.5	16.2	14.6	19.5	11.1	23.2	13	4.9	11	6 1.2	0 -	1 2.0	8 1.1	8 1.2	5 2.0	20 1.4	0 -	0 -	19 1.3	0 -	1 2.0	25
VIII			10.7	17.7	15.7	13.7	19.7	9.2	23.9	27	5.4	25	5 1.2	2 1.0	0 -	1 2.0	7 1.1	5 2.0	12 1.2	0 -	0 -	25 1.4	8 1.6	4 1.5	24
IX			5.8	11.8	10.0	8.5	13.6	4.9	20.0	6	- 2.4	28	2 1.0	0 -	0 -	5 1.0	13 1.2	7 1.3	6 1.7	0 -	0 -	18 1.2	13 1.5	1 2.0	25
X			0.9	4.8	3.2	2.6	6.3	- 0.5	12.1	12	- 5.1	17	4 1.0	0 -	0 -	8 1.5	13 1.4	0 -	1 3.0	1 1.0	0 -	9 1.4	34 1.2	1 3.0	22
XI			- 2.0	- 0.8	- 1.3	- 1.6	0.8	- 3.5	7.6	4	-13.0	17	2 1.5	0 -	0 -	4 1.5	14 1.3	12 1.3	4 1.2	1 1.0	1 1.0	8 1.4	24 1.1	2 1.0	18
XII			- 3.5	- 2.6	- 3.5	- 3.4	- 0.4	- 6.6	7.4	19	-18.7	30	3 1.0	1 1.0	0 -	0 -	7 1.6	14 1.4	3 1.0	5 2.6	2 1.5	21 1.3	21 1.4	0 -	16

Gardermoen

φ = 60° 12'N λ = 11° 5'E g = 9.820 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	989.2	1016.0	- 9.2	- 7.1	- 7.6	- 8.2	- 4.5	-12.0	4.0	3	-24.3	24	17 3.5	7 2.4	2 1.5	1 3.0	2 3.0	2 1.5	5 2.2	3 2.0	0 -	0 -	8 2.0	12 2.6	34
II	95.2	22.3	-11.7	- 8.8	-10.2	-10.5	- 7.3	-14.0	- 2.5	7	-26.1	16	2 1.0	13 2.8	6 2.0	5 2.0	9 2.3	5 3.0	5 3.0	1 2.0	0 -	1 2.0	0 -	0 -	37
III	85.3	11.6	- 2.8	1.3	0.0	- 0.8	1.7	- 3.7	8.3	16	- 9.3	3	10 2.2	7 2.3	8 2.2	6 2.2	3 3.7	5 3.0	16 2.7	12 2.9	1 2.0	2 1.0	0 -	2 2.5	21
IV	91.6	17.8	- 0.7	4.7	5.0	2.2	6.9	- 2.1	11.8	28	- 7.0	11	18 3.1	8 3.4	3 3.3	0 -	0 -	9 2.2	10 2.8	3 3.3	2 2.0	3 3.0	5 2.6	7 1.4	22
V	93.4	18.9	7.9	13.6	14.6	10.9	16.6	6.2	27.0	29	0.7	1	9 2.1	24 2.8	6 2.5	6 2.0	4 1.8	7 2.7	5 2.6	11 3.0	4 2.2	5 1.8	2 2.0	2 1.5	8
VI	84.3	09.4	11.2	15.3	15.7	13.1	17.9	8.7	24.6	5	2.1	14	1 2.0	4 3.8	5 2.2	5 1.4	5 2.2	6 2.7	27 3.1	17 3.1	6 2.8	3 3.3	1 1.0	2 1.0	8
VII	79.6	04.4	12.5	16.1	16.1	14.1	18.6	10.6	23.3	13	6.2	24	9 1.9	16 2.6	7 2.1	5 1.8	1 2.0	11 2.8	19 2.7	13 3.0	5 2.2	1 3.0	2 1.0	1 1.0	3
VIII	82.5	07.4	11.1	17.0	16.6	13.7	18.6	9.5	21.9	27	5.8	3	6 1.7	8 2.4	8 1.8	16 1.8	2 2.5	1 2.0	14 2.8	14 2.7	6 2.8	9 2.0	0 -	2 1.0	7
IX	77.6	02.9	6.7	12.1	10.9	9.3	13.7	5.7	21.2	2	- 2.2	24	8 2.0	1 3.0	2 2.0	8 1.8	2 2.5	5 2.8	21 2.7	14 3.3	2 2.5	6 2.5	3 2.0	5 2.0	13
X	80.6	06.4	2.2	6.4	4.3	3.9	7.5	0.8	11.7	14	- 4.3	28	5 2.6	6 1.7	5 2.0	6 1.8	5 2.2	2 2.0	9 2.7	19 3.7	5 2.0	4 2.0	4 2.2	6 1.3	17
XI	87.1	13.4	- 1.2	0.2	- 0.6	- 0.7	1.2	- 2.7	8.3	5	-13.0	16	3 3.7	8 2.1	3 1.7	13 1.8	14 2.3	9 1.9	8 2.8	7 2.3	1 1.0	2 1.0	3 1.3	2 1.5	17
XII	76.0	02.2	- 2.4	- 0.9	- 4.4	- 2.7	0.6	- 4.4	7.1	19	-16.8	26	12 2.2	6 2.0	4 1.8	6 2.3	5 2.2	5 2.4	11 3.2	10 3.3	2 1.5	5 3.0	3 1.3	5 2.0	19
1954	985.2	1011.1	2.0	5.8	5.0	3.7	7.6	0.2	27.0		-26.1		100 2.5	108 2.6	59 2.1	77 1.9	52 2.3	67 2.5	150 2.8	124 3.1	34 2.3	41 2.3	31 1.9	46 1.9	206

Flisa

φ = 60° 37'N λ = 12° 1'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-12.0	- 8.6	- 9.6	-10.3	- 5.6	-14.6	3.5	2	-29.5	23	10 3.6	2 1.5	0 -	0 -	1 2.0	4 2.0	0 -	1 1.0	0 -	0 -	0 -	15 3.1	60
II			-13.0	- 8.6	-11.3	-11.3	- 7.5	-15.3	- 2.0	7	-28.7	14	3 2.0	0 -	0 -	2 2.0	5 2.4	13 2.5	2 3.5	1 1.0	0 -	2 1.0	1 2.0	1 2.0	54
III			- 2.2	1.0	- 0.2	- 0.8	2.3	- 3.8	9.0	16	- 9.8	19	9 2.2	0 -	0 -	1 2.0	9 2.1	26 2.4	1 2.0	2 2.0	1 3.0	0 -	3 2.0	2 2.5	39
IV			0.3	5.9	3.8	2.5	7.5	- 2.2	11.5	20	- 5.5	9	18 2.9	2 1.0	0 -	2 1.5	3 1.7	9 2.2	5 2.4	1 2.0	1 2.0	0 -	0 -	17 2.6	32
V			8.8	14.8	14.3	11.2	17.4	5.2	28.0	28	- 2.6	9	9 1.7	3 2.3	0 -	5 2.2	2 1.5	10 1.9	6 2.0	2 1.0	0 -	0 -	2 2.5	5 2.8	49
VI			11.8	16.0	15.7	13.2	18.4	7.9	26.0	5	- 0.3	14	1 1.0	1 3.0	0 -	3 2.0	2 2.0	20 2.3	15 2.4	3 2.0	2 4.0	0 -	2 3.0	5 1.8	36
VII			13.4	17.5	16.5	14.6	19.7	9.4	23.6	14	4.2	4	4 3.0	2 2.0	0 -	0 -	8 2.2	17 2.3	3 2.3	4 1.5	0 -	0 -	3 2.0	7 2.9	45
VIII			11.4	17.4	14.6	13.4	19.4	7.7	23.5	27	3.0	4	1 2.0	0 -	1 1.0	4 1.8	8 1.5	6 1.7	4 2.5	3 2.3	0 -	1 1.0	4 1.5	5 1.2	56
IX			6.8	12.1	9.4	8.8	13.9	4.8	21.0	2	- 4.2	29	0 -	0 -	0 -	3 2.7	5 2.6	15 2.1	8 2.6	1 1.0	1 3.0	0 -	0 -	8 2.5	49
X			1.6	6.1	3.5	3.4	7.3	- 0.5	12.0	14	- 5.6	19	0 -	0 -	0 -	0 -	2 1.5	12 2.8	10 2.8	5 3.0	1 2.0	2 2.5	2 2.0	5 2.8	54
XI			- 1.4	0.0	- 1.1	- 0.9	1.1	- 3.0	7.0	1	-13.2	16	2 4.0	0 -	1 1.0	2 2.5	3 2.7	11 1.8	4 2.2	0 -	0 -	0 -	1 2.0	3 3.7	62
XII			- 2.4	- 1.3	- 2.2	- 2.1	0.5	- 4.7	6.6	3	-19.6	26	4 2.2	0 -	0 -	1 4.0	5 2.4	11 3.0	4 1.8	4 4.2	1 2.0	0 -	3 1.3	4 2.0	56
1954			1.9	6.0	4.4	3.5	7.9	- 0.8	28.0		-29.5		61 2.6	10 1.9	2 1.0	23 2.2	53 2.1	154 2.3	62 2.4	27 2.3	7 2.9	5 1.6	21 2.0	77 2.6	592

Vinger

φ = 60° 13'N λ = 12° 1'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.9	- 7.4	- 8.3	- 8.7		-12.3	4.9	2	-26.2	23	8 4.2	8 2.0	1 2.0	5 1.2	4 2.2	6 3.2	3 1.3	1 1.0	3 1.3	8 2.0	10 2.0	27 3.3	
II			-12.2	- 8.2	-10.1	-10.5		-14.0	- 3.4	27	-26.1	17	4 1.5	14 1.8	6 2.7	2 4.0	8 2.6	9 4.1	7 3.0	2 1.5	2 1.5	7 1.7	1 1.0	13 1.8	
III			- 1.9	1.3	0.3	- 0.5		- 3.1	7.9	16	- 8.4	19	6 1.8	10 2.1	3 2.0	7 2.1	9 2.8	8 4.1	15 2.1	4 2.8	5 2.0	10 2.7	2 3.0	7 2.1	
IV			1.4	5.8	4.4	2.7		- 2.2	10.1	20	- 6.3	7	11 3.8	6 2.5	9 2.7	4 1.8	5 2.2	1 2.0	6 3.0	5 2.4	6 2.7	9 2.2	15 2.2	12 3.2	
V			10.0	15.1	14.1	11.3		5.8	26.4	28	- 2.1	17	6 3.3	16 3.0	6 2.0	12 2.3	9 2.1	1 3.0	8 2.8	6 2.8	5 2.2	4 2.8	12 2.6	7 3.0	
VI			13.4	16.1	15.5	13.6		9.1	24.8	5	1.6	14	3 2.3	5 2.6	5 2.4	7 2.3	2 3.5	4 3.5	12 3.0	18 2.4	11 3.1	4 2.2	11 2.6	7 2.7	
VII			14.2	17.3	16.6	14.7		10.7	23.2	14	5.6	4	9 3.0	6 2.7	6 2.2	8 3.2	2 4.5	9 3.0	11 2.2	17 2.9	4 2.5	6 2.8	6 2.2	9 2.1	
VIII			13.0	17.8	15.5	14.0		9.1	21.2	24	4.6	22	5 1.8	5 2.2	3 2.0	7 2.7	4 2.5	4 2.8	6 1.8	12 1.8	11 2.5	14 2.1	13 1.9	8 1.6	
IX			[illegible].2	12.8	10.2	9.7		5.9	21.5	2	- 2.5	28	3 2.0	4 1.5	0 -	5 2.0	5 2.8	4 3.2	11 3.4	12 3.7	8 2.4	10 3.2	7 2.4	17 2.1	
X			2.9	6.5	4.0	4.1		0.2	11.9	12	- 4.5	2	6 2.2	3 2.0	3 1.7	5 1.6	8 2.0	9 2.7	8 2.4	2 3.0	10 2.6	9 2.0	14 1.9	13 1.6	
XI			- 1.4	0.5	- 0.7	- 0.7		- 2.8	8.1	5	-13.9	16	6 1.7	3 2.3	2 1.0	9 1.9	13 2.8	7 3.1	8 2.5	1 1.0	5 1.8	4 1.0	9 1.4	10 1.5	1
XII			- 2.0	- 0.9	- 1.7	- 1.6		- 4.2	6.5	18	-17.6	26	6 1.8	3 1.7	2 2.0	6 2.7	4 3.8	8 3.4	8 2.1	6 2.5	4 2.8	8 2.5	11 1.8	13 1.9	1
1954			3.0	6.4	5.0	4.0		0.2	26.4		-26.2		73 2.7	83 2.3	46 2.2	77 2.3	73 2.6	70 3.3	103 2.5	86 2.6	74 2.4	93 2.3	111 2.1	143 2.3	6

Hvam

φ = 60° 6'N λ = 11° 24'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.8	- 6.7	- 8.0	- 8.4		-12.7	3.2	2	-25.3	28	13 2.1	29 1.2	8 1.0	5 1.2	1 2.0	6 1.3	5 1.2	7 1.0	0 -	2 1.0	4 1.0	12 2.7	
II			-11.9	- 7.5	-10.3	-10.2		-14.0	- 3.3	7	-27.8	5	9 1.0	25 1.4	8 1.0	13 1.2	9 1.4	8 1.8	4 2.5	2 1.0	0 -	0 -	0 -	6 1.0	
III			- 1.9	1.2	0.0	- 0.6		- 3.2	7.2	16	- 8.6	3	6 1.0	18 1.3	6 1.0	3 1.0	4 1.5	8 1.6	15 1.7	17 1.5	3 1.0	2 1.0	2 1.0	7 1.0	
IV			1.6	6.3	4.6	2.9		- 2.4	11.4	23	- 7.2	7	5 1.6	22 2.0	5 1.2	2 1.0	1 1.0	8 1.1	16 1.4	7 1.3	7 1.6	2 3.0	2 1.5	13 1.5	
V			9.9	14.8	14.4	11.6		5.5	26.0	28	- 1.5	17	3 1.7	26 1.7	14 1.1	7 1.3	4 1.2	3 1.0	13 1.2	10 1.8	3 1.7	3 1.3	4 1.0	3 1.3	
VI			12.9	16.3	15.1	13.2		8.2	23.9	5	0.3	14	1 1.0	5 1.8	5 1.0	8 1.0	7 1.0	13 1.8	36 2.0	10 2.0	2 3.0	1 2.0	1 1.0	1 4.0	
VII			14.2	17.6	16.1	14.6		10.1	22.6	13	5.1	8	2 1.0	22 1.3	3 1.3	1 1.0	8 1.0	22 1.6	11 1.9	12 2.2	1 1.0	3 1.0	1 1.0	7 1.3	
VIII			13.0	18.1	15.9	14.2		9.1	21.8	27	5.1	31	5 1.0	15 1.3	7 1.3	3 1.3	6 1.3	10 1.4	15 1.5	16 1.8	8 1.8	2 1.0	2 1.0	3 1.3	
IX			8.1	13.0	10.4	9.6		5.7	20.4	2	- 2.6	24	2 1.0	11 1.3	2 1.0	1 1.0	3 1.3	17 1.7	15 2.2	17 1.9	4 1.2	5 1.6	3 2.3	10 1.2	
X			2.7	7.2	4.3	4.2		0.4	12.8	14	- 5.4	2	2 1.0	16 1.2	5 1.2	3 1.0	4 1.2	6 2.2	11 1.7	27 2.1	7 1.9	2 1.5	6 1.3	4 1.2	
XI			- 1.1	0.6	- 0.7	- 0.6		- 2.8	7.8	5	-15.9	15	0 -	13 1.1	11 1.1	10 1.1	13 1.5	10 1.1	10 1.5	9 1.1	1 1.0	1 1.0	4 [illegible]	[illegible] 1.9	
XII			- 2.2	- 0.6	- 1.7	- 1.6		- 4.4	6.9	3	-16.6	25	6 1.2	11 1.1	3 1.3	2 1.0	1 1.0	5 1.8	15 2.1	21 2.0	2 2.0	[illegible]	4 1.5	17 1.4	
1954			3.0	6.7	5.0	4.1		0.0	26.0		-27.8		54 1.4	213 1.4	77 1.1	58 1.3	61 1.3	116 1.6	166 1.8	155 1.8	38 1.7	28 1.4	33 1.3	91 1.5	

1954

Kutjern
Fluberg (Røen)

H_s = 493 160 H_b = h_t = 2.0 2.0 h_a = h_d = 8.3 h_r = 1.9 1.9

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < 10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær R	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	83	80	83	83	3.5	4.5	2.9	48	13	20	31	27	21	0	17	7	1	3	1	0	2	17	1	1	0	0	0	0	5	1	20	8	6	31
II	91	84	92	90	6.6	5.8	5.6	64	10	27	28	28	21	0	19	12	0	4	0	0	0	19	0	0	0	0	0	0	2	1	10	5	18	28
III	95	81	86	88	7.0	6.5	5.8	43	14	5	30	15	6	0	16	11	1	3	0	0	2	14	0	1	0	1	0	0	5	11	15	1	20	31
IV	77	53	55	64	4.7	4.9	4.1	19	7	2	28	1	2	0	9	5	0	4	0	0	0	9	0	0	2	0	0	0	3	1	29	2	6	30
V																																		
VI																																		
VII	86	68	75	81	6.0	6.2	5.5	123	21	15	0	0	0	0	22	19	4	0	0	0	22	0	0	0	0	0	0	4	9	0	27	2	15	0
VIII	92	64	69	79	5.4	5.5	4.5	86	28	8	0	0	0	0	18	13	2	0	0	0	18	0	0	0	0	0	0	4	9	0	26	2	10	0
IX	94	72	79	84	5.7	5.9	5.0	64	11	17	5	0	0	0	17	13	1	0	0	0	17	0	0	1	1	0	0	0	14	2	23	1	12	0
X	92	79	86	87	5.2	5.5	4.2	72	14	20	17	0	0	0	18	14	2	0	0	0	15	6	2	4	0	0	0	0	9	2	16	5	13	9
XI	94	91	94	93	6.6	6.4	6.3	79	26	30	23	12	2	0	17	12	1	0	0	0	7	16	4	3	0	0	0	0	15	4	9	1	20	21
XII	90	90	92	91	5.5	5.9	5.0	62	10	14	26	15	7	0	14	13	1	0	0	0	6	11	2	1	0	0	0	0	14	6	14	4	15	31

Gardermoen

H_s = 202 H_b = 211.5 h_t = 1.9 h_a = 11.6 h_d = 11.2 h_r = 1.7

I	84	83	83	83	4.6	5.1	4.0	59	17	14	31	25	19	0	8	5	4	3	0	0	0	8	0	0	0	0	0	0	6	7	17	5	9	31
II	91	90	91	91	6.8	6.0	5.3	82	17	27	26	28	17	0	18	12	3	0	0	0	0	18	0	0	0	0	0	0	16	6	16	2	17	28
III	92	85	83	87	7.3	6.5	6.5	66	17	5	28	6	0	0	15	11	2	1	0	0	6	14	3	3	0	1	0	0	7	12	12	1	23	31
IV	82	63	57	69	4.7	5.1	3.9	21	8	2	25	0	0	0	8	4	0	1	0	0	7	8	7	2	0	0	0	0	3	5	26	1	5	27
V	85	65	61	73	5.8	5.1	4.2	78	16	22	0	0	0	3	13	11	2	0	0	0	13	2	2	6	0	0	0	1	9	2	23	3	11	0
VI	85	70	71	78	5.4	5.6	5.1	76	12	27	0	0	0	0	18	13	3	2	0	0	18	0	0	4	0	0	0	0	10	3	29	3	13	0
VII	91	74	76	83	5.7	5.9	5.2	106	20	28	0	0	0	0	21	17	2	0	0	0	21	0	0	8	0	0	0	4	5	1	28	0	11	0
VIII	92	69	68	79	5.5	5.0	4.4	160	55	18	0	0	0	0	16	11	5	0	0	0	16	0	0	6	0	0	0	3	6	5	29	2	6	0
IX	93	74	79	84	5.6	5.5	4.9	93	20	10	5	0	0	0	17	14	4	0	0	0	17	0	0	6	0	0	0	0	7	5	25	1	10	0
X	90	79	85	85	5.3	5.8	5.1	85	24	25	12	0	0	0	11	6	5	5	0	0	10	2	1	6	0	0	0	0	3	4	19	3	12	2
XI	94	91	94	93	6.6	6.2	6.7	114	29	30	20	12	1	0	18	17	4	0	0	0	12	17	10	5	1	2	0	0	13	7	10	1	21	20
XII	90	89	90	90	5.3	6.6	5.2	96	16	10	24	13	5	0	17	13	3	3	0	0	10	13	6	7	0	0	0	0	11	9	11	2	15	31
1954	89	78	78	83	5.7	5.7	5.0	1036	55		173	84	42	3	180	134	37	15	0	0	130	82	29	53	1	3	0	8	96	66	245	24	153	170

Flisa

H_s = 183 H_b = h_t = 1.9 h_a = h_d = 8 h_r = 1.5

I	83	80	82	82	4.0	4.4	3.6	21	12	20	30	25	23	0	8	5	1	3	0	0	2	8	1	1	0	0	0	0	9	0	14	8	9	31
II	86	79	83	83	6.3	5.3	4.7	28	8	27	28	28	20	0	15	8	0	0	0	0	0	15	0	0	0	0	0	0	5	0	13	4	12	28
III	89	74	78	82	7.1	6.6	6.1	28	7	5	27	0	6	0	12	8	0	0	0	0	2	11	0	0	0	0	0	0	9	2	8	1	19	31
IV	80	56	55	66	4.3	4.5	3.7	12	3	30	26	0	0	0	9	5	0	1	0	0	4	9	4	0	0	0	0	0	4	1	24	3	5	11
V	80	57	56	68	4.6	4.8	4.4	49	17	23	4	0	0	4	15	12	1	0	0	0	15	1	1	1	0	0	0	2	8	0	21	5	9	0
VI	81	61	67	75	5.3	5.7	5.4	102	15	8	1	0	0	1	20	14	4	1	0	0	20	0	0	1	0	0	0	3	9	0	20	3	14	0
VII	86	65	71	79	5.3	5.9	5.3	65	11	12	0	0	0	0	15	11	1	0	0	0	15	0	0	5	0	0	0	1	6	0	26	0	11	0
VIII	92	62	75	82	5.2	4.6	4.8	100	14	8	0	0	0	0	16	12	5	0	0	0	16	0	0	0	0	0	0	4	14	0	22	3	6	0
IX	92	68	82	84	5.8	5.8	5.3	65	12	10	8	0	0	0	17	14	1	0	0	0	17	0	0	0	0	0	0	0	13	2	16	0	14	0
X	89	74	86	85	5.2	5.9	4.4	68	28	25	18	0	0	0	12	7	2	1	0	0	10	2	0	3	0	0	0	0	7	3	10	3	13	3
XI	91	86	91	90	6.9	6.4	6.5	65	24	30	21	13	2	0	17	11	1	0	0	0	8	12	2	5	0	0	0	0	12	1	7	0	20	13
XII	89	87	90	88	5.2	6.2	5.1	57	9	3	21	13	7	0	19	14	0	1	0	0	11	10	2	7	0	0	0	0	9	2	8	3	14	18
1954	86	71	76	80	5.4	5.5	4.9	660	28		184	79	58	5	175	121	16	7	0	0	120	68	10	23	0	0	0	10	105	11	189	33	145	135

Vinger

H_s = 175 H_b = h_t = 2.0 h_a = h_d = 10 h_r = 1.6

I	84	81	83	83	5.0	4.5	4.2	28	12	20	30		20		10	3	1	4	0	0	3	10	3	0	0	0	0	0	16	3	18	4	9	22
II	86	80	84	84	6.1	5.4	5.0	27	8	27	28		20		16	9	0	3	0	0	0	16	0	0	0	0	0	0	24	1	10	2	14	28
III	89	76	78	83	7.1	6.9	7.2	38	14	5	26		0		15	8	1	2	0	0	3	13	1	0	0	0	0	0	18	5	9	2	26	31
IV	76	53	54	65	4.9	4.9	3.4	17	4	30	27		0		8	7	0	3	0	0	4	8	3	1	0	0	0	0	10	1	27	3	5	12
V	74	57	60	69	5.1	4.6	4.5	65	17	26	3		0		15	10	3	0	0	0	15	1	1	0	0	2	0	1	18	0	25	6	10	0
VI	75	65	68	74	5.1	5.4	5.4	104	16	24	0		0		19	14	5	2	1	0	19	0	0	2	0	1	0	5	17	0	29	4	12	0
VII	80	68	71	77	5.5	5.9	4.8	110	19	17	0		0		24	13	3	4	0	0	24	0	0	4	0	0	0	3	21	2	28	1	10	0
VIII	84	62	71	78	5.9	4.7	4.6	80	19	11	0		0		18	13	3	0	0	0	18	0	0	0	0	0	0	2	21	2	29	1	7	0
IX	88	68	80	82	5.9	5.5	5.3	92	15	10	5		0		19	15	2	3	0	0	19	1	1	2	0	0	0	0	17	4	21	1	11	0
X	88	73	84	83	5.4	5.5	4.1	67	22	25	16		0		17	7	1	2	0	0	14	4	1	3	0	0	0	0	14	1	18	5	10	1
XI	91	87	90	90	7.0	6.3	6.6	64	18	30	21		1		20	13	1	1	0	0	10	15	5	2	0	0	0	0	17	1	8	0	21	17
XII	88	87	89	88	6.0	6.5	5.3	69	10	10	21		6		17	13	2	3	0	0	9	11	2	4	0	0	0	0	21	0	10	2	17	16
1954	84	71	76	80	5.8	5.5	5.0	761	22		177		47		198	125	22	27	1	0	138	79	17	18	0	3	0	11	214	20	232	31	152	127

Hvam

H_s = 162 H_b = h_t = 2.0 h_a = h_d = 10.0 h_r = 1.8

I	89	87	87	88	5.9	5.1	4.2	44	17	20	30		20		12	5	2	1	0	0	4	10	2	1	0	1	0	0	21	4	19	3	11	29
II	91	85	89	89	7.1	5.6	5.6	37	7	25	28		17		17	10	0	0	0	0	0	17	0	0	0	0	0	0	26	2	17	1	15	28
III	95	82	84	88	7.3	6.8	6.5	51	10	5	25		0		16	12	1	0	0	0	5	15	3	2	0	2	0	0	21	5	13	2	23	31
IV	81	59	59	70	4.5	4.7	4.1	16	3	2	26		0		9	8	0	0	0	0	6	9	5	0	0	0	0	0	10	3	27	3	8	15
V	81	62	63	72	5.5	4.9	4.5	69	20	22	4		0		16	10	3	0	0	0	16	0	0	2	0	1	0	2	20	1	27	6	12	0
VI	82	70	72	80	5.6	5.5	5.1	99	16	24	0		0		18	17	2	0	0	0	18	0	0	1	0	0	0	3	17	1	28	5	13	0
VII	86	70	77	84	5.9	5.9	5.2	97	20	28	0		0		21	16	4	0	0	0	21	0	0	2	0	0	0	2	19	0	29	1	11	0
VIII	90	67	74	83	5.5	4.5	4.5	48	8	11	0		0		15	11	0	0	0	0	15	0	0	2	0	0	0	4	16	3	30	1	7	0
IX	94	73	84	87	5.4	5.6	5.2	95	16	10	7		0		20	14	4	0	0	0	20	0	0	0	0	0	0	0	18	0	22	2	12	0
X	92	76	87	87	5.6	5.6	4.5	89	31	25	15		0		17	9	4	0	0	0	15	3	1	4	0	2	0	0	16	2	19	4	12	3
XI	94	92	94	94	7.2	6.1	6.7	66	17	30	19		2		19	15	1	0	0	0	11	13	5	0	0	0	0	0	19	2	12	2	20	17
XII	92	91	93	92	4.9	6.6	5.7	67	13	10	22		4		20	11	1	0	0	0	12	12	4	1	0	0	0	0	17	5	8	1	13	14
1954	89	76	80	84	5.9	5.6	5.2	778	31		176		43		200	138	22	1	0	0	143	79	20	15	0	6	0	11	220	28	252	31	157	137

1954

Skotterud

φ = 59° 59'N λ = 12° 8'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.3	- 6.7	- 7.4	- 8.0	- 3.9	-12.4	3.0	14	-25.4	23	19 1.9	2 1.5	7 1.6	7 1.6	0 -	2 1.0	8 1.0	1 1.0	0 -	7 1.6	3 2.0	0 -	37
II			-11.6	- 7.5	- 9.2	- 9.7	- 6.2	-14.0	- 1.5	7	-24.9	16	5 1.2	9 1.1	1 2.0	25 1.4	0 -	10 1.6	2 1.0	0 -	0 -	5 1.0	4 1.0	1 1.0	22
III			- 2.3	1.1	0.5	- 0.5	2.7	- 3.5	10.5	16	-11.8	20	8 1.2	7 1.0	1 2.0	18 1.3	0 -	5 1.6	3 1.0	2 1.0	0 -	8 1.0	4 1.2	0 -	37
IV			0.0	6.7	5.2	3.0	8.7	- 3.0	13.0	23	- 6.7	8	10 1.4	6 1.0	0 -	10 1.6	0 -	5 1.2	0 -	3 1.3	0 -	19 2.0	8 1.0	0 -	29
V			9.1	14.9	14.9	11.6	17.8	5.7	28.0	29	- 1.2	17	3 1.3	4 1.2	0 -	19 1.0	0 -	4 1.0	9 1.1	9 1.1	0 -	13 1.1	1 1.0	0 -	31
VI			12.2	16.5	15.9	13.7	19.3	8.4	27.0	5	2.4	14	0 -	2 1.5	0 -	6 1.0	0 -	3 1.7	11 1.4	15 2.8	0 -	24 2.0	2 1.5	0 -	27
VII			13.4	17.7	16.4	14.7	20.0	10.1	24.5	14	5.3	24	1 1.0	1 1.0	0 -	3 1.3	0 -	11 1.1	10 1.4	9 1.8	0 -	9 1.2	10 1.0	0 -	39
VIII			11.6	18.1	16.3	14.1	19.9	8.1	24.5	27	3.3	22	0 -	0 -	1 2.0	3 1.0	0 -	10 1.2	5 1.0	6 1.3	1 1.0	25 1.1	3 1.3	0 -	39
IX			7.5	12.9	10.6	9.6	14.9	4.7	24.0	2	- 4.0	29	1 1.0	6 1.3	0 -	4 1.2	0 -	4 1.0	4 1.0	17 1.6	0 -	15 1.7	3 1.3	0 -	36
X			1.7	7.1	4.4	4.0	8.5	- 0.3	13.5	14	- 5.8	15	3 1.0	4 1.0	0 -	8 1.0	1 2.0	7 1.4	2 1.3	16 2.8	0 -	9 2.0	7 1.0	2 1.5	34
XI			- 1.3	0.6	- 0.8	- 0.7	1.8	- 3.1	9.0	12	-16.9	16	10 1.0	5 1.0	1 3.0	9 1.3	0 -	15 1.4	3 1.0	4 1.0	0 -	1 4.0	9 1.1	0 -	33
XII			- 1.5	- 0.5	- 1.3	- 1.2	1.3	- 4.2	8.0	3	-17.3	26	9 1.0	8 1.0	2 1.0	3 2.3	0 -	3 1.0	6 1.0	13 2.4	0 -	6 2.2	8 1.9	3 1.0	32
1954			2.5	6.7	5.5	4.2	8.7	- 0.3	28.0		-25.4		69 1.4	54 1.1	13 1.7	115 1.3	1 2.0	79 1.3	63 1.2	95 2.0	1 1.0	141 1.6	62 1.2	6 1.2	396

Tryvasshøgda

φ = 59° 59'N λ = 10° 41'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.5	- 5.6	- 6.5	- 6.7	- 4.0	- 9.3	5.7	2	-18.9	31	25 3.9	14 3.5	0 -	2 4.0	0 -	5 3.4	2 3.0	12 3.2	12 2.9	3 3.3	7 4.3	11 2.8	0
II			- 9.8	- 8.3	- 9.2	- 9.3	- 7.3	-11.2	- 0.3	4	-16.5	15	1 1.0	16 3.1	12 3.9	19 3.1	7 3.6	9 3.4	5 2.8	7 3.1	2 2.5	1 2.0	3 1.7	2 2.0	0
III			- 3.6	- 1.3	- 2.3	- 2.6	0.1	- 4.8	8.0	16	-10.0	1	8 2.4	30 2.6	1 4.0	9 2.6	9 2.8	16 3.1	5 3.8	9 1.9	1 2.0	1 2.0	0 -	4 2.2	0
IV			- 0.3	3.7	1.7	1.1	5.2	- 2.0	10.0	23	- 4.0	8	9 3.3	16 2.9	3 3.3	6 3.5	3 2.0	10 2.0	6 2.8	19 2.3	3 2.7	5 2.4	2 4.5	8 3.4	0
V			7.6	11.3	10.7	9.2	13.8	6.2	24.5	29	- 1.1	1	4 3.0	16 2.8	10 3.0	17 3.2	2 3.0	12 3.2	3 3.0	14 2.4	3 2.0	4 2.2	3 3.0	4 2.5	1
VI			9.9	12.4	12.2	10.7	14.6	7.7	22.3	5	2.4	3	4 2.8	7 3.0	1 1.0	3 2.7	5 2.0	29 2.9	29 2.8	6 3.2	2 3.0	2 3.0	0 -	2 3.5	0
VII			11.0	13.9	13.0	11.9	16.0	9.3	20.5	13	6.8	22	7 1.4	16 2.8	5 3.0	11 1.5	3 2.0	19 2.2	27 2.5	1 3.0	0 -	0 -	0 -	1 2.0	3
VIII			10.7	14.7	12.8	12.1	16.4	9.3	20.0	26	6.3	29	5 1.8	15 2.5	4 1.8	9 1.9	4 2.2	13 2.5	15 2.3	7 2.4	6 2.2	4 1.5	2 3.0	3 1.7	6
IX			6.4	10.0	8.3	7.8	11.6	5.3	18.8	2	- 1.5	28	5 2.0	5 1.6	2 4.0	4 1.8	1 3.0	8 3.1	20 3.2	19 2.8	5 2.0	2 1.5	1 3.0	11 2.2	7
X			1.9	4.6	3.1	3.0	6.0	0.7	10.0	14	- 4.9	20	4 2.2	11 2.4	3 2.3	5 2.8	1 2.0	3 3.3	9 3.6	29 2.8	5 3.0	3 1.3	3 2.3	3 2.3	14
XI			- 1.7	- 0.7	- 1.5	- 1.5	0.5	- 3.3	6.1	5	- 9.2	21	12 2.6	26 2.5	5 1.6	13 2.8	5 2.8	3 3.0	5 2.6	7 2.1	3 1.3	1 1.0	1 1.0	5 3.4	4
XII			- 2.2	- 1.4	- 2.0	- 2.0	- 0.2	- 3.9	5.0	3	- 9.8	23	10 2.3	15 1.7	8 2.4	4 3.2	4 4.0	6 3.5	6 3.8	15 3.3	0 -	6 2.5	3 2.7	15 3.1	1
1954			1.9	4.4	3.4	2.8	6.1	0.3	24.5		-18.9		94 2.8	187 2.7	54 2.9	102 2.7	44 2.8	133 2.8	132 2.9	145 2.7	42 2.5	32 2.2	25 3.1	59 2.7	36

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1003.6	1015.9	- 7.0	- 4.3	- 5.2	- 5.7	- 2.4	- 9.0	5.8	3	-19.2	23	16 3.8	28 2.1	2 2.0	5 1.5	0 -	0 -	3 1.3	2 1.0	0 -	2 1.0	3 4.3	3 2.7	29
II	09.4	21.9	- 8.5	- 6.3	- 7.2	- 7.5	- 5.3	- 9.7	- 0.8	7	-19.9	15	1 2.0	29 2.4	5 2.2	10 1.6	1 2.0	4 2.2	8 2.9	3 1.0	0 -	3 1.0	0 -	0 -	20
III	999.5	11.5	- 1.2	0.9	0.3	- 0.3	2.1	- 2.4	8.2	28	- 7.6	3	4 1.5	21 2.6	1 2.0	5 2.0	1 3.0	6 1.3	21 1.5	12 1.4	2 1.0	0 -	0 -	0 -	20
IV	1005.7	17.6	2.6	6.4	5.8	3.8	8.3	- 0.3	14.2	23	- 3.4	11	15 2.7	19 3.1	1 1.0	0 -	0 -	1 2.0	22 2.0	5 1.0	4 1.2	6 2.7	1 1.0	1 2.0	15
V	06.9	18.5	10.7	14.7	14.3	12.0	17.3	7.6	27.9	29	1.6	1	7 3.0	31 2.7	2 2.5	2 3.0	2 1.5	3 1.0	19 1.6	10 1.6	4 1.0	5 1.2	1 1.0	0 -	7
VI	997.9	09.3	13.4	15.9	16.2	14.0	18.5	10.1	25.7	5	3.5	13	3 2.0	9 1.8	1 2.0	4 1.5	0 -	5 1.8	49 2.1	5 2.4	3 1.3	6 1.8	2 2.5	0 -	3
VII	93.0	04.3	15.1	17.6	16.9	15.5	19.5	12.2	24.1	13	7.8	22	5 2.2	18 2.7	5 2.0	5 1.8	2 1.0	7 1.7	30 2.4	11 1.3	3 1.0	5 1.2	0 -	0 -	2
VIII	95.9	07.3	14.0	18.4	16.6	15.2	19.8	11.4	23.1	26	7.3	29	5 1.4	18 2.4	4 2.2	5 1.6	2 1.5	4 1.0	24 2.2	10 1.9	3 1.7	5 1.6	1 1.0	4 1.2	8
IX	91.4	02.9	9.1	13.6	11.6	10.7	14.9	7.5	21.3	2	- 1.8	28	3 1.3	14 1.6	2 1.0	3 1.7	1 1.0	3 2.7	35 2.4	7 1.7	2 2.0	7 2.1	3 2.7	1 1.0	9
X	94.7	06.4	4.0	7.7	5.7	5.4	8.8	2.3	13.5	14	- 4.0	20	2 3.0	23 2.0	5 1.6	5 1.6	0 -	1 2.0	17 2.4	13 2.2	5 1.4	6 1.7	3 1.7	1 1.0	12
XI	1001.1	13.1	0.8	2.2	1.4	1.3	3.0	- 0.5	9.2	5	- 7.5	16	7 2.9	35 1.9	5 1.6	11 2.1	2 2.0	0 -	17 2.1	0 -	1 1.0	2 3.0	0 -	0 -	10
XII	990.2	02.1	- 0.2	1.2	0.0	0.2	2.2	- 2.1	7.6	3	-11.0	30	5 3.4	25 2.0	1 1.0	4 2.2	0 -	3 2.3	20 2.4	7 1.4	3 1.3	5 1.6	0 -	0 -	20
1954	999.1	1010.9	4.4	7.3	6.4	5.4	8.9	2.3	27.9		-19.9		73 2.8	270 2.3	34 1.9	59 1.8	11 1.6	37 1.7	265 2.1	85 1.6	30 1.3	52 1.7	14 2.4	10 1.7	155

Fornebu

φ = 59° 54'N λ = 10° 38'E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1013.0	1016.0	- 6.4	- 4.2	- 4.6	- 5.3	- 1.7	- 8.2	6.3	3	-19.1	28	21 2.3	16 2.2	6 1.5	3 2.0	1 1.0	1 2.0	0 -	1 1.0	0 -	4 1.2	2 1.0	13 2.7	25
II	19.0	22.0	- 8.1	- 6.1	- 6.5	- 7.1	- 4.3	- 9.3	0.0	7	-18.7	15	7 1.1	13 2.2	19 2.5	7 2.3	0 -	9 2.9	4 2.8	1 3.0	1 1.0	2 1.0	5 1.0	2 1.0	14
III	08.6	11.6	- 1.5	0.6	0.4	- 0.4	2.5	- 2.4	8.2	28	- 8.1	20	4 1.5	7 2.1	6 2.2	5 2.0	3 2.3	4 1.8	11 2.3	10 1.2	4 1.2	3 1.0	2 1.5	2 1.0	32
IV	14.9	17.8	1.9	6.7	6.5	4.3	9.0	0.1	15.4	23	- 5.4	11	13 3.4	8 2.4	7 2.6	6 1.8	7 1.4	3 1.3	13 2.0	7 1.9	4 2.8	1 4.0	3 2.3	5 1.4	13
V	15.8	18.6	9.9	14.8	15.4	12.4	17.8	8.0	28.6	29	2.3	1	8 2.4	6 2.0	22 2.8	4 2.0	7 2.0	3 1.7	12 2.1	10 2.0	5 2.0	2 1.5	0 -	4 1.5	10
VI	05.6	09.4	13.2	16.4	17.1	14.6	19.1	10.8	25.5	5	4.9	13	1 1.0	4 1.5	4 2.5	3 1.3	5 2.0	12 1.8	22 2.9	22 2.5	4 2.5	4 3.0	3 1.7	1 2.0	5
VII	01.6	04.3	14.8	17.9	17.6	16.0	20.1	12.8	25.0	13	8.8	22	2 1.5	7 2.7	10 1.9	7 2.0	12 1.8	9 2.2	22 2.7	9 2.1	3 1.7	3 2.0	2 1.5	2 1.5	5
VIII	04.6	07.3	13.7	18.8	17.8	15.9	20.5	12.0	23.4	26	9.1	22	7 1.1	14 1.9	8 2.1	5 1.8	7 1.6	4 2.0	14 2.6	11 2.7	7 2.4	4 1.5	1 2.0	3 2.0	8
IX	00.0	02.8	9.2	14.2	13.0	11.5	15.8	8.0	22.4	2	- 1.2	28	3 1.7	6 2.0	7 1.7	2 2.0	2 1.5	12 2.2	15 3.1	16 2.5	5 2.4	6 2.7	3 2.7	6 1.7	7
X	03.9	06.7	4.7	8.2	6.7	6.2	9.7	3.3	14.0	14	- 1.6	20	6 1.5	13 1.7	8 1.9	5 1.4	1 3.0	2 1.0	7 3.7	12 3.2	7 2.6	6 1.5	5 2.0	6 1.3	15
XI	10.1	13.0	1.4	2.8	1.9	1.8	3.8	0.0	10.1	5	- 6.8	16	5 1.8	9 1.6	20 2.4	6 2.2	9 2.9	6 1.7	3 3.3	6 2.5	1 1.0	3 2.7	1 2.0	5 2.6	16
XII	999.2	02.1	0.6	1.5	0.4	0.6	3.0	- 1.9	8.3	3	-11.6	30	11 1.7	7 1.3	7 2.1	6 1.8	3 2.7	1 2.0	6 4.0	7 4.0	7 1.6	6 3.0	7 1.9	7 2.1	18
1954	1008.1	1011.0	4.4	7.6	7.1	5.9	9.6	2.8	28.6		-19.1		88 2.0	110 2.0	124 2.3	59 1.9	57 2.0	66 2.0	129 2.7	112 2.5	48 2.1	44 2.1	34 1.8	56 1.9	168

Asker

φ = 59° 51'N λ = 10° 26'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.9	- 4.9	- 5.8	- 6.2	- 2.5	- 9.6	6.2	3	-17.5	31	13 2.5	1 2.0	1 2.0	5 1.8	0 -	1 3.0	0 -	0 -	1 2.0	6 2.2	14 2.6	13 2.3	38
II			- 9.3	- 7.0	- 8.6	- 8.6	- 6.2	-11.7	- 1.4	7	-20.2	17	7 1.9	0 -	1 2.0	15 1.1	3 1.3	5 1.8	2 2.5	1 1.0	0 -	6 1.3	5 2.2	13 2.0	26
III			- 2.1	0.3	- 0.7	- 1.2	1.4	- 3.5	7.3	28	-10.9	20	5 1.4	0 -	2 1.5	13 1.2	4 1.5	3 1.0	1 1.0	3 2.3	0 -	1 1.0	5 1.8	12 1.8	44
IV			2.2	5.7	4.7	3.1	7.1	- 0.8	11.9	23	- 5.4	8	4 2.0	0 -	5 1.2	6 1.3	0 -	2 2.0	3 1.0	0 -	2 2.0	5 1.2	17 1.8	13 2.1	33
V			10.0	13.9	13.6	11.1	16.3	6.6	27.3	29	0.1	8	5 2.0	0 -	3 1.3	8 1.4	10 1.4	8 1.4	3 1.3	1 1.0	1 1.0	4 1.0	5 1.8	17 1.7	28
VI			13.3	15.5	15.8	13.7	18.2	10.1	24.7	5	5.5	13	2 1.0	1 4.0	2 2.0	16 1.2	8 1.5	16 2.0	15 1.7	2 1.5	0 -	7 2.4	1 2.0	3 2.3	17
VII			14.4	17.0	16.6	14.9	19.0	11.6	23.2	13	8.4	3	1 1.0	2 1.5	1 2.0	19 1.7	4 2.8	7 1.9	13 1.5	2 2.0	2 1.0	11 1.4	3 2.7	12 2.8	16
VIII			13.8	17.5	16.0	14.7	19.1	11.1	22.8	26	8.4	22	1 1.0	0 -	3 1.0	8 1.1	12 1.2	6 1.8	9 1.4	9 1.4	4 1.0	7 1.4	1 1.0	11 1.6	22
IX			9.4	12.8	11.2	10.4	14.0	7.3	20.2	2	1.0	24	4 2.2	2 2.0	6 1.5	8 1.4	3 1.3	7 1.9	4 2.2	9 1.8	0 -	6 2.3	4 1.8	13 2.2	24
X			4.1	6.9	5.0	4.9	8.0	2.3	14.1	2	- 2.5	19	5 2.2	1 2.0	4 1.0	8 1.0	3 1.3	3 1.3	5 2.6	4 2.5	0 -	10 1.6	3 1.7	19 2.0	28
XI			0.6	1.6	0.9	0.8	2.7	- 1.0	8.3	5	- 7.0	16	7 1.7	0 -	0 -	20 1.0	2 1.0	1 1.0	2 1.0	1 1.0	0 -	8 1.9	0 -	14 1.9	35
XII			- 0.3	0.5	- 0.4	- 0.3	1.8	- 2.9	7.7	19	-12.3	26	30 1.3	0 -	0 -	8 1.2	0 -	0 -	1 4.0	0 -	0 -	15 1.5	0 -	2 1.0	37
1954			4.1	6.6	5.7	4.8	8.2	1.6	27.3		-20.2		84 1.7	7 2.1	28 1.4	134 1.3	49 1.5	59 1.8	58 1.7	32 1.8	10 1.3	86 1.7	58 2.1	142 2.0	348

1954

Skotterud

H_s = 150 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < 10°	Max > 25°	Nedbør R ≥ 0,1	≥ 1,0	≥ 10,0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Regn ●	Sne *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet ●	Snødekke
I	88	85	85	86	4.5	4.5	3.5	64	19	20	30	23	20	0	10	9	3	0	0	0	6	10	4	4	0	0	0	0	0	8	13	7	9	23
II	87	84	86	86	5.5	5.0	5.0	54	10	25	28	28	19	0	11	11	1	0	0	0	0	11	0	0	0	0	0	0	1	2	10	5	14	28
III	93	78	80	85	7.2	7.0	6.5	64	16	5	26	4	1	0	14	14	2	0	0	0	6	11	2	2	0	0	0	0	1	8	7	2	24	31
IV	82	54	52	65	3.2	3.4	2.5	23	10	30	25	0	0	0	5	5	1	1	0	0	5	3	3	0	0	0	0	0	0	1	25	9	4	18
V	80	58	56	68	4.4	4.6	3.9	70	23	22	1	0	0	4	14	13	2	0	0	0	14	1	1	3	0	0	0	0	1	1	24	8	11	0
VI	84	64	66	76	5.2	5.3	4.8	158	24	21	0	0	0	0	19	18	7	0	0	0	19	0	0	3	0	0	0	1	1	6	25	4	11	0
VII	87	66	75	80	5.7	6.0	5.5	112	25	28	0	0	0	0	19	19	5	0	0	0	19	0	0	3	0	0	0	2	1	2	23	0	13	0
VIII	91	62	67	77	5.6	5.1	4.8	55	24	11	0	0	0	0	10	10	2	0	0	0	10	0	0	0	0	0	0	3	3	4	28	0	7	0
IX	94	67	80	84	5.8	5.6	5.2	120	16	10	8	0	0	0	17	16	5	0	0	0	17	0	0	0	0	0	0	0	0	9	22	1	12	0
X	92	75	86	86	5.3	5.5	5.2	80	19	25	19	0	0	0	12	12	3	3	0	0	11	3	2	0	0	0	0	0	1	7	16	3	13	3
XI	94	89	93	95	6.5	6.2	6.5	98	20	30	21	9	1	0	15	15	3	0	0	0	9	10	3	4	0	0	0	0	1	6	8	2	19	19
XII	90	89	91	90	5.2	6.1	5.3	94	19	10	20	11	6	0	16	16	3	0	0	0	12	7	2	6	0	0	0	0	0	8	6	5	13	12
1954	88	72	76	81	5.3	5.4	4.9	992	24		178	75	47	4	162	158	37	4	0	0	128	56	17	25	0	0	0	6	10	62	207	46	150	134

Tryvasshøgda

H_s = 512 H_b = h_t = 2.1 h_a = h_d = 20.3 h_r = 2.0

I	77	76	78	77	3.4	4.5	3.4	59	17	20	31	26	14	0	11	6	3	4	1	1	1	11	1	0	0	0	0	0	1	10	17	8	6	31
II	89	88	90	89	5.7	5.8	5.0	71	12	26	28	28	14	0	16	11	3	1	0	0	0	16	0	0	0	0	0	0	2	11	8	6	16	28
III	89	84	86	87	6.7	6.3	6.1	59	17	5	31	17	0	0	17	13	1	2	0	0	1	15	0	0	0	0	0	0	2	20	9	3	21	31
IV	70	56	57	62	4.5	4.2	3.0	25	10	2	27	1	0	0	8	7	1	1	0	0	0	8	0	0	0	0	0	0	0	8	24	6	7	30
V	76	63	64	70	5.7	4.7	4.6	30	22	24	1	0	0	0	14	11	3	0	0	0	12	2	1	3	0	0	0	0	2	0	14	20	6	13	6
VI	81	74	76	79	5.5	5.7	5.4	108	14	13	0	0	0	0	18	18	4	0	0	0	18	0	0	4	0	0	0	0	0	0	19	22	2	13	0
VII	86	73	79	83	5.7	6.0	5.2	163	37	28	0	0	0	0	23	20	6	1	1	0	23	0	0	7	0	0	0	5	3	15	24	1	11	0
VIII	86	65	73	78	5.4	5.1	4.7	116	28	8	0	0	0	0	17	11	5	1	0	0	17	0	0	7	0	0	0	4	1	14	27	2	8	0
IX	87	71	82	82	5.7	6.3	5.5	156	39	25	1	0	0	0	18	13	6	3	0	0	18	0	0	6	0	1	0	0	0	16	20	1	14	0
X	88	80	86	85	5.6	6.1	4.5	99	28	25	11	1	0	0	15	10	5	5	0	0	10	5	0	3	0	0	0	0	1	14	15	4	16	7
XI	91	89	92	91	6.0	6.1	6.6	117	28	30	29	14	0	0	20	14	4	0	0	0	8	19	7	2	0	0	0	0	0	18	8	3	19	21
XII	88	88	88	88	5.1	6.2	5.2	97	17	1	27	15	0	0	17	11	4	2	0	0	7	11	0	3	0	0	0	0	0	19	16	4	15	31
1954	84	76	79	81	5.4	5.6	4.9	1160	39		186	102	28	0	194	145	45	20	2	1	115	87	9	35	0	1	0	11	10	178	210	46	159	185

Oslo (Blindern)

H_s = 94 H_b = 95.6 h_t = 2.2 h_a = 25.6 h_d = 25.6 h_r = 1.6

I	78	76	76	77	4.8	5.3	4.0	61	21	20	30	21	14	0	9	6	3	4	1	0	5	8	4	1	0	0	0	0	9	4	18	5	10	31
II	84	81	82	85	7.4	6.6	6.8	64	13	25	28	28	10	0	17	10	1	1	0	0	0	17	0	0	0	0	0	0	18	3	13	0	18	28
III	88	79	80	85	7.5	6.7	7.0	50	12	8	27	6	0	0	18	12	2	2	0	0	9	14	4	8	0	0	0	0	12	12	10	1	23	31
IV	72	58	57	65	4.8	5.2	4.3	19	7	15	17	0	0	0	10	4	0	2	0	0	10	6	6	4	0	0	0	0	9	3	27	0	8	12
V	74	62	61	69	5.7	5.4	4.7	53	13	22	0	0	0	4	14	10	2	1	0	0	14	0	0	1	0	0	0	3	12	3	24	4	15	0
VI	77	70	69	74	5.7	5.9	5.1	84	15	24	0	0	0	1	21	15	2	1	0	0	21	0	0	2	0	0	0	1	8	0	28	3	15	0
VII	79	71	73	76	5.7	6.3	5.3	95	22	28	0	0	0	0	20	13	4	0	0	0	20	0	0	2	0	0	0	4	2	1	28	0	12	0
VIII	86	67	76	82	5.9	5.4	5.1	95	22	9	0	0	0	0	13	12	3	0	0	0	13	0	0	3	0	0	0	6	10	0	27	0	7	0
IX	89	71	82	83	6.0	6.0	5.5	122	30	10	2	0	0	0	18	13	3	0	0	0	18	0	0	0	0	0	0	0	9	0	26	0	14	0
X	89	72	84	85	5.6	6.1	4.7	86	26	25	7	0	0	0	16	10	4	1	0	0	14	4	2	3	0	1	0	0	15	1	21	3	14	2
XI	89	82	87	87	6.8	6.5	6.4	92	23	30	18	6	0	0	19	15	1	2	0	0	13	12	4	2	1	1	0	0	21	1	12	1	21	16
XII	85	82	86	85	5.5	6.5	5.0	71	15	10	19	12	2	0	18	10	2	1	0	0	14	7	3	7	0	0	0	0	14	5	15	2	13	10
1954	82	73	76	79	6.0	6.0	5.3	892	30		148	73	26	5	193	130	27	15	1	0	151	68	23	33	1	2	0	14	139	33	249	19	170	130

Fornebu

H_s = 18 H_b = 23.2 h_t = 1.9 h_a = 11.5 h_d = 11.1 h_r = 1.8

I	79	77	77	78	4.1	5.0	4.0	47	21	20	30	17	13	0	8	4	2	5	0	0	4	8	4	1	0	0	0	0	11	6	16	7	9	31
II	87	84	84	85	6.9	6.4	6.5	49	12	25	28	27	10	0	15	10	1	1	0	0	0	15	0	0	0	0	0	0	21	3	13	1	19	28
III	92	83	85	88	7.2	6.5	6.7	57	16	8	23	4	0	0	15	10	2	0	0	0	6	14	3	6	0	0	0	0	10	13	11	1	23	31
IV	78	57	53	64	4.9	4.9	3.8	17	6	15	15	0	0	0	8	3	0	1	0	0	7	5	4	6	0	0	0	0	3	3	27	2	7	9
V	82	64	61	72	5.7	5.2	4.4	69	16	24	0	0	0	4	12	8	2	0	0	0	12	0	0	3	0	0	0	1	10	0	24	4	13	0
VI	82	71	70	76	5.5	5.5	4.8	85	12*	28	0	0	0	1	19	12	2*	0	0	0	19	0	0	3	0	0	0	2	11	0	27	4	12	0
VII	84	71	74	79	6.0	5.8	5.0	85	21	28	0	0	0	0	16	13	2*	0	0	0	16	0	0	6	0	0	0	4	7	0	28	0	12	0
VIII	88	64	68	77	5.7	4.8	4.5	76	20*	8	0	0	0	0	11	10	1	0	0	0	11	0	0	4	0	0	0	3	8	0	30	1	6	0
IX	91	68	74	80	5.5	5.8	5.0	105	30*	10	1	0	0	0	18	8	2*	1	0	0	18	0	0	4	0	0	0	0	9	0	21	1	14	0
X	86	75	81	82	5.6	5.8	5.3	67	21	25	5	0	0	0	12	9	3	1	0	0	10	4	1	3	0	0	0	0	12	2	19	2	15	1
XI	92	87	90	90	6.0	6.1	6.7	91	24	30	13	4	0	0	17	13	2	1	0	0	11	10	2	8	0	0	0	0	18	3	11	1	19	9
XII	85	85	87	86	5.1	6.1	5.3	70	18	1	17	10	1	0	15	9	2	2	0	0	11	6	1	11	0	0	0	0	12	4	10	2	13	7
1954	85	74	75	80	5.7	5.7	5.2	818	30*		132	62	24	5	166	109	21	12	0	0	125	62	15	55	0	0	0	10	132	34	237	26	162	116

Asker

H_s = 154 H_b = h_t = 1.9 h_a = h_d = h_r = 2.0

I					3.1	4.1	3.5	62	15	20	31	22	15	0	7	6	4	1	0	0	1	7	0	0	0	0	0	0	1	5	13	11	7	31
II					5.3	5.0	4.8	87	20	26	28	28	15	0	14	12	4	0	0	0	0	14	0	0	0	0	0	0	4	4	7	2	12	28
III					6.5	5.1	5.9	84	27	5	30	5	1	0	13	11	3	0	0	0	0	13	0	0	0	0	0	0	4	13	10	2	16	31
IV					3.3	3.4	2.9	24	12	2	21	0	0	0	6	6	1	0	0	0	4	6	3	1	0	0	0	0	2	5	25	8	3	24
V					5.2	4.3	3.9	108	21	24	0	0	0	5	15	11	5	0	0	0	15	0	0	1	0	0	0	3	0	8	19	7	13	0
VI					5.4	5.2	4.8	99	20	27	0	0	0	0	19	13	3	0	0	0	19	0	0	4	0	0	0	4	2	8	16	10	9	0
VII					6.0	6.1	4.9	115	22	28	0	0	0	0	26	17	3	0	0	0	26	0	0	8	0	0	0	1	0	13	22	3	14	0
VIII					5.3	4.5	3.9	96	38	8	0	0	0	0	12	11	3	0	0	0	12	0	0	1	0	1	0	5	5	4	25	1	6	0
IX					5.2	5.0	5.1	105	22	10	0	0	0	0	16	12	6	0	0	0	16	0	0	5	0	0	0	0	6	7	15	3	12	0
X					5.2	5.1	5.1	85	20	25	7	0	0	0	14	11	3	0	0	0	12	4	2	2	0	0	0	0	3	6	17	2	12	4
XI					6.3	5.9	6.4	133	24	30	19	7	0	0	18	15	6	0	0	0	12	11	5	5	0	0	0	0	5	10	10	2	19	19
XII					5.0	4.8	4.5	122	28	10	22	13	3	0	16	9	4	0	0	0	9	11	1	5	0	0	0	0	4	11	12	6	11	21
1954					5.2	4.9	4.6	1118	38		158	75	34	5	176	134	45	1	0	0	126	66	11	32	0	1	0	13	36	94	191	57	134	158

1954

Modum

φ = 59° 58′N λ = 9° 58′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.5	- 7.1	- 8.2	- 8.6	- 4.6	-12.1	7.8	2	-23.1	31	15 1.9	14 2.0	1 1.0	1 1.0	0 -	0 -	0 -	10 1.2	2 2.0	1 2.0	3 1.0	15 1.0	31
II			-10.8	- 8.5	- 9.2	- 9.9	- 6.9	-12.8	- 0.7	7	-25.6	15	28 1.1	20 2.3	3 1.0	1 1.0	1 1.0	0 -	9 2.3	4 2.0	2 1.0	1 1.0	4 1.0	1 1.0	10
III			- 2.8	0.4	0.2	- 1.2	2.1	- 4.1	8.0	17	- 9.0	4	18 1.1	17 1.5	9 1.0	6 1.0	1 1.0	3 1.0	15 2.5	14 1.0	4 1.8	0 -	2 1.0	4 1.2	0
IV			1.4	6.4	5.2	2.8	8.2	- 2.0	14.6	25	- 5.6	8	12 1.8	26 1.8	12 1.0	4 1.5	0 -	0 -	13 1.4	13 1.8	1 1.0	2 2.5	4 1.0	3 1.0	0
V			9.4	14.1	14.1	10.8	16.4	5.8	26.8	29	- 0.5	9	20 1.1	25 1.3	6 1.3	6 1.0	1 1.0	1 1.0	16 1.2	8 1.4	2 1.5	1 1.0	2 1.0	4 1.2	1
VI			12.8	16.7	16.3	13.6	19.2	8.9	27.0	5	1.7	14	9 1.2	10 1.7	5 1.8	3 1.0	1 1.0	4 1.2	29 1.6	22 1.5	2 1.5	2 2.5	2 1.5	1 1.0	0
VII			13.7	17.5	16.5	14.4	19.2	10.1	22.7	13	4.9	9	11 1.2	15 1.1	7 1.4	5 1.0	2 1.0	8 1.8	28 1.3	11 1.0	1 1.0	1 1.0	2 1.0	2 1.0	0
VIII			12.6	18.1	15.9	14.0	19.5	9.2	24.0	27	6.0	25	6 1.0	16 1.5	9 1.4	6 1.2	1 1.0	3 1.3	15 1.3	19 1.3	7 1.0	1 1.0	3 1.0	6 1.0	1
IX			8.0	13.2	10.9	9.6	14.6	5.2	22.5	2	- 2.5	23	9 1.0	10 1.1	2 1.0	5 1.0	1 1.0	3 1.3	15 1.3	26 1.3	9 1.9	3 1.0	3 1.0	4 1.0	0
X			2.9	6.8	4.7	4.3	8.1	0.9	13.5	14	- 5.8	2	11 1.0	7 1.1	3 1.0	1 1.0	1 1.0	2 1.5	7 1.7	35 1.7	10 1.1	7 1.0	4 1.0	5 1.0	0
XI			- 0.4	1.1	0.2	0.0	2.5	- 2.5	10.0	5	-11.7	16	22 1.1	7 1.1	2 1.5	1 1.0	2 1.0	6 1.8	8 1.5	14 1.1	10 1.0	5 1.0	7 1.0	6 1.0	0
XII			- 1.9	- 0.5	- 1.9	- 1.6	0.9	- 4.6	9.0	19	-14.5	26	28 1.0	2 1.0	1 4.0	3 1.0	3 1.0	0 -	7 1.7	22 1.7	9 1.3	2 1.0	7 1.0	9 1.0	0
1954			3.0	6.5	5.4	4.0	8.3	0.2	27.0		-25.6		189 1.2	169 1.4	60 1.3	42- 1.1	14 1.0	30 1.5	162 1.6	198 1.4	59 1.2	26 1.3	43 1.0	60 1.0	43

Nesbyen II

φ = 60° 34′N λ = 9° 8′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-13.1	-10.3	-12.7	-12.4		-16.5	8.9	2	-28.0	31	3 1.0	0 -	0 -	0 -	2 1.0	1 1.0	0 -	2 1.0	0 -	0 -	3 2.7	14 1.4	68
II			-13.8	- 9.2	-11.8	-12.2		-16.3	- 1.5	7	-28.5	15	1 1.0	0 -	0 -	7 1.3	4 1.2	8 1.9	5 1.6	3 1.0	0 -	1 1.0	4 1.0	4 1.0	47
III			- 6.1	1.3	- 0.6	- 2.5		- 7.5	8.2	16	-20.4	3	0 -	0 -	0 -	2 1.0	3 2.0	8 1.5	10 1.7	2 1.0	0 -	0 -	3 1.0	11 1.2	54
IV			- 0.8	7.7	6.1	3.1		- 2.6	12.5	23	- 6.7	3	5 2.2	0 -	0 -	0 -	2 2.0	7 1.6	9 1.7	2 2.0	2 2.0	10 1.6	12 1.9	10 1.3	31
V			7.1	15.0	14.4	10.5		4.5	26.8	29	- 2.6	9	5 1.0	1 1.0	0 -	1 1.0	8 1.6	6 1.5	10 1.6	2 1.0	0 -	3 2.0	4 2.5	3 1.3	50
VI			10.8	17.3	16.7	13.3		7.4	26.3	5	0.0	14	0 -	0 -	1 1.0	2 1.0	1 1.0	34 1.7	10 1.7	2 1.0	1 3.0	2 1.5	6 2.3	8 1.8	23
VII			12.2	17.6	16.7	14.4		10.4	22.8	10	5.3	22	1 1.0	0 -	0 -	2 2.0	6 2.0	21 1.7	15 1.2	0 -	0 -	2 2.0	3 1.7	4 1.2	39
VIII			9.8	18.0	16.3	13.4		8.0	22.6	27	2.9	25	5 1.4	0 -	0 -	2 1.0	0 -	13 1.3	12 1.4	1 2.0	0 -	2 1.0	3 1.3	8 1.1	47
IX			4.5	11.7	9.7	7.7		3.5	18.2	4	- 3.8	29	1 1.0	0 -	0 -	1 1.0	1 1.0	12 1.6	8 1.2	2 1.5	0 -	2 2.0	3 1.7	5 1.6	55
X			- 0.2	5.0	2.2	1.6		- 2.0	13.3	12	- 7.8	17	4 2.0	2 1.0	2 1.0	2 1.5	1 1.0	8 2.0	8 1.2	0 -	0 -	3 1.7	7 1.9	7 1.0	49
XI			- 3.7	- 1.8	- 3.3	- 3.2	0.0	- 5.9	8.0	5	-17.3	16	2 1.0	1 2.0	5 1.6	3 1.3	6 2.2	7 1.6	4 1.0	3 1.0	0 -	1 2.0	3 1.0	2 1.0	53
XII			- 4.4	- 3.0	- 5.0	- 4.7	- 0.9	- 8.6	11.4	18	-19.8	30	3 2.0	0 -	2 1.0	2 1.0	2 1.5	5 2.0	4 1.2	4 2.0	2 1.0	1 1.0	3 2.0	7 1.3	58
1954			0.2	5.7	4.1	2.4		- 2.1	26.8		-28.5		30 1.5	4 1.2	10 1.3	24 1.2	36 1.7	130 1.7	95 1.4	23 1.3	5 1.8	27 1.6	54 1.8	83 1.3	574

Geilo (Strand)

φ = 60° 32′N λ = 8° 13′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.7	- 6.8	- 9.6	- 9.0	- 4.5	-14.0	6.4	12	-30.2	31	1 5.0	5 1.6	7 1.0	7 1.3	1 1.0	1 1.0	1 1.0	2 1.5	19 1.3	32 2.2	7 3.3	3 1.0	7
II			-14.5	-10.6	-13.2	-13.4	- 8.5	-18.3	1.2	4	-32.5	13	0 -	12 1.2	15 1.4	5 3.0	1 1.0	2 1.0	1 3.0	3 2.0	13 1.2	14 1.4	1 1.0	2 1.0	15
III			- 8.5	- 1.9	- 3.5	- 5.4	0.0	-11.2	7.4	23	-24.2	3	0 -	5 2.2	11 1.2	4 1.8	0 -	0 -	2 1.0	1 2.0	12 1.7	34 1.2	6 1.2	4 2.0	14
IV			- 3.7	1.3	0.5	- 1.5	2.7	- 5.9	6.0	21	-13.1	8	4 1.8	9 1.4	0 -	3 4.3	1 1.0	1 1.0	0 -	4 1.2	21 1.4	27 1.8	7 2.7	9 2.5	4
V			5.4	9.9	9.3	6.7	11.4	1.2	21.8	29	- 4.5	9	1 3.0	12 1.2	13 1.2	5 1.6	1 1.0	5 1.4	1 1.0	6 1.3	14 1.1	25 1.4	1 1.0	9 1.6	0
VI			8.7	13.3	12.1	9.7	15.4	3.0	21.8	17	- 3.6	14	3 1.3	4 1.0	2 1.0	3 1.3	3 1.3	3 1.7	3 2.3	11 2.5	13 1.9	25 1.8	3 1.7	9 1.9	3
VII			9.5	14.1	13.2	11.1	16.5	6.5	22.4	14	0.7	11	2 1.0	19 1.1	6 1.0	4 1.0	0 -	4 1.0	5 1.0	6 1.0	2 1.5	21 1.7	7 1.4	6 2.2	11
VIII			7.8	13.6	12.2	10.0	16.1	4.8	23.1	27	- 0.1	22	3 1.0	24 1.1	2 1.5	0 -	1 1.0	3 1.3	2 1.0	0 -	4 1.0	22 1.3	6 2.0	8 1.5	18
IX			3.1	8.5	6.6	5.3	10.1	1.6	17.1	5	- 4.5	19	1 3.0	4 1.0	3 1.0	3 1.0	3 1.0	2 1.0	1 1.0	6 1.2	10 1.6	26 1.7	5 1.6	11 1.5	15
X			- 1.1	2.9	0.5	0.4	4.2	- 3.2	9.5	3	-14.8	17	2 1.0	13 1.1	1 1.0	5 1.2	4 1.0	0 -	2 2.5	4 2.0	4 3.0	30 2.2	9 1.8	7 2.3	12
XI			- 4.4	- 2.1	- 4.5	- 4.0	- 1.0	- 7.7	5.0	1	-17.5	16	0 -	23 1.0	12 1.6	8 1.0	2 1.5	1 1.0	2 1.0	1 1.0	3 1.0	24 1.6	2 2.0	3 1.3	9
XII			- 5.2	- 4.5	- 5.6	- 5.3	- 1.9	- 8.5	5.5	17	-19.5	23	3 1.7	10 2.1	7 1.3	5 1.0	0 -	1 1.0	1 1.0	3 1.7	7 2.3	29 2.6	6 3.0	3 1.7	18
1954			- 1.0	3.1	1.5	0.4	5.0	- 4.3	23.1		-32.5		20 1.7	140 1.3	79 1.3	52 1.6	17 1.1	23 1.2	21 1.4	47 1.7	122 1.5	309 1.8	60 2.1	74 1.8	131

Haugastøl

φ = 60° 31′N λ = 7° 52′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			-10.4	- 8.7	-11.0	-10.3	- 6.2	-14.5	4.0	2	-31.2	31	7 2.7	3 1.0	5 3.4	3 2.3	10 2.2	0 -	0 -	0 -	1 1.0	9 2.8	38 3.1	6 2.7	11
II			-14.2	-11.2	-13.5	-13.6	- 9.8	-18.4	- 0.4	4	-31.8	14	0 -	1 2.0	1 3.0	10 3.5	22 3.0	3 3.0	2 2.5	0 -	2 2.0	5 1.6	10 2.3	8 1.9	20
III			- 8.4	- 3.1	- 5.3	- 6.3	- 1.4	-11.1	5.2	11	-26.8	3	2 1.0	1 2.0	0 -	2 3.0	20 3.2	3 3.0	3 3.0	4 2.5	2 2.0	9 2.6	20 2.0	3 2.3	24
IV			- 5.7	0.1	- 1.6	- 3.3	1.6	- 7.8	5.4	17	-16.3	8	1 1.0	2 2.0	0 -	4 2.0	7 2.3	1 1.0	2 1.5	1 1.0	3 2.0	7 2.7	31 3.0	11 2.0	20
V			3.0	8.0	7.2	4.9	9.4	0.3	20.2	29	- 5.5	9	1 2.0	0 -	1 6.0	11 3.0	17 2.2	4 1.8	6 2.0	2 2.0	4 1.5	15 1.7	7 2.1	5 2.2	20
VI			7.1	10.6	10.0	8.2	13.0	4.2	18.4	4	- 2.0	14	1 1.0	0 -	0 -	2 3.0	12 2.1	5 2.0	7 2.9	3 2.0	5 2.8	18 2.4	20 2.6	4 2.8	13
VII			8.4	11.3	10.7	9.5	14.0	6.9	18.7	24	3.7	24	0 -	1 2.0	0 -	6 2.5	25 2.5	7 2.4	9 2.2	6 1.8	4 1.8	12 2.2	11 2.4	5 2.4	7
VIII			7.9	11.9	10.7	9.4	14.5	6.1	23.1	27	3.4	22	1 1.0	2 2.5	2 1.5	3 1.7	27 2.2	5 2.6	1 2.0	2 1.5	2 2.5	15 2.2	26 2.8	1 1.0	6
IX			3.7	6.7	5.1	4.5	8.6	0.9	15.2	1	- 5.3	27	1 1.0	3 1.3	0 -	6 2.0	16 2.8	3 2.0	4 2.5	4 3.5	5 2.4	13 2.7	18 2.9	10 2.2	7
X			- 1.0	1.2	- 1.9	- 0.8	3.0	- 2.9	9.1	4	-10.9	20	3 1.0	1 1.0	2 2.0	5 3.0	14 2.1	2 2.5	3 3.7	4 4.2	5 2.4	15 2.8	26 2.8	7 2.0	6
XI			- 4.9	- 3.1	- 4.6	- 4.4	- 1.2	- 7.2	4.0	1	-18.3	16	4 1.0	2 1.5	0 -	14 3.0	22 3.0	0 -	1 2.0	1 3.0	3 2.0	9 1.8	16 2.3	5 1.8	13
XII			- 5.0	- 4.3	- 5.5	- 5.1	- 3.0	- 8.5	5.0	18	-21.3	23	4 1.2	2 1.0	1 1.0	3 3.0	12 3.4	2 2.5	1 2.0	2 3.0	1 4.0	16 3.9	31 3.2	2 2.0	16
1954			- 1.6	1.6	0.0	- 0.6	3.5	- 4.3	23.1		-31.8		25 1.6	18 1.6	12 2.8	69 2.8	204 2.6	35 2.3	39 2.5	29 2.6	37 2.2	143 2.5	254 2.8	67 2.1	163

Dagali

φ = 60° 25′N λ = 8° 26′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 9.1	- 7.4	- 9.3	- 8.9	- 5.5	-12.6	3.3	2	-24.9	31	0 -	1 2.0	0 -	14 1.5	1 1.0	5 1.6	1 2.0	6 1.0	8 1.8	41 2.0	15 1.9	1 2.0	0
II			-12.9	-10.1	-12.0	-12.1	- 9.0	-15.7	- 0.4	4	-27.4	14	0 -	3 1.0	3 1.7	31 2.1	3 2.3	3 1.3	0 -	12 1.0	6 1.5	16 1.3	3 1.3	4 1.8	0
III			- 6.5	- 1.9	- 3.7	- 4.9	- 0.4	- 9.0	7.0	23	-21.9	3	0 -	1 1.0	3 1.0	16 2.0	3 3.0	6 1.0	0 -	10 1.3	10 2.0	30 1.6	12 1.7	2 1.0	0
IV			- 3.1	0.9	- 0.3	- 1.9	1.9	- 6.0	5.3	23	-12.3	8	0 -	2 2.0	1 1.0	5 1.8	2 2.0	1 2.0	1 1.0	9 1.1	17 1.8	49 2.2	2 1.5	1 1.0	0
V			6.1	9.1	8.5	6.6	10.4	2.0	20.6	29	- 3.9	1	0 -	0 -	0 -	23 2.0	5 1.6	10 1.5	2 1.0	19 1.3	10 1.4	23 1.8	1 1.0	0 -	0
VI			8.9	11.8	11.3	9.1	13.8	4.7	20.2	5	- 1.6	14	0 -	2 1.0	1 1.0	15 1.4	8 1.6	11 2.3	2 2.5	11 1.8	8 2.0	31 1.9	1 1.0	0 -	0
VII			9.4	12.7	11.3	10.1	14.2	7.1	20.5	13	2.4	6	0 -	3 1.3	0 -	21 1.5	3 1.7	9 1.7	6 1.7	20 1.5	12 1.6	19 1.9	0 -	0 -	0
VIII			8.8	12.6	11.0	9.6	14.6	5.9	22.2	27	2.6	18	1 1.0	1 1.0	1 1.0	24 1.4	1 2.0	9 1.1	3 1.0	3 1.7	12 1.7	31 2.1	5 1.6	2 1.0	0
IX			4.4	7.7	5.7	5.1	9.1	2.1	15.4	2	- 3.6	28	0 -	3 1.7	2 1.0	24 1.9	2 2.5	4 2.0	3 2.0	8 1.6	10 1.6	30 1.9	4 1.5	0 -	0
X			- 0.6	2.3	0.6	0.4	3.4	- 2.5	11.0	3	-11.9	27	1 1.0	1 1.0	3 1.0	14 1.4	2 2.0	3 2.3	3 1.0	7 1.3	7 1.4	46 2.2	3 1.3	2 1.5	1
XI			- 4.2	- 2.4	- 3.9	- 3.8	- 1.4	- 6.3	5.0	4	-14.3	16	0 -	0 -	1 1.0	38 2.6	1 3.0	4 1.0	0 -	4 1.0	7 1.1	27 1.6	5 1.0	3 1.0	0
XII			- 5.1	- 3.8	- 5.0	- 4.8	- 2.3	- 7.9	5.4	3	-16.8	23	0 -	0 -	4 1.0	17 2.3	1 2.0	2 2.5	0 -	9 1.1	5 2.0	46 2.1	5 1.2	4 1.5	0
1954			- 0.3	2.6	1.2	0.4	4.1	- 3.2	22.2		-27.4		2 1.0	17 1.1	19 1.1	242 1.9	32 2.0	67 1.6	21 1.5	118 1.3	112 1.7	389 2.0	56 1.6	19 1.4	1

Årsoversikter

Annual Summaries)

1954

Modum

H_s = 135 H_b = h_k = 1.8 h_a = h_d = 7.4 h_r = 1.7

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Lufttemperatur T				Nedbør R			Vindstyrke F			Antall dager n													
	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarver	Over-skyet ●	Snedekke ⊞
I	90	89	89	89	5.4	5.1	4.5	31	10	16	31	24	20	0	8	6	0	3	0	0	3	8	3	0	0	0	0	0	6	9	20	5	11	22
II	95	93	95	95	7.4	5.8	5.6	80	17	28	28	28	19	0	17	11	3	0	0	0	0	17	0	0	0	0	0	0	10	11	15	0	16	28
III	96	88	87	91	7.4	5.7	6.5	60	24	5	29	4	0	0	12	11	2	2	0	0	4	12	4	0	0	0	0	0	10	12	17	0	17	31
IV	86	72	69	78	4.5	4.5	4.4	17	8	2	23	0	0	0	7	5	0	2	0	0	2	6	1	0	0	0	0	0	2	3	29	0	6	16
V	88	74	74	82	5.5	5.1	5.0	72	16	22	1	0	0	3	17	14	3	0	0	0	17	1	1	0	0	0	0	2	2	9	20	4	16	0
VI	87	75	75	83	5.5	5.6	5.0	50	10	8	0	0	0	2	16	13	1	0	0	0	16	0	0	1	0	0	0	1	1	12	29	2	12	0
VII	90	78	81	87	5.7	6.7	5.5	167	26	14	0	0	0	0	23	17	7	0	0	0	23	0	0	0	0	0	0	0	2	12	21	0	13	0
VIII	91	72	77	84	5.5	4.7	4.6	58	16	11	0	0	0	0	14	11	1	0	0	0	12	0	0	1	0	1	0	5	3	8	28	3	8	0
IX	93	77	81	85	5.7	6.1	4.9	53	10	10	6	0	0	0	21	9	1	0	0	0	15	0	0	3	0	0	0	0	9	2	25	1	13	0
X	93	82	87	88	5.3	5.7	4.8	63	16	25	11	0	0	0	15	9	3	1	0	0	8	6	0	4	0	0	0	0	4	5	21	3	14	4
XI	95	93	95	94	7.1	6.3	6.5	70	25	30	22	7	1	0	19	14	1	0	0	0	7	12	0	4	0	0	0	0	14	2	12	2	21	18
XII	93	92	94	93	5.8	6.1	5.3	75	20	10	24	13	6	0	19	12	2	1	0	0	9	9	0	1	0	0	0	0	10	6	13	3	17	21
1954	91	82	84	87	5.9	5.6	5.2	796	26		175	76	46	5	188	132	24	9	0	0	116	71	9	14	0	1	0	8	73	91	250	23	164	140

Nesbyen II

H_s = 165 H_b = h_k = 2.1 h_a = h_d = 7.3 h_r = 1.7

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarver	Over-skyet ●	Snedekke ⊞
I	85	84	86	85	3.4	4.4	2.4	11	3	15	31		27		11	6	0	0	0	0	1	11	1	0	0	0	0	0	3	1	18	10	5	31
II	87	79	83	84	6.6	6.3	4.8	12	3	26	28		21		16	5	0	0	0	0	0	16	0	0	0	0	0	0	5	0	16	3	15	28
III	87	68	73	78	5.7	4.8	5.5	10	5	5	30		10		10	3	0	0	0	0	2	9	1	0	0	0	0	0	2	2	25	4	15	31
IV	82	50	49	64	4.5	4.5	3.7	6	3	29	25		0		7	1	0	2	0	0	4	5	2	0	0	1	0	0	3	0	27	3	3	2
V	85	58	59	72	4.6	5.5	5.0	82	27	22	5		0		14	9	3	0	0	0	14	2	2	0	0	2	0	1	3	2	22	3	13	0
VI	83	59	61	73	4.6	5.8	5.4	68	13	9	0		0		15	13	1	0	0	0	15	0	0	0	0	0	0	3	1	0	27	3	11	0
VII	80	67	73	76	6.5	6.4	6.1	130	28	15	0		0		24	20	4	0	0	0	24	0	0	0	0	0	0	3	1	0	26	0	15	0
VIII	92	60	64	77	6.0	5.3	5.0	61	16	11	0		0		17	13	3	0	0	0	15	0	0	0	0	0	0	4	3	0	29	1	12	0
IX	93	70	76	92	6.1	6.3	5.5	49	9	17	9		0		21	14	0	0	0	0	20	0	0	0	0	0	0	0	1	5	22	0	18	0
X	92	75	86	86	5.4	5.8	5.0	72	16	7	22		0		19	12	2	2	0	0	13	7	1	0	0	0	0	0	6	6	17	4	14	15
XI	93	88	92	92	6.5	5.8	5.7	35	9	30	29	16	8	0	17	11	0	0	0	0	5	15	3	0	0	0	0	0	9	1	13	1	16	22
XII	87	90	90	89	4.8	5.7	4.5	58	14	10	28	16	13	0	16	15	1	0	0	0	8	13	3	1	0	0	0	0	7	3	8	5	12	31
1954	87	71	74	80	5.4	5.6	4.9	594	28		207		79		187	122	14	4	0	0	121	78	13	1	0	3	0	11	44	20	250	37	149	160

Geilo (Strand)

H_s = 768 H_b = h_k = 1.9 h_a = h_d = 6.2 h_r = 2.0

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarver	Over-skyet ●	Snedekke ⊞
I	78	72	74	76	4.4	4.3	4.1	23	6	15	29	25	19	0	9	6	0	2	1	0	2	8	0	2	0	0	0	0	6	1	18	9	9	31
II	86	78	82	85	6.9	6.7	6.3	26	6	24	28	27	25	0	14	8	0	0	0	0	1	14	1	0	0	0	0	0	14	0	11	0	19	28
III	88	70	74	79	5.8	5.6	5.4	27	12	5	30	13	17	0	16	7	1	0	0	0	3	11	1	3	0	0	0	0	0	0	19	3	15	31
IV	77	62	64	69	5.0	4.3	3.9	7	2	2	29	3	5	0	5	3	0	1	1	0	2	5	2	0	0	0	0	0	1	3	25	5	4	30
V	77	60	62	70	5.5	5.3	5.5	58	15	21	8	0	0	0	12	10	1	0	0	0	11	5	3	8	0	0	0	0	6	4	17	2	14	20
VI	75	56	58	67	5.6	5.8	5.2	44	12	9	7	0	0	0	11	8	1	0	0	0	11	0	0	9	0	0	0	0	2	2	23	4	17	0
VII	93	66	70	81	7.3	6.9	6.6	67	16	29	0	0	0	0	25	16	1	0	0	0	25	0	0	4	0	0	0	1	4	3	12	0	21	0
VIII	91	62	68	78	6.5	5.9	5.5	87	20	8	1	0	0	0	18	13	3	0	0	0	18	0	0	5	0	1	0	0	2	2	17	0	16	0
IX	85	66	74	77	6.0	6.5	5.9	42	10	17	11	0	0	0	21	9	0	0	0	0	19	3	2	11	0	2	0	0	7	6	14	0	17	0
X	87	74	81	82	6.3	5.6	6.7	119	21	7	21	2	0	0	22	16	4	1	0	0	10	21	6	3	0	0	0	0	4	9	12	2	19	26
XI	88	82	87	86	6.3	6.0	6.6	54	13	30	30	16	8	0	18	14	1	0	0	0	4	17	1	1	0	0	0	0	10	4	11	1	16	30
XII	85	84	88	86	5.7	5.8	6.1	73	12	22	30	18	12	0	21	14	1	4	0	0	4	20	0	0	0	0	0	0	13	2	9	3	16	31
1954	84	69	74	78	5.9	5.7	5.6	627	21		224	104	86	0	192	124	13	8	2	0	110	107	16	46	0	3	0	1	69	36	188	29	153	227

Haugastøl

H_s = 988 H_b = h_k = 1.8 h_a = h_d = 8 h_r = 2.8

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarver	Over-skyet ●	Snedekke ⊞
I	80	78	79	79	3.9	4.3	2.9	44	9	19	31	26	20	0	19	9	0	7	2	0	2	19	2	1	0	0	0	0	3	0	20	10	5	31
II	84	79	81	82	6.8	6.4	5.5	28	5	18	28	28	25	0	15	8	0	4	0	0	0	15	0	0	0	0	0	0	4	2	21	1	15	28
III	87	76	79	82	5.5	5.3	5.6	22	3	26	30	17	15	0	15	8	0	3	0	0	3	15	1	2	0	0	0	0	9	0	22	2	15	31
IV	81	69	71	75	4.6	4.7	3.9	23	8	15	30	4	8	0	10	5	0	4	2	0	0	10	0	0	0	0	0	0	2	0	27	5	6	30
V	86	68	69	77	5.2	4.6	5.3	58	10	21	11	0	0	0	14	11	1	3	0	0	12	6	3	7	0	0	0	0	6	5	22	3	11	16
VI	80	65	66	74	5.8	5.7	5.3	51	9	27	1	0	0	0	14	11	0	1	0	0	14	0	0	3	0	1	0	0	2	0	26	3	12	0
VII	88	71	73	80	6.7	6.6	6.5	64	17	28	0	0	0	0	24	15	1	0	0	0	24	0	0	3	0	0	0	2	7	1	21	0	18	0
VIII	86	69	71	78	5.8	5.5	5.1	82	21	15	0	0	0	0	16	11	3	1	0	0	16	0	0	3	0	0	0	0	3	0	29	0	8	0
IX	86	76	80	82	6.1	6.3	5.8	58	15	17	12	0	0	0	23	11	2	2	0	0	21	5	1	9	0	0	0	0	4	1	18	0	16	0
X	88	80	85	85	5.9	6.1	6.5	167	18	7	23	4	1	0	25	21	7	10	1	0	12	24	7	5	0	0	0	0	3	0	14	1	17	24
XI	88	85	87	87	5.9	6.3	6.2	54	8	10	30	20	5	0	22	17	0	6	0	0	1	21	0	2	0	0	0	0	1	0	10	1	18	30
XII	88	86	89	88	5.5	6.2	5.7	120	19	19	31	24	11	0	23	19	5	8	0	0	3	23	3	0	0	0	0	0	2	0	14	4	16	31
1954	85	75	78	81	5.6	5.7	5.4	771	21		227	123	85	0	221	146	19	49	5	0	108	138	17	35	0	1	0	2	46	9	244	30	157	221

Dagali

H_s = 887 H_b = h_k = 2.0 h_a = h_d = 7.5 h_r = 1.7

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarver	Over-skyet ●	Snedekke ⊞
I	74	70	76	74	4.8	4.0	3.6	12	3	15	31	25	20	0	14	5	0	1	0	0	1	14	1	0	0	0	0	0	7	0	23	9	8	31
II	84	77	82	82	7.0	6.5	5.9	18	3	28	28	28	24	0	18	8	0	0	0	0	0	18	0	0	0	0	0	0	13	0	19	1	17	28
III	86	71	76	80	5.6	5.0	5.7	18	9	5	30	13	13	0	17	5	0	1	0	0	1	16	0	0	0	0	0	0	10	0	25	3	16	31
IV	74	62	64	69	4.2	3.8	4.2	14	3	15	30	2	2	0	9	5	0	2	0	0	0	9	0	0	0	0	0	0	4	0	29	6	5	30
V	75	64	63	70	5.1	5.2	5.1	74	19	22	8	0	0	0	13	10	2	1	0	0	12	4	3	0	0	0	0	0	4	6	22	3	13	11
VI	75	61	61	69	5.7	5.7	5.2	48	10	9	1	0	0	0	16	13	2	0	0	0	16	1	1	0	0	0	0	1	1	1	27	3	14	0
VII	85	67	72	80	6.5	6.7	6.0	88	15	28	0	0	0	0	23	17	2	0	0	0	23	0	0	0	0	0	0	1	3	2	22	1	20	0
VIII	85	64	69	77	5.7	5.6	5.3	70	14	11	0	0	0	0	17	11	3	0	0	0	17	0	0	1	0	0	0	2	2	3	27	1	12	0
IX	84	70	76	78	5.7	6.1	5.6	35	7	17	9	0	0	0	19	11	0	0	0	0	19	2	2	2	0	0	0	0	5	1	26	1	14	0
X	84	74	80	81	5.5	5.5	6.4	72	19	7	23	4	1	0	22	13	2	1	0	0	7	20	4	0	0	0	0	0	10	0	22	1	15	24
XI	85	80	88	85	6.3	5.6	6.3	27	4	30	30	23	3	0	19	10	0	2	0	0	1	18	0	0	0	0	0	0	12	0	18	1	17	30
XII	86	84	87	86	5.9	5.5	5.8	50	9	22	30	21	12	0	24	12	0	6	0	0	3	24	0	0	0	0	0	0	12	0	13	3	15	31
1954	81	70	75	78	5.7	5.4	5.4	526	19		220	116	75	0	211	120	11	14	0	0	100	126	11	3	0	0	0	4	89	13	273	32	166	216

1954

Svene
Lyngdal i Numedal

φ = 59° 46' / 59° 54'N λ = 9° 35' / 9° 32'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			-11.7	- 7.7	- 9.2	-10.0	- 4.6	-14.6	9.0	2	-27.3	25
II			-11.4	- 7.4	- 9.5	- 9.9	- 5.7	-13.8	0.7	6	-24.8	17
III			- 3.8	2.3	0.0	- 1.0	3.5	- 4.7	10.0	16	-10.7	19
IV			- 1.0	6.6	5.3	2.6	8.6	- 2.5	12.5	23	- 7.5	17
V												
VI			11.1	16.6	16.0	13.4	18.7	8.6	23.1	1	4.5	8
VII			9.5	17.1	16.2	13.0	18.9	7.7	24.5	22	3.2	22
VIII												
IX			5.6	12.2	9.9	8.4	13.9	4.3	21.0	2	- 3.9	29
X			1.5	6.1	3.4	3.2	7.5	- 0.4	13.5	14	- 9.0	20
XI			- 1.6	0.7	- 1.1	- 1.0	1.8	- 3.7	8.2	5	-14.4	16
XII			- 3.4	- 1.8	- 3.6	- 3.1	0.0	- 6.8	9.2	19	-17.6	23

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	8 2.2	4 1.0	0 -	1 1.0	0 -	6 1.2	3 1.7	3 1.3	0 -	0 -	4 1.0	63 1.5	1
II	4 1.2	4 1.2	0 -	0 -	2 1.5	14 1.5	5 1.8	1 1.0	0 -	0 -	3 1.0	47 1.3	4
III	7 1.9	11 1.3	4 1.0	1 1.0	3 2.0	29 1.4	6 1.5	3 1.3	0 -	1 1.0	1 1.0	23 1.2	4
IV	5 2.4	6 1.3	6 1.2	0 -	2 1.0	12 1.0	7 1.6	6 1.3	0 -	1 1.0	4 1.0	41 1.6	0
V													
VI	7 2.0	8 1.8	1 1.0	2 1.0	3 1.7	15 2.4	10 2.5	9 2.1	2 1.0	4 1.2	5 1.8	3 2.7	24
VII	7 1.9	8 1.8	3 1.7	2 1.5	3 2.3	12 1.3	12 1.6	8 2.0	9 1.9	7 2.1	2 1.0	10 1.6	10
VIII													
IX	4 2.2	7 1.6	1 1.0	3 1.3	0 -	8 1.6	14 2.1	10 2.3	4 1.8	7 1.7	6 1.8	4 3.0	22
X	8 1.6	18 1.4	2 1.0	3 1.7	2 1.5	7 1.7	18 2.7	10 2.0	5 1.2	2 1.0	5 1.8	5 2.0	8
XI	9 1.7	16 1.3	4 1.0	9 1.8	5 1.2	8 1.6	17 1.6	9 1.0	2 1.0	4 1.0	3 2.3	2 2.5	2
XII	8 1.2	24 1.4	4 1.0	1 1.0	5 1.4	4 1.8	7 2.6	6 2.7	0 -	3 1.7	2 2.5	6 1.0	23

Kongsberg

φ = 59° 40'N λ = 9° 39'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 9.8	- 6.7	- 7.8	- 8.4	- 4.3	-11.9	7.6	2	-22.6	25
II			-10.2	- 7.0	- 8.2	- 8.8	- 5.8	-11.4	- 0.8	7	-20.6	17
III			- 2.6	2.3	0.3	- 0.6	3.4	- 3.8	10.7	16	- 7.2	19
IV			1.6	7.3	6.0	3.4	9.0	- 1.6	13.0	23	- 6.6	11
V			9.8	14.7	14.2	11.2	16.5	6.2	27.8	29	- 0.6	8
VI			13.3	17.8	16.7	14.0	19.7	8.6	28.3	5	3.1	14
VII			13.8	17.4	16.6	14.4	19.5	10.0	23.5	1	6.0	9
VIII			12.2	17.9	16.0	13.9	19.4	9.0	24.7	27	5.4	22
IX			7.2	13.0	10.5	9.2	14.3	5.4	23.6	2	- 2.6	29
X			2.0	6.8	4.4	3.9	7.8	0.8	13.2	14	- 5.6	20
XI			- 1.1	1.0	- 0.2	- 0.4	2.2	- 2.8	9.0	5	-12.6	16
XII			- 2.5	- 1.0	- 2.8	- 2.3	- 0.1	- 5.3	10.2	19	-15.0	29
1954			2.8	7.0	5.5	4.1	8.5	0.3	28.3		-22.6	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	7 3.1	13 1.5	0 -	3 1.0	0 -	2 1.5	1 1.0	4 1.0	2 2.0	2 3.5	6 1.8	13 1.7	40
II	1 1.0	4 1.0	9 2.3	4 1.2	0 -	10 1.9	0 -	0 -	0 -	0 -	0 -	4 1.2	52
III	6 5.5	0 -	10 2.0	5 1.4	1 1.0	10 1.9	2 2.5	2 1.0	4 1.2	1 1.0	1 2.0	2 1.5	49
IV	12 1.8	10 1.5	10 1.6	3 1.0	0 -	1 1.0	3 1.0	3 1.7	4 2.5	4 2.5	1 1.0	3 1.7	36
V	9 1.4	9 1.3	15 1.3	11 1.2	3 1.0	8 1.0	6 1.2	4 1.5	0 -	3 1.3	0 -	0 -	25
VI	8 1.5	0 -	5 1.2	11 1.2	5 1.4	9 1.4	9 1.3	9 1.1	4 1.8	7 1.6	1 1.0	5 1.2	17
VII	4 1.0	3 1.7	10 1.2	0 -	1 2.0	3 1.0	10 1.0	10 1.3	1 1.0	3 1.3	0 -	4 1.2	44
VIII	4 1.2	9 1.2	1 1.0	2 1.5	0 -	3 1.0	3 1.3	7 1.3	4 1.8	4 2.0	0 -	3 1.3	53
IX	0 -	2 1.5	0 -	1 1.0	2 1.5	10 1.9	9 1.3	4 2.0	7 2.3	9 1.4	2 1.5	3 1.3	41
X	2 1.0	6 1.5	0 -	0 -	2 1.0	4 1.0	3 2.3	5 1.6	8 2.6	3 1.3	7 2.0	4 1.5	49
XI	1 1.0	2 3.0	1 3.0	9 1.4	2 1.5	3 2.0	3 1.7	1 1.0	4 1.8	5 1.2	1 2.0	2 1.0	56
XII	0 -	1 2.0	3 2.3	3 1.0	0 -	2 3.0	1 2.0	5 2.0	3 3.7	11 2.1	8 1.1	9 1.1	47
1954	54 1.7	59 1.5	64 1.6	52 1.2	16 1.3	65 1.6	50 1.4	54 1.3	41 2.2	52 1.8	27 1.6	52 1.4	509

Kalhovd

φ = 60° 4'N λ = 8° 22'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			-11.4	-10.2	-11.2	-11.2	- 7.0	-15.6	2.5	2	-28.2	31
II			-13.0	-12.0	-13.1	-13.1	- 8.6	-16.7	- 2.3	4	-25.4	17
III			- 9.1	- 4.9	- 6.1	- 7.3	- 2.6	-12.3	4.5	11	-28.0	3
IV			- 7.0	- 1.7	- 2.6	- 4.6	- 0.2	- 8.7	3.2	21	-18.5	8
V			1.6	6.8	6.3	3.9	8.1	- 0.3	20.3	29	- 6.0	9
VI			6.2	10.2	9.7	7.7	12.3	3.7	19.3	5	- 1.9	14
VII			7.4	10.5	9.9	8.6	12.2	5.9	18.8	13	1.9	8
VIII			6.9	11.0	9.6	8.4	12.5	5.2	20.0	27	2.9	18
IX			2.9	5.7	4.5	3.9	7.1	1.7	15.8	2	- 4.6	27
X			- 1.2	0.4	- 0.7	- 0.8	1.7	- 3.2	6.5	4	- 9.1	27
XI			- 5.1	- 4.2	- 4.8	- 4.9	- 2.7	- 7.1	2.4	5	-17.6	16
XII			- 5.7	- 5.2	- 6.0	- 5.8	- 3.3	- 9.0	2.8	18	-18.6	8
1954			- 2.3	0.5	- 0.4	- 1.3	2.5	- 4.7	20.3		-28.2	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	8 4.4	2 6.0	7 4.6	7 3.9	1 2.0	0 -	1 4.0	4 4.8	10 3.9	26 3.3	12 4.1	7 4.6	8
II	0 -	6 1.3	14 4.6	19 4.3	7 4.7	2 6.0	1 3.0	5 4.8	5 3.2	10 3.0	6 2.7	0 -	9
III	2 4.5	3 3.0	7 4.0	5 4.6	6 6.7	1 6.0	3 5.7	10 4.8	3 3.0	34 2.6	5 4.0	4 4.2	10
IV	3 2.3	6 4.0	2 6.0	2 5.5	1 3.0	2 1.5	0 -	6 3.8	6 3.3	30 3.4	18 4.0	7 4.1	7
V	1 3.0	4 2.5	15 4.5	13 3.7	7 4.3	1 2.0	0 -	2 4.5	13 1.8	12 2.0	10 2.9	2 3.0	13
VI	1 1.0	0 -	3 3.7	8 2.6	5 2.4	1 1.0	8 2.5	11 3.9	17 3.2	18 3.5	11 3.5	0 -	7
VII	2 1.5	4 2.0	14 2.4	15 3.1	12 3.0	1 1.0	3 3.0	10 3.2	8 3.2	9 4.0	10 3.8	3 2.3	2
VIII	1 1.0	5 2.2	17 3.6	14 3.3	2 3.0	1 3.0	2 3.0	4 3.2	9 4.2	12 3.4	13 4.0	9 3.4	4
IX	0 -	3 1.3	3 4.3	6 4.2	5 3.0	7 3.9	1 5.0	9 3.0	15 4.3	24 4.7	10 4.9	3 3.3	4
X	2 3.0	1 1.0	9 3.2	13 3.5	3 2.3	1 6.0	1 6.0	6 2.8	16 4.9	21 5.6	10 4.7	4 3.2	6
XI	2 2.5	0 -	4 2.8	18 5.3	8 5.9	3 4.3	5 3.0	4 2.0	9 4.3	14 4.0	8 3.8	6 5.2	9
XII	0 -	4 4.5	6 4.2	11 4.4	1 5.0	2 5.0	4 5.3	3 5.3	9 6.6	22 4.4	15 4.8	8 5.1	8
1954	22 3.2	38 2.8	101 3.8	131 4.0	58 4.1	22 3.8	29 3.7	74 3.8	120 3.9	232 3.7	128 4.0	53 4.1	87

Gaustatoppen *)

φ = 59° 51'N λ = 8° 40'E g = 9.815 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	803.2	782.0	-12.6	-12.3	-12.5	-12.7	-14.8	- 3.2	3	-26.3	30
II	04.3	82.2	-15.6	-15.5	-15.5	-15.7	-17.3	- 5.5	4	-22.1	20
III	01.5	80.4	- 9.2	- 7.6	- 8.2	- 8.5	-10.3	- 1.5	23	-17.3	4
IV	08.5	87.0	- 9.2	- 7.4	- 7.7	- 8.4	-10.2	- 3.3	17	-12.8	16
V	14.3	93.3	- 0.8	0.2	0.6	- 0.4	- 2.0	10.4	30	- 9.0	1
VI	08.1	87.5	1.2	3.4	3.7	2.3	0.1	12.1	5	- 5.3	14
VII	05.0	84.5	2.3	4.0	4.0	3.1	1.5	10.2	13	- 1.6	18
VIII	07.8	87.2	2.2	4.0	3.9	3.1	1.4	12.4	27	- 1.3	19
IX	01.0	80.3	- 1.2	- 0.5	- 0.8	- 1.3	- 2.7	8.4	2	-10.8	27
X	00.6	79.5	- 5.7	- 5.0	- 4.8	- 5.4	- 7.1	3.0	4	-10.7	17
XI	02.9	81.6	- 8.8	- 8.3	- 8.4	- 8.6	- 9.8	- 2.6	4	-14.5	24
XII	794.4	73.3	- 8.5	- 8.5	- 8.4	- 8.5	- 9.5	- 3.0	3	-14.8	24
1954	804.3	783.2	- 5.5	- 4.5	- 4.5	- 5.1	- 6.7	-12.4		-26.3	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	6 5.2	6 4.8	11 4.7	2 3.5	3 4.3	3 4.7	2 4.5	2 5.5	4 4.5	39 4.4	12 4.8	3 3.7	0
II	1 2.0	2 2.5	9 5.3	12 4.8	3 4.7	9 4.3	2 4.5	2 3.5	5 5.0	35 5.4	2 3.0	2 4.0	0
III	4 4.5	5 2.4	6 3.5	7 4.6	4 5.0	3 4.0	1 2.0	0 -	4 5.0	47 4.1	6 3.3	5 4.0	1
IV	10 4.5	7 3.9	1 6.0	1 7.0	0 -	0 -	1 3.0	0 -	0 -	41 4.3	16 3.6	13 4.0	0
V	5 2.8	5 4.2	16 4.4	8 4.5	1 6.0	3 4.3	1 5.0	2 3.5	4 2.8	32 3.8	15 3.7	1 3.0	0
VI	3 3.0	3 4.0	0 -	2 4.0	0 -	0 -	3 6.0	0 -	3 5.3	64 3.7	12 2.7	0 -	0
VII	5 3.8	3 2.3	11 3.9	9 4.4	1 5.0	2 4.0	5 2.4	1 4.0	5 3.6	46 3.5	5 3.4	0 -	0
VIII	2 2.5	5 2.2	20 4.8	3 3.7	0 -	3 3.3	1 3.0	0 -	5 3.4	44 3.7	8 3.9	1 1.0	1
IX	4 3.8	2 3.5	0 -	1 6.0	0 -	2 6.0	3 4.3	2 4.0	4 4.5	64 4.9	6 4.2	2 4.5	0
X	6 3.7	1 4.0	4 5.0	3 5.3	2 5.5	2 5.0	2 6.0	1 6.0	6 6.0	59 5.2	5 4.8	2 4.5	0
XI	4 5.0	5 4.4	2 4.5	5 5.4	2 5.0	3 5.3	7 5.6	7 5.4	2 5.0	38 4.1	14 4.5	1 6.0	0
XII	1 3.0	3 3.7	1 5.0	9 4.1	1 4.0	7 5.0	4 4.0	6 5.0	8 4.5	39 3.9	14 4.6	0 -	0
1954	51 4.0	47 3.6	81 4.6	62 4.6	17 4.9	37 4.6	32 4.4	23 4.8	50 4.5	548 4.3	115 3.9	30 4.0	2

Stokke

φ = 59° 14'N λ = 10° 17'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 5.6	- 2.8	- 3.4	- 4.1	- 0.5	- 7.8	6.8	2	-20.0	28
II			- 8.2	- 5.8	- 6.8	- 7.2	- 4.7	- 9.7	- 0.2	7	-18.4	17
III			- 2.0	0.4	- 0.5	- 0.9	1.3	- 2.8	7.0	28	- 7.2	3
IV			1.1	6.0	4.8	3.2	7.3	- 1.2	14.0	23	- 6.4	8
V			9.3	13.6	14.0	11.2	15.9	6.4	27.0	29	- 0.1	8
VI			12.3	15.5	15.5	13.5	17.7	9.8	22.5	3	5.8	15
VII			13.7	16.8	16.0	14.6	18.7	10.8	23.2	11	5.8	6
VIII			12.5	17.5	15.7	14.2	18.5	9.9	21.0	31	6.0	17
IX			8.2	13.6	11.3	10.4	14.6	6.8	20.0	2	- 1.2	28
X			4.6	8.3	6.1	5.9	9.3	2.8	13.3	14	- 3.6	27
XI			1.2	3.0	1.7	1.8	3.9	- 0.7	9.4	5	- 8.1	16
XII			- 0.5	0.8	- 0.2	- 0.2	2.5	- 3.1	9.5	19	-15 3	25
1954			3.9	7.2	6.2	5.2	8.7	1.8	27.0		-20.0	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	29 2.5	1 2.0	12 3.4	1 3.0	0 -	5 3.4	2 2.5	0 -	11 3.1	11 1.5	0 -	17 3.1	4
II	22 1.9	0 -	14 3.0	11 2.9	1 3.0	13 3.0	7 2.9	0 -	3 2.3	4 1.0	0 -	4 1.0	5
III	19 2.4	0 -	11 3.0	8 1.9	1 1.4	6 2.2	20 1.8	1 3.0	16 2.0	5 1.4	0 -	3 1.0	3
IV	21 2.7	0 -	12 2.9	6 2.0	0 -	2 2.0	17 2.1	0 -	15 2.5	7 2.7	0 -	9 2.0	1
V	18 2.4	0 -	17 3.0	12 3.2	0 -	11 2.7	13 2.7	0 -	13 2.1	4 1.5	0 -	3 1.3	2
VI	2 3.0	0 -	5 3.8	4 2.0	0 -	6 3.0	23 2.7	7 3.6	32 2.6	8 2.9	0 -	2 2.5	1
VII	15 2.7	3 2.0	13 3.1	3 3.0	0 -	8 2.1	18 2.4	8 3.8	16 3.1	5 2.4	0 -	3 1.7	1
VIII	10 1.6	0 -	14 2.9	7 2.9	0 -	7 1.9	10 2.5	2 2.5	27 2.7	7 1.6	0 -	5 1.6	4
IX	6 1.7	0 -	4 1.5	2 2.5	1 2.0	10 2.9	15 2.7	5 3.4	21 3.2	19 2.4	1 3.0	6 2.2	0
X	10 1.9	0 -	5 2.4	3 3.7	0 -	9 2.6	7 2.1	1 3.0	32 3.4	18 1.6	0 -	5 1.8	3
XI	13 1.8	0 -	4 1.5	15 2.5	5 3.0	13 3.5	7 1.6	2 2.5	13 2.2	6 1.7	0 -	9 1.2	3
XII	22 1.7	0 -	2 1.5	2 1.0	4 4.2	1 3.0	13 2.8	4 3.2	19 3.2	11 1.7	0 -	12 1.3	3
1954	187 2.2	4 2.0	113 2.9	74 2.6	12 3.4	91 2.8	152 2.4	30 3.4	218 2.8	105 1.9	1 3.0	78 1.9	30

*) Gaustatoppen: Lufttrykk red. til 2000 gdm

1954

Svene
Lyngdal i Numedal

H_s = 176 / 290 H_b = h_t = 1.9 / 2.0 h_a = h_d = 10 / 10 h_r = 1.6 / 1.8

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr ?	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snedekke
I	84	82	83	83	3.2	4.7	3.3	31	8	16	31	23	22	0	12	5	0	1	1	1	2	12	2	1	0	0	0	0	2	0	15	10	6	31
II	89	86	90	89	6.8	6.9	6.1	56	10	28	28	27	18	0	17	12	0	0	0	0	0	17	0	0	0	0	0	0	3	0	8	1	20	28
III	92	69	81	84	6.5	5.8	6.5	45	14	5	30	4	2	0	14	9	1	0	0	0	3	14	2	0	0	0	0	0	10	6	18	1	19	31
IV	87	51	51	66	5.4	4.8	4.1	20	13	2	22	0	0	0	8	4	1	0	0	0	5	6	2	2	0	0	0	0	3	3	28	3	6	22
V																																		
VI																																		
VII	92	68	72	82	5.1	6.7	5.5	188	28	15	0	0	0	0	27	22	7	0	0	0	27	0	0	1	0	0	0	1	11	9	26	0	10	0
VIII	92	60	66	77	4.0	5.4	4.6	115	22	12	0	0	0	0	16	16	5	0	0	0	16	0	0	2	0	0	0	4	6	14	26	2	7	0
IX	91	67	73	80	5.4	6.1	4.9	79	14	9	5	0	0	0	16	12	3	0	0	0	16	0	0	2	0	0	0	0	3	18	22	2	14	0
X	88	72	83	83	5.4	5.8	4.8	97	24	25	13	0	0	0	15	13	3	4	0	0	9	6	0	1	0	0	0	0	2	8	18	3	12	7
XI					6.6	6.0	6.3	97	20	30	26	11	2	0	19	14	1	1	0	0	5	17	3	1	1	0	0	0	11	5	14	1	19	21
XII	87	86	86	86	4.9	5.9	5.1	106	25	10	28	13	11	0	14	13	4	4	0	0	7	10	1	1	0	0	0	0	8	6	5	2	12	31

Kongsberg

H_s = 169 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

I					4.0	5.0	4.0	29	8	16	31	23	19	0	10	6	0	1	1	0	2	10	2	0	0	0	0	0	12	1	23	6	7	31
II					7.1	6.6	6.2	79	14	28	28	28	16	0	17	13	2	0	0	0	0	17	0	0	0	0	0	0	18	0	13	0	18	28
III					6.6	5.9	6.5	68	19	8	29	4	0	0	15	11	3	0	0	0	4	15	3	1	0	0	0	0	16	7	17	1	18	31
IV					4.9	4.7	4.8	29	16	2	22	0	0	0	6	4	1	1	0	0	1	5	0	0	0	0	0	0	5	3	28	1	6	23
V					5.5	5.3	4.7	100	32	22	1	0	0	4	18	13	5	0	0	0	18	2	2	0	0	0	0	2	10	5	23	4	14	0
VI					5.3	5.4	4.8	55	13	27	0	0	0	2	19	14	1	0	0	0	19	0	0	0	0	0	0	1	9	1	26	4	7	0
VII					5.8	6.2	5.3	159	27	15	0	0	0	0	27	22	4	0	0	0	27	0	0	0	0	0	0	3	15	1	24	0	12	0
VIII					4.9	5.5	4.9	97	16	8	0	0	0	0	19	13	4	0	0	0	19	0	0	0	0	0	0	6	10	4	28	0	7	0
IX					5.9	5.7	4.3	90	16	10	5	0	0	0	19	11	4	1	0	0	19	0	0	5	0	0	0	0	8	5	24	0	8	0
X					5.7	5.5	5.2	64	16	25	10	0	0	0	17	12	2	1	0	0	15	5	3	0	0	0	0	0	11	5	18	1	12	7
XI					6.7	5.9	6.4	111	21	30	24	8	1	0	20	16	3	1	0	0	10	15	5	0	0	0	0	0	18	1	11	1	18	22
XII					5.4	5.8	5.6	113	27	10	23	13	7	0	16	13	4	1	0	0	10	11	2	0	0	0	0	0	15	3	16	1	12	23
1954					5.6	5.6	5.2	994	32		173	76	43	6	205	148	33	6	1	0	144	80	17	6	0	0	0	12	147	36	251	19	139	165

Kalhovd

H_s = 1101 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

I	82	80	81	82	3.5	4.5	3.2	17	4	15	31	28	24	0	13	6	0	21	5	0	2	12	1	0	0	0	0	0	8	0	21	8	6	31
II	87	84	86	86	7.2	6.5	6.7	16	3	24	28	28	28	0	18	5	0	14	1	0	1	18	1	0	0	0	0	0	14	4	6	2	22	28
III	90	83	85	86	5.5	5.4	5.3	16	4	8	31	25	17	0	15	7	0	18	1	0	3	15	3	0	0	0	0	0	7	13	18	5	18	31
IV	85	71	75	79	4.3	3.8	3.1	10	3	14	30	14	9	0	11	4	0	12	3	2	0	11	0	0	0	0	0	0	6	1	27	9	3	30
V	88	69	69	79	5.4	5.4	4.9	80	20	21	15	0	0	0	14	11	2	5	1	0	12	9	5	5	0	0	0	0	4	7	20	4	16	24
VI	82	62	65	75	5.3	5.8	5.2	84	12	11	1	0	0	0	19	14	3	4	0	0	19	0	0	3	0	0	0	0	3	1	21	3	14	0
VII	86	71	73	80	6.5	6.8	6.6	123	16	28	0	0	0	0	25	18	4	2	0	0	25	0	0	5	0	2	0	0	3	1	17	0	21	0
VIII	85	65	70	77	5.7	6.0	5.7	51	14	11	0	0	0	0	18	13	1	4	0	0	18	0	0	2	0	0	0	0	2	2	22	1	16	0
IX	85	74	78	80	6.2	6.4	5.3	72	14	21	9	0	0	0	21	13	2	13	0	0	20	5	4	7	0	0	0	0	8	2	15	1	17	2
X	84	80	84	83	5.4	5.7	6.5	57	10	30	27	6	0	0	23	13	0	17	5	3	12	23	9	6	0	0	0	0	9	7	15	2	16	25
XI	87	85	87	86	6.6	6.3	6.4	46	7	12	30	25	4	0	20	16	0	14	3	2	1	20	1	0	0	0	0	0	14	2	12	1	19	30
XII	86	84	86	85	5.2	5.1	5.7	48	7	11	31	26	12	0	21	17	0	22	10	1	3	21	2	0	0	0	0	0	13	5	13	4	15	31
1954	86	76	78	82	5.6	5.6	5.4	620	20		233	152	94	0	218	137	12	146	29	8	116	134	26	28	0	2	0	0	91	45	207	40	183	232

Gaustatoppen

H_s = 1828 H_b = 1828.7 h_t = 2.1 h_a = h_d = 3.5 h_r = 1.3

I	76	74	77	76	4.3	4.2	3.7	115	22	15	31		26		19	15	4	16	0	0	0	19	0	0	0	0	0	0	23	19	11	10	31
II	81	82	80	81	5.9	4.8	5.4	182	32	26	28		27		18	15	9	17	2	0	0	18	0	0	0	0	0	0	21	19	5	12	28
III	86	86	83	85	4.1	4.9	4.7	105	19	31	31		20		16	13	4	10	1	0	1	16	0	1	0	0	0	1	25	22	7	11	31
IV	87	84	84	85	4.5	4.1	3.9	71	13	2	30		17		16	12	2	11	0	0	0	16	0	0	0	0	0	0	21	26	6	7	30
V	90	86	84	87	5.5	5.4	5.4	122	22	2	21		0		18	14	6	11	0	0	7	12	0	1	0	4	0	0	21	18	5	9	26
VI	84	84	84	84	5.5	5.8	5.5	136	25	11	15		0		19	14	5	6	0	0	15	11	3	15	0	0	0	1	0	21	25	5	14	3
VII	94	92	92	93	6.2	6.5	6.6	208	29	15	11		0		26	22	9	8	0	0	21	13	5	13	1	6	0	2	0	30	22	0	17	0
VIII	92	85	86	89	5.4	6.0	5.4	86	20	18	6		0		20	14	2	10	1	0	20	8	3	12	0	3	0	4	0	24	27	1	12	0
IX	92	92	93	92	6.1	6.9	6.2	152	28	11	19		2		21	13	5	18	1	0	11	13	2	11	2	0	0	0	0	29	19	0	17	17
X	92	90	89	90	5.3	6.0	5.7	170	34	26	31		2		28	22	5	23	4	0	6	25	2	5	0	0	0	0	0	30	21	3	13	30
XI	90	90	90	90	6.2	5.8	5.8	240	39	12	30		13		26	19	8	17	3	2	0	24	0	0	0	0	0	0	0	29	14	1	14	30
XII	88	87	88	88	6.2	5.9	6.7	283	34	11	31		12		28	27	11	18	0	0	0	28	0	0	0	0	0	0	0	27	11	3	20	31
1954	88	86	86	87	5.4	5.5	5.4	1870	39		284		119		255	200	70	165	12	2	81	203	15	58	3	13	0	7	1	301	243	47	156	257

Stokke

H_s = 76 H_b = h_t = 2.0 h_a = h_d = 12 h_r = 1.7

I	78	73	76	76	4.0	5.1	4.5	91	31	14	28	16	9	0	11	6	4	3	1	0	5	8	3	1	0	0	0	0	6	3	21	7	11	10
II	87	85	87	86	6.7	6.0	6.2	99	23	26	28	28	12	0	21	11	4	1	0	0	0	19	0	0	0	0	0	0	11	3	16	0	16	28
III	93	84	87	89	7.1	6.4	6.4	98	29	5	28	8	0	0	18	12	3	2	0	0	6	16	3	3	0	0	0	0	4	20	13	2	23	31
IV	79	60	59	68	4.4	4.1	3.4	43	17	2	19	0	0	0	9	7	2	2	0	0	7	7	4	1	0	0	0	0	6	5	29	3	4	21
V	82	64	62	72	5.1	4.9	4.4	75	17	21	1	0	0	2	14	13	3	2	0	0	14	0	0	1	0	0	0	0	15	3	26	5	13	0
VI	83	71	70	77	5.5	5.3	4.6	105	17	10	0	0	0	0	19	14	4	4	0	0	19	0	0	0	0	0	0	1	16	0	27	3	11	0
VII	88	72	75	81	5.2	6.0	5.1	108	26	16	0	0	0	0	19	14	4	0	0	0	19	0	0	1	0	0	0	3	7	1	28	0	12	0
VIII	90	65	73	80	4.7	4.6	4.2	52	20	8	0	0	0	0	14	11	1	0	0	0	14	0	0	2	0	0	0	1	12	5	30	0	5	0
IX	92	68	79	82	4.8	5.3	4.0	191	33	11	2	0	0	0	18	15	7	7	0	0	18	0	0	0	0	0	0	1	13	5	28	3	8	0
X	88	72	84	83	5.0	5.9	5.0	109	24	30	8	0	0	0	19	12	4	5	0	0	19	3	3	3	0	0	0	0	8	5	18	4	12	0
XI	90	83	89	88	6.3	6.0	6.5	194	34	30	17	2	0	0	22	16	8	4	2	1	15	13	6	0	0	0	0	0	15	2	12	2	19	8
XII	88	87	90	88	4.9	5.5	4.7	144	34	1	20	11	5	0	17	12	6	2	0	0	12	6	2	3	0	0	0	0	12	5	14	4	12	11
1954	86	74	78	81	5.3	5.4	4.9	1309	34		151	65	26	2	201	143	50	32	3	1	148	72	21	15	0	0	0	6	125	57	262	33	146	109

1954

Ås

φ = 59° 40'N λ = 10° 47'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.2	- 4.2	- 5.8	- 6.0	- 2.5	-10.1	4.5	2	-20.0	28	12 2.0	20 1.8	0 -	2 1.0	1 1.0	5 1.8	6 2.2	4 1.0	0 -	2 1.0	9 1.0	11 1.9	21
II			- 8.9	- 6.1	- 7.9	- 7.9	- 5.3	-11.4	- 0.5	7	-21.0	17	1 3.0	9 2.8	3 1.7	21 1.4	11 1.2	7 1.4	11 1.9	0 -	0 -	0 -	0 -	3 1.3	18
III			- 1.8	1.0	- 0.6	- 0.8	2.0	- 3.9	8.5	28	-10.4	3	5 2.2	4 1.5	0 -	9 1.2	5 1.4	12 1.9	24 1.6	4 1.0	2 1.0	3 1.0	9 1.0	6 1.2	10
IV			2.1	6.2	4.8	3.2	7.9	- 1.7	13.2	23	- 6.4	8	25 1.9	6 1.7	0 -	1 1.0	1 1.0	1 1.0	10 1.7	5 1.2	5 1.6	6 1.3	15 1.2	7 1.1	8
V			10.6	14.6	14.5	11.6	17.2	6.4	28.0	29	1.1	1	8 2.0	22 2.0	2 2.0	5 1.0	3 1.7	5 1.2	12 1.2	4 1.2	8 1.1	5 1.2	9 1.0	3 2.0	7
VI			13.6	16.1	15.5	13.7	18.2	9.1	24.4	5	4.5	14	2 1.5	11 1.6	0 -	1 1.0	5 1.6	9 2.1	38 2.0	6 2.2	3 2.3	5 1.4	8 1.2	0 -	2
VII			15.0	17.5	16.2	15.0	19.3	10.8	24.6	11	7.2	17	4 1.5	14 1.6	0 -	6 1.3	13 1.7	8 2.6	25 1.8	2 1.5	4 3.0	6 1.2	7 1.1	1 1.0	3
VIII			14.3	18.3	15.9	14.9	19.6	10.1	22.6	26	5.2	22	1 2.0	14 1.6	3 1.3	2 1.0	4 1.2	9 1.3	22 1.7	2 1.0	10 1.4	8 1.9	5 1.2	4 1.0	9
IX			9.5	13.9	10.9	10.6	15.0	6.7	23.0	2	- 2.0	28	0 -	7 1.3	1 2.0	6 1.0	2 1.5	16 1.4	20 2.4	6 2.3	8 1.6	9 1.4	8 1.2	2 1.5	5
X			4.4	8.0	5.6	5.5	9.2	1.8	12.8	12	- 6.1	20	0 -	4 1.2	2 1.0	7 1.3	4 1.2	7 1.1	27 2.1	5 1.8	5 1.6	5 1.4	4 1.0	4 1.0	19
XI			0.2	1.9	0.5	0.7	3.0	- 1.8	9.2	5	-11.1	16	0 -	2 1.0	2 2.5	28 1.3	7 2.1	11 1.5	6 1.2	3 1.7	0 -	3 2.0	5 1.4	6 1.2	17
XII			- 1.1	0.6	- 0.6	- 0.6	2.2	- 3.5	8.2	19	-17.3	26	0 -	2 1.5	4 1.0	7 1.4	1 1.0	7 1.7	25 2.4	0 -	2 2.0	4 1.8	12 1.0	15 1.1	14
1954			4.2	7.3	5.8	5.0	8.8	1.1	28.0		-21.0		58 2.0	115 1.8	17 1.5	95 1.3	57 1.5	97 1.7	226 1.9	41 1.6	47 1.6	56 1.4	91 1.1	62 1.3	133

Eidsberg

φ = 59° 30'N λ = 11° 17'E g = ΔG = + 1h

I			- 6.5	- 4.3	- 5.3	- 5.6		- 9.0	4.8	2	-20.1	23	25 2.6	19 2.6	0 -	1 2.0	0 -	12 2.2	16 2.4	4 2.0	1 1.0	0 -	0 -	14 2.1	1
II			- 8.9	- 6.0	- 7.5	- 7.7		-10.6	- 0.9	6	-22.0	15	8 1.8	26 2.4	1 4.0	2 2.0	2 1.5	22 2.7	21 2.2	0 -	0 -	0 -	0 -	0 -	2
III			- 1.5	1.2	- 0.8	- 0.6		- 2.9	6.4	23	- 7.0	20	9 1.9	24 2.2	1 1.0	2 1.0	2 2.0	14 2.2	38 2.3	3 1.7	0 -	0 -	0 -	0 -	0
IV			1.3	6.4	3.9	3.1		- 1.5	13.2	23	- 4.6	7	18 2.2	18 2.2	2 3.5	0 -	0 -	11 2.4	23 2.5	5 2.8	0 -	0 -	2 1.5	10 2.0	1
V			9.3	15.1	13.8	11.5		6.3	26.2	29	1.2	1	10 2.7	5 2.4	3 1.7	4 3.5	10 2.3	21 2.3	23 2.0	7 2.4	0 -	4 2.8	0 -	5 2.0	1
VI			12.3	16.1	14.8	13.4		9.3	22.4	5	3.5	14	5 2.0	3 2.3	1 3.0	4 2.5	1 3.0	7 2.9	52 2.4	9 3.0	1 3.0	4 2.8	2 1.5	1 1.0	0
VII			13.5	17.2	15.8	14.6		10.9	22.5	13	7.6	4	2 1.0	13 2.1	0 -	6 2.3	9 1.9	17 2.2	23 2.4	8 2.5	1 2.0	7 2.1	3 2.0	4 1.8	0
VIII			13.0	17.9	15.4	14.6		10.7	21.4	5	7.6	22	1 1.0	11 1.8	5 1.8	6 2.7	3 2.0	11 1.8	24 1.8	23 2.5	1 2.0	1 1.0	2 2.5	4 1.2	1
IX			8.3	13.3	10.4	10.1		6.6	21.7	2	- 3.2	28	2 1.0	7 1.6	0 -	4 1.0	17 2.1	9 2.6	12 2.0	25 2.5	0 -	4 2.8	4 1.5	4 2.0	2
X			4.0	7.6	5.5	5.4		2.3	12.2	14	- 2.7	20	4 1.0	7 1.4	4 1.5	2 2.5	4 2.2	10 1.6	28 2.2	14 2.8	3 1.7	2 1.0	1 3.0	7 1.7	7
XI			- 0.1	1.8	1.0	0.7		- 1.2	8.6	5	-10.3	16	15 1.5	4 1.8	0 -	5 1.4	5 2.0	29 2.1	19 2.1	2 2.5	0 -	3 1.7	1 1.0	4 1.3	3
XII			- 0.8	0.5	- 0.3	- 0.5		- 2.8	7.2	3	-14.9	30	11 1.8	7 1.9	0 -	5 2.0	3 1.7	20 1.8	24 2.8	5 3.0	1 2.0	0 -	3 1.0	13 1.5	1
1954			3.7	7.2	5.6	4.9		1.5	26.2		-22.0		110 2.0	144 2.2	17 2.1	41 2.1	56 2.1	183 1.7	303 2.3	105 2.6	8 1.9	25 2.2	18 1.7	66 1.8	19

Råde (Tomb)

φ = 59° 19'N λ = 10° 49'E g = ΔG = + 1h

I			- 4.9	- 2.8	- 2.9	- 3.7		- 6.7	6.6	2	-16.1	27	0 -	24 3.8	8 2.5	8 2.2	5 1.6	4 1.0	7 1.4	18 2.4	2 3.0	1 2.0	3 3.7	1 3.0	12
II			- 8.0	- 4.8	- 6.7	- 6.8		- 9.8	0.8	6	-17.2	17	0 -	5 1.4	17 2.4	36 2.4	3 2.0	4 1.8	6 2.2	7 1.3	0 -	0 -	0 -	0 -	6
III			- 1.3	0.9	0.0	- 0.5		- 3.1	6.4	28	- 9.8	19	0 -	9 2.2	12 2.1	18 1.7	4 3.0	4 2.0	4 1.8	25 2.2	11 2.3	1 1.0	2 1.5	0 -	3
IV			3.2	6.5	4.4	3.6		- 0.9	12.4	23	- 3.9	26	0 -	18 3.4	5 3.6	11 2.1	0 -	2 1.0	8 1.8	34 2.3	8 2.1	1 2.0	1 3.0	0 -	2
V			11.2	14.4	14.0	11.5		6.1	26.1	29	1.7	1	0 -	13 3.2	17 3.5	10 2.6	0 -	3 3.0	2 2.0	26 2.3	12 2.8	7 2.4	1 1.0	0 -	2
VI			14.5	16.3	15.3	13.0		5.4	21.2	20	- 1.3	14	0 -	7 2.7	0 -	5 2.8	5 2.0	4 2.2	11 1.6	30 2.6	27 3.0	1 2.0	0 -	0 -	0
VII			15.5	17.6	16.0	14.2		7.0	23.0	11	3.0	9	2 1.5	11 2.5	7 3.9	11 2.5	3 1.0	9 1.3	14 1.3	25 2.2	10 2.4	1 2.0	0 -	0 -	0
VIII			15.3	17.9	16.0	14.9		9.5	21.6	24	3.4	2	3 1.0	9 2.1	11 2.1	3 3.3	1 3.0	1 2.0	0 -	48 2.0	13 2.1	0 -	0 -	0 -	4
IX			10.5	14.0	12.3	11.4		7.4	20.2	2	- 0.7	28	0 -	3 3.0	2 1.0	9 2.7	3 2.0	4 1.0	10 1.7	31 2.5	25 3.1	2 4.5	0 -	0 -	1
X			5.5	8.4	6.8	6.4		2.4	14.0	9	- 3.2	27	0 -	6 2.8	2 2.5	4 2.2	4 1.8	7 1.4	11 1.2	17 1.8	38 2.8	0 -	0 -	0 -	4
XI			0.9	3.0	2.0	1.8		- 0.6	9.4	5	- 7.9	24	0 -	0 -	5 2.2	17 2.6	19 1.6	15 1.2	8 1.5	13 2.5	6 2.2	0 -	0 -	0 -	7
XII			0.2	1.4	0.4	0.5		- 2.1	8.0	3	-15.3	30	1 1.0	8 1.5	0 -	11 2.5	6 2.2	6 1.3	8 2.8	17 2.2	18 2.4	1 3.0	1 2.0	0 -	16
1954			5.2	7.7	6.5	5.5		1.2	26.1		-17.2		6 1.2	113 2.8	86 2.7	143 2.4	53 1.8	63 1.5	89 2.8	291 2.2	170 2.7	15 2.5	8 2.5	1 3.0	57

Kalnes

φ = 59° 19'N λ = 11° 3'E g = ΔG = + 1h

I			- 5.1	- 2.6	- 3.1	- 3.8		- 7.0	6.1	2	-16.8	27	29 3.3	8 3.6	11 3.6	14 3.0	0 -	2 1.5	6 2.8	3 4.0	7 3.6	7 3.6	4 4.8	2 3.5	0
II			- 8.2	- 5.1	- 6.4	- 6.8		- 9.4	0.3	6	-18.3	13	14 2.4	3 4.0	10 3.3	24 3.5	4 3.0	7 3.3	9 2.7	4 2.8	6 2.5	3 2.0	0 -	0 -	0
III			- 1.0	1.2	0.1	- 0.2		- 2.4	7.2	28	- 7.9	20	6 2.2	5 4.0	7 3.0	16 2.6	2 1.0	5 4.0	18 2.4	9 2.2	10 2.3	12 1.6	3 1.3	0 -	0
IV			3.1	7.0	4.8	3.9		- 0.3	12.6	23	- 3.4	11	21 3.4	8 3.6	13 3.2	5 3.2	1 2.0	1 3.0	6 3.2	8 3.0	7 3.9	10 3.8	5 3.0	5 3.2	0
V			10.6	15.0	14.1	11.8		7.3	27.6	29	1.4	1	8 4.2	1 6.0	14 4.4	16 3.9	4 4.0	8 2.8	7 3.1	7 3.6	8 3.6	17 3.5	2 3.0	1 2.0	0
VI			13.7	15.8	14.9	13.8		10.5	20.1	20	5.5	14	4 4.0	1 5.0	2 4.0	6 4.3	3 5.0	4 4.0	12 4.0	13 4.8	22 4.5	22 4.4	0 -	1 4.0	0
VII			15.2	17.4	16.2	15.3		12.1	23.6	11	9.0	8	3 2.0	9 2.7	8 3.9	13 3.0	3 3.0	6 3.5	13 3.5	7 3.6	16 4.1	10 3.7	1 1.0	4 3.0	0
VIII			14.6	17.7	15.9	15.2		12.0	21.0	5	9.1	22	5 2.2	4 2.5	5 4.4	13 3.8	7 3.1	6 3.0	8 3.1	8 3.4	7 4.4	26 4.4	4 3.2	0 -	0
IX			10.5	14.0	11.6	11.3		8.2	20.8	3	0.2	28	8 4.1	1 3.0	7 3.9	8 4.1	5 4.0	3 3.3	11 3.5	1 6.0	17 4.5	25 4.4	4 3.8	0 -	0
X			5.6	8.6	6.8	6.6		3.8	13.2	14	- 1.5	20	13 2.8	5 4.6	7 3.6	12 3.6	0 -	3 3.3	5 3.6	11 3.9	8 4.8	22 4.2	7 4.3	0 -	0
XI			1.1	2.8	2.0	1.8		0.0	9.5	5	- 6.5	16	23 3.7	1 3.0	13 4.2	18 4.3	5 5.0	4 4.8	10 3.3	3 4.3	0 -	5 4.6	7 4.3	1 6.0	0
XII			0.2	1.5	0.5	0.6		- 1.7	8.2	3	-12.5	30	14 2.6	3 3.0	14 2.9	6 3.3	2 5.5	6 3.5	9 4.3	3 3.7	10 4.5	16 4.0	3 4.7	7 2.3	0
1954			5.0	7.8	6.4	5.8		2.8	27.6		-18.3		148 3.2	49 3.5	111 3.7	151 3.6	36 3.7	55 3.4	114 3.3	77 3.6	118 4.0	175 3.9	40 3.7	21 3.0	0

Brekke Sluse

φ = 59° 9'N λ = 11° 34'E g = ΔG = + 1h

I			- 6.0	- 3.7	- 4.2	- 4.8		- 8.4	4.1	2	-20.2	28	22 2.7	1 2.0	21 3.0	9 2.8	0 -	13 2.1	2 3.0	0 -	10 2.5	9 1.7	0 -	5 2.0	1
II			- 8.9	- 5.5	- 7.0	- 7.4		-10.4	- 0.4	6	-19.6	13	1 2.0	0 -	32 2.9	26 2.9	0 -	12 2.8	0 -	0 -	6 3.0	1 2.0	0 -	3 2.0	3
III			- 2.2	1.0	- 0.2	- 0.8		- 3.2	8.9	23	- 9.8	19	2 1.0	4 2.0	6 2.7	15 1.9	0 -	12 2.0	4 1.8	0 -	34 1.4	14 1.0	0 -	0 -	2
IV			0.2	6.1	4.7	2.9		- 1.9	9.8	28	- 5.8	26	15 2.2	7 1.9	16 2.9	14 1.8	0 -	3 1.0	0 -	0 -	14 1.9	4 1.8	0 -	15 2.2	2
V			8.7	14.5	14.2	11.1		5.3	25.8	29	- 1.8	9	3 2.3	0 -	26 2.5	7 3.6	0 -	19 2.4	8 2.0	0 -	18 2.1	3 2.3	0 -	4 2.2	5
VI			12.8	15.8	15.3	13.6		9.5	21.8	20	2.4	14	7 2.6	0 -	4 3.0	0 -	0 -	8 2.4	12 2.1	0 -	40 2.4	10 2.8	0 -	8 2.9	1
VII			13.8	17.5	16.0	14.8		10.7	22.2	11	6.6	8	5 2.2	0 -	9 1.8	14 2.6	0 -	26 2.0	6 2.3	0 -	21 2.4	8 2.8	0 -	4 2.0	0
VIII			12.7	17.1	15.6	14.3		10.5	20.0	5	6.6	22	3 2.0	15 2.5	0 -	12 2.1	0 -	13 1.9	3 2.0	0 -	35 2.4	6 2.7	0 -	3 1.7	3
IX			7.9	12.9	10.9	10.0		6.9	20.4	2	- 2.0	28	4 2.0	1 2.0	4 2.2	0 -	0 -	7 2.1	14 2.8	0 -	28 2.3	13 2.4	0 -	17 2.1	2
X			4.2	7.7	5.7	5.6		2.3	11.8	12	- 3.0	17	5 1.6	0 -	15 1.8	9 3.0	0 -	8 2.9	1 3.0	0 -	32 3.0	11 3.0	0 -	11 2.1	1
XI			0.7	2.1	1.1	1.2		- 0.8	8.8	5	- 8.8	16	7 2.3	0 -	22 2.1	18 2.9	0 -	16 2.8	6 2.7	0 -	13 2.2	4 4.0	0 -	4 2.0	0
XII			- 0.6	0.9	- 0.2	- 0.2		- 2.5	8.2	3	-15.0	26	12 2.2	1 3.0	11 2.4	20 2.6	0 -	6 1.7	4 2.8	0 -	19 2.7	11 3.5	0 -	9 2.2	0
1954			3.6	7.2	6.0	5.0		1.5	25.8		-20.2		86 2.3	29 2.2	166 2.5	144 2.6	0 -	143 2.2	60 2.4	0 -	270 2.3	94 2.4	0 -	83 2.2	2

1954

Ås

H_s = 95 H_b = h_t = 2.0 h_a = h_d = 8.3 h_r = 2.0

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	79	80	81	5.1	5.1	5.3	69	24	14	30	21	16	0	10	6	3	2	0	0	4	10	4	1	0	0	0	0	10	7	22	3	13	22
II	88	83	89	87	6.9	6.0	6.4	48	11	25	28	28	14	0	17	9	1	0	0	0	0	17	0	0	0	0	0	0	19	3	14	0	14	28
III	90	80	86	87	7.1	6.7	6.8	52	12	5	29	4	1	0	16	11	1	0	0	0	7	14	5	0	0	0	0	0	6	19	13	1	22	31
IV	75	58	61	68	4.6	4.5	4.4	20	5	2	22	0	0	0	8	6	0	0	0	0	5	7	2	1	0	0	0	0	4	5	27	1	7	17
V	78	62	60	71	5.4	5.9	4.4	60	18	6	0	0	0	4	15	10	2	0	0	0	15	0	0	1	0	0	0	0	18	3	27	4	13	0
VI	79	71	73	78	5.4	5.4	5.0	125	22	12	0	0	0	0	22	17	5	0	0	0	22	0	0	1	0	0	0	4	20	0	29	4	12	0
VII	79	71	76	79	5.7	5.8	5.6	86	20	28	0	0	0	0	21	13	2	0	0	0	21	0	0	6	0	0	0	5	12	2	29	0	12	0
VIII	82	65	74	78	5.0	4.8	4.2	59	14	13	0	0	0	0	13	9	2	0	0	0	13	0	0	2	0	0	0	3	9	8	27	2	5	0
IX	85	68	83	82	5.0	5.4	4.4	139	32	25	3	0	0	0	16	13	5	0	0	0	16	0	0	4	0	0	0	2	12	5	25	3	8	0
X	87	73	84	83	4.7	5.3	4.3	88	26	25	10	0	0	0	17	9	4	2	0	0	16	5	3	10	0	0	0	0	3	15	17	6	11	2
XI	90	85	90	89	5.9	5.6	6.1	118	20	29	18	8	1	0	18	14	5	0	0	0	16	10	8	3	0	0	0	0	9	13	12	2	17	16
XII	86	95	88	86	6.3	5.4	5.5	85	16	1	20	11	5	0	14	10	4	3	0	0	10	7	3	6	0	0	0	0	7	17	14	2	13	12
1954	83	73	79	81	5.6	5.5	5.2	949	32		160	72	37	4	187	127	34	7	0	0	145	70	25	35	0	0	0	14	129	97	256	28	147	128

Eidsberg

H_s = 140 H_b = h_t = 1.9 h_a = h_d = 9.1 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	80	82	82	5.5	5.6	4.3	59	22	20	29		14		11	6	2	4	0	0	8	10	5	0	0	0	0	0	11	1	15	4	10	22
II	89	81	83	87	7.6	5.9	5.9	37	7	26	28		10		17	8	0	0	0	0	0	17	0	0	0	0	0	0	13	1	12	0	16	28
III	91	81	90	89	7.3	6.8	7.2	74	21	8	27		0		15	11	2	0	0	0	6	14	2	0	0	0	0	0	11	12	11	2	24	31
IV	81	59	65	71	4.7	4.6	4.1	24	6	15	23		0		9	7	0	0	0	0	8	6	4	0	0	0	0	0	10	1	23	4	7	13
V	82	57	62	72	5.6	5.5	4.9	73	16	16	0		0		14	13	2	1	0	0	14	0	0	0	0	1	0	2	18	0	20	4	13	0
VI	86	71	77	82	5.7	5.8	6.1	135	17	27	0		0		22	18	6	0	0	0	22	0	0	2	0	0	0	2	12	7	14	2	16	0
VII	87	72	80	84	6.9	6.5	6.0	131	22	16	0		0		20	17	5	0	0	0	20	0	0	3	0	1	0	5	23	1	18	0	16	0
VIII	91	66	78	83	6.5	5.5	5.2	36	7	8	0		0		17	10	0	0	0	0	17	0	0	5	0	0	0	0	13	5	23	0	15	0
IX	94	72	87	87	6.1	5.4	4.9	136	22	25	2		0		18	14	6	0	0	0	18	0	0	2	0	0	0	1	16	4	17	2	14	0
X	91	77	88	87	6.4	6.4	4.6	109	27	25	9		0		15	11	6	1	0	0	15	4	4	2	0	0	0	0	19	3	16	2	14	0
XI	93	88	92	91	6.9	6.3	6.2	113	24	30	17		1		19	14	3	1	0	0	12	8	0	0	0	0	0	0	22	1	10	2	19	14
XII	90	89	91	90	5.9	6.5	5.7	100	15	10	17		4		18	15	4	0	0	0	10	8	0	1	0	0	0	0	21	0	8	4	16	12
1954	88	74	82	84	6.3	6.0	5.4	1027	27		152		29		195	144	36	7	0	0	150	67	15	15	0	2	0	10	189	36	187	26	180	120

Råde (Tomb)

H_s = 14 H_b = h_t = 1.9 h_a = h_d = 6.9 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	78	74	74	76	4.7	5.2	3.9	72	24	20	26		9		11	7	3	6	1	1	5	9	1	0	0	0	0	0	8	3	16	5	9	4
II	86	78	81	82	6.6	5.4	7.1	53	12	23	28		11		17	8	2	1	0	0	0	17	0	0	0	0	0	0	12	6	12	0	15	21
III	91	82	86	88	7.1	6.5	6.9	83	24	8	28		0		21	11	3	1	0	0	8	14	2	5	0	0	0	0	13	12	6	2	22	31
IV	74	58	60	67	4.4	3.8	3.8	26	8	15	18		0		8	7	0	2	0	0	7	3	2	0	0	0	0	0	7	5	25	5	7	8
V	74	61	61	69	4.6	4.7	4.2	69	15	6	0		0		15	12	2	2	0	0	15	1	1	4	0	0	0	1	12	0	22	7	9	0
VI	76	68	72	76	5.6	5.3	4.7	105	25	27	2		0		17	15	3	3	0	0	17	0	0	0	0	0	0	2	12	4	19	4	13	0
VII	80	69	75	79	5.2	5.3	4.9	103	24	28	0		0		15	13	4	0	0	0	15	0	0	1	0	0	0	1	16	0	25	1	10	0
VIII	81	65	74	78	5.2	4.3	3.8	51	16	10	0		0		12	10	1	0	0	0	12	0	0	1	0	0	0	0	15	0	29	2	4	0
IX	87	68	75	79	5.5	5.1	5.0	135	27	25	3		0		17	16	3	5	1	0	17	0	0	0	0	0	0	0	15	2	26	4	12	0
X	86	75	80	81	5.5	5.5	4.1	94	28	25	12		0		10	10	5	3	0	0	8	3	0	3	0	0	0	0	20	1	17	3	11	0
XI	91	86	89	89	6.3	5.8	6.3	130	35	14	15		0		18	16	3	0	0	0	12	11	4	0	0	0	0	0	15	1	14	1	17	6
XII	89	88	90	89	5.4	5.5	5.2	104	20	1	14		4		18	14	2	2	0	0	10	9	0	6	0	0	0	0	11	4	12	3	11	6
1954	83	73	76	79	5.5	5.2	5.0	1025	35		146		24		179	139	31	25	2	1	126	67	10	20	0	0	0	4	156	38	223	37	140	77

Kalnes

H_s = 50 H_b = h_t = 2.0 h_a = h_d = 6.1 h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	77	77	78	3.4	4.5	3.6	66	26	20	27		10		11	6	3	5	0	0	7	9	4	1	0	0	0	0	8	5	17	10	7	11
II	90	82	83	85	6.0	5.2	5.2	53	17	26	28		10		15	9	1	0	0	0	0	15	0	1	0	0	0	0	17	4	14	4	16	28
III	92	84	87	88	7.6	6.0	6.6	74	16	8	25		0		17	14	3	1	0	0	10	12	3	5	0	0	0	0	10	17	12	1	22	31
IV	81	62	65	73	3.3	3.2	2.8	22	8	15	14		0		9	7	0	5	0	0	9	4	2	5	0	0	0	0	8	7	26	11	5	6
V	81	64	64	75	4.1	3.1	3.7	52	12	24	0		0		14	11	1	5	0	0	14	0	0	0	0	0	0	1	19	3	29	11	9	0
VI	81	72	75	80	4.8	3.9	4.1	138	27	27	0		0		20	16	5	10	0	0	20	0	0	1	0	0	0	2	17	3	27	6	10	0
VII	82	71	76	81	4.4	5.0	4.2	107	20	29	0		0		20	14	4	2	0	0	20	0	0	0	0	0	0	4	13	0	30	4	9	0
VIII	84	67	75	79	3.5	3.0	3.7	48	10	8	0		0		17	11	0	6	0	0	17	0	0	2	0	0	0	0	14	5	30	9	5	0
IX	87	70	81	82	3.2	4.3	4.2	137	36	25	0		0		17	13	4	8	0	0	17	0	0	2	0	0	0	1	15	5	28	9	5	0
X	87	75	83	83	4.8	5.2	3.5	122	32	25	4		0		15	12	5	9	0	0	15	3	3	3	0	0	0	0	14	5	23	8	11	0
XI	90	85	89	89	5.7	5.1	5.6	138	24	30	13		0		19	17	4	9	0	0	16	9	6	0	0	0	0	0	19	3	13	5	17	8
XII	88	86	90	88	4.0	5.3	3.6	89	18	3	17		4		19	14	3	12	0	0	15	9	5	2	0	0	0	0	22	3	18	10	10	11
1954	85	75	79	82	4.6	4.5	4.2	1046	36		128		14		193	144	33	72	0	0	160	61	23	22	0	0	0	8	176	60	267	88	126	95

Brekke Sluse

H_s = 114 H_b = h_t = 2.0 h_a = h_d = 8.5 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	83	94	84	3.6	4.7	4.0	72	21	20	28		14		14	7	3	2	0	0	8	12	6	1	0	0	0	0	12	4	21	8	9	26
II	90	82	86	87	5.9	6.5	5.1	58	16	25	28		13		15	10	2	0	0	0	0	15	0	0	0	0	0	0	14	2	12	2	16	28
III	94	84	88	90	7.0	7.0	7.2	78	19	8	26		0		16	12	2	0	0	0	5	15	4	1	0	0	0	0	21	8	10	2	25	31
IV	87	61	63	74	4.2	4.6	4.2	29	7	19	22		0		10	8	0	0	0	0	9	5	4	3	0	0	0	0	10	3	24	5	6	16
V	84	60	60	72	5.7	5.2	4.6	52	17	22	2		0		16	12	2	0	0	0	16	0	0	0	0	0	0	0	14	0	22	5	13	0
VI	84	72	72	78	5.4	5.7	5.6	109	23	17	0		0		18	12	4	0	0	0	18	0	0	2	0	0	0	0	15	0	21	5	17	0
VII	86	73	76	82	6.2	6.5	5.5	111	27	29	0		0		20	16	4	0	0	0	20	0	0	1	0	0	0	2	12	3	20	1	16	0
VIII	90	71	78	82	5.4	5.4	5.4	73	18	9	0		0		15	14	2	0	0	0	15	0	0	1	0	0	0	0	12	2	22	2	11	0
IX	92	76	85	87	5.2	5.8	5.6	147	21	26	2		0		18	15	7	0	0	0	18	0	0	2	0	0	0	0	19	3	18	3	13	0
X	91	80	88	87	6.2	6.0	4.4	135	40	25	9		0		19	12	7	0	0	0	18	3	3	0	0	1	0	0	17	3	16	4	14	0
XI	91	88	91	90	6.4	6.2	5.9	118	18	30	17		0		21	16	4	1	0	0	18	11	7	0	0	0	0	0	17	0	11	4	21	1
XII	92	90	92	92	5.5	6.3	5.3	132	24	10	18		4		19	17	6	0	0	0	13	9	1	3	0	0	0	0	20	2	11	4	16	13
1954	89	77	80	84	5.6	5.8	5.2	1114	40		152		31		201	151	43	3	0	0	158	70	25	14	0	1	0	2	183	30	208	45	177	115

1954

Ferder

φ = 59° 2′N λ = 10° 32′E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1014.1	1015.1	- 0.5	0.0	0.3	- 0.2	2.3	- 2.1	7.4	3	-10.1	31	10 4.2	14 5.6	14 4.8	1 4.0	2 5.0	2 6.0	5 5.8	4 4.5	19 4.9	1 3.0	3 4.3	17 4.2	1
II	19.7	20.7	- 4.7	- 4.2	- 3.7	- 4.3	- 2.6	- 5.5	2.1	6	-10.5	15	1 2.0	11 4.5	26 4.3	6 4.5	10 4.5	10 5.5	7 4.3	1 4.0	9 3.7	0 -	1 2.0	2 2.5	0
III	10.4	11.3	- 1.1	- 0.2	- 0.1	- 0.6	0.6	- 1.7	5.0	28	- 5.8	1	12 3.2	13 4.2	8 3.4	4 3.8	4 3.8	7 4.0	10 3.9	17 3.2	12 2.2	2 2.5	0 -	2 2.5	2
IV	16.8	17.8	2.9	5.0	4.7	3.9	6.3	2.0	9.1	28	0.4	1	19 4.4	10 4.3	5 3.2	2 3.5	1 3.0	5 2.0	5 3.6	9 3.6	24 4.0	1 1.0	2 3.0	6 3.7	1
V	17.4	18.3	10.0	12.0	12.2	10.9	13.7	8.9	24.5	29	3.1	1	9 4.4	13 4.2	10 4.5	3 3.3	6 4.0	9 3.7	8 3.5	11 3.4	14 3.1	4 2.2	2 2.5	4 3.0	0
VI	09.0	09.9	13.5	15.1	15.1	14.1	16.4	12.3	18.5	29	8.7	3	4 3.8	4 4.0	1 5.0	2 2.0	2 5.0	5 3.8	23 4.0	26 4.5	20 4.0	1 5.0	0 -	2 2.0	0
VII	03.5	04.4	15.0	16.5	16.4	15.6	17.8	13.9	21.4	13	11.5	7	13 4.1	6 3.7	4 3.8	3 3.3	3 3.3	10 3.2	12 4.1	25 4.7	6 4.7	3 3.0	1 2.0	6 4.0	1
VIII	06.7	07.6	15.0	16.8	16.5	15.8	17.7	14.2	20.0	31	13.0	19	3 3.3	7 4.1	13 3.7	2 2.0	6 4.2	9 2.7	13 3.6	16 4.6	18 5.2	4 3.0	1 3.0	1 3.0	0
IX	02.6	03.5	12.2	13.7	13.6	12.9	14.9	11.2	18.6	3	4.4	28	3 3.7	1 3.0	1 2.0	2 3.5	5 4.4	6 5.5	14 4.8	18 4.5	28 4.8	3 4.3	5 3.6	4 3.5	0
X	05.6	06.6	8.3	9.1	9.2	8.7	10.5	7.0	12.9	14	1.9	20	4 3.8	4 5.0	8 4.5	2 3.0	9 4.3	5 4.6	5 5.4	12 5.7	30 5.3	3 4.0	4 3.0	7 2.7	0
XI	11.4	12.4	4.2	4.6	4.9	4.5	6.3	3.0	10.5	12	- 0.8	18	4 4.5	6 3.0	8 3.6	3 4.0	20 5.0	14 4.9	11 4.9	3 5.0	12 5.1	0 -	2 3.0	7 4.3	0
XII	01.1	02.1	3.2	3.2	3.0	3.0	4.7	1.3	8.6	3	- 3.8	30	9 3.6	7 3.6	1 5.0	2 4.0	7 5.0	6 5.3	12 5.1	11 6.1	18 5.2	1 4.0	1 4.0	18 4.1	0
1954	1009.9	1010.8	6.5	7.7	7.7	7.0	9.0	5.4	24.5		-10.5		91 3.9	96 4.3	99 4.1	32 3.6	75 4.5	88 4.2	125 4.3	153 4.5	210 4.5	23 3.2	22 3.2	76 3.7	5

Gvarv

φ = 59° 24′N λ = 9° 10′E g = ΔG = + 1h

I			- 8.3	- 5.8	- 6.4	- 7.1		-11.7	7.7	2	-22.9	28	2 3.5	2 3.0	0 -	0 -	0 -	5 1.0	3 1.0	1 2.0	1 1.0	6 1.8	9 3.2	5 4.6	59
II			- 8.5	- 5.1	- 7.5	- 7.5		-11.5	- 0.2	7	-20.0	3	0 -	6 2.2	0 -	8 1.6	0 -	6 1.8	9 2.1	5 1.8	2 1.0	0 -	0 -	0 -	48
III			- 2.8	2.4	0.7	- 0.4		- 3.7	7.4	28	-11.9	3	1 4.0	3 1.7	1 1.0	3 1.0	1 3.0	15 1.7	11 1.6	7 1.9	0 -	8 1.5	2 1.0	2 2.5	39
IV			- 0.1	8.4	7.0	3.8		- 2.4	14.6	23	- 6.1	8	0 -	5 1.8	0 -	6 1.5	0 -	11 1.3	8 1.1	4 1.5	0 -	7 1.7	17 2.2	7 2.6	25
V			8.4	15.3	14.1	11.1		5.3	27.6	29	- 0.1	11	1 1.0	3 2.7	3 2.7	5 2.4	4 2.5	15 1.8	13 1.5	12 1.5	1 2.0	1 1.0	3 1.7	5 2.6	27
VI			12.5	18.2	16.6	14.3		8.7	22.5	21	2.4	15	1 1.0	0 -	1 1.0	1 1.0	1 2.0	32 2.3	18 2.3	10 2.0	4 2.0	2 2.0	1 3.0	2 2.0	17
VII			13.4	18.9	17.2	15.2		10.5	25.6	13	5.6	9	3 2.0	3 1.3	3 1.0	0 -	5 2.4	14 2.3	20 1.8	9 2.1	2 1.0	0 -	2 3.0	6 2.2	26
VIII			11.1	19.2	16.8	14.3		8.4	22.4	5	3.1	29	0 -	4 1.5	0 -	8 2.0	2 1.5	17 1.8	15 1.8	6 2.0	1 2.0	3 2.7	0 -	2 1.0	37
IX			6.5	14.3	11.3	9.8		5.3	23.2	2	- 3.8	29	0 -	0 -	0 -	0 -	0 -	13 2.0	13 2.4	3 1.7	1 4.0	5 1.8	4 2.5	1 5.0	50
X			2.1	8.3	5.0	4.6		0.6	16.2	11	- 5.7	27	1 2.0	2 2.0	0 -	0 -	0 -	5 2.2	3 1.7	6 1.8	2 1.0	4 1.8	4 2.0	6 1.7	60
XI			- 0.2	2.5	0.5	0.6		- 2.3	9.2	12	- 9.7	16	0 -	2 2.0	3 2.3	4 2.8	1 3.0	9 1.7	5 2.0	3 1.0	0 -	3 1.3	2 1.0	6 1.5	52
XII			- 2.3	- 0.2	- 1.8	- 1.6		- 5.2	7.2	2	-18.5	30	0 -	0 -	1 1.0	0 -	2 2.5	13 1.8	4 2.5	3 1.3	2 2.0	7 1.6	3 2.3	4 1.5	54
1954			2.6	8.0	6.1	4.8		0.2	27.6		-22.9		9 2.6	30 2.0	12 1.8	35 1.9	16 2.3	155 1.9	120 1.9	69 1.8	16 1.7	46 1.7	47 2.3	46 2.3	494

Dalen i Telemark

φ = 59° 27′N λ = 8° 0′E g = 9.818 ΔG = + 1h

I	1007.2	1017.3	- 5.9	- 4.5	- 5.0	- 5.3		- 7.8	9.8	2	-16.6	31	0 -	0 -	0 -	1 1.0	11 1.2	0 -	0 -	0 -	0 -	4 1.8	64 2.0	0 -	13
II	10.3	20.3	- 6.9	- 5.7	- 6.6	- 6.6		- 8.5	- 1.4	7	-13.6	17	0 -	0 -	0 -	1 1.0	18 2.0	7 2.9	0 -	0 -	0 -	2 2.0	29 1.5	0 -	27
III	01.0	10.9	- 2.7	1.7	0.0	- 0.7		- 3.3	10.4	16	-10.6	3	0 -	0 -	0 -	1 4.0	25 1.7	4 1.8	0 -	0 -	0 -	1 1.0	39 1.8	0 -	24
IV	00.5	18.3	0.8	7.3	6.1	3.9		- 0.4	12.6	23	- 4.3	8	0 -	0 -	0 -	0 -	11 1.5	1 3.0	0 -	0 -	0 -	7 1.7	56 2.3	0 -	15
V	08.4	18.1	7.2	13.0	12.9	9.9		5.7	22.6	29	0.2	1	0 -	0 -	0 -	1 1.0	23 1.8	5 1.5	0 -	0 -	0 -	1 1.0	32 1.9	0 -	31
VI	999.2	08.7	10.7	16.3	16.2	13.3		9.1	25.4	5	4.6	14	0 -	0 -	0 -	4 1.5	25 1.8	4 2.2	0 -	0 -	0 -	2 2.0	20 2.6	0 -	35
VII	94.4	03.8	12.6	17.5	16.9	14.9		11.4	22.5	24	8.2	28	0 -	0 -	0 -	9 2.0	17 2.1	3 2.0	0 -	0 -	0 -	3 2.7	21 2.1	0 -	40
VIII	98.1	07.5	11.0	17.3	16.1	13.9		10.0	21.8	26	7.2	22	0 -	0 -	0 -	6 1.5	16 1.6	0 -	0 -	0 -	0 -	4 1.2	36 2.0	0 -	31
IX	93.3	02.8	7.6	12.9	10.8	9.8		6.9	19.3	2	0.2	28	0 -	0 -	0 -	1 1.0	15 1.9	0 -	0 -	0 -	1 2.0	5 1.4	41 1.9	0 -	27
X	96.8	06.5	3.2	6.4	4.9	4.6		2.4	12.2	12	- 1.8	27	0 -	0 -	0 -	1 2.0	10 2.1	1 4.0	0 -	0 -	0 -	7 1.3	46 2.0	0 -	28
XI	1002.2	12.1	0.9	1.5	1.0	1.0		- 0.3	6.4	28	- 7.3	16	0 -	0 -	0 -	4 1.5	20 2.0	11 3.4	0 -	0 -	0 -	5 1.2	26 2.0	0 -	24
XII	992.4	02.2	- 0.9	- 0.3	- 1.2	- 0.9		- 2.5	10.2	18	- 8.5	30	0 -	0 -	0 -	6 1.0	10 2.1	2 1.5	0 -	0 -	0 -	4 1.2	16 1.6	24 1.8	31
1954	1000.9	1010.6	3.1	7.0	6.0	4.8		0.2	25.4		-16.6		0 -	0 -	0 -	35 1.6	201 1.8	38 2.6	0 -	0 -	1 2.0	45 1.5	425 2.0	24 1.8	326

Vefall i Drangedal

φ = 59° 0′N λ = 9° 13′E g = ΔG = + 1h

I			- 5.9	- 2.6	- 3.6	- 4.3	- 0.4	- 8.2	8.4	2	-18.3	28	23 3.1	6 3.0	0 -	0 -	0 -	4 2.0	4 2.0	4 1.2	11 1.5	13 1.3	12 2.4	9 2.3	7
II			- 7.9	- 5.7	- 7.0	- 7.2	- 3.9	-10.6	0.7	7	-20.7	3	18 2.1	11 2.4	2 2.5	7 2.9	4 2.5	10 2.4	3 3.3	3 1.3	3 1.0	3 1.0	2 1.0	3 1.3	15
III			- 1.9	2.3	0.2	- 0.3	3.9	- 3.4	11.0	16	- 9.4	19	15 2.2	6 2.2	2 1.0	5 2.6	4 2.5	24 2.3	9 2.0	4 2.2	2 1.0	4 1.2	3 1.0	7 1.6	8
IV			2.2	7.1	5.7	3.4	8.7	- 2.5	13.8	23	- 7.8	8	19 2.6	11 2.3	5 1.8	4 2.2	1 3.0	16 2.3	3 1.3	2 2.0	3 2.0	8 3.1	4 2.2	7 2.0	7
V			9.9	14.4	14.0	11.0	15.9	5.5	26.6	29	- 1.1	9	17 2.4	11 2.4	5 2.2	6 2.5	11 3.0	19 2.3	13 2.1	4 2.0	0 -	0 -	1 4.0	2 2.0	4
VI			13.9	17.3	16.5	14.2	19.3	9.4	25.5	5	3.1	15	1 1.0	2 1.5	4 2.0	1 4.0	5 3.4	23 2.7	24 2.7	11 2.7	2 3.5	7 3.3	4 2.2	5 2.6	1
VII			15.1	18.2	17.2	15.2	19.9	10.6	24.2	11	7.3	9	18 2.3	3 1.7	0 -	1 2.0	6 3.0	26 2.3	10 2.2	15 2.9	1 3.0	3 3.0	4 2.5	4 2.8	2
VIII			13.9	18.1	16.5	14.6	19.3	9.6	22.6	27	5.6	22	14 2.4	15 2.5	1 2.0	5 2.8	2 2.5	18 2.3	9 2.2	12 2.4	3 2.7	10 2.1	3 2.3	0 -	1
IX			9.2	14.0	11.2	10.6	14.9	6.6	22.6	2	- 2.2	28	3 2.0	1 2.0	0 -	1 2.0	4 2.5	15 2.3	21 2.6	12 2.4	8 2.0	10 2.7	6 2.3	8 2.9	1
X			4.7	8.6	6.2	6.1	9.8	2.7	14.0	14	- 5.0	27	14 2.1	3 2.0	1 2.0	1 3.0	4 2.8	8 2.2	11 1.1	13 2.5	11 2.0	12 2.0	7 1.9	5 1.4	2
XI			0.9	3.5	1.8	1.9	4.5	- 0.3	10.1	1	- 8.8	16	4 1.5	2 3.0	8 3.1	4 2.8	8 3.0	13 2.9	3 2.3	7 1.3	19 1.2	8 1.0	4 2.5	4 2.0	6
XII			- 0.5	0.9	- 0.4	- 0.2	2.7	- 3.4	10.3	19	-17.5	30	8 2.1	1 3.0	4 2.2	3 3.7	1 2.0	3 3.0	8 2.1	14 2.1	12 1.4	11 2.0	9 2.6	5 1.4	14
1954			4.5	8.0	6.5	5.4	9.6	1.3	26.6		-20.7		154 2.4	72 2.4	32 2.3	38 2.7	50 2.8	179 2.4	118 2.3	101 2.3	75 1.6	89 2.1	59 2.3	59 2.1	69

Jomfruland

φ = 58° 52′N λ = 9° 36′E g = ΔG = + 1h

I			- 2.3	- 0.9	- 1.2	- 1.6	1.1	- 3.9	7.9	2	-11.4	31	15 4.5	23 3.4	0 -	5 3.2	1 6.0	0 -	5 5.2	4 4.2	3 3.8	11 1.8	3 1.3	14 2.2	4
II			- 5.0	- 3.8	- 4.1	- 4.5	- 2.8	- 6.1	0.6	7	- 9.9	3	6 3.3	32 3.9	2 5.0	7 5.0	2 3.5	14 4.5	9 3.9	2 2.0	1 1.0	3 1.7	2 1.0	2 1.0	2
III			- 1.5	1.0	- 0.2	- 0.4	1.6	- 2.3	7.3	28	- 5.3	1	10 1.9	10 2.9	12 2.6	14 2.3	0 -	7 2.3	14 2.4	15 1.8	3 1.7	0 -	1 1.0	0 -	7
IV			2.1	7.4	5.3	4.3	8.4	0.9	15.6	23	- 2.5	8	10 2.6	16 2.6	3 3.3	5 2.0	1 2.0	6 1.2	9 1.8	12 3.0	6 3.5	12 2.9	2 1.5	1 1.0	7
V			9.4	13.6	13.1	11.2	14.5	8.2	24.8	30	3.5	1	4 3.2	19 2.8	4 3.2	14 2.7	0 -	7 3.0	13 2.2	11 2.2	1 3.0	4 1.5	1 1.0	0 -	15
VI			12.9	16.7	15.6	14.3	18.0	11.2	20.3	6	8.0	13	4 2.0	5 3.4	0 -	4 2.0	3 3.3	2 2.5	23 2.9	26 3.8	5 3.0	9 3.1	3 2.7	2 1.0	4
VII			14.3	18.3	16.9	15.7	19.6	12.6	25.4	11	9.2	3	6 1.8	14 3.1	0 -	9 2.6	1 2.0	7 2.4	16 2.6	22 4.0	2 3.0	4 2.5	6 2.5	2 1.5	4
VIII			13.3	18.5	16.7	15.6	19.2	12.5	21.5	31	8.8	18	2 1.0	15 5.0	2 3.0	10 2.9	1 4.0	5 2.4	16 2.4	12 3.2	11 3.9	13 2.5	0 -	1 1.0	5
IX			10.1	14.6	12.3	12.2	15.4	9.5	20.2	2	3.6	28	6 1.5	1 1.0	3 2.7	5 1.8	0 -	8 4.0	10 3.9	20 3.6	8 4.2	16 2.8	7 2.9	3 2.7	3
X			6.6	9.4	7.8	7.7	10.3	5.6	13.9	14	0.8	17	7 2.4	7 3.3	2 5.0	5 3.2	4 4.0	6 3.0	8 2.5	17 4.4	11 4.5	16 2.8	1 1.0	5 1.4	4
XI			3.1	4.4	3.9	3.6	5.3	1.8	9.6	4	- 1.3	17	3 1.3	13 2.7	2 2.5	3 4.3	3 5.3	23 4.8	11 2.8	5 3.2	2 2.0	7 2.6	5 2.6	5 2.0	8
XII			2.0	2.3	1.5	1.8	3.6	- 0.2	9.4	19	- 7.5	30	9 2.2	16 2.6	0 -	4 3.5	2 7.0	2 4.0	11 4.6	13 4.3	5 2.2	11 2.7	7 2.7	6 1.3	7
1954			5.4	8.5	7.3	6.7	9.5	4.2	25.4		-11.4		82 2.6	171 3.1	30 3.1	85 2.9	18 4.3	87 3.6	145 2.9	159 3.5	63 3.5	106 2.6	38 2.3	41 1.8	70

1954

H_s = 6 H_b = 7.7 h_t = 2.0 h_a = 8.2 h_d = 17.5 h_r = 1.0

Ferder

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Over-skyet ●	Snødekke
I	79	81	79	79	4.3	5.3	4.5	50	18	20	18	8	1	0	10	7	2	18	4	1	9	3	2	1	0	0	0	0	0	2	4	17	6	9	
II	91	90	87	89	7.3	6.6	6.3	74	16	24	28	23	1	0	13	10	4	11	0	0	0	13	0	0	0	0	0	0	0	3	10	0	17	
III	93	92	91	92	7.3	7.3	6.9	58	15	22	28	7	0	0	16	9	2	4	0	0	9	15	7	5	0	1	0	0	5	14	7	2	25	
IV	83	72	75	78	5.0	4.7	4.4	22	8	15	0	0	0	0	8	6	0	11	1	0	8	4	4	4	0	0	0	0	3	4	27	2	7	
V	87	77	78	82	5.6	5.8	5.0	70	18	6	0	0	0	0	13	10	2	9	0	0	13	0	0	3	0	0	0	0	4	1	25	3	14	
VI	93	78	81	82	5.6	5.3	5.6	80	20	27	0	0	0	0	17	13	2	13	0	0	17	0	0	2	0	0	0	0	2	1	26	2	12	
VII	87	81	83	85	5.6	5.6	5.6	58	16	16	0	0	0	0	13	12	2	11	0	0	13	0	0	3	0	0	0	0	2	0	26	0	11	
VIII	88	79	83	85	5.5	5.3	5.2	35	8	8	0	0	0	0	13	9	0	11	0	0	13	0	0	1	0	0	0	0	0	0	29	0	8	
IX	88	80	83	84	5.7	5.8	5.2	148	33	10	0	0	0	0	17	14	6	16	3	1	17	0	0	2	0	0	0	0	8	1	26	0	10	
X	86	83	84	84	5.6	6.1	5.4	84	19	25	0	0	0	0	13	11	4	20	3	0	13	0	0	5	0	0	0	0	5	0	16	2	14	
XI	93	90	91	91	6.4	6.2	6.5	101	29	30	3	0	0	0	18	13	3	18	5	1	18	4	3	2	0	0	0	0	6	1	13	1	16	
XII	94	95	94	94	5.3	6.3	5.2	96	16	10	10	0	0	0	18	12	5	17	3	0	16	7	5	2	0	2	0	0	5	3	14	2	14	
1954	88	83	84	85	5.8	5.9	5.5	876	33		87	38	2	0	169	126	32	159	19	3	146	46	21	30	0	3	0	0	42	32	236	20	157	

H_s = 26 H_b = h_t = 1.8 h_a = h_d = 6.5 h_r = 1.6

Gvarv

I	80	78	78	79	3.8	4.7	3.2	41	14	14	29		19		10	6	2	4	1	0	4	9	3	1	0	0	0	0	2	3	21	7	7	31	
II	87	79	82	83	6.8	6.8	5.8	58	12	18	28		16		16	12	1	0	0	0	0	16	0	0	0	0	0	0	8	0	9	1	18	28	
III	92	71	79	83	6.7	6.1	5.9	47	22	8	24		2		13	8	1	1	0	0	3	13	3	0	0	0	0	0	7	0	17	2	21	31	
IV	85	49	49	65	4.2	4.6	4.3	11	4	2	24		0		7	4	0	0	0	0	4	5	1	2	0	1	0	0	2	3	29	0	5	6	
V	84	57	60	72	5.3	5.4	4.7	79	13	21	1		0		15	14	2	0	0	0	15	1	1	0	0	0	0	1	5	5	21	5	14	0	
VI	81	60	66	72	5.9	5.4	5.3	70	12	10	0		0		18	16	2	0	0	0	18	0	0	1	0	0	0	4	4	0	27	3	13	0	
VII	87	65	72	79	6.0	6.3	5.7	110	24	28	0		0		25	14	3	0	0	0	25	0	0	0	0	0	0	9	4	6	25	1	14	0	
VIII	91	58	72	80	4.5	5.3	5.0	82	16	8	0		0		15	10	3	0	0	0	15	0	0	0	0	0	0	5	3	7	28	2	8	0	
IX	93	66	76	81	5.8	6.0	4.6	102	26	21	8		0		16	12	4	0	0	0	16	0	0	0	0	1	0	1	7	4	21	2	12	0	
X	90	70	83	85	5.3	5.8	4.8	93	16	30	17		0		17	12	4	0	0	0	14	4	3	3	0	0	0	0	6	2	16	4	14	2	
XI	88	83	90	88	6.4	5.7	5.8	106	20	30	23		0		21	15	5	1	0	0	15	15	4	3	0	0	0	0	9	1	12	3	19	17	
XII	87	86	88	87	4.7	5.7	4.5	95	15	14	24		7		15	14	5	0	0	0	11	7	3	4	0	0	0	0	8	4	14	5	12	14	
1954	87	69	75	80	5.5	5.7	5.0	894	26		178		44		188	137	32	6	1	0	140	70	18	14	0	2	0	20	65	44	240	35	157	129	

H_s = 77 H_b = 79.6 h_t = 2.0 h_a = h_d = h_r = 1.8

Dalen i Telemark

I	79	76	79	78	3.5	4.1	3.2	22	5	16	29		10		8	5	0	0	0	0	4	6	2	1	0	0	0	0	2	0	0	10	8	31	
II	87	84	87	86	7.3	6.8	6.2	61	13	24	28		11		16	9	2	0	0	0	0	16	0	0	0	0	0	0	2	0	2	1	21	28	
III	86	76	82	83	5.5	5.5	4.9	36	11	1	29		1		11	7	2	0	0	0	2	10	0	0	0	0	0	0	1	0	15	5	16	31	
IV	75	54	52	62	3.4	4.4	3.2	15	6	2	17		0		6	6	0	2	0	0	5	4	3	0	0	0	0	0	1	0	26	7	4	18	
V	81	63	64	73	5.3	5.0	4.5	90	19	2	0		0		13	13	4	0	0	0	12	2	1	3	0	1	0	0	2	0	22	5	11	0	
VI	88	64	63	76	5.3	5.2	4.8	137	30	11	0		0		16	15	5	0	0	0	16	0	0	0	0	0	0	0	0	0	21	3	11	0	
VII	88	68	69	78	5.9	5.7	5.5	88	26	28	0		0		18	15	2	0	0	0	18	0	0	2	0	0	0	5	2	0	21	0	14	0	
VIII	90	65	71	79	4.1	5.5	4.7	102	38	8	0		0		14	12	4	0	0	0	14	0	0	1	0	0	0	1	1	1	26	1	7	0	
IX	93	71	83	85	4.8	6.0	4.6	110	39	17	0		0		16	12	2	0	0	0	16	0	0	1	0	0	0	0	1	1	16	3	13	0	
X	80	80	88	83	5.1	5.6	5.1	137	20	7	5		0		20	18	6	0	0	0	18	6	4	6	0	0	0	0	8	0	11	5	12	3	
XI	90	88	88	88	5.9	6.1	5.9	90	20	12	16		0		16	15	2	0	0	0	13	10	8	5	0	0	0	0	5	0	3	4	16	11	
XII	91	86	91	90	5.3	5.6	4.3	125	19	14	23		0		18	15	4	0	0	0	10	9	1	2	0	0	0	0	1	0	0	5	14	22	
1954	86	73	76	80	5.1	5.5	4.7	1013	39		147		22		172	142	33	2	0	0	128	63	19	21	0	1	0	6	26	2	163	40	147	144	

H_s = 68 H_b = h_t = 2.0 h_a = h_d = 12.3 h_r = 1.6

Vefall i Drangedal

I	80	75	76	77	4.7	5.2	5.1	56	28	14	29	16	10	0	13	5	2	2	0	0	7	11	3	0	0	0	0	0	6	1	28	7	13	27	
II	86	86	87	86	7.8	7.4	6.3	136	24	26	28	26	14	0	22	15	6	0	0	0	0	22	0	0	0	0	0	0	19	2	17	0	22	28	
III	93	80	87	89	7.4	6.9	6.5	108	29	8	27	3	0	0	18	11	3	1	0	0	7	14	1	0	0	0	0	0	11	6	21	1	23	31	
IV	74	48	54	64	4.7	4.7	3.9	30	12	1	21	0	0	0	6	5	2	2	0	0	3	5	2	0	0	1	0	0	2	1	29	3	8	22	
V	78	61	62	72	6.6	6.4	5.7	125	26	22	3	0	0	0	16	13	5	0	0	0	16	0	0	0	0	0	0	2	8	0	28	3	18	0	
VI	75	66	66	72	6.0	6.0	5.6	82	20	10	0	0	0	0	21	13	2	0	0	0	21	0	0	0	0	0	0	4	6	0	29	1	12	0	
VII	80	69	71	76	6.0	6.8	5.5	96	22	28	0	0	0	0	21	15	2	0	0	0	21	0	0	0	0	0	0	11	5	0	31	0	14	0	
VIII	83	65	71	77	5.5	5.8	4.8	142	37	9	0	0	0	0	17	14	5	0	0	0	17	0	0	0	0	0	0	6	2	3	31	0	11	0	
IX	86	69	78	82	5.5	6.3	5.3	156	28	21	2	0	0	0	19	11	6	0	0	0	19	0	0	0	0	0	0	1	5	1	30	3	12	0	
X	87	73	82	82	5.8	5.9	5.6	111	20	30	7	0	0	0	19	16	3	0	0	0	19	5	5	0	0	0	0	0	7	3	24	4	18	1	
XI	89	84	88	88	6.3	6.3	6.2	209	39	27	16	2	0	0	22	16	9	3	0	0	16	15	8	0	0	0	0	0	14	0	18	3	20	13	
XII	97	84	86	86	6.6	5.8	5.0	155	40	14	21	11	5	0	15	12	4	2	0	0	11	7	3	0	0	0	0	1	8	3	19	4	17	14	
1954	83	72	76	79	6.1	6.1	5.5	1408	40		154	58	29	0	209	146	49	10	0	0	157	79	22	0	0	1	0	25	93	20	305	29	188	136	

H_s = 15 H_b = h_t = 2.1 h_a = h_d = 23.6 h_r = 1.7

Jomfruland

I	71	70	72	71	4.1	5.4	4.4	61	28	14	28	12	2	0	11	8	1	11	1	0	6	5	0	2	0	0	0	0	7	1	16	7	10	3	
II	83	82	82	82	7.1	7.8	6.8	184	41	24	28	26	0	0	15	13	5	8	0	0	0	15	0	0	0	0	0	0	4	3	6	0	22	28	
III	90	81	86	87	7.4	7.1	7.2	84	22	1	30	4	0	0	13	11	3	5	0	0	2	11	0	3	0	0	0	0	4	10	6	1	27	31	
IV	76	60	64	69	5.2	4.2	4.0	36	14	1	6	0	0	0	7	6	2	2	0	0	5	3	2	3	0	1	0	0	2	7	26	2	7	15	
V	81	84	67	74	5.4	4.7	4.6	86	15	22	0	0	0	0	13	12	4	1	0	0	12	0	0	3	0	0	0	0	7	3	21	3	10	0	
VI	80	69	71	76	5.4	5.1	5.5	70	10	21	0	0	0	0	18	12	1	5	0	0	18	0	0	4	0	0	0	1	5	1	26	2	12	0	
VII	83	69	71	77	5.5	5.7	4.9	84	15	16	0	0	0	1	21	18	2	3	0	0	21	0	0	2	0	0	0	4	2	1	28	0	8	0	
VIII	84	65	72	76	5.5	5.3	4.8	90	26	19	0	0	0	0	13	9	3	3	0	0	13	0	0	1	0	0	0	0	3	2	27	0	9	0	
IX	84	67	74	77	5.6	5.9	5.0	136	29	30	0	0	0	0	17	14	5	8	1	0	17	0	0	1	0	0	0	0	3	1	24	1	11	0	
X	81	71	78	76	5.4	6.2	5.6	114	17	31	0	0	0	0	18	16	5	9	0	0	18	0	0	4	0	0	0	0	5	2	20	1	15	0	
XI	84	79	83	85	6.0	6.4	6.3	158	21	30	8	0	0	0	22	18	9	9	0	0	20	6	6	8	1	0	0	0	7	0	11	19	1	0	
XII	83	82	82	82	5.0	6.2	5.1	153	38	1	15	4	0	0	15	13	5	8	0	0	14	5	2	6	0	0	0	0	14	3	13	3	13	5	
1954	82	73	75	78	5.6	5.8	5.4	1256	41		115	46	2	1	185	150	45	72	2	0	146	45	10	37	1	1	0	5	63	43	224	39	145	82	

1954

Lyngør Fyr

φ = 58° 38'N λ = 9° 9'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.8	0.4	0.2	- 0.2	2.6	- 2.4	9.2	2	-11.2	31	11 2.9	13 4.6	19 4.5	2 3.0	0 -	2 5.5	1 5.0	1 4.0	18 3.8	7 3.4	4 2.8	15 3.5	0
II			- 4.2	- 3.1	- 3.3	- 3.7	- 1.8	- 5.2	2.2	7	- 8.8	17	3 1.7	4 4.0	34 4.8	3 3.3	6 4.5	12 4.5	10 3.8	3 1.7	3 1.7	3 3.0	0 -	1 1.0	2
III			- 1.0	0.4	- 0.1	- 0.4	1.3	- 2.0	7.7	27	- 5.1	1	3 1.7	8 2.2	34 3.2	11 3.5	0 -	3 3.7	8 3.2	4 2.5	16 2.8	3 1.0	0 -	1 4.0	2
IV			3.2	6.4	5.7	4.6	7.8	1.9	15.0	23	- 1.0	8	8 3.0	7 3.1	11 3.8	9 3.1	3 3.7	5 2.4	2 3.0	3 3.0	22 3.2	8 4.0	4 4.5	7 3.1	1
V			10.2	11.6	12.5	10.8	14.2	8.9	26.2	30	3.7	8	2 2.5	7 3.6	25 4.0	15 3.1	2 3.5	5 3.2	6 2.8	7 3.1	15 2.8	1 3.0	0 -	0 -	8
VI			13.0	14.9	14.9	13.8	16.5	11.6	21.0	23	8.5	13	1 3.0	1 3.0	11 3.8	2 1.5	4 2.0	4 4.0	5 2.4	11 3.7	40 4.2	6 4.0	2 5.0	2 1.0	1
VII			14.6	16.8	16.5	15.4	18.4	13.0	23.7	11	9.2	3	2 2.0	3 3.3	12 4.2	7 2.9	2 2.0	10 3.3	8 2.4	6 3.5	30 4.1	5 3.0	3 1.7	4 3.5	1
VIII			14.0	16.4	16.8	15.3	18.5	13.1	21.5	1	10.4	18	2 2.5	0 -	18 4.4	8 4.5	4 4.0	6 3.2	3 2.7	7 3.0	31 3.5	10 3.8	0 -	3 2.7	1
IX			11.0	14.0	12.8	12.2	14.8	10.0	18.6	2	4.0	29	5 3.2	0 -	4 2.8	0 -	1 3.0	7 4.0	7 2.6	7 5.1	33 4.1	10 3.8	2 3.5	13 2.9	1
X			7.7	9.7	8.9	8.6	11.1	6.4	14.5	14	2.1	17	6 2.5	2 3.5	10 4.5	3 4.3	2 3.5	13 3.2	5 4.2	5 3.8	30 4.3	9 3.0	1 2.0	7 2.6	0
XI			4.4	5.5	4.9	4.8	6.8	2.9	10.5	12	- 1.7	16	14 2.2	1 2.0	6 3.5	4 7.0	7 6.1	16 5.6	3 4.7	4 3.5	12 2.8	9 3.1	1 2.0	12 2.3	1
XII			3.1	3.4	2.8	3.0	5.0	1.0	10.4	19	- 5.2	30	8 2.6	8 1.9	10 3.8	3 7.0	3 5.0	4 5.5	5 5.2	7 4.3	18 3.8	13 3.6	2 2.0	9 2.6	3
1954			6.3	8.0	7.7	7.0	9.6	4.9	26.2		-11.2		65 2.6	54 3.3	194 4.1	67 3.7	34 3.9	87 4.1	63 3.3	65 3.6	268 3.7	84 3.4	19 3.1	74 2.8	21

Torungen Fyr

φ = 58° 24'N λ = 8° 48'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.4	1.1	0.4	0.3	2.7	- 2.4	9.0	2	-11.2	31	11 2.8	20 5.3	11 5.4	0 -	1 5.0	4 5.2	5 3.6	5 4.6	10 3.8	9 2.8	8 3.5	9 3.8	0
II			- 3.5	- 2.8	- 2.8	- 3.2	- 1.4	- 5.0	2.2	6	- 8.4	14	3 1.7	25 5.6	10 6.0	1 6.0	9 5.7	6 4.2	20 4.6	0 -	1 2.0	5 3.2	1 2.0	2 2.5	1
III			- 0.7	0.4	- 0.1	- 0.3	1.3	- 2.0	7.3	27	- 4.7	3	1 2.0	24 2.8	18 3.6	8 3.1	7 4.3	2 2.0	5 3.4	14 2.9	6 2.5	3 1.3	1 2.0	3 1.0	1
IV			3.7	6.1	5.2	4.3	7.2	1.3	14.0	23	- 1.9	8	4 2.5	14 3.6	10 3.2	1 4.0	4 3.8	4 2.8	3 2.7	13 2.5	17 3.4	3 2.3	12 4.0	5 2.4	0
V			10.1	11.8	11.5	10.3	13.1	7.7	21.5	29	1.7	8	1 1.0	19 3.9	17 4.3	3 2.7	8 2.9	1 2.0	8 2.4	16 2.1	10 2.1	2 1.5	0 -	1 2.0	7
VI			13.2	14.6	14.2	13.2	16.3	10.8	21.9	2	8.1	13	1 1.0	5 4.0	6 2.7	2 2.5	4 2.5	4 2.8	9 2.8	17 3.6	29 4.0	8 4.4	3 3.7	2 2.5	0
VII			13.9	16.1	15.8	14.8	17.6	12.7	21.9	11	9.9	3	6 2.5	11 4.4	5 4.0	5 2.8	3 3.0	8 3.6	4 2.8	10 4.0	26 4.5	4 4.3	5 3.4	2 3.5	4
VIII			13.6	16.4	16.4	15.1	17.9	12.7	22.0	12	10.2	15	0 -	7 4.6	15 5.3	9 3.4	2 2.0	6 3.2	3 2.7	3 4.0	31 4.4	7 3.9	5 2.6	5 3.2	0
IX			11.0	13.8	12.8	12.1	14.8	9.9	18.2	2	4.2	30	5 2.8	1 1.0	1 1.0	3 4.0	1 2.0	4 5.0	5 6.2	10 4.8	32 4.7	14 3.5	9 3.4	4 3.0	1
X			8.0	9.7	9.1	8.7	11.1	6.3	14.0	14	1.1	17	6 2.3	7 3.7	3 4.0	8 3.5	5 3.6	8 4.2	4 3.5	8 3.4	26 4.4	9 3.7	4 3.5	4 3.2	1
XI			4.6	5.5	5.6	5.1	7.1	3.5	11.0	1	- 3.2	16	6 3.0	10 3.6	6 4.1	6 5.5	3 5.0	22 5.0	7 4.6	0 -	8 3.8	9 2.9	4 4.0	8 2.9	1
XII			3.4	3.7	3.3	3.4	5.4	1.1	10.5	3	- 4.9	30	8 2.5	15 3.0	2 4.5	2 6.0	3 5.7	6 4.7	7 6.1	6 5.2	18 4.6	7 3.9	9 2.8	7 3.3	3
1954			6.4	8.0	7.6	7.0	9.4	4.7	22.0		-11.2		52 2.5	158 4.1	104 4.3	48 3.7	50 4.0	75 4.2	80 4.0	102 3.4	214 4.1	80 3.4	61 5.0	52 3.0	19

Tveitsund

φ = 59° 2'N λ = 8° 31'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.0	- 2.2	- 4.2	- 4.1		- 8.1	8.6	2	-18.6	31	24 2.5	35 1.7	0 -	3 1.0	1 3.0	6 1.2	0 -	6 1.0	3 1.0	1 1.0	0 -	6 1.8	8
II			- 7.3	- 5.4	- 7.2	- 6.9		- 9.9	- 1.0	6	-17.7	3	5 1.0	34 1.4	7 2.1	5 2.0	1 2.0	6 1.2	0 -	4 1.0	0 -	8 1.0	0 -	2 1.5	12
III			- 3.2	1.6	0.0	- 1.0		- 5.0	10.2	16	-13.9	3	1 1.0	22 1.2	2 1.0	6 1.0	1 3.0	9 1.8	1 1.0	13 1.2	2 1.0	7 1.0	4 1.0	12 1.0	13
IV			0.4	7.4	5.0	3.3		- 2.2	12.4	3	- 7.2	8	10 1.3	10 1.2	5 1.0	8 1.2	2 1.0	5 1.0	2 1.0	5 1.8	3 1.7	11 1.6	3 1.0	17 1.7	9
V			7.5	13.4	12.9	10.0		4.4	25.6	30	- 1.9	8	0 -	12 1.3	4 1.5	3 1.7	7 1.6	7 1.3	0 -	16 1.2	8 1.0	8 1.0	6 1.2	10 1.2	12
VI			11.3	16.8	15.1	13.0		7.7	26.0	5	1.2	14	4 2.2	1 2.0	2 1.0	6 2.2	2 1.5	19 1.6	0 -	18 1.7	5 1.2	2 1.0	5 1.0	14 1.8	12
VII			12.4	17.0	15.7	14.0		9.3	23.2	13	5.0	28	3 1.3	4 1.8	3 1.3	4 1.2	3 1.3	16 1.6	0 -	14 1.2	7 1.9	5 1.6	10 1.7	8 1.1	16
VIII			10.9	17.2	15.2	13.4		8.6	22.6	27	4.0	18	8 2.4	1 1.0	0 -	8 1.4	3 1.3	8 1.1	3 1.3	12 1.4	2 1.5	3 1.3	6 1.0	8 1.4	31
IX			7.2	13.1	10.4	9.3		5.7	22.8	2	- 0.8	29	13 2.8	5 1.0	2 1.0	7 1.1	1 2.0	13 1.8	0 -	24 1.7	3 1.7	3 1.3	0 -	6 1.5	13
X			3.6	7.5	5.0	5.1		2.2	11.0	4	- 3.8	17	10 2.2	7 1.1	0 -	4 1.5	2 1.0	14 1.1	1 1.0	11 1.5	1 2.0	3 1.7	4 1.5	11 1.3	25
XI			0.1	2.8	0.9	1.0		- 1.9	8.0	1	- 7.2	18	6 2.5	20 2.1	4 2.0	8 1.5	9 1.7	8 1.0	0 -	8 1.1	0 -	0 -	0 -	3 1.3	24
XII			- 0.2	1.1	0.0	0.2		- 3.1	8.4	18	-12.1	30	21 2.2	11 1.1	0 -	4 1.2	5 1.2	6 1.8	1 3.0	7 1.7	2 2.0	1 1.0	1 1.0	11 2.6	23
1954			3.1	7.5	5.7	4.8		0.6	26.0		-18.6		105 2.3	162 1.5	29 1.5	66 1.4	37 1.5	117 1.4	8 1.4	138 1.4	36 1.4	52 1.3	39 1.3	108 1.6	198

Grimstad

φ = 58° 20'N λ = 8° 36'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.1	1.1	- 0.3	- 0.2		- 3.0	9.0	12	-12.4	31	13 2.5	6 4.8	23 4.8	1 5.0	1 3.0	3 4.3	1 5.0	1 5.0	19 3.9	9 2.2	7 3.4	8 3.8	1
II			- 4.1	- 2.8	- 3.2	- 3.6		- 5.2	2.4	4	- 8.9	14	0 -	0 -	42 5.0	10 3.9	3 3.7	10 3.2	6 4.3	1 4.0	3 3.7	3 3.0	1 2.0	3 3.7	2
III			- 1.3	0.8	0.2	- 0.3		- 2.2	7.0	27	- 6.8	3	2 1.0	7 2.6	42 4.1	6 2.8	1 3.0	3 4.3	4 2.2	3 3.7	13 2.8	2 1.0	1 3.0	0 -	3
IV			3.2	6.5	5.7	4.4		0.9	11.3	18	- 2.8	8	1 1.0	4 2.5	27 3.9	3 3.7	2 3.0	1 3.0	2 2.0	1 3.0	29 3.6	7 2.3	5 4.0	1 4.0	7
V			10.6	12.9	12.6	11.3		8.1	22.8	30	2.5	8	0 -	2 3.0	39 3.9	6 3.0	1 4.0	3 3.3	8 2.4	0 -	23 2.5	3 1.7	2 3.0	1 1.0	9
VI			13.3	15.4	14.6	13.6		10.6	22.8	2	7.0	13	0 -	0 -	12 3.7	0 -	4 1.8	2 3.5	3 2.7	8 4.0	51 3.7	5 4.4	3 3.0	0 -	2
VII			14.7	16.8	15.8	15.1		12.2	21.8	11	8.2	3	0 -	1 5.0	19 3.1	6 2.8	2 3.5	7 2.3	3 2.3	1 4.0	37 3.7	9 3.9	4 3.2	0 -	4
VIII			14.1	17.1	16.2	15.2		12.1	23.6	12	9.0	18	1 2.0	0 -	29 3.6	6 3.5	2 3.0	1 3.0	3 2.0	1 3.0	31 3.9	11 3.4	3 2.3	0 -	5
IX			10.4	14.3	11.9	11.7		8.7	19.0	2	2.9	30	1 1.0	0 -	5 2.2	2 3.0	0 -	2 5.5	5 4.4	0 -	46 3.7	11 3.0	7 3.0	3 2.3	6
X			7.0	10.0	8.2	8.2		5.7	13.7	13	1.0	17	4 2.0	4 3.2	13 4.2	3 3.7	5 3.6	2 3.5	3 4.7	1 2.0	34 4.3	8 3.4	5 2.6	8 1.9	3
XI			3.9	5.8	4.3	4.5		2.4	11.3	1	- 3.0	16	6 2.2	5 3.4	12 2.8	5 6.0	9 4.3	17 5.1	2 6.0	0 -	16 3.3	5 2.6	6 2.8	5 1.6	2
XII			3.0	3.7	2.6	3.0		0.6	9.4	18	- 5.5	30	10 2.3	9 2.4	12 3.7	2 7.0	5 4.8	1 3.0	2 6.5	0 -	26 4.7	7 4.3	6 2.7	8 2.4	5
1954			6.1	8.5	7.4	6.9		4.2	23.6		-12.4		38 2.2	38 3.2	275 4.0	50 3.8	35 3.7	52 3.9	42 3.5	17 3.8	328 3.7	80 3.1	50 3.0	37 2.6	52

Byglandsfjord II

φ = 58° 40'N λ = 7° 49' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.5	- 1.8	- 2.7	- 2.8	0.0	- 5.5	8.1	2	-12.9	31	16 4.1	5 2.6	3 1.7	1 1.0	6 1.7	10 1.6	1 2.0	0 -	1 2.0	1 1.0	1 4.0	40 2.8	1
II			- 6.1	- 4.6	- 5.4	- 5.6	- 3.5	- 7.7	0.5	6	-15.2	16	29 1.7	6 2.3	6 2.5	10 3.5	2 2.5	9 2.3	1 2.0	0 -	0 -	1 1.0	2 2.5	16 1.8	2
III			- 2.5	1.9	0.7	- 0.4	3.7	- 3.5	11.4	16	-10.2	3	36 1.2	1 2.0	2 2.5	3 4.7	0 -	23 2.0	3 1.7	3 1.7	0 -	2 1.0	2 1.5	17 1.5	2
IV			0.1	6.6	5.2	3.2	8.0	- 1.4	13.2	23	- 6.5	11	18 1.8	6 2.3	0 -	1 3.0	2 1.5	7 1.4	3 1.7	3 1.3	1 3.0	1 3.0	7 2.0	37 2.2	4
V			7.2	14.2	13.0	10.4	15.9	5.5	27.5	29	0.2	8	18 2.1	7 2.1	1 1.0	7 3.0	3 1.3	15 2.1	6 1.5	9 1.7	1 2.0	0 -	1 3.0	22 2.0	1
VI			11.1	16.6	15.2	13.2	18.1	8.6	26.7	5	3.7	13	16 1.8	0 -	0 -	0 -	3 1.0	19 1.7	27 1.6	2 1.0	0 -	2 3.0	2 2.0	14 1.8	1
VII			12.7	17.0	15.7	14.2	18.7	10.3	24.8	13	5.5	24	11 1.9	3 1.0	2 1.0	2 1.5	2 2.0	23 2.1	9 1.6	6 2.5	2 2.0	2 2.0	6 2.5	19 2.4	1
VIII			11.3	16.6	15.3	13.6	18.4	9.6	24.4	26	3.9	18	2 1.5	4 2.8	9 2.4	1 1.0	9 1.7	16 2.0	3 2.0	5 2.4	4 2.0	2 3.5	6 2.7	27 2.5	1
IX			7.6	12.5	10.5	9.7	13.8	6.4	23.7	2	- 0.2	28	5 2.4	2 2.0	0 -	0 -	4 2.0	36 2.2	16 2.4	3 2.0	3 1.7	1 1.0	3 2.3	11 2.6	1
X			4.6	7.4	6.2	5.9	8.9	3.0	12.8	14	- 2.2	1	3 1.7	5 1.8	2 2.5	2 2.0	12 2.3	24 3.0	8 2.6	3 2.3	2 1.5	1 3.0	4 2.8	22 2.7	1
XI			1.3	3.2	1.9	1.9	4.2	- 0.1	8.5	4	- 4.6	16	9 2.3	4 2.2	2 2.5	4 2.8	5 2.4	33 3.0	9 1.9	3 2.7	3 1.7	0 -	1 2.0	10 2.1	1
XII			0.9	1.7	1.0	1.1	3.3	- 1.5	10.5	3	- 8.4	25	11 2.5	5 2.2	6 2.2	2 1.0	6 1.7	23 2.1	12 2.5	4 2.2	1 3.0	0 -	4 3.5	16 2.2	3
1954			3.7	7.6	6.4	5.4	9.1	2.0	27.5		-15.2		174 2.0	48 2.2	33 2.2	33 2.9	54 1.9	238 2.3	98 2.0	41 2.0	18 1.9	13 2.2	39 2.5	251 2.3	5

Årsoversikter

Annual Summaries)

1954

Lyngør Fyr

H_s = 4 H_b = h_t = 2.2 h_a = h_d = 10 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Over-skyet	Snødekke
I	70	69	72	70	4.2	5.0	4.7	48	19	14	22	7	1	0	12	8	2	9	1	0	8	6	1	3	0	0	0	0	4	1	18	6	10	
II	87	86	85	86	7.1	7.5	6.7	166	57	24	28	23	0	0	21	11	4	9	0	0	0	20	0	0	0	0	0	0	16	2	6	0	22	
III	91	87	91	90	7.2	7.1	6.6	68	26	1	28	5	0	0	19	10	2	4	0	0	12	11	3	10	0	0	0	0	5	18	10	1	23	
IV	68	62	63	65	5.0	4.1	3.6	23	12	2	1	0	0	0	8	5	1	5	1	0	8	3	3	2	0	0	0	0	0	5	28	4	5	
V	77	76	73	74	5.6	4.5	4.3	106	29	22	0	0	0	2	11	9	4	6	0	0	11	0	0	1	0	0	0	0	1	2	24	6	9	
VI	79	75	75	77	5.3	5.0	5.0	75	17	27	0	0	0	0	17	11	3	6	0	0	17	0	0	1	0	0	0	2	2	2	24	3	10	
VII	82	72	74	78	4.9	4.8	5.0	85	22	28	0	0	0	0	17	14	2	1	0	0	17	0	0	1	0	0	0	2	0	2	30	1	5	
VIII	83	75	76	79	4.7	4.6	4.3	49	19	19	0	0	0	0	12	9	2	4	0	0	11	0	0	3	0	0	0	1	1	1	30	0	5	
IX	84	74	80	81	4.9	5.2	4.7	115	15	25	0	0	0	0	18	14	5	9	0	0	18	0	0	2	0	0	0	0	2	0	30	1	8	
X	83	75	81	81	5.5	5.7	5.3	112	16	30	0	0	0	0	18	14	5	13	0	0	18	0	0	4	0	0	0	0	2	2	16	1	12	
XI	85	81	86	85	6.1	6.1	6.2	140	22	13	3	0	0	0	22	17	5	13	6	1	21	5	4	2	1	0	0	0	1	0	13	3	18	
XII	86	94	85	85	5.2	6.0	4.9	136	30	1	11	2	0	0	20	13	5	15	2	0	19	6	4	4	0	0	0	0	3	2	10	5	14	
1954	81	76	78	79	5.5	5.5	5.1	1125	57		93	37	1	2	195	135	40	94	10	1	160	51	15	33	1	0	0	5	37	37	239	31	141	

Torungen Fyr

H_s = 12 H_b = h_t = 2.0 h_a = 10.4 h_d = 10.5 h_r = 1.3

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Over-skyet	Snødekke
I					4.6	4.4	4.5	55	19	14	21	8	1	0	13	10	2	16	1	0	9	7	2	7	0	1	0	0	7	0	21	5	10	5
II					7.5	6.9	6.6	169	44	24	28	23	0	0	20	16	5	15	2	0	0	20	0	8	0	0	0	0	11	1	11	0	22	28
III					6.8	6.5	6.6	66	10	8	29	7	0	0	20	11	2	6	0	0	15	8	5	15	0	0	0	0	10	16	11	1	22	23
IV					3.4	2.9	2.6	28	13	2	4	0	0	0	6	6	1	3	0	0	8	2	2	3	0	0	0	0	6	5	28	8	4	0
V					4.5	3.8	3.8	123	34	22	0	0	0	0	14	12	4	3	0	0	14	0	0	10	0	0	0	0	14	2	24	9	9	0
VI					4.4	4.0	4.3	62	13	27	0	0	0	0	17	13	1	6	0	0	17	0	0	6	0	0	0	4	9	4	26	7	8	0
VII	86	77	80	83	5.5	5.4	5.2	61	16	28	0	0	0	0	15	13	1	14	0	0	14	0	0	3	0	0	0	3	6	1	29	1	11	0
VIII	88	79	79	83	5.4	5.4	4.8	97	39	19	0	0	0	0	12	6	3	13	0	0	12	0	0	0	0	0	0	2	6	1	29	0	5	0
IX	87	75	80	82	5.4	5.1	5.2	141	40	25	0	0	0	0	19	13	4	14	4	0	19	0	0	4	0	0	0	1	4	3	27	0	9	0
X	83	79	83	82	5.4	5.8	5.7	138	22	25	0	0	0	0	19	13	8	11	2	0	19	0	0	8	0	1	0	0	5	3	17	0	13	0
XI	87	82	87	87	5.7	6.2	6.6	117	15	11	2	0	0	0	21	20	5	14	2	0	21	4	3	10	0	2	0	0	6	3	11	3	18	0
XII	88	87	86	87	5.6	6.1	5.1	142	31	10	12	1	0	0	21	16	4	15	2	0	18	7	2	3	0	0	0	0	11	3	5	4	14	0
1954					5.4	5.2	5.1	1199	44		96	39	1	0	197	149	40	130	13	0	166	48	14	77	0	4	0	10	95	42	230	38	145	56

Tveitsund

H_s = 252 H_b = h_t = 2.0 h_a = h_d = 7.7 h_r = 1.5

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Over-skyet	Snødekke
I	76	68	74	74	4.2	4.6	3.8	43	17	14	30		10		11	7	1	6	0	0	7	11	4	3	0	0	0	0	11	0	23	7	9	
II	83	80	82	82	7.6	7.4	6.2	98	19	24	28		12		20	15	3	0	0	0	0	20	0	0	0	0	0	0	22	0	6	0	22	
III	90	74	79	83	6.4	5.8	5.7	86	39	8	29		1		13	10	1	0	0	0	3	13	3	0	0	0	0	0	13	6	18	1	17	
IV	81	48	54	65	4.7	3.9	3.2	27	12	2	25		0		5	5	1	0	0	0	3	4	3	0	0	0	0	0	4	1	28	2	4	
V	84	58	60	72	5.2	5.2	5.0	133	27	22	2		0		11	10	6	0	0	0	10	2	1	0	0	0	0	1	13	1	22	7	14	
VI	81	59	62	73	5.2	5.2	5.0	108	16	10	0		0		18	15	4	0	0	0	18	0	0	0	0	0	0	1	15	0	26	6	12	
VII	85	64	68	76	5.8	6.4	5.7	103	21	28	0		0		18	16	3	0	0	0	18	0	0	0	0	0	0	3	12	0	29	2	16	
VIII	90	58	69	77	5.0	6.2	5.5	99	21	8	0		0		16	12	5	1	0	0	15	0	0	0	0	0	0	1	7	0	28	0	10	
IX	87	64	75	82	5.3	6.2	5.4	116	25	21	2		0		16	13	5	1	0	0	16	0	0	1	0	0	0	0	15	0	27	2	13	
X	86	72	81	81	5.5	6.0	5.4	132	20	25	7		0		18	15	5	0	0	0	18	5	5	3	0	0	0	0	16	1	17	4	14	
XI	89	80	88	87	5.9	6.2	6.1	182	23	27	21		0		19	13	7	1	1	0	15	14	10	4	0	0	0	0	18	0	10	4	19	
XII	83	81	82	82	5.3	5.8	4.9	166	29	14	22		4		17	15	6	3	0	0	15	9	5	1	0	0	0	0	20	0	12	5	15	
1954	85	67	73	78	5.5	5.7	5.2	1293	39		165		27		182	152	47	12	1	0	139	78	31	12	0	0	0	6	166	9	246	40	165	

Grimstad

H_s = 7 H_b = h_t = 1.8 h_a = h_d = 5.0 h_r = 1.4

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Over-skyet	Snødekke
I	73	69	74	73	4.8	4.7	5.2	56	19	14	22		3		12	7	2	15	2	0	7	6	0	0	0	0	0	0	2	0	21	4	12	6
II	87	86	87	87	7.5	7.4	7.2	309	74	28	28		0		23	19	5	12	2	0	1	22	0	0	0	0	0	0	3	1	7	0	25	28
III	94	89	90	92	6.4	6.5	6.2	189	70	1	28		0		19	13	5	7	1	0	11	13	4	2	0	0	0	0	6	12	10	2	20	31
IV	76	66	69	72	4.3	3.5	3.0	57	25	1	6		0		7	7	2	5	0	0	5	3	0	1	0	0	0	0	4	2	27	6	3	15
V	79	74	73	76	4.8	4.2	4.1	150	41	5	0		0		13	12	5	4	0	0	13	0	0	0	0	0	0	0	10	1	22	7	11	0
VI	82	76	77	80	4.8	4.8	4.8	78	16	27	0		0		17	14	2	3	0	0	17	0	0	2	0	0	0	3	8	0	24	5	10	0
VII	82	74	77	79	5.3	5.5	5.1	90	17	7	0		0		17	14	3	0	0	0	17	0	0	2	0	0	0	2	1	0	29	1	9	0
VIII	85	73	75	79	5.1	5.1	4.5	186	64	19	0		0		14	8	4	5	0	0	14	0	0	0	0	0	0	3	1	0	27	0	8	0
IX	88	72	83	84	4.9	5.3	5.3	151	39	25	0		0		22	14	4	9	1	0	22	0	0	0	0	0	0	0	4	0	24	2	9	0
X	86	75	85	84	5.5	5.9	5.6	211	30	7	0		0		24	18	10	10	3	0	24	0	0	2	0	0	0	0	2	1	19	1	15	0
XI	85	79	88	85	6.0	6.1	6.2	143	18	11	4		0		22	20	7	12	4	1	22	7	6	1	0	0	0	0	5	0	12	4	18	0
XII	87	83	85	85	5.6	5.7	4.4	187	41	1	14		0		24	17	6	15	3	1	21	9	5	0	0	0	0	0	3	1	13	6	15	8
1954	84	76	80	81	5.4	5.4	5.1	1817	74		102		3		214	163	55	97	16	2	174	60	15	10	0	0	0	8	49	18	235	38	155	88

Byglandsfjord II

H_s = 206 H_b = h_t = 2.1 h_a = h_d = 9.5 h_r = 1.6

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Over-skyet	Snødekke
I	80	73	77	78	3.6	4.1	3.9	53	21	14	28	16	4	0	14	6	2	4	3	1	8	12	5	1	0	0	0	0	8	2	23	8	7	20
II	90	83	87	88	7.0	6.6	6.7	109	28	24	28	27	5	0	20	13	3	0	0	0	4	19	0	4	0	0	0	0	20	0	13	1	20	28
III	94	78	86	88	5.8	5.5	5.7	81	30	8	27	4	1	0	15	12	2	0	0	0	6	12	1	4	0	0	0	0	7	6	19	2	18	31
IV	88	55	60	72	3.8	3.3	3.2	44	17	2	20	0	0	0	7	6	2	0	0	0	4	6	2	0	0	0	0	0	8	1	27	8	5	15
V	91	62	66	78	4.7	4.4	4.1	203	42	22	0	0	0	3	16	12	9	0	0	0	16	1	1	0	0	0	0	3	11	2	23	9	10	0
VI	91	66	72	83	5.4	5.1	4.7	140	25	11	0	0	0	1	19	15	6	0	0	0	19	0	0	1	0	0	0	1	11	2	27	4	11	0
VII	91	69	74	82	5.5	6.2	5.5	77	14	7	0	0	0	0	16	11	3	0	0	0	16	0	0	0	0	0	0	3	8	0	30	0	11	0
VIII	92	67	73	81	4.9	5.6	4.9	110	27	8	0	0	0	0	18	11	5	0	0	0	18	0	0	0	0	0	0	2	7	3	31	0	9	0
IX	96	76	87	89	5.0	5.4	5.2	182	30	21	3	0	0	0	20	17	7	0	0	0	20	0	0	0	0	1	0	1	13	7	28	3	11	0
X	95	83	89	90	5.9	6.0	5.6	202	27	24	6	0	0	0	25	19	7	0	0	0	25	4	4	0	0	0	0	0	13	1	21	3	15	0
XI	94	89	95	93	5.4	5.8	6.4	188	26	11	16	1	0	0	21	17	8	1	0	0	14	10	3	0	0	0	0	0	21	1	14	5	18	10
XII	86	83	83	84	5.7	5.4	4.8	232	40	10	19	6	0	0	22	19	8	0	0	0	16	10	6	3	0	0	0	0	16	3	15	5	14	14
1954	90	74	79	84	5.2	5.3	5.1	1621	42		147	54	10	4	213	158	62	5	3	1	168	74	22	13	0	1	0	10	143	28	271	48	149	118

1954

Kristiansand S.

φ = 58° 10'N λ = 7° 59'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 1.6	0.2	- 0.7	- 0.8	2.2	- 3.6	8.6	2	-12.2	28	17 2.2	16 3.8	7 4.1	1 5.0	2 4.5	9 2.7	1 5.0	2 4.0	3 2.7	6 3.7	9 3.0	10 3.5
II			- 3.9	- 3.0	- 3.2	- 3.6	- 1.5	- 5.2	3.6	4	-13.8	3	3 1.3	24 4.0	16 4.2	8 3.6	12 4.0	8 3.5	0 -	0 -	3 2.0	0 -	2 1.5	3 1.0
III			- 0.6	1.4	0.4	0.1	2.7	- 2.2	8.9	16	-10.7	3	5 1.6	23 3.0	15 2.8	11 3.0	0 -	6 2.3	3 3.7	1 5.0	3 2.7	1 1.0	0 -	5 2.8
IV			3.6	7.2	5.4	4.4	8.5	0.4	17.0	23	- 4.2	8	7 1.1	15 2.7	6 3.2	6 2.5	3 2.7	11 2.9	1 1.0	1 3.0	9 2.7	12 3.6	6 4.3	6 5.3
V			10.8	13.6	12.7	11.2	15.2	7.0	24.6	29	1.4	8	7 1.0	13 2.8	12 2.8	11 3.2	12 2.4	18 2.9	0 -	0 -	2 2.5	4 2.5	1 4.0	3 1.7
VI			13.4	15.9	14.6	13.4	17.3	9.7	23.2	5	5.6	15	0 -	1 1.0	5 2.8	4 2.5	8 2.5	10 3.2	5 2.2	15 2.9	16 2.8	9 2.8	10 4.5	1 1.0
VII			14.7	16.9	15.2	14.6	18.6	11.4	24.7	11	6.6	3	2 1.0	9 2.0	6 3.8	5 2.8	13 2.8	11 2.8	3 4.0	5 2.6	15 3.1	8 3.0	9 5.3	4 4.5
VIII			14.1	17.2	15.4	14.7	18.7	11.3	22.8	26	7.6	2	3 2.3	9 2.9	16 3.9	6 3.2	2 1.5	7 2.4	2 3.5	5 1.8	12 3.2	15 2.9	10 3.6	3 1.7
IX			10.5	13.8	10.9	11.1	15.0	7.9	19.9	5	1.9	28	2 1.0	2 1.0	2 2.0	1 1.0	5 2.6	13 4.0	2 4.5	7 2.7	19 3.8	13 2.8	15 3.4	3 1.3
X			7.0	9.8	8.0	8.0	10.9	4.7	13.9	13	- 1.1	27	2 1.0	11 3.5	7 2.9	3 3.3	5 3.6	6 4.0	1 4.0	5 3.0	17 3.3	8 3.6	14 3.4	4 1.8
XI			3.3	5.5	4.0	4.1	6.5	1.7	11.9	1	- 2.9	17	8 1.1	12 1.7	3 1.0	7 3.7	20 5.1	10 4.6	0 -	0 -	3 2.0	5 2.2	7 2.9	8 2.1
XII			2.7	3.4	2.3	2.7	4.8	- 0.2	11.3	3	- 7.4	25	10 1.6	6 3.7	3 1.7	6 4.7	2 3.5	2 4.5	3 3.3	6 4.7	12 3.2	12 4.0	8 3.8	9 2.3
1954			6.2	8.5	7.1	6.7	9.9	3.6	24.7		-13.8		66 1.5	141 3.0	98 3.3	69 3.3	84 3.5	111 3.3	21 3.3	47 3.0	114 3.1	93 3.2	91 3.7	59 2.7

Kjevik

φ = 58° 12'N λ = 8° 5'E g = 9.818 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I	1013.9	1015.8	- 1.9	- 0.1	- 0.8	- 1.0	2.2	- 4.3	8.6	2	-15.8	28	4 3.0	23 3.1	20 2.8	1 3.0	4 2.8	0 -	3 4.0	4 4.0	3 2.7	12 3.2	2 4.5	13 2.7
II	16.2	18.2	- 4.7	- 3.0	- 3.5	- 3.9	- 1.6	- 6.0	1.8	4	-17.7	3	0 -	10 3.8	34 4.1	9 3.4	14 2.8	5 3.0	3 3.3	0 -	2 1.5	1 3.0	0 -	0 -
III	08.5	10.4	- 1.5	1.3	0.6	- 0.2	2.5	- 2.7	7.6	16	-11.4	3	1 2.0	8 2.6	46 2.9	9 3.6	6 2.2	3 3.7	5 2.0	5 3.2	0 -	0 -	1 4.0	1 2.0
IV	16.7	18.6	0.9	6.8	6.1	3.9	8.2	- 0.5	15.1	23	- 5.1	8	3 3.0	5 2.2	15 2.7	9 2.4	8 2.4	5 1.8	5 2.8	9 3.0	9 3.0	9 3.3	4 3.8	5 3.4
V	14.6	16.5	8.9	13.8	13.4	11.1	15.3	6.6	24.7	29	2.0	9	4 1.8	5 3.0	21 3.8	11 3.2	13 3.0	3 2.0	8 1.6	17 2.6	3 1.0	0 -	0 -	2 2.0
VI	08.2	10.0	12.2	15.8	15.2	13.5	17.3	9.7	22.2	3	4.6	15	0 -	2 1.5	8 2.6	2 4.0	5 2.2	2 2.5	15 3.1	23 3.3	18 2.6	6 3.8	5 2.8	0 -
VII	02.6	04.4	13.2	16.9	16.5	14.7	18.6	11.5	24.7	11	6.8	9	1 2.0	2 3.5	19 2.6	3 3.3	5 2.4	2 3.0	9 3.0	16 2.9	13 3.0	10 2.9	6 3.0	5 2.6
VIII	05.8	07.6	12.7	17.2	16.3	14.7	18.5	11.2	22.5	26	6.1	18	1 2.0	5 1.8	24 3.2	7 3.3	2 2.5	0 -	4 3.0	6 2.5	21 2.9	11 3.2	5 2.8	2 3.0
IX	01.9	03.7	9.1	13.7	12.1	11.1	14.8	7.6	19.5	2	0.4	29	1 1.0	7 1.6	10 1.1	2 3.5	0 -	1 5.0	13 2.6	13 3.5	21 3.3	7 2.9	8 2.5	2 2.0
X	04.6	06.5	6.4	9.6	8.0	7.8	10.7	4.7	13.5	14	- 2.4	2	1 1.0	12 2.5	17 1.9	7 3.1	3 3.3	0 -	4 3.2	6 2.3	23 3.1	11 3.4	2 3.0	4 2.8
XI	08.9	10.8	2.9	5.1	3.8	3.7	6.3	1.4	11.6	1	- 4.4	16	1 2.0	4 2.2	25 2.2	14 4.3	9 3.1	5 3.2	2 4.0	5 2.8	5 2.4	2 3.5	3 3.0	5 2.4
XII	00.1	01.9	2.4	3.2	1.8	2.4	4.8	- 0.8	11.0	3	- 8.7	25	1 2.0	6 2.2	26 2.3	5 3.8	1 5.0	3 2.7	3 4.3	7 3.0	10 3.9	11 2.9	4 2.5	10 2.8
1954	1008.5	1010.4	5.0	8.4	7.5	6.5	9.8	3.2	24.7		-17.7		18 2.2	89 2.7	265 2.8	79 3.4	70 1.7	29 2.8	74 2.9	111 3.0	128 3.0	80 3.2	40 3.0	49 2.7

Oksøy

φ = 58° 4'N λ = 8° 3'E g = 9.818 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I	1014.8	1015.8	0.3	1.2	0.9	0.7	3.0	- 1.4	8.5	2	- 9.9	31	15 3.5	14 4.1	19 4.8	0 -	0 -	9 4.1	3 5.0	1 5.0	6 4.2	12 3.2	4 5.0	10 4.6
II	16.9	17.9	- 2.8	- 2.2	- 1.9	- 2.4	- 0.7	- 3.9	3.8	4	- 8.5	14	3 1.7	3 4.0	31 5.6	5 5.2	6 5.7	27 4.7	1 4.0	0 -	2 3.0	4 2.2	0 -	0 -
III	09.4	10.4	- 0.5	0.8	0.4	0.1	1.8	- 1.4	7.0	27	- 6.0	3	3 1.7	3 2.3	42 3.6	15 3.5	2 2.5	2 4.0	7 3.7	1 4.0	9 1.4	4 2.2	0 -	3 2.7
IV	17.9	18.9	2.9	5.8	5.4	4.3	7.2	1.9	13.2	23	- 1.6	8	9 2.8	3 4.0	9 4.0	11 3.1	2 3.0	5 2.4	5 2.6	1 3.0	17 3.4	12 3.3	5 3.0	9 3.6
V	16.8	17.7	9.5	11.7	11.8	10.5	13.2	8.1	21.4	30	3.5	8	8 2.1	2 2.5	23 4.2	16 3.4	6 2.7	14 2.4	6 2.3	1 3.0	7 2.6	3 2.7	0 -	2 4.0
VI	09.5	10.5	12.5	14.2	13.6	13.0	15.3	11.1	18.3	20	7.0	13	3 1.7	0 -	3 4.0	9 2.7	1 3.0	6 3.5	10 2.6	14 3.3	25 3.8	13 3.9	2 3.5	3 3.0
VII	03.9	04.8	13.9	15.9	15.3	14.6	17.0	12.6	23.0	11	9.5	9	1 2.0	4 2.0	9 4.2	3 2.3	4 3.2	8 2.8	6 3.0	3 2.7	30 3.6	14 3.5	1 5.0	10 2.9
VIII	06.9	07.9	14.0	16.1	15.5	14.9	16.9	13.2	21.0	12	11.0	15	5 2.0	1 2.0	21 4.9	4 3.8	2 5.0	7 3.0	2 2.5	1 3.0	22 4.1	20 3.8	5 3.4	3 2.7
IX	03.3	04.2	11.3	13.6	12.6	12.2	14.2	10.2	18.5	2	4.4	30	3 2.0	1 3.0	2 2.0	4 2.8	2 2.5	5 5.2	6 3.7	9 4.0	21 4.3	20 3.9	6 3.2	11 3.3
X	06.0	07.0	8.4	10.0	9.3	9.1	11.0	7.1	13.8	14	3.0	27	6 2.3	4 3.0	9 3.7	9 3.6	5 4.2	8 3.8	3 4.0	3 5.3	20 5.0	16 4.2	2 3.5	7 3.0
XI	10.0	11.0	4.9	6.0	5.5	5.4	7.1	3.7	11.0	12	- 0.3	16	12 2.6	1 2.0	9 2.8	2 6.5	4 7.2	31 5.1	5 4.4	0 -	6 4.2	9 3.8	2 2.5	7 3.3
XII	01.4	02.4	3.9	4.3	3.8	3.9	5.6	1.9	9.2	3	- 3.0	26	9 2.3	9 2.6	9 3.2	3 2.3	4 6.5	8 4.4	4 4.5	3 4.7	19 5.1	10 3.9	5 4.0	10 2.9
1954	1009.7	1010.7	6.5	8.1	7.7	7.2	9.3	5.3	23.0		- 9.9		77 2.5	45 3.2	186 4.2	81 3.4	38 4.4	130 4.1	58 3.4	37 3.7	184 4.0	137 3.6	32 3.6	75 3.3

Mandal II

φ = 58° 3'N λ = 7° 27'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 1.3	- 0.3	- 1.0	- 1.0		- 3.0	6.2	2	-12.1	31	16 2.8	14 3.0	6 3.7	9 2.0	5 2.8	4 3.2	3 5.0	1 2.0	5 2.2	11 3.3	9 3.8	10 2.5
II			- 4.2	- 3.2	- 3.8	- 3.7		- 5.4	3.0	5	- 9.6	3	2 5.0	7 3.1	16 5.1	22 3.5	13 3.5	13 3.2	0 -	1 1.0	0 -	4 2.0	4 1.5	1 1.0
III			- 0.2	1.4	0.2	0.2		- 2.0	8.0	16	- 5.1	15	1 1.0	2 1.5	12 3.2	36 3.1	15 2.7	1 1.0	9 3.3	2 2.5	4 1.5	2 2.0	6 2.5	2 1.0
IV			4.2	6.5	4.9	4.4		1.0	11.4	23	- 2.0	8	4 2.8	5 1.4	8 3.1	11 2.6	7 2.9	2 2.5	6 2.3	3 2.3	12 3.0	14 2.9	10 3.1	7 3.3
V			12.0	13.4	12.1	11.5		8.0	23.2	29	1.5	1	1 1.0	3 2.0	11 3.8	33 2.9	19 2.7	6 3.2	5 1.8	3 1.0	4 1.8	3 2.0	4 2.8	0 -
VI			13.0	14.3	13.1	12.6		9.6	18.2	20	6.2	13	0 -	0 -	0 -	8 3.1	9 3.2	8 3.0	19 2.9	9 2.8	14 3.1	11 3.3	12 3.8	0 -
VII			14.0	15.8	14.3	13.8		10.6	23.3	13	6.7	3	2 1.5	1 2.0	5 4.6	8 4.1	12 3.3	3 4.3	6 3.0	13 2.7	13 3.3	17 3.2	11 5.4	0 -
VIII			13.0	16.0	14.1	13.7		11.0	19.6	12	8.2	18	1 2.0	0 -	6 2.8	21 4.0	10 2.8	1 1.0	1 3.0	3 1.7	17 2.8	24 3.9	8 2.5	1 4.0
IX			10.4	12.7	10.8	10.8		8.0	18.8	2	0.1	28	0 -	1 3.0	2 1.5	5 2.6	3 2.7	1 1.0	10 2.9	11 2.7	11 3.6	18 4.0	14 3.0	4 3.8
X			7.0	8.6	7.3	7.3		4.8	11.8	14	- 1.2	23	1 2.0	3 3.3	14 2.4	8 3.9	9 3.1	4 3.0	3 2.0	6 2.8	7 3.3	24 3.5	5 3.4	3 3.7
XI			3.6	4.9	4.0	4.0		1.8	9.7	1	- 0.4	16	5 1.4	0 -	8 2.5	15 3.5	10 3.8	16 4.3	3 5.3	3 3.0	6 3.0	7 2.1	6 3.2	8 3.2
XII			3.2	3.7	2.9	3.2		1.2	8.8	2	- 3.4	24	7 2.4	3 3.0	8 1.5	12 2.9	3 3.3	0 -	5 3.0	12 5.2	11 3.4	17 3.8	11 3.8	3 1.3
1954			6.2	7.8	6.6	6.4		3.8	23.3		-12.1		40 2.4	39 2.7	96 3.3	188 3.2	115 3.1	59 3.4	70 3.0	67 3.0	104 3.0	152 3.4	100 3.4	39 2.8

Konsmo

φ = 58° 16'N λ = 7° 20'E g = ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 3.2	- 1.9	- 2.6	- 2.7	0.1	- 5.3	6.0	2	-15.2	31	4 1.8	20 2.6	18 3.0	4 3.0	1 3.0	2 1.5	4 2.5	6 2.5	6 3.3	13 3.8	5 3.6	6 3.7
II			- 6.0	- 4.7	- 5.4	- 5.6	- 3.9	- 7.2	1.5	5	-12.0	3	0 -	23 4.3	29 4.4	14 3.8	4 2.8	0 -	2 3.0	0 -	2 1.5	6 1.2	0 -	1 2.0
III			- 1.6	1.2	0.0	- 0.3	2.4	- 2.7	9.6	15	- 7.0	3	2 1.0	19 2.3	26 3.7	8 2.6	2 1.5	3 1.7	4 3.2	6 3.0	3 1.7	3 3.3	2 1.5	2 1.5
IV			0.8	5.2	3.8	2.7	6.2	- 0.6	11.6	23	- 4.4	11	7 1.4	16 1.6	9 2.6	4 2.2	1 1.0	0 -	2 1.0	10 2.0	14 3.1	14 3.6	1 3.0	8 2.6
V			8.2	12.9	11.7	10.1	14.1	6.3	24.3	29	0.2	1	1 3.0	13 2.3	24 2.7	11 2.6	4 2.2	7 2.0	9 2.1	8 1.9	5 2.6	0 -	1 1.0	4 1.8
VI			10.2	14.0	12.8	11.5	15.4	7.9	21.0	5	2.3	15	0 -	2 1.5	8 2.8	2 1.5	5 1.2	2 1.5	8 2.2	21 2.8	21 3.4	14 3.5	0 -	1 1.0
VII			11.1	14.3	13.1	12.2	15.9	9.3	22.5	13	4.4	9	0 -	5 2.4	14 1.9	7 2.6	5 1.8	4 2.8	4 2.0	12 2.0	23 3.2	15 3.7	1 4.0	0 -
VIII			10.9	14.8	13.0	12.3	15.9	9.4	19.0	5	4.9	18	0 -	8 2.4	20 3.4	9 2.7	2 1.0	1 2.0	1 1.0	7 2.7	19 2.6	20 3.6	1 1.0	0 -
IX			7.5	11.0	9.4	8.9	12.0	6.3	20.4	2	- 0.7	28	0 -	3 1.3	4 2.0	1 1.0	5 1.6	2 2.5	7 2.3	14 2.2	20 3.0	19 3.3	5 2.2	3 1.3
X			4.5	6.9	5.9	5.6	8.0	3.4	11.2	4	- 1.5	2	1 2.0	12 1.8	19 2.4	6 2.0	2 3.5	2 1.0	1 1.0	7 3.0	20 3.5	16 3.5	3 2.0	1 1.0
XI			1.2	3.2	2.0	2.0	3.9	0.2	8.1	12	- 4.5	16	1 1.0	17 1.2	11 2.7	22 3.2	6 3.7	4 3.0	0 -	4 2.2	6 3.0	11 2.5	3 2.3	2 1.0
XII			1.4	2.1	0.9	1.4	2.8	- 0.8	9.0	3	- 6.8	24	5 1.8	16 1.6	12 1.7	4 4.8	1 4.0	2 2.5	0 -	8 4.0	14 4.6	17 3.5	6 2.8	3 2.3
1954			3.8	6.6	5.4	4.8	7.7	2.2	24.3		-15.2		21 1.6	154 2.3	194 3.0	92 3.0	38 2.2	29 2.1	42 2.2	103 2.6	153 3.2	148 3.4	28 2.5	31 2.3

1954

Kristiansand S.

H_s = 22 H_b = h_t = 2.0 h_a = h_d = 14.4 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	78	82	81	4.8	4.6	4.9	76	25	16	27	10	4	0	11	8	2	12	0	0	8	5	1	0	0	0	0	0	3	0	25	4	9	4
II	90	88	90	89	7.4	7.1	7.7	238	64	26	28	21	1	0	21	16	5	11	0	0	0	21	0	0	0	0	0	0	3	0	11	0	24	27
III	91	84	88	88	6.2	6.3	6.4	108	18	1	26	3	1	0	18	11	5	4	0	0	10	12	4	5	0	0	0	0	10	7	14	2	20	31
IV	73	59	66	69	3.5	3.3	2.9	59	28	2	11	0	0	0	8	6	2	8	0	0	7	3	2	0	0	0	0	0	6	0	28	8	3	17
V	78	67	70	76	4.4	3.7	4.1	148	28	5	0	0	0	0	14	10	8	3	0	0	14	0	0	0	0	0	0	0	3	0	23	7	9	0
VI	80	72	76	81	4.6	4.4	4.5	115	20	9	0	0	0	0	16	15	6	5	0	0	16	0	0	1	0	0	0	2	7	0	26	7	9	0
VII	83	71	78	82	4.7	4.4	5.3	82	20	7	0	0	0	0	16	11	3	7	0	0	16	0	0	0	0	0	0	4	3	0	29	2	6	0
VIII	85	70	77	80	4.6	4.7	4.6	171	56	6	0	0	0	0	15	15	5	6	0	0	15	0	0	1	0	0	0	2	2	0	29	2	9	0
IX	87	72	87	85	5.2	5.1	5.3	210	58	25	0	0	0	0	25	18	6	8	1	0	25	0	0	0	0	1	0	1	5	1	25	2	12	0
X	88	77	87	85	5.6	5.4	6.0	311	72	7	3	0	0	0	25	20	10	6	1	0	25	0	0	1	0	0	0	0	7	2	21	2	14	0
XI	88	80	88	86	5.4	5.5	6.5	176	19	10	9	0	0	0	23	19	9	12	2	0	23	7	5	1	0	0	0	0	9	0	14	3	17	0
XII	87	84	86	86	5.8	5.7	5.2	235	53	1	15	1	0	0	23	21	7	10	0	0	20	7	4	0	0	1	0	1	5	2	7	3	15	9
1954	84	75	81	82	5.2	5.0	5.3	1929	72		119	35	6	0	215	170	68	92	4	0	179	55	16	9	0	2	0	10	63	12	252	42	147	88

Kjevik

H_s = 12 H_b = 15.2 h_t = 2.0 h_a = 10.0 h_d = 10.0 h_r = 1.6

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	77	72	76	76	4.5	4.7	5.0	77	28	14	25	11	4	0	10	7	3	3	0	0	7	5	2	2	0	0	0	0	6	3	21	3	11	6
II	89	88	88	88	7.5	7.4	7.2	176	56	24	28	21	3	0	22	18	4	3	0	0	3	22	3	1	0	0	0	0	19	2	14	0	23	28
III	95	89	90	92	6.5	6.8	6.1	75	19	8	26	3	1	0	14	10	3	3	0	0	10	11	5	3	0	1	0	0	11	12	15	3	21	31
IV	88	64	68	76	4.6	4.2	3.8	60	34	2	19	0	0	0	7	6	2	2	0	0	7	3	3	1	0	0	0	0	3	3	27	4	5	14
V	88	71	70	79	5.5	5.0	4.4	172	30	5	0	0	0	0	14	10	9	3	0	0	14	0	0	4	0	0	0	0	8	3	25	4	10	0
VI	89	75	77	83	5.3	5.4	5.5	99	18	27	0	0	0	0	17	14	4	0	0	0	17	0	0	4	0	0	0	2	9	5	24	1	14	0
VII	90	75	76	83	5.5	6.2	5.6	83	22	28	0	0	0	0	17	12	4	0	0	0	17	0	0	5	0	1	0	2	3	2	30	1	14	0
VIII	90	74	77	83	5.6	5.8	5.1	155	50	19	0	0	0	0	17	12	4	2	0	0	17	0	0	2	0	0	0	1	5	3	29	0	10	0
IX	92	76	84	86	5.5	5.6	5.2	166	25	17	0	0	0	0	21	17	6	3	0	0	21	0	0	0	0	0	0	1	7	5	23	1	13	0
X	91	81	87	88	5.6	5.9	5.8	299	95	7	4	0	0	0	21	19	10	2	1	0	21	0	0	5	0	0	0	0	9	1	12	2	15	0
XI	90	85	90	89	5.3	6.2	6.3	186	30	10	8	0	0	0	20	18	8	4	0	0	19	5	3	7	0	1	0	0	9	0	6	4	15	2
XII	89	87	89	89	5.1	5.5	4.9	258	57	1	18	0	0	0	21	19	7	1	0	0	19	7	5	9	0	1	0	0	7	3	10	5	14	8
1954	89	78	81	84	5.5	5.7	5.4	1806	95		128	35	8	0	201	162	64	26	1	0	172	53	21	43	0	4	0	6	96	42	236	28	165	89

Oksøy

H_s = 9 H_b = 8.0 h_t = 2.0 h_a = h_d = 8.1 h_r = 1.8

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	72	70	73	72	4.7	5.0	4.5	62	19	16	20	7	0	0	15	7	3	17	1	0	10	5	0	6	0	0	0	0	1	2	19	4	10	0
II	89	88	87	88	7.3	7.3	7.4	194	51	26	27	16	0	0	20	15	5	16	0	0	1	20	0	1	0	0	0	0	1	1	8	0	23	24
III	93	88	90	91	6.4	6.3	6.3	126	30	1	23	4	0	0	14	10	5	5	1	0	9	10	5	3	0	0	0	0	3	17	11	3	21	28
IV	81	69	72	76	4.2	3.5	3.3	50	22	2	4	0	0	0	9	5	2	4	0	0	9	2	1	3	0	0	0	0	3	5	27	5	4	1
V	86	80	75	81	4.7	4.1	3.8	101	14	22	0	0	0	0	15	12	6	5	0	0	14	0	0	5	0	1	0	0	7	3	23	9	9	0
VI	87	90	83	86	4.9	4.5	4.6	97	16	27	0	0	0	0	18	13	3	6	0	0	18	0	0	5	0	0	0	1	5	4	24	5	10	0
VII	87	77	81	84	5.1	4.9	5.2	58	12	28	0	0	0	0	17	12	1	3	0	0	17	0	0	2	0	1	0	3	3	2	26	3	7	0
VIII	89	80	82	85	5.1	4.4	4.6	130	45	7	0	0	0	0	14	12	4	9	1	0	14	0	0	3	0	0	0	1	0	0	25	0	8	0
IX	89	77	84	85	5.0	5.1	4.6	169	40	25	0	0	0	0	22	14	6	8	2	1	22	0	0	2	0	1	0	0	2	2	23	2	9	0
X	91	84	88	88	5.6	5.7	5.7	226	47	7	0	0	0	0	24	18	11	13	0	0	24	0	0	10	0	0	0	0	3	1	19	1	13	0
XI	89˟	86˟	88˟	88˟	5.6	5.9	6.1	144	22	10	1	0	0	0	22	17	6	14	2	1	21	1	1	6	0	0	0	0	1	3	11	3	16	0
XII	90˟	89˟	90˟	90˟	5.4	5.5	4.4	189	37	10	10	0	0	0	25	20	6	13	1	0	22	7	5	6	0	0	0	1	1	4	14	4	11	3
1954	87	81	83	84	5.3	5.2	5.0	1546	51		85	27	0	0	215	155	58	113	8	2	181	45	12	52	0	3	0	6	30	44	230	39	141	56

Mandal II

H_s = 138 H_b = h_t = 1.9 h_a = h_d = 9 h_r = 1.6

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.4	5.3	4.7	115	28	20	25		2		15	11	5	10	3	2	11	4	0	2	0	0	0	0	11	2	16	6	14	0
II					7.5	6.9	6.1	198	42	26	27		0		21	16	6	11	4	2	1	21	0	1	0	0	0	0	22	3	5	0	20	25
III					6.1	6.0	6.5	98	24	1	27		0		14	11	4	6	2	0	7	11	4	1	0	0	0	0	18	11	13	4	21	31
IV					3.7	3.6	3.7	46	14	2	6		0		8	6	2	3	1	0	6	3	1	0	0	1	0	0	12	1	25	9	5	19
V					4.9	4.5	3.9	125	34	3	0		0		12	11	6	7	1	0	12	0	0	1	0	0	0	0	13	5	22	6	8	0
VI					4.8	4.9	5.0	172	27	16	0		0		14	13	7	10	0	0	14	0	0	0	0	0	0	0	13	7	24	6	13	0
VII					5.5	5.6	5.7	114	17	29	0		0		19	18	5	15	2	0	19	0	0	0	0	0	0	0	13	4	25	3	13	0
VIII					6.2	5.3	5.7	156	38	11	0		0		15	12	4	9	1	0	15	0	0	0	0	0	0	1	17	2	22	2	14	0
IX					5.7	6.5	6.5	191	33	25	0		0		26	20	7	12	2	2	26	0	0	4	0	0	0	2	15	3	16	5	19	0
X					6.5	6.5	6.7	324	45	7	1		0		24	23	12	5	0	0	24	0	0	1	0	0	0	0	19	4	10	2	22	0
XI					6.3	5.9	6.6	185	22	10	2		0		23	20	9	13	4	1	20	5	2	4	0	2	0	0	14	5	13	3	20	0
XII					6.7	6.0	5.2	252	55	1	13		0		25	22	7	14	5	3	22	6	2	0	0	0	0	1	19	2	10	3	18	0
1954					5.8	5.6	5.5	1976	55		101		2		216	183	74	115	25	10	177	50	9	14	0	3	0	4	186	49	201	49	187	75

Konsmo

H_s = 337 H_b = h_t = 2.1 h_a = h_d = 7.5 h_r = 1.7

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	74	73	76	75	4.6	4.9	3.9	132	42	14	28	16	6	0	15	12	4	4	0	0	9	12	3	2	0	0	0	0	0	5	16	8	10	14
II	88	85	86	87	7.3	7.3	6.8	125	38	24	28	25	5	0	23	17	3	6	0	0	1	21	1	1	0	0	0	0	3	1	13	0	23	28
III	88	80	83	85	5.9	5.9	5.7	131	30	8	28	8	0	0	15	14	5	3	1	1	5	13	2	1	0	1	0	0	4	9	17	6	20	31
IV	78	60	68	72	3.9	4.0	3.5	43	13	2	19	0	0	0	11	9	1	2	0	0	8	8	4	0	0	0	0	0	1	3	27	6	8	23
V	80	63	66	73	4.1	4.7	3.9	166	27	22	0	0	0	0	13	11	8	0	0	0	13	2	2	3	0	0	0	1	1	3	24	9	9	0
VI	87	71	76	82	5.1	5.5	4.9	188	27	11	0	0	0	0	18	14	9	1	0	0	18	0	0	6	0	0	0	2	3	8	23	6	12	0
VII	88	73	80	83	5.3	6.4	5.7	164	30	4	0	0	0	0	23	16	5	0	0	0	23	0	0	7	0	1	0	4	3	4	27	1	14	0
VIII	88	69	78	82	5.6	5.5	4.9	146	28	7	0	0	0	0	17	16	5	1	0	0	17	0	0	1	0	0	0	1	4	3	26	0	9	0
IX	89	75	84	85	5.1	5.7	5.4	283	44	25	1	0	0	0	25	23	9	3	1	1	25	3	1	2	0	0	0	3	6	7	21	3	14	0
X	88	80	85	85	6.0	6.5	6.6	343	49	24	4	0	0	0	26	24	13	6	0	0	26	2	0	9	0	0	0	0	1	5	13	0	20	0
XI	86	85	87	86	5.9	6.1	6.2	244	37	11	16	2	0	0	21	19	12	5	1	0	15	14	4	5	0	1	0	1	0	7	13	5	18	16
XII	85	85	85	85	6.1	6.4	5.5	277	41	1	18	7	0	0	24	20	13	6	1	1	19	11	3	2	0	0	0	0	0	6	13	5	18	15
1954	85	75	80	82	5.4	5.7	5.2	2242	49		142	58	11	0	231	195	87	37	4	3	179	86	20	39	0	3	0	12	26	61	233	49	175	127

1954

Lindesnes

φ = 57° 59′ N λ = 7° 3′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Da	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.7	1.7	1.2	1.0	3.3	- 1.0	7.8	12	-10.9	3	3 3.3	1 1.0	20 3.8	9 3.7	1 7.0	9 4.1	4 4.5	0 -	7 3.9	3 5.0	10 4.5	24 4.1	2
II			- 2.0	- 1.4	- 1.6	- 1.8	- 0.4	- 3.4	5.2	4	- 7.4	14	0 -	0 -	20 5.3	21 5.0	1 6.0	29 5.1	2 5.5	0 -	3 2.3	4 3.5	2 1.5	2 1.5	0
III			0.5	1.4	1.2	0.9	2.5	- 0.8	7.0	16	- 3.8	2	1 1.0	0 -	9 4.2	34 3.7	14 3.9	11 2.9	2 4.5	1 4.0	4 3.8	0 -	2 3.0	9 2.0	6
IV			3.8	6.1	5.4	4.8	7.4	2.8	14.0	23	- 1.4	8	2 2.5	1 3.0	10 3.3	10 3.1	4 2.8	10 3.0	2 1.5	0 -	5 2.0	8 3.5	8 3.9	24 3.8	6
V			10.7	11.5	11.7	10.9	13.2	9.0	22.8	30	2.9	1	0 -	2 1.5	11 2.9	32 3.1	8 3.2	9 2.7	2 4.5	0 -	2 2.5	1 2.0	7 2.9	5 1.6	14
VI			12.3	13.3	13.1	12.5	14.5	10.9	17.2	3	8.3	15	0 -	0 -	0 -	7 2.6	1 5.0	15 2.7	2 2.5	4 4.2	11 3.8	11 2.3	6 3.8	29 3.7	4
VII			13.4	14.8	14.4	13.9	15.7	12.3	20.8	11	10.0	8	0 -	0 -	2 3.0	6 3.5	6 3.0	16 3.1	3 4.0	0 -	14 2.8	9 3.7	6 4.2	31 4.8	0
VIII			14.2	15.6	14.9	14.6	16.3	13.2	20.3	23	11.5	15	1 1.0	0 -	4 4.0	15 4.1	10 4.6	7 2.9	3 3.3	0 -	3 3.3	12 3.1	14 4.6	23 4.4	1
IX			11.6	13.0	12.4	12.1	13.7	10.6	17.0	2	5.5	28	5 2.2	0 -	0 -	5 2.2	3 2.7	5 4.0	2 5.0	4 3.2	17 3.8	14 5.2	9 5.0	26 4.4	0
X			8.7	9.8	9.4	9.2	10.7	7.5	12.0	13	3.1	27	0 -	0 -	5 4.4	10 2.8	12 4.3	13 4.4	1 3.0	3 4.3	11 4.7	16 5.2	5 6.4	16 5.0	1
XI			5.6	6.4	6.1	5.9	7.3	4.2	10.0	4	1.2	16	5 2.4	0 -	4 3.2	8 3.0	9 6.7	21 6.3	7 5.3	6 4.7	8 4.5	3 6.7	4 4.8	14 3.2	1
XII			4.8	5.1	4.6	4.7	6.0	3.1	9.5	3	- 2.4	24	4 2.8	1 1.0	3 2.3	10 3.7	3 5.7	10 4.8	3 3.7	5 3.8	11 5.6	12 5.2	9 6.2	20 4.2	2
1954			7.0	8.1	7.7	7.4	9.2	5.7	22.8		-10.9		21 2.4	5 1.6	88 4.0	167 3.6	72 4.3	155 4.1	33 4.2	23 4.1	96 3.8	93 4.2	82 4.5	223 4.0	37

Lista

φ = 58° 6′ N λ = 6° 34′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Da	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.8	1.7	1.4	1.2	3.5	- 1.3	8.0	12	-10.5	31	7 3.1	3 3.7	10 3.5	15 4.0	7 2.9	7 5.3	3 4.7	2 5.5	4 5.0	2 7.5	6 5.5	20 5.9	7
II			- 2.2	- 1.3	- 1.7	- 1.9	- 0.4	- 3.7	5.1	5	- 8.2	3	0 -	1 1.0	2 4.5	34 4.7	23 5.5	14 5.9	1 4.0	1 3.0	1 5.0	3 3.7	0 -	1 1.0	3
III			0.9	2.5	1.4	1.4	3.4	- 0.5	7.7	23	- 4.4	2	2 2.0	1 1.0	1 1.0	11 4.5	21 4.9	28 3.6	6 3.8	4 4.2	0 -	0 -	2 5.0	10 3.4	7
IV			3.7	6.7	5.8	5.0	7.5	2.4	10.1	23	- 1.1	11	4 3.5	3 2.3	3 3.0	6 3.5	3 3.3	8 4.0	3 2.3	3 1.7	3 1.3	12 3.9	6 5.7	24 3.9	12
V			10.6	12.4	12.3	11.2	14.1	8.2	23.2	30	2.8	1	2 1.5	5 1.8	1 1.0	8 5.8	8 3.8	23 4.3	8 2.2	4 2.2	1 1.0	3 1.0	1 4.0	10 3.8	19
VI			12.1	13.6	13.0	12.5	14.5	10.6	16.7	1	8.2	4	0 -	1 2.0	0 -	0 -	3 4.3	13 3.8	12 4.4	11 3.3	7 3.0	5 3.2	9 4.4	24 4.3	5
VII			13.4	15.1	14.4	13.9	15.7	12.0	21.1	10	9.2	6	2 1.5	0 -	2 2.5	4 3.2	6 3.2	12 4.8	8 4.6	3 3.7	11 3.2	11 3.8	6 4.3	24 5.4	4
VIII			14.1	16.2	15.1	14.8	16.8	12.8	21.7	23	9.7	18	2 1.5	1 1.0	5 3.6	13 4.3	11 3.4	5 3.8	4 3.8	0 -	5 3.2	10 4.3	14 4.5	20 4.4	3
IX			11.4	13.1	12.5	12.0	13.9	10.2	18.7	2	5.1	27	1 5.0	1 4.0	2 2.0	3 1.7	5 2.0	10 4.1	8 4.4	10 4.6	7 6.0	15 5.5	6 5.0	22 4.6	0
X			8.4	10.1	9.4	9.2	10.8	7.2	14.2	3	0.9	27	1 4.0	0 -	5 2.4	2 2.0	19 3.9	17 4.8	1 3.0	1 4.0	9 5.7	16 5.4	7 6.0	14 4.6	1
XI			5.3	6.2	6.0	5.7	7.4	3.6	10.7	12	- 2.3	16	4 3.2	1 3.0	1 1.0	4 2.5	18 4.5	30 5.7	4 5.8	2 5.0	5 4.4	4 3.8	3 7.0	14 4.1	0
XII			4.9	5.2	4.5	4.8	6.1	2.9	10.0	3	- 2.9	7	3 2.7	2 2.0	3 2.7	3 2.0	17 4.3	7 4.9	5 4.2	4 5.2	11 5.6	9 6.0	9 6.3	19 4.9	1
1954			7.0	8.5	7.8	7.5	9.4	5.4	23.2		-10.5		28 2.8	19 2.3	35 2.9	103 4.2	141 4.2	174 4.6	63 4.0	45 3.8	64 4.4	90 4.6	69 5.2	202 4.6	62

Tonstad

φ = 58° 40′ N λ = 6° 42′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Da	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.8	- 1.3	- 2.4	- 2.4	1.1	- 6.1	8.0	12	-15.5	31	27 2.9	14 3.6	1 4.0	2 1.5	0 -	2 5.0	5 1.2	1 3.0	0 -	0 -	0 -	2 5.5	3
II			- 4.1	- 2.2	- 3.1	- 3.4	- 1.1	- 6.0	1.6	7	-13.0	16	23 4.3	11 4.5	0 -	4 4.8	2 6.5	0 -	5 5.4	0 -	0 -	1 2.0	0 -	1 3.0	3
III			- 0.8	3.7	2.2	1.3	5.3	- 2.5	11.5	24	-10.0	2	16 2.8	9 2.7	0 -	5 3.2	0 -	3 3.7	4 2.5	0 -	1 4.0	1 5.0	0 -	0 -	5
IV			0.5	7.7	6.4	4.0	9.2	- 1.5	13.5	23	- 5.2	11	24 1.8	2 2.0	1 3.0	0 -	0 -	0 -	4 2.5	0 -	13 2.3	10 4.1	2 2.5	0 -	3
V			8.9	15.1	13.4	11.1	17.1	4.9	26.4	29	0.8	9	20 3.0	1 2.0	0 -	2 1.0	1 3.0	6 2.7	21 2.0	1 1.0	0 -	2 2.0	0 -	0 -	3
VI			11.3	16.0	14.9	13.0	17.7	8.4	24.6	5	2.8	14	6 3.0	0 -	0 -	1 5.0	0 -	3 3.3	16 3.2	16 3.2	18 2.8	6 2.5	0 -	0 -	2
VII			12.6	16.8	15.4	14.1	18.3	10.7	25.0	11	5.1	24	9 2.4	1 6.0	0 -	4 3.5	1 2.0	1 2.0	9 2.6	19 3.3	5 3.6	12 1.5	5 2.8	2 3.0	2
VIII			12.5	17.3	15.7	14.4	18.6	10.1	24.6	24	4.6	17	13 2.1	14 3.1	0 -	2 4.0	1 2.0	1 2.0	8 2.6	6 2.3	5 2.6	10 2.4	5 2.0	1 3.0	2
IX			8.0	12.5	10.7	9.9	13.8	6.4	20.3	2	- 1.5	28	7 1.3	1 4.0	0 -	0 -	0 -	2 3.0	7 3.1	15 2.7	3 4.0	14 2.9	5 3.0	7 2.9	2
X			4.8	8.0	6.9	6.3	9.8	3.1	13.0	13	- 3.0	2	6 1.8	4 2.5	0 -	2 2.5	2 2.0	4 2.0	6 2.2	7 3.9	3 2.7	7 2.3	4 2.8	3 2.0	4
XI			2.4	4.1	3.2	3.0	5.4	0.6	9.5	4	- 6.6	16	6 1.5	1 4.0	0 -	12 4.5	5 4.2	3 4.0	8 2.4	3 3.0	0 -	3 1.7	3 2.0	0 -	4
XII			1.5	2.8	1.7	1.9	4.4	- 1.2	10.5	3	-10.6	8	13 2.0	2 3.0	1 1.0	4 2.0	0 -	1 3.0	11 3.6	10 2.3	2 1.5	4 2.2	4 1.5	4 2.0	3
1954			4.6	8.4	7.1	6.1	10.0	2.2	26.4		-15.5		170 2.6	60 3.4	3 2.7	38 3.5	12 3.8	26 3.1	104 2.8	78 3.0	50 2.8	70 2.6	28 2.4	20 2.8	43

Obrestad

φ = 58° 39′ N λ = 5° 34′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Da	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.7	1.7	1.1	1.1	3.9	- 1.7	8.5	19	-11.8	31	12 4.1	11 2.5	3 1.0	1 1.0	6 1.7	25 3.6	7 3.6	5 3.8	3 3.0	7 5.0	5 5.6	6 5.3	
II			- 1.9	- 0.5	- 1.4	- 1.5	0.5	- 3.9	5.5	4	- 9.4	16	0 -	0 -	2 2.5	5 2.4	12 3.6	54 4.8	5 5.0	0 -	4 3.2	0 -	0 -	0 -	
III			1.1	2.9	2.3	1.9	4.0	- 0.5	9.0	23	- 5.2	3	13 3.2	0 -	6 2.0	6 3.3	9 3.3	32 4.4	15 3.1	2 4.5	1 2.0	0 -	1 2.0	3 2.3	
IV			3.2	6.0	5.5	4.4	6.7	1.2	10.2	15	- 1.8	24	14 4.0	5 2.4	6 2.7	2 1.5	2 1.5	11 3.3	11 3.7	1 4.0	1 1.0	10 3.4	6 3.0	20 4.1	
V			10.0	11.3	11.0	10.2	13.2	7.3	20.5	29	2.6	9	15 3.2	1 3.0	4 2.5	1 3.0	10 3.3	20 3.4	20 2.5	3 1.3	0 -	2 1.0	0 -	11 3.5	
VI			11.2	12.7	12.2	11.5	13.6	9.3	15.8	21	4.3	15	8 3.8	3 2.0	3 1.0	0 -	3 3.3	19 4.1	22 2.6	1 3.0	2 1.0	3 5.3	6 2.8	17 3.3	
VII			12.6	13.9	13.7	12.9	15.2	10.8	19.0	12	7.2	26	11 3.5	2 2.0	3 1.7	0 -	1 2.0	15 2.8	17 3.0	8 2.5	6 2.8	10 2.7	3 2.3	16 4.3	
VIII			13.2	15.3	14.6	14.0	16.3	11.8	21.4	23	9.3	22	3 2.7	11 1.9	3 1.0	6 1.7	1 3.0	14 2.7	5 2.6	5 3.0	5 3.4	11 2.6	8 3.1	16 3.0	
IX			10.9	12.2	11.8	11.3	13.4	9.0	17.8	2	1.8	28	5 3.4	1 1.0	3 1.3	1 3.0	0 -	19 3.5	19 4.5	7 4.6	8 4.1	10 4.7	6 3.7	11 4.1	
X			7.6	9.5	9.1	8.5	10.7	5.4	14.5	3	0.1	2	6 3.0	6 1.3	4 1.5	2 1.5	3 3.7	29 4.3	5 3.2	5 3.6	9 3.9	16 4.2	3 4.3	4 5.0	
XI			5.1	5.9	5.1	5.2	7.1	2.5	10.5	5	- 2.3	16	4 3.5	5 1.4	6 1.8	1 2.0	0 -	50 5.5	8 6.0	0 -	4 3.0	5 4.4	2 5.0	4 4.0	
XII			4.3	4.7	4.4	4.4	6.2	1.8	10.0	3	- 8.7	24	2 4.0	3 2.0	5 1.6	2 2.0	1 7.0	30 4.0	11 4.5	5 6.4	11 5.1	13 4.5	4 5.2	3 6.3	
1954			6.5	8.0	7.4	7.0	9.2	4.4	21.4		-11.8		93 3.5	48 2.0	48 1.8	27 2.3	48 3.2	318 4.2	145 3.5	42 3.7	54 3.6	87 3.9	44 3.7	111 3.9	

Klepp

φ = 58° 48′ N λ = 5° 38′ E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Da	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.1	1.2	0.4	0.5		- 2.0	7.6	19	-11.8	31	11 3.0	1 1.0	1 1.0	1 1.0	1 3.0	34 1.9	6 1.0	1 1.0	14 1.9	3 3.3	2 3.0	10 3.2	
II			- 2.1	- 0.2	- 1.3	- 1.4		- 3.7	4.5	5	-11.3	16	0 -	0 -	5 2.0	4 2.5	6 2.8	59 3.0	3 1.0	0 -	3 1.0	0 -	0 -	0 -	
III			1.1	4.0	2.7	2.3		- 0.1	11.4	23	- 4.3	3	7 1.5	1 2.0	5 2.4	2 2.0	2 1.5	44 2.4	3 1.3	1 1.0	9 1.3	2 1.0	1 1.0	6 1.8	
IV			4.5	7.5	5.7	5.0		1.1	9.6	20	- 2.3	26	8 1.9	1 4.0	1 3.0	3 1.3	0 -	16 1.5	6 1.2	1 1.0	19 2.4	9 1.9	4 2.2	21 2.4	
V			12.3	14.8	12.2	11.7		6.9	25.1	27	2.1	9	7 2.6	0 -	2 1.0	1 4.0	0 -	31 2.3	2 1.5	2 1.0	17 1.5	6 1.2	2 2.5	14 2.2	
VI			12.7	14.8	13.1	12.5		9.5	18.8	20	4.5	2	0 -	0 -	0 -	0 -	0 -	16 2.2	8 1.5	4 2.2	27 1.7	5 1.4	3 3.0	18 2.3	
VII			13.5	15.4	14.2	13.5		10.7	19.5	10	7.2	6	8 2.4	0 -	0 -	0 -	0 -	13 1.9	13 1.2	5 1.0	26 1.5	5 1.6	1 2.0	15 2.6	
VIII			14.1	16.6	15.0	14.4		11.0	21.9	23	7.5	17	5 2.4	0 -	6 1.2	3 1.7	1 2.0	7 1.4	6 1.5	0 -	22 1.7	4 1.2	0 -	20 1.8	
IX			10.6	12.7	11.1	11.0		8.4	20.7	2	1.2	28	1 1.0	0 -	0 -	0 -	1 2.0	19 3.1	5 1.0	3 2.3	33 2.3	2 1.5	4 1.2	17 1.9	
X			7.6	9.6	8.6	8.3		5.7	14.2	3	- 0.3	2	3 1.0	0 -	5 1.0	0 -	2 3.5	30 2.7	6 1.0	2 1.0	32 2.2	3 3.0	0 -	5 2.4	
XI			4.9	6.1	5.0	5.1		2.8	9.6	4	- 1.4	16	2 1.0	1 1.0	1 1.0	0 -	1 6.0	53 3.5	1 7.0	0 -	15 1.5	2 3.5	1 2.0	[illegible] 2.6	
XII			3.8	4.5	3.9	4.0		1.7	10.2	1	- 7.6	24	1 1.0	0 -	2 1.0	0 -	1 6.0	36 1.8	4 1.2	0 -	29 2.3	[illegible]	[illegible] -	6 3.0	
1954			6.9	8.9	7.6	7.2		4.3	25.1		-11.8		53 2.2	4 2.0	28 1.5	14 2.0	15 3.1	358 2.5	63 1.3	19 1.5	246 1.9	44 1.9	18 2.2	141 2.3	

1954

Lindesnes

H_s = 10 H_b = h_t = 2.0 h_a = h_d = 19 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ▣
I					4.3	4.7	4.5	101	24	17	17	6	1	0	17	12	4	11	5	3	13	6	1	6	0	0	0	0	0	2	18	5	8	
II					7.5	7.0	7.5	174	31	26	25	18	0	0	20	17	8	14	5	0	6	18	2	2	0	0	0	0	1	2	10	0	24	
III					6.5	6.6	6.6	101	18	1	21	3	0	0	14	12	4	6	3	0	11	10	7	3	0	0	0	0	2	13	13	2	22	
IV					4.5	3.9	3.7	43	10	15	1	0	0	0	12	9	1	6	0	0	12	2	2	0	0	2	0	0	2	3	28	5	7	
V					4.6	4.4	4.0	106	20	3	0	0	0	0	11	11	6	3	0	0	11	0	0	0	0	0	0	0	2	2	26	6	11	
VI					6.0	5.6	5.2	125	20	27	0	0	0	0	17	16	7	6	0	0	17	0	0	2	0	0	0	0	5	3	22	2	14	
VII					5.7	5.9	5.8	96	14	28	0	0	0	0	22	17	3	10	4	0	22	0	0	5	0	0	0	3	0	4	27	2	13	
VIII					5.9	5.1	5.6	118	25	20	0	0	0	0	15	11	5	7	1	1	15	0	0	2	0	0	0	1	0	2	26	1	10	
IX					5.4	5.2	5.4	135	17	25	0	0	0	0	26	18	5	12	2	1	26	0	0	4	0	1	0	5	0	3	23	2	13	
X					6.5	6.4	6.3	254	46	7	0	0	0	0	26	20	11	19	5	0	26	0	0	3	0	1	0	0	3	4	17	0	16	
XI					5.8	6.2	6.2	144	27	10	0	0	0	0	25	20	4	14	10	5	25	1	1	7	0	0	0	0	2	3	12	2	18	
XII					5.4	5.7	4.2	199	32	1	4	0	0	0	25	21	9	16	5	1	23	7	4	6	0	1	0	1	2	2	19	4	10	
1954					5.7	5.6	5.4	1596	46		68	27	1	0	230	184	67	124	40	11	207	44	17	40	0	5	0	10	19	43	241	31	166	

Lista

H_s = 13 H_b = h_t = 2.1 h_a = 10.4 h_d = 10.3 h_r = 1.6

I	72	71	71	72	4.0	5.4	4.7	87	16	20	18	6	1	0	14	10	5	21	7	4	12	5	1	6	0	3	0	0	3	1	21	7	9	1
II	84	82	82	83	7.2	7.0	7.2	55	20	24	25	17	0	0	13	7	3	21	3	0	8	13	5	4	0	0	0	0	6	0	12	0	23	22
III	89	84	88	88	6.2	5.6	6.1	40	12	8	20	2	0	0	15	9	2	12	3	0	12	8	5	4	0	0	0	0	5	10	17	3	19	18
IV	77	69	75	75	4.8	4.0	4.3	39	14	15	3	0	0	0	12	7	1	11	1	0	12	1	1	3	0	3	0	0	1	2	28	6	7	0
V	79	75	71	75	4.6	4.7	4.0	70	12	3	0	0	0	0	12	10	3	10	1	0	12	0	0	6	0	0	0	0	3	2	27	6	9	0
VI	87	80	82	85	6.6	5.4	5.6	124	28	19	0	0	0	0	16	14	5	15	0	0	16	0	0	6	0	0	0	1	3	3	24	0	15	0
VII	89	80	84	86	6.2	6.5	5.8	89	15	11	0	0	0	0	19	15	4	17	1	0	19	0	0	5	0	0	0	3	2	1	30	2	15	0
VIII	85	76	80	82	5.9	5.3	5.5	84	15	8	0	0	0	0	18	13	3	8	1	0	18	0	0	3	0	0	0	1	0	0	29	3	9	0
IX	87	81	84	85	5.8	6.0	5.6	149	23	21	0	0	0	0	25	19	6	20	5	1	24	1	1	4	0	2	0	3	1	2	28	2	14	0
X	89	86	88	88	6.3	6.8	7.0	174	17	6	0	0	0	0	26	24	7	25	3	1	26	0	0	5	0	0	0	0	5	0	17	0	21	0
XI	89	87	88	88	6.3	6.9	6.7	164	24	10	1	0	0	0	27	19	7	17	10	2	27	4	4	3	0	0	0	1	6	1	14	1	20	0
XII	91	91	91	91	5.9	6.2	5.4	213	38	10	6	0	0	0	25	19	9	19	4	2	24	9	8	4	0	3	0	1	3	1	23	3	16	3
1954	85	80	82	83	5.8	5.8	5.7	1288	38		73	25	1	0	224	166	55	196	39	10	210	41	25	53	0	11	0	10	38	23	270	33	177	44

Tonstad

H_s = 57 H_b = h_t = 2.1 h_a = h_d = 9.5 h_r = 1.4

I	77	73	75	76	4.7	4.4	4.3	138	29	16	27	13	7	0	12	11	6	6	0	0	8	7	2	5	0	0	0	0	1	0	18	8	12	31
II	76	69	70	72	7.0	6.8	5.8	36	14	24	28	18	3	0	9	5	2	7	0	0	2	9	2	1	0	0	0	0	0	0	7	1	19	28
III	86	71	77	80	5.9	4.7	4.9	103	43	8	24	0	0	0	12	11	4	3	0	0	7	7	1	1	0	0	0	0	4	2	13	4	14	27
IV	88	54	58	70	4.2	4.2	4.6	75	18	5	21	0	0	0	10	10	2	0	0	0	10	2	2	1	0	0	0	1	0	1	27	7	12	0
V	83	57	59	71	4.5	5.1	5.1	99	21	7	0	0	0	1	12	12	4	1	0	0	12	0	0	0	0	0	0	0	4	0	24	4	11	0
VI	88	68	72	81	6.2	5.9	5.9	190	36	19	0	0	0	0	20	18	6	0	0	0	20	0	0	3	0	0	0	0	3	2	23	3	17	0
VII	89	70	75	81	6.2	6.9	6.4	144	23	28	0	0	0	0	23	17	5	1	0	0	23	0	0	4	0	0	0	2	2	4	24	1	21	0
VIII	85	65	70	76	6.8	6.2	6.2	108	22	8	0	0	0	0	17	16	4	0	0	0	17	0	0	3	0	0	0	0	2	3	23	0	18	0
IX	93	75	86	87	6.7	6.6	6.6	329	59	11	1	0	0	0	27	24	11	1	0	0	27	0	0	3	0	0	0	1	5	2	15	0	19	0
X	94	82	88	90	7.1	7.0	7.2	357	45	24	5	0	0	0	28	25	15	0	0	0	28	0	0	4	0	0	0	0	2	3	11	1	24	0
XI	86	86	86	86	6.8	7.1	7.0	214	31	12	11	1	0	0	19	17	10	4	2	1	18	6	5	2	0	0	0	1	0	0	8	1	25	6
XII	89	86	89	88	6.2	6.7	6.2	382	46	11	16	3	1	0	23	21	14	1	0	0	23	7	5	0	0	0	0	1	1	0	11	3	21	11
1954	86	71	75	80	6.0	6.0	5.8	2175	59		133	35	11	1	212	187	83	24	2	1	195	38	17	27	0	0	0	6	24	17	204	33	213	103

Obrestad

H_s = 24 H_b = h_t = 2.1 h_a = h_d = 10.5 h_r = 1.4

I	75	77	74	75	4.5	5.1	4.7	116	25	20	17	5	1	0	17	14	4	9	6	3	15	8	6	6	0	3	0	0	2	1	7	7	11	0
II	75	75	75	75	6.5	6.0	6.2	43	13	15	26	13	0	0	16	6	2	14	4	2	9	14	7	0	0	1	0	0	4	0	10	0	15	12
III	86	82	85	85	6.4	6.0	5.6	53	18	8	17	0	0	0	12	10	1	4	3	0	11	6	5	4	0	1	0	0	3	7	12	1	16	6
IV	88	76	80	83	5.1	4.3	4.4	55	20	15	9	0	0	0	9	8	1	7	1	0	9	1	1	2	0	2	0	0	2	1	23	2	7	0
V	83	80	77	80	4.3	3.8	4.2	50	14	22	0	0	0	0	9	8	2	3	1	0	9	0	0	2	0	0	0	0	2	2	22	9	10	0
VI	92	84	84	88	6.5	5.7	5.3	88	18	19	0	0	0	0	16	13	4	4	0	0	16	0	0	5	0	0	0	0	1	7	19	2	17	0
VII	90	84	84	87	6.7	6.9	5.9	131	30	28	0	0	0	0	25	20	4	4	0	0	25	0	0	6	0	0	0	4	2	2	23	0	20	0
VIII	87	76	81	83	5.7	5.7	5.7	69	10	8	0	0	0	0	21	16	1	4	0	0	21	0	0	0	0	0	0	0	0	0	25	0	14	0
IX	85	81	83	83	6.3	6.4	6.6	209	26	21	0	0	0	0	27	22	7	13	5	2	27	0	0	5	0	2	0	3	2	3	11	0	17	0
X	87	84	86	86	6.9	6.7	6.8	199	42	7	0	0	0	0	28	24	6	14	5	1	28	0	0	5	0	1	0	1	3	0	9	0	24	0
XI	83	85	86	84	6.5	7.0	6.5	143	20	14	4	0	0	0	25	18	5	15	9	6	25	2	2	3	0	4	0	0	2	0	6	2	22	0
XII	92	91	90	91	5.9	6.9	5.7	132	20	15	9	1	0	0	25	22	9	17	9	4	24	7	6	1	0	3	0	1	3	1	4	1	17	4
1954	85	81	82	83	5.9	5.9	5.6	1336	42		82	19	1	0	230	181	46	108	43	18	219	38	27	39	0	17	0	9	26	24	171	24	190	22

Klepp

H_s = 14 H_b = h_t = 1.9 h_a = h_d = 12.5 h_r = 1.5

I	79	75	77	77	5.6	4.5	4.3	121	27	20	19		1		18	13	5	3	2	0	15	5	2	1	0	2	0	0	8	3	17	6	14	2
II	72	68	71	71	6.5	4.8	5.6	15	5	15	25		1		12	3	0	4	0	0	5	8	1	0	0	0	0	0	10	1	21	1	14	12
III	87	77	83	83	6.1	4.8	4.9	47	16	8	18		0		14	9	1	1	0	0	10	7	4	3	0	3	0	0	12	13	19	4	12	3
IV	84	67	75	79	4.0	3.5	4.1	44	13	15	10		0		11	8	1	1	0	0	11	2	2	1	0	2	0	0	15	5	27	7	6	1
V	76	64	70	74	3.5	3.4	3.5	47	9	22	0		0		11	10	0	0	0	0	11	0	0	0	0	0	0	0	21	6	27	12	8	0
VI	86	76	80	85	6.2	4.8	4.9	102	22	19	0		0		17	12	5	0	0	0	17	0	0	2	0	0	0	0	20	9	27	5	11	0
VII	89	81	84	87	6.6	6.5	5.6	153	24	28	0		0		27	20	6	1	0	0	27	0	0	5	0	0	0	3	23	5	18	2	16	0
VIII	87	74	81	84	5.7	5.4	5.4	68	15	8	0		0		19	12	1	1	0	0	19	0	0	0	0	0	0	0	25	1	25	1	14	0
IX	89	83	87	87	6.4	6.2	5.6	244	34	17	0		0		27	24	8	1	1	0	27	0	0	2	0	2	0	2	20	8	19	1	15	0
X	88	83	87	87	6.8	7.1	6.4	208	33	7	1		0		29	23	7	4	1	0	29	0	0	3	0	1	0	1	20	7	14	0	22	0
XI	82	81	84	83	6.7	6.9	5.8	125	26	14	4		0		25	18	2	8	2	0	24	2	1	1	0	2	0	1	19	2	11	1	17	0
XII	89	87	89	88	6.2	6.6	5.3	184	26	3	9		0		25	20	8	4	0	0	24	7	6	1	0	2	0	0	18	3	10	1	17	4
1954	84	76	81	82	5.9	5.4	5.1	1358	34		86		2		235	172	44	28	6	0	219	31	16	19	0	14	0	7	211	63	235	41	166	22

1954

Sola

φ = 58° 53'N λ = 5° 38'E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m^E	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	1014.6	1016.2	0.1	1.4	0.7	0.6	3.4	- 2.4	8.2	2	-13.0	31
II	13.3	14.9	- 1.7	0.1	- 0.9	- 1.0	1.0	- 3.6	5.0	5	-10.7	1
III	07.0	08.6	0.9	4.2	3.0	2.5	5.4	- 0.3	14.3	23	- 4.9	29
IV	17.9	19.5	2.8	7.4	6.0	4.8	8.3	1.1	11.5	23	- 3.0	7
V	15.7	17.2	10.2	14.5	12.8	11.5	15.7	6.9	25.4	27	1.9	9
VI	08.5	10.0	11.8	14.4	13.1	12.4	15.5	9.2	18.6	7	5.2	16
VII	03.5	05.0	12.7	15.0	14.2	13.6	16.1	10.5	21.0	12	7.1	24
VIII	06.7	08.2	12.9	16.3	15.1	14.3	17.3	11.1	23.5	23	8.3	17
IX	01.8	03.3	9.8	12.6	11.5	10.9	13.6	8.0	21.8	2	0.1	28
X	03.9	05.4	7.5	9.8	8.8	8.5	10.9	5.6	16.5	4	- 1.4	2
XI	07.0	08.6	5.0	6.2	5.0	5.2	7.2	2.9	10.5	12	- 1.8	7
XII	999.8	01.4	4.0	4.7	4.0	4.1	6.1	1.2	10.4	3	-10.9	24
1954	1008.3	1009.9	6.3	8.9	7.8	7.3	10.0	4.2	25.4		-13.0	

Vindfordeling nD, F_m

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	11 3.5	4 2.8	3 1.7	4 2.8	12 2.8	20 3.4	8 3.8	2 3.0	3 3.0	5 4.0	6 3.8	10 4.7	5
II	0 -	0 -	4 3.0	16 3.8	30 3.8	22 4.8	5 2.8	4 1.5	0 -	0 -	0 -	0 -	3
III	10 3.0	7 2.0	5 2.8	4 3.0	13 3.8	20 3.6	16 3.6	2 2.5	3 1.7	0 -	2 2.5	6 2.2	5
IV	8 3.2	6 2.8	1 4.0	1 2.0	6 1.5	8 3.5	7 4.1	3 3.3	2 3.0	10 3.5	14 2.9	20 4.1	4
V	9 2.4	1 3.0	1 3.0	5 3.2	8 3.0	7 4.1	11 3.4	4 3.0	6 2.5	10 2.1	2 2.5	20 3.7	9
VI	1 3.0	1 2.0	1 2.0	1 1.0	- 3.5	13 3.5	16 3.5	9 3.0	6 2.5	14 3.2	6 3.0	14 4.0	6
VII	5 2.0	3 2.3	1 2.0	1 1.0	5 2.6	8 2.0	15 3.0	9 3.0	7 3.0	12 2.8	9 2.7	15 4.1	3
VIII	9 2.3	5 2.4	4 2.0	2 1.5	5 2.2	6 2.0	10 3.1	2 3.0	6 3.3	12 2.6	13 3.0	11 2.7	8
IX	3 2.7	0 -	3 1.7	0 -	4 3.0	17 3.2	17 3.5	8 3.4	7 3.1	8 4.9	10 3.3	9 3.2	4
X	3 2.3	4 2.0	3 2.3	3 1.3	10 3.6	21 3.4	10 3.8	5 4.2	13 4.0	5 5.2	7 4.4	5 3.2	4
XI	3 1.7	1 1.0	1 3.0	3 4.3	30 4.4	25 4.0	9 3.0	0 -	3 3.7	1 4.0	1 6.0	9 3.6	4
XII	6 3.5	5 1.6	1 2.0	1 2.0	15 3.5	17 3.1	12 3.9	8 4.2	6 4.0	7 4.3	7 3.7	2 6.0	6
1954	68 2.8	37 2.2	28 2.4	41 3.0	140 3.5	184 3.5	136 3.5	56 3.2	62 3.2	84 3.4	77 3.3	121 3.7	61

Stavanger

φ = 58° 57'N λ = 5° 44'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m^E	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			0.3	1.6	0.7	0.8	2.7	- 1.0	7.7	2	- 8.6	31
II			- 1.3	0.1	- 0.8	- 0.8	0.7	- 2.4	4.3	5	- 6.8	12
III			1.4	4.1	2.9	2.6	5.3	0.4	14.4	23	- 3.2	3
IV			4.3	7.3	5.7	5.1	8.4	2.1	11.9	23	- 1.8	7
V			11.6	14.2	13.1	12.0	15.9	8.3	25.3	27	2.7	1
VI			12.3	14.4	13.2	12.4	16.0	9.5	19.9	20	6.2	15
VII			13.0	14.9	13.7	13.2	16.1	10.9	21.5	10	8.2	17
VIII			13.8	16.3	14.6	14.3	17.3	11.6	23.5	24	9.2	18
IX			10.1	12.1	10.6	10.5	13.2	8.4	21.5	2	2.7	27
X			7.5	9.3	8.2	8.1	10.3	5.9	16.9	4	2.6	27
XI			4.9	5.9	5.0	5.2	6.6	3.7	9.3	4	0.7	14
XII			3.8	4.6	3.9	4.0	5.4	2.6	10.1	3	- 3.6	24
1954			6.8	8.7	7.6	7.3	9.9	5.0	25.3		- 8.6	

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	17 3.4	5 2.6	4 1.2	8 1.5	14 3.7	6 2.8	7 2.4	4 3.5	4 3.0	10 3.4	2 1.5	3 4.0	9
II	0 -	0 -	5 3.2	16 2.7	29 3.8	18 3.4	9 2.4	1 3.0	0 -	0 -	0 -	0 -	6
III	9 1.4	6 1.0	4 1.0	10 2.5	4 4.0	16 2.8	15 3.5	4 3.0	0 -	2 1.0	4 1.2	6 1.8	13
IV	9 1.8	6 1.5	2 3.0	0 -	1 1.0	4 1.0	11 3.3	4 3.0	1 1.0	17 2.8	8 1.6	23 2.5	4
V	5 1.0	3 1.0	1 5.0	9 2.4	1 3.0	14 2.9	3 3.7	5 1.0	0 -	10 1.0	17 2.3	14 1.5	11
VI	4 2.0	0 -	0 -	1 6.0	0 -	11 3.0	18 2.4	7 2.6	2 4.0	18 1.3	8 2.8	14 2.9	7
VII	2 1.0	0 -	1 1.0	2 1.5	0 -	16 2.0	5 2.0	8 1.5	15 1.3	15 1.1	3 1.0	22 2.8	4
VIII	7 1.0	6 1.0	2 1.0	3 1.0	0 -	5 1.2	5 1.4	5 2.6	2 2.0	27 2.3	10 1.6	9 2.0	12
IX	3 3.0	1 1.0	0 -	0 -	0 -	5 5.0	27 3.0	14 2.5	2 5.5	14 3.1	11 2.4	6 2.0	7
X	2 1.0	1 4.0	5 1.0	4 2.0	3 2.3	15 4.0	13 2.5	5 3.6	8 3.6	19 3.9	5 2.6	7 2.4	6
XI	2 4.0	3 1.3	0 -	5 4.4	9 5.8	34 3.9	12 3.0	2 3.0	4 2.2	8 2.6	2 1.5	3 3.7	6
XII	1 1.0	4 1.0	0 -	7 1.3	5 4.6	19 2.9	9 4.0	11 5.1	6 3.8	12 4.4	5 3.6	6 3.6	8
1954	61 2.1	35 1.4	24 1.8	65 2.4	66 4.0	163 3.1	134 2.9	70 2.9	44 2.6	152 2.6	75 2.1	113 2.4	9

Fister

φ = 59° 11'N λ = 6° 4'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m^E	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			0.1	1.4	0.3	0.5	3.2	- 2.7	8.8	2	-11.9	31
II			- 1.1	0.6	- 0.3	- 0.5	1.4	- 2.8	4.4	23	- 9.3	12
III			1.3	4.5	3.3	2.7	5.9	- 0.2	14.5	23	- 4.7	3
IV			2.3	7.5	7.0	4.9	8.6	0.9	11.0	23	- 2.6	7
V			9.8	15.5	14.8	12.4	17.0	7.6	26.0	30	2.4	9
VI			11.6	15.5	14.7	13.0	17.1	9.5	23.6	4	3.7	14
VII			12.6	15.9	14.9	13.8	17.1	11.0	22.9	10	7.8	6
VIII			12.7	16.8	15.9	14.5	18.1	11.1	23.3	24	8.1	2
IX			9.8	12.7	11.4	10.9	13.9	8.3	21.3	2	2.1	28
X			7.5	9.7	8.8	8.5	11.0	5.6	17.5	3	- 0.5	2
XI			5.1	6.5	5.4	5.6	7.4	3.4	10.7	12	- 1.0	7
XII			4.3	4.7	3.9	4.2	6.2	1.7	11.5	3	- 7.5	24
1954			6.3	9.3	8.3	7.5	10.6	4.4	26.0		-11.9	

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	9 1.8	0 -	1 1.0	4 1.0	4 1.0	33 1.1	6 1.2	1 1.0	1 2.0	0 -	2 2.5	10 2.3	2
II	0 -	3 1.0	5 1.0	12 1.6	8 2.4	38 1.8	3 1.0	0 -	0 -	0 -	0 -	1 1.0	1
III	1 1.0	3 1.3	1 3.0	0 -	6 2.3	29 1.8	6 1.3	3 1.7	0 -	1 1.0	4 1.0	2 1.5	3
IV	3 1.3	1 1.0	2 1.5	1 2.0	0 -	7 1.1	2 1.0	6 1.7	1 1.0	3 1.3	13 1.5	15 1.9	3
V	1 1.0	0 -	0 -	4 1.5	6 1.3	12 1.5	2 1.0	5 1.0	0 -	2 1.0	5 1.0	11 1.2	4
VI	1 1.5	0 -	0 -	2 1.0	1 1.0	7 1.6	1 1.0	19 1.1	1 1.0	3 1.0	7 1.6	9 1.7	3
VII	2 1.5	4 1.0	0 -	1 1.0	2 1.0	9 1.1	6 1.2	6 1.0	1 1.0	3 1.0	11 1.2	7 2.0	4
VIII	5 1.0	4 1.0	1 1.0	1 1.0	0 -	1 2.0	2 1.0	11 1.2	0 -	3 1.0	13 1.2	7 1.3	4
IX	3 1.3	3 1.7	0 -	0 -	2 1.5	25 1.6	11 1.7	4 1.8	0 -	3 1.0	6 1.7	5 3.2	2
X	3 2.0	4 1.2	0 -	1 1.0	3 1.7	29 2.1	8 1.9	7 1.7	1 1.0	2 1.0	6 3.7	2 1.0	2
XI	1 1.0	1 1.0	2 4.0	1 1.0	0 -	50 2.4	6 2.7	2 1.0	0 -	1 1.0	1 2.0	3 1.7	2
XII	3 2.0	3 2.0	1 2.0	4 4.2	3 1.7	29 1.2	14 1.5	1 3.0	0 -	3 1.0	3 2.3	7 1.3	2
1954	33 1.5	26 1.3	13 1.8	31 1.7	35 1.7	269 1.7	67 1.5	65 1.3	5 1.2	24 1.0	71 1.6	79 1.7	37

Sauda

φ = 59° 39'N λ = 6° 22'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m^E	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 4.4	- 2.4	- 3.5	- 3.6	- 0.1	- 7.3	8.2	2	-18.0	31
II			- 4.3	- 1.3	- 2.4	- 3.1	0.1	- 6.7	5.2	23	-15.0	13
III			- 1.2	2.5	2.4	0.9	4.7	- 2.2	9.0	29	-12.2	3
IV			1.6	7.2	6.9	4.4	9.3	0.0	13.5	23	- 3.2	7
V			9.7	15.4	15.9	12.3	18.7	6.2	29.0	30	1.0	9
VI			11.6	15.6	15.7	13.2	18.6	8.8	26.6	4	2.9	14
VII			12.6	16.5	15.6	14.1	18.7	10.8	27.5	12	6.3	24
VIII			12.4	17.0	16.3	14.4	19.5	10.5	26.0	24	7.0	2
IX			8.4	11.3	10.5	9.7	13.5	7.3	18.2	8	1.8	22
X			5.2	7.7	7.2	6.5	9.9	3.8	17.0	4	- 2.3	2
XI			2.9	4.0	4.1	3.6	6.1	1.5	11.9	27	- 4.8	16
XII			2.1	2.6	1.5	2.0	4.5	- 0.7	11.8	3	-10.3	24
1954			4.7	8.0	7.5	6.2	10.3	2.7	29.0		-18.0	

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	8 2.0	4 1.8	14 2.3	15 1.7	0 -	0 -	0 -	0 -	0 -	1 5.0	3 2.3	4 3.0	4
II	6 1.5	10 2.5	20 2.9	10 2.7	0 -	2 2.5	0 -	0 -	6 1.3	1 2.0	0 -	0 -	3
III	9 1.9	2 1.5	10 3.1	8 1.9	0 -	3 4.3	0 -	0 -	7 1.7	1 2.0	0 -	0 -	
IV	8 1.8	2 2.5	8 2.8	7 1.7	0 -	3 1.7	0 -	0 -	26 2.5	3 2.3	0 -	0 -	
V	6 2.0	3 2.3	9 2.7	10 2.1	0 -	1 3.0	1 1.0	0 -	24 2.0	1 2.0	0 -	2 1.5	
VI	6 1.5	1 1.0	0 -	2 2.0	0 -	0 -	0 -	0 -	35 2.3	6 2.5	0 -	2 3.0	
VII	5 1.4	2 3.0	0 -	2 1.0	0 -	1 2.0	1 1.0	0 -	43 2.1	6 1.8	0 -	3 1.0	
VIII	5 2.8	2 2.5	6 1.7	5 2.0	0 -	2 1.5	1 1.0	0 -	27 2.2	6 2.0	0 -	0 -	
IX	5 1.6	5 1.8	4 3.2	4 2.0	0 -	1 2.0	0 -	0 -	18 2.3	8 1.9	0 -	0 -	
X	8 1.8	3 1.3	7 2.1	3 3.3	0 -	3 3.0	2 3.5	0 -	21 3.0	1 2.0	0 -	1 3.0	
XI	1 4.0	2 2.5	10 4.9	21 2.1	0 -	5 4.0	0 -	0 -	3 4.0	0 -	1 4.0	1 3.0	
XII	5 2.8	2 1.5	9 1.9	8 2.4	0 -	1 1.0	2 3.0	1 3.0	12 2.8	6 2.8	1 3.0	1 2.0	
1954	72 1.9	38 2.1	97 2.8	95 2.1	0 -	22 2.9	7 2.3	1 3.0	222 2.3	40 2.2	5 2.8	14 2.3	4

Skudenes II

φ = 59° 9'N λ = 5° 15'E g = 9.819 ΔG = +

Måned	Midlere lufttrykk P_m^E	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	1014.9	1016.1	1.6	2.1	1.8	1.7	4.0	- 0.5	11.7	2	- 9.7	31
II	13.5	14.7	0.0	0.9	0.2	0.3	1.5	- 1.6	4.8	5	- 6.2	1
III	07.5	08.6	1.7	3.6	2.6	2.4	4.2	0.6	7.4	23	- 1.9	3
IV	18.4	19.5	4.8	7.1	5.2	5.1	7.5	2.5	10.2	15	0.2	8
V	16.4	17.5	11.3	13.1	11.7	11.1	14.2	8.1	22.1	29	2.0	1
VI	08.8	09.9	12.2	13.9	12.6	12.2	14.7	9.8	17.5	7	5.5	14
VII	03.9	05.0	13.6	14.9	14.2	13.6	16.2	11.6	20.8	12	8.3	17
VIII	07.1	08.2	14.8	16.7	15.3	15.0	17.4	12.5	23.2	24	9.6	18
IX	01.9	03.0	11.4	12.7	11.4	11.4	13.4	9.4	17.4	2	2.2	28
X	04.0	05.1	8.5	9.7	9.0	8.9	10.7	6.6	15.0	4	1.6	17
XI	07.0	08.2	6.2	6.9	5.8	6.1	7.5	3.9	10.5	5	- 0.9	12
XII	999.9	01.1	5.0	5.4	5.0	5.0	6.5	3.1	10.4	3	- 3.4	24
1954	1008.6	1009.7	7.6	8.9	7.9	7.7	9.8	5.5	23.2		- 9.7	

Måned	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	17 4.9	10 1.8	0 -	11 3.7	5 3.7	15 4.8	14 4.3	4 3.8	4 5.8	4 4.5	6 7.0	3 5.3	
II	0 -	1 3.0	4 5.2	9 3.7	7 7.0	49 6.1	10 4.5	0 -	0 -	4 2.5	0 -	0 -	
III	10 4.7	4 3.5	5 3.2	11 3.1	7 4.1	14 3.9	25 4.6	4 2.5	2 2.5	2 4.0	0 -	9 3.9	
IV	22 4.6	2 5.5	2 3.0	6 2.0	2 2.0	4 4.5	13 4.2	4 2.0	1 7.0	14 4.4	3 2.7	17 4.1	
V	23 5.0	4 3.5	1 3.0	13 2.5	1 1.0	11 3.5	15 3.1	8 2.8	2 1.5	4 2.0	3 2.0	6 4.5	
VI	8 6.0	0 -	2 2.5	1 2.0	1 4.0	7 3.0	29 3.8	8 3.6	3 1.7	4 3.8	5 3.4	22 4.4	
VII	9 3.1	3 2.7	0 -	0 -	2 2.0	13 2.7	20 2.8	12 2.8	2 3.5	9 2.8	2 2.0	21 5.3	
VIII	14 2.5	8 2.1	3 2.3	8 2.4	0 -	8 2.8	9 2.9	7 2.1	7 4.4	6 2.5	6 4.3	16 2.8	
IX	2 2.0	2 1.0	0 -	2 2.0	0 -	11 5.5	24 3.8	11 4.7	4 4.5	11 5.0	8 5.8	14 3.5	
X	6 3.2	3 3.7	7 3.4	8 4.1	1 6.0	15 4.8	14 4.8	8 5.2	4 4.8	12 5.6	8 5.9	7 5.6	
XI	7 1.4	1 2.0	2 1.5	2 1.0	0 -	42 6.9	19 5.3	5 5.4	0 -	1 2.0	6 4.5	5 6.8	
XII	4 4.5	1 3.0	3 3.0	4 2.5	0 -	28 5.0	13 6.2	5 6.4	3 7.0	16 6.2	4 7.5	12 4.2	
1954	122 4.2	39 2.6	29 3.2	75 3.0	26 4.3	217 5.2	205 4.1	76 3.8	32 4.3	87 4.4	51 5.0	132 4.3	

Årsoversikter

Annual Summaries)

1954

Sola

H_s = 8 H_b = 12.7 h_t = 1.8 h_a = 10.3 h_d = 10.3 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	77	75	74	75	4.4	4.6	4.4	115	28	20	20	7	2	0	18	13	4	15	7	2	14	9	1	7	0	5	0	0	5	1	20	8	9	1
II	70	66	67	68	6.0	5.7	5.9	6	2	4	24	12	2	0	10	2	0	14	3	0	5	8	2	1	0	0	0	0	7	0	22	2	14	6
III	89	76	81	83	6.0	5.5	5.6	37	13	8	18	0	0	0	16	8	1	7	2	0	12	7	2	6	0	1	0	0	2	8	22	3	16	1
IV	92	65	72	80	4.6	4.3	4.6	47	13	15	12	0	0	0	11	10	1	14	1	0	10	3	2	5	0	2	0	0	1	1	30	3	10	0
V	87	63	66	76	4.2	4.1	4.1	41	12	1	0	0	0	1	11	9	1	9	2	0	11	0	0	3	1	0	0	0	3	1	28	9	9	0
VI	92	75	80	86	6.4	5.6	5.5	83	16	19	0	0	0	0	16	14	4	10	0	0	16	0	0	8	0	0	0	0	6	3	28	4	16	0
VII	94	82	85	89	6.4	6.7	5.8	119	15	14	0	0	0	0	26	20	5	7	0	0	26	0	0	12	0	0	0	2	7	1	28	1	19	0
VIII	93	73	81	85	5.2	6.0	5.8	67	16	8	0	0	0	0	20	13	1	4	0	0	20	0	0	9	0	0	0	0	3	1	30	0	14	0
IX	92	81	86	88	6.1	6.8	6.0	191	26	17	0	0	0	0	29	23	7	15	4	1	29	0	0	10	0	2	0	6	5	2	25	0	17	0
X	90	82	88	88	6.6	6.8	6.9	210	26	7	2	0	0	0	28	24	8	21	4	0	28	0	0	14	1	2	0	1	7	0	20	0	23	0
XI	82	81	85	83	6.0	7.0	5.9	109	24	14	4	0	0	0	26	16	3	19	8	1	26	5	3	4	0	4	0	1	5	2	18	1	14	0
XII	90	90	90	90	6.0	6.7	5.8	160	21	22	12	0	1	0	23	21	6	18	5	1	22	10	7	7	0	6	0	0	8	2	18	1	16	4
1954	87	76	80	83	5.7	5.8	5.5	1185	28		92	19	5	1	234	173	41	153	36	5	219	42	17	86	2	22	0	10	59	22	289	32	177	12

Stavanger

H_s = 67 H_b = h_t = 1.7 h_a = h_d = 5 h_r = 1.6

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83*	71*	81*	81*	5.3	4.6	4.6	128	32	20	18	7	0	0	16	12	4	7	0	0	14	6	4	1	0	4	0	0	8	0	21	7	15	0
II	66	61	64	64	6.4	5.3	6.2	12	3	24	21	12	0	0	9	5	0	4	0	0	4	8	3	0	0	0	0	0	5	0	22	1	14	0
III	82	73	77	79	6.1	5.8	5.9	35	10	8	13	1	0	0	14	8	1	3	1	0	11	7	4	5	0	1	0	1	9	5	19	3	18	0
IV	80	60	72	75	4.7	4.0	4.2	44	13	15	1	0	0	0	11	9	1	2	0	0	11	3	3	1	0	4	0	0	6	1	30	7	12	0
V	73	58	64	70	3.9	3.8	4.0	36	7	1	0	0	0	1	12	8	0	1	1	0	12	0	0	0	0	0	0	0	5	0	29	11	11	0
VI	83	74	77	82	6.4	5.8	5.2	110	20	11	0	0	0	0	18	14	4	1	0	0	18	0	0	2	0	0	0	0	9	0	28	5	18	0
VII	85	81	84	85	6.5	6.7	6.4	136	18	11	0	0	0	0	28	23	7	7	0	0	28	0	0	9	0	0	0	2	18	0	27	0	19	0
VIII	85	72	81	83	5.9	6.0	6.1	84	20	8	0	0	0	0	24	15	2	1	0	0	24	0	0	0	0	0	0	1	5	0	31	0	15	0
IX	90	82	87	88	7.0	6.8	6.5	222	32	17	0	0	0	0	28	26	8	6	1	0	28	0	0	0	0	2	0	5	10	0	28	1	21	0
X	86	80	86	85	7.2	7.1	7.3	241	27	7	0	0	0	0	27	26	11	9	0	0	27	0	0	1	0	0	0	2	9	0	20	1	25	0
XI	80	79	82	80	6.6	7.2	6.8	124	26	14	0	0	0	0	25	20	4	12	4	1	25	1	1	0	0	2	0	1	3	0	15	2	24	0
XII	87	86	88	87	6.6	7.2	6.8	195	25	11	5	0	0	0	25	21	8	12	1	0	23	6	3	1	0	4	0	0	13	0	14	0	24	3
1954	82	73	79	80	6.0	5.9	5.8	1367	32		58	20	0	1	237	187	50	65	8	1	225	31	18	20	0	17	0	12	100	6	284	38	216	3

Fister

H_s = 1 H_b = h_t = 2.1 h_a = h_d = 7 h_r = 1.5

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	76	74	73	74	4.7	4.3	3.8	145	34	16	20	4	1	0	16	12	4	0	0	0	14	6	4	3	0	1	0	0	2	0	14	7	9	0
II	66	61	61	63	5.4	4.9	6.1	19	7	18	21	7	0	0	12	4	0	2	0	0	6	10	1	0	0	0	0	0	1	0	11	1	13	5
III	84	74	78	80	5.9	6.4	5.5	38	11	27	18	0	0	0	14	9	1	1	1	0	13	5	5	2	1	0	0	0	8	1	9	4	17	0
IV	88	65	67	76	5.3	5.3	4.8	66	19	15	7	0	0	0	11	9	1	0	0	0	10	4	3	0	0	2	0	0	3	0	19	5	12	0
V	83	61	62	72	4.8	4.3	4.2	20	6	21	0	0	0	2	12	7	0	0	0	0	9	0	0	0	0	0	0	0	7	0	19	7	11	0
VI	92	75	77	85	6.6	5.8	5.4	128	21	24	0	0	0	0	20	14	5	0	0	0	17	0	0	0	0	0	0	0	7	0	13	3	16	0
VII	92	78	85	88	6.6	6.9	6.5	135	18	31	0	0	0	0	26	19	6	0	0	0	25	0	0	2	0	0	0	2	4	0	7	1	23	0
VIII	92	75	80	85	5.8	6.3	6.0	76	18	31	0	0	0	0	19	11	3	0	0	0	17	0	0	0	0	0	0	0	3	0	18	0	15	0
IX	92	81	87	88	6.7	6.5	6.7	263	59	17	0	0	0	0	29	23	7	1	0	0	29	1	1	0	0	1	0	3	10	0	9	1	19	0
X	89	82	87	87	7.1	7.0	7.0	265	30	30	2	0	0	0	28	24	9	0	0	0	28	0	0	0	0	3	0	1	18	0	9	0	25	0
XI	78	75	80	78	6.8	6.5	6.5	107	19	14	4	0	0	0	20	13	5	5	3	2	18	1	0	0	0	3	0	1	13	0	5	1	21	0
XII	86	85	89	87	6.5	6.6	5.9	228	45	11	9	1	0	0	26	19	7	1	1	1	22	6	3	0	0	1	0	1	14	0	5	1	20	3
1954	85	74	77	80	6.0	5.9	5.7	1490	59		81	12	1	2	233	164	48	10	5	4	208	33	17	5	1	11	0	8	90	1	138	31	201	8

Sauda

H_s = 5 H_b = h_t = 1.8 h_a = h_d = h_r = 1.5

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	75	78	78	4.4	4.5	4.4	193	30	16	27	15	11	0	15	14	9	1	0	0	9	12	3	5	0	0	0	0	8	4	15	9	13	31
II	74	65	63	68	5.6	5.4	5.5	48	18	24	28	14	7	0	8	6	2	0	0	0	1	8	0	1	0	0	0	0	6	2	14	2	14	28
III	85	76	74	79	5.0	5.4	5.1	98	29	27	22	0	1	0	11	11	4	2	1	0	10	6	4	3	0	1	0	0	1	9	16	7	15	27
IV	85	56	58	70	4.0	5.0	5.0	116	33	15	13	0	0	0	11	10	4	1	0	0	10	6	5	0	0	1	0	0	2	2	22	5	10	2
V	80	54	51	65	4.7	4.2	4.0	35	8	8	0	0	0	5	11	9	0	1	0	0	11	0	0	1	0	0	0	0	2	0	26	6	10	0
VI	85	67	67	77	5.8	6.0	5.5	182	35	12	0	0	0	1	16	15	7	2	0	0	16	0	0	3	0	0	0	1	7	2	23	5	20	0
VII	88	69	76	82	6.6	6.7	6.6	141	19	30	0	0	0	2	23	15	7	1	0	0	23	0	0	4	0	0	1	2	7	2	19	0	23	0
VIII	88	64	72	78	5.8	6.3	6.2	135	32	8	0	0	0	1	20	15	5	0	0	0	20	0	0	1	0	0	0	0	7	0	23	1	17	0
IX	89	79	83	85	6.8	7.3	6.7	341	56	11	0	0	0	0	29	26	11	2	0	0	29	1	1	4	0	0	0	2	8	3	9	0	23	0
X	85	78	81	82	6.5	7.0	7.3	387	44	30	4	0	0	0	25	24	16	4	0	0	25	0	0	0	0	0	0	2	9	0	10	1	25	0
XI	80	81	79	80	6.5	6.9	7.3	151	39	12	9	1	0	0	19	15	5	7	1	1	17	3	2	0	0	1	0	1	10	3	1	1	23	9
XII	86	86	89	87	6.5	7.1	6.9	313	42	19	12	3	1	0	26	21	13	1	0	0	20	11	3	1	0	0	0	0	6	4	2	1	22	11
1954	84	71	73	78	5.7	6.0	5.9	2149	56		115	33	20	9	214	181	83	22	2	1	191	47	18	23	0	3	1	8	73	31	180	38	215	108

Skudenes II

H_s = 7 H_b = 9.2 h_t = 2.2 h_a = h_d = 7 h_r = 1.7

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	75	74	76	76	6.0	4.6	5.5	115	19	20	15	4	0	0	19	18	3	16	6	0	17	6	2	2	0	3	0	0	1	0	20	3	14	0
II	71	69	73	71	5.3	4.9	5.9	46	10	18	20	8	0	0	13	10	0	18	11	2	9	10	6	0	0	0	0	0	4	0	21	2	12	9
III	87	81	85	85	6.2	5.3	6.5	75	11	8	11	0	0	0	17	16	1	9	1	0	13	10	6	1	0	0	0	0	0	10	22	1	15	7
IV	82	72	79	80	4.3	2.6	4.2	52	10	15	0	0	0	0	11	9	1	13	1	0	11	4	4	0	0	0	0	0	0	0	30	5	3	0
V	76	69	74	76	3.4	2.9	3.4	49	12	6	0	0	0	0	11	8	1	9	0	0	11	0	0	1	0	1	0	0	0	0	29	11	3	0
VI	83	77	80	84	5.7	4.8	5.4	109	26	19	0	0	0	0	15	15	3	9	1	0	15	0	0	2	0	0	0	1	1	5	27	2	12	0
VII	85	80	81	83	5.2	5.2	5.3	139	20	5	0	0	0	0	26	21	4	5	0	0	26	0	0	3	0	1	0	4	1	1	29	3	9	0
VIII	80	72	77	78	3.6	3.6	3.7	73	26	8	0	0	0	0	19	11	1	1	0	0	19	0	0	0	0	0	0	1	0	0	29	4	4	0
IX	83	79	83	82	5.3	5.1	6.7	207	26	25	0	0	0	0	28	21	8	16	4	0	28	0	0	6	0	1	0	4	1	1	27	0	13	0
X	85	81	84	84	6.5	6.6	7.7	240	24	30	0	0	0	0	29	26	8	20	5	0	29	0	0	0	0	0	0	0	0	0	17	0	19	0
XI	80	80	84	81	6.2	6.3	7.6	130	18	20	1	0	0	0	25	23	3	22	13	7	25	0	0	1	0	2	0	1	0	0	11	1	21	0
XII	85	84	85	85	7.4	6.5	7.4	197	26	23	2	0	0	0	28	26	7	20	9	3	28	4	4	2	0	3	0	1	0	0	13	0	25	4
1954	81	76	80	80	5.4	4.9	5.8	1432	26		49	12	0	0	241	204	40	158	51	12	231	34	22	18	0	11	0	12	8	17	275	32	150	20

1954

Utsira

φ = 59° 18'N λ = 4° 53'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			2.3	2.6	2.3	2.3	4.2	0.3	8.2	2	- 7.5	31	15 6.1	8 3.4	5 1.8	2 1.0	5 3.8	15 3.1	10 5.0	9 3.8	5 3.4	4 3.0	5 3.8	7 4.7
II			- 0.5	0.5	0.1	- 0.1	1.4	- 1.5	5.3	5	- 5.6	13	0 -	0 -	2 3.0	2 3.0	18 3.9	33 4.8	17 5.9	5 3.4	5 4.0	0 -	0 -	0 -
III			1.5	2.8	2.3	2.1	3.7	0.6	7.0	23	- 2.4	3	16 3.4	1 3.0	4 2.0	2 2.0	4 1.8	28 3.5	18 3.9	12 3.8	2 4.0	2 3.0	1 1.0	3 2.7
IV			3.9	6.2	4.7	4.7	6.8	3.1	8.8	28	0.7	13	27 3.8	13 3.4	4 1.5	0 -	0 -	3 3.0	10 4.2	7 4.1	4 1.8	3 4.3	9 4.0	9 3.2
V			9.8	11.6	10.5	10.2	12.9	8.1	20.5	28	1.6	1	26 4.0	6 1.7	4 1.0	1 2.0	5 3.4	14 2.9	15 2.3	7 2.4	7 2.6	0 -	1 1.0	3 2.3
VI			11.0	12.6	11.7	11.1	13.4	9.8	16.0	7	7.1	13	23 3.5	3 2.0	0 -	3 1.0	1 3.0	7 3.0	13 3.2	10 2.6	11 1.6	2 4.5	3 3.7	9 2.6
VII			12.5	14.0	13.3	13.0	15.0	11.5	19.0	10	9.7	3	17 3.6	5 1.0	2 1.5	0 -	1 4.0	12 1.8	10 2.5	7 2.6	16 2.1	8 2.1	1 2.0	13 2.9
VIII			13.8	15.6	14.7	14.7	16.5	12.9	20.1	24	11.6	2	12 2.5	6 2.7	10 2.7	1 2.0	5 2.4	8 2.1	5 1.8	5 2.8	11 2.9	5 3.4	7 2.6	17 2.8
IX			10.9	11.7	11.1	11.0	13.0	9.5	16.5	2	4.5	27	6 3.0	1 1.0	0 -	1 1.0	0 -	4 4.0	11 3.9	9 3.6	19 3.5	6 3.5	11 3.9	17 3.5
X			8.3	9.2	9.0	8.7	10.4	6.8	14.2	4	3.6	18	6 3.5	5 2.8	2 3.5	5 2.2	1 1.0	18 4.0	7 4.4	7 4.4	12 4.4	7 5.1	10 4.1	11 4.2
XI			6.3	6.6	6.2	6.3	7.6	5.0	10.2	12	2.2	24	9 3.3	3 2.3	3 1.3	0 -	3 5.0	32 6.0	11 5.4	8 4.1	6 2.2	3 4.7	5 3.4	7 4.1
XII			5.0	5.0	5.1	4.9	6.4	3.7	10.0	3	- 1.4	23	2 6.0	1 5.0	2 2.0	2 2.0	5 4.0	18 3.7	13 4.2	10 4.4	5 4.0	8 4.5	12 4.4	14 3.6
1954			7.1	8.2	7.8	7.4	9.3	5.8	20.5		- 7.5		159 3.8	52 2.5	38 2.1	19 1.8	48 3.5	192 4.0	140 4.0	96 3.6	103 3.0	48 3.8	65 3.9	110 3.4

Indre Matre

φ = 59° 51'N λ = 6° 0'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 0.3	0.5	- 0.3	- 0.1		- 2.5	8.0	2	- 8.9	31	1 2.0	26 2.8	0 -	9 2.7	0 -	0 -	5 2.0	0 -	0 -	0 -	1 4.0	0 -
II			- 0.5	0.5	0.0	- 0.2		- 2.4	6.4	23	- 7.9	1	0 -	32 2.1	0 -	12 2.9	4 3.2	0 -	12 2.9	0 -	0 -	0 -	0 -	0 -
III			1.7	4.2	3.5	2.9		0.6	12.0	23	- 2.4	20	0 -	1 1.0	0 -	21 2.4	0 -	0 -	12 2.7	0 -	0 -	0 -	0 -	0 -
IV			3.3	7.5	6.7	5.3		1.9	10.6	23	- 0.9	11	0 -	5 1.6	0 -	20 2.2	0 -	0 -	14 1.9	4 2.0	0 -	0 -	0 -	0 -
V			11.2	15.2	14.4	12.6		8.0	25.0	30	3.4	9	3 2.7	2 2.5	0 -	11 2.3	2 1.5	7 1.9	8 2.8	1 2.0	0 -	0 -	0 -	0 -
VI			12.2	15.3	14.3	13.0		9.4	22.0	7	5.8	13	3 3.0	3 2.3	0 -	4 1.8	1 2.0	6 2.0	29 2.3	0 -	0 -	0 -	0 -	0 -
VII			12.7	15.8	14.4	13.6		10.3	24.0	12	6.8	24	1 2.0	2 1.5	0 -	5 2.6	0 -	1 2.0	16 1.3	0 -	0 -	0 -	0 -	0 -
VIII			12.8	16.3	14.7	14.9		10.9	20.8	22	7.9	2	0 -	2 1.0	0 -	4 1.0	0 -	0 -	14 2.0	0 -	0 -	0 -	0 -	0 -
IX			9.2	11.3	10.1	9.9		7.5	15.5	8	1.6	28	0 -	2 2.0	0 -	3 2.3	2 3.0	0 -	22 3.0	0 -	0 -	0 -	0 -	0 -
X			6.7	8.6	8.0	7.6	10.4	4.8	18.5	4	0.1	17	1 1.0	0 -	0 -	11 2.1	4 3.2	0 -	20 3.2	0 -	0 -	0 -	0 -	0 -
XI			4.8	5.9	5.5	5.3	7.4	3.1	12.0	30	- 0.9	16	0 -	0 -	0 -	31 4.2	2 2.0	0 -	4 2.2	0 -	0 -	0 -	0 -	0 -
XII			3.8	4.1	3.6	3.7	5.9	1.4	12.0	1	- 5.5	24	0 -	2 4.0	0 -	15 1.9	0 -	0 -	27 2.9	0 -	0 -	0 -	0 -	0 -
1954			6.5	8.8	7.9	7.3		4.4	25.0		- 8.9		9 2.4	77 2.3	0 -	146 2.7	15 2.7	14 1.9	183 2.5	5 2.0	0 -	0 -	1 4.0	0 -

Slåtterøy

φ = 59° 54'N λ = 5° 4'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			2.0	2.6	2.3	2.2		0.7	8.0	2	- 7.2	31	6 6.3	9 3.6	10 1.7	3 1.0	1 2.0	22 2.8	13 3.1	7 3.1	2 3.0	4 2.8	6 4.2	6 5.2
II			0.1	1.0	0.7	0.5		- 0.9	5.0	23	- 4.1	12	0 -	0 -	0 -	8 2.1	5 2.4	30 3.3	29 4.1	3 6.0	0 -	0 -	0 -	0 -
III			2.1	3.4	2.9	2.7		1.2	8.3	23	- 1.0	1	9 2.7	1 1.0	0 -	5 2.0	3 1.0	15 3.3	11 2.7	20 2.8	2 2.0	1 1.0	1 3.0	4 1.8
IV			4.0	6.1	5.3	4.9		3.4	7.8	12	1.0	14	26 3.4	4 2.0	4 1.5	0 -	0 -	3 2.3	12 3.2	7 3.3	0 -	3 4.3	6 3.7	[illegible] 2.6
V			9.7	11.6	11.2	10.4		8.3	20.9	28	2.2	1	18 3.8	0 -	1 2.0	5 2.0	0 -	7 1.7	4 2.2	10 2.2	6 1.7	0 -	1 1.0	9 3.3
VI			11.2	12.5	12.3	11.7		10.2	16.7	18	7.0	3	15 4.2	3 1.7	0 -	2 1.0	0 -	3 2.0	13 2.7	14 2.0	3 1.3	3 3.0	3 3.3	14 2.4
VII			12.7	13.8	13.7	13.1		11.9	17.8	10	10.0	3	18 3.3	1 1.0	0 -	1 1.0	1 2.0	6 2.3	10 2.1	18 2.0	8 2.4	3 1.0	3 2.7	4 5.0
VIII			14.0	15.9	15.4	14.8		13.3	19.6	24	11.2	2	7 2.9	5 1.6	7 1.6	4 1.8	1 1.0	9 1.6	3 3.0	12 2.2	4 1.8	8 2.1	8 2.9	14 1.9
IX			11.0	12.1	11.5	11.3		9.8	17.0	2	5.0	27	5 3.0	1 1.0	2 1.5	1 1.0	1 2.0	15 2.7	17 4.0	12 3.1	5 5.8	6 4.0	7 4.4	10 3.8
X			8.5	9.4	9.1	8.9		7.3	17.2	4	3.4	18	3 3.0	1 3.0	6 3.0	5 2.2	2 2.5	17 2.9	16 3.1	5 3.4	8 5.1	13 4.6	3 4.7	6 5.5
XI			6.5	6.8	6.2	6.4		4.7	11.0	30	2.0	14	3 3.7	4 2.5	0 -	5 2.6	1 1.0	35 5.1	22 3.8	4 3.2	4 3.0	3 5.0	1 4.0	5 5.0
XII			5.0	4.9	5.2	4.9		3.2	9.4	2	- 0.8	23	7 3.7	2 1.0	0 -	2 2.5	0 -	15 2.4	33 2.6	5 3.2	7 4.3	8 4.0	10 4.8	2 3.0
1954			7.2	8.3	8.0	7.6		6.1	20.9		- 7.2		117 3.6	31 2.3	30 1.9	41 2.0	15 1.9	177 3.2	183 3.2	117 2.7	49 3.3	52 3.6	49 3.9	90 3.2

Svandalsflona

φ = 59° 51'N λ = 6° 57'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 8.3	- 7.5	- 8.3	- 8.2		-11.2	1.4	2	-21.9	31	1 2.0	1 5.0	1 6.0	22 4.4	8 4.4	12 3.8	1 2.0	0 -	2 3.5	6 3.8	12 4.7	12 4.2
II			-10.8	- 9.6	-10.4	-10.6		-13.3	- 3.0	5	-19.4	12	1 2.0	0 -	2 4.5	20 6.6	39 6.2	9 5.2	0 -	0 -	0 -	2 3.0	7 2.9	1 4.0
III			- 5.3	- 1.6	- 4.0	- 4.0		- 7.7	6.0	11	-14.4	3	1 2.0	0 -	1 5.0	17 4.5	23 5.0	17 3.6	0 -	0 -	4 4.5	7 3.1	7 3.3	1 3.0
IV			- 4.2	- 0.1	- 2.1	- 2.8		- 6.3	5.7	27	-10.6	8	1 3.0	0 -	1 2.0	11 4.2	0 -	20 3.2	0 -	0 -	3 5.0	17 3.6	17 3.5	9 3.0
V			4.1	7.0	6.0	5.0		2.1	18.2	30	- 4.6	1	0 -	0 -	1 3.0	10 2.7	21 4.8	32 3.6	0 -	0 -	4 2.5	6 2.5	5 3.6	2 3.0
VI			6.1	9.3	8.7	7.2		4.2	17.2	5	- 1.0	14	0 -	0 -	1 5.0	3 3.0	3 3.3	27 3.0	1 3.0	0 -	4 3.2	30 3.0	11 2.9	2 3.5
VII			7.3	10.2	9.2	8.3		5.9	18.2	12	2.4	23	0 -	0 -	1 2.0	2 2.5	7 4.3	31 3.7	2 2.0	0 -	9 2.6	20 2.8	14 2.9	3 2.7
VIII			7.2	10.4	9.4	8.5		6.1	16.5	25	3.0	18	0 -	0 -	0 -	0 -	7 4.4	29 3.3	0 -	0 -	7 2.4	23 2.9	14 2.6	5 2.8
IX			3.2	5.2	4.2	3.9		2.2	12.7	2	- 5.4	27	0 -	0 -	0 -	1 2.0	7 5.0	20 3.4	2 2.5	0 -	9 2.9	20 2.9	17 3.2	4 3.2
X			- 0.7	0.7	0.3	- 0.1		- 2.3	8.5	3	- 8.4	17	0 -	0 -	0 -	2 3.5	18 5.0	19 4.5	1 3.0	0 -	6 3.8	22 3.5	13 3.5	4 3.0
XI			- 3.9	- 2.7	- 3.4	- 3.4		- 5.2	2.2	4	- 9.0	16	0 -	1 2.0	0 -	9 3.4	23 7.2	26 4.7	0 -	0 -	2 3.0	7 2.7	12 3.7	8 2.9
XII			- 3.8	- 3.6	- 4.3	- 4.0	- 1.9	- 6.4	3.5	3	-14.0	24	1 1.0	0 -	0 -	7 5.3	11 5.9	24 3.5	0 -	0 -	2 5.0	21 3.9	8 4.5	10 3.6
1954			- 0.8	1.5	0.4	0.0		- 2.7	18.2		-21.9		5 2.0	2 3.5	8 4.0	104 4.5	167 5.5	266 3.7	7 2.4	0 -	52 3.2	181 3.2	137 3.4	61 3.3

Ullensvang

φ = 60° 19'N λ = 6° 40'E g = 9.819 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I	1012.3	1016.3	- 1.4	- 0.6	- 1.3	- 1.2	1.3	- 3.0	10.3	2	-11.8	31	2 4.5	6 3.7	11 2.9	12 3.0	15 2.4	14 2.6	0 -	2 3.5	0 -	0 -	0 -	5 4.8
II	13.3	17.4	- 2.9	- 1.0	- 1.9	- 2.1	0.3	- 3.9	4.9	23	-10.5	13	0 -	0 -	0 -	3 2.7	11 2.2	33 3.8	11 3.2	4 3.5	1 4.0	0 -	0 -	0 -
III	05.3	09.3	0.8	3.6	2.8	2.2	5.3	- 0.2	6.5	23	- 6.6	3	1 3.0	1 2.0	2 2.5	5 1.6	5 2.8	9 3.8	2 5.0	5 3.6	1 2.0	0 -	2 2.0	2 2.0
IV	12.9	18.9	3.2	7.0	6.2	5.0	9.2	2.0	12.9	23	- 0.8	8	12 2.6	10 2.4	2 2.5	0 -	2 2.0	3 2.3	1 2.0	8 3.5	4 2.8	2 3.5	3 2.7	10 2.6
V	13.9	17.7	9.7	15.3	15.4	12.6	18.3	8.6	28.1	30	2.2	1	3 2.0	4 3.0	5 2.8	1 2.0	4 3.0	6 3.7	4 4.0	2 2.5	9 2.1	7 2.1	1 2.0	14 2.7
VI	05.2	09.0	11.8	16.0	16.1	13.8	18.8	10.6	25.9	6	6.3	14	8 2.4	4 2.5	3 2.7	1 2.0	1 2.0	1 2.0	4 2.5	4 2.5	3 3.3	1 2.0	3 2.3	13 3.0
VII	00.2	03.9	13.2	17.5	16.6	15.1	19.6	12.0	26.8	11	9.5	6	7 2.4	4 3.2	5 2.8	1 2.0	6 2.0	5 3.4	2 3.0	9 2.8	2 3.5	2 2.0	1 3.0	18 3.1
VIII	03.9	07.7	12.8	16.5	15.4	14.4	18.5	11.8	24.0	24	9.2	18	7 1.9	4 3.0	8 2.1	4 2.0	3 2.3	5 2.2	0 -	1 2.0	4 2.5	1 2.0	0 -	9 2.7
IX	998.2	02.0	8.7	11.7	10.1	9.9	12.8	7.8	16.8	5	3.1	28	0 -	0 -	2 2.0	3 1.7	10 2.3	8 2.5	0 -	9 3.2	7 2.9	1 3.0	3 3.3	7 2.4
X	1000.9	04.7	5.7	7.5	6.7	6.4	9.5	4.4	17.6	4	- 0.4	20	0 -	1 3.0	2 3.0	7 2.0	9 2.3	2 3.5	10 3.7	8 4.4	4 3.0	2 2.5	2 3.0	1 4.0
XI	05.8	09.7	4.0	4.8	4.1	4.2	6.3	2.2	11.6	28	- 1.8	16	1 2.0	0 -	3 3.3	3 1.7	4 3.5	18 4.4	8 4.0	3 3.7	1 1.0	0 -	0 -	1 6.0
XII	996.5	00.4	3.1	3.6	3.0	3.1	5.1	1.1	11.8	3	- 6.7	24	2 3.0	0 -	1 2.0	2 3.0	8 1.9	10 2.7	7 3.3	9 5.4	5 4.4	1 3.0	2 4.0	1 1.0
1954	1005.9	1009.8	5.7	8.5	7.8	7.0	10.4	4.4	28.1		-11.8		43 2.5	34 2.9	44 2.7	42 2.3	78 2.4	114 3.4	49 3.5	64 3.6	41 2.9	17 2.4	17 2.8	81 2.9

1954

Utsira

H_s = 55 H_b = h_t = 2.2 h_a = 10.6 h_d = 10.6 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < 10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Regn ●	Snø *	Sludd	Yr ?	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarver ◔	Over-skyet ●	Snødekke
I	82	80	81	81	5.3	5.4	4.9	100	16	16	15	3	0	0	22	16	2	19	8	3	20	9	5	5	1	1	0	0	2	2	12	3	13	4
II	80	80	79	80	6.3	6.5	5.8	49	12	18	22	8	0	0	15	9	1	16	8	4	7	12	4	1	0	1	0	0	2	0	8	2	14	14
III	91	87	88	89	5.3	6.2	6.4	67	12	8	8	0	0	0	19	12	1	12	4	1	13	10	3	5	1	1	0	1	6	8	13	2	14	8
IV	90	80	87	88	5.2	4.2	5.3	46	11	15	0	0	0	0	11	10	1	12	2	0	11	3	2	0	0	0	0	0	5	2	28	3	8	0
V	87	79	82	84	4.3	3.8	4.0	44	11	6	0	0	0	0	9	7	1	8	1	0	9	1	1	2	0	0	0	0	1	3	28	10	10	0
VI	93	86	88	91	6.6	5.7	6.2	90	24	12	0	0	0	0	14	14	2	7	0	0	14	0	0	2	0	0	0	0	5	5	24	1	19	0
VII	95	88	89	92	6.0	6.2	6.0	123	18	28	0	0	0	0	25	20	3	4	0	0	25	0	0	6	0	0	0	1	2	2	21	2	18	0
VIII	90	82	86	87	6.1	5.9	6.1	77	31	8	0	0	0	0	17	11	1	7	1	0	17	0	0	0	0	0	0	1	1	1	26	0	14	0
IX	89	88	89	89	6.3	6.5	6.3	191	29	17	0	0	0	0	28	22	7	17	3	2	28	1	1	3	0	0	0	5	5	2	19	0	15	0
X	92	90	92	92	6.8	7.3	7.3	215	23	17	0	0	0	0	29	24	9	23	5	1	29	0	0	6	0	0	0	1	4	0	14	0	23	0
XI	90	90	91	90	6.4	7.2	6.8	125	14	14	0	0	0	0	27	22	4	22	12	6	27	1	0	1	0	2	0	0	0	0	8	1	21	0
XII	93	92	91	92	6.2	6.5	6.1	162	17	27	1	0	0	0	28	24	5	23	8	1	27	8	5	3	1	1	0	1	3	1	8	0	14	3
1954	89	85	87	88	5.9	6.0	5.9	1289	31		46	11	0	0	244	191	37	170	52	18	227	45	21	34	3	6	0	10	36	26	209	24	183	29

Indre Matre

H_s = 24 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

I					4.6	4.4	3.8	250	44	20	24		0		18	17	10	2	2	0	15	10	5	1	0	0	0	0	8	0	5	8	11	15
II					5.0	5.0	4.8	34	12	23	19		0		9	8	1	2	0	0	4	7	1	1	0	0	0	0	5	0	14	5	12	11
III					5.5	5.9	5.5	126	32	23	10		0		12	10	4	1	0	0	12	4	4	2	0	0	0	0	13	1	12	4	17	2
IV					5.2	4.9	4.9	162	48	5	2		0		10	10	6	0	0	0	10	3	2	2	0	0	0	0	5	0	18	6	13	3
V					4.6	4.3	3.7	36	9	21	0		0		12	9	0	1	0	0	12	0	0	1	0	0	0	0	3	0	23	8	12	0
VI					5.4	5.5	5.4	242	54	19	0		0		17	15	6	1	0	0	17	0	0	2	0	0	0	0	8	1	14	6	18	0
VII					6.5	6.5	6.4	215	44	16	0		0		26	23	8	0	0	0	26	0	0	4	0	0	0	0	11	1	13	2	22	0
VIII					5.9	6.1	6.4	226	63	31	0		0		23	21	5	0	0	0	23	0	0	1	0	0	0	1	7	0	16	1	15	0
IX					6.7	7.3	6.7	475	83	17	0		0		28	27	13	0	0	0	28	2	2	2	0	0	0	1	21	0	5	0	19	0
X					6.7	7.2	6.6	655	87	13	0	0	0	0	27	25	18	2	0	0	27	0	0	2	0	0	0	3	22	0	4	0	22	0
XI					6.4	6.9	6.5	183	33	12	3	0	0	0	20	18	5	7	1	0	20	2	1	2	0	0	0	1	9	0	2	1	20	1
XII					7.1	7.3	6.4	498	102	19	9	0	0	0	28	25	15	3	0	0	24	8	2	3	0	0	0	1	15	0	0	0	23	13
1954					5.8	5.9	5.6	3102	102		67		0		230	208	91	19	3	0	218	36	17	23	0	0	0	7	127	3	126	41	204	45

Slåtterøy

H_s = 15 H_b = h_t = 2.1 h_a = h_d = 3.5 h_r = 1.4

I	79	77	80	79	4.5	5.1	4.7	151	20	20	10		0		16	15	7	7	5	3	15	7	5	5	0	1	0	0	3	0	16	7	13	
II	73	67	67	70	5.1	5.8	5.4	20	7	24	17		0		6	5	0	10	4	1	5	4	3	0	0	0	0	0	3	0	9	3	12	
III	84	83	87	85	5.5	5.9	6.0	62	13	23	5		0		12	12	1	7	0	0	12	6	6	3	0	0	0	0	5	5	12	5	16	
IV	86	80	86	85	4.6	3.8	4.5	52	10	12	0		0		9	9	1	4	2	0	9	5	5	3	0	0	0	0	0	1	22	5	9	
V	[illegible]	79	81	83	4.4	3.8	3.3	40	8	1	0		0		9	8	0	3	0	0	9	0	0	6	0	0	0	0	0	1	25	12	12	
VI	88	84	87	88	5.7	5.4	4.7	101	39	12	0		0		14	14	3	3	2	1	14	0	0	8	0	0	0	0	2	4	19	5	12	
VII	92	86	89	90	6.2	5.8	6.0	104	13	30	0		0		20	17	4	3	1	0	20	0	0	8	0	0	0	2	0	2	18	2	15	
VIII	87	79	84	85	5.6	5.3	5.7	109	35	8	0		0		16	15	3	2	0	0	16	0	0	1	0	0	0	0	2	0	28	2	9	
IX	86	83	84	84	6.3	6.6	6.2	244	39	29	0		0		27	24	9	12	4	0	27	0	0	7	0	2	0	2	0	3	11	0	17	
X	88	83	85	86	6.6	6.9	6.4	204	17	30	0		0		27	25	9	13	4	1	27	0	0	5	0	0	0	3	0	0	6	0	18	
XI	78	80	83	80	6.0	7.0	5.9	124	20	20	0		0		21	16	5	15	7	1	21	0	0	3	0	0	0	1	0	0	6	1	20	
XII	86	86	87	87	5.8	6.7	5.9	179	19	19	2		0		25	24	7	10	4	0	24	7	6	4	0	1	0	0	0	0	2	0	16	
1954	84	81	83	84	5.5	5.7	5.4	1390	39		34		0		202	184	49	89	33	7	199	29	25	53	0	4	0	8	15	16	174	42	169	

Svandalsflona

H_s = 1048 H_b = h_t = 3.1 h_a = h_d = 8.0 h_r = 3.6

I	73	72	73	73	4.5	4.3	3.6	89	14	20	31		20		19	14	3	12	4	0	2	19	1	0	0	0	0	0	3	0	14	9	10	31
II	79	76	76	77	6.0	5.4	5.8	13	4	24	28		24		16	4	0	19	11	8	0	16	0	1	0	0	0	0	2	1	8	2	13	28
III	81	73	80	79	4.7	5.1	4.6	49	15	23	30		8		15	7	2	10	3	2	3	14	2	2	0	0	0	0	2	1	17	6	13	31
IV	77	66	73	74	4.9	4.6	5.1	55	13	5	30		2		13	8	2	5	2	1	1	13	0	1	0	0	0	0	2	0	19	4	10	30
V	75	65	65	70	5.2	4.2	4.3	28	6	25	9		0		15	8	0	8	2	0	11	8	0	0	0	0	0	0	4	1	19	6	14	27
VI	80	69	71	76	5.8	6.0	5.7	106	18	11	2		0		17	16	4	0	0	0	16	3	2	0	0	0	0	0	6	2	16	5	18	1
VII	87	73	78	82	6.7	6.8	6.8	109	28	14	0		0		23	19	2	3	0	0	23	1	1	4	0	0	0	2	10	1	11	0	22	0
VIII	84	68	75	78	6.3	6.7	6.3	111	23	8	0		0		16	13	5	1	0	0	16	0	0	0	0	0	0	0	7	1	17	1	22	0
IX	87	84	87	86	6.7	7.2	7.0	272	48	17	8		0		29	25	10	4	0	0	26	13	10	0	0	0	0	0	14	0	3	0	24	4
X	86	82	84	84	7.0	7.4	7.2	302	43	13	26		0		25	22	12	13	2	0	15	25	9	0	0	0	0	0	8	1	5	1	24	26
XI	83	82	84	83	6.7	7.0	7.0	83	15	12	30		0		28	15	2	16	9	5	3	28	1	2	0	0	0	0	6	1	6	1	22	30
XII	84	84	85	84	6.6	7.0	6.4	192	30	19	31	23	5	0	25	19	8	13	2	1	6	25	4	1	0	0	0	0	8	1	4	1	22	31
1954	81	76	78	79	5.9	6.0	5.8	1409	48		225		59		241	170	50	104	35	17	122	165	30	11	0	0	0	2	72	10	139	36	214	239

Ullensvang

H_s = 30 H_b = 32.1 h_t = 2.0 h_a = h_d = 7 h_r = 1.5

I	72	67	69	70	4.0	4.2	4.0	127	28	20	23	10	2	0	16	14	4	2	1	0	11	10	2	0	0	0	0	0	1	0	16	8	11	27
II	65	61	58	62	5.3	5.2	4.7	35	12	23	24	12	2	0	8	6	2	6	1	1	3	7	0	0	0	0	0	0	0	0	16	2	9	28
III	79	72	71	74	5.2	5.1	4.9	55	17	27	15	0	0	0	12	10	2	2	1	0	11	2	2	3	0	0	0	0	1	2	18	5	12	10
IV	74	62	61	67	4.6	4.4	4.7	99	36	5	2	0	0	0	11	9	3	2	1	0	11	4	2	0	0	1	0	0	2	0	23	7	10	1
V	81	61	55	68	4.1	3.6	4.0	20	7	2	0	0	0	5	11	6	0	1	0	0	11	0	0	0	0	0	0	0	0	0	27	9	9	0
VI	89	71	70	80	5.2	5.4	5.1	99	21	12	0	0	0	4	16	15	3	0	0	0	16	0	0	1	0	0	0	0	3	0	20	6	13	0
VII	91	73	76	83	5.6	5.6	6.0	96	36	14	0	0	0	3	24	16	1	0	0	0	24	0	0	0	0	0	0	3	0	0	25	0	14	0
VIII	92	78	81	85	5.8	5.9	5.0	93	21	8	0	0	0	0	21	11	5	0	0	0	21	0	0	2	0	0	0	0	2	0	23	2	13	0
IX	93	84	89	90	6.0	6.2	6.3	202	38	17	0	0	0	0	29	23	8	0	0	0	29	1	0	0	0	0	0	1	3	0	17	0	15	0
X	89	83	86	86	6.7	6.3	6.5	309	37	13	1	0	0	0	27	22	13	5	0	0	27	1	0	0	0	0	0	0	1	0	12	0	20	0
XI	77	77	80	78	6.2	6.3	6.7	90	24	12	5	0	0	0	20	15	2	7	2	0	19	3	0	0	0	0	0	0	1	0	7	1	18	3
XII	82	81	84	82	6.6	6.8	6.3	263	46	19	11	2	0	0	23	20	9	5	2	2	17	8	0	1	0	1	0	0	2	0	4	0	18	12
1954	82	72	73	77	5.4	5.4	5.4	1488	46		81	24	4	12	218	167	52	30	8	3	200	36	6	7	0	2	0	4	16	2	208	40	162	81

1954

Kvamskogen

φ = 60° 24'N λ = 5° 55'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 5.1	- 3.5	- 4.4	- 4.5		- 8.3	5.0	2	-20.9	31	0	-	17	1.5	2	1.5	3	2.0	0	-	7	2.0	0	-	0	-	4	2.5	3	1.7	2	2.5	14	1.5	41
II			- 5.6	- 2.7	- 4.8	- 4.8		- 8.4	2.7	23	-16.3	1	0	-	5	1.2	5	2.0	18	2.2	0	-	21	1.7	3	2.0	3	1.3	5	1.0	0	-	1	1.0	1	2.0	22
III			- 2.5	2.9	- 0.3	- 0.4		- 4.4	6.4	13	-13.7	3	1	1.0	1	1.0	2	1.0	4	3.5	0	-	15	2.1	2	1.0	2	2.0	12	1.2	14	1.4	0	-	0	-	39
IV			0.2	5.3	1.9	1.8		- 2.3	9.7	21	- 9.5	7	0	-	1	3.0	2	1.5	4	2.2	0	-	2	1.5	0	-	8	2.1	4	1.0	15	1.5	0	-	2	2.0	52
V			8.3	13.8	11.2	9.9		4.2	24.6	29	- 0.6	9	0	-	7	1.1	5	1.2	0	-	5	2.6	5	2.0	9	1.2	10	1.8	7	1.0	8	1.1	3	1.3	0	-	34
VI			10.0	13.5	11.6	10.7		6.2	21.6	5	0.8	14	0	-	0	-	0	-	8	1.4	2	2.0	12	1.4	9	1.4	12	1.2	15	1.4	6	1.0	0	-	0	-	26
VII			11.2	14.8	12.5	12.0		8.5	23.8	12	3.9	24	0	-	1	1.0	4	2.0	16	1.4	3	2.0	10	1.9	11	1.2	11	1.1	14	1.1	4	1.8	1	1.0	2	1.5	16
VIII			11.1	15.3	13.1	12.5		8.7	21.3	24	4.9	2	0	-	3	1.7	13	1.1	6	1.7	2	1.5	15	1.8	15	1.7	7	1.4	11	1.3	4	1.0	1	1.0	0	-	16
IX			6.5	9.6	7.6	7.5		4.8	16.8	2	- 1.2	27	0	-	5	1.2	3	1.0	9	1.4	4	2.0	16	1.6	14	2.0	5	1.2	6	1.3	4	1.0	0	-	0	-	24
X			3.4	5.5	4.6	4.3		1.4	15.2	4	- 5.4	17	0	-	5	1.2	7	1.4	6	2.2	1	2.0	22	2.0	12	2.3	4	2.2	12	2.2	11	1.4	0	-	0	-	13
XI			1.3	2.3	1.6	1.6	3.2	0.8	7.7	27	- 9.2	16	0	-	0	-	0	-	12	2.7	2	4.5	19	3.3	5	2.0	2	1.5	9	1.8	6	1.2	0	-	0	-	35
XII			0.7	0.9	0.2	0.5	2.5	- 2.4	8.2	3	-11.2	23	0	-	1	1.0	0	-	9	1.8	1	3.0	8	1.9	2	1.0	2	2.0	14	1.7	17	2.1	5	1.6	6	2.0	28
1954			3.3	6.5	4.6	4.3		0.7	24.6		-20.9		1	1.0	46	1.3	43	1.4	95	2.0	20	2.4	153	2.0	82	1.7	66	1.5	113	1.5	92	1.5	13	1.5	25	1.6	346

Slirå

φ = 60° 37'N λ = 7° 25'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			-10.5	- 9.9	-11.1	-10.7		-14.1	- 0.3	2	-25.5	31	0	-	4	3.0	4	4.2	16	4.2	5	3.2	4	3.0	0	-	0	-	0	-	24	4.7	10	4.9	5	3.8	21
II			-13.9	-13.0	-13.6	-13.8		-16.2	- 3.7	4	-26.6	13	0	-	0	-	0	-	45	4.6	16	4.7	1	1.0	0	-	1	2.0	0	-	8	3.8	5	3.2	0	-	8
III			- 8.0	- 5.2	- 7.0	- 7.1		-10.2	3.2	23	-18.1	3	0	-	1	3.0	1	1.0	31	4.3	7	3.6	1	4.0	1	5.0	2	5.5	8	4.8	13	3.7	4	2.8	6	3.7	18
IV			- 6.9	- 3.5	- 4.8	- 5.7		- 8.8	1.8	21	-13.8	16	4	2.8	0	-	3	2.7	13	3.1	2	4.0	0	-	0	-	2	4.5	4	6.2	27	4.6	14	3.4	5	2.8	16
V			1.7	4.2	3.5	2.5		- 0.2	15.8	29	- 7.6	1	1	2.0	7	1.9	6	3.2	37	3.8	3	5.0	3	2.0	2	3.5	1	4.0	1	3.0	3	3.7	2	2.0	10	2.1	17
VI			3.8	6.6	5.7	4.7		2.0	11.5	5	- 4.9	14	2	2.0	0	-	2	3.0	15	3.3	3	1.3	2	2.5	7	2.6	2	3.5	6	2.8	30	3.5	8	2.1	6	2.2	7
VII			5.5	8.1	7.6	6.6		4.4	15.7	13	1.1	3	1	3.0	2	2.0	7	3.1	22	3.5	6	3.0	5	2.4	6	3.2	3	2.7	9	2.7	23	3.1	3	2.7	2	2.0	4
VIII			5.5	8.4	7.6	6.8		4.6	17.3	27	1.8	29	0	-	0	-	6	3.8	21	3.0	8	2.4	1	3.0	0	-	3	3.0	10	2.5	32	3.5	8	3.5	0	-	4
IX			1.2	3.1	2.3	1.9	4.3	0.2	10.9	2	- 7.3	27	0	-	0	-	0	-	3	3.0	12	4.0	7	3.7	5	2.8	2	4.5	3	3.0	15	3.3	21	4.3	1	1.0	21
X			- 2.6	- 1.7	- 2.1	- 2.3	0.0	- 4.6	6.9	4	-11.1	17	0	-	1	2.0	0	-	5	3.6	21	3.5	1	2.0	2	2.0	4	3.8	3	2.7	17	4.4	20	3.7	3	3.7	16
XI			- 6.2	- 5.6	- 6.4	- 6.3	- 4.3	- 8.7	0.8	1	-14.6	16	2	3.0	4	4.8	1	4.0	0	-	6	6.2	20	6.1	6	6.0	5	4.2	1	6.0	5	3.8	10	3.8	3	2.7	27
XII			- 6.3	- 6.0	- 6.2	- 6.3	- 4.1	- 8.6	2.1	17	-15.3	23	0	-	1	4.0	0	-	15	5.2	6	3.5	4	5.0	1	6.0	4	5.0	11	6.5	15	4.5	12	3.9	0	-	24
1954			- 3.1	- 1.2	- 2.0	- 2.5		- 5.0	17.3		-26.6		10	2.6	20	2.8	30	3.3	223	3.9	95	3.8	49	4.3	30	3.9	29	4.0	56	4.0	212	3.9	117	3.7	41	2.8	183

Myrdal

φ = 60° 44'N λ = 7° 7'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 6.8	- 6.4	- 7.1	- 7.0	- 3.8	-10.1	3.4	2	-22.1	31	5	3.0	9	3.4	1	4.0	0	-	3	3.3	10	3.5	29	2.9	3	3.0	2	4.0	2	2.5	1	2.0	0	-	28
II			- 9.3	- 8.0	- 8.8	- 9.0	- 6.7	-11.7	0.7	4	-19.7	12	1	3.0	0	-	0	-	1	3.0	0	-	6	4.0	37	4.5	11	3.8	0	-	1	2.0	3	3.3	0	-	24
III			- 4.4	- 1.2	- 2.9	- 3.1	0.2	- 6.2	5.7	23	-15.2	3	3	3.3	4	2.5	0	-	1	3.0	1	3.0	8	3.6	30	3.9	6	3.2	3	2.0	2	3.5	1	2.0	2	2.0	32
IV			- 3.3	1.4	- 0.9	- 1.6	2.6	- 5.0	6.7	21	-10.1	8	2	3.0	4	2.5	0	-	2	3.0	3	3.3	15	3.5	19	3.1	5	2.6	1	3.0	2	2.5	3	2.7	5	2.8	29
V			4.5	8.7	7.1	6.0	9.9	2.4	19.4	29	- 6.6	1	2	1.5	0	-	0	-	7	2.6	2	2.5	9	3.0	28	2.7	5	2.6	3	3.3	5	3.4	1	2.0	12	2.2	19
VI			6.9	10.9	9.6	8.2	12.2	4.8	17.3	5	- 1.0	14	6	2.8	2	2.0	0	-	1	3.0	2	3.5	20	3.3	29	2.7	0	-	0	-	2	3.5	1	2.0	0	-	27
VII			8.8	12.1	11.1	10.0	13.6	7.4	21.0	12	4.4	24	3	2.0	0	-	2	2.0	2	3.0	1	3.0	18	2.7	25	2.8	12	2.8	0	-	1	2.0	2	2.0	3	2.0	24
VIII			8.5	11.7	11.1	9.9	13.4	7.2	19.0	27	4.3	1	2	2.0	3	1.7	0	-	5	2.4	4	3.2	13	2.6	12	3.0	5	2.4	1	2.0	3	2.3	6	2.3	2	1.5	37
IX			4.5	6.8	5.7	5.3	7.9	3.0	14.7	2	- 3.4	27	0	-	0	-	1	4.0	1	4.0	5	3.6	19	3.7	26	3.3	1	3.0	0	-	0	-	1	2.0	2	2.0	34
X			0.7	2.1	1.2	1.1	3.7	- 1.3	11.2	4	- 9.5	17	4	2.2	0	-	0	-	0	-	8	2.8	21	4.0	27	3.5	3	3.0	0	-	0	-	3	2.3	1	2.0	26
XI																																					
XII																																					

Voss

φ = 60° 38'N λ = 6° 26'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 7.0	- 5.4	- 6.0	- 6.3	- 2.2	- 9.2	6.5	2	-23.8	31	0	-	0	-	7	2.3	18	2.7	0	-	0	-	0	-	0	-	3	2.7	8	3.2	0	-	0	-	57
II			- 7.4	- 4.4	- 4.8	- 5.9	- 2.6	- 9.5	3.2	6	-24.8	1	0	-	0	-	2	4.5	55	3.3	0	-	1	2.0	1	2.0	0	-	0	-	1	2.0	0	-	0	-	24
III			- 2.3	2.4	2.0	0.3	4.7	- 3.2	8.7	13	-18.9	3	0	-	0	-	9	3.0	25	3.4	0	-	0	-	1	4.0	0	-	4	2.2	6	2.7	0	-	0	-	48
IV			0.9	7.3	6.1	4.0	8.8	- 0.7	12.6	23	- 4.8	7	0	-	0	-	13	3.0	3	3.3	0	-	0	-	0	-	0	-	13	2.4	17	3.1	0	-	1	3.0	43
V			8.7	16.4	15.7	12.2	18.4	5.7	29.0	29	- 0.7	9	0	-	0	-	13	3.2	27	2.8	0	-	1	3.0	1	2.0	0	-	14	2.2	0	-	0	-	1	4.0	36
VI			10.6	16.7	15.5	13.1	18.6	7.9	25.8	5	1.1	14	0	-	0	-	5	2.6	9	3.0	0	-	0	-	0	-	0	-	29	2.3	9	3.3	0	-	1	3.0	37
VII			12.9	17.8	16.4	14.7	19.8	10.7	29.2	12	5.8	24	0	-	0	-	1	2.0	14	2.6	0	-	5	2.0	5	2.4	0	-	18	2.1	15	2.5	0	-	0	-	35
VIII			11.4	17.2	16.3	14.2	19.7	10.0	26.4	24	5.7	20	0	-	0	-	2	2.5	14	2.4	0	-	1	3.0	0	-	0	-	19	2.6	6	3.0	0	-	0	-	51
IX			7.2	11.5	10.2	9.2	13.1	6.4	19.3	6	0.8	28	0	-	0	-	8	3.1	12	2.8	0	-	3	2.0	2	3.0	0	-	11	2.7	9	2.4	0	-	0	-	45
X			4.0	6.8	5.7	5.3	8.3	2.8	18.7	4	- 5.2	17	0	-	0	-	6	2.7	17	2.9	0	-	6	3.2	1	4.0	0	-	8	2.0	8	2.9	0	-	1	3.0	46
XI			2.3	3.2	3.0	2.7	4.8	0.7	11.9	29	- 8.8	16	0	-	0	-	1	4.0	36	4.0	0	-	6	3.5	0	-	0	-	2	2.0	1	2.0	0	-	0	-	44
XII			0.8	1.2	0.8	0.8	3.0	- 1.5	9.7	1	-13.0	24	0	-	0	-	5	3.0	21	3.4	0	-	3	2.7	0	-	0	-	8	3.1	8	3.5	0	-	0	-	48
1954			3.5	7.6	6.7	5.4	9.5	1.7	29.2		-24.8		0	-	0	-	72	2.9	251	3.2	0	-	26	2.8	11	2.7	0	-	129	2.4	88	2.9	0	-	4	3.2	514

Bergen (Fredriksberg)

φ = 60° 24'N λ = 5° 19'E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I	1010.2	1015.8	0.6	1.6	0.9	0.9	3.0	- 0.8	8.9	2	- 9.4	31	7	1.6	1	1.0	0	-	3	2.3	3	1.3	27	3.4	1	2.0	1	2.0	3	3.0	2	1.0	1	1.0	14	3.1	30
II	08.7	14.3	- 1.0	1.3	0.6	0.1	2.1	- 1.8	6.5	23	- 7.8	13	0	-	0	-	7	3.4	3	3.0	4	1.5	36	3.7	7	3.9	0	-	0	-	1	1.0	0	-	0	-	26
III	03.0	08.5	1.9	4.4	3.6	3.1	5.7	1.2	13.9	23	- 2.4	3	5	1.6	0	-	1	4.0	4	1.8	4	1.8	25	3.4	12	2.7	0	-	3	1.0	2	1.0	3	1.3	11	2.1	23
IV	13.5	19.1	3.5	7.4	6.3	5.3	8.3	2.8	10.9	22	0.0	7	6	1.3	0	-	1	2.0	1	1.0	0	-	10	3.2	11	3.6	3	3.0	3	3.3	5	2.0	10	1.3	32	2.0	8
V	12.3	17.7	10.7	15.5	14.3	12.7	18.6	8.5	25.2	28	2.3	1	5	1.6	1	1.0	4	2.5	3	1.7	3	2.0	7	2.7	8	2.8	2	5.0	4	1.2	7	1.9	12	1.5	23	2.1	14
VI	04.3	09.7	11.6	14.1	14.0	12.6	16.0	10.0	22.0	5	6.1	14	18	1.6	3	1.7	0	-	0	-	1	1.0	2	1.0	20	3.2	9	2.8	4	1.8	11	1.6	4	1.8	10	1.8	8
VII	999.5	04.7	12.7	15.8	14.5	13.8	17.1	11.5	24.4	10	9.3	24	15	1.9	0	-	0	-	1	2.0	0	-	3	1.7	19	2.1	12	2.4	8	2.6	1	2.0	8	1.0	11	1.3	15
VIII	1002.8	08.0	13.2	16.9	16.4	15.1	18.5	12.4	24.3	24	8.1	2	13	1.6	3	1.3	1	2.0	1	3.0	2	1.0	7	1.6	8	2.6	8	2.2	6	2.5	4	1.8	16	1.7	4	1.5	20
IX	996.8	02.1	9.7	12.0	10.7	10.6	13.1	8.6	18.2	2	3.3	27	8	1.2	0	-	0	-	1	3.0	0	-	10	2.0	34	3.1	11	3.1	2	2.5	5	1.2	3	3.0	5	1.6	11
X	98.8	04.2	7.2	8.8	8.4	7.9	10.3	5.9	18.9	4	0.9	17	5	1.0	1	1.0	2	1.5	3	2.0	2	1.5	10	2.8	17	3.8	6	4.0	12	2.6	10	2.3	4	2.0	6	2.3	15
XI	1002.3	07.7	5.5	6.7	5.9	5.9	7.6	4.0	12.9	30	- 0.3	7	3	1.7	0	-	0	-	4	5.0	7	2.0	41	3.4	19	3.1	2	2.5	1	1.0	0	-	3	2.0	3	4.0	7
XII	994.6	00.1	4.4	4.4	4.2	4.2	5.8	2.5	12.4	1	- 3.3	25	5	2.2	1	3.0	3	1.7	1	4.0	5	1.8	17	2.3	27	3.1	11	3.1	3	2.7	6	3.2	3	2.0	3	2.3	8
1954	1003.9	1009.3	6.7	9.1	8.3	7.7	10.5	5.4	25.2		- 9.4		90	1.6	10	1.5	19	2.6	25	2.7	31	1.7	195	3.1	183	3.1	65	2.9	49	2.3	54	1.9	67	1.6	122	2.1	185

1954

Kvamskogen

H_s = 408 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
											Antall dager n																							
I	75	69	74	73	4.5	4.9	4.5	241	36	3	28		12		16	16	10	0	0	0	7	16	3	1	0	2	0	0	7	0	15	9	14	31
II	63	56	61	61	5.1	5.2	4.7	75	23	23	28		9		10	6	3	2	0	0	2	10	1	1	0	0	0	0	4	0	16	6	14	28
III	83	63	77	77	5.5	5.5	5.9	130	26	27	28		3		17	12	5	1	0	0	7	14	2	2	0	0	0	0	8	6	16	4	17	31
IV	77	51	69	71	5.3	4.7	4.9	185	59	5	24		0		12	9	7	1	0	0	7	10	5	1	0	2	0	0	8	0	10	4	14	30
V	72	49	56	64	5.2	4.6	3.7	58	11	6	2		0		16	13	1	2	0	0	15	2	0	1	0	0	0	0	5	0	25	6	13	8
VI	82	66	71	77	5.4	6.1	5.6	227	51	10	0		0		17	15	7	0	0	0	17	0	0	3	0	2	0	1	11	0	17	5	17	0
VII	86	65	79	82	6.2	6.2	6.7	158	20	22	0		0		25	20	6	0	0	0	25	0	0	3	0	0	0	2	16	1	21	2	18	0
VIII	82	63	74	77	6.2	6.5	5.7	196	41	29	0		0		22	12	5	0	0	0	22	0	0	1	0	0	0	0	11	0	25	0	16	0
IX	91	79	90	88	7.0	7.2	7.1	468	46	11	3		0		29	27	14	1	0	0	27	3	0	2	0	0	0	0	21	0	11	0	25	2
X	85	78	81	82	6.6	7.5	6.3	569	65	13	9		0		26	23	17	5	0	0	22	10	3	4	0	3	0	4	19	1	14	1	22	6
XI	76	75	79	77	6.1	6.9	6.9	213	36	12	15	1	0	0	21	20	8	4	0	0	18	13	5	2	0	1	0	0	15	1	5	1	19	25
XII	84	85	88	86	6.5	7.5	6.3	437	61	19	21	6	3	0	26	23	16	2	0	0	16	19	6	1	0	1	0	0	17	1	0	0	22	23
1954	80	67	75	76	5.8	6.1	5.7	2957	65		158		27		237	196	99	18	0	0	185	97	25	22	0	11	0	7	142	10	184	38	211	184

Slirå

H_s = 1300 H_b = 1303.3 h_t = 3.2 h_a = 11.5 h_d = 12.0 h_r = 3.8

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	83	81	83	83	4.5	4.7	4.0	47	8	21	31		24		17	11	0	19	3	1	1	17	0	1	0	0	0	0	3	17	11	9	12	31
II	85	85	85	85	6.3	5.8	6.0	24	6	24	28		27		15	9	0	15	4	0	0	15	0	0	0	0	0	0	5	20	6	1	15	28
III	88	84	86	86	5.6	4.9	5.2	33	8	27	31		14		17	8	0	13	3	1	2	17	2	0	0	0	0	0	8	15	17	5	13	31
IV	85	78	80	82	4.5	4.3	4.4	31	5	5	30		8		18	10	0	9	2	2	0	18	0	0	0	0	0	0	4	12	10	8	11	30
V	81	75	77	79	4.3	4.1	4.1	51	10	21	15		0		15	11	1	8	2	1	10	11	5	3	0	0	0	0	2	13	10	11	13	31
VI	84	77	79	82	5.4	5.6	5.6	115	20	10	3		0		15	15	4	6	0	0	14	3	1	0	0	0	0	0	0	7	16	4	16	0
VII	91	79	82	86	6.6	6.0	6.6	100	18	14	0		0		27	21	1	3	0	0	27	0	0	3	0	0	0	0	2	0	10	1	20	0
VIII	89	75	80	84	6.2	6.2	6.1	130	22	8	0		0		22	18	4	7	0	0	22	0	0	3	0	0	0	0	0	8	10	0	14	0
IX	89	85	87	87	7.0	6.9	6.6	158	14	14	15	4	0	0	27	24	6	18	1	0	20	16	8	0	0	0	0	0	0	0	0	0	22	16
X	91	87	89	89	7.0	6.6	7.0	230	45	14	30	16	2	0	23	23	10	12	1	0	5	23	5	0	0	0	0	0	4	6	0	0	23	31
XI	89	91	91	90	6.9	7.1	7.0	112	11	13	30	28	7	0	27	23	1	17	7	4	0	27	0	0	0	0	0	0	3	3	7	1	23	30
XII	91	92	92	92	7.0	7.5	7.3	220	40	19	31	27	9	0	30	24	8	15	8	3	2	30	0	0	0	0	0	0	5	0	1	0	25	31
1954	87	82	84	85	5.9	5.8	5.8	1251	45		244		91		253	197	35	142	31	12	103	177	21	10	0	0	0	0	45	110	152	40	207	268

Myrdal

H_s = 870 H_b = h_t = 1.9 h_a = 9.6 h_d = 7.4 h_r = 2.8

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I					4.7	4.8	4.0	114	32	3	31	23	17	0	18	15	3	6	0	0	4	17	4	0	0	0	0	0	13	0	10	9	13	31
II					5.2	5.4	4.2	79	27	24	28	26	19	0	17	12	1	8	1	0	0	17	0	0	0	0	0	0	10	0	14	5	11	28
III					5.5	4.9	4.9	83	24	9	29	14	6	0	17	11	3	7	2	0	3	15	1	1	0	0	0	0	9	3	19	6	12	31
IV					5.2	4.7	4.6	126	55	5	30	3	1	0	10	10	4	3	1	1	0	10	0	1	0	0	0	0	12	0	24	6	12	30
V					4.4	4.2	4.4	38	7	3	7	0	0	0	12	10	0	3	0	0	11	5	3	4	0	0	0	0	5	2	22	7	13	10
VI					5.5	6.0	6.2	106	18	12	1	0	0	0	15	15	5	0	0	0	15	2	2	2	0	0	0	0	6	0	20	4	16	1
VII					6.5	5.9	6.9	90	14	16	0	0	0	0	27	19	1	0	0	0	27	0	0	2	0	0	0	0	0	1	22	0	21	0
VIII					6.6	6.4	6.1	136	30	8	0	0	0	0	18	14	5	0	0	0	18	0	0	0	0	0	0	0	8	2	20	2	23	0
IX					7.1	6.9	7.0	237	34	25	5	0	0	0	28	21	11	3	0	0	26	9	6	0	0	0	0	0	21	1	8	1	21	2
X					7.0	6.6	6.8	502	88	13	20	3	0	0	23	23	15	11	3	0	16	19	9	0	0	0	0	0	17	1	11	0	20	21
XI																																		
XII																																		

Voss

H_s = 61 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	85	80	80	82	4.5	4.9	4.2	87	16	20	27	19	12	0	16	15	4	1	0	0	7	13	1	2	0	0	0	0	8	0	18	8	11	31
II	71	63	60	65	4.9	5.1	4.4	13	4	24	27	18	13	0	11	7	0	3	0	0	0	11	0	0	0	0	0	0	2	0	10	6	12	28
III	83	66	65	72	5.1	5.5	4.8	37	9	9	21	1	3	0	14	6	0	2	0	0	9	10	1	0	0	0	0	0	4	5	28	5	13	10
IV	84	49	51	65	5.0	4.2	4.9	84	35	5	16	0	0	0	10	10	2	1	0	0	10	5	3	0	0	1	0	0	4	0	28	6	12	2
V	78	44	41	59	4.4	3.7	3.8	31	5	21	2	0	0	4	13	9	0	0	0	0	13	0	0	0	0	0	0	0	1	0	30	12	12	0
VI	83	56	58	71	5.5	5.4	5.5	91	17	12	0	0	0	3	15	13	4	0	0	0	15	0	0	1	0	0	0	0	3	1	25	7	17	0
VII	85	58	65	75	5.5	5.8	6.3	94	13	22	0	0	0	3	22	21	1	0	0	0	22	0	0	0	0	0	0	2	1	0	24	1	14	0
VIII	89	61	66	76	5.8	5.3	4.9	88	20	8	0	0	0	1	20	12	4	0	0	0	19	0	0	1	0	0	0	0	3	2	30	3	10	0
IX	92	72	79	83	6.7	6.2	5.9	170	21	17	0	0	0	0	29	24	5	0	0	0	28	1	0	1	0	0	0	0	7	0	24	0	19	0
X	86	75	80	81	6.4	6.5	5.9	220	34	13	6	0	0	0	24	21	10	2	0	0	24	3	3	0	0	0	0	0	6	2	19	0	17	0
XI	76	73	74	74	6.5	6.8	7.1	75	22	12	11	1	0	0	21	15	1	8	0	0	20	5	1	0	0	0	0	0	5	1	13	0	19	14
XII	83	83	86	84	6.8	7.3	6.4	181	43	19	20	4	2	0	26	21	7	4	0	0	17	14	4	0	0	2	0	0	7	3	4	0	20	18
1954	83	65	67	74	5.6	5.6	5.3	1171	43		130	43	30	11	221	174	38	21	0	0	184	62	13	5	0	3	0	2	51	14	262	48	176	112

Bergen (Fredriksberg)

H_s = 43 H_b = 44.4 h_t = 1.7 h_a = 19.0 h_d = 19.0 h_r = 1.4

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	77	74	74	75	4.2	5.5	4.3	203	28	14	19	6	0	0	19	15	9	8	0	0	14	11	6	2	0	3	0	0	6	0	15	8	12	7
II	65	59	56	60	5.6	6.7	5.8	45	13	23	18	2	0	0	8	8	1	9	1	0	4	6	2	1	0	0	0	1	0	0	11	1	16	8
III	85	74	78	80	6.2	6.0	5.9	104	27	23	9	0	0	0	14	9	4	5	0	0	13	5	4	3	0	0	0	0	5	2	13	4	21	3
IV	84	63	67	74	5.4	5.2	5.2	94	17	15	0	0	0	0	15	11	5	4	0	0	15	2	2	0	0	2	0	0	2	0	24	3	14	0
V	80	59	61	70	5.1	4.5	4.2	46	11	7	0	0	0	2	12	8	1	2	0	0	12	1	1	0	0	0	0	0	0	0	27	6	11	0
VI	87	74	74	81	5.3	5.7	5.8	137	36	12	0	0	0	0	16	13	4	0	0	0	16	0	0	1	0	0	0	0	3	0	23	3	17	0
VII	92	75	81	86	6.3	6.5	6.4	219	39	31	0	0	0	0	25	20	7	1	0	0	25	0	0	2	0	0	0	2	3	0	24	1	23	0
VIII	90	70	72	80	6.3	6.0	5.6	179	38	8	0	0	0	0	21	14	5	1	0	0	21	0	0	1	0	0	0	1	3	0	27	1	13	0
IX	90	81	87	87	6.4	6.7	6.5	349	38	25	0	0	0	0	29	28	14	6	0	0	29	2	2	2	0	1	0	4	3	1	14	0	21	0
X	89	80	80	84	6.6	7.0	6.5	332	36	31	0	0	0	0	28	24	16	5	0	0	28	0	0	0	0	2	0	4	2	0	12	0	22	0
XI	73	71	73	73	6.2	6.9	6.5	158	21	20	1	0	0	0	24	17	7	8	2	0	24	4	4	4	0	4	0	0	1	3	10	1	18	1
XII	84	85	86	85	6.5	7.2	6.4	245	29	19	5	0	0	0	28	22	9	7	0	0	26	11	9	1	0	5	0	1	4	2	8	0	22	7
1954	83	72	74	78	5.8	6.2	5.8	2111	39		52	8	0	2	239	189	82	56	3	0	227	42	30	17	0	17	0	13	32	8	208	28	210	26

1954

Syfteland

φ = 60° 14'N λ = 5° 27'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.0	0.1	- 1.9	- 1.4		- 4.5	7.6	2	-14.7	31	15 3.1	10 1.4	16 1.4	1 1.0	2 1.5	7 2.9	5 2.8	13 2.2	6 1.5	1 1.0	1 1.0	8 1.4	8
II			- 2.4	0.5	- 1.0	- 1.3		- 5.2	5.0	23	-14.8	1	6 1.2	13 2.0	12 2.3	1 2.0	5 1.6	20 3.4	3 3.3	12 2.3	1 2.0	3 1.0	1 1.0	3 1.3	4
III			0.5	4.3	2.4	2.0		- 1.4	11.0	23	- 9.7	3	7 2.0	13 2.0	9 2.0	3 1.7	4 4.0	11 2.0	11 2.4	15 2.1	6 1.5	0 -	2 1.5	8 1.8	4
IV			3.4	7.3	5.5	4.4		0.1	11.1	24	- 4.6	7	7 2.4	14 2.4	5 1.4	1 3.0	4 1.8	13 2.2	8 2.2	15 3.1	4 2.2	3 1.7	4 3.5	12 2.7	0
V			12.5	16.0	14.0	12.4		6.2	25.0	27	- 0.7	9	7 2.7	8 1.8	8 2.2	3 3.0	4 1.5	11 1.9	7 2.3	15 2.5	4 2.8	4 2.5	2 2.0	19 2.7	1
VI			13.1	14.6	13.3	12.3		7.7	20.7	5	3.7	30	9 2.9	11 2.3	3 2.3	1 1.0	1 1.0	8 1.8	15 2.1	15 2.3	9 2.2	5 1.4	1 2.0	11 2.4	1
VII			13.7	15.9	14.1	13.5		9.9	25.6	12	4.4	24	15 2.8	9 2.3	4 2.2	2 2.0	0 -	8 1.8	15 2.5	18 2.2	11 2.5	2 2.0	1 3.0	8 2.1	0
VIII			13.7	17.2	15.4	14.3		9.7	24.5	24	5.5	2	10 2.0	9 1.3	7 1.6	0 -	3 1.3	6 1.8	6 2.3	23 1.9	7 2.0	1 2.0	6 1.7	13 1.7	2
IX			8.9	11.9	10.0	9.8		6.7	16.7	2	0.3	28	4 1.2	8 1.6	6 2.0	1 3.0	1 3.0	18 2.8	9 2.8	22 2.2	7 1.6	1 1.0	3 1.7	9 1.2	1
X			5.8	8.7	7.0	6.9		3.7	18.1	4	- 3.3	17	6 2.0	11 2.2	8 1.8	2 1.5	1 1.0	17 2.5	8 3.2	16 3.1	10 2.3	2 1.0	2 1.0	6 1.5	4
XI			4.2	6.0	4.8	4.8		2.0	12.3	30	- 4.6	16	3 2.7	11 1.5	12 2.9	4 5.0	3 2.7	27 3.4	6 2.0	8 2.1	6 2.0	0 -	2 1.0	3 2.3	5
XII			2.9	3.1	2.3	2.7		- 0.1	9.5	1	- 9.6	24	4 2.0	14 1.4	11 2.2	3 2.7	2 1.5	9 2.3	12 2.9	14 2.9	7 2.0	2 1.0	1 1.0	4 1.2	10
1954			6.2	8.8	7.2	6.7		2.9	25.6		-14.8		93 2.4	131 1.9	101 2.0	22 2.7	30 2.0	155 2.6	105 2.5	186 2.4	78 2.1	24 1.5	26 1.8	104 2.0	40

Hellisøy Fyr

φ = 60° 45'N λ = 4° 43'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.2	2.7	2.2	2.3	4.1	0.4	9.1	2	- 6.9	31	14 3.9	5 1.8	2 1.5	8 1.8	16 2.6	16 4.4	9 4.6	2 2.5	6 3.0	5 2.6	2 3.5	8 4.4	0
II			0.4	1.3	1.2	0.9	2.4	- 0.7	6.0	23	- 6.2	1	0 -	0 -	0 -	16 2.2	26 3.2	33 5.1	9 4.4	0 -	0 -	0 -	0 -	0 -	0
III			2.1	3.4	3.1	2.8	4.4	1.2	6.9	10	- 1.4	3	7 3.3	0 -	4 2.0	10 2.0	14 2.6	22 3.4	17 3.2	2 3.0	2 1.5	2 1.0	0 -	7 1.9	6
IV			3.9	6.0	5.3	4.9	6.6	3.1	8.7	25	0.9	7	33 3.1	2 1.5	0 -	0 -	2 1.5	12 4.2	9 2.7	2 3.5	7 2.7	4 2.8	5 2.2	10 2.7	4
V			9.4	11.6	11.1	10.3	13.4	8.3	20.6	28	2.5	1	27 4.1	3 1.3	1 2.0	8 2.0	9 1.6	4 1.5	15 2.8	2 1.5	1 1.0	3 1.0	4 1.0	10 2.0	6
VI			10.6	11.9	11.5	11.0	12.8	9.5	15.5	18	6.2	13	21 4.0	0 -	1 2.0	4 1.0	2 2.0	13 3.2	15 3.1	6 1.7	6 1.7	5 1.8	2 2.5	13 2.5	2
VII			12.2	13.9	13.2	12.8	14.5	11.3	19.7	27	9.2	3	23 3.7	0 -	1 2.0	3 1.3	5 2.6	9 2.1	16 3.1	7 1.7	9 2.0	0 -	1 1.0	12 2.2	7
VIII			13.6	15.9	15.5	14.7	17.1	12.8	21.5	23	9.5	2	14 2.1	3 1.0	3 1.0	4 1.0	2 1.0	7 2.0	7 2.7	8 1.6	8 2.5	4 1.5	1 3.0	29 2.2	3
IX			10.9	11.8	11.1	11.1	12.7	9.4	16.6	2	3.8	27	7 2.6	0 -	1 1.0	1 1.0	7 3.0	19 3.5	14 3.5	8 3.9	10 3.2	6 3.0	5 3.4	10 2.7	2
X			8.1	8.9	8.7	8.5	10.3	6.6	15.2	4	2.0	17	1 1.0	8 1.6	2 2.5	8 2.0	4 2.0	16 3.6	9 4.2	4 3.8	17 4.2	7 3.7	2 2.0	10 3.4	5
XI			6.4	6.8	6.5	6.5	7.8	4.9	11.0	28	1.9	16	6 3.2	0 -	1 1.0	10 2.9	23 3.7	28 4.8	2 4.0	1 4.0	7 3.3	2 2.5	2 4.0	8 4.2	0
XII			5.1	5.1	5.0	5.1	6.4	3.5	11.2	1	- 0.5	23	3 1.7	2 1.5	1 1.0	10 2.7	8 2.5	21 4.3	7 4.4	1 5.0	16 3.8	8 3.8	6 3.2	9 3.7	1
1954			7.1	8.3	7.9	7.6	9.4	5.9	21.5		- 6.9		156 3.4	23 1.5	17 1.6	82 2.1	118 2.8	200 4.0	129 3.4	43 2.6	89 3.1	46 2.7	30 2.6	126 2.8	36

Modalen

φ = 60° 50'N λ = 5° 56'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.0	- 3.1	- 4.0	- 3.8		- 6.3	6.3	2	-18.3	31	1 1.0	4 1.8	10 2.1	39 2.0	0 -	0 -	0 -	0 -	2 1.5	28 2.2	4 3.2	0 -	5
II			- 4.2	- 2.3	- 2.7	- 3.4		- 5.9	2.3	23	-18.1	1	0 -	0 -	9 2.4	58 2.5	1 3.0	0 -	0 -	0 -	0 -	12 2.2	4 3.8	0 -	0
III			- 0.4	2.8	1.9	1.1		- 1.5	6.2	7	- 9.5	3	1 4.0	3 1.3	0 -	59 2.3	1 1.0	0 -	0 -	0 -	0 -	27 2.2	1 2.0	0 -	1
IV			1.2	5.8	4.8	3.4		0.2	8.6	9	- 3.1	7	0 -	1 3.0	2 2.0	56 2.2	0 -	0 -	0 -	0 -	0 -	30 2.2	1 3.0	0 -	0
V			8.4	14.7	14.1	11.2		5.8	24.4	29	0.9	1	1 1.0	0 -	3 3.0	71 2.4	1 3.0	0 -	0 -	0 -	0 -	16 2.6	1 4.0	0 -	0
VI			9.7	15.3	14.1	11.9		7.2	22.8	6	1.5	14	0 -	3 2.7	0 -	29 2.3	2 1.5	3 2.0	1 2.0	1 3.0	0 -	47 2.5	3 3.3	0 -	1
VII			11.6	16.3	15.0	13.5		10.1	26.3	11	6.1	24	1 2.0	1 3.0	2 4.0	29 2.2	0 -	4 2.0	2 1.5	3 2.7	0 -	42 3.1	2 3.5	6 2.8	1
VIII			11.7	16.4	15.5	13.9		10.2	24.1	24	7.7	2	0 -	0 -	5 2.2	34 2.2	1 5.0	1 3.0	0 -	4 2.5	0 -	47 2.4	1 1.0	0 -	0
IX			7.6	11.0	9.2	8.9	12.3	6.4	19.8	6	0.4	27	0 -	2 3.5	3 3.3	33 1.5	3 1.0	0 -	2 2.5	0 -	0 -	47 2.6	0 -	0 -	0
X			4.9	7.4	6.4	5.9	9.0	3.0	18.4	4	- 2.2	20	0 -	2 3.0	6 3.0	43 1.9	3 3.3	1 5.0	0 -	0 -	0 -	37 2.8	0 -	1 3.0	0
XI			2.9	3.7	3.2	3.2	5.2	0.9	10.6	30	- 6.3	16	0 -	6 3.5	5 3.8	52 2.2	2 1.5	0 -	0 -	0 -	0 -	23 2.3	0 -	0 -	2
XII			2.2	2.4	2.0	2.1	4.5	- 0.3	10.6	3	- 8.9	24	0 -	2 4.0	5 2.4	41 1.9	1 2.0	0 -	0 -	0 -	0 -	36 2.6	4 1.8	0 -	4
1954			4.3	7.5	6.6	5.7		2.5	26.3		-18.3		4 2.0	24 2.8	50 2.7	544 2.2	15 2.2	9 2.4	5 2.0	8 2.6	2 1.5	392 2.5	21 3.0	7 2.9	14

Takle

φ = 61° 2'N λ = 5° 20'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.9	1.2	0.7	0.8		- 1.3	9.6	2	- 8.9	31	3 4.3	2 6.5	16 3.8	11 3.5	2 6.0	11 3.5	8 2.4	4 6.0	19 2.4	1 1.0	0 -	12 4.2	4
II			- 0.8	0.5	- 0.2	- 0.4		- 2.3	5.8	23	- 7.5	1	0 -	0 -	10 3.8	29 3.4	8 3.9	21 3.9	15 4.1	0 -	1 6.0	0 -	0 -	0 -	0
III			2.0	3.7	3.0	2.7		0.7	7.8	22	- 3.2	3	2 1.0	3 3.3	6 2.8	15 3.1	2 2.0	17 4.1	7 3.3	1 3.0	17 2.3	1 2.0	0 -	10 2.7	12
IV			3.4	6.0	5.7	4.6		1.7	8.2	19	- 0.5	30	8 3.2	2 5.0	19 2.7	12 3.3	0 -	5 2.6	6 5.2	3 3.7	7 2.7	4 5.2	2 3.5	14 3.4	8
V			10.1	13.0	13.3	11.4		7.7	21.3	29	2.0	1	25 3.4	2 2.5	8 1.9	16 2.2	6 3.3	5 2.6	4 2.5	3 2.7	1 5.0	0 -	0 -	4 3.5	19
VI			11.4	13.8	12.8	11.9		8.4	17.8	18	3.7	14	29 3.4	0 -	6 2.8	3 1.3	1 4.0	6 3.8	10 3.5	6 3.3	2 3.5	2 4.0	0 -	11 3.3	14
VII			13.3	15.8	14.8	13.9		10.8	23.0	11	7.0	24	13 3.2	0 -	10 2.4	4 3.8	0 -	4 2.8	2 2.5	2 2.5	15 3.7	0 -	0 -	27 3.2	16
VIII			13.5	16.0	15.4	14.5		11.3	21.1	24	8.1	2	1 3.0	0 -	17 2.5	4 2.2	2 3.0	3 2.0	6 4.0	4 1.8	15 2.4	0 -	0 -	27 2.8	14
IX			9.7	11.9	10.3	10.3		7.6	18.1	2	1.2	27	0 -	1 2.0	9 3.6	9 1.9	3 3.0	13 4.4	12 3.5	6 2.8	22 3.4	3 3.0	0 -	8 3.6	4
X			6.9	8.6	7.9	7.6		5.0	17.3	4	0.5	17	0 -	1 2.0	18 3.9	5 3.8	6 4.5	8 3.2	12 3.1	6 3.2	17 3.5	4 3.2	0 -	13 3.7	3
XI			5.3	5.8	5.3	5.4		3.3	11.4	30	- 0.7	16	1 3.0	0 -	2 4.5	12 3.8	13 4.6	24 4.3	13 3.2	8 2.2	9 2.2	2 3.0	0 -	4 5.0	2
XII			4.1	4.1	4.0	4.0		1.8	10.4	2	- 5.0	24	0 -	0 -	14 3.9	15 2.9	3 5.0	6 3.3	13 3.5	12 3.4	17 4.8	1 5.0	0 -	7 4.1	5
1954			6.6	8.4	7.8	7.2		4.6	23.0		- 8.9		82 3.3	11 3.8	135 3.2	135 3.1	46 4.1	123 3.8	108 3.5	55 3.1	142 3.2	18 3.6	2 3.5	137 3.4	101

Vangsnes

φ = 61° 10'N λ = 6° 39'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.6	- 0.3	- 0.6	- 0.6	1.2	- 2.2	8.8	2	-10.0	31	4 3.8	0 -	0 -	47 3.3	0 -	4 3.8	0 -	0 -	1 1.0	12 3.3	0 -	8 2.9	17
II			- 2.4	- 1.1	- 1.6	- 1.8	- 0.6	- 3.5	5.0	23	- 8.5	1	0 -	0 -	0 -	59 3.9	0 -	19 5.5	0 -	0 -	0 -	4 3.2	0 -	0 -	2
III			1.8	3.6	3.0	2.6	4.6	0.9	9.5	22	- 4.4	3	0 -	0 -	0 -	40 3.0	0 -	18 3.7	0 -	0 -	2 5.0	12 3.1	0 -	1 3.0	20
IV			3.7	6.1	5.4	4.6	7.5	2.0	10.4	23	- 0.9	7	5 2.6	0 -	0 -	19 2.1	0 -	4 3.8	0 -	0 -	0 -	33 2.9	0 -	6 2.5	23
V			10.2	13.8	14.0	11.9	15.8	8.5	24.0	29	2.2	1	3 2.7	0 -	0 -	18 2.7	0 -	12 3.6	0 -	0 -	0 -	25 3.0	0 -	2 3.5	33
VI			12.3	14.8	14.4	13.0	16.4	10.0	23.0	6	6.0	13	3 4.3	0 -	0 -	2 2.5	0 -	10 2.5	0 -	0 -	2 3.5	37 3.5	0 -	6 4.2	30
VII			13.9	16.7	15.9	14.8	18.6	12.2	26.5	12	9.6	8	0 -	0 -	0 -	4 2.8	0 -	14 3.1	0 -	0 -	10 4.2	35 3.5	0 -	1 3.0	29
VIII			14.0	16.6	15.4	14.8	18.1	12.2	22.0	24	9.8	18	0 -	0 -	0 -	5 2.6	0 -	16 3.4	0 -	0 -	0 -	44 3.6	0 -	0 -	28
IX			9.1	11.3	10.1	9.9	12.0	7.9	15.0	5	2.2	27	0 -	0 -	0 -	2 4.5	0 -	29 3.5	0 -	0 -	0 -	28 3.4	0 -	6 2.5	25
X			5.8	6.9	6.5	6.2	8.3	4.4	15.4	4	- 0.2	17	0 -	0 -	0 -	16 3.6	0 -	31 3.5	0 -	0 -	0 -	29 3.3	0 -	3 3.7	14
XI			4.1	4.4	4.2	4.1	5.5	2.5	11.5	28	- 2.3	16	0 -	0 -	0 -	21 2.4	0 -	45 4.4	0 -	0 -	0 -	9 3.1	0 -	1 2.0	14
XII			3.1	3.7	3.2	3.2	5.0	1.6	10.4	1	- 4.4	24	0 -	0 -	0 -	35 2.9	0 -	17 3.2	0 -	0 -	0 -	20 4.1	0 -	2 4.0	19
1954			6.2	8.0	7.5	6.9	9.4	4.7	26.5		-10.0		15 3.3	0 -	0 -	268 3.1	0 -	219 3.8	0 -	0 -	15 4.0	288 3.4	0 -	36 3.1	254

Årsoversikter

Annual Summaries)

1954

Syfteland

H_s = 55 H_b = h_t = 2.0 h_a = h_d = 6.8 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	74	78	79	4.8	4.9	4.6	252	40	2	22		4		18	15	10	3	0	0	14	10	2	1	0	2	0	0	17	1	17	7	15	6
II	67	58	58	62	5.6	5.3	5.0	61	16	23	20		10		9	9	3	5	0	0	5	6	2	2	0	1	0	0	17	0	13	2	13	10
III	84	69	78	79	5.5	6.1	6.2	111	26	23	19		0		17	10	5	3	1	0	14	9	2	4	0	1	0	0	20	5	17	3	16	4
IV	79	58	64	71	4.9	5.1	4.7	122	26	15	12		0		15	11	6	1	0	0	14	7	6	4	0	3	0	0	19	0	19	5	12	0
V	66	54	57	63	4.5	4.2	3.3	40	9	2	1		0		11	8	0	1	0	0	11	1	0	1	0	0	0	0	12	0	26	10	10	0
VI	76	68	73	76	5.4	5.3	5.1	189	62	19	0		0		16	13	4	0	0	0	16	0	0	3	0	0	0	0	10	9	22	6	14	0
VII	82	71	79	82	6.2	6.1	6.4	188	36	30	0		0		22	17	7	0	0	0	22	0	0	8	0	0	0	2	22	2	20	0	19	0
VIII	85	64	73	79	5.8	6.0	5.5	193	50	8	0		0		21	14	5	0	0	0	21	0	0	0	0	0	0	1	19	0	28	1	12	0
IX	90	77	86	86	6.2	6.8	6.2	348	37	17	0		0		29	27	14	3	0	0	29	0	0	0	0	2	0	2	29	0	20	0	20	0
X	89	77	83	85	6.4	7.2	6.3	410	51	30	5		0		28	23	17	6	0	0	28	0	0	0	0	2	0	2	29	1	12	0	18	0
XI	77	71	76	76	6.5	6.5	7.1	167	26	14	10		0		23	19	7	12	1	0	22	3	2	2	0	0	0	0	25	3	13	0	19	0
XII	86	86	89	87	7.1	7.1	6.5	315	35	28	14		0		31	26	14	4	0	0	27	12	4	4	0	4	0	1	30	1	5	0	25	14
1954	80	69	74	77	5.7	5.9	5.6	2396	62		103		14		240	192	92	38	2	0	223	48	16	29	0	15	0	8	249	22	212	34	191	34

Hellisøy Fyr

H_s = 20 H_b = h_t = 1.8 h_a = 12.5 h_d = 12.5 h_r = 1.2

Måned	U_m 7	13	19	Dies	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	76	75	76	76	5.8	5.8	4.9	135	20	20	11	4	0	0	20	16	5	14	3	1	17	13	11	5	0	8	0	0	10	0	20	4	15	5
II	69	67	67	68	5.9	6.6	6.3	34	9	3	17	3	0	0	11	7	0	13	1	0	9	7	5	4	0	0	0	0	7	0	18	1	17	0
III	80	77	81	80	5.8	6.2	6.3	83	17	23	4	0	0	0	19	12	4	8	1	0	18	7	6	9	0	1	0	0	9	3	22	3	16	1
IV	79	71	77	77	5.5	4.8	5.9	53	9	15	0	0	0	0	15	10	0	6	1	0	15	0	0	7	0	2	0	0	6	1	27	3	13	0
V	78	68	71	74	5.5	4.6	5.0	42	8	2	0	0	0	0	11	9	0	3	0	0	11	0	0	1	0	0	0	0	1	4	30	4	13	0
VI	81	76	78	79	5.9	6.1	5.8	57	8	12	0	0	0	0	17	15	0	4	0	0	17	0	0	6	0	1	0	1	7	2	26	1	16	0
VII	85	75	78	81	6.0	6.0	6.3	111	19	30	0	0	0	0	20	18	2	4	0	0	20	0	0	7	0	0	0	2	3	1	28	2	19	0
VIII	78	65	69	72	5.6	5.4	5.3	78	23	8	0	0	0	0	14	12	2	2	0	0	14	0	0	4	0	0	0	0	0	1	29	1	10	0
IX	78	75	76	77	6.7	7.2	6.3	201	33	18	0	0	0	0	28	26	6	11	1	0	28	0	0	5	0	3	0	2	4	0	27	0	18	0
X	80	76	73	76	6.5	6.9	6.6	224	32	7	0	0	0	0	27	25	8	15	1	0	27	1	1	2	0	3	0	0	4	0	23	0	17	0
XI	72	70	73	72	6.2	6.9	6.4	113	15	17	0	0	0	0	21	18	5	18	2	0	21	0	0	4	0	2	0	0	0	1	16	1	17	0
XII	79	78	78	78	6.5	7.1	6.3	145	17	3	3	0	0	0	29	24	4	18	1	0	29	9	9	6	0	4	0	0	10	1	10	0	18	0
1954	78	73	75	76	6.0	6.1	6.0	1276	33		35	7	0	0	231	192	36	116	11	1	226	37	32	60	0	24	0	5	61	14	276	20	189	6

Modalen

H_s = 104 H_b = h_t = 2.0 h_a = h_d = h_r = 1.1

Måned	U_m 7	13	19	Dies	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	79	81	81	4.7	4.7	4.5	207	26	9	25		9		18	15	10	1	0	0	8	15	4	3	0	0	0	0	16	0	0	9	13	31
II	67	62	62	64	4.8	5.2	5.1	58	12	24	24		5		11	8	1	0	0	0	4	11	4	0	0	0	0	0	13	1	7	5	13	28
III	82	69	73	76	6.1	5.7	5.1	167	38	27	22		0		17	11	5	1	0	0	11	10	3	4	0	0	0	0	19	2	9	5	17	31
IV	82	60	64	71	5.2	4.5	5.0	165	56	5	10		0		14	11	6	0	0	0	14	4	3	9	0	0	0	0	13	0	13	3	12	18
V	80	53	54	66	4.7	4.3	4.1	44	8	2	0		0		17	12	0	0	0	0	17	1	1	0	0	0	0	0	8	0	21	8	12	0
VI	88	64	68	78	5.4	5.8	5.7	155	34	19	0		0		16	15	4	2	1	1	16	0	0	3	0	1	0	0	13	0	17	6	19	0
VII	92	66	74	83	5.8	6.1	6.4	163	19	22	0		0		25	21	5	1	0	0	25	0	0	4	0	0	0	3	10	2	16	0	18	0
VIII	90	64	74	80	5.7	5.7	5.4	164	37	4	0		0		20	15	6	1	0	0	19	0	0	8	0	0	0	0	12	0	16	1	12	0
IX	93	76	87	87	6.8	6.7	6.8	352	36	29	0	0	0	0	28	27	15	2	0	0	28	2	2	4	0	0	0	0	23	0	8	1	22	0
X	87	74	80	82	6.5	6.7	6.1	473	69	13	5	0	0	0	24	21	14	3	0	0	23	1	0	3	0	0	0	0	17	0	3	0	19	1
XI	78	75	79	78	6.4	6.6	6.9	184	36	5	9	1	0	0	18	16	8	4	0	0	17	7	4	4	0	2	0	0	12	2	0	1	21	13
XII	83	84	84	84	6.8	7.5	6.8	434	68	19	16	3	0	0	26	24	16	3	0	0	21	13	6	4	1	2	0	1	25	0	0	1	24	16
1954	84	69	73	78	5.7	5.8	5.7	2566	69		111		14		234	196	90	18	1	1	203	64	27	46	1	5	0	4	181	7	110	40	202	138

Takle

H_s = 36 H_b = h_t = 2.1 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	74	73	73	73	5.3	5.5	4.5	218	30	6	22		0		18	14	10	12	5	1	15	6	2	1	0	0	0	0	10	0	4	5	16	6
II	64	62	63	63	4.8	6.0	5.6	88	34	24	19		0		13	10	3	7	2	0	8	8	2	0	0	0	0	0	6	0	5	3	14	10
III	79	76	77	78	5.8	6.0	6.0	169	44	22	10		0		16	12	6	6	1	0	16	6	4	1	0	0	0	0	11	0	10	4	18	0
IV	79	71	70	74	5.0	4.9	5.8	172	87	5	4		0		20	14	5	4	1	1	20	4	4	0	0	0	0	0	8	0	19	1	10	0
V	79	69	66	72	4.5	4.2	4.2	51	18	8	0		0		14	8	1	2	0	0	14	0	0	0	0	0	0	0	6	0	22	11	10	0
VI	83	76	78	80	5.3	5.8	5.4	156	39	12	0		0		18	15	5	2	0	0	18	0	0	2	0	0	0	1	10	1	14	4	14	0
VII	85	75	79	82	5.8	5.8	6.0	174	29	22	0		0		22	20	8	2	0	0	22	0	0	1	0	0	0	5	8	0	17	1	16	0
VIII	85	76	77	81	5.6	5.6	5.2	161	23	31	0		0		16	13	7	0	0	0	16	0	0	2	0	0	0	0	5	0	23	2	11	0
IX	85	78	84	84	6.6	6.8	6.7	422	59	29	0		0		27	26	13	10	0	0	27	2	2	1	0	0	0	0	14	0	6	0	22	0
X	83	77	79	80	6.3	6.6	6.0	440	60	13	0		0		27	20	14	11	3	0	27	0	0	0	0	0	0	0	14	0	7	0	17	0
XI	73	72	74	73	6.4	6.1	6.3	178	24	5	2		0		22	17	8	10	8	2	22	3	3	0	0	0	0	0	9	0	4	1	15	0
XII	80	81	82	81	6.7	6.6	6.8	460	85	19	6		0		24	23	14	13	1	1	22	6	4	0	0	0	0	1	12	0	0	0	21	7
1954	79	74	75	77	5.7	5.8	5.7	2689	87		63		0		237	192	94	79	21	5	227	35	21	8	0	0	0	7	113	1	131	32	184	23

Vangsnes

H_s = 53 H_b = h_t = 2.0 h_a = h_d = 5.7 h_r = 1.8

Måned	U_m 7	13	19	Dies	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	75	75	72	74	4.1	4.6	4.0	83	18	20	24	10	0	0	15	15	2	1	0	0	7	10	0	0	0	0	0	0	8	0	13	10	11	19
II	67	64	62	64	4.5	4.9	4.6	12	3	18	25	17	0	0	6	5	0	5	1	0	0	6	0	0	0	0	0	0	2	0	9	6	10	28
III	75	72	71	73	5.5	5.4	4.8	37	10	24	9	1	0	0	6	5	1	2	0	0	5	2	1	1	0	0	0	0	2	0	9	3	16	7
IV	74	65	66	70	4.4	4.3	5.1	57	19	5	1	0	0	0	9	9	3	2	0	0	9	3	3	0	0	0	0	0	4	0	17	2	9	0
V	76	66	62	69	4.5	3.9	4.0	24	6	23	0	0	0	0	8	8	0	1	0	0	8	0	0	2	0	0	0	0	1	1	21	10	11	0
VI	82	74	72	77	4.8	5.6	5.5	80	16	12	0	0	0	0	15	14	3	0	0	0	15	0	0	0	0	0	0	0	4	0	17	4	17	0
VII	84	74	74	79	5.6	5.7	5.8	73	16	28	0	0	0	0	19	13	2	0	0	0	19	0	0	2	0	0	0	0	6	0	17	0	13	0
VIII	84	74	76	80	4.9	4.9	5.5	74	16	30	0	0	0	0	14	13	2	0	0	0	14	0	0	0	0	0	0	0	3	0	21	2	9	0
IX	87	81	81	84	6.3	6.1	6.5	129	22	14	0	0	0	0	26	25	3	1	0	0	26	0	0	0	0	0	0	0	7	0	6	0	20	0
X	83	80	80	81	6.5	6.7	6.4	228	35	14	1	0	0	0	19	19	9	4	1	0	19	1	1	0	0	0	0	0	14	0	12	0	20	0
XI	75	74	75	75	6.3	6.8	6.9	40	9	12	3	0	0	0	9	7	0	6	2	0	8	3	2	0	0	0	0	0	4	0	1	1	21	4
XII	79	80	80	80	7.0	7.4	7.1	117	32	19	8	3	0	0	20	16	3	3	0	0	16	7	2	1	0	0	0	0	7	0	0	0	23	12
1954	78	73	73	76	5.4	5.5	5.5	954	35		71	31	0	0	166	149	28	25	4	0	146	32	9	6	0	0	0	0	62	1	143	38	180	70

1954

Fjærland (Skarestad)

φ = 61° 25′N λ = 6° 47′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.9	- 4.4	- 5.2	- 4.9	- 2.0	- 7.5	7.4	2	-21.6	31	1 1.0	0 -	5 1.6	1 2.0	3 2.3	1 1.0	0 -	0 -	3 2.0	3 3.3	3 3.7	9 1.7	64
II			- 6.9	- 3.7	- 4.8	- 5.4	- 1.9	- 9.0	6.4	23	-21.8	1	0 -	0 -	2 1.5	7 1.7	10 3.3	14 2.7	1 6.0	4 3.8	0 -	0 -	1 6.0	1 2.0	44
III			- 1.3	3.5	1.2	0.8	4.9	- 3.0	8.5	16	-14.7	3	0 -	0 -	8 1.1	1 1.0	5 1.8	11 2.2	2 1.5	4 1.5	0 -	1 2.0	4 1.2	5 2.8	52
IV			1.1	6.8	5.2	4.0	7.9	0.0	11.0	23	- 4.8	8	5 1.8	1 1.0	8 1.5	5 1.2	3 1.3	5 1.6	1 1.0	1 1.0	3 2.7	6 2.3	7 1.9	13 2.1	32
V			8.3	15.3	14.3	11.6	17.1	5.9	26.0	29	0.8	19	1 1.0	0 -	2 1.0	7 1.4	5 1.6	8 1.2	6 1.8	4 1.2	1 2.0	7 1.6	6 1.8	3 1.7	43
VI			10.4	15.7	14.8	12.7	17.5	7.7	24.5	6	1.5	14	1 3.0	0 -	3 1.3	5 1.2	4 1.2	8 1.5	7 1.4	3 1.7	7 1.1	6 1.0	9 1.8	5 3.4	32
VII			12.6	17.5	16.6	14.9	19.2	11.2	28.4	12	6.8	9	1 1.0	1 1.0	3 1.0	7 1.4	5 1.0	6 1.7	6 1.5	4 1.8	5 2.0	2 2.5	8 1.6	4 2.0	41
VIII			11.1	17.4	15.4	14.0	19.0	10.0	24.5	24	6.2	21	0 -	1 1.0	7 1.0	2 1.0	3 1.3	5 1.4	3 1.3	8 1.5	4 2.5	4 1.5	4 1.5	2 1.5	50
IX			7.3	10.9	9.4	8.9	12.2	6.2	15.6	3	1.9	27	2 1.0	2 1.5	5 1.0	3 1.7	2 1.5	3 1.0	1 1.0	1 1.0	5 1.6	5 1.0	8 1.1	6 1.3	47
X			3.6	6.4	4.8	4.7	7.5	2.1	17.4	4	- 3.6	17	2 1.0	1 1.0	5 1.0	5 1.2	6 1.7	6 2.2	0 -	1 1.0	4 1.2	4 2.0	4 1.2	10 1.1	45
XI			1.7	2.8	2.3	2.2	4.1	0.1	12.0	28	- 9.1	16	1 1.0	1 1.0	4 1.5	9 2.1	6 2.5	13 3.8	0 -	2 1.5	0 -	3 1.3	5 1.0	3 1.3	43
XII			0.8	1.3	1.3	1.0	3.4	- 0.9	10.6	1	-10.5	23	0 -	2 2.0	8 1.5	6 1.3	1 1.0	2 1.5	3 1.3	4 1.8	3 4.3	5 3.2	4 2.8	6 1.3	49
1954			3.6	7.5	6.3	5.4	9.1	1.9	28.4		-21.8		14 1.4	9 1.3	60 1.3	58 1.5	53 2.0	82 2.2	30 1.6	36 1.8	35 2.0	46 1.9	63 1.8	67 1.8	542

Lærdal (Tønjum)

φ = 61° 4′N λ = 7° 31′E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1011.6	1016.3	- 3.1	- 2.5	- 2.9	- 3.0	0.2	- 5.8	10.5	2	-16.1	31	7 5.3	9 2.9	1 1.0	9 1.8	10 1.9	15 3.1	6 2.8	2 1.0	1 1.0	4 2.8	4 4.0	7 3.7	18
II	14.1	18.8	- 4.7	- 3.3	- 3.8	- 4.2	- 1.7	- 6.7	5.3	23	-16.1	1	0 -	0 -	1 1.0	5 3.6	39 4.7	16 4.9	5 3.0	3 1.0	0 -	2 1.0	5 1.2	0 -	8
III	05.1	09.7	0.4	4.3	2.3	2.2	5.2	1.0	12.3	22	-10.3	3	11 3.3	4 1.0	1 1.0	1 1.0	15 4.7	10 4.4	12 2.0	3 1.0	1 1.0	5 1.6	15 2.5	7 3.3	8
IV	13.8	18.3	3.0	7.5	6.4	4.9	8.8	1.4	10.9	23	- 1.7	8	26 4.0	2 3.5	1 1.0	0 -	5 2.8	10 2.1	1 2.0	0 -	2 4.0	10 2.5	14 2.9	10 3.6	9
V	14.0	18.4	9.1	15.6	14.6	12.0	17.5	7.4	25.0	29	2.2	9	9 3.6	3 1.0	0 -	0 -	20 5.2	2 3.5	5 2.0	0 -	1 2.0	11 2.3	11 2.2	9 3.4	22
VI	04.3	08.6	10.8	16.4	15.7	13.2	18.3	8.7	24.5	6	2.8	14	11 4.1	0 -	0 -	1 2.0	4 2.5	5 2.8	0 -	1 2.0	0 -	6 1.5	30 2.4	16 3.1	16
VII	999.5	03.8	13.0	17.9	17.1	15.1	20.1	11.6	26.5	11	8.2	9	8 2.4	2 1.0	1 2.0	0 -	6 3.5	8 3.8	1 3.0	0 -	0 -	9 2.0	25 2.6	11 3.3	22
VIII	1003.0	07.3	12.2	17.6	16.1	14.6	19.6	11.0	23.8	24	7.9	6	4 4.8	6 1.0	0 -	0 -	4 2.0	3 2.3	4 1.5	0 -	0 -	8 2.1	20 3.0	9 3.0	35
IX	997.5	01.9	8.0	11.8	10.0	9.4	13.4	6.5	19.3	10	1.6	28	7 3.4	2 1.5	1 2.0	3 1.3	11 3.9	3 2.3	8 1.9	3 1.3	2 1.5	12 2.2	11 2.5	8 3.6	19
X	1000.3	04.8	4.9	7.1	5.7	5.6	9.1	3.1	17.5	4	- 2.8	17	6 2.8	6 1.7	1 2.0	3 1.0	17 4.1	3 3.3	12 2.3	0 -	0 -	9 2.7	12 3.2	4 3.0	20
XI	06.1	10.6	2.6	3.7	3.0	2.9	5.2	0.6	11.2	28	- 6.7	16	1 3.0	2 1.0	1 1.0	3 3.3	26 5.5	20 3.6	6 2.0	2 1.0	0 -	6 3.0	7 1.6	3 2.3	13
XII	996.2	00.7	2.0	2.6	2.2	2.2	4.8	- 0.3	13.0	3	- 8.0	24	3 3.7	2 1.0	1 5.0	3 2.3	17 3.5	16 3.4	6 2.5	0 -	1 3.0	5 2.6	15 2.9	5 2.0	19
1954	1005.5	1009.9	4.8	8.2	7.2	6.2	10.0	3.2	26.5		-16.1		93 3.7	38 1.7	9 1.8	28 2.2	174 4.3	111 3.5	66 2.2	14 1.1	8 2.2	87 2.3	169 2.6	89 3.2	209

Leikanger

φ = 61° 11′N λ = 6° 52′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.7	- 0.6	- 1.4	- 1.3	1.1	- 3.9	8.7	2	-13.9	31	2 2.0	14 1.9	4 1.8	5 2.0	2 1.0	35 1.5	7 1.3	0 -	0 -	8 1.9	5 2.4	6 2.0	5
II			- 3.5	- 1.4	- 2.7	- 2.7	- 0.5	- 5.3	6.1	23	-12.8	1	0 -	2 2.5	8 2.2	12 2.9	8 1.9	49 1.8	3 1.0	0 -	1 1.0	0 -	0 -	0 -	1
III			1.5	4.5	2.8	2.5	5.4	0.1	10.0	22	- 7.4	3	6 2.0	10 1.8	3 3.0	5 3.0	0 -	39 1.8	6 1.0	2 1.0	2 1.0	7 1.7	2 2.0	8 1.9	3
IV			3.5	7.3	5.9	4.9	8.6	2.0	11.7	23	- 0.8	8	0 -	6 1.5	3 2.3	4 1.2	3 1.0	15 1.3	9 1.0	2 3.5	4 1.2	8 1.9	8 1.5	23 1.7	5
V			10.4	14.7	14.7	12.1	16.8	8.3	24.0	29	2.8	1	0 -	3 3.0	1 3.0	2 3.0	0 -	22 1.4	23 1.3	14 1.1	9 1.2	3 1.3	8 1.8	6 1.8	2
VI			12.2	16.3	15.4	13.4	17.7	9.8	23.9	6	4.5	14	0 -	0 -	0 -	3 1.0	0 -	10 1.4	13 1.2	7 1.3	10 1.3	8 1.5	12 2.3	20 1.8	7
VII			14.4	18.3	16.8	15.5	19.7	12.3	26.7	11	9.5	24	1 2.0	1 3.0	0 -	1 1.0	1 2.0	13 1.3	17 1.4	9 1.1	15 1.2	9 1.3	12 1.4	13 2.1	1
VIII			13.8	18.2	16.2	15.2	20.2	12.1	23.7	23	9.2	18	1 2.0	1 1.0	1 1.0	3 1.0	6 1.0	15 1.4	19 1.1	3 1.7	5 1.8	8 1.4	13 1.5	16 1.8	2
IX			9.0	12.0	10.0	9.8	13.3	7.5	17.7	6	2.6	27	4 1.0	5 1.2	1 1.0	0 -	0 -	14 1.4	26 1.2	4 1.0	4 1.0	3 1.7	12 2.1	13 1.5	4
X			5.5	7.9	6.1	6.2	9.2	3.7	17.8	4	- 0.4	17	8 1.5	4 1.2	0 -	0 -	0 -	30 1.3	23 1.7	2 2.5	3 2.7	9 2.0	9 1.3	3 1.0	2
XI			3.5	4.5	3.8	3.8	5.6	1.9	12.0	28	- 3.4	16	1 2.0	10 1.2	5 2.8	11 2.9	2 2.5	24 2.0	19 1.2	5 1.2	2 2.0	2 1.0	3 2.0	2 1.5	4
XII			2.9	3.2	2.8	2.9	4.8	0.9	10.8	1	- 6.9	24	3 1.0	1 1.0	0 -	3 3.0	4 1.5	45 1.2	8 1.1	2 2.0	6 3.2	2 1.5	8 2.4	9 1.7	2
1954			6.0	8.7	7.5	6.9	10.2	4.1	26.7		-13.9		26 1.6	57 1.7	26 2.3	49 2.4	26 1.5	311 1.5	173 1.2	50 1.3	61 1.5	67 1.6	92 1.8	119 1.7	35

Luster Sanat.

φ = 61° 26′N λ = 7° 25′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.4	- 4.3	- 5.0	- 5.0		- 6.9	2.6	14	-17.5	31	7 1.1	24 1.0	36 1.1	5 1.0	0 -	0 -	0 -	0 -	6 1.2	5 1.2	5 1.0	5 1.0	
II			- 7.5	- 5.8	- 7.1	- 7.1		- 9.6	- 0.5	6	-18.0	1	6 1.3	9 1.0	16 1.1	7 1.0	19 1.4	6 1.3	0 -	3 1.0	2 1.5	3 1.0	6 1.0	7 1.1	
III			- 1.9	0.1	- 1.3	- 1.3		- 3.2	5.2	16	-11.0	3	3 1.3	7 1.1	2 1.0	7 1.0	16 1.1	17 1.2	6 1.2	13 1.1	7 1.0	7 1.3	6 1.2	2 2.0	
IV			0.9	3.6	1.8	1.4		- 1.1	6.4	23	- 4.2	8	0 -	6 1.3	13 1.2	8 1.1	15 1.1	16 1.1	1 1.0	7 1.1	5 1.4	5 1.2	10 1.3	4 1.2	
V			9.6	12.8	10.0	9.7		6.3	21.7	29	- 0.6	1	0 -	1 1.0	5 1.0	9 1.0	15 1.1	17 1.2	17 1.1	14 1.1	9 1.3	5 1.2	1 1.0	0 -	
VI			10.7	13.8	12.0	11.2		7.9	19.5	5	2.1	14	0 -	2 1.0	9 1.2	6 1.2	6 1.2	8 1.2	4 1.2	18 1.1	16 1.1	13 1.0	6 1.2	2 1.0	
VII			12.0	15.0	13.6	12.6		9.8	22.7	12	7.1	3	0 -	3 1.0	3 1.0	6 1.3	6 1.0	21 1.0	9 1.0	17 1.1	14 1.1	8 1.0	5 1.4	1 1.0	
VIII			12.3	14.7	13.2	12.7		10.2	20.3	24	7.3	6	0 -	5 1.0	2 1.0	6 1.0	8 1.0	23 1.0	5 1.0	11 1.2	7 1.4	9 1.1	12 1.1	5 1.0	
IX			7.0	9.1	7.1	7.2		4.8	16.3	5	- 0.3	27	1 2.0	8 1.1	10 1.1	1 1.0	2 1.0	2 1.0	1 1.0	10 1.3	17 1.2	16 1.1	14 1.4	8 1.4	
X			2.4	4.0	2.5	2.8		0.7	14.3	4	- 4.0	20	2 2.0	2 1.0	8 1.0	3 1.0	3 1.0	5 1.2	2 1.0	4 1.2	13 1.2	18 1.2	19 1.2	14 1.4	
XI			- 0.5	0.4	- 0.3	- 0.2		- 2.2	5.5	29	- 8.0	16	1 2.0	9 1.1	14 1.2	7 1.1	4 2.0	6 2.0	3 2.3	7 1.4	7 1.3	8 1.2	16 1.2	8 1.5	
XII			- 1.0	- 0.6	- 1.2	- 1.0		- 3.0	5.4	2	-10.3	25	5 1.0	9 1.2	7 1.1	2 1.0	0 -	0 -	0 -	2 1.0	12 1.1	14 1.3	25 1.3	17 1.1	
1954			3.2	5.2	3.8	3.6		1.1	22.7		-18.0		25 1.3	85 1.1	125 1.1	67 1.1	94 1.2	121 1.2	48 1.2	106 1.2	115 1.2	111 1.2	125 1.2	73 1.2	

Fortun

φ = 61° 30′N λ = 7° 42′E g = 9.820 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1012.7	1016.6	- 6.4	- 5.4	- 6.0	- 6.0	- 3.0	- 8.5	7.6	2	-21.0	31	26 1.2	7 1.0	9 1.7	5 1.2	0 -	8 1.4	4 1.2	3 1.3	1 1.0	3 1.0	3 1.0	24 1.3	
II	14.9	18.8	- 9.4	- 7.0	- 7.2	- 8.2	- 4.5	-11.7	4.8	23	-20.6	13	19 1.2	17 1.3	6 1.0	7 1.7	1 3.0	5 1.2	4 1.2	2 3.0	3 1.3	4 1.5	2 1.0	14 1.2	
III	06.1	09.8	- 2.3	1.5	0.6	- 0.4	4.0	- 3.4	8.5	16	-16.8	3	12 1.3	12 1.4	14 1.2	2 1.0	1 1.0	5 1.2	10 1.1	0 -	10 1.2	5 2.0	6 1.0	14 1.9	
IV	14.7	18.4	1.2	7.2	6.0	4.1	8.6	0.3	11.5	9	- 4.0	8	20 1.6	4 1.2	3 1.3	3 1.7	1 2.0	6 1.7	11 1.5	14 1.9	8 1.8	6 1.2	2 1.5	12 1.5	
V	14.9	18.5	7.0	15.5	14.0	10.9	17.6	5.1	26.2	29	0.7	9	15 1.9	11 1.4	8 1.2	1 1.0	2 2.0	10 1.4	16 1.6	9 1.9	4 1.2	3 1.0	0 -	14 1.0	
VI	05.0	08.6	9.2	16.3	15.4	12.4	18.5	7.4	24.5	6	2.5	14	17 1.1	7 1.3	0 -	1 1.0	0 -	14 1.4	24 1.4	9 1.4	4 2.0	1 1.0	0 -	13 1.2	
VII	00.3	03.8	12.2	17.6	16.9	14.5	19.7	10.3	25.0	11	6.7	24	15 1.1	7 1.3	5 1.6	3 1.3	0 -	13 1.6	16 1.2	6 1.2	3 1.0	6 1.5	1 1.0	18 1.3	
VIII	03.9	07.4	10.8	17.2	15.0	13.5	19.4	9.6	24.0	24	5.8	21	19 1.1	7 1.0	1 1.0	4 1.0	1 1.0	11 1.9	19 1.3	6 1.3	5 1.0	4 1.0	1 1.0	15 1.1	
IX	998.4	02.0	7.4	11.4	9.1	8.8	12.8	6.1	16.7	9	1.6	24	12 1.2	8 1.4	5 1.0	7 1.0	1 1.0	14 1.3	14 1.1	3 2.0	5 1.0	3 1.3	2 1.0	15 1.1	
X	1001.5	05.2	3.3	6.2	4.2	4.3	7.6	1.7	16.4	5	- 4.1	19	12 1.0	7 1.1	4 1.0	4 1.0	1 1.0	11 1.3	15 1.1	10 1.2	5 1.0	5 1.0	4 1.0	13 1.0	
XI	07.3	11.0	0.2	1.6	0.7	0.6	3.5	- 1.9	11.2	28	-10.0	18	17 1.1	8 1.5	5 1.2	4 1.0	2 1.0	11 1.2	9 1.3	3 1.0	3 1.0	4 1.0	1 1.0	20 2.2	
XII	997.1	00.8	- 0.5	0.3	- 0.3	- 0.3	2.3	- 2.6	10.4	2	-11.2	26	10 1.3	8 1.4	6 1.2	7 1.0	2 1.5	9 1.6	5 1.2	9 1.0	7 1.6	11 1.1	5 1.0	13 1.2	
1954	1006.4	1010.1	2.7	6.9	5.7	4.5	8.9	1.0	26.2		-21.0		194 1.3	103 1.3	66 1.3	48 1.2	12 1.5	117 1.4	147 1.3	74 1.5	58 1.3	55 1.2	27 1.0	185 1.4	

Årsoversikter

Annual Summaries)

1954

Fjærland (Skarestad)

H_s = 10 H_b = h_t = 2.0 h_a = h_d = 6.2 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	82	84	84	5.3	5.4	4.9	149	22	20	27	15	11	0	20	18	5	4	0	0	8	18	2	2	0	0	0	0	14	0	14	6	16	31
II	75	66	66	70	5.3	5.4	5.5	30	8	18	27	17	12	0	9	6	0	6	1	0	2	7	0	2	0	0	0	0	12	0	19	4	15	28
III	83	64	74	75	6.2	5.3	5.5	96	26	27	19	1	3	0	17	9	4	1	0	0	11	6	1	4	0	0	0	0	16	0	22	4	19	31
IV	85	55	63	70	5.6	5.3	5.9	91	27	5	12	0	0	0	16	11	4	2	0	0	15	4	1	4	0	0	0	0	13	0	24	2	15	13
V	82	54	51	65	4.7	4.7	4.5	48	12	24	0	0	0	1	14	8	1	0	0	0	14	0	0	3	0	0	0	0	6	1	22	8	14	0
VI	85	62	64	74	5.4	5.7	5.9	102	24	12	0	0	0	0	16	13	3	0	0	0	16	0	0	0	0	0	0	0	12	0	23	3	16	0
VII	87	62	66	74	6.6	6.2	6.3	108	13	14	0	0	0	3	23	18	3	0	0	0	23	0	0	4	0	0	0	2	10	0	23	0	18	0
VIII	92	65	76	80	6.2	5.7	6.0	101	22	15	0	0	0	0	20	13	4	0	0	0	20	0	0	0	0	0	0	0	12	0	24	1	17	0
IX	94	76	84	85	7.1	6.7	6.9	222	35	14	0	0	0	0	28	25	8	0	0	0	28	1	0	2	0	0	0	0	18	0	13	1	21	0
X	91	80	87	87	7.0	7.1	6.9	361	62	13	8	0	0	0	22	18	11	1	0	0	22	5	3	4	0	0	0	0	19	0	9	0	23	0
XI	83	81	83	83	6.9	6.8	7.4	120	25	17	14	1	0	0	23	18	5	4	1	0	22	9	5	4	0	0	0	0	19	0	10	1	24	14
XII	87	88	86	87	7.2	7.4	7.4	291	52	19	16	0	2	0	25	19	10	4	1	1	17	12	2	2	0	0	0	1	23	0	4	0	27	15
1954	86	70	74	78	6.3	6.0	6.1	1719	62		123	34	28	4	233	176	58	22	3	1	198	62	14	31	0	0	0	3	174	1	207	30	225	132

Lærdal (Tønjum)

H_s = 36 H_b = 36.4 h_t = 1.8 h_a = h_d = 10 h_r = 1.7

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	69	67	66	68	4.8	5.2	4.1	15	8	3	28	14	7	0	8	3	0	9	4	3	6	6	3	3	2	0	0	0	1	0	0	8	15	16
II	57	54	53	55	4.8	5.1	5.1	0.1	0.1	4	28	19	7	0	1	0	0	15	7	3	0	1	0	0	0	0	0	0	4	0	0	4	11	4
III	71	58	67	67	5.7	5.5	4.9	5	3	24	17	2	1	0	5	2	0	9	4	1	4	1	0	2	0	0	0	0	7	1	9	5	17	0
IV	68	52	52	59	5.4	4.9	5.0	19	9	5	10	0	0	0	9	4	0	8	2	1	9	2	2	0	3	0	0	0	6	0	16	3	11	0
V	76	52	54	65	4.7	4.6	4.5	23	9	24	0	0	0	0	8	4	0	7	3	1	8	0	0	5	0	0	0	0	11	2	15	5	10	0
VI	84	61	60	73	5.2	5.6	5.7	24	6	8	0	0	0	0	17	7	0	5	0	0	17	0	0	1	0	0	0	1	6	1	8	5	18	0
VII	87	63	64	75	6.7	6.3	6.2	56	19	14	0	0	0	2	22	11	2	4	0	0	22	0	0	1	0	0	0	1	7	1	11	0	15	0
VIII	89	62	68	77	6.0	6.0	5.4	45	9	15	0	0	0	0	16	10	0	0	0	0	16	0	0	2	0	0	0	0	7	1	8	2	14	0
IX	87	75	81	82	6.0	6.6	6.5	34	5	11	0	0	0	0	25	14	0	9	0	0	24	1	1	2	2	0	0	0	6	0	11	0	17	0
X	82	72	82	80	6.4	6.5	6.6	110	33	14	6	0	0	0	20	15	3	15	2	0	20	0	0	1	0	0	0	0	5	0	2	1	18	0
XI	73	68	74	73	6.1	6.5	6.7	13	2	17	11	2	0	0	12	6	0	14	9	1	10	7	1	3	1	0	0	0	2	0	0	0	18	10
XII	79	75	78	78	6.7	6.8	6.9	60	25	19	16	5	0	0	18	8	2	13	5	2	15	7	4	2	0	0	0	0	4	1	0	0	21	11
1954	77	63	67	71	5.7	5.8	5.6	404	33		116	42	15	2	161	84	7	108	36	12	151	25	11	22	8	0	0	2	66	7	80	33	185	41

Leikanger

H_s = 22 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.7	5.0	4.4	67	16	12	25	12	4	0	14	7	2	0	0	0	7	9	1	0	0	0	0	0	1	0	11	8	12	26
II					5.4	5.6	5.0	10	4	18	27	15	3	0	7	4	0	1	0	0	1	7	1	0	0	0	0	0	1	0	12	4	13	28
III					5.5	6.0	5.0	28	8	27	15	1	0	0	9	5	0	0	0	0	7	3	1	0	0	0	0	0	3	0	13	5	14	9
IV					4.5	4.6	4.9	48	12	15	3	0	0	0	10	9	2	1	0	0	10	3	3	0	0	0	0	0	2	0	22	4	11	1
V					4.6	4.5	4.4	32	11	21	0	0	0	0	13	5	1	0	0	0	13	0	0	1	0	0	0	0	3	0	23	6	12	0
VI					5.0	5.7	5.4	69	12	12	0	0	0	0	16	14	2	0	0	0	16	0	0	0	0	0	0	0	4	0	22	5	15	0
VII					5.8	6.1	6.4	68	19	28	0	0	0	3	22	14	1	0	0	0	22	0	0	0	0	0	0	2	2	0	26	0	16	0
VIII					5.1	5.4	5.4	65	14	15	0	0	0	0	20	10	3	0	0	0	20	0	0	1	0	0	0	0	1	0	27	4	12	0
IX					6.6	6.5	6.9	119	22	14	0	0	0	0	28	25	2	0	0	0	27	0	0	0	0	1	0	0	6	0	18	1	22	0
X					6.4	6.7	6.3	219	45	14	2	0	0	0	22	19	8	0	0	0	21	2	1	0	0	0	0	0	3	0	18	0	19	0
XI					6.4	7.1	6.4	46	10	17	6	1	0	0	17	11	1	1	0	0	15	6	3	0	0	0	0	0	2	0	3	1	19	5
XII					6.5	7.3	7.1	138	24	19	11	3	0	0	21	16	6	0	0	0	16	10	2	0	0	0	0	1	4	0	2	0	24	12
1954					5.5	5.9	5.6	909	45		89	32	7	3	199	139	28	3	0	0	175	40	12	2	0	1	0	3	32	0	197	38	189	81

Luster Sanat.

H_s = 503 H_b = h_t = 2.0 h_a = h_d = h_r = 1.9

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	72	74	70	72	4.9	4.6	4.5	85	22	3	28		7		16	13	2	0	0	0	5	11	0	0	0	0	0	0	15	0	15	8	14	31
II	67	66	66	66	4.6	4.9	4.8	18	5	18	28		13		8	6	0	0	0	0	0	8	0	0	0	0	0	0	8	0	11	7	13	28
III	74	72	72	73	5.5	5.4	4.7	73	20	23	27		1		8	7	4	0	0	0	4	5	1	0	0	0	0	0	11	2	22	6	17	31
IV	68	60	62	65	4.8	4.7	4.4	50	32	5	25		0		9	7	1	0	0	0	4	9	4	0	0	0	0	0	8	0	21	4	8	26
V	65	55	58	63	4.5	4.5	4.5	15	4	21	1		0		11	5	0	0	0	0	10	1	0	1	0	0	0	0	8	2	19	11	13	0
VI	76	68	68	73	5.9	5.9	5.6	84	19	12	0		0		16	15	4	0	0	0	15	0	0	0	0	1	0	0	11	2	16	2	18	0
VII	83	69	72	79	6.6	6.3	6.4	109	16	14	0		0		24	19	2	0	0	0	24	0	0	0	0	0	0	2	14	4	19	0	19	0
VIII	83	73	74	79	5.5	5.6	5.5	69	12	17	0		0		17	15	3	0	0	0	17	0	0	2	0	0	0	0	6	9	24	1	13	0
IX	83	77	78	80	7.0	6.7	6.9	125	17	14	1		0		23	20	5	0	0	0	22	1	1	0	0	1	0	0	20	2	11	0	19	0
X	83	81	82	82	6.9	7.0	6.5	296	54	13	10		0		23	19	8	0	0	0	18	10	7	0	0	1	0	0	20	1	7	0	22	0
XI	73	71	72	72	6.5	6.5	6.6	44	10	17	22		0		16	12	1	1	0	0	6	12	2	0	0	1	0	0	16	0	6	0	20	22
XII	83	82	84	83	7.0	7.1	7.0	255	68	19	25		1		21	19	7	0	0	0	12	17	6	0	0	0	0	0	20	3	3	2	26	21
1954	76	71	72	74	5.8	5.8	5.6	1223	63		167		22		192	157	37	1	0	0	157	74	21	3	0	4	0	2	157	25	174	41	202	159

Fortun

H_s = 27 H_b = 29.6 h_t = 2.0 h_a = h_d = 7.0 h_r = 1.3

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	82	82	84	4.6	4.3	4.5	51	14	3	30	20	10	0	16	12	1	1	0	0	4	14	1	2	0	0	0	0	0	0	0	8	13	28
II	82	74	75	78	4.3	4.3	4.2	8	2	24	28	21	16	0	8	3	0	2	0	0	2	8	2	0	0	0	0	0	0	0	4	7	7	28
III	83	70	75	77	5.1	5.3	4.9	25	10	24	23	4	3	0	8	5	0	2	0	0	5	4	0	1	0	1	0	0	0	0	11	6	16	22
IV	81	49	53	65	4.7	4.0	4.8	9	4	5	12	0	0	0	7	3	0	1	0	0	7	1	1	0	0	0	1	0	0	0	20	5	8	0
V	84	49	52	68	4.5	4.3	4.5	14	4	21	0	0	0	2	12	4	0	2	0	0	12	0	0	2	0	0	0	0	0	0	24	8	12	0
VI	90	57	61	76	4.9	5.3	5.4	58	10	10	0	0	0	0	16	13	0	0	0	0	16	0	0	0	0	0	0	1	0	0	20	5	15	0
VII	92	62	68	80	6.2	5.7	5.8	78	16	15	0	0	0	0	25	15	2	1	0	0	25	0	0	0	0	0	0	0	0	0	23	0	16	0
VIII	95	64	79	85	5.5	5.3	5.1	57	13	15	0	0	0	0	21	13	1	0	0	0	21	0	0	0	0	0	0	0	0	0	28	4	12	0
IX	92	71	85	86	6.8	6.4	6.5	87	11	14	0	0	0	0	24	19	1	0	0	0	24	0	0	0	0	0	0	0	0	1	18	1	22	0
X	92	78	86	87	6.8	6.5	5.8	134	30	14	8	0	0	0	23	17	3	3	0	0	22	2	0	0	0	0	0	0	0	0	9	2	21	0
XI	86	81	83	84	6.1	6.2	5.8	30	10	17	19	7	0	0	15	8	0	3	0	0	9	7	0	0	0	1	0	0	0	0	0	2	16	11
XII	88	87	90	88	5.7	6.8	6.6	137	31	19	23	10	3	0	19	14	5	4	0	0	14	8	2	0	0	0	0	0	0	0	0	0	19	17
1954	88	69	74	80	5.4	5.4	5.3	688	31		143	62	32	2	194	126	13	19	0	0	161	44	6	5	0	2	1	1	0	1	157	48	177	106

1954

Fanaråken *)

φ = 61° 31′ N λ = 7° 54′ E g = 9.816 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	778.3	781.6	-12.4	-11.7	-12.1	-12.1	- 9.4	-14.7	- 3.9	2	-22.1	30
II	78.6	82.0	-15.5	-14.9	-15.2	-15.2	-12.5	-17.7	- 6.1	22	-22.7	20
III	75.9	79.3	-10.7	- 9.5	-10.4	-10.1	- 7.9	-12.3	- 1.6	23	-18.8	4
IV	83.2	86.6	- 9.9	- 8.3	- 9.3	- 9.3	- 6.4	-11.7	- 0.6	17	-14.5	26
V	90.3	93.6	- 0.8	- 0.1	- 0.5	- 0.9	1.9	- 3.3	12.5	28	-11.7	1
VI	83.5	86.8	- 0.2	0.6	0.6	0.1	2.7	- 1.9	9.5	6	- 7.8	13
VII	81.3	84.5	1.0	2.5	2.4	1.7	4.4	- 0.3	12.0	13	- 2.9	16
VIII	84.0	87.3	1.0	2.7	2.4	1.8	4.5	- 0.2	10.8	27	- 3.1	29
IX	75.9	79.2	- 3.7	- 2.3	- 2.8	- 3.0	- 0.7	- 5.1	5.6	3	-13.1	27
X	74.9	78.2	- 6.9	- 6.0	- 6.6	- 6.7	- 4.4	- 8.6	2.6	4	-13.0	17
XI	77.6	80.9	- 9.6	- 9.1	- 9.6	- 9.5	- 7.8	-11.1	- 4.8	4	-15.7	24
XII	68.6	72.0	- 9.7	- 9.7	- 9.7	- 9.8	- 7.5	-11.9	- 2.7	17	-16.0	23
1954	779.4	782.7	- 6.4	- 5.5	- 5.9	- 6.1	- 3.6	- 8.2	12.5		-22.7	

Vindfordeling nD.F_m	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	7 5.1	3 3.0	1 3.0	8 3.6	15 4.5	7 4.4	6 4.0	2 5.0	9 5.7	17 6.8	8 5.9	10 4.9	0
II	0 -	0 -	1 4.0	12 4.5	26 5.2	11 4.8	10 4.3	4 3.5	7 4.3	9 5.1	2 4.5	2 3.5	0
III	2 3.0	0 -	2 2.5	14 5.1	8 4.2	11 3.9	5 5.0	7 4.4	17 4.7	12 4.4	10 5.7	3 3.3	2
IV	10 3.3	1 4.0	2 1.5	3 4.7	5 4.4	1 3.0	2 5.0	6 4.5	9 5.0	20 4.4	9 3.4	14 4.4	8
V	7 3.4	1 1.0	4 5.5	18 4.6	14 4.9	14 2.9	2 2.0	3 3.3	7 3.0	6 2.8	3 2.7	5 2.8	9
VI	7 3.1	2 2.5	1 1.0	0 -	3 5.7	16 4.1	11 3.6	8 3.4	13 3.5	15 4.2	7 3.0	7 3.4	0
VII	5 3.4	2 2.0	6 3.0	1 2.0	1 4.0	7 3.9	28 3.5	10 3.2	12 3.2	7 2.7	4 2.2	10 2.7	0
VIII	3 1.7	1 2.0	0 -	12 3.5	10 3.5	14 2.8	4 2.0	2 1.5	15 3.1	10 4.4	4 3.2	18 3.5	0
IX	4 3.2	0 -	1 3.0	0 -	12 4.6	22 4.5	9 3.8	8 3.9	18 4.2	15 5.1	0 -	0 -	1
X	2 4.0	2 2.5	1 1.0	3 6.0	8 4.5	14 5.3	2 3.0	6 4.8	25 5.2	16 5.5	6 3.8	7 3.9	1
XI	3 3.7	1 5.0	2 1.0	1 4.0	11 6.8	25 6.0	2 4.5	6 4.7	11 4.5	13 3.8	10 4.7	5 3.4	0
XII	3 4.3	3 4.0	0 -	1 4.0	2 5.0	20 5.6	6 4.7	4 6.2	13 4.8	14 5.0	18 5.8	9 5.8	0
1954	53 3.5	16 2.9	21 3.0	73 4.4	115 4.9	162 4.5	87 3.8	66 4.1	156 4.3	154 4.7	81 4.6	90 3.9	21

Førde i Sunnfjord

φ = 61° 27′ N λ = 5° 51′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 3.4	- 2.7	- 3.4	- 3.3		- 6.0	7.7	2	-17.0	31
II			- 3.5	- 1.8	- 2.0	- 2.6		- 4.9	5.9	23	-16.0	1
III			- 0.1	3.6	2.7	1.8		- 1.3	6.5	16	-10.1	4
IV			1.6	7.1	6.4	4.0		- 0.3	10.5	9	- 4.1	7
V			9.2	15.7	15.2	11.7		5.6	24.9	29	0.3	19
VI			10.7	15.4	14.6	12.0		7.0	22.9	6	2.7	16
VII			12.7	17.2	16.8	14.4		10.5	25.4	11	6.1	9
VIII			12.1	17.7	16.7	14.4		10.4	23.5	24	6.6	6
IX			8.1	11.9	10.4	9.5		6.4	17.7	6	1.0	27
X			4.6	7.3	6.1	5.7		2.6	18.9	4	- 3.6	17
XI			3.5	4.3	4.0	3.8		1.8	10.7	30	- 7.1	16
XII			1.9	2.1	2.2	2.0		- 0.3	10.7	1	-13.0	24
1954			4.8	8.2	7.5	6.1		2.6	25.4		-17.0	

Vindfordeling nD.F_m	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	0 -	9 2.1	4 1.0	1 4.0	66 1.9	0 -	1 5.0	1 2.0	0 -	0 -	8 3.9	3
II	0 -	0 -	0 -	5 2.8	15 2.9	50 3.3	0 -	0 -	3 4.0	0 -	0 -	1 1.0	10
III	2 3.0	1 2.0	1 1.0	10 2.2	5 4.2	33 1.9	2 1.5	0 -	4 1.2	0 -	0 -	5 1.2	39
IV	1 1.0	1 2.0	8 2.1	3 2.0	4 1.5	35 1.7	0 -	1 1.0	5 1.2	2 1.5	4 1.8	11 2.9	15
V	0 -	1 1.0	7 2.3	4 2.0	9 2.0	20 2.0	0 -	0 -	1 1.0	2 1.5	5 2.2	26 1.8	18
VI	2 2.0	0 -	4 1.5	2 2.0	7 1.9	17 1.5	0 -	1 3.0	4 1.8	3 2.3	0 -	32 2.5	18
VII	0 -	4 1.2	3 1.0	3 1.0	2 2.0	24 1.9	1 1.0	0 -	7 1.7	3 1.3	7 1.7	21 2.0	18
VIII	0 -	1 1.0	1 1.0	3 1.3	6 1.2	25 1.6	0 -	0 -	2 1.5	2 1.5	6 1.5	22 1.6	25
IX	1 1.0	1 2.0	6 1.8	1 1.0	7 2.3	27 1.9	0 -	1 1.0	3 1.3	0 -	5 2.4	12 1.8	26
X	0 -	0 -	1 1.0	3 2.3	9 1.6	40 1.6	0 -	0 -	6 2.0	1 1.0	0 -	7 2.3	26
XI	0 -	0 -	0 -	5 3.0	6 2.8	50 3.1	0 -	0 -	2 3.5	0 -	0 -	2 2.0	25
XII	0 -	0 -	8 1.5	1 1.0	5 1.0	29 2.0	0 -	0 -	6 3.8	4 1.2	1 7.0	3 3.0	36
1954	6 2.0	9 1.4	48 1.8	44 2.0	76 2.2	416 2.1	3 1.3	4 2.5	44 2.1	17 1.5	28 2.1	150 2.2	250

Kinn

φ = 61° 34′ N λ = 4° 48′ E g = 9.821 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I	1013.1	1014.0	2.3	2.2	2.5	2.2	4.3	0.3	9.4	2	- 6.6	31
II	11.9	12.9	0.4	1.5	1.3	1.0	2.6	- 0.8	6.5	23	- 5.8	1
III	06.4	07.3	2.7	4.0	3.4	3.3	5.0	1.6	7.5	7	- 2.0	4
IV	17.1	18.0	3.6	5.9	5.4	4.7	6.9	2.8	8.8	30	- 0.1	7
V	17.0	17.9	10.3	12.6	11.9	11.1	14.2	8.5	22.0	28	2.0	1
VI	08.1	09.0	10.5	11.8	11.5	10.9	13.1	9.0	16.6	9	5.3	14
VII	03.1	04.0	12.9	14.5	13.6	13.3	15.2	11.5	21.8	10	9.5	17
VIII	06.4	07.3	13.7	15.9	15.1	14.6	17.1	12.8	20.8	11	9.9	29
IX	999.3	00.2	10.8	12.0	11.1	11.1	13.0	9.3	17.0	2	2.4	28
X	1001.4	02.4	8.0	9.0	8.5	8.3	10.3	6.3	18.6	4	2.6	18
XI	05.3	06.2	6.2	6.7	6.6	6.4	7.8	4.6	11.6	28	0.8	13
XII	996.9	997.8	4.9	5.0	4.8	4.9	6.3	3.2	11.5	1	- 0.2	26
1954	1007.2	1008.1	7.2	8.4	8.0	7.6	10.5	5.8	22.0		- 6.6	

Vindfordeling nD.F_m	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	7 6.0	9 6.4	8 4.6	12 1.8	8 2.0	19 3.7	16 6.9	2 3.5	6 2.3	3 3.7	0 -	3 4.3	0
II	0 -	0 -	0 -	5 2.4	27 3.2	31 4.9	15 7.2	6 5.7	0 -	0 -	0 -	0 -	0
III	2 2.0	4 2.2	7 4.7	3 1.0	16 2.8	20 3.3	12 4.7	17 4.8	7 1.9	1 2.0	1 1.0	3 2.0	0
IV	9 2.3	8 3.8	18 3.8	1 3.0	4 2.5	9 3.0	12 5.5	8 4.1	9 4.0	3 3.3	4 2.0	5 2.0	0
V	8 2.6	19 4.0	5 3.0	4 1.5	14 1.9	9 1.8	2 1.0	12 3.5	7 1.7	0 -	0 -	11 1.5	2
VI	12 3.2	7 5.4	6 3.7	1 2.0	5 2.0	12 2.8	6 5.3	9 3.4	14 2.2	3 1.3	3 2.3	12 2.1	0
VII	22 3.9	9 4.0	4 3.8	0 -	7 2.4	11 1.5	11 3.5	10 3.8	13 2.4	1 1.0	0 -	5 1.4	0
VIII	13 2.8	16 2.9	13 3.0	1 1.0	5 1.4	4 2.0	2 4.5	9 4.3	16 3.1	3 2.3	0 -	11 2.0	0
IX	2 4.5	3 4.0	4 3.2	3 1.7	13 2.7	14 3.9	11 4.4	12 4.8	18 3.5	5 3.8	2 5.0	3 2.3	0
X	5 4.6	1 5.0	12 2.4	4 1.0	13 2.8	20 3.6	8 5.5	1 6.0	25 5.0	2 2.5	1 4.0	1 3.0	0
XI	4 7.0	3 2.3	2 3.5	5 6.0	19 5.1	37 4.6	3 5.3	1 4.0	10 4.7	4 3.0	1 7.0	1 2.0	0
XII	6 4.2	2 3.0	1 4.0	3 1.7	14 3.1	31 3.7	6 7.7	0 -	16 5.8	8 4.5	2 4.0	4 6.0	0
1954	90 3.7	81 4.0	80 3.5	42 2.2	145 3.0	217 3.7	104 5.5	87 4.3	141 3.6	33 3.2	14 3.2	59 2.3	2

Nordfjordeid

φ = 61° 56′ N λ = 6° 6′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 2.6	- 1.7	- 2.2	- 2.3		- 4.5	6.9	2	-14.1	31
II			- 2.7	- 0.5	- 1.4	- 1.7		- 4.7	6.9	23	-14.3	1
III			- 0.1	3.8	2.6	1.8		- 1.6	7.1	22	- 9.1	3
IV			1.7	6.1	5.2	3.8		0.7	10.7	9	- 2.7	30
V			8.7	14.6	13.3	11.1		5.8	25.3	29	0.6	1
VI			10.0	13.9	13.3	11.5		7.3	18.5	17	0.2	13
VII			12.3	16.6	15.3	13.9		10.0	25.3	12	5.0	18
VIII			11.6	16.8	15.5	14.1		10.1	21.9	23	6.0	14
IX			7.7	11.8	10.4	9.7		6.2	18.9	8	0.0	28
X			4.6	7.4	6.2	5.9		3.0	17.1	4	- 2.8	19
XI			3.1	4.6	3.9	3.8		1.6	10.9	30	- 6.3	16
XII			1.8	2.2	1.8	1.8		- 0.9	10.6	1	- 9.9	23
1954			4.7	8.0	7.0	6.1		2.8	25.3		-14.3	

Vindfordeling nD.F_m	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	2 1.5	49 1.1	0 -	0 -	4 1.8	0 -	0 -	1 1.0	12 2.5	8 1.4	0 -	17 1.5	0
II	1 1.0	44 1.5	0 -	0 -	1 3.0	3 4.7	1 3.0	1 1.0	18 2.6	0 -	0 -	15 1.3	0
III	5 1.6	35 1.5	0 -	0 -	0 -	9 3.4	8 1.8	12 1.4	2 2.0	17 1.4	5 1.2	0 -	0
IV	12 1.7	35 1.4	0 -	0 -	1 5.0	0 -	0 -	0 -	7 2.0	7 1.9	0 -	28 1.7	0
V	0 -	56 1.3	0 -	0 -	1 4.0	0 -	0 -	0 -	22 1.8	5 1.4	0 -	9 1.3	0
VI	2 1.0	54 1.5	0 -	0 -	1 4.0	0 -	0 -	0 -	17 1.4	1 2.0	0 -	15 1.2	0
VII	0 -	50 1.5	0 -	0 -	0 -	2 1.5	1 1.0	3 1.7	26 1.2	1 2.0	0 -	10 1.0	0
VIII	0 -	54 1.4	0 -	6 2.8	1 1.0	0 -	0 -	0 -	15 1.1	2 1.5	0 -	15 1.2	0
IX	0 -	44 1.3	0 -	0 -	5 2.2	1 1.0	0 -	0 -	15 1.3	4 1.0	0 -	21 1.3	0
X	0 -	37 1.3	0 -	0 -	5 2.6	0 -	0 -	0 -	11 1.3	1 2.0	0 -	39 1.4	0
XI	0 -	45 1.5	0 -	5 4.0	7 3.7	1 6.0	3 3.3	0 -	5 1.6	7 1.4	0 -	17 1.1	0
XII	1 3.0	36 1.4	0 -	1 3.0	3 2.0	4 3.2	1 4.0	1 1.0	11 1.3	7 2.1	1 1.0	27 1.2	0
1954	23 1.6	539 1.4	0 -	12 3.3	29 2.8	20 3.4	14 2.3	18 1.4	161 1.6	60 1.6	6 1.2	213 1.3	0

Opstryn

φ = 61° 56′ N λ = 7° 14′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat
I			- 2.2	- 2.2	- 2.3	- 2.3		- 4.7	5.4	2	-14.9	30
II			- 2.8	- 1.7	- 2.3	- 2.5		- 5.0	6.5	23	-11.2	1
III			1.0	2.8	1.6	1.5		- 0.7	6.4	8	- 5.5	2
IV			3.4	5.7	3.8	3.6		0.8	10.1	9	- 1.6	22
V			12.5	15.3	12.9	12.5		8.8	24.9	27	2.3	18
VI			12.5	15.7	13.4	12.5		8.0	22.4	4	3.8	13
VII			14.3	17.6	15.3	14.6		11.0	28.4	11	7.8	20
VIII			13.5	17.3	14.5	14.2		11.1	24.2	23	8.1	6
IX			8.9	11.6	9.8	9.5		6.5	17.8	6	0.6	27
X			4.9	6.1	5.7	5.4		3.3	16.7	4	- 1.2	18
XI			3.2	3.6	3.3	3.3		1.3	10.1	30	- 3.0	18
XII			1.6	1.7	1.8	1.6		- 0.3	9.7	2	- 8.7	24
1954			5.9	7.8	6.5	6.2		3.3	28.4		-14.9	

Vindfordeling nD.F_m	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	0 -	1 3.0	13 2.0	12 1.4	4 1.5	0 -	0 -	0 -	1 2.0	5 1.4	0 -	0 -	5
II	0 -	3 2.3	11 2.1	43 1.7	6 1.8	3 2.3	2 3.5	0 -	0 -	0 -	0 -	0 -	1
III	0 -	1 2.0	8 1.5	29 1.4	7 1.7	3 2.0	0 -	0 -	1 1.0	2 1.0	0 -	0 -	4
IV	0 -	3 1.0	12 1.0	10 1.2	1 2.0	2 1.0	3 1.0	3 1.7	3 1.7	3 1.0	0 -	0 -	5
V	0 -	0 -	2 1.0	20 1.0	15 1.3	28 1.5	2 1.5	1 1.0	0 -	2 1.0	0 -	0 -	2
VI	0 -	0 -	1 1.0	6 1.0	1 1.0	1 2.0	3 1.3	7 1.7	1 1.0	7 1.0	0 -	0 -	6
VII	0 -	0 -	1 1.0	6 1.0	3 1.3	15 1.4	1 1.0	5 1.4	1 1.0	2 1.0	0 -	0 -	5
VIII	0 -	0 -	0 -	7 1.0	4 1.5	6 1.2	4 1.2	1 1.0	1 1.0	1 1.0	0 -	0 -	6
IX	0 -	0 -	1 1.0	7 1.3	5 1.8	3 1.0	6 1.5	8 1.5	6 1.2	2 1.0	0 -	0 -	5
X	0 -	1 1.0	2 1.5	6 1.2	3 1.0	6 1.8	4 1.2	8 1.8	4 1.5	0 -	0 -	0 -	5
XI	0 -	0 -	1 1.0	15 1.3	10 1.5	13 1.6	4 2.2	1 1.0	0 -	1 1.0	0 -	0 -	4
XII	0 -	0 -	5 1.2	17 1.2	2 2.5	5 1.6	2 1.0	3 2.0	6 1.3	1 2.0	0 -	0 -	5
1954	0 -	9 1.8	57 1.5	178 1.4	61 1.5	85 1.5	31 1.5	37 1.6	24 1.3	26 1.1	0 -	0 -	58

*) Fanaråken: Lufttrykk red. til 2000 gdm

1954

Fanaråken

H_s = 2062 H_b = 2070 h_t = 4.2 h_a = 9.5 h_d = 10.0 h_r = 3.0

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.5	5.5	4.8	154	38	3	31	31	28	0	19	18	6	20	7	4	0	19	0	0	0	0	0	0	0	23	15	6	16	31
II					5.5	5.9	5.0	37	16	24	28	28	28	0	16	11	1	17	5	3	0	16	0	0	0	0	0	0	0	22	22	4	12	28
III					6.4	6.2	5.3	36	8	9	31	31	22	0	19	13	0	18	7	2	0	19	0	0	0	0	0	0	1	28	25	4	19	31
IV					6.0	5.7	6.2	70	17	5	30	30	24	0	21	17	1	9	2	0	0	21	0	0	0	0	0	0	0	28	27	1	14	30
V					5.0	5.6	5.7	83	21	7	22	13	2	0	17	13	1	9	2	1	3	16	1	2	0	1	0	0	1	18	20	3	15	31
VI					5.8	6.4	6.8	64	13	28	21	3	0	0	17	16	1	6	0	0	13	16	11	6	0	0	0	0	0	25	21	2	20	30
VII					7.1	7.2	6.7	149	29	16	24	0	0	0	28	25	3	7	1	0	24	18	13	15	0	2	0	0	0	29	22	0	23	7
VIII					6.6	6.5	6.1	122	20	8	19	1	0	0	24	21	3	11	1	0	21	18	15	9	1	1	0	0	0	26	29	0	18	0
IX					7.5	7.1	7.5	109	15	12	29	18	2	0	28	25	1	18	6	3	8	25	6	6	2	1	0	0	0	30	20	0	27	19
X					6.8	7.1	6.9	116	15	26	31	29	12	0	28	22	3	25	14	4	3	26	0	3	2	0	0	0	1	28	17	0	24	31
XI					6.6	6.6	6.6	110	14	17	30	30	21	0	29	21	4	20	13	7	0	28	0	0	2	0	0	0	0	30	15	0	20	30
XII					6.5	6.8	6.9	184	32	20	31	31	24	0	30	22	7	20	12	10	0	30	0	0	0	0	0	0	0	31	10	1	22	31
1954					6.3	6.4	6.2	1234	38		327	245	163	0	276	224	31	180	70	34	72	252	46	41	7	5	0	0	3	318	243	21	230	299

Førde i Sunnfjord

H_s = 3 H_b = h_t = 1.9 h_a = h_d = 16.0 h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	82	83	84	5.3	5.6	4.6	148	30	3	25		9		17	16	5	6	0	0	13	11	5	0	0	0	0	0	8	4	0	4	16	31
II	69	64	63	66	4.9	5.6	5.6	20	10	3	18		7		9	5	1	9	1	0	5	6	0	2	0	0	0	0	3	0	2	2	13	23
III	82	70	71	76	5.1	5.7	5.3	143	38	22	15		1		15	9	5	4	2	0	14	2	1	1	0	0	0	0	3	5	12	5	15	0
IV	86	57	61	73	5.2	5.2	5.6	140	50	5	13		0		14	13	4	1	0	0	14	3	2	3	0	0	0	0	9	2	18	3	14	1
V	82	55	55	71	4.0	3.9	4.3	31	8	21	0		0		14	9	0	2	1	0	14	0	0	3	0	0	0	1	1	1	21	8	11	0
VI	86	65	69	81	5.9	6.1	5.7	113	34	12	0		0		14	13	3	0	0	0	14	0	0	0	0	0	0	0	6	2	16	2	18	0
VII	89	66	70	82	5.8	5.9	5.9	141	16	14	0		0		22	20	6	0	0	0	22	0	0	1	0	0	0	3	7	1	19	0	12	0
VIII	92	66	71	82	5.6	5.7	5.2	129	19	29	0		0		17	16	5	0	0	0	17	0	0	1	0	0	0	0	2	7	20	2	12	0
IX	93	75	81	85	6.9	7.0	7.0	294	48	29	0		0		27	26	10	2	0	0	27	2	2	1	0	0	0	0	12	4	12	0	23	0
X	91	82	84	86	6.6	7.0	6.3	350	56	14	7		0		22	19	10	4	1	1	22	0	0	1	0	0	0	2	11	4	7	0	20	0
XI	77	76	78	77	6.2	6.8	6.3	157	26	5	7		0		16	15	6	11	1	0	16	4	3	0	0	0	0	1	5	6	0	1	18	6
XII	87	88	85	86	7.0	7.2	6.9	356	64	18	13		2		26	26	10	9	3	2	22	10	5	2	0	0	0	5	6	2	0	0	23	16
1954	85	70	73	79	5.7	6.0	5.7	2022	64		98		19		213	187	65	48	9	3	200	38	18	15	0	0	0	12	73	38	127	27	195	77

Kinn

H_s = 9 H_b = 7.6 h_t = 2.0 h_a = h_d = h_r = 1.4

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.6	6.3	5.8	180	33	20	14	2	0	0	20	18	7	17	10	7	18	14	11	0	0	6	0	0	2	0	18	3	16	
II					5.7	6.5	6.4	73	21	3	16	3	0	0	13	11	2	15	7	5	9	9	5	1	0	0	0	0	1	0	16	1	15	
III					6.1	6.1	6.1	124	22	24	4	0	0	0	15	14	5	11	2	0	15	6	5	5	0	0	0	0	4	2	19	3	18	
IV					5.4	5.6	6.0	85	15	5	1	0	0	0	16	13	1	10	2	1	16	4	4	0	0	1	0	1	1	0	22	1	11	
V					5.8	5.1	5.3	38	10	6	0	0	0	0	12	9	1	5	1	0	12	0	0	0	0	1	0	0	2	1	27	2	14	
VI					6.4	6.4	6.1	111	18	19	0	0	0	0	18	14	5	7	0	0	18	0	0	3	0	0	0	0	2	4	22	0	14	
VII					6.3	6.1	6.1	173	24	1	0	0	0	0	21	18	6	5	0	0	21	0	0	1	0	0	0	1	2	1	23	3	19	
VIII					5.6	5.0	5.3	89	20	30	0	0	0	0	14	11	4	5	0	0	14	0	0	1	0	0	0	0	0	1	28	1	9	
IX					6.9	7.2	7.2	278	26	12	0	0	0	0	30	27	13	14	5	0	30	1	1	0	1	1	0	0	2	0	20	0	21	
X					6.7	6.9	6.4	271	25	14	0	0	0	0	26	22	13	16	6	1	26	0	0	0	0	2	0	4	0	0	20	0	19	
XI					6.8	7.0	6.9	154	24	14	0	0	0	0	21	20	5	20	9	3	21	1	1	0	0	3	0	0	0	0	17	0	20	
XII					7.1	7.1	6.9	288	60	18	2	0	0	0	26	26	11	15	9	4	26	9	9	2	0	5	0	1	5	0	9	0	23	
1954					6.2	6.3	6.2	1864	60		37	5	0	0	232	203	73	140	51	21	226	44	36	13	1	19	0	7	21	9	241	14	199	

Nordfjordeid

H_s = 71 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	79	77	79	6.1	6.4	5.4	204	32	3	24		4		19	18	9	0	0	0	8	13	1	1	0	0	0	0	0	0	0	3	19	31
II	62	57	55	58	5.5	5.5	5.9	12	6	24	19		4		8	4	0	0	0	0	3	5	0	0	0	0	0	0	0	0	18	2	15	28
III	82	68	70	75	5.3	5.3	5.0	101	25	9	19		0		14	12	4	1	0	0	12	7	3	1	0	0	0	0	0	1	24	5	13	29
IV	84	65	69	75	5.5	6.1	5.9	143	56	5	10		0		18	17	3	1	0	0	16	10	4	1	0	0	0	0	0	0	22	3	16	4
V	85	60	64	74	5.5	5.3	5.7	37	8	16	0		0		14	9	0	0	0	0	14	0	0	2	0	0	0	0	0	0	21	6	17	0
VI	89	73	75	82	6.1	6.1	5.8	89	29	12	0		0		16	12	3	0	0	0	16	0	0	2	0	0	0	0	0	0	18	3	19	0
VII	92	69	75	83	6.6	7.0	6.3	91	12	29	0		0		22	18	2	0	0	0	22	0	0	2	0	0	0	2	0	0	20	1	22	0
VIII	96	70	79	86	6.3	6.1	6.2	60	12	30	0		0		17	14	2	0	0	0	17	0	0	0	0	0	0	0	0	0	26	2	21	0
IX	91	74	86	86	7.2	7.6	7.7	187	22	26	0		0		27	25	8	0	0	0	27	1	1	0	0	0	0	0	0	1	4	0	28	0
X	90	82	84	86	7.7	7.1	7.2	299	43	14	5		0		21	20	11	0	0	0	21	0	0	0	0	0	0	1	0	0	11	0	27	0
XI	80	76	76	77	6.1	7.3	6.7	157	31	5	5		0		16	15	6	2	0	0	15	5	2	0	0	0	0	0	0	0	3	0	19	9
XII	88	86	86	87	6.7	7.5	6.7	255	51	18	19		0		26	25	9	0	0	0	16	15	3	0	0	1	0	0	0	0	0	0	24	12
1954	85	72	75	79	6.2	6.4	6.2	1635	56		101		8		218	189	57	4	0	0	187	56	14	9	0	1	0	3	0	2	167	25	240	113

Opstryn

H_s = 205 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.6	5.2	5.5	120	33	3	29		5		18	16	4	0	0	0	4	18	3	1	0	0	0	0	17	0	0	5	16	31
II					4.4	4.2	3.4	4	4	3	25		2		3	1	0	0	0	0	0	3	0	0	0	0	0	0	5	0	5	6	7	28
III					5.2	5.6	4.6	44	15	24	16		0		11	6	2	1	0	0	8	8	4	2	0	0	0	0	9	0	21	5	13	21
IV					5.4	5.7	6.2	42	12	5	5		0		15	10	1	0	0	0	13	11	4	0	0	2	0	0	16	0	19	3	15	4
V					4.5	4.3	4.9	13	5	16	0		0		10	4	0	0	0	0	10	0	0	0	0	0	0	0	5	0	25	6	9	0
VI					5.3	5.7	6.2	36	10	12	0		0		15	9	0	0	0	0	15	0	0	1	0	0	0	0	15	0	24	1	13	0
VII					5.9	5.4	6.1	71	17	16	0		0		23	12	2	0	0	0	23	0	0	0	0	0	0	0	13	0	24	0	11	0
VIII					5.7	5.5	5.8	75	18	15	0		0		18	12	3	0	0	0	18	0	0	0	0	0	0	0	12	0	28	2	14	0
IX					6.1	5.7	6.4	65	11	5	0		0		28	21	1	0	0	0	26	2	0	0	0	0	0	0	18	0	22	1	16	0
X					6.6	6.2	5.8	228	43	13	5		0		23	15	7	0	0	0	23	6	4	0	0	0	0	0	18	0	0	1	16	4
XI					6.8	6.4	5.7	49	18	17	10		0		13	8	1	0	0	0	8	4	0	0	0	0	0	0	10	0	0	0	19	15
XII					6.8	7.4	6.0	199	37	20	18		0		23	12	7	0	0	0	12	16	4	0	0	0	0	1	18	0	0	0	21	16
1954					5.7	5.6	5.6	946	43		108		7		200	126	28	1	0	0	160	68	19	4	0	2	0	1	156	0	168	30	170	119

1954

Kråkenes Fyr

φ = 62° 2'N λ = 4° 59'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.5	2.7	2.5	2.5	4.3	0.6	8.5	2	- 4.7	31	8 6.2	8 7.1	11 4.2	5 1.6	2 1.0	4 4.0	26 4.2	12 6.0	9 3.1	1 9.0	3 6.0	2 5.0	2
II			1.1	1.5	1.5	1.3	2.8	- 0.3	7.0	23	- 4.6	13	0 -	0 -	0 -	10 2.8	0 -	13 2.0	52 5.4	7 4.0	0 -	0 -	0 -	0 -	2
III			3.1	3.7	3.7	3.4	4.9	1.9	8.4	7	- 3.5	24	1 4.0	0 -	7 5.1	14 3.3	0 -	9 2.6	22 4.8	16 5.2	15 4.3	4 4.8	2 5.0	2 3.0	1
IV			3.9	5.0	4.8	4.4	5.9	3.1	9.0	9	1.0	14	7 3.1	7 4.0	18 4.4	2 3.0	0 -	2 1.5	20 5.2	12 4.4	12 4.2	6 4.2	0 -	4 2.0	0
V			9.7	10.7	10.8	10.0	12.5	8.2	20.6	28	2.5	1	5 4.4	9 4.2	29 3.0	15 2.7	2 2.0	5 2.4	2 5.0	18 4.0	3 1.7	2 1.5	1 1.0	1 1.0	1
VI			10.1	10.6	10.7	10.2	11.8	8.7	16.7	18	4.3	13	5 3.6	12 4.4	23 3.7	4 3.2	3 2.0	2 3.0	14 5.4	3 3.3	15 4.2	5 3.0	1 4.0	2 3.5	1
VII			12.4	13.3	13.0	12.6	14.4	11.3	20.6	27	9.5	20	11 4.0	13 4.5	18 3.8	8 2.8	1 4.0	4 2.0	11 3.3	12 4.2	10 3.8	4 3.8	1 2.0	0 -	0
VIII			13.4	14.1	14.1	13.7	15.4	12.3	19.5	11	9.8	29	3 3.7	11 4.1	28 4.0	8 2.9	0 -	2 3.5	4 4.5	8 2.8	20 4.8	3 3.3	0 -	6 2.7	0
IX			10.8	11.5	11.2	11.0	12.9	9.3	18.5	2	3.2	27	1 4.0	4 5.0	3 3.0	12 3.5	2 3.5	8 3.4	15 4.8	8 4.8	23 4.6	9 5.3	1 5.0	4 4.8	0
X			8.1	8.7	8.3	8.3	9.7	6.3	19.4	4	2.7	19	4 5.5	3 5.3	9 3.9	14 3.5	2 4.0	6 2.5	20 4.2	3 8.0	27 6.8	4 4.2	1 6.0	0 -	0
XI			6.7	6.9	6.9	6.7	8.1	5.0	12.4	30	2.0	16	5 4.6	3 4.3	0 -	6 3.5	15 4.6	11 3.9	30 4.5	2 3.5	11 6.4	2 7.0	2 6.0	3 5.7	0
XII			4.9	4.8	5.0	4.9	6.5	3.0	12.4	1	- 0.6	23	2 4.5	0 -	5 4.2	4 3.2	7 3.0	9 3.1	29 5.3	11 4.5	14 8.1	5 5.6	3 5.0	4 5.5	0
1954			7.2	7.8	7.7	7.4	9.1	5.8	20.6		- 4.7		52 4.4	70 4.7	151 3.9	102 3.1	34 3.6	75 2.9	245 4.8	112 4.5	159 5.2	45 4.5	15 4.9	28 3.8	7

Tafjord

φ = 62° 13'N λ = 7° 26'E g = 9.821 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1010.6	1014.1	- 0.4	- 0.3	- 0.9	- 0.6	2.4	- 3.0	11.8	2	-11.0	31	7 2.6	0 -	0 -	0 -	0 -	24 3.8	14 2.2	1 2.0	0 -	0 -	0 -	8 2.8	39
II	11.8	15.3	- 1.2	- 0.2	- 0.7	- 0.9	1.2	- 2.7	8.0	23	-10.7	1	0 -	0 -	0 -	0 -	0 -	57 3.7	19 3.3	0 -	0 -	0 -	0 -	0 -	8
III	04.8	08.2	1.9	4.8	3.7	3.2	5.8	0.7	10.6	13	- 3.7	4	6 2.0	0 -	0 -	0 -	0 -	32 3.2	21 2.3	0 -	0 -	0 -	0 -	1 2.0	33
IV	14.2	17.7	3.9	7.1	5.8	5.1	8.4	2.3	13.1	11	- 0.7	22	9 1.3	1 2.0	0 -	0 -	0 -	17 1.9	7 3.0	1 4.0	0 -	0 -	0 -	12 1.8	43
V	15.1	18.5	9.5	15.2	13.7	11.9	16.8	7.9	25.1	27	2.8	1	7 1.4	0 -	0 -	0 -	0 -	16 2.2	21 1.9	0 -	0 -	0 -	0 -	6 2.0	43
VI	05.4	08.8	10.3	14.5	13.7	12.0	16.8	8.8	24.6	18	3.7	3	12 1.7	0 -	0 -	0 -	0 -	4 1.5	3 2.3	0 -	0 -	0 -	0 -	14 1.4	57
VII	00.6	03.9	13.0	17.2	16.4	14.7	19.4	11.5	29.0	11	7.6	24	2 1.0	1 2.0	1 1.0	1 1.0	0 -	1 2.0	9 2.0	0 -	0 -	0 -	0 -	17 1.4	61
VIII	04.0	07.3	12.3	16.4	14.9	14.0	18.2	11.3	23.5	11	7.8	19	10 1.4	2 1.0	2 1.0	0 -	0 -	0 -	9 1.8	1 2.0	0 -	0 -	0 -	2 1.5	67
IX	997.2	00.5	8.8	13.0	10.7	10.3	14.4	7.2	22.5	2	1.6	27	4 1.2	0 -	0 -	0 -	1 1.0	5 2.6	18 2.6	1 2.0	0 -	0 -	1 2.0	4 2.2	56
X	99.2	02.6	6.8	8.5	7.4	7.4	10.0	4.7	19.5	4	- 1.3	18	1 2.0	0 -	0 -	0 -	0 -	27 3.0	15 2.1	2 2.5	0 -	0 -	1 2.0	5 2.0	42
XI	1004.9	08.3	5.1	5.4	5.0	5.1	6.9	3.1	12.7	30	- 0.7	16	3 2.3	0 -	0 -	0 -	0 -	39 3.7	18 3.2	3 1.7	0 -	0 -	0 -	2 1.5	25
XII	994.9	998.3	3.4	3.5	3.0	3.2	6.1	0.8	14.0	17	- 7.8	24	1 5.0	0 -	0 -	0 -	0 -	37 3.3	13 2.2	1 1.0	0 -	0 -	0 -	2 3.5	39
1954	1005.2	1008.6	6.1	8.8	7.7	7.1	10.5	4.4	29.0		-11.0		62 1.7	4 1.5	3 1.0	1 1.0	1 1.0	259 3.3	167 2.4	10 2.1	0 -	0 -	2 2.0	73 1.8	513

Runde

φ = 62° 24'N λ = 5° 39'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			2.0	2.5	1.8	2.0	3.8	0.1	9.0	2	- 4.5	30	3 5.0	2 7.0	8 6.0	7 1.9	1 1.0	29 1.7	7 2.9	3 5.0	17 4.0	3 3.3	2 5.0	8 5.9	3
II			1.2	2.8	1.9	1.9	3.5	- 0.1	8.7	23	- 4.6	13	0 -	1 2.0	2 4.0	2 3.0	1 4.0	41 2.8	16 3.9	4 4.0	9 3.6	0 -	0 -	0 -	8
III			3.1	4.8	3.8	3.8	5.5	1.8	8.0	22	- 2.5	24	3 1.7	0 -	9 4.8	0 -	1 3.0	17 2.2	19 2.7	8 3.8	13 3.0	7 2.4	2 1.0	1 2.0	13
IV			4.1	5.9	4.9	4.7	7.0	2.8	11.4	9	0.4	13	8 2.2	5 3.4	16 3.2	3 1.7	0 -	10 1.6	11 2.7	5 4.8	14 2.9	5 3.0	3 3.3	6 2.7	4
V			10.4	12.2	11.3	10.7	13.6	8.0	22.4	27	2.3	1	2 2.5	5 2.8	27 2.5	19 1.3	3 1.0	5 1.8	0 -	6 3.3	1 2.0	2 3.0	0 -	1 3.0	22
VI			10.0	11.5	10.4	10.1	12.5	8.1	17.5	19	4.5	13	0 -	8 3.4	29 4.2	5 1.2	2 1.0	2 3.0	5 2.6	4 2.0	22 2.5	4 2.5	1 3.0	1 1.0	7
VII			13.0	14.6	13.5	13.2	15.9	11.2	22.0	27	8.0	1	5 3.8	7 2.7	32 3.3	10 1.9	0 -	7 1.4	2 2.0	4 3.0	13 3.1	2 2.5	0 -	3 2.7	8
VIII			13.2	15.1	13.8	13.7	15.8	12.0	20.5	27	9.9	29	2 1.5	6 2.2	38 3.8	4 1.8	1 1.0	2 1.0	2 2.5	3 3.3	15 3.4	8 2.5	2 2.0	3 2.0	7
IX			10.4	12.1	10.8	10.9	13.3	8.9	19.9	2	4.0	27	0 -	5 2.0	6 3.0	3 2.0	2 3.5	11 3.5	8 3.9	5 2.8	24 3.5	5 3.4	6 4.7	8 3.2	7
X			7.5	8.6	7.8	7.8	9.7	5.8	19.4	4	1.0	19	1 5.0	4 3.5	11 3.5	4 2.0	1 2.0	14 3.1	10 3.1	3 3.0	20 5.2	6 5.7	7 4.0	2 6.0	10
XI			6.2	6.8	6.4	6.4	7.9	4.6	11.9	30	1.8	16	2 3.5	0 -	2 3.5	2 1.5	2 2.0	43 3.7	9 2.7	4 1.2	14 4.3	0 -	3 4.0	3 4.7	6
XII			4.5	4.5	4.7	4.6	6.4	3.0	12.0	17	- 1.5	23	1 1.0	1 7.0	2 3.0	6 2.0	1 3.0	22 2.5	13 3.5	9 3.4	21 5.5	5 5.8	1 6.0	8 3.2	3
1954			7.1	8.4	7.6	7.5	9.6	5.5	22.4		- 4.6		27 2.9	44 3.1	182 3.6	65 1.7	15 2.0	203 2.6	102 3.1	58 3.3	183 3.8	47 3.5	27 3.8	44 3.7	98

Ona

φ = 62° 52'N λ = 6° 33'E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1011.7	1013.3	2.1	2.7	2.2	2.2	4.1	0.3	8.5	2	- 5.2	30	4 6.5	6 5.8	5 3.4	5 3.2	1 3.0	19 2.5	11 2.6	12 3.6	14 6.2	3 7.3	5 5.0	8 5.9	0
II	11.3	12.9	1.4	2.4	2.0	1.8	3.4	0.2	9.4	23	- 5.0	13	0 -	0 -	0 -	8 3.4	5 4.4	22 3.0	27 3.1	16 4.8	5 5.0	0 -	0 -	0 -	1
III	06.1	07.6	3.2	4.6	3.8	3.8	5.2	2.0	8.0	8	- 3.1	24	1 6.0	8 3.9	2 3.0	8 3.4	5 3.0	7 3.3	16 2.4	19 3.9	10 4.0	8 3.5	4 4.2	3 3.7	2
IV	16.1	17.7	3.9	5.6	4.8	4.5	6.4	2.8	10.6	10	0.9	29	2 2.5	16 2.9	3 2.3	3 2.0	2 2.5	6 2.2	4 2.2	12 3.2	22 4.5	5 2.6	6 3.0	7 2.7	2
V	17.6	19.2	9.0	10.1	9.5	9.1	11.5	7.4	18.5	28	3.1	1	5 2.0	30 2.1	10 3.0	7 2.6	2 3.0	2 3.0	1 3.0	3 2.0	5 4.2	9 2.3	6 2.7	8 2.0	5
VI	08.5	10.1	9.3	10.3	10.0	9.6	11.4	8.3	16.7	19	5.0	13	5 3.4	18 2.7	23 4.7	7 1.9	3 2.7	1 2.0	0 -	6 2.2	9 4.1	13 3.2	0 -	3 2.7	2
VII	03.5	05.0	12.6	13.4	13.0	12.7	14.6	11.4	20.6	27	9.1	3	4 2.8	17 3.4	26 3.5	9 2.1	4 2.2	0 -	0 -	5 2.0	4 4.0	10 2.9	6 3.3	6 2.3	2
VIII	06.7	08.2	13.0	13.9	13.6	13.3	14.7	12.1	19.1	11	10.1	30	1 3.0	9 3.0	40 4.3	2 2.0	1 2.0	1 3.0	0 -	2 2.5	11 4.7	14 3.4	4 3.5	5 2.4	3
IX	998.7	00.2	10.7	12.2	11.5	11.3	13.3	9.4	17.3	2	3.1	27	2 2.5	3 4.0	10 3.9	8 3.0	4 3.0	11 2.6	1 2.0	14 3.6	15 4.9	16 4.9	3 3.3	1 2.0	2
X	1000.4	01.9	7.7	8.3	8.0	7.9	9.6	6.1	17.0	5	2.1	18	5 4.8	5 3.0	7 4.1	4 2.5	5 2.4	13 3.0	7 2.9	15 4.0	15 6.5	10 6.0	3 4.7	3 2.7	1
XI	05.2	06.7	6.0	6.5	6.3	6.2	7.7	4.7	11.3	28	1.1	15	2 3.5	0 -	2 3.5	1 4.0	0 -	39 4.1	13 2.7	18 4.1	7 4.1	4 6.0	2 4.0	2 3.0	0
XII	995.0	996.6	4.8	5.0	5.0	4.9	6.5	3.4	12.2	17	0.3	23	0 -	2 3.5	4 3.8	2 1.5	4 2.5	18 3.2	4 2.8	19 3.2	22 6.3	10 5.8	4 5.5	3 5.3	1
1954	1006.7	1008.3	7.0	7.9	7.5	7.3	9.0	5.7	20.6		- 5.2		31 3.7	114 3.0	132 3.9	64 2.7	36 2.9	139 3.2	84 2.8	141 3.6	139 5.1	102 4.1	43 3.8	49 3.2	21

Gjermundnes

φ = 62° 37'N λ = 7° 10'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.1	- 0.4	- 1.4	- 1.1	1.5	- 3.6	8.8	2	-13.0	31	3 3.0	2 4.0	6 1.7	7 1.4	2 2.0	6 1.0	12 1.8	26 2.0	22 2.0	1 2.0	3 5.7	2 3.5	1
II			0.3	0.9	- 0.7	- 0.1	1.9	- 3.7	10.1	23	-11.9	13	0 -	3 1.0	7 2.0	14 1.3	12 1.8	11 1.5	11 2.3	19 1.4	4 2.2	1 1.0	0 -	0 -	2
III			0.9	4.2	2.7	2.4	5.3	- 0.3	9.5	8	- 7.2	3	1 1.0	3 1.0	6 1.5	12 1.7	5 2.2	4 1.5	21 1.5	15 1.3	18 2.1	1 1.0	0 -	0 -	7
IV			3.0	5.8	4.9	4.1	7.3	1.2	12.8	10	- 3.0	22	1 1.0	12 1.2	2 2.0	9 1.3	4 1.0	4 2.0	18 2.2	10 1.8	17 1.8	2 2.5	4 1.8	2 2.5	5
V			9.8	13.3	12.8	11.1	15.3	6.5	23.1	28	- 0.2	1	6 1.2	3 1.0	6 1.7	7 1.3	0 -	0 -	5 2.2	13 1.5	10 1.5	6 1.7	24 2.0	1 1.0	12
VI			10.3	13.0	12.1	11.0	14.7	7.6	20.0	19	1.9	3	5 1.0	9 2.2	7 1.9	5 1.6	0 -	1 1.0	1 2.0	8 1.8	3 1.3	11 1.5	25 1.8	8 1.6	7
VII			12.9	15.5	14.9	13.7	17.4	10.5	25.8	11	6.4	24	2 1.5	6 1.5	8 1.4	5 1.4	2 2.0	2 2.0	0 -	2 1.0	5 1.0	11 1.4	25 1.4	5 1.4	20
VIII			12.6	15.5	14.8	13.8	17.1	10.5	21.4	10	7.0	19	8 1.8	10 2.0	6 1.7	5 1.2	1 1.0	1 4.0	4 1.2	16 1.6	8 1.8	6 2.0	10 2.0	6 1.7	12
IX			8.2	11.8	10.4	9.7	13.6	6.6	18.4	10	0.4	27	2 1.0	2 1.0	6 1.2	10 1.9	6 1.3	2 1.5	20 1.6	16 2.1	9 2.3	3 1.7	4 1.8	1 1.0	9
X			5.4	7.4	5.8	6.0	8.8	3.4	17.4	4	- 4.0	19	0 -	6 2.2	5 2.0	13 1.5	5 2.0	3 1.0	22 2.2	16 2.4	11 3.5	1 2.0	3 1.3	3 2.0	5
XI			3.8	4.9	3.8	4.1	6.2	1.7	12.1	30	- 3.0	16	0 -	2 1.0	1 2.0	19 2.5	7 2.0	16 2.2	25 1.7	15 1.6	3 2.0	1 2.0	1 1.0	0 -	0
XII			2.3	2.8	2.5	2.5	5.1	0.1	13.0	17	- 6.2	24	0 -	0 -	0 -	12 1.7	11 1.7	6 1.0	28 2.2	18 2.3	15 2.9	1 7.0	0 -	1 1.0	1
1954			5.7	7.9	6.9	6.4	9.5	3.4	25.8		-13.0		28 1.5	58 1.7	60 1.7	118 1.6	55 1.8	56 1.7	167 1.9	174 1.8	125 2.1	45 1.8	99 1.8	29 1.8	81

1954

Kråkenes Fyr

H_s = 38 H_b = h_t = 2.2 h_a = 13.5 h_d = 7 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	88	86	87	5.2	6.7	5.2	97	16	12	13	2	0	0	17	15	5	19	11	7	16	7	1	0	0	2	0	0	0	0	10	2	15	
II	82	82	82	82	5.1	5.6	6.1	46	14	24	15	2	0	0	11	8	2	15	9	4	7	5	1	0	0	0	0	0	0	0	15	1	14	
III	90	91	90	90	5.6	5.8	5.8	77	16	24	5	0	0	0	15	13	3	20	4	3	15	4	3	1	0	0	0	0	2	0	15	5	17	
IV	92	92	94	93	5.8	5.9	5.9	79	20	5	0	0	0	0	17	15	3	16	2	2	17	3	3	0	0	2	0	0	0	0	21	1	14	
V	89	89	88	88	6.1	5.3	5.4	43	9	7	0	0	0	0	13	12	0	7	1	1	13	0	0	2	0	0	0	0	0	3	24	3	16	
VI	91	90	91	91	6.0	6.4	5.7	76	13	11	0	0	0	0	14	12	3	15	1	1	14	0	0	2	0	0	0	0	3	1	19	4	20	
VII	95	91	93	94	6.7	5.7	6.0	78	16	2	0	0	0	0	19	14	2	11	1	1	19	0	0	0	0	0	0	2	2	1	20	2	17	
VIII	93	91	93	93	5.4	5.1	5.1	78	17	30	0	0	0	0	15	10	3	12	1	1	15	0	0	0	0	0	0	0	1	0	24	4	11	
IX	88	88	88	88	7.1	6.8	7.3	182	21	12	0	0	0	0	29	27	8	20	9	7	29	1	0	0	0	1	0	0	0	0	13	0	20	
X	92	89	90	91	7.1	6.9	7.0	164	21	14	0	0	0	0	25	22	5	22	11	8	25	0	0	0	0	0	0	0	0	0	10	0	23	
XI	87	86	84	85	6.5	6.8	6.7	70	16	14	0	0	0	0	21	15	1	26	7	2	21	0	0	0	0	3	0	0	0	0	9	0	19	
XII	93	94	92	93	6.9	7.3	6.3	143	21	3	2	0	0	0	27	25	4	20	10	8	25	7	3	0	0	5	0	3	0	0	3	0	20	
1954	90	89	89	90	6.1	6.2	6.0	1133	21		35	4	0	0	223	188	39	203	67	45	216	27	11	5	0	13	0	5	8	5	183	22	206	

Tafjord

H_s = 27 H_b = 27.7 h_t = 1.9 h_a = h_d = h_r = 1.5

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	69	69	68	69	5.5	5.7	4.8	133	30	3	24	9	2	0	18	15	5	3	0	0	7	15	4	1	0	0	0	0	4	0	0	7	16	31
II	46	44	45	45	3.9	3.4	3.8	0.5	0.5	3	21	10	1	0	1	0	0	7	0	0	0	1	0	0	0	0	0	0	0	0	0	11	8	26
III	64	57	57	60	4.9	5.9	5.1	34	20	24	11	1	0	0	7	6	2	1	0	0	6	2	0	1	0	0	0	0	0	0	10	6	17	2
IV	66	55	64	64	5.9	5.9	6.7	45	13	6	2	0	0	0	16	10	1	1	0	0	16	9	7	0	0	0	0	0	2	0	14	3	19	0
V	75	56	57	66	4.3	4.4	5.0	20	12	16	0	0	0	1	7	4	1	2	0	0	7	0	0	0	0	0	0	0	2	0	20	8	11	0
VI	92	71	75	83	6.2	5.8	6.1	35	8	12	0	0	0	0	13	10	0	0	0	0	13	0	0	5	0	0	0	0	5	0	13	4	20	0
VII	92	71	73	82	6.3	6.6	6.8	80	20	15	0	0	0	3	21	13	4	0	0	0	21	0	0	2	0	0	0	1	4	0	17	2	20	0
VIII	94	78	87	90	5.7	6.3	5.7	55	9	31	0	0	0	0	15	14	0	0	0	0	15	0	0	1	0	0	0	0	1	0	14	3	19	0
IX	88	71	84	83	6.5	6.7	7.4	49	7	19	0	0	0	0	18	11	0	0	0	0	18	1	1	0	0	0	0	0	1	0	10	0	21	0
X	75	72	74	74	6.8	6.4	6.2	156	39	14	1	0	0	0	16	15	5	1	0	0	16	0	0	1	0	0	0	0	2	0	5	3	20	0
XI	62	63	61	62	5.9	6.4	5.2	52	15	17	4	0	0	0	11	9	1	4	0	0	10	4	3	0	0	0	0	0	2	0	0	3	16	4
XII	73	69	71	71	6.5	7.4	6.3	155	39	21	10	4	0	0	16	12	7	4	0	0	12	7	2	0	0	0	0	0	3	0	0	1	21	12
1954	75	65	68	71	5.7	5.9	5.8	814	39		73	24	3	4	159	119	26	23	0	0	141	39	17	11	0	0	0	1	26	0	103	51	208	75

Runde

H_s = 21 H_b = h_t = 1.9 h_a = h_d = h_r = 1.3

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.4	5.9	4.7	111	16	6	14	4	0	0	19	17	4	10	5	4	14	9	3	1	0	5	0	0	0	0	13	4	14	
II					4.3	4.8	4.1	10	3	6	15	2	0	0	9	3	0	4	0	0	5	4	0	0	0	0	0	0	0	0	20	6	9	
III					5.6	5.4	5.0	74	30	24	5	0	0	0	14	11	1	2	1	0	12	2	1	2	0	1	0	0	0	0	17	6	15	
IV					5.6	5.5	5.7	64	12	6	0	0	0	0	19	14	1	4	0	0	17	6	6	3	0	4	0	1	0	0	22	1	16	
V					5.2	4.7	5.0	38	10	16	0	0	0	0	12	9	0	0	0	0	12	0	0	4	0	0	0	0	0	5	23	6	14	
VI					6.3	5.9	5.6	93	31	12	0	0	0	0	18	14	2	6	1	0	18	0	0	6	0	0	0	0	1	3	17	3	19	
VII					6.3	5.1	5.8	132	32	16	0	0	0	0	23	18	3	3	0	0	23	0	0	5	0	0	0	2	0	0	23	2	14	
VIII					6.0	4.8	5.3	40	16	30	0	0	0	0	14	9	1	5	0	0	14	0	0	2	0	0	0	0	0	0	22	3	12	
IX					6.6	6.9	6.5	235	28	29	0	0	0	0	28	26	8	6	0	0	28	0	0	1	0	3	0	1	0	0	18	0	21	
X					6.3	6.3	5.2	248	39	14	0	0	0	0	25	23	11	10	4	2	24	1	1	0	0	7	0	2	0	0	14	1	13	
XI					5.4	6.2	5.8	98	13	12	0	0	0	0	16	15	3	10	1	0	16	3	3	2	0	4	0	0	0	0	15	1	13	
XII					5.6	6.6	6.4	150	19	18	3	0	0	0	25	23	5	9	7	3	20	10	5	0	0	5	0	1	0	0	11	1	14	
1954					5.7	5.7	5.4	1293	39		37	6	0	0	222	182	39	69	19	9	203	35	19	26	0	29	0	7	1	8	215	34	174	

Ona

H_s = 11 H_b = 12.5 h_t = 2.1 h_a = 13 h_d = h_r = 1.4

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	81	78	80	81	6.0	5.8	4.8	120	24	2	15	3	0	0	19	16	3	11	9	7	15	12	7	1	0	6	0	0	2	0	3	4	14	7
II	66	62	60	63	4.5	4.7	4.3	18	8	6	14	1	0	0	10	5	0	7	1	0	6	5	1	0	0	1	0	0	0	0	5	5	7	3
III	82	75	78	79	5.4	5.4	5.3	73	16	24	4	0	0	0	14	11	4	8	1	0	13	2	1	0	0	0	0	0	2	0	7	7	17	2
IV	83	77	83	82	5.8	5.4	5.9	50	14	5	0	0	0	0	17	16	1	8	0	0	16	6	6	2	0	0	0	0	0	0	7	1	12	0
V	84	82	85	84	5.0	4.2	4.3	20	5	21	0	0	0	0	7	6	0	1	0	0	7	0	0	2	0	0	0	0	1	5	19	7	10	0
VI	87	82	83	85	6.1	6.0	5.7	62	15	12	0	0	0	0	14	14	2	7	0	0	14	0	0	7	0	1	0	1	1	0	11	3	18	0
VII	87	83	84	85	6.3	5.5	5.7	83	22	16	0	0	0	0	17	12	2	1	0	0	17	0	0	5	0	0	0	0	2	0	12	2	14	0
VIII	86	82	83	84	5.5	4.4	4.8	56	25	5	0	0	0	0	9	6	3	6	1	0	9	0	0	3	0	0	0	0	0	0	17	2	11	0
IX	78	72	77	77	6.0	6.2	6.0	135	15	16	0	0	0	0	21	20	5	12	4	2	21	0	0	1	0	2	0	0	0	0	9	0	13	0
X	82	81	82	82	6.3	6.3	5.5	258	30	14	0	0	0	0	23	23	11	15	8	7	23	0	0	0	0	10	0	4	0	0	8	1	19	0
XI	75	74	74	75	5.3	6.1	5.7	107	17	5	0	0	0	0	18	15	3	12	3	2	18	2	2	2	0	5	0	0	0	0	5	1	13	0
XII	81	79	81	80	5.1	6.7	6.6	173	21	18	0	0	0	0	22	21	7	9	8	6	21	7	6	0	0	3	0	1	0	0	1	0	14	6
1954	81	77	79	80	5.6	5.6	5.4	1165	30		33	4	0	0	191	165	41	97	35	24	180	34	23	23	0	28	0	6	8	5	104	33	162	18

Gjermundnes

H_s = 51 H_b = h_t = 1.8 h_a = h_d = 8.5 h_r = 1.6

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	78	80	79	5.4	5.4	5.1	143	24	3	23	7	2	0	18	16	5	4	0	0	8	16	5	0	2	1	0	0	0	0	8	6	15	26
II	59	52	54	56	4.1	3.6	3.5	1	0.4	3	19	10	2	0	2	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0	16	8	7	28
III	76	64	68	71	5.4	5.1	4.4	35	9	24	14	1	0	0	12	11	0	0	0	0	11	3	2	0	0	0	0	0	3	0	16	7	12	17
IV	78	66	72	74	5.8	5.6	5.8	58	13	5	9	0	0	0	18	16	1	0	0	0	18	14	13	0	1	2	0	0	1	0	13	2	14	2
V	78	65	64	71	4.8	4.4	4.2	24	10	16	1	0	0	0	8	4	1	0	0	0	8	0	0	0	0	0	0	0	5	1	26	5	10	0
VI	86	76	78	82	6.4	6.0	5.8	61	19	12	0	0	0	0	18	10	2	0	0	0	18	0	0	3	0	0	0	0	1	0	19	2	18	0
VII	89	77	78	84	6.2	6.0	6.2	113	21	16	0	0	0	2	24	18	3	0	0	0	24	0	0	3	0	0	0	2	9	0	17	2	15	0
VIII	90	74	80	83	5.5	5.3	5.4	80	19	15	0	0	0	0	19	13	3	0	0	0	19	0	0	4	0	0	0	0	0	0	21	4	14	0
IX	86	73	80	81	6.4	6.6	7.1	108	13	24	0	0	0	0	24	19	2	0	0	0	24	2	2	0	2	0	0	0	2	0	13	0	20	0
X	82	77	83	81	6.8	6.2	5.8	241	44	14	5	0	0	0	25	21	9	6	0	0	24	0	0	0	0	0	0	0	6	0	13	2	19	0
XI	72	70	71	72	5.0	5.9	4.4	85	16	1	8	0	0	0	16	13	3	2	0	0	16	1	1	0	0	0	0	0	0	0	9	2	9	0
XII	77	77	77	77	5.2	6.5	5.5	212	44	4	16	0	0	0	21	17	6	5	3	2	16	11	6	0	2	0	0	0	0	0	1	0	9	17
1954	79	71	74	76	5.6	5.6	5.3	1161	44		95	18	4	2	205	158	35	18	3	2	186	49	29	10	7	3	0	2	27	1	172	40	162	90

1954

Sunndal

φ = 62° 33'N λ = 9° 7'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.2	- 5.2	- 6.3	- 6.0		- 9.2	7.8	5	-20.9	31	2 1.5	1 1.0	0 -	10 2.4	16 1.4	12 1.8	13 1.5	9 1.3	5 2.2	1 1.0	5 1.4	13 2.5	6
II			- 8.5	- 5.0	- 7.1	- 7.3		-11.2	5.6	23	-20.8	13	0 -	2 2.0	0 -	1 3.0	20 2.0	11 2.0	30 1.8	8 2.1	5 3.8	0 -	1 1.0	2 2.0	4
III			- 2.9	3.4	0.0	- 0.2		- 4.0	12.4	22	-15.7	4	1 2.0	0 -	0 -	5 2.4	11 1.6	7 1.4	17 1.4	13 2.5	11 2.5	0 -	5 1.2	14 2.1	9
IV			- 0.1	6.0	2.5	2.6		- 1.3	10.9	11	- 7.6	8	2 4.0	1 1.0	1 2.0	3 1.3	12 2.2	2 1.5	5 1.2	8 1.4	12 1.9	6 1.5	7 1.3	26 2.0	5
V			9.3	16.0	12.4	11.2		5.5	25.0	29	- 0.3	1	6 2.3	4 3.2	1 4.0	1 2.0	6 1.3	9 2.1	16 1.8	9 2.6	12 2.7	5 2.0	4 2.8	16 3.1	4
VI			10.2	14.8	12.8	11.5		6.9	21.3	19	1.4	3	7 3.0	1 3.0	0 -	1 1.0	3 1.3	1 2.0	5 2.0	3 2.3	12 2.2	5 2.2	9 2.7	33 2.5	10
VII			12.7	16.5	14.0	13.5		10.1	26.5	11	6.4	9	1 6.0	2 1.0	0 -	0 -	2 2.5	6 1.5	15 1.9	4 2.5	4 1.2	4 2.2	6 1.5	36 2.4	13
VIII			10.3	16.0	12.9	12.4		8.9	22.2	23	5.9	21	3 2.7	3 3.7	1 3.0	5 2.2	4 2.0	5 1.8	6 1.8	3 1.7	6 1.8	3 1.7	13 2.3	25 2.3	16
IX			5.6	12.7	8.7	8.4		4.5	20.8	4	- 1.4	28	2 2.0	3 2.7	1 2.0	7 2.4	4 2.8	4 1.5	6 2.2	18 1.8	6 2.0	5 1.6	9 1.7	15 2.1	10
X			2.6	6.8	3.9	4.1		0.6	15.0	4	- 6.2	19	5 3.2	0 -	1 1.0	3 1.0	14 1.5	7 1.1	17 1.6	4 2.5	10 1.8	5 2.2	9 2.2	14 2.1	4
XI			1.1	1.2	- 0.1	0.5		- 3.1	10.0	30	- 9.6	22	2 2.0	0 -	0 -	5 1.8	9 2.0	32 2.1	11 3.3	10 2.2	7 2.6	2 1.0	1 2.0	8 1.4	3
XII			- 1.7	- 0.6	- 1.5	- 1.4		- 4.4	10.4	2	-12.3	22	2 5.0	2 1.5	0 -	9 2.2	31 1.7	15 1.9	6 3.0	4 1.5	3 4.0	1 6.0	5 2.0	10 2.9	5
1954			2.7	6.9	4.4	4.1		0.3	26.5		-20.9		33 2.9	19 2.4	5 2.4	50 2.1	132 1.8	111 1.9	147 1.9	93 2.0	93 2.3	37 1.9	74 1.9	212 2.3	89

Tingvoll

φ = 62° 50'N λ = 8° 19'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.8	- 3.2	- 3.9	- 3.7		- 6.6	7.7	5	-17.7	31	2 1.5	2 2.0	8 1.2	7 1.4	6 1.5	8 2.0	2 4.5	7 2.0	14 2.6	0 -	2 3.0	5 3.0	30
II			- 4.2	- 1.3	- 2.6	- 3.0		- 6.4	6.6	23	-16.6	1	1 2.0	4 1.0	2 1.0	8 1.8	11 3.0	24 4.0	11 3.8	3 1.7	2 2.0	0 -	0 -	0 -	18
III			- 1.0	4.3	2.0	1.6		- 2.1	8.7	8	-11.7	4	2 1.0	2 1.0	3 1.0	5 1.4	8 1.8	13 3.2	8 3.6	6 2.2	9 2.8	2 2.0	1 2.0	3 1.3	31
IV			1.2	7.0	5.0	3.8		- 0.2	12.6	10	- 5.0	8	3 1.7	3 2.0	1 1.0	6 1.2	14 1.7	7 2.7	4 2.5	8 2.0	17 2.1	8 2.1	5 1.8	3 2.7	11
V			8.9	16.4	15.0	12.0		5.7	26.3	29	- 1.7	1	3 2.0	4 2.0	0 -	2 1.0	9 3.2	7 3.9	8 2.0	6 2.5	17 2.4	6 2.7	7 2.1	7 1.7	17
VI			9.9	15.3	10.6	10.9		6.7	22.8	18	1.3	3	6 2.8	9 2.8	3 1.3	3 1.0	6 1.0	3 2.0	3 1.3	7 1.9	14 2.0	7 2.0	9 1.9	9 2.1	11
VII			12.3	17.3	16.0	14.2		10.2	25.8	11	4.1	20	3 3.0	12 1.9	5 1.0	5 1.2	14 1.3	7 3.0	3 1.0	5 1.8	10 1.8	6 2.7	6 1.8	7 1.9	10
VIII			11.0	17.2	15.3	13.7		9.5	22.7	7	6.0	20	8 2.4	8 2.2	2 1.0	8 1.1	6 1.5	4 1.2	3 2.7	8 1.2	21 2.4	0 -	2 1.0	5 2.6	19
IX			6.6	12.8	9.9	9.3		5.4	18.9	25	- 1.7	28	3 2.0	3 1.3	8 1.4	11 1.2	8 1.5	12 2.5	5 2.8	5 2.0	13 2.8	4 1.5	2 2.5	5 2.2	11
X			3.2	7.5	5.2	5.0		1.8	16.8	4	- 5.0	19	1 1.0	6 1.3	5 1.4	6 1.2	4 1.5	9 3.1	7 3.0	9 1.4	17 2.5	6 2.7	2 3.5	3 1.3	13
XI			2.2	3.2	2.7	2.6		0.0	12.0	30	- 7.0	16	0 -	2 1.0	1 1.0	4 1.0	7 3.0	19 5.0	11 4.9	4 2.5	5 3.2	0 -	3 1.7	2 1.0	32
XII			0.5	1.0	0.6	0.6		- 2.1	12.2	2	- 9.8	24	3 1.0	1 1.0	2 1.0	2 1.0	5 4.6	11 3.5	3 2.3	7 2.4	9 3.2	2 2.5	0 -	4 1.8	44
1954			3.9	8.1	6.3	5.6		1.8	26.3		-17.7		35 2.1	56 1.9	40 1.2	67 1.3	98 2.1	124 3.4	68 3.2	75 1.9	148 2.4	41 2.3	39 2.0	53 2.2	251

Kristiansund N.

φ = 63° 6'N λ = 7° 45'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.5	0.8	0.6	0.5	2.8	- 1.7	3.1	1	- 8.9	30	1 4.0	1 1.0	9 2.9	2 1.5	7 2.3	29 2.1	1 2.0	4 2.2	20 4.0	6 3.7	4 5.8	6 5.3	3
II			- 0.2	1.4	0.5	0.4	2.3	- 1.9	8.6	23	- 8.2	13	0 -	0 -	0 -	0 -	3 3.0	66 2.9	1 3.0	1 3.0	11 3.1	0 -	0 -	0 -	2
III			1.9	4.6	3.6	3.2	5.5	0.7	9.8	8	- 5.4	4	2 2.5	2 2.5	3 1.3	2 1.5	2 2.5	27 2.3	1 1.0	3 1.0	20 3.2	6 2.7	3 2.3	2 2.0	20
IV			3.2	6.2	5.4	4.5	7.4	2.0	12.4	10	0.0	2	1 3.0	4 1.5	5 2.6	5 1.0	1 3.0	9 2.3	1 1.0	0 -	30 3.0	4 1.8	6 2.5	7 1.8	17
V			9.9	13.4	12.5	10.9	15.1	7.5	23.2	27	2.2	1	4 1.5	6 1.8	18 1.8	2 1.0	0 -	12 1.8	0 -	0 -	11 2.3	7 2.6	3 1.3	5 1.8	25
VI			9.8	12.2	11.8	10.7	14.1	8.3	20.4	26	4.4	13	0 -	7 2.7	32 2.8	4 1.5	2 1.5	5 2.0	0 -	0 -	17 3.2	5 2.0	0 -	5 2.4	13
VII			12.8	15.5	15.0	13.8	17.2	11.3	27.1	12	6.4	20	2 2.0	4 2.2	26 2.0	8 2.0	6 2.3	3 2.0	0 -	0 -	11 2.2	6 2.0	4 2.0	7 2.4	10
VIII			12.3	15.4	14.9	13.8	17.1	11.2	23.3	7	8.2	17	1 1.0	10 2.7	27 2.7	4 1.5	0 -	3 1.3	2 1.0	0 -	20 3.4	5 1.8	0 -	3 1.0	18
IX			9.2	12.3	11.2	10.6	13.5	8.2	17.3	10	3.2	27	0 -	1 3.0	8 2.1	6 1.8	3 1.7	15 2.2	1 3.0	4 2.2	28 3.3	3 3.0	0 -	1 2.0	20
X			6.1	7.9	6.8	6.7	9.1	4.5	19.0	4	- 1.0	19	0 -	0 -	1 6.0	2 2.0	6 2.0	28 2.2	0 -	3 2.3	25 4.3	8 4.4	3 4.0	3 3.3	14
XI			4.7	5.4	5.0	4.9	6.6	3.2	10.8	28	0.2	16	0 -	0 -	2 3.0	2 2.5	1 2.0	57 2.8	0 -	2 3.5	18 2.9	5 3.6	0 -	0 -	3
XII			3.5	3.4	3.3	3.4	5.3	1.3	11.2	1	- 4.1	24	1 1.0	0 -	3 1.7	6 1.3	8 2.2	31 2.5	0 -	2 3.0	29 4.3	3 5.3	2 5.0	0 -	8
1954			6.1	8.2	7.6	7.0	9.7	4.6	27.1		- 8.9		12 2.0	35 2.2	134 2.5	43 1.6	39 2.2	285 2.5	7 1.7	19 2.3	240 3.4	58 3.0	25 3.2	39 2.6	159

Vinjeøra

φ = 63° 12'N λ = 9° 0'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.2	- 2.2	- 2.7	- 2.9	0.4	- 6.6	8.6	6	-17.3	22	0 -	0 -	51 2.4	7 1.9	0 -	2 2.0	0 -	0 -	11 3.7	11 2.7	6 4.0	0 -	5
II			- 4.6	- 1.9	- 3.5	- 3.7	- 0.3	- 7.7	7.0	23	-17.1	1	0 -	0 -	41 2.5	15 2.2	0 -	10 3.1	0 -	0 -	7 2.7	0 -	0 -	0 -	11
III			- 0.7	3.9	1.6	1.3	4.8	- 2.5	9.7	8	-11.4	3	0 -	0 -	21 2.0	15 2.0	0 -	22 2.0	0 -	0 -	18 2.1	11 3.0	3 2.0	0 -	3
IV			1.5	6.4	4.4	3.5	7.4	- 0.1	12.2	9	- 3.8	2	0 -	0 -	16 1.8	5 2.0	0 -	11 1.8	0 -	0 -	13 2.3	29 3.1	9 2.0	0 -	7
V			9.8	15.6	13.7	11.6	17.4	4.6	24.7	29	- 1.9	1	0 -	0 -	8 1.5	10 1.9	0 -	26 2.0	0 -	0 -	29 2.5	11 3.0	0 -	0 -	9
VI			10.1	13.8	12.4	11.0	15.5	6.2	22.5	18	1.2	8	0 -	0 -	19 2.0	7 2.0	0 -	9 1.9	0 -	0 -	22 2.0	22 2.9	0 -	0 -	11
VII			13.0	16.7	15.4	14.0	18.4	9.6	29.5	11	7.0	9	0 -	0 -	22 1.7	5 2.0	0 -	13 1.7	0 -	0 -	24 2.0	14 1.6	0 -	0 -	15
VIII			11.3	16.4	14.5	13.3	17.7	8.8	23.0	7	4.1	17	0 -	0 -	20 1.9	11 2.3	0 -	12 2.1	0 -	0 -	15 1.9	27 2.9	0 -	1 3.0	7
IX			6.8	12.6	9.8	9.1	13.7	4.7	19.6	8	7.7	30	0 -	0 -	33 2.0	17 2.0	0 -	9 1.4	0 -	0 -	12 1.8	11 2.6	0 -	2 3.0	6
X			3.4	7.2	4.4	4.7	8.1	1.6	15.3	4	- 5.7	19	2 2.0	1 2.0	26 2.0	8 2.1	0 -	7 2.1	0 -	0 -	20 2.4	22 2.8	0 -	2 3.0	5
XI			1.0	2.9	1.9	1.9	4.5	- 1.8	10.0	28	- 6.2	23	2 1.5	0 -	31 2.4	20 2.2	0 -	18 2.1	1 3.0	0 -	5 2.0	7 1.7	0 -	0 -	6
XII			0.4	1.2	0.4	0.6	3.5	- 2.8	10.4	1	-11.1	24	0 -	0 -	33 2.2	19 2.0	0 -	9 1.9	0 -	0 -	12 4.8	11 3.1	0 -	0 -	9
1954			4.1	7.7	6.0	5.4	9.3	1.2	29.5		-17.3		4 1.8	1 2.0	321 2.1	139 2.1	0 -	148 2.0	1 3.0	0 -	188 2.4	176 2.8	18 2.6	5 3.0	94

Sula Fyr

φ = 63° 51'N λ = 8° 28'E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1007.4	1011.2	1.3	1.6	1.3	1.3	3.2	- 0.5	8.5	1	- 8.0	30	9 6.9	6 5.0	3 6.0	9 5.1	4 4.5	18 3.2	7 3.9	3 4.7	14 7.0	10 5.6	2 5.0	7 5.6	1
II	08.7	12.5	- 0.6	0.6	0.3	0.0	1.7	- 1.7	6.1	4	- 6.5	13	0 -	0 -	0 -	8 4.4	10 4.0	42 4.4	7 3.9	3 5.0	10 5.8	2 5.5	2 4.5	0 -	0
III	02.7	06.4	2.3	3.6	3.1	2.9	4.6	1.1	8.5	8	- 2.8	5	6 4.7	0 -	3 3.3	7 3.3	5 5.6	25 4.1	2 4.0	4 3.8	24 5.0	7 4.6	4 5.2	3 4.3	3
IV	12.1	15.8	3.5	5.0	4.5	4.0	6.2	2.3	9.6	4	0.5	21	14 3.9	3 4.0	2 3.5	3 2.7	2 3.5	8 3.1	4 2.5	6 5.0	17 4.7	10 4.0	10 3.6	8 4.6	3
V	14.7	18.3	8.2	9.6	9.4	8.7	11.6	6.7	18.5	24	2.9	1	6 3.5	21 3.8	8 3.1	11 3.5	6 4.0	10 3.4	1 3.0	5 3.2	4 4.2	10 3.7	11 3.1	0 -	0
VI	05.6	09.2	8.8	10.1	9.7	9.3	11.1	7.8	17.6	19	4.2	13	8 3.5	14 3.9	14 4.5	6 3.0	1 3.0	2 2.5	3 3.7	7 3.7	5 5.0	15 3.8	9 2.8	6 3.5	0
VII	00.7	04.2	12.0	13.5	12.7	12.4	14.7	10.8	23.6	11	9.1	2	8 3.5	13 3.6	13 3.2	13 3.6	6 2.5	3 4.0	2 3.0	7 2.9	4 4.0	11 2.9	7 3.1	6 3.7	0
VIII	03.8	07.3	12.3	13.5	13.0	12.7	14.3	11.6	19.0	7	9.1	31	3 3.7	20 3.7	21 4.2	8 4.8	3 3.0	3 4.0	1 4.0	3 4.7	6 5.3	12 4.6	6 4.5	4 4.5	3
IX	995.6	999.2	9.9	11.4	10.8	10.5	12.6	8.8	18.5	10	3.9	27	1 3.0	5 3.6	5 4.0	7 3.3	14 3.5	11 3.2	0 -	9 4.3	9 5.4	25 4.8	2 3.0	0 -	2
X	96.9	1000.6	6.7	7.6	7.3	7.0	8.5	5.5	13.0	4	1.0	19	10 4.5	2 5.0	1 6.0	6 3.3	12 4.0	14 3.4	4 3.5	14 4.7	10 6.5	8 6.6	6 4.0	4 4.0	2
XI	1002.6	06.2	4.6	5.0	4.7	4.8	6.2	3.2	9.0	28	0.6	16	3 5.3	0 -	0 -	0 -	8 4.5	39 4.2	5 4.0	8 5.5	7 4.9	11 4.2	4 3.8	3 3.3	2
XII	991.5	995.1	3.9	4.0	3.8	3.9	5.6	2.1	9.2	3	- 1.6	26	0 -	2 2.0	1 3.0	7 4.0	4 4.0	21 4.4	6 3.8	15 5.9	15 6.0	17 6.2	2 -	. 3.0	2
1954	1003.5	1007.2	6.1	7.1	6.7	6.5	8.4	4.8	23.6		- 8.0		68 4.4	86 3.8	71 4.0	85 3.7	75 3.9	196 3.9	42 3.6	84 4.6	125 5.5	138 4.7	65 3.7	42 4.3	18

1954

Sunndal

H_s = 195 H_b = h_t = 2.0 h_a = h_d = 9.5 h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr ❟	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I					5.3	5.3	4.5	146	34	3	30		11		16	15	6	5	0	0	3	14	0	0	0	0	0	0	13	0	5	8	16	31
II					4.2	3.5	2.2	1	0.5	23	28		15		2	0	0	7	2	0	0	2	0	0	0	0	0	0	4	0	19	10	3	28
III					5.1	4.7	4.2	17	5	16	22		4		7	5	0	4	3	0	6	5	2	4	0	0	0	0	7	0	22	4	12	31
IV					5.4	5.0	6.1	69	24	6	20		0		18	11	2	3	1	0	6	17	3	1	0	0	0	0	13	0	24	1	12	22
V					4.1	4.3	5.4	15	11	16	1		0		6	2	1	6	0	0	6	0	0	3	0	0	0	0	2	0	29	1	7	0
VI					5.9	5.6	5.9	38	14	28	0		0		13	5	1	1	0	0	13	0	0	5	0	0	0	0	2	0	25	1	16	0
VII					6.0	6.6	6.7	114	26	15	0		0		20	13	3	4	0	0	20	0	0	4	0	0	0	1	11	0	21	0	18	0
VIII					5.3	6.1	5.9	80	19	15	0		0		21	13	2	3	0	0	20	0	0	1	0	0	0	0	6	0	23	2	14	0
IX					5.6	5.6	6.4	20	5	8	2		0		18	8	0	3	0	0	14	1	0	1	0	0	0	0	5	0	23	0	16	0
X					6.3	5.8	5.5	69	14	14	9		0		12	10	2	9	1	0	11	5	4	3	1	0	0	0	11	0	20	1	14	0
XI					5.8	4.7	4.1	23	8	1	24		0		10	4	0	8	2	0	3	9	1	1	0	0	0	0	5	0	7	4	8	15
XII					4.9	5.7	4.9	83	43	21	23		5		13	9	3	6	4	0	4	10	0	0	0	0	0	0	6	0	0	1	8	22
1954					5.3	5.2	5.2	675	43		159		35		156	95	20	59	13	0	106	63	10	23	1	0	0	1	85	0	218	33	144	149

Tingvoll

H_s = 51 H_b = h_t = 1.8 h_a = h_d = 9.7 h_r = 1.6

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	87	66	87	5.3	5.0	5.0	156	24	3	28		10		19	13	7	4	1	0	7	14	1	1	2	3	0	0	2	0	8	5	14	30
II	70	63	60	65	4.4	3.7	3.7	2	1	3	23		9		4	0	0	13	5	1	2	2	0	0	0	1	0	0	0	0	17	8	9	28
III	82	66	70	74	5.2	5.0	4.8	46	22	24	16		2		12	9	1	3	1	0	11	4	2	3	1	0	0	0	6	1	16	6	13	20
IV	87	59	68	75	5.3	5.7	6.0	71	15	5	15		0		19	15	2	2	0	0	16	14	5	1	0	7	0	0	7	0	14	1	13	4
V	84	52	55	70	4.1	4.4	4.3	25	12	16	1		0		4	3	2	3	1	0	4	0	0	1	0	0	0	0	7	0	23	6	9	0
VI	88	66	71	80	5.9	5.7	5.8	82	12	28	0		0		20	15	2	0	0	0	20	0	0	5	0	1	0	0	10	0	17	2	14	0
VII	93	72	75	84	5.7	6.0	6.0	129	25	16	0		0		24	14	4	2	0	0	24	0	0	3	0	0	0	5	8	0	18	2	12	0
VIII	96	72	78	81	5.5	5.4	5.5	113	28	15	0		0		17	11	3	1	0	0	17	0	0	3	0	0	0	1	5	2	17	3	15	0
IX	94	70	83	85	6.2	5.6	6.5	75	20	24	1		0		23	14	1	4	0	0	23	0	1	0	0	0	0	0	1	3	15	0	15	0
X	90	80	84	86	6.2	5.9	5.8	175	38	15	8		0		24	17	6	9	1	0	21	3	1	0	0	0	0	0	7	0	11	0	15	0
XI	76	78	73	75	4.8	5.6	4.3	71	19	17	19		0		16	9	3	11	6	4	12	5	1	1	0	1	0	0	1	1	6	1	6	9
XII	85	85	84	84	4.8	6.2	5.9	136	27	21	20		0		20	15	4	8	3	1	15	9	0	0	0	3	0	0	1	0	0	0	10	17
1954	86	71	74	79	5.3	5.4	5.3	1081	38		131		21		202	135	35	60	18	6	172	51	11	18	3	16	0	6	55	7	162	34	145	108

Kristiansund N.

H_s = 13 H_b = h_t = 1.9 h_a = h_d = h_r = 1.8

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	77	79	80	78	5.7	5.5	5.5	158	34	20	22	5	0	0	20	18	5	10	4	3	14	16	10	4	10	8	0	0	15	0	18	2	11	23
II	63	60	60	61	4.7	4.1	4.5	8	3	6	19	6	0	0	6	3	0	6	0	0	4	4	2	0	0	0	0	0	4	0	22	6	6	10
III	78	69	74	75	6.0	6.0	5.7	65	20	24	12	0	0	0	15	12	2	6	0	0	14	8	6	2	2	1	0	0	10	3	21	1	18	2
IV	79	69	75	76	6.0	6.0	6.3	75	10	5	0	0	0	0	20	19	0	3	0	0	18	17	12	1	5	4	0	0	14	0	29	0	18	3
V	79	68	72	75	5.7	5.2	5.2	21	11	16	0	0	0	0	8	3	1	1	0	0	8	0	0	1	0	1	0	0	6	6	30	2	10	0
VI	88	77	79	84	6.0	6.3	6.5	77	16	12	0	0	0	0	19	14	1	4	0	0	17	1	1	6	0	0	0	0	10	1	24	2	19	0
VII	89	79	81	85	6.2	6.1	5.7	120	28	16	0	0	0	2	20	14	3	1	0	0	20	0	0	7	0	0	0	4	8	4	23	1	17	0
VIII	91	78	82	85	6.0	5.1	5.3	107	24	5	0	0	0	0	17	13	4	2	0	0	17	0	0	6	0	0	0	0	7	1	27	1	12	0
IX	85	76	82	82	6.1	6.0	6.4	109	18	14	0	0	0	0	27	17	3	4	1	0	27	2	2	0	0	3	0	0	11	0	27	0	14	0
X	86	80	85	84	6.4	6.3	5.7	288	36	31	1	0	0	0	25	23	11	7	3	0	25	9	9	0	3	8	0	5	17	0	20	0	18	0
XI	74	73	74	74	5.2	5.9	5.7	98	19	17	0	0	0	0	19	17	2	8	0	0	18	8	8	0	0	4	0	2	6	0	16	0	14	0
XII	81	81	80	81	5.8	6.6	6.5	177	30	19	11	0	0	0	18	17	8	8	4	2	18	11	10	1	0	3	0	2	15	0	9	0	16	10
1954	81	74	77	78	5.8	5.8	5.8	1303	36		65	11	0	2	214	170	40	60	12	5	200	76	60	28	20	32	0	13	123	15	266	15	173	48

Vinjeøra

H_s = 9 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					4.7	5.2	4.3	181	42	2	26	13	8	0	16	16	7	6	0	0	6	14	3	0	0	3	0	0	1	0	9	6	12	27
II					4.0	3.6	3.1	11	6	4	25	15	12	0	7	3	0	1	0	0	4	3	0	0	0	0	0	0	0	0	19	11	8	28
III					5.2	5.7	5.0	83	16	16	16	3	2	0	12	11	3	5	0	0	13	4	5	0	0	0	0	0	0	0	23	4	12	19
IV					5.6	5.8	6.2	110	19	23	15	0	0	0	20	19	2	1	0	0	19	12	8	0	0	4	0	0	0	0	23	0	14	0
V					4.5	4.9	4.5	27	15	16	2	0	0	0	7	3	1	0	0	0	7	0	0	0	0	0	0	0	1	0	28	4	12	0
VI					5.9	6.3	6.2	74	13	28	0	0	0	0	19	15	3	0	0	0	19	0	0	3	0	0	0	0	2	0	26	1	16	0
VII					5.8	6.8	6.4	160	64	19	0	0	0	3	20	12	6	0	0	0	19	0	0	2	0	1	0	6	0	0	22	1	18	0
VIII					6.1	5.5	5.6	148	42	4	0	0	0	0	18	15	14	0	0	0	18	0	0	1	0	0	0	1	0	4	25	0	8	0
IX					5.8	6.2	6.2	94	19	19	0	0	0	0	22	17	2	0	0	0	22	2	1	0	0	0	0	0	0	0	22	0	15	0
X					6.1	6.1	5.5	172	29	14	8	0	0	0	24	22	3	2	0	0	24	5	1	0	0	0	0	0	0	0	22	1	14	0
XI					4.0	5.6	3.9	79	22	17	22	1	0	0	15	11	2	0	0	0	13	5	2	0	0	1	0	0	0	0	9	3	7	2
XII					4.8	6.4	4.5	130	26	19	22	0	1	0	19	13	6	6	1	0	13	9	3	0	0	4	0	2	0	0	0	2	14	10
1954					5.2	5.7	5.1	1269	64		136	32	23	3	199	157	49	21	1	0	177	54	23	6	0	13	0	9	4	4	228	33	150	86

Sula Fyr

H_s = 27 H_b = 30.0 h_t = 1.8 h_a = 13.0 h_d = 13.0 h_r = 1.7

Måned	U 7	13	19	Dies	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	80	83	83	5.3	5.5	5.6	81	21	2	16	4	0	0	21	14	3	20	9	5	15	15	7	2	0	0	0	0	0	0	4	5	16	
II	77	76	72	75	4.1	4.4	4.3	32	16	6	21	7	0	0	8	4	1	11	1	1	5	4	1	0	0	0	0	0	0	0	10	6	8	
III	84	80	84	83	5.4	5.5	5.9	58	10	12	8	1	0	0	19	14	1	15	2	0	16	7	3	3	0	0	0	0	2	0	9	3	15	
IV	84	91	83	84	5.9	5.7	5.6	40	10	13	0	0	0	0	19	15	0	10	0	0	18	7	3	2	0	0	0	0	1	0	15	0	14	
V	88	80	83	85	5.2	4.4	4.7	6	2	18	0	0	0	0	7	2	0	3	0	0	7	0	0	2	0	0	0	0	3	5	20	5	12	
VI	86	79	80	83	6.3	5.8	5.5	45	8	13	0	0	0	0	18	11	0	6	0	0	13	0	0	9	0	0	0	0	2	3	17	2	13	
VII	87	72	86	86	5.8	6.2	5.5	58	12	15	0	0	0	0	15	11	1	3	0	0	12	0	0	9	0	0	0	1	2	2	17	1	13	
VIII	88	82	83	85	5.5	5.3	5.1	55	17	9	0	0	0	0	14	9	1	7	0	0	11	0	0	5	0	0	0	0	4	0	20	1	11	
IX	81	73	80	79	5.6	5.5	6.0	50	6	5	0	0	0	0	19	17	0	10	0	0	19	0	0	0	0	0	0	0	0	0	13	0	6	
X	84	80	81	82	5.7	5.7	5.8	170	28	12	0	0	0	0	25	21	6	13	4	1	25	2	1	2	0	0	0	0	2	0	6	1	11	
XI	77	77	80	78	4.2	5.5	4.8	125	40	5	0	0	0	0	17	16	3	12	0	0	17	0	0	5	0	0	1	1	0	0	6	2	5	
XII	84	83	83	84	5.5	5.9	5.1	147	33	19	4	0	0	0	22	18	6	12	10	6	22	7	7	1	0	0	0	0	2	0	0	0	10	
1954	84	79	82	82	5.4	5.4	5.3	867	40		49	12	0	0	204	152	22	122	26	13	180	42	22	40	0	0	1	2	18	10	137	26	134	

1954

Vallersund

φ = 63° 51′ N λ = 9° 44′ E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 0.7	- 0.5	- 0.7	- 0.7		- 2.8	7.8	2	-12.9	30	0 -	5 4.6	5 2.8	3 2.0	10 2.9	31 3.1	2 4.5	0 -	11 6.2	8 5.0	5 5.0	10 4.9	3
II			- 2.9	- 1.4	- 2.2	- 2.4		- 4.4	4.5	4	-10.9	13	0 -	0 -	0 -	0 -	13 4.0	58 4.8	2 3.0	6 3.2	4 5.0	1 4.0	0 -	0 -	0
III			0.9	3.6	2.3	2.1		- 0.5	7.1	22	- 6.9	4	0 -	4 2.8	0 -	5 2.0	7 4.1	37 3.4	4 2.2	8 2.9	11 4.5	6 4.8	2 4.0	6 3.5	3
IV			2.9	5.3	5.0	4.0		1.5	11.6	10	- 0.3	30	0 -	11 3.1	0 -	3 2.7	7 2.7	10 3.0	3 2.7	8 3.2	7 4.6	14 3.0	9 3.6	11 3.5	7
V			10.1	13.6	12.3	11.2		7.1	23.5	22	0.3	1	4 2.3	13 3.0	4 2.0	3 2.7	19 3.5	8 4.0	1 5.0	1 3.0	3 2.3	14 2.4	8 2.6	8 3.1	7
VI			10.1	11.6	11.0	10.4	13.2	8.0	22.0	19	4.0	15	2 2.5	31 3.2	5 3.2	3 2.3	1 3.0	1 4.0	0 -	1 1.0	6 3.3	21 3.3	5 1.8	11 3.3	3
VII			13.7	15.7	15.2	14.2	17.7	11.6	27.7	11	7.7	24	1 3.0	19 2.7	3 3.0	7 1.9	9 2.8	6 3.7	2 3.0	2 3.0	7 3.4	17 2.8	6 2.7	11 3.6	3
VIII			12.1	15.0	13.9	13.2	16.1	10.1	22.5	11	5.9	22	0 -	28 2.7	1 2.0	6 2.5	12 3.1	0 -	0 -	2 2.0	12 3.5	11 4.1	7 3.4	7 3.3	7
IX			9.1	12.4	10.4	10.3	13.4	7.5	20.2	10	3.5	28	1 3.0	8 2.5	2 1.5	7 2.7	10 4.0	15 3.3	2 3.0	6 3.0	17 3.9	7 3.0	6 3.5	4 3.8	5
X			5.5	7.3	6.2	6.1	8.3	3.9	15.2	5	- 0.9	19	0 -	3 4.3	6 2.7	6 2.3	17 3.6	14 3.3	2 2.0	10 3.6	17 4.8	4 6.5	2 3.5	6 3.5	6
XI			3.4	4.0	3.4	3.5	5.3	1.7	8.6	30	- 3.7	22	0 -	2 3.0	1 2.0	3 3.7	29 4.5	25 5.2	4 3.8	6 2.7	6 3.8	8 4.2	2 4.0	2 3.5	2
XII			2.6	3.0	2.6	2.7	4.9	0.5	10.0	3	- 6.7	27	0 -	0 -	0 -	7 2.0	9 3.8	27 3.9	5 3.6	15 3.9	13 4.8	6 5.3	0 -	6 5.8	5
1954			5.6	7.5	6.6	6.2		3.7	27.7		-12.9		8 2.5	124 3.0	27 2.6	53 2.4	143 3.7	232 4.0	27 3.6	65 3.2	114 4.4	117 3.7	52 3.3	82 3.8	51

Ørland II

φ = 63° 41′ N λ = 9° 36′ E g = ΔG = + 1

I			- 1.2	- 0.8	- 0.7	- 1.0		- 3.3	8.0	2	-10.9	30	2 6.0	0 -	1 2.0	7 4.6	23 4.1	16 3.6	0 -	5 3.2	10 5.8	10 3.9	4 5.5	9 5.1	
II			- 2.9	- 1.5	- 1.9	- 2.2		- 4.2	4.6	4	- 9.9	1	0 -	0 -	0 -	3 4.0	28 5.2	42 5.1	1 2.0	0 -	2 3.0	7 3.1	0 -	0 -	
III			1.3	3.3	2.5	2.2		- 0.2	7.8	10	- 6.3	4	0 -	3 2.7	1 1.0	3 3.0	23 3.8	23 3.5	1 2.0	2 2.5	16 3.7	8 3.5	0 -	5 3.0	
IV			2.8	5.5	4.8	4.0		1.4	9.2	11	- 0.9	21	10 2.6	1 4.0	0 -	3 2.7	10 3.4	7 2.5	2 1.0	3 1.0	15 3.2	13 3.1	7 3.0	9 2.7	
V			9.7	13.5	12.5	11.1		6.9	20.5	29	1.3	1	9 1.6	1 1.0	0 -	5 2.4	13 2.9	18 3.6	2 2.0	0 -	3 1.7	14 2.1	6 2.2	11 2.7	
VI			9.9	12.6	11.6	10.6		7.4	19.9	19	2.0	6	18 2.6	2 1.0	1 1.0	6 2.3	3 2.0	5 1.8	1 2.0	0 -	4 3.5	15 2.9	4 2.0	15 2.6	
VII			13.4	15.5	14.9	13.9		11.1	24.8	11	6.2	24	13 2.5	1 1.0	2 1.0	5 2.4	13 2.8	7 3.1	1 2.0	0 -	5 1.6	16 2.0	9 2.6	5 2.6	
VIII			12.0	15.3	13.8	13.1		9.8	20.0	10	5.1	18	12 1.8	4 2.2	1 1.0	5 1.6	9 2.3	3 3.7	0 -	4 2.2	11 2.3	19 3.4	5 2.2	7 1.9	
IX			8.8	12.1	10.1	10.0		7.4	18.4	10	3.1	27	3 1.7	1 1.0	2 1.5	8 1.2	20 3.4	9 3.9	2 1.0	1 2.0	16 3.3	12 3.0	1 1.0	2 1.0	
X			5.2	7.2	5.9	6.0		3.8	14.2	5	- 1.3	17	2 3.5	0 -	1 4.0	7 3.3	19 3.4	11 2.8	4 2.0	5 2.6	15 4.5	3 4.7	2 3.5	6 4.0	
XI			3.4	4.1	3.5	3.6		1.8	8.1	30	- 2.4	22	0 -	0 -	2 1.5	0 -	17 3.9	39 4.9	1 2.0	6 2.2	11 2.3	2 3.0	1 1.0	2 2.0	
XII			2.4	2.8	2.5	2.5		- 0.1	8.8	2	- 5.9	24	0 -	0 -	0 -	4 2.0	29 3.1	18 3.8	0 -	3 3.3	23 3.5	8 4.2	3 4.7	0 -	
1954			5.4	7.5	6.6	6.2		3.6	24.8		-10.9		69 2.4	13 2.0	11 1.5	56 2.6	207 3.6	198 4.1	15 1.7	29 2.4	131 3.4	128 3.0	42 2.9	71 2.8	12

Trondheim (Voll)

φ = 63° 25′ N λ = 10° 27′ E g = 9.822 ΔG = + 1

I	997.0	1014.0	- 4.4	- 3.7	- 4.3	- 4.2	- 1.7	- 7.2	6.4	2	-19.8	31	4 4.2	6 2.2	3 1.3	3 1.7	2 1.5	2 1.5	13 2.2	19 2.9	13 3.5	9 2.1	2 4.0	1 5.0	
II	1000.0	17.1	- 6.5	- 4.1	- 5.1	- 5.5	- 3.1	- 8.5	4.0	5	-19.0	1	0 -	1 2.0	0 -	3 3.3	0 -	10 2.4	30 4.6	25 2.6	3 3.0	1 4.0	0 -	0 -	
III	992.6	09.2	- 1.5	2.0	0.9	0.2	2.9	- 2.7	6.7	9	-13.9	4	1 1.0	5 1.6	1 1.0	4 2.0	1 4.0	14 3.2	13 3.8	22 2.9	10 1.5	8 2.8	6 2.2	0 -	
IV	1000.8	17.4	1.2	5.0	3.6	2.8	6.3	0.0	11.0	11	- 2.3	8	4 2.5	8 2.1	1 1.0	0 -	0 -	5 1.4	6 3.3	22 2.5	12 2.1	17 2.9	8 3.0	4 1.8	
V	03.5	19.5	9.8	13.9	13.4	11.4	16.0	6.7	23.1	28	- 0.3	1	2 2.0	17 1.9	5 1.2	4 2.0	1 4.0	1 4.0	15 4.3	8 4.0	7 2.4	9 2.3	5 2.0	2 3.0	
VI	993.8	09.7	9.8	12.6	11.8	10.6	14.5	7.4	23.5	19	2.8	8	3 1.0	14 2.4	7 2.4	6 2.2	1 4.0	1 2.0	1 1.0	5 2.8	9 1.7	15 2.3	17 2.5	1 1.0	
VII	89.6	05.4	13.3	16.1	15.2	14.1	18.3	10.6	27.3	11	6.9	24	4 2.0	9 2.2	12 1.8	7 2.3	2 3.5	0 -	5 3.4	12 2.6	5 1.6	12 2.2	11 2.1	5 3.0	
VIII	92.4	08.2	11.1	14.7	13.9	12.6	16.5	9.2	20.9	9	4.9	21	6 1.3	6 2.0	12 1.8	3 1.3	1 3.0	1 4.0	2 5.0	7 2.1	10 1.5	17 2.4	4 2.0	2 1.5	
IX	85.4	01.4	6.7	11.2	9.3	8.6	12.6	5.3	19.0	9	- 1.3	29	1 1.0	10 2.0	8 1.6	3 1.0	1 1.0	2 2.5	9 3.7	13 3.0	17 1.9	12 2.1	0 -	0 -	
X	86.9	03.1	3.2	6.3	4.6	4.4	7.1	1.7	14.6	4	- 4.0	19	0 -	4 1.8	3 1.7	3 1.3	0 -	4 2.2	5 4.4	18 2.7	17 2.7	12 2.8	2 2.5	0 -	
XI	93.4	09.9	0.9	2.0	1.5	1.4	3.2	- 0.9	7.5	30	- 7.7	16	0 -	0 -	0 -	0 -	1 1.0	7 2.1	28 4.2	19 2.3	16 1.8	1 2.0	0 -	0 -	
XII	82.1	998.6	0.1	0.6	0.1	0.2	2.7	- 2.5	9.3	3	- 9.9	23	0 -	0 -	2 2.5	2 1.0	2 1.5	1 1.0	20 2.8	29 2.7	20 3.0	1 5.0	0 -	0 -	
1954	993.1	1009.5	3.6	6.4	5.4	4.7	7.9	1.6	27.3		-19.8		25 2.1	80 2.1	54 1.8	38 2.1	12 2.5	48 2.5	147 3.8	199 2.7	139 2.3	114 2.5	55 2.4	15 2.5	

Selbu

φ = 63° 12′ N λ = 11° 7′ E g = ΔG = +

I			- 5.7	- 3.5	- 5.6	- 5.1		- 8.9	5.2	2	-22.1	31	2 3.0	2 2.5	7 2.0	24 1.8	10 2.2	10 3.3	1 2.0	0 -	0 -	1 2.0	12 2.9	11 2.5	
II			- 7.5	- 3.7	- 6.5	- 6.2		- 9.6	4.9	4	-20.1	14	3 1.7	4 1.5	1 1.0	18 2.1	17 4.2	24 4.5	5 5.0	0 -	0 -	0 -	3 2.0	1 1.0	
III			- 2.2	2.3	0.4	- 0.1		- 3.5	7.1	13	-16.4	4	4 4.0	0 -	1 1.0	16 1.3	16 3.1	23 3.1	3 4.3	0 -	0 -	1 3.0	3 2.7	9 3.0	
IV			0.6	4.7	3.0	2.2		- 1.0	10.2	10	- 4.0	8	7 2.0	0 -	0 -	12 1.7	5 2.4	16 2.7	3 3.3	1 3.0	0 -	11 2.1	9 2.6	21 2.5	
V			9.1	14.9	13.1	11.1		5.2	24.1	29	- 0.2	9	6 3.3	3 2.0	1 2.0	11 1.6	9 2.7	34 3.4	3 2.0	1 1.0	0 -	1 4.0	4 2.5	17 2.2	
VI			9.3	13.9	12.6	10.9		6.3	23.9	19	- 0.3	7	9 2.8	1 2.0	1 3.0	3 2.0	2 3.0	9 2.0	9 3.7	0 -	0 -	18 2.4	3 1.3	22 2.5	
VII			13.3	17.4	16.2	14.6		10.6	25.4	12	5.2	9	1 3.0	0 -	1 2.0	4 2.2	1 4.0	23 3.4	8 4.0	1 3.0	4 1.3	9 1.9	3 2.3	26 2.5	
VIII			10.5	16.3	14.3	12.8		8.4	23.4	24	3.0	22	7 2.0	7 2.1	0 -	5 1.4	1 2.0	17 2.3	2 2.5	1 3.0	2 2.0	5 3.0	5 2.0	21 2.6	
IX			6.0	12.4	9.7	8.8		4.6	20.6	4	- 2.3	29	5 1.6	5 2.0	3 3.0	7 1.7	1 4.0	18 3.8	9 3.3	1 1.0	2 2.0	3 3.0	3 1.7	7 2.0	
X			2.6	7.0	4.1	4.2		0.6	13.8	5	- 6.2	19	6 2.8	5 1.8	2 2.5	14 2.1	11 3.3	21 3.1	6 4.2	0 -	0 -	5 2.2	1 2.0	7 1.9	
XI			- 0.2	1.9	0.3	0.5		- 2.3	7.0	4	- 8.8	14	4 1.5	2 1.5	3 2.3	14 1.9	14 3.5	34 4.2	1 7.0	0 -	0 -	0 -	1 4.0	3 1.7	
XII			0.1	0.5	0.1	0.1		- 2.8	8.9	3	-12.1	23	2 1.0	4 1.2	6 1.7	11 1.9	8 2.6	23 3.9	5 4.6	0 -	0 -	5 3.6	2 2.5	4 1.8	
1954			3.0	7.0	5.1	4.5		0.6	25.4		-22.1		56 2.3	33 1.8	26 2.1	139 1.8	95 3.2	252 3.5	55 3.8	5 2.2	8 1.6	59 2.5	49 2.4	149 2.4	

Berkåk

φ = 62° 50′ N λ = 10° 1′ E g = ΔG = +

I			- 7.4	- 6.0	- 8.0	- 7.3		-12.7	5.4	2	-28.5	22	1 2.0	3 2.3	9 2.7	2 4.0	1 5.0	32 4.5	14 3.9	9 3.1	1 4.0	0 -	0 -	18 3.5	
II			-10.3	- 6.0	- 8.8	- 8.8		-13.2	2.0	5	-27.2	1	1 4.0	0 -	1 3.0	1 3.0	1 5.0	48 4.4	13 4.2	11 4.9	3 3.7	0 -	0 -	2 3.0	
III			- 4.5	1.2	- 1.7	- 2.1		- 6.6	8.6	13	-23.5	4	3 2.7	0 -	4 3.0	3 2.0	5 3.4	37 4.0	7 3.3	11 4.4	3 3.0	1 3.0	4 2.5	11 3.0	
IV			- 1.4	3.8	1.5	0.5		- 4.0	8.6	10	-15.3	8	2 3.0	1 3.0	8 2.7	0 -	2 2.0	15 3.6	9 3.3	4 4.2	7 3.6	7 3.1	6 3.0	25 3.4	
V			8.0	13.7	11.6	9.6		3.2	23.0	29	- 3.5	9	2 3.0	8 3.1	5 2.8	1 3.0	0 -	34 3.7	14 3.6	6 3.3	3 3.0	2 3.0	4 3.2	13 3.1	
VI			8.1	13.0	11.4	9.4		3.9	20.6	19	- 2.5	7	3 3.0	11 3.2	14 3.0	2 2.0	1 3.0	12 3.1	10 2.8	7 3.6	7 2.1	2 3.0	2 3.0	17 3.1	
VII			11.2	15.1	14.1	12.5		8.3	23.2	11	3.4	9	2 3.0	9 3.1	5 2.7	3 3.0	1 2.0	21 3.2	10 3.6	6 3.3	1 3.0	9 2.8	5 3.0	17 3.1	
VIII			9.4	15.0	12.8	11.4		6.7	21.8	24	1.7	17	0 -	10 3.0	13 2.7	1 1.0	1 1.0	21 3.1	0 -	7 2.6	4 2.0	9 2.8	3 2.3	16 3.1	
IX			3.4	11.0	7.7	6.9		1.9	16.8	4	- 5.8	29	1 2.0	7 2.5	13 2.3	2 2.0	1 1.0	15 3.3	9 3.4	15 2.7	4 2.5	4 2.0	5 2.4	8 2.9	
X			0.4	5.5	1.5	2.1		- 2.3	12.0	5	-11.6	19	0 -	0 -	10 2.9	1 3.0	4 2.5	21 4.6	9 4.0	13 3.1	14 4.0	2 2.0	4 3.0	7 3.1	
XI			- 2.7	0.2	- 2.0	- 1.3		- 5.2	6.2	4	-18.5	16	2 2.0	0 -	7 2.4	0 -	0 -	53 4.3	11 3.8	6 3.8	2 2.5	1 1.0	1 4.0	2 2.5	
XII			- 3.3	- 1.8	- 3.8	- 3.1		- 8.5	6.4	3	-20.8	23	0 -	1 2.0	7 2.3	4 2.2	2 2.0	47 3.4	4 3.8	6 3.5	4 3.2	0 -	4 3.2	7 2.0	
1954			0.9	5.4	3.0	2.5		- 2.4	23.2		-28.5		17 2.8	50 3.0	97 2.7	20 2.5	19 2.8	356 3.8	110 4.0	101 3.5	53 3.2	37 2.7	38 2.9	143 3.1	

Årsoversikter

Annual Summaries)

1954

Vallersund

H_s = 4 H_b = h_t = 2.0 h_a = h_d = 10.0 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn (●)	Snø (✱)	Sludd	Yr	Sprøhagl	Hagl (△)	Ishagl (▲)	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.1	5.1	4.7	77	16	2	23		3		16	14	1	10	2	1	8	14	3	1	0	0	0	0	1	0	7	7	14	19
II					3.2	3.6	2.8	18	6	6	25		2		5	5	0	8	4	1	4	1	0	0	0	0	0	0	1	0	12	13	6	5
III					4.8	5.1	5.6	84	31	28	14		0		14	12	1	7	2	0	12	6	3	2	0	0	0	0	6	0	12	2	11	5
IV					5.5	5.3	4.9	56	10	30	2		0		20	18	0	3	0	0	18	9	2	0	0	4	0	0	1	0	15	1	9	1
V					4.3	3.9	3.8	7	3	18	0	0	0	0	5	4	0	4	0	0	5	0	0	0	0	0	0	0	4	6	25	6	4	0
VI					6.0	5.3	5.3	64	18	25	0	0	0	0	21	14	2	3	0	0	21	0	0	3	0	0	0	0	1	0	21	1	11	0
VII					6.0	6.0	5.5	96	35	29	0	0	0	2	16	12	2	0	0	0	15	0	0	1	0	0	0	2	0	0	18	1	12	0
VIII					5.3	4.9	4.8	101	20	9	0	0	0	0	18	13	4	3	0	0	18	0	0	1	0	0	0	2	2	0	18	4	12	0
IX					5.3	4.8	5.0	88	16	24	0	0	0	0	24	21	2	6	1	0	24	0	0	0	0	0	0	0	0	0	13	2	6	0
X					5.6	5.8	4.7	167	24	22	2	0	0	0	23	23	6	11	2	1	23	2	0	1	0	7	0	2	0	0	10	0	9	0
XI					3.6	4.4	3.4	66	10	5	5	0	0	0	16	14	0	12	3	0	16	3	0	0	0	3	0	0	0	0	8	6	1	0
XII					4.5	5.5	4.7	100	13	19	10	0	0	0	18	16	2	11	7	3	16	3	1	0	0	2	0	1	0	0	0	3	4	8
1954					4.9	5.0	4.6	924	35		81		5		196	166	20	78	21	6	180	38	9	9	0	16	0	7	16	6	159	46	99	38

Ørland II

H_s = 4 H_b = h_t = 1.9 h_a = h_d = 10.0 h_r = 1.6

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	80	80	80	4.6	5.2	4.6	88	18	2	23		2		18	14	1	19	3	2	13	15	10	2	6	2	0	0	1	0	16	6	12	19
II	70	66	66	68	4.0	4.3	3.6	16	7	3	25		0		7	4	0	18	6	4	5	3	1	1	0	0	0	0	2	0	19	10	9	4
III	79	71	77	77	5.0	5.7	5.8	65	9	28	11		0		15	12	0	12	1	0	14	7	5	2	0	0	0	0	5	0	22	2	13	2
IV	84	72	77	79	5.6	5.3	5.6	62	8	13	2		0		20	17	0	5	0	0	19	13	10	0	1	6	0	0	0	0	26	1	13	1
V	81	63	65	73	5.1	4.3	4.1	11	4	18	0		0		6	4	0	4	0	0	6	0	0	2	0	0	0	0	2	5	29	4	9	0
VI	84	72	75	80	6.1	5.6	5.8	66	12	28	0		0		18	4	2	4	0	0	18	0	0	9	0	0	0	1	5	0	24	1	13	0
VII	86	76	78	82	5.8	6.0	5.8	88	39	29	0		0		13	12	1	1	0	0	13	0	0	4	0	0	0	0	3	0	28	1	16	0
VIII	91	76	81	85	5.8	5.2	5.3	98	17	4	0		0		19	12	3	0	0	0	19	0	0	7	0	0	0	0	5	1	25	1	13	0
IX	87	70	84	82	5.4	5.5	5.8	52	7	28	0		0		19	14	0	6	0	0	19	0	1	1	0	1	0	1	2	0	25	0	11	0
X	88	78	84	85	6.2	6.0	5.2	149	25	8	3		0		23	19	5	9	2	0	23	5	3	5	0	8	0	0	0	0	25	0	14	0
XI	76	75	89	81	4.2	5.4	4.5	30	5	10	4		0		15	7	0	10	3	1	14	5	3	0	0	0	0	0	0	0	15	2	7	2
XII	84	83	82	83	4.8	6.0	4.6	95	14	19	12		0		20	15	3	13	4	1	20	7	8	1	2	3	0	2	2	0	10	1	9	7
1954	84	79	82	82	5.4	5.4	5.3	820	39		80		2		193	134	13	101	19	8	183	55	41	34	9	20	0	4	27	6	264	29	139	35

Trondheim (Voll)

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = 16.6 h_d = 16.6 h_r = 1.3

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	78	82	82	5.4	5.2	4.6	104	20	2	27	18	10	0	17	14	4	7	1	0	5	15	2	1	0	0	0	0	1	0	8	6	14	27
II	66	63	63	64	3.9	4.1	3.1	15	6	4	25	21	9	0	5	4	0	12	7	1	2	4	0	0	0	0	0	0	0	1	14	11	8	28
III	80	70	75	76	4.8	5.2	5.4	43	10	16	21	4	2	0	15	10	0	3	0	0	11	11	4	0	0	1	0	0	6	1	14	4	11	15
IV	84	69	77	79	5.4	5.4	5.7	48	9	23	14	0	0	0	19	15	0	3	0	0	10	14	3	0	1	2	0	0	0	0	13	1	14	0
V	78	61	59	68	4.3	4.9	4.5	12	7	16	1	0	0	0	4	3	0	7	0	0	4	0	0	0	0	0	0	0	2	0	24	3	10	0
VI	85	73	77	81	6.2	5.6	5.6	82	15	28	0	0	0	0	15	14	2	1	0	0	15	0	0	3	0	0	0	5	10	1	18	1	14	0
VII	86	73	74	80	6.4	6.0	5.6	75	29	15	0	0	0	1	18	12	2	0	0	0	18	0	0	3	0	0	0	2	4	0	17	1	16	0
VIII	92	76	78	85	5.5	5.6	5.6	83	14	9	0	0	0	0	14	11	5	1	0	0	14	0	0	3	0	0	0	0	0	1	17	1	12	0
IX	90	73	81	85	5.1	5.4	5.2	50	11	12	1	0	0	0	21	12	1	4	0	0	20	0	0	0	0	1	0	0	1	0	15	2	12	0
X	86	75	83	82	5.6	5.9	4.9	85	14	13	9	0	0	0	22	14	4	7	0	0	20	4	2	1	0	1	0	0	1	1	10	1	12	0
XI	75	73	72	74	3.9	5.1	4.3	26	6	17	15	2	0	0	14	8	0	9	5	0	10	8	1	1	0	2	0	0	0	0	10	5	7	2
XII	81	81	83	82	5.5	6.1	5.3	56	10	19	21	7	0	0	19	11	1	7	0	0	12	11	3	1	0	1	0	0	1	0	6	2	14	15
1954	82	72	75	78	5.2	5.4	5.0	679	29		134	52	21	1	183	128	19	61	13	1	141	67	15	13	1	8	0	7	26	5	166	38	144	87

Selbu

H_s = 197 H_b = h_t = 2.0 h_a = h_d = 7.5 h_r = 1.4

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	74	79	79	5.0	5.3	4.8	79	11	2	27		10		16	14	1	0	0	0	3	15	1	0	0	0	0	0	0	0	7	7	15	31
II	69	63	66	67	3.9	3.9	3.6	4	2	4	26		10		5	1	0	8	2	0	2	3	0	0	0	0	0	0	0	0	13	11	10	28
III	78	67	73	74	5.3	5.8	5.8	33	8	24	21		2		14	10	0	2	1	0	11	9	3	1	0	0	0	0	0	1	15	3	15	31
IV	83	64	72	75	6.4	5.8	5.4	60	13	6	20		0		18	16	1	1	0	0	13	14	8	0	0	2	0	0	0	0	14	2	15	14
V	73	53	57	65	3.9	5.0	4.8	23	11	16	2		0		4	4	1	3	0	0	4	1	1	2	0	0	0	1	0	0	28	6	7	0
VI	83	66	70	75	6.2	6.0	5.8	87	17	29	1		0		18	13	3	1	0	0	18	0	0	5	0	1	0	3	0	0	21	1	13	0
VII	80	64	65	72	6.1	6.8	5.6	86	27	15	0		0		17	14	1	0	0	0	17	0	0	3	0	0	0	2	1	0	18	0	17	0
VIII	88	68	72	80	5.9	5.9	5.7	86	27	9	0		0		16	10	2	0	0	0	13	0	0	6	0	0	0	1	0	0	16	3	17	0
IX	87	64	74	77	5.9	5.8	5.5	31	4	18	3		0		20	11	0	3	0	0	20	0	1	2	0	0	0	0	0	1	16	1	14	0
X	81	68	79	78	6.3	6.7	5.0	63	10	15	11		0		23	12	2	4	0	0	19	6	5	4	0	2	0	0	0	0	13	0	12	2
XI	78	74	76	77	4.5	5.5	4.1	27	6	13	20		0		13	9	0	7	0	0	6	9	1	4	0	0	0	0	0	0	12	5	7	18
XII	79	78	79	79	6.0	6.4	6.3	43	7	20	25		0		17	12	0	7	1	1	8	11	2	3	0	0	0	0	0	0	2	0	19	22
1954	80	67	72	76	5.4	5.7	5.2	622	27		156		22		181	126	11	36	4	1	134	68	22	30	0	5	0	7	1	2	175	39	161	146

Berkåk

H_s = 424 H_b = h_t = 1.8 h_a = h_d = 10.0 h_r = 1.8

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	78	82	81	4.5	5.2	4.8	98	31	10	31		18		17	13	3	2	0	0	3	16	1	0	0	0	0	0	0	0	6	7	10	31
II	73	65	68	70	3.4	3.5	2.6	2	2	23	28		15		2	1	0	11	1	1	0	2	0	0	0	0	0	0	0	0	15	12	6	28
III	81	65	74	75	4.2	4.9	4.1	13	7	24	28		8		7	4	0	4	1	0	3	7	2	1	0	0	0	0	2	0	13	4	7	31
IV	83	59	73	75	5.2	5.0	5.1	54	10	6	28		1		19	18	1	2	0	0	3	18	1	0	0	0	0	0	1	0	14	3	11	30
V	73	53	60	66	3.1	4.1	4.0	20	12	16	3		0		5	3	1	3	0	0	4	2	0	0	0	0	0	1	0	0	23	7	6	1
VI	85	64	71	78	5.2	5.1	5.6	54	12	28	6		0		19	13	2	0	0	0	19	2	2	0	0	0	0	0	5	0	17	1	12	0
VII	85	69	72	79	5.3	6.2	5.5	80	16	16	0		0		21	14	3	0	0	0	21	0	0	4	0	0	0	2	7	2	16	1	12	0
VIII	91	67	75	82	5.5	5.2	4.9	75	28	9	0		0		15	10	1	1	1	1	14	0	0	3	0	0	0	0	2	3	13	2	9	0
IX	95	64	77	81	5.3	5.3	5.3	22	3	23	10		0		19	12	0	2	0	0	18	2	1	5	0	0	0	0	1	0	7	0	10	0
X	84	67	85	80	5.5	4.9	4.4	57	11	14	19		0		16	12	1	6	0	0	11	9	4	2	0	0	0	0	2	1	17	3	7	4
XI	79	73	78	78	4.1	4.6	4.3	13	4	1	24		1		8	5	0	10	0	0	4	6	3	1	0	0	0	0	0	0	10	2	6	17
XII	82	79	82	81	4.3	5.5	5.3	71	16	19	30		12		13	10	3	6	0	0	3	13	3	0	0	0	0	0	1	0	4	0	8	25
1954	82	67	75	77	4.6	5.0	4.7	559	31		207		55		161	115	15	47	3	2	103	77	17	16	0	0	0	3	21	6	155	42	104	167

1954

Meråker II

φ = 63° 25′ N λ = 11° 46′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 5.9	- 4.6	- 5.5	- 5.4	- 1.7	- 9.0	7.5	5	-22.4	31	3 1.0	2 1.0	0 -	5 2.0	6 1.5	14 1.6	2 2.0	3 1.3	3 2.0	4 2.5	4 1.2	2 1.0	45
II			- 8.5	- 5.5	- 6.9	- 7.3	- 2.9	-10.6	7.1	4	-22.5	14	1 1.0	0 -	2 3.5	18 2.9	10 3.2	16 2.8	7 4.4	0 -	0 -	0 -	0 -	0 -	30
III			- 3.2	1.1	- 0.4	- 1.2	2.4	- 4.7	7.0	13	-17.1	4	0 -	0 -	2 2.0	14 2.0	9 2.3	15 2.4	2 3.0	3 1.3	0 -	7 2.0	7 1.4	1 1.0	33
IV			- 0.1	3.7	2.6	1.6	5.1	- 1.3	9.8	11	- 6.7	9	1 1.0	2 1.0	2 1.0	1 1.0	4 1.3	6 1.7	5 1.8	5 1.4	3 2.0	17 1.4	7 1.4	9 1.1	28
V			7.6	14.1	12.5	10.2	15.7	4.2	23.0	29	- 3.3	1	1 1.0	0 -	5 1.4	15 1.7	10 2.6	9 2.0	4 2.2	6 1.5	2 1.5	12 1.8	6 1.5	2 1.0	21
VI			9.0	13.0	12.4	10.4	15.4	5.8	23.6	23	0.1	6	2 2.5	0 -	3 2.0	2 1.0	8 1.8	3 1.3	1 3.0	3 1.0	10 1.7	19 1.9	10 2.1	8 1.6	21
VII			12.8	17.0	16.0	15.0	18.9	10.0	25.5	12	6.0	9	2 1.5	0 -	2 1.0	10 1.2	9 1.8	9 2.9	6 1.7	0 -	1 1.0	16 1.4	12 1.7	3 1.0	23
VIII			9.6	14.8	14.0	12.0	16.6	8.1	23.6	23	1.9	21	1 1.0	2 1.0	0 -	8 1.5	5 2.0	5 2.0	1 1.0	1 1.0	2 1.5	17 1.6	12 2.1	2 1.0	37
IX			5.7	11.4	9.2	8.5	13.0	4.2	20.5	4	- 2.9	29	1 2.0	0 -	2 1.5	4 1.5	7 2.3	4 3.2	10 1.9	0 -	3 1.7	12 1.4	6 1.5	0 -	41
X			2.2	5.6	3.4	3.4	6.5	0.2	12.6	3	- 7.2	19	0 -	3 1.3	2 1.0	8 2.5	14 2.3	5 2.8	7 2.0	1 3.0	3 3.3	10 2.1	3 1.0	0 -	37
XI			- 1.0	0.6	0.2	0.0	2.3	- 2.9	7.0	4	-17.7	22	0 -	1 1.0	6 2.2	9 2.8	17 3.4	15 3.2	1 5.0	0 -	0 -	0 -	1 2.0	2 2.0	38
XII			- 0.4	0.5	- 0.2	- 0.1	2.5	- 3.5	8.0	3	-12.2	23	0 -	2 1.0	1 3.0	1 3.0	13 1.5	17 2.6	5 2.6	2 1.5	4 3.8	4 2.0	2 2.0	0 -	42
1954			2.3	6.0	4.8	3.9	7.8	0.0	25.5		-22.5		12 1.4	12 1.1	27 1.8	95 2.1	112 2.3	118 2.4	51 2.4	24 1.5	31 2.1	118 1.7	70 1.7	29 1.3	396

Værnes

φ = 63° 28′ N λ = 10° 56′ E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1011.6	1013.6	- 4.8	- 3.9	- 4.3	- 4.4	- 0.7	- 7.5	8.0	2	-20.7	31	1 2.0	1 3.0	2 2.0	4 2.0	18 2.0	14 1.7	4 2.5	4 3.2	6 3.0	6 4.3	7 4.3	3 3.7	23
II	15.4	17.4	- 6.2	- 3.8	- 4.6	- 5.2	- 1.9	- 8.1	6.6	5	-19.9	1	0 -	0 -	0 -	7 2.9	20 2.6	32 2.8	15 5.4	0 -	1 3.0	4 3.2	0 -	0 -	5
III	06.9	08.9	- 0.9	2.4	1.7	0.9	4.1	- 2.1	7.8	21	-13.6	4	1 5.0	0 -	1 1.0	5 2.8	19 2.6	18 1.8	11 4.1	0 -	5 3.2	5 3.4	7 4.3	2 6.0	19
IV	15.0	17.0	1.5	5.4	4.8	3.4	7.3	0.4	11.7	11	- 1.9	17	0 -	0 -	1 1.0	0 -	12 1.7	6 2.3	5 2.8	3 3.3	1 2.0	20 3.0	18 3.8	10 3.6	14
V	17.9	19.8	9.4	14.4	14.4	11.7	17.0	6.6	23.8	24	0.2	1	0 -	2 4.0	0 -	6 3.0	16 1.7	18 2.7	9 4.4	0 -	3 2.7	21 2.7	9 3.8	3 3.3	6
VI	07.1	09.0	10.1	13.4	13.5	11.4	16.2	7.6	24.2	19	1.0	7	0 -	3 3.0	3 2.0	2 2.5	7 1.6	3 1.7	3 2.7	1 3.0	5 2.6	19 3.2	23 3.8	6 3.0	15
VII	02.9	04.8	13.5	17.1	17.0	15.1	19.6	11.5	28.2	11	6.8	9	1 4.0	1 1.0	3 2.7	5 3.2	13 1.8	4 2.0	11 3.5	3 2.7	0 -	16 3.5	16 3.5	6 3.5	14
VIII	06.0	07.8	10.7	14.9	15.4	13.0	17.6	9.3	21.7	11	4.3	21	1 1.0	1 1.0	1 3.0	2 2.0	10 1.7	8 2.0	1 3.0	1 1.0	2 2.0	14 2.7	27 3.3	4 3.5	21
IX	999.1	01.0	6.8	12.1	10.8	9.4	14.2	5.9	20.0	4	- 1.1	29	1 2.0	3 1.7	1 2.0	5 2.2	8 1.8	9 1.4	7 3.3	2 3.0	3 2.0	10 2.5	12 2.7	1 1.0	28
X	1000.9	02.8	3.9	7.1	5.2	5.1	8.4	1.7	15.7	5	- 4.3	17	0 -	0 -	1 2.0	9 2.9	14 2.1	12 2.0	8 3.8	4 2.8	4 2.5	7 3.1	3 4.0	6 3.0	25
XI	08.0	09.9	1.6	2.7	1.7	1.8	4.3	- 0.7	8.6	30	- 7.3	23	0 -	0 -	0 -	1 3.0	34 2.1	29 3.8	9 4.0	5 2.8	3 2.3	4 3.2	0 -	1 1.0	4
XII	996.2	998.1	1.1	2.1	0.7	1.2	4.0	- 1.7	10.0	3	- 9.1	26	0 -	0 -	4 2.0	12 2.4	19 1.6	20 2.6	5 2.6	8 3.2	8 4.1	2 2.5	0 -	0 -	15
1954	1006.7	1009.2	3.9	7.0	6.4	5.3	9.2	1.9	28.2		-20.7		5 2.8	11 2.5	17 2.1	58 2.6	190 2.0	173 2.4	88 3.9	31 3.0	41 2.9	128 3.1	122 3.6	42 3.4	189

Sulstua

φ = 63° 40′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.7	- 6.4	- 7.6	- 7.4		-12.3	5.6	2	-28.7	22	0 -	0 -	0 -	2 1.5	6 2.5	18 2.5	4 1.7	0 -	4 2.0	13 2.2	10 2.3	1 2.0	35
II			-10.4	- 6.0	- 8.5	- 8.7		-12.6	3.3	4	-27.3	1	0 -	0 -	0 -	5 3.0	9 3.1	33 3.2	5 3.6	0 -	3 2.0	6 2.5	1 2.0	1 1.0	21
III			- 4.0	0.2	- 2.8	- 2.8		- 7.2	5.3	21	-20.8	4	0 -	0 -	0 -	0 -	6 3.0	21 2.5	3 3.3	1 4.0	6 1.8	8 2.0	6 2.0	0 -	42
IV			0.5	3.2	1.7	0.7		- 3.3	8.2	11	-10.9	8	0 -	0 -	0 -	0 -	8 1.9	9 1.9	4 1.8	0 -	7 1.9	25 1.7	14 1.6	1 3.0	22
V			10.0	13.9	12.2	9.7		1.8	22.1	29	- 6.5	1	0 -	0 -	1 3.0	7 2.0	14 2.4	27 2.1	8 2.9	1 1.0	3 2.0	9 1.6	10 2.1	0 -	13
VI			10.6	13.1	12.0	10.3		4.9	21.6	19	- 3.9	7	0 -	0 -	4 1.2	6 2.0	2 2.0	8 1.9	4 2.5	0 -	4 2.2	30 1.8	15 2.0	3 1.7	14
VII			14.2	17.0	16.0	14.2		9.6	25.3	13	3.0	10	0 -	0 -	0 -	9 2.1	9 2.6	21 2.2	7 2.4	0 -	4 1.5	17 1.6	9 1.3	0 -	17
VIII			11.3	15.3	13.2	11.7		6.8	22.8	24	- 1.7	21	0 -	0 -	2 2.0	5 1.6	5 1.4	10 2.1	2 1.5	0 -	5 1.8	19 1.9	15 2.0	1 2.0	29
IX			6.6	11.4	8.1	7.7		2.7	19.2	4	- 4.8	30	0 -	0 -	2 2.0	11 1.6	6 1.8	13 2.4	2 4.0	1 3.0	6 1.7	15 1.5	6 1.2	0 -	28
X			1.8	5.1	2.4	2.9		1.4	9.2	12	- 9.1	17	0 -	0 -	0 -	6 2.2	8 2.4	17 2.4	6 2.3	0 -	7 1.7	14 2.4	6 2.0	1 2.0	29
XI			- 2.0	- 0.7	- 1.7	- 1.8		- 5.4	11.0	1	-16.3	16	0 -	0 -	1 1.0	9 2.1	20 2.7	17 3.0	4 2.8	2 1.5	0 -	6 1.0	1 1.0	0 -	30
XII			- 1.6	- 1.3	- 1.9	- 1.5		- 6.1	6.5	2	-17.9	26	0 -	0 -	0 -	3 3.0	12 1.8	19 2.1	10 2.4	2 1.5	2 1.0	8 2.0	4 2.5	0 -	33
1954			2.4	5.4	3.6	2.9		- 1.6	25.3		-28.7		0 -	0 -	10 1.7	63 2.1	105 2.4	213 2.5	59 2.6	7 2.0	51 1.8	170 1.8	97 1.9	8 1.9	31

Ytterøy

φ = 63° 48′ N λ = 11° 13′ E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.5	- 2.9	- 3.3	- 3.3		- 5.4	6.3	5	-13.0	31	3 2.0	21 1.7	3 1.3	26 2.2	1 1.0	1 1.0	0 -	1 2.0	26 2.5	5 2.4	3 1.7	0 -	
II			- 5.2	- 3.7	- 4.2	- 4.6		- 6.6	3.6	4	-13.2	14	0 -	12 1.2	1 1.0	22 2.2	10 2.4	3 3.3	12 3.5	7 3.6	15 2.7	1 2.0	0 -	0 -	
III			- 0.3	1.7	1.5	0.8		- 1.2	6.0	8	- 9.0	4	0 -	18 1.2	5 2.8	13 2.3	4 2.0	5 2.6	7 2.7	5 2.8	21 2.0	9 2.2	3 1.7	2 2.5	
IV			1.5	4.7	4.2	3.1		0.6	9.2	11	- 1.6	21	6 2.0	10 1.6	7 1.0	10 1.2	1 2.0	4 1.8	2 3.0	0 -	20 2.3	7 2.3	11 2.1	10 1.9	
V			9.5	14.8	14.5	12.0		7.5	23.0	27	1.0	1	4 2.0	19 1.6	3 1.7	16 1.6	7 1.6	3 1.2	9 2.1	6 2.5	11 2.5	6 2.3	8 2.5	1 3.0	
VI			10.0	13.5	12.6	11.3		8.3	21.8	18	3.5	6	6 2.1	26 1.7	3 2.7	4 1.5	0 -	2 1.0	6 1.5	1 1.0	20 2.0	5 2.0	9 2.2	8 1.6	
VII			13.5	17.1	16.7	15.1		12.1	25.0	12	9.0	22	2 2.5	22 1.7	9 1.9	14 2.1	2 2.5	1 1.0	6 1.7	1 2.0	22 1.8	6 1.3	6 2.7	2 2.5	
VIII			11.4	15.0	14.9	13.3		10.6	20.2	1	6.8	18	0 -	26 1.4	2 1.0	11 1.7	2 1.5	3 1.3	2 1.0	2 2.0	22 1.9	10 2.4	6 1.8	6 1.7	
IX			7.8	11.2	10.4	9.5		7.1	18.2	10	3.0	30	1 1.0	24 1.3	2 2.0	14 1.6	1 1.0	0 -	6 1.8	2 1.5	23 2.1	10 2.3	5 2.2	1 1.0	
X			4.1	6.1	5.1	4.9		3.2	11.0	5	- 1.3	19	3 1.7	12 1.3	0 -	13 2.2	2 2.5	4 2.0	5 2.6	9 1.9	29 2.6	8 2.0	4 2.0	3 1.7	
XI			1.8	2.6	2.2	2.2		0.5	7.2	30	- 5.2	23	0 -	4 2.2	1 2.0	21 4.2	4 2.0	7 2.3	21 2.6	2 2.5	23 2.2	7 1.3	0 -	0 -	
XII			1.0	1.5	1.1	1.2		- 0.7	8.2	2	- 6.5	27	0 -	16 1.2	1 1.0	17 2.3	1 2.0	6 1.7	5 2.4	8 3.0	29 2.6	7 2.1	2 3.0	0 -	
1954			4.3	6.8	6.3	5.5		3.0	25.0		-13.2		25 2.0	210 1.5	37 1.8	181 2.0	35 2.0	39 1.9	81 2.5	44 2.5	261 2.1	81 2.1	57 2.2	33 1.8	

Kjevli i Snåsa

φ = 64° 10′ N λ = 12° 29′ E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 8.7	- 6.3	- 7.6	- 7.7		-12.8	5.7	2	-31.7	22	1 1.0	5 1.6	19 2.1	18 2.7	2 1.0	1 1.0	2 1.0	2 2.0	3 3.0	22 2.5	4 2.2	3 2.7	
II			-10.1	- 5.6	- 7.9	- 8.2		-12.1	3.1	4	-29.5	2	0 -	11 3.2	14 3.4	25 3.1	8 4.5	2 4.0	1 3.0	4 2.0	6 2.5	2 2.5	0 -	0 -	
III			- 2.5	1.5	- 1.5	- 1.2		- 5.7	6.8	11	-20.0	4	2 1.5	4 2.2	10 2.2	25 2.8	5 4.2	4 3.8	1 1.0	2 2.5	10 2.8	17 2.2	4 2.5	1 2.0	
IV			1.2	4.2	2.1	1.5		- 2.5	10.3	11	- 8.7	9	0 -	1 2.0	10 1.6	15 2.2	2 3.0	1 2.0	2 2.5	1 1.0	14 2.4	22 2.5	14 2.6	5 1.6	
V			10.8	14.2	12.5	10.5		3.4	22.0	28	- 4.8	1	0 -	5 2.6	25 2.4	15 2.8	5 3.4	4 2.8	5 2.2	10 2.4	5 2.2	13 2.8	0 -	4 2.8	
VI			10.7	13.3	11.8	10.4		5.4	22.0	19	- 3.7	7	0 -	4 1.8	4 1.3	11 2.2	1 3.0	0 -	0 -	8 2.2	14 2.5	26 2.7	11 2.8	5 3.0	
VII			14.7	17.0	16.5	14.7		10.2	27.9	13	1.4	21	0 -	3 2.3	7 1.7	24 2.4	4 3.5	5 3.5	4 2.8	4 2.0	13 2.5	16 2.0	6 2.5	2 2.8	
VIII			1[illegible].7	14.9	13.8	12.1		7.8	22.3	24	- 0.4	21	1 2.0	4 2.0	11 1.5	12 2.2	7 3.3	1 2.0	1 2.0	2 2.0	9 2.1	22 2.2	10 2.2	4 2.8	
IX			7.7	11.2	8.7	8.4		4.2	18.4	4	- 4.9	30	1 2.0	6 1.8	6 3.0	13 2.6	7 2.9	5 2.8	1 3.0	2 1.0	13 2.5	17 2.2	6 2.0	3 3.0	
X			2.7	4.9	2.8	3.2		0.3	9.1	4	- 5.0	4	0 -	1 3.0	13 3.1	19 2.7	3 3.3	2 4.0	2 2.0	7 1.7	17 2.6	15 2.1	3 1.7	3 2.3	
XI			- 1.2	0.1	- 0.7	- 0.6		- 3.0	5.2	4	-12.0	16	0 -	7 3.9	17 3.1	12 3.5	15 4.6	9 3.8	2 1.0	0 -	5 1.8	10 2.0	2 2.5	1 1.0	
XII			- 0.9	- 0.8	- 1.2	- 1.1		- 3.9	6.2	2	-16.7	24	0 -	3 2.7	14 2.1	18 2.7	11 3.5	5 3.6	1 5.0	3 1.0	14 2.6	18 2.7	0 -	0 -	
1954			3.0	5.7	4.1	3.5		- 0.7	27.9		-31.7		5 1.6	54 2.6	150 2.4	207 2.7	70 3.7	39 3.4	22 2.2	45 2.0	123 2.5	200 2.4	60 2.4	31 2.5	

1954

Meråker II

H_s = 218 H_b = h_t = 2.0 h_a = h_d = 14.2 h_r = 1.8

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	7	13	19	Døgn	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	✱	(sludd)	9	(sprøhagl)	△	▲	(torden)	=	≡	⊙	◔	●	⊠
I	80	79	81	80	5.1	5.3	5.3	66	16	2	27	19	11	0	15	11	1	2	0	0	5	13	0	3	0	0	0	0	0	0	5	5	15	31
II	74	69	68	70	3.4	3.7	3.4	10	5	5	26	21	13	0	4	3	0	6	0	0	3	3	2	2	0	0	0	0	0	0	15	13	9	28
III	85	71	75	78	4.9	5.2	5.5	48	10	18	26	5	4	0	13	9	0	0	0	0	9	11	6	0	0	0	0	0	3	1	3	3	12	31
IV	86	66	74	77	6.1	5.9	5.7	57	9	23	19	0	0	0	20	16	0	1	0	0	14	19	9	1	0	1	0	0	1	0	13	1	16	16
V	79	54	60	70	3.2	4.1	4.5	24	13	26	4	0	0	0	7	5	1	0	0	0	7	2	1	1	0	0	0	1	2	0	24	6	4	1
VI	83	67	70	76	6.1	6.0	5.9	71	12	28	0	0	0	0	20	12	1	1	0	0	20	0	0	6	0	0	0	0	1	2	17	3	16	0
VII	84	64	68	76	6.1	5.7	5.5	90	41	15	0	0	0	1	16	13	1	1	0	0	13	0	0	8	0	0	0	1	2	1	20	0	12	0
VIII	91	66	72	80	5.8	5.9	5.6	100	30	13	0	0	0	0	13	12	2	0	0	0	8	0	0	6	0	0	0	0	1	2	17	3	16	0
IX	89	67	74	79	5.5	5.8	5.3	34	12	19	3	0	0	0	18	13	1	1	0	0	14	1	1	7	0	0	0	0	1	2	9	0	10	0
X	84	72	93	81	6.4	6.1	5.5	57	13	13	12	0	0	0	13	12	2	2	0	0	11	6	2	3	0	0	0	0	1	3	8	0	16	3
XI	79	75	77	78	4.2	5.4	4.4	33	7	1	20	6	5	0	11	8	0	4	0	0	6	6	2	4	0	0	0	0	1	2	3	6	7	22
XII	81	76	79	78	5.9	6.1	5.6	57	11	19	24	5	2	0	16	12	1	1	0	0	7	11	2	0	0	3	0	0	0	0	0	0	16	26
1954	83	69	73	77	5.2	5.4	5.2	647	41		161	56	35	1	166	126	10	19	0	0	117	72	25	41	0	4	0	2	13	13	134	40	149	158

Værnes

H_s = 12 H_b = 15.8 h_t = 2.0 h_a = 10.6 h_d = h_r = 1.8

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	80	83	82	4.8	5.3	5.1	60	26	2	27	15	10	0	18	10	1	10	2	0	7	14	2	2	0	1	0	0	7	0	7	7	14	29
II	68	65	64	66	3.4	4.3	3.5	9	4	3	27	20	9	0	4	4	0	13	4	0	2	3	0	1	0	0	0	0	2	0	14	11	7	28
III	79	70	74	76	4.9	5.8	5.9	39	7	24	20	3	2	0	14	10	0	11	1	1	11	10	6	0	0	1	0	0	4	0	15	2	11	9
IV	84	66	72	76	5.8	6.2	5.8	52	7	20	12	0	0	0	19	16	0	10	1	0	18	11	8	1	0	4	0	0	0	0	24	0	13	0
V	78	63	70	73	4.4	4.8	5.1	14	5	16	0	0	0	0	5	4	0	5	2	1	5	0	0	1	0	0	0	1	0	0	31	2	8	0
VI	86	73	74	80	6.5	6.2	6.1	80	12	28	0	0	0	0	16	13	3	7	0	0	16	0	0	3	0	0	0	4	1	1	27	0	17	0
VII	85	71	71	78	6.4	6.3	5.9	66	20	15	0	0	0	4	14	11	2	7	0	0	14	0	0	4	0	0	0	1	3	0	25	0	17	0
VIII	90	78	75	82	5.8	6.0	5.8	145	34	4	0	0	0	0	13	11	5	9	0	0	13	0	0	8	0	0	0	1	7	1	24	0	15	0
IX	89	70	76	80	5.8	5.7	5.7	47	9	19	1	0	0	0	20	13	0	10	0	0	20	1	1	2	0	0	0	1	0	0	21	1	14	0
X	83	75	84	82	6.4	6.4	5.8	73	12	31	10	0	0	0	19	13	3	15	0	0	18	4	1	3	0	3	0	0	2	0	19	0	18	0
XI	71	73	75	73	4.2	5.8	4.9	30	5	10	17	2	0	0	16	9	0	12	0	0	12	6	1	4	0	0	0	0	3	0	12	4	9	4
XII	81	81	82	82	5.6	6.5	6.1	50	8	19	19	5	0	0	17	11	0	11	4	1	12	11	6	2	1	1	0	0	4	0	6	0	14	14
1954	81	72	75	78	5.3	5.8	5.5	665	34		133	45	21	4	175	125	14	120	14	3	148	60	25	31	1	10	0	8	33	2	215	27	157	84

Sulstua

H_s = 251 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.7	5.5	5.4	70	23	2	30		18		17	13	1	0	0	0	7	15	5	0	0	0	0	0	0	0	10	6	17	28
II					4.2	4.4	3.6	4	2	5	26		16		4	1	0	9	0	0	2	3	0	0	0	0	0	0	0	0	24	9	9	28
III					5.5	5.7	6.3	51	14	16	28		8		13	11	1	0	0	0	11	11	8	0	0	0	0	0	0	2	22	1	10	30
IV					6.2	6.1	6.0	70	23	6	28		1		20	13	1	0	0	0	15	18	14	1	3	3	0	0	0	0	26	3	19	20
V					4.1	5.1	5.3	20	12	16	9		0		8	6	1	0	0	0	8	2	2	0	0	1	0	1	0	1	31	4	10	1
VI					6.4	6.7	6.3	98	14	10	6		0		21	16	2	0	0	0	19	0	0	5	0	0	0	0	0	1	27	1	20	0
VII					5.8	6.1	5.5	73	13	15	0		0		21	15	2	0	0	0	21	0	0	1	0	0	0	3	0	1	28	0	15	0
VIII					5.7	5.9	5.4	142	42	13	4		0		17	13	5	0	0	0	17	0	0	2	0	0	0	0	2	3	26	2	16	0
IX					5.3	5.7	5.5	48	8	25	9		0		25	15	0	0	0	0	25	2	2	0	0	0	0	0	0	5	27	3	12	0
X					6.5	6.4	6.3	78	24	13	20		0		21	14	2	2	0	0	20	11	8	0	0	0	0	0	0	2	27	0	19	6
XI					4.9	5.1	4.7	31	6	13	25		5		15	10	0	1	0	0	8	11	2	0	0	1	0	0	0	2	14	4	6	21
XII					6.5	6.6	6.1	84	24	19	28		9		21	16	2	3	0	0	10	15	3	0	0	0	0	0	0	0	0	0	18	23
1954					5.6	5.8	5.5	769	42		213		57		203	143	17	15	0	0	163	88	44	9	3	5	0	4	2	17	262	33	171	157

Ytterøy

H_s = 74 H_b = h_t = 1.9 h_a = h_d = 12.4 h_r = 1.6

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	80	75	80	79	5.1	5.0	5.0	76	22	2	29		7		17	13	2	0	0	0	8	14	3	0	0	0	0	0	0	3	13	6	14	28
II	70	66	66	68	3.6	4.4	3.5	4	1	5	25		7		6	2	0	1	0	0	2	4	0	0	0	0	0	0	0	1	18	10	9	28
III	77	69	69	72	5.3	5.5	5.5	37	8	16	18		0		13	8	0	0	0	0	9	6	2	0	0	0	0	0	1	0	18	2	12	10
IV	79	66	67	72	5.2	5.6	4.9	14	4	23	9		0		17	6	0	0	0	0	14	12	4	0	0	2	0	0	0	0	17	3	10	0
V	76	54	53	64	4.3	4.6	4.5	7	3	9	0		0		8	4	0	1	0	0	8	1	1	0	0	2	0	0	0	0	27	3	6	0
VI	80	64	67	73	6.1	5.8	5.7	114	24	25	0		0		21	14	4	0	0	0	19	0	0	4	0	0	0	1	1	0	21	1	14	0
VII	81	66	64	73	6.2	5.8	5.4	58	21	15	0		0		17	11	1	0	0	0	17	0	0	2	0	0	0	0	1	0	21	1	15	0
VIII	87	63	70	78	5.4	5.4	5.4	121	31	4	0		0		17	15	4	0	0	0	16	0	0	4	0	0	0	0	1	1	20	1	14	0
IX	83	69	74	76	5.9	5.4	5.2	34	9	11	0		0		21	11	0	1	0	0	21	0	0	0	0	1	0	0	0	2	23	2	11	0
X	83	75	80	80	6.3	5.9	4.4	64	11	14	2		0		19	16	1	1	0	0	19	3	1	0	0	0	0	0	0	0	17	1	12	0
XI	74	69	73	73	3.9	5.3	3.5	24	6	10	12		0		15	8	0	1	0	0	14	0	1	0	0	0	0	0	0	0	13	5	5	0
XII	81	79	81	80	5.2	6.5	4.3	64	15	20	20		0		18	13	2	4	0	0	13	10	4	1	0	1	0	0	0	1	4	0	9	16
1954	79	68	70	74	5.2	5.4	5.6	617	31		115		14		189	121	14	9	0	0	160	50	16	11	0	6	0	1	4	8	212	35	131	82

Kjevli i Snåsa

H_s = 195 H_b = h_t = 2.0 h_a = h_d = 11.0 h_r = 1.5

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.1	4.8	5.4	71	13	2	31		18		16	14	2	1	1	0	6	14	2	1	0	0	0	0	18	0	11	6	15	28
II					3.4	3.5	3.6	14	4	3	25		13		6	4	0	6	0	0	4	3	1	0	0	0	0	0	16	0	21	11	7	28
III					4.8	4.6	5.7	46	8	16	26		7		17	10	0	1	0	0	11	11	4	0	0	0	0	0	21	0	22	1	9	31
IV					4.7	5.2	4.8	34	7	23	25		0		21	12	0	0	0	0	17	19	14	2	0	1	0	0	17	0	24	2	7	10
V					3.5	4.3	4.5	13	9	18	10		0		8	3	0	0	0	0	1	8	1	0	0	0	0	2	3	0	30	6	8	0
VI					5.8	5.7	5.8	90	20	25	5		0		23	17	2	0	0	0	21	0	0	6	0	0	0	3	17	2	23	1	15	0
VII					5.2	5.7	4.7	85	14	17	0		0		18	15	3	0	0	0	15	0	0	3	0	0	0	0	13	4	26	0	12	0
VIII					5.3	6.0	5.6	177	66	4	1		0		21	16	4	1	0	0	21	0	0	3	0	0	0	0	11	11	18	3	17	0
IX					5.3	4.9	5.6	51	8	3	4		0		23	15	0	1	0	0	23	0	0	1	0	0	0	2	10	5	27	1	9	0
X					6.4	5.6	5.5	73	16	13	11		0		21	16	1	4	0	0	20	9	9	2	0	0	0	0	17	1	22	0	12	4
XI					4.8	5.4	4.9	24	4	2	24		1		17	9	0	9	0	0	13	11	6	0	0	0	0	0	0	0	16	2	8	17
XII					6.3	6.7	6.6	79	23	19	25		2		21	11	2	3	0	0	11	16	6	0	0	0	0	0	11	1	0	0	20	23
1954					5.0	5.2	5.2	757	66		187		41		212	142	14	26	1	0	163	170	43	18	0	1	0	7	154	24	240	33	139	141

1954

Grong Høylandet

φ = 64° 27′ / 64° 36′ N λ = 12° 18′ / 12° 16′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F$_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 6.9	- 6.5	- 6.5	- 6.7	- 2.9	-10.4	7.4	2	-23.6	31	0 -	1 1.0	2 1.5	32 1.4	10 2.1	2 2.0	3 1.0	0 -	1 1.0	15 2.3	2 1.0	0 -	25
II			- 8.3	- 5.9	- 6.5	- 7.1	- 4.2	-10.1	4.6	6	-22.0	1	0 -	0 -	0 -	31 1.7	39 2.9	2 3.0	0 -	0 -	0 -	5 1.4	0 -	0 -	7
III			- 2.4	1.7	0.0	- 0.5	1.9	- 3.8	6.5	23	-13.6	3	0 -	0 -	4 1.5	24 2.0	18 2.4	1 2.0	1 2.0	0 -	4 1.8	5 1.6	7 2.6	1 1.0	28
IV			0.2	4.1	3.3	2.0	5.4	- 1.4	10.5	11	- 5.8	9	3 1.3	1 1.0	2 1.0	17 1.4	8 1.4	4 1.8	0 -	1 1.0	0 -	17 1.6	15 1.5	0 -	22
V																									
VI			11.0	13.6	12.8	11.5	15.4	6.8	24.4	19	- 1.2	7	4 2.0	4 2.0	10 2.0	2 2.0	0 -	1 1.0	6 2.2	9 2.0	8 1.5	6 1.5	3 3.7	14 2.6	23
VII			14.9	18.1	17.6	15.8	20.3	11.0	28.1	13	4.8	1	3 1.7	0 -	10 1.4	5 2.0	0 -	1 1.0	2 2.0	8 1.9	10 1.4	6 1.2	3 1.7	16 1.5	29
VIII			11.8	15.7	14.6	13.2	17.4	8.9	24.0	24	1.7	21	3 2.0	1 1.0	3 1.0	1 2.0	2 2.0	0 -	2 2.0	2 1.0	22 1.2	10 1.4	2 2.5	2 1.0	43
IX			6.5	12.0	9.3	8.7	13.4	4.2	18.4	10	- 2.7	30	2 1.5	2 1.0	10 1.5	2 1.0	0 -	0 -	4 1.0	4 1.5	18 1.5	9 1.4	2 1.0	2 1.5	35
X			2.8	5.6	3.6	3.8	6.4	0.6	11.0	4	- 4.0	19	1 1.0	3 1.3	11 1.5	5 1.6	2 1.5	2 1.5	7 1.1	1 1.0	15 1.7	4 1.5	3 1.3	4 1.5	35
XI			- 1.3	0.0	0.0	- 0.4	2.0	- 3.4	6.1	30	-15.5	23	0 -	1 2.0	8 1.2	5 1.8	1 1.0	7 1.7	1 2.0	3 2.0	18 1.5	2 1.5	4 1.8	2 2.0	38
XII			- 1.5	- 0.6	- 0.6	- 0.8	2.1	- 4.4	8.5	3	-17.4	27	0 -	3 1.0	5 1.2	5 1.0	1 1.0	12 1.8	0 -	4 1.5	28 2.8	5 1.8	2 1.0	0 -	28

Nordli II

φ = 64° 27′N λ = 13° 36′E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F$_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	963.1	1015.1	-11.7	-10.3	-10.2	-10.9		-14.9	3.6	2	-29.1	31	1 3.0	9 1.6	0 -	14 2.3	5 1.0	1 2.0	0 -	8 2.2	0 -	19 2.4	0 -	0 -	36
II	68.8	21.1	-12.4	-10.2	-10.7	-11.4		-15.4	1.8	4	-28.8	14	0 -	9 2.0	0 -	31 3.5	10 2.7	0 -	0 -	2 2.5	0 -	7 2.3	0 -	0 -	25
III	61.7	12.9	- 5.9	- 1.6	- 3.7	- 4.1		- 8.4	4.1	21	-19.2	19	0 -	5 1.6	0 -	27 2.9	20 2.0	0 -	0 -	13 2.3	1 2.0	12 2.6	1 2.0	0 -	14
IV	66.4	17.5	- 3.6	2.1	0.8	- 0.9		- 5.4	8.1	11	-14.3	9	0 -	1 1.0	0 -	13 2.4	7 2.3	0 -	1 2.0	17 2.6	2 2.0	31 2.5	1 2.0	0 -	17
V	71.4	21.1	5.1	11.8	11.4	8.1		1.1	20.8	24	- 6.7	1	0 -	5 2.0	0 -	32 2.5	15 1.8	1 3.0	0 -	8 1.4	1 2.0	13 3.0	4 1.8	0 -	14
VI	60.5	09.4	7.4	11.8	11.1	9.1		4.6	19.2	22	- 4.0	6	1 2.0	4 2.0	0 -	10 2.0	10 1.9	0 -	1 5.0	12 2.8	0 -	40 3.4	3 1.7	0 -	9
VII	58.2	06.1	12.3	15.9	15.8	13.7		9.2	25.4	13	- 0.5	21	0 -	10 2.1	0 -	22 2.8	21 2.7	0 -	0 -	8 2.1	0 -	21 3.3	1 2.0	0 -	10
VIII	59.6	08.1	9.1	13.9	13.4	11.4		7.4	21.5	25	0.1	21	0 -	6 1.7	0 -	15 2.4	6 2.3	0 -	1 2.0	10 2.8	0 -	39 3.1	3 1.7	0 -	13
IX	53.3	02.3	4.7	9.0	7.7	6.6		2.9	13.5	11	- 2.9	30	0 -	10 1.5	0 -	25 2.4	11 2.4	0 -	0 -	7 3.7	0 -	30 3.1	0 -	0 -	7
X	54.2	04.7	0.3	2.9	1.0	1.1		- 1.8	6.9	1	- 9.2	19	0 -	5 2.2	2 2.0	30 3.0	9 2.8	1 4.0	1 3.0	12 2.8	1 1.0	23 3.3	0 -	0 -	9
XI	62.4	13.4	- 3.3	- 1.6	- 2.4	- 2.6		- 5.5	4.8	7	-16.0	22	0 -	9 1.3	0 -	44 3.4	17 2.6	0 -	1 1.0	1 1.0	0 -	14 2.1	1 1.0	0 -	3
XII	49.6	00.1	- 3.2	- 2.0	- 3.0	- 2.7		- 5.4	4.8	3	-14.8	24	5 1.0	13 1.2	1 1.0	36 2.3	17 3.4	1 3.0	1 3.0	8 2.8	2 4.5	8 3.4	0 -	0 -	1
1954	960.8	1011.0	- 0.1	3.5	2.6	1.4		- 2.6	25.4		-29.1		7 1.4	86 1.7	3 1.7	299 2.8	148 2.4	4 3.0	6 2.7	106 2.5	7 2.6	257 2.9	14 1.7	0 -	158

Nordøyan

φ = 64° 48′N λ = 10° 33′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F$_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.6	0.7	0.6	0.6	2.4	- 1.2	8.0	2	- 8.4	30	10 5.4	1 6.0	5 5.0	4 2.5	10 4.1	27 4.0	4 3.0	1 5.0	14 6.8	7 5.6	6 4.5	4 7.2	0
II			- 1.6	- 0.8	- 0.7	- 1.1	0.6	- 2.7	6.3	4	- 9.5	13	0 -	0 -	0 -	1 4.0	7 5.0	55 5.2	6 4.2	2 4.0	9 5.8	3 5.0	1 5.0	0 -	0
III			1.4	2.3	2.2	1.9	3.3	0.3	6.2	22	- 4.6	4	2 5.0	4 3.2	2 3.0	8 4.5	6 5.3	30 4.6	2 3.5	6 3.8	17 4.6	3 3.7	3 5.0	9 4.1	1
IV			3.1	4.4	4.0	3.6	5.3	1.6	7.4	10	- 1.4	21	13 2.8	3 4.0	2 3.5	3 4.3	1 4.0	19 2.9	5 2.6	0 -	13 5.5	12 4.0	4 3.8	12 3.8	3
V			8.6	10.6	10.0	9.4	12.0	7.3	19.3	22	2.7	1	9 2.7	5 3.0	11 2.4	14 1.9	4 1.8	22 3.1	2 2.5	5 2.6	7 3.7	8 2.5	1 3.0	4 4.0	1
VI			9.0	9.7	9.7	9.2	11.3	8.0	19.0	19	3.7	6	17 3.7	8 3.4	6 4.3	11 2.6	0 -	1 1.0	1 3.0	3 4.3	13 3.8	11 3.2	4 2.5	15 3.2	0
VII			12.6	14.3	13.7	13.2	15.4	11.7	22.0	12	8.2	2	5 3.2	14 2.4	6 2.7	11 2.8	15 2.9	5 2.6	0 -	0 -	12 3.5	11 1.8	2 2.0	11 2.9	1
VIII			12.3	13.4	12.8	12.6	14.2	11.3	18.0	11	8.1	30	10 2.9	15 3.6	14 3.0	12 2.5	4 3.2	1 3.0	1 2.0	0 -	12 4.5	10 3.8	3 4.1	11 3.5	0
IX			9.8	11.2	10.6	10.3	12.2	8.8	16.0	10	4.9	28	3 3.7	2 3.5	3 3.0	13 3.5	6 2.7	17 3.4	2 5.5	5 3.4	10 4.0	23 4.2	3 3.0	2 3.0	1
X			6.1	6.7	6.5	6.3	7.7	5.1	11.3	5	1.1	19	6 3.0	6 2.5	3 1.7	4 4.0	1 5.0	31 4.2	6 3.8	2 4.0	15 3.4	5 6.8	7 3.4	4 4.0	3
XI			3.6	3.8	4.1	3.8	4.9	2.4	8.0	11	- 3.1	22	2 5.0	0 -	1 6.0	4 4.2	5 5.2	47 6.9	5 4.0	4 4.5	6 6.3	11 4.5	0 -	5 3.8	0
XII			3.5	3.5	3.5	3.5	5.2	1.8	8.2	3	- 2.9	27	0 -	2 3.0	0 -	5 4.4	8 5.8	37 5.4	2 6.5	3 4.7	14 6.7	17 6.5	3 5.3	0 -	2
1954			5.8	6.6	6.4	6.1	7.9	4.5	22.0		- 9.5		77 3.5	60 3.2	53 3.2	90 3.1	67 3.2	292 4.7	36 3.8	31 3.8	142 5.1	121 4.3	37 3.8	77 3.7	12

Leka

φ = 65° 6′N λ = 11° 42′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F$_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.7	- 1.6	- 1.5	- 1.7		- 4.8	7.2	2	-14.8	30	7 5.4	7 3.9	2 3.5	6 1.7	9 2.4	4 1.2	8 3.5	29 2.8	2 6.0	10 4.7	3 3.0	1 4.0	5
II			- 3.4	- 1.8	- 2.5	- 2.7		- 4.4	4.6	4	-14.0	13	0 -	0 -	0 -	2 4.5	16 4.4	26 4.6	21 3.4	11 3.7	0 -	4 3.8	0 -	1 4.0	3
III			0.1	1.8	0.9	0.7		- 1.9	5.8	22	- 9.1	4	6 4.8	7 3.0	0 -	6 2.2	20 4.3	7 3.9	10 2.7	22 3.2	1 3.0	6 5.0	3 3.0	1 5.0	4
IV			2.0	4.3	3.4	2.9		0.1	9.3	10	- 2.3	17	16 3.1	8 2.9	0 -	2 2.5	6 3.0	7 3.0	10 2.5	21 3.4	0 -	6 3.7	2 3.5	8 3.8	4
V			10.0	12.7	11.2	10.6		6.1	22.6	24	- 2.2	1	12 2.5	13 2.2	3 1.4	5 2.0	17 2.9	5 3.6	7 3.0	7 2.7	0 -	6 3.3	3 2.3	5 2.6	10
VI			9.7	11.3	10.5	10.0		7.1	18.9	26	1.3	13	14 3.6	25 2.6	6 2.5	1 3.0	0 -	1 3.0	4 3.2	7 3.6	3 4.7	9 3.0	5 2.8	13 3.1	2
VII			14.0	16.3	15.2	14.6		11.1	27.0	12	5.4	21	15 3.0	20 2.4	6 2.0	5 1.4	17 3.3	4 3.0	4 2.0	6 3.2	2 2.0	0 -	2 2.5	5 2.8	7
VIII			12.1	14.0	13.2	12.7		10.0	21.6	7	4.6	21	16 3.0	19 2.5	5 2.0	0 -	7 3.0	2 2.0	4 3.2	10 2.7	1 2.0	9 3.3	2 3.0	11 3.0	7
IX			8.1	11.5	9.7	9.5		6.2	17.6	11	1.1	22	3 2.7	11 2.1	2 2.0	2 2.0	14 2.8	6 2.2	15 2.9	21 2.8	2 4.5	9 4.3	0 -	0 -	5
X			4.8	6.1	5.2	5.4	7.5	2.6	13.4	4	- 2.8	19	4 3.5	5 2.4	2 3.5	10 2.2	10 3.4	8 3.8	16 3.0	19 4.1	1 1.0	9 4.0	1 4.0	3 3.3	5
XI			2.0	2.6	2.2	2.2	4.0	- 0.4	7.2	30	- 6.0	23	2 2.0	1 5.0	0 -	4 2.0	30 5.1	13 5.2	19 3.1	8 3.2	2 2.5	3 3.3	2 2.5	3 2.7	3
XII			1.4	2.1	1.7	1.7	3.8	- 0.7	8.2	3	-10.1	26	0 -	0 -	0 -	1 2.0	20 3.6	9 3.8	18 2.8	26 3.3	2 4.5	10 5.0	2 5.5	2 6.0	3
1954			4.9	6.6	5.8	5.5		2.6	27.0		-14.8		95 3.3	116 2.6	26 2.3	44 2.1	166 3.8	92 3.9	136 3.0	187 3.2	16 3.7	81 4.0	25 3.1	53 3.3	58

Majavatn

φ = 65° 13′N λ = 13° 22′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F$_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 8.0	- 7.3	- 7.7	- 7.8	- 4.4	-11.5	5.1	2	-24.0	31	13 2.0	3 1.3	9 1.0	2 1.5	0 -	32 1.4	13 2.3	4 2.2	6 3.0	3 3.0	4 2.5	0 -	4
II			- 8.9	- 7.9	- 7.6	- 8.3	- 5.5	-11.4	3.4	4	-24.5	14	9 1.0	0 -	3 1.0	1 1.0	0 -	42 3.5	22 2.2	1 3.0	0 -	4 2.5	0 -	0 -	2
III			- 4.2	- 1.0	- 1.7	- 2.6	0.6	- 5.9	5.3	21	-15.4	4	11 1.7	0 -	2 2.5	0 -	0 -	37 3.0	16 2.2	1 1.0	5 1.4	7 2.3	5 3.2	1 4.0	8
IV			- 1.7	3.1	1.5	0.5	4.4	- 3.1	8.0	10	-10.1	8	8 1.5	0 -	1 1.0	2 1.0	0 -	26 2.3	17 2.4	0 -	4 2.0	12 1.9	14 1.9	2 2.5	4
V			6.1	11.1	11.2	8.6	13.0	3.7	21.5	24	- 1.2	1	4 1.0	0 -	2 1.3	0 -	0 -	29 3.0	13 2.0	0 -	5 1.5	20 1.4	9 1.6	0 -	11
VI			8.0	10.9	11.6	9.5	13.3	6.1	21.2	18	0.1	6	16 2.3	0 -	3 1.7	0 -	0 -	8 3.0	10 2.2	1 1.0	8 2.1	25 2.4	14 2.5	3 2.0	2
VII			12.9	15.8	16.6	14.7	18.8	10.7	26.6	13	4.2	21	14 1.9	1 1.0	0 -	2 2.0	1 4.0	29 3.0	9 2.7	1 1.0	6 1.7	11 2.0	13 1.5	2 2.0	4
VIII			9.8	13.9	13.9	12.0	16.0	8.7	22.1	22	4.3	21	19 1.9	0 -	0 -	1 3.0	0 -	18 2.7	7 2.0	5 2.4	9 1.9	18 2.2	11 2.1	0 -	5
IX			5.3	9.0	8.9	7.4	10.9	4.5	15.1	11	- 0.3	29	13 1.5	1 3.0	1 1.0	5 1.2	0 -	27 2.5	19 2.3	1 3.0	7 1.1	12 2.3	2 1.5	0 -	2
X			1.0	2.9	2.4	2.0	4.1	0.1	9.4	4	- 8.5	19	15 1.5	0 -	2 4.0	2 1.0	0 -	32 2.5	21 2.6	0 -	7 2.3	7 2.4	6 2.0	0 -	1
XI			- 2.4	- 1.6	- 1.5	- 1.9	0.1	- 3.6	4.0	30	-12.3	20	7 1.1	0 -	2 1.0	0 -	0 -	57 3.6	10 2.2	2 1.0	6 1.7	3 1.7	1 1.0	0 -	2
XII			- 2.4	- 2.0	- 2.1	- 2.1	0.1	- 4.7	5.1	18	-20.1	25	6 1.3	0 -	5 1.2	6 1.0	0 -	43 3.0	19 2.5	1 3.0	5 2.0	6 3.7	0 -	0 -	2
1954			1.3	3.9	3.8	2.7	6.0	- 0.5	26.6		-24.5		135 1.7	5 1.8	30 1.4	21 1.3	1 4.0	380 2.8	176 2.3	17 2.1	68 1.9	128 2.2	79 2.1	8 2.4	47

1954

Grong Høylandet

72 2.0 13.5 1.7

H_s = 28 H_b = h_t = 2.0 h_a = h_d = 10.0 h_r = 1.4

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	7	13	19	Døgn	7	13	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	✱		•		△	▲		═	≡	⊙		●	
I	82	82	83	82	4.7	5.9	5.2	97	21	2	30	20	15	0	16	14	2	1	0	0	9	11	1	1	0	0	0	0	0	0	6	7	14	27
II	73	67	71	71	4.7	4.5	4.3	15	9	4	25	21	11	0	6	2	0	5	0	0	4	4	1	0	0	0	0	0	0	0	20	6	11	28
III	85	70	73	77	7.1	6.0	6.5	51	11	16	25	6	3	0	17	10	2	2	0	0	9	11	1	1	0	0	0	0	0	0	20	1	18	30
IV	84	67	69	75	6.3	6.4	6.0	38	8	22	21	0	0	0	17	10	0	0	0	0	16	14	13	0	0	1	0	0	0	0	20	0	15	5
V																																		
VI	76	61	65	71	6.0	6.4	5.7	74	16	12	2	0	0	0	22	12	3	0	0	0	20	0	0	12	0	0	0	4	10	3	27	1	17	0
VII	74	60	61	67	5.9	6.5	5.1	67	11	1	0	0	0	4	20	11	1	0	0	0	14	0	0	13	0	0	0	3	3	7	24	0	10	0
VIII	87	70	90	86	7.0	6.6	5.7	111	26	4	0	0	0	0	21	14	2	0	0	0	20	0	0	13	0	0	0	1	5	12	19	2	18	0
IX	93	68	81	83	6.6	5.9	5.6	44	10	3	3	0	0	0	24	13	0	0	0	0	19	0	0	15	0	0	0	0	1	5	27	0	13	0
X	87	75	85	84	7.2	6.8	6.3	117	29	13	11	0	0	0	19	14	5	0	0	0	19	5	5	4	0	0	0	1	6	5	5	0	20	3
XI	81	79	78	80	5.3	6.0	4.8	31	7	17	22	6	3	0	15	10	0	0	0	0	9	9	3	6	0	0	0	0	3	5	0	4	14	16
XII	85	86	84	85	5.4	6.8	5.2	146	31	19	26	7	3	0	23	11	6	0	0	0	10	13	1	3	0	0	0	0	1	3	0	0	11	14

Nordli II

H_s = 408 H_b = 412.7 h_t = 2.0 h_a = h_d = 13.0 h_r = 1.4

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					3.7	5.2	4.6	33	6	9	30		19		14	13	0	0	0	0	3	12	0	1	0	0	0	0	0	0	11	7	12	31
II					4.8	4.2	4.4	13	4	3	28		20		11	4	0	0	0	0	3	11	1	1	0	0	0	0	0	0	15	8	12	28
III					7.0	6.2	5.7	20	10	18	30		11		10	6	1	0	0	0	4	8	1	1	0	0	0	0	1	0	12	0	16	31
IV					5.6	6.1	5.8	18	6	23	29		5		11	6	0	0	0	0	1	10	0	0	0	0	0	0	0	0	13	2	13	30
V					4.1	5.1	5.3	9	5	1	15		0		6	3	0	1	0	0	6	1	1	1	0	0	0	0	0	0	21	4	8	6
VI					6.3	7.2	7.0	72	14	25	4		0		17	13	2	0	0	0	16	0	0	2	0	0	0	4	0	0	11	0	20	0
VII					6.5	7.0	6.6	82	27	28	1		0		15	14	3	0	0	0	15	0	0	0	0	0	0	0	0	1	14	0	19	0
VIII					6.5	5.5	6.7	72	11	15	0		0		19	15	2	0	0	0	19	0	0	7	0	0	0	1	0	4	15	0	20	0
IX					7.6	7.2	6.2	47	9	11	9		0		19	11	0	1	0	0	19	0	0	3	0	0	0	0	0	3	9	0	20	0
X					7.6	7.2	6.2	60	19	13	21		0		17	12	2	2	0	0	10	10	3	2	0	0	0	0	0	1	5	0	23	17
XI					6.8	7.5	7.9	16	5	11	31		6		13	8	0	4	0	0	1	11	0	2	0	0	0	0	0	2	1	0	25	30
XII					6.8	7.8	7.4	69	18	19	29		5		15	9	3	3	0	0	4	14	1	3	0	0	0	0	0	0	0	0	24	31
1954					6.1	6.4	6.2	511	27		227		66		167	114	13	11	0	0	101	77	7	23	0	0	0	5	1	11	127	21	212	204

Nordøyan

H_s = 33 H_b = h_t = 1.9 h_a = 10.4 h_d = 10.3 h_r = 1.7

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	82	81	81	5.0	5.3	5.0	52	7	7	23	7	0	0	18	16	0	18	5	2	11	13	5	1	0	0	0	0	6	0	15	7	14	
II	78	76	77	77	3.3	4.6	3.9	18	5	6	23	12	0	0	7	5	0	19	5	0	6	3	2	0	0	0	0	0	2	0	19	6	7	
III	85	80	81	83	5.6	5.6	5.7	36	8	12	14	4	0	0	20	12	0	15	0	0	14	7	0	1	0	0	0	0	4	0	16	3	14	
IV	84	80	82	83	5.6	5.6	5.5	32	5	12	1	0	0	0	23	11	0	9	0	0	23	9	9	3	0	0	0	0	3	0	13	1	11	
V	87	78	80	83	5.3	4.5	5.0	14	7	18	0	0	0	0	10	4	0	3	0	0	10	0	0	1	0	0	0	0	2	4	25	5	9	
VI	90	87	86	88	6.6	3.7	5.8	37	7	13	0	0	0	0	20	9	0	5	0	0	20	0	0	3	0	0	0	0	5	0	14	1	16	
VII	90	82	86	82	6.1	6.3	6.0	66	17	1	0	0	0	0	20	14	2	2	0	0	17	0	0	4	0	0	0	0	1	3	15	0	15	
VIII	92	87	90	90	6.2	5.7	6.0	61	15	4	0	0	0	0	18	12	2	5	1	0	18	0	0	3	0	0	0	0	3	0	19	0	11	
IX	87	80	84	84	6.2	5.9	6.0	53	8	3	0	0	0	0	24	17	0	6	0	0	24	0	0	0	0	0	0	0	0	0	13	0	14	
X	86	84	85	85	6.5	6.5	5.9	107	21	12	0	0	0	0	27	20	3	15	6	1	27	1	1	0	0	0	0	0	1	0	7	0	16	
XI	78	81	77	78	4.7	5.9	4.9	78	20	5	4	1	0	0	18	15	3	24	13	4	18	4	4	0	0	1	0	0	0	0	11	3	7	
XII	85	85	86	86	5.3	6.7	5.9	79	12	23	4	0	0	0	22	20	2	25	12	7	20	6	3	0	0	1	0	0	0	0	7	0	13	
1954	85	92	83	83	5.5	5.5	5.5	633	21		69	24	0	0	227	155	12	146	42	14	208	43	24	16	0	2	0	0	27	7	174	26	147	

Leka

H_s = 50 H_b = h_t = 2.0 h_a = h_d = 9.0 h_r = 1.8

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	71	69	69	70	4.8	5.1	5.2	177	30	6	26		4		20	15	8	11	6	4	11	18	9	0	0	2	0	0	9	0	15	6	13	
II	68	66	68	68	3.6	4.4	3.5	37	12	4	25		2		7	6	1	14	3	1	6	4	3	0	0	0	0	0	2	0	20	8	5	
III	80	73	76	78	6.1	5.3	6.1	77	14	15	21		0		18	13	2	10	1	0	15	12	8	1	0	0	0	0	8	0	21	1	12	
IV	82	74	78	79	5.8	5.5	5.7	91	12	22	13		0		21	17	2	6	0	0	17	19	14	0	1	1	0	0	3	0	25	1	12	
V	74	64	68	71	5.3	5.2	5.0	14	6	31	1		0		10	4	0	1	0	0	9	0	0	4	0	0	0	0	1	4	31	3	7	
VI	86	79	80	83	6.5	6.2	6.2	65	11	2	0		0		22	16	1	2	0	0	22	0	0	10	0	1	0	1	8	0	25	1	16	
VII	82	74	79	81	5.7	6.1	5.3	76	28	1	0		0		16	12	1	2	0	0	16	0	0	5	0	0	0	0	4	2	28	0	10	
VIII	92	84	87	88	6.2	6.2	5.7	136	25	4	0		0		24	16	6	1	0	0	21	0	0	9	0	0	0	0	11	2	24	0	15	
IX	88	77	83	84	5.6	5.5	5.6	89	12	19	0		0		23	19	1	6	1	0	23	1	1	0	0	0	0	0	2	0	26	1	7	
X	85	80	84	84	6.4	6.3	6.2	196	32	12	6	0	0	0	22	17	6	10	2	1	22	8	7	0	0	3	0	3	0	0	21	0	16	
XI	78	78	79	78	4.9	5.0	5.2	87	35	6	19	0	0	0	14	12	2	13	7	3	11	9	4	0	0	8	0	0	2	0	20	5	8	
XII	76	75	82	78	5.5	6.4	6.0	139	20	19	12	2	1	0	20	12	7	10	5	5	16	12	6	0	0	3	0	1	1	0	6	0	15	
1954	80	74	78	78	5.5	5.6	5.5	1184	35		123		7		217	159	37	86	25	14	189	83	52	29	1	17	0	5	51	8	262	26	136	

Majavatn

H_s = 352 H_b = h_t = 2.0 h_a = h_d = h_r = 1.9

Måned	U_m 7	13	19	Døgn	N_m 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.3	5.3	4.6	160	34	6	30	23	16	0	19	13	5	.0	0	0	6	18	2	0	0	0	0	0	9	0	16	7	15	31
II					3.4	4.2	4.4	33	17	4	27	24	18	0	10	5	1	4	0	0	2	9	0	0	0	0	0	0	3	2	18	8	8	28
III					5.5	5.0	5.4	43	13	15	29	11	7	0	22	10	1	2	0	0	7	21	3	0	0	0	0	0	7	0	19	4	14	31
IV					4.5	4.4	5.2	29	5	27	26	0	1	0	23	10	0	1	0	0	8	22	7	0	0	0	0	0	8	0	22	1	7	30
V					3.8	3.0	3.7	10	3	31	7	0	0	0	13	3	0	0	0	0	11	3	1	1	0	0	0	0	1	2	29	9	4	8
VI					5.4	5.6	5.4	78	16	12	0	0	0	0	21	14	2	0	0	0	21	0	0	1	0	0	0	4	5	0	18	3	14	0
VII					4.8	5.2	4.8	75	22	16	0	0	0	3	21	14	2	0	0	0	21	0	0	0	0	0	0	7	10	0	21	3	9	0
VIII					5.7	5.2	5.4	102	18	13	0	0	0	0	22	17	4	1	0	0	22	0	0	2	0	0	0	0	11	7	15	5	14	0
IX					5.5	4.7	5.3	82	14	3	1	0	0	0	24	16	1	0	0	0	24	0	0	0	0	0	0	0	8	0	17	2	10	0
X					8.3	5.7	6.5	128	26	13	12	1	0	0	21	13	5	0	0	0	14	12	5	0	0	0	0	0	8	0	12	1	17	8
XI					4.9	5.2	5.6	40	10	17	23	13	1	0	18	10	1	1	0	0	5	17	4	1	0	0	0	0	2	0	12	5	15	25
XII					5.9	6.6	6.4	144	25	19	25	15	5	0	23	16	6	2	0	0	9	21	4	0	0	0	0	0	0	0	4	2	20	31
1954					5.2	5.0	5.2	924	34		180	87	48	3	237	141	28	11	0	0	150	123	26	5	0	0	0	11	72	11	203	50	147	192

1954

Brønnøysund II

φ = 65° 29′N λ = 12° 13′E g = 9.823 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I	1009.6	1011.3	- 0.8	0.0	- 0.4	- 0.4	1.8	- 2.7	7.1	5	- 9.8	30	7	5.3	10	2.9	12	2.3	18	2.5	5	1.4	3	3.7	10	3.4	3	3.3	7	5.4	5	6.0	1	3.0	4	5.2	8
II	14.3	16.0	- 2.4	- 1.2	- 2.0	- 2.0	0.4	- 3.9	6.0	4	- 9.4	13	0	-	0	-	6	2.3	20	3.6	26	4.3	9	3.9	5	4.6	7	4.0	2	3.0	1	5.0	0	-	0	-	8
III	06.3	08.0	0.4	2.3	1.8	1.1	3.2	- 1.1	6.6	22	- 6.3	1	10	4.1	1	2.0	4	2.2	15	2.9	20	4.0	5	5.0	11	3.4	10	5.1	2	5.5	5	4.2	0	-	6	5.3	4
IV	13.8	15.4	2.4	4.4	3.8	3.2	5.6	0.9	10.5	10	- 2.2	21	16	4.6	3	2.7	1	2.0	14	2.9	9	2.3	5	2.4	9	3.8	10	3.8	3	3.7	4	3.5	3	3.0	8	4.9	5
V	17.8	19.4	9.5	11.9	11.5	10.4	14.2	7.3	23.2	25	0.7	1	23	3.9	1	3.0	2	1.5	12	2.8	11	3.7	8	3.2	3	4.3	5	3.4	7	4.0	1	2.0	3	2.3	5	3.4	12
VI	07.3	08.9	9.5	10.6	10.5	9.8	12.4	7.5	22.1	19	2.7	6	31	4.3	3	3.3	2	2.5	3	1.7	0	-	2	3.5	5	3.6	14	3.4	6	4.0	4	3.8	4	3.0	9	4.0	7
VII	03.7	05.3	13.8	15.7	15.2	14.4	17.4	11.6	26.6	11	7.4	21	25	3.6	0	-	1	2.0	8	2.9	11	3.3	4	2.8	4	3.0	10	3.4	1	2.0	3	1.3	3	2.3	11	2.9	12
VIII	05.7	07.3	12.1	13.7	13.6	12.8	15.3	10.9	23.0	7	7.2	21	27	3.7	0	-	2	2.5	6	2.2	3	3.0	0	-	6	3.7	10	3.3	5	4.0	4	3.8	4	2.8	13	4.1	13
IX	998.9	00.5	8.5	11.6	10.4	10.0	12.7	7.5	18.7	11	3.2	24	8	2.5	3	1.7	2	2.5	12	2.5	13	2.9	3	3.0	2	3.0	16	3.6	6	3.7	6	3.2	2	3.5	5	2.8	12
X	99.9	01.6	5.0	6.7	5.3	5.6	7.6	3.9	14.3	4	- 0.3	19	6	3.7	6	1.8	7	1.6	16	2.8	12	3.5	7	3.9	10	3.6	6	3.3	5	4.6	4	4.8	2	3.5	0	-	12
XI	1007.8	09.4	2.6	3.0	2.7	2.6	4.2	0.9	8.6	28	- 3.9	22	2	3.0	1	1.0	1	2.0	23	3.0	29	4.9	8	4.6	9	4.0	4	2.8	0	-	3	4.0	2	4.5	2	2.5	6
XII	994.6	996.2	2.3	2.5	2.5	2.4	4.2	0.6	8.5	17	- 4.8	25	1	1.0	1	1.0	9	2.4	15	2.9	19	3.8	11	3.3	9	4.3	7	5.4	1	5.0	8	5.5	1	5.0	0	-	11
1954	1006.6	1008.3	5.2	6.8	6.2	5.8	8.2	3.6	26.6		- 9.8		156	4.0	29	2.4	49	2.2	162	2.9	158	3.8	65	3.6	83	3.7	102	3.9	45	4.2	48	4.2	25	3.1	63	3.9	110

Hattfjelldal

φ = 65° 36′N λ = 13° 59′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			-11.4	-10.5	-10.8	-11.0	- 5.2	-16.0	4.6	2	-29.8	27	5	1.8	0	-	4	2.7	7	2.1	0	-	8	2.0	4	1.2	0	-	2	2.5	6	3.3	4	2.5	7	2.9	46
II			-11.4	- 8.7	- 9.8	-10.3	- 6.0	-14.7	3.0	5	-29.7	1	0	-	0	-	0	-	3	4.7	3	4.0	43	3.4	1	7.0	0	-	1	4.0	7	2.4	5	2.2	0	-	21
III			- 5.5	- 0.6	- 2.2	- 3.2	0.5	- 7.3	7.0	21	-24.2	4	4	1.5	0	-	5	1.2	26	2.8	0	-	12	3.8	2	2.0	0	-	6	1.7	5	2.0	2	2.0	11	2.2	20
IV			- 2.2	2.9	1.4	0.1	4.1	- 4.4	9.5	10	-13.9	9	3	2.3	2	1.5	7	2.1	8	3.1	0	-	17	2.1	3	1.7	1	2.0	6	2.7	13	2.8	5	2.8	12	2.7	13
V			6.9	12.0	10.8	8.7	13.8	1.7	21.0	24	- 3.7	19	3	2.0	0	-	10	2.3	24	2.9	2	2.5	22	3.4	4	1.5	0	-	4	2.2	3	2.7	0	-	10	2.6	11
VI			8.7	12.2	11.9	10.0	14.7	5.3	22.3	18	- 3.5	7	9	2.9	0	-	10	2.6	15	1.8	0	-	6	1.2	2	1.0	0	-	7	2.3	18	2.9	1	2.0	12	2.9	10
VII			13.3	17.6	16.9	14.9	19.9	9.4	28.2	13	0.3	21	4	2.5	0	-	9	2.2	14	2.4	13	3.9	15	3.1	6	1.7	0	-	4	2.3	3	2.0	0	-	10	2.7	15
VIII			9.4	15.0	13.9	12.1	16.9	7.6	22.4	24	- 0.8	20	2	2.5	1	3.0	7	2.1	9	2.6	0	-	16	2.5	4	1.8	0	-	4	1.8	9	2.4	2	2.0	19	2.4	20
IX			3.3	10.1	7.9	6.6	11.6	1.8	17.6	11	- 4.2	28	6	2.3	0	-	6	1.7	6	2.2	0	-	15	2.7	5	2.8	0	-	8	2.2	11	2.0	1	3.0	7	2.3	25
X			1.5	3.5	1.5	1.9	4.6	- 2.0	11.0	4	-12.1	19	12	2.7	0	-	9	1.6	11	3.4	0	-	15	3.1	6	3.2	0	-	3	2.7	9	2.7	0	-	5	2.6	23
XI			- 5.0	- 3.3	- 3.2	- 3.9	- 0.6	- 7.2	5.2	30	-21.1	23	4	2.0	0	-	3	1.0	5	3.2	0	-	42	4.2	0	-	0	-	2	1.5	3	2.0	0	-	2	2.0	29
XII			- 4.0	- 3.6	- 3.3	- 3.7	- 0.2	- 6.6	5.0	3	-27.5	25	0	-	0	-	2	2.0	6	2.3	1	7.0	34	3.1	4	1.5	0	-	2	1.5	8	2.5	4	3.0	10	1.7	22
1954			0.3	3.9	2.9	1.8	6.2	- 2.7	28.2		-29.8		52	2.3	3	2.0	72	2.0	134	2.7	19	3.8	245	3.2	41	2.1	1	2.0	49	2.2	95	2.6	24	2.5	105	2.5	255

Skålvær

φ = 65° 52′N λ = 12° 11′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			0.5	0.9	0.6	0.7	2.1	- 1.1	8.0	5	- 6.4	30	7	2.9	10	3.3	4	2.0	37	1.9	0	-	2	1.5	6	2.8	13	4.4	8	3.1	3	2.0	0	-	3	4.7	0
II			- 1.0	- 0.5	- 0.6	- 0.8	0.7	- 2.4	5.2	5	- 7.8	13	0	-	0	-	0	-	45	3.1	7	3.4	9	3.2	10	3.9	7	3.9	5	2.8	1	3.0	0	-	0	-	0
III			0.9	1.7	1.5	1.3	2.6	- 0.6	6.0	22	- 6.0	1	9	3.6	9	2.0	2	3.0	39	2.9	2	4.0	4	5.5	0	-	19	3.6	1	2.0	5	2.6	0	-	3	3.3	0
IV			2.7	4.3	3.5	3.2	4.9	1.4	8.2	12	- 2.5	21	10	3.1	11	2.1	3	2.0	22	1.8	1	2.0	1	2.0	4	2.2	17	3.4	2	1.5	12	2.0	0	-	7	2.9	0
V			9.2	11.7	10.4	10.0	12.5	7.6	18.7	24	1.9	1	14	2.5	18	1.5	1	1.0	26	1.9	4	2.8	2	2.0	4	2.0	14	2.1	1	1.0	7	1.4	2	1.0	0	-	0
VI			9.6	10.9	10.2	9.8	11.8	7.9	18.6	26	3.7	6	18	2.9	29	2.0	2	2.0	1	1.0	1	1.0	1	1.0	2	2.5	17	2.4	4	3.2	8	1.0	0	-	6	2.2	1
VII			13.9	16.1	14.9	14.5	17.2	11.2	25.6	12	7.9	2	13	2.8	27	1.7	2	2.5	11	2.0	2	3.0	6	2.3	6	2.3	8	2.0	0	-	9	1.3	3	2.0	6	2.0	0
VIII			12.4	13.8	13.0	12.8	14.7	10.5	22.0	7	7.6	18	14	2.9	31	2.6	3	1.3	8	2.0	0	-	2	1.5	3	2.3	12	2.5	4	2.8	6	1.5	1	1.0	9	1.4	0
IX			9.3	11.4	10.2	10.1	11.9	8.2	15.6	11	4.8	30	0	-	15	1.5	3	1.7	29	2.1	3	2.7	4	1.5	8	1.8	14	2.4	3	2.7	11	2.5	0	-	0	-	0
X			6.1	7.0	6.2	6.3	7.5	4.9	13.0	4	0.8	19	4	2.5	12	1.8	6	2.2	27	2.7	1	2.0	4	3.5	13	3.5	9	4.0	5	4.6	11	3.1	0	-	0	-	1
XI			3.2	3.6	3.6	3.4	4.8	1.7	8.0	29	- 3.5	23	1	3.0	5	1.8	0	-	46	3.0	8	3.1	8	3.1	6	4.2	7	3.9	3	3.0	2	1.5	0	-	4	1.2	0
XII			3.1	3.6	3.4	3.4	4.5	2.0	8.4	3	- 3.1	25	0	-	0	-	2	2.0	34	2.4	4	2.2	11	2.5	9	3.2	16	3.4	5	4.0	10	3.9	0	-	2	1.5	0
1954			5.8	7.1	6.4	6.3	7.9	4.3	25.6		- 7.8		90	2.9	167	1.9	28	2.0	325	2.5	33	2.9	54	2.8	71	3.0	153	3.1	41	3.1	85	2.3	6	1.5	40	2.2	2

Mo i Rana II

φ = 66° 20′N λ = 14° 11′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			- 9.0	- 8.3	- 8.1	- 8.6	- 3.9	-12.3	7.0	5	-24.1	31	0	-	1	1.0	2	1.0	64	1.1	0	-	7	1.6	0	-	0	-	6	4.5	6	2.3	1	2.0	6	2.7	0
II			- 9.2	- 6.4	- 7.9	- 8.0	- 4.5	-11.7	4.4	5	-23.8	13	1	1.0	1	1.0	1	1.0	54	2.1	0	-	12	3.8	0	-	0	-	0	-	9	1.7	0	-	4	2.8	2
III			- 4.3	- 0.7	- 2.0	- 2.6	0.6	- 6.5	5.7	9	-19.3	4	0	-	0	-	0	-	42	1.7	0	-	13	3.7	0	-	1	1.0	10	2.2	9	2.4	0	-	13	2.7	5
IV			- 0.9	3.1	1.8	0.8	4.2	- 2.8	9.4	11	-10.1	9	0	-	0	-	0	-	34	1.4	0	-	11	2.1	0	-	0	-	9	1.7	21	1.9	0	-	12	2.4	3
V			7.7	12.2	11.2	9.9	13.8	3.5	20.8	24	- 0.8	4	0	-	2	2.0	0	-	42	2.1	0	-	16	1.9	0	-	0	-	9	1.7	10	1.8	0	-	11	2.4	3
VI			9.4	12.1	11.4	10.3	14.2	6.4	21.7	26	- 1.6	7	0	-	0	-	5	1.6	12	1.5	0	-	4	2.5	0	-	0	-	31	1.9	19	2.5	0	-	17	3.1	2
VII			15.1	18.2	16.8	15.9	20.0	11.2	28.0	12	5.3	8	0	-	0	-	0	-	18	1.8	0	-	23	2.9	0	-	0	-	25	1.9	15	2.3	0	-	9	2.0	3
VIII			11.3	14.4	14.1	12.7	16.3	9.2	22.3	7	2.8	19	0	-	0	-	3	1.0	23	1.6	0	-	6	1.8	0	-	0	-	17	1.7	19	2.3	1	2.0	12	1.7	12
IX			5.4	10.4	8.6	7.7	11.9	4.2	17.7	9	- 3.0	24	0	-	0	-	3	1.0	35	1.1	0	-	11	2.5	0	-	0	-	11	2.3	17	2.4	2	2.5	1	2.0	10
X			0.9	3.6	2.2	2.1	4.9	0.6	11.6	4	- 8.5	25	0	-	1	1.0	2	2.0	42	1.4	0	-	17	2.7	0	-	0	-	9	1.3	11	2.3	0	-	3	1.7	8
XI			- 2.3	- 1.1	- 0.9	- 1.5	1.2	- 4.2	8.4	30	-12.9	23	0	-	2	1.5	4	1.5	45	1.6	0	-	32	3.1	1	2.0	0	-	0	-	0	-	0	-	2	1.5	4
XII			- 1.6	- 1.4	- 1.0	- 1.4	1.5	- 3.6	7.4	3	-18.0	25	0	-	0	-	0	-	47	1.4	0	-	19	3.0	1	1.0	0	-	8	3.5	14	2.1	0	-	2	2.0	2
1954			1.9	4.7	3.8	3.1	6.7	- 0.5	28.0		-24.1		1	1.0	7	1.4	20	1.4	458	1.6	0	-	171	2.8	2	1.5	1	1.0	135	2.1	150	2.2	4	2.2	92	2.4	54

Nord-Solvær

φ = 66° 22′N λ = 12° 39′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N		C
I			0.5	0.7	0.6	0.6	2.7	- 1.5	8.1	5	- 5.9	31	7	5.9	7	5.3	4	3.0	9	2.6	9	2.8	11	4.2	8	3.6	10	3.6	12	5.1	6	4.3	1	4.0	3	3.7	6
II			- 1.1	- 0.7	- 0.9	- 1.0	1.0	- 2.5	5.5	5	- 7.0	13	0	-	0	-	0	-	0	-	25	5.2	35	5.6	6	2.8	7	4.1	7	4.4	1	2.0	1	5.0	0	-	2
III			0.5	1.6	1.0	1.0	2.9	0.9	6.5	9	- 6.5	1	8	4.1	4	2.5	1	2.0	0	-	32	5.1	15	5.3	0	-	14	5.3	8	5.4	2	3.0	0	-	5	5.6	4
IV			2.7	3.9	3.4	3.1	5.2	1.1	10.0	11	- 0.3	22	13	3.9	8	2.6	0	-	3	3.7	17	3.8	6	3.4	5	3.0	9	4.4	10	4.9	3	3.7	4	4.2	10	3.5	2
V			8.8	10.8	9.6	9.3	12.2	7.0	17.5	21	1.7	1	16	2.6	9	2.3	1	1.0	2	3.5	19	3.5	11	4.4	7	2.6	5	3.0	11	2.8	1	5.0	0	-	4	2.2	7
VI			9.3	10.2	9.6	9.4	11.9	7.7	19.0	27	3.7	6	32	3.4	11	3.5	2	1.0	1	2.0	1	2.0	1	4.0	3	3.3	9	3.4	10	3.6	5	2.2	0	-	8	3.5	7
VII			13.8	15.6	14.8	14.3	17.5	12.1	24.0	11	8.2	2	33	2.4	6	1.5	2	1.0	6	3.2	8	4.4	9	3.9	2	1.5	4	3.8	8	2.9	2	1.0	0	-	6	2.5	7
VIII			12.8	13.8	13.0	13.0	15.2	11.6	22.2	10	6.7	30	25	3.0	11	3.8	0	-	1	3.0	6	3.5	3	2.3	3	2.0	10	3.6	10	2.8	2	2.0	0	-	9	2.7	13
IX			9.0	10.9	9.9	9.7	12.3	7.7	16.0	9	3.6	24	5	2.4	8	2.8	4	1.8	4	2.0	13	5.5	15	3.9	6	3.2	9	3.9	15	3.8	3	2.7	0	-	5	1.6	3
X			5.6	6.4	5.8	5.8	7.7	4.3	13.1	4	0.8	18	1	2.0	4	2.8	3	2.0	7	3.5	9	5.0	28	4.0	3	4.0	10	4.3	11	4.3	4	4.0	1	3.0	5	3.2	7
XI			3.1	3.3	3.1	3.2	4.7	1.5	8.5	30	- 2.0	22	2	2.0	3	4.0	1	3.0	0	-	27	5.7	33	5.5	5	4.0	7	3.7	5	3.2	1	1.0	0	-	3	3.7	3
XII			3.1	3.2	3.1	3.1	5.0	1.5	8.6	3	- 1.9	25	0	-	0	-	0	-	2	2.5	17	4.5	33	4.6	7	3.7	12	5.1	14	3.6	3	4.7	0	-	1	4.0	4
1954			5.7	6.6	6.1	6.0	8.2	4.2	24.0		- 7.0		142	3.2	71	3.1	18	1.9	35	2.9	183	4.5	200	4.7	55	3.2	106	4.2	121	3.9	33	3.2	7	4.1	59	3.2	65

1954

Brønnøysund II

H_s = 13 H_b = 13.2 h_t = 2.0 h_a = h_d = 11.0 h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ?	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Overskyet ◕	Snødekke ⊞
I	72	69	71	71	4.6	5.7	4.9	124	25	2	26	9	0	0	17	14	4	13	4	3	10	14	6	3	0	0	0	0	1	0	12	6	14	26
II	61	59	60	60	3.9	4.5	3.4	39	16	6	25	11	0	0	8	6	1	13	1	0	5	6	3	0	0	0	0	0	0	0	22	8	7	5
III	72	65	67	69	5.5	5.4	5.4	67	11	18	20	4	0	0	18	14	1	11	4	0	13	9	4	0	0	0	0	0	6	0	21	4	18	11
IV	74	67	69	71	5.4	5.1	5.5	70	10	13	6	0	0	0	18	15	0	8	0	0	16	16	12	0	0	2	0	0	1	0	26	4	14	3
V	70	61	62	66	4.9	4.6	4.2	12	5	31	0	0	0	0	12	2	0	3	0	0	12	0	0	2	0	0	0	0	1	3	29	5	9	0
VI	85	79	80	83	6.0	5.6	5.5	62	13	20	0	0	0	0	20	13	1	7	1	0	20	1	1	6	0	0	0	1	0	1	24	2	16	0
VII	78	72	76	77	5.5	5.5	5.1	64	22	1	0	0	0	2	17	10	1	3	0	0	17	0	0	1	0	0	0	1	4	1	27	1	10	0
VIII	89	83	83	85	6.0	5.8	5.7	102	14	28	0	0	0	0	18	17	5	6	0	0	18	0	0	1	0	0	0	0	3	2	22	2	15	0
IX	84	72	77	79	5.6	5.3	5.2	93	12	3	0	0	0	0	23	17	1	7	0	0	23	0	0	0	0	0	0	0	0	0	28	1	8	0
X	79	73	81	79	5.7	5.7	5.3	192	28	22	2	0	0	0	23	18	6	8	1	0	23	6	5	1	0	4	0	2	0	0	21	0	11	0
XI	70	71	74	72	4.0	4.7	4.1	81	18	6	11	0	0	0	16	11	2	12	1	0	17	9	5	0	0	0	0	0	0	0	15	5	8	2
XII	80	78	79	79	5.3	5.9	5.2	147	16	18	9	2	0	0	19	15	8	10	4	2	16	9	4	0	0	1	0	1	0	0	7	4	11	12
1954	76	71	73	74	5.1	5.3	4.7	1053	28		99	26	0	2	209	152	30	101	16	5	190	70	40	11	0	7	0	5	16	7	254	42	141	59

Hattfjelldal

H_s = 221 H_b = h_t = 1.9 h_a = h_d = h_r = 1.9

I	91	89	88	89	4.9	4.6	4.5	175	54	6	30	23	22	0	16	12	6	0	0	0	5	15	2	0	0	0	0	0	0	1	14	8	11	31
II	78	74	79	78	3.3	3.9	3.9	43	24	4	28	24	20	0	9	6	1	7	0	0	3	8	0	0	0	0	0	0	0	0	22	6	5	28
III	84	68	76	78	5.1	5.0	5.3	44	17	15	30	13	9	0	14	10	1	7	0	0	9	12	5	0	0	0	0	0	1	0	27	2	9	31
IV	86	63	70	76	4.3	5.2	5.0	42	10	21	27	1	2	0	14	11	0	1	0	0	4	14	4	0	2	0	0	0	0	0	26	1	9	30
V	79	55	54	66	4.1	3.8	3.8	12	4	18	9	0	0	0	9	6	0	3	0	0	7	5	0	0	0	0	0	0	0	0	29	8	4	7
VI	83	65	63	73	6.0	5.9	5.4	63	13	12	3	0	0	0	20	12	1	1	0	0	20	0	0	0	0	0	0	1	0	0	27	1	11	0
VII	81	62	64	73	5.2	5.3	5.1	102	22	16	0	0	0	3	19	14	4	0	0	0	19	0	0	0	0	0	0	2	2	1	25	4	10	0
VIII	92	69	74	81	6.5	5.7	5.5	135	23	16	1	0	0	0	22	18	4	1	0	0	22	0	0	1	0	0	0	1	4	6	22	2	15	0
IX	95	70	79	83	5.1	5.7	5.0	68	12	13	12	0	0	0	20	15	1	1	0	0	20	0	0	0	0	0	0	0	2	1	21	1	8	0
X	90	80	86	87	5.4	5.7	5.4	125	36	13	19	1	0	0	20	15	3	3	0	0	15	12	5	0	0	0	0	0	1	1	18	1	10	8
XI	81	83	82	82	4.1	4.7	3.9	32	6	6	25	17	9	0	14	11	0	7	0	0	3	13	1	0	0	0	0	0	0	0	10	4	4	27
XII	88	86	86	87	5.4	5.5	4.9	106	23	19	26	11	6	0	20	13	4	1	0	0	10	17	1	0	0	0	0	0	0	0	10	3	9	15
1954	86	72	75	79	5.0	5.1	4.8	947	54		210	90	68	3	197	143	25	32	0	0	137	96	18	1	2	0	0	4	10	10	241	41	105	177

Skålvær

H_s = 4 H_b = h_t = 2.2 h_a = h_d = h_r = 1.7

I					5.4	6.0	5.2	107	16	2	22	7	0	0	16	15	3	10	4	2	9	14	4	2	0	2	0	0	3	0	8	3	15	23
II					3.9	5.1	4.2	39	10	4	23	10	0	0	8	6	1	9	0	0	7	6	3	0	0	1	0	0	0	0	15	4	8	23
III					5.5	5.4	5.4	64	14	11	21	4	0	0	15	14	1	7	0	0	10	7	1	3	0	0	0	0	2	0	14	4	15	12
IV					5.5	5.3	5.5	58	7	13	5	0	0	0	17	14	0	3	0	0	15	16	11	2	0	2	0	0	1	0	18	2	11	0
V					5.0	4.9	4.6	11	5	31	0	0	0	0	9	5	0	0	0	0	8	0	0	2	0	0	0	0	1	0	21	5	9	0
VI					6.3	6.1	5.9	66	16	20	0	0	0	0	17	14	1	1	0	0	17	1	1	0	0	0	0	2	0	19	1	19	0
VII					5.9	5.7	5.8	42	14	1	0	0	0	1	15	9	1	0	0	0	15	0	0	6	0	0	0	0	0	0	20	1	11	0
VIII					6.4	5.4	5.7	92	21	5	0	0	0	0	19	16	2	1	0	0	18	0	0	6	0	0	0	0	1	0	15	1	17	0
IX					5.3	5.2	4.8	55	6	1	0	0	0	0	21	17	0	3	0	0	21	0	0	1	0	0	0	0	0	0	12	1	8	0
X					6.3	6.2	5.7	105	15	22	0	0	0	0	23	19	3	7	1	0	23	8	7	0	0	3	0	1	0	0	6	0	10	0
XI					4.7	5.1	4.0	79	13	6	9	0	0	0	16	14	1	4	0	0	15	5	2	1	0	2	0	0	0	0	9	4	10	3
XII					6.4	6.5	5.0	108	14	19	5	1	0	0	21	18	2	4	2	1	19	11	7	0	0	2	1	0	0	0	1	3	15	9
1954					5.6	5.6	5.2	826	21		85	22	0	0	197	161	15	49	7	3	177	68	36	23	0	12	1	1	10	0	157	29	148	70

Mo i Rana II

H_s = 25 H_b = h_t = 2.0 h_a = h_d = h_r = 1.6

I	89	88	87	88	4.9	5.4	4.8	186	50	6	28	21	18	0	15	13	8	2	0	0	6	13	1	0	0	0	0	0	0	0	3	7	14	27
II	77	62	75	73	3.9	4.3	3.8	61	14	3	26	20	15	0	9	7	4	4	0	0	4	8	2	0	0	0	0	0	2	0	18	8	6	28
III	78	65	71	73	4.6	4.9	4.9	85	21	23	24	12	10	0	14	13	3	6	0	0	10	12	2	0	0	0	0	0	3	0	16	8	13	31
IV	81	61	68	73	5.0	5.6	5.6	62	10	29	24	1	0	0	14	10	1	1	0	0	7	14	5	0	0	0	0	0	2	0	23	3	12	27
V	71	53	56	64	5.0	4.9	4.0	17	5	9	7	0	0	0	11	6	0	0	0	0	10	0	0	2	0	0	0	0	3	1	25	4	11	2
VI	80	66	66	73	5.7	6.2	5.8	94	17	15	1	0	0	0	18	12	4	0	0	0	18	0	0	0	0	0	0	1	6	0	20	2	15	0
VII	73	59	63	66	5.3	5.1	5.7	43	20	1	0	0	0	4	11	9	1	0	0	0	11	0	0	0	0	0	0	0	4	0	20	1	12	0
VIII	86	73	75	80	6.6	6.2	5.5	104	18	27	0	0	0	0	19	18	2	1	0	0	18	0	0	4	0	0	0	0	6	3	20	2	18	0
IX	91	68	79	82	5.6	5.9	5.2	86	18	11	4	0	0	0	19	15	1	1	0	0	19	0	0	0	0	0	0	0	4	2	20	0	11	0
X	86	77	84	83	5.8	6.0	5.7	148	38	11	15	3	0	0	20	16	5	1	0	0	17	7	1	0	0	0	0	0	5	1	12	1	15	6
XI	76	76	73	75	4.8	5.9	4.1	44	13	6	22	11	0	0	13	9	1	2	0	0	5	12	3	0	0	0	0	0	0	0	2	5	9	25
XII	83	84	81	83	6.2	6.3	5.2	126	23	18	21	8	5	0	17	14	3	3	1	0	11	12	3	0	0	0	0	0	3	1	0	3	16	17
1954	81	69	73	76	5.3	5.6	5.0	1056	50		172	76	48	4	180	142	33	21	1	0	136	78	17	6	0	0	0	1	38	8	179	44	152	163

Nord-Solvær

H_s = 7 H_b = h_t = 2.1 h_a = h_d = h_r = 1.7

I					5.6	5.8	4.8	169	30	5	22	3	0	0	19	18	9	14	7	2	10	14	4	2	0	0	1	0	4	0	5	5	12	
II					3.4	4.9	3.8	62	15	3	22	9	0	0	8	7	3	14	4	1	5	6	1	0	0	1	1	0	1	0	14	6	5	
III					5.8	5.0	5.2	80	18	15	18	3	0	0	16	14	2	23	5	0	12	9	4	2	0	2	0	0	2	0	18	4	15	
IV					5.2	5.6	5.2	71	15	13	6	0	0	0	19	17	1	10	0	0	13	13	9	0	0	4	0	0	3	0	21	2	12	
V					5.7	5.3	5.2	18	6	31	0	0	0	0	9	4	0	5	1	0	9	0	0	3	0	0	0	0	3	0	26	3	13	
VI					6.2	6.1	5.8	78	11	20	0	0	0	0	17	13	1	7	0	0	17	0	0	8	0	0	0	0	2	0	24	2	18	
VII					5.5	5.6	5.6	47	22	1	0	0	0	0	15	10	1	3	0	0	15	0	0	3	0	0	0	0	2	0	22	1	14	
VIII					6.5	6.0	5.7	100	22	28	0	0	0	0	18	14	3	2	0	0	18	0	0	4	0	0	0	0	1	0	19	1	17	
IX					5.5	5.5	5.3	89	10	23	0	0	0	0	18	17	1	6	0	0	18	0	0	2	0	0	0	0	0	0	25	1	8	
X					6.0	6.7	5.7	180	23	13	0	0	0	0	20	19	6	14	2	0	19	2	1	0	0	7	0	0	1	0	12	0	13	
XI					4.6	5.2	3.6	84	20	14	7	2	0	0	15	13	2	20	4	0	11	4	0	0	0	1	1	0	0	0	12	4	5	
XII					5.3	6.4	5.2	146	21	20	6	0	0	0	18	17	6	16	4	1	16	8	8	0	0	3	1	0	0	0	1	2	12	
1954					5.4	5.7	5.1	1124	30		81	17	0	0	192	163	35	134	27	4	163	56	27	24	0	18	4	0	17	2	199	31	144	

1954

Myken

φ = 66° 46′N λ = 12° 29′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling $nD.F_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.4	1.6	1.4	1.5		- 0.4	7.8	5	- 3.6	10	5 5.4	4 2.5	17 4.4	3 1.3	3 2.0	7 3.3	13 3.4	8 4.0	14 5.2	3 5.0	2 6.5	10 5.6	4
II			- 0.2	0.3	0.3	0.0		- 1.6	5.6	4	- 5.9	13	0 -	0 -	0 -	1 8.0	9 5.8	40 5.4	17 5.1	5 4.6	8 5.1	1 4.0	1 7.0	1 5.0	1
III			0.9	1.7	1.3	1.2		- 0.6	5.9	14	- 4.4	1	2 4.0	3 3.3	7 2.9	5 3.2	7 5.9	25 4.6	8 4.2	7 4.6	12 5.7	2 5.0	2 5.5	12 5.2	1
IV			2.7	3.7	3.4	3.1		1.1	7.8	11	- 2.7	21	4 4.5	7 2.7	9 2.8	5 4.0	4 3.8	10 2.6	6 3.5	12 5.5	9 5.0	4 4.0	5 3.6	12 5.2	3
V			8.2	9.5	8.7	8.5		6.3	15.3	21	2.4	1	1 5.0	12 2.5	24 2.4	6 4.7	5 4.2	9 3.4	3 5.0	8 3.1	9 2.4	4 3.2	0 -	5 2.8	7
VI			8.5	9.4	9.1	8.7		6.7	14.5	27	2.7	5	10 3.9	15 3.5	14 3.6	0 -	2 1.0	3 2.3	3 4.0	6 2.8	11 3.2	5 4.2	5 2.4	7 4.0	9
VII			13.4	15.0	14.2	13.8		11.4	21.4	11	6.7	2	6 4.0	7 3.3	14 3.0	15 3.8	2 4.5	5 3.8	0 -	2 2.0	14 2.8	0 -	7 1.9	9 1.9	12
VIII			12.5	13.4	13.0	12.8		11.0	18.3	2	7.9	30	6 2.8	15 3.4	23 3.7	3 2.3	1 6.0	4 2.8	3 5.3	6 2.8	12 3.4	3 3.3	6 3.5	6 5.2	5
IX			9.4	10.6	10.0	9.8	11.5	7.9	14.6	2	4.8	27	1 5.0	0 -	16 3.8	3 2.7	5 3.8	15 4.3	8 4.0	4 3.2	14 6.0	7 5.0	4 3.2	5 3.2	8
X			6.4	6.7	6.3	6.4	7.7	4.5	12.6	4	0.5	24	3 3.7	6 3.5	6 3.7	3 3.0	6 4.7	24 5.1	5 5.0	6 5.0	11 5.2	3 5.7	5 4.8	10 3.3	5
XI			3.8	3.8	3.9	3.8	4.9	1.9	7.8	30	- 2.5	21	2 3.5	1 4.0	3 6.0	1 2.0	12 6.3	48 5.9	3 4.0	1 4.0	7 5.6	1 5.0	2 4.0	4 4.2	5
XII			3.8	3.9	3.7	3.8	4.9	1.8	8.2	3	- 2.0	27	0 -	2 1.5	1 4.0	1 1.0	13 5.4	30 5.0	7 5.6	6 5.3	15 5.3	4 7.5	3 5.7	5 4.0	6
1954			5.9	6.6	6.3	6.1		4.2	21.4		- 5.9		40 4.0	72 3.1	134 3.4	46 3.5	69 5.0	220 4.8	76 4.4	71 4.2	136 4.6	37 4.8	42 3.7	86 4.2	66

Glomfjord

φ = 66° 49′N λ = 13° 59′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling $nD.F_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 1.8	- 1.4	- 1.2	- 1.5		- 4.3	7.6	5	- 9.9	21	0 -	1 1.0	1 1.0	3 1.0	5 3.2	22 1.3	7 1.0	2 2.5	4 4.2	3 4.3	4 1.8	8 1.9	33
II			- 2.0	- 1.2	- 2.0	- 1.8		- 4.5	4.7	5	- 9.5	13	0 -	0 -	0 -	5 3.4	1 1.0	43 3.7	5 1.6	3 1.3	9 1.7	4 1.2	0 -	0 -	14
III			- 0.1	1.2	0.1	0.1		- 3.2	5.6	14	- 9.1	25	1 1.0	1 1.0	4 1.0	4 1.2	0 -	21 3.8	8 2.9	5 1.2	8 2.5	4 1.8	1 1.0	6 1.7	30
IV			2.3	3.8	1.8	2.1		- 0.4	10.0	11	- 4.0	8	0 -	0 -	4 1.0	1 1.0	14 1.1	16 1.8	10 1.7	4 1.8	7 1.3	12 1.6	3 1.7	4 2.8	15
V			10.7	11.8	10.3	10.0		6.8	19.3	24	2.7	19	1 4.0	1 4.0	8 2.1	4 1.0	2 3.0	30 1.7	3 1.7	3 1.0	6 1.5	4 1.2	4 1.8	2 3.5	25
VI			10.6	11.1	9.5	9.6		6.7	19.8	26	1.1	7	1 1.0	3 1.0	5 1.2	7 1.3	4 1.0	4 1.0	0 -	9 1.0	5 1.6	13 1.2	6 1.2	11 1.7	22
VII			16.0	17.4	15.7	15.5		12.2	24.4	13	7.0	21	1 2.0	3 1.0	5 1.4	7 1.4	13 2.4	28 1.8	2 2.0	0 -	5 1.8	8 1.2	1 2.0	2 1.5	18
VIII			13.4	14.4	12.9	12.9		10.6	20.3	7	6.3	30	3 1.0	2 1.0	0 -	1 1.0	6 2.3	19 1.7	5 1.4	4 1.0	10 1.5	11 1.7	2 1.5	3 2.0	27
IX			8.3	10.4	9.0	8.7		6.1	16.1	10	1.9	24	0 -	0 -	6 1.0	1 1.0	5 1.6	10 2.3	7 1.3	3 1.0	10 1.9	23 1.7	2 1.0	0 -	23
X			4.7	5.7	4.6	4.9		2.6	14.1	4	- 4.1	19	0 -	1 1.0	1 1.0	5 2.8	7 2.4	19 3.2	11 1.5	3 1.3	13 1.5	2 1.0	5 1.0	3 3.0	23
XI			1.8	2.4	1.8	1.9		- 0.6	7.5	27	- 6.7	24	0 -	0 -	0 -	8 5.0	3 1.7	32 3.5	6 1.7	5 1.2	7 1.3	2 1.5	4 1.0	1 1.0	22
XII			2.2	2.3	1.9	2.1		- 0.1	8.0	3	- 5.6	27	0 -	2 2.5	0 -	4 2.5	2 1.0	31 2.5	11 1.7	0 -	8 1.6	10 2.3	0 -	8 2.4	17
1954			5.5	6.5	5.4	5.4		2.7	24.4		- 9.9		7 1.6	14 1.4	34 1.4	50 2.3	62 1.9	275 2.6	75 1.7	41 1.2	92 1.8	96 1.7	32 1.3	48 2.1	269

Helligvær

φ = 67° 24′N λ = 13° 54′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling $nD.F_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.7	0.8	0.9	0.8	2.6	- 1.7	7.8	5	- 4.7	10	7 5.3	8 4.6	5 4.0	8 3.2	6 3.7	21 3.6	3 2.7	0 -	12 3.2	10 6.2	6 4.8	7 3.4	0
II			- 0.5	- 0.2	- 0.3	- 0.4	1.2	- 2.4	5.6	5	- 7.4	26	1 2.0	0 -	0 -	0 -	26 5.8	27 5.6	7 4.9	1 5.0	12 4.5	5 4.8	3 4.3	2 3.5	0
III			0.1	0.7	0.6	0.3	2.0	- 2.1	6.0	9	- 9.5	31	5 3.6	3 3.0	1 4.0	2 3.0	33 5.2	11 4.2	3 5.0	1 2.0	21 5.9	0 -	10 5.5	3 4.7	0
IV			2.2	3.2	2.5	2.4	4.2	0.4	8.5	11	- 3.8	21	9 4.0	7 3.3	3 2.7	7 3.6	15 3.9	8 3.0	1 3.0	3 3.3	21 5.7	6 4.8	2 6.5	8 3.6	0
V			8.3	9.7	8.5	8.4	10.9	6.1	17.3	25	3.2	17	1 4.0	19 3.1	8 3.1	6 3.2	24 4.0	4 3.5	4 3.2	1 3.0	12 4.2	9 3.7	2 2.5	3 3.0	0
VI			8.6	9.9	9.2	8.8	10.8	6.8	17.4	27	2.9	5	9 3.7	23 3.5	2 2.5	3 3.0	1 4.0	5 2.2	1 3.0	1 1.0	14 3.7	13 4.4	6 3.0	12 3.2	0
VII			14.1	15.7	14.9	14.5	17.3	11.8	25.4	13	6.8	2	9 3.0	19 2.6	3 2.3	11 2.4	18 4.1	3 2.7	2 1.0	0 -	10 4.1	6 2.2	4 2.2	8 2.6	0
VIII			12.6	13.9	13.2	13.0	14.7	11.3	19.6	1	7.4	30	7 3.0	23 2.6	5 3.8	5 2.8	8 4.0	1 2.0	1 2.0	2 5.5	20 4.5	6 2.8	7 1.9	8 2.6	0
IX			9.1	10.6	9.7	9.6	11.7	7.7	15.6	11	4.3	27	0 -	5 3.2	7 3.3	7 2.4	14 4.3	12 3.2	3 3.0	0 -	20 4.0	15 3.9	3 3.0	4 3.0	0
X			5.6	6.2	5.5	5.7	7.0	3.8	11.8	4	0.4	26	4 2.2	3 3.0	1 2.0	4 4.2	14 4.6	23 4.9	4 3.8	6 4.5	11 4.8	3 3.3	7 4.1	13 3.0	0
XI			2.8	3.1	2.7	2.9	4.0	1.1	8.5	30	- 3.5	21	3 2.7	2 4.0	1 4.0	0 -	46 5.6	24 4.4	1 3.0	1 3.0	4 5.0	2 4.5	3 2.7	3 3.3	0
XII			3.1	3.3	3.3	3.2	4.6	1.3	8.5	4	- 1.4	24	1 4.0	0 -	0 -	0 -	17 5.0	40 4.5	1 4.0	5 4.6	15 5.8	6 6.2	6 3.8	2 4.0	0
1954			5.6	6.4	5.9	5.8	7.6	3.7	25.4		- 9.5		56 3.6	112 3.1	36 3.2	53 3.0	222 4.8	179 4.3	31 3.6	21 4.0	172 4.9	81 4.3	59 3.8	73 3.2	0

Bodø VI

φ = 67° 16′N λ = 14° 22′E g = 9.824 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling $nD.F_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1008.0	1010.1	- 1.8	- 1.6	- 1.4	- 1.6	1.1	- 4.7	7.9	5	-10.6	21	3 4.3	3 2.3	5 3.0	48 3.5	2 3.5	1 4.0	2 4.5	5 5.8	8 5.4	5 4.8	3 4.0	7 4.0	1
II	13.2	15.4	- 2.5	- 2.1	- 2.4	- 2.4	- 0.3	- 4.8	4.9	5	-10.8	13	0 -	0 -	1 3.0	51 4.7	9 4.4	7 4.9	1 3.0	5 4.8	5 4.8	4 3.2	1 5.0	0 -	0
III	05.1	07.2	- 1.3	0.0	- 0.4	- 0.8	1.6	- 3.3	6.0	14	-10.0	1	3 3.7	1 3.0	5 3.4	38 4.4	11 4.9	3 5.0	2 3.0	6 4.7	10 5.0	6 4.8	6 4.7	2 4.5	0
IV	12.3	14.4	1.0	3.0	2.3	1.8	4.0	- 0.5	8.3	11	- 3.7	8	4 4.0	4 1.8	4 2.2	31 3.7	7 2.6	1 3.0	9 4.0	6 4.3	6 4.7	4 3.5	9 4.1	4 2.8	1
V	17.9	19.9	8.7	10.8	9.9	9.4	12.1	6.5	17.9	24	1.9	19	12 2.6	3 2.7	1 3.0	35 3.8	9 4.0	5 4.2	2 3.0	3 2.7	8 4.4	7 3.0	3 2.0	5 3.2	0
VI	06.3	08.3	9.0	10.5	9.7	9.3	11.9	6.9	21.0	27	3.2	5	10 3.0	9 3.1	1 3.0	12 3.2	5 2.0	0 -	1 3.0	4 3.2	14 3.5	15 3.1	8 2.8	9 3.4	2
VII	03.7	05.7	14.3	16.5	15.9	15.1	18.4	11.8	26.2	13	7.2	3	13 2.7	5 3.2	0 -	26 3.3	8 3.8	3 3.7	0 -	3 1.3	7 2.9	11 2.7	8 1.9	9 1.9	0
VIII	05.0	06.9	12.1	13.9	13.2	12.8	15.1	10.5	21.2	10	5.0	20	11 2.5	7 3.3	3 1.7	15 3.3	6 2.7	4 1.8	2 2.0	3 2.3	18 3.5	9 2.4	5 2.4	7 2.3	3
IX	998.0	00.0	7.7	10.5	9.4	9.0	11.8	6.2	17.0	9	1.2	30	2 3.0	4 3.0	1 2.0	29 3.2	9 3.2	6 3.7	0 -	8 3.4	15 3.6	9 3.7	1 4.0	3 2.0	3
X	99.0	01.0	4.0	5.1	4.3	4.4	6.1	2.3	12.1	5	- 3.3	19	3 3.0	1 3.0	1 2.0	39 3.8	7 3.9	13 3.3	7 3.3	4 4.0	7 3.7	2 3.0	6 4.7	3 3.0	0
XI	1007.8	09.8	0.5	1.2	0.8	0.8	2.5	- 1.0	7.8	30	- 6.3	15	0 -	1 1.0	1 2.0	52 4.0	18 5.1	10 4.5	2 4.0	3 2.7	0 -	0 -	1 3.0	2 3.0	0
XII	993.3	995.4	1.6	1.8	1.9	1.8	3.6	- 0.1	8.3	3	- 5.8	24	0 -	1 2.0	0 -	39 4.1	16 4.4	10 4.4	4 3.2	3 3.7	10 5.4	7 5.0	3 3.3	0 -	0
1954	1005.8	1007.9	4.4	5.8	5.3	5.0	7.3	2.5	26.2		-10.8		61 2.9	39 2.8	23 2.7	415 3.9	107 4.0	63 4.0	32 3.5	53 3.8	108 4.1	79 3.5	54 3.4	51 2.9	10

Fauske

φ = 67° 15′N λ = 15° 23′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling $nD.F_m$ N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.6	- 4.2	- 4.1	- 4.3	- 0.5	- 9.2	6.6	6	-18.6	21	0 -	2 1.0	1 1.0	1 1.0	0 -	4 2.2	6 2.2	5 2.4	2 2.0	2 1.5	0 -	1 1.0	69
II			- 4.4	- 3.6	- 4.1	- 4.1	- 1.8	- 6.9	4.6	7	-18.1	20	0 -	0 -	0 -	2 3.0	0 -	26 4.0	11 3.7	2 1.0	1 2.0	2 3.5	0 -	0 -	40
III			- 2.6	0.0	- 1.5	- 1.7	1.1	- 4.6	7.0	22	-11.3	28	0 -	0 -	0 -	0 -	0 -	27 3.2	13 2.0	2 1.0	2 1.5	3 2.0	1 1.0	0 -	45
IV			0.6	3.4	2.0	1.6	4.3	- 1.5	9.3	11	- 6.9	8	1 1.0	1 1.0	0 -	3 1.2	0 -	18 1.9	4 2.2	5 3.6	2 3.0	0 -	5 2.4	0 -	51
V			9.2	11.3	10.4	9.7	13.0	5.7	22.2	24	0.7	11	0 -	1 1.0	0 -	6 1.8	0 -	12 2.7	8 2.5	2 2.0	0 -	0 -	1 2.0	0 -	63
VI			9.4	12.1	11.0	10.2	13.8	6.9	20.6	26	2.5	6	2 2.0	0 -	0 -	2 2.5	0 -	1 2.0	5 1.4	4 1.0	0 -	4 2.0	6 2.3	3 2.0	63
VII			15.4	18.3	16.7	16.1	19.7	12.3	27.4	13	6.9	3	0 -	3 1.7	0 -	2 1.5	0 -	11 3.0	7 2.3	3 2.7	3 1.7	0 -	1 3.0	3 2.0	60
VIII			12.4	15.0	13.6	13.3	16.0	10.3	22.5	10	4.6	15	0 -	1 1.0	0 -	0 -	0 -	5 2.6	9 1.9	3 2.0	1 2.0	6 2.3	0 -	0 -	68
IX			7.1	11.0	9.1	8.7	12.2	4.9	17.0	10	- 1.8	22	0 -	0 -	0 -	1 2.0	0 -	7 2.7	11 1.3	2 1.5	2 3.5	2 3.0	2 2.5	1 1.0	62
X			2.9	5.0	3.7	3.7	5.9	1.1	11.4	5	- 9.2	19	0 -	0 -	0 -	0 -	0 -	10 2.8	14 1.2	4 2.2	6 1.7	1 3.0	0 -	0 -	53
XI			- 0.4	0.6	- 0.2	0.0	1.5	- 2.5	7.5	30	-11.1	15	0 -	0 -	1 1.0	2 5.0	0 -	24 3.3	23 2.6	0 -	0 -	1 2.0	0 -	0 -	39
XII			0.4	0.9	0.6	0.6	2.9	- 2.2	8.5	3	-14.0	24	0 -	1 1.0	0 -	0 -	0 -	26 2.6	15 2.3	3 3.0	1 5.0	4 3.0	0 -	0 -	43
1954			3.8	5.8	4.8	4.5	7.3	1.2	27.4		-18.6		3 1.7	9 1.2	2 1.0	19 2.2	0 -	171 3.0	126 2.2	35 2.2	20 2.2	25 2.4	16 2.3	8 1.8	561

1954

Myken

H_s = 19 H_b = h_t = 2.1 h_a = 9.7 h_d = h_r = 1.4

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	77	78	79	78	5.7	6.1	5.5	106	22	5	19		0		20	17	2	18	11	7	10	17	4	3	0	8	0	0	2	0	7	1	16	6
II	70	67	71	70	3.6	4.8	4.5	44	9	6	20		0		8	8	0	23	15	9	7	8	7	1	0	3	0	0	0	0	19	6	5	0
III	75	72	72	74	5.8	5.4	5.5	94	19	10	19		0		17	16	3	23	7	2	11	8	1	2	0	3	0	1	3	0	19	4	15	3
IV	78	74	74	76	5.5	5.7	5.2	54	8	28	6		0		17	15	0	18	7	2	13	15	10	2	2	6	0	0	1	0	25	3	9	0
V	81	77	81	81	5.9	5.6	5.6	16	5	18	0		0		11	5	0	6	0	0	11	0	0	2	0	0	0	0	3	2	28	1	13	0
VI	86	82	83	85	6.6	6.3	5.7	69	9	2	0		0		19	12	0	9	1	0	18	0	0	6	0	2	0	0	2	0	24	1	18	0
VII	83	76	79	81	6.1	5.1	5.9	37	23	1	0		0		12	7	1	7	1	0	12	0	0	3	0	0	0	0	1	5	25	1	12	0
VIII	87	83	84	85	6.5	6.0	5.7	77	16	28	0		0		15	12	3	14	2	0	15	0	0	6	0	0	0	0	3	0	22	1	16	0
IX	84	76	82	81	5.8	5.7	5.5	72	10	3	0	0	0	0	23	18	1	15	6	1	23	0	0	0	0	0	0	0	0	1	27	0	10	0
X	77	77	78	77	5.8	6.6	6.0	135	14	22	0	0	0	0	23	18	7	22	11	1	22	5	4	0	0	10	0	2	0	0	15	0	15	0
XI	76	76	74	75	4.8	5.5	5.4	72	15	7	4	1	0	0	15	12	2	25	15	6	15	4	4	0	0	1	0	1	0	0	13	4	11	0
XII	82	80	81	81	5.3	6.5	6.0	99	20	18	1	0	0	0	22	17	2	22	14	4	17	10	3	0	0	4	0	1	0	0	3	1	14	0
1954	80	76	78	79	5.6	5.8	5.5	875	23		69		0		202	157	21	202	90	32	174	67	33	25	2	37	0	5	15	8	227	23	154	0

Glomfjord

H_s = 39 H_b = h_t = 1.3 h_a = h_d = h_r = 1.8

I					5.2	5.0	4.1	306	67	5	27		0		17	16	10	6	4	1	6	16	5	0	0	0	0	0	0	0	0	5	12	
II					3.6	3.5	3.6	72	16	4	26		0		8	8	3	10	8	6	4	8	3	0	0	0	0	0	0	0	7	11	7	
III					4.6	4.9	4.6	162	37	10	22		0		13	12	6	6	2	1	11	10	7	2	0	0	0	0	0	0	13	9	15	
IV					5.2	5.7	5.8	107	18	20	19		0		16	16	5	2	0	0	15	15	14	1	0	0	0	0	6	0	19	6	16	
V					5.4	4.3	4.4	37	14	31	0		0		7	6	1	2	0	0	7	0	0	5	0	0	0	0	2	2	22	4	10	
VI					6.0	6.2	6.2	123	16	15	0		0		26	20	4	0	0	0	26	0	0	6	0	1	0	1	2	6	14	3	18	
VII					4.8	4.3	4.5	47	18	19	0		0		10	8	2	1	0	0	10	0	0	12	0	0	0	0	1	10	24	6	8	
VIII					5.5	4.9	5.0	175	34	28	0		0		18	17	6	0	0	0	18	0	0	8	0	0	0	0	3	5	21	3	13	
IX					3.1	5.2	4.1	132	34	6	0		0		17	14	5	4	0	0	17	0	0	4	0	0	0	0	4	1	25	6	6	
X					4.9	5.7	4.9	170	35	13	6		0		18	15	7	5	1	0	14	7	2	5	0	1	2	0	2	1	17	2	10	
XI					4.4	4.4	3.9	66	16	6	17		0		12	10	3	9	2	1	11	9	7	7	0	0	0	0	2	0	1	6	8	
XII					5.8	5.5	5.0	223	63	26	17		0		17	13	6	9	0	0	12	9	1	8	0	2	1	1	0	0	0	3	14	
1954					4.9	5.0	4.7	1620	67		134		0		179	155	58	54	17	9	151	74	39	58	0	4	3	2	22	25	163	64	137	

Helligvær

H_s = 14 H_b = h_t = 2.0 h_a = h_d = 9.0 h_r = 1.6

I	78	83	79	79	5.3	5.8	5.5	93	16	5	23	4	0	0	20	13	3	12	1	0	7	18	4	0	2	4	0	0	7	0	7	1	12	24
II	75	72	74	74	4.1	4.7	4.0	24	6	6	22	8	0	0	10	7	0	18	2	0	7	8	4	0	0	2	0	0	0	0	21	7	8	3
III	78	75	77	77	5.3	4.8	5.3	66	15	15	23	9	0	0	15	11	2	18	1	0	7	10	5	0	2	0	0	0	5	0	24	3	9	0
IV	80	78	80	80	5.4	5.2	5.5	41	9	20	11	0	0	0	14	9	0	8	1	0	13	12	11	0	2	4	0	0	3	0	24	2	10	0
V	81	77	83	82	5.5	5.7	4.9	21	5	30	0	0	0	0	9	5	0	4	0	0	9	0	0	3	0	0	0	0	2	2	25	2	9	0
VI	87	84	84	86	6.4	6.0	5.3	85	32	15	0	0	0	0	20	14	2	3	0	0	20	1	1	6	0	0	0	0	0	1	24	1	16	0
VII	82	76	78	80	5.3	5.2	5.7	33	14	1	0	0	0	1	11	6	1	4	0	0	11	0	0	1	0	0	0	0	1	1	29	1	11	0
VIII	88	84	86	86	6.1	5.9	5.9	76	32	28	0	0	0	0	17	9	2	6	0	0	17	0	0	0	0	0	0	0	3	0	21	1	16	0
IX	86	79	83	83	5.3	5.1	5.4	74	14	19	0	0	0	0	21	16	2	8	0	0	21	0	0	0	0	0	0	0	1	0	25	1	8	0
X	79	76	80	79	5.8	5.8	5.5	94	20	22	0	0	0	0	20	14	4	8	0	0	19	5	3	0	1	3	0	0	0	0	22	0	7	0
XI	76	74	74	75	4.1	4.8	4.0	83	35	14	10	1	0	0	13	11	2	15	0	0	10	6	4	0	2	2	0	0	1	0	17	5	7	0
XII	78	80	77	78	5.4	6.1	4.8	75	17	18	6	0	0	0	21	15	1	16	2	1	16	10	2	0	3	4	0	0	1	0	1	2	13	0
1954	81	78	80	80	5.3	5.4	5.2	765	35		95	22	0	1	191	130	19	120	7	1	157	70	34	10	12	19	0	0	24	4	240	26	126	27

Bodø VI

H_s = 10 H_b = 16.6 h_t = 2.0 h_a = 11.2 h_d = 11.2 h_r = 1.4

I	83	82	80	81	5.7	5.6	5.7	156	18	6	27	11	2	0	20	17	6	10	6	0	9	17	6	2	0	7	0	1	5	0	9	1	13	28
II	74	73	73	74	4.6	4.6	4.8	45	14	6	25	14	2	0	9	8	1	17	5	2	7	9	7	0	0	3	0	0	3	0	19	6	9	28
III	78	75	75	76	6.1	5.2	5.1	75	18	15	24	11	0	0	13	10	4	22	6	2	8	9	2	2	0	6	0	0	2	0	23	2	15	19
IV	82	77	77	79	5.5	5.6	5.6	55	10	13	18	1	0	0	15	13	1	8	1	0	12	13	9	1	3	5	0	0	6	0	27	2	13	3
V	75	69	72	74	5.7	5.4	4.9	37	13	31	0	0	0	0	9	6	1	5	0	0	9	0	0	4	0	0	0	0	2	2	29	3	13	0
VI	86	81	84	85	6.5	6.2	5.6	83	14	2	0	0	0	0	18	14	2	3	1	0	18	0	0	7	0	0	0	0	3	1	27	1	16	0
VII	82	74	77	79	5.6	5.6	5.6	39	15	1	0	0	0	2	9	5	1	2	0	0	9	0	0	6	0	0	0	1	2	2	26	0	11	0
VIII	91	83	87	88	6.3	6.6	6.3	105	30	28	0	0	0	0	17	14	4	3	0	0	17	0	0	5	0	0	0	0	3	0	23	1	20	0
IX	89	77	83	84	5.1	5.3	5.7	70	15	6	0	0	0	0	19	16	1	7	1	0	19	0	0	3	0	1	0	0	1	0	25	1	11	0
X	83	78	82	82	5.6	5.5	6.4	121	18	1	7	0	0	0	23	20	3	10	0	0	20	8	6	1	0	7	0	1	3	0	15	0	15	5
XI	78	75	75	76	4.9	5.2	4.6	81	17	14	22	5	0	0	12	11	3	13	2	0	10	9	7	0	0	0	0	0	6	0	14	3	8	18
XII	82	81	80	81	5.8	6.5	6.0	134	21	4	18	5	0	0	18	17	4	17	3	2	14	10	4	2	0	4	0	0	5	0	9	0	17	16
1954	82	77	79	80	5.6	5.7	5.5	1001	30		141	47	4	2	182	151	31	117	25	6	152	75	41	33	3	33	0	3	41	5	237	20	161	117

Fauske

H_s = 15 H_b = 16.5 h_t = 1.9 h_a = h_d = h_r = 1.9

I	80	79	80	80	5.2	5.7	5.2	156	28	6	30	19	13	0	18	16	7	0	0	0	5	17	1	0	0	0	0	0	1	0	2	3	15	
II	69	69	68	69	3.9	4.4	4.4	26	7	16	26	19	7	0	9	6	0	5	0	0	2	9	2	0	0	0	0	0	0	0	4	7	9	
III	73	66	72	71	4.9	4.9	4.6	96	30	15	24	12	5	0	13	12	4	2	0	0	7	9	3	1	0	0	0	0	1	0	11	7	13	
IV	74	64	70	71	5.2	5.2	5.0	27	5	27	20	0	0	0	11	10	0	2	0	0	2	10	1	1	0	0	0	0	0	0	15	4	13	
V	68	61	63	66	4.6	5.2	4.6	27	8	31	0	0	0	0	10	6	0	0	0	0	10	0	0	5	0	0	0	0	3	1	23	5	11	
VI	80	69	72	76	6.3	6.3	5.8	79	13	4	0	0	0	0	18	13	2	0	0	0	18	0	0	1	0	0	0	0	0	0	14	1	17	
VII	74	66	68	71	5.1	5.5	6.0	37	11	9	0	0	0	2	13	8	1	0	0	0	13	0	0	3	0	0	0	1	1	0	17	3	14	
VIII	85	72	78	80	7.0	6.5	6.2	92	19	28	0	0	0	0	16	12	4	0	0	0	16	0	0	1	0	0	0	0	1	0	16	0	19	
IX	86	70	78	79	4.8	5.4	5.0	68	20	19	3	0	0	0	21	14	1	0	0	0	21	0	0	2	0	0	0	0	1	0	17	4	9	
X	79	72	75	76	5.1	5.9	5.7	59	8	23	11	0	0	0	19	16	0	1	0	0	16	4	1	0	0	0	0	0	0	0	6	2	10	
XI	73	71	73	72	4.2	4.7	4.0	24	8	14	20	9	1	0	9	6	0	1	0	0	3	7	1	0	0	0	0	0	0	0	4	7	9	
XII	77	75	75	76	5.3	6.1	4.9	49	9	20	18	5	4	0	10	10	0	3	0	0	9	6	4	0	0	1	0	0	0	0	0	4	13	
1954	76	70	73	74	5.1	5.5	5.1	740	30		152	64	30	2	167	129	19	14	0	0	122	62	13	14	0	1	0	1	7	1	129	47	152	

1954

Grøtøy

φ = 67° 50′N λ = 14° 47′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.0	0.1	0.1	0.1		- 2.3	7.2	5	- 6.5	10	3 5.0	4 4.8	19 3.2	16 3.8	4 3.5	3 1.7	0 -	8 4.0	15 5.2	6 4.7	5 3.6	6 5.0	4
II			- 0.7	- 0.2	- 0.7	- 0.6		- 2.7	4.2	4	- 7.2	20	0 -	0 -	0 -	8 2.0	7 3.3	34 5.2	9 2.8	10 3.8	8 5.1	4 5.5	1 3.0	0 -	3
III			- 0.1	0.9	0.5	0.3		- 2.0	5.8	9	- 7.6	2	3 4.0	1 1.0	12 2.9	9 3.0	7 2.9	23 4.7	5 3.8	3 5.0	18 5.7	4 4.8	1 5.0	7 5.3	0
IV			1.7	3.2	2.5	2.3		0.1	7.9	11	- 4.0	21	8 4.0	1 2.0	12 3.3	16 3.7	0 -	8 3.2	0 -	7 5.1	22 5.2	0 -	7 3.6	8 4.2	1
V			8.9	10.1	9.3	9.0		6.4	18.4	21	3.5	19	7 3.0	9 2.9	18 3.7	2 3.5	5 4.8	14 4.2	3 3.7	4 3.8	15 4.2	4 3.5	1 3.0	5 4.6	6
VI			8.8	10.2	9.8	9.2		7.2	17.9	27	2.0	5	9 3.2	6 4.3	9 3.8	6 4.7	0 -	0 -	1 3.0	9 3.4	27 3.9	3 3.7	4 2.8	11 3.5	5
VII			15.4	16.8	16.1	15.7		13.1	25.4	15	7.5	2	7 2.7	16 2.9	9 3.0	4 3.5	10 4.3	15 4.7	0 -	3 3.3	17 3.8	1 3.0	0 -	5 3.2	6
VIII			13.3	14.6	13.8	13.7		12.0	20.1	4	8.6	25	9 2.7	6 3.8	14 3.6	8 4.4	6 3.5	5 4.2	3 1.3	4 3.0	26 4.5	2 4.0	3 2.7	2 2.5	5
IX			8.7	10.7	10.0	9.6	12.0	7.2	16.5	10	2.8	24	1 3.0	3 3.3	13 3.0	10 2.7	2 4.0	13 4.5	2 2.5	8 3.5	23 4.7	0 -	3 5.0	4 3.2	8
X			5.2	6.0	5.3	5.4	6.9	3.4	15.0	4	- 0.9	18	3 3.7	2 2.0	9 3.0	9 3.7	0 -	19 4.6	4 3.8	7 2.7	17 4.1	2 4.0	5 3.8	9 3.8	7
XI			2.4	2.7	2.6	2.6	3.9	0.7	9.8	30	- 2.2	23	0 -	0 -	11 3.4	3 2.0	2 3.0	53 4.9	1 4.0	3 3.0	5 3.8	0 -	0 -	6 3.8	6
XII			2.7	2.9	2.6	2.7	4.1	0.8	8.4	31	- 4.6	25	0 -	0 -	6 2.2	8 1.4	1 3.0	36 4.3	2 4.5	6 4.3	16 5.6	5 4.6	2 2.5	3 3.0	8
1954			5.5	6.5	6.0	5.8		3.7	25.4		- 7.6		50 3.3	48 3.3	132 3.2	99 3.3	44 3.7	223 4.6	30 3.2	72 3.8	209 4.6	31 4.4	32 3.5	66 4.0	59

Drag i Tysfjord

φ = 68° 3′N λ = 16° 2′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.2	- 3.2	- 3.9	- 3.8		- 7.9	6.6	5	-15.4	21	5 2.8	8 3.2	0 -	3 3.0	0 -	3 3.7	0 -	7 4.7	0 -	13 1.5	10 2.7	0 -	44
II			- 4.5	- 2.6	- 4.3	- 4.0		- 7.4	2.6	7	-14.4	20	0 -	1 1.0	0 -	2 1.0	0 -	36 3.4	2 3.5	3 2.3	0 -	7 3.4	1 3.0	0 -	32
III			- 3.4	- 0.3	- 2.1	- 2.2		- 6.1	4.8	14	-12.9	25	0 -	0 -	0 -	2 1.5	0 -	26 2.4	6 2.3	6 3.2	0 -	11 2.5	9 3.1	0 -	33
IV			0.1	2.6	1.1	0.8		- 3.0	7.8	11	- 9.7	9	0 -	5 1.4	1 3.0	5 2.4	0 -	9 1.8	0 -	11 2.5	0 -	7 2.4	7 2.3	0 -	45
V			8.6	11.1	10.0	9.1		4.0	20.4	23	- 2.4	19	0 -	3 1.3	0 -	15 2.7	0 -	16 1.9	4 1.8	5 2.6	0 -	7 2.9	1 3.0	0 -	42
VI			8.9	11.2	10.5	9.4		5.5	20.8	19	0.6	5	3 3.0	6 2.8	0 -	4 1.5	0 -	6 1.3	0 -	5 1.2	0 -	14 2.5	10 2.5	0 -	42
VII			15.5	18.8	17.5	16.4		11.2	29.6	14	4.6	3	6 1.3	1 1.0	0 -	8 1.9	0 -	29 2.1	0 -	0 -	0 -	10 1.8	1 1.0	0 -	38
VIII			12.2	14.9	13.5	12.9		9.0	20.9	10	1.9	15	6 2.3	7 2.0	0 -	3 1.3	0 -	11 1.9	0 -	3 3.0	0 -	15 1.9	3 3.0	0 -	45
IX			6.5	10.7	7.9	8.0		3.4	16.2	10	- 2.9	24	0 -	0 -	0 -	2 2.5	0 -	14 1.6	1 4.0	8 3.8	0 -	7 2.4	3 2.0	0 -	55
X			1.1	4.3	1.5	2.1		- 1.4	13.0	5	- 8.3	20	1 2.0	0 -	0 -	3 2.7	0 -	13 2.6	0 -	0 -	0 -	5 1.0	5 3.0	0 -	66
XI			- 1.3	- 0.7	- 1.4	- 1.1		- 4.1	6.2	30	- 9.4	23	0 -	0 -	0 -	3 2.7	0 -	43 3.2	0 -	1 1.0	0 -	1 1.0	0 -	0 -	42
XII			- 0.2	- 0.1	- 0.1	- 0.1		- 3.3	6.3	31	-12.9	24	0 -	3 2.7	0 -	9 2.3	0 -	16 3.1	3 1.7	5 3.2	0 -	5 3.0	2 2.5	0 -	50
1954			3.3	5.6	4.2	4.0		0.0	29.6		-15.4		21 2.2	34 2.3	1 3.0	59 2.3	0 -	222 2.6	16 2.3	54 3.0	0 -	102 2.2	52 2.7	0 -	534

Bjørnfjell

φ = 68° 26′N λ = 18° 4′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 8.5	- 8.2	- 8.8	- 8.5		-12.3	2.2	5	-20.6	20	0 -	0 -	5 3.0	37 2.9	0 -	0 -	0 -	0 -	3 3.3	37 3.8	0 -	1 2.0	10
II			-11.9	-11.4	-12.6	-12.2		-16.2	- 0.5	24	-24.6	19	0 -	0 -	12 4.2	45 3.5	0 -	4 6.2	0 -	0 -	1 2.0	15 3.7	0 -	0 -	7
III			- 8.7	- 7.0	- 8.2	- 8.3		-12.2	3.2	9	-22.2	2	0 -	0 -	4 4.0	47 3.2	0 -	2 5.5	1 1.0	0 -	10 3.3	26 3.9	0 -	0 -	3
IV			- 6.0	- 2.5	- 3.8	- 4.5		- 7.9	5.4	11	-15.5	7	0 -	0 -	2 5.0	41 2.8	0 -	0 -	1 5.0	2 2.5	13 3.5	23 3.4	0 -	0 -	8
V			2.1	5.1	4.7	3.5		0.4	16.0	25	- 4.6	1	0 -	0 -	17 3.4	43 2.7	0 -	0 -	2 3.5	0 -	11 2.6	16 2.7	0 -	0 -	4
VI			5.2	7.8	7.1	6.0		3.0	18.2	19	- 3.7	5	0 -	0 -	12 3.5	12 2.9	0 -	0 -	3 1.7	0 -	12 2.6	44 2.6	0 -	4 2.8	3
VII			11.5	14.9	14.1	12.8		9.6	24.8	14	4.3	2	0 -	0 -	7 4.0	44 3.2	0 -	4 3.5	0 -	0 -	17 3.0	21 2.7	0 -	0 -	0
VIII			8.4	10.5	10.0	9.2		7.0	17.5	2	3.3	15	0 -	0 -	14 3.6	35 3.3	0 -	0 -	0 -	0 -	19 3.1	23 3.2	0 -	0 -	2
IX			4.0	6.8	5.0	5.0		2.6	10.6	12	- 1.6	24	0 -	0 -	3 4.3	51 2.7	0 -	2 5.0	0 -	0 -	9 2.7	20 2.9	0 -	2 1.5	3
X			- 2.2	- 1.0	- 2.0	- 1.8		- 4.1	4.2	5	- 9.8	20	0 -	0 -	0 -	49 3.3	0 -	0 -	0 -	0 -	1 4.0	36 2.7	0 -	0 -	1
XI			- 6.8	- 6.8	- 7.1	- 6.9		-10.1	3.2	30	-15.5	13	0 -	0 -	0 -	66 3.2	0 -	6 5.7	0 -	0 -	3 3.3	7 2.9	0 -	0 -	8
XII			- 5.4	- 5.6	- 5.1	- 5.4		- 8.3	2.8	3	-17.7	27	0 -	1 5.0	1 4.0	60 3.2	0 -	4 4.2	0 -	0 -	12 3.8	9 3.2	0 -	0 -	6
1954			- 1.5	0.2	- 0.6	- 0.9		- 4.0	24.8		-24.6		0 -	1 5.0	77 3.7	530 3.1	0 -	22 5.0	7 2.6	2 2.5	111 3.1	277 3.1	0 -	7 2.3	6

Narvik II

φ = 68° 28′N λ = 17° 30′E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 3.1	- 2.7	- 3.0	- 2.9		- 5.5	5.4	5	-11.2	21	5 1.2	4 1.2	4 1.8	20 3.6	4 2.8	0 -	1 5.0	1 3.0	11 4.0	10 4.5	0 -	6 1.5	2
II			- 4.6	- 3.5	- 4.6	- 4.3		- 6.8	3.4	24	-11.8	12	0 -	3 1.3	3 1.7	35 4.1	10 3.8	0 -	0 -	1 4.0	3 4.3	8 3.6	0 -	2 2.0	1
III			- 2.4	0.1	- 1.8	- 1.6		- 4.5	6.4	9	-12.0	2	2 2.5	1 2.0	0 -	37 3.7	8 3.1	0 -	0 -	1 3.0	10 3.9	18 3.7	2 1.5	3 2.3	1
IV			0.1	2.9	1.6	1.2		- 1.5	9.2	11	- 5.9	9	5 1.0	6 1.8	7 3.1	15 3.2	6 3.0	3 1.0	0 -	3 5.0	7 2.9	19 3.2	0 -	0 -	1
V			7.8	10.9	9.9	8.8		5.0	21.0	24	0.1	19	2 1.5	3 2.0	4 1.2	29 3.1	8 1.8	0 -	1 1.0	0 -	6 2.3	19 2.6	4 1.5	3 1.3	1
VI			8.8	11.0	10.6	9.5		6.6	20.5	25	0.2	5	4 1.8	1 2.0	1 4.0	11 2.8	2 1.5	0 -	1 1.0	2 1.0	11 2.1	40 2.7	6 1.7	3 2.3	1
VII			15.3	18.5	17.2	16.2		12.5	27.6	14	6.5	2	3 1.7	4 1.5	1 3.0	29 3.1	3 2.7	1 1.0	1 1.0	0 -	8 2.2	26 2.2	2 1.5	3 1.3	1
VIII			11.3	14.2	12.9	12.4		9.7	20.2	4	5.1	31	1 1.0	2 3.0	11 3.5	16 3.1	2 2.0	0 -	1 1.0	1 2.0	4 2.5	26 2.7	5 1.8	0 -	2
IX			7.5	10.8	8.6	8.7		5.7	17.0	10	0.6	24	0 -	5 1.8	9 2.6	10 3.7	6 2.7	0 -	1 3.0	1 2.0	5 3.2	14 3.4	1 3.0	0 -	3
X			2.4	4.4	3.0	3.2		1.2	11.0	6	- 3.8	20	3 1.7	2 1.0	4 1.5	27 3.4	9 3.3	0 -	0 -	2 2.5	9 3.1	7 2.6	0 -	0 -	3
XI			- 0.3	- 0.1	- 0.4	- 0.3		- 2.4	8.2	30	- 6.1	13	3 1.0	3 1.3	1 1.0	33 3.6	27 3.7	2 4.0	0 -	2 3.5	1 3.0	6 3.2	0 -	2 1.0	1
XII			0.6	0.4	0.9	0.6		- 1.6	9.2	3	- 7.0	24	2 1.5	1 4.0	2 4.0	33 3.7	16 3.3	1 5.0	1 5.0	2 4.5	10 4.0	7 3.1	0 -	2 2.0	1
1954			3.6	5.6	4.6	4.3		1.5	27.6		-12.0		30 1.4	35 1.7	47 2.6	295 3.5	101 3.2	7 2.4	7 2.4	16 3.2	85 3.2	200 3.0	20 1.7	24 1.7	22

Offersøy

φ = 68° 20′N λ = 15° 38′E g = 9.825 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1007.0	1009.6	- 2.0	- 1.6	- 1.7	- 1.8	0.4	- 4.0	6.8	5	- 7.9	10	2 1.0	12 2.8	23 1.8	1 4.0	0 -	1 4.0	2 3.5	3 1.3	16 3.8	10 2.4	1 1.0	1 2.0	2
II	12.9	15.5	- 2.1	- 1.2	- 2.1	- 1.9	- 0.2	- 3.8	4.1	5	- 8.5	20	2 1.5	1 2.0	22 1.7	2 3.0	8 3.6	18 3.7	6 2.7	2 2.5	8 3.6	2 2.0	1 1.0	0 -	1
III	04.7	07.3	- 1.6	- 0.1	- 1.3	- 1.2	1.0	- 3.6	5.1	9	- 9.5	2	0 -	3 2.0	21 2.1	8 3.2	5 2.8	9 2.4	2 3.5	7 4.3	12 4.8	12 2.8	4 2.2	0 -	1
IV	11.9	14.4	1.0	2.6	1.4	1.4	3.4	- 1.2	7.7	11	- 4.7	21	2 2.0	2 2.0	22 2.8	7 2.7	2 1.0	5 1.8	2 1.0	13 3.4	14 3.3	11 2.1	3 1.7	0 -	
V	18.2	20.8	8.2	10.6	9.4	8.9	12.2	5.2	21.6	24	0.8	19	0 -	1 1.0	41 2.8	13 2.4	5 2.2	1 3.0	1 1.0	2 1.5	16 2.4	8 1.8	1 2.0	1 1.0	
VI	05.7	08.1	8.6	10.8	9.8	9.2	12.4	6.5	19.9	26	1.0	5	0 -	2 2.0	17 2.4	9 2.6	2 2.0	1 1.0	1 2.0	4 4.0	30 2.9	13 1.9	3 2.7	0 -	
VII	03.9	06.4	15.3	18.1	16.7	16.1	19.9	12.3	28.1	14	7.7	2	0 -	1 3.0	35 2.2	12 2.6	4 1.2	4 1.5	1 1.0	1 4.0	16 2.8	10 2.0	3 1.7	0 -	
VIII	04.6	07.1	12.3	14.6	13.0	13.0	15.6	10.3	22.1	1	5.6	31	1 1.0	5 2.6	34 2.6	10 1.8	2 1.5	1 2.0	1 1.0	2 3.0	22 3.4	7 1.9	2 2.0	0 -	
IX	997.8	00.3	7.9	10.2	8.1	8.5	11.4	5.8	16.0	10	- 0.5	24	0 -	3 1.7	31 2.0	7 2.3	0 -	1 4.0	4 3.0	7 3.4	8 3.6	11 1.9	3 1.0	1 1.0	1
X	98.8	01.4	2.7	4.8	3.1	3.4	5.3	1.3	12.8	5	- 3.6	18	0 -	5 1.8	21 2.2	3 2.7	2 3.0	7 2.7	9 2.2	3 1.3	7 2.0	5 1.0	4 1.5	2 1.0	2
XI	1008.5	11.0	1.0	1.3	0.9	1.1	2.3	- 0.7	8.0	30	- 4.0	15	1 3.0	3 1.3	26 1.9	3 4.0	18 3.2	16 2.8	7 2.6	1 2.0	1 1.0	4 1.5	1 1.0	0 -	
XII	993.3	995.9	1.4	1.4	1.6	1.5	3.1	- 0.3	7.9	31	- 6.1	26	0 -	4 1.8	27 2.3	3 2.3	8 3.5	15 3.7	6 2.2	5 4.2	8 4.4	7 2.6	3 1.0	0 -	
1954	1005.6	1008.2	4.4	6.0	4.9	4.8	7.2	2.3	28.1		- 9.5		8 1.6	42 2.2	320 2.3	78 2.6	56 2.8	79 3.0	42 2.4	50 3.3	158 3.3	100 2.1	29 1.7	5 1.2	12

1954

Grøtøy

H_s = 6 H_b = h_t = 2.1 h_a = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet Um 7	Um 13	Um 19	Um Dies	Midlere skydekke Nm 7	Nm 13	Nm 19	Nedbør R Σ	R Max	R Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn ⊙	Klarvær	Overskyet	Snødekke
I	79	82	79	79	5.6	6.0	5.8	96	16	5	27		0		20	16	3	15	3	0	9	16	5	2	0	0	0	0	0	0	6	2	14	
II	68	65	68	67	4.7	5.1	4.2	62	16	6	23		0		12	10	2	16	1	0	5	12	4	0	0	1	0	1	0	0	10	6	7	
III	73	70	71	72	5.4	5.3	5.3	61	12	15	20		0		14	10	1	17	1	1	10	8	2	0	0	1	0	0	1	0	15	5	15	
IV	78	72	73	75	5.5	5.9	5.9	74	13	20	14		0		14	13	3	11	1	0	12	12	9	0	0	1	0	0	0	0	15	3	15	
V	73	71	72	72	5.5	5.3	4.8	16	5	29	0		0		8	6	0	5	0	0	8	0	0	0	0	0	0	0	3	0	23	3	12	
VI	85	80	80	82	7.1	5.9	6.1	88	18	15	0		0		20	14	2	7	0	0	20	2	2	1	0	0	0	0	3	0	17	0	18	
VII	75	71	73	74	5.1	5.2	5.8	34	21	1	0		0		12	5	1	6	0	0	12	0	0	5	0	0	0	0	0	2	22	2	12	
VIII	82	80	82	82	6.2	5.9	6.0	105	26	28	0		0		16	10	4	10	0	0	16	0	0	3	0	0	0	0	1	0	17	1	13	
IX	86	78	79	82	5.6	5.3	5.7	88	10	15	0	0	0	0	24	13	0	11	0	0	24	0	0	2	0	0	0	0	1	0	20	0	10	
X	78	75	77	77	5.9	6.3	5.9	149	35	12	1	0	0	0	23	16	4	10	0	0	23	3	3	0	0	2	0	1	0	0	9	1	8	
XI	72	72	69	71	4.0	4.8	4.2	26	16	6	14	.1	0	0	7	4	1	18	0	0	7	0	0	0	0	0	0	0	0	0	16	5	6	
XII	79	78	79	79	5.1	6.2	4.6	87	21	4	8	2	0	0	17	14	3	15	3	1	17	2	2	0	0	0	0	0	0	0	0	3	11	
1954	77	74	75	76	5.5	5.6	5.4	886	35		107		0		187	136	24	141	9	2	163	55	27	13	0	5	0	2	9	2	170	31	141	

Drag i Tysfjord

H_s = 60 H_b = h_t = 1.9 h_a = h_d = h_r = 1.8

Måned	Um 7	Um 13	Um 19	Um Dies	Nm 7	Nm 13	Nm 19	R Σ	R Max	R Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.1	5.5	5.2	101	24	6	30		13		23	16	4	5	0	0	4	21	2	1	0	0	0	0	0	0	4	5	13	31
II					4.6	3.8	3.6	37	12	6	27		10		11	8	1	6	0	0	3	11	3	0	0	0	0	1	0	0	11	7	5	28
III					5.4	5.5	5.8	100	19	15	26		8		15	12	5	3	0	0	9	11	4	0	0	0	0	0	0	0	11	3	15	31
IV					5.3	5.9	5.7	46	5	20	23		0		16	12	0	0	0	0	7	14	4	0	0	1	0	0	0	0	9	3	13	30
V					5.1	4.8	4.2	38	13	29	3		0		10	5	2	0	0	0	10	0	0	4	0	0	0	0	3	0	18	4	8	5
VI					6.9	6.2	5.9	106	33	15	0		0		20	17	1	0	0	0	20	1	1	3	0	0	0	0	3	1	9	0	17	0
VII					5.1	5.5	5.8	32	10	2	0		0		14	8	1	1	0	0	14	0	0	1	0	0	0	1	1	0	17	2	13	0
VIII					6.4	6.5	6.5	87	32	28	0		0		18	10	2	0	0	0	18	0	0	2	0	0	0	1	1	0	17	0	14	0
IX					5.8	5.2	5.0	98	28	19	6		0		24	20	2	2	0	0	23	0	0	1	0	0	0	0	2	3	16	2	11	0
X					5.3	6.3	5.0	101	3	14	17		0		21	13	3	0	0	0	15	9	4	1	0	0	0	0	2	0	6	2	10	14
XI					3.2	4.2	3.4	11	7	6	24		0		7	2	0	5	0	0	2	7	2	0	0	0	0	0	0	0	2	9	6	29
XII					5.7	5.9	4.5	77	18	5	23		1		12	7	4	3	0	0	9	7	2	0	1	0	0	0	0	0	0	3	15	19
1954					5.3	5.4	5.0	834	33		179		32		191	135	25	25	0	0	134	81	22	13	1	1	0	3	12	4	120	40	140	187

Bjørnfjell

H_s = 514 H_b = h_t = 1.9 h_a = h_d = h_r = 2.5

Måned	Um 7	Um 13	Um 19	Um Dies	Nm 7	Nm 13	Nm 19	R Σ	R Max	R Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.1	5.7	6.1	103	21	6	31		21		26	19	3	6	1	0	1	26	1	4	0	0	0	0	8	2	0	2	18	31
II					5.0	4.6	4.5	49	11	7	28		24		12	9	2	8	0	0	0	10	0	1	0	0	0	0	10	4	2	7	11	28
III					5.7	5.0	5.3	88	20	14	31		19		18	14	2	6	0	0	2	18	0	0	0	0	0	0	11	0	13	6	15	31
IV					5.6	5.9	6.5	48	11	21	29		9		17	11	2	5	0	0	0	17	0	2	0	0	0	0	9	0	17	2	18	30
V					5.9	5.3	4.8	50	18	29	18		0		13	9	2	2	0	0	11	7	4	5	0	0	0	0	8	6	20	4	15	26
VI					7.5	7.6	7.0	83	12	5	8		0		20	14	1	0	0	0	15	11	3	6	0	0	0	0	10	4	10	0	25	10
VII					5.6	5.8	6.2	51	14	31	0		0		20	13	1	1	0	0	20	0	0	7	0	0	0	1	11	3	17	4	15	0
VIII					7.2	7.4	7.3	70	17	27	0		0		20	13	2	1	0	0	20	0	0	4	0	0	0	0	7	5	9	0	25	0
IX					6.7	5.3	6.2	82	18	6	6		0		23	15	2	2	0	0	22	3	2	3	0	0	0	0	10	1	19	0	14	1
X					6.5	6.7	6.6	65	22	1	26		0		22	14	2	0	0	0	7	18	2	0	0	0	0	0	7	3	6	1	21	25
XI					4.7	5.4	4.4	17	6	3	30		17		9	5	0	3	0	0	0	7	0	0	0	0	0	0	2	4	0	6	11	30
XII					5.9	6.4	5.4	34	12	5	30		11		16	7	1	7	0	0	2	15	2	0	0	0	0	0	5	3	0	4	19	31
1954					6.0	6.0	5.9	740	22		237		101		216	143	20	41	1	0	100	132	14	32	0	0	0	1	98	35	113	36	207	243

Narvik II

H_s = 32 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Um 7	Um 13	Um 19	Um Dies	Nm 7	Nm 13	Nm 19	R Σ	R Max	R Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.6	6.3	5.2	76	15	6	30		1		22	16	2	9	0	0	4	21	3	0	0	1	0	0	3	0	0	3	13	31
II					4.5	4.5	4.0	61	26	7	28		7		9	7	3	9	0	0	1	9	0	0	0	1	0	0	0	0	13	5	10	28
III					5.1	4.8	5.2	72	28	14	26		3		13	10	1	5	0	0	9	11	5	0	0	2	0	0	4	0	15	6	15	31
IV					5.4	6.0	5.9	38	11	19	22		0		17	9	1	6	0	0	10	12	3	0	0	0	0	0	7	0	15	2	16	24
V					5.7	5.1	4.9	41	19	31	0		0		9	4	2	2	0	0	9	0	0	0	0	0	0	0	4	0	18	1	12	0
VI					6.9	6.9	6.9	88	14	4	0		0		20	13	2	0	0	0	20	2	2	0	0	1	0	1	5	0	11	0	22	0
VII					5.1	5.3	5.9	34	6	20	0		0		15	13	0	1	0	0	15	0	0	1	0	0	0	0	3	0	19	3	12	0
VIII					7.2	6.8	6.8	94	22	27	0		0		21	16	3	1	0	0	21	0	0	0	0	0	0	0	6	0	16	0	21	0
IX					5.8	5.2	5.2	95	22	6	0		0		22	14	3	2	0	0	22	0	0	0	0	0	0	0	1	1	20	1	11	0
X					6.2	6.5	5.6	69	18	1	12		0		22	13	1	2	0	0	18	9	5	0	0	0	0	0	0	0	10	1	17	8
XI					4.8	4.1	3.9	9	4	6	23		0		6	4	0	5	0	0	4	6	4	0	1	0	0	0	1	0	0	6	7	12
XII					5.7	6.2	4.8	37	17	5	18		0		9	8	1	6	0	0	8	4	1	0	0	0	0	0	0	0	0	3	13	6
1954					5.7	5.6	5.4	714	28		159		11		185	127	19	48	0	0	141	74	23	1	1	5	0	1	34	1	137	31	167	140

Offersøy

H_s = 16 H_b = 20.3 h_t = 2.0 h_a = h_d = 9.2 h_r = 1.8

Måned	Um 7	Um 13	Um 19	Um Dies	Nm 7	Nm 13	Nm 19	R Σ	R Max	R Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	85	81	82	6.2	6.5	6.4	94	15	5	28	17	0	0	21	17	2	5	2	1	7	20	7	0	0	0	0	0	0	0	4	1	18	28
II	72	69	72	71	5.1	5.0	5.0	44	18	7	28	14	0	0	12	7	1	3	0	0	4	12	1	0	0	1	0	1	0	0	15	4	11	28
III	76	72	76	75	5.6	5.9	5.7	73	16	14	26	13	0	0	15	14	1	9	0	0	9	12	5	0	1	0	0	0	1	0	19	4	17	30
IV	76	70	74	74	5.7	6.3	6.3	77	17	21	21	1	0	0	17	11	2	5	1	0	13	15	10	0	0	1	0	0	0	0	20	3	18	18
V	73	63	66	69	6.6	5.7	5.2	30	16	29	0	0	0	0	9	3	1	1	0	0	9	0	0	1	0	0	0	0	2	0	24	3	16	2
VI	80	72	75	77	7.5	6.8	7.0	86	27	2	0	0	0	0	19	13	3	3	0	0	19	4	4	2	1	0	0	0	0	0	24	0	24	0
VII	74	63	67	71	5.8	5.6	6.2	27	17	1	0	0	0	4	10	5	1	0	0	0	10	0	0	2	0	0	0	1	0	0	22	1	18	0
VIII	82	71	76	78	6.8	6.7	7.2	139	54	27	0	0	0	0	16	8	6	1	0	0	16	0	0	3	0	0	0	0	0	0	20	1	23	0
IX	86	74	79	81	6.5	5.7	5.7	110	34	19	1	0	0	0	22	16	3	3	0	0	22	0	0	1	0	0	0	0	0	0	17	1	13	0
X	84	76	80	81	6.0	6.6	6.3	143	31	12	13	0	0	0	18	14	5	0	0	0	15	7	4	0	0	0	0	0	0	0	17	1	16	13
XI	72	69	72	71	5.5	5.4	5.2	16	10	6	22	4	0	0	6	2	0	0	0	0	5	4	3	0	0	0	0	0	0	0	12	3	12	16
XII	78	79	80	79	6.4	6.6	6.3	118	25	4	13	4	0	0	17	14	5	6	2	0	14	8	5	1	0	1	0	0	0	0	0	1	20	13
1954	78	72	75	76	6.1	6.1	6.0	957	54		152	53	0	4	182	124	30	36	5	1	142	82	39	10	2	3	0	2	3	0	194	23	206	148

1954

Skrova

φ = 68° 9′ N λ = 14° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.6	0.5	0.4	0.5	2.2	- 1.7	6.6	4	- 7.1	8	1 4.0	6 2.7	15 3.0	22 3.4	1 3.0	1 3.0	2 4.0	6 6.0	12 6.3	11 3.1	8 3.1	6 3.2	2
II			- 0.1	0.2	0.1	0.0	1.7	- 1.5	5.5	5	- 6.0	27	0 -	0 -	3 3.7	17 3.2	3 2.7	23 4.3	6 3.7	13 4.5	9 4.1	6 3.3	2 3.0	0 -	2
III			- 0.1	0.3	0.1	0.0	1.6	- 1.9	5.3	9	- 6.6	2	0 -	2 3.0	9 2.4	28 3.8	0 -	13 3.7	3 5.7	4 5.2	16 6.0	7 4.1	4 4.5	7 2.7	0
IV			1.5	2.5	2.2	1.9	3.5	0.0	7.5	11	- 3.9	21	2 3.0	3 3.0	17 5.1	12 2.8	0 -	6 2.3	1 3.0	16 5.8	13 4.5	1 2.0	7 3.6	9 3.3	3
V			7.8	9.0	9.2	8.4	11.2	6.4	18.4	21	3.4	16	0 -	6 2.0	14 4.1	34 3.3	3 2.0	2 2.5	3 1.3	6 2.5	6 4.8	3 2.3	0 -	6 3.5	10
VI			8.3	9.7	9.5	8.9	11.5	6.9	18.6	27	1.7	5	7 2.9	4 4.0	14 4.1	5 3.2	1 1.0	1 3.0	5 2.2	5 2.6	15 3.9	9 2.2	3 3.0	14 3.4	7
VII			15.1	16.8	16.5	15.7	18.8	13.0	25.7	15	7.7	2	9 3.4	3 3.0	11 4.7	38 3.1	2 2.5	1 1.0	1 1.0	4 4.0	9 3.1	2 3.0	2 2.0	6 2.8	5
VIII			12.5	13.9	13.7	13.2	15.2	11.6	20.8	1	7.8	25	2 1.5	3 2.0	19 3.9	22 3.5	4 2.2	0 -	0 -	2 6.0	22 4.1	3 3.3	0 -	8 2.4	8
IX			9.0	10.0	10.0	9.6	11.4	7.9	15.4	10	4.3	24	4 1.8	0 -	10 3.6	24 3.5	2 2.5	4 4.0	5 3.4	7 5.0	16 4.2	7 3.4	1 4.0	4 2.2	6
X			5.1	5.6	5.1	5.2	6.8	3.3	12.9	5	- 1.6	22	1 3.0	2 1.5	13 4.3	13 4.0	3 2.7	13 3.7	3 4.0	4 4.5	11 4.7	3 3.0	4 3.8	16 2.8	7
XI			2.9	3.0	2.8	2.9	4.2	1.4	9.0	30	- 1.6	22	2 1.5	2 2.5	4 3.2	26 3.7	3 3.0	34 4.2	4 5.2	0 -	4 4.2	2 3.0	0 -	6 2.3	3
XII			3.2	3.0	3.2	3.1	4.6	1.5	8.0	3	- 1.7	24	1 1.0	0 -	3 4.3	29 3.7	2 5.0	19 4.3	6 4.3	9 5.7	17 5.4	1 3.0	0 -	5 2.0	1
1954			5.5	6.2	6.1	5.8	7.7	3.9	25.7		- 7.1		29 2.7	31 2.6	132 4.0	270 3.4	24 2.7	117 3.9	39 3.6	76 4.9	150 4.7	55 3.1	31 3.4	87 2.9	54

Glåpen Fyr

φ = 67° 53′ N λ = 13° 3′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.8	0.7	0.5	0.7		- 3.2	7.4	5	- 7.8	20	15 3.0	4 3.0	11 3.8	3 2.7	0 -	1 2.0	1 2.0	3 5.3	11 4.9	11 4.3	6 2.7	27 2.1	0
II			0.3	0.4	0.5	0.3		- 1.3	4.8	5	- 4.8	27	1 2.0	0 -	3 2.3	1 3.0	4 4.2	23 4.6	7 3.4	11 4.7	19 4.4	5 3.2	5 2.4	3 2.0	2
III			0.0	0.9	0.3	0.3		- 2.1	5.8	22	- 6.4	24	1 2.0	1 2.0	11 2.7	2 2.5	4 2.8	21 3.8	5 3.0	3 5.0	15 5.0	7 4.4	6 4.8	17 2.7	0
IV			1.8	2.9	2.0	2.1		0.1	5.8	17	- 4.3	21	7 1.7	1 3.0	20 3.4	3 3.0	0 -	5 3.0	3 3.0	2 2.5	28 4.4	1 3.0	2 4.5	17 2.1	1
V			7.5	8.6	8.5	7.9		5.9	16.2	24	2.1	17	2 3.0	1 2.0	49 2.4	5 2.0	1 2.0	0 -	4 1.8	3 1.7	16 2.8	5 2.6	0 -	1 4.0	6
VI			8.0	9.1	8.4	8.2		6.6	13.5	27	2.4	5	4 2.5	4 2.8	20 3.6	0 -	0 -	2 1.0	1 1.0	5 2.4	28 2.8	8 2.6	1 3.0	15 3.3	2
VII			13.8	15.6	15.2	14.5		12.2	21.4	15	7.1	2	2 3.5	2 2.5	45 2.8	9 2.2	1 4.0	2 3.0	3 1.3	5 2.8	11 2.9	1 4.0	0 -	10 2.3	2
VIII			12.5	13.4	12.9	12.7		11.4	18.6	1	7.3	25	3 2.3	5 2.6	34 2.4	3 2.7	0 -	1 1.0	5 2.0	8 2.4	20 3.2	4 2.2	1 2.0	7 2.0	2
IX			8.5	9.8	9.0	9.0		7.3	12.7	10	4.3	24	1 2.0	4 2.2	24 2.4	1 3.0	1 2.0	9 3.6	3 3.0	5 4.0	19 3.4	5 4.2	3 3.3	13 1.8	2
X			5.0	5.7	5.2	5.2		3.7	11.3	4	- 0.4	18	8 2.1	0 -	13 3.0	0 -	1 2.0	11 4.1	6 4.3	4 4.0	16 2.8	6 1.5	2 1.5	26 2.1	0
XI			3.1	3.1	3.2	3.1		1.8	7.4	29	- 1.1	21	7 1.9	2 3.0	9 3.1	5 2.8	0 -	34 4.5	9 4.1	4 4.8	5 3.2	0 -	1 2.0	14 1.9	0
XII			3.2	3.1	3.1	3.1		1.8	7.4	3	- 1.6	24	0 -	0 -	5 3.2	6 3.0	5 3.6	17 5.1	8 4.2	5 5.2	20 4.4	5 5.6	4 2.8	17 1.7	1
1954			5.4	6.1	5.7	5.6		3.7	21.4		- 7.8		51 2.4	24 2.6	244 2.8	38 2.6	17 3.3	126 4.2	55 3.2	58 3.8	208 3.7	58 3.5	31 3.1	167 2.2	18

Røst

φ = 67° 30′ N λ = 12° 4′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			1.6	1.6	1.4	1.5	3.3	- 0.7	8.3	5	- 4.6	7	8 7.0	7 3.9	16 3.4	1 3.0	0 -	3 2.3	8 2.8	3 4.3	18 6.1	7 3.7	1 6.0	15 4.8	6
II			1.4	1.3	1.3	1.2	2.9	- 0.5	6.4	4	- 4.1	27	2 1.0	0 -	0 -	4 3.5	0 -	14 4.7	14 5.8	14 4.4	30 5.2	1 5.0	0 -	2 3.0	3
III			1.5	1.4	1.3	1.3	3.0	- 0.6	6.6	22	- 6.4	24	4 5.5	0 -	8 3.1	10 3.1	1 4.0	18 4.2	6 3.6	0 -	24 5.2	3 4.3	1 5.0	12 5.4	6
IV			3.2	3.4	2.5	2.9	4.5	0.9	8.5	11	- 4.0	21	9 4.3	5 3.2	10 2.8	7 4.9	0 -	8 3.1	6 4.3	2 5.0	29 5.3	2 6.5	3 4.7	9 4.2	0
V			7.5	8.2	7.2	7.4	9.5	5.6	14.0	21	2.1	17	10 3.6	3 4.0	17 3.4	32 3.1	2 2.5	4 3.5	5 2.8	2 2.5	8 3.9	6 2.5	1 3.0	3 4.0	0
VI			7.8	8.4	7.8	7.8	9.4	6.4	13.8	27	2.3	5	15 4.7	4 4.0	6 4.8	6 2.8	0 -	3 2.0	19 2.9	6 4.0	9 3.3	16 3.6	2 4.0	4 4.0	0
VII			12.8	13.7	13.1	12.8	15.4	10.5	20.5	13	7.1	2	11 3.1	5 3.4	13 3.1	18 2.8	3 1.3	5 2.4	9 2.6	3 3.7	8 2.8	6 2.5	0 -	11 3.7	1
VIII			12.2	12.9	12.0	12.2	13.7	10.8	18.0	1	7.6	25	8 3.8	4 3.8	23 3.8	13 3.5	1 2.0	2 1.5	10 2.8	0 -	20 4.0	3 2.7	0 -	7 3.9	2
IX			9.2	9.9	9.4	9.4	11.0	7.8	13.5	1	4.5	27	13 3.2	0 -	7 2.6	12 2.6	0 -	6 3.7	13 4.2	3 1.7	15 3.9	12 4.2	0 -	4 2.8	5
X			6.1	6.6	6.1	6.2	7.6	4.6	11.8	5	- 0.4	18	6 3.7	3 5.0	6 4.3	5 4.2	0 -	4 4.8	19 5.0	7 4.9	17 4.3	9 4.0	0 -	16 3.4	1
XI			4.1	4.4	4.3	4.3	5.7	2.7	8.5	28	- 0.2	21	5 5.2	1 4.0	4 2.2	4 3.5	3 3.3	20 4.8	28 5.2	4 5.2	13 5.0	2 2.5	0 -	3 4.0	3
XII			4.1	4.3	4.1	4.2	5.5	2.4	8.5	18	0.0	26	4 3.5	1 3.0	2 2.5	7 3.7	2 3.5	20 4.5	13 4.8	16 5.0	16 5.4	8 4.6	3 4.0	0 -	1
1954			6.0	6.3	5.9	5.9	7.6	4.2	20.5		- 6.4		95 4.1	33 3.8	112 3.4	119 3.2	12 2.7	107 4.1	150 4.2	60 4.4	207 4.8	75 3.7	11 4.4	86 4.1	28

Skomvær Fyr

φ = 67° 25′ N λ = 11° 53′ E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1007.0	1009.7	1.8	1.9	1.5	1.7	3.6	- 0.4	8.0	5	- 4.8	7	10 5.0	13 5.2	8 4.9	6 3.7	1 3.0	0 -	2 3.5	12 5.3	15 5.5	8 5.1	6 4.3	9 5.6	3
II	11.0	13.8	1.3	1.5	1.5	1.3	2.8	- 0.5	6.2	5	- 3.3	27	1 4.0	0 -	0 -	3 4.3	3 2.7	13 5.5	30 6.6	14 5.5	8 5.4	5 5.4	4 4.8	2 4.5	1
III	03.7	06.4	1.4	1.7	1.5	1.4	3.0	- 0.4	6.1	22	- 5.6	24	6 5.2	1 4.0	4 3.0	15 3.8	3 4.7	17 5.4	7 4.3	8 6.0	16 5.9	2 5.5	6 5.7	7 6.4	1
IV	11.2	13.9	2.6	3.3	2.9	2.8	4.2	1.0	6.8	11	- 5.2	21	6 5.5	7 4.6	6 4.3	13 4.3	1 3.0	1 4.0	9 4.9	14 5.9	14 5.6	5 3.4	4 6.0	10 5.0	0
V	17.3	20.0	6.6	7.4	7.2	6.9	8.9	5.5	12.6	25	2.9	17	8 3.5	9 3.0	20 4.1	17 4.3	2 3.5	6 4.3	5 5.0	7 3.4	6 4.5	5 3.0	1 3.0	6 4.2	1
VI	06.0	08.7	7.4	8.2	7.8	7.6	9.4	6.2	13.6	27	2.6	5	15 4.9	15 4.7	2 4.5	2 4.0	0 -	5 3.8	2 6.0	11 4.1	9 4.2	9 3.7	5 3.4	12 4.0	3
VII	03.3	05.9	12.0	13.0	12.6	12.2	14.5	10.5	19.0	15	7.1	2	9 4.3	14 3.7	12 3.8	19 4.1	3 3.0	4 3.5	6 2.7	4 3.5	6 3.7	3 2.7	1 4.0	6 3.0	6
VIII	04.6	07.2	11.6	12.5	11.8	11.8	13.4	10.5	19.0	1	7.0	30	11 4.0	20 4.6	11 3.8	6 3.2	1 2.0	3 3.3	6 4.2	1 5.0	18 4.6	1 6.0	8 2.9	6 5.2	1
IX	997.0	999.6	8.8	9.7	9.3	9.2	10.7	7.8	13.7	1	4.7	27	3 4.0	10 3.6	11 3.9	5 3.2	2 3.5	12 5.2	10 4.1	5 5.2	13 5.5	7 4.7	10 3.6	2 3.0	0
X	97.7	1000.3	6.3	6.7	6.2	6.3	7.5	4.7	11.8	5	0.7	18	9 3.9	8 3.6	7 4.7	2 6.5	2 4.5	6 5.2	16 6.3	11 5.0	9 5.4	6 3.8	9 5.0	7 4.6	1
XI	1005.9	08.6	4.2	4.3	4.2	4.2	5.5	2.8	8.0	29	- 0.3	10	1 4.0	3 5.7	6 3.8	4 4.2	3 3.0	33 5.5	20 6.2	6 4.8	4 4.5	2 3.0	5 4.6	2 4.0	1
XII	991.4	994.1	4.3	4.1	4.1	4.2	5.5	2.4	8.0	3	0.6	27	1 4.0	4 2.2	5 4.2	6 4.3	3 4.3	18 6.1	12 5.5	14 6.2	13 5.7	5 5.4	5 5.0	4 4.8	3
1954	1004.7	1007.4	5.7	6.2	5.9	5.8	7.4	4.2	19.0		- 5.6		80 4.5	104 4.2	92 4.1	98 4.1	24 3.5	118 5.3	125 5.5	107 5.2	131 5.2	58 4.3	64 4.4	73 4.7	21

Borge i Lofoten

φ = 68° 20′ N λ = 13° 53′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			0.2	0.3	- 0.1	0.1		- 2.8	7.9	5	- 7.0	20	10 5.3	0 -	14 4.7	1 1.0	0 -	3 2.3	17 2.6	11 4.0	10 5.2	3 4.3	9 5.4	9 4.8	6
II			- 0.5	- 0.3	- 0.8	- 0.6		- 2.9	5.7	5	- 9.3	27	1 2.0	0 -	1 5.0	0 -	0 -	20 4.9	45 4.2	9 3.4	2 4.5	4 6.2	1 5.0	1 1.0	0
III			- 0.6	0.6	- 0.2	- 0.3		- 3.3	7.4	14	- 9.0	2	7 4.4	0 -	1 5.0	4 3.2	0 -	22 4.3	32 3.8	6 4.2	10 4.1	1 4.0	3 5.3	7 5.6	0
IV			1.4	2.6	2.1	1.8		- 0.5	7.6	11	- 5.7	21	9 3.8	3 3.3	8 4.2	4 3.2	1 5.0	7 4.3	21 4.0	11 4.7	8 5.0	5 4.0	4 4.0	5 5.0	4
V			7.3	8.8	8.2	7.7		4.7	19.9	21	1.6	5	8 2.9	7 2.3	17 4.1	6 4.2	6 2.5	7 3.9	13 3.9	1 3.0	3 5.0	11 3.5	5 4.2	8 2.6	1
VI			7.7	8.7	8.4	8.0		6.1	17.3	19	1.4	7	9 4.4	5 3.8	12 3.7	0 -	0 -	5 4.2	10 3.9	5 3.6	11 3.7	13 3.8	10 4.0	10 3.5	0
VII			14.3	15.7	14.9	14.5		11.4	26.2	15	6.5	2	11 3.2	9 3.3	21 2.7	3 3.0	8 3.9	8 3.5	6 3.0	2 4.5	5 3.6	4 3.8	7 3.1	8 3.1	1
VIII			12.3	13.5	13.0	12.7		10.6	21.3	1	4.7	31	15 3.5	17 3.6	13 2.9	0 -	1 4.0	4 4.5	5 2.2	5 2.0	14 3.2	6 2.8	4 2.5	7 2.9	2
IX			7.9	9.8	9.0	8.7		6.2	14.0	10	1.0	24	6 3.7	3 3.7	8 3.5	1 2.0	0 -	8 4.6	19 3.3	7 4.6	17 2.8	6 2.8	4 2.8	5 2.2	6
X			4.3	5.2	4.6	4.6		2.1	13.5	4	- 2.5	24	5 4.6	1 1.0	6 2.0	2 3.0	0 -	23 3.9	25 3.6	2 1.5	6 2.2	3 3.3	4 4.8	15 4.1	1
XI			2.0	1.7	2.2	2.0		- 0.4	8.1	30	- 4.1	25	5 4.2	2 5.0	0 -	2 1.0	1 2.0	38 3.8	21 3.6	8 2.6	9 1.9	1 2.0	0 -	2 4.5	1
XII			2.0	2.1	2.1	2.1		- 0.4	8.8	31	- 5.4	29	0 -	0 -	1 3.0	1 1.0	2 3.0	28 4.2	28 3.4	13 3.3	11 3.1	3 5.3	0 -	4 3.5	2
1954			4.9	5.7	5.3	5.1		2.6	26.2		- 9.3		86 3.9	47 3.4	102 3.5	24 3.0	19 3.3	173 4.1	242 3.6	80 3.6	106 3.5	60 3.8	51 4.1	81 3.8	24

1954

Skrova

H_s = 11 H_b = h_t = 2.2 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dato	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	80	83	82	81	5.5	5.7	5.5	52	9	11	22	4	0	0	19	14	0	13	5	4	7	14	2	0	0	0	0	0	0	0	0	1	14	25
II	74	71	74	72	4.6	5.5	4.5	26	9	7	22	6	0	0	11	6	0	13	4	0	6	11	4	0	0	1	0	1	0	0	7	4	9	14
III	79	77	77	78	5.4	5.5	4.9	52	8	22	22	13	0	0	17	11	0	14	2	1	8	12	3	1	0	0	0	0	5	0	13	4	13	21
IV	83	78	78	80	5.7	5.5	5.4	66	12	26	13	0	0	0	15	11	3	15	4	3	11	11	7	1	0	1	0	0	3	0	17	2	12	8
V	72	69	68	70	5.6	5.2	4.7	9	6	29	0	0	0	0	6	2	0	4	0	0	6	0	0	2	0	0	0	0	1	1	19	3	13	2
VI	86	80	80	83	7.0	6.5	6.4	41	8	2	0	0	0	0	19	10	0	7	0	0	19	1	1	2	0	0	0	0	1	0	19	0	19	0
VII	76	68	69	72	5.1	4.6	5.6	18	14	1	0	0	0	1	7	3	1	8	0	0	7	0	0	2	0	0	0	0	0	1	23	2	8	0
VIII	84	78	80	81	6.4	5.7	6.1	84	30	27	0	0	0	0	12	10	2	12	0	0	12	0	0	5	0	0	0	0	2	1	19	0	14	0
IX	87	82	77	82	5.8	5.6	5.5	76	13	6	0	0	0	0	19	14	3	14	1	0	19	0	0	1	0	0	0	0	2	1	17	0	11	0
X	82	78	81	81	5.5	6.4	5.4	174	51	23	3	0	0	0	21	14	4	10	0	0	20	7	5	1	0	2	0	1	0	0	6	0	9	3
XI	75	74	76	75	4.9	5.2	5.0	40	13	6	8	0	0	0	10	5	2	9	0	0	6	5	1	0	0	0	0	0	0	0	3	3	9	5
XII	83	85	84	84	5.4	6.4	5.2	112	28	19	10	1	0	0	19	16	3	10	4	2	17	8	6	0	0	0	0	0	0	0	0	3	14	7
1954	80	77	77	78	5.6	5.6	5.4	750	51		100	24	0	1	175	116	18	129	20	10	138	69	29	15	0	4	0	2	14	4	143	22	145	85

Glåpen Fyr

H_s = 31 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I					5.9	5.7	5.2	150	30	5	30		0		24	15	4	12	5	1	12	21	9	0	4	3	0	0	4	0	8	2	13	
II					5.5	6.0	5.9	88	14	7	22		0		15	13	3	16	2	0	7	14	8	0	5	3	0	2	2	0	14	0	12	
III					5.8	5.5	5.3	136	25	18	22		0		20	15	6	16	0	0	11	16	6	0	5	1	0	0	5	0	19	2	17	
IV					5.7	5.6	5.6	85	17	20	13		0		20	14	2	7	3	0	13	17	10	1	5	1	0	0	3	0	22	0	13	
V					5.5	5.3	4.5	17	6	31	0		0		9	6	0	0	0	0	9	0	0	1	1	0	0	0	1	1	28	1	6	
VI					6.6	6.0	5.8	72	20	2	0		0		20	12	2	5	0	0	20	2	2	0	0	0	0	0	0	0	21	0	16	
VII					5.1	4.6	5.4	19	13	1	0		0		6	4	1	3	0	0	6	0	0	1	0	0	0	0	0	1	27	1	8	
VIII					6.3	5.9	5.6	104	33	28	0		0		14	9	3	2	0	0	14	0	0	3	0	0	0	0	2	2	22	0	15	
IX					5.1	5.4	5.3	95	25	6	0		0		22	14	3	5	0	0	22	0	0	3	0	0	0	0	3	0	28	2	10	
X					5.6	5.9	6.1	154	22	17	2		0		21	20	6	6	0	0	21	7	7	0	2	6	0	0	0	0	20	0	14	
XI					5.6	5.4	5.2	76	15	19	5		0		15	14	1	9	0	0	13	10	8	0	1	3	0	0	1	0	13	1	8	
XII					6.5	6.4	6.0	168	32	19	6		0		22	16	6	8	3	1	16	13	9	0	0	4	0	0	8	0	1	0	18	
1954					5.8	5.6	5.5	1164	33		100		0		208	152	37	89	13	2	166	100	59	9	23	21	0	2	29	4	223	9	150	

Røst

H_s = 8 H_b = h_t = 2.0 h_a = h_d = 15.6 h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	79	78	77	78	6.6	6.4	6.3	89	11	14	13	2	0	0	22	20	1	15	7	6	12	16	5	0	0	4	0	0	5	0	2	0	17	
II	73	75	74	74	6.3	6.1	5.6	40	14	3	14	2	0	0	12	9	1	19	8	3	9	10	7	0	0	3	0	0	1	0	9	0	12	
III	76	74	75	76	6.2	6.1	6.2	33	5	22	21	3	0	0	18	11	0	17	4	1	10	14	6	0	0	1	0	0	7	0	15	1	17	
IV	79	80	78	79	6.1	6.3	6.2	38	7	20	8	0	0	0	20	10	0	16	3	1	15	15	8	0	0	1	0	0	8	0	23	0	15	
V	80	80	84	82	6.3	6.1	6.3	8	3	31	0	0	0	0	8	3	0	2	0	0	8	0	0	0	0	0	0	0	5	2	27	0	14	
VI	85	84	84	85	7.1	6.2	6.5	35	8	2	0	0	0	0	19	11	0	7	0	0	19	1	1	2	0	1	0	0	8	1	23	0	19	
VII	82	80	81	81	5.5	5.2	6.0	16	11	1	0	0	0	0	7	2	1	2	0	0	7	0	0	0	0	0	0	0	2	1	28	0	10	
VIII	85	82	86	85	6.7	6.5	6.4	29	11	28	0	0	0	0	14	4	1	3	0	0	14	0	0	0	0	0	0	0	8	0	21	0	18	
IX	84	80	83	82	5.5	5.8	6.2	42	6	3	0	0	0	0	16	12	0	7	0	0	16	0	0	2	0	0	0	0	6	0	18	0	5	
X	75	74	78	76	6.2	6.2	6.5	72	10	21	1	0	0	0	19	16	0	19	1	0	19	1	1	0	0	0	0	0	6	0	16	0	14	
XI	75	73	76	75	6.2	5.8	6.3	49	12	5	3	0	0	0	19	11	1	15	8	0	18	5	3	0	0	1	0	0	3	0	11	0	13	
XII	81	81	79	80	6.5	6.5	6.1	87	12	18	0	0	0	0	22	17	2	17	6	1	21	6	5	0	0	1	0	0	10	0	0	0	16	
1954	80	78	80	79	6.3	6.1	6.2	538	14		60	7	0	0	196	126	7	139	37	12	168	68	36	4	0	12	0	0	69	4	193	1	170	

Skomvær Fyr

H_s = 18 H_b = 21.3 h_t = 2.0 h_a = 20.1 h_d = h_r = 1.5

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	84	83	83	83	6.2	6.1	5.0	84	12	10	18	1	0	0	20	17	2	20	5	2	9	16	4	1	0	2	0	0	10	0	8	0	13	14
II	81	80	83	82	5.0	5.8	5.4	16	4	15	17	2	0	0	12	6	0	21	11	3	9	9	5	1	0	0	0	0	5	0	15	0	9	0
III	83	82	82	82	6.0	5.6	6.3	19	3	22	19	3	0	0	16	9	0	21	7	2	10	11	5	2	0	0	0	0	7	0	21	1	15	7
IV	89	85	85	87	5.8	5.5	5.4	24	5	20	7	0	0	0	16	8	0	19	5	1	14	12	10	0	0	3	0	0	7	0	26	0	10	4
V	95	93	94	94	6.4	5.7	5.3	18	7	23	0	0	0	0	10	7	0	9	1	0	10	0	0	4	0	0	0	0	0	7	28	0	9	0
VI	94	93	93	93	6.3	6.5	6.1	39	10	2	0	0	0	0	19	12	0	10	2	1	19	1	1	4	0	0	0	0	0	4	21	1	17	0
VII	96	92	91	94	5.3	4.9	5.6	12	5	1	0	0	0	0	11	4	0	4	0	0	11	0	0	3	0	0	0	0	0	6	30	2	12	0
VIII	95	93	94	94	6.3	6.2	6.0	34	12	28	0	0	0	0	19	8	1	9	0	0	19	0	0	7	0	0	0	0	3	3	21	0	14	0
IX	92	89	90	91	5.2	4.9	5.1	33	6	21	0	0	0	0	20	10	0	10	4	0	20	0	0	0	0	0	0	0	1	0	29	0	7	0
X	85	83	85	85	6.0	6.2	6.0	54	5	22	0	0	0	0	25	19	0	22	4	1	25	4	4	1	0	0	0	0	1	0	22	0	14	0
XI	85	83	84	84	5.2	5.7	5.1	37	9	14	3	0	0	0	16	8	0	22	7	1	15	5	4	0	0	2	0	0	0	0	12	1	9	0
XII	87	89	88	88	5.6	5.9	5.1	49	9	12	0	0	0	0	19	3	0	20	10	3	16	6	5	1	0	0	0	0	2	0	2	0	11	1
1954	89	87	88	88	5.8	5.8	5.5	419	12		64	6	0	0	203	111	3	187	56	14	179	64	38	24	0	7	0	0	36	20	235	5	140	26

Borge i Lofoten

H_s = 5 H_b = h_t = 1.8 h_a = h_d = h_r = 1.6

Måned	U_m 7	13	19	Dies	N_m 7	13	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	82	84	82	82	5.9	6.5	5.7	95	10	14	28	7	0	0	23	19	1	19	7	1	15	20	11	0	1	8	0	0	18	0	5	2	17	18
II	76	76	80	78	4.9	5.1	5.7	41	18	7	27	7	0	0	9	8	1	16	8	2	5	9	4	0	0	4	0	0	7	0	13	3	11	22
III	79	76	77	78	5.7	5.9	5.9	62	10	10	24	7	0	0	17	12	1	16	5	0	11	10	2	1	0	5	0	0	9	1	16	3	17	20
IV	82	78	78	80	5.6	6.1	5.6	126	50	23	17	0	0	0	16	14	4	9	2	1	12	13	8	2	0	3	0	0	12	0	23	3	17	11
V	83	78	79	81	6.5	6.0	5.4	19	6	31	0	0	0	0	9	8	0	4	0	0	9	0	0	4	0	0	0	0	1	6	26	1	16	0
VI	89	87	87	88	7.2	6.6	6.6	47	8	12	0	0	0	0	20	15	0	6	0	0	20	1	1	4	0	1	0	0	7	6	14	0	22	0
VII	81	77	81	81	5.3	5.4	5.4	17	4	7	0	0	0	1	8	6	0	2	0	0	8	0	0	7	0	0	0	0	3	2	28	2	16	0
VIII	89	84	87	87	7.1	6.6	6.6	66	17	28	0	0	0	0	17	10	3	5	0	0	16	0	0	5	0	0	0	0	7	1	21	0	19	0
IX	90	82	84	86	6.2	6.3	6.6	60	22	6	0	0	0	0	20	14	1	5	2	0	20	0	0	4	0	1	0	0	4	0	18	0	17	0
X	86	81	84	84	6.6	6.4	6.5	105	13	11	8	0	0	0	23	20	3	9	0	0	23	9	7	2	0	6	0	0	9	0	18	0	18	0
XI	79	79	79	79	4.2	6.0	4.6	30	12	5	18	1	0	0	9	7	1	10	0	0	8	5	3	1	0	3	0	0	4	0	13	2	8	10
XII	84	85	84	84	5.4	6.3	5.3	141	34	19	14	0	0	0	19	17	4	8	3	2	14	11	6	2	0	3	0	0	9	0	0	1	16	11
1954	83	81	82	82	5.9	6.1	5.8	809	50		136	22	0	1	190	150	19	109	27	6	161	78	42	32	1	34	0	0	90	16	195	17	194	92

1954

Bø i Vesterålen

φ = 68° 37′ N λ = 14° 27′ E g = ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 0.7	0.0	- 0.6	- 0.4	2.0	- 3.8	8.5	5	- 9.2	21	8 2.6	1 3.0	1 3.0	6 3.2	4 4.0	8 2.8	11 3.7	5 4.2	3 5.3	16 4.2	9 4.3	0 -
II			- 0.4	0.1	- 0.6	- 0.3	2.1	- 3.0	6.3	5	- 9.1	28	0 -	0 -	0 -	2 2.5	1 2.0	25 2.6	31 3.3	3 5.3	0 -	6 5.2	5 3.4	0 -
III			- 0.8	1.0	- 0.4	- 0.3	2.4	- 3.5	6.5	31	-10.3	3	0 -	0 -	1 2.0	13 2.2	4 3.0	24 2.6	23 4.0	5 5.2	2 3.5	13 4.5	2 4.0	3 6.3
IV			1.3	2.7	1.8	1.7	4.1	- 1.2	7.5	11	- 4.9	21	6 1.8	1 1.0	0 -	11 2.2	2 2.5	16 3.1	26 4.1	6 5.8	2 4.0	4 3.2	11 3.9	0 -
V			7.5	9.7	9.0	8.3	11.9	5.0	20.5	21	0.2	4	0 -	4 2.8	3 3.3	10 3.3	2 4.0	21 2.9	12 3.4	3 2.0	11 2.5	21 2.7	2 2.5	0 -
VI			8.3	9.8	9.1	8.7	11.4	5.9	19.7	27	0.7	5	7 4.1	1 4.0	0 -	2 2.0	1 2.0	0 -	9 2.9	10 2.7	15 2.4	17 2.5	7 2.9	7 3.7
VII			14.9	17.2	16.4	15.3	19.1	11.9	26.7	15	5.7	1	1 1.0	0 -	0 -	15 2.7	14 3.6	2 2.0	7 3.7	2 2.5	11 2.5	21 2.2	9 3.0	0 -
VIII			12.4	14.4	13.4	13.1	15.8	10.2	22.5	3	3.1	31	6 2.7	1 2.0	1 4.0	16 2.8	4 3.2	4 2.2	10 3.4	8 3.2	6 2.7	18 2.1	7 2.7	1 3.0
IX			7.6	10.4	8.9	8.8	11.8	6.0	16.5	10	- 0.2	24	2 3.0	0 -	1 2.0	8 2.6	9 2.4	6 2.7	21 3.4	6 3.3	4 3.5	7 2.7	10 2.4	1 2.0
X			4.3	5.3	4.3	4.5	6.6	2.2	14.2	6	- 2.7	17	3 1.7	0 -	1 2.0	0 -	6 2.8	18 2.3	23 2.9	7 3.3	2 4.0	9 3.2	10 2.7	4 3.5
XI			1.8	2.4	1.7	2.0	4.0	- 0.6	9.4	30	- 5.2	16	2 1.5	0 -	0 -	7 3.1	1 3.0	41 2.2	19 3.0	3 2.7	1 3.0	0 -	6 3.3	3 2.7
XII			2.1	2.2	2.2	2.2	4.4	- 0.5	8.3	3	- 6.2	25	0 -	0 -	0 -	17 3.4	9 2.8	13 2.2	23 4.0	6 3.8	5 3.2	6 4.7	2 2.0	0 -
1954			4.9	6.3	5.4	5.3	8.0	2.4	26.7		-10.3		35 2.6	8 2.6	8 2.9	107 2.8	57 3.1	178 2.5	215 3.5	64 3.7	62 2.9	138 3.1	80 3.2	19 3.8

Andenes

φ = 69° 19′ N λ = 16° 7′ E g = 9.826 ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I	1007.8	1008.6	0.4	0.3	0.1	0.3	2.1	- 2.0	6.9	5	- 6.1	20	6 3.5	3 4.0	15 4.2	4 2.8	1 3.0	1 2.0	12 2.8	16 3.1	11 4.9	13 5.2	8 5.0	3 4.3
II	13.4	14.3	- 1.5	- 1.0	- 1.3	- 1.3	- 0.5	- 3.4	5.0	5	- 8.3	28	0 -	0 -	3 3.0	2 2.5	0 -	9 3.8	32 3.3	23 3.1	11 4.7	2 6.0	1 4.0	0 -
III	05.3	06.1	- 0.8	0.3	- 0.7	- 0.5	1.4	- 2.8	6.2	21	- 7.7	2	1 2.0	3 4.3	2 3.0	0 -	1 4.0	6 2.8	17 3.0	26 2.6	21 4.4	9 5.1	5 4.8	2 5.0
IV	13.0	13.8	0.8	2.4	1.7	1.8	3.2	- 0.6	8.0	11	- 4.8	27	4 3.2	2 3.0	3 3.7	9 3.4	4 3.2	1 3.0	8 2.5	31 3.0	13 3.4	6 4.2	5 5.0	3 3.7
V	20.4	21.2	6.5	7.4	7.0	6.7	8.5	4.6	15.7	21	1.4	4	7 1.9	8 2.5	13 2.8	9 3.2	3 3.3	12 2.4	13 2.2	7 3.1	11 4.5	3 2.7	2 3.0	4 2.5
VI	07.5	08.3	7.0	7.9	7.6	7.3	9.1	5.8	14.8	20	1.7	5	6 2.8	12 3.9	8 2.2	8 2.4	0 -	2 2.0	4 1.8	1 1.0	29 3.8	8 2.9	8 3.8	2 2.0
VII	06.2	06.9	13.6	14.7	13.3	13.6	16.5	11.0	24.2	15	6.6	3	4 2.5	12 2.3	14 2.8	12 2.5	7 3.0	10 2.4	2 2.0	2 4.0	5 4.0	11 2.0	5 2.2	6 1.7
VIII	06.6	07.4	11.4	12.4	11.6	11.6	13.7	10.1	20.1	1	6.7	24	7 2.6	13 3.1	17 2.4	9 2.6	3 2.3	6 2.0	4 2.2	4 2.2	11 3.6	8 3.5	5 2.4	3 1.7
IX	999.3	00.1	8.2	9.6	8.5	8.7	10.5	7.0	13.5	3	3.2	24	2 2.5	5 3.0	7 2.6	8 2.1	8 2.8	13 2.5	15 2.5	2 3.5	11 3.1	8 3.4	6 4.3	2 3.0
X	1000.2	01.0	4.0	4.9	4.2	4.3	5.8	2.3	12.3	5	- 2.1	20	4 3.2	0 -	3 3.7	3 3.0	6 2.8	13 2.8	24 2.6	11 2.6	4 2.5	7 3.1	15 3.6	3 2.3
XI	09.3	10.2	1.1	1.7	1.5	1.4	3.0	- 0.3	7.3	30	- 3.5	25	1 3.0	0 -	3 3.0	1 2.0	2 3.0	20 3.6	31 3.2	16 2.5	4 2.2	0 -	7 4.3	0 -
XII	993.9	994.7	1.7	1.8	2.0	1.8	3.5	0.0	7.0	3	- 4.4	26	1 1.0	0 -	2 3.0	4 2.8	2 4.0	24 3.5	30 3.0	13 3.0	8 4.5	2 2.0	4 4.2	0 -
1954	1006.9	1007.7	4.4	5.2	4.6	4.6	6.4	2.6	24.2		- 8.3		43 2.7	58 3.1	90 3.0	69 2.7	37 3.0	117 3.0	192 2.8	152 2.9	139 4.0	77 3.7	71 3.9	28 2.7

Sandsøy i Senja

φ = 68° 57 N λ = 16° 40′ E g = ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 0.3	- 0.3	- 0.6	- 0.4	1.1	- 2.6	7.9	5	- 6.4	10	4 3.5	1 3.0	11 3.5	8 2.8	3 1.7	8 2.2	20 3.6	15 4.2	3 6.0	7 5.0	7 5.4	4 4.8
II			- 1.4	- 0.6	- 1.0	- 1.0	0.7	- 2.9	5.6	5	- 8.4	27	0 -	0 -	0 -	1 2.0	4 3.0	14 3.6	27 3.9	32 4.6	2 5.5	1 5.0	3 4.7	0 -
III			- 0.9	0.3	- 0.6	- 0.5	1.6	- 2.7	7.0	14	- 8.0	2	2 5.0	0 -	2 4.5	1 4.0	8 2.0	16 2.8	17 4.5	29 4.3	2 5.0	2 3.5	7 4.4	7 4.7
IV			0.8	2.4	1.7	1.4	3.5	- 0.6	7.5	10	- 4.8	21	1 4.0	1 5.0	8 3.9	7 2.6	4 1.0	3 2.3	20 3.5	20 5.5	1 1.0	0 -	6 3.8	11 4.6
V			6.8	8.9	8.2	7.6	10.7	4.9	18.6	21	1.7	4	4 2.5	1 2.0	8 2.9	11 2.5	12 2.6	7 3.6	6 2.8	8 3.0	1 3.0	1 5.0	3 3.3	17 2.9
VI			8.0	9.5	8.7	8.3	11.0	6.1	17.5	27	1.1	5	8 2.1	2 2.0	8 2.5	3 2.7	0 -	4 2.0	10 3.4	11 2.7	1 4.0	5 2.6	4 2.5	22 3.8
VII			14.1	17.0	15.6	15.1	18.9	12.0	26.6	14	7.7	3	16 2.4	1 1.0	8 2.4	9 2.1	5 1.8	14 2.4	3 5.0	3 3.7	0 -	3 3.3	4 3.8	14 3.4
VIII			11.9	13.6	12.8	12.5	15.1	10.3	21.0	8	6.5	26	5 2:8	3 2.0	10 2.6	10 2.7	3 1.7	9 2.6	7 2.4	6 3.5	0 -	2 2.0	5 2.6	21 3.1
IX			8.2	10.4	8.6	8.9	11.3	7.0	15.6	10	3.2	24	1 1.0	1 1.0	4 1.5	5 2.0	7 1.7	11 3.2	15 4.1	7 4.0	1 3.0	5 2.8	5 3.8	4 3.8
X			3.9	4.9	4.1	4.3	5.6	2.5	12.7	5	- 0.7	18	2 4.5	0 -	2 3.5	5 3.2	6 1.0	12 2.6	18 3.9	14 4.4	3 2.3	4 3.7	11 3.2	1 4.0
XI			1.6	1.9	1.5	1.7	2.8	0.2	8.2	30	- 2.6	25	0 -	0 -	4 2.8	2 2.0	5 3.0	10 4.0	24 3.5	35 4.3	1 6.0	0 -	3 3.0	5 4.0
XII			1.8	1.8	2.0	1.9	3.4	0.3	7.2	31	- 3.9	25	1 2.0	0 -	1 2.0	2 2.5	3 2.3	16 4.1	29 3.3	31 3.9	1 5.0	2 6.0	1 1.0	2 1.5
1954			4.5	5.8	5.1	5.0	7.1	2.9	26.6		- 8.4		44 2.7	10 2.2	66 2.9	64 2.5	60 2.0	124 3.1	196 3.6	211 4.2	16 4.2	32 3.7	59 4.0	108 3.6

Gibostad

φ = 69° 21′ N λ = 18° 5′ E g = ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 2.2	- 2.1	- 2.6	- 2.3	0.0	- 5.4	5.3	4	-11.3	20	0 -	0 -	6 1.8	1 3.0	0 -	19 1.7	3 2.0	5 2.2	43 2.9	2 2.5	0 -	14 1.9
II			- 4.9	- 3.4	- 4.1	- 4.2	- 1.5	- 7.3	3.8	24	-14.0	19	2 1.5	3 1.7	1 1.0	1 2.0	0 -	30 2.4	2 2.0	9 2.0	25 3.3	0 -	0 -	11 2.0
III			- 3.2	- 0.7	- 2.3	- 2.3	0.6	- 5.3	5.7	9	-13.4	18	1 2.0	2 2.0	5 1.4	1 1.0	1 1.0	30 2.3	4 1.2	5 2.2	32 3.4	1 4.0	1 1.0	10 2.7
IV			- 0.1	2.8	0.9	0.8	3.7	- 2.7	7.9	18	- 8.4	7	1 3.0	0 -	9 2.1	3 2.3	2 2.5	23 1.7	1 1.0	3 2.3	30 3.3	2 2.5	1 2.0	15 2.1
V			6.8	9.0	7.9	7.3	10.8	3.7	19.4	22	- 0.3	5	2 3.0	11 2.3	14 2.2	5 1.6	4 2.2	23 2.0	3 1.3	3 2.3	14 3.1	1 3.0	1 3.0	12 2.8
VI			8.5	10.4	9.3	8.8	11.8	6.2	20.3	25	0.0	5	2 2.5	4 2.5	12 2.4	2 2.5	1 1.0	6 1.2	1 2.0	3 2.0	31 2.6	3 2.7	0 -	25 2.9
VII			15.1	18.0	16.2	15.8	19.7	11.9	29.4	15	6.2	3	2 2.5	0 -	11 1.5	0 -	3 2.0	24 2.0	6 1.0	1 1.0	9 2.1	2 1.0	0 -	35 1.8
VIII			11.6	13.4	12.2	12.1	14.9	9.6	21.7	1	5.0	31	1 2.0	4 2.5	29 2.3	1 3.0	3 2.3	18 2.0	0 -	1 3.0	20 2.8	1 4.0	0 -	15 2.7
IX			7.5	10.3	8.5	8.5	11.2	5.4	15.1	9	1.4	27	0 -	2 2.5	12 2.1	0 -	0 -	34 2.1	2 1.0	1 2.0	30 2.9	2 3.0	0 -	7 1.9
X			2.1	3.8	2.4	2.7	4.6	0.2	12.8	6	- 6.6	20	0 -	2 2.5	4 1.8	0 -	2 1.5	30 2.0	0 -	6 2.5	38 2.7	1 2.0	0 -	10 1.6
XI			- 1.1	- 1.4	- 1.9	- 1.5	0.5	- 4.2	9.2	30	- 8.9	25	1 2.0	2 1.5	8 1.5	4 1.8	1 2.0	36 2.6	2 2.0	7 2.1	18 2.8	1 3.0	1 1.0	9 1.6
XII			- 0.5	- 0.3	- 0.4	- 0.4	1.9	- 3.5	7.4	3	-11.9	25	0 -	0 -	5 1.0	3 1.3	1 3.0	41 2.3	4 1.5	6 2.5	29 2.9	1 3.0	0 -	3 1.3
1954			3.3	5.0	3.8	3.8	6.5	0.7	29.4		-14.0		12 2.3	30 2.2	116 2.0	21 1.9	18 2.1	314 2.1	28 1.4	50 2.2	319 2.9	17 2.6	4 1.7	166 2.2

Sommarøy i Senja

φ = 69° 38′ N λ = 18° 1′ E g = ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 0.3	- 0.4	- 0.6	- 0.4	1.6	- 2.3	7.0	5	- 5.6	21	5 3.4	6 2.2	3 2.3	0 -	2 1.5	18 3.2	20 3.2	8 2.9	7 4.9	5 4.2	7 3.3	10 3.1
II			- 1.6	- 1.2	- 1.6	- 1.5	0.3	- 3.0	4.7	5	- 7.7	27	1 1.0	1 1.0	0 -	0 -	2 2.0	37 4.1	31 3.8	4 3.5	6 4.3	2 4.0	0 -	0 -
III			- 1.1	- 0.1	- 0.7	- 0.7	1.4	- 2.7	5.7	21	- 8.1	2	2 3.5	2 5.0	1 1.0	0 -	0 -	30 3.7	30 3.4	6 2.8	6 3.2	3 4.0	5 4.4	7 4.3
IV			0.9	2.2	1.5	1.3	3.4	- 0.4	7.6	11	- 4.3	21	3 2.3	4 2.2	8 2.4	2 2.5	1 4.0	21 3.1	24 4.2	6 1.8	3 2.3	2 2.5	3 3.7	7 3.9
V			6.6	7.9	7.2	6.9	9.6	4.8	17.8	21	1.7	3	10 2.5	7 2.6	9 3.4	3 3.7	0 -	21 3.3	9 2.9	9 1.4	1 4.0	6 2.2	2 3.0	9 2.0
VI			7.7	9.1	8.2	7.8	10.5	5.8	17.8	25	0.5	5	3 3.7	5 3.2	4 2.0	0 -	3 1.3	1 5.0	8 2.8	10 1.7	18 2.4	13 2.6	3 3.7	15 2.1
VII			14.1	15.6	14.8	14.5	17.6	11.4	26.8	15	6.3	3	11 2.5	9 1.3	2 1.0	0 -	3 4.7	19 3.2	5 2.8	5 1.8	6 1.7	5 2.2	0 -	18 1.8
VIII			11.5	12.6	11.9	11.8	14.0	9.5	20.7	1	5.9	31	16 2.6	10 1.9	4 2.0	0 -	2 2.5	12 3.7	8 2.9	5 1.4	8 2.4	9 2.6	3 3.0	9 1.9
IX			8.2	10.0	8.7	8.8	10.9	7.0	14.7	2	3.9	9	2 1.5	2 2.5	1 1.0	0 -	8 2.6	24 3.6	17 2.5	7 1.1	6 2.2	5 2.6	3 4.0	6 2.8
X			3.8	4.6	4.1	4.1	5.6	2.7	13.2	5	- 1.5	20	1 5.0	0 -	1 1.0	0 -	3 2.3	26 3.3	28 3.0	10 2.0	3 2.7	4 3.5	5 3.6	10 2.4
XI			1.2	1.3	1.2	1.2	2.8	- 0.1	7.3	30	- 2.5	21	0 -	1 3.0	1 2.0	0 -	1 2.0	43 4.3	31 3.6	5 2.2	1 1.0	1 2.0	2 3.0	4 [illegible]
XII			1.6	1.6	1.7	1.6	3.3	0.0	7.5	31	- 5.2	25	0 -	0 -	0 -	0 -	3 3.0	45 3.9	27 3.4	8 3.0	5 3.4	1 4.0	[illegible]	4.0
1954			4.4	5.3	4.7	4.6	6.8	2.7	26.8		- 8.1		54 2.7	47 2.3	34 2.4	5 3.2	28 2.6	297 3.7	238 3.4	83 2.2	70 2.9	56 2.9	34 3.6	96 2.6

1954

Bø i Vesterålen

H_s = 7 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Døgn	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.4	6.4	6.4	63	11	11	29	6	0	0	23	16	1	7	2	0	7	19	0	0	0	0	0	0	0	0	5	1	19	28
II					4.8	5.1	5.1	29	9	7	26	5	0	0	10	8	0	6	0	0	5	9	1	0	0	0	0	0	0	0	15	4	10	28
III					5.7	5.8	6.0	98	20	14	24	7	1	0	18	17	3	8	0	0	9	14	1	0	0	0	0	0	0	0	15	4	20	27
IV					5.6	5.4	5.7	73	10	20	19	1	0	0	18	13	1	9	1	1	10	14	4	1	0	0	0	0	0	0	21	4	14	14
V					6.0	5.8	5.4	34	13	29	0	0	0	0	9	7	2	0	0	0	9	0	0	2	0	0	0	0	0	1	27	2	13	2
VI					7.0	6.0	6.4	73	12	2	0	0	0	0	20	17	1	0	0	0	20	2	2	1	0	0	0	0	0	0	23	1	18	0
VII					5.5	5.2	5.3	16	6	2	0	0	0	1	7	4	0	2	0	0	7	0	0	0	0	0	0	0	0	0	28	3	17	0
VIII					6.9	6.1	6.5	72	21	28	0	0	0	0	17	8	2	1	0	0	17	0	0	3	0	0	0	0	0	0	25	0	19	0
IX					5.7	5.5	6.3	73	12	4	1	0	0	0	21	15	1	6	0	0	21	0	0	0	0	0	0	0	0	0	25	1	16	0
X					6.2	6.2	6.1	109	21	15	6	0	0	0	23	18	2	0	0	0	20	6	1	0	0	0	0	0	0	0	18	1	15	4
XI					4.8	5.4	4.9	22	4	6	18	0	0	0	13	7	0	1	0	0	8	6	1	0	0	0	0	0	0	0	14	6	9	15
XII					4.9	6.5	5.7	123	32	5	15	1	0	0	17	15	5	6	1	0	13	8	4	0	0	0	0	0	0	0	1	3	15	10
1954					5.8	5.8	5.8	785	32		138	20	1	1	196	145	18	46	4	1	146	78	14	7	0	0	0	0	0	1	217	30	185	128

Andenes

H_s = 5 H_b = 6.5 h_t = 1.8 h_a = 10.9 h_d = 10.2 h_r = 1.7

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	87	86	86	6.2	6.8	6.0	80	12	6	25	6	0	0	27	20	1	18	4	3	11	25	9	2	0	1	0	0	0	0	5	0	17	29
II	84	83	82	83	3.9	4.6	3.8	38	9	7	27	10	0	0	11	10	0	7	2	0	6	11	4	0	0	4	0	0	0	0	18	6	5	28
III	85	83	83	84	5.7	4.9	5.3	94	28	14	24	13	0	0	16	11	3	10	1	0	9	12	3	0	0	1	0	0	0	0	20	6	15	28
IV	87	81	81	84	5.6	5.8	5.6	53	11	21	19	0	0	0	18	14	1	5	1	0	10	15	6	0	0	1	0	0	0	0	22	4	13	23
V	87	83	84	86	6.3	6.1	5.1	27	5	10	0	0	0	0	16	7	0	3	0	0	16	0	0	3	0	0	0	0	0	2	22	1	17	0
VI	95	91	94	95	7.1	6.7	7.2	61	12	2	0	0	0	0	22	17	1	6	0	0	22	4	4	2	0	0	0	0	0	2	18	0	20	0
VII	86	80	86	86	5.7	4.8	5.0	22	7	2	0	0	0	0	11	5	0	1	0	0	11	0	0	0	0	0	0	1	0	3	24	2	11	0
VIII	91	87	91	90	6.6	6.2	6.0	67	18	28	0	0	0	0	20	14	2	3	0	0	20	0	0	4	0	0	0	0	0	0	23	0	18	0
IX	91	84	87	88	5.8	5.6	4.8	77	25	19	0	0	0	0	19	12	2	5	1	0	19	0	0	1	0	0	0	0	0	1	21	2	10	0
X	88	82	82	85	6.1	6.0	6.2	82	23	1	6	0	0	0	22	14	3	3	0	0	22	7	6	0	0	1	0	0	0	0	19	2	16	9
XI	85	82	82	83	5.2	5.5	5.0	33	7	14	17	1	0	0	12	8	0	2	0	0	9	8	5	0	0	0	0	0	0	0	14	5	13	16
XII	85	87	86	86	3.7	6.2	5.6	83	16	5	12	4	0	0	15	11	2	4	2	0	14	9	7	0	0	1	0	0	0	0	0	4	10	12
1954	88	84	85	86	5.7	5.8	5.5	717	28		130	34	0	0	209	143	15	67	11	3	169	91	44	12	0	9	0	1	0	8	206	32	165	145

Sandsøy i Senja

H_s = 17 H_b = h_t = 2.1 h_a = h_d = 9.2 h_r = 1.7

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	86	86	87	5.9	6.2	5.5	55	10	6	26	13	0	0	16	14	0	14	7	0	5	15	4	0	0	2	0	0	0	0	4	2	15	31
II	82	78	80	80	4.3	4.0	3.8	37	15	7	26	9	0	0	7	5	1	9	2	0	3	7	3	0	0	2	0	0	0	0	21	7	7	28
III	82	80	82	81	5.6	5.2	4.9	60	27	14	25	10	0	0	13	8	2	11	0	0	9	10	5	0	0	0	0	0	0	0	19	7	15	30
IV	86	81	81	84	5.2	5.5	5.9	35	11	21	19	1	0	0	14	6	1	10	4	0	9	12	7	0	0	3	0	0	0	0	23	3	12	16
V	87	82	82	84	5.9	5.3	5.2	27	7	31	0	0	0	0	8	5	0	1	0	0	8	0	0	5	0	0	0	0	1	0	23	3	15	2
VI	92	87	90	91	7.0	7.0	6.6	59	14	2	0	0	0	0	19	12	1	3	0	0	19	3	3	3	0	0	0	0	1	2	20	0	23	0
VII	89	79	83	86	5.2	5.3	5.1	26	6	28	0	0	0	2	12	8	0	2	0	0	12	0	0	4	0	0	0	1	0	0	26	5	14	0
VIII	92	86	89	89	6.7	6.7	6.6	74	16	28	0	0	0	0	15	13	3	1	0	0	15	0	0	5	0	0	0	0	0	0	16	1	21	0
IX	93	85	90	91	6.8	5.8	5.4	37	5	6	0	0	0	0	21	15	0	6	0	0	21	0	0	1	0	0	0	0	0	2	21	0	12	0
X	89	85	87	88	6.1	6.6	5.8	65	16	1	5	0	0	0	19	12	1	4	0	0	19	7	7	0	0	0	0	0	0	0	17	2	19	3
XI	82	81	82	82	5.2	5.2	4.3	6	3	2	15	0	0	0	5	2	0	8	0	0	4	4	3	0	0	2	0	0	0	0	18	4	12	5
XII	86	86	87	87	5.4	6.0	4.8	46	13	19	11	5	0	0	9	8	2	9	1	0	10	5	4	0	0	0	0	0	0	0	0	5	11	9
1954	87	83	85	86	5.8	5.7	5.3	527	27		127	38	0	2	158	108	11	78	14	0	134	63	36	18	0	9	0	1	2	4	208	39	176	124

Gibostad

H_s = 6 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	83	80	82	6.3	6.1	5.4	147	18	6	29	16	3	0	27	20	6	2	0	0	7	24	3	1	0	0	0	0	0	1	0	2	15	31
II	72	68	68	70	3.8	3.4	3.5	65	21	4	28	15	9	0	11	8	2	0	0	0	4	11	4	0	1	0	0	0	0	0	18	9	6	28
III	78	67	71	72	4.4	4.5	4.4	118	33	14	26	15	4	0	14	12	3	0	0	0	8	11	2	0	0	0	0	0	0	0	20	8	11	31
IV	81	66	71	75	4.0	4.4	4.9	47	18	21	23	1	0	0	14	9	1	1	0	0	5	13	3	0	0	0	0	0	0	0	26	5	5	30
V	78	65	66	72	4.5	4.4	4.3	23	4	10	1	0	0	0	14	8	0	0	0	0	14	3	3	0	0	0	0	0	0	0	26	7	9	4
VI	83	74	77	80	6.2	6.2	6.5	58	12	5	0	0	0	0	25	12	1	0	0	0	25	6	6	2	0	0	0	0	0	0	20	0	17	0
VII	69	57	60	65	4.9	4.8	5.0	21	5	17	0	0	0	4	13	8	0	1	0	0	13	0	0	1	0	0	0	0	0	2	23	2	11	0
VIII	81	71	74	76	6.4	6.2	5.5	54	11	28	0	0	0	0	17	11	1	0	0	0	17	0	0	5	0	0	0	0	0	0	21	1	15	0
IX	82	68	71	74	6.1	5.0	4.8	73	15	24	0	0	0	0	25	16	1	0	0	0	25	0	0	1	0	0	0	0	1	0	20	2	8	0
X	85	78	79	82	5.9	5.2	4.7	80	25	1	11	0	0	0	24	16	1	0	0	0	21	10	7	0	0	0	0	0	0	0	18	2	11	14
XI	75	78	79	77	4.1	4.5	3.2	23	6	17	27	15	0	0	8	6	0	0	0	0	5	8	4	1	0	0	0	0	0	0	8	7	6	30
XII	79	79	83	80	4.3	5.3	4.8	79	30	20	22	7	3	0	14	11	3	1	0	0	11	9	6	2	0	0	0	0	0	0	0	7	13	11
1954	79	71	73	75	5.1	5.0	4.8	788	33		167	69	19	4	206	137	19	5	0	0	155	95	38	13	1	0	0	0	1	3	200	52	127	179

Sommarøy i Senja

H_s = 2 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	U 7	13	19	Døgn	N 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.1	5.6	5.4	95	12	13	25	9	0	0	24	19	2	10	2	0	6	21	3	0	6	7	0	0	0	0	6	2	11	30
II					3.0	3.0	3.3	37	19	6	27	9	0	0	8	7	1	10	1	0	5	8	5	0	1	2	0	1	0	0	21	7	4	28
III					4.0	4.3	4.1	112	33	14	23	11	0	0	16	11	3	6	0	0	7	13	3	0	0	2	0	0	0	0	19	7	8	31
IV					3.9	4.2	4.5	66	26	18	20	0	0	0	13	9	2	5	0	0	5	13	5	0	1	1	0	0	0	0	27	7	7	23
V					4.6	4.9	4.5	28	8	29	0	0	0	0	13	7	0	1	0	0	13	2	2	1	0	0	0	0	0	0	25	5	10	1
VI					6.4	5.9	5.7	70	16	5	0	0	0	0	24	14	1	2	1	0	24	7	7	0	0	2	0	0	1	0	18	0	13	0
VII					4.3	4.0	4.4	26	6	18	0	0	0	1	13	8	0	1	0	0	13	0	0	5	0	0	0	2	3	0	24	6	8	0
VIII					5.7	5.8	5.5	60	14	29	0	0	0	0	19	13	2	3	0	0	19	0	0	7	0	0	0	0	2	0	23	1	11	0
IX					5.7	4.8	4.6	65	13	24	0	0	0	0	18	11	1	3	0	0	18	0	0	1	0	0	0	0	0	0	21	1	9	0
X					4.9	5.0	4.8	86	21	1	2	0	0	0	22	16	1	3	0	0	20	11	11	1	3	6	0	0	0	0	18	2	9	15
XI					3.6	4.1	3.6	19	4	16	18	0	0	0	8	8	0	6	1	0	6	7	5	0	1	0	0	0	0	0	13	8	7	20
XII					3.9	4.7	4.2	104	28	27	11	4	0	0	13	10	4	9	0	0	10	8	6	0	0	3	0	0	0	0	0	7	11	11
1954					4.6	4.7	4.6	768	33		126	33	0	1	191	133	17	59	5	0	146	90	47	15	12	23	0	3	6	0	215	53	108	159

1954

Bardufoss

φ = 69° 4'N λ = 18° 31'E g = 9.825 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I	998.9	1009.4	- 6.4	- 6.2	- 7.4	- 6.7	- 2.6	-11.6	6.8	5	-26.4	20	0 -	2 1.0	3 1.0	0 -	2 1.0	0 -	17 1.9	14 2.1	10 2.2	7 2.0	8 1.9	4 1.2
II	1006.0	16.7	-12.2	- 9.4	-10.9	-11.0	- 6.6	-15.6	3.1	5	-26.5	20	2 1.5	6 1.2	5 1.4	9 2.9	2 1.0	3 1.0	4 1.5	12 1.5	6 3.0	4 2.0	3 1.3	5 1.2
III	996.9	07.3	- 7.5	- 1.5	- 5.3	- 5.2	- 0.1	-10.6	6.9	21	-22.0	2	2 1.0	2 1.0	6 1.5	7 2.9	2 2.5	2 1.0	12 2.3	15 2.0	6 2.3	13 2.7	6 2.5	3 1.3
IV	1004.2	14.6	- 3.2	2.3	0.2	- 1.3	3.7	- 6.1	9.4	10	-16.2	7	2 1.5	4 1.0	7 2.3	7 3.0	2 3.0	2 2.5	9 2.0	13 3.0	6 1.7	6 2.5	15 2.2	3 1.7
V	11.2	21.4	5.9	9.8	8.8	7.3	11.5	2.3	20.8	25	- 3.0	5	2 2.0	10 1.9	11 1.6	9 3.2	9 2.5	2 2.0	5 1.8	4 2.5	6 1.7	10 2.2	12 1.8	2 2.0
VI	997.9	07.9	8.4	11.1	10.4	9.3	13.0	6.0	21.6	19	- 0.6	5	2 1.0	11 1.6	5 2.0	8 2.8	9 -	1 1.0	4 1.5	6 2.8	7 2.1	19 2.3	18 2.2	4 3.0
VII	97.1	06.8	14.9	19.0	17.9	16.4	21.1	11.6	30.7	14	6.8	3	0 -	8 1.1	2 2.5	25 2.2	5 3.0	4 2.2	2 1.5	5 1.4	3 1.7	17 2.2	3 2.0	1 2.0
VIII	97.6	07.4	10.8	14.2	13.3	12.3	15.6	8.9	22.6	2	2.2	25	4 1.5	11 1.2	5 1.6	18 2.7	3 2.0	3 1.0	0 -	10 2.2	2 1.5	8 1.5	16 2.1	2 1.5
IX	90.6	00.6	5.7	9.9	7.6	7.3	11.1	3.7	15.5	10	- 2.7	28	1 1.0	2 1.5	6 1.3	14 2.4	8 1.9	2 2.5	8 1.9	10 1.6	6 2.0	8 2.8	4 2.0	0 -
X	91.4	01.7	- 1.6	1.5	- 0.5	- 0.4	2.6	- 3.7	9.8	5	-13.5	20	1 1.0	4 1.2	9 1.4	3 2.7	3 1.7	3 2.7	7 1.7	10 1.4	6 2.2	11 1.7	4 1.8	0 -
XI	1001.7	12.2	- 7.3	- 6.8	- 7.8	- 7.3	- 3.8	-12.0	5.5	30	-19.6	18	3 1.0	1 1.0	4 1.5	7 1.9	7 2.7	3 1.3	9 1.2	17 1.2	3 1.0	2 2.0	6 1.7	2 1.0
XII	986.2	996.5	- 5.7	- 4.7	- 5.0	- 5.1	- 1.4	- 9.6	6.3	4	-21.1	25	5 1.0	4 1.8	2 1.0	9 2.0	6 2.5	4 2.2	7 1.7	15 1.4	7 2.7	2 1.0	5 1.2	3 1.0
1954	998.3	1008.5	0.2	3.3	1.8	1.3	5.3	- 3.1	30.7		-26.5		24 1.2	65 1.4	65 1.6	116 2.5	48 2.3	29 1.8	84 1.8	131 1.9	68 2.1	107 2.2	100 2.0	29 1.6

Tromsø

φ = 69° 39'N λ = 18° 57'E g = 9.826 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I	994.1	1008.6	- 2.4	- 2.5	- 2.8	- 2.6	- 0.8	- 4.5	4.6	5	- 8.4	20	5 2.2	8 1.4	7 2.3	0 -	0 -	1 3.0	4 3.5	25 3.2	22 2.3	7 2.9	4 1.8	2 1.0
II	1001.1	15.7	- 4.1	- 3.4	- 4.0	- 3.9	- 1.9	- 6.0	2.4	5	-11.7	27	0 -	0 -	2 2.0	0 -	1 2.0	0 -	25 3.2	34 3.1	17 3.1	0 -	0 -	0 -
III	992.9	07.3	- 3.1	- 1.5	- 2.8	- 2.2	- 0.1	- 5.3	5.0	9	-10.6	2	3 1.7	7 1.9	1 1.0	1 1.0	2 2.0	0 -	40 2.6	22 2.9	3 2.3	6 2.0	4 3.0	1 2.0
IV	1000.0	14.3	0.1	1.8	0.4	0.3	2.8	- 2.6	7.4	11	- 7.6	22	4 1.5	5 1.6	0 -	3 2.3	0 -	2 1.5	26 3.7	20 2.3	3 1.7	9 2.0	5 2.4	3 2.0
V	08.0	22.1	6.3	7.8	6.9	6.4	9.3	3.6	18.2	22	- 0.4	1	5 2.4	25 2.0	3 2.3	3 2.7	0 -	3 2.0	16 2.6	13 2.4	4 2.0	7 1.9	6 2.2	4 1.2
VI	994.2	08.1	7.6	9.5	8.5	7.9	11.1	5.4	19.6	25	- 0.8	5	7 2.3	21 2.4	3 2.0	2 2.0	1 2.0	0 -	9 3.7	12 2.4	11 2.1	8 2.2	7 2.1	8 2.1
VII	94.0	07.6	14.4	17.0	16.5	15.6	19.2	11.2	27.9	15	5.5	3	9 1.8	31 1.6	3 1.3	0 -	1 1.0	4 1.2	9 2.4	11 2.0	6 1.8	9 1.9	6 1.5	1 1.0
VIII	94.0	07.8	10.8	12.6	11.5	11.0	14.1	8.5	22.0	1	4.8	24	13 1.8	21 1.9	13 1.8	1 2.0	0 -	0 -	7 2.9	10 2.4	5 2.6	5 1.4	8 1.9	7 1.4
IX	87.1	00.9	7.0	9.2	7.4	7.6	10.2	5.4	13.3	2	1.6	27	5 1.6	11 1.9	11 1.5	2 2.0	3 1.7	6 1.3	0 -	11 2.3	17 2.4	11 1.7	1 2.0	2 1.0
X	87.3	01.4	1.7	3.1	2.1	2.2	4.0	0.4	11.3	6	- 4.7	20	0 -	8 2.0	2 1.5	0 -	1 2.0	2 1.5	3 2.0	18 2.4	37 2.5	10 2.2	6 1.8	0 -
XI	97.2	11.6	- 1.0	- 0.8	- 1.1	- 1.0	0.5	- 2.7	6.0	30	- 5.4	12	1 1.0	1 2.0	2 1.5	0 -	1 1.0	2 1.5	2 2.5	35 3.0	32 3.2	1 1.0	6 2.0	2 2.5
XII	82.1	996.3	- 0.7	- 0.6	- 0.5	- 0.6	1.3	- 2.6	6.5	31	- 8.9	25	0 -	5 1.4	2 1.0	2 2.0	0 -	1 2.0	3 3.3	45 2.9	22 2.6	4 1.8	2 2.5	1 2.0
1954	994.3	1008.5	3.0	4.4	3.5	3.4	5.8	0.9	27.9		-11.7		52 1.9	143 1.9	49 1.8	14 2.1	10 1.7	21 1.6	144 3.0	256 2.8	179 2.6	77 2.0	55 2.1	31 1.7

Skattøra

φ = 69° 42'N λ = 19° 1'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 1.6	- 1.6	- 1.9	- 1.7	0.1	- 3.8	5.2	4	- 7.2	20	0 -	4 3.0	10 3.7	2 3.0	1 2.0	0 -	0 -	4 3.2	51 3.0	9 1.7	2 1.5	5 2.2
II			- 3.6	- 2.6	- 3.5	- 3.3	- 1.1	- 5.6	3.4	24	-10.8	27	1 2.0	1 2.0	1 4.0	0 -	0 -	1 1.0	1 1.0	2 3.0	66 3.4	0 -	0 -	1 1.0
III			- 3.0	- 0.7	- 2.3	- 2.2	0.4	- 4.9	5.5	31	-11.8	18	7 2.4	2 3.5	1 2.0	1 1.0	0 -	1 1.0	0 -	4 3.2	55 3.1	1 2.0	2 4.0	4 2.5
IV			0.1	2.8	0.9	1.0	3.6	- 2.0	8.1	11	- 7.1	22	5 2.6	1 4.0	3 3.3	5 2.6	2 3.5	4 2.5	0 -	8 4.0	41 3.3	1 1.0	2 1.0	1 3.0
V			6.1	8.1	7.0	6.6	9.3	3.5	18.9	22	0.2	5	16 1.9	10 2.3	14 2.4	2 3.5	4 3.8	1 3.0	1 4.0	5 3.4	13 2.7	2 1.5	1 1.0	2 2.5
VI			7.5	9.5	8.7	8.2	10.7	5.8	19.8	25	0.5	5	12 2.8	15 2.7	13 3.2	1 3.0	2 2.0	1 1.0	1 1.0	11 2.4	17 2.4	5 2.2	2 1.5	2 2.5
VII			13.6	16.5	15.9	14.7	18.6	10.9	27.2	15	6.5	3	24 2.5	16 2.2	9 2.3	1 3.0	0 -	0 -	1 1.0	6 3.0	5 3.2	0 -	0 -	1 2.0
VIII			10.4	12.6	11.7	11.3	13.9	8.8	23.2	1	5.4	24	18 2.8	20 2.5	12 2.8	0 -	1 4.0	0 -	1 2.0	6 3.0	14 3.4	1 2.0	1 3.0	3 2.3
IX			7.0	9.8	7.8	8.0	10.8	5.6	13.9	3	1.3	27	7 1.7	5 1.4	9 2.4	2 2.5	1 2.0	0 -	1 1.0	6 2.5	26 2.8	2 2.5	0 -	4 1.5
X			2.2	4.0	2.6	2.9	4.7	0.6	12.7	5	- 5.3	20	5 2.4	0 -	1 1.0	1 1.0	0 -	4 1.8	1 2.0	5 3.8	47 2.4	5 1.4	2 2.5	3 1.3
XI			- 0.8	- 0.5	- 0.9	- 0.7	1.1	- 2.7	8.8	30	- 5.9	25	5 1.4	1 3.0	0 -	0 -	0 -	0 -	1 3.0	4 2.0	58 2.7	4 1.0	2 1.0	1 1.0
XII			- 0.4	- 0.2	- 0.1	- 0.2	1.8	- 2.5	7.2	3	- 8.9	25	3 1.3	0 -	2 3.0	0 -	0 -	0 -	3 4.0	3 4.7	52 3.0	3 1.7	1 1.0	2 1.0
1954			3.1	4.8	3.8	3.7	6.2	1.1	27.2		-11.8		103 2.3	75 2.5	75 2.8	15 2.6	11 3.1	12 1.9	11 2.5	64 3.1	445 2.9	33 1.7	15 1.9	29 2.0

Dividalen

φ = 68° 47'N λ = 19° 44'E g = ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 7.0	- 6.1	- 7.7	- 6.9	- 3.4	-12.1	7.0	5	-24.9	20	0 -	2 3.0	0 -	0 -	0 -	3 3.0	7 2.0	0 -	11 2.7	16 3.4	0 -	5 2.8
II			-10.2	- 9.0	-10.3	- 9.9	- 6.5	-13.5	2.5	5	-23.5	20	0 -	0 -	0 -	0 -	0 -	30 4.2	14 5.6	6 5.7	0 -	5 2.6	0 -	3 2.3
III			- 5.1	- 2.2	- 4.8	- 4.5	- 1.2	- 8.6	7.3	21	-22.8	18	0 -	0 -	0 -	0 -	0 -	8 4.6	26 4.8	0 -	17 4.1	7 4.3	0 -	13 5.1
IV			- 1.3	2.1	- 1.4	- 1.3	2.5	- 6.2	8.9	18	-16.4	7	0 -	0 -	0 -	10 2.5	3 4.0	4 4.8	13 1.9	0 -	19 3.4	2 2.5	0 -	24 3.4
V			8.0	10.2	7.5	7.3	11.4	2.3	25.0	25	- 6.5	15	3 6.7	0 -	6 4.0	0 -	0 -	35 3.4	24 3.4	0 -	0 -	13 3.1	0 -	3 3.3
VI			9.8	12.0	9.5	9.3	9.5	5.0	24.0	19	- 0.6	5	9 4.3	0 -	5 1.8	1 4.0	0 -	22 2.6	0 -	0 -	10 3.1	13 3.0	0 -	20 3.8
VII			16.3	18.9	16.7	16.0	20.3	11.0	29.5	14	5.6	21	0 -	0 -	14 2.1	0 -	0 -	60 3.1	3 3.3	0 -	0 -	13 2.6	0 -	3 3.0
VIII			12.1	13.6	11.4	11.6	14.7	8.6	22.8	1	2.4	27	11 2.8	0 -	11 2.5	2 1.0	3 4.0	25 3.0	1 2.0	0 -	11 2.2	21 2.6	0 -	3 4.0
IX			6.9	9.2	6.9	7.0	10.3	2.8	14.5	4	- 3.2	23	0 -	0 -	9 3.0	0 -	0 -	41 2.5	5 1.6	0 -	2 2.5	4 1.8	0 -	10 3.0
X			- 0.9	1.4	- 0.6	- 0.4	2.4	- 4.4	7.4	5	-11.8	27	0 -	0 -	12 2.2	0 -	0 -	31 2.5	8 4.9	0 -	0 -	5 3.6	0 -	10 2.0
XI			- 5.1	- 4.8	- 5.6	- 5.2	- 3.4	- 7.9	1.6	30	-16.8	13	1 3.0	0 -	3 2.0	0 -	0 -	42 4.3	9 5.0	1 4.0	8 5.6	0 -	0 -	5 3.6
XII			- 4.5	- 3.6	- 4.2	- 4.1	- 1.8	- 7.9	5.5	5	-21.3	25	0 -	0 -	0 -	0 -	0 -	39 3.9	15 4.1	0 -	5 3.8	0 -	0 -	0 -
1954			1.6	3.5	1.4	1.6	4.6	- 3.4	29.5		-24.9		24 3.9	2 3.0	60 2.4	13 2.4	6 4.0	340 3.4	125 3.9	7 5.4	83 3.5	99 3.0	0 -	99 3.5

Torsvåg

φ = 70° 15'N λ = 19° 30'E g = ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			0.1	0.3	0.2	0.2		- 1.4	6.0	5	- 5.8	7	3 6.0	18 4.4	2 4.0	4 2.8	2 1.5	6 3.0	13 3.8	3 5.7	1 7.0	7 6.0	17 5.2	8 5.6
II			- 0.7	- 0.4	- 0.4	- 0.5		- 1.7	3.8	24	- 6.1	27	1 1.0	1 2.0	0 -	2 5.0	2 2.5	41 4.0	17 3.7	6 2.3	4 4.8	6 6.5	1 6.0	2 6.0
III			- 0.8	0.0	- 0.4	- 0.5		- 2.4	5.0	9	- 5.8	2	3 5.0	4 4.5	0 -	4 2.8	0 -	29 3.7	15 3.3	6 4.5	7 5.0	7 5.1	9 5.8	3 7.7
IV			1.1	2.0	1.5	1.4		- 0.2	7.8	11	- 4.7	21	3 3.7	6 3.5	3 4.0	6 3.2	6 4.3	7 3.3	12 3.0	12 5.2	10 4.3	3 4.0	10 3.9	7 4.1
V			6.1	7.0	6.6	6.3		4.1	15.0	22	0.1	4	6 2.3	13 3.2	4 2.5	7 4.0	5 4.4	2 4.0	12 2.7	7 3.4	3 3.3	4 3.2	3 3.7	4 4.8
VI			6.8	8.0	7.5	7.1		5.0	18.0	25	- 0.7	5	9 2.0	13 3.5	3 4.0	4 3.0	0 -	1 4.0	8 2.0	6 3.2	9 4.3	11 3.7	6 2.8	5 4.0
VII			13.5*	16.0*	15.5*	14.5*		10.5*	24.0*	15*	5.5*	3*	5* 1.8*	30* 1.6*	2* 1.5*	1* 2.0*	3* 1.3*	5* 2.2*	3* 3.0*	2* 2.0*	3* 3.3*	4* 3.5*	5* 2.4*	2* 1.5*
VIII			10.4	11.8	11.1	10.9		8.7	19.4	3	4.0	25	4 2.5	18 3.4	2 4.0	2 5.5	3 4.3	2 2.0	4 1.8	4 3.2	8 4.0	7 3.7	4 2.2	2 3.0
IX			8.0	9.3	8.5	8.5		6.8	13.0	2	4.0	24	3 1.7	9 2.7	3 4.0	8 3.9	3 5.0	17 3.1	14 3.6	6 2.8	0 -	4 5.0	8 4.9	2 3.0
X			4.0	4.6	4.1	4.2		2.7	13.5	5	- 1.4	18	1 4.0	6 4.7	1 4.0	7 2.6	13 3.2	14 3.0	20 3.7	6 3.2	5 4.0	9 3.8	2 5.0	6 4.3
XI			2.0	2.2	1.9	2.0		0.7	8.2	30	- 1.8	26	3 5.7	3 6.0	2 1.0	2 4.0	11 3.5	31 3.8	19 3.8	4 4.0	4 3.5	3 4.3	2 5.0	2 5.0
XII			2.4	2.2	2.2	2.3		0.7	8.0	3	- 2.8	30	1 3.0	2 3.0	0 -	6 3.3	7 4.1	33 4.1	21 3.4	6 4.8	1 6.0	4 4.0	3 3.3	2 1.5
1954			4.4	5.2	4.9	4.7		2.8	24.0*		- 6.1		42 3.0	123 3.2	22 3.2	53 3.4	55 3.6	188 3.7	158 3.4	68 3.9	55 4.3	69 4.4	70 4.3	45 4.5

Årsoversikter

Annual Summaries)

1954

Bardufoss

H_s = 76 H_b = 82.6 h_t = 2.0 h_a = 10.7 h_d = 10.3 h_r = 2.3

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis =	Tåke ≡	Solskinn	Klarvær	Overskyet	Snødekke
I	88	90	99	89	5.9	6.1	5.4	88	9	5	30	22	18	0	25	20	0	5	0	0	4	24	3	0	0	0	0	0	12	0	2	1	14	31
II	85	82	80	82	3.9	3.8	3.4	45	14	6	28	23	21	0	13	8	2	1	0	0	1	11	1	0	0	0	0	0	1	0	17	8	7	28
III	86	66	74	74	4.4	4.6	4.6	75	25	14	27	16	17	0	15	10	2	0	0	0	6	14	3	0	0	0	0	0	6	0	21	6	10	31
IV	83	61	68	73	4.5	4.7	5.4	29	9	21	25	1	7	0	13	7	0	4	0	0	4	12	3	0	0	2	0	0	5	0	21	2	7	30
V	77	61	63	70	5.3	5.0	4.4	27	8	29	5	0	0	0	15	5	0	2	0	0	15	2	1	0	0	0	0	0	0	0	24	3	11	11
VI	79	67	69	74	6.4	6.9	6.2	51	11	6	1	0	0	0	19	10	1	0	0	0	18	7	7	1	0	0	0	0	2	0	18	0	20	0
VII	78	58	63	71	5.4	5.4	5.6	24	7	8	0	0	0	5	13	7	0	4	0	0	13	0	0	3	0	0	0	0	0	1	20	2	14	0
VIII	85	70	73	78	6.7	6.6	6.0	58	15	28	0	0	0	0	17	10	3	1	0	0	17	0	0	6	0	0	0	0	5	0	16	1	20	0
IX	90	74	82	84	6.4	5.9	5.4	74	13	19	5	0	0	0	22	13	1	0	0	0	22	0	0	2	0	0	0	0	1	6	19	1	12	0
X	87*	75*	84*	84*	6.3	6.0	5.1	42	13	1	23	8	5	0	19	13	1	0	0	0	12	8	1	1	0	0	0	0	0	1	12	2	15	14
XI	87	85	87	86	4.0	4.4	4.1	22	7	17	30	23	20	0	7	5	0	0	0	0	0	7	0	0	0	1	0	0	3	1	7	7	7	30
XII	86	84	88	85	3.9	5.5	4.2	30	19	20	29	11	14	0	14	4	1	3	0	0	8	10	2	0	0	1	0	0	5	0	0	5	10	31
1954	84	73	77	79	5.3	5.4	5.0	565	25		203	104	102	5	192	112	11	20	0	0	120	95	21	13	0	4	0	0	40	9	177	38	147	206

Tromsø

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis =	Tåke ≡	Solskinn	Klarvær	Overskyet	Snødekke
I	90	92	87	89	6.4	6.3	5.9	150	20	2	29	19	0	0	26	20	7	5	0	0	4	26	3	1	0	3	0	0	0	0	2	0	17	31
II	78	76	76	77	4.5	3.9	4.0	45	16	6	28	21	3	0	10	6	1	1	0	0	0	10	0	0	0	2	0	0	1	0	17	6	6	28
III	80	76	77	79	5.4	5.1	5.2	118	31	14	26	15	3	0	16	13	3	0	0	0	6	13	2	0	0	1	0	0	2	0	21	6	12	31
IV	79	68	73	76	5.5	5.1	5.4	47	18	21	25	2	0	0	12	9	1	0	0	0	2	11	0	0	0	2	0	0	3	0	25	2	10	30
V	77	70	72	74	5.4	5.6	4.7	26	5	31	2	0	0	0	14	9	0	0	0	0	14	2	2	3	0	1	0	0	5	2	25	4	11	16
VI	83	75	79	83	6.5	6.5	6.7	69	16	5	1	0	0	0	24	11	1	0	0	0	22	7	2	1	0	1	0	0	3	2	20	0	17	0
VII	79	69	70	76	5.4	4.9	5.1	29	11	8	0	0	0	0	11	7	1	0	0	0	11	0	0	5	0	0	0	0	0	4	24	2	10	0
VIII	85	78	91	83	6.5	6.5	6.4	54	19	29	0	0	0	0	17	9	2	0	0	0	17	0	0	4	0	0	0	0	5	1	19	0	17	0
IX	89	77	82	84	6.1	5.4	5.5	84	13	7	0	0	0	0	19	12	3	0	0	0	19	0	0	3	0	0	0	0	1	3	21	1	11	0
X	86	80	81	83	6.2	5.8	5.2	106	28	1	16	1	0	0	23	14	4	0	0	0	12	11	4	0	0	0	0	0	6	0	18	2	13	17
XI	74	75	77	76	4.7	5.1	4.1	32	11	15	25	14	0	0	7	6	1	1	0	0	0	7	0	0	0	0	0	0	2	0	11	6	9	30
XII	81	83	83	83	4.9	5.9	4.6	77	32	20	24	8	0	0	17	8	3	0	0	0	9	10	3	0	0	2	0	0	2	0	0	4	10	31
1954	82	77	78	80	5.6	5.5	5.2	837	32		176	81	6	0	196	124	27	7	0	0	116	97	16	17	0	12	0	0	30	12	203	33	143	214

Skattøra

H_s = 14 H_b = h_t = 2.0 h_a = 10.8 h_d = 10.5 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis =	Tåke ≡	Solskinn	Klarvær	Overskyet	Snødekke
I	85	87	81	84	6.1	6.1	5.5	178	24	2	29	17	0	0	28	22	8	12	4	1	7	26	5	0	0	7	0	0	0	0	0	0	13	31
II	76	73	74	75	3.7	4.0	4.0	57	21	6	28	18	3	0	11	7	1	7	1	0	3	11	3	0	0	3	0	1	1	1	18	7	5	28
III	78	72	73	74	4.7	4.8	5.1	122	26	14	26	13	2	0	16	13	4	8	0	0	9	13	6	0	0	4	0	0	0	0	24	7	12	31
IV	78	64	70	73	4.9	4.7	5.2	51	18	21	24	2	0	0	13	10	1	6	2	1	7	12	5	0	0	7	0	0	0	0	27	3	8	30
V	79	70	72	75	4.8	5.4	4.5	24	5	10	0	0	0	0	15	8	0	2	0	0	15	2	2	3	0	0	0	0	1	0	26	5	12	10
VI	65	76	78	81	6.4	6.2	6.5	65	12	5	0	0	0	0	25	16	1	4	0	0	25	7	6	3	0	3	0	0	2	1	26	0	15	0
VII	81	69	70	76	5.0	4.7	4.7	23	10	8	0	0	0	1	12	6	1	1	0	0	12	0	0	4	0	0	0	0	2	2	25	4	10	0
VIII	88	78	80	83	6.3	6.2	6.2	55	14	29	0	0	0	0	21	11	1	4	0	0	21	0	0	7	0	0	0	0	3	0	21	0	19	0
IX	89	76	83	84	6.1	5.4	5.4	73	12	14	0	0	0	0	19	10	4	2	0	0	19	0	0	3	0	0	0	0	0	2	20	0	12	0
X	85	76	79	81	5.9	5.5	5.5	116	32	1	14	1	0	0	23	16	4	2	0	0	17	11	5	3	0	1	0	0	0	0	17	2	14	14
XI	73	74	76	74	4.0	4.6	4.0	38	13	16	24	11	0	0	8	6	1	4	0	0	2	7	1	0	1	2	0	0	0	0	5	6	7	30
XII	82	81	81	81	4.1	5.3	4.6	111	44	20	23	7	0	0	16	8	2	6	1	0	9	10	3	1	0	2	0	0	0	0	0	6	11	31
1954	82	75	76	78	5.2	5.2	5.1	913	44		168	69	5	1	207	133	28	58	8	2	146	99	36	24	1	29	0	1	9	6	209	40	138	205

Dividalen

H_s = 202 H_b = h_t = 2.0 h_a = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis =	Tåke ≡	Solskinn	Klarvær	Overskyet	Snødekke
I	84	82	85	84	4.8	4.8	4.1	18	4	17	30	23	17	0	20	7	0	8	1	1	2	20	1	0	0	0	0	0	0	0	0	6	9	31
II	78	74	76	76	4.1	3.9	3.7	10	5	6	28	25	20	0	10	4	0	9	1	0	0	10	0	0	0	0	0	0	0	0	0	8	7	28
III	75	68	70	72	5.2	4.4	4.7	34	14	14	27	16	11	0	14	9	1	14	0	0	3	13	2	0	0	0	0	0	0	0	9	8	16	31
IV	69	63	69	70	4.9	5.9	5.5	10	2	22	27	5	7	0	14	4	0	7	1	0	3	14	3	0	0	0	0	0	0	0	9	1	12	30
V	65	57	67	68	5.6	5.4	5.7	10	4	26	4	0	0	0	9	3	0	6	0	0	8	5	4	1	0	0	0	0	0	3	11	4	18	3
VI	64	67	68	65	7.1	7.3	7.0	28	5	14	3	0	0	0	20	7	0	6	0	0	19	4	2	8	0	0	0	0	0	10	3	0	25	0
VII	71	66	74	76	6.1	5.9	6.2	63	10	8	0	0	0	3	19	16	1	6	0	0	19	0	0	2	0	0	0	0	0	6	9	4	19	0
VIII	82	79	82	82	7.3	7.2	7.2	63	8	10	0	0	0	0	20	15	0	2	0	0	20	0	0	9	0	0	0	0	0	2	5	1	27	0
IX	82	74	81	81	6.4	6.8	6.2	68	11	30	10	0	0	0	25	14	2	2	0	0	25	0	1	6	0	0	0	0	0	6	3	2	21	1
X	85	82	85	85	6.0	6.4	5.3	10	6	1	26	10	3	0	17	2	0	3	0	0	6	13	1	3	0	0	0	0	0	0	0	4	18	5
XI	80	80	81	80	5.3	4.6	4.0	6	4	17	30	24	10	0	12	1	0	11	0	0	0	12	0	0	0	0	0	0	0	0	0	7	12	30
XII	82	83	81	82	6.1	6.2	5.5	9	3	18	30	17	9	0	13	3	0	8	0	0	2	12	0	0	0	0	0	0	0	0	0	4	19	31
1954	76	73	77	77	5.7	5.7	5.4	328	14		215	120	77	3	193	85	4	82	3	1	107	103	14	29	0	0	0	0	0	27	49	49	203	190

Torsvåg

H_s = 22 H_b = h_t = 1.9 h_a = 4.4 h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis =	Tåke ≡	Solskinn	Klarvær	Overskyet	Snødekke
I	92	89	90	91	6.7	6.9	6.5	80	10	10	19		0		25	19	1	23	10	3	10	24	9	0	3	1	0	0	0	0	0	0	20	
II	87	87	88	88	3.7	4.5	4.6	40	12	14	26		0		11	8	2	13	6	1	5	11	5	0	0	1	0	0	0	0	22	7	9	
III	91	90	91	91	5.4	5.6	5.2	33	6	11	24		0		15	10	0	15	3	1	5	13	2	0	0	3	0	0	0	0	21	5	13	
IV	88	86	86	88	6.0	6.0	6.1	32	9	20	18		0		15	7	0	14	3	1	6	12	3	0	0	1	0	0	0	0	20	1	17	
V	90	89	88	89	6.0	5.6	6.0	16	5	10	0		0		12	5	0	7	0	0	12	2	2	2	0	0	0	0	0	1	24	1	13	
VI	88	86	86	87	7.1	6.7	7.1	50	16	4	1		0		20	11	2	9	0	0	19	6	5	3	0	0	0	0	1	3	19	0	22	
VII	85*	81*	83*	84*	6.0*	5.3*	5.5*	28*	8*	8*	0*		0*		10*	6*	0*	0*	0*	0*	10*	0*	0*	5*	0*	0*	0*	0*	2*	6*	24*	2*	13*	
VIII	84	79	80	82	6.7	6.4	7.1	57	14	29	0		0		17	11	2	9	1	0	17	0	0	9	0	0	0	0	1	2	17	0	21	
IX	81	76	76	78	6.8	6.3	5.7	63	11	4	0		0		15	12	1	9	0	0	15	0	0	4	0	0	0	0	0	0	23	0	16	
X	80	75	76	78	6.2	6.4	5.4	92	18	18	6		0		24	18	2	12	1	0	21	10	6	0	0	0	0	0	0	0	18	2	15	
XI	72	72	73	72	5.3	5.5	4.2	36	15	6	11		0		10	7	1	9	1	0	5	8	3	0	0	0	0	0	0	0	5	4	10	
XII	74	74	77	75	4.8	6.2	5.4	81	23	20	10		0		14	10	3	12	1	0	14	10	10	0	0	0	0	0	0	0	0	3	13	
1954	84	82	83	84	5.9	6.0	5.7	608	23		115		0		188	124	14	132	26	6	139	96	45	23	3	6	0	0	4	12	193	25	182	

1954

Loppa

φ = 70° 20′N λ = 21° 28′E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 0.4	- 0.2	- 0.4	- 0.3		- 2.3	5.5	5	- 5.9	19	2 4.5	11 3.2	3 3.0	6 1.5	0 -	4 2.5	11 2.2	7 2.6	21 3.9	4 4.0	5 4.4	13 3.4
II			- 1.5	- 0.8	- 1.6	- 1.3		- 3.4	3.3	3	- 9.8	27	0 -	0 -	1 3.0	0 -	0 -	28 2.4	15 3.1	23 2.6	13 4.3	0 -	0 -	2 5.5
III			- 1.2	- 0.1	- 1.1	- 0.9		- 3.3	5.2	21	- 7.9	17	8 3.8	2 4.5	2 1.5	1 1.0	3 2.0	10 1.9	27 2.7	10 3.1	17 4.3	3 5.0	2 5.0	4 5.0
IV			1.4	2.6	1.6	1.7		- 0.7	7.2	18	- 4.9	21	3 2.7	2 3.0	2 4.5	10 1.6	0 -	6 1.8	9 4.3	20 2.0	22 3.6	5 2.6	0 -	6 3.5
V			6.5	7.2	6.3	6.4		4.2	16.2	22	0.2	4	6 1.0	12 2.5	14 1.4	12 1.4	5 2.2	6 1.8	2 2.5	6 1.0	9 3.0	8 3.2	1 6.0	1 6.0
VI			7.8	8.8	8.5	8.1		6.0	18.6	25	0.5	5	1 2.0	19 1.9	16 2.6	12 1.8	0 -	0 -	1 3.0	2 2.5	18 2.8	11 2.6	1 1.0	3 2.7
VII			14.1	15.8	15.2	14.7		12.1	25.1	15	5.3	3	1 1.0	20 1.4	24 1.2	4 1.5	3 1.7	11 1.5	4 2.2	0 -	1 3.0	10 2.4	0 -	2 1.0
VIII			10.9	12.2	11.2	11.2		9.3	22.2	1	4.7	25	2 1.0	10 1.9	31 2.3	8 2.1	2 2.0	5 2.8	1 5.0	2 1.0	16 3.1	3 2.7	4 3.5	1 1.0
IX			8.1	9.3	8.0	8.3		6.3	13.9	2	3.7	27	0 -	6 1.2	17 2.4	8 1.8	5 2.6	13 1.5	6 2.8	3 1.0	9 2.8	2 3.0	1 1.0	7 2.1
X			3.6	4.6	3.8	4.0		2.5	11.2	4	- 1.5	21	3 1.0	4 2.8	8 3.8	1 3.0	2 2.5	15 1.5	7 1.7	15 1.9	17 3.1	6 3.2	3 3.0	5 1.6
XI			1.0	1.2	0.9	1.0		- 1.0	7.1	30	- 3.8	25	3 3.3	3 1.0	4 3.8	5 1.4	3 3.7	27 2.6	21 2.8	5 3.6	7 2.3	2 5.0	0 -	3 2.7
XII			2.0	1.7	1.7	1.8		- 0.3	6.8	3	- 5.0	30	0 -	1 2.0	1 4.0	9 1.3	4 1.8	29 2.7	14 2.7	12 2.6	16 3.2	1 5.0	1 4.0	0 -
1954			4.4	5.2	4.5	4.6		2.4	25.1		- 9.8		29 2.4	90 2.1	123 2.2	76 1.6	27 2.3	154 2.2	118 2.8	105 2.3	166 3.4	55 3.1	18 3.7	47 3.1

Alta (Elvebakken)

φ = 69° 58′N λ = 23° 22′E g = 9.826 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I	1007.5	1008.1	- 5.3	- 5.4	- 5.8	- 5.5	- 1.4	-10.8	5.5	5	-19.3	20	3 3.7	0 -	0 -	0 -	12 2.0	17 2.0	28 2.6	2 2.0	0 -	9 3.9	10 4.2	0 -
II	17.6	18.2	- 9.3	- 8.6	- 9.3	- 9.3	- 5.6	-13.0	3.0	6	-20.9	14	0 -	0 -	0 -	0 -	21 3.0	20 3.4	34 2.7	0 -	0 -	6 3.3	1 4.0	0 -
III	06.6	07.3	- 5.1	- 2.2	- 3.8	- 4.0	- 0.5	- 7.6	6.7	21	-17.3	18	2 4.0	0 -	2 3.0	0 -	9 2.7	21 2.8	29 2.7	4 2.0	5 3.8	3 3.0	7 3.9	3 4.0
IV	13.7	14.4	- 0.8	2.3	0.9	0.3	3.2	- 3.6	8.5	10	- 8.5	24	1 2.0	2 2.5	3 2.3	8 1.8	6 2.0	15 2.2	20 2.6	4 3.0	3 2.3	15 2.9	3 3.7	1 4.0
V	21.7	22.3	6.2	8.4	7.5	6.7	9.7	3.2	20.6	22	- 1.4	1	1 2.0	4 2.2	3 3.0	8 2.2	3 3.3	13 2.7	15 2.8	0 -	1 2.0	15 2.3	13 3.0	7 2.6
VI	07.3	07.9	8.9	10.7	10.3	9.4	12.8	6.5	17.7	25	- 0.4	5	9 2.4	5 2.0	6 3.0	6 2.2	2 3.0	4 2.5	3 2.7	5 2.2	1 2.0	17 2.4	20 2.8	8 2.8
VII	07.6	08.2	14.9	17.7	17.3	15.8	20.2	11.9	29.6	14	6.0	3	9 2.7	0 -	2 2.0	3 2.0	3 3.0	26 3.0	13 3.3	1 2.0	10 2.4	13 2.8	6 3.2	0 -
VIII	07.7	08.3	11.0	13.5	11.9	11.7	14.6	9.0	23.0	1	3.1	25	3 2.0	3 4.0	4 3.0	4 2.8	9 2.7	3 2.7	14 2.7	1 1.0	6 2.2	23 2.6	15 3.1	0 -
IX	01.6	02.2	6.4	8.9	7.4	7.3	9.8	4.6	15.6	4	- 0.3	9	1 2.0	1 2.0	2 2.5	3 1.7	15 2.3	29 3.0	16 2.8	1 3.0	1 2.0	4 2.2	8 3.1	4 2.2
X	01.4	02.1	- 0.1	1.6	- 0.1	0.4	2.5	- 2.2	8.6	5	- 9.9	27	0 -	0 -	0 -	2 1.5	7 2.1	32 2.5	19 2.5	3 1.3	0 -	0 -	7 4.4	6 3.3
XI	13.6	14.3	- 3.6	- 2.9	- 3.3	- 3.3	- 1.4	- 6.0	3.7	30	-11.9	17	0 -	0 -	1 3.0	0 -	15 3.3	18 3.1	37 3.4	1 2.0	1 2.0	1 2.0	7 3.6	0 -
XII	998.1	998.7	- 2.5	- 2.4	- 2.8	- 2.6	0.0	- 5.9	5.0	5	-15.3	31	0 -	0 -	0 -	0 -	21 2.5	14 2.9	40 3.0	2 1.5	0 -	1 2.0	1 4.0	0 -
1954	1008.7	1009.3	1.7	3.5	2.5	2.2	5.3	- 1.2	29.6		-20.9		29 2.7	15 2.5	23 2.8	34 2.1	123 2.6	212 2.8	268 2.9	24 2.1	28 2.5	107 2.7	98 3.4	29 2.9

Ingøy Fruholmen

φ = 71° 4′ / 71° 6′N λ = 24° 9′ / 24° 0′E g = 9.827 / 9.827 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I	1004.5	1005.5	- 0.2	- 0.3	- 0.3	- 0.3	1.7	- 2.6	5.4	5	- 8.0	12	9 3.2	13 4.4	4 2.5	1 2.0	3 2.7	0 -	5 3.4	6 3.7	14 4.3	9 5.0	9 4.2	20 4.8
II	14.1	15.1	- 1.4	- 1.2	- 1.7	- 1.4	0.0	- 3.6	2.9	1	- 8.0	28	0 -	0 -	2 5.5	1 5.0	1 5.0	5 5.0	31 3.9	17 3.9	15 4.0	7 5.1	3 5.3	2 3.5
III	03.9	04.9	- 1.8	- 1.2	- 1.4	- 1.6	0.2	- 3.6	5.1	10	- 9.4	2	1 5.0	11 5.5	0 -	4 4.0	1 3.0	10 5.0	16 4.2	12 3.5	17 4.6	11 5.6	3 3.0	7 4.7
IV	12.1	13.1	1.1	2.0	1.1	1.3	2.8	- 0.6	7.2	18	- 3.8	24	5 3.8	5 3.6	0 -	10 4.2	6 3.0	2 2.5	4 3.5	10 3.0	13 3.6	21 4.1	9 4.8	4 3.8
V	21.6	22.6	4.7	5.3	4.9	4.9	6.9	3.1	17.8	22	- 0.5	4	5 3.0	6 3.0	8 3.2	15 3.1	8 3.6	11 3.4	13 3.0	1 3.0	2 3.0	10 3.9	8 4.0	6 3.2
VI	06.8	08.6	6.0	6.8	6.2	6.0	8.2	4.2	14.3	20	- 0.6	5	6 3.7	1 3.0	16 5.1	12 5.2	4 3.8	3 2.3	1 2.0	3 4.0	14 4.6	16 3.7	7 3.4	4 3.5
VII	07.3	09.0	11.6	12.5	11.5	11.9	14.7	9.5	25.5	15	5.9	1	1 3.0	2 3.5	21 4.0	24 4.4	8 4.0	9 4.4	3 4.7	6 3.5	9 4.1	3 4.0	3 5.0	2 4.0
VIII	06.6	08.3	8.9	9.9	9.1	9.1	10.6	7.7	21.0	1	5.4	24	0 -	1 3.0	27 4.9	14 5.2	5 5.0	5 4.6	1 4.0	4 4.2	5 5.2	8 5.6	4 4.5	19 4.3
IX	999.9	01.6	7.1	8.1	7.4	7.4	8.9	6.0	12.2	2	3.7	24	0 -	1 3.0	12 5.5	12 5.2	11 4.1	26 4.2	7 4.0	5 3.2	1 4.0	2 6.5	6 4.7	5 4.4
X	98.5	00.2	3.6	4.1	3.7	3.8	5.2	1.6	12.6	5	- 2.8	20	4 6.0	3 6.0	3 6.3	5 5.0	3 4.3	23 3.6	7 3.6	13 3.5	9 5.3	7 4.7	1 5.0	13 4.9
XI	1009.4	11.3	0.4	0.3	0.5	0.4	2.0	- 1.4	7.0	30	- 3.8	22	0 -	4 5.3	0 -	2 3.0	1 4.0	50 4.3	9 4.6	12 3.7	1 4.0	1 3.0	1 3.0	9 6.2
XII	994.2	995.9	1.4	1.4	1.1	1.3	3.1	- 0.6	7.0	1	- 4.8	30	4 4.7	1 2.0	1 4.0	1 2.0	3 5.0	43 4.3	12 5.7	9 4.4	10 4.9	4 3.8	4 4.8	1 6.0

Helnes Fyr

φ = 71° 4′N λ = 26° 14′E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 1.1	- 1.1	- 0.8	- 1.0	- 1.3	- 3.2	5.0	25	- 9.1	12	6 4.8	1 2.0	3 3.3	2 3.5	0 -	1 2.0	10 2.8	0 -	27 3.1	11 3.5	5 4.6	27 4.8
II			- 3.6	- 3.2	- 3.2	- 3.3	- 1.3	- 5.3	3.0	1	-11.5	27	1 3.0	0 -	3 4.0	1 4.0	0 -	1 4.0	22 3.1	26 4.7	19 3.7	8 2.2	1 1.0	2 4.5
III			- 2.7	- 1.9	- 2.0	- 2.3	0.1	- 4.7	5.5	10	-10.2	2	7 5.1	1 6.0	1 3.0	1 4.0	0 -	10 3.9	21 3.9	7 2.0	16 2.6	9 3.6	6 4.2	14 4.0
IV			0.9	1.7	0.8	1.0	2.7	- 0.9	7.1	18	- 4.4	27	1 3.0	0 -	1 1.0	9 3.8	2 4.5	6 2.3	13 3.1	3 4.0	27 2.9	9 2.6	5 3.8	14 4.4
V			4.3	5.4	5.0	4.7	7.0	2.9	16.5	22	- 1.0	2	4 3.2	1 2.0	5 4.0	15 3.6	3 3.7	12 3.8	15 2.2	0 -	13 2.3	5 3.6	6 3.2	13 3.9
VI			6.0	6.9	6.3	6.1	8.5	4.4	14.5	13	- 0.1	1	5 3.6	0 -	13 3.5	14 2.2	1 2.0	10 2.0	6 1.8	0 -	18 2.9	10 2.6	1 5.0	12 3.8
VII			11.7	12.5	12.2	11.8	14.9	9.6	24.0	17	5.9	3	4 2.8	0 -	5 2.6	13 3.2	5 3.0	18 2.2	21 2.1	0 -	4 1.8	17 2.5	0 -	4 1.9
VIII			8.9	9.5	9.0	8.9	10.8	7.1	19.0	2	4.7	24	2 2.0	1 5.0	14 3.1	14 3.2	2 3.0	10 3.2	7 2.1	0 -	8 2.1	12 3.9	4 5.0	19 3.2
IX			6.6	7.3	6.7	6.8	8.2	5.5	12.0	4	2.8	24	0 -	1 4.0	16 4.1	1 3.0	4 4.2	22 2.8	20 3.0	0 -	11 2.8	8 2.8	1 4.0	6 3.2
X			2.5	3.0	2.7	2.7	4.1	1.0	9.5	5	- 4.3	20	6 4.8	1 4.0	6 4.7	2 2.5	0 -	7 2.9	29 3.2	6 4.2	15 2.8	10 2.0	2 2.5	9 4.0
XI			- 0.9	- 1.1	- 1.0	- 1.0	0.8	- 2.9	4.0	24	- 6.1	19	3 2.3	0 -	2 3.0	2 2.0	0 -	4 3.8	30 3.8	22 4.7	16 2.9	2 2.0	0 -	9 4.4
XII			0.3	0.2	0.0	0.2	1.7	- 1.7	4.5	5	- 5.8	30	0 -	0 -	1 2.0	4 1.5	1 3.0	11 3.7	34 3.3	12 4.6	22 3.2	3 2.7	1 3.0	4 2.8
1954			2.7	3.3	3.0	2.9	4.9	1.0	24.0		-11.5		39 3.9	6 3.8	70 3.6	78 3.1	18 3.5	112 3.0	228 3.1	76 4.4	196 2.9	104 2.9	32 3.9	133 4.0

Kistrand

φ = 70° 27′N λ = 25° 13′E g = ΔG = +

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N
I			- 3.8	- 3.6	- 3.4	- 3.6		- 6.6	4.6	25	-11.7	9	5 2.8	0 -	4 2.2	1 1.0	0 -	0 -	2 3.0	23 2.8	7 3.3	19 2.6	8 2.6	20 2.8
II			- 6.8	- 6.2	- 6.8	- 6.7		- 9.6	- 0.2	21	-15.9	18	0 -	0 -	0 -	1 3.0	2 4.0	0 -	9 5.1	58 3.6	7 4.1	4 2.2	3 3.7	0 -
III			- 4.2	- 2.9	- 3.8	- 3.8		- 6.6	4.2	21	-14.8	2	3 3.7	3 4.3	0 -	0 -	2 3.5	2 2.0	10 3.3	37 3.2	10 3.2	14 2.6	2 2.0	9 2.9
IV			0.1	1.4	0.1	0.2		- 2.5	5.6	18	- 7.7	1	2 2.0	2 3.0	2 3.0	9 3.1	2 3.0	2 2.0	2 3.5	21 2.9	12 2.9	12 2.6	8 2.9	14 3.1
V			4.9	6.8	5.5	5.3		2.5	20.1	22	- 1.7	1	3 2.0	15 2.5	10 2.2	3 3.0	6 2.3	7 2.3	9 3.0	9 3.1	1 2.0	3 2.0	7 1.6	12 3.7
VI			7.7	9.0	7.7	7.6		5.3	14.8	13	0.1	5	0 -	13 2.4	24 3.0	1 1.0	2 3.0	2 1.0	2 2.0	8 1.4	2 1.5	2 2.5	7 2.7	19 2.8
VII			13.4	15.0	13.1	13.2		9.9	22.7	13	4.1	3	1 3.0	13 2.2	26 2.0	8 2.2	7 2.9	0 -	10 1.6	11 1.3	1 3.0	0 -	4 3.0	4 3.5
VIII			9.7	11.3	9.7	9.9	12.3	7.7	18.0	2	3.6	28	1 4.0	8 5.1	26 2.1	7 2.3	6 3.2	1 1.0	7 2.3	8 1.8	4 1.8	4 2.2	6 1.8	11 3.0
IX			6.3	8.0	6.2	6.6	8.8	4.2	12.0	1	0.8	24	3 2.0	8 2.2	11 3.1	3 2.3	4 2.8	7 1.7	19 2.6	6 2.3	1 3.0	2 1.0	6 2.5	9 2.8
X			0.7	1.8	0.7	1.2	2.8	- 1.3	8.0	5	- 7.6	20	3 2.3	1 2.0	3 3.0	3 2.7	0 -	3 2.0	8 2.9	36 2.9	5 2.0	6 2.3	7 2.4	12 3.4
XI			- 3.3	- 2.7	- 3.0	- 3.0	- 0.9	- 5.3	3.0	30	-11.2	18	0 -	2 3.5	0 -	1 2.0	0 -	0 -	21 3.6	47 3.6	0 -	5 1.0	9 2.0	4 3.0
XII			- 2.0	- 2.0	- 1.9	- 2.0	0.4	- 4.8	4.3	5	-11.6	31	1 1.0	0 -	1 1.0	1 3.0	0 -	1 2.0	17 4.3	47 2.9	11 1.9	6 2.0	3 2.3	2 1.5
1954			1.9	3.0	2.0	2.1		- 0.6	22.7		-15.9		22 2.5	65 2.8	107 2.4	38 2.5	31 2.9	25 1.9	116 3.2	311 3.0	61 2.8	77 2.3	70 2.4	116 3.0

1954

Loppa

H_s = 8 H_b = h_t = 1.9 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Snø *	Sludd	Yr 9	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke
I					6.8	7.0	6.5	109	13	13	22		0		28	24	2	10	3	0	12	26	7	0	0	7	0	0	17	0	1	0	21	31
II					4.7	4.5	3.6	32	14	6	28		0		8	5	1	3	0	0	3	7	2	0	0	1	0	0	2	0	21	7	8	28
III					5.8	6.1	5.3	78	16	19	26		0		14	13	2	7	0	0	5	13	3	0	0	3	0	0	12	0	14	4	17	31
IV					5.6	6.3	6.1	42	12	21	21		0		17	10	1	3	0	0	8	13	4	0	0	1	0	0	11	0	17	0	15	23
V					5.2	5.7	5.7	19	5	11	0		0		6	5	0	3	1	0	6	2	2	0	0	2	0	0	4	0	20	4	14	5
VI					6.9	6.1	6.9	74	13	4	0		0		18	15	3	0	0	0	18	4	2	1	0	2	0	0	5	3	16	0	19	0
VII					5.0	4.9	5.3	49	26	8	0		0		8	6	2	0	0	0	8	0	0	3	0	0	0	0	4	1	23	4	11	0
VIII					6.0	6.5	7.0	47	15	21	0		0		15	8	1	5	1	1	15	0	0	2	0	0	0	0	7	0	19	0	21	0
IX					6.9	6.4	6.5	47	10	7	0		0		16	12	2	0	0	0	16	0	0	0	0	2	0	0	6	0	20	0	18	0
X					6.5	6.9	6.3	118	22	14	5		0		17	13	5	2	0	0	14	5	2	1	0	1	0	0	10	0	11	0	17	10
XI					4.5	4.0	3.7	50	25	7	21		0		10	7	1	5	0	0	4	10	4	0	0	1	0	0	6	0	6	9	6	25
XII					5.4	6.5	5.8	99	25	22	13		0		14	9	3	5	0	0	9	9	3	0	0	2	0	0	5	0	0	6	17	22
1954					5.8	5.9	5.7	764	26		136		0		171	127	23	43	5	1	118	89	29	7	0	22	0	0	89	4	168	34	184	175

Alta (Elvebakken)

H_s = 4 H_b = 4.7 h_t = 2.0 h_a = h_d = 10.0 h_r = 1.6

I	81	81	81	81	5.3	5.6	5.3	41	5	22	30	20	18	0	22	13	0	0	0	0	1	21	0	0	0	1	0	0	0	0	0	0	11	31
II	76	76	76	76	3.4	3.2	4.0	3	1	4	28	23	20	0	4	1	0	2	0	0	0	4	0	0	0	0	0	0	0	17	8	2	28
III	76	72	74	74	5.1	4.7	5.1	24	4	16	26	15	11	0	12	9	0	1	0	0	0	12	0	0	0	0	0	0	1	0	26	2	7	31
IV	78	67	72	74	5.7	4.4	5.1	13	3	26	24	1	0	0	13	5	0	1	0	0	3	12	0	0	0	0	0	0	0	0	27	2	10	25
V	81	72	75	78	5.9	5.3	4.9	11	2	16	3	0	0	0	14	5	0	0	0	0	13	3	1	1	0	0	0	0	0	0	24	3	13	0
VI	30	75	76	78	6.3	6.6	6.0	35	6	21	1	0	0	0	15	10	0	0	0	0	15	3	3	0	0	0	0	2	0	0	23	0	14	0
VII	82	72	71	78	5.5	4.7	4.2	71	33	8	0	0	0	7	12	8	2	0	0	0	12	0	0	2	0	0	0	2	0	0	25	4	8	0
VIII	86	78	82	84	6.2	5.8	6.2	35	8	30	0	0	0	0	16	9	0	0	0	0	16	0	0	3	0	0	0	0	0	0	22	0	18	0
IX	89	80	83	84	6.0	5.9	6.2	68	12	6	1	0	0	0	21	11	1	0	0	0	21	0	0	3	0	0	0	0	0	0	17	0	13	0
X	85	83	87	86	5.3	5.4	4.8	26	9	14	19	9	0	0	14	9	0	0	0	0	11	4	0	1	0	0	0	0	0	0	19	1	12	15
XI	84	85	85	85	4.0	5.4	4.2	22	4	7	28	18	4	0	9	8	0	1	0	0	0	9	0	0	0	1	0	0	0	0	4	4	6	30
XII	85	86	85	86	4.8	5.5	5.5	20	7	20	29	12	7	0	10	4	0	1	0	0	1	10	0	0	0	0	0	0	0	0	0	2	11	31
1954	82	77	79	80	5.3	5.2	5.1	369	33		189	98	60	7	162	92	3	6	0	0	93	78	4	10	0	2	0	4	1	0	204	26	125	191

Ingøy Fruholmen

4 7.8 1.9 6.7 8.1 1.6

H_s = 13 H_b = 14.2 h_t = 2.0 h_a = 9.2 h_d = 7.1 h_r = 1.4

I	70	71	72	71	6.5	6.5	6.3	103	20	6	24	9	0	0	25	22	1	21	7	3	7	21	2	0	0	9	1	1	0	0	0	0	18	
II	76	74	75	75	5.3	5.4	3.5	45	11	6	27	12	0	0	11	9	1	12	5	1	4	11	4	0	0	6	0	0	0	0	9	2	6	
III	74	71	74	74	5.8	5.8	5.9	88	13	20	26	16	0	0	21	18	2	17	8	1	7	17	3	0	0	0	0	0	0	0	10	2	16	
IV	70	68	76	74	5.9	5.6	5.9	37	4	26	18	0	0	0	22	17	0	9	1	0	9	20	5	0	0	0	0	0	0	0	17	0	13	
V	76	68	72	74	5.5	5.4	5.2	28	9	9	1	0	0	0	9	6	0	3	0	0	9	2	1	2	0	1	0	0	3	0	17	5	15	
VI	82	77	82	83	6.8	6.0	6.5	37	9	4	1	0	0	0	19	10	0	11	2	0	18	6	4	7	0	2	0	0	6	5	19	0	16	
VII	86	84	87	86	5.4	4.6	4.6	43	19	8	0	0	0	1	12	7	1	14	0	0	12	0	0	4	0	0	0	0	8	1	28	4	11	
VIII	91	88	90	90	6.5	6.5	6.4	32	5	21	0	0	0	0	15	11	0	18	4	1	15	0	0	11	0	0	0	0	5	1	20	1	20	
IX	88	85	86	87	6.5	6.6	6.2	33	5	30	0	0	0	0	19	11	0	17	3	0	19	0	0	0	0	0	0	0	1	0	24	0	17	
X	87	85	85	86	6.5	6.2	5.5	76	12	16	7	0	0	0	25	15	2	19	6	2	21	10	6	0	0	0	1	0	2	0	18	1	16	
XI	87	88	86	87	4.1	5.1	4.2	20	8	14	23	5	0	0	11	4	0	14	9	2	6	11	6	0	2	0	0	0	1	0	7	4	6	
XII	88	88	89	88	4.4	5.5	5.2	60	17	27	17	3	0	0	15	12	2	22	5	1	13	13	12	0	0	1	0	0	0	0	0	5	11	

Helnes Fyr

H_s = 33 H_b = h_t = 2.1 h_a = h_d = h_r = 1.8

I	85	85	86	85	5.9	7.1	6.2	134	23	5	26	8	0	0	24	21	4	15	3	1	6	24	6	0	0	1	0	1	1	0	1	0	17	
I	86	85	86	86	4.7	5.1	4.1	78	19	5	28	14	2	0	12	12	3	10	1	0	3	12	3	0	0	1	0	0	3	0	13	1	4	
III	85	84	85	85	6.0	6.0	5.8	50	12	12	28	15	2	0	17	10	1	7	0	0	7	15	1	0	0	0	0	0	0	0	21	1	13	
IV	84	82	86	85	5.7	5.0	6.2	37	7	21	20	2	0	0	19	10	0	4	0	0	11	17	9	0	0	0	0	0	2	0	20	0	12	
V	86	80	83	85	5.9	5.6	4.8	9	2	10	4	0	0	0	13	3	0	3	0	0	13	4	4	0	0	0	0	0	0	2	17	2	14	
VI	86	85	89	88	6.7	6.2	6.6	12	3	14	0	0	0	0	15	5	0	1	0	0	15	5	5	0	0	0	0	1	1	4	20	0	19	
VII	87	84	85	86	5.2	4.9	4.9	20	8	2	0	0	0	0	12	4	0	0	0	0	12	0	0	1	0	0	0	0	1	3	25	4	10	
VIII	90	90	89	89	6.3	6.5	6.4	24	6	15	0	0	0	0	15	5	0	3	0	0	15	0	0	3	0	0	0	0	1	2	13	1	23	
IX	91	87	90	90	6.3	6.8	6.6	50	9	27	0	0	0	0	21	11	0	5	0	0	21	0	0	1	0	0	0	1	1	0	14	0	17	
X	88	86	86	87	5.9	5.5	5.4	58	9	14	11	0	0	0	21	14	0	5	0	0	17	11	7	0	0	0	0	0	0	0	10	1	14	
XI	88	87	87	87	4.7	4.6	3.8	20	5	14	26	11	0	0	10	7	0	12	2	0	1	10	1	0	0	0	0	0	0	0	2	2	3	
XII	89	90	90	89	4.6	5.3	5.0	44	17	27	21	4	0	0	15	7	2	6	0	0	12	11	7	0	0	0	0	0	0	0	0	0	8	
1954	87	85	87	87	5.7	5.7	5.5	536	23		164	54	4	0	194	109	10	71	6	1	133	109	43	5	0	2	0	2	10	11	156	12	154	

Kistrand

H_s = 12 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

I	86	86	87	86	5.5	6.1	5.3	64	6	22	28		4		23	15	0	1	0	0	3	23	3	0	0	1	0	0	3	0	0	0	10	31
II	83	81	83	82	4.0	4.4	3.4	16	6	1	28		13		8	4	0	5	2	1	0	8	0	0	0	0	0	0	0	0	15	4	5	28
III	82	77	80	80	5.5	5.2	4.9	37	8	13	28		4		14	11	0	1	0	0	2	13	1	0	0	0	0	0	4	0	19	1	10	31
IV	80	74	78	79	5.6	5.0	5.8	18	6	21	22		0		13	6	0	0	0	0	3	12	2	0	0	0	0	0	0	0	18	2	10	30
V	83	76	79	81	6.1	5.6	5.4	27	13	9	5		0		10	5	1	0	0	0	9	3	2	3	0	0	0	0	0	0	17	4	15	5
VI	82	76	82	83	6.8	6.5	6.3	40	11	14	0		0		15	9	1	0	0	0	15	4	3	4	0	0	0	1	0	0	20	0	18	0
VII	83	78	81	83	5.2	4.9	4.5	59	17	8	0		0		12	10	1	0	0	0	12	0	0	3	0	0	0	2	0	2	25	5	10	0
VIII	86	82	86	86	6.5	6.8	6.6	46	12	15	0	0	0	0	18	11	1	0	0	0	18	0	0	3	0	0	0	0	1	0	16	1	24	0
IX	89	81	89	88	6.4	6.3	6.6	75	16	27	0	0	0	0	16	12	2	1	0	0	16	0	0	4	0	0	0	0	0	0	13	0	18	0
X	82	80	82	82	5.7	5.5	5.0	36	14	16	16	4	0	0	13	7	1	0	0	0	8	9	4	0	0	0	0	0	1	0	13	1	15	15
XI	83	82	83	82	4.3	5.5	4.2	15	5	17	29	17	2	0	7	4	0	3	0	0	0	7	0	0	0	0	0	0	0	0	4	5	5	30
XII	86	85	8[illegible]	85	4.5	5.7	5.3	14	5	26	30	12	5	0	11	2	0	2	0	0	3	15	2	0	0	0	0	0	1	0	0	3	7	31
1954	84	80	83	83	5.6	5.6	5.3	447	17		186		28		160	96	7	13	2	1	89	94	17	17	0	1	0	3	10	2	160	26	147	201

1954

Gamvik

φ = 71° 4'N λ = 28° 15'E g = 9.827 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1003.5	1004.7	- 2.0	- 2.1	- 2.2	- 2.1		- 4.8	4.4	25	-11.8	20	9 4.6	3 4.3	1 6.0	0 -	0 -	3 4.0	0 -	11 3.3	28 3.5	13 3.6	4 3.5	21 5.0	0
II	15.1	16.3	- 5.2	- 4.4	- 5.0	- 4.9		- 7.4	1.8	1	-14.4	14	2 4.5	1 4.0	1 4.0	1 4.0	0 -	4 4.0	3 4.7	39 4.2	26 3.8	3 3.0	3 3.3	1 5.0	0
III	04.6	05.7	- 3.1	- 2.3	- 2.8	- 2.8		- 5.0	4.6	21	-10.8	2	5 4.4	2 6.0	0 -	2 4.0	1 4.0	12 3.4	8 4.2	26 3.6	17 4.0	6 3.8	5 3.8	9 4.8	0
IV	12.1	13.3	0.3	1.9	0.2	0.6		- 2.1	7.0	19	- 9.6	28	8 3.8	0 -	2 4.0	5 4.8	3 5.0	4 3.5	0 -	20 3.5	28 3.4	11 3.6	3 4.3	6 5.0	0
V	22.2	23.4	4.7	5.9	4.7	4.8		2.2	16.6	22	- 7.0	2	8 3.0	0 -	4 3.0	14 3.3	11 3.6	20 3.4	5 3.0	2 2.5	6 3.2	6 3.3	5 4.2	12 3.7	0
VI	07.6	08.7	6.4	6.9	6.1	6.2		4.4	16.0	13	0.0	1	6 3.3	3 4.0	4 3.5	16 3.3	21 3.6	4 3.5	0 -	2 2.5	10 3.5	10 3.6	8 3.5	6 4.2	0
VII	09.6	10.7	11.6	11.6	11.1	11.1		9.0	23.8	16	5.8	1	3 2.7	2 2.5	3 3.0	15 2.7	27 3.6	20 3.6	2 3.5	3 2.7	2 4.0	8 3.1	5 2.8	3 3.3	0
VIII	08.1	09.2	8.7	9.4	8.5	8.7		7.1	16.0	14	4.4	24	1 2.0	1 2.0	5 3.4	18 3.7	13 4.2	11 3.1	2 4.0	1 3.0	10 3.2	8 4.0	12 4.6	11 3.5	0
IX	02.4	03.6	6.4	7.6	6.6	6.8		4.8	11.0	4	1.6	23	2 4.0	2 3.0	14 3.9	8 3.6	17 3.5	30 3.5	5 4.0	2 3.0	3 3.0	1 3.0	5 4.2	1 4.0	0
X	999.8	01.0	1.2	2.8	1.6	1.9		- 0.7	11.4	5	- 9.6	21	8 4.4	0 -	5 3.6	2 5.0	0 -	11 3.3	8 4.0	16 3.1	20 3.2	8 2.4	8 2.8	7 4.1	0
XI	1010.8	12.0	- 2.8	- 2.3	- 2.2	- 2.4		- 4.6	3.2	30	- 9.2	12	1 5.0	1 5.0	2 3.5	1 4.0	0 -	10 4.2	9 4.3	35 3.9	19 3.4	5 2.8	3 3.7	4 5.2	0
XII	997.5	998.7	- 1.4	- 0.8	- 0.8	- 1.0		- 3.6	3.2	5	-10.6	31	0 -	0 -	0 -	0 -	0 -	14 3.9	7 3.6	52 3.5	14 3.4	4 2.8	1 2.0	1 3.0	0
1954	1007.8	1008.9	2.1	2.8	2.2	2.2		- 0.1	23.8		-14.4		53 3.8	15 3.9	41 3.7	82 3.5	93 3.7	143 3.6	49 4.0	209 3.6	183 3.5	83 3.4	62 3.7	82 4.4	0

Rustefjelbma

φ = 70° 24'N λ = 28° 12'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 7.9	- 7.7	- 9.4	- 8.3		-15.2	4.5	25	-29.5	20	9 3.2	0 -	0 -	0 -	0 -	2 1.0	15 2.5	4 2.5	20 2.4	14 1.4	5 2.2	10 3.0	14
II			-14.0	-11.6	-13.8	-13.3		-19.1	- 2.0	1	-30.7	18	0 -	2 4.5	0 -	0 -	0 -	4 1.8	12 3.1	16 3.8	19 2.8	9 1.3	0 -	2 3.0	20
III			- 6.0	- 2.5	- 5.6	- 4.9		-10.9	5.0	21	-23.9	26	3 3.7	0 -	3 5.3	1 3.0	0 -	4 2.5	14 1.9	9 3.4	18 2.5	10 2.9	4 3.2	5 3.0	22
IV			- 1.1	2.0	- 0.3	0.0		- 5.3	6.3	12	-20.4	1	10 2.1	2 2.0	6 2.0	4 2.2	1 2.0	7 2.3	17 2.4	3 3.3	11 2.8	5 1.8	3 2.7	6 4.5	15
V			4.6	6.7	5.5	5.0		1.4	20.8	23	- 2.5	1	12 2.4	0 -	12 2.0	11 2.4	9 3.2	14 2.6	10 3.1	0 -	1 5.0	3 4.3	2 4.5	7 2.6	12
VI			8.4	10.4	8.9	8.5		4.8	20.6	12	- 0.1	5	12 3.0	7 2.9	10 2.9	7 2.6	3 3.7	7 3.1	3 1.7	3 4.3	2 3.5	17 2.6	5 3.4	6 3.0	8
VII			14.0	16.8	14.8	14.4		9.7	27.4	14	5.2	3	1 1.0	0 -	11 2.6	7 2.4	10 3.4	8 2.8	26 2.3	5 1.2	2 1.0	4 3.0	1 2.0	4 2.5	14
VIII			10.2	12.2	10.7	10.5	13.1	6.9	22.5	1	1.1	25	10 2.4	7 2.0	22 2.5	2 2.0	4 3.8	5 3.6	7 2.3	0 -	1 2.0	3 1.3	8 4.2	10 4.1	14
IX			6.5	8.5	6.5	6.8	9.1	3.3	12.4	4	- 4.8	25	7 2.3	6 2.3	13 2.6	2 2.0	7 3.0	7 3.3	9 4.1	4 1.8	0 -	3 3.0	1 4.0	3 2.7	28
X			- 1.5	0.6	- 1.5	- 1.0	1.8	- 5.6	9.6	1	-19.4	27	8 3.0	4 2.2	1 5.0	0 -	0 -	0 -	10 2.5	9 2.2	4 2.0	10 1.2	1 2.0	2 3.5	44
XI			- 7.1	- 5.7	- 6.3	- 6.4	- 3.5	-10.9	1.8	6	-29.5	18	0 -	0 -	0 -	1 8.0	0 -	0 -	27 3.9	13 3.8	9 2.1	3 1.7	1 3.0	5 3.4	31
XII			- 4.3	- 3.7	- 4.2	- 4.1	- 1.0	- 8.9	4.8	5	-23.2	31	1 2.0	0 -	0 -	0 -	0 -	2 2.5	15 3.3	20 3.7	15 3.0	6 1.2	0 -	0 -	34
1954			0.2	2.2	0.4	0.6		- 4.2	27.4		-30.7		73 2.6	28 2.5	78 2.6	35 2.5	34 3.3	60 2.7	165 2.9	86 3.3	102 2.6	87 2.0	31 3.3	60 3.3	256

Makkaur Fyr

φ = 70° 42 N λ = 30° 5'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 2.4	- 2.2	- 2.4	- 2.3	0.5	- 5.7	5.3	26	-11.5	11	6 3.7	0 -	1 3.0	4 3.8	1 1.0	3 3.0	1 2.0	3 4.0	38 4.0	19 4.2	4 4.2	13 5.3	0
II			- 5.6	- 5.3	- 5.5	- 5.5	- 2.1	- 8.0	2.8	1	-13.6	26	0 -	1 3.0	3 3.7	2 2.0	0 -	2 4.0	2 4.0	12 3.0	50 4.6	7 2.9	4 3.8	1 3.0	0
III			- 2.9	- 2.2	- 2.7	- 2.7	- 0.7	- 5.6	5.1	21	-12.9	1	13 4.5	3 5.0	3 5.3	0 -	0 -	6 3.2	13 2.5	3 3.3	36 3.8	5 3.4	6 4.3	5 4.4	0
IV			1.0	1.6	0.5	0.8	2.5	- 1.8	6.4	19	- 6.8	28	5 3.8	3 3.7	5 3.4	3 4.3	0 -	7 3.9	6 2.5	5 2.4	32 3.8	5 3.6	4 4.0	15 4.9	0
V			4.4	5.2	4.2	4.2	6.2	2.0	14.8	23	- 5.0	2	11 3.7	2 3.0	8 3.8	3 3.3	2 4.0	23 3.0	18 2.7	4 3.0	0 -	3 4.0	4 3.2	12 4.7	3
VI			6.6	7.1	6.6	6.5	8.6	4.5	21.0	12	0.2	1	8 3.9	2 5.0	6 2.3	7 2.6	0 -	27 3.4	4 3.0	1 3.0	3 4.0	5 2.2	5 3.8	20 3.0	2
VII			12.1	13.0	12.3	12.1	14.8	9.6	28.3	15	5.6	1	2 1.0	3 2.7	0 -	4 2.2	0 -	50 3.4	6 3.2	1 3.0	5 3.0	4 3.0	2 4.0	11 3.2	5
VIII			9.0	9.7	9.1	9.1	10.9	7.1	19.0	14	4.7	24	7 2.4	4 2.8	3 2.7	10 3.5	3 3.7	21 3.5	6 3.3	0 -	5 3.0	3 3.0	3 4.0	28 4.3	0
IX			6.6	7.5	6.7	6.7	8.3	5.0	13.0	5	1.2	22	5 4.6	3 3.0	10 3.9	7 2.9	1 1.0	30 3.2	17 2.9	1 4.0	4 2.8	1 1.0	2 2.5	8 3.5	1
X			1.7	2.4	1.9	2.0	4.7	- 0.1	11.0	6	- 7.4	21	3 5.0	6 5.2	3 3.0	4 2.5	0 -	9 1.8	10 2.0	9 2.3	32 3.3	6 2.5	2 3.5	9 3.7	0
XI			- 2.9	- 2.6	- 2.4	- 2.6	0.4	- 5.0	4.2	30	- 9.3	21	1 6.0	0 -	3 2.7	0 -	0 -	3 3.0	10 2.2	21 3.3	38 4.6	7 2.4	0 -	7 4.7	0
XII			- 1.3	- 1.1	- 1.5	- 1.3	1.3	- 3.8	5.2	5	- 9.1	30	0 -	0 -	0 -	0 -	0 -	8 3.0	19 2.0	26 3.4	34 4.4	5 2.2	0 -	0 -	1
1954			2.2	2.8	2.2	2.2	4.6	- 0.2	28.3		-13.6		61 3.9	27 3.9	45 3.4	44 3.0	7 3.0	189 3.2	112 2.6	86 3.1	277 4.1	70 3.0	36 3.8	129 4.1	12

Vardø

φ = 70° 22'N λ = 31° 6'E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1002.7	1004.5	- 2.8	- 2.7	- 3.1	- 2.9	- 0.6	- 6.4	5.1	26	-11.2	24	4 4.5	0 -	6 3.0	3 2.7	1 4.0	0 -	0 -	7 6.1	35 4.5	13 5.0	6 4.7	18 5.2	0
II	15.9	17.6	- 5.5	- 5.5	- 5.6	- 5.6	- 2.8	- 8.4	2.4	1	-17.7	12	0 -	3 3.3	4 2.8	0 -	1 3.0	2 3.5	3 4.3	20 6.0	39 5.1	2 5.5	6 3.5	4 3.2	0
III	04.4	06.2	- 2.9	- 2.6	- 2.7	- 2.7	- 0.9	- 5.2	4.3	21	-12.0	1	5 4.6	2 4.5	4 4.2	2 2.5	0 -	7 3.4	7 4.4	16 4.7	29 4.2	8 5.6	3 4.3	9 5.1	1
IV	11.2	13.0	0.0	1.0	0.2	0.3	1.8	- 1.6	6.0	12	- 5.2	28	3 3.7	6 3.5	7 3.4	1 4.0	2 4.0	6 3.3	3 4.0	5 4.6	31 4.1	10 3.2	8 4.0	8 5.4	0
V	21.0	22.8	3.7	4.7	3.8	3.8	5.8	1.7	16.4	23	- 2.2	1	11 2.9	2 3.0	13 2.6	10 2.9	1 4.0	17 3.1	8 3.4	4 3.8	4 3.0	0 -	4 5.0	13 4.2	6
VI	06.5	08.2	6.3	6.9	6.3	6.2	8.2	4.2	15.4	12	- 0.2	5	12 3.1	9 2.4	10 2.9	8 2.9	3 1.7	13 2.8	7 2.6	1 3.0	1 4.0	2 4.0	4 4.2	20 3.9	0
VII	08.9	10.7	10.8	11.2	10.7	10.6	12.8	8.7	20.3	15	5.0	7	6 2.7	4 2.0	8 2.0	14 2.8	13 3.0	26 2.9	5 2.6	2 3.5	1 3.0	0 -	0 -	12 3.2	2
VIII	07.2	08.9	8.6	9.2	8.8	8.7	10.4	6.9	15.9	2	3.9	8	13 3.0	4 3.2	8 3.0	10 3.1	2 3.0	16 3.0	5 2.4	1 3.0	3 4.3	0 -	7 4.1	19 4.5	5
IX	01.4	03.2	6.6	7.3	6.7	6.9	8.0	5.3	12.5	5	2.0	25	17 2.8	6 2.7	2 3.5	12 3.2	4 3.2	20 3.2	7 3.1	5 3.6	1 3.0	2 2.0	1 1.0	8 4.0	5
X	999.0	00.8	1.5	2.3	1.7	1.9	3.4	- 0.1	8.1	1	- 7.3	21	4 3.8	5 4.2	7 3.0	2 2.0	0 -	2 3.0	3 3.0	12 3.9	30 3.7	9 2.2	4 3.2	13 3.4	2
XI	1013.0	14.8	- 2.3	- 1.9	- 1.9	- 2.0	- 0.3	- 4.1	2.8	13	- 9.3	18	4 3.5	2 3.0	1 4.0	0 -	0 -	4 3.8	4 5.0	24 4.8	35 4.6	1 5.0	4 2.8	9 4.4	2
XII	998.1	999.9	- 0.4	- 0.6	- 0.5	- 0.5	1.2	- 2.5	3.0	5	- 7.2	31	1 1.0	0 -	0 -	0 -	1 1.0	14 3.8	15 4.9	24 4.7	30 4.4	3 1.3	0 -	2 1.0	1
1954	1007.4	1009.2	2.0	2.4	2.0	2.1	3.9	- 0.1	20.3		-17.7		80 3.2	43 3.1	70 2.9	62 2.9	28 3.0	127 3.2	67 3.7	121 4.8	239 4.4	50 3.9	47 3.9	135 4.2	2

Ekkerøy

φ = 70° 4'N λ = 30° 6'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I			- 4.2	- 3.8	- 4.3	- 4.1		- 6.7	3.2	25	-11.5	4	8 4.4	0 -	0 -	1 3.0	2 3.0	0 -	0 -	1 4.0	32 4.9	35 3.1	7 3.1	7 3.6	
II			- 6.6	- 6.3	- 7.3	- 6.7		- 9.1	0.0	22	-15.3	18	1 1.0	2 4.5	0 -	0 -	0 -	2 4.0	0 -	5 4.2	52 5.4	16 2.7	3 3.3	2 2.5	
III			- 4.0	- 2.5	- 3.4	- 3.4		- 5.8	4.1	21	-11.0	1	3 3.3	8 3.9	0 -	1 3.0	0 -	1 2.0	3 1.0	14 3.7	32 4.0	19 3.3	6 2.3	5 3.8	
IV			- 0.1	1.2	- 0.1	0.0		- 2.5	5.7	19	- 7.2	7	6 3.9	9 3.1	1 6.0	6 3.5	0 -	1 3.0	1 3.0	1 4.0	33 4.0	12 3.4	4 3.8	14 3.6	
V			4.4	5.6	4.7	4.5		2.4	17.1	23	- 1.3	1	4 3.2	16 3.4	13 3.3	14 2.9	2 2.0	1 1.0	6 2.5	3 3.0	12 2.4	4 3.8	5 4.4	7 2.9	
VI			7.7	8.3	7.3	7.4		5.2	17.6	12	0.2	6	5 4.4	9 4.1	15 4.4	21 3.0	2 3.0	0 -	2 1.5	3 1.7	9 2.8	4 3.2	3 3.7	8 3.8	
VII			12.2	13.3	12.3	12.2		10.1	23.4	14	6.0	5	3 4.0	16 4.1	17 4.1	19 3.5	3 2.3	3 3.0	4 1.5	6 1.5	11 2.4	1 4.0	0 -	0 -	1
VIII			9.3	10.5	9.5	9.8		7.0	18.2	2	1.1	26	1 3.0	26 4.1	9 4.8	14 2.6	0 -	2 1.0	5 1.4	2 2.5	10 2.4	8 3.9	0 -	10 4.7	
IX			6.9	7.7	6.7	6.8		4.2	10.8	4	- 0.8	25	1 3.0	17 3.3	2 3.0	21 3.4	4 2.2	8 2.6	7 2.6	3 3.7	11 3.5	3 1.0	1 4.0	4 4.2	
X			1.0	2.3	0.8	1.3		- 0.9	8.1	1	- 5.9	19	8 3.4	8 4.5	4 5.0	0 -	0 -	1 3.0	2 3.0	3 3.0	42 4.0	17 3.1	1 1.0	3 2.7	
XI			- 3.1	- 2.8	- 3.0	- 3.0		- 4.9	1.1	1	- 8.8	18	6 3.2	4 2.5	0 -	0 -	1 3.0	2 3.0	2 2.5	3 3.3	56 5.0	8 2.1	3 2.0	5 3.8	
XII			- 1.3	- 1.0	- 1.1	- 1.1		- 2.7	3.1	4	- 7.2	23	0 -	3 1.7	0 -	1 4.0	4 3.0	6 2.5	3 4.3	12 4.1	51 4.6	7 2.1	1 2.0	0 -	
1954			1.8	2.7	1.8	2.0		- 0.3	23.4		-15.3		46 3.7	118 3.7	61 4.1	98 3.2	18 2.6	27 2.6	35 2.3	56 3.4	351 4.3	133 3.1	34 3.1	65 3.7	5

1954

Gamvik

H_s = 6 H_b = 9.3 h_t = 2.0 h_a = h_d = h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dies	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min <0°	Max <0°	Min <-10°	Max >25°	Nedbør R ≥0,1	≥1,0	≥10,0	Vindstyrke F ≥6	≥8	≥9	Regn ●	Snø *	Sludd	Yr 9	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	86	83	82	84	6.5	6.4	5.3	245	28	8	26		4		28	25	11	10	1	0	8	23	2	1	1	0	0	0	0	0	0	1	13	
II	81	78	80	80	4.1	3.8	3.3	65	23	7	28		9		11	10	1	8	3	0	2	11	2	0	0	0	0	0	1	0	13	8	6	
III	81	79	81	81	5.6	5.8	5.8	110	17	20	27		2		20	14	5	10	1	0	5	18	2	0	0	0	0	0	0	0	11	3	15	
IV	82	76	81	82	5.6	5.1	4.9	70	19	21	20		0		21	11	2	4	0	0	8	17	4	0	0	0	0	0	0	0	22	3	12	
V	82	76	80	80	6.3	6.0	6.1	38	13	10	3		0		14	10	1	2	0	0	9	9	2	0	1	0	0	0	0	1	20	2	20	
VI	84	85	88	86	7.0	6.4	6.8	42	8	21	0		0		16	13	0	2	0	0	14	5	2	2	0	0	0	0	1	2	19	0	19	
VII	86	86	88	88	5.4	5.5	5.5	45	12	6	0		0		10	9	1	1	0	0	10	0	0	2	0	0	0	0	1	5	25	6	16	
VIII	90	87	89	89	6.6	6.7	6.9	46	9	21	0		0		22	12	0	3	0	0	22	0	0	7	0	0	0	0	2	3	13	2	22	
IX	90	84	89	89	6.2	6.7	6.6	74	21	6	0		0		23	13	2	1	0	0	23	0	0	2	0	0	0	0	1	1	16	0	16	
X	86	80	84	84	5.8	5.7	4.8	72	14	14	13		0		19	15	1	1	0	0	11	10	1	0	0	0	0	0	0	0	9	5	16	
XI	83	81	82	82	3.6	4.3	4.3	38	17	14	28		0		10	8	1	6	0	0	2	10	2	0	0	0	0	0	0	0	0	7	5	
XII	87	86	86	86	3.6	4.8	4.5	26	8	21	26		1		13	6	0	2	0	0	7	12	5	0	1	0	0	0	0	0	0	5	7	
1954	85	82	84	84	5.5	5.6	5.4	871	28		171		16		207	146	25	50	5	0	121	115	22	14	3	0	0	0	6	12	148	42	167	

Rustefjelbma

H_s = 9 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	≥0,1	≥1,0	≥10,0	≥6	≥8	≥9	Regn ●	Snø *	Sludd	Yr 9	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	84	84	85	84	5.7	6.0	4.2	49	6	18	31		21		24	17	0	9	0	0	0	24	0	0	1	0	0	0	5	0	3	3	12	31
II	85	83	84	84	4.4	3.5	2.8	11	4	1	28		24		7	3	0	6	2	0	1	7	1	1	0	0	0	0	0	1	19	7	4	28
III	84	76	80	81	6.6	6.7	5.6	43	8	17	30		19		17	10	0	8	1	0	2	17	2	0	0	1	0	0	9	0	17	1	18	31
IV	81	71	76	78	5.7	5.3	4.9	12	2	21	28		6		17	5	0	5	0	0	5	17	4	0	0	1	0	0	2	1	26	2	12	30
V	82	73	76	80	6.5	6.4	6.4	41	12	10	9		0		20	14	1	5	3	0	18	8	6	3	0	0	0	0	7	2	24	1	18	10
VI	75	70	76	76	6.7	6.2	5.7	42	22	21	1		0		15	10	1	9	0	0	14	4	3	2	0	1	0	2	1	1	27	0	15	0
VII	80	70	74	80	5.7	5.2	5.0	71	12	2	0		0		16	12	4	3	0	0	16	0	0	3	0	0	0	4	5	0	24	3	13	0
VIII	82	77	80	82	6.7	7.0	6.7	55	12	15	0	0	0	0	17	10	2	11	3	2	17	0	0	8	0	0	0	0	3	0	17	2	24	0
IX	81	72	80	80	7.1	7.1	6.9	56	17	27	4	0	0	0	19	10	1	5	2	0	19	0	0	6	0	0	0	0	4	5	16	0	20	0
X	89	83	88	88	6.8	5.7	5.4	54	15	15	26	12	8	0	20	11	1	2	1	0	11	12	2	5	0	0	0	0	3	0	18	0	15	14
XI	85	85	86	85	6.1	5.7	5.7	22	8	16	30	25	15	0	12	5	0	10	1	0	0	12	0	0	0	0	0	0	7	0	7	3	17	30
XII	87	88	87	87	6.9	7.3	6.1	13	2	15	31	12	12	0	20	5	0	7	2	0	3	20	3	0	0	0	0	0	6	0	0	0	20	31
1954	83	78	81	82	6.2	6.0	5.4	469	22		218		105		204	112	10	80	15	2	106	121	21	28	1	3	0	6	52	10	198	22	188	205

Makkaur Fyr

H_s = 11 H_b = h_t = 2.1 h_a = h_d = h_r = 1.8

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	≥0,1	≥1,0	≥10,0	≥6	≥8	≥9	Regn ●	Snø *	Sludd	Yr 9	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I					5.3	6.2	4.7	75	15	18	28	13	2	0	24	16	2	13	1	1	5	21	2	2	0	1	0	0	0	0	0	0	11	27
II					4.7	3.9	3.3	10	3	22	27	21	9	0	10	4	0	10	3	0	3	10	3	0	0	0	0	0	1	0	3	4	5	28
III					6.6	6.4	6.0	38	6	14	29	16	3	0	15	12	0	7	0	0	4	13	0	0	0	0	0	0	0	0	8	0	15	31
IV					6.1	5.7	6.1	25	12	27	21	3	0	0	15	5	1	7	0	0	9	13	6	1	0	0	0	0	0	0	17	1	13	19
V					6.6	6.0	6.6	14	5	10	3	0	0	0	10	5	0	2	0	0	9	5	4	7	0	0	0	0	0	3	13	2	22	5
VI					6.6	6.8	6.8	30	7	6	0	0	0	0	18	9	0	1	0	0	18	5	5	7	0	0	0	0	0	3	11	0	21	0
VII					6.2	5.9	6.1	54	9	20	0	0	0	4	19	13	0	2	0	0	19	0	0	13	0	0	0	0	2	5	15	1	20	0
VIII					6.8	7.0	6.8	46	7	11	0	0	0	0	23	14	0	5	0	0	23	0	0	12	0	0	0	0	3	4	8	2	24	0
IX					6.6	7.0	7.2	85	15	19	0	0	0	0	23	15	3	4	0	0	23	0	0	8	0	0	0	0	1	4	9	0	22	0
X					6.2	5.8	4.5	84	23	3	15	2	0	0	20	12	2	5	0	0	13	9	2	3	1	1	0	0	0	0	4	3	16	11
XI					4.5	5.1	4.6	24	9	14	30	13	0	0	9	5	0	9	0	0	2	9	2	0	0	0	0	0	0	0	0	3	8	30
XII					4.4	6.0	4.7	6	2	15	28	8	0	0	7	3	0	6	1	0	4	5	2	0	0	0	0	0	0	0	0	3	12	31
1954					5.9	6.0	5.6	491	23		181	76	14	4	193	113	8	71	5	1	132	90	26	53	1	2	0	0	7	19	88	19	189	182

Vardø

H_s = 13 H_b = 14.6 h_t = 1.9 h_a = 8.4 h_d = 9.5 h_r = 2.0

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	≥0,1	≥1,0	≥10,0	≥6	≥8	≥9	Regn ●	Snø *	Sludd	Yr 9	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	87	88	87	87	6.2	6.2	5.2	46	5	23	29	19	6	0	22	14	0	16	4	2	3	22	2	0	0	0	0	0	2	1	5	0	16	31
II	90	88	88	89	5.5	4.5	4.7	12	3	1	28	19	9	0	7	4	0	16	3	2	1	7	0	0	0	1	0	0	8	0	16	2	8	28
III	86	87	85	85	6.6	6.1	6.0	33	7	24	29	17	3	0	16	10	0	10	1	0	3	16	2	0	0	0	0	0	1	0	13	0	18	31
IV	87	84	83	85	6.1	5.4	5.6	23	4	22	25	7	0	0	14	8	0	6	1	0	7	11	4	1	0	0	0	0	0	0	19	3	13	20
V	85	81	84	84	6.7	6.4	6.3	30	9	10	5	0	0	0	18	12	0	1	0	0	16	7	5	6	0	0	0	0	0	5	14	1	19	3
VI	83	82	84	84	6.4	6.7	6.0	33	12	6	1	0	0	0	14	9	1	1	0	0	13	5	4	8	0	1	0	1	4	4	21	0	17	0
VII	88	86	88	89	5.6	5.5	5.8	50	24	6	0	0	0	0	19	8	1	0	0	0	19	0	0	10	0	0	0	0	3	8	20	2	18	0
VIII	88	86	88	88	6.6	6.8	6.6	26	7	10	0	0	0	0	19	8	0	4	0	0	19	0	0	15	0	0	0	0	3	6	19	3	23	0
IX	88	86	87	87	6.7	6.7	7.1	78	12	8	0	0	0	0	22	16	3	2	0	0	22	0	0	10	0	0	0	0	0	10	15	0	20	0
X	84	82	84	83	5.9	5.1	4.9	51	26	3	14	4	0	0	14	8	1	7	0	0	12	3	0	5	0	3	0	0	0	0	14	4	15	13
XI	82	84	85	84	5.1	5.7	5.1	22	8	17	30	15	0	0	11	5	0	14	1	0	2	11	1	0	0	2	0	0	1	1	5	4	14	30
XII	88	87	88	88	5.9	6.8	6.7	15	4	15	25	7	0	0	13	5	0	17	2	0	10	13	8	1	0	0	0	0	0	1	0	0	17	24
1954	86	85	86	86	6.1	6.0	5.8	419	26		186	88	18	0	189	107	6	94	12	4	127	95	26	56	0	7	0	1	22	36	161	19	198	180

Ekkerøy

H_s = 7 H_b = h_t = 1.5 h_a = h_d = 8.7 h_r = 1.9

Måned	7	13	19	Dies	7	13	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	≥0,1	≥1,0	≥10,0	≥6	≥8	≥9	Regn ●	Snø *	Sludd	Yr 9	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I					6.0	5.5	4.4	15	3	16	31		5		17	6	0	13	4	0	2	18	2	1	0	0	0	0	0	3	5	0	8	31
II					5.7	4.7	4.1	6	1	7	28		12		9	4	0	14	2	1	0	9	0	0	0	0	0	0	1	6	22	0	4	28
III					5.8	5.3	5.5	25	7	7	28		1		14	7	0	7	0	0	4	14	3	1	0	0	0	0	0	0	20	1	12	31
IV					5.2	5.0	5.0	8	2	21	24		0		11	3	0	7	0	0	7	10	6	0	0	1	0	0	0	0	25	3	11	30
V					6.5	6.0	5.6	25	6	16	4		0		13	8	0	3	0	0	13	5	5	1	0	0	0	0	0	1	24	1	14	3
VI					5.8	6.2	6.1	24	7	11	0		0		12	6	0	5	0	0	13	3	3	5	0	1	0	0	3	1	23	0	13	0
VII					5.5	5.5	5.5	69	21	6	0		0		16	8	2	6	0	0	16	0	0	5	0	0	0	0	0	6	21	3	13	0
VIII					6.6	6.7	6.6	40	11	10	0		0		13	8	1	8	0	0	13	0	0	8	0	0	0	0	0	0	15	1	20	0
IX					6.6	6.5	6.9	55	14	27	1		0		23	13	2	2	0	0	23	0	0	5	0	0	0	0	1	1	17	0	20	0
X					6.1	5.6	5.0	16	4	3	18		0		14	7	0	7	0	0	12	5	4	2	0	0	0	0	0	0	16	2	14	10
XI					6.2	5.8	6.1	8	2	13	30		0		15	3	0	12	0	0	3	14	3	0	0	0	0	0	1	2	6	1	16	30
XII					6.3	7.1	6.3	6	2	10	25		0		9	3	0	10	1	0	6	7	3	3	0	0	0	0	0	0	0	0	21	25
1954					6.0	5.8	5.6	297	21		189		18		166	76	5	94	7	1	112	85	29	31	0	2	0	0	6	20	194	12	166	188

1954

Pasvik

φ = 69° 10'N λ = 29° 15'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N	
I			-11.2	-11.2	-11.7	-11.4		-17.9	1.4	5	-32.1	20	7	3.1	12	1.2	0	-	2	1.0	0	-	0	-	16	3.1	24	2.5	15	2.2	6	2.2	4	3.5	1	4.0
II			-15.0	-12.2	-16.5	-14.9		-21.2	- 1.8	7	-35.1	19	0	-	3	1.0	1	5.0	0	-	2	3.5	0	-	12	3.2	35	2.9	17	2.4	2	1.0	0	-	1	3.0
III			- 6.0	- 1.9	- 5.3	- 5.1		-11.7	5.8	21	-25.0	2	7	3.7	1	1.0	2	2.0	4	1.5	1	2.0	9	2.7	12	3.1	23	3.6	19	3.6	5	3.8	4	3.0	3	3.3
IV			- 0.1	2.3	- 1.3	- 0.7		- 6.0	6.2	10	-16.4	7	13	2.8	4	4.0	3	4.7	6	3.2	1	2.0	2	1.0	13	3.3	23	4.0	10	2.4	3	2.7	4	3.5	7	4.0
V			6.0	8.3	6.7	6.0		1.9	21.6	23	- 3.5	1	14	3.2	12	4.8	7	3.9	10	3.1	4	3.8	4	4.8	8	3.1	7	3.4	9	3.1	7	2.9	4	3.2	6	3.2
VI			10.0	11.8	10.7	9.8		6.0	20.5	12	- 1.3	7	16	4.0	16	4.1	7	3.3	3	3.7	4	3.2	3	2.7	9	4.0	10	3.2	6	3.2	8	2.5	0	-	8	3.6
VII			15.9	18.1	17.0	15.9	19.5	11.5	27.5	14	6.5	1	13	3.2	17	3.4	12	2.7	4	4.2	4	3.5	9	2.3	16	3.1	8	3.2	4	4.0	1	3.0	1	4.0	1	2.0
VIII			10.9	13.2	11.4	11.1	14.1	8.1	21.6	2	1.5	27	14	3.3	9	4.1	13	3.9	3	3.0	1	2.0	4	3.2	16	3.5	8	1.4	8	3.2	6	3.3	4	4.0	7	4.6
IX			7.1	8.9	7.1	7.3	9.5	4.5	14.4	4	- 1.4	26	10	2.0	10	3.1	4	3.0	4	2.8	5	3.4	11	3.9	16	3.7	5	2.6	8	1.5	5	3.0	4	2.5	7	3.1
X			- 0.3	1.1	- 0.8	- 0.2	1.7	- 2.9	8.6	1	-12.6	26	13	2.2	5	3.6	0	-	0	-	0	-	1	4.0	25	2.8	20	2.8	15	1.4	5	2.2	0	-	9	3.2
XI			- 6.6	- 6.3	- 7.0	- 6.6	- 4.3	-10.7	0.6	1	-23.1	19	5	2.2	2	1.0	0	-	2	2.5	1	2.0	1	3.0	34	4.1	9	2.7	18	1.4	9	1.3	2	3.0	4	1.8
XII			- 2.5	- 2.6	- 2.6	- 2.6	- 0.7	- 5.4	3.8	10	-14.8	29	10	1.5	2	1.5	1	3.0	1	2.0	1	4.0	5	2.4	45	3.8	22	2.5	4	2.5	1	2.0	0	-	1	1.0
1954			0.7	2.5	0.6	0.7		- 3.6	27.5		-35.1		122	2.1	92	3.3	50	3.4	39	2.9	24	3.2	49	3.0	222	3.5	194	3.1	133	2.4	58	2.5	27	3.3	55	3.4

Karasjok

φ = 69° 28'N λ = 25° 31'E g = 9.825 ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N	
I	991.7	1008.7	-13.6	-14.4	-14.1	-14.0	- 6.9	-21.6	3.5	6	-37.0	20	2	1.0	0	-	1	1.0	4	1.0	2	1.0	0	-	0	-	2	1.0	10	1.5	8	1.0	1	1.0	0	-
II	1003.1	20.4	-17.6	-15.8	-17.4	-17.1	-11.4	-23.0	- 1.0	1	-37.0	14	0	-	1	1.0	2	1.5	4	1.0	2	1.5	3	2.0	2	1.0	2	2.5	9	2.3	6	1.3	1	3.0	0	-
III	991.5	08.3	-11.0	- 4.2	- 6.8	- 7.7	- 2.2	-10.9	5.6	21	-33.3	18	1	3.0	4	1.2	1	1.0	5	1.4	3	1.0	0	-	5	1.0	7	2.1	10	1.5	18	1.3	7	2.1	0	-
IV	97.8	14.5	- 3.9	0.9	- 0.7	- 2.0	2.3	- 7.6	7.7	18	-17.6	9	4	1.5	1	2.0	2	3.5	8	1.2	0	-	2	1.0	2	1.0	5	2.0	6	1.3	27	1.5	8	1.9	3	1.0
V	1005.7	22.1	5.1	8.9	7.3	6.2	10.3	2.0	21.5	22	- 4.6	13	9	1.6	8	1.1	7	1.1	16	1.4	6	1.2	5	1.2	6	1.3	4	1.2	3	1.3	12	1.3	7	2.1	2	2.0
VI	991.5	07.5	8.5	11.3	10.6	9.2	13.2	5.4	21.6	19	- 0.3	3	12	1.5	7	1.6	3	2.0	12	1.2	3	1.3	1	1.0	3	1.3	3	1.3	4	2.0	12	1.4	5	1.8	8	1.2
VII	93.3	09.0	13.6	17.1	17.2	14.8	19.3	10.0	27.8	14	2.5	1	10	1.1	6	1.2	3	1.0	15	1.3	6	1.3	7	1.1	5	1.0	6	1.3	4	1.2	6	1.0	1	1.0	4	1.0
VIII	93.0	08.9	9.4	12.8	11.5	10.6	14.1	6.9	23.2	2	- 0.6	25	10	1.7	9	1.7	7	1.3	13	1.6	2	1.5	3	1.3	1	1.0	3	1.3	5	1.0	8	1.8	3	2.0	2	1.0
IX	86.9	03.0	5.0	8.3	6.3	6.1	9.1	3.0	15.0	4	- 2.1	9	4	1.2	5	1.0	3	1.0	9	1.1	3	1.0	3	1.0	4	1.2	5	2.2	0	-	9	1.6	1	2.0	0	-
X	86.5	03.1	- 3.9	- 1.5	- 3.9	- 3.2	- 0.4	- 6.5	8.4	1	-19.9	27	6	1.6	0	-	3	2.0	5	1.2	0	-	0	-	0	-	3	1.3	4	1.5	7	1.7	1	2.0	6	1.8
XI	99.0	15.9	- 7.6	- 7.0	- 7.6	- 7.5	- 4.5	-12.1	0.5	30	-26.0	9	0	-	1	1.0	0	-	3	1.0	2	1.0	6	2.2	6	1.3	14	1.6	6	1.5	4	1.5	2	1.5	0	-
XII	83.7	00.3	- 6.4	- 6.0	- 6.1	- 6.2	- 2.4	-10.5	2.6	4	-27.3	27	0	-	0	-	1	1.0	4	1.0	2	1.0	3	1.7	16	1.5	7	1.4	2	2.0	0	-	0	-	0	-
1954	993.6	1010.1	- 1.9	0.9	- 0.3	- 0.9	3.4	- 5.4	27.8		-37.0		58	1.5	42	1.3	33	1.4	98	1.3	31	1.2	33	1.4	50	1.3	61	1.6	63	1.6	117	1.4	37	2.1	25	1.4

Kautokeino

φ = 69° 0'N λ = 23° 2'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N	
I			-12.4	-13.3	-12.9	-12.9		-19.7	1.6	5	-35.6	20	4	2.8	0	-	0	-	0	-	0	-	2	1.5	13	2.2	25	2.7	3	1.3	12	2.2	3	4.0	0	-
II			-17.4	-16.5	-17.8	-17.4		-22.9	- 2.2	6	-36.0	14	0	-	1	1.0	0	-	0	-	0	-	0	-	20	2.4	31	2.8	1	1.0	2	3.5	1	2.0	0	-
III			-11.5	- 5.8	- 7.9	- 7.8		-14.9	4.0	21	-37.1	18	2	3.5	2	1.5	0	-	1	2.0	0	-	1	1.0	17	1.6	24	2.2	7	2.6	6	2.8	3	4.3	0	-
IV			- 5.6	- 0.6	- 2.5	- 3.8		- 9.4	4.6	11	-22.5	9	2	1.5	3	3.0	0	-	2	3.5	0	-	1	3.0	19	2.1	20	2.5	1	1.0	11	2.4	6	2.5	1	3.0
V			4.8	8.5	7.2	5.6		0.8	25.2	25	- 6.2	13	5	2.4	10	1.7	2	3.0	6	2.8	2	3.0	6	1.8	13	1.7	12	2.8	5	2.2	15	2.2	4	2.8	4	3.0
VI			7.9	10.7	9.9	8.5		4.5	20.8	19	- 0.9	3	6	2.7	15	2.2	5	1.8	3	2.0	0	-	1	2.0	7	2.1	7	2.7	7	2.6	6	2.0	15	2.5	8	3.1
VII			13.1	16.6	15.9	14.2		9.9	25.1	14	5.8	11	10	2.2	8	1.8	6	2.3	4	2.8	2	2.5	9	1.7	15	1.6	12	2.2	3	2.7	5	1.4	3	2.0	3	2.3
VIII			9.3	12.6	10.9	10.2		6.5	20.2	2	0.6	27	8	2.6	18	2.2	2	1.5	2	2.5	3	1.3	3	2.7	10	1.9	7	2.0	7	2.0	8	2.5	4	1.5	4	3.0
IX			4.6	7.2	5.2	5.4	8.4	2.6	13.9	4	- 2.7	21	4	2.0	10	1.8	1	2.0	3	2.3	1	1.0	7	2.0	13	2.4	9	1.9	4	1.2	3	2.7	5	2.2	1	3.0
X			- 4.6	- 1.7	- 4.0	- 3.7	- 0.3	- 7.4	5.9	1	-18.3	24	1	3.0	3	2.3	0	-	0	-	0	-	2	2.0	22	1.7	16	2.3	5	1.4	4	2.8	6	3.0	5	2.8
XI			- 7.3	- 7.0	- 7.9	- 7.5	- 4.8	-11.3	- 0.4	30	-20.8	8	0	-	1	2.0	0	-	0	-	0	-	2	1.0	27	2.7	32	3.1	3	2.3	1	1.0	1	1.0	1	1.0
XII			- 6.5	- 6.7	- 7.1	- 6.8	- 3.6	-11.9	0.7	19	-24.0	22	0	-	1	2.0	0	-	0	-	0	-	1	3.0	32	2.7	23	2.8	3	1.7	2	1.5	5	1.8	3	2.0
1954			- 1.9	0.3	- 0.9	- 1.3		- 6.1	25.2		-37.1		42	2.4	72	2.0	16	2.1	21	2.6	8	2.0	35	1.9	208	2.2	218	2.6	49	2.0	75	2.3	56	2.5	30	2.8

Siččajavre

φ = 68° 45'N λ = 23° 33'E g = ΔG = + 1

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		N30E		N60E		E		E30S		E60S		S		S30W		S60W		W		W30N		W60N	
I			-13.2	-13.4	-13.4	-13.3		-20.1	0.1	5	-32.1	20	7	2.1	8	1.6	4	1.2	10	1.2	3	1.7	8	1.6	19	2.7	4	3.5	4	1.8	7	2.1	10	1.5	5	1.4
II			-17.4	-15.7	-17.0	-16.9		-21.7	- 3.8	6	-35.5	20	1	1.0	1	1.0	3	1.3	8	1.4	5	1.8	13	2.1	26	3.2	8	2.5	5	2.4	4	1.5	3	1.3	2	1.5
III			-11.2	- 6.1	- 8.4	- 9.2		-14.2	2.8	21	-35.3	18	1	3.0	6	1.8	3	1.7	11	1.2	7	1.7	12	1.9	11	2.1	11	2.4	12	2.4	11	2.4	1	1.0	0	-
IV			- 7.2	- 1.6	- 3.5	- 5.1		-10.5	3.9	11	-22.4	7	5	1.4	6	1.5	10	1.7	8	1.9	4	2.0	5	1.6	14	2.4	11	2.0	2	1.5	5	1.2	12	1.9	2	1.5
V			3.8	7.3	6.2	4.8		0.8	20.6	25	- 5.1	14	6	2.5	7	2.0	5	2.0	18	2.1	6	1.8	10	2.0	13	2.2	6	2.5	5	2.0	5	2.6	4	2.5	8	2.8
VI			7.3	10.2	9.9	8.1		4.3	17.5	21	- 2.2	3	7	3.6	7	3.1	11	2.6	9	3.1	5	2.2	7	3.0	6	2.5	4	1.2	9	2.4	5	2.4	9	2.3	9	2.4
VII			12.8	15.9	15.8	13.9		10.2	24.6	14	5.9	3	4	3.0	10	2.2	6	2.2	17	2.6	11	2.5	13	2.2	14	2.4	8	2.2	4	2.2	1	3.0	1	3.0	2	2.5
VIII			8.9	12.0	10.8	10.0		6.6	19.8	2	0.9	27	8	2.5	14	2.0	7	2.9	13	2.1	6	2.5	6	2.5	12	2.2	9	2.0	3	2.0	7	2.0	5	1.8	3	2.7
IX			4.4	6.8	5.2	5.1	7.7	2.3	13.0	4	- 3.2	8	6	2.0	5	1.8	8	1.9	15	2.3	10	2.6	14	2.7	11	2.7	5	2.6	1	2.0	4	1.2	7	2.0	2	2.0
X			- 4.3	- 2.0	- 3.9	- 3.7	- 1.1	- 7.4	5.2	1	-19.1	24	4	2.8	3	2.3	4	2.0	6	1.8	0	-	20	2.0	20	2.2	10	2.0	3	1.7	4	1.8	5	1.2	11	2.3
XI			- 8.5	- 7.4	- 8.9	- 8.2	- 5.4	-12.6	- 1.0	5	-26.0	14	0	-	2	1.5	2	1.0	12	1.7	4	2.0	15	2.5	28	2.9	15	2.3	2	1.0	3	1.3	5	1.4	1	1.0
XII			- 6.7	- 6.7	- 6.6	- 6.7	- 4.1	-10.0	0.7	4	-21.1	22	3	2.0	4	1.8	2	1.5	10	1.9	3	2.3	21	2.4	29	2.6	12	2.1	0	-	5	1.8	3	1.7	0	-
1954			- 2.6	0.1	- 1.2	- 1.8		- 6.0	24.6		-35.5		52	2.4	73	2.0	65	2.0	137	2.0	64	2.2	144	2.3	203	2.6	103	2.2	50	2.1	61	2.0	65	1.8	45	2.2

1954

Pasvik

H_s = 54 H_b = h_t = 2.0 h_a = h_d = 9.2 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 7	13	19	Dles	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	88	89	90	89	5.7	5.1	5.0	24	7	16	31		27		18	7	0	3	0	0	0	18	0	0	0	0	0	0	5	3	8	2	10	31
II	87	82	89	87	4.7	3.0	2.8	4	2	7	28		26		9	2	0	3	0	0	0	9	0	0	0	0	0	0	3	2	24	5	1	28
III	83	70	82	80	5.5	5.3	5.6	10	4	7	30		17		16	4	0	2	0	0	2	16	2	0	0	0	0	0	5	0	21	0	13	31
IV	76	65	75	78	5.3	5.5	5.5	7	2	21	28		5		13	3	0	4	0	0	4	11	3	0	0	0	0	0	4	0	29	0	9	17
V	78	69	70	77	6.6	5.9	6.0	15	3	16	3		0		18	6	0	6	0	0	18	5	5	1	1	0	0	0	2	0	29	1	19	1
VI	72	66	71	75	5.9	6.3	5.5	43	9	30	2		0		18	10	0	4	0	0	16	4	2	0	2	3	0	0	0	0	27	0	12	0
VII	77	68	72	80	5.5	5.6	5.1	65	13	6	0	0	0	5	18	13	2	2	0	0	18	0	0	1	0	0	0	3	8	0	25	2	14	0
VIII	85	75	84	81	7.0	6.5	6.7	84	26	18	0	0	0	0	22	9	3	2	0	0	22	0	0	6	0	0	0	1	2	1	23	0	20	0
IX	88	80	90	89	6.8	7.0	7.0	54	16	4	4	0	0	0	26	11	1	2	0	0	26	0	0	4	0	0	0	0	1	3	21	0	22	0
X	94	87	93	93	6.1	5.4	5.8	52	20	3	19	8	3	0	21	11	1	2	0	0	12	15	6	2	0	0	0	0	4	4	19	0	15	13
XI	90	90	90	90	6.6	6.7	6.8	19	4	14	30	27	12	0	20	7	0	2	0	0	0	13	0	0	0	0	0	0	3	6	9	1	19	30
XII	90	91	89	90	7.2	7.4	7.0	18	3	14	29	16	5	0	22	8	0	3	0	0	3	21	2	0	0	0	0	0	3	1	0	0	25	31
1954	84	78	83	84	6.1	5.8	5.7	395	26		204		95		221	91	7	35	0	0	121	112	20	14	3	3	0	1	40	20	235	11	179	182

Karasjok

H_s = 131 H_b = 132.7 h_t = 1.9 h_a = h_d = 10.0 h_r = 1.3

Måned	Midlere relativ fuktighet U_m 7	13	19	Dles	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	87	89	89	88	3.6	5.3	4.8	28	10	16	31	26	29	0	16	8	1	1	0	0	0	16	0	1	0	0	0	0	2	3	0	3	10	31
II	86	85	86	86	4.2	4.0	3.7	4	2	7	28	28	28	0	6	2	0	0	0	0	0	6	0	0	0	0	0	0	2	0	19	7	6	28
III	87	75	80	83	5.7	5.5	5.5	13	3	7	30	19	21	0	13	5	0	1	1	0	1	12	0	0	0	0	0	0	1	0	25	2	14	31
IV	85	72	75	79	5.4	4.7	5.3	6	2	4	28	3	13	0	9	2	0	0	0	0	0	9	0	0	0	0	0	0	1	1	25	2	9	22
V	81	66	70	78	6.2	5.3	4.7	28	7	9	5	0	0	0	13	10	0	0	0	0	3	2	0	0	0	0	0	0	0	0	23	2	11	1
VI	76	67	70	72	6.5	6.9	6.4	44	15	17	1	0	0	0	16	11	1	0	0	0	16	5	3	0	0	0	0	0	1	0	23	0	20	0
VII	83	72	70	79	6.0	5.7	4.8	96	30	8	0	0	0	3	19	16	2	0	0	0	19	0	0	2	0	0	0	1	6	0	22	4	13	0
VIII	86	73	80	85	6.7	6.4	6.7	70	13	17	1	0	0	0	22	16	3	0	0	0	22	0	0	6	0	0	0	0	7	5	20	0	20	0
IX	92	79	87	88	7.1	6.8	7.2	77	23	27	4	0	0	0	26	18	2	0	0	0	26	0	0	2	0	0	0	0	2	7	15	0	22	0
X	90	86	90	89	6.3	5.5	5.3	18	4	22	27	14	7	0	11	7	0	0	0	0	7	8	1	1	0	0	0	0	1	6	18	0	13	11
XI	90	89	89	89	6.7	6.9	7.0	19	7	13	30	27	16	0	14	6	0	0	0	0	0	13	0	1	0	0	0	0	1	4	5	0	22	30
XII	90	90	90	90	6.2	6.9	6.7	32	7	26	30	17	12	0	20	11	0	0	0	0	1	20	0	1	1	1	1	0	1	2	0	0	22	31
1954	86	79	81	84	5.9	5.8	5.7	435	23		215	134	126	3	185	112	9	2	1	0	95	91	4	14	1	1	1	1	25	28	195	20	182	185

Kautokeino

H_s = 308 H_b = h_t = 1.9 h_a = h_d = h_r = 1.9

Måned	Midlere relativ fuktighet U_m 7	13	19	Dles	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	86	86	86	86	4.0	5.3	4.3	16	9	16	31		28		9	4	0	2	0	0	0	9	0	0	0	0	0	0	1	0	1	4	7	31
II	86	84	86	86	5.1	3.8	4.6	1	0.2	27	28		28		5	0	0	4	0	0	0	5	0	0	0	0	0	0	1	2	18	4	7	28
III	85	76	82	81	5.2	4.6	6.1	22	6	7	30		20		11	5	0	0	0	0	0	11	0	0	0	0	0	0	2	1	19	3	13	31
IV	86	72	75	79	4.7	4.6	4.4	1	0.3	10	29		12		5	0	0	1	0	0	0	5	0	0	0	0	0	0	2	0	26	4	10	30
V	80	62	68	76	5.4	5.2	4.5	19	5	27	15		0		12	5	0	1	0	0	7	7	2	1	0	0	0	0	1	1	28	3	11	6
VI	76	64	67	70	6.2	6.9	6.1	63	11	21	4		0		14	12	1	2	0	0	13	1	0	5	1	1	0	0	0	0	19	0	18	0
VII	85	70	73	84	5.8	5.6	4.7	120	35	21	0		0		20	17	3	0	0	0	20	0	0	7	0	0	0	3	1	2	20	3	13	0
VIII	89	73	80	86	6.8	6.7	6.1	44	7	17	0		0		22	10	0	0	0	0	22	0	0	8	0	0	0	0	1	1	19	0	18	0
IX	93	78	88	89	6.9	6.8	6.5	50	14	30	5	0	0	0	22	12	1	0	0	0	22	0	0	15	0	1	0	0	1	1	14	0	19	0
X	92	85	90	90	5.9	5.4	4.5	8	2	16	28	20	11	0	10	3	0	1	0	0	3	8	0	1	0	0	0	0	0	5	13	1	14	22
XI	92	90	91	91	7.2	6.8	6.1	5	1	12	30	30	16	0	10	2	0	6	0	0	0	10	0	0	0	0	0	0	4	4	4	0	19	30
XII	92	92	91	92	6.6	7.1	7.0	12	3	26	31	25	15	0	18	5	0	5	0	0	0	18	0	0	0	0	0	0	5	6	0	0	21	31
1954	87	78	81	84	5.8	5.7	5.4	361	35		231		130		158	75	5	22	0	0	87	74	2	37	1	2	0	3	19	23	181	22	170	209

Siččajavre

H_s = 382 H_b = h_t = 2.1 h_a = h_d = 6.0 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 7	13	19	Dles	Midlere skydekke N_m 7	13	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	87	88	88	87	4.1	4.1	4.2	23	7	15	31		31		15	6	0	3	0	0	0	15	0	0	0	0	0	0	0	0	4	3	7	31
II	87	86	86	86	5.0	4.0	4.7	5	1	24	28		27		7	2	0	2	0	0	0	7	0	0	0	0	0	0	0	0	10	4	6	28
III	86	79	82	82	4.3	3.8	4.7	30	6	25	31		20		13	8	0	1	1	0	0	13	0	0	0	0	0	0	0	0	16	8	8	31
IV	87	74	76	80	4.6	3.3	3.5	6	2	18	30		16		6	3	0	1	0	0	1	6	1	0	0	0	0	0	0	1	20	4	4	30
V	80	63	68	77	4.9	4.1	4.2	32	8	26	11		0		11	8	0	1	0	0	9	4	2	3	0	0	0	0	3	2	21	4	9	9
VI	77	63	67	70	5.7	5.4	5.2	51	18	21	6		0		18	14	1	1	0	0	16	6	4	1	0	1	0	1	0	1	7	1	10	0
VII	84	70	70	81	5.2	4.6	4.2	143	35	8	0		0		18	14	4	0	0	0	18	0	0	4	0	0	0	4	0	4	14	3	8	0
VIII	90	74	80	87	6.4	5.6	5.1	62	11	4	0		0		20	16	1	1	0	0	20	0	0	2	0	0	0	0	0	6	11	0	11	0
IX	93	81	89	90	6.4	5.8	5.8	65	13	30	4		0		22	15	2	0	0	0	22	1	1	11	0	0	0	0	0	7	5	1	15	0
X	90	84	88	88	6.3	5.1	5.3	19	4	1	29	16	10	0	13	11	0	0	0	0	5	13	5	0	0	0	0	0	0	8	7	1	12	21
XI	90	89	90	90	7.1	6.5	6.5	21	4	1	30	30	20	0	13	11	0	1	0	0	0	13	0	0	0	0	0	0	0	0	3	0	22	30
XII	91	91	91	91	6.6	6.7	6.6	40	3	18	31	27	14	0	22	17	0	0	0	0	1	22	1	0	0	0	0	0	0	0	0	0	21	31
1954	87	79	81	84	5.6	4.9	5.0	497	35		231		138		178	125	8	11	1	0	92	100	14	21	0	1	0	5	3	29	118	29	133	211

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1954

Pentade	Røros	Alvdal	Dombås	Vinstra	Vollen i Slidre	Lillehammer	Vang på Hedmark	Østre Toten	Flisa	Vinger	Hvam	Modum	Nesbyen II	Stokke	Ås	Eidsberg	Gvarv	Byglandsfjord II
1.I - 5.I	- 7.8	- 9.0	- 6.1	- 9.5	- 4.7	- 8.2	- 7.5	- 6.6	- 8.6	- 6.3	- 6.2	- 4.4	- 6.3	- 2.5	- 4.7	- 3.4	- 4.8	- 1.4
6.I - 10.I	- 9.7	-12.5	- 9.0	-12.3	- 8.3	- 9.9	- 8.9	- 6.5	- 9.5	- 7.7	- 7.6	- 7.0	-11.3	- 2.4	- 4.4	- 4.3	- 7.4	- 2.9
11.I - 15.I	- 4.6	- 4.8	- 3.6	- 6.7	- 3.8	- 4.9	- 3.3	- 2.9	- 3.1	- 2.6	- 2.6	- 2.9	- 6.1	- 1.3	- 1.7	- 0.3	- 3.2	1.2
16.I - 20.I	- 6.3	- 6.9	- 5.5	- 6.3	-10.9	- 7.4	- 5.6	- 3.8	- 6.2	- 5.5	- 6.0	- 7.0	-11.1	- 1.1	- 4.4	- 4.2	- 6.1	- 0.9
21.I - 25.I	-25.2	-21.5	-16.6	-18.7	-20.1	-16.2	-15.1	-13.5	-16.1	-14.1	-12.2	-13.5	-18.8	- 6.2	- 8.5	- 8.0	- 9.7	- 4.0
26.I - 30.I	-24.8	-23.5	-19.1	-21.0	-20.7	-16.7	-15.5	-14.2	-16.3	-14.7	-14.6	-15.6	-18.5	-10.2	-11.3	-11.8	-10.9	- 7.6
31.I - 4.II	-21.2	-23.4	-16.7	-19.9	-17.2	-16.4	-14.8	-13.4	-14.0	-12.9	-11.6	-12.5	-15.9	- 7.8	- 8.1	- 7.3	-11.1	- 6.8
5.II - 9.II	- 9.7	-11.0	- 8.8	-10.6	-10.7	-10.1	- 9.3	- 8.8	-10.4	- 9.6	- 9.4	- 8.8	-11.1	- 5.5	- 6.9	- 6.1	- 7.3	- 4.4
10.II - 14.II	-21.3	-21.6	-17.8	-17.6	-18.1	-14.5	-13.3	-12.4	-13.1	-12.3	-11.9	-12.1	-14.7	- 9.3	- 9.8	-10.3	- 8.6	- 7.6
15.II - 19.II	-18.9	-17.7	-15.2	-16.2	-17.9	-14.7	-15.2	-14.6	-16.0	-14.2	-14.5	-13.9	-16.0	- 9.4	-11.1	-11.4	- 9.2	- 7.1
20.II - 24.II	-12.1	-11.0	-10.7	-10.3	-11.3	- 9.2	- 8.9	- 8.8	- 8.2	- 8.0	- 7.8	- 7.3	- 9.9	- 6.2	- 7.1	- 6.8	- 5.5	- 4.6
25.II - 1.III	- 9.6	- 8.4	- 8.3	- 7.2	- 7.5	- 6.4	- 5.9	- 6.7	- 5.7	- 5.3	- 5.5	- 6.0	- 6.1	- 4.8	- 4.7	- 4.3	- 3.7	- 3.3
2.III - 6.III	-12.1	-13.0	-10.0	-10.6	-10.0	- 7.8	- 6.1	- 5.5	- 3.9	- 2.9	- 3.2	- 4.2	- 7.9	- 2.6	- 2.5	- 1.8	- 3.4	- 2.8
7.III - 11.III	- 5.6	- 3.8	- 3.6	- 2.9	- 3.9	- 1.5	0.0	- 0.8	0.4	0.8	1.0	0.5	- 2.4	0.2	0.4	0.4	1.1	0.4
12.III - 16.III	- 1.2	- 1.0	0.0	1.1	- 0.9	- 1.0	0.0	0.3	1.0	1.3	0.7	- 0.8	- 1.7	- 0.5	- 0.4	- 0.8	0.6	0.5
17.III - 21.III	- 2.8	- 2.1	- 2.2	- 1.1	- 4.3	- 1.6	- 2.0	- 1.0	- 1.9	- 1.7	- 1.3	- 2.4	- 2.8	- 2.2	- 2.1	- 1.6	- 1.7	- 0.6
22.III - 26.III	- 3.1	- 1.8	- 2.2	- 0.2	- 1.0	- 1.1	- 0.8	- 1.0	- 0.5	0.2	0.2	- 0.5	1.1	0.1	0.0	0.3	1.0	0.9
27.III - 31.III	- 3.0	- 1.9	- 3.4	- 0.8	- 2.4	- 1.1	- 1.0	- 0.9	- 0.1	- 0.2	0.3	- 0.5	- 0.8	0.2	0.5	0.0	0.9	- 0.1
1.IV - 5.IV	- 0.1	1.9	0.4	3.5	2.1	2.2	2.1	2.4	2.1	2.4	2.3	3.0	3.7	2.7	2.6	2.2	3.3	2.7
6.IV - 10.IV	- 3.0	- 0.8	- 1.0	1.5	- 0.9	0.0	0.8	0.7	1.3	1.1	1.4	1.2	2.2	1.7	2.0	1.9	2.9	1.7
11.IV - 15.IV	- 0.5	0.9	- 0.1	2.3	0.9	1.4	1.6	2.0	3.1	3.0	2.5	1.8	2.5	2.6	2.2	2.7	3.0	2.6
16.IV - 20.IV	- 1.2	0.5	0.0	2.9	0.6	1.7	1.8	1.9	2.3	3.1	3.1	2.8	2.8	3.2	3.2	3.4	4.0	3.1
21.IV - 25.IV	- 1.4	0.6	- 0.5	3.5	2.2	2.7	3.2	3.1	3.3	3.4	4.0	4.4	3.9	4.6	4.6	4.2	5.2	5.0
26.IV - 30.IV	- 0.6	1.5	0.2	3.5	1.3	3.5	3.5	3.5	3.0	2.9	3.7	3.9	3.5	4.2	4.3	3.6	4.5	3.8
1.V - 5.V	3.5	3.8	3.7	4.7	3.0	4.5	6.2	5.0	6.9	6.7	6.6	5.7	5.4	6.9	7.1	7.4	6.8	5.1
6.V - 10.V	6.1	7.0	5.9	8.1	5.7	8.1	8.3	8.1	9.1	9.2	9.3	8.8	7.9	9.6	10.1	10.2	9.0	8.4
11.V - 15.V	8.3	9.8	9.7	12.1	9.6	11.0	11.4	11.2	12.0	11.2	11.2	11.5	11.6	10.9	11.3	11.0	10.9	11.9
16.V - 20.V	4.1	5.3	5.3	7.3	6.9	8.0	8.4	8.0	8.4	8.0	8.4	8.2	8.5	9.0	9.0	8.9	10.3	8.6
21.V - 25.V	10.7	11.5	10.9	12.0	10.4	12.3	13.4	12.3	13.6	13.7	13.0	11.8	11.5	11.9	12.7	12.6	11.7	10.5
26.V - 30.V	13.5	15.8	14.6	17.6	15.1	18.2	17.5	18.5	18.2	18.7	18.2	17.7	16.8	17.9	18.4	18.3	16.8	16.4
31.V - 4.VI	6.8	9.3	9.0	12.8	12.1	12.6	12.7	13.1	13.2	14.1	13.5	14.4	14.5	15.0	14.4	14.2	15.9	15.9
5.VI - 9.VI	8.2	10.6	10.9	13.4	11.6	12.8	12.9	12.8	13.1	13.9	13.5	14.4	13.7	13.6	14.1	13.8	15.2	15.0
10.VI - 14.VI	7.7	9.6	8.7	11.0	10.3	11.3	11.0	11.2	11.9	12.2	11.8	11.9	11.6	12.6	12.6	12.3	12.8	11.1
15.VI - 19.VI	10.9	11.9	10.8	13.1	12.5	12.5	12.9	12.7	13.4	13.0	12.9	13.3	13.4	13.1	13.1	13.2	13.9	12.2
20.VI - 24.VI	12.0	13.3	11.1	14.5	13.1	14.8	14.9	14.8	15.2	15.3	15.0	15.0	14.5	14.7	14.9	14.6	15.3	13.1
25.VI - 29.VI	9.3	11.2	10.3	13.3	11.5	12.2	12.2	12.5	12.8	12.9	12.5	12.6	12.4	12.8	13.2	12.6	12.9	12.2
30.VI - 4.VII	12.0	13.3	10.9	13.9	12.5	14.2	14.1	14.2	14.0	14.0	13.7	14.1	14.6	13.4	13.5	13.1	14.7	13.3
5.VII - 9.VII	12.0	12.6	10.7	13.5	11.0	12.9	13.5	13.0	14.2	14.1	14.1	12.9	12.9	13.4	14.4	13.9	13.9	12.4
10.VII - 14.VII	16.7	16.8	15.2	17.3	15.9	16.9	17.9	17.0	18.1	17.0	17.8	17.4	17.1	18.0	18.3	17.8	18.6	18.0
15.VII - 19.VII	10.1	11.5	10.1	14.2	12.7	13.5	13.9	13.9	14.3	14.1	14.5	13.5	14.2	14.2	14.8	14.7	14.7	14.7
20.VII - 24.VII	9.5	11.3	10.7	13.3	12.7	12.7	12.9	13.6	13.9	14.6	13.8	14.8	14.6	14.6	15.1	14.7	15.7	14.0
25.VII - 29.VII	11.8	12.5	11.1	13.4	13.1	13.3	13.6	13.6	14.0	13.6	14.0	14.0	14.0	13.9	14.1	13.7	14.5	13.5
30.VII - 3.VIII	11.5	11.7	10.7	12.9	12.3	12.6	13.1	12.8	13.4	13.4	13.7	13.5	13.1	13.9	14.1	14.1	14.1	12.4
4.VIII - 8.VIII	11.2	12.4	11.0	13.8	12.2	13.1	13.7	13.8	13.8	14.5	14.4	14.6	13.5	14.6	15.0	14.7	14.3	13.1
9.VIII - 13.VIII	11.7	11.8	11.8	13.7	12.8	13.0	13.4	12.9	13.5	13.0	13.9	13.8	14.0	14.1	14.3	14.4	15.0	13.8
14.VIII - 18.VIII	9.0	11.0	9.4	12.3	11.4	12.3	12.9	12.8	13.5	13.4	13.9	12.5	12.4	13.0	14.3	13.7	13.5	12.3
19.VIII - 23.VIII	10.5	12.3	12.1	13.4	12.3	13.2	13.5	13.4	12.9	13.9	14.0	14.1	13.5	14.0	14.7	14.7	13.7	14.6
24.VIII - 28.VIII	13.0	14.4	13.6	14.9	13.5	14.4	15.2	15.1	14.6	15.7	15.9	15.6	14.3	15.6	16.2	15.5	15.4	15.3
29.VIII - 2.IX	8.6	9.3	8.9	10.4	10.7	10.7	11.8	12.3	11.8	13.3	13.2	13.9	12.1	14.6	14.6	14.6	14.3	14.4
3.IX - 7.IX	10.4	11.5	10.1	12.0	10.5	12.2	13.0	13.0	13.1	13.9	13.7	14.1	11.2	14.0	14.4	14.0	14.4	13.4
8.IX - 12.IX	10.2	10.9	9.7	11.8	10.9	12.0	12.1	12.5	12.5	12.9	12.9	12.7	11.8	13.4	13.5	13.2	13.4	12.2
13.IX - 17.IX	6.1	6.8	5.7	7.0	6.1	7.4	8.5	9.1	9.4	10.1	9.7	8.9	6.6	10.0	10.4	9.9	8.5	8.6
18.IX - 22.IX	3.8	4.1	4.4	5.6	5.0	5.9	6.5	7.2	6.3	7.0	7.0	7.1	5.5	7.7	8.2	7.3	6.8	7.1
23.IX - 27.IX	2.6	4.1	3.4	5.3	4.5	5.7	6.0	6.8	5.5	6.2	6.6	7.1	4.9	7.9	8.1	7.2	7.7	8.0
28.IX - 2.X	0.4	0.8	1.7	2.4	2.7	3.1	2.7	4.1	2.1	3.6	3.7	4.1	2.5	5.2	5.1	4.5	3.2	4.3
3.X - 7.X	2.7	4.0	3.8	3.8	3.3	4.5	5.6	5.4	5.4	5.2	6.0	5.9	3.9	7.6	7.1	6.8	6.7	7.9
8.X - 12.X	2.4	3.4	3.4	3.9	3.7	4.1	4.5	5.5	4.9	5.6	6.1	6.9	4.4	7.5	7.4	7.0	6.3	6.8
13.X - 17.X	- 1.7	- 0.7	- 0.4	0.7	1.4	1.7	2.5	3.5	2.1	3.0	3.4	3.8	1.2	4.8	4.2	4.1	3.8	4.1
18.X - 22.X	- 3.1	- 1.8	- 1.4	- 2.0	- 0.5	- 1.0	- 0.2	1.0	1.5	1.3	1.4	1.8	- 0.6	3.7	3.4	3.6	1.9	4.4
23.X - 27.X	- 1.8	- 0.9	- 0.7	- 0.3	- 0.1	1.2	2.3	3.0	3.1	4.2	3.8	3.4	0.0	5.9	5.4	5.1	4.5	5.5
28.X - 1.XI	1.8	2.1	2.3	2.2	0.8	2.6	3.9	4.4	4.4	4.8	4.8	3.9	1.9	6.6	5.9	6.2	5.0	6.0
2.XI - 6.XI	- 1.8	- 2.3	- 1.3	- 1.1	- 1.9	1.0	2.6	2.6	2.9	3.2	3.3	3.1	- 0.4	4.2	4.7	4.1	2.3	3.5
7.XI - 11.XI	- 4.2	- 3.4	- 3.6	- 3.4	- 4.4	- 2.0	- 1.5	- 0.9	- 1.9	- 1.2	- 1.3	- 1.5	- 4.8	0.8	0.1	0.4	- 1.2	0.7
12.XI - 16.XI	- 8.9	- 9.2	- 7.6	- 7.8	- 6.9	- 5.1	- 3.0	- 2.4	- 2.8	- 2.3	- 2.1	- 1.2	- 7.9	1.6	0.0	- 0.2	0.5	1.7
17.XI - 21.XI	- 5.3	- 6.2	- 5.8	- 6.2	- 6.4	- 4.0	- 3.6	- 3.1	- 4.4	- 4.1	- 4.1	- 2.4	- 5.7	- 0.2	- 2.6	- 2.4	- 1.8	0.2
22.XI - 26.XI	- 5.0	- 3.7	- 4.0	- 2.6	- 3.9	- 1.6	- 1.9	- 1.3	- 1.5	- 1.6	- 1.5	- 0.2	- 1.7	- 0.1	- 1.4	- 1.0	0.6	1.5
27.XI - 1.XII	- 0.4	0.8	0.5	1.3	0.4	1.1	1.3	1.2	1.5	1.7	1.6	2.3	1.5	3.9	2.7	3.0	3.4	4.8
2.XII - 6.XII	0.1	- 0.2	- 0.1	- 1.1	- 1.6	0.9	1.6	2.3	2.2	2.7	2.6	2.2	- 0.4	4.1	3.8	3.6	1.9	4.5
7.XII - 11.XII	- 5.1	- 4.9	- 5.2	- 4.9	- 5.9	- 2.3	- 1.1	- 1.4	- 0.1	0.0	- 0.9	- 1.0	- 4.1	0.2	- 0.1	- 0.1	- 1.1	0.5
12.XII - 16.XII	- 1.8	- 1.7	- 2.6	- 2.0	- 2.1	- 0.5	0.0	0.3	0.6	0.5	0.5	0.5	- 1.9	2.4	1.5	1.8	0.5	1.5
17.XII - 21.XII	- 2.8	- 0.8	- 1.2	- 3.0	0.1	- 0.9	1.2	1.9	1.3	2.6	2.2	3.0	1.7	4.4	3.7	3.1	2.6	3.7
22.XII - 26.XII	-13.5	-14.1	-11.5	-13.4	-14.7	- 9.3	- 8.2	- 6.5	- 9.6	- 8.5	- 7.5	- 7.6	-13.5	- 6.4	- 6.6	- 6.2	- 7.7	- 2.2
27.XII - 31.XII	- 7.4	- 8.9	- 7.4	- 8.7	-12.2	- 7.5	- 6.9	- 5.9	- 7.1	- 6.9	- 6.9	- 7.6	-11.0	- 6.0	- 6.1	- 5.1	- 7.0	- 2.0

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1954

Pentade	Kristiansand S.	Klepp	Sauda	Ullensvang	Syfteland	Leikanger	Nordfjordeid	Tafjord	Runde	Tingvoll	Vallersund	Trondheim (Voll)	Værnes	Kjevik i Snåsa	Brønnøysund II	Mo i Rana II	Bodø VI	Offersøy	Tromsø
1.I - 5.I	0.4	2.3	- 1.0	1.4	1.4	2.0	1.9	2.5	5.4	1.9	4.1	0.8	1.0	- 0.6	3.6	0.5	2.7	2.1	- 0.6
6.I - 10.I	- 0.5	0.5	- 4.5	- 0.9	- 2.5	- 1.0	- 1.7	- 1.5	0.7	- 1.7	0.1	- 2.3	- 1.2	- 4.2	- 0.2	- 5.4	- 2.3	- 4.0	- 4.8
11.I - 15.I	2.4	4.3	0.8	2.3	2.2	3.0	1.3	3.2	4.5	1.8	2.9	0.8	1.5	- 0.8	1.5	- 4.5	- 0.3	- 2.5	- 4.6
16.I - 20.I	2.5	3.6	- 0.9	1.2	0.6	0.4	- 0.7	0.8	2.3	- 0.9	0.2	- 2.2	- 1.7	- 7.9	- 1.0	- 9.5	- 3.5	- 4.3	- 4.4
21.I - 25.I	- 1.5	- 1.0	- 6.0	- 2.6	- 1.8	- 3.6	- 3.1	- 0.2	1.4	- 9.9	- 4.1	-10.2	-12.1	-16.0	- 1.1	-12.3	- 1.0	0.3	0.2
26.I - 30.I	- 7.0	- 5.2	- 7.9	- 6.7	- 6.5	- 7.1	- 9.4	- 6.7	- 1.4	-11.2	- 5.8	-10.0	-10.4	-13.4	- 4.3	-17.7	- 4.5	- 2.2	- 1.6
31.I - 4.II	- 4.3	- 2.4	- 7.3	- 4.1	- 3.4	- 5.4	- 5.7	- 2.6	1.3	- 6.0	- 2.3	- 7.4	- 7.5	-13.6	- 1.3	-11.4	- 1.4	- 0.7	- 1.5
5.II - 9.II	- 2.1	- 0.2	- 0.8	- 0.2	0.7	0.0	1.8	2.1	3.0	0.3	0.3	- 1.3	- 2.9	- 1.8	1.0	- 3.3	0.3	0.2	- 2.3
10.II - 14.II	- 6.2	- 4.1	- 6.4	- 5.4	- 5.2	- 5.8	- 5.7	- 4.4	- 0.8	- 8.3	- 5.9	- 9.7	- 9.4	-11.1	- 4.9	-14.3	- 4.5	- 2.7	- 4.3
15.II - 19.II	- 4.7	- 3.4	- 4.8	- 3.7	- 3.5	- 4.5	- 4.2	- 2.6	0.4	- 5.6	- 3.8	- 8.0	- 7.9	-11.0	- 3.1	- 8.6	- 1.1	- 3.0	- 4.9
20.II - 24.II	- 2.2	0.0	- 0.9	0.2	1.1	- 1.2	0.7	0.4	3.4	- 0.9	- 1.6	- 4.2	- 3.7	- 8.1	- 0.8	- 6.5	- 1.9	- 1.1	- 3.6
25.II - 1.III	- 2.4	0.7	0.6	- 0.6	1.3	- 0.9	0.8	0.4	2.9	1.1	- 2.0	- 4.0	- 2.7	- 6.7	- 4.0	- 7.1	- 5.3	- 4.4	- 6.9
2.III - 6.III	- 1.4	0.4	- 0.8	- 0.6	0.0	- 1.1	- 1.2	0.3	1.8	- 2.8	- 1.3	- 4.9	- 4.6	- 6.3	- 1.7	- 8.5	- 3.3	- 3.7	- 5.4
7.III - 11.III	1.1	2.3	2.7	3.5	2.8	3.4	2.7	4.6	5.2	2.3	4.2	1.9	2.6	0.9	3.6	2.0	2.3	1.3	0.2
12.III - 16.III	- 0.5	1.0	- 0.4	2.1	1.3	3.9	2.7	4.0	4.5	3.1	3.7	1.9	2.6	0.7	2.2	- 1.7	- 0.1	- 0.9	- 3.5
17.III - 21.III	- 0.8	2.9	0.1	2.5	1.5	3.1	2.6	4.8	4.2	1.6	2.9	1.6	2.1	- 0.3	1.6	- 2.6	0.1	- 0.8	- 2.1
22.III - 26.III	1.5	4.6	2.2	3.3	3.5	3.3	2.0	3.3	3.0	1.6	1.6	0.8	1.6	- 1.2	0.8	- 2.0	- 0.6	- 1.6	- 2.2
27.III - 31.III	1.1	3.1	1.7	2.4	2.8	3.1	2.0	2.9	3.9	2.5	2.1	1.0	1.7	- 0.9	1.5	- 1.7	- 0.3	- 0.3	- 1.9
1.IV - 5.IV	3.6	5.2	4.5	4.8	4.5	5.0	4.2	6.3	5.1	4.3	4.5	3.2	4.2	2.0	3.9	1.6	1.9	1.1	- 0.5
6.IV - 10.IV	1.7	4.5	3.3	4.5	4.3	4.3	4.4	5.8	6.2	4.3	5.1	2.6	3.3	1.0	4.0	- 1.0	1.4	1.4	0.1
11.IV - 15.IV	4.6	4.9	2.8	3.1	3.7	3.1	3.3	5.9	4.3	4.7	4.6	4.2	4.9	3.2	3.8	1.8	3.0	3.0	2.3
16.IV - 20.IV	5.0	5.0	4.3	4.9	4.6	5.0	3.9	5.0	4.8	3.8	4.0	3.2	3.2	1.6	3.1	1.1	1.9	1.6	1.1
21.IV - 25.IV	5.9	5.3	6.2	6.6	4.9	6.3	3.4	4.1	3.8	2.7	2.8	2.0	2.6	0.5	1.8	0.3	1.3	0.0	- 2.3
26.IV - 30.IV	5.9	5.3	5.7	6.1	4.7	5.4	3.6	3.8	4.1	3.0	3.3	2.0	2.8	1.3	2.8	1.7	1.3	1.2	0.9
1.V - 5.V	6.9	8.6	9.2	9.7	8.9	9.9	9.2	11.9	8.9	10.9	10.2	8.6	9.7	7.4	9.7	7.7	8.4	6.5	3.5
6.V - 10.V	10.1	9.5	9.8	10.0	9.7	10.6	9.9	12.7	10.2	11.6	10.7	9.9	10.2	8.8	9.4	7.8	8.5	7.5	6.4
11.V - 15.V	11.1	11.8	12.7	13.6	13.7	13.3	12.6	11.6	12.2	12.6	11.2	11.5	11.4	10.2	9.7	8.5	8.8	6.7	5.7
16.V - 20.V	10.8	9.1	10.2	11.1	10.2	10.3	8.1	8.3	7.5	7.7	8.5	7.4	7.8	6.5	8.4	7.1	7.2	8.5	6.5
21.V - 25.V	10.4	12.1	12.7	12.7	13.4	12.0	11.0	12.5	9.9	13.7	13.9	16.0	16.4	15.9	15.2	13.9	14.7	15.1	10.8
26.V - 30.V	16.3	18.7	17.8	17.2	18.5	15.8	16.2	14.9	16.2	16.8	13.2	15.8	15.0	15.0	10.9	11.7	9.2	9.0	6.2
31.V - 4.VI	15.1	13.2	17.0	16.9	16.2	14.9	10.3	10.4	8.5	9.3	8.2	7.3	8.3	6.7	6.8	6.4	6.2	5.6	3.4
5.VI - 9.VI	14.3	13.5	14.6	15.8	13.5	15.7	12.8	12.6	8.6	11.5	8.2	8.9	9.7	8.5	7.0	7.0	5.4	5.4	3.4
10.VI - 14.VI	12.1	11.2	10.9	11.3	10.5	11.2	8.9	10.1	8.3	9.9	8.6	9.6	8.9	9.1	7.6	8.2	7.7	7.9	7.5
15.VI - 19.VI	12.7	12.6	13.3	14.2	12.8	13.7	12.6	13.4	12.1	13.5	12.2	12.7	13.0	12.5	11.6	11.8	10.5	9.6	8.7
20.VI - 24.VI	14.1	13.1	12.4	13.0	11.8	12.5	11.7	13.1	12.1	13.7	12.6	12.9	13.5	13.5	12.7	13.7	12.6	13.0	11.7
25.VI - 29.VI	12.8	12.4	12.7	13.1	11.8	13.3	12.2	12.8	10.8	12.5	12.3	11.8	12.8	11.6	12.2	14.0	12.9	13.4	11.9
30.VI - 4.VII	13.3	12.5	12.3	13.7	11.2	13.4	12.5	13.0	11.8	12.3	11.6	12.5	13.1	13.1	11.2	13.0	12.1	12.2	10.4
5.VII - 9.VII	12.7	13.0	9.8	13.8	13.0	14.8	14.0	13.8	13.2	14.9	13.0	14.7	15.4	15.2	13.6	14.3	13.8	15.2	14.8
10.VII - 14.VII	17.8	15.8	17.7	18.7	16.8	19.1	17.0	17.9	15.6	18.0	18.6	17.8	18.7	20.2	18.0	20.8	18.8	20.1	18.0
15.VII - 19.VII	15.2	12.7	15.0	14.8	13.6	15.5	12.7	12.8	11.1	12.2	12.3	12.2	13.1	12.7	13.3	15.4	14.7	16.4	17.2
20.VII - 24.VII	14.4	13.0	13.2	14.2	12.5	14.8	13.4	13.4	12.5	12.3	11.4	11.2	12.3	10.4	11.2	11.9	11.2	12.1	9.7
25.VII - 29.VII	13.8	14.0	14.0	15.1	13.6	15.4	14.5	15.8	14.6	14.8	16.1	16.8	16.0	16.3	17.0	18.4	17.7	18.6	17.2
30.VII - 3.VIII	13.4	13.4	13.0	13.5	13.0	13.9	13.4	14.8	13.9	14.5	15.1	13.6	15.1	14.7	16.3	15.0	16.7	17.2	18.1
4.VIII - 8.VIII	14.5	14.3	14.4	14.5	14.6	14.7	13.9	14.6	14.1	14.1	13.9	13.2	14.2	13.2	14.6	14.7	14.9	15.7	13.7
9.VIII - 13.VIII	14.9	14.8	15.0	16.1	15.4	16.4	15.6	16.1	15.6	16.0	15.7	15.0	15.2	14.1	14.8	15.3	14.8	15.6	13.1
14.VIII - 18.VIII	13.7	13.3	13.2	13.6	12.9	14.2	13.1	13.3	12.9	12.1	12.1	11.3	11.6	10.9	11.7	11.9	11.7	11.9	10.3
19.VIII - 23.VIII	15.3	15.9	15.9	14.3	15.9	16.6	15.0	13.1	13.6	13.9	11.1	11.9	12.7	12.2	11.3	11.0	11.4	11.0	9.3
24.VIII - 28.VIII	15.9	15.0	15.5	15.4	14.8	16.1	14.6	14.8	13.8	14.5	12.0	13.2	13.3	11.3	11.5	11.0	10.5	10.0	7.1
29.VIII - 2.IX	14.6	14.5	12.7	12.0	12.8	12.2	12.3	12.2	12.5	10.9	11.7	9.9	11.1	9.9	10.9	9.2	10.3	10.4	9.5
3.IX - 7.IX	14.5	13.1	11.8	12.4	11.8	12.0	11.8	12.1	12.6	11.5	10.7	10.5	10.9	10.9	10.5	9.4	9.5	8.8	8.1
8.IX - 12.IX	13.8	13.2	12.2	12.3	12.1	12.5	12.1	13.3	13.3	12.8	13.4	12.8	13.9	12.9	13.2	11.0	11.3	10.3	7.7
13.IX - 17.IX	9.8	10.7	9.8	9.1	9.7	9.6	9.7	9.9	11.2	9.8	10.4	9.0	9.6	7.8	10.3	8.8	10.0	10.0	8.8
18.IX - 22.IX	8.9	9.4	8.1	8.6	8.3	8.8	8.2	8.7	10.0	8.2	9.1	7.3	7.8	6.6	9.1	6.5	8.1	7.5	7.4
23.IX - 27.IX	9.8	9.5	7.8	8.2	7.3	8.0	7.2	9.1	8.7	7.6	8.0	6.3	7.3	5.4	7.9	5.5	7.2	6.5	6.1
28.IX - 2.X	6.4	6.1	4.8	5.4	4.9	6.0	5.3	6.7	6.8	4.8	6.3	3.5	4.1	3.4	6.2	2.7	5.7	5.1	4.9
3.X - 7.X	9.3	10.6	9.1	9.7	11.1	9.5	11.0	13.0	12.5	9.4	10.4	7.2	8.7	6.0	9.7	6.2	7.9	8.4	6.6
8.X - 12.X	8.9	9.2	7.5	7.4	7.9	6.9	5.7	7.0	8.6	5.1	6.8	5.5	6.0	4.8	6.7	3.7	5.7	5.4	4.4
13.X - 17.X	6.2	7.6	5.1	5.5	4.5	4.4	4.0	4.1	5.8	2.7	4.8	1.8	2.7	1.2	3.8	1.0	3.3	1.6	1.8
18.X - 22.X	6.7	7.1	5.0	3.7	4.8	4.2	3.4	5.3	5.5	2.0	3.6	2.6	3.4	1.3	3.5	1.0	2.1	1.4	- 0.9
23.X - 27.X	8.1	7.1	5.6	6.0	5.4	5.4	4.0	6.0	5.7	3.8	4.3	3.0	3.9	1.6	3.5	- 0.1	2.0	1.0	- 0.1
28.X - 1.XI	8.9	9.2	7.6	7.2	7.6	7.0	7.0	8.5	8.7	7.0	6.9	6.5	6.5	2.0	5.9	1.7	4.2	2.5	0.5
2.XI - 6.XI	5.7	6.0	3.7	5.1	4.7	5.3	3.5	5.6	6.3	1.8	4.1	2.9	3.6	0.5	4.0	0.9	2.4	2.3	0.7
7.XI - 11.XI	3.2	4.5	2.0	3.3	3.5	3.3	3.3	4.9	5.7	2.7	3.6	1.7	1.5	- 0.2	1.8	- 3.5	0.0	0.3	- 1.5
12.XI - 16.XI	3.5	4.2	1.6	2.4	2.0	1.1	0.4	2.0	4.6	- 0.3	3.5	- 1.2	- 1.6	- 3.1	2.3	- 4.5	- 0.2	- 0.8	- 2.1
17.XI - 21.XI	1.7	3.9	0.6	1.6	3.5	1.4	2.2	3.5	6.1	- 0.3	1.6	- 0.6	0.0	- 2.4	0.6	- 5.0	2.0	- 0.4	- 2.8
22.XI - 26.XI	3.8	4.5	4.5	3.9	6.2	3.4	5.0	5.0	6.7	3.5	1.6	0.1	0.8	- 1.8	0.8	- 1.8	- 0.4	- 0.2	- 3.0
27.XI - 1.XII	6.3	8.1	9.1	9.3	9.5	8.8	8.9	10.2	9.9	9.6	7.0	5.4	6.4	2.7	6.1	5.4	5.7	5.7	- 2.4
2.XII - 6.XII	6.1	6.0	5.1	6.4	5.3	6.2	4.8	6.1	6.6	3.8	5.4	3.1	2.0	0.0	4.2	1.8	4.1	4.3	2.6
7.XII - 11.XII	1.6	2.7	1.4	2.2	2.0	2.4	1.5	3.4	2.9	0.9	1.8	- 0.2	1.2	- 2.2	2.0	- 0.8	1.6	1.7	- 0.4
12.XII - 16.XII	3.8	4.8	3.1	3.7	3.4	3.4	2.2	5.1	5.3	1.1	3.5	1.8	2.1	- 1.0	3.7	1.4	2.6	1.9	0.1
17.XII - 21.XII	5.5	5.8	4.9	5.4	4.4	4.7	3.6	2.8	5.2	3.0	4.4	2.2	3.5	1.2	3.8	0.1	3.1	2.8	1.2
22.XII - 26.XII	- 0.6	- 0.5	- 3.7	- 1.3	- 2.7	- 1.9	- 3.9	- 3.0	1.1	- 5.5	- 1.4	- 2.7	- 4.8	- 6.6	- 2.0	- 8.5	- 2.1	- 2.5	- 4.6
27.XII - 31.XII	- 0.7	3.9	- 0.2	1.3	2.3	1.5	1.6	3.6	5.1	- 1.3	2.1	- 1.2	0.0	- 1.1	2.2	- 2.2	0.4	- 0.2	- 2.9

1953

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 ΔG = + 1h

Januar I

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = 10.1 h_d = 11.4 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**15.0**	14.6	13.5	-15.4	-15.6	-16.9	-13.1	-17.4	84	84	89	08 4	08 3	18 2	9	1	3	6	0.0		⛆° n,a
2	07.6	05.8	04.0	-13.8	-11.4	-11.6	- 9.9	-17.0	91	86	88	07 5	07 4	08 4	7	8 *²	8 *°	8 *°	0.2		* n, *° a,p
3	06.7	11.3	13.3	-11.8	-13.8	-12.6	- 9.8	-15.0	87	88	79	07 4	06 4	08 3	9	0	1	4	0.2		⛆° p
4	08.9	03.3	96.9	- 9.6	- 7.4	- 3.4	- 3.3	-13.4	66	61	78	09 3	10 5	09 6	9	8	8	8 *°			*° p
5	92.2	91.1	90.1	- 1.8	- 2.4	- 1.4	**0.5**	- 4.3	97	95	94	05 5	06 5	07 5	7	8 *°	8 *°	8 *°	0.0		*° n,a,p
6	89.2	90.5	92.3	- 1.7	- 2.4	- 3.4	- 0.3	- 3.8	93	95	94	07 4	06 4	34 4	7	8 *°	7 *°	8 *°	0.4		*° n,a,p
7	97.3	04.4	09.3	- 3.6	- 6.4	- 9.4	- 2.5	- 9.8	94	75	77	09 3	09 3	05 6	7	8 *°	7 *°	3	4.0		*° n,a
8	12.1	10.6	06.9	-13.2	-13.1	-12.5	- 8.7	-13.9	74	83	81	07 4	07 4	12 2	9	1	2	2	0.0		⛆° n, ⛆ a, ⛆ 19
9	99.3	95.1	94.4	-10.0	-10.5	-12.8	- 9.2	-15.0	77	77	72	30 3	34 4	34 5	7	3	8 *°	4			⛆ n, *° a, ⛆° p
10	92.0	93.2	96.3	-16.0	-16.0	-17.1	-12.4	-17.3	74	64	64	34 4	03 4	04 6	9	5	1	1	0.0		⛆° p
11	05.1	08.4	11.1	-18.6	-20.6	-18.4	-17.0	-21.3	**54**	**63**	68	05 2	11 2	08 4	9	1(≡)	1	0			(≡) ⛆° n, ⛆ᶜ a, ⛆ p
12	09.8	08.4	07.5	-18.0	-16.6	-16.2	-15.6	-19.7	79	78	78	08 4	08 4	08 4	9	1	7	4			⛆° n
13	08.0	07.2	05.6	-15.3	-15.6	-15.4	-14.9	-17.7	86	88	87	06 4	07 4	08 4	7	1	8 *°	8 *°			⛆° n, *° p
14	02.2	01.5	99.3	-16.1	-13.7	-11.9	-11.8	-16.5	83	82	87	00 0	08 3	07 4	9	8 *°	7	6	0.0		*° n,a,p
15	90.2	88.3	84.4	- 7.2	- 6.2	- 1.8	- 1.6	-15.8	97	97	97	18 9	18 9	22 6	2	8 +	8 *	8 +	0.0		+² \ n, * \ a, + \ p
16	75.4	74.7	**69.2**	- 2.6	- 5.6	- 6.4	- 0.6	- 9.0	97	88	84	20 6	18 2	05 5	9	8 *	2	1	8.9		+ * n
17	69.5	75.1	81.8	-10.6	-12.7	-15.7	- 6.3	-15.7	77	72	66	05 6	05 6	05 5	9	3	3	1	0.0		⛆° a
18	84.0	87.2	90.2	-17.2	-16.6	-16.6	-15.1	**-22.5**	68	72	81	35 6	35 6	34 7	7	1	8(*)	7 +°			⛆° n, (*) a, +° 19
19	91.8	89.9	87.8	-16.7	-16.8	-16.6	-15.4	-18.4	75	87	84	36 7	35 5	35 5	5	8 *°	8 *°	8 *°	0.0		+ *° n, +° *° a,p
20	84.4	87.1	88.3	-18.4	-18.1	-17.8	-16.5	-19.5	84	79	81	07 4	07 3	07 3	9	1	1	3	0.5		⛆ n, ⛆° p
21	93.0	96.0	99.1	-17.8	-12.8	-11.8	-11.5	-18.5	77	75	72	08 4	05 7	05 5	9	1	4	7			⛆° n, *° a
22	02.3	04.1	05.1	-14.2	-14.4	-15.2	-11.7	-16.0	77	79	83	05 5	07 4	05 4	9	0	1	1	0.0		⛆° 7
23	06.9	08.1	08.0	-17.2	-17.6	-17.4	-15.2	-18.2	89	87	81	07 5	05 4	05 4	7	1 *°	3(≡)	2(≡)	0.0		*° n, (≡) a,p
24	06.8	08.0	09.4	-18.3	-17.6	-16.9	-16.3	-19.0	83	78	78	09 4	08 4	10 3	9	1	1	1			⛆ r
25	11.6	11.7	10.4	-17.7	-15.2	-14.8	-14.2	-18.9	88	79	82	08 4	04 4	08 4	7	1	8(≡)	8 *°			(≡) a, *° p
26	08.0	07.2	06.1	-11.2	-10.3	-11.0	- 9.9	-15.0	79	79	74	09 4	08 4	10 4	6	8 *°	8 *°	7 *°	0.3		*° n,a,p
27	04.0	00.9	02.8	-11.0	- 8.5	- 7.3	- 6.3	-12.9	90	92	83	05 6	05 7	05 6	7	1	4 *°	2	0.7		⛆° n, *° a
28	02.6	05.1	04.9	- 7.3	- 7.8	- 8.4	- 6.6	-12.6	84	71	66	07 6	08 6	05 4	9	4	3	5	0.1		
29	99.5	99.4	00.8	-10.7	-10.8	-12.1	- 8.4	-13.1	69	79	82	07 4	07 4	07 4	9	2	2	3			
30	07.4	10.9	11.2	- 9.7	- 8.4	- 6.3	- 6.1	-13.3	86	83	84	08 5	05 4	05 5	7	8	7(*)	1			*° a
31	11.5	13.1	12.2	- 5.6	- 4.0	- 2.8	- 2.8	- 6.9	97	89	79	05 5	05 5	08 4	9	8 *°	7	7	0.1		*° n,p
M	99.8	00.4	99.4	-12.2	-11.9	-11.7	- 9.4	-15.1	82	81	80	4.5	4.4	4.4	7.8	4.0	5.0	4.6	15		

Februar II

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	12.2	10.8	10.3	- 4.6	- 5.4	- 5.4	- 2.2	- 6.9	61	74	77	09 4	09 4	09 4	9	3	3	8 *°	0.0		*° p
2	12.6	15.1	17.0	- 6.8	- 5.2	- 5.4	- 5.0	- 7.4	93	90	95	07 2	07 3	05 3	9	8 *°	8	4 *°	0.5		*° n,a,p
3	17.9	18.1	20.3	- 9.2	- 6.8	- 6.6	- 5.4	- 9.4	82	83	86	11 3	06 4	07 6	9	2	3	8	1.6		*° n,a,p
4	22.4	23.7	24.0	- 5.0	- 2.3	- 1.3	- 1.0	- 7.0	95	93	72	07 4	17 2	17 4	6	8 *	8 *°	8	4.0		* n, *° a
5	**25.0**	24.4	23.7	- 2.8	- 2.2	- 1.8	- 0.7	- 3.4	91	95	90	18 6	18 5	19 4	7	8 +°	8 +°	8 *°	2.9		*° n, +° a, *° p
6	21.9	22.0	21.7	- 2.1	- 1.4	- 1.8	- 1.3	- 3.2	89	91	90	20 4	17 4	19 4	7	8 *°	8 +°	8 *°	2.6		*° n,a,p
7	18.9	17.2	16.2	- 1.7	- 1.9	- 1.0	- 0.5	- 2.4	86	94	94	18 5	19 7	20 7	5	8 *°	8 +	8 *	0.3		*° n, + a,p
8	18.1	20.6	21.3	- 1.2	- 1.5	- 1.8	- 0.4	- 3.0	87	83	94	18 5	19 5	18 5	7	8	8(*)	8 *°	10.1		*° n,a,p, +° 19
9	22.5	20.7	19.9	- 4.0	- 3.8	- 3.4	- 1.6	- 5.8	95	72	78	18 5	17 5	18 5	9	8 +	2	2	2.0		+ n, +° a
10	21.4	22.4	22.0	- 6.6	- 5.0	- 6.4	- 2.8	- 7.1	71	66	68	18 3	13 2	14 1	9	2	1	1	1.2		*° n
11	20.0	18.8	15.9	- 6.2	- 6.5	- 8.2	- 4.7	- 8.9	78	74	87	06 3	08 4	07 4	9	0	3	2			⛆° n
12	09.5	09.4	10.8	- 7.2	- 7.6	- 8.8	- 6.7	- 9.3	95	94	84	07 4	06 4	06 4	7	8 *°	8 *°	3 *°	0.0		*° n,a,p
13	07.8	04.0	00.4	-12.2	-11.2	-11.1	- 8.8	-13.3	**54**	93	94	05 7	05 9	05 8	5	2 +°	8 +	8 *	0.1		+° n, + \ a, \ *° + p
14	99.2	02.2	02.9	-13.8	-15.4	-16.9	-10.2	-17.3	83	79	71	05 6	06 5	05 5	6	7 *°	7 *°	3	1.1		*° +° n, *° a
15	06.4	08.8	09.9	-17.6	-18.0	-18.7	-16.6	-19.0	69	74	74	04 5	04 4	04 4	9	1	8	1	0.0		⛆° n, ⛆° 19
16	11.1	11.1	10.5	-19.4	-20.2	-21.0	-18.3	-21.4	89	87	87	05 5	05 5	05 5	5	4 *°	7 +	4 +	0.0		*° n, + a,p
17	08.0	06.3	99.5	-21.8	-23.7	-22.9	-19.3	**-24.0**	88	87	87	05 5	08 4	05 5	6	3 *°	6(≡)	7(≡)	0.4		*° n, (≡) ∨ a, (≡) p
18	97.2	77.7	69.3	-18.2	-17.8	-16.4	-16.4	-23.2	90	90	91	05 4	33 5	18 5	6	8 *°	8 *°	8 *²	0.8		*° + n, *° +° a, * p
19	74.8	79.7	81.5	-18.6	-17.6	-16.8	-15.5	-19.0	89	88	83	20 6	18 5	11 5	5	8 *²	8 +	4 +°	2.2		*² n, * + a, +° p
20	79.8	79.6	80.2	-14.4	-12.0	-11.4	-11.4	-17.0	79	90	83	08 3	05 6	05 3	6	1	8 *	8	1.5		* a,p
21	83.1	83.2	84.9	-14.2	-16.2	-17.5	-11.3	-17.7	64	75	77	33 1	08 3	09 1	9	5	4	4	0.4		
22	87.7	89.5	92.9	-16.5	-15.2	-17.6	-14.8	-18.5	82	86	77	18 4	26 2	29 4	7	8 *°	3(≡)	2	0.0		*° n, * a,p
23	91.7	87.3	90.4	-18.9	-16.1	-15.4	-14.6	-21.5	83	88	72	08 3	07 5	36 2	6	6	8(*)	1	3.0		*° n, ⛆° p
24	98.8	96.2	88.9	-14.6	-13.3	-10.2	- 6.7	-17.7	81	91	90	17 2	04 5	06 6	7	3	7 *°	8 *°	0.1		*° n,a,p
25	**57.7**	57.9	58.0	2.2	- 0.6	- 3.1	**3.3**	-11.0	89	92	87	18 8	20 6	20 5	5	8 •	8 *	8 •°	10.0		• n, * a, •° p
26	72.1	78.4	82.4	-12.2	-12.7	-13.3	- 3.1	-13.4	87	77	79	28 5	28 5	28 3	9	8 *	7	7(*)	3.0		* + n, + p
27	87.0	89.1	94.3	-12.0	-12.6	-15.2	-11.1	-15.9	74	78	77	33 4	28 5	33 5	7	8	7(*)	7 *°			*° a,p
28	00.1	96.6	92.7	-13.2	-14.3	-17.2	-12.9	-18.2	78	82	84	32 3	32 3	06 4	6	7 *°	7(≡)	4 +	0.5		*° n, (≡) a, + p
M	02.7	02.5	02.2	-10.5	-10.2	-10.6	- 7.9	-12.9	92	84	83	4.2	4.5	4.3	7.0	5.6	6.6	5.4	48		

Ekstensotabell

1953

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 $\Delta G = +1^h$

Mars III

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = 10.1 h_d = 11.4 h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	98.1	02.6	04.8	-17.9	-17.0	-17.6	-16.4	-18.4	81	79	81	06 3	09 4	07 3	7	2	6(≡)	3(≡)			(≡) ⊙° a, (≡) p
2	03.8	02.4	03.1	-17.9	-20.9	-22.4	-16.2	-22.4	81	84	82	01 4	04 4	04 3	7	6 *°	6(≡)	8(≡)	0.1		*° n, (≡) a,p
3	09.7	11.8	11.8	-23.6	-22.9	-22.0	-20.9	-24.1	78	81	83	07 3	07 4	07 2	7	1(≡)	1(≡)	1(≡)	0.0		(≡) n,a,p
4	06.7	06.0	99.3	-19.8	-13.0	-12.6	-11.7	-23.6	82	82	86	04 5	05 5	08 7	7	4(≡)	4(≡)	8 *°			(≡) n,a, *° p
5	83.9	82.3	85.4	- 8.7	- 8.4	-10.9	- 5.6	-13.5	91	87	83	07 6	04 3	29 5	6	8 *°	8 *°	8 *°	0.2		*° n,a, *° + p
6	91.2	91.2	92.5	-18.6	-20.7	-21.2	-10.9	-22.8	87	79	83	32 7	33 7	33 6	7	3(≡)	3 +	7(≡)	1.0		+ n, (≡) + a, (≡) p
7	95.8	92.2	82.0	-19.8	-18.2	-17.0	-14.5	-21.6	87	87	88	33 4	08 2	07 5	7	8 *°	8 *°	6(≡)	0.3		*° n,a, (≡) p
8	**77.6**	84.0	88.2	-10.9	-12.8	-13.8	- 9.7	-18.5	86	87	78	05 5	04 5	05 4	9	2	3	6	0.3		*° n
9	97.9	07.0	13.7	-19.2	-21.1	-19.9	-15.6	-21.9	84	79	79	35 4	02 3	35 4	7	8 *°	2(≡)	2	0.1		*° (≡) n, (≡) a,p
10	15.2	13.3	12.0	-18.8	-16.8	-13.1	-12.7	-22.6	87	89	93	04 6	04 4	05 5	6	8 *°	4(≡)	7(≡)	0.0		*° n, (≡) a, *° (≡) p
11	09.1	98.3	00.0	- 2.2	0.0	- 8.6	**0.2**	-13.3	86	95	91	17 6	16 7	22 7	2	7 +	8 *	8 *	1.9		*° n, *° +² a, * +² p
12	01.0	85.8	80.4	-15.4	-12.1	-11.7	- 8.6	-19.2	83	87	88	09 2	06 8	03 8	1	8 *	8 *°	8 +	16.7		*° n, *° +² a, + \ p
13	92.7	99.9	01.5	-15.0	-17.2	-20.4	-10.7	-20.4	84	83	83	05 5	05 6	05 6	5	8 *	4 +°	2(≡)	1.3		* n, *° +° ⊙ a, + (≡) p
14	10.0	14.1	16.9	-20.9	-21.2	-20.9	-19.7	-22.0	81	81	81	05 5	07 5	08 2	5	4(≡)	8(≡)	1	0.5		(≡) n,a
15	12.0	08.8	13.3	-19.4	-18.5	-19.6	-18.3	-22.6	82	81	81	05 5	05 5	08 1	6	8 ≡°	8(≡)	1(≡)			≡° n, ≡ a, (≡) p
16	19.8	19.9	18.5	-19.8	-21.4	-19.1	-18.6	-23.2	82	81	82	02 3	09 2	07 2	9	4	0	2(≡)	0.8		*° n, (≡) p
17	10.1	05.3	04.0	-15.6	-15.8	-16.4	-15.6	-20.1	83	83	82	05 4	05 3	08 4	6	8 *°	2(≡)	3(≡)	0.5		*° n, (≡) +° a, (≡) p
18	13.9	13.8	08.4	-18.8	-15.3	-11.9	-10.5	-19.2	69	74	84	09 1	17 2	20 3	7	2	6(*)	8 *°			*° p
19	11.7	16.3	17.5	-14.6	-16.4	-19.7	-11.6	-20.5	71	72	79	32 4	32 4	05 5	9	2	6	8(≡)	0.9		*° n, ⊙° a, (≡) p
20	11.9	04.8	96.9	-18.3	-17.6	-14.1	-13.9	-20.8	81	79	86	06 6	08 6	06 7	5	8 ≡	8 *	8 *	0.0		≡ *° n, * + a,p
21	93.6	99.4	05.9	-12.8	-14.4	-15.3	-12.0	-21.1	84	78	74	05 8	07 5	07 5	5	8 *°	8(≡)	3(≡)	0.6		*° n, (≡) a, (≡) ⊙° p
22	14.6	16.4	15.5	-18.2	-16.6	-16.8	-14.9	-18.8	82	74	83	08 3	08 4	05 5	7	4(≡)	1(≡)	1 *°	0.2		(≡) *° n, (≡) ⊙ a, *° +° p
23	10.7	09.7	09.9	-17.0	-17.4	-17.8	-16.2	-18.2	83	79	83	05 5	05 4	06 4	7	4 *°	1(≡)	3 ϕ	0.6		*° n, (≡) a,p
24	16.3	19.9	21.4	-22.4	-19.8	-18.7	-17.5	-22.7	78	79	81	07 5	04 5	04 5	5	3(≡)	6(≡)	4(≡)	0.8		(≡) *° n, (≡) *° ⊙ a, (≡) p
25	24.8	**25.6**	24.9	-16.6	-15.9	-16.6	-14.7	-19.0	82	75	78	04 4	06 4	07 4	6	5 ϕ°	2(≡)	1(≡)	0.4		ϕ n, ϕ° (≡) ⊙ a, (≡) ⊙ p
26	19.0	16.7	15.4	-16.6	-14.9	-15.9	-14.7	-19.0	**60**	61	63	09 4	08 5	08 4	8	1(≡)	6(≡)	7(≡)	0.0		(≡) n, (≡) ⊙ a,p
27	15.2	16.4	17.3	-17.4	-16.1	-16.6	-15.4	-18.3	66	64	81	09 4	07 4	08 4	5	4(≡)	8(≡)	5 *°			(≡) n, (≡) ⊙ a, *° p
28	16.5	16.4	15.7	-16.9	-16.0	-17.0	-15.7	-18.8	86	86	83	07 4	07 4	08 3	5	8 ϕ°	5 *°	3(≡)	0.2		ϕ° n, *° (≡) a, (≡) p
29	12.7	11.5	10.4	-19.0	-18.4	-20.1	-17.0	-21.0	81	79	82	08 3	09 1	09 1	7	2(≡)	7(≡)	1(≡)	0.0		(≡) n, (≡) ⊙ a, (≡) ⊙° p
30	07.7	06.5	05.3	-23.0	-20.5	-22.5	-19.3	-24.1	83	81	83	16 3	11 1	11 2	7	6 *°	2(≡)	2(≡)	0.4		*° n, (≡) ⊙ a, (≡) p
31	05.5	06.5	07.5	-22.7	-21.2	-20.9	-20.9	**-25.6**	83	84	86	08 3	05 5	05 5	5	8 ϕ°	3 *°	5 *°	0.0		(≡) n, *° (≡) ⊙° a, *° p
M	06.7	06.6	06.4	-17.3	-16.7	-17.1	-14.1	-20.6	81	80	82	4.3	4.2	4.2	6.2	5.2	4.9	4.5	28		

April IV

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	13.0	17.8	19.7	-18.4	-14.7	-12.9	-12.8	-22.3	86	82	72	06 5	06 4	03 3	8	5(≡)	8(≡)	8(≡)	0.7		(≡) *° n, (≡) a,p
2	24.6	25.7	24.0	-15.0	-16.6	-13.5	-12.2	-18.0	72	72	86	08 2	16 1	16 3	9	3	4	7 *°			⊙° n, ⊙ a, *° ⊙ p
3	23.4	20.9	15.8	-19.0	-14.0	-12.5	-12.3	-20.6	83	81	87	17 3	09 2	05 4	6	2	8 *°	8 ϕ°	0.8		(≡) *° n,a, ϕ° p
4	06.6	05.0	05.8	-12.1	-11.2	-11.4	-10.6	-12.8	83	81	92	07 4	08 2	04 5	8	3(≡)	6(≡)	8 *°	0.5		(≡) *° n, (≡) ⊙ a, *° (≡) p
5	10.3	11.9	11.7	-13.2	-13.7	-12.6	-11.0	-15.1	92	78	81	05 7	09 4	09 4	6	7 *°	4(≡)	8 *°	0.2		*° n, *° ⊙° a, *° p
6	08.7	09.2	08.5	- 8.4	- 7.1	- 8.4	- 6.7	-16.0	91	63	**54**	10 7	08 5	06 5	9	8 *°	6	1	0.7		* n, (*) a, ⊙ p
7	06.9	07.8	09.8	- 9.4	- 8.8	-10.0	- 8.4	-14.2	61	75	82	05 5	04 5	04 6	9	4	3	4			⊙ n,a,p
8	12.8	14.7	15.6	-14.8	-15.8	-16.4	-10.0	-17.9	89	92	91	05 7	05 7	05 7	5	6 *°	6 *°	7 ϕ°	0.0		*° n,a, ϕ° p
9	16.7	17.4	17.8	-19.5	-18.2	-19.7	-16.0	-20.1	99	83	72	07 4	08 2	16 1	6	6 ϕ°	1(≡)	2(≡)	1.1		ϕ° n, (≡) ⊙ a, (≡) ⊙° p
10	19.3	21.1	20.8	-20.8	-19.5	-19.3	-18.6	**-22.7**	74	69	69	17 2	17 3	17 4	7	1(≡)	2(≡)	4(≡)	0.0		(≡) ⊙ n,a,p
11	19.9	20.1	19.7	-15.6	-12.9	-13.6	-12.3	-20.1	72	86	87	09 1	00 0	07 3	5	7(≡)	8 *°	2(≡)			(≡) n, *° a, (≡) ⊙ p
12	19.0	16.8	15.2	-15.4	-11.9	-10.3	- 9.9	-17.8	92	87	78	11 2	16 2	09 4	8	0(≡)	0(≡)	0(≡)	0.6		(≡) n, (≡) ⊙ a,p
13	16.0	16.8	15.9	-11.2	- 9.3	- 8.8	- 8.4	-11.8	81	75	**54**	08 3	08 2	08 4	9	1	8 ⊕	6			⊙ n, ⊙° a
14	09.3	04.9	00.0	- 8.0	- 6.0	- 6.0	- 5.0	-11.9	90	92	86	05 7	05 7	04 7	5	8 *	7(≡)	6(≡)	0.2		* n, (≡) a,p
15	04.1	06.3	10.7	- 7.0	- 7.9	-10.7	- 5.5	-10.7	88	89	75	30 3	30 4	29 4	9	8 *°	7	6(*)	0.2		(≡) n, * (≡) a, (*) p
16	13.2	11.8	06.9	-11.6	-10.2	- 8.6	- 8.0	-14.5	83	84	91	05 4	07 5	05 5	7	5	7 ϕ°	8 ϕ°	0.5		*° n, (≡) a, ϕ° p
17	97.6	98.7	98.4	- 6.6	- 8.5	- 8.0	- 5.0	- 9.0	91	68	61	22 6	06 2	11 4	9	7 +	1	5	1.8		* + (≡) n, ⊙ a, ⊙° p
18	92.6	**91.8**	98.0	- 6.1	- 6.2	- 6.4	- 4.4	-11.6	75	91	86	04 4	05 6	05 7	5	5	8 *°	8 *°			⊙° n, *° a, *° (≡) p
19	07.6	11.0	12.7	- 8.9	- 8.7	- 9.1	- 6.3	- 9.7	71	74	79	05 6	05 5	05 5	9	8 =°	2	1	0.1		(≡) n
20	13.4	13.3	13.3	-12.2	- 9.0	-10.8	- 8.7	-12.7	82	74	91	06 3	27 2	29 4	8	1	1(=)	6			⊙ n, (≡) ⊙ a, ⊙ p
21	12.5	11.9	12.5	-12.8	-12.2	-15.2	-10.8	-15.2	63	69	77	33 3	05 3	05 5	9	7	4	2	0.0		⊙° *° n, ⊙° a, *° p
22	15.4	16.7	16.8	-14.6	-12.4	-12.7	-11.8	-16.0	78	78	74	05 4	05 3	08 2	9	1	1	1	0.0		⊙ n,a,p
23	12.0	13.8	15.6	- 9.2	- 9.2	- 8.4	- 6.3	-14.0	93	88	79	05 4	06 4	04 5	8	7(ϕ)	8 ϕ°	4(≡)	1.0		ϕ n, ϕ° a, ⊙ (≡) ϕ° p
24	21.4	22.8	22.4	-11.2	- 8.6	- 9.6	- 7.9	-11.8	81	75	84	06 4	09 1	05 4	9	1	1	2	0.2		⊙ n, ⊙² a,p
25	22.0	20.0	15.9	- 9.8	- 6.2	- 8.0	- 6.0	-11.3	81	84	89	08 2	23 1	03 4	9	1	7	1			⊙ n, ⊙° a
26	24.7	29.6	32.3	-12.5	-12.0	-11.8	- 7.4	-12.5	64	60	61	09 4	09 4	09 3	9	0	0	1			⊙ n,a,p
27	**34.0**	32.6	28.6	-12.8	- 8.4	- 9.0	- 7.5	-12.9	83	75	78	09 2	00 0	07 2	9	0	0	1(=)			⊙ n, ⊙² a,p
28	23.4	21.4	19.4	-11.3	- 7.4	- 7.7	- 6.7	-13.9	87	77	77	08 1	09 2	07 4	9	1	1	6			⊙ n,a, ⊙° p
29	17.6	18.3	19.3	- 4.7	- 3.7	- 2.7	- 2.7	-12.0	79	87	88	07 5	05 4	05 5	8	7	7(*)	7			ϕ° a
30	22.8	23.5	22.7	- 2.0	0.0	1.0	**1.0**	- 3.5	86	81	77	06 3	07 4	08 5	9	8 ⊕	7	7	0.0		⊙° a,p
M	14.7	15.1	14.9	-11.8	-10.3	-10.4	- 8.6	-14.4	82	79	78	3.9	3.2	4.3	7.8	4.3	4.4	4.6	9		

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 ΔG = + 1h Mai V H_s = 7 H_b = 9.0 h_t = 1.9 h_s = 10.1 h_d = 11.4 h_r = 1.

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	23.8	24.3	22.5	1.3	2.3	0.8	2.4	- 0.6	81	72	81	08 4	12 3	07 4	9	7	3	4			⊙° a, ⊙ p
2	19.0	18.7	17.3	0.3	0.8	3.4	3.6	0.0	87	89	81	05 4	05 4	09 5	9	7	8	7			⊙° n
3	20.9	22.5	22.8	- 0.4	0.0	- 0.6	**4.0**	- 0.6	91	92	81	16 4	16 4	17 4	8	8	8(⁂)	6(⁂)	0.4		(⁂) n,a, (⁂) 19
4	23.1	23.5	21.8	- 0.8	0.1	- 0.5	0.3	- 1.3	88	87	94	17 4	17 3	05 2	7	8 *°	8 *°	7	0.1		*° n,a
5	22.6	24.5	24.8	- 0.6	0.8	0.1	1.5	- 1.1	86	82	79	04 3	25 2	00 0	9	8	8	8	0.1		
6	23.3	20.7	13.7	- 1.2	- 1.0	0.2	0.2	- 2.6	91	94	89	00 0	20 4	17 6	9	8	8	8 *°			*° p
7	05.6	05.6	06.8	- 0.6	- 0.3	0.0	1.0	- 0.8	94	92	87	17 3	02 1	32 1	8	8(≡)	8(≡)	8	0.0		(≡) n, (≡) *° a
8	13.6	18.4	22.1	- 0.2	- 2.0	- 2.4	0.3	- 2.8	89	86	77	05 4	04 4	04 5	6	8	8 *°	7	0.0		*° a
9	25.9	27.2	26.8	- 4.5	- 2.2	- 2.2	- 1.4	- 5.3	64	63	**60**	07 4	09 1	00 0	9	1	0	1	0.0		⊙ n, ⊙² a,p
10	26.5	27.5	27.4	- 4.6	- 1.2	- 2.2	- 1.2	- 5.8	74	75	82	09 1	00 0	04 2	9	4	1	1			⊙° n, ⊙ a,p
11	**27.6**	27.1	26.2	- 3.6	- 3.6	- 4.2	- 2.2	- 4.9	83	82	84	20 2	06 2	04 3	9	8	8	8 *°			⊙° p
12	24.2	23.6	21.3	- 5.9	- 5.6	- 4.6	- 4.2	- 6.0	82	84	83	05 3	08 3	34 2	7	8	8 *°	8 *°	0.0		⊙° a,p
13	17.4	16.7	15.8	- 4.9	- 4.4	- 5.3	- 4.2	- 5.4	89	92	92	16 2	20 2	17 2	5	8 *°	8 *°	8 *°	0.3		*° n,a,p
14	14.6	14.5	13.5	- 7.8	- 5.2	- 6.7	- 4.4	- 8.7	88	81	71	16 3	16 1	09 3	7	8 *°	8(*)	7(*)	1.5		*° n, (*) a,p
15	11.9	12.1	11.8	- 6.5	- 6.6	- 6.6	- 6.0	-10.0	68	66	69	09 4	08 3	09 3	9	2	2	7(*)			(≡) ⊙ n, ⊙² a, ⊙ p
16	12.4	14.1	15.3	- 7.4	- 5.8	- 7.4	- 4.7	- 8.4	83	84	87	16 1	02 1	17 3	5	8 *°	8 *	4(≡)	0.0		*° n, * a, (≡) p
17	15.8	16.2	16.6	- 7.4	- 3.9	- 5.6	- 3.4	**-10.3**	82	71	75	08 3	14 1	09 1	9	1	1	1	1.2		⊙² n, ⊙ a,p
18	16.8	18.1	18.7	- 4.8	- 4.0	- 3.4	- 3.4	- 8.1	77	90	93	00 0	17 4	17 3	5	8 *°	7 *°	8 *	0.0		*° a, * p
19	19.3	20.2	18.6	- 2.4	- 1.0	- 1.7	1.6	- 3.9	87	81	87	17 3	00 0	06 4	8	8(*)	8(≡)	4	0.3		(*) (≡) n, (≡) a, ⊙² p
20	16.0	16.9	17.0	- 2.6	- 1.3	- 2.1	- 0.1	- 3.3	82	87	90	06 4	15 1	18 2	9	8	6	6			*° a,p
21	16.9	16.6	15.4	- 3.6	- 0.6	0.0	0.4	- 4.5	91	83	72	17 2	20 2	00 0	9	4(≡)	2	3	0.0		(≡) ⊙ n, ⊙² a,p
22	11.2	10.5	08.9	- 3.2	- 2.8	- 3.1	0.0	- 4.4	89	87	89	04 5	05 5	05 4	7	8 *°	8 *°	8(≡)	0.0		*° n,a,p
23	07.4	07.8	06.6	- 3.9	- 3.5	- 4.0	- 2.7	- 4.3	88	77	78	05 5	05 2	30 3	7	8 *°	6(≡)	6	0.6		*° ⊙° n,a, ⊙° p
24	05.9	06.0	06.1	- 5.4	- 4.6	- 4.3	- 3.7	- 6.4	66	81	82	32 4	32 5	32 5	7	7 ♦°	4(≡)	6 *°	0.0		♦° n, (≡) ♦° a, *° (≡) ⊙ p
25	05.9	06.1	05.7	- 3.3	- 3.4	- 2.7	- 2.4	- 5.3	88	83	74	32 4	32 5	06 2	9	8	6	8	0.0		⊙° a
26	05.0	00.7	98.3	- 3.4	- 2.6	- 2.4	- 1.5	- 5.2	64	64	68	08 1	04 1	32 3	9	1	1	1			⊙² n,a, ⊙ p
27	94.6	93.6	93.2	- 3.5	- 3.2	- 3.5	- 2.4	- 4.3	79	82	83	32 5	32 6	32 7	9	8	8	8			
28	94.4	93.7	90.9	- 3.2	- 2.5	- 3.2	- 2.2	- 5.4	81	83	89	32 5	31 8	29 5	9	3	4	8(≡)			⊙ n,a, *° p, (≡) 19
29	**79.9**	81.6	85.2	- 1.6	- 1.6	- 1.6	- 1.4	- 3.7	90	69	66	32 7	05 4	05 4	9	7(♦)	4	3			(♦) n, ⊙° a, ⊙ p
30	90.5	91.7	90.5	- 1.0	0.2	- 0.8	0.5	- 2.7	63	68	83	36 5	34 3	32 5	9	1	3	7			⊙ n,a,p
31	92.7	91.7	91.0	0.5	0.1	- 0.8	1.6	- 2.4	82	91	97	05 3	32 5	34 4	9	7	7	8 ♦°			♦° p
M	12.4	12.7	12.0	- 3.1	- 2.2	- 2.5	- 1.1	- 4.5	82	81	82	3.3	2.9	3.1	8.0	6.3	5.7	5.9	4		

Juni VI

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**98.5**	02.6	05.2	0.6	- 0.6	- 1.0	1.1	- 1.3	**74**	88	88	05 4	34 5	33 6	9	7	1	4	0.2		⊙ a,p
2	08.7	10.3	11.6	- 0.8	- 0.4	- 0.8	0.2	- 1.4	90	90	90	31 4	26 4	27 4	7	7	8 *°	8 *°			*° a,p
3	11.7	12.2	12.8	- 1.7	- 1.3	- 0.9	- 0.6	- 2.2	81	82	83	29 3	28 3	29 2	9	8	7	7	0.4		
4	13.5	12.8	10.7	- 2.0	- 1.7	- 1.0	- 0.4	- 2.3	87	87	90	17 2	23 2	17 3	9	8	8	8			
5	05.7	08.9	11.1	- 1.6	0.5	- 0.4	0.6	- 2.2	95	84	88	03 7	04 1	30 3	9	8 *	7	7	1.0		* n, ⊙° p
6	14.9	17.4	17.7	- 2.2	- 1.4	- 0.6	0.3	- **2.9**	91	87	87	22 3	17 2	15 4	9	8	8	8(≡)	0.0		
7	16.1	15.2	15.1	- 0.2	1.0	1.2	1.7	- 1.4	93	94	95	16 6	15 7	16 6	4	8 *°	8 ♦°	8 •°	0.0		*° n, ♦ a, •° p
8	15.7	16.1	15.1	1.0	2.2	2.8	3.3	0.7	95	94	94	17 5	17 5	16 5	6	8 •	8 •°	8 •	4.7		• n, •° ≡ a, • ≡ p
9	16.3	17.4	16.4	2.1	2.4	2.2	3.3	1.8	94	94	94	16 5	16 7	16 7	6	8 •°	8 =	8 =	5.5		• n, ≡ •° a, ≡ p
10	16.3	17.1	15.6	1.4	1.9	2.2	2.5	0.6	94	94	94	17 7	16 5	16 6	5	8 •	8 •	8 •	0.2		• ≡ n • a,p
11	14.9	16.2	17.0	1.8	1.6	2.4	2.7	1.1	94	94	94	16 6	18 5	16 5	5	8 •°	8 •°	8 •	1.2		•° n, •° ≡ a,p
12	15.9	17.7	18.6	2.4	2.8	2.7	3.1	1.7	94	95	94	16 4	18 4	18 3	7	8 •	7 =	8(≡)	2.4		•° = n, ≡ ⊙° a, (≡) p
13	18.2	19.2	18.3	2.4	3.6	3.8	4.0	1.2	93	92	89	07 3	15 1	03 3	9	8	8	8	0.0		
14	14.3	15.7	16.3	4.0	3.6	3.8	6.1	1.8	89	88	93	05 6	05 4	05 3	8	8 •°	8(•)	8 •	0.6		♦ n, •° a,p
15	19.5	21.2	21.2	2.4	2.4	1.4	4.8	1.1	95	94	94	20 3	27 2	28 2	5	8 •°	8 •	8 ≡	14.7		≡ n, •° 7, = a, • 13, ≡ p
16	18.5	17.8	16.6	- 0.3	2.0	2.2	3.2	- 0.6	94	94	94	20 2	02 1	14 2	6	8 ≡	8 =	8 =°	0.0		≡ n,a,p
17	13.0	12.0	11.7	3.5	5.9	5.0	7.0	1.3	89	82	83	17 2	18 2	21 2	9	7(≡)	4	0(≡)			(≡) n, ⊙° a, (≡) ⊙ p
18	12.0	14.3	14.9	5.8	8.4	4.2	8.6	1.0	83	79	95	00 0	22 2	20 3	9	1	3	8 ≡²			⊙ n,a, ≡² p
19	17.9	19.5	20.6	4.3	5.2	7.0	7.1	3.1	94	94	89	20 1	09 1	06 1	5	8 ≡	0(≡)	1(≡)			≡ n,a, (≡) p
20	20.1	21.4	22.0	8.5	7.6	5.4	10.6	5.1	81	82	94	04 5	20 2	23 2	9	6	6	8(≡)			⊙ a, (≡) p
21	21.6	20.7	19.3	3.9	7.8	8.2	9.0	3.6	95	86	82	34 4	20 2	03 4	7	8 ≡	2(≡)	1(≡)			≡ n, (≡) ⊙ a,p
22	17.3	18.5	17.5	9.0	9.8	10.0	**12.5**	6.1	77	78	81	00 0	26 2	00 0	9	1(≡)	1 =	0			⊙² n, (≡) ⊙² a, ⊙² p
23	15.1	15.7	12.8	7.4	4.7	4.4	10.5	4.2	94	95	95	18 6	18 5	18 6	2	8 ♦	8 ≡²	8 ≡²	2.0		♦ n, ≡² a,p
24	08.5	10.4	12.7	3.9	3.2	2.8	4.7	2.7	95	95	93	18 6	20 5	20 3	5	8 •°	8 •°	8(≡)	1.4		•° ≡ n,a, • (≡) p
25	20.2	24.2	**26.3**	4.3	5.5	3.4	6.0	2.5	90	87	91	02 4	28 3	24 4	9	1	1	8(≡)	0.4		⊙ n,a, (≡) ⊙ p
26	26.2	25.1	23.7	2.8	4.8	3.9	5.4	2.3	94	91	93	19 3	21 4	19 3	7	8(≡)	8(≡)	8(≡)			(≡) n,a,p
27	22.7	22.8	21.7	2.6	3.0	3.3	5.7	2.2	95	93	94	22 2	33 2	22 1	5	8 ≡²	8(≡)	8 ≡²			≡ n, (≡) a, ≡² p
28	19.0	18.1	16.9	4.3	4.7	4.9	5.6	2.5	94	91	94	21 4	20 4	18 4	7	8(≡)	8(≡)	8 •°			(≡) n,a, • (≡) p
29	14.6	14.1	12.6	4.4	4.8	5.4	5.6	3.8	94	93	93	18 3	19 3	19 3	6	8 •°	8 =	8	0.5		≡ n, •° 7, ≡ a
30	11.7	12.1	12.0	4.8	4.6	4.6	5.7	4.3	94	94	94	17 3	20 4	20 2	6	8 •	8 •	8 •	0.9		≡ • n,a,p
M	15.3	16.2	16.1	2.6	3.3	3.1	4.7	1.3	91	90	91	3.8	3.3	3.4	6.9	7.1	6.4	6.8	36		

Ekstensotabell

1953

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 ΔG = + 1ˢ

Juli VII

H_s = 7 H_b = 9.0 h_z = 1.9 h_a = 10.1 h_d = 11.4 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	12.1	12.2	11.8	5.0	4.8	5.2	5.6	4.0	94	93	93	05 1	05 3	28 1	7	8 •	8(≡)	8(≡)	0.6		≡ • n, (≡) • n, (≡) •
2	11.4	11.2	10.8	5.3	5.8	6.1	6.7	4.6	69	75	69	04 4	05 3	04 4	9	6	2	1	0.0		⊙ p
3	11.4	13.2	13.6	5.6	5.8	6.6	7.0	4.2	74	74	93	04 4	02 3	27 2	9	0	1	1			⊙² ⊙ r, ⊙ a,p
4	14.4	15.3	15.9	6.1	7.0	6.6	7.9	5.2	60	55	66	05 4	04 4	03 4	9	1	1	1			⊙² ⊙ r, ⊙² a,p
5	14.7	14.5	13.7	7.1	7.2	6.6	8.0	5.7	60	58	58	03 5	06 5	04 5	9	5	0	0			⊙² ⊙ a, ⊙² p
6	13.5	12.5	11.5	4.0	5.4	5.1	6.8	3.8	69	74	69	05 3	32 5	30 5	9	7	1	4			⊙ ⊙° a, ⊙ p
7	10.7	11.3	11.6	5.7	5.3	6.6	7.5	4.4	86	89	83	27 2	22 2	28 2	9	3	7	6			⊙² ⊙ n, ⊙ p
8	13.2	13.5	16.2	4.7	6.0	4.2	6.8	4.1	88	87	94	28 1	27 2	25 2	9	7	4	7 ≡			(≡) ⊙ a, (≡) p
9	16.1	15.6	13.6	2.6	4.1	4.2	4.6	2.1	94	92	88	21 2	23 2	22 2	3	7 ≡	8 ≡²	8			≡ ⊙° n, ≡² a
10	11.8	11.9	12.4	2.7	3.7	4.0	4.5	2.3	90	84	83	27 2	25 1	22 2	8	8(≡)	7(≡)	7(≡)			(≡) n,a,p
11	13.0	12.6	11.8	3.8	5.9	6.2	6.6	3.1	81	79	83	29 2	30 2	30 2	9	8	1	1			⊙ a, ⊙² p
12	10.9	10.5	09.6	3.6	5.6	5.4	6.5	3.0	95	83	83	20 1	22 2	29 1	7	8 ≡	7(≡)	7			≡ n, (≡) a
13	07.8	07.6	06.7	7.5	7.1	6.8	8.2	3.5	74	81	88	17 3	20 2	34 1	9	7	8	8(≡)			(≡) ⊙ n, (≡) •° p
14	09.3	10.6	11.5	5.8	7.0	5.7	8.5	5.0	93	79	94	18 3	20 5	19 4	8	8(≡)	7(≡)	8 •	0.0		(≡) n,a, ⊙ 13, ≡ •° p
15	08.9	07.4	05.6	6.4	5.6	4.6	7.1	4.5	90	94	93	35 1	19 2	17 3	7	8(≡)	8 •	8 •	0.0		(≡) n, • a,p
16	06.4	09.6	10.8	6.2	5.7	6.8	7.0	4.5	90	95	90	12 2	05 4	04 3	5	8 •	8 •	7	17.7		(≡) n, • (≡) a
17	08.5	07.2	09.1	9.4	10.4	9.2	12.0	6.6	77	74	82	05 5	04 3	19 1	9	5	8	3	0.0		⊙ ⊙° n, ⊙ p
18	10.8	12.0	13.4	8.9	7.4	6.9	10.2	5.5	86	93	95	16 1	20 4	19 5	6	5	7(≡)	8(≡)			⊙° 7, ≡ a, (≡) p
19	14.5	14.9	14.2	7.4	12.1	11.8	13.9	4.9	94	79	72	09 1	00 0	24 1	7	6(≡)	7(≡)	0(≡)			⊙ ≡ n, (≡) a,p
20	12.3	12.4	11.7	10.4	11.0	11.4	15.6	8.1	82	75	72	04 5	04 4	26 2	9	1	7	6			(=) ⊙ n, ⊙° ⊙ p
21	10.8	11.0	11.1	11.1	9.6	8.6	12.4	8.4	60	74	83	06 4	04 2	20 2	9	7	7	8			⊙° 7
22	10.3	10.5	09.1	7.7	9.0	8.4	9.6	7.6	90	77	79	22 3	26 2	27 2	9	7(=)	2	1			(≡) n, ⊙² ⊙ a,p
23	08.0	08.2	08.0	6.0	7.0	5.7	8.7	5.6	91	88	89	32 2	32 4	28 4	8	3(≡)	3(≡)	3(≡)			(≡) ⊙ n,a,p
24	08.3	09.3	10.0	3.8	4.0	3.8	6.0	3.4	87	84	83	20 2	20 3	23 2	9	8	8	8			
25	11.3	12.5	11.9	3.7	4.2	4.3	4.8	2.9	81	82	84	26 1	22 4	17 4	9	8	7	8(≡)			
26	09.8	09.0	08.7	4.7	5.4	5.5	7.0	4.1	95	89	94	19 3	18 4	19 4	7	8 •°	8(≡)	8 •°	0.0		•° n, (≡) a, (≡) •° p
27	07.2	07.0	06.5	4.5	4.5	4.1	5.7	3.6	89	90	86	19 3	22 3	24 3	7	7(≡)	8(≡)	6	0.3		•° n, •° (≡) a, ⊙° p
28	06.9	06.3	04.8	3.4	4.6	4.9	5.6	2.1	91	93	94	17 4	19 4	18 3	8	8 •°	8 •°	8(≡)	0.0		•° ≡ n, (≡) •° a, (≡) p
29	03.0	04.4	04.8	6.0	6.7	7.2	7.3	4.7	89	84	83	00 0	32 1	05 4	9	7 •°	7	2	0.2		•° (≡) n, (≡) p
30	05.6	06.7	06.8	5.4	6.4	7.2	7.4	5.2	77	63	69	04 4	05 4	32 2	9	7	1	1			⊙ p
31	08.1	09.7	09.8	5.8	6.0	6.4	7.5	4.9	88	81	89	26 1	22 2	19 3	9	7	7	8			
M	10.4	10.7	10.5	5.8	6.5	6.3	7.8	4.6	83	81	83	2.5	2.9	2.7	8.1	6.2	5.6	5.2	19		

August VIII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	11.1	11.4	10.9	4.6	6.0	6.0	7.0	4.3	94	79	81	00 0	19 2	22 3	7	7(•)	7(•)	8	0.0		(≡) •° n, (≡) (•) a
2	08.8	08.0	07.2	5.9	6.2	5.4	6.8	4.6	92	87	89	16 2	20 3	20 4	8	7(≡)	7(≡)	8(≡)	0.2		• (≡) n, (≡) a,p
3	06.5	05.5	02.6	5.0	5.6	5.8	7.0	4.3	90	89	94	19 4	19 5	19 6	7	8(≡)	8 •°	8 •°			(≡) n, •° a, (≡) •° p
4	01.1	01.9	02.7	5.9	6.6	6.5	7.0	5.3	95	94	94	17 5	16 6	16 5	5	8 •	8 •°	8 •	2.1		• n, •° a, • p
5	00.6	01.5	01.6	6.6	6.2	6.2	7.0	5.5	94	94	94	17 6	19 4	18 3	6	8 •°	8 •°	8 •°	6.2		•° • n, •° a,p
6	01.4	04.0	06.9	6.4	5.8	4.6	7.5	4.6	94	93	93	16 5	18 3	20 3	6	8 •°	8(≡)	8 •°	0.9		(≡) n, (≡) •° a,p
7	11.7	13.1	12.4	4.4	5.2	6.3	7.5	4.3	93	90	91	19 4	18 3	18 4	8	7(≡)	8 =	8 •°	0.2		(≡) •° n, (≡) a, (≡) •° p
8	13.4	14.9	15.7	4.5	5.2	4.7	6.6	4.2	94	87	93	20 3	19 4	17 4	7	7 •°	7(≡)	7(≡)	0.6		(≡) •° n, (≡) ⊙° a, (≡) p
9	12.9	12.6	11.8	8.0	9.5	8.2	10.1	4.7	79	91	93	17 5	17 5	17 5	7	8(≡)	8(≡)	8 •°	0.0		(≡) n,a, (≡) •° p
10	09.8	09.1	07.4	7.6	6.9	7.0	8.3	6.7	92	94	89	17 4	19 3	28 1	5	8 •°	8 •°	8(=)	0.8		(≡) •° n, (≡) •° •° a, (=) p
11	05.2	05.4	06.5	6.2	6.8	6.8	7.1	5.6	94	93	91	36 1	28 2	23 2	7	8(≡)	8(≡)	8(=)	0.1		(≡) •° n, (≡) ⊙° a, (=) p
12	08.7	08.7	08.0	7.2	7.4	8.6	9.6	6.0	84	83	79	19 2	04 4	08 3	9	7(≡)	7	8(≡)			(≡) n, ⊙° a, (≡) p
13	96.9	98.6	95.8	9.9	8.7	9.1	11.5	7.2	79	94	93	10 5	16 5	16 7	5	8 •	8 •°	8 •	2.7		• n,a, • (≡) p
14	99.2	07.2	14.6	5.9	5.7	4.6	9.2	4.6	94	94	93	22 5	24 4	24 3	5	8 •	8(≡)	8(≡)	6.4		• ≡ n, •° (≡) a,p
15	18.0	16.3	15.1	4.7	5.8	7.2	7.9	4.0	89	93	94	17 2	36 2	17 5	6	7(≡)	8 •	8 ≡	0.5		(≡) n, (≡) • a, ≡ •° p
16	13.4	13.5	12.6	6.2	6.8	7.9	8.7	5.7	94	94	94	04 4	14 2	17 5	4	8(≡)	8 •	8 •	3.7		(≡) • n, ≡ • a, ≡ p
17	11.2	14.5	17.5	6.2	5.6	6.0	8.6	5.0	94	94	88	17 5	20 2	05 4	2	8 •	8 •°	2	6.0		≡ •° n,a, ⊙° 19
18	17.9	17.8	19.1	5.5	5.6	6.5	6.5	4.9	87	81	81	05 5	04 5	09 3	9	7	7	7 •°	0.5		•° p
19	21.0	21.4	20.9	5.6	6.2	6.2	7.1	5.1	60	63	71	08 4	07 4	04 5	9	7	5	4	0.3		⊙° a,p
20	20.3	21.6	22.3	5.4	5.4	6.6	7.2	4.7	72	69	74	05 5	04 5	05 4	9	7	7	4			⊙° n,a,p
21	24.0	25.3	25.8	5.8	8.1	6.0	8.8	5.0	75	68	79	04 4	04 4	22 2	9	5	4	4			⊙° n, ⊙ 13
22	26.2	26.4	25.8	4.9	6.4	6.1	7.0	2.6	88	84	84	18 3	20 3	24 2	8	1(≡)	2(≡)	6(≡)			(≡) ⊙° n, (≡) ⊙ a,p
23	26.4	27.2	26.7	5.0	5.0	4.0	6.3	3.7	89	89	88	00 0	01 2	00 0	8	8(≡)	8(≡)	8(≡)			(≡) n,a,p
24	25.5	24.0	22.2	1.7	3.6	3.5	4.0	1.2	95	91	89	19 1	04 2	34 2	7	8(≡)	8(=)	7(=)			(≡) n, (=) a,p
25	19.9	19.2	17.2	2.6	4.8	3.7	5.0	1.7	94	78	94	00 0	27 1	17 3	9	8(≡)	7	8 =	0.0		(≡) •° n, ≡° p
26	13.2	11.8	09.9	3.8	4.4	4.0	4.8	3.2	95	87	87	18 1	20 2	20 3	7	8(≡)	8(≡)	8(≡)	3.6		(≡) •° n, (≡) a,p
27	07.0	05.9	02.6	3.2	3.0	2.6	4.0	2.4	91	92	90	17 2	00 0	04 4	7	8(≡)	8 •°	8 •°			(≡) n, •° a,p
28	93.4	93.7	96.4	1.0	2.8	4.4	5.1	0.6	94	93	75	33 2	19 4	14 3	6	8 ‡	8 •	5	21.8		‡ n, • a
29	02.1	04.5	05.8	4.2	5.6	5.4	6.1	2.9	71	64	68	10 4	10 4	10 4	9	3	2	4	2.0		⊙ n,a, ⊙° p
30	08.2	10.3	09.5	3.8	5.4	5.4	6.1	3.6	87	79	83	04 5	04 4	04 4	9	4	6	6			⊙ n,a, ⊙° p
31	09.0	09.3	09.4	5.0	6.0	5.5	6.1	3.7	79	78	81	06 4	04 3	05 4	9	7	8	7			• p
M	11.1	11.8	11.7	5.2	5.9	5.8	7.1	4.3	88	86	87	3.3	3.3	3.5	7.1	7.1	7.1	6.9	59		

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 ΔG = + 1h **September IX** H_s = 7 H_b = 9.0 h_z = 1.9 h_a = 10.1 h_d = 11.4 h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	08.7	08.4	07.4	3.8	5.0	5.0	5.6	3.5	90	81	82	04	3	04	3	04	3	9	3	6	7	0.0		◎ ◎° n, ◎° a
2	06.9	07.7	08.3	4.1	4.6	4.6	5.1	3.4	88	87	77	04	2	04	3	04	3	9	7	7	2			◎ p
3	10.0	11.1	10.3	4.4	4.8	4.6	5.0	4.0	90	83	87	04	4	04	4	04	4	9	6	7	7			◎° a
4	09.8	09.5	09.9	3.7	3.5	3.0	4.7	2.9	86	81	82	04	4	04	4	04	4	8	7	8(•)	8			(•) a
5	12.4	15.1	16.4	1.1	2.4	2.3	3.2	0.9	68	61	78	04	4	04	1	32	3	9	5	5	4			◎ a,p
6	17.3	16.7	14.1	1.0	3.0	2.7	3.5	0.7	89	92	92	17	2	18	4	17	4	7	7	7(⚥)	7(≡)	0.0		• n, ⚥° a, (≡) p
7	03.9	02.7	03.2	1.4	2.8	2.2	3.0	1.2	78	66	68	08	4	07	4	08	3	9	8	6	2	0.9		• n, ◎° a, ◎ p
8	05.7	05.9	04.1	1.1	2.4	1.6	2.6	0.6	79	77	92	06	2	19	2	17	3	7	8 *°	8(≡)	7(≡)	0.0		*° n, (≡) a, (≡) ⚥ p
9	98.4	97.8	96.6	1.2	1.7	1.4	2.0	0.5	91	78	87	20	2	29	1	04	6	8	8(⚥)	8(≡)	6(≡)	1.3		⚥ ⚥ n, (≡) a, (≡) ⚥ p
10	98.7	00.0	01.6	0.1	0.2	0.0	1.7	- 0.1	71	72	74	03	5	03	4	03	3	9	3	1	2	0.0		◎ a
11	03.9	04.6	03.9	0.0	0.1	0.0	1.2	- 1.9	82	89	93	01	1	17	3	16	3	7	8	8(*)	8(≡)	0.0		⚥° n, (⚥) a, ⚥ p
12	03.0	04.4	05.5	- 0.2	0.1	0.4	1.5	- 0.7	75	86	74	32	5	30	3	32	4	9	7	6	5	2.0		⚥ n, ◎° ◎ a, ◎° p
13	05.7	04.8	04.0	- 2.0	- 0.2	0.9	1.5	- 3.3	74	90	72	15	2	20	4	27	4	5	6	5(*)	7			◎° 7, * a, (≡) p
14	04.0	06.9	07.3	0.2	0.0	0.1	1.0	- 0.9	69	69	79	34	3	29	2	29	3	9	8	2	2	0.1		◎° ◎ a, ◎° p
15	10.9	12.1	12.3	1.4	2.1	1.8	2.5	- 0.8	79	74	74	31	3	28	3	26	2	9	4	5	7			◎° a
16	07.5	00.5	93.5	0.6	2.8	5.4	5.4	0.2	79	83	92	10	4	09	6	18	4	7	7	8 •°	8(≡)			•° a,p
17	**76.2**	78.3	90.6	1.2	2.3	0.7	**7.0**	0.4	93	89	83	17	5	28	4	30	7	7	8(⚹)	6(⚹)	3(=)	3.8		⚹ n, ⚥ a, ◎° p
18	07.4	09.2	09.0	- 1.1	- 0.6	- 0.5	1.0	- 1.3	69	77	75	32	5	32	4	32	4	9	2	6	2	0.5		◎° a, *° p
19	06.1	09.1	09.7	- 1.8	- 1.6	- 1.2	- 0.2	- 2.4	97	**60**	77	03	5	32	5	32	6	9	8 *	1	3(*)	2.0		* n, ◎ a,p
20	13.2	16.3	17.7	- 1.4	- 1.3	- 1.6	- 0.5	- 1.8	77	68	68	32	5	33	4	07	1	9	2	1	1	0.3		◎ a,p
21	20.9	22.5	**22.8**	- 1.7	- 1.3	- 1.8	- 0.7	- **3.9**	78	75	78	04	3	28	1	00	0	9	7	8	8(*)			*° 19
22	20.6	19.5	16.1	- 0.5	1.2	1.5	1.9	- 3.0	87	95	93	16	4	17	4	17	4	7	8(≡)	8(≡)	8(≡)	0.0		*° n, (=) a,p
23	08.2	04.8	06.1	0.0	- 0.3	- 2.4	2.9	- 2.4	82	83	69	24	3	27	4	29	3	7	8	5 *°	2	2.0		⚹ n, * a, ◎ p
24	05.5	04.2	00.7	- 2.1	- 1.4	- 2.0	- 1.0	- 3.0	71	71	92	21	2	14	1	06	2	9	8	8	9 •	0.0		* p
25	97.2	95.9	91.9	- 1.3	- 0.6	- 0.9	- 0.3	- 2.3	92	94	94	04	5	06	5	09	6	2	9 *°	8 *	9 •	2.7		•° n,a, * p
26	97.0	97.9	97.7	1.0	3.7	3.0	5.6	- 1.3	95	90	88	04	5	07	4	05	5	7	8 •	9 •°	8	14.5		⚹ n, •° a
27	89.7	89.9	91.4	2.6	3.0	0.3	5.4	0.2	89	86	92	06	4	06	4	19	2	9	4	3	1	1.8		◎ a,p
28	94.5	96.6	98.5	2.0	1.6	0.7	2.4	- 0.1	90	92	90	25	3	24	3	24	2	7	9	8 •°	8(≡)			•° a, (≡) p
29	00.6	00.6	00.9	- 0.1	0.9	0.2	1.1	- 0.5	84	82	84	08	3	07	3	06	1	9	4(⚥)	5(⚥)	2	0.2		(⚥) a
30	02.7	04.6	05.6	0.0	0.4	0.1	0.8	- 0.2	88	87	88	19	2	07	1	08	3	7	9	8(*)	6			*° a
M	04.5	05.0	04.9	0.6	1.4	1.1	2.5	- 0.4	83	81	82		3.5		3.3		3.4	7.9	6.4	6.1	5.2	32		

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	09.4	10.3	09.8	- 0.3	- 0.9	- 1.3	0.5	- 1.4	83	79	78	07	4	07	4	07	4	9	3	3	8	0.0		◎ a
2	13.0	16.8	19.2	- 1.8	- 0.9	- 1.0	- 0.4	- 2.4	75	69	81	09	4	08	3	08	3	9	2	5	6			
3	20.5	**20.6**	18.5	- 2.1	- 1.9	- 1.2	- 0.7	- 2.9	66	69	74	14	3	07	2	11	3	9	7	7	9			◎° a
4	15.3	14.4	13.8	- 1.5	0.4	0.5	1.2	- 2.4	72	71	82	09	2	09	3	27	2	9	8	8	8			(*) p
5	12.4	11.8	09.9	1.2	1.5	- 0.2	2.2	- 0.5	93	95	94	17	4	22	3	00	0	6	8(•)	8	8 *°	1.5		•° n,a, • p
6	98.5	94.2	94.7	3.8	3.0	2.3	4.2	- 0.9	78	88	94	10	3	09	3	16	5	7	8 •°	8 •	8 •°	6.1		•° n, • a, •° p
7	04.0	03.4	90.4	- 2.7	- 1.4	3.8	5.0	- 2.9	75	77	88	24	3	16	1	16	6	7	8(*)	8 *°	8 •°	2.7		(*) n, *° a, •° p
8	91.5	88.5	78.6	1.8	2.1	0.9	4.6	0.6	91	89	93	17	5	09	1	03	7	7	8(•)	8 •	8 •	2.7		• n,a, ⚹ p
9	**70.5**	70.6	73.4	2.3	0.4	- 2.2	2.3	- 2.2	82	81	89	16	4	16	6	16	6	6	8 •°	8 *°	7 *°	8.2		• n, •° *° a, *° p
10	75.3	77.8	79.5	- 1.6	- 1.4	- 2.4	- 1.0	- 3.3	60	**58**	66	12	2	04	2	12	2	9	8	6	1	1.9		◎° a
11	81.5	84.1	89.3	- 1.9	- 0.4	0.0	1.1	- 4.9	82	57	83	16	3	16	5	20	5	5	7(≡)	8 *	8			*° a, ⚥ p
12	99.6	04.1	05.6	- 1.0	- 0.5	- 0.7	0.2	- 3.5	78	71	64	12	1	12	3	07	1	9	7(*)	7	6	2.7		(*) n,p
13	00.8	96.5	93.1	- 0.3	- 0.4	2.0	2.6	- 3.1	68	88	74	07	3	05	6	05	6	5	6	8 *°	6 •°			*° a, • * p
14	85.6	79.0	73.8	2.1	0.8	- 0.1	4.6	- 0.4	68	88	95	09	5	04	6	34	4	5	6	8 *	8 *	3.0		* a,p
15	71.8	81.1	90.6	1.2	1.1	0.0	1.7	- 0.5	79	87	83	32	5	32	7	32	7	8	7(*)	7(*)	7(*)	3.9		* n, (*) a,p
16	01.3	01.1	01.6	- 0.7	- 2.2	- 1.6	0.5	- 2.6	68	86	90	26	5	16	1	04	3	8	8	8 *	7(*)			* a,p
17	12.2	13.3	11.9	- 2.4	- 2.5	- 2.6	- 0.7	- 4.0	78	78	84	32	3	14	2	06	4	9	7	8	8 *°	1.0		*° p
18	08.0	05.1	05.1	- 0.9	- 0.6	- 0.5	0.0	- 3.0	84	87	88	09	3	02	4	05	4	7	8(*)	8(*)	8(*)	0.3		⚥° n, ⚥ a, * p
19	08.5	08.2	03.2	- 1.6	- 1.6	- 2.1	- 0.4	- 3.1	86	81	79	05	3	05	4	06	7	9	1	6	8	0.3		
20	97.1	94.7	96.2	- 2.1	- 1.9	- 2.6	- 1.3	- 4.0	79	74	71	09	6	09	7	07	5	7	8 ⚥°	8(*)	8 *°	0.8		*° n, (*) a,p
21	02.0	06.5	10.3	- 4.0	- 4.5	- 5.3	- 2.4	- 5.3	69	64	66	08	4	07	4	08	3	9	5(*)	8	4	0.0		(*) n,a
22	14.9	17.4	18.1	- 6.2	- 5.2	- 4.4	- 4.3	- **6.5**	68	72	83	07	4	08	4	08	4	7	4	8 *°	8 *°			*° p
23	14.3	07.0	00.7	- 2.2	- 1.8	0.8	0.8	- 5.0	69	87	75	09	6	09	8	09	7	1	7 +	8 +*	5	0.6		+* a, *° + p
24	94.7	94.5	94.6	2.3	0.6	- 0.2	3.7	- 0.5	87	91	90	16	4	19	3	32	2	6	8 •	8 •°	8(*)	2.8		• n, •° a, *° p
25	96.0	00.6	01.1	- 1.2	- 1.7	- 1.8	1.0	- 2.3	87	84	82	06	5	09	6	08	7	6	8 *°	8 +	8(*)	1.9		* n, *° + a, (*) p
26	97.0	00.6	05.4	1.1	1.0	2.1	2.3	- 3.1	72	77	71	08	8	08	6	10	5	7	8(*)	8(*)	7	0.5		(*) n, + a
27	13.1	10.7	07.5	1.8	2.3	2.3	3.2	1.2	81	79	83	07	4	10	8	09	7	5	8	8 •°	8 •			•° \ a, • \ p
28	11.0	11.5	10.3	5.6	6.2	5.3	7.3	2.2	87	87	77	19	6	16	6	16	4	8	8 •°	8(•)	8	8.6		•° n,a
29	03.0	03.3	03.9	3.8	4.6	3.3	**8.4**	2.0	89	90	92	19	5	19	7	19	4	7	8	8 •°	8(•)	0.1		⚥° n, •° (≡) a, (•) p
30	05.9	08.3	10.9	3.2	3.7	3.1	5.1	2.1	93	94	95	19	6	19	5	17	4	6	8 •°	8 •	8 •	0.0		• a, • p
31	14.3	13.7	12.4	3.0	4.0	4.2	5.1	2.4	84	81	90	19	4	10	2	10	4	9	8	8 =°	8 •	16.5		• n
M	01.4	01.6	01.1	0.0	0.1	0.1	1.8	- 1.9	78	81	82		4.1		4.3		4.4	7.1	6.9	7.5	7.2	66		

Ekstensotabell

1953

Isfjord Radio

φ = 78° 4'N λ = 13° 38'E g = 9.830 $\Delta G = +1^h$

November XI

$H_s = 7$ $H_b = 9.0$ $h_t = 1.9$ $h_a = 10.1$ $h_d = 11.4$ $h_r = 1.7$

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.2	13.2	12.9	3.4	5.4	4.6	5.6	2.3	93	92	89	18 4	17 5	19 5	7	8 =°	8(≡)	8 =	1.5		≡ •° n, (≡) •° a, = p
2	13.5	15.3	16.3	4.9	3.5	3.1	6.2	2.4	75	84	84	19 1	07 2	16 1	9	8	8	3	0.5		
3	19.0	20.3	20.5	1.5	0.6	1.0	4.2	- 0.9	89	93	92	04 2	10 1	05 4	9	1	1	1			⌒ 13
4	20.3	20.1	17.2	1.2	1.5	1.3	2.2	0.1	87	81	81	05 4	05 4	08 4	9	2	8	8			
5	10.8	08.7	07.4	0.8	0.2	0.2	2.2	- 0.1	69	87	84	10 4	06 4	06 3	9	8	8	8			
6	06.2	04.8	00.6	- 0.5	- 0.2	- 0.1	0.7	- 0.7	87	84	84	07 1	06 4	06 4	9	8	6	8			
7	89.3	89.9	88.2	0.9	2.8	1.7	3.1	- 0.5	95	95	93	05 4	17 4	09 3	6	8 *	8 ⸱̇	3	2.3		* n, ⸱̇ p
8	85.5	82.9	80.0	1.0	1.2	1.4	2.9	0.5	95	90	75	08 4	05 6	05 6	9	8 •°	6	8	7.6		•° p,a
9	75.2	76.8	78.9	2.0	2.0	1.2	2.5	0.9	81	79	77	05 5	03 4	03 3	9	3	8	3	0.1		
10	82.7	84.9	86.3	0.0	- 0.8	- 1.6	1.8	- 1.6	61	71	66	05 4	33 4	03 4	9	8	6	3			
11	88.7	90.6	92.3	- 1.8	- 1.5	- 2.4	0.7	- 2.4	66	69	71	05 4	05 6	05 5	9	3	7	3			
12	94.4	96.2	97.9	- 4.2	- 5.0	- 5.4	- 2.2	- 5.7	71	69	66	06 5	06 5	02 5	9	1	1	1			
13	00.3	01.8	02.9	- 5.6	- 6.2	- 6.6	- 5.0	- 7.0	69	66	69	05 5	05 5	04 4	9	1	1	1			⌒ n,p
14	03.9	05.1	05.9	- 8.2	- 8.6	- 7.4	- 6.2	- 9.2	71	75	79	05 4	09 2	32 2	9	1	7	8 *			⌒ n, *° p
15	13.2	17.7	20.7	- 9.3	- 9.8	- 9.9	- 6.3	-10.6	66	71	64	30 5	29 6	30 4	7	5	8(*)	8 *°	0.2		*° n, (*) a, *° p
16	10.0	06.8	96.9	- 5.4	- 1.6	1.5	2.6	-10.1	94	74	77	04 5	16 4	09 6	7	8 *²	6(*)	8 *	3.7		* n, (*) a,p
17	87.3	86.5	83.1	2.4	1.8	2.7	3.6	0.9	82	81	74	10 6	06 5	08 6	7	8 *°	7 *°	4	4.5		*° n,a
18	82.3	82.4	74.8	3.5	2.5	0.7	4.1	- 0.5	72	72	93	04 4	08 5	08 8	9	6	5	6	0.9		•° n, \ p
19	76.4	78.4	80.7	2.5	0.3	0.0	4.0	- 0.3	74	92	92	07 6	07 5	07 4	7	4	7 *°	6(*)	0.6		•° n, *° p
20	87.8	90.4	95.5	1.0	0.6	- 1.6	2.1	- 1.6	89	74	86	04 5	06 2	17 3	9	4	7	7	0.0		
21	03.3	06.7	11.9	0.0	1.0	0.8	2.0	- 2.5	94	81	91	06 4	06 4	06 2	7	8	7(*)	8 *°			*° p
22	20.5	21.9	20.0	0.4	1.2	1.3	2.3	- 1.3	72	77	68	09 3	09 4	11 4	9	1	7	6	0.2		
23	07.1	02.6	06.3	3.2	3.9	0.9	4.4	0.7	79	88	94	17 5	17 6	17 5	7	8 *°	8 ⸱̇	8 •°	0.5		*° n, ⸱̇ a, • p
24	07.1	03.3	03.5	3.8	3.7	2.8	5.4	0.1	93	94	94	18 5	18 6	18 6	7	8 •°	8 •	8 ,°	5.6		•° n,a, ,° p
25	93.6	86.5	88.9	4.0	2.8	0.8	4.6	0.7	93	93	89	18 6	18 7	19 6	7	8 ,°	8 •°	4	10.5		• n, •° a, * p
26	93.3	94.7	95.9	- 2.4	- 3.4	- 4.0	0.8	- 4.3	79	78	81	23 4	25 2	29 1	9	8	8	8	5.7		*° n
27	94.7	89.2	77.1	- 3.8	- 3.4	- 1.6	- 1.4	- 4.4	81	84	93	08 5	05 6	05 6	9	6	8	8 *			* p
28	60.5	58.4	56.4	- 0.7	0.2	- 0.2	1.6	- 2.0	94	94	84	05 6	19 2	18 6	7	8 *°	8 *°	5 +	8.4		*° n, * a
29	60.5	59.9	64.8	- 5.6	- 5.0	- 3.2	0.2	- 7.0	87	94	95	16 6	16 8	19 6	1	5 +	8 *²	8 *	0.7		*² + a, +² * \ p
30	67.4	71.0	69.9	- 3.6	- 4.2	- 1.8	- 1.2	- 6.1	95	91	77	08 6	06 3	08 6	7	8 +	8 *°	8 *°	4.0		*° n,a,p
M	95.6	95.6	95.1	- 0.5	- 0.5	- 0.7	1.6	- 2.3	82	82	82	4.4	4.4	4.4	7.9	5.7	6.7	5.9	58		

Desember XII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	75.5	77.3	79.3	- 2.5	- 1.3	- 1.4	- 1.2	- 3.4	71	82	79	06 6	06 6	06 5	9	8	3	2	0.6		
2	79.1	79.9	81.2	- 3.6	- 5.0	- 3.9	- 1.4	- 6.0	79	86	84	06 4	08 3	34 4	9	1	1	8 *°			*° p
3	84.8	86.6	87.1	- 4.5	- 6.2	- 6.0	- 3.4	- 7.7	83	81	75	30 4	28 4	27 4	7	8 *°	8 *°	8 *°	0.0		*° n,a, * p
4	86.0	85.8	86.3	- 7.6	- 9.4	- 8.8	- 5.7	-10.4	78	86	88	14 2	09 2	09 2	9	7	1	1	1.5		
5	90.4	94.9	99.7	- 7.2	- 6.6	- 7.0	- 6.0	- 8.8	74	84	68	34 4	32 5	34 4	9	7	8	5			* a
6	03.8	03.9	97.7	- 6.7	- 6.4	- 6.6	- 5.9	- 8.2	68	84	90	09 4	09 5	07 6	9	5	7	8	0.0		
7	80.3	80.0	84.2	- 1.7	- 2.5	- 4.2	- 1.3	- 8.3	82	93	91	07 6	09 5	09 6	6	8 *	8 *°	8 *°	0.3		* + n, * a,p
8	97.3	05.0	11.3	- 4.6	- 6.3	- 9.2	- 3.6	-10.7	87	66	77	07 4	07 4	07 4	9	8 *°	1	0	2.8		* n, *° a
9	10.8	99.3	93.7	- 4.5	- 2.0	- 1.0	3.2	-10.6	71	83	81	07 5	07 5	23 7	6	4	8 *°	8 *°	0.0		*° + a, • \ p
10	96.2	97.6	96.7	1.6	0.4	0.8	2.1	- 3.7	92	95	95	23 6	20 5	18 5	8	8	8 *°	8 •	4.2		*° n, * a, • p
11	99.1	01.1	97.5	1.4	0.8	1.7	2.1	0.1	93	93	95	21 5	21 5	18 5	9	8 ,°	7	8 ,°	8.6		•° n, , a,p
12	97.9	96.0	93.1	0.4	1.6	2.3	2.6	- 1.1	94	94	94	18 4	18 6	17 7	4	8 *	8 •	8 ,°	6.4		* n, • a,p
13	77.2	95.5	03.4	- 3.2	- 6.5	- 9.3	3.2	- 9.7	88	77	84	18 9	31 7	28 5	4	8	7 ⸱̇	8 *°	21.0		* \ n,a, *° p
14	05.1	06.0	11.4	- 9.6	- 9.0	- 7.9	- 7.5	-10.5	72	79	81	06 5	06 6	05 6	9	8	1	1	0.8		
15	08.8	08.2	06.3	- 4.7	- 1.2	3.6	3.9	-10.0	94	93	93	05 7	07 4	14 5	7	8 *	8 •°	8 •	0.1		*° n, +° 7, * a, • p
16	01.9	03.3	08.6	3.4	0.0	- 2.5	4.0	- 3.5	93	88	79	18 6	18 7	22 6	9	8 •	8	8	28.5		• n,a
17	89.4	86.4	97.4	1.9	0.3	- 3.4	2.4	- 7.0	93	86	83	18 8	18 8	23 6	9	8 •°	8 •°	8	13.1		•° n,a
18	91.8	90.2	88.6	- 3.3	1.6	2.0	2.2	- 4.3	94	94	93	06 5	18 5	20 7	8	8 *	8 •°	8	4.6		* n, •° a,p
19	93.1	89.4	89.6	0.3	- 1.5	- 2.5	2.5	- 3.0	82	92	81	22 4	29 4	29 3	8	7	8 *°	8	16.1		* n, *° p
20	04.4	03.8	98.3	- 9.8	- 7.8	- 6.2	- 2.2	-10.5	71	84	94	07 2	05 3	08 6	6	8	8 *°	8 *°	0.0		*° p
21	88.4	94.0	94.3	- 0.8	- 3.2	- 3.7	1.3	- 9.2	91	81	82	18 6	23 5	17 3	9	8 *	8	8	1.3		* n,a
22	75.1	68.9	78.7	- 1.8	- 0.5	- 3.3	- 0.2	- 4.7	92	94	92	05 8	05 7	26 7	6	8 *	8 *°	8 *	1.2		* +² n, *° + a, * + p
23	88.1	90.6	92.1	- 7.5	- 8.2	- 8.6	- 3.3	- 9.0	74	72	74	25 5	25 5	25 4	9	8	8 +°	8 *°	8.4		* n, + a, *° p
24	93.5	93.6	92.3	- 9.1	- 9.6	- 9.2	- 8.0	-10.0	71	71	81	29 2	36 3	05 4	9	8	8	3	0.9		* n
25	89.1	90.1	93.0	- 9.8	- 8.2	- 9.2	- 7.8	-10.0	87	79	78	08 5	04 4	34 4	9	2	0	0			⌒° 13
26	98.9	01.2	98.6	-10.1	- 8.4	- 7.8	- 7.2	-11.7	68	68	75	32 4	32 3	09 2	9	8	8	8 *°			*° p
27	99.1	00.2	01.5	- 5.6	- 4.4	- 3.3	- 3.2	- 7.8	91	88	82	00 0	25 1	34 4	7	8 *°	8 *°	2	0.3		*° n,a
28	06.5	08.7	09.7	- 7.8	- 6.1	- 5.0	- 3.2	- 8.6	90	87	90	06 2	07 3	08 4	9	2	8	8 *°	0.3		
29	06.2	06.1	05.9	- 1.6	- 1.5	- 2.4	- 0.9	- 5.2	94	94	87	16 4	18 4	18 2	7	8 *°	8 *°	8	3.5		*² n, *° a,p
30	00.8	92.3	83.4	- 4.6	- 1.8	0.4	1.1	- 7.7	77	77	90	09 4	07 6	08 7	7	8	8 *°	8 *°	0.2		*° +° p
31	78.9	78.7	79.7	- 0.2	- 1.3	- 1.0	2.0	- 7.8	93	83	79	07 2	00 0	07 4	9	8 *°	1	5	5.5		*° n, ⸱̇° a, *° p
M	93.5	94.0	94.9	- 4.0	- 3.9	- 4.0	- 1.3	- 7.4	84	84	84	4.6	4.5	4.8	7.9	7.1	6.4	6.3	130		

Ekstensotabell

1953

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 ΔG = + 1ʰ

Januar I

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.4	13.3	11.9	-14.0	-15.7	-14.8	- 9.2	-16.0	95	95	96	01 5	35 2	36 5	8	4 =°	4 =°	2 =°	1.7		*° =° n, =° a,p
2	10.4	08.6	05.0	-15.0	-13.1	- 8.7	- 8.7	-17.0	96	96	99	36 3	23 3	23 2	7	8 =°	8 =°	8 *°			=° n,a, =° *° p
3	06.4	09.7	13.8	-16.4	-18.0	-16.2	- 8.5	-19.0	98	96	98	04 5	04 5	33 5	7	2 =°	2 =°	6 ϕ°	0.8		=° *° n, =° (ϕ) ϕ° a, + ⌒ p
4	16.4	13.8	09.4	-12.4	- 9.7	- 4.5	- 4.5	-17.4	99	99	99	12 3	15 2	11 5	8	8 *°	7 =°	8 =	0.3		=° ◡° *° n, =° a,p
5	98.9	95.6	94.9	- 1.2	- 0.1	0.2	0.4	- 4.5	00	00	00	14 5	27 2	18 2	6	8 *°	8 *°	8 ‡°	1.2		*° = n, *° ‡° a, ‡° p
6	91.9	90.6	90.3	- 0.6	- 0.2	- 0.4	0.2	- 1.0	00	00	00	14 2	05 4	07 4	5	8 =°	8 *°	8 ϕ°	8.0		*° ,° =° = n, =° =°*°a,*°,°= ϕ° p
7	93.4	98.6	04.8	- 1.9	- 3.4	- 6.0	- 0.2	- 6.1	99	99	97	07 6	07 7	08 7	6	8 +°	8 *	8 =°	0.5		= n, *° =° +° a, *° =° \ p
8	10.6	10.1	07.1	-11.5	-13.8	-14.8	- 6.2	-15.7	89	92	92	05 5	03 5	34 4	8	4 =°	3 =°	0	0.0		*° =° n,a, =° p
9	99.1	94.5	92.0	- 9.8	- 9.4	- 7.8	- 6.7	-15.7	95	87	84	22 5	31 7	23 5	5	7 =°	4(ϕ)	5 ϕ°	0.0		⌒ =° ϕ° n, *° a, ⌒ ϕ° +° p
10	91.6	89.6	88.8	-16.4	-13.0	-16.8	- 7.8	-17.0	99	97	83	33 1	05 4	01 8	6	0 =°	8 *°	8 *°	1.1		ϕ° =° n, =° *° a, =° *° + p
11	97.5	01.6	03.3	-24.6	-24.8	-21.2	-16.8	-25.4	83	83	83	02 9	32 8	02 8	2	4 +	0 +	2 +	2.5		+ᵃ *° \ n, + \ a, +ᵃ \ p
12	08.2	07.3	06.7	-18.0	-18.8	-17.8	-16.8	-21.6	86	86	80	03 5	36 5	04 5	7	3 =°	4 =°	8 ϕ°			+ =° \ n, =° a, =° ϕ° p
13	07.9	08.5	07.6	-19.2	-18.8	-18.7	-17.7	-19.5	83	84	86	36 3	03 3	05 4	8	1 =°	7 =°	5 =°	0.0		=° n, ⌒° 7, =° a, *° =° p
14	04.1	04.0	03.8	-19.0	-19.1	-18.7	-17.9	-19.7	88	88	88	09 4	05 3	07 2	8	2 =°	1 =°	0	0.0		=°n,a, =° ⌒ p
15	00.3	98.0	94.8	-17.6	-14.0	- 8.2	- 8.2	-19.5	89	92	92	00 0	28 1	22 1	8	0 =	5 =°	4 =°			⌒ = r, =° a,p
16	82.9	77.4	68.4	- 1.3	- 0.8	- 0.5	- 0.5	- 9.1	92	94	94	22 6	19 6	20 6	4	8 *°	8 *°	5 =	0.2		=° *° n, *° +° a, *° +° ϕ° p
17	65.5	70.0	76.4	-11.7	-14.5	-16.5	- 0.4	-16.6	82	77	78	02 5	02 6	36 7	6	7 ϕ°	7 +°	2 +	11.3		*° =° ϕ° n, *° =° a, *° +° p
18	82.1	84.3	86.0	-17.6	-20.6	-19.4	-16.4	-21.1	78	74	75	03 5	35 2	03 4	8	4 =°	3 =°	8 *	1.9		=° +° ⌒ n, ϕ° =° a, ϕ° =° ⌒ p
19	89.1	88.9	86.5	-19.8	-19.3	-18.2	-16.8	-22.0	91	79	78	34 1	35 1	04 2	6	2 =°	6 *°	1 =°	1.0		=° ⌒ n, =° a, *° =° p
20	82.4	82.1	83.5	-19.5	-20.0	-21.5	-17.8	-21.8	74	73	74	05 3	05 5	02 5	9	0	1	2 =°	1.1		=° *° ⌒ n, ⌒ a, =° p
21	81.3	85.4	89.0	-15.0	-16.1	-14.8	-12.2	-23.1	79	77	79	02 8	03 8	02 8	6	8 +ᵃ	4 +	4 +			+ ⌒ \ n, + \ a,p
22	92.2	96.9	00.3	-17.0	-17.5	-17.7	-14.7	-18.5	79	78	79	01 9	02 7	03 5	4	8 +ᵃ	3 ϕ°	7 ϕ°			+ \ n,a, + ϕ° = p
23	02.3	04.3	05.1	-16.1	-19.0	-21.0	-15.7	-21.1	78	77	77	02 5	02 4	02 4	6	8 *°	7 =	6 =°	2.0		= *° + n, =° a,p
24	04.2	04.7	06.4	-21.0	-19.4	-17.6	-17.6	-22.0	77	77	79	03 7	35 5	34 6	6	7 +°	4 =	7 =			=° +° n,a, = +° p
25	08.7	10.4	10.6	-14.8	-13.2	-12.7	-12.4	-18.0	79	79	78	35 6	25 4	36 4	9	8 *°	1	0	0.2		*° +° =° n, = a, ⌒ p
26	10.0	08.9	08.0	-15.6	-16.0	-13.0	-13.0	-16.7	80	83	83	06 5	05 5	05 6	8	0	2 =°	8 =°			⌒ n, =° a, *° =° p
27	99.3	01.4	00.4	- 8.4	- 7.4	- 9.2	- 6.3	-14.5	87	82	82	01 6	10 7	08 5	7	8 ϕ²	5 =°	5(ϕ)	0.2		⌒ =° n, ϕ² +° ‡ a, =° p
28	00.4	00.6	99.6	- 7.2	- 8.3	-11.6	- 5.0	-11.6	78	80	80	09 5	07 5	05 6	6	4(ϕ)	4 ϕ°	4(ϕ)	2.0		*° +ᵃ n, ϕ° =° a,p
29	96.6	97.5	99.8	-13.0	-14.3	-12.4	-11.4	-14.8	84	86	87	05 6	05 5	05 5	6	7 =°	4 +°	8 =	0.2		=° +° n, =° *° + a, *° =° p
30	05.6	07.7	08.5	- 6.4	- 5.0	- 3.4	- 3.3	-14.5	82	86	89	04 6	07 5	08 5	7	7 =°	8 =°	8 *°	0.0		*° =° ⌒ n, =° ϕ° *° a, =° *° p
31	12.1	12.7	13.2	- 2.9	- 2.4	- 4.1	- 2.2	- 4.1	87	91	80	10 6	09 4	09 5	7	8 *°	8 *°	2 =°	1.7		* =° n, *° =° a,p
M	98.9	99.2	99.2	-13.1	-13.1	-12.5	- 9.5	-16.3	87	87	86	4.8	4.5	4.8	6.6	5.2	4.9	5.1	38		

Februar II

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	10.0	09.6	09.3	- 3.9	- 3.6	- 3.3	- 3.1	- 6.0	84	88	89	09 4	10 4	05 3	7	8 =°	8 *°	4 =°	0.5		ϕ° =° n, ϕ° *° =° a, *° =° p
2	11.8	17.0	20.0	- 4.0	- 5.8	- 6.2	- 2.8	- 7.4	89	94	92	28 1	28 3	31 4	5	5 ϕ°	8 =	4 ϕ°	1.2		ϕ * = n, ϕ ≡ = a, ≡ ⌒ p
3	20.9	21.1	23.1	- 5.4	- 4.8	- 2.2	- 1.7	- 6.5	86	79	87	00 0	07 2	07 1	8	8 *°	1 =°	2 =°	0.0		=° n,a,p
4	27.0	28.3	29.2	- 2.6	- 3.0	- 3.2	- 1.3	- 3.8	87	84	86	00 0	23 2	00 0	8	7 =°	8 =°	2 =°			⌒ =° n, =° a,p
5	29.0	28.8	27.9	- 3.1	- 3.2	- 4.4	- 2.6	- 4.4	73	75	73	24 2	23 2	22 4	8	8 =°	7 =°	1 =°	0.1		=° ϕ° *° n, *° =° a, =° p
6	26.0	26.5	26.1	- 3.1	- 3.3	- 3.4	- 2.8	- 4.4	78	79	78	22 4	23 5	23 5	8	8 =°	8(ϕ)	8 *°	0.0		*° =° n, =° a,p
7	25.3	26.0	25.3	- 2.7	- 3.4	- 3.7	- 2.5	- 4.0	80	72	78	23 5	23 5	23 6	9	8 =°	2	0	0.0		=° n, ⌒ p
8	25.2	26.7	27.9	- 2.7	- 2.6	- 2.9	- 2.2	- 4.2	75	86	77	23 5	23 5	23 5	7	5 =°	8 =°	7 *°			⌒ =° n, =° a, =° *° p
9	27.7	27.6	26.6	- 3.9	- 3.0	- 3.5	- 2.8	- 5.4	83	82	87	19 2	20 3	18 3	7	8 *°	8 =°	8 *°	0.2		⌒ =° n, =° a, =° *° p
10	26.4	26.9	26.4	- 3.4	- 3.6	- 4.0	- 3.0	- 4.6	80	87	87	12 2	16 3	00 0	5	8 =°	8 ϕ°	8 =°	0.0		=° *° n, *° =° ϕ° a, =° ϕ° p
11	23.6	20.6	14.8	- 3.2	- 2.6	- 2.8	- 2.3	- 4.4	89	92	89	06 3	09 4	09 4	6	8 =°	8 *°	8 *°	1.0		*° =° n,a, *° = p
12	07.4	08.0	10.5	- 5.3	- 6.6	- 9.6	- 2.2	- 9.9	75	80	84	00 0	31 2	33 4	5	8 =	8 =	8 ϕ°	2.0		* = n, *° = a, = p
13	07.2	01.4	95.4	-11.7	- 6.7	- 1.9	- 1.4	-11.9	84	87	92	06 7	06 6	04 3	4	8 =°	8 *°	8 =°	0.9		*° = n, *° =° a,p
14	89.6	95.2	97.7	-14.4	-16.4	-18.4	- 1.9	-18.6	80	80	77	36 9	34 6	04 6	5	8 +ᵃ	8 +°	3 =°	1.9		*° +ᵃ \ n, *° + \ a, *° + p
15	99.6	02.1	05.2	-19.6	-19.9	-20.2	-17.8	-20.4	74	74	79	02 5	03 7	34 8	5	7 *°	5 +	6 +	2.4		= ϕ° + n, *° = a, +ᵃ \ p
16	11.4	13.0	12.5	-22.4	-22.8	-24.0	-19.8	-24.1	75	75	75	02 5	01 3	04 4	9	2 =°	3	1 =°	1.5		+ =° n, =° ⌒° p
17	11.0	08.3	03.0	-26.8	-26.5	-24.9	-23.6	-27.4	77	77	79	07 6	08 6	07 8	7	8 =°	8 =°	8 =°			⌒ =° n, =° a,p
18	70.8	66.7	75.6	-10.6	-14.0	-19.2	- 2.6	-25.9	87	84	79	07 8	23 7	25 6	3	8 *	3 +	0 =°	1.2		ϕ° * +° \ n, =° *° + a, + p
19	85.0	88.0	86.2	-14.9	-13.6	- 9.0	- 8.9	-19.2	72	75	86	20 4	18 5	16 4	6	1	3(ϕ)	8 *	1.4		⌒ =° n, ϕ° a, =° *° p
20	84.4	84.8	84.1	-10.3	-11.6	-10.2	- 8.7	-12.0	77	75	75	20 1	23 3	23 2	9	6	1	1	1.6		ϕ° =° ⌒ n, ⊙ a, =ᵃ p
21	82.0	82.6	83.2	-11.3	-13.0	-15.2	- 9.6	-15.4	79	80	88	24 3	00 0	26 4	9	2 =°	0	1 =°			⌒ =° n, ⊙ a, =° ◡ p
22	89.4	91.4	92.5	-17.0	-14.0	-13.1	-12.0	-17.4	77	74	79	28 5	24 4	24 5	6	1 =°	5 ϕ°	0 =°	0.0		=° *° n, =° ⊙ a, ϕ° =° ⊙ p
23	95.1	88.6	85.3	-12.6	- 4.9	- 3.1	- 2.6	-16.0	69	86	92	23 5	23 5	23 7	6	6 =°	7 +°	8 *°	0.0		⌒° =° n, *° =° a, * + p
24	02.3	05.5	01.0	-15.3	-12.2	- 5.7	- 3.1	-16.4	80	83	86	31 3	19 3	17 2	8	3 =°	7 =°	8 =°	1.2		ϕ° *° =° n, =° ⊙ a, =° *° p
25	74.2	67.7	66.8	- 0.4	1.8	1.0	2.0	- 5.7	94	95	88	17 6	23 6	23 5	7	8 *	8 =°	8 =°	3.5		* =° n, * ‡° =° a, ‡ =° p
26	70.2	73.8	77.9	- 6.2	- 7.9	- 8.8	1.2	- 9.4	73	72	72	26 9	25 8	26 5	8	7 +	6 =°	0	4.6		ϕ° *° + \ n, + ⊙° *° \ a, =° ⌒
27	83.5	84.8	86.6	-11.2	- 9.6	-10.4	- 8.5	-11.4	71	72	69	27 6	26 6	29 6	8	1 =°	1 =°	2 =°	0.2		⌒ n, =° ⊙ a,p
28	96.9	97.0	92.9	-14.2	-15.6	-13.0	-10.0	-15.7	71	66	72	32 4	31 2	09 3	9	3 =°	2	2	0.0		*° =° n, ⊙ a, ⌒ ⊙ p
M	04.0	04.2	04.0	- 9.4	- 9.0	- 8.8	- 5.6	-11.9	79	80	82	4.1	4.2	4.2	6.9	6.0	5.6	4.4	25		

Ekstensotabell

1953

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 ΔG = + 1h **Mars III** H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	P 13	P 19	Lufttemperatur T 7	T 13	T 19	Max	Min	Relativ fuktighet U 7	U 13	U 19	Vindens retning og styrke D,F 7	D,F 13	D,F 19	Synsvidde V 13	Skydekke og vær N,w 7	N,w 13	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	94.4	99.4	03.0	-16.7	-16.3	-16.6	-12.8	-17.7	78	74	74	08 5	06 3	34 5	6	7 =°	7 ◊°	5 =°			=° n, ◊° =° a,p
2	02.1	00.0	99.3	-18.8	-18.1	-20.4	-16.5	-20.4	72	73	74	34 3	01 3	34 2	5	3 =°	6 ∗°	3 =°	0.2		=° ⌓° ⊕° n, =° ⊙ a, =° (◊) p
3	06.3	09.7	10.6	-24.1	-23.1	-22.4	-20.0	-24.4	73	72	71	36 3	32 4	32 3	8	3 =°	2 =°	1 =°	0.0		=° n, =° +° ⊙ a, =° ⊙ p
4	12.2	13.0	11.3	-21.5	-19.6	-19.2	-19.2	-22.6	75	75	79	34 3	00 0	09 2	8	2	2 =°	1 =°			=° ⌓ n, =° ⊙ a, =° ⊙ p
5	88.8	79.6	81.2	- 4.9	- 0.6	- 8.9	- 0.5	-19.2	89	89	86	18 2	23 5	27 6	6	8 =°	7 =°	8 +°	1.2		∗° =° n,a, ∗° +° =° p
6	83.9	85.0	85.2	-13.8	-17.6	-21.0	- 6.0	-21.3	78	75	68	27 5	36 2	36 4	8	4 =°	1 =°	1 =°	1.6		+° ∗° =° n, =° ⊙ a,p
7	90.5	91.2	88.9	-20.8	-17.8	-13.9	-13.8	-22.4	64	71	72	31 5	28 5	00 0	8	3(◊)	1 =°	4 =°	0.1		=° ◊° +° n, =° ⊙ a,p
8	**75.2**	80.5	86.4	- 6.6	- 9.5	-14.6	- 5.9	-14.9	88	79	**58**	07 5	08 5	04 6	8	7 =°	4 =°	4 =°	0.3		∗° =° n, =° a, =° ⊙ p
9	93.6	01.3	10.5	-19.2	-19.5	-23.8	-14.2	-23.8	77	74	72	07 3	03 3	34 5	7	2	8 =°	1 =°			=° ⌓ n, =° ⊙ a, = p
10	18.9	19.6	19.4	-21.3	-18.8	-18.7	-18.0	-24.4	71	71	77	33 2	00 0	00 0	8	0 =°	1 =°	4 =°			=° ⌓ n, =° ⊙ a,p
11	18.8	15.8	07.6	- 9.0	- 4.3	- 4.4	- 4.0	-18.8	87	87	88	20 3	19 6	20 6	7	7 =°	7 =°	8 ∗°	0.2		=° ∗° n, ∗° ◊° =° a,p
12	03.2	95.2	76.7	- 8.0	- 5.6	0.4	**0.5**	- 8.3	77	87	95	27 7	09 4	20 5	3	8 =°	8 ∗	8 ∗	0.6		=° ∗° n, ∗ a,p
13	91.8	99.0	02.2	-16.6	-17.1	-22.7	**0.5**	-22.7	77	74	74	29 3	02 3	05 4	7	4 =°	3(◊)	1 =°	11.1		= ∗ +° n, =° ⊙ a,p
14	09.6	15.9	19.1	-22.6	-23.4	-26.4	-22.0	-26.4	73	73	77	05 4	05 1	15 1	8	7 =°	5 =°	0 =°			=° ⌓° n, =° a, =° ⊙ p
15	15.1	07.3	08.4	-20.7	-13.0	-13.2	-13.0	-28.9	79	82	82	05 5	09 6	07 5	6	8 =°	8 ∗°	8 ∗°			⌓ =° n, ∗° + a, =° ∗° +° p
16	18.3	21.9	21.6	-23.2	-22.7	-21.0	-12.4	-24.9	74	77	75	10 2	32 1	27 1	8	3 =²	0 =°	0 =°	2.5		∗° + = n, =° ⊕ ⊙ a, =° ⊙ p
17	14.0	04.8	98.6	-20.5	-11.2	-13.1	-10.5	-23.2	79	86	80	33 1	07 6	05 7	4	5 =°	8 ∗°	8 +•			⌓ =° ⊙° n, =° ∗° a, ∗° + p
18	11.3	15.1	11.2	-20.2	-17.4	-13.2	-12.8	-20.4	74	68	79	32 7	23 3	23 4	9	0 +°	2	6 =	1.9		∗° + ⊙° ∖ n, =° +° ⊙ a, ⊙ +² = p
19	07.6	15.3	19.7	-16.0	-21.6	-24.7	- 8.5	-24.7	77	71	69	04 5	03 4	04 4	7	8 ∗°	7 =°	7 =°	0.4		= ∗° + n, =° ⊙° a, = p
20	20.0	14.7	04.3	-26.4	-22.6	-18.3	-17.9	-27.4	71	74	79	09 4	08 6	09 8	4	8 =°	8 ∗°	8 ∗°			=° n, =° ∗° a, +² ∗° p
21	93.0	96.0	04.0	-17.0	-19.5	-22.8	-16.4	-22.8	80	79	78	07 8	07 8	05 6	2	8 ∗°	8 +²	6 +	1.0		+² ∗° ∖ n, +² a, +² ∗° p
22	15.2	17.5	17.9	-25.6	-22.8	-27.0	-22.5	-27.1	77	78	77	00 0	00 0	00 0	7	5 =°	3 =°	0 =°	0.3		=° +° ⌓ n, =° ⊙° ⊕° a, =° ⊙° p
23	10.9	08.5	10.3	-27.1	-25.1	-28.1	-24.7	**-30.3**	77	77	72	34 1	02 3	03 5	6	0 =°	0	0			=° ⌓° ⊙ n, ⊙ a,p
24	14.1	14.1	13.8	-27.4	-25.8	-23.0	-22.5	-28.9	72	73	74	36 4	32 6	03 7	3	0	8 +	8 +			⊙° n, =² + ⊙° a, + =² p
25	20.7	**22.8**	22.4	-22.6	-22.8	-21.4	-20.2	-24.1	75	74	74	03 6	09 2	04 6	5	3 +°	2 =	0 +°			+° =² ⊙° ∖ n, = +° ⊙° a,p
26	18.8	17.5	15.7	-22.0	-21.1	-21.6	-20.7	-22.4	77	78	78	07 4	07 6	07 5	7	5 =°	1 =°	1			=° ⊙° n, =° ⊙ a, ⊙°p
27	15.0	15.7	16.5	-22.6	-21.8	-22.8	-21.3	-23.3	78	79	78	05 6	05 5	05 4	6	0 +°	0 =	5 =			= ⊙ n, +° 7, = ⊙ a,p
28	17.1	17.2	17.0	-25.4	-24.3	-26.6	-22.4	-26.7	78	78	82	04 4	04 4	04 2	8	1 =°	0 =°	8 =°			= ⌣° ⊙ n, =° ⊙ a,p
29	14.2	12.8	11.0	-25.8	-23.9	-24.1	-23.5	-29.0	83	86	86	06 3	04 4	05 4	8	1 =°	0 =°	0 =°			=° ⌣° ⊙ n, =° ⊙ a,p
30	06.5	04.9	03.4	-25.2	-24.0	-23.4	-22.4	-25.4	86	84	72	05 4	05 5	03 4	8	0	0 =°	0			= ⊕ ⊙ n, =° ⊙ a,p
31	03.2	04.3	05.2	-24.4	-22.4	-23.1	-21.7	-25.4	75	77	78	35 6	36 6	36 5	4	5	3	2			=° ⌓ n, ⊙ a, ∗° ⊙° p
M	06.6	07.0	06.5	-19.9	-18.5	-19.4	-15.0	-23.3	77	77	77	4.0	3.8	4.1	6.4	4.0	3.9	3.7	21		

April IV

Datum	P 7	P 13	P 19	T 7	T 13	T 19	Max	Min	U 7	U 13	U 19	D,F 7	D,F 13	D,F 19	V 13	N,w 7	N,w 13	N,w 19	R	h_s	W
1	08.8	12.6	15.7	-21.8	-20.1	-21.2	-19.8	-23.1	74	75	78	03 6	03 4	35 6	6	2 +°	6 +°	7 +°	0.4		=° +° n,a, +° p
2	22.1	26.0	26.5	-20.9	-21.0	-22.5	-20.3	-22.9	79	78	80	02 7	36 3	23 1	7	8 =	8 ⊕	7 =°			=² +° n, = ⊙ ⊕ a, ⊙ p
3	25.7	25.0	21.6	-21.8	-18.0	-19.4	-17.2	-25.4	86	87	86	00 0	00 0	00 0	8	0 =°	0 =°	3 =°			=° ⊙ n,a,p
4	10.5	07.9	09.9	-19.4	-18.3	-20.1	-18.0	-23.3	88	88	88	07 3	05 4	05 3	8	4	0 =°	0 =°			⊙° n,a, =° ⊙ p
5	15.8	18.0	17.6	-19.8	-16.8	-15.6	-15.5	-24.5	88	87	87	07 4	08 4	07 5	7	8 =°	8 =°	6 =°			=° ⊙° n,a,p
6	14.6	10.4	03.3	-15.8	-15.6	-15.6	-14.7	-16.4	88	84	84	07 6	06 7	05 8	7	5 =°	7 =°	8 +°			=° ⊙° n,a, =° p
7	95.3	97.9	02.8	-14.7	-14.1	-15.8	-13.7	-16.4	89	86	83	04 8	02 9	36 7	3	8 +²	8 +	6 +	2.7		+² ∗ ∖ n, + ∗° ∖ a, + ∗ ∖ p
8	10.9	13.9	15.1	-21.7	-23.3	-24.6	-15.5	-24.6	80	79	79	02 5	05 4	02 2	7	2 +°	2 =°	2 =°	1.9		+² ⊙° ∖ n, =° ⊙ a,p
9	17.2	18.0	18.1	-26.8	-25.6	-25.3	-23.7	**-26.9**	80	80	82	05 4	05 5	04 4	8	1 =°	2 =°	3 =°			=° ⊙ n,a,p
10	20.2	21.8	22.8	-25.8	-22.6	-24.4	-22.2	-26.7	83	84	83	06 4	06 4	10 1	8	0 =°	0 =°	0 =°			=° ⊙ n,a,p
11	23.6	23.1	22.6	-22.7	-18.2	-21.4	-17.5	-26.6	84	86	78	16 1	00 0	00 0	9	0 =°	0	0			=° ⊙ n,a, ⊙² p
12	19.7	18.0	16.3	-19.4	-15.4	-21.3	-14.9	-22.4	86	73	75	00 0	00 0	13 2	9	0 =°	0	0			=° ⌣° ⊙ n, ⊙² a, =° ⊙ p
13	16.7	18.0	17.7	-19.0	-16.6	-16.8	-15.8	-22.3	84	74	75	07 4	07 6	07 7	8	0 =°	2 =°	7			=° ⊙ n, =° ⊕ a, =° ⊕° p
14	12.3	05.0	92.4	-13.5	-10.2	- 9.2	- 9.0	-17.0	89	77	84	07 5	05 6	34 6	5	8 ∗°	8 ∗°	8 ∗°	0.0		= ∗° n, =° ∗° a, =° ∗° +° p
15	07.5	07.8	09.4	- 9.1	0.2	- 4.4	**0.5**	-11.8	86	82	91	19 1	23 5	24 7	8	7 =°	7 =°	7 +	2.0		= ∗° ◊° + n, =° ∗° a, =° + p
16	15.5	14.0	11.9	- 5.7	- 4.0	- 5.2	- 3.4	- 7.9	92	86	96	09 1	00 0	10 3	8	8 ∗°	5 =°	8 ≡	0.4		=° ∗° n, =° ∗° ⊙ a, =² ⊙° p
17	00.4	99.9	96.6	- 4.4	- 5.6	- 8.5	- 0.3	- 8.9	89	75	83	27 5	34 3	33 4	8	8 +°	4 =°	2 =°	3.7		≡ ∨ △ ∗° n, =° +° a, ⊙ =° p
18	**91.6**	94.2	97.1	- 9.6	- 6.4	- 8.0	- 6.0	-10.4	77	74	80	19 1	00 0	04 4	9	2 =°	0	7 ◊°	0.1		=° ∗° n, ⊙ a, ⊙ =° p
19	02.6	06.0	08.0	-10.3	-12.0	-16.5	- 7.8	-16.5	83	73	75	03 7	02 6	35 7	6	8 ∗°	1 +°	1 +	1.0		=° ∗° + n, ∗° +° ⊙ a, +° ⊙ p
20	09.7	12.3	14.5	-16.6	-16.0	-16.6	-15.2	-18.6	77	77	78	36 6	34 5	32 2	8	7 +°	1 =°	0	0.8		+ ⊙ n, +° =° ⊙ a, =° ⊙ p
21	14.5	09.7	03.4	-14.6	- 9.2	- 3.2	- 3.2	-17.9	80	84	92	06 2	11 4	16 1	5	7 =°	8 ∗°	8 ∗°			=° n, =° ◊° ∗° a, ∗² +° p, =° 19
22	01.3	06.3	10.9	-12.4	-17.7	-17.0	- 3.1	-18.5	86	80	82	33 4	01 9	36 8	1	7 ◊°	8 ∗°	8 ∗°	5.6		∗° ◊° + n, ∗° +² ∖ a,p
23	14.5	15.0	15.5	-15.2	-10.0	-10.2	- 7.3	-19.4	80	**66**	84	29 4	29 2	05 4	9	0	1	8 ∗°	1.1		+ =° ⊙ n, ⊙² a, ⊙ ∗ p
24	20.2	21.9	21.7	-16.0	-14.2	-15.2	-10.1	-16.8	82	79	73	06 5	05 1	00 0	9	0	0	2	1.8		∗ =° ⊙ n, ⊙² a, ⊙ =° p
25	20.8	18.1	15.4	-11.7	-10.7	-11.3	-10.0	-16.8	74	80	78	35 3	29 4	30 3	9	1 =°	0	2			=° ⊙ n, ⊙² a, ⊙ p
26	22.8	28.0	31.2	-14.0	-13.4	-13.5	- 9.3	-14.8	79	75	77	05 6	07 5	05 5	6	8 +°	8 ∗°	8 ∗°	0.1		∗° =° n, +° =° ⊙° a, =° ∗° p
27	**34.2**	33.5	30.3	-13.6	-12.8	-13.4	-12.5	-16.3	83	82	83	06 4	08 3	09 1	8	8 ◊°	6 =°	7 =°	0.0		=° ◊° n,a,p
28	25.0	22.1	21.0	-14.2	-10.6	-11.0	- 9.8	-15.3	86	86	88	08 2	05 4	07 5	7	8 ∗°	7 =°	8 =°	0.0		=° ∗° ⌣° n, ∗° =° a, =° p
29	17.8	18.5	20.3	- 5.3	- 2.1	0.0	0.0	-11.0	89	92	96	07 5	07 5	07 2	5	8 +°	8 ∗°	8 ≡²	0.7		=° ∗° n,a, =° ∗° ≡² p
30	23.9	25.1	25.9	- 1.2	- 0.6	- 0.6	0.2	- 2.6	92	95	95	05 4	06 3	08 5	5	7 =°	8 =	8 ≡°	0.9		≡² = ,° ◊° n, ◊° ≡° = a,= ≡° p
M	14.5	14.9	14.5	-15.2	-13.4	-14.3	-11.2	-18.1	84	81	83	3.9	3.8	3.8	7.0	4.7	4.1	5.0	23		

Ekstensotabell

1953

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 ΔG = + 1h

Mai V

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7		13		19		Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	27.2	27.4	26.1	- 1.4	- 0.4	- 0.4	0.1	- 1.9	88	87	88	08	5	09	5	09	6	6	8 =	8 =	8 ,°	0.0		= ~ n, = *° a, = p
2	24.8	24.4	23.4	- 0.2	0.3	0.0	0.3	- 0.4	89	87	95	11	4	14	4	14	3	6	8 =	8 =	8 ≡°	0.0		= n,a,p
3	23.2	23.9	24.3	0.2	0.3	0.2	0.8	- 0.2	98	97	96	00	0	00	0	30	3	2	8 ≡	8 ≡	8 △°	0.5		≡ △° ,° n, ≡ ,° a, ≡ p
4	24.9	24.7	23.3	- 2.0	- 0.2	- 1.0	1.0	- 2.1	80	66	77	28	4	23	3	33	1	8	5 =°	2 =°	4	0.4		= n, =° ⊙ a, =° ⊙² p
5	24.0	26.0	26.7	- 2.3	- 3.6	- 4.1	- 1.0	- 4.1	89	80	79	11	3	07	3	05	1	9	8 =°	1	6 =°	0.0		=° *° △° n, ⊙ a,p
6	25.0	22.9	19.1	- 2.9	- 0.2	- 0.8	0.2	- 5.4	80	78	89	29	4	19	3	21	3	8	6 =°	7 =°	7 =°			=° n,a, ♢° =° p
7	06.8	03.9	03.5	0.9	0.7	0.1	1.1	- 2.4	94	91	96	22	5	21	2	32	3	7	8 =	8 =°	8 =²	0.4		≡ *° *° n, =° ,° ♢° a, =° (=) p
8	12.4	17.1	21.2	- 5.5	- 6.7	- 7.0	0.8	- 7.2	87	82	83	05	6	05	7	05	6	8	8 =°	8 =°	6 =°	0.1		≡ = n, =° a, =° ⊙° p
9	25.9	26.5	25.6	- 6.4	- 4.4	- 4.6	- 3.2	- 8.9	80	77	74	06	3	29	4	29	3	9	0	0	0			⊙ n, ⊙² a,p
10	25.5	27.0	27.8	- 9.1	- 9.2	- 9.6	- 4.6	- 9.8	83	79	77	05	4	05	3	06	2	6	7 =°	8 *°	8 *°			⊙ =° n, *° =° a,p
11	**28.2**	**28.2**	27.2	-10.4	- 9.1	- 9.2	- 8.1	-10.8	77	77	74	05	2	05	3	05	3	6	8 =°	8 *°	8 *°	0.0		*° =° n,a, =° *° ⊙ p
12	25.0	24.2	22.5	-10.4	- 7.9	- 8.2	- 7.3	-10.8	75	69	69	06	3	00	0	34	3	6	8 *°	8 *°	8 *°	0.0		*° =° n,a,p
13	20.3	19.6	18.3	-10.0	- 9.0	- 9.8	- 8.1	-11.1	74	73	79	05	2	10	2	08	3	7	8 =°	8 *°	7 *°	0.0		=° n,a, *° =° p
14	15.0	13.9	12.9	- 9.2	- 7.4	- 6.2	- 6.2	**-11.5**	84	87	87	05	4	05	4	06	4	5	8 *°	8 *°	7(♢)	0.0		*° =° n,a, *° =° ⊙ p
15	11.1	10.7	10.4	- 9.7	- 7.6	- 8.2	- 6.2	-10.4	83	84	84	04	6	04	5	04	5	6	3 =°	7 *°	7 *°	0.3		=° *° n, =° *° +° a,p
16	11.2	14.0	16.1	- 9.3	- 8.4	- 8.4	- 8.1	- 9.8	75	74	69	02	5	04	2	34	2	7	4 =°	8 *°	5(♢)	0.0		=° ⊙° +° n, *° =° ⊙° a, *° =° p
17	17.0	16.6	16.6	- 8.4	- 4.0	- 7.0	- 3.7	- 9.2	73	**63**	73	05	2	00	0	05	3	9	7	1	3	0.0		=° ⊙° n, ⊙² a, ⊙ p
18	19.1	21.2	22.3	- 7.4	- 7.0	- 7.4	- 5.2	-11.4	72	75	74	00	0	25	2	08	1	9	0	2	1			⊙ n, ⊙² a,p
19	23.3	22.5	20.2	- 5.9	- 4.2	- 4.0	- 4.0	- 9.8	80	80	89	15	3	09	3	07	5	8	7 =°	8 =°	8 △²			⊙ n, =° a, =° △ p
20	14.8	14.7	15.1	0.5	0.6	- 0.6	**1.1**	- 4.0	96	96	89	08	4	10	2	28	6	6	8 •°	8 ,°	7 =°	2.0		△° * ,° •° n, = •° a, • = p
21	17.6	16.7	15.5	- 3.4	- 1.2	- 0.8	- 0.3	- 4.8	83	75	80	30	5	28	3	18	1	9	0	1	1	3.6		=° ⊙ n, ⊙² a,p
22	13.9	12.3	08.0	- 4.5	- 2.9	- 1.2	- 0.6	- 4.9	92	92	92	00	0	06	3	07	4	4	8 ≡°	8 *°	8 *°			⊙ = ≡ n, ≡° a, *° = p
23	02.1	04.2	05.5	- 4.6	- 5.4	- 6.4	- 1.0	- 6.4	87	79	78	05	6	02	6	05	3	6	8 +°	7 +°	7 =°	2.8		* =° +° n, +° a, +° ⊙ ♢° p
24	04.2	03.6	03.7	- 6.9	- 5.3	- 5.6	- 3.9	- 7.4	72	73	74	04	2	28	3	32	4	7	8 *°	6 =°	6 =°	0.4		*° =° n, =° ⊙° a,p
25	03.0	03.2	03.6	- 5.9	- 4.4	- 5.2	- 3.8	- 6.9	79	74	75	34	3	36	4	05	5	8	8 =	8 =°	7(♢)			=° ⊙ n, = a, ♢° *° =° p
26	99.0	96.3	94.3	- 6.2	- 5.3	- 4.4	- 3.6	- 7.2	78	79	78	32	4	31	6	30	4	7	7 =°	7 =°	7 ♢°	0.1		⊙ (♢) =° n, =° ⊙° a, =° p
27	91.5	91.7	91.6	- 5.0	- 4.1	- 4.3	- 3.4	- 5.2	80	83	79	32	4	27	4	25	3	8	8(♢)	6 =°	8 =°	0.1		♢° =° n,a, ♢° *° =° p
28	91.1	91.0	89.3	- 4.3	- 2.9	- 3.6	- 2.6	- 5.7	80	78	82	32	2	28	5	21	4	9	4	2	2	0.0		=° ⊙ n, ⊙² a, ⊙ p
29	76.9	**76.7**	77.8	- 3.5	- 4.2	- 4.0	- 2.8	- 4.7	89	84	84	25	4	27	4	31	3	5	8 *°	8 △	7 △	0.0		*° =° n, *° △ =° a,p
30	82.7	85.7	86.0	- 3.2	- 2.0	- 1.9	- 1.5	- 4.7	82	80	89	34	4	28	2	29	3	8	6(♢)	5 =°	7 ♢°	1.8		*° ♢° =° ⊙ n, =° ⊙ a, =° ⊙ ♢° p
31	87.6	89.1	89.5	- 2.4	- 0.8	- 1.2	0.5	- 6.1	86	78	91	05	3	32	3	22	5	8	8 =°	5 =°	8 △°	0.2		=° (♢) n, =° a, *° △° =° p
M	12.1	12.3	11.8	- 5.1	- 4.1	- 4.3	- 2.7	- 6.6	83	80	82		3.4		3.2		3.4	7.0	6.5	6.0	6.2	13		

Juni VI

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7		13		19		Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**93.4**	99.4	03.8	- 0.9	- 0.4	- 0.9	0.4	- 1.7	92	82	87	26	3	02	3	27	3	8	8 *°	8 =°	7 =°	0.3		*° =° △° n, =° a,p
2	05.9	08.2	09.8	- 1.1	- 0.3	- 0.4	0.0	- 1.9	86	83	82	24	4	24	4	24	6	8	7 =°	1 =°	3 =°			=° ⊙ n,a,p
3	11.6	11.4	12.0	- 0.2	0.2	- 0.5	0.5	- 1.6	84	82	82	22	6	24	5	23	4	8	7 =°	6 =°	1			=° ⊙ n, =° a, =° ⊙ p
4	13.2	13.4	12.9	- 1.7	- 0.7	- 0.9	0.5	- 2.5	91	78	75	29	3	27	3	23	2	8	4 =°	5 =°	8 =°			=° (≡) ⊙ n, =° ⊙ a,p
5	10.8	08.1	08.4	- 1.1	0.5	- 0.5	0.6	- 1.2	84	84	91	20	4	20	5	29	5	9	8 =°	2	7 =°	0.0		=° *° n, =° *° ⊙ a, =° ⊙ p
6	14.3	17.3	18.8	- 1.5	- 0.6	- 2.7	0.4	- 2.8	83	84	95	29	2	31	4	29	4	8	1	0 =°	0 =²	0.1		=° ⊙² n, =° ⊙ a, =° ⊙ ≡° p
7	19.4	19.9	20.1	- 0.8	0.6	1.4	1.5	**- 3.4**	83	84	86	26	6	23	6	23	6	8	7 =°	8 =°	8 =°			≡ =° ⊙ V° n, =° ⊙ a, =° ⊙° p
8	18.8	19.1	19.4	2.1	2.1	2.4	2.6	1.1	89	92	92	22	6	24	7	23	6	8	8 =°	8 =°	8 =	0.8		• ∇̇° =° n, =° a, = p
9	19.8	20.9	21.4	2.6	4.1	3.6	4.5	2.3	94	89	92	26	5	25	6	23	7	7	6(≡)	7 =°	8 =²	0.0		= ∇̇° n, =² ⊙° a, =² p
10	21.1	21.3	20.8	2.6	2.1	2.4	4.0	1.4	92	92	95	23	7	24	7	23	6	3	8 ,°	8 ≡°	8 ,°	0.0		= ∇̇° , \ n, ,° = a, ≡° =² ,° ⊙° p
11	19.4	18.8	18.7	4.2	3.7	3.3	5.2	1.6	91	91	91	25	7	25	6	26	7	6	0 =	8 =	8 =	0.0		≡° = ,° n, = a, = (≡) p
12	19.1	19.2	20.0	3.5	2.5	2.4	4.1	1.1	91	96	95	26	7	23	6	27	6	3	7 =	8 ≡°	8 =	0.1		≡ =² ∇̇° n, ≡° =² •° a, ≡° =² p
13	20.4	21.2	21.2	2.2	5.0	1.8	5.1	1.5	96	92	98	23	2	23	2	28	2	5	8 =	8 =	0 ≡°	0.0		≡° = n, = a, = (≡) ≡° ⊙° p
14	20.7	21.0	20.1	0.1	0.6	0.7	1.9	- 0.4	98	94	92	10	1	07	2	06	2	7	7 =°	7 =°	5 =°			≡ n, ≡° =° ⊙° a, =° ≡ p
15	19.2	19.3	19.0	1.7	3.4	3.3	3.6	0.3	89	96	83	09	2	00	0	00	0	7	7 =°	4 =°	0 =°			=° ⊙° n, =° ⊙ a,p
16	18.2	18.6	17.6	- 0.2	- 0.4	- 1.1	3.5	- 1.4	96	95	97	00	0	09	1	02	1	1	8 ≡²	8 ≡²	8 ≡²			=° ≡² ⊙ n, ≡² a, ≡² V° p
17	16.2	16.2	15.3	- 1.2	- 0.7	0.5	0.5	- 3.2	96	94	89	09	2	08	2	08	3	3	8 ≡	8 ≡°	4 =°			≡² = ⊙° n, = ≡ ⊙° a, ≡° =° ⊙ p
18	15.6	16.4	16.4	2.0	3.5	6.5	7.2	- 0.4	84	82	83	09	2	08	1	29	4	8	1 =°	1 =°	0 =°			= ⊙ n, =° ⊙ a, =° ⊙² p
19	17.7	20.0	21.6	3.6	4.0	3.3	9.0	2.6	79	82	80	05	2	00	0	07	1	7	0 =°	0 =°	3 =°			(≡) ≡° =° n, (≡) =° ⊙ a, =° ⊙ p
20	23.6	24.3	23.5	3.0	4.8	3.4	5.1	0.9	82	77	88	09	1	09	1	09	1	8	0 =°	1 =°	8 ≡			=° ⊙ n,a, =° ⊙ ≡ p
21	22.7	22.9	22.3	6.2	8.4	5.9	9.4	3.3	68	**66**	73	18	1	00	0	00	0	8	0 =°	0 =°	1 =°			=° (≡) ≡ ⊙ n, =° ⊙ a,p
22	21.3	21.1	20.5	4.6	6.8	6.0	**15.7**	2.6	83	77	74	09	1	18	1	05	2	9	0 =°	1	0 =°			=° ⊙² n, ⊙² a, =° ⊙² p
23	19.7	20.0	18.0	4.7	7.2	5.6	10.6	4.2	89	94	94	27	6	25	6	23	5	6	8 =²	8 •°	8 =			=° = ≡° ⊙ n, ,° •° = a, ∇̇° = p
24	12.5	10.1	10.1	4.5	3.9	2.1	6.1	1.7	95	97	95	22	7	25	7	27	5	2	8 •°	8 ≡	7 =	0.0		=² ≡° ,° n, ≡ a, ≡° = p
25	17.2	22.8	**25.8**	2.2	3.2	3.6	5.6	0.9	84	83	82	30	7	32	7	30	4	8	5 =°	4 =°	6			=° ⊙ n,a,p
26	25.0	24.1	23.2	1.5	1.1	2.9	4.1	- 0.7	98	97	84	29	7	29	7	23	1	2	8 ,°	8 ≡	0 =°	0.2		= ≡ ,° n, ≡ a, ≡° (≡) ⊙ p
27	21.9	22.0	22.5	1.9	1.6	- 1.7	3.2	- 1.8	83	83	94	07	1	20	1	10	1	4	1 =°	0 =²	8 ≡			=° ⊙² n, =° ⊙ a, =² ≡ ⊙° p
28	21.6	21.0	18.9	- 1.0	0.8	3.8	4.5	- 2.6	98	96	80	14	2	16	2	16	4	1	8 ,°	8 =²	7(≡)	0.2		≡ ,° n, =² ≡ a, ≡ (≡) =° ⊙° p
29	16.1	15.1	14.4	3.8	4.1	4.0	6.0	0.7	92	89	89	26	6	27	7	21	4	4	8 =²	7 =²	8 =			(≡) ⊙ =² n, =² a, = ,° p
30	12.7	12.2	12.0	3.5	3.9	3.2	5.2	3.1	96	92	91	28	3	25	6	25	4	5	8 =	8 =	8 =	0.0		=² = ,° n, = a, = ,° p
M	17.0	17.5	17.6	1.7	2.5	2.1	4.4	0.1	89	87	88		3.8		3.8		3.5	6.0	5.5	5.3	5.2	2		

Ekstensotabell

1953

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 $\Delta G = +1^h$ **Juli VII** H_s = 6 H_b = 7.2 h_k = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	11.3	11.1	11.2	1.6	1.6	1.8	3.4	0.8	94	87	82	06	3	06	4	30	2	7	8 =	7 =°	7 =°	0.0		= ,° n, = a, =° ⊙° p
2	10.6	10.2	09.2	0.9	1.3	0.8	2.5	0.1	88	88	89	24	2	32	2	28	4	8	7	8 =°	8 ‡°	0.0		= ,° ‡° n, =° a, =° *° p
3	08.4	09.9	10.9	0.4	1.1	1.6	1.8	- 0.1	94	88	83	34	4	36	3	01	4	7	8 ‡°	8 =°	8 =°	2.0		*° ‡° ∆° = n, ‡° = a, ‡° =° p
4	12.1	11.8	11.9	- 0.2	0.5	1.3	1.8	- 0.5	84	84	82	04	5	36	7	02	4	7	7 =°	7 =°	7 =°	1.2		=° n, =° ∆° ⊙° a, =° ⊙° p
5	10.2	11.1	11.8	3.0	2.5	2.0	3.4	1.0	75	74	77	03	8	02	8	34	5	7	4 =°	1 =°	2 =°	0.0		=° ⊕ ⊙ \ n, =° ⊙² \ a, =° ⊙² p
6	10.2	09.4	09.7	0.4	2.8	2.1	3.1	0.0	79	77	74	02	3	31	3	28	4	8	8 *°	5 =°	5 =°	0.0		=° ⊙ n, =° *° ⊙ a, =° ⊙ p
7	08.7	10.1	10.5	4.6	5.5	4.6	7.0	1.4	71	69	67	29	3	29	3	29	3	8	6 =°	4 =°	3 =°	0.0		=° ⊙ n, =° ⊙° a, =° ⊙ p
8	13.6	16.4	16.7	2.6	2.7	2.1	4.7	1.4	83	84	83	06	3	05	2	08	1	9	2 =°	0	0			=° ⊙ n,a, ⊙ p
9	14.8	12.9	10.4	3.2	4.4	5.4	7.5	0.4	74	75	71	28	3	30	4	05	4	9	0	2	5			⊙ n,a,p
10	09.3	09.0	09.8	2.2	3.8	3.8	6.0	0.0	84	77	77	05	3	04	4	05	4	8	7	6	7			≡° = n, ⊙² a, ⊙ p
11	10.9	11.8	12.2	8.4	5.2	4.8	9.5	3.5	51	68	69	02	1	05	1	00	0	9	7	5	2			⊙° n, ⊙ a, ⊙² p
12	11.9	11.7	11.7	3.6	4.6	0.0	6.5	- 0.7	83	79	96	00	0	27	1	29	2	9	1	1	4 ≡			⊙² n,a, ⊙ ≡° p
13	11.6	12.1	12.1	2.8	3.8	3.3	4.4	- 1.3	96	86	80	18	1	20	1	16	1	7	8 ≡	8 =°	8 ,	0.0		≡ n, ≡° =° a, = , p
14	12.0	12.9	13.4	2.9	3.4	3.9	4.2	2.3	97	96	95	19	1	19	1	27	1	1	8 •°	8 ≡²	8 =	3.4		≡ =ᵇ •° n,a, ≡ p
15	12.7	12.7	11.9	2.0	1.1	2.0	4.4	0.3	96	97	98	16	2	13	3	12	3	2	8 =	8 ≡	8 ,°	2.4		≡° , n, ≡ a,p
16	11.4	12.1	12.9	2.2	2.9	3.8	4.0	1.6	99	99	92	09	3	13	3	10	2	4	8 ≡	8 =	7 =°	0.2		≡ ,° n, ≡ a,p
17	12.6	12.5	12.9	4.6	5.5	5.7	6.8	1.9	96	83	83	08	2	08	3	05	2	7	8 =	8 =	7 =			≡ =° n, = ⊙° a,p
18	13.8	13.0	13.5	5.4	7.2	5.0	11.0	3.6	89	86	83	12	1	12	2	33	1	8	8 =	7	1			= n,a, ⊙² p
19	16.1	16.8	16.8	4.6	5.4	5.2	6.8	3.3	84	87	84	32	1	09	1	09	2	8	4	5 =°	3			⊙ n, = ⊙° a, ⊙²p
20	15.2	14.7	13.0	4.6	5.1	5.4	6.2	4.4	83	77	77	07	3	07	3	07	3	8	6	6	8			⊙² n, ⊙ a,p
21	11.3	11.2	11.6	4.2	5.2	4.8	6.2	3.5	89	86	87	05	2	09	1	15	1	8	8	8	8	0.0		,° n
22	10.5	09.4	07.8	5.0	6.3	4.6	7.2	3.8	89	87	91	04	1	28	3	26	3	8	7 ≡	7	7			≡ n, ≡° p
23	05.3	05.3	05.6	3.3	4.9	4.4	5.2	2.4	96	86	83	27	4	32	3	02	3	7	8 •°	8 =	8	1.3		≡² • n, •° = a, •° =° p
24	07.0	08.2	08.7	3.4	4.5	4.6	5.6	2.7	92	88	89	29	3	29	3	27	2	8	3 ≡°	8	8 ,°	1.4		≡° ⊙° n, ≡° a, = ,° p
25	10.4	11.3	12.0	4.4	4.5	4.1	5.2	2.0	80	80	77	22	3	20	1	27	2	9	8	8	7	0.1		≡² ,° n
26	11.2	10.5	10.4	4.8	5.4	6.0	6.8	3.2	83	89	82	26	5	23	5	23	5	5	8	8 =	7			≡ n, = a
27	09.1	08.3	06.9	4.4	5.0	4.4	6.3	3.9	92	91	91	16	2	18	4	16	3	5	8 ,°	8 ,°	8 ,°	0.0		≡° ,° n,a,p
28	06.8	06.3	04.5	3.6	4.2	3.3	5.2	2.8	89	89	92	25	2	25	3	26	3	6	8 =	6 =	8 ,°	1.5		= ,° n,a,p
29	03.4	03.6	04.2	2.8	3.2	2.7	3.5	2.3	95	88	92	18	2	14	2	07	2	8	8 ,°	8	8 ,°	0.1		, = n, =° a, ,° =° p
30	01.3	01.6	02.2	2.8	2.8	2.4	3.2	1.4	91	79	79	05	5	03	5	04	5	7	8 =°	8 =°	7	0.0		≡ ,° = n, = a,p
31	05.3	07.6	09.0	3.4	3.2	2.2	3.6	1.5	74	77	77	02	4	04	4	02	3	8	6	5	7			⊙ = n, ⊙ a,p
M	10.3	10.6	10.6	3.3	3.9	3.5	5.3	1.7	86	84	83	2.7		3.0		2.7		7.1	6.5	6.3	6.2	14		

August VIII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	09.8	10.5	10.5	3.1	4.0	2.9	4.3	0.6	83	75	84	31	3	32	3	29	2	9	3	1	3			⊙ n, ⊙² a,p
2	10.0	09.7	09.3	2.7	6.2	5.2	6.4	2.2	89	69	80	04	1	25	2	21	1	8	8	8	7			≡² n
3	08.5	08.3	08.1	4.7	4.4	5.7	5.8	3.5	92	95	87	21	3	22	3	22	5	7	7 =°	7 ,°	7	0.1		≡ = ,° n, ,° ≡° = a, =° ,° p
4	06.1	08.3	08.4	5.6	7.1	7.3	8.2	4.4	84	77	82	20	6	20	5	20	4	8	8(≡)	7	7	0.1		= ≡° n, ≡° a
5	06.0	04.9	03.0	8.8	8.3	7.0	9.3	5.5	67	66	78	22	3	24	4	25	5	9	1	3	6			⊙² (≡) n, ⊙² a, ⊙ p
6	04.0	06.7	08.3	3.5	7.0	7.6	8.2	3.1	99	87	82	27	2	25	3	22	4	8	8 ,	8(≡)	7	0.2		≡² , n, ≡² ,° a
7	11.4	15.1	16.2	3.8	4.7	4.7	7.8	3.3	94	87	92	24	3	25	3	22	2	7	8 ,°	8 =°	8 ,°	0.1		= , n, =° a, ,° = (≡) p
8	16.2	16.2	16.2	6.5	6.0	4.7	7.1	4.0	91	86	88	22	3	21	5	24	4	7	8 =°	7 =°	8(≡)	0.1		= ,° n, = (≡) a, ≡° =° , p
9	17.0	17.0	15.7	7.7	7.4	8.4	9.4	4.3	87	89	92	22	2	22	3	30	2	7	7	8 =°	7	0.1		≡² n, = a
10	11.1	09.0	05.5	4.0	4.2	3.8	8.6	3.4	96	94	95	05	2	05	3	04	3	6	8 ,°	8 =	8 •	0.9		= ≡ • n, ≡ = ,° a, = • p
11	01.8	03.0	06.0	3.6	3.6	4.4	4.7	2.9	98	98	96	32	1	30	3	25	4	1	8 ≡°	8 ,°	7 =°	10.7		≡ • n, ≡ ,° a, ≡ ,° = p
12	11.5	12.4	12.2	6.9	5.4	5.8	7.3	2.5	84	98	99	22	2	23	2	23	2	1	7	8 ≡²	8 ≡²	0.4		≡ = ⊙ n, ≡° = ,° a, ≡² ,° p
13	06.2	05.7	05.7	5.8	7.3	9.2	10.6	4.4	98	95	94	18	1	21	5	22	5	5	8 ,°	8 =²	7 =	4.9		≡ • n, = • a, = p
14	05.3	10.6	14.8	6.1	6.1	5.4	9.5	4.4	88	87	87	23	6	23	5	23	4	6	8 =	8 =	6	0.8		≡ • , n, = •° •° a, = p
15	19.7	20.7	19.2	4.1	5.1	5.1	5.7	3.4	97	95	98	27	3	27	3	10	1	3	8 ,°	8 ≡°	8 ≡²	0.2		= ,° ≡ n, =° ⊙° a, ≡ ,° p
16	15.4	15.3	16.2	4.4	4.8	8.6	9.0	3.6	98	99	96	08	1	17	1	23	3	1	8 ,°	8 ≡²	8 =	1.3		• ≡² ,° n, ≡² ,° a, ≡ ,° = p
17	15.4	15.8	17.1	7.0	8.1	5.0	9.3	3.7	91	92	95	22	4	25	4	29	3	4	6 ≡°	7 =²	4 =	0.1		≡ ,° n, ≡ = ⊙° a, ≡ = p
18	18.0	18.3	20.0	3.1	3.2	3.4	5.6	2.5	98	98	82	08	3	07	3	08	4	4	8 ≡°	8 •°	8	0.1		≡ ,° n, ≡ =² a, = •° p
19	22.2	22.8	22.4	3.2	3.6	3.5	3.8	2.6	82	84	87	09	5	09	4	09	5	6	7 =°	3 =	1 =°	0.1		= n, = ⊙ a,p
20	22.3	23.5	24.0	2.7	2.6	3.1	3.8	2.0	89	88	87	10	4	09	4	09	3	8	8 =°	8	7			= n
21	25.8	26.9	27.4	2.3	2.5	2.6	3.3	1.5	86	87	87	08	3	08	3	12	2	8	7	8	8			
22	27.3	27.2	26.3	3.6	3.6	3.3	4.2	2.1	84	80	84	17	1	25	1	18	1	8	8	8	8			
23	26.3	27.4	27.3	3.7	4.4	1.6	4.9	1.2	91	86	96	05	2	07	1	06	2	8	8	7	8 ,°	0.0		,° =° n, ⊙° a, ≡° ,° p
24	25.9	24.7	22.8	0.1	0.8	1.0	2.2	- 0.6	97	92	94	06	1	09	2	06	2	5	8 ≡°	8(≡)	8 ,°	0.1		≡ ,° n, ≡ = ⊙ a, (≡) ⊙° p
25	20.4	19.7	18.3	1.4	1.5	1.4	2.0	0.0	88	89	83	11	1	15	1	18	1	8	8	8 ,°	7	0.0		= ,° n, ,° a,p
26	15.1	14.2	12.4	1.1	3.1	2.9	3.4	0.3	92	87	94	25	2	23	2	14	1	7	8 ,°	7 ,°	6	0.3		=° ,° n,a, = ,° p
27	07.7	04.9	98.6	3.3	3.8	3.7	3.9	1.9	96	98	95	10	3	11	3	08	6	3	8 ,²	8 ,°	8 ,²	0.4		≡ , n, ≡ • , a, • ≡ p
28	94.3	96.3	99.9	4.8	3.8	3.8	4.9	2.3	98	98	88	11	3	17	2	28	3	3	8 ≡²	8 ≡°	1	8.3		≡² ,° n, ≡ ,° a, ≡ ⊙ p
29	04.1	06.3	08.0	3.7	3.8	3.5	4.8	1.8	89	87	88	30	1	28	1	30	2	8	7	7	8	0.1		⊙ n, ⊙° a
30	10.4	10.4	10.1	3.1	4.1	4.0	4.6	1.9	91	97	97	04	1	07	4	08	3	4	7 •°	8 ,	8 ,	0.0		= n, ≡° , a,p
31	08.2	08.6	08.3	3.8	3.4	3.2	4.2	2.9	99	98	98	06	3	08	2	27	2	2	8 ,°	8 ≡	8 ,°	5.7		≡ • , n, ≡ ≡² ,° a, = ≡° ,° p
M	13.0	13.6	13.5	4.1	4.6	4.6	6.0	2.7	91	89	90	2.5		2.9		2.9		5.8	7.3	7.2	6.8	35		

Ekstensotabell

1953

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 ΔG = + 1ʰ

September IX

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	07.5	07.7	07.1	3.4	3.1	2.6	3.6	2.4	98	92	87	27 1	30 1	06 2	8	8 ≡°	7	7	1.7		≡ ˛ n, ≡ ˛° a, =° ˛° p
2	05.2	05.9	06.7	3.3	4.1	2.2	4.4	1.7	94	95	96	05 2	28 2	13 1	5	7(≡)	8 =	8 ˛°	0.1		≡ n, ≡° = a, ≡° ˛° p
3	08.2	08.6	08.2	2.1	3.5	3.2	4.4	1.5	96	95	88	05 3	04 3	07 2	7	7 =	8 ˛°	7 =°	0.2		≡ ˛ n, ˙° = ˛° a, ˙° =° ˛° p
4	05.6	06.1	06.6	1.9	2.1	1.5	3.4	0.9	84	80	82	02 3	03 4	02 3	8	7 ϕ°	6(ϕ)	5 ϕ°	0.8		˙° ϕ° ϕ° n, ϕ° (ϕ) a, ϕ° ϕ° p
5	08.7	11.6	14.1	0.4	− 0.3	0.4	1.6	− 0.8	77	80	66	02 3	03 3	03 4	7	7	8 ϕ°	7	0.5		ϕ ⊙ n, ϕ° p
6	16.9	18.3	16.0	1.4	1.5	1.8	2.2	− 0.1	78	73	80	03 2	31 2	24 1	9	2	6	7	0.0		ϕ° n, ⊙ a,p
7	05.6	02.3	01.6	2.4	2.6	2.2	2.8	1.1	88	84	82	10 3	09 4	09 4	8	8	7	8 =		ϕ ⊙ a, ϕ =° p
8	05.4	07.1	06.6	0.3	0.5	0.1	2.6	− 0.2	73	67	69	08 3	30 1	23 1	9	7	7	8	0.0		
9	02.2	99.6	95.8	1.0	2.5	2.8	3.0	− 1.3	79	94	88	20 2	20 2	22 2	6	8	8 =	8 •			˛° ≡ ⊙° a, ≡ ‡ • (≡) = p
10	91.4	94.3	99.0	1.6	2.7	2.2	3.0	− 0.1	89	83	71	08 3	10 6	08 4	8	8	5	6	9.2	5	‡ * n, ˙° ‡ ϕ° a, ⊙° 13
11	04.1	05.3	04.7	1.2	2.1	2.1	2.6	0.6	71	68	74	27 1	26 2	26 3	9	6	8	8	0.3		⊙ n,a
12	02.4	02.0	03.1	1.6	2.7	− 0.3	2.8	− 0.7	86	79	86	23 3	26 3	02 3	9	7(ϕ)	8	7 ϕ°	1.0	0	‡° ϕ° n, (ϕ) a, ϕ° p
13	05.7	06.3	06.2	0.4	1.0	1.2	1.6	− 2.1	63	64	66	22 1	27 1	22 2	9	8	7	3	0.0	0	ϕ° n, ⊙ a,p
14	04.9	05.4	05.9	1.0	2.6	1.0	2.7	− 0.3	87	73	69	32 4	27 2	30 3	9	7 ϕ°	6	7	0.5	0	ϕ° n, ⊙° a, ⊙ p
15	08.4	10.9	12.1	1.2	2.4	1.4	2.6	− 0.4	77	74	77	32 3	30 3	26 1	9	1	3	0			⊙ n, ⊙° a, ⊙ p
16	11.1	09.3	01.2	2.6	2.9	5.4	5.6	0.5	82	87	95	27 5	18 3	20 4	9	2	8	8 •°			☁ n, ⊙ a, •° = p
17	85.6	**77.9**	79.8	4.6	2.9	3.6	6.6	2.1	84	82	78	23 5	21 6	27 6	5	8 =	7 ⊹	8(⊹)	3.0		•° = n, = ϕ ⊙ a, = (⊹) p
18	00.6	05.8	06.3	− 0.5	− 1.0	− 0.6	4.0	− 1.6	74	71	72	03 6	01 5	30 3	8	7 =°	5	4	0.3		= ϕ° n, ⊙ a, ⊙° p
19	05.4	05.4	05.0	− 1.2	− 0.6	− 1.2	0.1	− **2.2**	66	64	**59**	32 3	02 2	04 2	8	2	8 *°	2	0.0		ϕ° ⊙ n, ⊙ (*) a, *° p
20	07.1	11.1	13.9	− 0.8	− 0.4	− 0.9	− 0.1	− 1.7	75	75	77	03 6	03 5	03 5	8	8	7	7	0.0		(ϕ) n
21	18.9	21.7	**23.0**	− 1.2	− 0.9	− 1.5	− 0.5	− 2.0	77	77	77	02 3	35 2	00 0	9	7	8	8			ϕ° p
22	20.8	20.2	17.7	0.4	1.0	1.6	1.8	− 2.0	77	77	80	27 3	28 3	27 3	8	7	7	7	0.0		ϕ° a
23	10.0	05.9	03.8	3.1	3.3	2.4	3.4	− 0.4	89	91	86	23 3	22 3	25 3	6	8	8 •°	8 =°	0.1		= a, =° •° p
24	05.9	04.9	02.6	− 1.2	0.0	1.4	2.6	− 1.7	72	77	89	00 0	26 4	25 3	9	5	7	8 =°	0.6		ϕ° n, ϕ° p
25	98.9	99.3	96.7	2.9	1.4	2.7	3.6	0.5	97	96	97	23 2	04 2	08 2	5	8 ≡°	8 •°	8 •	1.8		= ≡° • ˛ n, = ≡° ˛° •° a,= ˛ •° p
26	93.9	95.0	93.0	6.5	4.3	2.8	**7.7**	2.5	88	86	91	22 5	20 1	08 3	8	8 =°	8	8 =°	5.8		=° ˛ • n, •° a, =° p
27	92.1	91.0	90.8	2.6	2.9	3.2	3.5	1.7	97	98	92	09 1	00 0	23 3	4	8 ≡²	8 =²	8 •°	0.1		= ≡ n, ≡ •° = a, = •° ˛° p
28	94.5	96.5	98.7	0.5	3.0	2.6	3.4	− 1.1	97	89	87	27 3	24 3	21 2	3	8 ˛°	8 ≡°	3(≡)	1.8		≡ ˛ n, ⊙° = ˛ ≡ a, (≡) = p
29	00.1	99.4	98.1	1.4	0.2	− 0.4	3.2	− 0.7	95	97	97	05 3	06 4	05 4	1	3 =°	8 =²	8 ≡	0.0		≡° ˛° n, ≡ = a,p
30	01.5	04.3	05.7	0.1	− 0.6	− 1.3	1.7	− 1.7	78	78	80	02 1	02 2	02 3	8	7(ϕ)	8(ϕ)	8 ϕ°	0.1	1	≡ ϕ = n, = ϕ ˛° a, (ϕ) ϕ p
M	04.3	04.6	04.3	1.4	1.7	1.5	3.0	− 0.2	83	82	81	2.9	2.8	2.7	7.3	6.5	7.2	6.6	28	0	

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	08.8	11.3	11.7	− 0.3	− 0.1	− 0.4	0.4	− 2.3	82	78	77	07 3	09 3	08 4	8	6(ϕ)	6(ϕ)	6	0.3	1	ϕ° n,a,p
2	13.3	16.5	18.3	− 0.8	− 0.4	− 0.8	0.6	− 1.5	79	77	72	07 4	08 3	07 4	9	7(ϕ)	7	8	0.2	1	ϕ n, (ϕ) a, (ϕ) ϕ° p
3	20.2	21.0	20.1	− 0.7	− 0.4	− 0.2	0.2	− 1.7	**57**	77	77	08 4	08 3	10 4	6	7	7 ϕ°	7	0.0	1	ϕ° n,a, ϕ° (ϕ) p
4	18.0	18.4	18.7	0.2	0.6	1.1	1.4	− 1.4	72	71	79	10 3	14 3	16 3	9	8	8	8	0.1	1	ϕ° p
5	18.9	18.3	16.2	1.4	2.7	2.8	3.3	− 1.5	83	78	83	19 2	22 3	22 3	8	6 =°	8	8 ⊹°	0.0	1	•° =° a
6	07.7	03.2	01.1	2.0	2.6	3.6	4.0	1.6	88	91	94	18 3	20 2	21 4	4	8 =	8 ˛	8 =²	0.2		•° = n, •° = ˛ a, •° = p
7	03.4	06.0	03.6	1.7	0.4	1.8	4.7	0.1	82	86	87	22 3	23 4	22 3	5	7 =°	8 ϕ	8 •°	0.9		˛ =° n, = a
8	97.8	95.1	89.2	4.3	3.4	3.2	6.3	1.4	94	96	96	22 5	20 3	18 2	2	8 ˛°	8 ˛	8 •	0.8		≡ ˛ • n, = ≡ ˛ a, ≡ • ˛ p
9	83.4	82.3	79.1	1.8	1.9	1.4	3.7	0.5	84	88	88	19 4	18 1	20 3	5	7 ϕ°	6 =	6 =	1.4		= •° n, = ⊙ a, ‡ = p
10	78.3	79.4	79.7	0.3	0.2	− 0.8	1.7	− 1.7	87	77	73	23 1	27 1	24 2	8	6(ϕ)	6(ϕ)	2	1.8	1	ϕ° =° ☁ n, ⊙ (ϕ) a, ☁ p
11	82.5	88.1	93.0	0.0	0.4	− 0.2	0.6	− 2.4	89	67	89	09 2	22 2	22 1	9	6	3	5 ϕ	0.1	1	ϕ° ☁ n, ϕ° ⊙ a
12	01.7	06.3	08.6	− 0.3	0.3	− 0.8	1.1	− 2.5	75	79	71	22 3	22 2	23 2	8	2	4(ϕ)	1	2.0	4	ϕ° (ϕ) n,a, (ϕ) p
13	01.1	97.8	96.6	0.8	0.8	1.1	1.3	− 1.6	94	96	98	08 6	08 4	09 2	6	8 ☆°	8 ˛	8 ˛°	0.2	5	☁ ϕ° n, ‡ = a, ˛° = p
14	86.0	78.7	76.8	1.9	2.6	1.6	2.7	0.5	98	92	79	04 4	23 4	23 7	7	8 •	8 =°	7	5.9	4	≡ ˛ • = n, = • a, =° p
15	**66.9**	73.3	83.9	1.1	0.7	0.9	1.9	0.1	91	84	75	25 6	30 6	01 3	6	8 ‡°	8 *°	8	13.8	3	‡ * n, *° a
16	98.4	01.4	01.0	0.8	0.4	0.3	1.5	− 0.4	87	75	80	30 4	29 4	27 3	8	7 ϕ°	7	5	0.2	3	☁ ϕ° n, ϕ° a,p
17	11.6	15.1	14.3	− 1.2	− 1.1	− 0.2	0.6	− 2.1	72	77	74	03 1	00 0	25 2	9	6	6	7	0.0	3	☁ n, ⊙ 13
18	07.8	08.2	07.4	0.2	0.4	0.2	0.7	− 0.5	89	84	91	04 2	02 3	09 1	8	8 *°	5	8 *°	0.1	3	☁ n, ϕ° *° a, *° p
19	06.4	08.6	04.9	2.2	− 0.8	− 1.7	2.6	− 2.2	98	91	87	27 3	05 2	05 4	8	8 ˛°	8	8 *	0.8	1	˛ *° ≡ = n, ≡ ˛ = a, •° * p
20	02.6	97.6	95.0	− 1.5	− 1.2	− 1.9	− 0.8	− 3.2	80	84	88	05 3	08 6	07 6	5	8 *°	8 *°	8 *	1.4	4	*° =° n, *° a, * p
21	00.4	03.7	07.5	− 1.8	− 2.1	− 3.2	− 1.4	− 3.7	77	80	86	07 4	07 3	07 4	6	8 *°	8 *°	8 *	1.2	5	* n, *° a, * (*) p
22	14.3	17.4	19.5	− 3.3	− 2.2	− 2.9	− 1.5	− **4.2**	73	72	84	33 1	06 2	07 1	9	7	7	7 ϕ°	0.2	5	*° ϕ° n, ϕ° (ϕ) p
23	21.3	18.3	10.2	− 1.3	− 0.7	− 0.6	0.1	− 3.6	80	84	94	14 3	14 4	15 7	8	6(ϕ)	8	8 *	5.2	8	ϕ (ϕ) n, ϕ a, * p
24	99.6	96.3	93.8	2.9	0.9	0.7	3.5	− 0.9	92	97	98	22 3	06 3	05 3	4	8 •°	8 ‡	8 ‡°	4.0	5	•° = * n, = ˛° •° ‡ a, ≡ •° ‡° p
25	94.7	00.7	03.8	0.2	− 0.4	− 0.5	1.1	− 1.3	98	89	91	05 2	06 2	35 2	7	8 *°	7(ϕ)	7 =°	11.5	5	‡ * = n, *° = a, (ϕ) = p
26	04.5	05.6	09.6	0.3	0.8	0.5	1.2	− 1.4	95	97	96	10 3	11 3	11 4	3	8 ☆°	8 ‡	8 *°	0.5	7	= ϕ° ☆° n, =² ˛° • a, ‡ = p
27	19.4	**21.7**	19.2	0.5	0.4	0.4	1.1	− 0.3	91	89	97	11 5	13 5	14 6	6	8 ‡°	8 =	8 ‡²	3.2	7	*° * = n, * = (ϕ) a, * = ‡² p
28	18.7	18.6	16.2	2.4	1.6	1.6	5.4	0.1	95	98	99	18 2	18 2	18 2	2	8 ≡°	8 ≡	8 ˛°	3.7	3	= ≡ ‡° • n, ˛° ≡ a,p
29	11.9	10.9	09.8	3.6	5.2	5.2	**9.1**	0.9	92	83	95	21 2	22 2	24 5	8	8 =	7	8 ⊹²	0.3	2	≡° ˛° = n, = ⊙° a, = ⊹² p
30	14.3	15.2	16.6	4.5	4.7	4.7	7.4	3.4	92	86	83	25 5	23 5	23 5	7	8	5 =°	8 =°	1.4		☁ ⊹ n, = a,p
31	17.6	17.4	17.5	3.8	4.8	4.8	6.4	3.5	89	95	91	21 2	23 3	23 3	2	7 •°	8 ˛°	8 =	0.0		•° n, • = ≡ ˛ a, ˛ ≡ = p
M	04.2	04.9	04.6	0.8	0.9	0.7	2.3	− 0.9	86	84	86	3.2	3.0	3.4	6.5	7.2	7.1	7.1	61	3	

Ekstensotabell

1953

Hopen

φ=76° 30′ N λ = 25° 4′E g = 9.829 ΔG = + 1ᵏ **November XI** H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	17.2	18.2	18.5	5.1	5.7	3.2	7.1	2.8	94	91	84	25 5	24 3	00 0	7	8 ≡	8 =°	8	0.8	0	• ≡ n, = ≡ ,° a, = p
2	16.4	16.0	16.4	1.7	1.6	1.5	4.8	1.1	98	98	96	08 2	33 1	07 1	4	8 ,	8 ,°	8 ,°	0.1	0	= ≡ n, ≡ ,° = a, ≡ ,° p
3	17.5	19.3	20.1	1.6	1.1	1.3	2.2	0.7	92	96	97	07 4	07 3	07 2	3	8 =°	8 ≡°	8 ≡°	1.2	0	= ,° n, ≡° •° a, ≡ p
4	20.0	19.3	17.2	1.1	1.1	0.9	2.0	0.6	98	94	84	07 3	08 3	07 3	6	8 =ᵃ	8 =	8	0.6	0	≡ᵃ n, = a,p
5	10.3	08.2	06.9	0.4	- 0.4	- 0.4	1.3	- 1.3	91	84	84	08 2	03 1	30 2	8	8 =	7	1	0.3	0	‡ = n, = a, ⌓ p
6	07.8	08.0	04.5	0.1	0.2	0.5	0.5	- 1.4	77	84	91	27 1	16 2	09 4	8	5	7	8 =°		0	ϕ° p
7	98.8	97.8	94.5	4.0	1.6	1.6	4.5	0.1	86	89	88	18 5	12 1	14 1	7	8 =°	3 =°	8 =°	0.2	0	, =° n, =° a, = p
8	85.5	79.0	73.2	1.5	1.5	1.1	1.9	0.6	91	95	96	07 3	09 4	07 4	4	8 =°	8 •	8 ‡	0.0	0	⁝° = n, = •° a, = • ‡ p
9	68.2	70.0	72.9	0.5	0.1	- 0.1	1.4	- 0.6	95	89	86	06 2	02 2	34 3	6	8 *°	8 *°	8 *°	6.1	1	‡ *° = ≡ n, ≡ = *° a, * *° = p
10	76.5	79.4	81.1	- 0.4	0.0	- 0.5	0.5	- 1.0	87	80	80	32 3	32 4	32 4	8	8 *	8	8 *°	3.8	5	* n,a
11	84.1	86.3	88.5	- 1.5	- 1.2	- 1.8	- 0.1	- 2.3	86	87	86	05 3	02 4	03 3	5	8 *°	8 *°	8 *	1.4	6	⌂ = * *° n, *° * + a, * + p
12	92.1	93.7	94.3	- 2.5	- 3.0	- 3.0	- 1.4	- 3.2	79	79	79	03 2	02 3	34 1	7	8 *°	8 *°	8 *°	4.8	7	*° * n, *° a,p
13	96.1	98.0	99.4	- 3.3	- 3.8	- 5.1	- 2.6	- 5.4	80	78	77	06 3	06 4	03 2	8	8 *°	8	8 *	1.3	8	* *° n, *° a, * p
14	00.9	01.8	02.6	- 5.5	- 6.0	- 6.0	- 4.4	- 6.4	75	75	74	03 3	02 1	36 1	7	8 *°	8 *°	8 *	2.0	15	*° n,a, *° * p
15	08.1	14.0	19.0	- 4.9	- 5.8	- 6.7	- 4.7	- 7.8	69	72	66	05 4	33 6	32 8	7	8 *°	6(ϕ)	4 +	1.0	17	*° n, + (ϕ) ϕ a, +ᵃ + p
16	20.8	16.5	08.4	- 3.0	- 0.3	0.6	0.8	- 7.4	82	78	83	18 2	18 4	16 4	8	6 ϕ°	5	4 =°	0.2	12	+ ϕ° n, ϕ° a
17	94.0	92.1	90.7	0.5	1.1	1.4	1.6	- 3.2	95	97	95	14 3	18 1	14 3	1	8 ,	8 ≡ᵃ	7 ⁝°	0.1	10	, = n, ≡ ≡ᵃ a, = ⁝° ⌓ p
18	99.3	85.7	79.9	1.1	1.3	1.6	1.8	0.3	92	92	89	11 3	09 4	10 5	5	2 =°	8 •°	3 =°	0.8	8	= =° n, = a, • ‡ p
19	76.1	79.9	83.4	0.6	0.6	0.8	1.8	- 0.1	94	94	94	25 2	19 1	09 3	5	8 ‡	8 =	4(≡)	3.1	5	= ‡° ‡ n, ‡° =ᵃ a, = (≡) p
20	85.4	92.4	96.6	0.3	0.5	1.0	1.2	- 0.7	96	95	95	06 1	17 2	07 3	2	8 *	8 ≡	7 =°	2.1	7	≡ =° n, * ≡ a, ≡ = p
21	03.9	09.9	14.8	0.9	0.8	0.7	1.2	- 0.8	94	89	92	12 3	11 4	10 4	8	7 =°	7	7 ϕ°	2.3	8	= ‡° n, =° ⁝° a, ϕ° p
22	24.2	26.9	26.7	0.3	- 0.1	- 0.1	1.2	- 0.9	87	84	94	13 3	16 5	14 3	8	7	7	8 *	0.0	8	ϕ° a, * p
23	20.7	16.7	11.9	0.9	1.0	1.9	2.0	- 1.0	87	82	94	18 3	18 4	22 3	8	8	8	8 ,°	1.1	8	* n, =° ,° p
24	11.9	11.3	08.4	3.8	4.6	4.0	4.8	1.4	97	95	98	24 3	22 5	22 5	6	8 =	8 =	8 ≡°	0.6	4	=ᵃ ,° ≡° n, = , a
25	03.0	98.4	95.4	3.8	3.9	2.8	5.2	2.7	96	88	79	24 3	22 4	24 4	6	8 ,°	5 =	8 =°	2.0	4	=ᵃ , n, = ,° a, =° •° p
26	94.8	93.5	93.8	1.4	0.8	0.2	3.1	- 0.2	80	96	98	23 3	16 1	08 3	3	1	8 ≡°	8 *	0.7	0	=° ⁝° n, = a, ≡° * p
27	95.7	92.7	83.7	- 0.5	- 0.1	1.5	1.6	- 1.0	98	98	98	06 2	07 3	16 1	3	8 =°	8 ≡°	8 •	1.1	0	≡ = ⌂° , n, = ≡ ,° a, ≡ = • p
28	69.3	66.2	66.3	1.8	1.1	- 0.4	2.8	- 0.8	98	98	75	18 2	00 0	23 5	5	8 =°	8 =	8 =°	4.8		≡ •° n, = a, = * p
29	69.7	72.4	74.3	- 3.4	- 3.8	- 3.3	- 0.2	- 5.4	75	72	72	23 3	23 3	20 3	9	4 ϕ°	1	1 ϕ°	0.9	2	ϕ = ⌓ n, ⁝° a,p
30	76.6	75.5	73.6	- 0.8	- 0.7	- 0.8	0.4	- 4.1	72	75	80	18 4	13 4	11 5	8	0	5	5	0.0	2	
M	97.8	98.0	97.2	0.2	0.1	- 0.1	1.4	- 1.5	88	88	87	2.8	2.9	3.1	6.0	6.9	7.1	6.8	43	5	

Desember XII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	73.0	75.0	76.8	- 1.3	- 0.2	- 0.2	0.1	- 2.1	89	89	89	08 5	07 4	08 3	8	8 ⌂°	8	8	0.1	2	ϕ° ⌂ n, ⌂ *° a
2	77.5	77.6	78.6	- 1.6	- 1.5	- 1.8	1.0	- 2.3	91	78	77	08 4	07 3	06 3	8	8 ⌂°	8	8	0.0	2	⌂° n, , • = a
3	83.4	86.5	88.1	- 2.9	- 3.6	- 4.0	- 1.4	- 4.4	71	77	67	08 2	23 1	27 5	5	5	8 *°	7 ϕ	0.1	2	ϕ° n, *° ϕ p
4	88.1	86.3	83.5	- 4.7	- 3.7	- 3.9	- 2.8	- 5.6	78	79	78	23 1	25 2	25 2	8	3	3(ϕ)	8 ϕ°	0.5	4	ϕ n, ϕ° a, ϕ p
5	94.9	88.6	93.4	- 4.7	- 5.2	- 5.6	- 3.5	- 6.2	74	72	77	03 3	02 4	01 5	9	2 ϕ°	7	7 ⌂	1.0	4	⌓ ϕ° n, ϕ° a, ⌂ p
6	04.7	06.5	02.8	- 6.2	- 6.5	- 3.3	- 3.0	- 7.1	66	64	69	35 3	34 2	17 3	9	2	3	3	0.2	2	ϕ n
7	81.1	74.8	77.4	- 0.8	- 1.2	- 2.0	1.5	- 3.7	92	86	86	10 7	23 5	36 7	5	8 *ᵃ	8 ,°	8 *	1.3	2	* n, * •° a, •° p
8	96.2	01.7	08.2	- 4.5	- 4.4	- 4.8	- 2.0	- 5.7	72	77	72	03 2	36 3	01 4	7	5	8 ϕ°	3	2.5	3	* ϕ° n, ϕ° a,p
9	16.6	13.8	03.7	- 4.0	- 1.1	- 0.1	- 0.1	- 6.0	84	78	92	07 2	13 3	21 4	8	8	7	8 *	0.4	4	⌓ ϕ° n, * p
10	02.6	02.4	02.3	3.0	2.7	3.2	3.6	- 0.4	82	84	89	23 6	23 4	24 5	8	8	8	8 ,	3.4	2	= ‡ n, , p
11	02.5	03.8	04.2	3.6	3.6	3.2	4.0	2.6	88	89	92	22 6	22 6	22 5	7	8 =°	8 ,°	8 ,°	0.0		,° n, = ,° a,p
12	04.9	02.6	04.2	3.2	4.5	4.1	4.8	2.2	96	88	87	24 7	25 7	23 6	5	5 =°	8 =	8 =	1.4		=° • ,° n, = , a, = p
13	96.1	91.4	04.2	3.7	- 2.2	- 3.2	4.8	- 3.3	83	74	69	23 7	24 8	24 8	8	4 =°	7	8 ϕ°	0.2		= • n, = \ a, \ p
14	96.7	04.2	12.3	- 5.3	- 4.7	- 5.5	- 2.9	- 6.4	88	87	80	08 3	08 4	08 3	8	8 *	8 *	8	0.3	2	* n,a
15	15.7	12.6	12.3	- 2.7	2.8	3.5	4.1	- 6.5	91	96	97	10 4	18 3	21 3	3	8 *	8 ≡°	8 =ᵃ	1.7	3	* n, * ,° a, ≡ p
16	08.0	07.6	09.9	3.5	3.6	0.1	4.1	- 0.3	97	89	74	22 3	24 5	24 6	8	8 •°	8	6	1.9	1	≡ = ,° •° n, = •° ,° a, =° p
17	06.4	97.8	97.3	2.5	4.0	1.2	4.1	- 0.4	80	84	74	22 6	22 6	25 8	7	8	8 =°	8	0.2		,° a
18	98.6	98.7	97.4	3.9	4.2	4.2	4.3	- 0.5	92	89	92	25 4	23 6	24 6	4	8 ,	8 ,	8 =ᵃ	1.7		* = , n, = , a, = ,° p
19	98.3	92.4	85.6	4.0	3.3	3.3	4.4	2.6	89	88	89	24 5	24 5	24 5	7	8 =°	8 •°	8 ,•	0.2		, = n, •° , a,p
20	03.6	08.2	05.8	- 5.4	- 5.2	- 1.6	3.3	- 6.3	80	80	82	01 2	13 2	16 3	6	7 ϕ°	8 *°	8	1.4	2	=° ϕ° n, ⌂° *° a, *° p
21	95.0	97.3	97.6	2.2	0.9	0.8	2.5	- 2.2	68	78	69	24 5	28 2	25 1	8	7	7	8	0.9		*° ,° ‡° n
22	81.7	72.9	70.9	1.6	1.8	1.3	2.1	- 0.3	97	88	87	19 1	13 3	27 3	6	8 ,°	7 =°	7 ,°	2.7	3	= * ,° n, = ,° a, = p
23	88.3	90.9	92.3	- 3.2	- 2.9	- 2.8	1.5	- 4.4	75	75	77	23 7	26 6	27 5	8	8	8	6	0.9	1	= ,° \ n
24	91.2	90.7	90.1	- 2.7	- 1.7	- 0.5	- 0.4	- 3.8	80	88	97	04 2	07 2	09 2	5	7	8 ⌂°	8 ⌂		1	=° ⌂ p
25	84.5	82.0	83.3	0.9	0.6	- 1.6	1.2	- 1.9	98	98	89	07 2	06 2	05 5	2	8 =	8 ≡	8 ⌂ᵃ	1.8	3	‡ •° , ≡ n, ‡ = ≡ a, ≡ , ⌂ p
26	93.0	97.4	98.0	- 5.9	- 9.0	- 8.7	- 1.6	- 9.5	74	69	68	01 3	33 3	04 3	8	8 *°	8	2	2.6	3	⌂° *° n, *° a,p
27	98.4	99.0	99.6	- 6.2	- 5.9	- 6.0	- 5.6	- 9.1	71	72	67	00 0	04 3	01 2	9	7	7	8	0.1	4	⌓ n,p
28	04.6	07.9	10.9	- 5.8	- 4.8	- 5.2	- 4.6	- 6.4	83	85	77	34 3	02 2	05 1	8	8 ⌂°	8 ⌂°	8	0.0	4	⌂° n,a
29	11.0	09.4	07.3	- 3.4	- 1.4	- 0.1	0.4	- 5.6	80	79	82	23 1	24 2	22 2	8	2	4	3	0.9	5	= ⌂ n, ⌂ a, ϕ ⌓ p
30	05.1	01.9	94.0	- 0.8	- 0.6	0.2	0.4	- 3.1	74	85	97	25 2	13 3	12 3	8	0	8	8	0.9	6	ϕ ⌓ n, * = p
31	83.0	83.2	83.8	1.0	0.1	- 1.0	1.4	- 1.7	89	88	83	23 3	00 0	25 1	8	3	7	2	9.5	10	* =° n, ϕ ,p
M	96.0	95.6	96.0	- 1.3	- 1.1	- 1.2	0.8	- 3.5	83	82	82	3.6	3.6	3.9	7.0	6.3	7.3	6.9	39	2	

Ekstensotabell

1953

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 $\Delta G = +1^h$

Januar I

H_s = 15 H_b = 14.4 h_1 = 1.9 h_2 = 8.0 h_d = 8.0 h_r = 2.0

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	09.9	10.0	10.6	- 6.3	- 8.2	-10.4	- 4.5	-10.8	81	76	79	05 5	03 5	02 5	8	8 *°	8 +°	8 ◊°	2.5		*° n, + a, +° p
2	09.6	09.5	07.0	- 9.3	-16.5	- 3.9	- 3.9	-17.2	72	83	81	36 1	18 3	22 4	8	6	2	8	0.0		= n
3	00.5	08.1	**13.5**	- 1.6	- 9.0	-12.4	- 1.5	-12.7	94	89	85	31 4	05 5	03 4	8	7	7 +°	7	1.2		*° n, +° a, ⌒° p
4	12.5	06.1	99.5	- 8.3	- 2.5	0.2	0.3	-14.5	84	94	95	15 4	16 7	15 8	6	6	8 *°	8 +	0.0		◊° ⊕ n, *° + a,p
5	93.8	91.3	89.2	2.2	2.4	2.8	**3.0**	- 0.2	94	93	92	18 5	18 7	18 6	6	8 •°	8 •°	6 =°	2.1		•° =° n,a,p
6	83.7	85.0	86.7	1.0	- 1.7	- 1.6	**3.0**	- 2.5	94	94	95	11 4	27 4	29 3	2	4 ,°	8 ,°	8 ≡	3.9		≡ ,° a,p
7	89.5	91.9	93.7	- 2.1	- 1.7	- 1.8	- 1.1	- 2.7	95	94	87	32 6	36 5	06 6	5	8 ,°	8 ,°	8 *°	0.1		=° ,° n, = ,° a, = *° +° p
8	03.5	05.1	04.6	- 5.4	- 6.0	- 6.9	- 1.8	- 7.2	75	66	70	07 4	05 4	06 5	8	4 ◊°	6	4	0.5		◊° n,a
9	00.7	98.5	95.8	-11.0	- 9.3	- 8.3	- 4.6	-11.3	77	78	94	18 2	20 4	20 3	8	3 =°	5	2	0.0		=° n,a, ◊° p
10	88.8	87.5	88.6	- 5.4	- 6.6	-10.5	- 4.6	-10.8	94	77	73	02 3	34 5	02 5	8	8 ◊	8	1	2.9		◊ +° n, ◊ a, ◊° + p
11	00.7	06.0	08.0	-16.4	-15.6	-13.7	-10.5	**-18.0**	70	75	75	35 6	36 6	35 4	7	3 ◊°	7 ◊°	5	0.2		◊° +° n, ◊° + a, ◊° p
12	05.3	01.6	01.6	-14.7	-11.1	-10.6	-10.0	-15.0	84	89	89	04 4	07 5	06 6	6	8 *°	8 *°	8 *°	0.1		*° n,a, *° +° p
13	04.9	05.1	01.7	-13.2	-13.6	-11.8	-10.6	-13.9	87	88	88	07 5	07 5	06 6	7	8 *°	8 =°	8 *°	0.0		*° n, =° a, *° =° +° p
14	96.3	97.5	98.7	- 9.1	- 8.9	- 8.3	- 8.0	-12.1	93	88	80	06 6	05 6	08 4	8	8 +°	6	2	0.3		*° +° n, ⌒° 19
15	97.1	95.8	92.6	- 7.6	- 7.7	- 4.2	- 4.0	- 9.3	87	80	79	08 3	13 3	18 5	8	0	7	2			⌒° p
16	82.7	72.4	**66.4**	0.2	1.1	0.2	1.3	- 5.1	90	94	95	20 6	19 8	18 3	5	8 ◊°	8 •°	8 =°	0.1		= ◊° n, \ = •° ‡° a, ‡° =° \ p
17	67.6	67.2	78.8	- 3.2	- 4.6	- 8.2	0.3	- 9.2	85	94	79	28 5	36 3	35 5	4	8 *°	8 *°	5	4.6		◊° *° n, \ ≡° *° a, =° ◊° p
18	81.1	84.5	86.6	- 9.5	-10.6	- 9.6	- 7.8	-13.1	76	71	72	34 6	35 6	33 6	8	4 +°	5	6	1.9		◊° +° n, ◊ + p
19	92.8	93.9	93.2	- 9.5	- 9.0	- 7.7	- 7.7	-11.9	88	77	83	33 5	34 7	33 7	8	7 ◊°	4(◊)	3 ◊°	0.2		◊° ⌒° n, ◊° +° a, ◊° +° p
20	78.1	78.9	83.3	- 7.4	-14.4	-17.0	- 7.3	-17.3	**64**	86	76	33 4	03 6	03 6	7	8	8(◊)	2	0.1		⌒° n
21	86.1	85.2	89.4	-16.5	-11.7	-13.4	-11.1	-17.6	76	84	84	35 6	35 7	02 6	5	3	8 *°	8			⌒° n, *° + a, +° 13, *° p
22	93.8	97.0	00.8	-13.5	-12.8	-14,8	-12.4	-14.9	81	83	84	36 7	01 7	02 5	8	8 *°	8	5	0.2		=° *° +° n
23	02.7	03.6	04.7	-15.4	-14.5	-15.2	-14.1	-16.0	83	81	81	02 4	03 4	03 4	7	3	8 ◊°	8 ◊°			◊° a,p
24	04.8	05.4	06.5	-17.1	-16.8	-16.6	-14.6	-17.2	80	83	83	01 4	03 4	05 4	9	4	5	4	0.0		◊° n, ⌒° p
25	09.6	10.4	09.8	-15.1	-14.2	-13.7	-13.4	-16.7	87	86	88	36 4	03 4	03 3	9	0	3	8			
26	07.5	05.7	02.0	-13.0	-13.7	-12.5	-12.2	-14.8	90	89	90	08 3	08 3	07 3	9	4 ⌣	1 ⌣	8 *°			⌒° n, ⌣ a, *° p
27	94.5	89.7	87.7	- 7.4	-10.6	- 5.5	- 5.5	-12.8	89	89	90	06 5	06 4	08 4	8	0	2	7 +°	0.1		⌒° +° n, +° a, ◊ +° p
28	86.9	85.6	85.3	- 6.4	- 6.2	- 6.2	- 5.0	- 7.3	90	90	83	09 8	08 8	08 8	5	8 *	8 ◊°	8 ◊°	1.1		\ * +‡ n, \ = ◊° + a,p, +‡ 19
29	87.3	88.6	90.3	- 4.6	- 4.1	- 3.0	- 3.0	- 6.3	73	78	72	08 7	07 7	07 6	8	8(*)	5(◊)	5	2.6		*° + n, (◊) +° a, +° p
30	96.2	98.6	99.8	- 2.2	- 2.5	- 2.5	- 2.0	- 3.4	84	89	86	07 5	08 5	10 5	8	3	8	8 *°			= *° a,p
31	02.4	02.5	04.1	- 2.5	- 1.9	- 2.1	- 1.7	- 3.1	92	90	89	11 4	11 4	10 5	6	8 *	8 *°	8 *	1.5		+° n, *° +° a, * + p
M	95.8	95.8	96.2	- 8.1	- 8.5	- 8.0	- 5.6	-11.1	84	85	84	4.7	5.2	5.0	7.0	5.6	6.5	6.0	26		

Februar II

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	03.1	02.5	05.0	- 2.6	- 3.1	- 3.1	- 2.1	- 4.7	86	89	86	06 4	11 5	10 3	5	8	8 *°	8	0.5		*° = a, *° p
2	13.7	17.5	20.4	- 3.9	- 3.6	- 3.4	- 2.9	-11.8	77	89	78	32 2	25 4	28 4	9	0	5	8 *°	0.6		* p
3	16.7	12.9	16.4	- 1.9	1.1	0.3	1.4	- 3.9	88	90	70	12 6	16 6	16 6	7	8 *°	8 =	4	1.0		*° + n, *° + = a, *° p
4	22.5	24.5	25.6	- 1.8	- 2.6	- 4.2	0.8	- 4.8	75	72	77	16 4	14 4	12 4	8	8	8	4	0.6		
5	26.7	**27.6**	**27.6**	- 3.7	- 3.0	- 9.4	- 2.9	- 9.5	90	65	67	09 3	13 2	15 3	8	8(◊)	5	0	0.0		◊° n
6	26.8	27.2	26.8	- 8.0	- 4.5	- 3.9	- 3.3	- 9.8	76	88	75	16 5	16 4	17 5	8	1	3	3			⌒ p
7	25.5	25.5	24.8	- 5.9	- 3.4	- 6.0	- 3.0	- 8.2	**57**	89	80	18 4	17 3	15 4	7	6	7 *°	1	0.2		*° n
8	24.4	25.4	24.4	- 9.4	-10.6	- 8.9	- 5.8	-10.7	67	80	80	15 3	15 4	17 4	9	0	3	1	0.1		⌒° 19
9	23.1	22.4	21.4	- 3.5	- 3.7	- 2.9	- 2.8	- 8.9	80	81	75	16 5	15 5	15 4	6	8 *°	7 *°	8	0.0		◊° +° n,a,p
10	20.6	21.3	21.0	- 3.4	- 4.2	- 3.1	- 2.7	- 5.1	77	79	73	15 4	14 5	15 5	8	8 *°	3	8	0.2		*° n, =° ⊙° a
11	17.6	13.8	08.8	- 3.5	- 3.6	- 5.1	- 2.6	- 5.2	90	89	87	12 4	12 4	14 4	5	8 *°	8 *°	8 *°	0.2		*° n, = *° +° a, = * +° p
12	07.5	08.7	07.7	- 7.6	- 8.2	- 3.6	- 3.6	-10.6	92	93	88	19 4	20 4	12 4	6	7	3 =°	7 =°	1.2		◊ n, =° ⌣ a,p
13	00.5	96.5	92.2	- 2.5	- 4.9	- 8.8	- 0.3	- 9.6	89	83	86	18 4	18 4	18 4	8	5	4	1	1.7		=° *° n, ⊙° (◊) a
14	95.0	98.3	00.6	-11.1	-11.3	-12.2	- 4.1	-12.5	80	76	76	35 7	35 6	35 4	8	8 ◊°	4	1	0.4		◊° + n, ◊° +° a
15	01.0	04.6	07.1	-13.2	-15.9	-15.9	-10.9	-16.3	67	75	75	02 5	35 5	03 5	6	8 *°	7 ◊°	1	0.2		*° =° n, =° ◊° +° a, ◊° +° p
16	10.2	08.8	06.3	-16.5	-16.5	-14.1	-13.7	**-17.7**	71	78	83	08 2	10 4	10 5	8	1	6	8 *°	0.0		⊙° a, = p
17	98.9	94.7	87.9	-11.3	- 7.6	- 5.7	- 5.6	-14.1	85	87	85	08 7	06 6	08 7	4	8 ◊°	8 *°	8 +	0.1		◊° +° n, *° + a,p
18	75.4	78.4	80.6	-13.1	-15.1	-13.6	- 4.8	-17.3	64	76	75	32 6	31 4	28 7	6	8 =°	7(◊)	7 ◊°	0.6		=° n, *° = + a, ◊° + p
19	84.8	85.1	83.7	-14.6	-12.5	-11.1	-10.3	-16.0	77	83	84	25 6	23 2	22 6	7	8(◊)	7 ◊°	6 +	2.9		◊ +° n, ◊° a, ◊ + p
20	83.2	83.3	82.4	- 9.3	- 9.0	- 8.6	- 8.5	-11.7	66	84	71	24 6	26 5	23 5	7	7(◊)	6(◊)	8(◊)	2.3		◊ + n, ⊙° (◊) a, ◊ p
21	80.9	81.2	83.3	-13.9	- 7.8	- 9.7	- 7.8	-16.6	70	80	84	19 4	35 4	30 5	6	1(◊)	7 ◊°	8 ◊	0.7		◊° a, ◊ +° p
22	93.4	94.5	95.7	-11.6	- 9.0	- 7.9	- 7.3	-15.8	86	76	69	15 3	25 5	27 5	6	6 ◊°	4 ◊	7	0.7		◊° n, ◊° ⊙° a, ◊° p
23	93.1	88.2	88.2	- 5.9	- 2.2	- 2.7	- 1.5	-14.2	81	93	80	19 6	20 9	24 6	5	6	8 *°	7 =°	0.7		◊° n, \ *° + a, \ =° p
24	02.1	00.2	93.7	- 7.9	- 2.7	- 0.4	0.1	-10.4	84	89	84	13 4	15 7	17 8	6	8	8 +°	8 +	3.0		+° a, + p
25	68.8	70.6	**68.2**	2.5	1.4	1.8	**2.5**	- 1.9	93	90	88	18 9	20 5	21 7	6	8 •	6 =°	8 •°	4.9		\ •° ‡° n, \ = •° a, •° p
26	80.4	83.9	83.5	- 3.7	- 4.1	- 3.6	1.8	- 4.8	76	75	73	28 8	27 7	31 5	8	8	7	8	1.0		\ = n
27	88.2	91.2	94.5	- 4.0	- 3.1	- 4.4	- 2.9	- 4.9	85	75	73	33 4	29 7	31 7	7	8(◊)	6(◊)	6	0.2		◊° n, ◊ ⊙° a, + p
28	02.0	97.8	87.1	- 5.5	- 5.3	- 5.2	- 4.3	- 8.6	75	71	90	31 8	25 3	10 6	8	4(◊)	8	8 *°	0.1		\ (◊) n, (◊) a, *° = p
M	03.1	03.1	02.3	- 7.0	- 6.2	- 6.3	- 3.8	-10.2	79	82	79	4.9	4.8	5.1	6.9	6.1	6.1	5.7	24		

Ekstensotabell

1953

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1h

Mars III

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 8.0 h_d = 0.0 h_r = 2.0

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	88.8	99.3	03.5	- 9.2	-11.0	- 9.1	- 1.5	-11.8	87	77	76	06 7	01 5	31 3	6	8 +	7(♦)	4	1.6		*° + n, (♦) +° a
2	99.1	96.8	97.4	- 9.4	- 8.8	-11.3	- 6.7	-12.5	86	83	63	13 4	04 6	01 6	6	7(♦)	7 ♦°	4 +°	0.1		*° ♦° n, ♦ + a, ♦° + ⊙° p
3	06.1	09.5	10.4	- 5.8	-14.1	-16.3	-11.2	-17.4	77	77	86	01 5	02 3	12 4	8	7(♦)	1(♦)	6(*)	0.2		♦° n, (♦) ⊙° a, =° 19
4	10.4	07.0	00.0	-14.0	- 9.1	- 2.7	- 2.6	-17.7	85	75	92	14 4	12 5	15 8	8	7 ◡°	5 +°	8 *°			◡° n, +° a, *° + p
5	84.6	86.4	88.8	0.9	- 0.7	- 1.6	1.1	- 3.2	90	84	77	23 5	25 7	28 6	7	8 =°	8 =°	8 =°	1.9		*° ‡° = n, =° a,p
6	87.6	84.4	86.7	- 6.4	- 8.9	-10.3	- 1.6	-11.4	69	78	80	35 5	34 7	35 9	7	8 =°	7(♦)	8 ♦°	0.0		*° = n, ♦° a, \ ♦° p
7	95.4	96.3	89.1	- 7.8	- 6.2	- 3.6	- 3.6	-10.8	78	70	87	32 8	27 7	23 6	7	7 ♦°	7(♦)	7(♦)	0.0		\ ♦° n, (♦) a, ♦° p
8	**70.0**	76.7	83.5	- 1.2	- 2.6	- 5.7	- 0.1	- 6.1	85	92	86	26 4	03 5	04 4	6	6	8 ♦°	8	1.9		*° n, ♦° + a, +° 13, ♦° p
9	91.8	01.3	10.8	- 9.1	- 9.7	-10.8	- 5.7	-11.8	85	73	73	03 5	32 7	35 7	6	8 ♦°	8 ♦°	6	0.3		= ≡° ♦° +° a, = ♦° + p
10	17.5	16.2	15.5	-11.2	- 7.3	- 9.5	- 6.4	-14.9	78	86	86	16 5	17 3	15 4	6	7	6 ♦°	1	0.4		♦° n, ♦° ⊙° a, ⊙ p
11	15.4	12.1	09.6	- 2.0	- 2.6	- 0.8	- 0.4	-10.8	83	88	92	16 5	18 8	24 5	7	8	8 +°	7 =°	0.1		+° a, = + p
12	04.1	87.9	81.3	- 1.7	0.8	0.4	**1.5**	- 2.9	90	93	89	21 3	19 9	26 7	4	8 =°	8 ‡	8 =			=° n, \ ‡ a, \ = • ‡ p
13	94.0	98.8	93.2	- 3.6	- 5.0	- 6.3	0.6	- 6.6	77	85	80	26 6	33 4	09 5	5	7	8 ♦°	8 =°	5.6		♦° n,a, =° p
14	07.2	12.9	14.2	-14.2	-13.1	-11.8	- 6.3	-14.4	88	79	81	07 4	08 3	16 5	7	5(♦)	5 *°	8	0.3		♦° n, = *° ⊙° a,p
15	02.2	91.4	05.9	- 3.8	- 3.8	- 7.0	- 2.8	-11.9	93	93	87	11 6	07 8	11 3	4	8 *°	8 +²	3	0.4		*° + n, = ≡ *° + a, (*) p
16	18.5	19.3	19.1	-12.6	- 9.4	- 5.3	- 4.8	-13.2	73	84	72	08 3	17 5	29 4	7	3	6(♦)	7	0.8		+ n, =° (♦) ⊙° a, ⊙° p
17	04.0	94.6	91.6	- 3.9	- 0.2	- 2.2	0.4	- 9.0	93	94	95	08 5	18 2	04 4	6	8 *	8 =	8 ≡	0.9		* + n, = * + a, = ≡ p
18	11.8	17.9	15.7	-12.3	-15.8	- 5.7	- 2.5	-16.4	76	75	76	03 3	17 3	28 6	9	6	1	8(*)	1.7		*° + ⊙° n, ⊙ a, * p
19	08.2	13.9	16.0	- 2.4	- 7.8	- 9.1	- 2.4	- 9.5	71	80	75	31 7	04 4	10 3	5	8 ♦°	8 *°	8 =°	0.5		♦° +° n, = *° a,p
20	06.5	00.1	91.8	-10.4	- 2.5	0.4	0.9	-10.9	92	94	94	09 7	12 6	18 4	7	8 +²	8 +	8 •°	1.5		*° +² n, =° +² a, ‡° p, = 19
21	81.0	82.3	04.8	- 5.7	- 2.6	-12.4	0.8	-12.8	92	94	83	17 4	05 5	04 7	6	8	8 *°	6 =	1.8		*° ◡° n, = ≡ a, = ♦° p
22	12.4	13.1	11.4	-17.1	-15.7	-15.2	-12.4	-17.3	72	77	84	08 3	09 4	07 5	9	4	7	7 +°	0.2		⊙° a, ♦° + p
23	00.3	00.7	05.8	-13.9	-17.5	-20.4	-13.6	-20.4	84	81	73	08 6	04 6	04 5	7	8 +²	8 =°	8	0.6		♦° + n, = + a, ⊙° 13, = ⊕ p
24	12.2	14.2	16.1	-25.4	-23.9	-21.7	-20.2	**-25.8**	72	70	72	06 4	04 5	01 5	9	1	1	† =°			⊙° n, ⊙ a, = ⊙° p
25	19.7	**21.0**	20.2	-21.0	-19.9	-20.6	-19.4	-22.4	79	81	80	03 5	03 4	04 4	8	2 =	2	1			= ⊙° n, ⊙ a,p
26	12.4	08.5	06.6	-19.4	-16.3	-16.9	-15.6	-21.1	81	81	83	06 5	06 6	06 5	9	2 =°	1	1 =°			= ⊙° n, ⊙ a, = ⊙° p
27	05.6	07.5	09.1	-16.7	-15.2	-15.9	-15.0	-17.1	83	83	80	06 6	05 5	04 5	8	0 +°	1	8 =°			= +° ⊙° n, ⊙ a, =° ⊙° p
28	10.8	10.5	08.9	-18.1	-15.6	-14.6	-14.5	-18.5	84	85	85	06 4	06 4	07 5	8	3	5	8 =°			⊙° n,a, =° ⊙° p
29	04.4	02.9	02.6	-14.1	-12.4	-13.9	-12.1	-15.0	84	83	83	07 6	06 5	05 5	8	7 =	1 =°	3	0.1		= *° ⊙° n, =° ⊙ a,p
30	01.4	00.9	01.2	-19.4	-18.4	-19.2	-13.9	-19.6	83	81	81	03 5	03 5	03 5	8	3	1	2			= ⊙° a,p
31	01.9	02.5	03.1	-21.0	-20.3	-20.1	-18.8	-21.4	79	75	80	03 4	03 4	03 4	8	0	0	1			⊙ a,p
M	02.8	02.8	03.7	-10.7	-10.2	-10.3	- 6.7	-14.0	82	82	82	4.9	5.2	5.1	7.0	5.8	5.4	5.8	21		

April IV

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.6	10.2	14.1	-21.1	-18.9	-18.1	-17.1	**-21.3**	83	79	78	02 4	04 5	05 5	8	3(≡)	3	5(♦)		33	(≡) ⊙° ◡° n, = ⊙ a, = (♦) ⊙ p
2	20.2	22.8	23.8	-19.6	-17.9	-17.4	-17.0	-19.8	81	80	79	04 5	04 4	07 4	8	4 =°	4	3		33	=° (≡) ⊙° n, ⊙ a,p
3	22.6	22.4	18.8	-20.3	-14.9	-15.6	-13.6	-20.3	83	78	77	10 3	08 3	09 3	9	0	0	0		33	⊙ n,a,p
4	04.3	03.8	06.7	-11.4	-10.9	-12.1	-10.8	-17.7	83	77	84	05 5	05 4	05 2	9	3	0	4		33	⊙ n,a,p
5	09.0	09.2	06.8	- 6.9	- 3.4	- 2.5	- 2.4	-16.0	81	77	93	15 4	17 4	16 5	8	8	8	8 *		33	⊙ a, = ≡ * p
6	01.3	95.5	**87.9**	- 2.9	- 3.7	- 7.7	- 1.2	- 8.0	83	88	87	09 6	06 6	04 8	5	7 +	8 *°	8 *°	5.1	33	+ *° ⊙° n, + *° a, +² *° p
7	90.9	97.6	02.0	-11.9	-12.5	-12.8	- 7.7	-13.8	81	81	80	03 6	01 5	01 5	3	8 *°	8 *°	8 ♦°	1.6	33	+ *° n, =² +° *° a, =² + ♦° p
8	09.0	11.1	11.7	-16.2	-16.6	-17.4	-12.8	-17.5	79	84	83	02 4	04 4	04 4	8	3	7	7	0.2	33	⊙° a
9	12.3	13.0	14.0	-21.3	-20.4	-20.2	-17.3	**-21.3**	80	80	83	06 4	07 4	05 4	8	4	4	5		33	⊙° n,a, ⊙ p
10	16.0	18.0	19.6	-20.8	-18.7	-18.7	-17.8	**-21.3**	81	78	72	05 4	04 4	06 4	9	3	1	1		33	⊙ a,p, ⊙° 19
11	20.2	20.1	18.4	-19.6	-14.3	-13.9	-12.6	-20.0	77	73	76	08 3	08 3	08 4	8	0	0	1		33	⊙ n,a,p
12	12.3	09.2	07.1	-12.7	-10.3	-10.7	-10.0	-14.1	86	87	85	07 5	07 6	07 6	4	2(≡)	4 ♦°	4 ♦°		33	(≡) ⊙° n, = + ♦° a,p
13	06.1	05.5	07.2	- 8.4	- 4.0	- 1.6	- 1.6	-10.9	88	94	94	07 6	09 7	10 6	1	8 *°	8 +²	8 *°	0.2	33	=² *° n, +² *° a, + *°p
14	02.6	97.2	97.1	- 1.2	- 3.2	- 6.8	- 0.3	- 7.1	93	93	86	08 4	05 4	36 3	4	8 =²	8 ▲	8 *°	1.9	39	=² *° n, = +° a, = *° +° p
15	05.4	09.2	12.7	0.1	- 0.4	- 4.4	0.2	- 7.2	86	79	84	21 4	23 4	21 3	8	8	7	6(♦)	0.9	39	= n, (♦) p
16	11.7	11.0	01.7	- 6.4	- 2.4	- 0.2	0.3	- 7.5	87	84	94	20 2	11 4	15 8	9	5	8	8 *°	0.3	38	= *° ⊙ n, ⊙ a, ⊙° 13, +² * p
17	01.7	98.0	96.6	- 4.4	- 5.1	- 8.6	1.7	- 9.3	66	77	79	29 3	13 3	29 5	9	4	3	8 +°	1.8	43	= * ⊙ n, (♦) ⊙ a, ⊙° 13, * + p
18	92.4	89.6	89.5	- 9.2	- 7.4	- 7.5	- 5.9	-11.8	**64**	70	69	24 5	20 4	15 4	8	3	6(♦)	4(♦)	1.4	46	♦ + ⊙ n, ♦ ⊙ a, (♦) ⊙° p
19	97.0	00.5	06.1	- 7.1	- 7.6	- 9.4	- 4.5	- 9.7	88	92	86	01 7	03 7	03 5	7	6	8 =	4	0.5	46	⊙ n, = + ⊙° a, = ⊙ p
20	11.3	13.5	14.8	-12.9	-11.0	-13.9	- 9.4	-14.2	78	76	80	01 5	36 3	19 2	9	4	2	3		46	⊙° n, ⊙ a,p
21	07.3	04.2	06.9	- 3.4	- 1.9	- 9.1	- 1.2	-14.8	88	83	80	15 4	33 4	35 7	8	8 *°	7	8	0.0	46	*° (*) n, *° +° ⊙° a, *° +° p
22	12.0	13.4	15.5	-13.3	- 8.9	- 9.1	- 7.8	-13.8	76	71	75	33 4	32 5	33 5	7	1	3(≡)	1	0.2	46	⊙ n, (≡) ⊙ a, ⊙ p
23	17.1	16.6	14.8	- 6.9	- 3.9	- 6.1	- 3.7	- 9.8	77	81	88	28 3	23 2	20 3	8	1	6(♦)	8 ♦		46	⊙° n, ⊙ a, ♦° ⊙ p
24	14.6	17.0	17.9	- 5.3	- 6.1	- 9.7	- 4.6	-10.3	89	88	84	08 3	06 4	06 4	7	7 *°	5(≡)	6	0.4	46	= *° n, =° 7, (≡) ⊙ a, = p
25	18.3	17.4	14.9	-11.2	- 9.1	- 9.0	- 8.4	-11.3	77	75	79	06 5	07 4	07 3	9	1 +°	1	1	0.0	46	⊙° n, ⊙ a,p
26	15.2	20.8	24.3	- 9.5	-10.1	-10.9	- 8.2	-11.4	84	78	78	07 6	07 6	07 6	6	7 +	8 =	8 *°		46	+° ⊙ n, = *° +° a, = + *° p
27	**26.5**	25.2	21.8	-11.0	- 8.6	- 6.5	- 6.5	-11.6	84	86	88	05 6	06 6	07 5	8	8 *°	8	8	0.2	46	*° +° n
28	16.2	13.2	10.4	- 1.6	- 0.9	- 0.5	- 0.4	- 6.8	90	92	93	07 4	07 5	08 4	5	8 =	8 =	8 *°	0.7	46	= *° +° n, = *° a, =² ‡ * p
29	11.2	15.1	17.3	- 0.2	1.8	0.0	**2.4**	- 0.9	94	83	93	20 4	16 2	09 3	8	8 ≡°	5 =°	0 ≡²	2.0	44	≡ *°⊙°◠ n, =° a, ⊙° 13, ≡ p,⊙°19
30	17.6	18.2	17.8	- 0.4	0.3	0.4	0.7	- 0.9	90	90	90	07 5	08 4	09 4	6	8 =	8 =	8 =²		43	= n, = ≡ a, =² ‡° p
M	10.3	10.6	10.6	- 9.9	- 8.4	- 9.3	- 6.6	-12.7	83	82	83	4.4	4.3	4.5	7.1	4.9	5.2	5.3	17	39	

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1ʰ

Mai V

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 8.0 h_d = 8.0 h_r = 2.0

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde > 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	18.8	18.8	18.0	0.1	0.4	0.4	0.8	- 0.4	92	90	94	08 4	08 4	12 4	4	8 =	8 =²	3 ≡°	0.0	43	= n, =² a, = ≡ p
2	18.7	19.3	20.4	2.1	3.9	2.0	**4.2**	- 0.7	93	80	92	19 4	18 4	18 3	8	8 ≡	3	7(≡)		41	= ≡ n, ⊙ a, = (≡) p
3	21.6	24.5	25.1	1.5	- 0.2	0.5	2.5	- 0.6	88	90	86	19 3	30 2	22 1	6	8 =°	8 =	7 =	0.0	37	= ♦° n, = a, = ⊙° p
4	24.7	23.4	20.4	0.3	0.5	- 0.3	0.8	- 0.8	81	84	86	00 0	11 3	10 3	7	7	7 =	8 =°		37	= ⊙° n, = a,p
5	18.9	20.8	23.0	- 1.3	1.0	- 0.3	1.1	- 2.1	88	86	83	09 4	11 4	11 3	8	8 =³	6 =°	1 =°		37	= ⊙ n, =° a, =° ⊙° p
6	24.0	23.1	20.7	- 1.0	0.4	0.2	1.0	- 3.8	78	79	88	18 3	20 4	21 3	8	7	8	6 =°		36	⊙ n, =° ⊙° p
7	09.3	05.6	05.1	1.3	1.0	- 0.3	1.8	- 0.5	89	93	92	22 5	25 3	31 3	5	8 =²	8 •	7 =°		35	=² n, =² =° •° a, = ≡ p, (≡) 19
8	09.2	13.9	17.7	- 0.9	- 2.9	- 4.5	- 0.1	- 4.8	90	86	84	01 3	05 4	06 4	8	8 =²	8	8	0.3	33	= *° n, • a
9	21.9	24.4	23.6	- 2.3	- 1.1	- 2.0	1.0	- 4.9	77	72	76	07 4	13 4	09 4	8	6	4	1	0.0	31	= *° ⊙° n, ⊙° a,p
10	24.0	24.5	25.4	- 1.9	- 1.9	- 3.9	- 1.1	- 4.0	75	**70**	78	08 3	07 3	06 4	9	1	7	7		31	⊙ n,a
11	27.3	**27.5**	26.1	- 6.6	- 5.4	- 5.2	1.4	- **7.1**	81	75	78	01 4	06 3	09 3	9	8	7	6		31	⊙° a, ⊙ p
12	22.7	21.8	20.7	- 4.0	- 2.7	- 5.4	- 2.5	- 5.5	78	75	81	00 0	10 2	07 4	7	8 ♦°	7 *°	8 *°	0.0	31	=° n, =° *° a, *° p
13	16.9	15.3	13.4	- 5.0	- 3.1	- 2.5	- 1.6	- 6.7	75	78	78	05 2	08 3	09 3	8	7	8	8 ♦°	0.0	31	⊙° a, ♦° p
14	09.7	08.6	07.8	- 2.4	- 1.7	- 1.5	0.1	- 3.1	86	90	84	08 4	07 4	14 3	4	7 *°	8 *	3(♦)	1.0	40	*° n, * a, ♦ ⊙ p
15	07.5	07.7	07.1	- 2.2	- 2.3	- 3.8	- 1.1	- **7.1**	87	81	89	10 3	08 3	05 3	8	5	7	8 *°	3.3	40	(♦) n, ⊙° 7, ⊙ a, ⊙° 13, = ≡ *° p
16	10.8	13.8	14.6	- 5.6	- 4.5	- 5.3	- 3.7	- **7.1**	83	75	79	02 4	04 2	06 3	9	7	1	6	2.5	44	+° n, ⊙° a, ⊙ p
17	13.0	13.6	14.6	- 4.9	- 4.9	- 5.8	- 4.5	- 6.6	78	73	76	08 4	07 4	07 4	9	6	2	7		42	⊙° a, ⊙ p
18	17.2	19.5	20.1	- 5.3	- 4.1	- 3.3	- 3.0	- 6.3	76	73	73	06 3	10 3	10 4	9	5	1	6		40	⊙° n, ⊙ a,p
19	16.1	13.5	11.3	- 1.2	0.3	3.4	3.5	- 4.0	85	93	93	09 5	09 5	16 4	5	8	8 ‡°	8 =		40	=² ‡ + a, = •° p
20	12.0	16.5	19.3	1.6	- 0.3	0.1	3.6	- 1.4	94	90	83	19 3	29 4	28 2	6	8 =	8 =°	1	1.4	30	= ≡ • n, = a, ⊙ p
21	17.1	15.9	15.1	0.4	0.6	0.0	1.3	- 2.6	80	80	76	05 2	10 3	12 2	9	3	6	4		30	⊙ n,a, ⊙° 13, ⊙ p
22	11.5	10.8	07.5	0.9	1.2	0.8	1.7	- 1.7	92	89	85	21 3	18 3	26 4	8	7(‡)	4 =°	6(♦)	0.3	27	‡ n, ⊙° 7, =° ♦° a, =° ♦° ⊙° p
23	06.3	06.4	05.7	- 1.3	- 2.1	- 1.0	0.9	- 2.4	76	78	73	31 5	33 5	30 2	9	5	3	3(♦)	1.1	27	* n, ⊙ a, (♦) ⊙ p
24	05.0	05.1	05.7	- 3.2	- 3.3	- 3.2	- 0.8	- 3.6	76	70	77	33 5	32 5	32 4	8	8 *°	2	6(♦)	0.2	27	*° n, ⊙° a, ⊙ 13, ⊙° p
25	05.5	05.5	05.3	- 3.1	- 2.3	- 2.1	- 1.3	- 4.0	83	83	83	34 4	34 4	34 4	8	8 *°	7 =°	8	0.0	27	= n, =° *° a
26	01.8	00.0	97.4	- 3.3	- 3.0	- 2.6	- 1.7	- 3.6	83	86	83	33 4	33 4	32 5	8	8	8 =°	8 •°	0.1	27	= *° n, =° a, =° •° p
27	94.0	93.8	94.0	- 3.1	- 2.5	- 1.9	- 1.9	- 3.5	78	80	83	31 5	33 5	33 4	8	8	8	8	0.0	27	⊙ a, •° p
28	94.5	95.9	95.4	- 2.2	- 1.4	- 2.0	- 1.1	- 2.5	85	75	80	31 5	30 5	30 4	8	8	4 ·	8(♦)	0.1	27	*° n, (♦) ⊙ a, ♦° p
29	85.6	82.9	**81.9**	- 1.7	- 1.5	- 1.5	- 1.3	- 2.7	88	93	90	29 6	30 6	32 4	3	8 *°	8 *	7(♦)	0.1	28	= *° n, =² 7, = * +° a, = * p
30	96.9	90.2	91.0	- 1.7	- 1.2	- 0.5	- 0.2	- 2.9	78	75	73	28 3	35 4	29 4	9	5	3	3	0.8	28	⊙ a,p
31	88.7	92.0	95.0	- 1.1	- 1.1	0.3	0.8	- 1.7	92	76	81	28 4	31 4	23 4	8	8 =	7(♦)	2	0.2	28	= * n, ⊙ a, ⊙ 19
M	11.0	11.4	11.2	- 1.8	- 1.4	- 1.6	0.0	- 3.5	83	81	82	3.6	3.7	3.4	7.5	6.9	5.9	5.8	11	33	

Juni VI

1	**96.9**	02.6	06.6	- 0.6	0.9	1.5	2.0	- **1.6**	92	83	79	27 4	28 3	27 2	9	8 *°	3	1	0.1	28	*° n, ⊙ a,p
2	11.4	13.6	15.3	0.2	0.4	0.5	1.6	- 1.0	84	84	86	28 4	31 4	29 3	8	3	8	8		26	⊙ n
3	14.5	13.5	13.1	0.4	0.7	1.1	2.7	0.0	83	87	83	20 3	21 3	26 1	6	6	7 =	7		24	= a, ⊙ p
4	14.0	13.9	13.6	- 0.2	0.8	0.1	1.4	- 1.0	78	76	83	14 1	28 2	19 4	8	8	8	8		20	
5	10.0	10.6	11.5	1.4	1.7	0.4	2.4	0.0	83	72	80	19 5	26 3	35 4	8	8(*)	7	6		20	(*) n, ⊙ p
6	14.8	17.9	19.6	- 0.7	- 1.0	- 0.6	0.7	- **1.6**	86	90	84	35 3	35 3	32 3	7	8(♦)	8(♦)	8	0.2	18	♦ n, ♦° a
7	21.2	22.2	22.8	- 0.1	1.6	1.7	2.2	- 0.8	89	90	89	19 4	19 4	20 4	8	8(♦)	7	7(♦)	0.0	14	(♦) n, ⊙ a, (♦) p
8	22.5	22.4	21.9	1.9	2.3	2.2	2.5	1.3	89	91	97	21 4	21 4	21 5	8	8	8	8 •		10	=° • p
9	22.5	24.1	24.3	2.2	2.4	2.2	3.0	1.5	97	95	89	22 4	20 4	19 4	5	8 =	7 =	8	0.9		= ≡ • n, = ⊙° a, = •° p
10	23.0	23.5	22.7	2.1	2.8	2.7	3.4	1.4	94	92	94	20 4	20 3	20 3	7	7(≡)	8 =°	8 •°	0.0		= n,a, = ≡° p
11	21.5	22.0	21.5	2.3	2.8	2.5	3.6	1.3	98	97	97	22 3	22 2	19 3	2	8 =°	8 ≡	8 ≡	0.0		= ≡ n, ≡ a,p
12	19.8	20.6	20.1	2.4	2.6	2.7	3.0	2.0	92	95	95	20 4	19 4	19 4	3	8 =°	8 ≡°	8 ≡	0.0		= n, ≡ a, ≡ •° p
13	19.8	19.8	18.4	3.6	6.3	5.3	6.7	2.0	97	77	77	08 4	06 3	18 3	9	7 =	4	6	0.2		= ≡ n, ⊙ 7, ⊙° = a, ⊙° p
14	16.4	16.4	15.2	4.3	10.0	6.9	10.4	2.8	90	73	79	09 1	12 2	13 2	8	7 =°	1 =°	7 =°			=° n, =° ⊙ a, = ⊙° p
15	17.2	18.9	19.2	4.0	2.5	0.9	7.4	0.8	87	90	98	29 1	35 3	02 3	8	2 =°	4 =°	8 ≡²			= ⊙ n, =° ⊙ a, ⊙° 13, ≡ p
16	17.2	16.2	14.6	1.0	4.2	5.4	6.4	- 1.2	95	83	83	05 2	08 3	09 3	9	0(≡)	4	1(≡)	0.1		≡ ⊙ n, ⊙ a, ⊙° 13, ⊙ p, ⊙° 19
17	11.3	10.9	10.4	3.6	7.1	10.8	12.4	0.5	87	79	66	11 5	13 4	11 1	8	4(≡)	0(≡)	0			(≡) n, (≡) ⊙ a,p
18	12.9	15.0	15.7	8.2	9.8	7.3	13.8	4.2	77	86	84	18 1	18 1	10 1	7	1 =°	0 =°	0 =			= ⊙ n, = (≡) ⊙ a, = (≡) p
19	16.8	17.3	17.4	5.6	11.9	12.6	13.3	4.2	91	67	70	28 2	08 3	11 5	7	3 =	1(≡)	0(≡)			= ⊙ n, (≡) ⊙ a,p
20	19.8	20.6	20.0	9.7	13.3	16.7	17.5	6.7	73	71	60	28 2	35 1	14 1	7	1(≡)	1 =	0 =			(≡) ⊙ n, =° ⊙ a, = ⊙ p
21	18.5	16.9	16.7	10.2	12.8	11.3	17.5	9.7	78	75	70	00 0	11 5	34 1	7	1 =	1 =	8 =°			= ⊙ n,a,p
22	18.2	18.4	18.5	18.1	22.6	13.4	**23.6**	8.2	59	**38**	79	00 0	18 3	20 4	9	0	1	0 =			⊙ n,a = ⊙ p
23	21.1	20.9	20.6	8.2	7.9	8.3	13.7	5.5	98	98	94	20 4	21 5	26 4	1	8 ≡	8 ≡²	8 =			≡ n, ≡ • a, = ≡ p
24	17.0	16.6	16.7	6.0	6.9	6.3	8.4	5.5	97	97	91	22 5	26 4	26 5	4	8 =²	8 •°	7 =	1.0		• =² n, = ≡ •° a, = p
25	18.9	23.4	26.5	2.6	3.6	3.7	6.8	2.1	95	87	81	33 4	03 2	06 3	8	8 •°	1	1	0.2		=² •° n, = ⊙ •° a, ⊙ p
26	**27.4**	26.8	25.5	6.3	5.9	4.7	6.5	2.7	83	94	97	24 3	26 4	27 4	4	5 =°	8 •°	8 •°	0.0		=° ⊙ n, ⊙° 7, =² •° a, ≡ •° p
27	23.2	22.7	21.8	4.4	4.5	3.2	5.2	2.8	98	98	95	28 3	31 3	32 2	2	8 ≡²	8 ≡	8 ≡²	0.3		≡² n, ≡ a,p
28	19.5	19.5	19.1	1.3	3.2	2.4	5.4	0.8	92	84	95	03 1	28 3	05 1	6	0 =	5(≡)	8 ≡²	0.1		=² ≡ ⊙ n, (≡) ⊙ a, ⊙° 13, ≡ ⊙ p
29	16.8	16.6	14.9	5.3	6.3	7.2	7.6	2.2	92	91	95	21 2	23 4	20 4	5	8 =	8 •°	8 =	0.0		= ≡ n, =² a,p
30	14.8	15.0	14.3	5.6	5.2	4.5	7.7	3.4	92	94	91	24 3	27 4	29 3	5	8 •°	7 •°	8 =²	0.5		= ≡ • n, = ≡ ⊙° a, = ≡ •° p
M	17.3	18.0	18.0	4.0	5.4	4.9	7.3	2.1	88	84	85	2.9	3.2	3.0	6.4	5.6	5.2	5.4	4	5	

Ekstensotabell

1953

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 $\Delta G = +1^h$ **Juli VII** H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 8.0 h_d = 8.0 h_r = 2.0

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	11.5	10.6	09.5	5.2	5.4	3.6	6.5	2.9	91	89	97	00 0	33 1	00 0	7	6(≡)	5 =°	8 ≡²	0.0		= ≡° ⊙ n, =° ⊙ ≡ ,° a, ≡² = ⊙ p
2	09.8	10.4	10.5	0.8	4.1	2.3	4.3	− 0.1	97	78	91	11 4	11 3	30 1	8	8 =°	7 =°	8 •°	0.0		= ,° ≡ ≡² n, =° ⊙ a, ⊙° •° ,° = p
3	10.4	11.9	12.6	2.8	3.8	3.0	4.3	1.7	94	84	91	05 1	35 2	32 3	8	6 =°	7 =°	3 =°	0.2		⊙ =° = ≡ •° n, =° ⊙ a,p
4	12.7	13.4	12.3	3.2	3.0	2.6	3.7	2.1	90	80	84	35 3	01 3	35 4	9	6 =°	2	2			⊙ =° = n, ⊙ =° a, ⊙ p
5	12.6	13.0	13.5	2.2	4.0	2.8	4.0	1.9	89	83	80	34 4	01 3	36 2	9	4	3	6			⊙ n,a,p
6	10.9	11.6	11.9	5.2	3.4	4.4	5.8	2.4	69	81	75	23 2	04 2	36 2	9	4	1	1			⊙ n,a,p
7	11.0	10.9	11.0	5.6	5.6	5.8	6.5	3.3	79	80	86	27 3	28 3	28 2	8	5 =°	8 =°	8 =°			=° ⊙ n,a,p
8	12.2	14.0	**14.5**	5.2	5.6	6.0	8.0	3.9	79	81	77	28 1	35 2	05 1	8	2	2 =°	2			=° ⊙ n,a,p
9	13.4	13.4	11.3	1.7	0.9	2.6	6.5	− **0.6**	95	91	84	06 3	05 3	34 2	7	8 ,°	8(≡)	4	0.0		≡ =° ,° ⊙ n, ≡ = ,° ⊙ a, ≡ = ⊙ p
10	07.7	08.1	08.8	2.5	2.8	2.6	3.1	1.4	89	91	92	02 3	35 3	36 2	6	8 =	8 •°	7 =°	0.0		≡ =° = ⊙ n, =° = •° a, = ,° •° p
11	09.8	10.8	10.8	2.4	3.5	3.1	3.9	2.0	92	80	81	36 2	05 1	03 1	9	7 =°	7	7	0.9		=° ⊙ n, =° ⊙ a, ⊙ p
12	09.4	09.3	08.9	4.0	6.3	7.0	8.4	2.4	95	91	90	09 3	16 3	17 3	6	8 ,°	8 =	8 =	0.0		≡° =² ,° ⊙ n, =² = ,° a, = =² p
13	08.2	08.2	08.3	6.1	7.4	7.2	8.0	5.4	89	86	94	15 3	16 4	17 2	7	8 =°	8 =°	8 =°	0.0		,° = =° n, =° a, =° •° p
14	09.9	11.4	11.4	3.6	4.2	6.8	7.4	3.0	98	98	87	04 1	05 2	10 3	2	8 ≡²	8 ≡²	6 =°	0.8		=° ≡² ,° ≡ = n, ≡² a, ,° ≡ = p
15	08.4	06.3	05.6	3.8	8.0	8.5	10.3	3.3	95	81	86	14 5	15 5	10 4	6	8 ,°	5 =	6 =°	0.0		,° = =° n, ⊙ = ,° a, ⊙ = p
16	06.5	07.9	07.2	10.3	11.6	10.8	16.2	7.2	81	75	78	18 5	01 1	10 5	7	4	3 =°	3 =°	0.0		⊙ =° n,a,p
17	06.3	07.0	09.1	13.5	15.3	**12.5**	**16.7**	9.9	64	**63**	75	14 1	18 4	14 1	8	7	8 =°	7 =°			⊙ =° n,a, =° p
18	11.6	13.2	13.3	12.4	14.9	6.3	15.7	6.3	90	75	97	18 3	05 1	05 3	7	8 =°	2(≡)	0 =°			=° ⊙ n, =° ⊙ (≡) a, ⊙ (≡) ≡ p
19	12.0	11.5	10.9	9.5	10.6	11.7	12.6	4.9	87	80	79	10 3	09 4	10 5	7	7 =°	4 =°	1(≡)			=° ⊙ ≡° n, =° ⊙ a,p
20	09.9	09.7	08.7	10.6	9.8	7.5	12.1	7.3	67	69	81	12 5	11 4	11 4	8	3 =°	5 =°	6 =°			⊙ =° n,a,p
21	07.5	07.9	08.6	5.8	5.4	4.0	7.9	3.7	97	97	98	08 3	07 3	05 2	4	8 ≡	8 =²	7 =²	0.0		,° =° =² ≡ n, ≡° ≡ =² a, =² ≡° p
22	09.3	09.4	08.6	5.0	4.3	5.3	8.8	3.7	98	95	91	05 1	30 1	32 2	3	8 ≡°	8 ≡°	8 =	0.2		•° ≡° ,° = n, ≡ ,° a, = =³ ≡° p
23	06.7	06.4	06.5	3.8	5.5	4.0	6.0	2.9	94	95	94	34 1	34 3	01 1	5	8 =°	7 ,°	8 =°	0.0		= =° n, = ,° ⊙° =° n, =° ,° = p
24	07.6	09.8	11.6	3.2	4.2	4.5	5.2	2.9	98	92	83	35 2	28 2	29 3	7	8 ≡	8 =°	8 =°	0.1		≡ ,° =° = n, =° =² ,° a, =° p
25	13.0	14.0	**14.5**	5.0	5.9	5.2	6.1	4.0	83	78	81	28 3	27 3	28 2	8	8 =°	8 =°	9 =°	0.0		=° n,a,p
26	13.7	13.5	12.8	5.8	6.5	6.9	7.3	4.5	86	83	81	24 2	24 2	23 3	8	8 =°	8 =°	8 =°			=° n,a,p
27	09.2	07.6	07.2	4.7	6.2	4.3	7.0	3.4	91	78	89	35 1	09 3	04 1	8	8 =°	8 =°	8 =°			=° n,a,p
28	07.3	06.8	05.3	4.4	4.9	4.7	5.1	3.5	86	83	83	35 2	07 2	05 1	8	8 =°	8 =°	8 =°			=° n,a,p
29	03.5	02.9	00.9	3.3	4.4	3.1	5.9	2.9	97	83	97	33 1	03 1	03 3	8	8 ,°	8 =°	8 ,°	0.0		=° ,° n,a, ≡² ,° =° p
30	97.9	99.5	01.9	2.0	2.8	2.4	3.3	1.4	94	92	81	03 5	03 5	01 5	6	8 =	8 =	6 =°	0.1		≡ =² , = n, = a, ⊙ =° = p
31	05.5	08.7	10.0	2.5	3.5	4.9	5.1	0.9	80	86	86	02 4	01 2	30 3	8	6 =°	2 =°	2 =°	0.0		=° = ,° ⊙ n, ⊙ =° a,p
M	09.2	09.6	09.6	5.0	5.9	5.4	7.5	3.4	88	84	86	2.6	2.6	2.5	7.1	6.8	6.1	5.8	23		

August VIII

1	11.5	12.4	12.4	4.2	5.1	4.4	5.7	4.0	92	87	91	28 3	28 2	28 2	8	8 =°	7 =°	8 =°			=° n, =° ⊙ a, =° ⊙ ⊙° p
2	10.8	10.7	10.2	5.5	7.4	7.4	8.7	4.0	89	81	87	27 2	27 3	23 3	8	6 =°	7 =°	7 =°	0.5		=° = •° ,° (⊙) n, =° a,p
3	10.1	10.6	10.5	6.1	7.4	7.3	8.3	5.4	94	91	91	24 3	23 3	20 4	7	7 =	8 =°	7 =°	0.0		,° = =° n,a, =° p
4	10.0	09.6	09.0	7.2	9.4	9.0	10.9	5.5	86	73	76	18 4	20 3	20 2	8	7 =°	7 =°	7	0.2		,° =° (,) n, =° a,p
5	05.2	04.5	04.0	4.3	4.6	4.9	9.1	3.8	94	90	94	04 2	06 2	07 2	9	6	7	8 =°			=° ⊙ n, =° p
6	06.4	10.2	11.4	6.3	9.8	10.0	11.3	3.0	78	73	69	31 1	23 3	23 4	9	3	1	1			≡° ⊙ =° n, ⊙ a,p
7	14.5	16.2	16.7	6.0	8.2	8.4	10.5	5.9	92	86	83	27 3	23 3	25 3	6	8 ,°	8 =	7 =°	0.0		,° =° = ⊙ n, = ,° a, = =° p
8	17.9	18.8	19.3	6.9	9.0	9.2	9.6	5.9	94	87	89	22 4	24 4	24 3	6	7(⊙)	8 =	7 =	0.2		= =° ⊙° ,° n, ,° =° = a, = p
9	17.4	16.5	14.4	7.8	7.2	7.8	10.8	6.2	95	80	90	18 3	27 1	11 3	7	8 ≡	8 =°	8 =°	0.0		≡ ≡° = =° n, (≡) =° =° = a, =° p
10	08.4	06.6	05.0	4.4	3.5	3.0	7.8	3.0	95	97	98	07 2	05 2	35 2	4	8 =	8 =²	8 ≡			= =° n, = =° ,° a, ≡ ≡° p
11	04.3	06.4	07.7	4.0	6.5	8.2	9.3	2.9	98	84	77	29 2	27 2	20 3	8	8 ≡°	8 =°	7 =°	0.0		≡ ≡° n, ≡° =° a, =° p
12	08.8	09.5	09.6	9.4	10.4	10.0	**11.5**	7.3	95	94	94	17 4	19 5	17 4	4	8 =	8 =²	8 =²	0.0		,° = =° n, =² = a, ,° =² =° p
13	03.7	05.7	05.8	6.5	10.1	8.8	11.0	7.6	97	95	94	19 5	20 5	21 5	5	8 ≡°	8 =	5 =°	6.0		• ,° •° =² ≡° n, ≡° = a, = =² p
14	11.1	15.4	18.0	8.1	9.2	7.7	9.5	7.4	90	87	95	22 4	24 4	27 2	7	5 =°	8 =°	8 ,°			=° = n,a, =° ,° =° = p
15	18.7	17.7	15.0	9.3	9.9	7.4	10.2	6.3	94	83	95	18 3	11 4	11 4	7	7 =°	7 =°	7 =	0.3		,° ≡° =° = n, =° a, ≡° =° ⊙° = p
16	13.8	16.8	17.3	8.3	9.8	9.2	10.3	6.4	97	97	97	20 4	21 3	20 4	4	8 ,°	8 =²	8 ≡°	0.8		,° ≡ ≡° = n, =² ,° ≡ a, =² ≡° p
17	15.5	15.1	14.2	7.6	5.4	4.5	9.6	4.5	95	95	97	18 1	06 2	06 3	2	8 ≡°	8 ≡	8 ≡°	0.3		≡° =° ,° ≡ n, =² ≡° ≡ a, ≡ ≡° p
18	12.0	11.4	11.9	5.0	5.6	5.3	6.0	3.8	97	97	97	07 4	07 4	07 4	4	8 ,°	8 =²	8 ,°	0.4		,° ≡ ≡² n, =² ≡° ≡² ,° a, =² ≡ ,p
19	12.7	12.9	12.9	5.1	5.2	5.0	5.5	4.6	95	92	94	08 5	06 5	07 6	5	8 ,°	8 =	8 =²	0.9		=² ,° ≡² ≡ n, =² ,° ⊙² a, =² ⊙² p
20	13.3	14.4	15.4	4.8	5.2	4.8	5.5	4.5	97	94	91	06 5	07 5	06 5	5	8 •°	8 =	8 =	11.5		,° ≡ = =² n,a, = ,° =² p
21	17.6	19.4	21.0	4.4	5.2	5.4	6.5	4.0	91	97	83	07 5	07 5	07 4	6	8 ⊙°	8 =	8 =	2.1		=° ⊙° = n,a, = p
22	22.5	22.9	23.2	5.2	5.5	5.0	6.2	4.5	83	83	79	09 4	07 4	07 4	7	8 =°	8 =°	8 =°	0.0		=° = n, =° a,p
23	23.1	**23.6**	23.2	4.2	4.2	3.8	5.4	3.4	83	92	91	07 4	07 4	07 4	7	8 =°	8 =°	8 =°			=° n,a, = =° p
24	20.5	19.4	17.7	3.8	4.8	4.0	5.0	3.0	86	81	90	08 5	08 4	07 4	7	7 =°	7 =°	7 =°	0.2		⊙ = =² ,° =° n, =° ⊙ a, =° p
25	15.8	16.2	15.4	4.2	5.4	4.8	5.8	3.5	91	89	92	07 4	07 3	08 4	7	8 ,°	6 =°	7 =°	0.0		= ,° =° n, ⊙ =° ,° = a, =² ,² p
26	12.7	10.8	08.1	3.9	5.5	4.1	5.8	3.5	98	91	95	06 3	08 4	08 4	6	8 ,°	8 =	8 ≡	0.5		, ,° =° = n, = ≡ ,° =° a, ≡ = p
27	09.4	94.4	**89.3**	5.0	4.8	3.8	5.3	3.6	98	97	97	06 4	05 5	01 2	3	8 ,²	8 •°	8 ,	2.0		≡² ,° ,² ≡ = n, •° ≡° a, ≡ , • p
28	95.0	98.9	02.2	3.8	5.2	4.9	5.6	3.0	92	79	78	32 4	27 3	26 2	9	5 =°	1	2 =°	12.6		⊙ ≡ , =° = =² ,° ≡° n, ⊙ =° a,p
29	05.2	05.1	06.6	3.8	7.7	7.5	9.4	**1.0**	84	72	75	17 2	18 3	18 3	9	3	1	1			⊙ =° n, ⊙ a,p
30	08.0	08.4	08.1	5.4	7.6	5.5	8.0	3.2	79	**61**	72	14 3	14 4	11 3	8	3	5 =°	5			⊙ =° n,a,p
31	07.3	07.3	06.9	6.9	8.4	6.9	8.8	3.7	75	81	78	13 3	14 4	12 3	7	6	6(⊙)	6 =°			⊙ n, =° ⊙° ⊙ a, = =° ⊙° ⌒ , ⊙° p
M	11.3	11.9	11.7	5.8	6.9	6.4	8.2	4.5	91	87	88	3.4	3.5	3.4	6.4	7.0	6.9	6.8	38		

Ekstensotabell

1953

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 $\Delta G = +1^h$

September IX

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 8.0 h_d = 8.0 h_r = 2.0

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	04.6	04.9	03.9	5.5	8.0	6.8	**8.5**	4.3	91	66	70	16 2	19 3	15 3	8	8 ·°	4 =°	4(ṷ)	0.2		(≡) = =², ·° n, ⊙ ·° = a, =° (ṷ) ⊙ p
2	03.2	03.8	04.6	3.7	3.2	3.4	6.8	2.0	94	94	92	05 2	03 4	01 4	6	5 =°	7 =	8 =	0.0		=°(ṷ) n, =° = a, = p
3	05.8	06.0	05.0	3.0	3.6	3.7	3.7	2.0	95	94	92	02 4	02 3	04 4	7	8 =	5 =°	8 •°			= =° n, ≡° •° = a, = =² •° ·° p
4	04.0	04.8	06.5	2.9	2.6	2.7	3.8	2.0	84	81	91	04 4	02 4	02 4	7	5 =°	6(ṷ)	7 =°	0.4		=° ·° •° = •° n, =° a,p
5	10.3	13.2	16.8	2.7	3.3	2.3	3.7	1.8	83	79	83	01 3	34 1	33 4	8	8 =°	6 =°	4(ṷ)	0.0		=° (ṷ) ṷ n, =° a, =° (ṷ) ṷ° p
6	19.0	19.6	17.5	3.3	4.3	3.8	5.2	1.6	89	83	87	28 3	18 3	26 2	8	6(ṷ)	5(ṷ)	7(ṷ)	0.0		·° =° (ṷ) n, (ṷ) =° ṷ° a,p
7	97.7	92.3	92.6	4.8	4.8	4.6	5.8	2.9	92	90	90	12 5	10 5	06 5	5	8 •	8 •	8 •°	2.2		(ṷ) • •° = ṷ° n, • = a, •° = • p
8	02.0	05.2	05.9	3.9	3.5	2.6	4.6	2.0	89	84	83	04 4	04 3	04 1	7	6 =°	4(ṷ)	5(ṷ)	8.3		= ṷ° •° n, ⊙ =° a, = ⊙ ṷ° (ṷ) p
9	02.3	00.3	96.9	1.9	4.2	2.8	4.5	- **0.4**	84	77	89	19 3	21 4	30 4	9	5	7	6(ṷ)	0.4		⊙ =° (ṷ) n, =° ⊙° a, =° ṷ° p
10	92.2	94.8	95.0	2.2	2.0	2.2	3.0	1.0	84	83	91	35 5	34 6	35 6	6	7(ṷ)	7(ṷ)	8 ṷ°	0.6		ṷ (ṷ) =° ⛅° ṷ n, = (ṷ) a, = ṷ° p
11	02.3	04.5	04.7	2.2	3.2	3.4	4.4	1.8	87	**63**	72	08 2	12 2	15 3	9	8(ṷ)	7	7 =°	0.7		ṷ° =° = (ṷ) ṷ n, =° (ṷ) a, =° p
12	03.2	04.2	04.9	2.6	3.0	2.5	3.9	1.6	92	89	89	29 2	26 2	24 2	8	8 =°	3 =°	3	0.7		ṷ° =° •° (ṷ) n, ⊙ =° a,p
13	06.9	07.1	07.5	0.6	3.0	2.0	3.3	0.5	86	79	83	19 2	23 2	27 1	7	6(ṷ)	7(ṷ)	7 =°	0.0		=° ṷ° n, =° (ṷ) a,p
14	06.4	05.3	06.2	2.2	4.2	3.1	4.9	0.0	89	86	89	11 3	09 3	33 2	9	8	6	1			=° ṷ° (ṷ) a
15	09.8	12.4	13.6	2.9	3.0	2.6	3.4	0.0	81	78	79	32 3	35 3	33 1	9	7 =°	5	7 =°	0.0		=° ⛅ n, ⊙ =° a,p
16	09.8	05.9	02.7	3.7	7.2	6.7	7.3	1.5	86	97	95	15 4	19 4	21 5	3	8 =°	8 •°	8 =			=° n, •° =² = • a, = =² ≡° • p
17	90.5	89.7	93.2	5.8	2.2	3.6	6.8	1.3	73	89	80	23 6	26 7	28 7	5	4 =	8 ṷ°	8(ṷ)	2.0		⊙ = ≡ ≡° n, = ṷ° a, = ⊙ ṷ° p
18	05.7	09.0	09.8	3.0	2.8	2.6	3.8	2.3	75	77	73	31 6	34 4	33 4	7	8 =°	4 =°	8 =°	0.7		=° = (ṷ) ṷ° n, =° a, (ṷ) =° p
19	07.5	07.4	07.4	1.9	1.4	1.0	3.8	1.0	79	75	91	03 3	12 3	28 3	8	8 =°	7(ṷ)	4(ṷ)	0.0		=° (ṷ) ṷ° n, =° ṷ a, =° ṷ° (ṷ) p
20	09.8	12.6	14.9	1.0	1.5	1.1	1.7	0.5	71	67	70	36 4	36 4	35 3	8	6	6 =°	8 =°	0.0		=° ⛅ (ṷ) ṷ n, =° a,p
21	19.5	20.9	22.4	0.8	0.8	0.4	1.5	0.4	79	79	78	01 3	04 2	04 1	8	8 =°	8 =°	8 =°			=° n, =° *° a,p
22	**22.7**	21.9	20.0	- 0.2	1.3	0.3	1.5	- 0.3	86	75	81	17 1	12 2	19 1	9	8 =°	6	8 =°	0.0		=° *° n, ⊙ =° a, =° ⊙° ⊕ p
23	13.9	10.7	07.9	0.8	2.8	3.0	3.4	0.0	92	89	94	19 3	20 4	27 3	8	8(ṷ)	7 =°	4(ṷ)			(ṷ) =° ⊕ n, =° (ṷ) a, =° ṷ° ⊙° p
24	06.2	05.6	03.2	0.9	3.6	3.2	3.8	0.8	95	95	92	19 2	17 4	18 3	6	7(ṷ)	7 =	7 =°	0.0		ṷ° =° (ṷ) n, = (ṷ) =° a, =° = ·° p
25	98.5	97.4	94.0	4.3	6.2	6.2	7.1	3.0	97	92	95	18 4	17 5	18 5	6	8 ·°	8 =	8 •°	0.6		·° = =° n,a, = •° ·° · p
26	91.6	89.6	88.8	7.3	6.4	5.5	8.3	5.5	78	90	91	17 4	15 5	17 4	6	4 =°	5 =	6 =°	0.9		=° = •° n, = =° a, =° = •° (≡) p
27	**88.5**	89.5	93.0	3.6	4.0	3.5	5.7	3.3	91	92	90	17 4	20 5	23 5	5	8 ·°	6 ṷ	8(ṷ)	0.7		=° ·° ⛅ n, ṷ =° ·° (ṷ) a, =° ṷ p
28	95.6	97.4	98.2	2.8	4.8	5.2	5.8	1.5	95	97	97	20 2	18 3	21 4	4	8 •°	8 •°	8 ·°	1.9		(ṷ) = •° ṷ° n, = ·° •° a,p
29	96.2	93.5	93.6	3.8	3.7	3.0	5.8	3.0	95	97	97	08 3	06 3	01 4	5	8 =	8 •°	8 •	0.9		= =° ·° n, •° = · ≡° a, • = •°,
30	00.3	02.6	03.4	1.4	1.0	0.2	3.1	0.5	90	81	83	04 4	05 3	09 3	8	8 =	8 =°	8(ṷ)	14.4		• = =² ·° •° n,=° = a,ṷ° = =° p
M	04.2	04.4	04.5	2.8	3.5	3.1	4.6	1.6	87	84	86	3.3	3.5	3.4	7.0	7.1	6.4	6.6	36		

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	05.6	06.6	05.3	- 0.5	1.1	1.3	1.6	- 0.6	90	92	86	07 3	10 4	10 4	6	6(ṷ)	7(ṷ)	8 =	0.3		= (ṷ) ṷ° ⛅° n, ṷ = a, ·° = (ṷ) p
2	05.8	09.0	11.2	1.4	2.0	1.6	2.3	1.0	79	79	84	08 5	09 5	07 5	8	7 =°	6 =°	8 =°	0.5		ṷ ṷ° = ⛅² ⛅ n, =° ⊙ ṷ° a, =° ṷ°
3	13.6	14.5	13.3	1.7	1.6	1.7	2.2	1.1	83	75	71	07 5	08 5	09 5	8	7 =°	8(ṷ)	8 =°	0.1		=° n, =° * a, =° p
4	09.8	11.3	12.6	2.8	3.0	2.8	3.3	1.5	72	78	75	08 6	10 4	12 4	8	7 =°	5(ṷ)	8(ṷ)	0.0		=° n, ⊙ ṷ =° (ṷ) a, =° ṷ (ṷ) p
5	16.4	16.2	13.5	1.9	3.8	3.0	4.0	1.0	90	84	77	10 3	14 4	16 4	8	8 =°	7 =°	8 =°	0.0		=° (ṷ) (ṷ) n, =° ⊙ (ṷ) a, =° p
6	02.7	99.1	01.3	5.2	5.8	4.3	6.2	2.3	87	94	95	18 5	18 7	19 3	5	8 •°	8 •°	7(ṷ)	0.1		•° = =° n, •° = a, =° ·° = (ṷ)•°
7	07.8	07.9	02.8	1.6	2.2	4.3	4.4	1.0	87	81	94	27 4	20 4	18 6	8	6(ṷ)	7 =°	8 •°	4.0		=° ṷ° (ṷ) ⛅ n, ṷ =° (ṷ) a, •° =
8	97.5	91.0	82.1	5.2	6.8	6.0	7.3	4.0	97	91	90	20 6	18 7	18 7	4	8 ·°	8 ·°	8 ·	1.1		=² ≡° ·° •° n, ·° =² a, · ≡ =² p
9	82.8	80.6	78.2	2.1	1.1	0.2	6.1	0.2	80	94	92	23 4	23 3	18 3	5	4 =°	7 ·°	4(ṷ)	2.0		·° = ṷ° ≡° n, ·° ṷ° = a, ⛅ ṷ° =
10	**77.9**	79.0	79.3	- 1.1	- 2.3	- 0.3	0.7	- 2.6	76	**69**	83	27 4	21 3	27 4	8	8 ṷ	3(ṷ)	7 ṷ°	2.1	2	(ṷ) ṷ =° = ṷ° n,(ṷ) ṷ° =° a,p
11	86.2	92.2	95.6	1.0	- 1.1	- 0.9	2.0	- 1.5	76	77	72	29 7	27 5	25 4	7	8(ṷ)	3(ṷ)	5(ṷ)	1.2	3	ṷ ṷ = (ṷ) n,(ṷ) *° = a,(ṷ) =° p
12	03.9	06.8	04.8	- 0.3	- 0.6	1.1	1.1	- 2.3	87	83	78	24 3	18 1	09 4	6	7(ṷ)	7 ṷ°	8 =°	0.3	3	⛅° ṷ° =° n,ṷ° =° ⊙ *° a,=° ṷ° p
13	93.5	95.7	96.0	2.9	3.6	1.8	3.6	0.1	97	97	92	18 3	20 4	18 3	6	8 ≡	3 =	6 =°	6.8	5	*° ≡ = •° ṷ° *² n,≡ · = a,=(≡)
14	83.9	82.5	85.1	2.4	2.2	0.8	3.4	0.5	95	87	**69**	18 4	21 4	24 7	6	8 ·°	7(ṷ)	7 ṷ°	4.0	2	= •° ·° = ≡ ṷ° n, ṷ° = ·° a,= ṷ°ṷ
15	82.8	86.0	95.0	1.8	0.9	1.4	2.2	0.5	83	95	83	27 8	27 8	27 8	4	8 =	8 *	7 ṷ°	1.0	2	ṷ° = (ṷ) n, = * ṷ² ṷ° a,= ṷ° *
16	05.2	05.3	03.9	1.2	1.6	2.7	3.1	1.0	70	81	89	27 5	23 3	27 6	7	8 =°	7 =°	3 =°	1.3	2	(ṷ) =° ṷ° n, =° a, =° • = •° p
17	13.1	13.9	10.5	0.6	0.2	1.8	2.8	- 1.0	76	87	94	30 3	14 2	12 4	7	3 =°	7 =°	8 =°	1.2	1	=° n, ⊙ =° a, =° (≡) p
18	06.7	07.2	05.6	1.9	1.8	3.0	3.3	0.8	99	98	98	05 2	15 2	18 3	6	8 ·°	8 ·°	8 ·°	1.6		≡ ·° =° ·° ṷ° n,= ·° ≡ a, = ·° ≡°
19	07.1	07.7	00.7	2.5	3.0	5.0	5.0	1.9	97	97	97	20 2	15 2	23 5	5	7 =²	8 ·°	8 •	0.5		=² ≡° ·° ⛅ n,⛅ ·° =² a,• ·° =²
20	98.8	87.9	94.1	4.3	4.4	1.7	5.0	1.7	97	97	87	18 3	20 4	27 5	4	8 •	8 •	6(ṷ)	3.6		=² • ·° n,=² •² • a,ṷ° =° • =²
21	95.2	98.1	03.0	1.3	1.4	- 0.4	2.0	- 0.4	77	92	91	26 2	28 2	05 5	7	7(ṷ)	8(ṷ)	8 ṷ°	8.7		(ṷ) =° ṷ° ⛅ n, ṷ° =° a,ṷ° ṷ° =
22	12.9	15.1	16.2	- 2.3	- 1.4	- 1.9	0.0	- **4.0**	91	72	76	10 1	11 1	11 3	8	3(ṷ)	5 =°	6 =°	1.1	2	ṷ° ṷ = * =° (ṷ) n, =° (ṷ) a, =°
23	14.3	07.1	04.5	1.7	2.7	3.0	4.6	- 2.0	83	90	97	11 4	15 7	20 3	5	7 =°	8 •	8 =		1	=° n, = • *° =° a, = • ·° p
24	98.0	96.0	95.3	3.8	4.2	4.6	5.0	2.3	97	98	98	19 4	20 4	22 4	2	6 =	8 •°	8 ·°	6.0		= •° n, • ·° ≡ = a, ≡ •° =² ·°
25	97.1	01.4	01.0	3.6	3.3	5.1	5.1	2.7	83	91	91	27 4	18 3	17 3	7	7 =°	8 =°	5 =°	2.4		≡ = =² =° · ≡² n, =° a, =° (ṷ)
26	97.1	00.8	06.4	4.8	4.0	2.5	6.0	2.4	92	91	89	16 5	23 1	25 2	7	8 •	7 =°	4 =°	5.2		ṷ° = • ṷ =° (ṷ) n, ≡° • = a,=°
27	12.1	11.8	14.5	2.2	6.2	6.6	6.8	0.5	94	91	83	12 4	18 5	18 5	7	8 •°	8(ṷ)	5 =°	6.9		•° =° ⛅ n, =° •° a, ⛅° =° (ṷ) p
28	15.1	14.7	13.0	3.0	1.1	4.1	7.0	0.7	97	98	86	16 3	04 1	14 3	4	0 ≡	6 =²	1 =°	4.5		≡° ⛅° n, =² ≡° =° a, ⛅ (≡) =² p
29	10.9	10.0	10.1	7.8	7.0	6.6	**8.4**	0.8	80	92	98	18 4	20 5	20 5	7	6 =°	8 •°	8 =			=° ⛅ (≡) n, •° =° a, •° = =° p
30	15.7	17.6	**18.1**	5.1	4.5	4.1	6.8	3.8	92	90	90	20 5	21 4	18 3	7	8 =	7 =°	8 =°	2.4		= ·° ≡° n, =° = a, =° p
31	16.9	17.0	17.2	6.2	5.0	4.4	6.5	3.4	97	90	87	17 4	18 4	18 4	8	8 =	2 =°	1 =°	0.6		•° ·° = =° n, =° = a, =° p
M	02.8	02.9	02.9	2.4	2.6	2.6	4.1	0.7	87	88	87	4.0	3.8	4.3	6.3	6.8	6.7	6.5	70	1	

Ekstensotabell

1953

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1h **November XI** H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 8.0 h_d = 8.0 h_r = 2.0

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	17.3	17.2	16.0	4.8	5.7	2.2	6.0	2.0	92	76	92	19 4	18 4	14 3	8	7 =°	7 =°	2 =°	0.2		= =° ' n, =° a,p
2	12.8	13.5	14.6	2.9	2.3	2.4	3.2	1.0	97	97	95	12 2	01 1	28 2	3	8 =°	8 ≡°	8 =			=² ⛰² ⛰ n, '° ≡° =² a, ≡° =² '² p
3	16.2	16.7	16.2	2.2	2.1	2.1	2.7	1.8	95	90	92	02 3	02 3	02 3	6	8 '°	8 •°	8 =°	2.0		'° = '² ≡° n, = •° '° a, = =° '°p
4	16.0	15.3	13.2	2.1	1.7	1.7	2.4	1.4	97	94	92	09 3	07 3	08 3	5	8 ≡°	8 =	8 =	0.3		≡° = •° =° n, = ≡° a, = p
5	07.4	05.6	05.5	1.5	1.6	1.4	2.2	0.4	92	92	91	07 2	10 3	08 2	7	8(ϑ̇)	8 =°	8 =°	0.9		ϑ̇ '° = n, =° = ϑ̇ a, =° p
6	04.1	01.9	99.4	2.2	3.7	4.0	5.0	0.9	94	83	86	12 4	16 4	19 4	7	8(ϑ̇)	3 =°	3(ϑ̇)	0.0		=° •° n, =° = ϑ̇ a, = ϑ̇° ϑ̇ =° p
7	96.4	93.2	89.1	4.0	4.0	3.2	5.0	2.5	87	83	89	15 5	17 4	16 4	7	1(ϑ̇)	7(ϑ̇)	3 =°	1.1		=° ϑ̇° (ϑ̇) n, (ϑ̇) =° a,p
8	77.3	72.4	69.2	2.5	1.2	2.2	3.5	1.0	94	95	98	09 3	09 1	01 3	7	8 =°	6 =°	8 •°			=° n, =° = a, ≡ '° •° ≡° =° p
9	68.9	72.7	75.8	2.0	1.9	1.6	2.4	1.5	87	89	84	34 4	31 4	30 4	7	8 =°	7 =°	8 =°	1.2		=° '° •° ≡ = n, =° = '° a, =° p
10	81.1	83.3	84.4	- 0.5	1.6	1.2	2.1	- 1.2	95	86	81	00 0	27 3	30 3	7	4(ϑ)	7(ϑ)	8(ϑ)	2.0	2	ϑ² ϑ° = n, = ϑ° (ϑ) ⛰° a, = ϑ° p
11	85.8	87.7	88.7	0.9	- 0.4	- 0.9	1.3	- 1.0	89	92	86	30 3	08 4	09 2	5	8 =°	8 ϑ	8(ϑ)	0.7	2	= ϑ° ϑ n, = (ϑ) ϑ° a, = ϑ° ϑ p
12	89.5	91.2	92.5	- 0.3	- 0.7	- 0.8	0.0	- 1.3	80	72	72	05 4	05 4	02 5	7	5 =°	8 =°	8 ϑ°	0.7	3	=° ϑ° = n, =° ϑ° a,p
13	94.3	96.0	96.6	- 1.6	- 2.0	- 1.8	- 0.6	- 2.3	71	69	69	04 4	01 4	36 1	8	2 =°	5 =°	5 =°	0.1	3	⛰ =° ϑ° n, =° ⛰ a,p
14	99.7	01.9	03.2	- 2.3	- 3.4	- 2.4	- 1.4	- 3.5	81	69	77	02 4	02 4	27 3	7	8 ϑ	8(ϑ)	7 ϑ°	1.0	4	ϑ² = ϑ° ⛰ n, ϑ = =° a, = ϑ° =° p
15	11.7	19.3	**23.7**	- 3.3	- 3.8	- 3.6	- 2.3	- 4.7	83	**65**	80	34 7	34 6	32 5	6	6 ϑ°	6(ϑ)	7(ϑ)	0.1	3	= +° ⛰° ϑ° n,(ϑ) = ⛰° a,(ϑ) = p
16	19.1	10.4	00.0	0.0	1.4	2.0	2.5	- 3.8	77	83	90	18 5	17 7	17 7	6	8 ϑ°	8 =	8 =°	0.1	3	(ϑ) = ϑ° =° ϑ° n, = =° a,p
17	88.7	85.8	85.2	2.9	2.9	2.3	4.0	1.3	90	89	79	13 4	16 5	19 5	7	4 =°	5 =°	3 =°	0.6	2	=° = ϑ̇° •° n, =° a, ⛰ = ϑ̇ (ϑ̇) p
18	92.7	65.5	69.8	1.0	1.9	1.7	3.4	0.0	84	92	80	13 4	10 8	20 6	4	4 =°	8 ϑ	7(ϑ)	0.9	1	ϑ ⛰° = n, =² ϑ ϑ̇ a, \ =² ϑ ϑ̇° p
19	73.7	76.3	79.0	- 0.2	0.2	- 1.1	2.0	- 1.5	95	95	92	18 2	21 4	15 3	3	4 =°	8 ϑ	1 =	4.2	1	ϑ° = ⛰° ⛰ n, ≡° ϑ a, = ⛰° ϑ ≡° p
20	83.4	87.6	91.2	- 0.6	0.7	1.2	1.2	- 1.6	95	95	92	09 3	09 1	06 3	8	4 =°	6(ϑ)	6(ϑ)	0.8	2	=° ⛰ (ϑ) n,(ϑ) =° a, ⛰° (ϑ) =° p
21	99.2	04.4	09.4	0.2	1.1	0.1	1.5	- 1.5	95	95	94	04 1	04 2	12 2	8	2 =°	5 =°	6 =°		1	(ϑ) =² ⛰° n, =° a, ⛰ '° =° ϑ° p
22	16.6	21.1	21.5	- 0.2	- 2.0	- 0.4	1.3	- 2.3	92	90	90	14 3	13 3	13 3	8	5 =°	3 =°	3 =°	0.0	1	=° ⛰ = n, =° a,p
23	14.7	11.3	13.0	2.4	3.8	3.0	4.0	- 0.5	81	95	94	16 6	18 6	20 4	5	8 =°	8 '°	8 =		1	=° ⛰ n, • = '° •° =° a, = '° p
24	14.5	12.2	10.7	3.7	4.0	4.0	4.3	2.6	98	95	97	20 4	18 4	21 4	3	8 =	8 ≡°	8 '°	3.4	0	= ≡² ϑ̇² '° n, ≡° = ' a, ' ≡° p
25	04.2	00.0	99.9	4.3	4.4	3.3	4.5	3.1	97	86	84	20 5	21 5	23 4	6	8 =	7 ϑ̇	7 =°	0.6		≡° '° ' =² n, = a, =° ϑ̇² = ϑ̇° p
26	93.2	90.3	92.1	2.5	3.6	3.4	3.9	1.5	95	92	94	18 2	18 4	22 3	6	8 ϑ̇	8 =	7 ϑ̇°	2.8		⛰° = ϑ̇² ϑ̇ n, ϑ̇ • = a, ϑ̇° = p
27	92.0	86.6	81.1	3.2	5.4	4.2	5.7	0.7	94	95	92	14 4	18 5	20 4	6	8 =	8 •°	3 =°	2.1		ϑ̇° '° = ⛰ n, = • a, = •° p, ⛰²19
28	66.4	67.8	70.3	3.1	- 1.0	- 3.0	5.2	- 3.5	90	78	78	20 4	26 6	27 5	6	6(ϑ̇)	8(ϑ)	7 ϑ	5.0		⛰° =° ϑ̇ n, = ϑ° ϑ° a, = =° ϑ° p
29	72.7	74.2	75.4	- 4.8	- 4.4	- 3.0	- 2.5	- **6.4**	84	77	80	25 5	23 4	20 4	6	4(ϑ)	6 *°	3(ϑ)	1.3	1	+° ϑ̇° = ⛰° n, ⛰ = * ϑ a, = ϑ° *° p
30	71.1	67.4	**64.7**	- 2.4	- 2.3	- 1.6	0.8	- 3.3	92	92	81	21 1	29 2	31 4	4	8 ϑ	8 ϑ	7 =°	2.2	3	ϑ = ϑ² + n, ϑ² ϑ = a, = ϑ° ϑ² p
M	95.8	95.0	95.0	1.1	1.2	1.0	2.4	- 0.6	90	87	87	3.5	3.9	3.6	6.1	6.2	6.9	6.1	34	1	

Desember XII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde v 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	**64.3**	64.7	66.0	1.0	0.9	0.6	1.9	- 1.8	91	91	94	05 4	07 4	10 4	6	8 =°	8 =	8 •°	5.0	3	⛰ =° ϑ° n, '° = =° a, •° '° = p
2	68.8	71.8	73.9	- 0.4	- 3.2	- 1.6	1.0	- 6.1	94	90	89	25 4	16 3	16 2	7	8 ϑ	5 =°	3 =°	2.6	2	ϑ° '° ϑ° = n, = ϑ ϑ° (ϑ) a, =° p
3	83.4	87.8	91.0	- 0.8	- 1.6	- 2.6	0.4	- 3.6	84	84	76	01 3	31 5	27 3	5	2 =°	6 ϑ°	3 =°	0.9	3	= ϑ° ϑ n, = ϑ° =° a, ϑ° = ⛰° p
4	89.8	87.4	85.2	- 7.3	- 4.0	- 3.5	- 2.4	- **8.1**	73	72	**60**	22 3	26 4	27 4	6	2	6 ϑ	2 =°	0.2	3	ϑ° =° ⛰ n, = ϑ° +° a, ⛰ ϑ° = +° p
5	87.8	92.7	97.9	- 2.2	- 2.1	- 2.2	- 1.5	- 5.1	63	65	63	31 4	32 5	31 6	5	4 =°	7 ϑ°	4(ϑ)	1.2	4	+° =° ⛰ ⛰² ϑ° n, = ϑ° a, = +° ϑ p
6	06.1	06.4	89.3	- 1.7	- 4.8	- 0.2	- 0.2	- 5.4	65	70	95	25 4	21 3	15 5	8	3 =°	3 =°	8 *°	0.7	5	*° = ϑ° +° n, =° ⛰° a, *° =° p
7	82.1	83.5	89.0	1.4	1.8	- 2.5	3.3	- 2.9	87	76	79	24 4	25 5	28 8	7	4 =°	5(ϑ)	8 ϑ°	2.4	3	= • *° n, ϑ° =° a, = +° ϑ° ϑ° p
8	97.2	02.1	07.3	- 0.4	- 0.6	- 0.8	0.0	- 3.1	69	80	84	29 4	33 4	33 4	5	5 =°	8 ϑ°	3 =°	0.6	4	= ϑ (ϑ) n,a, ⛰° ϑ° = p
9	13.4	07.6	04.7	- 2.3	1.0	3.0	4.0	- 4.3	83	95	97	12 4	17 6	26 4	5	8 =°	8 *	8 •°	0.8	4	=° ⛰° n, = *° =° a, •° = *° p
10	07.0	08.3	08.9	1.8	2.8	3.1	3.7	1.2	95	89	84	20 3	21 4	23 5	6	8 •°	7 =	7 =°	3.6	3	⛰° = '° •° ϑ̇° n,= ϑ̇° '° •° a, = p
11	08.7	09.9	07.5	3.6	3.4	3.9	4.5	2.3	97	95	86	21 5	21 4	22 6	5	8 •	8 =	8 =	1.6	2	'° ' • = n, ' •° = a, ϑ̇ = ' p
12	09.9	10.8	08.0	4.0	5.0	4.5	5.5	2.4	91	90	90	23 6	22 5	22 6	7	6 =°	8 =°	8 =°	2.2	1	=° ⛰ = n, =° a,p
13	95.2	04.4	08.9	3.4	- 0.7	- 0.5	5.2	- 1.1	75	76	73	26 6	27 6	27 5	7	8 =	7 =°	4 =°	1.4		'° • = =° n, =° = a, =° p
14	01.9	03.3	08.7	3.0	4.2	3.8	4.4	- 0.7	95	94	95	22 4	23 4	25 3	4	8 •°	8 '	8 •°	2.5		• *° ϑ° ϑ° = n, ' •° = a, ' = p
15	13.7	14.5	13.6	4.1	3.4	4.4	4.6	3.2	95	94	92	20 4	20 4	20 5	6	8 '°	8 =	7 =°	7.7		'° = •° n, = '° a, =° p
16	10.5	09.9	**15.8**	3.8	3.7	0.8	4.6	0.6	94	94	77	19 4	20 4	27 4	6	8 •°	8 ϑ̇°	3 =°	0.4		'° = =° n,a, =° ϑ̇° = p
17	08.5	05.3	07.2	3.3	4.8	3.0	5.2	0.1	83	91	83	18 7	23 6	26 4	7	7 =°	8 =°	8 =°	0.7		=° n,a,p
18	05.3	05.2	03.8	4.8	4.7	4.9	5.1	1.5	89	84	84	22 6	22 6	23 6	8	8 =	7 =°	8 =°	1.6		= • •° =° n, =° a,p
19	00.4	94.4	94.4	3.8	3.7	2.6	5.1	2.5	89	91	86	20 4	20 6	21 5	6	8 =	8 •°	6 =°	0.4		•° = '° =° n, = •° a, = =° •° p
20	07.0	07.2	99.3	- 1.9	- 1.6	1.8	2.7	- 2.2	73	78	90	27 4	20 3	15 6	8	8(ϑ)	5 =°	8 =°	1.2	1	=° ϑ° = (ϑ) n, =° a, ϑ̇° =° p
21	96.4	96.4	91.2	1.1	- 0.6	1.8	3.5	- 0.9	83	90	94	23 2	17 2	16 4	8	8 =°	8 =°	8 •°	1.1		=° = • n, =° a, = •° * =° p
22	76.2	65.5	69.2	6.0	1.0	- 2.8	**6.4**	- 3.0	78	94	78	17 7	27 9	27 8	5	7 •°	8 ϑ	7(ϑ)	4.3		= • '° n, \ = ϑ ϑ̇ •° a, \ = ϑ ϑ p
23	93.5	93.0	92.2	- 1.8	- 0.8	- 0.2	3.3	- 3.6	89	95	95	25 2	34 1	07 3	4	7(ϑ)	8 '°	8 '°	0.6		= ϑ° =° n, =² '° ϑ° = a, =² '° = p
24	88.0	89.0	86.0	1.9	1.5	2.0	2.7	- 0.5	92	92	91	22 3	18 3	16 3	8	7 =°	5 =°	5 '°	1.5		= '° ϑ° ϑ° *° n, =° a, '° *° = p
25	76.4	82.7	88.2	2.8	2.0	0.5	3.8	0.4	94	97	87	13 4	27 4	34 4	5	6 •	8 '	8 =	2.8		•° = • • '° n, ' '° = a, = ' p
26	95.7	98.4	99.3	- 2.4	- 2.0	- 2.4	0.8	- 2.7	75	72	69	32 5	34 4	34 4	8	7 =°	8 =°	8 ϑ°	0.6		=° = n, =° a,p
27	99.1	99.2	99.5	- 2.4	- 1.7	- 2.9	- 0.8	- 3.7	83	87	94	28 4	29 3	04 1	7	7 ϑ°	6(ϑ)	3 ϑ°	0.0		= ϑ° *° * n, = ϑ ϑ° a, ⛰ = ϑ° p
28	03.4	07.0	10.1	- 2.0	- 2.8	- 2.7	- 0.8	- 3.7	71	75	87	01 4	01 2	36 1	7	8 =°	7 =°	8 ϑ°	1.3	1	⛰ ϑ° = (ϑ) =° n, =° a, =° ϑ° = p
29	11.2	09.0	07.9	- 2.7	- 1.1	- 0.2	0.4	- 4.5	83	84	78	20 3	18 4	27 4	7	7 =°	5(ϑ)	1 =°	0.0	1	=° ϑ° n, (ϑ) =° a, ⛰° =° ϑ² (ϑ) p
30	01.9	94.5	87.1	0.3	2.4	2.4	2.8	- 4.1	87	91	91	16 5	18 6	18 7	6	8 =	8 •°	8 •°	0.9	2	= =° ϑ° ⛰° n, • •° = a, • •° =° p
31	82.1	82.3	83.6	1.2	- 0.3	- 1.6	2.6	- 3.0	84	92	75	20 5	25 3	24 4	6	4(ϑ)	6(ϑ)	8 =°	3.9	4	•° = ϑ° ϑ° n, ϑ = ϑ° a, ϑ = (ϑ) p
M	96.3	96.6	97.5	0.7	0.4	0.5	2.6	- 1.9	84	86	85	4.2	4.3	4.5	6.3	6.6	6.9	6.3	55	1	

Ekstensotabell

1953

Jan Mayen

φ = 71° 1'N λ = 8° 28' W g = 9.829 ΔG = + 1ʰ **Januar I** H_s = 40 H_b = 39.3 h_k = 2.0 h_a = 9.8 h_d = 10.5 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.1	13.5	10.5	- 4.6	- 4.4	- 2.3	- 2.2	- 5.5	85	75	75	35 2	10 4	15 4	8	6 =	6 =°	8 *	0.8		+ ≡ = n, =° a, * p
2	05.5	07.1	07.1	- 1.0	- 3.0	- 3.4	0.1	- 4.0	95	90	87	17 5	18 3	27 2	7	8 ‡	7 =°	8 =°	2.8		* ' ‡ n, ‡° * = a, =° p
3	06.7	03.9	98.9	0.0	1.0	1.6	2.0	- 4.1	85	96	92	16 4	16 6	16 5	8	8 =	8 =°	8 ♦²	0.2		= ‡° n, ♦ ♦ a, ♦ = p
4	91.8	89.1	84.2	0.8	1.7	0.6	2.0	0.4	98	92	92	19 4	16 4	17 1	6	8 '	8 •°	8 ♦	10.6		♦ ♦ ♦ n, = • ' a, ♦ •° = p
5	85.3	92.3	99.6	- 3.4	- 5.0	- 6.4	0.8	- 6.8	98	91	87	36 7	36 6	36 8	7	8 +	8 +	8 +	2.7		♦ ♦ n, + = a,p
6	12.3	14.6	09.7	- 7.9	- 8.6	- 5.4	- 5.4	- 9.2	66	66	78	35 7	36 3	12 4	8	3	4	8 *•			= + ∾ n, * = p
7	05.8	07.0	07.0	- 6.2	- 8.7	-11.0	- 2.6	-11.2	81	84	75	03 2	36 5	01 5	6	7	6 ♦	8 ♦°	1.1		* n, ♦ = a,p
8	08.5	08.7	09.5	- 8.5	- 4.6	- 7.0	- 4.6	-11.6	72	79	89	36 5	36 4	01 4	7	8 *°	5 =°	8 *°	0.0		*° = n, = * a, = *° p
9	07.3	07.0	05.3	- 7.1	- 7.6	- 6.6	- 5.6	- 9.2	74	73	66	03 4	36 4	36 3	8	3 =°	4 =°	5	0.0		*° = ⌒ n, = a
10	04.8	05.6	06.6	- 6.7	- 6.2	- 6.7	- 5.2	- 9.7	70	74	69	01 3	01 3	12 2	9	2	5	3			⌒² n
11	05.7	96.3	86.6	- 9.3	- 5.6	- 0.2	0.2	- 9.3	73	86	93	09 6	09 8	09 7	5	2 =°	8 ♦	2 +			⌒ n, ♦ + a, ♦ ⌒ +² \ p
12	86.4	87.6	89.6	- 1.4	- 1.1	- 0.4	1.5	- 2.6	99	99	96	10 1	00 0	14 2	8	8 ≡°	6 =°	3	12.9		≡° = n, =° a
13	89.1	86.6	88.4	- 2.5	- 0.8	- 0.3	0.5	- 4.2	96	97	90	00 0	02 4	00 0	7	1 =°	7 =°	6 =°	0.0		*° = ⌒ n, ' = a, = (≡) p
14	94.8	95.6	91.1	- 1.0	- 3.6	- 4.0	0.4	- 4.1	98	99	00	22 3	32 2	27 2	8	8 *°	7(≡)	8 ≡	1.0		* n, *° a, *° = p, ≡ 19
15	85.7	84.8	80.3	- 1.0	- 1.8	- 1.5	- 0.2	- 4.2	97	00	75	15 3	22 3	17 3	8	8 *	5 =°	8 *°	3.1		* =° n, * = a, * p
16	73.0	74.1	77.8	- 2.9	- 6.1	-10.6	- 0.2	-10.6	89	86	85	27 4	18 2	29 5	7	3	7 *°	8 *	3.5		♦ + n, * + a,p
17	90.6	93.4	91.5	-12.6	-11.9	- 9.0	- 8.2	-13.8	77	78	84	29 5	35 4	36 3	6	8 ♦	8 *°	5 *	0.6		♦ n, ♦ * + a, *² = p
18	00.0	05.3	09.3	- 9.8	-12.6	-13.8	- 7.4	-14.2	81	74	71	36 5	34 5	29 4	7	8 =°	7 ♦	4 =	0.4		♦ * + n, = ♦ a, ♦ = ⌒ p
19	05.4	88.1	78.7	-11.4	- 5.8	- 0.4	1.5	**-14.3**	70	93	89	12 3	11 8	25 6	2	8	8 ♦	7 =°	0.0		♦ = n, ♦ * \ a, * = \ p
20	88.1	98.1	04.4	- 6.6	-10.0	-11.8	- 0.4	-12.0	87	78	78	36 7	36 6	35 6	7	8 ♦	8 =	8 ♦	5.1		♦ + n, = + a, ♦ + = p
21	12.2	16.2	**16.9**	-12.5	-12.5	-12.5	-10.5	-13.3	82	78	69	35 6	33 6	33 4	7	8 +	8 ♦	5	0.4		♦ + n,a, =° p
22	10.1	13.0	11.4	-13.3	- 9.2	- 4.2	- 3.5	-14.0	67	70	76	03 4	11 4	29 4	7	0	7 ♦	6	0.1		⌒ n, ♦ a
23	11.7	11.5	10.6	- 8.4	- 7.0	- 4.4	- 3.9	- 9.5	79	77	77	05 2	04 2	18 2	8	4 =°	7	8	0.0		⊕ = n,a
24	04.3	03.4	03.0	- 2.3	- 1.8	-'0.9	- 0.6	- 4.6	75	74	76	15 3	16 4	15 5	8	7	6	7			
25	00.6	98.3	95.7	1.2	1.6	- 0.4	1.7	- 1.6	85	93	90	15 6	18 7	12 5	7	8 =°	8 ,°	8	0.0		*° = n, = ' a, =° p
26	80.9	77.1	73.1	2.2	- 0.6	0.0	**2.6**	- 1.7	97	97	84	15 6	24 3	16 4	7	8 ,°	8 *°	3 =°	2.7		' • = n, = ' a, *° 13, = ⌒ p
27	**64.9**	65.9	66.1	- 1.2	- 3.1	- 2.4	1.6	- 3.3	89	98	96	16 2	03 3	26 2	3	8 *²	8 *²	8 *²	11.7		*² \ n, *² * a, *² p
28	77.8	85.1	88.3	- 4.1	- 4.1	- 3.8	0.2	- 4.9	87	77	85	04 8	03 7	00 0	7	7 ♦	6 +	8 ♦	33.3		♦ + \ n, + a, + ♦ p
29	95.3	98.4	00.0	- 3.8	- 5.0	- 6.8	- 2.7	- 6.9	72	69	89	36 6	36 5	36 6	7	7 +	6 =°	8 ♦	0.5		♦ + n, + = a, ♦ + p
30	03.4	04.0	99.3	- 9.1	- 9.0	- 6.3	- 6.3	-10.6	73	**61**	88	33 4	36 4	28 5	8	7(♦)	5 =°	8 ♦²	0.1		=° *° n, =° a, ♦² p
31	02.5	09.1	12.3	- 3.6	- 5.9	- 6.7	- 2.7	- 9.6	97	94	80	01 8	01 6	35 5	7	8 *²	8 +	7 =°	4.8		* n, + a, = + p
M	97.5	98.1	97.2	- 5.1	- 5.2	- 4.7	- 1.8	- 7.7	84	84	83	4.4	4.4	3.8	6.9	6.3	6.7	6.6	100		

Februar II

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.0	16.0	16.8	-10.4	-10.3	- 8.3	- 6.7	-12.1	69	72	75	36 3	36 2	00 0	9	2	2	8	0.3		= n, ⊙ ⊕ p
2	13.3	13.4	05.6	0.6	0.9	1.1	2.5	- 8.8	98	97	90	16 4	16 4	14 5	6	8	8 ♦	5 =°	3.2		* + ‡ n, =° • ♦ a, ≡ = • p
3	98.1	04.3	13.5	- 9.8	- 8.2	- 4.5	1.5	-11.5	82	92	98	27 5	32 7	34 6	5	8 ♦°	8 ♦	8 *°	2.1		=° ♦ n, ♦ a, * p
4	26.0	**27.1**	24.4	- 3.2	- 5.2	- 7.6	- 2.6	- 8.1	96	95	82	36 4	36 3	06 1	9	8 '	8 =°	2	23.0		'² ‡² ∾² n, = a, ⊙ p
5	18.7	18.8	18.6	- 4.4	- 3.1	- 1.6	- 1.5	- 7.7	75	75	75	15 3	14 4	15 5	9	2	5	6			= ⌒ n
6	15.8	14.7	13.3	- 0.4	- 0.4	- 0.1	0.0	- 1.7	86	91	97	18 5	18 5	15 5	4	8 =°	8 *	8 *			= ⌒ n, ♦ * a, * = p
7	11.1	10.2	06.5	0.0	0.6	0.3	0.7	- 1.0	82	77	90	19 4	16 4	17 5	9	8 ‡	6 +°	8 +	14.0		‡ + n,a, = + p
8	03.4	02.3	04.0	0.6	0.6	0.2	1.1	- 0.6	69	66	75	14 7	16 5	16 5	8	8 +	5	5	1.0		+ n, +° a, + p
9	05.6	04.8	02.5	- 2.4	- 2.1	- 2.8	0.4	- 3.6	74	62	67	09 4	11 3	07 3	7	1	5 ♦°	4			= ⌒ n, ♦° 13, ♦ p
10	02.0	02.5	04.1	- 2.1	- 0.2	0.6	2.1	- 3.2	65	**57**	87	08 5	29 2	12 7	9	3 =	8	8 *	0.1		= + ⌒ n, + = (♦) a, * = + p
11	07.6	07.1	08.1	- 1.2	- 1.6	- 2.6	1.1	- 2.6	89	92	95	24 4	26 5	28 4	6	8 =	8 *	8 =	2.5		‡ (≡) = n, =° a, * 13, = p
12	08.7	10.6	12.1	- 7.8	-13.2	-13.8	- 2.2	-14.8	83	84	83	29 5	31 5	32 6	4	8 *•	8 *	8 *°	0.5		♦ = * n, * a, *° = p
13	15.1	17.6	18.9	- 8.2	-10.4	-11.6	- 7.2	-14.7	84	70	68	01 6	01 5	36 5	7	8 *•	6 ♦	6 +	1.4		* + n, * a, = + p
14	20.8	19.6	16.1	-12.0	-11.2	- 9.7	- 8.6	-13.6	68	67	68	02 3	09 3	11 3	5	3 =°	7 =	8	0.3		= *° n, = a, =° p
15	04.8	01.1	96.6	- 5.8	- 1.9	- 1.4	- 1.0	- 9.7	86	80	87	13 5	11 6	10 6	7	8 *°	7 ♦°	8 •°	0.1		*° n, ♦ = a, •° ∾ p
16	81.0	82.4	87.8	2.2	1.6	- 3.8	**3.4**	- 4.1	77	**57**	91	09 8	36 4	36 8	8	8 ‡	8 *°	8 *	14.9		*² + \ n, ‡ = a, * + p
17	03.4	04.5	04.0	- 7.3	- 9.8	-11.5	- 3.6	-12.0	85	75	77	36 5	36 5	35 5	7	7 =°	8 ♦	7 ♦	4.6		=° * + \ n, ♦ = p
18	01.2	01.3	00.5	-12.4	-12.4	-12.5	-10.7	-14.0	71	68	67	01 5	36 5	32 4	7	8 ♦°	7(♦)	7 =	0.2		♦ = n,a, = p
19	97.4	97.2	96.4	-12.8	-13.2	-14.4	-12.0	-14.8	63	77	67	32 4	35 5	35 5	3	6 =°	8 ♦	8 ♦°	0.1		=° n, ♦ + a, ♦ = p
20	92.4	91.2	90.2	-12.6	-12.5	-12.8	-11.6	-14.7	71	82	81	36 5	02 5	36 4	3	4 ♦	7 ♦²	4 ♦	0.1		♦° = n, ♦ a,p
21	90.6	92.2	93.3	-12.9	-11.5	-13.8	-10.2	-14.5	74	75	84	04 4	04 2	05 3	2	7 ♦°	8 ♦²	4 ♦°	0.4		♦ n, = a, ♦² p
22	91.2	86.6	86.1	- 8.8	- 2.9	- 7.2	- 2.5	**-15.0**	82	87	81	09 5	18 6	25 4	3	8 ♦	8 ♦°	6 =°	6.0		♦ n, ♦ + a, + = p
23	87.7	89.9	86.8	- 7.1	- 6.1	- 2.8	- 2.8	- 8.8	74	79	79	02 4	08 1	11 6	4	6 =°	8 *	6 ♦	0.9		= + n, =° * a, = ♦ p
24	65.1	63.5	**56.3**	- 0.1	0.1	1.4	2.2	- 3.0	96	96	93	12 9	13 4	15 4	2	8 *²	8 ≡	8 ♦	5.4		= • ‡ * \ n, ‡ ≡ \ a, ♦ ≡ p
25	67.0	74.9	79.8	- 9.9	- 9.2	- 6.8	1.4	-10.0	99	89	78	35 4	35 4	18 2	8	8 =	6 +	8 *°	16.0		= ♦ n, = + ♦ a, ⊙ *° = p
26	81.3	85.2	88.5	- 3.5	- 4.2	- 0.6	- 0.4	- 6.8	86	75	82	21 4	27 5	26 4	8	6 =°	4 =°	5 =°	0.0		=° n, = ⊙ a, ♦ = p
27	97.7	07.4	10.5	- 2.4	- 6.1	- 8.4	0.8	- 9.2	69	69	77	27 5	30 4	27 1	9	2	7	6	0.8		= * ‡ n, ⊙ a
28	87.7	96.5	99.4	- 0.8	- 5.0	- 7.6	2.0	- 8.4	72	80	83	21 8	26 6	29 3	7	8 =	4 =°	8 *°	4.0		• ‡ n, =° a, = *° p
M	00.3	01.5	01.4	- 5.5	- 5.6	- 5.8	- 2.3	- 8.9	80	78	81	4.9	4.2	4.2	6.2	6.3	6.8	6.6	102		

Ekstensotabell

1953

Jan Mayen

$\varphi = 71°\ 1'N$ $\lambda = 8°\ 28'\ W$ $g = 9.829$ $\Delta G = +1^h$

Mars III

$H_s = 40$ $H_b = 39.3$ $h_t = 2.0$ $h_a = 9.8$ $h_d = 10.5$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F					Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	07.2	14.9	08.7	- 7.8	-11.0	- 8.5	- 6.6	-11.0	82	81	79	04	3	01	4	01	4	7	8 =°	8 *°	8 =°	0.0		= n, = *° a, =° p
2	07.9	14.3	19.5	-11.6	-11.0	-11.3	- 8.2	-11.7	77	76	70	04	5	35	5	29	2	4	8 *	7 ↑	1	0.1		= * n, ↑ + a, = ⊙ p
3	16.5	07.1	00.3	- 6.0	- 3.7	- 0.4	- 0.1	-12.9	73	88	90	19	4	18	4	18	3	4	8 =°	8 *	8 *°	0.1		☁ = n, *° = a, * = p
4	03.6	00.0	92.3	- 1.2	- 0.6	2.6	2.6	- 1.9	90	93	84	12	1	10	5	24	5	3	8 *°	8 ≡°	7 =°	2.5		= * · n, ≡ *° a, + 13, ‡ = p
5	95.7	00.4	96.7	- 1.2	- 6.7	- 6.8	3.5	- 7.1	88	64	81	27	5	35	2	01	2	8	8 ↓	8 =°	8 *°	3.1		☁ ↓ n, ∼ 7, = a,p
6	94.8	00.4	07.3	- 9.4	- 9.0	-10.9	- 5.7	-11.2	82	72	72	36	5	36	4	35	4	8	7 *°	6 +	6	0.6		* + =° n, + a, * + p
7	04.5	89.3	**84.9**	- 7.4	- 0.8	- 0.8	2.5	-13.3	76	85	76	21	5	18	6	24	8	4	5 +	8 *²	2 =°	0.1		*° = n, * + a, * = ⊙ \ p
8	93.2	92.7	94.0	- 6.4	- 7.6	- 9.2	- 0.6	- 9.6	87	81	79	03	4	03	3	01	6	9	4 =°	7	6	1.5		☁ n, ⊙ p
9	14.1	15.6	10.6	-11.4	- 4.6	0.5	0.6	-13.1	77	77	86	36	2	16	4	16	3	8	1	8 *°	8 ‡	0.0		* ☁ n, ‡ * = p
10	05.8	02.2	98.2	3.2	2.6	1.1	**4.4**	- 0.5	78	81	88	15	5	15	5	16	6	4	2 =°	8(≡)	7(≡)	0.2		‡ = n, = a, ≡ =² p
11	06.9	10.9	03.6	- 0.4	- 3.4	1.8	2.7	- 5.6	82	84	68	24	4	02	4	12	6	8	8 =°	8(≡)	7 +	0.7		* ☁ n, = a, ↑ = p
12	92.4	97.9	96.2	- 4.2	- 2.2	1.2	2.5	- 6.5	89	88	82	25	4	20	3	21	6	7	8 *	8 ↑°	8 •°	7.2		• ‡ * n, * =° a, •° = p
13	93.2	97.1	01.5	0.9	- 0.6	- 8.3	1.5	- 8.3	85	89	83	15	4	35	3	36	7	3	8 =°	8 *	8 *	0.1		* = + n, ‡ * = a, * + = p
14	13.5	07.8	95.7	-13.8	- 9.2	- 1.7	- 1.2	-14.6	77	79	68	06	2	05	2	03	4	5	7 ↑	8 *°	7 =°	7.0		↑ n, * a, * = p
15	01.0	11.9	15.6	- 1.8	- 7.6	- 9.4	1.0	- 9.6	75	81	78	23	5	36	5	36	4	7	1	6 ↑°	8 =°	0.8		* + n, ↑ + a, ↑ = p
16	12.5	04.8	97.7	- 6.4	- 1.4	1.9	2.0	- 9.9	77	73	82	05	1	27	4	11	3	7	8 =°	8 =°	8 •	0.0		=° n,a, ‡ p
17	91.4	07.7	18.7	- 2.1	- 8.8	- 9.2	1.9	- 9.6	90	80	**65**	36	5	35	7	35	5	9	8 *	2	3	6.5		∼ n, ⊙ \ a, ⊙ p
18	**22.0**	21.5	19.1	- 4.2	0.0	1.4	2.0	-11.4	75	80	83	10	5	10	5	11	4	9	7	7 +	7	0.0		*° ☁ n, *° a
19	15.0	11.5	05.2	- 1.6	- 0.1	- 0.1	2.0	- 2.0	89	92	96	18	5	14	5	15	6	3	8 ≡	8 ≡°	8 ≡	0.0		≡ ☁ ⊕ n, ≡ ∼ a,p
20	96.6	96.0	97.5	- 0.6	- 4.0	-11.9	1.7	-12.4	75	84	76	21	6	30	4	35	6	7	6	8 =	7 +°	0.1		‡ = n, ↑ a, ↑ + p
21	06.4	12.1	15.7	-12.6	-13.0	-12.8	- 6.7	**-16.4**	79	79	75	36	7	35	6	36	4	5	8 ↑	8 ↑°	6 +	1.5		↑ + \ n, ↑° a, ↑ = p
22	08.7	00.8	86.3	- 9.8	- 6.4	- 1.4	0.4	-12.9	81	77	82	07	2	08	2	29	2	7	6 *°	8 *°	8 *²	0.1		=° * n, * a, * ‡ p
23	02.4	07.5	08.4	- 8.6	- 8.5	-11.6	- 1.2	-11.7	90	88	83	01	6	01	5	01	5	3	8 +²	8 *°	6 +	5.7		↑ +² \ n, * a, ↑ p
24	06.0	05.9	05.1	-12.5	-10.2	- 8.3	- 7.7	-14.1	84	83	84	36	5	36	4	26	2	7	8 *°	8 *°	8 *°	1.0		*° + n, *° = a,p
25	02.4	94.3	93.7	- 4.6	- 4.3	- 5.0	- 2.1	- 8.9	82	93	94	34	6	07	11	09	11	0	7 +²	8 +	8 ↑²	0.1		= + n, +² \ a, ↑ +² \ p
26	00.6	03.4	05.4	- 6.6	- 7.6	- 9.2	- 5.0	-10.6	90	93	87	36	8	36	6	36	5	5	8 +	8 ↑°	8 ↑	7.0		↑ + \ n, ↑ a,p
27	04.4	04.4	03.5	- 9.0	- 7.1	- 5.8	- 5.6	-10.1	87	84	77	36	5	02	5	26	3	5	5 ↑	3 ↑	4 +	0.7		↑ + n, ↑ a, ⊙ 13, ↑ + = p
28	99.0	97.8	98.1	- 6.7	- 5.1	- 6.2	- 2.5	- 7.8	66	66	68	02	3	01	3	01	4	6	4(↑)	3(≡)	3 +	0.5		↑° +° n, ⊙ (≡) a, ↑ ⊙ p
29	00.6	02.8	03.5	- 7.9	- 7.4	- 8.0	- 4.8	- 8.1	89	86	88	03	7	01	7	03	8	7	8 ↑²	8 +	7 ↑	1.9		+ \ n, ↑ a, ↑ + p
30	09.3	10.2	09.9	-11.4	-10.6	-12.0	- 7.6	-12.0	73	74	79	36	6	36	5	36	5	7	7 =°	5 =°	6 ↑°	1.0		↑ + ☁ n, ↑ ⊙ = a, ↑° p
31	07.9	06.3	06.3	-11.1	-11.4	-10.5	-10.0	-12.5	66	70	83	34	6	33	5	36	4	5	7 =°	7(↑)	7 ↑°	0.1		↑ =° n, a, ↑ = p
M	04.4	04.5	03.2	- 6.3	- 5.9	- 5.4	- 2.4	- 9.9	81	82	80	4.5		4.6		4.7		5.8	6.6	7.1	6.5	50		

April IV

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F					Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	12.1	14.2	14.3	-15.6	-16.4	-16.8	- 9.9	-16.8	80	78	76	35	6	01	6	01	5	5	7 ↑	8 ↑²	7 ↑	1.3		↑ + n, ↑ a,p
2	10.2	98.1	03.3	-14.5	-13.6	- 5.0	- 4.6	**-17.2**	87	89	88	36	6	36	10	06	9	0	8 ↑	8 ↑	8 ↑²	0.8		↑ + n, ↑ + \ a,p
3	06.0	09.5	10.9	- 1.2	0.1	- 2.8	1.0	- 5.4	70	73	68	03	5	32	3	32	3	7	5 =°	5 =°	4 =°	36.0		↑ + = \ n, ⊙ =° a, ⊙ = p
4	10.7	09.5	06.5	- 6.2	- 4.1	- 3.1	- 2.6	- 7.3	68	69	76	35	2	24	3	24	3	9	4	7	7 =°			☁ = n
5	08.6	09.9	10.6	- 8.4	- 8.2	- 8.8	- 2.9	- 9.9	87	84	86	36	5	36	6	36	5	7	8 ↑	8 ↑°	7 ↑°	0.0		↑ ☁ n, ↑ a, ↑° p
6	07.9	07.2	07.3	- 8.2	- 8.0	-10.2	- 5.9	-10.2	84	84	80	34	5	34	5	36	4	5	7 =°	7 ↑°	5 ↑	0.2		↑ = n, ↑ ⊙ a,p
7	07.1	09.1	11.0	-11.2	- 9.3	- 6.4	- 6.2	-11.5	85	86	90	34	5	35	5	02	4	5	7 ↑	8 ↑	7 ↑°	0.3		↑ n,a, ↑° p
8	14.9	16.3	15.3	- 9.8	-10.8	-11.2	- 4.0	-11.4	89	82	78	36	6	36	6	36	6	6	7 +	8 ↑	7 +	0.1		↑ + n, ↑ = a, ↑° + p, ⊙ 19
9	14.3	14.4	14.3	-11.9	-10.3	-11.2	- 9.8	-12.9	81	83	81	35	4	34	4	35	3	5	7 =°	7 =	3	0.1		↑ + = n, ↑ a, ↑ = ⊙ p
10	13.6	12.8	08.6	-15.1	- 6.2	- 5.6	- 3.1	-16.6	82	**53**	65	00	0	00	0	00	0	9	1	1	2	0.1		=° n, ⊙ a,p
11	96.9	94.9	90.2	- 5.2	0.0	- 2.0	4.5	- 9.9	81	71	84	00	0	08	1	36	6	9	3(↑)	2	5 ↑	0.0		↑ n, ⊙ a, ↑ + p
12	85.9	**83.7**	87.9	- 1.8	- 2.8	- 3.8	1.0	- 3.8	97	95	87	34	5	02	10	02	10	0	7 ↑	8 ↑²	8 ↑	4.1		↑ + n, ↑ + \ a,p
13	96.0	97.4	99.2	- 5.3	- 3.9	- 4.2	- 1.3	- 5.9	88	83	88	02	9	01	8	36	8	7	8 +	8 +	8 ↑	39.7		↑ + \ n,a, ↑ \ p
14	02.6	05.8	10.0	- 4.7	- 5.0	- 6.4	- 4.0	- 6.7	89	87	82	36	7	36	6	35	5	6	8 ↑	8 ↑	7 ↑	0.6		↑ + n,a, ↑ p
15	12.4	11.7	08.0	-11.6	- 5.9	- 2.9	- 2.6	-11.9	78	68	66	08	2	14	3	18	3	9	2	1	3 =°	0.1		↑ = n, ⊙ a,p
16	08.3	12.3	19.9	- 5.4	- 5.5	- 8.8	- 2.9	- 8.8	85	78	75	32	4	34	6	34	5	7	7 ↑°	7 =°	8 =°	0.4		↑ = n, ↑ a,p
17	**22.3**	21.4	18.8	-13.6	-10.0	-11.6	- 8.7	-13.5	67	57	62	36	4	36	4	36	5	9	2	3	4	0.1		= n, ⊙ a, ⊙ ⊕ p
18	17.9	19.5	19.5	-12.4	-10.4	- 9.7	- 9.0	-12.4	65	75	78	32	6	34	6	34	6	6	3	8 ↑°	7 ↑°			⊙ n, =° ⊙ a, ↑ = p
19	16.0	14.4	13.9	- 7.0	- 5.5	- 6.7	- 3.6	- 9.8	75	74	75	34	4	03	3	03	3	8	7	7 =°	6	0.0		↑ = n, =° a, = ⊙ p
20	11.9	10.3	07.0	- 5.6	- 3.8	- 5.4	- 1.7	- 7.1	83	71	89	00	0	36	1	**36**	6	7	8 ↑	6 =°	8 ↑	0.4		↑ =° n,a,p
21	09.2	15.3	19.1	- 6.2	- 1.1	- 3.6	0.4	- 7.5	78	71	69	36	4	19	3	36	3	7	5 =°	2(↑)	6	0.5		↑ = n, = ⊙ a, ⊙ p
22	20.6	19.7	16.1	- 7.1	- 0.8	- 1.6	- 0.4	- 8.1	75	56	68	12	1	00	0	12	3	8	3	7 =°	7 =°			⊙ n,a, = * p
23	11.7	10.4	10.2	- 3.6	- 2.0	- 5.5	- 0.4	- 5.9	73	73	84	00	0	36	5	36	8	7	8 =°	6(↑)	3 ↑	0.0		=° n, = ↑ a, ↑° +² p
24	11.4	13.6	12.9	- 5.7	- 4.4	- 4.0	- 4.0	- 6.2	86	83	88	36	7	36	7	36	7	7	6 +	7 +	7 ↑°	0.2		↑ = n, ⊙ 7, ↑ + a,p, ⊙ 13
25	14.6	13.0	13.4	- 4.2	- 3.0	- 3.5	- 2.0	- 4.7	89	79	80	02	6	02	7	02	6	6	7 ↑°	7 ↑	7 =°	0.2		↑ = n, ↑ + a, ↑ = p
26	14.2	12.1	10.9	- 3.8	- 2.2	- 2.5	- 1.7	- 4.4	84	89	84	36	7	36	7	36	6	6	7 ↑°	7 ↑°	6 ↑°	0.5		↑ = n, ↑° a, ↑ = p
27	13.0	12.2	09.0	- 1.9	- 2.4	- 3.4	1.0	- 3.9	78	86	86	36	4	36	7	36	8	4	4 =²	6 ↑	7 =°	0.2		↑ ⊙ n,a, ↑° = \ p
28	00.5	02.5	02.1	- 1.0	4.0	5.4	**5.6**	- 5.1	93	91	89	36	7	16	2	12	2	7	7 ↑°	3(≡)	7 =°	0.2		↑ \ n, ⊙ (≡) a, = ⊙ (≡) p
29	01.7	03.1	01.3	1.2	3.6	1.0	**5.6**	- 0.9	84	78	88	30	1	18	1	18	3	6	7 ↑°	4(≡)	7 *°	0.1		↑ = n, = a, (≡) p
30	95.7	94.0	94.8	0.8	0.6	2.2	2.7	- 0.5	97	98	94	09	3	32	3	14	3	3	8 ≡°	8 ≡°	8 =°	0.1		=° = n, ≡ ‡ • a, * = p
M	08.9	08.9	08.9	- 6.9	- 4.9	- 5.3	- 2.3	- 8.5	82	78	80	4.2		4.6		4.9		6.2	5.9	6.1	6.2	86		

Ekstensotabell

1953

Jan Mayen

φ = 71° 1'N λ = 8° 28' W g = 9.829 ΔG = + 1ᵐ

Mai V

H_s = 40 H_b = 39.3 h_t = 2.0 h_a = 9.8 h_d = 10.5 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	02.7	04.2	05.7	- 2.9	- 2.5	- 3.6	2.6	- 3.6	98	98	96	31 1	35 4	33 4	5	8 ♦	8 *°	8 *°	1.3		♦ = n, *° a,p
2	12.7	16.1	17.5	- 2.1	0.0	- 1.0	1.4	- 4.1	83	82	73	27 3	25 3	18 4	9	2 =°	6	7	0.9		*° =° n, =° a
3	13.7	13.4	11.6	4.0	3.8	3.4	4.3	- 1.0	77	88	88	10 4	08 5	07 6	7	7 ♦°	6 ♦°	5 ♦	0.1		♦ ♦ ♦ n, ♦ a,p
4	00.3	97.6	02.8	2.0	2.7	- 0.5	3.4	- 0.5	94	97	99	12 4	03 1	36 5	7	8 •²	8 =°	8 ≡°	7.2		♦ • = n, =° • ' a, ≡ ' p
5	02.8	19.1	21.3	- 1.3	- 1.1	- 1.3	0.4	- 1.5	99	97	97	36 6	36 5	36 5	6	8 ≡²	8 =	8 =	3.0		≡ ' ~ n, = a, = ' p
6	22.2	21.5	20.1	- 2.4	0.9	1.8	2.4	- 2.5	97	85	76	18 5	13 4	18 3	5	1 ≡²	2 =	1(≡)	0.0		≡ = ⊙ n, ≡ ⊙ a,p
7	15.8	14.6	13.3	0.6	0.9	1.6	2.4	- 0.2	96	95	90	20 3	18 5	19 3	1	8 ≡	8 ≡²	1(≡)	0.0		≡ ⊙ ' n, ≡ a, ≡ ⊙ p
8	13.0	13.5	13.1	- 1.0	2.0	1.3	3.0	- 2.1	98	97	89	20 5	18 4	00 0	3	5 ≡	5 ≡	8 ≡			≡ ~ n,a, ≡ p
9	13.5	14.4	15.7	- 0.8	- 0.6	- 0.9	1.3	- 1.4	98	94	90	31 2	31 5	35 6	7	8 ≡²	8 =°	8 =	0.4		≡ ,° ~ n, ≡ *° ~ a, = p
10	18.2	20.3	21.0	- 1.1	- 0.4	0.1	1.8	- 1.9	93	93	89	36 5	01 4	21 3	6	8 ♦	8 ♦	7 =	0.7		♦ = n, ♦ = a,p
11	23.6	25.2	**26.1**	0.8	5.0	1.0	**6.0**	- 1.1	78	**55**	59	18 4	00 0	36 4	9	4	2	3	0.1		⊙ =° n, ⊙ a,p
12	24.2	22.7	20.2	- 1.5	1.1	- 2.1	2.1	- 2.4	81	81	88	02 2	32 2	33 4	7	7 *°	7 =°	8 =°	0.0		*° = n,a, =° p
13	18.0	18.8	17.2	- 2.0	- 0.9	- 2.4	- 0.4	- 3.2	74	67	**88**	03 4	36 4	35 4	8	7 =°	8 =°	8 ♦°	0.1		♦° = n, ♦ a, = ♦ p
14	15.4	15.3	15.2	- 3.8	- 2.3	- 2.8	- 0.7	- 4.1	80	80	72	36 3	36 4	36 4	4	7 ♦°	8 ♦	6 =°	0.1		♦° = n,a, ♦ =° p
15	15.6	15.9	15.2	- 4.6	- 2.4	- 3.3	- 1.0	- 5.1	73	69	74	02 3	01 4	36 4	8	7 ♦°	7 =°	7 ♦°	0.1		=° n, ♦ =° a, =° p
16	12.5	11.8	10.2	- 3.8	- 0.5	- 0.6	1.6	- **7.0**	61	61	60	02 2	01 3	00 0	6	5	6 ♦	6	0.0		⊙ n, = ⊙ ♦ a, ⊙ ♦ = p
17	08.1	08.8	08.8	- 0.3	2.8	1.6	5.0	- 5.3	62	60	63	00 0	27 1	00 0	9	5	3	7	0.0		⊙ n,a,p
18	08.4	08.1	07.8	0.0	1.8	2.1	4.6	- 1.3	76	78	79	00 0	21 3	25 1	7	7	7 =°	7 =°			⊙ = a, =° p
19	09.4	12.7	14.1	0.7	3.8	1.8	5.6	- 0.3	86	76	80	17 1	20 2	14 2	7	7 =°	4 =°	7 =°			⊙ = n, ⊙ *° = a, ⊙ = p
20	12.4	13.8	13.6	3.0	0.6	1.2	3.4	- 1.0	87	92	89	12 3	17 4	18 1	7	5 =°	8 =°	8 ♣°	0.0		=° ' ♦ n, ⊙ 7, = ≡ a, = ♣ p
21	15.3	17.3	18.9	- 1.8	- 2.4	- 1.9	1.5	- 3.1	84	81	84	28 3	28 3	34 4	8	8 ♦°	8 =°	8 =°	0.3		♣ = ♦° n, = ♦° a, =° p
22	19.4	19.6	18.5	- 2.8	2.5	- 0.6	2.5	- 5.3	72	57	68	06 2	30 1	26 3	9	2	2	3	0.0		⊙ n,a,p
23	16.9	17.6	17.1	- 3.2	- 0.4	- 1.4	2.8	- 3.5	77	69	73	32 4	36 2	27 2	9	7	3	8	0.6		= ♦° n, ⊙ a,p
24	17.6	17.9	15.7	- 3.4	- 0.1	- 1.2	0.5	- 4.2	78	72	77	35 2	18 3	17 3	9	3	1	6 ⊕			⊙ n,a,p
25	12.2	12.4	13.1	- 2.5	2.0	' 1.8	3.6	- 2.7	89	81	67	35 3	32 4	35 4	9	8 ♦°	2	1	0.1		⊙ = ♦ n,a, ⊙ p
26	10.9	09.9	08.1	- 2.6	0.6	- 0.8	2.2	- 3.2	87	76	79	36 2	18 1	18 3	8	8	8	6	0.0		⊙ n,p
27	03.4	08.6	11.5	- 0.7	- 0.7	- 0.4	1.0	- 1.1	92	91	68	33 4	35 5	35 5	7	8 =°	6 =°	1	0.0		⊙ = *° n, =° ⊙ a, ⊙ p
28	12.0	09.2	03.6	- 1.5	1.4	2.2	3.3	- 3.6	70	69	86	13 4	17 5	12 4	9	1	2	7 ,°			⊙ n,a, ,° = p
29	97.7	**97.1**	99.3	0.0	4.0	- 0.6	**6.0**	- 0.6	95	89	82	00 0	36 1	36 4	7	8 ,°	8 =	3	0.2		≡ ,° n, ≡ a, ⊙ p
30	03.9	05.2	06.3	- 4.2	- 1.6	- 1.8	0.6	- 4.2	93	88	85	35 3	35 2	35 2	4	8 =²	8 =²	8 =°	0.0		= * n, =² a,p
31	07.4	10.1	13.3	- 0.4	- 0.8	- 1.4	0.5	- 2.9	78	69	78	00 0	35 4	35 5	8	7 ⊕	7 =°	7 =°			=° n,a,p
M	12.2	13.3	13.4	- 1.3	0.6	- 0.3	2.4	- 2.7	84	80	80	2.8	3.2	3.3	6.9	6.2	5.9	6.0	15		

Juni VI

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	16.9	19.4	20.3	- 1.0	1.2	0.8	1.8	- 2.1	82	77	80	36 4	36 4	36 4	9	4	1	1			⊙ n,a,p
2	18.6	16.6	13.0	- 0.6	0.0	1.1	1.7	- **2.9**	86	85	81	00 0	15 5	14 4	7	1 =°	7 =°	7 =°			⊙ = n, =° a, = p
3	13.0	15.0	15.8	- 1.8	- 0.1	- 0.3	1.2	- 2.4	86	80	77	34 5	34 4	34 3	7	6 ♦°	8 =°	8 =°	0.1		♣ = n, =° a,p
4	12.2	10.5	10.4	- 1.2	1.7	0.4	2.7	- 2.1	87	90	81	18 4	18 3	36 4	6	8 ♦°	8 ,°	8 =	0.0		♦° = n, ♦ ,° a, ,° p
5	12.1	13.6	14.3	- 1.1	0.7	0.2	1.5	- 1.3	84	76	75	36 4	16 2	19 3	8	6 =°	8 =°	8 =°	0.2		♦ ' n, =° a,p
6	12.0	12.1	11.3	0.1	1.2	2.0	2.7	- 1.3	80	89	90	15 4	15 5	15 6	5	7 =°	8 ,	8 =°			= n, ' = a, ' =° p
7	11.2	09.3	08.1	2.8	5.4	5.2	6.2	1.8	93	89	96	18 6	16 6	16 6	6	8 ,°	8 ,²	8 ,²	0.4		' =° n, ' = a, ,² = p
8	08.6	09.5	12.1	4.5	3.2	6.6	6.6	2.9	98	93	89	16 7	17 6	18 4	5	8 ,²	8 ,°	1(≡)	2.2		' = ≡ n, ' =² ≡ a, = ⊙ p
9	11.9	12.3	12.3	3.8	1.8	3.4	7.5	1.6	95	93	93	16 5	15 5	16 4	2	7 =	8 ≡	7 ≡	1.3		⊙ = ≡° n, ≡ a,p
10	13.9	14.3	13.8	3.8	4.8	5.5	6.3	2.2	91	91	89	16 4	16 5	15 4	3	7 ,°	8 ≡	6 =²	0.1		' = ≡ n, ' = a, ' ≡ p
11	10.7	10.4	09.1	5.8	5.5	6.1	6.6	4.7	88	97	95	16 6	14 5	17 4	2	8 •	8 ≡	7(≡)	0.9		• ' = n, • = ≡ a, = ≡ p
12	07.3	07.8	07.1	6.0	6.3	7.8	9.3	4.7	89	95	87	12 3	15 4	12 4	3	7(≡)	8 ≡°	7 =°	0.1		' = n, ≡ a, = p
13	04.7	04.0	03.7	5.5	4.8	3.0	8.7	2.7	98	90	96	11 4	11 3	14 6	2	8 ≡	8 ,°	6 =²	5.0		♦² ≡ n, ≡ a,p
14	09.4	13.4	15.3	1.4	5.2	2.1	5.5	0.6	97	91	92	28 1	35 1	18 5	9	8 ≡°	3(≡)	0 ≡°	0.2		,° ≡ = n, ⊙ ≡ = a, ⊙ ≡ p
15	16.0	15.0	14.2	2.9	4.4	5.6	6.0	0.6	96	89	90	14 6	14 4	15 3	4	7 ,°	8 ,°	7 =°	0.1		≡ ⊙ ⊕ ' n, =° ' a, =° p
16	12.3	11.4	10.3	2.2	2.7	2.1	5.8	1.7	93	98	98	17 1	00 0	36 2	2	8 ≡	8 ≡	8 ≡	0.2		⊙ =° n, ≡ a,p
17	04.9	03.7	02.3	2.9	4.8	5.3	6.7	0.5	94	83	81	17 2	18 3	18 4	8	7	3(≡)	1			⊙ ≡ n, ⊙ a,p
18	04.8	07.9	08.7	4.4	9.1	6.9	12.3	3.3	99	89	89	14 1	30 1	01 1	7	8 ≡°	7 =°	8 =²			= ≡ n, = ♦ a, = p
19	**99.2**	00.2	06.2	3.1	5.2	6.9	9.9	1.3	93	95	97	00 0	15 7	17 5	2	6 =	8 ≡	8 ≡	2.1		' = n, ' ≡ a, ≡ p
20	10.0	12.0	09.9	9.1	12.1	8.8	14.2	6.4	89	75	**71**	11 5	14 6	36 3	7	7 =	4 =	1 =	0.2		= n,a, ⊙ = p
21	04.2	99.8	00.6	5.4	10.8	7.0	**18.1**	4.6	92	77	93	00 0	00 0	15 3	7	6 =°	7 =°	8 ≡			= n,a, ♦ p
22	06.4	07.5	07.8	6.0	6.5	5.4	9.4	3.7	95	89	98	16 5	16 3	17 3	7	8 ≡	8 =	8 ≡	0.9		≡ n, = a, ' ≡ p
23	10.3	11.8	12.2	4.7	6.6	5.7	7.6	3.9	98	90	97	14 5	16 5	16 5	6	8 =²	8 •°	8 •	1.0		' • = n, • = a,p
24	15.4	18.3	19.7	8.5	7.1	7.3	10.4	4.4	98	90	91	17 5	18 4	17 3	5	6 =	7 =²	3 =	0.8		• = n, ⊙ = a, ⊙ = (≡) p
25	21.6	**22.3**	19.9	5.2	6.9	10.2	12.8	3.7	98	88	88	00 0	00 0	17 3	7	1 =	1 =°	2 =°			⊙ = n,a,p
26	21.7	21.5	19.8	11.5	11.1	12.8	15.3	7.3	89	83	81	00 0	25 1	18 4	6	5 =	6 =	6 =			⊙ = ⊕ n, ⊙ = a,p
27	16.4	15.3	13.5	8.1	8.4	**9.1**	**14.2**	6.4	91	89	89	12 4	18 4	11 3	6	7 ≡°	5 =	7 =°			⊙ = n, •° ≡ a, =° (≡) p
28	10.4	13.0	15.7	7.0	6.8	5.5	9.8	4.8	93	98	97	15 6	18 3	00 0	2	8 =²	8 ≡	8 ≡	0.0		• ≡ n, ≡ a,p
29	16.3	15.6	12.7	5.4	9.2	10.1	11.5	4.1	92	81	76	18 4	26 2	16 3	8	7 =°	6	5			=° ≡ n, = a, ⊙ = p
30	09.0	08.7	07.9	5.8	5.7	6.3	10.6	4.9	93	89	88	12 2	15 4	00 0	7	7 =°	7 =°	8 =	0.1		= ,° • n, = a ⊓
M	11.4	11.7	11.6	4.0	5.4	5.3	8.1	2.4	92	88	88	3.4	3.5	3.6	5.5	6.6	6.7	5.9	16		

Ekstensotabell

1953

Jan Mayen

φ = 71° 1'N λ = 8° 28' W g = 9.829 ΔG = + 1h

Juli VII

H_s = 40 H_b = 39.3 h_t = 2.0 h_a = 9.8 h_d = 10.5 h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	09.9	12.3	12.6	4.0	3.8	4.4	6.8	3.4	99	98	98	30 1	00 0	00 0	7	8 ≡	8 =°	8 ≡°	0.0		,° ≡ •° n, ≡ , a, ≡ p
2	11.3	11.5	11.7	1.8	3.0	3.8	4.6	1.5	98	98	92	36 3	34 3	36 3	6	8 ≡	8 =	8 =°	0.4		≡ n, ≡ = a, =° p
3	12.0	13.3	13.5	2.4	3.4	4.1	4.4	2.1	91	93	97	34 1	00 0	00 0	3	7	8 ,°	6(≡)	0.0		,° =° n, ≡° ,° a, ≡ ,° p
4	15.4	16.7	17.5	4.2	5.4	4.8	5.8	3.4	87	86	84	00 0	15 1	17 2	9	7 =	7	7	0.4		= n,a
5	**18.5**	17.9	16.6	1.7	2.9	2.8	5.4	0.8	88	92	85	36 2	36 4	36 3	9	8	8	8			
6	13.6	11.5	10.7	0.8	0.8	3.5	3.8	**0.5**	89	92	80	36 1	36 5	27 2	6	5(≡)	6(≡)	7			= n
7	09.3	10.0	10.1	4.4	4.9	4.9	5.7	2.7	75	79	83	09 1	27 2	34 3	9	7	8	7			
8	11.2	11.5	13.0	3.8	6.6	5.8	7.2	2.2	90	68	71	36 4	09 1	36 2	8	6	6 =°	7 =°			⊙ n, =° ⊙ a,p
9	12.6	13.3	12.4	3.1	3.4	4.2	5.9	2.4	82	85	84	03 2	36 2	36 2	9	8	8	8			(⊕) n, ⊙ p
10	09.7	09.0	08.1	3.4	5.0	5.4	6.5	3.2	82	72	75	20 1	18 2	16 2	8	8	6	8			
11	07.6	07.8	06.7	5.6	7.3	7.2	8.1	4.8	90	77	77	15 4	16 3	18 3	8	7 =°	7	6	0.0		, = (≡) n, •° ⊙ = a, ⊙ p
12	03.9	03.3	02.0	5.6	6.8	6.6	7.5	5.4	82	75	77	15 1	20 3	15 4	9	6	7	7 ,	0.0		, p
13	00.9	00.7	01.5	6.4	9.0	8.4	9.8	5.2	88	69	86	20 1	16 2	14 3	9	8	6	8 ,	0.0		, =° ⊙ n, ⊙ a,p
14	01.4	02.0	00.0	8.6	9.1	7.8	9.2	6.3	92	83	73	16 2	27 1	01 5	8	6 =°	5 =°	2	0.0		, •° =° (≡) n, =° ⊙ a,p
15	**99.4**	00.4	01.0	5.0	6.3	6.8	7.8	3.3	99	87	84	36 3	27 1	18 4	8	8 ≡	6	7	0.1		≡ ,° n, ≡ = a, ,° p
16	02.7	03.4	04.2	5.4	7.8	8.1	9.1	3.9	91	80	81	18 2	14 2	20 1	8	8 =°	6	7	0.0		,° =° n, ⊙ a,p
17	05.2	05.6	06.2	5.6	6.2	5.7	8.6	5.2	87	85	86	13 1	28 1	29 2	8	7 =°	8 =°	8 =°			=° n,a,p
18	05.9	05.4	04.6	5.8	7.8	6.2	9.3	3.5	81	76	89	01 3	18 1	24 1	9	8	6	8 ,			=° n, , = p
19	05.4	05.9	06.9	7.3	7.8	8.1	8.4	5.5	90	93	87	16 4	18 4	18 5	4	8 =°	8	6 =	0.0		= n, ≡ = a, = , p
20	06.9	06.7	06.8	5.3	4.6	3.2	8.4	2.8	88	87	90	18 4	25 3	28 3	7	8 =°	7 ⊕°	8 ⊕	0.1		,° =° n, =° a,p
21	08.2	09.1	09.6	4.0	7.0	7.4	7.8	2.3	76	74	75	27 3	19 3	19 4	9	6	2	2	0.1		=° ,° n, ⊙ a,p
22	10.6	11.6	09.6	5.0	6.1	6.2	8.0	3.7	74	80	90	14 1	30 2	32 1	8	6	7 •°	7 •°			⊙ n, ,° a,p
23	09.2	09.2	08.9	7.0	7.2	7.7	9.0	5.9	83	81	75	36 2	31 2	34 2	8	4	8	5	0.7		• , n, ⊙ (⊕) p
24	10.1	11.5	11.8	6.1	7.1	6.8	7.8	5.3	80	79	79	12 2	36 1	33 2	9	6	6	3			⊙ n,a,p
25	11.1	10.4	09.6	5.6	6.4	7.0	8.1	4.6	82	87	89	00 0	36 2	36 2	9	7	7	8			=° p
26	07.9	07.2	06.3	7.4	8.3	9.6	9.8	6.1	84	87	79	00 0	36 1	32 1	8	7(•)	7	5			⊙ n,a,p
27	03.5	03.0	02.1	9.4	10.4	9.4	10.7	7.9	84	76	75	12 3	10 4	14 4	8	7(≡)	7 =°	7			⊙ ≡ n, =° a,p
28	01.8	03.3	04.0	8.3	8.8	8.6	**12.0**	7.7	80	80	81	01 2	36 2	14 1	8	5	8	8			
29	03.5	03.0	03.1	6.3	5.1	3.8	9.0	3.7	94	91	91	36 2	34 4	34 4	7	8 ≡°	4	6 =			= ≡ n, ,° ≡ a, ⊙ 13, = p
30	03.1	05.0	06.5	2.2	4.2	5.0	5.4	1.9	99	89	87	36 2	36 4	35 2	7	8 ,	7 ,	7 =	0.3		=° , n, =² =° ,° a, ⊙ =° p
31	07.7	08.3	08.9	5.8	7.9	9.4	10.0	1.7	88	77	68	18 2	18 3	18 3	6	7 =°	6	4	0.0		=° n, ⊙ p
M	07.7	08.1	08.0	5.1	6.1	6.2	7.7	3.8	87	83	83	1.9	2.2	2.5	7.8	7.0	6.7	6.5	2		

August VIII

Datum	P 7	P 13	P 19	T 7	T 13	T 19	Max	Min	U 7	U 13	U 19	D,F 7	D,F 13	D,F 19	V 13	N,w 7	N,w 13	N,w 19	R	h_s	W
1	10.6	11.2	11.6	7.0	7.8	7.3	10.1	6.3	85	83	83	24 2	20 3	25 3	8	7(⊕)	8 =°	7 =°			=° n, =° (⊕) •° a, =° p
2	10.5	10.2	09.6	6.5	7.6	7.9	8.1	6.2	82	81	80	17 2	20 4	20 5	9	8	8	7	0.0		=° n
3	07.2	06.8	04.7	8.1	8.8	9.0	10.1	7.3	88	82	81	18 5	16 4	14 4	8	8	6	7			=° n
4	98.1	97.1	96.2	8.6	10.2	10.8	12.5	8.3	98	80	84	16 4	10 4	10 4	8	8 ,°	5 =°	6 ,°	0.2		, ≡ = n, ,° =² =° a, ,° =° p
5	97.4	99.6	01.8	9.4	9.7	11.2	11.6	7.9	82	85	86	36 1	36 2	18 3	8	7	8 =°	7	0.0		,° n, =° a,p
6	09.9	09.2	11.6	9.4	8.5	9.1	11.4	7.8	91	94	89	16 3	18 3	18 3	3	6	8 ≡°	7 ,°			=° n, = ≡° a, ,° ⊙ = ≡° p
7	11.5	11.3	09.3	8.0	8.5	10.1	10.2	7.1	90	88	80	12 4	13 5	14 4	7	7 ,°	7 ,°	7 =°	0.5		, = n,a, ,° =° p
8	05.5	06.4	06.0	9.6	8.4	9.5	10.6	8.7	97	94	86	16 5	14 4	18 4	2	8 ,	8 ,	3 =°	1.3		, ⊕ =² n, , = a, ⊙ = , p
9	02.6	00.0	96.8	9.9	9.8	10.1	11.2	5.9	75	88	88	16 5	12 5	7 5	7	8 =°	8 =°	8 ,°	0.1		⊙ = n, =° a, ,° =° p
10	91.1	92.3	93.2	9.8	10.2	11.0	11.1	8.9	95	86	87	16 4	10 4	18 4	6	8 ,	7(›)	5(⊕)	2.9		, ≡° = n,a, ,° ⌒ (⊕) =° p
11	95.1	96.4	96.5	11.3	10.2	11.1	12.5	10.0	74	85	89	11 4	11 4	14 3	6	7 =°	8 •	8 =°	2.2		•° ,° = ⊙ n, •° = a, , • =° p
12	93.4	88.1	**84.3**	10.1	11.8	9.6	**12.7**	8.9	83	84	93	12 4	12 4	18 4	3	7 =°	8 ,°	8 •	3.3		,° •° =° n, ,° =° a, ,° • (≡) p
13	90.7	95.6	99.7	6.6	6.8	7.1	9.4	5.3	98	97	92	27 3	34 2	01 2	7	8 =°	7 =°	7 =°	11.9		• ≡ = n, ⊙ =° a, =° p
14	04.8	06.3	06.8	6.8	11.0	9.7	11.0	6.3	93	86	98	19 3	15 3	16 3	5	8 ,°	8 ,²	8 ,	0.0		, ≡° =² n, , = ⊙ a, , = p
15	04.5	02.8	04.3	8.0	9.0	8.9	10.0	7.6	93	98	98	00 0	18 3	20 2	7	8 •°	8 =°	8 =°	0.8		•° , = n, • = (≡) a,p
16	04.8	05.6	08.4	8.2	8.2	6.9	10.6	6.9	98	98	98	19 1	26 1	33 2	4	8 •°	7 =²	8 ≡°	2.8		•° ≡ (≡) n, •° ≡° a, ≡ =² p
17	07.7	07.0	05.2	5.8	5.0	5.1	7.2	4.7	91	96	98	36 6	02 6	36 6	6	4 =°	8 •°	8 ,°	0.1		≡ ,° =° n, •° =° a, •° , = p
18	01.0	98.5	99.6	4.4	6.6	6.2	7.4	3.7	98	97	88	34 4	18 3	16 5	6	8 ,°	8 ,°	8 ,°	1.3		= ,° ≡ n, ≡ = ,° •° a, = ,° p
19	05.5	07.5	06.7	8.2	8.9	7.6	9.7	4.9	85	84	89	11 3	03 3	20 2	8	6 =°	7 =°	8(≡)	2.7		,° =° n, =° a, ≡ (≡) p
20	03.0	02.9	03.7	5.6	7.0	7.8	8.9	4.9	98	99	98	34 3	00 0	00 0	2	8 ≡	7 ≡	8 ,°	0.2		, ≡ n, ≡ a, ≡ = ,° (≡) p
21	06.7	08.4	08.6	8.0	8.2	8.0	9.5	4.9	98	98	98	00 0	34 1	35 2	2	8 ≡	8 ≡	8 ≡	0.2		(≡) ≡ =° ,° n, ≡ a, ≡ (≡) = ,° p
22	07.6	07.9	07.3	8.3	10.2	9.4	11.2	6.7	97	92	87	23 1	01 1	00 0	8	8 =°	4 =°	7 =	0.4		(≡) ,° = n, =° ⊙ a,p
23	09.6	10.9	08.9	8.8	9.4	8.9	11.3	7.2	97	97	90	02 1	28 1	02 1	8	8 =°	8 =°	8 =°	0.0		(≡) = ,° n, =° ,° a,p
24	07.2	07.7	07.8	7.6	8.6	10.1	10.1	8.9	89	81	71	16 3	19 2	20 1	8	8 =°	7 =°	4 =°	0.0		=° n, =° (≡) a, =° ⊙ p
25	09.5	11.2	12.0	6.4	8.2	6.8	10.1	5.1	85	76	86	36 1	22 4	01 5	7	5 =°	7 =°	8 =°			(≡) = ⊙ n, =° a,p
26	11.1	10.0	08.9	5.2	5.4	4.2	7.6	3.3	84	78	82	01 3	36 4	02 3	9	7	8	8			=° n
27	05.2	05.8	05.6	3.1	3.0	3.2	5.0	1.5	92	86	92	36 3	36 3	29 2	7	8 =°	8 =°	8 ,°	0.1		•° ,° =° n, =° a, =° ,° p
28	05.3	05.6	04.9	3.5	4.1	3.0	4.4	2.8	85	75	78	01 1	35 2	33 4	9	8	8	8	0.0		=° ,° n
29	05.9	05.8	05.4	3.2	3.0	4.6	5.5	2.2	84	87	80	34 4	29 3	34 3	9	7	8	8 =°	0.0		=° ,° n, =° p
30	06.0	07.9	08.7	3.2	3.2	3.5	4.6	2.2	80	89	81	36 5	01 4	35 4	7	8 =°	6 =°	8 =°			=° n, (⊕) ⊕° =° ⊙° a, =° ⊙° p
31	10.9	11.9	**13.2**	3.9	4.0	4.4	4.5	2.4	82	82	83	34 4	34 4	33 4	9	8	7	7	0.2		=° ,° n
M	04.4	04.8	04.8	7.2	7.8	7.8	9.4	6.0	89	88	88	3.0	3.1	3.1	6.4	7.4	7.4	7.3	31		

Jan Mayen

φ = 71° 1'N λ = 8° 28' W g = 9.829 ΔG = + 1h **September IX** H_s = 40 H_b = 39.3 h_t = 2.0 h_a = 9.8 h_d = 10.5 h_r = 1.7

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7	13	19	13	7	13	19			
1	14.3	14.9	13.7	3.8	5.0	4.9	5.5	2.9	90	88	85	35 3	33 3	34 3	9	7	8	7	0.0		•° n,a
2	11.9	11.7	10.7	3.4	5.8	4.0	6.2	1.9	85	79	84	03 1	01 2	35 4	9	6	5	8	0.0		⊙ a, ⊙° p
3	10.2	10.5	10.9	2.4	2.7	3.6	4.5	1.9	93	90	85	02 4	34 3	35 4	9	8	8	8 =°	0.0		•° n, =° p
4	11.6	13.9	15.7	3.2	3.6	3.3	4.4	2.6	93	89	84	36 5	36 4	36 3	6	7 =°	6 ,•	7(•)	0.6		• n, =° a
5	19.7	19.9	19.5	1.7	4.8	6.4	6.6	1.0	93	82	79	16 2	17 4	14 4	9	8 ,°	5	8	0.6		,° =° n, ⊙ a
6	11.6	00.1	88.1	7.8	9.3	7.9	9.9	7.5	87	89	98	12 6	12 6	18 5	4	8 •	8 •	8 •	1.3		•° n, = • a, ≡ • p
7	95.7	03.3	06.6	4.8	4.6	4.1	9.5	3.7	93	89	83	31 6	33 6	35 3	6	8 •°	8 =°	3 =°	32.1		, •° n, = a, =° p
8	04.4	03.2	01.0	5.4	5.8	4.9	6.6	3.4	82	98	95	14 4	14 3	35 1	7	8 =°	8 =°	8 =	0.1		, =° n, ,° =° p
9	01.5	05.7	07.8	3.3	2.7	2.1	5.1	1.3	89	75	76	36 4	36 5	36 5	9	6 =°	6	8	3.0		=° n, ◐ 13, , p
10	06.1	01.6	98.7	1.4	6.4	6.2	6.9	0.4	78	78	78	16 3	18 4	16 3	8	1	7 =°	8 =°	0.0		⊙° ◡ n, =° ⊙° a, =° p
11	93.2	94.2	97.3	6.2	5.2	3.7	6.6	3.6	91	96	93	16 4	35 3	35 5	4	8 ,	8 •	8 •°	5.4		•° , n, • a,p
12	06.6	10.1	11.8	1.8	1.9	3.6	4.6	1.3	89	78	69	34 6	36 4	28 1	9	8 •°	6	2	25.6		•° n,a, ⊙ p
13	07.8	05.8	01.7	5.6	6.2	6.1	6.3	3.4	79	82	93	17 4	14 4	16 4	8	8 =°	8 =°	8 ,	0.7		=° n, ◐° =° a, , = p
14	96.0	97.2	99.3	6.6	7.6	7.4	8.5	6.0	92	97	98	14 1	04 1	19 1	6	8 •°	8 =	8 ≡°	4.5		•° n, •° = a, = p, ≡° 19
15	02.9	02.7	99.7	5.8	9.7	7.9	9.7	4.9	97	90	96	16 2	16 4	14 5	7	2 ◠	8 ,°	8 •°	1.6		,° (≡) a, , = p
16	96.1	97.1	97.5	5.9	7.0	6.1	8.1	5.1	89	53	51	20 6	20 5	19 4	8	3 =°	5 =°	3 =°	4.0		, =° n, =° a, ⊙ =° p
17	05.5	10.9	12.5	4.2	5.8	5.3	6.5	3.9	86	85	85	27 4	28 1	18 2	7	5 =°	6 =°	8 =°	0.0		=° , n, =° ◐ a, =° p
18	09.4	08.3	06.0	6.9	7.1	8.8	9.0	3.9	89	77	70	18 3	15 3	16 4	6	8 =	8 =°	7 =°	0.1		= , n, =° a,p
19	04.7	05.4	05.8	8.1	8.3	6.7	9.1	6.0	89	85	93	12 3	12 4	00 0	7	8 =°	8 =°	8 ,°	0.1		=° , n, =° a, ≡ ,° p
20	05.9	07.0	07.8	4.4	7.2	7.2	7.5	4.3	90	83	76	34 2	10 5	10 5	7	8 ,°	8 ,°	7 =°	0.5		,° n,a, ,° =° p
21	09.0	10.7	10.6	6.9	6.7	6.0	7.9	5.8	84	82	83	10 5	10 5	10 5	8	8 ⚥°	8 ⚥	7 =°	2.0		⚥° =° n,a, , =° p
22	11.7	12.8	12.8	5.9	6.8	5.8	7.3	5.4	72	78	83	08 2	10 4	05 1	9	8	8	8 ,°	1.7		,° p
23	09.8	09.0	06.4	4.8	4.9	5.6	6.1	4.2	92	89	77	00 0	28 2	16 3	9	8 ,°	6	8	0.0		,° n, ⊙° a,p
24	99.1	90.5	80.2	6.2	7.7	6.8	7.7	4.4	91	90	90	19 4	11 6	16 6	7	8	8 •	8 •	0.4		,° n, • a,p
25	77.4	78.0	78.4	4.8	6.4	6.0	7.5	4.1	84	80	80	16 3	15 4	17 2	8	4 =°	4	7	16.0		• n, =° ⊙ a, ⊙° p
26	83.2	89.0	93.3	1.1	- 0.2	- 1.1	6.4	- 1.1	89	84	78	35 6	34 6	35 5	6	8 •°	8 *°	8 =°	1.9		‡° •° n, *° = a, ‡° =° p
27	92.3	89.2	87.6	- 1.4	- 0.4	0.9	0.9	- 1.8	75	76	90	02 3	05 1	18 2	9	8 =°	8	8 *°	0.1		=° n, *° p
28	89.2	89.2	87.8	1.8	2.8	2.8	3.7	- 1.8	89	88	90	18 2	28 1	01 2	7	7 =°	7(≡)	8(≡)	3.7		=° ‡ n, =° (≡) a, (≡) p
29	85.8	87.7	87.9	2.7	3.6	3.4	4.3	1.6	96	98	97	02 3	04 3	02 3	6	5 =°	6 ≈	6 =°	7.2		• =° n, ◐° = a, =° p
30	85.9	85.0	85.5	2.3	4.0	3.0	4.7	1.7	97	97	97	18 2	36 6	36 4	6	8 ≡	5 •	8 ≡			≡ n, •° a, ◐ ◠ 13, ≡ p
M	02.0	02.2	01.4	4.2	5.3	4.8	6.4	3.0	88	84	82	3.4	3.9	3.2	7.1	6.8	7.0	7.0	113		

Oktober X

1	86.2	83.8	80.2	1.2	1.8	8.2	8.7	0.9	97	91	75	10 3	06 3	03 7	7	8 =°	7(≡)	8 •°	0.5		,° (≡) =° n, =° (≡) a, •° p
2	86.2	91.5	95.2	5.7	7.0	5.5	9.3	4.4	82	74	77	04 4	24 4	01 4	7	6	4 =°	4(≡)	0.5		• n, =° ⊙ a, =° ⊙ (≡) p
3	95.6	97.8	99.1	3.0	2.6	2.4	6.0	2.0	87	93	91	05 7	02 6	02 7	4	5 =°	7 •	8 =°			=° (≡) ◠ n, =° • a, =° p
4	06.8	11.1	13.2	1.8	0.9	- 0.4	2.5	- 0.6	97	85	86	36 6	33 5	32 4	8	8 •°	7 =°	8 =°	10.1		• n, =° a
5	04.1	93.2	92.1	1.8	6.4	4.0	6.7	- 0.6	85	93	89	12 6	14 7	24 5	6	8	8 •	7 •°	0.0		, n, • a, •° p
6	05.4	09.8	07.8	0.4	0.1	4.4	4.4	- 0.7	88	82	92	33 6	00 0	24 3	9	8 *°	3	8 =°	11.7		*° n, ⊙ 13, =° p
7	00.8	99.8	96.3	6.4	6.4	5.0	6.7	3.8	97	95	97	17 4	19 5	16 2	8	8 •°	5 =°	8 =°	2.0		• •° n, ≡° ◐° =° a, •° =° p
8	90.2	89.3	86.6	3.2	1.4	- 1.4	5.5	- 1.9	87	86	97	28 4	02 3	01 4	7	7 =°	7 =°	8 *	0.6		• =° n, ≡° a, *² +° p
9	89.7	92.0	93.4	- 4.0	- 4.7	- 3.8	- 1.4	- 6.8	75	74	68	35 5	36 5	04 5	7	8 +°	8 ⚥	8 +	2.6		*° +° n, ⚥ + a, + p
10	99.3	99.5	99.1	- 5.9	- 4.9	- 4.8	- 3.5	- 6.7	69	62	68	33 5	27 4	30 3	6	4	7 ⚥°	8	0.6		⚥ n, (⚥) a
11	99.9	00.4	97.4	- 5.9	- 4.2	- 5.8	- 3.7	- 6.3	56	54	60	06 4	02 4	05 3	9	5	6	3			⊙ a, ⊙° p
12	95.3	93.9	93.2	- 4.1	- 2.9	- 1.8	- 1.6	- 7.1	77	76	77	02 5	02 5	34 4	9	2	8	8 =°			=° p
13	92.7	93.0	94.6	- 1.3	- 0.8	- 1.2	- 0.5	- 1.8	86	76	80	01 5	01 6	35 7	6	8 =°	8 ◬°	8 +			=° n, =° ◬° a, +° =² p
14	01.5	03.1	03.5	- 1.4	- 1.0	- 0.5	- 0.3	- 1.7	66	59	63	30 4	27 4	26 7	8	8 =°	7 =°	3	0.0		=° n, =° ◐° a
15	07.2	07.5	04.4	- 1.3	0.6	4.2	4.2	- 1.3	68	70	90	27 3	15 3	16 4	9	2	4	8 •°			•° p
16	06.5	07.8	05.9	3.7	4.4	4.8	5.7	3.3	93	86	76	18 4	16 4	14 4	8	8 =°	7 =°	8	0.4		•° =° n, =° a, •° p
17	00.2	00.1	99.0	5.8	4.8	5.2	6.1	4.1	99	99	97	16 4	16 4	15 4	6	8 •°	8 •	8 •°	2.3		• n, •° a, •° =° p
18	96.0	94.8	97.1	2.0	4.9	1.9	5.3	1.2	97	93	95	19 4	17 3	00 0	8	8 ,°	5 =°	3(≡)	3.2		,° =° n, ≡ 7, (≡) =° a,p
19	93.9	99.1	00.0	3.8	5.0	4.0	7.9	1.9	98	88	87	16 4	17 5	16 3	8	8 ≡°	2 =°	1 =	4.0		=° • ≡° n, =° ◐° a,p
20	99.5	01.3	97.9	0.2	- 1.8	- 1.7	4.0	- 1.9	97	89	93	36 1	36 3	35 2	9	8	8	8 =			= p
21	00.0	01.9	98.6	- 1.0	- 0.7	0.2	2.0	- 1.9	92	89	92	00 0	00 0	00 0	9	8 *°	7	8	1.3		=° *° n, ⚥ p
22	01.7	99.6	90.7	0.7	1.3	5.3	5.7	0.0	97	97	84	00 0	11 2	13 6	5	8 =	8 ⚥	8 •	0.0		= ,° n, =° a, = • p
23	92.2	94.1	94.7	4.6	0.2	- 0.9	6.0	- 1.4	79	75	80	14 4	20 5	25 2	6	6 =	4	6 =°	5.3		= •° n, =° p
24	82.4	76.4	73.1	2.1	5.1	3.1	7.9	- 0.8	88	89	93	33 2	13 5	14 4	7	8	8 =°	8 •°	4.3		*° ‡° •° n, • =° a, , = p
25	77.3	76.5	76.7	0.3	0.0	- 0.1	3.1	- 0.5	75	77	75	15 4	20 3	20 4	8	8 =°	8 =°	8 •°	5.4		=° n,a, =° ⚥° ,° △ p
26	85.9	88.8	78.4	- 1.2	- 1.6	6.4	7.0	- 3.6	76	75	71	20 3	18 2	08 8	7	8 =°	8 =°	8 •	0.1		=° n,a, *° • p
27	83.5	86.9	88.9	6.5	7.7	8.2	8.6	- 4.8	97	84	82	12 6	12 7	10 7	5	8 •	8 =	8 =	11.4		• =° n, •° = a, =° p
28	91.2	94.4	92.4	5.2	5.6	6.7	9.5	- 3.7	91	97	86	17 4	10 4	12 5	7	8 =°	7 =°	7 =°	2.6		• n, =° a, •° =° p
29	87.3	86.0	90.6	6.1	3.0	3.8	7.2	1.4	91	86	97	10 6	10 4	20 4	6	8 ⚥	8 •	8 •	0.6		⚥ n,a, = • p
30	95.6	98.8	98.5	5.4	5.8	6.4	6.7	2.9	97	94	90	15 5	16 5	16 5	7	8 •	8 •°	8 =	14.4		• = n, •° =° a, ⚥ = p
31	94.4	92.3	91.8	6.7	5.8	6.2	7.4	4.8	83	93	93	15 6	14 6	16 5	8	8 =°	8 ⚥°	8 ⚥°	6.8		=° n, ⚥° =° a,p
M	95.1	95.6	94.5	1.6	1.9	2.4	4.6	- 0.8	84	83	84	4.1	4.1	4.3	7.2	6.9	6.7	7.0	91		

Ekstensotabell

1953

Jan Mayen

φ = 71° 1'N λ = 8° 28'W g = 9.829 ΔG = + 1h **November XI** H_a = 40 H_b = 39.3 h_t = 2.0 h_s = 9.8 h_d = 10.5 h_r = 1.7

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	94.4	94.7	94.2	5.8	6.2	6.2	8.0	3.0	83	83	86	16 6	10 4	12 5	8	8 =	6 =°	7 =°	5.0		= n, =° a, ⸸ =° p
2	92.2	93.6	96.9	6.3	7.0	8.6	9.2	5.0	80	89	82	11 6	12 6	16 5	5	8 ⸸°	8 •°	8 ⸸	5.8		⸸ =° n, •° = a, ⸸ = p
3	97.0	98.4	96.7	7.4	6.5	6.5	10.0	4.3	74	79	88	11 7	11 7	12 6	8	5 =°	7 =°	8 =	6.2		• = n, = a,p
4	00.4	90.4	99.5	5.2	6.0	8.0	8.4	3.0	90	88	66	12 4	10 5	10 4	6	8 ,°	7 ,°	7 =°	0.7		,° n, =° a, =° p
5	95.4	94.6	93.6	6.0	5.9	4.8	8.5	3.2	78	76	68	10 4	09 6	12 4	7	7 •°	8 •°	8	1.5		•° =° n,a
6	92.2	90.9	88.2	3.4	2.7	0.7	6.6	0.4	75	82	90	14 1	18 3	02 2	8	8 •°	8 =°	8 *°	6.8		•° n, =° a, • ‡° *° p
7	78.4	72.9	71.3	0.5	1.8	0.3	3.0	- 0.2	88	80	91	36 4	32 4	02 6	8	2	5 =°	8 *°	0.4		=° a, ,° *° p
8	71.7	77.0	81.6	0.4	0.2	- 1.4	1.2	- 1.6	90	90	90	35 7	02 6	34 4	4	8 *°	8 *°	8	6.2		*° +° n, *° +° = a, ⸸ = p
9	85.3	88.5	90.8	- 1.8	- 3.2	- 2.7	- 1.1	- 3.2	83	85	86	35 5	35 4	34 3	6	8 =°	7(≡)	8 *°	1.7		*° =° n, =° (≡) a, ,° ~° *° p
10	92.4	93.1	91.8	- 3.6	- 3.7	- 3.2	- 2.0	- 5.2	76	71	67	03 3	00 0	00 0	9	2	8	8	1.7		* n, =° a, *° p
11	92.0	94.3	95.9	- 2.5	- 3.4	- 4.4	- 1.0	- 4.5	79	80	86	05 5	01 5	36 6	5	3	8 *	8 ⸸°	0.0		* a, ⸸° = p
12	98.2	00.1	01.6	- 4.6	- 4.9	- 3.6	- 3.6	- 5.5	72	70	67	35 5	01 5	34 5	8	8 *°	8 ⸸°	7 =°	0.0		=° +° n, *° ⸸° +° a, =° p
13	03.7	06.7	09.0	- 4.0	- 5.2	- 5.2	- 3.3	- 5.6	70	65	67	34 5	02 4	34 4	8	8 *°	8 *°	8 *°	0.1		*° a,p
14	13.4	15.5	19.8	- 8.4	- 8.0	- 3.6	- 3.4	- 8.7	65	69	76	33 4	04 2	05 2	9	2	8	8 *°	0.3		⌒ n, *° p
15	11.0	06.9	00.1	- 0.8	0.8	3.3	3.5	- 2.1	89	89	78	18 7	16 6	12 6	4	8 *°	8 *	8 =°	1.6		*° + n, * a, =° p
16	64.5	66.3	66.4	4.9	3.2	2.6	5.2	1.3	89	76	79	16 5	18 7	16 6	6	8 =	6 =	7 =	28.5		• n, = a,p
17	62.6	77.1	80.4	0.8	- 1.4	- 2.7	3.1	- 3.1	84	87	72	00 0	24 6	28 4	7	8 =	8 =°	7 =°	1.4		*° = n, ‡ ⸸ a, =° p
18	77.9	80.7	86.1	- 1.6	- 2.9	- 3.3	- 0.9	- 4.1	89	86	83	36 4	35 5	34 5	4	8 *°	8 *°	8 *°	1.2		*° =° n,a,p
19	95.8	99.9	01.6	- 3.4	- 3.0	- 3.4	- 2.6	- 4.4	79	81	78	32 5	32 6	36 6	7	8 *°	8 =°	8 =°	1.6		*° + n, •° =° ~ a, =° p
20	06.1	06.6	05.8	- 2.9	- 2.8	- 3.1	- 2.4	- 4.1	67	70	66	33 5	30 4	31 3	9	7 =°	7	7	1.0		=° n
21	06.7	06.1	01.8	- 4.2	- 1.2	- 3.6	0.9	- 6.0	65	67	75	11 3	11 4	09 7	9	1	7	8			⌒ 7
22	91.3	92.7	92.5	5.5	4.6	3.7	6.2	- 3.6	85	89	96	12 7	15 5	15 6	5	8 •°	8 •°	8 ,°	18.3		•° \ n, •° ≡ = a
23	98.1	96.7	93.1	1.9	4.8	5.2	7.0	0.5	94	90	89	15 5	12 6	12 7	4	8 ,°	8 •°	8 •°	4.3		=° ≡° n, ≡° =² ,° •° a, •° = p
24	92.0	93.6	89.8	4.4	4.2	2.4	5.4	2.0	83	82	94	16 6	18 5	15 5	6	8 =°	8 =	8 =	5.8		⸸ =° n, = a,p
25	90.7	91.2	87.0	0.0	2.0	3.2	4.3	- 0.7	87	83	87	25 5	14 4	16 4	6	8 ⸸°	8 ‡°	6 =	8.0		=° * n, ⸸° a, ⸸° = p
26	82.5	82.4	76.4	1.7	1.0	0.6	3.9	0.4	90	93	88	16 2	00 0	01 6	3	6 =°	8 ≡	8 *	1.8		• =° n, ≡ a, ≡ = p
27	76.2	83.7	87.5	- 4.2	- 5.3	- 7.2	2.1	- 7.2	94	89	84	34 9	36 8	34 6	3	8 *	8 *°	8 *°	9.6		* +² \ n, *° +² \ a, *° + p
28	86.4	81.5	75.4	- 9.7	- 9.2	- 3.4	- 3.4	-10.1	74	77	85	30 4	16 3	20 6	3	7 *°	8 *	8 *	1.6		*° + n, * a,p
29	76.8	78.1	76.7	- 7.1	- 7.5	- 7.4	- 1.5	- 7.9	80	75	73	33 5	03 2	04 2	9	8 *°	8 *°	6	2.4		*° n,a
30	73.5	72.3	73.0	- 7.7	- 6.0	- 4.4	- 4.3	-11.2	71	73	78	34 4	33 6	34 6	8	8	8 ⸸°	8 *°	0.1		*° n, ⸸° +° a,p
M	90.0	90.9	90.8	- 0.5	- 0.4	- 0.2	2.2	- 2.6	81	80	80	4.7	4.6	4.7	6.4	6.7	7.6	7.7	124		

Desember XII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	81.1	84.0	82.0	- 5.0	- 5.4	- 5.4	- 4.2	- 6.5	82	75	84	33 6	34 5	35 5	7	8 *°	8 *°	8 ⸸°	0.3		⸸° *° n, *° a, +° ⸸° p
2	79.7	83.7	86.6	- 3.0	- 2.6	- 3.4	- 1.9	- 5.6	87	84	73	02 4	02 5	29 3	4	8 ⸸°	8 *°	4 =°	0.7		⸸° •° ~ n, ⸸° + (≡) a, ‡° *° = p
3	89.4	90.7	91.6	- 4.0	- 3.8	- 4.6	- 2.8	- 5.5	73	72	80	04 1	00 0	02 2	7	8	7 =°	8 *°	0.1		=° *° n,p
4	94.5	95.3	95.0	- 5.6	- 7.6	- 6.3	- 4.3	- 8.7	84	73	79	36 4	06 3	00 0	9	4 =°	6	7 *°	0.3		⌒ ⸸ n, =° *° p
5	99.7	01.8	00.8	- 6.6	- 4.4	- 2.4	- 2.2	- 9.1	67	71	70	12 3	19 4	15 4	7	3	8 =°	8 +°	0.3		⌒² =° n, =° + p
6	81.4	83.4	80.6	3.9	2.3	2.1	4.5	- 5.6	89	74	81	12 6	17 4	18 5	8	8 •	5 =°	8 =°	18.2		*° = • n, • =° a, =° p
7	87.4	03.6	94.1	- 1.4	- 0.4	1.8	2.3	- 1.9	75	73	89	27 4	20 3	18 4	8	8 =°	8 =°	8 •	2.8		*° =° n, =° a, ⸸ •° =° p
8	98.0	97.8	96.6	0.0	2.3	2.9	4.2	- 0.8	90	92	93	00 0	16 4	14 5	4	8 •°	8 =²	8 •°	0.9		, •° =° n, • = a, ≡° , •° p
9	93.8	98.3	97.7	0.1	0.3	2.2	2.4	- 1.3	79	85	79	25 4	18 5	13 5	7	7 =°	8 =°	8 =°	7.1		,° =° *° n, • =° a, =° p
10	95.6	97.3	98.2	2.9	2.9	2.7	5.2	2.2	87	88	92	15 5	17 4	15 5	6	8 =°	8 =	8 •°	0.0		=° n, = a, •° = p
11	92.4	00.7	99.2	3.2	1.8	3.5	5.0	1.8	91	84	86	12 5	18 5	17 5	7	8 •°	8 =°	8 •°	1.6		•° =² ≡° n, •° =² a, •° =° p
12	91.1	81.7	87.1	4.8	4.3	- 2.3	5.0	- 2.5	87	89	82	18 7	18 7	21 5	7	8 =°	8 •	8 =°	4.3		•° =° n, =° • a, =° p
13	96.8	91.8	90.7	- 1.2	3.4	3.8	4.0	- 4.5	82	89	91	12 4	12 6	15 6	8	8	8 •°	8 •	2.4		=° •° n, •° a, • , = p
14	95.5	94.1	94.7	3.1	4.0	4.0	4.5	2.3	95	89	94	18 4	18 6	16 5	8	8 •°	8 •°	8 •°	15.8		,° •° ≡² n, •° =° a, ≡² •° ,° p
15	93.9	94.2	97.4	4.2	4.0	0.4	5.0	- 0.1	93	93	89	16 5	12 7	18 5	2	8 ,°	8 ≡	8 ,°	13.4		,° ≡² n, ,° ≡ a, ≡ =² ,² p
16	07.6	99.4	92.7	0.2	2.4	4.6	5.0	- 2.3	85	85	85	15 6	12 7	16 8	4	8 =°	8 •²	8 =°	0.1		=° n, ⸸° =° a, • ⸸° =° p
17	98.9	94.3	92.3	1.6	2.2	3.6	4.8	1.4	84	84	93	20 5	12 7	16 5	4	8 =°	8 ,°	8 ,	1.9		=° n,a, , = p
18	87.3	91.9	92.9	3.4	2.0	1.8	4.5	1.2	92	93	84	17 7	15 4	16 4	7	8 ,°	1 =°	2 =°	6.3		, = ≡ n,a, =° p
19	98.2	02.9	99.2	- 3.0	- 4.1	- 1.8	3.7	- 4.5	81	80	85	33 4	36 3	11 5	9	7 =°	6	8	0.0		=° n,a
20	82.5	87.7	87.9	0.5	- 2.4	0.0	3.3	- 2.6	90	88	81	00 0	21 4	21 4	7	8 *	8 =°	5 *°	15.7		+ • * = n, * =° a, =° *° • p
21	86.2	85.1	84.8	0.2	- 1.0	- 0.6	0.7	- 1.4	85	85	83	16 4	02 3	34 3	8	6	8 =°	8 =°	0.1		*° n, =° a,p
22	93.6	90.9	81.2	- 5.7	- 2.2	- 0.2	0.6	- 5.7	80	73	72	04 4	09 6	09 8	8	7	8 =°	8 *°			=° n,a, *° + p
23	78.2	76.4	73.0	2.6	2.2	2.7	3.5	- 1.1	88	87	84	16 4	10 4	09 3	7	8 =°	8 =°	3 =°	7.6		*° ‡ ,° =° n, =° a, •° =° p
24	72.7	75.4	79.7	0.0	- 0.8	- 1.9	3.3	- 2.2	93	92	89	36 4	34 4	33 6	4	8 *°	8 *	8 *°	7.1		•° *° = ≡ n,a, = *° + p
25	94.8	02.0	04.0	- 3.7	- 6.5	- 7.3	- 1.5	- 7.4	77	75	71	36 7	36 5	34 3	8	8 *°	8 =°	2	5.0		*° + n, *° =° + a, ⌒ p
26	97.9	94.6	90.0	- 3.2	- 1.1	0.0	0.2	- 9.6	73	68	71	12 5	14 5	12 5	9	7	7	5	0.0		⌒ n
27	87.9	90.2	96.3	0.0	- 1.6	- 1.8	1.5	- 2.1	82	89	86	15 3	18 3	16 4	7	2 =°	8 *°	7 *°	1.4		* + =° n, =° *° a,p
28	99.1	01.4	07.5	- 1.7	- 0.8	- 4.2	0.3	- 4.5	73	86	89	15 4	12 4	35 5	4	3 =°	8 *°	8 *°	0.1		*° =° n,a, *° =° + p
29	09.2	99.2	80.9	- 5.2	- 1.3	0.9	1.0	- 6.8	77	84	89	14 3	11 7	06 8	4	8 =°	8 +	8 *	0.6		⌒ =° n, + =° a, * + \ p
30	70.7	74.7	77.6	- 1.1	- 3.0	- 5.9	2.8	- 6.2	82	69	76	20 8	21 6	25 5	8	8 =°	7 =°	8 *	11.8		* =° n, =° a, =° * + p
31	90.7	91.1	87.1	- 4.2	- 3.4	- 1.4	- 1.2	- 8.2	77	68	75	30 5	05 4	09 3	6	6 ⸸°	8 *°	8 *°	0.9		△ *° ⸸² + n, =° a, *° = p
M	91.2	90.8	91.0	- 0.8	- 0.4	- 0.4	1.9	- 3.5	83	82	83	4.4	4.6	4.6	6.5	7.1	7.3	7.1	127		

Ekstensotabell

1953

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 ΔG = + 1ʰ

Januar I

H_s = 3 H_b = 4.2 h_t = 1.8 h_a = 6.5 h_d = 6.9 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	17.9	13.1	11.4	-22.2	-21.4	-22.7	-21.3	-27.0	92	93	93	00 0	00 0	00 0	9	7	7	5			=° a
2	20.0	20.6	10.7	-21.7	-22.4	-20.0	-14.4	-23.4	91	90	89	17 1	00 0	08 1	9	3	3	3			⌒ n,a
3	08.5	06.2	01.4	-15.1	-12.9	-14.7	-12.9	-21.8	91	95	96	00 0	15 1	00 0	6	8	8 *°	1			=° *° a, *° p, ⌒ 19
4	97.1	99.3	00.8	-15.6	-15.6	-16.0	-14.7	-20.1	95	95	94	00 0	19 1	03 1	6	7	8 *°	8 *°	0.3		*° a,p
5	08.0	12.4	18.1	-15.9	- 8.6	- 9.6	- 7.8	-18.0	93	54	**46**	15 1	03 6	03 5	9	7	4	1	0.7		=° n, ⌒ 19
6	19.4	20.0	17.5	-20.8	-22.0	-25.4	- 9.4	-27.9	73	75	80	09 1	08 3	00 0	9	0	1	1			⌒ n,a,p
7	19.3	21.0	22.2	-25.8	-26.8	-27.2	-23.2	-29.7	79	80	84	02 1	00 0	00 0	9	1	1	5			⌒ n,a
8	24.9	22.9	19.2	-18.6	-15.1	-19.6	-14.3	-27.4	86	84	89	00 0	05 3	15 1	6	8	8 *°	3			*° a,p
9	14.2	13.7	10.2	-15.4	-19.1	-18.9	-12.6	-24.0	86	73	75	05 3	30 3	01 3	9	0	1	0	0.1		⌒ n,a, ⌒ 19
10	13.3	16.0	19.1	-17.0	-22.2	-20.1	- 9.8	-23.0	74	81	90	04 1	15 2	15 1	9	0	3	8(≡)			⌒ n,a, (≡) p
11	12.9	09.1	08.2	-21.1	-28.1	-23.0	-17.5	-28.9	89	90	88	11 2	28 1	04 1	8	1	1 =°	2	0.1		*° =° ⌒ n, ⌒ a, =° p
12	09.5	10.6	10.4	-18.6	-23.1	-23.6	-18.2	-30.1	79	88	95	06 2	00 0	00 0	8	0 =°	6(≡)	4			=° ⌒ n, =° ⌒ (≡) a, (≡) ⌒ p
13	10.4	09.8	07.1	-29.4	-31.0	-28.9	-23.3	-32.3	88	88	88	05 1	00 0	13 1	9	1	1	0			⌒ n,a, ⌒ 19
14	98.4	94.4	92.3	-33.0	-30.8	-29.4	-28.7	-33.3	88	88	88	00 0	00 0	24 1	9	0	1	1			⌒ n,a
15	90.1	83.8	82.0	-21.2	-19.1	-19.0	-18.7	-30.4	90	91	91	06 1	03 2	13 1	4	8 *°	8 *	8 *°	0.2		⌒ *° n, *° * a, * *° =° p
16	84.7	86.5	89.0	-20.3	-20.0	-20.6	-18.9	-21.0	91	90	89	05 1	00 0	00 0	5	8 *°	8 *°	8 *°	7.9		*° n,a,p
17	03.1	07.2	08.4	-23.1	-28.5	-33.1	-19.3	-37.7	90	89	89	02 1	05 1	31 1	9	7 =°	2	2	1.5		=° n,a
18	11.2	13.0	13.6	-37.5	-41.6	-41.8	-26.5	-43.5	88	86	85	17 2	17 1	17 1	9	0	0	0			⌒ n,a
19	06.4	01.5	00.6	-32.8	-25.1	-22.1	-21.5	**-43.8**	88	89	86	00 0	12 1	18 1	8	2	8 =°	5 =°			⌒ n, ⌒ =° a, =° p
20	10.4	14.2	19.2	-24.7	-21.3	-21.4	-20.0	-34.9	69	69	59	06 2	05 5	36 3	9	0	1	2			⌒ n,a
21	22.7	23.9	24.0	-26.0	-25.5	-34.7	-19.8	-34.9	68	67	76	21 1	03 1	00 0	9	0	1	5			⌒ n,a
22	16.6	18.4	20.4	-35.0	-30.1	-32.4	-25.8	-37.4	84	64	52	17 1	00 0	00 0	9	0	5	3			⌒ n,a
23	15.6	14.4	12.4	-31.1	-31.3	-29.3	-25.3	-33.3	88	66	76	02 1	00 0	00 0	9	1	4	5			⌒ n,a
24	08.3	07.2	05.5	-21.2	-20.4	+19.2	-19.2	-29.8	86	90	90	00 0	00 0	00 0	4	8 *°	8 *	8 *	0.8		*° n, *° * a, * p
25	05.6	05.1	01.5	-21.5	-18.9	-16.7	-16.7	-23.2	87	87	87	06 1	00 0	00 0	7	7	8 =°	8	7.7		* n, =° a,p
26	83.0	78.3	78.1	- 7.6	- 9.3	- 8.6	- 7.5	-16.7	89	90	86	03 7	06 5	03 5	3	8 *	8 *°	8 +°	5.5		* + n, * + \ a, *² * *° +° p
27	78.7	**77.2**	89.9	- 9.9	- 5.0	- 4.3	**- 2.0**	-11.7	76	96	95	02 8	12 8	08 3	2	8 +²	8 +²	8 *	4.8		=° + n, +² a, +² + * p
28	05.1	11.0	14.3	- 9.6	- 9.7	-10.9	- 3.9	-10.9	83	86	80	04 7	03 6	03 6	5	5 +°	8 +	8 +°	7.6		* + n, +° + a, + +° p
29	16.2	15.0	14.1	-14.3	-17.1	-17.4	-10.3	-18.2	52	55	55	06 5	05 5	05 5	9	7	4	2			
30	16.0	20.4	24.1	-16.1	-15.1	-18.9	-12.8	-20.4	73	88	88	30 1	10 2	09 1	7	8	8 *°	8			*° a, *° =° p
31	**26.1**	23.4	20.1	-29.4	-36.8	-33.3	-18.7	-37.1	88	89	88	12 1	00 0	15 1	9	1	4	6	0.1		⌒ n,a
M	08.8	08.7	08.6	-21.7	-21.7	-22.0	-16.6	-27.5	84	83	82	1.7	1.8	1.4	7.5	3.9	4.7	4.4	37		

Februar II

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	19.7	20.4	19.3	-36.5	-32.7	-29.4	-26.5	-37.7	**42**	55	70	00 0	00 0	01 1	8	1	7(≡)	3(≡)			(≡) a,p
2	20.6	18.2	05.2	-25.0	-22.0	-15.1	-11.7	-32.9	80	83	86	13 1	00 0	03 8	4	8 =°	8 *°	8 *°			=° ⌒ n, *° =° a, *° + p
3	16.0	28.3	**35.0**	-11.3	-11.2	-19.5	- 9.9	-21.0	72	72	80	04 5	03 5	14 3	9	1	2	3	2.0		+ \ n, +° a
4	31.5	28.9	25.6	-26.5	-26.1	-24.3	-16.8	-28.5	61	82	84	00 0	21 1	19 1	9	1	4	2			⌒ n, ⊙° p
5	19.4	18.8	16.6	-23.7	-23.9	-23.1	-19.5	-26.5	83	83	84	00 0	15 2	14 1	9	2	5	6			⌒ n, ⊙° p
6	11.7	07.7	06.7	-15.9	-12.0	-10.8	- 8.7	-26.0	87	86	86	12 1	03 2	14 2	4	3 =°	8 ϕ°	7			⌒ n, =° a, ϕ =° (≡) p
7	07.7	07.3	06.8	-12.9	-13.6	-16.7	- 9.4	-17.0	89	90	89	00 0	19 1	00 0	7	8 =°	8 *°	8(≡)	0.2		=° n, *° (≡) =° a, *° ≡ ∨ p
8	09.2	00.6	04.7	- 7.5	- 4.3	- 5.1	- 3.2	-16.8	87	88	95	03 6	35 3	35 1	4	8 +²	8 *	8 *	0.1		(≡) + n, + *° * a, * p
9	09.4	10.3	08.1	- 2.5	- 6.7	-11.7	- 1.7	-12.4	92	90	92	17 3	17 2	06 1	7	8 *	8(≡)	6 ≡	16.9		* n, * = (≡) a, ≡ ∨ ⊙° p
10	14.6	20.7	26.3	-13.9	-11.6	-15.3	-10.1	-15.9	88	92	84	00 0	24 3	23 4	4	8 ≡	8 *	7 =	0.6		≡ ∨ n, ≡ = * a, * =° ≡° = p
11	27.1	25.4	24.6	-21.8	-22.0	-23.5	-14.6	-24.9	80	80	78	23 3	15 1	23 1	5	8 *°	8 *°	8 =	0.6		*° n,a, *° =° p
12	25.5	27.6	30.0	-32.6	-39.8	-34.8	-22.9	-43.4	80	74	74	00 0	00 0	00 0	9	0	1	0	1.0		= ⌒ n, ⌒ a, ⊙° p
13	32.4	31.7	24.3	-43.0	-45.9	-43.8	-34.8	-47.0	73	71	71	00 0	00 0	08 1	9	0	1	2 =			⌒ n,a, ⊙° = p
14	26.6	25.1	21.3	-40.9	-37.6	-34.8	-34.8	**-47.5**	73	73	73	00 0	00 0	13 1	9	2	2	7 =°			⌒ n,a, ⊙° 13, =° p
15	17.0	16.3	14.9	-31.4	-27.1	-24.6	-23.7	-36.9	74	76	78	32 1	12 1	15 1	8	2	7 =°	8 *°			⌒ n, ⌒ =° a, * =° = p
16	15.8	19.5	22.2	-23.5	-24.8	-29.9	-22.5	-30.3	74	76	76	19 2	00 0	00 0	8	8 *	7 =°	3	3.1		* n, *° =° a, =° p
17	20.0	19.4	18.0	-41.2	-42.0	-41.3	-29.2	-42.4	73	72	73	00 0	00 0	00 0	9	1	1	1	0.0		⌒ n, ⌒ ⊙° a, ⊙ ⊙° p
18	12.0	09.7	06.6	-42.7	-21.0	-19.0	-18.5	-45.2	73	80	57	00 0	03 3	05 6	9	1	1	0			⌒ n, ⊙ a, ⊙ +° p
19	07.0	06.2	05.0	-20.1	-21.7	-21.6	-11.2	-26.0	51	52	49	03 6	04 4	04 2	9	0 +°	0	1			+ ⌒ n, +° ⌒ ⊙° a, ⊙ ⊙° p
20	03.1	05.3	03.3	-26.3	-33.1	-33.8	-21.4	-35.0	47	64	61	21 2	00 0	18 1	9	0	2	0			⌒ n, ⊙° a, ⊙ p
21	99.1	98.1	97.2	-35.0	-38.2	-41.4	-23.0	-42.5	58	67	66	00 0	00 0	00 0	9	1	0	0			⌒ n, ⊙ a, ⊙ ⊙° p
22	00.6	99.5	98.5	-36.0	-35.1	-27.6	-27.6	-43.2	66	51	49	21 1	06 4	00 0	9	0	1	1			⌒ n, ⌒ ⊙° a, ⊙ ⊙° p
23	98.8	01.5	99.7	-31.0	-30.9	-28.2	-26.2	-36.0	59	66	59	27 2	00 0	06 4	9	3	6	3			⌒ n,a, ⊙° ⊙ p
24	84.0	71.8	**69.7**	-22.9	-16.1	-14.1	-10.5	-35.7	74	88	87	03 9	03 8	15 2	2	8 +²	8 +²	8 *°			+ \ n, +² \ a, +² * p, =° 19
25	70.6	76.2	82.2	-24.2	-27.5	-30.0	-21.1	-30.0	82	78	76	00 0	00 0	00 0	6	2	1(≡)	2(≡)	1.1		+ * ⌒ n, ⌒ (≡) ⊙°a, (≡) ⊙ ⌒ ⊙° p
26	86.6	90.5	94.0	-21.9	-22.3	-28.9	-17.5	-31.5	82	82	78	11 1	28 1	00 0	8	7	3 =°	1	0.0		ϕ° ⌒ n,=° *° a, =° ⊙° p
27	02.0	10.5	12.3	-19.6	-18.1	-18.6	-14.6	-31.1	58	52	56	05 5	04 5	14 1	8	0	1 +°	7	0.5		⌒ n, ⌒ + ⊙° a, + ⊙° p
28	99.8	02.4	04.7	-13.6	-15.8	-20.6	-12.0	-20.6	80	83	78	03 5	15 3	00 0	8	8 *°	7 *°	1	0.5		*° +° n, *° +° * a, *° ⊙° =° p
M	09.9	10.6	10.1	-25.1	-24.4	-24.6	-18.0	-31.6	73	75	75	1.9	1.8	1.5	7.4	3.5	4.4	4.0	27		

Ekstensotabell

1953

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 ΔG = + 1h

Mars III

H_s = 3 H_b = 4.2 h_z = 1.8 h_s = 6.5 h_d = 6.9 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	18.2	22.0	20.9	-24.7	-25.1	-32.0	-18.1	-33.2	80	78	78	00 0	27 2	00 0	8	0 ⌣	5(≡)	0 =	0.4		⌣ n, (≡) a, (≡) = ⊙ ⊙° p, ∨ 19
2	20.3	18.8	14.7	-34.1	-34.4	-11.2	-10.7	-39.8	83	81	59	00 0	00 0	04 7	9	0	0	5 +			⌓ n, ⊙ a, =° ⊙ = + p
3	13.0	05.5	00.8	-22.3	-20.1	-25.2	-10.9	-26.8	71	73	72	00 0	35 1	17 2	9	8	7	1			⌓ n, ⊙ p
4	06.0	04.5	00.1	-22.8	-20.6	-20.3	-17.6	-30.7	81	82	82	05 1	08 1	11 2	9	2 =°	8 =°	2			=° ⌓ ⌣ n, =° ⌓ a, =° * p
5	05.4	09.8	08.5	-27.4	-23.9	-24.3	-19.5	-31.9	80	81	71	00 0	05 3	29 2	8	0 =°	5 =°	7	3.1		*° =° ⌓ n, =° ⌓ a, =° ⊙ p
6	06.7	09.6	10.0	-31.7	-32.2	-32.6	-20.8	-35.3	76	68	68	00 0	00 0	35 1	9	0	0	0			⌓ n, ⌓ ⊙° a, ⊙ p
7	91.4	**78.8**	87.4	-30.5	-13.1	-20.4	- 7.1	-36.0	78	70	70	30 3	05 6	02 4	4	3	2 +	0 =°			⌓ n, ⌓ + ⊙ a, + ⊙ =° p
8	03.7	05.8	07.8	-27.2	-28.1	-29.4	-19.5	-34.3	76	71	72	05 2	00 0	00 0	8	0 =°	1 =°	1			=° ⌓ n, =° ⌓ ⊙° a, =° ⊙ p
9	15.1	15.2	10.6	-38.1	-37.0	-13.3	-13.2	-39.6	76	74	56	02 1	15 1	05 7	8	0	1 =°	1 +°			⌓ n, ⌓ =° a, =° +° ⊙° p
10	08.9	04.7	98.5	-12.2	-16.1	-14.8	-10.6	-29.6	70	80	89	00 0	15 2	00 0	3	8 =°	8 *	8 *²			=° ⌓ n, =° *° * a, * *° p
11	17.1	20.7	14.1	-23.1	-24.0	-23.8	-14.6	-28.6	81	81	80	21 5	17 3	08 1	4	6 *°	8 *°	8 *	12.1		* n, *° =° = a, =° * p
12	96.7	03.4	08.1	-27.7	-26.5	-29.8	-23.7	-31.2	81	76	74	18 1	09 1	01 3	8	3	1 =°	4 =°	3.0		* ⌓ n, (≡) ⊙° a, =° ⊙ ⊙° p
13	12.5	14.7	18.0	-28.1	-29.6	-30.4	-25.8	-38.0	80	74	73	36 3	00 0	06 3	8	8 *	0 =°	7	0.8		* n, * *° =° ⊙° a, =° ⊙ ⊙° p
14	21.2	22.1	20.3	-37.6	-29.5	-27.0	-26.1	**-44.4**	80	81	78	15 1	02 1	00 0	6	2	8 *°	8 *°	0.2		⌓ n, *° a, *° =° p
15	22.8	27.4	27.8	-34.1	-34.8	-36.9	-27.0	-41.1	76	74	72	35 4	00 0	01 1	9	2 =°	8	1	0.4		*° =° ⌓ n, =° ⊙° a, ⊙ p
16	24.2	22.2	19.2	-20.4	-17.6	-15.0	-13.5	-41.8	61	57	51	04 7	03 5	04 6	8	0 +	0 +°	1 +°			+ n, + ⊙° a, +° =° ⊙ p
17	15.7	18.4	22.5	-24.2	-25.9	-26.5	-13.0	-32.7	63	64	64	35 1	15 2	00 0	9	0	0	7			+° ⌓ n, ⊙° ⊙ a,p
18	23.8	23.3	20.6	-13.0	- 9.1	- 7.8	**- 6.0**	-29.9	52	51	**47**	05 7	05 6	04 5	9	4 +°	6	7			+° n, +° ⊙° a, +° ⊙ ⊙° p
19	12.9	08.2	01.7	-20.7	-11.7	-10.2	- 7.0	-21.2	81	74	93	00 0	35 2	00 0	9	6	8	8 *²			*° =° p
20	00.2	04.8	05.6	-17.0	-17.4	-13.8	- 9.6	-20.1	89	80	68	29 3	01 2	03 5	7	8 *	8 =°	8 +°	12.2		* *° n, * *° =° a, =° +° ⊙° p
21	21.0	25.2	24.8	-23.4	-25.8	-24.8	-13.5	-28.3	83	73	74	23 1	23 1	00 0	8	7 =	1 =°	8 =°	0.3		= n, =° ⊙° a,p
22	21.2	20.2	19.2	-26.2	-21.6	-21.9	-19.1	-32.7	83	81	73	00 0	00 0	15 2	5	8 *°	8 *°	4 =°	0.1		*° =° n,a, *° =° ⊙° p
23	24.5	26.4	25.3	-32.6	-29.8	-30.0	-21.9	-37.1	81	64	63	02 3	31 2	31 3	8	1 =°	2 =°	0	1.2		=° ., =° ⊙° a, =° ⊙ p
24	25.4	28.6	31.4	-22.3	-20.8	-19.6	-17.4	-35.1	73	80	83	06 4	14 2	19 1	4	8 =²	8 *	8 *²	0.0		*° + = n, +° =° *° a, * *° p
25	**33.6**	32.6	31.4	-24.6	-20.0	-21.8	-18.5	-25.1	80	73	81	15 2	04 1	27 2	6	8 =°	8 *°	8 *°	5.2		* =° n, =° *° a, *° +° =° ≡° p
26	26.3	24.4	22.3	-32.0	-31.0	-30.5	-21.6	-39.0	84	81	71	03 2	01 1	36 1	8	1 =°	1 =°	1 =°	0.3		*° ≡° + =° n, =° ⊙° a,p
27	21.8	23.0	24.0	-30.1	-23.2	-23.0	-20.2	-36.7	74	58	56	05 3	05 5	06 4	9	2	7	8			=° n, ⊙° ⊙ a, ⊙ p
28	24.7	24.7	25.1	-21.6	-19.3	-21.0	-15.1	-24.2	56	53	55	05 5	03 5	20 1	8	8	8 +°	8 =°			+° a, +° =° ⊙° p
29	25.0	25.6	25.6	-28.7	-23.8	-24.2	-20.0	-29.2	71	63	61	17 1	30 1	23 1	9	8 =°	8 =°	6			=° n, =° ⊙° a, ⊙° p
30	23.5	20.0	15.4	-19.3	-14.8	-13.2	-11.8	-34.2	57	52	51	05 5	04 6	03 5	8	1	1 +°	3			⊙° + a, +° ⊙ p
31	21.2	22.8	23.5	-18.0	-15.5	-15.1	-11.6	-19.2	78	71	52	32 2	35 2	03 4	8	7 =°	8 =°	6			=° n, =° ⊙° ⊙ a, =° ⊙ p
M	16.3	16.6	15.6	-25.7	-23.3	-22.3	-16.3	-32.5	75	72	69	2.2	2.1	2.4	7.5	3.8	4.6	4.6	39		

April IV

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	29.9	30.4	30.9	-25.6	-26.6	-22.7	-14.6	-29.4	74	72	69	03 3	33 1	31 2	8	0 =°	2 =°	3 =°			⌓ =° n, =° ⊙° ⊙ a,p
2	31.0	32.2	30.8	-17.5	-15.4	-19.0	- 8.9	-28.4	53	49	59	05 5	06 1	00 0	9	7 =°	1	0			=° n, =° ⊙° a, ⊙ p
3	27.9	27.5	24.3	-21.5	-20.9	-18.8	-11.5	-28.1	59	66	68	32 4	15 1	17 2	9	1	6	7			⊙ p
4	10.7	**10.4**	14.2	- 4.3	- 1.0	- 2.9	- 0.5	-23.0	52	**47**	48	01 7	36 5	02 7	9	8	5	7			⊙° ⊙ a, ⊙° p
5	21.6	21.9	22.2	-18.8	-15.5	-13.8	- 2.7	-24.7	88	82	71	15 1	18 2	00 0	8	3 ≡	4 =°	0			≡ ∨ n, ≡ (≡) ∨ =° ⊙° a, ⊙ p
6	20.8	19.0	20.4	-29.2	-16.4	-15.5	-11.0	-30.6	89	93	96	00 0	00 0	00 0	1	0(≡)	8 ≡²	8 ≡			(≡) ∨ n, (≡) ≡ ⊙° ∨ a, ≡² ≡ ∨ p
7	22.4	27.3	30.7	-15.3	-14.1	-13.6	- 9.1	-26.5	71	61	64	03 4	00 0	31 3	9	2	6	8			⊙° a, ⊙ ⊙° p
8	**35.8**	34.4	29.9	-18.9	-16.7	-19.8	-13.5	-20.1	92	74	73	00 0	02 3	00 0	9	6(≡)	1	1	0.1		*° n, (≡) =° ⊙ a, ⊙ p
9	23.3	21.2	20.1	-34.1	-25.2	-22.3	-18.5	**-34.6**	87	87	76	03 1	00 0	00 0	8	0 =°	8 =°	8 =°			=° n, =° ⊙° a,p
10	18.7	19.9	19.3	-31.7	-18.6	-18.8	-16.0	-33.2	84	67	71	00 0	00 0	00 0	7	3(≡)	8(≡)	1(≡)			(≡) n, (≡) ⊙° a, (≡) ⊙ p
11	17.4	16.5	16.0	-33.1	-23.0	-20.7	-16.0	-34.0	87	87	73	13 2	30 1	15 2	8	1(≡)	1(≡)	8			(≡) n, ≡° (≡) =° ⊙° a,(≡) =° ⊙° p
12	16.5	17.3	18.4	-14.7	-11.4	-12.7	- 7.0	-23.3	64	58	63	29 7	04 5	00 0	9	4 +°	3	1			+° n, +° ⊙° a, ⊙ p
13	20.2	21.0	20.9	-27.2	-19.6	-17.3	-11.5	-29.6	76	67	70	00 0	00 0	00 0	9	0	1	0			⊙° ⊙ a, ⊙ p
14	21.1	20.6	18.1	-30.7	-21.0	-17.3	-15.5	-31.7	78	69	73	00 0	00 0	00 0	9	4	3	6			⊙° ⊙ a,p
15	16.1	18.4	18.6	-23.2	-15.1	-14.4	-10.1	-26.9	74	64	56	11 1	00 0	20 1	9	6	0	0			⊙ a,p
16	20.3	27.8	29.3	-23.7	-15.2	-16.4	-10.0	-26.7	81	53	64	03 3	36 3	15 2	9	1	4	4			⊙° a, ⊙ ⊙° p
17	28.0	28.6	28.0	-26.7	-13.9	-11.7	-10.5	-26.7	74	63	57	36 1	00 0	00 0	7	6	6(≡)	3			(≡) ⊙° a, (≡) ⊙ p
18	28.2	31.3	29.2	-25.5	-15.0	-15.1	-11.0	-27.3	80	67	74	00 0	00 0	00 0	9	4	7	8			⊙ n, ⊙° a,p
19	23.2	21.9	22.1	-19.7	-12.4	-11.5	- 7.5	-22.4	86	68	64	00 0	00 0	02 1	9	3	1	4			⊙ a,p
20	23.9	23.2	22.0	-25.8	-16.0	-12.1	-10.4	-27.3	90	76	71	01 1	27 1	01 2	9	4	4	0			⊙° a, ⊙ p
21	22.4	25.1	27.1	-27.1	-17.3	-12.9	-10.7	-30.0	87	67	68	00 0	00 0	00 0	9	0	1	[illegible]			⊙ n,a,p
22	32.4	33.1	31.0	-26.2	- 7.5	- 9.3	- 6.4	-28.0	87	53	71	00 0	06 4	00 0	9	0	0	0			⊙ n,a,p
23	28.2	28.2	30.4	- 6.5	- 0.2	- 2.9	1.5	-20.4	51	51	74	05 4	06 4	01 1	9	7	8	7			⊙ n
24	31.5	31.8	32.2	- 9.1	- 1.3	- 1.8	3.2	-11.3	90	64	64	01 1	03 1	36 3	9	8	7	3			⊙ a,p
25	31.8	32.7	32.7	- 6.3	- 0.4	- 0.7	3.9	-16.0	69	59	66	05 5	01 1	33 1	9	5	6	6			⊙ n, ⊙° a,p
26	32.2	31.4	30.9	- 9.6	1.4	- 1.1	**6.7**	-12.0	81	57	78	36 2	29 1	35 2	9	5	2	7			⊙ n, ⊙° ⊙ a,p
27	33.4	**33.4**	**29.9**	-10.8	- 8.2	- 4.9	- 0.5	-12.7	93	88	80	05 1	08 1	35 1	9	3	0	0			⊙ n,a,p
28	24.8	22.9	19.7	-16.8	- 8.4	- 6.9	- 4.0	-18.5	94	74	82	00 0	00 0	00 0	9	1(≡)	3	3			≡ (≡) ⊙ n, (≡) ⊙ a, ⊙ p
29	19.1	20.4	21.6	-21.3	- 8.8	- 5.7	- 4.0	-21.4	95	74	80	00 0	00 0	00 0	9	3	7	8 =°			⊙ n,a, =° p
30	21.7	20.0	14.0	- 9.9	- 5.5	- 2.6	- 2.2	-13.4	95	78	58	09 1	06 4	03 4	9	7(≡)	4	8	0.0		(≡) *° n, (≡) ⊙ a, ⊙° p
M	24.5	25.0	24.5	-20.4	-13.0	-12.2	- 7.6	-24.6	79	68	69	1.8	1.3	1.1	8.5	3.4	3.9	4.0	0.1		

Ekstensotabell

1953

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 ΔG = + 1h

Mai V

H_z = 3 H_b = 4.2 h_i = 1.8 h_s = 6.5 h_d = 6.9 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	08.5	11.7	12.9	- 2.6	- 0.8	- 0.3		- 3.7	80	82	81	03 4	17 1	00 0	9	5	7	8	0.1		*° ⊙° n, =° ⊙° a, ⊙° p
2	13.0	13.9	15.0	- 1.5	2.3	- 0.3		- 3.5	89	81	95	05 5	05 3	15 1	2	8 *°	8 *	8 *°	0.2		*° =° n, * *° a,p
3	17.1	18.5	17.4	- 4.3	- 6.1	- 6.1		- 6.7	82	75	78	00 0	00 0	00 0	9	6	1	2	3.9		*° =° n, ⊙° ⊙ a, ⊙ p
4	14.0	15.5	18.4	- 5.7	- 2.0	0.3		-12.4	60	50	47	05 5	03 6	00 0	9	1	1	0			⊙ n,a,p
5	24.8	25.5	23.3	-18.0	- 7.8	- 4.9		**-18.4**	81	78	81	12 1	13 1	01 1	9	2	2	6			⊙ n,a,p
6	17.4	14.9	12.6	-11.4	- 3.5	0.3		-13.7	95	75	77	35 1	15 1	17 1	9	7(≡)	2	1			≡ (≡) n, (≡) ⊙ a, ⊙ p
7	09.4	08.6	09.0	- 8.7	- 1.7	4.7		-11.6	97	79	60	00 0	15 1	00 0	9	1	1	3			⊙ (≡) n, ⊙ a,p
8	17.0	20.4	22.7	- 5.9	0.5	- 0.4		- 8.1	95	72	82	08 1	36 1	31 3	9	2	8	8 =			⊙ n,a, =° p
9	27.1	28.5	29.7	- 4.7	2.6	- 2.9		- 4.7	91	67	86	00 0	00 0	15 1	9	8 *°	6	5	0.3		*° n, *° =° ⊙° a, ⊙ ⊙° p
10	31.9	33.5	**34.1**	- 5.1	- 2.6	- 3.9		- 8.8	98	82	94	00 0	32 1	21 1	4	8 =	8 =	8 =²	1.5		≡ n,a, ≡ =² p
11	33.9	31.9	31.2	- 8.7	- 6.6	- 3.9		- 9.3	95	91	82	00 0	19 1	00 0	6	6 =²	5 =	7			≡ =² n, =² (≡) a, =° (≡) p
12	29.7	28.9	27.7	-12.7	- 5.9	- 5.8		-15.0	91	82	95	00 0	18 1	18 3	9	1(≡)	3	8 ≡			≡ (≡) ⊙ n, (≡) ⊙ a, ⊙ ≡° ≡ p
13	25.2	26.0	23.0	- 8.3	- 4.7	- 5.0		- 9.8	94	83	91	00 0	18 1	18 1	6	7 =°	6(≡)	8(≡)			=² = n, =° (≡) ⊙ a, (≡) ⊙° p
14	22.7	23.2	23.3	- 6.1	- 4.5	- 5.7		- 6.6	89	83	88	15 1	18 3	19 3	6	8 =°	8 =²	8			≡ =° n, = =² a, = =° p
15	22.9	22.0	18.6	- 7.0	- 3.6	- 4.9		- 7.5	90	70	83	18 1	33 2	15 3	7	8 *°	8 *°	3	0.5		*° n,a, *° ⊙° ⊙ p
16	15.3	14.4	13.9	-16.6	-10.7	- 6.8		-17.9	89	90	95	00 0	15 1	18 3	5	8 ≡	6 =	8 ≡	0.4		≡ ⊙ n, ≡ = ⊙° a, = (≡) ⊙ ≡ p
17	14.0	15.3	15.0	- 4.7	- 4.4	- 3.1		- 7.0	86	88	75	00 0	19 3	15 2	7	8 =°	8 =°	8 *°			=° =° n, =° a, *° =° p
18	14.7	14.8	13.9	- 5.4	- 3.9	- 3.3		- 5.5	80	79	80	19 1	19 1	21 3	8	8	8 =°	8 =°	0.0		*° n, =° p
19	14.9	17.3	17.5	- 9.5	- 1.6	- 2.4		-11.4	83	68	78	00 0	00 0	22 2	9	7	8	7			=° n, ⊙° a, ⊙ p
20	18.0	18.5	19.0	-14.0	- 3.1	- 3.8		-14.7	84	66	79	00 0	00 0	21 1	9	4	4	5			⊙ n,a,p
21	21.8	24.2	23.8	-14.8	- 5.4	- 7.6		-17.4	89	86	95	00 0	21 1	15 3	8	8 ≡	1(≡)	0 =²			≡ ∨ n, ≡ (≡) ∨ ⊙ a, (≡) =² ⊙ p
22	21.2	21.0	20.3	-16.2	- 7.1	- 4.3		-16.5	89	91	78	00 0	00 0	14 1	9	2 =°	3	1			≡ n, ≡ ⊙ a, ⊙ p
23	19.7	21.0	21.3	-14.4	- 2.2	- 2.0		-16.1	82	69	65	15 1	36 4	17 1	9	1(≡)	6	1			(≡) ⊙° n, (≡) ⊙ a, ⊙ p
24	19.2	17.3	14.9	- 6.3	- 6.4	- 1.9		- 7.8	91	94	78	00 0	19 2	35 4	2	8 ≡	8 ≡	2			≡ n, ≡ =² a, ≡ ⊙° ⊙ p
25	18.3	18.6	19.2	3.0	7.3	1.7		- 2.1	48	**41**	69	03 3	04 4	15 3	9	1	2	7			⊙° n, ⊙ a, ⊙ ⊙° p
26	12.5	09.0	08.5	- 2.3	0.7	1.7		- 3.9	79	84	86	00 0	17 1	00 0	9	6	1	1			⊙ n,a,p
27	15.7	15.6	16.5	- 3.7	1.9	- 0.8		- 4.4	86	67	91	14 3	30 3	15 4	9	5	3	2			⊙° n, ⊙° ⊙ a, ⊙ p
28	12.4	11.1	09.2	- 2.3	- 2.5	- 2.4		- 3.1	95	97	95	36 3	21 3	17 3	6	7 =°	8 =	8			=° n, =° = a, = p
29	07.0	06.8	**06.7**	- 3.6	- 1.3	- 2.8		- 3.9	97	89	99	00 0	00 0	17 3	3	8 =	8 ≡°	8 ≡			= n, = =² ≡° a, ≡° ≡ p
30	07.1	10.8	14.1	- 5.0	- 0.5	2.3		- 5.1	00	80	59	36 1	03 3	12 5	9	8 ≡	8	7	0.0		≡ *° n, ≡ ⊙° a, ⊙° p
31	18.7	20.1	21.2	- 1.4	- 0.2	0.0		- 1.3	96	83	84	17 2	17 2	17 3	7	8 *	8 *°	7	0.1		*° * n,a, *° =° p
M	18.2	18.7	18.5	- 7.4	- 2.7	- 2.4		- 9.0	87	78	82	1.1	1.6	1.9	7.4	5.6	5.3	5.3	7		

Juni VI

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	23.1	22.9	21.5	- 4.2	0.5	1.4		**- 5.4**	91	78	78	00 0	00 0	00 0	9	5	1	1	0.4		⊙ n,a,p
2	12.1	11.2	15.3	- 2.4	1.1	3.1		- 4.1	79	79	66	00 0	18 2	33 3	9	2	6	2(≡)			⊙ n,a, ⊙ (≡) p
3	**24.3**	21.1	15.3	- 0.5	1.5	0.1		- 3.1	72	70	78	15 1	17 3	19 3	9	4	7	6			⊙ n,a, ⊙° p
4	13.5	16.8	19.1	2.8	6.3	1.7		- 3.8	46	**39**	82	04 5	02 4	18 2	9	1	2	1			⊙ n,a,p
5	15.0	13.8	13.1	- 2.1	0.5	0.3		- 2.7	82	84	90	18 3	17 3	20 3	9	1	6	6			⊙ n,a, ⊙ ⊙° p
6	08.1	06.8	06.4	- 0.5	1.7	0.7		- 1.2	96	83	87	19 2	19 2	18 2	7	8 =	6 =°	4(≡)			= n, = =° ⊙° a, =° (≡) ⊙° p
7	09.0	09.9	09.8	- 0.5	- 0.3	0.0		- 1.5	97	93	94	36 1	18 1	19 3	3	8 ≡	8 ≡°	7			≡ n, ≡ (≡) ⊙ ⊙° a, ≡° p
8	04.1	02.8	99.8	0.2	0.2	0.1		0.0	96	99	97	18 1	17 3	15 3	3	8 •°	8 ≡°	8 •°	2.4		=° •° n, =° = =² ≡° •° a,≡° = •
9	**99.0**	03.6	05.6	1.3	1.5	1.7		- 0.7	90	90	89	00 0	19 1	18 1	9	1(≡)	1	7	1.1		≡ (≡) ⊙ n, (≡) ⊙ a, ⊙ ⊙° p
10	08.3	09.8	10.5	- 2.9	0.6	2.2		- 3.1	99	89	86	00 0	15 2	15 2	8	0 ≡°	0 =°	8			= ≡° ⊙ n, ≡° = ≡ ⊙° ⊙ a, =° ⊙ p
11	11.6	11.0	10.7	- 3.3	1.1	1.0		- 3.6	97	86	90	18 1	17 1	18 1	9	8 ≡	1	5			⊙ ≡ n,a, ⊙ p
12	11.6	11.6	10.8	- 2.7	1.1	2.5		- 2.8	94	83	83	15 1	17 3	04 3	8	5	7(≡)	8(≡)			⊙ n, ⊙° (≡) a,p
13	07.2	06.4	05.5	1.7	2.3	2.3		0.8	93	93	96	03 6	23 2	31 1	5	8 •	8 •²	8 •	8.8		• n, • =° a,p
14	08.3	11.3	13.2	1.3	3.1	- 0.7		- 1.0	96	88	98	15 1	14 3	17 4	9	8(≡)	7	8 ≡°	6.2		• =° (≡) n, (≡) ⊙ a, (≡) = ≡ p
15	15.6	15.6	14.1	- 0.5	- 0.1	1.1		- 1.6	99	99	98	17 1	19 3	19 1	3	8 •°	8 ≡°	8 =	0.0		≡ = • n,= (≡) •° ≡° a, ≡ = •° p
16	10.7	10.7	08.6	1.9	1.7	0.0		0.0	97	93	99	35 2	15 3	15 4	8	8(≡)	8(≡)	8 ≡	0.3		= (≡) n, (≡) =° a, (≡) =° •° ≡
17	03.9	04.3	05.2	0.1	0.3	2.0		- 0.6	00	00	98	17 4	18 1	00 0	1	8 •°	8 ≡²	7(≡)	0.1		≡ •° n,a, ≡ (≡) ⊙° p
18	11.2	17.1	19.3	6.8	7.3	5.9		0.3	51	60	68	01 6	23 3	27 2	9	4	5	7	0.0		≡² ≡ ⊙ n, ⊙° a,p
19	17.1	11.0	07.5	3.7	7.2	7.0		3.4	78	60	75	12 1	09 5	05 4	9	8	8 •°	8			⊙° a, •° p
20	14.7	16.2	16.9	1.1	3.1	2.5		0.5	98	94	99	17 1	11 2	25 1	7	8 =°	8 •°	8 •°	2.4		•° =° n,a, •° • p
21	16.5	14.3	09.6	6.3	11.5	6.6		1.0	94	77	96	05 4	05 3	00 0	8	8 =°	6 =°	8 •	6.5		•° =° n, =° ⊙° a, =° • p
22	06.0	09.4	08.9	3.3	1.7	0.9		0.9	99	96	00	33 3	03 1	19 1	7	8 •	8 •	8 ≡	37.5		• •² n, • (•) a, • =° •° ≡ p
23	07.9	07.7	07.1	0.9	1.3	0.8		0.4	00	00	00	19 1	18 1	19 2	1	8 ≡²	8 ≡²	8 ≡²	4.8		•° ≡ n, ≡² a, ≡² ≡ p
24	11.0	14.3	18.3	- 0.2	16.7	6.6		- 0.4	00	57	73	28 1	04 5	13 3	9	8 ≡²	5	2			≡² n, ≡² ⊙ a, ⊙° ⊙ p
25	21.5	21.8	22.4	1.0	3.9	9.5		0.9	96	84	62	17 1	15 3	15 3	9	1	1	3			⊙ n,a,p
26	22.4	23.3	22.6	4.0	2.5	2.2		1.5	89	98	99	00 0	14 1	15 1	7	8	8 •°	8 =²			⊙° n, =° •° a, •° (≡) =° = p
27	19.6	17.6	15.8	3.3	3.2	3.9		1.9	95	94	97	00 0	00 0	18 3	5	7 =°	7 =	1(≡)	2.6		=° n, =° = (≡) a, =° ≡° ⊙° (≡)
28	15.0	14.9	15.9	3.6	9.7	5.8		1.0	98	65	86	31 3	01 3	14 2	7	8 •°	8 •°	8 •°	0.1		≡ =° •° n, • =° a, • •° p
29	14.3	13.6	13.1	2.6	4.8	3.9		1.9	97	97	91	17 1	14 1	18 3	8	8	8(≡)	7	13.1		•° = (≡) n, (≡) a, ≡ p
30	13.8	15.3	16.2	1.5	7.0	4.9		1.1	95	83	91	13 1	13 2	14 2	9	8(≡)	7	7(≡)	0.1		•° (≡) n, (≡) ⊙° a, =° (≡) ⊙°
M	12.6	12.9	12.6	0.9	3.4	2.7		- 0.7	90	84	88	1.7	2.2	2.1	7.1	6.1	6.0	6.2	86		

Ekstensotabell

1953

Myggbukta

$\varphi = 73° 29' N$ $\lambda = 21° 34' W$ $g = 9.828$ $\Delta G = +1^h$

Juli VII

$H_s = 3$ $H_b = 4.2$ $h_t = 1.8$ $h_a = 6.5$ $h_d = 6.9$ $h_r = 1.9$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde >	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	18.3	19.4	20.6	5.7	5.0	2.9		2.0	87	88	91	05	2	15	1	25	4	8	8 =°	8 =°	8	2.9		• =° n, •° =° a, ⸱⸱° = =° p
2	19.6	20.0	19.8	0.6	1.1	1.4		0.4	99	98	95	17	1	14	3	14	3	3	8 •°	8 =°	7(≡)	0.5		=° = •° n,a, =° =ᵃ (≡) ⊙° p
3	20.8	21.6	21.4	0.6	1.6	1.7		0.4	97	94	91	17	1	20	2	17	3	8	8 •°	8 =°	8(≡)	0.1		≡ n, =° ≡ •° a, =° ⊙° (≡) p
4	21.8	21.7	22.0	0.3	1.5	- 0.4		- 0.4	96	95	97	21	3	13	3	15	3	3	8(≡)	7 =°	6 =	0.0		(≡) n, (≡) =° •° =° a, =° = p
5	25.3	24.8	22.0	- 2.4	- 0.7	- 0.9		- 2.8	97	97	98	00	0	20	3	20	3	3	3(≡)	8 =°	1 ≡	0.0		≡ ⊙° n, (≡) =° ≡ ⊙ a,p
6	19.3	17.8	15.7	- 2.8	- 1.7	- 0.2		- 3.5	97	98	98	17	2	17	3	17	4	3	0 ≡	8 =°	0 =°			≡ ∨ n, ≡ ∨ ⊙° a, (≡) =° ⊙ =° p
7	15.0	15.7	15.6	- 1.9	- 0.8	- 0.4		- 2.1	98	93	97	18	1	19	3	20	3	8	8 =	8 =°	8 ≡			≡ n, = =° a,p
8	14.9	15.3	14.9	- 2.4	- 1.8	- 0.7		- 2.6	97	96	99	17	2	15	3	18	4	6	8 =°	6(≡)	8 ≡			≡ (≡) =° ∨ n, (≡) =° =ᵃ a, = p
9	14.8	14.3	12.7	- 2.6	- 0.6	0.0		- 3.0	98	93	91	19	1	21	3	20	3	5	6(≡)	7(≡)	7 =°			≡ n, (≡) ⊙° a, (≡) ⊙° =° p
10	08.9	07.2	06.0	- 1.5	- 0.4	0.0		- 2.1	93	83	93	17	2	19	3	18	3	8	6 •°	7(≡)	8 =°	0.0		(≡) =° •° n, •° (≡) ⊙° a, (≡)=°⊙°p
11	06.6	07.2	06.8	- 1.5	- 1.5	- 0.5		- 1.7	93	98	98	20	1	20	2	21	3	2	8 •°	8 ≡	8 ≡	0.0		≡ = •° n, =° = ≡ a, ≡ (≡) ⊙° p
12	04.5	03.7	02.9	1.3	2.7	0.8		- 1.1	98	89	97	18	1	18	2	18	3	3	8 ≡	8 =°	8 =°			≡ =° n,a, =° =° p
13	01.0	00.4	98.5	- 0.4	- 0.3	0.3		- 0.7	99	97	96	15	1	17	3	17	4	3	8 ≡	8 =°	1 =°			≡ ∨ n, =ᵃ a, =° (≡) =° ⊙° p
14	02.3	06.4	05.9	0.2	4.7	5.4		- 0.7	91	87	69	15	3	17	3	13	3	9	1 =	3	3			=ᵃ (≡) = n, (≡) ⊙° ⊙ a, ⊙ p
15	98.4	96.2	96.5	3.2	3.7	2.9		0.6	83	75	91	00	0	14	2	17	4	9	2	4	6 =°			⊙° n, ⊙ a, ⊙ =° ⊙° p
16	03.9	04.2	05.2	4.2	12.0	3.3		1.1	82	33	89	09	2	35	3	17	4	9	8 =°	1	6(≡)			=ᵃ =° ⊙° n, =° ⊙ a, ⊙ (≡) ⊙° p
17	06.3	06.5	06.0	0.3	0.4	2.7		- 0.5	00	00	88	17	3	18	2	17	3	2	8 =ᵃ	8 ≡	2(≡)	0.2		=ᵃ •° n, =ᵃ ≡ a, ≡ (≡) ⊙° ⊙ p
18	05.0	04.1	02.2	0.7	0.8	0.4		- 0.2	00	93	00	17	2	18	3	18	3	5	8 ≡	7 =	8 =°			(≡) =ᵃ≡ n, ≡ =°=°⊙° a, (≡) =°⊙° p
19	07.3	10.2	11.5	2.4	4.8	4.5		0.3	90	81	74	15	1	00	0	15	1	8	7	7 ⸱⸱°	7			=ᵃ ≡ =° n, ⸱⸱° a,p
20	13.8	13.5	11.8	5.7	7.9	4.9		3.4	73	54	77	03	4	03	2	19	3	9	7	8	7	0.6		•° n
21	10.2	11.4	13.8	5.0	6.9	3.0		2.3	77	71	93	33	1	36	4	15	1	9	8	8	8	0.5		•° n, •° ⸱⸱° a
22	16.2	17.0	17.6	2.6	6.0	2.9		2.1	82	65	84	21	4	25	3	22	5	9	7 =°	6 =°	5(≡)	0.1		=° ⊙° a,p
23	16.8	14.3	14.5	0.6	1.4	1.9		- 0.6	95	96	88	00	0	17	3	17	3	8	8 =°	6(≡)	2			=° n, =° ≡ =ᵃ =° ⊙° a, (≡) =° ∩ p
24	14.2	14.4	14.2	1.4	1.1	3.6		- 0.5	99	94	89	00	0	19	2	18	3	9	8 ≡	7	5			≡ n,a, ⊙° p
25	13.7	11.9	10.0	- 1.0	3.1	6.7		- 1.1	00	83	69	14	1	17	3	14	3	9	0 =ᵃ	1	0			=ᵃ =° n, =ᵃ ⊙ a, ⊙ p
26	08.2	09.1	11.0	3.8	7.5	8.0		2.8	90	69	65	00	0	00	0	17	1	9	1	1	1			⊙ n,a,p
27	07.2	04.1	01.7	1.0	4.0	3.8		0.4	97	83	89	00	0	15	3	18	3	9	0(≡)	2	3(≡)			≡ (≡) ⊙° n, (≡) ⊙ a,p
28	01.5	05.7	08.8	2.1	4.5	2.5		1.4	94	81	93	00	0	19	1	20	1	9	3(≡)	4	7(≡)			(≡) ≡ n, (≡) ⊙ a,p
29	08.5	07.3	08.8	4.2	4.2	4.6		2.4	79	83	82	14	1	17	3	18	3	9	6	7	6(≡)			(≡) ⊙° n, ⊙° a, ⊙° (≡) p
30	07.2	08.5	11.3	2.8	2.1	2.1		1.6	93	94	99	00	0	19	3	19	3	3	6	2 =°	8 ≡			⊙ n, ⊙ =° ⊙° a, =° (≡) ⊙° ≡ p
31	09.2	07.6	07.0	- 0.6	2.8	3.1		- 0.6	00	88	91	13	3	18	3	17	4	6	8 ≡	1(≡)	0(≡)			≡ =ᵃ n, ≡ =° (≡) ⊙ a, (≡) ⊙ p
Σ	11.0	11.0	10.9	1.0	2.6	2.3		- 0.1	93	85	89		1.4		2.5		3.0	6.5	5.9	5.9	5.2	5		

August VIII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde >	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	10.1	10.4	10.1	0.0	3.9	2.0	4.1	- 0.5	00	87	96	00	0	19	3	18	4	9	1(≡)	1	0 =°			≡ (≡) ⊙ n, ⊙ a, (≡) =° ⊙° p
2	07.6	05.7	02.8	- 0.2	1.7	4.2	4.4	- 0.5	98	89	82	14	1	17	3	17	3	5	1 =°	1(≡)	1			=° =ᵃ n, (≡) =° ⊙° a, =° ⊙ p
3	00.6	01.4	00.5	8.7	15.8	8.7	16.1	1.3	56	30	59	03	4	03	2	17	1	9	1	1	1			⊙ n,a,p
4	94.4	97.0	99.0	4.1	13.0	9.9	15.1	3.4	86	58	65	15	1	15	2	15	4	9	1	1	1			⊙ n,a,p
5	99.5	00.1	00.5	7.0	18.2	9.4	20.3	3.3	86	30	79	30	3	03	4	17	1	9	1	1	1			⊙ n,a,p
6	01.6	06.5	08.9	13.8	10.7	6.6	16.6	5.9	40	58	87	02	6	22	4	21	6	9	1	1	0			⊙ n,a,p
7	12.4	11.0	09.9	2.6	3.2	4.2	8.4	1.6	98	97	91	35	2	17	2	17	2	9	4	7(≡)	7			⊙° n, (≡) ⊙° a
8	04.6	03.9	02.3	6.4	5.4	5.1	7.3	1.5	89	99	99	05	4	10	3	17	3	2	8 •	8 •°	8 ≡	2.5		• n, •° (≡) a, ≡ p
9	99.8	98.0	97.0	2.4	4.6	3.8	5.7	1.8	98	94	98	07	2	17	3	19	3	8	8(≡)	7(≡)	8 ≡	2.2		(≡) • n, (≡) p
10	97.7	99.5	01.0	5.8	0.6	7.8	9.6	1.9	98	79	93	19	2	04	3	17	2	7	8 •°	8 •	8	0.4		• n, • •° (≡) a, • • p
11	03.5	04.3	04.0	5.4	4.4	5.4	8.3	2.7	98	98	96	12	2	13	2	18	3	7	8 •°	8 •	8(≡)	20.5		• •° n, •° (≡) a, (≡) p
12	03.7	02.1	99.9	4.8	6.0	7.0	9.0	2.5	98	97	90	02	2	36	2	00	0	9	8 =ᵃ	7	6	0.6		(≡) n, ≡ (≡) a, ⊙ p
13	99.7	02.2	04.2	2.2	5.8	6.0	7.0	1.8	98	89	84	06	1	11	3	11	4	9	2	3	6	0.0		⊙° n, ⊙° (≡) a, ⊙ p
14	08.1	09.9	10.3	3.2	3.4	4.6	7.0	2.9	99	98	93	07	2	11	2	13	2	7	8 =ᵃ	7(≡)	4			≡ n, (≡) a, ⊙ p
15	12.2	13.6	10.2	6.2	11.9	6.6	12.6	1.8	48	37	70	35	5	35	4	00	0	9	3	3	7			⊙° n, ⊙ a
16	11.2	12.1	16.0	6.8	11.4	6.2	11.4	3.8	63	45	72	36	4	36	4	18	3	9	6	7	4			⊙ p
17	23.2	23.9	22.6	6.1	7.9	7.7	9.4	2.5	70	70	59	36	4	15	3	15	2	9	7	1	1			⊙ a,p
18	17.5	16.3	14.1	2.5	6.5	7.6	8.5	1.3	87	75	75	04	2	04	2	00	0	9	2	6	8			⊙ a
19	13.9	16.4	17.5	7.8	5.9	7.3	9.9	5.5	80	97	86	02	4	14	1	24	3	8	8	8	7	0.1		•° n,a
20	17.5	17.5	18.5	5.5	9.1	6.3	9.3	4.4	94	77	98	32	2	09	2	14	2	9	8	8	8	0.0		• p
21	20.4	21.9	23.5	5.5	7.0	6.6	7.5	5.2	98	89	90	14	1	14	1	26	3	7	8	8	8	10.6		•° n,a, (•) p
22	23.3	23.5	22.4	5.9	5.6	8.8	8.8	5.0	97	97	82	34	2	00	0	26	2	9	8	7(≡)	4(≡)	2.0		•° n, (≡) ⊙ p
23	23.5	23.8	25.3	3.4	6.5	6.7	9.3	3.2	97	86	82	10	1	26	2	22	2	8	8(≡)	7	7			(≡) n, ⊙° •° a
24	22.7	22.8	21.5	3.9	4.4	3.9	7.0	2.9	98	98	98	30	1	17	2	14	3	7	7	8(≡)	7	1.1		• n, • (≡) a, ≡ (≡) p
25	19.7	20.7	20.4	0.8	3.0	2.6	3.9	0.5	99	97	99	06	1	16	3	15	3	8	3(≡)	8	8 =ᵃ	0.2		• (≡) ≡ n, ⊙ a, (≡) ≡ p
26	15.7	13.7	12.1	- 1.2	5.8	6.4	7.0	- 1.7	87	86	93	30	1	13	2	13	2	9	8 =ᵃ	3	4			≡ (≡) n, ⊙° a, ⊙ p
27	11.7	11.7	10.9	1.6	6.0	2.8	6.5	0.6	97	86	99	34	3	13	3	14	3	9	0	0	8 =ᵃ			⊙° n, ⊙ a, (≡) ≡ ⊙ p
28	11.1	11.9	09.3	- 0.9	1.2	1.9	3.2	- 1.3	99	97	98	00	0	11	1	13	3	2	8 ≡	8 ≡	8(≡)			≡ n, ≡ (≡) ⊙° a, ≡ ⊙° p
29	07.7	09.2	10.4	1.0	6.8	2.8	6.8	- 0.9	97	76	99	05	1	12	2	11	2	9	2	3	8(≡)			(≡) ⊙° n, ⊙ a, (≡) ≡ ⊙ p
30	12.7	14.6	14.1	2.2	4.6	3.9	4.6	0.2	97	84	86	06	2	12	4	14	3	9	7	7	7			(≡) n, ⊙° p
31	15.3	16.6	17.6	- 1.8	3.7	3.1	4.2	- 2.1	98	90	97	00	0	17	2	14	3	9	1(≡)	1(≡)	3(≡)			(≡) n, ⊙ (≡) a,p
Σ	10.4	11.0	10.8	3.9	6.9	5.7	8.7	2.0	89	80	87		2.1		2.5		2.5	8.0	5.0	5.0	5.4	40		

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 ΔG = + 1h **September IX** H_s = 3 H_b = 4.2 h_k = 1.8 h_a = 6.5 h_d = 6.9 h_r = 1.9

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	7	13	19	7	13	19	Max	Min	7	13	19	7		13		19		13	7	13	19			
1	18.4	17.2	15.2	0.8	4.3	5.8	5.8	0.6	99	91	87	00	0	00	0	14	2	9	8(≡)	7	1			≡ (≡) n, ⊙° a, ⊙ p
2	12.5	13.3	15.0	3.0	9.5	7.7	10.4	1.2	65	43	69	34	4	02	4	32	1	9	1	4	7			⊙° n, ⊙ a,p
3	19.7	21.6	**22.0**	2.9	3.5	3.6	7.9	2.8	97	97	93	32	2	20	2	15	3	8	8 •°	8 •°	8	0.1		•° n,a, •° (≡) p
4	18.3	16.7	16.4	1.5	7.0	7.1	8.6	- 0.2	87	43	53	36	4	36	4	14	3	9	1	0	0	1.0		⊙ a,p
5	17.5	17.7	18.2	2.6	8.6	5.3	9.9	- 0.2	63	35	96	04	4	36	4	14	5	9	0	0	.7(≡)			⊙ a, ⊙ (≡) p
6	15.7	07.6	04.6	- 0.4	3.0	5.2	5.2	- 0.7	00	75	69	03	1	28	2	16	4	9	8	7	6			⊙° p
7	06.8	09.8	09.8	0.4	3.4	3.4	5.4	- 1.4	63	80	97	25	1	11	4	15	3	9	2	7	7			⊙° n,p
8	08.0	08.6	10.0	- 1.0	3.4	4.0	5.1	- 1.2	99	77	82	36	3	30	3	17	1	9	1	7	7			⊙° a,p
9	11.9	12.0	13.0	7.0	11.8	5.4	**12.5**	0.2	40	**30**	89	34	5	35	4	16	4	9	3	5	0			⊙ a,p
10	02.8	97.3	98.0	1.0	4.4	4.6	6.9	- 1.5	80	55	91	05	1	36	5	12	4	9	5	7	7			
11	03.9	09.6	12.5	2.6	8.0	3.8	8.1	0.8	49	39	83	34	4	35	4	16	3	9	1	1	0			⊙ a,p
12	11.3	08.0	06.3	- 1.0	4.6	4.4	6.8	- 3.5	93	56	76	01	3	09	1	14	2	9	2	6	7			⊙° a, ⊙ p
13	08.6	07.8	05.9	0.2	2.9	2.8	5.3	- 0.9	89	70	75	36	2	36	1	12	2	9	7	7	5			⊙° a,p
14	07.2	09.8	10.8	0.6	2.3	3.3	4.3	- 0.6	93	84	72	04	1	00	0	02	3	9	7	8	7			
15	11.0	08.1	97.2	- 1.3	0.3	0.3	3.6	- 2.5	89	87	99	04	2	35	3	32	6	5	2	8 *°	8 *			* p
16	**78.0**	79.3	83.5	0.8	2.7	1.3	4.1	- 1.9	98	62	62	00	0	26	4	30	8	9	8 ‡°	2	1 +°	16.0	5	‡° n, ‡° ⊙ a, ⊙ +° \ p
17	09.0	13.5	12.6	0.2	1.5	1.4	3.3	- 1.8	54	55	96	34	6	02	3	09	3	9	1	6	6	0.6	5	⊙° a,p
18	08.4	09.8	11.4	- 0.2	- 2.1	- 0.1	1.6	- 5.6	54	75	73	36	3	28	2	26	1	9	1	7	8		4	⊙° a
19	15.2	18.4	19.0	- 1.1	- 1.9	- 2.0	0.5	- 2.3	87	98	90	36	1	34	3	12	2	4	8	8 *°	8		4	*° a,p
20	18.4	19.1	18.3	- 2.0	- 1.4	- 1.2	- 1.1	- 2.7	87	86	82	34	6	01	4	01	4	7	8 *°	8 *°	8	1.5	5	*° n, ♦° a
21	15.9	16.7	15.4	- 2.6	- 1.0	- 5.2	- 1.0	- 5.5	69	65	87	36	4	31	2	27	2	9	0	3	4	0.2	5	⊙ a,p
22	17.8	19.4	19.0	- 9.6	- 3.6	- 2.4	- 0.8	-10.4	91	75	84	30	2	25	1	35	2	9	1	4	4		5	⊙ a,p
23	11.1	09.9	08.0	- 3.6	- 0.4	- 1.4	0.6	- 5.2	99	86	89	32	1	31	3	12	1	9	8	7	6	0.2	5	♦ n, ⊙ p
24	02.7	97.0	91.2	- 2.0	0.4	- 1.2	0.6	- 4.1	96	83	73	15	1	34	6	02	6	4	8 *°	8 *°	8 +	0.3	5	* a, +° ♦° p
25	90.2	94.3	98.7	- 2.2	- 2.6	- 2.4	1.9	- 3.2	99	97	73	35	7	33	7	33	6	4	8 *	8 +	8 +°	5.0	6	+ * n, + a, ♦° +° p
26	01.6	01.9	03.0	- 7.6	- 4.4	- 5.4	- 2.1	- 8.7	82	73	84	35	2	01	1	32	1	9	0	1	5	0.5	6	⊙° a,p
27	03.0	03.4	04.3	- 8.2	- 6.6	- 7.3	- 4.5	-12.0	75	62	72	01	3	02	4	00	0	9	1	4	2		6	⊙° a, ⊙ p
28	05.1	05.6	05.6	-10.3	- 5.9	- 6.4	- 5.2	**-13.4**	72	59	68	30	2	36	4	00	0	9	3	7	8		6	⊙° a,p
29	06.1	07.6	08.4	-10.6	- 7.4	- 7.3	- 5.7	**-13.6**	84	75	73	00	0	36	3	02	4	9	7	7	7		6	⊙° a,p
30	08.5	08.8	08.7	- 6.5	- 5.0	- 5.1	- 4.8	-10.7	65	65	89	34	5	34	5	36	4	7	8	8 *°	8 *°		6	*° p
M	08.8	09.6	08.8	- 1.6	1.3	0.7	3.1	- 3.6	81	69	81	2.7		3.1		3.0		8.2	4.3	5.7	5.6	25	3	

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
1	06.9	06.5	06.7	- 4.7	- 4.7	- 2.6	- 2.4	- 6.7	87	96	75	07	3	08	3	36	4	6	8	8 *°	8	0.5	7	*° n,n, +° p
2	12.8	17.1	19.6	- 2.9	- 2.1	- 3.0	- 1.7	- 4.4	98	83	94	14	1	36	4	06	2	8	8 *°	8	7	0.6	7	*° n,a
3	21.9	**22.3**	21.2	- 3.9	- 3.3	- 3.9	- 2.5	- 4.4	90	84	79	30	2	30	2	17	1	8	8	8	8	0.1	7	
4	17.9	16.7	14.7	- 5.7	- 4.4	- 5.8	- 3.2	- 6.7	90	93	75	09	4	27	2	01	5	8	8 *	8 *°	8	0.3	7	* n,a,p
5	05.4	00.4	03.8	- 4.4	- 6.6	- 5.4	- 3.1	- 7.4	93	97	96	32	4	34	9	35	6	1	8 *	8 +²	8 +°	7.1	7	* n, + \ a, +² \ p
6	08.8	06.3	01.6	- 4.0	- 4.0	- 5.9	- 3.2	-11.9	97	90	73	17	3	01	4	02	5	8	8	8	3		7	*° a, ⊙ p
7	93.0	93.7	95.1	- 8.4	- 9.0	- 7.3	- 5.1	-11.5	75	82	91	02	3	02	2	36	1	9	1	6	8	0.4	7	⊙ a
8	01.7	04.1	04.8	- 7.7	- 9.1	-10.4	- 6.6	-11.5	97	96	94	30	1	33	3	33	2	5	6 *	8 *	8 *°	3.3	7	* n, *° a,p
9	05.3	06.5	07.1	-13.1	-11.0	-12.1	-10.4	-17.1	70	61	61	01	5	35	5	36	5	9	8	4	2	2.1	7	*° n, ⊙ p
10	04.7	02.9	03.6	-11.6	-10.8	-12.3	- 9.8	-17.1	55	**51**	56	36	5	34	5	33	5	9	1	0	1		7	⊙ a,p
11	07.7	08.1	08.3	-11.8	-10.1	- 9.9	- 8.4	-15.6	56	61	55	36	4	36	5	36	4	9	1	2	3		7	⊙ a,p
12	09.8	10.1	10.5	- 5.8	- 4.4	- 5.1	- 4.3	- 9.9	93	73	62	36	4	36	5	36	4	9	8 *°	6	4	0.1	7	*° n, ⊙ a
13	11.1	10.2	08.4	- 7.1	- 5.8	- 7.5	- 4.6	- 8.7	61	58	59	36	5	36	5	36	4	9	1	3	1	0.1	7	⊙ a,p
14	04.2	05.7	05.3	- 7.4	- 7.9	- 7.8	- 6.6	-13.0	56	61	53	36	5	36	5	36	5	9	0	0	0		7	⊙ a,p
15	04.7	03.2	01.4	-15.2	-12.4	- 6.9	- 6.0	-16.6	69	65	56	32	2	34	3	36	4	9	0	2	7		7	⊙ a,p
16	03.8	08.3	09.3	- 9.9	-10.3	- 8.9	- 2.5	-14.6	69	73	73	00	0	28	1	07	2	9	1	6	7		7	⊙° 13
17	09.6	10.3	08.5	- 6.9	- 5.3	- 6.6	- 5.5	-10.2	97	93	93	00	0	10	1	10	2	6	8 *°	8 *°	8 *°	0.5	8	*° n,a,p
18	06.7	07.3	08.5	- 5.9	- 5.4	- 7.4	- 5.4	- 7.9	96	94	93	15	1	15	2	01	2	8	8	8 *°	8	1.5	8	*° 13
19	01.4	04.5	07.0	- 6.4	- 6.4	- 7.6	- 5.9	- 8.9	97	99	97	03	6	17	3	18	2	1	8 *	8 *²	8 *	0.8	8	* n, *² a,p
20	05.7	05.4	04.7	-11.8	-15.1	-10.2	- 7.3	-19.3	98	97	97	01	3	07	2	32	1	9	3	6	8	11.6	13	* n
21	08.1	11.1	12.2	- 9.3	- 9.6	- 9.7	- 7.5	-11.3	84	89	79	02	4	02	3	03	4	6	6	8 *°	8		13	*° a
22	14.1	13.4	07.8	-11.4	-13.7	-10.9	- 9.5	-14.4	75	73	79	01	5	36	6	33	7	9	5	6	8	0.3	13	*° n
23	97.6	96.3	96.7	- 6.1	- 7.3	- 6.2	- 4.7	-11.3	96	97	59	34	4	31	3	01	4	9	6 *²	6	5	2.1	16	* n, *° a, ⊙ p
24	99.7	98.6	95.4	- 4.6	- 4.4	- 2.4	- 2.1	-12.1	68	70	96	32	4	01	4	34	5	6	6	8(*)	8 *²	0.5	18	*° a, * p
25	91.7	91.3	90.8	- 4.3	- 4.8	- 4.5	- 2.4	- 5.3	99	99	91	34	8	34	8	34	7	1	8 +	8 +²	8 +	1.2	18	+ n,a, *° + p
26	**89.2**	93.1	95.6	- 4.1	- 3.7	- 2.9	- 2.9	- 5.3	84	98	97	34	4	36	4	36	4	2	8	8 *	8 *°	0.8	18	+ n, *° a
27	97.1	97.5	98.0	- 2.9	- 2.7	- 2.6	- 2.4	- 3.7	96	97	99	34	4	36	6	34	5	3	8 *°	8 +	8 *°	4.2	20	* n, + *° a, *° p
28	98.0	93.8	94.7	- 1.9	- 1.1	- 0.2	**0.9**	- 3.8	99	00	99	34	4	18	3	18	3	2	8 *°	8 *	8 *°	4.8	22	*° n,a,p
29	93.9	91.4	91.2	- 1.4	- 0.9	- 2.2	- 0.1	- 2.5	99	87	90	00	0	36	6	13	3	9	8 *°	7	6	18.9	30	*° n
30	99.0	04.9	03.6	- 7.5	- 8.7	- 3.8	- 1.8	-10.7	75	90	89	36	4	18	1	27	1	9	0	7	8 *°	0.1	30	
31	96.7	90.0	91.8	- 3.2	- 2.6	- 1.9	- 1.9	- 5.1	98	97	99	00	0	36	6	00	0	2	8 *°	8 *	8 *°	2.0	30	*° n,a,p
M	04.2	04.2	04.1	- 6.8	- 6.7	- 6.3	- 4.5	-10.0	84	84	81	3.3		3.9		3.5		6.7	5.7	6.4	6.4	64	12	

Ekstensotabell

1953

Myggbukta

φ = 73° 29'N λ = 21° 34'W g = 9.828 ΔG = + 1ʰ

November XI

H_s = 3 H_b = 4.2 h_t = 1.8 h_a = 6.5 h_d = 6.9 h_r = 1.9

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.5	01.3	02.5	- 3.2	- 3.7	- 4.1	- 1.4	- 4.4	98	99	93	07 3	17 2	02 5	7	8 *°	8(*)	8 +°	10.2	35	* n, •° a, +° *° p
2	06.7	06.7	06.8	- 2.7	- 1.1	- 0.6	0.2	- 4.4	98	90	82	34 2	33 7	35 6	3	8 *	8 +	8 +	6.5	35	* + n,a, + p
3	07.1	08.2	07.5	- 0.9	1.4	2.2	2.8	- 2.9	00	89	87	16 1	04 4	03 5	8	8 *	8	8 •°	14.7	42	* + n, * (*) a, •° p
4	03.9	06.4	07.6	1.4	0.8	- 0.1	3.3	- 1.0	86	94	97	34 7	07 1	34 1	8	8 •°	7	8	9.7	34	* n
5	06.4	06.4	06.5	0.8	0.9	- 4.0	0.9	- 4.2	82	72	98	01 4	01 4	14 2	9	7	6	3	1.5	34	* n
6	06.7	05.4	01.8	- 7.2	-12.0	-15.4	- 3.5	-17.4	75	80	86	33 4	26 1	26 2	9	1	1	1		34	⌓ n
7	95.1	93.5	93.7	-18.8	-18.6	-13.8	-11.5	-19.0	89	77	84	31 2	11 2	09 1	9	0	1	1		34	⌓ n
8	96.4	98.6	98.4	-13.4	-14.4	-14.9	- 9.9	-16.7	79	82	76	00 0	00 0	30 3	9	0	0	0		34	⌓ n
9	99.0	00.3	03.6	-16.9	-13.2	-17.9	-12.5	-20.4	82	68	80	36 4	36 5	00 0	9	1	7	7		34	
10	09.8	11.3	12.8	-19.1	-13.8	-14.7	-13.0	-22.5	83	73	79	36 2	36 5	00 0	9	0	7	8		34	
11	13.4	13.4	13.4	-20.2	-20.0	-27.8	-14.5	-29.7	79	73	06	36 3	02 1	02 1	9	0	0	1		34	
12	14.2	14.6	14.8	-25.4	-26.8	-29.7	-21.5	-30.0	89	86	82	00 0	10 1	00 0	9	0	1	1		34	
13	14.4	15.7	16.1	-20.0	-19.7	-20.3	-19.6	-32.0	55	51	51	36 4	36 6	35 6	9	0	1	0		34	
14	16.9	17.9	19.5	-20.6	-22.5	-22.1	-19.5	-23.5	50	51	53	36 5	36 7	36 6	9	0	1	1		34	
15	18.3	09.3	06.6	-21.8	-16.8	-14.3	-13.9	-24.2	65	93	94	26 1	35 8	07 3	0	8	8 +²	8 *		34	+ a, +² * p
16	83.3	71.6	72.0	- 9.9	- 8.0	- 6.1	- 5.6	-15.7	98	00	00	36 10	34 9	35 6	0	8 +²	8 +²	8 *	2.5	34	* \ n, +² \ a, *² \ p
17	80.0	86.0	89.3	- 7.0	- 6.4	- 6.4	- 6.1	- 8.2	99	00	00	34 5	35 5	36 5	2	8	8 *²	8 *°	2.7	34	* n,a,p
18	93.3	95.0	98.3	- 8.6	- 7.8	- 9.6	- 6.3	-11.5	99	97	96	30 1	36 6	33 4	7	6	1 +°	1	7.6	40	* n, +° a,p
19	06.8	10.7	12.4	- 9.2	- 8.4	- 9.9	- 7.9	-10.8	91	97	91	36 6	35 6	36 6	9	7	1	0		35	
20	09.3	09.5	08.4	- 9.6	-12.6	-17.6	- 9.5	-19.2	66	68	77	33 4	02 5	25 2	9	0	0	0		35	
21	09.4	11.6	11.8	-21.3	-23.6	-21.7	-13.3	-25.2	84	84	86	29 1	24 1	20 2	9	0	1	1		35	
22	05.4	01.4	96.5	- 9.9	- 7.3	- 5.4	- 5.4	-22.4	97	97	90	34 7	34 8	34 7	6	8 *°	8 +°	8	1.0	36	*° + n, *° +° a
23	97.9	00.3	94.3	- 5.4	- 7.5	- 4.7	- 3.9	- 9.3	99	98	98	00 0	00 0	36 5	2	8 *°	8 ≡	8 *	0.6	36	(*) n, ≡ a, * p
24	91.3	91.6	92.2	- 7.3	- 7.8	- 9.2	- 4.3	- 9.2	96	97	97	18 4	14 4	14 1	3	8 *°	8 *	8 *°	5.5	40	*° n,a, * p
25	92.7	96.8	98.5	-10.5	-11.1	-14.8	- 8.9	-16.7	96	97	87	02 2	09 1	02 6	3	8 =	8 *°	8 +	3.7	40	*° n,a, •° +° p
26	03.4	07.6	10.2	-16.1	-17.2	-17.4	-14.6	-17.6	68	68	69	36 6	36 5	34 6	9	8 ⊕	7	1	1.1	40	+ ⊕ n, ⌓ 19
27	13.5	10.1	01.4	-19.0	-18.9	-20.2	-16.6	-20.4	65	62	59	36 4	36 5	36 4	9	0	0	1		40	⌓ 19
28	87.2	84.8	83.3	-28.1	-17.9	-17.5	-15.6	-31.5	72	54	55	00 0	36 4	36 6	9	0	0	1		40	⌓ n
29	82.8	83.7	83.9	-19.4	-15.0	-17.6	-12.9	-24.1	61	58	63	17 2	35 5	36 4	9	0	1	6		40	
30	85.2	86.4	89.4	-16.9	- 8.6	-13.4	- 8.6	-21.6	73	61	90	33 3	36 4	29 1	9	0	7	4		40	
Ø	01.6	01.9	01.8	-12.9	-11.9	-13.0	- 9.1	-17.2	82	80	83	3.4	4.1	3.5	7.0	3.9	4.3	4.2	67	36	

Desember XII

Datum	Lufttrykk P 7	13	19	Lufttemperatur T 7	13	19	Max	Min	Relativ fuktighet U 7	13	19	Vindens retning og styrke D,F 7	13	19	Synsvidde V 13	Skydekke og vær N,w 7	13	19	Nedbør R	Snødybde h_s	Værforløp W
1	93.9	95.7	96.5	- 9.8	-10.4	- 9.4	- 8.0	-13.8	56	61	80	36 4	36 5	36 5	9	5	7	8 *		40	
2	98.4	99.5	97.5	-11.2	-12.4	-22.1	- 8.0	-22.6	90	96	87	36 4	36 2	30 1	8	8 *°	8	1	0.6	40	*° n, (*) a
3	96.5	99.6	01.1	-12.6	-13.9	-14.6	-12.3	-22.5	53	59	58	35 5	01 4	36 4	9	1	7	5	0.0	40	
4	01.8	01.8	99.2	-16.4	-22.2	-25.4	-13.7	-28.5	56	65	66	36 5	30 1	29 1	9	1	0	0		40	
5	98.3	02.1	04.1	-27.0	-23.8	-20.8	-17.9	-30.5	68	69	76	34 2	29 1	08 2	9	0	7	8		40	
6	89.9	77.2	79.7	-13.7	-12.0	-12.8	-10.1	-21.0	96	98	37	36 8	36 9	36 4	0	8 +²	8 *	1		40	+ n, + * \ a, *° \ p
7	87.6	91.7	97.9	-17.3	-18.5	-17.1	-12.7	-25.6	65	66	62	02 4	36 4	36 6	9	0	0	0	5.6	42	⌓ 7, ⌓° 19
8	09.5	10.6	04.9	-13.6	-13.2	-12.9	-11.9	-17.9	59	65	87	36 5	36 4	02 3	8	7	8	8 *°		42	*° p
9	83.0	87.8	89.0	-11.3	-14.6	- 7.6	- 7.6	-17.3	93	87	66	36 5	00 0	36 5	9	1	7	7	1.2	45	
10	89.0	89.6	91.2	- 7.6	-15.1	-12.7	- 7.3	-17.9	61	93	96	36 3	00 0	00 0	9	8	1	7		45	
11	95.1	93.6	99.8	-16.1	-10.2	-11.8	-10.2	-20.6	94	97	90	00 0	18 1	36 2	2	8 ≡°	8 *°	8 *°		45	≡° *° a, * p
12	96.0	92.1	91.2	-16.2	-16.1	-17.5	-11.7	-18.0	84	89	90	18 4	09 3	04 2	6	8 *°	8 *°	4	7.6	50	*° a, *° ≡°° p
13	91.9	03.6	01.4	-19.8	-18.1	-13.4	-12.9	-23.3	83	76	66	36 4	36 6	36 3	8	1	7	8	2.6	50	= n
14	97.3	06.6	02.5	-15.7	-13.7	-12.4	-11.7	-23.3	90	84	90	07 3	36 3	36 7	8	7	8	8 *	1.9	50	* n
15	99.0	97.9	98.5	-10.8	-11.0	-11.9	-10.7	-13.5	97	97	94	36 2	36 2	36 2	4	8 *	8 *°	8 *	5.1	57	* + n, * a, *° p
16	02.5	99.7	85.0	-21.9	-13.8	-10.6	- 8.0	-25.3	93	89	87	36 3	02 3	33 7	9	0	8	8 +²	7.0	57	*° ⌓ n, + a,p
17	93.5	94.9	92.3	-10.2	- 9.8	-10.4	- 7.1	-11.9	97	94	96	13 4	30 2	35 6	6	8	8(*)	7	2.0	57	+ * n
18	91.3	94.9	99.2	-14.4	-15.0	-15.4	-10.0	-15.8	82	82	87	36 4	34 2	34 2	9	3	6	8 *°		58	•° p
19	05.7	07.4	04.9	-21.9	-28.1	-20.9	-15.4	-31.3	84	86	87	02 3	33 1	22 2	9	0	7	8	0.7	58	*° n
20	87.2	87.4	91.1	-15.9	-13.5	-16.4	-11.4	-21.9	90	94	93	36 9	19 3	19 3	3	8 +²	8 *	8 *°	1.1	52	\ + * n, \ *° + a, * p
21	91.9	94.4	97.7	-19.8	-26.2	-23.4	-16.4	-28.4	87	87	87	36 5	00 0	00 0	9	0	1	1	1.2	52	
22	00.9	02.3	02.1	-29.4	-33.6	-27.5	-22.7	-35.3	83	83	83	20 1	10 1	33 2	9	0	1	0		52	⌓ n, ⌓ 19
23	01.3	01.3	99.7	-24.2	-21.6	-19.6	-17.7	-35.3	77	69	68	36 4	02 4	02 4	9	8	8	8		52	
24	01.3	03.7	05.2	-22.6	-24.2	-23.3	-17.1	-28.0	66	69	75	06 2	20 2	34 3	9	5	7	7		52	
25	07.9	06.4	04.1	-32.9	-34.0	-33.1	-21.0	-37.6	83	80	80	00 0	04 1	00 0	9	0	0	2		52	⌓ n, ⌓° 19
26	99.7	98.0	95.0	-24.2	-13.8	-12.0	- 9.7	-37.7	86	76	86	32 2	28 2	36 7	8	8	8	8 *°		52	*° p
27	94.4	93.4	94.1	- 5.4	- 6.6	- 5.8	- 4.9	-12.5	86	91	97	36 5	35 6	35 6	5	8 =	8 *°	8 *°	1.6	52	= *° n, +° *° a,p
28	05.6	10.5	15.4	-11.3	-16.6	-26.8	- 5.9	-28.8	96	94	89	36 1	05 2	01 1	9	8 *°	0	0	5.4	64	* n, ⌓° 19
29	11.5	04.5	94.0	-19.0	-13.8	-12.9	-12.5	-31.9	93	76	84	01 1	36 5	01 8	3	3	8 +°	8 +	0.0	64	⌓ n, +° p
30	80.6	83.0	85.3	- 9.6	- 9.9	-10.3	- 6.3	-14.5	96	98	97	36 9	34 5	35 5	8	8 +²	8	8		55	+² \ n, * \ a
31	88.6	89.6	92.6	-11.2	-13.2	-13.5	- 9.9	-14.3	90	84	80	34 6	01 6	35 7	9	0	1	4	0.5	55	
Ø	97.1	97.4	97.2	-16.5	-16.7	-16.3	-11.7	-23.4	82	82	81	3.7	2.9	3.5	7.4	4.5	5.8	5.6	44	50	

Isfjord Radio 1953

φ = 78° 4'N λ = 13° 38'E g = 9.830 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 7	13	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	999.9	1001.1	-12.2	-11.9	-11.7	-11.9	- 9.4	-15.1	0.5	5	-22.5	18	5 5.8	3 4.7	43 4.6	27 4.0	2 2.0	0 -	4 5.5	2 6.0	0 -	0 -	1 3.0	5 4.8	1
II	1002.5	03.6	-10.5	-10.2	-10.6	-10.4	- 7.9	-12.9	3.3	28	-24.0	17	1 2.0	4 4.5	28 4.8	9 3.3	3 3.3	1 1.0	21 4.7	5 5.6	0 -	5 4.0	1 4.0	6 3.5	0
III	06.6	07.8	-17.3	-16.7	-17.1	-17.1	-14.1	-20.6	0.2	31	-25.6	11	3 4.0	13 4.5	40 4.7	22 3.2	2 1.5	2 5.0	2 4.0	2 5.0	0 -	0 -	1 5.0	6 5.3	0
IV	14.0	16.1	-11.8	-10.3	-10.4	-11.2	- 8.6	-14.4	1.0	30	-22.7	10	0 -	8 4.9	39 4.9	24 2.9	2 3.0	4 1.8	3 3.0	1 6.0	1 1.0	1 2.0	4 3.8	1 3.0	2
V	12.4	13.5	- 3.1	- 2.2	- 2.5	- 2.9	- 1.1	- 4.5	4.0	3	-10.3	17	1 5.0	9 2.7	18 3.5	12 2.7	1 3.0	7 2.4	13 3.0	4 2.5	1 2.0	0 -	3 5.3	18 4.3	6
VI	15.9	17.0	2.6	3.3	3.1	2.7	4.7	1.3	12.5	22	- 2.9	6	0 -	7 3.6	6 3.5	1 1.0	0 -	16 5.0	22 4.0	18 2.7	3 2.7	7 1.9	4 3.0	3 4.3	3
VII	10.5	11.6	5.8	6.5	6.3	5.9	7.8	4.6	15.6	20	2.1	9	1 1.0	14 3.8	12 3.4	1 1.0	1 2.0	1 1.0	16 3.3	16 2.5	6 1.8	13 1.8	5 2.4	6 2.5	1
VIII	11.5	12.6	5.2	5.9	5.8	5.4	7.1	4.3	11.5	13	0.6	28	3 1.7	13 4.1	7 4.3	7 3.9	0 -	8 4.4	32 3.6	11 3.0	4 2.8	3 1.3	0 -	0 -	5
IX	04.8	05.9	0.6	1.4	1.1	0.9	2.5	- 0.4	7.0	17	- 3.9	21	1 1.0	22 3.7	12 3.0	7 4.1	0 -	4 2.5	12 3.2	3 2.7	4 2.8	6 3.0	7 3.1	11 4.4	1
X	01.3	02.5	0.0	0.1	0.1	0.1	1.8	- 1.9	8.4	29	- 6.5	22	0 -	5 4.4	18 4.1	28 4.7	5 2.2	14 4.0	11 4.8	2 4.0	1 3.0	2 3.5	0 -	6 4.7	1
XI	995.4	996.5	- 0.5	- 0.5	- 0.7	- 0.6	1.6	- 2.3	6.2	2	-10.6	15	0 -	9 3.9	33 4.3	17 4.6	1 4.0	4 4.8	18 4.9	0 -	2 3.0	0 -	4 4.0	2 3.0	0
XII	94.1	95.3	- 4.0	- 3.9	- 4.0	- 4.0	- 1.3	- 7.4	4.0	16	-11.7	26	1 3.0	1 4.0	26 4.8	13 4.4	0 -	3 3.7	16 5.4	6 5.3	8 4.9	4 5.0	5 4.0	8 4.0	2
1953	1005.8	1007.0	- 3.8	- 3.2	- 3.4	- 3.6	- 1.4	- 5.8	15.6		-25.6		16 3.6	108 4.0	282 4.4	168 3.8	17 2.5	64 3.9	170 4.1	70 3.4	30 3.1	41 2.8	35 3.6	72 4.2	22

Hopen

φ = 76° 30'N λ = 25° 4'E g = 9.829 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	999.1	1000.0	-13.1	-13.1	-12.5	-12.9	- 9.5	-16.3	0.4	5	-25.4	11	15 4.7	24 5.6	20 4.8	9 5.3	2 4.0	3 3.0	2 4.0	4 4.5	4 3.5	2 1.5	1 7.0	6 4.2	1
II	1004.1	05.0	- 9.4	- 9.0	- 8.8	- 9.2	- 5.6	-11.9	2.0	25	-27.4	17	2 6.0	6 5.0	9 4.9	6 4.2	1 2.0	2 3.5	6 3.5	5 3.2	24 4.7	8 4.9	5 3.4	4 5.5	6
III	06.7	07.7	-19.9	-18.5	-19.4	-19.5	-15.0	-23.3	0.5	12	-30.3	23	8 4.1	16 4.4	23 4.8	10 4.4	0 -	1 1.0	2 4.0	3 4.7	3 4.0	5 4.8	2 4.0	13 3.3	7
IV	14.7	15.6	-15.2	-13.4	-14.3	-14.7	-11.2	-18.1	0.5	15	-26.9	9	8 6.1	11 5.6	33 4.5	8 2.5	2 3.0	2 1.0	2 1.0	0 -	3 4.3	1 5.0	4 3.2	6 4.0	10
V	12.1	13.0	- 5.1	- 4.1	- 4.3	- 4.8	- 2.7	- 6.6	1.1	7	-11.5	14	1 4.0	7 4.4	26 3.6	9 3.4	2 3.5	3 3.3	2 2.0	5 3.8	4 3.0	8 3.9	9 3.9	11 3.0	6
VI	17.4	18.3	1.7	2.5	2.1	1.8	4.4	0.1	15.7	22	- 3.4	7	0 -	2 2.0	6 1.7	13 1.5	0 -	3 2.7	2 1.0	7 4.7	26 5.2	14 4.9	10 4.7	1 7.0	6
VII	10.5	11.4	3.3	3.9	3.5	3.3	5.3	1.7	11.0	18	- 1.3	13	3 4.7	14 4.1	15 2.9	8 1.9	5 2.4	6 1.8	5 1.8	3 1.7	5 3.4	12 2.9	9 2.9	6 2.7	2
VIII	13.4	14.2	4.1	4.6	4.6	4.2	6.0	2.7	10.6	13	- 0.6	24	0 -	3 1.7	11 2.4	16 3.3	4 2.2	2 1.0	6 1.2	18 3.6	18 3.3	6 2.3	7 2.3	2 2.0	0
IX	04.4	05.3	1.4	1.7	1.5	1.3	3.0	- 0.2	7.7	26	- 2.2	19	2 3.5	19 3.4	7 2.9	11 3.0	1 1.0	0 -	1 3.0	11 2.7	10 2.7	16 2.7	6 2.2	3 3.3	3
X	04.6	05.5	0.8	0.9	0.7	0.8	2.3	- 0.9	9.1	29	- 4.2	22	2 2.5	4 2.5	16 3.1	14 3.4	4 4.2	6 4.3	8 2.2	17 2.7	15 3.8	2 2.0	3 4.7	1 1.0	1
XI	997.7	998.6	0.2	0.1	- 0.1	0.1	1.4	- 1.5	7.1	1	- 7.8	15	1 1.0	9 2.3	17 2.8	10 3.3	7 3.3	9 2.6	10 2.8	5 4.0	10 3.5	1 1.0	1 2.0	8 3.8	2
XII	95.9	96.8	- 1.3	- 1.1	- 1.2	- 1.2	0.8	- 3.5	4.8	12	- 9.5	26	8 3.8	7 2.7	9 2.7	10 3.6	5 2.8	1 3.0	3 2.3	9 4.3	31 4.6	5 4.2	0 -	3 2.7	2
1953	1000.7	1007.6	- 4.4	- 3.0	- 4.0	- 4.2	- 1.7	- 6.5	15.7		-30.3		50 4.5	122 4.2	192 3.7	124 3.3	33 3.0	38 2.7	49 2.4	87 3.5	153 4.2	80 3.6	57 3.5	64 3.5	46

Bjørnøya

φ = 74° 31'N λ = 19° 1'E g = 9.828 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	995.9	997.8	- 8.1	- 8.5	- 8.0	- 8.2	- 5.6	-11.1	3.0	5	-18.0	11	14 5.1	16 4.5	19 5.4	12 5.2	4 3.8	3 6.3	8 4.9	4 4.2	0 -	2 4.5	2 3.5	9 5.1	0
II	1002.8	1004.7	- 7.0	- 6.2	- 6.3	- 6.6	- 3.8	-10.2	2.5	25	-17.7	16	5 5.2	2 5.0	2 5.0	8 4.6	8 3.9	19 4.5	12 4.8	5 6.2	8 5.1	6 6.0	6 6.0	3 4.0	0
III	03.1	04.9	-10.7	-10.2	-10.3	-10.7	- 6.7	-14.0	1.5	12	-25.8	24	7 6.0	22 4.6	17 5.2	9 4.3	6 4.7	6 5.2	8 4.8	1 3.0	4 5.8	6 6.0	3 4.7	4 6.5	0
IV	10.5	12.4	- 9.9	- 8.4	- 9.3	- 9.5	- 6.6	-12.7	2.4	29	-21.3	9	7 4.9	12 5.0	30 4.7	15 4.0	2 3.5	6 4.5	2 3.0	6 3.7	3 3.7	1 3.0	2 4.0	4 4.5	0
V	11.2	13.1	- 1.8	- 1.4	- 1.6	- 1.8	0.0	- 3.5	4.2	2	- 7.1	16	3 3.7	2 3.0	15 3.4	19 3.6	6 3.0	2 3.5	7 3.3	5 3.2	2 3.5	4 3.2	13 4.2	13 4.4	2
VI	17.7	19.5	4.0	5.4	4.9	4.4	7.3	2.1	23.6	22	- 1.6	1	5 2.8	3 2.0	3 2.0	5 2.2	7 3.4	3 1.7	14 3.1	19 3.9	3 3.3	17 3.2	5 2.8	4 2.5	2
VII	09.5	11.3	5.0	5.9	5.4	5.1	7.5	3.4	16.7	17	- 0.6	9	18 2.3	9 2.8	13 1.8	10 3.5	5 4.0	7 3.1	5 3.4	0 -	4 2.2	8 2.4	4 2.0	8 2.1	2
VIII	11.6	13.4	5.8	6.9	6.4	6.1	8.2	4.5	11.5	12	1.0	29	2 2.0	1 2.0	28 3.9	7 4.3	8 3.6	3 3.7	12 3.3	8 3.6	10 3.3	11 2.3	2 1.5	1 4.0	0
IX	04.4	06.2	2.8	3.5	3.1	2.9	4.6	1.6	8.5	1	- 0.4	9	10 3.9	15 3.3	4 3.2	5 3.2	4 2.5	5 3.4	18 3.2	6 4.0	4 3.8	8 3.5	3 4.0	8 3.1	0
X	02.9	04.7	2.4	2.6	2.6	2.5	4.1	0.7	8.4	29	- 4.0	22	0 -	1 1.0	5 4.2	11 4.2	6 3.3	9 3.6	23 4.1	14 4.1	9 3.6	13 4.9	2 5.0	0 -	0
XI	995.3	997.1	1.1	1.2	1.0	1.1	2.4	- 0.6	6.0	1	- 6.4	29	4 2.2	9 3.2	5 3.2	10 2.8	5 2.8	9 4.1	17 4.5	12 4.0	3 4.3	5 3.8	6 3.3	4 5.5	1
XII	96.8	98.6	0.7	0.4	0.5	0.5	2.6	- 1.9	6.4	22	- 8.1	4	4 2.5	1 1.0	3 3.7	1 4.0	2 4.0	7 4.1	9 5.1	23 4.4	14 4.1	16 5.0	5 4.4	8 3.9	0
1953	1005.1	1007.0	- 1.3	- 0.7	- 1.0	- 1.2	1.2	- 3.5	23.6		-25.8		79 3.9	93 3.9	144 4.1	112 3.9	63 3.6	79 4.1	135 4.0	103 4.1	64 4.0	97 4.0	53 4.0	66 4.1	7

Jan Mayen

φ = 71° 1'N λ = 8° 28' W g = 9.829 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	997.6	1002.6	- 5.1	- 5.2	- 4.7	- 5.0	- 1.8	- 7.7	2.6	26	-14.3	19	29 5.0	8 4.2	1 2.0	5 5.6	6 4.3	14 4.1	8 3.4	2 3.0	2 4.5	5 3.0	4 4.5	5 4.2	4
II	1001.1	06.1	- 5.5	- 5.6	- 5.8	- 5.6	- 2.3	- 8.9	3.4	16	-15.0	22	20 4.6	5 3.6	3 2.3	7 4.6	8 5.4	12 4.7	6 4.5	2 6.0	2 4.0	8 4.4	5 3.8	5 5.0	1
III	04.0	09.1	- 6.3	- 5.9	- 5.4	- 6.0	- 2.4	- 9.9	4.4	10	-16.4	21	37 4.9	10 4.6	5 3.6	5 5.6	4 3.5	8 4.8	5 4.4	4 5.0	5 5.2	4 3.5	3 2.7	3 5.7	0
IV	08.9	14.0	- 6.9	- 4.9	- 5.3	- 5.9	- 2.3	- 8.5	5.6	29	-17.2	2	41 5.7	10 6.3	1 9.0	3 2.0	3 2.0	3 2.7	4 2.5	0 -	2 3.0	0 -	1 1.0	15 4.7	7
V	13.0	18.0	- 1.3	0.6	- 0.3	- 0.6	2.4	- 2.7	6.0	11	- 7.0	16	31 3.8	5 2.4	2 4.0	2 4.5	5 3.8	1 2.0	15 3.3	5 3.2	2 2.0	6 2.5	4 2.2	7 3.7	8
VI	11.6	16.5	4.0	5.4	5.3	4.6	8.1	2.4	18.1	21	- 2.9	2	9 3.0	0 -	0 -	0 -	8 3.5	34 4.7	22 3.8	0 -	1 1.0	2 1.5	1 1.0	3 4.0	10
VII	07.9	12.8	5.1	6.1	6.2	5.5	7.7	3.8	12.0	28	0.5	6	25 2.6	1 2.0	0 -	3 2.0	3 2.0	14 2.4	14 3.0	4 1.5	2 2.0	7 1.9	4 1.8	9 2.3	7
VIII	04.6	09.4	7.2	7.8	7.8	7.4	9.4	6.0	12.7	12	1.5	27	18 3.1	5 2.2	0 -	3 4.0	8 4.4	15 4.0	13 3.1	7 3.0	3 2.0	3 1.7	2 2.5	11 3.2	5
IX	02.2	07.0	4.2	5.3	4.8	4.7	6.4	3.0	9.9	6	- 1.8	28	20 3.9	7 2.6	2 1.0	7 4.4	5 3.0	19 3.7	13 3.0	2 5.5	0 -	5 1.8	1 6.0	7 4.1	2
X	995.1	00.0	1.6	1.9	2.4	1.9	4.6	- 0.8	0.5	28	- 7.1	12	11 4.4	9 5.1	4 4.2	6 5.3	7 5.3	20 4.3	8 3.9	5 3.8	4 3.5	5 4.4	2 3.5	6 4.3	6
XI	90.6	995.5	- 0.5	- 0.4	- 0.2	- 0.4	2.2	- 2.6	10.0	3	-11.2	30	15 4.9	7 3.6	2 3.5	6 5.0	14 5.6	14 4.9	4 5.5	1 6.0	2 5.5	1 4.0	3 3.7	17 5.1	4
XII	91.0	95.8	- 0.8	- 0.4	- 0.4	- 0.5	1.9	- 3.5	5.2	10	- 9.6	26	7 4.7	6 3.2	3 5.0	5 4.8	14 5.4	19 4.7	16 5.0	7 5.0	2 4.5	1 4.0	2 4.0	7 4.4	4
1953	1002.3	1007.2	- 0.4	0.4	0.4	0.0	2.8	- 2.4	18.1		-17.2		263 4.4	73 4.0	23 3.7	52 4.6	85 4.6	173 4.2	128 3.7	39 3.9	27 3.6	47 3.0	32 3.1	95 4.2	58

Myggbukta

φ = 75° 29'N λ = 21° 34' W g = 9.828 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	7	13	19	Dies	Max	Min	Max	Dat	Min	Dat	N	N30E	N60E	E	E30S	E60S	S	S30W	S60W	W	W30N	W60N	C
I	1008.7	1009.2	-21.7	-21.7	-22.0	-21.8	-16.6	-27.5	- 2.0	27	-43.8	19	2 3.0	16 3.7	14 2.9	6 1.8	6 2.3	6 1.2	7 1.1	1 1.0	1 1.0	1 1.0	3 1.7	0 -	30
II	10.2	10.7	-25.1	-24.4	-24.6	-24.7	-18.0	-31.6	- 1.7	9	-47.5	14	3 1.7	13 5.2	5 4.0	1 1.0	5 1.0	9 1.8	6 1.7	3 1.3	4 2.5	2 1.5	0 -	1 1.0	32
III	16.2	16.6	-25.7	-23.3	-22.3	-24.1	-16.3	-32.5	- 6.0	18	-44.4	14	12 1.8	16 4.2	14 4.4	3 1.0	1 2.0	7 1.6	5 1.6	2 3.0	3 1.0	2 2.0	6 2.3	1 2.0	21
IV	24.7	25.1	-20.4	-13.0	-12.2	-16.4	- 7.6	-24.6	6.7	26	-34.6	9	10 3.2	8 3.5	2 1.0	2 1.5	4 1.5	2 2.0	1 1.0	0 -	1 1.0	5 2.8	3 2.0	13 2.3	39
V	18.5	18.9	- 7.4	- 2.7	- 2.4	- 5.0	- 1	- 9.0	7.3	25	-18.4	5	5 4.0	3 4.3	1 1.0	3 2.3	14 1.8	23 1.8	5 2.0	0 -	0 -	2 3.0	2 1.5	7 2.1	28
VI	12.7	13.1	0.9	3.4	2.7	1.9	5	- 0.7	16.7	24	- 5.4	1	6 4.0	3 3.7	1 5.0	5 1.8	16 2.1	34 1.9	1 3.0	3 2.0	2 1.5	2 2.0	2 3.0	4 3.0	11
VII	11.0	11.4	1.0	2.6	2.3	1.7	4	- 0.1	12.0	16	- 3.5	6	2 4.0	1 2.0	1 2.0	3 3.0	15 1.9	43 2.7	13 2.8	2 3.5	0 -	0 -	1 1.0	2 3.5	10
VIII	10.7	11.2	3.9	6.9	5.7	5.0	8.7	2.0	20.3	5	- 2.1	31	7 3.6	9 3.2	7 1.9	3 2.0	14 2.3	17 2.3	16 2.5	3 4.0	1 3.0	3 2.3	3 1.7	3 2.3	7
IX	09.0	09.5	- 1.6	1.3	0.7	- 0.3	3.1	- 3.6	12.5	9	-13.6	29	24 3.3	10 3.2	1 1.0	2 2.0	4 2.8	11 3.0	1 1.0	1 2.0	2 1.0	5 2.2	6 3.3	16 4.3	7
X	04.2	04.6	- 6.8	- 6.7	- 6.3	- 6.8	- 4.5	-10.0	0.9	28	-19.3	20	35 4.5	7 4.0	4 2.2	4 2.5	0 -	3 1.3	8 2.4	0 -	0 -	3 1.3	4 2.0	20 4.7	5
XI	01.7	02.2	-12.9	-11.9	-13.0	-12.6	- 9.1	-17.2	3.3	4	-32.0	13	34 5.4	8 3.5	3 2.3	3 1.0	1 2.0	4 2.0	3 2.7	1 2.0	2 1.5	3 1.3	5 1.6	14 5.3	9
XII	997.2	997.7	-16.5	-16.7	-16.3	-16.5	-11.7	-23.4	- 4.9	27	-37.7	26	48 4.7	7 2.9	3 2.0	3 2.0	1 4.0	0 -	4 2.8	3 1.7	0 -	1 2.0	5 1.2	10 3.2	8
1953	1010.4	1010.8	-11.0	- 8.8	- 9.0	-10.0		-14.8	20.3		-47.5		188 4.2	101 3.8	56 3.0	38 1.9	81 2.0	159 2.2	70 2.2	19 2.4	16 1.6	29 2.1	40 2.0	92 3.7	207

1953

Årsoversikter

Annual Summaries)

H_s = 7 H_b = 9.0 h_t = 1.9 h_a = 10.1 h_d = 11.4 h_r = 1.7

Isfjord Radio

Måned	Midlere relativ fuktighet Um 7	13	19	Dies	Midlere skydekke Nm 7	13	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	81	80	81	4.0	5.0	4.6	15	9	16	31	30	26	0	11	2	0	14	4	1	0	11	0	0	0	0	0	0	0	0	0	3	9	
II	82	84	83	84	5.6	6.6	5.4	48	10	8	28	27	16	0	21	13	2	14	3	1	2	21	0	0	0	0	0	0	0	0	0	1	11	
III	81	80	82	81	5.2	4.9	4.5	28	17	12	31	30	31	0	20	4	1	11	2	1	0	20	0	0	0	0	0	0	0	2	12	1	6	
IV	82	79	78	80	4.3	4.4	4.6	9	2	17	30	29	27	0	14	3	0	11	1	0	0	14	0	0	0	0	0	0	0	0	23	4	7	
V	82	81	82	82	6.3	5.7	5.9	4	2	14	30	18	1	0	8	2	0	4	1	0	1	8	1	0	0	0	0	0	0	0	14	3	20	
VI	91	90	91	91	7.1	6.4	6.8	36	15	15	8	2	0	0	15	8	1	10	0	0	12	4	1	10	0	0	0	0	0	15	9	1	23	
VII	83	81	83	83	6.2	5.6	5.2	19	18	16	0	0	0	0	4	1	1	2	0	0	4	0	0	8	0	0	0	0	1	6	19	2	16	
VIII	88	86	87	87	7.1	7.1	6.9	59	22	28	0	0	0	0	18	9	1	8	0	0	18	1	1	16	0	0	0	0	1	5	9	0	24	
IX	83	81	82	82	6.4	6.1	5.2	32	14	26	18	5	0	0	14	8	1	8	1	0	7	11	4	2	0	0	0	0	0	0	16	1	14	
X	78	81	82	90	6.9	7.5	7.2	66	16	31	25	8	0	0	20	14	1	16	3	1	11	14	1	3	0	0	0	0	0	0	3	0	26	
XI	82	82	82	82	5.7	6.7	5.9	58	10	25	21	6	2	0	18	10	1	16	3	2	11	11	4	1	0	0	0	0	0	0	0	3	14	
XII	84	64	84	84	7.1	6.4	6.3	130	28	16	30	18	6	0	23	15	4	18	6	2	9	22	3	3	0	0	0	0	0	0	0	1	21	
1953	83	82	83	83	6.0	6.0	5.7	504	26		252	173	109	0	186	89	13	132	24	5	75	137	15	43	0	0	0	0	2	28	105	20	191	

H_s = 6 H_b = 7.2 h_t = 1.8 h_a = h_d = 8.0 h_r = 1.9

Hopen

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	87	86	87	5.2	4.9	5.1	38	11	17	31	29	26	0	19	12	1	24	10	5	0	19	0	0	1	0	0	0	5	2	0	2	9	31
II	79	90	82	91	6.0	5.6	4.4	25	5	26	28	26	14	0	17	12	0	15	6	4	1	17	1	0	0	0	0	0	1	1	6	2	11	28
III	77	77	77	77	4.0	3.9	3.7	21	11	13	31	29	30	0	13	6	1	20	6	3	0	13	0	0	0	0	0	0	7	0	24	4	7	31
IV	84	81	93	93	4.7	4.1	5.0	23	6	22	30	27	27	0	15	8	0	14	7	3	1	15	0	1	0	0	0	0	4	3	19	7	14	30
V	83	80	82	82	6.5	6.0	6.2	13	4	21	31	22	5	0	13	4	0	11	0	0	6	12	2	6	1	0	0	0	5	5	19	3	21	31
VI	89	87	88	88	5.5	5.3	5.2	2	1	8	14	0	0	0	6	0	0	16	4	1	4	2	0	6	0	0	0	0	5	16	24	5	13	9
VII	86	84	83	85	6.5	6.3	6.2	14	3	14	4	0	0	0	10	7	0	5	2	1	10	2	2	11	0	0	0	0	2	12	15	1	20	0
VIII	91	89	90	90	7.3	7.2	6.8	35	11	11	1	0	0	0	22	5	1	3	0	0	22	0	0	21	0	0	0	0	1	21	10	0	26	0
IX	83	82	81	82	6.5	7.2	6.6	28	9	10	18	2	0	0	19	7	0	4	0	0	15	11	5	9	0	0	0	0	2	8	13	1	20	2
X	86	84	86	86	7.2	7.1	7.1	61	14	15	20	3	0	0	27	13	2	9	1	0	15	23	6	10	0	0	0	0	5	7	5	0	24	20
XI	88	88	87	87	6.9	7.1	6.8	43	6	9	21	6	0	0	26	15	0	6	1	0	17	16	5	10	0	0	0	0	4	11	0	0	22	18
XII	83	82	92	82	6.3	7.3	6.9	39	10	31	28	11	0	0	27	13	0	18	5	2	16	22	3	16	0	1	1	0	3	3	0	0	23	22
1953	85	83	84	84	6.0	6.0	5.8	342	14		257	155	102	0	214	102	5	145	42	19	107	152	24	90	2	1	1	0	44	89	136	25	209	222

H_s = 15 H_b = 14.4 h_t = 1.9 h_a = 8.0 h_d = 8.0 h_r = 2.0

Bjørnøya

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	85	84	84	5.6	6.5	6.0	26	5	17	31	26	20	0	20	10	0	20	7	3	5	16	1	2	0	0	0	0	0	2	0	0	13	
II	79	82	79	80	6.1	6.1	5.7	24	5	25	28	23	14	0	24	8	0	13	8	4	2	23	1	0	0	0	0	0	2	0	0	1	15	
III	82	82	82	82	5.8	5.4	5.8	21	6	13	31	25	25	0	22	6	0	24	10	2	21	22	3	0	0	0	0	0	1	2	15	3	14	
IV	83	82	83	83	4.9	5.2	5.3	17	5	6	30	25	21	0	15	6	0	13	4	0	0	15	1	0	0	0	0	0	5	3	23	3	12	
V	83	81	82	83	6.9	5.9	5.8	11	3	15	31	15	0	0	13	5	0	4	0	0	5	11	2	4	0	0	0	0	5	5	22	0	15	
VI	88	84	85	87	5.5	5.2	5.4	4	1	24	6	0	0	0	10	1	0	1	0	0	6	2	0	9	0	0	0	0	4	13	18	6	16	
VII	88	84	86	87	6.8	6.1	5.8	2	1	11	2	0	0	0	6	0	0	2	0	0	6	0	0	19	0	0	0	0	1	14	20	0	19	
VIII	91	87	88	89	7.0	6.9	6.8	38	13	28	0	0	0	0	15	5	2	4	0	0	15	0	0	21	0	0	0	0	6	14	10	0	26	
IX	87	84	86	86	7.1	6.4	6.6	36	14	30	2	0	0	0	16	5	1	6	1	0	15	4	4	10	1	0	0	0	6	4	8	0	18	
X	87	98	87	87	6.8	6.7	6.5	70	9	21	8	0	0	0	27	20	0	18	3	0	25	15	12	14	3	0	0	0	4	10	6	0	21	
XI	90	87	87	89	6.2	6.9	6.1	34	5	28	15	4	0	0	24	12	0	11	1	1	18	12	5	10	1	0	0	0	5	7	0	0	16	
XII	84	86	85	84	6.6	6.9	6.3	55	7	15	22	5	0	0	29	18	0	17	3	1	21	19	10	13	2	0	0	0	12	0	0	0	18	
1953	86	84	84	85	6.3	6.2	6.0	338	14		206	123	80	0	221	90	3	133	37	12	140	141	39	102	7	0	0	0	51	74	129	13	203	

H_s = 40 H_b = 39.3 h_t = 2.0 h_a = 9.8 h_d = 10.5 h_r = 1.7

Jan Mayen

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	84	83	84	6.3	6.7	6.6	100	33	28	30	18	10	0	21	13	4	20	9	4	6	20	4	6	0	0	0	0	4	3	0	0	10	
II	80	78	81	80	6.3	6.8	6.6	102	16	25	28	15	11	0	24	13	4	20	5	3	10	24	11	1	0	0	0	0	6	2	5	0	17	
III	81	82	80	81	6.6	7.1	6.5	50	7	12	31	15	17	0	26	12	0	22	8	7	8	25	6	1	1	0	0	0	0	1	4	0	19	
IV	82	78	80	80	5.9	6.1	6.2	86	40	13	30	22	10	0	22	3	1	24	11	6	0	22	0	0	0	0	0	0	2	1	15	1	15	
V	84	80	80	82	6.2	5.9	6.0	15	7	4	31	3	0	0	15	3	0	6	0	0	7	11	4	6	0	0	0	0	4	7	16	1	15	
VI	92	88	88	90	6.6	6.7	5.9	16	5	13	6	0	0	0	18	5	0	14	0	0	18	2	2	14	0	0	0	0	5	16	14	1	19	
VII	87	83	85	85	7.0	6.7	6.5	2	1	23	0	0	0	0	7	0	0	2	0	0	7	0	0	14	0	0	0	0	2	6	14	0	21	
VIII	89	88	88	88	7.4	7.4	7.3	31	12	13	0	0	0	0	19	8	1	7	0	0	19	0	0	23	0	0	0	0	5	12	10	0	27	
IX	88	84	82	84	6.8	7.0	7.0	113	32	7	3	0	0	0	23	14	3	8	1	0	22	3	1	15	0	0	0	0	4	3	11	0	21	
X	84	83	84	84	6.9	6.7	7.0	91	14	30	19	6	0	0	24	15	4	16	3	0	19	7	0	5	0	1	0	0	4	2	6	0	21	
XI	81	80	80	81	6.7	7.6	7.7	124	28	16	20	12	2	0	27	22	2	24	4	2	15	17	2	6	0	0	0	0	6	3	0	0	25	
XII	83	82	83	83	7.1	7.3	7.1	127	18	6	26	7	0	0	28	16	5	20	9	1	17	20	1	9	0	1	0	0	1	6	0	0	23	
1953	85	82	83	84	6.5	6.8	6.7	857	40		224	98	50	0	254	124	24	183	50	23	148	151	31	100	1	2	0	0	43	62	95	3	233	

H_s = 3 H_b = 4.2 h_t = 1.8 h_a = 6.5 h_d = 6.9 h_r = 1.9

Myggbukta

Måned	Um 7	13	19	Dies	Nm 7	13	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	84	83	82	83	3.9	4.7	4.4	37	8	16	31	31	31	0	13	6	0	6	3	1	0	13	0	0	0	0	0	0	0	0	0	7	9	
II	73	75	75	74	3.5	4.4	4.0	27	17	9	28	28	28	0	11	5	1	7	3	2	0	11	0	0	0	0	0	0	3	3	17	8	7	
III	75	72	69	72	3.8	4.6	4.6	39	12	20	31	31	31	0	13	6	2	11	0	0	0	13	0	0	0	0	0	0	2	2	25	6	10	
IV	79	68	69	73	3.4	3.9	4.0	0.1	0.1	8	30	26	30	0	1	0	0	4	1	0	0	1	0	0	0	0	0	0	0	3	29	4	2	
V	87	78	82	84	5.6	5.3	5.3	7	4	3	31		11		8	2	0	2	0	0	0	8	0	0	0	0	0	0	2	13	22	1	13	
VI	90	94	88	89	6.1	6.0	6.2	86	38	22	15		0		15	10	2	3	1	0	14	1	0	5	0	0	0	0	3	16	21	1	17	
VII	93	85	89	90	5.9	5.9	5.2	5	3	1	17		0		7	1	0	2	0	0	7	0	0	7	0	0	0	0	1	22	24	3	15	
VIII	89	80	87	86	5.0	5.0	5.4	40	20	11	6	0	0	0	10	6	2	1	0	0	10	0	0	4	0	0	0	0	0	11	23	6	12	
IX	81	69	81	79	4.3	5.7	5.6	25	16	16	25	8	5	0	10	4	1	7	2	1	4	8	2	0	0	0	0	0	0	1	21	2	10	
X	84	84	81	83	5.7	6.4	6.4	64	19	29	31	30	16	0	24	11	2	14	4	1	0	24	0	0	0	0	0	0	0	0	10	2	17	
XI	82	80	83	82	3.9	4.3	4.2	67	15	3	30	26	22	0	13	12	2	16	4	1	1	13	0	0	0	0	0	0	1	1	0	11	11	
XII	82	82	81	81	4.5	5.8	5.6	44	8	12	31	31	31	0	15	12	0	15	7	3	0	15	0	0	0	0	0	0	1	1	0	5	12	
1953	83	78	81	81	4.6	5.2	5.1	441	38		306		205		140	75	12	88	25	9	36	107	2	16	0	0	0	0	13	73	192	56	135	