OVERZICHT

DER

METEOROLOGISCHE WAARNEMINGEN, VERRICHT OP DE METEOROLOGISCHE STATIONS IN NEDERLANDSCH WEST-INDIË

IN HET JAAR 1930,

SAMENGESTELD DOOR HET KONINKLIJK NEDERLANDSCH METEOROLOGISCH INSTITUUT.

QC
987
.N4
O93
1930

SUMMARY

OF THE METEOROLOGICAL OBSERVATIONS MADE AT THE METEOROLOGICAL STATIONS IN THE NETHERLANDS WEST INDIES DURING THE YEAR 1930, COMPILED BY THE ROYAL DUTCH METEOROLOGICAL INSTITUTE.

LIBRARY

APR 2000

National Oceanic &
Atmospheric Administration
U.S. Dept. of Commerce

'S GRAVENHAGE — ALGEMEENE LANDSDRUKKERIJ — 1931.

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

INHOUD.

Blz.

Overzicht van de uitkomsten der driemaaldaagsche waarnemingen te Paramaribo 4

Overzicht van de uitkomsten der regenwaarnemingen in Suriname 5

Overzicht van de uitkomsten der driemaaldaagsche waarnemingen te Willemstad (Fort Amsterdam) op Curaçao 7

Overzicht van de uitkomsten der regenwaarnemingen op de Nederlandsche Antillen 8

CONTENTS.

Page.

Summary of the results, obtained from observations taken 3 times a day at Paramaribo 4

Summary of the results of rainfall observations in Suriname . 5

Summary of the results, obtained from observations taken 3 times a day at Willemstad (Fort Amsterdam) in Curaçao . . 7

Summary of the results of rainfall observations made in the Dutch Antilles 8

Overzicht van de waarnemingen te Paramaribo in 1930.

1930.	Luchtdrukking in mm, herleid op 0° C.						Temperatuur in graden Celsius.										Dampdrukking in mm.						Betrekkelijke vochtigheid in procenten.					Bewolking (0—10).				Regenval in mm.		
											Maximum.			Minimum.																			
	8 a.	2 p.	6 p.	M.	Max.	Min.	8 a.	2 p.	6 p.	M.	M.	Abs	Dat.	M.	Abs	Dat.	8 a.	2 p.	6 p.	M.	Maximum.	Minimum.	8 a.	2 p.	6 p.	M.	Minimum.	8 a.	2 p.	6 p.	M.	Totaal.	Maximum.	Datum.
Januari . .	762.0	760.8	760.6	761.1	763.3	758.2	24.4	27.9	25.4	25.9	29.6	32.3	23	22.4	20.6	22	21.1	21.1	20.7	21.0	24.1	18.1	93	76	86	85	52	7.9	8.4	8.0	8.1	243.0	56.5	31
Februari . .	62.1	61.1	60.8	61.3	63.4	59.3	25.0	29.0	26.1	26.7	29.9	31.9	18	22.4	**20.0**	20	21.1	20.5	20.1	20.6	23.0	18.3	90	69	81	80	57	6.7	7.8	7.6	7.4	72.9	17.0	1
Maart . . .	62.2	61.1	60.8	61.4	64.2	58.7	25.3	29.1	26.4	26.9	30.6	34.7	22	22.3	20.3	28	21.2	20.9	20.6	20.9	23.2	18.4	88	71	81	80	53	6.0	8.3	7.6	7.3	101.9	32.5	21
April . . .	62.1	60.8	60.4	61.1	63.5	59.2	25.7	28.9	26.4	27.0	30.5	31.9	25	22.6	20.8	11, 12	21.8	21.7	21.0	21.5	**25.3**	18.4	89	74	82	82	55	5.7	7.5	7.4	6.9	275.5	63.6	13
Mei	62.8	61.5	61.2	61.8	**64.9**	59.4	25.5	28.3	26.1	26.6	30.1	31.5	8, 9	23.0	21.6	18	22.0	22.3	21.8	22.0	24.3	19.1	91	79	87	86	56	7.2	8.5	7.8	7.8	257.6	40.0	27
Juni. . . .	62.2	61.0	60.8	61.3	63.0	59.8	25.2	28.7	26.1	26.7	30.6	33.2	10	22.8	21.8	23	21.7	22.1	22.1	22.0	23.6	18.4	91	76	88	85	54	5.8	8.5	8.5	7.6	284.8	**69.0**	11
Juli	62.4	61.2	60.8	61.5	64.4	58.7	25.0	28.3	26.5	26.6	30.7	32.9	29	22.8	22.2	13, 14, 19	21.5	22.6	22.4	22.2	24.6	18.8	91	80	88	86	53	5.4	8.5	8.0	7.3	273.3	39.0	9
Augustus .	62.5	61.1	60.8	61.5	64.3	59.0	25.7	31.1	27.2	28.0	32.5	34.0	25	22.8	21.2	8	21.8	21.5	21.6	21.6	23.8	17.9	89	65	81	78	48	5.4	7.8	8.0	7.1	68.9	13.0	11
September .	62.2	60.6	60.4	61.1	63.4	58.7	26.2	32.1	27.5	28.6	33.1	34.4	30	23.0	21.7	1, 2	21.6	20.5	22.1	21.4	24.7	17.3	85	58	81	75	43	3.8	6.8	8.4	6.3	132.0	57.1	1
October . .	61.2	59.4	59.4	60.0	62.5	58.4	26.7	31.6	27.6	28.6	33.7	35.2	25	23.3	21.6	28	22.2	21.2	21.9	21.8	24.2	15.7	85	63	80	76	42	4.2	7.8	7.2	6.4	93.5	42.5	29
November .	61.5	59.6	59.5	60.2	62.6	58.1	26.1	32.0	27.6	28.6	33.8	**35.6**	12	23.0	21.5	7	21.9	20.2	20.9	21.0	24.0	**14.6**	87	59	77	74	**35**	5.2	6.8	7.5	6.5	120.9	67.4	27
December. .	61.0	59.5	59.3	59.9	62.9	**56.6**	25.7	30.0	26.9	27.6	31.9	34.2	6	22.9	21.5	28	22.1	21.8	21.6	21.8	24.6	17.1	90	70	82	81	46	5.4	8.1	7.5	7.0	182.0	41.2	4
Jaar. . . .	762.0	760.6	760.4	761.0	764.9	756.6	25.5	29.7	26.6	27.3	31.4	35.6	—	22.8	20.0	—	21.7	21.4	21.4	21.5	25.3	14.6	89	70	83	81	35	5.7	7.9	7.8	7.1	2106.3	69.0	—

Regenval in Suriname, uitgedrukt in millimeters. [1])

1930.	Jan.	Febr.	Mrt.	April	Mei	Juni	Juli	Aug.	Sept.	Oct.	Nov.	Dec.	Jaar.
Stroomgebied Corantijn.													
Kapoeri	228.5	82.3	154.0	144.5	257.5	290.0	315.5	91.5	82.5	7.5	3.5	60.6	1717.9
Stroomgebied Nickerie.													
Nieuw-Nickerie	305.8	32.9	98.4	267.2	246.7	257.9	280.8	77.6	69.2	10.9	0.0	100.6	1748.0
Paradise	260.5	0.0	185.0	147.5	221.0	348.0	306.5	95.0	155.5	29.5	1.5	115.0	1865.0
Gemiddeld	283.1	16.4	141.7	207.3	233.8	302.9	293.6	86.3	112.3	20.2	0.7	107.8	1806.5
Noordkust tusschen Nickerie en Coppename.													
Leasowes	239.8	10.3	55.7	197.4	140.9	193.2	270.8	10.3	34.0	63.2	0.0	83.2	1298.8
Totness	265.0	24.9	60.0	200.6	185.1	283.7	297.0	13.0	45.4	3.1	2.4	92.9	1473.1
Hamilton	209.7	62.8	142.5	126.8	114.9	248.4	251.0	7.5	35.5	0.0	8.0	145.0	1352.1
Gemiddeld	238.2	32.7	86.1	174.9	147.0	241.8	272.9	10.3	38.3	22.1	3.5	107.0	1374.7
Stroomgebied Coppename.													
Tibiti Monding	208.0	99.5	54.5	238.0	190.5	300.5	184.5	132.0	92.0	0.0	0.0	92.0	1586.5
Stroomgebied Saramacca.													
Carel François	205.5	55.2	102.5	152.5	218.5	382.8	249.0	61.8	17.5	24.9	14.0	119.5	1603.7
Groningen	205.2	94.2	75.9	262.8	212.0	339.0	247.6	32.5	34.5	18.5	9.5	119.4	1651.1
Kwakoegron	280.5	110.1	133.3	222.4	401.5	311.8	236.4	105.6	100.7	10.5	76.5	174.0	2163.3
De Jong Noord	338.8	101.6	143.3	146.6	323.7	327.1	233.6	125.7	73.2	38.2	12.2	177.3	2041.3
Jacob Kondre	207.4	100.0	226.0	217.0	300.5	251.5	202.0	102.5	53.7	14.5	43.0	100.0	1818.1
Gemiddeld	247.5	92.2	136.2	200.3	291.2	322.4	233.7	85.6	55.9	21.3	31.0	138.0	1855.5
Stroomgebied Suriname-rivier.													
De Morgenstond	222.5	30.8	148.0	237.5	206.5	281.0	332.0	101.0	41.5	86.0	41.0	132.0	1858.8
Nieuw-Amsterdam	252.3	57.4	63.7	262.5	230.1	234.1	262.6	73.0	9.7	46.6	3.7	105.7	1601.4
Susanna's daal	236.8	40.8	165.0	245.5	211.0	271.3	310.1	62.5	33.8	95.2	26.8	126.9	1825.7
Paramaribo (Cultuurtuin)	243.0	72.9	101.9	275.5	257.6	284.8	273.3	68.9	132.0	93.5	120.9	182.0	2106.3
Jagtlust	206.5	70.0	82.0	268.0	254.5	288.0	294.0	91.0	62.0	69.5	52.5	112.0	1850.0
Domburg	163.9	116.1	61.1	168.4	282.8	243.1	149.2	171.9	64.6	23.6	20.6	127.1	1592.4
Lelydorp	173.3	89.3	98.7	226.0	235.3	238.4	171.4	50.4	24.7	6.9	8.5	90.3	1413.2
Groot Chatillon	205.0	125.5	67.0	199.5	261.0	277.5	192.0	122.0	57.5	53.5	6.5	124.0	1691.0
Accaribo	200.6	146.7	73.3	149.6	261.5	266.0	198.5	137.0	60.5	30.0	12.0	125.0	1660.7
Republiek	139.9	102.5	31.5	197.6	221.1	339.2	173.6	172.0	14.5	6.5	32.5	86.7	1517.6
Zanderij I	144.5	143.5	44.8	203.1	459.4	406.7	187.6	187.5	30.1	58.5	2.0	114.6	1980.8
Sectie O	268.0	150.5	122.0	114.0	338.5	308.6	443.5	121.5	63.6	12.0	14.0	210.3	2166.5
Berg en Dal	213.5	126.0	147.0	92.0	366.0	331.0	161.0	97.5	57.5	27.0	31.5	148.0	1798.0
Brownsweg	226.6	148.0	98.5	161.8	394.5	406.0	255.5	146.0	81.5	24.5	35.5	138.0	2115.4
Kabelstation	172.2	84.3	167.5	228.4	466.0	394.5	304.2	79.9	55.2	30.8	3.0	74.8	2060.8
Sikakamp	166.9	90.5	139.7	196.3	272.0	335.5	256.7	162.5	22.3	21.5	29.0	83.0	1775.9
Dam	158.4	68.0	119.7	113.9	267.0	257.9	168.9	64.0	12.7	11.0	47.5	46.2	1335.2
Nieuw-Aurora	184.5	79.0	126.5	188.5	239.5	267.0	187.0	44.5	3.5	—	9.5	95.5	—
Botopasi	213.5	122.0	208.5	183.0	465.5	293.5	222.5	72.5	67.0	—	9.0	91.0	—
Gemiddeld	199.6	98.1	108.5	195.3	299.4	302.2	239.1	106.6	47.1	41.0	26.6	116.5	1780.0

[1]) — beteekent geen waarnemingen, . geen regen.

Regenval in Suriname, uitgedrukt in millimeters.

1931.	Jan.	Febr.	Mrt.	April	Mei	Juni	Juli	Aug.	Sept.	Oct.	Nov.	Dec.	Jaar.
Stroomgebied Commewijne.													
Berlijn	147.5	156.0	55.0	182.5	357.0	254.0	438.8	141.3	89.6	60.0	34.9	—	—
Frederiksdorp	129.0	158.8	60.3	203.7	357.9	239.7	515.0	175.8	83.9	69.2	52.5	223.6	2269.4
Mariënburg	139.5	142.0	46.0	229.5	319.0	229.5	559.5	239.0	104.5	78.0	30.5	235.5	2352.5
Wederzorg	136.7	135.7	55.2	306.8	412.7	313.4	420.4	156.5	92.2	86.4	29.6	191.7	2337.3
Alliance	144.3	130.0	109.0	234.5	404.5	231.3	389.0	55.0	105.5	63.5	41.0	187.5	2095.1
Slootwijk a/d Commewijne	165.0	113.0	51.0	212.0	221.0	209.0	306.0	84.0	66.0	65.0	45.0	249.0	1786.0
Slootwijk a/d Commetewane	222.0	154.5	56.5	282.5	315.0	294.5	430.0	92.5	67.0	95.5	42.0	262.5	2314.5
Moengo	185.0	79.3	68.6	306.7	361.3	247.8	379.2	106.2	154.9	100.5	82.8	172.7	2245.0
Gemiddeld	158.6	133.7	62.7	244.8	343.6	252.4	429.7	131.3	95.4	77.3	44.8	217.5	2191.8
Stroomgebied Marowijne.													
Galibi	289.8	85.8	145.4	234.7	454.0	153.0	170.4	13.9	51.4	27.8	19.3	180.2	1825.7
Albina	291.0	114.9	44.2	215.5	124.6	94.1	74.8	69.1	—	80.4	97.9	193.0	—
Granman Staalkondre	224.8	305.4	156.6	250.8	433.4	—	237.4	140.4	—	—	82.5	102.2	—
Gemiddeld	268.5	168.7	115.4	233.7	337.3	123.6	160.9	74.5	51.4	54.1	66.6	159.5	1814.2

Overzicht van de waarnemingen te Willemstad (Fort Amsterdam) op Curaçao in 1931.

1931.	Temperatuur in graden Celsius.										Dampdrukking in mm.						Betrekkelijke vochtigheid in procenten.					Bewolking (0—10).				Regenval in mm.		
	7³⁰	13	17⁴⁵	M.	Maximum.			Minimum.			7³⁰	13	17⁴⁵	M.	Maximum.	Minimum.	7³⁰	13	17⁴⁵	M.	Minimum.	7³⁰	13	17⁴⁵	M.	Totaal.	Maximum.	Datum.
					M.	Abs	Dat.	M.	Abs	Dat.																		
Januari . .	27.2	29.0	26.9	27.7	29.1	29.6	1 en 3	23.5	22.8	19	17.4	18.8	17.0	17.7	20.3	**15.5**	65	63	65	64	60	3.3	2.9	3.9	3.3	20.7	6.8	12
Februari .	27.2	29.8	26.8	28.0	30.0	30.6	21	23.7	**22.6**	2 en 3	18.4	19.3	18.0	18.5	19.9	16.1	69	62	68	66	59	3.4	2.6	3.3	3.1	19.1	9.5	13
Maart . .	27.3	30.5	27.0	28.2	30.7	31.4	23 en 24	24.3	23.0	7 en 8	18.6	19.8	18.2	18.9	21.3	17.2	69	61	69	66	**58**	2.5	1.4	2.5	2.1	.	—	—
April. . .	28.0	30.4	27.6	28.7	30.6	31.8	21 en 22	25.1	23.8	12	19.9	21.3	19.4	20.2	23.3	17.6	71	66	70	69	59	3.7	2.6	3.9	3.4	3.6	3.6	25
Mei . . .	28.4	31.3	28.1	29.3	31.4	32.0	27 en 28	26.1	25.0	3,4 en 5	20.5	23.1	19.9	21.2	23.9	18.5	71	68	70	70	66	4.1	2.6	4.3	3.7	9.2	9.2	29
Juni . . .	28.3	31.6	28.0	29.3	31.6	**32.2**	7, 8 en 16	26.4	26.0	1,2,3,5, 19, 20	20.4	23.1	19.8	21.1	23.8	19.3	71	67	70	69	64	3.2	2.3	3.9	3.1	5.1	3.2	23
Juli . . .	28.1	30.5	27.9	28.9	30.9	32.0	10	25.7	24.4	20	21.8	22.9	21.2	22.0	24.2	19.3	77	70	76	74	65	4.9	3.2	3.7	3.9	52.9	21.8	7
Augustus .	28.3	30.8	28.0	29.1	31.1	31.8	3	26.2	24.8	29 en 31	22.8	23.6	22.0	22.8	24.6	20.2	80	71	78	76	66	4.4	2.5	2.8	3.2	60.0	19.8	31
September.	28.5	31.0	28.2	29.2	31.3	**32.2**	17	26.1	25.2	1	22.6	23.7	22.0	22.8	**25.0**	20.5	78	71	77	76	65	3.9	3.1	3.5	3.5	8.2	5.5	23
October. .	28.7	31.2	28.3	29.4	31.4	**32.2**	6	26.5	25.8	29	22.5	23.8	22.0	22.8	**25.0**	21.0	77	71	77	75	68	3.0	1.6	2.4	2.3	5.5	2.8	8
November.	27.3	30.4	27.2	28.3	30.7	**32.2**	9	25.7	24.7	30	22.2	23.2	21.6	22.4	24.6	18.0	82	72	81	78	67	4.4	4.0	4.8	4.4	123.7	28.4	30
December .	26.3	29.5	25.9	27.3	29.6	30.0	1, 2, 5, 6 en 16	24.4	23.0	20	20.0	21.2	19.5	20.2	22.7	18.2	79	69	79	75	66	3.8	3.6	4.2	3.9	124.2	**39.7**	3
Jaar . . .	27.8	30.5	27.5	28.6	30.7	32.2	—	25.3	22.6	—	20.6	22.0	20.0	20.9	25.0	15.5	74	68	73	72	58	3.7	2.7	3.6	3.3	432.2	39.7	—

Regenval op de Nederlandsche Antillen, uitgedrukt in millimeters. [1])

1931.	Jan.	Febr.	Mrt.	April.	Mei.	Juni.	Juli.	Aug.	Sept.	Oct.	Nov.	Dec.	Jaar.
BENEDENWINDSCHE EILANDEN.													
Curaçao.													
Fort Amsterdam	20.7	19.1	.	3.6	9.2	5.1	52.9	60.0	8.2	5.5	123.7	124.2	432.2
Westpunt	—	—	—	—	—	—	—	55.5	75.5	18.5	215.5	132.1	—
Dokterstuin	—	—	—	—	—	—	—	54.8	17.0	5.3	149.9	181.6	—
Scherpenheuvel	26.2	29.2	.	8.5	6.1	5.9	58.6	54.1	15.6	4.6	153.2	133.0	495.0
St. Willebrordus	—	—	—	—	—	—	—	—	10.0	11.9	150.7	166.8	—
St. Thomas College	22.7	12.3	—	5.8	9.1	5.0	46.4	72.6	8.0	8.2	126.0	123.0	—
Barber	25.0	—	—	—	—	—	41.0	64.0	35.0	13.4	129.5	230.0	—
Newport	—	—	—	—	—	—	—	65.7	4.5	15.1	121.0	136.9	—
Zuurzak	—	—	—	—	—	—	—	90.4	20.8	7.0	310.4	268.5	—
Gemiddeld	23.6	20.2	.	6.0	8.1	5.3	49.7	64.6	21.6	9.9	164.4	166.2	539.6
Bonaire.													
Kralendijk	57.5	22.3	.	.	1.5	7.9	14.5	41.1	11.8	12.8	62.4	163.4	395.2
Rinçon	55.8	44.5	.	3.5	9.1	4.6	21.2	46.5	5.4	.	126.3	180.7	497.6
Gemiddeld	56.6	33.4	.	1.8	5.4	6.2	17.8	43.8	8.6	6.4	94.4	172.0	446.4
Aruba.													
Oranjestad	29.7	34.3	.	.	11.3	.	73.8	28.8	135.3	34.4	182.6	76.2	606.4
BOVENWINDSCHE EILANDEN.													
St. Eustatius.													
Oranjestad	12.5	46.0	26.0	97.0	114.0	69.0	82.3	125.9	46.5	66.5	208.6	144.6	1038.9
Saba.													
Bottom	41.2	42.2	33.4	100.2	124.3	135.6	72.0	170.4	33.5	78.9	229.3	166.9	1227.9
Windwardside	45.8	38.1	29.3	78.9	153.4	164.1	69.1	183.3	24.0	73.0	207.6	138.7	1205.3
St. John	39.8	38.5	32.5	78.5	125.5	131.1	57.5	116.0	29.5	56.0	225.0	126.4	1056.3
Gemiddeld	42.3	39.6	31.7	85.9	134.4	143.6	66.2	156.6	29.0	69.3	220.6	144.0	1163.2
St. Martin.													
Philipsburg	18.0	45.5	16.9	66.2	85.5	158.6	81.0	124.9	124.7	77.2	177.6	65.4	1041.5

[1]) — beteekent geen waarnemingen, . geen regen.

TE VERKRIJGEN BIJ | TO BE PURCHASED FROM

MARTINUS NIJHOFF

'S-GRAVENHAGE.

PRIJS f 0.20. | PRICE fl. 0.20.

OVERZICHT

DER

METEOROLOGISCHE WAARNEMINGEN, VERRICHT OP DE METEOROLOGISCHE STATIONS IN NEDERLANDSCH WEST-INDIË

IN HET JAAR 1932,

SAMENGESTELD DOOR HET KONINKLIJK NEDERLANDSCH METEOROLOGISCH INSTITUUT.

SUMMARY

OF THE METEOROLOGICAL OBSERVATIONS MADE AT THE METEOROLOGICAL STATIONS IN THE NETHERLANDS WEST INDIES DURING THE YEAR 1932, COMPILED BY THE ROYAL DUTCH METEOROLOGICAL INSTITUTE.

RIJKSUITGEVERIJ
DIENST VAN DE
NEDERLANDSCHE
STAATSCOURANT

1·9·3·3

'S-GRAVENHAGE — ALGEMEENE LANDSDRUKKERIJ.