DRAINAGE STUDY,
CITY OF POQUOSON

HD1683.V8D7 1992

UPDATE INVENTORY
OF
STRUCTURES
AND
IMPROVEMENTS

Financial assistance provided by the Coastal Zone Management Act of 1972, as amended, administered by the Office of Ocean and Coastal Resource Management, National Oceanic and Atmospheric Administration.

HD
1683
.V8
D7
1992

, 1992

C. K. TUDOR ENGINEERS, INC.
Consulting Engineers
11524 Jefferson Avenue
Newport News, Virginia 23601

Rev. 7-20-92

TABLE OF CONTENTS

Topo Sheet Number 1	1-1
Topo Sheet Number 2	2-1 to 2-2
Topo Sheet Number 4	4-1 to 4-3
Topo Sheet Number 5	5-1 to 5-7
Topo Sheet Number 6	6-1
Topo Sheet Number 8	8-1 to 8-3
Topo Sheet Number 9	9-1 to 9-7
Topo Sheet Number 10	10-1 to 10-5
Topo Sheet Number 11	11-1
Topo Sheet Number 13	13-1
Topo Sheet Number 14	14-1 to 14-10
Topo Sheet Number 15	15-1 to 15-5
Topo Sheet Number 16	16-1 to 16-2
Topo Sheet Number 17	17-1
Topo Sheet Number 18	18-1 to 18-3
Topo Sheet Number 20	20-1
Topo Sheet Number 21	21-1

Cover Sheet
Index to Sheets
Sheets 1 of 25 through 23 of 25

TOPO SHEET NUMBER 1

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	12"	-	-	Poquoson River
2	YD w/12" out	-	-	1
3	12"	-	-	2
4	12"	-	-	Poquoson River
5	12"	-	-	4
6	DI w/18" out	6.38	4.23	7
7	18"	-	3.90	Poquoson River

TOPO SHEET NUMBER 2

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	12"	-	4.28	2
2	12"	-	3.99	3
3	15"	-	3.91	4
4	15"	-	-	Canal to Lyon's Creek
5	12"	-	3.88	6
6	12"	-	4.10	3
7	12"	-	4.13	8
8	12"	-	4.33	51
9	12"	-	-	10
10	12"	-	4.47	Lyon's Creek
11	12"	-	-	12
12	12"	-	-	13
13	B=2, D=2, Z=1	-	-	Canal to Roberts Creek
14	EW w/15"	3.89	0.99	Roberts Creek
15	DI	-	-	-
	15" out	4.59	1.58	14
	12" in	4.59	1.58	14
16	DI	-	-	-
	12" out	4.65	1.81	15
	12" in	4.65	1.81	15
17	DI w/12" out	4.93	2.33	16
18	EW w/24"	3.63	0.32	Roberts Creek
19	DI	-	-	-
	24" out	4.58	1.09	18
	21" in	4.58	1.09	18
	12" in	4.58	1.86	18
20	MH w/21" in and out	4.73	1.39	19
21	EW w/21"	4.03	1.71	20
22	DI w/12" out	4.58	1.98	19
23	48"	-	-	Roberts Creek
24	48"	-	-	23
25	B=2, D=3, Z=.33	-	-	24
26	18"	-	-	25
27	18"	-	-	26
28	B=2, D=3, Z=.33	-	-	27
29	B=3, D=3, Z=.33	-	-	30
30	B=4, D=.5, Z=1.3	-	-	Roberts Creek
31	EW w/18"	-	-0.01	Canal to Poquoson River
32	DI	-	-	-
	18" out	3.78	0.94	31
	15" in	3.78	1.23	31
	15" in	3.78	1.15	31
33	DI	-	-	-
	15" out	3.98	1.76	32
	15" in	3.98	1.79	32
	15" in	3.98	1.82	32
34	15"	-	1.83	33
35	15"	-	1.58	32

TOPO SHEET NUMBER 2

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
36	15"	-	2.68	32
37	12"	-	0.91	Roberts Creek
38	DI	-	-	-
	12" out	3.91	1.23	37
	15" in	3.91	1.28	37
39	DI	-	-	-
	15" in	-	1.47	38
	15" out	-	1.33	38
40	15"	-	1.74	39
41	15"	-	1.62	Roberts Creek
42	DI w/15" out	3.73	1.78	41
43	15"	-	-	Canal to Roberts Creek
44	DI w/15" in and out	3.73	1.06	43
45	DI w/15" out	3.73	1.13	44
46	15"	-	2.68	33
47	12"	-	-	48
48	12"	-	-	49
49	B=2, D=2, Z=.5	-	-	50
50	B=8, D=5, Z=1.3	-	-	Poquoson River
51	15"	-	2.52	52
52	15"	-	2.30	57
53	12"	-	-	Poquoson River
54	12"	-	-	53
55	12"	-	-	24
56	12"	-	-	55
57	B=3.5, D=2, Z=1	-	-	Lyon's Creek

TOPO SHEET NUMBER 4

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
	*Indicates proposed structures			
1	B=40, D=4, Z=5	-	2.78	Poquoson River
2	B=2, D=1.5, Z=1.3	-	3.98	1
3	B=6, D=1.5, Z-5	-	4.03	1
*	PG-5	-	1.44	1
4	EW w/24" RCP	-	2.31	Poquoson River
5	24"	-	2.44	4
6	B=2, D=3.5, Z=2	-	2.75	5
7	24"	-	2.98	6
8	YD w/24" in and out	6.97	3.21	7
9	DI w/24" in and out	8.20	3.44	8
10	DI w/24" in and out	8.31	3.13	9
11	24"	-	3.65	10
12	B=3, D=6, Z=1.25	-	4.05	11
13	B=6, D=4.5, Z=2	-	5.25	12
14	B=3, D=3, Z=1	-	5.30	13
15	B=2, D=1.5, Z=1	-	7.78	14
16	B=2, D=2, Z=1.5	-	3.53	Lambs Creek
17	EW w/24"	6.38	3.37	16
18	DI w/24" in and out	8.11	4.24	17
19	DI	8.06	-	-
	24" out	-	4.49	18
	18" in	-	4.49	-
20	YD w/18" in and out	7.68	4.83	19
21	YD w/18" out	6.84	4.88	20
22	B=2, D=2, Z=1.5	-	5.46	21
23	B=2.5, D=2, Z=2	-	6.81	22
24	18"	-	6.46	23
25	18"	-	6.07	24
26	B=2, D=1, Z=2	-	7.61	23
27	24"	-	0.00	Lambs Creek
28	DI w/24" in and out	5.80	1.35	27
29	DI w/24" in and out	5.90	1.30	28
30	24"	-	1.47	29
31	15"	-	-	Bricked and Abandoned
32	15"	-	7.51	31
33	18"	-	4.68	103
34	18"	-	6.70	33
35	18"	-	6.88	34
36	YD w/18" in and out	-	6.92	35
37	YD w/18" in and out	-	6.99	36
38	18"	-	7.16	37
39	18"	-	6.81	38
40	18"	-	7.12	39
41	B=1, D=1, Z=1	-	-	Poquoson River
42	B=1, D=1, Z=1	-	-	41
43	18"	-	1.71	Poquoson River

TOPO SHEET NUMBER 4

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
	*Indicates proposed structures			
44	DI w/18" in and out	6.73	2.03	43
45	DI	-	-	-
	18" out	6.73	2.11	42
	15" in	-	3.86	-
46	DI w/15" in and out	6.73	3.95	43
47	DI w/15" out	6.73	4.03	46
48	B=4, D=3.5, Z=1.7	-	-	Lambs Creek
49	B=3, D=2.5, Z=1	-	-	48
50	30"	-	-	49
51	30"	-	-	50
52	B=6, D=2.5, Z=1	-	-	51
53	B=3, D=2, Z=1.75	-	-	52
54	B=2.5, D=1.5, Z=1.5	-	-	53
55	B=1, D=.5, Z=3	-	7.79	54
56	B=1, D=.5, Z=3	-	8.50	54
57	B=4, D=2, Z=2	-	-	Lambs Creek
58	B=1.5, D=1, Z=.75	-	-	57
59	B=3, D=2, Z=.75	-	5.56	58
60	18"	-	6.65	59
61	18"	-	7.10	60
62	B=2, D=1.5, Z=1	-	8.62	61
63	B=2, D=2, Z=1.25	-	8.42	60
64	B=1, D=.5, Z=3	-	7.69	65
65	6"	-	6.89	66
66	6"	-	6.35	67
67	B=3, D=2, Z=.75	-	6.96	59
68	B=3, D=2, Z=.75	-	6.56	59
69	B=2, D=1.5, Z=1	-	8.00	61
70	12"	-	7.85	69
71	12"	-	8.05	70
72	B=1, D=.5, Z=2	-	-	Lambs Creek
*73	DI w/15" out	6.65	3.47	75
*74	YD w/15" out	6.00	2.82	75
*75	YD	-	-	-
	2-15" in	5.00	2.60	Poquoson River
	18" stub out	-	-	-
*76	DI w/15" out	6.51	3.71	77
*77	DI	-	-	-
	15" in	6.51	3.59	79
	14"x23" out	-	-	-
*78	DI w/14"x23" out	6.56	3.73	79
*79	DI	-	-	-
	2-14"x23" in	6.56	3.20	80
	19"x30" out	-	-	-
*80	ES 19"x30"	-	2.78	Poquoson River
*81	YD w/15" out	6.90	3.27	82
*82	YD w/15" in and out	6.90	3.12	83
*83	YD	-	-	-
	15" in	6.00	2.84	85
	14"x23" in	-	-	-
	19"x30" out	-	-	-

TOPO SHEET NUMBER 4

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
	*Indicates proposed structures			
*84	YD w/14"x23" out	6.00	3.00	83
*85	YD	-	-	-
	19"x30" in and out	6.00	2.09	86
*86	DI	-	-	-
	19"x30" in and out	7.50	2.00	87
*87	DI	-	-	-
	19"x30" in	7.50	1.80	91
	22"x34" in	-	-	-
	27"x42" out	-	-	-
*88	DI w/14"x23" out	7.70	2.38	89
*89	DI	-	-	-
	14"x23" in	7.70	2.19	90
	19"x30" in	-	-	-
	19"x30" out	-	-	-
*90	DI	-	-	-
	19"x30" in	7.86	2.00	91
	15" in	-	-	-
	22"x34" out	-	-	-
*91	MH	-	-	-
	22"x34" in and out	7.80	1.89	87
*92	MH	-	-	-
	42"x27" in and out	7.70	1.76	93
*93	ES 42"x27"	-	1.61	3
94	DI w/24" out	-	-	95
95	DI w/24" in and out	-	-	96
96	Box 24" in and out	-	-	97
97	24"	-	-	Lambs Creek
98	DI w/15" out	-	-	99
99	DI w/15" in and out	-	-	100
100	15"	-	-	Lambs Creek
101	DI w/15" out	-	-	102
102	15"	-	-	Lambs Creek
103	B=2, D=1.4, Z=1.5	-	3.83	30

TOPO SHEET NUMBER 5

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	24"	-	-1.12	Lyons Creek
2	24"	-	-1.06	Lyons Creek
3	DI	-	-	-
	18" and 24" in	5.18	-0.80	112
	2-24" out	-	-	-
4	24"	-	1.00	3
5	18"	-	0.73	3
6	B=2, D=1.5, Z=2.67	-	1.64	4/5
7	B=3, D=2, Z=1.75	-	2.10	6
8	24"	-	1.78	7
9	24"	-	1.69	7
10	24" plugged	-	1.79	7
11	EW w/24" plugged	6.63	1.95	10
12	EW w/24"	6.63	1.94	9
13	EW w/24"	6.63	1.87	8
14	24"	-	3.62	130
15	24"	-	3.92	14
16	B=2, D=2, Z=1.5	-	4.33	15
17	B=2, D=2, Z=1.5	-	5.90	16
18	EW w/48"x76"	4.76	-0.57	Lyons Creek
19	EW w/48"x76"	5.06	-0.27	18
20	B=4, D=6, Z=2	-	0.65	19
21	B=4, D=6, Z=2	-	0.65	20
22	EW w/27"	7.24	3.99	21
23	DI	-	-	-
	19"x30" in	8.31	4.03	22
	12" in	-	-	-
	27" out	-	-	-
24	EW w/19"x30"	6.81	4.23	23
25	B=2, D=4.5, Z=2	-	4.24	24
26	DI w/12" in and out	7.80	4.28	23
27	DI w/12" out	7.80	4.36	26
28	EW w/27"	7.08	3.68	21
29	YD	-	-	-
	27" in	8.23	3.90	28
	27" out	-	3.81	-
30	YD	-	-	-
	27" in	8.23	4.40	29
	27" out	-	4.44	-
31	DI w/19"x30" in	8.31	5.66	30
	27" out	-	4.90	-
32	DI w/19"x30" in	8.35	5.82	31
	19"x30" out	-	5.58	-
33	EW w/19"x30"	8.75	6.11	32
34	B=2, D=1, Z=1	-	6.13	33
35	B=1, D=1, Z=11	-	7.34	33
36	EW w/24"	6.91	3.98	21

TOPO SHEET NUMBER 5

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
37	DI	-	-	-
	21" in	7.53	4.28	36
	24" out	-	4.36	-
38	DI	-	-	-
	21" in	7.60	4.34	37
	21" out	-	4.27	-
39	YD	-	-	-
	18" in	8.23	4.72	38
	21" out	-	4.48	-
40	DI	-	-	-
	15" in	7.73	4.97	39
	18" out	-	4.93	-
41	DI w/15" out	7.73	4.96	40
42	EW w/27"	7.41	4.14	21
43	DI	-	-	-
	27" in	8.03	4.66	42
	27' out	-	4.61	-
44	DI	-	-	-
	27" in	8.09	4.80	43
	27" out	-	4.74	-
45	YD	-	-	-
	24" in	8.23	5.33	44
	15" in	-	5.39	-
	27" out	-	4.97	-
46	EW w/24"	8.46	5.61	45
47	B=2, D=1, Z=1	-	7.54	46
48	B=1, D=1, Z=1	-	6.85	46
49	DI	-	-	-
	15" in	7.83	5.59	45
	15" out	-	5.65	-
50	DI w/15" out	7.83	5.66	49
51	EW w/21"	5.02	2.18	19
52	DI	-	-	-
	18" in	5.94	2.77	51
	21"	-	2.37	-
53	DI w/18" out	5.94	2.97	52
54	EW w/18"	4.23	1.22	21
55	DI w/18" in and out	5.33	1.80	54
56	DI w/15" in, 18" out	5.63	2.08	55
57	YD w/15" out	5.18	2.72	56
58	EW w/15"	3.98	0.99	19
59	DI	-	-	-
	15" in	6.08	2.78	58
	15" out	-	2.74	-
60	DI w/15" out	6.08	3.13	59
61	15" into 40"x76"	-	1.11	18
62	DI w/15" in and out	5.31	1.13	61
63	DI w/15" out	5.28	1.38	62
64	12" CP	-	0.13	Lyons Creek
65	YD w/12" in and out	3.73	1.50	64
66	15"	-	4.18	67

TOPO SHEET NUMBER 5

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
67	YD	-	-	-
	15" in	5.82	3.72	68
	15" out	-	3.75	-
68	YD	-	-	-
	15" in	5.90	3.71	69
	15" out	-	3.61	-
69	YD	-	-	-
	15" in	5.64	3.12	70
	15" out	-	2.66	-
70	YD	-	-	-
	15" in	5.79	2.59	71
	15" in	-	3.74	-
	15" out	-	2.44	-
71	YD	-	-	-
	15" in	4.82	2.32	9-208
	15" out	-	2.22	-
72	12"	-	4.59	73
73	YD w/12" in and out	6.34	4.74	74
74	YD	-	-	-
	12" in	6.02	4.32	70
	15" out	-	3.99	-
75	12"	-	5.38	76
76	12"	-	5.31	9-217
77	B=2, D=1.5, Z=1.33	-	8.80	17
78	B=2, D=1.5, Z=1.33	-	7.70	9-248
79	B=3, D=2, Z=2.25	-	1.00	Roberts Creek
80	B=2, D=5, Z=1	-	2.69	79
81	34"x53"	-	2.66	80
82	YD	-	-	-
	34"x53" in	6.89	2.73	81
	34"x53" out	-	2.49	-
83	YD	-	-	-
	34"x53" in	7.01	2.87	82
	24" in	-	2.97	-
	34"x53" out	-	2.90	-
84	34"x53"	-	2.82	83
85	B=2, D=5, Z=1.3	-	2.90	84
86	B=2, D=2.5, Z=0.4	-	4.01	85
87	36"	-	3.93	86
88	36"	-	3.71	87
89	B=2, D=3, Z=1	-	4.51	88
90	36"	-	3.81	89
91	36"	-	4.10	90
92	B=2, D=3, Z=1	-	4.55	91
93	B=3, D=2, Z=1.25	-	5.42	92
94	B=2.5, D-1, Z=1.25	-	6.05	93
95	15"	-	6.07	94
96	YD	-	-	-
	15" in	8.30	6.20	95
	15" out	-	6.15	-
97	15"	-	6.50	96
98	B=1, D=0.5, Z=2	-	6.96	97

TOPO SHEET NUMBER 5

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
99	B=2, D=0.5, Z=6	-	6.55	100
100	B=2, D=0.5, Z=6	-	6.03	This ditch does not drain
101	D=1, Z=3	-	6.68	100
102	YD	-	-	-
	24" in	8.22	3.86	83
	24" out	-	3.81	-
103	D=1, B=2.5, Z=1.3	-	3.97	132
104	D=1, B=1, Z=1	-	-	103
105	B=2, D=0.5, Z=0.5	-	-	103
106	ES w/18"	-	5.82	92
107	DI	-	-	-
	15" in	9.14	6.57	106
	15" in	-	6.46	-
	18" out	-	6.30	-
108	DI w/15" out	9.24	6.67	107
109	DI w/15" out	9.16	6.62	107
110	YD w/15" out	6.93	5.03	111
111	MH	-	-	-
	15" in	-	-	-
	18" out	8.64	4.70	112
112	DI w/18" in and out	8.04	4.46	113
113	DI	-	-	-
	18" in	-	-	-
	21" out	7.90	4.38	114
114	YD w/21" in and out	7.53	4.15	115
115	YD	-	-	-
	21" in	6.63	4.06	116
	24" out	-	-	-
116	DI	-	-	-
	24" in	7.33	3.18	117
	27" out	-	-	-
117	MH w/27" in and out	7.33	3.10	118
118	DI	-	-	-
	27" in	7.33	3.01	121
	30" out	-	-	-
119	YD w/18" in and out	6.73	3.71	121
120	YD w/18" out	6.33	4.13	119
121	MH	-	-	-
	18" in	-	-	135
	30" in	-	-	-
	36" out	-	-	-
122	B=2, D=3, Z=1.33	-	2.69	123
123	B=6, D=3, Z=2	-	1.55	124
124	30"	-	1.58	125
125	30"	-	1.12	126
126	B=10, D=3, Z=1	-	-0.13	127
127	B=15, D=3, Z=1	-	0.47	Roberts Creek
128	18"	-	4.63	129
129	18"	-	4.13	126
130	B=3, D=2, Z=2.25	-	2.20	11/12/13
131	12"	-	2.36	65
132	ES 24"	-	3.97	102

TOPO SHEET NUMBER 5

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
133	B=1, D=1, Z=1.5	-	7.47	134
134	B=1, D=1, Z=1.5	-	4.91	85
135	36"	-	2.69	122
136	15"	-	5.77	137
137	15"	-	5.38	138
138	12"	-	3.79	139
139	12"	-	3.84	140
140	B=1, D=2, Z=0.5	-	3.84	141
141	B=1, D=1.5, Z=1	-	1.50	79
142	12"	-	2.40	144
143	12"	-	2.35	142
144	D=1.8, Z=1.9	-	2.63	145
145	B=10, D=3.4, Z=1.5	-	-0.19	Lyons Creek
146	D=1.4, Z=2.8	-	2.69	147
147	D=1.2, Z=4	-	1.53	Roberts Creek
148	12"	-	3.02	143
149	12"	-	3.13	148
150	12"	-	3.83	149
151	12"	-	3.73	150
152	DI w/15" out	4.73	1.96	153
153	DI	-	-	-
	15" in	4.73	1.76	154
	18" out	-	-	-
154	EW w/18"	4.28	0.93	Roberts Creek
155	DI w/15" out	5.73	3.18	156
156	15"	-	3.07	Lyons Creek
157	DI w/15" out	5.23	2.23	158
158	15"	-	0.43	159
159	B=10, Z=2, Z=2.5	-	0.85	White House Cove
160	ES 15"	-	2.86	161
161	DI	-	-	-
	15" in	5.31	2.21	162
	18" out	-	-	-
162	DI w/18" in and out	5.31	2.02	163
163	ES 18"	-	1.47	White House Cove
164	DI w/15" out	4.84	2.09	165
165	DI	-	-	-
	15" in	4.73	1.93	166
	18" out	-	-	-
166	DI w/18" in and out	4.73	1.85	167
167	ES 18"	-	1.59	White House Cove
168	12"	-	2.75	169
169	12"	-	1.95	170/172
170	12"	-	1.59	171
171	12"	-	1.89	White House Cove
172	12"	-	1.73	173
173	12"	-	1.58	White House Cove
174	DI w/15" out	-	-	175
175	15"	-	-	Lyons Creek
176	DI w/18" out	-	-	177
177	18"	-	-	Lyons Creek
178	12"	-	-	180

TOPO SHEET NUMBER 5

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
179	15"	-	-	181
180	12"	-	-	182
181	15"	-	-	183
182	12"	-	-	184
183	15"	-	-	185
184	12"	-	-	Canal to Lyons Creek
185	15"	-	-	Canal to Lyons Creek
186	12"	-	-	187
187	12"	-	-	Canal to Lyons Creek
188	12"	-	-	189
189	12"	-	-	Canal to Lyons Creek
190	15"	-	-	191
191	15"	-	-	Lyons Creek
192	12"	-	-	193
193	12"	-	-	Lyons Creek
194	15"	-	-	195
195	15"	-	-	196
196	15"	-	-	197
197	15"	-	-	198
198	EW w/12"	-	-	199
199	12"	-	-	Canal to Lyons Creek
200	15"	-	-	196
201	15"	-	-	200
202	12"	-	-	203
203	12"	-	-	Canal to Lyons Creek
204	15"	-	-	205
205	15"	-	-	Canal to Lyons Creek
206	DI w/15" out	-	-	207
207	15"	-	-	White House Cove
208	12"	-	8.01	209
209	12"	-	7.24	78
210	YD w/15" out	7.64	3.69	211
211	DI w/15" in and out	8.56	3.33	212
212	DI w/15" in and out	8.60	3.22	214
213	YD w/18" out	7.83	2.85	214
214	MH	-	-	-
	15" in	8.16	2.42	4-89
	18" in	-	-	-
	19"x30" out	-	-	-
215	YD w/15" out	7.00	2.90	216
216	YD w/15" in and out	7.00	2.56	4-90
217	DI w/13"x17" CMP out	-	-	218
218	DI	-	-	-
	13"x17" CMP in	-	-	219
	15" out	-	-	-
219	15"	-	-	Roberts Creek
220	18"	-	-	221
221	18"	-	-	224
222	DI w/15" out	-	-	223
223	15"	-	-	224

TOPO SHEET NUMBER 5

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
224	18"	-	-	225
225	18"	-	-	Roberts Creek
226	ES 12"	-	-	227
227	DI	-	-	-
	12" in	-	-	228
	13"x17" CMP out	-	-	-
228	DI	-	-	-
	13"x17" CMP in	-	-	229
	18" out	-	-	-
229	ES 18"	-	-	White House Cove

TOPO SHEET NUMBER 6

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	15"	-	2.12	2
2	YD w/15" in and out	3.61	-	3
3	15"	-	1.04	6
4	18"	-	0.74	5
5	18"	-	0.74	6
6	24"	-	0.64	7
7	24"	-	-	Floyds Bay
8	DI w/15" out	4.85	2.29	9
9	DI	-	-	-
	15" in	4.85	2.17	10
	18" out	-	-	-
10	18"	-	1.33	Floyds Bay
11	DI w/15" out	5.00	2.78	12
12	ES 15"	-	2.56	Bennett Creek
13	DI w/18" out	4.83	2.53	14
14	18"	-	1.53	White House Cove
15	DI w/15" out	4.85	2.29	16
16	DI	-	-	-
	15" in	4.85	2.17	17
	18" out	-	-	-
17	18"	-	1.91	Bennett Creek
18	15"	-	-	19
19	15"	-	-	White House Cove
20	12"	-	-	21
21	12"	-	-	@ #19 enters White House Cove

TOPO SHEET NUMBER 8

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	B=4.5, D=2, Z=1.1	-	1.68	103
2	B=4, D=3, Z=1	-	2.2-	1
3	B=1, D=2, Z=2	-	3.68	2
4	21"	-	3.69	3
5	YD	-	-	-
	21" in	5.74	3.75	4
	15" in	-	4.03	-
	21" out	-	3.70	-
6	15"	-	4.05	5
7	DI	-	-	-
	18" in	7.25	4.16	6
	21" out	-	-	-
8	MH	-	-	-
	15" in	7.50	4.36	7
	18" in and out	-	-	-
9	15"	-	4.38	8
10	EW w/18"	6.50	4.40	8
11	D=1, B=1.5, Z=1	-	4.41	10
12	EW w/15"	7.65	5.65	11
13	EW w/15"	8.34	6.34	12
14	EW w/18"	7.50	5.00	13
15	EW w/18"	8.50	6.50	14
16	ES 12"	-	7.16	17
17	ES 12"	-	7.10	15
18	DI w/12" out	8.87	6.50	19
19	DI w/12" in and out	8.81	5.97	20
20	EW w/12"	7.50	5.00	13
21	ES 15"	-	4.13	22
22	DI w/15" in and out	6.27	3.77	23
23	DI w/15" in and out	-	-	24
24	15"	-	2.76	2
25	24"	-	3.80	26
26	24"	-	3.87	27
27	D=1.4, Z=2.5	-	3.98	28
28	B=2, D=2, Z=1	-	-	1
29	36"	-	0.34	Lambs Creek
30	DI w/36" in and out	6.23	0.54	29
31	DI w/36" in and out	6.23	0.64	30
32	YD	-	-	-
	30" in	5.73	1.78	31
	36" out	-	1.28	31
33	YD	-	-	-
	15" in	6.23	2.17	32
	30" out	-	1.95	-
34	MH w/15" in and out	-	-	33
35	YD w/15" in and out	-	3.33	34
36	DI w/15" in and out	6.23	3.63	35
37	DI w/15" out	6.23	3.73	36
38	30"	-	-	33

TOPO SHEET NUMBER 8

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
39	YD	-	-	-
	15" in	-	-	38
	30" out	-	-	-
40	YD	-	-	39
41	YD	-	-	40
42	27"	-	-	41
43	YD w/18" in	7.23	-	41
44	18"	-	4.58	43
45	18"	-	4.80	44
46	18"	-	4.73	45
47	DI	-	-	40
48	DI	-	-	47
49	DI	-	-	48
50	YD w/18" in and out	7.22	-	49
51	YD	-	-	-
	15" in	6.48	4.24	50
	18" in and out	-	-	-
52	ES 15"	-	4.74	51
53	YD	-	-	-
	15" in	7.23	4.93	51
	18" in and out	-	4.68	-
54	ES 18"	-	4.70	53
55	DI w/15" in and out	7.93	5.26	53
56	DI w/15" out	7.93	5.33	55
57	DI w/15" in and out	6.73	3.53	39
58	DI w/15" out	6.73	3.73	57
59	ES 15"	-	5.55	60
60	YD	-	-	-
	15" in	7.23	5.41	61
	18" out	-	5.16	-
61	DI w/18" in and out	7.44	-	62
62	DI w/18" in and out	7.44	-	63
63	18"	-	4.57	33
64	ES 15"	-	5.25	65
65	YD	-	-	-
	2-15" in	-	5.04	67
	15" out	-	-	-
66	ES 15"	-	5.08	65
67	DI	-	-	-
	15" in	7.28	4.64	68
	15" out	-	4.39	-
68	DI	-	-	-
	15" in	7.28	4.31	69
	18" out	-	-	-
69	YD	-	-	-
	2-18" in	6.73	3.93	73
	24" out	-	-	-
70	ES 18"	-	3.98	69
71	B=1.5, D=3, Z=1.1	-	-	70
72	B=1, D=1.5, Z=1.7	-	-	71
73	ES 24"	-	3.53	74
74	B=3, D=5, Z=.6	-	-	75

TOPO SHEET NUMBER 8

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
75	B=2, D=6, Z=.8	-	-	76
76	ES 24"	-	2.00	77
77	MH w/24" in and out	7.20	1.93	78
78	ES 24"	-	1.40	Lambs Creek
79	ES 18"	-	1.93	Lambs Creek
80	DI w/18" in and out	5.05	2.05	79
81	DI w/18" out	5.05	2.20	80
82	-	-	-	83
83	24"	-	4.93	84
84	24"	-	4.65	85
85	D=2.75, Z=1	-	4.80	42
86	ES 15"	-	3.93	87
87	DI w/15" in and out	6.33	3.73	88
88	DI w/15" in and out	6.33	3.53	89
89	15"	-	3.13	Lambs Creek
90	DI w/15" out	6.18	3.46	91
91	DI w/15" in and out	6.18	3.38	92
92	DI w/15" in and out	6.28	3.24	93
93	ES 15"	-	2.91	Lambs Creek
94	DI w/15" out	6.18	3.58	95
95	DI w/15" in and out	6.18	3.38	96
96	DI w/15" in and out	6.24	3.24	97
97	ES 15"	-	2.73	Lambs Creek
98	DI w/15" out	6.73	3.73	99
99	15"	-	3.53	Lambs Creek
100	DI w/15" out	6.73	3.73	101
101	DI w/15" in and out	6.73	3.63	102
102	15"	-	3.53	Lambs Creek
103	B=9.5, D=3.9, Z=1.2	-	1.21	104
104	36"	-	1.28	105
105	36"	-	-0.08	Lambs Creek

TOPO SHEET NUMBER 9

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	DI w/18" in and out	6.82	3.98	-
2	ES-1-#1 18"	-	4.03	1
3	YD w/18" in and out	6.21	4.30	4
4	18"	-	4.90	Sheet 14-267
5	YD	6.31	-	-
	18'	-	-	-
	24" out	-	4.37	3
6	18"	-	4.62	5
7	B=3, D=4, Z=.17	-	1.38	9
8	12"	-	4.32	7
9	B=3.5, D=4, Z=.71	-	1.32	10
10	24"	-	-	11
11	24"	-	-	12
12	B=5, D=3, Z=.83	-	1.28	243
13	DI w/24" in and out	6.23	1.97	256
14	12"	-	4.11	15
15	12"	-	4.02	18
16	12"	-	3.99	17
17	12"	-	3.99	18
18	B=2, D=1.2, Z=2.5±	-	4.13	19
19	B=2, D=1, Z=1.5	-	3.53	20
20	B=3, D=2.4, Z=1.45±	-	2.93	21
21	B=4, D=4, Z=.75	-	2.40	22
22	EW w/24"	-	2.26	23
23	YD	4.90	1.96	24
	2-24" in	-	-	-
	12" in	-	-	-
	36" CMP out			
24	YD w/36" CMP in and out	-	-	25
25	YD w/36" CMP in and out	-	-	28
26	EW-1 w/ 30"	-	6.13	101
27	EW-1 w/24"	-	6.70	102
28	EW w/36" CMP	-	-	White House Cove
29	EW w/24"	-	2.76	23
30	EW w/24"	-	2.83	29
31	24"	-	2.69	30
32	18"	-	2.78	31
33	YD	-	5.38	-
	12" in	-	3.61	-
	18" in and out	-	3.35	32
34	YD w/18" in and out	5.36	3.47	-
		-	3.65	33
35	YD w/12" out	5.58	4.28	33
36	18"	-	-	34
37	24"	-	-	23
38	12"	-	3.07	22
39	12"	-	4.72	41
40	12"	-	4.08	41

TOPO SHEET NUMBER 9

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
41	MH	6.15	-	-
	2-12" in	-	4.09	-
		-	3.97	-
	12" out		3.85	38
42	12" CP	-	4.46	19
43	12"	-	6.63	44
44	12"	-	6.65	6-428
45	15"	-	6.72	46
46	15"	-	6.63	6-248
47	B=2, D=1.5, Z=.33	-	-	43 and 45
48	12" CP	-	-	47
49	12" CP	-	-	50
50	12" CP	-	-	51
51	B=3, D=3, Z=.17	-	-	57
52	EW w/24"	-	1.77	53
53	YD w/24" in and out	4.80	1.84	54
54	YD w/24" in and out	4.29	1.84	56
55	12"	-	-	54
56	24"	-	-	Canal to White House Cove
57	B=3, D=2, Z=.25	-	-	52
58	DI w/34"x22" in and out	-	6.27	278
59	DI w/34"x22" in	-	5.97	
	out	-	5.77	62
60	DI w/34"x22", 18" in	-	-	-
	34"x22" out	-	6.10	61
61	34"x22"	-	5.93	65
62	MH	-	-	-
	34"x22" in and out	9.80	5.77	63
	15" in	-	-	-
63	34"x22"	-	5.63	246
64	42"x27"	-	5.30	246
65	42"x27"	-	5.70	64
66	24" CP	-	-	246
67	24" CP	-	-	246
68	24" CP	-	-	69
69	B=3, D=5, Z=1.2	-	-	70
70	B=5, D=5, Z=1.3	-	-	71
71	B=3.5, D=5, Z=1.25	-	-	72
72	B=3, D=8, Z=.75	-	-	73
73	B=4, D=9, Z-.89	-	-	75
74	12" CP	-	-	75
75	B=4, D=6, Z=1.58	-	4.18	76
76	B=2, D=5, Z=2	-	3.98	77
77	EW w/42"	7.53	3.33	78
78	EW w/42"	7.46	3.26	79
79	B=2, D=6, Z=1.75	-	3.23	80
80	B=3, D=9, Z=.83	-	-	82
81	void			
82	B=3, D=5, Z=1.6	-	-	83
83	ES 65"x40" CMP	-	2.13	84
84	ES 65"x40" CMP	-	2.04	86
85	ES-1 12"	-	1.89	86

TOPO SHEET NUMBER 9

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
86	B=8, D=2.61, Z=1.5±	-	-	87
87	EW w/42"x30"	4.21	-0.06	88
88	EW w/42"x30"	4.16	-0.10	White House Cove
89	ES 24"	-	2.07	86
90	DI	-	-	-
	24" in and out	6.98	2.25	89
	12" in	-	3.60	-
91	DI w/12" out	6.98	3.73	90
92	MH w/24" in and out	7.83	2.96	90
93	MH	-	-	-
	12" in (stub)	8.33	6.23	92
	24" in and out	-	3.15	92
94	EW w/24"	-	3.25	93
95	B=3, D=2.67±, Z=1.69±	-	-	86
96	18"	-	2.53	95
97	18"	-	3.28	96
98	B=4, D=2, Z=1 (PG-5)	-	-	79
99	JB w/30" twin	-	-	-
	in and out	-	2.81	98
100	Double JB	-	-	-
	27" and 30" in	-	3.03	99
	21" in	-	4.81	-
	30" out	-	3.03	-
101	JB w/30" in and out	-	3.67	100
102	JB	-	-	-
	24" in	-	4.65	100
	27" out	-	4.54	100
103	JB	-	-	-
	24" in	-	4.97	102
	24" out	-	4.92	-
104	EW w/24"	-	5.05	103
105	EW w/15"	7.20	4.20	75
106	MH w/15"	9.43	4.63	105
107	DI w/15"	7.10	4.96	106
108	DI w/15"	8.71	5.44	107
109	EW w/15"	-	5.73	108
110	12"	-	7.66	111
111	YD	-	-	-
	12" in	-	5.98	112
	18" out	-	-	-
112	MH w/2-18" in, 18" out	9.01	5.49	114
113	ES-1 18"	-	5.59	112
114	DI	-	-	-
	12" and 18" in	8.03	5.24	116
	18" out	-	-	-
115	DI w/12" out	7.78	5.53	114
116	DI w/18" in and out	7.96	5.07	117
117	MH w/2-18" in and out	8.18	4.99	249
118	DI w/12" in and out	7.93	5.66	272
119	DI w/12" out	7.73	5.78	118
120	DI w/12" out	8.23	6.05	253
121	DI w/12" out	8.48	6.40	252
122	DI w/15" out	8.05	5.32	123

TOPO SHEET NUMBER 9

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
123	DI	-	-	-
	15" in	8.63	5.11	124
	18" out	-	9.86	-
124	EW-1 18"	7.23	4.73	109
125	DI	-	-	-
	2-12" in	8.84	5.23	126
	15" out	-	4.98	-
126	EW-1 15"	7.10	4.85	109
127	DI w/12" out	7.85	5.16	128
128	DI	-	-	-
	12" in	7.93	5.00	130
	18" out	-	4.50	0
129	DI w/21" out	7.65	4.23	130
130	DI	-	-	-
	18" in	7.93	4.25	131
	21" in	-	4.01	-
	27" out	-	3.50	-
131	YD-1 w/27" in and out	6.85	3.37	132
132	EW-1 27"	7.05	3.29	109
133	DI w/2-21" out	8.80	5.53	134
134	DI w/2-21" in and out	8.80	5.19	135
135	EW-1 21"	-	4.58	104
136	YD-1 15" out	8.57	6.30	137
137	DI	-	-	-
	15" in	8.53	5.89	138
	14"x23" out	-	-	-
138	DI	-	-	-
	14"x23" in	8.53	5.73	139
	18" out	-	-	-
139	EW-1 18"	-	5.26	104
140	18"	-	6.57	141
141	18"	-	6.50	104
142	YD-1 15" out	8.82	7.00	143
143	DI	-	-	-
	2-15" in	8.93	6.35	144
	14"x23" out	-	-	-
144	DI	-	-	-
	14"x23" in	8.93	6.23	145
	18" out	-	-	-
145	EW-1 18"	-	5.05	104
146	15"	-	5.80	147
147	15"	-	5.70	133
148	14"x23" CP	-	6.39	133
149	EW 24"	-	3.54	94
150	DI w/14"x23" out	8.41	6.51	148
151	DI	-	-	-
	14"x23" in and out	9.11	6.65	133
152	DI	-	-	-
	15" in	9.11	6.76	151
	14"x23" out	-	-	-
153	DI w/15" out	8.82	6.88	152
154	DI w/12" out	6.98	4.70	155

TOPO SHEET NUMBER 9

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
155	DI w/12" in, 15" out	7.01	4.71	156
156	EW-1 15"	-	4.44	165
157	DI w/12" out	6.93	4.63	158
158	EW-1 12"	-	4.53	165
159	DI w/12" out	6.85	4.53	160
160	EW-1 12"	-	4.44	165
161	DI w/12" out	7.09	4.38	162
162	EW-1 12"	-	4.26	165
163	DI	-	-	-
	12" and 21" in	7.53	3.76	149
	24" out	-	-	-
164	DI w/12" out	7.48	3.84	163
165	EW-2 21"	-	3.89	163
166	ES-1 12"	-	6.23	167
167	DI	-	-	-
	12" in	7.45	5.23	168
	15" out	-	4.40	-
168	EW-1 15"	-	4.30	165
169	YD	-	-	-
	12" in	4.25	1.21	171
	12" in	-	1.76	-
	24" out	-	1.20	-
170	YD	-	-	-
	12" in	4.37	1.47	169
	12" out	-	1.46	-
171	24"	-	1.07	White House Cove
172	YD	-	-	-
	12" in	4.31	1.82	170
	12" out	-	1.77	-
173	EW 12"	-	1.59	172
174	EW w/twin 18"	-	1.79	173
175	EW w/twin 18"	-	2.04	Roadside Ditch to White House Cove
176	JB w/4-18" in and out	4.95	2.38	175/174
177	18" CP	-	2.88	176
178	B=3.5, D=4, Z=.56	-	-	242
179	B=4, D=4, Z=.63	-	-	178
180	B=3, D=4, Z=.5	-	-	179
181	B=4, D=5, Z=.4	-	-	180
182	24" CP	-	-	181
183	B=4, D=3.5, Z=.57	-	-	182
184	B=3, D=3.5, Z=.57	-	-	183
185	18"	-	2.80	184
186	18"	-	3.33	185
187	42"x27"	-	3.73	186
188	DI w/30" in	7.23	3.83	187
	42"x27" out	-	-	-
189	ES-1 30"	-	4.19	188
190	D=3, B=2, Z=2	-	4.61	189
191	PG-5 D=1, W=2, Z=1	-	5.44	190
192	EW w/twin 18"	-	5.45	191
193	EW w/twin 18"	-	5.63	192
194	DI w/2-12" out	7.03	4.48	195
195	DI w/2-12" in and out	7.03	4.34	281
196	2-12"	-	4.06	184
197	B=2, D=3, Z=.17	-	-	190

TOPO SHEET NUMBER 9

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
198	Earth Swale	-	-	197
199	Earth Swale	-	-	198
200	B=2.5, D=1.5, Z=.5	-	6.03	190
201	1.5' Paved Swale	-	-	200
202	YD w/12" out	8.39	6.30	203
203	YD	9.04	6.40	290
	8" in	-	6.54	-
	15" in	-	6.54	-
	12" out	-	6.33	-
204	15"	-	-	203
205	12"	-	6.00	5-17
206	DI w/12" out	8.90	6.38	205
207	B=2, D=2, Z=1.75	-	2.05	5-159
208	YD	-	-	-
	24" in	4.46	1.64	207
	15" in	-	1.81	-
209	ES 21"	-	2.62	82
210	24"	-	1.75	208
211	DI w/15" out	5.34	2.38	222
212	void			
213	B=4, D=2, Z=1	-	2.62	210
214	B=4, D=2, Z=1	-	3.54	213
215	B=3, D=3, Z=.58	-	3.66	214
216	B=2.5, D=2.5, Z=.9	-	4.18	215
217	B=1.5, D=3, Z=.75	-	4.66	216
218	DI w/12" out	5.45	3.01	219
219	DI w/12" in, 15" out	5.45	2.93	220
220	ES-1 15"	-	2.71	213
221	ES 18"	-	5.02	117
222	15"	-	-	210
223	12"	-	6.45	202
224	12"	-	6.61	223
225	12"	-	6.73	226
226	12"	-	6.47	193
227	DI w/15" in and out	8.95	6.16	193
228	DI w/15" out	9.09	6.36	227
229	DI w/15" out	8.91	6.26	230
230	DI w/15" in and out	8.87	6.10	190
231	DI w/12" out	5.53	2.23	232
232	DI w/12" in and out	5.77	2.15	85
233	DI w/12" in and out	5.91	3.58	86
234	DI w/12" out	5.91	3.71	233
235	DI	-	-	-
	2-12" in	5.70	2.84	209
	21" out	-	-	-
236	DI	-	-	-
	12" in	5.73	3.45	235
	2-12" out	-	-	-
237	YD w/12" in and out	5.29	3.56	236
238	YD w/12" in and out	5.43	3.79	237
239	DI w/12" in and out	7.52	4.17	238
240	DI w/12" in and out	6.53	4.53	239

TOPO SHEET NUMBER 9

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
241	YD w/12" out	6.68	4.96	240
242	18"	-	2.24	176
243	B=4, D=4, Z=1.13	-	-	10-6
244	12"	-	3.95	16/14
245	12"	-	3.91	244
246	B=5, D=4, Z=1.38	-	-	69
247	18"	-	5.43	5-17
248	18"	-	5.55	247
249	18"	-	5.35	98
250	YD-1 15" out	8.27	6.85	143
251	12"	-	4.53	8
252	12"	-	6.33	221
253	12"	-	5.93	221
254	12"	-	4.38	42
255	DI	-	-	-
	18" in	6.23	2.33	13
	24" out	-	2.09	-
256	EW-1 24"	-	1.73	10-6
257	DI w/18" in and out	6.23	2.35	255
258	DI w/18" in and out	6.23	2.54	257
259	DI w/18" in and out	6.23	2.56	258
260	DI w/18" in and out	6.23	2.75	259
261	DI w/18" in and out	6.23	2.77	260
262	DI	-	-	-
	15" in	6.23	3.18	261
	18" out	-	2.96	-
263	DI w/15" in and out	6.23	3.60	262
264	DI w/15" in and out	6.23	3.68	263
265	DI w/15" out	6.73	3.91	264
266	18"	-	2.13	7
267	DI w/18" in and out	-	-	266
268	18"	-	2.73	267
269	void			
270	void			
271	ES-1 15"	-	4.00	7
272	12"	-	5.54	221
273	YD w/12" out	6.25	4.52	14-338
274	YD w/12" out	6.25	3.82	15-181
275	ES-1 15"	-	4.16	271
276	DI w/15" out	8.40	6.00	62
277	DI w/18" out	8.30	6.20	60
278	DI w/15" out	8.40	6.70	58
279	15"	-	6.73	280
280	15"	-	6.51	193
281	DI w/18" out	-	-	182
282	DI w/18" out	-	-	283
283	18"	-	-	177
284	12"	-	-	Canal
285	12"	-	-	284
286	12"	-	-	287
287	12"	-	-	288
288	15"	-	-	289
289	15"	-	-	Canal to White House Cove
290	12"	-	7.95	5-17

TOPO SHEET NUMBER 10

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	B=8, D=3.5, Z=.86	-	-	15-106
2	B=6, D=3, Z=.83	-	-	1
3	ES	-	-	2
4	DI w/12" out	6.23	3.58	3
5	YD	-	-	3
6	EW	-	-	5
7	DI w/15" out	6.23	3.23	8
8	DI	-	-	-
	15" in	6.23	2.98	9
	18" out	-	2.73	-
9	DI w/18" in and out	6.23	2.71	10
10	DI w/18" in and out	6.23	2.52	11
11	DI w/18" in and out	6.23	2.50	9-255
12	B=3, D=3.5, Z=1.5	-	-	2
13	12"	-	2.55±	12
14	DI w/12" out	6.41	2.58	13
15	ES 18"	-	2.90	12
16	DI w/18" in and out	7.18	2.95	15
17	DI w/18" in and out	6.85	3.09	16
18	DI	-	-	-
	12" in	6.68	3.16	17
	18" in and out	-	-	-
19	DI	-	-	-
	15" in	6.75	3.29	18
	18" out	-	-	-
20	DI	-	-	-
	2-12" in	6.75	3.30	19
	15" out	-	-	-
21	DI w/12" in and out	7.13	3.56	20
22	DI w/12" out	7.13	3.57	21
23	DI w/12" out	7.80	3.45	20
24	DI w/12" out	7.15	3.44	18
25	ES 18"	-	3.26	12
26	YD	-	-	-
	12" in	6.00	3.51	25
	18" out	-	-	-
27	DI w/12" out	7.18	3.70	26
28	B=3.5, D=5, Z=1	-	-	2
29	B=3, D=4, Z=1.25	-	-	28
30	B=1.5, D=1, Z=1.75	-	-	29
31	B=.5, D=1.5, Z=.83	-	4.10	30
32	B=2, D=5, Z=1.2	-	-	12
33	B=2, D=3, Z=2	-	-	32
34	15"	-	-	33
35	YD w/15" in and out	-	-	34
36	15"	-	-	35
37	B=1.5, D=3.5, Z=1.6	-	-	36
38	12"	-	5.38	39

TOPO SHEET NUMBER 10

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
39	12"	-	5.03	73
40	15"	-	3.29	41
41	15"	-	3.38	73
42	B=3, D=3.5, Z=1	-	-	15-196
43	B=2, D=2, Z=1	-	-	42
44	B=2, D=1 Z=1	-	-	43
45	12"	-	4.47	46
46	12"	-	4.35	47
47	B=2.5, D=3.5, Z=1.14	-	-	48
48	36"	-	1.42	49
49	EW w/36"	-	1.60	58
50	EW w/18"	-	3.83	51
51	EW w/18"	-	3.24	58
52	12"	-	-	47
53	YD w/12" out	5.88	4.21	52
54	YD w/18" out	5.62	3.71	55
55	18"	-	2.65	56
56	18"	-	3.19	57
57	18"	-	2.11	58
58	B=2, D=3, Z=1.83	-	-	59
59	B=2, D=3, Z=1	-	-	60
60	B=5, D=3, Z=1.16	-	-	61
61	B=13, D=2, Z=3	-	-	Floyds Bay
62	12"	-	3.95	63
63	YD w/12" in and out	5.14	2.89	64
64	12"	-	2.96	65
65	12"	-	3.17	66
66	12"	-	3.49	67
67	18"	-	2.76	68
68	DI w/18" in and out	4.63	2.60	69
69	18"	-	-	74
70	12"	-	-	71
71	DI w/12" in and out	5.16	-	72
72	End pipe	-	-	73
73	18"	-	2.86	162
74	B=2, D=4, Z=1	-	-	75
75	30"	-	-	76
76	YD w/30" in and out	-	-	77
77	YD w/30" in and out	-	-	78
78	ES 30"	-	-	79
79	B=7, D=2, Z=3.25	-	-	Floyds Bay
80	EW w/18"	-	3.66	75
81	EW w/18"	-	4.24	80
82	18"	-	3.97	83
83	18"	-	3.51	Ditch to Floyds Bay
84	12"	-	-	Ditch to Floyds Bay
85	12"	-	4.49	84
86	EW w/12"	-	4.50	85
87	EW w/12"	-	4.43	86
88	EW w/18"	-	3.98	89
89	EW w/18"	-	3.90	unknown
90	EW w/12"	-	3.95	91

TOPO SHEET NUMBER 10

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
91	EW w/12"	-	3.90	92
92	15"	-	-	93
93	15"	-	-	100
94	EW w/12"	-	4.35	195
95	EW w/12"	-	4.02	100
96	12"	-	-	97
97	YD w/12" in and out	-	-	99
98	12"	-	-	97
99	12"	-	-	100
100	B=3, D=3.5, Z=3	-	-	101
101	18"	-	0.70	102
102	18"	-	0.18	103
103	30"	-	-	104
104	30"	-	-	Floyds Bay
105	DI w/15" out	5.50	2.87	106
106	DI	-	-	-
	15" in	5.50	2.79	107
	18" out	-	-	-
107	DI	-	-	-
	15" and 18" in	5.25	2.31	108
	24" out	-	-	-
108	YD	-	-	-
	18" and 24" in	5.15	2.15	109
	27" out	-	-	-
109	DI	-	-	-
	27" in	5.22	1.95	110
	22"x34" out	-	-	-
110	DI	-	-	-
	22"x34" in	5.26	1.86	111
	30" out	-	-	-
111	YD w/30" in and out	5.03	1.67	112
112	EW w/30"	5.15	1.65	113
113	18"	-	1.20	114
114	18"	-	1.17	101
115	DI w/15" out	5.23	2.63	107
116	YD w/18" in and out	5.23	2.61	108
117	YD w/18" out	5.48	3.19	116
118	18"	-	0.57	119
119	18"	-	0.08	103
120	18"	-	-	121
121	18"	-	-	103
122	End pipe	-	-	123
123	DI w/15" in	-	-	127
124	15"	-	1.94	123
125	18"	-	2.06	124
126	18"	-	2.13	125
127	End pipe	-	1.50	128
128	End pipe	-	-	129
129	YD	-	-	unknown
130	EW w/18"	-	3.57	132
131	EW w/12"	-	4.01	132
132	EW w/12" and 18"	-	3.12	140

TOPO SHEET NUMBER 10

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
133	B=2.5, D=1.5, Z=1.5	-	-	134
134	B=3, D=1.5, Z=1.33	-	-	135
135	B=3, D=1, Z=3	-	-	136
136	B=2, D=1, Z=2.5	-	-	15-26
137	18"	-	-	15-214
138	DI w/18" in and out	4.78	-	139
139	EW w/18"	-	1.55	140
140	B=5, D=2.5, Z=1.2	-	-	Topping Creek
141	18"	-	1.07	Bennett Creek
142	18"	-	1.44	141
143	EW w/12"	-	4.21	144
144	EW w/12"	-	3.76	145
145	15"	-	-	146
146	15"	-	-	142
147	15"	-	-	148
148	15"	-	-	149
149	B=1, D=1.5, Z=1.7	-	-	15-84
150	End pipe	-	-	151
151	End pipe	-	-	Bennett Creek
152	15"	-	-	153
153	DI	-	-	-
	15" and 18" in	4.28	1.28	156
	24" out	-	-	-
154	ES 18"	-	1.50	153
155	B=3, D=2, Z=1	-	-	154
156	DI w/24" in, 30" out	3.51	0.61	157
157	EW w/30"	-	0.50	Bennett Creek
158	ES 15"	-	2.00	159
159	DI	-	-	-
	15" in	3.74	0.74	161
	18" in	-	-	-
	24" out	-	-	-
160	ES 18"	-	1.50	159
161	DI w/24" in, 30" out	3.51	0.61	162
162	EW w/30"	-	0.50	Bennett Creek
163	18"	-	2.13	75
164	YD w/12" out	6.25	3.68	165
165	YD w/12" in and out	6.25	3.41	15-179
166	12"	-	-	167
167	12"	-	-	168
168	B=3, D=1, Z=1	-	-	169
169	B=2, D=1.5, Z=1	-	-	170
170	12"	-	-	171
171	12"	-	-	Bennett Creek
172	B=3, D=1, Z=1.5	-	-	169
173	18"	-	-	174
174	18"	-	-	Bennett Creek
175	B=8, D=2, Z=2	-	-	180
176	YD	-	-	-
	12" out	3.81	1.85	181
	12" in	-	1.65	-
	18" in	-	1.65	-
	24" out	-	1.35	-

TOPO SHEET NUMBER 10

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
177	B=12, D=0.5, Z=4	-	-	Floyds Bay
178	12"	-	4.98	176
179	12"	-	6.46	176
180	18"	-	7.10	176
181	24"	-	7.92	177
182	18"	-	1.35	Bennett Creek
183	18"	-	1.46	182
184	15"	-	2.47	185
185	15"	-	2.02	Bennett Creek

TOPO SHEET NUMBER 11

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	B=4, D=2, Z=2	-	-	2
2	EW w/27"x42"	3.59	0.34	3
3	DI	-	-	-
	27"x42" in and out	4.07	0.07	4
4	DI	-	-	-
	27"x42" in	3.95	-0.05	5
	27" in	-	-	-
	29"x45" out	-	-	-
5	DI	-	-	-
	29"x45" out	3.31	-0.16	6
	12" in	-	1.26	-
	15" in	-	1.01	-
6	DI	-	-	-
	29"x45" in and out	2.98	-0.49	7
7	MH	-	-	-
	29"x45" in and out	3.90	-0.40	8
8	EW w/29"x45"	2.45	-0.97	9
9	B=4, Z=2	-	-	Easton Cove
10	EW w/18"	3.69	0.44	11
11	YD	-	-	-
	18" in	3.73	0.41	12
	27" out	-	-	-
12	DI w/27" in and out	4.23	0.17	4
13	15"	-	1.73	5
14	12"	-	1.73	5
15	24"	-	-0.14	16
16	24"	-	-0.17	Canal to Bennetts Creek
17	EW w/15"	-	1.71	Canal to Bennetts Creek
18	EW w/15"	-	1.65	Canal to Bennetts Creek
19	18"	-	0.35	20
20	18"	-	0.84	Canal to Easton Cove
21	EW w/12"	-	1.30	17
22	EW w/12"	-	1.89	21
23	EW w/12"	-	-	17
24	EW w/12"	-	-	23
25	D=1.2, Z=2	-	2.90	15
26	B=6, D=2, Z=1.25	-	-	Ditch to Easton Cove
27	15"	-	-	26
28	15"	-	-	27
29	B=2.5, D=2, Z=1.38	-	-	Big Salt Marsh
30	15"	-	-	29
31	15"	-	-	30
32	B=2.5, D=1.5, Z=1.5	-	-	Big Salt Marsh
33	15"	-	-	32
34	15"	-	-	33
35	15"	-	-	36
36	15"	-	-	Bennetts Creek

TOPO SHEET NUMBER 13

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	B=8, D=4, Z=1.75	-	5.03	2/3
2	36" CMP	-	4.69	14-13
3	36" CMP	-	4.44	14-13
4	B=4, D=3, Z=2	-	-	14-22/23/24
5	20" CMP	-	4.64	6
6	20" CMP	-	4.28	7
7	EW w/15" and 18" CMP	-	-	8
8	EW w/15" and 18" CMP	-	-	Lambs Creek
9	15"	-	4.83	10
10	15"	-	5.22	8
11	18"	-	5.66	12
12	18"	-	5.51	8

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	3-6'x8' Box Culvert	-	-1.77	Oxford Run
2	3-6'x8' Box Culvert	-	-1.71	1
3	B=4, D=5.33, Z=1.97	-	1.11	2
4	D=6.2, Z=2.3	-	-0.94	3
5	D=7.5, Z=1.8	-	-0.67	4
6	D=8.45, Z=1.6	-	-0.69	5
7	D=9.7, Z=1.6	-	-0.59	6
8	36"	-	2.68	7
9	36"	-	2.63	7
10	36"	-	3.16	8
11	36"	-	3.14	9
12	D=4.3, Z=3	-	3.97	10 and 11
13	D=6.5, Z=2.3	-	2.48	12
14	D=9.35, Z=2	-	-0.13	7
15	D=8.65, Z=2	-	-0.47	14
16	D=6.6, Z=1.87	-	0.93	15
17	D=5.45, Z=2.4	-	1.48	16
18	D=5.25, Z=2.4	-	1.20	17
19	36" (EW)	6.62	1.71	18
20	36" (EW)	6.62	2.68	18
21	36" (EW)	6.62	2.74	18
22	36" (EW)	6.47	1.89	19
23	36" (EW)	6.47	2.51	20
24	36" (EW)	6.47	2.61	21
25	30"	-	2.02	1
26	DI w/30" in and out	-	2.21	25
27	DI w/30" in and out	-	2.48	26
28	DI w/15" out	8.00	5.00	29
29	MH	9.40	2.93	-
	15" and 27" in	-	-	-
	30" out	-	-	27
30	DI	-	-	-
	24" in	-	3.28	-
	27" out	-	-	29
31	DI w/15" out	9.00	6.58	30
32	DI w/15" out	8.20	5.80	33
33	DI	-	-	-
	15" and 24" in	-	3.66	-
	24" out	-	-	30
34	DI w/15" out	8.30	5.88	33
35	YD w/15" out	8.42	5.09	33
36	MH	-	-	-
	15" and 24" in	10.40	4.14	33
	24" out	-	-	-
37	DI w/15" in and out	9.00	5.37	36
38	DI w/15" out	9.00	6.00	37
39	MH	-	-	-
	15" and 21" in	10.00	4.23	36
	24" out	-	-	-

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
40	DI w/15" out	9.00	6.00	39
41	DI w/15" out	9.00	6.00	39
42	DI w/15" in and out	-	5.08	39
43	DI	-	-	-
	15" and 21" in	-	4.29	39
	21" out	-	-	-
44	DI w/15" out	9.60	6.00	43
45	DI w/15" out	9.20	6.20	46
46	MH	-	-	-
	15" and 21" in	10.60	4.64	43
	21" out	-	-	-
47	DI w/15" out	9.20	6.00	48
48	DI	-	-	-
	18" in	-	4.79	46
	21" out	-	-	-
49	DI w/15" out	9.20	6.20	48
50	DI w/15" out	9.30	6.00	51
51	DI			
	2-15" in	-	5.42	48
	18" out	-	-	-
52	DI w/15" out	8.40	5.66	53
53	DI	-	-	-
	2-15" in	-	5.53	51
	15" out	-	-	-
54	DI w/15" out	7.90	5.90	302
55	DI w/15" in and out	-	5.83	302
56	DI w/15" in and out	8.70	5.87	55
57	DI w/15" in and out	8.60	5.94	56
58	DI w/15" out	8.50	6.08	57
59	15"	-	5.73	61
60	ES 18"	-	5.31	61
61	DI	-	-	-
	15" and 18" in	-	5.26	62
	24" out	-	-	-
62	MH	-	-	-
	15" and 24" in	9.00	5.00	64
	24" out	-	-	-
63	DI w/15" out	8.70	6.30	64
64	MH	-	-	-
	15" and 24" in	9.40	-	-
	24" out	-	4.60	66
65	15"	-	2.52	341
66	DI w/24" in and out	-	5.20	67
67	DI w/24" in and out	-	5.01	69
68	DI w/15" out	8.80	5.80	69
69	JB	-	-	-
	2-24" and 15" in	-	-	-
	2-24" out		3.78	80
70	MH w/24" in and out	-	4.08	69
71	MH	-	-	-
	18" in	7.38	5.05	70
	24" out	-	4.56	-

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
72	DI w/18" out	8.23	5.25	71
73	DI w/18" out	8.48	5.33	74
74	DI w/18" in and out	8.13	4.63	75
75	YD	-	-	-
	18" and 12" in	7.28	-	-
	27" out	-	4.03	78
76	YD w/12" out	8.09	5.96	77
77	YD w/12" in and out	7.87	5.77	75
78	DI w/27" in and out	-	3.56	82
79	EW 42"	-	1.12	18
80	JB	-	-	-
	2-24" in	-	3.63	79
	27" in	-	-	-
	36" in	-	2.54	-
	42" out	-	-	-
81	JB 36" in and out	9.70	3.60	80
82	MH	-	-	-
	30" in	9.50	3.78	81
	36" out	-	-	-
83	DI w/30" in and out	-	4.57	82
84	DI w/15" out	8.40	5.60	83
85	DI w/15" out	8.00	5.58	86
86	DI w/15" in and out	8.20	5.34	87
87	DI	-	-	-
	27" in	-	4.82	83
	30" out	-	-	-
88	DI w/15" out	-	5.66	87
89	DI w/15" out	-	5.66	90
90	MH	-	-	-
	15" and 27" in	9.80	5.06	87
	27" out	-	-	-
91	DI w/21" out	-	5.35	92
92	DI	-	-	-
	21" in	-	5.34	90
	27" out	-	-	-
93	DI w/27" in and out	-	4.18	80
94	DI w/15" out	7.40	4.98	95
95	DI	-	-	-
	15" and 24" in	-	-	-
	27" out	-	4.46	93
96	ES 15"	-	5.77	99
97	YD w/15" out	8.4	5.90	98
98	YD w/15" in and out	8.40	5.71	99
99	DI	-	-	-
	2-15" in	8.50	5.51	101
	18" out	-	5.26	-
100	YD w/15" out	8.40	5.38	101
101	MH	9.15	-	-
	15" in	-	5.28	102
	18" in	-	5.03	-
	18" out	-	-	-
102	DI	-	-	-
	15" and 18" In	-	4.78	95
	24" out	-	-	-

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
103	DI w/15" out	8.80	5.60	104
104	DI w/15" in and out	-	5.40	102
105	D=3.4, B=2, Z=2	-	3.65	106
106	EW w/2-24"	-	3.62	107
107	EW w/2-24"	6.47	3.47	119
108	YD w/15" out	8.40	5.72	109
109	YD	-	-	-
	15" in	8.40	5.37	111
	18" out	-	5.12	-
110	YD w/15" out	8.40	5.67	109
111	MH w/18" in and out	9.50	4.92	113
112	YD w/15" out	7.29	4.70	113
113	MH	-	-	-
	15" and 18" in	8.00	4.62	115
	24" out	-	-	-
114	YD	-	-	-
	29"x45" in	-	4.96	115
	15" in	-	6.25	-
	29"x45" out	-	4.42	-
115	JB	-	-	-
	29"x45" in	8.50	4.31	116
	42" out	-	-	-
116	MH w/42" in and out	8.50	4.11	117
117	DI w/42" in and out	8.33	3.86	118
118	EW w/42"	8.00	3.49	119
119	B=7, D=5, Z=2	-	3.47	309
120	DI w/12" out	-	7.30	121
121	DI	-	-	-
	12" in	-	7.20	124
	15" out	-	-	-
122	DI w/12" out	-	7.40	124
123	DI w/12" out	-	7.40	124
124	MH	-	-	-
	12" and 15" in	9.60	6.87	125
	23"x14" out	-	-	-
125	DI w/23"x14" in and out	-	6.81	127
126	DI w/12" out	8.20	6.65	127
127	MH	-	-	-
	23"x14" in	9.50	6.59	290
	30"x19" out	-	-	-
128	DI w/12" out	8.40	6.59	129
129	DI	-	-	-
	12" in	-	6.49	9-58
	30"x19" in	-	-	-
	34"x22" out	-	-	-
130	DI w/15" out	-	6.56	131
131	DI w/15" in and out	-	6.54	133
132	ES 15"	-	6.60	133
133	MH	-	-	-
	2-15" in	9.40	6.44	135
	15" out	-	-	-
134	DI w/15" out	8.30	6.50	135

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
135	DI	-	-	-
	2-15" in	-	6.40	137
	23"x14" out	-	-	-
136	DI w/15" out	8.80	6.50	137
137	DI	-	-	-
	15" in	-	6.23	139
	23"x14" in	-	-	-
	30"x19" out	-	-	-
138	DI w/15" out	8.80	6.40	139
139	DI	-	-	-
	15" in	-	6.16	141
	30"x19" in and out	-	-	-
140	DI w/15" out	-	6.20	141
141	MH	-	-	-
	15" in	9.00	6.13	9-59
	30"x19" in	-	-	-
	30"x19" out	-	-	-
142	DI w/15" out	-	6.20	9-59
143	DI w/15" out	-	6.08	146
144	DI w/15" out	9.00	6.58	145
145	DI w/15" in and out	9.00	6.38	146
146	DI	-	-	-
	2-15" in	-	5.66	149
	18" out	-	-	-
147	ES 15"	-	6.50	149
148	DI w/15" out	9.00	6.58	194
149	MH	-	-	-
	15" and 18" in	11.00	5.32	151
	21" out	-	-	-
150	ES 15"	-	6.60	151
151	DI	-	-	-
	21" in	-	4.79	-
	24" out	-	-	153
152	DI w/15" out	8.50	5.90	153
153	DI w/24" in and out	-	4.28	154
154	MH	-	-	-
	24" in	9.20	4.19	155
	27" out	-	-	-
155	MH w/27" in and out	9.20	4.06	157
156	DI w/15" out	7.90	5.50	157
157	DI w/27" in and out	-	4.00	159
158	DI w/15" out	8.00	5.58	159
159	DI	-	-	-
	27" in	-	3.76	161
	30" out	-	-	-
160	DI w/15" out	-	5.98	161
161	DI w/30" in and out	-	3.06	162
162	DI w/30" in and out	-	2.68	164
163	ES 15"	-	4.20	164
164	MH w/30" in and out	8.80	2.60	165
165	30" into Box Culvert	-	2.45	1
166	15"	-	6.60	167

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
167	15" into Box Culvert	-	2.23	1
168	B=3, D=2	-	1.58	Oxford Run
169	B=3, D=2	-	3.30	168
170	B=2, D=2, Z=.75	-	3.53	169
171	-	-	-1.47	Oxford Run
172	B=1, D=1.5, Z=.67	-	1.43	171
173	B=2, D=3, Z=.67	-	2.93	172
174	B=3, D=4, Z=.38	-	3.60	173
175	B=2, D=3, Z=.33	-	4.98	174
176	24"	-	5.54	175
177	24"	-	5.81	176
178	24"	-	5.85	177
179	24"	-	5.99	178
180	12"	-	7.31	181
181	12"	-	7.08	182
182	D=1, Z=1	-	7.58	Into Pond
183	B=3, D=2.5, Z=.3	-	-1.87	Oxford Run
184	B=2.5, D=2, Z=.37	-	1.60	183
185	B=2, D=3, Z=.5	-	4.60	184
186	18"	-	5.10	185
187	18"	-	5.33	186
188	12"	-	5.64	187
189	12"	-	6.23	188
190	12"	-	6.91	191
191	12"	-	6.29	187
192	12"	-	6.17	187
193	12"	-	6.30	192
194	12"	-	7.13	195
195	12"	-	6.98	193
196	15"	-	7.31	Various Directions
197	15"	-	7.49	Various Directions
198	15"	-	7.84	Various Directions
199	15"	-	6.57	Various Directions
200	-	-	0.50	Oxford Run
201	42"	-	1.67	200
202	42"	-	1.79	201
203	B=2, D=4, Z=.75	-	2.02	202
204	B=3, D=6, Z=1	-	2.73	203
205	18"	-	3.33	204
206	18"	-	3.27	205
207	B=3, D=4, Z=.63	-	3.03	206
208	B=3, D=2, Z=.25	-	3.27	207
209	B=3.5, D=4, Z=.44	-	3.47	208
210	18"	-	3.49	209
211	18"	-	3.68	210
212	B=2, D=2, Z=1.25	-	4.60	211
213	B=2, D=3, Z=.5	-	5.13	212
214	12"	-	4.76	215
215	12"	-	4.77	213
216	12"	-	5.63	213
217	12"	-	5.70	216
218	12"	-	5.36	219

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
219	12"	-	5.18	213
220	D=1.9, Z=.26	-	5.74	207
221	D=1.3, Z=1.14	-	4.70	222
222	B=2, D=2.5	-	3.40	207
223	18"	-	4.93	224
224	18"	-	4.73	225
225	18"	-	4.64	315
226	DI w/15" in and out	5.03	2.26	227
227	YD	-	-	-
	12" in	4.21	2.72	229
	15" in	-	1.96	-
	18" out	-	1.57	-
228	12"	-	3.04	227
229	18"	-	-0.08	Cedar Creek
230	12"	-	5.50	225
231	12"	-	5.71	230
232	B=2.5, D=1.5, Z=1.3	-	-	223
233	12"	-	5.72	Completely Blocked
234	12"	-	5.62	Completely Blocked
235	18"	-	5.69	319
236	15"	-	5.60	319
237	DI w/18" in and out	6.40	4.33	238
238	DI	-	-	-
	2-18" in	6.77	4.02	242
	24" out	-	-	-
239	YD w/12" in and out	6.14	4.59	240
240	YD	-	-	-
	2-18" out	6.61	3.84	241
			3.79	-
	24" in	-	3.79	-
	12" in	-	4.78	-
241	EW	-	-	-
	2-18"	6.60	3.66	244
			3.67	-
	18"	-	3.63	-
	24"	-	3.62	-
242	YD w/24" in and out	-	3.94	243
243	YD	-	-	-
	24" in	6.15	3.46	241
	24" out	-	3.37	-
244	D=1.3, B=6, Z=3.4	-	3.83	245
245	D=2.4, B=7, Z=3.3	-	2.43	246
246	D=6, B=8, Z=1	-	-0.31	248
247	EW 18"	4.73	0.41	248
248	EW 60"	5.79	-0.71	251
249	DI	-	-	-
	15" in	5.91	2.55	320
	15" out	-	2.46	-
250	15"	-	2.51	251
251	JB	-	-	-
	60" in	5.86	-0.81	252
	12" and 15" in	-	2.48	-
	60" out	-	-	-

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
252	JB	-	-	-
	60" in	5.44	-1.23	253
	18" in	-	0.73	-
	60" out	-	-	-
253	EW 60"	5.22	-1.28	254
254	B=4, D=4, Z=1	-	-1.29	Cedar Creek
255	DI w/18" in and out	6.72	3.79	256
256	DI	-	-	-
	18" in	6.35	3.59	260
	14"x23" in	-	-	-
	24" out	-	-	-
257	DI w/15" out	6.32	3.76	258
258	DI	-	-	-
	15" in	6.32	3.70	256
	14"x23" out	-	-	-
259	DI	-	-	-
	21" in	6.32	3.37	260
	19"x30" out	-	-	-
260	DI	-	-	-
	24" in	6.35	3.31	261
	19"x30" in	-	-	-
	30" out	-	-	-
261	YD w/30" in and out	5.73	3.01	262
262	30"	-	2.97	65
263	YD w/18" out	6.08	4.08	264
264	YD w/18" in and out	6.15	3.85	265
265	YD w/18" in and out	6.21	3.76	266
266	YD w/18" in and out	6.13	3.71	241
267	B=3, D=2, Z=.25	-	4.92	268
268	B=2.5, D-2, Z=.63	-	5.13	269
269	B=4, D=2, Z=.5	-	4.50	270
270	B=3, D=3, Z=.5	-	4.6	273
271	12"	-	4.36	272
272	YD w/12" in and out	6.04	4.20	274
273	24"	-	4.29	274
274	DI	-	-	-
	24" in	6.87	4.38	275
	12" in	-	4.29	-
	24"x19" out	-	4.08	-
275	DI	-	-	-
	27"x19" in	6.92	4.62	240
	24" out	-	4.23	-
276	DI w/12" out	7.23	4.98	277
277	YD w/12" in and out	6.91	4.91	278
278	ES 12"	-	4.73	269
279	B=4, D=3, Z=.5	-	5.23	278
280	12"	-	5.30	279
281	18"	-	5.02	279
282	12"	-	4.97	280
283	18"	-	4.96	281
284	Ditch Fades Out	-	-	282/283
285	18"	-	-	284

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
286	18" half pipe	-	5.40	279
287	ES 15"	-	7.00	290
288	DI 11"x18"	7.58±	5.43	279
289	DI 11"x18"	7.58±	5.48	288
290	MH	-	-	-
	15" in	9.50	6.54	129
	30"x19" in	-	-	-
	30"x19" out	-	-	-
291	18" half pipe	-	5.63	289
292	B=2, D=1.5, Z=1.67	-	4.25	305
293	B=1, D=1.5, Z=2	-	3.51	294
294	B=2, D=3.3, Z=2	-	2.61	295
295	18"	-	2.24	296
296	DI w/18" in and out	5.34	2.22	297
297	DI w/18" in and out	5.34	2.10	298
298	18"	-	2.08	299
299	B=2, D=3.7, Z=2	-	2.08	15-194
300	DI w/15" out	6.80	4.38	29
301	ES 15"	-	5.12	42
302	DI w/15" in and out	-	5.63	53
303	DI w/15" out	8.70	6.30	62
304	DI w/15" out	8.60	6.18	146
305	18"	-	2.04	306
306	DI w/18" in and out	4.85	1.99	307
307	DI w/18" in and out	4.73	1.76	308
308	18"	-	1.71	15-189
309	30"	-	2.78	310
310	30"	-	2.91	22/23/24
311	B=3.5, D=1, Z=1	-	6.00	114
312	18"	-	3.56	211
313	18"	-	3.63	312
314	D=1, Z=3	-	4.03	313
315	18"	-	5.74	316
316	B=1, D=2, Z=.75	-	5.01	317
317	B=1.5, D=2, Z=2.13	-	2.49	318
318	15"	-	2.21	226
319	YD	-	-	-
	15" in	8.41	5.66±	238
	18" in and out	-	-	-
320	15" into 60"	-	1.50±	251
321	ES 21"	-	3.39	259
322	EW w/18"	-	4.45	9-3
323	YD w/18" out	6.23	4.53	322
324	YD w/18" out	7.23	4.88	237
325	12"	-	3.59	326
326	YD	-	-	-
	12" in	5.48	3.49	327
	18" out	-	2.94	-
327	YD	-	-	-
	18" in	3.10	0.92	252
	18" out	-	0.62	-
328	18"	-	-	285

TOPO SHEET NUMBER 14

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
329	12"	-	4.27	330
330	12"	-	4.22	250
331	12"	-	5.03	239
332	15"	-	3.19	333
333	DI w/15" in and out	4.65	1.74	334
334	DI w/15" in and out	5.01	1.70	15-203
335	12"	-	7.00	336
336	12"	-	6.91	236
337	B=3, D=1.5, Z=2	-	4.50	15-177
338	YD w/12" in and out	6.25	4.26	339
339	YD w/12" in and out	6.25	3.85	340
340	12"	-	3.57	15-177
341	15"	-	2.48	246

TOPO SHEET NUMBER 15

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	EW w/24"	-	-0.08	Canal to Back River
2	EW w/24"	-	-0.08	Canal to Back River
3	EW w/24"	-	0.62	1
4	EW w/24"	-	0.52	2
5	B=11, D=4.5, Z=0.45	-	0.66	3 and 4
6	B=9, D-3.5, Z=.6	-	1.16	5
7	B=7, D=1.5, Z=2.33	-	1.66	6
8	36"	-	1.31	7
9	36"	-	1.66	7
10	36"	-	1.78	8
11	36"	-	1.86	9
12	B=3, D=2.5, Z=.8	-	1.76	10 and 11
13	B=3, D=2.5, Z=.8	-	2.45	12
14	B=2, D=2, Z=1	-	2.75	13
15	B=1, D=1, Z=1	-	2.82	14
16	B=2.5, D=1.5, Z=1.2	-	3.02	15
17	18"	-	2.75	16
18	18"	-	2.71	17
19	B=2.5, D=1.75, Z=1	-	2.97	18
20	B=2, D=1, Z=5	-	3.17	19
21	B=3.5, D=3, Z=.9	-	3.16	20
22	B=3, D=3, Z=.8	-	3.06	21
23	B=2, D=2.5, Z=1	-	3.47	22
24	18"	-	2.47	23
25	18"	-	2.64	24
26	B=2, D=2, Z=.75	-	3.47	25
27	B=1, D=2.5, Z=1.2	-	3.47	25
28	B=1.5, D=2.5, Z=1.3	-	3.47	24
29	B=2, D=2, Z=1.5	-	4.07	25
30	B=1, D=1.5, Z=1.3	-	3.67	24
31	B=3, D=2, Z=.5	-	3.41	32
32	B=2, D=2.5, Z=1	-	3.26	21
33	B=3, D=2.5, Z=.6	-	2.16	7
34	B=3, D=2.3, Z=1.1	-	2.16	6
35	B=2.5, D=.5, Z=5.5	-	3.06	34
36	EW w/36"	4.80	-1.15	Canal to Topping Creek
37	DI	5.00	-	-
	36" out	-	-0.74	36
	21" in	-	1.72	36
38	DI	5.00	-	-
	21" out	-	1.82	37
	15" in	-	2.01	37
39	DI w/15" out	5.27	2.28	38
40	36" Stub (Plugged)	-	-	37
41	EW w/24"	4.50	-0.11	Canal to Topping Creek
42	DI	5.00	-	-
	24" out	-	0.11	41
	18" in	-	0.11	41
	12" in	-	0.88	41

TOPO SHEET NUMBER 15

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
43	MH w/18" in and out	5.47	0.49	42
44	DI	5.19	-	-
	18" out	-	0.93	43
	15" in	-	2.75	43
	12" in	-	2.88	43
45	DI w/15" out	5.39	2.87	44
46	DI w/12" out	5.23	2.98	44
47	DI 12" out	5.00	1.00	42
48	B=2, D=3, Z=.33	-	1.5	Topping Creek
49	B=3, D=3, Z=1	-	2.5	48
50	18"	-	2.7	49
51	DI w/14"x23" in	5.42	2.71	50
	18" out	-	2.71	-
	12" in	-	2.71	-
52	DI w/14"x23" out	5.42	2.81	51
	18" in	-	2.81	-
	12" in	-	2.81	-
53	18"	-	2.82	52
54	B=3, D=3, Z=1.67	-	3.00	53
55	B=2, D=1, Z=1.1	-	4.45	54
56	YD w/12" in and out	5.20	3.01	52
57	YD w/12" out	5.10	3.12	56
58	YD w/12" in and out	5.00	2.93	51
59	YD w/12" out	5.00	3.03	58
60	B=7, D=1.5, Z=1.67	-	0.83	Topping Creek
61	18"	-	0.92	60
62	18"	-	2.10	61
63	B=4, D=1.5, Z=1.67	-	1.20	62
64	B=2, D=2, Z=1	-	1.60	63
65	30"	-	1.73	64
66	30"	-	1.93	65
67	B=2, D=2, Z=1	-	2.40	66
68	18"x24" CMP	-	2.43	67
69	18"x24" CMP	-	2.53	68
70	15"x21" CMP	-	2.93	69
71	15"x21" CMP	-	3.13	70
72	15"x21" CMP	-	3.61	71
73	15"x21" CMP	-	3.82	72
74	15"x21" CMP	-	2.83	67
75	15"x21" CMP	-	3.03	74
76	B=4, D=2, Z=1	-	2.0	66
77	B=2, D=2, Z=1.5	-	2.9	76
78	15"	-	2.93	77
79	15"	-	3.53	78
80	B=2, D=2, Z=.75	-	1.11	Topping Creek
81	1.7' Paved Swale	-	1.84	80
82	1.7' Paved Swale	-	3.16	81
83	B=3, D=3, Z=1	-	3.13	82
84	B=2, D=1.5, Z=1.67	-	3.63	83
85	1.7' Paved Swale	-	1.84	80
86	6.3' Valley Gutter	-	4.05	85
87	6.3' Valley Gutter	-	4.12	86
88	1.7' Paved Swale	-	4.42	87
89	B=2, D=2, Z=1	-	2.21	Topping Creek

TOPO SHEET NUMBER 15

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
90	EW w/14"x23"	4.18	2.45	89
91	EW w/14"x23"	4.38	2.65	90
92	12"	-	3.22	90
93	12"	-	3.42	92
94	B=8, D=1.5, Z=3	-	1.91	Topping Creek
95	B=2.5, D=1.5, Z=1	-	4.30	94
96	B=1, D=.5, Z=.5	-	4.60	95
97	12"	-	4.35	96
98	12"	-	4.48	97
99	D=1, Z=1.5	-	3.83	115
100	12"	-	4.56	99
101	12"	-	4.60	100
102	B=11, D=3, Z=1.5	-	0.00	Back River
103	B=5, D=3.5, Z=.71	-	1.60	102
104	12"	-	1.92	103
105	12"	-	2.15	104
106	18"	-	1.57	103
107	18"	-	1.65	106
108	B=2.5, D=2.5, Z=.9	-	2.2	107
109	18"	-	2.07	108
110	18"	-	2.78	109
111	B=2, D=2, Z=1	-	2.3	110
112	18"	-	2.25	111
113	18"	-	2.19	112
114	B=3, D=1.5, Z=.67	-	2.9	113
115	B=3, D=1.5, Z=.67	-	3.3	114
116	B=3, D=1.5, Z=.67	-	3.1	115
117	B=1, D=0.5, Z=1	-	3.7	116
118	D=.7, Z=7	-	3.2	117
119	D=.3, Z=13	-	3.5	118
120	B=3, D=1.5, Z=.67	-	3.10	121
121	B=3, D=1.5, Z=.67	-	3.10	(sheet 10-155)
122	12"	-	4.49	123
123	12"	-	4.37	110
124	15"	-	-	Canal @ Cedar Landing
125	DI w/15" in and out	-	-	124
126	DI w/15" out	-	-	125
127	EW w/18"	-	-0.05	Canal to Back River
128	DI	3.65	-	-
	18" out	-	0.27	-
	15" in	-	0.52	127
129	DI w/15" out	-	-	128
130	EW w/15"	-	-0.27	Canal to Back River
131	DI	3.77	-	-
	15" out	-	-0.04	-
	12" in	-	0.21	130
132	DI w/12" out	-	-	131
133	15"	-	2.00	Canal to Back River
134	DI w/15" in and out	4.71	2.03	133
135	DI w/15" out	4.71	2.13	134
136	B=2.5, D=3, Z=1	-	1.63	Cedar Creek
137	B=2, D=2, Z=1.4	-	2.43	136
138	8"	-	2.41	137
139	8"	-	3.04	138

TOPO SHEET NUMBER 15

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
140	B=3.5, D=1.5, Z=2.2	-	1.82	Cedar Creek
141	B=3.5, D=2.5, Z=1	-	2.52	140
142	18"	-	2.23	141
143	18"	-	2.22	142
144	B=2.5, D=2.5, Z=1	-	2.32	143
145	B=3, D=2, Z=1	-	3.29	144
146	B=2.5, D=2, Z=.1	-	3.49	145
147	EW w/18"	-	1.55	Canal to Cedar Creek
148	MH w/18" in and out	4.23	2.49	147
149	DI w/18" out	5.39	2.59	148
150	EW w/18"	-	1.52	Canal to Cedar Creek
151	MH w/18" in and out	4.47	2.36	150
152	DI w/18" out	5.39	2.59	151
153	EW w/18"	-	1.38	Canal to Cedar Creek
154	DI w/18" out	5.21	1.68	153
155	EW w/18"	-	1.47	Cedar Creek
156	DI w/18" out	5.07	2.27	
157	EW w/30"	-	1.40	Canal to Cedar Creek
158	MH	4.33	-	-
	30" out	-	1.59	-
	24" in	-	1.59	-
	18" in	-	1.59	-
	18" in	-	1.59	157
159	DI	5.53	-	-
	24" out	-	1.98	-
	18" in	-	1.98	-
	12" in	-	3.02	158
160	MH w/18" in and out	6.13	2.35	159
161	DI	5.45	-	-
	18" out	-	2.94	-
	12" in	-	2.94	160
162	DI w/12" out	5.45	3.15	161
163	DI w/12" out	5.53	3.23	159
164	DI w/18" in and out	5.03	2.12	158
165	DI w18" in and out	5.06	2.33	164
166	DI	5.47	-	-
	18" out	-	2.62	-
	12" in	-	2.62	165
167	YD w/12" out	4.23	2.94	166
168	DI	5.20	-	-
	18" out	-	2.00	-
	12" in	-	2.69	158
169	DI w/12" out	5.20	2.90	168
170	DI w/15" in and out	5.23	2.42	196
171	DI w/15" in and out	5.27	2.63	170
172	DI w/12" in 15" out	5.25	3.53	171
173	12"	-	-	172
174	EW w/15"	-	0.17	196
175	DI w/15" in and out	5.00	0.61	174
176	DI w/15" out	5.00	0.73	175
177	24"	-	0.95	201
178	15"	-	2.75	177
179	YD	6.25	-	-
	15" out	-	3.01	-
	12" in	-	3.01	178

TOPO SHEET NUMBER 15

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
180	15"	-	3.16	178
181	YD	6.25	-	-
	15" out	-	3.43	-
	12" in	-	3.43	180
182	D=2, Z=2	-	1.48	196
183	D=1.5, Z=2	-	4.40	182
184	DI	4.73	-	-
	18" out	-	1.33	-
	15" in	-	1.59	-
	12" in	-	1.33	-
185	DI w/12" out	4.73	1.73	184
186	DI w/15" out	4.73	1.73	184
187	DI	5.93	-	-
	15" out	-	3.08	-
	12" in	-	3.08	Sheet 14-249
188	12"	-	3.38	187
189	B=2, D=1.5, Z=2	-	0.10	Cedar Creek
190	15"	-	1.93	189
191	DI w/15" in and out	5.18	1.42	190
192	DI w/15" out	5.07	2.46	191
193	B=2, D=.5, Z=2	-	4.25	194
194	B=2, D=1.5, Z=2	-	0.30	Cedar Creek
195	EW w/48"x76"	5.12	-0.52	Cedar Creek
196	EW w/48"x76"	5.66	-0.31	195
197	EW w/24"	5.12	-0.20	Cedar Creek
198	EW w/24"	5.66	0.45	197
199	EW w/18"	5.12	1.60	Cedar Creek
200	18"	-	2.27	199
201	24"	-	0.90	196
202	B=10, D=3, Z=1	-	0.80	Cedar Creek
203	18"	-	1.29	202
204	12"	-	2.97	Cedar Creek
205	12"	-	2.81	204
206	15"	-	4.41	204
207	15"	-	4.20	206
208	12"	-	4.87	204
209	12"	-	5.13	208
210	EW w/12"	7.45	4.04	200
211	12"	-	4.61	210
212	12"	-	4.09	198
213	12"	-	4.23	212
214	12"	-	2.89	31
215	18"	-	-	Canal to Topping Creek
216	DI	-	-	-
	18" out	-	-	-
	15" in	-	-	215
217	DI w/15" out			216
218	EW w/18"	-	-	10-149
219	EW w/18"	-	-	218

TOPO SHEET NUMBER 16

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	B=4, D=3.5, Z=.86	-	0.13	Watts Creek
2	24"	-	0.52	1
3	24"	-	0.54	2
4	24"	-	0.36	1
5	24"	-	0.26	3
6	B=1, D=3, Z=1.27	-	1.04	5
7	B=4, D=3, Z=.42	-	-	6
8	B=2, D=2, Z=1.4	-	-	7
9	B=1, D=.8, Z=0.03	-	-	8
10	B=1, D=1, Z=1.5	-	-	9
11	B=3, D=2, Z=1	-	-	7
12	B=1, D=2, Z=.25	-	-	11
13	B=2, D=2, Z=.25	-	-	7
14	B=1, D=1, Z=.73	-	-	13
15	DI w/15" out	3.71	1.93	16
16	DI w/15" in, 18" out	4.46	1.53	88
17	DI w/12" out	3.69	1.60	18
18	DI w/12" in, 15" out	2.98	1.05	16
19	DI w/15" out	3.70	1.86	20
20	DI w/15" in, 12" out	3.56	1.11	18
21	DI w/18" out	3.75	1.26	22
22	DI w/18" in	4.04	0.98	89
23	DI w/15" out	3.53	1.40	24
24	15"	-	-	39
25	DI w/18" out	3.53	1.25	26
26	DI w/18" in and out	3.60	1.30	27
27	18"	-	-	41
28	B=18, D=5.5, Z=.5	-	-	Canal to Big Salt Marsh
29	24"	-	-	28
30	24"	-	-	29
31	24"	-	-	28
32	24"	-	-	31
33	B=8, D=2.5, Z=.8	-	-	30 and 32
34	24"x38"	-	-	33
35	24"x38"	-	-	34
36	B=7, D=2, Z=2	-	-	35
37	B=15, D=3, Z=.8	-	-	36
38	DI	-	-	-
	36" in and stub out	3.78	-	37
39	DI	-	-	-
	stub in and 36" out	3.78	-0.27	38
40	B=6, D=2, Z-1.25	-	-	39
41	B=6, D=2, Z=1.3	-	-	40
42	B=4, D=1.5, Z=1	-	-	41
43	DI	-	-	-
	18" in and stub out	3.20	1.50	42
44	DI w/18" out	3.45	1.40	43
45	DI w/15" out	3.78	1.85	46

TOPO SHEET NUMBER 16

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
46	15"	-	1.73	41
47	YD w/15" out	3.05	1.05	48
48	YD	-	-	-
	2-15" in	2.39	0.39	49
	15" out	-	-	-
49	EW w/15"	-	0.23	35
50	DI w/15" out	3.73	0.73	49
51	B=6, D=1.5, Z=.67	-	-	41
52	B=6, D=1.25, Z=1	-	-	51
53	EW w/18"	-	-	54
54	EW w/18"	-	-	Marsh
55	EW w/15"	-	-	56
56	EW w/15"	-	-	57
57	B=1, D=1, Z=1.75	-	-	Long Creek
58	EW w/18"	-	-	59
59	EW w/18"	-	-	60
60	B=4, D=1.5, Z=1.67	-	-	Long Creek
61	15"	-	-	62
62	15"	-	-	63
63	B=6, D=1.5, Z=2	-	-	Marsh
64	B=4, D=1.5, Z=1	-	-	Big Salt Marsh
65	12"	-	-	64
66	MH w/12" in and out	-	-	65
67	12"	-	-	66
68	12"	-	-	66
69	12"	-	-	66
70	18"		1.98	70
71	18"	-	1.86	72
72	EW w/18"	5.05	3.00	73
73	EW w/18"	4.97	2.92	74
74	B=4, D=2, Z=2	-	-	11-1
75	B=1, D=0.7, Z=2	-	3.39	74
76	B=1, D=0.6, Z=2	-	3.49	75
77	B=4, D=3.5, Z=1.5	-	-	Marsh at Watts Creek
78	B=2, D=2, Z=.5	-	-	77
79	B=3, D=2.3, Z=.25	-	-	78
80	B=1, D=.8, Z=0	-	-	78
81	B=2, D=1.7, Z=0.6	-	-	78
82	12"	-	-	83
83	12"	-	-	Watts Creek
84	B=8	-	-	Back River
85	B=2, D=1.7, Z=0.6	-	-	84
86	B=4, D=3, Z=0.3	-	-	Watts Creek
87	B=2, D=.4, Z=1.25	-	-	86
88	18"	-	-	Easton Cove
89	15"	-	0.88	28

TOPO SHEET NUMBER 17

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	EW w/12"	-	-	2
2	EW w/12"	-	-	Canal to Front Cove
3	12"	-	-	5
4	12"	-	-	5
5	YD	-	-	-
	2-12" in	-	-	6
	12" out	-	-	-
6	12"	-	-	Canal to Long Creek

TOPO SHEET NUMBER 18

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	12"	-	6.08	3
2	12"	-	5.87	3
3	YD	7.58	6.02	4
4	MH w/18" in and out	7.33	4.67	5
5	DI w/19"x30" out	6.81	4.32	6
	12" in	-	-	-
	18" in	-	-	
6.	EW w/19"x30	6.68	4.10	7
7	B=2, D=2, Z=1	-	4.06	9
8	EW w/12"	5.64	3.89	9
9	B=4, D=2, Z=1	-	3.69	11
10	EW w/14"x23"	5.65	3.48	11
11	B=5, D=2.5,Z=1	-	3.15	13
12	EW w/15"	5.33	3.08	13
13	B=10, D=1.5±, Z=2	-	2.28	14
14	Trapezoidal Ditch	-	1.94	15
15	48"	-	-0.56	16
16	48"	-	-0.82	Brick Kiln Creek
17	DI w/12" out	6.82	4.41	5
18	DI w/12" out	6.66	4.27	19
19	DI w/12" in and out	6.66	4.17	8
20	EW w/19"x30" (twin)	6.61	4.03	21
21	EW w/19"x30" (twin)	6.49	3.91	9
22	DI w/12" out	6.06	3.79	23
23	DI w/14"x23" out	6.06	-	-
	12" in	-	3.69	10
24	EW w/19"x30" (twin)	7.07	4.39	25
25	EW w/19"x30" (twin)	6.81	4.23	11
26	DI w/12"out	6.93	3.42	27
27	DI	6.91	-	-
	12" in	-	-	-
	15" out	-	3.34	12
28	B=2, D=1, Z=1	-	5.77	33
29	EW w/15"	6.15	3.90	33
30	EW w/15"	5.59	3.34	33
31	DI w/15" out	6.10	3.60	30
32	DI w/15" out	6.41	4.11	29
33	B=6, Z=2, D=1.5±	-	2.66	13
34	D=3, Z=1	-	5.80	35
35	D=4, Z=.63	-	5.30	36
36	B=5, D=4, Z=1	-	4.0	37
37	12" PVC	-	3.04	38
38	12" PVC	-	2.72	39
39	B=9, D=2, Z=3	-	2.70	40
40	Ditch	-	3.60	15
41	Ditch	-	2.11	15
42	B=3, D=2, Z=.5	-	2.66	41
43	B=2, D=4, Z=.38	-	3.56	42

TOPO SHEET NUMBER 18

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
44	Ditch	-	4.76	43
45	Ditch	-	-	43
46	B=3, D=4, Z=.38	-	-	40
47	B=2, D=3, Z=.33	-	4.90	46
48	B=3, D=3, Z=.17	-	-	47
49	B=3, D=3, Z=0	-	-	48
50	B=2, D=.5, Z=1	-	6.02	51
51	B=2, D=.5, Z=1	-	5.12	52
52	B=3, D=3, Z=.88	-	4.35	53
53	Ditch	-	2.32	15
54	Ditch	-	5.06	55
55	B=6, D=3, Z=	-	4.26	56
56	30"	-	-1.70	57
57	30"	-	-0.27	Brick Kiln Creek
58	Ditch	-	-	Brick Kiln Creek
59	B=4, D=3, Z=.83	-	-	58
60	15" CP	-	-	61
61	15" CP	-	-	62
62	15" CP	-	-	63
63	15" CP	-	-	Pond
64	B=6, D=6, Z=1	-	2.10	62/59
65	B=5, D=6, Z=1.1	-	2.37	64
66	B=6, D=7, Z=1	-	2.59	65
67	B=4, D=6, Z=1.17	-	2.91	66
68	B=5, D=6.5 Z=1.08	-	3.08	67
69	B=4, D=5, Z=1.3	-	3.53	68
70	YD	-	-	71
71	15" CP	-	-	72
72	15" CP	-	-	73
73	B=2, D=2, Z=.5	-	-	74
74	12" CP	-	5.03	69
	12" CP	-	4.61	69
75	B=3, D=4.5, Z=.55	-	-	69
76	B=2, D=4, Z=.25	-	-	75
77	B=2, D=4, Z=.25	-	-	76
78	D=.7, Z=1	-	6.50	93
79	B=.5,D=.5, Z=1	-	-	77
80	15" CP	-	-	77
81	15" CP	-	-	80
82	DI w/twin 12" CP	-	-	110
83	Twin 12" CP	-	-	82
84	12" CP	-	-	86
85	12" CP	-	-	86
86	EW w/twin 15" CP	-	-	87
87	EW w/twin 15" CP	-	-	73
88	B=4, D=1, Z=0	-	2.89	Brick Kiln Creek
89	15" CP	-	2.40	88
90	15" CP	-	2.21	89
91	End Pipe	-	3.7±	90
92	End Pipe	-	3.7±	91
93	B=1, D=2, Z=.5	-	4.39	90
94	DI	6.34	-	-
	2-12" in	-	-	-
	12" out	-	3.61	95

TOPO SHEET NUMBER 18

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
95	DI	5.86	-	-
	2-12" in	-	2.20	96
	12" out			
96	18"	-	1.58	Brick Kiln Creek
97	DI w/12" out	5.02	3.85	95
98	DI w/8" in	4.66	3.96	97
99	DI	4.55	-	-
	6" in	-	4.65	-
	8" out	-	4.16	98
100	DI w/12" in and out	4.78	3.00	Brick Kiln Creek
101	12"	-	5.14	102
102	12"	-	4.76	103
103	12"	-	3.64	104
104	12"	-	2.81	Brick Kiln Creek
105	15" CP	-	2.90	41
106	2.5' Concrete Swale	-	6.36	41
107	15"	-	6.29	49
108	unknown	-	-	107
109	12"	-	3.70	94
110	DI	-	-	-
	12" in	-	-	-
	2-12" out	-	-	111
111	YD	-	-	-
	2-12" in	-	-	-
	15" out	-	-	112
112	15"	-	-	81
113	DI w/2-12" out	-	-	114
114	DI	-	-	-
	2-12" in	-	-	-
	2-12" out	-	-	74
115	12" CMP	-	5.72	unknown
116	unknown	-	-	unknown
117	D=2, Z=.9	-	5.93	118
118	D=2.9, Z=.6	-	4.43	119
119	24"	-	4.03	120
120	24"	-	3.46	121
121	D=1, Z=2.5	-	2.00	Oxford Run
122	12"	-	6.11	93
123	12"	-	6.27	122

TOPO SHEET NUMBER 20

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	DI w/15" out	-	-	2
2	DI	-	-	-
	15" in and out stub	-	-	Fore Landing Creek
3	DI w/18" out	-	-	4
4	18"	-	-	Fore Landing Creek
5	DI w/15" out	-	-	6
6	15"	-	-	Fore Landing Creek

TOPO SHEET NUMBER 21

NUMBER	DESCRIPTION All pipes are RCP unless otherwise noted	TOP	INVERT	DOWNSTREAM NUMBER
1	15"	-	-	2
2	15"	-	-	Front Cove
3	18"	-	-	4
4	18"	-	-	Front Cove

MASTER DRAINAGE STUDY CITY OF POQUOSON VIRGINIA

JULY 1992

UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

CITY COUNCIL

L. CORNELL BURCHER.....MAYOR
GORDON C. HELSEL, JR.....COUNCILMAN
L. HAROLD QUINN, JR.....COUNCILMAN
JAMES T. HOLLOWAY, JR.....COUNCILMAN
W. CROSBY FORREST, III.....COUNCILMAN
ROGER N. MESSIER.....COUNCILMAN
BELVIN F. WARD, JR.....COUNCILMAN
ROBERT M. MURPHY.....CITY MANAGER

C. K. TUDOR ENGINEERS, INC.
11524 JEFFERSON AVENUE
NEWPORT NEWS, VIRGINIA



DRAINAGE STUDY
CITY OF POQUOSON

INDEX OF SHEETS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

SCALE	DATE
1" = 1000'	7/15/86

DESIGN BY	DRAWN BY	CHECKED BY	JOB NO.	SHEET
—	—	CKT	86-134	- OF -


308,000 N
307,000 N
306,000 N
305,000 N
304,000 N
MAJOR SHEET
RPA
RMA
SCALE 1:2400
NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY. BASED ON THE 1985 TAX MAPS.
CITY OF POQUOSON VIRGINIA
DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY
OF
STRUCTURES & IMPROVEMENTS
G.K. HILLIARD ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA
ADH
CKF
FILE NO 22-085



REVISIONS (SCALED ONLY)						
DATE						
BLOCK NO						
ITEM						
DATE						
BLOCK NO						
ITEM						
DATE						
BLOCK NO						
ITEM						

LEGEND

PUBLIC ROAD — WATER LEVEL — MEAN HIGH WATER
PRIVATE ROAD — WETLAND AREA
STATE ROUTE (636) — MEAN HIGH WATER
DRIVE WAY, PARKING — FENCE
SIDEWALK — MH
CHANNEL — SPOT ELEVATION
STORM DRAINAGE — DEPRESSION CONTOUR
MARSH — VERTICAL, HORIZONTAL PIS

SCALE 1" = 2400'

1 INCH = 200 FEET
200 100 0 200 400 600 800 FEET

1 INCH = 400 METERS
400 75 50 25 0 100 200 METERS

CONTOUR INTERVAL 2'

Planimetric detail and topography were compiled to conform with National Map Accuracy Standards.

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

CITY OF POQUOSON, VIRGINIA 1931 1975 1992

DRAINAGE STUDY CITY OF POQUOSON

UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

SCALE	DATE
1"=100'	7/15/92

DESIGN BY	DRAWN BY	CHECKED BY	JOB NO	SHEET
	ADP	CKT	92-134	2 of 25

FILE NO. 22-083



CITY OF POQUOSON, VIRGINIA
1871 1975 1952

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

SCALE	DATE
1"=100'	

DESIGN BY	DRAWN BY	CHECKED BY	JOB NO.	SHEET
	DEB	CKT	92-134	3 OF 25

FILE NO. 22-883


POQUOSON
RPA
RMA
RPA
RMA
RPA
RMA
MATCH SHEET
MATCH SHEET 5
SCALE 1:2400
NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.
DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY
OF
STRUCTURES & IMPROVEMENTS
C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA



REVISIONS (SCALED ONLY)						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						

LEGEND

PUBLIC ROAD		WATER LEVEL	EL 23.5
PRIVATE ROAD		WOODED AREA	
STATE ROUTE	(410)	SCRUB WETLAND	S W
DRIVE WAY, PARKING		SAND	S
SIDEWALK		MUD	M
GUARDRAIL		SPOT ELEVATION	+ 9.5
STREAM, DRAINAGE		DEPRESSION CONTOUR	
MARSH		VERTICAL, HORIZONTAL P.I.'S	⊙ △

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

CITY OF POQUOSON, VIRGINIA
INCORPORATED 1871 CITY 1975 1952

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGN BY	DRAWN BY	CHECKED BY	JOB NO.	SHEET
	RC	CKT	87-134	5 of 5

SCALE 1" = 200'

FILE NO. 22-883



DRAINAGE STUDY
CITY OF POQUOSON

UPDATE INVENTORY
OF
STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

	DEB		6 of 25

FILE NO 22-883



REVISIONS (SCALED ONLY)					
DATE					
BLOCK NO					
ITEM					
DATE					
BLOCK NO					
ITEM					
DATE					
BLOCK NO					
ITEM					

LEGEND

PUBLIC ROAD — WATER LEVEL — EL 2.5
PRIVATE ROAD — WOODED AREA
STATE ROUTE (230) — MARSH
ONE WAY PARKING — TREE
SIDEWALK — SHOT ELEVATION — 15.5
GUARDRAIL — DEPRESSION CONTOUR
STORM DRAINAGE — VERTICAL/HORIZONTAL POINT
MARSH

SCALE 1:2400

1 INCH = 200 FEET

HIGH ACCURACY

CONTOUR INTERVAL

Planimetric detail and topography by this map compiled with photogrammetric methods.

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

CITY OF POQUOSON, VIRGINIA
1931 1975 1982

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

	DRAWN BY	CHECKED BY	SCALE	DATE
	DEB	CKT	1"=200'	7-1-25

FILE NO 82-803



DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY
OF
STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGN BY	DRAWN BY	CHECKED BY	JOB NO.	SHEET
	RC		92-134	8 OF 21

SCALE: 1" = 200' | DATE: 7/15/93

FILE NO. 92-003

RPA
RMA
RPA
RPA
RMA
RMA
RMA
LAKE
LAKE
MATCH SHEET 8
301,000 N
299,000 N
298,000 N
297,000 N
296,000 N
SCALE 1:2400
NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.
DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY
OF
STRUCTURES & IMPROVEMENTS
O.A. VIDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA
FILE NO 92-883


RPA
RMA
RPA
RPA
RMA
RPA
RMA
RPA
RMA
RPA
RMA
RPA
RPA
RMA
RPA
RPA
RMA
RP

CITY OF POQUOSON, VIRGINIA

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY
OF
STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

			DATE	SHEET
			1-1-96	7 of 25
J.T.S.	LAST BY	CHECKED BY	APP. BY	SHEET
	ADP	CKT	6-1-96	11 of 25

FILE NO. 22-683



CITY OF POQUOSON VIRGINIA 1871 1975 1992

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGNED BY	DRAWN BY	CHECKED BY	JOB #	SHEET
	DEB	CKT	92-130	12 of 25



SCALE 1 2400

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY. BASED ON THE 1985 TAX MAPS.

CITY OF POQUOSON, VIRGINIA
1871 1975 1952

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGNED	DRAWN BY	CHECKED BY	SCALE	DATE
	RC		1"=200'	7/13/87
			AS BUILT	SHEET
				13 of 25

FILE NO. 22-083

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY
OF
STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

FRE NO. 22-883

RMA
RPA
RMA
RPA
RMA
RPA
RMA
RPA
RMA
RMA
RPA
RMA
RPA
RMA
RP



REVISIONS (SCALED ONLY)						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						

LEGEND

JEEP ROAD		WATER LEVEL	W.L. 23.5
PRIVATE ROAD		WOODED AREA	
STATE ROUTE	620	SCRUB WOODLAND	SCRUB
DRIVEWAY, PARKING		TREE	
SIDEWALK		PINE	
GUARDRAIL		SPOT ELEVATION	+15.0
STREAM, DRAINAGE		DEPRESSION CONTOUR	
MARSH		VERTICAL HORIZONTAL POINT	

MATCH SHEET

SCALE 1"=400'

1 INCH = 400 FEET

1 INCH = 800 METERS

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

CITY OF POQUOSON VIRGINIA 1871-1975-1997

DRAINAGE STUDY CITY OF POQUOSON

UPDATE INVENTORY OF STRUCTURES & IMPROVEMEN

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGN BY	DRAWN BY	CHECKED BY	JOB NO.
	ADP	CKT	92-134

FILE NO. 22-0



DRAINAGE STUDY
CITY OF POQUOSON

UPDATE INVENTORY
OF
STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGNED	DRAWN BY	CHECKED BY	SCALE	DATE
———	DEB	CKT	1"=200'	7/15/92
			JOB NO.	92-134
			SHEET	17 of 25

FILE NO 92-861



REVISIONS ISSUED ONLY						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						

LEGEND

TIDAL WAM		WATER LEVEL	W.L. 2.5 ft
PRIVATE ROAD		WOODED AREA	
STATE ROUTE	(630)	CENTER WORK AND	
DRIVEWAY, PARKING		FENCE	
SIDEWALK		PIPE	
DIAGONAL		SPOT ELEVATION	9.5 ft
STREAM, DRAINAGE		DEPRESSION CONTOUR	
MARSH		VERTICAL, HORIZONTAL PIS	

MATCH SHEET 2

SCALE 1:2400

1 INCH = 200 FEET

1 INCH = 600 METERS

CONTOUR INTERVAL 2'

Planimetric detail and topography on this map comply with National Map Accuracy Standards.

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

CITY OF POQUOSON VIRGINIA

DRAINAGE STUDY CITY OF POQUOSON

UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

SCALE	DATE
1:2400	7/1/85

DESIGN BY	DRAWN BY	CHECKED BY	JOB NO.	SHEET
	DEB	CKT	90-134	18 of 21



REVISIONS (SCALED ONLY)						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						

LEGEND

WATER LEVEL — EL 2.5
WOODED AREA
STATE ROUTE — (620) — S/W
RIGHT-OF-WAY, PARKING — R/W
CURB — C
SIDEWALK — S
GUARDRAIL — G/R
SPOT ELEVATION — X 4.5
STREAM, DRAINAGE — DEPRESSION CONTOUR
MARSH — VERTICAL, HORIZONTAL DIS. ☐

MATCH SHEET
SCALE 1:2400
1 INCH = 200 FEET
1 INCH = 400 METERS
CONTOUR INTERVAL 2'

Improvements prepared and compiled from this map comply with National Map Accuracy Standards

N

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

INDEX TO SHEET LAYOUT

CITY OF POQUOSON, VIRGINIA — 1975 1985

DRAINAGE STUDY CITY OF POQUOSON

UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DRAWN BY	CHECKED BY	CHECKED BY	JOB NO.	SHEET
	DEB	CKT	87-134	19 OF 25

SCALE: 1"=200'
DATE: 7/13/87

FILE NO. 22-883



REVISIONS (SCALED ONLY)							
DATE							
BLOCK NO.							
ITEM							
DATE							
BLOCK NO.							
ITEM							
DATE							
BLOCK NO.							
ITEM							

LEGEND

PUBLIC ROAD		WATER LEVEL	EL 2.5
PRIVATE ROAD		WOODED AREA	
STATE ROUTE	(620)	SLOPE MARKLAND	
DRIVE WAY, PARKING		FENCE	
SIDEWALK		MH	
CURB/RAIL		PINE	
STREAM, DRAINAGE		SPOT ELEVATION	9.50
MARSH		DEPRESSION CONTOUR	
		VERTICAL-HORIZONTAL EXAG	

SCALE 1:2400

1 INCH = 200 FEET

200 100 0 200 400 600 FEET

100 50 25 0 100 200 METERS

Planimetric detail and topography as of this map comply with National Map Accuracy Standards.

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

INDEX TO SHEET LAYOUT

CITY OF POQUOSON VIRGINIA 1637 1975 1982

DRAINAGE STUDY CITY OF POQUOSON

UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGNED	DRAWN	CHECKED	APPROVED	SCALE	DATE
	DCB	CKT	82-134	1"=200'	20x25

FILE NO. 82-802



REVISIONS (SCALED ONLY)					
DATE					
BLOCK NO					
ITEM					
DATE					
BLOCK NO					
ITEM					
DATE					
BLOCK NO					
ITEM					

LEGEND

PUBLIC ROAD — ASPHALT MAT — WILLIAMS

PRIVATE ROAD — WOODED AREA

STATE ROUTE (631) — TREE OR BUSH LINE — VAN

ZONE BOUNDARY, FLOODING — FENCE

SIDEWALK — GAS

CHANNEL — SPOT ELEVATION — 4.5 E

STREAM, DRAINAGE — DEPRESSION CONTOUR

MARSH — VERTICAL HORIZONTAL CONTROL

MARSH SHEET
SCALE 1:2400
1 INCH = 200 FEET
200 100 0 200 400 600 800 FEET
1 INCH = 100 METERS
100 75 50 25 0 100 200 METERS

Plan-metric detail and topography of this map compiled from Northrop Map Aerial Photography

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

CITY OF POQUOSON VIRGINIA INCORPORATED 1975-1995

DRAINAGE STUDY CITY OF POQUOSON

UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGNED BY	DRAWN BY	CHECKED BY	SCALE	SHEET
———	DEB	CAT	97-134	21 of 25

FILE NO 22-881



2860

287000N

286000N

MATCH SHEET

285000N

284000N

REVISIONS (SCALED ONLY)						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						
DATE						
BLOCK NO.						
ITEM						

LEGEND

PAVED ROAD		WATER LEVEL	WL 23.5
PRIVATE ROAD		WOODED AREA	
STATE ROUTE	(630)	'N' BUILDING NUMBER	'N'
DRIVEWAY, PARKING		FENCE	
SIDEWALK		TREE	
CURB/RAIL		SPOT ELEVATION	X 10.5
STREAM, DRAINAGE		DEPRESSION CONTOUR	
MARSH		VERTICAL, HORIZONTAL PIS	

MATCH SHEET

SCALE 1:2400

1 INCH = 200 FEET

200 100 0 200 400 600 800 FEET

1 INCH = 60 METERS

100 75 50 25 0 100 200 METERS

CONTOUR INTERVAL 2'

Planimetric data corresponds to this map scale with National Map Accuracy Standards.

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

N

CITY OF POQUOSON VIRGINIA 1931-1975-1981

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC.
NEWPORT NEWS, VIRGINIA

DESIGNED BY	DRAWN BY	CHECKED BY	SCALE	DATE
	DKB	CKT	AS SHOWN	82-134

SHEET 22 OF 23

FILE NO. 22-883



REVISIONS (SCALE 1" = 200')				
DATE				
BLOCK NO.				
ITEM				
DATE				
BLOCK NO.				
ITEM				
DATE				
BLOCK NO.				
ITEM				

LEGEND

PUBLIC R.W.		WATER LINE	W 20.0
PRIVATE R.W.		WOODED AREA	
STATE R.W.	(634)		
DRIVEWAY, PARKING			
SIDEWALK			
GUARDRAIL		SPOT ELEVATION	10.0
STORM DRAINAGE		DEPRESSION CONTOUR	
MARSH		VERTICAL/HORIZONTAL PT.	

MATCH SHEET
SCALE 1:2400
1 INCH = 200 FEET
700 350 0 200 400 600 800 FEET
1 INCH = 60 METERS
200 100 50 25 0 100 200 METERS
VERTICAL DATUM

Plan-view details are portrayed on this map sheet with National Map Accuracy Standards

NOTE: ALL PROPERTY LINES SHOWN ARE APPROXIMATE LOCATION ONLY, BASED ON THE 1985 TAX MAPS.

CITY OF POQUOSON, VIRGINIA
1931 1975 1982

DRAINAGE STUDY
CITY OF POQUOSON
UPDATE INVENTORY OF STRUCTURES & IMPROVEMENTS

C.K. TUDOR ENGINEERS, INC. NEWPORT NEWS, VIRGINIA	SCALE 1"=200'	DATE 2/15/83
DRAWN BY DER	CHECKED BY PAT	JOB NO. 82-134
		SHEET 23 OF 2

FILE NO. 22-863

NOAA COASTAL SERVICES CENTER LIBRARY
3 6668 14103 5248