7724 - 7766

ORIGINAL LOG BOOK OF THE "FISH HAWK"

UNITED STATES FISH COMMISSION

STATION NUMBERS

Numbers 7724 to 7766

yr. 1905

B Guy Head to Orchard Rocks 133° 36'
Orchard Rocks tangent to Cedar Tree Point 69° 42'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 1124 ✓

Date, May 8 1905

Time of day, 9 08 ; of tide, Flood 9 16

Locality, Vineyard Sound ✓

Exact position, A Guy Head to Orchard Rocks 141° 44'
Orchard Rocks tangent to Cedar Tree Point 66 58

Depth, 10 fathoms

Nature of bottom, Hard sand

Dredging instrument used, 9" trawl + mud bag

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 66 "

" at depth of fathoms, "

" at bottom, 67 "

Density at surface, 1027.7 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1027.7 "

Number of salinometer, 7450

Barometer reading, 30.00

State of sky, Cloudy

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

A

Name and position of observer,

11—1068

C Guy Head to Orchard Rocks 127.29
Orchard Rocks tangent to Cedar Tree Point 72° 15'

3 fathoms out ✓

NOTES RELATING TO STATION NO. 7724

Many hydroids.
Many corals
Many shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7725

Date, August 8 1905

Time of day, 9.25 ; ~~of tide,~~

Locality, Juneau Sound

Exact position,

Depth, 10 fathoms

Nature of bottom, hard sand

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 65 "

" at depth of fathoms, "

" at bottom, 67 "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.00

State of sky, Cloudy

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

NOTES RELATING TO STATION NO. 7725

Many hydroids
Few crabs
Many shells

B
Yerba Buena Island to Presidio
Presidio to Fort Point
643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7776

Date, August 8 1905

Time of day, 9 A.M. ; of tide, Flood

Locality, Oakland Harbor

Exact position, A-6 Yerba Buena Island to Oakland Mole 105°24'

Presidio Hills to Fort Point Channel 110 35

Depth, 15 fathoms - 13½'

Nature of bottom,

Dredging instrument used, Pacific Coast Dredging Co's hydraulic dredge

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 66 "

" at depth of fathoms, "

" at bottom, 64 "

Density at surface, 66 10 0 0 temp., Celsius.

" at depth of fathoms, "

" at bottom, 10 0 0 0 "

Number of salinometer, 1450

Barometer reading, 30.00

State of sky, Cloudy

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C

11—1068

Yerba Buena Island to Presidio Hills 100 24

Presidio Hills to Fort Point Channel 105 59

30 fathoms out

NOTES RELATING TO STATION NO. 7726

Many starfish
Fish shells

B
Day Island to Prospect Hills 89° 45'
Prospect Hills to Tamalpais Creek 103° 31'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7727 ✓

Date, Aug 8 1905

Time of day, 10 a.m. ; of tide, Flood

Locality, Tamalpais Creek

Exact position, Day Island to Prospect 93° 07'
Prospect Hills to Tamalpais Creek 10356

Depth, 17 fathoms

Nature of bottom, Sand, rock

Dredging instrument used, Pipe sand + mud pump

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 65 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 10000 temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer, 7455

Barometer reading, 30.00

State of sky, Windy

Direction of wind Calm ; force,

Rain, light

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C Day Island to Prospect Hills 87° 21'
Prospect Hills to Tamalpais Creek 103° 18'

NOTES RELATING TO STATION NO. 7227

Many sand dollars
Fine shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 1728

Date, August 6 1905

Time of day, 10.33 ; of tide, 10.41

Locality, Vineyard Sound

Exact position, Cormorant to Bosque 98 rods
83°03

Depth, 8

Nature of bottom, stiff clay

Dredging instrument used, Hand dredge

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 68 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1.0124 temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer, 1450

Barometer reading, 30.00

State of sky, Cloudy

Direction of wind ; force,

Rain, light

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

NOTES RELATING TO STATION NO. 2228

Sponges (common)
Eelpout (common)
Many shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7779

Date, August 8 1905

Time of day, 10h 7m ; of tide, 11-00-3.0

Locality, Vineyard Sound

Exact position, Brakut to Pumpw 116 51

Pumpw to Buy Head 101 01

Depth, 10½ E x S 2/8 6

Nature of bottom, Hard sand

Dredging instrument used, 9 pt trawl + mud bag

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 66 "

" at depth of fathoms, "

" at bottom, 67 "

Density at surface, 10224 temp., Celsius.

" at depth of fathoms, "

" at bottom, 10226 "

Number of salinometer,

Barometer reading, 30.00

State of sky, Cloudy

Direction of wind SW — ; force,

Rain, Light

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C 11—1068

Buy Head to P 179 24

Brakut to Pumpw Redoubt 5 159

Buy Head SW x W ½ W

25 fathom wire

NOTES RELATING TO STATION NO. 7729

Many sand dollars
Many crabs
Few shells

B

Crosfield to Cuttyhunk 97° 27'.
Cuttyhunk to Gay Head 115° 52'.
Gay Head SW x W ½ W

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 1930

Date, Aug 8 1905

Time of day, 1H 30; of tide, Flood

Locality, Vineyard Sound

Exact position, A Crosfield to Cuttyhunk 116° 59'
Cuttyhunk to Gay Head 87° 59'

Depth, 12 fathoms
Gay Head W x S ½ S

Nature of bottom, Hard sand

Dredging instrument used, Sigsbee & naval dredge

Direction of drift, ; distance,

Temperature of air, 72 Fahr. therm. No.,

" of surface water, 66 "

" at depth of fathoms, "

" at bottom, 66.5 "

Density at surface, 10 rnt temp., Celsius.

" at depth of fathoms, "

" at bottom, 10 rnt "

Number of salinometer, 1450

Barometer reading, 29.99

State of sky, Cloudy

Direction of wind SW ; force, mod

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Crosfield to Cuttyhunk 101° 57'
Cuttyhunk to Gay Head 118° 41'
SW x W ½ W

NOTES RELATING TO STATION NO. 7230

Sponges (common)
Hydroids (common)
Crabs (common)
Fan shells

B
Krauthamer SW to Krauthamer 41° 01'
Krauthamer to Cuttyhunk 29 48

643 Big Head S x W ½ W

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/31

Date, Aug 8 1905

Time of day, 10, 38-30 ; of tide, Head tide 6 30

Locality, Vineyard Sound

Exact position, A Krauthamer SW Krauthamer 41 17
Nashawena & Cuttyhunk 30 06
Big Head S x W ½ W

Depth, 12 fath

Nature of bottom, Hard sand

Dredging instrument used, 9/4 Brault Tinned bag

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 65 "

" at depth of fathoms, "

" at bottom, 66 "

Density at surface, 10 nnn temp., Celsius.

" at depth of fathoms, "

" at bottom, 10 nnn "

Number of salinometer, 7/45-0

Barometer reading, 30 00

State of sky, Partly cloudy

Direction of wind SW ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Krauthamer SW X Krauthamer 41° 35'
Krauthamer to Cuttyhunk 29° 39'
30 nn Big Head S x W

NOTES RELATING TO STATION NO. 2231

Starfish (many)
Many crabs
Many shells

B Nauchon to T. Cove 55 01
T Cove to Nauchon S.W. 3843

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7737

Date, Aug 10 1905

Time of day, 1.26 ; of tide, Flood 34

Locality, Inward Sounds

Exact position, Nauchon to T. Cove 59.26
T. Cove to Nauchon S.W. 37/34

Depth, 12½ fathoms

Nature of bottom,

Dredging instrument used, Brass trawl + mud bag

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, 71 "

" at depth of fathoms, "

" at bottom, 64 "

Density at surface, 10218 temp., Celsius.

" at depth of fathoms, "

" at bottom, 10217 "

Number of salinometer, 1450

Barometer reading, 30 12

State of sky, Cloudy

Direction of wind SW ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Nauchon to T. Cove 51 37
T. Cove to Nauchon S.W. 40 30

30 mil

NOTES RELATING TO STATION NO. 7232

Several sponges
Worms (abundant)
Many shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7733

Date, Aug 10 1905

Time of day, 1.4 ; of tide, Hud

Locality, Inwood Sound

Exact position, Hawthorn to T. Cove 16 to

Hawthorn S.W. 67 51

Depth, ~~18~~ 13 fm

Nature of bottom, Hard sand

Dredging instrument used, Sidehill

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, 71 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 1022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1022 "

Number of salinometer, 7450

Barometer reading, 30.00

State of sky, Cloudy

Direction of wind SW ; force, fresh

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

NOTES RELATING TO STATION NO. 7233

Few shells

B

1 Cove to Hawthorn n. 31°47'

Hawthorn SW to Tongue 48°48'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7734

Date, Aug 10

Time of day, 2 1/4 - 3 P.M. of tide, Headed N & W

Locality, Vineyard Sound

Exact position, A Cove to Hawthorn N 31° 18'

Hawthorn SW to Tongue 52 28

Depth, 10 fathoms

Nature of bottom, Hard sand

Dredging instrument used, 9" Ironbound dredging

Direction of drift, ; distance,

Temperature of air, 70 Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, ~~68~~ 68 "

Density at surface, 1027 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1027 "

Number of salinometer, 7450

Barometer reading, 30.07

State of sky, Cloudy

Direction of wind SW ; force, Freshening

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

Cove to Hawthorn SW 31° 30'

Tongue 45 55

9" Fathom sand

NOTES RELATING TO STATION NO. 2234

Few starfish
Few shells

B
Guy Island to Cornfield 68° 3'
Cornfield to Cape Higgon 47° 21'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7735

Date, Aug 10 1905

Time of day, 11.36 ; of tide, Hauling in Hauling out

Locality, Vineyard Sound

Exact position, A Guy Island to Cornfield 66-
Cornfield to Cape Higgon 43 57

Depth, 9

Nature of bottom, Sand

Dredging instrument used, Sidewalk and bag

Direction of drift, ; distance,

Temperature of air, 74 Fahr. therm. No.,

" of surface water, 69.5 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 1.0224 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1.0224 "

Number of salinometer, 7450

Barometer reading, 30.1

State of sky, Cloudy

Direction of wind SW ; force, Gentle

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

Guy Island to Cornfield 7° 04'
Cornfield to Cape Higgon 50 31
30 fathoms and

NOTES RELATING TO STATION NO. 7735

Few shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No.

Date,

Time of day, ; of tide,

Locality,

Exact position,

Depth,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

NOTES RELATING TO STATION NO. 2236

Few sponges
Few shells

B Hobuck Pt to Standard 115° 18'
Standard to Tarr Cove 32° 31'

643 " NNW + W¼W

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 9/39

Date, Aug 12

Time of day, 9.02 ; of tide, Hud conts 9.10

Locality, Neah Bay Sound

Exact position, Hobuck Pt to Standard 120 51

Standard to Tatoosh Cove 32.04

Standard NW x W ¾ W

Depth, 12 fathoms - 11½ -

Nature of bottom, Pebbles

Dredging instrument used, 9 ft beam mud bag trawl

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 68 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 10274 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1023 "

Number of salinometer, 7450

Barometer reading, 30.07

State of sky, Cloudy

Direction of wind S W. ; force, Gentle

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C Hobuck Pt to Standard 110 - 15'
Standard to Tatoosh Cove 32 51
" NW > W

78 mi

NOTES RELATING TO STATION NO. 2737

Worms (common)
Many crabs
Shells (few)

B

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7138

Date, Aug 12

Time of day, 9.25 ; of tide, 9 x 9

Locality, Vineyard Sound

Exact position, Gay Head Pt to Cuttyhunk

Depth, 12–

Nature of bottom, sand + gravel

Dredging instrument used, 9 ft trawl + mud bag

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 68 "

" at depth of fathoms, "

" at bottom, 67 "

Density at surface, 1027.4 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1027.4 "

Number of salinometer, 7450

Barometer reading, 30.07

State of sky, Cloudy

Direction of wind SW ; force, mod

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

NOTES RELATING TO STATION NO. 7738

Sulphur sponge (abundant)
Few sea urchins
Worms (common)
Very few shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No.

Date,

Time of day, ; of tide,

Locality,

Exact position,

Depth,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

NOTES RELATING TO STATION NO. 7739

Many worms
Many shells

B 1 Cape Hoggar to Sardinia 74° 33
Sardinia Kistarlina Pt 46 22

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/40

Date, Aug 12 1905

Time of day, 9.5 ; of tide, Highwater 10.05

Locality, Inward Sound

Exact position, Cape Hoggar to Sardinia 73 16
Sardinia Kistarlina Pt 48 07

Depth, 15 fathoms

Nature of bottom, Sand and gravel

Dredging instrument used, 9" Trawl dredging

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 67 "

Density at surface, 1.0272 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1.0272 "

Number of salinometer, 1.50

Barometer reading, 30.07

State of sky, Cloudy

Direction of wind SW ; force, Fresh

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

Cape Hoggar to Sardinia 80 03
Sardinia to Kistarlina Pt 43 10

45 mk

NOTES RELATING TO STATION NO. 7740

Few shells
Few puffers + flounders

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/3/11

Date, Aug 12 1905

Time of day, 10 A 5-30; of tide, Flood 10,34

Locality, Tortugas Sound

Exact position, Parched to Sandbar 11 A 20

Sandbar to Hospital Pt 22.27

Depth, 15 fathoms

Nature of bottom, Sand, sand & shells

Dredging instrument used, Tortugas mud bag

Direction of drift, ; distance,

Temperature of air, 73 Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 66 "

Density at surface, 1.02724 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1.02724 "

Number of salinometer, 1450

Barometer reading, 30.07

State of sky, Cloudy

Direction of wind SW ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer, (2)

NOTES RELATING TO STATION NO. 2241

Dredge sand, fine mud
few shells

B Hobeka to Hawkins 99° 37'
Hawkins " " SW 35° 53

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 77 H V

Date, Aug 17

Time of day, 6-7 ; of tide, Hard ebb 9

Locality, Vineyard Sound

Exact position, A Hobeka to Hawkins 101 34
Hawkins to Hawkins SW 35 47

Depth, 9 V fathoms

Nature of bottom, Rocky bottom

Dredging instrument used, 7 ft. beam trawl trawl buoy

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 68 "

" at depth of fathoms, "

" at bottom, BM "

Density at surface, 10 V V V temp., Celsius.

" at depth of fathoms, "

" at bottom, 10 V V 4 "

Number of salinometer,

Barometer reading, 30 07

State of sky, Clear

Direction of wind NE ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C

3 w fathoms

NOTES RELATING TO STATION NO. 7242

Dredge caught in rocks
Few sponges
Very fine shells

B
7
Robbins to Handing 97°42'
Handing " SW 3401

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 97X3 ✓

Date, Aug 1st

Time of day, 8.5 D-30 ; of tide, Hud under 8.54

Locality, Vineyard Sound

Exact position, A Robbins to Handing 99°40
Handing to Handing SW 37°44

Depth, 10 fathoms

Nature of bottom, Rocky.

Dredging instrument used, Hydrographic water

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 1000 ✓ temp., Celsius.

" at depth of fathoms, "

" at bottom, 1000 "

Number of salinometer, 7450

Barometer reading, 30 07

State of sky, Clear.

Direction of wind East ✓ ; force, mod ✓

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C

30 South end

NOTES RELATING TO STATION NO. 2243

Sponges (common)

B

Station A to Tow Cove 89° 37'

Tow Cove to Station A 31 30

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. A

Date, Aug 14

Time of day, 9:12 ; of tide, Head ebb 9.2 6

Locality, Vineyard Sound

Exact position, A Stat to Tow Cove 90 58

Tow Cove to Station A 31 06

Depth, 12½ fathoms

Nature of bottom, Mud and

Dredging instrument used, Peterson trawl and tray

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 68 "

Density at surface, 1027.7 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1027.7 "

Number of salinometer, 7.50

Barometer reading, 30.15

State of sky, Clear

Direction of wind East ; force, 4

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Station A to Tow Cove 89° 39'

Tow Cove to Station A 31 37

24 fathoms

NOTES RELATING TO STATION NO. 7744

Star fish (common)
Worms (common)
Many shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No.

Date,

Time of day, ; of tide,

Locality,

Exact position,

Depth,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind , ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

NOTES RELATING TO STATION NO. .....

B

Strokestown to Stranahan 73° 58'
Stranahan to Stranahan SW 31° 30

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/1/45 ✓

Date, May 17

Time of day, 1.33 ; of tide, Hw and 8 hr 10

Locality, Irwyard Sand

Exact position, A Strokestown to Stranahan 73° 55'
Stranahan to Stranahan SW 33° 46

Depth, 17 to 18

Nature of bottom, Hard sand

Dredging instrument used, 7/1 Steam trawl Fraserburgh

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 68 "

Density at surface, 1027 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1027 "

Number of salinometer, 7/450

Barometer reading, 30.05

State of sky, Clear

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C Strokestown to Stranahan 73° 17
Stranahan SW 29° 57
36 mid

NOTES RELATING TO STATION NO. 2245

Sulphur sponge (abundant)
Few shells

B
Gay Head to Horton Pt — 40° 09
Horton Pt to West Chop 63° 14'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7MKb

Date, Aug 17

Time of day, 10-30 ; of tide, Head ebb

Locality, Vineyard Sound

Exact position, B Gay Head Horton Pt 4856

Horton Pt to West Chop 7534

Depth, 14 fathoms

Nature of bottom, Hard Sand

Dredging instrument used, Hydrographic sand bag

Direction of drift, ; distance,

Temperature of air, 67 Fahr. therm. No.,

" of surface water, 71 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 1.0220 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1.0224 "

Number of salinometer, 7H.50

Barometer reading, 29.95

State of sky, Clear

Direction of wind E by S ; force, 4

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Gay Head Horton 2833
Sandwich to West Chop 9518

3½ fathoms and

NOTES RELATING TO STATION NO. 7746

Few sponges
Few shells

B

Gulf Head Indian 20° 11'
Indian to West-chop 86° 16'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/17/17

Date, Aug 17

Time of day, 10 PM ; of tide, 10 ft

Locality, Vineyard Sound

Exact position, A Gulf Head to Indian 23° 16'
Indian to West Chop 89° 40'

Depth, 14 fathoms

Nature of bottom, Large stones

Dredging instrument used, 14-Trawl, 3 mud bags

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 70 "

Density at surface, 1027 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1027 "

Number of salinometer, 7450

Barometer reading, 30.05

State of sky, Clear

Direction of wind NE ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1008

C Observing to Hyannis 67.45
Hyannis to Provincetown 63.42

3 fathoms

NOTES RELATING TO STATION NO. 2247

Worms (common)
Shells (Very few)

B Observatory to Hobaka 79°47
Hobaka to Tanfana 38 47

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/1/48

Date, Aug 17

Time of day, 10.35 ; of tide, Headland

Locality, Vineyard Sound

Exact position, A Observatory to Hobaka 82°30'
Hobaka to Tanfana Cove 43°55'

Depth, 13 fath

Nature of bottom, Pebbles + sand

Dredging instrument used, 7 ft beam trawl and Cup

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 70 "

Density at surface, 1022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1022 "

Number of salinometer, 7 4.50

Barometer reading, 30.16

State of sky, Clear

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Observatory Hobaka 75°24
Hobaka to Tanfana 37 08

30 fathoms

NOTES RELATING TO STATION NO. 7248

Few shells

B

Observatory to Hokulea 58°02
Hokulea to Tow Cove 52 05

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/14/49

Date, Aug 17

Time of day, 1058 ; of tide, Hawaiian Standard

Locality, Vineyard Sound

Exact position, Observatory to Hokulea 59°30
Hokulea to Tow Cove 56 11

Depth, 10½ fathoms

Nature of bottom, Hard sand

Dredging instrument used, 7" Ekman bronze dredge

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 64 "

Density at surface, 1022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1022 "

Number of salinometer, 14.50

Barometer reading, 30.10

State of sky, Clear

Direction of wind E ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C Observatory to Hokulea 57°03
Hokulea to Tow Cove 51 33

NOTES RELATING TO STATION NO. 7749

Few sponges
Worms (common)
Shells (common)

B ✓

Observatory Waketica 59 21
Waketica Tar Cove 58 10
Cut-91- Waketica to Cove

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 1150

Date, Aug 17

Time of day, 11.15 ; of tide, Head with 11.20

Locality, Pamunkey Sound

Exact position, A Observatory to Waketica 59 33
Waketica to Tar Cove 58 48
Cut-86 to Waketica

Depth,

Nature of bottom, Sandy

Dredging instrument used, Hydraulic Dredge Pump

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 68 "

Density at surface, 1.0000 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1.0000 "

Number of salinometer, 1450

Barometer reading, 30.10

State of sky, Clear

Direction of wind E. ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C

NOTES RELATING TO STATION NO. 2257

Sponges (common)
Worms (abundant)
Shells (few)

B
Observatory to Nobska 41.10
Nobska to Tarr Cover 69 26

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7751

Date, Aug 17

Time of day, 11.31 ; of tide, Flood 11.36.30

Locality, Vineyard Sound

Exact position, A Observatory to Nobska 41 31
Nobska to Tarr Cover 69 45
Bunt Obs 38.17

Depth, 9 fr

Nature of bottom, sand

Dredging instrument used, 9 ft trawl, 5 mm bag

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 68 "

Density at surface, 1022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1022 "

Number of salinometer, 1450

Barometer reading, 30.10

State of sky, Clear

Direction of wind East ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C

Observatory to Nobska 41 18
Nobska to Tarpaulin Cove 69 16

NOTES RELATING TO STATION NO. 2257

Dredge caught no rocks
Water rough
Position B
Worms (common)
Many shells

B

Observation to Drobeka 3154

Drobeka to Tor Cove 8611

643 7507

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7750

Date, Aug. 17 Haviland

Time of day, 11.50 ; of tide, 11.57

Locality, Yrmund Sund.

Exact position, A Observation to Drobeka 32°47'

Drobeka to Tor Cove 5738

Depth, 10

Nature of bottom, sand + pebbles

Dredging instrument used, Peterson trawl + mud bag

Direction of drift, ; distance,

Temperature of air, 70 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 10 r r temp., Celsius.

" at depth of fathoms, "

" at bottom, 10 r r r "

Number of salinometer, 7450

Barometer reading, 30 10

State of sky, Intermin

Direction of wind East ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Observation to Drobeka 3107

Drobeka to Tor Cove 8543

3 or 4 miles out

NOTES RELATING TO STATION NO. 7252

Shells (common)

B — Hudson SW to Jordan 65°28
Jordan to West Chop 72 52

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7753

Date, Aug 17

Time of day, 1—35 ; of tide, Flood

Locality, Vineyard Sound

Exact position, Hudson SW to Jordan 66 35
Jordan to West Chop 75 22

Depth, 13½

Nature of bottom, pebbles

Dredging instrument used, 7 ft beam trawl and sounding

Direction of drift, ; distance,

Temperature of air, 69 Fahr. therm. No.,

" of surface water, 71 "

" at depth of fathoms, "

" at bottom, 70 "

Density at surface, 1.0218 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1.0219 "

Number of salinometer, 7450

Barometer reading, 30.10

State of sky, Clear

Direction of wind ESE ; force, 1

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C — Hudson SW to Jordan 64 34
Jordan to West Chop 71 22

NOTES RELATING TO STATION NO. 7253

Coral (common)
Fine sand dollars
Shells (common)

B
Jordan to West Chan 7327
West Chan to Observatory 6 & 43

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7754

Date, Aug 17

Time of day, 2—01 ; of tide, Highwater

Locality, Vineyard Sound

Exact position, Jordan to West Chan 76°29'
West Chan to Observatory 63°53

Depth, 13½ fathoms

Nature of bottom, pebbles and sand

Dredging instrument used, Hydrographic dredging

Direction of drift, ; distance,

Temperature of air, 70 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 10216 temp., Celsius.

" at depth of fathoms, "

" at bottom, 10218 "

Number of salinometer, 7450

Barometer reading, 30.10

State of sky, Clear

Direction of wind East ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C. Jordan to West Chan 7202
West Chan to Observatory 6222

30 Yards out

NOTES RELATING TO STATION NO. 7754

Sponges (common)
Worms (common)
Shells (few)

B.
Observatory to Hobaka 98° 11
Hobaka to Hammerfest SW 62° 24'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7755

Date, Aug 14 1905

Time of day, 12-30 ; of tide, 10.H1-30

Locality, Vinjund/Sound

Exact position, Observatory Hobaka 95 K3

Hobaka Hammerfest SW 61 K1

Depth, 10-fathoms

Nature of bottom, sand & gravel

Dredging instrument used, 7/8 Hammerfundarmudbag

Direction of drift, ; distance,

Temperature of air, by Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 70 "

Density at surface, 1027.5 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1027 "

Number of salinometer, 7K50

Barometer reading, 30.10

State of sky, Clear

Direction of wind ESE ; force,

Rain, Air

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C

Observatory to Hobaka 95K5

Hobaka to Hammerfest SW 65K5

Hobaka Fjord 1K95

3 Fathoms

NOTES RELATING TO STATION NO. 7705

Mud Hay Cleared away
Worms (common)
Many shells

Locating bongs

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No.

Date,

Time of day, ; of tide,

Locality, Bellbuoy

Exact position, Observatory to Redstone 52° 33'

Redstone to Stranraer SW 11° 30'

Depth, Bellbuoy NNW 1 1/2 yds

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

Bellbuoy.

Stranraer Harbour SE 10.4

Harbour SE to NW Chart 57.51

NW Chart to Redstone 59.37

Redstone to Bellbuoy W. Chart.

Locating Pumps

NOTES RELATING TO STATION NO. .....

Chains to cuts on Telemark Observatory

(1) (5.00)

Observatory to Kolaka 37.42
Kolaka to W Chafr 18.18
W. Chafr " E. Chafr 22. four

(2)

Observatory to Kolaka 56-56 3506
Kolaka to W Chafr 2150
W Chafr to E Chafr 3919

(3)

Observatory to Kolaka 3835
Kolaka W Chafr 65-45 2640
W Chafr to E " 6820

(4) (Reject all cuts)

Waterhouse to Kolaka 27~~4~~.19
Kolaka to W Chafr 53-17 26.58
W Chafr to E " 81.11

(5)

Waterhouse to Kolaka 25.23
Kolaka to W Chafr 58-43 33.20
W chafr " E Chafr 95.59

(6)

Che to Kolaka 44.07
Kolaka to W Chafr 61-39 37 32
W chafr to E " 101 18

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No.

Date,

Time of day, ; of tide,

Locality,

~~Exact position~~,

~~Depth~~,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

(10)

NOTES RELATING TO STATION NO. .....

Waterlower	to	Hobstaw	112.05	31° 27'
Hobstaw	to	W Church		83 18
W Church	to	E Church		72 15

(11)

Waterlower	to	Hobstaw	132.22	33 27
Hobstaw	to	W Church		98 55
W Church	to	E Church		57 30

(12)

Waterlower	to	Hobstaw	159.09	36° 10'
Hobstaw	to	W Church		115 59
W Church	to	E Church		42 14

(13)

Observatory	to	Hobstaw		69 -
Hobstaw	to	W Church	196.37	27.32
W Church	to	E Church		32 55

(14)

Waterlower	to	Hobstaw	122.51	39° 47'
Hobstaw	to	W Church		133 03
W Church	to	E Church		28° 30

Observations from Nobska Light
643 the other side

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. Aug 19

Date,

Time of day, ; of tide,

Locality,

Exact position,

Depth,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

Aug. 19 - 1905
Wolaska Lt. Occupied

NOTES RELATING TO STATION NO. .....

West Chop to Falmouth
Observatory 74°36'

West Chop to Falmouth
Water Tower 113°06'

Gas Buoy to W. Chop 110°48

Bell Buoy to W. Chop 47°53'

Indian Hill to W. Chop 61°02'

Norton Pt to W. Chop 56°23'

West Chop to East Chop ? 4°40'
Avg VT

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7456

Date,

Time of day, ( ) ; of tide,

Locality, Observatory to Pollock 50 ft 3

Exact position, Pollock to Two Cove 11456

Ball buoy SE x W 50 yds

Depth,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

NOTES RELATING TO STATION NO. .....

B
Observatory to Hadaka 84°58'
Hadaka to Tarpaulin Cove 5°05'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7756

Date, Aug 21

Time of day, 8.25 ; of tide, Hd Ebb 8.33

Locality, Vineyard Sound

Exact position, Observatory to Hadaka 88°05'
Hadaka to T Cove 5°34'

Depth, 11½ fathoms

Nature of bottom, stones & pebbles

Dredging instrument used, Sigsbee trawl & sounding

Direction of drift, ; distance,

Temperature of air, 68 Fahr. therm. No.,

" of surface water, 69.5 "

" at depth of fathoms, "

" at bottom, 70 "

Density at surface, 1022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1022 "

Number of salinometer, 17.50

Barometer reading, 30.03

State of sky, partly clear

Direction of wind WNW ; force, 2

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C
Observatory to Hadaka 80° 15'
Hadaka to Tarpaulin Cove 5°33'
30 fath. out

NOTES RELATING TO STATION NO. 7756

Coral (abundant)
Worms (common)
Few shells

B

Observatory to Hrdlicka 6505
Hrdlicka " Hunters Pt 8048
Shoreline to Obs (cut-) 117.40

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 4754

Date, Aug 21

Time of day, 8 A.M. ; of tide, Flood 4.53

Locality, Vineyard Sound

Exact position, Observatory Hrdlicka 68 21
Hrdlicka to Hunters Pt 78 49

Depth, 13 fathoms

Nature of bottom, Stones & shells

Dredging instrument used, 9 ft beam trawl

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 1.0272 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1.0274 "

Number of salinometer, 7450

Barometer reading, 30.03

State of sky, mostly clear

Direction of wind W N W ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

Observatory to Hrdlicka 63 38
Hrdlicka to Hunters Pt 85 40
Cun Shoreline to Obs 131 19
28 Fathom

NOTES RELATING TO STATION NO. 7207

Few shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7758

Date, Aug 21

Time of day, 9.09 ; of tide, Neutral

Locality, Unyuzd Sound

Exact position, Observatory to Dobrskaia

Depth, 13 — (

Nature of bottom, stones + shells

Dredging instrument used, 9" trawl and mud bag

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky, Clear

Direction of wind W ; force, light

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

NOTES RELATING TO STATION NO. 2258

Observing to Holstein / 56 43
Holstein to Hopkins Pt / 64 34
Cent Holstein to Cow bay / 54 30
Middle ground /

Sulphur sponge (abundant)
Starfish (abundant)
Worms (common)
Many shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No.

Date,

Time of day, ; of tide,

Locality,

Exact position,

Depth,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

NOTES RELATING TO STATION NO. 7259

Few sponges
Many starfish
Worms abundant
Shells (common)

B

Hoboken to W Chnl 30 28

W Chnl E Chnl 41 37

643 E Chnl to Stapleton & Chnl 35 18

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/60

Date, Aug 9

Time of day, 9 A.M. ; of tide, Flood

Locality, Upper Bay

Exact position, Between Hoboken to W Chnl 61 28

W Chnl to E Chnl 113 11

Depth, 8 ft Cut Cumberland to E Chnl 1 2 53

Nature of bottom, pebbles & shells

Dredging instrument used, Clam shell dredge

Direction of drift, ; distance,

Temperature of air, 74 Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 64 "

Density at surface, 1022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1022 "

Number of salinometer, 1450

Barometer reading, 30 03

State of sky,

Direction of wind Calm ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

H—1068

C Hoboken W Chnl 27 33

West Chnl to E Chnl 108 32

E Chnl to Stapleton off E Chnl 41 18

28 mi

NOTES RELATING TO STATION NO. 2260

Hoboken WHWT - 7203
Ving Haven W Iowa - E Chuck - 7751
E Chuck to Shrewsbury off E Chuck - 4217

Worms (common)
Shells (few)
Sculpin & flounders

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7/7/61

Date, August 21

Time of day, 9 55 ; of tide, Headwards

Locality, Vineyard Sound

Exact position, A

Depth, 7 fathoms

Nature of bottom, sand + shells

Dredging instrument used, 9 ft trawl + mud bag

Direction of drift, ; distance,

Temperature of air, 71 Fahr. therm. No.,

" of surface water, 69 "

" at depth of fathoms, "

" at bottom, 69 "

Density at surface, 10 V V temp., Celsius.

" at depth of fathoms, "

" at bottom, 10 V V "

Number of salinometer, 1/K 50

Barometer reading, 30 03

State of sky, Clear

Direction of wind Southwest ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

NOTES RELATING TO STATION NO. 7761

crabs (common)
Many shells

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No.

Date,

Time of day, ; of tide,

Locality,

Exact position,

Depth,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

NOTES RELATING TO STATION NO. 7762

Starfish (common)
Worms (abundant)
Many crabs
Shells (abundant)
Flounders, sculpins +
pipe fish (very common)

B
Hoboken to W. Chan 60° 24'
W Chan to E Chan 78 03
Water Tower to W Chan - 90 28
643 Mon bow of W Chan in range W Chan E

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 1762

Date, Aug VI 1905

Time of day, 9 to 10-45 ; of tide, Flood

Locality, Vineyard Sound

Exact position, A Hoboken to W Chan 61 01
W Chan to E Chan 7 2 18

Depth, 13 = Cambridge HF E Chan 10 2 22

Nature of bottom, shells + pebbles

Dredging instrument used, 9" sidecast hand dredge

Direction of drift, ; distance,

Temperature of air, 70 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 70 "

Density at surface, 1022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1022 "

Number of salinometer, M50

Barometer reading, 30.05

State of sky, Clear

Direction of wind ESE ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Hoboken to W Chan 59° 36
W Chan to E Chan 82 14
Water tower to W Chan - 89 01

NOTES RELATING TO STATION NO. 7763

Few shells

B Stakeln to W chnl 72° 38'
W chnl to E chnl 48° 46'
Tal W Tower to W chnl 107° 43'

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7961

Date, August 21 1905

Time of day, 11.05 ; of ~~tide~~, 11.13

Locality, Vineyard Sound

Exact position, Stakeln to W chnl 72° 31'
Tal West Chnl to E Chnl 45 55
Tal Water Tower to W chnl 107 20

Depth, 6

Nature of bottom, Sand

Dredging instrument used, Peterson Sand Scoop

Direction of drift, ; distance,

Temperature of air, 70 Fahr. therm. No.,

" of surface water, 70.5 "

" at depth of fathoms, "

" at bottom, 70 - "

Density at surface, 1.022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1.022 "

Number of salinometer, 7480

Barometer reading, 30.07

State of sky, Clear

Direction of wind ESE ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068.

Stakeln to W chnl 74° 19'
W chnl to E chnl 51° 10'
Tal Water Tower to W chnl 109° 04'
15 fathoms out

NOTES RELATING TO STATION NO. 2764

Starfish (common)
Many shells
Surface flounders

B
Andrew to W Chuck 80° 52
W Chuck to E Chuck 59 50
Kd W Tower to W Chuck 114 29

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7765

Date, August 21

Time of day, 11.22 ; of tide, Hud Lower Hud Lower

Locality, Vineyard Sound

Exact position, A Andrew W Chuck 8°10
W Chuck to E Chuck 55 59
Straw Lump to Tuckernuck Andrew 60 15

Depth, 13½ fathoms

Nature of bottom, rocky

Dredging instrument used, 9" Hand trawl & mud bag

Direction of drift, ; distance,

Temperature of air, 71 Fahr. therm. No.,

" of surface water, 71 "

" at depth of fathoms, "

" at bottom, 69.5 "

Density at surface, 1027 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1027 "

Number of salinometer, 1X.50

Barometer reading, 30 07

State of sky, blue

Direction of wind SE ; force, mod

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

11—1068

C Andrew to W Chuck 80° 41
W Chuck to E Chuck 63° 48
Kd Cuttyhunk to W Chuck 113° 10

30 fathom mud

Cut (3)

NOTES RELATING TO STATION NO. 7765

Kodiak W Chuk 7354
W Chuk E 8727
Sparbeing off Tukmuk
to Kodiak 5666

Very few shells

B Hokska to W Chnl 7503
W Chnl to E Chnl 3329
Walu Inner to W. 11858

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No. 7766

Date, August-21

Time of day, 11.46 ; of tide, Hwd Ingo Hwd Springs

Locality, Vineyard Sound

Exact position, A Hokska to W Chnl 7403
W Chnl to E Chnl 3141

Depth, 5 fathoms 30 fathoms to W Chnl 10048

Nature of bottom, pebbles and sand

Dredging instrument used, Hydrographic Sand bag

Direction of drift, ; distance,

Temperature of air, 71 Fahr. therm. No.,

" of surface water, 70 "

" at depth of fathoms, "

" at bottom, 70 "

Density at surface, 1022 temp., Celsius.

" at depth of fathoms, "

" at bottom, 1022 "

Number of salinometer, 1450

Barometer reading, 30.01

State of sky, Clear

Direction of wind SE. ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

G Hokska to W Chnl 7817
W Chnl to E Chnl 3303
Walu Inner to W Chnl 12107
25 mi

NOTES RELATING TO STATION NO. 7766

Few shells

At anchor to locate buoy 1.10 P.M. Aug 21 1905

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

A

~~Station No.~~ Sta 1 W Chuf 74° 31

~~Date,~~ W Chuf E " 33.30

~~Time of day~~, ; ~~of tide,~~

Locality, W Chuf to H. tancebuoy 63.25

B ~~Exact position,~~ at W Tower to W Chuf 116° 03

Spar buoy "19 to W Chuf 114° 14'

Depth, E Chuf to Spar buoy "15 10 8 4 2

~~Nature of bottom,~~

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

C 11-1068 Buoy "19 to W Chuf 41° 11

E " 116.48

Red of spar buoy "20 to Stake 113° 05

NOTES RELATING TO STATION NO. .....

D

Obs to Arbuckle 69 23.5
" " 69 24
" " 69 23.5

E

Arbuckle Obs to Gun bunny 75.19
" Obs " Bull " 77.01

F

Arbuckle W Chufa 93 57
Wat Chufa E Chufa 28 28
Gun bunny to Arbuckle 29 44

G

Arbuckle to W Chufa 103 35
Wat Chufa to E Chufa 24 55
Gun bunny to Arbuckle 63 45

Gardiner to WC 68 19
W Chufa " Obs[illegible] 75 26

Bull bunny 5 oyds SW

Indian to W Chufa 67 59
W Chufa Obs 66 19
Gun bunny to Arbuckle 115 42

643

RECORD OF DREDGING

TEMPERATURE AND DENSITY

Station No.

Date,

Time of day, ; of tide,

Locality,

Exact position,

Depth,

Nature of bottom,

Dredging instrument used,

Direction of drift, ; distance,

Temperature of air, Fahr. therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, temp., Celsius.

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading,

State of sky,

Direction of wind ; force,

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name and position of observer,

NOTES RELATING TO STATION NO. .....

Aug. 22- 1905

Falmouth Hts. Obs. Occupied

Nobska Lt. - Fal. Walin Tower { 49°-08'
49-10
49-09

Walin Tower - East Chop ? 123°-47'
123 30

Walin Tower - West Chop { 105°-26'
105-21
105-24