ORIGINAL LOG BOOK OF THE "FISH HAWK"

UNITED STATES FISH COMMISSION

STATION RECORDS

Numbers 8595 to 8640

8595

To

8640

80479
98267
98262 } July trip

12/2000 | 166.66 2/3
25
12 x
40
72
80

|166.67|

365) 2000 (5.479
1825
1750
1460
2900
2555
3450

B = Bigelow
E = Eckman
g = greene

$\gamma = \frac{\gamma_0}{1916}$

1222

Station No. 8595 Date: 7/25/ 1916

Hour: 11 17 A. M. to 12 15 P. M.

Position: Lat. 36° 57' 2" Long. 76° 0' 26"

Locality: Cape Henry St. S 5/8 W.
Litchfield N. 3/8 E. Can Buoy C-1-W

Depth: 12 F. Bottom: Hard. Sample: 1/4 S.

Wind: Direction, SSE Force, 2

Sea: Moderate Sky: QC & Raining

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	BF	74.3				8+	
7	98262	71.9				8+	B
15	98267	69.5				+	E
21	80479	69.8				8+	9
3	98262	74.3				[redacted]	B

3

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS: 11—5314

Dredges 15, 15 & 10

N

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
BJ & MB	12-12½	11 38	11 53	
#5 Silk net	Surf	11 38	11 53	
#20 " "	Surf	11 38	11 53	
Welsh net	12¾-13	11 29	12 09	

11—5314

NOTES

Tide Ebbing

Dredging Course (E x S)

Station No. 8596. Date: 7/25/ 191 6

Hour: 12 36 P. M. to 1.25 P. M.

Position: Lat. 36° 58' 53" Long. 76° 0' 22"

Locality: Tail of Horseshoe Stakip. S.W.3/8 S. Cape Henry St. S.3/4 W. Yellow Can Buoy

Depth: 7 1/2 F Bottom: Hard Sand Sample: W.H.W.

Wind: Direction, South Force, 2.

Sea: Moderate Sky: O.C.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	73.5				S+	
5	98267	74.4				+	E.
11	80479	71.7				S+	G.

4

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth F	TIME Down	TIME Up	Speed
Beam Trawl & MB.	7-6½	1 05	1 20	
#5 Silk net	surf	1 05	1 20	
#20 Silk net	surf	1 05	1 20	

11—5314

NOTES

Tide-Ebbing.

Dredging Course (S E x E)

1222

Station No. 8597. Date: 7/25/ 1916.

Hour: 1.43 P. M. to 2.15 P. M.

Position: Lat. 37° 0' 58" Long. 75° 58' 45"

Locality: ~~Fairfield Harbor, Stdi~~ Bell Buoy #4 Cape Charles N.E. x N.

Depth: 4 1/2 F. Bottom: Hard Sample: BE/48

Wind: Direction, SE Force, 4

Sea: choppy Sky: Cloudy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	75.0				F	
5.5	80479	74.9				+ g	

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

a

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
Beam Trawl (M-13)	4-4	1 01	2 11	
#5 Silk net	Surf	1 51	2 11	
#20 " "	Surf	1 51	2 11	

11—5314

NOTES

Tide: Ebbing.
Dredging Course (N.E.)

1922.

Station No. 83-98. Date: 7/25/ 1916.

Hour: 2 38 P. M. to 3 42 P. M.

Position: Lat. 37° 3' 27" Long. 75° 58' 19"

Locality: Buoy #4. E. S. E. o Cape Charles Pt. N. 80 Pitch Spit S. W.

Depth: 9½ F. Bottom: Hard Sample:

Wind: Direction, South Force, 4

Sea: Choppy Sky: Cloudy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	75.0				8+	
8	98267	75.6				1+	E.
15	80479	75.0				9+9	

6

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

A.

NETS, ETC., USED

Description	Depth ft.	TIME Down	TIME Up	Speed
Btrawl & WB.	6½-7¼	3 03	3 23	
#5 Silk net	Surf	3 03	3 23	
#20 " "	Surf	3 03	3 23	
Welch net.	7¼-7	3 28	3 38	

Flood

11—5314

NOTES

~~Tide Ebbing~~

Dredging course (S E x S ½ S)

12 22.

Station No. 8599 Date: 7/26/ 1916

Hour: 9 00 A. M. to 11 15 A. M.

Position: Lat. 37° 15' 7" Long. 76° 4' 44"

Locality: Cherrystone St. E. 3/4 N.
Plantation St. S. E. 1/4 S. Num Buoy 4 1/4 W.

Depth: 25 F. Bottom: Soft Sample: Soft Black Mud.

Wind: Direction, South Force, 3

Sea: Choppy Sky: Cloudy.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	73.8				g+	
6	98267	77.0				+	E
11	98262	76.1				g	B
22	98262	73.2				g+	B
32	98267	75.0				+	E
42	80479	73.6				g+	E.

7

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

a

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
1/2 Meter Vertical	25-0	9 14	9 15	
Beam Trawl & M.B.	17-21-22	9 41	10 00	
#4 silk net	surf	9 40	10 00	
#20 " "	surf	9 40	10 00	
Welsh net	15-14-14	10 20	10 31	
Beam Trawl & M.B.	14-16¼-18-24	10 54	11 09	

11—5314

NOTES

Tide Flooding

1st Dredging Course (S E 1/2 S)

Note: Fastings on trawl carried away, trawl came to surface empty at 10 00 AM

2nd Dredging Course (S S W)

Last haul 14-16¼-18-23½-24 fathoms

1222

Station No. 8600. Date: 7/26/ 1916.

Hour: 11 50 A. M. to 12 15 P. M.

Position: Lat. 37° 15' 18" Long. 76° 7' 38.

Locality: New Pt. Comfort St. N.W. x W. 1/2 W. ⊙
Old Plantation St. S.E. x E. 1/2 E.

Depth: 8 1/2 F. Bottom: ~~Hard~~ Soft mud Sample:

Wind: Direction, South Force, 3.

Sea: Choppy Sky: Oc. & Raining

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
8							
0	B.F.	76.5				⊕	
5	80479	78.0				+	9.
12	98262	75.9				⊕ +	13.

8

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

a.

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
Mud Bag.	7-6 3/4	11 08	12 08	

11—5314

NOTES

Tide Flooding
Dredging Course — (S.W.)

1222

Station No. 8601 Date: 7/26/16

Hour: 12 45 P. M. to 12 55 P. M.

Position: Lat. 37° 15' 59" Long. 76° 11' 51"

Locality: York Spit St. SW.
Nwt Pt Comfort St NW+W

Depth: 7½ F. Bottom: Soft Sample:
Soft Black Mud.

Wind: Direction, South Force, 2

Sea: Smooth Sky: Partly Cloudy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	76.8				g+	
5	98267	77.0				+	E
10	80479	76.8				g+	g

9

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

1.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

~~Tide Flooding~~

12??

Station No. 8602 Date: 7/26/ 1916

Hour: 1 17 P. M. to 1 35 P. M.

Position: Lat. 37° 17' 1" Long. 76° 14' 14"

Locality: Wolf Trap Ch. N. E. 1/4 E.
New Pt Comfort Ch. W. x W.
York Spit Ch. 8 x W 1/4 W.

Depth: 3' 1/2 Bottom: ~~Hard~~ Sample:
Yellow sand & mud

Wind: Direction, South Force, 2

Sea: Smooth Sky: Partly Cloudy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	77.4				8+	
6	80479	77.9				8+	g

10

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction
			3			

Color of water: Transparency:

REMARKS: 1.) = 8 min

11—5314

A.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
Mud Bag	5 1/4 - 6	12 25	1 32	

11—5314

NOTES

Tide Flooding

Dredging Course NE to SE

78

Station No. 8603 Date: 7/26/1916

Hour: 4 05 P. M. to 5 05 P. M.

Position: Lat. 37° 23' 30" Long. 76° 4' 50"

Locality: Cherrystone St. S7/8E. & near Pt Comfort St SWxW 7/8 W. Wolf Trap 8 1/2 n.

Depth: 13 F. Bottom: Hard Sample:

Wind: Direction, SSE Force, 4-5

Sea: Choppy Sky: Partly cloudy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	77.3				+	
6	98262	78.6				+	B.
13	98267	76.9				+	E
22	80479	75.9				+	J.

11

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS: Clear

11—5314

N

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
Beam Trawl & M.B.	13-12½	4 28	4 43	
#5 Silk net	Surf	4 28	4 43	
#20 " "	"	4 28	4 43	
Welsh net	13-10-7½	4 50	5 20	

11—5314

NOTES

Tide.
Dredging course. (S. to W. to N)

12 ~~13~~

Station No. 8604 Date: 7/27/ 1916

Hour: 7 00 A. M. to 8 15 A. M.

Position: Lat. 37° 35' 24" Long. 76° 11' 24"

Locality: Windmill Pt. St. W. x N. 1/2 mi. x Stingray Pt. St. W x S 3/8 mi.

Depth: 7 3/4 F Bottom: ~~Soft~~ Soft Black mud. Sample:

Wind: Direction, South Force, 3

Sea: choppy Sky: Partly cloudy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	13 F.	77.2				Sf	
6	98267	78.4				+	E
13	80479	78.6				Sf	G

12

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

A.

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
Beam Trawl & Mud Bag	8½-7½	7 39	7 54	
#5 Silk net	Surf.	7 39	7 54	
#20 Silk net	Surf.	7 39	7 54	
Welsh net	7¼-7	8 00	8 10	

11—5314

NOTES

Tide Flooding

Dredging Course (S x E)

123.

Station No. 8605 Date: 7/27/ 1916

Hour: 840 A. M. to 900 A. M.

Position: Lat. 37° 34' 20" Long. 76° 7' 54"

Locality: Stingray Pt Lt. West.
Windmill Pt Lt. W N W.

Depth: 7. F. Bottom: Soft Sample: Soft black mud

Wind: Direction, SW. Force, 3

Sea: Choppy Sky: Partly cloudy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F. 80479	77.2				6+	
9		79.0				87	9

13

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

A.

NETS, ETC., USED

Description	Depth	TIME		Speed
	F.	Down	Up	
Mud Bag	7-7	8 47	8 53	

11—5314

NOTES

- Tide Flooding

Dredging Course (E x S 1/2 S)

12 23 1

Station No. 8606 Date: 7/27 1916

Hour: 9 33 AM. to 10 25 A. M.

Position: Lat. 37° 33' 7" Long. 76° 2' 34"

Locality: San Marcos Wrk. N 3/8 W
Mapps Creek Pt E x S.

Depth: 10 1/4 F Bottom: Soft Sample:
Soft Blackmud & marine growth

Wind: Direction, SW Force, 4

Sea: Choppy Sky: Partly Cloudy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	77.8				8+	
5	98262	78.9				+	B
10	98267	78.0				8+	E
17	80479	77.3				+	9

14 3

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS: 5 6 13
9 7 10 0

11—5314

a.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
Beam Trawl & M-B.	10½-9	9 53	10 08	
#5 Silk Net	surf	9 53	10 08	
#20 " "	surf	9 53	10 08	
Welsh Net	8¾-8½	10 16	10 21	

11—5314

NOTES

Tide flooding
Dredging Course (S ½ E)

1223

Station No. 8607 Date: 7/27/ 1916

Hour: 10.45 A. M. to 11.20 A. M.

Position: Lat. 37° 33' 19" Long. 75° 58' 21"

Locality: 5-0 ft. N. W. X W. 1/2 W. from Can Buoy #1.

Depth: 3 F. Bottom: Hard. Sample:

Wind: Direction, S.W. Force, 3.

Sea: Choppy. Sky: Clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	77.8				8+	
4	80479	79.0				+	9

3/5326
1760

15½

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

a.

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
Ottertrawl	Surf.	11 02	11 04	
B T & M B.	4 3/4 - 13	11 09	11 17	
# 5 Silk net	Surf.	11 09	11 17	
# 20 " "	Surf	11 09	11 17	

11—5314

NOTES

Tide Flooding
Dredging course (ENE)

3 1/4

1223

Station No. 8608 Date: 7/27/ 1916

Hour: 2 02 P. M. to 3 38 P. M.

Position: Lat. 37° 52' 5" Long. 76° 9' 39"

Locality: Great Wicomico St SW. x W. 1/4 W. from this Pt. Pt. NW. 1/2 W.

Depth: 23 F. Bottom: Soft Sample:

Wind: Direction, SW Force, 3

Sea: Smooth Sky: Partly Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.5				g+	
9	98267	78.5				g+	E
18	98262	77.5				g	B
20	98262	77.7				+	B
30	98267	77.6				g+	E
40	80479	78.0				g+	g

16

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

a.

NETS, ETC., USED

Description	Depth F	TIME Down	TIME Up	Speed
1/2 Meter Vertical	23-0	2 25	2 26	
Beam Trawl & M.B.	20¾-24½-25	2 40	3 00	
#5 Silk net	Surf	2 40	3 00	
#20 " "	Surf	2 40	3 00	
Welsh net	26-25-24	3 17	3 32	

11—5314

NOTES

Tide Ebbing
Dredging Course (S x W)

Depths on Beam Trawl haul
20¾-24½-25-25¼-25

Welsh net haul
26-25-24-19¼

1223

Station No. 8609 Date: 7/27/ 1916

Hour: 4 15 P. M. to 4 25 P. M.

Position: Lat. Long.

Locality: Too thick to get bearings

Depth: 7 F. Bottom: Soft Sample:

Wind: Direction, NW Force, 2

Sea: Choppy Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.5				8+	
5	98267	79.0				+	E
11	80479	78.8				8+	g

17

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS: a. f. — ~

11—5314

a.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
~~BT & W.B~~				

11—5314

NOTES

Tide Ebbing

~~Dredging Course~~

1923.

Station No. 8610 Date: 7/27/16 191

Hour: 4:00 P. M. to 5:36 P. M.

Position: Lat. 37° 52' 24" Long. 76° 41' 59"

Locality: Smiths Pt. W 7/8 N. Sandy Island San Marcos wrk S. 3/8 W. 1/2 S.E.

Depth: 3 F Bottom: hard Sample: 1/2 S.

Wind: Direction, NW Force, 1

Sea: Smooth Sky: OC & Raining

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	13F	78.2				S	
4	98262	79.0					B

18.7

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS: 11—5314

a.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
B J & M.B.	4¾ - 5 3/5	5.26	5.36	
#5 Silk net	Surf	5.26	5.36	
#20 " "	Surf	5.26	5.36	

11—5314

NOTES

Tide Ebbing

Dredging Course (S S E)

1224

Station No. 8611 Date: 7/28/16 191

Hour: 5.42 A. M. to 6.42 A. M.

Position: Lat. 38° 0' 27" Long. 76° 22' 54"

Locality: Bell Buoy N.W. 3/4 W. Fish Buoy
Pt Lookout Lt. N.E. x E. 1/4 E. NW 3/4

Depth: 6 F Bottom: Soft Sample: 1/2 gals 1/2 distant

Wind: Direction, West. Force, 3.

Sea: Smooth. Sky: Clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.8				+	
6	98262	79.1				+	B
11	80479	78.7				+	9

19.1

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

A.

NETS, ETC., USED night

Description	Depth F.	TIME Down	TIME Up	Speed
Beam Trawl MB	6- 5-1/2	6 06	6 22	
#5 Silk net	Surf	6 06	6 22	
#20 " "	Surf	6 06	6 22	
Otter trawl	5 1/2-4 3/4	6 31	6 38	

11—5314

NOTES

Tide-Ebbing.

Dredging Course (W 1/2 N)

1224

Station No. 8612 Date: 7/28/1916

Hour: 7 12 A. M. to 7 38 A. M.

Position: Lat. 38° 1' 20" Long. 76° 21' 2"

Locality: Pt. Lookout Light N.E.×E.1/4 E. Bell Buoy W×N.1/4 N.

Depth: 12 3/4 F. Bottom: Soft Sample:

Wind: Direction, West Force, 3

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F	78.8				W+	
6	98262	79.6				+	B
13	98267	78.0				F+	E
22	80479	82.8				W+	G
		20					

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

A

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
Mud Bag	12½-12¼	7 26	7 34	

11—5314

NOTES

Tide Ebbing.
Dredging Course (W X N)

1224

Station No. 8613 Date: 7/28/1916

Hour: 7 55 A. M. to 8 40 A. M.

Position: Lat. 38° 2' 44" Long. 76° 20' 43"

Locality: 1¼ Lookout Light S.E. x E. ½ E.
Cornfield Pt. NW 1/2 M.

Depth: 4 3/4 F. Bottom: Soft. Sample: Soft mud & marine growth

Wind: Direction, WNW Force, 2.

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.8				+	
8	70479	79.0				+	g.

21
3

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

a.

NETS, ETC., USED

Description	Depth (F)	TIME Down	TIME Up	Speed
Beam Trawl & M.T.B.	5-6¼	8 07	8 22	
#3 Silk net	Surf	8 07	8 22	
#20 Silk net	Surf	8 07	8 22	
Welsh Net 6¾-7½-8½		8 29	8 35	

11—5314

NOTES

Tide Ebbing

Dredging Course (WNW)

12-4.

Station No. 8614. Date: 7/28/1916

Hour: 9 51 A. M. to 10 15 A. M.

Position: Lat. 38° 6' 6" Long. 76° 17' 20"

Locality: Pt. No Pt. St. N. 3/8 E.
Holland's Bar St. E. x S. 5/8 S.

Depth: 6 1/2 F. Bottom: soft Sample:

Wind: Direction, WNW Force, 2

Sea: Smooth Sky: Oc.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.4				S+	
9	80479	79.0				F+	9



CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

A.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
B.T & M.B.	1½-5'	9 59	10 14	
#5 Silk Net	Surf	9 59	10 14	
#20 " "	Surf	9 59	10 14	

11—5314

NOTES

Tide Ebbing
Dredging Course (N N E)

Station No. 8615 Date: 7/28/1916

Hour: 11 09 A. M. to 11 30 A. M.

Position: Lat. Long.

Locality: Too thick for observation

Depth: ~~16~~ F. Bottom: Sample:

Wind: Direction, NE Force,

Sea: Smooth Sky: Ocd Raining

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.2				+	
6	98262	79.1				+	13
12	98267	79.0				+	15
22	80479	73.2				+	5
32	98262	76.0				+	9

2.3

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS: 9-18-27-37

11—5314

A.

NETS, ETC., USED

Description	Depth	TIME		Speed
	F	Down	Up	
1/2 Meter Vertical	16 3/4-0	11 26	11 27	

11—5314

NOTES

Tide Ebbing

B
B
2
9

1224.

Station No. 8616 Date: 7/29/ 1916.

Hour: 10 25 A. M. to 11 30 A. M.

Position: Lat. 38° 13' 44" Long. 76° 15' 35"

Locality: Pt. no Pt. St. S. x W 3/4 W + 1° N x
Cedar Pt St. NW
Hooper's St. NXE 3/4 E.

Depth: 20. F. Bottom: Soft. Sample:
Soft Black Mud.

Wind: Direction, N.E. Force, 3.

Sea: Smooth. Sky: Clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

24

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

a.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
B. J. & M. B.	16½-17½	10 28	10 35	
#5 Silknet	Surf	10 28	10 35	
#20 " "	"	10 28	10 35	
"Ledwinka's" Hydroid Dredge	20-19	11 49	11 25	
Beam Trawl & M.B.	19-20	11 54	11 44	

11—5314

NOTES

Tide Ebbing

Dredging Course (N x W½W)

1224

Station No. 8617 Date: July 29-30 1916

Hour: 12 29th .M. to .M.

Position: Lat. 38° 16' 28" Long. 76° 16' 38"

Locality: Hooper Id. N. S.E.
Cedar Pt. Pt. N.W. x W. S/8 W.
Pt No. Pt S.7/8 W.

Depth: Bottom Sample:

Wind: Direction, Force,

Sea: Sky:

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
12 29th N series							
0	BP [illegible]	77.4				+	B.F
8	98262	78.0				+	B
15	[illegible]	78.0				+	B
24	98267	76.9				+	E
33	80479	78.5				+	G
0	1 30 P.M. B.F.	77.8				+	B.F
6	95262	78.0				+	B
15	"	77.5				+	B
24	98267	77.0				+	E
33	80479	77.1	3 00 P.M. series			+	G.
0	B.F.	78.5				+	
8	98262	78.1				+	B
15	98262	77.8				+	B
24	98267	77.0				+	E
33	80479	77.2				+	G

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction
5	2 10 P M		5'	178		S
2) 15	2 01 "		"	662		NE
25	1 49 "		"	631		NEXE
5	3 24 "		5 1/6	85		EXN
2) 15	3 15 "		5	604		NNW
25	3 06 "		-	487		ENE

Color of water: Transparency:

REMARKS: 11—5314

Current meter #96

a.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Station No. 86/7-cont 2 Date: 191

Hour: . M. to . M.

Position: Lat. Long.

Locality:

Depth: Bottom: Sample:

Wind: Direction, Force,

Sea: Sky:

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
		4 3rd P.M.					
0	B.F.	78.0				+	
8	98262	78.0				+	B
15	98262	77.9				+	B
24	98267	77.0				+	E
33	80479	77.2				+	g
		6th P.M.					
0	BF	78.1				+	
8	98262	78.8				+	B
15	98262	77.3				+	B
24	98267	77.0				+	E
33	80479	77.2				+	g
		7 3rd P.M.					
0	B.F.	77.6				+	
8	98262	78.1				+	B
15	98262	77.0				+	B
24	98267	77.0				+	E
33	80479	77.1				+	g

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction
5	4 50 P.M.		6'	258		ESE
15	4 42 "		5'	268		SSE
25	4 34 "		5 1/4"	306		SSE
5	6 25		5'	444		ENE
15	6 16		"	88		NXW
25	6 05		"	44		ESE

Color of water: Transparency:

REMARKS:

11—5314

5	7 51	5	493	EXS
15	7 43	5	714	NXW
25	7 35	5	382	NXW

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Station No. 8617 - cast - 3 Date: 191

Hour: . M. to . M.

Position: Lat. Long.

Locality:

Depth: Bottom: Sample:

Wind: Direction, Force,

Sea: Sky:

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
		9 P.M. sets					
0	B.F	77.2				+	
8	98262	78.0				+	B
15	98262	77.0				+	B
24	98267	77.0				+	E
33	80479	77.0				+	g
		3rd P.M. sets					
0	B.F.	77.0				+	
8	98262	78.0				+	B
15	98262	77.0				+	B
24	98267	77.0				+	E
33	80479	77.1				+	g
		12 midnight July 30.					
0	B.F.	77.0				+	B
8	98262	78.0				+	B
15	98262	77.0				+	E
24	98267	77.0				+	g
33	80479	77.1					

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction
5	9 41 P.M.		5'	380		NW
15	9 32 "		5'	196		WNW
25	9 22 "		5'	14		ESE
5	10 55		5	95		SSE
15	10 46		"	264		SSW
25	10 36		"	200		S

Color of water: Transparency:

REMARKS: July 30

5	12 22 A.M.	5'	275	SSW
15	12 13	"	246	SSE
25	12 03	"	540	S

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Station No. 8617-4 Date: 191

Hour: . M. to . M.

Position: Lat. Long.

Locality:

Depth: Bottom: Sample:

Wind: Direction, Force,

Sea: Sky:

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottom used
		1st A M. series July 20					
0	B.F.	76.8				+	
8	98262	78.2				+	B
15	98262	77.3				+	B
24	98267	77.0				+	E
33	80479	77.3				+	g
		3rd A M. series					
0	B.F.	76.8				+	
8	98262	78.2				+	B
15	98262	77.6				+	B
24	98267	77.0				+	E
33	80479	77.5				+	g
		4th A.M. series					
0	B.F.	77.0				+	
8	98262	78.0				+	B
15	98262	77.3				+	B
24	98267	77.0				+	E
33	80479	77.7				+	g

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction
5	2.05 A M		5'	414		SSW
10 15	1.57 "		"	619		South
25	1.47 "		"	370		SxW
			"			
5	3.28 "	High water slack	"	278		SWxS
11 15	3.20 "		"	641		S
25	3.12 "		"	423		SxW

Color of water: Transparency:

REMARKS: 11—5314

5	4.56 "		5'	4	0
IV 15	4.48 "		"	434	SxE
25	4.40 "		"	99	SxW

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Station No. 8617-5 Date: 191

Hour: . M. to . M.

Position: Lat. Long.

Locality:

Depth: Bottom: Sample:

Wind: Direction, Force,

Sea: Sky:

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
		6^00 AM					
0	B.F.	76.5				+	
8	98262	78.0				+	B
15	98262	77.5				+	B
24	98267	77.0				+	E
33	80479	77.8				+	g
		7^30 AM.					
0	B.F.	76.5				+	
8	98262	78.0				+	B
15	98262	77.6				+	B
24	98267	77.0				+	E
33	80479	77.5				+	g
		9^00 AM					
0	B.F.	77.8				+	
8	98262	77.9				+	B
15	98262	77.8				+	B
24	98267	77.0				+	E
32	80479	77.8				+	g

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction
5 M	6^44 AM		5-	342		NWxW
13 15	6^53 "		5-	203		NxW
25	6^45 "		5	122		N
5	8^00 "		"	600		NWxN
14 15	7^52 "		"	34		NW
25	7^44 "		"	165		NxE

Color of water: Transparency:

REMARKS:

11—5314

5	9^20 "	5-	556	NW
15 15	9^13 "	"	75	NWxN
25	9^05	"	155	NxE

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Station No. 8617-6 Date: 191

Hour: . M. to . M.

Position: Lat. Long.

Locality:

Depth: Bottom: Sample:

Wind: Direction, Force,

Sea: Sky:

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
		10 30 A.M.					
0	BF	78.3				+	
8	98262	77.8				+	B
15	98262	77.6				+	B
24	98267	77.0				+	E
33	80479	77.5				+	G
		12 00 Noon July 30					
0	BF	78.8				+	
8	98262	78.0				+	B
15	98262	77.1				+	B
24	98267	77.0				+	E
33	80479	77.3				+	G

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction
5	10 32 AM		5'	387		NW
15	10 45 "		"	180		NNE
25	10 55 "		"	40		O
5	12 11 PM		5	186		WNW
15	12 04		"	22		O
25	11 57 67 AM		"	41		SE

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

B = Biglow

E = Eckman

G = Greene

1224

Station No. 8618 Date: July 30 1916

Hour: 1 35 P.M. to 3 50 P.M.

Position: Lat. 37° 20' 30" Long. 76° 18' 12"

Locality: Hoopers St. & E 7/8 E. Buoy 16-D E 3/4 S.

Depth: 2 3/4 Bottom: Soft. Sample: Soft Black Mud.

Wind: Direction, S. Force, 1.

Sea: Smooth. Sky: Clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F	77.4			9	+	
8	98267	78.0				+	E
16	80474	77.5			9	+	G
26	95262	76.1				+	B
36	95261	76.9			8	+	E
46	80474	77.3				+	G

26

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

A.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
1/2 meter vertical	25-0	1 45	1 57	
R.T. + mud dredge	20-21½	2 22	2 37	
#5 + 20 set nets	Same.	2 22	2 37	
Ledonia h.l.	24	3 03	3 10	
Bottom Feeder	23½-24	3 22	3 30	
Bottom Feeder	24 = 24	3 34	3 43	

11—5314

NOTES

Tide flooding

Dredging course S 8 E

22-22½

1224

Station No. 8619 Date: 7/30/1916

Hour: 4 20 P. M. to 4 25 P. M.

Position: Lat. 38° 21' 16" Long. 76° 22' 0"

Locality: Buoy #21 - N E x N 3/8 N.
Drum Pt Ft. S.W. x W. 1/8 W.
Cove Pt. Ft. N x W 3/8 W, Cedar Pt Ft. S 3/8 W.

Depth: 4 1/4 Bottom: Sample:

Wind: Direction, South Force, 3

Sea: Smooth Sky: Oc

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F. 80479	78.1				+	
6		79.3				+	g

27

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS: 11—5314

a.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Tide ~~Ebbing~~ flooding

1225

Station No. 8620 Date: 7/30/ 1916

Hour: 5.55 P. M. to 6.05 P. M.

Position: Lat. 38° 31' 54" Long. 76° 25' 10"

Locality: Buoy 18a north.
Buoy 16 F. E 1/4 S.

Depth: 11 1/4 Bottom: soft. Sample:

Wind: Direction, SSW Force, 3

Sea: smooth Sky: clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.8				S+	
9	98267	78.5				S+	E
10	80479	76.0				+	S

28

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

a.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Tide Flooding

1225

Station No. 8621 Date: 7/30/ 1916

Hour: 6 30 P. M. to 6 35 P. M.

Position: Lat. 38° 30" 35" Long. 76° 29' 56"

Locality: Fish Buoy 2 B. N. 3/4 E.
Governors Run Wharf W. S. W.

Depth: 5 1/4 Bottom: Soft Sample:

Wind: Direction, SSW Force, 1

Sea: Smooth Sky: Oc 4. g.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.5				8	
9	80479	79.1				+	g

29

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

R.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Tide Flooding

Station No. 8622 Date: 7/31/1916

Hour: 6 13 A. M. to 6 50 A. M.

Position: Lat. 38° 40' 21" Long. 76° 25' 12"

Locality: Sharpes St. S.E. 3/8 S.
Buoy #1 E 3/4 M.

Depth: 20½ Bottom: soft mud Sample:

Wind: Direction, West Force, 3

Sea: Choppy Sky: Oc & Sq.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	77.2				+	
8	98262	78.1				+	B
15	98262	76.8				+	B
25	98267	75.1				+	E
35	80479	75.2				+	g

30

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

A.

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
Beam T. & Hydro Dredge	20½ - 16½	6 38	6 53	
#5 & 20 Silk nets	surf	6 38	6 53	

11—5314

NOTES

Tide flooding
Dredging course (8 ½ aJ)
Depths 20½ - 18½ - 16½

Station No. 8623 Date: 7/31/ 1916

Hour: 8 20 A. M. to 9 05 A. M.

Position: Lat. 38° 49' 42" Long. 76° 27' 24"

Locality: Bloody Pt St. East
Can Buoy 27 NW 3/4 N

Depth: 5F Bottom: Soft Sample:

Wind: Direction, West Force, 1

Sea: Smooth Sky: Clear & Hazy Horizon

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	77.8				8+	
3	98267	78.9				+	E
8	80479	78.5				8+	9



CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction
		L				

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
B T.& M B	5 1/4-5 1/2	8 34	8 49	
#3 - Silk net	Surf	8 34	8 49	
#20 Silk net	Surf	8 34	8 49	
Hydroid Feeler	5-5 1/2	8 57	9 02	

11—5314

NOTES

Tide; High-water Slack

Dredging course (S+W 1/2 W)

2nd Dredging Course (SW x S)

Station No. 8624 Date: 7/31/1916

Hour: 9 20 A. M. to 9 30 A. M.

Position: Lat. 38° 49' 36" Long. 76° 25' 42"
Thomas Pt Lt N 1/8 E
Locality: Bloody Pt Lt E 3/4 N

Depth: 7 F. Bottom: soft Sample:

Wind: Direction, West Force, 2

Sea: Smooth Sky: clear & Hazy

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	77.5				W	
5	98267	78.5				W	E
11	80479	78.0				W	G

32

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Tide Ebbing

Station No. 8625 Date: 7/31/1916

Hour: 9 42 A. M. to 11 00 ~ . M.

Position: Lat. 38° 30' 10" Long. 76° 23' 44"

Locality: Bloody Pt Lt 8 E 1/8 E
Thomas Pt Lt. N x W 7/8 W

Depth: 23 F. Bottom: Soft Sample:
Soft Black mud.

Wind: Direction, West Force, 2

Sea: Smooth Sky: Clear & Hazy Horizon

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
	B.F.						
0	78°F.	77.4				F+	
6	98262	78.5				+	B
13	98267	77.1				F+	E
22	98262	75.1				F+	B
32	98267	74.5				F+	E
42	80479	75.0				+	g

33

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth F	TIME Down	TIME Up	Speed
1/2 Meter Vertical	23-0	10 58	10 59	
B.T. & Hydroid Feeder	16-18 3/4	10 20	10 43	
#5 little net	Surf	10 20	10 43	
#20 " "	Surf	10 20	10 43	
Welsh net.	22-17 3/4	10 53	11 00	

11—5314

NOTES

Tide Ebbing

Dredging Course S x W

Depths on Dredging Course for Beam trawl

16-16 3/4-17 1/2-18 3/4

Station No. 8626 Date: 7/31 1916

Hour: 12 47 P. M. to 12 56 P. M.

Position: Lat. 39-01-28 Long. 76-22-31

Locality: Sandy Pt. Li SW 1/4 W. Balto Li. NXW 1/4W. Love Pt. Li. EXN 5/8N.

Depth: 9 F. Bottom: Soft Sample:

Wind: Direction, West Force, 2

Sea: Smooth Sky: Clear & Hazy Horizon

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	BF.	78.9				9+	
7	98267	78.8				+	E
15	98267	77.6				7+	E

34

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Station No. 8627 Date: 7/31/ 1916

Hour: 1 48 P. M. to 1 28 P. M.

Position: Lat. 39-01-30 Long. 76-20-34

Locality: Sandy Pt. Li. W 8 S. Baltimore Li. MW.
Cove Pt. Li. NE x E 1/2 E.

Depth: 12 3/4 F. Bottom: Soft Sample:

Wind: Direction, West Force, 1

Sea: Smooth Sky: Clear & Hazy Horizon

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	B.F.	78.8				8+	
5	80479	79.5				+	Gr
13	98262	76.9				8+	B.
22	98267	74.8				8+	E

35

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	

11—5314

NOTES

Station No. 8628 Date: 8/30/ 1916

Hour: 1 42 P. M. to 4 20 P. M.

Bloody Pt. region 7 hauls

Position: Lat. 38-52-09 Long. 76°-24'-00

Locality:

Depth: 17½ F Bottom: Soft. Sample:

Wind: Direction, South Force, 2

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1225

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME Down	TIME Up	Speed
L. Hydroid Dredge	17½-16¾	1 43	1 30	1
Bottom Feeler	" "	1 43	1 30	
L. Hydroid Dredge	18-21	2 08	2 13	2
Bottom Feeler	18-21	2 08	2 13	
L. Hydroid Dredge	22½-27½	2 27	3 00	3
Bottom Feeler	22½-27½	2 27	3 00	
L Hydroid Dredge	19-18	3 15	3 23	4
Bottom Feeler	19-18	3 15	3 23	
L Hydroid Dredge	17-11	3 37	3 40	5
Bottom Feeler	17-11	3 37	3 40	

11—5314

NOTES

L 6th & 7th hauls plow bottom

for first 3 hauls

Dredging Course S ½ W

Dredge fouled on bottom at 2 32

{Dredging Course 4th haul SSW}

	Depth	Down	Up	
L Hydroid Dredge	17½-9½	3 30	4 00	6
Bottom Feeler	17½-9½	3 30	4 00	
L. Hydroid Dredge	10-11	4 08	4 18	7
Bottom Feeler	10-11	4 08	4 18	

Station No. 8629 Date: 8/30/16 191

Hour: 4 40 P. M. to 5 00 P. M.

Position: Lat. 38-45-22 Long. 76-25-55 off Poplar 2d 1 mile

Locality:

Depth: 14 F Bottom: soft Sample:

Wind: Direction, South Force, 1

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1225

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
L. Hydroid Dredge	14-14	445	455	
Bottom Feeler	14-14	445	455	

11—5314

NOTES

Dredging Course S x W 1/4 W

Station No. 8630 Date: 8/30/16 191

Hour: 5 45 P. M. to 6 02 P. M.
above Sharps rd 1 haul.

Position: Lat. 38-39-50 Long. 76-25-18

Locality:

Depth: 16 F Bottom: Soft Sample:

Wind: Direction, South Force, 1

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used
0	BT.	72				1	C.

1225

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth F	TIME Down	TIME Up	Speed
L. Hydroid Dredge	16-16½	5-47	5-59	
Bottom Feeder	16-16½	5-49	5-59	

11—5314

NOTES

Dredging Course (S x W 1/2 W)

Station No. 8631. Date: 8/31/16. 191

Hour: 7 22 a. M. to 8 00 a. M.

Position: Lat. Choptank R. below Tilghman 2 hauls 38-38-46 Long. 76-19-08

Locality:

Depth: 9 F. Bottom: Fairly hard. Sample:

Wind: Direction, W S W Force, 3.

Sea: Smooth. Sky: Clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1225

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
L. Hydrd Dredge.	9-10	7 22 P.M.	7 37 P.M.	
Bott. feeler	9-10	7 22	7 37	
L. Hydraid Dredge	11-7	7 45	7 52	
Bottom feeler	11-7	7 45	7 52	

11—5314

NOTES

Dredging Course:

E.N.E.

Station No. 8632 Date: 8/31/16 191

Hour: 9 00 a. M. to 9 00 A. M.
Mouth Choptank R. 2 casts.

Position: Lat. 38-31-08 Long. 76-23-27

Locality:

Depth: 18 1/2 F Bottom: Soft Sample:

Wind: Direction, W S W Force, 3

Sea: Smooth Sky: clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1225

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
S. Hydroid Dredge	18½-14½	9 01	9 14	
Bottom Feeler	18½-14½	9 01	9 14	
P. Hydroid Dredge	13½-12½	9 33	9 45	
Bottom Feeler	13½-12½	9 33	9 45	

11—5314

NOTES

Dredging Course (S x W)

Station No. 8693 Date: 8/31/16 191

Hour: 10 24 A. M. to 10 48 A. M.
? James 2d. 1 mile

Position: Lat. 38-28-20 Long. 76-23-30

Locality:

Depth: 18 F. Bottom: soft Sample:

Wind: Direction, WSW Force, 2

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1225

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth F.	TIME Down	TIME Up	Speed
S.S. Hydroid Dredge	18-10 1/4	10 27	10 41	
Bottom Feelers	18-18 1/4	10 27	10 41	

11—5314

NOTES

Dredging Course ( )

Station No. 8634 Date: F/31/16 191

Hour: 10 54 a. M. to 11 40 A. M.
Off Taylor Rd. 2 hauls

Position: Lat. 38-27-45 Long. 76-23-28

Locality:

Depth: 14½ F. Bottom: Soft Sample:

Wind: Direction, WSW Force, 2

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1225

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
L. Hydroid Dredge	14½-14¾	10 06	11 08	
Bottom Feelers	14½-14¾	10 06	11 08	
R. Hydroid Dredge	15-16½	11 20	11 32	
Bottom Feelers	15-16½	11 20	11 32	

11—5314

NOTES

(S S E 1/2 E) Course Dredging

(S x E) 2nd Dredging Course

Station No. 8635 Date: 8/31/16 191

Hour: 12 05 P. M. to 12 50 P. M.
off Barren Id. 2 hauls

Position: Lat. 38-21-24 Long. 76-19-09

Locality:

Depth: 21 F Bottom: Muddy. Sample:

Wind: Direction, W.S.W. Force, 3.

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used



CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
L. Hydroid Dredge.	21-21½	12 10	12 22	1
Bottom Feeler.	21-21½	12 10	12 22	
L. Hydroid Dredge	14-16	12 33	12 45	2
Bottom Feelers	14-16	12 33	12 45	

11—5314

NOTES

Dredging Course. (S.S.E.)

Station No. 8636 Date: 8/31/16. 191

Hour: 12 58 P. M. to 1 15 P. M.

? Below Barren Id. ? Island

Position: Lat. 38-19-58 Long. 76-19-06

Locality:

Depth: 21 Bottom: Muddy. Sample:

Wind: Direction, W.S.W. Force, 2.

Sea: Smooth Sky: clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1224

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

15. Description	Depth	TIME		Speed
		Down	Up	
Hydrd dredge	21–17	12 58	1 13	
Bottom feeder	21–17	12 58	1 13	

11—5314

NOTES

Course: Dredging.

SXE.

Station No. 8637. Date: 8/31/16. 191

Hour: 1 55 p. M. to 2 40 p. M.

Hooper Id. region 2 trawls

Position: Lat. 38-15-38 Long. 76-16-08

Locality:

Depth: 21. Bottom: Muddy. Sample:

Wind: Direction, S.S.E Force, 2.

Sea: Smooth. Sky: Clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	[redacted] used

1 N 24

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

1. 12
2. 15

NETS, ETC., USED

	Description	Depth	TIME		Speed
			Down	Up	
1.	Hydrd dredge. Bottom feeler.	21-20	1 55	2 07	
2.	Hydrd dredge. Bottom feeler.	20-20½	2 19	2 34	
3.	~~Hydrd dredge. Bottoms feeler.~~	20-	2 5-		

11—5314

NOTES

Course: Dredging,

1. S.S.E.

2. S.S.E.

Station No. 8638. Date: 8/31/16 191

Hour: 2.55 P. M. to 3.50 P. M. ~~Point No Point~~

Below Hooper Id. 2 hauls.

Position: Lat. 38-13-36 Long. 76-14-46

Locality:

Depth: 9. Bottom: Muddy. Sample:

Wind: Direction, S.S.E. Force, 2.

Sea: Smooth. Sky: Clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1124

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth	TIME		Speed
		Down	Up	
1. Hydrid dredge. Bottom feelers. 15	7-10	2 55	3 10	
2. Hydrid dredge. Bottom feelers. 15	11-13 -20.	3 18	3 44	

11—5314

NOTES

Dredging course:

1. S x E.

2. S. S. E.

Station No. 8639 Date: 8/31/16. 191

Hour: 4[36] P. M. to 5[20] P. M.

Position: Lat. 38-07-52 Long. 76-13-36 Off Point No Pt. 2 hauls

Locality:

Depth: 19. Bottom: muddy Sample:

Wind: Direction, S. Force, 3-4

Sea: Smooth Sky: clear.

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

1124

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

	Description	Depth	TIME		Speed
			Down	Up	
1.	Hydrd dredge. Bottom feeler	19-19	4.36	4.51	
2.	Hydrd dredge Bottom feeler	17-12½	5-00	5-15	

11—5314

NOTES

Course - dredging.

1. S. ¼ E.

2. S ½ E

Station No. 8640 Date: 9/1/16 191

Hour: 9 A. M. to 9 15 . M.

Position: Lat. Tanquer Sound, upper End. Long. 38-11-16 75-58-30

Locality:

Depth: 10 F Bottom: Soft Sample:

Wind: Direction, SW Force, 3

Sea: Smooth Sky: Clear

TEMPERATURES

Depth	Thermometer—Make and No.	Reading	Stem Temp.	Correction	Corrected Temp.	W. Sample	Bottle used

12 24

CURRENTS

Depth	Hour	Tide	Time down	Revolutions	Speed	Direction

Color of water: Transparency:

REMARKS:

11—5314

NETS, ETC., USED

Description	Depth F	TIME Down	TIME Up	Speed
Hydroid Dredge	10-9	9 01	9 11	
Bottom Feeler	10-9			

11—5314

NOTES

Dredging Course

1. (S 1/2 W)

= 80479

= 98262

 = 98267