yr. 1893
1829
to
1848

ORIGINAL LOG BOOK OF THE "FISH HAWK"

UNITED STATES FISH COMMISSION

STATION NUMBERS

Numbers 1829 to 1848

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1829

Date, April 16 1897

Time of day, 2,25 PM; of tide, Flood

Locality, Mobjack Bay

Exact position,

Stn 4th Comfort SE & E 3/4 E 2 miles

Depth, 2 fth. 4 ft

Nature of bottom, Soft

Dredging instrument used, Oyster dredge

Direction of drift, N by W; distance, 1/8 mile

Temperature of air, 54 therm. No.,

" of surface water, "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1016.6 temp., 52

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 31.24

State of sky, Clear

Direction of wind, North; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U S St Fish Hawk

Service to which attached, U S F C

Name and rank of commanding officer, Robert Platt
Lieut-U S N

Name and position of observer,

J M Leighton
Mate U S F C

NOTES RELATING TO STATION NO. 1879

2 azimuths

643

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1830

Date, April 16 1892

Time of day, 2.35 Pm ; of tide, Flood

Locality, Wyadotte Bay

Exact position,

NW Pt Comfort SE & E ½ E 2 7/8 miles

Depth, 3-1

Nature of bottom, Sticky

Dredging instrument used, Upton Dredge

Direction of drift, NW ; distance, 1/8 Mile

Temperature of air, 54 therm. No.,

" of surface water, 54 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1016.4 temp., 54

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.24

State of sky, Clear

Direction of wind, South ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U.S.F.C. Str Fish Hawk

Service to which attached, U.S.F.C.

Name and rank of commanding officer, Robert Platt

Lieut U.S.N.

Name and position of observer,

Lieutenant Tate

NOTES RELATING TO STATION NO. 1830

Nothing but dust shells & one oyster

643

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 183

Date, April 16 1893

Time of day, 2 to 6 PM ; of tide, Flood

Locality, Inshjack Bay

Exact position,

NW pt Cranberry SE & E 3/4 miles

Depth, 3 2

Nature of bottom, Hard

Dredging instrument used, Upton dredge

Direction of drift, NW 1/2 W ; distance, 1/2 mile

Temperature of air, 56 therm. No.,

" of surface water, 57 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1016.4 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.24

State of sky, clear

Direction of wind, North ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, 26 876 Str Fish Hawk

Service to which attached, 26 876

Name and rank of commanding officer, Robt Platt
Lieut-USN

Name and position of observer, J M Leighton
Watcher

NOTES RELATING TO STATION NO. 1821

a few clumps of Spartina

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1892

Date, April 16" 1893

Time of day, 2.58 ; of tide, Flood

Locality, Mobjack Bay

Exact position,

New Point Comfort S & E 3 1/4 miles

Depth, 2 – 4

Nature of bottom, Hard

Dredging instrument used, Oyster Dredge

Direction of drift, N 1/2 W ; distance, 1/8 miles

Temperature of air, 56 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1.0144 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.24

State of sky, Clear

Direction of wind, North ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U.S.F.C. Str Fish Hawk

Service to which attached, U.S.F.C.

Name and rank of commanding officer, Robert Platt

Lieut-U.S.F.C.

Name and position of observer, Lindenthaler

Mate

NOTES RELATING TO STATION NO. 132

20 ojalena + dead shells

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1833

Date, April 16' 1893

Time of day, 3.03 PM ; of tide, Flood

Locality, Mobjack Bay

Exact position,

NW pt Cranston SE 1/2 E 4 miles

Depth, 2-1

Nature of bottom, Mud

Dredging instrument used, Agassiz dredge

Direction of drift, West ; distance, 1/8 mile

Temperature of air, 56 therm. No.,

" of surface water, 57 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1015 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.24

State of sky, Clear

Direction of wind, South ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, 26 & 76 & 85 Fish Hawk

Service to which attached, 26 & 76

Name and rank of commanding officer, Robert Platt

Lieut 26 & 76

Name and position of observer,

J. Carlington Watkins

NOTES RELATING TO STATION NO. 1823

3 oysters

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1234

Date, April 16 1893

Time of day, 3.12 PM ; of tide, Hard

Locality, Mobjack Bay

Exact position,

NW by Compass SE ¼ E 4¼ miles

Depth, 3 fths

Nature of bottom, Hard

Dredging instrument used, Oyster Dredge

Direction of drift, North ; distance, ⅛ mile

Temperature of air, 56 therm. No.,

" of surface water, 57 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1015 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.24

State of sky, clear

Direction of wind, North ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, USFC Str Fish Hawk

Service to which attached, USFC

Name and rank of commanding officer, Robert Platt

Lieut USN

Name and position of observer,

J. Enright

Watertender

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1836

Date, April 16th 1893

Time of day, 3.23 PM ; of tide, Flood

Locality, Matagorda bay

Exact position,

New Pt Cavallo SE 3/8 E 4 3/8 miles

Depth, 2, 3

Nature of bottom, Soft

Dredging instrument used, Ayers Dredger

Direction of drift, N E & N ; distance, 1/8 mile

Temperature of air, 54 therm. No.,

" of surface water, 57 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1015 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.24

State of sky, Clear

Direction of wind, North ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel 26 & 76 Str Fish Hawk

Service to which attached, 26 & 76

Name and rank of commanding officer, Robert Platt

Lieut 26 & 76

Name and position of observer,

Anthony Ashton

Mate Asst

NOTES RELATING TO STATION NO. 1835

Sing Angelus

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1836

Date, April 16" 1893

Time of day, 3.30 PM ; of tide, Flood

Locality, Mobjack Bay

Exact position,

New Pt Comfort SE ½ E 4 5/8 miles

Depth, 2.3

Nature of bottom, Soft

Dredging instrument used, Dipper Dredge

Direction of drift, N ½ W ; distance, ⅛ miles

Temperature of air, 67 therm. No.,

" of surface water, 57 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1015 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.24

State of sky, clear

Direction of wind, South ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, 6876 St. Fish Hawk

Service to which attached, 6876

Name and rank of commanding officer, Robert Platt

Lieut U S N

Name and position of observer,

J M Templeton

Watertender

NOTES RELATING TO STATION NO. 1836

10 oysters a few clams. Some duck shells

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1837

Date, April 24 1893

Time of day, 11.55 Am; of tide, Ebb

Locality, Chesapeake Bay

Exact position, Cape Henry Lt House

S x E 1½ miles

Depth, 11 fths

Nature of bottom, Hard

Dredging instrument used, Beam Trawl

Direction of drift, N x W ; distance, ¼ mile

Temperature of air, 53 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1017 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.32

State of sky, Clear

Direction of wind, N N E ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U S F C Fish Hawk

Service to which attached, U S F C

Name and rank of commanding officer, Robert Platt

Lieut U S N

Name and position of observer,

John Leighton

Asst Engr

NOTES RELATING TO STATION NO. 1837

Skate Hauls Asterias small
gorgonias one small Cynida
Rhizocrinus

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1838

Date, April 24th 1893

Time of day, 12.15 PM ; of tide, Ebb

Locality, Chesapeake Bay

Exact position, Cape Henry Lt NW SSE 1/4 E 1 1/2 miles

Depth, 10.3

Nature of bottom, Hard

Dredging instrument used, Beam Trawl

Direction of drift, NXW ; distance, 1/4 miles

Temperature of air, 58 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1016.8 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.33

State of sky, Clear

Direction of wind, NNE ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U.S.F.C. Str. Fish Hawk

Service to which attached, U.S.F.C.

Name and rank of commanding officer, Robt Platt Lieut U.S.N.

Name and position of observer,

Richardson Mate U.S.F.C.

NOTES RELATING TO STATION NO. 1688

Skate Starfish Hake
Sea Cucumber

643

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1839

Date, April 24th 1893

Time of day, 12,48 Pm ; of tide, Ebb

Locality, Chesapeake Bay

Exact position, Ft two light in range

SWxW 2 miles

Depth, 11

Nature of bottom, Hard

Dredging instrument used,

Direction of drift, NNW ; distance, 1/4 mile

Temperature of air, 60 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1016.6 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30,32

State of sky, Clear

Direction of wind, East ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, 6876 Fish Hawk

Service to which attached, 6876

Name and rank of commanding officer, Robert Platt

Lieut 6 & M

Name and position of observer, J. Middleton

Asst C&GS

NOTES RELATING TO STATION NO. 1839

Water haul Draw tunnel
Paddy's Jew drills

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1840

Date, April 24th 1893

Time of day, 1:30 PM; of tide, Flood

Locality, Chesapeake Bay

Exact position, Cape Henry Lt 140 S x W 3/4 W 2 Miles

Depth, 11.3

Nature of bottom, Hard

Dredging instrument used, Beam Trawl

Direction of drift, NE x N 1/2 N; distance, 1/4 mile

Temperature of air, 59 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1017 6.6 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.32

State of sky, Clear

Direction of wind, East ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U.S.F.C. Str. Fish Hawk

Service to which attached, U.S.F.C.

Name and rank of commanding officer, Robert Platt Lieut USN

Name and position of observer,

J. Darlington

Watertender

NOTES RELATING TO STATION NO. 1840

Skate Starfish Conchs
Squid & skate eggs Jones

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1841

Date, April 24th 1893

Time of day, 1.58 PM ; of tide, Flood

Locality, Chesapeake Bays

Exact position, Cape Henry Light House S & E 1/2 miles

Depth, 12

Nature of bottom, Sticky

Dredging instrument used, Beam Trawl

Direction of drift, NE & N 1/2 N ; distance, 1/4 mile

Temperature of air, 54 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1016.6 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.32

State of sky, Clear

Direction of wind, East ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, 20876 Str Fish Hawk

Service to which attached, 20876

Name and rank of commanding officer, Robert Platt Lieut USN

Name and position of observer,

J. Pearce Kirkpatrick
Asst Engr

NOTES RELATING TO STATION NO. 1041

Skate starfish shrimps
Skate eggs Hecate Strait

643

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 184 D

Date, April 24th 1893

Time of day, 2.25 P.M. ; of tide, Flood

Locality, Chesapeake Bay

Exact position, Cape Henry Sta 40

SE½S 1 mile

Depth, 11

Nature of bottom, Hard

Dredging instrument used, Beam Trawl

Direction of drift, E by E ; distance, ¼ mile

Temperature of air, 54 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1016.6 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.02

State of sky, clear

Direction of wind, East ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U.S.F.C. Str Fish Hawk

Service to which attached, U.S.F.C.

Name and rank of commanding officer, Robert Platt

Lieut U.S.N.

Name and position of observer,

Jonathan Letson

Asst Engr

NOTES RELATING TO STATION NO. 1842

Skate Dark flatfish Dace
Conch shrimp

643

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1843

Date, April 24th 1893

Time of day, 2.46 P.M.; of tide, Flood

Locality, Chesapeake Bay

Exact position, Cape Henry Lt Ho

SE x E 2 miles

Depth, 8

Nature of bottom, Hard

Dredging instrument used, Beam Trawl

Direction of drift, N W ½ N ; distance, ¼ mile

Temperature of air, 54 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1017.2 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.28

State of sky, Clear

Direction of wind, East ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U S F C Str Fish Hawk

Service to which attached, U S F C

Name and rank of commanding officer, Robert Platt

Lieut U S N

Name and position of observer,

J Pennington

Mate U S F C

NOTES RELATING TO STATION NO. 1843

Skate Hatch Hemmick Coombs

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1844

Date, April 24 1893

Time of day, 3/2 PM ; of tide, Flood

Locality,

Exact position, Cape Henry Lt Ho ESE 4 miles

Depth, 6–4

Nature of bottom, Sand

Dredging instrument used, Beam Trawl

Direction of drift, WNW ; distance, 1/4 mile

Temperature of air, 54 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1017.2 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.26

State of sky, Clear

Direction of wind, SE ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, 26 876 Str Pinkie Hawk

Service to which attached, 26 876

Name and rank of commanding officer, Robert Platt Lieut-Com C S R

Name and position of observer, John Longfellow Mate C S R

NOTES RELATING TO STATION NO. 8264

Flounder starfish Hake
Bass shrimp

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1845

Date, April 24 1893

Time of day, 3.24 PM; of tide, Flood

Locality, Chesapeake Bay

Exact position, Cape Henry SE No

E 3/2 E 4 1/2 miles

Depth, 6

Nature of bottom, Sticky

Dredging instrument used, Beam Trawl

Direction of drift, S W & W ; distance, 1/4 mile

Temperature of air, 54 therm. No.,

" of surface water, 56 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1017.2 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.26

State of sky, Clear

Direction of wind, SE ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, 26876 St. Fish Hawk

Service to which attached, 26876

Name and rank of commanding officer, Robert Platt

Lieut-26876

Name and position of observer,

J. McLaughlin

Mate

NOTES RELATING TO STATION NO. 1845

Skate Raia Rossa Thorny
star finki

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1846

Date, April 25 1893

Time of day, 2.50 Pm ; of tide, Flood

Locality, Chesapeake Bay

Exact position, Chesapeake Light Ho N E ¼ E ½ mile
Old Plantation Flat Light Ho S E 1¼ miles

Depth, 15

Nature of bottom, Hard

Dredging instrument used, Beam Trawl

Direction of drift, S ¼ E ; distance, ¼ mile

Temperature of air, 60 therm. No.,

" of surface water, 58 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1018 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.06

State of sky, Cloudy

Direction of wind, S W ; force, 3

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U S F C Str Fish Hawk

Service to which attached, U S F C

Name and rank of commanding officer, Robert Platt
Lieut U S N

Name and position of observer,
Assistant
Naturalist

NOTES RELATING TO STATION NO. 1846

One dozen small Nails

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1847

Date, April 27 93

Time of day, 12/9 PM ; of tide, Ebb

Locality, Chesapeake Bay

Exact position, Cherrystone E88E 2 miles
Plantation Pt S64E 3 miles

Depth, 17

Nature of bottom, Soft

Dredging instrument used, Beam Trawl

Direction of drift, S & W ; distance, 1/4 mile

Temperature of air, 59 therm. No.,

" of surface water, 54 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 1017.2 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30-10

State of sky, Cloudy

Direction of wind, South ; force, 2

Rain, about 10 minutes

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, 26 876 Str Fish Hawk

Service to which attached, 26 876

Name and rank of commanding officer, Robert Platt
Lieut USN

Name and position of observer,

NOTES RELATING TO STATION NO. 847

Starfish Hake Shrimp
Hermit crabs conch
Sea Robin.

RECORD OF DREDGING,

TEMPERATURE AND DENSITY.

Station No. 1848

Date, April 27 - 93

Time of day, 1.34 PM ; of tide, Ebb

Locality, Chesapeake Bay

Exact position, New Point Comfort Lt Ho
N 35 W 8 1/4 miles

Depth, 6 - 3

Nature of bottom, Sticky

Dredging instrument used, Beam Trawl

Direction of drift, SW x S ; distance, 1/4 mile

Temperature of air, 59 therm. No.,

" of surface water, 55 "

" at depth of fathoms, "

" at bottom, "

Density at surface, 10142 temp.,

" at depth of fathoms, "

" at bottom, "

Number of salinometer,

Barometer reading, 30.10

State of sky, Cloudy

Direction of wind, South ; force, 2

Rain,

Direction of surface current, ; force,

" of bottom " ; force,

Name of vessel, U.S.F.C. Str Fish Hawk

Service to which attached, U.S.F.C.

Name and rank of commanding officer, Robert Platt
Lieut - U.S.N.

Name and position of observer, Jno Crenshaw
Mate U.S.F.C.

NOTES RELATING TO STATION NO. 1848

7 F
Harpiste silversides shrimps
2 menhaden Croaker