EAST AFRICAN METEOROLOGICAL DEPARTMENT

SUMMARY OF METEOROLOGICAL OBSERVATIONS

FOR

1953.

PART III - U G A N D A.

QC
991
.A1
S86
1953
[pt.3]

LIBRARY
JUN 3 1955
WEATHER BUREAU

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

CONTENTS.

Arua
Butiaba
Entebbe Airfield
Fort Portal
Gulu
Hoima
Jinja
Kabale
Kitgum
Kololo Hill, Kampala
Lira
Masindi
Mbarara
Moroto
Mubende
Soroti
Tororo

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT ARUA IN 1953.

Latitude 03° 01'N Longitude 30° 55'E Altitude 4200 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	-	-	70.9	85.9	58.1	57.0	91.0	30	61.0	3	86.7	64.7	75.7	22.0	65	38	0.26	0.21	2
February	-	-	72.6	87.8	61.4	57.9	92.5	15	60.0	25	88.6	65.7	77.1	22.9	68	37	2.38	0.98	24
March	-	-	72.9	83.3	61.7	59.0	91.5	30	61.0	6,25	84.8	65.4	75.1	19.4	68	44	1.60	0.70	12
April	-	-	70.4	82.3	64.0	63.9	90.0	3	61.8	19	83.0	65.1	74.1	17.9	81	54	4.27	1.40	23
May	-	-	70.1	81.6	65.1	66.2	85.0	13,17,18	60.5	21,29	81.7	63.6	72.7	18.1	84	60	5.96	1.10	20
June	-	-	68.3	76.9	64.3	65.0	82.0	20	60.0	28	77.8	62.6	70.2	15.2	87	67	10.18	4.03	14
July	-	-	66.5	76.5	62.5	63.3	82.0	8	57.0	22	77.4	60.6	69.0	16.8	87	64	4.58	1.13	31
August	-	-	67.3	75.8	63.9	65.0	82.0	23	60.0	3,4,30	76.5	62.1	69.3	14.4	89	70	6.16	1.18	4
September	-	-	67.3	78.5	63.1	64.2	82.0	Often	57.4	1	78.7	61.4	70.1	17.3	87	62	3.08	0.74	14
October	-	-	67.3	79.2	63.2	64.0	82.6	9	59.0	10,11	79.2	62.2	70.7	17.0	87	60	11.53	2.70	26
November	-	-	69.2	79.6	62.4	63.0	82.0	Often	59.0	21	79.8	62.5	71.1	17.3	79	57	4.78	2.26	17
December	-	-	69.1	82.1	55.2	55.7	92.5	9	57.5	16,29	83.4	61.6	72.5	21.8	61	41	0.12	0.10	25
Year	-	-	69.3	80.8	62.1	63.7	92.5	Feb.15 Dec. 9	57.0	July 22	81.5	63.1	72.3	18.4	79	55	54.90	4.03	June 14

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.															Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430						0830			1430			Rain	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	(4)	Thunder
			knots	knots																						
January	W	E	6	9	4.0	4.3	0.1	2.5	6	8	3	9	5	6	8	3	9	5	0	20	11	0	15	16	2	0
February	W/N	E	6	10	4.0	5.1	0.9	3.2	8	3	5	4	8	3	4	6	5	10	0	18	10	0	9	19	6	0
March	E-W	E	5	10	6.0	5.6	0.9	3.5	2	3	5	4	17	0	4	8	13	6	0	4	27	0	3	28	5	1
April	E-W	E	5	10	6.8	6.3	1.2	3.6	0	2	3	7	18	0	0	7	15	8	0	4	26	0	3	27	11	4
May	E-W	E	5	9	5.7	5.5	1.4	3.9	2	2	8	5	14	0	1	15	9	6	0	3	28	0	0	31	16	5
June	W	E	5	7	5.9	6.5	0.7	5.4	4	1	5	7	13	0	1	6	12	11	0	10	20	0	8	22	18	8
July	W	E-N	4	7	5.4	5.9	1.2	3.7	1	5	6	13	6	0	2	9	15	5	0	16	15	0	10	21	9	2
August	W	E	4	6	5.5	6.2	1.7	5.2	3	2	7	12	7	0	0	11	12	8	0	7	24	0	4	27	19	2
September	W	E	4	8	5.3	5.6	1.2	4.0	3	5	3	11	8	0	1	10	17	2	0	3	27	0	1	29	14	5
October	W	E	4	8	6.0	5.3	2.8	3.5	2	1	5	14	9	0	0	15	14	2	0	1	30	0	1	30	19	8
November	VARIABLE	E	4	9	4.4	4.8	0.5	3.2	3	7	5	11	4	1	1	17	11	0	0	8	22	0	5	25	13	3
December	E/N	E	5	9	2.5	2.3	0.0	1.0	15	6	1	9	0	11	8	8	4	0	0	27	4	0	25	6	2	0
Year	W	E	5	9	5.1	5.3	1.1	3.6	49	45	56	106	109	21	30	115	136	63	0	121	244	0	84	281	134	38

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6¼ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT BUTIABA IN 1953.

Latitude 01° 50'N Longitude 31° 20'E Altitude 2037 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	Ins.	Ins.	
January	-	-	80.2	84.6	68.1	-	-	-	70.0	19,21,22	-	72.9	-	-	67	-	0.23	0.17	2
February	-	-	80.6	85.9	66.6	-	-	-	68.0	25	-	73.7	-	-	63	-	1.07	0.93	24
March	-	-	81.5	85.3	69.8	-	90.0	18,27	68.0	25	86.6	73.6	80.1	13.0	68	-	0.73	0.32	4
April	-	-	79.1	82.9	69.5	72.1	90.0	3	69.0	8	84.4	72.9	78.7	11.5	73	70	1.68	0.38	17
May	-	-	79.2	83.9	69.6	72.0	89.0	18	67.0	28	85.4	72.1	78.7	13.3	73	68	1.14	0.52	3
June	-	-	77.4	83.0	69.1	72.5	87.0	3	68.0	28	83.9	71.8	77.9	12.1	76	70	3.68	3.16	14
July	-	-	77.2	82.0	67.6	69.8	87.0	9	67.0	10,11,23	83.6	69.9	76.7	13.7	73	67	5.76	3.23	9
August	-	-	76.0	81.5	69.4	71.6	87.0	14	67.0	2	82.8	71.5	77.1	11.3	81	72	4.08	2.57	14
September	-	-	77.3	83.2	69.2	71.4	89.0	23	69.0	17,20,21	84.4	70.9	77.7	13.5	76	68	1.18	0.53	11
October	-	-	76.6	82.5	69.3	71.4	87.0	26	67.0	4,24	84.3	70.5	77.4	13.8	78	70	4.55	1.65	23
November	-	-	78.5	83.6	69.1	69.5	89.0	12,23	66.0	7	85.1	70.7	77.9	14.4	73	63	4.31	1.20	2
December	-	-	79.1	86.4	66.4	68.1	91.0	Often	67.0	30	88.1	71.5	79.8	16.6	65	55	0.30	0.22	24
Year	-	-	78.5	83.7	68.6	-	-	-	66.0	Nov. 7	-	71.8	-	-	72	-	28.71	3.23	July 9

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.															Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430						0830			1430			Rain	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8		Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	(4)	Thunder
			knots	knots																							
January	CALM	SW	1	8	4.0	4.7	1.0	2.4	0	9	13	9	0	0	1	21	9	0		0	0	31	0	0	31	2	0
February	SE	SW	2	6	3.8	4.4	0.7	1.8	0	10	11	5	2	0	1	23	4	0		0	0	28	0	0	28	3	0
March	SE-SW	SW	1	5	5.1	5.8	2.3	2.9	0	5	11	9	6	0	1	9	19	2		0	0	31	0	0	31	6	0
April	SE-SW	SW	2	5	5.4	5.1	1.3	1.2	0	3	11	11	5	0	1	16	12	1		0	1	29	0	0	30	10	0
May	NE	SW	2	4	4.7	4.8	0.9	1.1	1	5	13	8	4	0	1	18	11	1		0	2	29	0	2	29	12	1
June	NE	SW	3	4	5.8	5.7	1.3	0.9	0	3	9	7	11	0	1	11	13	5		0	8	22	0	10	20	6	1
July	NE-SE	SW-NW	3	4	6.0	5.5	1.3	1.7	0	2	9	7	13	0	1	15	7	8		0	13	18	0	9	22	8	0
August	NE	SW	5	4	6.0	5.7	1.9	2.7	0	0	11	10	10	0	0	14	11	6		0	7	24	0	3	28	7	0
September	NE	SW/W	3	5	5.1	4.6	1.5	1.6	0	4	11	13	2	0	0	23	7	0		0	4	26	0	0	30	5	1
October	E	SW/W	2	3	5.8	4.1	2.8	2.5	0	2	6	22	1	0	7	14	9	1		0	3	28	0	0	31	15	0
November	NE/E	W	3	4	5.1	4.7	1.5	1.0	0	3	13	10	4	0	1	17	10	2		0	8	22	0	4	26	12	2
December	E	W	4	3	7.3	6.6	1.5	1.0	0	0	3	8	20	0	1	5	15	10		0	24	7	0	12	19	3	0
Year	NE	SW	3	5	5.3	5.1	1.5	1.7	1	46	121	119	78	0	16	186	127	36		0	70	295	0	40	325	89	5

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain fall.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT ENTEBBE AIRFIELD IN 1953.

Latitude 0° 03'N Longitude 32° 27'E Altitude 3761 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature							Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	Max. Fall in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	886.9	884.8	68.4	78.5	63.1	62.9	83.4	19	55.6	21	80.4	62.5	71.5	17.9	84	55	1.92	0.93	1
February	885.5	883.6	69.3	80.9	63.3	63.3	86.4	22	56.5	7	83.1	62.5	72.8	20.6	82	56	1.24	0.52	25
March	886.0	884.2	71.3	79.7	65.6	64.0	84.3	22	62.0	11	81.5	65.8	73.7	15.7	83	59	6.19	2.44	18
April	887.3	885.2	68.0	76.8	64.6	65.3	83.5	2	60.1	26	79.2	64.2	71	15.0	89	66	10.57	1.39	23
May	887.5	885.9	70.0	77.0	65.4	65.4	80.5	19	60.0	23	78.7	64.4	71.5	14.3	85	67	5.84	0.87	7
June	888.2	886.3	67.4	76.9	64.0	64.7	82.0	24	58.8	28	78.1	62.8	70.5	15.3	89	68	2.46	0.95	17
July	888.7	887.7	66.7	75.1	61.5	61.7	82.5	30	54.1	22	77.2	59.9	68.5	17.3	83	62	2.24	1.06	2
August	888.4	887.1	67.5	75.5	63.1	63.0	80.5	25	58.6	4	77.9	61.6	69.7	16.3	86	65	0.51	0.21	16
September	887.7	885.8	67.8	75.4	63.9	63.5	82.5	30	59.3	6	78.0	61.9	69.9	16.1	88	67	10.79	4.45	13
October	887.3	884.9	68.0	76.8	64.0	64.1	82.0	10	60.0	21	79.2	63.2	71.2	16.0	87	65	5.97	1.87	15
November	887.3	884.9	68.6	77.5	64.5	64.8	82.2	22	61.2	20	79.3	64.2	71.7	15.1	86	65	6.77	1.16	12
December	886.8	884.6	66.8	77.9	64.0	63.7	84.5	15	57.0	29	79.6	62.7	71.1	16.9	91	62	3.46	1.11	24
Year	887.3	885.5	68.3	77.3	63.9	63.9	86.4	Feb. 22	54.1	July 22	79.4	63.0	71.2	16.4	86	64	57.78	4.45	Sept. 13

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.															Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430						0830			1430			Rain	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	(4)	Thunder
			knots	knots																						
January	W-N	S	5	12	5.6	5.1	1.6	2.0	0	4	7	9	11	0	3	12	10	6	0	4	27	0	1	30	7	12
February	NW-N	S	4	12	5.7	4.9	0.9	1.4	0	4	5	10	9	0	5	9	10	4	0	7	21	0	0	28	6	10
March	S-N	S	5	11	6.5	5.2	1.8	1.8	0	1	5	11	14	0	2	14	7	8	0	0	31	0	0	31	14	21
April	E/N	S	6	9	7.5	6.1	2.9	1.8	0	0	1	7	22	0	1	6	12	11	1	4	25	0	0	30	24	23
May	S/N	S	6	11	6.3	4.8	2.9	1.8	0	4	3	9	15	0	5	12	8	6	0	0	31	0	0	31	17	23
June	NNW/N	S	4	10	5.9	5.1	1.9	2.2	0	4	5	8	13	0	4	9	12	5	0	3	27	0	3	27	7	13
July	N	S	8	13	4.8	3.7	2.0	1.9	0	10	5	8	8	0	12	10	3	6	0	3	28	0	0	31	8	13
August	NNW-N	S	6	10	6.5	5.3	2.6	2.0	0	1	4	9	17	0	4	10	13	4	0	0	31	0	0	31	4	9
September	N-E	S	5	11	5.8	4.8	2.5	1.8	0	4	5	10	11	0	9	5	8	8	0	2	28	0	0	30	14	17
October	S-N	S	5	10	6.5	5.6	1.9	1.5	0	1	6	6	18	0	4	7	15	5	0	0	31	0	0	31	16	20
November	W-N	S	4	9	5.8	4.9	1.6	1.6	0	4	5	9	12	0	3	14	8	5	0	1	29	0	0	30	20	19
December	N	S	2	9	6.3	4.8	2.0	1.1	0	3	5	3	20	0	7	8	10	6	0	8	23	0	1	30	17	16
Year	N	S	5	11	6.1	5.0	2.1	1.7	0	40	56	99	170	0	59	116	116	74	1	32	332	0	5	360	154	196

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6¼ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT FORT PORTAL IN 1953.

Latitude 0° 40'N Longitude 30° 17'E Altitude 5049 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature							Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean			Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	848.0	846.1	59.6	78.0	56.3	57.6	83.6	21	45.3	20	80.5	52.3	66.4	28.2	90	50	3.10	0.81	4
February	847.1	847.5	60.8	79.9	56.0	56.3	88.3	15	49.0	7	83.2	53.7	68.5	29.5	84	45	3.10	1.28	26
March	847.5	845.9	62.3	74.8	59.2	60.3	83.4	17	50.8	25	79.5	55.9	67.7	23.6	90	61	5.78	1.90	18
April	848.7	847.4	62.2	73.0	60.1	61.6	80.8	3	50.1	19	77.2	56.6	66.9	20.6	93	68	6.69	1.75	8
May	849.0	846.9	63.8	75.3	59.8	62.0	80.6	11	52.8	22	77.6	56.5	67.1	21.1	87	64	4.19	0.85	4
June	849.4	848.0	61.2	73.7	58.8	61.6	79.8	11	49.0	30	76.8	55.7	66.3	21.1	92	66	9.97	1.93	25
July	849.7	848.4	59.7	74.6	55.7	58.8	79.8	26	47.3	1	76.7	53.4	65.1	23.3	87	58	2.08	1.25	28
August	849.7	847.9	61.6	73.3	59.6	60.8	82.0	26, 28	52.8	3	76.6	57.3	66.9	19.3	93	65	3.03	0.93	30
September	848.7	847.0	62.4	73.0	58.2	60.1	81.6	17	50.0	4	77.7	56.6	67.1	21.1	86	64	7.34	2.25	1
October	848.4	846.1	63.1	72.8	59.6	61.7	80.0	12	49.4	21	77.1	54.5	65.8	22.6	88	68	7.96	0.92	12
November	849.4	846.4	62.4	72.9	60.3	62.0	80.1	12	54.1	18	77.1	57.6	67.3	19.5	93	69	9.05	1.60	26
December	848.4	846.2	63.7	75.3	59.2	59.6	81.2	30	47.0	30	77.6	54.5	66.1	23.1	86	58	3.21	0.90	10
Year	848.7	847.0	61.9	74.7	58.6	60.2	88.3	Feb. 15	45.3	Jan. 20	78.1	55.4	66.8	22.7	89	61	65.50	2.25	Sept. 1

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.																Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430							0830			1430			Rain	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	(4)	Thunder
			knots	knots																						
January	SW/NW	NE/NW	3	10	6.7	7.0	0.6	4.1	0	0	3	20	8	0	0	0	25	6	0	0	31	0	0	31	8	5
February	SW/W	NE/NW	2	11	6.9	7.1	1.1	4.0	0	0	0	18	10	0	0	0	21	7	1	0	27	0	0	28	9	7
March	S/W	NE-S	4	13	7.0	7.2	1.3	4.9	0	0	3	14	14	0	0	0	24	7	0	1	30	0	0	31	21	10
April	SW/W	S-N	6	13	7.2	7.1	2.8	4.7	0	0	2	8	20	0	0	1	14	15	4	4	22	0	0	30	19	15
May	E-W	E-S	5	13	6.6	6.9	2.2	5.1	0	0	7	10	14	0	0	0	27	4	0	2	29	0	1	30	17	3
June	W	S/W	4	9	7.3	7.1	1.7	4.9	0	0	1	15	14	0	0	1	18	11	0	3	27	0	1	29	17	12
July	W	E-S	6	15	6.4	6.5	0.8	4.6	0	0	4	21	6	0	0	3	25	3	0	5	26	0	3	28	5	7
August	SW/W	VARIABLE	3	10	7.2	6.9	2.6	5.1	0	0	1	6	24	0	0	0	15	16	0	2	29	0	0	31	17	14
September	SW-N	SE-N	2	3	6.0	7.0	2.0	5.3	0	1	6	15	8	0	0	0	17	13	3	1	26	0	0	30	17	22
October	W	E-W	2	4	7.0	7.2	3.7	5.3	0	0	3	12	16	0	0	0	15	16	0	3	28	0	0	31	27	29
November	S-W	NE/W	3	5	7.0	7.0	3.4	4.5	0	1	2	8	19	0	0	0	20	10	0	3	27	0	0	30	26	14
December	SW/NW	NE	5	9	6.9	7.0	1.8	2.5	0	0	3	15	13	0	0	0	18	13	0	6	25	0	4	27	14	5
Year	SW/W	NE/S	4	10	6.9	7.0	2.0	4.6	0	2	35	162	166	0	0	5	239	121	8	30	327	0	9	356	197	143

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6¼ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT GULU IN 1953.

Latitude 02° 45'N Longitude 32° 20'E Altitude 3630 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature							Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	Max. Fall in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	890.9	887.7	71.1	88.9	59.0	52.1	94.4	30	56.0	14	90.6	62.3	76.5	28.3	66	29	0.87	0.53	2
February	889.4	886.6	72.0	91.7	59.5	58.3	97.0	15,16,21	55.5	6	94.0	62.4	78.2	31.6	64	33	0.32	0.30	24
March	889.9	887.3	72.4	89.4	62.7	57.4	97.8	15	60.0	10	91.5	65.1	78.3	26.4	72	35	1.85	0.63	19
April	890.9	888.6	70.3	82.3	65.2	62.3	93.0	5	62.0	21	85.5	65.1	75.3	20.4	84	52	5.39	1.06	23
May	891.5	889.4	70.6	81.9	66.0	65.3	86.5	13	60.0	24	83.5	63.8	73.7	19.7	85	58	6.22	1.07	28
June	892.8	890.8	68.5	79.4	65.4	65.7	85.0	12	59.0	28	81.2	63.1	72.1	18.1	90	63	6.24	1.87	13
July	892.9	891.1	66.6	78.3	62.7	63.4	83.0	26	58.0	23	80.3	61.6	70.9	18.7	88	61	6.16	1.40	28
August	892.7	890.7	67.8	78.5	64.8	64.8	84.0	29	59.6	23	80.3	62.7	71.5	17.6	90	63	8.26	1.88	7
September	892.0	889.4	70.3	81.8	63.7	61.7	86.5	30	57.8	8	83.5	61.9	72.7	21.6	80	51	3.26	1.74	11
October	891.8	888.6	70.1	82.7	64.7	63.6	89.1	8	59.3	5	84.3	62.5	73.4	21.8	83	53	9.81	2.71	26
November	891.5	888.5	70.1	82.9	63.3	63.0	87.0	11,12	58.6	28	84.3	62.3	73.3	22.0	79	51	5.19	1.30	4
December	891.1	887.9	69.0	86.2	57.2	57.4	92.0	30	55.0	27	87.2	60.9	74.1	26.3	67	38	0.65	0.47	23
Year	891.5	888.9	69.9	83.7	62.9	61.3	97.8	Mar. 15	55.0	Dec. 27	85.5	62.8	74.1	22.7	79	49	54.22	2.71	Oct. 26

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.														Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430					0830			1430			Rain (4)	Thunder
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good		
			knots	knots																						
January	SE-SW	E	6	8	5.9	7.1	0.6	3.4	0	2	9	9	11	0	0	2	13	16	0	11	20	0	3	28	3	2
February	E-S	NNE-E	6	12	6.8	6.5	0.6	2.6	0	2	3	5	18	0	1	6	7	14	1	2	25	0	0	28	2	3
March	SE-S	E-S	7	10	6.6	6.6	0.9	3.2	1	3	2	6	19	0	1	5	13	12	0	1	30	0	0	31	7	2
April	S	NE-SE	6	6	6.7	6.9	1.8	5.0	0	1	5	7	17	0	0	4	10	16	0	0	30	1	0	29	15	11
May	SE/S	SE	5	6	6.3	6.0	1.7	4.1	0	3	6	6	16	0	2	10	8	11	2	1	28	0	1	30	16	10
June	SE	SE-NW	4	5	6.7	6.7	3.2	4.4	0	3	3	2	22	0	0	8	5	17	0	5	25	0	0	30	16	11
July	SE	SE-S	4	5	6.0	5.6	2.8	4.6	0	3	8	3	17	0	1	11	9	10	0	3	28	0	0	31	16	3
August	VARIABLE	VARIABLE	3	6	6.6	6.4	2.7	5.0	0	3	4	4	20	0	1	6	10	14	1	4	26	0	0	31	18	12
September	E/SE	NE/SE	4	7	5.2	5.2	1.3	3.5	1	4	9	4	12	0	2	16	8	4	0	1	29	0	0	30	14	0
October	VARIABLE	VARIABLE	5	7	6.5	5.4	1.4	3.9	0	1	6	7	17	0	1	15	8	7	0	0	31	0	0	31	21	3
November	E/SE	NNE-SE	5	7	4.7	5.1	1.2	3.7	0	9	10	4	7	0	4	11	13	2	0	2	28	0	1	29	16	5
December	NW	NNE-SE	6	8	4.3	4.3	0.8	2.6	3	10	4	8	6	1	7	13	5	5	1	9	21	0	4	27	6	4
Year	SE/S	SE	5	7	6.0	6.0	1.6	3.8	5	44	69	65	182	1	20	107	109	128	5	39	321	1	9	355	150	66

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT HOIMA IN 1953.

Latitude 01° 26'N Longitude 31° 22'E Altitude 3800 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point														
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Mean Max.	Mean Min.	Max. + Min. 2	Mean Range	0830	1430	Total	Max. Fall in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	-	-	71.6	83.5	62.6	61.1	93.0	19, 20	57.0	19	88.5	61.9	75.2	26.6	73	47	2.07	1.23	2
February	-	-	71.6	87.9	59.0	56.3	97.0	16	60.0	13, 27	91.8	63.5	77.7	28.3	65	35	2.54	1.81	27
March	-	-	70.0	84.5	64.9	62.3	94.0	30	60.0	5, 25, 27	87.5	63.1	75.3	24.4	84	48	2.27	0.87	4
April	-	-	68.1	81.0	64.6	64.6	90.0	1	60.0	21	84.3	63.3	73.8	21.0	88	58	6.72	1.62	14
May	-	-	68.3	81.1	64.3	65.9	88.0	19	60.0	23	83.7	62.9	73.3	20.8	87	60	3.67	0.93	2
June	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
July	-	-	64.8	78.5	60.1	63.1	86.0	26	56.0	Often	81.7	59.2	70.5	22.5	85	60	1.76	0.45	31
August	-	-	66.4	77.2	63.6	64.6	85.0	Often	57.0	23	81.6	61.4	71.5	20.2	91	65	6.15	1.23	14
September	-	-	67.1	79.9	62.4	63.9	87.0	10	58.0	10, 11, 21	83.1	60.5	71.8	22.6	85	58	4.59	2.15	20
October	-	-	68.0	79.8	63.8	65.6	85.0	3, 6, 7	58.0	15	79.8	61.3	70.5	18.5	87	62	[illegible]	-	-
November	-	-	69.6	80.7	64.6	65.5	86.0	7, 12, 14	59.0	26	83.1	62.3	72.7	20.8	84	60	4.25	1.00	3
December	-	-	69.1	83.1	63.0	61.0	89.0	9, 30	56.0	28	85.5	61.6	73.5	23.9	81	48	1.60	0.50	24
Year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.															Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430						0830			1430			Rain (4)	Thunder
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good		
			knots	knots																						
January	E	E	1	3	3.0	4.0	0.5	1.8	0	21	5	4	1	0	7	17	3	4	0	21	10	0	12	19	5	7
February	E	E	2	4	3.5	5.2	0.7	2.0	0	12	11	3	2	0	3	11	10	4	0	5	23	0	3	25	4	6
March	E	E	1	3	4.2	6.1	1.3	2.5	0	10	13	4	4	0	0	7	20	4	0	2	29	0	0	31	7	10
April	E	E	1	3	6.1	6.5	2.6	3.4	0	2	10	8	10	0	0	3	19	8	0	1	29	0	3	27	15	13
May	E	E	1	3	4.5	6.4	1.3	2.6	0	3	18	9	1	0	0	6	18	7	0	0	31	0	3	28	13	15
June	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
July	E	E	1	3	4.9	6.1	2.1	2.6	0	8	8	7	8	0	0	10	16	5	0	0	31	0	0	31	8	7
August	E	E	1	2	5.7	6.7	2.3	3.1	0	4	8	10	9	0	0	4	20	7	1	2	28	0	1	30	17	20
September	E	E	1	2	5.5	5.9	1.9	2.4	0	3	10	9	8	0	0	8	20	2	0	3	27	0	0	30	10	14
October	E	E	1	2	5.9	6.4	2.7	3.2	0	0	11	15	4	0	0	4	22	4	0	0	30	0	0	30	-	19
November	E	E	1	2	4.7	5.7	1.5	2.2	0	8	6	12	1	0	1	9	17	0	0	0	27	0	0	27	11	10
December	E	E	1	3	3.4	4.0	0.6	3.6	0	15	10	5	1	0	9	15	4	3	0	1	30	0	0	31	6	7
Year	E	E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT JINJA IN 1953.

Latitude 0° 27'N Longitude 33° 11'E Altitude 3737 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	887.6	884.8	69.3	83.1	64.1	62.4	90.6	20	52.1	22	86.1	59.1	72.6	27.0	84	50	3.51	2.56	1
February	886.6	883.3	70.7	88.6	62.8	59.8	95.5	17	52.5	7	90.0	59.4	74.7	30.6	77	38	0.65	0.37	25
March	886.9	883.7	74.0	85.2	65.3	62.5	94.6	15	58.1	4	88.1	63.1	75.6	25.0	74	47	2.71	0.82	17
April	888.0	885.4	69.3	79.7	65.3	65.9	93.4	1	61.2	16	82.5	64.0	73.3	18.5	87	63	11.38	2.51	8
May	888.6	886.6	70.6	80.7	67.0	66.1	85.7	24	58.0	23	82.9	63.5	73.2	19.4	88	61	3.32	0.89	9
June	889.4	887.3	67.7	78.8	65.0	65.1	85.2	20	57.0	12,28	81.9	61.5	71.7	20.4	91	63	2.20	0.40	8,29
July	890.0	887.8	66.9	80.3	62.7	61.8	88.3	9	50.0	22	81.7	58.3	70.0	23.4	87	53	2.09	1.83	31
August	889.6	887.3	67.3	77.6	64.1	63.0	86.9	27	55.0	6	82.2	61.1	71.7	21.1	90	62	1.18	0.36	13
September	887.7	885.9	69.4	81.3	63.9	62.0	90.5	11	56.2	26	83.8	60.9	72.3	22.9	83	52	3.85	1.16	18
October	888.3	885.0	69.8	81.3	65.2	63.8	89.0	9	57.2	6	84.7	62.6	73.7	22.1	85	56	3.46	1.17	15
November	888.5	884.9	69.9	82.4	65.0	64.2	87.5	12	58.1	2	84.1	61.7	72.9	22.4	84	55	7.06	2.49	19
December	887.8	884.6	69.3	83.2	64.0	62.4	88.7	29	50.0	30	84.9	60.2	72.5	24.7	83	50	2.14	0.49	23
Year	888.3	885.5	69.5	81.9	64.5	63.3	95.5	Feb. 17	50.0	July 22 Dec. 30	84.4	61.3	72.9	23.1	84	55	43.55	2.56	Jan. 1

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.															Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430						0830			1430			Rain (4)	Thunder
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good		
			knots	knots																						
January	S	S/SW	3	7	6.5	6.8	3.0	3.2	0	0	2	28	1	0	0	0	29	2	0	1	30	0	0	31	7	1
February	S	S	4	9	6.6	6.8	2.8	3.1	0	0	1	24	3	0	0	1	26	1	0	2	26	0	0	28	4	0
March	SE/S	S/SW	4	7	6.6	6.6	2.8	3.0	0	0	0	29	2	0	0	1	28	2	0	0	31	0	0	31	10	2
April	S	S/SW	3	5	7.2	6.8	4.3	3.5	0	0	0	18	12	0	0	0	29	1	0	0	30	0	0	30	20	0
May	VARIABLE	SE-SW	3	6	6.8	6.7	3.2	3.2	0	0	0	28	3	0	0	0	31	0	0	0	31	0	0	31	15	0
June	S/N	S	3	7	6.9	6.8	3.2	3.3	0	0	0	27	3	0	0	0	27	3	0	1	29	0	0	30	12	1
July	S/N	S	3	7	6.6	6.6	3.0	3.2	0	0	0	29	2	0	0	1	29	1	0	0	31	0	0	31	6	0
August	N	S/SW	3	5	6.9	7.0	3.3	3.7	0	0	0	28	3	0	0	0	29	2	0	0	31	0	0	31	10	0
September	S/N	S	4	7	7.1	6.7	3.4	3.3	0	0	2	24	4	0	0	2	28	0	0	0	30	0	0	30	11	0
October	S/N	S/SW	5	7	6.9	6.9	3.5	3.5	0	0	0	29	2	0	0	0	31	0	0	1	30	0	0	31	16	1
November	SE/N	S	5	6	6.4	6.7	3.0	3.3	0	0	4	25	1	0	0	1	29	0	0	0	30	0	0	30	20	2
December	S-N	SE-SW	4	6	6.8	6.8	3.6	3.0	0	0	0	25	6	0	0	0	31	0	0	0	31	0	0	31	10	1
Year	S/N	S/SW	4	7	6.8	6.8	3.3	3.3	0	0	9	314	42	0	0	6	347	12	0	5	360	0	0	365	141	8

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT KABALE IN 1953.

Latitude 01° 15'S Longitude 29° 59'E Altitude 6138 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	-	-	52.8	73.2	51.5	54.3	82.8	20	44.1	22	76.2	48.5	62.3	27.7	96	52	2.28	1.10	27
February	-	-	53.6	75.3	52.1	53.3	84.0	6	44.8	11	78.1	49.9	64.0	28.2	96	47	1.23	0.35	20
March	-	-	54.3	70.8	53.5	58.0	78.6	13	46.6	4	74.0	50.7	62.3	23.3	97	64	7.63	1.49	9
April	-	-	55.1	69.2	54.2	58.5	77.0	2	50.0	2,25	72.7	52.2	62.5	20.5	97	69	7.83	2.12	20
May	-	-	55.1	69.8	54.5	58.7	75.6	23	44.6	29	71.7	50.9	61.3	20.8	98	68	2.09	0.70	4
June	-	-	53.6	69.4	52.6	57.0	76.8	4	44.4	3	71.1	49.7	60.4	21.4	97	65	2.88	0.89	26
July	-	-	50.3	70.6	47.9	51.0	77.8	28	38.0	23	72.5	45.3	58.9	27.2	91	50	0.15	0.15	3
August	-	-	55.0	72.3	52.3	53.0	78.2	3	43.6	6	74.1	51.0	62.5	23.1	91	51	1.38	0.66	14
September	-	-	54.8	70.7	52.9	55.0	79.8	11	45.4	23	73.5	50.9	62.2	22.6	94	58	5.92	1.26	14
October	-	-	55.0	71.6	53.5	56.0	78.6	11	45.4	1	74.0	49.7	61.9	24.3	95	58	1.40	0.54	12
November	-	-	55.2	69.1	54.3	58.3	76.8	2	46.0	5,12	72.4	51.0	61.7	21.4	97	69	6.34	0.90	29
December	-	-	53.7	71.9	53.0	57.1	77.8	30	45.0	31	73.9	49.8	61.9	24.1	97	60	1.57	0.29	25
Year	-	-	54.0	71.2	52.7	55.9	84.0	Feb. 6	38.0	July 23	73.7	50.0	61.8	23.7	95	59	40.70	2.12	April 20

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.																Frequency of Visibility						No. of days of	
					Total		Low		0830					1430							0830			1430			Rain	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	(4)	Thunder
			knots	knots																						
January	N	NE/E	2	10	7.5	6.9	5.2	4.8	0	0	2	8	21	0	1	2	16	12	13	10	8	0	2	29	8	10
February	N	NE/E	2	10	6.6	6.9	2.9	4.9	0	2	2	16	8	0	0	1	17	10	2	17	9	0	0	28	6	5
March	N	E-S	3	8	7.5	7.1	6.1	4.9	0	0	1	11	19	0	0	1	22	8	4	11	16	0	1	30	20	14
April	S	SE	1	3	7.8	7.4	6.9	5.1	0	0	0	4	26	0	0	0	12	18	13	9	8	0	0	30	20	8
May	S/SW	SE	1	3	7.5	7.0	6.0	5.3	0	0	2	7	22	0	0	1	21	9	8	12	11	0	1	30	13	5
June	S	SE	1	3	7.3	7.4	5.4	4.4	1	0	2	4	23	0	0	0	16	14	10	17	3	0	3	27	9	7
July	SE/S	SE	3	14	4.6	5.0	3.0	3.3	4	8	3	4	12	2	5	5	15	4	6	16	9	0	5	26	1	1
August	S	SE	2	9	6.0	6.7	2.5	4.6	2	1	6	10	12	0	0	5	9	17	1	17	13	0	2	29	5	2
September	S	SE	2	9	6.5	6.7	4.6	5.4	1	3	1	7	18	0	0	5	16	9	6	7	17	0	0	30	11	13
October	S	SE	3	10	7.0	6.8	5.6	5.3	0	1	3	6	21	0	0	4	17	10	8	9	14	0	0	31	8	13
November	S	SE	2	8	7.6	6.9	6.5	5.3	0	0	2	4	24	0	0	3	12	15	12	9	9	0	3	27	24	10
December	S	NE/E	7	6	7.2	6.8	6.2	5.1	0	2	2	3	24	0	0	2	14	15	13	15	3	0	4	27	8	4
Year	S	SE	2	8	6.9	6.8	5.1	4.9	8	17	26	84	230	2	6	29	187	141	96	149	120	0	21	344	133	92

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT KITGUM IN 1953.

Latitude 03° 17N Longitude 32° 53E Altitude 3075 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature				Mean	Mean	Max. + Min.	Mean	Relative Humidity		Rainfall			
			Dry Bulb		Dew Point								2							
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.		Range	0830	1430	Total	Max. Fall in 24 hrs.	Date	
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.		
January	-	-	76.3	93.6	59.6	63.7	99.0	23	66.3	7	95.8	70.3	83.1	25.5	57	38	0.09	0.09	16	
February	-	-	76.7	96.2	60.1	63.9	101.2	15	64.8	2	98.6	72.3	85.5	26.3	57	35	0.28	0.26	23	
March	-	-	78.3	91.9	65.3	65.6	103.0	15	64.0	23,24	95.4	74.1	84.7	21.3	65	43	1.17	0.75	28	
April	-	-	75.0	87.1	68.1	67.0	98.3	3	64.0	14	89.0	70.9	79.9	18.1	79	52	5.97	1.44	7	
May	-	-	73.7	86.8	67.7	67.5	93.5	28	61.0	4	89.0	69.4	79.2	19.6	82	53	2.67	0.55	3	
June	-	-	71.0	83.6	67.8	69.8	92.4	3	62.5	29	85.8	67.6	76.7	18.2	90	63	4.10	0.82	6	
July	-	-	68.5	82.7	65.4	67.1	88.8	8	60.5	28	84.5	65.3	74.9	19.2	90	59	6.32	1.95	16	
August	-	-	69.3	82.7	66.7	67.7	89.0	27	59.0	24	84.4	65.6	75.0	18.8	91	61	3.63	0.77	8	
September	-	-	70.6	86.5	64.7	62.5	94.0	30	62.0	14	89.3	67.3	78.3	22.0	81	45	2.97	1.24	17	
October	-	-	71.0	87.2	65.3	62.7	95.5	8	58.0	6	89.7	66.6	78.1	23.1	82	44	7.72	2.54	9	
November	-	-	71.6	85.3	64.8	64.3	91.6	26	62.0	21	88.8	67.5	78.1	21.3	79	50	2.29	0.91	1	
December	-	-	71.1	90.2	60.6	62.8	97.5	29,30	53.0	19	92.5	65.4	78.9	27.1	70	40	0.31	0.12	23	
Year	-	-	72.8	87.8	64.7	65.4	103.0	Mar. 15	53.0	Dec. 19	90.2	68.5	79.3	21.7	77	59	37.52	2.54	Oct. 9	

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.														Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430					0830			1430			Rain (4)	Thunder
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good		
			Knots	Knots																						
January	E/SE	E	9	19	1.6	3.9	0.6	3.0	12	13	2	4	0	2	8	11	10	0	0	11	20	0	3	28	1	0
February	E	E	12	22	2.3	4.2	0.1	2.9	9	8	7	3	1	4	3	7	14	0	0	3	25	0	0	28	2	0
March	E	E	8	17	3.0	5.4	0.8	3.9	3	12	12	2	2	0	4	9	14	4	0	0	31	0	2	29	8	4
April	E	E	5	13	4.6	6.0	1.6	4.3	1	9	7	6	7	1	1	7	16	5	0	2	28	0	3	27	18	6
May	E	E	4	9	4.0	5.6	1.0	4.3	5	8	4	10	4	0	2	11	15	3	0	1	30	0	0	31	11	4
June	E	E/W	5	12	5.5	6.6	3.1	4.4	4	4	2	6	14	0	0	6	17	7	1	6	23	0	0	30	18	5
July	E	E/S	6	13	4.7	5.7	1.5	4.2	3	7	7	5	9	0	1	10	20	0	0	1	30	0	0	31	16	4
August	E	E	6	15	4.9	6.0	3.1	4.5	2	8	2	12	7	0	0	11	16	4	3	3	25	0	1	30	13	4
September	E	E	5	13	2.8	5.1	1.4	4.4	10	7	6	4	3	1	1	16	10	2	1	3	26	1	2	27	6	5
October	E	E/W	5	14	3.9	5.8	1.3	5.0	2	7	11	10	1	0	0	15	10	6	0	0	31	0	0	31	18	6
November	E	E	6	11	3.2	5.3	1.0	4.6	0	11	13	5	1	0	2	14	14	0	0	1	29	0	1	29	9	4
December	E	E	5	12	2.0	4.1	0.8	3.4	11	11	3	5	1	2	5	17	6	1	0	6	25	0	3	28	4	0
Year	E	E	6	14	3.5	5.3	1.4	4.1	62	105	76	72	50	10	27	134	162	32	5	37	323	1	15	349	124	42

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT KOLOLO HILL, KAMPALA IN 1953.

Latitude 0° 20'N Longitude 32° 36'E Altitude 4304 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	870.8	868.4	68.8	80.4	61.3	62.2	88.5	25	58.5	13	83.6	64.3	73.9	19.3	77	55	2.96	1.06	11
February	869.2	866.7	70.0	84.3	59.0	58.0	97.1	15	60.3	26	87.9	65.7	76.8	22.2	68	41	1.29	1.02	25
March	869.7	867.3	70.3	79.7	62.5	62.2	88.9	21	62.3	6	83.1	66.0	74.5	17.1	76	56	2.31	0.51	23,24
April	870.9	868.2	66.3	76.3	62.7	64.5	85.9	6	60.8	14	79.6	63.5	71.5	16.1	89	67	5.44	1.06	25
May	871.2	869.2	68.0	76.1	63.9	64.5	81.7	27	62.3	14	78.8	64.6	71.7	14.2	87	67	2.41	0.76	20
June	871.9	870.2	66.2	74.4	62.5	63.0	81.5	24	58.3	5	78.0	62.8	70.4	15.2	88	68	6.66	1.67	9
July	872.2	870.9	56.6	74.9	59.5	60.5	84.6	30	59.8	11	78.0	62.2	70.1	15.8	81	61	0.56	0.33	7
August	872.1	870.3	65.7	74.8	62.1	61.7	83.5	3	59.8	28	79.0	62.6	70.8	16.4	88	64	2.65	0.81	24
September	871.4	869.1	67.0	76.3	61.8	62.2	88.2	11	59.3	20	79.8	62.3	71.1	17.5	84	62	4.51	1.58	18
October	871.5	868.2	66.4	76.0	62.9	63.1	86.6	8	59.5	16	80.8	62.3	71.5	18.5	89	64	7.48	2.10	15
November	871.0	868.2	67.9	76.9	62.7	63.6	83.7	13	60.0	20,29	80.5	63.0	71.7	17.5	84	64	5.07	1.02	18
December	870.5	867.9	68.1	79.0	60.9	61.6	85.9	16	61.2	22,29	81.5	64.0	72.7	17.5	78	55	3.55	1.40	23
Year	871.0	868.7	67.5	77.4	61.8	62.3	97.1	Feb. 15	58.3	June 5	80.9	63.6	72.3	17.3	82	60	44.84	2.10	Oct. 15

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud. Total		Low		0830					1430				Frequency of Visibility (3) 0830			1430			No. of days of	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	Rain (4)	Thunder
			knots	knots																						
January	S-W	S	4	11	5.7	6.1	1.2	3.4	0	3	9	11	8	0	2	8	14	7	0	3	28	0	1	30	6	14
February	E-SSW	S	4	19	5.8	5.8	1.3	2.8	1	4	5	7	11	0	5	5	5	13	0	6	22	0	0	28	5	9
March	SSE-W	S	6	18	7.1	6.5	1.5	3.7	0	1	4	4	22	0	1	9	5	16	0	0	31	0	1	30	11	19
April	SSE/S	S	9	17	7.9	7.2	4.5	3.8	0	0	1	0	29	0	0	3	10	17	0	5	25	0	0	30	21	25
May	S	S	8	24	6.0	6.2	2.2	3.3	0	3	8	3	17	0	2	8	9	12	0	2	29	0	0	31	13	21
June	N	S	7	15	5.8	7.0	2.7	5.2	0	6	5	5	14	0	6	3	12	15	3	10	17	0	4	26	13	20
July	S/N	S	10	24	4.8	5.5	2.4	4.5	1	9	7	3	11	0	6	7	6	12	1	7	23	0	5	26	5	11
August	N	S	7	15	6.5	6.8	3.1	4.4	0	4	3	9	15	0	2	4	7	18	1	13	17	1	7	23	12	16
September	N	S	7	18	5.7	5.9	3.2	4.1	0	4	9	4	13	0	0	11	7	12	2	2	26	0	1	29	11	22
October	N	S	7	11	6.5	6.5	3.7	4.2	0	1	6	4	20	0	0	8	10	13	0	3	28	0	3	28	15	20
November	W-N	S	5	11	5.8	6.8	2.5	4.6	0	5	6	5	14	0	0	6	7	17	1	3	26	0	3	27	16	19
December	E/N	S/W	4	9	5.8	4.9	2.9	2.9	0	8	2	4	17	0	6	9	8	8	0	14	17	0	7	24	8	7
Year	S/N	S	7	16	6.1	6.3	2.6	3.9	2	48	65	59	191	0	24	81	100	160	8	68	289	1	32	332	136	203

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT LIRA IN 1953.

Latitude 02° 15'N Longitude 32° 54'E Altitude 3560 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature							Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean			Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	891.2	883.1	65.2	88.6	-	-	-	-	61.8	3,7	-	63.3	-	-	-	-	2.51	2.02	4
February	891.7	882.1	65.9	94.4	-	-	-	-	60.9	21	-	64.4	-	-	-	48	0.00	0.00	00
March	891.8	881.8	68.2	96.2	64.3	71.8	98.4	Often	63.7	6	97.8	65.5	81.7	32.3	88	46	0.86	0.52	23
April	891.5	883.5	67.0	88.5	62.5	69.2	99.1	1,3	59.8	24	90.9	63.3	77.1	27.6	85	53	12.82	2.55	26
May	891.4	884.4	63.9	84.7	62.6	66.7	88.7	13	59.8	14	86.6	62.3	74.5	24.3	96	55	5.66	1.08	29
June	891.2	884.5	63.6	83.1	62.5	65.5	88.7	3	60.7	25	86.5	62.4	74.5	24.1	96	56	10.04	2.95	30
July	891.3	884.8	63.7	83.3	62.3	66.1	86.9	Often	60.6	3	86.2	61.9	74.1	24.3	95	56	4.80	1.04	3,4
August	891.5	885.1	63.9	82.2	62.3	65.5	86.9	29	59.8	9	85.8	61.9	73.9	23.9	95	57	5.99	2.02	1
September	892.0	883.6	64.6	85.3	62.0	66.8	86.9	30	60.8	14,15,18	86.1	61.9	74.0	24.2	91	54	2.48	1.21	13
October	891.9	884.2	64.0	84.9	62.3	67.2	87.3	4	60.7	21,31	86.0	61.9	77.2	24.1	94	56	12.85	2.54	14
November	891.5	883.7	64.3	85.7	62.1	67.1	86.9	Often	60.3	7	86.1	61.8	73.9	24.3	93	54	6.38	2.55	2
December	891.3	883.2	65.1	87.6	62.0	68.2	88.8	29	61.8	Often	87.6	62.8	75.2	24.8	90	53	0.85	0.48	22
Year	891.5	883.7	64.6	87.0	-	-	-	-	59.8	(a)	-	62.8		-	-	-	65.24	2.95	June 20

(a) Min. on several dates: 24th April, 14th May and 9th August, 1953.

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud-																Frequency of Visibility (3)						No. of days of	
					Total		Low		0830						1430						0830			1430			Rain	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	(4)	Thunder
			knots	knots																						
January	S	S	10	35	3.2	1.6	2.7	1.6	0	0	31	0	0	0	29	2	0	0	0	0	31	0	0	31	3	3
February	S	S	13	34	2.9	1.2	2.7	1.2	0	5	23	0	0	0	28	0	0	0	0	0	28	0	0	28	0	0
March	S	S	13	35	3.2	2.1	3.2	2.1	0	0	30	1	0	0	29	2	0	0	0	0	31	0	0	31	3	0
April	E/S	S	9	27	4.3	3.2	3.8	2.9	0	0	27	2	1	0	14	12	4	0	0	1	29	0	3	27	15	9
May	S	S	3	26	4.2	2.3	3.7	2.3	0	0	29	2	0	0	26	5	0	0	0	0	31	0	0	31	10	12
June	E/S	S/N	2	25	4.8	2.7	4.3	2.5	0	0	23	7	0	0	18	11	1	0	0	5	25	1	0	29	9	15
July	S	S	2	24	4.5	2.5	3.6	2.3	0	0	28	3	0	0	23	8	0	0	0	1	30	0	0	31	9	11
August	S	S	2	25	5.2	2.8	4.6	2.5	0	0	19	11	1	0	20	9	2	0	4	4	23	0	1	30	8	9
September	S	S	3	29	4.5	2.1	3.5	2.1	0	0	27	1	2	0	29	1	0	0	2	0	28	0	0	30	4	5
October	E/S	S	2	27	4.5	2.2	3.6	2.2	0	0	28	3	0	0	29	2	0	0	0	2	29	0	0	31	13	10
November	S	S/N	3	29	4.2	6.0	3.1	1.9	0	0	29	1	0	0	28	2	0	0	0	1	29	0	0	30	8	7
December	S	S/N	6	3	3.8	2.0	3.2	0.8	0	0	30	0	1	0	29	0	0	0	1	0	30	0	0	29	4	2
Year	S	S	6	27	4.1	2.6	3.5	2.0	0	5	324	31	5	0	302	54	7	0	7	14	344	1	4	358	86	83

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT MASINDI IN 1953.

Latitude 1° 41'N Longitude 31° 43'E Altitude 3760 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
February	885.6	882.8	71.8	88.0	56.2	52.3	95.1	7	60.0	27	91.0	63.9	77.5	27.1	59	30	2.03	0.58	27
March	885.4	883.7	70.2	83.3	62.6	60.9	91.3	30	60.0	25	85.6	63.8	74.7	21.8	77	47	4.91	1.70	18
April	886.8	884.9	69.0	77.7	62.8	63.8	86.7	11	61.0	21	82.9	64.4	73.7	18.5	81	63	6.56	1.09	23
May	887.1	885.0	69.7	81.3	64.0	64.8	88.0	12	60.9	25	83.9	63.5	73.7	20.4	82	58	4.41	1.11	20
June	888.1	886.0	67.3	78.2	63.3	64.2	86.4	12	57.5	29	81.7	63.0	72.3	18.7	87	63	6.67	2.01	14
July	888.2	886.5	66.7	78.1	59.5	62.0	85.0	26	56.9	8,22	80.8	60.8	70.8	20.0	78	58	5.73	1.92	31
August	888.3	886.3	66.7	77.8	62.6	63.5	84.9	24	58.8	4,23	81.1	62.7	71.9	18.4	87	62	4.76	2.18	14
September	887.6	885.6	67.2	79.3	61.9	62.7	87.0	29	59.0	21	83.0	61.4	72.2	21.6	83	57	4.15	1.40	15
October	886.9	887.9	67.1	79.5	63.0	63.5	85.6	6	60.0	6,15	82.6	62.2	72.4	20.4	86	58	6.06	1.03	18
November	887.4	884.3	69.3	80.7	62.8	63.3	85.9	24	59.2	3	82.5	62.7	72.6	19.8	80	56	3.36	1.45	8
December	886.8	883.8	67.8	82.3	57.7	55.3	89.8	9	58.3	30,31	84.9	62.3	73.6	22.6	67	40	1.05	0.35	26
Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud. Total		Low		0830					1430					Frequency of Visibility (3) 0830			1430			No. of days of Rain (4)	Thunder
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good		
			knots	knots																						
January	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
February	E/N	NE/N	2	7	1.9	3.8	1.0	2.5	15	5	3	1	3	3	7	9	2	4	0	0	27	0	1	24	5	3
March	E-SW	N	1	3	4.3	6.6	1.2	4.7	10	1	6	5	9	0	0	7	12	12	0	1	30	0	3	28	15	15
April	E/S	VARIABLE	2	3	7.3	7.7	4.0	4.3	0	2	3	2	23	0	0	4	5	21	0	24	6	0	13	17	21	19
May	S/N	SE/SW	2	6	5.2	6.2	1.7	4.2	1	6	6	9	9	0	0	11	11	9	0	8	23	0	7	24	17	8
June	VARIABLE	NE/E	3	5	6.2	7.3	2.7	4.0	2	4	3	3	18	0	0	3	7	20	0	10	20	1	6	23	12	9
July	SE	S/NW	3	7	5.3	6.6	2.4	3.0	3	8	5	3	12	0	1	8	4	18	0	7	24	0	1	30	9	6
August	SE/N	SE-W	3	5	6.0	6.7	3.0	3.7	1	3	4	16	7	0	0	4	22	5	1	9	21	0	4	27	13	10
September	E-W	NE-W	4	6	6.0	6.5	2.9	3.6	0	0	9	13	8	0	0	6	19	5	0	7	23	1	2	27	12	11
October	VARIABLE	N	6	8	6.9	6.9	3.0	3.8	0	0	5	13	13	0	0	1	26	4	0	8	23	0	5	26	18	14
November	S-N	NE/W	4	6	5.4	6.4	4.4	3.1	0	4	9	11	6	0	0	10	14	6	0	4	26	1	1	28	15	11
December	W/N	N	5	5	4.2	5.4	1.4	2.4	5	7	7	7	5	0	3	10	17	1	0	5	26	0	1	30	7	3
Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT MBARARA IN 1953.

Latitude 0° 37'S Longitude 30° 39'E Altitude 4734 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature							Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	Max. Fall in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	-	-	61.6	78.6	57.0	55.8	87.0	30	51.0	22	81.4	56.0	68.7	25.4	85	46	1.47	0.53	10
February	-	-	64.5	82.2	57.2	52.4	90.0	Often	53.8	5	85.5	58.4	71.9	27.1	77	36	0.85	0.37	24
March	-	-	64.3	78.4	59.8	58.8	86.0	Often	55.0	25	81.6	58.8	70.2	22.8	85	51	4.18	0.85	19
April	-	-	64.1	73.7	60.4	61.5	90.0	10	53.0	19	77.5	57.7	67.6	19.8	87	66	7.27	2.33	20
May	-	-	64.0	77.0	60.0	60.6	82.0	19	55.0	Often	78.4	56.9	67.7	21.5	87	57	2.08	1.41	1
June	-	-	63.5	76.6	59.4	59.0	82.0	Often	51.0	30	78.5	56.4	67.5	22.1	86	55	3.13	0.93	15
July	-	-	61.5	77.5	54.7	54.0	83.0	26	46.0	22,26	79.1	53.9	66.5	25.2	79	45	0.02	0.02	30
August	-	-	64.7	77.9	58.0	55.5	84.8	25	53.0	3	81.0	58.0	69.5	23.0	79	47	1.40	0.64	14
September	-	-	64.6	77.0	58.1	58.1	85.5	10	54.0	3,27,28	80.1	56.4	68.3	23.7	80	53	5.21	1.05	11
October	-	-	65.1	75.4	60.1	59.6	83.0	6,9	53.5	6,11	78.3	56.5	67.4	21.8	84	59	5.24	1.56	19
November	-	-	65.0	72.2	60.6	61.0	80.5	2	54.5	12	77.1	57.2	67.1	19.9	86	68	6.58	1.44	29
December	-	-	63.1	76.1	59.4	59.6	82.5	30	52.5	30	78.3	57.5	67.9	20.8	87	57	0.68	0.26	12
Year	-	-	63.8	76.9	58.7	58.0	90.0	Feb. Apn 10	46.0	July 22,26	79.7	57.0	68.3	22.7	84	53	38.11	2.33	April 20

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.															Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430						0830			1430			Rain	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	(4)	Thunder
			knots	knots																						
January	NE/W/NW	NE-SE	3	5	5.2	5.9	1.5	2.0	4	1	9	6	11	0	2	10	8	11	1	2	28	0	0	31	8	0
February	NW	E/SE	2	6	4.5	5.2	1.5	2.4	2	6	8	8	4	1	2	10	11	4	0	11	17	0	0	28	4	1
March	E/W/NW	E/SE	3	5	6.3	5.6	5.0	3.5	0	1	9	7	14	0	0	13	15	3	0	1	30	0	0	31	14	2
April	VARIABLE	NE/SE	3	6	5.9	6.3	4.1	4.3	0	4	6	8	12	0	0	9	9	12	0	4	26	0	2	28	21	0
May	NE-SE	SE	4	7	5.1	6.4	3.7	4.5	0	8	7	5	11	0	0	9	11	11	1	4	26	0	1	30	8	1
June	W/NW	E-NW	3	4	4.4	6.0	1.2	3.8	5	4	7	8	6	0	1	10	10	9	1	18	11	0	8	22	8	0
July	SE/SW	SE	4	5	1.8	4.9	0.2	2.5	16	8	2	2	3	5	4	4	9	9	0	13	18	0	2	29	1	0
August	W	E	3	7	5.7	6.1	2.6	4.6	3	2	5	9	12	0	1	9	11	10	0	9	22	0	1	30	5	0
September	W	NE-SE	4	6	4.1	5.9	2.5	4.5	3	6	10	4	7	0	0	9	16	5	0	0	30	0	2	28	15	0
October	W-N	E/SE	3	6	5.3	6.1	3.0	5.0	0	5	13	2	11	0	0	10	14	7	1	1	29	0	0	31	15	2
November	NE-W	NE-SE	4	7	6.5	6.8	4.8	6.0	0	2	5	9	14	0	0	7	8	15	0	1	29	1	3	26	22	0
December	VARIABLE	NE-SE	4	4	5.1	5.8	2.9	3.0	5	5	1	7	13	0	3	10	9	9	1	12	18	0	0	31	6	0
Year	W/NW	NE-SE	3	6	5.0	5.9	2.8	3.8	38	52	82	75	118	6	13	110	131	105	5	76	284	1	19	345	127	6

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT MOROTO IN 1953.

Latitude 02° 33'N Longitude 34° 36'E Altitude 4418 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	-	-	75.5	86.8	-	-	93.4	25	58.0	Often	88.5	62.8	75.7	25.7	-	-	0.00	0.00	00
February	-	-	78.2	88.8	-	-	93.1	8,15	57.2	5	90.7	65.7	78.2	25.0	-	-	0.00	0.00	00
March	-	-	76.5	88.0	-	-	93.1	30	58.0	25	90.0	64.8	77.4	25.2	-	-	0.83	0.69	23
April	-	-	72.7	81.4	-	-	83.5	5	58.0	15	85.5	63.7	74.6	21.8	-	-	6.44	2.20	13
May	-	-	73.1	83.0	-	-	89.0	11	58.0	22	85.3	61.3	73.3	24.0	-	-	3.22	1.23	4
June	-	-	70.8	77.4	-	-	89.0	Often	58.0	9,29	82.5	60.7	71.6	21.8	-	-	7.95	1.68	21
July	-	-	69.2	77.3	-	-	85.0	15	53.0	15	81.3	59.9	70.6	21.4	-	-	1.91	0.84	28
August	-	-	73.7	78.7	-	-	98.0	26	-	-	90.5	-	-	-	-	-	2.78	0.85	10
September	-	-	73.7	81.7	-	-	100.0	8,11	-	-	93.0	-	-	-	-	-	0.77	0.50	13
October	-	-	72.7	82.9	-	-	90.0	7	57.0	21	85.5	60.4	72.9	25.1	-	-	3.60	1.48	12
November	-	-	73.4	82.9	-	-	90.0	3	58.0	12	85.4	62.2	73.8	23.2	-	-	0.62	0.25	8
December	-	-	73.7	83.7	-	-	88.0	Often	58.0	9	85.8	60.7	73.3	25.1	-	-	0.65	0.48	22
Year	-	-	73.6	82.7	-	-	100.0	Sept. 8,11	-	-	-	-	-	-	-	-	28.77	2.20	April 13

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.															Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430						0830			1430			Rain	
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good	(4)	Thunder
			knots	knots																						
January	E	NE/E/N	3	5	2.1	4.0	1.8	2.2	0	27	4	0	0	0	5	26	0	0	0	0	31	0	0	31	0	0
February	E	NE	3	5	2.1	3.0	1.8	1.6	0	24	3	1	0	0	9	19	0	0	0	0	28	0	0	28	0	0
March	E	NE	3	6	2.8	4.2	2.2	2.3	0	20	8	2	1	0	1	26	3	1	0	1	30	0	1	30	2	0
April	E	VARIABLE	2	4	4.4	5.8	3.6	4.7	0	8	13	6	3	0	0	14	8	8	0	1	29	0	2	28	10	0
May	E	NE/N	2	4	3.8	5.4	3.7	5.1	0	7	19	3	2	0	0	17	11	3	0	1	30	0	1	30	5	0
June	E	E/S/N	2	3	5.0	6.6	5.0	6.6	0	1	22	3	4	0	0	5	16	9	0	0	30	0	0	30	12	0
July	E	E/S	6	3	4.4	6.4	4.4	6.4	0	2	19	0	6	0	0	6	13	8	0	0	27	0	0	27	6	0
August	E/W	SW-N	2	2	2.5	2.3	2.1	2.0	10	8	5	6	2	7	15	4	3	2	0	0	31	0	0	31	9	0
September	E/SW	VARIABLE	3	3	1.0	1.6	1.0	1.5	8	19	2	0	1	5	21	3	1	0	0	0	30	0	0	30	4	0
October	E-W	NE	2	4	1.9	3.8	1.8	3.6	8	17	3	1	2	1	5	21	1	3	1	1	29	0	2	29	6	0
November	E/SW	NE-S	2	5	3.3	4.4	3.2	4.3	0	14	12	3	1	0	0	23	6	1	0	0	30	0	0	30	4	0
December	NE-E	NE	3	6	3.2	4.1	2.1	2.3	0	16	10	3	2	0	3	24	4	0	0	0	31	0	0	31	2	0
Year	E	NE/N	3	4	3.0	4.3	2.7	3.5	26	163	120	28	24	13	59	188	66	35	1	4	356	0	6	355	60	0

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6¼ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT MUBENDE IN 1953.

Latitude 00° 35'N , Longitude 31° 22'E Altitude 5095 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	847.4	844.4	66.0	76.6	58.6	60.5	84.0	Often	55.0	15	81.4	58.8	70.1	22.6	77	58	1.62	0.39	4
February	845.7	843.0	67.0	76.7	60.2	61.9	89.0	24	58.0	9	83.7	61.1	72.4	22.6	79	60	1.58	0.49	26
March	846.2	844.1	63.9	74.1	59.3	60.6	84.2	4,17,21	56.0	24	80.8	60.4	70.6	20.4	85	63	4.77	1.10	23
April	846.9	844.7	63.5	72.6	59.5	61.0	84.2	7	57.5	14	79.0	59.8	69.4	19.2	87	67	5.65	0.98	13
May	847.5	844.4	64.0	74.6	59.8	60.7	82.3	17	59.0	Often	80.0	60.4	70.2	19.6	86	62	4.12	0.60	20
June	847.6	845.1	64.7	74.4	60.5	61.5	82.1	15	58.0	28	79.5	60.5	70.0	19.0	87	65	4.21	0.80	30
July	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
August	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
September	847.1	844.7	64.2	74.3	59.6	61.0	82.0	7	56.0	1,21	78.9	59.4	69.1	19.5	85	63	4.31	1.09	13
October	846.8	844.5	63.0	74.8	59.5	61.0	80.6	26,28	55.0	15	78.3	59.2	68.7	19.1	89	63	7.77	1.04	1
November	846.6	844.4	65.1	74.7	59.2	61.0	81.0	23	56.0	4,5	78.9	59.7	69.3	19.2	81	62	5.51	1.02	4
December	846.9	844.2	64.9	75.8	60.2	62.4	82.4	28,29	59.0	Often	79.9	60.9	70.4	19.0	84	63	1.25	0.38	26
Year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.															Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430						0830			1430			Rain (4)	Thunder
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good		
			knots	knots																						
January	SE/S/N	SE/S/N	11	14	3.7	5.8	0.9	4.9	6	4	14	2	5	0	0	14	13	4	0	10	21	0	3	28	8	4
February	S	N	13	17	3.7	6.2	1.3	5.0	3	4	16	0	4	0	0	7	16	4	0	1	26	0	2	25	6	2
March	NE-S	S/N	10	13	5.3	6.2	3.4	5.0	1	3	10	8	9	0	0	10	14	7	2	2	27	0	0	31	15	5
April	SE/S/N	S/N	16	18	6.1	6.4	3.9	4.3	0	0	12	3	15	0	0	6	17	7	2	5	23	0	1	29	21	4
May	SE/S/N	SE/S	17	21	5.2	6.5	1.6	4.8	1	0	16	7	7	0	0	8	12	11	2	4	25	0	1	30	16	12
June	S	S/N	13	17	5.1	6.9	3.0	4.4	4	2	8	9	7	0	0	3	13	14	1	9	20	1	1	28	11	8
July	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
August	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
September	SE/S	SE/S	18	21	5.7	7.0	3.1	5.2	0	0	12	10	8	0	0	3	15	12	1	3	26	0	3	27	12	8
October	S/N	S	12	18	6.6	6.3	4.4	4.3	0	0	6	10	15	0	0	3	24	4	2	3	26	1	1	29	21	4
November	S/N	S/N	13	20	5.2	6.8	1.9	4.6	2	0	10	9	5	0	0	0	18	9	1	5	20	0	0	27	20	11
December	S/N	SE/S/N	12	13	5.0	6.0	3.2	9.4	3	2	12	4	10	0	0	8	16	7	1	14	16	0	2	29	12	2
Year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain fells.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT SOROTI IN 1953.

Latitude 01° 43'N Longitude 33° 37'E Altitude 3697 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature								Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean				Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	-	-	71.4	89.1	59.8	55.0	95.1	23	62.0	20	91.5	65.6	78.5	25.9	68	32	2.03	1.46	27
February	-	-	71.7	92.6	58.0	48.0	97.5	10	62.9	6,15	94.3	67.1	80.7	27.2	62	22	0.00	0.00	-
March	-	-	73.5	92.0	63.6	58.6	97.0	15	65.0	3,24,25	93.3	68.6	80.9	24.7	72	33	0.42	0.27	23
April	-	-	71.4	84.0	65.8	63.3	97.0	1	63.5	27,30	87.1	66.3	76.7	20.8	83	50	9.32	1.77	29
May	-	-	71.9	83.7	66.5	64.5	90.0	19	63.9	25	86.2	65.7	75.9	20.5	84	53	5.16	1.87	3
June	-	-	69.6	81.2	65.1	64.8	88.0	13	62.0	14,27	83.3	64.6	73.9	18.7	86	58	5.22	1.57	26
July	-	-	68.2	80.5	63.7	63.8	86.1	26	61.0	21	82.5	64.0	73.3	18.5	85	57	4.80	1.77	31
August	-	-	69.4	80.4	64.2	64.7	86.1	30	62.0	31	83.0	64.3	73.7	18.7	84	59	7.93	1.65	7
September	-	-	70.8	84.4	62.8	61.6	91.0	10	62.0	5,18	86.8	64.2	75.5	22.6	76	46	2.82	1.50	12
October	-	-	70.7	84.7	64.2	61.4	91.9	6	61.0	19	86.9	64.4	75.7	22.5	80	46	6.95	1.78	15
November	-	-	71.3	83.8	64.7	61.3	88.9	23	63.0	20	86.5	64.9	75.7	21.6	80	48	2.71	0.84	8
December	-	-	71.9	87.5	63.1	58.4	92.1	30	59.0	30,31	90.1	62.9	76.9	28.0	74	38	2.22	0.90	17
Year	-	-	71.0	85.3	63.5	60.5	97.5	Feb. 10	59.0	Dec. 30,31	87.7	65.2	76.5	22.5	78	45	49.58	1.87	May 3

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.																Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430							0830			1430			Rain (4)	Thunder
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good		
			knots	knots																						
January	S/N	NE/N	3	6	1.8	3.5	0.2	1.3	8	14	8	1	0	0	6	21	4	0	0	1	30	0	0	31	3	3
February	E/S/N	NE	4	7	1.4	2.8	0.1	1.6	9	13	5	0	0	2	10	13	2	0	0	0	27	0	0	27	0	1
March	S	NE/E/N	3	7	2.2	3.9	0.0	2.5	2	19	9	1	0	1	5	20	5	0	0	0	31	0	0	31	3	5
April	S	S/SW/N	3	4	4.0	4.6	1.8	2.9	1	6	16	2	5	0	0	21	7	0	0	0	30	0	0	28	19	17
May	S	N	4	5	2.7	4.2	0.9	2.7	3	14	14	4	0	0	3	25	3	0	0	0	31	0	0	31	10	11
June	N	NW/N	4	5	4.4	4.9	2.1	3.1	2	7	10	6	5	0	0	17	11	2	1	0	29	0	0	30	12	10
July	N	NE/S/N	4	5	5.0	5.2	2.5	3.4	2	1	12	12	4	0	0	20	11	0	0	0	31	0	0	31	14	10
August	N	N	4	4	4.3	5.0	1.8	3.3	1	6	14	8	2	0	1	23	3	4	0	0	31	0	0	31	18	11
September	N	NE/N	4	5	2.7	4.3	1.1	3.2	4	14	7	4	1	0	1	24	5	0	0	0	30	0	0	30	6	3
October	N	N	4	5	3.4	4.9	0.9	3.3	3	6	14	4	2	0	0	23	6	0	1	0	28	0	0	29	16	15
November	S/N	NE/N	4	5	3.2	4.8	0.3	3.2	1	13	11	4	1	0	0	21	9	0	1	0	29	0	0	30	8	7
December	S/N	NE/N	4	6	1.4	4.0	0.0	3.0	3	13	3	2	0	1	4	22	4	0	1	1	29	0	1	30	6	4
Year	S/N	NE/N	4	5	3.0	4.3	1.0	2.8	49	126	119	48	20	4	30	250	70	6	4	2	356	0	1	359	115	97

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6½ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT TORORO IN 1953.

Latitude 00° 42'N Longitude 34° 10'E Altitude 4022 feet. Standard Time = G.M.T. + 3 hours.

Month	Atmospheric Pressure (1)		Temperature				Extremes of Temperature							Relative Humidity		Rainfall		
			Dry Bulb		Dew Point						Mean	Mean	Max. + Min.	Mean			Max. Fall	
	0830	1430	0830	1430	0830	1430	Max.	Date	Min.	Date	Max.	Min.	2	Range	0830	1430	Total	in 24 hrs.	Date
	mb.	mb.	°F	°F	°F	°F	°F		°F		°F	°F	°F	°F	%	%	ins.	ins.	
January	875.9	872.6	71.0	85.6	56.3	52.9	92.8	23	58.3	30	88.8	61.5	75.1	27.3	60	33	1.14	0.62	12
February	874.5	871.3	73.7	90.4	52.6	49.5	97.0	21	54.2	1	92.3	63.3	77.8	29.0	48	25	0.46	0.29	25
March	875.2	871.5	73.2	87.7	58.4	56.1	94.8	31	60.9	2,25	89.7	63.8	76.7	25.9	60	34	1.92	0.64	23
April	876.5	873.2	70.8	81.0	63.2	63.1	91.0	6	61.0	25	82.5	63.3	72.9	19.2	77	55	8.46	1.00	13, 28
May	876.7	873.9	71.1	80.1	63.4	63.8	86.0	15	59.6	27	82.6	62.6	72.6	20.0	77	58	5.32	1.33	15
June	877.7	875.3	69.1	79.6	62.5	63.0	84.0	24	59.9	24	80.8	62.1	71.5	18.7	80	57	2.06	0.67	25
July	877.8	875.6	67.8	79.5	60.5	60.0	84.0	24	56.7	19	81.0	60.3	70.7	20.7	78	51	3.49	1.98	18
August	877.8	875.4	68.6	78.9	62.3	61.8	85.0	5	57.0	31	81.0	61.3	71.1	19.7	80	56	4.21	1.06	19
September	876.9	874.0	70.1	82.6	60.1	59.1	89.0	24, 29	58.0	9	84.6	60.7	72.7	23.9	71	46	2.29	0.81	19
October	876.5	873.3	70.4	81.8	62.3	62.8	88.9	8	58.3	17	84.5	61.6	73.1	22.9	76	53	4.06	0.98	16
November	876.4	873.1	69.7	80.7	62.6	62.7	88.0	12	58.3	11	82.8	61.2	72.0	21.6	78	55	5.26	0.74	6
December	875.7	872.6	69.2	83.1	60.0	59.4	89.0	9, 10	55.0	30	85.0	60.6	72.8	24.4	73	45	2.79	1.74	19
Year	876.5	873.7	70.4	82.6	60.3	59.5	97.0	Feb. 21	54.2	Feb. 1	84.6	61.9	73.3	22.7	72	47	41.46	1.98	July 18

Month	Prevailing Wind Direction (2)		Mean Wind Speed		Cloud Amount (eighths) and Frequency of Total Cloud.																Frequency of Visibility (3)						No. of days of	
					Total		Low		0830					1430							0830			1430			Rain (4)	Thunder
	0830	1430	0830	1430	0830	1430	0830	1430	0	1-2	3-5	6-7	8	0	1-2	3-5	6-7	8	Fog	Mist or Haze	Good	Fog	Mist or Haze	Good		
			knots	knots																						
January	E	W/NW	6	10	6.0	6.9	0.6	4.1	1	6	3	2	19	0	0	6	6	19	0	16	15	1	13	17	4	8
February	NE/SE	W-N	7	10	7.7	7.5	0.3	3.5	0	1	0	0	27	0	0	3	2	23	0	9	19	0	12	16	2	8
March	E-SE	W	5	9	7.1	8.0	1.0	6.2	0	3	1	3	24	0	0	2	3	26	0	0	31	0	0	31	6	24
April	E-SE	SW-N	5	9	7.8	7.6	2.0	5.6	0	0	1	0	29	0	0	0	6	24	0	0	30	0	0	30	21	22
May	NE-SE	W	2	4	6.6	6.4	1.3	4.5	2	1	2	4	22	0	2	6	4	19	0	0	31	0	2	29	16	22
June	E/W	W	2	5	7.2	6.9	1.2	4.8	0	1	3	1	25	0	0	4	6	20	0	0	30	0	0	30	10	18
July	E/W	W/NW	2	6	5.2	6.5	0.9	4.7	0	7	7	7	10	0	1	5	8	17	0	0	31	0	0	31	9	17
August	E/SE/NW	W	3	6	6.6	7.4	2.3	5.5	0	1	5	4	21	0	0	0	3	28	0	6	25	0	0	31	18	17
September	E/NW	SW-NW	2	8	5.8	6.7	2.0	5.4	4	3	2	2	19	0	0	5	11	14	0	0	30	0	1	29	11	20
October	E/W	WSW-N	2	6	7.1	7.2	1.6	5.1	0	2	0	5	24	0	0	1	11	19	0	0	31	1	0	30	13	28
November	E/SE	W-N	2	6	5.5	6.7	1.7	4.5	0	7	3	6	14	0	0	6	8	16	0	0	30	0	2	28	20	19
December	E-S	W/N	3	5	4.3	4.9	1.1	3.7	1	11	5	5	9	0	6	10	10	5	1	4	26	0	3	28	10	9
Year	E-SE	W-N	3	7	6.4	6.9	1.3	4.8	8	43	32	39	243	0	9	48	78	230	1	35	329	2	33	330	140	212

Notes: (1) Pressure is given at Station Level.
(2) Two wind directions separated by a solidus (/) mean that there were these two predominant directions: two directions separated by a hyphen (-) mean that the wind was from between these two directions.
(3) The following definitions are used in this table: Fog = visibility less than 1100 yards; Mist or Haze = visibility 1100 yards to 6 miles; Good = Visibility 6¼ miles or over.
(4) A day of rain is one on which 0.01 inch or more of rain falls.