NORSK METEOROLOGISK ÅRBOK

1946

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

QC
989
.N8
N6
1946

LIBRARY
APR 2000
National Oceanic &
Atmospheric Administration
U.S. Dept. of Commerce

PRIS KR. 10.00

TRYKT HOS GRØNDAHL & SØN · OSLO 1947

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

INNHOLD

	Side
Meteorologiske stasjoner, instrumenter og observasjoner	V
Forklaringer til tabellene	VII
Stasjonskart	XI
Symboler	XII
Stasjonsfortegnelse	XIV
Rettelser	XVI
De bearbeidede data fra registreringene av lufttrykk, lufttemperatur, relativ fuktighet, vind og nedbør for 1946 i Oslo (Blindern)	1
Avvikelser i det midlere lufttrykk og middeltemperaturene i 1946 fra normalverdiene for perioden 1901—30	15
Sjøtemperaturen på 10 representative kyststasjoner	15
Daglige observasjoner (Ekstensotabell) i Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) og Tromsø	16
Måneds- og årsoversikter for 138 stasjoner	40
Pentademidler av lufttemperaturene for 36 stasjoner	96

CONTENTS

	Page
Meteorological stations, instruments and observations	V
Explanatory notes to the tables	VII
Map of stations	XI
Symbols	XIII
List of stations	XIV
Corrigenda	XVI
Data of atmospheric pressure, air temperature, relative humidity, wind and precipitation obtained from recording instruments at Oslo (Blindern) 1946	1
Departures of mean pressures and mean air temperatures for 1946 from the normals for the period 1901—1930	15
Sea surface temperature at 10 representative coastal stations	15
Individual observations (Ekstensotabell) at Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) and Tromsø	16
Monthly and annual summaries for 138 stations	40
Five-day means of the temperatures for 36 stations	96

METEOROLOGISKE STASJONER, INSTRUMENTER OG OBSERVASJONER

Antallet av meteorologiske stasjoner som var i drift i 1946, bortsett fra nedbørstasjonene, var 188, hvori er medregnet en stasjon på Spitsbergen (d. e. Isfjord Radio), en på Hopen, en på Bjørnøya (Bear Island) og en på Jan Mayen. Av stasjonene har 134 sendt værtelegrammer, mens 54 bare sendte månedsrapporter. Alle stasjoner har observert kl. 8, 14 og 19 M.E.T. Omtrent halvparten av de telegraferende stasjoner observerte også kl. 2, 5, 11 og 17 M.E.T., og stasjonene på lufthavnene tok timevise observasjoner. Den klimatologiske statistikk er basert på observasjonene kl. 8, 14 og 19 M.E.T.

Denne årboken inneholder de samme stasjoner som den forrige. Med hensyn til de enkelte stasjoner er følgende å bemerke:

Dombås: Nedbørstolpen ble flyttet ca. 7 m mot ENE 20 juni 1946. Den har nå samme plass som før den ble flyttet av tyskerne i september 1944.

Nesbyen: Stasjonen ble flyttet ca. 2 km mot ESE 1 mars 1946. Den nye stasjonen heter Nesbyen II.

Horten: Stasjonen ble nedlagt 6 juni 1946. Fra samme dag er nedbørstasjonen Ramnes i drift som telegraferende værstasjon.

Ferder: Barometeret ble flyttet til et annet rom 25 juli 1946. Den nye H_b er 9.2 m.

Oksøy: Barometeret ble flyttet til et annet rom 8 august 1946. Den nye H_b er 13.0 m.

Fanaråken: Nedbørstolpen ble flyttet ca. 70 m mot ESE 1 januar 1946.

Nordli: Stasjonen har vært ute av drift siden 8 mai 1945. Den ble flyttet ca. 750 m mot SE og satt i drift igjen 21 september 1946.

Leka: Instrumenthytta og nedbørstolpen ble flyttet ca. 40 m mot S 13 juni 1946.

Alstahaug: Stasjonen ble nedlagt 30 juni 1946.

Ytteren i Rana: Stasjonen ble flyttet ca. 2½ km mot SE 14 juli 1946. Den nye stasjonen heter Mo i Rana II.

METEOROLOGICAL STATIONS, INSTRUMENTS AND OBSERVATIONS

The number of meteorological stations in operation during 1946, not counting the rainfall stations, was 188, including one station at Spitsbergen (i. e. Isfjord Radio), one on Hopen, one on Bjørnøya (Bear Island) and one on Jan Mayen. Telegraphic reports were received from 134 stations, the remaining stations furnishing monthly returns only. All stations made observations at 8, 14 and 19 hours M.E.T. About 50 per cent of the telegraphic reporting stations made observations also at 2, 5, 11 and 17 hours M.E.T., and stations situated at airodromes made hourly observations. The climatological statistics refer to the observations made at 8. 14 and 19 hours M.E.T.

This Year Book contains the same stations as the previous one. With regard to the individual stations, the following changes may be noted:

Dombås: The rain-gauge was moved about 7 metres towards ENE on June 20th 1946. It has now the same place as before it was moved by the Germans in September 1944.

Nesbyen: The station was moved about 2 km towards ESE on March 1st 1946. The new station is named Nesbyen II.

Horten: The station was discontinued on June 6th 1946. From the same day the rainfall station Ramnes is in operation as telegraphic reporting station.

Ferder: The barometer was moved to an other room on July 25th 1946. The new H_b is 9.2 metres.

Oksøy: The barometer was moved to an other room on August 8th 1946. The new H_b is 13.0 metres.

Fanaråken: The rain-gauge was moved about 70 metres towards ESE on January 1st 1946.

Nordli: The station has been out of operation since May 8th 1945. It was moved about 750 metres towards SE and started operating again on September 21st 1946.

Leka: The thermometer screen and the rain-gauge were moved about 40 metres towards S on June 13th 1946.

Alstahaug: The station is discontinued since June 30th 1946.

Ytteren i Rana: The station was moved about 2½ km towards SE on June 14th 1946. The new station is named Mo i Rana II.

Ingøy: Månedsskjemaene for januar—april og oktober—desember 1946 er ikke kommet til Instituttet.

Lufttrykket ble observert på 74 stasjoner, men lufttrykksobservasjonene er bearbeidet klimatologisk bare for 29 stasjoner. Stasjonsbarometrene er kvikksølvbarometre av Fuess eller Negretti Zambra konstruksjon. Av stasjonene er 67 utstyrt med barograf.

Lufttemperaturen og minimumstemperaturen ble observert på 165 stasjoner, og på 39 av disse ble også maksimumstemperaturen observert. Mens lufttemperaturen blir observert kl. 8, 14 og 19, blir ekstremtemperaturene avlest bare kl. 8 og 19. Termometrene er hovedsakelig Küchler-termometre inndelt i $^1/_5°$ C. De fleste maksimums- og minimumstermometre er inndelt i $^1/_1°$ C, og resten er inndelt i $^1/_2°$ C. 38 stasjoner er utstyrt med termograf av Fuess eller Richard typen.

152 stasjoner er utstyrt med instrumenthytte av tre, 9 med vindusbur og 4 stasjoner har aspirert termometer. 23 stasjoner er ikke utstyrt med instrumenter og utfører bare visuelle observasjoner for flygeværtjenesten.

Temperaturen i havoverflaten ble målt hver dag kl. 14 på 12 representative kyststasjoner.

Luftens fuktighet ble målt på 112 stasjoner, hvorav de fleste er utstyrt med Russeltvedts torsjonshygrometer. Bare noen få stasjoner er utstyrt med psykrometer. Hva slags fuktighetsinstrument hver enkelt stasjon har, fremgår av stasjonsfortegnelsen på side XIV. 21 stasjoner er også utstyrt med hygrograf. Fuktighetsmålinger foretas bare på de stasjoner som har instrumenthytte, og der er fuktighetsinstrumentet anbrakt i hytta.

Vindens retning og styrke observeres på alle stasjonene, og på de fleste noteres også den maksimale vindstyrke mellom observasjonsterminene. 75 stasjoner er utstyrt med vindfløy eller vaker, på de øvrige stasjoner bedømmes vindretningen etter skjønn. 34 stasjoner er utstyrt med registrerende vindmålere, på de øvrige bedømmes vindstyrken skjønnsmessig etter Beauforts skala.

Nedbørmengden (smeltevannet når det er snø eller hagl) blir målt på samtlige stasjoner kl. 8 M.E.T. I den årstid nedbøren vesentlig faller som snø, benyttes en snømåler. Både regn- og snømålerne har en samleflate på 225 cm². 55 stasjoner er utstyrt

Ingøy: The monthly reports for January—April and for October—December 1946 have not arrived at the Institute.

Atmospheric pressure was observed at 74 stations, but only the observations from 29 of these have been included in the climatological statistics. The station barometers are mercurial barometers of the Fuess or of the Negretti Zambra pattern. 67 stations are supplied with barographs.

Observations of air temperature and minimum-temperature were made at 165 stations, and 39 of these observed also the maximum temperature. Whilst the air temperature observations are made at 8, 14 and 19 hours, the extreme temperatures are observed at 8 and 19 hours. The thermometers are mostly of the Küchler type, graduated in fifths of degrees Centigrade. Most of the maximum and minimum thermometers are graduated in whole degrees Centigrade, the remainder being graduated in half degrees Centigrade. 38 stations are equipped with thermographs of the Fuess or Richard type.

152 stations are equipped with louvre-boarded thermometer screens, 9 stations have small screens of sheet metal with window exposure and 4 stations use ventilated thermometers. 23 stations are not equipped with instruments and furnish only visual observations for aviation reports.

The temperature of the sea surface was observed daily at 14 hours at 12 representative coastal stations.

Humidity observations were made at 112 stations, most of which are equipped with Russeltvedt torsion hygrometer. A few stations are equipped with wet-bulb thermometers. The type of hygrometer used at each station is indicated in the list of stations on page XIV. 21 stations are also equipped with hygrographs. Humidity observations are made only at stations equipped with an instrument screen, the humidity instrument being mounted in the screen.

The direction and the force of the wind are observed at all stations, and almost all stations furnish reports of the maximum wind force occurring between the standard times of observations. 75 stations are equipped with a wind vane or a «wind sleeve», the remaining stations estimating the wind direction. 34 stations are equipped with wind recorders, and the remaining stations estimate the wind force according to the Beaufort scale.

The amount of precipitation (melted when snow or hail) is measured by all stations at 8 hours M.E.T. During the time of the year when the precipitation is mainly falling as snow, a snow-gauge is used. Both the rain-gauge and the snow-gauge have a

med Nipher vindskjerm, og 6 stasjoner er også forsynt med pluviograf. Når det er snø på bakken, observeres snødybden og snødekket hver dag kl. 8.

Været, skydekket, synsvidden og nedbørslags samt været mellom observasjonsterminene observeres på samtlige stasjoner.

Av registreringene er bare verdiene fra Oslo (Blindern) tatt inn i Årboken.

FORKLARINGER TIL TABELLENE

Tabellene er satt opp i overensstemmelse med de vedtak som ble gjort av den Internasjonale meteorologiske Organisasjon i møtene i Warszawa 1935 og i Salzburg 1937. Interpolerte verdier er angitt ved et ^{x}, de andre symboler som er benyttet er forklart på side XII.

Registreringene i Oslo (Blindern). — Verdiene i tabellene på side 1—14 er tatt ut for hver annen time av registreringene og påført de nødvendige korreksjoner. Vindhastigheten representerer den midlere hastighet i timen forut for det anførte klokkeslett. Verdiene for de øvrige elementer er momentanverdier. Ekstremverdier er trykt med fete typer. Følgende registrerinstrumenter har vært benyttet:

Sprung-Fuess kvikksølvbarograf.
Fuess termo-hygrograf nr. 18463, M.I.
Robinson skålkorsanemometer og Magneto-anemograf M.I.
Hellmann—Fuess pluviograf nr. 19415.

Ekstensotabellene. — Tabellene på side 16—39 inneholder observasjonene kl. 8, 14 og 19 M.E.T. fra Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) og Tromsø. Regnet fra venstre til høyre inneholder rubrikkene:

1. *Datum.*
2. *Lufttrykket* (P) i millibar i stasjonens nivå.
3. *Lufttemperaturen* (T) og ekstremtemperaturene (Max og Min) i Celsiusgrader.
4. *Relativ fuktighet* (U) i prosent.
5. *Vindretningen* (D) i skalaen 01—32 og vindstyrken (F) etter Beaufort-skalaen.
6. *Synsvidden* (V) i skalaen 0—9, hvor 9 betyr synsvidde større enn 100 km.
7. *Skydekket* (N) i skalaen 0—10, og været (w) ved observasjonsterminene uttrykt ved symbolene på side XII.
8. *Nedbørhøyden* (R) i mm.

collecting surface of 225 sq.cm. 55 stations are equipped with a Nipher wind shield and 6 stations are supplied with a pluviograph. When snow is present on the ground, the depth of the snow and the snow cover is observed daily at 8 hours.

Observations of weather, cloudiness, visibility, type of precipitation and past weather are made by all stations.

Only data obtained from the recording instruments at Oslo (Blindern), are included in the Year Book.

EXPLANATORY NOTES TO THE TABLES

The tables are arranged in accordance with the decisions made by the International Meteorological Organisation at the meetings in Warsaw 1935 and Salzburg 1937. Interpolated values are indicated by superscript x, other symbols used are defined on page XIII.

Data obtained from recording instruments at Oslo (Blindern). — The values given in the tables on pp. 1—14 are obtained from the bi-hourly readings of the self recording instruments appropriately corrected. The values for wind speed represent the mean values through a period of one hour prior to the time indicated. The other elements represent instantaneous values. The extreme values are printed in bold face type. The following recording instruments have been used:

Sprung-Fuess mercury barograph.
Fuess thermo-hygrograph No: 18463, M.I.
Robinson cup anemometer and Magneto-anemograph M.I.
Hellmann—Fuess pluviograph No: 19415.

Tables of individual observations. — The tables on pp. 16—39 contain the observations made at 8, 14 and 19 hours M.E.T. at the stations Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) and Tromsø. The contents of the columns from left to right are as follows:

1. *Date.*
2. *Pressure* (P) in millibars at station level.
3. *The air temperature* (T) and the extreme temperatures (Max and Min) in degrees Centigrade.
4. *Relative humidity* (U) in per cent.
5. *Wind direction* (D) on the scale 01—32 and the wind force (F) according to the Beaufort scale.
6. *Visibility* (V) on the scale 0—9, where 9 signifies visibility in excess of 100 km.
7. *Cloud cover* (N) on the scale 0—10, and the weather (w) at the time of observation represented by the symbols given on page XIII.
8. *Amount of precipitation* (R) in mm.

9. *Snødybden* (h_s) i cm.

10. *Værforløpet* (W) i døgnet uttrykt ved symbolene på side XII.

Måneds- og årsoversikter. — Tabellene på side 40—95 inneholder måneds- og årsmidler og summer av de forskjellige elementer. Regnet fra venstre til høyre inneholder rubrikkene:

1. *Måned.*

2. *Lufttrykket i stasjonens nivå* (P_m) og lufttrykket redusert til havets overflate (P_{om}) eller til nærmeste standard-geopotensial flate. Her er gjort en unntakelse for lufttrykket på Røros og Dombås som er redusert til havet. Siden 1 januar 1944 har Eliassens[1] reduksjonstabeller vært benyttet, og disse tabeller gir verdier som for enkelte stasjoner er litt forskjellige fra dem en fikk av de tabellene som ble brukt tidligere. Lufttrykket på kyststasjonene reduseres (som før 1 januar 1944) på grunnlag av en konstant temperaturavtagen med høyden på 0.6° C pr. 100 m. For innlandsstasjonene Røros, Dombås, Rena, Flisa, Nordli og Karasjok benyttes den samme konstante temperaturgradient, og dessuten tilføyes en temperaturkorreksjon[2]) når lufttemperaturen er under 2° C.

Reduksjonen til havet av lufttrykket på Dalen i Telemark og på Vollen i Slidre utføres i overensstemmelse med Eliassens 4. metode (loc. cit. p. 10).

3. *Lufttemperaturen* (i Celsiusgrader). — Månedsmidlene (Dies) er beregnet av formelen[3])

$$M = n - k(n - \overline{\text{Min.}})$$

hvor n er midlet av observasjonene kl. 8, 14 og 19, k en faktor som varierer med årstiden og fra stasjon til stasjon,[4]) og $\overline{\text{Min}}$ er den midlere minimumstemperatur. Temperaturekstremene gjelder for døgnet regnet fra kl. 19—kl. 19.

4. *Vindfordelingen.* — Vindstyrken er gitt etter Beaufortskalaen. Vindretningen er gitt i skalaen 01—32 og henført til den nærmeste hovedkompassretning, nemlig:

N = 32, NE = 04, E = 08, SE = 12, S = 16,
SW = 20, W = 24, NW = 28

Den første tallkolonne under hver retning gir antall tilfeller med vind fra vedkommende retning, og den annen kolonne gir den midlere vindstyrke.

[1] Arnt Eliassen: On the Correction and Reduction of Barometer Readings. Geof. Publ. Vol XIII No: 11.

[2] Jahrbuch des Norwegischen Meteorologischen Instituts für 1944 S. XI.

[3] H. Mohn: Mittheilungen aus dem Norwegischen Meteorologischen Institute II. Die Temperatur der Luft. Met. Zeitschr. 1891 S. 253.

9. *Depth of snow on the ground* (h_s) in cm.

10. *Sequence of weather phenomena* (W) during the 24 hour period, expressed by the symbols defined on page XIII.

Monthly and annual summaries. — The tables on pp. 40—95 contain monthly and annual means and sums of the different elements. The contents of the columns from left to right, are as follows:

1. *Month.*

2. *Atmospheric pressure at station level* (P_m) and atmospheric pressure reduced to mean sea level (P_{om}) or to the nearest standard geopotential surface, the latter with the exception that the pressures observed at Röros and Dombås are reduced to the mean sea level. Since January 1st 1944, Eliassen's[1]) reduction tables have been in use, and these tables render results that, for some stations, differ slightly from those obtained from the tables previously used. The pressure observed at coastal stations are reduced (as prior to January 1st 1944) on the assumption of a constant lapse rate of temperature equal to 0.6° C per 100 m elevation. For the inland stations Röros, Dombås, Rena, Flisa, Nordli and Karasjok the same constant lapse rate is used, and, in addition, a temperature correction[2]) is applied when the air temperature is below 2° C. .

The reduction to mean sea level of the pressure observations at Dalen in Telemark and Vollen in Slidre is performed according to Eliassen's fourth method (loc. cit. p. 10).

3. *Air temperature* (in degrees Centigrade). — The monthly means are computed from the formula[3])

$$M = n - k(n - \overline{\text{Min.}})$$

where n is the mean of the observations made at 8, 14 and 19 hours, k a factor appropriate for the station and season[4]) and $\overline{\text{Min}}$ is the mean minimum temperature. The extreme temperatures refer to the 24-hour period from 19 to 19 hours.

4. *Wind distribution.* — The wind force is given according to the Beaufort scale. The wind direction is given on the scale 01—32, reduced to the nearest principal compass points, viz.

N = 32, NE = 04, E = 08, SE = 12, S = 16,
SW = 20, W = 24, NW = 28

The first column of figures under each direction gives the number of cases of winds from the direction indicated, and the second column of figures gives the mean wind force.

[3] B. J. Birkeland: Mittel und Extreme der Lufttemperatur. Geof. Publ. XIV. 1, Oslo 1936 S. 9—10.

[4] Jahrbuch des Norwegischen Institut für 1938, S. VIII und 35.

5. *Relativ fuktighet* (i prosent). — På stasjoner hvor Russeltvedts torsjonshygrometer blir brukt, tas den relative fuktighet ut av tabeller som er beregnet for hvert instrument. Fuktighetene som observeres med psykrometer blir omregnet til relativ fuktighet ved hjelp av Jelineks tabeller når temperaturen er over frysepunktet og ved hjelp av Birkelands[5]) tabeller når temperaturen er under frysepunktet. Den relative fuktighet refererer alltid til metningstrykket over vann.

Månedsmidlet er beregnet av Køppens formel

$$M = q + c(2p—q)$$

hvor q er midlet av morgen- og aftenobservasjonene, p midlet av middagsobservasjonene og c er en faktor som varierer med stedet og tiden.[6])

6. *Skydekket* (i skalaen 0—10). — Månedsmidlene beregnes særskilt for morgen-, middags- og kvelds-observasjonene og summen av disse deles med 3.

7. *Nedbøren* (i mm). — Nedbørhøyden blir målt kl. 8, og gjelder for de foregående 24 timer. Månedssummene er gitt på nærmeste hele mm og det samme er også tilfelle med de maksimale nedbørhøyder (Max).

8. *Antall dager med visse fenomener.* — Når det gjelder nedbørmengden, regnes døgnet fra kl. 8 til kl. 8, i forbindelse med andre fenomener regnes det fra kl. 19 til kl. 19.

Som nedbørdager regnes alle dager når nedbørhøyden er 0.1 mm eller mer. Dager med sludd telles opp for seg og tas dessuten med i kolonnene under dager med regn og dager med snø. Likeledes telles også antall dager med yr opp som dager med regn når nedbørmengden er 0.1 mm eller mer. Til antall dager med yr, hagl og tordenvær regnes alle dager da slike fenomen er forekommet, uten hensyn til nedbørhøyden. Dessuten skjelnes mellom tåke og tåkedis ettersom den tilhørende synsvidde er mindre eller større enn 1 km. Hvis tåke og tåkedis har forekommet på samme dag, regnes dagen som tåkedag. Som solskinnsdag regnes alle dager da solskinn er forekommet uten hensyn til varigheten. Som klare dager regnes dager på hvilke summen av skydekketallene kl. 8, 14 og 19 er 5 ($^5/_{10}$) eller mindre. På samme vis regnes hver dag når summen av skydekketallene kl. 8, 14 og 19 er 25 ($^{25}/_{10}$) eller mer, som en overskyet dag. Dager med snødekke er dager når $^3/_4$ eller mer av bakken er dekket med snø.

[5]) B. J. Birkeland: Neue Feuchtigkeitstafeln für das Psychrometer unter dem Gefrierpunkt, Christiania, 1907, Vorwort.

5. *Relative humidity* (in per cent). — At stations where Russeltvedt's torsionshygrometers are used, the relative humidity is obtained from tables computed for each instrument. Humidities observed by psychrometers are converted to relative humidity by the aid of Jelinek's tables when the temperature is above freezing and by aid of Birkeland's[5]) tables when the temperature is below freezing. Throughout, the relative humidity refers to saturation over water. The monthly means are computed from Køppen's formula

$$M = q + c(2p—q)$$

where q denotes the mean of the morning and the evening observations, p the mean of the midday observations and c is a factor appropriate for the station and the season.[6])

6. *Amount of cloud cover* (on the scale 0—10). — The monthly means are computed separately for the morning, midday and evening observations, and the sum of these is divided by 3.

7. *Amount of precipitation* (in mm). — The amount of precipitation is measured at 8 hours and refers to the preceding 24-hour period. The monthly sums are given to the nearest mm and so are also the maximum amounts (Max).

8. *Number of days with certain phenomena.* — Insofar as the amount of precipitation is concerned, the «day» is reckon'd from 8 to 8 hours, in connection with other elements the «day» refers to the period from 19 to 19 hours.

As a day with precipitation is counted any day on which the amount of precipitation is 0.1 mm or more. Days with sleet are counted separately and are also included in the columns referring to days with rain and snow. Likewise the number of days with drizzle is included in the number of days with rain when the amount of precipitation is 0.1 mm or more. As days with drizzle, hail and thunderstorm are reckoned any day on which such phenomena occurred, regardless of the amount of precipitation associated with them. Furthermore, differentiation is made between fog and mist according to whether the associated visibility is lower or higher than 1 km. If fog and mist have occurred on the same day, the day is counted as one of fog. As a day with sunshine is counted any day on which sunshine has occurred, regardless of duration. As clear days are counted days on which the sum of the amount of cloud cover at 8, 14 and 19 hours is 5 (i.e. $^5/_{10}$) or less. Similarly, as an overcast day is taken any day when the sum of the cloud cover at 8, 14 and 19 hours is 25 (i.e. $^{25}/_{10}$) or more. Finally,

[6]) Jahrbuch des Norwegischen Meteorologischen Instituts für 1920, S. XI.

Avvikelser fra normalene. — Tabellene på side 15 gir avvikelsene i det midlere lufttrykk (ΔP) og i middeltemperaturene (ΔT) i 1946 fra middelverdiene for perioden 1901—1930.

Sjøtemperaturen (T_1). — Måneds- og årsmidler for temperaturen i havoverflaten på 10 representative kyststasjoner finnes på side 15.

Pentademidler av lufttemperaturen. — Tabellene på side 96—97 viser temperaturmidlene i perioder på 5 dager for 36 utvalgte stasjoner. Midlene er beregnet av formelen

$$M = n - k(n - \overline{\text{Min}})$$

hvor n er midlet av observasjonene kl. 8, 14 og 19, k en faktor som varierer med årstiden og fra stasjon til stasjon[7]) og $\overline{\text{Min}}$ den midlere minimumstemperatur i 5-dagers perioden.

Oslo i juni 1947.

[7]) Jahrbuch des Norwegischen Meteorologischen Instituts für 1943, S. 96—97.

a day with snow cover is a day on which ¾ or more of the ground is covered by snow.

Departures from normals. — The tables on p. 15 give the departures of the mean pressures (ΔP) and the mean temperatures (ΔT) for 1946 from the mean values for the period 1901—1930.

Sea surface temperatures (T_1). — Monthly and annual means of the sea surface temperature at 10 representative coastal stations are given on p. 15.

Five-day means of temperature. — The tables on pp. 96—97 give the mean temperature for consequtive periods of 5 days for 36 selected stations. The means are computed from the formula

$$M = n - k(n - \overline{\text{Min}})$$

where n is the mean of the observations at 8, 14 and 19 hours, k a factor appropriate for the station and season[7]) and $\overline{\text{Min}}$ is the mean minimum temperature during the 5-day period.

Oslo, June 1947.


Stasjonskart
(MAP OF STATIONS)
1946
Ingøy
Vardø
Ekkerøy
Torsvåg
Tromsø
Karasjok
Sommarøy i Senja
Andenes
Gibostad
Kautokeino
Sandsøy i Senja
Dividalen
Sirdajavre
Bø i Vesterålen
Bjørnfjell
Narvik
Eggum
Offersøy
Skrova
Sørvågen
Grøtøy
Røst
Skomværfyr
Helligvær
Bodø
Fauske
Nordli
Kjevli i Snåsa
Vallersund
Sula Fyr
Ytterøy
Ørland
Solstua
Meråker
Trondheim (Voll)
Selbu
Myken
Glomfjord
Tonnes i Helgeland
Ytteren i Rana
Mo i Rana
Ona
Tingvoll
Molde
Berkåk
Gjermundnes
Sunndal
Røros
Runde
Tafjord
Ørsta
Fakstua
Dombås
Alvdal
Kråkenes Fyr
Alstahaug
Skålvær
Nordfjordeid
Opstryn
Engerdal
Ytre Rendal
Brønnøysund
Elveseter
Brandsøy i Kinn
Førde i Sunnfjord
Fanaråken
Vinstra
Kinn
Luster
Sanat
Fortun
Majavatn
Leka
Fjærland
Trysil
Leikanger
Vollen i Slidre
Lillehammer
Rena
Nordøyan
Vangshes
Lærdal
Modalen
Åbjørsbråtene
Vang på Hedmark
Ø Toten
Hellisøy Fyr
Myrdal
Fliso
Nesbyen
Nordli
Voss
Slirå
Kuljern
Vinger
Bergsdal
Haugastøl
Geilo
Bergen
(Fredriksberg)
Ullensvang
Mourset
Dagali
Syfteland
Hvam
Tryvasshøgda
Oslo (Blindern)
Modum
Indre Matre
Gaustatoppen
Asker
Sørmarka
Svene
Svandalsflona
Dikemark
Sauda
Kongsberg
Eidsberg
Horten
Ramnes
Rødø
Dalen i Telemark
Gvarv
Utsira
Brekke
Skudenes
Vefall i Drangedal
Farger
Stavanger
Tveitsund
Jomfruland
Klepp
Tonstad
Bygland sfjorden
Lyngør
Torungen Fyr
Grimstad
Glåpen
Kristiansand S
Lista
Oksøy
Mandal
Isfjord Radio
Hopen
Bjørnøya
Jan Mayen
80°
70°
60°
85°
40°
20°
0°
20°W
71°
70°
69°
68°
67°
66°
65°
64°
63°
62°
61°
60°
59°
58°
57°
56°
6°
8°
10°
12°
13°

SYMBOLER

Symboler som forekommer i rubrikkene «Skydekke og vær» og «værforløp» (Ekstensotabellene).

∞ Ølrøyk.
= Tåkedis.
≡ Tåke.
, Yr.
• Regn.
* Snø.
⁂ Sludd.
▵ Kornsnø.
◬ Iskorn.
⊷ Isnåler.
▽ Regnbyer.
▽* Snøbyer.
▽⁂ Sluddbyer.
⁑ Sprøhagl.
△ Hagl.
▲ Ishagl.
ς Kornmo.
ς̄ Tordenvær.
+ Snøfokk.
⌓ Dugg.
⌴ Rim.
∾ Is-slag.
⋁ Tåkerim.
≷ Storm (F≧9).
⊙ Solskinn.
⊕ Halo (værgard).
◑ Krans.
◠ Regnbue.
⌓ Nordlys.
n om natten.
a om formiddagen.
p om ettermiddagen.
na etter midnatt (før morgenobservasjonen).
np før midnatt (etter kveldsobservasjonen).
i med avbrytelser.
( ) blir satt omkring værfenomener som forekommer innen synsvidde (men ikke på selve stasjonen).
0 og 2 som øvre indeks betegner intensitetsgraden, 0 svakt eller lett, 2 sterkt eller tett.

Andre symboler.

P Lufttrykk.
T Lufttemperatur.
T_1 Sjøtemperatur.
U Relativ fuktighet.
D Vindretning.
v Vindhastighet.
F Vindstyrke.
C Vindstille.
V Synsvidde.
R Nedbørhøyde.
N Skydekke.
w Vær.
W Værforløp.
φ Geografisk bredde.
λ Geografisk lengde.
g Tyngdens accelerasjon.
Δ G Forskjellen mellom den benyttede tid og Greenwich tid.
H_s Stasjonens høyde over havet.
H_b Barometerets høyde over havet (overkant av kvikksølvkoppen).
h_t Høyden over marka av termometerkula.
h_a Høyden over marka av vindhastighetsmåleren.
h_d Høyden over marka av vindretningsmåleren (vindfløy, vaker).
h_r Høyden over marka av nedbørmålerens overkant.
Φ Geopotensial.
m som nedre indeks angir midlet av elementet.
— over betegnelsen ($\overline{\text{Max}}$, $\overline{\text{Min}}$) blir benyttet for å angi at det er en middelverdi.
Δ Avvikelse.
Σ Sum.
n Antall observasjoner.
An Årsverdi.
M Månedsverdi.
Dat Datum.
Dies Døgnmiddel.

SYMBOLS

Symbols occurring in the columns «Skydekke og vær» and «Værforløp» of the Ekstensotabell.

∞ Haze.
= Mist.
≡ Fog.
, Drizzle.
• Rain.
* Snow.
⁂ Sleet.
⁂ Granular snow.
△ Grains of ice.
↣ Ice needles.
∀ Shower of rain.
∀ Shower of snow.
∀ Shower of rain and snow (sleet).
⁎ Soft hail.
△ Small hail.
▲ Hail.
ϟ Distant lightning.
ϟ Thunderstorm.
+ Drifting snow.
⌓ Dew.
⌴ Hoarfrost.
∾ Glazed frost.
∨ Soft rime.
≋ Gale ($F_x \overline{>} 9$).
⊙ Sunshine.
⊕ Solar halo.
⏀ Solar corona.
∩ Rainbow.
⌓ Aurora Borealis.
n in the night.
a in the forenoon.
p in the afternoon.
na after midnight.
np before midnight.
i intermittent.
( ) brackets are used to indicate weather phenomena occurring in the neighbourhood of the station, but not at the station itself.
0 and 2 appearing as superscript indicate the intensity of the weather phenomena, such that 0 = slight or weak, and 2 = heavy or thick.

Further symbols.

P Atmospheric pressure.
T Air temperature.
T^1 Sea surface temperature.
U Relative humidity.
D Wind direction.
v Wind speed.
F Wind force.
C Calm.
V Visibility.
R Amount of precipitation.
N Amount of cloud cover.
w Weather.
W Sequence of weather.
φ Latitude.
λ Longitude.
g Acceleration of gravity.
Δ G Difference between the time used and Greenwich time.
H_s Height of station above mean sea level.
H_b Height of the barometer cistern above mean sea level.
h_t Height above the ground of the thermometer bulb.
h_a Height above the ground of the anemometer.
h_d Height above the ground of the wind vane.
h_r Height above the ground of the collecting surface of the precipitation gauge.
Φ Geopotential.
m as subscript, indicate the mean value of an element.
— (e.g. $\overline{\text{Max}}$, $\overline{\text{Min}}$) indicates a mean value.
Δ Departures.
Σ Sum.
n Number of observations.
An Annual value.
M Monthly value.
Dat Date.
Dies 24-hour means.

STASJONSFORTEGNELSE

(List of Stations).

Stasjon (Station)	Side (Page)	φ N	λ E Gr.	z	H_S m	H_b m	h_t m	h_a m	h_d m	h_r m	Frkt. Instrum.[1])	Obs. av max. vindst.	Observasjonstider. Mellomeurop. tid			Observator (Observer)
Åbjørsbråten	42	60° 55′	9° 18′		635		1.8		13.0	1.6		Fx	8	14	19	O. Åbjørsbråten, gårdbruker.
Ås	15, 52, 96	59 40	10 46		95		2.1		7.4	1.7	R	Fx	8	14	19	Halvor Tønseth, kontrollassistent.
Alstahaug	82	65 54	12 33		ca. 8		2.0			1.2	R	Fx	8	14	19	Irgens Kirkhus, gårdbruker.
Alvdal	40, 96	62 1	10 48		485		1.8			1.5	R	Fx	8	14	19	Fru Marit Nordrum Søgård.
Andenes	15, 90	69 19	16 7	9.826	5	6.5	1.9	10.9	10.2	1.7	R	Fx	8	14	19	Aron Th. Hanssen, fyrmester.
Asker	48	59 51	10 26		157		1.9			2.0		Fx	8	14	19	Statens Småbrukslærerskole.
Bergen (Fredriksb.)	15, 22, 66	60 24	5 19	9.819	43	44.4	1.8	10.7	10.3	1.3	A,R	Fx	8	14	19	Anton Bakke, vaktmester.
Bergsdal	66	60 32	6 3		540		1.9			2.9		Fx	8	14	19	Fru Martha Bjørlo.
Berkåk	78	62 50	10 1		425		1.8		10.2	1.8	R	Fx	8	14	19	J. Asphaug, kjøpmann.
Bjørnfjell	86	68 26	18 4		514		1.9			2.4		Fx	8	14	19	Hagen Sundsfjord, stasjonsmester.
Bodø	15, 84, 97	67 17	14 28	9.824	33	35.0	1.8	15.0	15.0	1.7	R	Fx	8	14	19	Hans B. Hansen, forsøksassistent.
Brandsøy i Kinn	70, 97	61 37	5 8		10		3.8			2.2		Fx	8	14	19	J. E. Søfteland, planteskolebestyrer.
Brekke Sluse	54	59 9	11 34		114		2.0			1.5		Fx	8	14	19	Harald Thorsen, slusemester.
Brønnøysund	15, 82, 97	65 28	12 12	9.823	4	5.3	2.0		8.8	1.5	R	Fx	8	14	19	Peter Olsen, kirketjener.
Bø i Vesterålen	88	68 37	14 27		7		2.0			1.8		Fx	8	14	19	Frøken Valborg Henriksen.
Byglandsfjord	15, 88, 96	58 40	7 48		207		1.9		10.9	1.7	R	Fx	8	14	19	Ole A. Guldsmedmoen, gårdbruker.
Dagali	15, 50	60 25	8 26		887		2.0		11.2	1.1	R	Fx	8	14	19	Frøken Ragnhild Aasberg.
Dalen i Telemark	15, 54	59 27	8 0	9.818	77	79.1	2.0		9.0	1.6	R		8	14	19	Arne Bergland, snekkermester.
Dikemark	48	59 48	10 23		180		2.0	15.3	15.0	2.0	R		8	14	19	Gunnar Aas, gårdsbestyrer.
Dividalen	15, 92	68 47	19 44		202		1.5			1.2		Fx	8	14	19	Joh. Stenvold, forstmann.
Dombås	15, 40, 96	62 4	9 7	9.819	643	647.1	1.9			1.8	R	Fx	8	14	19	Sverre Hodneland, telegrafbestyrer.
Eggum	15, 88	68 18	13 41		4		1.7			1.8	R	Fx	8	14	19	Hans Eggvin, lærer.
Eidsberg	52, 96	59 30	11 17		140		1.9		9.1	1.6		Fx	8	14	19	Olav Bakka, gårdbruker.
Ekkerøy	92	70 4	30 6		7		1.7			1.9		Fx	8	14	19	Einar Nielsen, snekker.
Elveseter	42	61 42	8 17		675		1.9			1.6	R	Fx	8	14	19	Olav Lilleødegården, gårdsbestyrer.
Engerdal	15, 40	61 41	12 1		479		2.0		15.0	1.8	R	Fx	8	14	19	Fru Gunvor Sletmoen.
Fanaråken	70	61 31	7 54	9.816	2062	2070.3	4.2	9.7	9.7	3.0	A,R	Fx	8	14	19	Observatoriet.
Fauske	84	67 15	15 23		14		1.9			1.7		Fx	8	14	19	Oistein Dragland, telegrafbestyrer.
Ferder	15, 54	59 2	10 32	9.819	6	9.2	2.1	9.0	9.0	1.0	R	Fx	8	14	19	M. Markussen, fyrmester.
Fjærland	68	61 26	6 46		5		1.9		12.0	1.2	R	Fx	8	14	19	Ivar Bøium, gårdbruker.
Flisa	15, 46, 96	60 37	12 1		183		1.9		8.2	1.5	R	Fx	8	14	19	Fru Ingeborg Sorknes.
Fokstua	42	62 7	9 17		952		1.8		6.8	1.5	R	Fx	8	14	19	P. S. Kolstad, jernbaneekspeditør.
Fortun	70	61 30	7 42	9.820	27	29.6	1.9		6.0	1.3	R	Fx	8	14	19	Arne K. Fortun, telefonbestyrer.
Førde i Sunnfjord	70	61 27	5 51		3		1.9		14.0	1.7	R	Fx	8	14	19	Elisa Rydjord, telegrafbestyrerinne.
Gaustatoppen	52	59 51	8 40	9.815	1828	1828.8	2.1			1.3	R	Fx	8	14	19	John Solheim.
Geilo	50	60 32	8 13		795		1.9			2.6		Fx	8	14	19	Trygve Dyrgrav, stasjonsbetjent.
Gibostad	90	69 21	18 5		ca. 6		2.0			1.8	R	Fx	8	14	19	Einar Nyberg, landbrukslærer.
Gjermundnes	74	62 37	7 10		51		1.8		5.6	1.4	R	Fx	8	14	19	Finn H. Anfindsen, hagebrukslærer.
Glomfjord	84	66 49	13 59		39		1.6			1.8			8	14	19	Glomfjord kraftverk.
Glåben	60	58 22	7 27		364		1.8		6.0	1.8	R	Fx	8	14	19	Fru Andrea Rosseland.
Grimstad	58	58 20	8 36		7		1.8		5.0	1.4		Fx	8	14	19	Frantz L. Nilsen, telegrafbud.
Grøtøy	86	67 50	14 47		6		2.1			1.5	R	Fx	8	14	19	Alfred Dahl.
Gvarv	15, 54, 96	59 24	9 10		26		1.9		13.8	1.8	R	Fx	8	14	19	Fru Marie Magnussen.
Haugastøl	50	60 31	7 52		990		2.0		7.8	2.4	R	Fx	8	14	19	Fru Inez Hansen.
Helligvær	84	67 24	13 54		14		2.0			1.7	R	Fx	8	14	19	Marius Hansen, fisker.
Hellisøy Fyr	15, 66	60 45	4 43		20		1.8	12.3	12.3	1.2	R	Fx	8	14	19	Trygve Selvig, fyrmester.
Horten	52, 96	59 25	10 28		15		1.8			1.8	R	Fx	8	14	19	Fru Inga Gundersen.
Hvam	46	60 6	11 24		162		2.0		10.0	1.6	R	Fx	8	14	19	Haldor Røyne, forsøksleder.
Indre Matre	62	59 51	6 0		24		2.1			1.6		Fx	8	14	19	Arnfinn Matre, telefonbestyrer.
Ingøy	15, 92	71 4	24 9	9.827	4	7.5	1.9	7.8		1.6	R	Fx	8	14	19	Oluf Digre, radiotekniker.
Jomfruland	56	58 52	9 36		15		1.8		22.0	1.7		Fx	8	14	19	Anders Johansen Gjøen, fyrmester.
Karasjok	15, 94	69 28	25 31	9.825	131	132.3	2.1		10.0	1.7		Fx	8	14	19	Fru Anna Næss, poståpner.
Kautokeino	94	69 0	23 2		308		1.9			1.8	R	Fx	8	14	19	Fru Julie Oskal.
Kinn	15, 70	61 34	4 48	9.820	8	8.2	1.8			1.4		Fx	8	14	19	Peder Gjertsen, telefonbestyrer.
Kjevli i Snåsa	80, 97	64 10	12 29		ca. 195		2.0		11.0	1.5		Fx	8	14	19	Sverre Kjøbli, gårdbruker.
Klepp	15, 60, 97	58 48	5 38		14		1.9		12.5	1.6	R	Fx	8	14	19	Sverre Brørs, planteskolebestyrer.
Kongsberg	52	59 40	9 39		170		2.0		6.0	1.7		Fx	8	14	19	Gotfred Lofthus, brannkonstabel.
Kristiansand S.	58, 96	58 10	7 59		22		2.0		15.2	1.7	R	Fx	8	14	19	Rich. Huseby, portner.
Kråkenes Fyr	15, 72	62 2	4 59		39		2.2			1.2	R	Fx	8	14	19	Sverre Eriksen, fyrmester.
Kutjern	46	60 34	10 33		493		2.0			1.8	R	Fx	8	14	19	Gudmund Gudmundsen, telegrafist.
Leikanger	68, 97	61 11	6 52		22		2.0			1.8		Fx	8	14	19	Erling Kvale, forsøksleder.
Leka	80	65 6	11 42		50		2.0			1.7		Fx	8	14	19	Knut Leknes, gårdbruker.
Lillehammer	15, 44, 96	61 6	10 29		226		2.0		10.9	1.4	R	Fx	8	14	19	Thorleif A. Ulsaker, gårdbruker.
Lista	15, 60	58 6	6 34		13		2.1	12.0	5.7	1.6	R	Fx	8	14	19	S. Røsstad, fyrmester.
Luster Sanat.	68	61 26	7 25		502		2.0			1.9	R	Fx	8	14	19	Arne Skreiberg, gartner.
Lyngør	15, 56	58 38	9 7		2		2.0			1.3	R	Fx	8	14	19	N. C. Nielsen, tollstasjonsbestyrer.
Lærdal	15, 68	61 6	7 29	9.819	3	4.0	1.8			1.4	R	Fx	8	14	19	Fru Martha Lagmannsås.
Majavatn	80	65 13	13 22		350		2.0			1.9		Fx	8	14	19	A. Nilsen Kappfjelli, gårdbruker.

[1]) R: Russeltvedts torsjonshygr., A: Aspirasjons-psykrometer, P: Vanlig psykrometer.

Stasjon (Station)	Side (Page)	φ N	λ E. Gr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1]	Obs. av max vindst.	Observasjonstider. Mellomeuropeisk tid.	Observatør (Observer)
Mandal	58	58° 2′	7°27′		6		2.0		4.4	1.4			8 14 19	Fru Helga Nyvold.
Maurset	64	60 25	7 20		778		2.0		12.7	2.0	R	F_x	8 14 19	Leif Maurseth, gårdbruker.
Meråker	78	63 25	11 46		247		2.0		9.0	1.4	R	F_x	8 14 19	Fru Astrid Olsen.
Mo i Rana II	82, 97	66 20	14 11		25		1.9			1.6	R	F_x	8 14 19	Osvald Alternes, lærer.
Modalen	66	60 50	5 56		108		2.0			1.1	R	F_x	8 14 19	Olav Farestveidt, gårdbruker.
Modum	48, 96	59 58	9 58		133		2.0		6.6	1.3	R	F_x	8 14 19	Chr. O. Ruud, agronom.
Molde	74	62 44	7 10		50		1.9		17.3	1.7	R	F_x	8 14 19	Edv. J. Kristensen, kaptein.
Myken	15, 84	66 46	12 29		19		2.0			1.7	R	F_x	8 14 19	Petter Moe, dampskipsekspeditør.
Myrdal	64	60 44	7 7		870		1.9	9.6	7.4	2.6		F_x	8 14 19	Thorvald Johan Finkelsen, telegrafist.
Narvik	86	68 25	17 23		40		1.9		ca.9.6	1.8		F_x	8 14 19	Arne Skindlo, agronom.
Nesbyen	15, 50, 96	60 34	9 6		164		2.0		11	1.7	R	F_x	8 14 19	Frøken Asta Wøllo.
Nesbyen II	50, 96	60 34	9 8		165		2.0			1.5	R	F_x	8 14 19	Frøken Olava Kvarteig.
Nordfjordeid	72, 97	61 56	6 6		71		1.8			1.7	R		8 14 19	Fru Pernille N. F. Leivdal.
Nordli	15, 80	64 27	13 36	9.821	408	412.7	2.0			1.4		F_x	8 14 19	Bernt Elvseth, småbruker.
Nordøyan	15, 80	64 48	10 33		33		2.0	14.3	13	1.7	R	F_x	8 14 19	H. Olufsen, fyrmester.
Offersøy	15, 86, 97	68 20	15 38	9.825	16	20.4	2.1		14.1	1.7	R	F_x	8 14 19	Magnus Os, lærer.
Oksøy	15, 58	58 4	8 3	9.818	9	13.0	2.1		8.1	1.8	R	F_x	8 14 19	Kr. Torsø, fyrassistent.
Ona	15, 74	62 52	6 33	9.821	12	14.6	1.8	6		1.1	R	F_x	8 14 19	Sivert Jonas Viken, poståpner.
Opstryn	15, 72	61 56	7 13		205		1.9			1.8		F_x	8 14 19	Frøken Ingebjørg Skåre.
Oslo (Blindern)	1, 15, 16, 48	59 56	10 44	9.819	94	95.6	2.0	25.2	25.6	1.5	R	F_x	8 14 19	Olsen, Bakken, vaktmestere ved Met. Inst.
Ramnes	52, 96	59 21	10 15		44		1.9			1.6	R	F_x	8 14 19	Hans Flåtten, lensmann.
Rena	44, 96	61 8	11 23	9.819	225	225.6	1.3		8.0	1.2		F_x	8 14 19	Frøken Martha Alme, fotograf.
Runde	72, 97	62 24	5 39		22		1.8			1.3		F_x	8 14 19	Frk. Karoline Runde, telefonbestyrerinne.
Røros	15, 40, 96	62 34	11 23	9.819	628	629.8	1.8		14.4	1.9	R	F_x	8 14 19	Chr. F. Møllerop, stasjonsmester.
Røst	15, 88	67 30	12 4	9.826	8	10.8	2.0	16.3	15.6	1.6	R	F_x	8 14 19	Egil Andreassen, telegrafbestyrer.
Råde (Tomb)	54	59 19	10 49		14		1.9			1.5	R	F_x	8 14 19	Erling Magerøy, landbrukslærer.
Sandsøy i Senja	90	68 57	16 40		17		2.1		8.0	1.8		F_x	8 14 19	A. O. Skogsletten, kjøpmann.
Sauda	15, 62, 97	59 39	6 22		5		1.8			1.5	R	F_x	8 14 19	Oscar Pedersen, vaktsjef.
Selbu	78	63 12	11 7		197		2.0			1.4	R	F_x	8 14 19	Olav Engen, snekker.
Siĉĉajavre	15, 94	68 45	23 33		383		1.4			1.4		F_x	8 14 19	Elias Øvergård, gårdbruker.
Skomvær Fyr	15, 88	67 25	11 53		17		2.0			1.5		F_x	8 14 19	Alfred Skaar, fyrmester.
Skrova	86	68 9	14 39		11		2.0			1.7	R	F_x	8 14 19	Arild Klefstad, fyrassistent.
Skudenes II	15, 62	59 9	5 15	9.819	7	9.2	2.0		3.0	1.8	R	F_x	8 14 19	Lars Aadnesen, gårdbruker.
Skålvær	82	65 52	12 11		4		1.9			1.7		F_x	8 14 19	Henrik Jensen, kjøpmann.
Slirå	15, 64	60 37	7 25		1300		3.2	11.5	10	4.0	R	F_x	8 14 19	Sigurd Bergstrøm, banevokter.
Sommarøy i Senja	90	69 38	18 1		2		2.0			1.7		F_x	8 14 19	Konrad Olsen, tilsynsmann.
Stavanger	60	58 57	5 44		85		2.4	10.0	10.0	1.6	R	F_x	8 14 19	Conrad Gilje, pensjonist.
Sula Fyr	15, 76	63 51	8 28	9.822	27	30.0	2.0	5.4	12.2	1.6	R	F_x	8 14 19	Johan Jøstensen, fyrmester.
Sulstua	15, 78	63 40	12 1		233		1.9			1.6		F_x	8 14 19	John R. Brændmo, gårdbruker.
Sunndal	15, 74	62 33	9 7		195		2.0			1.8		F_x	8 14 19	Fru Eli Nisja.
Svandalsflona	62	59 51	6 57		1048		3.1		8.2	3.3	R	F_x	8 14 19	Torjus Svandalsflona, fjellstueeier.
Svene	15, 50	59 46	9 35		176		1.9		8.5	1.6	R	F_x	8 14 19	Fru Jørgine Hvila.
Syfteland	66, 97	60 14	5 27		53		5.6		7.5	1.2	R	F_x	8 14 19	Wilhelm Jessen, gårdbruker.
Sørmarka	46	59 48	10 49		157		2.0		11.6	1.5		F_x	8 14 19	Ludvig Lande, formann.
Sørvagen	88	67 54	13 2		20		1.9			1.4		F_x	8 14 19	O. M. Rasmussen, telegrafbud.
Tafjord	72, 97	62 13	7 26	9.821	27	29.6	2.1		14.5	1.4	R	F_x	8 14 19	Joh. Andersen, maskinmester.
Tingvoll	76, 97	62 50	8 19		51		1.8		9.7	1.6	R	F_x	8 14 19	P. Oftedal, maskinmester.
Tonnes i Helgeland	82	66 31	13 1		15		2.2			2.0		F_x	8 14 19	Alf Samuelsen, telegrafbestyrer.
Tonstad	15, 60	58 40	6 42		57		2.0		9.5	1.4	R	F_x	8 14 19	Fru Thrine Bjunes.
Torsvåg	92	70 15	19 30		22		1.9	4.8		1.8	R	F_x	8 14 19	Einar Solem, fyrmester.
Torungen Fyr	15, 56	58 24	8 48		12		2.0			1.4		F_x	8 14 19	Christen S. Andersen, fyrassistent.
Tromsø	15, 34, 90, 97	69 39	18 57	9.825	102	114.5	2.8	12.3	20.7	1.7	R	F_x	8 14 19	K. Lukkassen, vaktmester ved Vervarslinga.
Trondheim (Voll)	15, 28, 76, 97	63 25	10 27	9.821	127	133.0	2.0		11.2	1.3	R	F_x	8 14 19	Ole Tuset, småbrukskandidat.
Tryvi	44	61 20	12 15		363		1.9			1.5	R	F_x	8 14 19	Magnus Holt, urmaker.
Tryvasshøgda	48	59 59	10 41		512		2.1		20.3	2.0	R	F_x	8 14 19	Widding-Danielsen, telegraffullmektig.
Tveitsund	56	59 2	8 31		252		2.0			1.5		F_x	8 14 19	Frøken Inger Tveit.
Ullensvang	15, 64, 97	60 19	6 40	9.819	15	12.3	2.4		8.5	1.8	R	F_x	8 14 19	Fru Marita Aarhus.
Utsi	62	59 18	4 53		55		2.1			1.5	R	F_x	8 14 19	Fridtjov Aspen, fyrmester.
Valderøsund	76, 97	63 51	9 44		4		2.0		7.8	1.4		F_x	8 14 19	Kåre Stenstvedt, telefonbestyrer.
Vang på Hedm.	15, 44, 96	60 49	11 11		222		1.9		14.7	1.3	R	F_x	8 14 19	Nils Wangensten, håndverkslærer.
Vardø	68	61 10	6 39		53		2.0		5.7	1.8		F_x	8 14 19	Ole Larsen telefonbestyrer.
Varø	15, 92	70 22	31 6	9.826	10	12.1	2.0	9.2	10.0	1.8	R	F_x	8 14 19	Frøken Ingerid Øien.
Vefsn i Drangedal	56	59 0	9 13		68		2.0		12.3	1.6	R		8 14 19	Hans Lauvtangen.
Vinje	46	60 13	12 1		175		2.0			1.5	R	F_x	8 14 19	Karstein Seland, småbrukslærer.
Vinstra	15, 42, 96	61 36	9 45		241		2.1			1.6	R		8 14 19	Anton P. Thorsheim, smed.
Vohler i Slidre	15, 42, 96	61 6	8 58	9.819	403	404.6	2.0		12.0	1.7	R	F_x	8 14 19	Frøken Olga Breyholtz.
Voss	64	60 38	6 26		62		2.0			1.7	R	F_x	8 14 19	Torstein Seim, vaktmester.
Vtrumdal	40	61 41	11 12		253		1.9		14.5	1.6		F_x	8 14 19	Fru Kjellaug Aasheim, Berget, poståpner.
Vttern i Rana	82, 97	66 21	14 8		20		1.9			1.6	R	F_x	8 14 19	Frk. Othea Hjerpaas, telefonbestyrerinne.
Vttern	78	63 48	11 13		74		1.9		9.5	1.5	R	F_x	8 14 19	Kristian Henning, gårdbruker.
Ørlandet	76	63 41	9 40		12		1.9		11.1	1.5	R	F_x	8 14 19	Petter Arnet, agent.
Ørsta	74	62 12	6 7		ca. 40		1.6			1.6	R	F_x	8 14 19	Erik Berg, skogassistent.
Ø. Toten	44, 96	60 42	10 53		270		2.0		10.7	1.7			8 14 19	Konrad Finstad, agronom.

[1]) R: Russeltvedts torsjonshygr., A: Aspirasjons-psykrometer, P: Vanlig psykrometer.

Rettelser.

(Corrigenda)

I «Jahrbuch des Norwegischen Meteorologischen Instituts» for:	Står (Instead of)	Skal være (Read)
1924. S. 117. Svandalsflona. Oktober, Bewölkung I	6.7	6.9
» » » » » » I Mittel	6.9	7.0
» » » » » Zahl der Tage mit Trübe	13	14
» » » » Jahr, » » » » »	198	199
1929. S. 91. Fokstua. Februar, Zahl der Tage mit Sturm	0	2
» » » » Jahr, » » » » »	21	23
1930. S. 91. Fokstua. Dezember, Zahl der Tage mit Sturm	4	2
» » » » Jahr, » » » » »	12	10
1931. S. 101. Svandalsflona. März, Zahl der Tage mit Sturm	9	3
» » » » Jahr, » » » » »	14	8
» S. 105. Slirå. Februar, Zahl der Tage mit Sturm	0	1
» » » » Jahr, » » » » »	10	11
1937. S. 135. Nordøyan. Okt. X, See-Temperatur T_1	7.8	9.9
» » » » An, » »	8.0	8.1
1938. S. 46. Rena. XI, Mittlere Lufttemperatur 19 Uhr.	0.9	0.7
» » » » 1938 » » »	5.7	5.6
» » » » XI, Lufttemperatur $\overline{\text{Min}}$	— 1.7	— 1.9
» » » » » » $\overline{\text{Min}}$	— 11.3	— 11.5
» S. 88. Ingøy. II, Mittlere Lufttemperatur, Dies.	0.2	0.3
» » » » II, Lufttemperatur, $\overline{\text{Min}}$	— 2.6	— 2.0
» » » » 1938 » $\overline{\text{Min}}$	2.3	2.4
1939. S. 48. Oslo (Blindern) 1939 Mittlere Lufttemperatur 19 Uhr.	8.0	7.1
» » 88. Alta. VII, Mittlere Lufttemperatur, Dies	14.0	13.9
» » » » » Lufttemperatur $\overline{\text{Min}}$	11.0	10.7
» » » » » » $\overline{\text{Min}}$	6.1	5.8
1940. S. 123. Isfjord Radio. XII, Niederschlag Σ	43.7	40.2
» » » » » 1939 » »	362.9	359.4
1941. S. 115. Isfjord Radio. I, Niederschlag Σ	46.9	43.2
» » » » » II, » »	53.2	51.2
» » » » » III, » »	10.3	9.7
» » » » » 1940. » »	479.4	473.1
1944. S. 15. Ferder. IV, See Temperatur T_1	2.6	4.7
» » » Torungen Fyr. IV, See Temperatur T_1	3.3	5.2
1945. S. V. Meteorologiske stasjoner, instrumenter og observasjoner; annet avsnitt, 3. linje: lufttrykkobservasjonene er bearbeidet klimatologisk for bare 16 stasjoner	16	30
» » 62. Svandalsflona XI. Vindfordeling SE	22,5	33,5
» » 80. Majavatn 1945. Midlere lufttemperatur. Dies.	3,2	2,4

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

1946

Oslo (Blindern)

Januar I — $\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$ — Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	19.2	19.3	19.3	19.6	20.1	20.3	20.3	20.6	21.0	21.5	22.3	22.6	22.6	19.1	20.51	93.1	92.8	92.5	90.4	89.1	86.3	83.8	82.0	81.0	80.4	80.7	81.3	93.1	80.4	86.12	1
2	23.0	23.5	23.5	23.6	24.2	24.1	24.2	24.2	24.1	24.0	23.9	24.0	24.3	22.6	23.86	81.8	81.8	81.8	82.4	82.2	81.7	80.9	80.7	81.7	82.7	83.0	83.4	83.4	80.7	82.01	2
3	23.2	22.6	21.8	21.1	20.4	19.7	18.4	17.3	15.8	14.5	12.6	10.3	24.0	10.3	18.14	83.3	83.0	82.9	82.3	82.4	82.4	81.8	81.6	80.8	80.2	78.9	77.7	83.6	77.7	81.44	3
4	07.5	03.7	00.0	97.8	95.7	94.4	93.2	92.6	92.2	90.8	88.6	85.9	10.3	85.9	95.20	75.5	73.7	72.1	71.4	71.6	71.7	72.0	72.1	72.3	72.8	73.7	74.9	77.7	71.3	72.82	4
5	82.8	81.5	80.0	80.0	81.1	82.3	82.4	83.3	84.4	86.0	88.5	90.7	90.7	79.8	83.58	76.1	77.3	78.7	79.8	81.4	82.8	83.9	85.3	86.8	88.5	90.2	92.0	92.0	74.9	83.57	5
6	92.3	93.7	95.5	96.4	97.3	97.8	97.8	97.6	97.6	97.3	97.3	98.2	98.2	90.7	96.57	93.9	95.5	97.0	98.5	99.1	99.4	98.7	98.6	98.4	99.1	99.1	99.8	99.8	92.0	98.09	6
7	98.8	98.7	99.0	99.1	99.6	99.8	99.1	99.0	98.4	97.6	97.6	97.5	00.1	97.3	98.68	99.2	98.5	97.3	95.6	93.5	91.7	88.7	85.5	81.2	76.6	72.0	69.2	00.0	69.2	87.42	7
8	97.9	98.5	98.5	98.7	99.2	99.1	98.4	97.6	96.5	94.5	93.8	92.0	99.6	92.0	97.06	68.1	67.4	67.6	68.8	69.9	70.9	71.8	72.1	73.0	73.7	74.9	75.7	75.7	**67.3**	**71.16**	8
9	90.1	88.5	88.1	88.5	89.7	90.0	90.1	89.4	88.7	88.0	85.5	83.3	92.0	83.3	88.32	77.1	78.6	80.2	82.1	83.9	85.8	86.7	88.0	89.4	90.7	92.1	92.9	92.9	75.7	85.62	9
10	80.4	77.0	73.7	70.9	68.5	66.6	65.8	65.6	65.8	66.1	66.8	67.9	83.3	**65.4**	**69.59**	92.8	91.9	90.5	87.9	84.5	81.3	78.3	76.8	74.5	72.5	71.3	71.5	93.0	70.7	81.15	10
11	68.4	69.0	70.2	72.5	75.6	78.1	79.7	81.6	82.6	82.5	83.0	81.8	83.3	67.9	77.08	71.4	70.5	70.1	69.9	71.2	75.2	78.8	80.6	82.6	84.2	85.2	85.8	85.8	69.8	77.12	11
12	81.0	81.1	81.0	81.2	82.3	83.8	85.2	87.6	90.1	93.2	96.4	99.4	99.4	80.8	86.86	87.1	88.0	90.9	94.3	96.5	98.1	00.2	02.9	06.0	08.8	10.9	12.5	**12.5**	85.8	99.68	12
13	02.3	05.4	08.4	11.6	14.8	17.0	18.6	20.5	23.1	25.2	26.0	26.6	26.6	99.4	16.62	13.2	13.6	15.0	16.0	15.9	17.1	16.9	16.8	16.8	16.8	16.8	16.1	**17.2**	12.5	**16.00**	13
14	27.7	28.3	28.8	29.4	30.6	31.2	31.2	31.7	32.1	32.2	32.2	31.6	32.3	26.6	30.58	15.2	14.0	13.2	12.0	11.4	10.5	09.2	08.6	08.2	07.8	07.8	08.4	16.1	07.6	10.52	14
15	31.4	31.1	30.2	30.5	30.6	30.9	29.9	30.1	30.2	30.2	30.2	30.5	31.8	29.8	30.48	09.5	10.4	11.3	12.7	13.4	13.4	12.5	11.9	10.5	09.0	06.9	04.4	13.8	04.4	10.49	15
16	30.2	30.1	30.0	30.4	31.4	30.4	29.7	29.4	29.6	29.8	29.7	29.4	31.5	29.4	30.01	00.1	95.4	90.3	86.3	83.9	84.0	85.1	85.7	85.7	86.9	88.1	90.0	04.4	83.4	88.46	16
17	29.5	29.3	28.9	28.9	29.1	28.9	28.5	28.3	27.6	27.3	27.0	27.1	29.9	27.0	28.37	91.8	93.1	94.6	96.3	97.9	98.1	96.0	93.0	89.0	84.3	79.9	76.7	98.5	76.6	90.89	17
18	26.5	25.9	25.5	24.9	25.0	24.5	23.3	22.8	23.1	23.0	22.7	22.4	27.1	22.1	24.13	78.5	83.0	85.9	88.9	91.2	92.9	94.4	96.2	98.1	**98.9**	99.9	00.4	00.4	76.7	92.36	18
19	22.2	21.5	21.2	22.0	22.8	23.5	22.8	23.1	24.7	25.8	27.2	28.6	28.6	20.8	23.78	99.5	98.0	96.7	94.1	90.4	86.5	82.2	78.1	75.0	73.3	71.4	70.8	00.4	70.8	84.67	19
20	29.3	30.1	30.5	30.8	31.5	32.2	32.3	32.5	32.5	32.9	33.2	33.5	33.5	28.6	31.78	70.7	70.8	71.5	73.2	75.0	76.9	79.5	82.5	85.0	86.6	88.4	89.5	89.5	70.6	79.13	20
21	33.2	33.2	33.1	33.6	34.2	33.8	33.5	33.0	32.8	32.6	32.5	32.0	**34.2**	32.0	**33.12**	91.1	91.7	92.7	94.4	95.4	95.2	95.0	95.3	95.4	95.9	95.7	94.9	96.0	89.5	94.39	21
22	31.7	31.1	30.2	29.8	30.2	29.8	29.1	28.3	27.8	27.0	26.4	25.9	32.0	25.9	28.94	93.9	92.4	91.9	91.5	91.4	91.3	90.8	91.2	91.4	91.4	91.5	91.3	94.9	90.8	91.67	22
23	24.4	22.7	21.1	19.6	19.5	19.0	18.2	18.1	18.1	18.3	18.0	17.9	25.9	17.9	19.58	90.9	90.0	88.8	87.7	86.8	85.3	84.1	83.9	83.3	83.4	83.4	83.7	91.3	83.2	85.94	23
24	17.3	17.2	17.4	17.3	18.0	18.3	18.4	17.6	18.1	17.6	17.1	16.6	18.5	16.6	17.58	84.1	84.7	85.6	86.7	87.5	88.4	88.5	89.4	91.0	92.2	93.0	93.3	93.3	83.7	88.70	24
25	16.0	15.2	14.1	14.0	14.0	14.2	14.2	14.5	14.5	14.4	14.3	14.2	16.6	13.8	14.47	93.6	93.8	94.6	95.6	96.3	96.6	96.7	97.1	98.3	99.3	00.3	01.4	01.4	93.3	96.97	25
26	13.7	13.4	13.0	13.3	13.9	14.0	13.4	13.4	13.5	13.7	13.3	13.0	14.2	13.0	13.47	01.8	02.1	02.8	03.1	03.3	03.7	03.4	03.2	03.0	03.2	03.5	03.6	03.8	01.4	03.06	26
27	12.1	11.4	10.1	09.7	09.3	08.1	06.5	05.9	05.4	04.9	03.9	03.3	13.0	03.3	07.55	03.4	03.0	02.8	02.9	02.5	02.2	01.1	00.7	00.4	00.1	00.2	00.4	03.8	00.1	01.64	27
28	01.6	00.6	99.6	99.5	99.2	99.2	98.3	97.9	96.6	95.5	93.8	92.4	03.3	92.4	97.85	00.2	99.6	99.4	99.3	99.6	99.9	99.3	99.1	99.5	99.9	00.1	01.0	01.0	99.1	99.74	28
29	90.4	88.3	85.9	83.9	82.5	81.1	79.6	79.3	78.9	78.3	77.7	77.3	92.4	77.3	81.93																
30	76.8	75.5	75.1	74.6	74.5	74.0	73.5	73.3	73.7	74.3	75.3	76.7	77.3	73.3	74.78																
31	77.6	79.2	81.1	82.9	84.2	85.6	87.1	88.4	90.0	91.3	92.2	92.8	92.9	76.7	86.03																
M	**08.33**	07.95	**07.57**	07.62	08.03	08.12	07.83	07.89	08.05	08.07	08.03	07.92	12.56	03.90	07.95	90.60	**90.52**	90.67	90.86	91.01	**91.05**	90.72	90.68	90.65	90.69	90.68	90.81	96.98	84.26	90.74	M

Mars III — April IV

1	01.4	01.8	02.6	03.6	04.7	05.7	05.9	06.2	06.7	07.6	08.5	08.8	08.8	01.0	05.29	04.6	04.4	04.5	05.0	05.2	05.0	04.7	04.4	04.1	04.5	05.1	05.2	05.2	04.0	04.72	1
2	09.3	09.5	09.4	10.1	10.2	09.9	09.0	08.6	08.7	08.8	07.8	07.3	10.2	07.3	09.05	04.4	04.1	04.0	03.3	03.0	02.0	01.7	01.5	00.2	99.8	99.6	99.9	05.2	99.5	01.96	2
3	06.9	06.0	05.9	06.4	07.2	07.7	07.7	07.8	08.0	08.6	08.8	09.9	09.9	05.8	07.58	00.2	01.0	01.6	02.1	02.5	02.9	02.8	02.8	03.1	03.5	04.1	04.3	04.3	99.9	02.58	3
4	09.7	09.6	09.8	10.1	10.4	10.3	09.7	09.6	09.8	10.0	10.3	10.4	10.4	09.6	09.91	04.6	04.6	04.7	05.0	05.0	04.2	03.6	02.9	02.3	02.1	01.6	00.4	05.1	00.4	03.42	4
5	10.3	09.7	09.8	10.2	10.6	10.6	10.1	10.2	10.2	10.7	10.9	11.2	11.2	09.7	10.38	99.2	97.7	96.7	95.7	95.3	95.4	95.2	95.7	96.4	98.0	98.8	99.6	00.4	95.2	96.98	5
6	11.2	11.2	11.2	11.4	11.0	10.0	09.6	09.7	10.4	10.9	10.6	10.6	11.4	09.5	10.65	00.4	00.9	01.8	02.6	03.2	03.7	04.3	05.1	06.1	07.3	07.7	07.3	07.7	99.6	04.20	6
7	10.3	09.6	09.1	08.5	07.9	07.1	05.9	05.3	04.3	03.5	03.1	03.1	10.6	03.1	06.48	06.0	04.0	01.0	98.1	96.0	93.8	92.5	91.7	90.6	90.6	90.2	89.2	07.3	89.2	95.31	7
8	03.2	03.4	03.9	04.5	05.1	05.7	06.2	06.6	07.1	08.0	08.6	09.2	09.2	03.1	05.96	87.9	86.7	85.4	84.0	82.0	80.0	77.8	77.2	76.1	76.2	77.3	79.4	89.2	**75.9**	**80.83**	8
9	09.2	09.2	09.3	10.0	10.1	10.1	10.1	10.1	10.3	10.8	10.9	11.6	11.6	09.1	10.14	82.0	84.1	86.6	88.9	90.8	92.1	92.5	93.2	93.0	94.0	**94.4**	95.4	95.4	79.4	90.58	9
10	11.7	11.8	12.0	12.3	12.9	13.5	13.6	13.9	14.5	15.2	15.8	16.6	16.6	11.6	13.65	97.0	98.9	00.0	01.6	02.7	03.2	03.5	03.6	03.9	04.4	04.3	03.8	04.5	95.4	02.24	10
11	16.9	16.9	17.1	17.3	17.6	17.5	17.3	17.2	17.2	17.4	17.3	17.3	**17.6**	16.6	**17.25**	02.5	99.7	96.9	92.7	88.2	83.7	80.3	79.1	80.9	83.7	85.3	86.3	03.8	79.0	88.28	11
12	17.1	16.3	16.3	16.8	16.7	16.5	15.9	15.7	16.0	16.4	16.4	16.5	17.3	15.7	16.38	87.2	88.4	90.4	92.2	93.0	94.4	95.5	97.2	**98.9**	00.8	01.9	03.2	03.2	86.3	95.26	12
13	17.2	16.6	16.2	16.3	16.0	15.6	14.8	14.2	14.3	15.0	15.4	15.9	17.4	14.1	15.62	03.8	03.6	03.5	03.2	02.1	01.0	00.2	00.1	99.4	99.3	99.1	99.2	03.8	99.0	01.21	13
14	15.8	15.2	14.8	14.6	14.5	13.6	12.2	11.0	11.0	11.1	10.9	10.9	15.9	10.9	12.97	99.3	99.3	99.4	99.4	99.6	**99.6**	99.5	99.3	99.4	00.7	01.7	02.9	02.9	99.0	00.00	14
15	10.8	10.4	10.3	10.2	10.1	09.9	09.3	09.0	09.2	10.0	10.2	10.8	11.0	09.0	10.02	03.4	04.2	04.6	04.9	05.2	05.5	05.7	06.2	06.3	06.4	06.4	06.9	06.9	02.9	05.48	15
16	11.1	11.6	12.7	13.5	14.4	14.4	14.2	14.1	14.4	15.0	15.1	15.5	15.5	10.8	13.83	06.8	06.5	06.4	06.9	06.9	06.5	06.1	05.1	04.1	03.7	02.2	00.4	07.0	00.4	05.13	16
17	15.5	15.5	15.5	15.9	15.0	15.9	15.2	14.7	14.6	14.9	14.7	14.5	16.0	14.5	15.24	98.1	95.8	93.3	90.5	88.5	87.2	85.5	84.4	83.1	82.6	82.6	84.9	00.4	82.5	88.04	17
18	14.3	13.5	12.4	11.8	11.0	09.5	08.9	08.0	07.4	07.4	06.6	05.9	14.6	05.9	09.72	88.1	90.7	93.2	95.1	95.9	96.9	97.6	99.0	00.2	01.8	02.9	04.4	04.4	84.9	97.15	18
19	05.2	03.4	02.2	01.8	00.9	00.2	99.9	99.9	99.3	99.5	98.4	97.7	05.9	97.7	00.70	05.4	06.7	08.4	09.5	10.6	10.7	10.9	10.8	10.4	11.4	11.1	10.3	**11.4**	04.4	**09.68**	19
20	97.2	96.7	97.2	00.4	01.3	02.8	02.0	02.1	00.5	99.8	97.8	94.9	02.8	94.9	99.39	09.3	08.9	08.3	08.0	07.8	07.2	06.2	05.3	05.1	05.0	05.1	05.0	10.3	04.9	06.77	20
21	92.9	90.1	88.6	88.2	88.0	87.8	87.4	87.0	86.9	87.8	88.2	89.6	95.1	86.6	**88.54**	04.6	03.8	03.6	03.1	02.6	02.4	01.9	01.7	02.3	02.9	03.5	03.6	05.0	01.7	03.00	21
22	90.5	90.8	91.3	91.9	91.8	91.5	90.3	88.8	88.2	87.9	87.4	86.3	92.1	86.3	89.72	03.6	03.7	04.2	05.0	04.8	04.3	03.8	03.6	03.7	04.3	04.2	03.8	05.0	03.5	04.08	22
23	85.1	84.6	85.1	86.3	87.3	88.2	89.0	89.8	90.8	92.0	92.7	93.8	93.8	**84.5**	88.72	03.0	01.8	00.6	99.6	98.1	96.1	94.3	92.6	91.4	91.0	90.0	89.1	03.8	89.1	95.63	23
24	94.1	94.1	94.3	94.5	94.6	94.4	93.8	93.4	92.5	92.1	91.6	91.7	94.6	91.6	93.42	88.9	88.9	89.0	89.3	88.3	87.3	88.3	88.2	88.6	90.3	91.3	92.8	92.8	87.3	89.27	24
25	91.7	91.5	91.6	92.3	92.9	93.5	93.8	95.0	96.2	98.2	00.1	02.3	02.3	91.5	94.92	93.5	93.9	94.8	95.6	96.3	96.5	97.5	97.8	98.5	99.5	00.8	01.3	01.3	92.8	97.17	25
26	03.8	05.0	06.1	07.7	08.5	09.2	09.3	09.5	09.8	10.2	10.4	10.8	10.8	02.3	08.36	01.6	01.6	01.3	02.2	03.0	03.5	04.0	03.6	03.2	03.5	03.4	03.3	04.0	01.3	02.85	26
27	10.6	10.3	10.3	10.3	10.2	10.1	09.1	08.0	07.0	06.6	06.3	06.1	10.8	06.1	08.74	03.2	02.5	02.2	02.4	01.8	00.8	99.4	98.3	97.9	98.0	98.2	98.2	03.3	97.8	00.24	27
28	06.1	06.7	07.9	09.4	10.9	11.2	11.4	11.4	11.9	13.4	13.9	14.9	14.9	06.0	10.76	97.8	97.7	97.7	98.1	97.8	97.0	96.6	96.6	96.6	97.0	97.4	97.5	98.2	96.5	97.32	28
29	15.4	15.6	15.5	15.6	15.1	14.4	13.4	12.4	11.3	10.9	10.4	09.8	15.8	09.8	13.32	97.3	97.3	97.7	97.9	98.3	98.5	98.5	98.8	99.6	00.3	00.9	01.6	01.6	97.3	98.89	29
30	09.3	08.8	09.1	09.9	10.1	10.1	10.1	10.0	10.5	12.0	12.7	13.4	13.4	08.6	10.50	01.6	01.4	01.9	02.4	02.4	02.0	01.5	01.3	01.3	02.2	03.4	04.4	04.4	01.3	02.15	30
31	13.3	12.6	12.0	11.0	09.9	08.3	06.3	04.9	04.5	04.5	04.6	04.6	13.6	04.6	08.04																
M	07.00	06.71	06.76	07.19	**07.35**	07.26	06.82	06.58	**06.56**	06.97	06.97	07.15	09.71	04.45	06.94	**99.51**	99.43	99.46	99.48	99.23	98.78	98.40	98.24	**98.22**	98.83	99.15	99.45	03.26	95.02	99.02	M

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

1946

Oslo (Blindern)

Mai V — $\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ $h_d = 25.6$ $h_r = 1.5$ — Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	04.6	04.8	05.2	05.2	05.4	05.6	05.0	04.9	05.0	05.4	05.4	05.8	05.8	04.4	05.19	87.8	86.5	86.1	85.4	84.7	83.3	81.9	80.9	81.1	81.0	80.8	80.7	88.9	80.6	83.35	1
2	05.5	05.4	05.4	05.5	05.5	05.1	04.8	04.7	04.4	04.5	04.8	05.0	05.9	04.3	05.05	81.0	80.8	81.0	80.7	80.4	80.0	80.2	78.9	78.5	78.9	79.6	79.9	81.1	**78.3**	**79.99**	2
3	04.8	04.9	05.0	05.5	05.7	05.7	05.3	05.0	04.7	05.3	06.0	06.9	06.9	04.8	05.40	80.0	79.8	79.8	80.3	81.0	82.1	82.8	83.9	84.8	85.9	86.8	87.8	87.8	79.7	82.92	3
4	07.7	08.9	10.1	10.6	10.0	09.2	08.0	06.3	05.2	05.2	04.8	04.1	10.7	04.1	07.51	92.3	89.5	90.6	91.2	91.7	91.9	92.1	92.7	93.5	93.9	94.2	94.9	94.9	87.8	92.38	4
5	03.0	02.8	02.7	04.1	05.1	06.3	07.4	08.1	08.8	10.0	11.3	13.4	13.4	02.7	06.92	95.1	95.1	95.5	95.3	95.3	95.1	94.3	92.8	90.6	88.0	85.9	85.6	95.6	85.6	92.38	5
6	13.7	14.9	15.5	16.0	15.3	14.4	13.6	12.2	11.7	11.6	11.3	11.3	16.1	11.3	13.46	85.0	84.5	83.6	83.2	82.8	82.7	82.7	83.4	84.4	86.4	88.6	90.8	90.8	82.6	84.84	6
7	10.7	09.6	08.8	07.7	05.9	04.2	03.2	02.2	01.5	01.7	03.5	05.2	11.3	01.3	05.35	92.3	93.2	94.7	95.0	95.7	96.2	96.9	97.7	98.6	00.0	01.8	03.6	03.6	90.8	97.14	7
8	06.8	06.8	06.9	06.5	06.1	05.6	05.9	06.3	07.3	08.9	10.3	11.6	11.6	05.2	07.42	04.7	05.8	06.7	07.6	07.7	07.7	07.0	06.7	06.5	06.1	06.2	05.2	07.7	03.6	06.49	8
9	11.9	11.7	11.6	11.2	10.2	08.9	07.2	06.2	05.3	05.3	05.4	06.9	12.1	05.3	08.48	03.9	02.7	00.7	**98.7**	97.0	95.0	93.2	91.7	90.4	89.6	89.5	89.4	05.2	89.4	95.15	9
10	07.1	07.0	06.6	05.2	03.3	01.2	00.6	02.0	03.1	04.8	06.2	07.4	07.4	00.3	04.54	89.7	89.8	89.9	90.3	90.7	90.8	90.3	89.9	89.7	89.2	88.1	86.5	90.8	86.5	89.58	10
11	08.3	08.8	09.3	09.6	09.4	09.1	08.3	07.7	07.4	07.2	06.7	05.6	09.7	05.6	08.12	84.7	82.7	81.7	81.7	83.5	84.9	86.5	87.3	88.5	88.9	89.7	89.9	89.9	81.7	85.83	11
12	04.6	03.3	01.8	00.5	99.8	99.2	98.2	97.4	97.2	97.4	97.4	97.8	05.6	97.1	99.55	90.5	91.7	92.9	94.7	96.7	98.1	98.9	98.8	98.9	99.5	00.6	01.6	01.6	89.9	96.91	12
13	97.9	97.7	97.6	97.8	97.2	96.7	96.7	96.2	95.5	95.6	95.6	95.7	98.0	95.5	96.68	02.7	03.6	04.7	05.6	05.9	06.2	05.7	05.2	05.0	05.7	06.0	06.7	06.7	01.6	05.25	13
14	95.1	94.9	94.5	94.4	93.9	93.2	92.0	91.4	91.2	91.2	91.6	91.5	95.7	90.9	92.91	06.7	07.5	07.6	07.7	07.4	06.3	05.3	05.1	04.5	03.6	03.7	03.2	07.7	03.2	05.72	14
15	91.6	91.5	91.7	92.4	92.7	92.6	93.1	93.4	94.0	94.8	96.0	97.5	97.5	91.5	93.44	02.5	01.4	00.3	00.5	99.9	99.2	97.5	96.7	96.2	96.1	95.9	95.4	03.2	95.4	98.47	15
16	98.1	98.9	00.0	01.0	01.7	02.1	02.4	02.9	03.9	05.3	06.6	07.5	07.5	97.5	02.53	95.1	95.1	95.1	95.3	95.4	95.3	95.1	95.7	96.0	96.9	98.1	99.2	99.2	95.0	96.02	16
17	08.3	09.1	09.9	11.0	12.0	12.6	13.0	13.3	13.3	14.0	15.1	15.8	15.8	07.5	12.28	00.5	01.0	02.1	02.2	02.2	02.0	01.2	01.1	00.8	00.1	99.3	98.9	02.4	98.9	00.94	17
18	16.2	16.0	16.2	16.5	15.7	14.8	13.0	11.5	10.5	09.8	09.6	09.3	16.7	09.3	13.26	98.3	97.3	97.1	96.8	96.0	94.7	95.2	94.8	93.9	93.4	93.0	92.1	98.9	92.1	95.22	18
19	08.6	07.3	06.9	06.7	06.8	06.5	06.2	06.3	07.0	08.5	09.5	10.3	10.3	06.2	07.55	90.9	90.3	90.0	90.1	89.5	88.9	88.5	88.0	87.6	87.7	88.1	88.9	92.1	87.6	89.04	19
20	10.8	10.9	11.4	11.4	11.4	10.9	10.1	09.6	08.7	08.7	09.2	10.0	11.5	08.6	10.26	89.5	90.4	91.6	93.2	94.3	95.1	95.9	96.8	97.9	98.8	00.1	01.4	01.4	88.9	95.42	20
21	10.3	10.3	10.3	10.4	10.2	10.1	09.5	09.2	09.1	09.2	10.2	11.3	11.3	09.1	10.01	02.3	02.6	03.6	04.2	05.0	05.4	05.9	06.4	07.3	08.2	09.6	10.2	10.2	01.4	05.89	21
22	12.8	14.7	15.9	16.6	16.9	16.7	16.5	16.4	16.4	17.3	18.7	20.3	20.3	11.3	16.60	10.5	10.8	11.3	11.8	11.9	11.3	10.7	10.4	09.8	09.6	10.0	10.2	**12.0**	09.6	**10.69**	22
23	21.4	22.4	22.8	22.8	22.2	21.5	20.3	19.2	18.2	17.8	18.1	18.7	**22.8**	17.7	**20.45**	10.3	10.1	10.2	10.2	09.9	09.3	08.3	08.2	07.6	07.6	07.8	07.8	10.3	07.6	08.94	23
24	19.1	18.7	17.9	17.6	16.5	15.3	14.1	12.8	11.8	11.6	11.7	11.5	19.1	11.5	14.88	08.1	07.6	07.1	07.2	07.3	05.7	04.2	03.2	01.9	01.4	01.3	01.9	08.1	01.3	04.74	24
25	11.4	11.6	11.6	11.3	10.7	10.0	09.1	08.1	07.6	08.1	08.9	09.6	11.6	07.6	09.83	00.8	99.6	99.3	99.8	99.8	99.7	99.8	99.7	99.8	99.9	99.7	00.2	01.9	99.3	99.84	25
26	10.3	10.3	10.3	10.3	10.0	08.9	07.8	06.6	06.0	06.0	06.6	07.3	10.4	05.8	08.37	00.0	00.1	00.0	00.2	00.4	00.4	00.1	99.6	99.3	98.9	99.7	00.1	00.5	98.8	99.90	26
27	07.4	07.0	06.8	07.2	06.7	05.3	04.3	03.5	03.2	03.5	04.1	04.3	07.6	03.2	05.28	00.1	00.0	00.7	01.1	01.2	01.1	00.6	00.9	01.0	01.5	02.0	02.8	02.8	00.0	01.08	27
28	04.5	04.5	04.7	04.4	04.4	03.6	03.1	02.4	02.1	02.3	02.9	03.1	04.7	02.1	03.50	03.2	03.0	03.2	03.2	03.0	02.8	02.2	01.9	01.1	00.5	00.4	99.5	03.4	99.5	02.00	28
29	03.2	03.2	03.4	03.6	03.1	02.2	02.1	01.4	01.0	01.3	01.6	02.0	03.6	01.0	02.33	98.7	99.0	99.2	00.0	00.5	00.8	01.0	01.1	00.9	00.7	01.1	01.0	01.3	98.6	00.33	29
30	01.9	01.7	01.9	01.4	01.3	00.4	99.1	97.8	96.7	96.8	97.1	95.6	02.1	95.6	99.31	00.8	01.4	01.4	01.6	01.3	00.6	99.6	99.5	99.2	00.3	01.9	03.0	03.0	99.1	00.88	30
31	94.4	94.6	93.6	93.3	93.2	92.5	91.6	90.9	90.6	90.2	89.5	88.8	95.6	**88.8**	**91.93**																
M	06.84	06.91	06.98	**07.02**	06.72	06.14	05.53	05.03	**04.79**	05.14	05.67	06.16	08.99	03.45	06.08	96.93	96.76	96.92	97.16	97.27	97.09	96.79	96.63	**96.51**	96.61	96.98	**97.28**	00.10	93.81	96.91	M

Juli VII — August VIII

1	03.8	03.7	04.1	03.2	02.9	02.7	02.5	03.2	03.4	04.1	05.3	05.5	05.5	02.3	03.70	88.5	88.5	89.0	89.5	89.8	89.6	89.1	90.0	91.1	91.8	92.4	93.6	93.6	88.5	90.24	1
2	05.9	06.1	06.9	06.9	06.5	05.9	05.5	04.9	03.6	03.5	03.8	04.2	07.0	03.5	05.31	94.2	94.8	95.6	95.6	95.4	94.9	93.9	93.5	92.3	92.0	91.2	90.4	95.6	90.4	93.65	2
3	04.4	04.6	04.7	04.5	04.6	04.3	04.7	04.7	04.8	04.7	04.5	05.2	05.5	04.2	04.64	89.5	89.0	88.9	89.0	89.0	88.9	88.7	87.9	87.9	88.0	88.2	88.8	90.4	87.8	88.65	3
4	05.0	04.4	03.5	04.7	04.8	04.4	03.8	03.0	02.5	02.3	01.8	01.2	05.2	01.2	03.45	89.7	90.9	92.2	93.4	94.1	95.0	95.4	95.7	96.7	97.6	98.4	99.2	99.2	88.8	94.86	4
5	00.8	99.2	98.5	97.9	96.9	96.4	95.5	96.3	97.1	97.6	97.9	98.2	01.4	95.3	97.69	99.8	00.3	01.3	01.6	02.1	02.1	02.0	01.9	02.0	02.8	03.6	04.0	04.0	99.2	01.96	5
6	98.2	98.1	98.1	98.7	99.1	00.0	00.2	00.5	01.6	02.7	04.0	05.4	05.4	98.0	00.55	03.9	03.8	03.8	03.7	03.7	03.3	02.7	02.1	01.6	01.6	01.6	01.0	04.0	01.0	02.73	6
7	06.7	07.5	08.9	10.7	11.4	12.0	12.2	12.1	12.1	12.6	13.4	14.0	14.0	05.4	11.13	00.3	99.7	99.2	98.8	98.5	97.9	97.0	96.9	95.6	95.7	95.5	95.5	01.0	95.5	97.47	7
8	13.9	14.0	14.2	14.3	13.5	12.8	12.4	11.9	11.7	11.3	11.5	12.0	**14.4**	11.2	**12.79**	95.0	94.2	93.8	93.3	92.7	92.2	91.8	91.2	91.1	91.4	92.0	91.9	95.6	91.1	92.55	8
9	12.3	12.4	12.8	12.6	12.0	11.4	10.0	09.4	09.2	08.4	08.2	07.9	12.8	07.9	10.55	92.0	91.7	91.7	91.7	91.5	90.7	89.9	88.4	88.1	88.5	89.6	91.0	92.0	88.1	90.40	9
10	07.5	07.3	07.7	09.3	10.1	09.9	09.8	09.4	09.2	09.4	10.0	11.0	11.0	07.3	09.22	92.5	94.3	95.9	97.1	98.3	98.6	98.6	98.3	97.8	97.0	95.7	93.3	98.7	91.0	96.45	10
11	11.2	11.2	11.1	10.7	10.1	09.5	08.7	08.0	07.5	07.4	07.6	07.9	11.2	07.4	09.24	92.2	89.5	87.1	86.5	87.0	89.5	91.3	93.1	94.5	95.8	97.5	98.7	98.7	86.2	91.89	11
12	07.7	07.8	07.9	08.0	07.7	07.0	06.2	05.8	05.7	05.8	06.0	06.8	08.0	05.6	06.87	99.8	01.1	01.4	02.2	02.3	02.1	01.6	01.2	01.0	01.2	01.1	00.6	02.4	98.7	01.30	12
13	07.1	06.9	07.1	07.3	07.1	06.5	05.6	05.1	04.2	03.5	03.5	03.4	07.3	03.4	05.61	99.8	99.0	98.4	97.7	95.7	93.5	90.7	87.9	86.4	87.7	87.5	86.6	00.6	86.4	92.58	13
14	03.3	03.2	02.6	01.8	01.2	00.1	99.4	98.6	98.2	98.4	98.6	99.1	03.5	98.1	00.38	85.9	85.6	85.1	85.1	85.5	85.6	86.1	85.9	86.1	86.6	87.1	87.8	87.8	**84.9**	**86.03**	14
15	99.4	99.8	00.1	00.2	99.9	99.0	98.1	97.3	97.1	97.2	97.5	98.0	00.2	97.0	98.63	88.5	89.5	90.9	92.3	93.1	93.3	93.2	93.1	93.0	93.2	93.4	93.6	93.6	87.8	92.26	15
16	98.3	98.0	97.9	97.2	96.5	95.3	94.5	94.4	94.3	95.5	97.0	97.8	98.4	94.2	96.39	93.8	94.1	94.4	94.5	94.7	94.2	94.4	95.1	94.4	94.4	94.9	95.3	95.3	93.6	94.52	16
17	98.3	98.6	99.0	99.5	00.0	99.9	99.8	99.9	99.9	00.2	00.8	01.3	01.3	97.8	99.77	95.5	95.7	96.1	96.5	96.9	96.9	96.9	97.4	97.8	98.8	98.9	99.2	99.2	95.2	97.22	17
18	01.4	01.3	01.0	01.0	00.8	00.7	00.7	00.5	00.7	00.8	01.3	01.5	01.5	00.5	00.98	99.1	98.9	99.1	99.6	00.0	99.9	99.7	00.0	00.0	00.8	01:2	01.3	01.3	98.9	99.97	18
19	01.5	01.0	01.0	01.3	00.9	00.3	99.8	99.5	99.1	99.3	99.2	99.6	01.7	**99.1**	00.21	01.2	01.3	01.6	02.0	02.2	02.2	02.0	01.9	02.0	02.7	03.8	04.2	04.2	01.2	02.26	19
20	99.8	99.7	99.8	00.4	00.2	00.4	00.2	00.0	99.7	99.7	99.7	00.1	00.6	99.6	99.98	04.3	04.8	05.2	05.5	05.2	05.1	04.4	03.8	03.4	03.8	04.3	04.9	05.5	03.4	04.56	20
21	00.2	00.2	00.1	00.1	99.7	99.8	99.1	98.7	98.2	98.0	98.0	98.0	00.3	98.0	99.18	05.0	04.7	05.0	05.0	04.9	04.2	03.4	03.0	02.7	02.7	03.2	03.2	05.0	02.6	03.92	21
22	97.7	97.4	97.5	97.1	97.0	96.5	96.8	97.4	97.6	97.7	98.4	99.0	99.0	96.5	97.51	03.0	02.8	03.3	03.4	03.6	03.7	03.1	03.1	03.3	03.8	04.3	04.6	04.6	02.8	03.50	22
23	99.4	99.6	00.0	00.4	00.5	00.4	01.0	01.0	01.0	00.9	01.6	02.2	02.2	99.0	00.67	04.8	04.8	05.2	05.6	06.1	05.9	05.7	05.3	05.3	05.6	06.0	06.4	06.4	04.6	05.56	23
24	02.4	02.5	02.9	03.2	03.3	02.8	02.7	02.7	02.4	02.4	02.5	02.3	03.4	02.2	02.68	06.3	06.0	06.3	06.6	06.5	06.3	05.5	05.5	05.1	05.3	05.3	05.4	**06.7**	05.1	**05.84**	24
25	01.9	01.7	01.8	02.3	02.0	02.0	02.0	01.7	01.1	01.6	01.9	02.4	02.4	01.0	01.87	05.4	05.2	05.2	05.1	05.2	04.2	03.4	03.1	02.6	02.9	02.7	02.9	05.4	02.6	03.99	25
26	02.6	03.2	04.2	05.9	06.0	06.6	07.0	07.0	06.8	07.6	07.6	07.5	08.1	02.4	06.00	03.0	03.0	02.9	02.9	02.6	02.0	02.0	01.7	01.0	01.3	02.0	02.2	03.1	01.0	02.22	26
27	07.3	06.3	04.6	02.4	96.6	96.9	95.5	95.6	95.7	97.0	97.5	97.8	07.7	95.4	99.43	02.0	01.9	01.8	01.8	01.9	01.8	01.1	00.7	00.5	00.8	01.5	01.8	02.2	00.5	01.47	27
28	97.5	97.0	96.6	96.9	96.9	97.3	97.1	96.8	96.6	97.2	97.2	97.6	97.8	96.3	97.06	02.0	01.9	01.8	02.0	02.0	01.5	00.9	00.9	00.8	00.8	00.8	00.8	02.1	00.8	01.35	28
29	97.7	97.3	97.1	96.4	95.7	94.9	94.3	94.4	93.8	93.4	93.3	92.9	97.7	92.9	95.10	00.3	99.4	99.0	98.7	98.3	98.3	97.9	97.6	97.1	97.3	98.4	**98.7**	00.8	97.0	98.42	29
30	92.3	92.1	92.1	92.2	92.3	92.5	92.3	91.7	91.3	90.8	90.4	90.1	92.9	90.1	91.68	98.9	98.9	99.4	99.5	00.0	99.4	99.4	**99.3**	99.4	00.8	01.0	01.7	01.7	98.7	99.81	30
31	89.0	87.9	87.4	87.1	86.7	86.8	86.7	87.0	87.3	87.8	88.1	88.5	90.1	**86.7**	**87.52**	01.8	02.2	03.2	03.5	04.0	03.9	04.0	03.6	03.5	03.7	03.3	03.0	04.2	01.7	03.31	31
M	02.40	02.26	02.30	02.39	02.03	01.77	01.42	01.24	**01.08**	01.25	01.55	01.88	03.79	99.98	01.80	98.00	97.98	98.19	98.38	**98.48**	98.28	97.93	97.68	**97.55**	97.95	98.27	98.44	00.16	95.97	98.09	M

1946

Oslo (Blindern)

September IX — $\varphi = 59°\ 56'N$ — $\lambda = 10°\ 44'E$ — $g = 9.819$ — $\Delta G = +1^h$ — $H_s = 94$ — $H_b = 95.6$ — $h_t = 2.0$ — $h_a = 25.2$ — $h_d = 25.6$ — $h_r = 1.5$ — Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	02.0	01.0	00.0	99.2	98.7	97.4	96.3	94.8	93.3	91.6	89.8	86.8	03.0	86.8	95.91	13.6	13.2	12.9	13.2	13.1	12.8	12.3	12.4	13.1	14.3	16.8	18.6	18.6	12.3	13.86	1
2	85.0	84.5	86.1	87.5	89.1	90.3	91.0	91.6	92.2	92.7	92.8	92.9	92.9	84.4	89.64	19.7	20.6	21.1	22.0	22.7	22.6	22.2	22.0	21.7	21.7	21.7	21.6	22.8	18.6	21.63	2
3	92.9	93.0	92.9	93.4	93.5	93.7	93.8	93.8	93.9	94.6	95.2	95.4	95.4	92.8	93.84	21.2	20.6	20.0	19.9	19.3	17.9	16.5	14.9	13.4	12.1	11.0	09.3	21.6	09.3	16.34	3
4	95.6	96.0	96.5	97.4	97.9	97.9	97.2	96.7	96.5	97.7	97.2	96.8	97.9	95.4	96.95	07.2	05.2	03.6	02.0	00.4	98.9	97.5	95.8	94.0	92.4	90.6	89.2	09.3	89.2	98.07	4
5	96.3	95.4	95.5	95.7	96.1	96.3	96.1	96.5	96.3	96.6	96.7	96.5	96.9	95.4	96.17	87.5	86.1	85.6	85.5	86.1	86.3	86.8	86.8	87.3	88.3	89.1	90.6	90.6	**85.3**	**87.17**	5
6	96.2	95.4	95.2	95.7	96.1	96.2	96.2	96.1	96.0	96.7	96.8	97.2	97.2	95.2	96.15	91.7	92.6	94.0	95.3	97.2	99.6	01.3	03.6	05.7	07.7	09.6	10.8	10.8	90.6	00.76	6
7	97.1	96.8	96.9	97.5	98.0	97.7	97.3	96.7	96.3	96.7	97.0	97.2	98.0	96.3	97.10	12.1	12.6	13.5	14.8	15.4	15.5	15.3	15.6	16.5	17.4	18.6	19.7	19.7	10.8	15.58	7
8	97.5	97.7	98.3	99.1	99.6	99.7	99.7	98.8	98.5	98.6	98.8	98.5	99.7	97.2	98.73	20.4	20.9	21.6	22.5	23.4	23.6	23.4	23.3	24.4	25.3	25.8	26.6	26.6	19.7	23.43	8
9	98.4	98.2	97.7	97.3	97.3	96.9	96.1	95.5	94.9	94.7	94.3	93.8	98.5	93.8	96.26	26.9	27.1	27.1	27.5	27.7	27.4	26.3	25.6	25.7	25.6	25.7	25.7	**27.7**	25.4	**26.52**	9
10	93.1	92.2	92.1	92.9	93.4	93.8	93.7	93.6	93.4	93.6	93.4	93.3	93.9	91.9	93.21	25.5	25.0	24.6	24.6	24.6	24.1	22.7	21.6	21.1	21.3	20.9	20.2	25.7	20.2	23.02	10
11	92.9	92.6	92.5	92.7	92.8	92.6	92.3	92.2	92.2	92.6	93.0	93.8	93.8	92.2	92.68	19.4	17.7	16.5	15.0	13.8	12.8	11.7	11.0	11.3	11.8	11.8	11.8	20.2	11.0	13.72	11
12	94.6	95.4	96.7	98.3	99.8	00.6	01.2	01.8	02.3	03.2	03.7	03.9	03.9	93.8	00.12	11.0	09.9	08.9	08.5	08.7	08.0	06.4	05.5	04.8	04.7	04.3	04.0	11.8	04.0	07.06	12
13	04.1	03.8	03.3	02.8	02.4	01.5	00.7	99.4	98.1	97.4	95.7	93.8	04.2	93.8	00.25	03.7	03.5	03.8	04.1	04.4	04.6	04.4	03.4	03.3	02.7	02.1	01.1	04.8	01.1	03.42	13
14	92.1	90.7	90.5	90.4	90.2	89.2	88.7	88.1	88.0	88.0	87.8	87.8	93.8	87.8	89.29	99.9	98.3	96.9	95.9	95.0	93.5	91.9	91.9	92.4	92.6	93.6	94.3	01.1	91.6	94.68	14
15	86.5	83.5	78.6	72.0	73.8	76.4	78.2	80.0	82.6	86.4	89.2	91.4	91.4	**71.5**	81.55	95.0	95.9	96.6	97.6	98.7	99.0	99.3	99.9	00.9	01.5	01.6	01.3	01.7	94.3	98.94	15
16	93.3	94.7	96.1	98.0	98.7	98.7	98.6	98.8	98.7	98.9	99.5	00.1	00.1	91.4	97.84	00.3	99.6	99.7	00.7	00.5	00.8	00.7	00.8	01.7	03.1	04.0	05.1	05.1	99.6	01.42	16
17	00.4	00.5	00.8	00.9	01.3	00.7	00.2	99.4	98.0	97.7	96.2	94.5	01.5	94.5	99.22	05.4	05.2	05.2	06.1	07.0	06.9	07.0	07.2	08.0	08.6	09.5	10.0	10.1	05.1	07.18	17
18	92.5	90.4	88.3	86.9	86.1	86.5	86.3	86.3	86.6	87.1	86.7	86.1	94.5	86.1	87.48	10.5	11.2	12.5	13.4	13.7	13.6	13.0	13.0	12.7	12.4	12.3	12.0	13.8	10.0	12.52	18
19	85.3	83.9	82.7	81.6	80.1	79.2	78.5	78.1	78.1	78.5	78.4	78.8	86.1	78.0	**80.27**	11.4	11.0	10.6	10.8	11.0	10.8	10.1	09.8	09.4	09.4	09.4	08.7	12.0	08.7	10.20	19
20	79.5	79.5	80.2	80.8	81.3	81.8	82.0	82.1	82.2	82.5	82.7	83.0	83.0	78.8	81.47	08.1	07.2	06.3	05.7	05.5	04.6	03.7	02.4	01.5	01.1	00.7	00.2	08.7	00.2	03.92	20
21	83.4	83.8	84.6	86.2	87.2	88.8	89.7	91.6	93.3	96.2	98.1	99.2	99.2	83.0	89.34	99.8	99.2	99.2	99.5	99.6	99.2	98.8	99.0	00.1	01.4	03.1	05.0	05.0	98.8	00.32	21
22	00.6	01.3	01.8	01.3	00.8	99.7	98.7	97.0	94.6	93.1	90.6	89.5	01.9	89.5	97.42	06.1	07.7	08.9	10.7	12.1	12.6	12.8	13.5	14.4	15.2	16.3	17.2	17.2	05.0	12.29	22
23	88.3	88.1	88.2	88.7	88.8	88.6	88.3	88.0	87.6	87.8	87.8	88.0	89.5	87.6	88.18	17.8	17.9	18.1	18.9	18.9	19.0	18.9	18.4	18.4	19.0	19.2	19.4	19.4	17.2	18.66	23
24	87.8	88.1	88.4	88.5	88.9	89.2	89.5	90.0	91.7	93.8	95.7	97.6	97.6	87.8	90.77	19.1	18.7	18.6	18.5	18.4	18.1	17.7	17.7	17.6	17.7	17.8	18.3	19.4	17.6	18.18	24
25	98.9	99.8	01.2	02.3	03.2	03.6	03.8	04.8	05.6	06.6	07.8	08.7	08.7	97.6	03.86	18.7	18.8	18.8	19.0	20.1	20.3	20.1	20.1	20.2	20.7	21.3	21.7	21.7	18.3	19.98	25
26	09.3	10.1	10.6	11.8	12.7	13.0	13.0	13.2	13.1	13.9	13.9	14.0	14.2	08.7	12.38	21.8	21.9	22.1	22.4	22.8	22.6	21.6	21.2	20.7	20.0	19.1	17.7	22.8	17.7	21.16	26
27	14.1	13.8	13.4	13.1	13.1	13.0	12.4	11.7	10.8	10.9	10.5	10.0	14.2	10.0	12.23	16.3	14.5	12.5	11.1	09.5	06.8	04.1	02.2	00.7	98.9	96.6	94.9	17.7	94.9	05.68	27
28	09.7	09.2	08.9	08.8	08.7	08.2	07.9	08.0	08.2	08.2	09.2	10.6	10.6	07.8	08.80	13.5	92.2	91.9	91.8	92.2	92.6	93.3	95.0	96.2	97.9	00.2	01.7	01.7	91.6	94.88	28
29	11.9	13.5	14.5	15.2	15.3	14.8	14.5	14.1	14.0	14.2	14.7	15.2	15.3	10.6	14.32	02.8	04.1	05.4	07.1	07.9	07.9	08.4	08.3	09.7	10.3	11.4	11.7	11.7	01.7	07.92	29
30	15.3	15.5	15.9	16.6	16.9	16.5	15.8	15.1	14.8	14.9	14.7	14.4	**16.9**	14.4	**15.53**	12.1	12.9	14.0	14.8	15.7	16.1	16.5	17.0	17.9	18.7	19.7	20.0	20.0	11.7	16.28	30
																20.9	21.4	22.0	22.8	23.7	23.6	23.4	23.3	23.6	23.9	23.7	23.6	23.9	20.0	22.99	31
M	96.49	**95.95**	96.28	96.42	96.73	96.75	96.59	96.46	96.39	96.85	96.93	**96.96**	99.79	93.14	96.57	10.30	10.09	10.08	10.38	10.62	10.39	09.94	**09.75**	09.95	10.25	10.56	**10.71**	14.30	06.50	10.25	M

November XI — Desember XII

1	23.4	22.7	22.5	22.9	22.9	22.4	21.5	20.5	19.3	18.8	17.9	16.7	23.6	16.7	20.96	88.3	87.4	86.5	86.1	86.2	86.1	86.1	86.1	85.9	85.9	85.7	85.5	89.4	85.5	86.32	1
2	15.9	15.0	14.0	13.3	12.7	11.6	10.4	09.6	08.6	07.9	07.0	06.7	16.7	06.7	11.06	85.1	84.7	84.2	83.8	83.7	83.0	81.8	80.2	78.3	76.5	75.7	75.0	85.5	75.0	81.00	2
3	05.9	05.7	05.5	06.0	06.5	07.3	08.0	08.8	10.2	11.7	13.1	14.4	14.4	05.5	08.59	74.6	74.6	74.5	75.2	75.8	76.7	77.5	78.0	79.3	80.4	81.2	83.0	85.0	**74.4**	**77.57**	3
4	15.1	15.9	16.9	18.6	19.5	20.1	21.1	21.9	21.8	22.3	22.6	22.6	22.7	14.4	19.87	84.7	86.4	88.0	89.9	91.5	93.2	94.7	95.9	97.4	98.8	00.1	01.6	01.6	83.0	93.52	4
5	22.6	22.4	22.6	23.0	23.9	24.1	24.0	24.1	24.3	24.1	23.8	23.6	**24.3**	22.4	**23.54**	02.1	02.8	03.5	04.1	04.9	04.6	04.1	03.9	03.8	03.6	03.4	02.7	04.9	01.6	03.62	5
6	23.5	22.8	22.4	22.2	22.0	20.9	19.7	19.0	17.6	16.4	14.6	12.7	23.9	12.7	19.48	02.0	01.4	01.0	01.0	01.2	01.0	00.6	00.8	00.8	00.8	00.6	99.8	02.7	99.8	00.92	6
7	10.1	07.3	05.0	03.5	02.2	01.6	01.3	01.9	02.5	03.3	04.5	05.7	12.7	01.3	04.08	99.3	98.7	97.9	97.5	97.7	98.0	98.1	98.2	98.5	99.2	99.6	99.7	99.8	97.5	98.53	7
8	06.6	07.7	08.7	09.8	11.1	11.1	10.4	10.0	09.3	08.0	05.3	03.8	11.2	03.7	08.48	99.8	99.6	99.0	99.0	98.7	97.7	96.3	95.1	94.0	93.0	92.6	92.3	99.9	92.3	96.42	8
9	01.0	99.8	98.7	99.1	99.9	99.6	99.8	00.9	02.1	03.1	03.2	03.1	03.8	98.7	00.86	91.9	92.2	92.5	94.0	95.6	97.0	98.3	99.5	01.2	03.0	04.2	05.6	05.6	91.9	97.92	9
10	02.2	01.8	01.1	00.0	99.0	98.0	97.0	97.0	97.7	99.3	00.1	01.5	03.1	96.8	99.56	06.1	06.9	08.0	09.9	11.4	12.6	13.3	14.5	15.6	16.4	16.8	17.2	17.2	05.6	12.39	10
11	01.8	02.5	03.0	03.2	03.3	02.6	00.8	99.4	98.2	96.8	95.2	93.0	03.4	93.0	99.98	16.9	16.9	17.0	17.2	17.4	17.1	16.9	16.8	16.8	16.8	17.0	17.0	17.5	16.6	16.98	11
12	90.4	88.1	85.7	84.0	82.3	80.9	79.2	78.2	77.0	75.7	72.9	70.8	93.0	70.8	80.43	17.1	17.2	16.9	17.0	17.6	17.7	18.4	19.2	20.2	21.3	22.1	23.1	23.1	16.9	18.98	12
13	68.6	67.3	66.6	67.4	70.0	73.4	75.6	78.0	80.8	84.1	86.4	88.2	88.2	**66.6**	**75.53**	24.2	24.9	25.4	26.2	27.8	29.1	30.0	31.0	32.2	32.8	34.0	34.8	34.8	23.1	29.37	13
14	90.4	92.7	94.4	96.1	98.1	99.4	00.1	00.7	01.5	02.3	03.0	03.8	03.8	88.2	98.54	35.2	36.0	36.5	37.4	38.2	39.3	39.4	40.1	40.7	41.5	41.8	42.4	42.4	34.8	39.04	14
15	04.3	04.8	05.4	05.6	06.1	05.6	05.2	05.3	05.3	05.7	05.7	05.6	06.1	03.8	05.38	42.7	43.2	43.6	44.3	44.6	44.8	44.9	45.0	45.3	45.5	46.0	45.8	**46.1**	42.4	**44.64**	15
16	05.6	05.3	04.8	05.1	05.2	05.2	05.0	04.7	04.9	04.8	04.6	04.0	05.6	04.0	04.93	45.8	45.1	44.8	44.9	44.9	44.3	43.9	43.3	43.2	42.8	42.6	42.1	45.8	42.1	43.98	16
17	03.3	02.6	01.8	01.3	01.2	00.3	99.0	98.0	97.2	96.6	95.8	95.2	04.0	95.2	99.36	41.0	40.3	40.0	38.8	38.4	37.6	36.2	35.3	34.4	33.0	31.7	30.3	42.1	30.3	36.42	17
18	94.5	93.4	92.7	92.9	93.1	93.3	93.3	93.4	93.7	94.1	94.1	94.0	95.2	92.7	93.54	28.4	26.6	24.9	23.5	22.5	21.8	20.9	20.3	19.8	19.9	20.0	20.6	30.3	19.7	22.43	18
19	94.0	94.1	94.1	94.8	95.3	95.4	95.5	95.6	95.5	95.8	95.8	95.9	95.9	93.9	95.15	20.8	20.7	20.4	20.6	20.8	20.7	20.0	19.2	19.1	18.8	18.7	18.6	20.9	18.6	19.87	19
20	95.9	95.6	95.7	96.1	96.4	96.9	96.8	96.6	97.2	97.0	96.9	96.4	97.2	95.5	96.46	17.9	17.1	16.5	16.0	15.9	15.4	14.6	14.4	13.7	13.9	13.6	13.5	18.6	13.5	15.21	20
21	95.0	93.3	91.7	90.4	88.3	86.3	84.6	83.3	83.1	83.6	82.7	82.0	96.4	81.8	87.02	12.8	11.8	11.0	10.7	10.0	09.4	07.7	06.7	05.6	04.5	03.5	03.0	13.5	03.0	08.06	21
22	81.7	81.7	81.5	81.4	81.6	81.7	82.3	83.0	83.3	83.7	83.9	83.8	83.9	81.4	82.47	01.8	00.7	00.0	99.8	00.1	99.7	98.7	97.9	97.3	96.3	96.0	95.4	03.0	95.4	98.64	22
23	84.0	84.2	84.6	86.4	89.1	91.9	94.4	96.7	98.2	98.7	98.2	97.6	98.8	83.8	92.00	94.9	94.3	93.4	93.2	93.7	93.8	93.9	94.3	95.1	95.6	96.0	96.6	96.6	93.2	94.57	23
24	95.7	94.1	93.1	92.6	92.8	92.9	92.1	91.6	90.6	90.4	90.1	89.5	97.6	89.5	92.12	96.8	96.9	96.8	97.2	97.4	97.3	96.8	96.7	96.7	96.6	96.6	96.2	97.5	96.2	96.83	24
25	87.2	85.3	84.4	85.9	87.3	88.4	89.4	89.5	89.4	89.6	89.8	89.8	90.0	84.3	88.00	96.0	95.7	95.2	94.9	94.5	93.9	92.7	92.0	91.0	89.2	86.7	84.7	96.2	84.7	92.21	25
26	89.2	88.4	87.7	87.2	86.7	86.5	85.9	85.4	85.3	85.3	85.5	85.3	89.8	85.3	86.53	82.2	80.2	79.2	79.8	81.1	81.6	81.8	82.6	83.2	83.9	84.5	85.7	85.7	79.2	82.15	26
27	85.3	85.3	85.9	87.5	89.2	91.2	92.0	92.5	92.4	91.2	88.5	87.7	92.6	85.3	89.06	86.5	87.2	88.0	89.1	91.3	92.7	93.7	94.7	96.0	96.6	97.9	98.5	98.5	85.7	92.68	27
28	87.9	87.7	86.5	86.9	88.9	91.2	93.3	94.6	95.8	97.0	97.9	99.1	99.1	86.3	92.23	98.7	98.8	98.7	98.7	99.2	99.5	00.0	01.1	01.9	03.2	04.7	05.7	05.7	98.5	00.85	28
29	99.3	99.6	99.8	00.0	00.3	00.1	99.7	99.6	99.5	99.5	99.2	98.8	00.5	98.8	99.62	06.9	07.8	08.9	10.2	11.6	12.0	12.7	13.2	13.5	13.6	13.5	12.9	13.6	05.7	11.40	29
30	98.2	97.3	96.5	95.7	95.3	94.2	93.2	92.3	91.7	91.0	90.2	89.4	98.8	89.4	93.75	12.4	11.8	11.6	11.0	10.6	10.4	10.1	10.0	09.8	09.8	09.7	09.6	12.9	09.6	10.57	30
																09.1	08.7	08.1	07.5	07.6	07.0	06.6	06.5	06.4	06.3	06.7	07.7	09.6	06.3	07.35	31
M	**99.29**	98.81	**98.44**	98.63	99.01	99.14	99.02	99.07	99.13	99.26	98.95	98.69	03.21	94.95	98.95	07.16	06.99	**06.84**	07.05	07.48	07.58	07.44	07.50	07.64	07.73	07.85	**07.95**	11.10	03.94	07.43	M

Registreringer av lufttemperatur T

(Records of temperature: T)

1946

Oslo (Blindern)

Januar I — $\varphi = 59°\ 56'$ N — $\lambda = 10°\ 44'$ E — $g = 9.819$ — $\Delta G = +1^h$ — $H_t = 94$ — $H_b = 95.6$ — $h_t = 2.0$ — $h_a = 25.2$ — $h_d = 25.6$ — $h_r = 1.5$ — Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	-14.8	-15.7	-15.9	-16.4	-16.7	-14.0	-12.8	-14.2	-14.3	-15.3	-15.3	-14.8	-12.8	-16.8	-15.02	- 2.7	- 3.4	- 3.0	- 2.7	- 0.4	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	- 3.5	- 0.68	1
2	-14.4	-14.5	-14.5	-14.9	-15.2	-13.1	-12.1	-14.0	-15.7	-16.0	-16.4	-16.5	-12.1	-17.6	-14.78	0.2	0.0	0.3	0.3	0.5	0.9	0.7	1.4	1.3	0.5	0.3	0.3	1.4	0.0	0.56	2
3	-17.2	-17.3	-18.8	-18.4	-17.7	-15.9	-16.9	-15.5	-15.2	-14.7	-14.7	-14.5	-14.5	**-18.8**	**-16.48**	0.2	0.2	0.3	0.7	0.8	0.8	1.1	0.7	0.7	0.7	0.7	0.7	0.8	0.2	0.63	3
4	-13.1	- 9.0	- 5.8	- 2.4	1.8	1.8	2.2	2.1	2.5	2.3	2.3	3.3	3.3	-14.5	- 1.00	0.7	0.7	1.0	1.0	0.4	1.1	1.9	1.7	1.6	1.3	1.3	1.3	1.9	0.0	1.17	4
5	3.4	3.4	3.3	2.8	1.4	5.7	6.8	4.3	4.5	5.1	3.5	3.4	**6.9**	1.4	**3.97**	1.3	1.3	1.0	1.0	1.2	1.8	1.9	1.9	1.4	1.4	1.2	1.1	2.0	0.9	1.38	5
6	1.7	- 0.4	0.2	- 0.8	- 1.1	0.7	2.3	0.6	- 0.4	- 0.4	- 1.0	- 1.5	3.4	- 1.8	0.00	0.8	- 0.3	- 1.2	- 3.2	- 3.5	- 1.9	- 1.0	- 1.8	- 5.3	- 6.3	- 6.8	- 8.3	1.2	- 8.3	- 3.23	6
7	- 2.5	- 1.6	- 2.0	- 2.4	- 2.5	- 1.0	- 0.8	- 1.5	- 1.5	- 1.7	- 1.8	- 1.9	- 0.7	- 2.5	- 1.78	- 7.5	- 6.7	- 6.2	- 5.7	- 4.8	- 3.4	- 1.6	0.0	1.9	0.8	0.7	0.6	2.0	- 8.3	- 2.66	7
8	- 1.8	- 3.5	- 4.4	- 5.4	- 4.5	- 2.4	- 1.0	- 0.8	- 1.0	- 0.8	1.3	1.4	1.4	- 5.4	- 1.91	0.3	0.1	- 0.4	0.4	0.7	1.0	1.6	0.9	0.1	0.0	0.0	- 0.2	1.6	- 0.7	0.38	8
9	1.5	2.6	2.8	2.8	2.6	2.7	2.0	1.7	1.6	1.4	2.9	2.9	2.9	0.8	2.29	- 1.4	- 2.7	- 3.7	- 4.1	- 4.4	- 4.5	- 4.2	- 5.5	- 5.9	- 8.6	- 9.6	-10.6	- 0.2	-10.8	- 5.45	9
10	2.1	2.7	2.6	1.7	1.7	1.7	1.2	1.2	0.7	0.6	0.6	0.6	2.9	0.6	1.45	- 9.6	- 8.9	- 8.7	- 8.7	- 7.5	- 4.5	- 2.4	- 1.3	- 3.2	- 4.4	- 3.7	- 0.7	0.3	-11.5	- 5.30	10
11	0.7	1.0	1.5	2.2	3.5	2.0	- 0.3	- 1.6	- 3.8	- 4.8	- 5.2	- 6.1	4.2	- 6.1	- 0.91	- 2.6	- 5.8	- 4.7	- 2.6	- 0.4	1.4	2.2	2.0	- 0.2	- 0.7	- 1.0	- 0.6	2.2	- 6.4	- 1.08	11
12	- 7.0	- 8.2	- 8.8	- 8.9	- 9.0	- 9.1	- 8.8	- 8.5	- 8.5	- 8.2	- 7.6	- 7.2	- 6.1	- 9.0	- 8.32	- 0.8	- 0.6	- 0.4	- 0.4	- 0.4	1.9	2.3	0.5	- 1.6	- 3.9	- 5.7	- 5.7	2.4	- 6.5	- 1.22	12
13	- 7.5	- 8.5	- 8.7	- 8.3	- 7.2	- 5.2	- 4.3	- 4.9	- 4.9	- 4.6	- 4.0	- 5.9	- 3.9	- 8.8	- 6.17	- 7.1	- 7.7	- 9.7	-10.2	- 8.8	- 5.4	- 3.8	- 3.8	- 5.3	- 8.9	- 9.1	-10.0	- 3.5	-11.1	- 7.48	13
14	- 7.9	- 7.9	- 8.0	- 8.0	- 8.0	- 5.9	- 4.7	- 5.0	- 7.0	- 8.3	- 9.5	- 9.3	- 4.6	- 9.6	- 7.46	- 8.4	- 8.5	- 9.5	- 9.8	- 7.6	- 4.2	- 1.8	- 1.8	- 1.8	0.4	1.1	3.9	5.4	-10.0	- 4.00	14
15	-10.9	-11.7	-11.6	-13.2	-12.7	-11.2	- 9.4	-10.7	-12.8	-13.7	-14.4	-14.6	- 9.3	-14.6	-12.24	0.9	- 0.3	- 1.2	- 1.6	- 1.6	1.3	5.8	6.3	1.2	0.0	- 0.8	- 0.9	6.7	- 2.0	0.76	15
16	-15.5	-15.6	-15.6	-14.8	-13.6	-10.9	- 8.6	- 8.5	- 8.3	- 8.3	- 7.4	- 8.0	- 7.3	-15.6	-11.26	- 0.6	0.1	3.3	4.4	4.4	7.5	5.2	3.7	3.2	3.2	4.0	3.2	**8.4**	- 0.9	**3.47**	16
17	- 8.9	- 8.8	- 8.9	- 8.9	- 7.9	- 6.7	- 5.8	- 5.9	- 7.4	- 8.1	- 8.3	- 9.0	- 5.6	- 9.0	- 7.88	2.4	2.1	2.3	1.6	2.3	3.5	4.5	4.0	1.1	- 0.5	- 1.9	- 2.4	4.5	- 2.4	1.58	17
18	- 9.2	- 9.0	- 9.2	- 9.5	- 8.5	- 6.6	- 5.6	- 5.9	- 7.0	- 7.2	- 6.9	- 7.3	- 5.5	- 9.9	- 7.66	5.7	1.8	0.1	0.1	- 0.1	1.7	1.7	1.0	- 0.6	- 1.5	- 2.7	- 3.6	6.0	- 3.6	0.30	18
19	- 6.8	- 7.3	- 6.9	- 7.6	- 7.0	- 4.8	0.3	- 0.5	- 1.5	- 1.1	- 2.1	- 2.0	0.3	- 7.7	- 3.94	- 3.5	- 3.8	- 3.8	- 4.0	- 3.9	- 2.3	- 2.1	- 2.1	- 2.2	- 3.1	- 3.7	- 3.9	- 2.1	- 3.9	- 3.20	19
20	- 2.4	- 2.6	- 2.5	- 2.8	- 2.8	- 2.8	- 2.7	- 2.9	- 3.3	- 3.7	- 4.0	- 4.0	- 1.9	- 4.0	- 3.04	- 4.6	- 5.1	- 5.7	- 6.2	- 6.2	- 5.5	- 5.0	- 5.0	- 5.8	- 6.2	- 7.2	- 7.3	- 3.9	- 7.4	- 5.82	20
21	- 4.0	- 4.0	- 3.8	- 3.2	- 3.3	- 3.1	- 3.6	- 4.0	- 4.1	- 4.2	- 4.2	- 4.3	- 3.1	- 4.4	- 3.82	- 8.3	- 9.2	-10.3	-10.3	- 7.5	- 5.7	- 4.5	- 5.2	- 6.8	- 9.9	-12.4	-13.0	- 4.5	-13.0	- 8.59	21
22	- 4.3	- 4.2	- 4.3	- 4.1	- 3.6	- 3.5	- 3.5	- 3.8	- 3.9	- 3.9	- 4.1	- 5.0	- 3.4	- 5.0	- 4.02	-14.2	-12.2	-12.2	-12.7	-10.1	- 6.7	- 4.6	- 5.8	- 8.4	- 9.9	-11.8	-12.6	- 4.4	-14.4	-10.10	22
23	- 7.1	- 8.1	- 7.3	- 7.1	- 6.7	- 6.2	- 5.8	- 5.7	- 5.1	- 5.0	- 4.9	- 5.9	- 3.9	- 8.1	- 6.08	-14.8	-14.8	-16.2	-15.4	-10.4	- 8.5	- 8.0	- 7.8	- 6.7	- 7.1	- 7.1	- 7.0	- 6.7	**-16.3**	-10.32	23
24	- 3.9	- 3.8	- 3.4	- 3.5	- 3.0	- 3.2	- 3.5	- 3.3	- 2.8	- 2.6	- 1.8	- 1.6	- 1.6	- 3.9	- 3.03	- 6.7	- 6.5	- 6.5	- 6.1	- 5.3	- 4.5	- 4.4	- 3.7	- 4.5	- 5.1	- 5.7	- 6.5	- 3.7	- 7.3	- 5.46	24
25	- 1.3	- 0.5	0.1	0.5	1.5	1.4	1.0	0.7	0.4	0.5	0.6	0.5	1.5	- 1.6	0.45	- 6.5	- 6.5	- 6.5	- 7.0	- 6.4	- 3.8	- 2.9	- 3.4	- 5.7	- 8.2	- 9.0	- 9.9	- 2.4	- 9.9	- 6.32	25
26	0.6	0.6	- 0.1	- 0.4	- 0.4	- 0.3	- 0.4	- 0.7	- 1.1	- 1.9	- 2.8	- 2.9	0.6	- 2.9	- 0.82	-12.0	-13.0	-14.0	-15.4	-11.9	- 8.0	- 6.4	- 6.1	-11.3	-12.9	-12.6	-10.8	- 6.0	-15.4	**-11.20**	26
27	- 4.1	- 4.1	- 4.0	- 4.2	- 4.2	- 4.0	- 3.7	- 3.5	- 3.3	- 3.3	- 3.4	- 3.3	- 2.9	- 4.2	- 3.76	-10.8	-10.8	-10.7	-10.7	- 9.4	- 8.3	- 6.7	- 6.8	- 8.1	- 9.0	-10.1	-11.2	- 6.6	-11.2	- 9.38	27
28	- 3.4	- 3.3	- 3.1	- 2.8	- 2.6	- 2.0	- 2.1	- 2.1	- 1.9	- 1.2	- 0.9	0.2	0.2	- 3.5	- 2.10	-11.1	-11.6	-12.1	-12.3	-10.2	- 8.7	- 7.8	- 6.7	- 7.2	- 7.6	- 8.8	- 9.6	- 6.7	-12.3	- 9.48	28
29	0.6	0.2	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.3	0.2	0.2	0.6	0.0	0.22																
30	0.1	- 0.2	- 0.5	- 0.8	- 0.8	- 0.3	- 0.3	- 0.8	- 0.8	- 0.8	- 0.6	0.0	0.2	- 0.8	- 0.48																
31	0.1	0.0	- 0.7	- 1.1	- 2.0	- 0.9	0.4	- 0.6	- 2.6	- 1.8	- 2.0	- 2.6	0.5	- 2.6	- 1.15																
M	- 5.07	- 5.14	- 5.11	- **5.16**	- 4.79	- 3.81	- **3.22**	- 3.68	- 4.14	- 4.24	- 4.25	- 4.31	- 2.27	- 6.64	- 4.41	- 4.31	- 4.72	- 4.94	- **4.99**	- 3.95	- 2.23	- **1.35**	- 1.50	- 2.77	- 3.74	- 4.29	- 4.40	- 0.12	- 6.99	- 3.60	M

Mars III — April IV

1	-11.5	-12.4	-11.8	-13.7	-11.0	- 7.0	- 4.8	- 3.3	- 7.4	- 9.1	- 8.8	- 8.8	- 3.3	-13.7	- 9.13	3.2	5.6	1.6	2.3	6.1	10.3	13.0	13.9	12.9	7.8	3.8	2.1	13.9	1.3	6.88	1
2	- 9.1	- 9.1	- 8.3	- 8.1	- 7.5	- 4.2	- 2.3	- 2.2	- 2.2	- 4.1	- 3.3	- 3.1	- 2.2	- 9.5	- 5.29	1.0	0.8	0.9	1.6	2.8	4.5	8.1	9.3	9.9	8.1	6.6	7.2	10.1	0.8	5.07	2
3	- 3.1	- 3.1	- 3.2	- 3.1	- 2.9	- 2.1	- 2.0	- 1.5	- 1.4	- 1.4	- 1.4	- 1.6	- 1.4	- 3.2	- 2.23	7.1	5.7	7.3	9.9	10.5	14.7	16.9	16.4	14.5	12.2	8.8	6.5	17.4	5.7	10.88	3
4	- 2.1	- 2.2	- 2.4	- 2.4	- 2.7	- 1.8	- 0.8	- 0.7	- 0.9	- 1.0	- 1.6	- 1.8	- 0.7	- 3.0	- 1.70	4.8	4.3	4.4	5.4	8.5	11.5	11.9	10.7	9.2	7.2	6.2	5.0	12.5	4.3	7.42	4
5	- 2.0	- 2.0	- 2.0	- 2.0	- 0.9	0.9	2.0	2.0	0.1	- 4.3	- 5.0	- 4.1	2.7	- 5.1	- 1.44	4.1	3.3	3.6	4.1	4.2	5.8	7.6	7.8	9.4	7.4	4.4	2.5	10.4	2.5	5.35	5
6	- 3.4	- 2.6	- 3.7	- 4.8	- 1.4	0.7	0.6	- 0.3	- 1.6	- 4.3	- 4.6	- 5.5	0.7	- 5.5	- 2.58	0.1	- 0.8	- 1.0	2.5	7.2	9.3	10.1	9.7	8.3	4.9	4.2	2.4	10.4	- 1.1	4.74	6
7	- 6.3	- 6.2	- 5.5	- 5.6	- 4.8	- 3.7	- 3.2	- 3.3	- 3.5	- 4.1	- 3.9	- 3.6	- 3.1	- 6.3	- 4.48	1.6	2.1	2.4	3.8	7.2	8.3	9.8	10.6	11.3	8.2	7.1	8.1	11.3	1.6	6.71	7
8	- 2.7	- 2.4	- 2.0	- 1.6	- 1.0	- 0.1	0.3	- 0.2	- 0.8	- 1.1	- 2.1	- 2.1	0.3	- 3.6	- 1.32	6.5	5.0	4.3	7.1	10.3	10.2	10.0	9.0	7.9	6.2	4.4	4.2	11.1	3.3	7.09	8
9	- 2.0	- 2.1	- 2.4	- 2.8	- 2.6	- 2.2	- 1.7	- 1.6	- 2.0	- 2.3	- 2.4	- 2.4	- 1.5	- 2.9	- 2.21	3.6	2.2	3.4	5.6	7.1	7.0	6.9	5.5	5.7	3.4	2.7	3.2	7.2	1.2	4.69	9
10	- 2.4	- 2.7	- 3.1	- 3.1	- 2.8	- 1.8	- 0.7	- 0.7	- 1.2	- 1.8	- 2.3	- 2.3	- 0.7	- 3.1	- 2.08	3.2	2.5	2.4	3.6	4.8	6.4	6.0	5.2	4.7	2.8	2.0	0.5	6.9	0.2	3.68	10
11	- 2.7	- 2.8	- 2.8	- 2.8	- 1.7	- 0.9	- 1.6	- 1.6	- 2.1	- 2.6	- 2.7	- 2.7	- 0.8	- 2.8	- 2.25	- 0.8	- 0.3	- 1.7	- 0.7	1.6	5.2	8.2	11.1	6.9	3.3	2.1	2.6	11.7	- 1.7	3.12	11
12	- 2.6	- 2.7	- 2.6	- 2.4	- 1.7	- 0.3	- 0.3	- 1.2	- 1.8	- 2.8	- 4.0	- 4.3	- 0.3	- 4.5	- 2.22	1.9	1.6	1.6	1.9	3.2	4.5	5.1	5.3	5.3	1.7	0.3	- 1.8	5.3	- 1.8	**2.55**	12
13	- 6.0	- 6.9	- 6.6	- 6.0	- 5.6	- 4.8	- 3.4	- 3.6	- 5.7	- 8.5	-10.0	- 9.6	- 2.8	-10.0	- 6.39	- 2.8	- 2.4	- 2.2	1.1	4.8	7.0	7.2	5.5	5.2	3.4	3.0	3.0	8.1	- **3.1**	2.73	13
14	-10.2	-11.2	-12.1	-12.5	-10.6	- 8.8	- 7.5	- 7.5	- 9.6	-14.7	-14.6	-16.1	- 7.0	-16.1	-**11.28**	2.6	1.8	1.0	1.4	2.9	4.9	6.8	9.1	9.3	10.1	6.5	4.4	10.4	1.0	5.07	14
15	-17.5	-18.6	-19.1	-17.9	-11.5	- 8.4	- 5.9	- 4.8	- 5.4	- 6.5	- 7.8	-10.3	- 4.8	-**19.8**	-11.14	3.9	4.1	4.2	6.7	10.5	13.5	14.7	13.3	11.2	8.7	7.5	6.8	15.4	3.4	8.76	15
16	-11.5	-12.3	-13.0	-11.1	- 6.2	- 1.1	2.2	3.5	2.3	- 2.5	- 6.4	- 7.7	3.8	-13.0	- 5.32	6.1	6.0	5.9	6.2	9.1	11.2	12.1	11.1	10.2	8.2	7.5	7.2	12.1	5.9	8.40	16
17	- 9.3	- 9.8	- 8.8	- 8.5	- 6.7	- 5.2	- 1.8	1.7	0.0	- 4.0	- 5.2	- 7.4	1.7	-10.1	- 5.42	7.2	6.7	6.6	6.6	6.6	6.6	6.4	7.4	7.2	6.5	6.2	5.8	7.8	5.8	6.65	17
18	- 8.1	- 7.7	- 5.9	- 4.6	- 2.7	- 0.8	- 0.1	- 0.3	- 0.4	0.0	0.2	0.1	0.2	- 8.6	- 2.52	4.6	4.4	4.4	5.5	8.2	9.7	10.5	9.9	9.3	6.3	4.4	2.9	10.5	2.2	6.68	18
19	0.0	0.2	0.4	0.7	1.6	2.2	2.1	1.8	1.8	1.6	2.3	1.9	2.3	0.0	1.38	1.2	- 0.6	0.6	6.0	8.1	9.4	11.1	12.0	10.7	6.7	5.5	4.5	12.3	- 0.6	6.27	19
20	2.5	1.8	1.7	1.9	2.7	3.1	4.3	4.2	3.2	2.1	2.0	2.3	4.4	1.7	2.65	4.3	4.3	4.1	5.0	7.5	10.6	13.0	13.1	12.5	10.0	8.7	6.7	13.3	4.1	8.32	20
21	2.1	2.2	2.3	2.4	2.9	3.8	4.0	6.3	5.1	3.0	1.2	1.2	6.3	1.1	3.04	4.6	2.9	2.3	7.2	3.1	4.4	13.0	12.3	10.8	6.9	4.5	3.7	13.7	2.3	6.31	21
22	3.6	- 1.4	- 2.6	1.0	5.7	7.9	9.6	8.9	6.2	2.5	0.7	- 1.3	9.6	- 2.6	3.40	2.8	0.8	0.7	3.3	9.5	11.6	12.0	12.2	11.0	7.1	3.2	2.0	12.3	0.5	6.35	22
23	- 3.4	- 3.6	- 3.7	- 1.5	2.7	6.4	8.3	9.0	7.3	4.9	1.6	0.7	9.0	- 3.7	2.39	1.1	0.0	1.6	4.6	7.7	7.9	7.8	8.8	8.8	7.0	6.4	6.1	10.0	- 0.2	5.65	23
24	- 1.2	- 2.4	- 3.4	0.6	2.3	5.6	7.1	7.0	5.1	2.9	1.1	- 1.3	7.1	- 3.6	1.95	5.4	2.9	2.7	4.8	6.8	7.6	6.2	8.2	8.6	6.7	5.0	2.3	9.5	1.8	5.60	24
25	- 2.2	- 2.5	- 2.4	- 1.6	2.3	5.7	8.8	9.2	6.9	4.6	4.2	4.6	9.2	- 3.0	3.13	2.2	2.2	2.6	5.0	5.3	6.6	6.0	6.6	7.2	6.1	4.9	2.4	7.3	1.8	4.76	25
26	0.1	- 1.4	- 0.8	0.4	3.6	6.7	7.8	6.6	5.1	3.7	2.6	2.1	7.9	- 1.4	3.04	2.9	3.6	5.4	4.8	6.0	8.3	10.4	12.3	12.2	11.0	10.0	10.1	12.4	2.2	8.08	26
27	1.4	1.3	1.3	1.2	1.9	2.7	3.0	3.1	2.8	1.9	2.0	1.6	3.2	1.3	2.02	9.1	8.3	9.1	11.2	14.5	18.0	19.9	20.8	18.3	14.4	11.6	10.1	**20.8**	8.1	**13.78**	27
28	1.4	1.2	0.2	- 0.1	3.0	0.0	10.7	13.1	10.4	5.7	4.7	1.8	13.4	- 0.7	4.34	10.2	9.7	9.6	9.6	11.0	12.5	12.4	11.6	11.1	10.1	8.9	8.4	12.5	8.4	10.42	28
29	0.1	- 0.9	- 1.1	0.5	4.3	6.6	9.1	9.6	7.0	4.2	1.9	0.9	9.7	- 1.1	3.52	8.3	8.2	7.7	8.9	11.2	13.1	13.7	13.5	12.4	11.1	10.0	9.3	14.0	7.6	10.62	29
30	0.1	0.4	0.2	0.0	0.4	6.6	10.6	12.6	10.6	8.2	4.1	1.5	12.6	0.0	4.61	9.1	9.0	8.4	8.7	10.2	12.9	15.0	15.9	15.4	13.8	10.7	7.2	16.0	7.2	11.36	30
31	1.0	- 0.3	- 0.2	0.5	2.7	6.4	9.6	12.0	12.8	7.7	6.8	3.8	13.6	- 0.5	**5.23**																
M	- 3.45	- 3.94	- 3.98	- 3.45	- 1.55	0.39	2.06	**2.51**	1.31	- 0.71	- 1.64	- 2.37	2.87	- 4.95	- 1.24	3.97	3.46	**3.46**	5.12	7.22	9.12	10.39	10.60	9.91	7.58	5.90	4.85	11.55	2.49	6.80	M

1946

Oslo (Blindern)

Mai V — $\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$ — Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	6.3	5.3	5.1	9.7	12.4	14.2	15.8	14.1	12.5	11.2	10.3	9.7	16.2	5.1	10.55	13.9	13.9	13.8	15.0	16.8	18.6	18.5	16.9	12.8	11.5	11.6	11.4	19.0	11.4	14.56	1
2	9.3	8.6	8.5	8.6	10.3	12.8	12.0	11.5	11.5	11.2	9.8	8.6	13.7	8.4	10.22	11.2	9.7	10.1	13.6	14.9	15.1	11.6	10.3	11.4	11.8	11.6	10.7	15.3	9.5	11.83	2
3	7.5	7.5	8.5	9.9	11.7	13.5	15.1	16.7	16.8	13.8	10.6	10.6	16.8	7.5	11.85	10.7	10.5	10.5	10.9	11.6	11.0	13.6	13.8	14.1	13.8	10.6	9.2	15.4	9.2	11.69	3
4	8.6	8.5	8.6	9.7	11.8	13.0	14.5	15.9	15.8	12.8	10.8	8.4	15.9	7.7	11.53	7.6	6.7	9.8	13.9	16.6	18.3	18.9	17.7	17.1	16.2	14.7	11.2	19.6	6.6	14.06	4
5	8.3	8.0	7.5	6.4	4.1	4.2	5.2	6.9	7.9	6.7	5.8	4.5	8.3	4.1	**6.29**	8.9	9.7	10.8	12.9	15.6	14.0	13.3	12.6	11.9	11.9	12.6	12.4	15.6	8.7	12.22	5
6	3.7	3.0	4.0	6.1	8.3	10.3	12.1	13.5	12.4	9.1	7.1	3.0	13.7	3.0	7.72	12.0	11.8	12.3	12.8	12.5	15.2	15.2	15.2	16.8	14.4	12.6	9.8	16.8	9.8	13.38	6
7	1.7	0.9	2.9	7.5	12.1	17.1	19.1	18.2	16.6	13.8	9.4	6.8	19.1	0.9	10.51	8.6	8.9	9.6	12.9	14.1	16.4	16.9	17.5	17.4	14.6	11.6	8.9	17.8	8.6	13.12	7
8	5.4	3.5	6.1	8.1	9.4	11.1	11.7	11.6	11.2	9.2	5.9	5.2	11.9	3.3	8.20	6.5	7.2	10.1	13.6	15.5	17.4	18.2	18.6	16.6	14.8	13.5	9.4	18.8	**5.1**	13.45	8
9	2.4	1.2	2.6	7.5	9.7	11.7	14.1	13.7	13.5	11.2	7.5	7.4	14.7	**0.4**	8.54	8.8	8.9	11.6	12.2	11.3	10.3	9.6	9.6	9.5	9.4	9.3	9.3	12.4	8.6	**9.98**	9
10	5.0	4.4	4.7	7.3	11.3	13.0	14.2	13.2	12.2	9.8	7.3	6.1	14.7	4.1	9.04	9.3	9.0	9.5	11.6	13.4	15.3	16.1	14.6	13.1	12.0	11.4	10.6	16.6	9.0	12.16	10
11	4.7	3.4	6.1	9.0	10.3	11.4	12.2	13.6	11.8	9.7	8.2	7.3	13.6	3.4	8.98	10.7	10.1	10.1	11.0	11.2	12.4	14.1	15.1	14.0	13.1	12.2	12.1	15.4	10.0	12.18	11
12	6.9	6.9	7.0	7.7	6.8	5.6	6.5	7.6	8.0	7.1	5.0	4.1	8.8	4.1	6.60	10.9	10.1	8.9	9.1	9.5	10.7	12.9	15.6	15.6	14.9	11.4	10.4	15.8	8.8	11.67	12
13	3.9	2.2	4.4	6.1	8.3	10.1	10.4	10.2	10.5	8.9	6.9	6.0	11.2	2.1	7.32	8.2	7.1	9.5	12.7	14.5	15.8	15.9	16.8	17.2	14.5	11.7	10.1	17.6	7.0	12.83	13
14	5.0	4.1	5.3	6.9	7.4	8.2	10.9	10.2	8.9	8.5	6.1	4.7	10.9	4.1	7.18	10.0	9.8	11.0	13.1	15.0	16.2	16.9	16.9	16.8	16.0	12.8	11.8	17.0	9.8	13.86	14
15	4.9	3.8	4.1	6.2	6.6	8.4	9.9	10.4	10.2	9.3	7.7	7.2	10.4	3.7	7.39	12.0	10.8	10.5	10.3	9.0	8.9	10.7	11.1	10.9	10.3	9.5	9.5	12.2	8.6	10.29	15
16	7.1	6.0	6.2	8.4	8.9	11.6	13.2	13.6	12.0	9.2	6.7	3.5	14.0	3.5	8.87	9.3	8.3	10.0	12.0	13.9	16.4	18.1	18.6	17.4	15.2	12.7	11.3	18.7	8.3	13.60	16
17	2.2	2.6	4.3	7.0	8.2	8.8	10.2	11.2	12.8	10.9	6.2	4.6	12.8	2.1	7.42	10.9	10.7	11.6	13.1	13.7	14.5	15.8	13.4	13.1	12.4	12.2	12.2	16.2	10.5	12.80	17
18	3.2	2.2	5.8	9.6	12.9	15.2	16.7	17.6	17.8	14.3	9.9	9.5	17.8	2.2	11.22	12.1	11.8	12.1	13.1	14.3	15.2	11.5	11.6	13.0	12.9	11.3	9.6	15.2	9.6	12.38	18
19	8.5	7.5	9.1	11.5	14.3	15.5	16.4	14.6	13.6	12.0	9.3	6.6	17.2	6.5	11.58	8.3	9.1	10.1	10.3	13.3	15.5	17.0	16.2	17.1	15.7	13.9	11.1	17.7	8.3	13.13	19
20	6.1	5.6	9.2	10.7	15.2	16.8	17.8	18.4	17.5	14.6	12.3	8.5	18.4	5.5	12.72	12.6	11.2	12.1	13.3	15.4	16.3	18.7	18.5	16.3	16.4	13.8	10.1	18.8	10.1	14.56	20
21	6.5	5.7	8.5	13.6	15.9	18.0	19.6	20.5	20.4	18.4	12.4	10.9	20.5	5.7	14.20	8.9	9.7	10.8	12.9	13.3	14.9	14.1	16.9	16.9	15.0	13.7	12.0	16.9	8.9	13.26	21
22	11.4	10.2	9.8	12.4	15.2	18.6	20.6	20.8	20.1	17.8	13.9	10.2	20.9	9.1	15.08	11.8	11.8	12.1	12.8	14.7	17.7	19.4	19.5	17.6	16.5	14.7	12.0	19.6	11.8	15.05	22
23	7.0	5.8	9.6	12.3	13.8	16.9	18.0	19.0	18.6	16.8	11.3	8.3	19.0	5.8	13.12	9.7	9.1	10.9	14.6	18.1	21.2	22.0	20.7	20.0	17.0	14.3	13.6	22.0	9.1	15.93	23
24	7.2	5.7	10.0	13.1	15.7	17.8	18.7	19.2	18.8	17.4	11.1	9.6	19.6	5.7	13.69	13.0	13.1	13.2	13.9	15.9	19.3	21.8	22.7	21.5	21.0	19.4	16.8	**22.9**	13.0	**17.63**	24
25	7.6	5.7	11.0	15.5	17.9	19.7	21.5	22.0	21.1	18.7	13.0	12.3	22.0	5.7	15.50	15.3	15.3	14.7	14.8	14.5	15.3	15.4	16.5	15.3	14.7	14.8	14.2	16.8	14.2	15.07	25
26	10.4	10.2	13.9	17.3	18.5	21.2	23.0	23.1	22.9	20.8	15.0	11.9	23.5	9.6	17.35	13.5	13.3	13.3	14.5	15.4	16.5	17.1	18.5	18.3	16.7	14.8	13.9	18.7	13.3	15.48	26
27	11.4	10.1	12.7	17.4	22.0	23.4	24.7	25.7	25.1	22.3	14.4	12.3	26.0	10.1	18.46	13.3	12.7	12.7	14.2	15.6	18.5	19.4	18.3	18.5	16.5	14.7	13.4	19.5	12.7	15.65	27
28	11.7	11.2	13.4	18.8	22.4	25.5	26.3	26.3	25.0	22.2	18.5	14.4	26.3	10.6	19.64	12.8	12.7	13.3	14.6	16.5	16.4	16.8	16.0	15.3	14.5	12.1	11.6	17.0	11.6	14.38	28
29	12.4	11.8	14.8	19.3	23.9	26.6	25.9	26.9	24.1	22.8	18.8	14.8	**27.9**	11.6	20.18	11.4	11.4	12.1	14.1	17.3	19.0	19.8	19.7	20.1	18.3	15.4	13.3	20.6	11.4	15.99	29
30	13.7	13.1	15.3	19.3	22.2	24.9	26.3	27.0	26.3	22.5	20.0	18.1	27.0	13.0	**20.72**	11.2	11.3	12.4	12.2	12.8	13.6	18.6	18.6	18.8	16.6	13.6	11.4	19.7	**10.7**	14.26	30
31	17.2	16.1	16.6	15.3	15.3	18.1	18.5	19.2	17.2	15.5	15.0	14.5	19.4	14.5	16.54																
M	7.33	**6.48**	8.25	10.91	12.99	14.94	16.16	**16.53**	15.91	13.82	10.52	8.70	17.17	5.91	11.88	10.78	**10.52**	11.32	12.87	14.21	15.53	16.26	**16.27**	15.81	14.62	12.95	11.44	17.52	9.81	13.55	M

Juli VIII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	9.2	7.2	11.9	14.3	16.4	18.0	18.3	19.4	20.5	17.8	14.7	13.6	20.7	**7.2**	15.11	12.7	12.3	12.6	14.9	17.5	20.1	21.4	17.9	17.0	16.1	15.6	15.5	22.3	12.1	16.13	1
2	13.1	11.1	13.0	15.5	18.0	20.4	21.9	21.5	22.2	18.6	16.9	15.5	22.2	10.0	17.31	13.9	12.9	13.5	17.4	18.7	20.1	21.1	18.3	20.0	16.7	14.6	14.3	21.3	12.6	16.79	2
3	14.1	15.3	15.7	17.8	21.9	23.8	22.8	22.8	21.0	19.4	18.4	17.5	23.8	14.1	19.21	13.7	13.4	13.3	13.3	14.9	16.8	16.2	17.8	17.9	16.5	13.3	12.5	18.5	12.5	14.97	3
4	16.6	16.0	17.0	17.3	17.6	18.4	20.8	22.0	21.5	20.5	18.4	17.3	22.0	16.0	18.62	10.7	9.8	10.9	16.6	18.8	20.0	21.6	22.3	21.3	19.2	15.3	13.6	22.7	9.7	16.68	4
5	16.5	17.4	18.6	21.0	22.3	20.5	18.5	18.2	15.6	15.4	15.1	14.5	22.5	14.5	17.80	12.7	12.2	14.3	18.4	20.4	22.9	24.0	23.7	22.5	19.3	16.4	13.5	**24.0**	10.8	**18.35**	5
6	14.3	13.7	14.3	15.4	17.4	16.9	18.4	18.8	17.6	16.0	14.3	13.3	19.2	13.3	15.87	12.8	13.5	13.9	16.0	18.0	20.5	22.0	21.8	20.5	19.5	15.5	14.6	22.0	12.7	17.38	6
7	12.9	12.4	13.5	15.6	17.3	18.9	17.6	20.4	20.4	17.8	16.4	13.8	20.4	12.4	16.42	14.9	14.5	15.1	17.0	16.5	16.4	15.4	15.4	15.7	14.9	14.4	13.9	17.3	13.9	**15.34**	7
8	13.5	12.8	13.0	17.4	19.4	20.7	22.7	21.6	21.0	20.4	18.6	17.9	23.3	12.8	18.25	13.6	13.6	13.8	13.9	14.0	16.5	18.0	18.5	17.6	16.3	14.5	13.4	18.7	13.4	15.31	8
9	16.1	14.1	17.0	18.9	20.7	23.0	24.0	23.6	21.1	20.4	17.2	16.1	24.3	14.0	19.35	13.5	13.3	13.5	14.4	16.1	15.3	13.2	12.5	13.6	13.5	13.4	13.4	16.1	12.4	13.81	9
10	15.2	14.1	15.8	14.9	16.5	18.6	18.8	20.6	19.8	18.7	15.7	14.1	20.6	14.1	16.90	12.7	11.7	10.8	14.2	14.6	15.6	16.5	16.2	14.1	14.0	13.9	14.4	16.6	10.5	14.06	10
11	13.8	12.0	13.8	16.9	18.4	18.9	20.6	22.2	23.2	20.4	14.2	13.0	23.2	11.9	17.28	14.3	14.3	15.2	16.4	15.3	17.5	18.4	18.2	17.0	15.5	14.2	12.8	19.1	12.8	15.76	11
12	12.1	11.9	14.6	19.5	22.2	23.5	24.7	24.5	24.1	21.7	17.3	15.7	24.8	11.6	19.32	11.6	10.5	10.7	14.5	17.9	19.0	19.6	19.2	17.5	14.9	13.8	13.0	19.8	8.8	15.18	12
13	14.4	14.3	17.3	21.2	23.3	24.7	24.8	23.6	24.6	23.5	19.4	18.3	25.8	14.3	20.78	12.1	12.0	12.6	13.2	12.3	13.4	12.6	13.4	13.9	13.8	12.5	12.7	13.9	12.0	12.88	13
14	16.4	17.1	18.4	19.8	21.7	23.8	23.8	25.2	22.6	22.2	20.9	20.6	**26.0**	16.4	21.04	13.2	12.8	12.8	15.1	16.0	17.4	16.3	17.2	16.3	15.4	14.4	13.1	18.3	12.8	15.00	14
15	19.6	18.2	18.2	18.4	20.1	23.8	24.4	24.4	24.3	22.6	20.2	19.5	25.1	17.9	**21.14**	12.5	12.3	12.2	12.4	14.7	16.9	18.7	17.9	17.5	15.4	13.2	12.2	18.8	12.1	14.66	15
16	17.3	15.1	15.6	17.6	20.0	21.8	23.4	23.4	22.7	20.2	16.7	14.1	23.6	14.1	18.99	11.4	11.3	11.4	13.4	14.5	15.7	14.7	12.5	13.4	12.7	10.3	10.4	15.9	9.9	12.64	16
17	13.6	13.2	17.5	20.6	21.1	22.6	24.2	24.6	24.2	21.7	17.3	15.1	24.6	12.8	19.64	9.2	8.9	9.1	11.1	14.3	16.6	18.5	16.1	15.3	13.0	10.0	9.2	18.5	**8.5**	**12.61**	17
18	13.9	13.3	18.0	21.9	21.9	22.6	22.3	22.7	21.5	19.4	16.7	15.4	22.7	13.3	19.13	9.3	10.1	10.8	11.7	13.6	16.6	18.4	17.6	16.1	14.2	12.6	9.9	18.4	9.2	13.41	18
19	12.9	12.3	14.1	16.1	18.6	21.4	23.0	22.5	21.4	19.0	17.6	16.7	23.1	11.6	17.97	9.3	9.5	11.3	13.9	16.2	17.6	19.2	20.1	18.5	16.3	14.4	12.4	20.2	9.3	14.81	19
20	15.0	15.0	16.4	16.5	20.3	19.7	19.6	20.5	19.6	17.3	16.4	15.5	20.5	15.0	17.65	11.5	12.2	11.9	12.8	16.3	17.4	19.6	20.7	20.4	16.7	15.2	15.3	20.7	11.4	15.83	20
21	14.7	13.9	14.4	17.2	19.7	17.7	19.5	18.7	18.6	17.4	16.4	14.8	19.7	13.7	16.92	15.6	13.7	13.5	16.3	19.1	20.9	22.4	22.3	20.1	17.8	13.2	11.9	22.7	11.9	17.23	21
22	13.5	12.8	13.9	15.8	19.4	20.8	19.2	17.1	18.3	17.3	16.1	14.9	21.5	12.8	16.59	10.5	9.4	8.6	14.5	17.6	20.4	23.0	23.5	20.6	17.8	14.1	11.4	23.6	8.6	15.95	22
23	12.5	12.2	13.2	15.3	18.4	19.2	18.9	19.5	20.3	18.6	16.7	14.6	20.3	12.0	16.62	10.6	11.6	13.1	14.0	15.6	19.4	20.8	20.7	19.2	16.7	15.0	13.5	21.1	10.5	15.85	23
24	14.6	15.0	15.0	16.7	21.8	23.7	20.9	20.3	19.2	18.6	18.5	18.4	23.7	14.6	18.56	13.5	13.6	13.8	15.2	17.6	19.1	18.9	20.1	20.0	15.8	14.0	13.2	20.6	13.2	16.23	24
25	18.1	17.6	17.6	18.0	19.9	22.6	21.3	21.2	20.3	20.1	18.6	17.9	23.3	17.6	19.43	12.3	12.1	12.0	15.0	17.5	21.1	22.8	21.5	22.0	18.4	17.4	16.9	23.5	11.8	17.42	25
26	17.4	14.4	14.3	17.7	20.7	22.4	24.4	24.7	22.8	19.7	16.8	14.1	24.7	13.5	19.12	16.2	14.7	14.2	17.2	19.8	20.9	19.3	19.2	19.0	16.3	14.6	14.1	20.9	13.5	17.12	26
27	13.8	14.3	14.5	15.1	16.2	15.8	17.5	18.0	18.9	17.0	16.4	15.4	18.9	12.8	16.08	13.7	11.9	11.7	13.9	15.0	14.5	15.8	16.6	16.2	13.1	13.2	11.5	16.6	11.5	13.92	27
28	15.3	14.6	14.6	15.4	18.2	18.3	19.8	19.5	17.8	16.5	13.8	12.0	20.4	12.0	16.32	11.5	11.3	11.2	11.8	13.2	14.4	14.8	14.8	14.4	13.2	12.6	12.7	15.5	11.2	12.99	28
29	10.7	10.0	11.5	14.4	18.1	18.5	17.4	17.3	15.5	14.8	13.0	12.5	18.7	9.9	14.48	12.5	12.4	12.5	13.4	14.4	14.0	14.6	14.3	13.3	13.7	12.8	12.6	14.7	12.4	13.38	29
30	12.0	12.1	12.0	12.6	14.2	14.7	15.4	17.5	16.7	15.7	13.8	12.4	18.2	11.7	**14.09**	12.3	13.0	12.4	13.8	16.5	14.4	18.5	18.3	16.6	12.2	11.9	12.2	18.5	11.6	14.33	30
31	12.5	12.5	12.5	12.5	14.4	15.3	16.2	16.0	16.2	14.8	13.6	12.9	16.8	12.4	14.12	12.3	12.1	11.7	12.5	15.6	17.0	18.8	19.6	17.4	14.5	13.5	14.1	19.7	11.5	14.92	31
M	14.37	**13.74**	15.07	17.01	19.23	20.35	20.81	**21.04**	20.44	18.82	16.65	15.40	22.08	13.24	17.74	12.47	**12.16**	12.37	14.46	16.21	17.69	**18.55**	18.33	17.68	15.59	13.86	13.04	19.37	11.45	15.19	M

Registreringer av lufttemperatur T

(Records of temperature: T)

1946

Oslo (Blindern)

September IX — $\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ $h_d = 25.6$ $h_r = 1.5$ — Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	14.2	13.4	13.6	13.9	13.4	13.2	13.2	13.5	13.5	13.4	13.3	13.5	14.2	13.2	13.51	5.5	5.4	5.1	4.6	7.7	12.0	14.1	14.0	11.2	8.8	8.0	6.2	14.2	2.0	**8.55**	1
2	14.0	12.8	12.1	12.9	15.5	17.8	17.5	16.7	15.4	14.5	13.6	12.7	18.4	11.9	**14.62**	4.1	2.6	1.3	4.7	6.4	8.5	9.7	7.7	3.5	1.8	0.9	0.6	9.7	0.6	4.32	2
3	11.8	11.7	11.7	11.8	12.4	15.6	14.8	14.9	14.4	11.6	11.2	11.0	16.0	11.0	12.74	0.0	0.0	0.0	0.2	3.5	7.3	7.8	8.7	8.4	8.0	7.5	7.2	8.7	0.0	4.88	3
4	11.4	11.3	11.3	11.6	12.7	15.2	17.6	17.6	16.2	14.2	13.4	13.2	18.3	11.0	13.81	6.4	5.8	5.7	6.0	6.5	6.2	5.6	5.4	5.6	5.6	5.3	5.3	7.2	5.3	5.78	4
5	13.2	13.2	12.8	13.7	14.5	14.8	17.6	15.3	15.3	14.5	13.4	13.2	17.7	12.7	14.29	5.3	4.3	4.3	3.3	3.2	6.1	7.5	8.3	5.9	5.2	5.6	5.5	8.3	2.4	5.38	5
6	12.3	11.9	12.4	12.8	14.2	16.2	17.4	16.5	16.5	15.0	13.6	13.6	17.4	11.7	14.37	5.7	6.6	6.6	7.0	8.2	8.4	9.2	8.4	7.8	8.0	7.6	7.3	9.2	5.5	7.57	6
7	13.6	13.6	13.0	13.2	14.7	17.5	18.8	18.6	16.2	12.6	10.4	9.9	**18.9**	9.9	14.34	6.5	5.7	4.7	5.5	7.4	9.0	10.7	10.7	8.2	6.2	3.1	2.2	10.9	2.1	6.66	7
8	9.0	9.3	9.2	10.1	11.3	12.8	15.1	17.9	16.0	14.2	13.3	13.0	17.9	8.4	12.60	1.4	1.3	0.9	2.0	6.3	9.8	12.8	12.7	8.0	5.4	4.2	2.5	13.7	0.8	5.62	8
9	12.6	12.6	12.6	12.6	13.7	13.7	13.8	13.2	13.0	12.7	12.4	12.3	13.9	12.3	12.93	1.9	1.2	0.8	2.0	6.4	9.8	12.2	12.6	7.4	4.9	3.8	2.4	12.8	0.4	5.42	9
10	12.3	12.0	10.1	11.5	13.6	15.7	16.6	16.9	15.0	11.3	9.5	8.2	17.1	8.2	12.72	1.8	1.5	1.2	1.4	6.6	11.1	13.8	12.9	7.8	7.2	4.4	3.3	14.0	0.8	6.08	10
11	5.7	6.6	7.3	8.3	10.2	11.7	13.1	12.6	12.6	10.2	9.6	8.3	13.7	6.5	9.77	2.2	2.2	2.0	2.6	8.7	11.6	15.9	16.3	11.7	10.5	9.0	7.2	**17.2**	2.0	8.32	11
12	8.0	10.6	11.5	13.1	14.9	15.4	17.5	16.9	16.2	11.8	11.8	11.1	17.8	7.8	13.32	5.5	4.7	4.1	5.2	8.0	10.1	11.5	11.2	9.2	8.1	8.1	7.4	11.5	4.1	7.76	12
13	10.6	10.0	10.5	10.9	12.3	14.3	13.9	13.5	13.5	11.4	11.5	11.7	14.5	10.0	12.01	7.2	7.7	5.9	5.5	7.3	9.6	10.7	10.2	7.1	4.9	3.8	2.9	10.7	2.9	6.90	13
14	11.7	11.6	11.0	10.4	10.6	12.3	13.1	13.3	13.6	13.2	11.7	11.1	13.6	10.3	11.97	1.7	1.0	0.0	- 0.3	1.2	2.7	5.8	7.7	5.4	7.4	5.3	3.5	8.5	- 0.7	3.45	14
15	10.7	10.4	10.6	11.4	14.2	15.0	14.3	14.1	13.6	11.6	11.3	10.0	15.4	9.8	12.27	2.5	2.7	3.1	4.0	6.8	11.8	12.9	11.6	7.5	5.1	4.4	3.9	13.0	2.4	6.36	15
16	8.9	8.1	7.7	8.5	11.5	15.9	16.2	15.2	14.3	11.8	10.1	10.0	17.1	7.3	11.52	2.3	3.0	2.6	2.0	6.4	9.5	13.5	13.6	7.9	6.2	5.3	4.6	14.2	1.2	6.41	16
17	7.2	6.3	6.4	9.1	12.6	15.1	15.1	14.2	13.2	12.1	11.8	11.0	15.3	5.9	11.18	2.8	1.7	2.0	3.0	5.3	8.9	10.7	9.7	6.7	4.5	3.4	2.9	10.7	1.3	5.13	17
18	10.7	10.1	10.1	10.2	10.4	11.6	13.8	14.7	13.2	10.8	8.7	7.4	14.8	7.4	10.98	1.4	1.3	1.1	1.1	5.0	7.8	11.6	11.1	6.3	4.2	3.1	2.1	11.9	0.9	4.68	18
19	7.8	8.7	8.7	8.8	9.5	9.4	9.6	10.0	10.2	9.9	9.5	8.7	10.2	6.8	9.23	1.3	1.1	1.9	1.5	3.2	5.7	7.9	7.5	3.5	1.9	2.9	3.2	8.1	1.0	3.47	19
20	8.5	8.1	7.8	7.8	11.5	13.8	15.2	15.5	12.9	11.0	8.4	7.7	15.5	7.7	10.68	3.8	3.8	3.9	4.0	4.9	5.6	6.4	6.2	5.9	5.4	5.3	5.2	6.4	3.2	5.03	20
21	7.3	6.1	5.1	5.2	9.6	15.1	16.8	16.9	14.5	10.7	9.5	7.2	17.0	4.7	10.33	5.1	4.8	3.0	1.7	4.5	7.1	10.0	9.9	6.9	7.6	6.9	5.2	10.2	1.7	6.06	21
22	6.3	4.0	3.1	6.9	9.5	10.0	11.0	11.3	11.3	12.2	13.0	13.1	13.1	3.1	9.31	3.3	1.7	0.5	0.4	2.8	3.1	3.5	2.5	- 0.5	- 1.9	- 2.5	- 3.2	5.2	- 3.2	0.81	22
23	13.1	12.9	11.6	11.6	13.4	14.6	14.4	13.2	12.2	10.3	7.2	5.5	14.8	5.5	11.67	- 4.2	- 5.2	- 5.8	- 5.6	- 2.2	0.4	1.0	0.8	- 2.2	- 3.6	- 4.2	- 4.6	1.3	- 6.2	- **2.95**	23
24	5.2	4.3	4.1	7.1	10.6	14.1	14.8	15.0	12.2	10.4	7.7	6.1	15.3	4.1	9.30	- 5.3	- 6.2	- 6.2	- 5.6	- 2.7	- 0.9	1.1	1.1	0.6	0.4	- 0.9	- 0.9	1.1	- **6.3**	- 2.12	24
25	5.6	4.8	4.8	7.6	10.9	12.7	13.8	13.5	11.6	10.7	10.6	9.5	13.8	4.6	9.68	- 1.0	- 1.0	- 1.9	- 2.6	1.2	3.5	6.5	5.7	1.1	- 0.9	- 1.0	0.0	6.8	- 2.6	0.80	25
26	9.0	9.2	9.4	9.6	9.8	11.7	13.8	13.7	13.6	12.7	12.7	13.4	13.8	9.0	11.55	0.8	0.5	0.4	0.4	0.5	1.3	3.6	3.3	2.3	2.0	2.0	2.2	3.6	0.0	1.61	26
27	13.5	13.5	13.6	13.9	14.4	13.9	14.0	13.7	13.6	13.7	13.7	13.7	14.4	13.4	13.77	2.2	2.2	2.2	2.2	2.5	3.4	3.6	3.2	2.9	2.8	2.8	2.8	3.7	2.1	2.73	27
28	13.7	13.7	13.7	13.5	14.2	14.9	15.1	15.3	14.7	14.4	13.4	12.1	15.3	12.1	14.06	2.8	2.5	2.4	2.6	2.9	4.1	4.5	4.4	3.8	4.4	4.2	3.3	4.6	2.4	3.49	28
29	10.8	8.7	6.7	8.1	10.6	12.0	13.4	14.4	12.4	7.5	5.4	4.8	14.9	4.7	9.57	2.9	2.4	1.7	0.0	2.1	4.2	6.2	6.3	0.6	- 0.5	- 0.8	- 1.3	6.6	- 1.7	1.98	29
30	3.6	4.4	2.9	5.8	9.2	11.8	12.7	12.2	8.4	6.9	6.2	6.2	12.9	**2.9**	**7.52**	- 1.9	- 2.1	- 2.0	- 1.9	- 0.1	2.5	3.7	3.7	0.8	0.4	- 0.4	- 0.7	3.9	- 2.1	0.17	30
31																- 1.7	- 2.6	- 2.4	- 2.9	- 1.8	0.6	1.3	1.3	- 0.6	- 1.7	- 1.8	- 1.8	1.4	- 2.9	- 1.18	31
M	10.11	9.80	**9.51**	10.40	12.20	13.96	**14.80**	14.68	13.64	11.91	10.93	10.31	15.43	8.45	11.85	2.33	1.95	**1.58**	1.74	4.15	6.48	**8.24**	8.02	5.18	4.14	3.39	2.79	8.69	0.63	4.17	M

November XI — Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	- 1.8	- 1.8	- 1.9	- 1.2	1.1	1.4	1.5	1.7	1.9	1.7	1.5	2.0	2.0	- 2.0	0.51	3.6	3.5	3.5	3.3	3.1	2.8	2.6	2.4	2.1	2.2	2.3	2.2	3.6	2.1	2.80	1
2	2.2	2.3	2.4	3.0	3.1	3.5	3.5	3.7	4.3	4.2	4.2	4.3	4.3	2.0	3.39	1.9	1.8	2.0	1.9	2.4	2.4	2.2	2.3	2.6	2.8	1.4	1.6	3.0	1.3	2.11	2
3	4.4	4.4	4.4	4.4	4.6	5.1	5.3	5.4	5.5	5.3	4.9	5.0	5.5	4.3	4.89	1.5	1.4	2.2	2.4	2.4	2.9	3.0	2.9	2.9	3.5	3.6	3.3	3.6	1.4	2.67	3
4	4.4	4.2	4.0	3.8	4.2	4.9	4.9	4.4	3.9	3.5	3.4	3.4	4.9	3.3	4.08	2.7	1.4	1.8	2.0	2.9	3.0	2.6	2.1	2.2	2.4	2.4	2.3	3.0	1.2	2.32	4
5	3.7	4.5	3.6	3.8	5.4	6.9	7.4	7.3	6.7	6.3	6.6	7.1	7.4	3.4	5.78	1.8	2.1	2.2	2.0	1.7	2.0	2.2	1.8	1.9	1.5	1.6	1.6	2.3	1.5	1.87	5
6	7.3	7.5	7.3	7.1	7.2	7.6	7.6	7.6	7.5	7.5	7.3	7.7	7.7	7.1	7.43	1.5	1.6	1.4	1.3	1.6	1.6	1.5	1.5	1.5	1.6	1.6	1.6	1.6	1.3	1.52	6
7	7.5	7.2	7.0	7.1	7.1	6.6	5.3	5.9	6.5	6.8	6.8	5.7	7.7	5.3	6.62	1.7	1.5	1.5	1.5	1.6	1.9	1.4	1.3	1.3	1.4	1.4	1.4	1.9	1.3	1.49	7
8	5.0	4.9	4.7	4.7	6.5	7.5	8.1	6.2	2.8	0.8	- 0.3	0.5	8.1	- 0.3	4.28	1.4	1.3	1.3	0.6	0.5	0.4	0.6	0.8	0.8	0.9	1.0	1.1	1.4	0.3	0.89	8
9	1.1	0.6	0.0	0.0	1.0	6.6	7.6	6.3	5.2	4.3	3.0	2.8	7.6	0.0	3.21	1.1	1.3	1.2	1.9	1.8	1.5	2.0	2.3	2.7	3.0	2.7	2.9	3.0	1.1	2.03	9
10	0.6	1.7	1.8	1.8	1.5	3.2	3.2	2.9	2.2	1.8	1.7	- 0.3	3.2	- 0.3	1.84	2.7	2.8	2.7	2.8	2.0	1.9	1.3	1.5	2.1	1.6	1.4	1.3	2.9	1.1	2.01	10
11	- 0.2	- 0.1	0.4	- 0.1	0.4	1.7	2.5	1.8	0.9	- 0.3	0.2	0.1	2.5	- 0.6	0.61	1.1	1.1	1.1	0.9	0.9	0.9	0.9	0.8	0.6	0.7	0.4	0.7	1.3	0.4	0.84	11
12	0.1	0.5	1.9	2.1	2.7	5.6	8.5	7.9	7.1	7.4	6.7	6.7	8.5	0.1	4.77	0.3	0.3	0.3	0.0	0.0	0.1	0.4	0.4	0.4	0.2	0.2	0.2	0.7	- 0.2	0.23	12
13	6.7	5.5	5.1	4.8	2.2	1.6	0.0	0.1	- 0.5	- 1.6	- 2.3	- 3.8	6.8	- 3.8	1.48	0.4	0.4	0.4	0.4	0.4	- 0.1	- 0.8	- 1.1	- 1.6	- 1.9	- 1.9	- 2.2	0.4	- 2.2	- 0.63	13
14	- 3.6	- 3.1	- 2.7	- 4.6	- 4.6	- 1.5	1.1	- 1.1	- 3.1	- 4.3	- 5.3	- 5.6	1.1	- 5.6	- 3.37	- 2.6	- 2.8	- 2.9	- 3.1	- 3.1	- 3.4	- 3.6	- 4.1	- 4.1	- 4.5	- 4.8	- 2.2	- 4.8	- 3.51	14
15	- 6.4	- 6.7	- 2.0	- 6.6	- 4.6	- 2.8	- 2.4	- 3.4	- 4.1	- 5.5	- 6.6	- 5.0	- 2.4	- **7.3**	- **5.09**	- 4.7	- 5.0	- 5.4	- 5.6	- 5.9	- 6.3	- 6.3	- 7.1	- 8.6	- 8.4	- 8.8	- 9.7	- 4.7	- 9.7	- 6.82	15
16	- 5.7	- 5.5	- 4.9	- 2.6	- 2.8	- 2.6	- 3.5	- 3.5	- 3.5	- 3.4	- 3.2	- 2.9	- 2.4	- 5.7	- 3.60	-11.1	-11.8	-13.3	-13.8	-14.3	-12.1	-11.0	-12.0	-13.5	-13.6	-14.2	-14.8	- 9.7	-14.8	-12.96	16
17	- 2.5	- 2.4	- 1.6	- 1.0	- 0.1	0.9	0.6	0.3	0.1	- 0.3	0.0	0.6	0.9	- 2.9	- 0.45	-14.4	-14.3	-15.3	-15.7	-15.4	-14.0	-13.2	-14.0	-14.9	-15.0	-15.0	-14.0	-13.2	-**15.9**	-**14.60**	17
18	0.4	0.1	0.7	0.1	0.2	0.0	- 0.5	- 0.1	- 0.2	- 0.7	- 1.0	- 1.0	0.9	- 1.0	- 0.17	-12.5	-11.5	-10.3	- 9.3	- 8.7	- 9.2	- 7.3	- 6.4	- 6.9	- 7.6	- 7.6	- 7.4	- 6.4	-14.0	- 8.72	18
19	- 1.2	- 1.7	- 1.9	- 2.0	- 2.2	- 2.3	- 2.7	- 3.3	- 4.1	- 3.4	- 3.4	- 3.2	- 1.0	- 4.1	- 2.62	- 6.3	- 6.3	- 6.4	- 6.9	- 7.1	- 6.6	- 6.2	- 7.1	- 8.2	- 9.4	- 8.6	- 7.8	- 6.2	- 9.4	- 7.24	19
20	- 3.3	- 3.3	- 3.4	- 3.1	- 3.1	- 2.9	- 2.6	- 2.7	- 2.6	- 2.4	- 2.1	- 1.9	- 1.9	- 3.4	- 2.78	- 8.1	- 8.6	- 8.9	-10.0	-10.1	- 9.8	-10.4	-10.3	-10.3	-10.0	- 9.6	- 8.9	- 7.8	-10.5	- 9.58	20
21	- 1.7	- 1.7	- 0.9	0.0	0.6	0.6	1.4	1.7	1.8	1.8	3.8	5.0	5.0	- 1.9	1.03	- 9.3	- 8.5	- 8.2	- 8.0	- 7.5	- 6.6	- 5.2	- 4.9	- 5.4	- 4.5	- 3.1	- 2.5	- 9.3	- 2.5	- 6.14	21
22	6.1	6.9	6.9	6.5	5.9	6.0	5.6	4.5	4.9	4.4	4.7	3.9	6.9	3.9	5.52	- 2.7	- 2.4	- 2.0	- 1.6	- 1.1	- 1.0	- 0.6	0.2	0.8	1.1	1.3	1.4	1.4	- 2.9	- 0.55	22
23	3.9	3.8	3.2	1.8	2.2	4.7	5.2	4.0	3.0	2.1	3.2	4.2	5.2	1.2	3.44	1.4	1.8	2.5	3.0	3.8	4.0	3.4	3.3	3.3	3.3	3.3	3.1	4.1	1.4	3.02	23
24	5.8	6.4	6.8	6.9	7.0	7.0	7.1	7.0	7.2	7.1	7.2	7.0	7.3	4.2	6.88	2.7	2.5	2.3	2.1	2.1	1.9	1.9	1.9	1.9	1.7	1.6	1.5	3.1	1.5	2.01	24
25	6.1	6.0	7.0	7.3	8.2	8.4	8.4	8.2	7.7	7.6	7.5	7.1	8.4	6.0	**7.46**	1.6	1.5	1.5	1.1	1.0	1.0	1.7	1.3	0.7	1.4	1.4	1.4	1.7	0.3	1.30	25
26	7.0	7.2	7.2	7.1	7.1	7.4	7.2	7.4	7.3	7.3	7.0	6.7	7.4	6.7	7.16	1.2	1.4	3.2	4.6	4.0	4.6	4.2	3.5	3.5	3.7	3.7	3.6	**4.7**	0.9	**3.43**	26
27	6.5	6.6	6.4	5.1	4.1	5.4	5.1	4.7	4.6	4.9	6.7	7.5	7.5	3.8	5.63	3.5	3.0	3.5	3.7	3.4	3.6	2.8	2.5	2.2	1.7	1.6	1.5	3.7	1.5	2.75	27
28	7.8	7.8	7.8	8.5	8.1	8.2	7.6	6.8	5.7	5.0	5.4	5.4	**8.7**	4.6	7.01	1.5	1.4	0.8	0.6	0.9	0.6	0.7	0.8	1.2	1.1	1.2	1.1	1.5	0.5	0.99	28
29	5.5	5.7	5.8	6.6	6.0	6.0	5.9	4.9	4.5	3.6	3.6	3.6	6.7	3.6	5.14	0.9	0.7	1.0	1.0	1.0	1.0	1.0	0.7	0.4	0.1	0.1	0.0	1.1	0.0	0.66	29
30	3.2	2.7	1.5	0.8	1.4	1.9	2.2	2.7	2.6	3.4	3.5	3.6	3.6	0.7	2.46	0.1	0.2	0.3	0.6	0.9	0.3	- 0.3	- 0.6	- 0.6	- 1.1	- 1.0	- 1.1	1.0	- 1.2	- 0.19	30
31																- 0.9	- 0.9	- 1.0	- 0.4	0.0	0.3	0.7	0.4	0.3	- 0.1	- 0.2	- 0.3	0.7	- 1.2	- 0.18	31
M	2.30	**2.27**	2.42	2.40	2.68	3.55	**3.70**	3.31	2.86	2.50	2.49	2.54	4.60	0.71	2.75	- 1.23	- 1.26	- 1.19	- 1.18	- 1.12	- 0.97	- **0.89**	- 1.05	- 1.25	- 1.28	- **1.30**	- 1.28	- 0.25	- 2.26	- 1.17	M

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1946

Oslo (Blindern)

Januar I — $\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ $h_d = 25.6$ $h_r = 1.5$ — Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	92	92	91	90	90	89	87	89	90	92	90	91	97	87	90.2	97	96	96	97	96	96	95	96	97	96	96	97	98	95	96.2	1
2	91	92	91	91	90	89	86	88	90	90	90	90	92	86	89.8	97	97	97	97	97	97	97	97	97	97	97	97	97	97	**97.0**	2
3	90	90	90	90	90	90	92	95	94	94	95	95	95	90	92.0	97	92	87	88	92	94	94	94	96	96	96	94	97	86	93.3	3
4	95	97	98	99	98	95	95	96	96	96	96	96	99	95	96.4	94	95	94	94	89	89	88	89	91	91	91	91	95	88	91.3	4
5	96	97	96	97	93	64	53	72	58	54	61	59	97	53	75.0	91	90	89	87	87	86	84	84	88	87	87	86	91	84	87.2	5
6	68	74	78	82	85	83	78	83	87	89	94	95	96	59	83.0	74	70	68	74	77	70	68	74	87	90	88	88	90	68	77.3	6
7	98	00	96	90	90	90	87	90	88	90	90	87	00	86	91.3	98	96	94	94	94	94	96	97	97	96	96	96	97	88	94.9	7
8	86	90	92	94	94	93	98	00	99	99	98	98	00	86	95.0	96	97	96	89	86	79	77	79	84	87	86	87	97	77	86.9	8
9	98	98	98	98	97	94	92	94	94	96	97	97	98	92	96.0	82	78	80	82	78	74	72	79	83	88	90	90	90	72	81.3	9
10	94	97	97	94	94	94	94	95	98	98	98	98	98	94	95.9	90	94	94	94	95	96	96	90	93	96	96	65	96	65	91.6	10
11	97	90	88	85	74	85	85	74	76	75	74	82	98	65	82.0	66	81	82	82	64	58	58	56	60	66	64	56	86	56	66.0	11
12	85	88	83	82	84	84	77	72	70	70	70	64	88	64	77.4	58	58	59	59	61	54	53	50	53	61	66	64	68	48	58.0	12
13	64	65	64	59	55	49	40	43	53	61	64	70	70	**38**	**57.2**	64	64	74	80	76	66	68	61	66	80	86	90	90	61	72.9	13
14	77	74	72	80	86	84	78	78	83	83	86	88	88	70	80.8	90	90	91	92	88	80	74	76	82	84	87	76	92	70	84.2	14
15	90	90	91	89	88	84	88	90	90	90	90	90	92	84	89.2	87	90	93	94	92	82	68	64	81	90	93	93	94	64	85.6	15
16	90	90	90	90	90	90	84	84	84	88	87	90	90	83	88.0	92	90	84	83	80	35	34	34	37	40	38	37	93	34	57.0	16
17	91	90	90	90	87	84	88	86	88	90	91	92	92	84	88.9	37	38	37	40	40	37	34	37	59	72	80	85	85	34	49.6	17
18	92	91	91	93	93	89	84	87	90	88	85	86	94	84	89.0	46	43	39	42	40	37	32	36	37	41	46	51	51	**32**	**40.8**	18
19	88	89	90	92	93	85	78	78	79	79	83	91	94	76	84.5	58	62	68	87	99	00	97	97	97	95	88	86	**00**	51	86.2	19
20	79	78	74	74	74	75	72	74	74	74	74	74	81	72	74.6	83	81	81	80	83	79	74	72	65	65	68	69	86	65	75.0	20
21	74	77	77	74	72	72	75	80	80	81	78	80	82	72	76.6	67	68	69	65	54	48	43	45	55	65	78	82	82	43	61.6	21
22	82	82	82	82	82	83	84	84	84	84	84	83	86	80	83.0	89	90	84	82	76	66	60	65	76	79	83	84	92	60	77.8	22
23	88	90	86	80	80	82	86	86	86	86	86	86	90	80	85.2	86	88	88	90	84	79	84	81	76	74	74	80	90	74	82.0	23
24	86	86	86	90	88	89	90	90	92	89	88	87	92	84	88.4	78	80	75	73	66	61	58	52	51	53	53	57	84	51	63.0	24
25	87	90	90	91	84	89	90	92	90	89	86	86	94	84	88.6	54	53	52	52	49	40	41	40	43	49	52	58	58	39	48.6	25
26	88	88	92	93	92	88	88	88	82	78	77	78	93	77	86.0	63	74	78	80	72	62	59	58	73	77	78	74	80	58	70.6	26
27	86	88	86	90	93	93	90	90	91	91	91	94	94	78	90.2	76	79	80	83	83	77	69	64	68	72	74	81	85	64	75.5	27
28	94	94	94	93	93	93	94	96	98	00	99	98	00	93	95.5	83	82	81	81	74	70	66	64	65	69	76	83	83	63	74.5	28
29	98	98	98	98	98	98	98	98	98	98	98	98	98	98	**98.0**																
30	96	96	94	94	90	89	86	84	82	84	84	85	98	82	88.6																
31	86	86	87	89	89	89	86	86	92	95	97	98	98	85	90.0																
M	87.9	**88.6**	88.1	88.2	87.3	85.8	**85.8**	85.2	85.6	86.2	86.4	87.0	93.0	79.4	86.6	78.0	79.1	78.9	**80.0**	77.6	71.6	69.2	**69.0**	73.4	77.0	78.8	78.4	87.4	63.8	75.9	M

Mars III — April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	87	91	93	90	88	78	71	67	74	84	87	86	95	67	83.0	84	75	87	85	64	55	47	41	41	58	78	88	88	40	66.9	1
2	86	85	84	83	81	69	61	58	56	79	81	81	87	56	75.3	94	95	93	91	83	76	69	66	72	83	81	95	95	65	83.2	2
3	81	85	91	84	84	83	83	80	78	78	78	79	94	78	82.0	85	89	84	73	71	51	47	41	44	55	73	80	89	41	66.0	3
4	80	80	81	82	84	87	84	84	85	86	92	91	92	79	84.6	87	89	89	88	78	65	67	75	80	90	92	95	95	64	82.9	4
5	92	91	85	80	69	52	47	44	50	65	65	80	92	44	68.3	97	97	97	96	95	92	84	84	37	38	46	62	97	36	77.0	5
6	68	61	64	70	56	52	45	43	49	55	57	61	81	43	**56.8**	78	85	85	73	47	37	33	36	29	38	42	55	85	28	53.2	6
7	64	69	70	75	75	70	70	75	82	89	86	93	94	61	76.5	68	74	82	82	74	74	68	68	66	80	84	76	86	55	74.6	7
8	93	93	90	91	92	88	85	91	89	78	81	87	94	77	88.2	83	91	89	85	61	55	44	39	41	43	50	55	93	38	61.3	8
9	89	84	83	87	84	80	78	77	78	80	79	79	89	76	81.5	57	66	54	48	38	34	37	40	37	41	44	46	70	33	45.2	9
10	80	81	81	81	82	82	77	78	80	81	89	88	91	76	81.6	45	45	47	44	42	38	38	37	38	43	46	56	56	34	**43.2**	10
11	87	88	87	88	86	82	85	82	89	92	92	92	92	82	87.5	65	63	96	97	86	76	66	54	70	76	76	65	98	49	74.2	11
12	90	89	87	86	85	77	80	85	75	76	82	85	92	75	83.0	72	72	68	42	40	39	35	34	33	40	46	56	74	32	48.0	12
13	67	73	77	75	78	70	51	51	57	62	68	70	87	48	66.6	67	69	85	82	62	48	54	69	81	93	96	95	96	47	75.0	13
14	72	73	77	76	69	57	55	46	48	70	74	78	79	46	66.2	96	98	99	98	87	75	65	52	55	50	73	80	**99**	49	77.3	14
15	82	86	85	85	90	84	64	58	60	74	79	86	90	55	77.8	83	84	89	78	62	51	49	50	61	76	88	93	93	47	72.0	15
16	89	93	95	95	85	63	48	47	57	74	85	91	95	45	76.8	93	94	94	91	79	72	66	69	70	80	87	91	95	61	82.2	16
17	93	95	97	97	97	98	99	62	62	82	89	93	**99**	59	88.6	90	94	96	96	97	97	96	95	95	96	96	94	97	90	**95.2**	17
18	95	95	99	98	98	97	94	97	98	98	99	98	**99**	93	97.2	72	64	72	50	37	33	30	25	27	31	37	45	94	25	43.6	18
19	98	98	98	98	98	97	97	97	97	97	97	97	98	97	**97.4**	60	79	74	52	39	33	27	25	24	46	62	87	87	**24**	50.6	19
20	97	97	97	97	97	97	96	90	91	94	95	96	97	89	95.3	93	94	96	86	75	58	43	36	33	42	45	55	96	32	63.0	20
21	96	97	97	97	96	96	91	82	85	92	89	78	97	76	91.3	68	81	86	64	48	37	33	30	30	40	53	66	86	28	53.0	21
22	62	78	82	65	49	40	33	35	60	83	96	97	97	31	65.0	78	85	88	80	56	36	33	32	33	41	61	75	89	32	58.2	22
23	95	94	92	80	68	48	38	30	34	52	69	78	97	30	64.8	79	86	85	77	69	78	92	87	83	90	93	96	96	67	84.6	23
24	84	86	89	73	62	54	50	47	70	85	92	96	96	46	74.0	95	84	79	77	74	79	84	64	62	77	85	94	96	59	79.5	24
25	96	98	98	95	79	63	43	31	38	49	47	59	**99**	30	66.3	96	95	95	83	83	75	82	84	68	78	86	95	96	67	85.0	25
26	65	75	72	73	67	50	43	43	50	58	82	86	88	39	63.6	94	87	74	90	91	89	79	74	71	80	82	81	95	71	82.6	25
27	92	94	96	96	96	96	96	94	96	97	97	98	98	86	95.6	86	88	86	79	69	51	40	30	44	58	73	84	91	26	65.6	27
28	98	98	98	98	98	92	49	33	34	50	48	62	98	29	71.5	77	75	77	81	73	66	65	70	75	79	85	86	86	65	75.8	28
29	75	82	85	81	69	60	53	50	60	78	91	95	95	50	73.2	87	86	90	87	74	66	62	61	67	75	79	84	90	60	76.5	29
30	96	97	98	98	97	74	56	37	28	35	52	73	98	**25**	70.0	87	88	94	92	80	67	57	55	55	62	80	93	95	54	75.8	30
31	75	83	83	80	75	56	49	45	40	57	69	84	85	40	66.3																
M	84.6	86.7	**87.4**	85.6	81.7	73.9	66.8	**62.6**	66.1	75.1	80.2	84.4	93.0	59.0	77.9	80.5	82.4	**84.4**	78.3	68.0	60.3	56.6	54.2	**53.8**	62.2	70.7	77.0	90.1	47.3	69.0	M

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1946

Oslo (Blindern)

Mai V — $\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$ — Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dles	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dles	Dat
1	95	96	95	84	71	65	54	55	65	76	88	89	96	52	77.8	93	91	85	66	57	47	52	57	80	93	95	93	95	46	75.8	1
2	93	97	97	95	85	72	85	81	83	87	85	95	**97**	65	87.9	88	86	83	64	55	60	74	94	92	87	88	90	95	52	80.0	2
3	95	94	91	88	75	70	60	52	46	63	85	59	95	46	73.2	90	92	92	88	92	91	84	72	79	82	92	92	96	67	87.2	3
4	64	71	63	54	49	47	43	37	33	50	48	58	73	33	51.4	94	95	90	66	55	48	43	51	60	60	69	90	95	42	68.4	4
5	57	58	67	78	85	85	78	68	54	61	51	50	88	50	66.0	97	96	96	82	57	79	79	90	97	97	96	95	**98**	53	88.4	5
6	56	59	57	49	44	41	38	34	43	55	64	88	88	33	52.3	92	89	82	81	80	65	70	66	53	50	57	62	95	48	70.6	6
7	93	95	94	76	58	34	28	29	26	29	33	36	96	25	52.6	65	70	72	63	56	42	36	37	33	37	51	69	72	**33**	**52.6**	7
8	39	47	46	40	35	32	31	28	27	35	46	52	52	27	**38.2**	79	73	60	48	40	37	37	42	55	60	67	89	89	36	57.2	8
9	62	75	68	53	48	40	35	41	45	55	73	62	80	35	54.8	88	89	74	70	84	96	95	94	95	95	97	96	97	68	89.4	9
10	74	75	79	71	51	49	34	36	33	36	43	50	80	30	52.6	96	97	96	85	73	63	61	68	77	79	85	90	**98**	61	80.8	10
11	61	68	64	52	46	42	40	37	48	52	62	79	79	36	54.2	92	94	94	93	91	93	78	78	87	92	94	96	96	72	90.2	11
12	85	89	89	83	87	90	92	82	76	96	93	95	95	76	**88.0**	93	97	96	95	93	93	78	66	65	65	70	64	97	60	81.2	12
13	92	95	92	74	64	58	53	52	49	59	68	72	96	46	69.0	80	88	80	58	45	42	44	42	34	51	72	75	90	34	59.2	13
14	78	85	84	81	80	70	57	58	64	65	93	95	95	52	75.8	71	72	67	59	54	45	41	40	39	41	55	59	75	39	53.6	14
15	94	89	81	72	67	58	52	52	54	59	75	78	95	49	69.2	51	51	52	53	70	81	67	64	64	65	66	64	82	50	62.3	15
16	81	85	85	79	77	59	52	49	48	57	78	93	93	48	70.2	65	76	72	60	53	47	42	53	53	65	79	86	86	42	62.6	16
17	95	95	92	80	65	67	65	64	56	70	87	94	95	52	77.5	94	93	89	79	76	78	72	94	95	95	93	92	95	69	87.5	17
18	96	97	86	69	43	38	34	33	32	48	62	56	**97**	31	57.8	91	92	93	89	81	80	94	95	89	81	86	95	96	74	88.8	18
19	52	54	49	41	39	38	37	46	61	64	85	94	94	37	55.0	97	96	90	87	74	64	53	63	51	62	72	86	97	47	74.6	19
20	96	97	87	78	58	48	42	35	35	53	68	89	**97**	35	65.5	64	75	64	60	57	47	44	45	56	44	50	78	88	40	57.0	20
21	93	94	84	70	57	46	40	37	40	46	71	77	94	36	62.9	81	81	80	72	69	61	75	64	59	65	80	90	90	58	73.0	21
22	72	73	68	60	54	45	37	34	34	42	48	67	79	33	52.8	92	91	88	82	77	64	59	57	67	68	78	92	92	56	76.2	22
23	80	83	63	56	45	37	32	29	28	30	50	73	84	27	50.5	96	96	97	81	63	48	51	60	63	74	89	92	97	47	75.8	23
24	78	86	72	63	53	45	36	28	28	31	55	61	87	28	53.0	92	92	92	89	78	61	44	43	46	56	48	89	93	41	69.2	24
25	68	80	65	52	40	37	29	27	27	30	43	51	81	26	45.8	95	89	89	87	90	87	95	89	93	96	92	91	96	81	**91.0**	25
26	59	65	59	49	45	35	30	27	25	24	41	51	68	**22**	42.5	92	92	94	88	82	78	75	65	65	69	80	89	96	62	80.8	26
27	57	64	68	57	43	34	32	29	29	33	55	61	70	29	46.8	92	93	92	84	75	59	55	53	53	62	79	92	93	50	74.0	27
28	63	67	70	59	39	30	37	43	53	63	77	90	90	30	58.4	93	92	91	84	72	70	70	71	70	80	93	95	95	65	81.8	28
29	93	93	85	68	51	42	38	36	46	47	62	84	94	33	62.0	95	97	97	92	75	51	43	45	51	53	82	89	97	43	72.5	29
30	89	89	83	73	62	51	45	37	38	47	58	65	90	36	61.4	94	95	82	81	86	96	68	65	47	47	50	51	96	41	71.8	30
31	67	76	94	94	92	72	67	62	75	82	85	90	94	62	79.6																31
M	76.6	**80.4**	76.6	67.6	58.6	50.8	46.2	**43.8**	45.2	53.0	65.6	72.7	87.4	39.4	61.4	86.7	**87.6**	84.3	76.2	70.3	65.8	**62.6**	64.1	65.6	69.0	76.8	84.4	92.6	52.6	74.4	M

Juli VII — August VIII

1	67	72	72	60	51	49	44	40	38	43	52	53	78	37	53.4	96	95	94	85	63	52	47	69	72	75	74	69	96	43	74.2	1
2	57	69	64	56	50	49	47	51	62	80	87	94	94	47	63.8	73	76	74	57	56	52	45	63	51	69	88	83	88	42	65.6	2
3	95	96	93	80	70	65	71	70	67	81	87	89	96	64	80.3	85	91	94	91	85	73	77	71	68	75	89	79	94	58	81.5	3
4	95	95	95	94	92	91	81	77	79	83	92	94	95	76	**89.0**	88	89	82	60	50	46	38	39	50	66	87	89	89	**35**	65.3	4
5	94	93	89	78	72	86	94	93	84	85	85	88	95	71	86.8	88	88	82	66	60	50	45	43	46	60	85	95	95	42	67.3	5
6	85	86	85	82	67	67	75	62	66	82	79	85	88	59	76.8	96	95	95	85	71	58	51	50	58	60	82	83	96	47	73.6	6
7	85	92	85	68	56	53	80	54	47	53	75	81	92	46	69.0	84	85	82	81	91	94	93	96	93	89	95	95	96	81	89.8	7
8	85	89	83	58	56	53	46	50	59	69	74	64	89	46	65.5	96	96	97	95	93	81	68	70	77	82	92	97	63	86.8	8
9	72	80	75	69	64	55	50	49	73	78	89	92	93	47	70.5	93	92	92	87	71	70	89	92	91	93	94	95	95	63	88.2	9
10	93	80	67	73	58	45	42	36	39	47	59	61	94	36	58.3	95	87	94	78	72	75	70	69	93	94	94	90	95	63	84.2	10
11	56	64	59	51	51	45	38	33	33	43	68	72	72	31	**51.0**	95	95	95	85	85	65	53	50	55	63	72	78	96	47	74.2	11
12	72	74	71	54	47	46	42	39	38	57	62	73	78	36	56.2	84	92	80	69	54	48	48	57	60	81	88	89	95	46	70.8	12
13	83	75	65	59	53	45	48	50	48	59	65	78	85	43	60.6	95	93	94	87	91	86	94	94	92	92	93	96	96	84	**92.2**	13
14	77	68	64	56	48	43	40	39	60	51	58	66	82	39	55.8	92	93	94	82	77	72	76	76	79	87	89	95	96	65	84.3	14
15	72	71	75	74	65	50	43	42	44	45	55	55	75	41	57.6	96	96	93	89	78	63	60	61	65	78	89	92	96	56	80.0	15
16	57	63	60	54	49	47	40	39	41	67	88	94	94	38	58.2	92	90	92	86	77	73	73	80	84	86	94	95	95	70	85.2	16
17	93	93	81	53	58	47	39	38	39	48	73	83	94	38	62.0	95	95	95	90	72	60	59	71	66	76	92	93	96	54	80.3	17
18	86	88	72	58	61	51	57	61	71	84	87	90	90	50	72.2	93	93	94	94	89	70	55	45	57	72	86	96	96	44	78.6	18
19	95	96	92	85	70	54	44	49	51	63	83	89	**97**	44	72.6	97	98	97	83	65	58	46	41	53	74	89	91	**98**	40	74.3	19
20	94	95	94	82	56	70	62	56	61	76	84	90	96	54	76.6	94	91	90	85	73	66	57	52	53	72	75	72	94	50	73.3	20
21	92	94	93	75	60	83	68	73	73	69	79	88	95	57	78.9	72	77	80	62	53	42	39	40	54	79	86	87	88	36	**64.2**	21
22	94	95	93	85	63	51	58	79	66	73	81	90	95	51	77.3	91	94	95	74	68	57	41	45	53	68	90	94	95	**35**	72.5	22
23	95	96	93	85	65	63	67	68	63	75	88	95	96	61	79.4	95	97	95	92	84	67	61	51	64	75	90	93	97	50	80.3	23
24	96	96	95	86	64	61	78	76	83	87	86	89	96	60	83.0	94	93	91	85	68	62	62	59	57	81	86	89	94	55	77.2	24
25	92	94	94	93	77	65	77	78	81	84	92	95	95	61	85.2	91	91	93	89	79	48	45	50	50	62	66	67	94	42	69.2	25
26	95	94	92	53	39	33	30	28	53	63	82	92	95	**27**	62.8	70	74	79	67	54	53	62	58	61	77	82	82	84	51	68.2	26
27	93	93	89	74	92	94	96	87	81	78	79	78	96	67	86.2	86	91	83	70	68	61	55	50	54	69	70	78	92	49	69.6	27
28	81	81	82	74	63	54	51	50	67	68	84	94	94	49	70.8	80	81	83	73	65	62	64	67	76	84	87	89	89	61	75.9	28
29	97	97	95	86	59	56	61	59	69	73	85	83	**97**	54	76.7	90	91	90	88	85	87	88	90	94	92	95	96	96	84	90.5	29
30	93	91	93	92	80	72	67	60	62	72	85	92	93	55	79.9	96	95	94	90	77	94	60	59	72	92	90	93	96	57	84.3	30
31	92	92	92	84	84	73	73	72	70	87	92	95	95	68	84.6	93	93	93	90	72	61	52	50	62	80	79	76	96	46	75.0	31
M	84.9	**85.8**	82.3	72.2	62.6	58.6	58.4	**56.7**	60.2	68.4	78.5	83.2	91.1	50.1	71.0	89.8	**90.6**	89.8	81.1	72.5	65.1	**60.8**	61.4	66.2	77.4	85.7	87.4	94.2	53.5	77.3	M

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1946

Oslo *(Blindern)*

September IX — $\varphi = 59° 56'N$ — $\lambda = 10° 44'E$ — $g = 9.819$ — $\Delta G = +1^h$ — $H_s = 94$ — $H_b = 95.6$ — $h_t = 2.0$ — $h_a = 25.2$ — $h_d = 25.6$ — $h_r = 1.5$ — Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	69	78	75	78	83	90	90	89	90	89	91	92	92	69	84.5	95	96	96	97	85	70	47	50	64	74	68	65	98	47	75.6	1
2	90	95	94	84	71	59	65	65	78	83	87	92	92	57	80.2	70	72	78	67	51	48	42	35	57	78	89	92	92	35	64.9	2
3	93	94	94	93	88	77	73	72	76	87	89	90	94	68	85.5	94	95	96	91	78	67	76	75	73	75	72	67	96	66	79.9	3
4	93	93	93	92	86	74	66	61	70	78	86	92	93	60	82.0	70	79	85	88	87	95	94	94	94	96	96	96	96	63	89.5	4
5	93	92	92	89	82	80	65	81	80	80	88	89	93	63	84.2	94	93	95	96	97	89	79	70	87	88	84	83	97	70	87.9	5
6	92	91	88	89	85	70	71	72	76	85	90	91	92	65	83.3	90	89	85	84	80	77	74	74	70	69	69	69	92	68	77.5	6
7	92	91	89	87	78	63	51	50	60	84	87	90	92	46	76.8	70	72	78	73	69	63	55	55	68	71	87	94	95	53	71.2	7
8	92	93	95	94	94	84	73	65	76	84	88	89	95	65	85.6	93	93	95	93	76	68	60	58	70	78	81	90	96	56	79.6	8
9	92	91	92	90	83	87	87	89	88	89	92	93	93	83	89.4	89	91	94	89	72	62	58	54	77	86	90	94	94	53	79.6	9
10	93	93	93	87	63	52	49	47	48	71	79	87	94	43	71.8	94	95	95	94	77	69	52	61	76	70	82	87	95	50	79.3	10
11	92	90	90	92	89	82	69	75	75	83	78	85	93	65	83.3	93	94	96	96	72	63	40	42	68	77	85	90	97	34	76.3	11
12	87	78	76	67	59	55	52	54	55	75	73	78	87	50	67.4	93	95	98	96	89	83	80	84	88	90	82	85	99	76	88.6	12
13	79	81	82	85	80	74	81	85	78	89	86	88	91	74	82.3	91	84	85	85	85	76	73	77	85	93	97	98	98	73	85.8	13
14	90	90	92	92	89	86	86	84	85	87	87	88	92	81	88.0	00	00	00	00	00	00	97	86	91	65	74	80	**00**	64	91.0	14
15	84	91	87	90	63	55	51	54	51	53	55	64	93	49	**66.5**	81	86	88	83	77	45	43	41	65	78	84	88	88	41	71.6	15
16	72	81	88	86	74	63	61	65	69	83	87	86	88	55	76.2	93	93	92	95	83	74	58	54	78	81	84	84	95	51	80.8	16
17	93	94	95	91	73	63	67	65	83	90	89	89	95	69	82.6	95	96	94	89	82	71	60	64	77	84	89	88	97	58	82.4	17
18	88	92	94	92	93	90	65	51	57	73	80	89	94	50	80.3	95	97	98	97	87	77	56	54	77	92	95	98	99	51	85.2	18
19	90	89	90	92	88	89	89	90	91	89	89	86	92	86	89.3	99	99	99	99	96	83	75	77	93	97	96	96	**00**	75	92.4	19
20	85	86	85	90	75	64	57	55	75	90	94	96	96	54	79.3	96	97	97	97	96	89	86	87	90	94	95	96	97	86	93.3	20
21	95	96	94	96	81	50	42	39	47	64	66	75	96	**39**	70.4	96	86	88	89	82	73	63	63	76	76	66	53	97	53	75.9	21
22	80	91	94	85	73	78	88	95	96	97	97	96	98	69	89.0	57	64	67	60	47	43	35	38	56	60	63	67	69	**33**	**54.8**	22
23	96	95	87	83	74	65	61	73	76	85	96	97	98	60	82.3	71	77	80	81	74	65	58	54	69	72	78	85	85	54	72.0	23
24	99	99	99	98	81	64	56	54	59	69	80	85	**99**	53	78.6	87	94	95	92	86	79	70	73	76	79	88	90	95	71	84.0	24
25	85	89	94	89	75	72	65	69	91	96	97	97	98	65	84.9	93	94	96	97	89	75	67	64	86	95	95	98	98	63	87.4	25
26	98	99	99	99	98	93	84	87	91	92	98	98	**99**	83	94.6	00	99	99	99	98	96	79	78	84	89	89	89	**00**	77	91.6	26
27	97	97	98	97	97	97	89	95	95	94	95	95	98	94	**96.0**	87	86	87	88	90	85	82	82	86	87	87	88	91	81	86.2	27
28	96	96	96	96	94	89	89	89	93	95	95	80	96	80	92.3	89	93	92	89	85	79	74	70	68	65	63	64	93	62	77.6	28
29	79	73	80	64	56	53	48	53	80	83	88	87	89	48	70.3	64	64	65	75	69	69	55	57	79	86	88	92	92	53	71.9	29
30	88	79	90	86	64	61	57	58	78	89	93	93	94	56	78.0	94	95	96	95	93	82	82	81	90	90	93	95	96	79	90.5	30
																96	98	97	97	97	89	93	90	96	97	98	99	99	89	**95.6**	31
M	89.1	89.9	**90.5**	88.4	79.6	72.6	**68.5**	69.4	75.6	83.5	86.7	88.6	93.8	63.0	81.8	88.0	89.2	**90.5**	89.4	82.2	74.3	66.6	**65.8**	77.8	81.6	84.1	85.8	94.7	60.8	81.2	M

November XI — Desember XII

1	99	99	99	99	96	93	93	90	90	93	94	92	99	90	94.8	96	94	93	95	95	94	95	95	95	94	94	94	96	93	94.5	1
2	94	93	94	92	94	93	94	94	93	94	95	96	96	92	93.8	94	95	97	98	00	00	97	94	94	91	95	94	00	91	95.8	2
3	95	95	94	95	96	97	96	95	94	93	95	90	97	90	94.6	95	95	94	94	94	94	95	95	94	95	96	94	96	94	94.6	3
4	92	90	89	92	91	89	93	93	94	96	98	99	99	89	93.0	92	93	95	95	96	91	91	91	89	90	91	93	96	89	92.2	4
5	00	00	00	99	95	85	85	88	92	93	93	**00**	98	83	93.6	94	94	91	88	88	86	87	88	88	92	93	93	95	86	90.2	5
6	95	94	96	97	97	97	96	96	97	98	98	98	98	93	95.8	94	91	94	94	92	93	94	94	94	94	93	92	95	91	93.2	6
7	98	98	98	98	98	94	88	85	81	78	77	77	99	75	89.2	92	92	93	94	94	93	95	96	96	96	95	95	97	92	94.2	7
8	78	78	76	69	65	60	54	60	78	85	93	93	94	54	74.0	94	93	90	91	91	88	84	86	90	91	92	94	95	84	90.3	8
9	88	91	91	92	93	58	52	52	55	57	61	63	94	51	71.0	95	95	95	92	93	94	94	93	91	90	89	87	95	87	92.3	9
10	75	71	73	77	78	69	69	72	76	77	80	90	90	63	75.6	88	89	89	88	93	91	94	95	88	91	91	92	95	87	90.8	10
11	93	93	89	90	90	89	92	93	96	00	00	00	**00**	89	93.8	93	93	93	92	95	95	94	94	95	91	95	89	96	89	93.2	11
12	00	97	95	95	96	89	80	84	90	94	97	95	**00**	80	92.6	89	91	94	95	94	91	89	90	90	93	93	92	95	89	91.8	12
13	95	96	97	98	77	70	66	62	52	43	48	54	98	**43**	71.5	92	93	94	94	89	83	81	80	81	83	82	82	95	80	86.2	13
14	55	59	45	58	64	57	51	59	66	68	66	68	71	44	**59.6**	84	82	81	80	80	82	77	77	84	85	84	84	87	77	81.6	14
15	71	79	81	81	79	70	71	76	72	78	83	75	85	68	76.3	84	84	83	80	79	79	76	80	80	80	79	83	84	**76**	**80.6**	15
16	82	87	73	65	62	78	95	91	89	91	95	97	97	61	83.8	82	86	88	89	90	87	84	89	91	91	90	90	91	82	88.0	16
17	98	97	95	93	92	87	86	88	88	88	87	84	98	84	90.2	90	89	89	89	89	89	88	89	88	89	88	88	90	88	88.8	17
18	86	88	87	89	82	83	89	81	73	72	74	76	90	70	81.6	89	89	89	89	89	89	89	89	90	92	95	95	95	88	90.2	18
19	77	79	76	78	78	82	83	81	83	80	80	76	84	75	79.4	96	96	96	96	95	95	95	95	94	93	94	96	96	93	95.0	19
20	77	77	78	78	78	79	81	81	80	80	82	85	85	75	79.6	95	95	94	93	93	93	93	93	93	93	93	93	96	93	93.4	20
21	89	95	95	95	92	97	95	95	95	97	98	98	98	85	95.0	93	94	94	94	94	95	96	96	96	97	97	98	98	93	95.3	21
22	98	96	95	94	94	95	93	93	95	96	96	96	98	91	95.0	97	96	91	90	91	95	97	97	97	97	98	98	98	89	95.3	22
23	97	97	97	96	74	59	55	56	67	72	79	82	97	54	77.6	98	98	98	99	00	00	99	99	99	99	99	98	**00**	98	**98.8**	23
24	94	94	95	96	96	97	96	96	96	97	97	96	97	82	95.8	98	98	98	98	98	97	97	96	95	94	95	95	98	94	96.6	24
25	95	95	96	97	95	94	94	94	97	96	95	94	98	94	95.2	95	96	96	96	96	96	97	97	97	97	95	93	97	93	95.9	25
26	95	94	94	95	96	92	94	95	95	96	95	94	96	90	94.6	93	93	95	95	94	93	88	88	92	90	90	89	95	87	91.6	26
27	94	95	94	93	94	91	87	88	92	96	97	96	97	87	93.0	89	90	92	92	91	88	89	89	88	86	86	87	93	85	88.8	27
28	96	96	96	96	93	88	83	85	91	95	96	96	96	82	92.6	85	82	89	87	90	94	95	93	91	90	89	87	95	82	89.3	28
29	97	97	97	98	98	97	93	88	87	89	90	91	98	86	93.5	88	88	86	85	85	84	83	84	84	87	88	95	95	83	86.4	29
30	95	94	94	96	96	97	97	97	97	97	96	96	97	91	**96.0**	93	94	95	93	94	89	87	86	85	86	88	90	95	84	90.0	30
																88	88	89	88	88	88	88	87	84	82	82	80	91	80	86.0	31
M	89.9	90.4	89.3	89.7	87.6	84.2	**83.4**	83.6	84.7	86.3	87.8	88.0	94.8	77.0	87.0	91.8	91.8	**92.1**	91.7	91.9	91.2	**90.6**	90.8	90.7	90.9	91.2	91.2	94.8	87.6	91.3	M

Registreringer av vind D, v

(Records of wind: D, v)

1946

Oslo (Blindern)

Januar I — $\varphi = 59° 56'N$ — $\lambda = 10° 44'E$ — $g = 9.819$ — $\Delta G = +1^h$ — $H_s = 94$ — $H_b = 95.6$ — $h_t = 2.0$ — $h_a = 25.2$ — $h_d = 25.6$ — $h_r = 1.5$ — Februar II

Dat	2		4		6		8		10		12		14		16		18		20		22		24		Dat
1	04	0.6	04	0.6	03	0.6	00	0.0	08	0.6	18	0.6	13	0.6	13	1.2	00	0.0	13	0.6	00	0.0	30	0.6	1
2	30	0.6	00	0.0	00	0.0	00	0.0	03	0.6	05	0.6	08	1.2	08	0.6	07	0.6	00	0.0	00	0.0	02	0.6	2
3	00	0.0	03	0.6	03	0.6	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	04	1.2	32	1.2	02	1.2	02	1.2	3
4	03	1.2	22	0.6	21	0.6	22	2.4	18	4.9	18	3.6	16	1.2	19	1.8	24	1.8	17	0.6	20	1.2	20	3.0	4
5	16	4.9	17	3.6	17	1.8	17	2.4	20	1.8	18	6.1	21	8.5	18	6.1	22	6.1	22	8.5	09	1.8	24	3.0	5
6	22	4.9	21	1.8	16	1.2	29	1.2	20	1.2	04	0.6	24	1.2	04	1.2	04	0.6	32	1.2	01	1.8	32	1.2	6
7	32	0.6	01	1.2	03	1.2	21	0.6	32	0.6	20	1.8	19	0.6	19	0.6	19	1.8	20	1.8	19	0.6	03	1.8	7
8	01	1.2	32	1.8	02	1.2	04	0.6	02	1.2	15	1.2	16	1.2	05	0.6	00	0.0	05	0.6	16	1.2	16	5.5	8
9	15	4.3	18	4.9	16	2.4	19	3.0	22	1.2	16	1.8	02	1.2	13	0.6	15	1.2	20	0.6	12	1.8	16	3.6	9
10	13	3.0	13	2.4	09	3.0	10	1.2	12	2.4	04	1.8	04	1.2	03	0.6	16	1.2	19	1.2	21	3.0	21	1.2	10
11	21	1.2	27	1.8	20	1.8	28	1.2	27	3.6	03	4.3	05	4.9	04	5.5	01	6.7	01	6.7	02	7.9	03	8.5	11
12	02	9.7	04	6.7	02	7.3	03	9.7	02	12.8	01	12.1	02	10.9	02	11.5	02	10.9	01	10.3	01	9.1	01	9.1	12
13	01	9.1	32	6.7	32	5.5	32	6.7	01	7.9	02	7.3	01	7.9	02	6.7	02	6.1	02	4.9	03	4.9	15	1.8	13
14	15	0.6	20	1.2	20	0.6	20	1.2	19	1.2	16	1.2	16	0.6	16	1.2	16	0.6	16	0.6	16	0.6	00	0.0	14
15	15	0.6	02	1.2	02	1.8	02	0.6	05	0.6	26	0.6	26	0.6	26	0.6	00	0.0	26	0.6	26	0.6	00	0.0	15
16	01	0.6	02	0.6	05	1.2	02	0.6	01	0.6	02	0.6	02	0.6	01	0.6	00	0.0	01	0.6	01	0.6	07	0.6	16
17	14	0.6	02	1.2	30	1.2	26	1.2	26	0.6	09	1.2	15	1.2	15	1.2	16	0.6	16	0.6	16	0.6	16	0.6	17
18	16	0.6	01	0.6	01	1.2	02	0.6	02	1.2	15	0.6	16	0.6	15	0.6	18	1.2	16	1.2	17	0.6	26	0.6	18
19	06	1.8	20	1.8	21	0.6	21	1.2	21	1.2	17	1.2	03	7.3	02	6.1	03	7.9	02	8.5	01	7.9	03	6.7	19
20	03	6.1	03	4.3	02	3.6	04	4.3	05	3.6	06	2.4	05	2.4	07	1.8	08	2.4	04	2.4	01	3.0	02	2.4	20
21	02	3.0	07	2.4	05	1.2	15	1.2	15	3.0	18	1.2	16	2.4	14	2.4	18	1.8	18	1.2	17	3.0	16	2.4	21
22	17	1.2	16	2.4	16	0.6	17	1.8	17	1.8	17	2.4	17	1.8	16	0.6	14	1.2	06	1.2	05	1.8	08	1.8	22
23	02	4.9	03	4.9	02	4.9	03	5.5	05	3.6	04	4.9	03	4.3	02	4.3	03	5.5	02	5.5	02	4.9	01	4.3	23
24	02	4.3	03	3.6	06	2.4	10	1.8	15	1.2	09	1.2	12	1.2	08	0.6	13	0.6	14	1.8	15	2.4	15	5.5	24
25	14	4.9	15	4.9	14	6.1	15	4.9	16	6.7	16	7.3	16	7.9	16	6.7	16	5.5	17	6.7	16	5.5	15	4.3	25
26	15	4.9	16	4.9	15	5.5	15	6.1	14	5.5	16	4.9	16	4.3	15	4.9	15	4.9	13	3.6	06	2.4	07	1.8	26
27	03	2.4	01	1.8	07	2.4	03	1.8	03	1.2	04	1.2	07	1.8	08	1.2	14	1.8	15	2.4	10	1.2	16	1.2	27
28	16	1.2	03	1.8	02	1.8	03	0.6	00	0.0	00	0.0	18	1.8	18	0.6	19	1.2	02	1.8	02	1.8	16	2.4	28
29	15	3.6	13	2.4	08	2.4	09	1.8	09	1.8	12	2.4	10	1.8	04	1.2	05	1.8	04	1.8	04	0.6	03	0.6	29
30	00	0.0	09	0.6	07	0.6	06	0.6	04	1.2	02	1.8	02	2.4	32	2.4	01	3.6	32	3.6	32	3.6	01	4.3	30
31	32	4.3	21	3.0	03	1.8	04	0.6	02	1.2	02	0.6	02	0.6	02	0.6	02	0.6	15	0.6	13	0.6	10	0.8	31
M	2.80		2.46		2.16		2.11		2.42		2.50		2.72		2.41		2.56		2.67		2.46		2.63		M
	3.47		3.55		3.48		3.53		3.64		4.27		3.94		3.63		3.43		3.50		2.79		3.43		

Mars III — April IV

1	05	1.8	02	1.8	03	3.0	03	2.4	07	1.2	08	0.6	00	0.0	10	0.6	09	1.2	05	0.6	03	2.4	03	2.4	1
2	02	1.8	03	3.0	03	3.0	05	3.0	14	1.2	03	4.3	03	6.1	03	7.3	03	6.7	02	7.9	01	10.3	05	11.5	2
3	05	10.3	05	11.5	01	11.5	02	9.7	02	7.3	02	6.1	01	6.1	01	6.1	01	6.1	01	7.3	01	6.3	03	5.5	3
4	32	4.3	02	4.9	01	5.5	01	7.3	01	6.1	01	4.9	01	4.9	01	4.9	01	4.3	01	4.3	01	3.0	01	2.4	4
5	32	3.6	32	2.4	02	2.4	02	1.8	32	3.6	03	4.9	03	7.3	02	5.5	32	0.6	02	0.6	05	1.8	15	0.6	5
6	32	1.2	32	3.0	32	4.9	25	0.6	14	1.2	32	4.9	04	7.3	02	6.7	02	6.7	32	2.4	32	3.6	01	3.6	6
7	32	5.5	02	4.9	01	7.9	02	7.3	01	7.3	01	9.1	02	9.1	01	8.5	02	8.5	02	9.7	02	9.7	02	7.3	7
8	01	7.9	01	7.3	01	6.7	03	6.1	01	6.7	02	5.5	03	5.5	03	4.9	03	4.9	04	5.5	03	4.9	02	4.3	8
9	02	4.3	02	4.3	03	6.1	03	4.9	01	4.9	02	4.3	03	4.3	03	4.3	02	3.6	03	3.0	02	3.0	01	3.0	9
10	32	4.3	32	3.0	01	4.3	02	3.0	02	3.0	04	3.0	03	1.8	03	1.8	04	1.8	03	1.8	02	2.4	02	3.0	10
11	01	3.6	32	4.3	01	5.5	02	4.3	01	4.3	02	3.6	05	4.3	03	4.9	02	4.9	02	3.6	01	4.3	01	4.3	11
12	02	4.9	32	4.9	02	5.5	06	4.3	02	3.6	03	4.3	02	4.9	04	5.0	04	6.3	02	6.5	02	7.0	32	4.0	12
13	02	7.5	32	6.8	01	7.5	02	7.3	02	6.7	03	7.3	04	6.7	05	6.1	05	6.7	03	4.9	01	4.9	02	4.9	13
14	02	3.6	02	3.0	02	3.0	04	3.6	02	3.0	08	1.2	08	2.4	13	1.8	13	0.6	04	1.8	02	3.0	02	3.0	14
15	00	0.0	32	0.6	03	0.6	04	1.2	08	0.6	18	1.2	18	1.8	18	1.8	20	1.8	20	1.8	20	0.6	20	1.2	15
16	20	0.6	00	0.0	00	0.0	28	0.6	00	0.0	19	1.2	18	1.8	19	1.2	19	1.2	17	1.2	06	1.2	03	1.8	16
17	02	0.6	02	0.6	25	0.6	02	1.2	25	0.6	21	1.2	00	0.0	21	0.6	18	0.6	05	1.2	15	0.6	05	0.6	17
18	00	0.0	02	1.2	04	1.2	24	0.6	17	1.8	18	3.6	16	5.5	16	5.5	17	4.3	17	2.4	17	1.8	17	0.6	18
19	20	1.2	18	1.2	18	0.6	18	0.6	00	0.0	16	0.6	18	0.6	18	1.2	19	0.6	22	0.6	18	0.6	18	1.2	19
20	18	1.8	16	1.2	19	1.2	32	0.6	28	0.6	09	1.2	04	1.2	16	0.6	00	0.0	15	1.2	15	1.2	15	3.6	20
21	16	3.6	17	3.6	16	4.3	16	2.4	16	0.6	18	1.2	15	2.4	32	1.8	26	1.8	32	1.8	32	1.2	23	1.8	21
22	24	4.9	14	1.2	28	0.6	02	0.6	18	1.2	17	1.8	17	2.4	15	1.8	14	3.0	13	0.6	14	1.2	15	1.2	22
23	15	0.6	15	0.6	15	0.6	00	0.0	00	0.0	15	1.2	16	1.2	24	3.0	24	4.3	26	2.4	32	1.2	32	0.6	23
24	15	1.2	15	0.6	16	1.2	17	0.6	18	0.6	16	1.2	18	3.6	17	3.6	14	2.4	15	2.4	14	1.2	32	1.2	24
25	32	1.2	00	0.0	32	0.6	04	0.6	13	0.6	15	1.2	28	4.3	27	4.9	30	6.7	01	1.8	32	6.1	06	1.2	25
26	09	1.2	02	1.2	32	3.0	01	0.6	24	1.2	21	0.6	17	0.6	17	3.5	16	4.5	16	4.0	15	3.8	16	0.6	26
27	15	0.6	15	0.6	15	0.6	15	0.6	20	0.6	22	0.6	22	0.6	23	0.6	21	0.6	21	0.6	20	0.8	23	1.0	27
28	23	0.6	02	1.3	15	1.2	32	1.2	13	0.6	14	0.6	21	0.6	32	1.8	20	1.2	01	3.0	01	3.0	02	1.2	28
29	02	1.2	02	1.2	01	0.6	00	0.0	14	1.2	16	1.2	18	2.4	16	4.3	15	4.9	16	1.2	16	1.2	19	0.6	29
30	19	0.6	19	1.2	18	1.2	03	1.2	15	0.6	16	0.6	20	1.8	24	3.0	28	4.9	08	2.4	02	1.8	03	0.6	30
31	02	1.8	02	0.6	01	1.8	06	0.6	18	0.6	19	1.2	22	1.8	19	2.4	28	3.0	30	1.8	01	3.0	06	2.4	31
M	2.78		2.65		3.12		2.54		2.31		2.72		3.33		3.55		3.51		2.91		3.13		2.62		M
	2.21		1.87		2.17		2.62		3.20		3.85		4.40		4.56		4.47		3.34		2.61		2.19		

Oslo *(Blindern)*

$\varphi = 59°\ 56'N$ $\lambda = 10°\ 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Mai V — Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	02 2.4	03 2.4	02 1.2	03 1.2	18 1.8	19 2.4	16 3.0	19 4.9	16 3.0	17 2.4	04 1.2	03 1.2	16 3.6	16 3.6	16 4.3	16 3.6	18 3.0	17 2.4	18 3.0	21 4.9	22 4.9	16 3.0	20 2.4	22 2.4	1
2	18 0.6	18 0.6	19 1.2	20 1.2	20 0.6	14 1.2	14 3.0	02 2.4	06 2.4	03 3.0	29 1.8	32 1.8	17 2.4	19 2.4	16 3.0	19 3.0	15 4.9	14 3.6	14 5.5	07 3.6	13 3.6	13 5.5	15 4.3	15 3.6	2
3	01 1.2	01 1.8	05 3.0	23 1.2	04 2.4	04 1.8	09 2.4	17 1.8	18 1.8	21 2.4	18 0.6	32 3.6	12 3.6	08 4.3	08 3.0	16 4.3	22 2.4	20 3.0	18 2.4	24 4.3	18 3.0	20 1.2	26 1.2	06 1.2	3
4	32 3.6	01 5.5	01 4.9	05 4.3	04 1.2	00 0.0	08 2.0	18 2.4	19 1.8	20 3.6	03 1.8	07 1.2	02 0.6	00 0.0	00 0.0	00 0.0	17 1.2	15 4.3	24 4.3	20 4.3	16 3.6	16 3.6	14 2.4	15 0.6	4
5	01 3.6	32 3.0	01 7.9	02 9.7	01 12.8	01 13.4	01 13.4	03 9.7	01 6.7	01 3.6	01 4.9	02 8.5	03 1.8	01 2.4	12 1.2	17 1.8	16 6.1	20 6.1	18 6.1	16 6.7	15 4.9	13 4.3	16 6.7	17 5.5	5
6	02 7.9	02 7.9	02 7.9	05 3.0	09 1.8	18 3.0	19 3.0	16 3.6	16 4.3	16 4.9	16 1.8	17 0.6	19 4.3	18 4.9	17 5.5	18 5.5	19 7.9	18 12.0	18 12.5	19 9.1	21 7.9	20 6.1	20 4.9	20 4.3	6
7	03 1.2	03 0.6	03 0.6	20 0.6	20 1.8	26 3.6	27 6.1	29 8.5	28 8.5	32 6.1	01 6.1	01 7.3	12 1.8	20 4.3	21 4.3	18 5.5	18 6.1	22 6.1	22 6.7	22 6.7	24 7.9	23 5.5	22 3.6	07 1.8	7
8	04 4.9	32 3.0	32 4.3	03 7.3	01 3.0	02 3.6	01 7.3	01 6.7	32 7.3	32 5.5	01 3.6	06 5.5	25 0.6	28 3.6	23 1.2	26 3.0	25 4.9	28 3.0	17 4.9	22 3.6	20 4.3	17 3.6	16 1.8	02 1.8	8
9	25 1.8	01 1.8	03 1.2	20 0.6	19 2.4	16 3.6	19 3.0	21 4.3	19 4.3	16 3.0	32 1.8	02 4.3	32 3.0	03 1.2	02 5.5	04 6.1	04 6.1	07 6.1	06 5.5	04 6.1	02 6.1	02 4.9	01 6.1	01 6.1	9
10	32 3.0	02 2.4	03 0.6	20 1.2	16 3.0	19 3.6	29 6.7	02 8.5	01 9.1	01 4.9	32 3.6	01 2.4	02 1.8	27 1.8	22 0.6	08 1.2	16 1.8	20 3.0	20 3.6	17 5.5	16 4.3	16 4.3	09 1.2	32 2.4	10
11	03 4.3	03 5.5	04 5.5	02 6.1	06 3.6	31 2.4	14 1.8	19 1.8	20 4.3	15 4.3	16 2.4	16 3.6	02 4.3	32 4.9	32 5.5	32 4.9	32 1.8	21 4.3	18 4.3	17 4.9	16 4.9	16 4.9	09 2.4	15 3.0	11
12	14 3.0	15 2.4	14 3.6	17 3.0	28 2.4	22 1.2	01 3.6	03 1.8	03 1.2	03 0.6	01 3.0	04 0.6	13 2.4	20 1.8	20 4.3	22 3.0	24 4.3	19 2.4	17 1.2	14 1.8	15 2.4	14 1.2	27 2.4	32 1.8	12
13	32 1.8	30 1.2	09 1.2	01 4.9	01 5.5	04 4.3	04 3.0	05 4.3	04 3.6	02 3.0	02 3.6	01 3.6	06 1.2	07 1.2	02 1.8	32 4.9	01 3.6	17 1.8	02 2.4	15 1.8	16 2.4	04 2.4	01 1.8	32 3.6	13
14	01 3.6	02 4.3	03 4.9	08 3.0	06 5.5	06 4.9	04 4.3	04 6.3	05 5.5	04 6.2	04 4.5	32 7.0	32 6.7	01 7.9	32 6.7	03 5.5	01 4.3	03 6.1	03 6.1	03 6.1	02 5.5	02 4.9	32 2.4	32 3.0	14
15	01 7.5	01 7.0	32 6.0	02 7.5	02 3.5	01 6.0	02 4.3	19 1.2	23 3.0	23 1.2	23 1.2	02 1.2	32 6.7	32 8.5	32 6.1	03 8.5	01 9.1	32 7.3	32 9.1	01 7.9	32 6.1	32 5.5	32 3.0	32 5.5	15
16	32 3.6	32 3.0	01 3.6	03 1.8	16 1.8	24 1.8	23 5.0	17 6.0	16 4.3	16 3.6	16 2.4	02 1.8	32 6.1	28 2.4	26 1.8	25 1.8	04 2.4	16 3.0	19 3.6	20 4.9	16 4.9	19 4.3	15 3.6	14 1.2	16
17	01 1.8	01 2.4	32 1.8	07 0.6	01 0.6	06 1.8	06 1.8	06 1.8	16 1.8	20 1.8	32 2.4	32 2.4	15 3.0	15 2.4	14 1.8	16 2.4	20 1.8	19 1.8	32 0.6	25 4.3	21 1.2	26 1.2	02 3.0	01 2.4	17
18	32 3.0	32 2.4	01 0.6	16 0.6	16 1.8	16 2.4	18 3.0	18 2.4	17 1.8	15 1.2	32 1.2	32 3.0	01 2.4	05 2.4	07 3.6	06 4.3	09 6.7	16 3.0	10 1.2	05 2.4	12 1.8	15 1.2	03 1.8	18
19	02 3.6	32 1.2	01 4.9	01 6.1	02 4.9	07 4.3	06 4.3	15 3.6	16 2.4	15 3.6	25 3.0	03 1.8	02 1.8	02 1.2	02 0.6	03 1.8	16 1.2	22 2.4	19 2.4	03 1.2	19 3.6	18 3.0	19 1.8	28 0.3	19
20	02 2.4	01 2.4	03 1.2	20 1.2	16 1.8	16 3.6	20 4.9	20 4.3	16 4.3	16 2.4	16 3.0	16 0.6	23 2.4	24 2.4	25 3.6	24 3.6	20 3.6	19 4.9	19 5.5	21 6.1	16 7.9	21 5.5	20 3.6	17 1.8	20
21	04 2.4	04 2.4	04 1.8	09 1.2	18 2.4	22 2.4	22 3.0	21 3.0	21 3.0	00 0.0	02 1.2	01 2.4	16 1.8	16 3.6	16 3.6	16 4.3	16 3.6	18 2.4	13 3.6	18 4.3	19 3.0	16 3.0	16 3.6	16 2.4	21
22	03 3.6	03 1.2	02 2.4	00 0.0	06 3.6	14 2.4	17 3.6	18 3.6	17 3.0	18 0.6	16 2.4	07 0.6	16 2.4	16 1.2	16 1.8	20 1.8	18 1.8	18 3.6	18 4.9	18 4.9	16 4.9	16 5.5	18 3.0	08 1.2	22
23	03 1.8	32 1.8	04 1.8	05 1.8	08 5.7	12 5.0	08 5.0	08 3.5	08 3.6	09 3.0	04 1.8	02 1.8	04 1.8	02 1.2	16 0.6	16 1.2	21 1.8	18 2.4	20 4.3	20 5.5	20 3.6	16 3.6	16* 3.0	16* 3.0	23
24	02 1.8	01 2.4	01 1.2	19 1.8	22 1.8	11 1.8	08 3.6	07 3.0	06 3.6	13 2.4	21 1.2	01 3.0	16* 3.0	16* 1.2	16* 1.8	18* 2.4	16 2.4	22 1.8	21 3.0	23 1.8	28 1.8	17 1.2	08 1.8	15 3.0	24
25	32 2.4	02 1.2	02 1.2	02 0.6	06 3.6	09 3.6	13 3.0	08 4.3	11 4.3	16 4.3	02 1.2	32 3.0	02 1.2	01 3.6	02 4.9	03 3.0	03 3.0	03 3.6	08 0.6	16 1.8	20 3.0	22 1.2	16 1.2	16 3.0	25
26	32 3.0	32 3.0	01 3.0	03 3.6	07 3.6	09 4.3	07 3.6	08 3.0	09 3.0	10 2.4	03 2.4	01 3.0	16 3.0	16 3.0	14 1.2	18 1.8	21 1.8	20 1.2	13 1.2	20 1.8	16 3.0	18 3.0	17 3.0	16 3.0	26
27	32 3.0	01 2.4	01 0.6	16 0.6	15 1.8	08 2.4	09 3.0	18 3.0	19 2.4	19 2.4	18 0.6	01 3.0	18 2.4	15 1.8	12 1.2	18 1.8	18 1.2	18 2.4	17 4.3	18 4.3	18 4.3	17 3.6	16 3.6	15 2.4	27
28	01 3.0	01 1.8	13 0.6	17 1.2	20 1.8	20 2.4	18 2.4	19 7.0	17 2.5	16 3.0	16 1.5	03 1.5	15 2.4	15 1.8	15 1.2	16 1.8	16 1.8	17 3.6	17 4.3	19 4.9	16 3.6	18 3.6	23 3.6	32 1.2	28
29	03 1.5	03 1.5	02 1.5	18 1.5	18 2.0	18 5.0	20 5.5	17 5.0	20 1.8	16 3.6	18 1.8	19 0.6	03 1.8	22 1.8	27 1.2	20 2.4	16 2.4	23 3.0	18 6.0	18 6.0	19 5.0	17 6.7	16 0.5	15 0.2	29
30	02 1.2	01 2.4	01 0.6	16 1.2	17 1.8	21 2.4	18 3.0	19 4.3	16 3.0	01 3.6	03 4.3	02 4.3	00 0.0	19 4.5	16 4.0	19 4.3	16 3.5	21 2.0	19 7.5	20 8.0	22 10.5	25 7.5	24 5.7	26 5.5	30
31	02 3.6	14 1.8	14 1.2	16 4.3	15 4.9	16 5.5	16 7.3	16 6.7	16 9.1	17 4.9	15 2.4	16 3.0													
M	2.97	2.67	2.65	2.67	3.07	3.42	4.16	4.28	3.89	3.15	2.41	2.85	2.68	2.91	2.86	3.32	3.47	3.88	4.41	4.61	4.48	3.85	2.96	2.54	M

Juli VII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	25 4.5	23 3.3	20 4.5	21 6.7	17 3.6	21 5.5	19 4.9	22 4.9	26 6.7	26 6.7	28 4.3	16 3.0	20 1.2	32 1.2	32 1.8	20 1.2	32 3.0	32 3.0	26 3.6	31 4.9	32 5.5	32 1.2	32 5.5	32 5.5	1
2	20 3.0	24 3.0	22 3.0	19 3.0	17 2.4	18 3.6	17 5.5	16 5.5	17 4.3	15 3.6	16 1.2	13 1.2	32 6.1	01 4.9	18 1.8	32 3.6	22 1.8	17 3.0	20 2.4	20 5.5	17 1.8	15 4.3	14 3.6	13 3.0	2
3	08 0.6	18 1.8	16 1.8	11 1.2	17 2.4	18 4.9	19 4.9	16 4.3	16 5.5	16 4.3	17 1.8	16 1.8	16 2.4	17 1.8	20 1.2	15 2.4	16 2.4	17 2.4	24 3.0	16 3.0	19 2.4	19 1.2	32 1.8	19 0.6	3
4	16 1.2	03 1.2	03 1.2	16 1.8	16 0.6	18 0.6	20 0.6	20 1.8	20 1.2	24 1.8	24 1.2	01 1.8	10 1.2	32 1.2	21 1.2	15 1.2	16 2.4	32 2.4	24 3.0	19 3.6	20 4.9	21 1.8	21 1.2	32 2.4	4
5	01 2.4	02 2.4	09 1.2	24 1.2	20 2.4	20 3.6	20 2.4	16 5.5	17 7.3	17 4.3	16 3.6	15 4.3	32 3.0	01 1.8	32 1.2	07 2.4	07 3.6	06 1.8	21 3.0	19 4.3	18 3.6	18 3.6	19 1.8	04 1.2	5
6	17 4.3	17 3.0	16 3.0	17 2.4	20 1.8	16 4.3	16 2.4	16 5.5	18 4.9	21 1.2	03 1.8	03 4.9	02 2.4	02 1.8	02 1.8	07 2.4	18 1.8	14 1.8	15 2.4	18 2.4	21 2.4	20 1.2	32 0.6	32 2.4	6
7	02 3.0	32 1.2	01 1.8	01 6.1	02 6.1	05 3.6	02 3.0	20 0.6	03 1.8	08 3.0	02 1.2	01 1.2	32 1.2	32 1.2	32 1.8	08 1.2	18 2.4	20 0.6	14 2.4	13 1.8	20 3.0	13 3.0	00 0.0	13 1.2	7
8	02 2.4	32 1.2	32 1.2	08 2.4	20 1.8	18 3.6	20 2.4	22 2.4	21 3.6	22 2.4	30 1.2	01 2.4	07 1.8	06 1.2	08 1.8	09 2.4	08 1.8	15 2.4	17 3.0	16 4.9	17 5.5	15 3.0	13 2.4	02 1.8	8
9	01 1.8	01 2.4	06 1.8	18 1.8	15 1.8	25 1.2	07 1.8	19 2.4	20 2.4	21 1.8	22 1.8	02 1.2	08 1.8	07 1.8	08 1.2	08 1.2	17 1.2	08 4.3	05 5.5	03 6.1	06 4.9	03 3.0	02 1.2	20 4.3	9
10	10 1.2	29 1.2	32 4.9	01 7.3	01 7.3	32 6.7	02 6.1	04 6.1	04 3.6	03 3.0	32 2.4	01 5.5	19 3.0	17 3.0	12 1.2	15 2.4	17 3.6	19 4.9	18 4.3	15 3.6	08 3.0	05 2.4	03 2.4	04 3.6	10
11	01 6.7	01 4.3	32 1.8	04 1.8	21 3.0	32 3.6	03 4.3	02 3.0	32 1.2	10 2.4	32 1.2	03 2.4	10 3.0	05 4.3	12 4.3	12 6.7	15 7.9	17 9.7	18 9.7	19 9.1	20 9.1	20 9.1	20 5.5	20 4.3	11
12	02 2.4	32 2.4	04 0.6	09 2.4	12 1.8	26 1.2	22 3.6	22 3.6	29 2.4	28 1.2	01 2.4	04 2.4	20 3.0	20 1.8	24 3.0	20 1.8	17 3.0	17 3.6	16 4.9	16 4.9	15 5.5	15 4.3	15 2.4	16 1.8	12
13	02 1.2	02 1.8	06 1.2	08 1.2	18 1.8	19 3.0	15 2.4	22 1.8	24 1.2	23 1.2	32 2.4	12 2.4	03 1.8	01 3.0	02 2.4	02 3.0	32 5.5	01 7.3	02 7.9	02 9.7	05 9.7	13 3.6	05 1.8	03 3.0	13
14	04 1.8	04 3.0	03 3.6	02 4.9	06 4.3	08 4.9	08 4.3	24 1.8	20 3.0	12 1.8	05 2.4	06 3.6	02 3.0	02 3.0	01 2.4	03 3.0	19 1.2	18 1.8	19 1.8	17 3.0	20 2.4	16 1.8	07 1.2	05 1.2	14
15	04 5.5	05 4.9	04 6.1	04 4.9	04 4.9	06 5.5	07 6.1	07 5.5	08 4.3	06 3.6	03 2.4	07 5.5	07 1.2	07 1.2	27 1.8	21 2.4	18 1.8	16 2.4	15 4.3	15 4.3	17 4.3	09 1.8	01 1.8	32 1.8	15
16	02 3.6	01 4.9	03 5.5	03 6.7	04 6.7	05 6.1	06 5.5	08 4.3	08 4.3	16 1.2	19 2.4	02 1.2	32 2.4	02 1.8	02 1.8	02 3.0	01 3.6	32 2.4	19 2.4	22 6.7	28 0.6	24 1.8	01 1.8	01 1.2	16
17	02 3.0	01 1.8	03 1.8	10 1.2	21 2.4	19 5.5	18 3.0	22 3.6	20 2.4	20 2.4	20 0.6	01 1.2	32 2.4	01 1.8	01 1.8	03 1.8	12 1.8	15 2.4	16 2.4	17 3.6	17 4.3	17 3.0	08 1.2	02 2.4	17
18	01 2.4	03 1.8	01 3.0	08 2.4	20 1.8	08 1.8	20 1.8	21 3.0	18 3.6	16 3.6	15 3.6	15 2.4	01 2.4	32 2.4	32 1.2	02 1.8	14 1.2	22 2.4	19 3.0	17 5.5	18 4.3	16 3.6	16 1.8	01 2.4	18
19	03 1.2	03 1.8	16 0.6	19 0.6	17 2.4	19 2.4	17 4.3	16 6.1	16 6.7	16 5.5	16 4.3	16 3.6	02 1.8	01 1.8	03 1.8	08 0.6	10 1.8	16 1.2	23 1.8	21 1.8	07 3.0	07 2.4	03 1.8	01 3.6	19
20	16 1.8	14 0.6	18 2.4	20 2.4	19 4.3	19 3.0	19 4.9	16 5.5	17 5.5	17 4.3	16 4.3	14 3.6	02 4.3	01 4.9	02 4.3	01 4.3	01 5.5	02 4.3	03 4.3	01 3.6	02 3.6	32 1.8	32 4.3	01 4.3	20
21	08 2.4	07 1.8	00 0.0	18 1.2	18 1.8	15 3.0	14 3.6	10 3.0	16 4.3	17 4.3	17 3.6	17 2.4	32 3.6	32 3.0	32 3.6	01 1.2	04 4.9	03 2.4	16 1.8	21 2.4	32 1.2	32 1.2	03 1.2	02 2.4	21
22	05 1.8	04 1.8	08 1.2	20 1.2	18 2.4	18 4.9	20 5.5	18 3.6	16 2.4	16 4.3	15 3.6	16 3.0	01 2.4	01 0.6	32 1.2	01 0.6	19 1.8	19 2.4	19 3.0	16 4.3	16 4.3	17 3.6	08 1.2	02 1.8	22
23	05 1.2	03 1.8	06 1.2	07 1.8	15 1.8	20 1.8	16 2.4	18 3.6	18 2.4	17 3.0	14 2.4	04 1.8	02 2.4	01 1.2	01 0.6	19 1.8	24 1.2	19 2.4	18 3.0	16 4.3	16 4.9	16 3.6	16 3.0	16 1.2	23
24	16 0.6	16 1.2	14 1.2	22 1.2	16 1.8	16 3.6	16 5.5	16 6,7	15 5.5	16 5.5	17 4.9	20 4.3	08 1.2	08 1.2	16 0.6	17 1.2	19 1.8	20 1.8	22 2.4	24 1.8	26 0.6	01 1.2	01 1.8	02 1.8	24
25	18 4.3	18 1.8	18 2.4	16 1.8	20 1.8	16 2.4	17 4.3	16 4.9	17 4.3	18 3.0	16 3.0	16 2.4	01 1.2	01 1.8	00 0.0	02 1.2	10 1.2	03 1.8	04 2.4	04 1.8	32 1.8	02 3.6	01 3.6	01 3.6	25
26	18 1.2	32 1.8	00 0.0	30 3.6	24 4.9	25 3.6	17 3.6	17 5.5	16 4.3	16 1.8	13 0.6	07 1.2	32 3.6	01 3.6	01 3.0	02 5.5	02 4.3	03 5.5	08 6.7	03 5.5	03 3.6	02 2.4	01 3.0	01 2.4	26
27	04 1.2	08 1.8	06 3.0	07 3.6	04 7.9	04 4.9	16 4.3	16 6.7	16 7.3	17 6.1	17 6.7	17 7.9	02 2.4	32 4.3	32 4.9	02 6.1	03 4.9	06 6.1	08 4.9	05 4.3	04 4.3	01 3.6	03 4.9	32 2.4	27
28	16 6.1	17 4.3	18 4.9	19 5.5	18 6.1	18 6.1	19 6.7	18 6.7	17 6.1	18 3.6	17 1.2	03 1.8	32 3.0	32 3.6	32 4.3	01 4.3	02 4.9	06 3.0	05 4.3	06 3.0	02 1.2	01 3.0	32 1.8	03 2.4	28
29	02 1.8	02 2.4	03 1.8	03 1.8	14 3.0	15 4.3	16 4.9	18 7.3	19 3.6	21 3.0	01 1.8	01 3.6	02 2.4	01 3.0	03 4.3	07 3.0	09 4.3	07 3.0	08 3.6	07 3.0	09 3.6	10 4.9	14 3.0	14 1.8	29
30	32 3.0	01 3.0	02 1.2	32 1.8	02 1.2	07 1.8	32 0.6	19 1.2	18 3.0	16 2.4	12 1.8	02 1.8	02 1.8	12 2.4	14 3.0	14 3.0	21 5.5	16 4.3	16 5.5	22 4.9	15 0.6	14 2.4	03 1.8	03 1.8	30
31	01 2.4	03 1.8	32 3.6	32 3.6	03 4.3	02 5.5	02 4.3	03 4.3	32 2.4	32 1.8	32 1.2	32 0.6	09 1.2	08 1.2	18 2.4	04 2.4	17 1.2	20 1.8	17 2.4	30 1.2	07 1.8	32 2.4	01 3.0	32 4.3	31
M	2.58	2.31	2.31	2.89	3.25	3.76	3.87	4.22	3.92	3.16	2.49	2.79	2.41	2.32	2.18	2.55	2.93	3.22	3.67	4.17	3.74	2.84	2.35	2.51	M

Registreringer av vind D, v

(Records of wind: D, v)

1946

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_c = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

September IX

Dat	2		4		6		8		10		12		14		16		18		20		22		24	
1	32	4.9	32	5.5	01	7.3	01	6.7	01	7.9	01	7.9	01	6.7	01	6.7	01	4.9	01	4.9	01	5.5	32	4.9
2	01	6.1	19	3.6	17	6.7	17	4.9	18	4.9	18	6.1	15	6.1	16	3.0	15	4.9	15	3.0	14	2.4	14	0.6
3	05	1.2	04	0.6	00	0.0	10	1.2	18	1.2	18	1.8	17	3.6	19	3.0	16	3.0	21	1.8	20	0.6	20	1.2
4	00	0.0	14	1.2	14	0.6	12	0.6	16	1.2	18	1.8	18	3.0	16	4.3	17	4.3	16	3.0	18	1.8	19	1.2
5	00	0.0	00	0.0	32	1.5	00	0.0	00	0.0	00	0.0	22	2.5	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0
6	00	0.0	32	4.5	01	3.7	32	4.2	08	0.5	00	0.0	20	2.0	20	0.5	16	3.5	16	3.0	00	0.0	00	0.0
7	00	0.0	16	0.7	14	1.7	16	2.0	00	0.0	17	0.3	18	0.9	18	4.5	18	5.0	00	0.0	01	3.6	00	0.0
8	32	0.0	00	0.0	02	0.0	00	0.0	14	1.2	18	2.4	22	2.4	20	1.2	19	1.2	17	0.5	00	0.0	00	0.0
9	00	0.0	00	0.0	00	0.0	07	0.5	09	1.2	04	1.8	02	2.4	08	3.6	05	2.4	07	2.4	03	1.2	05	0.6
10	05	0.6	20	1.2	26	2.4	23	1.2	24	3.6	26	4.3	19	3.6	20	5.5	23	4.3	32	1.8	31	1.2	03	1.2
11	00	0.0	02	1.8	02	2.4	02	1.2	29	0.6	22	0.6	04	1.2	32	2.4	32	1.2	01	1.8	01	4.3	32	1.8
12	01	1.8	01	5.5	01	4.3	01	6.1	09	5.5	04	6.1	05	4.3	02	2.4	05	2.4	02	3.0	02	3.6	02	1.8
13	02	3.0	02	3.6	04	3.6	08	1.2	09	0.6	13	1.8	23	1.8	14	1.8	15	3.0	08	1.8	09	4.3	09	4.3
14	11	6.7	12	6.1	16	3.6	16	2.4	08	1.8	13	3.0	14	4.9	16	4.3	17	4.3	16	3.0	15	1.2	15	1.8
15	16	2.4	11	1.8	12	6.1	14	9.1	20	8.5	18	8.5	21	9.7	19	8.5	23	4.9	24	3.6	21	5.5	20	3.6
16	20	3.0	24	3.6	22	1.8	22	1.2	22	0.6	20	2.4	19	6.1	18	5.5	18	3.6	18	1.8	20	1.2	18	2.4
17	21	1.2	01	1.2	32	0.6	03	1.8	03	0.6	20	2.4	18	4.9	17	4.9	16	3.6	15	2.4	10	2.4	14	3.0
18	08	1.8	17	1.8	09	1.8	07	1.2	22	0.6	23	3.0	19	4.3	21	5.5	20	4.3	20	2.4	02	1.8	03	2.4
19	01	3.0	01	3.0	01	3.6	02	5.5	03	8.5	02	7.9	03	7.9	01	6.7	32	5.5	32	5.5	32	6.7	32	7.9
20	32	6.7	32	3.0	31	3.0	18	1.8	17	1.8	20	3.0	18	3.0	17	3.6	16	4.3	16	2.4	02	1.2	32	1.2
21	32	2.4	32	2.4	32	2.4	02	1.8	15	1.2	28	4.3	27	5.5	27	5.5	28	3.0	29	3.0	15	3.6	04	1.2
22	32	1.2	01	1.8	01	2.4	01	0.6	08	0.6	17	0.6	18	2.4	16	4.9	15	6.1	17	5.5	15	6.1	17	4.9
23	16	4.3	19	4.3	20	6.7	21	5.5	20	6.7	18	6.1	20	5.5	16	3.6	18	4.3	18	3.0	12	1.2	32	1.2
24	15	0.6	06	0.6	21	0.6	21	1.2	20	2.4	18	4.3	19	4.9	20	5.5	22	4.3	23	3.6	32	2.4	23	3.0
25	23	3.0	20	1.8	02	1.8	32	1.2	20	1.2	17	2.4	19	3.0	17	4.3	16	3.6	00	0.0	16	1.2	16	0.6
26	15	1.2	15	0.6	16	0.6	18	0.6	16	0.6	22	1.2	25	1.2	19	1.8	16	3.6	16	3.0	19	2.4	19	2.4
27	18	3.0	17	2.4	17	1.8	18	1.8	17	3.0	17	3.6	16	3.6	16	4.3	17	4.3	17	3.6	17	4.3	15	3.6
28	17	3.0	17	3.0	18	3.0	20	3.0	19	2.4	16	1.8	17	1.2	18	1.8	18	1.2	24	1.2	01	1.2	01	6.1
29	01	7.9	02	6.7	03	1.8	01	3.6	03	4.9	05	3.6	00	0.0	32	0.2	00	0.0	32	1.8	02	2.4	02	2.4
30	03	3.0	02	1.8	01	1.2	02	0.6	04	1.0	32	0.5	00	0.0	21	0.8	00	0.0	00	0.0	00	0.0	00	0.0
M	2.32		2.39		2.48		2.35		2.41		3.02		3.50		3.57		3.26		2.35		2.36		2.11	

Oktober X

Dat	2		4		6		8		10		12		14		16		18		20		22		24	
1	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	18	1.2	04	4.9	03	5.5	32	1.8	01	3.0	01	5.5	02	4.9
2	32	3.0	32	3.0	32	3.0	01	3.0	05	3.0	11	1.3	32	0.8	20	3.2	00	0.0	00	0.0	00	0.0	00	0.0
3	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	14	1.8	17	1.2	16	3.6	14	3.6	14	4.3	13	4.3	11	3.6
4	14	3.6	12	2.4	13	2.4	08	2.4	10	4.9	08	4.3	07	3.6	03	3.6	03	4.3	03	4.3	01	5.5	32	6.7
5	32	5.5	32	6.1	24	1.2	23	2.4	17	3.0	18	3.0	14	1.2	06	1.2	01	3.0	01	4.9	32	6.1	01	6.1
6	01	7.9	01	6.7	32	5.5	01	7.3	01	7.9	01	9.7	01	9.7	01	8.5	01	7.3	01	9.1	01	8.5	01	9.1
7	01	7.9	02	4.9	02	3.6	01	6.7	03	5.5	03	5.5	04	4.3	03	3.6	01	1.8	01	1.8	03	0.6	02	0.6
8	01	0.6	02	1.8	01	1.2	01	0.6	02	0.6	00	0.0	01	0.6	01	1.2	01	1.2	02	1.8	02	1.8	02	1.2
9	00	0.0	02	0.6	32	1.2	31	0.6	30	0.6	19	0.6	19	0.6	18	1.2	02	1.2	02	1.2	02	0.6	02	0.6
10	02	0.6	01	0.6	00	0.0	02	0.6	00	0.0	11	0.6	13	1.2	18	0.6	01	1.2	02	1.2	03	1.8	02	1.2
11	05	1.2	04	0.6	30	0.6	02	0.6	03	1.2	17	0.6	29	1.8	02	1.8	32	2.4	01	2.4	01	1.2	06	0.6
12	32	1.2	01	1.2	04	0.6	01	1.2	08	1.2	14	0.6	15	1.2	00	0.0	29	1.8	06	1.2	32	2.4	29	1.2
13	10	1.2	15	1.8	06	1.2	32	0.6	32	0.6	20	0.6	18	0.6	00	0.0	18	1.2	00	0.0	02	1.8	01	1.8
14	05	0.6	02	0.6	32	0.6	03	1.2	28	0.6	18	0.6	15	0.6	20	0.6	30	1.8	27	4.9	01	3.0	08	1.2
15	28	2.4	01	0.6	32	1.2	13	1.2	31	1.2	30	7.3	30	4.3	29	3.6	29	1.2	02	1.2	32	1.2	10	1.2
16	02	0.6	01	0.6	01	2.4	07	0.6	10	0.6	17	1.8	16	0.6	17	1.2	04	0.6	03	2.4	01	1.8	32	1.8
17	13	1.2	23	1.2	02	3.0	02	2.4	16	0.6	15	1.2	08	2.4	08	1.8	03	1.8	02	1.8	01	1.8	32	1.2
18	15	0.6	15	1.2	12	0.6	13	0.6	00	0.0	15	1.2	19	1.2	19	0.6	19	0.6	19	0.6	19	1.8	19	1.2
19	02	1.2	02	1.2	02	1.2	02	1.8	01	0.6	16	1.8	17	1.2	19	0.6	01	0.6	01	1.8	02	2.4	03	1.2
20	02	0.6	26	0.6	00	0.0	00	0.0	25	0.6	03	1.2	17	0.6	17	0.6	18	0.6	18	0.6	18	0.6	18	0.6
21	18	0.6	01	3.6	01	3.6	03	2.4	12	1.2	17	1.2	03	4.9	02	3.0	01	3.6	02	6.7	02	7.9	02	7.9
22	32	4.3	32	4.3	02	3.0	02	3.6	04	4.3	04	6.1	04	4.9	06	4.3	32	1.8	01	2.4	01	1.8	32	3.0
23	32	2.4	02	1.8	02	1.2	02	1.8	01	0.6	13	1.2	16	1.2	17	0.6	17	1.2	17	1.8	32	1.8	32	1.2
24	32	1.8	32	0.6	32	1.2	02	1.8	01	0.6	02	1.2	00	0.0	13	0.6	32	1.8	29	0.6	03	0.6	02	1.8
25	00	0.0	00	0.0	02	0.6	03	0.6	00	0.0	04	1.2	04	1.2	17	0.6	17	0.6	17	0.6	03	2.4	01	1.2
26	14	0.6	18	1.2	18	1.2	19	1.2	17	0.6	17	1.2	22	0.6	15	1.2	15	0.6	15	1.2	01	1.2	11	1.2
27	06	1.8	10	1.8	03	1.2	06	1.8	08	1.2	10	2.4	11	2.4	05	1.8	01	1.8	03	2.4	01	3.6	01	3.6
28	01	3.6	01	3.0	31	1.8	02	1.8	01	4.3	01	4.3	02	6.1	01	3.0	32	1.8	02	6.7	32	6.1	03	6.1
29	02	6.7	32	6.7	32	3.6	18	1.2	18	0.6	18	1.2	18	1.2	18	1.2	22	1.2	32	1.2	03	1.8	03	1.2
30	03	0.6	03	1.2	03	0.6	03	1.2	04	0.6	04	0.6	04	0.6	03	0.6	00	0.0	02	1.8	01	1.2	30	1.2
31	01	0.6	00	0.0	01	1.2	14	0.6	14	0.6	14	0.6	14	1.2	14	0.6	15	0.6	15	0.6	00	0.0	14	1.2
M	2.03		1.93		1.57		1.69		1.53		2.13		2.16		1.93		1.71		2.40		2.62		2.44	

November XI

Dat	2		4		6		8		10		12		14		16		18		20		22		24	
1	14	1.2	14	1.8	20	1.2	07	1.8	02	2.4	01	3.6	01	4.3	02	4.9	01	6.1	01	6.7	01	6.7	01	8.5
2	32	8.5	01	8.5	32	7.3	02	7.3	01	7.3	01	7.9	01	7.9	01	6.7	01	8.5	02	9.1	01	8.5	32	5.5
3	32	5.5	32	4.3	01	5.5	01	4.3	32	4.3	02	2.4	01	3.0	03	3.0	07	1.8	11	1.2	12	1.2	06	1.8
4	03	3.0	32	3.0	03	2.4	01	1.8	02	1.8	07	0.6	15	1.2	14	1.8	15	1.2	00	0.0	16	1.8	17	1.8
5	16	1.2	18	2.4	19	1.2	19	1.2	19	2.4	18	3.6	16	4.3	16	4.3	15	4.3	16	4.3	16	3.0	17	3.0
6	16	2.4	16	3.0	16	3.0	18	1.8	16	2.4	15	1.2	20	1.2	16	0.6	15	0.6	16	1.2	16	0.6	14	1.8
7	14	2.4	15	3.0	04	2.4	04	2.4	15	1.8	01	3.6	01	7.3	01	4.9	01	7.9	32	6.1	32	6.7	32	6.7
8	01	6.7	04	6.7	04	4.3	04	6.1	01	5.5	32	4.9	01	4.9	30	1.8	01	3.0	03	1.2	03	0.6	03	1.8
9	19	1.2	02	1.8	20	1.2	21	0.6	25	0.6	32	3.6	01	7.9	32	6.1	32	3.6	01	3.6	30	2.4	19	4.3
10	32	1.8	32	3.6	15	1.8	24	1.8	19	0.6	18	1.2	16	0.6	16	0.6	02	3.0	02	3.6	32	3.0	00	0.0
11	20	0.6	01	1.2	32	1.2	03	1.2	00	0.0	01	0.6	14	1.2	14	1.2	02	0.6	00	0.0	01	0.6	01	1.2
12	01	1.2	03	1.8	20	1.8	20	1.2	22	1.8	16	1.2	16	4.9	15	3.0	15	1.2	15	3.6	14	4.9	14	4.3
13	17	2.4	17	1.2	17	1.2	20	1.8	01	10.9	01	7.9	01	6.1	32	5.5	32	6.1	32	4.9	32	2.4	32	1.2
14	04	1.8	28	0.6	28	4.9	06	1.2	06	1.8	13	0.6	16	1.2	16	1.2	32	2.4	01	3.0	02	1.8	32	2.4
15	04	1.2	00	0.0	01	1.2	02	1.8	03	0.6	32	0.6	52	0.6	00	0.0	32	3.6	13	1.2	01	1.2	01	1.8
16	17	1.8	18	0.6	03	1.8	03	1.8	01	4.9	02	4.9	32	3.6	01	3.0	32	3.6	01	2.4	32	3.6	02	3.0
17	04	3.6	04	4.9	04	3.0	04	3.0	02	2.4	05	2.4	04	3.0	02	2.4	03	3.6	02	1.8	05	4.3	04	5.5
18	03	4.9	02	4.3	04	3.6	04	4.3	04	5.5	02	5.5	02	5.5	02	5.5	02	5.5	02	4.3	01	4.9	02	6.1
19	01	6.1	32	4.9	01	6.1	03	5.5	03	4.9	02	3.0	02	4.3	32	4.3	32	4.3	01	4.9	01	4.3	01	4.3
20	32	4.3	32	4.9	32	4.9	01	4.3	32	3.0	01	3.6	02	3.6	01	3.6	01	3.0	01	4.9	01	4.3	32	0.6
21	01	4.3	01	5.5	01	4.9	04	3.6	01	5.5	03	4.9	05	4.3	02	3.0	01	2.4	01	1.8	06	3.0	17	3.6
22	13	5.5	13	6.1	14	4.9	13	5.5	12	3.6	14	3.6	14	3.0	23	1.8	14	2.4	13	0.6	13	1.2	14	1.2
23	13	1.2	13	0.6	20	1.2	22	0.6	23	2.4	23	3.0	19	3.6	21	2.4	14	3.0	18	2.4	16	3.6	15	1.8
24	15	5.5	14	6.7	15	7.3	14	6.7	15	6.7	13	6.1	14	5.5	14	6.7	14	6.1	14	8.5	13	5.5	15	6.7
25	13	7.3	15	5.5	15	5.5	15	4.3	15	6.1	14	6.7	14	5.5	14	4.9	15	6.1	14	7.9	14	9.1	14	6.1
26	13	4.9	13	5.5	13	4.3	13	5.5	13	5.5	13	5.5	14	6.1	14	6.1	14	6.1	14	5.5	15	4.3	15	3.6
27	14	4.9	14	4.3	17	3.0	18	3.0	19	1.8	14	1.8	14	2.4	13	1.8	13	1.8	13	2.4	13	6.1	14	6.1
28	13	4.3	14	5.5	13	4.9	14	6.1	15	6.7	14	3.0	17	4.9	15	1.8	13	1.2	13	1.2	13	0.6	13	0.6
29	32	1.8	02	1.2	03	1.8	12	1.8	17	3.0	12	2.4	14	1.8	14	3.0	11	4.3	10	3.6	08	2.4	10	3.0
30	08	1.8	07	1.8	01	2.4	02	3.0	02	3.0	03	3.0	01	3.0	02	3.6	02	3.0	03	3.0	32	2.4	01	1.8
M	3.44		3.51		3.34		3.18		3.64		3.43		3.89		3.32		3.68		3.50		3.52		3.46	

Desember XII

Dat	2		4		6		8		10		12		14		16		18		20		22		24	
1	02	2.4	02	3.0	01	3.0	02	4.3	02	3.6	02	4.3	02	4.3	01	4.3	01	4.9	01	5.5	01	4.9	32	4.3
2	32	3.0	32	1.2	02	1.2	02	0.6	11	0.6	13	0.6	02	1.8	02	4.9	02	4.9	03	6.1	02	4.3	32	4.3
3	01	4.3	32	3.6	01	4.3	03	4.3	01	3.6	02	3.6	32	3.0	01	2.4	01	2.4	13	2.4	13	1.8	13	2.4
4	14	2.4	14	1.8	20	2.4	03	1.2	14	1.8	10	1.8	08	2.4	01	2.4	01	2.4	02	3.0	32	4.3	32	4.3
5	32	4.9	02	3.0	03	3.0	04	3.6	32	1.8	32	3.0	01	3.0	02	4.3	01	4.3	02	4.3	01	4.3	01	3.6
6	32	4.9	01	4.3	01	3.6	02	3.6	02	3.6	01	2.4	01	3.6	32	4.3	32	2.4	01	4.3	01	4.9	01	5.5
7	01	5.5	32	6.1	32	4.3	32	3.0	01	0.6	06	1.2	13	1.8	13	1.2	12	1.8	08	1.2	12	1.2	12	1.2
8	05	1.8	01	3.0	32	3.6	01	3.6	02	4.9	02	4.9	32	7.3	01	5.5	32	6.1	01	7.3	02	6.7	01	6.7
9	32	6.7	01	6.1	01	4.9	01	4.9	02	5.5	01	5.5	02	6.1	02	6.1	02	6.7	01	6.7	01	7.3	02	7.9
10	01	7.3	01	7.3	01	7.3	02	4.9	01	5.5	01	6.1	01	6.7	32	6.7	02	4.9	02	4.9	01	4.9	01	4.9
11	32	5.5	32	5.5	01	6.1	01	4.9	02	5.5	01	4.9	01	4.9	02	4.9	01	4.3	04	4.3	05	2.4	03	3.6
12	04	2.4	04	3.6	03	4.3	03	4.9	03	4.3	03	4.3	04	4.3	04	3.6	03	4.9	03	3.0	02	3.6	02	4.3
13	02	4.3	01	4.3	01	4.9	04	3.0	07	3.0	05	3.6	04	3.0	04	4.3	03	3.6	02	4.3	02	4.3	32	3.6
14	02	3.6	02	4.3	02	4.3	03	6.7	01	4.3	02	2.4	05	2.4	04	3.0	32	2.4	02	3.6	01	3.0	01	2.4
15	01	3.0	32	3.6	32	3.6	32	4.3	01	4.3	32	4.3	32	4.3	32	3.6	32	3.6	32	4.9	32	4.9	32	1.8
16	32	2.4	02	1.8	02	0.5	03	0.6	03	0.6	03	0.6	02	0.6	04	0.6	04	0.6	03	1.2	02	0.6	02	0.6
17	00	0.0	02	0.6	02	0.6	03	1.2	03	0.6	03	0.6	03	0.6	04	0.6	03	1.2	04	1.8	06	1.8	03	1.2
18	03	0.6	00	0.0	00	0.0	05	0.6	04	0.6	00	0.0	04	0.6	00	0.0	04	0.6	03	0.6	13	0.6	02	0.6
19	00	0.0	01	0.6	00	0.0	00	0.0	00	0.0	02	0.6	03	0.6	02	0.6	00	0.0	02	0.6	00	0.0	00	0.0
20	32	0.6	32	0.6	32	1.2	02	1.8	32	1.2	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0
21	00	0.0	00	0.0	00	0.0	00	0.0	00	0.0	25	0.6	00	0.0	00	0.0	00	0.0	19	0.6	14	2.4	13	3.0
22	14	3.0	13	4.3	13	3.6	15	4.3	15	3.6	14	4.9	13	3.0	13	4.3	14	3.6	14	4.9	13	5.5	15	6.7
23	13	6.7	14	5.5	13	6.7	15	4.3	14	4.9	14	6.1	14	5.5	14	6.1	15	3.6	13	3.0	14	3.6	12	4.3
24	12	6.1	11	3.6	13	3.0	13	3.6	13	4.9	14	4.9	14	4.9	14	4.3	13	3.0	13	3.0	12	1.8	12	1.2
25	12	1.8	12	0.6	13	0.6	11	2.4	12	1.8	12	0.6	13	2.4	17	1.8	16	1.8	12	4.9	11	4.9	12	3.6
26	11	4.9	11	3.0	12	2.4	12	3.0	17	2.4	14	4.3	15	4.3	14	3.6	14	2.4	14	3.6	14	3.0	14	3.6
27	13	4.3	15	3.6	16	3.6	14	4.9	14	5.5	14	4.3	13	4.3	13	3.0	11	3.0	12	3.0	13	1.8	13	1.2
28	11	0.6	13	0.6	13	0.6	14	0.6	02	1.2	01	2.4	32	2.4	01	2.4	32	3.0	32	2.4	01	3.0	32	1.2
29	26	1.2	32	1.2	32	1.8	32	2.4	05	1.8	32	3.0	32	1.2

Registreringer av nedbør R

(Records of precipitation: R)

1946

Oslo (Blindern) $\varphi = 59^\circ 56'N$ $\lambda = 10^\circ 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_t = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
8	–	–	–	–	–	–	–	–	–	–	–	0.8	0.8	1.5
9	0.8	0.6	–	–	–	–	–	–	–	–	–	0.6	2.0	5.0
10	0.4	0.2	0.6	1.5	–	–	1.1	–	–	–	–	–	3.8	5.0
12	0.5	1.0	1.2	0.5	0.5	0.3	0.3	–	–	–	–	–	4.3	8.5
23	–	–	–	–	–	–	0.3	–	–	–	–	–	0.3	1.0
24	–	–	–	0.4	–	–	–	–	–	–	–	–	0.4	1.0
28	0.4	0.7	0.5	0.1	–	–	–	–	–	0.6	–	–	2.3	4.0
29	–	–	2.8	–	0.4	1.0	3.8	1.9	3.0	1.7	0.4	–	15.0	13.0
31	–	–	–	–	–	–	0.2	0.3	–	–	–	–	0.5	0.5
	2.1	2.5	5.1	2.5	0.9	1.3	5.7	2.2	3.0	2.3	0.4	1.4	29.4	39.5

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	0.4	0.5	0.6	1.3	0.7	0.6	0.2	0.2	4.5	7.5
2	–	–	–	–	0.3	2.4	3.4	0.7	–	–	–	–	6.8	2.5
3	–	–	–	–	–	1.3	1.0	–	–	–	–	–	2.3	3.5
4	–	–	–	–	–	–	–	–	–	0.1	–	–	0.1	0.5
7	–	–	–	0.8	0.2	0.9	0.4	–	1.0	3.2	4.8	2.2	13.5	10.5
8	1.4	0.2	–	0.1	–	–	–	–	–	–	–	–	1.7	2.0
13	–	–	–	–	0.2	–	–	–	–	–	–	–	0.2	1.0
15	–	–	–	–	0.2	–	–	–	–	–	–	–	0.2	0.5
19	–	–	–	–	1.8	2.8	3.8	2.4	3.0	2.0	0.3	0.2	16.3	13.5
20	–	0.4	0.2	–	0.7	0.5	0.1	–	–	–	–	–	1.9	5.5
27	–	–	–	–	0.1	0.1	–	0.1	–	–	–	–	0.3	1.0
28	–	–	–	–	0.1	–	–	–	–	–	–	–	0.1	0.5
	1.4	0.6	0.2	0.9	4.0	8.5	9.3	4.5	4.7	5.9	5.3	2.6	47.9	48.5

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	–	–	–	–	–	0.3	0.5	0.4	1.2	4.5
2	0.1	0.4	0.7	1.4	–	–	–	–	–	–	0.4	0.8	2.6	6.5
3	–	–	–	–	–	–	–	–	–	0.7	0.4	0.8	1.9	5.5
4	0.7	0.5	0.2	0.2	0.5	0.2	0.2	0.5	0.5	0.1	–	–	3.6	11.5
5	–	–	–	–	–	–	–	–	–	–	0.1	–	0.1	0.5
6	0.4	–	–	–	–	–	–	–	–	–	–	–	0.4	0.5
7	–	–	–	0.4	3.2	0.1	0.1	–	–	–	–	–	3.8	3.0
8	0.1	0.7	0.1	–	–	–	–	–	–	–	1.4	1.0	2.4	2.5
9	–	–	–	–	–	–	–	–	–	–	–	–	0.9	2.0
10	–	0.3	0.1	–	0.3	0.1	0.9	–	–	–	0.3	–	0.3	1.0
	1.3	1.9	1.1	2.0	4.0	0.4	1.2	0.5	0.5	1.1	2.6	2.3	18.9	40.5

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	0.1	0.1	–	–	–	–	–	–	0.2	0.5
2	–	–	–	–	–	–	0.3	–	–	–	–	–	0.3	0.5
3	–	–	0.5	0.5	–	–	–	–	–	–	–	–	1.0	1.5
4	–	–	–	–	0.1	–	–	–	–	–	–	–	0.1	0.5
7	–	0.1	0.6	–	1.6	2.2	0.1	–	0.2	0.3	0.1	0.4	4.9	5.5
23	–	–	–	–	–	–	–	–	–	–	–	–	0.7	1.0
28	–	–	–	–	0.0	–	–	–	–	–	–	–	0.0	0.5
	–	0.1	1.1	0.5	1.8	2.3	0.4	–	0.2	0.3	0.1	0.4	7.2	10.0

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	–	–	–	–	–	–	–	6.4	6.4	2.0
2	0.1	–	–	–	–	–	–	–	–	–	–	–	0.1	0.5
3	–	–	–	–	–	1.4	1.5	–	–	–	–	–	2.9	3.5
4	–	–	–	–	–	–	–	–	–	–	0.5	3.2	3.7	3.0
5	0.7	0.3	–	–	–	–	–	–	–	–	–	–	1.0	3.0
6	–	–	–	–	–	–	–	–	–	0.1	–	–	0.1	0.5
7	–	0.1	0.1	–	–	–	–	–	–	–	–	–	0.2	0.5
8	–	–	0.1	0.1	–	–	–	–	–	–	–	–	0.2	0.5
9	–	–	–	0.1	–	–	–	–	–	–	–	–	0.1	0.5
10	–	–	0.5	–	–	–	–	–	–	–	–	–	0.5	1.0
	0.8	0.4	0.7	0.2	–	1.4	1.5	–	–	0.1	0.5	9.6	15.2	15.0

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	–	–	–	–	–	0.7	–	–	0.7	1.0
2	–	–	–	–	–	–	2.4	3.0	1.7	–	–	–	7.1	3.0
3	–	–	–	–	0.1	2.2	0.1	–	–	–	–	–	2.4	1.5
4	–	–	–	–	0.1	–	–	–	–	–	–	–	0.1	0.5
5	–	–	–	–	–	–	–	–	1.6	2.3	2.5	1.6	8.0	7.5
6	–	–	–	–	0.2	–	–	–	–	–	–	–	0.2	0.5
9	–	–	–	–	0.4	3.7	10.0	8.6	5.5	2.2	1.0	2.4	33.8	13.5
10	0.6	–	–	–	–	–	–	–	–	–	–	–	0.6	0.5
11	0.8	6.3	3.7	0.8	–	1.4	–	–	0.2	0.9	2.0	–	16.1	10.5
12	1.6	5.5	4.1	2.0	1.6	0.9	0.1	0.1	–	–	–	–	15.9	10.5
13	–	–	–	–	–	–	–	–	–	–	0.1	–	0.1	0.5
17	–	–	–	–	–	0.1	–	0.7	0.4	2.3	–	0.1	3.6	3.5
18	–	–	–	–	–	–	3.6	2.7	–	–	–	–	6.6	3.5
19	–	–	–	–	–	–	–	–	–	–	–	–	0.1	0.5
20	–	–	–	–	–	–	–	–	–	–	–	–	0.1	0.5
24	–	–	–	–	–	–	–	–	–	–	–	0.2	0.2	0.5
25	–	–	–	–	–	–	1.0	–	–	–	–	–	4.4	4.5
26	–	–	–	–	–	–	–	–	–	–	–	–	0.1	0.5
28	–	–	–	–	–	–	–	–	–	0.4	0.8	–	1.2	2.5
29	–	–	–	–	–	–	–	–	–	–	–	–	6.3	5.5
30	–	–	–	–	–	1.4	–	–	–	–	–	–	1.4	1.0
	5.8	14.6	12.1	3.3	2.3	9.7	17.2	15.1	9.4	8.4	6.0	5.1	109.0	72.0

Registreringer av nedbør R

(Records of precipitation: R)

1946

Oslo (Blindern) $\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_a = 94$ $H_b = 95.6$ $h_c = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
4	4.0	–	–	–	–	–	–	–	–	–	–	–	4.0	1.5
5	–	0.9	–	–	–	–	5.7	4.5	–	–	–	–	11.1	3.0
6	–	–	–	–	–	–	2.1	–	–	0.1	–	0.1	2.3	1.5
7	–	0.2	–	–	–	–	2.1	–	–	–	–	–	2.3	1.0
10	0.4	–	–	–	–	–	–	–	–	–	–	–	0.4	0.5
20	–	–	–	–	–	0.6	–	–	–	–	–	–	0.6	0.5
21	–	–	–	–	–	0.7	–	–	–	–	–	–	0.7	1.0
22	–	–	–	–	–	–	–	1.9	–	–	–	–	1.9	0.5
25	–	–	–	0.2	–	–	–	–	–	–	–	–	0.2	0.5
27	–	–	–	–	0.2	12.9	1.7	–	–	–	–	–	14.8	4.5
30	4.1	0.1	–	0.4	–	–	–	–	–	–	–	–	4.6	1.0
31	–	0.2	0.9	1.2	–	–	–	–	–	0.1	0.3	0.6	3.3	4.0
	8.5	1.4	0.9	1.8	0.2	14.2	11.6	6.4	–	0.2	0.3	0.7	46.2	19.5

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	3.0	0.1	–	–	–	–	–	2.6	0.2	0.4	–	–	6.3	3.0
7	–	–	–	–	–	2.5	1.9	2.3	0.1	0.1	0.5	–	7.4	5.0
8	–	0.1	4.8	0.4	5.8	0.8	–	–	–	–	–	–	11.9	5.5
9	–	–	–	–	–	–	1.9	1.6	0.1	1.1	–	–	4.7	3.0
10	–	–	–	–	–	–	–	–	1.4	3.0	4.9	1.9	11.2	6.5
11	3.7	5.8*	5.9*	5.9*	–	–	–	–	–	–	–	–	21.3	8.0
12	–	–	0.2	–	–	–	–	6.8	–	–	–	–	0.2	0.5
13	–	–	0.1	0.1	0.9	–	7.2	6.8	2.7	1.1	0.5	2.6	22.0	6.5
14	0.1	–	0.8	0.7	–	–	1.1	0.1	–	–	–	2.2	5.0	2.5
15	0.1	0.7	0.2	0.3	–	–	–	–	–	–	–	–	1.3	1.5
16	–	–	–	–	–	–	–	0.3	0.1	–	–	–	0.4	0.5
29	–	–	–	–	–	0.2	0.2	0.5	1.7	0.2	6.3	3.7	12.8	7.5
30	4.8	3.1	1.9	–	–	2.4	0.8	–	–	1.7	–	–	14.7	6.5
31	–	–	0.1	2.2	–	–	–	–	–	–	–	–	2.3	1.5
	11.7	9.8	14.0	9.6	6.7	5.9	13.1	14.2	6.3	7.6	12.2	10.4	121.5	58.0

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	1.0	–	–	–	0.2	1.3	2.1	2.4	3.1	5.2	8.3	23.6	13.0
2	2.0*	2.1*	2.1*	–	–	–	–	–	–	–	–	–	6.2	6.0
6	–	–	–	0.8	–	–	–	–	–	–	–	–	0.8	1.0
9	–	–	–	–	–	0.3	1.1	1.1	2.2	0.4	0.4	0.5	6.0	10.0
10	1.3	1.1	0.2	0.1	–	–	–	–	–	–	–	–	2.7	4.5
11	–	–	0.1	2.4	0.4	–	–	–	–	–	–	–	2.9	3.0
12	0.1	0.1	–	–	–	–	–	–	–	–	–	–	0.2	0.5
13	–	–	–	0.1	–	–	0.2	0.3	–	1.7	0.4	0.2	2.9	3.0
14	1.0	1.6	3.9	1.6	0.4	–	0.8	2.8	–	–	–	–	12.1	7.0
15	–	1.3	2.4	2.4	–	–	–	–	–	–	–	–	6.1	5.5
17	–	–	–	–	–	–	–	–	–	4.3	1.9	1.2	7.4	6.0
18	0.3	1.8	1.1	1.9	9.6	1.6	–	–	–	–	–	–	15.3	11.0
19	–	–	1.1	2.1	3.0	2.5	3.1	2.4	4.1	5.3	4.8	0.6	29.0	18.5
20	1.0	1.4	–	–	–	–	–	–	–	–	–	–	2.4	3.0
22	–	–	–	–	–	–	0.2	1.6	2.0	0.5	0.1	–	4.4	4.0
27	–	–	–	–	–	1.7	0.1	3.4	0.8	0.1	0.4	0.2	6.7	4.5
	5.7	10.4	10.9	11.4	13.4	6.3	6.8	13.7	11.5	15.4	13.2	11.0	129.7	100.5

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
4	–	–	–	–	–	3.3	1.4	2.6	5.9	3.6	1.3	1.6	19.7	13.5
5	2.4*	2.4*	2.4*	2.3*	3.2	0.2	–	–	–	–	–	–	12.9	10.0
6	–	–	–	–	–	–	–	–	–	0.1	–	–	0.1	0.5
7	2.4	2.4	2.4	2.3	3.2	3.5	1.4	2.6	5.9	3.7	1.3	1.6	32.7	24.0

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	–	–	–	–	–	–	1.0	1.6	2.6	3.5
2	1.5	–	–	0.4	0.8	1.9	0.1	–	0.6	2.4	0.4	0.3	8.4	7.0
3	1.2	2.2	2.3	0.8	0.9	0.5	1.0	2.0	0.9	–	–	–	11.8	16.5
5	–	–	–	–	–	–	–	–	0.4	0.5	–	0.2	1.1	4.0
7	0.2	2.0	6.2	4.8	3.4	2.7	1.3	0.5	0.1	–	–	–	21.2	13.5
9	–	–	–	–	–	0.2	0.1	–	–	–	–	–	0.3	0.5
12	–	–	–	–	–	–	–	–	–	1.1	2.5	0.2	3.8	3.5
14	–	–	–	–	–	–	0.9	0.3	–	–	–	–	1.2	2.0
21	0.1	0.4	0.5	0.6	0.2	2.2	3.0	2.5	0.3	0.3	1.5	2.5	14.1	17.5
22	0.2	–	–	0.3	–	–	–	1.1	1.5	–	0.3	0.9	4.3	5.0
23	0.8	0.9	0.6	0.1	0.8	1.7	0.1	1.6	–	–	0.4	–	7.0	6.0
24	0.1	0.1	0.7	0.1	–	–	–	–	–	–	–	–	1.0	1.5
25	–	–	–	–	–	–	–	–	0.5	–	–	–	0.5	1.5
26	–	–	–	–	–	–	–	–	0.2	0.3	–	–	0.5	1.5
27	0.2	0.3	–	–	–	–	–	–	0.6	3.1	1.7	0.1	6.0	6.0
28	0.9	0.1	0.1	0.4	–	–	–	–	–	–	–	–	1.5	2.5
29	0.2	0.3	0.2	0.2	–	–	–	–	–	–	0.2	–	1.1	3.5
30	0.6	1.3	3.8	4.2	2.6	1.0	0.6	1.0	0.8	0.4	0.1	0.7	17.1	19.5
	6.0	7.6	14.4	11.9	8.7	10.2	7.1	9.0	5.9	8.1	8.1	6.5	103.5	105.0

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	1.0	1.3	0.6	0.1	–	0.1	0.2	0.1	0.3	0.9	0.7	1.2	6.5	8.0
2	0.1	0.1	–	–	–	–	–	–	–	0.2	3.8	0.8	5.0	5.5
3	0.6	1.6	0.9	0.4	–	–	0.2	0.5	0.1	0.2	0.4	0.1	5.0	7.5
4	–	–	0.1	0.1	–	–	–	–	–	–	–	1.2	1.4	1.5
5	2.6	0.1	–	–	–	–	–	–	–	0.2	0.1	0.4	3.4	4.0
6	0.5	0.1	0.5	0.9	–	–	0.5	0.5	0.2	0.6	0.3	0.3	4.4	11.5
7	0.2	0.4	0.4	0.2	–	–	0.1	–	–	–	–	–	1.3	2.5
8	–	–	–	–	–	–	–	–	–	0.2	0.2	1.3	1.7	2.5
9	1.5	0.7	0.9	0.4	–	0.3	0.2	0.1	0.1	–	–	–	4.2	10.5
10	0.1	0.1	–	–	1.6	0.5	3.1	5.9	0.1	0.2	0.1	0.2	11.7	9.0
11	0.2	0.6	0.4	0.2	0.7	0.6	0.4	0.4	0.6	0.5	0.4	0.1	5.1	9.5
12	–	0.4	0.6	0.5	0.3	0.3	–	–	–	0.4	0.4	0.3	3.5	9.5
13	–	–	0.3	0.7	0.1	–	–	–	–	–	–	–	1.1	3.5
22	–	–	–	–	–	0.2	1.2	0.2	0.6	0.6	0.2	0.1	3.1	5.5
23	–	0.2	0.4	0.2	–	–	–	0.2	0.5	0.6	–	0.1	2.2	3.5
24	–	0.4	1.5	0.3	–	–	–	–	0.1	0.7	0.3	0.2	3.5	7.0
25	–	–	–	0.2	–	0.3	0.1	–	0.2	1.1	0.2	0.9	3.0	4.5
26	0.8	1.1	0.2	0.1	0.1	–	–	–	–	–	–	–	2.3	4.5
27	–	–	–	–	0.1	–	–	–	–	–	–	–	0.1	0.5
28	–	–	–	–	0.1	0.1	0.8	0.2	–	–	–	–	2.1	3.5
29	–	–	–	–	–	–	–	–	–	–	–	0.1	0.1	0.5
30	0.1	–	–	–	–	–	–	–	–	–	–	0.1	0.1	0.5
31	–	0.2	0.1	0.1	–	–	–	–	–	–	–	–	0.4	1.5
	7.6	7.1	6.7	4.5	3.2	3.3	7.1	8.1	2.8	6.4	7.1	7.3	71.2	116.5

Avvikelse i lufttrykksmidlene 1946 fra de tilsvarende midler i perioden 1901—1930, ΔP

(Departures of the mean atmospheric pressures for 1946 from the corresponding mean atmospheric pressures for the period 1901—1930: ΔP)

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Dombås	62° 4'	9° 7'	7.9	-7.9	7.2	-2.0	3.9	-4.2	1.1	-0.4	-5.3	9.9	0.4	8.7	1.7
Oslo (Blindern)	59 56	10 44	8.6	-9.5	7.3	-1.1	3.3	-3.2	2.6	0.3	-5.0	9.4	0.8	9.4	1.9
Ferder	59 2	10 32	8.6	-9.7	7.1	-0.3	3.4	-2.9	2.9	0.2	-5.0	9.3	0.5	8.9	1.9
Oksøy	58 4	8 3	8.1	-9.2	7.2	1.3	2.7	-3.1	2.2	-0.5	-5.2	8.8	-1.2	7.1	1.5
Skudenes II	59 9	5 15	6.4	-8.3	7.6	1.8	3.2	-4.3	0.5	-1.5	-6.3	9.9	-2.2	6.4	1.1
Ullensvang	60 19	6 40	7.5	-8.0	8.1	0.0	3.7	-4.4	1.3	-1.0	-6.3	10.6	-1.1	7.4	1.6
Bergen (Fredriksberg)	60 24	5 19	6.9	-7.4	8.4	1.2	4.5	-4.1	0.9	-1.0	-6.4	11.4	-1.1	7.4	1.8
Lærdal	61 6	7 29	7.8	-8.2	8.0	-1.0	3.7	-4.6	0.4	-0.8	-6.7	10.5	-1.1	7.6	1.3
Kinn	61 34	4 48	6.1	-7.3	8.2	-0.6	4.9	-4.8	0.4	-1.1	-7.0	11.6	-1.1	6.9	1.3
Ona	62 52	6 33	6.6	-7.0	7.6	-2.3	4.7.	-5.5	-0.4	-1.5	-7.1	11.5	-0.4	7.7	1.1
Trondheim (Voll)	63 25	10 27	8.5	-7.1	7.6	-2.7	4.3	-4.7	0.7	-0.6	-5.8	10.3	0.1	8.6	1.7
Brønnøysund	65 28	12 12	7.7	-7.4	7.0	-5.3	3.6	-4.8	0.5	-0.6	-5.4	9.1	0.2	9.9	1.2
Røst	67 30	12 4	8.1	-6.0	6.4	-6.6	3.2	-4.5	0.3	0.0	-4.5	6.9	0.7	8.7	1.0
Tromsø	69 39	18 57	8.6	-4.0	5.6	-5.9	3.1	-2.2	0.9	0.6	-2.3	5.2	1.4	8.7	1.7
Vardø	70 22	31 6	4.3	-2.5	3.6	-6.5	1.1	-1.2	1.1	1.6	1.9	1.7	-1.2	8.9	1.1
Karasjok	69 28	25 31	6.1	-2.8	4.5	-5.9	2.1	-1.5	1.2	1.4	1.2	3.8	0.6	8.2	1.6

Avvikelse i lufttemperaturmidlene 1946 fra de tilsvarende midler i perioden 1901—1930, ΔT.

(Departures of the mean temperatures for 1946 from the corresponding mean temperatures for the period 1901—1930: ΔT)

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Røros	62° 34'	11° 23'	-2.2	-2.3	0.1	2.9	2.1	0.9	1.8	1.1	1.4	0.1	3.0	3.2	1.0
Engerdal	61 41	12 1	-0.3	-1.1	0.6	3.7	2.5	0.2	1.2	0.4	1.8	-0.1	2.7	3.4	1.3
Dombås	62 4	9 7	-0.7	-2.6	-0.3	2.3	1.8	-0.1	1.0	0.9	0.8	-0.1	2.5	1.9	0.6
Vinstra	61 36	9 45	-1.7	-1.8	-1.3	2.2	1.7	-0.3	1.2	0.2	0.7	-0.1	2.4	2.2	0.5
Vollen i Slidre	61 6	8 58	-1.8	-0.6	0.1	3.3	1.4	-0.4	1.0	0.2	0.7	-0.9	1.7	3.8	0.6
Lillehammer	61 6	10 29	0.0	-1.4	-0.9	2.5	1.7	-0.4	0.7	0.3	1.2	-0.8	3.0	3.3	0.7
Vang på Hedmark	60 49	11 11	-0.1	-1.4	-0.7	2.5	1.7	-0.8	0.3	0.1	1.1	-1.5	2.6	2.9	0.6
Flisa	60 37	12 1	-0.3	-1.6	-0.8	2.8	1.7	-0.4	1.3	0.3	1.4	-2.3	2.9	3.0	0.6
Oslo (Blindern)	59 56	10 44	-0.3	-0.3	-0.7	2.6	2.0	-0.8	0.6	0.4	0.8	-1.2	2.7	2.2	0.6
Nesbyen	60 34	9 8	-0.9	-0.1	-0.5	4.1	1.9	0.4	1.3	0.4	1.2	-1.7	2.2	4.5	1.1
Dagali	60 25	8 26	0.3	-1.4	0.2	2.7	2.0	-0.4	0.7	-0.2	1.1	0.7	1.4	1.4	0.8
Svene	59 46	9 35	-0.2	0.6	-0.4	3.1	1.1	-0.8	0.8	-0.1	1.1	-1.4	2.9	3.3	0.8
Ås	59 40	10 46	-0.6	-0.7	-1.3	2.4	1.6	-0.8	0.6	0.0	1.2	-1.9	2.2	2.1	0.4
Ferder	59 2	10 32	-0.1	0.2	-0.4	1.9	1.7	-0.5	0.6	0.3	1.1	-0.6	1.4	0.8	0.5
Gvarv	59 24	9 10	-1.1	-0.1	-0.6	2.3	1.6	-0.9	0.3	0.1	1.0	-1.4	3.4	2.9	0.7
Dalen i Telemark	59 27	8 0	1.2	1.2	-0.9	2.5	1.2	-1.1	-0.7	0.0	0.6	-1.0	1.6	2.6	0.6
Lyngør	58 38	9 7	-0.3	0.6	-0.6	2.3	1.6	-0.7	0.1	-0.1	0.5	-0.9	1.4	1.3	0.5
Byglandsfjord	58 40	7 48	-0.5	-0.4	-1.4	1.8	1.3	-1.3	-0.8	-0.6	0.1	-2.0	1.6	1.5	-0.1
Oksøy	58 4	8 3	-0.4	0.8	0.2	1.9	1.6	-0.5	0.6	0.2	1.3	-0.4	1.5	1.3	0.7
Lista	58 6	8 34	0.1	0.9	-0.6	1.5	1.9	0.4	1.0	0.3	1.3	-0.5	1.5	0.8	0.8
Tonstad	58 40	6 42	-0.9	0.1	-1.1	1.6	2.3	-0.4	0.7	0.0	0.9	-0.9	2.3	1.4	0.6
Klepp	58 48	5 38	0.0	0.1	-1.1	1.7	1.6	0.8	1.9	0.9	1.2	-1.0	1.7	0.8	0.7
Sauda	59 39	6 22	-0.1	-0.3	-0.1	0.8	1.6	-0.6	0.8	0.6	0.9	-2.1	1.6	1.3	0.4
Skudenes II	59 9	5 15	0.3	0.1	-0.6	1.1	1.8	1.0	2.0	1.3	1.4	0.0	1.1	0.5	0.8
Ullensvang	60 19	6 40	-0.3	-0.9	-0.8	0.9	1.7	-0.8	0.3	0.0	0.5	-1.5	0.8	0.7	0.0
Slirå	60 37	7 25	0.5	-1.3	-0.5	1.7	0.8	-1.0	0.1	-0.2	0.5	0.8	0.8	1.0	0.3
Bergen (Fredriksberg)	60 24	5 19	0.8	-0.2	0.1	0.6	1.8	0.2	1.4	1.2	1.3	0.4	1.6	1.1	0.8
Lærdal	61 6	7 29	-0.3	-2.1	-1.1	0.6	1.0	-0.5	0.1	8.4	0.8	-2.9	1.2	1.6	-0.1
Kinn	61 34	4 48	1.6	-0.1	0.4	0.3	0.7	0.0	1.3	1.5	1.8	1.3	1.8	2.0	1.1
Opstryn	61 56	7 13	0.6	-1.6	-0.5	0.3	0.9	-0.3	0.5	1.0	1.3	-0.8	1.8	1.9	0.4
Ona	62 52	6 33	0.7	-1.0	0.4	0.3	-0.3	0.5	2.0	2.1	2.1	1.2	1.1	1.8	0.9
Sunndal	62 33	9 7	-1.1	-3.7	-0.8	1.0	0.9	0.7	1.3	1.1	1.3	-0.1	2.1	1.0	0.3
Sula Fyr	63 51	8 28	1.6	-1.0	0.5	0.8	0.2	0.9	2.0	2.3	2.4	1.6	1.1	2.1	1.2
Trondheim (Voll)	63 25	10 27	0.1	-2.7	0.2	0.9	1.3	0.8	1.4	1.8	2.1	1.1	2.2	2.6	1.0
Sulstua	63 40	12 1	0.4	-3.9	-0.3	1.3	0.9	0.3	1.3	1.2	2.1	1.7	2.4	2.6	0.9
Nordli	64 27	13 36										1.4	1.5	4.0	
Nordsyan	64 48	10 33	1.7	-2.0	-0.2	0.3	-0.1	0.6	1.1	1.9	2.5	2.1	1.1	2.7	0.9
Brønnøysund	65 28	12 12	1.7	-2.9	-0.4	0.7	0.0	1.2	1.6	2.0	3.4	2.2	1.0	3.2	1.2
Myken	66 46	12 29	2.1	-2.1	0.0	0.5	0.3	1.0	1.4	1.7	3.2	2.3	0.6	3.5	1.3
Bodø	67 17	14 28	2.3	-4.0	-0.6	0.5	0.5	1.5	1.5	2.0	3.2	2.0	0.3	4.0	1.2
Offersøy	68 20	15 38	2.1	-2.9	-0.7	0.5	0.6	2.1	1.8	2.1	2.9	1.7	0.0	4.0	1.2
Skomvær Fyr	67 25	11 53	2.0	-2.0	0.0	0.6	0.3	1.7	1.5	1.6	3.2	2.4	0.4	3.1	1.3
Eggum	68 18	13 41	2.6	-1.6	-0.1	0.5	0.6	1.9	1.3	1.1	3.2	2.6	0.2	4.0	1.4
Andenes	69 19	16 7	2.4	-2.1	-0.1	0.9	0.4	1.7	2.1	1.7	3.1	1.9	0.4	3.5	1.3
Tromsø	69 39	18 57	1.8	-3.4	0.1	0.9	0.9	2.7	1.7	1.9	2.9	1.1	-0.4	3.3	1.1
Dividalen	68 47	19 44	4.7	-5.0	-0.1	0.8	0.9	1.7	1.1	1.4	2.9	2.6	0.3	7.1	1.7
Ingøy	71 4	24 9					0.3	1.3	1.3	1.5	2.6				
Vardø	70 22	31 6	2.2	-2.7	-1.1	0.4	0.2	0.9	0.6	0.6	2.0	-0.3	0.5	3.9	0.6
Karasjok	69 28	25 31	3.2	-3.8	-1.0	0.1	0.0	2.5	1.5	1.7	2.3	0.3	-0.8	9.3	1.3
Sihcajavre	68 45	23 33	2.9	-4.4	0.0	0.8	0.8	1.8	1.5	2.2	2.4	0.7	-0.3	7.7	1.3

Sjøtemperatur (Sea surface temperature) T_1

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Ferder	59° 2'	10° 32'	2.6	1.8	0.6	5.2	10.9	14.0	17.5	16.9	15.3	10.1	7.3	4.4	8.9
Torungen Fyr	58 24	8 48	3.3	2.4	1.4	5.4	11.2	13.1	17.3	16.7	15.2	10.6	7.9	5.3	9.2
Hellissy Fyr	60 45	4 43	6.3	5.3	4.2	5.7	8.7	12.4	15.2	15.4	14.7	11.9	9.5	6.9	9.7
Kråkenes Fyr	62 2	4 59	5.6*	5.3	4.5	5.3	8.0	11.1	14.8	15.6	14.4	11.8	9.2	7.0	9.4
Ona	62 52	6 33	5.1	4.6	4.4	5.5	7.6	10.3	14.5	15.8	14.4	11.5	7.5	7.1	9.0
Sula Fyr	63 51	8 28	4.5	3.8	4.6	5.9	9.3	11.3	14.2	15.8	14.0	10.6	7.5	6.3	9.0
Nordsyan	64 48	10 33	4.6	3.4	3.2	4.8	7.8	10.2	14.1	15.4	14.3	11.2	8.0	6.1	8.6
Myken	66 46	12 29	5.5	4.2	4.7	5.3	7.0	9.5	13.5	14.8	14.3	10.9	7.7	6.5	8.7
Skomvær Fyr	67 25	11 53	5.1	3.1	3.3	4.8	6.3	8.9	11.0	12.9	13.5	10.4	7.4	6.5	7.8
Andenes	69 19	16 7	3.1	1.3	1.2	3.5	6.1	9.2	12.4	12.9	12.2	8.4	5.3	4.4	6.7

Ekstensotabell

1946

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ **Januar I** $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	20.0	20.2	21.2	-16.4	-12.8	-15.2	-12.7	-16.9	89	86	89	00	0	00	0	00	0	3	2	0	0		2	
2	23.6	24.3	24.1	-14.9	-12.1	-15.7	-12.0	-15.9	89	84	87	00	0	00	0	00	0	3	8	8	0		2	
3	21.4	18.5	15.5	-18.4	-16.0	-14.9	-14.9	**-18.9**	89	89	93	00	0	00	0	00	0	2	8	10	10		2	
4	97.9	93.4	91.6	- 2.4	2.2	2.5	2.9	-15.3	98	93	95	22	1	16	1	00	0	4	10	10	10	0.0	2	
5	80.2	82.2	84.6	2.8	6.8	5.6	**7.0**	1.1	97	52	53	00	0	21	5	22	5	8	8	6	0	0.3	1	
6	96.0	96.6	97.2	- 0.8	2.3	- 0.3	5.9	- 1.4	81	78	87	22	1	00	0	00	0	6	9	9	10		1	
7	99.0	99.4	98.0	- 2.4	- 0.8	- 1.6	0.7	- 3.2	91	87	87	00	0	00	0	19	1	3	3	10	0		1	
8	98.6	98.3	96.0	- 5.4	- 1.0	- 1.0	- 0.4	- 5.5	93	97	99	04	1	32	1	00	0	1	3	10	10		1	
9	88.9	90.2	89.1	2.8	2.0	0.9	3.1	- 1.1	99	95	96	17	1	00	0	00	0	4	7	10	10	1.9	1	
10	71.2	**66.3**	66.6	1.7	1.2	0.6	3.1	0.1	96	95	97	06	1	04	1	18	1	4	10	10	10	3.9	1	
11	72.7	79.8	82.6	2.2	- 0.3	- 4.2	4.9	- 4.6	86	84	75	24	1	05	3	02	3	8	8	9	9	2.3	0	
12	81.3	85.0	91.6	- 8.9	- 8.8	- 8.3	- 4.0	- 9.7	81	77	69	02	4	02	5	02	5	8	10	10	10	4.0	3	
13	11.7	18.9	24.1	- 8.3	- 4.3	- 4.8	- 4.0	- 9.1	56	**41**	55	32	4	01	4	01	3	8	1	0	0	1.0	1	
14	29.7	31.1	32.3	- 8.0	- 4.7	- 7.6	- 3.9	- 8.8	80	78	83	00	0	00	0	00	0	2	0	0	0		1	
15	30.7	30.3	30.3	-13.2	- 9.4	-13.5	- 6.8	-13.9	91	86	90	02	1	00	0	00	0	2	3	0	0		1	
16	30.4	29.9	29.8	-14.8	- 8.6	- 8.3	- 7.6	-16.1	91	84	86	00	0	00	0	00	0	2	9	10	5		1	
17	29.0	28.8	27.5	- 8.9	- 5.8	- 7.8	- 5.1	- 9.7	90	90	90	00	0	00	0	00	0	2	2	0	0		1	
18	25.0	23.5	23.1	- 9.5	- 5.6	- 7.2	- 5.1	-10.0	93	86	90	00	0	00	0	00	0	2	3	0	0		1	
19	21.9	22.8	25.1	- 7.6	0.3	- 1.5	0.5	- 8.4	91	78	78	00	0	02	3	02	3	8	2	2	7		1	
20	30.6	32.5	32.9	- 2.8	- 2.7	- 3.5	- 1.1	- 3.5	73	70	70	02	2	00	0	08	1	7	10	10	10		1	
21	**33.9**	33.8	33.2	- 3.2	- 3.6	- 4.2	- 2.9	- 4.5	75	77	81	16	2	16	1	16	1	7	10	10	10	0.0	1	
22	30.5	29.5	27.9	- 4.1	- 3.5	- 3.4	- 3.4	- 4.9	83	87	83	16	1	16	1	00	0	4	10	10	10	0.0	1	
23	20.0	18.7	18.6	- 7.1	- 5.8	- 5.0	- 3.1	- 8.4	81	89	89	03	3	04	2	04	2	5	8	10	1	0.1	1	
24	17.7	18.7	18.2	- 3.5	- 3.5	- 2.7	- 2.7	- 5.3	93	93	91	10	1	12	1	14	1	4	10	10	10	0.9	2	
25	14.4	14.6	14.7	0.5	1.0	0.4	1.6	- 3.0	94	93	91	15	3	16	3	16	4	4	10	10	10	0.4	1	
26	13.5	13.9	13.8	- 0.4	- 0.4	- 1.3	1.0	- 1.8	95	89	80	15	3	15	2	14	2	4	10	10	10		1	
27	09.9	06.9	05.4	- 4.2	- 3.7	- 3.3	- 1.1	- 4.7	90	91	93	04	1	07	1	14	1	5	10	10	10	0.0	1	
28	99.6	98.6	96.4	- 2.8	- 2.1	- 1.6	- 1.6	- 3.9	94	94	98	00	0	00	0	02	1	4	10	10	10	2.3	6	
29	84.2	80.1	79.1	0.0	0.6	0.3	0.9	- 1.9	99	99	99	08	1	10	1	00	0	4	10	10	10	7.3	13	
30	74.7	73.7	73.9	- 0.8	- 0.3	- 0.8	0.9	- 1.1	97	86	83	00	0	02	1	32	2	5	10	10	10	14.6	20	
31	82.4	86.7	90.0	- 1.1	0.4	- 2.5	0.9	- 3.2	99	86	94	00	0	00	0	00	0	3	10	10	10		19	
M	07.8	08.0	08.2	- 5.2	- 3.2	- 4.2	- 1.9	- 6.9	89	84	86	1.0		1.2		1.2		4.4	7.2	7.5	6.5	39	3	

Februar II

1	90.4	83.8	80.6	- 2.7	0.6	0.6	0.8	- 3.9	98	97	98	02	1	16	1	02	1	4	10	10	10		19	
2	82.1	80.8	81.8	0.3	0.7	1.1	1.8	- 0.4	99	99	99	00	0	00	0	20	1	4	10	10	10	4.9	21	
3	82.4	81.7	80.4	0.7	1.1	0.7	1.4	- 0.1	99	95	96	32	2	32	2	00	0	5	10	10	10	8.5	21	
4	71.6	72.1	71.6	1.0	1.9	1.5	2.0	0.3	94	89	93	02	3	01	2	02	2	6	10	10	10	3.5	20	
5	79.6	83.8	87.8	1.0	1.9	1.4	2.1	0.6	89	84	87	01	1	00	0	00	0	6	10	10	10	0.8	17	
6	98.0	98.7	99.3	- 3.2	- 1.0	- 6.6	1.8	- 6.9	73	70	90	00	0	00	0	00	0	3	3	0	0		16	
7	95.9	89.3	79.0	- 5.7	- 1.6	1.2	2.2	- 8.9	96	98	98	04	1	00	0	14	2	2	10	10	10	1.5	17	
8	**69.2**	72.0	73.5	0.4	1.6	0.0	1.8	- 1.1	90	77	87	00	0	02	1	32	1	7	9	10	10	19.2	24	
9	82.0	86.7	89.8	- 4.1	- 4.2	- 6.6	0.2	- 6.6	80	70	87	00	0	04	2	00	0	7	10	4	2	0.0	24	
10	87.8	79.0	73.4	- 8.7	- 2.4	- 3.7	- 0.9	-12.1	96	97	95	00	0	24	1	00	0	5	10	10	2	0.0	23	
11	70.1	78.6	82.9	- 2.6	2.2	- 1.1	2.5	- 6.9	75	58	67	26	2	28	4	28	1	9	3	8	3	0.1	24	
12	94.0	99.7	06.8	- 0.4	2.3	- 2.8	2.9	- 2.9	59	52	58	32	4	32	3	32	2	9	10	6	0		22	
13	15.9	16.8	**16.9**	-10.2	- 3.8	- 7.1	- 2.5	-11.9	83	69	75	00	0	00	0	20	1	5	10	1	3	0.0	21	
14	12.0	08.8	07.7	- 9.8	- 1.8	- 1.0	- 1.0	-10.1	94	75	87	00	0	00	0	16	1	4	8	0	8		21	
15	12.4	12.4	10.0	- 1.6	5.8	- 0.1	7.0	- 2.1	96	67	89	00	0	16	1	00	0	3	8	9	9		21	
16	86.8	84.5	86.5	4.4	5.2	3.4	**9.1**	- 1.1	86	37	41	18	2	26	7	26	6	9	10	2	0		21	
17	95.8	95.9	87.5	1.6	4.5	0.6	4.7	0.6	41	38	61	24	2	26	2	20	2	9	8	8	2		20	
18	89.1	94.6	98.1	0.1	1.7	- 1.1	8.1	- 3.8	45	**35**	39	32	4	32	6	32	3	9	1	4	3		20	
19	93.9	82.8	74.5	- 4.0	- 2.1	- 2.7	- 0.8	- 4.9	83	99	97	20	1	15	2	05	2	3	10	10	10	0.1	20	
20	73.2	79.4	85.8	- 6.2	- 5.0	- 6.0	- 2.1	- 6.5	81	75	70	01	5	02	6	02	4	5	10	10	10	20.6	37	
21	94.3	95.5	96.1	-10.3	- 4.5	- 8.0	- 4.1	-11.0	67	46	62	01	2	32	2	00	0	8	4	5	1	1.4	40	
22	91.9	91.2	91.7	-12.7	- 4.6	- 9.1	- 3.9	-14.9	84	62	80	32	1	00	0	02	1	4	8	3	0		39	
23	88.2	84.7	83.8	-15.4	- 8.0	- 6.7	- 6.7	**-16.9**	93	86	77	00	0	02	3	02	5	6	10	10	10		39	
24	86.8	88.6	91.7	- 6.1	- 4.4	- 4.8	- 3.7	- 7.4	75	58	55	01	5	02	5	02	5	9	10	9	5	0.5	31	
25	95.5	96.7	98.6	- 7.0	- 2.9	- 7.5	- 2.1	- 7.5	55	45	52	30	4	02	2	32	2	8	8	9	1	0.0	31	
26	02.7	03.0	02.8	-15.4	- 6.4	-12.0	- 5.6	-15.9	83	62	78	04	2	14	1	02	1	6	4	0	0		31	
27	02.5	01.4	00.1	-10.7	- 6.7	- 8.2	- 6.1	-13.9	86	73	75	03	2	00	0	02	2	6	10	6	10	0.1	32	
28	99.2	99.5	99.5	-12.3	- 7.8	- 7.3	- 6.2	-13.9	83	69	72	00	0	00	0	16	2	6	9	10	10	0.1	32	
M	90.8	90.8	90.6	- 5.0	- 1.3	- 3.3	0.1	- 6.8	82	71	77	1.6		1.9		1.7		6.0	8.3	6.9	5.7	61	25	

Ekstensotabell

1946

Oslo (Blindern)

$\varphi = 59^\circ\ 56'$ N $\lambda = 10^\circ\ 44'$ E $g = 9.819$ $\Delta G = +1^h$

Mars III

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	03.1	06.1	06.8	-13.7	- 4.8	- 8.9	- 3.1	-14.0	94	73	84	02	1	00	0	00	0	4	3 ⚌	0 ⚌	7 =		24	⚌ n, ≡ ⚌ ⊙ a, = ⊙ p
2	09.5	08.8	08.5	- 8.1	- 2.3	- 2.9	- 2.0	-10.1	87	64	65	05	2	02	3	03	4	7	10 =	10 ⚍	10 ⚹		24	= n, ⚍ = ⊙ ⊛ a, = ⚹ p
3	06.2	07.5	07.9	- 3.1	- 2.0	- 1.4	- 1.4	- 4.1	89	86	80	02	4	02	3	01	3	7	10 =	10 ⚍	10 ⚌	4.9	23	⚌ = ☿ n, ⚍ ⚌ a,p
4	09.9	09.8	09.7	- 2.4	- 0.8	- 0.9	- 0.6	- 2.7	84	86	87	02	3	02	2	02	2	7	10 ⚹	10 ⚌	10 ⚌	0.0	24	⚹ ⚌ n, a, = p
5	10.3	10.2	10.6	- 2.0	2.0	- 2.7	2.7	- 2.9	83	52	59	02	1	02	3	00	0	8	10 ⚹	2 ⚍	0	0.1	24	⚹ ⚌ n, ⚌ ⚍ ⊙ a, ⚍ ⊙ p
6	11.5	09.8	10.8	- 4.8	0.6	- 3.3	1.2	- 5.0	70	52	55	00	0	04	3	00	0	8	0 ⚌	4 ⚍	2 ⚍		24	⚌ ⊙ n, ⚌ ⚍ ⊙ a, ⚍ (≡) ⊙ p
7	08.6	06.3	04.1	- 5.6	- 3.2	- 3.8	- 3.0	- 6.8	77	73	87	01	4	02	5	02	4	7	10 ⚹	10 ⚹	10 ⚹	0.1	23	(≡) ⚹ ⚍ = n, + ⚹ ⊙ a, ⚹ ⚹ ⚌ ⊙ p
8	04.6	06.4	07.5	- 1.6	0.3	- 0.9	0.3	- 4.3	95	89	89	02	3	03	3	04	2	4	10 ⚹	10 ⚹	10 ⚹	4.3	26	⚹ ⚹ n, ⚹ ⚹ ⚍ = a, ⚹ = ⚌ p
9	09.8	10.2	10.6	- 2.8	- 1.7	- 2.1	- 0.8	- 2.9	89	80	81	03	3	03	2	02	1	6	10 ⚹	10 ⚌	10 ⚌	2.7	28	⚌ ⚹ ⚏ n, ⚹ ⚌ a, ⚌ p
10	12.3	13.6	14.9	- 3.1	- 0.7	- 1.6	- 0.4	- 3.2	83	78	83	02	1	02	1	02	1	6	10 ⚏	10 ⚹	10 ⚌	0.0	28	⚏ ⚌ n, a, ⚹ a, ⚌ ⚹ p
11	17.2	17.2	17.2	- 2.8	- 1.6	- 2.4	- 0.9	- 3.3	90	84	90	02	2	04	2	04	2	5	10 ⚱	10 ⚹	10 ⚹	0.3	28	= ⚱ n, = ⚹ a, = ⚹ p
12	16.7	16.1	16.3	- 2.4	- 0.3	- 2.5	- 0.1	- 3.0	86	81	78	06	2	02	2	03	2	5	10 ⚏	10 ⚏	10 =	2.1	29	= ⚹ ⚏ n, = ⚏ a, = ⚱ ⚏ p
13	16.5	15.0	14.7	- 6.0	- 3.4	- 6.8	- 2.1	- 7.8	75	53	59	02	4	04	3	05	3	8	9 ⚌	7 ⚍	3 ⚌	0.2	30	⚌ ⚏ n, ⚍ ⚌ ⊙ a,p
14	14.7	12.3	11.0	-12.5	- 7.5	-12.8	- 6.0	-13.0	75	55	61	02	2	12	1	00	0	7	7 ⚌	0 ⚍	0 ⚌		29	⚌ n, ⚍ ⊙ a, = ⊙ p
15	10.4	09.5	09.5	-17.9	- 5.9	- 6.0	- 3.9	-20.1	86	65	67	08	1	17	1	20	1	5	3 =	2 =	9 ⚌		29	= ⊙ n, a, ⚌ ⊙ p
16	13.5	14.2	14.6	-11.1	2.2	- 1.0	4.0	-13.6	97	52	38	00	0	00	0	16	1	5	1 =	2 =	0 =		28	= ⊙ n, a, p
17	16.0	15.3	14.5	- 8.5	- 1.8	- 2.4	2.7	-11.0	00	98	72	06	1	00	0	00	0	3	10 ≡	0 ≡	3 =		27	≡ n, ∨ 8, ≡ ≡ ⊙ a, ∨ 14, = ≡ ⊙ p
18	11.8	09.1	07.6	- 4.6	- 0.1	- 0.2	0.1	- 9.0	99	96	00	00	0	16	4	16	1	4	10 ⚎	10 ≡	10 ≡	0.5	28	= ⚎ ≡ n, ⚎ ≡ ⚌ ⚍ a, ≡ p
19	01.9	00.1	99.5	0.7	2.1	1.7	2.2	- 0.6	00	00	00	00	0	00	0	00	0	1	10 ≡	10 ≡	10 ≡	3.0	30	≡ ≡ ∘ n, ≡ a, p
20	00.5	02.0	00.4	1.9	4.3	2.9	4.8	1.1	99	98	94	00	0	00	0	00	0	2	10 ≡	10 ≡	10 ≡	0.1	25	≡ ∘ n, ≡ ≡ a, ≡ ⊙ p
21	88.6	87.7	87.5	2.4	4.0	4.2	6.9	1.3	99	96	86	00	0	00	0	24	1	4	10 ≡	10 ≡	1 =	3.4	21	≡ ≡ • n, ≡ ≡ a, ≡ = p
22	92.0	90.4	88.5	1.0	9.6	4.2	10.3	- 1.1	78	38	62	00	0	16	1	14	1	8	2 ⚌	2 ⚍	4 ⚌		19	⚌ = ⊙ n, ⚍ ⚌ ⊙ a, ⚍ ⚌ ⊙ p
23	86.5	89.1	91.6	- 1.5	8.3	4.8	9.2	- 3.9	90	42	42	00	0	00	0	00	0	8	1 ⚌	9 ⚍	2 ⚍		16	≡ ⚌ ⚌ ⊙ n, ⚌ ⊕ ⚍ ⊙ a, ⚍ ⚍ ⊙ p
24	94.5	94.0	92.3	0.6	7.1	4.4	8.2	- 3.0	77	52	75	00	0	18	1	14	2	9	9 =	7 ⚍	8 ⚌		15	⚍ ⊙ ⚍ ⚌ n, = ⊙ ⚍ a, ⚍ ⚌ ⊙ p
25	92.4	93.5	97.0	- 1.6	8.8	5.4	9.8	- 3.5	97	39	49	00	0	30	2	00	0	9	9 ≡	2 ⚍	3 ⚍		13	⚌ ≡ ≡ ⊙ ⚍ n, ⚍ ≡ ⊙ n, ⚍ ⚍ ⊙ p
26	07.4	09.1	09.7	0.4	7.8	4.2	7.9	- 2.3	73	42	58	00	0	18	1	15	2	8	9 ⚌	7 ⚍	10 ⚍		10	⚍ = ⊙ ⚍ n, ⚍ ⚍ ⊙ a, ⚍ ⚍ ⊙ p
27	10.1	09.1	06.5	1.2	3.0	2.2	4.2	0.5	98	96	99	00	0	00	0	00	0	4	10 ⚱	10 ⚌	10 ≡	0.9	7	⚌ ⚱ (≡) n, ⚌ • ⚌ a, ≡ p
28	09.4	11.4	12.4	- 0.1	10.7	6.2	13.7	- 2.4	00	45	48	02	1	00	0	00	0	7	8 ≡	4 ⚍	6 ⚍	1.1	2	⚌ ⊙ n, ⚍ ⚌ ⊙ a, ⚍ ⊙ p
29	15.5	13.4	11.1	0.5	9.1	5.2	9.9	- 1.7	81	53	70	00	0	18	1	16	1	7	3 ⚌	3 ⚍	10 ⚍		1	⚌ ⊙ ⚏ n, ⚍ ⊙ a,p
30	09.6	10.2	10.9	0.0	10.6	9.1	13.0	- 0.1	00	55	35	00	0	20	1	30	1	4	10 ≡	10 =	8 ⚍		0	≡ n, = ≡ ⊙ a, ⚍ = ⊙ p
31	11.2	06.5	04.6	0.5	9.6	10.8	13.8	- 1.0	83	51	46	06	1	20	1	00	0	8	9 ⚍	8 ⚍	5 ⚍		0	⚍ n, ⚍ ⊙ a,p
M	07.2	06.9	06.8	- 3.5	2.1	0.1	3.2	- 5.0	89	69	71	1.2		1.5		1.1		6.0	7.5	6.4	6.8	24	20	

April IV

1	05.2	05.1	04.6	2.3	13.0	10.3	14.2	0.3	84	51	48	00	0	19	1	00	0	8	2 ⚌	0 ⚌	10 ⚌		0	⚍ ⚌ ⊙ n, ⚌ ⚌ ⊙ a, ⚌ ⊙ p
2	03.6	01.9	00.5	1.6	8.1	9.0	10.7	0.2	95	70	69	00	0	20	1	08	1	4	10 ⚌	10 ⚌	8 ≡	0.0	0	⚹ ⚌ ⚌ n, ⚌ ⚌ ⊙ a, ⚍ ⚌ = p
3	02.2	02.9	03.4	9.9	16.9	13.2	17.4	5.1	72	48	52	16	1	16	1	24	3	7	9 ⚍	5 ⚌	1 ⚌		0	⚍ = n, ⚍ ⚌ ⊙ a, ⚌ ⊙ p
4	05.1	03.8	02.2	5.4	11.9	8.4	13.2	4.0	89	67	84	00	0	20	1	00	0	5	10 =	3 =	10 =	0.0	0	⚌ ⚌ = ⚹ n, = ⊙ a,p
5	96.2	95.7	97.1	4.1	7.6	8.7	10.5	3.1	99	83	39	00	0	00	0	28	2	5	10 ≡	9 =	8 ⚍	0.1	0	≡ = • n, ≡ ⚌ = ⊙ ⚍ a, = ⚍ ⊙ p
6	03.5	04.4	06.7	2.5	10.1	6.4	10.2	- 1.0	72	35	35	00	0	32	3	31	1	9	1 =	6 ⚍	9 ⚍		0	= ⚍ ⌣ ⊙ n, ⚍ ⊙ a,p
7	98.3	92.9	90.9	3.8	9.8	10.0	11.5	1.2	83	70	73	18	2	20	2	16	1	9	8 ⚍	9 ⚍	8 ⚌	0.0	0	⚹ ⚍ n, ⚍ ⊙ a, ⚌ ⚍ ⊙ p
8	83.9	78.5	76.3	7.1	10.0	7.1	11.9	3.7	83	44	41	16	3	24	4	20	2	8	6 ⚌	9 ⚹	8 ⚍		0	⚌ ⊙ n, ⚍ ⊙ △ ☿ a, ⚍ ⊙ p
9	88.9	92.2	93.0	5.6	6.9	4.4	8.0	0.2	48	41	37	30	2	02	2	28	3	9	1	9 ⚍	3	0.0	0	⚍ ⊙ n, a, p, ⚹ p
10	01.0	03.0	03.6	3.6	6.0	3.6	7.4	1.7	44	37	39	28	3	32	3	30	2	9	8	8 ⚍	2 ⚍	0.0	0	⚍ ⊙ n, a, ⚹ a, ⚍ ⊂ p
11	92.7	80.4	81.7	- 0.7	8.2	5.0	12.1	- 2.5	98	65	73	17	2	18	2	02	4	9	10 =	10 ☿	8 ⚍	1.0	1	= ⚹ n, ⚍ = ☿ ⊙ a, ⚍ ⚍ ☿ ⊙ p
12	01.7	95.7	99.4	1.9	5.1	4.4	6.0	1.1	41	34	32	02	3	03	3	02	1	9	3 ⚍	2 ⚍	1 ⚍	0.0	0	⚍ ⊙ n, a, p
13	96.5	00.0	99.4	1.1	7.2	4.0	8.5	- 3.9	83	52	78	00	0	16	3	16	2	8	7 ⚌	10 ⚍	9 ⚍		0	⚌ ⊙ n, ⚍ ⚌ ⊙ a, ⚍ ⊙ p
14	99.4	99.4	99.6	1.4	6.8	9.9	10.9	1.0	00	69	53	00	0	23	2	00	0	7	10 ≡	10 ⚍	9 ⚍		0	≡ n, ⚍ ≡ a, ⚍ ⊙ p
15	04.9	05.7	06.3	6.7	14.7	9.8	15.3	2.5	77	51	70	00	0	20	1	20	1	9	2 ⚌	5 ⚍	7 ⚌		0	⚍ ⚌ ⊙ n, ⚍ ⚌ ⊙ a, ⚌ ⚍ ⊙ p
16	07.8	06.3	03.8	6.2	12.1	9.0	12.6	5.4	93	62	78	00	0	16	3	16	2	7	10 ⚌	8 ⚌	10 ⚌	0.0		⚌ ∘ n, ⚌ ⊙ a,p
17	09.9	86.0	82.7	6.6	6.4	6.6	9.2	6.0	98	99	98	16	1	16	1	16	2	3	10 ⚌	10 ≡	10 •			⚌ ≡ n, a, • a, ≡ ☿ • p
18	98.2	97.4	00.7	5.5	10.5	8.2	10.8	1.2	49	34	31	24	1	24	4	32	2	9	6	6	1	4.6		⚍ ≡ ⊙ ☿ n, ⊙ a,p
19	98.1	10.4	10.6	6.0	11.1	8.8	12.8	- 1.5	51	30	44	32	4	18	2	19	1	9	1	1	9			⊙ n, a, p
20	97.8	06.2	04.7	5.0	13.0	11.6	13.7	3.7	89	45	38	16	1	24	3	22	1	8	9 ⚍	10 ⚍	10 ⚍	0.5		⚍ ⚌ ☿ n, ⚍ ⊙ a,p
21	04.9	01.8	02.7	7.2	13.0	8.6	13.8	1.2	62	35	41	18	1	26	4	24	3	9	4 ⚍	5 ⚍	1 ⚍			⚍ ⊙ n, a, ☿ a, ⚍ ⊙ p
22	04.6	03.8	04.0	3.3	12.0	9.4	12.9	- 0.8	78	34	38	00	0	24	2	28	3	9	5 ⚍	9	2	0.0		⚍ ⊙ ⚏ n, ⚍ ⊙ a, ⊙ p
23	99.8	94.7	91.4	4.6	7.8	7.8	10.2	- 0.5	77	93	90	16	1	16	4	16	3	7	8 ⚌	10 ⚌	8 ⚌			⚌ ⊙ n, a, ⚹ a, ⚌ ⊙ p
24	89.4	88.7	89.6	4.8	6.2	7.6	10.0	1.3	75	83	70	18	3	16	3	15	2	8	9 ⚌	7 ⚍	4 ⚌	0.0		⚌ ⊙ n, △ ☿ ⚌ ⚍ ⊙ a, ⚍ ⚌ ⊙ p
25	95.7	97.5	98.9	5.0	6.0	7.2	7.9	1.2	83	83	72	17	2	16	2	16	2	7	10 ⚌	10 ⚌	5 ⚌	0.0		⚍ ⚌ ⊙ n, ☿ ⚌ ⊙ a, ☿ ⚌ ⊙ p
26	02.0	03.8	03.3	4.8	10.4	11.9	13.0	2.1	90	78	75	04	1	00	0	01	1	6	10 ∘	10 ⚌	7 ⚌	0.1		⚹ ⚌ ⚌ n, ∘ ⚌ ⚌ n, ⚌ ⚹ ⊙ p
27	02.4	99.6	97.9	11.2	19.9	17.3	21.5	8.1	80	39	49	01	2	12	1	32	1	7	4 ⚌	3 ⚌	10 ⚌	0.0		⚌ ⚌ ⊙ n, ⚌ ⊙ a,p
28	99.9	97.0	97.0	9.6	12.4	10.4	17.5	9.1	78	65	77	32	2	32	4	02	3	9	10 ⚹	10 ⚍	10 ⚍	0.0		⚹ ⚌ n, ⚍ ⊙ ⚹ a, ⚍ ⊙ p
29	97.8	98.2	99.8	8.9	13.7	12.0	14.1	7.1	84	62	69	32	2	07	2	02	2	9	10 ⚍	9 ⚍	10 ⚍	0.0		⚍ n, ⚍ ⊙ a, ⚍ ⊙ p
30	02.1	01.4	01.4	8.7	15.0	15.2	16.7	8.2	94	55	55	00	0	08	1	00	0	7	10 ⚌	7 ⚍	9 ⚍			⚌ n, ⚍ ⚌ ⊙ a, ⚍ ⊙ p
M	99.4	98.5	98.4	5.1	10.4	8.9	12.2	2.3	78	57	58	1.2		2.2		1.7		7.4	7.1	7.3	6.9	6	0	

Ekstensotabell

1946

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 $\Delta G = +1^h$

Mai V

H_s = 94 H_b = 95.6 h_t = 2.0 h_a = 25.2 h_d = 25.6 h_r = 1.5

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	05.1	05.0	05.0	9.7	15.8	12.0	16.9	4.2	83	56	70	00	0	16	2	16	2	8	8	9	9			
2	05.5	04.9	04.4	8.6	12.9	11.4	14.3	8.0	97	86	80	00	0	16	2	32	2	6	10	10	10	0.0		
3	05.4	05.5	05.1	9.9	15.1	14.7	16.9	7.1	87	59	55	00	0	15	1	24	2	8	10	8	7	6.5		
4	10.5	08.0	05.1	9.7	14.5	14.0	16.1	7.2	55	45	38	04	2	18	2	00	0	9	8	6	8			
5	03.8	07.1	09.3	6.4	5.2	7.4	14.0	3.3	78	78	59	02	4	02	6	03	3	8	10	10	6			
6	16.1	13.8	11.6	6.1	12.1	10.4	13.9	2.7	49	38	49	04	1	20	2	16	3	9	1	6	5	0.1		
7	07.8	03.4	01.5	7.5	19.1	15.6	19.8	0.1	73	28	27	00	0	26	3	28	4	9	1	6	1			
8	06.5	06.0	07.8	8.1	11.7	10.2	15.7	2.9	41	30	28	03	3	02	4	02	4	9	0	5	2			
9	11.4	07.6	05.4	7.5	14.1	11.6	14.7	-0.3	53	37	49	20	1	16	2	16	2	9	1	5	6			
10	05.6	00.8	03.8	7.3	14.2	11.3	15.5	3.9	70	34	32	00	0	28	4	32	4	9	3	4	4			
11	09.7	08.6	07.6	9.0	12.2	10.5	13.9	3.2	52	39	49	01	4	13	1	18	2	9	1	7	8			
12	00.8	98.6	97.4	7.7	6.5	7.1	10.7	4.8	84	93	84	16	2	02	2	00	0	8	10	10	8	0.1		
13	97.7	96.9	95.8	6.1	10.4	9.7	11.9	1.3	70	53	52	32	3	03	2	08	1	8	8	10	7	3.2		
14	94.6	92.3	91.1	6.9	10.9	8.8	11.9	3.5	81	53	65	08	1	08	3	02	2	9	9	9	9			
15	92.4	93.0	94.4	6.2	9.9	10.0	10.9	3.2	70	53	56	02	3	32	1	00	0	8	10	9	10	4.9		
16	00.5	02.4	04.5	8.4	13.2	11.0	14.4	5.2	80	53	53	00	0	22	1	16	2	8	9	6	2			
17	10.8	12.6	13.5	7.0	10.2	12.4	12.5	2.0	83	67	52	00	0	12	1	00	0	8	10	9	2	0.0		
18	16.2	12.9	09.9	9.6	16.7	17.1	18.5	2.1	72	35	32	00	0	23	2	00	0	9	1	4	3	0.0		
19	06.8	06.4	07.5	11.5	16.4	13.0	17.9	6.0	42	38	61	02	2	04	2	16	2	9	9	9	8			
20	11.6	10.4	08.8	10.7	17.8	16.4	18.5	4.2	75	42	42	18	1	16	2	17	2	9	0	3	1	0.0		
21	10.6	09.9	09.4	13.6	19.6	19.4	20.9	5.1	64	39	42	09	1	20	2	20	1	9	1	2	0			
22	16.8	16.5	17.0	12.4	20.6	19.0	21.2	8.6	59	38	37	04	2	20	2	17	2	9	4	4	1			
23	**23.0**	20.8	18.1	12.3	18.0	18.3	19.6	5.1	55	31	27	07	1	06	2	08	1	9	8	1	0			
24	17.9	14.4	11.9	13.1	18.7	18.4	20.0	5.2	59	32	26	00	0	08	3	08	2	9	0	1	0			
25	11.6	09.5	08.0	15.5	21.5	20.4	22.1	5.2	53	28	25	00	0	10	2	10	2	9	0	1	2			
26	10.5	08.3	06.2	17.3	23.0	22.3	23.8	9.4	48	28	**21**	05	2	06	2	08	1	9	3	3	1			
27	07.1	04.5	03.3	17.4	24.7	24.2	26.4	9.1	53	28	27	00	0	12	2	20	1	9	0	0	0			
28	04.3	03.0	02.2	18.8	26.3	23.4	26.9	10.2	56	34	56	20	1	18	2	16	1	8	0	1	1			
29	03.5	02.3	01.3	19.3	25.9	24.5	**28.4**	11.2	67	35	41	00	0	18	3	18	2	8	0	7	7			
30	01.4	99.2	96.7	19.3	26.3	25.3	27.4	12.6	72	45	38	00	0	16	1	16	2	8	4	8	4			
31	93.5	91.8	**90.8**	15.3	18.5	15.9	25.6	14.4	95	67	78	14	2	16	4	16	3	8	10	7	10	0.4		
M	07.1	05.7	05.0	11.5	16.2	15.0	18.1	5.5	67	46	47		1.2		2.3		1.8	8.5	4.8	5.8	4.6	15		

Juni VI

1	85.9	82.2	81.1	15.0	18.5	12.2	19.2	12.2	67	51	87	16	2	18	1	16	2	8	9	10	10	0.0		
2	80.9	80.3	**79.0**	13.6	11.6	12.6	17.4	8.9	64	83	83	17	1	12	1	12	2	5	3	10	10	0.9		
3	80.4	82.9	85.6	10.9	13.6	13.8	15.7	10.0	87	81	78	14	3	18	1	00	0	8	10	10	8	7.2		
4	91.1	92.2	93.7	13.9	18.9	16.6	20.1	6.1	65	44	59	00	0	22	2	16	2	9	3	7	6	2.7		
5	95.5	94.8	89.5	12.9	13.3	11.8	16.9	8.0	80	78	99	16	2	18	4	13	2	8	9	10	10			
6	83.5	82.9	85.8	12.8	15.2	14.6	16.8	11.4	81	65	49	17	4	18	5	23	3	8	10	9	6	9.1		
7	95.2	97.0	99.1	12.9	16.9	16.3	18.6	8.1	62	37	**34**	18	3	22	3	23	4	9	5	6	4	0.2		
8	07.7	07.2	06.2	13.6	18.2	15.8	19.1	**4.6**	48	37	58	26	1	17	3	15	3	9	3	4	4			
9	99.3	93.5	90.0	12.2	9.6	9.4	16.0	8.2	67	96	96	04	3	06	4	04	3	5	10	10	10			
10	90.4	90.3	89.6	11.6	16.1	12.7	16.5	8.6	81	62	81	00	0	20	2	18	2	9	9	9	10	38.4		
11	91.9	86.3	88.6	11.0	14.1	13.8	16.1	9.5	95	77	90	32	2	18	3	16	2	9	10	10	10	12.0		
12	94.7	98.9	99.2	9.1	12.9	15.3	16.1	8.6	98	78	70	22	1	16	1	17	1	9	10	10(ṿ)	7(ṿ)	18.7		
13	05.7	05.8	05.3	12.7	15.9	15.5	18.1	6.2	51	45	45	01	3	08	1	06	2	9	3	4	6	4.1		
14	07.7	05.6	04.2	13.1	16.9	16.2	17.4	9.1	59	39	42	02	3	03	4	02	2	9	2	6	7	0.2		
15	00.7	97.9	96.5	10.3	10.7	10.5	16.8	8.2	52	69	64	02	5	32	5	32	4	9	10	10	10			
16	95.7	95.6	96.4	12.0	18.1	17.0	18.5	8.2	62	42	55	00	0	19	2	17	3	9	7	2	1	1.0		
17	02.0	01.0	00.3	13.1	15.8	12.5	17.2	9.2	77	72	96	16	1	00	0	00	0	7	9	10	10			
18	96.9	95.6	93.9	13.1	11.5	12.7	15.9	11.1	89	96	89	08	2	16	1	08	1	5	10	10	8	4.1		
19	90.1	88.8	87.8	10.3	17.0	16.6	18.8	8.0	87	53	56	04	1	15	1	20	1	8	10	10	9	7.2		
20	92.9	95.6	97.7	13.3	18.7	16.4	19.4	10.5	61	45	58	24	1	20	3	17	2	9	9	8	7			
21	03.7	06.1	07.3	12.9	14.1	16.3	17.4	8.2	89	75	59	18	2	13	2	16	1	9	8	6	3	0.0		
22	**11.4**	10.7	09.6	12.8	19.4	17.0	19.9	11.2	83	59	67	22	1	18	2	16	2	8	10	9	3			
23	10.1	08.3	07.5	14.6	22.0	18.8	22.6	8.2	81	53	67	16	1	18	3	16	2	9	2	3	6			
24	07.6	04.5	01.7	13.9	21.8	21.4	**23.2**	13.1	90	46	55	18	1	20	2	00	0	8	10	8	10			
25	00.2	99.9	99.9	14.8	15.4	14.6	21.9	14.0	87	96	98	04	1	10	1	00	0	5	10	10	10	4.0		
26	00.3	00.1	99.1	14.5	17.1	18.2	19.0	13.1	89	73	62	16	1	14	1	17	1	7	10	10	8	2.1		
27	01.1	00.7	01.1	14.2	19.4	17.3	21.1	12.2	83	55	62	16	1	22	2	16	1	8	10	3	1			
28	03.0	02.3	00.6	14.6	16.8	15.0	18.7	12.3	83	70	75	16	1	16	2	20	2	8	10	10	10			
29	00.2	01.0	00.7	14.1	19.8	19.1	21.0	10.7	86	46	51	18	1	19	3	19	2	9	5	6	2	8.1		
30	01.6	99.9	00.1	12.2	18.6	17.7	20.0	10.2	81	64	45	19	2	19	3	28	5	8	10	10	4	0.2		
M	97.2	96.9	96.6	12.9	16.3	15.3	18.5	9.6	76	63	68		1.7		2.3		1.9	8.0	7.9	8.0	7.0	120		

Ekstensotabell

1946

Oslo (Blindern)

$\varphi = 59°\ 56'$ N $\lambda = 10°\ 44'$ E $g = 9.819$ $\Delta G = +1^h$

Juli VII

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	03.5	02.7	03.9	14.3	18.3	19.0	20.5	**7.1**	59	45	39	20	4	19	3	26	4	9	4	7	3	1.6		⚌° ⊙ n, ⊙ a, ⚍° ⊙ p
2	07.1	05.8	03.6	15.5	21.9	20.5	22.8	9.5	56	49	70	20	2	17	3	16	3	9	4	2 ⚌°	4 ⚌°	0.0		⊙ n, ⚌° ⊙ a, ⚌° ⚌° ⊙ p
3	04.7	05.0	04.9	17.8	22.8	20.0	23.7	14.0	83	69	75	00	0	19	3	16	2	7	6 ⚌°	6 ⚌°	7 ⚌°			⚌° = ⊙ n, ⚌° ⊙ a, ⚍° R° ⚌° ⊙° p
4	04.7	04.1	02.6	17.3	20.8	21.0	22.4	15.7	97	83	81	00	0	00	0	24	1	5	10 ⚌	10 =	10 ⚌°	4.2		⚍ ⚌° ⚌ n, ⚌ = a, ⚌° = ⊙° p
5	98.2	95.7	97.4	21.0	18.5	15.6	22.8	15.2	80	97	83	20	1	20	2	19	3	5	8 ⚌°	10(R)	10 ⚌°	1.0		R⚍ ⚌° ⊙ n, R⚌ ⚍² = ⊙ a, R⚍² ⚌° p
6	98.7	00.3	02.4	15.4	18.4	16.7	19.4	13.4	78	70	62	16	1	17	2	00	0	9	7 ⚌°	7 ⚌°	7 ⚍°	10.8		⚍°⚌° ⊙ n, ⚍²R⚌° ⊙ a, ⚍° R° ⚌° ⊙ p
7	10.7	12.3	12.2	15.6	17.6	18.4	20.7	12.0	64	59	53	02	4	00	0	08	1	9	8	5 ⚍°	3	2.8		⚍ ⚌° ⊙ n, ⚍² ⚌° ⊙ a, ⚍° ⚌ ⊙ p
8	**14.2**	12.5	11.7	17.5	22.7	20.8	23.9	11.4	55	48	61	00	0	00	0	22	1	9	3 ⚌°	7 ⚌°	9 ⚌°	2.2		⚍° ⚌ ⊙ n, ⚌° ⊙ a, ⚍° ⚌° ⊙ p
9	12.7	10.4	08.7	18.9	24.0	21.8	24.7	14.0	67	49	69	00	0	00	0	00	0	9	8 ⚌°	9 ⚌°	4 ⚌°	0.0		⚍° ⚌° ⊙ n, ⚌° ⊙ a, ⚍° ⚌° ⊙ p
10	09.4	09.8	09.4	14.9	18.8	19.7	21.9	13.4	72	45	41	32	4	01	4	02	2	9	7	4	1	0.4		⚍ ⚌ ⊙ n, ⊙ a, p
11	11.1	09.1	07.8	16.9	20.6	21.4	22.9	11.4	55	39	38	02	1	32	2	09	2	9	4	2	2			⊙ n, a, p
12	08.2	06.7	06.1	19.5	24.7	24.0	25.7	10.9	55	45	41	09	2	22	2	28	1	9	2 ⚌°	4 ⚌°	7 ⚌°			⚌° ⊙ n, a, p
13	07.7	06.1	04.1	21.2	24.8	23.9	**26.0**	14.1	59	48	48	00	0	16	1	00	0	9	1 ⚌°	7 ⚌°	5 ⚌°			⚌° ⚌° ⊙ n, ⚌° ⊙ a, p
14	02.3	99.9	98.4	19.8	23.8	22.5	**26.0**	16.0	59	42	59	02	3	08	3	00	0	9	3 ⚌°	6 ⚌°	7 ⚌°			⚌° ⊙ n, a, p
15	00.1	98.4	97.3	18.4	24.4	23.2	25.4	17.2	72	42	44	06	2	06	2	08	2	8	9 ⚌	8 ⚌	9 ⚌			⚌ n, ⚌ ⊙ a, p
16	97.3	95.1	95.3	17.6	23.4	20.6	24.9	14.2	52	41	61	06	3	08	2	12	1	8	2 ⚌°	8 ⚌	8 ⚌			⚌° ⊙ n, a, ⚌ ⊙ p
17	99.3	00.0	00.0	20.6	24.2	23.6	25.3	12.4	58	41	42	10	1	18	1	18	1	9	2 ⚌	4 ⚌°	3 ⚌°			⚌ ⊙ n, ⚌ ⚌° ⊙ a, ⚌ ⊙ p
18	00.6	00.5	00.9	21.9	22.3	20.6	23.9	12.3	56	55	75	10	2	21	2	16	2	7	8 ⚍	10 ⚍	10 ⚍			⚍ ⊙ n, ⚍² ⊙° a, p
19	01.1	00.1	99.1	15.1	23.0	20.5	23.7	11.3	81	46	56	00	0	16	2	16	3	7	10 ⚌°	2 ⚍	2 ⚍			⚌° n, ⚌ ⊙ a, ⚍² ⊙ p
20	00.2	00.2	99.7	16.5	19.6	18.5	20.9	13.4	83	64	69	19	1	17	3	19	2	8	7 ⚍	9 ⚌	3 ⚌			⚍ ⊙° n, ⚌ ⊙ ⚍ a, p
21	00.1	99.3	98.1	17.2	19.5	17.7	20.9	13.2	77	67	77	00	0	12	1	14	2	7	6 ⚍	10 ⚍	9 ⚌	0.8		⚍ ⊙ n, ⚍ ⊙° ⚍ a, ⚌ ⊙° ⚍° p
22	97.2	97.0	97.6	15.8	19.2	18.0	21.4	12.1	81	58	67	16	1	20	2	18	2	8	8 ⚌°	9 R	4 ⚌	1.0		⚌° ⚌ ⊙ n, R ⚍ ⚌° ⊙ a, R ⚍² ⚌° ⊙ p
23	00.3	01.0	01.0	15.3	18.9	20.0	20.5	11.8	83	65	67	00	0	16	2	18	2	8	9 ⚌°	10 •°	3 ⚌°	2.0		⚌ ⚌° ⊙ n, •° ⚌ ⊙ a, •° ⚌° ⊙ p
24	03.3	02.7	02.3	16.7	20.9	18.8	23.7	14.1	93	77	83	00	0	16	4	14	3	7	8 ⚌°	10 ⚌°	10 ⚍	0.1		⚌° = ⊙ n, ⚌° ⊙ a, ⚌° ⚍² p
25	02.3	02.1	01.7	18.0	21.3	20.3	23.7	17.2	95	77	81	16	1	17	2	16	2	7	10 ⚌°	9 ⚌°	10 ⚌°	0.3		⚍° ⚍² ⚌° ⊙ n, ⚌° ⊙ a, p
26	05.4	07.1	07.3	17.7	24.4	21.4	25.2	13.4	55	**34**	58	30	2	17	2	16	4	9	2 ⚌°	1 ⚌°	8 ⚌°	0.1		⚍° (R) ⚌° ⚌° ⊙ n, ⚌° ⊙ a, ⚌° ⚌°⊙p
27	03.1	96.1	96.3	15.1	17.5	18.3	21.5	12.5	75	99	72	05	3	16	4	16	4	5	9 ⚌°	10 •°	3 =			⚌° ⊙ n, ⚌° ⊙ •⚍ R a, = ⚍² ⊙ •° ⚍p
28	96.8	96.9	96.9	15.4	19.8	17.4	20.8	14.3	73	51	69	17	4	16	3	16	2	8	7 ⚌	9 ⚌	9 ⚌	15.5		⚌ ⊙° n, a, ⚌ ⊙ R p
29	96.6	94.6	93.9	14.4	17.4	15.6	18.8	9.0	83	69	70	00	0	16	3	16	2	7	2 ⚍	9 ⚍	10 ⚍			⚍ ⊙ n, ⚍ ⊙° ⚍° a, ⚍ ⊙° p
30	92.3	92.3	91.0	12.6	15.4	16.7	18.8	11.2	94	67	64	32	1	00	0	00	0	8	10 ⚍	10 ⚍°	9 ⚌	5.0		⚌° ⚍° n, ⚌ ⚍° a, ⚌ ⊙° ⚍° p
31	87.3	**87.1**	87.5	12.5	16.2	15.8	16.9	11.7	96	72	75	02	1	04	2	00	0	7	10 ⚌°	10 ⚍	10 ⚍°	2.9		⚌° • ⚍ n, ⚍ ⚍ ⊙° a, ⚍ ⚍ p
M	02.5	01.6	01.3	17.0	20.8	19.8	22.6	12.9	72	58	63		1.4		2.0		1.7	7.9	6.3	7.2	6.4	51		

August VIII

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	89.4	89.4	91.5	14.9	21.4	16.2	22.8	11.7	87	49	84	17	1	26	2	00	0	9	9 ⚌°	2 ⚌°	9 ⚌	4.4		⚌ • n, ⚌° ⊙ a, ⚌ ⚍ p
2	95.5	94.3	92.1	17.4	21.1	18.3	21.9	12.2	58	48	61	32	2	00	0	18	2	9	2 ⚌°	9 ⚌°	5 ⚌°	4.1		⚌° ⊙ ⚍° n, ⚌° ⊙ a, ⚌° ⊙ ⚍° p
3	89.2	88.8	88.1	13.3	16.2	16.8	18.9	12.7	93	77	72	16	1	20	1	18	1	8	10 ⚍	10 ⚌	8 ⚌°	0.2		⚌° ⚌° ,° n, ⚌ ⊙ ⚍ R a, ⚌ ⊙ ⚍° p
4	93.1	95.6	97.1	16.6	21.6	20.5	23.6	9.0	59	53	55	00	0	24	2	22	1	9	1	3	7	0.0		⚌° ⊙ n, ⊙ a, p
5	01.4	01.7	02.1	18.4	24.0	20.5	**24.4**	10.1	65	45	52	16	2	16	2	16	2	9	6 ⚌°	6 ⚌°	3 ⚌°			⚌° ⊙ n, a, p
6	03.8	02.8	01.6	16.0	22.0	19.9	22.6	12.2	83	53	56	10	2	20	1	21	1	7	7 =	8 ⚍	8 ⚌			= ⚌ ⊙ n, ⚍ ⊙ a, ⚌ ⊙ p
7	98.7	97.1	95.8	17.0	15.4	15.8	20.3	13.9	81	95	93	12	1	14	1	16	2	6	10 ⚌°	10 •	10 •			⚌° n, ⚌° • a, = • ⚍ p
8	93.5	92.1	91.4	13.9	18.0	16.5	19.0	13.2	98	70	69	12	2	16	2	00	0	8	10 •	8 ⚌	7 ⚌	14.7		= • n, ⚌ = • ⚍ ⊙ a, ⚌ ⊙ R p
9	91.7	90.2	88.6	14.4	13.2	13.5	16.8	12.0	84	90	95	10	1	02	3	06	2	5	8 ⚌	10 •	10 •	7.1		⚌ ⊙ n, = ⊙ • a, ⚌° = • p
10	97.1	98.3	97.2	14.2	16.5	14.0	17.0	9.5	75	70	95	16	1	18	3	08	2	8	6 ⚌	10 ⚌	10 •	5.9		⚌ ⊙ • n, ⚌ ⊙ ⚍° a, = • p
11	96.9	91.2	94.8	16.4	18.4	16.4	19.5	13.4	86	53	59	16	3	16	5	18	4	8	10 ⚌°	9 ⚌	1 ⚌°	36.9		= ⚌° •² R n, ⚌ ⊙ ⚍° a, ⚌° ⊙ p
12	02.2	02.0	01.3	14.5	19.6	15.9	19.8	**8.2**	67	49	70	00	0	16	3	16	3	9	3	6 ⚌°	9 ⚌°	0.0		⚌° ⊙ n, a, ⚌° ⚌° ⊙ p
13	98.0	91.2	87.3	13.2	12.6	14.0	16.0	11.5	87	96	96	02	2	02	5	14	2	7	10 •°	10 •	9 ⚌°	0.1		•° ⚌° n, a, •° ⚌° p
14	85.6	86.4	86.6	15.1	16.3	16.3	18.7	11.9	83	86	77	03	2	00	0	00	0	8	6 ⚌°	8 ⚌	7 ⚌°	24.0		⚍ ⚌° ⊙ n, ⚌ ⊙ ⚍ a, ⚍ ⊙ ⚌ p
15	92.4	93.4	93.3	12.4	18.7	16.6	19.0	12.0	90	59	70	00	0	15	3	16	2	9	10 •°	8 ⚌°	7 ⚌°	5.0		• ⚌° ⊙° n, ⚍° ⚌° ⚌° ⊙ a, ⚌° ⊙ p
16	94.6	94.8	94.5	13.4	14.7	13.7	16.8	10.7	87	73	75	03	1	18	1	00	0	9	10 ⚌°	9(R)	8 ⚌°	0.1		⚌° ⚌° ⊙ n, (R) ⚌° ⊙ a, ⚍ ⚌° ⚌° ⊙p
17	96.7	97.1	98.4	11.1	18.5	14.2	18.8	**8.2**	94	58	69	00	0	16	2	17	3	8	7 ⚌	6(⚍)	4 ⚌°	0.3		⚌ ⚌° ⚌ n, ⚌ ⚌ ⊙ a, ⚍° ⚌° ⊙ p
18	99.5	99.9	00.6	11.7	18.4	15.0	18.5	8.7	96	53	65	00	0	19	3	16	2	9	10 ⚌°	3 ⚌°	1 ⚌°	0.0		⚌ ⚌° ⚌° ⊙ n, ⚌° ⚌° ⊙ a, ⚌° ⊙ p
19	01.9	02.2	02.0	13.9	19.2	17.5	20.8	9.7	78	51	58	00	0	24	1	06	1	8	8 ⚍	8 ⚌	5 ⚌			⚍ ⊙ n, ⚌ ⊙ a, p
20	05.4	04.5	03.5	12.8	19.6	18.5	21.3	11.0	86	59	56	02	2	04	2	00	0	8	10 ⚍	6 ⚌	3 ⚌°			⚍ n, ⚌ ⊙ a, ⚌° ⊙ R p
21	04.9	03.6	02.7	15.3	22.4	19.6	22.8	12.5	67	**41**	61	02	1	16	1	00	0	8	8 ⚌	7 ⚌	8 ⚌			⚌ ⊙ n, a, p
22	03.2	03.2	03.7	14.5	23.0	19.2	23.9	**8.2**	75	45	59	00	0	18	1	15	2	8	2 ⚌°	4 ⚌	1 ⚌°			⚌° ⊙ n, ⚌ ⚌° ⊙ a, ⚌ ⚌° ⊙ p
23	06.6	05.8	05.4	14.0	20.8	18.3	21.6	10.0	95	59	70	20	1	17	2	18	2	8	10 =	3 ⚌	3 ⚌			= n, ⚌ = ⊙ a, ⚌ ⊙ p
24	06.5	05.8	05.2	15.2	18.9	19.3	21.0	12.7	86	64	65	00	0	22	1	00	0	8	10 ⚍	10 ⚌	5 ⚌			⚍ n, ⚌ ⊙ a, ⚌ ⊙° p
25	05.3	03.6	02.6	15.0	22.8	20.4	23.9	10.3	87	46	56	00	0	04	1	02	2	8	9 ⚍	5 ⚌	9 ⚌			⚍ ⚌ ⊙° n, ⚌ ⊙ a, p
26	03.2	02.5	01.4	17.2	19.3	17.9	20.9	13.2	67	61	65	02	2	08	4	02	1	9	5 ⚌°	5 ⚌°	7 ⚌°	0.0		⚍° ⊙ ⚌° ⚌ n, ⚌° ⊙ a, p
27	02.1	01.5	01.0	13.9	15.8	15.2	18.0	11.1	69	55	58	02	3	07	3	04	1	9	4 ⚌°	5 ⚌°	4 ⚌			⚌° ⊙ n, a, ⚌ ⚌° ⊙ p
28	02.3	01.4	01.1	11.8	14.8	13.6	15.6	10.8	73	64	80	01	3	03	2	00	0	9	9 ⚌°	8 ⚌°	10 ⚌			⚌° ⊙ n, a, ⚌ ⚌° ⊙ p
29	99.0	98.2	97.4	13.4	14.6	13.7	14.8	12.1	89	89	94	07	2	08	2	10	3	8	10 ⚌°	10 •°	10 ⚌°			⚌° ⚌ ⊙° n, • = a, • •° ⚌° p
30	99.7	99.7	00.6	13.8	18.5	12.8	18.8	12.1	91	62	90	14	2	16	3	00	0	7	8 ⚌°	6 ⚌°	9 ⚌°	26.1		R ⚍ • ⚌° ⊙ n, K° ⚍ ⚌° ⊙ a, p
31	03.5	04.2	03.6	12.5	18.8	16.1	20.0	11.2	95	55	70	00	0	16	1	32	1	9	4 ⚌°	7 ⚌°	10 ⚌	7.8		⚍ ⚌° ⊙ n, ⚌° ⊙ a, ⚌ ⊙ p
M	98.4	98.1	97.8	14.5	18.6	16.7	19.9	11.2	82	62	71		1.2		2.0		1.4	8.1	7.5	7.3	6.7	137		

Ekstensotabell

1946

Oslo (Blindern)

$\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$

September IX

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D.F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	99.5	97.3	93.2	13.9	13.2	13.5	16.7	13.0	81	96	95	01	3	02	3	01	3	5	10	10	10	1.2		
2	87.5	90.9	92.4	12.9	17.5	14.8	18.9	11.5	89	67	83	16	3	15	3	16	2	8	6	10	10	33.0		
3	93.2	93.8	94.2	11.8	14.8	12.5	16.7	11.0	98	77	86	00	0	18	2	18	1	7	10	10	10			
4	97.3	97.3	97.0	11.6	17.6	15.0	18.7	10.8	96	65	81	00	0	14	2	16	1	8	10	4	5	0.0		
5	95.9	96.3	96.6	13.7	17.6	15.0	18.4	12.3	91	69	81	00	0	22	1	00	0	7	10	10	10			
6	95.5	96.0	96.2	12.8	17.4	15.6	17.8	11.4	95	69	84	06	1	16	1	16	1	7	10	9	9	1.0		
7	97.2	96.8	96.4	13.2	18.8	14.8	**19.1**	12.9	94	52	67	15	2	15	1	00	0	9	10	4	7			
8	98.4	98.3	98.2	10.1	15.1	14.9	17.4	8.2	00	80	86	00	0	24	2	18	2	7	10	3	7	0.0		
9	97.5	96.4	95.1	12.6	13.8	12.8	15.0	12.1	96	90	93	00	0	02	1	06	1	6	10	10	10			
10	95.1	93.7	93.8	11.5	16.6	12.9	17.6	10.0	93	52	62	24	1	18	2	00	0	9	3	7	5	9.0		
11	93.0	92.8	92.7	8.3	13.1	11.7	14.3	6.1	98	72	80	00	0	04	1	00	0	8	10	10	4	2.8		
12	98.3	01.3	02.9	13.1	17.5	13.4	18.2	7.3	70	53	73	32	3	04	2	03	1	9	7	3	1	0.9		
13	03.0	00.9	98.1	10.9	13.9	11.9	15.0	9.5	90	87	91	00	0	20	1	13	2	7	10	10	10			
14	90.8	88.9	88.5	10.4	13.1	13.6	13.9	10.1	97	89	91	16	1	14	3	16	1	5	10	10	9	11.9		
15	**72.4**	78.3	84.9	11.4	14.3	12.6	16.1	10.0	95	53	53	12	5	22	5	23	2	9	10	9	4	11.5		
16	97.5	98.0	98.3	8.5	16.2	13.5	17.8	6.2	87	62	73	00	0	18	3	16	2	8	10	8	8	0.4		
17	00.7	00.2	97.6	9.1	15.1	12.4	16.0	5.4	93	67	95	00	0	16	2	15	2	7	1	10	10			
18	87.0	86.6	86.9	10.2	13.8	11.7	15.8	9.7	98	73	70	00	0	18	2	00	0	8	10	7	4	15.9		
19	81.9	79.1	78.6	8.8	9.6	10.2	12.0	6.6	96	95	95	02	2	02	4	32	4	5	10	10	10	15.6		
20	80.9	82.2	82.2	7.8	15.2	11.8	15.5	6.6	93	55	81	20	1	18	2	16	1	9	3	6	10	29.7		
21	86.0	89.4	94.7	5.2	16.8	12.0	17.4	4.1	98	**44**	58	00	0	26	3	26	1	9	3	3	1			
22	01.1	98.6	93.9	6.9	11.0	11.8	12.2	**2.7**	83	86	99	00	0	18	2	16	2	7	8	10	10			
23	89.0	88.9	88.0	11.6	14.4	11.0	15.1	11.0	81	58	78	20	3	20	3	18	2	8	1	8(⛆)	1	5.0		
24	88.7	89.9	92.6	7.1	14.8	11.4	15.5	3.5	97	53	61	20	1	18	4	22	3	9	3	6	4			
25	02.2	03.8	06.3	7.6	13.8	11.0	14.0	4.1	89	62	95	00	0	18	3	00	0	8	9	10	9			
26	11.6	13.3	13.6	9.6	13.8	13.2	14.0	8.7	99	83	91	00	0	24	1	16	2	6	10	10	10	0.0		
27	13.3	12.5	11.0	13.9	14.0	13.7	14.5	12.6	99	98	97	18	1	16	3	17	1	3	10	10	10	0.1		
28	08.9	08.2	08.3	13.5	15.1	14.5	15.4	13.2	97	90	95	20	1	16	1	00	0	4	10	10	10	7.1		
29	15.3	14.5	14.2	8.1	13.4	7.9	14.9	5.7	62	48	77	32	2	00	0	32	2	9	1	3	1			
30	**16.5**	15.8	14.6	5.8	12.7	7.2	13.3	3.2	80	53	81	00	0	18	1	30	2	9	2	0	1			
M	96.4	96.7	96.7	10.4	14.8	12.6	15.4	8.6	91	70	82	1.0		2.1		1.4		7.3	7.6	7.7	7.0	145		

Oktober X

1	13.3	12.6	13.5	4.6	14.1	9.0	14.9	1.9	95	45	72	00	0	06	2	02	2	9	2	6	2			
2	21.9	22.1	21.3	4.7	9.7	1.9	10.1	1.1	59	41	72	02	1	20	1	20	2	9	0	0	0			
3	19.9	16.7	12.8	0.2	7.8	8.4	9.2	- 2.6	90	70	87	00	0	22	1	16	2	8	0	10	10			
4	02.1	97.7	93.2	6.0	5.6	5.7	8.9	5.1	84	90	91	12	1	08	2	05	2	5	10	10	10	0.0		
5	**85.8**	86.8	87.6	3.3	7.5	5.2	8.8	2.2	94	75	83	24	2	15	1	02	2	8	10	10	4	31.1		
6	95.2	00.9	06.4	7.0	9.2	7.9	9.2	4.8	78	70	62	02	4	02	5	02	4	8	10	10	10	3.0		
7	14.9	15.4	17.0	5.5	10.7	5.7	11.1	3.9	67	49	70	32	3	04	2	00	0	8	1	0	1	0.0		
8	22.6	23.5	24.8	2.0	12.8	5.4	13.7	0.2	89	53	73	00	0	00	0	32	1	4	1	1	1(=)			
9	**27.7**	26.4	26.0	2.0	12.2	5.6	12.9	0.1	84	53	80	00	0	00	0	00	0	5	4	1	0			
10	24.9	23.1	21.5	1.4	13.8	8.4	13.9	0.1	90	49	62	00	0	00	0	00	0	4	2	0	1(=)			
11	15.3	12.2	11.8	2.6	15.9	9.8	**17.6**	1.7	91	39	70	00	0	32	1	00	0	4	1	1	9(=)			
12	08.9	06.9	05.1	5.2	11.5	8.7	11.8	3.5	94	73	83	04	1	00	0	00	0	3	9	10	10			
13	04.4	04.5	03.0	5.5	10.7	6.0	10.9	4.8	78	67	83	00	0	00	0	20	1	5	9	10	1			
14	96.5	92.5	92.8	- 0.3	5.8	6.6	8.2	- 0.9	00	95	65	00	0	00	0	30	3	3	2	8	4			
15	97.7	98.5	01.3	4.0	12.9	6.2	13.2	1.7	78	39	70	00	0	32	3	03	1	9	9	4	4(=)			
16	00.4	00.9	02.5	2.0	13.5	6.9	14.4	1.1	94	52	77	00	0	18	1	04	1	6	8	1	0			
17	06.3	07.3	08.1	3.0	10.7	5.7	11.1	0.2	86	55	75	04	1	08	1	02	2	7	5	2	0			
18	13.4	13.3	12.7	1.1	11.6	5.2	12.2	0.2	95	51	83	00	0	21	1	22	1	5	1	0	3			
19	11.0	10.4	09.6	1.5	7.9	2.0	8.0	0.4	97	72	95	00	0	00	0	00	0	4	4	0	0			
20	06.1	03.9	01.4	4.0	6.4	5.6	6.5	1.6	96	83	90	00	0	00	0	00	0	4	10	10	10			
21	99.7	99.2	00.9	1.7	10.0	7.3	10.3	1.3	87	59	73	08	1	03	2	02	2	8	1	2	10			
22	10.9	12.8	14.8	0.4	3.5	- 1.2	7.7	- 1.4	56	**32**	52	01	2	05	3	32	1	8	4	1	0(=)	0.1		
23	18.9	19.1	18.9	- 5.6	1.0	- 2.8	1.9	- 6.2	81	53	65	00	0	00	0	20	1	7	1	8	0			
24	18.8	17.9	17.9	- 5.6	1.1	0.6	1.1	- **6.5**	90	67	75	02	1	00	0	00	0	3	10	10	4			
25	19.8	20.2	20.7	- 2.6	6.5	- 0.3	7.0	- 2.8	96	62	90	00	0	00	0	00	0	4	1	0	0			
26	22.7	22.0	20.6	0.4	3.6	1.9	3.9	- 1.6	99	83	86	00	0	24	1	00	0	5	10	8	10			
27	11.5	04.6	00.4	2.2	3.6	2.8	3.9	1.4	87	80	84	08	1	09	1	02	1	6	10	6	10			
28	92.1	93.4	97.1	2.6	4.5	4.1	4.8	2.2	89	70	62	02	2	03	4	01	2	7	10	9	0	0.0		
29	07.0	08.4	10.1	0.0	6.2	- 0.3	6.8	- 0.4	72	51	83	00	0	00	0	00	0	5	6	3	0			
30	14.7	16.7	18.6	- 1.9	3.7	0.8	3.9	- 2.3	95	80	89	00	0	00	0	02	1	3	10	3	0			
31	22.9	23.6	23.8	- 2.9	1.3	- 1.0	1.9	- 2.9	99	91	97	00	0	00	0	00	0	3	4	0	0			
M	10.6	10.1	10.2	1.7	8.2	4.4	9.0	0.4	87	63	77	0.6		1.0		1.0		5.7	5.3	4.6	3.7	34		

Ekstensotabell

1946

Oslo (Blindern)

$\varphi = 59°\ 56'$ N $\lambda = 10°\ 44'$ E $g = 9.819$ $\Delta G = +1^h$

November XI

$H_s = 94$ $H_b = 95.6$ $h_c = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	23.5	21.7	19.2	- 1.2	1.5	1.9	1.9	- 2.8	99	93	91	32	2	01	3	02	3	5	10 ≡	10 =	10 =°			≡° =ˢ ⌣ n, =ˢ = ⌣ a, •° =° = p
2	13.6	10.8	08.7	3.0	3.5	4.2	4.4	1.3	93	95	95	02	4	01	4	01	4	6	10 •	10 •°	10 •	5.0		• =° = n, a, p
3	06.3	08.2	11.2	4.4	5.3	5.4	5.7	4.0	96	96	96	01	2	01	1	00	0	5	10 •	10 •°	10 =	13.9		• =° n, • = =° a, • = p
4	18.9	21.4	22.3	3.8	4.9	3.8	5.6	3.6	91	90	95	01	1	17	1	00	0	5	10 =	10 =	10 =	4.9		= n, a, p
5	23.9	**24.6**	**24.6**	3.8	7.4	6.4	7.8	3.1	98	84	93	00	0	18	2	18	3	6	10 =	9 =°	10 =°			= n, = =° ⊙ a, =° p
6	22.8	20.4	17.5	7.1	7.6	7.6	7.7	6.2	97	96	98	16	1	00	0	18	1	4	10 ≡°	10 =ˢ	10 •	0.1		•° ≡° =° n, ≡° =ˢ •° a, ≡° • =ˢ p
7	03.9	01.8	03.0	7.1	5.3	6.6	8.0	5.2	99	90	78	18	1	01	3	02	3	7	10 •°	10 •°	10	15.0		≡° • = n, ≡° • a, •° =ˢ p
8	10.0	11.0	08.7	4.7	8.1	1.9	8.2	1.9	67	53	81	32	3	32	2	00	0	8	1 =°	1 =°	1 ⌣	8.7		=° n, =° ⊙ a, p
9	99.5	00.1	02.7	0.0	7.6	5.0	7.8	- 0.8	94	52	52	00	0	32	4	01	2	8	8 =ˢ	3 =°	1			(≡) =ˢ ⌣ n, =° =ˢ ⊙ a, =° ⊙ p
10	00.6	97.5	98.8	1.8	3.2	2.1	5.1	- 0.5	75	69	78	00	0	00	0	01	1	8	8	9 =°	7 =°	0.0		≙° n, =° ⊙ a, =° ⊙° p
11	03.2	01.3	97.7	- 0.1	2.5	- 0.2	2.6	- 0.9	90	90	97	02	1	00	0	02	1	6	8 ⌣°	9 =°	9 =ˢ			⌣(≡) = ⊙° n, (≡) =ˢ ⌣ =° ⊙ a, =° =ˢ ⊙ p
12	84.6	80.0	76.9	2.1	8.5	7.1	8.7	- 1.7	95	78	93	24	1	18	3	17	1	8	10 =	9 =°	10 •			≡ =° =ˢ ⌣ n, ⌣ =° = ⊙ a, • =° ⊙ p
13	**68.0**	76.0	82.4	4.8	0.0	- 1.0	7.4	- 1.1	98	64	**42**	00	0	32	4	32	4	9	10 •°	8 ⌣°	5	3.5		• =° n, ☿ =° ⌣° ⊙° a, =° ⊙° p
14	96.2	99.9	01.8	- 4.6	1.1	- 4.6	1.1	- 4.9	55	49	65	04	1	00	0	02	1	7	1 =°	1 =°	0 =°	0.1		=° (≡) n, (≡) =ˢ =° ⊙ a, =° ⊙ p
15	05.6	05.5	05.9	- 6.6	- 2.4	- 4.5	- 1.8	- **7.9**	78	69	70	04	1	00	0	04	1	3	2 =°	4 ≡°	0 =°			=° (≡) n, =° ⊙ =° a, =° =° ⊙ p
16	05.2	05.2	04.9	- 2.6	- 3.5	- 3.5	- 1.8	- 7.0	59	93	90	03	2	01	3	01	2	3	10 =°	10 *	10 =°			=° (≡) n, * =° a, p
17	01.7	99.2	97.1	- 1.0	0.6	- 0.3	1.0	- 3.7	93	84	86	01	2	04	2	04	1	7	10 =°	9 =°	5 =°	1.2	1	=° ⊙ n, a, =° p
18	93.3	93.7	94.4	0.1	- 0.5	- 0.3	0.7	- 0.8	89	86	67	04	3	02	3	03	2	5	10 *°	10 *°	10 =°	0.1	1	* =° n, *° =° a, p
19	95.0	95.7	96.0	- 2.0	- 2.7	- 3.5	- 0.1	- 4.3	75	80	78	03	3	02	3	01	3	8	10 =°	10 =°	10 =°	0.1	1	=° n, =° *° a, =° ⊙ p
20	96.3	97.1	97.4	- 3.1	- 2.6	- 2.3	- 2.1	- 3.6	75	78	77	32	2	02	3	02	3	8	10 =°	10 =°	10 =°	0.0	1	=° n, *° =° a, =° p
21	90.8	85.0	83.7	0.0	1.4	1.8	1.9	- 2.7	96	97	97	04	3	05	3	02	1	4	10 *°	10 *°	10 =	1.7	2	* =° n, *° ‡ = a, ‡ •° p
22	81.6	82.5	83.6	6.5	5.6	4.8	7.0	1.5	96	95	96	15	4	16	2	16	1	4	10 =ˢ	10 ☿	10(☿)	12.7		☿ •° =ˢ n, ☿ =ˢ a, ☿ = p
23	86.6	94.2	98.4	1.8	5.2	2.3	5.2	1.3	98	53	70	00	0	23	4	22	1	9	2 =ˢ	7 =°	8 =°	4.9		=ˢ ☿ n, = =° a, (≡) =° p
24	92.8	92.4	90.8	6.9	7.1	7.2	7.6	2.2	98	97	98	16	4	16	3	16	4	6	10 •°	10 ,°	10 ,°	0.2		• =° =° n, •° =° ,° a, • = ,° p
25	86.4	89.7	89.8	7.3	8.4	7.7	8.8	5.7	97	93	95	16	2	16	3	16	4	6	7 =°	9 =°	10 =°	6.3		=° • , n, =° a, • =° p
26	87.6	86.5	85.7	7.1	7.2	7.4	8.6	6.7	96	95	96	16	3	16	4	16	3	5	10 =	10 =	10 •°	0.5		•° =° n, =° • a, •° = p
27	87.7	92.0	92.4	5.1	5.1	4.4	7.9	3.7	94	87	96	19	1	16	1	00	0	8	4 =°	9 =°	10 •	1.0		=° • n, =° ⊙ a, • =° p
28	87.3	93.0	96.4	8.5	7.6	4.8	**9.4**	4.2	97	80	94	16	4	20	2	00	0	7	10 =	9 =°	7 =ˢ	6.8		• = n, ⊙ = =° a, =° =° p
29	99.9	99.7	99.7	6.6	5.9	4.0	6.9	3.9	98	94	90	18	1	16	2	13	3	4	10 ≡	10 =ˢ	10 •°	1.0		• ≡ =ˢ n, ≡° = a, =° •° p
30	96.3	93.7	91.6	0.8	2.2	2.9	4.3	0.4	96	97	97	02	1	02	2	06	2	3	10 ‡	10 ,	10 ,	10.1		‡ • =° n, ≡° ‡ • , a, =° = ,° p
M	99.0	99.3	99.4	2.4	3.7	2.6	4.8	0.4	89	83	85	1.8		2.2		1.8		6.1	8.4	8.5	8.1	98	0	

Desember XII

1	86.7	86.7	86.6	3.3	2.6	2.1	4.0	2.0	96	95	95	02	2	02	3	32	3	6	10 =°	10 •°	10 •	9.7		=° , • n, •° =° a, p
2	84.2	82.3	77.9	1.9	2.2	2.9	3.0	1.6	97	95	91	00	0	03	2	03	3	5	10 =	9 =	10 •°	5.5		• = n, = =° a, ‡ •° =° p
3	**75.4**	77.7	80.3	2.4	3.0	2.9	3.2	1.1	95	95	95	02	3	01	2	02	1	5	10 =°	10 •°	10 •°	8.5		• •° =° n, •° =° = a, • = p
4	89.9	94.6	98.1	2.0	2.6	2.2	3.7	0.7	96	93	91	04	1	08	2	32	2	5	10 =ˢ	10 =	10 =°	1.8		=ˢ •° = n, =ˢ = n, =° = p
5	04.0	04.1	03.8	2.0	2.2	1.5	2.7	1.1	90	87	93	04	2	02	2	32	2	6	10 =	10 •°	10 ‡°	3.8		=° • = n, =° •° a, =° ‡° p
6	01.1	00.9	01.0	1.3	1.5	1.6	2.0	1.0	95	95	96	02	2	32	2	32	2	6	10 ‡	10 •°	10 •°	2.3		‡ =° n, ‡ • =° a, p
7	97.7	98.4	99.4	1.5	1.4	1.4	2.1	1.0	95	96	97	02	2	14	1	15	1	3	10 •°	10 •,	10 =ˢ	3.9		• =° n, •° =° ≡° ', a, ≡° ,° =ˢ p
8	99.1	96.7	95.9	0.6	0.6	0.6	1.9	0.0	93	83	90	02	3	01	3	01	4	7	10 =°	10 =°	10 ‡	1.2		•° =ˢ =° n, =° a, * ‡ p
9	94.0	98.4	02.0	1.9	2.0	2.9	3.0	0.2	93	94	91	02	3	03	3	03	4	7	10 •°	10 •°	10 •°	5.3		‡ • =° n, •° =° a, p
10	09.9	13.1	15.0	2.8	1.3	1.7	3.1	0.7	89	95	93	02	3	01	3	03	3	4	10 ‡°	10 ‡°	10 ‡°	0.9		•° ‡ =° n, ‡° =° ‡° a, p
11	17.2	17.0	16.9	0.9	0.9	0.6	2.0	0.1	94	95	95	01	3	01	3	03	2	4	10 ‡°	10 ‡	10 ‡°	12.2	0	‡ =° n, * ‡ =° a, ‡ = p
12	17.1	18.4	20.9	0.0	0.4	0.2	1.0	- 0.4	96	90	94	03	3	04	3	04	2	6	10 ≙	10 *°	10 ,	5.8	3	* ‡° ‡° n, ≙ * =ˢ =° a, *° ‡°, =° p
13	26.6	30.6	33.1	0.4	- 0.8	- 1.8	0.7	- 1.9	94	80	81	05	2	04	2	03	2	7	10 =°	10 =°	7 =°	4.0	5	≙ ‡ • n, ≙° =° a, =° p
14	38.0	40.1	41.4	- 3.1	- 3.4	- 4.0	- 1.3	- 4.3	78	77	86	04	2	06	2	02	2	6	10 =°	10 *°	10 *°	0.1	4	=° n, *° =° a, p
15	44.6	45.4	**45.9**	- 5.6	- 6.3	- 8.6	- 2.9	- 9.1	78	**73**	78	01	2	32	3	32	3	8	10 =°	8 =°	0 =°	0.0	4	*° =° n, *° =° ⊙° a, ⊙° =° p
16	45.3	44.4	43.5	-13.8	-11.0	-13.6	- 8.0	-14.5	86	83	90	04	1	00	0	00	0	3	0 =°	0 ≡°	0 =ˢ		4	=° = n, =° ≡° ⊙° a, ≡° =ˢ ⊙ p
17	39.4	36.6	34.2	-15.7	-13.2	-14.9	-13.0	-**15.9**	89	87	87	00	0	00	0	00	0	3	0 ⌣	0 ≡°	0 ∨		4	(≡) =ˢ ⌣ n, ≡° ⌣ ⊙° a, =° =ˢ ⊙ p
18	24.2	20.6	19.7	- 9.3	- 7.3	- 7.5	- 5.9	-15.3	90	90	93	00	0	00	0	00	0	2	10 =ˢ	10 ≙°	0 ≡°		4	∨ =ˢ n, =ˢ ≡ a, ≡° ≙° p
19	20.7	20.1	18.9	- 6.9	- 6.2	- 8.9	- 5.9	- 9.0	97	96	95	00	0	00	0	00	0	2	0 ∨	10 ∨	0 ∨	0.0	5	≡° (≡) ∨ n, (≡) ⌣ ≡ ∨ a, ≡ ≡° ∨ p
20	15.1	14.7	13.8	-10.0	-10.4	-10.2	- 7.5	-10.9	95	95	95	03	1	02	1	00	0	3	10 ∨ˢ	10 ∨	10 ∨		5	≡° ∨ n, a, ≡° =ˢ ≙° p
21	10.5	07.5	04.8	- 8.0	- 5.2	- 5.1	- 4.6	-10.2	96	97	97	00	0	00	0	00	0	3	10 ∨ˢ	10 ∨	8 =ˢ	0.0	5	≡ ∨ˢ n, ≡ ∨ˢ ≡° a, ≡° =ˢ ∨ p
22	09.5	98.4	96.6	- 1.6	- 0.6	1.0	1.0	- 5.1	93	98	99	18	3	16	1	16	2	2	9 ∨	10 •	10 •		5	=ˢ ∨ ≡° n, ≡ ≙ * =° a, ≡° • ‡ ≡ p
23	92.9	93.6	94.9	3.0	3.4	3.3	4.2	1.0	99	98	99	16	3	16	3	17	2	3	10 •°	10 •°	10 •°	3.2	4	≡° ≡ •° n, ≡° •° a, = ≡° •° p
24	97.1	96.8	96.3	2.1	1.9	1.9	3.7	1.6	99	97	96	15	3	16	3	17	2	3	10 ≡°	10 ≡°	10 •	3.0	0	≡° ≡ • n, ≡° a, ≡° = • p
25	94.8	92.7	89.9	1.1	1.7	0.5	2.2	0.1	97	97	98	13	2	13	1	12	2	1	10 •°	10 ≡ˢ	10 ‡	2.1	0	=ˢ • •° n, =ˢ =ˢ •° ≙ a, ‡ ≡ˢ * p
26	89.9	82.0	83.7	4.6	4.2	3.7	**5.0**	0.3	97	90	94	14	2	17	2	15	3	7	10 •	8 =°	10 =°	5.5		‡ • n, • =° ⊙ a, =° ⊙ p
27	89.1	93.6	96.1	3.7	2.8	1.9	4.1	1.5	94	91	90	16	3	16	3	14	2	5	10 =°	10 •°	10 =°	0.2		=° •° n, •° =° = a, p
28	98.5	99.7	02.4	0.6	0.7	1.0	2.3	0.1	89	96	93	00	0	32	1	32	1	5	10 =°	10 ‡	10 ⌣	0.1	0	* =° n, =° * ‡ a, ‡ ⌣ p
29	09.8	12.5	13.2	1.0	1.0	0.2	1.3	0.0	86	83	86	32	1	32	1	32	1	7	10 ⌣	10 =°	10 ⌣	2.0	1	(≡) ⌣ n, ⌣ =° a, (≡) =° ⌣ p
30	10.7	10.2	10.1	0.6	- 0.3	- 0.9	1.0	- 1.1	93	84	83	12	2	12	2	08	1	8	10 =	10 =°	10 =°	0.2	1	,° ≙ = n, ≙° =° a, =° p
31	07.6	06.4	06.3	- 0.4	0.7	0.0	1.0	- 1.2	89	87	83	06	2	12	3	13	3	5	10 *°	10 *°	10 =°	0.3	2	* = ≙ n, *° =° a, p
M	07.1	07.6	07.8	- 1.2	- 0.9	- 1.3	0.3	- 2.7	95	91	92	1.8		1.8		1.8		4.7	9.0	9.2	8.2	82	2	

Ekstensotabell

1946

Bergen (Fredriksberg)

$\varphi = 60°\ 24'$ N $\lambda = 5°\ 19'$ E $g = 9.819$ $\Delta G = +1^h$

Januar I

$H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F					Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		8	14	19			
1	24.3	26.0	26.9	- 3.4	- 1.2	- 0.4	- 0.1	- 4.0	91	92	90	00	0	00	0	00	0	3	0	9	8			
2	30.4	31.4	31.2	- 0.4	1.5	2.1	2.2	- 2.3	93	93	81	00	0	00	0	13	2	4	9	9	9	0.0	0	
3	27.2	23.0	17.2	2.1	2.7	3.0	3.0	1.7	79	81	88	15	3	15	5	16	6	7	9	10	10		0	
4	99.9	00.0	93.5	7.3	7.1	7.2	7.9	2.1	92	97	98	18	4	18	3	18	5	5	10	10	10	30.2		
5	88.9	93.2	97.3	7.3	6.7	4.9	**9.5**	4.9	77	81	85	18	4	24	4	24	4	7	6(•)	8	8(•)	31.4		
6	01.9	02.7	03.7	5.3	6.9	5.8	7.1	4.8	96	96	93	14	3	16	5	18	3	6	2	10	9	1.1		
7	06.1	06.2	04.6	5.0	6.2	5.8	6.4	4.8	94	94	94	22	3	17	3	17	4	7	6	9	8	6.4		
8	02.9	99.7	93.0	5.9	6.5	6.6	7.1	4.8	96	93	91	15	4	15	5	16	5	6	9	10	10	3.6		
9	92.9	92.4	86.6	5.5	6.1	6.2	7.3	5.1	93	91	84	16	3	16	4	16	4	7	4	10	10	5.5		
10	**66.5**	68.9	74.6	8.5	8.1	6.5	8.9	6.2	84	98	92	16	4	20	4	24	6	7	10	10	10	0.7		
11	85.1	87.2	83.7	4.5	5.5	3.5	7.0	3.4	96	93	97	30	2	00	0	00	0	5	8(•)	3	10	20.5		
12	79.5	85.8	94.7	0.6	- 1.7	- 4.2	3.6	- 4.4	98	91	84	18	1	03	3	03	4	5	1	10	9	1.2		
13	20.5	28.3	33.3	- 3.1	- 1.3	- 3.4	- 1.3	- 4.3	**73**	75	76	32	2	15	1	00	0	4	0	0	0	0.4	0	
14	38.8	39.4	**39.8**	- 4.7	- 1.4	- 0.9	- 0.5	- **5.6**	82	86	79	00	0	00	0	15	2	3	0	0	9.		0	
15	39.5	39.5	**39.8**	1.6	3.1	3.2	3.2	- 1.0	81	82	82	14	3	14	2	14	3	8	9	9	9	0.0	0	
16	39.0	37.5	37.0	1.6	1.7	- 1.2	3.9	- 1.2	85	93	96	00	0	00	0	00	0	6	9	9	0		0	
17	34.3	34.8	34.0	- 2.7	1.1	- 1.2	1.1	- 3.2	93	96	94	00	0	00	0	00	0	5	7	0	0			
18	29.5	26.7	25.6	- 3.6	0.4	0.5	0.5	- 4.0	99	94	85	00	0	00	0	15	2	4	1	0	0			
19	21.8	21.8	22.3	0.1	4.5	3.0	4.5	- 1.0	90	83	84	00	0	00	0	00	0	4	0	0	0			
20	27.2	28.9	30.4	1.6	4.1	0.8	4.1	0.4	76	78	79	00	0	00	0	14	1	4	1	0	0			
21	31.9	32.2	31.6	- 2.3	2.5	0.4	2.5	- 3.3	77	76	76	00	0	00	0	14	3	5	0	1	0			
22	28.5	25.4	23.8	- 1.6	2.0	- 1.2	2.0	- 2.0	87	83	90	12	2	00	0	00	0	7	0	1	0			
23	16.2	16.0	16.2	- 1.1	0.4	2.6	2.7	- 3.1	79	81	**73**	14	2	16	4	14	3	7	1	9	10			
24	18.1	17.8	13.0	- 0.7	1.9	3.6	3.7	- 0.8	99	88	86	16	4	16	4	16	6	6	10	10	9	0.1	0	
25	09.6	10.9	11.5	3.4	4.2	4.1	4.7	2.3	98	98	97	16	7	16	6	16	5	6	10	10	10	7.7		
26	08.8	08.2	07.8	5.5	6.3	6.7	7.5	3.8	98	92	87	17	5	16	4	16	5	7	10	10	10	50.7		
27	07.1	05.2	03.5	1.3	3.4	0.8	6.9	0.8	93	77	00	16	1	16	2	16	5	9	9	9	10	1.4		
28	00.0	97.5	93.1	2.1	3.0	4.3	4.5	0.8	00	00	98	14	4	15	5	16	4	6	10(•)	9	9	7.4	0	
29	79.8	80.1	78.7	4.0	5.2	4.7	7.2	3.8	00	96	94	16	4	14	3	16	4	7	10	9	3	7.1		
30	75.0	76.8	78.9	3.6	2.6	2.9	5.2	2.3	00	00	97	15	3	14	3	15	4	6	9	10	6	13.3		
31	87.7	93.2	95.5	2.3	4.0	4.0	4.4	1.2	00	96	00	16	2	18	2	18	2	7	9	9(•)	4(•)	7.0		
M	10.3	10.9	10.4	1.8	3.3	2.6	4.4	0.4	90	90	89		2.3		2.3		3.0	5.8	5.8	6.9	6.5	196	0	

Februar II

1	81.0	80.8	80.9	3.1	5.1	6.4	6.5	2.1	98	99	99	14	5	14	5	16	5	7	10	9	9	14.8		
2	81.6	82.8	84.3	5.6	4.0	4.9	6.8	3.8	96	99	96	16	4	16	3	14	2	7	9	9	9	6.0		
3	84.7	84.1	82.1	3.4	5.8	5.4	6.1	2.7	98	92	93	00	0	15	2	15	4	7	9	9	8	1.0		
4	**73.2**	74.1	75.6	4.5	4.6	3.0	5.6	2.9	96	98	00	16	1	00	0	00	0	6	10	10	10	2.6		
5	83.5	88.3	93.2	2.7	3.6	2.3	3.8	2.2	00	99	94	00	0	00	0	00	0	4	10	9	10	4.0		
6	03.1	03.5	01.9	- 1.4	3.0	2.7	3.0	- 1.5	98	81	76	00	0	16	2	15	4	6	1	7	9	0.1		
7	93.6	86.4	77.0	5.5	4.0	4.2	6.7	0.5	96	97	97	18	4	16	7	18	4	6	10	10	10	12.0	0	
8	78.1	78.1	78.0	4.2	5.1	3.4	5.2	3.4	99	98	96	14	2	00	0	14	3	4	9	9	10	30.8		
9	88.5	94.9	98.5	1.3	2.6	1.0	3.8	1.0	72	66	73	02	5	01	3	32	1	9	1	1	1	10.5		
10	89.2	86.4	83.4	1.6	6.2	2.3	6.4	- 0.2	00	76	93	16	4	24	5	30	3	9	10	9	9	9.9	0	
11	83.9	94.7	98.9	2.4	4.7	2.3	4.8	0.4	85	76	83	31	6	31	4	32	4	8	9	9	3(•)	19.0	2	
12	07.3	11.3	16.3	2.1	4.0	2.0	4.2	0.3	91	83	83	01	4	32	3	02	1	9	1	6	9	1.3	0	
13	21.5	22.8	22.6	0.3	1.8	2.9	2.9	- 1.9	81	86	87	14	2	17	2	14	3	4	9	9	10		0	
14	**23.4**	23.0	22.1	3.5	5.0	6.8	6.9	2.7	00	00	00	13	3	13	2	28	1	2	10	10	10	1.9	0	
15	22.9	23.1	20.9	6.2	7.4	6.8	7.8	5.8	00	99	00	00	0	00	0	17	3	7	10	10	10	12.4		
16	03.0	05.2	08.9	4.8	2.4	2.6	**8.0**	1.1	92	72	84	30	4	30	6	30	5	7	10	9(•)	9	30.0		
17	12.6	07.8	01.2	1.4	1.0	4.5	**4.5**	0.5	88	98	00	32	4	15	3	28	2	4	9	10	10	4.3	0	
18	05.2	08.4	09.1	1.7	0.9	0.2	6.3	0.1	78	83	81	32	4	01	4	02	2	7	8(•)	9	9	10.5		
19	92.3	85.5	81.0	0.3	2.6	0.8	2.8	- 1.7	97	98	99	16	6	00	0	31	1	4	10	10	10	5.0	5	
20	79.3	85.7	91.0	- 0.6	2.3	- 0.5	2.3	- 0.8	00	74	73	29	1	04	3	26	1	8	9	9	1	16.4	3	
21	97.3	03.7	06.9	- 2.2	- 1.2	- 3.0	- 0.1	- 3.2	78	68	65	02	4	02	5	26	1	9	1	9	8	2.1	2	
22	99.3	99.0	98.1	- 4.4	- 1.0	- 2.4	- 0.2	- 4.7	93	85	79	14	2	27	1	15	3	8	2	1	9	1.8	3	
23	87.0	86.5	88.1	- 2.8	- 1.2	- 3.0	- 0.2	- 4.0	81	64	65	00	0	08	3	08	5	8	9	9	3	0.0	3	
24	96.2	99.3	00.9	- 5.2	- 1.6	- 3.6	- 0.6	- 5.5	66	63	67	24	1	32	1	16	1	9	0	1	0		3	
25	03.3	04.0	04.7	- 7.8	- 0.5	- 3.1	0.2	- **8.2**	76	67	68	00	0	00	0	00	0	6	0	0	8		2	
26	05.1	05.2	04.3	- 6.0	1.2	- 0.9	1.9	- 7.2	59	**39**	50	00	0	17	3	16	3	8	1	9	9		2	
27	02.5	02.5	01.8	- 3.7	- 1.0	- 2.1	- 0.5	- 4.2	60	53	59	00	0	00	0	00	0	7	8	9	8		2	
28	00.8	01.5	01.8	- 2.4	- 1.6	- 1.0	- 0.5	- 3.2	79	71	67	00	0	15	3	16	3	4	9	10	10	0.1	0	
M	96.4	97.4	97.6	0.6	2.5	1.6	3.7	- 0.6	88	82	83		2.4		2.5		2.3	6.6	6.9	7.9	7.9	194	1	

Ekstensotabell

1946

Bergen (Fredriksberg)

$\varphi = 60°\ 24'$ N $\lambda = 5°\ 19'$ E $g = 9.819$ $\Delta G = +1^h$

Mars III

$H_s = 43$ $H_b = 44.4$ $h_c = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	06.4	08.8	10.9	- 1.6	- 1.1	- 1.0	0.1	- 2.5	78	83	75	16	3	16	4	16	4	6	9 ☿	10 ☿	9 ⚋°	0.3	1	* ☿ + n, ☿ a,p
2	14.3	13.6	12.2	- 1.5	2.4	1.4	3.0	- 1.5	72	45	41	00	0	27	1	14	3	8	9 ⚋	9 ⊕	5	0.7	2	⚋ ☿° n, ⚋ ⊙ a, ⊙ ⊕ ⚋ p
3	07.2	08.2	08.8	1.6	3.4	2.5	4.2	0.6	51	61	78	00	0	00	0	00	0	6	9	10 *	10 =		1	* ⊙ a, ♯ p
4	12.1	13.0	13.4	- 0.1	5.1	1.8	5.1	- 0.6	77	52	60	00	0	00	0	00	0	7	9 =	9 ⚋	4 ⚌°	0.0	0	= n, = ⚋ ⊙ a, ⚋ ⊙ p
5	16.3	18.2	19.0	- 1.6	4.6	2.7	5.4	- 1.7	77	48	43	00	0	01	1	02	1	9	1 =	0	0 ⚋°		0	= ⌣ n, = ⊙ a, ⊙ p
6	19.1	18.7	17.0	0.9	4.0	1.8	4.7	- 1.2	53	39	54	00	0	02	2	01	3	9	0	0	0		0	⚋ ⌣° n, ⊙ a,p
7	14.5	13.0	11.0	- 3.9	0.7	- 2.2	1.9	- 4.1	70	38	45	00	0	14	2	06	4	8	9 ⚌°	1 ⚋	8 ⚋°		0	⚌° ⌣ n, ⚌° ⚋ ⊙ a, ⚋° ⊙ p
8	08.2	08.6	09.4	- 3.8	2.5	1.1	3.0	- 4.3	82	56	63	00	0	30	1	00	0	8	2 ⚋	1 ⚋	9 ⚋	0.0	0	⚋ ⌣ *° n, ⚋ ⊙ a,p
9	11.1	11.9	12.6	0.0	5.1	3.2	5.7	- 0.9	82	53	53	00	0	00	0	16	1	7	9 ⚋	9 ⚋	10 ⚋		0	⚋ n, ⚋ ⊙ a,p
10	15.4	17.0	18.5	- 0.5	3.7	3.4	4.7	- 0.5	95	53	56	00	0	16	3	00	0	8	9 ⚋	9 ⚋°	9 ⚋	0.1	1	⚋ *° n, ⚋ ⊙° a, ⚋ ⊙° p
11	21.1	20.8	19.6	- 1.8	4.5	1.8	4.5	- 1.8	83	60	57	18	1	26	2	26	1	8	1 ⚋	1 ⚋	0 ⚋		0	⚋ n, ⚋ ⊙ a,p
12	17.6	16.8	17.0	- 0.2	5.4	2.2	5.4	- 1.4	68	39	43	24	1	12	2	00	0	8	9 ⚋	9 ⚋	1 ⚋		0	⚋ n, ⚋ ⊙ a,p
13	19.4	19.0	17.8	- 2.0	1.5	- 1.5	2.2	- 2.0	42	**37**	40	12	3	22	1	10	1	9	7 ⚌°	0 ⚌°	0 ⚌		0	⚋ n, ⚋ ⊙ a,p
14	17.2	17.0	16.5	- 5.2	- 1.5	- 2.2	- 0.5	- **6.1**	68	63	80	00	0	24	1	18	2	7	9 ⚋	9 ☿	9 ⚋		0	⚋ n, ⚋ ⊙ ☿° a, ☿ ⚋ ⊙ p
15	16.7	16.8	18.6	- 3.8	- 1.1	- 1.0	0.7	- 4.1	85	84	83	13	2	14	2	30	1	7	10 *	10 ⚋	1 ⚋	0.1	0	⚋ * n, * ⚋ a, ⚋ *° p
16	22.7	24.4	**25.0**	- 1.8	3.8	3.2	4.3	- 3.4	95	75	67	14	1	18	2	00	0	8	9 ⚌	9 ⚋	9 ⚋°	1.5	1	⚋ ⚌ * n, = ⚋ ⊙° a, ⚋ ☿° p
17	23.0	22.6	20.8	1.3	2.9	1.8	3.4	0.6	87	78	83	16	3	15	3	16	3	8	8	9(☿)	9 ♯°	0.2	0	⚋ ♯° n, ☿ ⚋ a, ⚋ ♯ p
18	10.6	10.6	09.3	1.6	4.5	5.7	5.7	- 0.5	93	82	83	16	5	15	3	16	4	7	9 ♯	10 ⚋	10 ⚋	5.0	0	♯ n,a, ⚌ a,p
19	04.6	05.1	03.9	5.0	6.3	6.6	6.6	5.5	95	97	95	16	1	16	4	17	5	3	10 •	10 •	10 •	21.4		⚌ • = n, • = • a,p
20	08.4	05.8	97.7	5.5	8.3	7.6	8.9	4.9	92	73	81	14	3	17	4	17	4	9	9 ⚋	10 ⚋°	10 •	22.6		= • • n, ⚋ ☿° a, ⚋° • p
21	93.9	96.1	98.0	5.3	7.3	6.7	7.7	5.0	98	84	84	17	4	24	2	26	2	8	10 •	9 ⚋	9 ⚋	18.0		• = n, = • ☿ ⚋ a, ☿ ⚋ p
22	98.8	96.3	**93.5**	4.3	8.3	7.0	8.9	3.8	95	56	54	17	2	17	3	17	2	8	7 =	1 ⚋	8 ⚋	3.4		⚋ ☿ = ⚌ n, = ⚋ ⊙ a, ⚋ ⊙ p
23	95.2	98.4	99.4	2.5	6.6	5.7	7.1	0.9	90	80	81	15	2	18	2	16	4	8	9 ☿	9 ⚋	9 ⚌°	4.8		⚋ ☿ ♯ n, ⚋ ☿ ⊙° a, ⚋ ☿° ⊙° p
24	99.9	99.5	99.1	4.6	4.0	3.8	5.7	1.4	92	92	90	16	2	18	3	18	3	8	9 ☿	9 ⚌°	8 ☿	9.9		⚋ • ☿ n, ☿ △ ♯ a, ⚋ ☿ ⊙ p
25	02.0	06.0	08.6	3.3	5.8	4.8	6.7	2.8	90	70	68	18	1	32	2	30	1	8	9 ☿°	9 ⚌°	9 ⚋	14.6		☿ • ⚌ n, ☿ ⚋ ⊙ a, ⚌° ⊙ p
26	10.7	13.3	15.9	5.2	6.5	6.7	6.7	2.0	82	93	95	15	2	15	3	15	2	6	10 •°	10 •°	10 •	0.3		⚋ ⚌ •° n, •° ⚋ a, •° • p
27	18.2	17.8	16.6	7.0	7.3	7.0	7.7	6.4	95	96	96	15	3	17	2	13	2	3	10 •	10 •	10 =	5.9		• • n, • • = a,p
28	20.8	22.5	21.7	5.0	9.7	8.4	**11.6**	4.6	99	59	59	00	0	01	1	00	0	9	2 ⚌	1 ⚌°	9 ⚌°	14.6		= • • ⚌ n, = ⚌ ⊙ ≡ a, ⚌° ⊙ p
29	20.3	19.7	17.7	3.2	11.3	9.8	**11.6**	2.3	89	49	64	00	0	17	4	17	4	9	1 =°	9 ⚌°	9 ⚌°			⚌° ⌣ ⊙° n, =° ⊙° ⚌° a, ⚌° ⊙° p
30	21.7	24.1	24.5	5.7	9.1	7.0	9.8	5.5	98	52	61	30	2	32	2	32	2	9	2 =	1 ⚌°	1 ⚌°	2.7		⚋ ≡ ☿ + n, = ⚌° ⊙ a, ⚌° ⊙ p
31	23.4	22.2	19.9	4.3	6.9	6.6	7.6	3.4	87	91	83	00	0	00	0	22	1	6	9 ⚋	10 •°	10 ⚋	0.1		⚋ ☿ n, ⚋ •° • a, • • ⚋ p
M	12.6	13.1	12.7	1.3	4.8	3.6	5.5	0.4	83	66	68		1.3		2.0		1.9	7.5	7.3	6.9	6.9	126		

April IV

1	17.2	17.3	16.1	5.6	6.3	6.4	6.7	5.1	94	96	95	14	1	14	2	16	1	4	10 ⚌	10 •°	10 ⚌	0.3		⚋ ⚌ ⚌° ⚌ n, ⚌ •° • a, ⚌ • • p
2	13.0	11.9	11.2	5.1	7.4	8.5	8.5	4.6	95	93	93	17	3	18	3	18	3	5	10 •	10 •	10 •	3.0		⚌ • n, ⚌° • a, ⚌ • p
3	11.0	13.7	13.0	7.2	12.6	9.1	13.6	7.0	96	71	83	15	2	19	2	17	2	5	10 ≡°	9 ⚌	6 ⚌	24.2		= • ☿ △ ⚋ ≡ n, ≡° ⚌ ⊙ a, ⚌ ⊙ p
4	08.6	06.6	03.3	11.6	14.2	11.7	**15.1**	7.7	68	66	83	16	3	18	4	18	4	7	9 ⚌	9 ⚌	9 ⚌	2.0		⚌ ☿ n, ⚌ ○ a, ⚌ ⊙° ☿ p
5	05.9	07.6	08.5	6.2	7.5	5.3	11.7	5.2	90	67	75	32	1	28	3	26	3	9	9 ⚋	4 ⚌°	9(☿)	7.0		⚌ • ☿ n, ⚋ ⊙ a, ⚌° ⊙ ☿ ⌢ p
6	14.9	18.0	17.0	2.5	6.4	3.5	7.7	1.9	91	47	77	32	2	31	2	17	3	9	1	9 ⚌°	10 •	3.4		⚋ ☿ ⚌ n, ⊙ a, ⚋ • p
7	01.7	02.7	01.2	6.1	7.7	7.8	8.5	1.5	98	95	95	15	3	16	3	18	1	6	10 •	10 •	10(•)	55.1		•⚌ ⚌° n, • ⚌° a, • p
8	01.8	87.7	**86.5**	4.2	4.4	3.2	7.8	2.7	89	83	92	24	2	28	4	02	2	7	9 ☿	9 △	10 ☿	19.7		• ☿ ♯ n, ☿ △ a, ☿ △ • p
9	05.1	08.7	10.2	3.0	3.7	2.1	4.5	0.9	77	50	57	32	4	32	4	32	4	7	9(♯)	9 △	2	5.3		• ☿ ♯ ♯ ⊙° n, ♯ △ ♯ ⊙ a, ♯ △ ⊙ p
10	06.7	17.5	16.2	0.5	3.7	2.7	5.3	- **0.3**	87	56	59	02	4	01	3	32	1	8	9 ♯	9 ⚌°	9 ⚌°	1.8	0	⊙ ♯ n, ♯ ⚌° ⊙ a, ⚌° ⊙° p
11	94.4	92.2	93.7	5.8	7.4	6.2	7.5	- 0.1	95	96	89	20	4	30	2	30	1	7	10 •	10(•)	9 ☿	23.9	0	⚌° ⊙° * ♯ • n, • a, • ☿ ⚋ p
12	98.7	02.0	04.7	2.9	9.7	6.0	9.7	1.5	83	**43**	49	01	1	28	2	27	1	9	1	1	1	7.2		☿° ⌣ ⌣ ⊙ n, ⊙ a,p
13	06.8	05.9	06.4	3.2	4.8	5.9	6.6	2.2	91	94	96	17	4	17	4	15	2	6	10 •	10 •	10 ⚌	0.6		⚋ ⊙ • n, • ⚋ a,p
14	09.1	09.8	09.0	6.1	6.5	6.8	7.3	5.6	91	81	89	19	3	16	2	15	3	7	10 ⚋	10 •°	10 •°	7.2		⚌ •° n, ⚋ • a, •° • p
15	10.4	09.8	09.4	11.0	14.5	12.1	14.6	6.5	64	59	61	16	3	17	5	20	5	9	9 ⚌°	1 ⚌°	9 ⚌°	1.7		•° • ⌣ ⚋ ⊙° n, ⚌° ⊙ a,p
16	10.6	11.1	06.7	8.0	8.5	9.3	12.1	7.4	87	89	82	20	4	18	2	20	2	6	10 ☿°	9 ⚋°	9 ⚋°	0.1		⚌° ☿° n, ⚌° ☿ ⊙° a, ⚋° ⊙° p
17	91.4	89.9	96.5	8.2	7.7	3.9	9.9	3.7	93	94	85	18	5	20	3	04	5	5	10 •	10 •	9 ☿	11.4		⚋° •° n, • ⚋° a, • ⚋° ☿ p
18	98.4	10.5	11.2	4.2	3.3	6.4	7.3	1.9	70	88	82	02	1	32	1	30	1	6	9 ⚋°	10 •	8 ⚋°	5.8		⚋ ☿ ♯ n, ⚌° ⊙° • a, • ☿ ⚋ ⊙ p
19	01.1	**19.7**	18.0	4.4	8.1	6.9	8.7	1.9	89	67	73	14	2	20	4	18	4	9	9 ⚌°	9 ⚌°	10 ⚌°	5.3		⚌ ⊙ • n, ⚌° ⊙° ☿ a, ⚌° ⊙° p
20	14.6	15.2	13.9	6.7	8.6	7.4	9.5	6.2	95	75	84	18	2	18	2	20	3	8	9 ⚌°	9 ⚋	9 ⚋	8.8		⚋ • n, ⚌° ⚋ ⊙ a, ⚋ ☿° p
21	11.5	13.0	14.6	6.1	8.6	5.8	9.5	3.5	90	73	81	20	2	26	3	29	2	8	9 ⚌°	6 ☿°	9 •°	2.9		⚋ ☿ △ n, ⚌° ⊙ ☿° n, ☿ •° ⚌° ⊙ p
22	17.3	16.9	13.9	4.3	6.9	4.8	7.0	3.4	89	71	87	26	1	28	1	15	3	8	9 ☿	9 ⚌°	10 •	1.3		•° ☿ n, ⚌° ⊙° ☿ a, ⚌° • p
23	19.9	00.0	97.4	7.0	4.7	6.4	7.7	4.0	89	88	70	18	5	15	3	20	4	6	10 △	9 ☿	5 ⚌°	4.9		• ☿ △ ⚋ n, ☿ △ ⚋ a, ⚋ ☿ ⊙ p
24	98.1	92.4	95.0	4.9	5.5	3.5	7.1	3.5	83	84	89	16	5	24	3	22	4	6	9 ☿	9 ☿	9 ☿	14.2		⚌° ☿ n, ☿ △ ⚋ ⊙° a, ☿ p
25	97.9	98.2	00.0	5.7	5.4	5.7	7.3	2.9	70	84	91	16	4	18	4	17	4	6	9 ⚋	10 •	10 •	22.5		☿ n, ⚋ ☿ • a, • ☿ p
26	01.8	04.7	05.8	7.2	9.8	10.1	10.3	4.9	90	92	89	16	3	15	3	18	1	6	10 •	10 •	10 =	22.9		• n,a, • • = p
27	03.0	10.0	07.3	7.1	7.7	9.9	10.4	6.9	96	95	82	00	0	32	2	02	2	6	10 ⚌	10 ⚌°	9 ⚋	15.9		= •° •° n, ⚌° • a, ⚌° p
28	11.0	01.3	01.2	4.8	14.5	9.4	14.7	3.9	97	61	74	00	0	30	1	20	3	8	9 ≡	8 ⚋	9 ⚌°	1.5		⚋ = •° ⚌° n, ≡ ⊙ = ⚋ a, ⚌° ⊙ p
29	04.2	06.1	07.0	6.4	11.1	9.9	11.9	5.5	85	68	70	00	0	29	1	30	1	8	9 ⚋	9 ⚋	9 ⚌°			⚌° n, ⚋ ⊙° a,p
30	03.1	10.0	10.4	7.2	11.9	10.4	11.9	5.5	83	63	59	00	0	28	2	28	1	9	1	1	1			⚋ ⚌ ⊙ n, ⊙ a,p
M	06.6	07.0	06.8	5.8	8.0	6.9	9.3	3.9	87	76	80		2.5		2.7		2.5	7.0	8.6	8.3	8.3	280		

Ekstensotabell

1946

Bergen (Fredriksberg)

$\varphi = 60°\ 24'$ N $\lambda = 5°\ 19'$ E $g = 9.819$ $\Delta G = +1^h$

Mai V

$H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w				Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19				
1	12.1	12.6	11.9	6.0	11.3	2.7	11.8	5.1	94	60	63	32	1	28	3	29	1	9	7 =	7	4				⚌ ◠ ⊙ n, ⚌° ⊙ a, ⊙ p
2	12.1	12.2	12.5	6.8	11.1	9.0	11.8	5.2	91	60	56	00	0	28	2	30	1	8	1 ⚌°	9 ⚌°	9				⚌° ◠ n, ⚌° ⊙ a,p
3	15.0	16.1	17.7	6.6	9.0	8.8	10.8	4.7	91	84	81	18	2	19	2	30	2	6	10 •	10 •	9 ⚌°		0.2		• •° ◠ n, • • a, • ⚌ ⊙ p
4	20.6	19.0	17.2	6.8	10.1	8.4	10.4	5.4	88	66	71	00	0	26	1	32	3	8	1	9 ⚌°	9 ⚌°		1.5		⚌° ◠ ⊙ n, ⊙ ☃° ⚌° a, ⚌° ⊙° p
5	15.7	16.2	17.9	5.2	9.3	7.8	10.2	3.3	63	37	52	04	4	04	5	32	4	9	1	1	1		0.4		⊙ ⚌° ☃ n, ⊙ a,p
6	23.3	23.3	23.4	5.4	9.3	7.0	10.4	2.7	71	53	89	30	1	28	2	00	0	9	3 ⚌°	10 ⚌°	10 ⚌				⊙ ⚌° ◠ n, ⚌° ⊙ a, ⚌° p
7	20.8	19.4	18.4	7.2	9.6	8.3	11.2	6.8	97	78	54	32	1	32	3	03	4	7	10 •°	10 ⚌°	1 ⚌°		0.0		⚌ = ≡°,° n, ⚌° =° ,° a, ☃ ⚌° ⊙ p
8	18.9	19.1	18.9	5.4	7.8	8.2	9.3	4.0	57	50	60	03	3	02	5	32	3	9	7	1	1		0.0		⚌° ⊙ n, ⊙ a,p
9	20.4	19.9	18.5	6.2	8.8	9.1	9.9	4.9	80	85	74	28	2	29	1	32	2	7	9 ⚌°	10(☃)	9 ⚌				⊙ ⚌° n, ⚌° ⊙° ☃° a, ⚌ ☃° p
10	15.8	16.4	16.6	7.8	7.7	7.5	9.3	6.3	89	60	61	32	2	01	3	04	4	9	9 ⚌	9 ⚌°	1		1.5		⚌ • ☃° ⊙° n, ⚌ ⊙ a, ⚌° ⊙° p
11	18.8	17.1	16.3	6.3	10.7	7.6	11.6	4.1	74	49	56	32	2	32	2	32	3	9	1	1	9				⊙ ◠ n, ⊙ a,p
12	09.7	08.2	07.9	4.5	8.5	7.4	9.6	3.4	95	71	74	15	2	02	2	03	3	9	10 •	9(☃)	3		4.5		⊙ • ⚌ n, •° ⚌ ☃ ⊙ a, ☃ ⊙ p
13	06.9	05.3	03.7	7.1	9.2	7.9	10.6	3.9	70	56	60	04	2	32	4	02	4	9	2	8	2		6.7		☃ ⚌ ◠ ⊙ n, ⊙ ☃° a, ⊙ p
14	99.4	98.1	97.6	6.4	10.9	9.1	11.7	3.7	70	52	56	01	2	30	2	06	3	9	1	6	9		0.0		⊙ ◠ n, ⊙ a, ⊙ ☃° p
15	97.1	99.1	01.6	6.1	8.0	7.4	9.5	3.9	88	81	82	00	0	04	2	32	1	8	9 ⚌	9(☃)	9 ☃		0.0		⊙ ⚌° ◠ n, ⚌ ☃° ⊙° a, ☃ ⚌° ⊙° p
16	07.5	09.7	11.6	8.0	9.8	10.5	11.4	4.6	70	61	59	00	0	31	1	03	2	9	9	8	3		2.4		⊙ ☃ ◠ n, ⊙° ☃° a, ⊙ ☃° p
17	15.9	17.8	19.2	8.3	15.1	12.5	15.4	4.8	78	47	45	00	0	32	3	32	3	9	0 ⚌°	8 ☃°	3		0.2		⊙ ⚌ ◠ n, ⚌° ⊙ ☃° a, ⊙ ☃° p
18	22.7	21.6	20.4	11.0	15.4	13.2	15.8	10.0	70	43	33	00	0	30	2	04	3	9	1 ⚌	2	9		1.1		⚌ ⊙ ◠ n, ⊙ a,p
19	14.7	12.7	12.9	9.9	16.1	16.1	17.2	6.6	63	46	49	02	3	32	3	31	1	9	1	1	1				⊙ n, a, p
20	17.1	17.0	15.2	12.4	15.7	15.8	16.8	7.9	61	52	43	00	0	31	2	32	3	9	0 ⚌°	1	1				⊙ ⚌° ◠ n, ⚌ ⊙ a, ⊙ p
21	13.2	13.8	13.0	14.1	20.0	17.6	22.6	8.8	54	37	46	00	0	02	1	20	2	9	9	9	9 ⚌				⊙ ◠ n, ⊙ a,p
22	15.9	19.4	20.8	14.4	13.3	11.4	17.8	11.4	80	91	95	04	1	30	1	30	2	7	9 ⚌°	10 •°	10 ⚌		0.1		⚌ ◠ ☃ n, ⚌ •° a, •° ☃ ⚌ p
23	25.0	24.9	24.1	14.8	17.6	15.6	18.3	10.7	68	49	49	06	1	00	0	32	3	9	6 ⚌°	1	1		2.8		⚌ •° ☃ n, ⚌ ⊙ a, ⊙ p
24	22.5	20.3	17.8	13.1	18.2	17.9	19.5	8.6	61	43	38	00	0	28	3	32	2	9	0 ⚌°	0	7				⚌° ⊙ ◠ n, ⚌ ⊙, a, ⊙ p
25	16.8	13.9	13.6	13.5	22.3	17.0	22.8	9.6	66	26	53	00	0	10	3	28	1	9	3 ⚌	1	5 ⚌				⊙ ⚌ ◠ n, ⚌ ⊙ a,p
26	13.6	13.2	11.3	15.4	20.7	19.8	23.2	10.8	52	35	39	30	1	31	1	03	3	9	9 ⚌°	8	1				⚌° ⊙ ◠ n, ⚌° ⊙ a, ⊙ p
27	10.3	08.6	07.7	18.4	25.3	22.9	26.8	12.4	47	26	33	00	0	06	3	00	0	9	9 ⚌°	6	1				⊙ ⚌° ◠° n, ⚌° ⊙ a, ⊙ p
28	08.8	09.6	09.9	17.4	19.9	15.4	23.2	15.4	64	73	89	00	0	28	1	29	2	8	9 ⚌°	6 ⚌	9 ⚌°				⊙ ⚌ ◠ n, ⚌ ⊙ a, ⚌ ⊙ •° p
29	09.1	08.5	07.9	16.1	20.5	18.1	24.1	12.0	87	63	80	00	0	28	2	32	2	7	3 ⚌°	9 ⚌°	9 ⚌		0.0		⚌° •° ◠ ⊙ n, ⚌ ⊙ a, ⚌° ⊙ ☃ ☈° p
30	06.8	04.6	01.8	14.7	22.5	19.0	23.8	14.4	97	59	73	00	0	00	0	00	0	8	10 ≡°	9 ⚌°	9 ⚌		1.0		⚌ ◠ ≡ • n, ≡° ⚌ ⚌ ⊙ a, ⚌ ⊙° ☃ p
31	98.5	97.5	95.1	15.1	17.7	14.3	19.2	12.8	68	61	87	16	3	20	4	16	1	8	1	9 ⚌	10 •°		5.5		⚌ ◠ ⊙ ☃ •° n, ⊙ ⚌ a, ⚌ ⊙ • p
M	13.7	13.4	13.0	10.0	13.9	12.3	15.4	7.3	74	57	62		1.1		2.2		2.2	8.5	5.2	6.4	5.6	28			

Juni VI

1	90.0	88.0	88.2	11.6	14.0	12.5	15.6	10.6	78	71	73	16	1	21	2	21	2	7	10 ⚌	10 •	3 ⚌		1.5		⚌ • ◠ n, ⚌ ⊙ • a, • ☃° ⚌ ⊙ p
2	86.1	84.4	84.2	12.8	16.2	13.2	17.0	9.0	73	54	60	00	0	26	3	32	2	8	7	9 ⚌	10		1.7		⚌ ⊙ ◠ •° n, ⊙ a, ⚌° ⊙° p
3	89.5	92.2	94.4	10.8	13.6	12.3	13.8	10.0	84	68	75	30	1	00	0	00	0	9	10 ⚌°	9 ⚌°	9 ⚌°		0.0		⚌° •° n, ⚌° ⊙° a, ⚌° •° p
4	00.0	01.9	02.0	11.2	13.3	13.1	15.5	9.9	84	73	66	00	0	30	2	20	3	9	9 ⚌°	9	9		2.2		⚌° ☃ ◠ n, ⚌° ⊙° a, ⊙ p
5	94.7	88.8	85.4	12.7	13.1	12.0	14.1	10.3	61	87	93	17	4	18	4	18	5	6	10 ⚌°	10 •	10 •				⊙° ⚌° n, ⚌° ⊙° • a, • p
6	83.7	89.5	94.3	10.0	11.0	10.5	12.8	8.8	94	78	75	21	4	24	3	24	4	8	10 ☃	9 ⚌	10(☃)		23.4		• ☃ ⚌ n, ⚌ ☃ a, ⚌ ☃ ⊙° p
7	01.7	06.4	09.2	10.0	11.5	10.8	12.5	8.4	73	71	68	18	2	20	2	24	2	8	8 ⚌°	9 ⚌°	6 ⚌°		1.7		⚌ ☃ ◠ ⊙ n, ⚌° ⊙° ☃ △ a, ⚌° ⊙° ☃ p
8	14.3	14.0	12.0	10.4	13.1	13.7	14.6	8.8	81	75	67	18	3	16	2	19	2	8	4	9 ⚌	9 ⚌		5.2		⚌° ☃ ◠ ⊙ n, ⚌ ⊙° ☃ a,p
9	03.4	99.9	99.6	9.9	11.5	11.2	13.9	9.8	95	89	82	02	2	04	2	01	2	7	10 •	10 •°	9		3.8		⚌ ⊙° • n, • ⊙° a, ⊙° •° p
10	98.6	96.6	94.1	11.9	13.2	12.4	13.6	9.8	88	73	80	00	0	00	0	00	0	8	9	9 •°	9 ⚌°		5.1		⊙° ☃° ◠ n, ⊙° •° a, • ⚌° p
11	91.7	95.7	98.9	13.2	12.4	10.2	14.7	10.1	82	74	89	04	2	32	3	30	2	9	2	9	10 ☃		3.6		⊙ ⚌° ◠ n, ⊙ a, ⊙° ☃ p
12	04.4	08.8	11.2	10.6	11.8	11.0	12.4	9.1	87	68	68	26	2	32	3	05	3	8	9	9 ⚌°	6		3.0		⊙° ☃ ◠ n, ⊙° ⚌° ☃° a, ⚌° ⊙° p
13	15.3	16.6	16.0	8.9	11.4	11.1	12.8	7.2	81	67	59	03	1	00	0	02	3	9	10 •	9 ⚌°	2		0.2		⊙ • n, • ⚌° ⊙° a, ⚌° ⊙ p
14	15.2	13.1	11.2	10.6	16.9	16.8	18.6	6.3	70	47	49	02	2	01	3	32	2	9	0	1	1		1.4		⊙ ◠° n, ⊙ a,p
15	07.7	05.8	03.2	14.5	18.5	17.6	19.7	9.2	56	39	33	00	0	30	2	01	2	9	1	1	3				⊙ ◠ n, ⊙ a,p
16	02.6	03.8	04.5	12.2	14.5	13.8	17.7	8.2	73	66	66	17	3	20	3	19	2	9	9	8 ⚌°	1 ⚌°				⊙ ◠° n, ⊙ a, ⚌° ⊙ p
17	05.5	05.7	03.7	11.4	11.6	14.7	16.3	8.3	77	80	56	00	0	15	2	01	2	7	9 ⚌	9 ⚌	9 ⚌°				⚌° ⊙ ◠ n, ⚌ ⊙° ☃ a, ⚌ ⊙ p
18	98.2	97.6	97.0	12.5	12.4	11.2	15.0	10.7	88	92	92	00	0	18	1	18	2	7	9 ⚌°	10 •°	10 •		0.9		⚌ ⊙° • ◠ n, ⚌° ⊙° • a, • ⚌ ⊙° p
19	96.9	97.5	98.7	11.4	12.9	10.5	14.2	9.6	80	75	92	18	2	21	4	19	2	9	9 ⚌°	8	9 ☃°		10.8		• ☃ ⚌° ◠ ⊙° n, ⚌° ⊙° ☃ a, ⊙ ☃ p
20	01.0	03.0	05.2	10.2	10.6	9.8	11.6	8.9	91	87	94	18	3	18	6	19	4	6	9 ☃°	10 ☃	10 •		5.6		☃ •° n, ☃ ⊙° a, ☃ • p
21	11.2	15.0	17.5	9.2	13.5	14.1	15.0	8.8	95	67	67	00	0	26	1	32	3	9	9 •°	9	3		19.3		• ⚌ ◠ • ⚌ n, ⚌° • ⊙ a, ⊙ p
22	20.0	20.7	20.2	11.2	11.6	11.7	14.2	10.2	84	90	96	19	2	17	3	16	3	6	10 ⚌°	10 •°	10 •		0.2		⊙ ☃ ⚌° n, ⚌° • a, • •° p
23	17.8	16.3	15.0	13.0	15.6	15.6	16.4	11.5	87	81	81	18	3	18	4	16	2	8	9 ⚌°	10 ⚌	9		1.6		•° ◠° ⚌ n, ⚌° •° a, ⚌ p
24	11.0	08.5	09.0	15.3	22.1	14.4	22.9	10.4	94	60	91	00	0	22	3	16	2	8	1 ≡°	9 ⚌	10 •		0.3		≡ ◠° •° ⊙ n, ≡° ⊙ ⚌ a, ⚌ ⊙° • p
25	06.2	05.4	04.5	13.8	15.9	13.6	16.9	12.1	92	80	94	10	1	01	2	32	1	8	9 •°	10 ⚌	10 ⚌		12.3		• ◠ n, •° ⚌ a, ⚌ • p
26	06.8	06.6	06.4	11.5	15.7	15.4	16.6	11.2	96	75	75	00	0	30	1	01	2	8	10 •°	9 ⚌°	9 ⚌°		10.5		⚌ • ◠ n, •° ⚌ ⊙° a, ⚌° ⊙° p
27	07.9	07.7	07.4	13.0	17.9	17.2	18.6	11.4	91	53	47	00	0	28	2	30	1	9	1	1	1		0.1		⊙ ⚌° ◠ n, ⊙ a,p
28	04.1	03.7	04.1	14.8	13.6	13.7	17.4	12.5	73	89	88	18	3	19	3	18	4	6	10 •°	10 •	10 ⚌		0.0		⊙ •° ⚌ n, • ⚌ a, • p
29	06.6	08.8	08.1	14.0	16.6	14.5	16.8	11.6	81	53	68	18	4	20	4	20	4	9	9 ☃°	1	9		5.4		⚌ ☃° n, ☃° ⚌ ⊙ a, ⊙ p
30	02.9	07.3	10.6	13.8	14.4	13.6	15.0	11.3	91	71	66	20	4	28	2	28	2	9	9 ⚌	9	7		2.7		⊙ • ⚌ n, ⚌ ⊙ a, ⊙ ☃ p
M	03.2	03.6	03.9	11.9	14.0	13.1	15.5	9.8	83	72	74		1.6		2.4		2.3	8.0	7.7	8.2	7.4	122			

Ekstensotabell

1946

Bergen (Fredriksberg)

φ = 60° 24' N λ = 5° 19' E g = 9.819 ΔG = + 1^h **Juli VII** H_s = 43 H_b = 44.4 h_t = 1.8 h_a = 10.7 h_d = 10.3 h_r = 1.3

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	10.8	13.7	15.1	11.8	12.7	12.8	13.8	11.4	80	83	82	24	4	32	3	28	2	7	9 ☿	9(☿)	9 ⚋	1.3		⊙ ☿ n, ☿ ⚋ ⊙° a, ⚋ ☿ ⊙° p
2	12.9	11.2	09.1	13.0	14.7	16.7	16.8	11.5	74	93	90	16	3	18	4	18	4	5	10 ⚋	10 •	10 ⚋	3.7		⚋ ☿ n, ⚋ • a, ⚋ •° p
3	08.7	10.4	09.9	15.4	15.1	14.3	16.8	14.3	94	95	97	18	3	18	2	32	1	6	10 ⚋	10 ⚋	10 ◦	11.0		⚋ • ☿ ⚋ n, ⚋ ☿ a, ⚋ ≡ •° ◦ p
4	09.4	06.7	03.3	14.4	19.3	18.0	20.2	12.8	96	78	90	00	0	00	0	18	3	5	9 ≡	9 •°	10 ⚋	1.8		≡ = • ⚋ n, ⚋ ⊙° •° a, ≡ •° ☿ p
5	97.5	99.8	01.1	17.5	15.5	14.6	20.9	14.5	91	80	81	19	4	21	4	21	5	7	10 •⚋	9 ⚋	9 ⚋	13.6		⚋ ☿ ⚋ n, •⚋ ⚋ a, ⚋ ☿° p
6	05.6	09.6	13.3	12.0	14.0	12.8	14.8	11.3	90	84	85	17	3	28	1	01	3	9	9(☿)	9(☿)	9 ⚋	26.4		⚋ ☿ ◠ n, ⚋ ⊙° ☿ a, ☿ ⊙ p
7	21.8	23.3	**24.2**	13.0	14.5	13.7	15.8	10.7	75	70	70	00	0	29	2	31	1	9	9	9 ⚋	9 ⚋	12.5		⚋ ⊙ ☿° ◠ n, ⚋ ⊙° ☿ ☼, ⊙°⚋•° p
8	24.0	23 7	22.6	14.0	15.3	15.1	15.9	12.0	74	80	93	18	3	20	3	00	0	7	9	10 •◦	10 •◦	0.3		⚋ •° ◠ n, ⊙' ⚋ •° a, ⚋ • p
9	20.8	20.4	21.4	14.5	14.5	14.0	15.2	12.9	94	95	78	00	0	00	0	02	2	3	10 •	10 •	4 ⚋	2.6		• ⚋ ◠ n, ≡ • a, ≡ • ⊙ ⚋ p
10	22.3	22.4	22.4	11.4	14.9	13.6	15.9	**10.5**	91	70	70	32	2	01	1	32	2	8	9	9 ⚋	9 ⚋	6.5		⚋ ⊙ ☿ ◠ n, ⚋ ⊙ ☿ a, ⚋ ⊙° p
11	19.2	17.2	15.7	13.3	17.5	15.3	18.4	10.7	84	63	73	00	0	31	2	00	0	8	9 ⚋	9 ⚋	9 ⚋	0.4		⚋ ⊙ ◠ n, ⚋ ⊙ a, ⚋ ⊙° p
12	12.9	13.4	13.4	15.3	18.7	17.6	20.0	13.2	78	70	78	16	2	20	4	16	2	8	10 ⚋	9 ⚋	9 ⚋	0.0		⚋ ⊙° •° n, ⚋ ⊙° a, ⚋ ⊙ p
13	11.8	10.3	08.9	16.6	20.7	19.2	21.9	13.1	81	63	61	00	0	22	4	21	3	8	10 ⚋	9 ⚋	8 ⚋			⚋ ⊙ ◠ n, ⚋ ⊙ a, ⚋ ⊙ p
14	01.5	99.3	99.6	21.3	25.0	19.6	25.8	15.3	40	34	77	13	2	15	3	28	2	9	9	9	9 ☿			⚋ ⊙ n, ⊙ a, p
15	00.2	01.0	01.1	22.2	23.8	23.3	24.5	15.7	49	39	42	10	3	32	1	12	2	9	9	9	9	1.3		⊙ ☿ ◠ n, ⊙ a, ⊙° p
16	99.9	98.8	00.4	22.4	26.5	20.7	**27.7**	17.6	50	**29**	64	06	1	13	2	14	4	9	1	1	1			⊙ n, a, p
17	03.3	04.9	05.2	21.7	20.7	21.1	23.7	14.2	53	63	54	00	0	29	2	01	3	9	1	8	1			⊙ ◠ n, ⊙ a, p
18	03.6	06.3	07.8	21.2	17.9	16.6	23.9	16.1	57	85	80	00	0	18	2	20	2	7	1	9 •◦	10 ⚋			⊙ ◠ n, ⊙ • a, •° ⚋ p
19	06.5	05.5	05.4	16.7	20.3	18.0	21.8	14.0	85	57	73	00	0	00	0	20	2	8	0 ⚋	9 ⚋	9(☿)	0.1		⊙ ⚋ ◠ n, ⚋ ⊙ a, ⚋ ☿ ⊙° p
20	04.0	04.2	04.5	15.6	18.1	14.7	19.3	13.2	91	64	85	00	0	19	3	18	3	8	9 ⚋	8(☿)	9 ⚋	4.2		⚋ ☿ ⊙ ⚋ n, ⚋ ⊙ ☿ R a, ⚋ ⊙° ☿ p
21	03.4	03.2	03.1	16.2	16.0	15.1	19.7	13.4	77	80	88	17	2	22	4	18	3	7	9 ⚋	9(☿)	9(☿)	8.8		⚋ ☿ ⊙° ◠ n, ⚋ ⊙° ☿ a, ⚋ ☿ ⊙° p
22	02.5	04.6	04.9	12.7	15.9	15.7	16.6	12.4	95	78	71	14	2	20	4	18	3	7	10 ⚋	9(☿)	4(☿)	15.3		⚋ ☿ ◠ n, ⚋ ☿ ⊙° a, p
23	05.0	05.4	06.5	13.7	14.2	15.6	15.8	12.1	92	95	95	18	4	18	4	18	4	5	10 •	10 •◦	10 •◦	6.2		⚋ ☿ • ◠ n, • ⚋ a, p
24	05.9	05.4	05.1	17.2	18.6	16.8	19.0	15.5	91	84	93	16	4	19	5	18	4	6	10 ⚋	10 ⚋	10 •◦	8.4		⚋ •° ☿ n, ⚋ ☿ a, ⚋ ☿ • p
25	06.6	08.5	10.0	15.6	19.1	16.9	19.7	15.3	93	59	70	20	3	20	2	21	4	9	9 =°	1	6 ⚋	15.9		• ☿ ⚋ =° n, =° ⊙ a, ⚋ ⊙ p
26	13.8	14.7	12.9	15.1	18.5	17.1	19.5	12.9	80	60	61	16	2	21	4	21	2	9	7	4 ⚋	9			⚋ ⊙ ◠ n, ⊙ a, ⚋ ⊙ p
27	97.2	**92.1**	96.5	16.2	18.9	13.6	22.0	13.3	66	81	94	10	2	20	5	21	6	8	10 R	9 ☿	10 ☿	0.8		⊙ ☿ n, ☿ R ⊙° ⚋ a, ⚋ • ☿ ≀ p
28	03.6	05.4	05.2	12.7	13.8	14.0	15.0	12.3	93	92	75	19	2	21	2	21	3	7	10 ⚋	10 ☿	9	32.4		☿ • ⚋ n, ⚋ ☿ a, ⚋ ☿ p
29	99.6	97.8	97.3	13.6	15.1	14.1	15.7	12.6	82	66	81	17	3	18	4	21	3	7	9 ⚋	10 •◦	9 ⚋	10.9		⊙° ☿ ⚋ ◠ n, ⚋ ⊙° •° a, ⚋ •° p
30	97.4	97.8	96.2	13.4	15.5	13.8	16.6	12.8	91	66	82	18	1	21	3	14	2	9	10(•)	7	9 ⚋	0.2		⚋ •° ◠ n, •° ☿ ⚋ a, ⊙° ☿ ⚋ p
31	92.9	95.5	97.4	13.3	16.1	14.4	16.1	12.5	93	74	93	00	0	00	0	00	0	7	9 ⚋	10 ☿◦	9 ☿	7.8		⚋ ⊙° ☿ n, ⚋ ☿° a, ☿ ⚋ ⊙° p
M	07.2	07.5	07.7	15.6	17.5	16.1	19.0	13.2	80	72	78		1.8		2.6		2.6	7.4	8.3	8.5	8.3	192		

August VIII

1	01.3	03.3	03.7	12.8	14.0	15.3	16.6	12.6	95	85	82	03	1	32	2	01	3	8	9 ☿	9 ☿	3	14.8		☿ n, ☿ ⊙° a, ☿ ⊙ p
2	04.5	01.0	97.4	13.3	16.0	14.4	16.7	11.6	83	64	73	00	0	23	3	18	2	9	9	9	10 •◦	2.0		⊙ ☿° ◠ n, ⊙° a, p
3	96.3	96.6	97.1	12.4	14.2	14.0	15.4	11.6	87	81	80	26	3	20	3	26	3	7	9	9(☿)	9 ⚋	12.4		• ☿ n, ☿ ⊙° a, ☿ ⚋° ⊙° p
4	02.4	06.8	08.3	12.8	14.5	14.5	15.8	10.6	96	88	75	28	3	29	2	00	0	7	9(☿)	9 ☿°	9	20.9		⚋ ☿ ◠ n, ☿ ⊙ a, ☿° ⊙° p
5	08.5	09.2	08.7	12.5	17.2	17.4	19.7	**9.2**	89	61	81	00	0	19	3	22	2	9	9 ⚋	10 ⚋	9 ⚋	0.9		⊙ ◠ ⚋ n, ⚋ a, ⚋ ⊙ p
6	07.1	06.9	05.5	15.2	20.3	18.8	20.6	13.1	93	61	74	00	0	18	3	20	2	7	9 =°	9(☿)	9 ⚋			⚋ = ◠ ⊙°n, =°⊙°☿°⚋ a, ⚋ ☿°⊙° p
7	02.2	02.0	00.3	13.7	15.3	14.7	19.0	13.6	94	85	85	17	3	18	4	17	2	7	10 •	10 ⚋	9 ⚋	11.6		⚋ • n, • ⚋ ⊙° a, ⚋ ⊙° ☿ p
8	99.1	99.0	98.2	12.8	15.6	16.0	18.3	12.0	93	70	66	00	0	20	3	02	1	8	9 ☿	9 ⚋°	1 ⚋°	5.9		⚋ ☿ ◠ n, ☿ ⚋ ⊙° a, ⚋° ⊙ p
9	96.7	94.2	96.7	13.0	18.4	12.2	18.8	10.5	84	60	94	22	1	03	2	19	3	9	1	9 ⚋°	10 ☿	2.1		⚋° ⊙ ☿ ◠ n, ⚋° ⊙ a, ⊙ ⚋ ☿ • R p
10	98.7	99.4	95.7	12.3	14.0	13.6	16.7	10.8	87	73	88	17	4	17	4	00	0	7	9 ☿	10 •◦	10 •	32.6		• ☿ R ◠ n, ☿ • ⊙ a, • p
11	**82.6**	89.6	01.2	15.5	12.1	11.7	18.8	10.9	92	94	94	00	0	19	7	20	4	4	9 ☿	10 •	10 •	26.1		• ☿ R ⚋ n, ☿ ⚋ • a, • p
12	08.4	08.2	06.7	13.2	16.0	16.0	16.6	11.6	90	73	68	18	3	19	3	16	1	7	9 ☿	9 ☿°	9 ⚋°	50.2		☿ ⚋ n, ⚋ ☿° ⊙ a, ☿° ⊙ ⚋° p
13	99.6	95.8	93.3	15.2	19.6	18.2	20.1	12.4	68	60	66	30	1	03	2	02	1	9	9 ⚋°	9 ⚋°	9 ⚋°	0.2		⚋° ⊙ ◠ ⚋ n, ⚋° ⊙° a, p
14	94.0	97.3	99.7	13.5	12.9	12.4	18.5	12.4	96	92	90	02	3	32	3	32	3	7	10 •	10 •	10(☿)	3.7		⚋° • ◠ n, • a, • ☿ p
15	92.3	93.6	94.2	11.4	14.0	12.6	15.6	10.8	96	80	83	32	2	28	1	03	2	9	9 ☿	8(☿)	9 ☿	13.5		☿ n, ☿ ⊙ a, p
16	03.9	03.5	02.8	11.1	14.2	13.5	15.5	10.4	94	83	70	00	0	30	1	29	1	9	9(☿)	7(☿)	7	6.8		☿ ◠ n, ⊙ ☿ a, ⊙ p
17	04.2	04.4	04.8	12.1	15.7	13.5	15.9	9.8	78	61	74	18	1	20	3	18	3	9	8	9	9(☿)	0.4		⊙ n, a, ⊙° (☿) p
18	05.5	06.4	05.5	12.0	14.8	14.5	15.9	11.0	93	81	70	16	2	15	2	22	2	9	9	9	8	12.0		☿ ⊙ ◠ n, ⊙ ☿ a, ⊙ p
19	05.1	06.8	07.4	12.7	14.4	15.3	15.7	11.9	84	74	74	17	3	18	4	20	4	6	10 •◦	10 •◦	7 ⚋	0.8		⊙ •° ⚋ n, ⚋ • a, ⚋ • ⊙° p
20	10.4	10.9	10.6	11.1	20.0	17.8	20.9	9.5	94	61	54	00	0	32	1	01	3	7	0 ⚋	4 ⚋	0 ⚋	1.9		⚋ ◠ ⚋ ⊙° n, ⚋ ⊙ a, p
21	11.4	11.1	10.1	12.3	20.0	19.0	21.1	10.5	94	64	66	00	0	28	1	30	1	8	1 ⚋	1 ⚋	1 ⚋			⚋ ⊙ ◠ n, ⚋ ⊙ a, p
22	10.2	10.2	10.4	12.5	21.3	18.3	21.8	11.0	94	52	70	00	0	22	2	30	1	9	1 ⚋	1 ⚋	1 ⚋			⚋ ⊙ ◠ n, ⊙ ⚋ a, p
23	11.4	**12.1**	11.6	15.0	16.2	15.8	18.5	12.6	80	92	81	15	2	22	2	19	2	9	9 ⚋	10 ⚋°	9 ⚋			⚋ ⊙ n, ⚋ a, ⚋° ⊙° p
24	10.0	09.3	08.7	15.9	18.8	17.5	20.8	14.4	80	57	77	17	2	22	4	22	2	7	9 ⚋	9 ⚋	7 ⚋			⚋ ⊙ n, ⚋ ⊙ a, p
25	08.5	08.3	07.5	16.5	22.3	20.0	23.3	14.3	70	**43**	60	00	0	19	3	30	1	8	4 ⚋	9 ⚋	9 ⚋			⚋ ⊙ n, ⚋ ⊙ a, p
26	07.9	06.4	05.8	15.8	23.3	19.9	**24.7**	14.1	77	50	59	27	1	02	2	01	1	9	10 •◦	3	9 ⚋	0.1		⚋ ⊙ •° n, ⚋ ⊙ •° a, ⚋° ⊙ ☿ p
27	05.3	05.0	03.9	17.0	18.4	19.0	20.2	16.1	70	68	66	00	0	00	0	02	2	8	10 ⚋	9 ⚋	9	0.0		⚋ n, ⚋ ⊙° a, p
28	03.9	02.9	02.1	14.6	18.7	17.0	20.8	13.6	67	46	63	00	0	22	2	00	0	9	9 ⚋	9	9 •◦			⚋ ⊙ n, ⚋° ⊙ a, ⊙° •° p
29	97.0	95.8	95.6	15.8	18.1	18.1	19.9	14.9	61	53	70	10	3	18	4	15	3	7	9	10 •◦	9(☿)	0.1		•° ☿° ⊙° n, •° ⚋ a, ⚋ •° ⊙° p
30	98.3	00.7	02.8	14.0	15.7	12.6	18.3	12.5	75	73	91	18	3	18	4	17	2	8	10 •	9 ⚋°	9 ☿	3.3		☿ ⚋ n, • ⚋° ☿ ⊙ a, ⚋° ⊙ ☿ p
31	05.2	07.4	08.2	15.0	19.0	16.8	19.6	12.1	60	50	75	17	3	18	3	00	0	9	9	8	9 ⚋	7.1		☿ ⊙ n, ⊙ a, ⊙ ⚋ ☿ p
M	03.3	03.7	03.7	13.6	16.9	15.8	18.7	12.0	84	69	75		1.4		2.7		1.8	7.9	7.9	8.3	7.7	229		

Ekstensotabell

1946

Bergen (Fredriksberg)

$\varphi = 60°\ 24'$ N $\lambda = 5°\ 19'$ E $g = 9.819$ $\Delta G = +1^h$

September IX

$H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	06.3	03.9	01.6	13.0	17.4	16.3	18.8	12.3	93	64	68	00	0	02	1	01	2	9	10	9	9	0.5		
2	94.3	95.6	96.7	13.3	14.9	14.2	16.4	12.7	95	77	78	00	0	21	4	20	3	9	10	8	1	2.4		
3	98.2	00.0	00.7	14.2	15.0	14.7	17.5	12.0	77	67	74	18	3	21	4	00	0	8	9	8	1	2.8		
4	02.8	02.4	01.5	10.5	17.5	16.4	18.8	9.4	96	**57**	66	00	0	30	1	01	3	9	1	1	1	0.1		
5	99.5	99.4	99.9	12.5	18.7	15.2	**19.1**	10.7	88	60	81	00	0	00	0	00	0	8	9	7	9			
6	99.8	01.2	00.9	13.8	16.1	14.2	16.4	13.0	89	77	92	16	1	19	3	18	2	7	9	9	9	12.3		
7	03.1	03.2	03.5	12.5	16.8	15.0	17.8	12.4	93	64	78	17	2	22	1	00	0	9	9	7	9	12.6		
8	04.9	04.8	03.4	10.3	17.1	14.4	17.9	9.5	96	61	84	00	0	22	3	20	2	8	9	8	9	0.1		
9	01.1	01.1	01.4	12.9	12.6	11.8	17.1	11.7	93	90	93	00	0	22	2	26	1	5	3	9	9	12.4		
10	01.6	99.8	99.9	10.0	11.9	11.7	13.3	9.6	94	89	87	14	4	18	3	20	1	7	9	9	9	23.1		
11	97.9	98.5	00.4	11.0	15.4	14.8	17.1	10.5	94	67	67	00	0	02	1	02	2	9	9	6	1	24.1		
12	07.1	08.9	09.3	9.4	17.7	13.6	17.9	8.5	96	68	67	00	0	02	1	02	2	9	0	1	9	0.1		
13	03.3	97.8	95.0	12.2	14.7	11.8	15.8	10.0	91	64	91	00	0	16	2	18	4	7	10	10	9	1.2		
14	87.7	91.1	92.0	12.4	12.9	11.7	14.0	10.8	75	84	94	19	3	23	4	17	3	8	10	9(·)	9(·)	6.7		
15	**80.0**	88.1	95.0	8.8	11.2	11.8	13.1	8.6	95	89	73	16	2	28	4	28	2	7	10	9(·)	9	47.4		
16	01.2	02.1	02.0	13.2	12.5	12.5	13.6	10.8	88	89	87	19	3	18	4	18	5	7	9(·)	9(·)	9	8.4		
17	01.4	00.0	97.7	13.2	14.7	12.8	14.9	11.8	88	60	73	18	4	20	5	18	5	7	10	10	10	17.8		
18	92.9	93.1	91.8	10.4	11.4	11.3	13.2	9.0	91	83	83	16	3	21	4	18	4	7	9	8	6	8.5		
19	88.1	88.7	88.3	8.6	10.8	10.8	13.3	7.9	90	82	84	00	0	28	2	20	2	6	9	9	9	19.9		
20	87.0	88.3	88.6	9.9	11.5	9.9	11.7	9.0	91	83	85	17	3	17	3	20	4	8	9	4	9	5.6		
21	95.9	02.2	05.6	9.4	13.4	10.3	13.5	9.0	94	66	87	00	0	26	2	16	2	9	9	9	9	12.8		
22	01.0	94.3	92.8	11.0	11.7	13.8	13.8	9.6	90	91	95	18	5	18	6	20	4	6	10	10	10	3.5		
23	92.3	92.7	91.8	10.0	12.2	11.4	13.8	9.6	80	67	71	18	3	22	6	21	4	8	5(·)	5	9(·)	30.4		
24	92.0	96.4	01.2	10.1	10.1	9.8	11.5	9.5	85	89	84	20	3	28	4	28	3	7	9	9	9	10.1		
25	04.8	06.6	08.2	11.4	11.8	13.0	13.2	9.0	89	85	87	16	5	18	4	18	4	7	10	10	10	11.8		
26	13.2	13.1	14.0	14.1	14.8	15.5	15.5	12.9	87	92	91	17	4	18	5	19	5	4	10	10	10	1.4		
27	12.1	12.2	12.4	15.3	16.9	16.0	17.7	14.5	88	87	93	19	4	19	4	19	4	7	10	10	10	27.6		
28	15.4	18.3	19.7	13.5	13.3	10.2	16.1	10.2	96	92	83	00	0	02	2	03	2	8	10	9	1	6.9		
29	20.4	19.9	19.7	6.1	12.9	11.2	13.8	**5.8**	95	68	82	00	0	28	1	24	1	9	1	1	0	1.1		
30	21.5	**22.1**	21.8	6.4	13.8	11.9	15.1	6.2	96	68	78	00	0	26	1	32	1	8	1	8	0	0.2		
M	00.9	01.5	01.9	11.3	14.1	12.9	15.4	10.2	90	76	82		1.7		2.9		2.6	7.6	7.9	7.7	7.1	312		

Oktober X

1	19.6	18.0	17.4	7.7	13.7	11.3	14.7	6.2	96	74	82	00	0	01	1	28	1	9	0	0	0	0.2		
2	22.9	24.4	24.1	7.2	15.0	10.3	**15.2**	6.9	94	50	70	00	0	20	2	22	1	9	0	7	0	0.1		
3	18.7	12.9	07.5	10.0	13.1	12.2	13.9	6.7	34	**32**	57	18	3	19	4	18	4	9	9	10	10			
4	97.9	98.7	99.0	10.5	8.2	7.7	13.1	7.6	89	91	87	17	4	14	1	15	3	6	10	10	9	12.1		
5	**92.8**	93.9	95.5	7.1	8.6	7.7	8.8	6.7	93	92	90	00	0	00	0	02	2	7	10	10	9	27.2		
6	03.8	08.5	12.0	7.2	14.2	10.5	14.3	6.7	75	47	74	08	2	02	1	26	2	9	0	0	0	1.7		
7	20.1	21.7	23.7	5.3	12.4	9.4	12.9	4.7	90	60	77	00	0	00	0	30	1	7	8	9	3			
8	29.0	30.5	31.4	3.9	12.0	9.6	12.5	3.7	96	60	82	00	0	00	0	32	1	7	0	0	0			
9	**34.4**	34.3	34.2	4.2	12.5	9.6	13.1	3.7	95	60	80	00	0	00	0	30	2	7	0	0	0	0.1		
10	33.0	32.7	32.0	5.9	13.3	10.3	13.5	5.4	84	59	78	32	1	31	3	32	3	9	1	0	0	0.1		
11	29.6	26.6	24.9	7.6	11.2	10.0	12.5	7.1	91	67	89	02	3	03	3	04	3	8	7	9	2			
12	20.9	19.2	17.7	9.6	13.0	9.4	13.6	9.2	83	75	87	04	3	01	4	05	3	8	8	2	8			
13	14.3	14.0	13.8	9.2	11.7	9.1	11.9	8.7	83	70	77	04	3	02	3	05	3	8	2	9	1			
14	11.7	08.6	06.8	6.9	10.0	9.3	10.2	6.6	83	70	82	02	2	32	2	04	3	8	9	9	7			
15	10.1	11.6	12.3	7.4	9.9	7.9	11.0	7.2	81	71	82	04	2	03	3	04	2	8	8	9	9	0.0		
16	13.3	14.2	15.4	8.4	11.2	9.0	11.2	6.8	89	81	90	03	2	04	3	04	3	9	9	9	10	0.3		
17	16.9	17.8	18.1	7.2	10.0	8.4	10.4	6.9	89	77	89	03	1	01	2	03	2	9	7	9	9			
18	19.4	20.4	20.0	4.6	11.8	8.7	12.0	4.4	94	57	75	20	1	23	2	22	1	8	1	2	1	0.0		
19	16.6	15.4	13.9	4.4	11.2	8.2	11.7	4.1	94	64	81	00	0	00	0	18	1	8	1	1	1	0.1		
20	09.4	08.2	06.8	5.2	9.6	8.0	10.4	4.8	95	80	84	00	0	32	1	02	1	8	7	1	1			
21	05.2	05.6	06.6	2.8	8.9	6.3	8.9	2.5	97	82	90	00	0	00	0	00	0	6	1	1	1	0.1		
22	11.8	14.8	17.0	5.0	8.7	6.9	9.2	3.1	94	77	87	00	0	18	3	18	3	6	9(·)	10	10	0.1		
23	21.9	23.2	23.9	4.8	4.5	5.0	7.0	3.8	74	82	73	17	3	17	3	17	3	7	10	10	10	12.1		
24	24.5	25.0	25.2	5.3	6.2	6.5	6.5	4.6	83	88	81	17	4	16	3	16	3	7	10	10	10	0.8		
25	25.9	26.4	26.3	4.9	7.4	6.0	7.8	4.7	80	68	68	18	2	18	3	17	3	8	1	7	2	2.0		
26	25.5	23.5	20.4	4.4	6.6	3.7	6.7	3.6	64	61	81	17	2	00	0	00	0	8	8	9	1			
27	10.1	05.8	02.3	1.5	7.5	6.1	7.8	**1.0**	77	54	67	20	1	18	2	18	3	6	1	9	9			
28	99.2	03.3	07.6	5.5	6.6	5.1	6.8	5.0	78	75	74	19	3	04	3	05	3	8	10	8	0	0.0		
29	14.8	16.2	17.5	3.4	6.5	6.4	6.7	2.4	83	75	92	22	1	20	2	20	3	7	8	10	10			
30	20.6	21.6	23.2	7.0	8.2	8.3	9.0	6.4	97	93	94	00	0	00	0	00	0	5	10	9	9	1.7		
31	28.2	28.7	28.5	7.3	8.8	6.2	9.4	6.2	82	75	88	17	1	00	0	00	0	7	9	9	1			
M	16.8	17.0	16.9	6.2	10.1	8.2	10.7	5.4	85	70	81		1.4		1.7		2.0	7.6	5.6	6.4	4.6	59		

Ekstensotabell

1946

Bergen (Fredriksberg)

$\varphi = 60°\ 24'$ N $\lambda = 5°\ 19'$ E $g = 9.819$ $\Delta G = +1^h$

November XI

$H_s = 43$ $H_b = 44.4$ $h_t = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	23.5	21.4	20.4	2.6	8.7	6.1	8.8	2.1	96	68	74	00	0	00	0	00	0	5	1	7	2	0.1		= ⬬ ⌒ ⌣ n, = ⌒ ⊙ a, = ⊙ p
2	15.5	13.2	11.8	5.8	7.6	6.7	8.0	5.6	90	77	87	00	0	18	1	18	1	5	10	10	10	0.1		= ⬬ ⬬ • n, = • a, = • p
3	10.9	13.0	14.6	4.8	8.0	6.1	8.0	4.5	94	77	82	00	0	00	0	00	0	5	1	9	0	8.5		⬬ • ⌒ n, = ⬬ ⊙ a, = ⊙ p
4	19.7	20.9	21.2	9.2	10.1	8.9	11.0	5.2	54	52	74	18	4	19	4	19	5	9	9	9	10			= ⌒ n, ⬬ ⊙ a, ⬬ • p
5	25.2	27.0	27.8	8.3	9.1	9.4	10.9	7.6	91	94	94	19	6	19	6	19	5	4	10	10	10	5.1		⬬ • n, • a,p
6	28.7	27.1	23.3	10.2	9.8	9.5	10.4	9.1	90	93	95	16	3	16	2	00	0	6	10	10	10	40.2		⬬ • n, a, ⬬ ⬬ • p
7	13.2	12.6	13.9	7.1	8.4	7.2	9.8	7.0	87	75	81	02	2	04	3	04	3	9	9	1	1	38.4		⬬ • ⌒ n, ⊙ a, ⊙ p
8	18.4	19.1	18.6	6.3	8.2	5.5	9.0	5.3	67	56	80	04	3	32	1	04	2	8	0	1	9			⬬ ⊙ a, ⬬ ⊙ p
9	09.5	11.4	12.3	6.2	7.6	5.9	8.0	5.5	80	56	63	04	3	04	5	04	4	9	1	1	9	2.9		• n, ⊙ a,p
10	08.1	07.8	08.1	3.7	6.5	6.4	7.4	3.4	96	89	77	16	3	30	1	04	3	8	10	9	1	1.5		• ⬬ n, ⬬ ⬬ ⊙ ⚬ a, ⬬ ⊙ ⚬ p
11	11.5	09.9	05.5	2.1	4.7	5.1	6.7	2.0	96	83	95	00	0	17	3	16	3	7	10	10	10	0.2		≡ ⬬ ⬬ n, ≡ ⬬ ⬬ • a, ⬬ • p
12	91.1	85.3	79.1	8.9	9.4	9.2	9.5	5.0	93	93	94	26	3	20	3	22	3	5	10	10	10	23.9		⌒ • n, • a,p
13	75.1	85.0	92.7	5.8	3.6	1.8	9.4	1.7	90	46	40	17	1	04	5	05	3	9	9	⚬	1	31.2		• ⚬ ⬬ ⌒ n, ⚬ ⊙ ⬬ a
14	02.6	05.9	07.7	0.3	2.2	0.1	2.7	- 0.6	64	56	61	25	1	18	1	00	0	5	9	1	0	1.0		⬬ n, ⬬ ⚬ ⊙ a, = ⬬ ⊙ p
15	08.8	08.9	09.3	- 2.5	1.4	- 0.9	1.5	- 2.7	75	61	66	00	0	00	0	00	0	5	9	0	0			= ⌣ n, = ⊙ a,p
16	08.3	07.6	06.4	- 2.3	0.5	- 0.7	0.6	- 2.6	73	63	74	00	0	00	0	00	0	6	9	7	6			= ⌣ n, = ⊙ a,p
17	98.1	94.1	91.4	5.5	6.4	5.8	6.7	- 0.7	53	46	43	19	2	17	1	00	0	7	9	9	10	0.0		= ⚷ n, ⬬ a,p
18	90.4	91.7	93.2	5.8	5.8	4.5	6.8	3.9	39	42	49	20	4	10	3	00	0	9	8	4	10			⬬ n, ⬬ ⊙ a,p
19	96.2	98.0	98.2	1.6	2.7	2.5	4.6	1.3	64	68	66	00	0	00	0	00	0	4	9	10	10			⬬ n, = ⬬ a, ⬬ p
20	98.9	99.0	97.6	0.9	2.3	- 0.8	2.7	- 0.9	73	68	82	00	0	00	0	00	0	7	9	4	0			= n, = ⊙ a,p
21	82.2	79.7	79.5	3.5	6.8	8.7	8.8	- 1.8	82	74	75	16	2	18	4	20	5	7	9	10	9	0.3		= ⬬ • n, ⬬ • ⚬ a, ⬬ ⚬ p
22	78.3	81.3	86.5	7.8	7.4	6.0	9.7	5.1	85	89	85	20	7	20	5	18	2	6	10	10	10	24.1		⬬ • ⚬ ℝ n, • a, ⚬ ⬬ p
23	98.0	02.3	98.9	4.4	4.1	4.0	6.4	2.3	81	80	90	16	2	19	3	18	5	7	9	10	10	32.1		⚷ ⚷ ⬬ n, ⬬ ⚷ Δ a, ⚷ • p
24	92.3	91.0	88.2	9.5	9.7	9.8	10.0	3.8	95	92	92	20	5	19	4	18	5	7	10	10	10	48.3		⬬ ⬬ ⚷ n, ⬬ • ⚷ a, ⬬ • p
25	86.1	88.9	88.1	9.5	9.5	8.7	10.4	7.7	87	83	89	18	5	19	6	19	5	7	10	10	10(⚷)	9	⚷	38.5		⬬ • ⚷ n, ⬬ ⚷ a, ⬬ ⚷ p
26	83.3	82.9	85.3	9.2	9.4	7.7	9.6	7.7	81	81	82	19	5	19	5	20	4	8	9	9	9	⚷	9	11.9		⬬ ⚷ n,a,p
27	94.8	94.8	89.3	4.6	6.2	6.9	7.9	4.4	90	80	80	16	2	18	1	17	4	7	9	10	10	11.6		⬬ ⚷ n, ⬬ ⚬ a, ⬬ • p
28	93.7	98.8	00.8	5.6	7.3	7.1	8.7	5.5	93	92	90	14	1	20	3	16	1	6	10	9	10	9.9		⬬ • n, ⬬ • ⚷ a, ⬬ ⚷ p
29	00.1	99.7	98.0	8.7	7.7	6.4	9.1	5.9	68	75	92	18	2	00	0	00	0	5	9	10	10	4.8		⬬ ⚷ • n, ⬬ ⬬ ⚬ a, ⬬ • p
30	92.8	90.3	89.5	9.9	9.2	7.2	10.2	6.1	56	56	82	18	4	18	4	20	2	7	9	9(⚷)	10	3.4		⬬ ⚷ • n, ⬬ ⚷ ⚬ a, ⬬ ⬬ ⚷ ⚬ p
M	01.8	02.3	01.9	5.4	6.7	5.7	7.8	3.6	79	72	78	2.3		2.5		2.2		6.6	8.2	7.3	7.2	338		

Desember XII

1	85.6	87.8	90.2	7.2	6.6	6.1	8.3	6.1	78	89	92	00	0	18	1	00	0	6	10	10	10	4.6		⚬ ⬬ n, • ⬬ a,p
2	85.6	80.2	77.1	4.4	6.2	7.1	7.2	4.1	71	49	49	00	0	26	1	10	5	9	9	9	9	8.3		• ⬬ n, ⬬ a, ⬬ ⚬ p
3	78.6	80.7	84.1	5.0	4.6	4.5	7.4	4.3	71	80	84	00	0	00	0	00	0	5	9	9	9	0.0		⬬ ⚷ n, ⬬ a, = p
4	93.5	97.9	01.6	3.9	4.3	3.8	5.8	3.3	91	88	93	26	1	00	0	00	0	6	9	9	7	0.9		= • n, = ⚬ ⚷ a,p
5	08.2	07.9	07.0	1.6	2.5	2.8	3.9	0.8	94	88	68	00	0	00	0	18	1	5	1	1	9	0.0		= ⬬ ⌒ ⌣ n, = ⊙ a, = ⊙ ⚬ p
6	04.5	04.9	05.7	2.5	3.0	0.9	4.5	0.8	66	73	85	15	1	00	0	00	0	6	3	2	0			⬬ n, ⬬ ⊙ a, ⬬ ⊙ ⚬ p
7	03.5	02.3	02.1	- 0.4	1.9	0.8	2.0	- 1.0	90	75	84	00	0	00	0	00	0	6	9	7	3			= ⌣ n, = ⊙ a, = p
8	99.6	97.4	95.9	0.5	4.6	4.2	4.9	0.2	84	46	45	00	0	12	3	22	1	8	1	9	0			⬬ ⬬ ⌒ n, ⬬ ⊙ a, ⬬ p
9	95.4	98.9	01.8	5.1	5.2	7.5	7.7	1.8	61	68	53	10	1	30	1	00	0	6	10	9	9			⬬ ⌣ n, ⬬ ⚬ ⊙ ⬬ a, ⬬ ⬬ p
10	10.4	13.6	15.1	6.8	6.3	7.9	8.6	3.7	61	68	49	00	0	00	0	00	0	6	10	9	10	0.0		⬬ • n, ⬬ • a, ⬬ ⬬ p
11	15.3	14.1	12.1	4.4	6.5	7.9	8.4	3.9	83	61	49	00	0	00	0	00	0	7	9	9	10	0.0		⬬ ⚬ n, ⬬ ⬬ ⊙ a, ⬬ • p
12	13.4	16.5	18.7	5.8	5.5	4.9	8.4	3.7	63	52	60	00	0	11	1	15	2	8	9	9	10	0.0		⬬ n, ⚷ a, ⬬ ⚷ p
13	24.7	27.4	30.5	5.4	4.3	4.2	6.0	3.5	50	63	46	14	2	16	2	12	2	6	8	9	9	0.0		⬬ n, ⬬ ⬬ a,p
14	37.3	41.3	43.3	2.0	0.9	- 1.2	4.4	- 1.3	42	54	60	12	2	00	0	00	0	5	2	9	0			⬬ ⌒ n, ⬬ = ⊙ a, = p
15	47.4	47.7	48.3	- 3.5	- 0.8	- 2.5	- 0.6	- 4.2	74	60	71	00	0	00	0	00	0	7	0	4	0			= ⌣ n, ⬬ ⊙ a, ⬬ p
16	48.0	47.4	46.5	- 1.6	- 0.5	- 2.2	- 0.4	- 3.9	75	68	67	00	0	00	0	00	0	6	1	9	0			⬬ n, ⬬ ⊙ a, = p
17	45.1	43.8	42.2	- 1.7	1.2	1.5	1.6	- 2.9	66	57	50	00	0	15	2	16	2	7	1	9	10			= ⌣ ⬬ n, ⬬ a,p
18	33.1	30.3	28.5	1.5	3.5	3.3	3.6	0.5	95	93	96	15	3	00	0	00	0	4	10	10	10	0.8		⬬ • ⚬ n, = ⚬ • a, = • ⚬ • p
19	27.8	27.6	26.7	- 1.0	0.5	1.3	3.8	- 1.3	98	98	93	00	0	00	0	00	0	0	10	1	9	0.8		= ≡ ∾ n, ≡ a,p
20	22.7	20.6	18.8	2.9	3.1	2.9	3.4	1.3	87	83	92	15	3	19	4	18	4	8	9	9	10	0.3		= ⚬ = ⬬ ⌒ ⚷ ⚬ n, ⬬ ⚷ ⚬ a, ⬬ • p
21	12.6	08.3	05.0	4.0	4.3	2.6	5.0	2.4	85	70	89	18	5	20	7	20	6	8	10	10	10	3.3		⬬ • n, ⬬ ⚬ ⚬ a, ⬬ • p
22	08.8	95.4	93.8	3.8	5.9	7.3	7.4	1.3	94	91	91	18	4	18	6	20	6	6	10	10	10	10.6		• ⚷ n, ⬬ ⚷ a, • ⬬ p
23	94.5	96.3	97.8	7.3	4.2	3.5	8.0	3.4	93	90	92	21	1	17	1	00	0	6	10	10	10	18.6		⬬ • ⬬ n,a,p
24	01.3	02.3	02.8	2.7	3.6	3.0	3.9	2.5	95	91	94	16	1	18	1	00	0	6	10	10	6	2.0		⬬ • ⚷ ⬬ n, ⬬ ⚷ ⚬ ⬬ a, ⬬ ⚷ ⚬ ⬬ ⚬ p
25	97.1	89.5	81.0	2.9	4.8	6.3	6.4	1.0	74	64	68	18	5	19	6	19	7	9	9	10	10	0.1		⬬ ≡ ⬬ ⬬ ∾ n, ⬬ a, ⬬ ⬬ ⚬ p
26	81.5	82.0	83.4	5.0	5.4	5.7	7.5	4.5	88	87	89	19	4	19	5	19	4	7	9	9	9	9.7		⬬ • ⚷ n, ⬬ ⚷ ℝ Δ a,p
27	88.9	92.1	94.0	5.0	6.0	5.9	6.7	3.8	89	77	67	18	4	19	3	19	2	9	9	9	10	25.1		⬬ ⚷ n, ⬬ ⚷ ⚬ a,p
28	98.1	02.0	06.8	2.7	4.2	4.7	6.5	2.3	92	89	92	18	4	17	3	15	1	7	10	9(⚷)	10	10.5		⬬ ⬬ n, • ⚷ = a, ⬬ ⚷ p
29	14.7	15.8	14.7	4.2	4.2	3.6	4.9	2.8	96	82	75	00	0	00	0	18	2	7	9	9	7	6.3		⚷ ⬬ ⬬ = ⬬ ⌒ ⊙ a;⬬ ⚷ ⚬ ⊙ p
30	08.5	06.5	07.0	4.1	5.2	3.3	5.5	2.2	60	54	77	18	1	21	5	19	4	8	9	10	10	0.1		⬬ n,a, ⬬ ⬬ ⚬ p
31	02.9	01.2	00.2	5.5	6.3	6.3	6.8	2.8	52	53	49	18	4	20	4	17	6	8	9	10	10	0.1		⬬ ⬬ ⚬ n, ⬬ a,p
M	09.0	09.0	09.1	3.2	4.0	3.8	5.4	1.7	78	73	73	1.5		1.8		1.8		6.5	7.5	8.3	7.6	100		

Ekstensotabell

1946

Trondheim

$\varphi = 63° 25' N$ $\lambda = 10° 27' E$ $g = 9.821$ $\Delta G = +1^h$ **Januar I** $H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_s =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	13.9	14.6	15.8	-11.0	-10.3	-11.3	-10.3	-13.1	82	82	83	06 1	20 1	08 2	6	8 ∞	0 ∞	0 ∞		15	∞ n,a,p
2	17.7	18.1	17.1	-11.0	- 8.4	- 6.8	- 6.8	-12.7	83	81	78	16 2	20 2	18 2	8	0 ∞	1 ∞	10 ∞		15	∞ n,a,p
3	10.3	06.2	00.5	- 3.3	- 2.7	- 4.2	- 2.3	- 8.7	73	61	63	18 3	18 1	16 1	8	10 ∞	8 ∞	7 ∞		15	∞ n,a,p
4	79.4	78.5	79.2	3.1	3.6	2.4	4.6	- 4.2	51	78	87	18 3	22 5	24 2	8	7 ∞	4 ∞	6 ∞		15	∞ n, ∞ ☿ a,p
5	**56.0**	59.1	71.3	6.0	3.0	3.2	**7.5**	1.3	52	87	76	24 6	24 8	24 7	4	1	10 •	10 •	2.4	15	∞ ☿ n, • ↖ a,• p
6	84.7	86.1	85.6	1.6	2.6	2.6	3.5	1.3	91	87	81	18 3	18 2	24 2	6	4 ∞	6(≡)	10 •	14.3	15	☿ n,a, • p
7	84.3	84.5	82.5	3.0	1.1	0.8	3.5	0.3	73	94	96	20 5	18 4	22 5	1	5	9 ⁑	10 ⁑	3.0	15	⁑ ↱ a, ⁑ p
8	88.7	88.5	85.1	0.9	1.6	- 0.7	3.3	- 0.7	96	93	96	18 2	08 1	16 1	6	10 •°	10 ∞	10 =	19.4	15	⁑ n, ≡ a,p
9	76.0	78.0	77.4	2.0	1.4	2.9	3.5	- 0.7	68	67	55	18 1	20 1	22 3	6	7 ∞	4 ∞	10 ∞		15	= n, ∞ a,p
10	64.6	59.5	60.0	1.9	1.9	- 2.5	3.9	- 2.5	68	87	73	08 2	06 4	06 5	6	9	10 ∞	10 ∞		15	∞ n, ∞ •° a, ∞ p
11	74.4	79.6	82.5	- 5.6	- 5.8	- 8.3	2.9	- 8.7	77	68	73	04 1	06 5	02 1	6	10 *°	9(*)	1	1.5	15	* n, *° a
12	83.1	88.4	95.0	- 9.8	- 8.4	- 9.3	- 8.3	-10.7	68	65	60	04 3	06 4	06 2	9	3 ∞	1	3	0.0	15	∞ n
13	13.7	17.7	18.1	-15.0	-10.5	- 7.1	- 6.5	**-15.7**	83	78	74	18 3	20 3	18 2	6	0 ∞	8 ∞	5 ∞		15	∞ n,a,p
14	24.7	**25.0**	24.8	- 3.0	- 3.2	- 5.0	- 1.5	- 7.3	83	82	81	20 2	20 2	16 1	5	8 ∞	6 ∞	4 ∞	0.1	15	* n, ∞ ⊙ a, ∞ p
15	23.4	23.8	23.5	- 9.2	- 9.8	- 8.9	- 5.0	-12.7	83	78	70	16 2	18 4	18 3	5	4 ∞	1 ∞	2 ∞	0.0	15	*° n, ∞ a,p
16	23.6	24.2	24.4	1.7	- 0.2	0.0	3.1	- 9.5	68	69	73	20 4	20 2	18 3	5	10 ∞	10 *°	10 ∞		15	∞ n,a, ∞ *° p
17	22.9	22.7	22.6	- 4.7	- 6.4	- 7.4	0.5	- 7.7	86	91	90	16 1	20 1	18 1	4	0 ∞	0 ∞	8 ∞	0.0	15	∞ n,a,p
18	21.6	21.5	20.1	- 6.4	- 4.8	- 6.0	- 4.8	-10.0	87	83	87	16 3	18 1	18 1	6	10 ∞	2 ∞	0 =		15	∞ n, ∞ ⊙ a, = p
19	18.0	17.3	18.1	- 7.9	- 1.3	0.0	1.5	- 8.8	96	72	58	00 0	20 2	16 1	8	0 ≡	1 ∞°	0 ∞		15	≡ ⌣ n, ≡ ⊙ a, ∞ p
20	19.8	20.0	19.9	- 2.6	- 2.6	- 6.0	0.5	- 6.3	60	56	60	08 3	10 2	10 1	9	0	0	0		15	⊙ a
21	21.2	20.0	19.1	- 8.7	- 7.6	- 8.4	- 5.2	- 9.8	58	56	56	04 1	12 1	16 1	9	0	0	0		15	⊙ a
22	16.6	14.7	14.3	- 8.6	- 5.2	- 6.0	- 4.9	- 9.7	58	52	49	16 1	12 1	14 1	8	0 ∞	0 ∞°	0 ∞		15	∞ n, ∞ ⊙ a, ∞ p
23	10.4	08.1	07.4	- 3.0	- 2.0	- 2.9	- 0.5	- 7.7	47	**38**	52	08 2	12 1	18 6	9	0	3	0		15	⊙ a
24	05.1	05.0	02.1	- 1.5	- 1.4	- 1.0	0.5	- 3.7	53	56	51	16 4	18 3	18 3	6	10 ∞	9(*)	0 ∞		15	∞ n, ∞ *° a, ∞ p
25	94.0	96.6	98.3	3.5	4.6	4.0	5.0	- 2.1	51	53	55	16 7	17 7	16 5	6	10	10 ∞	10 ∞	0.0	15	∞ n,a,p
26	98.4	96.5	96.3	3.7	5.8	4.5	5.9	3.3	57	55	57	12 4	16 5	16 6	6	6 ∞	10 •°	10 ∞		15	∞ n,a,p, •° p
27	96.3	94.8	93.0	0.2	- 0.9	- 4.5	4.5	- 4.7	58	50	59	18 3	18 2	19 3	6	1	1 ∞	1 ∞°	0.0	15	∞ ⊙ a,p
28	89.9	88.0	85.1	- 4.0	- 2.7	- 3.6	- 2.1	- 6.3	70	86	68	16 1	00 0	10 2	5	10 =	0 ∞	0 ∞		15	∞ n, = ⊙ a, ∞ p
29	73.9	71.7	69.3	2.4	3.0	1.7	3.7	- 5.3	60	56	58	16 1	18 5	16 5	9	6 ∞	8	0		15	∞ ⌢ n
30	67.3	67.8	69.5	1.0	1.1	- 0.8	2.5	- 0.8	58	57	59	14 5	18 2	00 0	6	8	0 ∞	0 ∞		15	∞ ⊙ a, ∞ p
31	74.8	79.6	81.2	- 0.7	- 1.2	- 1.8	- 0.5	- 3.2	69	70	72	08 2	10 1	12 1	8	6 ∞	5 ∞	3 ∞		15	∞ n,a,p
M	98.4	98.6	98.7	- 2.7	- 2.1	- 2.9	0.1	- 6.0	70	71	69	2.6	2.7	2.5	6.5	5.3	4.7	4.5	41	15	

Februar II

1	80.7	72.9	71.5	- 2.8	2.6	1.0	2.5	- 4.1	68	**53**	74	10 3	16 6	16 2	9	1	10	10 *	0.0	15	*° n, * p
2	73.0	74.4	75.7	- 0.3	0.5	- 0.6	1.1	- 1.7	68	67	68	21 1	06 1	12 2	6	6	7 ∞	0	0.2	15	*° n, ∞ ⊙ a
3	76.5	76.6	75.0	- 6.5	- 4.1	- 5.0	- 0.5	- 6.6	86	69	83	18 1	14 1	16 1	6	1 ∞	0 ∞	0 ∞		15	∞ n, ∞ ⊙ a, ∞ p
4	68.1	68.7	69.2	- 5.0	- 2.7	- 3.2	- 2.5	- 6.5	92	86	86	04 1	04 1	06 1	8	0 ∞	0 ∞	0 ∞		15	∞ ⌢ n, ∞ ⊙ a, ∞ p
5	78.0	82.1	86.4	- 5.5	- 3.8	- 4.6	- 3.2	- 6.5	96	93	93	16 2	20 1	22 2	4	10 ∞	6 ∞	10 ∞		15	∞ n,a,p
6	90.9	91.4	91.8	- 2.7	- 0.8	- 0.9	- 0.5	- 4.6	93	87	87	18 1	20 3	22 1	5	4(*)	5(*)	8 ∞	0.1	15	* n, ☿ a, *° p
7	82.9	77.1	72.5	- 4.4	- 1.8	- 0.5	- 0.5	- 6.2	58	81	61	10 1	10 1	06 2	4	10 ∞	10 *°	10 ∞	1.0	17	∞ n, ∞ *° a, *° p
8	67.2	69.1	70.6	- 0.8	- 2.1	- 6.0	0.3	- 6.0	73	74	73	10 1	08 4	08 1	6	10 ∞	9 ∞	8 ∞	1.0	17	∞ ⌢ n, ∞ a,p
9	80.1	83.5	85.4	- 8.6	- 8.8	- 8.5	- 6.0	- 9.5	96	**88**	92	06 1	00 0	04 1	5	10 *	6 *°	10 *°	1.3	20	*° n,a, * p
10	69.0	65.6	**61.8**	- 3.7	- 0.2	- 1.5	- 0.2	-11.5	92	92	96	20 3	20 3	24 4	3	10 *	10 *	10 *	1.8	20	* n,a,p
11	65.2	72.3	75.0	- 3.0	- 1.8	- 0.9	- 0.5	- 4.7	96	92	96	02 3	21 2	20 5	4	10(≡)	7(*)	6 *	13.0	25	* n,a,p
12	92.4	01.7	07.9	- 2.3	- 4.6	-10.5	- 0.5	-10.5	86	76	73	26 2	08 2	06 2	9	10 *°	6	0	5.3	25	* n, *° a
13	**09.8**	08.3	05.1	-14.6	- 7.4	- 6.0	- 5.5	-14.7	83	68	87	20 1	16 1	24 1	6	2 ∞	10 ∞	10 *°	0.0	25	∞ n,a, * p
14	99.8	98.0	01.8	4.6	5.0	4.8	6.3	- 6.0	86	94	87	20 5	21 5	25 4	4	10(•)	10 •	8 ☿	3.4	15	* • n, • a,p
15	05.9	02.9	96.4	2.3	3.6	5.9	5.9	2.3	96	91	76	24 2	20 4	22 5	5	10 ∞	10 •	10 •°	9.2	5	☿ n, • a, ∞ •° p
16	77.7	69.5	79.1	1.8	- 0.8	2.0	**7.5**	- 0.8	86	96	90	24 4	26 6	26 7	2	8(•)	10 *	10 •	15.9		• n, ⁑ a, ☿ ↖ p
17	91.2	86.5	70.6	- 0.3	- 1.5	0.8	2.5	- 1.6	73	92	97	26 7	18 3	24 5	4	10(*)	10 *	10 ⁑	6.0	5	* n, ☿ a, * p
18	84.8	91.2	93.9	- 3.4	- 2.4	- 3.6	3.5	- 4.0	81	82	86	30 4	26 5	28 2	2	9 ☿	10 ☿	4(*)	4.3	8	☿ n,a, ☿ p
19	80.4	69.6	67.5	- 3.0	- 1.8	- 0.4	- 0.3	- 4.7	68	88	92	10 7	18 3	20 3	4	10 ∞	10 *	10 ∞	5.2	8	∞ n, * a,p
20	73.6	78.5	83.2	- 6.0	- 5.1	- 6.7	- 0.4	- 6.7	65	56	60	00 0	08 1	04 2	9	10 ∞	6	10	4.2	10	* n, ⊙ 14
21	94.8	90.8	86.2	-13.7	- 7.1	- 5.0	- 4.5	-14.1	78	80	61	18 1	20 5	16 6	6	3 ∞	10(*)	10 +		10	∞ n, • a, + p
22	85.2	85.9	86.6	- 7.1	- 3.4	- 5.6	- 1.3	- 7.5	92	83	83	16 1	00 0	16 1	4	6 ∞°	10 ⌢	3 ∞	0.6	12	* n, ∞ a,p
23	81.7	81.1	82.6	-13.5	- 8.8	- 9.4	- 4.9	-14.5	83	60	60	16 1	00 0	08 2	8	2 ∞°	1 ∞°	0 ∞°		12	∞ n, ∞° ⊙ a, ∞° p
24	88.4	89.1	91.6	-15.5	- 7.9	-10.4	- 6.5	-16.1	73	55	65	16 1	28 1	04 1	9	1	0	0		12	∞ n, ⊙ a,p
25	93.7	93.5	93.6	-13.3	- 8.1	-11.1	- 5.5	-16.0	70	58	56	18 1	06 1	00 0	9	1 ∞	0	0 ∞		12	∞ ⌢ n, ⊙ a, ∞ p
26	99.5	00.5	99.6	-16.0	- 9.4	-12.3	- 6.5	-17.0	74	60	65	10 1	00 0	04 1	8	1 ∞°	1 ∞°	0 ∞		12	∞ n, ∞° ⊙ a, ∞ ⊙ p
27	96.7	93.9	92.8	-16.0	- 9.6	-13.2	- 7.0	-16.6	63	56	61	00 0	00 0	06 1	6	0 ∞	1 ∞	0 ∞		12	∞ n, ∞ ⊙ a, ∞° p
28	90.2	90.0	89.8	-14.0	- 7.1	- 6.8	- 3.9	**-17.5**	73	61	58	22 2	00 0	18 3	4	2 *°	9 =	7 ∞	0.0	12	∞ *° n, *° a, ∞ p
M	84.9	84.4	84.4	- 6.2	- 3.6	- 4.2	- 1.1	- 8.4	80	76	77	2.1	2.1	2.4	5.7	6.0	6.6	5.9	72	14	

Ekstensotabell

1946

Trondheim

$\varphi = 63°\ 25'$ N $\lambda = 10°\ 27'$ E $g = 9.821$ $\Delta G = +1^h$

Mars III

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	92.0	94.7	96.4	-10.8	- 8.5	- 1.2	- 1.5	-10.8	60	49	47	16 3	18 3	16 3	8	6 ⚋	0 ⚋	1 ⚋	0.0	10	⚋ n, ⚋ ⊙ a,p
2	03.4	05.4	06.6	- 7.7	- 1.8	- 3.0	0.4	- 7.7	60	51	53	20 3	18 2	20 1	6	5 ⚋	2 ⚋	1 ⚋		10	⚋ n, ⚋ ⊙ a,p
3	06.5	03.3	01.2	- 9.8	- 2.7	- 2.3	0.4	-10.3	68	65	72	16 1	06 1	14 1	8	6 ⚋°	1 ⚋°	6 ⚋°		10	⚋ n, ⚋ *° a, ⚋ p
4	04.0	06.7	06.5	- 7.3	- 1.8	- 5.7	2.4	- 7.3	68	60	87	18 1	04 1	14 1	6	3 ⚋	1 ⚋	9 ⚋	0.0	10	⚋ n,a, ⚋ *° p
5	07.6	06.1	08.4	- 6.3	0.3	- 1.7	1.4	- 6.3	91	81	91	18 2	20 1	04 2	5	8 ⚋	1 *°	10(*)	0.0	10	⚋ *° n,a,p
6	09.4	09.2	10.8	- 4.9	- 2.8	- 5.3	0.3	- 5.6	87	68	73	04 1	06 1	08 1	8	8 ⚋	1 ⚋°	0 ⚋°	0.0	10	⚋ *° n, ⚋ ⊙ a,p
7	09.2	08.5	06.7	-14.0	- 3.1	- 6.0	- 2.6	-14.0	86	59	60	16 2	00 0	00 0	6	3 ⚋	3 ⚋	3 ⚋		10	⚋ n, ⚋ ⊙ a,p
8	04.1	04.8	05.3	- 3.1	4.4	- 0.8	5.2	- 8.5	73	52	60	06 2	12 2	12 2	9	9	4	9 ⚋		10	⚋ n, ⊙ a, ⚋° ⊙ p
9	05.8	04.4	04.2	- 1.7	1.4	0.0	2.4	- 5.2	65	55	59	12 1	12 3	08 1	9	8 ⚋°	7	9 ⚋		10	⚋° n, ⚋ p
10	04.9	06.2	08.8	- 3.4	4.0	- 1.5	5.2	- 4.6	65	49	56	18 1	20 1	12 3	8	3 ⚋	4 ⚋°	1		10	⚋ n, ⚋ ⊙ a, ⊙ p
11	**11.9**	11.8	11.7	- 7.0	2.2	- 0.8	3.4	- 8.0	74	52	58	00 0	18 3	14 2	8	1 ⚋	2 ⚋	5 ⚋		10	⚋ ⚊ n, ⚋ ⊙ a,p
12	11.6	10.7	11.2	- 1.6	2.0	- 2.7	2.8	- 2.7	58	50	57	18 4	18 5	16 6	9	3 ⚋	1 ⚋	0		10	⚋ ⚊ n, ⚋ ⊙ a, ⊙ p
13	11.7	10.9	09.5	- 6.4	- 2.0	- 5.8	- 1.4	- 7.1	55	49	53	18 2	12 3	14 5	8	3 ⚋°	0 ⚋	0 ⚋		10	⚋ n, ⚋° ⊙ a, ⚋ ⊙ p
14	07.4	05.1	04.0	-13.0	- 4.2	- 6.0	- 2.3	**-14.6**	65	**46**	68	00 0	16 1	20 1	8	4 ⚋°	5 ⚋	10 *°		10	⚋ n, ⚋ ⊙ a, *° 17-p
15	01.6	01.1	02.6	- 7.5	- 2.8	- 4.6	- 1.0	- 8.6	91	86	94	18 1	26 1	06 1	6	10 *°	8 *	10(≡)	1.4	15	*° n, * a
16	03.4	03.5	04.7	- 0.5	1.8	1.0	2.4	- 4.6	91	91	91	18 4	18 3	24 2	5	5(*)	10 ♦	10 *°	6.0	18	*° n, ♦ a,p
17	04.6	06.3	06.4	0.0	1.6	- 0.6	3.4	- 0.6	97	93	92	00 0	24 1	00 0	2	10 *²	10 *²	10 *	14.7	30	*² n,a,p
18	98.5	96.9	96.3	- 0.8	2.5	0.1	3.5	- 3.0	68	69	94	00 0	18 1	00 0	4	10	10 *°	10 ≡	19.9	65	* n, *° a, * p
19	89.5	90.7	90.7	1.9	6.8	5.0	7.6	0.1	92	74	86	20 2	20 1	18 2	5	10(≡)	10 =	10(=)	7.3	55	• ≡ n, = a, (=) p
20	93.6	94.6	91.5	3.4	7.8	3.3	7.8	2.6	92	67	91	18 3	16 1	22 1	6	10(•)	8 ⚋	9 ⚋	2.6	30	• n, ⚋ ⊙ a, ⚋ •° p
21	**76.3**	76.5	78.8	3.1	4.3	4.1	6.4	3.1	91	90	86	14 1	20 3	20 3	4	10 ·	10 •°	10(•)	1.6	15	· n, •° a,p
22	84.0	85.2	83.2	1.7	4.0	4.4	4.5	1.7	91	80	73	20 4	20 2	16 2	8	5(•)	8 ⚸°	5 ⚋°	4.7	8	• n, ⚋ ⚸° a, ⚋ p
23	81.1	84.2	85.7	- 0.4	5.5	3.4	5.5	- 1.6	65	78	67	18 1	00 0	16 1	6	5	7 ♦	10 =	0.0	8	⚋ ♦ a, = p
24	85.4	85.8	84.0	1.5	6.0	4.7	6.4	0.3	68	58	61	18 2	20 1	10 1	9	10	7	1	0.0	8	⚋ n, ⊙ a,p
25	84.9	89.4	93.0	2.0	2.2	1.5	4.7	0.0	82	90	91	20 5	20 5	22 3	6	10(*)	5 ♦	5(•)	0.0	6	*° ⚊ n, ♦ ⊙ a, ⚸ p
26	01.5	00.0	99.0	- 1.1	5.6	3.2	5.6	- 1.2	86	**46**	81	22 2	18 1	18 3	8	1 ⚋	10 ⚋	10 •	3.7	6	♦ ⚊ n, ⚋ ⊙ a, • p
27	01.3	00.7	98.2	5.8	4.9	2.5	6.4	2.5	87	92	94	20 3	24 1	18 1	4	10(•)	10 •	10 •	7.7		• n,a,p
28	02.6	07.8	08.5	4.5	4.6	3.9	4.6	2.4	76	86	86	24 5	18 2	18 1	6	9(•)	10 ⚋	7 ⚸	7.4		⚸ n, ⚋ a, ⚸ p
29	04.2	00.9	99.3	3.0	8.1	7.0	**9.5**	2.0	69	63	58	20 1	24 1	26 1	5	9 ⚋	10 ⚋	10 ⚋	2.4		⚋ ⚊² n, ⚋ a,p
30	02.2	06.8	10.2	3.1	2.1	0.2	7.4	0.2	74	63	70	24 6	24 6	26 4	5	10 ⚸	7 ⚸	10(♦)	3.0		⚸ n,a, ⚸° p
31	98.9	98.3	98.3	3.8	5.8	6.0	6.1	- 0.6	91	90	91	24 6	24 6	24 5	5	10 •	10 •	10 •²	6.1		• n, •² a,p
M	00.1	00.5	00.7	- 2.4	1.9	0.0	3.4	- 3.8	77	68	74	2.2	2.0	1.9	6.5	6.9	5.9	6.8	88	14	

April IV

1	98.5	00.9	98.6	4.7	5.5	4.6	6.4	4.6	92	92	88	18 3	24 2	18 3	5	10 •°	10 •	10 ⚋	40.0		• n, (≡) 8, • a, •° p
2	89.9	93.0	90.5	6.1	7.2	3.3	7.4	3.3	82	74	91	18 4	24 3	18 3	4	10 ·	10(•)	10 •	9.0		⚋ n, • a,p
3	91.4	94.4	94.6	8.7	10.5	8.3	10.6	2.6	81	73	78	23 6	24 2	18 1	6	10 ⚸	9(•)	9(•)	17.6		• n, •° a, ⚋ p
4	94.7	93.5	90.4	6.4	4.4	4.5	8.9	3.7	94	96	94	00 0	04 2	08 1	3	10 ·	10 ≡²	10 ≡²	0.7		· n, ≡ · a, ≡² · p
5	89.4	90.9	92.3	4.6	4.3	2.4	7.4	2.1	81	78	87	20 3	18 4	18 4	5	9(•)	7(⚸)	9 ♦	1.8		⚸ n,a,p
6	96.0	99.9	99.9	0.5	1.9	0.3	3.4	0.3	96	82	92	18 2	24 2	24 3	6	10 *	8 ♦	10 *	5.8	3	* n, ♦ a,p
7	82.1	82.2	82.4	2.6	6.7	5.8	7.7	0.3	87	86	76	18 5	20 2	24 2	6	10 •	10(•)	9(⚸)	8.8		• n,a, ⚸ p, ⚋ 19
8	74.6	**70.6**	72.2	3.7	5.2	3.8	7.4	1.8	80	73	83	18 3	02 2	22 2	5	3 ⚋	9(♦)	6 ⚋	3.9		⚸ n, ⊙ 8, ⚸ p, ⊙ 19
9	82.9	83.6	87.8	0.2	1.0	1.0	3.8	0.2	90	87	91	26 5	26 7	26 5	4	8 △	10 *²	10 ♦	6.4	3	△ n, *² a, ⁑ p
10	95.9	99.1	99.3	0.4	2.5	- 1.4	7.3	- 1.4	86	67	92	26 3	25 3	18 1	9	8 ♦	3	10 *²	7.3	8	♦ n, ⊙ 8, ♦² a,p
11	81.8	80.0	83.3	- 0.6	3.1	0.1	8.4	- 2.7	68	56	86	18 2	04 2	04 2	9	10 ⚋	1	10 ♦	4.7	18	* n, ⊙ a, ♦ p
12	90.9	93.6	94.8	- 2.0	5.1	- 0.2	7.4	- **7.7**	67	**41**	86	16 1	16 1	24 4	9	0	1	8 ♦	1.0	15	*° n, ⊙ a, ♦ p
13	94.2	90.3	90.3	- 3.5	0.4	2.3	3.4	- 6.7	57	88	92	22 1	03 1	18 4	1	10	10 *²	10 •°	0.6	15	*° n, *² a, ≡ * p
14	90.0	92.1	95.8	1.7	3.0	2.7	4.4	1.3	94	91	91	25 4	24 2	18 2	3	10 •°	10 •	9 •°	12.4	10	• n, • (≡) a, • p, (≡) 19
15	98.2	99.1	97.4	2.1	4.0	4.5	5.5	1.7	94	94	91	00 0	00 0	03 2	1	1 •	10 ≡²	6 ⚋	13.3	6	• ≡² n, • ≡ a, ⚋ ⊙ p
16	93.0	97.2	96.0	3.6	5.8	6.7	8.4	1.5	91	86	83	00 0	14 2	12 1	6	8 =²	9 =	10 ⚋	2.0		= n, • a, = p
17	80.1	76.0	76.6	2.5	6.7	4.7	7.6	1.7	92	92	91	04 1	16 1	24 2	3	10 =	10 •	10 •°	4.6		•° n, • = a, ≡² 14, • (≡) p
18	85.9	92.1	95.2	0.9	2.0	0.8	4.7	0.6	93	87	92	18 4	24 5	24 2	4	10 *²	10 ⁑	10 *²	8.9		• * n, ♦ a, ⁑ p
19	04.2	**05.4**	03.1	1.7	5.1	5.3	6.4	0.1	87	68	60	18 2	24 4	16 1	6	9 ♦	8 ⚋	10	13.4	3	*² n, ⚋ a
20	97.4	97.9	96.5	2.8	9.3	6.2	10.4	1.3	94	70	81	18 1	24 1	08 2	8	4 ⚋	4 ⚋	9 ⚋	5.1		• n, (≡) 8, ⚋ ⚸° a, ⚋ ⊙ p
21	95.0	95.0	95.3	5.7	5.7	4.5	7.8	2.9	74	70	80	18 3	24 3	22 5	7	5 ⚋	10 ⚸°	10 •°	1.7		⚋ ⚸ n, ⊙ 8, ⚸° a,p
22	98.2	99.6	97.9	3.4	4.7	3.6	4.7	2.3	88	73	78	24 3	24 6	23 2	6	10 •°	7 ⚸	10 ⚸	5.9		• n, ⚸ a,p
23	89.2	82.3	84.0	4.1	9.6	3.0	9.8	1.2	87	58	86	01 1	16 5	16 2	8	7 ⚋	8 ⚋	8 ⚋	4.0		⚋ • n, ⊙ 8, ⚋ ⚸° a, ⚋ ⚸ p
24	75.4	74.4	78.5	3.9	8.7	8.2	10.0	- 0.7	60	46	49	16 1	17 6	25 1	9	1 ⚋	8	7 ⚸°	1.4		⚋ ⚊² n, ⊙ a
25	84.7	86.5	88.7	6.6	10.5	8.5	10.5	2.3	49	44	44	16 5	16 4	18 3	9	6	5	10	0.0		⊙ a,p
26	94.1	93.9	96.8	3.6	10.5	7.4	12.2	2.1	87	53	69	18 1	02 2	28 2	6	10 ⚋	8 ⚋	9 ⚋			⚋ n,a, ⊙ 14, ⚋ p
27	99.0	02.2	02.4	4.1	5.0	5.1	7.5	3.9	93	90	90	24 1	24 1	04 1	6	10 ·	10 ⚋	10	0.1		•° n, = 8, · a, •° p
28	98.4	94.9	94.4	2.1	9.4	9.9	12.0	1.1	88	67	60	26 1	08 3	10 5	8	7(≡)	4 ⚋	3 ⚋	1.5		⚋ ⊙ a,p
29	95.1	95.6	96.5	6.4	11.7	9.1	11.9	4.5	81	58	73	08 2	14 4	16 2	9	10(•)	6	8 ⚋	0.0		•° n, ⊙ a, ⚋ ⊙ p
30	96.9	97.5	99.0	8.3	12.0	9,5	**12.6**	6.3	74	65	70	02 2	04 2	24 3	9	2	1	8 ⚋			⊙ a,p
M	91.2	91.8	92.4	3.2	6.0	4.5	7.8	1.2	83	74	81	2.3	2.8	2.4	6.0	7.6	7.5	8.9	182	3	

Ekstensotabell

1946

Trondheim

$\varphi = 63° 25' N$ $\lambda = 10° 27' E$ $g = 9.821$ $\Delta G = +1^h$

Mai V

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_s =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	00.8	01.8	99.5	5.8	10.7	12.7	13.9	5.4	90	70	58	00	0	04	1	08	1	8	7 ⊸	1 ⊸	1 ⊸			⊸ n, (≡) 8, ⊸ ⊙ a, (≡) 14, ⊸ ⊙ p
2	00.7	00.5	00.4	6.3	10.0	8.0	12.9	5.2	86	73	80	18	1	03	1	24	1	5	9(≡)	10 ⊸	10 ⊸			≡ n, ⊸ ⊙ a, ⊸ •° p
3	01.0	01.9	04.1	8.1	8.6	7.0	9.7	4.3	68	80	73	20	1	21	3	24	3	4	5 ⊸	10 •	9(•)	0.0		⊸ n, ⊸ ⊙ • a, • p
4	05.1	04.3	03.5	5.5	5.3	3.4	7.3	3.4	82	87	86	24	3	24	2	25	3	6	3(ẏ)	10(ẏ)	10 •	2.6		ẏ n, ⊙ 8, ẏ a, p
5	06.1	09.0	10.7	2.4	3.3	3.3	4.4	1.4	83	73	57	30	4	28	3	24	2	7	9 ☂	8 ☂	3	2.3		☂ n, ☂ a, p
6	08.6	05.1	04.1	2.3	4.8	7.3	7.5	- 0.6	73	81	83	18	4	18	4	20	4	5	10 ⊸	10 ☂	10 ẏ°	3.3		⊸ n, ☂ a, p
7	98.1	01.3	01.0	6.8	6.7	2.5	7.8	2.5	87	59	87	24	6	24	6	24	5	4	10 •	9(ẏ)	9 ẏ*	2.6		• n, (≡) 8, (ẏ) a, ẏ p
8	02.8	05.0	06.5	1.0	1.8	3.8	4.9	0.4	91	87	74	24	4	24	5	26	3	6	10 **	8 ☂	8 ☂	6.6	4	* n, ☂* a, ☂ p
9	05.1	02.0	03.2	3.0	5.0	4.5	6.5	1.7	82	86	86	18	3	20	4	20	3	5	10(ẏ)	10 •	9(•)	3.0		⊸ n, • a,p
10	97.0	00.1	03.0	2.9	4.9	6.1	6.4	2.3	90	83	72	25	2	24	3	24	3	8	10 ‡	8 ⊸	6 ⊸	7.0		‡ n, ☂ a, ⊸ ẏ p, ⊙ 19
11	06.3	05.6	04.4	3.4	5.2	4.6	7.3	2.2	91	76	78	18	2	24	2	18	2	6	9(≡)	9(ẏ)	8 ⊸	4.3		• n, (ẏ) a, ẏ p
12	99.2	97.8	96.5	4.5	7.0	6.0	8.4	1.0	81	60	72	08	1	04	1	25	1	9	7	9	7	1.1		⊸ n, ⊙ a
13	96.7	95.8	94.8	4.1	6.3	5.2	7.7	2.2	77	67	76	21	1	02	1	20	1	9	5	6	10(ẏ)			⊸ n, ⊙ 14
14	92.9	92.2	90.5	3.2	6.3	8.4	8.7	2.2	93	81	56	24	1	04	2	08	3	9	10(≡)	6	3 ⊸°	2.6		• n, ⊙ ẏ° a,p, ⊸ p
15	92.7	91.5	92.4	3.5	7.5	7.5	8.4	1.1	77	60	56	04	3	06	3	04	3	8	6	3 ⊸°	7 ⊸°	0.0		⊸ n, ⊙ a, ⊸ ⊙ p
16	95.9	97.6	99.9	5.5	10.0	9.9	11.3	1.0	70	50	50	16	1	06	1	28	2	9	5 ⊸	4	3 ⊸			⊸ n, ⊸ ⊙ a,p
17	06.3	07.5	08.6	7.4	11.6	12.0	12.4	3.3	73	56	51	02	1	03	1	28	2	9	0 ⊸	2	2 ⊸			⊸ n, ⊙ a, ⊸ ⊙ p
18	10.2	09.0	07.5	8.8	12.0	8.9	13.3	4.7	81	49	49	18	2	24	3	24	3	7	1 ⊸	7 ⊸	10 ⊸			⊸ ⊙ n,a, ⊸ p
19	08.0	07.8	07.3	5.6	12.2	8.4	9.8	4.1	61	49	60	20	1	23	2	26	2	8	5	3 ⊸	7 ⊸	2.1		• n, ⊸ ⊙ a,p
20	06.2	05.8	06.3	6.4	9.1	8.5	11.1	1.8	69	58	59	04	1	25	1	25	3	9	4 ⊸	0	2 ⊸			⊸ ⊙ n, ⊙ a, ⊸ ⊙ p
21	09.0	07.7	05.6	6.0	10.3	11.7	11.8	2.4	82	60	65	24	1	03	5	04	3	9	9 ⊸	0	0			⊸ n, (≡) 8, ⊙ a,p
22	06.7	07.2	09.1	13.4	22.1	19.4	23.5	5.1	60	38	**36**	01	1	16	5	24	5	8	0 ⊸	0 ⊸	3 ⊸			⊸ ⊙ n,a,p
23	14.3	14.8	**15.0**	13.9	18.5	14.2	19.4	8.4	67	44	58	18	1	04	3	24	2	6	3 ⊸	0 ⊸	4 ⊸			⊸ ⊙ n,a,p
24	13.5	10.4	09.0	10.8	17.6	16.9	18.7	6.6	78	53	52	25	1	04	2	28	3	8	8 ⊸	2 ⊸	4 ⊸			⊸ ⊙ n,a,p
25	09.8	07.9	06.3	12.2	17.3	17.7	18.3	8.4	78	47	47	02	2	04	3	04	3	8	3 ⊸	5 ⊸	0			⊸ ⊙ n,a,p
26	06.4	04.3	02.6	14.0	20.3	20.2	22.4	8.4	58	42	42	03	1	06	2	04	1	8	0 ⊸	2 ⊸	0 ⊸			⊸ ⊙ n,a,p
27	03.0	00.5	98.6	16.0	22.1	22.3	**23.9**	10.4	60	42	38	00	0	03	2	28	1	8	0 ⊸	3 ⊸	0 ⊸			⊸ ⊙ n,a,p
28	99.0	98.5	99.0	16.0	23.0	20.0	23.6	10.5	69	41	45	02	1	28	1	28	2	8	1 ⊸	2 ⊸	3 ⊸			⊸ ⊙ n,a,p
29	00.7	99.8	98.5	14.3	19.6	19.3	20.3	10.0	73	44	44	04	1	06	2	24	1	9	1 ⊸	0	1 ⊸			⊸ ⊙ n,a,p
30	96.7	96.6	94.2	15.4	22.0	17.4	22.1	10.5	58	49	46	04	2	28	1	06	4	8	1 ⊸	1 ⊸	2 ⊸			⊸ ⊙ n,a,p
31	88.5	86.8	**86.0**	11.9	14.3	11.0	17.3	10.6	83	70	93	06	2	04	3	18	1	7	9 ⊸	10 ⊸	10 •			⊸ n,a, • p
M	02.8	02.4	02.2	7.8	11.5	10.6	12.9	4.5	76	62	62		1.8		2.5		2.5	7.4	5.5	5.1	5.2	38	0	

Juni VI

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	82.0	78.8	75.2	9.2	12.3	12.1	13.2	9.0	94	82	80	03	3	03	4	03	4	7	10(≡)	8 ⊸	10 ⊸	7.0		• n, ⊸ a, ⊸ ẏ p
2	75.8	76.4	75.6	9.6	9.3	10.1	12.1	8.3	85	92	92	08	3	04	3	03	2	4	10 •°	10 •	8(≡)	0.7		•° n, ⊸* 8, •(≡) a, • p
3	75.6	78.3	81.9	11.3	13.1	9.5	14.7	7.9	83	74	86	04	1	28	1	24	1	5	9	9(•)	10 ⊸	3.6		• n, ẏ a, ⊸ 14, ẏ p
4	87.6	89.6	90.9	10.3	11.8	11.0	12.3	8.3	91	76	67	23	1	28	1	30	1	7	10(≡)	10 ⊸	10 ⊸	3.1		• n, ⊸ ẏ a, ⊸ p
5	86.7	81.1	78.1	12.1	20.5	15.4	21.3	6.7	76	**36**	47	06	2	16	6	16	7	8	0 ⊸	4 ⊸	10 ⊸	0.5		⊸ ⊙ n,a, ⊸ p
6	70.8	**70.7**	75.3	16.2	14.3	9.4	17.3	9.4	50	49	85	18	6	24	1	24	1	7	1 ⊸	10 ẏ	10 ẏ*	2.3		⊸ ⊙ • n, ⊸ ⊙ ℝ ẏ a, ẏ ℝ p
7	83.3	89.2	92.2	11.3	12.5	9.8	13.3	7.3	76	61	69	00	0	24	2	24	1	8	7 ⊸	6 ⊸	7 ⊸	8.8		ẏ n, ⊸ ⊙ ẏ a, ⊸ ẏ p
8	00.2	03.4	02.9	9.4	11.0	11.8	13.7	7.0	72	65	53	18	3	24	3	06	1	8	5 ⊸	8 ⊸	7 ⊸	2.4		⊸ ẏ n, ⊸ ẏ ℝ a, ⊸ ⊙ p
9	97.5	95.0	91.8	11.2	11.5	9.8	15.3	6.7	73	76	81	03	3	18	2	10	4	5	4 ⊸	10 •	10 •	0.5		⊸ ⊙ n, • (≡) a, • p
10	87.4	85.5	85.3	8.5	10.5	10.2	10.9	6.9	90	83	83	24	1	06	1	25	1	5	10 ⊸	10 ⊸	10 ⊸	10.0		• n, ⊸ • a, ⊸ p
11	82.2	82.3	83.9	9.6	12.4	12.0	13.3	8.3	87	73	69	04	1	28	1	28	2	6	6 ⊸	10 ⊸	9	0.1		⊸ n,a,p
12	91.5	94.7	97.0	7.6	10.6	8.2	12.0	7.3	91	69	78	28	1	24	2	24	1	8	10 •	8 ⊸	10 ⊸	0.6		• n, ⊸ • a, ⊸ p
13	01.4	03.6	04.8	8.3	9.0	7.3	10.0	4.3	76	70	80	24	2	24	4	24	2	6	7 ⊸	9(ẏ)	6(ẏ)	1.2		⊸ ẏ n, ẏ a,p
14	07.1	**07.4**	06.8	6.6	10.1	10.2	11.1	4.0	80	67	60	28	1	26	1	26	1	9	9 ⊸	7	2 ⊸	2.6		⊸ n, ⊸ ẏ a, ⊸ ⊙ p
15	02.7	99.8	96.2	6.4	9.3	9.7	11.4	**3.3**	82	69	60	06	3	11	3	06	1	7	8 ⊸	10 ⊸°	10 ⊸	0.5		⊸ n,a,p
16	92.6	92.4	94.3	8.4	10.1	11.3	12.6	6.9	81	76	65	24	1	26	3	26	2	8	10 ⊸	10 ⊸	4 ⊸			⊸ n, ⊸ ẏ a, ⊸ ⊙ p
17	97.0	95.1	93.3	9.2	16.5	17.0	17.5	4.3	78	52	53	04	3	06	3	04	2	9	0 ⊸	1	7	0.2		⊸ ⊙ n, ⊙ a, ⊸ ⊙ (ẏ) p
18	92.4	92.2	89.0	17.0	19.1	17.8	19.3	12.6	50	44	47	14	7	18	5	18	3	8	3 ⊸	10 ⊸	10 ⊸			⊸ ⊙ n,a, ⊸ p
19	83.8	85.1	85.1	13.7	15.5	13.3	17.8	10.3	70	67	67	28	1	26	3	28	1	8	3 ⊸	10 ⊸	7 ⊸			⊸ ⊙ n, ⊸ a,p
20	88.0	89.8	90.6	10.0	13.2	14.5	15.3	9.3	91	70	59	18	1	02	1	02	2	5	10 •°	9 ⊸	7 ⊸	0.1		⊸ ẏ° n, ⊸ ẏ a, ⊸ p, ⊙ 19
21	98.6	00.9	03.7	11.5	14.3	12.5	14.6	9.7	82	70	64	20	1	28	3	26	3	8	10 ⊸	5 ⊸	10 ⊸	0.7		⊸ ẏ n, ⊸ ẏ° a, ⊸ p
22	03.3	01.9	03.0	12.0	14.1	13.6	14.4	9.6	77	77	82	18	1	20	2	25	1	6	7 ⊸	10 ⊸	10 ⊸	0.5		⊸ n, ⊙ 8, ⊸ ẏ° a,p ⊙ 14
23	03.5	01.8	02.9	13.3	15.4	14.2	16.1	10.8	78	73	93	06	2	04	1	02	1	6	10 ⊸	9 ⊸	10(•)	0.5		⊸ •° n, ⊙ ⊸ a, ⊸ ẏ p, (≡) 19
24	02.9	99.8	97.1	12.7	18.3	19.0	19.9	11.6	91	73	70	03	2	04	2	03	1	8	10 ⊸	6 ⊸	9 ẏ°	1.0		⊸ n, ⊸ ⊙ a, ⊸ ẏ° p
25	95.6	96.1	96.4	15.3	17.2	14.8	19.6	14.4	90	86	96	08	1	00	0	06	2	5	10 •	10 •	10 •	2.0		• = n, (=) • a, • (≡) p
26	94.2	93.6	95.5	18.8	23.2	13.8	**23.3**	13.8	73	49	86	12	3	18	2	28	3	8	8 ⊸	9 ⊸	10 ⊸	7.7		⊸ • n, ⊸ ⊙ a, ⊸ •° p
27	97.7	97.1	96.8	11.5	14.2	12.5	14.3	10.6	94	81	91	24	1	02	2	18	1	8	10 ⊸	10 ⊸	10(=)	2.0		⊸ • n, ⊸ a, ⊸° p
28	95.5	92.0	91.1	11.8	22.4	19.3	22.4	9.8	96	41	44	04	1	16	5	18	5	8	10 ≡*	3 ⊸	8 ⊸	5.4		≡* • n, ⊸ ⊙ a,p
29	94.0	97.8	98.0	11.7	14.0	13.5	19.3	11.5	94	73	76	24	1	10	1	08	1	8	10 •*	9 ⊸°	9 ⊸°	10.8		• n, ⊸ ⊙ a, ⊸ p
30	91.0	88.5	93.8	14.0	17.4	11.4	19.4	8.6	73	57	80	06	2	06	2	24	1	6	4 ⊸	6 ⊸	8 ⊸	4.3		⊸ ⊙ n, ⊸ a, ⊸ ⊙ ℝ ẏ p
M	92.1	92.0	92.3	11.3	14.1	12.5	15.6	8.6	81	68	72		2.0		2.3		2.0	7.0	7.4	8.2	8.6	79		

Ekstensotabell

1946

Trondheim

$\varphi = 63°\ 25'N$ $\lambda = 10°\ 27'E$ $g = 9.821$ $\Delta G = +1^h$ **Juli VII** $H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	91.9	95.4	95.2	10.6	13.3	13.0	15.2	7.3	81	65	65	18	1	24	3	28	1	8	10 ⬬	9 ⬬	6 •	1.3		⬬ n, ⬬ •° a, ⬬ p
2	99.6	99.5	97.1	11.4	11.8	11.3	13.2	10.0	76	82	96	22	2	04	3	03	1	6	10(•)	10 ⬬	10 •°	0.2		⬬ ◦ n, ⬬ •° a, • p
3	97.5	99.3	99.5	12.5	17.6	16.6	17.6	11.3	97	83	82	00	0	25	2	24	1	6	9 ≡	7 ⬬	8 ⬬	14.6		• ≡ n, ≡ ⬬ a, ⊙ 14, ⬬ ẏ p, (=) 19
4	98.8	99.5	96.4	14.0	17.0	17.0	17.1	13.3	94	80	82	22	1	06	1	25	1	4	10(≡)	8 ⬬	10 =	0.9		• ≡ n, ⬬² a, ⊙ 14, = p
5	89.1	84.5	87.2	18.7	23.8	15.0	23.8	13.7	76	56	81	18	2	18	5	14	1	6	10 •	10 ⬬	3 ⬬	2.7		• n, (≡) 8, ⬬ ẏ° a, ẏ p, ⊙ 19
6	93.4	97.2	00.3	11.7	14.1	12.6	15.0	10.9	83	74	70	25	3	25	2	26	2	9	10(•)	7	9	3.0		⬬ n, ẏ 8^{90}–9^{90}, ⬬ a
7	08.2	10.0	11.2	10.8	12.5	12.3	13.4	9.9	86	78	78	24	1	26	3	24	1	6	7(•)	10(ẏ)	10 ⬬	2.8		•° n
8	10.2	09.5	09.7	11.1	11.8	12.7	12.7	9.4	88	94	92	18	2	20	1	24	1	4	10(•)	10 ◦	10(•)			◦ a, ◦² p
9	09.6	08.7	07.7	12.6	15.7	13.0	16.1	8.2	80	67	86	20	1	02	1	24	1	8	10(≡)	8 ⬬	10 •	3.2		◦ n, ⬬ a, ⊙ 14, ⬬ • p
10	09.0	09.3	09.5	12.2	12.4	12.3	13.9	9.4	80	76	76	18	1	24	2	25	2	6	8 ẏ	9 ⬬	8 ⬬	2.2		• n, ⬬ ẏ a, p, ⊙ 19
11	09.5	08.1	07.1	11.2	14.9	13.7	14.9	8.9	86	58	58	18	1	06	1	08	1	6	9 ⬬	9 ⬬	3	0.7		⬬ n, a, ⊙ 19
12	02.3	01.2	02.6	15.3	20.5	17.1	20.7	9.0	70	55	65	03	2	08	1	15	1	9	1	9	9 ⬬			⊙ n, a, ⬬ •° p
13	01.7	00.9	99.3	17.6	21.5	20.0	22.4	12.3	73	60	60	04	1	24	1	04	2	6	3 ⬬	8 ẏ	7 ⬬	0.0		⬬ ⊙ n, ⬬ ⊙ ẏ a, ⬬ R ẏ p, ⊙ 19
14	97.6	96.2	93.9	21.6	23.9	23.8	24.4	16.3	53	39	35	14	2	16	4	10	2	8	1 ⬬	2 ⬬	0 ⬬	1.0		⬬ ⊙ n, a, p
15	97.1	95.1	93.1	20.9	25.0	23.0	**25.4**	16.1	51	38	49	16	1	08	3	08	2	9	0 ⬬	0	0 ⬬			⬬ ⊙ n, a, p
16	93.3	92.6	91.2	20.5	25.0	22.7	25.2	15.3	50	**28**	35	04	1	08	4	08	2	9	0	0	0			⊙ n, a, p
17	93.5	93.8	94.4	18.8	24.4	22.0	25.1	14.3	57	44	48	03	1	02	1	30	1	9	0 ⬬	0	0 ⬬			⬬ ⊙ n, ⊙ a, p
18	96.6	96.5	95.0	16.6	21.8	21.2	23.4	13.0	77	51	52	06	2	02	1	30	1	9	0 ⬬	0	4			⬬ ⊙ n, ⊙ a, p
19	96.0	93.8	93.0	16.6	21.6	19.2	23.0	11.4	74	47	59	30	1	30	1	28	2	8	0 ⬬	2 ⬬	7			⬬ ⊙ n, a, ⊙ p
20	93.5	93.3	92.7	14.3	22.0	18.7	22.4	12.1	91	56	68	14	1	04	1	26	2	8	7 ≡	1 ⬬	8 ⬬	0.2		ẏ ≡ n, ⬬ ⊙ a, p, ẏ p
21	93.5	93.6	92.2	14.7	19.6	19.2	20.8	12.2	90	65	57	00	0	16	1	00	0	8	10(≡)	2 ⬬	4 ⬬	0.3		⬬ R ẏ n, ⬬ ⊙ a, p
22	90.5	91.5	92.7	14.4	15.0	13.8	19.4	13.3	91	88	86	14	1	24	1	24	1	6	10 ⬬	10 •.	8 ⬬	0.7		⬬ ẏ n, ⬬ • a, ⬬ ẏ p
23	94.5	93.9	93.6	14.3	18.1	18.4	19.4	11.7	83	60	57	14	2	06	2	12	1	6	5 ⬬	8 ⬬	7 ⬬	3.1		⬬ ẏ n, (≡) 8, ⬬ ⊙ a, p
24	95.6	93.8	94.6	16.6	20.3	16.7	21.4	11.8	57	68	83	04	1	24	1	16	1	5	7 ⬬	10 =	10 •°	0.1		= ẏ n, = ⊙ a, = • p
25	95.6	94.8	97.4	14.5	19.3	17.6	20.0	14.4	92	73	73	24	1	04	2	24	2	9	10	4	8 ẏ	3.5		• ≡ n, ⊙ a, ⬬ ⊙ p, ẏ 16–16^{00}
26	02.8	03.7	04.2	12.3	17.1	15.4	17.6	11.9	92	63	67	00	0	10	2	07	1	6	10 •	5 ⬬²	1 ⬬	4.0		⬬ ⊙ ẏ • n, ⬬ • ⊙ a, ⬬ ⊙ ẏ p
27	97.1	89.4	**82.9**	17.7	18.7	19.3	20.0	11.2	60	57	61	15	4	17	4	17	5	5	9 ⬬	10 ẏ°	2 ⬬	0.4		⬬ ⊙ n, ⬬ ẏ° R a, ẏ° ⬬ ⊙ p
28	87.1	90.8	91.1	12.1	12.6	13.9	19.6	12.0	93	91	76	19	3	19	1	25	1	6	10 ⬬	9 ⬬²	8 ⬬	5.7		⬬ ẏ n, a, ⬬ ⊙ p
29	90.5	88.6	86.7	15.0	17.8	15.8	18.3	9.5	64	60	63	14	2	01	3	07	2	9	4 ⬬°	2	5(ẏ)	1.1		⬬ ⊙ n, a, ⊙ ẏ° p
30	86.6	85.8	86.6	14.3	18.9	13.2	19.6	10.3	80	58	88	09	1	01	1	09	4	7	2 ⬬	5 ⬬	10 R	0.0		(ẏ) ⬬ ⊙ ◦ n, ⬬ ⊙ a, p, ẏ R 19–21
31	85.6	84.8	85.1	12.5	18.1	16.0	18.1	9.1	94	65	70	00	0	08	2	05	2	8	6 ⬬	5 ⬬°	5 ⬬	11.3		(≡) ⊙ 8, ⬬ ⊙ a, ⊙ ⬬ R ẏ p
M	97.0	96.6	96.2	14.8	18.3	16.7	19.3	11.6	78	64	68		1.4		2.0		1.5	7.1	6.4	6.1	6.2	63		

August VIII

1	87.6	88.4	90.8	15.2	13.8	12.9	18.3	11.9	81	86	86	00	0	00	0	24	1	6	7 =°	9 ẏ	10 =°	1.9		⬬ ⊙ =² n, =° ẏ a, p
2	92.5	91.4	88.6	11.6	15.2	14.4	15.9	11.0	90	63	68	23	1	00	0	04	3	7	9 =°	9 ⬬	1 ⬬°	3.0		=° ẏ n, =° ⊙ a, ⬬ ⊙ p
3	82.0	82.3	85.0	14.4	16.8	11.8	19.4	10.2	77	58	91	00	0	18	2	24	1	8	9 ⬬°	10 ⬬	10 •			⬬ ⊙ n, ⬬ ◦ a, • p
4	90.6	93.0	94.7	12.0	17.0	16.0	17.4	10.7	91	65	73	18	1	03	1	00	0	8	10 ⬬	7 ⬬	10	6.7		⬬ • n, ⬬ ⊙ a
5	99.3	98.8	97.8	15.5	17.3	17.5	18.5	11.2	74	64	70	30	1	04	2	06	1	9	6 ⬬	8	5			⬬ ⊙ n, ⊙ a, p
6	97.2	95.5	94.8	15.0	19.7	19.2	21.4	11.6	83	69	72	04	1	04	2	08	1	8	9 =	5 ⬬	7 ẏ	0.0		ẏ n, ⬬ ⊙ a, p
7	92.2	89.8	89.5	18.0	22.8	19.7	**22.9**	12.5	68	49	52	02	1	18	4	16	3	6	5 =	6 ⬬	9 ⬬	0.0		= ⊙ n, ⬬ ⊙ a, ⬬ p
8	89.5	88.6	87.0	13.1	15.8	14.5	19.7	13.1	93	78	91	18	1	06	1	08	1	9	10(≡)	10	10 ⬬	2.4		• n, ⬬ ẏ p
9	86.7	86.9	85.5	14.6	15.8	15.8	18.4	12.1	81	76	73	18	2	24	1	00	0	6	4 ⬬	8 ẏ	9(ẏ)	1.8		⬬ • n, ⊙ 8, ẏ a, p
10	87.0	90.2	89.7	11.6	18.6	16.0	18.6	10.9	88	60	68	23	3	04	2	06	3	9	10 •	4	8	2.5		⬬ • n, (≡) 8, ⬬ • a, ⊙ 14
11	81.9	**74.9**	76.7	14.9	19.7	17.5	21.0	13.5	81	55	49	12	4	18	7	18	7	9	10 •	7	10(•)	3.1		• n, a, ẏ° p
12	92.4	95.4	95.8	12.4	16.6	14.7	17.5	12.2	80	70	73	14	4	16	1	25	2	9	10 ẏ	3	8 ẏ	4.8		ẏ n, ⬬ 8, ẏ a, ⊙ 14, ẏ° p
13	93.4	91.6	87.6	10.2	15.3	15.6	16.4	9.4	94	80	83	18	1	04	3	10	1	9	10 =	8	10 ⬬	1.4		• = n, = a, ⊙ 14, ⬬ p
14	82.9	81.7	81.5	13.2	13.5	12.4	15.6	12.4	91	90	93	06	4	23	1	25	1	4	8 =	10 •	10 •	1.4		• n, (≡) 8, • a, p, ≡ p, (≡) 19
15	84.4	87.2	89.3	10.6	13.7	12.0	13.9	10.4	92	86	92	22	3	23	3	24	3	5	10(≡)	10(•)	10 ẏ	22.3		• n, •° a, • p
16	90.7	91.0	90.9	11.0	14.3	12.4	14.4	10.4	91	78	82	18	1	26	1	24	1	6	10(≡)	8 ⬬	8 ⬬	4.8		• n, ⬬ ẏ a, ⬬ p
17	92.7	93.8	93.9	11.0	14.3	12.9	14.4	9.5	93	70	70	15	1	04	1	25	1	9	10(≡)	6	5 ⬬	2.0		• n, ⬬ a, ⊙ p
18	94.4	94.6	94.3	10.5	14.5	13.8	15.5	9.4	94	73	76	06	1	08	1	06	1	9	9 ⬬	5	2	0.7		ẏ n, ẏ° a, ⊙ p
19	94.6	95.2	97.0	13.5	17.0	14.3	18.4	**8.3**	76	65	73	08	1	06	2	08	1	9	5	5	8 ⬬°			⊙ ◠² n, ⊙ a
20	02.2	02.0	01.2	12.6	17.6	16.5	18.5	8.4	76	59	61	18	1	06	2	00	0	9	1 ⬬	1	1 ⬬°			⬬ ◠² n, ⬬ ⊙ a, ⬬° ⊙ p
21	01.6	99.5	98.8	13.5	18.7	16.6	20.3	9.9	78	57	67	00	0	00	0	30	2	8	0 =	2 ⬬	1 ⬬			= ⊙ ◠ n, = ⊙ a, ⬬ ⊙ p
22	99.9	99.9	99.6	12.4	16.1	16.2	18.1	11.4	88	70	61	00	0	04	2	18	1	8	10 =	3 ⬬	3 =			= ◠ n, ⬬ ⊙ a, = ⊙ p
23	99.8	00.9	01.3	12.4	18.0	16.0	18.2	10.2	87	73	78	18	1	02	2	26	1	6	10 =	9 =	9 ⬬			= ◠ n, = a, p
24	00.3	98.9	98.6	12.7	19.0	18.5	20.0	9.5	93	67	67	00	0	04	2	08	1	8	0 =	2 ⬬	1 =			≡² n, ⬬ ⊙ a, p
25	99.7	99.3	99.0	16.1	17.4	18.0	20.5	9.8	69	67	64	00	0	00	0	00	0	6	0 ⬬	0 ⬬	2 ⬬			= ⊙ ◠ n, ⬬ ⊙ a, p
26	98.4	97.7	97.0	14.4	20.1	18.0	20.4	10.5	81	60	58	00	0	02	1	16	3	8	1 =	1 ⬬	2 ⬬			= ⬬² n, ⬬ ⊙ a, p
27	97.2	95.8	95.1	15.2	20.4	18.3	20.6	11.1	76	49	49	04	1	08	3	10	3	8	0 =	3 ⬬	4			= n, ⬬ ⊙ a, ⊙ p
28	96.2	94.0	93.6	13.6	19.5	16.3	20.0	10.1	69	49	49	31	1	15	2	14	3	8	0 ⬬	0 ⬬	1 ⬬			⬬ n, ⬬ ⊙ a, p
29	91.9	91.3	91.1	14.3	18.2	16.1	18.8	9.5	60	49	52	15	4	18	5	18	5	9	4	6	9			⊙ a
30	91.5	91.8	92.6	15.6	17.3	16.8	19.4	14.3	60	56	51	18	4	18	5	18	4	8	2	10 ⬬	1			⬬ a, p, ⊙ 19
31	95.2	98.8	01.7	14.8	16.0	13.5	18.1	12.3	61	64	73	18	4	02	1	00	0	5	3 ⬬	7(ẏ)	0 ⬬			⬬ n, ⬬ ⊙ a, ⬬ ẏ° p, ⊙ 19
M	93.1	92.9	92.9	13.4	17.1	15.6	18.4	10.9	81	66	70		1.5		1.9		1.8	7.6	6.2	5.9	5.9	59		

Ekstensotabell

1946

Trondheim

φ = 63° 25′ N λ = 10° 27′ E g = 9.821 ΔG = + 1ʰ **September IX** H_s = 127 H_b = 133.0 h_t = 2.0 h_a = h_d = 11.2 h_r = 1.3

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	00.7	97.6	95.4	8.4	13.8	13.9	14.3	6.8	93	77	82	18	1	06	1	02	2	8	4 ⚋	10 ⚋	10 •°	0.0		⚋ ⚌ n, ⊙ 8, ⚋ a, ⚋ •° p
2	86.5	84.4	85.5	13.5	19.1	16.0	19.3	12.3	92	50	57	08	3	10	5	16	3	9	10 ⚋	8	2	1.7		• n, ⚋ ⚸ a, ⊙ p
3	88.3	88.5	88.6	12.5	15.8	13.5	16.2	11.3	90	73	83	00	0	00	0	24	2	6	2 ⚋	10 =	10 ⚋	0.1		= n, a, ⚋ p
4	88.9	89.5	89.1	11.3	12.0	12.5	13.5	11.1	88	83	83	18	3	18	4	18	1	7	9(•)	10 ⚋	10 ⚋	10.6		• n, ⚋ ⚸ a, ⚸° p
5	90.5	90.7	90.6	11.0	14.4	13.2	14.5	10.3	94	83	87	00	0	04	2	00	0	8	10 =	3 ⚋	3 =	2.7		≡ ⚌ • n, ⚋ a, = ⊙ p
6	89.7	90.1	90.4	11.3	15.7	14.0	16.3	10.3	94	82	80	00	0	30	1	00	0	5	9 =	9 =	2 =			= ⚌ n, = a, = ⊙ p
7	91.1	92.3	92.5	10.9	15.1	13.6	15.5	10.4	93	83	87	18	1	30	1	18	1	6	7 ⚌	10 =	8(•)	0.4		⚋ ⚸ n, ⊙ 8, = ⚸° a, ⚸ p
8	93.8	94.0	93.5	10.5	15.2	13.6	15.3	10.1	94	80	86	22	1	30	1	18	1	6	8 =	5 =	7 ⚸	2.0		≡ n, = ⊙ a, ⚋ ⚸ p
9	92.4	90.6	89.7	7.8	14.3	14.3	15.0	7.1	94	83	86	23	1	04	2	18	1	6	9 ⚌	3 ⚋	4 =	0.1		≡ ⚌ n, ⚋ ⊙ a, = ⊙ p
10	88.8	88.1	88.7	10.5	11.1	9.4	14.3	7.7	92	94	94	08	1	06	2	18	2	3	10 •	10 •	10(≡)	2.0		• n, •(≡) a, • p
11	89.2	89.7	90.9	8.5	11.3	12.1	12.3	8.3	96	94	92	20	3	18	1	24	1	6	10(≡)	10 ⚸	9 ⚋	20.7		• n, ⚋ ⚸ a, ⚋ ⚸° p
12	97.0	00.0	01.3	9.4	12.8	11.1	13.1	9.4	83	63	73	20	1	00	0	00	0	8	10 ⚋	8 ⚋	9 ⚋	0.2		⚋ n, a, p
13	97.5	93.5	89.6	7.7	14.0	14.0	15.3	4.1	78	74	60	04	1	03	1	16	4	9	3	6	10			⚋ ⌣ n, ⊙ a
14	82.4	81.5	79.7	13.4	15.0	13.6	15.0	13.0	61	59	59	16	5	10	5	16	4	9	10 ⚋	8	5 ⚋			⚋ n, a, p
15	69.7	**66.0**	70.7	12.8	11.6	8.4	13.6	8.4	61	72	93	15	4	14	2	20	2	6	10	10 •	10 •			• a, p
16	86.9	90.1	90.1	9.3	12.1	12.2	14.2	8.3	86	86	73	20	2	18	1	12	2	5	9(•)	9 ⚋	9 ⚋	13.3		• n, ⚋ ⚸ a, ⚋ p
17	92.7	92.1	88.5	9.2	12.6	14.5	14.5	7.3	83	73	61	12	1	04	2	16	3	9	6 ⚋	6	9 ⚋	3.0		⚋ n, ⊙ 14, ⚋ p
18	81.5	79.8	78.9	11.7	12.8	9.0	14.8	9.0	67	73	92	16	3	20	1	20	1	6	10 ⚋	10 •	10 ⚋	0.0		⚋ ⚸ n, ⚋ ⚸° a, ⚋ ⚸ p
19	78.8	77.7	78.4	4.8	12.6	10.0	12.7	4.3	93	58	73	00	0	12	2	18	2	9	6	8	10 ⚋	4.4		• n, ⚋ •° p
20	76.0	76.0	76.2	7.6	8.3	7.2	10.0	7.2	94	93	91	00	0	20	1	12	1	4	6 •°	10 •	5 ⚋	2.9		• n, a, p
21	78.7	84.2	87.7	4.2	8.8	7.8	11.3	**2.3**	91	80	92	18	1	22	4	18	5	6	2 ⚋	8 ⚸	10(•)	6.0		⚋ ⌣ n, ⊙ 8, ⚋ ⚸ a, • p
22	91.4	83.4	80.2	9.0	13.4	10.3	13.4	5.3	73	47	83	00	0	16	4	18	6	9	2	8	9 ⚸	7.4		• n, ⊙ 8, ⚸ p
23	79.0	77.5	76.4	8.3	15.5	11.4	15.5	7.8	86	**42**	48	15	3	18	3	18	3	9	3(≡)	2	4	3.6		⚸ n, ⊙ a, p
24	75.8	78.8	84.0	9.4	12.3	8.3	12.5	8.3	52	67	81	18	4	20	2	18	1	6	8 ⚋	10 ⚋	8 ⚋			⚋ n, a, ⚸° p
25	93.0	95.2	95.7	7.1	11.6	10.1	11.7	5.4	87	65	80	22	1	04	1	30	1	9	6 ⚋	10	10 ⚋	0.1		⚋ n, a, p, ⚸ p
26	02.1	02.9	01.7	9.8	15.5	14.5	15.6	8.9	73	65	58	02	1	20	1	16	3	6	9 ⚋	10 ⚋	10 ⚋	1.0		⚋ n, ⊙ 8, ⚋ a, p
27	00.3	99.1	95.7	16.4	18.5	17.6	**19.9**	13.4	60	57	60	16	4	16	6	20	2	8	10 ⚋	10 ⚋	9 ⚋			⚋ n, • a, ⚋ p
28	04.3	07.3	09.5	9.5	9.3	7.3	17.6	7.3	96	82	83	00	0	24	2	25	1	6	10 ≡	10 ⚋	10 •°	7.0		• n, ⚋ › a, ⚋ ⚸° p
29	12.5	12.6	12.7	5.0	8.3	7.2	8.3	5.0	91	78	81	20	2	00	0	00	0	8	9 ⚋	10 ⚋	10 ⚋	0.3		⚸ n, ⚋ a, p
30	**12.8**	**12.8**	12.0	3.6	8.6	6.1	9.3	3.3	73	73	80	18	3	05	2	00	0	6	8 ⚋	2 ⚋	6 ⚋			⚋ n, ⊙ a, ⚋ p
M	90.4	90.2	90.1	9.5	13.0	11.5	14.2	8.1	84	73	78		1.7		2.0		1.8	6.9	7.5	8.1	7.9	90		

Oktober X

1	11.4	12.7	13.3	6.6	7.8	3.9	8.1	3.9	87	60	70	04	3	08	1	08	1	8	8 ⚋	1 ⚋	1	0.4		⚋ ⚸° n, ⚋ ⊙ a, ⚋ p
2	13.1	14.0	13.8	2.1	10.0	5.7	10.3	2.1	60	49	74	00	0	00	0	00	0	9	1	0	2 ⚋			⌣ n, ⊙ a, p
3	08.8	02.9	98.5	2.8	11.6	10.5	**11.6**	2.8	80	53	**36**	00	0	00	0	16	3	9	1	4	2			⌣ n, ⊙ a, p
4	88.4	86.8	86.3	9.2	11.0	8.1	11.3	8.1	55	55	59	17	7	18	6	18	5	9	10 ⚋	9	10	0.0		⚋ ⚸ n
5	84.4	**83.9**	85.5	5.1	5.8	5.6	8.2	4.9	86	80	86	00	0	14	2	00	0	5	9 ⚋	10 •	8 ⚋	0.0		⚋ ⚸ n, ⚋ • a, ⚋ ⚸ p
6	97.9	01.9	04.4	2.7	9.4	5.0	9.5	1.8	86	76	85	18	1	08	2	00	0	5	7 ⚋	1 ⚌	1 ⚋	0.5		⚋ ⚸ n, ⚋ ⊙ a, p
7	08.8	11.2	12.7	1.4	9.5	5.0	9.5	0.8	83	72	83	18	1	02	1	00	0	4	3 ⚋	4 ⚌	6 ⚋			⚋ ⌣ n, ⚌ ⊙ a, ⚋ p
8	18.7	20.5	21.8	1.5	9.8	5.8	9.9	1.2	93	73	91	18	1	02	1	00	0	4	8 ⚋	3 =	0 =			⚋ ⌣ n, = ⊙ a, p
9	22.9	23.2	**23.7**	0.6	9.5	8.7	9.7	0.4	94	80	80	18	2	22	1	20	1	8	6 ⚋	9 ⚋	10 ⚋			⚋ n, ⚌ a, ⚋ p
10	22.2	20.6	19.7	7.4	9.1	9.0	9.2	0.9	82	78	57	20	3	24	4	20	4	6	10 ⚋	10 ⚋	10 ⚋			⚋ n, a, p
11	11.4	11.5	11.4	7.7	9.0	8.6	9.7	7.7	93	92	86	23	4	24	4	24	3	4	10 ›	10(≡)	9(≡)	0.0		= › n, › a, › ⚸ p
12	05.4	03.4	99.9	9.1	8.1	8.2	9.4	8.1	94	93	92	24	5	23	3	24	3	3	10(≡)	10(≡)	10 •°	5.2		⚸ n, › ≡ a, • p
13	00.3	99.0	97.9	7.2	8.0	7.2	8.3	7.2	96	94	92	20	1	24	3	24	3	5	10(≡)	10(≡)	10(≡)	12.7		• n, › ≡ a, (≡) p
14	88.6	88.0	90.1	7.0	7.0	4.8	7.3	4.8	87	86	87	24	4	25	5	26	4	6	10(≡)	8 ⚸	10 ⚸	6.9		• n, ⚸ a, p
15	93.8	95.1	94.6	6.3	6.8	6.8	7.3	4.8	91	90	92	24	2	25	3	25	3	5	10 ›	10 ⚸	10(≡)	5.5		• n, (≡) 8, ⚸ a, p
16	94.4	97.0	99.1	7.1	7.8	6.5	8.3	6.3	92	87	96	24	4	24	4	24	6	8	9 ⚸	8 ⚋	10 ›	5.5		⚸ n, a, p
17	00.4	00.7	03.9	5.6	7.3	7.0	7.3	5.4	93	93	91	23	3	23	2	24	4	6	9 •	10(≡)	10(≡)	6.0		⚸ n, a, p
18	06.4	06.9	07.0	7.3	8.1	7.6	8.3	7.0	96	93	91	20	2	18	2	24	1	6	10 ›	10(≡)	10 ⚋	7.7		⚸ n, › a, ⚋ p
19	05.3	05.9	05.2	5.8	8.3	4.1	8.5	4.1	91	82	87	18	2	20	2	28	1	8	9 ⚋	8 ⚋	0 ⚋	3.5		⚸ n, ⚋ a, p
20	99.4	98.2	96.8	0.5	4.0	5.0	5.1	0.1	93	93	86	18	1	18	1	20	1	4	7 ⚋	8 ⚋	10 ⚋			⚋ ⌣ n, (≡) 8, ⚋ ⊙ a, ⚋ p
21	96.3	98.6	01.4	6.0	5.7	2.4	6.0	2.3	91	69	77	02	3	06	2	00	0	6	10	9 ⚸	1 ⚋	0.7		⚸ n, ⚋ p
22	07.0	07.9	08.4	- 3.2	2.4	0.2	2.5	- 3.3	92	56	55	00	0	10	2	10	3	9	0 ⚋	0	0	0.0		⚋ n, ⊙ a
23	09.5	09.7	08.7	- 3.2	2.4	1.2	2.4	- **3.8**	60	56	92	00	0	00	0	00	0	8	0	8 ⚋	10 ⚋			⚋ a, ⚱ p
24	07.1	09.0	10.2	2.6	5.4	4.6	5.4	0.5	96	90	87	20	1	18	3	20	3	9	10 ›	8	1	7.1		• n, ⚸ a, p
25	12.5	12.9	13.2	2.4	5.6	4.2	5.6	2.4	86	83	78	23	2	18	1	18	1	6	10(•)	10(•)	1 ⚋	1.3		⚸ n, ⚋ a, p
26	13.1	12.3	10.2	- 0.7	3.4	0.7	4.2	- 0.9	91	69	73	18	3	00	0	00	0	4	3 ⚋	8 ⚌	0 ⚋			⚋ n, a, p
27	00.6	94.2	89.5	- 2.6	4.6	3.4	4.6	- 3.4	74	58	58	00	0	00	0	16	6	8	2 ⚋	1 ⚋	1 ⚋			⚋ ⌣ ⚌ n, ⚋ ⊙ a, ⚋ p
28	87.6	91.7	95.8	1.8	3.1	2.1	3.3	1.2	65	83	93	18	2	18	3	20	2	6	10 ⚋	4 ⚸	5 ⚋			⚋ n, ⚸ a, p
29	98.6	97.6	00.1	1.6	6.0	7.3	7.3	1.5	82	60	81	20	2	20	6	18	4	8	10 ⚋	10 ⚋	10 ⚋	2.6		⚸ n, ⚋ a, ⚋ ⚸° p
30	06.4	10.3	11.7	8.6	9.3	5.6	9.3	5.6	86	86	86	24	2	20	2	10	1	6	10(•)	9 ⚋	1 ⚋	0.1		⚸ n, ⚋ › a, ⚋ p
31	15.4	18.3	18.5	1.4	4.8	1.8	5.6	0.5	91	86	92	20	1	00	0	00	0	4	2 ⚋	0 =	0 ⚋	0.0		⚋ ⌣ n, = ⊙ a, = p
M	04.4	04.7	04.9	3.8	7.1	5.4	7.5	2.7	85	77	80		2.0		2.1		2.0	6.3	7.2	6.8	5.5	66		

Ekstensotabell

1946

Trondheim

$\varphi = 63° 25' N$ $\lambda = 10° 27' E$ $g = 9.821$ $\Delta G = +1^h$

November XI

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	15.9	12.6	10.9	- 0.6	2.9	6.5	7.2	- 0.7	97	92	65	00 0	04 1	16 2	6	1 ∞	0 ∽	3 ∞			∞ n, (≡) 8, ∞ ⊙ a, ∞ p
2	07.3	05.3	04.2	5.7	7.3	5.3	7.5	3.9	67	54	73	08 2	16 2	16 1	9	9	4	3			∞ n, ⊙ p
3	01.4	02.3	04.4	6.8	8.5	5.6	8.5	5.3	69	64	70	16 5	16 4	15 1	9	9	5	3			☿° a, ⊙ p
4	08.7	09.5	08.2	2.6	6.3	4.5	6.4	2.5	76	73	67	18 1	08 1	08 1	1	6 ∞	7 ∞	3	0.0		∞ n,a
5	12.8	11.5	10.6	5.8	6.8	6.4	7.2	4.3	92	90	96	14 1	06 1	00 0	5	10 ∞	10 ∞	10 =	1.1		∞ ☿ n, ∞ ⊙ = p
6	11.3	10.4	08.3	8.3	10.4	8.7	10.4	6.0	83	82	83	18 3	20 4	14 2	5	10 ∞	10(•)	10 ∞	0.0		∞ ☿° n, ∞ ☿ a,p
7	00.9	01.0	03.4	6.0	6.1	5.7	8.9	5.5	91	92	92	18 3	21 3	26 3	5	10 ∞	10 •	8 •	1.5		∞ ☿ n, , ☿ a, ☿ p
8	08.6	06.6	00.1	3.8	4.1	3.5	5.7	3.3	91	93	88	20 1	24 1	24 5	6	10 ∞	10(•)	10 ∞	1.4		∞ ☿ n, , a, ∞ ☿ •² p
9	96.8	00.1	00.4	4.2	3.3	2.5	4.4	2.5	87	87	83	26 4	25 3	24 1	9	8(☿)	9	9 ∞	6.2		☿ n,a, ∞ p
10	92.8	93.9	96.3	1.0	2.5	2.0	2.5	0.8	96	96	81	22 1	25 1	00 0	5	10(≡)	9(≡)	9 ∞	4.7		⁂ n, ☿ a, ∞ ☿ p
11	96.4	89.4	85.3	0.5	2.1	3.5	3.5	0.4	94	92	94	20 3	21 4	25 4	4	10 *	10 •	10 •	1.5		⁂ n, • (≡) a, • p
12	71.1	68.4	69.7	4.9	3.2	1.5	5.4	1.5	96	93	96	22 4	20 3	02 4	4	10 •	10 ,	10 ☿	14.3		• n,a, , p
13	73.1	77.3	79.5	- 2.2	- 3.3	- 5.3	1.6	- 5.7	65	58	83	02 3	10 1	20 1	9	8	0	6	6.6		• n, ⊙ a
14	88.8	92.2	95.0	- 3.6	- 2.3	- 2.3	- 2.0	- 5.3	94	96	96	22 2	20 3	23 2	4	10(*)	7(*)	8 *	1.8	4	* n, ☿ a,p
15	98.4	99.0	98.9	- 2.4	- 3.5	- 3.8	- 2.1	- 4.7	96	86	92	18 3	23 1	23 1	8	10 *	10 ∞	6 ∽	6.6	16	* n, ☿ a, ∞ p
16	98.6	98.3	96.6	- 8.4	- 7.0	- 7.5	- 3.8	- 8.7	92	87	83	00 0	15 1	00 0	9	1 ∞	2	1 ∞	3.0	16	∞ n, ∞ ⊙ a
17	92.2	90.4	87.2	- 5.8	- 1.9	- 1.2	- 0.6	- 8.6	81	70	61	00 0	00 0	15 4	9	6	2	0 +		16	⊙ a
18	85.4	85.8	86.6	- 0.3	0.6	- 0.8	0.6	- 2.9	56	56	58	16 5	15 4	15 4	9	0	0	0		16	⊙ a
19	87.2	87.7	88.1	- 2.5	1.8	- 6.0	- 0.8	- 6.1	60	57	68	14 2	18 3	18 1	8	0	7 ∞	3 ∞		16	∞ a,p
20	88.8	89.7	89.3	- 6.6	- 5.7	- 7.8	- 4.6	- 8.2	70	69	70	00 0	14 1	12 2	6	5 ∞	6 ∞	0		5	∞ n, ∞ ⊙ a
21	82.1	74.7	71.0	- 1.1	2.8	3.8	4.0	- 9.3	60	60	58	16 3	18 6	16 7	6	7	9 ∞	10 ∞		5	⁂ n, ∞ a,p
22	66.3	67.7	68.8	7.4	7.4	7.0	7.9	3.8	57	51	52	15 5	16 5	16 5	8	9	10 ∞	10 ∞	0.0		☿ n, ∞ a,p
23	76.8	82.2	86.3	1.9	0.5	0.8	7.8	0.4	78	96	87	18 5	23 6	24 3	3	2	10(*)	10(*)	0.0		☿ n, * a,p
24	75.0	79.3	83.3	6.0	7.3	4.7	7.6	0.1	61	73	96	18 3	18 4	00 0	8	9	10 ∞	10 •°	6.0		* n, ∞ a, • p
25	69.5	75.1	77.0	7.7	6.3	7.8	7.9	3.9	69	76	59	20 5	00 0	18 5	6	10 •	6 ∞	1	2.1		• n, = a
26	75.1	74.0	72.3	8.6	8.3	8.3	9.0	7.3	58	60	60	14 6	16 5	16 5	6	10	5 ∞	6 ∞	0.6		☿ n, ∞ a,p
27	76.0	83.5	85.6	5.7	3.4	2.3	9.2	1.7	61	86	88	18 6	23 3	24 1	6	9 ☿	9 ☿	3 ∞			∞ n,a, ☿ p
28	83.3	87.1	92.2	1.6	2.3	1.2	2.5	1.2	87	90	96	00 0	04 1	00 0	5	10 ∞	10 •	10 ,	2.6		☿ n, ∞ ☿ a, • p, ≡° 19
29	96.8	93.4	91.7	- 0.8	0.8	0.1	1.3	- 1.5	96	87	96	04 2	04 2	02 1	8	8	8 ∞	3 ∞	1.8		, n, ☿ ∞ a, ∞ p
30	86.4	83.5	81.8	4.5	4.4	4.1	5.3	0.1	69	69	67	02 1	15 2	16 2	7	4 ∞	9 ∞	0 ∞	0.0		∞ n,a,p
M	90.8	91.1	91.1	2.0	2.7	2.0	4.3	- 0.2	78	78	79	2.6	2.5	2.3	6.5	7.4	7.1	5.8	62	3	

Desember XII

1	79.3	79.3	78.7	4.7	5.0	4.7	5.5	3.4	63	64	63	18 3	23 3	16 5	8	1 ∞	4 ∞	2 ∞			∞ n,a,p
2	78.2	77.3	75.1	1.3	1.8	4.1	4.8	1.1	78	80	68	00 0	14 1	12 2	8	8 ∞	9 ∞	10 ∞			∞ n,a,p
3	73.1	73.6	75.8	2.3	1.8	3.3	4.4	1.2	72	76	70	06 1	08 2	08 1	6	9	8 ∞	8 ∞			∞ a, ∞ ⊙ p
4	83.6	88.5	91.8	- 0.4	- 0.8	- 1.9	3.4	- 1.9	77	80	83	00 0	00 0	00 0	6	0 ∞	1 ∞	1 ∞			∞ n,a,p
5	98.1	98.9	98.2	- 3.5	- 2.5	- 2.0	- 1.4	- 3.9	86	81	73	00 0	00 0	00 0	5	0 ∞	0 ∞	0 ∞			∞ n,a,p
6	96.6	96.2	95.9	- 3.0	0.4	- 1.3	0.6	- 4.0	81	76	78	06 1	18 1	00 0	8	0 ∞	4 ∞	3 ∞			∞ n,a,p
7	94.7	93.9	92.8	1.0	0.8	0.8	1.5	- 1.4	74	80	81	06 1	30 1	00 0	8	10 ∞	7 ∞	8 ∞			∞ n, ∽ *° a, ∽ p
8	91.8	93.2	92.6	2.3	1.2	1.0	2.4	- 0.8	64	64	60	08 3	17 1	10 2	9	9	2	10	0.0		∞ n, ⊙ a,p
9	91.9	94.9	98.6	3.7	4.5	4.3	4.9	1.0	65	61	67	08 5	10 5	10 3	9	6	8	7			
10	06.3	08.4	09.3	3.0	3.2	3.0	4.5	2.2	80	67	68	08 1	14 3	10 2	9	0	1	9			
11	10.2	09.4	10.1	2.3	3.0	2.7	4.1	2.2	65	60	60	16 2	16 2	16 3	8	5	4 ∞	8			∞ ⊙ a
12	10.1	11.2	11.5	1.6	1.6	2.3	2.7	1.2	64	61	58	14 1	18 1	16 7	8	6	8 ∞	10 ∞			∞ a,p
13	18.0	22.0	21.8	1.3	1.8	0.1	2.4	0.1	57	59	58	16 6	18 3	16 5	8	8	4 ∞	0			⊙ a
14	27.9	30.7	33.4	- 2.0	- 3.5	- 7.0	0.2	- 7.1	48	49	60	19 3	00 0	22 1	7	1	1 ∞	0 ∽°			∞ ⊙ a, ∽° p
15	34.6	34.5	35.9	- 9.2	- 9.2	-10.2	- 6.8	-10.5	70	70	72	20 3	00 0	00 0	7	0 ∞	1 ∞	0 ∞			∞ ∽ n, a, ∞ ⊙ ∽ p
16	36.5	36.5	35.2	- 9.8	- 8.7	- 9.0	- 8.7	-11.8	73	61	68	00 0	00 0	00 0	6	2 ∞	3 ∞	3 ∞			∞ n,a,p
17	31.0	28.9	24.9	- 7.8	- 5.8	- 3.7	- 3.7	-10.8	67	64	50	14 3	18 3	20 2	5	3 ∞	9 ∞	9 ∞			∞ n,a,p
18	13.0	15.0	15.3	1.7	2.5	2.1	3.5	- 3.8	94	92	93	22 5	18 3	21 3	6	10 •	10(•)	6(•)	5.7	5	* • n, ☿ a,p
19	14.1	13.2	11.9	2.5	2.7	2.0	2.7	2.0	81	80	81	23 3	18 4	23 4	6	10 ∞	10(≡)	10(≡)	5.1		☿ n, (≡) p
20	07.1	02.7	00.5	- 0.1	- 2.4	- 3.7	2.4	- 3.8	81	83	80	16 2	20 2	20 3	6	5	1 ∞	3 ∞			∞ n,a,p, ⊙ 14
21	90.6	86.3	83.7	5.8	6.7	6.6	6.8	- 4.6	49	42	46	18 5	18 3	18 5	9	10	3	10			∞ n
22	83.7	81.1	79.9	4.2	3.3	4.0	6.8	3.2	52	53	56	18 4	18 5	19 6	8	10 ∞	8 ∞	6			∞ n,a
23	75.0	83.2	85.5	6.9	4.8	3.4	7.5	3.4	56	74	81	18 5	20 4	20 3	6	4 ∞	9(•)	10 ∞			∞ n,a,p
24	88.8	89.2	89.5	0.7	0.2	0.8	3.5	0.2	96	97	97	20 1	16 1	20 1	4	3 ∞	1 ≡	6			∞ n, , a, ⁂ p
25	86.5	83.3	78.7	- 3.6	- 4.2	0.5	0.8	- 4.9	86	83	67	00 0	00 0	19 1	9	0	0	1	2.6		≡ n, ⊙ a
26	67.9	69.9	71.5	4.4	3.8	4.2	4.6	0.2	57	57	56	18 6	20 3	18 1	8	9	7(☿)	6	0.4		☿ n
27	78.2	82.6	85.1	3.4	0.4	- 0.3	4.2	- 0.8	56	61	68	16 3	08 1	00 0	9	1	0	0			⊙ 14
28	87.9	91.6	96.0	3.1	0.1	- 3.0	3.6	- 3.0	56	64	76	18 4	00 0	00 0	6	1	0 ∞	0 ∞			∞ a, ⊙ 14, ∞ p
29	05.3	05.5	02.8	- 5.0	- 5.0	- 5.0	- 2.5	- 6.0	82	86	86	15 2	00 0	00 0	6	0	0 ∞	0 ∞			∞ a, ⊙ 14, ∞ (≡) p
30	97.5	96.5	96.1	- 1.2	1.8	1.3	1.8	- 5.0	59	56	56	10 1	18 6	16 5	9	0	2	0			⊙ 14
31	96.4	94.4	93.3	- 0.3	1.2	1.5	1.5	- 0.8	57	56	56	10 3	16 4	14 5	9	0	2	0			⊙ 14
M	98.5	99.1	99.1	0.3	0.3	0.2	2.2	- 2.0	69	69	69	2.5	2.0	2.3	7.3	4.2	4.1	4.7	15	0	

Ekstensotabell

1946

Tromsø

$\varphi = 69°\ 39'$ N $\lambda = 18°\ 57'$ E $g = 9.825$ $\Delta G = +1^h$

Januar I $H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F					Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19	14	8	14	19		
1	06.4	06.8	08.1	- 2.2	- 1.8	- 2.6	- 1.8	- 4.2	73	84	91	18	4	18	3	18	2	7	10 ≡°	9(≡)	9 ≡°	1.2	40	≡ n, ≡° a, ∮ p
2	03.8	04.6	04.9	0.4	0.9	- 0.3	1.9	- 2.6	96	90	94	17	3	28	2	00	0	5	10 ≡	10 ≡°	10 ≡°	5.1	45	≡ n,a, ≡° ≡° p
3	98.2	95.6	93.0	0.2	- 0.3	0.8	0.8	- 0.9	97	97	97	00	0	00	0	20	3	3	10 ≡°	10 ≡°	10 •	9.2	50	≡ n, ≡ ≡ a, • ≡ p
4	79.3	71.3	68.4	3.2	2.2	0.0	3.3	- 0.1	78	64	90	18	4	19	4	18	4	8	10	10 =°	10 ≡°	17.5	40	• n, =° a, ≡° p
5	63.5	**59.9**	62.0	- 0.3	- 2.2	- 2.9	0.8	- 3.4	84	94	90	18	3	00	0	28	1	9	10 =	4	2	0.2	40	≡° n, ∮° a
6	73.9	76.6	78.8	- 3.2	- 3.2	- 4.0	- 2.8	- 4.8	91	94	84	19	1	11	2	05	2	6	10 ≡	10 ≡°	10	1.3	42	≡ 5–n, ≡ =° a, ≡ p
7	76.2	75.8	75.6	- 6.0	- 4.8	- 6.2	- 3.8	- 7.5	87	76	78	04	2	04	3	04	2	8	9	10(≡)	3 =°	3.4	45	≡° n, =° a, ≡° ⛅ p
8	82.8	83.2	82.1	- 5.8	- 5.0	- 3.3	- 2.8	- 9.1	60	90	91	26	3	18	3	25	2	3	10 ≡	10 ≡	10	1.1	50	≡ ⛅ n, ∮ a, ∮≡ p
9	81.4	80.5	82.0	- 8.0	-10.2	-10.1	- 2.8	-11.1	63	67	79	06	2	02	2	00	0	9	2	2	0	11.9	56	∮ n
10	85.6	85.8	85.1	- 8.3	-10.4	-10.8	- 8.3	-11.5	69	85	79	00	0	19	1	00	0	9	2	1	0		55	⌣° n, ⌣° ⛅° p
11	87.7	91.1	93.2	-10.3	-11.0	-10.7	-10.0	**-11.6**	91	93	94	00	0	00	0	00	0	9	1	5	1		54	⛅ ⌣ n, ⌣° p, ⛅ 19
12	94.4	93.7	96.5	- 8.5	- 7.7	- 6.6	- 6.4	-11.0	96	90	90	20	2	18	3	17	4	8	10(≡)	10(≡)	9 ≡°		52	⌣ n, ≡ a, ≡° p
13	03.3	03.8	06.5	- 1.7	0.0	0.3	0.5	- 6.7	97	88	91	15	2	20	2	13	1	6	9 ≡	9 ≡	9 ∮	5.1	60	∮ n, ≡ a, ∮ p
14	14.5	14.9	12.8	1.6	2.1	3.1	3.2	- 0.1	90	91	78	18	2	18	3	20	5	7	10 ≡	10(≡)	10(≡)	7.8	62	≡ n, ≡ ≡, ∮° p
15	04.6	01.6	02.6	3.7	2.6	5.1	5.7	2.6	85	93	63	20	5	20	5	23	5	6	10 ≡°	10 ≡	9 ∮	3.9	45	≡° n, ≡ a, ∮ p
16	06.8	12.4	08.8	2.7	2.8	3.1	5.1	2.1	90	91	93	24	4	18	2	18	4	8	10 ≡	10 ≡°	10 ≡	10.5	35	≡° n, ≡ a,p
17	05.8	06.6	03.9	4.9	4.7	4.1	5.7	2.8	94	96	84	18	4	18	3	20	5	6	10 ≡	10 ≡	9 ≡°	33.3	26	≡ n, ≡ a,p
18	08.0	15.0	17.4	5.0	2.1	1.1	5.4	1.0	63	79	76	25	5	29	3	30	3	7	10 ∮°	10 ∮°	10 =°	23.9	20	≡ n, ∮° a, ∮° ≡° p
19	24.0	24.6	**24.9**	- 0.3	- 2.0	- 2.0	1.1	- 2.5	76	81	84	00	0	20	2	19	3	9	10	7	3	0.5	20	=° n, ⛅ 19
20	22.0	18.9	19.0	- 3.6	- 4.1	- 3.5	- 2.0	- 4.8	82	84	79	20	1	18	3	18	2	9	1	1	1		20	
21	16.9	15.5	13.8	0.8	2.0	1.8	**6.2**	- 4.0	87	88	82	17	4	18	3	20	4	9	10 ≡	10	9	0.1	20	≡ n
22	08.4	11.2	14.0	2.3	2.6	2.6	2.8	1.1	93	96	90	18	5	20	4	18	3	7	9(≡)	10 ≡°	10(≡)	0.6	18	∮° n, ≡° a,p
23	13.9	12.6	09.5	3.2	0.8	- 1.0	3.4	- 1.6	67	75	79	18	3	18	3	18	1	9	9	1	0	3.9	16	≡° n, ⊙° a, ⛅° p
24	05.4	03.3	01.4	1.9	0.8	- 0.9	3.3	- 3.1	60	**57**	67	18	5	18	4	18	5	9	5	10	4		15	⛅ n
25	95.2	93.6	92.7	- 1.7	2.0	- 0.6	2.5	- 2.2	76	64	97	31	2	16	2	17	4	8	10 =°	10 ∮°	10 ≡		16	=° n, ∮° p
26	93.5	98.9	01.0	4.0	3.5	3.3	4.1	- 0.8	79	82	75	20	5	18	3	16	2	8	9(≡)	10 =°	4 =°	1.1	16	∮ ∮ n, = a, =° p
27	95.5	93.4	91.9	3.2	2.2	2.4	3.5	1.7	73	93	87	18	2	16	4	18	4	6	10(≡)	10 ≡	10 =°	0.1	15	∮° n, ≡ a, ∮° p
28	88.9	87.5	85.7	0.8	0.3	- 1.5	3.5	- 1.6	93	87	79	18	2	18	1	17	5	8	10 =°	10 =°	10 =°	1.4	15	∮° n, =° a,p
29	83.1	82.5	81.9	- 3.8	- 4.0	- 4.6	- 1.5	- 4.8	87	91	91	18	3	18	2	00	0	9	10 ≡°	8	1	0.1	15	≡° n, ≡° ⊙° a
30	80.3	81.6	82.4	- 4.8	- 3.7	- 3.5	- 3.2	- 5.4	91	82	76	18	1	31	1	27	2	8	2	3 =°	1 =°	0.1	15	⌣ n, ⊙° a, =° p, ⛅ 19
31	86.7	87.6	87.6	- 1.9	- 2.2	- 2.3	- 1.3	- 4.1	75	69	67	04	1	02	1	16	1	9	10 =°	8	1 =°		15	=° n, ⊙ a, =° p, ⛅ 19
M	96.5	96.5	96.4	- 1.0	- 1.3	- 1.6	0.5	- 3.5	82	84	84		2.6		2.4		2.5	7.5	8.3	8.0	6.3	143	33	

Februar II

1	86.9	85.9	84.2	- 3.2	- 4.2	- 4.8	- 2.1	- 5.2	67	73	64	17	2	00	0	16	4	8	8	5 =°	1		15	⛅° n, ⊙ a, =° p, ⛅ 19
2	80.8	80.6	80.2	- 6.3	- 2.8	- 3.4	- 2.8	- 7.2	76	82	66	32	2	18	3	00	0	8	8 =°	10(≡)	10 =°		15	⛅° n, =° a,p
3	78.6	78.4	77.4	- 4.0	- 4.2	- 5.2	- 3.2	- 5.4	69	69	72	20	3	20	3	15	4	9	9	9	2		15	=° n
4	74.8	74.9	75.3	- 6.3	- 5.9	- 6.9	- 5.2	- 7.5	82	73	70	18	4	00	0	16	3	9	1	0 =°	0		15	⊙ a, ⛅° p
5	77.9	80.7	82.2	- 7.4	- 7.0	- 7.6	- 6.6	- 8.3	66	69	76	18	2	00	0	00	0	8	1 =°	1 =°	0 =°		15	⛅° n, =° ⊙ a, =° p, ⛅° 19
6	84.7	87.4	91.1	- 4.8	- 3.9	- 6.0	- 3.9	- 8.1	63	**58**	61	20	2	00	0	18	3	9	8(≡)	5	1		15	=° ⛅ n, ⊙ a,p
7	92.3	90.9	89.4	- 8.5	- 9.4	-11.1	- 5.2	-11.3	66	66	70	17	5	17	3	18	2	9	1 =°	1	0		15	⛅ n, ⊙ a, ⛅° p
8	86.8	87.7	86.8	-13.4	-12.4	-12.6	-10.7	-14.1	82	82	88	00	0	00	0	23	1	9	1	1 =°	1		15	⌣° n, ⊙ a, ⛅° p
9	88.1	89.1	88.6	-13.8	-12.8	-13.6	-12.2	-14.5	87	88	91	20	3	18	2	18	1	9	1	1 =°	1		15	⌣ n, ⊙ a, ⛅° p
10	78.4	69.6	65.3	-13.2	-10.9	-11.7	-10.5	-14.5	85	69	78	00	0	18	4	18	4	8	1	5 =°	8 =°		15	⌣ n, ⊙ a, =° p
11	71.2	77.1	83.4	-14.0	-13.1	-11.8	-11.5	**-14.9**	78	78	82	18	3	00	0	24	2	9	9 =°	9 =°	8(≡)		15	⌣° n, =° ⊙ a, =° p
12	00.2	07.6	**11.2**	- 7.3	- 6.4	- 8.5	- 6.2	-11.8	79	90	94	00	0	00	0	00	0	8	2 =°	4 =°	1 =°		15	⊕ n, ⊙ a, ⌣° ⛅° p
13	04.2	96.3	92.3	- 6.1	- 6.0	- 2.5	- 2.4	- 8.7	63	81	94	18	4	16	6	17	3	2	10	10 ≡	10 ≡°		15	⌣° n, ≡ a,p
14	74.5	78.2	83.2	0.3	- 1.7	- 3.6	**0.4**	- 3.6	97	88	93	18	4	31	2	00	0	5	10 ≡	10 ≡	9 ∮	9.6	22	≡ n, a,p
15	94.8	95.0	86.4	- 2.3	- 2.3	- 2.3	- 1.1	- 4.5	94	90	87	25	2	23	1	18	3	3	10 ≡	10 ≡	10(≡)	13.3	35	≡ n,a,p
16	**58.7**	62.5	74.9	- 2.3	- 4.2	- 4.2	- 1.7	- 4.9	96	94	91	00	0	04	6	04	3	2	10 ≡≡	10 ≡	9 ∮≡	18.2	58	≡≡ n, ≡ a, ∮≡ p
17	77.8	76.2	71.7	- 7.0	- 7.1	- 7.4	- 3.7	- 8.3	88	84	78	20	3	30	1	20	3	6	10 ≡	10 ≡°	10	10.5	60	≡ n ≡ 8, = ≡° a, ≡ p
18	79.1	81.9	84.5	- 8.7	- 5.2	- 4.4	- 3.5	-11.1	91	85	82	16	1	30	4	29	3	6	10 ≡	9 ∮°	8(≡)	10.3	67	≡ n, ∮ a, ∮° p
19	84.7	83.0	82.9	- 4.7	- 5.4	- 8.3	- 4.2	- 8.8	78	73	79	18	3	16	2	02	1	9	9 ∮°	5(∮)	1	1.1	64	∮° n,a, ⛅ p
20	86.4	87.5	87.8	-10.3	- 6.9	- 7.2	- 6.9	-10.9	79	76	93	23	1	18	3	19	2	9	6	8(≡)	8(≡)	0.0	62	⛅ n, ⊙ a, ∮° p
21	87.6	87.8	86.8	- 7.0	- 5.9	- 8.6	- 4.2	- 9.1	88	69	75	18	3	18	2	18	1	9	2	3	1	2.9	62	∮° n, ⊙ a, ⊙ ⛅ p, ⛅° 19
22	84.7	83.9	83.5	- 8.5	- 7.2	- 8.6	- 6.4	-10.9	90	81	87	00	0	21	1	18	3	7	9(≡)	8 ∮°	3(≡)	0.1	62	∮° n, ⊙ ∮° a, ∮° ⛅° p
23	82.1	82.2	83.2	- 7.5	- 6.6	- 6.8	- 6.5	- 8.9	79	76	78	18	3	18	3	18	3	7	9(≡)	9 ≡°	1	1.4	62	∮° n, a, ⛅ 19
24	86.4	88.9	90.1	- 7.3	- 6.1	- 7.6	- 6.0	- 8.1	73	73	75	18	3	18	3	18	3	9	1	1	0	0.0	58	⛅ n, ⊙ a,p
25	93.6	96.6	98.2	-10.4	- 8.3	- 9.2	- 7.3	-11.6	91	60	61	27	1	18	3	18	4	9	1	1	1		56	⌣° n, ⊙ a,p
26	05.4	06.9	07.3	- 9.6	- 6.2	- 9.2	- 6.2	-10.2	73	63	67	18	2	00	0	00	0	9	1	2 =°	1		53	⊙ a, ⊙ ⛅° p
27	02.9	97.7	94.8	- 9.5	- 6.0	- 7.7	- 4.3	-12.0	81	73	88	00	0	07	2	19	2	7	10	10(≡)	6		53	⌣° n, ≡° a, (≡) p
28	93.1	91.8	90.1	-10.7	- 7.8	- 9.4	- 7.4	-11.7	72	61	66	04	1	22	2	22	3	8	2	2 =°	1	0.0	50	⊙ =° a,p
M	85.6	85.9	86.2	- 7.6	- 6.6	- 7.5	- 5.6	- 9.5	80	76	79		2.0		2.0		2.2	7.5	5.7	5.7	4.0	67	36	

Ekstensotabell

1946

Tromsø

$\varphi = 69°\ 39'\ N$ $\lambda = 18°\ 57'\ E$ $g = 9.825$ $\Delta G = +1^h$ **Mars III** $H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	88.3	89.2	92.2	-11.2	- 7.8	- 8.1	- 7.6	-11.7	75	61	58	20 4	19 5	18 4	9	1	1 =°	3		50	=° n, ⊙ a,p
2	96.9	98.0	99.4	- 2.8	- 1.5	- 0.5	- 0.2	- 8.2	64	54	58	20 4	18 1	18 4	9	4	6	9		47	⊙ a
3	02.0	05.7	05.4	0.1	0.4	- 0.5	1.0	- 0.7	58	66	70	20 4	20 3	20 3	9	9	10(*)	4		47	*° a
4	06.0	07.3	08.5	- 3.0	- 2.0	- 4.8	0.3	- 5.1	76	70	79	18 2	18 2	18 2	9	8	7 =°	1	0.0	45	=° ⊕ a, ⊙ p
5	10.7	11.3	12.3	- 5.6	- 3.9	- 4.8	- 3.5	- 7.4	97	84	85	00 0	00 0	18 2	9	1 =°	4 =°	7		45	⌣° n, ⊙ a, ⊙ *° p
6	14.6	14.9	14.4	- 4.5	- 2.4	- 2.3	- 2.1	- 5.7	90	84	78	18 2	18 3	18 3	9	7	9(*)	9	0.2	45	☿ n, ⊙° a
7	10.4	08.9	08.5	- 1.4	- 0.3	0.2	0.3	- 2.9	61	64	70	17 3	20 4	21 3	9	8	10	9	0.0	44	*° n, (*) p
8	11.6	12.6	12.7	0.8	1.7	1.0	1.7	- 0.6	81	73	79	18 3	18 3	20 2	9	10(*)	8	9	0.1	42	*° n
9	13.3	13.1	13.1	- 1.9	- 0.4	- 4.2	1.1	- 4.5	87	72	76	19 2	18 2	18 2	9	7	1 =°	1		42	⊙ a,p
10	11.4	10.8	12.4	- 6.7	- 1.8	- 2.8	- 1.6	- 8.0	91	63	61	00 0	22 2	20 3	9	0	0	1		42	⌣° n, ⊙ a,p
11	17.6	19.2	19.5	- 3.6	- 1.5	- 2.7	- 1.2	- 4.2	75	72	76	18 3	18 4	18 2	9	1	9	1		42	⊙ a
12	**19.8**	19.2	17.3	- 3.8	- 0.1	- 3.6	0.2	- 6.0	79	61	69	18 2	18 2	22 2	9	0	1 =°	0		42	⊙ a,p
13	18.7	17.8	16.2	- 6.2	- 4.0	- 6.4	- 1.8	- 6.9	60	64	73	18 3	18 2	18 2	9	7	5 =°	1		42	⊙ a,p
14	10.4	08.7	06.1	- 8.0	- 3.7	- 5.5	- 3.6	- 8.5	97	79	84	19 1	18 2	18 2	9	1	1 =°	1		42	⌣° n, ⊙ a,p
15	01.0	98.5	96.7	- 8.1	- 5.6	- 4.1	- 3.8	- 9.1	94	91	99	18 4	18 4	18 4	5	10 *°	10 *°	10 *°	0.4	42	*° n, ☿° a,p
16	91.1	90.9	91.4	- 2.0	- 1.9	- 3.9	- 0.4	- 4.1	96	82	91	26 4	18 2	18 3	6	10 *°	9 ☿°	10 ☿°	2.5	45	☿° n, ☿ a,p
17	91.2	95.0	95.4	- 4.8	- 4.6	- 5.2	- 3.2	- 8.1	97	96	00	20 4	18 2	20 2	6	10 ☿	8 ☿	10 ☿	9.3	60	☿ n,a,p
18	98.5	99.5	99.4	- 4.4	- 3.8	- 3.7	- 2.5	- 8.0	94	96	90	18 2	18 3	18 3	5	10 *	8 ☿°	10 ☿°	15.6	76	☿ n,a,p
19	95.2	90.4	88.5	- 5.7	- 3.0	- 5.7	- 2.7	- 7.0	78	57	66	18 3	18 2	18 2	9	1	3	9	3.3	75	☿ n, ⊙ a,p
20	96.3	00.7	01.6	- 6.3	- 4.9	- 8.4	- 3.2	- 8.5	76	61	61	01 3	01 2	07 1	9	7(☿)	8(*)	2	0.5	70	☿° n, *° a
21	86.9	82.0	78.7	- 5.1	- 2.6	- 2.0	- 1.6	- 9.7	55	66	67	17 4	18 4	18 3	6	8	10 *°	9	0.0	66	⊙ 8, ☿ a
22	76.3	76.7	76.5	- 5.5	- 3.3	- 4.4	- 1.8	- 6.6	66	63	93	18 3	18 3	20 4	9	2	9	9 *	0.0	65	⊙ a, * p
23	76.6	78.9	80.8	2.0	2.7	1.6	3.3	- 4.9	75	82	91	18 4	18 3	26 1	8	10(*)	9(*)	9(*)	3.0	65	* n, ☿° a,p
24	82.9	81.8	80.7	1.6	4.1	1.8	4.2	0.4	84	61	66	18 3	18 3	22 3	9	8	2 =°	10 *	0.3	58	*° n, ⊙ a, =° *° p
25	78.2	83.9	89.5	2.4	0.8	- 1.2	2.4	- 1.9	78	84	76	18 4	01 2	32 3	6	9 ☿°	9 =°	10(*)	0.2	58	☿ n, * a, ☿ p
26	97.2	99.6	94.2	- 1.0	0.4	0.1	1.1	- 4.1	72	61	75	24 2	00 0	18 4	9	9(*)	8	10	4.6	62	☿ n
27	80.3	80.4	80.4	4.2	4.2	2.2	4.4	- 0.7	67	60	87	22 5	22 5	24 5	7	10 ☿	10(*)	10 ☿	7.8	62	☿ n,p
28	86.3	95.5	99.0	0.3	0.2	- 0.3	2.5	- 1.5	85	78	75	30 2	18 2	21 3	5	10 ☿°	10 ☿°	10(*)	21.4	68	☿ n, ☿° a,p
29	89.4	80.9	**75.8**	2.6	5.7	2.8	**6.5**	- 0.6	88	72	66	18 5	21 6	25 5	5	10 •	10 ☿	10 △	4.7	64	☿ • n, ☿ a, ☿ p
30	77.5	86.1	89.3	- 3.9	- 7.3	- 7.3	3.0	- 8.5	94	87	81	28 5	29 4	25 4	5	10 ☿	10 ☿	10 ☿°	18.2	73	* n, ☿ a, ☿ p
31	86.5	86.2	85.1	- 6.6	- 4.6	- 3.2	- 3.2	- 8.7	87	78	84	28 2	28 5	28 5	5	10 ☿	10 ☿	10 ☿	8.7	65	☿ n,a,p
M	97.5	98.2	98.1	- 3.2	- 1.6	- 2.8	- 0.4	- 5.5	80	72	77	3.0	2.8	2.9	7.7	6.7	6.9	6.9	101	54	

April IV

1	94.9	95.5	91.8	- 1.1	- 1.0	- 1.4	0.6	- 6.8	69	90	67	00 0	18 2	20 3	5	9(*)	10 ☿	8	4.6	75	☿° n, ☿ a
2	**66.2**	69.8	74.2	1.6	2.1	1.6	3.7	- 2.6	93	67	54	17 2	24 5	24 5	5	9(*)	10 ☿°	9 ☿°	4.8	75	♀ n,a, ☿ p
3	77.3	76.0	72.6	0.6	1.8	2.6	2.8	- 1.4	93	90	90	18 3	18 4	20 4	5	10 ☿	10 ☿	10 ♀	10.0	75	☿ n, ☿ a, ♀ p
4	75.3	78.7	82.6	2.0	2.3	2.2	3.9	0.0	63	64	66	24 5	24 7	26 5	5	10 ☿°	10 ☿°	10 ☿	12.4	66	♀ ☿ n, ☿° a, ☿ ☿ p
5	77.3	72.1	71.0	- 0.1	2.8	0.1	4.0	- 1.5	85	81	90	18 3	18 3	00 0	7	10 ☿	10(*)	10 ☿°	8.8	70	☿ n, ☿ ⊙ a, ☿ p
6	86.4	90.6	90.3	0.0	- 0.7	- 0.6	0.8	- 1.6	76	87	82	25 3	23 1	22 1	7	9 ☿°	10 ☿°	9(☿)	9.7	76	☿ n, ☿° a, ☿ p
7	87.8	86.5	83.1	- 2.4	0.0	- 1.6	1.2	- 4.5	93	70	57	18 2	05 2	00 0	9	10 *	1	4	0.2	76	*° ⊙° n, ⊙ * a, ⊙ p
8	74.9	74.5	76.3	- 0.7	2.1	- 0.3	2.7	- 2.6	88	60	66	18 1	16 2	18 2	9	10 *	10	10	0.2	75	*° n, * a
9	83.6	88.1	90.1	- 2.0	- 1.8	- 3.8	0.0	- 3.8	57	46	55	07 2	05 2	10 2	9	9	3 =°	3	0.1	74	⊙ n,a,p
10	94.6	95.6	95.1	- 3.0	- 3.6	- 4.4	- 0.9	- 5.9	84	93	76	32 2	03 2	02 2	7	10 ☿°	9 ☿°	9(*)	1.0	76	☿ n,a, ☿° ⊙ p
11	91.6	91.2	90.6	- 4.2	- 1.2	- 5.1	- 0.9	- 7.4	82	63	61	19 2	19 2	00 0	9	2	8	2	0.8	76	*° n, ⊙ a,p
12	90.5	91.0	92.5	- 4.9	- 1.2	- 4.0	- 1.0	- 8.5	69	**38**	48	00 0	06 1	01 2	9	7	1	9		75	⊙ n,a,p
13	96.1	96.7	93.6	- 4.1	- 1.1	- 5.4	- 0.9	- 7.7	66	58	66	03 2	20 2	10 2	9	5(*)	4	1		74	⊙ n,a,p
14	85.9	89.9	96.9	- 4.3	- 3.4	- 4.0	- 2.6	- **8.9**	58	70	72	15 2	06 3	04 2	9	2	7	4		74	☿ ⊙ p
15	97.6	08.4	05.9	- 3.8	- 0.8	- 3.2	- 0.4	- 7.5	70	58	42	24 1	03 1	00 0	9	1	5	8 ⊕	0.0	74	⊙ n,a, ⊕ p
16	94.5	90.0	90.0	- 1.8	1.7	3.5	3.6	- 4.5	96	91	76	10 1	16 5	18 3	7	10 *	10 •	9(•)	2.0	75	* n, • a, ♀ p
17	96.1	81.5	78.4	4.2	6.1	4.1	6.4	2.4	58	49	67	17 4	17 3	18 3	9	8	10	9	5.2	73	•° n, ⊙ a,p
18	76.4	79.3	82.7	2.5	3.0	2.0	5.1	1.5	91	85	91	14 1	00 0	24 1	8	10 •°	9 =°	10 ☿	0.6	66	•° n, =° a, ☿ p
19	05.3	99.9	01.0	0.2	0.1	- 0.4	2.0	- 1.4	91	84	84	26 1	22 1	18 2	6	10 ☿	10 ☿	9	5.2	66	☿ n,a,p–18[89]
20	94.1	92.4	91.6	2.3	3.2	2.4	3.5	- 0.9	55	63	87	18 3	18 4	22 2	8	10(*)	10(•)	8 •	1.0	69	• a, • p
21	91.2	90.5	90.2	4.5	6.3	4.1	7.8	0.9	66	60	64	06 1	05 1	04 1	9	7	7	7	0.0	68	⊙ a,p
22	92.0	93.3	93.6	3.1	4.4	3.0	5.5	- 0.1	75	69	76	00 0	05 2	05 2	9	4	1	1		66	⊙ n,a,p
23	92.7	91.8	90.4	2.2	4.6	4.6	5.9	- 1.6	79	64	54	00 0	00 0	00 0	9	1	1	1		64	⊙ n,a,p
24	87.1	85.3	83.5	5.9	6.6	5.1	7.8	1.6	52	52	66	14 4	14 5	16 2	9	5	8	9		64	⊙ n,a,p
25	87.3	90.6	91.6	5.9	7.0	6.0	8.4	2.4	57	54	54	18 3	18 2	18 3	9	3	7	6	0.0	64	⊙ ♀° n, ⊙ a,p
26	92.3	93.7	92.7	6.7	5.3	4.2	7.0	1.7	52	70	78	16 2	20 2	18 2	9	9	8	9 ♀°		57	⊙ n, ⊙ ♀° a,p
27	97.6	01.1	03.0	3.6	4.4	1.4	4.8	0.9	79	76	96	20 4	20 2	26 1	7	10 •°	9(•)	9(☿)	0.7	53	♀° n, ⊙ ♀° a, ⊙ ☿° p
28	08.5	09.1	09.0	2.4	4.6	3.8	5.3	- 0.4	78	61	63	20 2	26 1	04 1	9	4	1	0	0.2	48	☿ n, ⊙ a,p
29	**09.5**	09.4	07.4	3.1	7.1	5.5	7.8	- 0.5	61	45	51	02 1	15 2	09 2	9	1	0	1		47	⊙ n,a,p
30	05.7	04.4	03.8	6.3	8.3	7.0	**9.4**	1.8	57	52	63	22 1	01 1	00 0	9	2	3 =°	10		46	⊙ n,a,p
M	90.0	90.6	90.5	0.8	2.3	1.0	3.4	- 2.2	73	67	69	1.9	2.3	1.8	8.0	6.9	6.7	6.8	68	68	

Ekstensotabell

1946

Tromsø

$\varphi = 69°\ 39'\ N$ $\lambda = 18°\ 57'\ E$ $g = 9.825$ $\Delta G = +1^h$ **Mai V** $H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_s = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	01.6	01.3	01.5	5.1	7.0	6.4	8.2	3.7	84	72	78	20 3	18 3	18 2	9	10	10	10	0.5	40	☿° n, ☿° ☉° a
2	03.2	03.7	02.7	7.1	8.4	8.0	9.3	5.3	76	60	57	20 2	19 2	19 2	9	7	9	10	0.1	35	☿ᵘ n, ☉ a,p
3	01.1	99.5	97.8	6.9	8.8	6.4	10.0	5.3	69	60	85	19 2	20 2	18 2	9	9	10	8(•)		26	☉ a, •° ☉° p
4	95.4	92.8	92.7	4.6	5.1	1.8	6.6	0.2	82	70	73	18 2	17 5	20 5	7	5	9 ☿°	10 ☿	1.6	22	•° n, ☿° ☉ a, ☿ ☉° p
5	00.6	04.1	05.6	1.5	− 0.3	− 1.6	2.4	− 2.1	69	88	79	22 2	20 1	22 3	8	9(☿)	8(☿)	9 ☿	2.8	18	* ☿ △ n, ☿ a,p
6	99.9	90.4	87.3	0.6	− 0.1	1.7	2.0	**− 3.0**	60	85	81	18 4	18 5	19 4	4	10(*)	10 *	9(*)	3.0	20	☿ n,a, ☿° p
7	**79.5**	82.1	84.8	1.9	3.2	2.6	4.8	0.4	85	82	85	22 3	18 1	28 1	8	10 *°	4(*)	7(☿)	2.3	18	☿ n,a, ☉ ☿° p
8	93.0	98.9	00.4	2.3	3.7	2.0	4.1	0.5	93	55	78	00 0	02 2	09 1	8	9(*)	8(*)	3(☿)	3.5	17	☿ ☉° n, ☉ a, ☉ ☿ p
9	98.5	98.0	98.1	1.9	2.2	2.2	4.4	− 1.2	69	87	67	18 3	24 2	32 1	6	9	9 ☿	2	0.0	14	☿ a, ☉ ☿ p
10	00.9	03.7	05.3	1.7	2.7	1.1	3.0	− 0.5	67	60	73	04 3	05 2	02 2	9	2	2	5	1.4	14	☉ n,a,p
11	08.0	07.6	07.2	1.2	2.6	2.0	2.7	− 0.7	72	49	52	03 2	00 0	00 0	9	10	9	9		12	
12	04.5	04.7	03.9	2.4	3.6	2.7	4.4	0.0	58	39	45	30 1	06 2	07 2	9	10	8	7		10	☉ a,p
13	03.6	03.8	02.6	3.0	6.0	4.8	6.4	− 0.8	61	48	48	00 0	20 2	18 2	9	6	5	7(☿)		8	☉ n,a,p
14	03.4	03.0	02.2	4.4	4.9	3.7	5.6	1.6	64	61	67	08 1	32 2	06 3	9	10	9	7		5	☉ a,p
15	02.2	01.9	00.9	5.1	6.2	5.8	6.6	1.4	73	46	48	20 2	04 2	04 2	9	1	1	1		0	☉ n,a,p
16	00.6	01.0	02.3	4.6	7.0	6.0	7.5	1.3	67	51	46	03 1	27 2	03 2	9	1	2	1		0	☉ n,a,p
17	06.0	07.3	05.4	5.0	7.5	7.1	8.0	− 0.4	63	52	52	20 1	22 3	20 3	9	1	2	6		0	☉ n,a,p
18	98.7	97.1	97.6	6.0	6.3	3.7	8.1	3.5	84	84	93	20 5	21 4	26 2	8	9(☿)	10(☿)	10 •°	0.0		☿° n,a,p
19	04.5	06.9	06.4	1.1	3.2	1.8	4.3	0.9	90	73	90	01 1	00 0	21 2	6	10 ☿°	10 ☿°	10 △	3.4		☿° n,a,p, (•) p
20	99.6	97.7	98.5	1.6	3.2	3.3	4.0	1.0	91	93	91	18 4	18 4	18 2	6	10 *	10 •°	10 •°	1.1		☿° n, ☿° a, • p
21	12.6	15.2	15.1	2.1	3.2	3.0	3.9	− 0.2	61	64	63	21 1	26 2	00 0	9	10	10	9	6.0		☿ n
22	**15.4**	14.4	13.1	4.6	9.7	10.4	11.1	0.4	58	**35**	36	18 2	20 2	26 1	9	4	0	0			☉ n,a,p
23	13.5	13.0	11.6	9.6	11.0	7.8	**12.5**	3.6	49	57	96	18 3	18 3	18 2	9	10 ☿	10	10 •	0.0		☿° n,a, ☿ p
24	10.4	10.4	09.0	5.6	6.4	5.4	8.1	5.3	90	91	96	19 3	20 3	19 2	6	10(•)	10 •	10 •°	5.3		☿° n, • a,p
25	10.7	12.0	10.9	5.6	6.4	6.8	7.3	4.8	96	91	88	18 2	18 2	20 3	7	10(≡)	10(≡)	10(≡)	6.1		•° n, ☿° a
26	10.2	10.3	10.8	5.6	6.6	5.6	7.4	5.3	94	91	91	18 3	26 2	04 2	8	10(•)	10	9(•)	0.2		☿ n, (•) a
27	10.2	09.8	09.5	6.4	7.4	5.0	8.3	4.0	61	57	64	05 1	05 2	04 3	9	4	6	6			☉ n,a,p
28	07.7	06.9	05.6	6.1	8.6	7.9	9.5	1.9	64	54	54	18 1	03 3	03 2	9	0	4	7			☉ n,a,p
29	04.9	05.8	05.1	7.6	8.0	4.8	9.6	3.8	64	69	78	05 1	28 3	04 1	9	0	3	8			☉ n,a,p
30	99.7	02.5	04.2	3.9	4.0	3.0	5.3	2.1	97	78	85	20 3	32 4	06 1	7	10 •°	9(•)	10(☿)	0.4		≠° n, ☿° ☉° a,p
31	02.3	01.2	99.2	4.7	5.5	3.8	6.1	0.3	69	57	67	05 2	04 3	04 3	9	6	7	2	2.0		☿ ☉ n, ☉ a,p
M	03.3	03.4	03.1	4.2	5.4	4.4	6.5	1.5	74	66	71	2.1	2.4	2.0	8.1	7.2	7.2	7.2	40	8	

Juni VI

1	94.2	93.5	92.1	4.2	5.5	4.9	7.5	**0.8**	67	60	66	02 2	04 3	03 2	9	5	4	8			☉ n,a,p
2	89.2	89.7	89.7	4.7	7.6	7.4	8.8	2.7	72	51	58	04 2	06 2	05 2	9	9	5(•)	4			☿ a, ☉ p
3	90.3	89.6	89.4	8.1	10.3	8.8	10.8	3.7	49	42	43	26 1	24 1	26 1	9	3	6	7	0.0		☉ n,a,p
4	89.4	91.2	91.6	8.3	11.1	11.2	12.0	6.0	63	43	42	22 1	28 1	28 2	9	10	4	3			☉ a,p
5	93.5	93.3	91.0	8.4	11.9	12.0	12.8	6.5	72	66	60	21 2	08 1	04 2	9	10 •°	8(☿)	1	0.0		•° n, ☿ a, ☿° ☉ p
6	84.4	82.3	**79.8**	14.7	18.0	18.0	18.6	7.6	46	**37**	39	15 2	19 3	08 1	9	3	2	7	0.2		☉ n,a,p
7	80.7	85.8	89.2	13.6	9.0	8.3	18.0	8.1	66	85	94	21 2	28 1	00 0	7	9	10 •°	10 •			☉ n, ☿° a, • p
8	95.9	99.2	01.8	7.0	9.4	7.6	9.6	6.3	94	72	90	20 2	20 1	30 1	7	10 •	10 •°	10 •°	11.5		• n, ☿° a,p
9	05.7	05.8	03.5	6.2	10.4	10.4	12.0	5.5	91	58	57	20 2	23 2	02 2	9	10(≡)	9	3	6.9		☿ n, ☿ ☉ a, ☉ p
10	96.8	93.9	91.6	8.6	10.6	9.2	11.2	5.9	73	70	79	00 0	04 2	28 3	7	10	10	10 ☿	0.0		• a,p
11	87.8	87.2	88.3	6.4	7.7	7.1	11.2	5.9	94	88	93	04 2	03 2	03 2	7	10 =	10 =	10 =°	0.0		☿° n, = a,p
12	89.5	91.8	94.0	7.0	8.2	7.2	9.1	5.2	85	66	75	00 0	26 2	28 2	8	9(☿)	9(•)	9(•)	2.7		•° n, ☿° ☉ a, ☉ p
13	99.1	01.8	02.3	5.9	7.2	7.2	7.9	4.5	76	72	75	26 1	03 1	03 2	8	9 ☿°	9(•)	8	0.5		☿° n,a, ☿° ☉° p
14	05.5	07.1	07.2	8.2	10.0	8.9	11.2	4.4	66	60	65	15 2	28 2	01 1	8	8(☿)	7	2	0.5		☉ n,a,p
15	**09.4**	09.2	06.8	7.6	10.0	8.6	10.4	5.0	66	60	66	04 2	04 2	04 3	9	10	8	7			☉° n, ☉ a,p
16	97.9	94.4	91.2	11.0	11.1	12.2	13.0	6.6	67	61	58	02 2	09 2	23 1	9	9(•)	9	9	0.2		☿° n, ☉° a, ☉ p
17	95.1	92.6	06.3	7.6	8.6	8.4	12.3	6.7	91	75	75	21 2	24 2	28 1	8	10 •°	9 =°	10	6.2		• n, ☿° a, = p
18	03.6	02.4	01.3	11.0	15.8	16.6	16.8	6.5	64	55	49	27 2	18 3	18 2	9	6	7	7	0.4		☉ n,a,p
19	94.6	91.7	89.7	13.0	16.2	17.0	18.5	10.5	66	67	70	00 0	05 2	19 2	9	9 •°	9	9(☿)	0.0		☿° n, ☉ a, ☿° p
20	88.0	89.2	89.5	16.2	17.6	14.0	17.9	13.2	60	43	58	15 4	16 4	25 2	9	8	3 =°	6 =°	0.1		☉ ☿° n, ☉ a,p
21	90.8	92.0	91.7	10.4	10.6	9.3	14.0	8.5	82	91	81	16 3	18 2	22 2	8	10 •°	10 •°	10(•)	1.8		☿ n,a,p
22	94.8	97.2	94.5	7.1	7.7	9.6	10.7	6.1	81	79	67	20 4	20 3	19 2	8	10 ☿	10(☿)	2	5.6		☿ n, ☿° a, ☉ p
23	94.0	96.0	97.7	10.2	8.3	8.4	10.9	7.7	79	90	82	20 4	20 4	20 3	7	9 •	10 •	5 •	1.0		• n,a,p
24	01.0	05.7	07.5	8.3	7.9	7.1	10.5	7.0	79	82	82	19 2	23 3	26 3	8	10(☿)	9 ☿°	9 =°	0.2		☿° n, ☿° ☉° a,p
25	06.9	04.1	02.4	9.8	14.8	11.8	16.0	6.0	63	51	67	05 2	04 3	04 2	9	1	1	9	1.3		☉ n,a,p
26	01.9	00.6	99.9	14.4	20.1	20.4	22.1	9.4	67	57	55	04 2	04 2	05 2	9	8	2 =°	8 =°	0.1		☿° n, ☉ a,p
27	99.5	98.8	98.5	19.4	26.0	21.2	**26.0**	14.2	57	40	57	04 2	19 1	03 2	9	4 =°	6 =°	4 =			☉ n,a,p
28	96.5	97.7	98.0	18.7	17.2	16.0	21.5	14.6	76	72	79	27 1	26 4	04 3	8	6 =	6 =	9 =	5.0		☿ ☉ n, ≠ ☉ a, ☿° ☉ p
29	96.1	95.7	94.1	17.0	21.2	19.7	22.0	12.9	78	55	54	03 1	03 2	03 2	9	1 =	5 =	4 =	0.0		☉ n,a,p
30	97.5	93.3	90.4	10.7	13.2	17.2	19.7	9.6	94	82	69	04 2	05 2	30 1	9	10(≡)	6 =°	7 =	0.2		☿° n, ☿° ☉ a, ☉ p
M	95.7	96.0	95.7	10.1	12.1	11.5	14.1	7.3	73	64	67	1.9	2.2	1.9	8.4	7.9	7.1	6.9	44		

Ekstensotabell

1946

Tromsø

$\varphi = 69° 39' N$ $\lambda = 18° 57' E$ $g = 9.825$ $\Delta G = +1^h$

Juli VII

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	87.5	89.0	90.7	9.7	10.1	8.9	17.5	8.7	94	94	94	30	4	17	2	19	2	3	10 •	10 •°	10 •	9.6		•ᵃ n, • a, •ᵃ p
2	94.9	98.6	00.2	10.0	11.9	12.2	12.8	8.3	90	69	69	19	2	27	2	04	2	8	10 •°	9 =°	8 =°	16.8		• n, ☿ a
3	02.1	01.8	01.9	11.0	15.4	16.4	16.8	7.8	78	66	64	11	2	31	2	04	2	9	3	6 =°	2	0.1		⊙ n,a,p
4	03.1	02.7	02.0	11.8	12.8	12.9	16.0	11.1	85	85	81	04	2	28	2	04	3	9	9 •°	9	6 \	0.0		•° n, ☿° a-9, ⊙ a,p
5	96.9	93.1	89.6	12.2	17.0	19.8	20.0	9.4	84	70	63	04	2	04	2	21	1	9	6 =°	8 =	7 =°	0.0		⊙ n,a,p
6	90.8	92.4	95.9	15.0	18.2	14.4	20.4	13.1	73	58	70	17	4	18	2	22	2	9	8	9 ☿°	10(•)	1.1		☿° ⊙ n, ⊙ a, ☿° ⊙° p
7	05.2	07.9	09.7	9.4	13.2	11.9	14.5	9.3	96	72	78	03	2	00	0	04	3	8	10 ,	10(•)	9	0.2		☿ n, (•) a, •° p
8	10.8	10.2	08.8	11.2	13.2	11.6	14.2	9.9	79	67	79	03	4	03	3	32	1	9	9	9	9	0.0		⊙ n, ☿° a, ⊙ p
9	09.3	09.6	08.6	12.2	13.8	12.3	14.0	9.7	78	70	76	31	2	00	0	04	3	8	9(≡)	10	9(•)	0.0		
10	08.6	09.1	10.1	11.4	10.0	10.8	12.6	9.6	88	94	85	00	0	32	1	03	2	2	10(•)	10 •	9	0.5		☿ n, , ≡ a, •° p
11	11.5	12.0	11.3	11.3	14.2	14.5	15.5	9.3	81	57	58	00	0	04	2	02	3	9	10	6	0	1.9		⊙ a,p
12	11.2	08.2	07.3	14.8	18.8	19.3	19.3	9.3	67	52	43	02	1	02	1	03	3	10	2	2	2			⊙ n,a,p
13	07.1	06.8	04.8	17.0	21.0	21.4	21.5	12.5	61	46	39	00	0	07	2	04	2	9	3	2	2 =°			⊙ n,a,p
14	05.5	04.3	03.4	18.2	23.1	23.0	**24.5**	18.2	58	49	43	00	0	10	1	06	2	9	8	2	2	0.0		•° ⊙ n, ⊙ a,p
15	03.8	01.8	99.4	18.8	22.8	20.0	**24.5**	18.8	61	43	48	18	2	30	1	00	0	9	1	1	2			⊙ a,p
16	98.2	97.7	97.8	15.6	14.6	12.2	20.5	12.4	85	84	90	30	3	28	2	02	1	9	1	8	10 =°			⊙ 8
17	98.2	98.6	98.3	11.4	12.0	12.6	13.2	8.3	70	70	69	04	2	04	2	02	2	9	6	8 =°	4			⊙ n,a,p
18	96.4	96.7	95.6	11.4	13.4	12.0	15.0	**7.5**	78	66	81	00	0	28	2	04	1	9	9	3	9 =			⊙ a
19	96.2	97.4	98.3	11.4	11.5	14.0	14.5	11.1	85	85	85	26	1	29	4	28	2	8	10 =°	7(•)	9 =°			=° n,a, =° ⊙ p
20	98.4	97.9	97.2	11.0	14.2	13.2	14.7	11.0	82	76	76	00	0	28	1	02	3	9	10 =°	1	2			=° ⊙° n, ⊙ a,p
21	94.5	94.1	93.7	12.5	16.8	15.9	17.4	8.3	85	75	90	01	1	02	1	28	1	8	10 =	10 =	5			= ⊙ a, ☿ p
22	94.2	94.4	94.8	11.6	12.0	11.4	15.9	10.8	95	96	94	00	0	00	0	00	0	7	10 =	10 =	10 =	0.4		=° n, •° =° a, • = p
23	94.8	93.6	94.0	12.0	13.0	11.5	14.0	10.8	93	82	93	00	0	04	1	02	1	7	10 =°	10 =°	10 •°	15.1		•° =° n, =° a, •° =° p
24	96.6	98.6	98.7	9.4	10.6	10.8	12.0	9.4	96	93	91	00	0	30	1	03	1	7	10 •°	10 •°	9 =	3.8		•° ≡ n, = a,p
25	98.1	97.5	98.7	9.0	16.6	13.2	17.2	8.3	96	75	93	03	1	00	0	03	1	9	10 ≡	8	10 •	0.3		≡ n,a, • p
26	00.1	01.7	03.1	13.2	14.0	13.5	17.0	8.8	91	79	75	00	0	04	1	28	1	7	8 =°	8	10	6.2		⊙ n,a
27	05.1	03.0	97.2	12.6	17.9	15.0	18.0	10.3	79	51	66	20	1	20	1	02	1	9	9 =	2	9 =	5.0		• = n, ⊙° a,p
28	77.4	77.5	78.8	17.8	14.8	13.8	20.5	12.8	58	82	60	16	5	21	1	20	5	9	3	9	7 =	0.0		☿ n, = a, ⊙ 14, ☿ p
29	**75.5**	83.7	87.7	9.8	11.5	10.5	14.0	8.7	88	82	93	18	6	20	1	18	1	8	10(•)	10(•)	10(•)	11.5		☿ n,a,p
30	91.5	91.5	92.3	11.2	16.0	12.2	16.5	9.5	78	61	81	18	1	18	1	00	0	9	10	7	4	1.1		⊙ a,p
31	91.3	90.7	90.5	12.2	18.6	13.2	18.6	8.8	82	81	79	26	1	28	1	28	1	9	0	1	1	0.0		☿° ⊙ n, ⊙ a,p
M	98.5	98.8	98.7	12.5	14.9	14.0	16.9	10.4	81	72	74		1.6		1.4		1.7	8.2	7.5	6.9	6.6	74		

August VIII

1	91.7	91.5	91.5	8.8	12.8	12.0	13.5	8.2	97	84	85	30	1	32	1	03	1	8	10 ≡	9 =	10 =			≡ n,a, = p
2	91.3	91.4	91.4	10.8	11.4	10.8	12.5	9.5	88	81	93	04	1	04	1	25	1	8	10 =	10(☿)	10 •°			= a, •° p
3	91.0	90.3	89.5	10.2	14.8	14.0	15.5	8.7	90	66	70	04	1	04	2	03	2	9	9 =	3	1	0.5		☿ = n, ⊙ a,p
4	92.8	94.9	95.8	14.5	17.0	15.5	17.5	8.7	79	63	76	03	1	03	1	05	1	9	1	3	2			⊙ a, ☿ ⊙ p
5	00.4	01.6	01.7	12.0	15.5	14.0	17.5	9.0	90	76	76	00	0	01	1	02	1	9	1	6(☿)	5 =	0.1		☿° ≡ n, ⊙ a, ☿ p, ⊙ 19
6	01.8	01.8	00.9	11.2	12.4	11.8	14.0	10.2	94	93	91	00	0	00	0	02	1	7	10 =°	10 =	6 =	1.2		☿ n,a, = p
7	98.8	98.3	98.0	11.2	11.8	11.5	13.5	10.2	93	85	91	00	0	30	1	04	1	7	10 =	10 =	9 =	0.2		☿ = n, = a,p
8	96.4	95.6	95.7	12.0	16.5	14.6	17.0	10.4	88	73	79	04	1	04	2	05	1	9	9 =	1	7(☿)			= n, ⊙ a, ⊙° p, = 19
9	96.3	95.6	95.0	11.0	15.5	15.3	18.0	9.2	97	76	78	00	0	04	1	04	1	9	10 ≡	2	7	1.2		☿ n, ≡ ⊙ a, ⊙ p
10	93.5	91.5	89.6	16.8	21.0	16.5	**21.5**	10.8	66	62	78	04	1	23	1	00	0	9	7	6	6			= n, ⊙ a,p
11	93.0	92.2	88.7	11.2	17.4	14.0	17.5	11.2	94	58	75	28	1	18	1	23	1	9	10 ☿	8	10 =	6.5		☿ = n, ⊙° a, = ⊙° p
12	**81.3**	82.2	85.9	13.5	17.0	13.2	17.5	10.6	90	76	93	20	1	00	0	20	3	8	10 ☿	9(☿)	9 =	1.7		☿ ⊙° n,a, ☿ p
13	92.1	94.2	95.5	12.4	14.2	11.4	15.5	10.9	78	73	88	18	3	18	2	30	1	9	10	9(☿)	9(☿)	13.1		☿ n,p, = 19
14	93.9	91.1	89.1	10.6	16.0	14.0	16.7	8.2	93	63	69	00	0	01	2	04	2	9	0	1	4	0.2		≡ n, ⊙ a,p
15	82.5	82.0	82.5	12.2	14.0	12.2	15.0	10.4	90	75	82	04	2	02	2	04	3	7	9	9 =	9 =	0.5		☿ n, = a,p, ⊙° p
16	86.3	88.9	90.8	10.0	11.0	9.0	12.5	8.7	96	81	81	00	0	30	3	28	2	8	9(☿)	9(☿)	9(☿)	1.8		• ≡ n, (☿) a, ☿ = ⊙° p
17	92.9	93.2	94.5	9.4	12.8	10.4	13.5	7.2	76	54	76	20	1	18	1	26	1	9	9 =	4	5	0.7		= = n, ⊙ a,p
18	97.1	98.7	99.3	9.8	13.1	11.0	13.7	7.4	81	58	78	12	1	18	2	03	2	9	8	7	5 ☿			⊙ a,p, ∩ 19
19	00.1	01.0	01.3	9.6	12.8	10.8	14.0	7.4	91	72	82	25	1	26	1	04	1	9	8	9	7 =	0.0		⊙° a,p, = p
20	03.7	07.0	07.2	10.4	14.0	12.6	14.5	8.7	90	58	69	00	0	00	0	26	1	9	8 =	1	2			= n, ⊙ a,p
21	**07.3**	06.2	04.8	10.2	16.4	15.0	17.3	**7.0**	85	58	45	21	1	00	0	03	2	9	1	2	0			⊙ n,a,p
22	01.7	01.2	01.2	12.4	19.3	15.9	19.7	11.1	73	49	66	00	0	18	1	00	0	9	2	3	7			⊙ n,a,p
23	01.6	01.7	02.1	14.8	17.3	12.6	17.5	12.2	78	72	91	00	0	24	1	26	1	9	3 =	7 =	9 =			= n,a,p, ⊙ a, ⊙° p
24	04.4	05.6	06.1	12.5	14.8	12.0	15.4	10.7	93	79	90	26	1	02	1	04	1	8	9 =	9 =	6 =			= n,a, ⊙° a,p
25	06.2	05.4	05.0	10.0	16.6	14.4	17.3	9.4	96	69	79	00	0	04	1	00	0	9	10 ≡	1	1			≡ n,a, ⊙ a,p
26	04.9	04.3	04.0	12.9	18.0	15.5	18.5	10.2	82	58	70	00	0	19	1	00	0	9	1	1	1			⊙ n, ⊙² a,p
27	02.4	01.5	01.1	13.0	17.4	14.4	18.0	10.2	79	60	73	20	1	19	1	09	1	9	1	2(☿)	7 =			⊙ n, ⊙² a, ⊙ p, ∩ 19
28	00.7	99.5	98.9	11.4	15.3	12.8	16.0	10.0	82	54	69	18	1	19	1	00	0	9	5	3	3 =	1.0		☿ ⊙° n, ⊙ a,p
29	99.0	99.1	99.6	10.8	13.0	11.8	14.6	8.7	78	78	85	20	2	26	1	02	1	9	5	9	1			⊙° n,a, •° ⊙° p
30	99.7	99.1	98.7	10.0	15.0	12.8	16.0	7.2	93	61	67	00	0	04	1	06	1	9	2	2	8	0.0		⊙ a,p
31	98.8	99.4	99.2	13.4	18.6	15.0	19.0	9.7	72	51	66	19	3	19	1	00	0	9	7	3	4			⊙° n, ⊙ a,p
M	96.9	97.0	96.9	11.6	15.2	13.1	16.1	9.4	86	68	78		0.8		1.1		1.1	8.6	6.6	5.4	5.8	29		

Ekstensotabell

1946

Tromsø

$\varphi = 69°\ 39'$ N $\lambda = 18°\ 57'$ E $g = 9.825$ $\Delta G = +1^h$

September IX

$H_s = 102$ $H_b = 114.5$ $h_c = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	02.1	02.4	02.6	11.4	14.3	11.4	**16.2**	10.7	88	69	94	16 3	18 3	28 1	9	9	8	7 ☿	8.8		☿ n, ⊙ a, ☿ p
2	00.0	98.0	96.9	8.8	13.8	12.2	16.0	7.7	97	75	76	00 0	03 1	03 3	9	9 ≡	1 ∽	3 ∽	0.8		≡ n, ≡ ∽ ⊙ a, ∽ ⊙ p
3	96.2	95.5	94.6	10.3	13.8	13.0	15.3	8.2	93	78	82	28 1	00 0	00 0	9	9 ∽	3 ∽	5 ∽			∽ n, ∽ ⊙ a,p
4	93.1	94.5	95.1	12.2	11.4	10.4	13.4	10.4	88	91	94	03 1	04 4	04 3	7	9 ☿	10 ☿°	10 •°	0.0		☿° n, •° = a,p
5	97.4	98.3	98.5	10.4	13.8	11.4	14.2	9.7	82	66	73	04 4	18 1	20 1	9	9	9	9	3.2		• n, ⊙ a,p
6	98.1	97.1	95.7	10.2	14.0	12.4	14.0	7.7	75	63	70	19 1	18 3	00 0	9	4	3	7			⊙ a,p
7	93.2	93.4	92.9	12.8	12.8	11.8	13.5	10.6	70	72	75	20 1	21 3	19 3	9	10(☿)	10(☿)	10(☿)	1.5		• n, (☿) ∽ a, ☿° p
8	92.2	91.9	92.4	10.0	11.8	10.0	13.0	9.1	90	87	96	00 0	24 1	00 0	9	9	10(☿)	10 =°	0.0		(☿) a, ☿ =° p
9	92.8	94.5	95.6	8.4	9.4	9.0	10.2	7.8	93	93	90	19 1	18 1	28 1	8	10 •	10(☿)	10(☿)	8.3		• = n, ☿ = a,p
10	95.6	94.4	93.6	8.4	12.0	9.0	12.5	6.7	96	66	91	00 0	20 1	00 0	9	7 =°	3	9	1.2		☿° = n, ⊙ a,p
11	92.8	93.9	95.4	6.5	8.2	6.2	10.9	6.2	94	64	87	00 0	20 3	19 3	9	8	9(☿)	10 ☿°	1.7		☿ n, (☿) ⊙° a, ☿° p
12	97.9	99.1	00.0	6.5	7.0	6.8	8.0	4.7	90	93	78	18 3	19 2	22 1	7	7(☿)	10 ☿	8(☿)	3.2		☿ n,a, ☿ ⊙° p
13	01.3	01.3	00.3	6.2	8.0	6.3	8.4	5.2	87	69	72	18 2	17 2	16 1	9	6	10	4	5.0		☿ n
14	95.8	93.9	91.6	4.7	9.7	7.2	10.5	2.7	91	67	75	00 0	00 0	00 0	9	0	1	1 ∽			⌣ n, ⊙ a,p
15	85.0	83.3	81.6	8.9	10.9	10.5	11.9	5.0	66	64	69	18 2	18 4	20 4	9	9	10	10			☿° p
16	82.8	86.5	89.3	10.6	13.8	12.3	14.0	9.4	73	64	69	18 3	18 5	18 4	9	9 ∽	5	10 ∽	0.0		⊙ a,p
17	94.0	94.9	95.0	10.2	13.2	10.4	13.5	9.3	85	73	82	18 1	06 1	06 1	9	9 ∽	2	8 ∽	0.1		☿ n, ⊙ a, ⊙° p
18	93.4	90.8	88.6	8.5	12.2	10.4	13.0	6.8	94	67	73	00 0	06 1	06 1	9	1	7	10	0.3		☿ n, ⊙ a, ⊙° p
19	81.8	80.0	80.4	11.0	12.1	10.6	13.5	9.2	67	66	72	06 1	17 1	18 3	9	9 ∽	9	8			∽ n, ☿° p
20	85.6	85.7	85.8	8.0	11.2	9.8	11.2	7.2	90	76	73	00 0	00 0	32 1	9	5	10	3	0.8		☿ n, ⊙° a, ⊙ p
21	83.2	83.0	84.2	9.6	12.0	11.0	12.8	8.3	73	63	63	18 1	14 2	18 2	9	9 ≈	9	9			⊙ p
22	86.5	90.1	88.1	11.4	13.0	9.9	13.6	9.7	63	66	72	18 3	20 3	19 1	9	8	7	1			⊙ a,p
23	80.2	79.8	**79.5**	11.0	12.8	11.7	13.5	7.4	63	63	69	16 4	18 3	00 0	9	10	9	9			⊙° a
24	81.3	81.5	82.8	6.8	12.2	8.8	13.4	6.2	97	60	67	30 1	17 5	18 3	9	7	4	3	8.9		• n, ⊙ a
25	89.2	93.6	96.5	9.0	11.8	9.3	13.0	6.7	64	**54**	69	18 3	18 2	18 2	9	5	3	5			⊙ a, ⊙° p
26	98.6	99.9	99.1	10.6	12.0	12.0	12.4	8.7	64	64	70	18 4	18 5	18 5	9	10	10 ☿	10	0.0		• n, ☿ a,p
27	93.8	92.5	91.2	12.2	11.4	10.4	12.6	10.2	70	96	96	20 6	20 3	00 0	7	10	10 •	10 •	3.3		☿ n,a, • p
28	90.5	96.0	98.3	7.8	7.8	7.0	11.5	7.0	85	85	88	20 5	24 3	22 2	8	10 •	10(☿)	10 •	45.0		• n,a, • = p
29	04.7	04.7	06.7	3.5	3.9	3.5	7.0	3.2	88	94	00	18 1	00 0	00 0	6	10 ☿	10 •	5	8.6		☿ n, ☿ a,p
30	**08.2**	04.4	05.7	2.8	3.0	1.5	4.3	**1.4**	88	96	75	19 1	18 2	32 2	7	9(☿)	10 •	7 ☿	9.3		☿ n, • a, ☿ p
M	92.9	93.2	93.3	9.0	11.1	9.5	12.2	7.4	82	74	79	1.8	2.2	1.6	8.6	7.9	7.4	7.4	110		

Oktober X

1	10.0	15.8	**17.8**	1.8	3.0	2.0	3.8	- 1.3	85	75	72	32 3	02 3	32 2	8	10 ☿	6(☿)	10	12.2		☿ n, ☿ a, ⊙ 14, ☿ p
2	17.0	16.1	13.9	2.0	2.6	3.0	3.2	1.3	73	84	81	18 2	18 3	20 4	8	10	10	10	2.2		☿ a
3	07.0	06.1	05.0	5.8	7.8	7.4	8.2	3.0	**48**	73	85	20 3	18 3	20 4	9	10	10	10	0.0		☿° p
4	97.4	93.5	91.4	5.5	10.3	8.4	**10.7**	4.8	96	67	55	04 1	00 0	00 0	9	1	1	0	0.0		⊙ n,a
5	91.1	92.7	94.9	4.0	8.0	6.0	8.7	2.8	75	66	69	00 0	18 2	18 3	9	0	1	1			⊙ n,a
6	01.5	04.3	04.8	3.4	7.5	7.7	7.8	3.0	85	61	63	18 2	18 3	19 3	9	1	1	9			⊙ n,a
7	01.9	01.6	01.1	8.6	9.0	8.5	9.8	7.0	67	78	93	18 6	20 6	20 5	8	10	10(☿)	10 •			☿ a, • p
8	10.1	14.1	13.3	5.0	4.2	5.9	9.2	4.1	94	93	78	22 2	06 1	18 1	8	10 •	10 •	10	20.2		• n, • a
9	04.5	03.4	02.7	7.8	9.8	10.0	10.6	5.8	91	93	87	20 5	23 2	27 6	6	10 •	10 •	10 •	7.4		• n,a,p
10	01.8	02.7	99.2	9.0	8.2	8.0	10.5	7.4	85	90	94	24 5	25 2	18 1	8	10 •	10(☿)	10 •	22.5		• n, • a, • ≡ p
11	98.1	04.0	04.3	3.2	2.2	1.9	9.0	1.4	82	82	91	32 4	04 2	04 1	9	9(☿)	10(☿)	10 ☿	15.7		△ • n, ☿ a,p
12	03.0	02.5	02.2	1.3	1.0	1.0	2.2	0.7	84	94	75	32 1	32 1	04 2	8	10(☿)	10 ☿	9	3.6		☿ n,a
13	01.8	98.4	94.0	- 1.0	0.9	0.2	1.6	- 1.9	81	63	54	27 1	00 0	16 2	9	10	7	10	1.0		⊙ a
14	79.2	82.5	86.5	- 0.1	0.4	0.0	1.0	- 0.8	94	75	64	14 1	18 1	16 1	9	10 *	7	7	1.3		* n, ☿° ⊙ a
15	89.6	89.2	86.0	0.0	1.0	0.8	1.0	- 0.8	67	76	93	18 2	18 3	16 3	9	10	10	10 ⁑	0.5		⁑ p
16	89.0	92.2	93.9	0.8	1.0	0.6	1.5	- 0.2	81	73	63	02 2	32 3	28 1	9	10 ☿	8 ☿	9	6.3		☿ n
17	96.5	95.9	95.6	- 0.2	1.2	0.8	1.5	- 0.8	81	67	70	00 0	18 1	02 1	9	8	10	10			∽ a
18	00.1	02.8	03.5	- 0.4	1.4	- 0.5	3.0	- 0.7	91	81	67	07 1	32 1	06 1	9	7	7	3	0.4		☿ n, ⊙ 8
19	00.8	00.6	98.8	- 0.6	1.2	1.1	1.6	- 0.6	79	72	75	06 1	19 1	18 3	9	4	5	10			⊙ a,p
20	93.6	92.1	93.0	2.4	1.4	0.4	2.5	- 0.1	97	93	78	19 2	00 0	32 6	8	10 •	10 •	4	4.9		☿ n,a ☿ p
21	99.1	02.0	05.5	- 2.8	- 1.8	**- 1.8**	2.0	- 2.8	82	88	94	03 3	02 1	02 2	8	8 ☿°	9	3	5.7		☿° n, ☿ ⊙° a, ☿ p
22	11.2	12.4	12.8	- 2.2	- 1.2	- 1.2	- 0.8	**- 3.3**	91	79	79	18 2	18 2	17 3	9	6	3	4	1.1		⊙ a,p
23	10.7	08.1	05.5	0.3	0.2	- 0.8	0.8	- 1.2	63	61	64	18 3	19 3	18 4	9	6	0	0			⊙ a,p
24	98.1	97.9	96.0	4.2	4.4	4.2	5.0	- 1.5	73	88	90	20 4	18 3	16 4	9	10 •	9(☿)	10 •	0.0		•° n,a, • p
25	02.5	97.6	02.6	0.6	1.4	1.4	5.0	0.2	93	93	88	18 2	18 5	28 3	6	10 ⁑	10 •°	10 ⁑°	6.0		* • n, ☿ a, ☿ p
26	02.9	01.8	99.6	2.8	4.8	5.0	5.0	0.2	76	90	90	18 4	20 4	20 3	7	9	10 •°	10	5.9		☿ n, ☿ a,p
27	94.1	91.3	86.1	4.8	5.6	5.8	6.0	4.3	91	78	63	20 3	19 3	20 3	9	10 •	10(•)	10 •	10.8		☿ • n,a •° p
28	77.0	76.5	78.9	5.4	4.8	3.6	6.4	3.2	52	66	87	17 3	19 5	20 5	9	10	9(☿)	10	0.0		⊙° a, ☿ p
29	84.0	**73.8**	74.3	1.5	3.0	3.3	5.5	0.5	88	91	90	18 4	18 7	18 3	7	10(☿)	10 •	9 •	4.7		☿ n, • a, •ª ☿ p
30	99.5	06.3	06.6	0.8	0.1	0.6	4.5	- 0.4	81	63	67	24 2	25 1	20 3	8	9(☿)	9	9	16.0		☿ n,a
31	05.2	07.3	08.2	6.8	7.3	7.7	8.4	0.6	85	85	87	19 3	18 3	19 4	8	10 ☿	10(☿)	10 ☿	15.2		☿ n, •° a, ☿ p
M	99.3	99.5	99.3	2.6	3.6	3.3	5.0	1.1	81	79	78	2.5	2.4	2.8	8.4	8.3	7.8	8.0	164		

Ekstensotabell

1946

Tromsø

$\varphi = 69°\ 39'$ N $\lambda = 18°\ 57'$ E $g = 9.825$ $\Delta G = +1^h$

November XI

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F						Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8		14		19		14	8	14	19			
1	11.6	**12.7**	12.0	6.9	7.4	8.0	8.3	6.2	69	88	82	24	2	18	3	22	4	8	8(⚲)	10 ⚲	8 ⚲	3.8		⚲ n, ⚲ • a,p
2	09.2	08.1	07.6	7.2	6.4	6.3	8.2	6.2	70	73	70	18	3	17	2	18	3	9	10	6	9	2.0		⊙ a
3	07.6	07.3	06.6	4.8	4.1	4.0	7.5	3.1	84	88	94	18	1	00	0	00	0	9	10 ▬	8	10 ▬			
4	06.9	06.8	04.3	3.6	5.4	6.8	7.4	3.3	96	94	85	19	2	19	2	18	4	7	10 •	10 •	9 •	3.0		• n,a ⚲ p
5	99.5	00.2	01.2	8.2	10.0	9.0	**10.0**	3.3	85	63	**55**	20	4	20	4	20	3	8	10 •	9(⚲)	10.	10.5		• n, ⚲ a,p
6	89.5	90.8	89.8	7.0	6.2	7.1	9.5	6.2	91	93	78	18	3	18	2	18	4	8	10 •	10 •	10 ⚲	9.6		• n,a, ⚲ p
7	92.3	95.4	99.3	3.8	3.6	3.9	8.0	3.2	93	93	94	26	2	18	2	26	4	7	10 •	10 •	10 •	14.9		• ▬ n,a,p
8	01.9	98.9	94.2	1.4	0.0	- 0.1	4.0	- 0.8	90	94	96	24	2	20	2	24	1	6	10 ⚲	10 ⚲	10 *	16.7		⚲ n, ⚲ a, ⚲ ⚲ * p
9	93.9	95.0	94.1	- 1.2	- 2.6	- 4.0	1.5	- 4.1	91	84	91	00	0	01	1	00	0	8	10 ⚲	8(⚲)	3	10.6	5	* n, ⚲ a,p
10	91.1	92.4	93.2	- 4.0	- 4.9	- 5.7	- 3.3	- 6.0	91	82	93	30	1	02	1	00	0	9	10 ⚲	8(⚲)	6	13.2	15	⚲ n,a,p
11	92,2	90.5	86.9	- 6.4	- 5.2	- 6.1	- 3.1	- 7.3	93	90	84	00	0	24	1	18	2	5	4	10 ⚲°	9 ⚲	4.0	21	⚲ n, ⚲° a, ⚲ p
12	79.2	78.2	78.1	- 8.4	- 8.8	- 9.6	- 4.0	-10.1	66	76	73	06	1	08	1	00	0	9	1	1	0	0.6	22	⊙° a, ▬ 19
13	81.0	82.0	82.6	-10.6	- 8.8	- 8.7	- 8.0	**-10.9**	84	81	81	18	1	20	2	20	2	9	1	7	1		22	⊙° a
14	86.4	88.0	89.5	- 6.0	- 5.4	- 4.8	- 4.2	- 8.9	70	96	94	18	3	18	3	20	2	3	8(*)	10 *	10 *		22	* a,p
15	95.3	96.3	96.8	- 5.2	- 6.2	- 5.6	- 4.2	- 6.9	81	79	93	04	1	22	1	04	2	9	8(⚲)	4(⚲)	10 ⚲°	7.8	28	⚲ n,a,p
16	00.0	01.6	01.9	- 6.4	- 6.2	- 6.8	- 4.5	- 7.4	90	88	90	18	2	18	2	18	3	9	4	1	0	2.3	29	⚲° n
17	01.6	00.4	00.0	- 8.6	- 7.9	- 8.0	- 6.0	- 9.1	91	91	84	18	1	00	0	00	0	9	0	0	0		28	
18	99.1	98.4	98.3	- 6.4	- 6.0	- 6.0	- 5.4	- 8.7	66	72	81	00	0	04	1	00	0	9	1	4	0		28	⊙° a
19	94.3	92.3	90.1	- 7.0	- 6.6	- 7.2	- 5.0	- 8.3	79	81	78	17	1	04	1	18	3	9	6	6	4		28	⊙° a
20	85.0	82.0	82.5	- 3.0	- 1.0	- 0.2	- 0.2	- 7.4	70	61	69	18	4	16	5	17	6	8	6	9	9 ⚲		25	⚲ p
21	84.7	83.7	82.0	- 0.4	- 0.8	- 3.2	0.0	- 3.3	64	66	60	18	5	18	3	18	3	8	10	8	10	1.8	26	
22	74.8	73.7	72.4	- 1.8	- 0.2	1.6	2.5	- 3.4	91	79	73	17	3	18	2	22	3	8	10 *°	10(⚲)	10	0.0	18	*° n, •° p
23	70.9	68.8	**65.6**	3.2	2.8	3.4	4.5	- 1.9	82	81	61	18	2	08	2	20	4	9	10	8	3	0.0	18	
24	82.4	80.9	81.1	- 0.3	- 0.3	- 0.6	3.4	- 2.3	72	57	70	21	2	00	0	28	1	9	1	4	10	2.5	18	⚲ n
25	86.0	81.8	80.5	- 1.2	- 4.0	- 3.9	- 0.5	- 4.6	84	85	93	17	3	18	1	09	1	8	4 *	2	1	3.0	17	* ▪ n, ▬ 19
26	83.7	83.5	80.2	- 4.6	- 4.2	- 3.4	- 1.0	- 6.1	91	88	79	00	0	00	0	17	1	8	1	10	5		17	
27	73.6	72.3	71.6	- 0.4	0.2	0.0	0.2	- 3.9	84	94	94	04	1	04	1	04	2	8	10 *	10	10 *⚲	0.0	17	⚲° n,a, * p
28	85.7	89.1	90.1	- 4.2	- 3.6	- 3.8	0.5	- 4.7	88	91	93	18	1	18	1	20	3	7	4(⚲)	4(⚲)	10 ⚲°	19.1	40	* n, ⚲ a,p
29	95.2	98.5	99.4	- 3.8	- 4.2	- 4.6	- 3.0	- 5.1	81	81	85	24	2	20	2	20	2	7	10(⚲)	9 ⚲°	10	8.6	51	⚲ n, ⚲° a, ⚲ p
30	97.9	97.0	95.3	- 4.4	- 6.4	- 7.2	- 3.3	- 7.9	78	82	90	17	1	19	1	26	1	9	6	2	0	1.8	50	
M	91.8	91.6	90.9	- 1.6	- 1.6	- 1.6	0.7	- 3.6	82	82	82	1.8		1.6		2.1		8.0	6.8	6.9	6.6	136	18	

Desember XII

1	87.9	86.8	86.5	- 4.4	- 2.2	- 2.5	- 1.8	**- 7.8**	70	72	75	00	0	16	3	18	2	8	6	10(*)	8		50	
2	85.3	85.6	**84.8**	- 2.4	- 2.1	- 1.0	- 1.0	- 3.4	85	85	85	00	0	00	0	18	1	9	1	8	9		50	
3	85.4	86.4	87.1	- 2.2	- 3.0	- 1.6	- 0.5	- 3.0	76	75	79	07	1	00	0	06	1	9	1	7	9		40	
4	90.5	92.7	94.8	- 2.2	- 1.8	- 0.9	- 0.9	- 3.3	79	72	76	06	1	00	0	04	1	9	1	1	8		40	
5	00.6	03.1	03.7	0.0	- 0.3	- 1.4	0.4	- 2.8	67	70	73	18	2	17	3	20	3	9	10	9	10		39	
6	02.9	04.0	03.5	- 2.8	- 2.2	- 0.1	0.7	- 3.8	70	70	63	08	1	00	0	00	0	9	1	4	3		38	
7	03.0	03.7	04.3	- 0.6	- 1.8	- 2.5	1.0	- 3.3	67	67	70	19	2	04	1	02	2	9	0	1	1		37	
8	02.7	02.6	03.2	1.8	2.2	2.9	3.6	- 3.1	78	70	67	18	5	16	4	19	3	9	10 ⚲	7	10	0.0	37	⚲ n, ⚲° a
9	04.0	05.4	05.1	3.8	4.6	4.6	5.5	1.7	70	70	**52**	17	3	17	3	19	5	9	7 ▬°	9	10	0.0	35	
10	13.6	16.7	17.5	2.0	1.0	0.4	5.0	- 0.2	60	73	70	16	1	00	0	00	0	9	5	4	1		32	
11	17.9	18.3	17.2	0.8	0.1	0.0	3.0	- 1.0	64	67	67	18	3	18	3	18	2	9	0	1	1		32	
12	16.2	17.9	19.5	0.1	- 0.1	- 1.4	0.5	- 1.8	66	78	88	17	2	18	2	00	0	9	10 ▬°	2	0		32	▬ n,a,p
13	22.2	24.3	25.6	- 1.0	- 1.6	- 1.4	- 0.7	- 2.6	75	82	84	18	2	18	2	18	1	9	6	1	9		32	
14	28.2	30.1	31.3	0.0	1.6	0.7	1.6	- 1.4	81	78	96	18	2	18	2	19	4	8	2	10 •°	10 •°		32	•° a, • p
15	**34.9**	**34.9**	34.7	2.8	2.6	2.8	3.0	- 0.2	88	90	85	18	2	18	2	18	2	9	10 ▬°	10	10	1.2	27	•° n
16	28.7	24.0	21.7	3.4	2.0	3.1	3.6	1.6	63	82	85	18	3	16	4	20	5	7	10 ▬°	10 •°	10 •		25	•° a, • p
17	15.8	15.2	12.2	5.2	4.0	3.7	5.7	2.9	90	94	96	22	2	18	1	03	3	7	10 •°	10 •°	10 •°	14.7	15	• n,a,p
18	02.0	01.9	01.2	4.2	3.8	3.2	4.5	2.9	93	93	91	19	3	18	3	19	3	7	10 •°	10 •°	10 •	7.5	5	• n, •° a, ⚲ p
19	96.8	95.4	91.3	4.4	4.7	4.2	5.1	2.7	87	94	87	18	3	20	3	20	4	7	10 •°	10 •	10 •	6.1	0	• n,a,p
20	88.7	86.9	84.5	4.6	5.3	5.0	**6.5**	3.2	79	94	82	21	2	20	2	20	4	7	10 •°	10 •°	10 •	14.3	0	• n,a,p
21	77.8	74.7	70.3	3.0	3.0	5.4	**6.5**	1.0	82	90	82	19	4	18	3	20	5	7	10(•)	10 •°	10 •	15.4	0	⚲ n, •° a, • p
22	64.8	68.1	70.4	4.4	1.4	0.4	5.4	0.3	67	76	93	22	7	22	7	22	6	7	5 ▬°	9 ⚲°	10 ⚲	5.0	0	⚲ n,a, ⚲ p
23	69.8	62.8	**61.8**	2.4	4.5	4.2	**6.5**	0.2	85	72	84	21	3	18	4	18	4	8	10 •°	9 ▬°	10 •	4.3	0	⚲ n, ⚲ a,p
24	82.9	85.7	86.5	- 1.0	- 2.0	- 1.6	**6.5**	- 2.4	88	94	85	18	2	18	1	20	2	8	4(*)	8 ⚲	8 *°	12.0	0	⚲ n,a, * p
25	86.4	88.7	**88.4**	- 3.2	- 3.8	- 5.3	- 1.3	- 6.3	94	94	90	27	1	18	1	18	1	9	8 ⚲	8	0	13.0	0	⚲ n, *° i a
26	81.0	79.5	77.5	- 6.6	- 2.8	- 2.0	- 1.4	- 7.0	84	64	63	31	1	07	1	00	0	9	0	5	8	1.4	20	
27	78.7	81.9	**84.3**	- 1.8	- 0.2	0.8	0.8	- 2.2	94	88	85	18	2	18	3	20	3	8	10(*)	10(⚲)	10	1.2	20	⚲ n
28	86.4	87.7	90.6	0.0	0.6	1.0	2.1	- 0.2	96	96	94	08	1	18	1	08	2	6	10 *	10 *⚲	10 ⚲	4.4	25	* n, ⚲ a, * p
29	93.1	08.1	08.1	- 0.1	- 2.1	- 3.0	1.6	- 3.4	88	70	79	06	2	08	2	28	1	9	6 ⚲	3	0	13.0	25	△ n
30	00.5	00.1	99.9	- 0.4	- 1.6	- 2.3	0.0	- 3.5	**52**	57	61	18	3	18	5	20	3	9	3	1	2		20	
31	00.2	01.6	02.7	- 2.8	- 0.6	- 0.8	- 0.2	- 3.8	63	63	60	18	2	18	5	16	4	9	0	8	0		20	
M	98.7	99.2	99.0	0.4	0.4	0.5	2.3	- 1.6	78	79	79	2.2		2.3		2.5		8.3	6.0	6.9	7.0	114	24	

1946

Røros

φ = 62° 34' N λ = 11° 23' E g = 9.819 $\Delta G.$ = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	940.7	1019.2	-13.2	-11.1	-12.9	-12.7		-19.1	1.8	5°	-32.8	23	25 1.2	25 2.0	7 2.0	135 2.5	65 2.3	95 2.7	1 1.0	25 1.2	48
II	25.7	02.8	-13.7	- 8.9	-11.1	-11.7		-17.2	1.8	15	-36.9	27	7 2.5	0 -	85 1.5	85 1.6	0 -	25 3.4	65 1.6	17 2.9	34
III	40.9	18.4	- 9.6	- 2.2	- 4.6	- 6.3		-12.1	7.4	27	-32.0	2	11 1.4	3 1.0	11 2.2	135 2.1	15 1.0	10 2.0	9 2.0	8 3.2	26
IV	33.6	09.1	0.8	4.3	2.5	1.4		- 2.0	10.4	3	-18.0	13	11 2.1	1 1.0	4 2.2	6 1.8	1 3.5	155 3.1	8 2.8	235 2.5	20
V	43.1	18.0	6.3	10.7	9.3	6.4		0.7	24.1	28	- 6.9	6	28 2.6	8 1.8	5 2.1	4 2.2	2 1.2	85 2.0	75 2.1	15 2.3	15
VI	34.6	08.0	8.8	13.1	11.3	9.4		5.0	24.0	24	- 2.3	17	225 2.1	35 1.0	15 2.0	14 2.7	4 4.1	115 2.9	125 2.4	75 2.1	13
VII	39.6	12.3	12.5	17.5	16.3	13.2		7.6	24.3	18	1.1	1	22 1.9	35 1.0	4 1.2	115 3.3	55 2.7	165 2.5	8 2.3	7 2.5	15
VIII	36.5	09.7	8.7	15.2	13.6	10.7		5.9	20.2	23	- 0.5	20	105 2.0	1 2.0	25 1.8	135 1.9	115 3.2	105 3.1	115 2.1	5 1.9	27
IX	33.7	07.7	5.2	10.6	8.6	7.0		3.2	15.2	17	- 2.0	22	11 1.7	1 2.0	05 3.0	115 3.0	7 2.6	85 2.5	105 2.2	6 1.7	34
X	45.9	22.7	- 1.7	3.6	1.0	0.3		- 3.2	9.8	30	-13.0	23	35 2.0	0 -	75 1.9	55 2.7	0 -	3 2.7	235 1.9	23 2.3	27
XI	33.9	10.3	- 2.9	- 1.3	- 2.9	- 2.6		- 6.3	5.3	6	-23.0	21	25 1.2	2 1.5	55 2.3	12 2.6	17 3.6	75 2.4	105 1.6	10 1.8	23
XII	41.5	19.0	- 5.9	- 5.5	- 5.9	- 5.9		- 9.5	2.2	23	-28.0	16	15 1.0	1 1.0	145 2.4	215 2.6	12 2.4	35 2.4	25 1.6	85 1.6	28
1946	937.5	1013.1	- 0.4	3.8	2.1	0.8		- 3.9	24.3		-36.9		133 2.0	265 1.5	715 2.0	135 2.5	68 2.9	107 2.6	111 2.1	133 2.3	310

Alvdal

φ = 62° 1' N λ = 10° 48' E g = ΔG = + 1h

I			-12.7	-11.6	-11.7	-12.2		-17.4	4.0	5	-31.3	23	5 1.2	0 -	38 2.3	0 -	0 -	0 -	12 2.0	0 -	38
II			-13.7	- 7.4	-10.4	-11.1		-17.1	6.6	14	-34.6	28	10 2.8	0 -	23 1.9	0 -	0 -	0 -	19 1.8	3 2.3	29
III			- 7.8	0.2	- 2.7	- 4.4		-11.1	10.5	31	-32.5	14	7 3.0	0 -	28 1.6	0 -	0 -	0 -	28 1.3	2 3.0	28
IV			3.0	7.2	5.2	3.7		- 0.7	13.2	30	-12.6	13	27 2.6	0 -	25 1.8	15 1.7	15 1.0	0 -	23 2.6	0 -	12
V			7.2	13.4	11.3	7.8		1.1	25.8	29	- 7.0	6	28 2.7	0 -	27 1.7	1 2.0	4 1.0	0 -	15 1.9	0 -	18
VI			10.3	14.0	13.2	10.6		5.7	23.0	23	- 1.5	17	6 1.7	0 -	38 1.6	0 -	6 2.8	0 -	18 1.5	0 -	22
VII			14.4	19.5	17.8	14.5		7.6	25.4	17	1.1	1	11 1.5	0 -	42 1.4	0 -	3 1.0	0 -	8 1.5	2 2.0	27
VIII			10.4	16.1	13.7	11.5		6.6	22.2	22	1.0	20	4 1.0	0 -	40 1.4	0 -	2 1.0	0 -	12 1.1	0 -	35
IX			6.5	11.5	8.9	7.8		3.9	15.6	8	- 3.6	25	9 1.3	0 -	39 1.6	0 -	7 2.0	0 -	75 1.5	15 3.0	26
X			- 2.2	4.8	0.4	0.2		- 4.2	11.4	9	-12.8	25	15 2.8	0 -	16 1.8	0 -	0 -	0 -	7 1.7	0 -	55
XI			- 2.5	- 1.0	- 2.2	- 2.1		- 5.6	5.8	24	-21.4	16	9 2.2	0 -	45 2.2	0 -	1 5.0	0 -	1 1.0	0 -	34
XII			- 6.6	- 6.0	- 6.1	- 6.3		- 9.9	2.8	23	-29.5	15	2 2.0	0 -	42 2.3	0 -	5 2.4	0 -	2 1.5	0 -	42
1946			2.3	6.4	3.9	3.1		- 1.1	25.8		-34.6		133 2.3	0 -	403 1.8	25 1.8	295 2.0	0 -	1525 1.7	85 2.5	366

Engerdal

φ = 61° 41' N λ = 12° 1' E g = ΔG = + 1h

I			- 9.4	- 8.1	- 8.9	- 9.0		-12.9	3.4	5	-25.6	3	30 1.2	4 1.2	0 -	5 2.1	27 2.4	8 3.6	2 3.5	13 1.0	4
II			-11.1	- 6.8	- 8.4	- 9.3		-13.8	4.4	16	-29.7	23	325 2.0	5 1.6	0 -	45 1.6	225 1.6	2 2.5	0 -	155 1.5	2
III			- 7.9	- 0.2	- 2.9	- 4.6		-10.1	9.6	31	-28.8	14	26 1.5	6 1.3	0 -	11 1.4	34 1.2	1 1.0	0 -	15 1.3	0
IV			1.7	7.0	4.5	2.9		- 1.6	15.0	27	-15.0	13	22 2.5	1 1.0	0 -	9 2.1	40 1.7	8 2.5	0 -	6 1.7	4
V			6.4	12.8	11.3	7.6		1.3	25.0	29	- 6.8	6	29 2.5	0 -	05 2.0	85 1.5	39 1.6	2 1.5	0 -	5 1.8	9
VI			10.1	13.8	12.6	10.4		5.6	24.2	24	- 0.5	17	225 1.8	2 2.5	0 -	65 1.6	465 1.9	3 2.0	0 -	45 1.4	5
VII			13.3	19.0	17.6	14.2		8.2	24.6	18	1.2	1	165 2.3	1 1.0	0 -	55 2.3	525 2.1	8 2.2	0 -	35 1.9	6
VIII			9.9	15.4	13.4	11.2		6.7	21.0	23	1.4	19	17 1.5	0 -	0 -	6 1.5	49 1.7	2 3.5	0 -	6 1.0	13
IX			6.9	11.8	9.3	8.4		5.2	16.2	7	- 2.2	22	20 1.6	1 1.0	15 2.0	3 2.2	36 2.4	10 2.8	05 3.0	5 1.2	13
X			- 1.6	5.5	1.8	1.0		- 3.4	11.6	10	-15.7	23	615 1.5	1 2.5	05 3.0	4 2.5	11 2.1	1 1.0	0 -	6 1.3	8
XI			- 2.1	- 0.7	- 2.0	- 1.8		- 4.9	5.0	25	-20.9	16	29 1.4	0 -	0 -	11 1.7	27 2.1	8 2.6	1 1.0	5 1.0	9
XII			- 5.2	- 4.6	- 4.8	- 5.0		- 6.7	2.4	23	-26.6	16	30 1.1	3 1.5	0 -	55 1.5	31 1.8	115 2.3	05 1.0	55 1.1	6
1946			0.9	5.4	3.6	2.2		- 2.2	25.0		-29.7		336 1.7	24 1.5	25 2.2	795 1.8	4155 1.9	645 2.6	4 2.5	90 1.3	79

Ytre Rendal

φ = 61° 41' N λ = 11° 12' E g = ΔG = + 1h

I			- 9.7	- 7.6	- 8.6	- 8.8		-12.4	3.3	5	-25.6	1	2 1.0	2 1.0	0 -	95 2.1	165 1.7	2 1.2	0 -	0 -	61
II			-11.0	- 5.7	- 8.6	- 9.0		-13.5	2.9	16	-29.7	27	65 1.4	85 1.3	0 -	15 1.7	55 1.4	2 1.0	0 -	2 2.0	58
III			- 5.7	0.5	- 3.0	- 3.8		- 9.4	8.9	28	-26.6	15	85 1.1	6 1.2	0 -	55 1.1	55 1.1	0 -	0 -	15 1.0	66
IV			3.2	8.1	4.8	3.8		- 0.9	15.0	27	-11.9	13	9 1.2	9 1.2	0 -	115 1.7	185 1.5	6 1.1	0 -	5 1.8	31
V			7.8	13.4	10.8	8.3		2.3	23.2	30	- 4.1	6	125 1.3	235 1.4	0 -	115 1.2	135 1.2	2 1.2	0 -	0 -	30
VI			11.7	15.3	13.4	11.8		7.3	22.9	23	1.1	14	125 1.1	145 1.1	0 -	145 1.7	265 1.7	0 -	0 -	0 -	22
VII			15.5	20.2	17.5	15.5		9.8	25.0	17	2.8	1	105 1.3	105 1.3	0 -	15 1.3	61 1.4	05 2.0	0 -	0 -	9
VIII			12.4	17.6	13.5	12.8		8.3	22.0	21	4.3	19	75 1.1	85 1.1	0 -	05 1.0	39 1.5	05 1.0	0 -	0 -	37
IX			8.2	12.7	9.3	9.0		5.5	17.1	8	- 1.9	30	75 1.1	75 1.1	0 -	0 -	40 1.5	0 -	0 -	0 -	35
X			- 0.3	4.7	1.4	1.3		- 2.0	12.0	11	-10.2	23	16 1.0	16 1.0	0 -	0 -	17 1.4	0 -	0 -	0 -	44
XI			- 1.0	0.6	- 0.5	- 0.5		- 3.1	7.7	25	-17.2	16	35 1.3	25 1.0	0 -	0 -	45 1.5	1 1.0	0 -	1 2.0	37
XII			- 3.5	- 2.8	- 3.2	- 3.3		- 5.0	3.6	23	-21.0	16	7 1.0	7 1.0	0 -	25 2.8	355 1.6	0 -	0 -	0 -	41
1946			2.3	6.4	3.9	3.1		- 1.1	25.0		-29.7		103 1.2	1155 1.2	0 -	585 1.6	3235 1.5	14 1.1	0 -	95 1.7	471

Dombås

φ = 62° 4' N λ = 9° 7' E g = 9.819 ΔG = + 1h

I	938.7	1018.5	- 8.9	- 7.8	- 8.7	- 8.8	- 5.8	-12.2	3.1	5	-23.7	1	7 1.3	0 -	5 2.2	5 2.6	29 3.0	3 3.7	1 3.0	0 -	43
II	23.9	02.6	-11.3	- 7.4	- 9.2	- 9.7	- 5.9	-13.1	7.1	16	-26.6	24	8 1.6	0 -	0 -	0 -	10 3.3	25 4.0	35 2.3	3 1.7	57
III	39.4	18.8	- 6.9	- 1.2	- 3.3	- 4.6	- 0.2	- 8.7	8.7	27	-24.6	1	18 1.7	05 4.0	0 -	0 -	21 1.6	1 1.0	2 2.0	05 2.0	50
IV	31.8	09.1	2.0	5.2	3.8	2.7	6.7	- 0.3	13.2	27	-13.4	13	22 1.7	1 2.0	0 -	0 -	31 2.3	2 3.5	2 2.5	1 2.0	31
V	41.3	17.9	7.2	11.8	9.7	7.4	12.9	1.8	25.0	30	- 4.8	6	17 1.7	1 2.0	05 1.0	15 2.3	28 1.7	0 -	9 1.4	5 2.8	31
VI	32.0	07.2	9.8	12.9	11.7	9.8	14.8	5.5	23.0	24	- 2.4	16	1 2.0	0 -	1 1.0	3 1.5	54 1.9	6 2.6	5 1.6	1 1.0	19
VII	37.1	11.5	12.7	17.1	15.9	13.5	18.3	9.1	24.6	17	4.4	11	3 1.7	0 -	0 -	1 4.0	51 1.8	4 2.5	1 1.0	0 -	33
VIII	33.7	08.5	10.2	15.1	13.3	11.3	16.2	7.5	20.2	5	4.7	22	0 -	0 -	0 -	0 -	545 2.2	15 1.7	0 -	0 -	37
IX	31.2	07.0	5.8	10.2	8.6	7.2	11.5	3.8	15.3	27	- 2.0	11	2 1.5	1 2.0	05 1.0	1 2.0	335 2.9	1 1.0	0 -	0 -	51
X	44.6	23.2	- 1.0	4.0	1.4	1.0	4.7	- 2.2	11.8	1	- 8.6	26	115 1.9	2 1.5	0 -	0 -	15 2.7	1 1.0	2 2.0	45 2.4	57
XI	31.6	09.8	- 2.5	- 0.7	- 1.8	- 1.9	0.8	- 4.6	7.2	24	-17.6	16	4 2.2	0 -	0 -	15 5.0	225 2.8	85 3.0	25 3.4	1 2.0	50
XII	38.9	18.3	- 5.6	- 4.9	- 5.4	- 5.4	- 2.9	- 8.3	4.3	23	-22.1	16	0 -	0 -	1 3.0	1 2.5	265 2.9	65 2.8	5 2.3	0 -	55
1946	955.4	1012.7	1.0	4.5	3.0	1.9	5.9	- 1.8	25.0		-26.6		935 1.7	55 2.0	8 2.0	14 2.6	3765 2.3	37 2.8	31 2.0	16 2.2	514

1946

Røros

H_s = 628 H_b = 629.8 h_t = 1.8 h_a = h_d = 14.4 h_r = 1.9

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n																					
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	8	14	19	Dles	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁜	❟	*	△	▲	K	=	≡	⊙	◔	●	⊞
I	88	85	86	87	6.2	6.6	6.6	10	4	8	31		23		8	3	0	1	0	0	0	8	0	0	0	0	0	13	3	13	5	15	31
II	90	87	88	88	8.5	7.5	7.7	96	35	18	28		19		17	9	3	3	0	0	1	17	0	0	0	0	0	7	3	16	1	15	28
III	88	74	81	83	7.9	7.3	7.3	25	7	16	30		16		12	6	0	2	0	0	2	12	0	0	0	0	0	4	0	24	1	14	31
IV	86	73	79	83	7.7	8.1	8.5	28	8	10	19		1		17	8	0	0	0	0	6	13	2	0	0	0	0	1	0	24	0	19	26
V	78	58	61	73	6.1	6.5	6.4	15	3	12	12		0		13	7	0	1	0	0	6	8	1	1	0	1	0	2	1	1	27	6	13	0
VI	85	64	73	86	7.8	9.0	8.7	88	18	4	3		0		22	15	3	0	0	0	22	0	0	2	0	1	0	4	0	6	18	0	20	0
VII	80	58	65	77	7.2	7.1	6.7	50	12	7	0		0		12	10	2	3	0	0	12	0	0	1	0	0	0	2	0	3	27	2	13	0
VIII	91	62	69	82	8.5	7.9	7.6	52	11	15	2		0		18	13	1	1	0	0	18	0	0	2	0	0	0	0	1	9	26	0	19	0
IX	94	75	83	87	8.9	8.7	8.1	81	16	11	5		0		19	12	2	0	0	0	19	0	0	2	0	0	0	1	2	11	13	0	22	0
X	94	79	86	88	6.4	7.0	4.8	8	3	6	19		3		9	3	0	2	0	0	7	2	0	2	0	0	0	0	2	5	17	2	8	0
XI	88	84	88	88	7.9	7.9	7.4	20	4	13	24		7		15	7	0	3	0	0	4	11	0	0	0	0	0	2	2	2	6	0	18	23
XII	89	90	90	90	8.3	8.6	7.8	9	4	9	31		13		12	3	0	1	0	0	0	12	0	0	0	0	0	3	3	3	6	1	21	31
1946	88	74	79	84	7.6	7.7	7.3	482	35		204		82		174	96	11	17	0	0	97	83	3	10	0	2	0	9	36	46	217	18	197	170

Alvdal

H_s = 485 H_b = h_t = 1.8 h_a = h_d = h_r = 1.5

I	86	83	84	84	5.3	5.8	5.6	13	4	11	31		24		10	3	0	5	0	0	1	9	0	0	0	0	0	0	0	8	7	7	31
II	86	76	82	83	7.5	6.6	6.1	19	4	20	28		19		14	6	0	5	0	0	1	13	0	0	0	0	0	0	0	12	6	13	28
III	86	62	72	77	7.4	6.5	7.3	28	9	8	28		17		15	8	0	1	0	0	1	14	0	0	0	0	0	0	1	21	1	14	31
IV	76	55	60	69	7.2	7.9	7.2	7	3	18	17		1		7	4	0	10	1	0	4	5	1	0	0	0	0	0	0	18	1	15	18
V	73	46	53	68	5.1	6.0	5.9	11	4	12	11		0		9	4	0	4	0	0	6	3	0	0	0	5	0	3	0	0	23	8	12	2
VI	78	61	65	76	7.7	8.8	8.4	145	26	10	3		0		19	18	6	2	0	0	19	0	0	0	0	1	0	1	0	0	15	0	21	0
VII	74	54	59	70	6.4	7.2	6.8	58	18	10	0		0		13	10	2	1	0	0	13	0	0	0	0	0	0	2	0	2	22	2	12	0
VIII	87	62	72	81	7.6	8.0	7.0	94	20	11	0		0		16	14	3	2	0	0	16	0	0	0	0	0	0	0	0	4	20	0	13	0
IX	91	73	82	85	7.7	8.5	7.2	124	31	2	6		0		18	15	4	4	0	0	18	0	0	2	0	0	0	0	0	7	13	1	17	0
X	91	70	84	85	5.5	6.0	4.2	15	9	5	24		4		3	2	0	6	0	0	3	2	2	0	0	0	0	0	0	1	20	5	7	0
XI	91	83	88	88	8.5	8.2	7.9	39	6	25	24		8		23	10	0	4	0	0	11	13	0	5	0	0	0	0	1	5	8	1	20	19
XII	90	88	90	90	8.5	8.7	8.3	26	5	7	30		14		17	9	0	3	0	0	3	17	1	0	0	0	0	0	2	2	0	0	24	31
1946	84	68	74	80	7.0	7.4	6.8	579	31		202		87		164	103	15	47	1	0	96	76	4	7	0	6	0	6	3	22	180	32	175	160

Engerdal

H_s = 479 H_b = h_t = 2.0 h_a = h_d = 15.0 h_r = 1.8

I	84	82	84	84	5.7	6.3	6.1	30	8	30	31		19		16	8	0	2	0	0	2	16	0	1	0	0	0	0	0	2	11	4	11	31
II	80	76	81	80	8.1	7.2	6.2	34	9	20	28		18		17	8	0	3	0	0	2	17	0	0	0	0	0	0	0	1	7	1	12	28
III	81	60	67	72	6.4	7.0	6.1	22	6	21	29		13		15	5	0	0	0	0	2	14	1	0	0	0	0	0	0	0	20	2	12	31
IV	77	58	64	72	6.5	6.1	5.7	19	6	7	18		1		10	5	0	0	0	0	7	7	2	0	0	0	0	0	0	0	23	0	7	25
V	72	47	50	66	4.5	5.0	4.3	22	5	13	10		0		11	7	0	0	0	0	9	5	3	0	0	0	0	2	0	0	28	9	5	3
VI	78	62	64	75	7.0	7.5	7.4	148	23	26	2		0		22	19	5	0	0	0	22	0	0	1	0	0	0	1	0	1	16	1	16	0
VII	81	59	62	76	5.5	5.2	5.1	42	11	6	0		0		12	8	2	1	0	0	12	0	0	0	0	0	0	1	0	0	27	4	5	0
VIII	90	68	75	84	7.1	6.5	5.5	105	28	11	0		0		20	15	4	1	0	0	20	0	0	0	0	0	0	0	0	1	14	0	9	0
IX	92	76	81	85	7.6	7.1	6.8	150	25	10	3		0		19	17	6	2	0	0	19	0	0	0	0	0	0	1	0	0	14	2	13	0
X	89	70	81	83	5.4	5.3	4.2	14	9	5	22		3		5	2	0	3	0	0	5	0	0	1	0	0	0	0	0	2	17	7	8	0
XI	90	86	87	88	8.8	8.0	7.4	79	13	22	23		6		24	15	2	1	0	0	14	17	4	2	0	1	0	0	1	3	6	2	20	22
XII	92	90	91	91	8.8	8.8	8.4	40	5	25	30		7		23	13	0	0	0	0	7	22	5	3	0	1	0	0	0	4	3	0	25	31
1946	84	70	74	80	6.8	6.7	6.1	705	28		196		67		194	122	19	13	0	0	121	98	15	8	0	2	0	5	1	14	186	32	143	171

Ytre Rendal

H_s = 253 H_b = h_t = 1.9 h_a = h_d = 14.5 h_r = 1.6

I					6.0	5.7	6.7	19	7	10	31		19		12	4	0	0	0	0	1	12	1	0	0	0	0	0	0	0	17	6	13	31
II					6.5	6.2	5.6	22	8	20	28		16		15	6	0	0	0	0	0	15	0	0	0	0	0	0	0	0	18	3	9	28
III					6.7	5.7	5.2	14	3	20	27		11		14	5	0	0	0	0	3	13	2	0	0	0	0	0	1	0	21	5	12	31
IV					5.7	5.6	6.0	14	3	7	18		1		10	4	0	0	0	0	5	5	0	0	0	3	0	0	0	↑	26	2	6	5
V					3.8	4.7	4.7	20	9	13	7		0		11	4	0	0	0	0	10	0	0	0	0	1	0	2	0	2	30	11	4	0
VI					6.8	6.2	6.5	91	17	10	0		0		21	13	4	0	0	0	21	0	0	2	0	0	0	2	1	1	28	3	9	0
VII					4.8	5.4	5.3	46	8	10	0		0		13	9	0	0	0	0	13	0	0	0	0	0	0	2	0	0	31	4	5	0
VIII					7.0	6.4	5.8	89	24	11	0		0		19	16	2	0	0	0	19	0	0	0	0	0	0	1	0	0	30	1	12	0
IX					7.6	6.2	6.8	106	22	20	3		0		19	14	3	0	0	0	18	0	0	0	0	1	0	0	0	6	26	4	13	0
X					5.6	5.2	4.1	14	8	5	22		1		5	2	0	0	0	0	4	1	0	1	0	0	0	0	0	7	23	10	9	0
XI					8.1	7.5	7.8	46	10	13	19		4		21	8	1	0	0	0	15	10	3	1	0	0	0	1	1	1	12	1	16	10
XII					8.9	8.9	8.7	22	5	1	23		7		24	7	0	0	0	0	8	20	0	0	0	0	0	0	0	0	5	3	27	17
1946					6.5	6.1	6.1	503	24		178		59		184	92	10	0	0	0	117	76	6	4	0	5	0	7	3	18	267	53	135	122

Dombås

H_s = 643 H_b = 647.1 h_t = 1.9 h_a = h_d = h_r = 1.8

I	83	80	81	82	5.2	6.5	6.6	10	5	5	31	24	15	0	7	5	0	1	0	0	1	7	1	0	0	0	0	0	1	9	8	12	31
II	99	79	83	85	7.0	7.1	6.7	67	23	17	28	25	15	0	7	6	3	2	0	0	0	7	0	0	0	0	0	0	0	12	3	16	28
III	86	67	73	78	6.2	7.6	6.9	6	3	20	27	16	10	0	5	3	0	1	0	0	1	5	1	0	0	0	0	0	0	15	1	11	31
IV	78	64	67	73	8.2	7.6	7.3	20	7	10	13	2	1	0	9	5	0	0	0	0	2	7	0	0	0	0	0	0	0	12	0	13	16
V	71	52	56	67	4.9	6.2	5.5	1	0.5	12	11	0	0	0	2	0	0	0	0	0	2	1	1	1	0	0	0	0	0	24	4	5	0
VI	76	61	66	75	7.0	7.9	8.3	72	18	26	2	0	0	0	15	14	2	0	0	0	15	0	0	0	0	0	0	0	5	17	0	13	0
VII	80	59	62	74	6.9	7.3	6.6	38	10	28	0	0	0	0	12	11	1	2	0	0	12	0	0	1	0	0	0	0	1	19	2	13	0
VIII	87	61	65	77	7.3	7.0	7.6	55	16	9	0	0	0	0	13	11	1	0	0	0	13	0	0	3	0	0	0	0	4	20	0	13	0
IX	91	74	78	83	8.3	8.6	7.8	106	20	7	5	0	0	0	16	16	3	3	0	0	16	0	0	2	0	0	0	0	1	11	11	1	21	0
X	88	73	79	82	6.2	6.6	5.4	14	6	5	23	3	0	0	4	3	0	2	0	0	3	3	2	3	0	0	0	0	3	3	14	1	7	0
XI	87	78	83	84	7.8	7.8	7.7	19	6	13	26	9	5	0	12	5	0	1	0	0	3	10	0	2	0	0	0	0	2	5	6	0	18	18
XII	87	85	86	86	6.6	7.9	7.3	4	1	13	31	21	12	0	8	1	0	2	0	0	0	8	0	0	0	0	0	0	1	1	2	2	18	31
1946	84	69	73	79	6.8	7.3	7.0	412	23		197	100	58	0	110	80	10	14	0	0	68	48	5	12	0	0	0	0	7	31	161	22	160	155

1946

Fokstua

φ = 62° 7′ N λ = 9° 17′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-10.7	- 9.3	-10.4	-10.5		-15.1	- 1.1	4	-26.3	1	6₅ 1.5	17₅ 2.0	11 1.1	12₅ 3.2	10 3.4	20₅ 3.1	4 3.6	2 2.5	9
II			-13.0	- 9.5	-12.3	-12.1		-17.0	2.5	14	-31.6	27	5 1.2	21 1.4	1 1.0	1₅ 3.0	5₅ 3.5	16 2.8	8₅ 3.4	5₅ 4.0	20
III			- 8.9	- 3.8	- 6.6	- 7.5		-13.3	4.6	29	-27.2	1	2 1.2	14₅ 2.3	3 1.8	9 1.6	14 2.4	19 2.7	15 2.6	4₅ 3.1	12
IV			- 0.4	2.0	0.8	- 0.1		- 3.1	8.3	15	-17.0	12	1₅ 1.7	4 2.2	2₅ 1.0	5₅ 2.0	16 4.1	30₅ 2.5	22₅ 2.7	4₅ 3.6	3
V			5.1	8.3	7.2	4.6		- 1.2	20.5	30	- 8.5	6	2₅ 2.0	9 2.1	9₅ 2.2	8 2.1	9₅ 2.5	23 2.1	20₅ 2.4	9 3.1	2
VI			7.7	10.3	9.3	7.2		2.4	19.9	24	- 3.6	16	4 1.2	8₅ 2.2	2₅ 1.4	9 3.0	13₅ 3.7	29₅ 2.8	15₅ 2.2	6₅ 1.8	1
VII			11.2	14.7	13.6	11.2		6.0	20.4	17	- 0.2	11	1 1.0	4₅ 1.3	3₅ 1.4	5₅ 3.7	23₅ 3.2	28 2.3	20₅ 2.5	3₅ 2.9	3
VIII			8.5	12.2	10.8	8.8		4.3	17.4	26	0.1	22	1₅ 2.3	12 1.8	3₅ 1.0	16 2.3	28 3.1	22₅ 2.1	6₅ 1.9	0 -	3
IX			4.2	8.2	6.0	5.1		1.4	12.9	8	- 5.8	30	0 -	8 1.6	6₅ 1.6	10 2.5	24₅ 2.9	29 2.4	9 1.9	0 -	3
X			- 3.0	3.2	- 0.6	- 0.7		- 4.9	8.9	8	-12.4	26	1 1.5	6₅ 1.6	5 2.2	7₅ 2.4	5₅ 2.9	25 2.3	16₅ 3.4	3 3.2	23
XI			- 4.2	- 2.1	- 3.4	- 3.4		- 6.8	6.1	6	-21.3	16	6₅ 2.1	3 2.3	0₅ 5.0	2₅ 2.2	23 3.2	31₅ 2.7	7 2.4	5 2.8	11
XII			- 7.5	- 5.9	- 7.1	- 6.9		-10.4	1.1	23	-24.9	15	2₅ 1.6	18 1.6	2₅ 1.6	9 2.9	21 4.0	13₅ 2.8	3₅ 2.6	1 3.0	22
1946			- 0.9	2.4	0.6	- 0.4		- 4.8	20.5		-31.6		34 1.6	126₅ 1.8	51 1.6	96 2.6	194 3.3	288 2.5	149 2.6	44₅ 3.0	112

Elveseter

φ = 61° 42′ N λ = 8° 17′ E g = ΔG = + 1h

I			-10.0	- 9.1	-10.0	-10.1		-14.2	3.3	4	-26.3	22	3₅ 2.1	0₅ 1.0	0 -	0 -	8 1.6	37₅ 1.5	17₅ 2.6	1 1.0	25
II			-11.8	- 9.0	-10.9	-11.2		-15.5	6.1	15	-29.2	27	2 1.2	3 1.8	0 -	0 -	2 1.5	41 1.7	15 2.5	0 -	21
III			- 7.0	- 0.8	- 4.4	- 5.1		- 9.8	7.3	29	-25.4	1	5₅ 1.5	3₅ 1.4	0 -	0 -	6 2.5	43₅ 1.8	9₅ 3.2	2 3.5	23
IV			2.9	5.4	3.4	3.0		0.2	10.8	15	-11.2	13	3₅ 1.6	16₅ 1.5	0 -	0 -	21 2.1	37₅ 2.5	3₅ 5.1	0 -	8
V			7.2	11.4	8.6	6.5		0.3	23.3	29	- 3.7	17	7₅ 1.7	32₅ 1.5	0 -	0 -	18 1.6	24₅ 2.0	1₅ 1.7	0 -	9
VI			9.4	12.9	10.6	9.3		4.9	22.0	24	- 1.7	14	11₅ 2.0	16₅ 1.9	0 -	0 -	14 1.4	26₅ 2.4	8₅ 2.6	0 -	13
VII			12.8	16.8	14.1	12.6		7.4	23.5	18	3.6	23	9₅ 1.5	22₅ 1.8	0 -	0 -	16 1.8	23 2.1	13 2.3	1 1.5	8
VIII			9.3	15.5	11.3	10.2		5.7	22.2	23	1.3	29	9₅ 1.6	14₅ 1.6	0 -	1 1.0	19 1.4	19 2.0	11 2.3	0 -	19
IX			5.9	10.9	7.5	7.0		3.7	16.3	17	- 2.8	30	7 1.8	17 1.8	1 2.0	1 2.0	23 1.5	21₅ 2.0	6₅ 2.1	1 3.0	12
X			- 1.2	4.0	1.9	0.8		- 3.4	14.0	11	- 9.2	26	3₅ 1.9	5₅ 1.5	0 -	0 -	14 1.9	37 1.4	10 1.6	1 1.5	22
XI			- 3.6	- 2.0	- 3.1	- 3.1		- 5.9	8.1	6	-19.1	16	5 1.4	4 1.2	0 -	0 -	6 1.5	29 2.0	8 2.8	0 -	38
XII			- 8.4	- 7.5	- 8.3	- 8.3		-11.4	1.9	23	-25.9	16	3₅ 1.7	1₅ 2.0	0 -	0 -	4 1.2	56 1.4	7 2.1	0 -	21
1946			0.5	4.0	1.7	1.0		- 3.2	23.5		-29.2		71₅ 1.7	137₅ 1.7	1 2.0	2 1.5	151 1.7	396 1.8	111 2.5	6 2.3	219

Vinstra

φ = 61° 36′ N λ = 9° 45′ E g = ΔG = + 1h

I			-11.5	-10.1	-11.1	-11.3		-15.0	3.4	5	-24.9	3	13 2.4	3₅ 2.6	9 3.4	12₅ 3.2	5₅ 2.5	2 2.5	10 2.6	12₅ 2.4	25
II			-11.0	- 6.7	- 9.0	- 9.5		-13.9	4.9	15	-29.6	27	5 2.6	5₅ 1.9	2 3.5	1₅ 3.0	1 2.5	0₅ 2.0	20 3.0	17₅ 3.7	31
III			- 7.5	0.9	- 2.1	- 4.0		- 9.1	10.3	31	-24.4	2	4 4.2	2 1.5	6 2.3	4 1.8	0 -	1 2.0	9₅ 3.3	18₅ 2.9	48
IV			2.8	9.8	8.0	5.0		- 0.1	15.9	30	- 9.0	13	4₅ 3.4	1 5.0	7 2.9	13₅ 3.4	2₅ 3.0	5₅ 2.8	13 2.7	22 4.3	21
V			8.1	16.0	14.4	10.0		3.3	27.9	29	- 4.4	6	2 3.5	7 2.1	7₅ 2.7	10 3.0	4₅ 2.6	1 2.0	23₅ 3.3	22₅ 3.6	15
VI			11.1	16.5	15.6	12.4		7.5	25.8	23	1.8	8	0 -	0₅ 1.0	13₅ 3.0	15 3.2	5₅ 2.5	1₅ 2.7	16 3.2	12 3.3	26
VII			14.2	21.1	20.3	16.2		10.4	26.9	17	4.1	1	0₅ 4.0	2₅ 3.4	13₅ 3.0	7₅ 3.7	5₅ 3.1	3 3.0	14₅ 3.3	13 3.3	33
VIII			10.8	17.7	15.9	13.1		8.6	23.8	6	4.2	20	0 -	2 2.5	13 3.2	15 3.0	1 3.5	2 5.5	8 2.4	5 3.6	47
IX			6.4	13.0	10.4	8.7		5.2	17.4	14	- 1.9	30	1 1.0	0 -	10₅ 2.6	13 3.2	0₅ 3.0	0 -	10 2.6	1 3.0	54
X			0.0	6.1	3.0	2.3		- 1.2	14.1	11	- 9.7	26	1 6.0	3 3.0	6 2.5	4₅ 3.6	1₅ 2.0	0 -	8₅ 2.6	20₅ 3.7	48
XI			- 2.5	- 0.3	- 1.7	- 1.7		- 4.5	7.4	25	-16.7	16	1 2.0	0 -	1 2.0	15 3.1	4 3.1	1 1.5	2 2.2	3 3.0	63
XII			- 5.7	- 5.1	- 5.6	- 5.6		- 8.2	4.0	23	-22.8	16	6 2.0	3 3.3	4 3.0	10 3.2	2 2.8	0 -	4 2.2	8 2.5	56
1945			1.3	6.6	4.8	3.0		- 1.4	27.9		-29.6		38 2.8	30 2.5	93 2.9	121₅ 3.2	33₅ 2.8	17₅ 2.9	139 3.0	155₅ 3.4	467

Vollen i Slidre

φ = 61° 6′ N λ = 8° 58′ E g = 9.819 ΔG = + 1h

I	969.2	1020.3	-11.9	-10.3	-10.9	-11.4		-15.0	3.0	5	-30.1	1	0₅ 1.0	6₅ 1.0	3 1.0	19 1.8	2 2.5	1 1.0	0 -	8 4.1	53
II	53.4	03.5	-10.4	- 6.7	- 8.1	- 9.0		-13.0	7.3	14	-26.9	27	2 2.0	2 1.0	0 -	9 1.1	0₅ 1.0	1₅ 1.0	0 -	23 4.3	46
III	68.8	19.3	- 7.5	0.4	- 1.9	- 4.1		- 9.0	11.3	27	-23.3	15	6 1.3	6 1.4	0₅ 1.0	9₅ 1.3	0 -	2₅ 2.0	1 1.5	21₅ 2.8	46
IV	60.7	09.5	3.0	8.4	6.8	4.7		0.7	16.1	15	- 9.4	13	2 2.0	2₅ 1.4	1 2.0	14 2.0	3 2.8	3 2.3	1₅ 2.3	50 3.7	13
V	68.9	17.4	6.3	15.2	13.4	8.6		1.7	26.7	29	- 4.7	6	2₅ 1.6	3₅ 2.1	0₅ 3.0	11 1.9	2₅ 2.4	10 2.2	1 2.0	32 3.3	30
VI	59.6	07.1	10.4	15.6	14.1	11.3		6.2	22.3	23	- 0.8	16	3₅ 2.0	1 1.5	0 -	4₅ 2.4	2₅ 2.6	17 2.1	0 -	35₅ 2.8	26
VII	64.6	11.7	13.4	19.8	18.6	15.1		9.5	26.1	18	3.3	1	4₅ 2.2	2 1.8	0₅ 1.0	4 1.9	4 2.2	25₅ 2.0	1₅ 2.7	22 2.9	29
VIII	61.4	08.8	10.1	17.0	14.8	12.1		7.1	21.7	5	2.8	17	2₅ 1.8	2₅ 1.4	0₅ 3.0	13 1.9	5 2.5	18₅ 2.2	0 -	11 3.0	40
IX	59.0	07.0	6.8	12.1	10.3	8.5		5.0	16.3	12	- 0.9	29	4₅ 1.8	9₅ 1.2	2 1.2	15₅ 1.8	5₅ 2.9	10₅ 1.8	0 -	11₅ 2.7	31
X	72.8	22.8	0.2	4.3	2.3	1.7		- 1.2	12.5	11	- 5.4	29	3₅ 2.1	7 1.9	1 2.0	15 1.3	1 3.0	3₅ 2.0	0 -	10 3.8	52
XI	61.0	10.6	- 2.1	0.0	- 1.3	- 1.3		- 3.6	6.9	25	-11.8	15	4 1.4	4 1.5	0₅ 1.0	19₅ 1.4	3₅ 2.9	1₅ 3.7	0 -	5 1.9	52
XII	68.6	19.0	- 4.6	- 4.4	- 5.1	- 4.9		- 7.2	2.9	23	-20.9	17	1₅ 2.0	3₅ 1.4	1 2.5	18₅ 1.4	1 2.5	2₅ 2.6	1 3.0	1 1.0	62
1946	964.0	1013.1	1.1	6.0	4.4	2.6		- 1.6	26.7		-26.9		37 1.8	50 1.4	10₅ 1.6	152₅ 1.7	30₅ 2.6	97 2.1	6 2.3	230₅ 3.3	481

Åbjørsbråten

φ = 60° 55′ N λ = 9° 18′ E g = ΔG = + 1h

I			- 8.3	- 6.3	- 7.7	- 7.8		-11.6	1.6	6	-25.7	3	1₅ 1.0	2₅ 1.0	0 -	0 -	0 -	6 1.3	21 1.3	4 1.0	58
II			- 9.8	- 5.5	- 8.1	- 8.4		-13.2	6.5	15	-26.6	27	3 1.0	1₅ 2.3	1 2.0	0₅ 3.0	1₅ 1.3	6 1.1	11 2.1	6₅ 1.2	53
III			- 5.2	- 0.3	- 3.3	- 4.0		- 8.6	9.1	29	-23.3	15	1₅ 1.0	1 1.0	1 2.0	0 -	0 -	5₅ 1.3	24 1.4	3 1.3	57
IV			3.7	6.4	3.6	3.2		- 0.8	13.1	15	-11.3	13	7₅ 1.3	0 -	2₅ 1.0	2 1.0	2 1.0	7₅ 1.9	21₅ 1.5	11 1.5	36
V			7.0	11.8	9.9	6.9		0.7	23.8	29	- 5.9	6	7₅ 1.2	14₅ 1.0	5₅ 1.1	3₅ 1.0	2₅ 1.8	6 1.0	2₅ 1.2	13 1.3	38
VI			9.7	12.9	11.0	9.5		5.0	21.4	23	- 0.8	16	0₅ 1.0	7₅ 1.0	4₅ 1.0	6₅ 1.5	2₅ 1.8	7₅ 1.3	10 1.4	3 1.0	48
VII			13.2	16.8	15.2	13.1		7.8	21.7	17	0.9	1	6 1.3	6 1.2	2₅ 1.4	9 1.2	8₅ 1.2	12₅ 1.6	10₅ 1.5	5 1.0	33
VIII			10.2	13.7	11.7	10.2		5.7	19.5	22	2.7	20	1₅ 1.0	3 1.0	11 1.0	4₅ 1.0	5 1.4	3₅ 2.1	6₅ 1.6	1 1.0	57
IX			7.0	10.9	8.1	7.5		3.9	15.6	4	- 2.8	30	0₅ 1.0	2₅ 1.0	0 -	3 1.7	1 1.0	8 1.2	12 1.2	3 1.0	60
X			0.3	5.3	1.2	1.4		- 2.9	13.6	10	- 8.7	26	3₅ 1.0	0 -	2₅ 1.0	1₅ 1.0	0 -	7 1.0	13₅ 1.0	8 1.1	52
XI			- 2.8	- 0.7	- 2.2	- 2.2		- 5.1	7.4	12	-15.1	16	2₅ 1.0	0 -	1 1.0	2₅ 1.0	1 1.5	4 1.1	4₅ 1.0	4₅ 1.4	70
XII			- 5.1	- 4.5	- 5.1	- 5.1		- 7.8	2.7	23	-21.2	16	0 -	3 1.0	0 -	0 -	0 -	2 1.2	8 1.2	4 1.2	75
1946			1.7	5.0	2.9	2.0		- 2.2	23.8		-26.6		35₅ 1.2	41₅ 1.1	31₅ 1.1	33 1.2	24 1.4	75₅ 1.4	145 1.3	66 1.2	643

1946

Fokstua

H_s = 952 H_b = h_t = 1.8 h_a = h_d = 6.8 h_r = 1.5

| Måned | Midlere relativ fuktighet Um | | | | Midlere skydekke N_m | | | Nedbør R | | | Antall dager n | | | |

1946

Lillehammer

φ = 61° 6'N λ = 10° 29' E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 8.2	- 7.4	- 8.3	- 8.4		-11.4	4.8	5	-22.3	1	17₅ 1.7	14 1.5	3 1.7	12₅ 2.6	5₅ 3.0	4 2.8	2 2.0	9₅ 1.8	25
II			- 9.4	- 5.8	- 8.1	- 8.3		-11.9	6.6	16	-23.9	27	17₅ 2.4	15₅ 1.4	0 -	2 1.5	2 1.5	3 1.3	2 3.5	10 3.4	32
III			- 6.1	0.2	- 2.2	- 3.7		- 7.8	10.5	31	-22.2	15	2₅ 1.6	18 1.7	6 1.6	3 1.3	3₅ 1.3	3₅ 1.0	1₅ 2.0	9 2.6	46
IV			3.4	9.0	7.9	5.0		0.4	15.7	27	- 9.2	13	6 2.9	3₅ 2.0	1 1.0	5₅ 2.6	10 2.9	11₅ 2.4	5 3.6	19₅ 3.7	28
V			9.3	15.4	14.2	10.1		3.4	27.0	29	- 2.8	6	12 3.2	4₅ 3.3	2 2.0	4 2.0	7 2.4	13 2.4	7₅ 1.9	20 3.1	23
VI			11.9	16.0	15.3	12.7		8.5	25.0	23	3.9	21	5 2.4	2 3.5	1 1.0	17₅ 2.3	15 2.3	18₅ 2.5	10₅ 1.7	4₅ 3.1	16
VII			15.1	20.1	19.4	16.1		10.7	24.3	17	5.4	29	3 1.5	1₅ 1.3	2 1.5	14 2.5	18 2.4	28 2.4	10 2.0	3₅ 2.7	13
VIII			12.3	16.9	15.5	13.3		9.2	22.3	5	5.9	19	3 1.0	4 1.0	3 2.0	21₅ 2.3	9₅ 1.8	16 1.9	7₅ 1.1	1₅ 1.0	27
IX			7.9	12.9	10.9	9.6		6.3	17.6	8	- 1.1	30	5 1.2	6₅ 1.4	3 2.0	24₅ 2.5	12 2.0	10₅ 1.9	4 1.7	3₅ 1.7	21
X			0.2	5.9	2.6	2.2		- 1.3	14.0	11	- 8.3	23	14 1.6	12 1.3	4₅ 1.0	10 2.0	2₅ 1.2	3 2.7	3 1.0	19 1.9	25
XI			- 0.6	1.2	0.0	0.0		- 2.3	7.8	24	-12.9	16	4 2.0	10 1.4	2 1.0	2₅ 2.6	3 1.3	1 4.0	0₅ 1.0	7₅ 2.7	37
XII			- 3.8	- 3.4	- 3.7	- 3.7		- 5.9	4.5	23	-20.1	21	6₅ 2.2	9 1.7	1₅ 2.0	36₅ 2.1	2 2.0	0 -	0 -	0₅ 3.0	37
1946			2.7	6.8	5.3	3.7		- 0.2	27.0		-23.9		96 2.1	100₅ 1.6	29 1.6	176 2.3	90 2.2	112 2.3	53₅ 1.9	108 2.8	330

Rena

φ = 61° 8'N λ = 11° 22' E g = 9.819 $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	991.9	1020.8	-11.3	- 8.4	- 9.4	-10.0		-14.0	5.0	5	-29.8	3	11 1.3	6 1.3	0 -	0 -	10₅ 1.7	18 1.3	2 1.2	0₅ 1.0	45
II	75.1	03.4	-12.1	- 5.2	- 8.9	- 9.5		-14.8	3.0	16	-31.2	27	13₅ 1.6	10₅ 1.0	0 -	0 -	2₅ 1.4	5₅ 1.1	4 1.8	2 2.2	46
III	91.0	19.4	- 8.1	1.6	- 2.2	- 4.2		-10.6	10.7	31	-31.2	15	13₅ 1.5	10 1.0	0 -	0 -	10 1.2	12 1.3	2₅ 1.2	2 1.5	43
IV	82.2	09.7	3.5	9.6	6.9	4.8		- 0.7	19.4	27	-11.7	13	19₅ 1.6	7₅ 1.1	2 1.0	0₅ 1.0	22₅ 1.3	20 1.6	3 1.8	4 1.8	11
V	90.4	17.6	9.0	16.1	14.0	9.9		2.1	28.6	29	- 4.4	6	18 2.1	15₅ 1.1	3₅ 1.0	5₅ 1.0	14 1.2	9₅ 1.1	4 1.2	7 1.7	16
VI	81.1	07.8	11.8	16.6	14.9	12.6		7.8	25.4	23	2.0	9	5 1.6	12 1.3	1 1.0	2 1.5	27 1.7	19 1.4	2₅ 1.4	0₅ 1.0	21
VII	86.3	12.7	15.2	21.6	19.3	16.3		10.1	26.0	14	5.7	1	9₅ 1.7	7₅ 1.1	0 -	4 1.0	29₅ 1.7	17 1.4	2₅ 1.6	3 1.0	20
VIII	83.2	09.9	11.6	18.1	15.6	13.4		8.7	23.4	23	4.7	19	7 1.5	9₅ 1.3	2 1.0	2 1.5	17 1.5	20₅ 1.1	1₅ 1.3	2₅ 1.2	31
IX	80.9	07.9	7.8	14.1	10.9	9.7		5.6	20.2	8	- 2.7	30	4 1.0	6₅ 1.3	3 1.0	2₅ 1.4	23₅ 1.5	17₅ 1.4	2₅ 1.4	4₅ 1.2	26
X	94.8	23.0	- 2.2	7.1	1.6	1.3		- 3.8	14.8	1	-13.1	23	16₅ 1.3	8 1.1	0 -	1₅ 1.7	5 1.6	8₅ 1.4	2 1.0	4₅ 1.8	47
XI	83.4	11.4	- 1.4	0.8	- 0.7	- 0.6		- 3.1	7.0	25	-15.9	16	13 1.5	5₅ 1.3	0 -	0₅ 1.0	16 1.6	15₅ 1.3	1 1.0	1₅ 1.0	37
XII	91.7	20.3	- 4.6	- 3.8	- 4.4	- 4.4		- 6.1	3.0	23	-24.8	17	1₅ 1.3	3₅ 1.1	2 1.0	2₅ 1.2	11 1.5	15 1.3	1 1.0	0₅ 1.0	56
1946	986.0	1013.7	1.6	7.4	4.8	3.3		- 1.6	28.6		-31.2		132 1.6	102 1.2	13₅ 1.0	21 1.2	188₅ 1.5	178 1.3	28₅ 1.4	32₅ 1.5	399

Trysil

φ = 61° 20'N λ = 12° 15' E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 9.6	- 6.9	- 8.9	- 8.8		-13.6	4.3	5	-26.3	4	2₅ 2.0	0 -	3 2.0	3₅ 2.4	2 2.5	0 -	8 2.1	33₅ 2.3	9
II			-10.4	- 5.4	- 8.6	- 8.7		-13.8	6.2	16	-29.8	10	3₅ 1.9	0 -	1 2.0	15₅ 2.3	1₅ 2.3	1₅ 2.7	7₅ 3.1	41₅ 2.2	12
III			- 8.4	0.7	- 2.3	- 4.4		-10.8	10.4	31	-31.8	15	2 1.0	2 2.0	1 1.0	21 1.8	10 1.3	0 -	9₅ 2.8	29₅ 2.0	18
IV			1.9	7.0	5.6	3.3		- 1.3	13.4	3	-13.7	13	0₅ 1.0	0 -	1 2.0	26₅ 2.1	7₅ 2.1	3 1.7	15 2.6	27₅ 3.0	9
V			7.9	13.5	12.4	8.6		1.7	25.2	30	- 4.1	6	1 2.0	0 -	2₅ 1.8	20 1.7	17₅ 2.3	3 3.0	19₅ 2.6	23₅ 2.8	6
VI			11.1	14.4	13.6	11.3		6.9	24.0	24	0.9	17	0₅ 1.0	0 -	1 1.0	35₅ 2.4	17₅ 3.3	0₅ 4.0	12 2.7	17 2.9	6
VII			14.2	19.6	18.2	15.0		9.1	24.2	19	1.9	1	0 -	0 -	2₅ 2.6	25₅ 2.2	20₅ 2.4	11 2.2	11₅ 3.1	15 3.3	7
VIII			10.8	16.4	14.3	12.2		7.6	21.3	23	3.3	25	0 -	0 -	3₅ 2.9	37 2.3	15₅ 2.2	1 3.0	11₅ 2.3	13₅ 2.4	11
IX			7.1	12.5	9.8	8.8		5.2	15.5	5	- 2.3	30	1 3.0	1 1.0	9 2.8	32 2.5	10₅ 3.0	3 3.8	13₅ 2.3	16 2.4	4
X			- 1.6	6.1	1.8	1.3		- 3.0	15.2	9	-13.9	23	6 1.9	1 2.0	5 1.8	10₅ 2.1	5₅ 2.6	0 -	12₅ 2.2	38₅ 2.7	14
XI			- 1.5	0.6	- 0.8	- 0.8		- 3.4	6.3	25	-16.7	16	1 2.5	2 1.5	7₅ 2.5	35₅ 2.3	4 3.2	2 2.5	4₅ 2.7	21₅ 2.5	12
XII			- 4.5	- 3.8	- 4.4	- 4.3		- 6.5	1.6	23	-24.1	17	2₅ 2.2	4 2.0	12₅ 1.7	53 2.3	0₅ 2.0	0 -	0₅ 1.0	8 1.9	12
1946			1.4	6.2	4.2	2.8		- 1.8	25.2		-31.8		20₅ 1.9	10 1.8	49₅ 2.2	347 2.2	112₅ 2.5	25 2.6	125₅ 2.6	285 2.5	120

Vang på Hedmark

φ = 60° 49'N λ = 11° 11' E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 8.3	- 6.0	- 7.3	- 7.5		-10.5	5.2	5	-24.6	3	8 1.1	16 1.3	9 1.3	10₅ 1.2	3₅ 1.9	3₅ 1.0	3 2.0	0₅ 1.0	39
II			- 8.9	- 5.4	- 7.6	- 7.9		-12.0	6.8	16	-24.8	27	9₅ 2.2	14 1.6	10 1.2	5 1.0	2 1.0	2 1.5	6 1.7	12₅ 1.9	23
III			- 5.7	0.4	- 1.5	- 3.3		- 7.9	9.3	30	-26.1	15	10 1.1	18₅ 1.5	13₅ 1.6	6₅ 1.0	1₅ 1.0	3₅ 1.0	5 1.2	4₅ 1.2	30
IV			3.8	8.8	7.6	5.3		1.2	16.9	27	- 7.0	13	6₅ 2.2	6₅ 1.4	9 1.1	8 1.4	12 1.5	5₅ 1.3	17₅ 1.5	16 1.8	9
V			9.0	15.0	14.0	10.2		4.2	27.4	29	- 1.6	9	3₅ 1.6	14 1.6	13 1.2	9 1.1	8 1.0	18 1.2	11₅ 1.3	6 1.9	10
VI			11.4	15.5	14.5	12.3		8.5	24.1	23	4.9	9	1 1.5	11 1.5	12₅ 1.6	17 1.6	6₅ 1.5	9₅ 1.5	13 1.6	3₅ 2.4	16
VII			15.0	19.7	18.8	15.9		11.1	24.0	14	6.7	29	0 -	4 2.2	15 1.9	11₅ 1.9	13 2.0	7 1.4	10₅ 1.5	6 2.9	26
VIII			12.2	17.5	15.3	13.5		9.5	22.7	5	6.2	21	1₅ 2.3	15₅ 1.7	12 1.4	8 1.4	17 1.8	6 1.2	3 1.5	1 1.5	29
IX			8.6	13.8	11.6	10.2		6.6	21.3	8	- 0.8	30	4₅ 1.6	10₅ 1.7	10₅ 1.6	8 1.6	5₅ 1.6	8 2.2	5 1.6	2 1.0	35
X			0.0	6.2	2.8	2.2		- 1.9	13.3	16	- 9.6	23	5₅ 1.8	16₅ 1.5	10 1.6	9₅ 1.1	2 1.5	7 1.0	6₅ 1.4	9 1.9	27
XI			- 0.2	1.7	0.4	0.4		- 2.0	7.5	25	-14.5	16	4₅ 1.3	28 1.4	17 1.4	6 1.2	6 1.8	3 1.3	4 1.1	6₅ 1.6	15
XII			- 3.3	- 2.8	- 3.4	- 3.3		- 5.0	3.1	23	-21.2	16	2 1.2	42 1.3	20₅ 1.7	11₅ 1.5	4₅ 1.9	0₅ 1.0	0 -	2 1.0	10
1946			2.8	7.0	5.4	4.0		0.2	27.4		-26.1		56₅ 1.6	196₅ 1.5	152 1.5	110₅ 1.4	81₅ 1.7	73₅ 1.3	85 1.5	69₅ 1.9	270

Ø. Toten

φ = 60° 42'N λ = 10° 53' E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 6.8	- 5.4	- 6.2	- 6.4		- 9.3	5.1	5	-22.4	1	8₅ 1.4	4 2.2	8 1.8	10₅ 1.3	17₅ 1.7	21 2.3	6₅ 2.0	14 1.2	3
II			- 7.9	- 4.8	- 6.1	- 6.8		- 9.7	7.1	16	-20.4	23	7₅ 2.2	1₅ 1.7	0 -	2₅ 1.8	7₅ 1.4	16 1.8	4 1.5	44 1.8	1
III			- 4.4	0.9	- 1.6	- 2.5		- 6.2	10.2	28	-23.4	15	6 1.2	11₅ 1.2	3₅ 1.0	1₅ 1.0	6₅ 1.0	19 2.1	9₅ 1.3	33₅ 1.5	2
IV			4.6	9.4	7.2	5.7		2.0	16.6	27	- 7.1	13	9₅ 2.4	13₅ 1.4	1₅ 1.3	3 2.7	15 2.9	17 2.8	8 2.1	22₅ 2.6	0
V			9.3	14.7	13.8	10.3		4.7	26.2	29	- 1.8	9	12₅ 1.9	25 1.6	9 1.3	4 1.2	11 1.6	3₅ 2.9	4₅ 1.9	23₅ 2.0	0
VI			11.8	15.9	14.5	12.5		8.5	23.8	23	5.2	8	3 2.0	14 1.4	15 1.6	7₅ 2.3	20 2.0	11 3.0	6₅ 2.8	13 1.7	0
VII			15.9	20.1	18.9	16.4		11.6	24.7	13	7.8	1	9₅ 1.7	25₅ 1.4	10 1.5	3 1.0	10 2.2	16 2.0	5₅ 1.7	9₅ 2.0	4
VIII			12.9	17.2	14.9	13.6		9.7	22.0	5	5.9	19	4₅ 1.1	17₅ 1.3	8₅ 1.1	15 1.4	10₅ 1.9	9₅ 1.8	5 1.5	19₅ 1.4	3
IX			9.4	13.2	10.9	10.2		7.0	17.1	2	0.0	30	5 1.4	6 1.2	8₅ 1.4	9₅ 1.8	19₅ 1.9	14 1.8	8₅ 1.2	17 1.6	2
X			1.5	6.4	3.4	3.1		- 0.2	13.3	11	- 7.1	23	4 1.1	5 1.3	6 1.2	3₅ 1.0	8₅ 1.2	15 1.7	19 1.4	29 1.8	3
XI			0.5	1.9	0.9	0.9		- 1.2	7.4	12	-11.2	16	10₅ 2.0	5 1.2	8 1.2	12₅ 1.3	15 2.1	12₅ 2.6	9 1.8	16₅ 1.5	1
XII			- 2.7	- 2.4	- 2.8	- 2.7		- 4.5	3.8	23	-20.4	16	6 1.2	23 1.3	11₅ 1.3	10₅ 2.2	18 1.6	6 1.6	9 1.0	6 1.8	3
1946			3.7	7.3	5.6	4.5		1.0	26.2		-23.4		86₅ 1.7	151₅ 1.4	89₅ 1.4	83 1.6	159 1.9	160₅ 2.2	95 1.6	248 1.8	22

1946

Lillehammer

H_s = 226 H_b = h_t = 2.0 h_a = h_d = 10.9 h_r = 1.4

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	●	*	⁂	❟	✱	△	▲	℞	〓	≡	⊙	◔	◕	▣
I	86	83	85	85	5.8	6.6	7.1	29	6	30	31		19		12	7	0	1	0	0	1	12	1	0	0	0	0	0	1	2	14	6	15	31
II	81	72	78	78	7.2	6.6	5.8	36	10	8	28		16		11	6	1	3	1	0	0	11	0	0	0	0	0	0	1	1	15	3	11	28
III	86	62	71	76	6.7	6.5	6.5	33	10	8	29		10		14	6	1	0	0	0	2	12	0	0	0	0	0	0	1	0	17	4	13	31
IV	76	53	53	66	6.7	6.6	6.3	12	4	18	13		0		9	4	0	4	0	0	7	2	0	0	0	0	0	0	1	1	21	1	9	7
V	64	44	45	58	4.2	5.8	5.1	30	12	31	8		0		9	4	2	3	0	0	9	1	1	0	0	1	0	3	0	1	27	6	5	0
VI	79	59	61	75	7.4	8.0	6.7	96	22	10	0		0		18	14	2	0	0	0	18	0	0	0	0	0	0	1	1	0	25	1	13	0
VII	76	57	59	70	5.6	6.3	5.6	70	14	7	0		0		16	12	2	2	0	0	16	0	0	0	0	1	0	6	2	0	30	4	8	0
VIII	88	65	72	82	6.7	7.0	6.5	125	32	9	0		0		24	14	3	1	0	0	24	0	0	1	0	1	0	7	2	0	23	1	11	0
IX	93	76	83	87	7.7	7.3	6.3	162	44	2	2		0		23	12	5	0	0	0	23	0	0	0	0	0	0	2	7	2	18	3	14	0
X	89	72	80	82	5.2	5.3	3.8	33	29	5	21		0		3	2	1	0	0	0	3	0	0	0	0	0	0	4	0	0	20	7	6	0
XI	91	84	87	88	7.8	7.7	8.0	62	16	28	20		2		23	14	2	2	0	0	17	12	3	4	0	0	0	0	3	6	9	3	18	10
XII	94	94	94	94	8.1	8.4	8.4	75	10	9	23		7		21	16	0	0	0	0	13	21	11	2	0	0	0	0	4	6	5	4	23	31
1946	84	68	72	78	6.6	6.8	6.3	763	44		175		54		183	111	19	16	1	0	133	71	16	7	0	3	0	19	27	19	224	43	146	138

Rena

H_s = 225 H_b = 225.6 h_t = 1.3 h_a = h_d = 8.0 h_r = 1.2

I					6.1	7.0	6.9	32	9	30	31		18		10	7	0	0	0	0	0	10	0	0	0	0	0	0	2	2	9	7	17	
II					8.1	6.3	5.3	44	16	8	28		17		9	5	2	0	0	0	0	9	0	0	0	0	0	0	2	1	18	4	13	
III					6.6	6.8	5.5	27	10	8	28		15		14	6	1	0	0	0	3	11	0	0	0	0	0	0	12	6	20	5	14		
IV					6.5	6.3	5.8	14	3	18	19		1		10	7	0	0	0	0	6	4	0	0	0	3	0	0	6	6	25	2	8		
V					4.0	5.2	4.5	22	8	13	7		0		6	4	0	0	0	0	6	1	1	0	0	2	0	2	0	2	30	9	5		
VI					7.7	7.9	7.1	124	22	5	0		0		19	13	5	0	0	0	19	0	0	0	0	1	0	1	2	10	22	2	14		
VII					6.3	5.9	5.8	48	12	22	0		0		10	7	2	0	0	0	10	0	0	0	0	0	0	5	5	4	27	4	10		
VIII					7.0	7.3	6.2	142	44	11	0		0		17	15	4	0	0	0	17	0	0	1	0	0	0	1	0	8	23	0	11		
IX					8.0	7.4	6.3	166	43	2	3		0		15	12	4	0	0	0	15	0	0	1	0	0	0	0	4	13	22	3	15		
X					6.7	5.0	3.8	29	21	5	24		4		4	2	1	0	0	0	2	2	1	0	0	0	0	0	2	7	24	7	7		
XI					8.8	8.2	8.3	81	21	22	21		4		19	14	3	0	0	0	15	8	0	3	0	0	0	0	5	7	10	2	23		
XII					9.3	9.3	8.7	78	11	9	24		7		20	16	1	0	0	0	9	18	2	2	0	0	0	0	3	3	5	1	27		
1946					7.1	6.9	6.2	807	44		185		66		153	108	23	0	0	0	102	63	4	8	0	5	0	9	43	69	235	46	164		

Trysil

H_s = 363 H_b = h_t = 1.9 h_a = h_d = h_r = 1.5

I	85	81	85	84	6.2	6.3	7.7	28	8	30	31		20		13	7	0	1	0	0	1	13	0	0	0	0	0	0	14	0	17	5	17	31
II	82	72	84	81	7.9	7.5	7.0	34	8	20	28		16		12	7	0	1	0	0	2	12	0	1	0	1	0	0	13	1	18	2	17	28
III	87	57	71	76	6.1	7.2	6.0	25	6	8	28		14		14	7	0	2	0	0	2	12	0	0	0	0	0	0	14	0	20	5	14	31
IV	78	56	61	71	6.7	7.5	6.0	25	8	18	18		2		14	8	0	3	0	0	10	7	2	1	0	5	0	0	4	2	27	1	11	9
V	65	46	51	63	5.0	6.5	5.0	51	19	3	9		0		13	8	1	3	0	0	11	3	1	1	1	1	0	2	6	0	28	7	10	2
VI	75	50	63	73	7.3	8.3	7.7	159	29	26	0		0		22	17	7	0	0	0	22	0	0	2	0	0	0	1	7	0	26	1	19	0
VII	72	49	60	71	6.2	6.4	5.5	52	12	26	0		0		14	9	1	3	0	0	14	0	0	0	0	0	0	5	6	0	30	4	8	0
VIII	85	57	72	81	7.5	8.1	6.6	94	25	11	0		0		22	16	2	0	0	0	22	0	0	1	0	0	0	1	7	2	25	0	16	0
IX	92	69	83	85	8.3	8.3	6.5	146	30	2	3		0		20	15	4	1	0	0	20	0	0	1	0	0	0	0	15	4	18	2	16	0
X	88	63	80	80	6.0	5.7	4.6	16	12	5	23		3		5	3	1	1	0	0	4	1	0	1	0	0	0	0	4	6	23	8	8	0
XI	92	83	88	89	8.3	8.1	8.3	86	14	22	21		3		21	14	4	0	0	0	15	10	4	3	0	0	0	0	15	4	10	2	22	18
XII	90	90	89	89	9.0	9.2	8.5	68	10	9	29		8		22	16	1	0	0	0	7	20	5	0	1	0	0	0	27	1	5	1	25	31
1946	83	65	74	79	7.0	7.4	6.6	784	30		190		66		192	127	21	15	0	0	130	78	12	11	2	7	0	9	132	20	247	38	183	150

Vang på Hedmark

H_s = 222 H_b = h_t = 1.9 h_a = h_d = 14.7 h_r = 1.3

I	83	78	82	82	5.8	6.7	7.0	16	8	30	31		14		9	4	0	0	0	0	3	8	2	0	0	0	0	0	25	1	8	8	15	31
II	77	71	74	75	6.8	6.5	6.2	32	11	20	28		16		11	6	1	1	0	0	1	11	0	1	0	0	0	0	17	2	17	4	12	28
III	62	60	62	70	6.3	6.3	6.1	10	3	21	30		8		11	4	0	1	0	0	3	8	0	0	0	0	0	0	14	2	19	6	12	31
IV	72	52	51	62	6.2	6.1	5.8	13	5	24	11		0		10	4	0	1	0	0	7	3	0	0	0	0	0	0	10	0	26	2	7	6
V	63	41	41	56	4.5	4.7	4.6	16	8	2	5		0		6	4	0	1	0	0	5	0	0	0	0	1	0	2	5	0	29	8	6	0
VI	76	53	57	72	7.6	7.2	6.9	100	15	10	0		0		16	14	3	0	0	0	16	0	0	0	0	0	0	1	7	1	25	2	11	0
VII	72	50	53	66	5.5	5.8	6.4	28	6	10	0		0		12	7	0	2	0	0	12	0	0	0	0	0	0	5	8	1	31	1	6	0
VIII	83	53	63	75	6.9	6.0	6.7	126	25	11	0		0		14	13	5	2	0	0	14	0	0	0	0	0	0	4	12	0	25	0	7	0
IX	88	63	72	77	7.8	6.6	6.2	134	29	10	1		0		15	11	5	1	0	0	15	0	0	0	0	0	0	0	14	3	21	2	12	0
X	85	63	71	75	6.0	5.4	4.5	31	28	5	22		0		3	2	1	0	0	0	3	0	0	1	0	0	0	0	4	5	21	7	8	0
XI	86	80	83	84	8.2	7.9	7.7	49	9	3	17		2		18	12	0	0	0	0	13	6	1	1	0	0	0	0	18	2	12	2	18	0
XII	88	87	87	88	9.0	9.3	8.6	59	12	4	25		7		21	14	1	0	0	0	13	18	9	2	0	0	0	0	27	1	3	0	26	26
1946	80	63	66	74	6.7	6.5	6.4	614	29		170		47		146	95	16	9	0	0	105	54	12	5	0	1	0	12	161	18	237	42	140	122

Ø. Toten

H_s = 270 H_b = h_t = 2.0 h_a = h_d = 10.7 h_r = 1.7

I					6.6	6.7	7.3	8	4	30	29		14		10	3	0	2	0	0	2	10	1	1	0	0	0	0	9	5	12	5	15	31
II					7.5	6.4	6.0	28	10	20	27		15		11	6	0	1	0	0	0	11	0	0	0	0	0	0	10	1	19	2	10	28
III					6.5	6.2	6.0	26	11	8	26		5		12	5	1	0	0	0	3	11	1	0	0	0	0	0	11	0	21	3	12	31	
IV					5.9	5.9	5.7	13	6	24	6		0		9	3	0	3	0	0	7	4	2	0	0	2	0	0	6	0	28	0	3	3	
V					4.5	5.0	4.9	22	9	3	3		0		9	5	0	1	0	0	7	2	2	0	0	0	0	1	4	1	31	7	5	0	
VI					7.5	7.3	6.9	84	30	10	0		0		15	12	2	1	0	0	15	0	0	1	0	0	0	2	6	0	22	0	11	0	
VII					5.7	6.4	5.9	30	9	6	0		0		13	8	0	0	0	0	13	0	0	0	0	0	0	5	5	1	31	2	6	0	
VIII					6.9	5.8	6.2	110	29	14	0		0		15	13	3	1	0	0	15	0	0	0	0	0	0	3	6	0	26	0	9	0	
IX					7.5	6.3	6.3	155	55	2	0		0		13	9	3	0	0	0	13	0	0	1	0	0	0	0	10	1	23	1	11	0	
X					6.1	5.1	4.5	38	30	5	16		0		4	2	1	0	0	0	4	0	0	2	0	0	0	0	7	2	22	6	7	0	
XI					8.2	8.3	7.8	58	15	3	15		1		17	11	2	0	0	0	12	6	0	2	0	0	0	0	4	8	8	2	19	2	
XII					9.5	9.4	9.4	92	19	9	25		6		24	12	3	0	0	0	11	22	8	2	0	0	0	0	17	6	2	0	29	30	
1946					6.9	6.6	6.4	664	55		147		41		152	89	15	9	0	0	102	66	14	9	0	2	0	11	95	25	245	28	137	125	

1946

Kutjern

φ = 60° 34'N λ = 10° 33'E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 8.1	- 5.3	- 7.2	- 7.3	- 3.9	-10.7	4.6	5	-26.3	1	17₅ 1.5	16 2.6	3₅ 1.3	0₅ 1.0	44₅ 3.0	9 3.2	2 2.2	0 -	0
II			- 9.4	- 4.2	- 7.5	- 7.7	- 2.7	-12.3	6.8	16	-27.2	27	31 3.0	12 2.6	3 1.5	0 -	21₅ 2.8	5₅ 3.5	3 2.7	8 2.6	0
III			- 5.1	0.3	- 3.0	- 3.7	1.4	- 8.6	11.2	30	-24.4	15	25₅ 2.7	13₅ 2.7	4₅ 1.9	1 2.0	32₅ 2.6	7₅ 3.1	2₅ 2.0	6 2.1	0
IV			3.2	7.8	5.5	3.8	9.1	- 0.9	17.7	27	-11.4	13	11 2.6	6₅ 2.5	2₅ 1.2	2 1.5	27 3.3	16 3.1	13 2.5	11 2.7	1
V			8.7	13.3	11.9	8.5	15.0	1.7	26.0	29	- 5.5	9	19 2.4	13 2.4	15₅ 1.8	5₅ 1.8	20₅ 2.4	9 2.4	4 1.8	5₅ 2.1	1
VI			10.5	13.8	12.9	10.7	15.9	6.3	23.9	23	0.4	8	6 2.8	10₅ 2.4	7₅ 2.1	6 1.5	34 2.8	15₅ 2.8	6 2.8	3₅ 2.7	1
VII			14.5	18.1	16.8	14.4	19.8	8.8	23.0	14	2.6	1	3 2.5	10 2.6	9₅ 2.3	3₅ 2.4	37 2.5	15 3.1	9 2.0	4 1.7	2
VIII			11.4	15.3	13.1	11.7	17.0	7.0	22.0	5	3.6	19	18 1.5	10₅ 1.7	10 2.7	3 3.0	26 2.5	17 1.9	2 1.0	5₅ 1.5	1
IX			7.6	12.0	8.8	8.4	13.0	4.4	16.9	7	- 2.6	30	10₅ 1.9	5₅ 2.4	2₅ 3.4	3₅ 2.3	48 2.7	13₅ 3.0	3₅ 1.0	3 2.0	0
X			- 1.1	5.8	0.3	0.8	6.9	- 3.7	15.7	10	-12.0	23	22₅ 2.2	18 2.1	2 2.0	4₅ 1.2	31₅ 1.5	5₅ 1.3	0₅ 1.0	7₅ 2.6	1
XI			- 1.2	0.5	- 1.1	- 0.8	1.9	- 3.3	6.7	6	-15.8	16	25₅ 2.1	10 2.2	6 1.2	2₅ 1.0	24₅ 2.8	12 3.3	0 -	8₅ 1.6	1
XII			- 4.3	- 3.5	- 4.2	- 4.2	- 2.2	- 6.3	2.5	23	-23.8	16	23₅ 1.8	18₅ 2.4	6₅ 1.2	1 1.0	34 2.2	5₅ 2.4	0 -	1 1.0	3
1946			2.2	6.2	3.9	2.9	7.6	- 1.5	26.0		-27.2		213 2.2	144 2.4	73 1.9	33 1.8	381 2.6	131 2.8	45₅ 2.3	63₅ 2.2	11

Flisa

φ = 60° 37'N λ = 12° 1'E g = $\Delta G = +1^h$

I			- 8.9	- 6.8	- 8.0	- 8.1	- 4.8	-11.9	6.2	5	-31.1	3	8₅ 2.6	0 -	0 -	9 2.3	11 2.0	2 3.5	3 3.3	2₅ 2.8	57
II			-10.3	- 4.5	- 6.8	- 7.9	- 2.4	-12.8	5.5	16	-28.5	27	19 2.2	2₅ 1.0	3₅ 2.6	5 1.8	5₅ 2.4	0 -	1₅ 3.7	12 2.9	35
III			- 5.9	1.7	- 2.1	- 3.2	2.6	- 8.9	12.2	31	-30.8	15	15₅ 2.1	11₅ 2.0	2 1.0	4 1.6	6₅ 2.0	1 1.5	1 1.0	4₅ 2.7	47
IV			4.0	9.1	7.1	5.2	11.0	0.7	19.7	27	- 9.2	13	11 2.7	2 3.0	2 1.5	9₅ 2.1	19₅ 2.8	5 2.7	7 2.4	12 2.8	22
V			9.6	14.9	14.1	10.1	16.7	2.7	27.8	29	- 3.2	9	12₅ 2.6	4₅ 1.8	2₅ 1.4	10₅ 1.7	15₅ 1.8	2₅ 1.8	1 1.0	11 3.1	33
VI			12.2	16.0	14.9	12.7	17.9	8.1	24.4	23	3.6	9	8₅ 2.2	0₅ 1.0	2 1.5	16 2.2	25₅ 2.6	8 2.5	3 1.8	4₅ 2.1	22
VII			16.3	20.5	19.7	16.6	22.5	10.7	26.1	5	7.2	2	5 2.0	0 -	2₅ 2.2	20 2.0	28 2.2	4₅ 2.6	5₅ 1.7	6₅ 1.9	21
VIII			12.6	17.9	14.9	13.4	19.1	8.2	23.9	5	2.3	19	5₅ 1.5	0₅ 1.0	3 2.2	11 2.0	15 2.0	2 1.8	1 1.0	3 1.7	52
IX			8.9	14.1	10.9	10.2	15.2	6.2	18.9	7	- 2.5	30	4 1.8	0 -	1₅ 1.0	10 2.2	16 2.3	4₅ 3.0	0 -	3 1.7	51
X			- 1.5	6.0	1.6	1.2	6.9	- 3.4	14.1	1	-12.3	24	10₅ 2.1	0 -	1 1.0	1 1.0	5 1.6	0 -	0 -	6₅ 2.3	69
XI			- 0.2	1.7	0.5	0.4	2.9	- 2.5	8.2	25	-16.3	16	6₅ 1.6	0₅ 1.0	2 2.5	6 1.9	19 2.1	1 2.0	0₅ 1.0	6₅ 3.0	48
XII			- 3.6	- 3.1	- 3.6	- 3.5	- 1.6	- 5.3	3.3	1	-26.3	17	8 1.2	0₅ 1.0	2₅ 1.0	13 2.4	15₅ 2.4	0₅ 4.0	0 -	3 1.7	50
1946			2.8	7.3	5.3	3.9	8.8	- 0.7	27.8		-31.1		114₅ 2.1	22₅ 1.8	24₅ 1.7	115 2.1	182 2.3	31 2.5	23₅ 2.2	75 2.6	507

Vinger

φ = 60° 13'N λ = 12° 1'E g = $\Delta G = +1^h$

I			- 6.6	- 5.8	- 6.7	- 6.6		- 9.8	5.4	5	-27.8	3	17₅ 1.6	3₅ 2.0	9 2.2	10₅ 2.5	19₅ 1.9	3₅ 2.3	5₅ 2.6	17 1.2	7
II			- 8.4	- 4.3	- 6.2	- 6.9		-11.4	5.4	16	-24.7	28	18 2.8	7 2.4	4₅ 1.8	7₅ 1.6	5 2.2	4 1.5	5 1.2	10 3.1	23
III			- 5.4	1.3	- 1.8	- 2.9		- 7.5	10.2	29	-29.0	15	9₅ 1.6	19 1.7	4 2.2	6 2.2	16₅ 1.3	12 2.0	6₅ 1.9	14₅ 2.2	5
IV			4.5	9.4	7.3	5.4		0.4	18.1	27	- 8.0	13	9 2.2	2 3.5	1 1.0	5₅ 2.6	22₅ 2.8	12₅ 2.0	26₅ 2.7	8 2.9	3
V			9.8	14.5	12.6	9.7		2.8	27.2	29	- 2.8	9	4 3.0	5₅ 1.8	13₅ 2.5	13 1.5	25₅ 1.8	6 2.3	12 2.1	10₅ 3.1	3
VI			12.2	15.9	14.4	12.2		6.8	24.0	23	2.7	17	7 3.1	0₅ 3.0	5 2.6	8 2.3	35₅ 2.1	26₅ 2.6	5 2.9	1₅ 2.0	1
VII			16.8	20.6	19.1	16.6		10.8	24.4	20	5.4	1	6 2.7	0₅ 2.0	9 2.6	6 2.3	40₅ 2.2	19₅ 2.2	6 3.6	3₅ 2.6	2
VIII			13.2	17.4	14.5	13.4		8.7	22.7	5	2.9	19	1₅ 2.7	0 -	11 1.7	7 2.5	29₅ 2.0	23 1.6	2₅ 1.4	5₅ 1.8	13
IX			9.9	13.7	11.2	10.6		6.7	17.7	4	- 1.5	30	7₅ 1.9	2₅ 3.4	1₅ 1.7	5 3.4	26₅ 2.5	26 2.1	8₅ 2.4	7₅ 2.3	5
X			- 0.2	6.0	2.0	1.9		- 2.4	13.8	11	-12.0	24	29₅ 1.3	3 1.0	1 1.5	7 2.2	6₅ 2.2	1₅ 2.0	12₅ 1.6	19 1.4	13
XI			0.6	2.1	0.8	0.9		- 1.7	8.1	25	-13.1	16	9 2.3	6 2.0	6 2.7	7₅ 3.8	19₅ 2.6	4₅ 2.0	12 2.6	13₅ 1.8	12
XII			- 3.0	- 2.3	- 2.9	- 2.8		- 4.6	2.6	3	-21.6	17	16₅ 1.3	6₅ 1.6	12₅ 2.8	6₅ 1.8	25₅ 2.3	3 1.7	0 -	4₅ 1.1	18
1946			3.6	7.4	5.4	4.3		- 0.1	27.2		-29.0		135 1.9	56 2.0	78 2.3	89₅ 2.3	272₅ 2.2	142 2.1	102 2.4	115 2.0	105

Hvam

φ = 60° 6'N λ = 11° 24'E g = $\Delta G = +1^h$

I			- 7.6	- 5.2	- 6.9	- 6.9		-10.2	4.7	5	-27.2	3										
II			- 8.2	- 3.0	- 5.6	- 6.3		-10.8	5.2	16	-23.0	23	18 2.7	8₅ 2.8	3 2.0	1 2.0	5 2.0	8₅ 2.5	11 2.5	9 1.8	20
III			- 5.2	2.0	- 1.0	- 2.5		- 8.5	11.6	28	-29.8	15	15₅ 1.9	24₅ 2.4	4 2.2	2₅ 1.0	7₅ 1.5	26₅ 2.4	2 1.5	1₅ 1.7	9
IV			4.5	10.4	7.8	5.8		0.2	20.0	27	- 7.5	13	9₅ 3.6	9 2.2	3 1.7	0 -	23 4.2	24 4.2	11 3.7	6₅ 3.4	4
V			10.1	15.2	14.0	10.1		1.9	27.0	29	- 3.4	9	15₅ 3.5	8 3.2	9 1.3	4₅ 2.7	23₅ 2.4	13₅ 2.7	5 2.8	3 2.2	11
VI			12.4	15.6	14.4	12.4		7.7	23.0	23	2.8	13	6 4.3	6₅ 2.8	5₅ 2.1	4 2.2	38₅ 3.3	20 3.8	5 3.0	1₅ 2.3	3
VII			16.6	20.4	18.8	16.1		9.5	24.6	12	3.4	1	9₅ 3.6	8₅ 3.6	2 2.2	5₅ 4.4	25 3.6	27 3.8	10 3.3	2₅ 2.0	3
VIII			12.9	17.9	15.5	13.5		8.0	22.7	22	1.1	19	7₅ 1.9	13₅ 2.3	6 2.1	7₅ 3.1	21₅ 3.1	20₅ 3.1	6₅ 1.8	4 1.9	6
IX			9.4	14.7	11.5	10.6		6.1	18.9	7	- 3.3	30	4 2.8	6 2.3	4₅ 1.1	4 2.9	25 3.2	29 2.8	3 4.3	3₅ 2.6	11
X			- 1.4	7.8	2.6	2.1		- 3.3	15.3	11	-12.1	24	13 2.0	6₅ 2.4	3 2.3	2₅ 1.4	6 1.6	5₅ 2.4	4 2.1	5₅ 2.4	47
XI			0.8	2.8	1.2	1.3		- 1.4	8.1	28	-12.4	15	11 3.1	15₅ 2.0	6₅ 1.8	8 2.0	21 3.1	11 3.3	2₅ 1.6	1₅ 3.3	13
XII			- 2.4	- 2.2	- 2.4	- 2.4		- 3.8	3.3	26	-21.6	17	7₅ 1.5	19₅ 1.9	9 2.1	12₅ 2.4	18₅ 3.3	6 3.6	0 -	5 1.2	15
1946			3.5	8.0	5.8	4.5		- 0.4	27.0		-29.8											

Sørmarka

φ = 59° 48'N λ = 10° 49'E g = $\Delta G = +1^h$

I			- 5.8	- 3.4	- 5.0	- 5.0	- 1.8	- 8.3	- 7.0	5	-23.9	3	7 1.6	12 1.9	6 1.0	3₅ 1.6	13₅ 1.7	12 2.1	1 4.5	0 -	58
II			- 6.0	- 1.3	- 4.4	- 3.3	0.0	- 8.5	9.0	16	-21.1	23	10₅ 1.7	20 2.1	5₅ 1.4	2₅ 2.2	8₅ 1.3	5₅ 1.8	4 1.9	3₅ 2.1	74
III			- 4.7	2.3	- 0.7	- 2.0	3.1	- 6.7	13.3	30	-24.3	15	4₅ 2.1	20 1.8	9₅ 1.7	1 1.0	15 1.3	13 1.2	4 1.2	0 -	86
IV			5.0	10.0	8.0	6.0	11.7	0.8	20.1	27	- 7.0	13	8₅ 1.9	8₅ 1.3	3₅ 1.1	3 1.2	26₅ 1.7	18 1.6	7 2.1	8 1.7	7
V			11.1	15.0	13.9	10.5	17.0	3.0	26.7	29	- 3.2	9	9₅ 1.6	14₅ 1.6	6 1.5	6 1.5	16 1.3	20₅ 1.3	10₅ 1.5	3 1.3	7
VI			12.3	15.2	14.5	12.6	18.8	8.7	22.1	24	2.2	4	2₅ 1.4	6₅ 1.9	6₅ 1.4	8₅ 1.3	36₅ 1.4	24 1.5	2₅ 2.0	0 -	3
VII			16.9	20.2	18.6	16.7	21.7	11.3	25.2	12	6.0	12	7 1.4	8₅ 1.5	6 2.7	3₅ 1.3	25₅ 1.4	30₅ 1.6	3₅ 2.1	0₅ 1.0	8
VIII			13.9	17.7	15.4	14.0	19.0	9.4	22.9	25	4.8	22	5₅ 1.0	16₅ 1.4	8 1.2	6 1.8	26 1.3	20₅ 1.7	2 1.0	0₅ 1.0	8
IX			10.5	14.2	11.4	10.8	15.2	6.9	18.5	7	- 0.9	22	5₅ 1.3	7₅ 1.5	2 1.5	0 -	19 1.2	28 1.5	6 1.4	2 1.5	20
X			0.4	8.5	2.6	2.9	9.0	- 2.0	17.7	11	-11.0	23	8₅ 1.3	11₅ 1.3	2 2.0	5 1.6	8₅ 1.1	6₅ 1.1	6 1.0	1 1.0	44
XI			1.5	3.0	1.6	1.7	4.1	- 0.8	8.3	28	-12.0	5	8₅ 1.9	16 1.9	10₅ 2.0	3₅ 1.6	9₅ 2.2	17₅ 2.3	0₅ 2.0	0 -	34
XII			- 2.0	- 1.3	- 1.8	- 1.8	0.1	- 3.5	4.8	26	-20.0	17	3₅ 1.1	23₅ 1.2	13 1.2	6₅ 1.2	11₅ 1.5	12₅ 1.8	0₅ 1.0	0 -	32
1946			3.7	8.3	6.2	5.3	9.8	0.9	26.7		-24.3		81 1.6	165 1.6	78₅ 1.5	49 1.5	216 1.4	208₅ 1.6	47₅ 1.6	18₅ 1.6	231

1946

Kutjern

H_s = 493 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n																					
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥0,1	R ≥1,0	R ≥10,0	F ≥6	F ≥8	F ≥9	●	*	✱	❟	*	△	▲	⁀	〓	≡	⊙	◔	●	⊞
I	89	86	90	89	6.4	7.1	6.8	20	6	30	31	25	13	0	16	8	0	6	0	0	5	16	2	4	0	0	0	0	4	4	17	7	17	31
II	88	77	84	85	8.0	7.0	6.8	50	15	20	31	23	15	0	14	8	2	6	0	0	1	14	0	1	0	0	0	0	4	6	18	3	16	28
III	87	68	75	79	7.3	6.8	7.0	34	11	8	26	15	11	0	16	7	1	5	0	0	3	13	0	0	0	2	0	0	4	5	22	2	14	31
IV	78	59	65	72	6.1	6.5	6.0	20	9	24	17	0	1	0	7	4	0	7	0	0	5	3	0	1	0	3	0	0	3	3	27	0	7	13
V	67	50	50	61	4.2	5.8	4.9	23	5	2	10	0	0	1	10	6	0	2	0	0	8	3	1	0	0	1	0	2	3	2	31	6	5	1
VI	76	61	65	75	7.7	7.9	7.1	101	27	10	0	0	0	0	15	13	2	4	1	0	15	0	0	0	0	2	0	1	1	0	26	0	12	0
VII	74	60	65	72	6.1	6.5	6.4	55	9	6	0	0	0	0	14	12	12	7	0	0	14	0	0	0	0	0	0	6	5	1	31	1	6	0
VIII	86	64	75	81	7.3	6.6	6.6	177	36	14	0	0	0	0	18	14	9	1	1	0	18	0	0	2	0	0	0	3	7	4	27	2	8	0
IX	91	70	83	85	7.7	6.8	6.0	170	44	2	4	0	0	0	14	10	6	5	0	0	14	0	0	0	0	0	0	0	9	5	27	3	13	0
X	88	63	82	81	5.5	5.5	4.0	28	26	5	25	3	1	0	3	2	1	0	0	0	3	2	0	2	0	0	0	0	2	4	26	3	7	2
XI	93	86	90	91	8.4	7.8	7.5	82	13	3	23	9	3	0	26	14	3	6	1	0	16	12	2	5	0	0	0	0	4	10	12	2	18	12
XII	95	95	95	95	8.3	8.4	8.7	94	10	10	31	22	7	0	23	17	2	0	0	0	3	22	1	1	0	0	0	0	8	9	6	3	25	31
1946	84	70	77	80	6.9	6.9	6.5	854	44		198	97	51	1	176	115	38	49	3	0	105	85	6	16	0	8	0	12	54	53	270	32	148	149

Flisa

H_s = 183 H_b = h_t = 1.9 h_a = h_d = 8.2 h_r = 1.5

I	90	86	88	89	6.0	6.6	6.5	26	14	30	29	20	15	0	8	5	1	0	0	0	4	6	2	0	0	0	0	0	4	0	9	8	16	31
II	88	78	84	85	7.6	6.7	5.8	40	12	20	28	18	16	0	9	6	1	2	0	0	2	8	1	0	0	0	0	0	1	0	10	2	12	28
III	89	65	74	80	6.1	6.0	5.8	11	4	21	28	13	10	0	7	4	0	1	0	0	2	5	0	0	0	0	0	0	0	3	21	6	12	31
IV	80	61	63	72	6.7	7.4	6.2	13	5	24	11	0	0	0	7	3	0	9	0	0	4	1	0	0	0	1	0	1	4	0	19	0	8	5
V	71	51	51	65	4.7	5.7	4.8	38	17	3	6	0	0	4	7	5	1	5	0	0	7	0	0	0	0	0	0	2	0	1	25	6	8	0
VI	80	63	68	79	7.5	7.1	7.1	141	30	10	0	0	0	0	18	14	4	2	0	0	18	0	0	0	0	0	0	2	0	0	23	1	10	0
VII	75	57	61	71	5.9	6.2	6.0	48	21	7	0	0	0	4	9	8	2	3	0	0	9	0	0	0	0	0	0	6	3	0	26	1	9	0
VIII	89	64	79	86	6.8	6.0	6.4	120	28	11	0	0	0	0	17	14	4	2	0	0	17	0	0	0	0	0	0	7	4	2	19	0	7	0
IX	94	72	85	87	7.8	6.9	6.3	149	36	2	3	0	0	0	13	11	4	0	0	0	13	0	0	1	0	0	0	0	9	4	16	2	9	0
X	94	73	87	87	5.2	5.0	3.9	25	20	5	24	2	2	0	2	2	1	0	0	0	2	0	0	0	0	0	0	0	6	4	19	12	8	0
XI	90	88	91	90	8.2	8.3	7.9	70	16	7	19	6	2	0	15	13	2	3	0	0	14	3	0	6	0	0	0	0	9	4	3	2	20	0
XII	93	92	93	93	9.0	8.9	8.2	47	6	2	23	13	7	0	17	12	0	1	0	0	10	12	1	7	0	0	0	0	14	3	4	2	24	13
1946	86	71	77	82	6.8	6.7	6.2	728	36		171	72	52	8	129	97	20	28	0	0	102	35	4	14	0	1	0	18	54	21	194	42	143	108

Vinger

H_s = 175 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

I	88	83	87	87	6.3	6.5	6.5	23	13	30	29		13		8	5	1	1	0	0	2	7	1	1	0	0	0	0	14	3	10	7	15	31
II	86	76	83	83	6.8	5.4	4.8	20	5	8	28		16		8	5	0	2	1	0	2	8	0	4	0	0	0	0	14	6	11	6	10	28
III	89	65	73	78	6.5	6.8	5.7	12	4	8	28		10		10	5	0	0	0	0	3	8	1	0	1	0	0	0	11	4	22	5	13	31
IV	78	58	62	71	7.2	7.6	6.0	13	4	12	13		0		9	5	0	3	0	0	7	2	0	1	2	2	0	0	9	5	27	1	12	4
V	64	47	54	63	5.0	5.0	5.0	49	23	31	6		0		8	6	2	0	0	0	7	1	1	0	0	2	0	1	1	0	27	10	10	0
VI	76	64	67	75	7.1	7.6	6.9	116	27	10	0		0		15	11	4	2	0	0	15	0	0	0	0	0	0	0	5	0	19	1	11	0
VII	73	57	61	69	4.9	6.5	5.5	36	8	28	0		0		12	7	0	1	0	0	12	0	0	0	0	0	0	3	13	0	29	2	4	0
VIII	87	65	80	86	7.5	6.7	6.8	133	25	11	0		0		16	16	4	0	0	0	16	0	0	0	0	0	0	3	5	4	26	0	15	0
IX	90	72	84	85	7.9	6.9	7.1	141	47	2	2		0		17	11	4	0	0	0	16	0	0	1	0	0	0	0	12	2	23	2	15	0
X	93	57	84	85	5.4	4.0	3.9	28	22	5	23		2		3	2	1	0	0	0	2	1	0	0	0	0	0	0	7	6	23	11	4	0
XI	90	84	87	88	8.8	8.2	8.3	70	14	22	17		2		20	14	2	0	0	0	16	8	1	2	0	0	0	0	13	2	8	1	22	0
XII	90	89	90	90	8.9	8.6	8.3	60	10	2	21		7		21	17	0	1	0	0	12	14	0	3	0	0	0	0	21	6	6	3	25	20
1946	84	69	76	80	6.9	6.6	6.2	701	47		167		50		147	104	18	10	1	0	110	49	4	12	3	4	0	7	125	38	231	49	156	114

Hvam

H_s = 162 H_b = h_t = 2.0 h_a = h_d = 10 h_r = 1.6

I	85	80	84	84	6.4*	6.5*	6.5*	22	6	30	28		13		13	7	0	1*	0*	0*	4	11	2	0	0	0*	0*	0*	13*	3*	11*	8*	15*	31
II	82	71	79	80	6.8	5.3	4.4	39	14	20	28		15		15	5	2	3	0	0	4	14	3	1	0	0	0	0	10	3	20	4	6	28
III	86	61	69	76	6.2	5.0	5.5	19	7	3	28		10		14	5	0	0	0	0	4	10	0	0	0	0	0	0	8	3	22	8	13	29
IV	75	53	58	67	6.1	6.5	4.8	14	6	24	18		0		7	4	0	17	1	0	7	4	2	0	1	1	0	1	3	1	29	3	7	2
V	66	45	48	62	4.1	4.5	3.8	47	19	3	10		0		11	6	2	6	0	0	11	0	0	0	0	0	0	1	4	1	30	14	6	0
VI	72	60	65	73	7.5	7.1	6.0	124	39	10	0		0		17	13	3	4	0	0	17	0	0	0	0	0	0	1	6	0	28	1	13	0
VII	69	56	61	67	4.2	5.9	5.2	54	17	29	0		0		12	10	2	12	0	0	12	0	0	0	0	0	0	6	7	6	30	1	3	0
VIII	85	60	71	79	6.4	5.5	5.4	106	30	11	0		0		18	12	2	1	0	0	18	0	0	1	0	0	0	7	9	1	28	1	7	0
IX	91	65	79	82	7.1	6.5	6.0	128	37	20	2		0		27	10	4	2	0	0	26	0	0	5	0	0	0	0	10	4	24	2	12	0
X	93	62	79	81	6.1	5.0	3.6	28	25	5	24		2		6	2	1	1	0	0	3	0	0	1	0	1	0	0	4	11	25	9	7	0
XI	89	82	86	87	9.0	8.7	8.0	99	16	3	16		2		21	15	4	4	0	0	17	7	4	0	0	0	0	0	16	1	17	1	23	5
XII	90	89	91	90	9.7	9.8	9.5	75	10	12	18		7		22	14	1	1	0	0	14	13	5	0	0	0	0	0	18	6	3	0	28	21
1946	82	65	72	77	6.6	6.4	5.7	755	39		172		49		183	103	21	52	1	0	137	59	16	9	1	2	0	16	108	40	267	52	140	116

Sørmarka

H_s = 157 H_b = h_t = 2.0 h_a = h_d = 11.6 h_r = 1.5

I					6.0	6.1	5.7	51	16	30	29	18	12	0	11	8	2	0	0	0	3	9	2	0	0	0	0	0	5	5	13	10	15	24
II					7.0	6.1	4.6	58	19	8	25	11	10	0	11	7	2	2	0	0	6	11	4	2	0	0	0	0	4	3	21	4	10	28
III					6.9	6.1	5.4	32	7	8	28	13	7	0	10	8	0	2	0	0	5	7	0	3	0	0	0	0	0	11	21	7	13	31
IV					6.8	7.2	5.8	11	5	18	13	0	0	0	8	4	0	0	0	0	6	2	0	1	0	0	0	0	6	2	28	2	13	4
V					3.9	4.5	3.5	26	11	15	5	0	0	2	7	4	1	0	0	0	6	0	0	0	0	1	0	0	0	1	28	12	4	0
VI					7.4	7.5	6.1	151	39	10	0	0	0	0	17	13	6	0	0	0	17	0	0	0	0	0	0	1	0	1	24	1	13	0
VII					5.2	7.1	5.1	38	18	28	0	0	0	1	13	6	1	1	0	0	13	0	0	0	0	0	0	6	4	3	28	4	6	0
VIII					6.6	6.9	5.1	142	38	11	0	0	0	0	15	12	4	1	0	0	15	0	0	0	0	0	0	7	0	3	27	1	7	0
IX					6.5	7.5	6.1	167	54	2	1	0	0	0	16	15	5	0	0	0	16	0	0	2	0	0	0	0	2	7	22	3	13	0
X					3.6	4.2	3.6	36	35	5	22	0	2	0	3	1	1	0	0	0	3	0	0	0	0	0	0	0	1	5	26	14	6	0
XI					8.1	8.2	8.1	129	20	7	16	4	2	0	19	15	5	1	0	0	15	6	1	4	0	0	0	0	4	7	12	3	21	5
XII					9.0	8.5	8.1	94	13	11	17	8	6	0	22	16	3	0	0	0	17	15	8	11	0	0	0	0	3	10	5	2	24	17
1946					6.4	6.7	5.6	935	54		156	54	39	3	152	109	30	7	0	0	122	50	15	23	0	1	0	14	29	58	255	63	145	109

1946

Tryvasshøgda

φ = 59° 59'N λ = 10° 41'E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 4.4	- 3.5	- 4.3	- 4.3		- 6.4	2.7	5	-13.2	13	85 2.0	12 3.2	105 3.0	8 2.2	20 1.9	20 2.8	6 2.8	6 1.2	2
II			- 6.5	- 3.7	- 5.4	- 5.5		- 7.6	- 5.9	15	-15.1	28	11 3.3	19 2.9	7 1.6	10 1.5	7 2.7	115 3.2	55 2.7	12 4.0	1
III			- 3.3	0.5	- 2.4	- 2.3		- 5.4	10.3	30	-16.9	14	85 1.5	295 3.0	55 2.5	35 1.7	95 2.1	17 1.9	65 1.3	5 1.4	8
IV			3.3	7.3	4.9	4.1		0.9	16.5	27	- 5.1	11	8 2.8	45 2.4	2 1.5	65 1.6	18 2.6	27 2.5	95 3.1	135 2.8	1
V			9.0	12.7	10.7	9.1		4.6	22.6	28	- 1.0	6	8 2.9	6 3.5	16 2.1	145 1.8	285 2.2	13 1.8	1 1.5	6 2.8	0
VI			9.7	13.0	11.4	10.2		7.0	20.2	23	4.2	8	35 4.0	5 2.8	55 3.0	7 2.2	385 2.6	205 2.7	5 2.4	3 2.0	2
VII			13.8	17.2	15.7	14.3		10.9	22.2	12	5.2	1	15 2.7	9 2.4	11 2.7	95 1.9	375 2.2	195 2.7	25 3.0	05 1.0	2
VIII			11.2	14.8	12.7	11.9		9.3	19.9	22	6.2	10	6 1.5	7 1.6	18 2.8	8 2.9	35 1.3	85 2.2	15 1.0	3 1.3	6
IX			8.1	11.3	9.5	9.0		7.1	14.5	7	3.5	22	4 1.9	5 2.4	4 1.5	75 2.5	26 2.2	29 2.6	4 2.0	25 2.6	8
X			3.2	6.2	4.0	4.0		1.6	14.1	11	- 5.8	23	15 1.9	23 2.3	5 1.7	2 2.2	11 2.0	16 2.1	65 2.4	85 2.0	6
XI			0.2	0.5	- 0.1	0.0		- 1.7	6.0	28	- 8.0	19	105 3.2	185 2.4	95 2.8	9 1.5	205 2.6	13 2.5	45 1.1	35 3.3	1
XII			- 2.8	- 2.7	- 3.0	- 2.9		- 3.9	1.1	26	-12.3	16	2 3.0	205 2.3	185 2.1	15 1.7	165 2.1	155 2.7	4 1.8	25 1.8	12
1946			3.5	6.1	4.5	4.0		1.4	22.6		-16.9		865 2.5	159 2.6	1125 2.4	87 2.0	268 2.2	2105 2.5	565 2.2	66 2.5	43

Oslo (Blindern)

φ = 59° 56'N λ = 10° 44'E g = 9.819 $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	1008.0	1020.3	- 5.2	- 3.2	- 4.2	- 4.4	- 1.9	- 6.9	7.0	5	-18.9	3	10 2.8	125 2.2	45 1.0	35 1.1	14 1.8	4 2.5	25 1.8	0 -	42
II	990.8	02.8	- 5.0	- 1.3	- 3.3	- 3.7	0.1	- 6.8	9.1	16	-16.9	23	25 2.8	125 2.4	0 -	1 1.5	65 1.5	45 1.3	4 2.9	45 3.4	26
III	1007.0	19.1	- 3.5	2.1	0.1	- 1.1	3.2	- 5.0	13.8	31	-20.1	15	135 2.4	24 2.4	25 1.2	2 1.2	95 1.5	45 1.0	1 1.0	1 1.5	35
IV	998.8	10.4	5.1	10.4	8.9	6.7	12.2	2.3	21.5	27	- 3.9	13	15 2.3	5 2.3	3 1.3	1 1.0	235 2.0	11 1.4	9 2.7	55 2.8	17
V	1005.9	17.5	11.5	16.2	15.0	11.8	18.1	5.5	28.4	29	- 0.3	9	9 3.1	13 2.5	11 1.6	45 1.6	215 2.0	105 1.6	3 2.0	25 3.8	18
VI	996.9	08.3	12.9	16.3	15.3	13.4	18.5	9.6	23.2	24	4.6	8	55 3.5	75 2.7	45 1.7	55 1.7	33 1.8	185 2.2	6 2.2	15 3.7	8
VII	1001.8	13.1	17.0	20.8	19.8	17.5	22.6	12.9	26.0	13	7.1	1	7 2.5	6 2.3	85 2.0	4 1.5	28 2.4	14 2.1	25 1.8	2 2.0	21
VIII	998.1	09.5	14.5	18.6	16.7	15.1	19.9	11.2	24.4	5	8.2	12	75 2.2	115 1.8	75 2.3	5 1.7	27 2.1	95 1.6	35 1.4	05 2.0	21
IX	96.6	08.1	10.4	14.8	12.6	11.6	15.4	8.6	19.1	7	2.7	22	85 2.7	6 1.7	1 1.0	3 3.2	265 1.8	14 2.0	65 1.9	15 2.0	23
X	1010.3	22.1	1.7	8.2	4.4	4.1	9.0	0.4	17.6	11	- 6.5	24	135 2.1	155 2.0	55 1.3	1 1.0	25 1.4	65 1.2	3 1.3	05 3.0	45
XI	999.2	11.1	2.4	3.7	2.6	2.6	4.8	0.4	9.4	28	- 7.9	15	265 2.5	18 2.1	05 2.0	1 3.0	21 2.5	55 1.6	25 2.2	0 -	15
XII	1007.5	19.7	- 1.2	- 0.9	- 1.3	- 1.2	0.3	- 2.7	5.0	26	-15.9	17	25 2.2	24 2.2	3 1.7	75 2.2	16 2.2	05 3.0	0 -	0 -	17
1946	1001.7	1013.5	5.0	8.8	7.2	6.0	10.2	2.5	28.4		-20.1		166 2.5	1555 2.2	515 1.7	39 1.8	229 2.0	103 1.8	435 2.1	195 2.9	288

Asker

φ = 59° 51'N λ = 10° 26'E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 4.7	- 3.7	- 4.3	- 4.5	- 2.0	- 7.3	6.5	5	-19.7	3	15 2.1	35 2.8	5 1.0	1 1.0	3 2.0	1 1.0	5 1.4	45 1.4	55
II			- 5.5	- 2.3	- 3.6	- 4.3	- 0.2	- 7.6	8.3	16	-17.8	23	16 2.0	11 1.3	1 1.0	0 -	2 1.0	1 1.0	5 2.0	8 1.5	40
III			- 3.6	1.3	- 1.4	- 2.0	2.6	- 6.0	12.8	30	-20.4	15	13 1.2	3 1.3	2 1.0	25 0.8	25 0.8	0 -	6 1.0	10 1.1	55
IV			5.0	9.8	7.4	6.1	11.3	2.1	19.6	27	- 4.8	13	16 1.6	0 -	2 1.0	0 -	2 1.0	3 1.7	7 1.3	12 1.5	48
V			10.5	15.5	14.2	11.2	17.3	5.3	28.2	30	- 0.5	9	10 1.8	2 1.5	16 1.1	8 1.3	3 1.3	1 2.0	3 1.0	10 1.2	40
VI			12.5	15.9	14.9	13.0	18.1	9.3	23.1	23	6.2	8	4 2.2	0 -	16 1.3	2 2.0	4 2.5	5 1.2	10 1.3	13 1.5	36
VII			16.2	20.7	19.0	16.9	22.6	12.4	27.3	13	7.9	1	6 1.5	1 1.0	17 1.0	8 1.8	4 1.8	7 1.1	4 1.0	6 1.5	40
VIII			14.0	17.8	15.3	14.4	19.0	10.8	22.6	4	8.3	17	10 1.3	3 1.3	9 1.7	6 1.7	6 1.5	5 1.8	8 1.5	24 1.5	22
IX			10.0	13.8	11.5	10.9	14.8	8.0	18.3	4	2.9	24	3 1.0	2 1.0	3 1.0	3 1.7	7 1.1	13 1.8	3 1.7	14 1.9	42
X			2.6	7.5	3.9	4.1	8.2	0.9	17.8	11	- 6.6	23	22 1.3	4 1.5	4 1.2	3 1.3	1 1.0	0 -	0 -	14 1.3	45
XI			1.9	3.1	1.9	2.0	4.2	0.0	8.3	25	- 6.4	19	23 1.9	5 1.6	8 1.0	3 1.7	9 1.6	1 1.0	3 1.3	12 1.9	26
XII			- 1.4	- 1.4	- 1.6	- 1.6	0.0	- 3.1	3.4	20	-15.4	18	35 1.4	6 1.2	10 1.4	2 2.0	9 1.2	1 1.0	0 -	3 1.0	27
1946			4.8	8.2	6.4	5.5	9.7	2.1	28.2		-20.4		173 1.6	405 1.5	93 1.2	385 1.5	525 1.4	38 1.5	54 1.4	1305 1.5	476

Dikemark

φ = 59° 48'N λ = 10° 23'E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 7.1	- 4.4	- 6.6	- 6.4	- 2.7	-10.4	6.7	5	-27.5	3	3 1.0	25 1.0	135 1.0	4 1.4	3 1.0	25 1.2	205 1.2	9 1.0	35
II			- 7.3	- 2.1	- 4.9	- 5.7	- 0.2	-11.2	7.6	15	-27.0	23	5 1.9	4 1.2	85 1.0	1 1.0	15 1.0	0 -	85 2.0	155 1.8	40
III			- 5.6	1.8	- 2.2	- 3.1	2.9	- 8.5	14.1	28	-33.3	15	2 1.0	5 1.0	115 1.0	5 1.0	25 1.0	45 1.0	95 1.0	12 1.0	41
IV			4.8	10.0	7.6	5.7	10.7	- 0.3	18.9	27	- 8.0	13	3 1.0	0 -	6 1.0	25 1.0	145 1.0	45 1.0	185 1.4	22 1.4	19
V			10.6	15.3	13.5	10.4	16.6	3.0	26.4	28	- 2.6	9	2 1.0	45 1.3	26 1.0	6 1.2	18 1.0	35 1.3	3 1.0	9 1.1	21
VI			12.3	15.3	14.2	12.3	17.2	8.1	22.7	23	4.2	19	45 1.0	15 1.0	16 1.2	7 1.1	235 1.1	115 1.2	6 1.5	3 1.7	17
VII			16.3	20.1	18.1	16.3	21.2	11.1	25.9	13	4.4	1	1 1.0	55 1.0	125 1.2	14 1.2	19 1.2	9 1.0	55 1.5	45 1.4	22
VIII			13.4	17.2	14.8	13.6	18.7	9.5	23.2	22	6.5	23	0 -	35 1.0	13 1.0	7 1.4	17 1.1	45 1.2	05 1.0	25 1.0	45
IX			9.4	13.6	11.0	10.3	14.9	7.1	17.2	4	0.5	30	0 -	0 -	85 1.1	4 1.0	55 1.0	7 1.1	6 1.6	4 1.0	55
X			1.0	7.9	2.1	2.9	8.6	- 1.0	14.2	12	- 9.0	23	15 1.3	05 1.0	85 1.0	5 1.2	3 1.0	25 0.8	16 1.0	9 1.2	47
XI			1.3	2.8	1.3	1.4	4.0	- 1.4	9.0	12	-11.5	20	6 1.4	5 1.0	175 1.6	11 1.4	65 1.5	75 1.4	12 1.1	85 1.8	15
XII			- 2.4	- 2.1	- 2.7	- 2.6	- 0.7	- 4.7	4.8	3	-20.0	18	45 1.0	7 1.4	37 1.7	9 1.9	2 1.8	65 1.8	11 1.1	5 1.0	11
1946			3.9	8.0	5.5	4.6	9.3	0.1	26.4		-33.3		325 1.3	39 1.1	1785 1.2	755 1.3	116 1.1	635 1.2	117 1.3	104 1.3	369

Modum

φ = 59° 58'N λ = 9° 58'E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 7.4	- 4.4	- 6.3	- 6.4		- 9.9	6.2	5	-23.8	3	16 1.1	25 2.0	2 1.0	11 1.0	11 1.5	27 1.3	14 1.2	95 1.0	0
II			- 6.6	- 2.2	- 3.9	- 4.8		- 8.8	10.0	16	-21.2	23	21 1.1	25 1.6	55 1.0	2 1.0	85 1.1	12 1.2	195 1.2	13 1.2	0
III			- 3.9	2.5	0.1	- 1.5		- 6.4	14.3	28	-24.8	15	7 1.1	105 1.2	115 1.2	35 1.0	45 1.4	215 1.4	235 1.1	11 1.1	0
IV			6.4	12.2	9.0	7.3		1.9	18.1	15	- 6.0	13	7 1.5	3 2.7	25 1.0	15 1.0	30 1.4	15 1.6	17 1.7	14 1.5	0
V			10.4	16.1	14.5	10.8		3.4	27.6	28	- 2.3	9	10 1.7	55 1.7	155 1.6	13 1.3	245 1.3	155 1.3	65 1.6	25 2.0	0
VI			12.9	17.2	15.1	13.3		8.5	24.5	23	4.1	19	35 1.4	25 1.8	5 1.3	35 1.1	25 1.4	30 1.6	195 1.6	1 2.0	0
VII			17.0	21.0	19.7	17.1		11.8	25.5	13	7.2	12	2 2.2	1 1.5	3 2.3	65 1.3	175 1.6	235 1.7	345 1.6	5 1.5	0
VIII			13.5	18.2	16.1	14.0		9.0	24.1	5	5.7	19	4 1.9	25 1.2	15 2.3	45 2.1	205 1.5	22 1.4	30 1.3	8 1.4	0
IX			10.1	14.8	12.3	11.1		6.8	19.5	4	- 0.8	30	6 1.2	2 1.0	0 -	3 1.7	22 1.4	275 1.5	16 1.7	135 1.6	0
X			0.7	7.2	3.6	2.9		- 1.8	15.1	16	- 8.6	23	325 1.2	11 1.3	4 1.2	5 1.1	45 1.7	95 1.2	3 1.2	235 1.4	0
XI			0.8	2.9	1.7	1.5		- 1.3	10.1	12	-12.0	16	85 1.0	13 1.3	7 1.3	35 1.1	4 1.1	225 1.6	21 2.3	105 1.6	0
XII			- 2.2	- 0.6	- 1.4	- 1.5		- 3.5	6.4	23	-18.0	21	135 1.3	10 1.4	17 1.6	55 1.9	5 1.5	235 1.5	11 1.5	75 1.2	
1946			4.3	8.7	6.7	5.3		0.8	27.6		-24.8		131 1.3	66 1.4	745 1.4	625 1.3	177 1.4	2495 1.5	2155 1.5	119 1.4	0

1946

Tryvasshøgda

H_s = 512 H_b = h_t = 2.1 h_a = h_d = 20.3 h_r = 2.0

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n																										
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥0.1	R ≥1.0	R ≥10.0	F ≥6	F ≥8	F ≥9	●	*	⁑	❟	*	△	▲	℞	〓	≡	⊙	◔	●	⊞
I	82	78	82	81	5.9	6.9	6.4	49	16	30	30		6		17	10	1	3	0	0	2	15	1	1	0	0	0	0	2	17	14	8	16	31
II	83	75	80	80	7.3	6.5	4.8	67	19	8	27		10		15	8	3	6	0	0	1	15	1	0	0	0	0	0	7	11	18	5	11	28
III	82	67	77	78	6.7	6.3	6.4	34	7	9	26		5		16	9	0	2	0	0	3	13	0	0	0	0	0	0	11	6	21	3	13	31
IV	77	59	64	71	6.2	6.7	5.5	10	6	18	13		0		9	3	0	5	0	0	7	3	0	1	0	2	0	0	2	11	25	3	9	20
V	66	49	53	63	4.0	4.9	3.9	20	9	3	3		0		2	2	0	1	0	0	7	3	1	0	0	1	0	0	1	3	27	11	4	0
VI	74	60	67	75	7.5	7.8	6.4	172	45	10	0		0		16	13	5	4	0	0	16	0	0	2	0	0	0	0	0	17	22	2	15	0
VII	78	65	72	78	5.7	7.0	6.5	66	15	28	0		0		15	11	2	0	0	0	15	0	0	1	0	1	0	4	1	11	26	2	9	0
VIII	86	68	78	83	6.8	6.5	5.6	198	54	11	0		0		18	11	6	1	0	0	17	0	0	1	0	0	0	1	1	16	26	0	9	0
IX	91	78	87	87	7.1	7.2	6.6	242	52	20	0		0		19	13	8	1	0	0	19	0	0	6	0	0	0	0	0	25	20	3	12	0
X	72	63	71	71	4.7	4.9	3.0	57	53	5	12		0		5	2	1	1	0	0	3	3	1	0	0	0	0	0	4	5	26	11	6	2
XI	89	88	88	88	8.3	8.6	8.3	145	26	3	18		0		22	18	7	2	0	0	16	10	2	8	0	0	0	0	0	20	7	2	23	9
XII	93	93	93	93	8.5	8.6	8.1	150	21	11	31		3		27	19	7	1	0	0	9	23	2	7	0	0	0	0	3	23	6	4	24	31
1946	81	70	76	79	6.6	6.8	6.0	1210	54		160		24		181	119	40	27	0	0	115	85	8	27	0	4	0	5	32	165	238	54	151	152

Oslo (Blindern)

H_s = 94 H_b = 95.6 h_t = 2.0 h_a = 25.2 h_d = 25.6 h_r = 1.5

I	89	84	86	87	7.2	7.5	6.5	39	15	30	29	18	6	0	12	8	1	1	0	0	5	9	1	2	0	0	0	0	13	16	13	6	18	28
II	82	71	77	78	8.3	6.9	5.7	61	21	20	25	13	9	0	13	7	2	5	0	0	5	13	3	2	0	0	0	0	11	7	21	2	13	28
III	89	69	71	78	7.5	6.4	6.8	24	5	3	28	12	6	0	14	7	0	1	0	0	5	10	0	2	0	0	0	0	19	11	20	1	16	29
IV	78	57	58	69	7.1	7.3	6.9	6	5	18	6	0	0	0	5	2	0	0	0	0	4	1	0	2	0	1	0	0	11	4	28	0	15	1
V	67	46	47	61	4.8	5.8	4.6	15	6	3	1	0	0	5	6	3	0	1	0	0	6	0	0	1	0	0	0	0	6	1	30	6	10	0
VI	76	63	68	76	7.9	8.0	7.0	120	38	10	0	0	0	0	17	13	3	2	0	0	17	0	0	2	0	0	0	2	6	0	28	0	16	0
VII	72	58	63	70	6.3	7.2	6.4	51	16	28	0	0	0	6	16	11	2	0	0	0	16	0	0	0	0	0	0	6	7	0	31	0	10	0
VIII	82	62	71	77	7.5	7.3	6.7	137	37	11	0	0	0	0	14	10	4	1	0	0	14	0	0	1	0	0	0	5	10	0	29	0	12	0
IX	91	70	82	84	7.6	7.7	7.0	145	33	2	0	0	0	0	15	12	6	1	0	0	15	0	0	3	0	0	0	0	15	5	22	2	16	0
X	87	63	77	78	5.3	4.6	3.7	34	31	5	10	0	0	0	3	2	1	1	0	0	3	0	0	2	0	0	0	0	12	13	28	10	6	0
XI	89	83	85	86	8.4	8.5	8.1	98	15	7	14	4	0	0	21	15	4	1	0	0	16	7	2	1	0	0	0	0	15	8	13	2	21	5
XII	93	91	92	92	9.0	9.2	8.2	82	12	11	13	8	5	0	23	17	1	0	0	0	21	15	11	8	0	0	0	0	16	12	4	2	26	15
1946	83	68	73	78	7.2	7.2	6.5	812	38		126	55	26	11	159	107	24	14	0	0	127	55	17	26	0	1	0	13	141	77	267	31	179	106

Asker

H_s = 157 H_b = h_t = 1.9 h_a = h_d = h_r = 2.0

I					6.0	6.1	6.7	52	16	30	30	21	11	0	10	7	2	0	0	0	1	10	0	1	0	0	0	0	4	11	10	9	18	31
II					6.8	5.8	5.6	68	17	20	26	14	10	0	12	7	3	2	0	0	2	12	1	2	0	0	0	0	7	7	18	6	12	28
III					6.6	5.7	5.3	49	15	8	28	13	8	0	13	8	1	0	0	0	3	10	0	0	0	0	0	0	10	12	19	8	15	31
IV					5.1	5.8	5.2	5	2	18	7	0	0	0	7	2	0	0	0	0	5	2	0	4	0	1	0	0	9	3	26	4	9	6
V					3.1	3.5	2.4	32	18	15	1	0	0	4	8	4	1	0	0	0	8	0	1	1	0	0	0	1	16	0	30	16	4	0
VI					6.5	7.6	5.1	129	35	10	0	0	0	0	14	11	5	0	0	0	14	0	0	3	0	0	0	0	13	1	23	3	11	0
VII					5.0	6.2	5.6	56	26	28	0	0	0	4	13	8	1	0	0	0	13	0	0	3	0	0	0	6	13	2	29	2	5	0
VIII					5.9	5.4	4.8	244	64	14	0	0	0	0	15	14	6	1	0	0	15	0	0	0	0	0	0	4	16	19	27	4	6	0
IX					7.1	7.0	5.5	215	54	2	0	0	0	0	15	13	7	0	0	0	15	0	0	1	0	0	0	1	15	5	19	3	9	0
X					3.4	3.8	3.4	48	46	5	9	0	0	0	4	2	1	0	0	0	4	0	0	2	0	0	0	0	11	1	27	14	4	0
XI					8.0	8.1	8.3	126	27	3	13	4	0	0	19	14	4	0	0	0	14	8	0	10	0	0	0	0	16	5	6	3	23	9
XII					9.0	8.7	8.1	145	25	9	20	11	5	0	21	18	8	0	0	0	15	16	7	9	1	0	0	0	18	13	5	3	25	26
1946					6.0	6.1	5.5	1169	64		134	63	34	8	151	108	39	3	0	0	109	58	9	36	1	1	0	12	148	79	239	75	141	131

Dikemark

H_s = 180 H_b = h_t = 2.0 h_a = 15.3 h_d = 15.0 h_r = 2.0

I	87	86	87	87	5.5	6.5	6.5	45	15	30	31	19	12	0	11	9	1	0	0	0	3	9	1	0	0	0	0	0	0	0	10	8	15			
II	84	65	73	76	6.6	5.5	5.6	65	17	20	27	12	14	0	10	7	3	1	1	0	1	10	1	0	0	0	0	0	0	2	14	7	12			
III	88	68	77	80	6.7	5.1	5.4	60	17	8	28	13	10	0	13	10	3	0	0	0	3	10	0	1	0	0	0	0	0	5	16	10	14			
IV	75	56	63	69	5.6	5.3	4.1	6	2	18	15	0	0	0	6	3	0	0	0	0	3	2	0	1	0	1	0	0	0	2	25	5	5			
V	66	48	50	61	3.5	3.0	2.5	49	26	15	3	0	0	3	5	4	2	0	0	0	5	0	0	1	0	0	0	0	0	0	27	15	3			
VI	75	66	70	75	6.1	5.9	5.2	89	18	12	0	0	0	0	13	10	3	0	0	0	13	0	0	3	0	0	0	0	0	0	24	7	8			
VII	73	62	69	74	4.5	5.5	5.0	82	15	4	0	0	0	1	14	11	2	0	0	0	14	0	0	1	0	0	0	2	0	1	28	2	4			
VIII	84	67	77	82	5.6	5.4	4.1	226	63	14	0	0	0	0	16	11	6	0	0	0	16	0	0	0	0	0	0	1	0	1	27	6	4			
IX	92	73	85	86	7.2	6.3	4.8	252	68	2	0	0	0	0	17	15	7	0	0	0	17	0	0	2	0	0	0	0	0	6	19	5	10			
X	91	64	88	85	3.6	4.3	3.5	42	42	5	16	0	0	0	3	1	1	0	0	0	3	1	1	1	0	0	0	0	0	6	27	12	4			
XI	90	83	87	87	7.6	7.8	7.5	118	26	3	16	4	1	0	20	16	3	0	0	0	15	8	1	6	0	0	0	0	0	8	5	3	18			
XII	93	92	95	95	8.7	8.2	8.1	173	24	9	8	19	2	0	22	16	7	0	0	0	15	15	8	2	0	0	0	0	0	19	5	4	24			
1946	83	69	77	80	5.9	5.7	5.2	1207	68		144	67	39	4	150	113	38	1	1	0	108	55	12	18	0	1	0	3	0	50	227	84	121			

Modum

H_s = 133 H_b = h_t = 2.0 h_a = h_d = 6.6 h_r = 1.3

I					6.2	6.2	6.2	14	6	12	30		12		7	4	0	0	0	0	3	4	0	3	0	0	0	0	0	1	15	7	15	31			
II					6.7	5.9	6.2	45	13	4	27		12		8	7	2	0	0	0	0	8	0	0	0	0	0	0	1	3	16	3	10	28			
III					6.8	6.1	6.1	37	19	8	27		7		12	7	1	0	0	0	5	9	0	3	0	0	0	0	0	9	17	4	14	31			
IV					5.8	6.0	5.7	7	4	18	7		0		5	3	0	0	0	0	3	2	0	0	0	0	0	0	1	28	3	9	4			
V					4.1	3.8	3.4	9	3	15	6		0		8	4	0	0	0	0	8	0	0	0	0	0	0	4	0	0	30	13	4	0			
VI					6.1	6.9	6.2	93	30	10	0		0		13	10	3	0	0	0	13	0	0	2	0	0	0	0	0	1	26	2	10	0			
VII					5.1	6.2	6.3	60	11	28	0		0		13	10	2	0	0	0	13	0	0	0	0	0	0	5	0	1	30	0	6	0			
VIII					6.6	6.3	5.8	149	52	14	0		0		16	12	5	0	0	0	16	0	0	2	0	0	0	5	0	5	25	1	7	0			
IX					7.1	6.1	6.2	167	43	2	1		0		15	14	5	0	0	0	15	0	0	2	0	0	0	0	0	7	23	2	9	0			
X					6.8	5.1	4.1	6	3	5	21		0		3	3	0	0	0	0	3	0	0	1	0	0	0	0	0	9	26	4	6	0			
XI					7.6	8.0	8.9	81	18	1	16		2		16	13	3	0	0	0	14	6	0	8	0	0	0	0	0	4	11	2	19	7			
XII					9.2	9.5	9.4	66	10	11	17		7		18	14	0	0	0	0	11	13	5	0	0	0	0	0	0	6	3	0	26	17			
1946					6.5	6.3	6.2	734	52		152		40		134	101	21	0	0	0	104	42	5	21	0	0	0	14	1	47	250	41	135	118			

1946

Nesbyen

Nesbyen II

φ = 60° 34′ N λ = 9° 6′ E g = ΔG = + 1h

φ = 60° 34′ N λ = 9° 8′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-11.0	- 9.6	-10.5	-10.9		-15.0	4.8	5	-30.2	2	5	1.2	3	1.1	4	1.1	7	2.0	9	1.9	12	1.6	3	2.3	11	1.8	36
II			-10.0	- 4.5	- 6.9	- 7.8		-12.7	9.3	14	-25.9	27	6	1.9	2	1.0	2	1.0	1	2.3	4	1.1	10	1.5	10	1.5	23	2.7	23
III			- 7.1	2.3	- 0.6	- 3.1		- 8.8	12.4	30	-24.5	15	3	1.7	1	1.0	0	-	1	1.0	9	1.0	4	1.6	6	1.1	14	1.5	54
IV			4.8	11.7	9.5	6.8		1.4	18.6	27	- 7.6	13	10	2.0	3	1.9	1	2.0	2	1.2	11	1.6	4	1.9	5	1.5	31	2.0	22
V			8.6	17.1	15.4	10.2		2.1	28.2	28	- 3.5	11	4	2.0	0	3.0	0	-	7	1.7	25	2.1	6	2.0	1	1.7	24	2.8	24
VI			12.5	17.6	16.7	13.3		7.6	26.7	23	0.8	16	5	2.4	0	1.0	2	2.0	11	2.2	23	2.3	1	3.0	8	2.5	18	2.5	19
VII			15.5	21.7	21.1	16.7		10.2	25.8	18	3.6	1	4	2.0	0	1.0	0	1.0	12	2.3	27	2.1	3	2.3	6	2.2	13	2.0	26
VIII			11.3	18.5	16.2	13.3		8.2	24.1	5	3.8	22	1	2.0	1	4.0	1	1.0	7	2.1	25	2.0	2	2.0	1	3.0	4	2.0	49
IX			7.1	14.0	11.7	9.5		5.5	19.5	12	- 2.3	30	3	2.7	0	-	3	2.4	8	2.1	10	1.7	0	1.0	4	1.8	5	2.2	55
X			- 2.4	6.1	1.2	0.8		- 3.3	15.6	16	- 9.6	26	4	1.4	0	-	1	2.0	1	2.5	15	1.5	1	1.0	4	1.1	7	1.4	59
XI			- 2.7	- 0.9	- 1.4	- 2.0		- 4.7	7.4	12	-15.6	15	1	2.0	1	1.0	0	-	3	1.3	10	1.3	0	-	0	-	3	2.0	72
XII			- 4.9	- 4.2	- 5.2	- 5.0		- 7.5	4.5	23	-22.4	16	6	1.1	0	-	0	-	4	1.7	4	2.1	0	-	1	1.5	2	1.4	74

Geilo

φ = 60° 32′ N λ = 8° 13′ E g = ΔG = + 1h

I			- 8.0	- 5.3	- 7.0	- 7.1		-10.3	2.7	16	-21.2	1	0	-	0	-	13	2.2	0	-	1	2.0	2	4.0	28	3.0	3	1.7	46
II			- 9.2	- 5.5	- 7.6	- 7.9		-11.5	4.5	15	-24.5	23	2	3.5	1	4.0	7	1.1	1	2.0	0	-	1	4.0	23	3.3	6	4.7	42
III			- 5.8	- 1.3	- 3.9	- 4.6		- 8.4	7.1	27	-23.6	15	1	5.0	1	4.0	19	2.5	1	3.0	0	-	7	2.3	31	2.4	1	2.0	32
IV			1.9	4.8	3.2	2.3		- 0.8	10.9	27	- 8.0	13	2	3.0	0	-	1	1.0	3	2.0	1	1.0	6	2.5	66	3.2	1	4.0	10
V			6.3	10.5	9.5	6.5		0.7	19.5	28	- 6.3	6	2	4.5	0	-	12	2.6	9	2.7	4	1.8	3	3.0	36	2.5	2	5.5	25
VI			8.8	11.5	10.3	8.6		4.6	20.1	24	- 1.1	16	2	2.0	0	-	21	2.4	0	-	3	2.3	3	2.7	37	2.8	4	3.0	20
VII			12.3	15.3	14.2	12.1		7.3	21.6	4	2.2	11	1	4.0	1	2.0	4	2.0	5	2.8	5	2.8	11	2.8	30	2.9	3	3.7	33
VIII			9.3	13.4	11.7	9.9		5.6	19.1	22	9.5	7	0	-	0	-	11	2.2	2	2.0	3	2.3	12	2.7	19	2.5	3	2.3	43
IX			6.2	10.4	8.1	7.3		4.1	14.9	4	- 1.9	30	0	-	0	-	5	1.7	2	1.8	3	3.0	7	2.4	34	2.4	0	-	38
X			- 0.2	6.3	2.5	2.2		- 1.5	15.3	10	- 8.0	21	3	4.0	0	-	6	2.2	1	3.0	3	2.7	2	2.5	25	2.2	2	3.2	50
XI			- 2.3	- 0.5	- 1.9	- 1.9		- 5.0	6.9	6	-16.3	20	1	4.3	0	-	17	2.3	3	2.0	3	3.0	6	3.0	17	2.2	1	3.7	40
XII			- 4.9	- 4.2	- 4.8	- 4.8		- 7.7	2.8	23	-22.0	16	0	-	0	-	29	2.7	0	-	1	1.0	1	1.0	23	2.7	0	-	39
1946			1.2	4.6	2.9	1.9		- 1.9	21.6		-24.5		15	3.7	3	3.3	145	2.3	27	2.4	27	2.4	61	2.7	370	2.8	27	3.5	418

Haugastøl

φ = 60° 31′ N λ = 7° 52′ E g = ΔG = + 1h

I			- 8.9	- 7.8	- 8.6	- 8.8		-13.4	0.0	5	-27.7	2	3	2.7	0	-	4	3.8	8	2.2	1	1.0	1	2.0	24	3.8	10	1.6	40
II			- 9.5	- 7.4	- 8.9	- 9.1		-13.5	2.8	15	-28.5	23	3	2.6	4	1.7	3	2.3	10	1.9	0	1.0	1	4.0	15	2.5	26	3.7	20
III			- 8.0	- 4.0	- 6.3	- 7.0		-10.9	4.8	27	-29.9	15	4	2.2	3	3.0	13	3.3	7	2.8	0	-	0	3.0	28	2.6	9	2.9	27
IV			- 0.3	2.0	1.1	0.0		- 2.8	8.4	27	-11.2	13	1	3.0	0	-	0	3.0	3	2.0	2	1.4	1	4.3	48	3.1	18	4.0	15
V			3.2	7.4	6.6	3.9		- 0.9	18.0	29	- 7.3	6	3	3.8	3	4.3	3	2.2	10	1.8	2	2.2	11	1.9	30	2.5	10	2.1	18
VI			6.7	9.3	8.2	6.8		3.5	16.2	24	- 1.5	14	1	2.0	1	1.0	4	2.3	17	2.4	3	1.7	5	2.8	40	2.4	12	2.7	5
VII			10.3	12.9	12.0	10.4		7.2	19.0	13	2.5	11	3	2.2	1	4.0	8	2.4	21	2.3	6	1.9	1	2.7	27	2.2	8	3.1	16
VIII			8.0	11.2	10.4	8.7		5.4	17.8	22	2.1	9	1	1.0	0	-	14	2.0	18	2.2	6	1.3	6	1.1	21	2.1	15	2.7	10
IX			5.4	8.5	7.5	6.3		3.6	13.3	4	- 1.4	30	1	2.7	1	1.0	5	2.1	8	1.8	11	1.6	8	1.8	21	2.0	20	1.6	14
X			- 0.2	4.7	1.8	1.5		- 1.8	13.3	10	- 7.5	26	4	1.1	6	1.1	2	1.8	10	1.7	0	-	7	1.2	32	2.2	19	2.5	12
XI			- 2.8	- 1.9	- 2.9	- 2.8		- 5.8	4.6	6	-19.0	20	9	1.6	0	-	3	1.9	24	2.3	1	2.0	7	2.1	13	1.9	10	1.8	21
XII			- 6.3	- 5.9	- 5.9	- 6.5		- 9.2	0.8	23	-25.0	16	2	2.0	2	1.6	8	2.4	35	3.2	0	3.0	6	2.2	12	2.2	3	2.0	23
1946			- 0.2	2.4	1.2	0.3		- 3.2	19.0		-29.9		37	2.2	22	2.1	71	2.5	174	2.4	34	1.7	57	2.0	314	2.2	163	2.7	221

Dagali

φ = 60° 25′ N λ = 8° 26′ E g = ΔG = + 1h

I			- 7.3	- 6.0	- 6.8	- 7.0		-10.0	1.6	16	-22.6	23	0	-	0	-	8	1.0	10	1.0	1	1.0	4	1.1	24	2.1	19	1.7	25
II			- 8.6	- 5.7	- 7.6	- 8.1		-11.3	4.0	15	-25.3	23	0	-	1	1.0	4	1.2	4	1.2	0	-	4	1.0	37	2.3	12	1.2	21
III			- 5.9	- 2.2	- 4.8	- 5.1		- 8.5	6.4	29	-21.0	15	0	-	0	-	7	1.0	6	1.0	1	1.0	9	1.8	45	1.5	10	1.5	15
IV			0.9	4.0	2.0	1.3		- 2.0	10.4	27	- 9.9	6	0	-	0	-	0	-	8	1.2	1	1.3	16	1.9	62	2.2	1	1.0	1
V			5.6	9.7	8.1	5.7		0.4	18.7	28	- 6.1	6	0	-	0	-	4	1.0	25	1.3	1	1.0	17	1.2	38	1.5	25	1.0	5
VI			8.2	10.9	9.4	7.9		3.9	19.7	24	- 0.9	14	0	-	1	1.0	9	1.3	17	1.3	3	1.3	19	1.7	33	1.6	0	1.0	5
VII			11.7	14.5	13.4	11.6		7.4	21.1	4	2.5	1	0	-	0	-	8	1.2	18	1.7	5	2.2	17	1.5	35	1.4	2	1.0	6
VIII			8.4	12.6	10.5	9.1		5.5	17.7	5	2.8	9	0	-	5	1.0	6	1.3	31	1.5	3	1.7	11	1.7	32	1.4	2	1.0	1
IX			5.9	9.5	7.7	6.8		3.8	14.0	7	- 1.5	30	0	-	1	1.0	6	1.2	17	1.3	2	1.6	8	1.5	37	1.6	11	1.2	7
X			+ 0.3	5.8	2.4	1.9		- 1.7	15.4	10	- 8.0	24	0	-	3	1.0	3	1.3	14	1.1	0	2.0	7	1.3	24	1.3	32	1.3	6
XI			- 2.6	- 1.1	- 2.7	- 2.4		- 5.5	5.8	6	-16.9	15	0	-	0	-	10	1.2	14	1.6	1	2.0	8	1.4	32	1.3	12	1.4	12
XII			- 5.2	- 4.6	- 5.4	- 5.3		- 7.8	2.8	23	-21.1	16	0	-	0	-	16	1.3	20	1.2	0	1.0	6	1.3	21	1.2	6	1.5	23
1946			0.9	4.0	2.2	1.4		- 2.2	21.1		-25.3		0	-	11	1.0	82	1.2	186	1.3	21	1.6	129	1.5	422	1.7	111	1.4	131

Svene

φ = 59° 46′ N λ = 9° 35′ E g = ΔG = + 1h

I			- 8.1	- 5.2	- 7.9	- 7.6		-11.7	3.4	5	-29.4	1	14	1.5	1	1.0	0	-	11	1.6	9	2.1	0	1.0	7	1.1	35	1.4	14
II			- 8.5	- 1.9	- 5.0	- 5.7		-11.5	9.3	16	-28.9	26	19	2.1	1	1.6	1	2.0	6	1.5	11	1.7	0	-	3	2.2	30	2.2	12
III			- 6.8	3.4	- 0.9	- 2.8		- 8.9	12.4	30	-30.8	15	20	1.7	0	-	0	1.0	9	1.5	12	1.7	1	1.0	2	1.2	37	1.4	13
IV			4.0	10.9	8.8	5.7		- 0.8	18.1	15	- 7.5	13	21	2.3	2	1.5	1	1.0	14	1.8	21	2.0	3	2.3	4	2.6	16	2.4	6
V			8.6	15.3	14.7	9.5		1.2	25.5	28	- 4.0	8	18	2.1	7	1.8	8	1.5	15	2.2	19	2.3	1	1.5	1	3.0	21	2.1	4
VI			12.2	15.8	15.3	12.1		6.6	24.0	23	1.9	13	16	2.0	3	1.0	3	1.3	24	2.3	20	2.3	0	-	0	-	13	2.0	9
VII			15.7	20.3	19.4	16.1		10.1	25.3	8	3.9	1	10	2.0	3	1.0	7	1.0	27	2.0	29	2.4	0	-	0	2.0	13	2.4	2
VIII			11.8	17.7	15.4	13.2		8.4	22.4	22	4.1	19	17	1.9	4	1.7	2	1.0	19	2.1	28	2.2	2	1.2	0	2.0	11	1.8	8
IX			7.5	14.6	10.7	9.7		5.7	19.8	28	- 1.2	30	13	1.9	2	1.8	1	1.5	21	1.6	33	1.8	0	1.0	0	3.0	12	1.7	6
X			- 1.6	8.6	1.8	1.9		- 2.8	17.8	11	-10.1	23	19	1.9	0	-	3	1.4	5	1.8	13	2.1	2	1.6	7	1.5	34	1.9	7
XI			0.1	2.4	0.5	0.6		- 2.2	9.1	12	-12.3	15	18	2.4	2	1.5	0	2.0	7	1.7	28	2.0	1	1.0	3	1.8	29	2.0	1
XII			- 3.2	- 2.4	- 3.4	- 3.1		- 5.4	• 4.8	23	-20.8	21	14	2.0	3	1.3	0	1.0	9	2.0	15	2.0	1	1.3	3	1.0	43	1.8	2
1946			2.6	8.3	5.8	4.1		- 0.9	25.5		-30.8		201	2.0	30	1.5	29	1.3	170	1.9	240	2.1	13	1.5	33	1.7	298	1.9	79

1946

Nesbyen

H_s = 164 H_b = h_t = 2.0 h_a = h_d = 11 h_r = 1.7

Nesbyen II

H_s = 165 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn ●	Snø *	Sludd ⁂	Yr ୨	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær ⛈	Tåkedis 〓	Tåke ≡	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ▦
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9															
I	87	85	88	87	6.5	6.9	5.8	13	3	24	31		18		14	5	0	2	0	0	3	12	1	1	0	0	0	0	10	0	1	6	16	31
II	85	68	77	79	8.3	7.4	6.4	27	5	2	26		18		14	7	0	1	0	0	0	14	0	0	0	0	0	0	11	1	9	1	15	28
III	88	56	68	75	6.4	6.6	5.6	11	4	8	29		10		10	5	0	0	0	0	0	10	0	0	0	0	0	0	3	5	25	4	12	31
IV	74	47	52	64	6.8	6.6	6.5	1	1	5	11		0		3	1	0	0	0	0	3	0	0	1	0	0	0	0	1	2	26	1	9	0
V	70	38	42	61	4.0	5.9	5.5	24	14	31	11		0		8	5	1	1	0	0	8	1	1	0	0	1	0	2	2	1	30	4	6	0
VI	75	51	54	70	7.4	8.5	7.2	56	18	10	0		0		12	9	1	4	0	0	12	0	0	0	0	1	0	0	8	1	28	0	14	0
VII	72	49	50	64	6.6	7.9	6.9	29	11	5	0		0		10	4	1	0	0	0	10	0	0	0	0	0	0	2	1	1	31	1	11	0
VIII	88	58	70	81	7.3	7.8	8.0	91	18	11	0		0		19	14	4	0	0	0	19	0	0	0	0	0	0	2	7	0	28	0	17	0
IX	95	69	78	84	8.7	7.6	6.1	83	26	2	5		0		20	15	2	0	0	0	20	0	0	3	0	0	0	1	10	8	21	2	16	0
X	94	69	87	86	6.4	5.5	4.8	20	16	5	27		0		5	2	1	0	0	0	4	1	0	1	0	0	0	0	3	6	26	4	9	0
XI	94	90	90	92	8.0	8.0	7.8	41	8	7	23		4		20	10	0	0	0	0	12	11	3	3	0	0	0	0	11	6	10	4	20	16
XII	92	91	91	91	8.2	8.3	7.4	25	4	26	27		8		20	10	0	0	0	0	4	17	1	0	0	0	0	0	12	3	6	4	22	31

Geilo

H_s = 795 H_b = h_t = 1.9 h_a = h_d = h_r = 2.6

I					5.8	6.0	5.6	28	6	5	31		13		15	8	0	5	1	0	2	14	1	3	0	0	0	0	11	0	14	8	13	31
II					7.5	6.2	5.5	45	8	5	27		14		16	12	0	5	3	0	2	15	0	0	0	0	0	0	4	0	13	4	11	28
III					6.2	5.1	5.3	18	4	18	26		10		12	7	0	1	0	0	4	10	2	0	0	0	0	0	2	0	20	4	9	31
IV					6.6	5.7	5.7	10	6	5	17		0		7	2	0	11	1	1	3	4	1	0	0	0	0	0	1	0	18	1	6	16
V					4.3	4.4	4.1	30	9	15	13		0		8	6	0	4	0	0	5	6	5	0	0	0	0	2	0	1	28	7	3	0
VI					7.0	7.2	6.0	73	22	10	3		0		18	10	2	2	0	0	18	0	0	0	0	0	0	0	1	0	21	1	8	0
VII					6.3	7.3	6.6	48	15	5	0		0		13	8	2	3	0	0	13	0	0	0	0	0	0	1	2	0	24	1	12	0
VIII					6.4	7.3	7.7	61	15	14	0		0		18	9	3	1	0	0	18	0	0	0	0	0	0	0	2	0	21	0	11	0
IX					7.3	6.8	6.7	82	15	14	2		0		19	12	2	1	0	0	19	0	0	2	0	0	0	0	5	0	16	2	11	0
X					4.6	4.5	4.3	28	22	5	21		0		6	3	1	4	0	0	2	5	1	0	0	0	0	0	2	1	21	10	5	0
XI					7.9	7.5	6.2	60	14	28	25		5		18	15	1	2	0	0	9	14	5	0	0	0	0	0	5	1	9	3	17	21
XII					7.6	7.9	7.7	33	4	5	30		8		22	13	0	0	0	0	0	22	0	0	0	0	0	0	10	1	0	5	21	31
1946					6.5	6.3	6.0	516	22		195		50		172	105	11	39	4	1	95	90	15	5	0	0	0	3	45	4	205	46	127	158

Haugastøl

H_s = 990 H_b = h_t = 2,0 h_a = h_d = 7.8 h_r = 2.4

I	77	76	78	77	5.9	6.3	6.2	48	10	6	31		18		17	11	1	3	1	1	1	17	0	0	0	0	0	0	11	2	15	7	12	31
II	80	76	76	77	7.8	6.9	6.0	58	10	16	27		14		17	15	1	4	0	0	1	17	0	2	0	0	0	0	14	0	19	3	11	28
III	80	71	77	77	6.9	6.1	6.0	21	4	18	29		16		14	7	0	2	0	0	2	12	0	2	0	0	0	0	5	2	24	4	12	31
IV	80	70	73	75	7.4	6.0	6.1	19	9	5	25		1		9	6	0	2	1	0	2	7	0	4	0	0	0	0	3	1	26	1	10	15
V	65	51	51	60	4.4	4.5	4.0	19	6	15	17		0		7	5	0	0	0	0	3	4	0	0	0	0	0	2	3	2	30	7	3	4
VI	72	61	66	71	6.4	7.1	6.9	67	19	10	2		0		15	12	3	0	0	0	15	2	2	0	0	0	0	0	8	0	28	0	11	0
VII	74	62	67	73	6.9	7.1	6.8	36	10	5	0		0		14	9	1	0	0	0	14	0	0	0	0	0	0	1	5	0	29	0	12	0
VIII	83	62	70	78	6.9	6.8	7.1	56	20	11	0		0		15	9	1	1	0	0	15	0	0	1	0	0	0	0	4	0	25	0	11	0
IX	87	72	74	79	7.4	7.2	6.7	99	14	2	2		0		21	17	3	0	0	0	21	2	2	0	0	0	0	0	2	0	21	3	14	0
X	78	64	73	73	5.5	4.5	4.1	23	16	5	22		0		3	3	1	0	0	0	2	3	3	0	0	0	0	0	1	0	25	8	7	0
XI	87	84	86	86	8.4	7.3	7.5	60	14	28	27		6		21	16	2	0	0	0	11	19	5	0	0	0	0	0	13	0	8	1	17	27
XII	87	86	86	86	7.5	7.6	7.5	27	4	26	31		9		19	12	0	0	0	0	0	19	0	0	0	0	0	0	17	0	9	2	18	31
1946	79	70	73	76	6.8	6.4	6.2	533	20		213		64		172	122	13	12	2	1	87	102	12	9	0	0	0	3	86	7	259	36	138	167

Dagali

H_s = 887 H_b = h_t = 2.0 h_a = h_d = 11.2 h_r = 1.1

I	77	73	76	76	5.6	6.1	5.6	21	4	12	31		15		14	8	0	1	0	0	1	14	0	0	0	0	0	0	2	2	20	8	11	31
II	82	72	78	73	8.0	6.9	5.5	37	8	3	27		15		18	10	0	2	0	0	1	18	0	0	0	0	0	0	2	0	17	4	12	28
III	82	71	80	79	7.3	5.8	5.8	26	6	8	28		13		15	7	0	0	0	0	3	14	1	0	0	0	0	0	0	0	24	3	13	31
IV	79	67	77	78	7.2	6.4	6.5	4	2	5	21		0		8	1	0	3	0	0	3	6	0	0	0	0	0	0	0	0	26	1	11	24
V	70	50	54	66	4.2	5.3	4.8	23	8	15	16		0		8	6	0	0	0	0	2	7	1	0	0	0	0	3	1	0	29	9	4	5
VI	74	62	67	74	6.9	7.8	6.0	56	19	10	2		0		19	9	1	0	0	0	19	0	0	0	0	0	0	1	0	1	25	1	9	0
VII	76	63	68	75	6.8	7.7	7.1	45	22	5	0		0		13	9	1	0	0	0	13	0	0	0	0	0	0	2	3	0	28	0	13	0
VIII	87	62	74	81	6.7	7.5	7.8	73	16	14	0		0		21	11	2	1	0	0	21	0	0	0	0	0	0	0	4	1	25	0	13	0
IX	88	70	77	81	7.1	7.6	6.4	63	19	2	2		0		19	11	1	0	0	0	19	0	1	0	0	0	0	1	7	0	21	2	14	0
X	81	63	72	74	5.4	4.9	4.4	14	11	5	20		0		6	2	1	0	0	0	3	5	2	0	0	0	0	0	0	1	26	10	7	11
XI	88	81	85	86	8.2	7.8	7.8	44	7	3	26		5		21	12	0	0	0	0	7	16	1	0	0	0	0	0	10	0	14	2	19	23
XII	88	85	86	87	7.5	8.1	7.7	32	4	10	30		8		24	10	0	0	0	0	0	24	0	0	0	0	0	0	17	0	10	4	20	31
1946	81	68	74	78	6.7	6.8	6.3	438	22		203		56		186	96	6	7	0	0	92	104	6	0	0	0	0	7	46	5	265	44	146	184

Svene

H_s = 176 H_b = h_t = 1.9 h_a = h_d = 8.5 h_r = 1.6

I	84	82	89	86	5.9	6.8	6.3	31	6	12	31		12		13	8	0	2	0	0	6	9	1	2	0	0	0	0	7	5	13	7	15	31
II	84	68	79	79	7.6	7.4	5.9	41	9	3	27		13		15	8	0	5	3	2	1	15	1	0	0	0	0	0	3	2	15	1	13	28
III	90	56	72	78	7.1	6.6	6.2	39	11	9	29		10		14	9	1	0	0	0	3	11	1	0	0	0	0	0	5	1	22	4	15	31
IV	76	46	52	64	6.6	6.9	6.0	6	4	18	16		0		7	1	0	1	0	0	7	1	0	1	0	0	0	1	1	2	27	1	10	3
V	56	42	43	60	5.0	5.9	4.0	37	13	31	10		0		10	4	2	0	0	0	10	1	1	0	0	0	0	3	1	3	30	5	5	0
VI	69	56	59	67	7.0	8.7	7.0	96	27	10	0		0		17	14	3	1	0	0	17	0	0	1	0	0	0	4	8	2	25	0	12	0
VII	71	54	58	67	6.3	7.6	6.8	86	19	6	0		0		14	10	4	1	0	0	14	0	0	0	0	0	0	5	0	7	28	0	11	0
VIII	86	58	72	80	7.2	7.5	6.7	186	47	14	0		0		19	13	6	1	0	0	19	0	0	0	0	0	0	3	2	18	27	0	11	0
IX	94	64	84	86	8.7	6.9	6.8	157	28	2	2		0		17	15	6	0	0	0	17	0	0	3	0	1	0	1	2	2	23	1	12	0
X	95	56	87	84	5.9	4.7	3.3	30	25	5	28		1		7	3	1	0	0	0	7	1	0	5	0	0	0	0	0	0	17	24	7	5	0
XI	91	80	89	88	7.4	8.4	8.1	84	19	3	18		3		18	14	2	0	0	0	14	8	2	8	0	0	0	0	8	6	12	3	20	8
XII	91	89	91	90	8.1	8.3	7.9	101	15	10	22		8		22	16	2	0	0	0	19	21	6	11	0	0	0	0	13	10	8	5	23	28
1946	83	62	73	77	6.9	7.1	6.2	894	47		183		47		173	115	27	11	3	2	134	67	12	31	0	2	0	13	46	101	254	34	152	129

1946

Kongsberg

φ = 59° 40' N λ = 9° 39' E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 7.0	- 4.2	- 6.0	- 6.1	- 2.6	- 9.2	7.5	5	-22.8	3	15	1.6	5	1.6	4.5	1.4	5	1.0	22.5	1.6	6	1.6	3	2.0	19	1.7	13
II			- 6.8	- 1.4	- 3.1	- 4.4	- 0.1	- 8.4	9.2	14	-20.6	26	15	1.5	5.5	1.7	4.5	1.0	2	1.2	13	1.4	1.5	2.3	5	3.1	33.5	2.5	4
III			- 4.3	4.0	0.5	- 1.0	4.6	- 6.1	13.8	30	-22.5	15	13	2.5	14	2.2	6.5	2.0	1.5	1.3	12.5	1.4	13	1.9	1.5	3.3	19	2.3	12
IV			5.5	12.3	9.1	7.0	13.2	1.4	19.8	27	- 4.7	13	11.5	2.4	3.5	3.7	1	2.0	1.5	3.3	29.5	1.9	9.5	2.0	8	3.1	23.5	2.9	2
V			11.2	17.5	14.9	11.2	18.2	3.0	27.7	29	- 1.7	9	15	1.8	6.5	2.3	6.5	1.7	7	1.6	23	2.0	6	2.0	6	2.3	21	2.5	2
VI			13.4	17.3	15.4	13.2	20.7	7.9	26.9	23	4.4	13	5	2.4	0	-	2	2.0	6.5	1.5	25	2.0	13.5	2.5	12.5	2.7	16.5	2.0	9
VII			16.6	21.3	19.0	16.8	24.1	11.3	25.9	13	6.8	29	1.5	1.0	1	3.0	2.5	1.8	6	1.7	29.5	1.7	19.5	2.0	8.5	2.5	10.5	2.1	14
VIII			12.3	18.2	15.0	13.6	19.3	9.1	23.8	22	4.8	7	13.5	1.4	7	1.4	10	1.3	6.5	1.8	15	1.4	3	2.2	12.5	2.2	14.5	1.6	11
IX			8.3	14.4	11.2	10.2	15.4	6.6	18.8	28	0.2	30	12	1.3	4.5	2.2	0	-	3	2.7	30	1.5	6	1.5	2	3.0	8.5	2.4	24
X			- 0.7	7.5	3.0	2.5	8.2	- 1.4	17.0	11	- 8.1	23	29.5	1.3	3.5	1.6	1	1.0	4.5	2.0	10	1.0	2.5	1.0	4.5	1.3	22.5	1.6	15
XI			0.7	2.3	1.1	1.1	3.4	- 1.3	8.9	12	-10.6	15	18.5	2.1	7	1.9	3	1.0	4	1.2	23	1.7	8.5	1.9	1.5	3.0	15.5	2.0	9
XII			- 2.9	- 2.3	- 2.6	- 2.7	- 1.0	- 4.4	4.7	23	-17.7	21	18	1.6	1.5	1.7	9	2.3	7.5	1.7	17.5	1.5	3	1.5	2.5	1.6	26	1.7	8
1946			3.9	8.9	6.5	5.1	10.3	0.7	27.7		-22.8		167.5	1.7	58.5	2.1	50.5	1.6	55	1.7	251	1.7	92	2.0	67.5	2.5	230	2.1	123

Gaustatoppen x)

φ = 59° 51' N λ = 8° 40' E g = 9.815 $\Delta G = +1^h$

I	807.5	786.0	- 9.6	- 9.1	- 9.4	- 9.6		-11.7	- 0.7	17	-22.4	13	10	2.7	5	2.6	9.5	4.4	2	4.8	1.5	6.0	7	4.2	57	5.1	0	-	1
II	92.8	71.4	-12.5	-12.0	-12.1	-12.2		-14.4	- 2.4	14	-21.2	21	16	2.7	4.5	3.3	1.5	2.0	3.5	3.1	0.5	1.0	6	3.9	36	3.7	15	3.8	1
III	07.5	85.8	-10.4	- 8.9	- 9.5	-10.0		-12.2	1.8	29	-22.3	14	11.5	2.9	14.5	3.6	13.5	3.1	0	-	2	1.0	3.5	3.0	42	3.2	5	4.1	1
IV	05.0	83.9	- 5.1	- 3.6	- 4.2	- 5.0		- 7.3	4.1	15	-14.7	11	3	3.0	1.5	1.3	1	1.0	0	-	1	4.0	5	3.4	67.5	3.1	10	4.2	1
V	13.1	92.1	- 1.5	0.7	0.2	- 1.1		- 3.3	9.9	28	-11.0	6	9	2.8	8.5	3.2	14.5	3.0	0	-	3	1.8	11	2.5	29.5	2.6	13.5	3.5	4
VI	06.4	85.7	0.2	2.1	2.0	0.7		- 1.2	11.3	23	- 5.6	13	1.5	2.0	5	1.6	7	3.3	2.5	2.8	1	3.0	19	2.7	46.5	2.4	5.5	2.4	2
VII	13.5	92.8	3.7	6.0	5.9	4.4		2.3	10.4	12	- 2.9	1	2.5	2.8	1.5	3.3	9	3.6	3.5	4.4	5	2.6	11.5	3.0	58	2.6	2	3.2	0
VIII	08.8	88.1	2.0	3.7	3.4	2.5		0.9	7.9	21	- 1.7	28	1.5	1.0	12.5	3.1	7.5	2.9	5.5	3.7	0.5	1.0	15	3.6	44.5	2.9	4	2.4	2
IX	06.0	85.2	0.0	1.1	0.8	0.2		- 1.1	6.2	28	- 4.0	24	3.5	2.0	5	3.0	0.5	4.0	0.5	2.0	4.5	2.9	7.5	3.1	61.5	3.3	6	2.9	1
X	15.1	93.9	- 2.3	- 0.9	- 1.9	- 2.1		- 4.2	7.2	9	-12.3	23	18	2.7	21.5	2.1	1.5	1.7	0	-	1	3.0	3.5	3.0	33.5	3.1	10	3.6	4
XI	02.3	81.0	- 6.7	- 6.6	- 7.0	- 7.0		- 8.8	2.6	5	-16.2	13	6.5	3.6	5.5	3.4	16	3.7	3	2.7	5	4.0	6.5	4.2	42.5	3.5	5	2.8	0
XII	06.8	85.2	- 9.3	- 9.1	- 9.1	- 9.2		-10.3	- 3.1	23	-16.0	15	3	2.7	3.5	3.1	29	4.2	7	3.4	4.5	2.6	16	3.8	27	3.5	3	3.2	0
1946	807.1	785.9	- 4.3	- 3.0	- 3.4	- 4.0		- 5.9	11.3		-22.4		86	2.8	88.5	2.8	110.5	3.6	27.5	3.5	29.5	2.9	111.5	3.3	545.5	3.3	79	3.4	17

Horten Ramnes

φ = 59° 25' N λ = 10° 28' E g = $\Delta G = +1^h$
φ = 59° 21' N λ = 10° 15' E g = $\Delta G = +1^h$

I			- 3.0	- 1.8	- 2.5	- 2.6		- 4.8	7.6	5	-14.8	3	12	3.0	8	4.7	6	2.8	16.5	2.3	12.5	2.4	6	2.4	8	2.7	19	2.0	5
II			- 3.2	- 0.6	- 1.6	- 2.2		- 4.7	6.2	16	-14.0	28	22	3.7	8.5	3.5	1.5	1.7	12.5	2.2	6.5	2.2	3	2.5	16	3.5	12	2.2	2
III			- 2.1	2.1	0.4	0.6		- 3.8	12.0	28	-15.1	15	16	3.0	28.5	3.5	5	1.8	11.5	2.2	8	1.7	7	2.2	10.5	2.0	4.5	2.4	2
IV			6.1	10.9	9.2	7.3		3.1	20.4	27	- 3.1	13	8	2.2	12.5	2.0	0	-	13	2.7	17.5	2.9	12.5	2.9	9	4.2	17.5	3.8	0
V			11.2	15.7	15.5	12.0		6.7	25.6	29	1.7	7	13	2.7	31	2.9	13	2.5	18.5	3.1	7.5	3.1	3.5	2.6	3.5	3.1	2	3.5	1
VI			13.1	16.3	15.1	13.0		8.3	21.3	24	4.1	13	5.5	3.2	1	1.0	5	2.3	11	2.7	35	3.0	15.5	3.4	6.5	3.0	3.5	3.2	7
VII			16.1	20.8	18.8	16.4		10.6	25.4	13	5.1	1	4.5	1.9	1.5	2.3	0	-	3	2.7	32.5	2.9	28.5	3.4	5	2.0	7	3.0	11
VIII			13.0	18.7	15.8	14.0		9.0	23.7	25	4.5	19	6	1.7	2.5	1.4	0	-	2.5	3.2	31	3.1	8	3.8	3	1.8	4	2.2	36
IX			9.1	15.7	12.1	10.9		6.4	19.3	7	1.0	30	6	1.9	0	-	0	-	1.5	2.3	24.5	2.3	13	2.6	2.5	3.0	8.5	1.9	34
X			0.3	9.9	3.7	3.7		- 0.8	17.8	11	- 8.7	23	35	1.6	1.5	1.3	0	-	3.5	2.6	9	1.9	1.5	1.7	0	-	4.5	2.0	38
XI			2.6	4.4	2.8	2.9		0.1	9.2	6	- 8.2	14	23.5	1.8	5.5	1.7	0	-	3	2.0	23	3.0	16	2.3	1	1.0	2	2.5	16
XII			- 1.2	- 0.1	- 1.2	- 1.0		- 3.1	4.9	23	-16.8	17	18.5	1.0	7.5	1.0	4	1.0	9.5	2.2	19	1.8	4.5	2.3	0	-	1	1.0	29

Ås

φ = 59° 40' N λ = 10° 46' E g = $\Delta G = +1^h$

I			- 5.2	- 3.0	- 4.8	- 4.6		- 7.6	4.6	5	-21.4	3	9.5	1.7	5	2.6	6.5	1.5	21	2.1	15	2.7	3	2.8	4.5	2.3	6.5	1.3	22
II			- 5.9	- 0.8	- 4.1	- 4.2		- 7.9	6.9	15	-21.0	23	15	2.3	8	2.5	4.5	1.2	6	1.9	14.5	2.3	4	1.8	8.5	2.2	8.5	1.8	15
III			- 4.6	2.5	- 1.3	- 2.0		- 6.6	12.4	28	-23.6	15	16	2.0	18.5	1.9	6	1.5	10	1.6	20.5	1.9	3	1.3	5	1.5	6	1.6	8
IV			5.2	10.5	8.0	6.3		1.6	21.0	27	- 4.4	13	4.5	1.8	4.5	2.3	5.5	1.6	14.5	2.4	27.5	2.5	8	2.5	9	2.3	16.5	2.3	0
V			11.0	15.5	14.2	11.1		4.3	25.9	30	- 1.6	9	9	2.8	5.5	3.4	12.5	2.1	16	2.2	19	2.3	12.5	1.9	7.5	1.9	10	2.2	1
VI			13.0	15.7	14.7	13.0		8.9	21.8	24	3.6	13	3	2.8	6	2.4	6	2.2	13	2.3	37	2.4	13.5	2.3	6.5	2.2	5	2.4	0
VII			17.1	20.5	19.0	17.0		11.8	24.6	15	6.4	1	4	2.1	13	1.8	8	1.8	11.5	2.3	37	2.1	8.5	2.0	4.5	2.2	3.5	1.9	3
VIII			13.8	17.9	15.8	14.3		10.0	23.1	22	1.1	27	9.5	1.8	7.5	1.7	11.5	1.9	16	2.8	24.5	2.2	6	1.7	3.5	2.6	7.5	2.1	7
IX			10.4	14.8	12.4	11.5		8.0	18.2	7	0.5	30	6.5	1.7	5	1.3	5.5	1.5	20	1.8	29.5	2.3	9.5	2.4	4	1.4	3	1.8	7
X			0.2	8.9	3.1	3.3		- 1.4	17.6	11	- 9.4	24	8.5	1.8	7	1.6	9.5	1.8	7.5	1.7	5.5	1.2	8	1.1	7.5	1.0	12.5	1.2	27
XI			1.9	3.6	2.0	2.2		- 0.5	8.0	12	- 9.9	15	14.5	1.8	7.5	1.9	9	1.8	22.5	2.2	24.5	2.3	1.5	1.7	2	1.0	4.5	1.1	4
XII			- 1.1	- 0.8	- 1.5	- 1.2		- 3.2	4.0	26	-16.7	17	16	1.0	18	1.1	11.5	1.3	16.5	2.1	18.5	2.1	1	2.0	0	-	5.5	1.1	6
1946			4.6	8.8	6.5	5.6		1.4	25.9		-23.6		116	1.9	105.5	1.9	96	1.7	174.5	2.1	273	2.3	78.5	1.9	62.5	1.9	89	1.8	100

Eidsberg

φ = 59° 30' N λ = 11° 17' E g = $\Delta G = +1^h$

I			- 5.5	- 3.7	- 4.7	- 4.8		- 7.6	4.5	5	-23.8	3	33.5	2.0	3.5	2.0	0	-	23	2.0	31	2.4	0	-	0	-	1	1.5	1
II			- 5.5	- 1.7	- 4.3	- 4.3		- 7.7	6.6	15	-18.8	23	45	2.0	5	3.4	0	-	20	2.1	7	2.1	0	-	0	-	7	3.1	0
III			- 3.4	2.4	- 1.0	- 1.5		- 5.9	11.6	31	-24.5	15	39.5	2.1	6	2.6	0.5	3.0	9	2.3	30	2.0	2	1.5	0	-	6	2.2	0
IV			5.1	9.7	6.5	5.6		1.1	19.2	27	- 4.7	11	12.5	2.0	1	3.0	0	-	5	2.3	50	2.7	3	3.3	0.5	3.0	20	3.4	0
V			10.2	15.6	13.0	10.5		4.2	26.3	30	- 2.6	9	19.5	2.4	3	3.0	0	-	15	2.0	45.5	2.3	0.5	3.0	0	-	9.5	2.3	0
VI			12.8	15.8	13.4	12.5		8.6	24.0	24	3.2	19	5.5	2.4	1	4.0	0.5	6.0	5.5	2.7	62.5	2.8	10.5	3.1	0	-	3.5	2.6	1
VII			16.7	20.3	18.7	16.7		11.7	26.2	13	7.5	1	19.5	2.1	2.5	2.6	0.5	3.0	18.5	2.1	42	3.0	6	2.8	0	-	4	2.2	0
VIII			13.5	17.3	15.5	13.9		9.8	23.8	15	5.5	19	17	1.8	3.5	2.4	0	-	16	2.1	46	2.3	2	2.2	0	-	5.5	2.1	3
IX			10.4	14.6	11.7	11.2		8.0	17.8	4	0.7	22	16.5	1.8	1.5	2.0	0	-	7	2.7	58.5	2.5	2.5	3.0	0	-	4	2.1	0
X			1.4	8.7	3.7	3.8		- 0.6	15.3	11	- 9.7	24	62	1.8	0.5	2.0	0	-	5	2.6	15	2.3	0	-	0	-	9.5	1.5	1
XI			1.9	3.2	2.5	2.2		0.0	7.8	12	-10.2	15	27	2.3	0	-	0.5	3.0	23	2.3	37.5	3.2	0	-	0	-	2	1.5	0
XII			- 1.4	- 1.0	- 1.8	- 1.5		- 3.4	4.5	26	-19.2	17	21.5	1.8	12	1.6	2	2.2	29	2.4	27	2.6	1.5	2.7	0	-	0	-	0
1946			4.7	8.4	6.1	5.4		1.5	26.3		-24.5		292	2.2	39.5	2.4	4	3.0	17.4	2.2	452	2.6	28	2.8	0.5	3.0	72	2.5	6

*) Gaustatoppen: Lufttrykk red. til 2000 gdm.

1946

Kongsberg

H_s = 170 H_b = h_t = 2.0 h_a = h_d = 6.0 h_r = 1.7

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	⛈	〓	≡	⊙	◔	◕	⊞
I					6.0	7.3	6.1	35	10	12	31	20	11	0	14	7	1	1	0	0	5	11	2	0	0	0	0	0	11	1	16	5	15	31
II					8.2	6.9	6.1	49	13	3	26	13	12	0	16	6	2	3	0	0	3	16	2	0	0	0	0	0	15	5	14	0	13	28
III					6.7	6.6	6.2	41	8	8	28	2	8	0	15	10	0	0	0	0	3	11	0	0	1	0	0	0	12	1	20	2	14	31
IV					6.7	6.6	5.3	5	2	28	8	0	0	0	8	2	0	3	1	0	8	1	1	0	0	0	1	0	13	1	27	1	10	5
V					4.6	5.7	3.6	29	14	15	5	0	0	3	8	4	1	0	0	0	8	0	0	0	0	0	0	2	5	1	29	6	4	0
VI					6.5	7.8	6.7	91	20	10	0	0	0	1	17	15	3	0	0	0	17	0	0	0	0	0	0	0	5	9	25	0	11	0
VII					6.3	6.7	6.2	62	20	28	0	0	0	11	18	11	2	0	0	0	18	0	0	0	0	0	0	5	6	3	30	0	8	0
VIII					5.7	6.5	5.9	178	54	14	0	0	0	0	19	12	6	0	0	0	19	0	0	0	0	0	0	7	2	9	27	0	7	0
IX					6.8	7.2	6.1	150	30	10	0	0	0	0	20	16	5	0	0	0	20	0	0	0	0	0	0	1	12	6	25	1	12	0
X					5.5	5.3	3.6	25	22	5	21	0	0	0	8	2	1	0	0	0	8	0	0	1	0	0	0	8	2	25	4	6	0
XI					7.8	7.8	8.2	94	18	22	17	8	1	0	19	16	3	0	0	0	14	10	4	1	0	0	0	14	6	11	2	18	10
XII					8.1	8.5	8.4	113	12	12	20	10	8	0	24	22	4	0	0	0	13	21	8	0	0	0	0	0	10	15	8	4	23	29
1946					6.6	6.9	6.0	872	54		156	53	40	15	186	123	28	7	1	0	136	70	17	2	0	1	0	16	113	59	257	25	141	134

Gaustatoppen

H_s = 1828 H_b = 1828.8 h_t = 2.1 h_a = h_d = h_r = 1.3

I	83	83	82	82	6.1	6.1	5.5	169	21	29	31		21		17	15	8	20	10	2	1	17	0	0	0	0	0	0	0	23	22	9	13	31
II	86	88	88	87	7.7	7.7	7.0	149	26	8	28		21		22	20	7	8	3	2	0	22	0	0	0	0	0	0	0	23	13	4	16	28
III	88	86	87	87	6.4	6.5	6.0	52	16	21	31		20		17	10	1	4	0	0	2	17	2	1	0	0	0	0	0	22	20	7	13	31
IV	93	90	90	90	7.5	7.5	7.8	42	11	26	30		9		19	8	1	3	0	0	4	17	1	2	0	0	0	0	0	28	24	0	15	30
V	78	75	76	77	4.7	5.5	5.2	46	13	14	24		1		12	10	2	2	0	0	3	10	1	1	0	2	0	2	1	12	29	8	8	25
VI	90	88	87	89	7.7	9.0	7.7	83	28	6	22		0		20	12	3	4	0	0	15	15	6	8	0	0	0	0	0	25	27	0	17	3
VII	94	88	88	91	8.0	8.3	7.8	85	13	6	5		0		20	13	3	5	0	0	20	4	4	4	0	0	0	2	0	27	26	0	18	0
VIII	94	90	92	93	7.4	8.3	8.3	135	26	31	7		0		24	18	7	4	0	0	23	7	2	14	0	3	0	1	0	27	23	0	18	0
IX	95	95	96	95	8.0	8.1	7.8	175	36	14	20		0		25	17	5	7	0	0	19	17	8	11	0	0	0	0	0	28	22	2	18	12
X	70	68	65	67	3.9	4.0	3.9	29	8	4	24		3		10	4	0	5	1	0	0	10	0	0	0	0	0	0	0	16	28	14	5	18
XI	92	90	90	91	8.2	7.9	7.5	251	40	26	30		9		28	19	5	9	0	0	4	24	0	4	0	0	0	0	0	27	12	2	20	29
XII	89	87	86	86	7.5	7.6	7.9	220	39	26	31		15		28	27	6	8	0	0	0	28	0	0	0	0	0	0	0	26	11	5	20	31
1946	88	86	86	86	6.9	7.2	6.9	1436	40		283		99		242	173	48	79	14	4	91	188	24	45	0	5	0	5	1	282	257	51	181	238

Horten Ramnes

H_s = 15 H_b = h_t = 1.8 h_a = h_d = h_r = 1.8

H_s = 44 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

I	86	84	86	86	6.3	7.1	7.2	65	16	29	28		6		13	8	3	4	1	0	6	9	2	0	0	0	0	0	9	0	16	7	16	29
II	80	71	74	76	7.6	6.5	5.4	63	16	8	25		4		15	6	2	9	5	3	7	14	4	2	0	0	0	0	6	3	19	3	12	28
III	86	70	74	79	7.7	6.0	6.0	47	12	8	28		5		15	8	1	4	0	0	6	11	0	1	0	0	0	0	6	9	21	4	14	31
IV	75	56	60	68	6.9	6.2	6.0	11	4	18	3		0		10	4	0	4	1	0	10	2	0	0	0	1	0	0	6	1	29	2	10	1
V	66	49	46	58	3.9	4.2	3.9	21	13	15	0		0		6	3	1	1	0	0	6	0	0	0	0	0	0	0	1	4	31	9	4	0
VI	79	66	67	75	7.0	7.2	5.7	130	25	10	0		0		20	15	5	0	0	0	20	0	0	2	0	0	0	1	6	1	29	1	11	0
VII	79	63	68	76	4.5	5.7	4.8	65	21	28	0		0		15	10	2	0	0	0	15	0	0	1	0	0	0	5	3	1	30	3	7	0
VIII	92	66	77	85	5.7	5.6	5.0	224	43	17	0		0		17	14	6	0	0	0	17	0	0	1	0	1	0	4	4	7	30	3	4	0
IX	96	71	86	88	5.9	6.5	6.1	223	65	10	0		0		19	13	7	0	0	0	19	0	0	2	0	0	0	1	5	10	27	3	10	0
X	94	64	86	85	4.2	4.6	4.1	56	49	5	20		0		5	4	1	0	0	0	5	0	0	0	0	0	0	0	1	3	24	9	7	0
XI	91	84	87	88	8.2	8.2	8.2	136	26	3	12		0		24	14	6	1	0	0	17	8	1	3	0	0	0	0	6	1	6	2	21	6
XII	96	93	94	95	8.6	8.1	7.4	168	18	11	17		6		22	20	9	0	0	0	21	12	9	8	0	0	0	0	17	2	0	3	22	13

Ås

H_s = 95 H_b = h_t = 2.1 h_a = h_d = 7.4 h_r = 1.7

I	89	88	90	89	6.3	6.0	6.5	41	13	30	28		11		10	8	1	0	0	0	3	8	0	0	0	0	0	0	11	9	14	6	15	24
II	85	76	80	82	6.8	5.8	5.6	46	13	8	27		9		13	7	1	2	0	0	1	13	1	0	0	0	0	0	6	7	20	2	10	28
III	92	70	80	84	7.0	6.0	6.0	28	6	8	29		7		13	8	0	0	0	0	3	10	0	0	0	0	0	0	10	10	18	5	14	30
IV	80	67	69	75	6.0	6.1	5.2	14	6	18	9		0		8	4	0	0	0	0	7	1	0	0	0	0	0	0	8	2	29	3	4	1
V	72	57	56	66	3.7	4.0	3.2	43	19	3	3		0		3	3	2	2	1	0	3	0	0	0	0	0	0	1	5	0	30	11	3	0
VI	79	72	73	78	6.4	6.7	5.6	140	38	10	0		0		17	13	7	1	0	0	17	0	0	4	0	0	0	1	8	1	27	1	5	0
VII	79	68	70	76	4.1	5.2	4.7	42	19	28	0		0		14	8	1	3	2	1	14	0	0	0	0	0	0	5	5	0	30	3	4	0
VIII	90	71	79	85	5.6	5.4	4.7	153	39	11	0		0		15	13	3	1	0	0	15	0	0	0	0	0	0	5	14	2	31	2	3	0
IX	94	78	85	88	6.4	6.4	6.1	164	57	2	0		0		19	12	5	1	0	0	19	0	0	1	0	0	0	1	11	9	25	2	10	0
X	93	71	84	85	3.7	3.8	3.7	38	36	5	22		0		4	1	1	0	0	0	4	0	0	0	0	0	0	0	9	8	26	13	7	0
XI	93	88	89	90	8.0	8.0	8.1	149	22	22	15		0		18	15	6	1	1	0	16	4	1	1	0	0	0	0	15	5	16	1	18	4
XII	95	95	95	95	9.1	8.8	8.6	97	13	11	18		6		21	14	2	0	0	0	15	13	1	7	0	0	0	0	18	10	3	1	26	13
1946	87	75	79	83	6.1	6.0	5.7	955	57		151		33		155	106	29	11	4	1	117	49	3	13	0	0	0	13	120	63	269	50	119	100

Eidsberg

H_s = 140 H_b = h_t = 1.9 h_a = h_d = 9.1 h_r = 1.6

I					6.8	6.5	5.7	47	12	30	27		11		12	9	2	0	0	0	5	9	2	1	0	0	0	0	6	6	15	8	13	24
II					6.8	5.6	5.4	44	16	20	25		8		11	7	2	0	0	0	5	9	0	1	0	0	0	0	3	2	16	3	10	28
III					7.1	5.6	6.0	21	8	3	27		7		9	5	0	0	0	0	2	8	0	1	0	0	0	0	3	6	20	3	12	21
IV					6.4	6.0	6.1	13	6	6	11		0		14	3	0	0	0	0	12	2	0	0	0	0	0	0	8	0	27	2	10	0
V					4.2	4.1	3.6	12	5	6	1		0		7	4	0	0	0	0	7	0	0	0	0	0	0	1	1	0	29	14	7	0
VI					7.4	7.3	6.2	105	23	10	0		0		17	15	2	2	0	0	17	0	0	0	1	0	0	2	1	0	22	0	12	0
VII					5.6	6.5	4.9	34	9	28	0		0		13	10	0	1	0	0	13	0	0	2	0	0	0	4	4	0	26	4	6	0
VIII					6.7	7.4	5.7	136	24	11	0		0		18	15	7	1	0	0	18	0	0	0	0	2	0	5	1	3	22	1	10	0
IX					6.5	7.3	5.8	144	50	2	0		0		18	13	5	1	0	0	18	0	0	2	0	0	0	0	4	6	18	2	10	0
X					4.9	4.3	4.6	26	22	5	18		0		4	3	1	0	0	0	4	2	2	0	0	0	0	0	0	4	25	11	9	0
XI					8.9	8.6	8.7	170	21	22	15		1		20	15	7	0	0	0	18	4	2	0	0	0	0	0	7	2	7	1	24	0
XII					9.1	9.1	7.8	92	16	11	16		6		20	15	2	0	0	0	17	9	2	0	0	0	0	0	19	2	5	2	23	14
1946					6.7	6.5	5.9	844	50		140		33		163	114	28	5	0	0	136	43	8	7	0	3	0	12	57	31	232	51	146	87

1946

Råde (Tomb)

φ = 59° 19'N λ = 10° 49'E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 4.3	- 2.4	- 3.4	- 3.6		- 6.8	6.8	5	-25.3	3	45	1.4	4	2.1	26	1.7	25	1.2	31	2.0	2	3.8	1	2.0	2	1.8	20
II			- 4.1	- 0.3	- 2.4	- 2.8		- 6.3	6.0	16	-21.0	22	55	3.0	10	2.8	95	2.0	0	-	13	2.4	7	3.6	1	4.0	4	2.0	34
III			- 3.4	2.0	- 0.1	- 1.4		- 5.9	11.2	30	-25.6	15	7	2.6	225	1.8	25	1.6	2	1.5	115	1.3	75	1.3	0	-	1	1.0	39
IV			6.1	10.0	8.3	6.6		2.3	14.6	3	- 2.7	6	5	1.4	35	1.8	45	1.9	1	3.0	205	2.3	20	2.4	135	1.5	3	1.3	19
V			11.5	14.8	14.2	10.9		4.2	25.4	30	- 2.6	9	75	1.7	165	1.9	4	1.2	65	1.8	12	1.9	305	1.6	8	2.0	2	1.8	6
VI			13.9	15.6	14.8	13.5		9.9	21.4	24	4.7	19	4	2.5	55	1.9	2	2.5	35	2.3	29	2.6	435	1.9	05	2.0	0	-	2
VII			17.7	19.7	19.0	17.0		12.0	23.8	14	7.4	12	75	2.3	8	2.6	1	3.0	2	2.5	25	1.8	515	2.0	15	1.9	15	2.0	4
VIII			14.9	17.4	16.1	14.7		10.7	20.9	22	6.6	17	45	2.2	85	1.6	75	1.5	11	1.5	75	2.1	33	1.9	115	1.8	25	1.6	7
IX			12.1	15.1	13.1	12.4		8.9	17.3	12	- 0.2	30	05	1.0	7	2.4	1	2.0	9	1.2	195	2.1	31	2.3	145	2.0	15	1.0	6
X			0.9	8.3	4.2	3.7		- 1.0	13.7	1	- 9.0	23	95	1.7	20	1.6	7	1.9	55	1.5	11	1.0	15	1.0	7	1.7	55	2.0	26
XI			3.0	4.6	3.4	3.4		0.8	9.0	12	- 8.7	15	35	2.7	22	1.8	125	2.3	3	2.7	95	2.4	195	2.6	12	2.2	2	1.5	6
XII			- 0.6	0.2	- 0.3	- 0.3		- 2.6	5.3	26	-15.7	17	45	2.3	21	1.7	29	2.1	10	1.4	55	1.8	15	1.5	3	1.2	0	-	5
1946			5.6	8.8	7.2	6.2		2.2	25.4		-25.6		635	2.1	1485	1.9	1065	1.9	56	1.6	1725	2.1	262	2.0	87	1.9	25	1.7	174

Brekke Sluse

φ = 59° 9'N λ = 11° 34'E g = ΔG = + 1h

I			- 5.7	- 3.5	- 4.5	- 4.8		- 8.2	5.6	5	-22.8	3	2	1.0	12	1.4	23	1.3	13	1.0	0	-	33	1.4	4	1.2	2	1.5	4
II			- 5.6	- 1.6	- 4.3	- 4.1		- 8.5	5.9	16	-22.6	22	7	1.4	33	1.3	1	1.0	4	1.2	7	1.0	5	2.4	0	-	20	1.4	7
III			- 4.1	2.3	- 1.0	- 1.9		- 6.9	12.2	28	-27.0	15	3	1.0	42	1.2	1	1.0	5	1.0	3	1.0	21	1.2	2	1.0	8	1.0	8
IV			4.8	9.5	6.8	5.3		0.5	18.0	27	- 5.8	11	8	1.0	10	1.2	0	-	3	1.0	4	1.0	30	1.2	12	1.2	17	1.4	6
V			10.2	14.5	13.5	10.1		3.5	23.0	29	- 2.8	9	12	1.2	14	1.2	41	1.2	6	1.0	3	1.0	9	1.1	0	-	3	1.0	5
VI			12.5	15.7	14.6	12.8		9.1	21.8	24	4.2	19	1	1.0	5	2.2	3	2.7	15	1.3	0	-	46	2.0	15	2.0	2	2.0	3
VII			17.3	20.3	19.0	17.1		12.1	25.2	14	7.2	1	6	1.4	11	1.3	0	-	17	1.8	0	-	49	1.4	9	1.7	1	2.0	0
VIII			13.6	17.5	15.5	14.2		10.1	22.0	5	6.2	19	7	1.0	15	1.2	3	1.0	26	1.4	6	1.3	27	1.6	2	1.0	4	2.0	3
IX			10.8	14.0	11.0	11.2		8.8	17.0	7	1.2	30	3	1.0	7	1.9	0	-	7	1.3	2	1.0	47	1.3	11	2.2	6	1.0	7
X			1.2	7.7	2.6	3.2		- 0.4	12.0	11	- 8.6	23	26	1.0	26	1.2	8	1.0	7	1.0	5	1.2	6	1.2	1	1.0	4	1.0	10
XI			2.4	3.3	2.5	2.5		0.8	7.8	12	- 8.0	15	3	1.3	20	1.2	13	1.7	12	1.2	12	1.3	27	2.0	0	-	0	-	3
XII			- 0.8	- 0.2	- 0.8	- 0.7		- 2.5	5.8	7	-13.7	17	4	1.0	10	1.2	27	1.5	22	1.2	9	1.4	10	1.2	3	1.0	5	1.0	3
1946			4.7	8.3	6.2	5.4		1.5	25.2		-27.0		82	1.1	205	1.3	120	1.4	137	1.3	51	1.2	310	1.5	59	1.6	72	1.3	59

Ferder

φ = 59° 2'N λ = 10° 32'E g = 9.819 ΔG = + 1h

I	1018.8	1020.0	- 0.5	0.0	- 0.1	- 0.3	1.8	- 2.0	9.5	5	- 8.3	3	245	2.9	11	3.6	7	2.1	85	3.3	115	3.7	20	4.1	15	3.7	1	2.0	8
II	01.4	02.5	- 0.5	- 0.6	0.2	- 0.5	2.2	- 1.9	7.4	16	- 8.0	28	225	3.5	12	3.2	6	2.2	2	2.5	95	3.2	8	3.6	7	3.4	7	3.1	10
III	17.6	18.8	- 1.1	0.7	0.7	0.3	2.3	- 1.9	10.4	30	-10.8	14	125	3.6	26	3.4	15	2.7	1	1.0	105	2.0	24	2.4	25	2.0	2	1.5	13
IV	10.2	11.4	5.5	7.5	7.1	6.2	8.8	4.7	15.6	27	1.3	11	85	3.0	35	1.7	15	1.7	15	2.3	19	3.1	35	4.0	5	2.7	9	3.3	7
V	16.7	17.8	10.2	12.7	12.7	11.1	14.6	9.2	22.2	30	5.1	6	135	3.4	75	3.2	75	2.3	15	3.0	9	2.3	185	2.5	45	2.7	2	2.2	29
VI	07.7	08.8	13.2	14.6	14.3	13.4	15.7	12.0	18.9	24	9.0	15	95	4.3	2	2.5	45	3.9	15	3.0	265	3.1	385	4.1	3	2.2	05	3.0	4
VII	12.6	13.6	16.9	18.5	18.1	17.3	19.4	15.8	22.0	14	12.6	31	105	2.9	5	3.6	3	3.7	0	-	145	3.0	38	3.8	45	2.3	05	5.0	17
VIII	08.5	09.6	15.2	17.2	17.1	16.0	18.2	14.4	20.3	4	12.7	20	115	2.8	11	2.8	6	3.6	2	2.8	20	3.2	25	4.1	45	2.0	3	1.7	12
IX	07.3	08.4	13.4	14.9	14.4	13.7	15.9	12.3	17.9	12	8.1	30	8	3.3	45	3.6	2	3.5	1	1.0	235	3.4	38	4.2	45	4.7	15	3.7	7
X	20.7	21.8	6.5	8.2	8.6	7.5	9.8	5.8	13.5	2	0.8	23	195	2.8	20	3.2	2	2.8	95	3.5	65	2.9	75	2.3	65	1.3	15	2.7	20
XI	09.5	10.6	5.2	5.5	5.6	5.2	6.9	3.9	9.9	13	- 0.9	15	7	2.9	22	3.8	6	3.8	65	4.5	19	4.8	20	4.8	4	2.9	05	1.0	5
XII	17.6	18.8	1.8	1.8	1.8	1.7	3.4	0.4	9.0	22	- 7.4	17	35	2.0	21	3.1	18	3.2	125	4.2	155	4.3	115	4.2	1	2.0	0	-	10
1946	1012.4	1013.5	7.2	8.4	8.4	7.6	9.9	6.1	22.2		-10.8		151	3.2	1455	3.3	65	3.0	475	3.5	185	3.3	282	3.9	485	2.6	285	2.8	142

Gvarv

φ = 59° 24'N λ = 9° 10'E g = ΔG = + 1h

I			- 6.5	- 3.7	- 6.3	- 5.9		- 9.8	7.9	5	-27.8	1	65	1.2	85	1.9	3	1.0	1	1.0	85	1.5	25	2.4	9	1.9	11	1.3	43
II			- 6.3	- 0.3	- 3.4	- 4.0		- 9.0	7.2	16	-23.6	26	05	4.0	3	3.0	4	3.1	15	2.7	65	1.6	05	1.0	105	2.7	135	2.1	44
III			- 4.8	4.2	0.8	- 1.1		- 7.0	14.6	28	-25.9	15	35	1.7	145	1.5	2	1.5	0	-	4	1.0	1	2.0	135	1.6	35	1.7	51
IV			5.6	12.3	9.3	6.7		- 0.2	21.8	27	- 3.8	14	2	1.0	4	1.4	3	2.2	05	1.0	15	2.3	3	2.7	85	1.8	22	2.5	32
V			11.2	17.7	14.5	10.9		1.7	25.7	27	- 2.9	9	15	3.3	35	2.8	1	1.0	2	2.0	395	1.7	25	1.0	1	1.0	13	2.5	29
VI			13.2	17.0	15.4	12.8		6.9	24.6	23	0.7	16	3	2.3	55	1.5	15	2.0	1	3.5	39	1.7	55	1.5	105	2.3	3	2.5	21
VII			16.9	21.3	19.5	16.7		9.9	27.4	8	4.0	1	0	-	7	1.7	15	1.3	6	1.8	42	1.9	25	2.0	45	1.4	65	2.1	33
VIII			13.3	19.3	16.0	14.3		8.7	24.9	5	4.2	23	0	-	35	2.4	25	1.4	45	1.9	35	1.7	45	2.7	1	1.0	4	2.5	38
IX			9.2	15.7	11.6	10.8		6.3	21.5	12	- 1.9	30	15	2.7	2	1.0	0	-	05	2.0	29	1.8	45	1.9	2	1.0	65	2.6	44
X			- 0.2	9.1	3.1	3.1		- 2.0	15.6	14	- 8.2	23	3	1.8	4	1.4	75	1.8	0	-	205	1.3	05	1.0	0	-	45	2.1	23
XI			1.3	4.1	2.5	2.8		- 0.6	8.9	12	-10.9	15	45	1.3	12	1.8	1	2.0	2	1.5	145	1.8	25	1.8	5	1.6	55	1.8	43
XII			- 1.7	- 0.6	- 1.6	- 1.4		- 3.3	5.6	23	-15.4	20	1	2.0	45	1.2	35	2.1	35	1.7	175	1.7	05	2.0	1	1.0	15	1.0	50
1946			4.3	9.7	6.8	5.5		0.1	27.4		-27.8		27	1.8	72	1.8	305	1.9	225	1.9	271	1.7	30*	2.0	665	1.9	945	2.2	421

Dalen i Telemark

φ = 59° 27'N λ = 8° 0' E g = 9.818 ΔG = +

I	1010.3	1020.3	- 4.0	- 2.9	- 3.4	- 3.6		- 5.7	6.5	11	-16.5	1	0	-	0	-	175	1.6	115	1.6	0	-	4	1.2	23	1.5	18	1.5	19
II	993.7	03.6	- 4.7	- 1.8	- 2.2	- 3.2		- 5.7	8.4	14	-16.7	26	0	-	0	-	65	1.2	25	1.4	1	1.0	1	1.0	255	2.3	255	2.2	22
III	1009.6	19.6	- 3.7	1.9	0.3	- 1.2		- 4.9	12.0	31	-19.4	15	05	1.0	0	-	115	1.0	35	1.1	0	-	0	-	25	2.0	225	1.9	30
IV	01.8	11.5	5.1	10.4	9.2	6.8		2.4	17.4	27	- 0.9	14	0	-	0	-	105	1.6	25	2.2	0	-	0	-	315	2.9	185	3.1	27
V	07.8	17.4	9.3	15.4	14.3	10.8		5.0	24.0	28	0.3	6	0	-	0	-	37	1.7	8	2.2	0	-	0	-	265	2.8	95	2.2	12
VI	998.7	08.1	12.0	16.0	15.2	12.7		8.5	26.2	23	4.2	16	0	-	0	-	34	1.6	3	2.5	0	-	0	-	245	2.5	125	2.7	16
VII	1003.5	12.9	14.7	19.2	18.5	15.9		11.6	25.8	8	6.2	1	0	-	0	-	23	1.5	15	1.5	0	-	2	1.0	21	2.2	15	2.4	21
VIII	999.6	09.2	12.7	17.0	15.8	14.0		10.4	21.8	5	7.2	18	1	2.0	0	-	29	1.3	12	1.5	0	-	1	1.0	175	2.0	145	1.8	18
IX	98.7	08.2	9.5	13.5	11.8	10.7		7.9	17.4	12	2.8	30	0	-	0	-	85	1.6	45	1.7	0	-	1	1.0	205	1.6	205	1.6	35
X	1012.6	22.6	2.4	6.1	3.7	3.7		1.3	14.2	16	- 3.9	26	0	-	0	-	6	1.4	5	1.5	0	-	0	-	28	1.4	31	1.5	23
XI	00.7	10.5	0.3	1.9	1.1	0.9		- 0.7	11.0	12	- 7.3	15	0	-	0	-	155	1.9	25	3.0	0	-	0	-	255	1.6	115	1.7	35
XII	08.8	18.7	- 1.5	- 0.8	- 1.1	- 1.2		- 2.4	3.9*	26*	-13.3	17	0	-	0	-	155	2.0	115	2.0	3*	2.3*	0	-	215	1.5	125	1.8	29
1946	1003.8	1013.5	4.3	8.0	6.9	5.5		2.3	26.2		-19.4		15	1.7	0	-	2145	1.6	795	1.8	4	2.0	9	1.1	290	2.1	2095	2.0	387

1946

Råde (Tomb)

H_s = 14 H_b = h_t = 1.9 h_a = h_d = h_r = 1.5

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⸸	⸝	*	△	▲	⸾	=	≡	⊙	◔	◕	⊞
I	88	85	87	87	7.0	6.4	6.0	56	15	10	23		10		8	8	3	1	0	0	6	3	1	2	0	0	0	0	4	3	9	6	15	19
II	84	73	77	79	6.8	4.9	4.2	62	18	8	23		7		9	7	2	2	1	0	7	4	0	3	0	0	0	0	1	4	18	6	8	24
III	92	70	76	82	6.0	4.5	4.9	32	11	8	26		8		11	8	1	0	0	0	1	10	0	0	0	0	0	0	5	12	21	7	9	21
IV	79	62	67	74	5.1	4.2	4.2	10	6	18	7		0		4	4	0	0	0	0	3	1	0	1	0	0	0	0	5	8	30	9	4	0
V	66	53	53	62	2.9	2.6	2.3	15	8	15	2		0		5	5	0	0	0	0	5	0	0	1	0	0	0	0	5	0	30	16	0	0
VI	76	69	72	76	5.4	5.4	4.6	112	29	10	0		0		16	12	4	2	0	0	16	0	0	0	0	0	0	1	9	1	26	6	6	0
VII	71	67	69	71	4.2	4.7	3.8	63	26	28	0		0		14	7	3	0	0	0	14	0	0	0	0	0	0	4	12	0	30	9	2	0
VIII	84	69	75	80	5.5	5.4	4.8	197	38	11	0		0		16	12	6	0	0	0	16	0	0	1	0	0	0	2	7	1	29	1	3	0
IX	88	74	82	84	5.4	5.6	4.7	136	34	2	1		0		14	13	1	0	0	0	14	0	0	0	0	0	0	0	8	6	25	2	4	0
X	93	66	86	85	5.0	4.3	3.6	31	22	5	21		0		5	5	1	2	1	0	5	0	0	0	0	0	0	0	4	8	24	7	3	0
XI	91	82	85	86	7.1	7.0	7.1	142	25	25	13		0		17	15	6	0	0	0	13	4	0	0	0	0	0	0	7	2	7	3	12	0
XII	92	91	92	92	8.1	8.1	6.5	116	16	3	14		6		21	16	3	0	0	0	18	8	1	1	0	0	0	0	3	4	5	1	13	12
1946	84	72	77	80	5.7	5.3	4.7	972	38		130		31		140	112	30	7	2	0	118	30	2	9	0	0	0	7	70	49	254	73	79	76

Brekke Sluse

H_s = 114 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

I					7.1	6.5	6.7	45	11	30	26		10		10	9	1	0	0	0	7	6	2	2	0	0	0	0	3	4	14	6	18	24
II					7.1	5.9	5.2	54	14	8	26		10		13	10	1	0	0	0	6	11	6	1	0	0	0	0	5	3	17	7	10	28
III					6.6	6.1	6.2	36	10	21	26		9		15	9	1	0	0	0	6	11	2	0	0	0	0	0	5	4	21	5	12	30
IV					6.1	5.7	5.0	24	10	18	13		0		11.	6	1	0	0	0	10	1	0	0	0	0	0	1	9	2	23	4	10	1
V					4.0	4.3	3.6	35	12	31	4		0		13	6	1	0	0	0	13	0	0	0	0	0	0	2	4	2	26	13	5	0
VI					7.8	6.3	5.7	88	14	10	0		0		19	18	3	1	0	0	19	0	0	0	0	0	0	0	8	1	17	3	15	0
VII					4.8	5.0	5.4	35	7	28	0		0		12	10	0	0	0	0	12	0	0	0	0	0	0	2	3	1	27	8	9	0
VIII					5.6	5.8	5.5	142	46	8	0		0		17	15	6	0	0	0	17	0	0	0	0	0	0	1	7	6	22	8	14	0
IX					7.1	6.7	6.7	147	49	2	0		0		21	15	4	0	0	0	21	0	0	0	0	0	0	0	9	5	17	3	14	0
X					3.5	3.8	4.0	30	21	5	15		0		6	4	1	0	0	0	6	0	0	0	0	0	0	0	3	6	24	15	8	0
XI					8.5	8.2	8.6	165	33	28	13		0		20	17	6	0	0	0	18	4	2	2	0	0	0	0	15	1	6	2	23	6
XII					9.0	8.4	8.1	74	8	26	15		4		21	18	0	0	0	0	18	11	7	2	0	0	0	0	17	3	6	2	24	13
1946					6.4	6.1	5.9	875	49		138		33		178	137	25	1	0	0	153	44	19	7	0	0	0	6	88	38	220	76	162	102

Ferder

H_s = 6 H_b = 9:2 h_t = 2.1 h_a = 9.0 h_d = 9.0 h_r = 1.0

I	84	85	84	84	7.2	8.4	6.4	61	15	30	20	11	0	0	9	7	3	6	1	0	6	6	3	5	0	0	0	0	4	5	10	3	17	
II	78	76	76	76	8.5	6.9	6.5	57	13	8	17	8	0	0	11	9	1	11	1	0	9	6	5	3	0	0	0	0	1	5	17	0	13	
III	87	81	80	83	7.5	6.6	6.6	51	9	21	19	9	2	0	9	8	0	3	0	0	3	7	0	2	0	0	0	0	0	7	22	3	14	
IV	82	74	74	78	7.0	6.7	6.1	10	8	18	0	0	0	0	4	3	0	7	0	0	4	1	0	0	0	1	0	0	1	4	27	1	11	
V	73	66	67	71	5.1	4.7	4.7	8	3	15	0	0	0	0	4	3	0	2	0	0	4	0	0	0	0	0	0	1	0	2	29	6	7	
VI	80	77	80	81	7.5	7.4	6.4	82	20	10	0	0	0	0	15	11	3	13	1	0	15	0	0	1	0	0	0	0	2	1	25	0	13	
VII	79	76	78	79	6.4	6.8	6.7	48	21	4	0	0	0	0	10	8	1	7	1	0	10	0	0	0	0	0	0	6	0	1	29	0	11	
VIII	83	76	77	80	6.9	6.4	6.9	150	45	14	0	0	0	0	11	11	5	6	0	0	11	0	0	0	0	0	0	1	0	0	29	1	11	
IX	82	75	77	79	6.0	6.2	6.5	143	19	14	0	0	0	0	18	13	7	10	1	0	18	0	0	3	0	0	0	0	1	2	23	4	10	
X	79	72	69	77	3.9	4.3	3.9	31	21	5	0	0	0	0	5	5	1	4	1	0	5	0	0	0	0	0	0	0	1	2	27	11	6	
XI	83	80	81	82	7.0	8.0	7.8	171	33	8	4	0	0	0	21	13	6	8	0	0	18	3	1	2	0	0	0	0	1	1	8	2	14	
XII	89	87	87	88	9.0	8.3	7.7	98	13	3	9	4	0	0	21	17	1	7	2	1	21	3	3	6	0	0	0	0	3	3	4	2	22	
1946	82	77	78	80	6.8	6.7	6.4	910	45		69	32	2	0	138	108	28	84	8	1	124	26	12	22	0	1	0	8	13	32	250	33	149	

Gvarv

H_s = 26 H_b = h_t = 1.9 h_a = h_d = 13.8 h_r = 1.8

I	87	85	89	88	6.2	6.9	6.8	34	8	12	31		11		12	5	0	1	0	0	8	8	0	1	0	0	0	0	5	5	12	7	18	31
II	86	68	77	79	8.7	7.4	6.4	42	10	3	27		10		12	7	0	2	0	0	4	12	0	0	0	0	0	0	4	2	15	1	14	28
III	90	62	68	76	7.0	6.8	6.6	10	3	18	29		8		8	5	0	0	0	0	2	6	0	0	0	0	0	0	1	2	20	4	16	30
IV	78	52	56	67	6.7	7.2	5.8	4	1	26	16		0		5	2	0	0	0	0	5	0	0	0	0	0	0	0	1	1	20	3	11	1
V	67	42	51	64	4.6	5.0	3.8	12	8	15	9		0		5	3	1	0	0	0	5	0	0	0	0	1	0	1	0	0	29	8	3	0
VI	74	59	64	73	7.5	8.6	7.3	92	19	11	0		0		16	13	4	0	0	0	16	0	0	0	0	1	0	0	1	0	22	1	16	0
VII	76	62	68	75	6.8	7.6	7.5	70	17	5	0		0		12	11	3	0	0	0	12	0	0	0	0	0	0	4	1	1	25	0	13	0
VIII	91	61	73	83	6.7	7.4	7.7	138	37	11	0		0		20	14	5	0	0	0	20	0	0	1	0	0	0	4	1	2	22	2	13	0
IX	97	71	83	87	7.6	7.5	7.2	117	20	15	2		0		17	13	5	1	0	0	17	0	0	1	0	0	0	2	3	6	16	2	13	0
X	95	51	69	76	6.5	5.6	4.2	32	23	5	21		0		6	3	1	0	0	0	6	0	0	2	0	0	0	0	3	4	24	5	8	0
XI	92	82	86	88	8.4	8.2	8.0	73	13	22	15		1		20	13	2	1	0	0	15	6	0	2	0	0	0	0	4	3	7	1	21	7
XII	93	90	93	92	8.4	8.4	7.4	71	10	1	16		7		23	19	0	0	0	0	16	10	0	1	0	0	0	0	2	9	7	4	23	12
1946	86	65	73	79	7.1	7.2	6.6	695	37		166		37		156	108	21	5	0	0	126	42	0	8	0	2	0	11	26	35	219	38	169	109

Dalen i Telemark

H_s = 77 H_b = 79.1 h_t = 2.0 h_a = h_d = 9.0 h_r = 1.6

I	82	81	84	83	5.8	7.3	6.5	47	7	24	26		6		13	12	0	0	0	0	7	10	2	2	0	0	0	0	5	0	0	5	15	31
II	78	72	73	75	7.9	7.8	5.2	90	16	3	23		7		18	16	4	2	0	0	5	17	2	1	0	0	0	0	4	0	5	2	10	28
III	92	63	69	74	6.8	6.0	5.6	24	4	18	25		7		10	9	0	0	0	0	1	9	0	0	0	0	0	0	1	0	18	6	12	31
IV	74	50	56	65	6.6	5.3	5.8	6	4	26	6		0		2	2	0	1	0	0	2	1	1	1	0	0	0	0	0	0	25	2	9	3
V	69	46	46	61	4.0	4.4	4.6	38	10	2	0		0		8	8	0	1	0	0	8	0	0	0	0	0	0	2	0	0	25	10	4	0
VI	75	56	57	70	6.9	7.9	5.9	105	17	19	0		0		14	14	5	0	0	0	14	0	0	1	0	0	0	0	1	0	20	2	11	0
VII	79	59	61	72	7.4	6.9	6.6	107	30	15	0		0		15	12	2	0	0	0	15	0	0	0	0	0	0	5	1	0	18	1	13	0
VIII	82	63	68	70	6.3	6.5	7.2	134	37	11	0		0		15	14	4	0	0	0	15	0	0	0	0	0	0	0	0	0	19	1	12	0
IX	87	74	84	84	6.6	6.9	6.2	107	20	15	0		0		19	16	4	0	0	0	19	0	0	;	0	0	0	0	4	0	17	3	13	0
X	84	72	84	82	4.6	3.6	3.1	26	18	5	9		0		4	4	1	0	0	0	4	1	0	1	0	0	0	0	1	0	18	16	5	0
XI	86	86	88	88	8.2	8.2	7.8	117	27	22	15		0		17	15	4	0	0	0	14	5	1	3	0	0	0	0	2	1	1	2	21	13
XII	88	86	86	87	8.4	8.3	7.6	82	11	2	13		2		22	20	1	0	0	0	17	16	9	7	0	0	0	0	5	0	0	5	23	29
1946	81	67	71	76	6.6	6.6	6.0	883	37		117		22		157	142	25	4	0	0	121	59	15	17	0	0	0	7	24	1	166	55	148	135

1946

Vefall i Drangedal

$\varphi = 59°\ 0'$ N $\lambda = 9°\ 13'$ E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 6.8	- 3.8	- 5.6	- 5.7	- 2.3	- 9.3	8.9	5	-28.0	3	11₅ 2.3	8₅ 2.7	1₅ 2.0	4₅ 2.2	6₅ 2.5	9₅ 2.0	8₅ 1.6	6₅ 1.6	36
II			- 5.0	0.0	- 2.2	- 3.1	1.3	- 7.6	11.1	15	-23.5	26	1₅ 2.9	2 3.2	3₅ 2.4	1₅ 1.0	4 2.2	2₅ 1.6	5 1.5	24₅ 3.2	26
III			- 4.6	4.1	0.9	- 1.1	5.1	- 6.8	15.3	31	-30.2	15	2₆ 2.8	5₅ 2.5	2₅ 2.8	5 2.6	8 2.2	6₅ 1.6	5 1.7	10₅ 2.0	24
IV			6.1	12.1	8.9	7.4	13.2	1.3	20.4	27	- 3.6	14	5₅ 2.2	2 2.0	0₅ 2.0	12₅ 2.7	11 2.2	13 2.4	12 3.0	25₅ 3.4	8
V			10.7	15.6	13.8	10.5	16.8	3.1	24.7	30	- 2.6	9	8₅ 2.4	13₅ 2.0	6 2.1	26₅ 2.7	19₅ 2.2	2₅ 2.4	2₅ 3.0	7 2.7	7
VI			13.0	16.1	15.2	12.9	17.9	8.2	21.8	23	2.4	16	10 2.8	5₅ 2.2	2₅ 3.0	16₅ 2.6	20 2.6	9₅ 2.9	15 3.0	5 3.1	6
VII			17.0	20.3	18.5	16.6	22.6	11.1	26.0	26	7.1	1	8 2.4	5 2.6	3 2.2	12₅ 2.3	26₅ 2.2	24 2.3	5 2.7	5 2.6	4
VIII			14.4	18.2	15.9	14.6	19.4	9.6	23.7	4	6.2	22	8 1.9	5₅ 2.4	3 3.3	15 2.8	19 2.5	13 2.4	7 2.5	9₅ 2.3	13
IX			10.2	15.3	12.4	11.4	15.9	7.7	20.8	28	- 0.1	30	3 2.8	1 2.0	0 -	9₅ 2.5	23 2.3	17 2.3	7 3.3	12₅ 2.7	17
X			1.3	10.1	4.1	4.3	10.5	- 0.5	16.9	14	- 8.2	23	13 3.2	2 2.5	1 3.0	8 2.2	7₅ 2.1	19 1.8	3₅ 1.1	3 1.5	8
XI			2.6	4.6	3.0	3.4	5.6	0.4	10.1	6	- 9.7	14	21₅ 2.9	6₅ 3.5	1₅ 3.3	8₅ 2.7	18₅ 2.6	19 1.8	3₅ 1.1	2₅ 1.6	25
XII			- 0.7	0.2	- 0.6	- 0.5	1.2	- 2.6	6.1	1	-16.2	17	19₅ 2.5	14 3.2	4 3.0	6₅ 3.2	14 2.4	6 1.9	1₅ 1.0	2₅ 1.6	25
1946			4.8	9.4	7.0	5.9	10.6	1.3	26.0		-30.2		149₅ 2.7	71 2.6	29 2.6	126₅ 2.6	177₅ 2.4	141₅ 2.1	74 2.4	115 2.8	211

Jomfruland

$\varphi = 58°\ 52'$N $\lambda = 9°\ 36'$ E g = $\Delta G = +1^h$

I			- 1.8	- 0.8	- 1.3	- 1.5		- 3.8	7.0	5	-13.0	3	8₅ 1.8	10₅ 3.6	6₅ 2.5	7 2.6	14 2.9	10 3.7	16 1.7	2₅ 1.2	18
II			- 1.6	0.7	- 0.2	- 0.7		- 3.0	6.3	16	-10.0	26	15₅ 2.5	15₅ 2.3	6₅ 2.3	2₅ 3.4	8₅ 2.6	7 2.4	7₅ 2.3	13 3.5	8
III			- 1.7	3.5	1.0	0.2		- 3.1	15.5	29	-15.5	15	9₅ 2.3	25₅ 3.2	6 2.8	1 1.0	10 1.4	20 2.3	7₅ 1.5	7₅ 1.5	6
IV			6.2	10.4	8.2	7.1		3.3	17.7	27	- 1.3	14	5₅ 1.9	5 1.4	3₅ 1.0	3 1.0	21₅ 2.0	26₅ 2.7	7₅ 3.1	12₅ 2.5	5
V			11.1	15.0	13.9	11.7		7.5	23.6	30	3.8	13	6₅ 1.6	16₅ 2.5	17₅ 1.6	6₅ 1.2	22 1.9	5₅ 2.7	2 1.0	4₅ 2.0	12
VI			13.4	16.0	15.5	13.7		10.5	19.4	14	8.0	16	4 3.1	7₅ 2.7	10₅ 1.2	1₅ 1.0	28₅ 2.5	21 3.4	14₅ 2.8	1₅ 1.4	1
VII			16.8	19.3	18.2	16.9		13.6	22.1	10	10.0	1	5 2.5	5 2.4	15 1.6	4 1.4	29 2.3	21 3.2	9 1.9	0 -	5
VIII			14.7	18.4	16.9	15.6		12.3	22.6	25	9.9	16	2₅ 1.4	15₅ 2.6	12₆ 1.6	7 3.2	18₅ 2.7	14₅ 2.8	10₅ 2.3	4₅ 1.0	8
IX			11.8	15.5	13.6	12.8		10.0	18.8	12	5.7	30	6 1.7	3₅ 2.3	3₅ 1.3	4₅ 1.4	20 2.2	31 2.7	11₅ 3.4	7 2.2	3
X			4.2	9.2	7.0	6.3		3.3	14.3	16	- 2.0	23	13₅ 1.7	17₅ 2.1	10 1.6	4 2.5	9 2.2	8 1.2	5₅ 1.0	4₅ 1.6	21
XI			4.2	5.2	4.6	4.5		2.3	9.4	6	- 2.4	15	11₅ 2.1	22₅ 3.2	4 4.8	6₅ 3.8	14₅ 3.3	17 3.6	6 2.1	3 1.5	5
XII			1.2	1.6	1.4	1.3		- 0.7	6.0	23	- 9.4	18	10₅ 2.0	23 2.5	14₅ 2.9	11₅ 3.2	14₅ 3.8	8₅ 2.6	5 1.1	2₅ 1.0	3
1946			6.5	9.5	8.2	7.3		4.4	23.6		-15.5		98₅ 2.1	167₅ 2.7	109₅ 2.0	59 2.5	210 2.5	190 2.8	102₅ 2.2	63 2.2	95

Lyngør

$\varphi = 58°\ 38'$N $\lambda = 9°\ 7'$ E g = $\Delta G = +1^h$

I			- 1.3	0.0	0.6	- 0.4		- 2.9	7.8	5	-13.0	3	15 2.3	10 4.0	9₅ 3.8	10₅ 4.0	8 4.0	11₅ 4.4	14₅ 2.6	4 2.4	10
II			- 0.8	1.7	0.3	0.1		- 2.4	10.6	14	-10.7	26	18 2.6	16 4.1	7 3.5	3₅ 5.1	5 3.6	6₅ 4.1	5 3.5	10 4.4	13
III			- 1.0	3.2	1.6	0.7		- 2.4	16.4	30	-14.2	15	11 3.2	19₅ 4.5	12 4.9	0₅ 2.0	4₅ 1.1	19₅ 2.6	9 2.5	5 2.7	12
IV			6.4	10.2	8.9	7.5		4.1	17.8	3	- 0.2	13	14 3.9	1₅ 2.0	8 1.7	1₅ 1.7	5 1.5	26 3.5	16 4.0	15 4.2	3
V			10.8	14.3	13.7	11.6		7.8	21.6	30	3.2	7	7₅ 3.4	17₅ 3.5	28₅ 2.9	4 1.9	12 2.0	15 3.4	3₅ 4.3	2 5.0	3
VI			12.8	15.6	15.1	13.4		10.3	20.0	23	7.8	7	5 2.6	4 3.9	7₅ 3.1	8₅ 1.8	10 2.6	27 4.0	21 4.4	5 4.3	2
VII			16.2	19.2	18.6	17.0		14.0	23.4	9	9.6	1	4 2.7	3 3.3	11₅ 2.3	12₅ 2.5	10 2.0	31 3.9	10₅ 4.0	5₅ 2.7	5
VIII			14.3	18.1	16.9	15.5		12.5	22.0	4	9.2	18	6 1.5	7₅ 3.1	17₅ 3.0	8 3.5	4₅ 2.4	19₅ 3.7	14₅ 4.0	8₅ 3.0	7
IX			11.6	15.5	13.7	12.9		10.3	20.1	28	6.0	30	8 2.7	2₅ 3.6	3₅ 2.3	6 3.4	10₅ 3.1	22 3.0	21 3.1	8₅ 3.9	8
X			4.8	10.2	7.3	6.9		3.9	18.0	14	- 1.3	23	24₅ 2.5	9₅ 3.3	8 2.4	9 3.5	10₅ 2.4	6 2.1	5 1.8	7₅ 1.7	13
XI			4.5	5.7	4.8	4.8		2.8	9.6	6	- 3.4	14	13 2.0	18 4.4	11 4.2	7 5.0	4 5.4	24₅ 4.5	8 3.9	2₅ 3.0	2
XII			1.9	2.4	1.9	2.0		0.0	7.0	23	- 8.7	17	7 2.1	17₅ 3.2	18 4.1	5₅ 4.2	6₅ 4.1	17₅ 4.0	13 2.5	0 -	8
1946			6.7	9.7	8.6	7.7		4.8	23.4		-14.2		133 2.7	126₅ 3.8	142 3.3	76₅ 3.3	90₅ 2.8	226 3.7	141 3.5	73₅ 3.5	86

Torungen Fyr

$\varphi = 58°\cdot 24'$N $\lambda = 8°\ 48'$ E g = $\Delta G = +1^h$

I			- 0.5	0.7	0.3	0.0		- 1.9	7.5	5	-13.4	3	12₅ 2.6	11 3.9	7₅ 5.0	11 3.4	10₅ 3.6	17₅ 3.5	10₅ 3.2	12₅ 1.9	0
II			- 0.2	1.7	0.8	0.5		- 1.7	11.0	15	- 8.9	22	13 2.8	24 3.8	5₅ 2.3	4 4.6	4₅ 3.8	4 3.8	12 2.9	17 3.4	0
III			- 0.8	2.4	1.3	0.6		- 2.0	14.6	30	-12.9	15	10₅ 2.3	22 4.7	12 5.6	0₅ 4.0	6 1.7	23 2.5	8₅ 2.8	9₅ 2.2	1
IV			6.2	8.6	7.4	6.6		4.0	14.6	27	0.7	13	0₅ 2.0	6₅ 2.3	8₅ 1.7	2 2.2	6 2.4	27 3.6	17 4.0	20₅ 4.4	2
V			10.5	12.1	11.9	10.6		8.0	18.5	27	3.5	17	2 2.5	29₅ 3.6	22 3.0	9₅ 2.2	9 2.3	11₅ 3.2	4₅ 2.9	2 2.8	3
VI			13.0	13.8	13.3	12.6		10.3	17.4	23	7.3	16	3 2.8	7₅ 3.0	6₅ 3.2	8₅ 2.2	9 2.8	42 3.8	13 3.2	0₅ 2.0	0
VII			16.4	17.9	17.5	16.5		14.2	24.2	9	10.4	1	1₅ 4.3	11₅ 2.8	12₅ 2.9	9₅ 3.0	11 2.6	34₅ 3.5	10 3.4	2₅ 3.2	0
VIII			15.0	16.8	16.5	15.3		12.6	21.5	4	9.1	19	1₅ 2.0	11₅ 2.8	14 4.0	10₅ 3.6	9 3.3	18₅ 4.1	18₅ 3.5	9₅ 3.0	0
IX			12.7	14.8	13.9	13.3		11.1	19.3	28	7.4	30	6 2.2	5₅ 3.0	4₅ 2.1	6₅ 2.4	10 3.2	29 3.4	21₅ 3.3	7 2.9	0
X			5.7	9.7	8.0	7.4		4.8	16.5	14	- 0.4	25	13₅ 2.9	16 3.4	11₅ 2.7	12 3.5	4₅ 3.0	8 2.3	12₅ 1.8	14 1.9	1
XI			5.1	6.2	5.6	5.4		3.5	9.8	25	- 3.4	14	8 3.1	22₅ 4.1	6 5.5	9₅ 4.7	10₅ 5.1	21 4.1	6₅ 3.7	6 2.3	0
XII			2.4	3.1	2.8	2.7		1.1	7.0	23	- 7.5	17	9₅ 2.3	19 3.6	12 4.8	19 4.7	8 4.8	12₅ 4.4	8₅ 3.1	4₅ 1.8	0
1946			7.1	9.0	8.3	7.6		5.3	24.2		-13.4		81₅ 2.6	186₅ 3.7	122₅ 3.5	102₅ 3.5	98 3.3	248₅ 3.6	143 3.2	105₅ 3.0	7

Tveitsund

$\varphi = 59°\ 2'$N $\lambda = 8°\ 31'$ E g = $\Delta G = +1^h$

I			- 4.3	- 2.5	- 3.6	- 3.7		- 6.5	6.8	5	-18.9	1	4 1.0	21 1.1	15 1.7	10₅ 2.0	2₅ 2.0	3₅ 1.3	4 1.6	22₅ 1.4	10
II			- 4.0	- 0.2	- 2.4	- 2.8		- 7.3	10.0	15	-20.5	26	9 2.7	11₅ 1.4	5 1.2	8 1.4	5₅ 1.0	1 1.0	1₅ 1.0	24₅ 2.3	18
III			- 3.5	2.7	- 0.1	- 1.2		- 6.0	13.0	31	-23.5	15	10₅ 1.3	8 1.1	14₅ 1.1	2 1.2	7₅ 1.2	2₅ 1.4	2 1.2	21 1.5	25
IV			5.4	10.7	8.2	6.5		1.6	17.8	15	- 3.3	1	9 1.7	0 -	8 1.4	0₅ 1.0	8₅ 1.5	14₅ 1.2	2₅ 1.4	32 1.9	15
V			9.3	15.1	13.3	10.0		2.7	23.4	28	- 3.0	9	5 1.6	5 2.0	8 1.5	3 1.8	10 1.2	29 1.3	3 1.5	21 1.5	9
VI			11.6	15.0	13.9	11.8		7.1	23.8	23	1.4	16	1 2.0	0₅ 1.0	9₅ 1.4	1 1.0	18 1.3	15 1.5	10 2.0	19 1.5	16
VII			15.3	19.1	17.5	15.5		10.5	25.1	8	5.4	1	0 -	1 1.0	4 1.8	5₅ 1.4	31₅ 1.3	21₅ 1.2	5₅ 1.1	16 1.7	8
VIII			12.4	16.7	14.8	13.0		8.3	22.5	5	4.5	18	0 -	0₅ 1.0	9₅ 1.1	6₅ 1.9	16₅ 1.2	9₅ 1.0	3₅ 1.0	27 1.8	20
IX			9.2	14.2	11.4	10.6		7.1	20.2	28	0.8	30	1₅ 1.0	1 1.0	23 1.1	1₅ 1.0	11 1.4	20₅ 1.4	3 1.7	18₅ 1.6	10
X			1.2	9.0	3.4	3.7		- 0.7	19.5	2	- 6.4	26	17 1.0	16 1.0	7₅ 1.3	4₅ 1.8	2 1.0	11₅ 1.1	2 1.2	19₅ 1.2	13
XI			2.0	3.7	2.2	2.3		- 0.3	9.4	12	-10.2	14	11₅ 1.1	5 1.0	22 1.2	3₅ 1.9	11 1.4	4₅ 1.0	0 -	19₅ 1.4	13
XII			- 1.0	- 0.5	- 1.2	- 1.0		- 3.1	5.0	23	-16.5	18	6₅ 1.1	3 1.0	25₅ 1.5	5 1.1	11 1.2	2₅ 1.6	3₅ 1.1	21 1.0	19
1946			4.5	8.4	6.4	5.4		1.1	25.1		-23.5		75 1.4	72₅ 1.2	151₅ 1.3	51₅ 1.6	135 1.3	135₅ 1.3	40₅ 1.5	261₅ 2.6	172

1946

Vefall i Drangedal

H_s = 68 H_b = h_t = 2.0 h_a = h_d = 12.3 h_r = 1.6

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min ≤ -10°	Max ≥ 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	♯	⁹	*	△	▲	℞	〓	≡	⊙	◔	◕	▣
I	83	81	86	84	5.4	6.2	6.3	60	15	29	29	15	11	0	15	8	3	6	0	0	7	11	3	0	0	0	0	0	6	4	20	8	12	31
II	82	72	77	78	7.9	7.0	6.0	64	12	3	24	11	9	0	19	10	3	12	4	2	8	19	7	0	0	0	0	0	5	2	18	1	12	28
III	86	59	69	75	7.0	6.5	5.6	39	6	10	27	12	8	0	12	10	0	5	0	0	2	10	0	0	0	0	0	0	7	1	26	4	14	31
IV	72	50	58	65	6.1	5.8	4.4	6	3	26	11	0	0	0	8	3	0	11	1	0	7	0	0	0	0	1	0	1	0	2	30	3	6	0
V	63	45	50	60	4.1	3.9	3.7	25	20	15	3	0	0	0	8	3	1	3	0	0	8	0	0	0	0	2	0	1	0	4	31	8	3	0
VI	69	63	63	67	6.8	7.2	5.6	143	31	11	0	0	0	0	21	14	6	7	0	0	21	0	0	2	0	1	0	2	1	3	27	1	11	0
VII	70	62	68	71	6.1	6.5	5.9	132	32	27	0	0	0	4	23	15	4	4	0	0	23	0	0	0	0	0	0	6	3	1	30	2	11	0
VIII	77	62	72	74	5.7	6.1	6.1	173	43	11	0	0	0	0	19	14	5	6	0	0	19	0	0	0	0	1	0	7	3	4	30	4	6	0
IX	87	66	80	80	6.5	6.1	5.8	132	34	14	0	0	0	0	21	12	4	5	1	0	21	0	0	0	0	0	0	1	4	4	28	4	11	0
X	88	57	83	80	5.0	4.5	4.5	25	17	5	18	0	0	0	5	4	1	5	0	0	5	0	0	0	0	0	0	0	1	6	25	10	7	0
XI	86	78	83	83	7.6	8.1	8.5	129	24	22	13	2	0	0	23	14	3	7	0	0	20	7	4	0	0	0	0	0	7	1	18	3	20	8
XII	88	87	86	87	8.7	8.2	7.7	159	19	3	11	8	6	0	25	20	6	2	0	0	23	17	14	0	0	0	0	0	6	1	10	3	23	17
1946	79	65	73	75	6.4	6.3	5.8	1087	43		136	48	34	4	199	128	36	73	6	2	164	64	28	2	0	5	0	18	43	33	293	51	136	115

Jomfruland

H_s = 15 H_b = h_t = 1.8 h_a = h_d = 22 h_r = 1.7

I					7.0	6.8	5.6	65	17	10	23		4		8	7	3	3	0	0	5	5	2	3	0	0	0	0	3	6	8	7	14	22
II					7.8	7.4	6.8	72	13	3	17		0		14	11	2	6	0	0	8	11	4	2	0	0	0	0	0	6	10	2	15	12	
III					7.4	6.7	6.5	33	7	19	24		3		11	8	0	0	0	0	2	10	0	1	0	1	0	0	1	5	16	3	16	21	
IV					6.4	6.2	5.0	10	3	18	3		0		7	4	0	4	0	0	7	0	0	0	0	1	0	1	3	3	21	3	9	0	
V					4.0	3.4	4.1	17	13	15	0		0		5	2	1	0	0	0	5	0	0	1	0	0	0	1	1	2	26	12	4	0	
VI					7.1	7.0	6.3	133	36	10	0		0		15	11	5	1	0	0	15	0	0	6	0	0	0	1	0	2	22	1	12	0	
VII					6.1	6.2	6.5	123	23	16	0		0		19	14	3	2	0	0	19	0	0	0	0	0	0	7	2	2	18	3	11	0	
VIII					6.0	5.7	6.1	118	33	11	0		0		12	11	4	5	0	0	12	0	0	1	0	0	0	3	0	0	28	3	7	0	
IX					6.4	6.3	6.6	155	28	10	0		0		18	14	6	3	0	0	18	0	0	4	0	0	0	0	0	4	21	3	10	0	
X					4.8	5.0	4.4	34	19	5	4		0		4	2	2	0	0	0	4	0	0	3	0	0	0	0	0	0	23	8	7	0	
XI					7.7	8.4	8.4	131	33	22	8		0		22	14	5	5	0	0	18	5	1	6	0	0	0	0	3	3	4	1	20	2	
XII					8.6	8.3	7.3	136	24	5	14		0		23	20	5	1	0	0	22	6	3	11	0	0	0	0	1	5	4	4	23	0	
1946					6.6	6.4	6.1	1027	36		93		7		158	118	36	30	0	0	135	37	10	38	0	2	0	13	14	38	201	50	148	57	

Lyngør

H_s = 2 H_b = h_t = 2.0 h_a = h_d = h_r = 1.3

I	86	84	88	86	6.7	6.8	7.0	48	13	10	19		4		11	7	3	12	0	0	7	8	3	4	0	0	0	0	4	3	14	6	16		
II	82	77	77	79	7.8	7.7	6.8	68	10	2	17		1		16	10	1	10	1	0	8	12	4	2	0	0	0	0	5	0	17	2	14		
III	85	73	80	81	7.7	6.7	6.2	46	10	11	19		2		15	8	1	8	0	0	3	13	1	1	0	1	0	0	0	8	21	3	15		
IV	82	66	68	75	6.5	5.9	5.0	35	29	25	1		0		7	3	1	9	0	0	7	0	0	1	0	1	0	1	4	3	27	3	8		
V	74	64	64	70	5.4	3.8	4.0	13	11	15	0		0		4	1	1	7	0	0	4	0	0	0	0	0	0	2	2	0	29	9	6		
VI	84	75	73	80	6.9	7.3	6.0	114	23	11	0		0		19	13	4	12	1	0	18	0	0	5	0	0	0	3	2	3	24	1	11		
VII	83	75	77	81	6.9	6.6	5.7	87	22	16	0		0		17	14	3	8	0	0	17	0	0	3	0	0	0	6	3	2	24	1	13		
VIII	88	75	77	82	5.7	6.3	6.2	85	30	11	0		0		12	10	2	5	0	0	12	0	0	3	0	0	0	1	1	0	24	5	12		
IX	92	76	84	86	6.1	6.2	6.1	97	16	14	0		0		14	13	4	3	0	0	14	0	0	2	0	0	0	0	1	1	23	4	10		
X	85	67	80	79	5.3	4.9	5.1	25	11	6	2		0		4	4	1	3	0	0	4	0	0	2	0	0	0	0	0	0	25	7	10		
XI	90	86	88	88	8.1	8.5	8.9	146	42	22	7		0		22	15	4	10	0	0	19	6	1	6	0	0	0	0	5	0	6	1	21		
XII	92	89	91	91	8.3	8.6	9.0	129	24	11	9		0		22	19	5	5	0	0	21	4	2	8	0	0	0	0	4	0	4	2	24		
1946	85	76	79	82	6.8	6.6	6.3	893	42		74		7		163	117	30	92	2	0	134	43	11	37	0	2	0	13	32	20	238	44	160		

Torungen Fyr

H_s = 12 H_b = h_t = 2.0 h_a = h_d = h_r = 1.4

I					7.2	6.8	5.8	65	16	29	19		3		11	8	3	11	0	0	6	8	1	1	0	0	0	0	18	3	14	6	13	16	
II					7.9	7.4	6.4	71	12	4	17		0		16	12	2	11	3	0	10	13	5	0	0	0	0	0	9	5	15	2	14	11	
III					7.1	6.3	6.4	39	10	10	19		1		16	8	0	8	1	0	5	14	2	1	0	0	0	0	14	9	20	5	15	19	
IV					5.6	4.5	4.2	8	4	26	0		0		7	3	0	6	2	0	7	0	0	0	0	0	0	0	10	6	29	6	7	0	
V					4.1	3.4	3.2	11	7	15	0		0		6	4	0	2	0	0	6	0	0	0	0	0	0	2	2	3	29	13	5	0	
VI					6.0	6.3	4.5	123	17	11	0		0		17	15	5	4	0	0	17	0	0	0	0	0	0	3	15	0	27	3	7	0	
VII					6.5	5.3	5.2	119	29	16	0		0		16	12	4	1	0	0	16	0	0	0	0	0	0	4	16	2	30	5	8	0	
VIII					5.1	5.5	5.4	123	37	14	0		0		17	11	5	3	0	0	17	0	0	1	0	0	0	1	11	1	30	4	6	0	
IX					5.5	5.8	5.4	76	15	15	0		0		16	14	2	6	0	0	16	0	0	0	0	0	0	0	7	3	24	5	9	0	
X					4.4	4.1	3.9	33	13	6	1		0		4	4	2	4	0	0	4	0	0	0	0	0	0	0	5	0	28	11	5	0	
XI					7.8	8.3	8.6	186	30	21	5		0		23	19	5	16	0	0	21	7	2	0	0	0	0	0	22	0	13	1	22	2	
XII					8.9	8.5	8.6	115	15	12	7		0		24	21	4	13	0	0	22	7	5	3	0	0	0	0	18	1	7	1	25	7	
1946					6.3	6.0	5.6	969	37		68		4		173	131	32	85	6	0	147	49	15	6	0	0	0	10	147	33	266	63	136	55	

Tveitsund

H_s = 252 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

I	94	81	86	84	6.4	7.3	6.5	64	14	10	28		9		16	12	2	1	0	0	5	13	2	0	0	0	0	0	5	5	10	5	16		
II	94	72	77	79	8.2	8.0	6.2	78	16	3	27		9		18	14	3	4	0	0	7	18	7	1	0	0	0	0	7	10	12	1	15		
III	57	60	70	75	7.0	6.5	5.6	26	5	10	26		9		13	7	0	1	0	0	2	11	0	0	0	0	0	0	10	2	21	4	13		
IV	76	52	60	67	6.7	6.3	5.8	7	4	26	7		0		7	1	0	1	0	0	7	1	1	0	0	0	0	0	11	1	28	1	11		
V	57	43	49	62	4.3	4.3	3.6	14	5	14	5		0		5	4	0	0	0	0	5	0	0	0	0	1	0	1	9	1	30	7	2		
VI	74	61	63	71	7.0	7.9	6.8	118	17	25	0		0		18	14	7	0	0	0	18	0	0	1	0	0	0	1	10	1	25	0	12		
VII	76	61	66	73	7.3	7.2	6.2	77	12	28	0		0		18	14	3	0	0	0	18	0	0	2	0	0	0	4	11	0	30	0	11		
VIII	98	63	74	81	6.6	7.4	6.9	192	40	11	0		0		17	14	5	0	0	0	17	0	0	1	0	1	0	1	14	2	25	2	11		
IX	92	67	80	83	7.2	7.1	6.6	132	27	14	0		0		18	15	6	0	0	0	18	0	0	1	0	0	0	0	13	5	20	3	12		
X	71	63	82	82	5.8	5.2	3.9	29	18	5	19		0		5	3	1	0	0	0	5	0	0	2	0	0	0	0	5	4	23	9	8		
XI	88	80	87	86	8.0	8.3	8.5	152	22	22	15		1		23	17	7	1	0	0	17	10	3	4	0	0	0	0	13	5	7	1	21		
XII	91	90	89	90	8.8	8.5	7.5	96	15	26	19		6		23	19	3	0	0	0	14	18	2	5	0	0	0	0	15	5	4	3	25		
1946	83	66	74	78	6.9	7.0	6.2	985	40		146		34		181	134	37	8	0	0	133	71	15	17	0	2	0	7	123	41	235	36	155		

1946

Grimstad

φ = 58° 20′ N λ = 8° 36′ E g = ΔG = + 1^h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 1.6	0.4	- 0.6	- 0.8		- 3.1	8.0	5	-14.6	3	11	2.0	26	3.6	5	3.4	10	3.2	5.5	3.5	16.5	3.2	10.5	3.5	2.5	1.4	6
II			- 0.4	2.1	0.3	0.4		- 2.1	14.0	15	-10.0	26	10	2.2	33	3.3	1	3.0	5	3.8	0	-	7	3.1	13	3.6	12	3.5	3
III			- 0.6	3.3	1.5	0.8		- 2.5	18.0	30	-13.5	15	3.5	2.1	42	3.8	3.5	3.7	1	2.0	0	-	21.5	2.8	11.5	2.8	6	2.3	4
IV			7.2	10.0	8.7	7.5		3.8	16.8	27	- 1.0	13	5.5	3.3	10	2.8	6.5	2.6	1	3.0	6	2.0	27.5	3.3	17.5	3.7	13	4.0	3
V			11.4	13.2	12.9	11.2		7.2	20.3	27	2.3	9	1.5	3.0	38	3.9	18	3.3	4	2.8	7	2.3	19	3.5	2.5	3.8	2	3.5	1
VI			13.6	14.4	14.0	12.8		9.6	19.0	23	6.6	16	3.5	2.3	11.5	3.3	4	2.6	3	2.7	7	2.4	40	3.8	19	3.6	1	3.0	1
VII			16.7	18.0	17.8	16.4		13.3	24.3	9	8.5	1	4.5	2.7	14.5	3.3	12	3.2	1.5	1.7	5.5	2.7	38	3.7	11.5	3.2	3.5	3.7	2
VIII			15.0	17.1	16.1	15.1		11.7	22.3	1	7.6	18	3	2.3	18	3.2	13.5	3.3	4.5	3.3	3	2.0	27.5	4.2	19	3.1	2.5	3.6	2
IX			12.0	15.1	13.3	12.8		9.8	20.0	28	5.8	24	4	1.5	11.5	2.5	3	3.3	3.5	3.7	4	3.7	27.5	3.7	24.5	3.1	5	2.5	7
X			4.9	10.4	6.7	7.1		3.4	19.3	14	- 1.9	25	1.5	1.9	32.5	3.0	13	2.9	5	4.0	3.5	2.0	8	3.1	4.5	1.9	9.5	2.2	2
XI			4.3	6.0	5.1	4.9		2.9	9.7	25	- 4.2	14	11.5	2.9	26	4.6	7	4.1	5	3.5	2	2.8	24.5	4.4	10	3.6	3	2.7	0
XII			1.7	2.8	2.2	2.1		0.0	6.8	1	- 8.2	20	3.5	2.7	32	3.5	15.5	1.8	9	4.2	4.5	4.3	14	4.2	9.5	2.7	5	1.5	0
1946			7.0	9.4	8.2	7.5		4.5	24.3		-14.6		76.5	2.3	29.5	3.5	102	3.4	52.5	3.4	49	2.8	27.1	3.2	15.3	3.3	6.5	3.0	31

Byglandsfjord

φ = 59° 40′ N λ = 7° 48′ E g = ΔG = + 1^h

I			- 3.1	- 1.8	- 2.5	- 2.7		- 5.9	6.8	5	-17.7	14	8	2.0	1	2.0	0	-	10	1.2	3.5	1.2	3	1.2	6.5	1.8	29.5	2.2	0
II			- 3.6	- 0.9	- 2.2	- 2.6		- 5.9	7.6	14	-17.9	22	10	1.8	0.5	1.0	2	1.5	2.5	1.2	14	1.4	0.5	1.0	17.5	1.8	37	2.3	0
III			- 4.2	1.6	- 0.1	- 1.8		- 6.5	10.9	30	-21.8	15	23.5	1.5	4	1.5	2.5	2.6	5	1.1	10	1.1	1	1.5	11.5	1.3	35.5	1.7	0
IV			3.9	9.3	7.5	5.4		0.5	16.4	28	- 5.1	1	14.5	1.6	5.5	1.2	4.5	1.1	8	1.4	19	1.4	1.5	1.7	8	1.7	29	2.3	0
V			8.9	14.3	13.3	10.0		3.8	21.8	28	- 2.6	17	22	1.8	4	1.8	10	1.8	6	1.9	21	2.0	1	1.5	3.5	2.4	25.5	1.9	0
VI			10.8	14.9	14.1	11.5		6.5	23.8	23	0.0	8	7.5	1.4	2.5	1.0	7.5	1.0	6	1.7	28.5	1.8	1.5	1.7	11	1.9	25.5	1.7	0
VII			14.7	18.6	17.5	15.2		10.0	25.0	8	2.8	1	8.5	1.6	0.5	1.0	4	3.0	10	1.6	44.5	1.8	0.5	2.0	6.5	1.9	18.5	2.1	0
VIII			12.0	16.5	14.7	12.8		7.6	21.8	22	1.1	18	6	1.3	2.5	1.4	7.5	2.0	7.5	1.5	31	1.7	0.5	1.0	15	1.9	23	1.9	0
IX			8.8	13.3	11.3	10.0		6.0	18.2	12	0.7	30	4.5	1.4	1	2.0	1	1.0	11	1.4	44.5	1.3	4.5	1.3	7.5	1.2	16	1.6	0
X			2.5	7.8	3.2	3.7		- 0.5	13.6	13	- 6.8	26	12.5	1.6	0.5	2.0	1.5	1.3	5	1.2	16.5	1.2	2.5	1.0	26.5	1.2	28	1.4	0
XI			2.3	4.0	2.7	2.7		0.3	8.0	6	- 9.0	14	10	2.2	1.5	3.0	5.5	2.3	7.5	1.7	33.5	1.3	2	1.2	14.5	1.6	15.5	2.0	0
XII			- 0.4	0.2	- 0.3	- 0.3		- 2.2	5.0	1	-14.1	20	6.5	2.2	4	2.2	1.5	2.0	5	1.5	33	1.3	1	1.5	17.5	1.5	24.5	1.9	0
1946			4.4	8.2	6.6	5.3		1.1	25.0		-21.8		133.5	1.7	27.5	1.6	47.5	1.8	83.5	1.5	330.5	1.5	19.5	1.3	145.5	1.6	307.5	1.9	0

Kristiansand S.

φ = 58° 10′ N λ = 7° 59′ E g = ΔG = + 1^h

I			- 2.4	- 0.3	- 1.0	- 1.4	1.5	- 4.1	9.1	5	-17.5	3	21	1.8	12.5	4.0	12.5	3.2	11	3.2	8	2.6	7.5	3.2	4	4.6	12.5	1.7	4
II			- 0.9	2.1	0.5	0.2	3.6	- 2.8	12.1	15	-14.0	25	20.5	2.5	11	3.1	4.5	1.7	4.5	3.0	3	1.8	2.5	3.2	10	4.0	24	3.5	4
III			- 1.5	4.1	1.6	0.7	5.2	- 3.3	18.3	30	-16.4	15	22.5	3.1	15	4.1	4	3.4	12	1.7	1	2.0	4.5	2.3	16	2.4	13	2.7	5
IV			6.2	11.0	8.8	7.5	12.5	3.4	20.0	27	- 1.9	13	4	2.2	3.5	1.7	4.5	2.3	11	1.7	7	2.5	11.5	2.9	14.5	4.4	17	4.6	17
V			10.6	14.7	14.3	11.4	16.4	6.1	23.9	7	- 0.2	14	7	2.5	24.5	3.7	12	3.9	15	3.1	8.5	3.4	0.5	2.0	5	3.6	11.5	3.0	9
VI			12.9	15.7	14.4	12.8	17.3	8.6	21.4	23	4.5	8	2.5	2.0	6	2.0	4	2.6	13	3.2	9.5	3.7	30.5	3.8	15	4.2	3.5	1.9	6
VII			16.0	18.8	18.0	16.2	20.6	12.3	26.9	8	7.5	1	2.5	2.4	8	2.4	6	2.8	20	3.0	24	2.1	10	3.8	6	3.3	7.5	4.1	9
VIII			13.8	17.4	15.6	14.6	18.7	11.0	22.4	25	6.2	19	8.5	1.9	13.5	2.6	8	3.2	12.5	3.0	9	3.5	9.5	3.5	16	4.6	8	3.0	8
IX			10.7	15.1	12.9	12.1	16.1	8.6	19.7	12	4.0	30	9.5	1.3	2	1.0	2.5	2.4	11	3.3	9	2.8	16.5	2.8	6	3.7	14.5	2.1	18
X			3.6	10.9	5.7	6.0	11.5	1.9	19.5	11	- 3.8	24	25	1.9	9.5	3.4	10.5	3.7	9	2.9	1	2.0	3	2.7	8	2.4	14	2.6	13
XI			4.2	6.1	5.0	4.9	6.8	2.7	10.1	6	- 4.2	14	22.5	3.2	11.5	4.2	8	4.6	6.5	4.5	13.5	4.2	9.5	3.6	7	2.6	1.5	1.7	10
XII			1.6	2.3	1.7	1.8	3.7	- 0.1	7.5	26	- 9.0	18	13	2.5	19	3.7	18	4.4	9.5	5.3	11	2.1	2.5	4.2	3.5	1.3	4.5	1.8	12
1946			6.2	9.8	8.1	7.2	11.2	3.7	26.9		-17.5		159.5	2.4	136	3.4	94.5	3.5	135	3.1	104.5	2.9	108	3.3	111	3.6	131.5	3.0	115

Oksøy

φ = 58° 4′ N λ = 8° 3′ E g = 9.818 ΔG = + 1^h

I	1018.7	1020.0	0.1	1.0	1.1	0.6	2.7	- 1.4	8.2	5	-10.1	3	17.5	2.3	11.5	4.3	9	5.4	14.5	3.9	14	3.2	4	4.2	17.5	3.8	2	1.8	3
II	02.1	03.4	0.6	2.4	1.5	1.2	3.7	- 1.0	10.2	15	- 7.9	26	13	3.5	18.5	3.6	12.5	3.3	0	-	8.5	4.4	2.5	2.4	13.5	3.7	12.5	4.0	3
III	17.7	19.0	- 0.4	2.3	2.0	1.7	4.0	- 1.4	14.3	31	-11.0	15	10	2.0	26.5	5.2	15	4.3	1.5	1.0	7	1.9	13	2.5	14	2.8	5	2.7	1
IV	11.9	13.2	5.9	8.0	7.3	6.5	9.6	4.5	15.5	27	1.6	13	11.5	3.1	2	2.5	11.5	2.8	3.5	1.6	6	1.8	18.5	3.6	22.5	4.3	13.5	4.7	1
V	16.2	17.5	10.6	12.4	12.3	10.9	14.8	8.2	21.1	7	3.6	17	8.5	1.9	10	4.6	36.5	4.2	6.5	2.8	6	2.4	15	2.6	4.5	3.4	3	3.5	3
VI	08.4	09.6	12.7	13.9	13.2	12.6	14.7	10.6	18.7	23	8.1	8	5.5	2.4	3	3.2	8	3.8	2	2.8	10.5	2.6	31	4.0	24	4.2	4	2.6	2
VII	12.6	13.8	16.2	17.7	17.4	16.4	19.1	14.2	24.5	8	11.1	2	4.5	2.8	3	2.3	18	3.8	3.5	3.3	11	2.8	26	3.4	22	3.6	4	3.4	1
VIII	08.4	09.6	14.8	16.6	16.0	15.2	17.5	13.1	20.0	22	10.1	18	3.5	1.6	6	2.8	21	3.9	6	4.6	9.5	3.6	15.5	3.4	26	3.9	5.5	3.6	0
IX	07.7	08.9	12.8	14.9	14.2	13.6	15.7	11.7	18.1	5	8.2	30	10.5	2.0	7	2.3	5.5	3.5	1.5	3.0	13.5	2.9	21.5	3.3	27.5	3.5	3	4.0	0
X	20.1	21.4	6.5	10.1	8.6	8.0	10.7	5.7	15.8	14	0.8	24	21	2.0	19.5	2.8	16.5	3.8	8	4.3	4	2.1	5.5	2.1	10.5	2.0	5	2.3	3
XI	08.0	09.3	5.8	6.7	6.1	6.0	7.6	4.2	10.2	13	- 1.2	20	6.5	2.2	16.5	4.8	17	4.8	8	5.2	15	4.7	14	4.5	10	4.2	2	2.8	1
XII	15.5	16.8	3.3	3.6	3.3	3.3	4.6	1.9	7.7	26	- 3.9	17	9.5	2.5	17.5	3.7	17	5.4	12	5.8	12.5	5.0	13.5	4.2	9.5	2.9	1.5	3.0	0
1946	12.3	13.5	7.4	9.1	8.6	8.0	10.4	6.5	24.5		-11.0		121.5	2.4	141	3.9	187.5	4.1	67	4.1	117.5	3.3	180	3.5	201.5	3.7	61	3.6	8

Mandal

φ = 58° 2′ N λ = 7° 27′ E g = ΔG = + 1^h

I			1.7	0.3	0.0	- 0.7		- 3.0	8.2	5	-14.0	2	1	1.0	19	1.8	13	1.8	5	1.6	4	1.8	9	1.6	9	1.6	1	2.0	2
II			0.1	2.2	0.9	0.8		- 2.3	9.1	14	-14.0	25	1	1.0	20	1.4	6	1.1	0	-	6	1.3	4	1.0	10.5	2.1	11.5	1.3	5
III			0.1	3.6	1.8	1.2		- 2.6	16.0	31	-14.8	15	0	-	27.5	1.9	9.5	1.9	0	-	2.5	1.0	1.5	1.0	14	1.5	1	1.0	7
IV			7.2	9.9	7.9	7.2		3.5	17.9	27	- 1.1	13	0	-	15	1.5	2	1.2	3	1.8	3	1.0	18	1.3	27.5	1.7	8.5	1.9	3
V			11.3	14.0	12.5	11.0		6.0	21.7	30	0.0	17	1	1.0	14.5	2.0	31.5	3.3	0	-	4	2.2	11	2.0	4.5	1.2	4.5	1.4	2
VI			13.0	15.0	13.4	12.6		9.1	18.9	23	5.3	8	0	-	5.5	2.2	5	2.6	3	2.8	5.5	2.6	18.5	2.0	39.5	2.6	11	2.7	2
VII			16.4	18.4	17.0	16.1		12.4	23.9	8	8.4	2	3	2.0	8.5	1.5	10	2.0	3	1.7	11.5	1.7	27	1.8	7	2.6	12	2.8	1
VIII			14.6	16.7	14.7	14.3		10.6	19.9	22	6.0	17	0.5	3.0	6	2.2	22.5	1.7	2.5	2.0	7.5	2.2	12.9	1.6	15.5	2.0	22	2.0	4
IX			11.5	14.8	12.7	12.3		9.1	17.5	3	4.8	12	0	-	11.5	1.3	5.5	1.2	2	1.5	0.5	1.0	26	1.8	18	2.0	0.5	2.0	26
X			4.1	9.7	5.4	5.8		1.8	15.1	9	- 3.9	24	0	-	21	1.7	11.5	1.9	7.5	2.1	1	1.0	6	1.2	4	1.5	0	-	32
XI			4.6	6.1	5.3	5.1		2.8	9.7	6	- 3.2	14	0	-	27	2.3	7.5	2.1	9.5	2.5	2	2.0	24.5	1.8	5.5	1.5	1	2.0	3
XII			2.2	2.9	2.5	2.4		0.5	6.7	1	- 7.0	20	0	-	23.5	1.7	14	1.9	12.5	2.3	1	3.0	20	1.4	1	1.0	1	1.0	20
1946			7.0	9.5	7.8	7.3		4.0	23.9		-14.8		6.5	1.6	199	1.8	138	2.1	48	2.1	48.5	1.8	17.8	1.1	15.6	2.0	7.4	2.1	247

1946

Grimstad

H_s = 7 H_b = h_t = 1.8 h_a = h_d = 5.0 h_r = 1.4

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n																				
											Lufttemperatur T				Nedbør R			Vindstyrke F													
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
																					●	*	⧺	⧻	⁎	△	▲	₹	〓	≡	⊙	◔	◕	⊞
I					6.7	6.5	6.2	86	21	12	22		5		16	8	3	9	0	0	11	8	2	1	0	0	0	0	1	2	14	6	15	23
II					8.0	8.1	6.8	99	15	2	15		0		18	14	5	11	1	0	10	15	5	1	0	0	0	0	2	2	16	2	16	13
III					7.2	6.7	6.4	76	18	10	21		2		17	12	2	6	0	0	5	13	1	2	0	0	0	0	0	5	19	4	16	21
IV					5.9	5.2	4.5	16	6	26	1		0		9	5	0	5	1	0	9	0	0	0	0	1	0	0	0	1	28	5	7	0
V					4.8	3.9	3.9	24	14	15	0		0		5	5	1	7	0	0	5	0	0	0	0	0	1	0	0	29	12	7	0
VI					6.3	6.8	5.3	138	21	6	0		0		17	16	6	3	0	0	17	0	0	1	0	0	1	0	1	24	2	8	0
VII					6.5	5.9	5.4	162	37	30	0		0		18	15	4	3	0	0	18	0	0	0	0	0	3	0	1	23	3	9	0
VIII					5.5	6.5	5.9	167	45	14	0		0		17	11	5	6	0	0	17	0	0	0	0	0	6	0	0	26	5	11	0
IX					6.3	7.0	6.1	137	24	15	0		0		20	16	5	4	1	0	20	0	0	1	0	0	1	0	2	21	1	12	0
X					4.5	4.5	3.5	48	21	4	6		0		4	4	2	3	0	0	4	0	0	0	0	0	0	0	0	28	12	6	0
XI					8.0	8.3	8.6	212	34	28	7		0		23	20	6	16	0	0	20	7	4	2	0	0	0	0	0	10	2	21	1
XII					9.0	8.4	8.6	159	16	11	10		0		25	23	6	10	0	0	23	4	1	1	0	0	0	0	0	6	2	25	8
1946					6.6	6.5	5.9	1324	45		82		7		189	149	45	83	3	0	159	47	13	9	0	1	0	12	1	14	244	56	153	66

Byglandsfjord

H_s = 207 H_b = h_t = 1.9 h_a = h_d = 10.9 h_r = 1.7

I	84	81	85	84	6.9	7.2	6.6	110	22	12	29		5		18	13	4	0	0	0	13	10	3	4	0	0	0	0	1	1	13	6	15	31
II	84	77	81	82	8.5	7.8	7.4	119	26	28	25		7		20	17	3	4	1	0	7	19	4	0	0	0	0	0	2	2	15	1	15	28
III	86	66	74	78	7.5	6.5	7.1	32	11	21	27		9		16	8	1	0	0	0	5	13	0	3	0	0	0	0	2	1	22	1	16	31
IV	84	61	69	76	7.5	6.9	6.3	47	12	26	12		0		13	8	2	1	0	0	13	1	1	1	0	0	0	0	3	0	26	1	13	4
V	73	50	52	66	5.1	5.6	4.4	20	5	15	7		0		7	5	0	0	0	0	7	0	0	0	0	0	2	1	0	30	7	4	0
VI	83	62	65	78	7.4	8.5	7.0	140	22	6	0		0		20	15	6	0	0	0	20	0	0	0	0	0	0	0	0	25	1	14	0
VII	83	66	68	77	7.8	7.7	6.7	115	22	16	0		0		21	17	4	0	0	0	20	0	0	3	0	0	4	3	0	27	0	15	0
VIII	87	64	73	79	6.9	7.8	7.3	186	39	11	0		0		14	11	5	0	0	0	14	0	0	1	0	0	2	1	0	27	1	15	0
IX	95	74	86	88	7.8	7.3	8.0	137	27	15	0		0		22	16	4	0	0	0	22	0	0	3	0	0	0	1	5	22	1	16	0
X	85	64	84	80	5.8	4.5	4.4	18	11	5	16		0		5	3	1	0	0	0	5	0	0	3	0	0	0	0	0	26	6	8	0
XI	89	83	87	87	8.8	8.4	8.8	214	36	25	11		0		23	18	9	0	0	0	18	8	3	5	0	0	0	0	3	0	13	0	22	9
XII	88	87	88	88	9.0	8.7	9.0	147	19	26	20		1		25	21	6	0	0	0	18	13	4	2	0	0	0	0	4	2	8	2	26	18
1946	85	70	76	80	7.4	7.2	6.9	1285	39		147		22		204	152	45	5	1	0	162	64	15	25	0	0	0	8	21	11	254	27	179	121

Kristiansand S.

H_s = 22 H_b = h_t = 2.0 h_a = h_d = 15.2 h_r = 1.7

I	81	78	82	81	6.8	6.6	6.5	110	24	10	25	9	7	0	16	12	4	4	0	0	12	9	4	2	0	0	0	0	7	6	18	5	15	24
II	80	70	75	76	8.1	7.4	6.2	128	22	27	15	6	2	0	19	15	4	8	1	0	11	12	2	0	0	0	0	1	4	4	17	2	14	16
III	81	65	72	75	6.0	5.9	5.7	57	16	21	21	5	2	0	16	11	2	7	0	0	5	12	0	2	0	0	0	0	3	5	23	5	13	24
IV	77	59	64	71	5.6	4.9	3.8	33	10	26	3	0	0	0	13	7	1	8	0	0	13	0	0	1	0	0	0	0	7	2	27	10	8	0
V	69	55	59	66	4.5	3.2	2.5	29	9	15	1	0	0	0	7	5	0	18	6	0	7	0	0	0	0	0	3	1	0	30	14	3	0
VI	75	64	68	75	6.2	5.5	4.7	149	27	6	0	0	0	0	21	16	5	6	0	0	21	0	0	0	0	0	1	1	1	28	3	8	0
VII	79	68	69	75	6.6	6.1	4.8	239	73	16	0	0	0	2	21	15	8	5	0	0	21	0	0	1	0	0	4	2	2	27	4	11	0
VIII	80	68	73	76	5.1	5.0	4.9	252	89	14	0	0	0	0	17	10	6	8	0	0	17	0	0	0	0	0	2	3	0	28	7	7	0
IX	88	72	81	83	6.2	6.2	5.9	182	29	15	0	0	0	0	25	20	6	3	0	0	24	0	0	0	0	0	1	2	4	25	3	9	0
X	82	56	76	74	4.4	3.5	3.0	60	36	4	7	0	0	0	3	3	2	6	0	0	3	0	0	0	0	0	0	0	1	28	14	3	0
XI	84	78	84	82	7.9	8.2	8.2	314	52	28	9	1	0	0	26	22	9	6	0	0	22	6	2	0	0	0	0	10	2	15	4	21	2
XII	85	81	83	83	8.6	8.3	8.2	231	33	23	11	4	0	0	27	22	9	5	0	0	25	7	3	0	0	1	0	0	14	0	11	1	22	4
1946	80	68	74	76	6.3	5.9	5.4	1784	89		92	25	11	2	211	158	56	84	7	0	181	46	11	6	0	1	0	12	54	27	277	72	134	70

Oksøy

H_s = 9 H_b = 13.0 h_t = 2.1 h_a = h_d = 8.1 h_r = 1.8

I	87	85	85	86	6.7	7.5	6.1	70	18	29	18	5	1	0	16	10	2	8	2	0	12	7	3	4	0	0	0	0	6	3	11	5	14	0
II	83	75	80	80	7.9	7.6	6.5	68	12	2	13	5	0	0	18	13	3	12	3	0	11	12	1	2	0	0	0	0	2	5	18	3	15	2
III	88	79	82	84	7.1	6.9	6.4	55	17	21	17	4	1	0	14	11	2	7	4	0	7	10	3	3	0	0	0	0	0	9	17	4	13	15
IV	85	75	77	81	6.1	5.0	5.1	20	5	17	0	0	0	0	14	6	0	7	2	0	14	0	0	2	0	0	0	0	5	7	26	4	5	0
V	75	69	70	72	5.2	4.0	4.0	34	13	30	0	0	0	0	6	4	2	9	0	0	6	0	0	1	0	0	0	3	0	1	30	9	5	0
VI	84	78	80	84	6.6	6.1	6.0	112	16	28	0	0	0	0	17	14	4	4	0	0	17	0	0	8	0	0	0	1	1	1	26	1	9	0
VII	84	79	79	82	7.0	6.6	5.9	155	38	16	0	0	0	0	17	14	5	3	0	0	17	0	0	3	0	0	0	4	0	3	23	1	11	0
VIII	87	81	82	85	6.3	6.4	6.4	173	70	14	0	0	0	0	15	11	4	8	1	0	15	0	0	3	0	0	0	2	0	1	27	1	6	0
IX	89	79	83	85	6.9	6.3	6.6	141	24	23	0	0	0	0	22	15	5	4	1	0	22	0	0	2	0	0	0	2	0	4	19	1	10	0
X	81	69	75	76	5.5	4.7	3.8	62	37	4	0	0	0	0	5	4	2	4	0	0	5	0	0	1	0	0	0	0	0	0	26	6	5	0
XI	90	86	90	89	7.9	8.2	8.0	203	34	28	3	0	0	0	25	20	6	15	1	0	22	5	2	9	0	1	0	0	1	1	5	0	18	0
XII	89	87	89	89	8.5	8.4	8.1	143	18	3	6	2	0	0	26	20	7	15	0	0	23	5	1	11	0	0	0	0	2	1	5	1	22	0
1946	85	78	81	83	6.8	6.5	6.1	1236	70		57	16	2	0	195	142	42	96	14	0	171	39	10	49	0	1	0	12	17	36	233	36	133	17

Mandal

H_s = 6 H_b = h_t = 2.0 h_a = h_d = 4.4 h_r = 1.4

I					7.1	7.3	7.2	130	26	5	21		5		14	12	6	0	0	0	11	5	0	5	0	0	0	0			7	6	17	
II					7.6	6.6	6.5	123	24	8	17		2		17	16	4	0	0	0	11	10	1	2	0	0	0	1			13	3	14	
III					6.6	6.2	6.8	54	18	21	20		1		10	8	3	0	0	0	6	6	2	0	0	0	0	0			17	6	13	
IV					5.4	5.6	5.9	49	10	26	1		0		14	13	1	0	0	0	14	0	0	5	0	0	0	0			21	4	10	
V					4.6	3.7	3.5	20	8	16	0		0		6	5	0	3	0	0	6	0	0	0	0	0	0	3			28	11	5	
VI					7.1	5.6	5.4	177	28	29	0		0		22	16	7	1	0	0	22	0	0	0	0	0	0	0			25	2	8	
VII					5.5	6.1	6.4	216	73	16	0		0		19	17	6	0	0	0	19	0	0	1	0	0	0	4			22	4	13	
VIII					5.2	5.7	5.7	119	28	11	0		0		15	13	5	1	0	0	15	0	0	2	0	0	0	3			24	7	8	
IX					6.3	6.8	6.0	218	34	23	0		0		23	21	9	0	0	0	23	0	0	1	0	0	0	0			17	4	11	
X					4.9	4.0	2.9	68	52	4	7		0		4	4	2	0	0	0	4	0	0	0	0	0	0	0			26	12	6	
XI					7.6	8.2	7.3	264	40	21	9		0		22	21	9	0	0	0	21	4	1	5	0	0	0	1			7	2	19	
XII					8.6	8.3	8.4	179	28	28	9		0		25	24	7	0	0	0	24	4	0	6	0	0	0	0			6	2	22	
1946					6.4	6.2	6.0	1617	73		84		8		191	170	59	5	0	0	176	29	4	27	0	0	0	12			213	63	146	

1946

Glåben

φ = 58° 22' N λ = 7° 27' E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 3.2	- 1.3	- 2.3	- 2.5		- 5.3	4.6	5	-16.1	1	4 1.0	21 3.0	15₅ 2.6	3 1.7	4₅ 2.1	13₅ 1.5	21₅ 2.6	8 1.6	2
II			- 2.5	- 0.6	- 2.0	- 2.0		- 5.1	6.4	14	-15.4	26	6₅ 3.1	24 2.4	15 1.7	1 1.0	4₅ 2.2	3 2.0	14 3.7	14 2.9	2
III			- 1.9	1.2	- 0.8	- 1.0		- 4.5	13.3	30	-18.9	15	9 1.4	32 3.2	14 2.5	3 1.3	2₅ 1.4	16₅ 1.9	8 2.1	8 1.8	0
IV			4.9	8.5	6.4	5.5		1.5	16.2	27	- 2.4	9	3 2.3	6₅ 2.5	7₅ 2.3	4 1.8	9 2.2	22₅ 2.7	19 3.2	17₅ 3.5	1
V			9.2	12.7	11.4	9.2		3.0	20.4	30	- 2.9	15	10₅ 2.3	21₅ 3.1	24 3.0	5₅ 2.5	8₅ 2.6	13₅ 2.6	1₅ 3.3	8 2.6	0
VI			10.6	13.0	11.9	10.3		5.9	21.3	23	1.1	8	5₅ 2.0	7 2.6	6₅ 2.3	2₅ 1.4	11 2.5	35 2.7	13 3.3	9₅ 2.7	0
VII			13.9	16.5	15.1	13.9		10.1	20.6	9	5.9	19	5 2.9	10 2.6	10₅ 2.7	10₅ 2.6	19 2.5	18₅ 2.6	9₅ 3.1	10 2.9	0
VIII			12.1	14.7	12.6	12.1		8.1	19.4	25	2.9	18	2 1.5	15 2.7	14₅ 2.3	8₅ 2.5	10 2.8	19₅ 2.4	19₅ 3.0	4 3.6	0
IX			9.6	12.1	10.1	9.9		6.5	18.0	12	0.9	30	3 1.3	9₅ 1.5	7₅ 1.9	4 2.2	20 2.2	27₅ 2.3	13₅ 2.7	5 2.6	0
X			3.0	8.9	4.2	4.8		0.4	19.7	11	- 4.9	26	5 1.3	16 2.7	29₅ 2.5	1₅ 1.7	4₅ 1.4	7 2.0	17₅ 1.7	12 1.7	0
XI			2.1	3.4	2.6	2.5		0.1	7.7	7	- 8.5	14	4₅ 1.7	25 3.1	17 3.1	3 1.3	13 2.3	18₅ 2.8	4 2.6	5 2.3	0
XII			- 0.5	- 0.1	- 0.5	- 0.5		- 2.4	4.1	23	-13.8	17	1 2.0	31 2.9	25₅ 2.8	5₅ 2.7	7 2.4	12₅ 2.2	6₅ 2.3	4 1.9	0
1946			4.8	7.4	5.7	5.2		1.5	20.6		-18.9		59 2.0	218₅ 2.8	187 2.6	52 2.2	113₅ 2.4	207₅ 2.4	147₅ 2.8	105 2.6	50

Lista

φ = 58° 6' N λ = 6° 34' E g = $\Delta G = +1^h$

I			1.2	2.0	1.6	1.4	3.6	- 1.0	8.3	5	- 8.3	1	6₅ 2.7	4₅ 3.6	27₅ 5.1	17₅ 5.3	6 5.0	12 4.4	9 5.8	4 4.8	6
II			1.0	2.6	1.8	1.6	3.8	- 0.6	7.2	18	- 8.9	22	3 3.2	10 4.3	12 4.1	10₅ 4.4	2₅ 3.8	6₅ 4.6	9 7.1	22₅ 6.5	8
III			0.4	2.5	1.9	1.3	3.6	- 0.6	7.4	31	-10.7	15	3₅ 3.0	25₅ 4.2	17₅ 4.4	11 3.8	1₅ 2.3	3 3.3	10 3.3	15 4.9	6
IV			5.9	7.5	6.8	6.3	8.5	4.6	14.0	26	0.8	13	3 2.0	0 -	2 4.2	14 4.0	2₅ 4.0	11₅ 3.7	21 5.0	26 5.6	10
V			10.3	12.4	11.9	10.6	13.9	7.6	24.0	30	2.3	14	7 2.3	4 4.4	23₅ 4.8	12₅ 4.0	3 2.7	4 2.2	4₅ 3.3	28₅ 5.5	6
VI			12.1	13.1	12.7	12.0	14.1	10.4	16.8	27	6.7	8	1 3.0	0 -	3₅ 5.1	9 3.3	5₅ 3.9	12 3.5	40₅ 3.9	15₅ 4.5	3
VII			15.3	16.6	15.9	15.3	17.6	13.5	22.7	14	11.4	17	0 -	2 4.0	10 4.7	22₅ 3.8	7₅ 3.4	18 3.4	12₅ 3.9	16₅ 5.4	4
VIII			14.6	16.0	15.3	14.7	17.2	12.6	21.2	25	8.8	17	2₅ 1.6	3₅ 2.4	17₅ 3.8	18₅ 4.3	8₅ 3.5	9 3.2	14₅ 3.9	18 5.0	1
IX			13.0	14.8	13.9	13.5	15.6	11.4	17.2	12	6.7	30	3 2.3	3 1.7	6₅ 3.5	16₅ 3.7	15₅ 3.7	19 4.1	14₅ 5.5	10 5.0	2
X			7.1	10.3	8.2	8.1	10.9	5.4	14.9	12	0.7	24	6₅ 2.3	15₅ 2.4	22₅ 4.1	14 4.6	0₅ 3.0	4 1.8	2 2.5	24 4.6	4
XI			6.0	6.9	6.2	6.2	7.7	4.3	10.3	9	- 2.3	14	3 2.7	18 5.1	17 4.9	14 5.4	13₅ 5.9	8₅ 4.6	3₅ 7.3	10₅ 4.9	2
XII			3.2	3.7	3.2	3.3	4.9	1.6	8.0	1	- 4.5	17	1 2.0	18 3.8	33₅ 4.7	11 5.8	10₅ 5.6	10₅ 6.0	2₅ 5.8	4 4.5	2
1946			7.5	9.0	8.3	7.9	10.1	5.8	22.7		-10.7		40 2.4	104 3.9	193 4.5	171 4.4	77 4.4	118 3.9	143₅ 4.6	194₅ 5.2	54

Tonstad

φ = 58° 40' N λ = 6° 42' E g = $\Delta G = +1^h$

I			- 2.3	- 0.3	- 1.3	- 1.5		- 4.3	8.5	5	-13.6	14	22 1.2	12 2.7	5 2.0	2 2.5	2 1.5	3 1.7	6₅ 2.9	1₅ 4.0	39
II			- 1.9	1.3	- 0.5	- 0.8		- 4.6	7.9	14	-17.1	22	32 2.5	4 2.0	0 -	0 -	2 1.5	0 -	5 3.0	3 5.7	38
III			- 2.2	3.3	1.0	0.0		- 4.0	11.5	30	-18.6	15	42 2.1	8 3.1	1 4.0	0 -	2₅ 2.0	0₅ 4.0	4 2.0	2 3.5	33
IV			4.8	9.4	7.9	6.3		2.1	18.9	27	- 1.2	11	18 3.0	3 3.3	0 -	0 -	17 2.0	0 -	9 2.6	6 4.5	37
V			10.0	14.9	13.7	10.9		4.7	23.3	27	- 1.6	13	42 3.0	10 3.5	0 -	0 -	17 2.1	0 -	2 2.5	2 4.0	20
VI			12.2	15.1	13.8	12.1		7.7	25.9	23	2.8	13	7 2.1	0 -	1 3.0	0 -	25 2.6	0₅ 4.0	20₅ 3.1	4 3.2	32
VII			15.6	18.5	17.3	15.7		11.6	23.9	8	5.9	1	7 2.1	4 4.5	1 2.0	3 4.3	15 2.8	4 2.5	12 2.6	11 3.8	36
VIII			12.8	16.9	15.1	13.6		9.4	23.3	25	3.7	17	18 2.1	2 4.0	5 2.8	2 4.5	33 2.5	1 1.0	18 2.6	4 4.5	10
IX			10.3	14.5	12.1	11.5		8.2	18.7	7	1.7	30	14 1.3	2 2.0	2 2.0	0 -	24 2.5	2 4.5	11 2.4	3 2.7	32
X			2.8	10.3	5.2	5.3		0.4	14.7	11	- 4.9	25	32₅ 1.7	14 2.8	2 3.0	1 1.0	8 1.4	0 -	3 2.0	2₅ 2.6	30
XI			4.0	6.0	4.5	4.5		1.6	10.5	7	- 5.8	14	21 1.8	18 3.0	4 3.5	4 2.5	7 2.3	7 2.7	6 2.3	1 3.0	22
XII			0.8	1.8	1.0	1.1		- 1.3	6.1	10	-10.6	17	12 2.0	14 3.5	6 3.0	1 4.0	8 3.0	4 3.5	6 2.2	1 2.0	41
1946			5.6	9.3	7.5	6.6		2.6	25.9		-18.6		267₅ 2.2	91 3.3	27 2.8	13 3.2	160₅ 2.4	22 2.8	103 2.6	41 3.7	370

Klepp

φ = 58° 48' N λ = 5° 38' E g = $\Delta G = +1^h$

I			0.8	2.3	1.6	1.5		- 1.1	7.2	5	- 8.1	14	1 2.0	2 1.5	1 1.0	51₅ 2.3	11 1.1	14 1.5	8 2.1	4₅ 1.6	0
II			0.7	2.7	1.1	1.2		- 1.8	6.7	16	-12.9	22	6 4.0	7 1.9	1 2.5	32 1.6	2₅ 1.6	11₅ 2.0	7 3.6	17 3.4	0
III			0.0	4.1	2.0	1.5		- 1.6	10.4	29	-12.1	14	3 1.3	3 1.0	1 1.0	41 1.6	10₅ 1.1	20 1.4	3₅ 1.3	9 1.2	2
IV			6.8	9.0	7.2	7.0		4.3	14.4	15	- 0.2	10	9 3.4	0₅ 1.0	1 2.0	14 2.1	4₅ 1.6	32 1.8	7₅ 2.5	20₅ 2.5	1
V			10.9	13.2	11.6	10.6		5.9	24.0	27	0.2	17	15₅ 2.9	9₅ 2.1	5 1.5	15 2.0	1₅ 1.0	10₅ 1.4	5₅ 1.7	29₅ 3.0	1
VI			12.7	14.2	13.4	12.4		9.4	18.2	16	5.7	13	2₅ 2.2	1₅ 1.3	3₅ 1.1	6₅ 2.6	4₅ 1.8	28 2.1	16 2.1	26₅ 2.0	1
VII			15.6	17.7	16.4	15.7		12.8	23.3	14	9.7	19	3 2.5	0 -	0 -	22 2.1	13 1.8	32 1.9	8₅ 1.6	12₅ 2.7	2
VIII			14.3	16.8	15.2	14.5		11.2	21.9	25	7.2	17	0 -	0 -	2₅ 1.4	33₅ 2.3	8 1.3	21 2.0	9₅ 2.1	15₅ 2.3	2
IX			12.1	14.6	12.9	12.6		9.6	18.2	4	4.8	30	0 -	1 1.0	2₅ 1.0	20₅ 2.0	10 1.6	31₅ 2.0	7₅ 2.7	9 1.9	8
X			5.1	10.1	7.0	6.9		3.1	13.8	12	- 0.9	29	17 3.0	3 1.0	1 1.0	36 2.0	3 1.0	2 1.0	4 1.0	13 2.3	14
XI			5.1	6.9	5.8	5.7		3.1	10.0	24	- 3.4	16	10 2.6	1 5.0	8₅ 3.1	40₅ 2.5	8₅ 1.6	10₅ 2.0	2 1.5	4 2.5	5
XII			2.5	3.5	2.6	2.8		0.7	7.6	1	- 8.3	17	0 -	2 1.5	3 3.3	63₅ 2.5	6 1.2	14₅ 1.6	0 -	2 1.0	2
1946			7.2	9.6	8.1	7.7		4.6	24.0		-12.9		67 2.9	30₅ 1.8	30 2.0	376 2.2	83 1.4	227₅ 1.9	80 2.2	163 2.4	38

Stavanger

φ = 58° 57' N λ = 5° 44' E g = $\Delta G = +1^h$

I			1.6	2.5	2.0	1.9	4.0	- 0.3	9.0	9	- 6.8	13	2 2.8	5₅ 2.3	15₅ 1.9	20 3.4	28 4.8	12 4.6	5 3.9	4 4.4	1
II			1.1	2.6	1.6	1.6	3.7	- 0.6	6.7	1	- 6.6	25	13 4.7	11 4.5	5 2.4	14₅ 3.2	12 4.0	6₅ 3.5	5₅ 4.5	13₅ 6.1	3
III			1.2	4.0	2.3	2.1	4.9	- 0.3	11.3	29	- 7.9	14	6₅ 3.5	12 2.5	7₅ 3.7	16 2.8	16 3.7	18 3.3	5 3.5	8 3.2	4
IV			6.4	9.0	7.1	6.8	9.9	4.0	15.1	27	- 0.6	9	9 5.3	2₅ 1.8	1 1.0	2₅ 3.8	11 4.0	24 3.9	13 3.5	24 3.9	3
V			10.7	13.3	11.2	10.6	15.0	6.9	25.5	27	3.2	8	19₅ 3.5	13₅ 2.6	6₅ 2.1	3 2.0	4 3.2	4 3.4	8 2.6	33₅ 3.9	1
VI			12.4	13.9	12.5	11.9	15.4	9.2	20.6	15	6.5	13	1₅ 3.3	4₅ 3.8	2₅ 1.2	5 3.1	7 4.9	13₅ 3.6	20 3.4	30 3.1	6
VII			15.2	16.8	15.8	15.1	18.3	12.5	23.7	14	9.3	6	6₅ 3.7	3 2.2	1₅ 3.0	8₅ 3.5	25 4.2	17₅ 3.2	15₅ 2.9	12₅ 3.4	3
VIII			14.1	16.4	14.7	14.4	17.3	11.8	21.8	21	8.8	17	2₅ 4.6	5₅ 3.2	5 2.6	17 3.8	14 4.0	16₅ 3.0	10₅ 3.4	20 3.6	2
IX			12.4	14.4	12.6	12.7	15.3	10.6	18.4	1	8.2	21	4 2.5	4 1.2	4 2.2	5 2.7	25 3.7	19 3.3	14₅ 4.0	12₅ 3.3	2
X			7.3	10.2	8.1	8.2	10.8	6.0	14.4	9	2.6	26	18₅ 3.6	16₅ 1.9	7₅ 1.8	17₅ 2.9	9 2.8	1 2.0	6₅ 1.6	10₅ 2.7	6
XI			5.7	6.8	6.1	6.0	8.2	4.1	12.9	8	- 1.5	14	7₅ 3.2	5₅ 2.6	14 3.0	20₅ 4.6	21 5.4	9 4.7	4 3.1	5₅ 4.8	3
XII			3.2	3.8	3.3	3.4	4.9	1.8	8.3	3	- 5.9	16	0₅ 2.0	3₅ 3.3	11₅ 1.6	33 4.0	27 4.1	11₅ 3.2	3₅ 2.7	0₅ 3.0	2
1946			7.6	9.5	8.1	7.9	10.6	5.5	25.5		- 7.9		91 3.8	87 2.7	81₅ 2.3	162₅ 3.6	199 4.2	152₅ 3.6	111 3.3	174₅ 3.8	36

1946

Gläben

H_t = 364 H_b = h_t = 1.8 h_a = h_d = 6.0 h_r = 1.8

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	〓	〓	⊙	◔	◕	▣
I	82	79	84	83	6.9	7.4	6.4	143	31	29	24		6		16	13	5	7	1	0	7	10	0	4	0	0	0	0	6	7	10	6	17	
II	82	77	80	80	8.2	8.3	7.1	141	24	8	25		6		22	18	6	6	1	1	6	21	1	0	0	1	0	0	2	7	12	2	15	
III	80	66	75	76	6.9	7.1	7.3	38	15	21	22		6		17	10	1	5	0	0	7	11	0	5	0	0	0	0	2	5	20	3	18	
IV	79	64	71	75	7.0	7.3	7.0	48	21	26	6		0		18	10	1	4	0	0	18	5	5	4	0	1	0	1	6	4	23	1	14	
V	69	55	56	65	5.4	5.8	4.6	29	18	16	8		0		6	4	1	3	0	0	6	1	0	2	0	1	0	2	2	1	30	8	5	
VI	80	66	67	76	7.4	8.1	6.4	165	26	6	0		0		21	16	8	2	0	0	21	0	0	2	0	0	0	1	4	3	22	1	12	
VII	83	68	74	80	7.8	7.9	6.7	183	44	15	0		0		22	17	7	2	0	0	22	0	0	3	0	0	0	6	9	6	23	0	16	
VIII	84	68	75	79	6.9	7.8	6.4	198	54	11	0		0		15	11	6	2	0	0	15	0	0	0	1	1	0	4	8	3	26	0	11	
IX	88	76	85	85	7.5	8.1	7.5	250	37	14	0		0		23	23	8	2	0	0	23	0	0	4	0	0	0	0	7	7	20	2	18	
X	78	55	73	72	5.5	4.5	3.5	30	19	4	15		0		4	2	2	1	0	0	3	1	0	0	0	0	0	0	7	1	26	8	5	
XI	88	84	86	87	8.1	8.2	8.8	248	34	28	14		0		24	18	11	3	0	0	18	9	2	7	0	0	0	1	2	12	8	2	23	
XII	91	89	89	90	9.2	8.5	8.5	205	23	3	25		1		25	22	10	0	0	0	14	19	7	2	0	0	0	0	10	6	7	1	24	
1946	82	71	76	79	7.2	7.4	6.7	1678	54		139		19		213	164	66	37	2	1	160	77	15	33	1	4	0	15	65	62	227	34	178	

Lista

H_t = 13 H_b = h_t = 2.1 h_a = 12.0 h_d = 5.7 h_r = 1.6

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	〓	〓	⊙	◔	◕	▣
I	82	83	85	83	6.2	7.9	6.8	104	40	26	20	4	0	0	18	13	3	21	12	6	16	5	3	3	0	1	0	1	12	2	14	3	15	5
II	80	79	80	80	8.0	8.1	7.6	119	26	8	12	4	0	0	23	16	6	19	9	4	17	11	5	3	0	1	0	0	7	3	14	1	14	7
III	81	74	78	79	6.8	6.4	6.5	37	13	19	17	3	1	0	14	4	2	13	0	0	9	6	1	4	0	0	0	0	1	9	21	4	14	9
IV	85	80	83	84	6.8	6.4	6.5	71	22	8	0	0	0	0	21	10	1	15	4	2	21	1	0	2	0	1	0	0	8	7	26	3	12	0
V	70	65	66	69	5.6	4.6	4.9	26	9	29	0	0	0	0	9	6	0	19	4	0	9	1	1	0	0	0	0	3	2	3	31	9	6	0
VI	83	78	79	82	7.6	6.8	6.7	130	26	3	0	0	0	0	21	14	6	9	1	0	21	0	0	3	0	0	0	0	2	2	25	1	13	0
VII	84	77	81	83	7.3	7.3	7.1	244	56	16	0	0	0	0	20	16	9	13	1	0	20	0	0	2	0	0	0	10	5	2	27	1	14	0
VIII	81	76	79	80	7.6	7.4	7.0	161	51	14	0	0	0	0	18	11	5	10	2	0	18	0	0	0	0	0	0	2	2	0	29	2	17	0
IX	84	78	80	82	7.7	7.3	7.1	176	27	3	0	0	0	0	26	21	8	14	4	1	26	0	0	1	0	1	0	1	4	2	25	2	15	0
X	73	63	72	71	6.3	5.2	4.8	86	64	4	0	0	0	0	3	3	2	11	2	0	3	0	0	0	0	0	0	0	0	0	25	7	8	0
XI	82	81	82	82	8.1	8.2	8.5	153	16	25	3	0	0	0	24	20	7	20	9	4	23	2	1	2	0	1	0	0	5	1	12	2	20	0
XII	84	83	83	83	8.5	8.5	7.9	149	24	1	8	2	0	0	24	21	4	20	3	1	24	2	2	1	0	0	0	0	7	0	9	1	21	0
1946	81	76	79	79	7.2	7.0	6.8	1456	64		60	13	1	0	221	155	53	184	51	18	207	28	13	21	0	7	0	17	55	31	258	36	169	21

Tonstad

H_t = 57 H_b = h_t = 2.0 h_a = h_d = 9.5 h_r = 1.4

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	〓	〓	⊙	◔	◕	▣
I	87	82	86	86	6.7	6.7	6.4	175	29	5	26		7		16	15	7	0	0	0	12	8	3	2	0	0	0	0	1	0	13	8	18	18
II	84	74	78	80	8.5	8.9	8.2	229	52	8	20		5		21	17	8	3	2	0	17	15	7	3	0	0	0	0	0	1	10	1	19	28
III	83	64	75	76	7.6	7.0	6.9	60	24	21	25		5		12	7	2	0	0	0	7	6	0	4	0	0	0	0	1	6	18	4	18	27
IV	82	66	72	77	7.5	7.1	7.5	107	22	26	4		0		17	15	3	1	0	0	15	2	0	3	0	0	0	0	4	1	15	1	14	1
V	68	50	55	64	5.5	5.5	5.7	20	4	16	5		5		10	6	0	0	0	0	10	0	0	0	0	0	0	1	0	0	27	7	8	0
VI	80	64	68	78	7.8	8.5	8.0	173	30	6	0		0		20	17	9	0	0	0	20	0	0	0	0	0	0	0	0	1	20	1	18	0
VII	80	68	72	77	8.5	8.5	8.0	248	50	15	0		0		20	18	7	2	1	0	20	0	0	4	0	0	0	6	2	4	17	0	19	0
VIII	85	66	74	79	8.4	7.8	7.2	159	41	11	0		0		16	14	5	1	0	0	16	0	0	0	0	0	0	1	0	1	26	0	16	0
IX	91	74	86	87	8.3	7.9	8.2	232	32	15	0		0		24	21	7	1	0	0	24	0	0	3	0	0	0	0	0	4	20	2	21	0
X	86	57	77	77	5.2	4.4	3.5	33	18	4	14		0		3	3	2	0	0	0	3	0	0	0	0	0	0	0	0	0	28	8	5	0
XI	93	75	83	81	8.4	8.6	7.8	267	48	25	8		0		19	18	8	2	0	0	19	1	1	4	0	0	0	1	0	1	11	2	21	0
XII	85	82	83	83	8.8	8.7	7.8	192	40	23	15		2		16	16	8	0	0	0	13	4	1	5	0	0	0	0	0	0	9	3	25	2
1946	83	68	76	79	7.6	7.5	7.1	1895	52		117		19		194	167	66	10	3	0	176	36	12	28	0	0	0	9	8	19	214	37	202	76

Klepp

H_t = 14 H_b = h_t = 1.9 h_a = h_d = 12.5 h_r = 1.6

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	〓	〓	⊙	◔	◕	▣
I	84	80	83	83	5.6	5.9	5.9	118	34	26	17		0		18	17	2	1	0	0	15	4	0	0	0	2	0	0	12	12	19	9	10	9
II	85	79	83	83	7.8	6.9	6.1	130	37	8	12		5		23	20	3	5	3	1	16	11	2	4	0	1	0	0	7	15	16	2	13	10
III	80	73	80	81	6.4	5.4	6.8	42	8	21	17		2		16	11	0	0	0	0	13	4	1	6	0	0	0	0	10	12	24	5	10	18
IV	86	76	82	84	6.9	5.8	7.0	94	20	7	1		0		19	15	2	3	1	0	18	3	1	3	0	2	0	0	11	18	25	2	11	1
V	72	63	68	72	4.1	4.4	5.0	26	17	29	0		0		6	5	1	4	0	0	6	0	0	0	0	0	0	0	15	4	29	9	5	0
VI	91	75	77	81	6.9	6.6	7.1	123	34	3	0		0		20	16	4	1	0	0	20	0	0	0	0	0	0	0	17	10	28	2	11	0
VII	90	74	80	84	7.4	7.0	7.1	116	21	15	0		0		20	14	5	0	0	0	20	0	0	0	0	0	0	5	21	9	25	0	13	0
VIII	86	72	79	81	6.7	6.9	6.7	140	22	30	0		0		21	15	7	2	0	0	21	0	0	0	0	0	0	3	25	2	29	0	10	0
IX	89	80	85	86	6.3	6.8	7.1	139	23	14	0		0		26	17	6	2	1	1	24	0	0	1	0	0	0	1	21	8	23	3	9	0
X	86	67	80	80	4.8	4.7	4.8	32	27	5	5		0		8	2	1	3	1	0	2	0	0	0	0	0	0	0	26	1	29	10	9	0
XI	84	79	83	83	7.3	8.0	7.3	181	39	7	7		0		21	15	7	4	1	1	21	1	1	3	0	1	0	1	15	11	13	3	15	0
XII	82	79	81	81	7.3	7.6	6.6	123	33	23	11		0		16	13	4	7	0	0	16	0	0	4	0	0	0	0	13	7	7	3	15	0
1946	84	75	81	81	6.5	6.3	6.5	1264	39		70		7		214	160	42	32	7	3	192	23	5	21	0	6	0	10	193	109	267	48	131	38

Stavanger

H_t = 85 H_b = h_t = 2.4 h_a = 10.0 h_d = 10.0 h_r = 1.6

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	〓	〓	⊙	◔	◕	▣
I	80	74	77	77	5.3	5.9	5.7	74	18	5	18	0	0	0	18	13	3	10	3	2	15	4	0	0	0	1	0	0	11	1	14	7	9	2
II	78	72	74	76	6.6	6.5	5.8	96	26	8	15	6	0	0	23	17	3	9	5	4	17	11	0	1	0	0	0	0	10	6	15	2	11	12
III	76	69	76	75	6.4	5.7	5.7	66	28	20	17	4	0	0	19	10	1	3	0	0	13	7	0	3	0	2	0	0	11	7	26	2	8	18
IV	82	72	78	80	7.0	5.6	5.8	135	61	8	2	0	0	0	22	11	2	6	2	0	22	3	0	10	0	0	0	0	10	9	25	0	8	1
V	69	56	66	70	4.5	4.6	4.4	14	5	30	0	0	0	1	10	4	0	7	2	0	10	0	0	4	0	0	0	0	7	1	27	7	5	0
VI	77	71	73	77	6.9	6.6	6.1	172	61	19	0	0	0	0	19	16	5	3	0	0	19	0	0	2	0	0	0	0	13	0	25	2	11	0
VII	81	70	77	80	7.9	7.2	6.3	117	42	15	0	0	0	0	22	13	2	5	1	0	22	0	0	3	0	0	0	2	20	3	20	0	12	0
VIII	79	67	77	77	7.0	6.4	6.3	130	20	30	0	0	0	0	21	16	5	8	1	0	21	0	0	1	0	0	0	3	12	1	27	0	5	0
IX	83	73	84	82	5.9	6.7	6.3	107	22	14	0	0	0	0	21	14	5	6	0	0	20	0	0	2	0	0	0	0	11	2	22	2	6	0
X	76	64	72	72	4.5	4.4	3.7	23	19	5	0	0	0	0	4	2	1	3	1	0	4	0	0	5	0	0	0	0	12	0	27	8	3	0
XI	76	75	76	76	6.5	7.2	5.8	169	42	7	2	0	0	0	18	15	6	14	6	4	17	1	0	9	0	1	0	1	10	5	11	3	7	0
XII	71	70	70	70	6.5	7.3	5.8	105	31	23	6	3	0	0	14	12	3	13	1	0	14	0	0	8	0	0	0	0	8	3	4	3	11	0
1946	77	69	75	76	6.2	6.2	5.6	1208	61		60	13	0	1	211	143	36	87	22	10	194	26	0	48	0	5	0	6	135	38	243	36	96	33

1946

Sauda

φ = 59° 39' N λ = 6° 22' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 1.6	- 0.3	- 1.1	- 1.2	1.6	- 3.8	9.6	5	-11.0	15	5	1.2	4.5	1.0	13.5	1.4	4	1.0	2	1.5	8	2.0	5	2.4	2	2.5	49
II			- 2.6	0.9	- 1.2	- 1.3	2.0	- 4.6	8.1	16	-18.3	26	12	2.0	5	2.2	9	1.0	2	1.0	1	2.0	4	1.8	4	4.0	3	2.3	44
III			- 1.7	3.8	2.2	0.8	4.9	- 3.1	11.7	30	-12.8	15	19.5	1.3	6.5	2.3	10	1.2	2	1.0	1	1.0	4	1.8	5	1.0	1	1.0	44
IV			4.2	8.1	7.3	5.7	9.7	2.6	17.1	27	- 1.4	1	8	1.5	2	2.0	5	1.0	2	1.5	4	1.0	16	1.9	13	1.6	4	1.2	36
V			9.0	15.0	14.5	10.8	17.2	4.6	26.8	27	- 0.3	11	13	1.9	8	1.5	7	2.4	2	3.0	7	1.6	11	1.5	14	1.4	4	1.5	27
VI			11.0	14.4	13.7	11.7	15.9	8.2	22.4	23	3.6	14	2	2.5	1	1.0	2	2.0	0	-	10	2.2	23.5	2.2	21.5	1.7	2	1.0	28
VII			14.8	18.1	17.0	15.4	19.4	11.9	25.5	14	7.9	11	2	4.0	8	2.9	5	2.6	1	2.0	8	1.6	20	2.2	11	2.3	1	3.0	37
VIII			12.6	17.2	15.6	14.0	18.5	10.2	24.1	25	6.8	20	4	1.0	6.5	1.8	8.5	1.9	0	-	5	1.4	27	1.9	12.5	1.8	2.5	1.8	27
IX			9.6	13.4	12.2	11.1	14.9	8.7	20.2	4	3.6	29	8	1.0	1	2.0	9	1.0	2	1.0	0	-	12	2.6	12	1.5	6	1.7	40
X			0.7	8.0	4.7	4.0	9.2	0.0	14.6	2	- 3.9	26	9	1.0	2	1.5	10	1.5	0	-	0	-	0	-	4	1.2	1	1.0	67
XI			3.3	4.9	3.3	3.5	6.4	0.6	10.8	25	- 7.6	15	14	1.4	5	1.6	7	1.4	1	1.0	2	1.0	9.5	2.1	4.5	1.8	2	1.0	45
XII			0.7	1.5	0.9	0.9	3.1	- 1.7	10.0	1	- 9.9	17	9	1.4	18	2.6	13	1.5	0	-	4	1.5	5	2.0	1	2.0	1	1.0	42
1946			5.0	8.8	7.4	6.3	10.2	2.8	26.8		-18.3		105.5	1.5	67.5	2.1	99	1.5	16	1.4	44	1.6	140	2.0	107.5	1.8	29.5	1.6	486

Skudesnes II.

φ = 59° 9' N λ = 5° 15' E g = 9.819 ΔG = + 1h

I			2.5	3.4	2.8	2.8		0.9	8.0	10	- 6.0	14	3	4.0	9	2.2	5	2.8	23	4.4	32.5	5.1	9	3.6	9	5.3	1.5	3.3	1
II			1.6	3.2	1.9	2.0		- 0.3	7.0	14	- 8.0	22	10.5	5.6	8.5	2.9	10	3.3	19.5	4.3	13	4.7	2	6.0	7.5	4.9	13	6.0	0
III			1.4	4.1	2.4	2.2		- 0.2	8.4	30	- 7.5	14	8	3.0	10	2.5	13	3.9	22	4.0	12.5	4.6	11	3.1	4.5	3.0	11	3.2	1
IV			6.2	7.5	6.5	6.2		4.3	10.5	29	0.2	10	12	4.7	1	4.5	1.5	1.3	5	4.0	18	3.8	19	4.1	11	5.0	21.5	4.7	1
V			10.6	12.3	10.6	10.3		7.0	23.6	27	3.5	6	26	5.5	6	4.2	9	3.7	1.5	5.0	9	3.8	8.5	2.9	4.5	3.3	28.5	5.0	0
VI			12.5	13.7	12.9	12.2		10.1	17.4	15	6.4	13	8	4.2	1.5	5.3	2	2.0	5.5	3.5	16	4.4	22.5	4.8	11.5	3.8	23	4.4	0
VII			15.5	16.8	15.9	15.5		13.6	21.4	17	11.1	11	4.5	4.6	0	-	5	3.6	8	5.2	31.5	4.9	20	4.1	10	4.7	14	5.0	0
VIII			14.7	16.7	15.3	15.0		12.9	21.3	26	8.9	17	1	5.0	4	3.8	10	4.7	11	5.8	24	4.8	13.5	4.3	11.5	4.7	17	5.3	1
IX			13.2	14.7	13.4	13.4		11.6	17.4	1	7.4	29	4.5	3.1	1	4.0	8	2.8	6	4.1	23	6.0	25.5	6.1	7.5	7.1	13.5	4.4	1
X			7.8	10.4	8.7	8.7		6.7	13.9	9	3.7	10	24	5.8	12	2.8	1.5	1.0	14.5	4.4	27	4.5	4.5	2.1	1	1.0	8.5	4.0	0
XI			6.4	7.2	6.6	6.5		4.8	10.0	6	- 0.7	14	10.5	5.1	4	4.5	12.5	4.8	28	5.1	20.5	5.6	10	5.1	0	-	4.5	5.6	0
XII			4.0	4.4	3.9	4.0		2.0	7.6	1	- 4.5	17	2	1.5	2.5	2.8	11.5	2.5	38	5.1	30.5	5.5	4	5.5	1.5	4.0	2	3.0	1
1946			8.0	9.5	8.4	8.2		6.1	23.6		- 8.0		114	5.0	59.5	3.1	89	3.5	182	4.7	237.5	4.9	149.5	4.5	79.5	4.7	158	4.7	6

Utsira

φ = 59° 18' N λ = 4° 53' E g = ΔG = + 1h

I			2.9	3.5	3.1	3.1	4.6	1.5	9.6	4	- 3.8	13	1.5	6.0	1	3.0	7.5	2.1	19	2.7	32.5	5.7	19	4.2	10	5.0	0.5	6.0	2
II			2.1	3.0	2.4	2.3	4.1	0.3	7.0	16	- 5.1	23	9	5.8	9	3.1	1.5	4.0	13.5	3.4	13.5	4.3	8	4.1	15.5	3.6	14	5.7	0
III			1.5	3.3	2.6	2.2	4.3	0.4	8.0	28	- 5.4	14	2	2.5	12.5	2.6	5.5	2.9	19.5	2.7	20	3.8	15.5	3.2	4	1.4	9	1.8	5
IV			5.4	6.8	5.9	5.6	7.7	3.8	9.9	26	0.0	10	9	3.6	3.5	1.4	0	-	1.5	3.7	17.5	3.7	23	3.7	20.5	3.2	15	4.1	0
V			9.2	11.1	9.6	9.3	12.6	6.8	20.9	27	2.7	5	35.5	4.2	2.5	1.6	6.5	1.2	3	1.3	7	2.7	6	2.0	5	2.0	15.5	2.7	12
VI			11.6	12.8	12.2	11.6	14.0	9.9	17.2	28	8.2	14	15.5	3.2	2.5	1.6	0.5	4.0	3	1.8	15.5	3.7	12.5	3.2	26.5	3.1	8	1.9	6
VII			14.6	16.1	15.2	14.8	17.1	13.1	21.9	17	11.2	7	8	2.9	1	3.0	7.5	2.6	6	3.2	25.5	3.9	24	3.4	10	3.2	6	3.2	5
VIII			13.9	16.0	14.8	14.4	16.7	12.5	21.2	26	10.3	15	4.5	4.0	2	1.5	5.5	2.4	13.5	3.5	20	4.2	16	3.4	16	3.0	10.5	3.1	5
IX			12.7	14.1	13.2	13.0	14.9	11.4	19.2	4	8.3	14	9	2.9	2	2.0	3	2.2	2.5	3.4	16	4.7	27.5	4.1	20	5.4	9	4.4	1
X			8.6	10.0	9.2	9.1	10.7	7.7	13.0	7	5.2	26	31.5	4.9	6	1.9	2.5	1.6	4	4.5	24.5	4.1	10.5	2.4	1	3.0	6	4.5	7
XI			6.5	7.1	6.6	6.5	7.9	5.0	10.6	6	- 0.1	20	11	5.7	3	4.7	12.5	3.0	19	4.6	16.5	5.5	15.5	5.7	8.5	3.9	3	5.7	1
XII			4.2	4.5	4.1	4.3	5.5	2.8	8.0	1	- 2.8	15	2	1.5	4	2.0	9	3.7	34	3.9	22	5.5	14	5.1	7	3.1	0	-	1
1946			7.8	9.0	8.2	8.0	10.0	6.3	21.9		- 5.4		138.5	4.2	49	2.5	61.5	2.6	138.5	3.4	230.5	4.5	191.5	3.8	144	3.6	96.5	3.7	45

Indre Matre

φ = 59° 51' N λ = 6° 0' E g = ΔG = + 1h

I			1.9	3.0	2.5	2.3		- 0.1	9.0	26	- 6.0	14	0	-	8	2.0	6.5	3.5	1	4.0	22	3.0	9.5	3.7	0	-	0	-	46
II			0.7	2.2	1.1	1.1		- 1.1	7.5	16	- 7.1	26	0	-	7	1.1	11.5	4.7	1.5	6.0	1.5	5.3	6.5	4.6	2	4.5	2	5.5	52
III			0.8	4.7	3.0	2.4		- 0.2	11.6	29	- 6.6	15	0	-	4	2.2	9.5	1.4	25.	1.0	3	2.8	3	2.5	0	-	0	-	71
IV			5.6	8.3	7.3	6.4		3.8	14.0	28	- 0.3	11	0.5	4.0	3.5	2.7	0.5	1.0	4	3.8	3	2.3	18	3.1	4	1.5	6.5	3.4	50
V			10.5	14.8	12.8	11.3		6.9	24.8	27	2.6	17	0	-	12	3.2	9	2.1	3	2.0	3	1.0	3.5	1.6	0.5	1.0	2	1.5	60
VI			11.8	13.9	13.0	11.8		8.6	19.8	24	5.4	13	0	-	0	-	2.5	1.6	2	1.2	8	2.8	17.5	2.9	0	-	3	3.0	57
VII			14.7	17.6	16.0	14.9		11.3	26.0	16	8.3	11	0	-	1	3.0	5	3.2	3.5	3.4	12.5	3.5	7	3.4	0	-	1	3.5	63
VIII			12.7	15.5	14.2	13.5		10.1	23.6	26	7.4	5	1	3.0	0	-	1.5	1.7	3.5	2.1	5.5	2.6	6.5	3.5	0	-	0	-	75
IX			10.4	14.0	12.1	11.6		9.1	17.0	4	5.2	29	0	-	0	-	0.5	1.0	0.5	1.0	12.5	2.3	19.5	3.2	0	-	0	-	57
X			5.3	9.8	7.1	7.0		3.9	14.8	13	0.7	25	0	-	8	3.6	9	4.1	0	-	0	-	2.5	2.0	0.5	4.0	0	-	73
XI			5.3	6.7	5.9	5.8		3.3	12.0	1	- 2.7	15	2.5	4.4	9.5	4.1	8.5	5.4	1.5	5.0	1.5	4.0	14	5.1	0.5	4.0	0	-	52
XII			3.1	4.0	3.4	3.4		1.0	10.3	1	- 5.3	15	0	-	11	4.0	10	3.5	0.5	3.0	6	3.7	14.5	2.9	0	-	0	-	51
1946			6.9	9.6	8.2	7.6		4.7	26.0		- 7.1		4	4.0	64	3.1	74	3.4	23.5	2.9	78.5	2.9	122	3.4	7.5	2.6	14.5	3.3	707

Svandalsflona

φ = 59° 51' N λ = 6° 57' E g = ΔG = + 1h

I			- 6.1	- 4.6	- 5.9	- 5.7		- 8.2	2.4	17	-15.4	13	0	-	0	-	6.5	3.1	43.5	4.4	0	-	2	4.5	15.5	3.9	1.5	4.5	24
II			- 7.3	- 6.0	- 7.6	- 7.4		-10.5	2.2	15	-18.3	22	2.5	2.2	0.5	3.0	5	3.0	28.5	3.8	0.5	3.0	0	-	15.5	3.9	12.5	5.4	19
III			- 5.8	- 3.0	- 5.3	- 5.3		- 8.2	5.5	29	-18.6	14	5	2.4	1	2.0	1	5.0	34	3.9	2	2.0	0.5	3.0	16.5	3.1	12	2.5	21
IV			- 0.5	1.2	0.0	- 0.5		- 2.7	8.1	29	- 8.4	11	0	-	1	2.0	0	-	18	2.8	0	-	1.5	4.0	36.5	3.5	21	3.5	12
V			3.8	6.3	5.4	3.8		0.1	17.0	28	- 6.0	11	0.5	3.0	0.5	3.0	4	3.0	38.5	3.2	0.5	2.0	0	-	7.5	2.5	15.5	2.1	26
VI			5.5	7.3	6.6	5.5		2.8	16.1	23	- 0.4	13	0	-	0	-	7.5	3.3	16.5	3.2	3	1.7	3	2.7	31	2.3	15	2.4	14
VII			9.0	11.3	10.5	9.5		7.2	17.0	13	2.2	1	0	-	0	-	14	3.4	26	2.3	3	3.3	5.5	1.9	17.5	2.3	6	2.9	21
VIII			7.4	10.0	8.8	8.0		5.8	16.0	22	3.5	5	0	-	0	-	7	2.9	34	3.7	2	3.0	3	2.0	23.5	2.5	1.5	2.7	22
IX			5.1	7.2	6.3	5.7		3.7	11.2	29	- 1.6	15	1.5	2.3	0	-	6	3.3	17.5	2.6	1.5	2.0	1	5.0	27	2.3	7.5	2.6	28
X			0.7	4.7	2.2	2.0		- 0.7	12.5	12	- 5.5	23	0	-	2	2.0	0	-	38	3.3	1	3.0	2	3.0	7.5	2.4	7.5	2.9	35
XI			- 2.1	- 1.2	- 1.9	- 1.9		- 4.0	5.0	5	-13.5	14	3	3.0	2	3.5	4.5	4.3	44	4.3	5.5	3.5	4.5	2.7	10.5	2.9	5	3.6	11
XII			- 4.9	- 4.5	- 4.8	- 4.8		- 6.8	0.8	22	-14.6	15	1	3.0	0	-	6.5	4.0	58.5	5.0	0	-	5	3.0	6	3.0	7	2.7	9
1946			0.4	2.4	1.2	0.7		- 1.8	17.0		-18.6		13.5	2.6	7	2.6	62	3.4	39.7	3.8	19	2.8	28	2.8	214.5	2.9	112	3.2	242

1946.

Sauda

$H_s = 5$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d =$ $h_r = 1.5$

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	⸗	*	△	▲	⛈	〓	≡	⊙	◔	◕	⊞
I	85	84	85	85	5.8	6.4	5.8	189	40	5	20	12	5	0	18	16	6	2	0	0	13	10	4	5	0	0	1	1	9	1	13	7	16	24
II	87	74	77	81	7.8	7.2	7.1	254	49	16	19	6	7	0	18	18	6	3	0	0	13	13	7	5	1	0	0	0	7	6	16	4	6	28
III	85	66	68	75	6.7	6.4	6.6	113	30	21	21	3	4	0	15	11	3	0	0	0	11	9	4	4	0	0	0	0	3	4	24	3	14	23
IV	89	73	74	82	7.9	7.8	7.9	252	38	7	4	0	0	0	23	22	12	0	0	0	21	5	1	5	0	4	0	1	8	4	22	1	19	1
V	74	49	52	66	4.8	5.5	5.7	22	9	23	1	0	0	1	11	4	0	0	0	0	11	0	0	3	0	0	0	1	2	0	30	6	5	0
VI	88	70	71	83	8.0	9.0	8.7	185	33	6	0	0	0	0	21	18	10	0	0	0	21	0	0	3	0	0	0	0	9	2	24	0	23	0
VII	85	69	74	82	7.6	8.3	8.5	169	25	28	0	0	0	2	22	18	7	3	0	0	22	0	0	2	0	0	0	2	8	4	24	0	22	0
VIII	90	64	75	82	8.1	8.4	8.4	145	32	11	0	0	0	0	22	13	6	1	0	0	22	0	0	2	0	0	0	0	5	1	27	0	20	0
IX	96	79	87	89	7.8	8.0	8.0	239	38	15	0	0	0	0	27	23	9	1	0	0	26	0	0	1	0	0	0	0	7	4	19	3	22	0
X	96	75	85	88	4.8	4.1	4.4	36	19	4	18	0	0	0	15	4	1	0	0	0	6	0	0	1	0	0	0	0	2	3	25	11	7	0
XI	85	82	85	85	7.6	8.2	6.9	335	58	24	10	1	0	0	23	16	10	2	0	0	20	4	3	4	0	0	0	0	7	5	10	3	18	0
XII	92	80	80	81	7.4	7.9	7.5	252	84	23	18	6	0	0	18	11	5	3	0	0	15	8	3	2	0	0	1	0	9	4	6	4	22	7
1946	87	72	76	82	7.0	7.3	7.1	2192	84		111	28	16	3	233	174	75	15	0	0	201	49	22	37	1	4	2	5	76	38	240	42	194	83

Skudesnes II.

$H_s = 7$ $H_b = 9.2$ $h_t = 2.0$ $h_a =$ $h_d = 3.0$ $h_r = 1.8$

I	84	82	83	83	7.8	7.8	8.5	133	43	26	11		0		15	13	4	13	3	0	13	3	1	2	0	0	0	0	10	0	13	0	21	1
II	83	78	79	81	8.1	7.1	7.9	127	22	8	12		0		22	16	4	14	4	0	18	10	4	3	0	1	0	1	11	1	22	0	15	10
III	84	75	80	81	6.9	6.0	6.6	59	12	18	16		0		21	13	1	7	0	0	16	9	1	5	0	0	0	0	4	5	24	1	12	17
IV	85	82	84	85	7.5	6.8	6.7	97	17	7	0		0		23	15	6	11	2	0	23	3	2	5	0	2	0	0	13	6	25	0	8	0
V	70	65	70	71	3.7	3.8	3.8	24	10	29	0		0		10	6	0	15	1	0	10	0	0	2	0	0	0	0	0	1	31	8	4	0
VI	78	74	75	78	6.8	6.0	5.6	80	16	6	0		0		23	13	3	8	0	0	23	0	0	6	0	0	0	0	8	1	30	3	9	0
VII	80	76	78	79	8.3	7.0	6.7	114	28	30	0		0		22	13	3	17	3	1	22	0	0	6	0	0	0	5	4	6	27	0	13	0
VIII	84	75	81	82	7.9	6.5	7.0	188	46	11	0		0		22	20	6	17	5	0	22	0	0	2	0	0	0	5	7	2	29	0	12	0
IX	85	81	83	84	6.9	6.4	7.7	157	32	6	0		0		24	15	5	18	6	2	24	0	0	2	0	0	0	2	6	3	25	2	12	0
X	82	72	78	79	4.9	4.6	5.7	27	16	5	0		0		5	3	1	15	5	0	5	0	0	6	0	1	0	0	3	0	29	8	12	0
XI	83	80	82	82	7.9	7.6	8.0	205	35	25	2		0		21	17	8	20	6	0	21	0	0	6	0	0	0	0	16	0	14	3	18	0
XII	82	80	81	81	7.6	7.8	7.5	154	30	24	6		0		17	13	6	19	2	0	17	0	0	1	0	1	0	0	17	1	12	2	16	0
1946	82	77	80	80	7.0	6.4	6.8	1365	46		47		0		225	157	47	174	37	3	214	25	8	46	0	5	0	13	99	26	281	27	152	28

Utsira

$H_s = 55$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d =$ $h_r = 1.5$

I	79	80	80	80	6.9	7.7	6.9	127	46	26	10	0	0	0	18	16	2	19	8	6	15	5	2	0	0	1	0	0	13	2	14	2	16	
II	78	76	76	77	7.4	7.6	6.9	122	23	8	9	4	0	0	23	21	6	13	5	2	19	11	3	4	0	3	0	0	12	6	19	2	15	
III	83	74	77	79	7.8	7.0	7.0	67	9	21	14	2	0	0	21	16	0	3	1	0	14	11	4	5	0	0	0	4	8	22	1	13		
IV	85	77	79	82	8.0	6.8	7.0	95	16	26	0	0	0	0	23	16	4	10	1	0	23	2	0	6	0	2	0	1	8	13	25	1	13	
V	71	63	66	70	5.5	4.5	5.0	30	14	29	0	0	0	0	10	5	1	3	2	0	10	0	0	0	0	1	0	1	0	4	31	5	6	
VI	72	69	70	72	7.4	7.3	6.6	72	13	6	0	0	0	0	20	16	2	6	1	0	20	0	0	2	0	0	0	0	6	4	26	1	10	
VII	77	70	71	74	8.1	9.0	8.3	114	20	15	0	0	0	0	21	17	5	6	1	0	21	0	0	2	0	0	0	3	8	7	23	0	19	
VIII	73	64	68	70	8.5	8.1	7.6	128	37	11	0	0	0	0	24	16	3	10	1	1	24	0	0	3	0	0	0	3	7	2	26	0	18	
IX	74	70	72	72	7.2	7.4	7.5	125	26	14	0	0	0	0	23	16	4	12	3	2	23	0	0	2	0	0	0	0	12	2	25	1	14	
X	77	67	71	73	5.8	6.9	5.7	31	19	5	0	0	0	0	9	4	1	13	3	2	9	0	0	1	0	0	0	0	3	0	26	6	8	
XI	75	74	75	75	7.6	8.1	7.8	150	25	7	1	0	0	0	21	19	6	18	10	2	21	0	0	1	0	1	0	0	10	4	12	2	5	
XII	77	76	76	76	8.1	8.6	8.1	158	28	24	3	0	0	0	20	17	8	14	6	3	20	0	0	1	0	1	0	0	5	7	9	1	21	
1946	77	72	73	75	7.4	7.4	7.0	1227	46		37	6	0	0	233	179	42	127	42	18	219	29	9	27	0	9	0	8	88	59	258	22	158	

Indre Matre

$H_s = 24$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d =$ $h_r = 1.6$

I					5.8	6.6	6.5	261	73	11	15		0		16	14	7	7	3	0	14	4	2	1	0	1	0	1	0	0	8	8	18	10	
II					7.8	7.2	6.7	328	94	16	15		0		20	18	10	8	3	3	14	11	5	4	0	1	0	0	3	1	9	2	15	20	
III					7.2	6.3	5.8	202	67	20	13		0		15	13	6	0	0	0	11	5	1	4	0	0	0	0	2	1	14	4	11	19	
IV					9.0	8.6	8.0	333	42	7	1		0		23	22	12	4	0	0	22	3	1	5	0	1	0	2	2	3	9	1	19	2	
V					4.5	5.4	5.0	20	6	31	0		0		8	5	0	1	0	0	8	0	0	2	0	0	0	1	0	22	6	8	0		
VI					7.9	7.9	7.4	261	29	10	0		0		23	18	12	1	0	0	23	0	0	7	0	0	0	0	3	1	13	2	17	0	
VII					7.7	7.6	8.2	242	43	25	0		0		20	17	11	4	3	3	20	0	0	4	0	0	0	3	3	1	16	1	19	0	
VIII					7.7	7.6	8.3	235	57	4	0		0		23	17	10	3	2	2	23	0	0	5	0	0	0	0	5	0	19	1	18	0	
IX					7.6	8.1	7.8	369	53	16	0		0		26	23	13	2	0	0	26	0	0	3	0	0	0	0	3	1	4	3	21	0	
X					4.0	4.0	3.8	28	14	5	0		0		5	4	2	3	0	0	5	0	0	3	0	0	0	0	0	0	19	14	5	0	
XI					7.6	7.2	6.6	478	108	13	5		0		19	16	12	11	2	0	19	1	1	9	0	0	0	0	3	0	7	4	17	0	
XII					6.7	7.6	7.3	241	100	24	9		0		14	12	5	7	1	1	12	4	2	3	0	0	0	0	0	0	3	17	3		
1946					7.0	7.0	6.8	2998	108		58		0		212	179	100	51	14	9	197	28	12	50	0	3	0	6	25	8	140	49	185	54	

Svandalsflona

$H_s = 1948$ $H_b =$ $h_t = 3.1$ $h_a =$ $h_d = 8.2$ $h_r = 3.3$

I	[illegible]	78	81	81	6.5	6.3	5.3	107	27	5	31		12		18	11	4	11	1	0	0	18	0	0	1	1	0	0	5	0	11	7	13	31
II	[illegible]	83	86	85	8.2	7.3	6.6	142	33	11	28		15		21	15	5	9	3	0	1	21	1	2	0	0	0	0	3	1	9	3	18	28
III	[illegible]	74	79	78	7.1	6.6	5.5	62	19	20	30		11		18	9	2	6	1	1	6	14	1	3	0	0	0	1	2	3	13	2	10	31
IV	[illegible]	[illegible]	82	86	87	8.5	8.4	8.4	124	18	5	23		0		22	20	4	4	1	0	12	20	7	2	0	0	0	0	4	6	9	1	22	30
V	[illegible]	[illegible]	60	63	66	4.4	5.0	5.4	10	5	15	17		0		6	3	0	4	0	0	3	4	1	0	0	0	0	0	1	1	22	7	8	28
VI	[illegible]	76	78	81	9.3	8.9	8.8	164	29	6	3		0		22	19	6	3	0	0	21	7	4	6	0	0	0	0	2	6	7	0	23	0
VII	[illegible]	74	76	80	7.8	8.4	8.5	126	17	28	0		0		21	20	4	3	1	0	21	0	0	6	0	0	0	1	10	3	15	0	19	0
VIII	[illegible]	72	78	81	7.6	8.4	8.8	123	26	11	0		0		19	15	3	5	1	0	19	0	0	6	0	0	0	0	4	1	15	0	19	0
IX	[illegible]	79	83	84	8.4	8.7	8.4	272	35	16	1		0		25	23	9	1	0	0	25	6	2	2	0	0	0	0	11	3	6	2	23	0
X	[illegible]	61	68	68	4.3	4.5	3.4	25	13	4	18		0		5	3	1	3	0	0	2	5	1	1	0	0	0	0	1	0	23	13	6	4
XI	[illegible]	82	83	83	8.2	8.2	7.1	175	31	7	26		3		24	17	7	9	1	0	9	21	3	0	0	0	0	0	9	1	6	3	18	19
XII	[illegible]	81	79	81	8.0	7.8	7.3	75	18	23	31		6		20	10	3	11	4	0	0	20	0	0	0	0	0	0	10	0	6	4	22	31
946	[illegible]	75	78	80	7.3	7.4	7.0	1405	35		208		47		221	166	48	69	13	1	119	136	20	28	1	1	0	2	62	25	142	42	201	202

Maurset

φ = 60° 25' N λ = 7° 20' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 7.1	- 5.1	- 5.9	- 6.3		- 9.9	2.2	4	-20.1	14	0	-	8	2.1	30	3.1	15.5	3.8	2.5	3.0	0	-	18.5	3.0	2.5	1.0	16
II			- 7.4	- 5.1	- 7.3	- 7.1		-11.6	2.5	15	-27.1	25	0.5	1.0	5	2.3	20	2.7	11.5	2.7	2	1.0	1	1.0	17.5	2.6	12.5	5.1	14
III			- 6.2	- 3.0	- 4.7	- 5.3		- 9.1	3.9	20	-23.0	15	1	1.0	4.5	1.6	29	2.9	18	2.2	2	1.5	6	1.2	14	1.5	5.5	3.4	13
IV			0.6	2.8	1.6	1.0		- 1.4	8.3	27	-11.9	13	1	2.0	2.5	1.8	10	1.4	4	2.0	4	2.9	4.5	1.9	42	2.4	16	2.4	6
V			4.8	9.4	6.8	5.2		0.3	20.8	29	- 6.3	6	4	2.0	14.5	1.7	20.5	2.4	9.5	2.4	4.5	2.1	5	1.7	27.5	2.3	3.5	1.6	4
VI			7.9	10.8	8.2	7.6		4.0	17.3	24	- 0.6	5	1	1.0	4	1.8	20	1.8	5	1.4	2.5	1.2	3	1.3	42.5	1.4	11	2.1	1
VII			11.1	14.5	12.8	11.5		8.9	20.9	13	2.5	23	7.5	1.2	9.5	2.4	15	4.0	4	2.9	3.5	1.6	7	2.1	28	1.7	13.5	1.7	5
VIII			9.4	13.0	11.0	9.9		6.3	18.0	21	2.0	19	1.5	1.0	8.5	2.3	30	2.7	7	2.6	2	1.0	10	1.6	22.5	1.4	6.5	1.6	5
IX			6.2	10.0	7.9	7.3		4.3	14.4	27	- 0.3	29	2	1.0	5	1.2	18.5	1.5	5	1.0	4.5	1.0	5	2.2	26.5	1.5	7.5	1.5	16
X			- 0.5	5.2	2.0	1.6		- 2.0	12.0	8	- 9.4	30	0.5	2.0	10	2.0	24	1.4	7.5	2.3	1	1.0	6	1.8	27	1.8	4	1.6	13
XI			- 1.4	0.1	- 1.8	- 1.4		- 4.9	6.0	24	-15.6	14	0	-	8	2.5	34	2.4	11	3.0	4	2.5	2.5	3.2	19.5	1.7	2	1.2	9
XII			- 3.7	- 3.3	- 3.6	- 3.7		- 6.6	2.6	23	-17.0	15	0	-	1	5.0	38.5	2.7	17.5	3.3	6	2.2	1	1.0	9	1.4	0	-	20
1946			1.1	4.1	2.2	1.7		- 1.9	20.9		-27.1		19	1.4	80.5	2.0	289.5	2.5	115.5	2.7	38.5	1.9	51	1.8	294.5	1.9	84.5	2.4	122

Ullensvang

φ = 60° 19' N λ = 6° 40' E g = 9.819 ΔG = + 1h

I			- 0.2	0.6	- 0.2	- 0.1		- 2.9	8.5	4	-12.0	13	1.5	1.0	0.5	1.0	6	1.9	47	1.6	17	1.9	12	2.9	1	4.0	0	-	8
II			- 1.6	0.9	- 0.8	- 0.8		- 3.2	8.0	16	-13.0	26	11.5	2.3	3.5	1.0	14.5	1.0	34.5	1.1	5	1.3	12.5	2.0	0	-	0.5	4.0	2
III			- 0.2	3.3	1.4	1.0		- 2.0	10.8	30	- 8.9	15	13	1.7	2.5	1.4	18.5	1.4	27	1.6	8.5	1.5	12	1.5	2	1.5	5.5	1.9	4
IV			5.6	8.1	7.1	6.2		3.5	15.9	28	- 1.2	11	11.5	2.1	2	1.2	7	1.2	19	1.4	8.5	2.1	7	2.9	3.5	3.1	26.5	2.1	5
V			10.1	15.5	13.8	11.4		6.4	25.3	29	2.1	9	26	2.2	2	2.0	10	2.0	14	2.0	9	1.6	5	1.8	2.5	2.4	24.5	2.3	0
VI			12.1	14.8	14.0	12.3		8.9	19.9	24	5.0	14	15	2.2	2	1.8	13	2.0	12.5	1.7	13	2.3	11	2.8	3.5	1.9	20	2.3	0
VII			15.2	17.8	17.1	15.6		12.5	25.4	14	9.1	1	8.5	2.2	1.5	1.3	14	1.7	15.5	1.9	11.5	2.1	13	2.0	6	1.5	20	1.5	3
VIII			12.7	16.9	15.0	13.9		10.7	21.0	25	8.6	20	1	2.0	5	2.0	2	2.5	46.5	1.8	9.5	2.1	5.5	1.7	2.5	1.2	19	2.2	2
IX			10.0	13.4	11.3	11.0		8.7	17.5	5	4.3	30	6.5	1.8	5	1.8	15.5	2.1	33	1.8	8	2.8	3.5	2.7	1	2.0	9.5	1.8	8
X			3.1	8.2	5.1	5.1		2.1	13.2	16	- 1.6	27	5	2.7	6	2.1	30.5	1.9	32	1.9	12	1.8	0.5	1.0	0	-	4	2.2	3
XI			3.2	4.9	3.6	3.6		0.9	11.5	1	- 5.8	15	5	2.3	5.5	1.2	25	1.9	32	1.9	16.5	2.0	2.5	3.4	0	-	1.5	1.7	2
XII			1.4	2.2	1.8	1.7		- 0.2	8.3	10	- 7.0	16	0.5	2.0	5.5	2.9	20.5	1.9	55.5	1.3	4	2.1	4	3.4	0	-	0	-	3
1946			6.0	8.9	7.4	6.7		3.8	25.4		-13.0		105	2.1	41	1.8	176.5	1.8	368.5	1.6	122.5	2.0	88.5	2.3	22	2.0	131	2.1	40

Slirå

φ = 60° 37' N λ = 7° 25' E g = ΔG = + 1h

I			- 8.2	- 7.4	- 7.9	- 8.1		-10.3	- 1.4	10	-17.9	3	6.5	1.9	3	3.2	32.5	4.4	7.5	4.2	3.5	3.4	4.5	4.3	20	5.1	6.5	3.7	9
II			- 9.8	- 9.2	- 9.9	- 9.9		-12.5	- 0.6	15	-20.8	23	3.5	3.1	3.5	3.0	21	3.8	7.5	2.6	0	-	2	4.5	21	5.1	13.5	4.9	12
III			- 8.5	- 6.3	- 7.6	- 8.0		-10.7	1.4	29	-21.2	14	5	2.2	6	3.3	27.5	3.8	3	2.3	1	1.0	4.5	3.1	30.5	4.3	11.5	3.4	4
IV			- 2.8	- 1.3	- 2.1	- 2.7		- 5.0	6.0	27	-13.9	11	0.5	1.0	0	-	10	2.3	2.5	3.6	5	4.6	5.5	4.2	56.5	5.0	6	4.8	4
V			0.7	3.8	2.8	1.1		- 2.3	14.3	29	- 9.1	6	4	2.2	2.5	4.0	24	2.9	4	1.8	1	1.0	0.5	1.0	21.5	3.8	9.5	3.1	26
VI			3.0	4.7	4.1	3.1		1.2	10.2	24	- 3.1	14	1.5	1.3	2	2.5	16.5	4.0	2.5	2.6	2	3.5	3.5	3.7	45.5	3.6	7.5	2.9	9
VII			6.9	9.2	8.4	7.4		5.2	15.8	13	0.0	1	0	-	0.5	1.0	19.5	3.9	14.5	3.6	13.5	2.9	8	3.4	34.5	3.7	2.5	3.4	0
VIII			5.7	8.2	7.1	6.2		4.0	13.2	22	1.9	17	1	1.0	1.5	4.0	34.5	3.6	6	3.2	2.5	2.2	4.5	3.1	39	3.2	2	2.2	2
IX			3.1	5.4	4.5	3.7		1.8	10.3	4	- 0.6	25	1.5	2.7	1	2.5	11.5	3.7	8.5	3.5	3	3.2	12.5	3.6	43.5	3.7	1.5	3.0	7
X			- 1.5	1.5	- 0.4	- 0.5		- 3.0	9.3	10	- 8.3	26	4	2.5	1.5	4.3	23	3.5	1.5	2.0	0	-	0	-	20.5	3.4	17.5	3.0	25
XI			- 4.5	- 4.2	- 4.7	- 4.8		- 7.5	4.9	5	-17.2	14	8.5	1.5	4.5	2.1	32	3.8	5.5	4.2	3.5	5.1	8	4.0	20	3.4	7	2.1	1
XII			- 7.1	- 6.9	- 7.0	- 7.1		- 8.9	- 0.4	22	-18.4	15	3	3.0	0	-	20.5	3.2	37.5	4.0	1	3.0	4.5	3.2	10.5	3.8	6	3.2	10
1946			- 1.9	- 0.2	- 1.1	- 1.6		- 4.0	15.8		-21.2		39	2.1	26	3.1	272.5	3.6	100.5	3.6	36	3.3	58	3.6	36.5	4.0	91	3.4	109

Myrdal

φ = 60° 44' N λ = 7° 7' E g = ΔG = + 1h

I			- 5.2	- 4.7	- 4.9	- 5.1		- 7.6	1.7	10	-16.4	14	3	1.3	0	-	1	3.0	8.5	3.2	6.2	4.0	2.5	4.6	1.5	3.0	1.5	1.7	13
II			- 7.1	- 5.4	- 7.2	- 7.0		-10.2	2.5	14	-17.5	24	5.5	3.2	2.5	1.4	1	6.0	3.5	3.3	3.5	3.0	0.5	5.0	3	1.0	9	2.1	24
III			- 5.3	- 1.8	- 4.5	- 4.5		- 7.6	6.1	29	-18.7	14	0.5	3.0	0	-	2.5	2.8	14	2.9	3.6	2.8	4.5	2.9	4	1.8	5.5	2.3	26
IV			1.0	3.5	1.2	1.2		- 1.2	10.7	15	- 7.3	13	3	2.7	1	5.0	10	2.5	18.5	4.0	44.5	3.4	0	-	2	1.0	1	2.0	10
V			3.9	9.0	5.7	4.8		0.9	19.6	29	- 5.6	6	13	3.1	1	1.0	3	2.0	5	1.8	42	1.8	4	2.0	2	1.5	2	2.0	21
VI			7.0	9.6	8.0	7.1		4.1	15.3	27	- 0.8	14	8	1.8	4	1.1	7	1.9	14	3.1	34.5	3.1	2	4.5	3	3.7	2.5	1.2	15
VII			10.5	14.0	11.8	10.9		7.7	20.3	13	3.3	11	1	3.0	1.5	1.0	5.5	2.8	15.5	2.8	33	2.7	6.5	2.3	9.5	1.5	2.5	1.6	18
VIII			8.6	12.2	10.1	9.3		6.3	17.4	22	4.0	19	3	1.0	1	1.0	1.5	1.0	8	2.1	28	3.1	8	2.2	11.5	2.0	2	1.5	30
IX			6.0	9.0	7.2	6.8		4.2	14.4	4	- 0.1	29	2	1.0	0	-	3	3.8	15	3.1	37.5	2.8	1.5	2.0	0	-	1	1.0	30
X			0.3	4.9	1.8	1.9		- 0.9	11.7	10	- 5.7	29	10.5	2.0	0.5	2.0	1	1.0	2.5	1.2	28	2.5	1.5	3.3	0	-	0	-	49
XI			- 1.7	- 0.6	- 1.3	- 1.4		- 3.8	7.7	5	-12.6	15	4.5	1.2	4.5	1.4	1	3.0	3.5	3.7	37.5	3.9	2	3.0	2.5	1.6	1.5	1.3	33
XII			- 3.9	- 3.2	- 3.4	- 3.6		- 6.0	2.4	22	-14.3	15	2	1.5	0	-	0	-	0.5	2.0	47.5	3.6	8	3.9	3	1.3	0	-	32
1946			1.2	3.9	2.0	1.7		- 1.2	20.3		-18.7		56	2.2	16	1.5	36.5	2.5	108.5	3.0	465.5	3.1	41	3.0	42	1.8	28.5	1.9	301

Voss

φ = 60° 38' N λ = 6° 26' E g = ΔG = + 1h

I			- 3.5	- 2.3	- 2.7	- 3.0		- 5.7	7.7	10	-20.2	1	0	-	35.5	2.4	26.5	1.9	3	2.7	0.5	2.0	13.5	2.6	6	1.9	0	-	8
II			- 6.0	- 2.5	- 4.3	- 4.7		- 8.1	4.4	16	-28.4	26	1.5	1.0	25	2.0	16.5	1.4	2	1.5	4	1.9	9	2.5	8.5	2.9	0.5	3.0	17
III			- 4.7	1.2	- 0.2	- 2.0		- 6.0	8.8	28	-20.8	6	0.5	1.0	28	2.0	15	2.2	1.5	2.7	0.5	2.0	20.5	1.5	8	1.6	0	-	19
IV			3.7	7.7	6.6	5.2		2.5	16.1	28	- 1.9	13	1.5	2.7	18.5	1.8	6.5	1.7	2	2.0	2.5	2.0	25.5	2.3	21	2.5	2.5	3.0	10
V			8.2	15.8	14.3	10.3		3.7	27.9	28	- 1.9	6	2	4.2	26.5	2.5	14.5	2.4	0	-	4.5	1.8	24.5	2.0	9	2.4	0	-	12
VI			11.2	15.9	14.3	12.2		8.1	26.3	24	1.4	14	1	3.5	14	2.7	4	3.0	2	2.0	2	2.8	32.5	1.9	18.5	2.1	0	-	16
VII			14.2	19.0	17.5	15.4		11.5	26.8	17	5.9	11	0.5	4.0	15.5	2.6	12	2.2	0	-	2.5	1.6	24.5	2.1	11	2.0	0	-	27
VIII			11.8	17.4	16.2	13.9		10.1	22.8	26	5.0	20	0.5	5.0	22	2.6	8.5	2.6	2	3.0	2.5	1.8	22.5	2.2	14.5	2.9	0.5	1.0	20
IX			8.8	13.2	11.8	10.6		7.7	16.7	5	0.8	30	0	-	19.5	1.8	7.5	1.7	1	2.0	5.5	1.9	23.5	2.1	9.5	2.3	2.5	2.0	21
X			0.5	5.8	4.3	3.0		- 0.1	13.5	3	- 4.7	29	0.5	1.0	21.5	1.9	21.5	1.5	1.5	2.7	3.5	1.4	10.5	1.7	6	1.2	1	1.0	27
XI			1.3	3.5	2.1	2.1		- 0.4	8.9	30	- 8.8	15	0.5	4.0	36.5	2.4	18.5	2.0	2.5	2.4	1.5	1.0	10.5	1.3	3	1.2	1	1.0	16
XII			- 1.1	- 0.4	- 0.5	- 0.8		- 3.1	8.6	1	-13.0	17	1.5	2.7	40.5	2.4	26	2.0	2	3.0	1	2.0	5	2.6	2	2.0	0	-	15
1946			3.7	7.9	6.6	5.2		1.7	27.9		-28.4		10	2.9	303	2.3	177	2.0	19.5	2.4	30.5	1.8	22.2	2.0	11.7	2.2	8	2.1	208

Årsoversikter

Annual Summaries)

1946

Maurset

H_s = 778 H_b = h_t = 2.0 h_a = h_d = 12.7 h_r = 2.0

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n																				
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
											Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	=	≡	⊙	◔	◕	▣
	8	14	19	Dies	8	14	19	Σ	Max	Dat																						
I	78	72	75	76	6.2	6.0	6.4	64	21	5	31		11		9	7	3	10	2	1	1	9	0	0	0	0	0	0	6	1	12	7	12	31
II	80	75	76	78	7.6	7.2	6.4	111	31	16	27		14		15	12	3	5	3	0	4	14	1	3	0	0	0	0	5	5	12	3	12	28
III	83	74	79	80	8.1	6.3	6.1	49	14	22	25		16		13	11	2	4	0	0	6	9	0	5	0	0	0	0	5	9	17	2	11	31
IV	83	81	78	80	8.2	7.8	7.9	108	22	2	18		1		18	17	2	2	0	0	10	14	5	6	0	0	0	0	11	11	13	0	17	30
V	66	59	60	62	5.1	5.5	4.6	24	9	15	15		0		11	6	0	3	0	0	3	9	1	2	0	0	0	0	4	1	26	5	7	3
VI	61	58	60	61	7.4	7.8	8.2	81	14	9	3		0		17	13	4	2	0	0	17	0	0	16	0	0	0	0	13	3	18	1	17	0
VII	78	67	73	78	7.6	7.4	8.1	60	11	28	0		0		17	14	1	4	1	0	17	0	0	12	0	0	0	1	5	4	19	0	15	0
VIII	83	68	75	79	6.9	7.7	7.7	58	10	11	0		0		20	12	1	3	1	0	20	0	0	15	0	0	0	0	8	4	24	0	13	0
IX	87	78	79	82	8.2	7.9	7.0	150	21	11	1		0		21	18	7	0	0	0	21	0	0	9	0	0	0	0	12	1	14	3	19	0
X	82	70	78	78	5.0	4.7	4.3	17	8	5	26		0		8	4	0	0	0	0	6	4	2	0	0	0	0	0	3	1	23	10	5	0
XI	83	80	81	82	8.5	7.6	6.5	80	23	7	27		6		22	16	1	6	0	0	12	16	1	5	0	0	0	0	7	5	6	2	17	1
XII	78	76	76	77	7.2	7.5	7.6	11	3	2	30		10		13	3	0	3	2	1	1	12	0	0	0	0	0	0	3	1	6	2	16	2
1946	78	72	74	76	7.2	7.0	6.7	813	31		203		58		184	133	24	42	9	2	118	87	10	73	0	0	0	1	82	46	190	35	161	126

Ullensvang

H_s = 15 H_b = 12.3 h_t = 2.4 h_a = h_d = 8.5 h_r = 1.8

I	76	73	76	76	5.5	6.0	5.6	149	36	6	20		1		10	10	5	4	1	0	9	1	0	0	0	0	0	1	4	0	12	8	15	6
II	84	66	73	77	7.1	6.7	5.8	160	48	16	19		3		13	13	4	0	0	0	10	7	3	4	0	0	0	0	1	0	11	4	15	19
III	79	66	70	73	6.3	5.3	5.8	88	23	20	19		0		11	10	4	3	0	0	9	2	0	0	0	0	0	0	1	0	22	7	12	19
IV	81	71	73	77	8.0	8.2	7.4	153	27	3	2		0		22	20	7	2	0	0	21	3	2	2	2	0	0	0	4	0	17	0	17	2
V	71	49	54	66	4.2	4.4	4.2	9	3	2	0		0		6	3	0	1	0	0	6	0	0	0	0	0	0	0	0	0	27	9	3	0
VI	83	69	71	80	7.5	7.7	7.7	99	24	7	0		0		18	15	4	1	0	0	18	0	0	0	0	0	0	0	2	0	19	3	16	0
VII	83	71	75	81	7.4	7.5	7.7	74	13	25	0		0		16	14	2	6	0	0	16	0	0	2	0	0	0	3	3	1	16	1	16	0
VIII	93	71	78	85	7.4	7.4	7.8	80	17	12	0		0		18	13	3	1	0	0	18	0	0	0	0	0	0	0	6	0	18	0	13	0
IX	94	79	89	90	7.4	6.9	7.0	164	33	11	0		0		23	20	6	2	0	0	23	0	0	1	0	0	0	0	10	0	12	3	15	0
X	93	72	85	86	4.1	4.3	4.8	13	7	23	6		0		8	3	0	0	0	0	5	0	0	1	0	0	0	0	1	0	23	11	7	0
XI	86	78	81	83	7.3	7.0	6.6	201	40	7	12		0		17	14	8	2	0	0	16	1	1	2	1	0	0	0	3	1	10	3	16	0
XII	77	74	74	76	6.7	6.2	7.2	86	24	23	16		0		10	8	4	4	1	0	10	1	0	0	0	0	0	0	4	0	5	3	12	0
1946	83	70	75	79	6.6	6.5	6.5	1276	48		94		4		172	143	47	26	2	0	161	15	6	12	3	0	0	4	39	2	192	52	157	46

Slirå

H_s = 1300 H_b = h_t = 3.2 h_a = 11.5 h_d = 10.0 h_r = 4.0

I	84	84	85	85	6.5	6.9	6.5	55	13	5	31		15		19	10	1	19	3	2	0	19	0	0	0	2	0	0	13	9	10	7	19	31
II	92	92	92	92	8.9	8.3	7.1	36	7	11	28		18		21	12	0	11	4	3	0	21	0	0	0	0	0	0	15	9	7	1	20	28
III	92	90	92	92	8.4	7.7	7.6	27	6	20	31		20		23	8	0	12	0	0	4	23	4	1	0	0	0	0	12	13	16	2	21	31
IV	89	85	86	88	9.5	8.5	8.7	66	18	5	28		4		26	17	1	19	2	0	9	24	5	6	0	0	0	0	12	15	14	1	25	30
V	76	67	70	74	5.8	6.0	5.2	18	10	15	21		0		13	4	1	3	1	0	4	12	3	0	0	0	0	0	8	3	29	5	9	31
VI	86	80	84	87	8.9	8.8	8.8	82	17	6	8		0		23	16	2	6	2	0	22	12	9	9	0	0	0	0	10	12	18	0	24	23
VII	87	75	81	86	8.6	8.7	8.6	126	26	28	0		0		23	17	4	5	0	0	23	2	2	6	0	0	0	1	7	7	19	0	23	1
VIII	85	72	80	83	8.2	8.7	8.9	113	32	11	0		0		20	16	2	6	0	0	20	0	0	1	0	0	0	0	7	4	19	0	24	0
IX	90	80	84	86	8.6	8.1	7.7	183	25	16	9		0		25	20	7	8	1	0	25	12	10	9	0	1	0	0	15	5	19	3	22	9
X	76	71	77	75	5.8	5.9	5.1	8	4	5	26		0		6	3	0	6	0	0	1	6	1	4	0	0	0	0	8	3	23	8	11	28
XI	90	89	88	89	8.8	8.1	7.5	113	26	7	29		7		24	18	3	12	3	0	5	23	3	2	0	2	0	0	14	11	11	3	20	30
XII	88	88	89	88	8.6	8.6	8.2	41	12	23	31		9		24	8	1	12	0	0	0	24	0	0	0	1	0	0	19	7	8	3	24	31
1946	86	81	84	85	8.0	7.9	7.5	868	32		242		73		247	149	22	119	16	5	113	178	37	38	0	6	0	1	140	98	193	33	242	273

Myrdal

H_s = 870 H_b = h_t = 1.9 h_a = 9.6 h_d = 7.4 h_r = 2.6

I					5.8	6.6	5.4	184	50	5	31		7		18	15	7	21	8	4	3	18	3	0	0	0	0	0	0	0	7	9	15	31
II					7.2	7.6	6.8	138	40	16	27		14		20	18	3	10	3	1	3	18	1	1	0	0	0	0	0	0	10	5	16	28
III					6.8	5.9	5.5	111	36	20	27		14		17	12	4	13	1	0	8	14	2	0	0	0	0	0	0	0	18	4	12	31
IV					8.2	8.4	8.5	209	30	3	17		0		27	24	7	15	2	0	17	19	10	0	0	0	0	0	0	0	8	2	24	30
V					4.8	4.9	4.2	19	9	15	14		0		9	4	0	3	0	0	3	8	1	0	0	0	0	0	0	0	24	10	6	22
VI					8.1	8.3	7.8	168	43	7	1		0		22	17	5	3	0	0	22	4	4	0	0	0	0	0	0	0	11	2	18	0
VII					8.2	8.3	8.5	159	25	1	0		0		22	19	4	7	1	0	22	0	0	1	0	1	0	0	3	0	9	2	22	0
VIII					7.0	7.7	7.1	119	30	12	0		0		21	17	3	4	1	1	21	0	0	3	0	0	0	0	1	1	10	2	17	0
IX					8.4	7.9	7.6	334	52	16	1		0		24	22	10	10	1	0	24	0	0	0	0	0	0	0	0	0	8	3	21	0
X					4.0	4.7	4.0	45	25	5	20		0		7	3	2	4	1	0	5	2	0	0	0	0	0	0	0	0	20	13	7	0
XI					7.8	7.4	6.3	222	42	13	24		5		18	14	9	11	2	0	12	14	5	0	0	0	0	0	0	0	7	3	17	14
XII					6.0	7.4	7.3	72	22	23	30		4		16	10	3	15	3	1	2	16	2	0	0	0	0	0	0	0	0	5	16	31
1946					6.9	7.1	6.6	1780	52		192		44		221	175	57	116	23	7	142	113	28	5	0	1	0	0	4	1	132	60	191	187

Voss

H_s = 82 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

I	80	78	80	80	5.5	6.5	6.2	98	29	26	21		8		16	11	4	2	1	0	13	7	0	0	0	1	0	1	2	2	16	8	15	6
II	82	80	85	86	6.6	6.6	6.5	110	19	11	23		9		22	18	4	3	0	0	9	20	1	3	0	1	0	0	1	5	17	4	12	28
III	73	71	73	80	6.6	5.6	5.2	86	23	20	22		9		16	10	3	0	0	0	10	8	2	0	0	0	0	0	2	7	25	6	13	25
IV	85	73	75	80	7.7	7.4	7.3	142	30	3	2		0		24	20	3	3	0	0	23	7	2	1	1	0	0	0	4	7	22	1	15	1
V	75	42	47	65	4.7	5.2	4.8	13	6	15	5		0		12	4	0	2	0	0	12	0	0	2	0	0	0	0	0	0	30	7	8	0
VI	85	62	68	80	7.8	7.6	7.7	66	12	7	0		0		19	10	2	1	0	0	19	0	0	1	0	0	0	0	1	1	24	2	17	0
VII	86	65	70	80	7.6	8.0	8.0	112	33	28	0		0		18	13	2	3	0	0	18	0	0	0	0	0	0	0	4	1	24	1	18	0
VIII	89	64	69	79	7.2	7.3	7.0	83	29	12	0		0		20	11	2	4	0	0	18	0	0	0	0	0	0	0	2	4	27	2	16	0
IX	93	77	82	86	8.4	7.4	7.2	162	29	11	0		0		27	19	7	1	0	0	23	0	0	0	0	0	0	0	3	4	23	1	18	0
X	94	82	86	89	5.3	5.5	4.5	8	2	5	15		0		19	3	0	1	0	0	9	0	0	1	0	0	0	0	1	15	22	10	7	0
XI	88	80	85	86	7.3	6.7	6.6	174	28	7	14		0		20	14	7	2	1	1	16	9	2	2	0	0	0	0	6	6	10	4	17	0
XII	92	80	81	81	6.3	7.6	7.5	80	37	24	17		4		16	11	1	1	0	0	12	10	1	0	0	0	0	0	2	7	8	3	16	19
1946	86	71	75	81	6.8	6.8	6.5	1134	37		119		30		229	144	35	23	2	1	182	61	8	10	1	2	0	1	28	59	248	49	172	79

1946

Bergsdal

φ = 60° 32' N λ = 6° 3' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 5.0	- 3.2	- 4.2	- 4.3		- 7.4	4.0	10	-20.2	1	6	1.0	6₅	1.3	3₅	2.7	12	3.1	11₅	1.7	10₅	3.3	7₅	4.3	5₅	4.2	30
II			- 6.1	- 3.3	- 6.2	- 5.7		-10.9	4.0	14	-25.3	25	5	2.4	15	1.4	13₅	2.3	5	1.9	4	2.6	7	2.7	9₅	3.9	6	4.2	19
III			- 5.1	0.5	- 2.6	- 3.0		- 7.5	8.2	29	-21.4	15	2₅	1.0	2₅	1.0	20₅	1.7	15	3.7	6₅	1.5	9	2.6	6	3.6	5	2.7	26
IV			1.9	4.2	3.0	2.3		- 0.6	11.8	28	- 7.5	13	16	3.0	0	-	1₅	3.3	1₅	3.3	3	1.0	9	2.6	24	2.9	12	2.8	23
V			6.7	10.7	9.6	7.0		0.2	22.1	29	- 6.1	6	5	2.7	2₅	2.6	6	2.5	27	2.0	1	1.0	2₅	2.4	11₅	1.6	8₅	3.2	29
VI			8.9	11.1	10.0	8.6		5.0	19.4	24	- 2.3	14	4	2.1	2₅	2.0	3	2.3	4	2.0	4₅	1.3	9₅	3.2	20₅	2.7	16	2.5	26
VII			12.7	15.1	13.9	12.5		8.4	22.0	17	2.4	11	0₅	4.0	0₅	4.0	3₅	3.7	19₅	2.6	3₅	1.1	18₅	2.0	8₅	2.1	2₅	2.6	36
VIII			10.3	13.6	12.4	10.7		6.2	20.0	26	0.4	17	0₅	2.0	0	-	0	-	20	2.6	12₅	1.5	16₅	2.2	7₅	2.3	11	2.3	25
IX			7.3	10.8	9.0	8.3		5.1	16.0	5	- 1.5	30	4	1.2	0	-	0	-	6₅	1.6	16₅	1.2	17	2.4	2₅	1.6	11₅	1.9	32
X			- 0.7	7.0	2.3	2.3		- 1.7	15.9	10	- 6.4	29	8₅	1.6	8	1.0	8	1.2	2	4.0	1	1.0	4	1.8	2₅	1.4	15	1.9	44
XI			0.5	2.3	0.6	0.8		- 2.1	8.4	5	-10.4	15	6	1.2	3	3.7	11₅	1.6	11₅	2.8	12	1.6	15	2.2	2	3.0	6	1.2	23
XII			- 3.2	- 2.1	- 2.9	- 2.8		- 5.9	4.8	1	-16.0	15	1	1.0	11	1.1	11	2.0	28₅	3.1	7₅	2.6	5₅	2.5	1₅	2.3	0	-	27
1946			2.4	5.6	3.7	3.1		- 0.9	22.1		-25.3		59	2.0	51₅	1.5	82	2.0	152₅	2.7	83₅	1.6	124	2.4	103₅	2.8	99	2.6	340

Bergen (Fredriksberg)

φ = 60° 24' N λ = 5° 19' E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1010.5	1016.1	1.8	3.3	2.6	2.5	4.4	0.4	9.5	5	- 5.6	14	1₅	2.0	2	3.5	0	-	7₅	2.5	45₅	3.8	5₅	3.2	3₅	4.4	0₅	2.0	27
II	997.2	02.7	0.6	2.5	1.6	1.4	3.7	- 0.6	8.0	16	- 8.2	25	16₅	3.4	3₅	3.3	2	4.0	6	2.8	2₅	3.3	1	4.0	3	2.3	7	2.1	20
III	1012.8	18.4	1.3	4.8	3.6	2.9	5.5	0.4	11.6	29	- 6.1	14	9	1.7	1₅	2.3	1	2.5	7	2.1	36	2.9	4₅	1.8	5₅	1.4	4₅	1.3	24
IV	06.8	12.3	5.8	8.0	6.9	6.3	9.3	3.9	15.1	4	- 0.3	10	15₅	2.1	3	3.2	0	-	1₅	1.7	30	3.0	19	3.2	4	2.6	13	1.8	4
V	13.4	18.8	10.0	13.9	12.3	11.0	15.4	7.3	26.8	27	2.7	6	32₅	2.3	16	2.9	2	2.5	0₅	3.0	3₅	2.0	3₅	2.6	0₅	1.0	15₅	1.7	19
VI	03.6	08.9	11.9	14.0	13.1	12.2	15.5	9.8	22.9	24	6.3	14	16₅	2.1	5₅	2.1	0₅	1.0	0₅	1.0	16	2.8	23₅	3.0	5	2.7	7₅	1.8	15
VII	07.5	12.8	15.6	17.5	16.1	15.6	19.0	13.2	27.7	16	10.5	10	10₅	1.9	1	1.5	1₅	2.0	5₅	2.3	18₅	2.9	32	3.4	2	4.0	5	1.8	17
VIII	03.6	08.8	13.6	16.9	15.8	14.7	18.7	12.0	24.7	26	9.2	5	13	1.9	6₅	1.8	0₅	3.0	0₅	3.0	18₅	2.7	21₅	3.0	6	2.4	9₅	1.5	17
IX	01.4	06.8	11.3	14.1	12.9	12.4	15.4	10.2	19.1	5	5.8	29	6₅	1.7	4	1.6	0	-	0₅	4.0	19	3.3	28₅	3.6	5₅	2.4	8	2.3	18
X	16.9	22.4	6.2	10.1	8.2	7.9	10.7	5.4	15.2	2	1.0	27	13	2.0	20	2.6	1	2.0	0₅	1.0	16	2.8	13	2.3	3	1.5	2₅	1.4	24
XI	02.0	07.5	5.4	6.7	5.7	5.7	7.8	- 3.6	11.0	4	- 2.7	15	2	1.2	10₅	3.3	0₅	3.0	1	2.0	19	2.5	28	4.1	2	2.0	1	2.0	26
XII	09.0	14.6	3.2	4.0	3.8	3.6	5.4	1.7	8.6	10	- 4.2	15	0₅	1.0	0	-	1	3.0	5₅	2.2	19	2.6	22	4.1	1₅	1.0	1₅	1.0	42
1946	1007.1	1012.5	7.2	9.6	8.6	8.0	10.9	5.6	27.7		- 8.2		137	2.2	73₅	2.7	10	2.7	36₅	2.4	266	3.0	202	3.4	41₅	2.4	75₅	1.8	253

Syfteland

φ = 60° 14' N λ = 5° 27' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 0.9	1.6	0.5	0.2		- 3.2	7.4	10	-12.8	14	5	2.1	10	2.0	4	2.0	3	4.0	32	3.5	13	3.4	1	2.0	0	-	25
II			- 1.8	1.7	- 0.5	- 0.5		- 4.0	6.2	15	-17.5	25	21	3.0	7₅	2.5	3₅	2.4	1₅	3.3	12₅	3.0	5₅	2.5	0	-	1₅	2.3	31
III			- 1.2	4.3	1.4	0.9		- 3.6	9.8	29	-12.6	14	9₅	2.1	12	2.3	3	2.7	0₅	2.0	27₅	2.5	3₅	1.9	0	-	0	-	37
IV			5.6	8.0	6.3	5.9		2.8	14.8	4	- 1.8	10	14	3.8	2₅	2.2	2	2.0	2₅	2.6	34₅	3.0	12	2.8	9	2.4	2₅	3.6	11
V			10.2	14.3	11.3	9.9		3.3	24.8	27	- 1.5	6	38	3.4	10	2.6	5₅	2.4	1₅	2.7	11₅	2.5	11₅	2.8	1	1.0	5	3.3	9
VI			12.5	14.2	12.9	11.8		7.7	19.2	27	3.1	16	21	2.8	4	2.2	1	3.0	1₅	2.7	36₅	2.7	10	2.6	8	2.6	1	3.0	7
VII			15.9	17.8	15.8	15.2		11.0	25.8	16	7.1	29	11₅	2.9	2₅	2.8	6	2.7	0	-	35₅	2.7	12₅	2.6	14	2.4	1	2.5	10
VIII			13.5	17.0	15.1	14.1		10.0	23.0	26	4.6	17	12₅	2.4	6₅	2.5	2₅	2.8	4	2.2	32₅	2.6	11	2.2	2	3.0	2	2.5	20
IX			10.5	14.3	12.0	11.7		8.3	19.2	1	0.4	29	14	2.4	3₅	1.7	1₅	3.0	2	3.5	36	2.9	8₅	2.8	0	-	2₅	2.8	22
X			3.2	9.9	5.6	5.7		1.6	14.8	10	- 3.0	27	25	2.9	0₅	2.0	1	2.0	0₅	3.0	13₅	2.2	1	2.5	0	-	2₅	3.0	49
XI			4.0	5.9	4.2	4.4		1.2	10.0	1	- 6.8	15	11₅	2.7	6₅	2.4	7	2.1	5	3.1	20₅	3.2	5₅	3.5	0	-	2	2.0	32
XII			0.9	2.6	1.8	1.7		- 1.0	7.2	1	- 9.7	17	8	1.9	10	2.2	12	2.4	2₅	3.0	20₅	3.6	4₅	3.7	2	2.5	1₅	2.0	32
1946			6.0	9.3	7.2	6.8		2.8	25.8		-17.5		191	2.9	75₅	2.3	49	2.4	24₅	3.0	313	2.9	98₅	2.8	37	2.5	21₅	2.8	285

Hellisøy Fyr

φ = 60° 45' N λ = 4° 43' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			3.2	3.7	3.6	3.4	4.9	1.8	8.2	5	- 3.1	12	4	2.8	3₅	1.9	12₅	2.0	36₅	5.4	18₅	5.0	6₅	4.8	3	4.3	0₅	5.0	8
II			1.3	2.6	2.1	1.8	4.1	0.2	7.6	16	- 5.5	24	5₅	3.2	3	1.8	14	2.4	16₅	3.7	7	3.4	3	1.7	10	3.2	17	5.1	8
III			1.8	3.6	3.4	2.7	4.6	1.1	9.2	30	- 3.8	14	11	1.0	4₅	1.0	16	1.7	30	2.5	20₅	2.6	4₅	1.3	2	1.0	4₅	1.0	0
IV			5.4	6.3	5.9	5.5	7.5	4.0	11.0	15	1.2	10	4	2.1	1	2.0	0	-	8₅	3.9	36	3.4	10₅	2.2	8	2.0	18	3.5	4
V			9.1	11.1	10.6	9.6	12.7	7.0	22.2	27	2.9	5	20	3.5	1	1.0	2	1.0	2₅	2.0	6₅	2.0	4	1.0	4₅	1.2	24₅	2.7	38
VI			11.3	12.5	12.2	11.6	13.7	10.2	17.0	24	7.4	14	2₅	2.8	0₅	1.0	1₅	1.0	11₅	3.3	23	2.7	10	3.0	2₅	1.0	19₅	2.4	19
VII			14.8	15.9	15.5	14.9	17.2	13.3	25.3	15	10.6	4	3₅	1.9	1	1.0	4₅	1.7	15	2.9	30₅	2.6	5	2.7	4₅	1.1	9	1.7	20
VIII			14.0	15.7	15.4	14.5	16.7	12.8	21.5	26	10.6	16	5₅	2.8	0	-	12	1.4	20	2.4	11	2.2	4	5.0	7₅	1.7	9	2.6	24
IX			12.2	13.7	13.5	12.8	14.7	11.2	18.5	1	8.4	29	7	1.6	0	-	6	2.6	19	3.8	24₅	4.6	5	3.3	6₅	3.9	9	1.9	13
X			8.1	9.7	9.3	8.8	10.9	7.3	13.4	2	4.7	28	12₅	2.8	0	-	10	1.4	19	3.5	8	4.2	1	3.0	0	-	24₅	3.3	18
XI			6.3	7.0	6.5	6.5	8.3	4.8	10.9	6	- 0.4	15	8	3.6	2₅	3.0	24₅	1.7	24	4.8	8	5.3	5	3.6	0₅	1.0	7₅	3.9	10
XII			4.5	4.8	4.5	4.6	5.6	3.3	8.3	1	- 0.3	16	0	-	3	1.7	20	2.2	40₅	3.8	16₅	5.1	0	-	1	3.0	0	-	12
1946			7.7	8.9	8.5	8.1	10.1	6.4	25.3		- 5.5		83₅	2.7	20	1.7	123	1.9	243	3.8	210	3.5	58₅	2.9	50	2.3	14₃	3.0	64

Modalen

φ = 60° 50' N λ = 5° 56' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 0.9	0.0	- 0.3	- 0.6		- 3.7	8.0	10	-12.1	22	1	3.0	4₅	3.0	44	2.5	6₅	3.5	0	-	4	2.5	30₅	2.8	0₅	6.0	2
II			- 2.8	- 0.6	- 2.5	- 2.4		- 5.5	5.3	4	-16.5	26	1	1.0	4	2.5	47₅	2.3	3₅	2.1	2	1.0	2	1.5	23	2.7	0	-	1
III			- 2.3	2.5	0.6	- 0.3		- 3.8	9.6	29	-12.3	7	2	2.5	1	4.0	58	2.1	2	1.5	2	1.0	3₅	1.4	23	2.6	0₅	1.0	1
IV			3.4	6.4	5.4	4.4		1.5	15.4	28	- 2.4	12	1	2.0	2	1.5	27	1.7	6₅	1.5	3₅	2.0	1₅	3.0	44₅	2.8	1	3.5	3
V			8.1	13.9	12.6	9.7		4.9	25.1	29	- 1.4	9	3	2.3	8	2.5	43	2.3	2	1.5	0	-	5	1.6	31₅	2.3	0₅	1.0	0
VI			10.6	14.0	12.8	11.1		7.2	23.1	24	1.7	14	0	-	1	2.0	23₅	1.9	3₅	1.9	0	-	5₅	2.3	5₄	2.5	0₅	2.0	2
VII			13.5	17.6	16.5	14.6		10.8	26.2	16	6.0	11	0₅	3.0	4₅	4.2	27₅	1.5	6	1.9	2	1.5	7	1.9	40	2.6	1₅	3.0	4
VIII			11.5	16.7	15.3	13.3		9.3	22.0	26	5.5	17	0	-	5	2.8	31₅	1.8	1₅	1.0	0₅	6.0	5	1.5	47₅	2.2	1	2.0	1
IX			9.5	13.6	11.1	10.7		7.7	19.4	5	1.8	30	1	2.0	2	1.5	27	1.7	6₅	1.5	2	2.0	6	2.6	43	2.4	1₅	2.7	1
X			2.0	6.3	4.1	3.7		0.8	13.1	6	- 2.8	21	0	-	6₅	1.4	57	1.8	3₅	1.4	1₅	1.0	5₅	1.0	17	2.1	0	-	2
XI			3.2	4.0	3.1	3.2		0.5	8.9	30	- 3.9	14	1	3.0	7₅	2.9	47	2.3	3₅	3.0	1	3.0	2	1.2	24	2.7	1	2.5	3
XII			0.9	1.4	1.0	1.0		- 1.4	8.2	1	- 9.5	16	2₅	2.6	7	3.4	60	2.0	1₅	2.3	0	-	1	1.0	19	2.7	1	4.0	1
1946			4.7	8.0	6.6	5.7		2.3	26.2		-16.5		13	2.4	53	2.7	49₃	2.0	46₅	2.0	14₅	1.8	48	1.8	39₇	2.5	9	2.8	21

1946

Bergsdal

H_t = 540 H_b = h_t = 1.9 h_a = h_d = h_r = 2.9

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n																								
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	≡	≣	⊙	◔	◕	▣
I					6.2	7.1	6.5	238	54	5	25		12		18	18	7	8	1	0	10	15	5	0	0	2	0	1	0	0	9	8	15	31
II					7.4	6.8	6.2	216	54	16	26		15		22	19	7	4	0	0	7	20	3	1	0	1	0	2	2	2	13	4	15	28
III					7.8	6.8	6.5	157	39	20	25		10		18	16	6	0	0	0	7	12	0	4	0	0	0	0	5	2	20	5	19	31
IV					8.7	8.3	8.3	286	42	3	15		0		26	23	12	2	0	0	23	16	11	5	0	2	0	1	1	4	14	1	22	30
V					4.9	5.9	5.6	12	5	15	16		0		7	5	0	0	0	0	5	3	0	1	0	1	0	1	0	1	26	4	8	13
VI					8.4	9.3	8.6	171	39	6	4		0		20	18	6	1	0	0	20	0	0	2	0	0	0	1	0	2	15	1	21	0
VII					8.1	8.9	8.9	250	50	28	0		0		21	19	10	3	0	0	21	0	0	2	0	1	0	2	0	2	13	1	24	0
VIII					7.9	8.7	8.4	207	78	12	0		0		21	19	6	1	0	0	21	0	0	0	0	1	0	2	1	0	19	1	22	0
IX					8.5	8.6	7.9	382	51	24	1		0		26	22	12	1	0	0	26	0	0	0	0	2	0	1	2	5	7	3	24	0
X					4.8	6.1	5.0	32	13	5	22		0		10	7	1	0	0	0	10	3	3	0	0	0	0	0	2	2	19	9	10	0
XI					8.2	7.2	7.1	396	62	24	17		2		20	19	11	0	0	0	18	10	7	2	0	1	0	0	0	1	9	3	18	2
XII					6.5	7.7	7.3	182	68	23	24		10		20	12	5	2	0	0	7	18	3	0	2	0	0	0	0	1	5	5	16	28
1946					7.3	7.6	7.2	2529	68		175		49		229	197	83	22	1	0	175	97	32	17	2	11	0	11	13	22	169	45	214	163

Bergen (Fredriksberg)

H_t = 43 H_b = 44.4 h_t = 1.8 h_a = 10.7 h_d = 10.3 h_r = 1.3

I	90	90	89	90	5.8	6.9	6.5	196	51	26	14	3	0	0	18	15	5	14	3	0	17	4	2	1	0	2	0	1	13	1	12	6	12	2
II	88	82	83	85	6.9	7.9	7.9	194	31	8	13	6	0	0	22	19	9	10	0	0	18	12	7	3	0	6	0	0	8	2	14	2	17	15
III	83	66	68	74	7.3	6.9	6.9	126	23	20	16	1	0	0	19	12	5	4	0	0	13	10	4	4	0	1	0	0	10	1	21	4	17	12
IV	87	76	80	83	8.6	8.3	8.3	280	55	7	2	0	0	0	28	25	9	10	0	0	28	5	5	5	0	7	0	0	7	3	21	2	22	1
V	74	57	62	70	5.2	6.4	5.6	28	7	13	0	0	0	1	13	9	0	2	0	0	13	0	0	4	0	0	0	1	0	2	30	3	6	0
VI	83	72	74	80	7.7	8.2	7.4	122	23	6	0	0	0	0	24	19	5	4	0	0	24	0	0	4	0	1	0	0	0	1	28	3	17	0
VII	80	72	78	81	8.3	8.5	8.3	192	32	28	0	0	0	2	24	19	8	3	1	1	24	0	0	1	0	0	0	2	2	2	26	1	23	0
VIII	84	69	75	79	7.9	8.3	7.7	229	50	12	0	0	0	0	23	17	9	1	1	0	23	0	0	0	0	0	0	3	1	0	29	3	22	0
IX	90	76	82	85	7.9	7.7	7.1	312	47	15	0	0	0	0	29	24	13	7	0	0	27	0	0	0	0	1	0	1	4	1	20	2	17	0
X	85	70	81	81	5.6	6.4	4.6	59	27	5	0	0	0	0	15	6	3	1	0	0	9	0	0	0	0	0	0	0	11	0	21	8	12	0
XI	79	72	78	78	8.2	7.3	7.2	338	48	24	6	0	0	0	22	18	10	9	1	0	21	2	2	0	0	1	0	1	10	1	13	0	17	0
XII	78	73	73	75	7.5	8.3	7.6	100	23	27	6	2	0	0	17	10	4	8	3	0	17	0	0	1	0	1	0	1	13	3	10	2	22	0
1946	83	73	77	80	7.2	7.6	7.1	2176	55		57	12	0	3	254	193	80	73	9	1	234	33	20	23	0	20	0	10	79	17	245	36	204	30

Syfteland

H_t = 53 H_b = h_t = 5.6 h_a = h_d = 7.5 h_r = 1.2

I	86	77	79	82	6.4	6.7	6.9	144	24	11	17		3		17	14	6	4	1	0	14	5	1	1	0	2	0	2	16	4	11	8	17	17
II	84	71	80	80	7.0	7.6	7.2	235	48	16	21		3		21	19	9	0	0	0	16	12	3	2	0	5	0	0	10	8	10	2	15	19
III	89	66	76	80	7.6	6.7	6.7	137	33	20	23		5		20	13	5	0	0	0	12	11	3	3	0	1	0	0	10	9	14	3	17	21
IV	87	76	81	84	9.1	8.3	8.3	319	61	7	4		0		27	24	11	1	0	0	26	6	3	6	0	5	0	0	14	13	13	1	21	2
V	69	54	64	69	4.8	5.8	5.4	39	10	30	5		0		11	8	0	0	0	0	11	0	0	2	0	1	0	0	6	6	26	5	7	0
VI	80	70	73	78	8.2	8.0	7.6	123	22	21	0		0		23	15	5	1	0	0	23	0	0	1	0	1	0	0	17	8	18	2	17	0
VII	77	69	77	78	8.1	8.3	8.4	183	44	28	0		0		23	19	7	2	1	0	23	0	0	2	0	1	0	4	13	10	15	2	20	0
VIII	82	65	74	78	8.2	8.1	7.8	240	44	12	0		0		22	20	8	1	1	0	22	0	0	0	0	0	0	3	9	4	19	3	21	0
IX	90	72	82	84	7.7	7.9	7.2	272	40	15	0		0		26	24	9	1	0	0	25	0	0	1	0	0	0	2	20	4	15	4	18	0
X	91	68	85	85	4.5	5.5	4.1	56	31	5	12		0		8	6	2	0	0	0	8	0	0	0	0	0	0	0	11	2	23	13	8	0
XI	82	74	82	81	7.4	7.1	7.1	353	50	13	11		0		20	19	10	3	0	0	18	1	1	2	0	0	0	1	9	8	12	4	17	0
XII	84	76	78	80	7.2	7.8	7.7	119	26	23	16		0		18	15	4	0	0	0	16	4	1	2	0	0	0	0	14	5	11	3	19	3
1946	83	70	78	80	7.2	7.3	7.0	2220	61		109		11		236	196	76	13	3	0	214	39	12	22	0	16	0	12	149	81	187	50	197	62

Hellisøy Fyr

H_t = 20 H_b = h_t = 1.8 h_a = 12.3 h_d = 12.3 h_r = 1.2

I	82	82	82	82	6.3	7.2	7.1	74	12	30	7	0	0	0	14	13	2	18	7	4	14	6	6	0	0	1	0	0	1	0	17	4	15	0
II	82	78	80	81	7.6	7.5	7.8	96	14	20	9	3	0	0	21	19	2	11	5	3	18	13	10	2	0	2	0	0	2	1	17	1	16	5
III	82	75	76	78	7.5	6.3	6.5	104	15	27	13	1	0	0	16	15	4	5	0	0	15	6	5	3	0	2	0	0	2	5	24	2	12	2
IV	84	85	86	86	8.1	7.2	7.8	188	21	27	0	0	0	0	27	24	8	17	2	0	27	4	4	7	0	3	0	2	2	3	21	1	15	0
V	72	72	72	76	5.0	5.1	4.7	16	4	4	0	0	0	0	10	6	0	5	0	0	10	0	0	2	0	0	0	0	0	3	30	6	6	0
VI	79	80	84	84	7.6	7.0	7.1	60	13	19	0	0	0	0	18	14	2	4	2	0	18	0	0	1	0	0	0	0	1	1	23	2	11	0
VII	82	80	81	81	8.6	8.3	8.0	113	29	28	0	0	0	1	23	16	3	4	2	1	23	0	0	4	0	0	0	1	2	1	25	1	20	0
VIII	76	77	79	79	8.3	7.1	7.3	117	20	7	0	0	0	0	22	16	5	4	1	0	22	0	0	0	0	0	0	2	0	1	25	1	18	0
IX	83	79	80	83	8.0	7.1	7.3	251	36	15	0	0	0	0	24	23	8	12	4	0	24	0	0	0	0	2	0	4	3	0	23	3	19	0
X	83	78	81	81	5.9	6.8	6.5	82	20	5	0	0	0	0	13	11	4	7	0	0	13	0	0	0	0	0	0	0	0	0	21	6	13	0
XI	82	78	79	80	7.7	7.9	7.0	175	31	25	1	0	0	0	21	17	7	15	4	1	21	4	4	1	0	0	0	0	1	0	13	2	17	0
XII	76	76	78	78	7.7	8.2	7.8	92	17	22	2	0	0	0	18	16	3	11	6	3	18	1	1	2	0	0	0	0	2	1	11	0	18	0
1946	81	78	79	81	7.4	7.1	7.1	1368	36		32	4	0	1	227	190	48	113	33	12	223	34	30	22	0	10	0	9	16	16	250	29	180	7

Modalen

H_t = 108 H_b = h_t = 2.0 h_a = h_d = h_r = 1.1

I	75	75	76		6.4	6.8	6.3	310	75	26	20		3		16	15	7	7	1	1	15	7	5	0	0	2	0	0	16	1	0	9	18	7
II	71	80	78		7.1	6.3	7.1	199	45	16	26		4		19	17	10	2	2	0	10	15	6	6	0	0	0	0	14	3	6	4	14	28
III	68	73	78		7.0	6.2	5.6	200	33	24	24		5		17	15	7	1	0	0	11	11	3	5	0	0	0	0	16	1	13	8	14	31
IV	76	81	85		8.9	8.1	8.6	395	47	3	8		0		27	25	14	3	0	0	25	10	5	10	0	1	0	1	20	2	7	1	22	12
V	48	54	68		4.5	5.6	5.5	20	5	17	4		0		10	6	0	2	0	0	10	0	0	1	0	0	0	0	4	0	23	9	11	0
VI	68	74	82		8.2	8.7	8.0	216	40	7	0		0		25	21	8	2	0	0	25	0	0	1	0	0	0	0	15	0	11	1	21	0
VII	68	74	83		8.2	8.4	8.5	278	46	28	0		0		21	17	9	2	1	1	21	0	0	0	0	0	0	2	12	1	12	2	21	0
VIII	66	74	82		7.5	8.5	7.2	194	76	12	0		0		22	19	6	2	0	0	22	0	0	1	0	0	0	1	11	4	15	2	18	0
IX	73	86	86		8.3	8.2	7.6	443	58	27	0		0		27	22	14	0	0	0	24	0	0	0	0	0	0	0	18	2	10	4	21	0
X	79	89	90		4.9	6.0	5.0	44	12	5	14		0		14	8	1	0	0	0	12	0	0	2	0	0	0	0	8	2	15	8	10	0
XI	78	82	82		7.5	7.2	6.7	424	54	24	14		0		21	19	13	4	0	0	20	8	5	3	0	0	0	0	13	2	0	5	16	0
XII	75	78	78		6.4	7.3	7.1	204	80	23	19		0		15	14	5	1	0	0	12	9	4	1	0	0	0	0	11	1	0	7	16	10
1946	70	77	81		7.1	7.3	6.9	2927	80		129		12		234	198	94	26	4	2	207	60	28	30	0	3	0	4	158	19	112	60	202	88

1946

Vangsnes

φ = 61° 10′ N λ = 6° 39′ E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			0.5	1.1	1.1	0.8		- 0.8	7.0	10	- 6.6	2	2 3.0	0 -	69 4.0	0 -	0 -	0 -	13 4.3	0 -	9
II			- 1.1	- 0.2	- 0.4	- 0.7		- 2.2	6.4	14	- 8.4	25	9 3.1	0 -	57 3.1	0 -	0 -	0 -	15 4.5	0 -	3
III			0.6	2.7	1.9	1.4		- 0.3	8.2	30	- 5.9	15	1 3.0	0 -	59 3.1	0 -	0 -	0 -	12 3.6	0 -	21
IV			4.8	6.4	5.7	5.0		3.0	14.0	28	- 1.8	11	6 3.2	0 -	17 2.7	0 -	0 -	1 2.0	43 3.5	0 -	23
V			10.2	13.9	13.3	11.2		7.6	23.8	30	1.2	6	5 3.8	0 -	20 2.6	0 -	0 -	0 -	37 3.0	0 -	31
VI			12.3	14.6	13.8	12.6		10.0	20.2	24	6.6	14	1 3.0	0 -	14 3.1	0 -	0 -	0.5 4.0	49.5 3.4	1 3.0	24
VII			14.9	17.4	16.3	15.3		12.7	25.0	16	9.1	1	2 3.0	0 -	16 3.6	2 4.0	0 -	0 -	34 3.4	0 -	39
VIII			13.9	16.3	15.3	14.4		11.8	19.8	26	9.2	17	4 2.2	0 -	26 3.2	0 -	0 -	0 -	25 3.5	0 -	38
IX			10.6	12.7	11.6	11.1		9.2	15.6	4	5.7	30	1 2.0	0 -	28 2.9	0 -	0 -	0 -	22 3.4	0 -	39
X			5.5	7.8	6.3	6.2		4.4	11.2	2	1.3	29	2 3.0	0 -	54 2.9	0 -	0 -	0 -	10 3.5	0 -	27
XI			3.9	5.0	4.3	4.3		2.6	9.4	26	- 2.7	15	4 3.0	0 -	50 3.5	3 4.7	0 -	1 3.0	3 3.0	0 -	29
XII			3.0	3.1	3.0	3.0		1.4	8.4	10	- 4.3	15	0 -	0 -	75 3.6	0 -	0 -	0 -	5 3.6	0 -	13
1946			6.6	8.4	7.7	7.0		5.0	25.0		- 8.4		37 3.1	0 -	485 3.3	5 4.4	0 -	2.5 2.8	268.5 3.5	1 3.0	295

Fjærland

φ = 61° 26′ N λ = 6° 46′ E g = $\Delta G = +1^h$

I			- 4.0	- 2.9	- 3.4	- 3.5	- 0.8	- 6.0	8.4	5	-18.2	2	2 1.0	2.5 1.0	8.5 1.5	0 -	1 1.0	3.5 4.1	4.5 1.4	2 1.0	69
II			- 5.8	- 2.2	- 5.3	- 4.7	- 0.7	- 8.4	7.2	16	-22.6	25	15 1.0	5 1.0	0 -	0 -	0 -	3 3.3	4 3.2	9 2.4	48
III			- 2.9	2.2	- 1.6	- 1.3	2.9	- 5.6	8.1	30	-13.4	14	7.5 1.0	5 1.0	7.5 1.8	1 1.0	3 1.0	2 1.0	0 -	0 -	67
IV			2.5	5.4	3.3	3.2	6.1	0.8	14.0	29	- 3.0	12	8 1.2	4.5 1.1	0.5 2.0	0 -	6 1.5	6 1.0	2 1.0	3 1.7	50
V			8.8	15.3	13.3	10.5	16.3	3.5	26.8	29	- 2.7	6	20 1.5	20.5 1.1	4.5 1.1	2 1.8	6 1.2	10.5 1.3	5.5 1.6	6 2.7	19
VI			11.6	15.2	13.7	12.3	16.9	8.2	23.6	24	1.9	14	1 1.0	8 1.0	2 1.0	0 -	10 1.2	12 1.6	4 1.2	5 1.0	48
VII			14.0	17.6	16.2	14.6	19.2	10.1	27.8	16	6.2	23	2 2.0	3 1.0	5 1.0	3 2.7	13 1.3	7 1.7	0 -	2 1.0	68
VIII			11.0	16.9	14.6	13.1	18.1	8.8	24.1	25	3.3	17	3.5 1.0	6.5 1.2	3.5 1.0	3.5 1.0	13 1.6	13 1.4	0 -	1 1.0	49
IX			8.6	12.6	10.8	10.2	13.6	7.0	19.2	8	0.9	29	0 -	1.5 1.0	0.5 1.0	0 -	5 1.2	5 1.4	3 1.3	2 1.0	73
X			1.2	7.5	3.9	3.8	7.9	0.3	12.3	13	- 3.6	27	1 1.0	4.5 1.0	1.5 1.0	1 3.0	5 1.4	1 2.0	0 -	3 2.3	75
XI			0.8	2.9	1.7	1.6	4.2	- 1.2	9.4	26	- 8.8	15	10 2.0	9 1.1	4 1.0	2 2.0	1 1.0	5 1.0	1 1.0	2 2.5	56
XII			0.4	1.4	1.0	0.8	3.0	- 1.0	9.0	10	- 9.8	16	7.5 1.0	11 1.5	9 2.9	6.5 2.7	3 2.0	5 1.8	1 1.0	1 1.0	49
1946			3.8	7.7	5.7	5.0	8.9	1.4	27.8		-22.6		77.5 1.3	81 1.1	46.5 1.6	19 2.1	66 1.4	73 1.6	25 1.7	36 1.9	671

Lærdal

φ = 61° 6′ N λ = 7° 29′ E g = 9.819 $\Delta G = +1^h$

I	1017.5	1018.0	- 1.4	- 1.1	- 1.2	- 1.4		- 4.1	8.8	10	-15.5	2	0 -	23 2.4	14 2.0	13 3.3	1 1.0	14 1.9	4 2.8	3 4.0	21
II	02.6	03.1	- 3.3	- 1.7	- 3.1	- 3.0		- 5.8	6.7	16	-17.1	26	4 1.0	0 -	2 2.0	1 6.0	0 -	11 1.4	0 -	11 2.5	66
III	18.6	19.1	- 0.6	1.9	1.0	0.3		- 2.4	9.2	31	- 9.8	6	0 -	2 1.0	13 1.5	18 2.8	0 -	0 -	13 1.1	5 1.2	42
IV	10.2	10.7	5.5	8.6	7.2	6.3		3.6	16.2	28	- 3.0	13	0 -	0 -	0 -	2 2.0	4 1.0	21 1.2	23 1.2	13 1.8	27
V	17.6	18.1	10.9	14.7	14.0	11.4		6.6	24.0	29	0.1	9	0 -	4 1.2	5 1.6	28 1.8	3 1.3	1 2.0	5 1.2	18 1.7	20
VI	07.3	07.8	13.1	16.0	14.8	13.2		9.5	21.4	16	4.6	14	0 -	3 1.0	0 -	8 3.2	4 1.8	22 1.4	18 1.4	12 1.6	22
VII	11.0	11.4	16.1	18.6	17.9	16.2		12.6	26.8	16	8.5	11	0 -	0 -	0 -	17 3.1	6 1.0	31 1.3	16 1.3	5 1.4	19
VIII	08.1	08.5	14.0	17.6	16.3	14.8		11.4	21.8	25	6.9	19	0 -	2 2.0	1 6.0	20.5 2.6	2.5 2.2	18 1.4	4 1.2	1 2.0	44
IX	06.1	06.6	9.9	12.7	11.5	10.8		8.4	17.1	14	1.0	30	0 -	0 -	7 3.0	0 -	1.5 1.0	17.5 1.5	1 3.0	0 -	69
X	22.0	22.6	1.9	4.7	3.1	2.8		0.2	13.4	3	- 3.9	26	0 -	1 1.0	5 1.0	4 2.5	0 -	11 2.4	0 -	0 -	72
XI	08.2	08.7	2.8	3.7	3.2	3.0		0.2	12.8	26	- 8.9	15	0 -	0 -	0 -	11 2.1	0 -	23 2.6	5 1.2	4 4.0	47
XII	16.1	16.6	0.9	1.8	1.9	1.4		- 0.9	10.2	1	-10.4	17	0 -	5 1.4	12 2.8	22 5.6	1 4.0	15 2.4	0 -	0 -	57
1946	1012.1	1012.6	5.8	8.1	7.2	6.3		3.3	26.8		-17.1		4 1.0	40 2.0	59 2.1	144.5 3.1	23 1.4	184.5 1.7	89 1.3	72 2.0	471

Leikanger

φ = 61° 11′ N λ = 6° 52′ E g = $\Delta G = +1^h$

I			- 0.3	0.7	0.0	- 0.1		- 2.1	6.8	5	- 9.4	2	1.5 2.0	9.5 1.0	14.5 1.8	28.5 1.9	22.5 1.3	5.5 1.6	5.5 2.4	5.5 1.8	
II			- 2.0	0.4	- 1.3	- 1.2		- 3.6	6.8	14	-11.6	25	3 1.8	12 1.5	12 1.4	21 1.3	11 1.4	6.5 2.5	7.5 2.9	8 2.6	
III			0.1	3.5	1.5	1.2		- 1.2	9.6	28	- 7.8	14	2 1.2	9.5 1.4	18.5 1.5	27.5 1.3	10 1.3	7.5 1.2	13.5 1.8	4.5 2.2	
IV			5.3	7.8	6.6	5.9		3.4	14.8	28	- 1.7	13	0.5 2.0	1 2.0	1 1.5	10 1.0	18 1.1	15.5 1.9	32.5 2.2	9.5 2.3	
V			9.7	15.2	14.2	11.5		7.3	24.3	30	1.8	6	0 -	3 2.3	6.5 2.3	6 1.4	40 1.2	12.5 1.5	12 2.4	10 2.2	
VI			12.6	16.0	14.5	13.2		9.9	21.1	16	5.3	14	1 1.5	1.5 1.0	0 -	8.5 1.7	23.5 1.5	23.5 1.7	27.5 2.2	4.5 2.3	
VII			15.4	18.9	17.2	16.0		12.9	27.2	16	9.3	11	1 2.0	1 2.0	5.5 2.2	9 1.6	36.5 1.5	18 1.8	16 1.9	6 2.2	
VIII			13.7	17.7	15.7	14.7		11.5	22.3	26	8.7	18	1.5 2.0	2 1.8	3.5 2.1	18.5 1.4	35.5 1.3	9.5 1.8	14.5 2.2	8 1.7	
IX			10.5	13.8	11.7	11.3		8.8	17.9	4	3.3	30	0 -	0 -	17 1.1	20.5 1.1	17 1.2	18 1.5	12 1.2	3.5 1.6	
X			4.1	8.8	5.3	5.7		2.7	13.1	2	0.2	29	2 2.5	7.5 1.4	6 1.2	41 1.4	24 1.4	2 1.8	3.5 3.1	7 2.1	
XI			3.4	5.2	3.6	3.9		1.6	11.7	26	- 5.4	15	4.5 1.7	5.5 2.0	5 2.5	27 1.7	30 1.5	12 1.2	6 1.6	0 -	
XII			2.1	2.6	2.3	2.2		0.3	8.0	1	- 5.9	15	0 -	0 -	19.5 2.7	37.5 1.5	34 1.2	2 1.0	0 -	0 -	
1946			6.2	9.2	7.6	7.0		4.3	27.2		-11.6		17 1.8	52.5 1.7	109 1.8	255 1.5	302 1.3	132.5 1.6	150.5 2.1	66.5 2.1	

Luster Sanat.

φ = 61° 26′ N λ = 7° 25′ E g = $\Delta G = +1^h$

I			- 3.8	- 2.4	- 3.6	- 3.4		- 5.4	2.4	6	-11.9	1	8 1.2	4 1.1	1.5 1.0	1.5 1.0	4 1.2	11 1.5	47.5 1.3	15.5 1.2	
II			- 5.9	- 3.7	- 4.8	- 5.0		- 7.1	3.4	15	-14.4	25	4.5 1.0	7 1.3	2.5 1.0	2.5 1.0	1.5 1.0	4.5 1.0	36 1.2	23.5 1.3	
III			- 3.1	- 0.4	- 1.9	- 2.2		- 4.3	6.2	30	-11.7	14	8.5 1.4	3 1.0	9.5 1.2	5 1.2	8 1.0	8.5 1.5	30 1.4	19.5 1.2	
IV			2.6	4.6	3.1	2.8		0.7	12.3	29	- 5.4	13	3 1.0	2 1.0	5.5 1.0	1.5 1.0	9.5 1.2	18 1.6	35 2.1	14.5 1.6	
V			8.2	11.5	9.4	8.5		5.2	22.4	30	- 1.6	6	4.5 1.1	9.5 1.6	25.5 1.1	9.5 1.0	6 1.1	3.5 1.3	18.5 1.3	14 1.7	
VI			9.7	11.8	10.6	9.8		7.5	20.0	24	3.2	14	5 1.4	3 1.2	20 1.1	3.5 1.1	16 1.6	12 1.6	20 1.2	6.5 1.2	
VII			12.8	15.3	14.2	13.1		10.4	23.2	17	6.6	11	1 1.0	2 1.0	9.5 1.1	14 1.4	11.5 1.0	13 1.3	10 1.6	10 1.0	
VIII			11.5	14.5	12.8	12.0		9.3	19.6	6	6.9	17	0 -	2.5 1.0	10 1.0	17.5 1.0	7.5 1.3	6 1.1	22 1.2	11.5 1.6	
IX			7.7	10.3	9.1	8.5		6.5	15.3	27	3.0	29	2.5 1.0	2 1.0	8.5 1.0	9 1.0	7.5 1.1	8 1.8	33.5 1.4	13 1.3	
X			2.2	5.9	4.0	3.7		1.6	9.6	1	- 2.0	29	9.5 1.1	6 1.0	18 1.0	2.5 1.0	3.5 1.0	4.5 1.2	27.5 1.0	18.5 1.1	
XI			0.2	1.6	0.8	0.7		- 1.4	8.6	26	- 8.9	15	9.5 1.3	5 1.0	6.5 1.0	4.5 1.4	5 1.3	9.5 1.3	30.5 1.3	17.5 1.3	
XII			- 1.4	- 0.7	- 1.4	- 1.3		- 3.0	4.8	10	- 9.7	15	10.5 1.1	2.5 1.0	7 1.4	5 1.3	4 1.8	4 1.1	32 1.1	25 1.2	
1946			3.4	5.7	4.4	3.9		1.7	23.2		-14.4		66.5 1.2	48.5 1.2	124 1.1	76 1.1	84 1.3	102.5 1.4	342.5 1.3	189 1.3	

1946

Vangsnes

H_t = 53 H_b = h_t = 2.0 h_s = h_d = 5.7 h_r = 1.8

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	#	♀	*	△	▲	℞	=	≡	⊙	◔	●	⊡
I	70	67	67	68	5.2	6.1	5.9	101	24	26	17		0		12	9	5	3	1	0	10	4	2	0	0	0	0	0	11	1	8	8	13	1
II	74	69	68	70	6.8	5.9	6.1	106	34	16	18		0		14	13	3	4	0	0	8	12	3	2	0	0	0	0	11	1	4	6	12	18
III	72	65	66	69	5.7	5.2	4.8	81	25	20	13		0		11	11	3	3	0	0	9	5	3	0	0	0	0	0	8	1	15	7	8	6
IV	80	73	76	78	7.0	7.5	7.3	128	16	11	2		0		22	18	5	0	0	0	17	3	2	0	0	0	0	0	9	0	13	1	12	4
V	54	53	52	59	3.9	3.7	3.7	6	4	15	0		0		3	2	0	1	0	0	3	0	0	1	0	0	0	0	1	0	27	9	1	0
VI	75	66	68	73	6.6	6.9	6.7	75	18	25	0		0		16	12	4	0	0	0	16	0	0	1	0	0	0	1	4	0	16	1	14	0
VII	78	70	70	75	7.2	6.1	6.5	96	28	25	0		0		16	15	2	0	0	0	16	0	0	1	0	0	0	2	4	0	14	2	9	0
VIII	79	68	72	75	5.3	5.8	6.2	56	16	12	0		0		16	11	2	1	0	0	16	0	0	1	0	0	0	0	1	0	21	3	4	0
IX	84	76	79	81	7.4	7.0	7.3	159	22	16	0		0		21	20	4	3	0	0	21	0	0	1	0	0	0	0	9	0	11	3	13	0
X	80	72	77	78	4.4	4.0	4.3	20	13	5	0		0		5	5	1	1	0	0	5	0	0	0	0	0	0	0	4	0	22	8	4	0
XI	75	69	72	73	6.7	6.5	6.3	177	43	13	7		0		16	14	7	0	0	0	16	0	0	0	0	0	0	0	11	3	6	5	15	0
XII	66	66	67	66	6.8	6.8	6.9	20	5	27	7		0		9	7	0	2	0	0	7	2	0	0	0	0	0	0	5	0	2	3	13	0
1946	75	68	70	72	6.1	6.0	6.0	1025	43		64		0		151	137	36	18	1	0	144	26	10	7	0	0	0	3	78	6	159	56	118	29

Fjærland

H_t = 5 H_b = h_t = 1.9 h_s = h_d = 12.0 h_r = 1.2

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	#	♀	*	△	▲	℞	=	≡	⊙	◔	●	⊡
I	87	82	86	86	5.9	6.9	6.6	184	48	5	23	16	10	0	13	11	6	1	1	0	11	9	5	1	0	0	0	0	9	0	9	10	18	31
II	84	78	84	83	7.6	7.5	7.5	141	34	16	26	11	10	0	15	14	7	1	0	0	5	13	2	1	0	0	0	1	5	1	7	4	19	28
III	88	69	82	82	7.7	6.9	7.8	126	24	20	21	6	10	0	15	13	6	0	0	0	9	9	2	1	0	0	0	0	6	0	11	4	20	31
IV	92	76	84	87	9.3	9.4	9.1	307	36	7	6	0	0	0	26	25	14	0	0	0	24	6	3	5	0	0	0	0	8	1	4	1	26	27
V	75	44	45	60	5.8	6.5	6.4	9	5	12	4	0	0	4	7	2	0	0	0	0	7	0	0	7	0	0	0	0	1	1	19	3	14	0
VI	84	65	70	79	8.2	8.9	8.9	81	20	7	0	0	0	0	25	16	1	0	0	0	25	0	0	8	0	0	0	0	2	2	6	1	23	0
VII	86	71	76	82	8.7	8.7	8.9	208	43	25	0	0	0	5	22	19	7	0	0	0	22	0	0	6	0	0	0	3	4	4	9	0	25	0
VIII	94	68	80	84	8.1	8.2	8.8	102	32	12	0	0	0	0	21	14	4	1	0	0	20	0	0	2	0	0	0	5	3	8	0	22	0
IX	97	81	89	90	8.8	8.7	8.7	232	39	16	0	0	0	0	23	20	10	0	0	0	23	0	0	4	0	0	0	1	3	4	4	1	24	0
X	95	77	90	89	5.6	5.9	5.9	36	10	24	17	0	0	0	11	10	0	0	0	0	11	0	0	2	0	0	0	0	4	2	10	7	13	0
XI	89	83	86	87	7.8	7.8	7.9	240	40	13	15	4	0	0	18	16	9	0	0	0	18	4	3	0	0	0	0	0	6	4	4	3	20	3
XII	84	79	80	81	8.4	8.9	9.2	66	24	23	15	7	0	0	10	6	3	0	0	0	10	1	1	1	0	0	0	0	9	0	1	1	25	4
1946	88	73	79	82	7.7	7.9	8.0	1732	48		127	44	30	9	206	166	67	3	1	0	165	42	16	38	0	0	0	5	62	22	92	35	249	124

Lærdal

H_t = 3 H_b = 4.0 h_t = 1.8 h_s = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	#	♀	*	△	▲	℞	=	≡	⊙	◔	●	⊡
I	66	65	66	66	5.6	6.2	6.9	31	10	6	17		8		9	4	1	6	3	0	9	0	0	0	0	0	0	0	0	0	0	8	16	0
II	73	70	73	72	7.9	7.0	5.6	49	21	16	23		6		11	7	2	4	3	0	4	9	1	0	0	0	0	0	0	0	0	5	14	21
III	71	64	67	68	7.7	7.3	6.0	32	17	20	19		0		10	7	1	3	2	0	9	2	1	0	0	0	0	0	0	0	0	4	16	18
IV	76	61	67	71	8.7	8.0	9.0	42	7	9	3		0		19	12	0	3	0	0	16	4	2	0	0	1	0	0	0	0	19	1	22	2
V	62	49	48	56	5.5	5.5	4.7	16	6	15	0		0		10	5	0	1	0	0	10	0	0	0	0	0	0	0	0	0	26	10	6	0
VI	71	59	61	69	7.5	8.4	8.1	57	13	25	0		0		18	11	1	2	0	0	18	0	0	0	0	0	0	1	0	0	22	2	18	0
VII	74	62	66	71	7.7	7.6	7.7	47	6	28	0		0		19	16	0	5	1	0	19	0	0	0	0	0	0	0	0	0	22	1	17	0
VIII	78	60	65	72	6.5	7.2	8.1	40	9	8	0		0		17	10	0	2	2	0	17	0	0	0	0	0	0	0	0	0	21	1	15	0
IX	88	75	78	82	8.3	7.5	8.0	73	10	16	0		0		25	17	0	2	1	0	25	0	0	0	0	0	0	0	0	0	5	1	21	0
X	86	79	82	83	4.5	5.1	4.8	5	2	5	16		0		5	3	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	8	7	0
XI	74	70	73	73	8.0	6.9	6.6	73	22	7	12		0		16	10	2	3	0	0	16	0	0	0	0	0	0	0	0	0	0	3	17	0
XII	70	66	64	66	6.3	7.2	6.9	18	13	24	16		1		7	3	1	8	4	0	6	2	1	0	0	0	0	0	0	0	0	3	12	4
1946	74	65	68	71	7.0	7.0	6.9	483	22		106		15		166	105	8	39	16	0	154	17	5	0	0	1	0	1	0	0	115	47	181	45

Leikanger

H_t = 22 H_b = h_t = 2.0 h_s = h_d = h_r = 1.8

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	#	♀	*	△	▲	℞	=	≡	⊙	◔	●	⊡
III					5.6	6.8	6.0	77	26	5	19		0		14	7	3	1	1	1	11	5	2	0	0	0	0	0	0	0	9	8	15	3
IV					7.6	6.5	6.4	101	23	11	21		4		16	12	3	1	0	0	9	14	6	0	0	0	0	1	2	0	13	4	16	19
V					6.7	5.7	5.3	78	23	20	16		0		15	9	3	0	0	0	9	7	1	0	0	0	0	0	0	0	20	5	11	21
VI					8.1	8.1	7.6	133	22	7	3		0		24	18	4	0	0	0	22	6	2	1	0	0	0	1	0	0	18	1	17	5
VII					4.4	4.7	3.6	7	4	15	0		0		7	2	0	0	0	0	6	1	0	0	0	0	0	0	0	0	29	9	5	0
VIII					6.9	7.8	7.9	65	13	3	0		0		20	13	1	0	0	0	20	0	0	1	0	0	0	0	1	0	23	3	17	0
IX					7.4	7.3	7.9	79	14	25	0		0		20	17	1	0	0	0	20	0	0	1	0	0	0	1	0	1	22	1	16	0
X					5.8	7.0	7.1	51	12	10	0		0		15	11	2	0	0	0	15	0	0	0	0	0	0	0	0	0	27	1	11	0
XI					7.6	7.4	6.9	127	20	16	0		0		22	18	2	0	0	0	22	0	0	0	0	0	0	0	2	4	19	3	15	0
XII					3.9	5.5	3.9	12	5	5	0		0		8	3	0	0	0	0	8	0	0	0	0	0	0	0	1	2	25	9	4	0
1946					7.1	7.2	6.6	141	34	13	7		0		18	11	5	0	0	0	18	4	2	1	0	0	0	0	2	3	9	5	17	0
					6.8	7.4	7.1	42	19	24	11		0		10	7	1	1	0	0	8	3	0	0	0	0	0	0	1	0	2	3	17	4
					6.5	6.8	6.4	913	34		77		4		189	128	25	3	1	1	168	40	13	4	0	0	0	2	10	10	216	52	161	52

Luster Sanat.

H_t = 502 H_b = h_t = 2.0 h_s = h_d = h_r = 1.9

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	#	♀	*	△	▲	℞	=	≡	⊙	◔	●	⊡
I	72	72	72	72	6.0	6.5	6.7	145	42	5	28		4		12	11	5	0	0	0	6	11	5	0	0	0	0	0	17	14	15	7	16	31
II	74	74	75	74	7.8	6.6	6.9	134	53	16	28		6		14	11	2	0	0	0	3	13	1	2	0	0	0	0	13	15	15	4	15	28
III	74	76	78	76	7.8	7.1	7.7	67	17	20	27		2		14	10	2	0	0	0	6	11	1	0	0	0	0	0	11	20	23	1	16	31
IV	74	80	82	82	8.4	8.1	8.8	118	14	27	11		0		24	18	4	0	0	0	18	12	4	9	0	0	0	0	8	22	23	0	18	29
V	53	54	62	58	5.7	5.5	5.5	7	4	15	4		0		6	3	0	0	0	0	5	3	2	2	0	0	0	0	27	4	29	4	7	0
VI	73	76	82	77	8.3	8.8	8.2	87	12	4	0		0		21	15	3	0	0	0	21	0	2	0	0	0	0	0	14	16	22	1	21	0
VII	74	76	82	77	8.0	7.7	7.5	136	23	1	0		0		18	16	6	0	0	0	18	0	0	6	0	0	0	2	19	12	24	1	16	0
VIII	72	76	83	77	8.0	7.5	8.5	54	11	12	0		0		16	8	2	0	0	0	16	0	0	2	0	0	0	0	26	5	29	1	19	0
IX	84	84	89	86	8.3	8.0	8.7	153	31	16	0		0		21	19	4	0	0	0	21	0	0	7	0	0	0	0	7	22	18	1	21	0
X	76	76	77	80	5.5	4.9	3.8	17	9	5	4		0		5	4	0	0	0	0	5	2	2	1	0	0	0	0	24	6	25	9	8	0
XI	78	80	81	80	7.6	7.9	7.4	135	30*	13	17		0		14	13	5	0	0	0	13	7	3	0	0	0	0	0	16	14	11	3	18	16
XII	74	77	77	77	7.7	8.7	7.9	62	27	23	25		0		11	8	2	0	0	0	6	10	4	1	0	0	0	0	18	13	13	3	22	22
1946	73	75	79	76	7.4	7.3	7.3	1115	53		144		12		176	136	35	0	0	0	138	69	22	32	0	0	0	2	200	163	247	35	197	157

1946

Fortun

$\varphi = 61° 30'$ N $\lambda = 7° 42'$ E $g = 9.820$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1014.6	1018.4	- 4.8	- 4.1	- 5.0	- 4.8		- 7.2	6.3	7	-16.9	2	18	1.3	17.5	1.1	2.5	1.0	9	1.6	16.5	1.4	13	1.3	5	1.2	11.5	1.7	0
II	999.7	03.5	- 6.9	- 4.3	- 5.8	- 6.1		- 9.8	3.7	16	-21.6	25	16.5	1.3	12	1.1	3	1.0	14.5	1.2	14.5	1.3	6.5	1.3	4.5	1.0	12.5	1.2	0
III	1015.6	19.4	- 3.7	1.8	- 1.0	- 1.7		- 5.4	9.2	30	-16.9	14	10.5	1.1	18	1.3	3.5	1.3	10.5	1.2	30.5	1.2	6	1.2	3	1.2	11	1.2	0
IV	07.0	10.7	3.5	7.5	6.1	4.8		1.6	16.2	29	- 5.5	13	4.5	2.0	9	1.6	5	1.3	8	1.6	33.5	1.5	14.5	1.4	7	1.4	8.5	1.4	0
V	14.7	18.3	7.4	15.3	12.9	9.6		3.5	25.9	28	- 2.2	6	3.5	2.4	4.5	1.2	3	1.0	12	1.4	31.5	1.3	21	1.6	4	2.0	13.5	2.9	0
VI	03.9	07.5	11.5	15.7	14.1	12.1		7.6	22.3	24	2.6	14	4	1.6	5.5	1.5	0	-	6	2.6	30.5	2.0	30.5	1.6	9.5	1.5	4	2.1	0
VII	08.7	12.3	13.2	18.5	16.9	14.6		10.3	26.5	16	6.6	11	1.5	1.0	4.5	1.4	0.5	1.0	10	1.3	41	1.5	28.5	1.5	7	1.3	0	.-	0
VIII	04.9	08.5	11.8	17.4	15.3	13.4		9.4	21.0	21	5.6	21	1.5	1.3	13	1.5	4	1.4	14	1.3	33.5	1.4	17	1.4	8.5	1.4	1.5	1.0	0
IX	03.1	06.7	8.6	12.8	10.6	9.9		7.1	16.8	4	0.2	30	4.5	1.2	12	1.0	0	-	9	1.0	29.5	1.2	20	1.2	5	1.0	7	1.0	3
X	19.3	23.0	0.2	5.1	1.9	2.0		- 0.8	10.6	1	- 4.7	27	13.5	1.0	12.5	1.1	3.5	1.1	7	1.1	21.5	1.1	12.5	1.0	6.5	1.0	14	1.1	2
XI	05.7	09.4	0.0	1.5	0.6	0.5		- 2.2	11.8	26	-10.0	16	13	1.5	13.5	1.4	2.5	1.4	8.5	1.0	22	1.1	11	1.2	3	1.0	9.5	1.3	7
XII	13.5	17.3	- 2.2	- 1.2	- 1.2	- 1.6		- 3.6	5.6	31	-11.8	15	13	1.2	20.5	1.0	11.5	1.1	9.5	1.0	19	1.1	9	1.1	2.5	1.0	8	1.6	0
1946	1009.2	1012.9	3.2	7.2	5.4	4.4		0.9	26.5		-21.6		104	1.3	142.5	1.2	39	1.2	118	1.3	323.5	1.4	189.5	1.4	65.5	1.3	101	1.5	12

Fanaråken *)

$\varphi = 61° 31'$N $\lambda = 7° 54'$ E $g = 9.816$ $\Delta G = +1^h$

I	782.0	785.4	- 9.6	- 9.3	- 9.4	- 9.5		-12.2	0.5	18	-21.6	13	5	3.0	1	1.0	8	5.1	11.5	3.0	12	4.9	18	6.0	20	5.6	8.5	5.2	9
II	68.0	71.3	-14.0	-12.5	-13.4	-13.3		-16.0	- 4.2	15	-22.1	24	3.5	3.4	2	2.0	5.5	3.2	5.5	2.9	4	2.9	6.5	4.7	19.5	6.4	12.5	4.2	25
III	82.4	85.8	-11.3	- 8.5	-11.0	-10.5		-13.4	1.0	29	-20.1	13	2.5	3.2	4.5	2.6	5.5	4.4	12	3.4	4	2.2	15.5	4.1	26.5	4.2	4.5	4.9	18
IV	78.7	82.0	- 6.5	- 4.2	- 6.2	- 6.0		- 8.9	2.5	28	-18.1	12	2	3.0	0	-	0	-	5.5	2.4	7.5	3.5	20.5	4.4	37	4.4	6.5	3.5	11
V	88.9	92.2	- 2.9	- 1.0	- 1.7	- 2.6		- 5.4	9.4	29	-13.0	6	5	2.2	0	-	9.5	2.5	10.5	2.4	3	1.3	4	2.2	19	4.5	7	3.9	35
VI	82.1	85.4	- 1.0	1.1	- 0.2	- 0.6		- 2.9	8.0	24	- 8.0	13	2	2.0	0	-	1	1.5	25.5	3.3	6	3.8	13	3.5	24.5	3.7	2	2.5	16
VII	88.8	92.0	2.3	4.1	4.0	3.0		0.6	11.2	18	- 4.1	1	0	-	0	-	6	2.8	18.5	3.2	13	4.0	18	4.2	12	3.5	0.5	2.0	25
VIII	85.1	88.4	0.8	2.8	2.0	1.4		- 0.6	8.1	6	- 3.3	29	2	4.0	2.5	4.2	3	3.8	8	3.4	21	2.9	7.5	2.1	2.5	2.6	6.5	2.5	40
IX	81.0	84.3	- 1.4	- 0.2	- 1.0	- 1.1		- 3.0	3.8	30	- 6.0	24	1	2.5	0	-	5	1.8	14.5	3.3	21	4.0	14	2.8	9.5	4.1	2	1.8	23
X	90.5	93.9	- 3.8	- 2.8	- 3.9	- 3.6		- 5.8	3.9	8	-11.6	29	15.5	4.4	0	-	5	2.0	9.5	2.7	5.5	2.7	1.5	1.3	22.5	3.1	16.5	5.4	17
XI	77.1	80.4	- 7.7	- 7.4	- 7.4	- 7.4		- 9.8	1.8	5	-18.6	13	9.5	3.3	1.5	1.3	2.5	1.8	22.5	2.9	10.5	3.4	7.5	3.5	14	3.9	8	2.7	14
XII	82.1	85.4	- 8.4	- 7.8	- 8.2	- 7.9		-10.3	- 1.8	1	-13.5	15	3	1.0	0	-	1.5	3.7	37.5	2.6	12	2.3	8	3.5	6	3.7	1	5.0	24
1946	782.2	785.5	- 5.3	- 3.8	- 4.7	- 4.8		- 7.3	11.2		-22.1		51	3.3	11.5	2.5	52.5	3.1	181	3.0	119.5	3.4	134	4.0	213	4.3	75.5	4.1	257

Førde i Sunnfjord

$\varphi = 61° 27'$N $\lambda = 5° 51'$ E $g =$ $\Delta G = +1^h$

I			- 0.8	1.0	- 0.1	0.1		- 3.8	8.1	26	-12.8	2	0	-	0	-	6.4	2.1	1	6.0	0	-	0	-	6	4.4	3	3.2	19
II			- 3.9	- 0.8	- 2.2	- 2.6		- 5.9	6.1	7	-19.7	24	0	-	2	1.0	48.5	1.4	0.5	1.0	0	-	1	4.0	2	6.0	9	3.4	21
III			- 3.0	3.3	1.4	0.0		- 4.8	11.2	29	-16.2	14	1.5	1.7	1.5	1.3	35.5	1.5	0	-	0	-	0	-	3	2.0	1.5	1.7	50
IV			3.7	7.3	6.3	5.1		2.1	15.6	28	- 4.9	12	5	1.7	0	-	35	1.7	1	3.0	0	-	1	3.0	8	2.2	14	2.2	26
V			8.1	14.9	13.3	10.3		3.9	25.1	28	- 2.3	14	6	2.7	4	3.2	31	1.5	0	-	0	-	1	2.0	13	2.2	24	1.9	14
VI			11.0	14.6	13.8	11.7		7.9	24.7	24	2.0	14	1	3.5	0	-	27	1.8	1	3.0	0	-	0.5	4.0	32.5	2.2	7	3.1	21
VII			13.7	18.3	17.0	14.9		10.8	27.5	17	5.9	11	1.5	2.0	4	2.5	35	2.4	2	1.0	0	-	7	2.1	21	1.8	35	1.9	19
VIII			12.0	17.2	15.9	13.7		9.4	21.5	22	6.1	20	2	3.8	0	-	34	1.9	0	-	0	-	0	-	5.5	2.5	20.5	2.1	31
IX			8.9	13.7	11.7	10.7		7.5	17.8	5	1.4	30	1.5	2.7	2	2.5	35.5	2.0	1.5	5.3	0	-	2	3.0	5	2.6	7.5	2.3	35
X			2.2	7.4	4.9	4.4		0.8	14.8	2	- 5.0	27	1	2.0	0	-	41	1.6	0	-	1	1.0	0	-	2	1.0	4	2.5	44
XI			2.1	3.3	2.5	2.4		- 0.4	9.9	26	- 8.7	20	3.5	1.9	3.5	2.7	46.5	2.0	6.5	3.4	2	2.0	2	2.0	5	1.4	2	1.5	19
XII			1.0	1.8	1.2	1.2		- 1.6	9.3	1	-10.7	15	0	-	8	3.5	68	2.1	1	3.5	0.5	2.0	2.5	3.2	1	1.0	0	-	12
1946			4.6	8.5	7.1	6.0		2.2	27.5		-19.7		23	2.3	25	2.8	501	1.9	14.5	3.3	3.5	1.7	17	2.6	104	2.3	96	2.3	311

Kinn

$\varphi = 61° 34'$N $\lambda = 4° 48'$ E $g = 9.820$ $\Delta G = +1^h$

I	1013.3	1014.3	3.5	4.0	4.1	3.8		1.4	8.0	19	- 2.7	12	1.5	1.0	6	5.0	11	2.9	17.5	4.2	43.5	6.2	7	5.1	6	5.2	0.5	1.0	0
II	01.2	02.2	1.4	2.3	2.0	1.8		0.2	7.0	14	- 4.3	24	9	6.6	13	4.2	17	2.3	21	3.5	10	4.9	4	3.5	3.5	4.6	6.5	7.2	0
III	17.0	18.0	2.4	4.0	3.4	3.1		1.3	9.0	29	- 3.6	15	1.5	1.7	10	2.8	18	2.6	15.5	3.0	30	4.3	12	2.8	3	3.0	3	2.0	0
IV	09.7	10.8	5.5	6.3	5.9	5.5		3.7	11.5	15	0.3	10	11	5.6	5.5	4.4	5	2.9	3.5	4.0	24	4.8	30.5	3.8	5.5	3.0	5	4.2	0
V	18.4	19.4	9.2	10.3	9.7	9.1		6.9	17.4	27	1.9	5	32	2.9	7	3.9	6	3.4	4	1.6	10	2.6	12	2.5	2	2.8	20	2.0	0
VI	07.4	08.4	11.2	12.4	11.9	11.3		9.8	15.2	24	6.6	14	23	3.8	6	3.4	5	1.6	4.5	2.9	20	4.7	22.5	3.6	2	3.5	7	1.9	0
VII	11.4	12.4	15.1	16.0	15.3	14.9		13.2	24.2	14	10.1	4	13	2.3	2.5	3.0	6	2.2	9	3.4	26	4.1	18.5	3.1	9.5	2.6	8.5	1.9	0
VIII	07.8	08.8	14.4	15.8	15.4	14.8		13.3	20.4	25	11.3	16	17.5	2.2	7	3.3	11	2.7	13.5	2.4	13.5	3.9	20.5	3.3	2	2.8	8	3.0	0
IX	04.9	05.8	12.2	13.6	13.1	12.7		10.8	18.2	1	7.0	30	9	2.9	8	3.8	5	3.0	11	2.9	32.5	5.2	16.5	4.9	5	4.9	3	2.5	0
X	21.3	22.3	8.5	9.8	9.1	8.9		7.3	13.3	2	3.6	28	20.5	3.7	12	3.2	2.5	1.6	21	2.6	25	4.0	3.5	2.9	1	2.0	7.5	3.3	0
XI	06.1	07.1	6.3	6.8	6.1	6.3		4.7	10.8	4	- 0.6	15	11.5	4.7	6	4.7	22.5	3.0	18.5	2.8	18	6.1	9	4.7	2.5	5.0	2	3.8	0
XII	12.6	13.7	5.0	5.2	4.8	5.0		3.4	8.8	1	- 0.6	16	1	1.0	0	-	20.5	2.9	40	3.6	24.5	5.9	7	4.6	0	-	0	-	0
1946	1010.9	1011.9	7.9	8.9	8.4	8.1		6.3	24.2		- 4.3		150.5	3.6	83	3.8	129.5	2.7	179	3.2	277	4.9	163	3.7	42	3.7	71	2.9	0

Brandsøy i Kinn

$\varphi = 61° 37'$N $\lambda = 5° 8'$ E $g =$ $\Delta G = +1^h$

I			2.3	3.3	2.7	2.7		0.1	7.4	10	- 6.3	13	0	-	2	5.0	24.5	3.8	13	4.5	22.5	5.2	9	4.0	8	6.2	1	4.0	13
II			- 0.6	1.7	0.8	0.4		- 2.2	6.8	15	- 9.3	25	5	4.0	1	3.0	32.5	3.3	3.5	4.0	2	4.5	3	3.3	3	3.7	13	6.2	21
III			1.3	4.3	2.7	2.4		- 0.4	11.3	29	- 7.7	14	0	-	4	2.0	32.5	3.0	11	2.5	6.5	3.8	10	3.4	5	4.2	0	-	24
IV			5.2	7.4	6.1	5.6		3.2	13.0	15	- 1.1	12	7	5.9	4	3.0	20	3.2	2.5	3.0	4.5	4.6	19	3.7	18	4.1	8	4.2	7
V			10.5	13.2	11.9	10.6		6.1	22.7	27	1.1	6	11	5.0	0	-	11	2.5	2	2.0	2	4.0	8	2.9	32	3.3	6	4.0	21
VI			12.3	14.0	12.8	12.0		8.9	18.8	24	4.4	14	3	4.7	0	-	5	4.0	3	3.3	6	4.3	20	3.4	38	3.4	5	4.6	10
VII			15.1	17.4	16.2	15.3		12.3	25.3	15	8.1	9	1	3.0	0	-	13	3.2	4	1.7	7.5	4.8	24.5	2.8	20	3.4	1	4.0	22
VIII			14.5	16.7	15.3	14.6		11.2	20.6	25	8.1	17	1	5.0	0.5	3.0	17.5	2.7	6	2.2	8	4.2	12	3.1	23	2.8	3	3.7	22
IX			11.6	13.7	12.3	12.0		9.3	18.4	1	3.8	30	2	3.0	0	-	15	3.5	4	3.8	15.5	5.5	13.5	4.7	15	2.8	2	4.0	23
X			6.3	9.4	7.3	7.4		4.3	13.4	2	0.7	27	2	4.5	1	5.0	10	3.5	9.5	4.2	3.5	3.9	2	3.0	19	2.6	11	3.5	35
XI			4.9	6.1	4.9	5.1		2.7	11.2	4	- 4.1	16	6	4.5	0	-	26.5	3.3	5.5	3.7	11	4.9	7	5.1	10	4.2	7	4.0	17
XII			3.8	4.3	3.7	3.8		1.6	8.8	1	- 8.3	16	0	-	0	-	40.5	3.9	12.5	3.5	14	5.6	4	3.5	0	-	1	4.0	21
1946			7.3	9.3	8.1	7.7		4.6	25.3		- 9.3		38	4.7	12.5	3.3	248	3.3	76.5	3.4	103	5.0	132	3.5	191	3.4	58	4.5	236

*) **Fanaråken:** Lufttrykk red. til 2000 gdm.

1946

Fortun

H_s = 27 H_b = 29.6 h_t = 1.9 h_a = h_d = 6.0 h_r = 1.3

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	⸗	*	△	▲	℞	=	≡	⊙	◔	●	▣
I	85	83	86	85	5.7	6.0	5.6	70	16	7	24		13		13	10	3	2	1	1	9	6	0	0	0	0	0	0	0	0	0	10	15	31
II	86	80	84	84	7.1	5.8	5.8	70	24	16	27		12		12	9	2	1	0	0	2	10	0	1	0	0	0	0	0	0	7	5	12	28
III	88	66	74	79	7.2	6.3	6.4	34	16	20	23		7		10	7	1	0	0	0	7	4	1	2	0	0	0	0	0	0	16	4	14	31
IV	84	65	70	77	8.5	8.3	8.0	67	12	5	8		0		20	12	1	1	0	0	17	3	0	1	0	1	0	0	0	0	8	1	19	10
V	75	43	48	66	5.1	5.3	5.0	5	3	15	2		0		4	3	0	1	1	1	4	0	0	1	0	0	0	0	0	0	18	5	6	0
VI	83	60	68	81	8.2	8.3	8.0	78	10	10	0		0		22	13	0	0	0	0	22	0	0	1	0	0	0	0	1	1	10	1	22	0
VII	90	65	73	86	7.9	7.2	7.4	89	12	28	0		0		21	15	2	3	0	0	21	0	0	0	0	0	0	2	0	1	11	2	15	0
VIII	92	65	78	86	7.4	7.5	8.0	52	13	11	0		0		18	10	2	0	0	0	18	0	0	2	0	0	0	0	0	0	9	1	15	0
IX	96	78	89	90	8.1	8.3	7.6	96	15	23	0		0		24	18	2	0	0	0	24	0	0	1	0	0	0	0	0	3	12	2	20	0
X	96	83	92	92	5.1	5.6	3.5	11	4	5	19		0		5	4	0	0	0	0	5	0	0	1	0	0	0	0	0	2	15	7	6	0
XI	99	85	89	88	7.8	7.8	7.4	106	26	13	19		0		17	11	5	1	0	0	17	5	1	4	0	1	0	0	0	3	0	3	18	2
XII	89	86	85	87	7.0	7.5	8.0	30	12	24	21		4		10	6	1	2	1	1	7	6	0	2	0	0	0	0	0	0	0	3	18	18
1946	88	72	78	83	7.1	7.0	6.7	708	26		143		36		176	118	19	11	3	3	153	34	2	16	0	2	0	2	0	9	106	44	180	120

Fanaråken

H_s = 2062 H_b = 2070.3 h_t = 4.2 h_a = 9.7 h_d = 9.7 h_r = 3.0

I	77	74	77	89	6.2	6.2	6.1	89	12	11	31		23		17	12	4	23	12	5	0	16	0	0	0	0	0	0	0	19	12	10	15	31
II	86	85	87	85	8.1	7.8	7.6	179	34	17	28		25		19	18	6	14	8	5	0	19	0	0	0	0	0	0	0	23	12	3	19	28
III	89	89	89	90	8.2	8.0	8.4	76	14	20	31		23		25	18	1	17	6	1	0	25	0	0	0	0	0	0	1	27	16	1	20	31
IV	93	93	92	93	9.2	9.6	9.6	199	26	25	30		11		26	22	8	21	12	1	0	26	0	0	1	0	0	0	0	30	8	0	26	30
V	84	78	75	80	6.7	7.2	6.8	28	7	8	25		6		20	9	0	11	4	3	1	18	0	0	0	2	0	0	1	18	24	3	14	31
VI	88	86	89	89	8.9	9.3	9.3	108	23	2	25		0		27	19	3	13	4	1	9	21	3	4	1	2	0	0	0	27	10	1	26	30
VII	91	86	85	89	9.0	9.1	8.8	124	19	28	14		0		24	22	2	15	8	4	21	13	6	14	1	1	0	0	2	26	16	1	27	6
VIII	92	85	88	90	8.8	8.5	8.7	109	24	11	19		0		21	15	2	9	2	1	21	19	19	13	1	1	0	0	0	26	20	1	24	0
IX	92	90	92	92	8.8	9.0	8.9	139	26	16	30		0		27	22	3	10	5	3	12	25	8	6	0	0	0	0	0	28	12	2	26	21
X	74	75	74	74	5.9	6.0	5.1	34	8	5	29		6		10	7	0	13	5	4	0	10	0	0	0	0	0	0	0	18	19	7	10	28
XI	89	88	88	88	8.4	8.2	8.1	116	22	7	30		14		24	22	3	12	1	0	3	23	1	2	0	0	0	0	0	27	10	4	20	30
XII	83	82	83	83	7.8	8.5	8.5	36	6	24	31		18		19	10	0	6	2	0	0	16	0	0	0	0	0	0	0	27	10	3	23	31
1946	86	84	85	87	8.0	8.1	8.0	1229	34		323		126		259	196	32	164	69	28	67	231	37	39	4	6	0	0	4	296	169	36	251	297

Førde i Sunnfjord

H_s = 3 H_b = h_t = 1.9 h_a = h_d = 14.0 h_r = 1.7

I	78	75	75	76	7.5	7.0	5.7	200	48	5	27		11		14	12	8	7	2	1	13	2	0	1	0	1	0	3	4	0	0	8	16	5
II	86	79	84	84	6.9	7.1	7.0	137	40	16	22		7		18	17	3	3	0	0	10	13	3	3	0	0	0	1	7	1	6	4	15	20
III	94	70	75	82	7.0	7.0	6.6	128	18	25	21		11		18	16	6	0	0	0	11	9	1	1	0	0	0	0	8	2	11	7	18	23
IV	87	77	81	84	8.8	9.0	8.6	394	62	3	6		0		27	26	16	4	0	0	25	5	2	6	0	2	0	1	9	2	5	1	23	6
V	81	52	57	73	5.5	6.5	6.0	17	8	15	4		0		8	3	0	0	0	0	8	0	0	3	0	0	0	0	4	0	19	6	11	0
VI	87	70	74	84	7.9	8.6	8.0	166	56	7	0		0		22	16	6	3	0	0	22	0	0	4	0	0	0	2	7	0	10	2	21	0
VII	92	70	76	87	9.0	7.9	8.2	222	34	1	0		0		24	19	9	3	1	1	24	0	0	3	0	0	0	3	7	0	10	1	23	0
VIII	93	69	79	86	7.7	8.6	8.2	126	29	12	0		0		17	15	6	2	0	0	17	0	0	2	0	0	0	0	6	0	11	1	21	0
IX	96	77	87	90	7.9	8.0	7.8	308	43	24	0		0		26	22	9	3	0	0	26	0	0	2	0	0	0	3	12	6	11	3	19	0
X	95	83	90	91	6.3	5.4	5.0	33	11	25	12		0		10	8	1	1	0	0	10	0	0	5	0	0	0	0	4	5	15	9	12	0
XI	89	85	87	88	7.3	6.5	6.3	249	40	23	13		0		17	17	8	9	0	0	17	1	1	5	0	1	0	0	8	3	0	6	16	0
XII	81	78	79	80	6.0	6.5	6.4	74	22	23	19		2		11	9	2	11	1	1	10	1	0	2	0	0	0	0	3	4	0	7	13	3
1946	88	74	79	84	7.3	7.3	7.0	2054	62		124		31		212	180	74	46	4	3	193	31	7	37	0	4	0	13	79	23	98	55	208	57

Kinn

H_s = 8 H_b = 8.2 h_t = 1.8 h_a = h_d = h_r = 1.4

I					6.9	7.3	6.7	148	23	26	11		0		15	15	6	18	8	6	15	2	2	0	0	2	0	1	0	0	13	4	15		
II					7.9	7.6	7.9	149	21	2	10*		0		17	16	9	14	5	1	15	13	10	1	0	0	0	2	0	0	16	0	18		
III					7.4	6.6	7.4	132	43	27	15*		0		17	15	5	6	0	0	15	5	3	0	0	0	0	0	0	0	19	3	18		
IV					8.1	7.6	8.3	274	43	27	0		0		26	26	9	15	3	0	25	6	3	3	0	3	0	1	0	3	20	0	17		
V					6.1	5.3	5.2	33	7	12	0		0		11	7	0	6	0	0	11	1	1	0	0	0	0	2	0	0	30	1	6		
VI					8.0	7.5	7.7	96	19	6	0		0		20	18	1	9	2	0	20	0	0	1	0	0	0	0	0	0	23	0	17		
VII					8.7	8.0	7.5	181	44	28	0		0		22	19	5	7	2	2	22	0	0	1	0	0	0	3	0	2	24	0	15		
VIII					8.4	7.4	7.8	125	25	12	0		0		18	15	5	6	0	0	18	0	0	1	0	0	0	3	0	0	26	0	16		
IX					8.1	8.1	7.5	245	25	15	0		0		22	21	10	11	6	0	22	0	0	2	0	3	0	4	0	0	19	0	20		
X					7.4	7.0	6.9	111	25	25	0		0		15	14	5	5	0	0	15	0	0	1	0	0	0	0	0	0	21	2	14		
XI					7.9	7.5	7.2	210	41	25	1		0		19	18	8	15	5	1	19	1	1	0	0	0	0	0	0	0	17	0	18		
XII					7.5	8.0	8.2	139	54	22	2		0		16	14	4	10	5	3	16	1	1	0	0	0	0	1	0	0	12	0	19		
1946					7.7	7.3	7.4	1843	54		39		0		218	198	67	122	36	13	213	29	21	9	0	8	0	17	0	5	240	10	194		

Brandsøy i Kinn

H_s = 10 H_b = h_t = 3.8 h_a = h_d = h_r = 2.2

I					6.9	6.9	6.6	127	24	11	16		0		15	14	3	15	3	0	15	2	2	0	0	2	0	0	16	0	17	6	17	0	
II					7.6	7.5	7.2	227	48	15	19		0		18	17	7	5	2	0	12	12	6	0	0	2	0	0	17	1	17	0	15	18	
III					7.6	7.0	7.5	184	32	27	15		0		18	15	8	0	0	0	14	7	3	0	0	0	0	0	18	1	22	2	18	20	
IV					8.6	8.7	8.6	364	52	7	3		0		28	25	12	4	1	0	27	3	2	1	0	3	0	0	24	2	21	0	23	2	
V					5.9	5.8	5.3	30	9	23	0		0		11	10	0	3	0	0	11	0	0	0	0	0	0	0	14	0	30	5	8	0	
VI					8.1	7.8	8.0	146	17	1	0		0		20	17	5	3	0	0	20	0	0	1	0	0	0	0	21	1	24	1	18	0	
VII					8.7	8.2	7.8	263	46	28	0		0		22	20	11	3	1	1	22	0	0	0	0	0	0	0	21	2	23	0	19	0	
VIII					7.9	7.5	8.2	158	34	12	0		0		19	16	7	1	0	0	19	0	0	0	0	0	0	1	21	0	27	1	19	0	
IX					8.1	8.2	8.1	272	27	21	0		0		23	22	13	7	1	0	23	0	0	0	0	1	0	1	22	0	18	3	21	0	
X					6.7	6.6	6.3	93	26	25	0		0		12	10	4	0	0	0	12	0	0	0	0	0	0	0	16	0	24	5	14	0	
XI					7.8	7.1	7.5	289	40	25	8		0		18	17	10	9	0	0	18	0	0	0	0	0	0	0	18	0	17	0	18	0	
XII					7.5	8.1	8.0	94	16	22	8		0		14	12	3	8	0	0	14	1	1	0	0	0	0	0	15	0	16	1	18	3	
1946					7.6	7.4	7.4	2247	52		69		0		218	195	83	58	8	1	207	25	14	2	0	8	0	2	223	7	256	24	208	43	

1946

Nordfjordeid

φ = 61° 56' N λ = 6° 6' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 0.2	1.0	1.1	0.5		- 2.2	9.2	26	-10.3	1	8₅	1.2	30₅	1.6	5	3.0	5	4.2	0	-	6	2.5	19	2.4	19	2.3	0
II			- 3.1	0.3	- 1.4	- 1.7		- 4.6	7.1	7	-14.1	25	2	2.0	38	1.2	2	3.0	2	3.5	0	-	7	1.0	25	1.3	6	2.5	2
III			- 1.9	3.9	1.7	0.8		- 3.3	10.5	29	-12.2	14	11	1.0	26	1.5	5	2.8	0	-	1	1.0	26	1.2	17	1.2	5	1.6	2
IV			3.8	7.1	5.7	4.7		1.7	15.2	29	- 5.0	13	5	1.8	18	1.7	8	2.8	1	1.0	0	-	10	1.4	37	2.1	11	2.4	0
V			8.9	13.6	11.7	9.9		4.4	24.4	28	- 0.1	5	6	1.8	21	1.5	11	2.8	1	4.0	0	-	15	1.7	24	1.9	14	2.1	1
VI			11.5	14.3	12.8	11.8		8.2	23.5	24	4.0	14	11	1.7	16	1.7	4	2.8	1	5.0	0	-	13	1.7	36	1.6	8	1.5	1
VII			14.5	18.5	16.7	15.4		11.2	26.8	18	7.5	1	4	1.0	30	1.5	0	-	0	-	2	2.5	7	2.0	38	1.8	6	1.3	6
VIII			12.4	17.3	15.1	13.9		9.9	21.7	26	6.9	29	7	1.0	29	1.3	4	1.8	4	3.0	0	-	14	1.5	30	1.3	3	1.3	2
IX			9.5	13.5	11.9	11.2		7.9	17.9	27	2.9	30	6	1.2	30	1.4	8	3.5	4	3.5	1	2.0	3	1.3	27	1.7	10	2.0	1
X			3.8	8.3	6.0	5.8		2.5	14.9	3	- 2.0	27	15	1.1	28	1.0	3	2.7	2	3.5	1	1.0	6	1.0	26	1.4	10	1.7	2
XI			2.8	5.1	2.6	3.3		0.2	11.5	6	- 7.5	16	10	1.4	36	1.3	1	3.0	0	-	1	2.0	6	1.2	25	1.4	9	2.1	2
XII			1.2	1.8	1.7	1.6		- 0.8	8.3	12	- 8.7	15	12	1.2	33	1.2	8	3.5	7	2.3	0	-	9	2.6	15	1.2	8	2.0	1
1946			5.3	8.7	7.1	6.4		2.9	26.8		-14.1		97₅	1.3	335₅	1.4	59	2.9	27	3.2	6	1.8	122	1.5	319	1.7	109	2.0	20

Opstryn

φ = 61° 56' N λ = 7° 13' E g = ΔG = + 1h

I			- 0.2	0.3	0.3	0.0		- 2.4	9.1	26	- 9.0	13	0	-	6	2.8	18₅	2.4	7₅	1.9	1	2.0	6	2.2	5₅	2.6	0₅	2.0	48
II			- 2.6	- 1.5	- 2.3	- 2.3		- 4.1	6.8	7	-10.4	25	0	-	9	2.2	23	2.4	1	3.0	1₅	2.0	1	1.5	3	2.2	7₅	2.4	38
III			- 0.2	2.0	0.4	0.3		- 2.0	8.4	28	- 8.2	14	0	-	10₅	2.2	22	2.2	3₅	2.4	0	-	1	1.0	2₅	1.6	0₅	2.0	53
IV			4.4	6.5	4.4	4.4		1.9	12.7	15	- 3.7	12	0₅	3.0	1	2.0	6	1.5	4₅	1.6	0₅	2.0	2	1.8	11₅	2.2	15	2.5	49
V			10.1	12.4	9.9	9.6		6.1	23.7	29	- 0.2	6	1₅	1.7	11	2.2	22	1.9	5	1.3	1₅	1.3	2₅	2.6	9	1.9	8₅	2.0	32
VI			12.1	14.5	12.0	11.7		8.4	22.2	24	4.2	14	0	-	1₅	2.3	9	1.8	4₅	1.8	0	-	3₅	2.3	19₅	2.4	4	2.2	48
VII			15.4	17.9	14.9	15.0		11.7	25.9	16	6.7	1	0	-	0	-	7	1.8	5₅	1.5	1₅	1.3	5	2.5	9₅	2.0	1₅	1.7	63
VIII			13.2	17.3	14.2	13.7		10.2	21.8	22	7.1	17	0	-	0₅	1.0	5	1.8	2₅	1.8	1₅	2.3	13	1.7	11	2.0	0₅	3.0	59
IX			9.8	12.8	10.9	10.5		7.7	17.8	5	1.7	30	0	-	1	2.0	3₅	1.1	2	2.5	3	2.5	8	2.7	5₅	2.5	0	-	67
X			3.6	6.4	5.0	4.7		2.2	15.0	3	- 3.1	21	0	-	1₅	1.3	10₅	2.2	8₅	2.4	3₅	1.9	1	3.0	3₅	2.1	0₅	1.0	64
XI			3.5	4.0	3.5	3.5		0.7	10.9	26	- 6.3	20	0	-	2₅	2.4	13	2.5	12	2.6	6₅	2.8	1₅	3.0	3	2.5	0₅	2.0	51
XII			1.8	1.9	2.8	2.1		- 0.1	8.8	1	- 8.2	16	0	-	6	2.7	26₅	2.1	18₅	2.4	4₅	2.6	1₅	2.7	0	-	0	-	36
1946			5.9	7.9	6.3	6.1		3.4	25.9		-10.4		2	2.0	50₅	2.3	166	2.1	75	2.1	25	2.3	46	2.2	83₅	2.2	39	2.3	608

Kråkenes Fyr

φ = 62° 2' N λ = 4° 59' E g = ΔG = + 1h

I			4.1x	4.3x	4.2x	4.1x	5.8x	2.5x	8.5x	26x	- 3.6x	12x	1x	0.5x	7x	5.3x	10x	2.4x	14x	3.7x	37x	5.3x	15x	5.4x	4.5x	5.2x	0.5x	2.5	4x
II			1.8	2.2	2.0	1.9	4.3	0.2	7.3	16	- 3.7	23	6	5.7	7	4.4	10₅	3.5	7	2.8	36₅	4.2	4	6.0	4	5.2	9	7.4	0
III			3.0	3.6	3.6	3.2	4.8	1.4	11.4	29	- 2.7	14	0	-	18	2.9	9	2.2	2₅	2.2	47₅	4.1	14	4.9	2	1.0	0	-	0
IV			5.4	5.8	5.8	5.3	7.5	3.6	14.0	15	- 0.5	10	3	4.8	7₅	3.5	1₅	3.3	1	3.0	49₅	4.8	13	4.8	3₅	4.7	11	5.0	0
V			8.4	9.0	8.8	8.2	10.5	6.4	18.4	28	1.4	5	29	3.6	14₅	2.7	3	1.0	3₅	1.3	18₅	2.3	10	3.2	2	2.2	12₅	3.0	0
VI			10.8	11.4	11.0	10.7	12.5	9.3	17.9	24	6.1	13	14₅	3.7	11	3.7	2₅	1.8	4₅	3.4	25	3.6	23₅	4.4	2₅	4.8	6₅	2.6	0
VII			14.7	15.5	15.1	14.6	16.7	13.1	24.8	14	8.5	1	10	3.0	11	2.3	7₅	2.5	4	1.7	35	3.5	19₅	4.0	6	4.2	0	-	0
VIII			14.5	15.2	15.0	14.5	16.2	13.0	19.1	26	10.7	16	12₅	3.3	7	1.9	7	1.6	6₅	2.1	29	2.4	19	3.7	4₅	3.1	7₅	3.1	0
IX			12.4	13.0	12.7	12.4	14.1	11.0	16.8	27	8.3	30	7	3.9	9	3.5	2₅	2.0	6	2.2	41₅	4.3	18₅	5.3	4₅	6.6	1	5.0	0
X			8.7	9.2	8.9	8.8	10.1	7.7	14.1	3	4.2	28	11	4.1	11	3.5	4₅	2.2	7	3.0	36	3.6	6₅	3.8	1	4.5	16	4.8	0
XI			6.3	6.6	6.3	6.3	7.7	4.6	12.1	4	0.2	14	7₅	5.9	3₅	4.7	18₅	2.4	15₅	2.7	30	5.1	6₅	5.8	2	5.0	6₅	5.3	0
XII			5.0	5.1	4.9	5.0	6.2	3.6	9.7	1	- 1.2	15	0	-	0	-	2₅	2.8	19	2.8	63₅	4.4	8	6.4	0	-	0	-	0
1946			7.9	8.4	8.2	7.9	9.7	6.4	24.8		- 3.7		101₅		106₅		79		90₅		449		157₅		36₅		70₅		4

Tafjord

φ = 62° 13' N λ = 7° 26' E g = 9.821 ΔG = + 1h

I	1011.7	1015.4	1.2	1.8	1.9	1.5		- 1.6	10.8	26	- 8.8	21	2	3.5	1	4.0	9	3.3	39	4.0	4	4.2	3	4.7	2	3.0	1	3.0	32
II	998.6	02.3	- 1.1	0.0	- 0.9	- 0.9		- 2.7	6.8	7	- 8.8	28	0	-	0	-	6	3.2	34₅	3.6	2	4.5	3₅	5.0	1	2.0	16	3.9	21
III	1014.4	18.2	1.0	4.0	2.9	2.3		- 0.2	12.2	29	- 7.2	7	0	-	0	-	2	5.0	38	3.7	7₅	2.3	0₅	2.0	4	2.2	3	3.7	38
IV	06.0	09.6	5.7	8.5	7.1	6.4		3.5	16.3	15	- 2.3	12	14₅	3.7	0	-	0₅	4.0	14	3.3	8₅	3.0	0	-	10	2.0	9₅	3.3	33
V	15.6	19.2	7.5	13.5	11.4	9.6		5.6	23.8	27	1.2	6	10₅	3.8	0	-	3	4.0	2	4.0	2	2.5	0	-	7	2.0	23₅	3.5	45
VI	04.1	07.7	10.9	15.4	13.9	12.3		9.0	21.8	24	5.2	15	17	2.2	0	-	1	4.0	8	3.9	4	3.5	13	2.2	4₅	2.7	6₅	1.8	56
VII	08.5	12.1	14.3	18.4	17.0	15.5		12.3	27.0	15	9.7	10	3	3.0	0	-	1	5.0	3₅	3.9	7	2.6	4₅	2.2	12	1.7	12	2.4	50
VIII	04.9	08.4	13.2	17.8	15.7	14.6		11.4	21.2	27	8.7	18	4	3.2	0	-	1₅	4.0	8₅	4.1	2	2.5	4	2.5	3₅	2.6	6₅	2.5	63
IX	02.2	05.8	10.7	14.2	12.9	12.0		9.2	21.4	27	2.7	30	0	-	0	-	0	-	11	4.0	8	3.5	11	2.6	5	1.6	5	2.8	50
X	19.0	22.7	5.6	7.8	6.7	6.4		3.9	15.6	3	- 0.3	20	0	-	0	-	2	3.0	18	3.9	5	3.3	4	2.2	0	-	12	2.7	52
XI	04.2	07.9	5.4	6.3	5.6	5.6		3.2	15.2	5	- 3.2	15	5	2.4	0	-	1	3.0	38	4.2	8₅	3.9	0₅	3.2	1	2.0	4	2.8	26
XII	11.4	15.0	4.1	4.4	4.4	4.2		2.2	9.8	22	- 4.6	20	0	-	0	-	0	-	47₅	3.7	22₅	2.7	1	3.0	0	-	0	-	22
1946	1008.4	1011.9	6.5	9.3	8.2	7.5		4.6	27.0		- 8.8		56	3.1	1	4.0	27	3.6	262	3.8	81	3.1	51	2.8	50	2.0	99	3.1	168

Runde

φ = 62° 24' N λ = 5° 39' E g = ΔG = + 1h

I			3.5	4.2	3.7	3.7		2.0	8.7	26	- 4.5	12	0	-	8₅	5.6	10	1.9	10	3.2	30₅	4.4	23₅	5.7	3	5.3	0₅	4.0	7
II			0.8	2.3	1.6	1.4		- 0.3	7.3	14	- 4.5	24	4₅	5.0	11₅	4.6	7₅	2.3	14	2.0	24₅	2.5	7	4.3	6₅	5.3	3₅	6.4	3
III			2.5	4.9	3.5	3.4		1.6	11.6	29	- 2.7	14	1	1.5	7	2.7	10	2.0	7	1.9	22₅	2.7	27₅	4.3	7₅	3.4	0₅	4.0	10
IV			5.4	6.4	5.7	5.3		3.4	15.7	15	- 0.6	10	4	4.5	8₅	4.4	8₅	3.1	0₅	5.9	7₅	4.3	35	4.7	17₅	4.5	4₅	4.8	4
V			8.7	10.1	8.3	8.2		5.7	17.3	28	1.4	5	7₅	3.1	28	4.1	19	1.6	1₅	1.0	2₅	2.4	7	3.1	12₅	2.2	8	3.2	7
VI			11.2	12.5	11.1	10.8		8.7	20.5	24	5.5	14	2	2.0	17₅	3.7	13₅	2.1	4₅	2.0	5₅	3.5	23	4.0	10	2.8	2	1.2	12
VII			14.9	16.7	15.1	14.9		12.7	27.3	14	9.1	1	1₅	1.7	12₅	2.3	24₅	2.3	4₅	2.6	7₅	3.4	23₅	3.5	5	2.6	0	-	14
VIII			14.6	16.3	14.7	14.7		12.8	22.2	26	10.8	18	4	3.9	6₅	3.1	28₅	2.3	8	2.2	9₅	2.6	15₅	3.6	5	1.9	0	-	16
IX			12.1	13.5	12.6	12.4		10.7	17.9	1	7.1	29	1	1.0	9₅	3.1	13	1.9	12	2.5	21	4.1	20₅	3.9	6₅	3.5	0₅	6.0	7
X			8.4	9.8	8.7	8.9		7.2	14.8	3	4.3	28	1₅	4.0	6₅	4.8	11₅	2.1	6	2.2	16₅	3.2	19₅	2.8	12₅	2.6	8	3.1	11
XI			5.7	6.5	5.7	5.9		4.0	13.5	4	- 1.4	15	6	5.1	10	4.8	8	2.4	15	2.1	18	3.3	10	5.0	7₅	3.2	3₅	5.4	12
XII			4.7	5.3	4.7	4.9		3.5	9.3	22	- 1.4	16	0	-	0	-	2₅	2.0	26₅	2.4	30₅	2.9	14₅	4.4	3₅	3.0	0₅	3.0	15
1946			7.7	9.0	8.0	7.9		6.0	27.3		- 4.5		33	3.8	125	3.9	156₅	2.1	109₅	2.3	196	3.3	226₅	4.2	97	3.3	33₅	4.1	118

Årsoversikter

Annual Summaries)

1946

Nordfjordeid

H_t = 71 H_b = h_t = 1.8 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	✱	△	▲	⛈	〓	☰	⊙	◔	◕	▣
I	75	70	70	72	5.4	6.7	5.7	139	27	26	17		2		11	11	8	3	0	0	11	0	0	0	0	2	0	0	0	0	1	10	15	9
II	82	74	75	78	7.3	6.2	6.0	191	57	16	24		6		16	15	6	3	0	0	6	13	1	1	0	0	0	0	0	2	16	5	13	20
III	87	66	72	76	7.3	7.2	7.4	147	28	22	19		1		15	15	5	0	0	0	9	7	1	1	0	0	0	0	0	4	20	4	18	29
IV	88	72	77	82	8.8	9.3	8.8	289	33	3	4		0		26	25	13	0	0	0	24	10	2	2	0	0	0	0	0	2	13	1	24	7
V	79	56	61	71	5.8	6.9	6.5	26	6	4	0		0		9	6	0	0	0	0	9	1	0	2	0	0	0	0	0	1	24	5	13	1
VI	83	69	76	81	8.6	8.6	8.7	116	33	7	0		0		19	15	4	0	0	0	19	0	0	1	0	0	0	1	0	2	21	2	23	0
VII	95	68	75	80	8.1	7.9	8.0	200	29	25	0		0		20	18	6	1	1	0	20	0	0	0	0	4	0	2	2	22	3	23	0
VIII	90	67	80	82	7.9	8.1	8.4	109	32	12	0		0		17	14	3	0	0	0	17	0	0	0	0	0	0	0	1	22	1	19	0
IX	90	74	82	83	9.1	8.8	8.8	240	26	16	0		0		24	22	11	0	0	0	24	0	0	0	0	0	0	1	0	2	10	2	26	0
X	90	77	83	85	6.5	6.9	6.7	27	7	6	2		0		15	10	0	0	0	0	15	0	0	2	0	0	0	0	0	6	14	4	14	0
XI	83	93	85	84	7.8	7.8	6.4	221	32	23	10		0		18	15	7	0	0	0	18	5	2	1	0	1	0	0	0	2	6	3	16	10
XII	78	76	76	77	7.0	8.3	7.1	76	21	23	18		0		11	8	5	1	0	0	10	2	1	0	0	0	0	0	0	2	0	3	17	3
1946	84	71	76	79	7.5	7.7	7.4	1781	57		94		9		201	176	68	5	1	0	182	38	7	10	0	3	0	6	0	26	178	43	221	79

Opstryn

H_s = 205 H_b = h_t = 1.9 h_a = h_d = h_r = 1.8

I					4.7	6.3	4.3	93	30	7	21		0		8	5	5	1	0	0	8	4	3	1	0	2	0	0	5	0	0	7	8	23
II					5.3	5.5	4.6	135	40	16	27		1		14	9	6	0	0	0	2	13	1	0	1	3	0	0	5	4	8	11	9	20
III					5.9	6.7	6.5	66	14	22	22		0		12	8	4	1	0	0	7	7	0	0	0	0	0	0	13	2	19	3	6	31
IV					7.9	8.2	8.4	121	21	3	8		0		24	18	4	0	0	0	21	8	0	0	0	3	0	0	16	9	16	1	20	19
V					5.3	5.7	5.7	11	3	15	1		0		10	5	0	0	0	0	10	3	0	0	0	1	0	0	10	0	27	3	7	0
VI					7.1	7.8	7.7	46	7	2	0		0		22	11	0	0	0	0	22	0	0	0	0	0	0	0	21	0	22	1	15	0
VII					6.9	6.3	7.4	103	16	28	0		0		22	15	2	0	0	0	22	0	0	0	0	0	0	2	12	8	28	2	11	0
VIII					5.9	5.5	7.2	71	18	12	0		0		15	9	2	0	0	0	15	0	0	0	0	0	0	0	11	2	27	0	8	0
IX					7.4	6.6	7.7	110	15	16	0		0		26	20	4	0	0	0	25	0	0	0	0	0	0	0	17	3	16	2	17	0
X					5.3	5.5	5.0	30	11	6	4		0		16	6	1	0	0	0	14	0	0	1	0	0	0	0	8	5	13	7	12	0
XI					6.9	7.4	6.1	100	17	13	13		0		17	13	5	1	0	0	17	5	2	0	0	0	0	0	13	2	0	3	15	8
XII					4.9	5.2	4.7	22	10	24	13		0		6	4	1	1	0	0	4	4	2	0	0	0	0	0	5	1	0	7	4	6
1946					6.1	6.4	6.3	908	40		109		1		192	123	34	4	0	0	167	44	8	2	1	9	0	2	136	36	176	47	132	107

Kråkenes Fyr

H_s = 39 H_b = h_t = 2.2 h_a = h_d = h_r = 1.2

I	70×	70×	70×	70×	6.4×	6.9×	6.1×	83×	18×	11×	9×	0×	0×	0×	12×	12×	4×	16×	8×	5×	12×	1×	1×	0×	0×	3×	0×	1×	0×	0×	15×	4×	14×	
II	70	70	74	71	8.2	8.1	7.9	98	17	2	11	4	0	0	20	18	2	14	3	1	14	11	5	0	0	5	0	1	0	0	13	0	17	
III	79	76	75	76	7.5	7.3	7.7	98	18	2	8	0	0	0	17	14	3	12	0	0	15	6	4	0	0	1	0	0	1	0	19	3	17	
IV	72	71	70	71	7.7	8.3	8.6	145	25	27	1	0	0	0	26	22	5	17	3	0	25	3	2	5	0	3	0	0	2	1	16	1	19	
V	80	80	81	81	6.5	6.1	4.6	15	4	5	0	0	0	0	11	4	0	2	0	0	11	0	0	2	0	1	0	0	0	2	29	7	11	
VI	83	82	83	84	8.6	7.9	8.0	50	8	6	0	0	0	0	21	12	0	6	2	1	21	0	0	2	0	0	0	0	0	3	20	1	20	
VII	84	82	84	84	8.5	8.0	7.4	139	25	28	0	0	0	0	25	20	3	7	3	3	25	0	0	1	0	0	0	3	0	1	21	3	21	
VIII	79	80	81	80	9.0	8.4	8.6	91	30	12	0	0	0	0	19	13	1	5	0	0	19	0	0	1	0	0	0	0	0	2	23	0	21	
IX	80	79	82	81	8.6	8.5	8.7	160	16	19	0	0	0	0	25	22	6	14	6	2	25	0	0	3	0	0	0	1	0	0	14	2	25	
X	89	89	90	90	7.8	7.4	7.9	36	10	25	0	0	0	0	16	9	1	11	0	0	16	0	0	2	0	1	0	0	0	0	15	2	16	
XI	78	78	77	77	8.2	8.6	7.2	132	17	27	0	0	0	0	22	13	7	15	5	0	21	2	0	0	0	0	0	0	0	0	8	2	19	
XII	74	74	74	74	8.0	8.5	7.3	67	16	22	2	0	0	0	15	10	2	11	5	3	15	0	0	0	0	1	0	0	0	0	8	1	20	
1946	79	78	78	78	7.9	7.8	7.5	1114	30		31	4	0	0	229	169	34	130	35	15	220	23	12	16	0	15	0	6	3	9	201	26	220	

Tafjord

H_s = 27 H_b = 29.6 h_t = 2.1 h_a = h_d = 14.5 h_r = 1.4

I	59	58	57	57	5.5	5.9	5.3	51	18	6	15		0		6	5	2	6	1	0	6	1	1	0	0	0	0	0	0	0	0	11	15	1	
II	56	56	55	57	8.9	5.8	5.2	118	28	11	26		0		14	10	5	7	2	0	3	13	1	1	0	0	0	0	0	0	7	3	14	20	
III	63	63	59	64	7.5	6.6	7.3	43	11	27	14		0		14	9	1	2	0	0	9	6	1	1	0	1	0	0	2	0	22	4	16	24	
IV	66	66	70	74	8.0	7.9	8.2	91	18	9	5		0		20	16	2	10	0	0	18	10	5	2	0	0	0	0	2	4	13	1	19	6	
V	58	58	62	75	5.9	5.8	5.8	15	3	5	0		0		10	8	0	1	0	0	10	2	2	0	0	0	0	0	2	1	20	7	14	0	
VI	67	67	71	82	7.5	8.4	7.9	35	6	4	0		0		19	11	0	2	0	0	19	0	0	2	0	0	0	1	1	5	18	1	17	0	
VII	71	71	77	85	7.0	7.4	7.7	65	8	10	0		0		22	18	0	3	0	0	22	0	0	0	0	0	0	1	2	5	19	3	15	0	
VIII	67	67	82	86	7.3	6.9	7.3	82	19	9	0		0		16	11	3	1	0	0	16	0	0	1	0	0	0	0	1	4	25	0	10	0	
IX	73	73	78	81	8.4	7.9	8.2	104	25	10	0		0		23	14	5	3	0	0	21	0	0	0	0	0	0	1	3	4	15	1	18	0	
X	75	79	78	79	6.8	5.8	5.5	24	11	5	1		0		14	6	1	2	0	0	14	0	0	2	0	0	0	0	2	0	11	6	14	0	
XI	59	57	58	58	8.1	7.7	7.3	48	10	8	6		0		17	10	1	10	0	0	15	4	1	3	0	0	0	0	2	1	0	2	16	2	
XII	54	54	54	55	5.6	6.7	4.6	5	3	19	7		0		5	2	0	3	0	0	4	1	0	0	0	0	0	0	0	0	0	3	5	3	
1946	63	63	67	71	7.2	6.9	6.7	681	28		74		0		180	120	20	50	3	0	157	37	11	12	0	1	0	3	17	24	150	42	173	56	

Runde

H_s = 22 H_b = h_t = 1.8 h_a = h_d = h_r = 1.3

I					5.6	6.4	5.5	65	12	11	7		0		10	9	1	13	6	4	10	0	0	0	0	4	0	1	0	0	17	5	12		
II					8.0	6.6	6.0	72	14	16	15		0		22	16	1	12	4	2	12	15	4	2	0	4	0	2	0	0	14	3	14		
III					6.9	6.8	6.7	62	15	28	11		0		19	15	1	4	0	0	15	7	3	1	0	0	0	0	0	0	22	3	14		
IV					8.3	8.8	8.7	162	30	27	2		0		28	26	6	13	1	0	23	6	4	10	0	7	0	0	0	0	10	0	20		
V					5.9	5.4	5.7	26	9	5	0		0		12	8	0	4	0	0	12	2	2	3	0	1	0	0	1	2	25	7	11		
VI					8.0	8.0	7.6	48	8	25	0		0		18	11	0	5	0	0	18	0	0	3	0	2	0	0	1	0	19	1	20		
VII					8.3	7.7	7.4	169	35	1	0		0		22	19	5	2	0	0	22	0	0	3	0	0	0	2	0	0	20	2	17		
VIII					7.6	6.8	7.7	106	30	12	0		0		18	11	3	5	0	0	18	0	0	1	0	0	0	0	0	0	24	0	16		
IX					7.8	8.6	8.2	220	38	5	0		0		21	19	8	10	0	0	21	0	0	1	0	1	0	2	0	0	16	2	22		
X					6.8	6.9	6.3	57	11	6	0		0		17	10	1	4	0	0	16	0	0	5	0	1	0	0	0	0	18	4	15		
XI					7.8	7.8	6.8	136	24	12	5		0		19	18	3	11	3	0	17	2	0	1	0	3	0	0	0	0	11	2	16		
XII					6.2	6.9	6.4	53	21	24	2		0		10	7	1	7	3	0	10	0	0	0	0	0	0	0	0	0	14	3	11		
1946					7.3	7.2	6.9	1176	38		42		0		216	169	30	90	17	6	194	32	13	31	0	23	0	7	2	2	210	32	188		

1946

Ørsta

$\varphi = 62° 12' N$ $\lambda = 6° 7' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			0.7	2.4	1.2	1.3		- 1.9	9.5	26	- 9.9	13	5	1.8	8₅	1.9	31₅	1.9	12	3.0	4	4.5	17	3.1	6	2.3	2	2.5	7
II			- 2.3	1.0	- 1.8	- 1.4		- 5.2	7.4	2	-16.4	24	24	1.4	3	1.0	8	1.6	1	5.0	3	1.3	3	1.7	14	2.5	7	5.1	21
III			- 0.8	4.6	0.7	0.9		- 3.2	12.3	29	-12.0	14	16	1.2	0	-	19	1.5	2	2.5	2	2.0	12	1.4	14	1.9	1	1.0	27
IV			5.3	7.7	5.9	5.4		2.2	16.0	4	- 5.5	12	0₅	4.0	5₅	2.9	9₅	2.0	6₅	2.6	7	2.6	15	2.1	16₅	2.8	18₅	3.0	11
V			9.4	13.1	11.0	9.6		4.1	23.3	27	- 1.6	6	3	3.7	3	1.7	4	1.5	2	1.0	6	1.5	20	2.4	21	2.6	15	2.7	19
VI			12.0	14.8	13.1	12.0		8.2	23.3	24	2.0	14	1	2.0	1	2.0	4	3.2	0	-	0	-	40	2.2	25	2.9	3	3.3	16
VII			15.5	18.5	16.7	15.5		11.5	26.9	15	8.0	1	0	-	2	1.0	2	2.0	0	-	13	2.5	37	2.0	18	2.5	0	-	21
VIII			14.0	17.0	14.3	13.9		10.1	21.6	26	7.1	18	0	-	2	2.2	10₅	1.1	0₅	1.0	0₅	2.0	66	1.6	3₅	2.4	0	-	10
IX			10.2	14.6	11.4	11.4		7.8	18.8	27	0.7	30	0	-	0	-	17	1.8	2	1.0	1₅	2.3	62	1.3	3₅	2.0	0	-	4
X			4.4	8.9	5.8	6.1		2.5	15.1	3	- 1.7	27	1	1.0	1₅	1.0	30₅	1.1	2	1.0	1	1.0	33	1.1	4	1.2	0	-	20
XI			3.3	5.2	3.2	3.7		0.6	15.9	4	- 7.0	16	11	1.0	8	1.1	20₅	1.2	3₅	1.3	9	1.1	18	1.2	10₅	1.5	0₅	1.0	9
XII			0.7	2.2	1.5	1.4		- 0.7	8.5	22	- 8.0	16	2	1.0	5	1.0	40₅	1.1	16	1.2	14₅	2.2	11	1.3	0₅	1.0	0₅	1.0	3
1946			6.0	9.2	6.9	6.6		3.0	26.9		-16.4		63₅	1.4	39₅	1.6	19⁷	1.5	47₅	2.0	61₅	2.1	33⁴	1.7	136₅	2.4	47₅	3.1	168

Ona

$\varphi = 62° 52' N$ $\lambda = 6° 33' E$ $g = 9.821$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1011.0	1012.8	3.7	4.0	3.8	3.7	5.3	2.1	8.5	25	- 3.8	12	1	5.0	5₅	5.1	6	3.4	14₅	2.8	26₅	3.1	29₅	5.4	6₅	7.0	1₅	2.7	2
II	998.7	00.5	1.3	2.2	2.2	1.8	3.9	0.0	8.4	16	- 3.6	27	5	5.7	8	4.3	5₅	3.9	10	2.7	21	3.0	16₅	4.6	7₅	5.9	10₅	6.0	0
III	1014.5	16.4	2.9	4.4	3.8	3.5	5.3	1.9	12.0	29	- 2.1	7	2₅	2.0	7₅	4.0	4₅	2.6	10	2.6	15	2.4	25	4.6	22₅	4.9	4	3.5	2
IV	06.7	08.5	5.3	5.8	5.7	5.2	7.6	3.6	13.4	16	- 0.3	10	1₅	4.0	12₅	3.0	4₅	2.4	1₅	2.3	5₅	2.6	21	4.9	35₅	5.2	8	5.2	0
V	17.6	19.4	7.0	7.9	7.4	6.9	8.8	5.5	15.4	22	1.5	5	8	2.9	42	3.8	3	4.3	0	-	2₅	1.4	5₅	3.6	15₅	3.6	12₅	2.8	4
VI	06.0	07.7	10.3	11.2	10.7	10.3	12.4	9.1	16.8	19	6.0	14	3₅	3.4	24	3.6	8₅	2.6	3	2.2	1₅	1.7	7₅	5.9	30	3.8	7	2.5	5
VII	10.1	11.8	14.2	15.0	14.8	14.3	16.2	13.0	23.4	14	9.2	1	4	2.2	27₅	3.1	11₅	2.5	7	1.5	3₅	2.0	7	3.9	19	4.0	7₅	2.3	6
VIII	06.6	08.4	14.8	15.7	14.9	14.7	16.6	13.4	19.2	25	11.5	18	6	3.1	23	3.1	14	2.0	4	2.4	2₅	2.0	7₅	3.7	20₅	3.4	8₅	2.8	7
IX	03.1	04.8	12.8	13.8	13.4	13.0	15.0	11.6	17.7	14	8.5	29	1₅	3.0	13	2.8	11₅	2.5	5₅	2.5	15	3.1	19₅	4.4	17	4.8	5	2.6	2
X	19.5	21.3	8.9	9.9	9.3	9.3	10.7	8.0	15.1	2	4.0	28	1₅	3.3	6	3.6	11	3.2	4	2.9	15₅	2.9	19	4.2	23	3.9	12	4.1	1
XI	04.6	06.4	6.3	6.7	6.2	6.3	7.7	4.7	13.2	5	- 0.4	13	5₅	5.4	10	4.1	7₅	3.3	8	3.2	18₅	3.1	12₅	4.0	18	4.6	10	4.7	0
XII	10.9	12.7	5.5	5.8	5.5	5.6	6.5	4.3	8.9	23	- 0.4	16	0	-	0	-	2	3.5	30	3.1	30	2.6	26	4.6	0₅	2.0	3₅	3.1	1
1946	1009.1	1010.9	7.8	8.5	8.1	7.9	9.6	6.4	23.4		- 3.8		40	3.7	17⁹	3.6	89₅	2.8	97₅	2.8	15⁷	2.8	196₅	4.6	215₅	4.4	90	3.8	30

Molde

$\varphi = 62° 44' N$ $\lambda = 7° 10' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 0.9	1.0	- 0.8	- 0.3	2.3	- 3.0	9.9	25	-11.7	13	0	-	32	3.3	44	3.1	2	3.5	1	3.5	12₅	4.4	1₅	4.7	0	-	0
II			- 2.6	1.0	- 1.5	- 1.3	2.8	- 5.1	8.7	16	-13.3	24	0	-	20₅	3.3	37₅	3.3	0	-	0	-	16₅	4.4	9₅	4.9	0	-	0
III			- 0.5	4.1	2.1	1.4	5.1	- 2.1	14.1	29	-11.7	7	0	-	15	3.3	42₅	3.1	0₅	3.0	0₅	3.0	28₅	3.6	5₅	3.8	0₅	3.0	0
IV			5.0	7.3	6.4	5.5	9.2	2.8	17.0	4	- 4.9	12	1	4.0	5₅	3.2	14₅	3.1	1	3.0	2₅	3.6	46₅	3.8	15	4.2	4	4.5	0
V			8.8	12.7	11.5	9.4	14.6	4.6	25.3	28	- 0.7	6	1	3.0	12₅	3.3	27₅	3.3	2	3.0	8₅	3.2	26	3.5	14₅	3.9	1	4.0	0
VI			12.0	14.6	13.8	12.2	16.9	8.6	24.3	24	2.5	14	0	-	3₅	3.0	33₅	3.2	5	3.2	6₅	3.2	33₅	3.5	7	3.9	1	4.0	0
VII			15.2	18.0	17.1	15.6	19.8	12.2	28.5	15	8.1	1	0	-	4	3.0	40₅	2.9	5	3.0	8₅	3.1	22₅	3.4	11	3.4	1₅	2.0	0
VIII			13.9	17.4	15.9	14.6	18.8	11.2	23.1	26	7.9	16	1₅	3.3	14	3.0	32₅	3.1	2	3.5	3	3.7	25	3.0	6	2.6	6	2.8	3
IX			10.2	14.1	12.5	11.7	15.8	8.4	20.1	27	2.1	30	0	-	18	3.0	37₅	3.2	0₅	3.0	3₅	3.7	27	3.5	3₅	4.4	0	-	0
X			5.8	9.3	6.6	7.0	10.2	4.3	14.1	14	- 0.9	27	0	-	25₅	3.1	35₅	3.1	1	3.0	2	3.5	25₅	3.7	3₅	3.9	0	-	0
XI			2.6	4.5	2.7	3.2	6.2	0.6	13.9	6	- 6.9	21	0	-	28₅	3.3	35	3.2	1	3.5	1	4.0	20₅	4.0	4	4.1	0	-	0
XII			1.4	2.5	1.4	1.8	4.2	- 0.5	11.3	23	- 7.9	15	0	-	43	3.1	37	3.1	3	4.5	2₅	4.2	5	4.0	2₅	3.6	0	-	0
1946			5.9	8.9	7.3	6.7	10.5	3.5	28.5		-13.3		35	3.4	22²	3.2	41⁷₅	3.1	23	3.3	39₅	3.4	28⁹	3.7	83₅	3.9	14	3.4	3

Gjermundnes

$\varphi = 62° 37' N$ $\lambda = 7° 10' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			0.1	0.8	0.5	0.4	2.5	- 1.9	9.2	25	- 9.0	13	1₅	1.0	12₅	3.7	34₅	1.4	11₅	1.0	10	2.2	18₅	4.8	2	2.5	2₅	1.8	0
II			- 1.8	1.2	- 0.8	- 0.7	2.4	- 3.5	8.6	7	-11.0	24	1	1.0	3	1.7	17₅	1.6	3	3.0	6	1.3	13₅	4.5	13	3.7	24	2.5	3
III			1.1	3.9	2.2	2.0	4.7	- 0.7	13.8	29	- 7.2	14	1₅	1.0	5	1.5	22	1.7	3	1.2	12₅	2.0	27	2.9	5₅	1.4	3₅	1.1	13
IV			5.3	7.4	6.1	5.6	8.6	3.3	16.8	4	- 3.6	13	0	-	5	2.0	8	2.9	2	1.5	14₅	3.1	34	3.6	14₅	4.0	8	3.2	4
V			8.3	11.3	9.8	8.5	11.6	4.6	22.6	29	- 0.5	6	0	-	5₅	1.8	15	1.9	0₅	3.0	1	3.0	13	3.6	14	3.0	38	2.1	6
VI			11.5	13.9	12.2	11.5	15.1	8.9	20.5	18	4.5	14	0	-	8	1.2	7₅	2.9	0₅	1.0	4₅	2.0	21	2.5	16	1.7	22₅	1.7	10
VII			14.9	16.6	16.0	14.9	18.3	12.2	26.8	14	8.2	1	1	2.0	6	1.3	17₅	1.7	0₅	1.0	0	-	13₅	2.0	14	1.8	28₅	1.9	12
VIII			14.1	16.7	14.9	14.2	17.1	11.1	21.5	11	8.5	18	1₅	1.3	14₅	1.4	9	1.6	4₅	1.8	2₅	1.8	14₅	2.3	14₅	2.2	24	1.7	8
IX			11.1	13.7	12.1	11.7	14.9	8.9	20.8	27	3.4	30	0	-	1₅	2.0	28₅	1.7	8₅	2.2	4₅	1.9	28₅	2.6	12₅	1.8	6	2.0	0
X			6.1	8.7	6.9	7.0	9.4	4.1	14.6	4	- 1.4	27	0₅	1.0	14₅	2.0	9	1.6	2	1.5	4₅	2.2	33	2.7	19	2.6	7₅	1.3	3
XI			3.2	4.3	3.2	3.5	5.3	1.0	13.1	6	- 6.9	16	3	1.0	3	3.0	15₅	1.7	7₅	1.3	12₅	1.9	23	3.0	11	1.9	7₅	1.3	7
XII			2.0	2.7	2.3	2.2	4.3	0.4	11.1	23	- 6.5	15	3	1.0	11	1.5	27	1.6	15₅	1.4	13	2.7	7₅	4.1	9	1.8	5	1.0	2
1946			6.3	8.4	7.1	6.7	9.5	4.0	26.8		-11.0		13	1.1	89₅	1.9	21¹	1.7	59	1.5	85₅	2.3	24⁷	3.1	14⁵	2.4	17⁷	1.9	68

Sunndal

$\varphi = 62° 33' N$ $\lambda = 9° 7' E$ $g =$ $\Delta G =$ 1^h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 4.8	- 3.6	- 4.8	- 4.6		- 8.5	8.4	26	-17.6	1	2	1.8	4	1.4	22₅	1.3	17₅	1.9	3₅	1.9	6	2.2	4	1.8	1₅	1.0	32
II			- 8.2	- 3.9	- 6.0	- 6.4		-10.1	8.2	15	-21.2	27	0	-	1	1.0	18	1.3	12₅	1.4	1	2.0	3₅	1.6	3₅	2.1	5₅	1.6	39
III			- 3.8	3.0	- 1.2	- 1.4		- 6.0	13.2	29	-16.9	14	1	2.0	2	1.0	12	1.3	10	1.1	1	1.5	3	1.3	8	1.5	3	1.7	53
IV			3.7	8.1	3.9	4.2		0.7	14.4	30	- 9.2	13	0	-	2₅	1.4	1	1.0	0₅	1.0	12₅	1.5	12₅	1.6	10₅	1.4	9₅	1.6	41
V			9.8	14.4	8.9	9.0		3.8	25.0	27	- 2.1	6	0₅	1.0	1₅	1.7	8₅	1.2	7₅	1.2	4₅	1.2	12	1.1	9	1.4	11₅	1.4	38
VI			12.6	15.4	11.8	11.8		7.8	25.0	24	2.4	16	0₅	1.0	0	-	0	-	4	1.1	13	1.7	9	1.3	11₅	1.3	16	1.4	36
VII			15.7	18.8	15.3	15.1		11.1	28.0	18	7.3	12	0	-	0	-	1	1.0	2₅	1.0	4₅	1.4	17	1.4	15₅	1.3	3₅	1.5	49
VIII			13.8	17.3	13.7	13.4		9.6	23.0	24	5.3	29	0	-	0	-	1	1.0	2₅	1.2	10₅	1.3	15₅	1.5	5₅	1.5	1	1.5	57
IX			8.8	13.0	9.9	9.8		6.4	20.5	27	0.9	30	1₅	1.7	1	1.0	3	1.3	7	1.1	19	1.3	5	1.3	7	1.3	1₅	1.0	45
X			2.6	6.6	3.8	3.9		0.9	12.6	3	- 4.8	23	0₅	1.0	0₅	1.0	12₅	1.0	9₅	1.1	0₅	2.0	2	1.0	9₅	1.6	4	1.1	54
XI			1.1	2.1	0.9	1.2		- 1.8	12.9	5	-11.8	21	0	-	0	-	13₅	1.4	8	1.2	6	1.7	4₅	1.7	1	1.0	0	-	57
XII			- 2.2	- 1.2	- 2.2	- 2.0		- 4.7	8.0	21	-12.6	16	0	-	0	-	16	1.3	16₅	1.3	8₅	1.5	3	2.0	0	-	0	-	49
1946			4.1	7.5	4.5	4.5		0.8	28.0		-21.2		6	1.6	12₅	1.3	10⁹	1.3	98	1.3	84₅	1.5	93	1.5	85	1.4	57	1.4	550

1946

Ørsta

H_s = 40 H_b = h_t = 1.6 h_a = h_d = h_r = 1.6

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min $T_{0°}$	Max $T_{0°}$	Min $T_{-10°}$	Max $T_{25°}$	$R \geq 0.1$	$R \geq 1.0$	$R \geq 10.0$	$F \geq 6$	$F \geq 8$	$F \geq 9$	●	*	⁂	ϟ	✱	△	▲	₹	〓	≡	⊙	◔	◕	⊞
I	66	61	63	64	5.9	6.5	5.6	94	18	11	16		0		11	10	5	5	1	1	11	0	1	0	0	0	0	2	8	0	1	7	14	9
II	74	67	74	73	7.6	6.6	6.4	216	40	18	23		7		16	15	8	7	5	1	7	12	2	1	0	4	0	1	14	0	15	3	14	20
III	79	63	72	74	7.0	7.6	6.8	148	29	27	18		3		17	16	6	0	0	0	13	5	1	1	0	0	0	0	13	0	19	4	15	29
IV	78	71	76	77	8.5	8.9	8.9	264	29	3	6		0		25	23	11	8	0	0	24	6	5	3	0	2	0	0	17	2	12	0	23	6
V	75	62	67	73	6.6	6.4	5.5	40	10	5	2		0		13	8	1	0	0	0	13	2	2	0	0	0	0	0	8	1	25	5	11	0
VI	76	67	72	77	8.3	8.2	8.3	91	24	2	0		0		21	11	3	2	0	0	21	0	0	1	0	0	0	1	18	1	15	2	20	0
VII	82	73	77	81	8.0	7.6	8.1	163	34	1	0		0		21	19	6	2	0	0	21	0	0	1	0	0	0	4	11	1	20	2	19	0
VIII	83	70	80	82	6.8	7.1	6.3	139	52	12	0		0		17	12	5	0	0	0	17	0	0	3	0	0	0	0	6	0	21	3	12	0
IX	88	75	82	84	7.6	7.2	7.7	216	28	16	0		0		23	19	10	0	0	0	23	0	0	7	0	0	0	0	8	2	17	3	14	0
X	85	78	85	84	4.8	5.5	5.6	81	28	16	3		0		13	12	4	0	0	0	13	0	0	10	0	0	0	0	7	8	21	8	10	0
XI	78	74	80	78	6.8	6.5	6.0	192	34	12	9		0		18	15	8	0	0	0	16	2	0	3	0	1	0	0	3	3	12	5	15	4
XII	69	70	72	70	5.5	6.0	6.4	48	11	23	16		0		9	8	2	1	1	0	9	2	0	3	0	0	0	0	2	1	13	6	13	0
1946	78	69	75	76	7.0	7.0	6.8	1692	52		93		10		204	168	69	25	7	2	188	29	11	33	0	7	0	8	115	19	191	48	180	68

Ona

H_s = 12 H_b = 14.6 h_t = 1.8 h_a = 6 h_d = h_r = 1.1

I	79	78	78	78	5.8	5.5	5.2	92	50	8	4	1	0	0	9	8	2	13	5	3	9	1	0	0	0	2	0	2	0	0	10	5	8	0
II	87	82	81	84	8.0	7.7	6.6	70	13	16	16	1	0	0	15	12	2	13	5	1	11	13	4	5	0	1	0	0	0	0	7	1	14	14
III	86	80	83	84	7.1	7.1	7.6	95	20	28	8	0	0	0	17	16	2	14	2	0	15	6	4	0	0	2	0	0	0	0	10	1	15	14
IV	88	89	88	88	8.2	8.0	8.5	149	17	27	1	0	0	0	26	25	6	19	4	1	26	7	7	6	0	2	0	0	0	0	7	0	19	1
V	91	89	90	91	5.6	4.8	5.5	44	7	19	0	0	0	0	14	12	0	6	0	0	14	4	5	2	0	0	0	0	0	3	19	9	7	0
VI	88	83	84	87	7.3	6.8	6.6	42	14	25	0	0	0	0	15	12	1	6	1	0	15	0	0	3	0	0	0	0	0	5	16	1	11	0
VII	89	84	84	87	7.5	6.9	7.2	138	36	25	0	0	0	0	20	13	4	3	1	0	20	0	0	4	0	0	0	1	0	0	11	2	15	0
VIII	85	80	84	85	7.5	6.7	7.1	131	31	12	0	0	0	0	15	12	5	5	2	0	15	0	0	0	0	0	0	4	0	2	13	0	10	0
IX	80	75	77	78	7.8	7.9	7.2	194	45	5	0	0	0	0	21	18	6	11	4	0	21	0	0	1	0	0	0	2	0	0	4	1	13	0
X	81	75	78	79	7.5	6.7	6.8	72	10	6	0	0	0	0	18	12	1	12	0	0	18	0	0	9	0	0	0	0	0	2	2	12	0
XI	79	78	82	80	7.5	7.5	6.9	129	27	12	1	0	0	0	18	16	4	13	3	1	16	2	0	1	0	3	0	0	0	0	1	1	14	4
XII	75	71	73	74	5.6	5.9	5.9	20	11	24	1	0	0	0	6	5	1	7	4	0	6	0	0	0	0	0	0	0	0	0	5	4	5	0
1946	84	80	82	83	7.1	6.8	6.8	1176	50		31	2	0	0	194	161	34	122	31	6	186	33	20	31	0	10	0	9	0	10	105	27	143	33

Molde

H_s = 50 H_b = h_t = 1.9 h_a = h_d = 17.3 h_r = 1.7

I	71	64	68	69	5.6	5.3	4.9	58	30	8	19	10	0	0	7	7	1	5	1	1	7	0	0	0	0	0	0	0	0	0	20	8	10	10
II	79	71	75	76	7.4	6.9	6.4	114	26	16	26	7	6	0	16	14	3	8	2	1	4	14	1	0	0	1	0	0	0	0	15	2	12	20
III	80	66	71	74	7.0	7.5	7.2	92	27	28	17	0	1	0	15	14	2	1	0	0	10	7	2	0	0	0	0	0	0	0	18	1	13	20
IV	80	71	71	76	8.3	7.8	8.5	164	18	18	4	0	0	0	19	18	7	12	1	0	16	8	4	1	0	0	0	0	0	0	13	0	17	5
V	79	60	63	73	6.1	7.0	6.4	41	9	10	1	0	0	1	13	10	0	1	0	0	13	2	2	0	0	0	0	0	0	0	23	1	12	0
VI	81	66	67	77	7.3	7.9	7.2	29	6	25	0	0	0	0	12	7	0	3	0	0	12	0	0	1	0	0	0	0	0	0	22	0	9	0
VII	82	70	73	80	6.7	7.0	7.3	157	19	28	0	0	0	5	19	19	7	1	0	0	19	0	0	0	0	0	0	3	1	0	21	0	12	0
VIII	87	68	75	82	7.4	6.4	6.9	138	26	15	0	0	0	0	13	12	7	1	0	0	13	0	0	0	0	0	0	1	3	0	23	0	9	0
IX	87	72	78	81	7.8	7.7	7.8	158	44	5	0	0	0	0	16	13	4	3	0	0	16	0	0	0	0	0	0	1	0	0	16	1	14	0
X	86	73	82	82	7.0	6.8	6.1	101	18	6	1	0	0	0	13	11	4	0	0	0	13	0	0	0	0	0	0	0	0	0	16	3	14	0
XI	82	77	82	82	7.6	7.2	6.2	176	27	12	10	2	0	0	15	15	8	5	0	0	13	4	0	0	0	0	0	0	0	0	11	2	12	8
XII	71	67	69	70	5.6	5.8	4.9	26	11	24	16	3	0	0	4	4	1	2	0	0	4	0	0	0	0	0	0	0	0	0	22	5	4	0
1946	80	69	73	77	7.0	6.9	6.6	1254	44		94	22	7	6	162	144	44	42	4	2	140	35	9	2	0	1	0	5	4	0	220	23	138	63

Gjermundnes

H_s = 51 H_b = h_t = 1.8 h_a = h_d = 5.6 h_r = 1.4

I	[illegible]	73	71	73	4.3	4.4	4.1	80	28	8	17	12	0	0	8	8	4	7	3	1	8	1	1	2	0	0	0	0	4	0	18	8	4	7
II	[illegible]	74	78	79	6.9	6.0	5.2	129	39	16	23	7	3	0	15	12	5	7	1	1	9	12	6	1	0	2	0	0	5	6	14	5	10	20
III	[illegible]	72	74	5.4	5.7	5.8	51	16	28	16	2	0	0	16	11	1	3	0	0	13	8	4	0	0	0	0	0	6	2	23	5	7	19	
IV	[illegible]	75	77	80	7.5	6.8	7.8	123	18	27	4	0	0	0	24	18	5	15	0	0	24	9	7	6	0	3	0	0	12	1	18	1	13	4
V	[illegible]	72	75	80	5.0	4.6	5.1	39	10	5	1	0	0	0	15	8	0	2	1	0	15	6	5	2	0	0	0	0	8	1	23	10	7	0
VI	[illegible]	75	80	85	7.0	7.6	7.0	40	8	26	0	0	0	0	19	12	0	1	0	0	19	1	0	8	0	0	0	0	4	0	14	2	16	0
VII	[illegible]	78	79	84	6.9	6.3	7.0	142	17	28	0	0	0	0	22	20	8	2	0	0	22	0	0	5	0	0	0	3	5	3	24	4	13	0
VIII	[illegible]	76	83	85	6.2	5.9	5.9	132	25	8	0	0	0	0	16	12	6	2	0	0	16	0	0	3	0	0	0	1	7	0	25	1	6	0
IX	[illegible]	74	81	82	7.4	8.0	7.2	104	23	28	0	0	0	0	23	16	6	1	0	0	21	0	0	3	0	0	0	1	7	1	24	2	17	0
X	[illegible]	77	83	85	5.8	6.1	5.4	73	20	15	2	0	0	0	14	9	2	3	0	0	13	1	0	10	0	0	0	0	3	10	16	7	13	0
XI	[illegible]	80	83	84	7.3	7.1	6.0	87	14	24	9	5	0	0	18	15	2	8	0	0	16	3	0	2	0	0	0	0	7	2	9	5	15	0
XII	[illegible]	68	69	70	4.1	4.5	3.6	14	7	24	15	2	0	0	7	3	0	4	2	1	7	0	0	0	0	0	0	0	2	0	0	9	4	0
1946	[illegible]	74	78	80	6.2	6.1	5.8	1014	39		87	28	3	0	197	144	39	55	7	3	183	41	23	42	0	5	0	5	70	26	208	59	125	50

Sunndal

H_s = 195 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

I					5.3	4.5	3.9	18	10	6	29		12		7	4	0	0	0	0	4	5	2	0	0	0	0	0	7	0	5	9	5	31
II					6.5	5.7	4.2	100	46	17	28		13		13	10	5	0	0	0	3	12	2	0	0	0	0	0	14	0	15	6	7	28
III					5.7	6.0	5.8	18	4	28	23		10		10	6	0	0	0	0	6	4	0	0	0	0	0	0	14	0	17	4	9	31
IV					7.3	7.3	8.1	84	29	10	11		0		17	12	3	0	0	0	13	9	3	0	0	0	0	0	14	4	15	1	15	25
V																																		
VI					4.9	5.4	6.5	12	6	11	1		0		5	3	0	0	0	0	4	2	0	0	0	0	0	0	9	2	25	6	10	0
VII					6.7	7.4	7.6	36	8	29	0		0		14	9	0	0	0	0	14	1	0	0	0	0	0	0	6	1	23	0	8	0
VIII					6.6	7.4	7.6	30	5	10	0		0		20	9	0	0	0	0	20	0	0	0	0	0	2	8	3	20	1	14	0	
					6.2	7.5	8.1	66	16	1	0		0		18	11	3	0	0	0	18	0	0	0	0	0	0	6	0	21	0	12	0	
IX					7.6	7.6	7.4	68	16	4	0		0		18	12	1	0	0	0	18	0	0	0	0	0	0	0	6	1	13	2	15	0
X					5.9	5.6	4.0	24	10	15	11		0		9	5	0	0	0	0	9	0	0	0	0	0	0	0	13	1	17	5	5	0
XI					7.3	6.6	6.3	45	10	10	14		2		12	8	1	1	0	0	11	6	4	0	0	0	0	0	13	2	4	2	12	10
XII					5.0	5.3	4.1	5	5	19	27		3		1	1	0	0	0	0	1	1	1	1	0	0	0	0	3	0	0	4	2	0
1946					6.2	6.4	6.1	506	46		144		40		144	90	13	1	0	0	121	40	12	1	0	0	0	2	113	14	175	40	114	125

1946

Tingvoll

φ = 62° 50' N λ = 8° 19' E g = $\Delta G = +1^h$

Måned	Midlere luftrykk P_m	Midlere luftrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 2.7	- 1.9	- 2.9	- 2.7		- 6.5	9.9	26	-15.6	13	2$_5$ 1.2	4$_5$ 1.8	8 1.7	11$_5$ 4.0	5$_5$ 4.3	9 4.1	5$_5$ 3.5	2$_5$ 1.8	44
II			- 4.3	- 0.1	- 2.5	- 2.7		- 7.0	7.5	15	-16.6	27	3 1.8	7$_5$ 1.5	5 1.7	8$_5$ 2.6	6 3.8	10 2.8	9$_5$ 3.6	7$_5$ 3.3	27
III			- 1.8	4.3	1.6	0.7		- 3.8	10.4	29	-13.6	7	2 1.5	2$_5$ 1.4	11$_5$ 1.5	10 2.2	6$_5$ 2.4	17 2.7	8$_5$ 2.9	7 1.9	28
IV			4.2	7.8	6.4	5.0		1.2	15.8	4	- 7.2	12	5$_5$ 2.4	5 1.8	2 1.8	5 1.9	8$_5$ 2.4	22$_5$ 2.8	22$_5$ 3.6	5 2.6	14
V			8.3	13.9	12.2	9.3		3.0	25.9	29	- 2.5	6	11$_5$ 1.9	8 2.7	0$_5$ 2.0	0$_5$ 1.0	4 2.1	21 2.7	19 2.6	11$_5$ 2.4	17
VI			12.0	15.4	14.0	12.4		8.3	23.8	24	1.8	16	14 2.5	7$_5$ 2.5	2$_5$ 1.0	8 2.9	12$_5$ 2.3	13$_5$ 2.3	13 2.5	6 1.8	13
VII			14.9	19.5	17.9	15.7		11.0	28.8	15	6.9	1	5$_5$ 2.5	7 1.7	2$_5$ 1.0	10 1.9	10 2.2	12$_5$ 1.7	17 2.6	11$_5$ 2.0	17
VIII			12.7	19.0	16.6	14.4		9.8	23.1	25	5.3	18	12 2.0	5 2.0	6$_5$ 1.5	8$_5$ 2.4	9$_5$ 2.1	12 2.2	9 2.2	7$_5$ 2.1	22
IX			9.4	15.5	12.1	11.3		7.0	21.2	27	- 0.1	30	1 2.0	0$_5$ 1.0	11 1.6	16 3.7	8$_5$ 2.2	12$_5$ 2.1	7$_5$ 2.1	4 1.4	29
X			4.0	8.7	5.7	5.8		2.4	14.9	3	- 5.1	27	1$_5$ 2.7	4$_5$ 1.2	5$_5$ 1.5	6$_5$ 2.1	10 1.9	19$_5$ 2.2	12$_5$ 3.6	1 3.5	32
XI			1.9	4.0	2.2	2.5		- 1.1	11.7	26	-10.1	21	1 2.0	4 1.2	7 1.4	14 3.4	10 3.2	8$_5$ 2.4	6$_5$ 2.3	0 -	39
XII			1.1	1.2	0.8	0.9		- 2.4	9.9	21	-10.4	15	1 1.5	8$_5$ 1.2	11 1.7	25 3.6	17$_5$ 4.0	3$_5$ 2.4	0$_5$ 1.0	1 1.0	25
1946			5.0	8.9	7.0	6.0		1.8	28.8		-16.6		60$_5$ 2.3	64$_5$ 1.8	73 1.6	123$_5$ 3.0	108$_5$ 2.8	161$_5$ 2.5	131 2.9	64$_5$ 2.2	308

Sula Fyr

φ = 63° 51' N λ = 8° 28' E g = 9.822 $\Delta G = +1^h$

I	1010.8	1014.5	3.1	3.7	3.0	3.2		1.4	7.0	25	- 5.9	12	0 -	0 -	8$_5$ 5.0	25$_5$ 3.3	13$_5$ 3.1	19 5.0	25$_5$ 5.4	0 -	1
II	995.8	999.6	- 0.1	1.0	1.1	0.6		- 0.8	7.0	14	- 7.4	27	4$_5$ 5.6	7 3.8	13 3.6	13 3.1	8$_5$ 2.9	15 5.2	13 5.7	7 6.6	2
III	1012.0	1015.7	2.3	3.0	2.8	2.5		0.8	8.8	29	- 3.9	14	5 2.7	6 3.3	4 3.5	23 2.9	7 3.3	8$_5$ 4.4	31$_5$ 5.0	6 5.0	3
IV	03.8	07.5	4.7	5.6	5.2	4.9		3.7	11.8	15	- 0.9	12	3 4.5	8$_5$ 3.4	5$_5$ 2.7	4$_5$ 2.8	4$_5$ 2.8	22$_5$ 5.4	28 5.2	11$_5$ 4.7	3
V	15.4	19.1	6.9	7.7	7.0	6.6		5.0	18.0	22	1.6	5	8 2.6	36$_5$ 3.5	1$_5$ 2.3	2 1.0	0 -	3$_5$ 3.3	18 4.2	15$_5$ 3.1	6
VI	04.4	08.0	10.1	11.2	10.4	10.2		8.9	19.0	18	5.4	14	7 2.2	20 3.7	6 3.0	6 3.2	5 2.4	16 5.2	21$_5$ 3.8	1$_5$ 2.3	7
VII	08.9	12.5	13.6	14.5	14.0	13.5		12.1	21.2	16	8.1	1	6 1.1	25 2.3	8 2.2	11 3.0	3$_5$ 1.0	6$_5$ 1.4	25$_5$ 3.8	2$_5$ 2.2	5
VIII	05.3	08.9	14.0	15.5	14.7	14.2		12.8	20.0	11	11.1	26	10 2.5	26 2.0	15 1.8	7 1.8	6 1.5	6 3.9	16$_5$ 3.2	3$_5$ 2.9	3
IX	01.8	05.4	12.2	12.9	12.4	12.2		10.8	16.0	14	6.9	28	3$_5$ 2.6	13$_5$ 2.7	7 2.7	19$_5$ 3.5	8 2.8	8$_5$ 3.5	20$_5$ 4.2	4$_5$ 2.1	5
X	16.6	20.3	8.3	9.1	8.7	8.6		7.5	12.4	4	3.3	22	1 5.5	7$_5$ 3.9	4$_5$ 3.8	9$_5$ 2.8	5 3.8	15 3.8	32$_5$ 5.0	17 5.4	7
XI	02.7	06.4	4.8	5.3	5.0	4.9		3.3	10.8	6	- 1.6	14	7 4.8	11 4.0	8$_5$ 3.3	22 2.2	12 2.1	2$_5$ 4.8	20$_5$ 5.3	2$_5$ 4.2	4
XII	09.6	13.4	4.3	4.4	4.3	4.3		3.5	7.9	21	0.6	15	0 -	0 -	2$_5$ 4.2	46 2.9	10 2.3	25 5.3	8$_5$ 4.7	0 -	1
1946	1007.3	1010.9	7.0	7.8	7.4	7.1		5.8	21.2		- 7.4		55 3.1	161 3.0	84 3.1	189 2.9	83 2.6	148 4.7	261$_5$ 4.7	71$_5$ 4.3	42

Vallersund

φ = 63° 51' N λ = 9° 44' E g = $\Delta G = +1^h$

I			1.4	2.0	1.4	1.5		- 1.0	6.6	26	- 9.4	13	0 -	1$_5$ 4.7	7$_5$ 3.1	41$_5$ 3.6	6 3.0	31$_5$ 4.1	4 6.8	1 8.0	1
II			- 2.8	- 1.0	- 1.3	- 1.7		- 4.5	6.4	15	-12.3	27	2$_5$ 6.6	2$_5$ 5.8	10 2.0	44 3.2	2$_5$ 2.8	10 3.9	3$_5$ 6.6	9 6.4	2
III			0.6	2.4	1.3	1.1		- 1.3	11.3	29	- 8.7	7	2 3.0	2 2.0	8$_5$ 2.0	30$_5$ 2.6	5$_5$ 2.7	25 3.8	11 4.6	8$_5$ 5.7	3
IV			4.7	6.3	5.4	4.9		2.6	11.8	30	- 1.9	13	3 5.3	13 2.8	2 1.5	12$_5$ 3.5	5 3.3	15 4.0	19 5.4	19$_5$ 5.1	4
V			8.1	9.8	8.7	7.9		4.7	23.3	22	0.6	5	7 2.3	33$_5$ 2.9	5$_5$ 1.8	3$_5$ 2.7	1 2.0	3 3.7	15$_5$ 4.2	20 3.3	5
VI			11.8	13.3	12.3	11.6		8.9	23.1	28	4.0	15	5$_5$ 2.3	19$_5$ 2.6	6$_5$ 1.5	16 3.5	3 2.7	11$_5$ 4.6	16$_5$ 3.6	8$_5$ 2.8	6
VII			15.1	16.6	15.6	14.9		12.2	26.1	15	8.9	1	6$_5$ 3.0	23 2.5	6 1.5	17$_5$ 3.2	2 2.8	8$_5$ 2.6	16 3.3	10$_5$ 2.5	7
VIII			14.8	17.4	15.7	14.8		11.6	24.6	7	7.9	18	8$_5$ 2.2	30 2.5	4$_5$ 1.3	17 3.6	3 3.3	7$_5$ 3.6	9 3.7	8$_5$ 2.9	5
IX			11.8	13.7	12.8	12.3		9.9	19.3	2	6.4	30	1 2.0	16 2.3	8 2.1	33 3.1	8 3.1	6$_5$ 4.5	8 4.9	7$_5$ 2.8	2
X			7.2	9.0	7.7	7.8		5.7	12.9	2	- 1.1	22	1$_5$ 4.7	4 2.8	6 1.6	25$_5$ 3.1	6$_5$ 1.5	11 3.8	10$_5$ 5.5	28 5.0	3
XI			3.9	4.9	4.1	4.2		1.9	10.4	5	- 3.7	16	4 4.1	2$_5$ 3.2	10 1.5	40$_5$ 3.2	8 2.6	9 4.4	7 6.1	9 3.9	3
XII			3.0	3.2	3.4	3.1		1.5	8.2	21	- 5.3	15	0 -	0 -	0$_5$ 4.0	6$_5$ 3.7	7 3.4	15 3.7	2$_5$ 4.0	3 4.3	0
1946			6.6	8.1	7.3	6.9		4.4	26.1		-12.3		41$_5$ 3.1	147$_5$ 2.7	75 1.9	346$_5$ 3.3	57$_5$ 2.8	153$_5$ 3.9	122$_5$ 4.6	133 4.2	18

Ørland

φ = 63° 41' N λ = 9° 40' E g = $\Delta G = +1^h$

I			0.9	1.5	1.0	1.0		- 1.1	6.0	4	- 8.7	12	0 -	1$_5$ 2.3	7 4.1	28$_5$ 5.1	32$_5$ 5.1	14 4.1	9 5.1	0$_5$ 8.0	2
II			- 2.7	- 1.1	- 1.0	- 1.8		- 4.4	6.7	15	-11.0	21	5 4.9	4 2.8	6 3.0	30 4.6	12$_5$ 4.5	4 3.4	12 5.0	6$_5$ 5.8	4
III			0.7	2.5	1.6	1.3		- 0.8	8.2	29	- 7.6	7	3 1.8	0$_5$ 1.0	3$_5$ 2.7	32$_5$ 4.6	16 4.3	9$_5$ 3.5	20 4.1	8 4.3	1
IV			4.4	6.7	5.3	4.9		2.5	12.7	30	- 2.8	12	5$_5$ 4.3	5$_5$ 2.8	1$_5$ 3.7	14 3.9	9 4.1	12$_5$ 3.9	22$_5$ 4.9	19$_5$ 4.8	2
V			8.2	11.8	9.8	8.7		4.9	22.2	26	0.8	6	20 3.3	5$_5$ 3.0	3$_5$ 1.4	9$_5$ 2.6	4 3.1	8$_5$ 3.1	10 3.9	26 4.1	1
VI			12.0	13.8	12.7	11.8		9.1	20.3	28	4.0	15	10 2.8	5 1.6	5$_5$ 3.8	15$_5$ 3.4	11$_5$ 3.7	9 4.4	13$_5$ 4.9	19 3.5	1
VII			14.8	17.6	16.1	15.1		12.1	24.2	15	8.7	1	6$_5$ 3.2	5 2.6	5 3.0	19 4.1	10 3.2	6 3.0	12 4.6	27$_5$ 2.7	2
VIII			14.2	18.2	15.7	14.8		11.6	23.6	7	7.6	18	12$_5$ 2.6	6 2.8	4$_5$ 1.8	15 4.3	15 4.1	6 3.4	9 3.7	17 2.8	8
IX			11.4	13.6	12.2	11.9		9.8	17.9	2	6.0	30	3 2.5	3 2.5	4 3.0	27$_5$ 4.4	18$_5$ 4.8	8$_5$ 4.1	10$_5$ 3.1	7 3.4	3
X			6.9	8.5	7.4	7.4		5.7	12.4	3	0.0	22	2 3.8	3$_5$ 2.7	2 2.8	19$_5$ 4.6	18 4.1	6 3.9	17 4.4	22 4.9	3
XI			3.9	4.5	3.8	4.0		1.8	11.2	6	- 4.1	14	4$_5$ 2.8	6$_5$ 2.1	3 4.3	23$_5$ 4.9	21$_5$ 4.6	4$_5$ 2.9	12$_5$ 5.0	9 3.8	5
XII			2.9	3.0	3.2	3.0		1.6	8.8	21	- 4.7	16	0 -	0 -	1$_5$ 4.7	40 5.1	35$_5$ 5.2	6 3.4	8 3.6	2 5.5	0
1946			6.5	8.4	7.3	6.8		4.4	24.2		-11.0		72 3.2	46 2.5	47 3.1	274$_5$ 4.5	204 4.5	94$_5$ 3.7	156 4.4	164 3.9	37

Trondheim (Voll)

φ = 63° 25' N λ = 10° 27' E g = 9.821 $\Delta G = +1^h$

I	998.5	1015.4	- 2.7	- 2.1	- 2.9	- 2.7	0.1	- 6.0	7.5	5	-15.7	13	0$_5$ 1.0	6$_5$ 2.5	11 2.3	8 1.8	32 2.8	25$_5$ 2.6	6$_5$ 4.8	0 -	3
II	84.6	01.4	- 6.2	- 3.6	- 4.2	- 5.0	- 1.1	- 8.4	7.5	16	-17.5	28	1 3.5	9$_5$ 1.3	12 1.8	4$_5$ 2.1	14 2.1	18$_5$ 2.8	10$_5$ 3.7	5 3.7	9
III	1000.4	17.2	- 2.6	1.9	0.0	- 0.6	3.4	- 3.8	9.5	29	-14.6	14	0 -	5 1.3	5 1.1	9$_5$ 2.1	21$_5$ 2.2	28$_5$ 2.2	13 3.5	1$_5$ 2.0	4
IV	991.8	08.2	3.2	6.0	4.5	3.9	7.8	1.2	12.6	30	- 7.7	12	2$_5$ 1.6	9$_5$ 1.7	4$_5$ 2.3	2$_5$ 2.6	22 2.7	13$_5$ 2.7	28 2.8	3$_5$ 3.6	4
V	1002.5	18.7	7.8	11.5	10.6	8.6	12.9	4.5	23.9	27	- 0.6	6	3$_5$ 1.6	25 2.1	6 2.0	0 -	6$_5$ 2.5	12$_5$ 2.2	28 2.7	9$_5$ 2.1	2
VI	992.1	08.0	11.3	14.1	12.5	11.6	15.6	8.6	23.3	26	3.3	15	2$_5$ 1.4	22 2.1	9 1.9	3$_5$ 3.4	8$_5$ 4.2	7 2.5	22 1.6	13$_5$ 1.6	2
VII	96.6	12.4	14.8	18.3	16.7	15.2	19.3	11.6	25.4	15	7.3	1	5$_5$ 1.4	14$_5$ 1.5	14 2.0	5 1.5	14 2.2	8 1.7	21$_5$ 1.5	5$_5$ 1.5	6
VIII	93.0	08.8	13.4	17.1	15.6	14.1	18.4	10.9	22.9	7	8.3	19	4 1.2	17 1.8	12 1.5	3 3.2	16 2.8	9$_5$ 3.1	13$_5$ 1.6	2 1.2	6
IX	90.2	06.2	9.5	13.0	11.5	10.7	14.2	8.1	19.9	27	2.3	21	3 1.2	9 1.6	4 2.6	5$_5$ 2.2	22$_5$ 3.1	22$_5$ 1.9	6$_5$ 1.5	2 1.0	15
X	1004.7	21.2	3.8	7.1	5.4	5.1	7.5	2.7	11.6	3	- 3.8	23	1$_5$ 1.7	3 2.2	5 1.6	2 2.0	12 3.0	23 2.2	24 3.3	1$_5$ 2.0	5
XI	991.0	07.4	2.0	2.7	2.0	2.1	4.3	- 0.2	10.4	6	- 9.3	21	2 2.2	6$_5$ 1.7	4 1.2	4 2.1	28$_5$ 3.5	16$_5$ 3.2	15$_5$ 2.5	1 3.5	12
XII	98.9	15.6	0.3	0.3	0.2	0.2	2.2	- 2.0	7.5	23	-11.8	16	0$_5$ 1.0	1$_5$ 1.0	10$_5$ 2.1	6$_5$ 2.5	25$_5$ 3.4	22$_5$ 3.1	4 3.2	0$_5$ 1.0	22
1946	995.4	1011.7	4.6	7.2	6.0	5.3	8.7	2.3	25.4		-17.5		26$_5$ 1.5	129 1.8	97 1.9	54 2.2	222$_5$ 2.9	207$_5$ 2.5	193 2.6	45$_5$ 2.1	120

1946

Tingvoll

H_t = 51 H_b = h_t = 1.8 h_a = h_d = 9.7 h_r = 1.6

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	ᚠ	*	△	▲	ᚱ	=	≡	⊙	◔	●	▣
I	81	80	81	81	6.1	5.1	5.0	87	55	8	25		14		8	5	2	12	4	0	6	4	1	0	0	1	0	0	0	4	4	10	14	24
II	88	77	77	82	7.8	6.4	6.1	106	24	11	27		8		16	11	4	9	4	3	7	13	2	1	3	4	0	2	4	0	12	2	13	21
III	88	66	74	79	6.3	7.1	7.0	67	25	28	20		5		16	10	1	5	0	0	12	7	1	0	0	1	0	0	8	0	16	3	13	21
IV	87	70	74	81	7.6	7.4	7.8	144	21	10	8		0		22	18	5	13	0	0	19	9	2	2	0	2	0	0	7	2	12	1	15	8
V	81	58	64	76	5.8	5.6	5.6	51	10	5	4		0		12	9	1	3	0	0	12	5	4	0	0	0	0	0	4	0	20	7	14	0
VI	82	67	72	81	7.3	8.5	8.0	58	9	13	0		0		21	12	0	4	1	0	21	0	0	2	0	0	0	2	6	0	15	1	17	0
VII	86	67	74	84	6.7	6.7	7.3	118	13	20	0		0		23	19	5	2	1	0	23	0	0	1	0	0	0	6	7	0	18	3	15	0
VIII	83	64	74	85	6.8	6.1	7.3	102	17	8	0		0		19	13	4	4	1	0	19	0	0	0	0	0	0	1	6	2	21	2	10	0
IX	84	70	79	83	7.3	8.1	7.9	105	22	28	1		0		21	14	5	3	0	0	21	0	0	0	0	0	0	1	5	2	10	1	15	0
X	90	76	84	85	7.5	6.7	5.6	54	21	15	10		0		15	10	1	2	0	0	15	1	1	3	0	0	0	0	8	4	17	4	13	0
XI	86	81	86	85	8.2	6.8	6.1	101	16	13	13		1		17	15	3	7	0	0	15	5	3	0	0	2	0	0	5	1	5	3	16	8
XII	73	74	75	74	4.2	5.3	4.0	16	5	19	22		2		5	5	0	14	3	0	5	1	0	0	0	0	0	0	1	0	0	6	4	0
1946	85	71	76	81	6.8	6.6	6.5	1009	55		130		30		195	141	31	78	14	3	175	45	14	9	3	10	0	12	61	15	150	43	159	82

Sula Fyr

H_t = 27 H_b = 30.0 h_t = 2.0 h_a = 5.4 h_d = 12.2 h_r = 1.6

I	83	77	76	78	7.0	8.0	6.7	36	14	5	5		0		10	7	1	14	4	2	10	2	0	0	0	0	0	1	0	0	7	3	16	
II	78	79	78	78	7.5	8.5	8.0	53	10	16	17		0		20	12	1	12	5	2	9	16	1	2	0	2	0	0	2	0	3	1	19	
III	82	74	80	79	7.1	6.9	7.4	105	13	2	15		0		20	19	1	11	1	0	18	9	6	2	0	2	0	0	3	1	15	2	16	
IV	87	80	81	82	8.2	8.3	8.8	98	21	3	3		0		25	19	1	17	3	0	23	5	1	4	0	9	0	0	1	0	3	0	20	
V	84	80	81	83	5.8	5.3	5.3	26	7	10	0		0		12	9	0	4	0	0	12	3	2	2	0	1	0	0	1	4	24	7	6	
VI	83	79	80	82	7.9	7.7	8.0	59	10	29	0		0		18	14	1	6	1	0	18	0	0	5	0	0	0	0	1	2	6	0	15	
VII	82	78	79	81	7.3	5.8	6.5	102	23	1	0		0		13	13	5	3	0	0	13	0	0	4	0	0	0	0	2	2	18	3	10	
VIII	81	75	80	81	7.7	6.8	7.0	58	17	9	0		0		11	7	3	3	1	0	11	0	0	1	0	0	0	0	3	17	0	14		
IX	81	76	76	76	8.0	8.2	7.9	123	27	28	0		0		17	14	5	8	0	0	17	0	0	0	0	0	0	0	0	0	16	0	19	
X	78	77	77	78	7.7	8.3	8.0	47	8	24	0		0		19	15	0	14	2	0	19	0	0	3	0	1	0	0	3	0	2	0	17	
XI	80	76	75	77	6.7	6.8	6.4	66	7	25	6		0		20	17	0	12	2	1	18	8	5	0	0	0	0	0	2	0	12	3	12	
XII	76	74	73	74	5.7	6.6	6.0	28	8	18	0		0		13	7	0	8	5	2	13	0	0	2	0	0	0	0	0	0	1	2	10	
1946	80	77	78	79	7.2	7.3	7.2	801	27		46		0		198	153	18	112	24	7	181	43	15	25	0	15	0	1	15	12	124	21	174	

Vallersund

H_t = 4 H_b = h_t = 2.0 h_a = h_d = 7.8 h_r = 1.4

I					6.1	6.5	5.4	32	8	6	20		0		5	5	0	12	2	1	5	0	0	1	0	0	0	1	0	0	0	5	7	0	
II					6.7	6.3	6.6	51	11	16	23		3		18	13	1	12	5	3	4	16	3	1	0	2	0	0	0	0	5	1	11	18	
III					7.2	6.8	6.0	83	10	27	18		0		18	16	0	12	2	0	15	10	4	1	0	6	0	0	2	0	6	4	11	19	
IV					8.3	7.9	8.5	141	19	3	3		0		25	20	3	15	4	0	23	9	6	2	0	4	0	0	0	0	8	0	19	1	
V					5.5	4.6	4.9	23	6	10	0		0		11	8	0	7	2	0	11	3	3	1	0	3	0	0	1	0	20	5	8	0	
VI					6.8	6.6	7.6	64	15	29	0		0		19	15	1	6	1	0	19	0	0	4	0	1	0	1	0	1	13	0	10	0	
VII					6.8	5.7	6.2	63	13	3	0		0		18	13	1	5	1	0	18	0	0	3	0	0	0	3	1	1	14	3	9	0	
VIII					6.0	5.3	5.4	52	12	12	0		0		11	7	1	3	0	0	11	0	0	2	0	0	0	1	0	3	15	6	8	0	
IX					7.3	7.8	7.8	101	15	5	0		0		17	13	5	9	2	0	17	0	0	0	0	0	0	0	0	0	11	0	15	0	
X					7.5	7.6	6.4	73	9	18	1		0		20	16	0	15	0	0	20	0	0	0	0	0	0	0	0	0	4	1	12	0	
XI					6.6	6.8	4.7	78	16	12	10		0		19	16	1	10	1	0	17	4	1	0	0	4	0	0	0	0	0	2	6	8	
XII					4.8	5.1	4.6	13	6	24	7		0		7	2	0	11	5	0	6	1	0	0	0	0	0	0	0	0	0	5	5	0	
1946					6.6	6.4	6.2	774	19		82		3		188	144	13	117	25	4	166	43	17	15	0	20	0	6	4	5	96	32	121	46	

Ørland

H_t = 12 H_b = h_t = 1.9 h_a = h_d = 11.1 h_r = 1.5

I		75	74	75	6.9	6.9	6.1	54	17	6	21		0		7	5	3	16	3	1	6	1	0	1	0	0	0	1	2	0	10	5	14	
II		80	80	81	7.2	7.2	6.3	69	16	16	26		1		17	14	2	15	2	2	7	15	2	1	0	2	0	0	2	0	10	4	15	
III		77	81	81	6.8	7.8	6.6	121	18	17	17		0		17	14	5	4	0	0	11	9	2	3	0	1	0	0	1	0	13	5	14	
IV		75	83	84	8.3	8.4	8.9	203	27	3	4		0		25	21	6	13	1	0	23	9	4	7	0	1	0	1	2	0	14	0	19		
V		66	70	78	5.9	5.1	5.5	37	8	10	0		0		13	10	0	4	0	0	13	4	4	1	0	0	0	0	0	2	26	7	10	
VI		74	76	80	7.8	8.0	8.1	80	23	29	0		0		21	16	2	5	0	0	21	0	0	5	0	0	0	1	0	0	21	0	17		
VII		70	76	82	7.1	6.4	7.3	84	16	3	0		0		22	15	2	8	0	0	22	0	0	3	0	0	0	3	0	1	23	4	14		
VIII		68	79	82	6.6	6.0	6.4	85	22	15	0		0		15	11	3	5	0	0	15	0	0	3	0	0	0	0	0	0	23	6	13		
IX		77	83	83	8.4	9.0	8.7	140	17	22	0		0		18	14	7	7	0	0	18	0	0	3	0	0	0	0	1	0	14	0	21		
X		79	82	82	7.7	7.9	5.8	115	12	18	0		0		22	17	3	13	0	0	21	0	0	8	0	0	0	0	3	0	13	4	15		
XI		79	79	79	7.4	7.4	6.2	95	17	13	9		0		19	16	3	11	1	0	16	5	2	0	0	1	0	0	0	0	6	2	15		
XII		74	73	74	5.0	6.2	6.3	15	6	18	5		0		5	4	0	11	0	0	5	1	1	1	0	0	0	0	0	0	14	7	12		
1946		74	78	80	7.1	7.2	6.8	1098	27		82		1		201	157	36	112	7	3	178	44	15	36	0	5	0	6	11	3	187	44	179		

Trondheim (Voll)

H_t = 127 H_b = 133.0 h_t = 2.0 h_a = h_d = 11.2 h_r = 1.3

I		71	69	70	5.3	4.7	4.5	41	19	8	27	13	5	0	6	5	2	11	2	1	5	3	1	1	0	0	0	1	1	3	11	6	6	31
II		76	77	78	6.0	6.6	5.9	72	16	16	27	20	10	0	16	13	2	10	2	1	6	14	2	1	0	0	0	0	0	0	10	7	11	26
III		68	74	75	6.9	5.9	6.8	88	20	18	21	5	4	0	14	14	2	7	0	0	10	6	0	1	0	0	0	0	2	1	15	2	13	24
IV		74	81	82	7.6	7.5	8.9	182	40	1	5	0	0	0	26	23	5	10	0	0	23	9	3	5	0	1	0	0	2	4	14	0	18	9
V		62	62	72	5.5	5.1	5.2	38	7	10	1	0	0	0	11	11	0	3	0	0	9	7	3	0	0	0	0	0	0	1	24	6	7	1
VI		68	72	81	7.4	8.2	8.6	79	11	29	0	0	0	0	27	16	2	5	1	0	27	0	0	0	0	0	0	3	0	1	18	0	17	0
VII		64	68	76	6.4	6.1	6.2	63	15	3	0	0	0	3	22	14	2	4	0	0	22	0	0	2	0	0	0	5	1	4	25	5	11	0
VIII		66	70	76	6.2	5.9	5.9	59	22	15	0	0	0	0	14	13	1	4	0	0	14	0	0	1	0	0	0	0	9	2	25	6	10	0
IX		73	78	80	7.5	8.1	7.9	90	21	11	0	0	0	0	21	15	3	9	0	0	21	0	0	1	0	0	0	0	3	4	16	0	14	0
X		77	80	82	7.2	6.8	5.5	66	13	13	4	0	0	0	15	11	1	9	1	0	15	1	0	9	0	0	0	0	3	2	10	7	2	0
XI		78	79	78	7.4	7.1	5.8	62	14	12	11	6	0	0	16	15	1	14	1	0	12	6	2	4	0	0	0	0	0	1	8	3	14	6
XII		69	69	69	4.2	4.1	4.7	15	7	18	18	5	3	0	4	3	0	11	2	0	4	2	1	0	0	0	0	0	2	12	10	5	1	
1946		70	73	77	6.5	6.3	6.3	855	40		114	49	22	3	192	153	21	97	9	2	168	48	12	25	0	1	0	9	21	25	188	52	128	98

1946

Selbu

$\varphi = 63°\ 12'$ N $\lambda = 11°\ 7'$ E $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 4.1	- 2.6	- 4.3	- 3.8		- 8.4	6.7	5	-17.4	13	6	1.8	3₅	1.7	23₅	1.9	33₅	2.6	17₅	3.3	1₅	1.0	1	7.0	5₅	3.0	1
II			- 7.4	- 3.0	- 5.5	- 5.7		-10.3	5.0	14	-21.9	28	3	1.7	2₅	1.8	20	1.8	27₅	2.5	9	1.8	0₅	1.0	2	1.0	16₅	3.0	3
III			- 3.4	1.6	- 0.9	- 1.5		- 5.8	9.5	29	-19.6	7	7	2.0	1₅	2.0	21	1.9	24	2.4	14	2.5	2₅	1.8	2₅	2.0	18₅	2.8	2
IV			3.6	6.8	4.5	4.0		0.5	13.9	30	- 9.3	12	4	2.0	0₅	3.0	14	2.4	18₅	2.9	14₅	3.1	0	-	3	3.0	31₅	3.0	4
V			8.2	12.8	11.0	8.4		2.3	25.3	27	- 3.0	6	11₅	3.3	0₅	1.0	9	2.9	15₅	2.4	18₅	2.2	2₅	1.6	8₅	2.8	2₅	3.4	2
VI			11.8	14.6	12.7	11.6		7.7	22.7	24	0.6	15	10	2.8	0₅	1.0	4	3.0	24	3.4	12	3.2	2	2.0	10₅	2.4	26	2.7	1
VII			15.0	19.1	17.2	15.3		10.5	26.1	17	5.3	1	4₅	2.6	1	2.5	3₅	1.4	16	2.9	19	2.4	1₅	2.3	9₅	2.1	36	2.7	2
VIII			12.9	18.1	15.9	13.9		9.4	23.3	6	5.4	18	4	2.9	0	-	10₅	2.4	30	3.0	20₅	2.9	1	2.5	8	2.3	18	3.1	1
IX			9.0	13.5	11.1	10.3		6.8	18.3	9	0.5	21	4	2.1	0	-	14₅	2.1	36	2.6	17	2.9	2₅	1.2	4	2.0	9	1.8	3
X			3.4	7.1	4.3	4.5		1.8	13.7	3	- 4.4	22	5	2.9	5	1.4	10	1.6	22	2.6	10	2.2	2₅	1.2	1₅	2.0	28	3.2	9
XI			1.3	2.8	1.8	1.8		- 0.8	9.9	1	-10.9	17	4₅	1.3	5	2.2	12	2.5	32₅	3.3	16	3.6	0₅	2.0	2₅	3.0	15	2.2	2
XII			- 0.2	0.2	- 0.3	- 0.2		- 2.9	6.3	23	-12.9	15	3	1.7	1₅	1.7	17	2.5	45₅	3.0	14₅	4.0	0	-	0₅	2.0	6	1.8	5
1946			4.2	7.6	5.6	4.9		0.9	26.1		-21.9		66₅	2.4	21₅	1.8	159	2.2	32₅	2.8	182₅	2.9	17	1.6	53₅	2.4	23₅	2.9	35

Berkåk

$\varphi = 62°\ 50'$ N $\lambda = 10°\ 1'$ E $g =$ $\Delta G = +1^h$

I			- 6.9	- 6.1	- 7.1	- 6.9		-12.0	3.2	5	-26.4	13	0	-	10	1.9	1₅	2.0	9	2.9	39	3.0	9₅	3.3	2	3.5	0	-	22
II			- 9.8	- 4.5	- 8.7	- 8.3		-14.0	5.8	14	-28.4	25	1	3.5	9₅	1.9	2₅	2.0	7	2.8	20₅	2.5	7₅	2.9	12	3.6	4	3.1	20
III			- 4.8	0.9	- 2.5	- 3.0		- 8.2	9.3	29	-24.1	7	1	2.0	4₅	2.0	3	2.3	14	2.4	22	2.8	9₅	2.6	17₅	2.7	2₅	3.0	19
IV			2.5	5.9	3.2	2.7		- 1.4	12.6	30	-17.5	13	1₅	2.0	7₅	1.9	1₅	2.3	9₅	2.5	10	2.8	11	3.0	25	2.9	6	2.7	18
V			7.0	11.5	9.5	7.0		1.2	23.2	28	- 5.6	6	9₅	2.3	15	2.6	3	2.3	6₅	2.3	7	2.3	12	2.1	19₅	2.6	8₅	2.5	12
VI			10.6	14.1	11.6	10.5		6.0	21.7	26	- 1.4	15	5₅	2.5	16₅	2.4	1₅	3.3	3	2.2	15	2.9	21	3.0	14	2.5	8₅	2.4	5
VII			13.8	18.0	15.7	13.8		8.4	24.9	17	1.9	1	6₅	2.1	13	2.7	3	2.5	6₅	3.0	13	2.6	16₅	2.4	12	2.5	5₅	2.5	17
VIII			11.1	16.5	13.6	11.9		7.2	22.4	6	2.4	19	4	2.2	16₅	2.4	5₅	2.4	9₅	2.7	19	2.9	9₅	3.0	13	2.4	3	2.2	13
IX			6.5	11.6	8.6	8.0		4.4	16.8	27	- 3.0	30	2	2.0	12	2.1	3	3.3	8₅	2.4	20₅	2.9	11₅	2.8	3	1.7	2₅	1.4	27
X			1.3	5.9	2.0	2.7		- 0.5	11.8	8	- 7.7	22	4₅	2.9	11₅	2.5	2	2.0	8₅	2.8	18₅	2.7	8	2.7	12	2.9	9	3.3	19
XI			- 0.8	0.9	- 0.3	- 0.3		- 2.9	7.7	25	-14.8	16	2₅	2.0	7₅	2.1	0	-	9₅	3.0	24	3.3	11₅	3.0	5	2.0	3	2.7	27
XII			- 3.2	- 2.1	- 3.0	- 2.9		- 6.2	5.8	21	-15.8	16	2	2.5	7	2.4	6₅	2.8	16₅	3.3	41₅	3.6	10₅	3.4	0	-	0	-	9
1946			2.3	6.0	3.6	2.9		- 1.5	24.9		-28.4		40	2.3	130₅	2.3	33	2.5	108	2.8	250	2.9	138	2.8	135	2.7	52₅	2.6	208

Meråker

$\varphi = 63°\ 25'$ N $\lambda = 11°\ 46'$ E $g =$ $\Delta G = +1^h$

I			- 4.4	- 2.5	- 4.1	- 3.8		- 8.5	5.3	5	-21.3	13	1	3.0	1	2.0	2	2.0	48₅	2.7	20	4.1	2₅	6.6	5	3.6	2	2.0	11
II			- 9.3	- 5.3	- 7.0	- 7.5		-12.0	6.3	15	-22.1	28	1	2.0	0	-	0	-	45₅	2.8	3₅	2.4	1₅	2.0	3₅	3.1	14	3.0	15
III			- 3.9	0.8	- 1.5	- 2.0		- 6.4	10.4	29	-18.1	15	0₅	3.0	0	-	0	-	47₅	2.4	5₅	2.8	0	-	6₅	4.3	14	3.2	19
IV			2.6	5.3	3.9	3.0		- 0.2	11.7	30	- 9.1	12	3	2.2	1	1.0	0₅	2.0	16	2.9	20₅	3.7	2₅	3.2	24₅	3.1	19	2.8	3
V			6.1	11.5	10.2	7.2		1.3*	26.9	27			4	2.2	0	-	2	2.0	22₅	2.8	10₅	2.9	7	2.7	22₅	3,2	16₅	2.6	8
VI			10.3	14.1	12.2	10.9		7.3*	24.1	24			2	2.0	0	-	5	2.2	17₅	3₅1	9₅	3.9	5₅	2.3	26₅	2.6	18	2.6	6
VII			13.8	18.5	17.6	14.7		9.2*	25.6	17			2	2.0	0	-	3	2.5	17₅	3.4	8₅	2.7	0	-	17₅	2.7	19₅	2.6	25
VIII			11.7	17.1	16.0	13.3		9.1	21.9	7	5.0	19	0	-	0	-	2	2.5	17	2.7	28	3.4	1	6.0	18₅	2.7	4₅	2.6	22
IX			7.8	13.0	11.0	9.8		6.3	17.9	2	0.2	21	0	-	0	-	2	2.0	20₅	3.3	23	3.1	0₅	3.0	11₅	2.3	6₅	2.4	26
X			2.9	6.2	4.3	4.1		1.2	12.7	3	- 5.5	22	2	2.0	0	-	1	3.0	29	2.9	3	2.7	0	-	20₅	2.8	8₅	2.8	29
XI			0.5	2.0	1.4	1.1		- 1.8	8.9	6	-11.6	14	2	2.0	0	-	0	-	25₅	3.7	14₅	4.0	0₅	5.0	12	3.1	4₅	2.3	31
XII			- 1.4	- 0.9	- 1.8	- 1.5		- 4.1	5.8	23	-14.3	15	1₅	1.7	0	-	0	-	53	2.8	16	3.8	0	-	0	-	1₅	1.7	21
1946			3.1	6.6	5.2	4.1		0.1	26.9		-22.1		19	2.1	2	1.5	17₅	2.2	36₀	2.9	162₅	3.5	21	3.3	168₅	2.9	128₅	2.7	216

Sulstua

$\varphi = 63°\ 40'$ N $\lambda = 12°\ 1'$ E $g =$ $\Delta G = +1^h$

I			- 6.0	- 4.1	- 6.0	- 5.6		-11.2	4.9	26	-28.9	13	0	-	3₅	1.9	15₅	2.3	19	2.1	9	2.2	15	2.1	7	1.7	0	-	24
II			-11.6	- 6.7	- 8.7	- 9.5		-15.3	5.1	14	-28.8	13	0	-	6	2.2	17₅	2.3	18	1.8	4	1.1	7₅	2.3	9	2.7	1	3.5	21
III			- 4.9	0.0	- 2.9	- 3.3		- 8.8	10.3	29	-26.2	15	0	-	2₅	1.4	14₅	2.2	13₅	1.8	5₅	1.3	10	1.6	17	1.8	2	2.8	28
IV			2.5	4.2	2.7	2.2		- 1.1	9.2	26	-12.9	12	0	-	4₅	1.9	13	2.2	7	2.1	6₅	1.8	16₅	2.0	26	2.2	3₅	2.1	13
V			7.8	10.9	9.5	7.1		0.7	24.4	27	- 4.2	20	1	1.0	3₅	1.6	19	1.6	6₅	1.9	3₅	1.1	11₅	2.0	27	1.9	8	2.0	13
VI			10.6	13.8	11.9	10.6		6.3	23.4	24	- 2.0	15	0	-	1	3.0	12	2.0	13₅	2.0	4	2.1	5₅	1.5	24	1.4	4	1.2	26
VII			14.6	18.4	16.9	14.3		8.2	26.2	17	2.2	12	0₅	3.0	3	2.2	10₅	1.8	13₅	2.3	5	2.1	14₅	1.8	20	1.7	6	1.9	20
VIII			12.3	17.1	14.7	12.5		6.6	22.9	6	- 1.9	28	0	-	4	2.1	17₅	2.2	13₅	2.0	9₅	1.9	8	2.2	14₅	1.5	5	1.3	21
IX			8.3	13.4	10.1	9.4		4.2	18.1	2	- 2.7	13	0	-	3₅	1.7	6₅	1.9	15₅	2.2	11	1.9	5₅	1.3	9	1.6	2	1.2	37
X			2.4	6.5	4.0	3.8		0.0	13.5	3	- 8.9	22	0₅	2.0	2	1.2	4	2.5	10₅	1.6	2₅	1.4	12	1.8	26	2.1	5₅	1.6	30
XI			- 0.6	1.4	- 0.1	0.0		- 3.9	9.9	6	-16.0	20	0₅	1.0	1	3.0	13	2.4	8₅	2.1	6	2.2	13	1.9	18₅	1.8	2₅	1.4	27
XII			- 2.3	- 2.0	- 2.6	- 2.4		- 5.5	5.7	23	-17.9	15	0₅	4.0	4₅	1.8	20₅	2.3	18	2.4	5₅	1.5	9₅	1.7	7	1.7	1₅	1.3	26
1946			2.8	6.1	4.1	3.3		- 1.6	26.2		-28.9		3	2.0	39	1.9	163₅	2.1	157	2.0	72	1.8	128₅	1.9	205	1.9	41	1.8	286

Ytterøy

$\varphi = 63°\ 48'$ N $\lambda = 11°\ 13'$ E $g =$ $\Delta G = +1^h$

I			- 1.7	- 0.8	- 1.4	- 1.4		- 3.9	5.8	5	-10.2	13	7	1.8	11	2.4	19	2.3	5	2.2	19₅	2.4	24₅	3.7	1	8.0	0	-	6
II			- 5.9	- 4.2	- 4.2	- 5.0		- 7.3	6.0	14	-14.2	28	9₅	2.1	13	2.2	31₅	2.8	3	3.0	5	3.5	14₅	3.7	1	5.0	5₅	3.5	1
III			- 1.5	0.9	0.1	- 0.5		- 3.3	8.0	29	-10.8	7	7	1.9	13	2.0	19	3.1	4₅	2.6	9	1.9	27₅	2.9	8	3.7	3	2.2	2
IV			2.9	5.2	4.5	3.8		1.2	11.8	30	- 5.0	12	12	2.2	10₅	2.4	5₅	2.7	5	2.3	15	2.8	29₅	3.2	7	3.6	5₅	1.6	0
V			7.8	12.0	11.1	8.9		5.1	24.3	27	0.6	8	17₅	2.4	17₅	2.6	10₅	2.2	1₅	2.0	4	2.0	17	3.2	12	3.4	10	3.0	3
VI			11.1	14.2	13.1	11.9		9.2	21.1	24	6.3	14	14	2.3	12	2.8	13	3.2	5₅	2.9	8₅	2.9	17₅	3.2	12₅	3.2	5	2.3	2
VII			14.6	18.5	17.5	15.8		12.5	25.7	17	8.9	2	14₅	2.4	7	2.5	11₅	3.1	5₅	2.3	13	2.4	15	3.1	15	2.5	6₅	2.4	5
VIII			13.3	17.7	16.8	14.7		11.4	21.7	24	8.9	20	20₅	1.8	8₅	1.6	12	2.7	9₅	2.8	9₅	3.2	14₅	2.8	7	2.7	5₅	2.1	6
IX			10.2	13.4	12.3	11.5		9.0	17.5	2	4.9	21	15₅	1.7	12	1.8	8₅	2.5	4₅	2.7	13	3.1	19₅	2.5	6	2.7	6	2.2	5
X			5.7	7.6	6.6	6.4		4.6	12.4	3	- 1.8	23	8₅	2.7	3₅	2.4	9₅	2.7	2₅	1.2	18	2.7	27₅	3.0	17	3.1	1₅	4.7	5
XI			2.1	2.7	2.5	2.3		0.3	11.0	6	- 7.5	14	13₅	2.5	8	2.2	12₅	2.1	3₅	2.4	15	3.0	28₅	3.2	4₅	2.6	1₅	2.0	3
XII			0.7	1.1	0.9	0.9		- 0.7	6.6	23	- 8.5	16	5₅	1.8	8₅	2.4	39₅	2.7	10₅	3.0	14	3.5	14	2.9	1	3.0	0	-	0
1946			4.9	7.4	6.6	5.8		3.2	25.7		-14.2		145	2.2	124₅	2.3	192	2.7	60₅	2.6	143₅	2.8	249₅	3.1	92	3.1	50	2.5	38

Årsoversikter

Annual Summaries)

1946

Selbu

H_t = 197 H_b = h_t = 2.0 h_a = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n																								
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	✱	?	*	△	▲	⛈	≡	≡	⊙	◔	●	⊞
I	74	72	75	75	5.3	5.2	4.8	34	21	8	29		15		8	3	1	9	1	1	6	6	3	0	0	0	0	0	0	0	5	8	9	31
II	83	74	82	82	6.6	7.1	6.4	65	12	17	27		11		16	12	2	4	1	0	3	15	2	0	0	0	0	0	0	0	0	8	7	15	28
III	81	66	74	76	7.5	7.5	7.1	50	9	28	24		9		18	12	0	1	0	0	13	10	5	0	0	0	0	0	0	0	13	2	16	31
IV	80	70	76	79	8.5	7.5	9.0	116	17	1	8		0		23	17	4	3	0	0	19	12	7	2	0	1	0	0	2	0	14	0	20	15
V	75	53	59	71	6.4	6.6	6.0	35	10	8	8		0		12	9	0	1	0	0	11	6	4	1	0	1	0	1	0	0	22	5	13	1
VI	78	63	73	81	7.9	9.0	8.9	82	17	27	0		0		24	17	3	4	0	0	24	0	0	1	0	0	1	2	0	0	15	0	21	0
VII	76	59	67	76	6.5	7.3	7.1	68	10	26	0		0		19	15	1	2	0	0	19	0	0	1	0	0	0	4	0	0	20	5	15	0
VIII	82	56	65	76	6.7	6.7	6.8	66	29	15	0		0		19	14	1	5	0	0	19	0	0	2	0	0	0	0	0	0	22	4	15	0
IX	87	70	80	82	7.9	8.9	8.2	124	36	4	0		0		24	17	3	3	0	0	24	0	0	3	0	0	0	0	1	10	0	19	0	
X	86	76	84	84	6.8	7.5	6.8	77	15	13	14		0		17	11	3	2	1	0	17	2	0	9	0	0	0	0	1	12	3	15	0	
XI	82	75	78	79	8.0	7.5	6.9	46	9	13	13		4		16	10	0	6	0	0	11	8	3	0	0	0	0	0	0	0	3	2	16	10
XII	72	70	72	72	5.8	5.7	5.6	10	4	18	18		4		3	3	0	10	0	0	1	2	1	0	0	1	0	0	0	0	0	8	10	12
1946	80	67	74	78	7.0	7.2	7.0	783	36		141		43		199	140	18	50	3	1	167	61	25	19	0	3	1	7	2	2	144	44	184	128

Berkåk

H_t = 425 H_b = h_t = 1.8 h_a = h_d = 10.2 h_r = 1.8

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n																								
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	✱	?	*	△	▲	⛈	≡	≡	⊙	◔	●	⊞
I	76	75	77	76	5.6	5.1	4.3	41	30	8	31		17		6	4	1	5	0	0	2	6	2	0	0	0	0	0	0	0	15	8	7	31
II	84	75	85	84	6.8	6.6	5.5	87	25	17	27		16		16	9	3	4	0	0	3	15	2	0	0	0	0	0	0	6	0	12	7	11	28
III	79	64	78	76	6.0	7.4	6.7	23	7	16	27		12		15	11	6	0	0	0	4	7	0	1	0	0	0	0	0	5	1	17	2	12	31
IV	78	62	73	77	8.0	7.7	8.3	50	13	10	14		3		15	9	2	1	0	0	7	11	1	2	0	0	0	0	3	2	18	1	19	30
V	73	55	61	70	5.5	6.7	6.6	21	6	11	12		0		12	5	0	1	0	0	2	8	2	1	0	0	0	0	8	0	25	4	13	0
VI	76	61	73	80	7.2	8.1	8.6	68	13	3	2		0		16	10	2	1	0	0	16	0	0	2	0	0	0	1	3	1	19	0	15	0
VII	76	59	71	78	6.4	7.4	7.4	76	18	22	0		0		20	14	2	1	0	0	20	0	0	1	0	0	0	2	1	0	25	3	12	0
VIII	84	60	73	80	6.8	6.9	7.0	75	18	4	0		0		16	11	4	3	0	0	16	0	0	1	0	0	0	0	3	1	25	1	14	0
IX	90	72	83	85	7.2	8.6	7.6	78	13	4	7		0		21	15	1	1	0	0	21	0	0	3	0	0	0	0	6	1	17	1	16	0
X	85	71	83	82	7.0	7.1	5.0	25	6	15	20		0		13	8	0	1	0	0	11	3	1	7	0	0	0	0	7	0	11	3	14	0
XI	82	76	81	81	7.6	6.3	6.2	30	7	10	18		4		13	7	0	2	0	0	9	7	2	1	0	0	0	0	3	2	9	3	11	0
XII	75	72	75	74	4.2	5.7	3.9	1	1	19	29		7		3	0	0	3	0	0	0	3	0	0	0	0	0	0	0	0	6	10	6	0
1946	80	67	76	79	6.5	7.0	6.4	575	30		187		59		166	103	21	23	0	0	118	60	10	19	0	0	0	3	45	8	199	43	150	120

Meråker

H_t = 247 H_b = h_t = 2.0 h_a = h_d = 9.0 h_r = 1.4

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n																								
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	✱	?	*	△	▲	⛈	≡	≡	⊙	◔	●	⊞
I	76	74	76	76	5.0	5.9	5.2	32	15	6	27		15		10	5	2	9	0	0	5	9	2	0	0	0	0	0	1	1	16	8	7	31
II	82	76	85	83	5.9	6.4	6.2	86	13	15	28		18		16	14	3	5	3	1	3	15	0	0	0	0	0	0	4	0	11	7	12	28
III	81	70	79	79	6.9	7.3	6.5	64	12	28	25		9		19	13	1	4	0	0	11	12	2	0	0	0	0	0	6	0	13	4	17	31
IV	84	74	79	82	8.3	8.0	8.6	137	28	3	12		0		26	19	3	6	0	0	20	15	1	0	0	0	0	0	9	0	15	0	18	10
V	80	59	63	75	6.5	6.5	6.1	36	6	10	10*		0		17	10	0	2	0	0	14	8	2	0	0	0	0	1	6	0	22	3	13	4
VI	81	64	72	82	8.1	8.5	8.9	116	20	4	1*		0		25	17	4	5	1	0	25	0	0	0	0	0	0	7	10	1	12	0	22	0
VII	80	62	64	75	6.7	7.2	7.1	54	13	3	0		0		22	13	1	4	0	0	22	0	0	1	0	0	0	6	6	2	25	2	13	0
VIII	84	62	65	76	6.5	7.5	6.7	79	28	15	0		0		20	11	2	5	0	0	20	0	0	0	0	0	0	2	7	2	21	2	11	0
IX	86	70	78	82	7.8	8.6	8.3	95	17	16	0		0		20	15	5	5	0	0	20	0	0	1	0	0	0	0	8	11	15	0	21	0
X	86	77	85	84	7.0	7.1	6.8	82	14	12	13		0		17	13	3	4	0	0	17	1	0	2	0	0	0	0	12	8	13	2	15	0
XI	82	78	80	80	7.9	8.1	6.8	47	10	12	15		2		18	11	1	7	0	0	12	10	1	0	0	0	0	0	8	5	7	1	15	8
XII	77	74	77	77	5.3	5.8	5.7	7	3	19	25		4		4	2	0	6	0	0	3	3	2	0	0	0	0	0	2	0	2	7	11	1
1946	82	70	75	79	6.8	7.2	6.9	835	28		156		48		214	143	25	62	4	1	172	73	10	4	0	0	0	16	79	30	172	36	175	113

Sulstua

H_t = 233 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n																								
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	✱	?	*	△	▲	⛈	≡	≡	⊙	◔	●	⊞
I					5.6	6.7	5.8	53	24	6	27		16		15	6	2	1	0	0	5	12	2	0	0	0	0	1	0	5	9	5	11	31
II					6.5	7.3	6.6	90	23	16	27		20		20	13	2	2	0	0	5	15	4	0	0	0	0	1	0	0	14	4	13	28
III					7.8	7.4	6.9	78	13	28	28		12		16	12	1	1	0	0	10	13	6	0	0	2	0	0	0	0	20	4	18	31
IV					8.3	8.6	8.1	181	40	3	16		1		25	21	3	0	0	0	22	18	15	4	0	1	0	0	4	21	0	21	16	
V					6.7	6.2	6.4	48	10	11	12		0		15	10	0	0	0	0	15	10	8	2	0	4	0	0	0	0	27	4	14	1
VI					7.9	8.6	8.1	133	21	28	3		0		27	18	3	0	0	0	27	0	0	2	0	0	0	4	0	2	26	0	19	0
VII					6.7	6.4	6.9	110	37	31	0		0		18	16	2	0	0	0	18	0	0	0	0	0	0	7	0	2	28	4	13	0
VIII					5.8	6.3	6.0	86	50	15	1		0		20	11	1	0	0	0	20	0	0	0	0	0	0	2	0	2	29	2	10	0
IX					7.5	7.8	8.2	73	20	16	5		0		21	12	2	0	0	0	20	0	0	1	0	0	0	1	1	5	25	0	15	0
X					7.3	7.3	7.5	98	19	13	16		0		21	14	4	0	0	0	18	2	0	3	0	0	0	0	1	3	16	1	17	0
XI					7.8	7.4	6.5	77	17	12	21		7		19	14	2	0	0	0	12	11	2	0	0	0	0	0	1	1	11	2	15	10
XII					5.5	5.9	5.1	9	6	19	27		5		11	2	0	0	0	0	3	6	2	0	0	0	0	0	0	0	0	8	9	8
1946					7.0	7.2	6.8	1036	50		183		61		228	149	22	4	0	0	175	87	39	12	0	7	0	16	2	24	226	34	176	125

Ytterøy

H_t = 74 H_b = h_t = 1.9 h_a = h_d = 9.5 h_r = 1.5

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n																								
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	✱	?	*	△	▲	⛈	≡	≡	⊙	◔	●	⊞
I		79	78	79	6.8	6.3	5.4	54	22	8	26		1		9	4	2	4	1	1	6	5	2	1	0	0	0	0	1	3	13	5	10	31
II		81	85	83	5.9	5.8	6.1	91	22	16	27		2		18	14	1	7	1	0	4	17	2	0	0	0	0	0	2	2	13	5	9	27
III		75	77	80	6.7	7.5	6.6	74	11	22	23		2		16	13	2	8	0	0	11	10	2	0	0	1	0	0	0	1	20	4	13	27
IV		77	80	85	7.7	7.9	8.1	133	25	3	7		0		25	23	4	8	0	0	24	8	7	3	0	2	0	0	3	0	20	0	18	3
V		60	61	73	6.4	5.0	5.6	16	4	8	0		0		11	5	0	3	0	0	11	2	0	0	0	1	0	0	1	1	30	4	7	0
VI		67	71	81	7.5	8.4	8.4	103	15	27	0		0		27	17	2	3	1	0	27	0	0	2	0	2	0	3	1	0	24	0	20	0
VII		66	68	77	6.5	6.3	6.9	48	12	3	0		0		20	13	1	5	1	1	20	0	0	2	0	0	0	2	1	0	27	4	11	0
VIII		63	66	77	5.9	6.3	5.7	52	12	9	0		0		12	8	2	7	1	0	12	0	0	1	0	0	0	1	0	1	26	8	12	0
IX		73	78	81	7.8	8.6	7.6	88	14	16	0		0		16	12	2	4	0	0	16	°0	0	0	0	0	0	0	0	0	21	0	18	0
X		74	80	81	7.3	7.0	6.0	24	5	14	3		0		17	6	0	5	0	0	17	2	0	1	0	0	0	0	0	1	19	4	15	0
XI		81	80	80	7.2	7.4	4.3	71	18	12	10		0		20	13	1	4	0	0	15	8	2	0	0	0	0	0	0	1	9	2	9	9
XII		77	77	78	4.5	5.5	3.5	4	2	18	14		0		4	1	0	7	0	0	3	1	0	0	0	0	0	0	0	1	11	9	4	1
1946		73	75	79	6.7	6.9	6.2	753	25		110		12		195	129	17	65	5	2	166	53	15	10	0	6	0	6	9	11	233	45	146	98

1946

Kjevli i Snåsa

$\varphi = 64° 10' N$ $\lambda = 12° 29' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 5.7	- 3.6	- 4.4	- 4.7		- 9.0	5.2	5	-27.0	13	1₅ 2.3	21 2.9	19 2.7	3₅ 4.1	3₅ 3.4	7 2.9	24 2.5	1₅ 1.0	12
II			- 9.9	- 6.0	- 7.5	- 8.2		-13.3	5.1	14	-31.6	13	1 1.0	16₅ 2.8	30 3.3	7₅ 3.4	0₅ 5.0	2 3.0	16 2.9	5₅ 1.8	5
III			- 4.2	0.3	- 2.4	- 2.7		- 7.8	7.1	29	-28.8	15	0₅ 1.0	15₅ 2.5	18₅ 3.1	3₅ 2.6	3₅ 2.3	10 2.6	30 2.4	7₅ 2.0	4
IV			2.8	4.6	3.0	2.6		- 0.9	9.4	26	-14.0	12	0 -	8₅ 3.0	11₅ 2.9	3 3.0	3₅ 3.0	14 3.2	36₅ 3.3	9 3.3	4
V			7.8	10.9	9.2	7.4		1.8	23.5	27	- 3.7	6	2₅ 1.4	21 2.1	18 2.3	1₅ 2.0	3₅ 3.0	2₅ 3.4	21₅ 3.4	17₅ 2.7	5
VI			10.8	13.7	12.1	11.0		7.4	22.6	28	- 2.0	15	0 -	13₅ 2.0	25₅ 2.8	5 2.7	2₅ 2.4	7₅ 2.9	24 2.7	10 2.6	2
VII			15.0	18.5	16.6	14.7		9.2	25.2	17	2.1	11	2₅ 2.0	11 2.1	10 3.4	9₅ 3.4	6 2.3	10₅ 2.3	34₅ 2.5	7 2.5	2
VIII			13.6	17.3	14.6	13.3		8.2	22.5	7	1.2	20	0 -	16₅ 2.1	19 3.0	10₅ 3.7	7 2.5	10₅ 2.1	11 2.6	11₅ 2.0	7
IX			9.3	13.4	10.7	10.2		6.0	18.5	27	- 2.5	13	0 -	8 1.8	24₅ 2.4	7 3.4	3₅ 3.4	14 1.9	20₅ 2.3	6₅ 1.8	6
X			3.5	6.4	4.1	4.4		1.3	11.4	3	- 7.7	22	1₅ 1.7	10₅ 2.1	9 2.6	5 2.5	2₅ 2.2	14₅ 2.5	35 2.5	7 2.3	8
XI			- 0.2	1.6	0.6	0.5		- 2.7	9.3	6	-17.7	14	5 2.3	13₅ 2.3	19 2.9	9 3.3	2₅ 3.0	4₅ 2.2	20 3.0	11₅ 2.0	5
XII			- 1.9	- 1.4	- 1.8	- 1.7		- 4.1	5.7	23	-18.5	16	0 -	14 3.0	23 3.6	15₅ 3.8	5 2.6	4 1.9	11 2.4	7₅ 1.9	13
1946			3.4	6.3	4.6	3.9		- 0.3	25.2		-31.6		14₅ 1.9	169₅ 2.4	227 2.9	80₅ 3.3	43₅ 2.7	101 2.5	284 2.7	102 2.3	73

Nordli

$\varphi = 64° 27' N$ $\lambda = 13° 36' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I																					
II																					
III																					
IV																					
V																					
VI																					
VII																					
VIII																					
IX																					
X			1.6	3.9	2.8	2.5		- 0.6	9.5	3	-11.0	23	0₅ 4.0	0₅ 2.0	18 1.6	13₅ 1.9	1 5.0	30₅ 2.8	21 2.5	2 3.0	6
XI			- 2.3	- 1.2	- 2.0	- 2.0		- 5.4	7.2	6	-18.4	14	1 1.0	0 -	38 1.7	4 2.2	0 -	20 3.1	5 2.2	7 2.0	15
XII			- 4.1	- 3.7	- 3.4	- 3.7		- 6.2	2.0	19	-20.7	16	1 2.0	1 5.0	43₅ 2.1	5₅ 1.9	0 -	0 -	7₅ 2.1	1₅ 2.7	33

Nordøyan

$\varphi = 64° 48' N$ $\lambda = 10° 33' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			2.4	2.9	2.7	2.7	4.3	0.7	6.8	5	- 5.1	12	0 -	1 5.0	13 4.7	28 5.1	13 4.4	23 5.6	13 6.2	2 6.2	0
II			- 1.7	- 1.0	- 0.8	- 1.3	1.2	- 3.4	7.4	16	- 9.2	28	2₅ 5.0	6 4.2	13₅ 4.9	24 5.1	10 4.4	8 4.9	10 4.7	10 5.6	0
III			1.1	1.7	1.4	1.2	3.2	- 0.7	8.1	29	- 6.5	15	1 3.0	1 2.0	18 3.8	22₅ 5.0	5₅ 3.6	21 5.0	13 4.9	11 4.5	0
IV			4.1	5.1	4.6	4.1	6.4	2.1	9.7	30	- 1.6	10	4₅ 4.0	3₅ 4.1	10 3.8	8₅ 4.4	6 3.6	25 5.0	15 5.0	17₅ 4.8	0
V			6.4	7.7	7.4	6.6	9.0	4.6	18.8	22	- 0.2	6	15₅ 3.4	16₅ 3.8	6₅ 3.8	4₅ 3.3	1₅ 3.3	11 4.1	17 3.7	18₅ 2.9	2
VI			10.1	11.5	10.8	10.2	12.7	8.4	18.0	28	5.0	14	11₅ 3.6	8₅ 2.8	15 3.5	9₅ 3.2	5₅ 3.0	20₅ 4.3	13 3.3	4₅ 2.6	2
VII			13.4	15.2	14.4	13.7	16.2	11.9	21.9	16	8.6	2	14₅ 2.9	10₅ 3.4	9 4.2	9₅ 4.7	7₅ 3.7	13 3.8	16₅ 4.2	10₅ 2.7	2
VIII			14.2	15.9	15.1	14.5	16.8	12.9	20.9	7	10.0	18	11 3.0	9 3.7	25 3.5	11₅ 4.4	6 4.1	9₅ 4.5	7 4.6	14 3.3	0
IX			12.4	13.3	12.7	12.5	14.2	11.1	17.7	2	7.8	29	7 3.8	9₅ 3.6	15 4.2	15₅ 5.7	13 4.5	14 6.0	12₅ 4.8	3₅ 3.7	0
X			8.2	8.7	8.7	8.4	9.8	7.2	12.4	3	1.0	23	3₅ 4.4	3₅ 5.0	2₅ 4.4	11₅ 5.5	10₅ 5.8	9₅ 5.7	29 6.1	23 5.8	0
XI			4.3	4.5	4.4	4.3	6.0	2.1	11.2	5	- 2.7	13	10 5.8	7₅ 5.1	9₅ 4.9	26 5.7	12₅ 5.6	3₅ 6.3	11₅ 7.1	9₅ 5.1	0
XII			4.1	4.0	3.8	4.0	5.0	2.3	8.8	21	- 1.1	15	0 -	0 -	8₅ 6.1	42₅ 6.3	15₅ 5.8	15₅ 7.4	8 6.5	3 5.0	0
1946			6.6	7.5	7.1	6.7	8.7	5.1	21.9		- 9.2		81 3.7	76₅ 3.8	145₅ 4.2	213₅ 5.2	106₅ 4.7	173₅ 5.2	165₅ 5.1	127 4.3	6

Leka

$\varphi = 65° 6' N$ $\lambda = 11° 42' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 0.8	1.7	1.2	1.2		- 1.1	6.6	18	-10.1	13	0 -	1 3.0	3₅ 3.1	27 3.3	13 3.5	32 4.6	5 5.3	3₅ 5.3	8
II			- 4.1	- 2.8	- 3.5	- 3.6		- 6.9	6.5	14	-14.8	9	4₅ 5.6	3₅ 3.0	5 2.2	24 3.2	13 2.8	22₅ 3.5	11₅ 4.7	7 4.4	7
III			- 1.1	1.0	- 0.7	- 0.7		- 3.9	7.5	29	-14.4	15	5 2.0	1 2.0	0 -	21₅ 2.5	9₅ 2.3	31 3.0	7₅ 3.5	10₅ 4.3	7
IV			4.0	5.6	4.5	4.0		1.0	10.8	30	- 6.6	12	7₅ 3.3	2₅ 2.8	1₅ 2.7	13₅ 2.9	9₅ 2.7	24₅ 4.3	12₅ 4.8	14₅ 3.5	4
V			7.3	8.3	7.9	6.8		3.5	19.5	22	- 1.3	6	30 2.5	11₅ 3.0	2₅ 2.2	10 2.3	3 1.7	11 3.2	8 3.9	13 3.5	4
VI			11.0	12.8	11.6	10.9		8.0	22.5	26	1.2	15	11₅ 2.6	10₅ 2.5	4 2.5	18₅ 3.1	2 2.8	21 3.6	7₅ 3.7	7 2.6	8
VII			14.5	16.7	15.1	14.4		11.2	25.1	16	5.6	11	18 2.4	9₅ 2.3	2 1.2	13₅ 2.9	3 2.3	16 3.0	14 3.0	8 2.2	9
VIII			14.9	16.9	15.5	14.4		10.6	22.6	7	3.5	18	18 2.2	9₅ 1.7	4 1.8	26 2.6	3₅ 3.0	8 2.9	4 4.6	10 3.0	10
IX			11.8	13.9	12.1	12.0		9.2	19.8	2	3.3	13	7₅ 3.6	8₅ 2.2	1 2.5	20 3.5	8₅ 2.6	15₅ 2.8	7₅ 3.2	8₅ 2.6	13
X			6.7	8.1	7.1	7.1		5.0	12.7	3	- 3.4	23	6 4.2	3 3.8	0 -	17 2.4	6₅ 2.8	23 3.0	15₅ 3.6	17 3.5	5
XI			2.7	3.3	2.8	2.8		0.4	10.0	5	- 7.0	14	9 4.4	7₅ 2.5	4 2.0	16₅ 2.5	14₅ 2.7	20 3.1	8₅ 4.7	6 3.2	4
XII			2.8	2.5	2.5	2.6		0.8	6.8	23	- 4.8	15	0 -	0 -	1₅ 2.0	45 3.0	11 2.3	24₅ 3.4	5 5.0	2 2.5	4
1946			6.0	7.3	6.3	6.0		3.2	25.1		-14.8		117 2.9	68 2.5	29 2.3	252₅ 2.9	97 2.7	249 3.5	96₅ 4.0	107 3.4	79

Majavatn

$\varphi = 65° 13' N$ $\lambda = 13° 22' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 4.3	- 3.9	- 3.9	- 4.1		- 7.4	4.3	16	-18.0	13	6₅ 2.7	5 3.0	2₅ 3.0	23 3.3	20₅ 3.3	11₅ 3.5	13 4.0	3 3.2	8
II			-10.4	- 8.5	- 9.9	-10.6		-13.4	4.6	14	-25.2	13	11₅ 2.2	1₅ 2.7	3₅ 2.0	28₅ 3.3	13 3.5	5₅ 3.7	5 5.6	6₅ 4.0	9
III			- 6.4	- 2.9	- 3.6	- 4.8		- 8.9	3.7	29	-24.7	15	6₅ 1.8	2₅ 1.6	3 1.0	19₅ 3.0	14₅ 3.6	15 2.8	14 3.3	9 3.4	2
IV			0.2	2.8	1.8	0.9		- 2.1	8.0	28	-12.1	12	6 2.2	3 2.0	3 1.7	19₅ 2.8	23 3.2	7 2.9	13₅ 4.2	9 3.6	6
V			4.7	7.6	7.0	5.2		1.4	17.8	27	- 4.8	6	5₅ 2.6	1 3.5	2 2.2	10 3.4	10₅ 3.1	11 2.4	22₅ 2.5	18₅ 2.7	12
VI			9.0	11.7	11.3	9.8		6.8	20.5	28	0.3	15	3₅ 3.0	0₅ 3.0	0₅ 3.0	22 4.3	13 3.6	7₅ 3.0	23 2.5	16 2.5	4
VII			12.8	16.6	15.7	13.7		9.7	24.6	20	5.9	11	1₅ 2.3	0₅ 1.0	0 -	13 3.7	11₅ 3.6	8₅ 3.1	26 2.8	23 2.1	9
VIII			12.0	15.9	15.0	12.9		9.0	21.2	24	1.2	28	5 2.5	0 -	1 1.5	23 4.0	16 3.6	9₅ 3.2	10₅ 2.7	14 2.1	14
IX			8.5	12.0	10.4	9.7		7.0	17.6	2	1.2	13	5 2.1	0 -	1₅ 1.0	38 3.3	17₅ 3.1	5 1.7	8 2.9	9 2.2	6
X			3.3	5.1	4.1	4.0		1.7	9.7	3	- 7.3	23	5 1.7	2 2.0	2₅ 1.8	21₅ 2.9	18 3.4	4₅ 2.7	9₅ 3.3	20 3.1	10
XI			- 2.2	- 1.2	- 1.5	- 1.7		- 4.1	7.2	6	-17.9	14	13₅ 2.2	3 2.0	1₅ 1.3	23 3.0	24 3.5	5 3.9	9 3.7	6 1.5	5
XII			- 1.4	- 1.3	- 1.5	- 1.4		- 3.4	3.8	20	-11.3	15	1 1.0	0 -	0 -	52 4.1	26 3.4	2 3.8	1₅ 4.0	2₅ 1.9	8
1946			2.2	4.5	3.7	2.8		- 0.3	24.6		-25.2		70₅ 2.2	19 2.3	21 1.8	293 3.5	207₅ 3.4	92 3.0	155₅ 3.2	136₅ 2.3	100

1946

Kjevli i Snåsa

H_s = 195 H_b = h_t = 2.0 h_a = h_d = 11.0 h_r = 1.5

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	=	≡	⊙	◔	◉	⊞
I					6.3	7.1	5.9	77	46	6	26		11		17	8	1	3	0	0	6	15	4	0	0	0	0	0	19	0	8	6	14	31
II					5.6	5.9	6.6	75	24	16	28		17		17	10	3	6	0	0	3	17	1	0	0	0	0	0	18	0	15	6	10	28
III					6.5	7.2	6.8	71	16	31	25		10		17	12	2	3	0	0	12	16	6	0	0	0	0	0	16	0	19	12	2	31
IV					7.5	7.8	8.0	153	34	1	13		1		25	19	3	0	0	0	22	16	12	0	0	0	0	0	22	0	21	0	16	15
V					5.1	4.8	5.1	41	10	8	6		0		15	9	1	0	0	0	14	7	5	0	0	1	0	0	10	0	29	6	6	1
VI					7.5	7.7	7.7	79	14	28	1		0		29	18	1	1	0	0	29	0	0	3	0	0	1	2	20	0	22	2	17	0
VII					5.8	5.9	5.7	122	34	23	0		0		21	17	4	1	0	0	21	0	0	3	0	0	0	5	13	0	29	6	9	0
VIII					4.9	5.5	5.1	89	39	15	0		0		15	10	2	1	0	0	15	0	0	0	0	0	0	2	10	1	28	4	5	0
IX					6.4	7.2	8.2	71	16	21	1		0		23	14	2	2	0	0	23	0	0	1	0	0	0	1	11	1	24	0	16	0
X					7.5	7.3	7.4	59	7	12	12		0		19	18	0	0	0	0	19	2	1	3	0	0	0	0	18	2	12	4	19	0
XI					6.8	7.1	6.5	64	14	12	15		5		20	14	2	1	0	0	16	9	4	0	0	0	0	0	21	1	9	3	14	15
XII					5.6	5.9	6.2	11	4	18	19		7		9	5	0	3	0	0	6	7	4	1	0	0	0	0	10	1	2	8	11	7
1946					6.3	6.6	6.6	912	46		146		51		227	154	21	21	0	0	186	89	37	11	0	1	1	10	188	6	218	57	139	128

Nordli

H_s = 408 H_b = h_t = 2.0 h_a = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	=	≡	⊙	◔	◉	⊞
I																																		
II																																		
III																																		
IV																																		
V																																		
VI																																		
VII																																		
VIII																																		
IX																																		
X					6.2	7.2	7.3	71	15	19	14		1		13	13	1				13	2	0	13	0	0	0	0	2	0	8	5	16	0
XI					8.3	7.2	7.4	77	16	12	25		6		14	14	3				11	7	0	8	0	0	0	0	2	1	5	1	18	21
XII					6.6	7.3	7.9	4	2	24	31		7		7	1	0				3	4	0	2	0	0	0	0	4	1	2	3	16	31

Nordøyan

H_s = 33 H_b = h_t = 2.0 h_a = 14.3 h_d = 13 h_r = 1.7

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	=	≡	⊙	◔	◉	⊞
I	76	76	76	76	7.4	8.2	6.3	19	6	10	13	3	0	0	14	5	0	16	3	2	14	4	4	3	0	1	0	0	8	1	6	4	16	
II	78	76	78	78	7.8	8.6	7.7	80	12	11	23	11	0	0	20	16	1	19	6	2	7	17	3	3	2	6	0	0	12	0	9	1	18	
III	77	74	75	76	7.5	6.9	6.6	63	9	31	20	5	0	0	22	15	0	20	3	1	16	12	6	3	0	4	1	0	6	0	17	6	16	
IV	81	78	80	81	8.4	7.8	7.6	62	8	1	5	0	0	0	27	19	0	21	5	1	24	12	9	7	0	4	0	0	7	0	20	0	18	
V	79	77	75	77	7.1	6.2	6.1	35	6	12	1	0	0	0	16	11	0	6	1	0	16	4	4	2	0	0	0	0	3	3	29	3	10	
VI	84	79	82	85	6.9	7.0	7.4	66	13	27	0	0	0	0	19	14	1	7	0	0	19	0	0	8	0	0	0	1	5	2	25	0	10	
VII	84	77	79	83	7.0	6.2	5.8	41	11	3	0	0	0	0	15	10	2	8	1	0	15	0	0	3	0	0	0	1	7	1	30	3	7	
VIII	82	76	80	82	6.5	6.1	5.9	30	9	15	0	0	0	0	9	7	0	9	2	1	9	0	0	4	0	0	0	0	3	1	30	5	9	
IX	81	78	83	81	7.0	6.9	8.0	96	19	19	0	0	0	0	18	16	3	17	6	3	18	0	0	1	0	0	0	0	5	0	24	0	9	
X	83	81	84	83	7.2	7.4	7.7	45	7	30	0	0	0	0	23	13	13	27	5	2	23	1	1	6	0	0	0	0	12	0	16	2	13	
XI	83	84	82	82	6.8	6.8	5.4	52	9	12	10	0	0	0	21	17	0	24	12	1	17	10	6	1	0	2	0	0	5	0	14	3	7	
XII	83	76	82	83	5.6	5.2	4.5	20	6	18	4	0	0	0	11	5	0	28	16	9	10	2	2	2	0	0	0	0	4	0	21	6	4	
1946	81	78	80	81	7.1	6.9	6.6	609	19		76	19	0	0	215	148	20	202	60	22	188	62	35	43	2	17	1	2	77	8	241	33	137	

Leka

H_s = 50 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	=	≡	⊙	◔	◉	⊞
I					7.5	7.4	7.1	165	32	3	14		1		17	12	6	17	7	0	13	10	5	2	0	5	0	2	5	0	14	4	19	
II					7.5	8.0	8.2	99	26	16	26		8		20	13	3	11	4	2	4	20	3	0	1	7	0	0	6	0	13	0	19	
III					7.7	7.3	6.7	81	10	17	22		5		22	17	0	7	2	1	13	16	6	1	0	4	0	0	6	0	27	3	18	
IV					8.5	8.4	8.4	129	14	22	9		0		27	21	4	13	3	1	25	15	13	3	0	2	0	0	6	0	25	0	22	
V					7.0	7.3	6.6	87	30	7	2		0		15	10	2	5	1	0	15	7	7	1	0	3	0	0	3	0	30	2	12	
VI					8.6	8.2	8.3	97	14	23	0		0		25	20	1	7	0	0	25	0	0	6	0	0	0	2	4	0	27	0	20	
VII					8.1	7.3	7.6	69	20	2	0		0		18	13	1	6	0	0	18	0	0	4	0	0	0	0	6	1	27	0	18	
VIII					6.5	6.7	6.6	60	19	16	0		0		15	10	1	4	1	1	15	0	0	2	0	0	0	0	1	0	30	2	10	
IX					8.0	7.5	8.8	171	22	16	0		0		19	17	8	5	2	0	19	0	0	1	0	0	0	1	0	0	25	0	18	
X					7.7	7.6	7.6	148	25	11	3		0		21	17	5	7	0	0	21	4	3	8	0	1	0	0	6	0	19	2	20	
XI					7.7	7.7	7.1	119	24	12	13		0		20	16	3	7	1	1	17	10	6	3	0	1	0	0	2	0	17	1	15	
XII					7.3	6.7	6.0	76	31	18	9		0		10	8	3	11	0	0	9	6	5	2	0	0	0	1	2	0	14	1	11	
1946					7.7	7.5	7.4	1301	32		98		14		229	174	37	100	21	6	194	88	48	33	1	23	0	6	47	1	268	15	202	

Majavatn

H_s = 350 H_b = h_t = 2.0 h_a = h_d = h_r = 1.9

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	=	≡	⊙	◔	◉	⊞
I					8.0	7.5	6.9	102	20	10	28		11		21	15	3	8	2	0	11	18	8	0	0	0	0	0	0	1	10	4	20	31
II					7.8	7.7	6.9	104	34	16	28		18		20	10	3	10	5	0	3	20	2	0	0	0	0	0	0	2	14	2	15	28
III					7.4	7.1	6.5	95	22	30	30		11		21	13	4	3	0	0	10	21	8	0	0	0	0	0	0	0	19	3	14	31
IV					7.6	7.9	7.9	131	35	4	22		3		25	19	3	6	1	0	14	20	7	0	0	0	0	0	1	1	19	0	16	30
V					5.8	5.9	6.3	43	19	7	7		0		14	9	1	2	1	0	10	10	6	0	0	1	0	0	0	0	24	4	10	20
VI					8.3	8.0	8.3	109	21	20	0		0		24	16	2	4	1	0	24	0	0	0	0	2	0	1	19	0	20	0		
VII					6.6	6.3	6.6	70	13	25	0		0		20	12	3	3	1	0	20	0	0	1	0	0	0	4	0	3	23	5	11	0
VIII					5.9	6.9	6.1	65	14	12	0		0		19	12	2	4	0	0	19	0	0	0	0	0	0	1	0	1	26	0	8	0
IX					7.6	6.7	8.0	89	12	16	0		0		23	19	3	3	1	0	23	0	0	0	0	0	0	2	3	20	1	14	0	
X					7.6	6.7	6.7	80	23	25	8		0		21	13	3	5	0	0	18	4	1	2	0	0	0	0	4	0	14	3	17	0
XI					7.4	7.1	6.7	109	26	12	20		7		22	12	4	2	0	0	13	15	5	0	0	1	0	0	3	1	12	2	10	21
XII					7.7	7.4	5.7	46	11	22	25		2		20	8	1	9	0	0	8	17	6	0	0	0	0	0	4	1	9	1	11	31
1946					7.3	7.1	6.9	1043	35		168		52		250	158	32	59	12	0	173	125	43	3	0	2	0	7	14	14	209	25	166	192

1946

Brønnøysund

$\varphi = 65°\ 28'$ N $\lambda = 12°\ 12'$ E $g = 9.823$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	1012.1	1012.8	1.5	2.1	1.8	1.8	4.0	- 0.3	6.7	16	- 7.0	13	0 -	6 2.5	17 2.1	17 2.5	23 3.0	17 4.1	3 4.2	1 3.0	7
II	998.6	999.2	- 3.4	- 2.2	- 3.0	- 3.1	- 0.5	- 5.4	6.5	14	-10.5	24	3 3.6	5 2.4	27 1.9	24 2.7	6 2.0	3 4.6	2 4.0	2 6.0	9
III	1014.6	1015.2	- 0.1	1.7	0.4	0.4	3.0	- 2.1	7.3	29	- 9.0	14	2 2.5	10 1.8	13 2.0	11 2.9	21 3.5	8 3.5	6 3.2	8 3.6	11
IV	04.6	05.3	4.1	5.6	4.9	4.4	6.8	1.9	13.2	29	- 4.2	12	4 3.0	11 2.6	9 1.9	9 2.6	19 2.8	18 4.0	8 3.6	6 3.5	3
V	17.4	18.1	7.2	8.2	8.1	7.0	10.0	4.6	19.0	22	0.3	6	34 2.6	7 2.3	4 2.2	7 2.1	5 2.5	10 3.8	10 3.0	10 3.0	4
VI	07.2	07.9	11.0	12.7	12.0	11.2	14.6	8.8	23.0	26	4.0	15	15 2.6	6 2.6	10 1.8	9 3.2	17 2.6	22 3.0	3 3.0	3 1.6	3
VII	11.6	12.3	14.3	16.7	15.3	14.6	17.7	12.0	25.9	5	8.8	2	21 2.5	9 2.1	4 2.2	7 3.7	14 2.1	17 2.8	12 2.5	4 1.9	4
VIII	08.1	08.8	14.8	16.9	16.0	14.9	18.3	12.1	21.8	21	6.8	18	21 2.1	19 1.8	8 2.1	12 2.7	8 2.8	8 3.7	5 2.2	5 2.0	5
IX	05.0	05.6	12.1	14.2	13.0	13.1	15.0	10.4	20.8	2	4.7	24	13 3.1	10 1.4	9 1.4	9 3.3	28 2.9	4 2.8	10 3.0	3 2.2	2
X	18.2	18.9	7.2	8.7	7.8	7.8	9.5	5.8	13.8	3	- 2.2	23	7 3.6	5 1.6	7 1.2	8 2.1	21 2.5	15 3.5	19 3.3	8 3.6	3
XI	05.4	06.0	2.9	3.9	3.1	3.2	5.4	0.6	10.8	5	- 7.2	14	7 3.8	5 2.5	20 1.6	15 2.5	16 2.9	8 4.9	4 4.9	1 4.3	11
XII	14.9	15.6	3.6	3.3	3.2	3.4	4.9	1.7	7.5	24	- 3.3	14	0 3.0	2 1.2	24 2.0	25 2.9	15 2.7	18 4.2	2 1.2	1 2.5	4
1946	09.8	10.5	6.3	7.6	6.9	6.6	9.1	4.2	25.9		-10.5		130 2.7	98 2.1	154 1.9	157 2.7	196 2.8	151 3.7	86 3.2	55 3.1	66

Alstahaug

$\varphi = 65°\ 54'$ N $\lambda = 12°\ 33'$ E $g =$ $\Delta G = +1^h$

I			0.8	1.0	1.0	0.9		- 1.2	6.8	18	- 7.8	13	0 -	8 2.8	28 4.4	14 4.7	4 3.6	17 4.7	7 4.2	11 3.6	2
II			- 4.7	- 4.1	- 4.2	- 4.4		- 6.6	5.5	14	-13.4	10	4 4.0	11 3.5	36 4.4	15 5.2	0 -	1 3.5	4 3.6	9 3.6	2
III			- 0.8	0.3	- 0.1	- 0.5		- 2.8	6.7	29	- 9.7	15	0 -	7 3.6	31 3.8	13 4.1	2 2.4	14 3.8	10 3.1	13 4.4	1
IV			3.5	5.0	4.2	3.7		1.2	10.0	30	- 5.4	12	6 3.2	10 2.0	17 3.6	10 4.0	2 2.4	15 3.6	16 3.2	10 3.6	3
V			7.3	9.5	8.4	7.5		4.5	18.3	28	- 0.9	6	5 2.4	9 2.0	22 2.2	3 3.2	0 4.0	9 3.1	16 3.2	15 3.4	12
VI			11.0	13.0	11.9	11.2		8.6	20.7	28	4.4	14	5 1.8	9 2.2	14 2.7	7 2.9	4 2.4	17 3.8	15 2.8	7 2.7	10
VII																					
VIII																					
IX																					
X																					
XI																					
XII																					

Skålvær

$\varphi = 65°\ 52'$ N $\lambda = 12°\ 11'$ E $g =$ $\Delta G = +1^h$

I			1.9	2.1	2.3	2.1		0.3	6.0	16	- 5.9	12	1 2.7	4 3.0	29 3.4	12 3.5	14 3.0	24 3.5	6 3.4	2 2.8	0
II			- 3.0	- 2.3	- 2.6	- 2.6		- 4.6	5.8	14	-10.7	9	4 3.2	6 2.4	41 3.8	13 3.5	5 4.8	2 3.5	6 3.5	6 3.5	0
III			0.0	1.3	0.5	0.4		- 1.8	6.9	29	- 6.8	15	0 2.0	2 2.0	37 3.5	6 3.6	10 3.4	19 4.1	6 3.8	10 3.9	0
IV			3.8	5.4	4.5	4.1		1.9	9.9	30	- 2.9	12	8 3.6	6 3.2	[illegible] 3.3	7 3.0	10 3.6	24 3.6	8 2.8	11 2.9	0
V			6.8	8.2	7.5	6.9		4.9	16.0	22	0.2	6	30 3.2	4 2.1	6 2.8	8 2.2	2 1.6	16 2.7	12 3.0	12 2.7	0
VI			10.7	12.4	11.7	10.9		8.7	20.0	25	5.3	14	11 3.0	11 2.0	15 2.8	12 2.0	6 2.5	24 2.8	6 2.2	3 1.3	0
VII			13.9	16.0	14.7	14.2		12.0	23.0	12	9.3	2	21 2.7	5 1.8	9 2.4	7 2.3	3 2.1	22 2.4	18 1.7	4 1.2	1
VIII			14.5	16.5	15.4	14.7		12.0	21.0	6	7.8	18	21 2.4	21 1.8	20 2.4	8 2.2	3 3.6	9 3.0	3 2.6	4 1.1	1
IX			12.2	13.7	12.6	12.4		10.6	19.0	2	7.1	30	5 3.6	20 2.0	13 3.0	9 3.5	17 3.2	12 3.3	9 2.7	3 2.9	0
X			7.7	8.6	8.1	8.0		6.5	12.3	3	0.2	23	8 3.0	4 3.2	14 2.9	3 2.1	10 4.1	20 3.2	22 3.1	9 3.8	0
XI			3.5	3.7	3.5	3.5		1.6	10.3	5	- 6.4	14	10 4.2	7 3.4	30 2.9	11 2.5	12 3.5	11 3.7	6 4.9	1 4.0	0
XII			3.6	3.4	3.4	3.5		2.2	7.0	20	- 0.7	14	0 -	0 -	38 2.6	24 3.0	6 3.8	16 4.2	8 3.0	0 4.0	0
1946			6.3	7.4	6.8	6.5		4.5	23.0		-10.7		121 2.8	93 2.3	270 3.1	123 2.8	101 3.4	201 3.3	114 2.9	68 2.9	2

Ytteren i Rana
Mo i Rana II

$\varphi = 66°\ 21'$ N $\lambda = 14°\ 8'$ E $g =$ $\Delta G = +1^h$
$\varphi = 66°\ 20'$ N $\lambda = 14°\ 11'$ E $g =$ $\Delta G = +1^h$

I			- 3.3	- 3.0	- 3.2	- 3.3		- 6.5	5.8	16	-19.6	13	26 1.4	5 1.8	5 4.1	6 3.3	4 2.0	18 2.5	10 2.2	9 2.1	8
II			-11.1	- 7.9	- 9.9	-10.0		-14.3	3.4	17	-24.6	10	26 1.6	9 2.9	11 4.0	4 3.8	3 1.4	0 1.0	2 1.5	22 1.7	5
III			- 6.2	- 2.1	- 3.5	- 4.5		- 9.7	5.6	29	-25.5	15	20 1.4	8 2.3	4 4.1	4 4.9	7 1.3	7 3.1	6 3.5	26 2.0	9
IV			1.8	4.4	3.1	2.3		- 1.0	9.3	30	-12.7	12	12 1.6	4 1.7	6 2.8	8 2.7	22 1.7	12 3.3	3 4.6	10 2.0	19
V			6.4	9.4	8.5	6.7		2.2	18.0	27	- 1.3	6	10 2.0	6 3.3	8 2.6	4 2.8	6 2.0	10 2.0	14 2.6	29 2.6	5
VI			11.1	13.3	12.8	11.4		8.1	23.0	28	2.6	15	8 1.7	5 2.4	4 2.8	16 3.8	27 2.1	9 2.3	4 2.6	7 2.7	5
VII			13.9	17.7	16.8	14.6		9.8	26.1	14	4.6	3	4 1.1	0 -	9 1.3	7 3.0	11 1.9	9 2.5	24 2.4	10 2.6	17
VIII			12.9	17.4	15.8	13.7		8.8	21.5	8	3.3	18	0 -	0 -	12 2.7	10 2.2	0 -	0 -	21 1.9	8 1.7	41
IX			9.5	13.1	11.2	10.5		6.5	18.9	3	- 0.1	12	0 -	1 5.0	25 2.4	8 2.8	0 -	1 3.0	13 2.3	6 3.3	34
X			3.2	6.1	4.5	4.3		1.3	10.6	9	-11.0	25	0 -	7 3.3	11 1.6	1 2.0	0 -	2 1.4	23 3.0	22 3.3	26
XI			- 2.8	- 1.7	- 2.4	- 2.4		- 5.5	8.9	6	-21.1	14	0 -	16 1.7	28 1.6	4 1.9	0 -	6 4.1	4 3.7	8 2.4	22
XII			- 0.2	0.1	- 0.7	- 0.4		- 3.4	6.3	20	-11.8	15	0 -	3 3.3	44 2.9	6 2.0	0 -	10 3.1	14 3.3	2 1.4	13
1946																					

Tonnes i Helgeland

$\varphi = 66°\ 31'$ N $\lambda = 13°\ 1'$ E $g =$ $\Delta G = +1^h$

I			2.1	2.3	2.1	2.2		0.1	7.8	23	- 7.5	13	0 3.0	1 4.0	18 3.4	21 4.0	9 3.3	22 3.8	7 3.2	3 3.3	10
II			- 3.7	- 3.0	- 3.5	- 3.5		- 5.3	5.5	14	-11.9	9	7 4.1	6 3.7	21 3.9	28 4.3	5 4.0	4 4.8	3 3.5	4 4.1	4
III			- 0.4	1.1	0.3	0.0		- 2.3	6.7	29	- 7.2	1	2 3.3	2 1.0	20 2.7	20 3.5	12 3.8	14 3.8	7 3.1	8 4.7	9
IV			3.6	5.2	4.2	3.9		1.7	11.0	30	- 4.5	12	2 2.2	5 2.4	16 2.8	11 2.1	14 2.9	15 3.8	12 3.2	8 2.9	6
V			7.1	8.3	7.8	7.0		4.6	16.3	22	- 0.5	6	6 2.3	18 2.1	5 2.0	6 1.3	7 2.1	16 2.8	12 2.3	11 3.2	10
VI			11.4	12.7	12.1	11.4		8.9	22.1	26	4.5	15	8 2.2	12 2.6	15 2.6	8 2.4	5 2.4	19 2.7	5 3.9	2 1.5	13
VII			14.4	16.5	15.7	14.6		11.8	25.3	5	7.8	11	8 1.9	14 2.5	9 2.4	8 2.6	5 2.2	19 2.7	8 2.4	4 1.4	16
VIII			15.0	17.0	15.5	14.8		11.5	23.2	25	6.8	17	13 2.1	16 1.8	14 1.9	8 2.6	8 2.1	5 3.0	6 1.9	5 1.8	16
IX			12.3	13.8	12.6	12.4		9.5	19.3	2	5.4	30	10 2.2	7 2.6	15 2.3	13 2.8	16 3.4	10 3.6	10 2.8	1 2.0	7
X			7.1	8.2	7.7	7.5		5.3	11.9	3	- 0.3	23	4 3.0	4 2.4	12 2.5	9 2.9	6 2.2	25 3.3	18 3.1	7 3.4	5
XI			3.0	2.9	2.9	2.9		0.7	10.6	5	- 8.9	14	7 2.5	12 2.4	25 2.8	13 3.3	8 3.5	9 3.7	7 3.6	4 2.6	3
XII			4.1	3.6	3.5	3.7		1.2	8.2	23	- 5.2	30	0 -	0 -	24 3.2	39 3.1	5 2.5	19 4.2	4 3.5	0 -	1
1946			6.3	7.4	6.7	6.4		4.0	25.3		-11.9		70 2.5	99 2.4	198 2.8	188 3.2	103 3.0	181 3.4	101 3.0	58 3.1	96

1946

Brønnøysund

H_s = 4 H_b = 5.3 h_t = 2.0 h_s = h_d = 8.8 h_r = 1.5

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Sn	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snedekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	ᚹ	*	△	▲	ᚱ	=	≡	⊙	◔	◕	▣
I	77	75	77	77	6.9	7.4	6.8	166	30	16	15	4	0	0	17	13	8	11	1	0	17	8	7	0	0	5	0	0	3	0	11	6	15	0
II	77	73	78	77	7.0	7.6	7.9	103	20	16	25	12	2	0	18	15	2	7	0	0	4	18	4	0	0	3	0	1	2	0	17	2	15	22
III	75	71	75	74	7.2	6.9	6.0	74	9	22	22	27	0	0	20	17	0	4	1	0	11	14	4	0	0	5	0	0	4	0	23	4	13	23
IV	90	77	80	81	7.9	8.1	7.9	118	16	8	5	0	0	0	27	20	2	8	0	0	25	9	6	0	0	6	0	0	4	0	24	2	20	1
V	91	78	78	80	6.3	6.6	6.7	70	26	7	0	0	0	0	15	10	2	2	0	0	15	5	5	0	0	5	0	0	4	0	27	3	11	0
VI	82	76	80	84	8.6	7.8	8.5	78	13	20	0	0	0	0	22	16	2	5	0	0	22	0	0	1	0	2	0	2	3	0	27	0	21	0
VII	82	72	80	84	7.7	6.8	6.9	64	24	27	0	0	0	3	16	12	1	3	0	0	16	0	0	1	0	0	0	1	3	0	26	2	13	0
VIII	79	70	77	79	6.1	6.0	6.5	42	16	16	0	0	0	0	13	7	2	3	0	0	13	0	0	0	0	0	0	0	0	0	30	2	9	0
IX	81	70	79	79	7.6	6.6	8.0	147	26	28	0	0	0	0	20	16	6	5	0	0	20	0	0	0	0	0	0	0	0	0	26	0	14	0
X	80	74	80	79	8.0	7.6	7.4	115	23	11	2	0	0	0	20	15	6	4	0	0	20	1	1	3	0	1	0	0	4	0	20	1	19	0
XI	90	77	79	79	6.8	7.2	6.8	88	13	12	13	3	0	0	19	16	1	4	1	1	15	10	6	0	0	2	0	0	3	0	15	2	11	6
XII	75	76	76	75	6.3	5.6	5.3	77	22	18	7	0	0	0	13	9	3	8	3	3	12	5	4	0	0	1	0	1	1	0	15	2	8	0
1946	79	74	78	79	7.2	7.0	7.1	1142	30		89	46	2	3	220	166	35	64	6	4	190	70	37	5	0	30	0	5	31	0	261	26	169	52

Alstahaug

H_t = 8 H_b = h_t = 2.0 h_s = h_d = h_r = 1.2

I	79	79	79	79	6.5	6.5	6.5	157	36	3	16		0		17	14	6	13	2	0	14	6	3	2	0	1	0	0	13	4	9	6	15	3
II	79	79	76	78	7.0	6.5	7.4	76	24	16	28		5		15	13	2	11	2	0	5	15	4	0	0	0	0	0	16	1	11	2	12	26
III	77	74	74	75	6.3	5.9	6.5	66	8	22	24		0		19	17	0	7	1	0	10	15	5	0	0	1	0	0	16	2	19	7	16	29
IV	77	77	77	77	7.3	7.9	8.0	171	27	8	6		0		26	22	6	7	1	0	21	11	7	0	0	5	0	1	22	1	19	2	18	7
V	73	66	70	74	4.9	4.9	4.9	84	20	19	1		0		17	13	3	4	1	0	17	5	5	0	0	1	0	0	15	3	26	9	8	1
VI	78	75	77	79	7.7	7.3	7.8	97	14	20	0		0		21	17	4	4	0	0	21	0	0	7	0	2	0	0	19	3	18	2	18	0
VII																																		
VIII																																		
IX																																		
X																																		
XI																																		
XII																																		

Skålvær

H_t = 4 H_b = h_t = 1.9 h_s = h_d = h_r = 1.7

I					7.2	7.9	7.4	89	14	16	13		0		16	12	3	8	0	0	15	5	2	3	0	1	0	1	5	0	7	3	17	1
II					8.4	7.8	8.1	66	12	16	24		1		18	13	1	9	0	0	6	17	3	0	0	3	0	0	2	0	11	0	18	28
III					7.5	6.8	7.0	70	18	3	22		0		19	16	1	7	0	0	12	13	6	2	0	2	0	0	6	0	17	4	17	21
IV					8.3	8.5	8.2	102	25	8	4		0		23	20	2	6	2	0	20	10	3	1	0	4	0	1	6	0	13	2	22	3
V					6.8	6.7	7.1	50	19	7	0		0		14	9	1	3	1	0	14	6	4	3	0	4	0	0	6	0	22	3	12	0
VI					8.8	8.2	8.6	64	8	27	0		0		21	17	0	1	0	0	21	0	0	6	0	0	0	0	7	0	14	0	21	0
VII					7.7	7.3	7.4	41	10	28	0		0		18	9	1	1	0	0	18	0	0	7	0	0	0	0	7	0	22	0	13	0
VIII					6.4	5.8	6.7	25	11	12	0		0		11	7	1	1	0	0	11	0	0	1	0	0	0	0	2	0	24	0	12	0
IX					8.0	7.0	7.9	127	26	28	0		0		21	19	4	7	0	0	21	0	0	1	0	0	0	0	1	0	21	0	13	0
X					8.3	7.9	7.9	92	13	11	0		0		18	17	1	7	0	0	18	0	0	4	0	1	0	0	4	1	10	1	21	0
XI					8.1	8.3	7.9	76	10	12	11		0		20	14	0	6	0	0	19	8	7	1	0	4	0	0	2	0	9	1	20	8
XII					6.8	7.1	5.8	53	19	18	2		0		11	9	2	6	3	2	11	1	0	0	0	0	0	1	5	0	11	0	11	0
1946					7.7	7.4	7.5	855	26		76		1		210	162	17	62	6	2	186	60	25	29	0	19	0	3	53	1	181	14	197	61

Ytteren i Rana
Mo i Rana

H_t = 20 H_b = h_t = 1.9 h_s = h_d = h_r = 1.6

H_s = 25 H_b = h_t = 1.9 h_s = h_d = h_r = 1.6

I	81	81	83	82	6.7	7.5	7.2	231	41	4	21		12		18	16	8	5	0	0	11	11	4	0	0	0	0	0	0	0	5	4	16	31
II	90	71	76	77	6.2	6.1	5.5	139	48	16	28		19		15	12	4	7	0	0	4	15	4	0	0	0	0	0	0	0	19	5	10	28
III	81	71	74	77	7.3	6.0	6.0	136	27	30	30		12		18	16	5	6	0	0	8	16	4	0	0	0	0	0	0	0	21	6	15	31
IV	78	64	72	76	8.1	7.7	7.7	223	46	4	13		2		22	18	8	3	1	0	20	17	13	1	0	0	0	0	3	0	20	2	18	30
V	69	60	62	68	6.4	5.8	5.9	86	26	7	3		0		13	7	2	2	0	0	13	4	3	0	0	0	0	0	0	0	25	5	10	0
VI	74	66	69	70	8.3	8.2	8.0	97	15	21	0		0		21	15	4	4	1	1	21	0	0	2	0	0	0	0	1	0	16	1	20	0
VII	84	64	67	76	6.1	6.0	5.8	64	19	29	0		0		21	13	1	0	0	0	21	0	0	6	0	0	0	0	3	0	25	6	12	0
VIII	90	62	70	77	5.5	5.4	6.4	75	25	13	0		0		16	12	2	0	0	0	16	0	0	0	0	0	0	2	3	2	27	1	8	0
IX	88	71	79	81	7.1	7.4	6.6	109	30	28	2		0		21	16	3	0	0	0	21	0	0	1	0	0	0	0	2	3	27	2	12	0
X	88	76	82	83	7.1	8.0	6.4	128	32	26	10		1		19	14	4	4	1	0	17	3	0	3	0	0	0	0	9	0	21	3	16	0
XI	88	85	85	86	6.5	7.4	6.4	72	24	7	21		10		14	12	1	2	0	0	9	8	2	0	0	0	0	0	6	1	10	4	13	17
XII	83	76	80	79	6.1	7.2	6.2	108	34	21	22		4		10	8	5	2	0	0	8	6	3	0	0	0	0	0	2	0	0	2	13	7

Tonnes i Helgeland

H_s = 15 H_b = h_t = 2.2 h_s = h_d = h_r = 2.0

I					7.6	7.5	7.2	99	25	16	13		0		18	11	4	11	0	0	14	6	0	0	0	0	0	1	3	0	8	4	19	3
II					7.1	7.0	7.0	75	15	16	26		4		15	11	3	10	0	0	4	14	3	0	0	1	0	0	6	1	16	1	13	23
III					7.2	6.6	6.6	49	6	17	22		0		17	14	0	6	0	0	10	10	0	0	0	1	0	0	5	0	18	6	17	24
IV					7.8	8.4	7.9	121	17	17	6		0		22	17	5	4	1	0	19	7	3	3	0	1	0	0	1	0	19	2	20	3
V					6.7	6.3	6.0	84	20	7	1		0		13	11	2	2	0	0	12	3	1	0	0	1	0	0	2	0	24	4	12	1
VI					8.4	7.6	8.3	82	14	23	0		0		18	12	3	0	0	0	18	0	0	0	0	0	0	0	1	1	20	0	18	0
VII					7.5	6.8	7.1	74	10	28	0		0		17	17	1	1	0	0	17	0	0	5	0	0	0	0	1	2	23	3	15	0
VIII					6.9	5.9	6.0	40	12	12	0		0		10	7	2	1	0	0	10	0	0	0	0	0	1	0	0	0	27	4	8	0
IX					7.3	7.2	7.9	81	18	28	0		0		24	18	2	1	0	0	24	0	0	0	0	0	0	0	0	0	20	0	13	0
X					8.4	8.2	8.1	128	16	11	2		0		21	18	5	1	0	0	21	0	0	1	0	2	0	0	3	0	5	2	22	0
XI					7.3	8.1	7.8	72	12	9	15		0		18	16	1	2	0	0	16	9	3	0	0	0	0	0	0	0	7	1	16	15
XII					6.3	6.6	6.4	97	25	22	10		0		10	10	3	4	3	0	10	2	2	0	0	0	0	1	1	0	0	1	12	0
1946					7.4	7.2	7.2	1002	25		96		4		203	162	31	43	4	0	175	51	12	9	0	6	0	3	23	4	187	28	185	69

1946

Myken

φ = 66° 46' N λ = 12° 29' E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			2.9	3.1	3.1	3.0		1.6	7.2	16	- 4.6	10	0 -	14 2.6	8₅ 3.3	12 4.1	18₅ 4.2	18 3.9	16₅ 3.1	4₅ 3.2	1
II			- 1.7	- 1.5	- 1.6	- 1.7		- 3.4	6.7	14	- 8.0	9	7₅ 4.7	7₅ 3.1	8 4.1	18₅ 4.6	18 3.9	3₅ 3.4	4₅ 4.5	9₅ 4.5	7
III			0.8	1.5	1.4	1.0		- 0.7	6.2	27	- 5.3	1	1 3.0	9 1.4	7₅ 2.9	14₅ 2.4	19₅ 2.8	14 3.2	12 4.5	12₅ 5.0	3
IV			3.4	4.6	4.2	3.7		1.9	9.5	30	- 3.2	13	7 1.4	16 2.7	6₅ 2.8	6 2.7	12 2.8	18 3.7	12 4.6	9₅ 4.2	3
V			6.0	7.0	6.6	6.1		4.6	12.8	22	- 0.3	6	5₅ 2.0	30₅ 2.6	4₅ 1.0	2 1.5	2₅ 1.2	15 2.7	12 3.0	11 3.8	10
VI			9.9	10.9	10.4	9.9		8.4	19.0	26	5.0	14	3 2.8	23₅ 1.9	11 2.7	3 2.2	7₅ 2.5	20 2.2	7 2.6	3 1.3	12
VII			13.2	14.5	14.0	13.4		11.6	22.9	14	8.5	8	4₅ 2.0	30 1.6	2 3.2	4₅ 2.0	6 1.7	20 2.4	11₅ 2.1	4₅ 1.0	10
VIII			14.2	15.0	14.6	14.1		12.5	18.4	26	8.8	17	8₅ 2.2	29₅ 1.4	9 2.4	9 1.8	4 1.5	8 1.6	8 1.8	4 1.0	13
IX			12.3	13.1	12.5	12.4		11.1	17.3	3	6.5	30	3 2.3	16 1.9	11 3.0	7 3.6	14₅ 4.4	11₅ 2.7	10₅ 3.1	4₅ 2.1	12
X			7.9	8.4	8.2	8.1		6.8	11.4	3	0.7	23	7 4.9	7₅ 3.1	2 3.0	6₅ 2.5	17₅ 2.7	14 3.9	23₅ 3.9	10 4.6	5
XI			3.6	3.5	3.4	3.5		1.8	10.1	5	- 3.4	8	10 4.0	18 2.8	7₅ 1.6	14 3.3	16₅ 3.6	8₅ 3.5	7₅ 5.0	4 2.8	4
XII			4.6	4.3	4.2	4.4		3.1	8.1	23	0.3	15	2 1.0	0₅ 2.0	8₅ 3.4	40 3.6	16₅ 2.2	14₅ 5.6	9₅ 4.3	1₅ 2.3	0
1946			6.4	7.0	6.8	6.5		4.9	22.9		- 8.0		59 3.0	202 2.2	86 2.8	137 3.3	153 3.1	165 3.2	134₅ 3.5	78₅ 3.6	80

Glomfjord

φ = 66° 49' N λ = 13° 59' E g = $\Delta G = +1^h$

I			1.7	1.3	2.0	1.7		- 1.2	9.5	23	-14.6	13	1 1.0	1 3.0	9 1.1	13 2.2	11 1.5	26 1.9	2 1.5	2 1.5	28
II			- 3.9	- 3.1	- 4.2	- 3.8		- 7.1	7.5	14	-15.0	9	5 1.0	10 1.0	15 1.3	23 2.3	3 2.0	2 5.5	2 1.5	3 3.3	21
III			- 0.9	1.0	- 0.6	- 0.5		- 3.5	6.4	29	-10.0	14	0 -	12 1.0	16 1.2	7 2.1	14 1.4	9 1.6	9 2.7	8 3.1	18
IV			3.5	5.0	3.4	3.4		0.7	10.7	29	- 7.2	12	6 1.0	6 1.2	9 1.7	11 2.0	13 1.5	11 2.4	7 2.9	6 2.3	21
V			6.7	8.5	7.3	6.7		3.7	14.7	27	- 0.3	6	1 1.0	12 1.1	19 1.0	3 1.0	2 1.0	4 1.8	6 1.8	9 1.8	37
VI			11.6	12.7	11.8	11.2		8.5	22.4	26	2.8	15	6 1.0	1 1.0	13 1.5	19 1.7	1 1.0	8 1.3	6 1.0	1 1.0	35
VII			13.4	16.0	14.6	13.8		10.4	23.4	5	7.1	11	1 2.0	0 -	0 -	10 1.8	0 -	11 1.8	10 1.2	0 -	61
VIII			13.9	16.2	14.6	14.0		11.3	20.3	9	6.5	18	3 1.0	1 1.0	9 1.1	20 1.2	3 1.7	2 3.0	6 1.0	1 1.0	48
IX			11.5	13.0	11.5	11.5		9.3	18.6	3	5.3	30	4 1.3	1 1.0	1 1.0	20 2.6	9 1.4	7 1.1	9 1.1	1 3.0	38
X			6.2	7.2	6.4	6.4		4.2	11.7	3	- 2.3	23	8 1.0	4 1.0	1 1.0	5 1.4	5 1.2	17 1.9	18 2.1	8 2.6	27
XI			1.4	1.8	1.3	1.4		- 1.1	11.2	5	-10.4	14	10 1.1	8 1.0	7 1.3	9 1.1	13 2.8	7 2.1	4 3.0	0 -	32
XII			3.5	3.0	3.1	3.2		0.8	7.7	23	- 2.8	29	0 -	0 -	5 1.2	39 2.1	7 2.0	20 2.2	4 1.0	0 -	18
1946			5.7	6.9	5.9	5.8		3.0	23.4		-15.0		45 1.1	56 1.1	104 1.2	179 1.9	81 1.7	124 2.0	83 1.8	39 2.4	384

Helligvær

φ = 67° 24' N λ = 13° 54' E g = $\Delta G = +1^h$

I			2.4	2.6	2.5	2.5		0.5	6.3	15	- 6.0	11	2₅ 3.2	2₅ 3.4	14 3.1	22₅ 4.2	3₅ 4.1	25 4.4	14 3.5	8 3.4	1
II			- 3.3	- 2.8	- 3.5	- 3.3		- 5.7	5.8	14	-12.8	9	3₅ 3.7	7₅ 3.9	9 3.4	38 4.6	4₅ 2.3	7₅ 4.9	5 4.6	4 4.5	5
III			- 0.5	0.4	0.1	- 0.2		- 2.4	6.0	29	- 7.2	1	5 3.4	6₅ 2.5	15 2.6	26 3.7	2₅ 2.8	17 4.2	7 4.8	10 5.8	4
IV			3.2	4.1	3.6	3.2		1.0	8.2	29	- 4.8	12	4 2.8	10 2.7	10₅ 3.8	15 3.8	3₅ 2.9	25 4.2	8₅ 4.3	11₅ 3.9	2
V			6.1	7.2	6.7	6.1		3.9	14.0	22	- 0.5	5	2 2.2	29₅ 3.7	6 3.1	4 3.1	3₅ 1.4	19₅ 3.4	13₅ 3.6	9 4.3	6
VI			10.6	11.7	10.8	10.4		8.2	20.5	26	5.1	9	5 2.9	13₅ 3.0	13 3.2	16 3.4	1 2.5	18₅ 3.6	12 3.5	3 1.7	8
VII			13.8	15.5	14.6	13.9		11.3	24.4	14	8.0	3	6 2.4	20 2.5	9 1.9	9 2.1	0₅ 1.0	18₅ 3.4	16₅ 2.9	8₅ 1.8	5
VIII			14.5	15.9	14.7	14.2		11.6	19.9	8	7.9	3	3₅ 3.3	25 2.1	13₅ 2.5	12₅ 2.9	0₅ 4.0	10₅ 2.5	10 2.0	3₅ 2.4	14
IX			12.0	13.4	12.5	12.2		10.0	19.7	3	6.6	30	2₅ 4.2	11 2.5	10₅ 3.4	20 3.6	2 2.5	23₅ 3.5	11₅ 3.1	4 1.5	5
X			7.2	7.9	7.4	7.4		5.4	11.4	3	0.8	23	9₅ 4.0	9 2.6	6 3.3	16 3.2	1₅ 3.0	26 4.4	18 4.6	6 5.6	1
XI			2.7	2.8	2.9	2.8		1.1	10.4	5	- 4.9	13	11₅ 3.2	8 3.4	22 3.8	14₅ 3.9	2₅ 2.6	15₅ 4.5	8 4.4	7 2.6	1
XII			4.1	3.9	3.6	3.9		2.3	8.2	23	- 0.5	26	1 2.0	0 -	41₅ 4.6	16₅ 4.2	3 3.7	18₅ 5.5	9₅ 5.3	2 2.5	1
1946			6.1	6.9	6.3	6.1		3.9	24.4		-12.8		56 3.2	142₅ 2.9	170 3.5	210 3.8	28₅ 2.8	225 4.1	133₅ 3.8	76₅ 3.6	53

Bodø

φ = 67° 17' N λ = 14° 28' E g = 9.824 $\Delta G = +1^h$

I	1008.0	1012.4	0.8	1.1	0.8	0.9		- 1.1	6.0	16	- 9.8	11	0 -	2₅ 3.8	33 4.3	16₅ 3.8	2₅ 3.6	34₅ 4.3	2₅ 3.2	1₅ 4.0	0
II	995.5	00.0	- 6.2	- 5.4	- 6.5	- 6.1		- 8.1	5.0	14	-14.8	9	0 -	2₅ 3.0	41₅ 4.8	25 4.2	0₅ 5.0	5₅ 4.8	3₅ 3.1	5₅ 4.0	0
III	1010.2	14.6	- 2.4	- 0.4	- 1.6	- 1.8		- 4.5	7.2	29	-10.7	1	1₅ 2.0	0₅ 2.0	20₅ 4.6	34₅ 3.9	5 3.5	14₅ 4.1	12₅ 4.9	3 3.7	1
IV	00.4	04.7	2.5	4.2	3.2	2.7		0.2	10.3	29	- 6.8	10	3₅ 2.9	3 3.5	14₅ 3.8	23 3.4	8 2.5	24 3.2	10₅ 4.4	1₅ 1.7	2
V	13.6	18.0	6.8	8.1	7.4	6.5		3.1	17.0	28	- 1.6	11	5 3.2	1₅ 2.3	4 3.8	21 2.9	3₅ 1.9	33₅ 3.3	12₅ 3.2	10 3.2	2
VI	04.3	08.6	11.4	12.4	11.8	11.1		8.3	24.9	26	2.1	15	1₅ 3.3	3 1.7	12 3.3	23₅ 3.1	6 2.8	31 2.7	6 2.5	4 3.0	3
VII	08.3	12.5	14.3	16.2	15.3	14.2		10.1	25.7	14	5.2	11	3 3.2	2₅ 3.2	5 3.2	15₅ 3.1	6₅ 2.5	39 3.0	10 2.5	7₅ 3.3	4
VIII	05.5	09.7	14.8	16.7	15.1	14.2		9.9	21.5	26	6.1	17	1 4.0	9₅ 2.9	17₅ 3.1	17₅ 2.9	4 2.2	15₅ 2.5	12 2.9	4 2.8	12
IX	02.2	06.4	11.3	13.1	11.2	11.4		8.7	20.0	3	2.9	30	2 4.0	3₅ 2.4	12 3.6	31 2.9	9 2.2	15 2.9	7 3.4	1₅ 4.0	9
X	12.4	16.7	5.4	6.9	5.9	5.9		3.6	11.0	10	- 4.0	23	6 2.8	5 3.3	15₅ 3.9	9 2.6	9 4.1	33₅ 5.3	3₅ 3.0	6₅ 3.3	5
XI	01.9	06.3	0.7	0.8	0.5	0.7		- 1.5	10.2	5	-10.8	13	1 4.0	5 3.8	51 3.4	3₅ 3.6	5₅ 3.0	13 4.6	5₅ 3.5	4₅ 2.2	1
XII	10.4	14.8	2.5	2.5	2.0	2.3		0.9	8.4	23	- 2.8	25	0₅ 4.0	2₅ 2.8	61 4.3	2 5.2	3 6.2	21 6.0	0 -	0 -	3
1946	1006.1	1010.4	5.2	6.4	5.4	5.2		2.5	25.7		-14.8		25 3.1	41 3.0	287₅ 4.0	222 3.4	62₅ 3.0	280 3.8	86₅ 3.4	49₅ 3.2	42

Fauske

φ = 67° 15' N λ = 15° 23' E g = $\Delta G = +1^h$

I			- 0.9	- 0.6	- 0.2	- 0.6		- 3.5	5.7	16	-22.0	12	0₅ 3.0	8₅ 2.3	19₅ 3.2	6₅ 3.7	14 2.4	13 2.7	3 3.0	0 -	28
II			- 8.0	- 6.5	- 7.7	- 7.5		-11.1	4.0	14	-20.1	11	1 1.0	5 2.2	42₅ 3.1	7₅ 3.2	3 2.8	1 2.0	5 3.4	2 3.0	17
III			- 3.3	- 0.6	- 2.0	- 2.5		- 6.0	6.3	29	-14.2	14	1₅ 2.0	2 2.5	27₅ 2.6	15₅ 2.6	16 3.1	9 3.5	6₅ 3.8	2 2.8	13
IV			2.4	4.0	3.1	2.5		- 0.5	9.0	25	-11.1	15	1₅ 2.3	3₅ 2.4	23 3.4	14 3.2	13₅ 2.4	15 3.2	2₅ 3.4	0 -	17
V			6.6	8.5	7.7	6.7		3.3	17.1	27	- 0.9	6	1 3.0	7₅ 2.3	21₅ 3.0	12₅ 3.1	15 2.3	12 3.0	6₅ 3.8	4 3.6	13
VI			11.0	13.2	12.2	11.3		8.3	22.6	27	4.1	15	0 -	3₅ 2.7	9 3.1	26 3.7	9₅ 2.7	10₅ 3.0	8 2.6	4₅ 3.4	19
VII			14.1	16.8	16.1	14.7		10.9	24.3	14	6.0	3	0 -	0 -	3₅ 2.6	7₅ 3.6	16 1.9	16₅ 2.7	10₅ 2.5	2 2.0	37
VIII			13.8	16.9	15.5	14.3		10.4	21.5	9	5.2	18	0₅ 2.0	1₅ 2.0	5 2.9	15 2.9	18₅ 2.2	10₅ 2.0	5 2.2	0 -	37
IX			10.7	13.1	11.8	11.3		8.0	18.1	2	4.2	30	0₅ 2.0	1₅ 2.0	3 2.0	29 3.4	12 2.3	5 2.6	8 2.6	1 2.0	30
X			4.4	6.5	5.2	5.2		2.6	11.0	9	- 6.4	23	4 1.2	2 2.5	3 2.0	9₅ 3.1	7₅ 2.5	26 3.0	7₅ 3.0	3₅ 3.6	30
XI			- 0.1	0.6	0.3	0.3		- 2.6	9.7	5	-14.9	14	2 1.8	2 2.5	9 2.3	13 3.2	16 2.9	7 3.1	3₅ 2.9	3₅ 2.6	34
XII			1.9	1.9	1.7	1.8		- 0.4	7.0	21	- 6.5	25	0 -	2 1.5	16 3.7	39 3.5	10 2.5	11 3.2	2 4.0	0 -	13
1946			4.4	6.2	5.3	4.8		1.6	24.3		-22.0		12₅ 1.8	39 2.3	182₅ 3.0	195 3.3	151 2.5	134₅ 2.9	68 3.0	22₅ 3.1	288

1946

Myken

H_s = 19 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn ●	Sne *	Sludd #	Yr ❟	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær ℞	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ⊞
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9															
I	67	67	66	66	7.5	7.5	7.8	94	18	3	7		0		19	14	3	20	4	2	16	8	5	0	0	3	0	0	5	0	8	3	18	1
II	65	66	64	64	8.5	7.6	7.0	75	14	16	25		0		17	13	3	20	9	1	4	17	2	0	0	6	0	0	1	0	10	2	18	17
III	74	70	67	70	7.0	6.9	6.9	82	15	25	19		0		22	13	2	15	6	1	13	17	5	0	0	10	0	0	1	0	25	5	16	19
IV	78	76	79	79	7.7	7.9	7.9	132	14	22	6		0		24	21	4	14	2	1	20	13	8	1	0	9	0	0	3	0	27	2	19	3
V	81	78	78	79	6.0	5.9	6.0	59	16	7	2		0		15	11	2	6	3	0	15	7	6	1	0	3	0	0	2	2	29	7	10	0
VI	84	82	87	87	8.1	7.5	7.6	65	9	23	0		0		23	15	0	6	0	0	23	0	0	3	0	0	0	0	0	6	24	0	15	0
VII	83	79	80	82	7.5	6.4	6.5	48	16	28	0		0		14	8	1	4	2	0	14	0	0	5	0	0	0	1	0	7	28	3	15	0
VIII	75	72	75	76	6.2	5.5	5.4	28	11	12	0		0		9	6	1	1	0	0	9	0	0	0	0	0	0	0	0	0	30	5	8	0
IX	72	69	73	72	7.4	6.8	7.3	143	42	28	0		0		21	15	4	9	0	0	21	0	0	0	0	0	0	0	2	0	26	1	14	0
X	71	70	70	70	8.2	8.1	8.2	88	10	24	0		0		23	19	1	12	3	0	23	2	1	3	0	1	0	0	9	1	15	2	23	0
XI	70	74	73	71	6.9	8.1	7.8	107	13	21	13		0		22	20	1	14	3	1	13	15	6	0	0	8	0	0	2	0	14	0	15	10
XII	69	71	70	69	6.1	6.9	6.3	81	16	22	0		0		15	11	2	13	3	2	15	4	4	2	0	2	0	2	1	2	12	1	12	0
1946	74	73	74	74	7.3	7.1	7.1	1002	42		72		0		224	166	24	134	35	8	186	83	37	15	0	42	0	3	26	18	248	31	183	50

Glomfjord

H_s = 39 H_b = h_t = 1.6 h_a = h_d = h_r = 1.8

I					7.7	7.5	7.7	261	47	17	17		3		16	14	11	0	0	0	16	3	2	0	0	0	0	0	0	0	0	5	22		
II					6.8	7.4	5.5	239	39	7	27		7		12	11	11	1	0	0	3	11	0	0	0	1	0	0	0	0	8	7	14		
III					7.4	7.6	6.7	123	32	30	24		0		15	14	5	1	0	0	9	9	2	0	0	2	0	0	0	0	21	6	18		
IV					8.4	7.8	8.8	197	34	4	9		0		23	17	9	1	0	0	18	9	2	3	0	2	0	0	0	0	23	2	22		
V					6.7	6.5	6.2	113	28	8	1		0		13	10	6	1	0	0	12	5	2	0	0	1	0	0	0	3	28	5	14		
VI					8.1	8.1	7.8	78	14	21	0		0		18	15	3	0	0	0	18	0	0	4	0	0	0	0	0	7	21	0	19		
VII					7.5	6.8	7.5	70	18	29	0		0		16	12	2	1	0	0	16	0	0	5	0	0	0	0	0	10	25	5	19		
VIII					6.5	5.5	6.6	77	52	13	0		0		11	6	1	0	0	0	11	0	0	1	0	0	0	2	0	1	25	4	11		
IX					7.8	7.8	7.3	145	54	28	0		0		22	17	3	1	0	0	22	0	0	0	0	0	0	0	0	1	22	2	16		
X					8.6	8.5	8.1	371	78	11	3		0		21	19	13	1	0	0	21	1	1	0	0	0	0	0	0	0	10	1	23		
XI					7.8	8.8	7.8	174	34	7	16		2		18	16	8	1	1	0	10	11	2	0	0	1	0	0	0	0	0	1	19		
XII					7.1	7.4	6.8	176	47	21	10		0		11	10	7	0	0	0	9	4	1	0	0	0	0	0	0	0	0	2	29		
1946					7.5	7.5	7.2	2024	78		107		12		196	161	79	8	1	0	165	53	12	13	0	7	0	2	0	22	183	40	226		

Helligvær

H_s = 14 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

I	79	79	80	79	6.5	7.1	7.2	75	13	16	11		0		18	16	1	12	0	0	17	6	2	1	0	0	0	0	10	0	4	6	17	1
II	78	77	78	78	7.1	6.6	5.8	78	14	14	27		5		17	15	2	16	2	2	5	16	3	0	2	0	0	0	12	0	10	4	12	23
III	81	81	80	80	6.6	6.5	6.2	75	15	25	23		0		19	17	2	10	3	1	11	15	8	0	1	0	0	0	8	1	17	6	13	27
IV	81	77	80	81	6.9	6.7	6.7	86	13	5	11		0		23	17	2	7	2	2	17	9	2	2	0	0	0	0	6	0	22	2	10	5
V	82	80	79	81	5.6	4.8	5.5	38	8	7	2		0		15	11	0	7	1	0	15	4	4	3	0	0	0	0	9	0	24	9	11	0
VI	82	80	83	85	7.7	6.7	7.4	49	9	24	0		0		17	10	0	8	0	0	17	0	2	0	0	0	0	0	5	2	21	0	12	0
VII	85	76	79	84	6.5	5.8	5.6	32	12	28	0		0		15	6	1	2	0	0	15	0	0	5	0	0	0	0	5	0	28	6	11	0
VIII	83	76	81	83	5.5	4.5	4.7	21	8	13	0		0		10	6	0	1	1	0	10	0	0	0	0	0	0	1	1	1	29	5	3	0
IX	83	77	79	80	7.0	6.6	6.2	113	40	28	0		0		23	20	2	7	0	0	23	0	0	0	0	0	0	0	3	0	23	1	9	0
X	82	79	81	82	7.5	7.7	7.6	101	15	30	0		0		24	17	2	12	1	1	24	0	0	2	0	0	0	0	12	0	15	1	18	0
XI	80	80	78	79	6.7	7.3	7.5	59	16	7	14		0		22	13	1	3	0	0	13	12	2	1	1	1	0	0	5	0	14	0	9	16
XII	79	78	79	79	7.4	6.9	7.4	87	16	22	1		0		13	12	4	7	1	0	10	5	1	0	0	0	0	0	5	0	1	1	15	1
1946	81	78	80	81	6.8	6.4	6.5	814	40		89		5		216	160	17	92	11	6	177	67	22	16	4	1	0	1	81	4	208	41	140	73

Bodø

H_s = 33 H_b = 35.0 h_t = 1.8 h_a = 15.0 h_d = 15.0 h_r = 1.7

I	76	75	76	76	7.5	7.3	7.0	112	28	16	17		0		17	13	5	16	1	0	15	7	2	0	2	0	0	0	1	0	7	7	19	12
II	72	71	74	73	6.6	6.0	4.9	90	35	14	28		9		12	9	2	16	1	0	3	12	1	0	2	0	0	1	0	0	20	8	11	26
III	75	72	74	74	7.2	7.0	6.3	56	9	27	25		2		16	14	0	14	2	0	8	12	3	0	2	0	0	0	0	0	19	7	19	30
IV	78	71	75	77	7.4	7.9	7.6	98	15	2	12		0		24	17	4	6	2	0	17	9	1	0	4	0	0	0	1	0	24	2	19	16
V	73	70	71	73	6.5	5.4	5.5	65	15	19	4		0		17	12	2	6	0	0	14	8	5	1	1	0	0	0	0	0	25	8	13	0
VI	76	73	76	78	8.1	7.9	7.7	68	18	21	0		0		21	11	2	3	0	0	21	0	0	0	0	0	0	0	1	0	22	0	16	0
VII	80	71	75	80	6.8	6.5	6.1	24	7	28	0		0		13	7	0	2	1	0	13	0	0	4	0	0	0	0	3	0	27	4	11	0
VIII	78	71	74	77	6.0	5.4	5.2	36	15	13	0		0		10	5	2	2	1	0	10	0	0	0	0	0	0	0	0	0	30	4	8	0
IX	83	76	80	81	7.7	6.8	5.9	136	48	28	0		0		20	15	3	4	0	0	20	0	0	0	0	0	0	1	0	0	25	1	10	0
X	84	78	81	82	8.1	8.0	7.4	209	31	26	4		0		24	20	10	15	1	1	24	0	0	5	0	0	0	1	1	0	15	3	21	0
XI	78	79	83	80	6.5	7.1	7.3	100	23	7	18		2		20	18	2	9	2	0	10	13	2	0	2	0	0	0	0	0	11	5	14	21
XII	76	75	78	77	5.7	6.9	6.3	85	28	20	13		0		11	9	3	16	4	2	9	4	1	0	0	0	0	0	0	0	0	4	13	14
1946	77	74	76	77	7.0	6.8	6.4	1079	48		121		13		205	150	35	109	15	3	164	65	15	5	18	0	0	3	7	0	225	53	174	119

Fauske

H_s = 14 H_b = h_t = 1.9 h_a = h_d = h_r = 1.7

I					7.0	7.5	6.4	173	51	17	18		4		17	11	5	3	0	0	14	9	5	2	0	0	0	0	3	0	2	7	18		
II					5.5	5.8	3.3	107	37	16	28		17		8	7	3	7	1	0	3	8	1	1	0	0	0	0	4	0	10	8	7		
III					5.9	6.5	5.7	42	10	30	26		7		14	10	1	5	0	0	8	12	4	3	0	0	0	0	3	1	14	7	12		
IV					7.7	7.5	7.4	87	44	4	13		1		18	15	2	7	0	0	12	9	2	1	0	1	0	0	5	0	11	2	18		
V					7.3	6.5	5.9	58	10	21	1		0		17	9	0	2	0	0	17	5	5	4	0	0	0	0	4	1	19	4	15		
VI					8.1	8.0	8.1	53	10	22	0		0		21	13	1	1	0	0	21	0	0	4	0	0	0	0	6	0	17	0	18		
VII					7.1	6.4	6.9	49	20	24	0		0		15	9	1	0	0	0	15	0	0	7	0	0	0	0	5	0	21	2	11		
VIII					6.2	6.4	5.9	25	10	13	0		0		12	5	1	0	0	0	12	0	0	1	0	0	0	0	2	0	25	1	9		
IX					7.5	7.9	7.1	70	15	30	0		0		17	13	1	2	0	0	17	0	0	1	0	0	0	0	1	0	17	0	15		
X					7.6	7.9	6.8	190	41	26	3		0		19	16	7	4	0	0	19	1	0	6	0	0	0	0	8	1	11	5	18		
XI					6.5	6.9	6.2	61	22	7	19		5		17	11	1	3	0	0	12	8	3	1	0	0	0	0	2	0	8	2	12		
XII					5.5	6.7	6.5	97	24	20	13		0		13	11	4	9	2	0	11	4	2	2	0	0	0	0	3	0	0	4	10		
1946					6.8	7.0	6.4	1012	51		121		34		188	130	27	43	3	0	161	56	22	33	0	1	0	0	46	3	155	42	163		

1946

Grøtøy

$\varphi = 67° 50' N$ $\lambda = 14° 47' E$ $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			2.1	2.1	2.2	2.1		0.2	8.0	23	- 7.0	12	05 2.0	11 3.3	145 3.2	85 3.1	275 2.7	155 4.6	135 3.8	2 2.8	0
II			- 3.2	- 2.6	- 3.6	- 3.2		- 5.3	5.0	14	-11.2	10	5 5.0	9 2.9	19 2.9	245 3.7	155 3.7	2 5.2	35 4.6	45 4.1	1
III			- 0.9	0.5	- 0.4	- 0.6		- 3.1	6.0	29	- 7.6	14	0 -	115 2.8	145 2.5	11 3.2	255 3.4	95 5.0	65 5.7	105 5.1	4
IV			3.1	4.1	3.3	3.1			1.0	10.7	29	- 4.0	12	15 1.0	16 3.9	75 2.5	11 3.6	225 3.7	155 4.6	9 3.9	6 3.9	1
V			6.2	6.8	6.5	6.0		4.0	13.3	23	0.0	5	14 3.5	22 4.0	55 2.4	4 2.4	105 3.3	205 4.5	65 4.3	8 4.1	2
VI			11.1	12.5	11.8	11.1		8.6	23.8	26	5.8	9	13 2.7	175 3.3	65 2.8	115 3.0	8 3.1	205 3.9	5 2.6	6 1.9	2
VII			14.3	15.5	15.2	14.4		12.2	24.5	15	9.3	7	125 2.6	17 2.5	3 1.5	45 3.3	45 2.3	35 3.6	7 2.4	55 2.3	4
VIII			14.8	16.3	15.0	14.7		12.3	21.7	9	8.2	17	145 2.6	225 3.0	105 2.5	6 3.2	6 2.3	105 3.4	85 2.4	35 3.7	11
IX			12.3	13.4	12.6	12.5		10.5	18.8	3	6.1	30	8 3.6	15 2.9	9 2.7	17 4.0	14 3.4	16 4.2	9 4.2	1 2.0	1
X			6.7	7.6	6.9	7.0		5.1	11.3	10	- 1.0	22	8 4.1	14 2.9	6 2.2	5 3.0	115 3.2	245 5.5	17 4.4	4 3.9	3
XI			2.3	2.5	2.3	2.4		0.4	10.1	5	- 5.6	14	6 5.0	105 3.1	17 3.4	13 3.5	16 3.2	12 5.1	65 5.2	9 4.4	0
XII			4.1	4.1	3.9	4.0		2.4	7.6	23	- 1.0	25	0 -	3 1.5	9 1.7	375 3.7	16 3.4	195 5.5	7 4.1	1 2.0	0
1946			6.1	6.9	6.3	6.1		4.0	24.5		-11.2		83 3.3	169 3.2	122 2.7	1535 3.5	1775 3.2	201 4.5	99 4.0	61 3.8	29

Bjørnfjell

$\varphi = 68° 26' N$ $\lambda = 18° 4' E$ $g =$ $\Delta G = +1^h$

I			- 6.5	- 6.3	- 6.3	- 6.4		- 9.7	3.0	17	-25.4	11	0 -	7 2.5	41 3.2	1 2.0	0 -	14 2.6	29 3.7	0 -	1
II			-17.3	-16.2	-16.9	-16.9		-20.1	- 1.2	14	-29.9	25	0 -	2 3.0	61 3.7	0 -	0 -	0 -	14 2.4	0 -	7
III			-11.4	- 9.1	-10.1	-10.7		-14.4	4.0	29	-28.0	1	0 -	25 4.2	495 2.9	0 -	0 -	3 1.7	24 3.8	3 7.0	11
IV			- 4.6	- 2.7	- 3.5	- 4.3		- 7.5	4.0	25	-20.2	12	0 -	05 3.0	555 2.5	1 3.0	0 -	2 2.0	24 3.1	3 6.7	4
V			0.6	2.3	1.8	0.9		- 1.8	9.9	23	- 9.5	11	0 -	1 2.0	405 2.1	1 4.0	05 5.0	13 1.9	29 2.4	0 -	8
VI			6.9	9.4	8.6	7.5		4.6	21.3	27	- 1.1	1	0 -	4 3.5	40 2.6	8 3.5	0 -	5 1.8	28 2.5	0 -	5
VII			11.5	14.3	13.6	12.2		8.6	21.9	14	5.1	2	0 -	1 2.0	21 2.6	6 3.7	0 -	295 2.5	255 2.5	0 -	10
VIII			10.2	13.8	12.0	11.2		7.8	19.1	9	4.8	29	1 3.0	0 -	47 2.6	2 3.0	1 1.0	24 2.1	9 2.4	0 -	9
IX			6.6	8.8	7.3	7.1		4.6	14.9	2	- 0.6	30	0 -	2 4.0	52 3.0	4 3.2	0 -	55 2.5	215 2.9	0 -	5
X			- 0.8	0.5	0.0	- 0.3		- 2.7	8.1	9	-12.5	24	0 -	5 2.2	29 2.4	0 -	0 -	25 4.3	26 2.8	1 1.0	9
XI			- 6.0	- 5.7	- 5.7	- 5.8		- 8.5	7.5	5	-18.4	14	0 -	3 3.0	43 3.0	0 -	0 -	3 3.3	29 2.6	0 -	12
XII			- 4.0	- 3.4	- 3.9	- 3.8		- 6.8	2.8	19	-14.7	26	0 -	2 3.5	55 3.0	0 -	0 -	14 4.0	16 3.1	0 -	6
1946			- 1.2	0.5	- 0.3	- 0.8		- 3.8	21.9		-29.9		1 3.0	30 3.0	5345 2.9	23 3.4	15 2.3	136 2.8	275 2.9	7 6.0	87

Narvik

$\varphi = 68° 25' N$ $\lambda = 17° 23' E$ $g =$ $\Delta G = +1^h$

I			- 0.7	- 0.4	- 0.8	- 0.6		- 3.6	6.8	17	-13.6	11	05 3.0	45 3.2	0 -	7 2.6	115 2.2	365 2.1	32 4.1	1 3.0	0
II			- 8.9	- 7.5	- 9.1	- 8.6		-11.7	2.4	14	-18.8	9	0 -	4 2.8	9 2.8	23 3.1	105 2.3	17 2.0	16 3.8	45 4.1	0
III			- 3.8	- 1.4	- 3.9	- 3.5		- 7.5	8.0	29	-17.3	1	0 -	2 2.5	0 -	145 2.5	16 2.2	325 2.2	26 3.8	2 4.2	0
IV			1.8	3.5	2.0	1.6		- 1.9	10.0	30	-11.6	12	35 2.6	10 2.7	4 3.0	19 3.0	9 2.4	14 2.6	265 3.6	4 3.2	0
V			5.9	7.1	6.3	5.6		2.3	12.8	22	- 1.2	6	115 3.0	255 3.1	35 2.7	8 2.8	3 2.3	135 2.4	26 3.8	2 3.8	0
VI			11.5	13.5	12.4	11.4		7.6	24.6	26	3.0	15	1 2.5	16 2.8	2 1.5	23 3.3	4 1.8	15 3.0	26 3.3	2 3.0	1
VII			14.4	16.4	15.9	14.7		11.2	24.9	14	7.3	2	4 2.4	115 2.1	35 1.1	10 2.6	25 1.4	20 2.9	355 3.2	4 2.2	2
VIII			13.4	16.2	14.5	13.7		10.3	22.2	9	7.0	29	65 2.7	145 2.5	0 -	255 2.1	5 1.9	24 2.4	145 2.8	0 -	3
IX			10.5	13.0	10.6	10.8		7.7	17.3	5	3.4	30	05 3.0	6 2.8	1 2.5	32 2.6	65 2.9	26 2.4	14 3.0	3 3.3	1
X			4.2	5.1	4.4	4.3		1.7	11.9	9	- 5.4	24	15 4.3	2 3.5	0 -	15 2.8	9 2.3	39 2.4	225 4.1	3 4.0	0
XI			- 0.7	- 0.4	- 0.6	- 0.6		- 2.8	11.0	5	-10.8	14	0 -	4 2.8	0 -	19 2.7	14 2.0	34 2.1	19 3.7	0 -	0
XII			1.0	1.3	1.2	1.2		- 1.3	7.5	20	- 6.8	26	0 -	0 -	0 -	215 2.7	15 2.5	345 2.1	19 3.8	1 4.0	2
1946			4.0	5.5	4.4	4.2		1.0	24.9		-18.8		29 2.8	100 2.8	23 2.4	2175 2.7	106 2.2	306 2.3	277 3.6	265 3.5	10

Offersøy

$\varphi = 68° 20' N$ $\lambda = 15° 38' E$ $g = 9.825$ $\Delta G = +1^h$

I	1008.5	1011.0	0.4	0.5	0.6	0.5		- 1.5	6.1	17	- 8.8	12	0 -	29 2.2	95 2.4	25 2.4	4 2.1	22 4.3	15 2.0	4 1.2	7
II	997.0	999.6	- 5.2	- 4.6	- 5.8	- 5.3		- 8.0	3.9	14	-13.1	9	1 4.0	255 2.7	115 3.7	12 3.2	8 2.3	25 4.2	65 2.1	3 2.0	14
III	1010.5	1013.1	- 2.4	- 1.1	- 2.1	- 2.2		- 4.6	5.3	29	-10.3	1	0 -	33 1.8	5 2.6	4 2.8	11 2.2	10 3.8	145 2.7	45 3.1	11
IV	01.4	03.9	1.8	3.5	2.1	1.9		- 0.9	10.6	30	- 7.9	11	0 -	24 2.3	195 2.9	55 2.0	5 2.1	15 3.3	135 2.5	15 2.0	6
V	14.4	16.9	5.7	7.7	6.5	5.8		2.7	14.9	27	- 0.7	6	1 2.0	145 2.9	205 2.6	3 1.0	35 2.1	21 3.1	21 2.1	55 2.2	3
VI	06.0	08.4	11.0	13.3	11.9	11.2		8.2	24.9	26	4.8	2	0 -	145 2.8	28 2.6	3 2.0	25 1.4	21 3.8	12 2.6	2 1.5	7
VII	09.6	12.1	14.1	16.5	15.4	14.5		11.1	26.1	14	7.8	3	0 -	55 2.0	21 2.6	25 2.4	5 2.0	36 3.1	14 2.8	0 -	9
VIII	07.4	09.8	14.0	17.1	14.7	14.4		10.8	22.8	9	5.6	17	1 1.0	205 2.2	24 2.1	05 3.0	3 1.3	14 2.4	125 1.6	55 2.2	12
IX	03.9	06.4	10.9	13.1	10.7	11.1		8.4	18.3	3	1.2	30	2 2.0	225 2.2	15 2.4	6 2.4	5 2.4	16 3.2	105 2.2	0 -	13
X	12.4	14.9	4.9	6.4	5.2	5.3		2.8	11.2	4	- 3.7	23	15 1.0	19 1.6	4 1.6	05 2.0	7 2.1	22 4.5	165 2.9	35 1.3	19
XI	03.2	05.8	0.3	0.5	0.3	0.4		- 1.4	10.0	5	- 7.8	16	0 -	295 2.2	55 2.4	35 3.3	65 2.8	125 4.3	10 2.4	75 1.1	15
XII	11.2	13.7	2.4	2.5	2.4	2.4		0.7	6.5	21	- 3.5	25	0 -	285 1.9	105 2.9	95 3.3	5 4.0	235 4.3	8 3.2	0 -	8
1946	1007.1	1009.6	4.8	6.3	5.2	5.0		2.4	26.1		-13.1		65 1.9	266 2.2	174 2.6	525 2.7	655 2.3	2155 3.7	154 2.4	37 1.8	124

Skrova

$\varphi = 68° 9' N$ $\lambda = 14° 39' E$ $g =$ $\Delta G = +1^h$

I			2.0	2.1	2.1	2.1		0.4	6.2	18	- 5.3	10	0 -	7 3.6	265 4.5	2 3.5	9 4.4	255 5.4	14 4.0	5 2.7	4
II			- 3.2	- 3.1	- 3.4	- 3.3		- 4.9	4.0	14	- 9.6	9	8 3.5	65 4.5	36 4.0	12 2.9	55 3.5	65 4.5	4 3.8	55 3.8	0
III			- 0.7	- 0.1	- 0.2	- 0.5		- 2.2	4.9	29	- 6.7	1	1 2.0	5 4.7	255 3.5	35 1.6	115 4.0	195 4.4	11 5.5	9 5.6	7
IV			2.3	3.4	2.9	2.5		0.7	9.9	30	- 3.7	12	45 2.3	85 4.2	25 3.8	55 2.7	55 3.7	22 4.3	13 4.0	3 2.7	3
V			5.1	6.3	6.1	5.4		3.7	12.5	28	- 0.8	5	95 3.1	75 3.9	18 3.4	4 2.0	3 1.5	195 4.1	10 3.2	105 3.3	11
VI			10.4	11.7	11.4	10.6		8.4	22.5	26	6.3	1	45 3.1	10 4.6	30 3.4	3 2.0	45 2.3	21 3.7	6 2.3	2 1.5	9
VII			13.4	15.2	14.9	13.8		11.0	24.6	14	9.0	9	3 1.7	13 2.8	23 3.0	0 -	1 1.0	345 3.5	75 2.2	0 -	11
VIII			13.9	15.8	15.1	14.4		12.5	20.7	9	9.5	16	35 3.3	105 3.0	38 2.8	6 1.7	3 2.3	135 2.6	45 1.2	4 2.2	10
IX			11.8	12.8	12.3	12.0		10.5	17.7	3	5.0	30	4 2.5	7 3.6	32 3.1	5 3.0	6 3.1	225 3.7	6 3.3	65 2.2	1
X			6.9	7.4	7.2	7.1		5.2	11.7	8	0.9	22	65 2.0	11 2.6	14 1.9	15 1.0	4 1.4	255 4.1	21 3.8	75 2.5	2
XI			2.2	2.3	2.0	2.2		0.3	10.1	5	- 5.6	13	75 2.3	45 3.4	275 4.1	3 4.0	8 3.4	14 5.2	95 4.1	13 3.2	3
XII			3.9	4.0	4.0	4.0		2.5	7.7	23	- 0.7	25	0 -	2 3.8	335 3.1	16 3.1	35 4.3	275 5.2	9 4.2	15 2.7	0
1946			5.7	6.5	6.2	5.9		4.0	24.6		- 9.6		52 2.7	925 3.6	329 3.4	615 2.7	645 3.3	2515 4.2	1155 3.7	675 3.2	61

1946

Grøtøy

H_t = 6 H_b = h_t = 2.1 h_a = h_d = h_r = 1.5

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n																							
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⧺	⸗	*	△	▲	℞	=	≡	⊙	◔	◕	⊞
I	77	78	75	76	6.9	7.2	6.9	66	11	16	12		0		22	13	1	10	0	0	18	7	3	0	0	1	0	0	6	0	9	5	16	10
II	71	69	72	71	6.2	6.4	5.4	68	22	16	26		2		16	9	2	13	0	0	6	16	3	0	0	0	0	0	5	0	12	5	6	21
III	77	75	78	77	6.4	6.9	6.4	105	26	3	25		0		19	13	4	14	3	0	9	16	4	0	0	0	0	0	2	0	14	6	14	31
IV	75	70	74	75	6.7	6.9	7.0	63	16	2	10		0		23	13	1	13	2	0	18	10	4	0	0	1	0	0	2	0	18	2	11	1
V	75	75	76	76	5.8	5.6	5.2	52	11	7	0		0		17	10	2	13	0	0	16	4	3	3	0	0	0	0	0	1	21	6	9	1
VI	76	73	73	76	7.2	6.2	7.4	69	19	22	0		0		15	10	3	5	0	0	15	0	0	0	0	0	0	1	3	0	22	1	11	0
VII	79	75	76	79	6.5	6.2	5.9	50	13	28	0		0		16	9	2	5	2	0	16	0	0	1	0	0	0	0	1	1	22	2	9	0
VIII	75	72	76	76	5.1	4.8	4.5	58	18	13	0		0		14	10	2	3	0	0	14	0	0	0	0	0	0	1	0	0	29	4	2	0
IX	74	74	74	74	7.3	6.8	6.2	144	53	28	0		0		25	20	3	10	0	0	25	0	0	0	0	0	0	1	1	0	20	1	9	0
X	79	75	77	78	7.4	7.1	7.5	127	21	30	2		0		24	20	4	14	2	0	24	1	0	3	0	0	0	0	3	0	8	1	20	0
XI	75	75	75	75	6.1	7.0	6.9	90	18	21	19		0		21	16	2	14	1	0	13	12	3	1	0	1	0	0	2	0	8	2	10	15
XII	72	73	72	72	6.6	6.5	6.7	83	17	22	3		0		15	10	4	15	2	1	15	5	5	0	0	1	0	0	1	0	0	2	11	12
1946	75	74	75	75	6.5	6.5	6.3	975	53		97		2		227	153	30	129	12	1	189	71	25	8	0	4	0	2	24	5	183	37	128	91

Bjørnfjell

H_t = 514 H_b = h_t = 1.9 h_a = h_d = h_r = 2.4

I					7.5	8.0	7.5	77	9	7	29		14		22	16	0	4	0	0	7	21	5	3	0	0	0	0	1	3	0	4	20	31
II					5.2	5.1	3.5	61	23	14	28		26		10	6	3	4	0	0	0	10	0	0	0	0	0	0	0	0	3	7	8	28
III					6.7	6.4	5.8	41	13	31	31		24		14	9	1	6	1	0	1	14	0	0	0	1	0	0	0	0	12	4	14	31
IV					6.4	6.6	7.4	54	15	4	30		8		17	12	2	2	1	0	2	17	2	0	0	1	0	0	0	0	20	5	16	30
V					6.6	6.7	6.5	53	16	25	23		0		15	11	1	0	0	0	9	12	5	2	0	1	0	0	0	4	19	7	15	31
VI					8.0	7.6	8.5	67	19	15	2		0		18	11	3	3	0	0	18	2	2	1	0	0	0	1	2	5	14	0	17	10
VII					7.1	7.3	7.0	54	25	1	0		0		11	6	1	3	0	0	11	0	0	4	0	0	0	2	0	6	23	0	15	0
VIII					7.1	6.3	7.1	39	8	6	0		0		13	11	0	1	0	0	13	0	0	5	0	0	0	1	0	7	25	1	8	0
IX					8.0	7.7	7.4	71	19	5	1		0		17	11	2	2	0	0	17	0	0	1	0	0	0	0	1	3	17	1	14	0
X					8.4	7.7	7.8	146	20	11	24		3		24	20	5	4	1	0	17	19	9	3	0	1	0	0	4	4	6	4	23	23
XI					6.9	7.8	7.4	68	16	7	26		13		19	15	1	1	0	0	7	13	0	2	0	0	0	0	5	2	0	4	18	26
XII					7.7	8.7	7.8	47	7	21	28		7		14	12	0	5	0	0	4	11	0	2	0	0	0	0	4	2	0	2	20	31
1946					7.1	7.2	7.0	778	25		222		95		194	140	19	35	3	0	106	119	23	23	0	4	0	4	17	36	139	39	188	241

Narvik

H_t = 40 H_b = h_t = 1.9 h_a = h_d = 9.6 h_r = 1.8

I					7.3	7.7	6.4	65	9	4	23		3		22	13	0	6	0	0	16	12	3	0	0	0	0	0	8	0	0	4	17	16
II					5.1	5.1	4.1	52	18	14	28		19		7	6	2	1	0	0	2	7	1	0	0	0	0	0	0	0	8	7	8	23
III					6.4	6.6	6.3	37	8	28	29		8		14	10	0	5	0	0	5	13	0	0	3	0	0	0	0	0	26	5	17	31
IV					7.0	6.3	7.1	41	16	4	17		2		12	9	1	5	0	0	7	12	5	0	3	0	0	0	2	0	23	2	13	22
V					6.3	7.0	6.3	44	10	21	5		0		14	8	1	1	0	0	12	9	4	0	3	0	0	0	0	0	24	6	14	0
VI					7.8	7.5	8.4	60	14	17	0		0		17	12	2	0	0	0	17	0	0	0	0	0	0	1	0	0	25	0	18	0
VII					6.6	6.6	6.6	53	14	1	0		0		13	9	2	2	0	0	13	0	0	2	0	0	0	0	2	0	27	3	12	0
VIII					6.2	5.9	7.3	39	10	16	0		0		14	8	0	0	0	0	14	0	0	0	0	0	0	0	3	0	27	3	8	0
IX					7.8	7.5	7.4	73	27	28	0		0		20	10	3	4	0	0	20	0	0	0	0	0	0	0	1	0	24	1	19	0
X					7.7	7.6	7.9	143	18	20	6		0		24	20	5	8	0	0	22	6	1	0	0	0	0	0	3	0	9	3	21	5
XI					7.1	7.0	7.0	56	15	7	20		3		19	16	1	4	0	0	9	11	0	0	3	0	0	0	2	0	0	3	16	22
XII					7.1	8.0	7.2	60	16	22	22		0		13	10	1	5	0	0	9	7	3	0	1	0	0	0	2	0	0	1	18	25
1946					6.9	6.9	6.8	723	27		150		35		189	131	18	41	0	0	147	77	17	2	13	0	0	0	24	0	193	38	181	144

Offersøy

H_t = 16 H_b = 20.4 h_t = 2.1 h_a = h_d = 14.1 h_r = 1.7

I	85	85	82	84	8.1	7.6	8.0	108	21	26	19		0		23	17	3	6	1	0	18	13	6	1	0	0	0	0	5	0	5	5	23	15
II	80	76	79	79	7.5	7.2	5.4	91	24	14	28		9		14	9	3	8	0	0	3	14	3	0	0	0	0	0	0	0	13	4	13	26
III	82	79	80	81	7.1	8.0	6.4	106	21	25	26		1		18	15	3	7	2	0	9	17	7	2	1	0	0	0	1	0	18	5	17	31
IV	77	69	76	78	7.8	7.0	7.8	98	17	2	16		0		20	14	5	7	1	0	17	11	6	0	3	1	0	0	0	0	23	1	16	23
V	76	68	73	78	6.0	6.2	6.3	62	18	7	4		0		15	7	3	2	0	0	14	5	4	3	0	0	0	0	3	0	21	8	14	3
VI	78	67	73	82	8.0	7.7	8.2	47	20	22	0		0		11	6	2	2	0	0	11	0	0	3	0	0	0	0	1	0	22	1	18	0
VII	80	70	75	81	7.7	7.3	7.1	65	18	29	0		0		14	8	2	3	1	0	14	0	0	2	0	0	0	0	0	0	25	2	17	0
VIII	81	68	79	82	6.9	6.3	5.9	43	16	13	0		0		8	7	2	1	0	0	8	0	0	0	0	0	0	0	0	0	29	3	10	0
IX	84	76	84	85	7.7	8.2	7.1	178	55	28	0		0		24	17	5	2	0	0	24	0	0	0	0	0	0	0	0	0	19	1	15	0
X	87	81	84	85	7.7	7.9	8.5	152	26	31	4		0		22	21	6	9	1	1	22	5	4	1	0	0	0	0	0	0	13	2	22	0
XI	87	83	85	86	7.1	7.3	7.5	78	14	21	19		0		21	17	2	5	1	0	12	14	2	0	1	0	0	0	0	0	8	3	16	21
XII	84	84	83	84	7.9	7.7	7.5	83	21	22	14		0		13	11	3	6	2	1	12	3	1	0	0	2	0	1	0	0	0	1	17	11
1946	82	76	79	82	7.5	7.4	7.1	1111	55		130		10		205	149	39	58	9	2	164	82	33	12	5	3	0	1	6	4	196	36	198	130

Skrova

H_t = 11 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

I	77	75	76	77	7.3	7.6	7.5	62	8	26	10		0		19	15	0	17	0	0	17	8	2	9	0	0	0	0	7	0	5	3	18	10
II	75	73	74	74	7.2	7.2	6.9	89	24	16	28		0		12	12	3	11	3	0	3	12	1	0	0	1	0	0	1	0	11	2	14	22
III	77	76	73	75	7.5	7.7	7.3	92	8	3	23		0		13	8	0	12	2	1	5	12	4	4	0	1	0	1	4	1	18	5	20	29
IV	74	69	71	73	8.2	7.7	8.0	67	13	2	11		0		19	16	1	13	2	2	16	10	6	5	0	0	0	0	8	0	22	1	23	4
V	74	68	70	74	6.1	5.7	5.9	30	8	8	1		0		12	7	0	7	0	0	12	3	3	4	0	0	0	0	6	3	23	7	14	0
VI	71	64	66	72	7.1	6.7	6.3	44	15	22	0		0		11	8	1	8	0	0	11	0	0	3	0	0	0	1	5	3	23	3	13	0
VII	74	67	69	73	7.6	6.5	6.3	26	10	28	0		0		11	6	1	5	1	0	11	0	0	5	0	0	0	0	1	2	23	4	14	0
VIII	72	65	69	72	6.1	5.7	6.0	16	5	11	0		0		5	4	0	3	0	0	5	0	0	0	0	0	0	0	1	1	30	3	12	0
IX	75	71	71	73	7.5	7.8	7.6	108	31	27	0		0		18	17	2	2	0	0	18	0	0	1	0	0	0	0	1	0	20	1	13	0
X	74	72	74	74	8.0	8.3	8.0	69	9	14	0		0		21	19	0	5	1	0	21	0	0	1	0	0	0	0	1	0	5	2	23	0
XI	77	73	74	75	7.3	7.7	7.5	75	11	21	15		0		21	14	2	9	2	0	15	10	3	2	0	0	0	0	5	0	2	1	18	17
XII	75	75	73	74	7.7	7.8	6.9	23	11	22	2		0		9	6	1	5	3	2	9	3	2	6	0	1	0	0	3	0	0	1	15	1
1946	75	71	72	74	7.3	7.2	7.0	641	31		90		0		171	132	11	97	14	5	143	58	21	40	0	3	0	2	43	10	182	33	197	83

1946

Sørvågen

$\varphi = 67°\ 54'$ N $\lambda = 13°\ 2'$ E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			2.5	2.6	2.6	2.6		1.1	7.5	15	- 5.5	11	1 2.5	10₅ 2.2	15 4.0	4₅ 4.1	9 4.8	21 4.5	20₅ 4.1	6₅ 3.5	5
II			- 2.5	- 1.8	- 2.4	- 2.3		- 4.3	6.5	14	- 9.4	23	5₅ 2.1	6₅ 2.2	11 3.5	17 4.5	4 5.2	5 4.4	6 3.1	20 3.3	9
III			- 0.4	0.8	0.0	- 0.1		- 2.0	7.6	29	- 6.9	31	4 1.1	10₅ 1.9	13 2.3	7 3.3	7₅ 2.9	11 4.4	10₅ 3.6	15₅ 4.1	14
IV			2.3	3.3	2.9	2.5		0.8	8.6	30	- 4.7	11	2₅ 2.8	13 2.7	18₅ 2.7	2₅ 2.4	5₅ 2.8	14₅ 4.6	11 3.2	10₅ 3.7	12
V			5.6	6.8	6.4	5.8		3.6	13.6	23	- 1.1	8	6 2.7	8 2.6	19₅ 2.3	1₅ 2.3	0₅ 3.0	11₅ 3.0	14₅ 3.0	9₅ 2.8	22
VI			9.9	11.3	10.9	10.1		8.1	18.9	26	4.8	15	5₅ 3.9	12 2.6	22 2.1	2₅ 3.0	1₅ 1.7	11 2.9	19 2.2	2₅ 3.0	14
VII			13.3	14.6	14.1	13.5		11.4	22.7	14	8.8	3	5 2.0	4 1.5	22 1.5	2 2.5	0 -	19₅ 3.0	19 2.2	3₅ 3.4	18
VIII			13.5*	15.4*	14.7*	14.0*		12.0*	19.8*	9*	8.9*	17*	14* 3.6*	16* 3.4*	24* 3.0*	5* 2.6*	6* 2.7*	11* 2.7*	6₅* 2.0*	7₅* 2.5*	3*
IX			11.9*	12.6*	12.0*	11.8*		10.5*	17.5*	3*	5.3*	30*	7* 3.6*	9* 3.2*	21* 3.3*	7* 3.0*	9* 4.4*	23* 3.7*	6* 3.7*	7* 3.0*	1*
X			6.9	7.5	7.0	7.0		5.6	11.6	3	0.3	21	10 1.7	8₅ 1.9	5 1.9	5 2.8	3₅ 3.3	16₅ 4.6	23₅ 4.3	16 3.4	5
XI			2.4	2.6	2.3	2.4		0.8	10.5	5	- 5.3	14	15 2.5	10₅ 3.3	15 2.9	2 2.0	8 3.4	8 4.6	12 4.5	9₅ 2.6	10
XII			4.3	4.4	4.3	4.3		2.9	7.5	22	- 0.1	25	0₅ 1.0	0 -	10₅ 2.2	20 3.2	18 3.4	17 5.2	14₅ 4.8	2₅ 3.2	10
1946			5.8	6.7	6.2	6.0		4.2	22.7		- 9.4		76 2.7	108₅ 2.6	196₅ 2.6	76 3.4	72₅ 3.6	169 4.0	163 3.5	110₅ 3.3	123

Røst

$\varphi = 67°\ 30'$ N $\lambda = 12°\ 4'$ E g = 9.826 $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	1008.9	1009.7	3.5	3.5	3.6	3.5	5.1	1.8	7.5	25	- 2.7	8	3₅ 3.3	10₅ 4.3	9 4.8	5 3.7	15₅ 5.2	28 5.8	15₅ 4.9	4 4.8	2
II	996.7	998.1	- 1.3	- 0.9	- 1.0	- 1.2	1.0	- 3.4	6.6	14	- 7.1	28	10₅ 5.4	9 3.6	16 4.2	4₅ 4.6	9₅ 4.8	10 5.3	13 4.3	8₅ 5.2	3
III	1011.4	1012.8	1.0	1.7	1.3	1.1	3.1	- 0.8	9.5	28	- 6.7	30	4 4.0	5 3.6	10 3.2	7₅ 2.8	16 4.2	28 4.2	7₅ 4.5	15 5.1	0
IV	01.7	03.0	2.9	3.8	3.5	3.1	5.2	1.4	9.4	20	- 2.8	13	6₅ 4.1	11₅ 4.2	8₅ 3.8	8 3.4	9₅ 4.8	23₅ 4.8	7 4.7	15₅ 4.1	0
V	16.0	17.4	5.3	5.9	5.6	5.2	7.1	3.7	11.8	27	- 1.0	6	23 4.2	11₅ 3.5	5 3.5	0₅ 3.0	5₅ 3.6	20 4.0	12₅ 3.8	15 4.1	0
VI	06.3	07.6	9.3	10.0	9.5	9.2	11.1	7.8	15.5	19	5.8	14	14₅ 3.9	18 3.9	12₅ 3.1	6₅ 2.9	8 3.8	22 3.4	2₅ 4.2	6 3.2	0
VII	10.4	11.7	12.1	13.1	12.8	12.3	14.5	10.7	21.4	15	8.9	2	21 3.5	3 3.3	12₅ 3.2	5 2.9	7 3.4	26 3.2	10 2.6	7₅ 2.6	1
VIII	07.9	09.2	12.9	13.9	13.2	12.8	15.0	11.2	17.1	26	8.2	17	28 3.6	12₅ 3.7	14₅ 3.1	5 2.6	5₅ 3.0	10₅ 2.8	7₅ 2.5	8₅ 3.1	1
IX	03.7	05.0	12.1	12.6	12.1	12.0	13.5	10.6	17.1	3	6.2	30	11₅ 3.8	10 3.4	11 3.5	9 3.2	11₅ 5.4	22₅ 4.0	5₅ 4.3	8 3.6	1
X	13.8	15.2	7.8	8.4	8.2	8.0	9.8	6.3	15.8	4	1.2	21	13 3.9	3 2.5	2₅ 2.4	2₅ 2.4	14 4.2	30₅ 5.2	13 5.8	14₅ 4.6	0
XI	03.5	04.8	3.7	3.7	3.6	3.7	5.2	1.7	11.9	5	- 3.7	13	13 4.7	15 4.2	10₅ 3.9	6₅ 3.2	9₅ 5.6	16 4.8	6₅ 5.2	13 3.7	0
XII	11.1	12.4	4.9	5.1	4.8	4.9	6.1	3.5	9.8	23	0.6	24	1₅ 2.7	0₅ 3.0	9₅ 2.9	16 3.5	29₅ 4.6	26 5.5	6₅ 4.6	2₅ 2.8	1
1946	1007.6	1008.9	6.2	6.7	6.4	6.2	7.9	4.5	21.4		- 7.1		150 4.0	109₅ 3.8	121₅ 3.5	76 3.2	141 4.5	263 4.5	107 4.3	118 4.1	9

Skomvær Fyr

$\varphi = 67°\ 25'$ N $\lambda = 11°\ 53'$ E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			3.4	3.7	3.6	3.6		2.0	6.8	16	- 2.8	10	2₅ 3.6	5 3.1	12₅ 3.3	8₅ 2.8	19 4.2	29 4.5	13 3.0	2₅ 2.8	1
II			- 1.3	- 0.9	- 1.2	- 1.2		- 3.2	6.2	14	- 7.2	28	10 4.4	8 3.0	20 3.1	5₅ 2.4	16₅ 3.9	8₅ 2.8	5 3.3	9₅ 3.9	1
III			1.3	1.8	1.1	1.2		- 0.5	7.0	29	- 4.6	30	4 3.4	4₅ 2.2	15 2.4	4 2.9	21 2.8	19 3.1	15₅ 3.2	10 5.0	0
IV			3.4	4.0	3.6	3.4		1.5	6.6	26	- 3.4	12	6₅ 3.5	11₅ 2.9	12 3.1	8 2.6	7 3.7	26₅ 3.9	8₅ 2.8	10 2.8	0
V			5.8	6.2	5.5	5.4		3.8	10.0	27	- 2.4	5	11₅ 3.1	19₅ 2.6	12 2.4	1₅ 1.7	6₅ 2.2	17 2.3	13 3.6	10 3.0	2
VI			9.9	10.1	9.6	9.5		7.9	15.3	27	5.4	15	5₅ 3.5	19 2.6	16₅ 2.7	6 1.5	12 2.5	15 2.7	10₅ 1.6	4₅ 1.6	1
VII			12.7	12.9	12.3	12.1		10.3	17.9	15	8.5	8	9 1.9	21₅ 2.0	6₅ 2.4	7 1.4	10 1.4	19₅ 2.7	12 1.5	5₅ 1.2	2
VIII			13.0	13.7	12.8	12.7		11.1	16.5	10	8.2	18	11₅ 2.3	25 2.2	19 2.1	4₅ 1.8	9₅ 1.8	5₅ 2.0	11₅ 1.9	3₅ 1.6	3
IX			12.1	12.6	12.0	12.0		10.7	16.5	6	6.2	30	5 3.5	10 3.2	14₅ 2.8	13₅ 2.6	10 4.6	20 3.8	11₅ 3.1	3₅ 2.6	2
X			8.1	8.3	8.2	8.1		6.5	11.3	3	1.7	21	8 3.6	9 3.3	3 2.2	5₅ 2.3	10₅ 3.0	24 4.3	23 4.5	10 4.4	0
XI			3.7	3.7	3.7	3.7		2.0	10.2	5	- 3.0	30	10 3.2	13 3.6	14 3.3	8 2.5	10 3.4	15 4.2	10₅ 3.5	9₅ 2.9	0
XII			5.0	5.0	4.9	5.0		3.5	7.5	21	0.3	24	2₅ 2.0	0₅ 1.0	2₅ 1.6	14₅ 2.0	30₅ 2.8	30₅ 4.1	8₅ 4.2	3₅ 3.0	0
1946			6.4	6.8	6.3	6.3		4.6	17.9		- 7.2		86 3.2	146₅ 2.7	147₅ 2.7	86₅ 2.3	162₅ 3.1	229₅ 3.6	142₅ 3.1	82 3.2	12

Eggum

$\varphi = 68°\ 18'$ N $\lambda = 13°\ 41'$ E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			2.8	2.6	2.6	2.7	4.4	0.7	8.2	17	- 8.1	12	1 4.0	5₅ 4.0	10₅ 3.3	4₅ 3.3	20₅ 4.3	30 5.1	11 4.4	4 4.2	6
II			- 2.6	- 2.4	- 2.7	- 2.7	- 0.5	- 5.0	7.0	14	-10.8	9	13 4.6	10 4.4	6 3.3	23 3.5	22₅ 3.9	2₅ 5.2	3₅ 4.7	3₅ 5.1	0
III			- 0.4	0.0	- 0.4	- 0.6	2.1	- 3.0	8.8	29	- 7.8	19	2₅ 2.8	3₅ 3.4	6₅ 2.6	12 2.2	23₅ 3.8	11 4.4	4 5.8	19 5.4	11
IV			2.7	3.5	3.1	2.7	4.8	0.7	9.9	29	- 4.8	11	4₅ 3.1	9₅ 3.8	6₅ 3.0	9₅ 3.0	24₅ 4.0	13₅ 4.8	11₅ 4.6	5₅ 4.3	5
V			5.8	6.4	6.1	5.5	7.6	3.3	13.1	23	- 2.2	6	9 3.4	19₅ 2.9	5₅ 3.6	3₅ 2.7	7 3.1	15 3.2	23₅ 3.7	5 3.6	5
VI			9.9	11.6	10.7	10.1	13.3	8.0	22.2	19	5.1	9	10₅ 2.3	16 3.8	6. 2.8	5₅ 3.8	10 3.2	17 3.5	12 3.1	1 3.0	12
VII			13.0	13.8	13.5	12.8	15.6	10.5	23.6	6	6.8	2	6 2.3	7₅ 3.2	2₅ 3.0	7₅ 2.2	9 3.7	19 3.6	17₅ 2.7	2 1.0	22
VIII			13.3	13.8	13.0	12.7	15.0	10.2	19.9	9	6.6	17	6 3.4	18₅ 3.1	6 2.4	6₅ 2.8	7 2.9	6 3.3	5 3.0	6 2.9	32
IX			11.8	12.1	11.3	11.4	13.3	9.6	16.8	6	5.0	30	7 3.7	12 3.2	2₅ 2.2	14 3.1	18 3.9	23₅ 3.5	10 3.8	0 -	3
X			6.8	7.2	7.0	6.9	8.5	4.8	11.8	7	- 0.8	22	8₅ 4.6	9₅ 4.4	4₅ 2.2	13₅ 3.0	7 4.1	26₅ 5.1	16 5.0	6₅ 4.2	1
XI			2.1	2.0	2.0	2.0	4.1	- 0.3	11.5	5	- 7.0	13	14 4.2	5 3.5	12 3.2	15₅ 2.7	14 3.9	14₅ 4.6	4 4.2	8 4.9	3
XII			4.0	4.3	4.0	4.1	5.4	2.2	9.6	9	- 2.9	1	2 3.0	0 -	0 -	26 3.3	34 3.4	20 6.0	6 5.2	3 3.3	2
1946			5.8	6.2	5.8	5.6	7.8	3.5	23.6		-10.8		84 3.6	116₅ 3.5	8₅ 3.0	141 3.0	197 3.8	198₅ 4.4	124 4.0	63₅ 4.4	102

Bø i Vesterålen

$\varphi = 68°\ 37'$ N $\lambda = 14°\ 27'$ E g = $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			1.1	1.5	1.4	1.3		- 0.7	6.5	17	-10.4	12	1₅ 1.7	1₅ 2.7	10 2.6	10₅ 2.9	37₅ 3.2	11₅ 4.2	10 3.6	7₅ 3.3	3
II			- 4.0	- 3.2	- 4.0	- 3.8		- 6.7	5.2	14	-13.0	11	4₅ 3.7	2 2.0	2 3.0	11 2.2	51 2.7	3 3.1	2₅ 4.4	8 4.1	0
III			- 1.8	- 0.9	- 0.9	- 1.5		- 4.0	4.5	27	- 8.9	31	3 2.3	5 2.2	3 2.0	8 2.0	42₅ 3.0	8₅ 3.4	5₅ 4.7	10₅ 4.7	7
IV			2.2	3.8	2.5	2.3		- 0.5	10.4	30	- 9.0	13	2 2.8	8 2.5	8 2.8	8 3.5	40 3.3	6 3.3	10₅ 3.6	5₅ 3.1	2
V			5.6	6.8	6.3	5.5		2.7	12.8	28	- 1.2	11	4 3.1	1₅ 2.3	2₅ 2.6	5 2.5	23 3.2	11 2.7	19₅ 2.6	25₅ 3.1	1
VI			10.6	12.4	11.7	10.8		7.7	23.2	27	3.9	1	6 2.9	1 4.0	4₅ 3.5	7₅ 3.1	28₅ 3.0	7₅ 1.8	19 2.1	14 2.7	2
VII			13.6	15.2	14.7	13.7		10.5	24.2	14	7.0	17	2₅ 2.4	0₅ 4.0	2 3.5	5₅ 2.3	21₅ 3.3	19 2.4	18₅ 1.8	23₅ 2.1	0
VIII			13.5	15.5	14.4	13.6		10.1	21.1	9	6.3	20	6₅ 3.3	7 2.1	7₅ 2.8	5₅ 3.0	13₅ 2.6	8₅ 1.8	11 1.6	31₅ 1.7	2
IX			11.2	12.9	11.2	11.4		8.7	17.8	3	2.2	30	2 3.3	2₅ 1.6	11₅ 2.8	10 2.6	38 3.4	10 4.4	3 3.3	12 2.2	1
X			5.9	7.4	6.3	6.3		2.9	12.5	4	- 4.5	22	11₅ 2.8	0 -	5₅ 2.4	3 2.7	33₅ 3.6	8 4.7	12 4.0	17₅ 3.5	2
XI			1.0	1.2	0.8	1.0		- 1.9	10.1	5	-10.9	15	7 2.9	13₅ 2.3	13 3.2	3₅ 3.1	28₅ 3.4	5 2.6	3₅ 3.1	15 3.4	1
XII			3.1	3.4	3.3	3.2		0.8	7.8	20	- 9.0	1	0₅ 2.0	1 3.0	7₅ 2.7	19 2.4	45₅ 2.9	10₅ 4.5	5₅ 4.1	3₅ 3.7	0
1946			5.2	6.3	5.6	5.3		2.5	24.2		-13.0		51 2.9	43₅ 2.3	77 2.8	96₅ 2.6	402 3.1	108₅ 3.2	121₅ 2.8	174 2.9	21

Sørvågen

H_s = 20 H_b = h_t = 1.9 h_a = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n																				
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⁂	❟	*	△	▲	℞	≡	≡	⊙	◔	◕	⊞
I					7.3	7.4	7.2	128	19	17	8		0		21	19	5	8	1	0	20	6	4	0	0	0	0	0	2	0	3	5	19	14
II					8.3	8.0	8.2	177	56	16	27		0		20	16	3	12	2	0	3	19	0	0	0	0	0	0	0	0	2	1	19	27
III					7.5	7.4	7.4	88	14	16	23		0		18	16	2	8	2	0	5	16	3	0	0	1	0	0	0	0	11	4	18	31
IV					8.3	7.4	7.9	112	20	4	9		0		19	18	3	5	2	0	13	12	5	0	0	0	0	0	0	0	8	2	18	11
V					6.6	5.9	5.5	82	15	18	3		0		13	10	4	2	0	0	13	5	3	2	0	0	0	0	0	1	17	7	15	3
VI					8.0	6.8	8.0	90	30	22	0		0		10	9	3	1	0	0	10	0	0	2	0	0	0	0	0	4	17	1	16	0
VII					6.6	6.7	6.7	116	34	29	0		0		12	9	4	3	1	0	12	0	0	2	0	0	0	0	0	0	14	2	14	0
VIII					5.8×	5.6×	5.9×	54×	20×	13×	0		0		13×	5×	1×	4×	0×	0×	13×	0×	0×	4×	0×	0×	0×	0×	1×	4×	31×	3×	8×	0×
IX					7.4×	7.6×	7.5×	190×	36	27	0		0		20×	16×	5×	5×	0×	0×	20×	0×	0×	0×	0×	0×	0×	0×	3×	0×	21×	0×	13×	0×
X					8.4	8.4	8.3	242	27	8	0		0		25	23	12	9	2	0	24	2	0	0	0	0	0	0	0	4	0	21	1
XI					7.8	8.7	8.2	175	39	1	17		0		24	23	4	6	2	0	12	17	4	0	0	0	0	0	0	4	0	21	20
XII					8.3	7.7	8.3	213	62	20	1		0		12	11	7	7	5	0	12	2	2	0	0	0	0	0	0	0	0	0	17	2
1946					7.5	7.3	7.4	1667	62		88		0		207	175	53	70	17	0	157	79	21	10	0	1	0	0	6	9	132	25	199	109

Røst

H_s = 8 H_b = 10.8 h_t = 2.0 h_a = 16.3 h_d = 15.6 h_r = 1.6

I	81	83	83	82	7.5	7.5	7.6	64	11	5	6	3	0	0	21	17	1	23	3	1	19	5	2	0	0	0	0	0	6	0	4	2	17	
II	77	77	80	78	6.8	6.8	6.5	76	20	14	24	12	0	0	23	13	2	19	8	2	6	22	5	1	3	6	0	0	2	4	17	3	13	
III	83	79	80	81	6.6	6.3	5.9	61	11	24	13	2	0	0	20	15	2	15	6	2	13	16	8	1	1	3	0	0	7	3	27	5	11	
IV	86	81	82	84	8.2	6.8	7.0	92	14	20	7	0	0	0	25	20	3	15	4	3	19	11	5	3	1	5	0	0	6	2	27	1	12	
V	84	82	82	84	6.5	5.7	5.5	33	8	7	2	0	0	0	17	10	0	8	0	0	17	3	2	4	0	3	0	0	9	3	28	8	10	
VI	87	82	86	90	7.3	6.9	7.8	26	4	24	0	0	0	0	15	9	0	7	0	0	15	0	0	8	0	0	0	0	5	7	27	3	15	
VII	88	81	84	88	7.3	6.7	6.4	11	4	29	0	0	0	0	14	4	0	3	1	1	14	0	0	7	0	0	0	0	3	4	29	2	14	
VIII	88	82	86	87	5.6	5.5	5.9	24	10	31	0	0	0	0	10	7	1	5	0	0	10	0	0	4	0	0	0	0	1	5	31	3	6	
IX	80	79	79	80	7.6	7.5	6.8	100	26	27	0	0	0	0	20	16	3	11	0	0	20	0	0	2	0	0	0	0	3	1	22	0	12	
X	79	79	78	79	8.6	8.1	7.4	61	8	29	0	0	0	0	21	16	0	16	2	2	21	2	2	3	0	0	0	0	2	2	13	1	19	
XI	76	76	79	78	7.4	8.5	7.2	79	10	28	12	0	0	0	24	15	1	13	4	1	15	12	4	1	0	5	0	0	0	0	7	0	13	
XII	82	80	80	82	7.3	7.6	7.3	71	12	24	0	0	0	0	17	11	2	13	3	2	16	3	2	4	0	0	0	0	0	0	5	1	12	
1946	83	80	82	83	7.2	7.0	6.8	698	26		64	17	0	0	227	153	15	148	31	14	185	74	30	38	5	22	0	0	44	31	237	29	154	

Skomvær Fyr

H_s = 17 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

I					7.9	7.6	7.9	49	8	7	6		0		21	14	0	9	0	0	18	8	5	6	0	1	0	0	23	2	10	0	18	4
II					7.6	7.8	7.0	58	13	14	25		0		21	11	2	7	0	0	6	21	5	1	0	2	0	0	17	1	18	0	12	26
III					7.1	6.9	6.8	47	10	24	16		0		21	14	1	7	1	0	14	15	7	0	0	2	0	0	23	0	27	2	12	13
IV					7.8	7.7	7.1	59	6	11	7		0		23	18	0	8	2	1	21	12	6	5	0	4	0	0	27	3	27	1	12	6
V					6.7	5.6	5.9	19	4	19	1		0		15	7	0	2	0	0	15	5	5	5	0	2	0	0	20	7	29	3	8	0
VI					7.4	7.1	7.7	22	3	20	0		0		17	9	0	0	0	0	17	0	0	5	0	0	0	0	21	9	26	1	13	0
VII					7.5	6.9	7.3	30	9	25	0		0		14	6	0	1	1	0	14	0	0	9	0	0	0	0	23	7	28	0	11	0
VIII					6.4	5.9	6.4	27	13	31	0		0		15	5	1	1	0	0	15	0	0	5	0	0	0	1	4	4	31	0	8	0
IX					7.2	6.7	6.8	73	18	27	0		0		19	14	3	5	0	0	19	0	0	4	0	0	0	1	12	3	28	0	7	0
X					8.2	8.1	7.3	47	7	27	0		0		22	15	0	12	2	2	22	5	4	3	0	1	0	0	12	2	22	0	16	0
XI					7.9	8.4	6.8	88	16	14	9		0		22	16	3	6	1	0	16	16	8	2	0	1	0	0	7	1	12	0	11	15
XII					8.1	8.4	7.5	48	9	24	0		0		16	11	0	8	3	1	15	5	4	3	0	3	0	2	13	0	9	0	16	0
1946					7.5	7.3	7.0	567	18		64		0		226	140	10	66	10	4	192	87	44	48	0	16	0	4	202	39	267	7	144	64

Eggum

H_s = 4 H_b = h_t = 1.7 h_a = h_d = h_r = 1.8

I	74	72	70	72	6.2	7.3	6.6	128	30	5	9	3	0	0	24	18	3	8	0	0	21	14	11	0	0	1	0	0	0	0	1	6	14	11
II	73	70	72	72	6.9	6.3	6.3	93	25	14	26	16	2	0	21	16	3	9	0	0	7	20	4	0	0	3	0	0	1	0	0	4	10	23
III	75	75	75	75	7.1	6.5	6.8	71	12	16	23	8	0	0	22	15	1	10	1	0	10	20	3	0	0	0	0	0	0	0	4	4	18	31
IV	73	69	70	72	8.0	7.8	7.7	128	20	20	11	1	0	0	26	15	5	10	0	0	20	13	7	0	0	2	0	0	0	0	1	2	18	11
V	75	73	75	76	6.5	6.1	5.9	68	17	19	2	0	0	0	16	12	2	4	0	0	16	2	2	0	0	0	0	0	0	1	14	5	13	0
VI	79	73	76	81	7.6	6.3	7.1	51	22	22	0	0	0	0	16	8	2	3	0	0	15	0	0	0	0	0	0	0	0	1	10	3	16	0
VII	79	75	76	78	7.6	6.7	7.3	88	45	29	0	0	0	0	16	7	3	3	1	0	16	0	0	1	0	0	0	0	0	0	13	5	12	0
VIII	79	78	82	81	6.1	6.2	6.6	26	7	13	0	0	0	0	14	8	0	2	0	0	14	0	0	1	0	0	0	0	0	2	5	4	9	0
IX	74	74	75	75	7.2	7.6	7.5	205	30	28	0	0	0	0	22	16	7	5	0	0	22	0	0	0	0	0	0	0	1	1	4	0	14	0
X	72	72	74	73	7.8	8.5	7.9	176	25	8	1	0	0	0	26	21	7	16	0	0	26	1	1	0	0	0	0	0	0	3	4	21	0
XI	72	72	72	72	7.7	8.0	7.5	133	16	28	18	6	0	0	26	21	4	7	0	0	17	17	4	0	0	0	0	0	0	0	3	20	17
XII	73	71	71	72	7.6	7.7	4.6	152	31	17	3	0	0	0	18	12	8	10	1	0	18	3	3	0	0	0	0	2	0	0	0	9	7
1946	75	73	74	75	7.2	7.1	6.8	1329	45		93	34	2	0	247	169	45	87	3	0	203	90	35	2	0	6	0	2	3	5	55	40	174	100

Bø i Vesterålen

H_s = 7 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

I					6.8	7.5	7.1	77	14	17	12		1		23	17	1	3	0	0	19	6	1	1	0	0	0	0	1	0	5	6	19	9
II					7.0	6.2	6.1	74	21	14	27		4		14	12	2	5	0	0	5	12	2	0	1	0	0	0	0	0	12	4	10	21
III					7.2	6.6	7.3	58	10	23	24		0		19	16	1	4	2	2	7	16	3	0	0	0	0	0	0	0	16	5	17	31
IV					7.3	7.0	7.4	66	10	12	15		0		23	17	0	4	0	0	15	10	1	0	1	1	0	0	1	0	19	3	17	11
V					6.3	6.7	6.2	74	12	8	2		0		16	11	3	2	0	0	14	3	1	2	0	0	0	0	0	2	21	7	12	2
VI					7.6	6.3	6.8	52	21	22	0		0		14	7	2	4	0	0	14	0	0	0	0	0	0	0	0	1	20	3	13	0
VII					6.8	7.0	6.9	67	31	29	0		0		13	5	2	4	1	0	13	0	0	4	0	0	0	1	0	2	22	3	14	0
VIII					6.0	5.6	6.2	20	7	13	0		0		8	5	0	1	0	0	8	0	0	2	0	0	0	0	0	1	27	4	10	0
IX					7.1	7.5	7.4	145	35	28	0		0		21	21	3	6	0	0	21	0	0	0	0	0	0	0	1	0	17	0	11	0
X					8.4	8.1	8.4	149	23	8	2		0		25	22	5	8	1	0	24	2	0	2	0	1	0	0	0	0	12	3	23	3
XI					7.2	7.1	7.4	119	14	28	19		1		24	21	4	7	1	0	15	15	5	0	0	0	0	0	1	0	8	2	16	22
XII					8.1	7.5	6.9	136	28	21	11		0		15	14	6	7	1	0	13	4	2	0	0	0	0	0	1	0	0	2	15	15
946					7.2	6.9	7.0	1037	35		112		6		215	168	29	51	6	2	168	68	15	11	2	2	0	1	4	7	179	42	177	114

1946

Andenes

φ = 69° 19' N λ = 16° 7' E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o\,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1009.0	1009.8	1.4	1.3	1.3	1.4	3.7	- 0.6	8.3	18	- 9.1	10	2	3.0	7	3.7	2	3.2	10	2.9	28	2.9	25	4.6	12	4.9	5	4.3	0
II	998.1	998.9	- 3.8	- 3.6	- 3.9	- 3.9	- 1.5	- 6.4	5.7	14	-11.3	9	5	4.2	5	4.7	3	3.1	22	3.8	22	3.2	14	3.5	5	5.5	6	4.1	0
III	1010.9	1011.7	- 1.3	- 0.4	- 1.0	- 1.2	1.2	- 3.7	7.5	29	- 9.7	1	2	3.5	4	3.2	1	2.7	5	3.5	40	3.1	20	4.1	14	5.6	5	6.5	1
IV	02.6	03.4	2.0	3.2	2.5	2.2	4.3	- 0.2	10.5	30	- 8.0	12	3	3.4	11	3.9	8	2.9	17	2.8	21	3.1	14	4.5	12	5.2	3	4.4	0
V	16.0	16.8	5.1	5.4	5.2	4.8	6.8	3.2	12.9	23	- 2.5	6	7	3.3	23	3.4	6	1.6	6	2.2	7	3.2	22	3.9	14	3.6	4	2.8	0
VI	07.9	08.7	9.8	10.2	9.7	9.4	12.0	7.7	20.1	27	3.5	1	8	1.9	33	3.2	5	2.5	10	2.5	3	3.1	10	4.0	14	3.2	5	2.0	0
VII	11.2	12.0	12.8	13.5	12.7	12.6	15.0	10.8	23.6	14	9.4	2	11	2.6	20	2.5	4	2.4	9	2.6	6	2.7	14	3.4	24	2.6	3	1.6	0
VIII	09.4	10.1	12.6	13.4	12.6	12.4	14.5	10.5	18.8	10	5.6	17	13	2.5	30	2.7	2	2.6	16	2.0	4	2.4	6	2.6	13	2.6	3	1.9	4
IX	05.3	06.1	10.7	11.8	10.7	10.8	12.6	8.9	16.0	1	4.8	29	4	3.9	7	4.2	6	3.0	18	3.1	19	2.9	15	2.9	13	3.9	3	3.3	3
X	12.6	13.4	5.2	6.0	5.5	5.5	7.5	3.2	11.7	4	- 1.2	22	14	4.1	9	3.1	2	2.0	7	2.6	15	3.1	26	4.5	12	5.7	6	3.7	1
XI	04.2	05.0	1.3	1.2	1.4	1.3	3.5	- 1.0	11.2	5	- 8.8	13	8	4.4	7	3.9	8	2.6	8	3.0	14	3.0	21	5.4	11	4.6	9	4.4	2
XII	11.5	12.3	2.3	2.7	2.9	2.6	4.3	0.7	7.4	20	- 3.2	25	0	4.0	0	4.0	2	1.8	17	3.2	34	2.8	27	4.5	10	4.7	0	-	1
1946	1008.2	1009.0	4.8	5.4	5.0	4.8	7.0	2.8	23.6		-11.3		81	3.3	158	3.2	53	2.6	147	2.9	215	3.0	215	3.9	157	4.1	55	3.7	12

Sandsøy i Senja

φ = 68° 57' N λ = 16° 40' E g = ΔG = + 1h

I			0.9	0.9	0.8	0.9		- 0.8	8.5	17	- 8.7	11	2	4.5	5	3.7	11	2.8	8	2.9	36	4.0	5	4.8	9	4.0	7	4.7	7
II			- 5.0	- 4.1	- 4.8	- 4.7		- 6.7	1.6	16	-12.4	9	7	5.3	3	3.9	11	2.6	13	3.3	37	4.6	2	4.4	1	4.5	5	5.3	3
III			- 1.4	- 0.2	- 1.2	- 1.1		- 3.1	7.0	29	- 7.8	1	2	4.8	2	2.8	4	1.8	11	2.7	48	4.7	5	3.5	7	5.1	8	6.8	4
IV			1.6	3.8	2.2	2.0		- 0.6	11.0	29	- 5.9	14	5	2.9	5	2.7	8	2.4	18	2.4	25	4.4	5	4.5	3	7.1	12	4.6	7
V			5.1	6.4	5.4	5.0		2.6	11.8	23	- 1.5	5	9	3.5	6	3.5	9	2.0	5	2.3	21	3.9	1	4.0	3	3.3	19	3.2	17
VI			10.5	12.6	11.0	10.7		7.9	23.0	27	3.3	1	10	1.8	5	4.4	7	3.5	6	2.3	20	4.1	1	4.0	0	3.0	20	2.6	18
VII			12.9	15.2	13.6	13.3		10.7	27.3	14	8.2	2	13	2.3	0	-	1	2.0	6	1.9	12	3.8	0	-	1	1.0	30	2.3	29
VIII			12.8	14.6	13.6	13.1		10.7	19.6	11	8.0	17	11	2.3	11	2.0	5	1.9	10	1.9	9	2.4	2	2.4	4	2.5	19	2.3	20
IX			10.3	12.7	10.5	10.8		8.7	18.1	5	4.2	30	3	4.1	5	2.6	1	2.2	11	3.6	29	4.3	2	3.8	2	1.8	11	3.3	12
X			5.1	6.1	5.5	5.4		3.4	13.2	9	- 1.2	22	11	4.8	2	2.0	4	2.5	7	2.0	32	4.1	1	4.2	7	5.5	12	4.7	3
XI			1.0	1.0	0.7	0.9		- 0.6	10.3	5	- 7.3	13	6	4.8	9	2.7	6	2.6	6	1.8	28	4.0	5	4.5	7	3.8	11	4.0	10
XII			2.7	2.9	2.7	2.8		1.3	7.9	19	- 4.4	1	3	2.0	1	1.7	7	2.1	9	1.9	58	4.1	5	5.3	1	2.7	4	4.0	3
1946			4.7	6.0	5.0	4.9		2.8	27.3		-12.4		83	3.4	57	2.9	92	2.4	112	2.5	359	4.2	49	4.3	48	4.2	160	3.5	133

Gibostad

φ = 69° 21' N λ = 18° 5' E g = ΔG = + 1h

I			- 1.0	- 1.2	- 1.5	- 1.2		- 3.9	5.4	18	-14.6	11	2	1.4	7	1.4	2	2.8	8	2.6	17	2.1	28	3.6	9	2.4	11	2.3	8
II			- 8.1	- 6.7	- 7.7	- 7.6		-10.6	2.3	14	-17.0	9	4	2.3	3	2.3	6	2.7	21	2.1	15	1.8	18	3.1	4	2.7	7	2.3	4
III			- 4.0	- 1.3	- 2.9	- 3.1		- 6.4	5.7	29	-15.5	1	7	2.6	1	1.7	2	2.5	9	1.8	19	1.9	26	3.4	12	3.1	9	3.8	7
IV			1.3	3.3	1.8	1.4		- 1.8	10.7	30	-10.6	12	7	2.4	5	2.2	13	3.0	9	2.9	15	2.7	15	3.0	9	2.7	7	3.5	6
V			5.1	6.6	5.4	5.0		2.0	11.3	23	- 2.0	6	12	2.5	11	2.8	7	1.9	1	2.5	14	1.6	28	3.6	6	2.6	8	2.5	4
VI			10.9	13.1	11.4	10.9		7.6	23.7	27	2.5	1	18	2.7	21	2.5	6	2.7	8	3.0	13	2.9	10	3.4	0	4.0	6	2.8	5
VII			13.7	15.3	13.5	13.4		10.2	25.6	14	6.6	31	36	2.8	13	2.5	1	2.0	3	1.7	14	3.3	7	3.6	1	1.0	13	3.0	4
VIII			13.0	15.9	13.5	13.2		9.4	22.4	9	5.8	30	53	2.7	4	2.3	2	2.6	5	2.1	7	1.7	6	3.0	1	3.0	1	3.3	11
IX			10.2	12.3	10.4	10.5		7.4	16.7	1	2.5	30	8	2.2	5	2.7	8	2.6	17	3.9	25	2.2	8	2.8	8	3.1	4	2.8	5
X			3.1	4.8	4.0	3.8		1.4	11.9	9	- 4.5	22	8	2.6	5	2.2	6	2.2	7	2.5	15	2.5	31	3.9	7	3.5	8	2.5	3
XI			- 1.6	- 1.5	- 1.9	- 1.7		- 4.2	9.8	5	-13.5	13	7	1.9	2	2.4	1	1.3	16	2.0	22	2.4	16	3.3	8	2.2	10	1.8	7
XII			0.0	0.3	0.5	0.3		- 2.4	7.5	21	-11.2	1	2	1.8	1	1.3	0	2.0	18	2.6	28	2.2	22	4.2	6	3.3	5	1.8	8
1946			3.6	5.1	3.9	3.7		0.7	25.6		-17.0		168	2.6	81	2.4	56	2.6	125	2.6	206	2.3	217	3.5	74	2.8	94	2.7	72

Sommarøy i Senja

φ = 69° 38' N λ = 18° 1' E g = ΔG = + 1h

I			0.9	1.1	0.7	0.9		- 1.0	7.1	17	- 7.8	12	3	2.9	2	3.4	0	-	6	2.8	55	3.2	5	5.1	6	5.3	13	3.3	1
II			- 4.8	- 4.6	- 4.8	- 4.8		- 6.5	1.7	14	-12.6	11	6	4.4	0	3.0	0	1.0	13	4.7	58	3.5	1	2.0	1	3.5	5	4.3	0
III			- 1.4	- 0.4	- 1.0	- 1.1		- 3.2	6.4	29	- 9.1	1	4	3.6	2	2.5	0	-	6	4.1	56	3.1	3	3.0	11	4.3	9	5.4	0
IV			2.0	3.0	2.2	2.0		- 0.3	8.9	30	- 6.2	15	3	4.1	5	2.0	6	2.5	21	4.1	31	2.7	7	3.2	5	4.7	8	3.8	2
V			4.8	5.6	5.2	4.7		2.6	9.8	23	- 1.3	5	25	2.4	6	2.2	1	2.3	3	2.7	24	2.9	5	2.0	16	2.6	2	1.8	9
VI			9.8	11.5	11.2	10.2		7.8	18.8	19	2.3	1	21	1.9	5	1.9	7	1.9	11	3.8	11	2.7	5	1.8	12	2.4	4	2.2	12
VII			12.9	13.9	13.5	12.9		10.7	21.6	25	7.7	31	36	1.8	10	1.4	0	1.0	3	3.4	9	3.5	1	1.0	1	2.5	7	1.7	12
VIII			13.0	14.2	13.3	12.9		10.5	19.2	10	8.5	17	27	1.9	5	1.6	3	1.7	6	2.9	16	2.1	6	1.2	9	2.0	6	1.4	12
IX			10.7	12.0	10.8	10.9		9.2	15.3	3	2.2	30	10	2.2	2	2.2	1	3.3	25	4.6	26	2.7	5	1.5	10	3.0	3	2.0	6
X			4.7	5.4	5.2	4.9		2.9	12.2	4	- 1.6	22	13	4.0	3	2.1	1	3.5	4	3.0	49	3.5	6	4.8	6	5.4	9	3.5	1
XI			1.0	1.1	0.8	1.0		- 0.7	11.5	5	- 6.6	13	8	4.2	1	1.3	2	1.8	8	3.1	50	3.0	2	5.4	8	4.2	7	3.6	3
XII			2.6	2.8	2.9	2.8		1.0	7.4	20	- 4.0	1	1	3.7	1	1.0	0	-	10	3.6	63	3.3	6	4.9	8	4.1	2	3.4	0
1946			4.7	5.5	5.0	4.8		2.8	21.6		-12.6		159	2.6	45	1.9	23	2.2	119	3.9	449	3.1	56	3.1	107	3.4	78	3.3	58

Tromsø

φ = 69° 39' N λ = 18° 57' E g = 9.825 ΔG = + 1h

I	996.4	1010.9	- 1.0	- 1.3	- 1.6	- 1.8	0.5	- 3.5	6.2	21	-11.6	11	3	1.7	6	1.9	0	2.0	2	1.5	26	3.0	32	3.1	4	3.9	5	2.2	12
II	85.9	00.5	- 7.6	- 6.6	- 7.5	- 7.3	- 5.6	- 9.5	0.4	14	-14.9	11	3	2.0	3	3.0	1	2.0	1	2.0	24	3.1	23	2.7	6	1.6	3	2.2	19
III	97.9	12.5	- 3.2	- 1.6	- 2.8	- 2.8	- 0.4	- 5.5	6.5	29	-11.7	1	4	2.4	0	-	1	1.0	0	-	26	2.8	43	3.0	7	3.6	6	3.8	4
IV	90.4	04.6	0.8	2.3	1.0	0.8	3.4	- 2.2	9.4	30	- 8.9	14	4	1.6	13	1.6	5	1.8	3	2.5	18	2.7	20	2.5	12	2.9	2	2.0	12
V	1003.3	17.5	4.2	5.4	4.4	4.1	6.5	1.5	12.5	23	- 3.0	6	5	1.9	20	2.0	4	1.6	0	-	11	2.8	35	2.6	5	2.2	5	1.8	6
VI	995.8	09.6	10.1	12.1	11.5	10.4	14.1	7.3	26.0	27	0.8	1	3	1.4	31	2.1	3	1.4	0	-	6	2.8	18	2.4	10	1.8	13	1.4	4
VII	98.7	12.4	12.5	14.9	14.0	13.1	16.9	10.4	24.5	14	7.5	18	11	1.6	28	2.0	2	1.8	1	1.7	6	2.9	11	1.9	1	1.3	14	1.8	17
VIII	96.9	10.6	11.6	15.2	13.1	12.5	16.1	9.4	21.5	10	7.0	21	7	1.3	28	1.3	1	1.0	1	1.0	3	1.6	14	1.5	8	1.0	7	1.1	22
IX	93.1	06.9	9.0	11.1	9.5	9.5	12.2	7.4	16.2	1	1.4	30	2	1.4	8	2.2	2	1.0	0	2.0	19	2.7	31	2.5	3	1.8	3	1.9	19
X	99.4	13.6	2.6	3.6	3.3	3.0	5.0	1.1	10.7	4	- 3.3	22	10	2.4	9	1.7	2	1.0	0	1.0	20	2.8	35	3.3	5	2.4	4	2.8	6
XI	91.4	05.8	- 1.6	- 1.6	- 1.6	- 1.6	0.7	- 3.6	10.0	5	-10.9	13	2	1.0	8	1.2	3	1.3	0	-	21	2.6	30	2.5	8	1.9	3	1.7	14
XII	99.0	13.4	0.4	0.4	0.5	0.4	2.3	- 1.6	6.5	20	- 7.8	1	1	1.3	5	1.6	2	1.3	0	-	26	2.6	38	3.0	2	5.5	2	1.6	11
1946	995.7	1009.9	3.2	4.5	3.6	3.4	6.0	0.9	26.0		-14.9		60	1.8	161	1.8	35	1.4	9	1.8	209	2.8	332	2.7	73	2.4	68	1.9	126

1946

Andenes

H_s = 5 H_b = 6.5 h_t = 1.9 h_a = 10 9 h_d = 10.2 h_r = 1.7

Måned	Midlere relativ fuktighet Um				Midlere skydekke Nm			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprehagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min <0°	Max <0°	Min <-10°	Max >25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	#	ϑ	*	△	▲	℞	=	≡	⊙	◔	●	⊞
I	80	78	78	79	7.3	7.8	6.7	106	15	26	15	3	0	0	22	19	2	11	3	3	19	11	8	1	0	0	0	0	0	0	5	4	15	14
II	78	75	77	77	7.1	6.9	5.4	87	28	16	28	21	4	0	17	13	3	9	2	2	4	17	3	0	0	0	0	0	0	0	15	3	12	28
III	80	76	79	79	6.9	6.8	7.1	49	10	23	26	10	0	0	18	12	0	10	3	1	8	17	6	0	0	2	0	0	0	0	21	3	14	31
IV	77	71	74	77	6.8	6.8	6.8	51	8	27	14	5	0	0	23	18	0	6	2	2	15	17	8	2	0	3	0	0	0	1	21	3	13	17
V	76	76	77	77	7.6	7.2	7.3	51	7	19	2	0	0	0	18	13	0	7	0	0	17	5	4	4	0	1	0	0	1	1	20	5	18	2
VI	77	75	80	82	7.5	6.7	7.6	20	8	22	0	0	0	0	13	5	0	6	0	0	13	0	4	0	0	0	0	0	1	24	2	14	0
VII	79	76	81	82	7.9	7.3	7.0	39	12	29	0	0	0	0	13	7	1	3	1	1	13	0	0	1	0	0	0	0	2	21	2	18	0
VIII	82	79	83	83	6.8	5.9	6.6	15	7	13	0	0	0	0	8	4	0	1	0	0	8	0	0	3	0	0	0	1	0	6	26	3	11	0
IX	79	75	78	78	6.7	8.0	7.9	96	23	27	0	0	0	0	18	14	2	3	0	0	18	0	0	0	0	0	0	0	0	0	17	1	14	0
X	77	73	77	77	8.2	8.6	8.7	149	19	14	3	0	0	0	27	21	6	16	6	0	25	11	9	3	0	1	0	0	0	0	7	2	23	3
XI	76	76	73	75	7.6	7.3	7.5	98	15	28	19	6	0	0	25	20	2	10	4	1	15	18	6	1	0	2	0	0	0	0	8	3	17	21
XII	80	78	77	79	7.9	7.6	6.9	89	16	22	16	0	0	0	18	11	3	9	7	4	14	5	1	1	0	5	0	2	0	0	0	3	14	17
1946	78	76	78	79	7.3	7.2	7.1	850	28		123	45	4	0	220	157	19	91	28	14	169	101	45	20	0	14	0	3	1	11	185	34	183	133

Sandsøy i Senja

H_s = 17 H_b = h_t = 2.1 h_a = h_d = 8.0 h_r = 1.8

I					7.5	7.9	7.6	72	16	17	17		0		18	13	1	7	2	2	15	7	4	1	0	0	0	0	0	0	6	4	18	19
II					6.2	6.0	5.1	48	15	14	28		5		12	7	1	16	4	1	4	12	2	0	0	1	0	0	0	0	17	6	10	23
III					7.2	6.4	6.8	48	15	28	26		0		12	7	2	16	5	2	6	10	3	0	0	0	0	0	0	0	18	3	17	31
IV					6.9	6.6	6.8	40	10	4	14		0		18	10	0	9	3	1	12	12	4	2	0	2	0	0	0	0	20	5	15	18
V					7.0	7.0	6.4	25	6	7	3		0		10	6	0	9	0	0	9	5	4	3	0	1	0	0	0	1	18	3	14	2
VI					7.6	7.1	8.5	25	7	22	0		0		11	6	0	6	0	0	11	0	0	2	0	0	0	0	0	0	19	0	17	0
VII					7.9	7.6	6.8	67	23	1	0		0		14	10	2	3	1	0	14	0	0	10	0	0	0	0	0	0	23	3	17	0
VIII					6.2	6.0	6.3	24	5	13	0		0		12	8	0	1	0	0	12	0	0	3	0	0	0	1	0	0	24	4	9	0
IX					7.1	7.5	7.8	86	24	28	0		0		18	12	2	11	0	0	18	0	0	0	0	0	0	0	0	0	17	1	13	0
X					8.1	8.5	8.1	150	23	30	2		0		25	21	3	17	3	0	24	6	5	5	0	2	0	0	0	0	5	3	23	3
XI					7.7	7.5	7.4	129	18	6	19		0		22	16	5	14	3	0	15	14	6	0	0	3	0	0	0	0	8	4	18	22
XII					7.3	7.9	6.5	67	16	20	9		0		12	9	3	11	2	0	10	4	2	0	0	0	0	1	0	0	0	2	16	15
1946					7.2	7.2	7.0	781	24		118		5		184	125	19	120	23	6	150	70	30	26	0	9	0	2	0	1	175	38	187	133

Gibostad

H_s = 6 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

I	85	86	86	86	8.2	8.1	7.1	139	33	17	21		4		23	15	5	4	0	0	15	13	6	0	2	2	0	0	0	2	2	2	20	20
II	81	74	74	77	5.6	5.1	4.5	59	14	14	28		16		11	8	2	4	0	0	3	11	2	0	0	3	0	0	0	0	19	9	8	28
III	85	72	79	81	6.1	6.6	6.5	83	21	28	26		7		15	11	3	6	0	0	7	15	6	0	5	2	0	0	1	0	24	5	15	31
IV	76	64	69	75	5.9	5.9	6.5	52	12	4	16		2		16	11	2	4	0	0	11	12	6	0	6	0	0	0	0	0	27	5	12	26
V	76	68	73	79	6.9	6.8	6.7	33	7	5	6		0		15	6	0	1	0	0	14	6	5	1	1	0	0	0	1	0	25	5	16	2
VI	76	67	73	80	8.2	7.6	8.2	32	13	8	0		0		14	7	1	1	0	0	14	0	0	0	0	1	0	0	0	0	24	0	18	0
VII	81	73	80	84	8.3	8.1	7.5	95	18	2	0		0		11	10	5	3	0	0	11	0	0	2	0	0	0	0	0	0	23	0	18	0
VIII	86	70	80	86	6.4	6.1	6.5	36	20	13	0		0		11	6	1	1	0	0	10	0	0	2	0	0	0	2	0	0	27	3	10	0
IX	82	72	80	80	7.6	6.5	8.1	96	40	28	0		0		20	11	2	1	0	0	18	0	0	0	0	0	0	0	0	1	25	1	15	0
X	88	81	82	85	8.2	7.6	8.4	164	20	10	6		0		24	19	6	6	0	0	21	13	10	3	5	0	0	0	0	0	12	3	23	10
XI	86	84	86	87	7.7	6.9	5.7	151	21	6	22		7		23	18	6	2	0	0	11	15	3	2	2	0	0	0	1	2	4	5	14	22
XII	86	86	85	86	6.7	7.1	6.8	98	18	20	20		1		13	12	5	6	0	0	11	7	5	0	2	0	0	0	0	1	0	3	16	25
1946	85	75	79	82	7.2	6.9	6.9	1038	40		145		37		196	134	38	39	0	0	146	92	43	10	26	4	0	4	2	6	212	41	185	164

Sommarøy i Senja

H_s = 2 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

I					6.9	7.1	5.8	89	20	17	17		0		19	14	2	10	1	1	13	11	5	0	0	3	0	0	0	0	6	6	15	19
II					4.9	4.5	3.8	43	12	15	28		4		11	8	1	11	0	0	3	11	1	0	0	0	0	0	0	0	17	11	6	28
III					6.0	6.4	6.1	58	19	28	26		0		13	9	2	11	1	0	7	12	6	0	1	4	0	0	0	0	19	5	12	31
IV					5.3	5.2	6.0	41	10	4	15		0		20	12	0	8	1	0	13	17	10	0	1	2	0	0	0	0	25	8	9	26
V					6.2	5.7	6.0	47	12	25	2		0		18	10	1	5	0	0	17	8	4	2	0	0	0	0	0	0	23	8	12	1
VI					6.7	4.8	5.5	28	7	8	0		0		15	6	0	1	0	0	15	0	0	2	0	0	0	1	0	0	27	3	9	0
VII					6.3	6.7	6.0	31	12	2	0		0		14	6	1	3	0	0	14	0	0	8	0	0	0	1	0	2	25	4	11	0
VIII					5.5	4.7	4.8	35	16	13	0		0		13	6	1	1	0	0	13	0	0	5	0	0	0	2	0	3	29	7	7	0
IX					6.5	6.4	6.9	117	26	28	0		0		17	13	5	9	0	0	17	0	0	0	0	1	0	0	0	1	24	3	12	0
X					7.9	7.2	7.2	148	25	11	2		0		24	18	7	13	0	0	20	12	7	0	3	3	0	0	0	0	10	4	19	12
XI					6.4	5.8	5.3	90	16	9	19		0		21	15	2	9	0	0	11	15	4	0	3	0	0	0	0	0	10	6	10	22
XII					6.4	5.8	6.6	45	7	21	9		0		15	11	0	8	0	0	13	6	4	0	0	3	0	2	0	0	0	3	13	27
1946					6.2	5.9	5.9	772	26		118		4		200	128	22	89	3	1	156	92	41	17	8	16	0	6	0	6	215	68	135	166

Tromsø

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

I	82	84	84	83	8.3	8.0	6.3	143	33	17	25	13	4	0	24	17	5	1	0	0	13	17	1	0	0	0	0	0	2	1	4	3	18	31
II	86	76	79	79	5.7	5.7	4.0	67	18	16	28	27	13	0	9	8	4	2	0	0	0	9	0	0	0	0	0	0	0	1	17	9	9	28
III	85	72	77	78	6.7	6.9	6.9	101	21	28	30	17	1	0	17	11	3	1	0	0	5	17	4	0	0	1	0	0	1	0	15	4	16	31
IV	72	67	69	71	6.9	6.7	6.8	68	12	4	21	6	0	0	18	11	2	1	0	0	10	15	5	1	0	0	0	0	1	0	19	3	15	30
V		66	71	76	7.2	7.2	7.2	40	6	25	8	0	0	0	16	12	0	0	0	0	13	9	4	0	0	2	0	0	0	0	20	3	17	10
VI	64	67	75	77	7.9	7.1	6.9	44	12	8	0	0	0	1	18	9	1	0	0	0	18	0	0	0	0	1	0	0	0	24	0	12	0
VII	72	74	80	84	7.5	6.9	6.6	74	17	2	0	0	0	0	15	10	3	3	0	0	15	0	0	4	0	0	0	0	4	23	2	15	0
VIII	68	78	84		6.6	5.4	5.8	29	13	13	0	0	0	0	13	7	1	0	0	0	13	0	0	1	0	0	0	0	6	26	3	9	0
IX	82	74	79	80	7.9	7.4	7.4	110	45	28	0	0	0	0	17	13	1	3	0	0	17	0	0	0	0	0	0	0	1	18	1	16	0
X	87	79	78	79	8.3	7.8	8.0	164	23	10	14	1	0	0	21	19	7	6	0	0	17	15	7	2	0	1	0	0	1	12	2	21	0
XI	82	82	82	82	6.8	6.9	6.6	136	19	28	23	15	2	0	19	18	6	2	0	0	9	12	2	0	0	0	0	0	1	0	5	4	13	22
XII	78	79	79	78	6.0	6.9	7.0	114	15	21	22	8	0	0	14	14	6	1	1	0	11	7	4	0	0	1	0	0	0	0	0	2	13	24
1946	79	74	76	79	7.2	6.9	6.6	1090	45		171	87	20	1	201	149	39	20	1	0	141	101	27	8	0	5	0	1	5	14	183	36	174	176

1946

Dividalen

φ = 68° 47' N λ = 19° 44' E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o.m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 5.1	- 5.0	- 6.0	- 5.4		-10.2	6.8	17	-26.4	11	0 -	3 1.3	0 -	30 2.0	0 -	1 4.0	25 2.2	5 1.2	29
II			-14.8	-13.0	-14.7	-14.3		-17.9	4.1	14	-26.4	23	0 -	0 -	0 -	48 2.8	0 -	0 -	12 2.5	0 -	24
III			- 6.5	- 3.6	- 8.0	- 6.8		-12.3	6.7	9	-21.3	15	0 -	1 1.0	0 -	36.5 2.3	0.5 3.0	2 4.0	10 2.4	17 3.2	26
IV			- 0.2	2.0	- 1.4	- 1.0		- 5.6	8.2	26	-18.7	10	2 1.0	0 -	1 4.0	37.5 2.2	0.5 2.0	5 1.2	14 1.9	7 2.9	23
V			5.2	7.7	4.5	4.5		- 0.5	16.9	23	- 7.1	11	3 1.7	0 -	0 -	35 1.9	2 1.5	1 2.0	27 2.1	10 2.1	15
VI			11.2	14.5	11.3	11.0		6.4	27.3	27	- 0.2	15	0 -	0 -	0 -	30 1.9	4 1.5	0 -	39 1.4	1 1.0	16
VII			14.9	17.9	14.7	14.4		9.5	24.6	14	4.7	18	0 -	0 -	0 -	27.5 1.8	6 1.2	1.5 2.0	37 1.3	0 -	21
VIII			12.4	16.5	11.2	12.1		7.3	22.3	9	1.5	19	0 -	0 -	0.5 1.0	29.5 1.4	0 -	0 -	15 1.2	5 1.6	43
IX			8.7	11.1	7.8	8.6		5.2	16.7	2	- 1.2	12	0 -	0 -	0 -	51 2.0	0 -	0 -	13 1.4	1 4.0	25
X			1.1	3.1	1.3	1.4		- 2.3	13.9	9	-13.2	22	0 -	0 -	0 -	11 1.6	0 -	3 2.7	8 1.8	25 2.9	46
XI			- 6.6	- 5.6	- 6.2	- 6.2		- 9.7	9.9	5	-21.7	14	0 -	0 -	0 -	29 1.9	0 -	3 1.7	18 2.1	0 -	40
XII			- 2.1	- 1.7	- 2.5	- 2.1		- 5.0	6.4	19	-15.4	25	0 -	0 -	0 -	44 2.2	0 -	2 1.5	22 2.4	0 -	25
1946			1.5	4.7	1.0	1.4		- 2.9	27.3		-26.4		5 1.4	4 1.2	1.5 3.0	409 2.1	13 1.5	185 2.1	240 1.8	71 2.6	333

Torsvåg

φ = 70° 15' N λ = 19° 30' E g = ΔG = + 1h

I			1.6	1.4	1.5	1.5		- 0.5	6.3	17	- 7.3	8	3.5 4.3	4 2.9	10.5 2.4	4.5 3.3	27.5 3.1	14.5 4.3	15 5.1	11.5 4.0	2
II			- 3.9	- 3.6	- 3.6	- 3.8		- 5.7	0.0	15	-10.7	11	4 6.4	9.5 3.2	15 3.5	16 3.5	24.5 3.4	4 3.1	3 3.0	7 4.5	1
III			- 0.3	0.3	- 0.3	- 0.3		- 2.3	6.8	29	- 8.3	30	3 4.8	2.5 4.4	0.5 2.0	8.5 3.2	37 3.3	15.5 4.5	16 5.1	7 7.1	3
IV			1.6	2.4	2.2	1.8		0.4	7.7	25	- 7.3	1	5.5 5.1	11.5 4.0	7 4.2	11 4.0	30.5 3.1	5.5 4.4	10 5.6	6 4.3	3
V			4.4	4.9	4.4	4.2		2.3	11.7	23	- 2.1	6	5.5 2.9	25.5 3.1	1.5 2.3	1.5 2.7	16 3.2	13.5 4.3	12 3.7	7.5 2.7	10
VI			9.4	10.5	10.0	9.4		7.2	18.9	27	1.9	1	3 1.8	20 2.7	6.5 3.1	2.5 2.8	15 2.7	5.5 4.0	15.5 3.6	5 1.9	17
VII			12.1	13.2	12.8	12.2		10.1	21.9	15	8.5	3	3.5 2.3	31.5 2.1	0 -	0.5 2.0	16.5 2.6	9.5 2.5	7.5 4.0	5 2.9	19
VIII			11.9	13.5	13.3	12.4		10.3	19.9	10	8.0	17	16 2.0	18.5 2.5	1.5 3.0	2.5 3.0	10.5 2.1	6.5 2.6	7.5 2.3	6 1.6	24
IX			10.6	11.7	10.9	10.8		9.1	15.1	16	2.1	30	4 4.8	9 2.8	3.5 4.1	8.5 3.7	33.5 2.9	6.5 3.6	11 3.8	3 4.3	11
X			4.7	5.2	5.1	4.9		2.7	13.6	4	- 1.6	21	8.5 5.6	11.5 4.6	3.5 3.3	9 3.4	20.5 3.7	17 5.0	15 6.2	8 4.9	0
XI			1.3	1.5	1.4	1.4		- 0.3	10.5	5	- 5.7	12	5.5 5.4	10 5.4	7 2.9	13.5 2.9	22 3.4	4.5 5.0	16.5 4.9	9 5.1	2
XII			2.8	3.0	3.4	3.1		1.5	7.9	9	- 2.9	25	2 3.0	2.5 2.0	7.5 2.7	10.5 2.8	39.5 3.2	9 3.9	17 5.0	3 3.2	2
1946			4.7	5.3	5.1	4.8		2.9	21.9		-10.7		64 3.9	156 3.1	64 3.2	88.5 3.3	295 3.1	111.5 4.1	146 4.6	78 4.0	94

Ingøy

φ = 71° 4' N λ = 24° 9' E g = 9.827 ΔG = + 1h

I																					
II																					
III																					
IV																					
V	1015.9	1016.8	3.4	3.8	3.0	3.1		1.4	9.2	23	- 2.3	11	16.5 3.2	20.5 3.2	6.5 2.8	4.5 2.2	11 2.2	12.5 4.2	13 4.0	4.5 4.7	4
VI	09.1	10.1	7.8	8.7	8.0	7.8		5.9	15.0	27	- 0.5	1	3 2.2	25.5 2.8	8.5 2.5	4 2.1	11 2.8	9 3.6	10 3.6	12 3.0	7
VII	12.2	13.1	11.2	11.6	11.1	11.0		9.2	19.2	15	6.0	1	7.5 1.8	24.5 2.9	7.5 2.7	2.5 3.2	2.5 3.0	9 3.4	14 3.0	10.5 2.2	15
VIII	11.3	12.2	10.8	11.5	10.8	10.7		9.0	16.4	31	7.0	18	4 3.6	30 3.6	13 2.8	20 2.0	1.5 1.3	5.5 3.7	5 2.4	2 2.0	12
IX	07.6	08.6	9.4	10.0	9.2	9.3		7.8	13.4	1	1.1	30	1.5 4.0	9.5 4.2	3.5 3.3	10 3.7	29.5 4.0	8 4.2	14 2.8	4 4.1	10
X																					
XI																					
XII																					

Vardø

φ = 70° 22' N λ = 31° 6' E g = 9.826 ΔG = + 1h

I	1006.1	1007.7	- 2.8	- 2.6	- 2.5	- 2.6		- 5.1	4.4	17	-11.0	8	10 5.7	6.5 4.3	3.5 3.0	2.5 2.2	14.5 4.1	18.5 6.3	21 4.3	15.5 6.4	1
II	00.9	02.5	- 7.8	- 7.9	- 8.2	- 8.1		-10.7	- 2.2	27	-21.9	8	7 6.4	7.5 4.9	7.5 4.9	5.5 4.2	20 4.9	19.5 5.1	8 4.3	8 5.9	1
III	09.2	10.8	- 5.2	- 4.6	- 5.2	- 5.2		- 7.6	2.5	27	-14.9	14	4 4.5	2 1.5	0.5 3.0	0 -	14.5 4.9	48 5.3	18.5 4.6	5.5 5.3	0
IV	03.3	04.8	- 0.7	0.1	- 0.8	- 0.8		- 2.9	5.4	26	-10.0	14	13 4.2	6.5 4.3	3.5 2.9	8 3.9	16.5 4.6	13.5 3.7	17.5 3.2	9.5 4.2	2
V	14.1	15.6	2.5	3.3	2.4	2.3		0.5	8.0	18	- 2.8	11	28 4.3	4 2.9	4.5 2.6	1.5 2.7	12.5 3.5	12.5 3.8	14.5 3.3	15.5 4.0	0
VI	09.7	11.2	7.0	7.8	6.7	6.7		4.5	16.8	20	- 0.4	1	10 2.9	9.5 2.5	5 3.1	22.5 3.2	24.5 2.8	2.5 3.6	7.5 3.6	8.5 4.5	0
VII	12.2	13.7	9.6	10.5	9.6	9.5		7.6	17.7	6	4.6	4	17.5 3.0	11 2.0	12.5 2.2	17 3.0	18.5 3.5	4.5 4.2	2 2.8	10 3.3	0
VIII	11.8	13.3	9.5	10.7	9.5	9.5		7.4	14.8	11	4.3	19	16.5 2.2	7.5 2.6	6 2.8	31.5 3.2	20 3.3	2.5 3.6	0.5 4.0	7.5 3.5	1
IX	09.4	10.9	8.7	9.3	8.3	8.5		6.7	15.5	1	2.4	30	4 2.4	7 3.1	3.5 3.4	13.5 4.2	38 4.7	7 5.2	5.5 3.6	11.5 3.4	0
X	08.1	09.6	1.1	2.0	1.5	1.4		- 0.6	7.1	9	- 5.5	25	18.5 4.8	15.5 4.6	3.5 2.3	1.5 2.3	2.5 4.0	20 5.6	19 4.0	10.5 5.1	2
XI	02.3	03.9	- 1.1	- 0.8	- 1.4	- 1.1		- 3.3	5.5	1	-10.1	19	11.5 5.7	12.5 3.6	6 4.3	0.5 2.0	7.5 5.6	20.5 5.5	18 4.0	12.5 4.3	1
XII	13.4	15.0	- 0.1	1.2	- 0.3	0.3		- 2.4	3.7	15	- 7.1	27	2.5 4.4	1.5 3.0	0.5 3.0	2.5 3.2	20 3.6	34.5 5.0	20 4.0	11.5 4.7	0
1946	1008.4	1009.9	1.7	2.4	1.6	1.7		- 0.5	17.7		-21.9		142.5 4.2	91 3.5	56.5 3.1	106.5 3.4	209 4.1	203.5 5.1	152 3.9	126 4.6	8

Ekkerøy

φ = 70° 4' N λ = 30° 6' E g = ΔG = + 1h

I			- 3.8	- 3.3	- 3.6	- 3.6		- 6.3	4.1	15	-12.9	8	3.5 1.3	2 3.0	6 3.5	1 1.0	0 -	33.5 4.1	27 3.4	15 4.5	5
II			- 9.1	- 8.9	- 9.3	- 9.2		-11.6	- 2.9	27	-20.8	7	9 4.1	10 3.8	6.5 4.5	9.5 3.7	6.5 4.2	27.5 4.2	6 3.1	9 3.6	0
III			- 6.1	- 4.6	- 5.4	- 5.7		- 8.8	3.1	27	-14.0	15	0 -	4 3.0	0 -	0 -	1.5 4.7	45.5 4.4	27.5 3.1	11.5 4.3	5
IV			- 0.7	0.8	- 1.2	- 1.0		- 4.1	5.1	28	-11.9	12	3.5 2.0	11.5 3.2	12.5 3.3	2.5 3.8	10.5 2.4	20 3.4	10 1.8	9.5 3.7	10
V			3.1	4.1	3.2	3.0		0.7	8.5	18	- 2.9	6	8 3.9	19 4.3	9 3.1	10 3.1	1 2.0	19 3.9	9.5 4.8	11.5 4.5	6
VI			8.2	9.0	8.1	7.8		5.4	19.1	20	0.0	1	1 1.0	2 3.0	40.5 4.2	14 3.5	6.5 2.1	8 2.8	4.5 4.4	7.5 4.0	6
VII			11.2	12.2	11.2	11.0		8.8	23.1	6	4.9	4	1 6.0	2 5.5	46.5 4.1	10.5 3.0	8.5 3.2	13 3.8	4.5 3.7	1 3.5	9
VIII			10.5	11.7	10.8	10.5		8.0	15.7	11	3.9	19	0 -	0.5 4.0	54.5 3.6	8.5 2.1	5.5 1.7	12 2.1	0 -	0 -	12
IX			8.4	10.0	8.8	8.7		6.2	15.1	1	1.0	30	0.5 1.0	0 -	12.5 4.3	8.5 3.1	11.5 2.7	36 4.2	7 3.0	3 3.5	11
X			0.5	1.4	1.2	0.9		- 1.5	9.6	9	- 7.0	24	6.5 3.2	14 3.6	5 3.8	0 -	1 5.5	30 4.7	16 3.8	12.5 4.0	8
XI			- 2.0	- 2.1	- 1.9	- 2.0		- 4.2	6.1	1	-10.8	19	6 4.3	9.5 3.8	5 3.4	0.5 2.0	3 5.5	31.5 4.7	21 3.6	12.5 3.5	1
XII			- 0.1	- 0.6	- 0.1	- 0.3		- 1.9	3.9	22	- 7.9	26	0.5 2.0	1 3.0	0.5 2.0	13 2.3	7.5 3.4	45.5 5.1	19.5 3.3	2.5 3.0	3
1946			1.7	2.5	1.8	1.7		- 0.8	23.1		-20.8		39.5 3.4	75.5 3.7	198.5 3.9	78 3.0	63 3.2	316.5 4.2	152.5 3.4	95.5 4.0	76

Årsoversikter

Annual Summaries)

1946

H_t = 202 H_b = h_t = 1.5 h_a = h_d = h_r = 1.2

Dividalen

| Måned | Midlere relativ fuktighet Um | | | | Midlere skydekke Nm | | | Nedbør R | | | Antall dager n | | | |

1946

Karasjok

$\varphi = 69° 28'$ N $\lambda = 25° 31'$ E $g = 9.825$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	994.4	1011.3	-11.7	-10.9	-10.9	-11.2		-18.0	5.0	15	-39.0	10	1	4.0	2	1.0	5	1.0	1	1.0	0	–	3	1.5	27	1.9	2	4.5	52
II	87.1	04.1	-20.4	-15.7	-18.6	-18.5		-25.2	- 4.0	22	-42.6	10	1$_5$	1.7	5$_5$	1.5	11$_5$	1.3	3	1.0	1	1.0	0$_5$	2.0	6$_5$	1.5	0$_5$	3.0	54
III	96.2	13.1	-13.2	- 5.0	-11.2	-10.9		-18.5	5.3	23	-37.4	15	0$_5$	3.0	0	–	0	–	1	2.0	1	2.0	7	2.1	25$_5$	2.5	3	3.0	55
IV	89.0	05.6	- 2.3	0.9	- 2.7	- 3.1		- 9.9	6.5	30	-28.5	16	4	3.1	6$_5$	2.0	5$_5$	1.5	2$_5$	1.0	3$_5$	1.1	5	1.8	25$_5$	1.7	7$_5$	1.5	30
V	1000.2	16.6	3.9	5.8	3.4	3.2		- 1.2	13.2	23	- 6.6	6	9$_5$	1.2	15	1.9	5	1.1	0	–	0$_5$	2.0	7	1.4	38	1.9	2	1.5	16
VI	993.8	09.6	12.3	15.2	12.8	12.0		6.9	27.6	27	- 0.5	1	7	1.5	10$_5$	1.7	14	1.6	2	1.0	13	1.6	5$_5$	1.5	13$_5$	2.1	1$_5$	2.0	23
VII	96.4	12.1	14.3	18.4	15.9	14.7		9.2	24.9	21	2.6	9	10	1.6	15	1.4	5	1.1	11	1.0	8$_5$	1.6	7	1.9	5	2.3	1$_5$	1.7	30
VIII	96.0	11.8	12.3	16.2	12.5	12.3		6.9	22.8	8	1.1	28	6	1.0	5	1.4	14$_5$	1.1	8$_5$	1.3	9	1.6	3$_5$	2.0	1$_5$	1.7	2	1.5	43
IX	94.2	10.3	6.7	10.9	7.8	7.9		4.6	20.8	2	- 4.5	14	1	1.0	5	1.2	10	1.4	6$_5$	1.1	9	2.0	16$_5$	1.7	7	1.4	1	1.5	34
X	96.6	13.3	- 3.0	0.9	- 2.2	- 1.8		- 6.6	11.6	9	-22.5	24	5$_5$	2.4	2$_5$	1.0	2$_5$	1.4	1$_5$	1.0	3	1.0	3	1.3	17	1.8	2	1.8	55
XI	90.3	07.1	-10.2	-10.2	-10.4	-10.4		-15.2	5.2	1	-30.9	13	0$_5$	1.0	0	–	1	1.0	2$_5$	1.0	8$_5$	1.4	6$_5$	1.3	9$_5$	1.3	2$_5$	1.4	59
XII	99.0	15.7	- 4.2	- 3.8	- 3.7	- 3.9		- 8.1	4.4	19	-29.3	1	1	3.0	2	1.0	2	1.0	5	1.0	7	1.4	14	2.1	18	1.5	0	–	44
1946	994.4	1010.9	- 1.3	1.9	- 0.6	- 0.8		- 6.3	27.6		-42.6		47$_5$	1.7	69	1.6	76	1.3	44$_5$	1.1	64	1.5	78$_5$	1.8	194	1.8	25$_5$	2.0	496

Kautokeino

$\varphi = 69° 0'$ N $\lambda = 23° 2'$ E $g =$ $\Delta G = +1^h$

I			-11.3	-11.4	- 9.9	-10.9		-17.7	5.0	17	-43.2	10	3	1.3	3	1.0	1$_5$	1.0	2	1.0	41	1.9	7	2.5	7	4.1	7$_5$	3.2	21
II			-20.9	-17.6	-20.3	-19.9		-26.3	- 5.0	15	-43.0	20	5$_5$	1.6	2	1.2	0$_5$	4.0	0$_5$	4.0	29	2.4	6	1.5	9	2.4	11$_5$	2.5	20
III			-12.8	- 8.9	-11.0	-11.9		-18.2	4.0	29	-35.4	15	2	1.0	2$_5$	1.0	0$_5$	1.0	2	1.0	36	2.3	18$_5$	1.6	14	3.2	3$_5$	3.3	14
IV			- 5.4	- 1.3	- 3.7	- 4.6		- 8.6	5.3	27	-19.8	12	9$_5$	1.9	4	2.4	2	4.0	1	3.5	27$_5$	2.3	7$_5$	3.1	11$_5$	2.9	8	2.9	19
V			2.1	4.1	3.1	2.0		- 1.7	12.8	23	- 8.7	6	12	2.3	7	2.1	0	–	2	2.0	21$_5$	2.6	15	2.7	17	2.8	11$_5$	2.0	7
VI			10.7	13.0	11.9	10.9		7.3	25.5	27	0.6	2	8$_5$	2.3	13	2.0	6	2.2	5$_5$	2.3	17$_5$	3.4	9	3.6	13$_5$	2.8	11	2.5	6
VII			13.8	16.9	15.7	14.1		9.0	23.6	21	5.3	8	23$_5$	1.8	12$_5$	1.5	2$_5$	2.0	6$_5$	2.5	21$_5$	2.7	6	3.4	2	2.5	6$_5$	2.0	12
VIII			11.4	15.0	13.0	11.8		7.0	21.0	9	0.8	21	9$_5$	1.7	5$_5$	1.6	0$_5$	1.0	2$_5$	1.2	27	2.2	9$_5$	1.7	5	1.8	2$_5$	2.0	31
IX			6.5	9.6	7.6	7.2		3.8	17.0	3	- 5.8	14	4	2.0	6$_5$	1.4	1	2.0	10	2.4	32$_5$	3.2	4$_5$	2.9	8$_5$	1.6	5	1.7	18
X			- 2.2	0.2	- 1.9	- 1.7		- 6.0	11.0	9	-19.2	24	3$_5$	3.7	0	–	0	–	2$_5$	3.4	29$_5$	2.3	10$_5$	2.7	9$_5$	2.1	16$_5$	3.0	21
XI			- 9.6	- 9.4	- 9.4	- 9.6		-13.9	5.0	1	-31.5	13	0	–	0	–	0	–	0$_5$	1.0	32$_5$	2.3	14	1.9	4$_5$	1.7	7$_5$	1.9	31
XII		•	- 4.6	- 4.9	- 4.8	- 4.8		- 8.8	4.1	19	-26.6	1	3	1.3	1	1.0	0	–	1$_5$	1.3	47	2.5	21	2.6	4$_5$	2.0	0	–	15
1946			- 1.9	0.4	- 0.8	- 1.4		- 8.2	25.5		-43.2		84	2.0	57	1.7	14$_5$	2.2	36$_5$	2.2	362$_5$	2.5	128$_5$	2.4	106	2.6	91	2.5	215

Siccajavre

$\varphi = 68° 45'$ N $\lambda = 23° 33'$ E $g =$ $\Delta G = +1^h$

I			-11.7	-11.5	-10.3	-11.2		-17.3	3.3	15	-40.4	10	0	–	8	1.9	11	1.6	4	2.5	33$_5$	2.2	9$_5$	2.6	5	2.3	10	2.6	12
II			-19.0	-17.8	-19.5	-19.1		-25.1	- 6.8	14	-40.4	20	6	3.0	1	2.0	7	1.9	6	2.0	45	2.3	1	2.0	4	1.5	6	2.3	8
III			-10.7	- 9.2	-11.9	-11.6		-18.0	2.3	29	-32.4	13	4	2.5	2	1.5	2	2.5	2	1.5	61	2.2	6	2.8	6$_5$	2.7	4$_5$	2.3	5
IV			- 3.4	- 1.9	- 4.9	- 5.0		-11.0	4.4	21	-28.6	12	12$_5$	2.2	4	1.5	7$_5$	2.3	0$_5$	2.0	34$_5$	2.5	2$_5$	2.2	6	2.0	12$_5$	3.3	10
V			3.2	4.0	1.9	1.8		- 2.6	12.4	23	- 9.1	17	16	1.9	6	1.7	5	1.6	1	3.0	27	2.0	8	2.2	6	2.2	17	2.2	7
VI			11.6	12.2	10.4	10.2		6.0	25.3	27	- 2.1	3	8	2.2	3	1.7	16	2.1	13	2.2	22	2.4	10$_5$	2.4	9$_5$	2.8	4	3.0	4
VII			15.5	16.8	14.9	14.1		8.8	24.1	21	5.3	12	11	2.7	11	1.7	15$_5$	2.0	9$_5$	2.2	23	2.5	6$_5$	2.4	3$_5$	2.1	4	1.8	9
VIII			13.4	14.5	12.2	12.0		7.2	21.4	8	2.6	22	5	2.2	5	1.8	11	2.1	11$_5$	2.3	38	2.2	10$_5$	2.3	0	–	6	2.2	6
IX			7.1	8.9	6.4	6.8		3.3	15.8	2	- 5.2	13	0	–	0	–	10$_5$	3.1	14	3.0	34$_5$	3.0	6	3.2	12$_5$	4.9	5$_5$	1.9	7
X			- 2.9	- 0.9	- 2.8	- 2.6		- 6.4	10.7	9	-14.4	24	7$_5$	3.7	0	–	3	2.8	3	2.3	30$_5$	2.1	16$_5$	2.0	6$_5$	2.0	18	2.3	8
XI			-10.6	-10.2	-10.8	-10.6		-15.3	4.6	1	-33.3	13	0	–	1	2.0	2	1.0	4$_5$	1.4	40$_5$	2.3	4	2.1	8$_5$	1.9	3$_5$	1.6	26
XII			- 5.3	- 5.3	- 5.3	- 5.3		- 9.5	2.8	20	-26.1	25	0	–	1	2.0	4	1.8	1	2.0	64$_5$	2.3	2$_5$	1.8	9	2.0	3	1.7	8
1946			- 1.1	0.0	- 1.6	- 1.7		- 6.7	25.3		-40.4		70	2.5	42	1.7	94$_5$	2.1	70	2.3	454	2.3	83$_5$	2.4	77	2.1	94	2.4	110

1946

H_s = 131 H_b = 132.3 h_t = 2.1 h_a = h_d = 10.0 h_r = 1.7

Karasjok

Måned	Midlere relativ fuktighet Um				Midlere skydekke N_m			Nedbør R			Antall dager n																							
											Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≧ 0,1	R ≧ 1,0	R ≧ 10,0	F ≧ 6	F ≧ 8	F ≧ 9	●	*	⸸	❟	*	△	▲	℞	=	≡	⊙	◔	◕	⊞
I					7.5	7.4	6.7	7	1	3	31		22		10	4	0	3	0	0	1	9	0	0	0	0	0	0	3	4	0	2	15	31
II					6.4	7.4	6.2	19	4	6	28		27		14	8	0	0	0	0	0	14	0	0	0	0	0	0	7	0	16	4	9	28
III					6.2	5.6	6.1	6	2	5	31		24		8	2	0	2	0	0	0	8	0	0	0	0	0	0	0	1	24	5	9	31
IV					6.2	6.2	6.6	25	7	18	26		13		12	4	0	3	1	0	3	11	2	0	0	0	0	0	0	0	25	5	13	29
V					7.0	6.6	7.1	5	3	8	22		0		6	2	0	1	0	0	6	4	4	0	0	0	0	0	0	1	25	3	11	1
VI					7.3	7.4	7.1	50	11	17	2		0		11	10	1	2	0	0	10	2	1	0	0	0	0	2	1	0	23	2	14	0
VII					6.7	6.0	5.6	52	26	8	0		0		12	8	1	1	0	0	12	0	0	0	0	0	0	1	2	1	28	4	10	0
VIII					6.7	6.6	7.0	22	10	15	0		0		12	8	1	0	0	0	12	0	0	1	0	0	0	1	1	7	23	1	9	0
IX					8.3	8.2	8.0	38	15	5	4		0		14	8	1	0	0	0	14	0	0	1	0	0	0	0	2	6	14	1	17	0
X					7.7	6.9	5.4	17	8	11	28		9		13	5	0	0	0	0	6	9	2	1	0	0	0	0	2	2	21	1	9	18
XI					6.9	7.0	5.5	10	4	20	28		18		9	4	0	0	0	0	2	9	1	0	0	0	0	0	2	5	9	7	14	30
XII					9.1	9.4	8.6	11	2	5	29		8		11	6	0	0	0	0	3	9	1	1	0	0	0	0	2	2	0	1	25	27
1946					7.2	7.1	6.7	262	26		229		121		132	69	4	12	1	0	69	75	11	4	0	1	0	4	22	29	208	36	155	195

H_s = 308 H_b = h_t = 1.9 h_a = h_d = h_r = 1.8

Kautokeino

I	90	89	88	89	6.8	7.4	7.5	9	2	4	31		22		13	4	0	2	0	0	0	13	0	0	0	0	0	0	1	3	2	15	31
II	86	85	86	86	7.6	6.9	5.8	10	2	2	28		27		17	2	0	2	0	0	0	17	0	0	0	0	0	0	1	11	2	10	28
III	86	80	85	85	6.8	5.2	6.5	6	2	5	31		28		9	4	0	1	0	0	0	9	0	0	0	0	0	0	2	24	5	8	31
IV	84	75	82	85	5.7	5.7	6.0	20	6	18	27		11		14	9	0	4	0	0	1	14	1	0	0	0	0	0	1	25	5	9	30
V	74	67	72	76	7.1	6.1	6.7	4	1	25	22		0		6	3	0	1	0	0	2	4	0	0	0	0	0	0	2	23	2	12	22
VI	75	63	68	78	7.8	7.8	7.1	48	12	17	0		0		13	10	0	2	0	0	13	0	0	0	0	2	0	2	0	19	1	16	0
VII	78	63	69	79	6.8	6.7	6.5	56	20	2	0		0		13	9	1	1	0	0	13	0	0	3	0	0	0	4	0	21	3	11	0
VIII	85	68	80	86	7.5	7.4	7.4	68	13	24	0		0		15	13	2	0	0	0	15	0	0	6	0	0	0	3	0	8	24	0	14	0
IX	91	77	86	88	8.0	8.1	8.2	59	18	5	5		0		18	13	1	1	0	0	18	0	0	11	0	0	0	0	0	6	12	1	20	0
X	86	78	86	86	7.2	6.5	5.2	5	2	11	30		6		8	2	0	5	0	0	2	6	0	0	0	0	0	0	2	0	22	2	11	16
XI	86	87	89	88	6.7	7.1	6.6	13	3	5	26		18		12	5	0	2	0	0	2	11	0	1	0	1	0	1	1	9	3	14	30
XII	88	88	88	88	8.4	8.5	8.2	6	2	2	29		10		9	2	0	2	0	0	0	9	0	0	0	0	0	0	2	0	0	2	22	31
1946	83	77	82	84	7.2	7.0	6.8	304	20		229		122		147	76	4	23	0	0	66	83	1	21	0	3	0	9	5	22	193	28	162	219

H_s = 383 H_b = h_t = 1.4 h_a = h_d = h_r = 1.4

Siccajavre

I	83	83	84	84	7.1	7.1	6.9	14	3	4	31		23		17	6	0	2	0	0	0	17	0	0	0	0	0	0	0	0	0	12	31
II	76	75	75	76	6.3	6.0	5.5	18	3	2	28		28		11	8	0	0	0	0	0	11	0	0	0	0	0	0	0	5	1	7	28
III	77	72	77	77	5.5	5.3	6.1	10	2	5	31		28		10	6	0	3	0	0	0	10	0	0	0	0	0	0	0	23	1	6	31
IV	70	68	75	74	5.5	4.7	5.8	18	8	19	29		13		14	5	0	3	0	0	2	14	2	0	0	0	0	0	0	20	6	8	30
V	61	57	65	67	5.8	6.0	5.6	6	2	21	23		0		6	3	0	0	0	0	4	5	3	1	0	0	0	0	0	24	4	7	19
VI	60	57	64	66	7.0	6.8	6.9	64	18	16	1		0		18	13	0	0	0	0	18	4	4	0	0	0	0	4	0	16	0	10	0
VII	60	55	63	66	6.0	5.7	5.9	68	18	2	0		0		14	10	2	3	0	0	14	0	0	1	0	0	0	4	0	20	5	10	0
VIII	66	56	73	73	6.2	6.8	7.6	72	21	7	0		0		18	13	2	0	0	0	18	0	0	1	0	0	0	3	0	23	0	8	0
IX	84	74	87	86	8.0	7.7	7.6	51	17	5	6		0		17	12	1	6	1	0	17	0	0	7	0	0	0	0	0	18	12	2	18	0
X	84	75	85	84	6.9	5.8	5.5	7	2	11	29		6		11	2	0	4	0	0	3	8	0	2	0	0	0	0	0	3	24	1	3	19
XI	77	78	80	78	6.0	6.7	6.1	18	4	19	30		18		10	8	0	1	0	0	4	8	0	3	0	0	0	0	0	6	11	4	11	26
XII	81	81	81	81	8.5	8.5	8.5	9	2	2	31		9		9	5	0	0	0	0	1	9	0	2	0	0	0	0	0	0	0	3	23	31
1946	78	69	76	76	6.6	6.4	6.5	355	21		239		125		155	91	5	22	1	0	81	86	9	17	0	0	0	11	0	37	178	24	123	215

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1946

Pentade	Røros	Alvdal	Dombås	Vinstra	Vollen i Slidre	Lillehammer	Rena	Vang på Hedmark	Østre Toten	Flisa	Modum	Nesbyen Nesbyen II	Horten Ramnes	Ås	Eidsberg	Gvarv	Byglandsfjord	Kristiansand S.
1.I - 5.I	-17.4	-18.4	-12.4	-15.9	-17.6	-13.3	-17.3	-13.3	-11.7	-13.7	-11.7	-17.5	- 5.6	- 8.4	- 8.9	-12.3	- 4.3	- 4.6
6.I - 10.I	- 3.3	- 3.9	- 1.5	- 9.2	- 2.7	- 5.0	- 4.4	- 1.8	- 0.2	- 1.7	0.7	- 4.0	2.2	1.6	1.9	- 3.1	0.9	3.6
11.I - 15.I	-16.3	-14.1	-12.8	-12.7	-15.1	-10.4	-13.1	-10.5	- 8.7	-12.0	- 9.5	-14.2	- 4.8	- 7.3	- 8.1	- 8.2	- 6.0	- 4.3
16.I - 20.I	-17.0	-18.3	-10.1	-13.5	-15.1	- 9.9	-16.2	-12.3	- 9.9	-13.7	- 9.7	-14.6	- 5.0	- 7.7	- 8.4	- 7.9	- 3.3	- 4.2
21.I - 25.I	-16.4	-14.5	-10.8	-13.0	-13.5	- 9.5	- 7.6	- 5.2	- 6.0	- 6.1	- 5.4	-12.2	- 1.9	- 4.0	- 4.1	- 2.6	- 1.9	0.1
26.I - 30.I	- 7.3	- 4.9	- 4.7	- 3.6	- 5.4	- 2.6	- 2.9	- 2.7	- 2.8	- 2.7	- 2.8	- 2.8	- 0.9	- 1.9	- 2.0	- 1.3	- 1.2	0.2
31.I - 4.II	- 5.4	- 6.6	- 6.4	- 5.9	- 6.4	- 3.6	- 2.6	- 2.3	- 2.5	- 0.9	- 3.2	- 6.7	- 0.3	- 0.5	0.0	- 2.0	- 0.7	1.7
5.II - 9.II	- 8.1	- 8.6	- 8.9	- 8.8	-10.1	- 7.8	- 8.6	- 7.7	- 6.5	- 6.6	- 3.8	- 8.8	- 0.8	- 2.5	- 2.7	- 1.3	0.2	2.3
10.II - 14.II	- 9.8	- 8.8	- 5.8	- 8.3	- 6.3	- 8.5	-11.9	- 8.9	- 7.2	-11.2	- 4.2	- 6.7	- 1.5	- 4.2	- 4.2	- 4.9	- 2.2	1.7
15.II - 19.II	- 4.6	- 2.5	- 3.9	- 1.2	- 0.6	- 2.0	- 3.5	- 1.9	- 0.5	- 3.3	1.2	0.8	1.7	0.7	- 0.1	0.7	1.2	3.9
20.II - 24.II	-18.4	-17.1	-14.7	-14.1	-12.4	-11.7	-13.2	-11.7	-10.4	-11.4	- 8.8	-10.5	- 5.9	- 9.6	- 9.7	- 8.7	- 7.6	- 4.5
25.II - 1.III	-25.2	-23.4	-19.9	-20.8	-19.2	-16.8	-17.0	-15.3	-14.0	-14.0	-12.4	-17.0	- 7.4	- 9.8	- 9.4	- 9.9	- 8.0	- 4.5
2.III - 6.III	-13.6	- 9.9	- 9.4	- 9.1	- 9.1	- 7.0	- 7.3	- 6.2	- 6.0	- 5.7	- 4.6	- 6.8	- 2.0	- 4.2	- 3.4	- 2.4	- 3.4	- 1.5
7.III - 11.III	- 8.3	- 6.4	- 7.2	- 5.1	- 5.8	- 4.0	- 4.7	- 4.0	- 4.4	- 3.6	- 3.3	- 4.6	- 1.7	- 3.0	- 3.1	- 2.0	- 4.5	- 2.1
12.III - 16.III	-10.5	-10.6	- 8.6	- 7.6	- 9.6	-10.4	-11.5	-10.6	- 8.9	-11.3	- 8.9	-10.2	- 6.4	- 8.6	- 9.2	- 7.0	- 7.9	- 5.3
17.III - 21.III	1.5	0.7	- 0.1	- 1.8	- 1.1	- 1.1	- 2.0	- 0.7	0.4	- 0.7	1.5	0.2	0.5	0.0	0.4	0.0	0.3	2.2
22.III - 26.III	- 7.7	- 1.4	- 1.9	- 1.4	- 0.7	- 0.3	- 1.0	0.4	1.6	- 0.1	2.8	- 0.1	2.4	1.8	2.4	1.9	1.6	3.5
27.III - 31.III	1.5	3.3	2.4	3.5	4.8	3.5	3.7	3.4	4.3	3.9	5.4	5.2	3.8	3.4	4.6	4.5	4.2	7.6
1.IV - 5.IV	3.7	6.6	5.9	6.1	6.8	6.6	6.3	6.6	8.0	6.6	9.3	8.4	7.1	6.5	6.8	6.6	4.9	8.1
6.IV - 10.IV	- 0.8	1.0	- 0.4	2.9	2.4	3.4	2.7	3.5	4.2	3.3	6.0	4.6	6.8	5.3	3.7	6.2	3.6	6.2
11.IV - 15.IV	- 1.9	0.6	- 0.3	2.2	2.9	1.6	1.7	2.5	2.2	2.0	5.4	5.4	4.7	4.1	3.3	5.2	4.6	6.1
16.IV - 20.IV	2.4	4.9	3.2	6.5	5.2	6.1	5.6	6.0	6.2	6.0	7.4	7.5	7.3	6.5	5.9	6.5	6.1	7.2
21.IV - 25.IV	1.7	3.3	2.5	4.6	3.8	4.2	4.4	4.9	5.5	5.2	6.5	5.2	7.6	5.8	5.1	5.6	4.5	6.8
26.IV - 30.IV	3.8	6.2	5.6	8.0	7.3	8.4	7.9	8.6	8.5	8.6	9.5	9.4	10.6	10.0	9.2	10.1	9.3	10.4
1.V - 5.V	4.4	6.3	4.7	8.4	6.9	8.4	7.3	8.4	7.8	8.4	8.9	8.9	10.1	9.2	8.6	9.3	8.8	9.1
6.V - 10.V	1.4	3.5	2.6	5.7	5.5	5.8	5.9	6.3	6.8	6.3	8.4	7.6	9.9	8.3	6.8	8.9	8.2	9.9
11.V - 15.V	- 0.1	3.1	2.4	5.4	4.1	5.8	5.5	5.7	5.8	6.0	6.8	5.7	8.5	6.8	6.7	7.6	5.9	7.6
16.V - 20.V	4.8	6.0	6.2	8.4	7.4	9.0	9.1	8.9	9.1	8.7	9.2	9.3	10.5	9.8	9.0	9.5	8.4	9.7
21.V - 25.V	11.1	12.4	12.2	14.0	12.0	13.3	13.5	13.3	13.4	13.0	12.6	12.9	13.9	13.5	12.9	12.0	12.1	13.1
26.V - 30.V	13.8	14.9	15.2	16.9	15.5	17.3	17.3	17.5	18.0	17.5	17.7	16.2	18.5	18.3	17.6	16.8	15.8	16.9
31.V - 4.VI	8.6	10.9	10.0	12.8	11.0	13.1	13.0	13.0	12.8	13.0	13.8	13.3	14.1	12.8	12.8	12.9	10.4	12.3
5.VI - 9.VI	8.7	8.9	8.3	10.2	8.9	11.1	11.0	10.7	11.1	11.0	12.0	11.4	11.6	11.8	11.2	11.3	9.8	11.5
10.VI - 14.VI	6.5	7.9	7.2	11.2	10.4	11.3	10.8	10.9	11.1	11.2	12.3	12.1	12.4	12.1	11.6	13.0	11.6	12.4
15.VI - 19.VI	8.2	9.8	8.7	11.4	10.0	11.7	11.5	11.2	11.0	11.2	11.5	11.8	11.3	11.6	10.5	12.7	11.2	12.4
20.VI - 24.VI	11.8	13.2	12.5	15.1	13.3	15.1	15.4	14.5	15.1	14.7	15.2	15.4	14.3	14.6	13.8	15.1	13.4	14.0
25.VI - 29.VI	12.8	13.4	12.6	14.2	13.8	14.4	14.8	14.3	14.4	15.1	14.9	15.6	14.1	15.0	15.1	14.7	12.5	14.0
30.VI - 4.VII	11.9	13.4	12.6	14.8	14.4	15.5	15.7	15.7	15.9	16.7	17.0	16.0	16.1	16.3	16.4	16.5	14.3	15.9
5.VII - 9.VII	11.6	13.4	12.3	16.0	15.2	15.8	16.0	15.2	16.0	16.0	17.2	17.2	16.8	17.2	16.8	18.2	16.2	17.6
10.VII - 14.VII	12.6	14.4	14.0	17.3	16.0	16.8	16.8	16.0	14.5	17.4	18.1	17.7	17.3	17.9	18.2	17.7	17.1	17.5
15.VII - 19.VII	16.2	17.5	15.7	18.9	17.4	17.6	18.5	18.1	18.7	18.3	18.8	18.9	17.3	18.4	17.9	16.9	15.3	15.3
20.VII - 24.VII	14.1	14.6	13.4	15.3	14.1	15.9	16.0	15.8	16.1	16.0	16.2	15.5	15.3	16.2	16.1	15.2	14.1	16.0
25.VII - 29.VII	13.0	14.2	12.7	15.3	13.6	15.4	15.1	15.6	15.8	16.3	16.6	15.8	15.8	16.2	16.0	16.2	14.3	15.8
30.VII - 3.VIII	11.2	12.6	11.5	14.2	12.6	14.0	14.1	14.2	14.1	14.0	14.1	14.4	14.6	14.6	14.1	15.1	13.0	14.9
4.VIII - 8.VIII	12.0	12.7	12.6	14.1	13.0	14.7	14.6	14.9	15.4	15.0	15.0	14.3	15.3	16.0	15.2	15.6	13.8	15.6
9.VIII - 13.VIII	11.8	11.6	11.1	12.9	11.7	13.5	13.2	13.3	13.0	13.6	13.7	13.0	13.1	13.7	13.3	13.0	11.3	13.2
14.VIII - 18.VIII	9.6	10.5	10.2	13.0	11.6	12.0	12.8	12.6	12.7	12.5	13.0	12.8	13.2	13.0	12.7	13.9	11.7	13.9
19.VIII - 23.VIII	9.3	11.3	11.7	12.7	12.4	13.5	13.7	13.7	14.3	13.1	14.6	13.4	14.1	15.0	14.7	14.1	13.1	14.4
24.VIII - 28.VIII	10.0	11.1	11.7	12.6	11.8	12.8	12.4	13.5	13.1	12.9	14.3	13.4	14.4	13.9	14.4	14.7	14.0	15.1
29.VIII - 2.IX	10.1	10.3	9.7	11.4	10.7	12.0	11.5	11.9	12.0	12.7	12.9	11.9	12.7	13.4	12.9	13.1	12.6	14.4
3.IX - 7.IX	9.3	10.7	9.3	11.5	11.0	12.3	12.9	12.9	12.2	12.7	12.3	11.9	12.4	12.8	13.1	13.2	11.4	13.1
8.IX - 12.IX	7.7	8.4	7.3	9.9	9.4	10.5	10.7	11.0	10.4	9.5	11.3	10.9	11.2	11.6	11.4	11.3	10.0	12.0
13.IX - 17.IX	7.3	7.8	7.1	9.0	8.7	9.8	10.0	10.1	10.5	10.7	11.6	9.9	11.6	11.6	11.5	10.9	10.4	12.7
18.IX - 22.IX	4.2	5.1	5.0	6.2	6.2	6.2	6.2	7.9	8.0	8.0	9.4	7.2	9.3	10.0	9.4	8.6	8.2	10.6
23.IX - 27.IX	7.4	7.7	8.0	8.0	8.0	9.1	9.2	9.8	10.3	10.1	11.0	8.8	10.0	11.3	11.3	10.5	9.6	11.7
28.IX - 2.X	3.5	4.2	4.4	5.3	4.7	6.0	6.3	7.1	7.1	6.4	7.9	5.5	8.0	8.4	7.4	7.7	8.2	10.1
3.X - 7.X	1.9	1.4	1.1	2.9	2.2	3.3	3.2	3.8	3.9	3.6	5.1	3.6	5.9	5.5	5.4	5.5	5.8	8.0
8.X - 12.X	3.4	4.7	4.2	5.8	3.8	6.2	3.6	5.1	6.8	3.8	5.0	1.4	6.2	5.9	6.3	4.4	5.6	7.9
13.X - 17.X	3.8	3.9	4.5	8.6	5.6	5.4	4.9	5.4	6.5	4.6	4.8	3.4	5.4	4.6	5.6	4.5	5.2	7.7
18.X - 22.X	0.2	- 0.6	- 0.2	1.2	0.4	0.9	0.5	1.6	2.0	0.8	2.4	- 0.4	3.8	3.7	4.3	2.9	3.7	5.6
23.X - 27.X	- 5.5	- 5.4	- 3.0	- 2.8	- 1.6	- 2.4	- 4.2	- 2.6	- 1.8	- 4.5	- 0.8	- 2.3	- 1.0	- 1.5	- 0.4	- 0.3	0.0	2.9
28.X - 1.XI	- 3.5	- 4.1	- 3.0	- 3.1	- 1.5	- 1.6	- 2.4	- 1.6	- 0.7	- 2.7	- 0.5	- 3.2	0.9	0.1	1.3	0.3	0.9	3.3
2.XI - 6.XI	1.0	1.5	1.2	1.4	0.9	2.2	2.2	3.0	2.9	2.6	3.5	0.9	5.1	4.7	4.9	4.2	4.6	6.3
7.XI - 11.XI	- 0.4	- 0.6	0.2	- 0.3	- 0.7	0.8	0.1	1.2	1.7	0.8	1.7	- 2.4	2.6	2.1	1.6	2.4	1.8	4.5
12.XI - 16.XI	- 9.5	- 9.4	- 8.4	- 8.8	- 5.6	- 5.1	- 6.9	- 4.7	- 2.8	- 5.3	- 2.7	- 7.1	- 2.5	- 1.8	- 1.8	- 1.7	0.8	2.3
17.XI - 21.XI	- 8.0	- 6.3	- 5.9	- 4.8	- 5.0	- 3.7	- 4.1	- 3.0	- 2.6	- 2.6	- 1.9	- 5.2	- 0.9	- 1.1	- 0.7	- 0.5	- 0.2	2.1
22.XI - 26.XI	2.1	2.8	2.8	2.9	- 0.2	5.0	4.4	4.8	4.8	4.7	5.4	2.3	5.8	5.6	5.4	5.2	5.2	8.2
27.XI - 1.XII	0.0	0.1	0.1	0.2	- 0.1	1.1	1.1	2.1	1.9	3.1	3.7	1.0	5.5	4.3	4.2	4.3	4.2	6.3
2.XII - 6.XII	- 2.9	- 4.2	- 3.2	- 1.4	- 1.1	- 0.5	- 0.2	0.6	0.4	0.8	1.2	- 1.0	1.6	1.9	1.9	1.9	1.7	3.6
7.XII - 11.XII	- 2.1	- 2.3	- 2.7	- 2.1	- 1.8	- 0.9	- 0.6	0.0	- 0.3	0.5	1.0	- 1.4	1.0	0.7	1.0	1.6	1.5	2.8
12.XII - 16.XII	-14.1	-12.8	-11.3	-10.3	- 8.3	- 8.0	- 9.3	- 8.0	- 7.3	- 8.2	- 4.2	- 7.9	- 4.0	- 5.1	- 5.5	- 4.0	- 2.8	- 0.7
17.XII - 21.XII	- 9.9	-14.2	-10.0	-16.1	-12.9	-12.8	-15.6	-12.5	-10.0	-15.0	-11.0	-17.4	- 8.8	- 8.2	- 9.0	-11.4	- 4.9	- 2.0
22.XII - 26.XII	- 1.9	- 1.6	- 2.3	- 1.9	- 2.8	0.3	0.0	0.5	1.0	0.4	2.3	- 1.7	2.5	1.7	1.5	1.7	1.4	4.2
27.XII - 31.XII	- 5.6	- 4.3	- 4.5	- 3.5	- 3.4	- 1.7	- 1.4	- 1.1	- 1.1	- 0.6	0.6	- 2.0	0.8	0.4	0.0	0.7	0.7	2.4

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1946

Pentade	Klepp	Sauda	Ullensvang	Syfteland	Leikanger	Brandsøy i Kinn	Nordfjordeid	Tafjord	Runde	Tingvoll	Vallersund	Trondheim (Voll)	Kjevli i Snåsa	Brønnøysund	Ytteren i Rana Mo i Rana II	Bodø	Offersøy	Tromsø
1.I - 5.I	2.4	- 2.2	- 1.3	1.1	- 1.7	3.1	- 0.8	0.2	4.3	- 2.9	2.3	- 3.3	- 3.7	3.8	2.0	3.6	2.2	- 0.3
6.I - 10.I	5.5	3.6	4.8	5.5	4.9	6.2	4.6	4.8	5.8	1.4	3.6	1.4	- 1.0	1.8	- 3.3	- 1.4	- 2.9	- 6.6
11.I - 15.I	- 0.5	- 3.6	- 3.8	- 3.5	- 4.2	- 0.7	- 2.7	- 4.1	0.0	- 8.8	- 2.2	- 8.0	-10.1	- 1.1	- 7.1	- 2.2	- 1.2	- 2.5
16.I - 20.I	- 1.8	- 3.3	- 1.4	- 3.8	- 1.5	0.1	- 3.9	- 0.5	2.9	- 7.7	2.0	- 3.8	- 1.9	3.2	- 0.5	3.1	2.3	1.0
21.I - 25.I	0.1	- 2.9	- 1.6	- 1.6	- 1.2	2.9	- 1.1	2.9	3.7	- 2.5	0.7	- 3.1	- 9.2	1.0	- 7.9	1.4	1.5	1.1
26.I - 30.I	2.4	0.9	2.1	3.2	2.5	4.3	4.8	4.9	5.6	4.0	2.5	0.4	- 2.7	2.5	- 2.8	1.0	1.2	- 0.4
31.I - 4.II	4.3	1.1	1.8	3.4	2.1	3.6	1.9	3.8	4.0	- 0.7	0.6	- 2.1	- 3.4	0.8	- 3.5	- 3.2	- 2.6	- 4.2
5.II - 9.II	3.6	0.8	0.3	1.1	- 0.2	1.8	- 0.2	0.8	2.5	- 1.4	- 1.9	- 4.2	- 8.0	- 3.9	-10.2	- 7.2	- 6.6	- 9.6
10.II - 14.II	3.0	0.5	1.3	1.3	0.1	1.9	0.1	0.2	2.6	0.0	- 0.4	- 3.3	-10.2	- 2.9	-13.7	- 7.0	- 5.2	- 7.9
15.II - 19.II	3.7	1.5	2.2	1.5	1.6	1.7	0.3	0.5	2.6	1.2	1.7	- 0.2	- 3.3	- 1.0	- 4.1	- 2.7	- 4.1	- 5.1
20.II - 24.II	- 4.4	- 5.6	- 4.2	- 5.4	- 4.4	- 3.2	- 5.0	- 4.6	- 1.4	- 6.5	- 4.5	- 8.7	-11.4	- 5.1	-13.4	- 8.0	- 6.4	- 7.6
25.II - 1.III	- 3.3	- 5.9	- 6.5	- 4.6	- 6.1	- 3.1	- 6.2	- 4.4	- 1.4	- 9.0	- 6.2	-11.1	-10.7	- 5.1	-13.4	- 7.4	- 6.6	- 8.9
2.III - 6.III	- 0.7	- 0.1	- 1.5	- 2.5	- 0.6	0.5	- 1.7	- 0.4	1.2	- 3.4	- 2.2	- 4.5	- 7.0	- 0.8	- 5.9	- 2.6	- 2.0	- 2.8
7.III - 11.III	- 1.2	- 1.0	- 0.3	- 1.7	0.5	0.2	- 1.9	0.2	1.8	- 2.2	- 1.2	- 2.5	- 4.1	- 0.1	- 6.9	- 1.5	- 2.4	- 1.8
12.III - 16.III	- 3.3	- 3.2	- 2.8	- 3.4	- 2.3	- 0.3	- 2.4	- 1.4	0.6	- 0.5	- 1.6	- 3.9	- 8.4	- 3.7	-11.5	- 5.0	- 4.0	- 4.8
17.III - 21.III	4.3	2.0	2.9	4.1	2.9	4.3	2.9	4.6	5.6	3.8	3.2	2.5	0.5	0.7	- 3.4	- 3.3	- 3.8	- 5.1
22.III - 26.III	4.6	2.8	3.1	3.5	2.8	4.0	2.8	4.5	4.9	2.6	3.8	2.5	1.8	3.6	1.0	1.2	0.2	- 0.4
27.III - 31.III	5.9	5.0	5.5	5.6	5.5	6.3	4.8	6.8	6.8	5.2	5.3	3.8	2.0	2.6	0.6	1.1	0.0	- 1.3
1.IV - 5.IV	8.4	5.6	7.5	7.0	7.3	7.6	6.7	8.1	7.6	7.7	5.5	5.3	2.8	4.4	2.6	3.0	1.5	0.5
6.IV - 10.IV	4.5	3.3	3.9	3.0	3.2	3.1	2.0	3.4	2.9	2.3	2.7	1.9	1.1	2.7	1.2	0.6	- 0.6	- 1.9
11.IV - 15.IV	6.9	4.9	4.6	5.7	3.0	4.7	3.7	4.4	5.4	2.5	3.0	0.6	- 0.6	0.7	- 2.3	- 2.1	- 2.7	- 4.2
16.IV - 20.IV	6.9	6.4	6.6	6.3	7.3	6.0	5.5	7.4	5.8	5.7	5.7	3.5	3.4	5.1	2.8	4.0	2.9	1.7
21.IV - 25.IV	6.6	5.2	5.8	5.4	5.8	5.1	4.0	7.2	4.6	5.4	5.4	4.9	3.7	5.5	4.5	5.5	4.9	4.1
26.IV - 30.IV	8.7	9.1	9.2	8.0	8.5	7.5	6.9	8.0	5.9	6.5	6.9	6.6	5.2	7.5	5.1	6.0	5.3	4.2
1.V - 5.V	7.9	8.6	9.1	7.0	8.7	6.9	6.4	6.9	6.4	6.2	6.3	6.0	5.6	6.0	5.1	6.1	4.7	4.6
6.V - 10.V	7.6	8.2	8.4	6.5	7.4	6.4	5.2	6.1	5.7	4.8	4.6	3.5	2.3	3.8	2.8	3.2	2.6	1.5
11.V - 15.V	7.1	7.1	7.4	5.7	7.4	6.9	5.5	5.8	5.3	5.0	5.6	4.5	4.2	5.5	5.0	5.0	5.0	3.3
16.V - 20.V	10.3	10.8	11.2	9.5	10.7	10.0	9.5	8.8	7.5	8.0	7.4	7.5	6.1	6.3	5.9	5.6	5.5	3.9
21.V - 25.V	13.7	13.5	15.1	13.7	15.6	14.2	14.2	12.8	10.9	13.3	11.5	12.6	11.4	9.9	9.3	8.7	7.0	5.9
26.V - 30.V	16.3	16.2	16.4	16.2	18.1	18.2	17.5	15.8	13.3	17.8	11.0	16.5	14.8	10.1	11.7	10.1	9.8	5.5
31.V - 4.VI	11.7	11.1	12.1	12.5	13.7	12.4	12.1	11.4	9.9	11.1	10.1	10.5	8.7	10.7	9.4	9.4	8.8	6.2
5.VI - 9.VI	11.6	10.0	9.9	10.7	10.9	10.7	9.6	12.0	10.3	12.2	11.6	11.1	10.5	11.4	11.0	10.6	10.4	10.2
10.VI - 14.VI	11.4	11.1	11.0	10.9	12.0	10.9	9.7	9.6	8.3	8.8	8.8	8.6	8.1	8.2	8.3	8.6	9.2	7.3
15.VI - 19.VI	12.9	12.3	13.5	11.5	14.3	12.5	12.8	12.5	11.4	13.1	12.3	11.5	10.9	11.4	12.6	12.0	12.8	10.7
20.VI - 24.VI	12.8	12.5	13.5	11.9	14.0	12.1	13.6	14.0	12.6	14.4	11.8	12.9	11.4	10.5	10.0	9.2	8.9	9.8
25.VI - 29.VI	14.1	13.4	14.0	13.2	14.8	13.8	13.4	14.1	12.5	14.3	13.9	14.7	15.4	14.3	16.0	15.5	15.6	16.5
30.VI - 4.VII	15.2	13.1	13.9	14.4	13.5	13.1	13.3	13.8	12.8	13.7	11.9	12.9	12.5	11.9	12.0	12.5	12.9	11.7
5.VII - 9.VII	14.7	14.6	14.5	13.9	14.6	12.6	12.7	13.7	12.5	13.1	12.5	13.0	12.7	12.9	13.4	12.9	13.1	13.0
10.VII - 14.VII	16.1	16.3	16.3	15.4	16.8	15.4	15.9	15.2	15.5	15.8	15.8	15.6	15.6	16.2	16.2	17.0	17.4	15.6
15.VII - 19.VII	16.1	19.2	19.7	18.6	20.6	20.1	20.2	19.1	17.7	20.6	18.0	19.3	17.7	17.3	17.2	15.6	16.2	13.8
20.VII - 24.VII	16.3	14.5	14.5	14.8	15.5	15.3	15.2	15.8	15.8	16.2	15.1	15.8	15.3	14.1	15.4	13.7	14.3	11.9
25.VII - 29.VII	15.5	15.0	15.0	14.5	15.2	14.9	15.1	15.4	14.7	15.3	15.2	14.8	14.3	14.8	13.6	13.6	13.4	12.8
30.VII - 3.VIII	13.9	13.5	13.7	13.5	14.5	14.2	13.7	14.2	13.5	13.5	14.3	13.5	13.2	13.8	13.6	13.0	13.8	11.9
4.VIII - 8.VIII	15.4	14.1	14.0	14.5	15.0	14.9	14.7	14.9	15.1	15.4	15.4	15.5	15.5	16.2	16.2	16.0	15.5	12.7
9.VIII - 13.VIII	14.0	12.9	12.8	13.4	13.6	14.4	13.9	15.1	14.7	15.3	14.7	14.3	14.2	15.2	14.0	14.7	15.0	13.9
14.VIII - 18.VIII	12.8	12.6	12.8	12.0	13.5	12.7	12.2	12.4	12.7	12.1	13.1	12.1	10.9	12.0	11.6	11.8	12.1	11.0
19.VIII - 23.VIII	14.4	14.0	13.8	13.8	14.3	14.2	14.3	13.8	14.8	14.6	14.8	13.8	12.7	14.5	12.8	14.4	14.4	12.8
24.VIII - 28.VIII	16.3	16.2	15.9	16.4	16.6	16.9	15.5	15.9	16.6	15.0	16.2	15.3	13.9	17.0	14.4	15.2	15.1	13.3
29.VIII - 2.IX	14.5	14.3	13.8	14.5	14.4	14.6	13.3	14.9	14.9	14.7	15.6	14.1	13.3	15.9	14.0	14.3	14.1	12.1
3.IX - 7.IX	13.9	13.3	12.7	13.2	13.9	13.9	12.9	12.5	13.9	12.9	13.1	12.5	11.0	14.7	13.6	14.4	13.9	11.6
8.IX - 12.IX	12.5	11.3	11.1	11.7	11.9	12.3	11.4	11.0	12.6	10.7	12.5	10.8	10.5	12.7	9.6	10.1	10.0	8.3
13.IX - 17.IX	12.5	11.0	11.3	11.7	11.4	12.1	11.2	13.1	12.6	12.3	12.8	11.3	10.4	12.7	9.9	10.9	11.2	9.1
18.IX - 22.IX	11.2	9.7	9.5	10.0	9.5	10.4	9.9	10.7	11.3	9.2	10.9	8.6	9.1	12.0	10.3	11.3	10.9	10.4
23.IX - 27.IX	12.9	10.4	10.5	12.2	10.0	12.3	11.4	14.9	12.7	12.1	12.5	11.9	11.0	11.5	9.3	10.9	10.8	10.4
28.IX - 2.X	10.3	8.6	8.6	8.0	9.2	8.8	8.3	7.9	10.1	6.5	8.8	6.4	5.2	8.0	4.7	6.5	6.0	3.6
3.X - 7.X	8.4	6.9	7.7	7.4	6.8	8.7	7.2	8.9	10.1	6.7	8.9	6.4	5.7	9.5	5.2	7.8	8.5	6.9
8.X - 12.X	7.5	3.7	4.6	7.0	4.8	7.6	5.6	5.1	9.8	7.6	9.7	7.1	7.0	9.8	8.3	8.6	8.1	5.2
13.X - 17.X	9.2	5.3	7.6	7.6	8.1	8.4	6.9	8.2	8.6	7.7	8.5	6.7	5.7	7.9	4.7	4.5	2.9	0.3
18.X - 22.X	5.3	2.1	3.5	3.7	4.4	6.7	4.2	3.6	7.9	4.5	6.0	4.1	3.2	5.8	3.9	3.7	2.5	- 0.4
23.X - 27.X	4.9	2.2	2.7	3.3	4.1	5.9	5.1	7.0	7.5	3.1	5.6	2.0	1.3	6.1	0.6	4.6	5.2	2.9
28.X - 1.XI	4.7	2.5	3.3	4.4	4.2	6.1	3.9	5.2	7.8	4.2	7.7	4.0	3.7	7.8	4.8	6.9	6.4	4.4
2.XI - 6.XI	8.0	5.5	6.8	6.7	6.9	8.2	7.5	11.4	10.1	5.7	8.6	6.5	5.1	9.0	4.3	7.5	7.4	6.4
7.XI - 11.XI	5.1	2.6	3.0	4.5	3.9	5.8	3.6	4.5	6.4	4.4	5.2	3.4	1.9	3.9	0.2	1.4	- 0.5	- 1.8
12.XI - 16.XI	2.7	0.2	0.1	0.1	- 0.5	1.3	- 0.5	0.4	2.0	- 2.0	0.6	- 2.9	- 5.0	- 1.7	-11.6	- 6.3	- 5.1	- 7.2
17.XI - 21.XI	3.6	1.3	1.1	2.5	1.4	2.9	- 0.2	2.5	3.4	- 1.3	0.0	- 2.5	- 4.1	- 0.7	- 6.3	- 2.9	- 2.0	- 4.8
22.XI - 26.XI	8.4	6.1	5.7	7.0	6.3	7.1	6.2	9.2	7.5	6.1	6.6	5.9	3.8	5.5	0.5	2.5	1.4	- 0.9
27.XI - 1.XII	7.4	5.2	5.1	6.0	5.5	6.2	4.2	6.0	5.8	3.1	3.9	2.8	0.9	2.7	- 2.2	0.4	- 1.2	- 3.4
2.XII - 6.XII	4.0	1.4	1.9	1.9	3.4	2.9	- 0.5	4.3	4.7	- 2.2	2.7	- 0.1	0.8	3.3	- 1.2	1.0	0.3	- 1.6
7.XII - 11.XII	3.8	4.3	4.3	2.0	4.5	4.8	1.3	5.8	4.9	3.5	4.0	2.4	1.2	4.1	2.6	2.9	3.0	1.3
12.XII - 16.XII	- 0.1	- 1.0	- 0.3	- 1.9	- 0.5	2.2	- 0.3	1.6	3.3	- 1.7	0.4	- 4.0	- 8.0	1.6	- 3.5	2.0	2.7	0.9
17.XII - 21.XII	- 0.4	- 4.1	- 1.4	- 0.3	- 0.6	2.6	0.8	1.3	5.0	- 0.1	4.7	0.5	0.0	5.1	3.9	5.9	5.9	4.3
22.XII - 26.XII	4.9	2.0	1.8	3.6	2.8	4.8	3.2	5.6	5.0	3.4	4.2	2.1	0.7	4.2	0.9	2.0	1.3	- 0.7
27.XII - 31.XII	3.7	1.8	2.8	3.7	3.0	4.8	3.7	5.7	5.7	1.7	2.4	- 0.6	- 5.6	1.5	- 5.2	0.4	1.4	- 0.9