551. 506. 1 (481)
ISSN 0332-9801

NORSK METEOROLOGISK ÅRBOK 1979

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

QC
981
.N8
N6
1979

OSLO 1980

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

GRØNDAHL & SØN TRYKKERI - OSLO

M06.1/481
N[illegible]

55.1506. 1 (481)
ISSN 0332-9801

NORSK METEOROLOGISK ÅRBOK 1979

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

CENTRAL
LIBRARY
PER
[illegible]
N.O.A.A.
U. S. Dept. of Commerce

OSLO 1980

NORSK
METEOROLOGISK ÅRBOK
1979

INNHOLD

Stasjonskart 1979 III
Meteorologiske stasjoner, instrumenter og observasjoner 1979 IV
Forklaringer til tabellene VIII
Symboler XIII
Stasjonsfortegnelse 1979 XV
Stasjonsfortegnelse 1979 fylkesvis XVIII
De bearbeidede data fra registreringene av lufttrykk, lufttemperatur, relativ fuktighet, vind og nedbør i Oslo — Blindern 1979 1

Avvikelser i lufttrykksmidlene og lufttemperaturmidlene i 1979 fra de tilsvarende midler for perioden 1931—60 . 19
Grasminimumstemperaturen 1979 på 15 stasjoner 19

Sjøtemperaturen 1979 på 15 representative kyststasjoner . 19
Daglige observasjoner (Ekstensotabell) i Oslo—Blindern, Bergen—Fredriksberg, Trondheim—Tyholt og Tromsø 1979 20
Måneds- og årsoversikter for 212 stasjoner 1979 44
Pentademidler av lufttemperaturen for 208 stasjoner 1979 og 5 stasjoner 1978 116
Den relative solskinnstid på 17 stasjoner 129
Månedssummer av globalstråling på 8 stasjoner 129
Daglige observasjoner (Ekstensotabell) på Svalbard Lufthavn, Ny-Ålesund II, Hopen, Bjørnøya og Jan Mayen 1978 130

Måneds- og årsoversikter for Svalbard Lufthavn, Ny-Ålesund II, Hopen, Bjørnøya og Jan Mayen 1978 160
Daglige observasjoner (Ekstensotabell) på Svalbard Lufthavn, Svea Gruber, Ny-Ålesund II, Hopen, Bjørnøya og Jan Mayen 1979 162

CONTENTS

Map of stations 1979 III
Meteorological stations, instruments and observations 1979 IV
Explanatory notes to the tables VIII
Symbols XIV
List of stations 1979 XV
List of stations 1979 in the various counties XVIII
Data of atmospheric pressure, air temperature, relative humidity, wind and precipitation obtained from recording instruments at Oslo—Blindern 1979 1
Departures of the mean pressures and mean air temperatures for 1979 from the corresponding means for the period 1931—60 19
Grass minimum temperature 1979 at 15 stations 19
Sea surface temperature 1979 at 15 representative coastal stations 19
Individual observations (Ekstensotabell) at Oslo—Blindern, Bergen—Fredriksberg, Trondheim—Tyholt and Tromsø 1979 20
Monthly and annual summaries for 212 stations 1979 44
Five-day means of air temperature for 208 stations 1979 and 5 stations 1978 116
Relative duration of sunshine at 17 stations 129
Monthly totals of global radiation at 8 stations 129
Individual observations (Ekstensotabell) at Svalbard Lufthavn, Ny-Ålesund II, Hopen, Bjørnøya and Jan Mayen 1978 130
Monthly and annual summaries for Svalbard Lufthavn, Ny-Ålesund II, Hopen, Bjørnøya and Jan Mayen 1978 160
Individual observations (Ekstensotabell) at Svalbard Lufthavn, Svea Gruber, Ny-Ålesund II, Hopen, Bjørnøya and Jan Mayen 1979 162


STASJONSKART
(MAP OF STATIONS)
1979
FRUHOLMEN FYR
HELNES FYR
MAKKAUR FYR
HAMMERFEST RADIO
KISTRAND II
RUSTEFJELBMA
LOPPA
BANAK
BRENNELV
TORSVÅG FYR
ALTA LUFTHAVN
NORDSTRAUM-KVENANGEN
NORDREISA
SOLOVOMI
KARASJOK
CUOVDATMÅKKI
PASVIK
SKIBOTN-MELÅ
GIBOSTAD
KVESMENES-RYENG
ANDØYA
KAUTOKEINO II
SIČČAJAVRE
BARDUFOSS
ØVERBYGD
BORKENES
TENNEVOLL
BØ I VESTERÅLEN II
KLEIVAT
SORTLAND
EVENSKJER
NARVIK III
KVALNES I LOFOTEN
SKJOMEN-SLETTJORD
SKROVA FYR
FINNØY I HAMARØY
GLÅPEN FYR
KOBBELV
VALLJORD
BODØ VI
FAUSKE-VETEN
KLETKOVTJELL
Ø. SALTDAL
MYKEN
GLOMFJORD
LEIRÅMO
NORD-SOLVÆR
BOLNA
NERDAL I RANA
VARDEFJELL
SKÅLVÆR
MOSJØEN-MOSAL
SUSENDAL-BJORMO
SVENNINGDAL
MAJAVATN III
SKLINNA FYR
LEKA
HØYLANDET
NORDLI-BRATTVOLD
BUHOLMRÅSA FYR
NORDLI-BRATTVOLD
NAMDALSEID-BØGSET
SULA
ØRLAND III
LEVANGER-EGGEN
SULSTUA
VÆRNES
TRONDHEIM-TYHOLT
MERÅKER-KROGSTAD
SMØLA-MOLDSTAD
VINJEØRA
HUSTAD II
ONA II
TINGVOLL-HANEM
BERKÅK II
SÆTER I KVIKNE
RØROS
VIGRA
SKODJE
HJELVIK I ROMSDAL
OPPDAL-BJØRKE
TYNSET-STØEN
SVINØY FYR
TAFJORD
LESJASKOG
FOKSTUA II
KJØREMSGRENDI
DREVSJØ
KRÅKENES FYR
FISKÅBYGD
OPSTRYN
BRÅTÅ
GJEILO I SKJÅK
SØR-NESSET
DOMBESTEIN
LOEN
ØVRE TESSA
SANDANE
OLDEN-VANGBERG
SKÅBU-STORSLÅEN
VINSTRA-SOLSTAD
KINN
FORDE I SUNNFJORD II
FORTUN
SOGNEFJELL
FJÆRLAND-SKARESTAD
TRYSIL-INNBYGDA
HAUGEDALSHØGDA
BEITOSTØLEN
LEIKANGER
LILLEHAMMER III
TAKLE
VANGSNES
LÆRDAL-TØNJUM
ÅBJØRSBRÅTEN
KISE PÅ HEDMARK
MODALEN
GOL-STAKE
Ø. TOTEN
STAUR FORS. GÅRD
HELLISØY FYR
REIMEGREND
FINSE
GEILO-GEILOSTØLEN
NESBYEN-SKOGLUND
VINGER
VOSS-BØ
KVAMSKOGEN
EIDFJORD-BU
DAGALI-FAGERLUND
GARDERMOEN
BERGEN-FLORIDA
FLESLAND
FANA FST.
OMASTRAND
EGNERFJELL
SKOTTERUD
MIDTLÆGER
LYNGDAL I NUMEDAL
OSLO-BLINDERN
FORNEBU
SLÅTTERØY FYR
UPSANGERVATN
ASKER BRANNST.
HØLAND-KOLLERUD
BJÅEN
KONGSBERG/IV
ÅS
SAUDA
HYLSFJORDEN
JELØY
NEDRE VATS
SULDAL-MO
GVARV
SLAGENTANGEN II
RYGGE
KALNES
UTSIRA FYR
ULLADAL-FJELLBERG
MELSOM
TORP
MÅKERØY
PRESTEBAKKE
SKUDENES II
FISTER
HYLESTAD-BROKKE
FERDER FYR
TVEITSUND
STAVANGER
SIRDAL-TJØRNOM
JOMFRULAND FYR
SOLA
NELAUG
BYGLANDSFJORD-SOLBAKKEN
LYNGØR FYR
OBRESTAD FYR
HALAND-GJULAND
NORDRE EYGERØY
TORUNGEN FYR
KONSMO-EIKELAND
LANDVIK
KJEVIK
LISTA FYR
OKSØY FYR
LINDESNES FYR
MANDAL II
JAN MAYEN
BJØRNØYA
SVALBARD L. HAVN
SVEA HOPEN
HYÅLESUND
20°
25°
30°
15°
10°
70°
69°
68°
67°
66°
65°
64°
63°
62°
61°
60°
59°
58°
85°
0°
5°

METEOROLOGISKE STASJONER, INSTRUMENTER OG OBSERVASJONER

Bortsett fra nedbørstasjonene var det 265 meteorologiske stasjoner i drift i 1979, her er også medregnet værskipene på stasjon M og i Nordsjøen, de 7 radiosondestasjonene og de 7 arktiske stasjonene. Av stasjonene sendte 207 værtelegrammer til forskjellige tider, mens 58 bare sendte månedsrapporter. På de telegraferende stasjoner ble hovedobservasjonene tatt kl. 7, 13 og 19 M.E.T., på de ikketelegraferende kl. 8(7), 13 og 19 M.E.T. Den klimatologiske statistikken i årboken er basert på observasjonene tatt kl. 7, 13 og 19, henholdsvis kl. 8, 13 og 19 M.E.T.

Årboken for 1979 inneholder forskjellige klimatologiske data for 212 stasjoner, inkludert de arktiske stasjonene Svalbard Lufthavn, Svea Gruber, Ny-Ålesund II, Hopen, Bjørnøya og Jan Mayen. Dessuten inneholder den tilsvarende data for 1978 for de 5 arktiske stasjonene Svalbard Lufthavn, Ny-Ålesund II, Hopen, Bjørnøya og Jan Mayen.

NYE STASJONER

I årboken for 1979 er følgende 9 nye stasjoner tatt inn: Kjøremsgrendi, Sognefjell, Asker Brannstasjon, til erstatning for Asker, som ble nedlagt 20. september 1977, Kongsberg IV, til erstatning for Kongsberg, som ble nedlagt 23. september 1979, Eidfjord-Bu, Hustad-Nerland, til erstatning for Hustad II, som ble nedlagt 1. november 1979, Selbu-Stubbe, til erstatning for Selbu-Bogstad, som ble nedlagt 31. mai 1979, Røst II, til erstatning for Skomvær Fyr, som ble nedlagt 15. desember 1978, og Svea Gruber.

Med hensyn til de enkelte stasjoner er følgende å bemerke:

Røros: Stasjonen ble utstyrt med termograf og hygrograf 22. mai 1979.

Tynset-Støen: Stasjonen ble utstyrt med vindfløy i slutten av mai 1979.

Drevsjø: Stasjonen tok i bruk barometer 5. november 1979.

Kjøremsgrendi: Stasjonen ble opprettet som nedbørstasjon i juni 1976, og ble utvidet til værstasjon 1. september 1978.

Otta-Bredvangen: Værstasjonen ble omgjort til nedbørstasjon 30. april 1979.

Bråtå: Stasjonen ble utstyrt med barograf 6. september 1979.

Bøverdal-Sletten: Stasjonen ble nedlagt 31. mai 1979.

Sognefjell: Stasjonen har vært i drift fra 27. november 1978.

METEOROLOGICAL STATIONS, INSTRUMENTS AND OBSERVATIONS

Not including rainfall stations, 265 meteorological stations were in operation during the year 1979, including also the ocean weather ships at station M and in the North Sea, the 7 radiosonde stations and the 7 arctic stations. Telegraphic reports were received at various hours from 207 stations, the remaining stations furnishing monthly reports only. At the stations furnishing telegraphic reports, the hours of observations were 7, 13 and 19^{h} C.E.T., at the remaining stations 8 (7), 13 and 19^{h} C.E.T. The climatological statistics in the year book refer to the observations made at 7, 13 and 19^{h} and 8, 13 and 19^{h} C.E.T., respectively.

The year book for 1979 contains various climatological data from 212 stations, including the arctic stations Svalbard Lufthavn, Svea Gruber, Ny-Ålesund II, Hopen, Bjørnøya and Jan Mayen.

In addition it also contains similar data for 1978 from the 5 arctic stations Svalbard Lufthavn, Ny-Ålesund II, Hopen, Bjørnøya and Jan Mayen.

NEW STATIONS

In the year book for 1979 the following 9 new stations have been included: Kjøremsgrendi, Sognefjell, Asker Brannstasjon, replacing Asker, which was closed on 20 September 1977, Kongsberg IV, replacing Kongsberg, which was closed on 23 September 1979, Eidfjord-Bu, Hustad-Nerland, replacing Hustad II, which was closed on 1 November 1979, Selbu-Stubbe, replacing Selbu-Bogstad, which was closed on 31 May 1979, Røst II, replacing Skomvær Fyr, which was closed on 15 December 1978, and Svea Gruber.

With regard to the individual stations the following should be noted:

Røros: The station was equipped with a thermograph and a hygrograph on 22 May 1979.

Tynset-Støen: The station was equipped with a wind vane during the last days of May 1979.

Drevsjø: Readings at the new barometer started on 5 November 1979.

Kjøremsgrendi: The station was established as a precipitation station during June 1976, and has been operated as a weather station since 1 September 1978.

Otta-Bredvangen: The station has been operated as a precipitation station since 30 April 1979.

Bråtå: The station was equipped with a barograph on 6 September 1979.

Bøverdal-Sletten: The station was closed on 31 May 1979.

Sognefjell: The station has been operated since 27 November 1978.

Aust-Torpa II: Stasjonen ble nedlagt 30. april 1979.

Skotterud: Stasjonen ble nedlagt 30. juni 1979.

Asker Brannstasjon: Stasjonen har vært i drift fra 8. november 1978.

Kongsberg: Stasjonen ble flyttet 153 m mot NNE 23. september 1979, og kalles etter flytningen Kongsberg IV.

Dalen i Telemark: Stasjonen ble nedlagt 30. juni 1979.

Bjåen: Stasjonen ble utstyrt med termograf og hygrograf 4. november 1979.

Lindesnes Fyr: Instrumenthytte og nedbørstolpe ble flyttet henholdsvis 65 m mot E og 85 m mot ESE 28. og 29. august 1979.

Obrestad Fyr: Barometer og barograf ble flyttet 24 m mot ENE 5. oktober 1979.

Upsangervatn: Stasjonen ble utstyrt med vindfløy 28. mars 1979. Ny stasjonshøyde p.g.a. nytt kart.

Eidfjord-Bu: Stasjonen har vært i drift siden 11. juni 1978.

Skodje: Ny stasjonshøyde p.g.a. nytt nivellement.

Hustad II: Stasjonen ble flyttet ca. 2 km mot WNW 1.—6. november 1979, og kalles etter flytningen Hustad-Nerland.

Selbu-Bogstad: Stasjonen ble nedlagt 31. mai 1979, og ble flyttet 2,5 km mot NE 20.—24. august 1979. Den nye stasjonen kalles Selbu-Stubbe.

Verdalsøra: Stasjonen ble nedlagt 30. juni 1979.

Mosjøen-Mosal: Stasjonen ble flyttet 27 m mot SSW 10.—16. oktober 1979.

Røst II: Stasjonen har vært i drift fra 1. januar 1979, og ligger ca. 300 m E for den tidligere Røst værstasjon (1875—89, 1906—69).

Borkenes: Stasjonen ble utstyrt med vindfløy 6. juni 1979.

Leirkjosen: Stasjonen ble nedlagt 30. april 1979.

Svea Gruber: Stasjonen har vært i drift siden mai 1978.

Ved utgangen av 1979 var følgende stasjoner, som er med i årboken, utstyrt med termograf og hygrograf (eller termohygrograf): Røros, Fokstua II, Kjøremsgrendi, Geilo i Skjåk, Øvre Tessa, Beitostølen, Kise på Hedmark, Egnerfjell, Oslo—Blindern, Finse, Slagentangen II, Torp, Høland—Kollerud, Gvarv, Landvik, Bjåen, Ulladal—Fjellberg, Suldal—Mo, Hylsfjorden, Fana Forsøksstasjon, Bergen—Fredriksberg, Bergen—Florida, Fortun, Loen, Ørstavik—Velle, Ona II, Trondheim—Tyholt, Ven-

Aust-Torpa II: The station was closed on 30 April 1979.

Skotterud: The station was closed on 30 June 1979.

Asker Brannstasjon: The station has been operated since 8 November 1978.

Kongsberg: The station was moved 153 m towards NNE on 23 September 1979, and is now called Kongsberg IV.

Dalen i Telemark: The station was closed on 30 June 1979.

Bjåen: The station was equipped with a thermograph and a hygrograph on 4 November 1979.

Lindesnes Fyr: The thermometer screen and the precipitation gauge were moved 65 m towards E and 85 m towards ESE, respectively, on 28 and 29 August 1979.

Obrestad Fyr: The barometer and the barograph were moved 24 m towards ENE on 5 October 1979.

Upsangervatn: The station was equipped with a wind vane on 28 March 1979. The new elevation of the ground is due to a new map.

Eidfjord-Bu: The station has been operated since 11 June 1978.

Skodje: The new elevation of the ground is due to a new levelling.

Hustad II: The station was moved about 2 km towards WNW on 1—6 November 1979, and is now called Hustad-Nerland.

Selbu-Bogstad: The station was closed on 31 May 1979, and was moved 2,5 km towards NE on 20—24 August 1979. The new station is called Selbu-Stubbe.

Verdalsøra: The station was closed on 30 June 1979.

Mosjøen-Mosal: The station was moved 27 m towards SSW on 10—16 October 1979.

Røst II: The station has been operated since 1 January 1979, and is situated about 300 m E of the weather station Røst (1875—89, 1906—69).

Borkenes: The station was equipped with a wind vane on 6 June 1979.

Leirkjosen: The station was closed on 30 April 1979.

Svea Gruber: The station has been operated since May 1978.

At the end of 1979 the following stations included in the year book were equipped with a thermograph and a hygrograph (or a thermohygrograph): Røros, Fokstua II, Kjøremsgrendi, Geilo i Skjåk, Øvre Tessa, Beitostølen, Kise på Hedmark, Egnerfjell, Oslo—Blindern, Finse, Slagentangen II, Torp, Høland—Kollerud, Gvarv, Landvik, Bjåen, Ulladal—Fjellberg, Suldal—Mo, Hylsfjorden, Fana Forsøksstasjon, Bergen—Fredriksberg, Bergen—Florida, Fortun, Loen, Ørstavik—Velle, Ona II,

nafjell, Svenningdal, Mosjøen—Mosal, Leiråmo, Kletkovfjell, Bolna, Kobbelv, Valljord, Tromsø, Karasjok, Ny-Ålesund II, Hopen, Bjørnøya og Jan Mayen.

Følgende stasjoner hadde bare termograf: Ås, Prestebakke, Midtlæger, Lærdal—Tønjum, Nordli—Brattvold, Vardefjell, Øverbygd, Nordreisa, Pasvik og Kautokeino II.

Ved utgangen av 1979 hadde følgende værstasjoner pluviograf av vanlig type: Oslo—Blindern, Lista Fyr, Bergen—Fredriksberg, Bergen—Florida, Mosjøen—Mosal, Valljord og Tromsø. I tillegg var følgende værstasjoner utstyrt med pluviograf av typen «Plumatic»: Sæter i Kvikne, Bråtå, Gardermoen, Oslo—Blindern, Nesbyen—Skoglund, Torp, Høland—Kollerud, Gvarv, Hylestad—Brokke, Modalen, Opstryn, Trondheim—Tyholt, Høylandet, Nordli—Brattvold, Øvre Saltdal, Bardufoss, Kirkenes Lufthavn og Karasjok.

Hvilke stasjoner som er utstyrt med barometer, henholdsvis anemometer og vindfløy, sees av rubrikkene H_p, henholdsvis h_a og h_d i stasjonsfortegnelsen side XV.

Lufttrykket ble i 1979 observert på 131 stasjoner, men lufttrykkobservasjonene er bearbeidet klimatologisk bare for 110 stasjoner. Stasjonsbarometrene er kvikksølvbarometre av Fuess- eller Kew konstruksjon. Av stasjonene er 110 utstyrt med barograf, de fleste av typen Fuess.

Lufttemperaturen ble observert på 227 stasjoner. Alle disse målte også minimumstemperaturen og maksimumstemperaturen. Mens lufttemperaturen blir observert kl. (8)7, 13 og 19 M.E.T. på de fleste stasjonene, blir ekstremtemperaturene avlest bare kl. (8) 7 og 19 M.E.T. Termometrene er hovedsakelig av tysk type, inndelt i 0,2°C. De fleste maksimums- og minimumstermometre er inndelt i 0,5°C. 50 stasjoner er utstyrt med termograf, de fleste av typen Fuess. 30 stasjoner er utstyrt med grasminimumstermometer. Jordtemperaturen kl. 7 (8), 13 og 19 M.E.T. måles i 5, 10, 20, 50 og 100 cm's dyp på 6 stasjoner.

222 stasjoner er utstyrt med instrumenthytte av tre. 6 stasjoner er ikke utstyrt med instrumenter, og utfører bare visuelle observasjoner for flygeværtjenesten.

Temperaturen i havoverflaten ble målt hver dag kl. 13 M.E.T. på 20 representative kyststasjoner.

Luftens fuktighet ble målt på 243 stasjoner; av disse har 222 stasjoner Russeltvedts torsjonshygro-

Trondheim—Tyholt, Vennafjell, Svenningdal, Mosjøen—Mosal, Leiråmo, Kletkovfjell, Bolna, Kobbelv, Valljord, Tromsø, Karasjok, Ny-Ålesund II, Hopen, Bjørnøya and Jan Mayen.

The following stations had a thermograph only: Ås, Prestebakke, Midtlæger, Lærdal—Tønjum, Nordli—Brattvold, Vardefjell, Øverbygd, Nordreisa, Pasvik and Kautokeino II.

At the end of 1979 the following weather stations had a pluviograph of the usual type: Oslo—Blindern, Lista Fyr, Bergen—Fredriksberg, Bergen—Florida, Mosjøen—Mosal, Valljord and Tromsø. In addition the following weather stations had a pluviograph pattern «Plumatic»: Sæter i Kvikne, Bråtå, Gardermoen, Oslo—Blindern, Nesbyen—Skoglund, Torp, Høland—Kollerud, Gvarv, Hylestad—Brokke, Modalen, Opstryn, Trondheim—Tyholt, Høylandet, Nordli—Brattvold, Øvre Saltdal, Bardufoss, Kirkenes Lufthavn and Karasjok.

The stations which are equipped with a barometer, respectively an anemometer and a wind vane, are shown in the columns H_p, respectively h_a and h_d in the list of stations, page XV.

Atmospheric pressure was observed at 131 stations in 1979, but only the observations from 110 of these have been included in the climatological statistics. The station barometers are mercurial barometers of the Fuess or of the Kew pattern. 110 stations are supplied with barographs, most of them of the Fuess type.

The air temperature was observed at 227 stations. All of them recorded the minimum temperature and the maximum temperature. Whilst the air temperature is read at (8) 7, 13 and 19^h C.E.T. at most of the stations, the extreme temperatures are observed only at (8) 7 and 19^h C.E.T. The thermometers are mostly of the German type, graduated in fifths of degrees Centigrade. Most of the maximum- and minimum thermometers are graduated in half degrees Centigrade. 50 stations are equipped with thermographs, most of them of the Fuess type. 30 stations are equipped with a grass minimum thermometer. The soil temperature at the following depths: 5, 10, 20, 50 and 100 cm is measured at 7 (8), 13 and 19^h C.E.T. at 6 stations.

222 stations are equipped with louvre-boarded thermometer screens. 6 stations are not equipped with instruments, and furnish only visual observations for aviation reports.

The temperature of the sea surface was observed daily at 13^h C.E.T. at 20 representative coastal stations.

Humidity observations were made at 243 stations; 222 of the stations are equipped with a Russeltvedt

meter montert i instrumenthytten, 30 stasjoner brukte aspirasjonspsykrometer, 38 stasjoner har hygrograf og 11 stasjoner termohygrograf av typen Fuess.

Globalstrålingen ble registrert på 6 stasjoner og antall solskinnstimer på 17 stasjoner. 18 stasjoner er utstyrt med fordampningsmåler.

Vindens retning og styrke observeres på alle stasjonene, og likeså noteres også den maksimale vindstyrke mellom observasjonsterminene. På 115 stasjoner bedømmes vindretningen etter vindfløy eller vaker, og registreres på 59 stasjoner. På de øvrige stasjonene bedømmes vindretningen etter skjønn. Vindstyrken registreres på 58 stasjoner. 10 stasjoner har håndanemometer. På de øvrige stasjonene bedømmes vindstyrken skjønnsmessig etter Beauforts skala.

Nedbørmengden (smeltevannet når det er snø eller hagl) blir målt på samtlige stasjoner kl. (8) 7 M.E.T., på de telegraferende stasjoner også kl. 19 M.E.T. Fra 1. april 1966 blir dessuten nedbøren målt kl. 1 og/eller 13 M.E.T. på en del stasjoner, i 1979 på 25 stasjoner. I den årstid nedbøren vesentlig faller som snø, benyttes en snømåler. Både regn- og snømåleren har en samleflate på 225 cm^2. 190 stasjoner er utstyrt med Nipher vindskjerm, 27 stasjoner er også forsynt med pluviograf, derav 7 av vanlig type med grafisk registrering og 20 av typen «Plumatic», som er konstruert for helautomatisk databehandling og registrerer på magnetbånd. «Plumatic» er foreløpig ikke brukbar når nedbøren kommer som snø, og er ute av drift om vinteren. Når det er snø på bakken, observeres snødybden og snødekket hver dag kl. (8) 7 M.E.T.

De daglige nedbørhøyder på 760 stasjoner, derav 219 værstasjoner, vil bli publisert i årboken «Nedbøriakttagelser i Norge» 1979.

Været, skydekket, synsvidden og nedbørslag samt været mellom observasjonsterminene observeres på samtlige stasjoner.

Av registreringene er bare verdiene fra Oslo—Blindern tatt inn i årboken.

torsion hygrometer, mounted in the thermometer screen, 30 stations used aspiration psychrometers, 38 stations are equipped with hygrographs and 11 stations with termohygrographs of the Fuess type.

The global radiation (sun + sky) was measured at 6 stations and hours of bright sunshine at 17 stations. 18 stations are equipped with an evaporimeter.

The direction and the force of the wind are observed at all stations, and so is also the maximum wind force occurring between the standard hours of observation. 115 stations are equipped with a wind vane or a «wind sleeve», 59 stations with dial recorders. At the remaining stations the wind direction is estimated. 58 stations are equipped with a hand anemometer. At the remaining stations the wind force is estimated according to the Beaufort scale.

The depth of precipitation (melted when snow or hail) is measured at all stations at (8) 7^h C.E.T., at the stations furnishing telegraphic reports also at 19^h C.E.T. In addition the precipitation is measured at 1 and/or 13^h C.E.T. at some stations from 1 April 1966, in 1979 at 25 stations. During the time of the year when the precipitation is mainly falling as snow, a snow-gauge is used. Both the rain-gauge and the snow-gauge have a collecting surface of 225 sq.cm. 190 stations are equipped with a Nipher wind shield, 27 stations are also supplied with a pluviograph, 7 of which of the usual type with graphic recording, and 20 of the pattern «Plumatic», which is constructed for automatic rainfall recording and records on magnetic tape. «Plumatic» is for the present not fit for use for snow recording, and is out of operation in the winter time. When snow is present on the ground, the depth of the snow and the snow cover are observed daily at (8) 7^h C.E.T.

The daily depth of precipitation at 760 stations, thereof 219 weather stations, will be published in the year book «Nedbøriakttagelser i Norge» 1979.

Observations of weather, cloudiness, visibility, type of precipitation and past weather are made at all stations.

Only data obtained from the recording instruments at Oslo—Blindern are included in the year book.

FORKLARINGER TIL TABELLENE

Tabellene er satt opp i overensstemmelse med de vedtak som ble gjort av den Internasjonale Meteorologiske Organisasjon på møtene i Warszawa 1935 og i Salzburg 1937. De symboler som er benyttet, er forklart på side XIII.

Fra og med årbok 1957 er alle summer og middelverdier beregnet maskinelt ved hjelp av hullkort. Alle tabeller skrives på Meteorologisk Institutts regneanlegg og nedfotograferes for trykning i offset, slik som beskrevet i Technical Report No. 3: The Norwegian meteorological punch-card layouts for land surface weather stations, av Thor Werner Johannessen.

Videre er ekstensotabellene omarbeidet og innholdet revidert og utvidet. Det er også tatt inn en ny tabell som viser nattens midlere minimumstemperatur i 10 cm's høyde over bakken i de enkelte måneder og året for noen stasjoner.

Stasjonsnavnene er forandret til f.eks. Oslo—Blindern (istedenfor som tidligere Oslo (Blindern)), etter de internasjonale regler.

Registreringene i Oslo—Blindern. — Verdiene i tabellene på side 1—18 er tatt ut for hver annen time av registreringene og påført de nødvendige korreksjoner. Vindhastigheten representerer den midlere hastighet i m/s i 10 minutter forut for det anførte klokkeslett. Nedbørregistreringene gir sum nedbør i de 2 timene forut for det angitte klokkeslett. Verdiene for de øvrige elementer er momentanverdier. Følgende registrerinstrumenter har vært benyttet:

Fuess barograf.
Fuess termograf.
Fuess hygrograf.
Anemograf Fuess 90Z, 94 Cz.
Fuess pluviograf.
Tetalux.
Mitef.

Ekstensotabellene. — Tabellene på side 20—43 inneholder observasjonene kl. 7, 13 og 19 M.E.T. fra Oslo—Blindern, Bergen—Fredriksberg, Trondheim—Tyholt og Tromsø for 1979. Tabellene på side 130—159 inneholder tilsvarende observasjoner fra Svalbard Lufthavn, Ny-Ålesund II, Hopen, Bjørnøya og Jan Mayen for 1978, på side 162—197 for Svalbard Lufthavn, Svea Gruber, Ny-Ålesund II, Hopen, Bjørnøya og Jan Mayen for 1979.

Regnet fra venstre til høyre inneholder rubrikkene:

1. *Datum,* DT.
2. *Lufttrykk* P, på stasjonen i mb.
3. *Lufttemperatur* T, i °C.

EXPLANATORY NOTES TO THE TABLES

The tables are arranged in accordance with the decisions made by the International Meteorological Organization at the meetings in Warsaw 1935 and Salzburg 1937. Symbols used are defined on page XIV.

Including the year book 1957 all summaries are calculated by means of punch-cards. All tables are made by the computer at the Meteorological Institute, ready for photographing to a smaller scale and for printing in offset, as described in Technical Report No. 3: The Norwegian meteorological punch-card layouts for land surface weather stations, by Thor Werner Johannessen.

Further the Ekstenso tables have been rearranged, and the contents have been revised and extended. A new table, showing the mean monthly and annual grass minimum temperature during the night at some stations, has been included.

The names of the stations are altered to for instance Oslo—Blindern, while earlier Oslo (Blindern), according to the international rules.

Data obtained from recording instruments at Oslo — Blindern. — The values given in the tables on pp. 1—18 are obtained from the bi-hourly readings of the selfrecording instruments appropriately corrected. The values for wind speed represent the mean values in $^{m}/_{sec}$ through a period of 10 minutes prior to the time indicated. The other elements represent instantaneous values. The following recording instruments have been used:

Fuess barograph.
Fuess thermograph.
Fuess hygrograph.
Anemograph Fuess 90Z, 94 Cz.
Fuess pluviograph.
Tetalux.
Mitef.

Tables of individual observations. — The tables on pp. 20—43 contain observations made at 7, 13 and 19^{h} C.E.T. at Oslo—Blindern, Bergen—Fredriksberg, Trondheim—Tyholt and Tromsø for 1979. The tables on pp. 130—159 contain the corresponding observations at Svalbard Lufthavn, Ny-Ålesund II, Hopen, Bjørnøya and Jan Mayen for 1978, on pp. 162—197 at Svalbard Lufthavn, Svea Gruber, Ny-Ålesund II, Hopen, Bjørnøya and Jan Mayen for 1979.

The contents of the columns from left to right are as follows:

1. *Date,* DT.
2. *Atmospheric pressure* P, in mb at cistern level.
3. *Air temperature* T, in °C.

4. *Relativ fuktighet* UU, i %.
5. *Vindretningen* DD, i skalaen 01—36.
6. *Vindstyrken* F, i Beaufort.
7. *Snødekket* D, i skalaen 0—4 og snødybden SS, i hele cm.
8. *Det totale skydekket* N, i åttendedeler.
9. *Synsvidden* VV, etter synopkoden.
10. *Været* ved observasjonstiden, Værsymb. angitt ved et eller flere av symbolene på side XIII.
11. *Været* (WW) ved observasjonstiden uttrykt ved synopkoden 00—99.
12. *Været* siden forrige observasjon, Værsymb. angitt ved et eller flere av symbolene på side XIII.
13. *Døgnets minimumstemperatur* TN, i °C mellom kl. 19 den angitte og kl. 19 den foregående dag.
14. *Døgnets maksimumstemperatur* TX, i °C mellom kl. 19 den angitte og kl. 19 den foregående dag.
15. *Døgnets samlede nedbørhøyde* R, i mm mellom kl. 7 den angitte og kl. 7 den foregående dag.
16. *Den maksimale vindstyrken* FX, i Beaufort mellom kl. 19 den angitte og kl. 19 den foregående dag.

Måneds- og årsoversikter. — Tabellene på side 44—115 og 160—161 inneholder måneds- og årsmidler og summer av de forskjellige elementer. I «hodet» er bare angitt observasjonstid kl. 7. Stasjonsfortegnelsen viser at morgenobservasjonen tas kl. 5 ved 1 stasjon og kl. 8 ved 23 stasjoner. Regnet fra venstre til høyre inneholder rubrikkene:

1. *Måned.*
2. *Lufttrykket i stasjonens nivå* (PM) og lufttrykket redusert til havets overflate (POM). Lufttrykket reduseres til havets nivå for alle stasjoner utstyrt med kvikksølvbarometer. Siden 1. januar 1969 er benyttet de reduksjonsmetoder som er beskrevet i WMO Technical Note No. 61 (jfr. WMO No. 226. TP. 120: Methods in use for the reduction of atmospheric pressure). Reduksjonstabellene er fra samme dato beregnet og skrevet ut ved hjelp av EDB. De reduserte lufttrykk beregnet etter de nye metoder avviker lite fra dem en tidligere benyttet [1,2]). På stasjoner hvor sterke temperaturinversjoner kan forekomme om vinteren, gir imidlertid de nye

4. *Relative humidity* UU, in per cent.
5. *Wind direction* DD, on the scale 01—36.
6. *Wind force* F, on the Beaufort scale.
7. *Snow cover* D, on the scale 0—4 and snowdepth SS, in whole cm.
8. *Total cloud amount* N, in oktas.
9. *Horizontal visibility* VV, according to the synopcode.
10. *Present weather,* Værsymb. caracterized by one or more of the symbols on page XIV.
11. *Present weather* (WW) expressed by the synopcode numbers 00—99.
12. *Past weather* since the foregoing observation, Værsymb. characterized by one or more of the symbols on page XIV.
13. *Daily minimum temperature* TN, in °C covering the 24-hour period ending at 19h the date concerned.
14. *Daily maximum temperature* TX, in °C covering the 24-hour period ending at 19h the date concerned.
15. *Daily total depth of precipitation* R, in mm covering the 24-hour period ending at 7h the date concerned.
16. *Maximum wind force* FX, on the Beaufort scale during the 24-hour period ending at 19h the date concerned.

Monthly and annual summaries. — The tables on pp. 44—115 and 160—161 contain monthly and annual means and sums of the different elements. The heading indicates morning observation at 7h C.E.T. only. The list of stations shows that the morning observation is made at 5h C.E.T. at 1 station and at 8h C.E.T. at 23 stations. The contents of the columns from left to right, are as follows:

1. *Month.*
2. *Atmospheric pressure at station level* (PM) and atmospheric pressure reduced to mean sea level (POM). The air pressure is reduced to mean sea level for all stations equipped with a mercurial barometer. Since 1 January 1960 the methods described in WMO Technical Note No. 61 (compare WMO No. 226. TP. 120: Methods in use for the reduction of atmospheric pressure) have been used. From the same date the reduction tables are calculated and listed by means of EDB. The reduced air pressures calculated by means of the new methods differ very little from the results derived from the old methods[1,2]). On stations with strong temperature inversions during the winter, however, the new met-

1 Arnt Eliassen: On the Correction and Reduction of Barometer Readings. Geof. Publ. Vol XIII No: 11.

2. Jahrbuch des Norwegischen Meteorologischen Instituts für 1944 S XI.

metoder noe lavere verdier, og dette synes å gi bedre overensstemmelse med de reduserte trykk for lavlandsstasjonene.

3. *Lufttemperaturen* (i Celsiusgrader). — Månedsmidlene (TM) er beregnet av formelen[1])

$$TM = n - k\,(n - \mathrm{MMIN})$$

hvor n er midlet av observasjonene kl. (8) 7, 13 og 19 M.E.T., k en faktor som varierer med årstiden og fra stasjon til stasjon[2]), og MMIN er den midlere minimumstemperatur. Temperaturekstremene gjelder for døgnet regnet fra kl. 19 til kl. 19. Avviket fra normalen refererer seg til perioden 1931—60.

4. *Vindfordelingen.* — Vindstyrken er gitt etter Beaufortskalaen. Vindretningen er gitt i skalaen 01—36 og henført til den nærmeste retning delelig med 3, nemlig:

36 (N), 03, 06, 09 (E), 12, 15, 18 (S), 21, 24, 27 (W), 30, 33.

Den første tallkolonnen under hver retning gir antall tilfeller med vind fra vedkommende retning, og den andre kolonnen gir den midlere vindstyrke i Beaufort.

5. *Relativ fuktighet* (i prosent). — På stasjoner hvor Russeltvedts torsjonshygrometer blir brukt, tas den relative fuktighet ut av tabeller som er beregnet for hvert instrument. Fuktighetene som observeres med psykrometer blir omregnet til relativ fuktighet ved hjelp av Aspirations-Psychrometer-Tafeln, utgitt av Deutscher Wetterdienst. Den relative fuktighet refererer seg alltid til metningstrykket over vann.

Månedsmidlet er beregnet av Køppens formel

$$UM = q + c(p - q)$$

hvor q er midlet av morgen- og aftenobservasjonene, p midlet av middagsobservasjonene og c er en faktor som varierer med stedet og tiden.[3])

6. *Skydekket* (i skalaen 0—8). — Månedsmidlene beregnes som det aritmetiske middel av morgen-, middags- og kveldsobservasjonene.

1 H. Mohn: Mitteilungen aus dem Norwegischen Meteorologischen Institute II. Die Temperatur der Luft. Met. Zertschr. 1891 S. 253.

2 Jahrbuch des Norwegischen Meteorologischen Instituts für 1938, S. VIII und 35 og Norsk Meteorologisk Årbok 1949, S. 134 og 138.

hods give somewhat lower values, which apparently are in better accordance with the reduced air pressures at the lowland stations.

3. *Air temperature* (in degrees Centigrade). — The monthly means are computed from the formula[1])

$$TM = n - k\,(n - \mathrm{MMIN})$$

where n is the mean of the observations made at (8) 7, 13 and 19[h] C.E.T., k a factor appropriate for the station and season [2]), and MMIN is the mean minimum temperature. The extreme temperatures refer to the 24-hour period from 19 to 19[h]. The departures from the normal monthly temperatures refer to the period 1931—60.

4. *Wind distribution.* — The wind force is given according to the Beaufort scale. The wind direction is given on the scale 01—36, reduced to the nearest direction divisible by 3, viz:

36 (N), 03, 06, 09 (E), 12, 15, 18 (S), 21, 24, 27 (W), 30, 33.

The first column of figures under each direction gives the number of cases of winds from the direction indicated, and the second column of figures gives the mean wind force on the Beaufort scale.

5. *Relative humidity* (in per cent). — At stations where Russeltvedt's torsion hygrometer is used, the relative humidity is obtained from tables computed for each instrument. Humidities observed by psychrometer converted to relative humidity by the aid of Aspirations-Psychrometer-Tafeln, published by Deutscher Wetterdienst. Throughout, the relative humidity refers to saturation over water.

The monthly means are computed from Køppen's formula

$$UM = q + c\,(p - q)$$

where q denotes the mean of the morning and the evening observations, p the mean of the midday observations and c is a factor appropriate for the station and the season.[3])

6. *Amount of cloud cover* (on the scale 0—8). — The monthly means are computed as the arithmetic means of morning, midday and evening observations.

3. Jahrbuch des Norwegischen Meteorologischen Instituts für 1920, S. XI og Norsk Meteorologisk Årbok 1949, S. 135 og 139.

7. *Nedbøren* (i mm). — Månedssummene SUM er gitt på nærmeste hele mm, mens de maksimale nedbørhøyder (MAX) er gitt på nærmeste 0,1 mm. Prosenten av normalen, %, refererer seg til normalen for perioden 1931—60.

8. *Antall dager med visse fenomener.* — Når det gjelder nedbørmengden, regnes døgnet fra kl. (8) 7 til kl. (8) 7, i forbindelse med andre fenomener regnes det fra kl. 19 til kl. 19.

Som nedbørdager regnes alle dager når nedbørhøyden er 0,1 mm eller mer. Dager med sludd telles opp for seg og tas dessuten med i kolonnene under dager med regn og dager med snø. Likeledes telles også dager med yr opp som dager med regn når nedbørmengden er 0,1 mm eller mer. Til antall dager med yr, hagl og tordenvær regnes alle dager da slike fenomener har forekommet, uten hensyn til nedbørhøyden. Dessuten skjelnes mellom tåke og tåkedis etter som den tilhørende synsvidden er mindre eller større enn 1 km. Fra og med 1956 er «antall dager med tåke» erstattet med en tabell som gir antall tilfeller med tåke ved observasjonstidene kl. (8) 7, 13 og 19 M.E.T., og antall dager med solskinn og tåkedis er sløyfet. Som klare dager regnes dager på hvilke summen av skydekketallene kl. (8) 7, 13 og 19 M.E.T. er 4 ($^4/_8$) eller mindre. På samme vis regnes hver dag når summen av skydekketallene kl. (8) 7, 13 og 19 M.E.T. er 20 ($^{20}/_8$) eller mer, som en overskyet dag. Dager med snødekke er dager når ¾ eller mer av bakken er dekket med snø.

Avvikelser fra normalene. — Tabellene på side 19 gir avvikelsene i de midlere lufttrykk i stasjonens nivå og i middeltemperaturene i 1979 fra middelverdiene for perioden 1931—60.

Nattens midlere minimumstemperatur 10 cm over bakken. I tabellen på side 19 er den midlere minimumstemperaturen i 10 cm's høyde over bakken i løpet av natten (mellom kl. 19 og (8) 7) beregnet for 15 utvalgte stasjoner i 1979.

Sjøtemperaturen. — Måneds- og årsmidler for temperaturen i havoverflaten 1979 på 15 representative kyststasjoner finnes på side 19.

Pentademidler av lufttemperaturen. — Fra og med 1972 blir pentademidler for de fleste klimaelementer beregnet for alle værstasjoner. Tabellene på side 116—128 viser temperaturmidlene i perioder på 5 døgn for 208 stasjoner (inkludert 6 ishavsstasjo-

7. *Depth of precipitation* (in mm). — The monthly sums SUM are given to the nearest mm, while the maximum depths (MAX) are given to the nearest tenths mm. The percentage of the normal depth of precipitation, %, refers to the mean value for the period 1931—60.

8. *Number of days with specified phenomena.* — Insofar as the depth of precipitation is concerned, the «day» is reckoned from (8) 7 to (8) 7^h, in connection with other elements the «day» refers to the period from 19 to 19^h.

As a day with precipitation is counted any day on which the depth of precipitation is 0,1 mm or more. Days with sleet are counted separately and are also included in the columns referring to days with rain and snow. Likewise the number of days with drizzle is included in the number of days with rain when the depth of precipitation is 0,1 mm or more. As days with drizzle, hail and thunderstorm are reckoned any day on which such phenomena occurred, regardless of the depth of precipitation associated with them. Furthermore, differentiation is made between fog and mist according to whether the associated visibility is lower or higher than 1 km. From 1956 «the number of days with fog» are replaced by a table giving the frequency of days with fog at (8) 7, 13 and 19^h C.E.T., and number of days with sunshine and mist have been ormitted. As clear days are counted days on which the sum of the amount of cloud cover at (8) 7, 13 and 19^h C.E.T. is 4 (i.e. $^4/_8$) or less. Similarly, as an overcast day is taken any day when the sum of the cloud cover at (8) 7, 13 and 19^h C.E.T. is 20 (i.e. $^{20}/_8$) or more. Finally, a day with snow cover is a day on which ¾ or more of the ground is covered by snow.

Departures from normals. — The tables on p. 19 give the departures of the mean pressures at cistern level and the mean temperatures for 1979 from the mean values for the period 1931—60.

Mean grass minimum temperature during the night. The table on p. 19 gives the mean monthly and annual grass minimum temperature during the night (from 19^h to (8) 7^h) at 15 selected stations in 1979.

Sea surface temperature. — Monthly and annual means of the sea surface temperature 1979 at 15 representative coastal stations are given on p. 19.

Five-day means of temperature. — Including 1972, mean values for consecutive 5 days are computed for the greater number of the climatological data for all the weather stations. The tables on pp.116—128 give the mean temperature for conse-

ner) hvor det har vært observert hele året 1979 og for 5 ishavsstasjoner for 1978. Midlene er beregnet av formelen

$$TM = n - k\,(n - \mathrm{MMIN})$$

hvor n er midlet av observasjonene kl. (8) 7, 13 og 19 M.E.T., k en faktor som varierer med årstiden og fra stasjon til stasjon [1]) og MMIN den midlere minimumstemperatur i 5-døgns perioden.

Den relative solskinnstid. — I 1953 opprettet Geofysisk Institutts avdeling B ved Universitetet i Bergen et nett av stasjoner for registrering av solskinnstimer. En del av stasjonene i dette nettet ble overtatt av Meteorologisk Institutt i 1959. Antall timer med klart solskinn har hele tiden vært registrert med Campbell-Stokes solskinnsautograf. I årbok 1963 ble trykt månedsverdier for den relative solskinnstid, dvs. forholdet mellom den registrerte solskinnstid og den maksimalt mulige solskinnstid på vedkommende stasjon, uttrykt i prosent, for 8 stasjoner for årene 1953—63.

På side 129 er gitt de tilsvarende verdier for 1978 for 1 stasjon og for 1979 for 17 stasjoner.

Globalstråling. — Globalstrålingen på en horisontal flate er målt med Kipp & Zonen solarimeter. Tabellen på side 129 gir månedssummene av globalstrålingen i cal/cm² for Meteorologisk Institutts 6 stasjoner og for Bergen (Geofysisk Institutt avd. B, Universitetet i Bergen) og Ås (Fysisk Institutt, Norges Landbrukshøgskole).

De tilsvarende data for Bergen er publisert i «Monthly Radiation Values for Bergen, Norway», utgitt av Universitetet i Bergen.

Oslo, november 1980.

cutive periods of 5 days for 208 stations (including 6 arctic stations) which have been operated throughout the year 1979 and for 5 arctic stations for 1978. The means are computed from the formula

$$TM = n - k\,(n - \mathrm{MMIN})$$

where n is the mean of the observations at (8) 7, 13 and 19h C.E.T., k a factor appropriate for the station and season[1]) and MMIN is the mean minimum temperature during the 5-day period.

Relative duration of sunshine. — In 1953 the Geophysical Institute, Section B, at the University of Bergen established a network of stations for recording of hours of sunshine. Some of the stations in this network were undertaken by the Norwegian Meteorological Institute in 1959. Hours of bright sunshine have all the time been recorded with Campbell-Stokes sunshine recorder. In the year book 1963 were printed monthly values of the relation in per cent between the recorded hours of sunshine and the maximum possible hours of sunshine at the respective stations for 8 stations during the years 1953—63.

On p. 129 are given the corresponding values for 1978 for 1 station and for 1979 for 17 stations.

Global radiation — Global radiation on a horizontal surface has been recorded with a Kipp & Zonen solarimeter. The table on p. 129 gives the monthly totals of global radiation in cal/cm² for the 6 stations belonging to the Norwegian Meteorological Institute and for Bergen (Geofysisk Institutt avd. B, Bergen University) and Ås (Fysisk Institutt, The Agricultural University of Norway).

The corresponding values for Bergen are published in «Monthly Radiation Values for Bergen, Norway», issued by the University in Bergen.

Oslo, November 1980.

1. Jahrbuch des Norwegischen Meteorologischen Instituts für 1943, S. 96—97 og Norsk Meteorologisk Årbok 1949 S. 136—137 og 140—141.

SYMBOLER

Symboler som forekommer i rubrikkene for «Været ved observasjonstiden» og «Været siden forrige observasjon» på Ekstensotabellene samt i Måneds- og Årsoversiktene.

Ø	Ølrøyk.
TD	Tåkedis.
T	Tåke.
YR	Yr.
R	Regn.
S	Snø.
SL	Sludd.
KS	Kornsnø.
IK	Iskorn.
IN	Isnåler.
RB	Regnbyer.
SB	Snøbyer.
LB	Sluddbyer.
SH	Sprøhagl.
H	Hagl.
IH	Ishagl.
KM	Kornmo.
TO	Tordenvær.
SF	Snøfokk.
D	Dugg.
RI	Rim.
IS	Is-slag.
TR	Tåkerim.
SO	Solskinn
HA	Halo (værgard).
KR	Krans.
RE	Regnbue.
NL	Nordlys

Andre symboler.

P	Lufttrykk.
T	Lufttemperatur.
TX	Døgnets maksimumstemperatur.
TN	Døgnets minimumstemperatur.
UU	Relativ fuktighet.
DD	Vindretning.
F	Vindstyrke.
FX	Den maksimale vindstyrke.
Calm	Vindstille.
VV	Synsvidde.
WW	Været ved obs.tiden i synopkoden 00—99.
R	Nedbørhøyde.
N	Skydekke.
KV	Klarvær.
OV	Overskyet vær.
D = SD	Snødekke.
SS	Snødybde i cm.
LAT	Geografisk bredde.
LON	Geografisk lengde.
g	Tyngdens akselerasjon.
H_s	Stasjonens høyde over havet.
H_p	Stasjonens referansehøyde for «lufttrykk på stasjonen».
h_t	Høyden over marka av termometerkula.
h_a	Høyden over marka av vindhastighets-måleren.
h_d	Høyden over marka av vindretnings-måleren (vindfløy, vaker).
h_r	Høyden over marka av nedbørmålerens overkant.
M	Angir midlet av elementet.

SYMBOLS

Symbols occurring in the columns «Været ved obs.tiden» and «Været siden forr. observ.» in the Ekstensotabell and in the «Monthly and Annual Summaries».

Ø	Haze.	H	Ice pellets.
TD	Mist.	IH	Hail.
T	Fog.	KM	Lightning.
YR	Drizzle.	TO	Thunderstorm.
R	Rain.	SF	Drifting snow.
S	Snow.	D	Dew.
SL	Sleet.	RI	Hoar frost.
KS	Snow grains.	IS	Glaze.
IK	Ice pellets.	TR	Rime.
IN	Ice prisms.	SO	Sunshine.
RB	Shower of rain.	HA	Solar halo.
SB	Shower of snow.	KR	Solar corona.
LB	Shower of rain and snow (sleet).	RE	Rainbow.
SH	Snow pellets.	NL	Polar Aurora.

Further Symbols

P	Atmospheric pressure.	LAT	Latitude.
T	Air temperature.	LON	Longitude.
TX	Daily maximum temperature.	g	Acceleration of gravity.
TN	Daily minimum temperature.	H_s	Height of station above mean sea level.
UU	Relative humidity.	H_p	The elevation of the station to which «station pressure» refers.
DD	Wind direction.		
F	Wind force.	h_t	Height above the ground of the thermometer bulb.
FX	Maximum wind force.		
Calm	Calm.	h_a	Height above the ground of the anemometer.
VV	Visibility.		
WW	Present weather according to the synopcode.	h_d	Height above the ground of the wind vane.
R	Amount of precipitation.	h_r	Height above the ground of the collecting surface of the precipitation gauge.
N	Amount of cloud cover.		
KV	Clear days.	M	Indicate the mean value of an element.
OV	Overcast days.		
D = SD	Snow cover.		
SS	Snow depth in cm.		

STASJONSFORTEGNELSE 1979
(List of Stations 1979)

Stasjon (Station)	Side (Page)	LAT N	LON E Gr.	g	H_s m	H_p m	h_t m	h_a m	h_d m	h_r m	Instrum.[1] Fukt.	Observasjonstider. Mellom-europeisk tid	Observatør (Observer)
Alta Lufthavn	19, 106, 126	69°59'	23°22'	9.826	3	2.6	2.0	10.0	9.7	1.7	R	7 13 19	Værtjenesten.
Andøya	102, 126	69 18	16 9	9.826	10	14.0	2.1	10.0	9.5	2.1	R	7 13 19	Værtjenesten.
Asker Brannstasjon	54, 118	59 50	10 26		112		2.0			1.9	R	8 13 19	Brannmannskapet.
Banak	106, 126	70 4	24 59	9.826	5	7.7	2.0	10.0	9.8	2.0	R	7 13 19	Værtjenesten.
Bardufoss	102, 126	69 3	18 33	9.825	76	79.2	1.9	11.0	11.0	2.2	R	7 13 19	Værtjenesten.
Beitostølen	48, 117	61 14	8 56	9.817	822	828.0	2.1		9.5	2.1	R	7 13 19	Beitostølen Helsesportsenter.
Bergen — Florida	76, 121, 129	60 23	5 20	9.819	39	35,7	1.9	60.0	60.0		R	7 13 19	Vervarslinga på Vestlandet.
Bergen — Fredriksberg	19, 26, 76, 121	60 24	5 19	9.819	41	44,4	1.7	19.0	19.0	1.4	R	7 13 19	Anton Bakke.
Berkåk II	19, 88, 123	62 50	10 1		441		1.9		10.0	1.9	R	7 13 19	Sina Kosberg.
Bjørkehaug i Jostedal	78, 122, 129	61 40	7 17		324		2.0		9.9	2.0	R	7 13 19	Anders Bjørkehaug, gårdbruker.
Bjørnøya	114,128,129,148,160,186	74 31	19 1	9.828	16	14.4	2.0	10.0	9.0	2.0	R	7 13 19	Radiostasjonen.
Bjåen	64, 119	59 38	7 26		920		2.1		11.0	1.7	R	17 13 19	Knut B. Bjåen, gårdbruker.
Bodø VI	19, 96, 125, 129	67 16	14 22	9.824	11	13.0	2.0	10.6	10.3	1.8	R	7 13 19	Værtjenesten.
Bolna	96, 125	66 30	15 14		549		2.0			2.4	R	7 13 19	Jan Karlsen, jernbanefullmektig.
Borkenes	100, 125	68 46	16 12		36		1.8		10.7	2.0	R	8 13 19	Karl Steinhaug, instruktør.
Brennelv	106, 126	70 4	25 7	9.826	35	35.1	1.8		9.5	1.7	R	7 13 19	Edvin Paulsen, småbruker.
Bråtå	48, 116	61 54	7 52	9.821	712	710.0	2.0		11.0	2.2	R	7 13 19	Odd Brekkum, snekker.
Bygøyfjord Kro	110, 127	69 51	29 22		5		1.9			2.0	R	7 13 19	Marie Ingrid Bergmo, kafebestyrer.
Buholmråsa Fyr	90, 124	64 24	10 27	9.822	18	20.5	2.0		7.3	1.5	R	7 13 19	Willy Myhra, fyrmester.
Byglandsfjord — Solbakken	19, 64, 119	58 40	7 48	9.817	212	211.3	2.2		9.0	1.6	R	7 13 19	Solveig Evje.
Bø i Vesterålen II	19, 100, 125	68 38	14 28	9.825	12	12.7	1.8			2.0	R	8 13 19	Jarle Kverndal, stasjonssjef.
Cuovdatmåkki	110, 127	69 22	24 26		286		2.0			1.4	R	7 13 19	Anna Norli
Dagali — Fagerlund	19, 56, 118	60 25	8 27		873		1.9		7.5	1.5	R	8 13 19	Lars Bakkeplass, maskinfører.
Dombestein	80,122	61 53	5 39	9.820	33	34.4	1.9			1.7	R	7 13 19	Alf Dombestein, gårdbruker.
Drevsjø	19, 44, 116	61 51	12 3	9.818	672	673.5	2.0		9.7	1.7	R	7 13 19	Bernhard Berndtson, gårdbruker
Dønski	54, 117	59 54	10 31		59		1.9		8.8	1.9	R	7 13 19	Bernt Lie, redaksjonssekretær.
Egnerfjell	52, 117	60 4	11 16			247.2	1.8		14.0		R	7 13 19	Stasjonsbestyreren.
Eidfjord — Bu	74, 121	60 28	6 52	9.818	115	115.1	1.9		10.0	1.7	R	7 13 19	Magnfrid Hellevang.
Eidsberg — Johnsrud	60, 118	59 30	11 17		135		2.0		10.0	2.0	R	7 13 19	Erling Langbråten, gårdbruker.
Evenskjer	19, 98, 125	68 35	16 35		7		2.0			2.1	R	7 13 19	Klara Rasmussen.
Evenstad — Øverenget	46, 116	61 24	11 9		255		2.0		7.0	1.6	R	7 13 19	Marit Hagen.
Fana Forsøksstasjon	19, 74, 121	60 16	5 21		50		1.8			1.3	R	8 13 19	Elen Telle.
Fauske — Veten	96, 125	67 14	15 19	9.824	165	166.7	1.9			1.8	R	7 13 19	Tor Strand, stasjonssjef.
Ferder Fyr	19, 62, 119	59 2	10 32	9.818	6	7.7	2.0	8.8	8.5	1.7	R	7 13 19	Kåre Heimly, fyrmester.
Finnøy i Hamarøy	98, 125	68 0	15 37		50		1.9			1.9	R	7 13 19	Per Høivaag, gårdbruker
Finse	56, 118	60 36	7 31		1224		3.2	12.5	12.5	4.3	R	5 13 19	Arnt Johnsen, stasjonsmester.
Fiskåbygd	82, 122, 129	62 6	5 35		41		1.8		9.5	1.6	R	8 13 19	Gerhard Martin Dalen, gårdbruker.
Fister	19, 70, 120	59 11	6 4		1		2.0		8.0	1.4	R	7 13 19	Martin Hammer, småbruker.
Fjærland — Skarestad	78, 121	61 26	6 46		10		1.9		9.0	1.8	R	7 13 19	Mikkel Skarestad, gårdbruker.
Flesland	74, 121	60 18	5 13	9.819	48	50.3	2.1	11.0	10.5	1.7	R	7 13 19	Værtjenesten.
Flisa	19, 52, 117	60 37	12 1	9.819	184	187.6	1.9		8.0	1.6	R	7 13 19	Gunvor Sorknes.
Fokstua II	19, 46,116	62 7	9 17	9.818	974	974.0	1.9		10.5	1.7	R	7 13 19	Marit Sønstebø.
Fornebu	54, 117	59 54	10 37	9.819	10	16.5	2.0	11.0	11.0	1.6	R	7 13 19	Værtjenesten.
Fortun	78, 122	61 30	7 42	9.819	27	29.6	2.0		7.0	1.7	R	7 13 19	Erik Fortun, poststyrer.
Fruholmen Fyr	108, 127	71 6	24 0	9.827	13	14.2	2.0	10.7	26.7	1.6	R	7 13 19	Odd Salomonsen, fyrmester.
Førde i Sunnfjord II	78, 122	61 28	5 51	9.820	41	45.9	1.9		9.0	1.7	R	7 13 19	Alfred Skei, gårdbruker.
Gardermoen	52, 117	60 12	11 5	9.818	202	204.2	1.9	11.6	11.2	1.7	R	7 13 19	Værtjenesten.
Geilo — Geilostølen	56, 118	60 31	8 13		810		1.9		7.3	1.9	R	7 13 19	Ole Kirkevoll, gårdbruker.
Gibostad	102, 126	69 21	18 5		12		1.9			1.8	R	7 13 19	Per S. Roterud, tekniker.
Gjeilo i Skjåk	46, 116	61 52	8 27		378		2.0		10.0	1.6	R	7 13 19	Lars Gjeilo, gårdbruker.
Glomfjord	94, 124	66 49	13 59		39		2.2			1.8	R	8 13 19	Glomfjord kraftverk.
Glåpen Fyr	19, 100	67 53	13 3	9.825	31	33.7	2.0		8.4	1.7	R	7 13 19	Harald Hjellnes, fyrmester.
Gol — Stake	56, 118	60 43	8 57		542		2.1		10.5	1.4	R	7 13 19	Olav Stake, gårdbruker.
Gvarv	19, 62, 119	59 23	9 11	9.818	26	25.4	2.0		9.0	1.5	R	7 13 19	Marie Magnussen.
Hammerfest Radio	106, 127	70 41	23 40	9.826	69	72.4	1.7	10.0	10.5	2.2	R	7 13 19	Aksel Jensen, bestyrer.
Haugedalshøgda	19, 50, 117	61 10	11 27		240		2.3		9.5	1.5	R	7 13 19	Arthur Westgård, ekspeditør.
Hellisøy Fyr	19, 76, 121	60 45	4 43	9.819	20	22.5	2.0	13.0	12.5	1.4	R	7 13 19	Augun Antonsen, fyrmester.
Helnes Fyr	108, 127	71 4	26 14		33		2.0			1.8	R	7 13 19	Edvard Henriken, fung. fyrmester.
Hjelvik i Romsdal	84, 123	62 37	7 13		21		2,1			1,6	R	7 13 19	Eli Hjelvik.
Hopen	114, 128, 142, 160, 180	76 30	25 4	9.829	6	10.2	1.8	10.0	10.0	1.9	R	7 13 19	Radiostasjonen.
Hustad II	84, 123	62 58	7 9	9.821	26	28.7	2.0		8.2	1.6	R	7 13 19	Ottar Isachsen, forvalter.
Hustad — Nerland	84, 123	62 59	7 7	9.821	16	18.8	1.9		9.5	1.6	R	7 13 19	Bjarne Nygård.
Hvam	52, 117	60 6	11 23		162		2.0			2.1	R	8 13 19	Terje Fogelstrand.
Hylestad — Brokke	19, 64, 119	59 6	7 30		443		2.0		10.0	1.6	R	7 13 19	Sigrid T. Brokke.
Hylsfjorden	70, 120	59 33	6 22		15		2.0		8.0	1.7	R	7 13 19	Martin Bakken, poststyrer.
Høland — Kollerud	60, 118	59 43	11 27	9.818	139	141.7	2.0		9.4	1.8	R	7 13 19	Gudrun Kollerud.
Høylandet	90, 124	64 36	12 16	9.822	22	24.6	2.2		10.0	1.3	R	7 13 19	Ivar Mørkved, gårdbruker.
Jan Mayen	114, 128, 154, 160, 192	70 56	8 40 w	9.827	9	9.4	1.9	10.0	10.0	1.7	R	7 13 19	Radiostasjonen.

[1]) R: Russeltvedt torsjonshygrometer.

Stasjon (Station)	Side (Page)	LAT N	LON E Gr.	g	H_S m	H_p m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum. [1]	Observasjonstider. Mellom-europeisk tid	Observatør (Observer)
Jeløy	58, 118	59°26'	10°26'		12		2.1		13.0	1.8	R	7 13 19	Tore Skaug, avdelingssjef.
Jomfruland Fyr	62, 119	58 52	9 36		12		2.1		24.0	1.8	R	7 13 19	Olaf B. Sørensen, fyrmester.
Kalnes	60, 119	59 19	11 3		57		2.0		13.3	1.7	R	8 13 19	Anna Vestrheim.
Karasjok	19, 110, 127, 129	69 28	25 30	9.825	129	132.7	1.5		9.0	1.3	R	7 13 19	Oscar Næss.
Kautokeino II	112, 127	69 1	23 4	9.824	330	330.1	1.9		9.5	1.7	R	7 13 19	Johan Øvergård, el. formann.
Kinn	19, 80, 122	61 34	4 48	9.820	10	9.8	1.9			1.5	R	7 13 19	Karin Sunde.
Kirkenes Lufthavn	110, 127	69 44	29 54	9.825	89	91.2	2.0	10.5	10.3	1.8	R	7 13 19	Værtjenesten.
Kise på Hedmark	19, 50, 117, 129	60 46	10 48	9.819	128	130.9	2.0	11.0	10.5	1.5	R	7 13 19	Værtjenesten.
Kistrand II	19, 108, 127	70 27	25 13		10		1.9			2.0	R	7 13 19	Arne Hjeltnes, forsker.
Kjevik	66, 119, 129	58 12	8 5	9.817	12	15.5	2.0	10.5	10.0	1.7	R	7 13 19	Værtjenesten.
Kjøbli i Snåsa	19, 88, 123	64 10	12 29		195		2.0		11.0	1.4	R	7 13 19	Tølløv Kjøbli, gårdbruker.
Kjøremsgrendi	46, 116	62 6	9 3		626		1.9		10.8	1.8	R	7 13 19	Olav R. Amundgård, gårdbruker.
Kleiva i Sortland	19, 100, 125	68 39	15 17		23		2.1			1.8	R	7 13 19	Kleiva landbruksskole.
Kletkovfjell	96, 125	67 10	15 1			793.5	1.8		8.0		R	7 13 19	Stasjonsbestyreren.
Kongsberg	19, 58, 118	59 40	9 39		171		1.9			1.9	R	7 13 19	Brannmannskapet.
Kongsberg IV	19, 58, 118	59 40	9 39		169		2.0			1.8	R	7 13 19	Brannmannskapet.
Kobbelv	98, 125	67 36	15 53		7		2.0		7.0	1.6	R	7 13 19	Trond Engan.
Konsmo – Eikeland	19, 66, 120	58 15	7 19		260		2.2		9.5	1.7	R	7 13 19	Gudrun Eikeland.
Kråkenes Fyr	82	62 2	4 59	9.820	38	39.8	2.1	13.5	9.4	1.7	R	7 13 19	John Johnsen, fyrmester.
Kvalnes i Lofoten	100, 125	68 21	13 58		10		2.0			1.7	R	7 13 19	Trygve Knudsen.
Kvamskogen	74, 121	60 24	5 55		408		2.0		8.0	1.9	R	7 13 19	Jenny Totland.
Kvesmenes – Ryeng	102, 126	69 15	19 59		37		1.9			1.7	R	7 13 19	Sigrid Ryeng.
Landvik	64, 119	58 20	8 31		6		2.0		10.0	1.7	R	8 13 19	Gunhild Børtnes.
Langøytangen Fyr	62, 119	58 59	9 46		6		2.0		11.0	1.5	R	7 13 19	Alf Rognsvåg, fung. fyrmester.
Leikanger	19, 78, 122	61 11	6 52		53		2.0		8.5	1.7	R	8 13 19	Finn Måge.
Leiråmo	94, 124	66 46	14 35		217		1.9			1.7	R	7 13 19	Per Leiråmo, gårdbruker.
Leka	19, 90, 124	65 6	11 42		47		2.0		9.0	1.8	R	7 13 19	Steinar Leknes, gårdbruker.
Lesjaskog	46, 116	62 14	8 22		621		2.1		12.0	2.0	R	7 13 19	Kirsten Rundtom.
Levanger – Eggen	88, 123	63 43	11 14	9.821	95	97.1	1.8		11.0	1.7	R	7 13 19	Ingrid Myhr.
Lillehammer III	50, 117	61 5	10 29	9.819	271	227.8	2.0		9.5	1.9	R	7 13 19	Sigrid Tøndevold.
Lindesnes Fyr	19, 66, 120	57 59	7 3	9.817	13	23.1	2.0		7.0	1.5	R	7 13 19	Ingvar Johansen, fyrmester.
Lista Fyr	19, 66, 120	58 7	6 34	9.817	14	13.5	2.1	9.8	9.8	1.6	R	7 13 19	Olav Farstad, fyrmester.
Loen	80, 122	61 52	6 52		39		1.9		10.0	1.8	R	7 13 19	Asgeir Loen, gartner.
Loppa	106, 126	70 20	21 28	9.826	10	11.0	2.0			1.9	R	7 13 19	Eivind Soelberg.
Lyngdal i Numedal	56, 118	59 54	9 32	9.818	288	293.7	2.0	11.2	10.8	1.8	R	7 13 19	Viel Bråthen.
Lyngør Fyr	19, 62, 119, 129	58 38	9 9	9.818	4	7.1	2.2		10.0	1.4	R	7 13 19	Leif Sandik, fyrmester.
Lærdal – Tonum	19, 78, 122	61 4	7 31	9.819	36	36.4	1.8		10.0	1.6	R	7 13 19	Olaug Bø Øygard.
Løken i Volbu	19, 48, 116	61 7	9 4	9.818	525	531.2	1.9			1.8	R	7 13 19	Anders Hagen, fagassistent.
Majavatn III	92, 124	65 11	13 25	9.822	339	338.9	2.1			1.9	R	7 13 19	Ottar Sørum, gårdbruker.
Makkaur Fyr	19, 108, 127	70 42	30 5		9		1.8			1.7	R	7 13 19	Johan Mikkelsen, fyrmester.
Mandal II	66, 119	58 3	7 27		138		1.9		9.0	1.5	R	7 13 19	Anette Håland.
Melsom	58, 118	59 14	10 21		26		2.0		15.0	1.7	R	7 13 19	Reidar Gundersen, gartner.
Meråker – Krogstad	88, 123	63 27	11 42	9.821	145	144.8	1.8		8.0	1.8	R	7 13 19	Frithjof Røe, gårdbruker.
Midtlæger	72, 121	59 50	6 59	9.816	1079	1082.0	3.2	10.5	9.5	2.9	R	7 13 19	Vegvesenets stasjon.
Modalen	19, 76, 121	60 50	5 56		104		2.0			1.8	R	7 13 19	Kåre Farestveit, gårdbruker.
Mosjøen – Mosal	19, 92, 124	65 51	13 12		4		2.0	17.0	16.5	1.8	R	7 13 19	Kåre Solheim, lab.ingeniør.
Myken	19, 94, 124	66 46	12 29	9.824	20	20.8	2.1	9.2	10.0	1.6	R	7 13 19	Hilmar Wenberg.
Makerøy	58, 118	59 9	10 27		43	10.8	2.1		10.5	1.6	R	7 13 19	Alf Granheim, kaptein.
Namdalseid – Bøgset	90, 124	64 13	11 13	9.822	85	83.6	1.9		12.5	1.9	R	7 13 19	Hildrun Roel.
Narvik III	19, 98, 125	68 28	17 30	9.824	17	22.6	2.1			1.8	R	7 13 19	Anne Bjørg Wiker.
Nedre Vats	70, 120	59 29	5 46	9.818	64	64.7	1.9		8.0	1.9	R	7 13 19	Johannes Haugen, gårdbruker.
Nelaug	64, 119	58 39	8 38		169		2.0		10.0	1.8	R	7 13 19	Nora Gudny Øynes.
Nerdal i Rana	19, 94, 124	66 16	13 59	9.823	31	39.4	2.0		9.0	2.0	R	7 13 19	Asbjørn Moen, preparant.
Nesbyen – Skoglund	19, 56, 118	66 34	9 8		165		2.0		7.0	1.9	R	7 13 19	Anne-Marie Rukke.
Nordli – Brattvold	90, 124	64 27	13 43	9.821	462	460.5	1.9		9.0	2.1	R	7 13 19	Olav H. Berg.
Nordre Elgerøy	68, 120	58 26	5 54		63	61.1	1.9		11.0	1.7	R	7 13 19	Lars Pedersen, løytnant.
Nordreisa	104, 126	69 45	21 2		4		1.8			1.6	R	7 13 19	Gerd Lund.
Nord-Solvær	94, 124	66 24	12 37		10		1.9			1.6	R	7 13 19	Sigrid Larssen.
Nordstraum i Kvænangen	104, 126	69 50	21 54		5		2.0			1.8	R	7 13 19	Ida Thomassen.
Nordøyan Fyr	90	64 48	10 33		33		1.9	10.4	10.3	1.7	R	7 13 19	Arvid Nygård, fyrmester.
Ny-Ålesund II	114, 128, 136, 160, 174	78 55	11 56	9.830	8	7.7	2.1	10.0	8.5	2.0	R	7 13 19	Dag Bjørkedal, vitenskapelig assistent.
Obrestad Fyr	19, 68, 120	58 39	5 33	9.818	24	25.8	1.8		10.5	1.3	R	7 13 19	Idar Runde.
Oksøy Fyr	19, 66, 119	58 4	8 3	9.817	9	8.0	2.0	10.0	10.0	1.7	R	7 13 19	Nils Trøan, fyrmester.
Olden – Vangberg	80, 122	61 52	6 45		78		2.0			1.8	R	7 13 19	Bernhard Vangberg, gårdbruker.
Omastrand	72, 121	60 13	5 59	9.819	1	5.6	2.0		6.2	1.5	R	7 13 19	Birte Fossåen.
Ona II	19, 84, 123	62 52	6 32	9.821	17	14.5	1.8	12.5	10.6	1.6	R	7 13 19	Konny Jensen.
Oppdal – Bjørke	44, 116	62 36	9 41		627		1.9			1.9	R	7 13 19	Marie Hoff Bjerke.
Opstryn	19, 80, 122	61 56	7 14		201		1.9			1.6	R	8 13 19	Olav Skaare, rutebilsjåfør.
Oslo – Blindern	1, 19, 20, 54, 117, 129	59 56	10 44	9.818	94	95.6	2.2	26.7	25.9	1.7	R	7 13 19	Kåre Stavem, maskinsjef, Tor Helle, vaktmester
Pasvik	19, 110, 127	69 10	29 15		54		2.0		9.0	1.7	R	7 13 19	Hans Schaaning.
Prestebakke	19, 60, 119	59 0	11 32		157		1.9		9.0	1.7	R	7 13 19	Knut Brække, skogbestyrer.
Reimegrend	74, 121	60 41	6 45		560		2.0		7.5	2.0	R	7 13 19	Ivar E. Øvsthus.

[1] R: Russeltvedt torsjonshygrometer.

Stasjon (Station)	Side (Page)	LAT N	LON E Gr.	g	H_S m	H_p m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum. [1]	Observasjonstider. Mellom-europeisk tid			Observatør (Observer)
Rustefjelbma	108, 127	70°24′	28°12′	9.826	9	11.2	1.9			1.8	R	7	13	19	Marit Sabbasen.
Rygge	60, 118	59 23	10 47	9.818	40	53.5	2.0	13.0	13.0	1.8	R	7	13	19	Værtjenesten.
Røros	19, 44, 116	62 34	11 23	9.819	628	629.8	1.8		14.9	1.9	R	7	13	19	Jon Kverneng, stasjonsmester.
Røst II	19, 100, 125	67 30	12 5	9.825	10	11.0	2.0			1.8	R	7	13	19	Andreas Skagen, vaktmester.
Sandane	80, 122	61 47	6 11		51		1.9			1.5	R	8	13	19	Kåre Hauge, gårdbruker.
Sauda	19, 70, 120	59 39	6 22	9.818	5	5.1	1.8			1.3	R	7	13	19	Malvin Birkeland, portvakt.
Selbu — Bogstad	86, 123	63 11	11 5		181		2.0		10.0	1.9	R	7	13	19	Ingfrid Aune.
Selbu — Stubbe	86, 123	63 12	11 7		242		2.0		11.0	2.0	R	7	13	19	Anna Ofstad.
Siccajavre	19, 112, 127	68 45	23 32		382		2.0		9.3	1.9	R	7	13	19	Anna Sara Øvergård.
Sirdal — Tjørhom	68, 120	58 53	6 51		500		2.0			1.8	R	7	13	19	Ester Tjørhom.
Skiboln — Melå	104, 126	69 22	20 17		8		2.0			1.8	R	7	13	19	Agnes Richardsen.
Skjomen — Slettjord	98, 125	68 17	17 19		6		2.0			1.9	R	7	13	19	Ragnar Slettjord, gårdbruker.
Sklinna Fyr	19, 92, 124	65 12	11 0	9.823	23	15.6	2.0	10.5	10.5	1.7	R	7	13	19	Jarle Barseth, fyrmester.
Skodje	82, 122, 129	62 30	6 41		26		2.0		10.5	1.7	R	7	13	19	Matias Krokå, jordstvretekniker.
Skotterud	54, 115	59 59	12 7		150		2.0		10.0	1.8	R	7	13	19	Maren Christensen.
Skrova Fyr	19, 98, 125	68 9	14 39		11		2.0		8.0	1.7	R	7	13	19	Alf Jakobsen, fyrmester.
Skudenes II	19, 72, 120	59 9	5 15	9.818	7	9.2	2.1		8.5	1.8	R	8	13	19	Lars Aadnesen.
Skåbu — Storslåen	48, 116	61 31	9 23		865		2.0		11.0	1.9	R	7	13	19	Anna Kampesæter.
Skålvær	94, 124	65 52	12 11		6		2.1		10.0	1.9	R	7	13	19	Einar Nilsen, poststyrer.
Slagentangen II	58, 118	59 19	10 31		3		2.0	15.0	15.0	1.8	R	7	13	19	Thor Gran, havnekaptein.
Sletnes Fyr	19, 108, 127	71 5	28 14	9.827	8	9.9	1.8	8.0	7.0	1.8	R	7	13	19	Thor Tøllefsen, fyrmester.
Slåtterøy Fyr	19, 72, 121	59 55	5 4	9.819	15	16.3	2.1		3.5	1.4	R	7	13	19	Nils Eriksen, fyrmester
Smøla — Moldstad	19, 84, 123	63 25	8 4	9.821	30	32.4	2.2	11.0	10.7	1.9	R	7	13	19	Statens forskingsstasjon, Kvithamar.
Sognefjell	48, 116	61 34	8 0	9.817	1413	1413.0	2.0	10.0	9.7	3.0	R	7	13	19	Ragnar Bakkeberg.
Sola	68, 120, 129	58 53	5 38	9.818	8	21.8	2.0	10.3	10.0	1.7	R	7	13	19	Værtjenesten.
Solovomi	106, 126	69 35	23 32		374		2.0			2.1	R	7	13	19	Asbjørn Juul Klingan, fjellstuebesitter.
Staur Forsøksgård	50, 117	60 44	11 6		153		1.9		10.0	2.0	R	8	13	19	Olav Torseter, gårdsbestyrer
Stavanger	68, 120	58 57	5 44		72		1.6		9.0	1.7	R	8	13	19	Ingemar Vareng.
Sula	19, 86, 123	63 51	8 27	9.822	4	6.7	1.9	13.0	13.0	1.8	R	7	13	19	Margareth Erlandsen.
Suldal — Mo	70, 120, 129	59 28	6 25		58		2.0	11.9	11.9	1.6	R	7	13	19	Ingrid Moe.
Sulstua	19, 88, 123	63 40	12 1		251		1.9			1.9	R	8	13	19	Rasmus Brendmo
Susendal — Bjormo	92, 124	65 31	14 1		265		1.9		10.0	1.8	R	7	13	19	Einar Rørvik, gårdbruker
Svalbard Lufthavn	114, 130, 160, 162	78 15	15 28	9.829	28	28.6	2.1	10.0	10.0	2.0	R	7	13	19	AFT's personale.
Svea Gruber	114, 128, 168	77 54	16 43	9.829	9	8.2	2.0	6.0	6.0	2.0	R	7	13	19	Maskinistene.
Svenningdal	92, 124	65 21	13 24		121		2.0			1.9	R	7	13	19	Odd Ludvigsen, gårdbruker.
Svinøy Fyr	82, 122	65 20	5 16	9.821	38	40.5	1.9	9.5	11.0	1.5	R	7	13	19	Arthur Nerlid, fyrmester.
Sæter i Kvikne	44, 116	62 37	10 15		550		2.0			1.9	R	7	13	19	Arne Bekken, forsker.
Sør-Nesset	44, 116, 129	61 53	10 9		739		2.0			1.7	R	7	13	19	Kristine Brænd.
Tafjord	19, 82, 122	62 14	7 25	9.820	8	30.3	2.2			2.0	R	7	13	19	Oddvar Flø, maskinmester.
Takle	76, 121	61 2	5 23		39		2.0		7.7	1.8	R	7	13	19	Jon Takle, gårdbruker.
Tennevoll	102, 126	68 45	17 49		20		2.0			1.7	R	7	13	19	Edny Ellingsen.
Tingvoll — Hanem	84, 123	62 51	8 18	9.821	69	68.5	2.0		10.0	2.0	R	7	13	19	Leiv Hanem, gårdbruker.
Torp	58, 118	59 12	10 16	9.818	90	87.5	2.0	5.0	5.0	1.8	R	7	13	19	Værtjenesten.
Torsvåg Fyr	19, 104, 126	70 15	19 30	9.826	21	24.1	2.0	10.0		1.9	R	7	13	19	Lars Nilssen, fyrmester.
Torungen Fyr	19, 62, 119	58 24	8 48	9.818	12	15.0	1.9	10.4	10.4	1.9	R	7	13	19	Bjørn Remen, fyrmester.
Tromsø	19, 38, 104, 126, 129	69 39	18 56	9.825	100	114.5	2.0	26.0	26.0	2.3	R	7	13	19	Ole Haugland, vaktmester.
Tromsø — Langnes	104, 126	69 41	18 55	9.825	8	9.5	2.0	10.0	9.8	1.9	R	7	13	19	Værtjenesten.
Trondheim — Tyholt	19, 32, 86, 123, 129	63 25	10 26	9.821	113	115.3	1.8	10.5	10.0	1.8	R	7	13	19	Solveig Hamstad.
Trysil — Innbygda	50, 117	61 19	12 16		360		2.0			1.7	R	7	13	19	Mina Buflod.
Tryvasshøgda II	54, 117	59 59	10 41	9.818	514	528.6	2.1		17.0	2.3	R	7	13	19	Reidar Moen, tlf.ekspeditør.
Tveitsund	64, 119	59 2	8 31		252		2.0			1.7	R	7	13	19	Håvard Enok Tveit, gårdbruker.
Tynset — Støen	44, 116	62 18	10 51	9.819	483	483.6	1.9		8.0	1.7	R	7	13	19	Johan Lillemoe, gårdbruker.
Ualand — Bjuland	19, 68, 120	58 33	6 21	9.817	196	200.4	2.0		8.1	1.4	R	7	13	19	Knut Bjuland, gårdbruker.
Ulladal — Fjellberg	70, 120	59 22	6 26		382		2.0		10.0	1.8	R	7	13	19	Ingvald Einervold, gårdbruker.
Upsangervatn	72, 121	59 51	5 46		60		1.9			1.8	R	7	13	19	Magda Teigen.
Utsira Fyr	72, 120	59 18	4 53	9.818	55	56.3	2.1	11.0	10.7	1.3	R	7	13	19	Bernt Johan Morsund, fyrmester.
Valljord	96, 125	67 22	15 36		3		2.0	11.0	11.0	1.7	R	7	13	19	Torbjørn Riise, portvakt.
Vangsnes	19, 76, 121	61 10	6 39	9.819	51	54.0	2.0		8.2	1.9	R	7	13	19	Johan Handal, gårdbruker.
Vardefjell	92, 124	65 53	13 18			634.5	1.9	3.4			R	7	13	19	Stasjonsbestyreren.
Vardø	19, 110, 127	70 22	31 6	9.826	14	14.6	1.7	8.4	9.3	1.7	R	7	13	19	Oddmund Thyggeseth, radiobestyrer.
Vennafjell	86, 123	63 19	10 56		671	679.8	2.0		8.3	2.6	R	7	13	19	Stasjonsbestyreren.
Vigra	19, 84, 122	62 34	6 7	9.821	22	21.7	1.9	11.0	10.7	1.8	R	7	13	19	Værtjenesten.
Vinger	52, 117	60 13	12 1		175		1.9		10.5	1.7	R	8	13	19	Anne Marie Hauge.
Vinjeøra	19, 86, 123	63 12	9 0		9		2.0			1.6	R	7	13	19	Mildrid Schei.
Vinstra — Solstad	19, 48, 116	61 35	9 47		249		2.1		13.0	1.6	R	7	13	19	Astrid Løkken.
Voss — Bø	74, 121	60 39	6 30	9.819	125	123.3	2.1		9.6	2.0	R	7	13	19	Ragnhild Bø.
Værnes	88, 123	63 28	10 56	9.821	12	16.8	2.0	10.6	10.2	1.8	R	7	13	19	Værtjenesten.
Ørland III	19, 86, 123	63 42	9 36	9.822	9	6.9	2.0	10.2	10.2	1.9	R	7	13	19	Værtjenesten.
Ørstavik — Velle	82, 122	62 12	6 8		35		2.0		7.5	2.0	R	7	13	19	Per P. Velle.
Ø. Toten	19, 52, 117	60 42	10 52		264		1.7			1.7	R	8	13	19	Statens forskingsstasjon, Apelsvoll.
Øverbygd	102, 126	69 1	19 17		78		1.9			1.9	R	7	13	19	Bernhard Halvorsen.
Øvre Saltdal	96, 125	66 58	15 18		26		2.0			1.8	R	7	13	19	Gunnar Andersen, gårdbruker.
Øvre Tessa	46, 116	61 49	8 58		746		2.0		11.0	1.6	R	7	13	19	Rolv Kleiven, Joar Ødegaard, maskinister.
Åbjørsbråten	50, 117	60 55	9 18		634		2.0		9.4	1.6	R	8	13	19	Lage Aabjørsbråten, gårdbruker.
Ås	19, 60, 118, 129	59 40	10 47	9.818	95	96.2	2.0	10.0	8.3	2.1	R	8	13	19	Margit Hopland.

[1] R: Russeltvedt tørsjonshygrometer.

STASJONSFORTEGNELSE 1979 FYLKESVIS

(List of Stations 1979 in the various counties)

ØSTFOLD
Eidsberg — Johnsrud
Jeløy
Kalnes
Prestebakke
Rygge

AKERSHUS
Asker — Brannstasjon
Dønski
Egnerfjell
Fornebu
Gardermoen
Hvam
Høland — Kollerud
Ås

OSLO
Oslo — Blindern
Tryvasshøgda II

HEDMARK
Drevsjø
Evenstad — Øverenget
Flisa
Haugedalshøgda
Kise på Hedmark
Skotterud
Staur Forsøksgård
Sæter i Kvikne
Sør-Nesset
Trysil — Innbygda
Tynset — Støen
Vinger

OPPLAND
Aust-Torpa II
Beitostølen
Bråtå
Bøverdal — Sletten
Fokstua II
Gjeilo i Skjåk
Kjøremsgrendi
Lesjaskog
Lillehammer III
Løken i Volbu
Otta — Bredvangen
Skåbu — Storslåen
Sognefjell
Vinstra — Solstad
Ø. Toten
Øvre Tessa
Åbjørsbråten

BUSKERUD
Dagali — Fagerlund
Geilo — Geilostølen
Gol — Stake
Kongsberg/Kongsberg IV
Lyngdal i Numedal
Nesbyen — Skoglund

VESTFOLD
Ferder Fyr
Melsom
Måkerøy
Slagentangen II
Torp

TELEMARK
Dalen i Telemark
Gvarv
Jomfruland Fyr
Langøytangen Fyr
Skafså
Tveitsund
Øyfjell

AUST-AGDER
Bjåen
Byglandsfjord — Solbakken
Hylestad — Brokke
Landvik
Lyngør Fyr
Nelaug
Torungen Fyr

VEST-AGDER
Kjevik
Konsmo — Eikeland
Lindesnes Fyr
Lista Fyr
Mandal II
Oksøy Fyr
Sirdal — Tjørhom

ROGALAND
Fister
Hylsfjorden
Nedre Vats
Nordre Eigerøy
Obrestad Fyr
Rennesøy — Galta
Sauda
Skudenes II
Sola
Stavanger
Suldal — Mo
Ualand — Bjuland
Ulladal — Fjellberg
Utsira Fyr

HORDALAND
Bergen — Florida
Bergen — Fredriksberg
Eidfjord — Bu
Fana Forsøksstasjon
Finse
Flesland
Hellisøy Fyr
Kvamskogen
Midtlæger
Modalen
Omastrand
Reimegrend
Slåtterøy Fyr
Upsangervatn
Voss — Bø

SOGN OG FJORDANE
Bjørkehaug i Jostedal
Dombestein
Fjærland — Skarestad
Fortun
Førde i Sunnfjord II
Kinn
Kråkenes Fyr

Leikanger
Loen
Lærdal — Tønjum
Myklemyr
Olden — Vangberg
Opstryn
Sandane
Takle
Vangnes

MØRE OG ROMSDAL
Fiskåbygd
Hjelvik i Romsdal
Hustad II/Hustad — Nerland
Ona II
Skodje
Smøla — Moldstad
Svinøy Fyr
Tafjord
Tingvoll — Hanem
Vigra
Ørstavik — Velle

SØR-TRØNDELAG
Berkåk II
Buholmråsa Fyr
Oppdal — Bjørke
Orkdal — Øyum
Røros
Selbu — Bogstad/Stubbe
Sula
Trondheim — Tyholt
Vennafjell
Vinjeøra
Ørland III

NORD-TRØNDELAG
Høylandet
Kjøbli i Snåsa
Leka
Levanger — Eggen
Meråker — Krogstad
Namdalseid — Bøgset
Nordli — Brattvold
Nordøyan Fyr
Sklinna Fyr
Sulstua
Verdalsøra
Værnes

NORDLAND
Andøya
Bodø VI
Bolna
Bø i Vesterålen II
Fauske — Veten
Finnøy i Hamarøy
Glomfjord
Glåpen Fyr
Kleiva i Sortland
Kletkovfjell
Kobbelv
Kvalnes i Lofoten
Leirâmo
Majavatn III
Mosjøen — Mosal
Myken
Narvik III
Nerdal i Rana
Nord-Svolvær
Røst II
Skjomen — Slettjord
Skrova Fyr
Skålvær
Sulitjelma Gruber
Susendal — Bjormo
Svenningdal
Valljord
Vardefjell
Øvre Saltdal

TROMS
Bardufoss
Borkenes
Evenskjer
Gibostad
Hekkingen Fyr
Kvesmenes — Ryeng
Leirkjosen
Nordreisa
Nordstraum i Kvænangen
Skibotn — Melå
Tennevoll
Torsvåg Fyr
Tromsø
Tromsø — Langnes
Øverbygd

FINNMARK
Alta Lufthavn
Banak
Brennelv
Bugøyfjord Kro
Cuovdatmåkki
Fruholmen Fyr
Hammerfest Radio
Helnes Fyr
Karasjok
Kautokeino II
Kirkenes Lufthavn
Kistrand II
Levajok — Evjen
Loppa
Makkaur Fyr
Pasvik
Rustefjelbma
Siccajavre
Sletnes Fyr
Solovomi
Vardø

REGISTRERINGER AV LUFTTRYKK P (RECORDS OF ATMOSPHERIC PRESSURE P).

OSLO - BLINDERN

JANUAR 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	1008,7	1008,3	1008,3	1008,3	1008,2	1007,3	1006,9	1006,7	1006,6	1006,0	1005,8	1005,5	1009,0	1005,5	1007,3	1
2	1005,5	1005,7	1005,9	1005,5	1005,5	1005,2	1004,9	1005,5	1005,4	1005,4	1006,0	1006,1	1006,1	1004,9	1005,6	2
3	1006,1	1006,3	1007,1	1007,4	1007,3	1007,5	1007,5	1007,8	1008,1	1008,4	1008,7	1007,8	1008,8	1006,1	1007,7	3
4	1008,9	1008,5	1008,6	1008,7	1009,0	1009,9	1010,6	1010,6	1011,6	1012,0	1012,5	1013,1	1013,1	1008,6	1010,4	4
5	1013,1	1013,3	1014,0	1014,1	1014,1	1013,6	1013,2	1013,1	1012,8	1012,3	1011,7	1014,3	1014,3	1011,7	1013,3	5
6	1010,8	1010,0	1009,3	1008,1	1007,7	1006,3	1004,9	1004,1	1006,6	1002,1	1000,4	998,2	1011,7	998,2	1005,8	6
7	995,1	992,6	991,2	989,9	989,3	987,7	984,9	982,8	982,5	983,8	984,8	985,3	998,2	982,3	987,5	7
8	985,2	986,3	987,5	989,7	991,0	991,6	993,9	989,9	989,0	986,8	986,1	986,1	991,7	985,0	988,4	8
9	986,9	987,3	987,6	987,9	988,1	988,1	987,5	987,3	986,7	986,2	985,8	985,6	988,4	985,6	987,1	9
10	985,1	984,3	983,5	982,3	982,3	982,3	981,6	980,3	980,1	979,9	979,5	979,5	985,6	979,5	981,9	10
11	979,1	978,3	978,6	978,8	980,1	980,1	980,5	981,1	982,6	983,7	984,5	985,5	985,5	977,7	981,1	11
12	986,4	986,3	987,3	988,0	989,2	989,5	989,5	989,3	989,2	988,4	988,7	988,2	989,6	986,4	988,4	12
13	988,2	988,1	988,4	989,4	991,1	992,4	994,1	995,5	997,1	998,3	999,4	1000,9	1000,9	988,1	993,6	13
14	1001,7	1002,1	1004,5	1006,1	1008,3	1009,7	1010,7	1012,0	1013,4	1014,9	1015,5	1016,2	1016,2	1000,9	1009,7	14
15	1016,5	1017,2	1017,4	1018,2	1019,5	1020,2	1020,7	1021,0	1021,6	1022,3	1022,3	1022,6	1022,6	1016,5	1020,0	15
16	1022,6	1022,1	1021,9	1021,7	1021,3	1021,3	1020,5	1019,8	1019,3	1019,2	1019,3	1019,8	1022,6	1019,2	1020,8	16
17	1020,1	1021,7	1021,6	1021,7	1022,3	1023,0	1023,6	1023,4	1023,5	1024,0	1024,1	1024,7	1024,7	1020,1	1022,9	17
18	1024,3	1025,3	1024,9	1025,2	1026,1	1026,4	1026,4	1026,6	1026,8	1027,2	1027,8	1028,2	1028,2	1024,8	1026,3	18
19	1028,1	1028,3	1028,3	1029,0	1029,1	1028,6	1028,2	1028,0	1027,8	1027,1	1027,0	1026,5	1029,0	1026,5	1028,1	19
20	1025,3	1025,3	1024,4	1023,8	1024,1	1024,1	1024,1	1024,3	1024,8	1026,2	1027,1	1027,8	1027,8	1023,8	1025,1	20
21	1027,3	1027,3	1027,8	1027,6	1027,6	1027,6	1026,0	1025,1	1024,2	1023,7	1023,0	1022,3	1027,8	1022,3	1025,9	21
22	1021,1	1020,3	1018,8	1017,3	1016,6	1015,6	1013,7	1012,5	1011,2	1010,6	1009,8	1009,1	1021,0	1009,1	1014,7	22
23	1008,1	1006,7	1006,2	1005,2	1004,7	1004,5	1003,4	1002,1	1002,1	1000,6	999,3	999,0	1008,0	999,0	1003,6	23
24	998,1	996,3	995,0	993,8	993,1	992,3	990,7	989,6	989,3	988,9	988,9	988,9	998,9	988,0	992,1	24
25	988,5	988,3	988,2	988,1	988,1	987,8	987,0	986,3	986,1	985,4	985,9	985,8	988,5	985,4	987,1	25
26	985,1	984,3	984,2	984,2	983,9	983,6	981,7	980,7	979,9	979,6	979,4	978,9	985,1	978,9	982,2	26
27	979,0	979,3	979,8	980,7	981,3	982,4	982,9	982,9	983,9	984,5	985,0	985,9	985,9	979,0	982,4	27
28	986,1	986,1	986,0	987,3	987,1	988,6	989,3	989,3	990,2	991,6	992,5	993,0	993,0	986,0	988,9	28
29	993,3	994,3	995,1	996,6	997,1	997,8	997,8	997,8	998,2	998,2	998,6	999,0	999,0	993,8	997,1	29
30	999,1	999,3	998,8	998,8	999,1	999,1	998,8	998,7	998,3	997,4	996,6	995,8	999,7	995,8	998,4	30
31	995,5	994,3	993,7	993,2	992,8	992,4	991,2	990,6	989,3	988,7	987,9	987,1	995,5	987,1	991,4	31
MI	1002,6	1002,5	1002,4	1002,5	1002,9	1002,9	1002,4	1002,1	1002,2	1002,1	1002,1	1002,1	1005,7	999,2	1002,4	MI

FEBRUAR 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	985,9	984,2	982,9	981,6	979,7	978,6	977,5	976,6	975,8	974,9	974,3	973,9	985,9	973,9	978,8	1
2	973,7	973,7	974,2	974,5	975,2	975,3	975,2	975,3	976,1	976,6	976,4	976,2	976,6	973,7	975,2	2
3	975,3	975,3	976,3	966,5	965,3	965,1	964,8	965,6	966,6	968,9	971,6	973,8	975,3	964,8	969,0	3
4	976,1	977,1	977,4	978,0	978,3	978,6	978,6	978,8	979,0	979,5	980,0	980,6	980,6	976,1	978,6	4
5	980,5	981,1	981,4	982,5	983,3	984,4	985,3	986,2	987,3	988,5	989,6	991,0	991,0	980,6	985,1	5
6	992,5	1000,0	994,9	996,7	997,7	999,3	999,6	999,8	1000,3	1000,0	999,4	998,2	1000,3	992,5	996,2	6
7	996,5	995,3	994,1	991,9	990,5	989,0	987,1	985,6	984,8	984,2	983,6	983,3	996,5	983,3	988,8	7
8	983,6	984,0	984,4	985,2	985,8	986,1	986,2	985,6	985,3	984,8	983,6	982,7	986,2	982,7	984,8	8
9	982,1	982,2	983,0	982,6	982,7	982,9	983,6	984,1	985,3	987,0	988,1	989,3	989,3	982,1	984,5	9
10	989,3	990,1	990,1	989,4	989,1	989,5	989,6	989,9	990,4	991,9	992,9	993,9	993,9	989,4	990,6	10
11	994,7	995,3	996,2	997,0	998,3	998,5	998,6	998,3	998,9	999,4	999,4	999,3	999,4	994,7	997,8	11
12	998,3	998,1	997,1	996,8	996,1	995,3	994,4	993,3	993,0	992,8	992,3	992,6	999,3	992,3	995,1	12
13	992,7	993,3	994,0	995,7	997,3	998,9	999,1	999,4	1000,3	1002,4	1004,0	1005,2	1005,2	992,7	998,5	13
14	1006,3	1006,9	1008,1	1009,3	1010,4	1010,7	1010,7	1011,3	1011,7	1012,6	1013,9	1015,5	1015,5	1005,2	1010,6	14
15	1016,5	1016,5	1017,7	1019,1	1020,6	1021,9	1022,1	1022,6	1023,9	1025,3	1026,8	1028,0	1028,0	1016,5	1021,8	15
16	1029,3	1029,1	1029,3	1030,1	1030,9	1031,7	1031,6	1031,4	1031,4	1032,1	1032,4	1033,0	1033,0	1028,0	1031,0	16
17	1033,2	1033,7	1033,6	1034,0	1034,2	1033,9	1032,7	1031,9	1031,1	1030,6	1030,3	1029,4	1034,4	1029,4	1032,4	17
18	1029,1	1027,5	1026,9	1026,3	1026,1	1024,4	1023,7	1022,4	1021,6	1022,1	1022,5	1022,2	1029,4	1021,3	1024,6	18
19	1021,7	1021,4	1021,4	1021,9	1022,3	1022,8	1022,7	1023,1	1023,3	1024,2	1024,1	1024,4	1024,4	1021,4	1022,8	19
20	1024,9	1025,1	1024,9	1025,8	1026,5	1026,7	1025,9	1025,9	1026,0	1026,2	1026,1	1025,3	1026,9	1024,4	1025,8	20
21	1024,3	1024,0	1023,7	1023,1	1023,2	1023,0	1022,2	1021,5	1020,4	1020,0	1019,7	1019,0	1026,3	1019,0	1022,1	21
22	1018,1	1017,1	1016,3	1015,3	1014,3	1014,2	1012,8	1011,7	1010,9	1010,3	1010,0	1009,4	1019,0	1009,4	1013,4	22
23	1009,1	1009,0	1008,9	1009,3	1010,4	1011,2	1011,7	1012,3	1013,2	1014,2	1015,3	1016,9	1016,9	1008,8	1011,8	23
24	1018,2	1019,7	1020,1	1022,2	1024,0	1023,3	1023,5	1023,3	1022,7	1022,8	1023,4	1023,8	1024,3	1018,2	1022,3	24
25	1023,5	1023,3	1022,4	1022,0	1021,5	1020,4	1019,6	1018,1	1016,9	1016,1	1015,0	1013,2	1023,8	1013,2	1019,3	25
26	1011,1	1010,2	1007,8	1005,9	1005,3	1002,7	1000,7	999,2	998,7	998,3	997,8	997,5	1013,2	997,5	1002,9	26
27	997,2	996,9	997,5	997,5	998,1	998,0	996,9	995,5	994,8	993,9	992,8	991,8	998,5	991,8	995,9	27
28	990,8	989,9	989,7	989,6	989,7	989,9	990,8	991,1	991,6	992,2	992,8	993,2	993,2	989,5	990,9	28
MI	1002,7	1002,3	1002,4	1002,5	1002,8	1002,7	1002,4	1002,1	1002,2	1002,6	1002,8	1002,9	1006,7	998,9	1002,6	MI

MARS 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	993,2	992,3	992,5	992,9	993,1	992,4	992,1	992,1	992,0	992,0	991,5	991,2	993,2	991,2	992,3	1
2	990,3	990,1	990,0	988,8	986,3	985,3	984,8	985,4	986,4	987,0	987,0	985,6	991,2	984,8	987,3	2
3	984,3	983,3	984,0	982,9	982,3	982,0	981,6	982,6	985,1	987,4	989,1	990,1	990,1	981,3	984,6	3
4	990,3	990,5	989,7	989,2	989,1	989,0	988,4	988,4	989,7	990,9	991,9	992,9	992,9	988,3	990,0	4
5	993,0	992,6	992,8	993,2	993,1	992,5	991,9	991,2	991,0	992,0	992,1	992,1	993,3	991,0	992,3	5
6	993,1	993,2	993,3	994,2	995,3	995,4	995,2	995,0	994,1	994,2	993,6	993,1	995,5	992,1	994,1	6
7	992,1	991,2	989,7	988,8	987,2	985,5	983,5	981,3	979,7	980,3	981,7	983,5	993,1	979,7	985,4	7
8	985,1	986,7	988,3	990,5	992,2	992,7	992,9	992,3	992,6	992,4	992,7	990,6	992,9	983,5	990,8	8
9	988,6	986,1	983,2	981,1	979,2	977,7	975,9	974,3	972,9	972,2	971,2	970,6	990,6	970,6	977,8	9
10	970,0	969,2	970,2	971,8	973,2	974,8	976,4	977,8	979,4	981,1	982,5	983,8	983,8	969,2	975,9	10
11	985,0	986,2	987,2	988,2	988,3	989,1	988,7	988,1	987,1	987,2	986,0	984,7	989,1	983,8	987,2	11
12	983,3	982,3	980,6	980,0	980,1	980,1	980,3	980,6	981,3	982,5	983,9	985,3	985,3	979,8	981,7	12
13	987,1	988,7	990,5	991,1	993,3	994,3	995,1	995,7	996,6	997,6	998,2	998,9	998,9	985,3	993,9	13
14	999,5	1000,3	1000,6	1001,5	1002,2	1002,6	1002,6	1002,7	1003,2	1003,9	1004,4	1005,3	1005,3	998,9	1002,4	14
15	1005,3	1005,3	1005,8	1005,9	1006,3	1006,5	1006,0	1005,8	1005,2	1006,0	1006,2	1006,2	1006,7	1005,1	1005,9	15
16	1006,1	1006,3	1005,7	1005,8	1005,9	1005,3	1003,8	1003,2	1003,4	1004,3	1005,1	1005,4	1006,4	1003,2	1004,9	16
17	1005,4	1005,1	1005,1	1006,7	1006,2	1006,9	1005,8	1005,1	1005,1	1005,8	1006,2	1006,5	1006,9	1004,9	1005,9	17
18	1006,1	1005,3	1005,0	1004,1	1003,3	1001,3	999,6	998,3	996,4	995,9	995,1	995,9	1006,1	995,9	1000,4	18
19	993,2	991,7	991,0	990,2	989,7	988,9	987,7	986,1	986,0	985,1	984,2	984,0	993,9	984,0	988,2	19
20	983,9	983,3	983,8	984,6	985,1	984,6	984,9	984,9	985,4	986,6	987,0	987,4	987,4	983,5	985,1	20
21	987,5	987,1	987,1	987,3	987,4	987,3	987,0	986,3	986,4	986,5	986,5	986,2	987,6	986,2	986,9	21
22	985,6	985,1	983,9	983,3	983,2	983,3	983,6	983,2	982,6	983,1	983,9	985,0	986,2	982,6	983,8	22
23	986,0	986,3	986,2	986,4	987,1	987,7	988,2	988,8	989,2	990,5	991,0	991,7	991,7	985,0	988,3	23
24	993,1	994,3	995,4	997,2	998,0	998,7	999,1	999,0	999,5	1000,3	1000,6	1000,3	1000,6	991,7	998,0	24
25	1000,2	999,2	998,8	998,0	997,3	996,3	995,0	989,2	987,1	985,0	983,3	982,0	1000,3	982,0	992,5	25
26	980,7	979,2	978,1	977,3	977,1	977,0	973,9	976,3	976,5	977,3	977,4	976,7	982,0	976,3	977,6	26
27	974,3	971,9	971,8	974,8	975,7	976,5	976,5	976,4	977,2	978,3	979,4	980,3	980,3	973,8	976,5	27
28	980,3	981,5	982,8	984,2	985,3	986,4	987,3	988,5	989,5	991,1	992,5	994,0	994,0	980,3	987,0	28
29	995,0	996,1	997,2	998,2	999,7	1000,3	1000,5	1000,4	1000,7	1001,2	1001,3	1001,7	1001,7	994,0	999,4	29
30	1001,2	1000,7	1000,3	1000,1	999,3	999,1	998,7	998,0	997,8	997,8	997,6	997,7	1001,7	997,6	999,1	30
31	997,4	996,7	996,9	997,0	996,8	996,7	996,2	995,9	995,8	996,1	996,1	996,0	997,7	995,8	996,5	31
MI	990,7	990,3	990,7	990,8	991,0	990,9	990,5	990,1	990,2	990,7	990,9	991,1	994,4	987,1	990,7	MI

REGISTRERINGER AV LUFTTRYKK P (RECORDS OF ATMOSPHERIC PRESSURE P).

OSLO - BLINDERN

APRIL 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	995,9	995,2	994,6	994,6	994,0	993,5	993,2	992,4	991,8	991,6	991,1	990,6	996,1	990,6	995,2	1
2	990,3	994,1	993,4	990,5	991,1	991,1	991,0	991,2	991,5	992,1	992,2	992,2	992,3	990,0	991,1	2
3	991,7	991,4	991,2	991,9	992,9	993,3	994,3	995,1	995,7	996,7	996,6	996,0	996,7	991,1	993,9	3
4	996,3	995,3	995,1	996,9	998,1	999,0	1000,0	1001,7	1002,7	1003,7	1004,5	1004,9	1004,9	995,4	1000,0	4
5	1005,1	1003,3	1006,0	1006,8	1007,1	1007,1	1007,5	1007,4	1007,6	1008,4	1008,9	1009,3	1009,3	1005,1	1007,3	5
6	1009,8	1010,1	1010,9	1011,4	1011,3	1012,0	1011,9	1011,5	1011,7	1012,8	1013,3	1013,8	1013,8	1009,8	1011,8	6
7	1013,9	1013,3	1014,2	1014,7	1015,2	1015,2	1014,9	1014,7	1014,9	1015,5	1015,9	1016,3	1016,3	1013,8	1014,9	7
8	1016,7	1016,6	1016,5	1017,0	1016,7	1015,9	1015,2	1014,7	1014,3	1014,3	1014,3	1014,6	1017,1	1014,3	1015,6	8
9	1014,1	1014,1	1014,0	1013,9	1013,2	1013,0	1012,9	1012,0	1011,0	1010,8	1010,7	1010,5	1014,6	1010,5	1012,6	9
10	1010,2	1009,3	1009,6	1009,6	1009,3	1008,7	1007,8	1007,9	1006,6	1006,6	1006,6	1006,5	1010,5	1006,5	1008,3	10
11	1006,6	1006,6	1006,6	1006,7	1006,7	1006,6	1006,8	1006,8	1006,0	1006,2	1006,3	1006,7	1006,9	1006,0	1006,6	11
12	1006,6	1006,7	1006,7	1006,8	1006,3	1006,2	1003,7	1004,3	1003,2	1003,0	1002,8	1002,0	1007,1	1002,0	1005,1	12
13	1000,7	1000,2	999,3	998,8	998,7	998,4	997,6	997,6	997,7	997,9	998,0	998,6	1002,0	997,4	998,6	13
14	999,3	997,1	997,1	999,7	1000,2	1000,8	1001,3	1001,5	1002,0	1003,3	1005,6	1008,1	1008,1	998,6	1001,7	14
15	1010,2	1012,3	1014,2	1016,2	1016,3	1017,0	1016,9	1016,1	1015,8	1015,7	1016,1	1016,3	1017,1	1008,1	1015,3	15
16	1016,6	1016,8	1017,0	1017,0	1016,7	1015,8	1014,4	1014,1	1013,6	1013,0	1013,0	1013,6	1017,0	1013,0	1015,1	16
17	1013,3	1014,1	1013,3	1013,7	1013,7	1013,4	1013,2	1014,0	1014,7	1015,4	1015,4	1015,5	1015,7	1013,6	1015,1	17
18	1015,9	1015,8	1015,8	1015,8	1015,5	1015,1	1014,2	1013,1	1012,6	1012,2	1012,4	1012,1	1016,0	1012,1	1014,2	18
19	1011,4	1011,3	1010,8	1009,7	1009,3	1007,7	1006,6	1005,4	1004,7	1004,0	1003,5	1002,9	1012,1	1002,9	1007,1	19
20	1002,2	1001,5	1000,8	1000,1	999,3	999,7	999,2	998,8	998,6	998,1	997,4	996,6	1002,9	996,6	999,4	20
21	995,6	994,7	993,9	993,3	992,8	992,7	992,1	992,9	991,8	991,2	991,0	990,6	996,6	990,6	992,7	21
22	989,9	989,1	988,7	988,8	988,3	988,9	989,1	988,9	988,8	988,6	987,9	987,4	990,6	987,4	988,8	22
23	986,8	986,5	985,7	985,3	985,9	986,1	986,3	986,3	986,1	986,4	986,5	986,5	986,8	985,3	986,1	23
24	986,5	986,3	987,1	988,7	988,5	989,2	989,4	989,8	990,2	990,7	990,5	989,6	990,7	986,5	988,9	24
25	988,5	987,5	988,8	989,8	989,4	986,8	987,2	987,4	987,8	989,1	990,4	992,0	992,0	985,4	987,7	25
26	993,1	993,7	994,3	995,3	996,2	997,2	998,2	998,8	999,0	999,9	1000,6	1001,0	1001,0	992,0	997,3	26
27	1001,7	1002,1	1002,8	1002,8	1003,1	1002,9	1002,5	1001,8	1001,1	1000,7	1000,3	999,6	1003,2	999,6	1001,7	27
28	999,3	998,5	998,1	999,2	998,8	997,7	996,8	995,4	994,5	993,4	991,9	990,5	999,6	990,5	996,1	28
29	988,5	986,3	983,3	982,6	980,3	978,5	976,0	973,2	971,0	970,5	969,1	967,6	990,8	967,6	977,2	29
30	965,9	964,2	963,2	962,6	963,3	964,9	965,6	966,6	967,0	968,8	969,1	969,9	969,9	962,6	966,9	30
MI	1000,1	1000,1	1000,1	1000,0	1000,0	1000,0	1000,4	1000,1	999,8	1000,0	1000,1	1000,1	1003,2	997,5	1000,3	MM

MAI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	970,5	971,2	972,5	973,6	974,3	976,3	976,7	976,7	978,3	979,1	979,9	980,2	980,2	970,5	975,7	1
2	980,3	981,3	982,2	983,1	984,1	984,9	984,9	985,0	985,1	984,9	983,6	982,4	985,1	980,8	983,5	2
3	980,8	979,7	979,0	978,9	979,3	980,5	981,6	982,7	984,6	986,4	988,1	989,1	989,1	978,9	982,6	3
4	990,3	990,8	991,7	993,1	993,8	994,5	995,4	996,3	997,1	997,9	998,3	998,7	998,7	990,0	994,9	4
5	998,7	999,2	1000,1	1000,8	1000,8	1001,3	1002,3	1003,0	1002,9	1003,9	1004,5	1005,2	1005,2	998,9	1001,9	5
6	1005,5	1006,1	1006,6	1006,9	1006,7	1006,5	1006,8	1006,9	1006,0	1006,4	1006,1	1005,9	1006,9	1005,5	1006,4	6
7	1006,1	1005,3	1005,3	1005,2	1005,7	1004,9	1004,1	1004,9	1004,6	1004,7	1004,8	1004,8	1006,0	1004,1	1005,0	7
8	1004,6	1004,1	1004,6	1004,8	1004,7	1004,7	1004,8	1004,7	1004,9	1005,5	1006,2	1006,4	1006,4	1004,4	1005,0	8
9	1006,9	1007,6	1008,7	1009,6	1009,6	1009,1	1008,6	1008,4	1008,3	1008,3	1007,8	1007,4	1009,7	1006,4	1008,4	9
10	1007,1	1007,1	1007,7	1007,9	1008,0	1007,7	1007,8	1008,1	1008,7	1010,0	1011,2	1011,7	1011,7	1007,1	1008,6	10
11	1012,2	1012,2	1012,1	1012,4	1011,3	1011,3	1010,4	1009,7	1009,8	1010,5	1010,7	1011,0	1012,5	1009,7	1011,2	11
12	1010,8	1011,7	1010,8	1010,7	1011,7	1010,9	1010,7	1010,4	1010,4	1010,4	1011,2	1011,6	1011,6	1010,4	1010,8	12
13	1011,6	1012,7	1013,4	1013,6	1013,7	1013,5	1012,7	1012,2	1011,4	1009,9	1008,6	1008,0	1013,9	1008,0	1011,8	13
14	1007,3	1006,3	1006,0	1005,9	1005,7	1005,2	1004,6	1003,4	1002,7	1002,5	1002,3	1002,0	1008,0	1001,8	1004,6	14
15	1001,5	1001,3	1001,3	1001,1	1000,7	1000,6	1000,3	999,7	998,8	999,0	998,8	998,6	1002,0	998,6	1000,2	15
16	998,7	998,3	998,2	999,3	999,1	998,7	998,3	996,2	995,9	992,2	991,2	990,2	999,5	990,2	996,3	16
17	989,3	988,3	988,8	988,5	988,3	988,0	987,4	988,0	988,7	989,7	990,6	991,5	991,5	988,0	988,0	17
18	992,3	992,2	991,1	990,0	991,3	994,3	994,9	994,8	995,2	995,8	996,4	996,7	996,7	991,1	994,2	18
19	996,5	996,3	996,8	997,1	997,4	997,0	996,9	995,3	994,7	996,0	999,5	1002,1	1002,1	994,7	997,2	19
20	1004,8	1006,7	1008,2	1010,3	1011,1	1011,9	1011,9	1011,2	1010,8	1010,6	1010,5	1010,3	1011,9	1002,1	1009,8	20
21	1009,9	1009,3	1007,5	1006,0	1004,8	1003,5	1001,5	1002,5	1002,5	1004,0	1004,8	1005,0	1010,3	1001,2	1005,1	21
22	1005,5	1005,3	1005,0	1004,1	1003,3	1003,3	1002,4	1002,6	1002,3	1002,8	1003,2	1003,2	1005,7	1002,3	1003,6	22
23	1003,6	1003,1	1002,8	1002,7	1002,3	1002,6	1002,1	1001,5	1001,2	1001,2	1000,8	999,9	1003,7	999,9	1002,1	23
24	998,6	997,4	996,1	995,7	996,6	996,3	996,8	996,6	996,0	995,3	994,0	991,8	999,9	991,8	995,9	24
25	988,1	986,3	986,6	985,4	987,6	988,8	989,1	989,7	990,6	991,8	993,2	994,6	994,6	984,3	989,0	25
26	995,9	996,4	997,0	998,2	999,1	1000,2	1000,9	1000,9	1001,4	1002,3	1002,3	1002,0	1002,3	994,6	999,7	26
27	1000,3	997,1	996,5	995,9	996,3	997,8	998,6	999,3	998,6	998,4	998,9	998,9	1000,0	995,9	998,1	27
28	998,3	998,3	998,1	998,2	998,2	998,3	998,5	998,6	999,3	999,8	1000,8	1001,9	1001,9	998,0	999,0	28
29	1002,9	1003,1	1003,3	1003,3	1002,8	1002,7	1002,8	1002,3	1002,7	1003,0	1003,3	1003,7	1003,7	1002,1	1003,0	29
30	1004,1	1005,3	1006,3	1007,1	1008,3	1008,5	1008,8	1009,7	1009,9	1010,5	1011,6	1012,3	1012,3	1003,7	1006,5	30
31	1012,8	1013,4	1013,8	1014,4	1014,4	1014,3	1013,8	1013,3	1012,4	1012,8	1013,2	1013,6	1014,7	1012,3	1013,4	31
MI	999,8	999,7	999,8	1000,2	1000,1	1000,5	1000,5	1000,5	1000,5	1000,8	1001,2	1001,3	1003,2	997,6	1000,4	MM

JUNI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	1013,6	1013,2	1014,3	1014,1	1013,3	1013,1	1012,3	1012,2	1011,8	1012,5	1013,9	1015,4	1015,4	1011,5	1013,4	1
2	1017,1	1018,3	1020,8	1021,9	1022,6	1022,9	1023,1	1023,0	1022,9	1023,5	1024,9	1026,1	1026,1	1015,4	1022,3	2
3	1027,1	1028,3	1029,3	1029,3	1028,3	1027,3	1025,8	1024,1	1023,8	1022,8	1023,0	1023,0	1029,3	1022,8	1026,1	3
4	1022,6	1022,1	1022,2	1020,7	1019,6	1018,3	1016,4	1015,3	1013,9	1012,9	1013,0	1012,6	1023,0	1012,6	1017,4	4
5	1012,3	1011,3	1011,4	1010,9	1010,2	1009,5	1008,6	1008,0	1007,3	1007,0	1007,5	1007,9	1012,6	1007,0	1009,3	5
6	1007,7	1007,1	1007,4	1007,3	1007,1	1006,2	1005,1	1004,6	1004,5	1004,7	1005,2	1005,3	1007,9	1004,5	1006,0	6
7	1005,5	1005,0	1005,8	1005,6	1005,1	1004,2	1003,2	1002,5	1001,9	1001,9	1001,3	1001,0	1005,9	1001,0	1003,6	7
8	1000,3	999,2	998,9	998,6	997,9	996,9	996,2	995,5	994,2	992,9	991,9	991,0	1001,0	991,0	996,1	8
9	990,2	990,1	990,3	991,9	992,5	993,1	993,7	993,9	994,7	995,9	997,3	999,0	999,0	990,1	993,6	9
10	1000,6	1001,3	1001,8	1004,2	1004,4	1004,0	1003,8	1003,7	1003,9	1004,6	1005,3	1005,8	1005,8	999,0	1003,7	10
11	1005,6	1006,1	1006,7	1007,5	1007,6	1007,3	1007,1	1006,9	1006,7	1006,7	1006,9	1006,8	1007,6	1005,6	1006,8	11
12	1006,6	1006,2	1006,0	1005,8	1005,4	1004,1	1002,9	1001,6	1000,7	1000,1	999,7	999,0	1006,8	999,0	1003,2	12
13	998,1	997,3	996,5	996,0	995,3	994,8	993,7	992,5	992,1	991,9	991,4	990,8	999,0	990,8	994,3	13
14	989,9	989,1	988,2	987,7	987,1	986,6	986,7	986,4	986,4	986,9	987,4	987,1	990,8	986,4	987,4	14
15	987,1	987,3	987,3	988,3	988,8	989,5	990,0	991,9	992,7	994,1	995,5	996,2	996,2	987,1	990,8	15
16	997,3	997,9	998,4	999,1	999,2	998,9	998,3	999,6	999,7	1000,4	1001,8	1002,6	1002,6	996,2	999,5	16
17	1003,2	1003,3	1003,9	1004,1	1003,7	1003,2	1002,8	1003,3	1003,9	1004,9	1006,2	1007,2	1007,2	1002,6	1004,1	17
18	1008,5	1009,2	1009,3	1009,6	1008,6	1008,2	1008,0	1007,7	1007,5	1008,0	1009,1	1009,8	1010,2	1007,2	1008,6	18
19	1009,8	1010,7	1010,9	1011,2	1010,6	1009,7	1009,0	1008,6	1008,9	1009,9	1010,1	1011,2	1011,2	1008,6	1010,0	19
20	1010,4	1010,5	1010,7	1010,8	1010,4	1009,6	1008,8	1008,0	1007,3	1007,2	1007,5	1007,3	1010,8	1007,2	1009,0	20
21	1007,1	1006,7	1006,9	1006,6	1006,2	1006,1	1006,2	1004,2	1004,5	1003,2	1003,0	1002,7	1007,3	1002,7	1005,3	21
22	1002,2	1001,4	1001,3	1001,3	1001,2	1000,8	1000,9	1001,2	1002,1	1001,5	1001,8	1002,7	1002,7	1000,8	1001,4	22
23	1002,0	1002,1	1002,6	1002,4	1004,1	1004,3	1004,0	1003,6	1003,4	1003,0	1003,6	1003,6	1004,3	1001,8	1003,2	23
24	1003,5	1003,3	1003,1	1003,1	1002,8	1002,3	1001,6	1000,0	998,4	996,6	996,1	995,0	1003,5	995,0	1000,5	24
25	994,5	993,3	992,6	992,7	993,3	993,6	994,2	994,8	995,1	995,8	996,3	996,7	996,7	992,4	994,4	25
26	997,3	998,1	998,6	999,0	998,2	998,4	997,5	997,7	996,5	995,9	995,4	994,7	999,0	994,7	997,3	26
27	994,3	995,1	994,8	994,6	994,3	993,8	993,7	993,7	994,4	995,1	997,4	998,3	998,3	993,5	995,0	27
28	999,1	999,3	999,9	999,3	998,4	997,7	996,8	995,9	994,3	993,1	992,8	992,2	999,9	992,2	996,6	28
29	991,6	991,7	991,0	989,5	988,3	986,6	986,6	987,0	986,8	986,9	987,2	987,1	992,2	986,5	988,4	29
30	986,3	987,0	987,4	987,9	988,2	988,0	988,3	988,8	989,2	989,9	990,2	990,8	990,8	986,9	988,6	30
MI	1003,1	1003,2	1003,4	1003,4	1003,1	1002,7	1002,2	1001,9	1001,6	1001,6	1002,1	1002,2	1005,4	999,7	1002,5	MM

OSLO - BLINDERN

JULI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	991,6	992,3	993,0	994,2	994,7	994,4	995,4	994,0	994,2	995,9	997,1	998,3	1000,6	991,6	994,7	1
2	999,0	999,3	999,3	1000,1	1000,6	999,0	999,2	998,4	997,9	997,7	997,0	996,6	1000,6	996,6	998,8	2
3	996,1	996,3	997,0	999,9	1000,7	1001,3	1002,0	1003,0	1003,7	1005,2	1006,9	1008,3	1008,3	996,1	1001,8	3
4	1009,5	1010,3	1010,7	1011,4	1011,3	1011,0	1010,6	1010,0	1009,8	1009,5	1009,9	1010,0	1011,7	1009,5	1010,3	4
5	1009,5	1010,1	1010,1	1010,0	1009,6	1009,2	1008,5	1007,6	1007,1	1006,7	1006,5	1006,8	1010,1	1006,5	1008,5	5
6	1007,0	1006,0	1007,0	1006,8	1005,0	1004,4	1003,3	1002,1	1001,4	1001,3	1001,0	1001,3	1007,0	1001,3	1004,0	6
7	1000,7	1000,3	1000,3	999,7	998,7	997,5	995,7	994,7	993,8	993,7	993,7	993,5	1001,3	993,5	996,9	7
8	992,3	992,1	992,2	991,7	991,1	991,8	992,3	992,3	992,3	992,7	993,4	993,4	993,4	991,4	992,4	8
9	993,1	993,0	993,0	992,8	993,0	993,2	993,3	992,9	992,1	993,8	994,3	994,7	994,7	992,1	993,3	9
10	995,0	996,0	996,8	997,3	997,0	998,1	999,1	1000,0	1000,2	1000,1	1002,7	1003,2	1003,2	994,7	998,8	10
11	1003,7	1004,3	1005,2	1005,8	1005,3	1005,9	1005,8	1005,8	1005,8	1006,1	1006,9	1007,6	1007,6	1003,2	1005,7	11
12	1007,6	1007,3	1007,9	1007,7	1007,2	1006,9	1006,2	1005,8	1005,2	1005,6	1006,0	1006,2	1008,0	1005,2	1006,7	12
13	1006,0	1006,0	1005,9	1005,9	1005,3	1004,7	1003,7	1003,3	1003,7	1003,7	1003,9	1004,0	1006,2	1003,3	1004,7	13
14	1003,7	1003,0	1003,7	1003,6	1002,1	1002,4	1001,7	1000,7	1000,2	999,6	999,5	998,9	1004,0	998,9	1001,6	14
15	998,2	997,7	997,7	997,8	998,1	998,0	998,8	999,2	998,9	998,9	999,1	999,1	999,3	997,6	998,5	15
16	998,4	997,7	997,8	997,7	997,0	998,1	999,4	998,2	998,5	998,7	999,4	999,8	999,8	997,7	998,4	16
17	999,8	1000,1	1000,4	1000,9	1000,0	1000,2	999,3	998,7	998,4	997,1	996,3	995,2	1000,9	995,2	998,9	17
18	994,1	993,3	991,9	990,5	988,3	987,7	985,4	984,9	984,0	983,3	983,5	982,0	995,2	982,0	987,5	18
19	981,5	981,1	981,2	981,1	981,4	981,2	981,2	981,1	981,2	981,3	981,5	981,4	982,0	980,9	981,3	19
20	981,1	981,1	981,1	981,1	981,4	981,0	981,2	980,9	981,3	981,5	982,2	982,4	982,4	980,9	981,4	20
21	982,4	982,5	982,6	983,3	983,1	983,4	983,5	984,3	984,9	985,7	986,3	986,7	986,7	982,2	984,1	21
22	987,0	987,0	988,4	989,0	989,8	989,7	989,5	989,6	990,6	991,8	992,2	992,9	992,9	986,7	989,9	22
23	993,6	994,1	994,8	995,5	995,8	995,6	995,4	995,4	995,0	994,8	995,1	995,5	995,8	992,9	995,1	23
24	995,8	995,3	996,1	996,5	996,4	996,6	996,0	995,0	995,3	995,9	996,6	997,1	997,1	995,3	996,1	24
25	997,2	997,3	997,2	997,6	995,7	998,0	998,0	997,9	997,8	998,8	998,3	999,6	999,6	995,7	997,8	25
26	1000,0	1000,3	1000,0	1001,9	1002,3	1002,7	1003,4	1003,2	1003,1	1003,5	1004,1	1004,8	1004,8	999,6	1002,5	26
27	1005,1	1006,0	1006,1	1006,6	1006,7	1006,2	1006,0	1005,5	1005,7	1005,7	1006,0	1006,1	1006,8	1004,8	1006,0	27
28	1006,1	1006,0	1006,0	1006,0	1006,1	1005,5	1004,5	1003,5	1002,9	1003,0	1003,0	1002,4	1006,3	1002,4	1004,6	28
29	1001,3	1000,3	999,3	999,3	998,3	997,5	996,4	995,1	994,1	993,2	992,5	991,9	1004,8	991,9	996,7	29
30	991,5	990,5	990,4	990,0	990,0	990,5	990,7	990,9	990,8	991,0	991,2	991,2	991,9	989,9	990,7	30
31	991,4	991,4	991,4	991,7	991,3	991,3	991,5	991,1	990,7	990,5	990,4	989,7	991,8	989,7	991,1	31
MI	997,1	997,3	997,7	997,0	997,7	997,6	997,3	997,0	996,8	997,0	997,3	997,4	999,8	995,1	997,4	MI

AUGUST 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	989,1	988,3	987,3	986,2	986,1	986,3	986,2	986,3	986,6	986,9	987,3	987,4	989,5	986,0	987,0	1
2	986,9	986,3	986,4	986,4	986,4	985,8	985,6	985,3	985,0	984,8	985,3	985,5	987,4	984,8	985,9	2
3	985,8	986,1	986,9	988,0	989,3	991,8	992,7	993,7	994,8	995,0	996,4	997,4	997,4	985,5	991,5	3
4	998,8	999,6	1000,7	1001,9	1002,1	1002,3	1002,4	1002,4	1002,2	1002,5	1003,3	1004,0	1004,0	997,4	1001,9	4
5	1004,8	1004,3	1005,2	1006,1	1006,3	1006,8	1006,2	1005,5	1005,4	1005,1	1005,6	1005,8	1006,9	1004,0	1005,7	5
6	1005,6	1005,6	1005,6	1005,4	1005,2	1004,8	1004,2	1003,6	1003,0	1003,0	1003,1	1003,0	1005,8	1003,0	1004,3	6
7	1002,7	1002,3	1002,0	1002,1	1002,2	1002,3	1002,0	1001,2	1000,6	1000,3	1000,0	999,8	1003,0	999,8	1001,5	7
8	998,7	998,1	997,9	997,6	997,0	998,3	997,8	997,2	996,5	994,9	994,0	993,1	999,8	993,1	996,9	8
9	991,9	990,7	989,8	989,6	990,5	989,5	989,9	989,7	989,5	989,5	989,8	990,7	993,1	989,5	990,1	9
10	991,7	992,3	993,1	993,5	994,2	994,5	994,7	994,5	994,8	995,8	995,9	995,6	996,1	990,7	994,2	10
11	994,2	994,2	994,0	994,3	994,1	994,3	994,6	994,0	994,0	994,5	995,2	995,9	995,9	994,0	994,4	11
12	996,5	997,3	998,2	999,3	1000,7	1001,2	1001,9	1002,6	1002,8	1003,6	1004,0	1004,3	1004,3	995,9	1001,0	12
13	1004,3	1004,3	1004,8	1005,0	1005,7	1005,3	1005,7	1005,3	1005,2	1005,1	1004,8	1004,2	1005,9	1004,2	1005,1	13
14	1003,8	1003,0	1002,0	1001,4	1001,0	999,6	998,3	996,3	995,1	994,5	993,9	993,1	1004,2	993,1	998,5	14
15	993,9	993,1	992,3	992,9	993,2	994,0	994,8	995,7	996,6	998,3	999,5	1000,9	1000,9	992,6	995,5	15
16	1002,1	1003,1	1004,5	1005,3	1005,1	1006,2	1006,6	1006,9	1006,9	1007,0	1007,9	1007,8	1008,0	1000,9	1005,9	16
17	1007,3	1007,0	1006,4	1005,7	1004,7	1004,2	1003,7	1002,5	1002,5	1002,9	1004,4	1005,7	1008,1	1002,4	1004,8	17
18	1006,8	1007,7	1008,8	1009,4	1010,0	1010,1	1009,8	1009,2	1008,7	1008,6	1008,7	1009,0	1010,1	1005,7	1008,9	18
19	1008,0	1008,7	1008,1	1007,5	1006,3	1006,4	1004,9	1004,4	1004,0	1003,7	1003,5	1002,8	1009,0	1002,8	1005,8	19
20	1002,5	1002,0	1001,8	1001,8	1001,5	1000,9	999,8	998,8	998,4	998,1	997,8	997,1	1002,8	996,1	1000,0	20
21	996,1	995,0	994,8	994,2	993,6	992,1	991,6	991,2	989,7	988,2	988,4	988,7	997,1	988,2	992,1	21
22	989,7	990,1	991,3	992,0	992,7	993,0	993,1	993,3	993,3	993,6	993,8	994,3	994,3	988,7	992,5	22
23	994,3	994,3	994,7	995,5	996,2	995,9	996,0	995,9	996,0	996,7	997,1	997,3	997,3	994,3	995,8	23
24	997,2	997,0	997,2	997,4	997,9	997,7	997,1	997,2	997,4	998,4	998,8	999,5	999,5	997,0	997,7	24
25	999,5	999,7	999,9	1000,6	1000,5	1000,2	999,7	998,8	998,8	998,8	999,2	998,8	1000,6	998,8	999,5	25
26	998,1	998,2	998,2	997,3	996,7	995,5	994,4	993,5	992,7	992,3	992,0	990,4	998,8	990,4	995,0	26
27	989,3	988,3	988,1	988,7	988,0	989,4	990,3	990,6	992,2	991,6	992,4	993,0	993,0	988,4	990,3	27
28	993,3	994,1	995,3	996,1	996,3	996,7	997,0	997,8	997,5	999,1	999,9	1000,9	1000,9	993,0	997,1	28
29	1001,6	1002,1	1003,3	1004,4	1004,1	1004,3	1004,5	1004,1	1003,7	1003,6	1003,6	1003,6	1004,6	1000,9	1003,6	29
30	1003,6	1003,6	1003,5	1004,2	1003,6	1003,9	1004,0	1003,6	1003,4	1004,1	1005,0	1005,4	1005,4	1003,3	1004,0	30
31	1006,3	1007,1	1008,5	1009,4	1010,1	1010,0	1009,4	1009,0	1008,4	1008,4	1008,5	1008,5	1010,1	1005,4	1008,7	31
MI	998,3	998,3	998,4	998,7	998,9	998,8	998,7	998,4	998,2	998,4	998,7	998,8	1001,1	995,8	998,6	MI

SEPTEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	1008,2	1007,0	1007,7	1007,7	1007,3	1007,0	1006,7	1005,8	1005,1	1004,4	1003,9	1004,7	1008,4	1003,9	1006,4	1
2	1003,4	1002,7	1002,5	1002,5	1002,6	1002,2	1002,0	1001,5	1000,8	1000,5	999,7	998,5	1003,9	998,5	1001,6	2
3	996,6	995,0	994,2	994,2	994,2	995,1	995,4	996,2	996,5	996,5	997,3	997,7	998,5	994,1	995,8	3
4	997,5	997,6	997,6	997,6	998,0	997,1	996,5	996,4	998,3	999,7	1000,7	1002,0	1002,0	996,3	998,3	4
5	1003,2	1003,6	1004,3	1004,8	1005,7	1005,6	1005,3	1005,1	1004,8	1005,4	1005,5	1005,7	1005,9	1002,0	1004,9	5
6	1005,7	1006,3	1006,6	1007,3	1007,6	1007,5	1007,5	1007,0	1006,9	1007,0	1007,1	1007,2	1007,8	1005,7	1007,0	6
7	1007,3	1007,2	1006,8	1007,4	1008,0	1007,8	1007,7	1007,6	1008,2	1008,1	1008,1	1007,7	1008,3	1006,8	1007,7	7
8	1007,3	1006,7	1006,4	1006,3	1006,2	1005,5	1005,1	1004,5	1004,2	1004,2	1003,4	1003,3	1007,7	1003,3	1005,3	8
9	1003,2	1003,3	1003,2	1003,2	1003,3	1003,4	1003,2	1002,7	1002,4	1002,5	1002,5	1002,4	1003,5	1002,3	1003,0	9
10	1001,6	1001,5	1000,0	999,3	998,3	997,0	997,2	996,3	995,7	995,9	995,4	994,6	1002,4	994,6	997,8	10
11	993,1	992,5	991,5	989,6	987,7	984,0	982,1	983,4	985,6	987,5	989,3	991,1	994,6	981,7	988,1	11
12	992,1	993,6	994,5	996,0	997,3	997,3	997,0	996,3	995,8	994,7	994,0	991,5	997,4	991,5	995,1	12
13	987,0	983,7	980,8	978,0	977,9	976,4	974,0	973,9	975,0	979,7	984,4	986,4	991,5	973,7	979,9	13
14	988,1	988,0	990,1	991,0	992,2	992,1	991,7	991,3	991,1	991,4	991,9	992,9	992,9	986,4	991,1	14
15	994,1	995,0	996,6	998,0	999,0	999,5	1000,1	1001,2	1002,2	1004,3	1006,2	1007,0	1007,0	992,9	1000,3	15
16	1007,1	1007,1	1006,7	1006,0	1004,7	1002,6	1000,1	997,6	1005,7	994,2	991,5	989,5	1007,4	989,5	1001,1	16
17	986,1	985,1	984,2	983,1	983,1	983,2	982,4	981,8	981,2	980,6	980,0	988,6	989,5	980,0	983,3	17
18	977,1	976,1	974,8	974,1	973,3	973,8	973,7	973,9	974,7	976,4	977,8	979,6	979,6	973,6	975,5	18
19	988,6	982,7	983,8	984,0	984,3	985,0	985,9	986,8	987,7	989,7	990,4	991,4	991,4	979,6	986,7	19
20	992,7	993,3	994,0	994,0	994,3	993,0	991,3	989,6	986,0	984,3	983,7	983,3	994,3	983,3	990,0	20
21	981,1	979,3	978,2	978,0	978,5	980,5	982,0	983,1	983,9	985,6	986,8	987,7	987,7	977,8	982,1	21
22	988,7	990,6	992,6	995,3	997,3	998,6	1000,1	1000,8	1002,0	1003,0	1004,5	1005,2	1005,2	987,7	998,2	22
23	1005,8	1005,1	1004,9	1004,8	1004,2	1003,5	1002,7	1001,9	1001,9	1002,0	1001,8	1001,8	1005,8	1001,8	1003,4	23
24	1001,0	1002,1	1002,6	1004,7	1005,3	1005,0	1005,3	1004,3	1004,8	1005,5	1005,7	1006,6	1006,8	1001,8	1004,5	24
25	1005,2	1004,2	1003,7	1003,3	1002,6	1002,1	1001,2	1000,7	999,6	997,7	996,6	994,5	1005,6	994,5	1001,0	25
26	992,2	990,0	990,1	990,2	991,2	991,7	993,6	994,4	995,5	996,6	997,0	996,9	997,0	990,1	993,4	26
27	995,0	993,9	993,1	993,1	993,1	992,7	993,3	995,3	998,3	1000,0	1002,4	1003,6	1003,6	992,7	996,2	27
28	1005,1	1006,0	1007,1	1008,2	1009,0	1008,9	1009,0	1008,3	1007,0	1006,4	1005,0	1004,0	1009,1	1003,6	1007,0	28
29	1004,1	1005,8	1008,2	1010,1	1011,1	1011,0	1011,9	1011,5	1012,3	1013,1	1013,9	1014,7	1014,7	1004,0	1010,7	29
30	1015,6	1016,0	1016,4	1017,0	1017,6	1016,8	1016,0	1015,7	1015,6	1016,0	1017,0	1017,7	1017,7	1014,7	1016,5	30
MI	997,0	997,5	997,4	997,7	997,0	997,6	997,3	997,2	997,6	997,8	998,1	998,6	1001,5	993,6	997,7	MI

REGISTRERINGER AV LUFTTRYKK P (RECORDS OF ATMOSPHERIC PRESSURE P).

OSLO - BLINDERN

OKTOBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	1019,0	1019,2	1020,1	1020,5	1021,2	1021,0	1020,4	1020,1	1020,1	1021,0	1021,8	1022,7	1022,7	1018,2	1020,6	1
2	1023,2	1023,3	1023,9	1024,6	1025,1	1025,1	1024,6	1023,8	1022,8	1022,9	1022,8	1022,7	1025,3	1022,7	1023,8	2
3	1022,1	1021,6	1020,9	1020,4	1019,3	1018,8	1017,6	1016,0	1015,0	1014,0	1013,4	1012,5	1022,7	1012,5	1017,7	3
4	1011,5	1010,3	1009,8	1009,6	1009,0	1008,1	1006,9	1006,6	1007,0	1007,7	1009,3	1009,9	1012,5	1006,6	1008,9	4
5	1010,4	1011,6	1012,7	1013,8	1014,7	1014,5	1013,8	1013,6	1013,6	1014,5	1014,9	1015,5	1015,5	1009,9	1013,6	5
6	1015,5	1014,0	1014,3	1014,8	1015,1	1014,7	1013,7	1013,3	1012,5	1012,2	1011,6	1011,7	1015,5	1011,6	1013,7	6
7	1011,1	1010,4	1010,1	1010,3	1010,5	1010,4	1009,7	1009,4	1009,5	1009,4	1009,4	1008,9	1011,7	1008,9	1009,9	7
8	1008,4	1007,0	1007,4	1007,3	1007,2	1007,7	1006,3	1005,7	1005,7	1005,6	1005,6	1005,5	1008,9	1005,5	1006,7	8
9	1005,3	1004,6	1004,1	1004,4	1004,2	1003,6	1003,0	1001,5	1001,1	1000,2	999,9	998,8	1005,5	998,8	1002,6	9
10	997,4	996,0	995,0	994,3	994,8	995,1	995,1	995,3	995,6	995,2	995,1	993,9	998,8	993,9	995,3	10
11	992,0	990,1	988,7	987,9	987,3	987,3	987,0	988,1	988,9	990,0	990,8	991,5	993,9	987,0	989,2	11
12	991,7	992,1	992,7	993,4	994,3	994,1	993,3	993,1	992,4	992,3	992,1	991,1	994,3	991,1	992,7	12
13	990,5	990,4	991,0	991,4	992,1	992,0	991,7	992,1	992,5	992,4	992,4	993,0	993,5	990,3	991,8	13
14	991,3	991,1	991,1	991,1	990,3	990,5	989,3	987,9	986,6	986,3	986,6	985,9	993,0	985,9	989,1	14
15	986,1	987,2	988,2	989,9	991,1	991,7	992,4	992,5	993,0	993,6	993,6	993,0	993,6	985,9	991,0	15
16	991,2	989,0	989,9	989,4	988,4	988,6	988,8	989,2	990,1	991,8	992,9	993,9	993,9	988,4	990,3	16
17	995,1	996,2	996,3	998,7	1000,1	1000,4	1000,0	998,9	998,8	997,8	997,0	997,1	1000,4	993,9	998,1	17
18	996,1	994,4	994,6	994,1	993,2	994,3	996,2	998,2	1001,4	1003,1	1004,4	1005,8	1005,8	993,1	998,0	18
19	1006,3	1005,1	1005,6	1005,2	1002,2	1000,0	997,1	994,9	994,0	993,2	993,2	993,4	1006,3	993,2	999,3	19
20	993,3	993,4	993,1	993,3	992,7	993,2	993,6	994,4	996,3	997,5	998,6	999,8	999,8	992,7	995,0	20
21	1000,5	1001,0	1002,6	1004,3	1006,6	1009,0	1010,9	1013,2	1015,7	1017,8	1019,2	1020,8	1020,8	999,8	1010,2	21
22	1021,5	1021,0	1022,5	1023,2	1023,1	1022,9	1022,6	1022,0	1021,9	1022,1	1022,4	1022,5	1023,3	1020,8	1022,4	22
23	1022,3	1021,8	1021,7	1021,7	1022,3	1022,2	1021,5	1021,0	1020,6	1021,3	1021,8	1022,4	1022,7	1020,6	1021,7	23
24	1022,3	1022,4	1022,6	1023,7	1024,3	1024,0	1023,5	1023,3	1023,7	1024,2	1024,5	1024,8	1024,8	1022,3	1023,6	24
25	1024,5	1024,1	1023,9	1024,2	1024,0	1024,3	1023,8	1023,3	1023,2	1023,4	1023,5	1023,0	1024,9	1023,0	1023,8	25
26	1022,7	1022,4	1022,6	1022,9	1023,0	1022,4	1021,4	1020,5	1020,2	1020,3	1020,3	1019,6	1023,0	1019,6	1021,5	26
27	1019,3	1018,7	1018,7	1018,7	1018,6	1017,9	1017,2	1016,5	1016,2	1016,4	1017,1	1016,5	1019,6	1016,0	1017,7	27
28	1016,1	1015,3	1015,5	1015,5	1015,3	1015,6	1014,5	1014,2	1013,9	1013,7	1013,3	1012,7	1016,5	1012,7	1014,7	28
29	1011,5	1011,0	1010,8	1010,5	1010,3	1010,1	1009,9	1009,8	1009,7	1009,9	1009,9	1009,8	1012,7	1009,6	1010,3	29
30	1009,7	1009,5	1010,2	1010,4	1010,3	1010,4	1009,7	1009,7	1010,1	1010,2	1010,2	1010,0	1010,6	1009,4	1010,1	30
31	1009,2	1008,2	1008,2	1008,1	1008,1	1008,2	1007,8	1007,2	1007,4	1007,6	1007,7	1007,4	1010,0	1006,7	1007,9	31
MI	1007,7	1007,4	1007,4	1007,6	1007,3	1007,7	1007,2	1006,9	1007,1	1007,3	1007,6	1007,6	1010,4	1004,9	1007,5	IM

NOVEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	1007,3	1007,1	1006,8	1006,8	1007,4	1007,3	1006,8	1006,8	1006,9	1007,0	1007,2	1007,3	1007,4	1006,8	1007,1	1
2	1007,4	1007,3	1008,3	1009,6	1010,0	1011,9	1013,2	1014,7	1016,3	1017,5	1018,6	1019,1	1019,1	1007,3	1012,9	2
3	1019,6	1019,3	1019,3	1018,5	1017,7	1016,3	1014,7	1012,3	1009,5	1005,6	1002,1	998,9	1019,9	998,9	1012,9	3
4	993,5	988,9	985,2	983,3	983,8	984,0	983,2	982,1	980,9	979,3	977,5	976,1	998,9	976,1	983,2	4
5	975,1	973,0	973,0	972,8	972,7	972,7	971,5	970,9	970,6	970,4	970,0	969,5	976,1	969,5	971,9	5
6	968,5	968,1	968,2	967,6	968,3	968,3	968,6	969,1	970,0	970,7	971,4	971,8	971,8	967,6	969,2	6
7	972,6	973,3	973,8	974,6	975,3	975,4	975,2	974,7	974,2	973,7	973,3	973,2	975,5	971,8	974,1	7
8	973,1	973,0	973,4	975,6	976,7	977,3	977,5	978,3	978,3	978,5	979,2	979,7	979,7	973,1	976,7	8
9	980,3	981,0	981,3	982,6	983,9	984,4	985,1	986,1	987,2	988,0	988,8	988,9	988,9	979,7	984,8	9
10	990,5	991,6	992,4	993,6	994,4	995,1	995,6	996,3	997,1	997,2	997,4	997,6	997,6	988,9	994,9	10
11	997,7	996,0	996,2	995,7	994,4	993,2	992,2	993,2	994,2	995,1	994,9	995,6	997,7	992,2	994,9	11
12	995,2	994,3	993,9	993,3	991,7	989,1	985,3	984,3	983,3	982,1	981,5	981,4	995,6	981,2	988,1	12
13	982,5	983,3	983,7	984,1	984,7	984,3	983,8	983,2	983,0	982,9	982,5	982,9	984,7	981,4	983,4	13
14	983,5	983,9	985,0	985,7	986,7	987,3	987,7	987,8	988,5	988,9	989,7	990,5	990,5	982,9	987,1	14
15	990,7	991,2	991,8	992,7	993,3	992,9	994,3	994,6	995,9	995,8	995,8	996,8	996,9	990,5	993,8	15
16	997,3	997,3	997,2	997,2	998,0	998,0	993,8	994,9	993,3	992,6	991,5	990,1	998,0	990,1	995,4	16
17	989,4	988,8	988,6	988,9	989,8	990,6	991,7	992,2	993,3	994,5	994,7	993,0	994,8	988,6	991,3	17
18	991,5	991,4	990,9	990,8	991,6	992,5	992,0	993,9	994,9	996,5	998,0	999,3	999,3	990,8	993,6	18
19	999,7	999,3	999,7	999,9	1000,3	1000,4	1000,9	1001,8	1003,3	1004,7	1006,4	1008,0	1008,0	999,3	1002,1	19
20	1009,2	1010,3	1011,7	1013,4	1014,3	1015,4	1016,3	1016,8	1017,6	1017,7	1018,4	1018,2	1018,4	1008,0	1015,0	20
21	1018,1	1017,7	1018,0	1017,6	1017,3	1016,3	1013,3	1014,3	1013,1	1011,6	1010,3	1009,2	1018,2	1009,2	1014,9	21
22	1007,5	1006,0	1005,0	1003,9	1002,3	1002,2	1002,0	1001,9	1001,2	999,3	996,7	994,5	1009,2	994,5	1001,9	22
23	994,1	993,1	992,7	994,1	995,7	996,4	996,3	996,7	996,5	996,4	995,8	994,7	996,7	992,7	995,2	23
24	993,7	992,0	992,0	992,2	993,1	993,3	993,3	993,7	994,5	995,2	996,2	996,9	996,9	992,0	993,9	24
25	997,3	997,2	997,1	996,9	996,0	996,8	996,5	995,7	994,3	991,1	987,1	982,6	997,5	982,6	994,1	25
26	981,5	981,1	981,4	980,9	979,1	976,8	973,7	971,6	972,2	974,5	976,6	979,2	982,6	971,6	977,4	26
27	981,0	984,0	988,3	991,1	994,1	997,6	999,7	1002,3	1003,6	1005,9	1007,0	1007,2	1007,2	979,2	996,8	27
28	1007,6	1007,6	1008,1	1007,6	1007,0	1006,9	1006,3	1005,0	1003,8	1002,8	1001,3	1000,1	1008,1	1000,1	1005,4	28
29	997,3	997,0	995,2	993,7	991,2	988,9	985,1	984,6	984,7	985,4	987,0	988,6	1000,1	984,2	990,0	29
30	990,0	990,2	990,1	990,3	990,3	990,4	990,0	988,4	987,2	985,6	984,6	983,1	991,1	983,1	988,4	30
MI	993,1	993,0	993,0	993,2	993,3	993,4	993,1	992,9	993,0	992,9	992,7	992,5	997,5	987,8	993,0	IM

DESEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	982,1	981,3	980,9	981,5	982,4	984,1	985,5	987,1	988,7	989,0	989,7	989,9	990,4	980,9	985,2	1
2	989,3	988,3	987,4	986,8	986,0	986,3	986,1	986,6	987,4	988,4	989,3	990,3	990,3	986,1	987,8	2
3	990,5	990,7	991,2	992,4	993,6	994,4	994,4	993,9	993,1	991,5	990,7	989,1	994,4	989,1	992,1	3
4	989,1	991,0	993,8	995,3	997,1	998,2	998,1	995,3	994,7	990,3	993,7	978,7	998,4	978,7	993,0	4
5	974,5	975,2	976,3	978,0	979,1	979,4	979,0	978,7	979,5	980,1	981,4	983,1	983,1	974,3	978,7	5
6	984,0	983,0	984,5	984,8	985,7	986,0	989,2	990,1	990,2	990,2	989,0	987,1	990,8	983,1	987,3	6
7	985,3	987,7	989,0	990,3	991,1	991,9	993,1	994,2	995,5	996,9	997,9	998,0	998,0	985,2	992,6	7
8	999,1	999,3	999,4	999,6	999,8	999,9	999,3	998,1	998,1	997,5	997,2	996,2	999,9	996,2	998,7	8
9	995,5	994,0	994,7	991,6	994,3	994,5	993,8	992,3	992,4	991,6	990,7	990,0	996,2	990,0	993,3	9
10	988,5	987,0	985,6	984,5	984,1	984,0	983,5	983,7	984,6	985,4	985,6	985,5	990,0	983,4	985,2	10
11	985,5	985,0	986,0	986,2	987,3	988,4	989,0	990,3	991,5	993,6	994,5	996,5	996,5	985,5	989,6	11
12	998,1	999,7	1000,7	1003,2	1003,7	1005,4	1006,6	1008,0	1008,4	1009,2	1009,2	1010,5	1010,5	996,5	1005,3	12
13	1011,1	1011,2	1010,9	1010,5	1010,1	1010,0	1009,2	1008,4	1008,0	1007,7	1007,8	1006,8	1011,2	1006,8	1009,3	13
14	1006,1	1006,0	1005,8	1005,8	1005,9	1005,8	1005,0	1004,7	1004,1	1003,3	1002,9	1001,9	1006,8	1001,9	1004,8	14
15	1001,1	1000,1	998,6	997,7	995,7	994,9	993,0	991,1	989,5	988,0	987,0	986,9	1001,9	986,9	993,7	15
16	986,7	986,9	986,8	987,0	987,3	988,2	987,2	988,3	988,3	988,0	987,8	986,5	988,3	986,5	987,5	16
17	986,7	981,9	982,4	979,3	977,3	976,2	974,2	973,7	973,8	973,7	974,3	974,8	987,5	973,6	977,7	17
18	975,5	976,7	978,3	979,9	981,6	982,5	983,4	984,2	985,3	986,3	987,2	988,5	988,5	974,8	982,5	18
19	989,0	989,2	989,3	989,7	990,2	990,5	990,6	992,4	994,1	995,2	996,4	997,1	997,1	988,5	992,0	19
20	998,4	1000,1	1002,6	1004,5	1007,3	1009,3	1009,4	1011,3	1011,6	1013,7	1014,7	1015,3	1015,3	997,1	1008,2	20
21	1016,3	1016,1	1016,3	1016,4	1017,4	1017,5	1017,1	1016,5	1016,7	1016,8	1016,6	1015,4	1017,6	1015,3	1016,6	21
22	1014,9	1013,0	1013,1	1012,4	1012,2	1011,0	1010,7	1008,4	1009,2	1005,8	1004,5	1002,5	1015,4	1002,5	1010,1	22
23	1000,9	1000,0	998,2	997,1	996,5	995,7	994,2	993,7	992,1	992,3	992,4	994,1	1002,5	992,1	995,6	23
24	993,5	994,8	996,1	997,2	998,5	1000,2	1001,0	1002,2	1003,3	1004,1	1004,9	1005,7	1005,7	993,6	1000,1	24
25	1005,1	1006,7	1006,8	1006,9	1007,5	1007,6	1007,4	1007,4	1007,4	1007,5	1007,4	1007,4	1007,7	1005,1	1007,1	25
26	1007,3	1007,3	1006,6	1007,5	1007,3	1008,4	1008,7	1008,5	1008,2	1007,4	1006,1	1005,5	1008,7	1005,5	1007,4	26
27	1004,3	1004,1	1004,4	1003,6	1003,2	1002,3	1001,8	999,7	996,6	992,8	987,7	985,3	1005,5	985,3	998,9	27
28	983,1	981,1	979,7	979,3	980,4	981,9	982,5	983,2	983,7	983,2	983,6	983,6	985,3	979,2	982,1	28
29	982,8	982,3	981,5	981,0	980,5	979,6	978,2	977,8	977,7	977,8	978,8	979,8	983,6	977,7	979,8	29
30	980,5	981,4	982,2	983,3	984,3	985,5	985,8	985,9	986,2	986,7	986,4	986,4	986,9	979,8	984,6	30
31	986,5	986,5	986,7	987,2	987,3	987,7	987,6	987,6	987,8	988,1	987,6	987,5	988,1	986,4	987,4	31
MI	993,1	993,4	993,5	993,7	994,2	994,5	994,3	994,3	994,4	994,3	994,3	993,7	998,1	989,3	994,0	IM

OSLO - BLINDERN

REGISTRERINGER AV LUFTTEMPERATUR T (RECORDS OF TEMPERATURE T).

JANUAR 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	-22,4	-22,9	-23,3	-21,2	-23,7	-19,5	-17,5	-13,4	-15,9	-15,1	-14,5	-14,4	-14,4	-24,5	-19,3	1
2	-14,4	-13,9	-13,1	-13,1	-12,1	- 9,9	- 6,3	- 6,5	- 6,4	- 3,7	- 5,8	- 6,2	- 5,2	-14,5	- 9,4	2
3	- 6,1	- 6,2	- 6,6	- 8,3	-10,4	- 7,3	- 7,8	- 9,2	-11,3	-12,5	-13,2	-14,8	- 6,1	-14,8	- 9,6	3
4	-15,2	-15,4	-15,9	-17,5	-17,5	-14,9	-12,9	-13,5	-15,3	-13,6	-14,5	-15,9	-12,7	-17,6	-15,3	4
5	-16,4	-15,8	-16,1	-13,1	-15,0	-13,1	-13,7	-15,2	-15,4	-13,4	-14,4	-13,5	-13,0	-16,8	-14,9	5
6	-13,3	-12,9	-12,6	-11,5	-10,7	- 9,7	- 9,3	- 8,3	- 7,9	- 7,2	- 6,5	- 4,3	- 4,3	-13,3	- 9,6	6
7	0,6	1,6	2,4	2,0	2,1	2,4	2,5	2,8	2,5	3,5	2,0	1,5	3,7	0,6	2,2	7
8	0,8	- 0,1	0,7	- 1,3	- 3,1	- 2,1	- 0,5	- 3,0	- 3,1	- 1,4	- 1,3	- 1,8	0,9	- 3,2	- 1,4	8
9	- 3,1	- 4,1	- 5,3	- 6,3	- 5,7	- 1,9	- 2,9	- 3,1	- 6,0	- 7,2	- 7,9	- 6,3	- 2,9	- 8,9	- 5,4	9
10	- 6,0	- 6,3	- 5,8	- 5,0	- 5,4	- 3,2	- 5,0	- 3,0	- 4,3	- 1,3	- 4,1	- 4,2	- 4,1	- 6,1	- 5,1	10
11	- 3,3	- 3,4	- 3,5	- 3,0	- 2,4	- 2,6	- 2,1	- 2,0	- 1,9	- 1,8	- 2,0	- 1,9	- 1,7	- 3,5	- 2,5	11
12	- 2,0	- 2,2	- 1,8	- 1,9	- 2,2	- 2,3	- 3,1	- 3,1	- 3,6	- 1,1	- 4,7	- 5,0	- 1,6	- 5,0	- 3,0	12
13	- 5,0	- 5,0	- 5,0	- 5,2	- 5,1	- 1,9	- 4,1	- 5,1	- 6,2	- 3,3	- 5,1	- 4,3	- 4,1	- 6,3	- 5,0	13
14	- 4,2	- 4,3	- 4,7	- 4,3	- 4,5	- 1,0	- 3,8	- 3,7	- 6,6	- 3,6	- 9,3	-10,5	- 3,7	-10,5	- 5,7	14
15	-11,9	-12,4	-13,5	-13,0	-13,6	-11,4	- 8,1	- 7,8	-11,9	-12,6	-13,2	-11,2	- 8,1	-13,7	-11,8	15
16	- 9,7	- 9,2	- 8,3	- 8,1	- 7,9	- 7,1	- 5,8	- 4,8	- 4,5	- 3,7	- 3,5	- 3,6	- 3,5	- 9,7	- 6,3	16
17	- 3,5	- 4,2	- 4,3	- 5,1	- 5,0	- 4,1	- 4,1	- 3,1	- 5,5	- 7,1	- 8,7	- 9,4	- 3,5	- 9,4	- 5,5	17
18	- 7,5	- 6,4	- 4,8	- 4,3	- 1,2	- 0,9	- 1,0	- 0,4	- 0,2	- 0,7	- 0,5	- 0,2	- 0,9	- 7,5	- 2,0	18
19	- 0,6	- 1,6	- 2,0	- 2,0	- 2,3	- 1,3	- 1,3	- 2,1	- 2,6	- 3,0	- 3,0	- 3,3	- 0,6	- 3,3	- 2,1	19
20	- 3,6	- 3,8	- 3,8	- 4,3	- 4,1	- 3,0	- 4,2	- 5,7	- 8,3	- 6,6	- 4,5	- 4,0	- 3,9	- 8,8	- 4,7	20
21	- 3,8	- 3,9	- 3,7	- 4,0	- 4,0	- 4,0	- 4,0	- 4,8	- 5,3	- 1,6	- 4,6	- 4,6	- 3,7	- 5,5	- 4,3	21
22	- 4,6	- 4,5	- 4,7	- 5,5	- 6,0	- 5,3	- 4,5	- 5,9	- 6,4	- 5,6	- 6,8	- 6,8	- 4,4	- 6,8	- 5,7	22
23	- 6,9	- 6,8	- 6,7	- 7,9	- 8,0	- 7,2	- 6,9	- 6,9	- 6,8	- 5,5	- 6,5	- 6,8	- 6,5	- 8,1	- 7,0	23
24	- 6,8	- 6,7	- 6,9	- 7,2	- 7,2	- 7,1	- 7,0	- 7,3	- 7,3	- 7,2	- 7,3	- 8,2	- 6,8	- 8,2	- 7,2	24
25	- 9,4	-10,0	-11,3	-11,4	-11,8	-11,5	-11,9	-12,5	-13,1	-13,5	-13,8	-14,5	- 9,3	-14,5	-12,1	25
26	-14,9	-16,1	-16,3	-17,5	-16,9	-15,4	-14,2	-13,9	-14,0	-13,4	-13,4	-13,2	-13,1	-17,7	-14,9	26
27	-13,1	-13,2	-13,4	-15,5	-16,9	-14,3	-12,5	-12,7	-13,6	-13,4	-13,3	-13,8	-12,5	-16,9	-13,8	27
28	-13,2	-12,1	-10,9	-11,7	-10,6	-10,2	- 9,9	-10,5	-11,1	-11,3	- 9,9	- 9,9	- 9,3	-13,2	-10,8	28
29	- 9,9	-10,2	-10,8	-11,0	-10,4	- 9,5	- 8,7	- 8,0	- 8,0	- 7,9	- 8,2	- 7,2	- 7,2	-11,3	- 9,2	29
30	- 7,1	- 7,2	- 6,8	- 7,5	- 8,5	- 9,1	- 8,5	- 9,1	-10,5	-11,0	-11,5	-12,3	- 6,8	-12,3	- 9,1	30
31	-13,3	-12,5	-12,3	-11,8	-10,2	- 8,1	- 7,0	- 7,0	- 8,1	- 9,0	-10,3	-11,6	- 7,0	-13,3	-10,1	31
MI	- 8,1	- 8,1	- 8,1	- 8,5	- 8,4	- 7,4	- 6,6	- 7,2	- 7,7	- 7,6	- 7,8	- 7,8	- 5,6	-10,5	- 7,8	MI

FEBRUAR 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	-13,0	-11,9	-10,4	- 9,4	- 8,5	- 5,1	- 7,5	- 8,6	- 8,5	- 5,4	- 8,4	- 8,4	- 7,3	-13,0	- 9,3	1
2	- 8,4	- 8,6	-10,7	-11,6	-12,0	- 5,4	- 7,2	- 7,9	-10,3	-11,4	-12,7	-14,0	- 7,2	-14,0	-10,3	2
3	-13,0	-10,9	-11,5	-13,3	- 9,5	- 5,2	- 7,0	- 5,8	- 4,0	- 1,0	- 4,1	- 4,6	- 4,0	-13,0	- 7,7	3
4	- 8,2	- 8,7	-10,7	-12,2	-10,7	- 5,2	- 5,3	- 7,0	- 8,3	-11,4	-11,0	-12,6	- 5,3	-13,1	- 9,4	4
5	-12,9	-14,3	-14,7	-11,6	-14,0	-11,1	- 8,1	- 8,0	-12,2	-12,8	-13,4	-14,2	- 7,7	-15,4	-12,6	5
6	-14,4	-14,7	-14,7	-14,6	-12,4	- 5,2	- 6,1	- 7,1	- 9,1	- 3,3	- 8,4	- 8,3	- 6,1	-14,7	-10,6	6
7	- 7,8	- 7,9	- 7,5	- 5,3	- 6,5	- 1,1	- 0,7	- 1,9	- 2,5	- 1,3	- 3,4	- 3,4	- 0,5	- 7,9	- 4,6	7
8	- 3,9	- 4,7	- 6,3	- 7,4	- 3,8	- 1,2	0,5	- 1,2	- 5,4	- 2,9	- 6,6	- 4,7	0,7	- 7,8	- 4,0	8
9	- 4,7	- 5,1	- 8,5	- 9,7	- 2,8	0,1	1,0	1,2	0,0	- 0,8	- 1,6	- 1,5	1,6	- 9,8	- 2,7	9
10	- 4,1	- 6,7	- 7,8	- 9,2	- 6,6	- 1,7	1,7	2,0	- 1,8	- 1,6	- 6,3	- 7,6	2,4	- 9,2	- 4,4	10
11	- 8,6	- 9,3	- 9,7	-11,1	- 9,9	- 3,0	- 2,2	- 2,2	- 5,4	- 3,6	-10,1	-11,5	- 1,4	-11,5	- 7,9	11
12	-12,8	-12,1	-12,6	-13,7	-12,9	-10,5	- 8,3	- 8,4	-10,4	-11,8	-12,4	-10,5	- 7,6	-13,9	-11,4	12
13	- 3,5	- 2,8	- 3,7	- 4,9	- 5,2	- 0,9	- 6,8	- 8,4	-11,2	-12,8	-12,8	-13,7	- 2,0	-13,7	- 7,7	13
14	-14,6	-14,9	-15,4	-15,2	-14,2	-12,6	-10,7	-10,8	-12,4	-12,4	-12,4	-14,3	-10,6	-15,5	-13,3	14
15	-14,5	-17,9	-17,5	-17,3	-15,6	-13,7	- 7,4	- 7,4	-10,8	-12,5	-11,4	-11,3	- 6,6	-17,8	-12,9	15
16	-12,5	-14,7	-15,8	-16,0	-13,8	- 3,7	- 7,4	- 7,2	- 9,8	-12,6	-12,8	-14,3	- 6,7	-16,6	-12,2	16
17	-14,8	-15,3	-15,0	-13,7	-13,9	- 8,4	- 4,5	- 4,3	- 6,6	- 6,8	- 6,4	- 6,1	- 3,6	-15,9	- 9,8	17
18	- 6,7	- 6,5	- 6,6	- 6,3	- 5,6	- 1,2	- 3,4	- 3,7	- 3,2	- 3,1	- 3,5	- 6,2	- 3,1	- 7,2	- 4,9	18
19	- 4,6	- 4,1	- 4,1	- 1,6	- 4,6	- 4,2	- 3,4	- 3,4	- 4,1	- 1,1	- 4,0	- 4,0	- 3,3	- 8,4	- 4,1	19
20	- 3,8	- 3,8	- 4,2	- 3,5	- 3,1	- 2,7	- 2,2	- 2,2	- 2,3	- 2,4	- 2,4	- 2,5	- 2,0	- 4,3	- 2,9	20
21	- 2,6	- 3,0	- 3,0	- 3,3	- 3,3	- 3,2	- 3,3	- 3,4	- 3,6	- 3,6	- 3,5	- 3,7	- 2,6	- 3,7	- 3,3	21
22	- 3,9	- 4,3	- 4,7	- 4,3	- 4,9	- 3,1	- 5,1	- 5,2	- 5,1	- 5,2	- 5,2	- 5,3	- 3,7	- 5,3	- 4,9	22
23	- 5,2	- 5,4	- 5,3	- 5,4	- 5,2	- 3,0	- 3,2	- 3,0	- 3,0	- 3,3	- 3,9	- 7,3	- 2,8	- 7,3	- 4,6	23
24	- 6,6	- 3,2	- 6,5	- 7,3	- 4,6	- 1,4	- 0,1	0,0	- 1,8	- 2,9	- 3,2	- 3,5	0,6	- 7,9	- 3,5	24
25	- 4,2	- 4,7	- 6,1	- 6,7	- 4,9	- 1,2	- 0,3	0,2	- 0,9	- 3,3	- 4,5	- 6,3	0,5	- 7,5	- 3,6	25
26	- 7,3	- 6,3	- 5,9	- 7,2	- 5,5	0,3	2,5	3,9	1,7	2,9	3,6	2,3	4,6	- 7,6	- 1,2	26
27	- 0,8	- 1,3	- 2,8	- 1,9	0,0	3,6	6,0	5,7	2,8	1,9	1,1	1,3	6,3	- 2,9	1,3	27
28	1,1	1,1	0,9	0,3	0,5	3,5	- 0,1	- 0,2	- 0,2	- 0,4	- 0,6	- 0,6	1,3	- 0,6	0,2	28
	MIDDELTALL NR 13 SKAL VÆRE -27															
MI	- 7,7	- 8,0	- 8,6	- 9,0	- 7,8	- 3,3	- 3,5	- 3,7	- 5,3	- 5,0	- 6,4	- 7,0	- 2,6	-10,1	- 6,5	MI

MARS 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	- 0,8	- 0,9	- 1,6	- 2,8	- 2,3	- 1,1	- 0,3	- 1,0	- 1,3	- 2,3	- 2,3	- 2,5	- 0,2	- 3,0	- 1,6	1
2	- 2,0	- 2,3	- 2,5	- 1,7	- 0,1	0,2	0,5	0,8	1,6	1,7	1,8	2,7	2,7	- 3,0	0,1	2
3	2,6	2,8	3,2	2,8	3,6	3,7	3,9	4,7	3,9	4,0	1,1	2,5	6,0	1,1	3,2	3
4	1,5	0,6	- 0,1	0,0	2,1	4,8	6,5	4,9	3,4	2,4	2,4	2,0	6,8	- 0,2	2,5	4
5	1,2	0,5	- 0,9	2,2	3,3	5,1	5,1	4,8	3,4	2,4	2,5	2,5	5,5	- 1,2	2,7	5
6	2,5	2,6	2,7	3,2	3,7	4,9	3,7	2,5	2,7	1,8	1,8	1,8	5,1	1,8	2,8	6
7	0,8	- 0,3	- 0,3	- 0,5	0,0	3,9	0,7	0,8	1,2	1,7	1,8	1,7	1,8	- 0,5	0,7	7
8	1,4	1,3	0,4	0,3	1,6	4,0	4,6	4,2	2,6	1,1	1,7	1,3	5,0	- 0,6	2,0	8
9	1,0	1,1	1,5	1,1	1,5	1,1	1,0	0,7	0,5	0,5	0,5	0,5	1,7	0,5	0,9	9
10	0,5	0,6	0,7	- 0,1	0,0	- 0,1	0,1	0,8	0,8	0,6	0,6	0,6	1,2	- 0,2	0,4	10
11	0,2	- 0,8	- 2,5	- 1,5	- 0,9	1,1	1,4	1,5	0,4	0,1	0,0	- 0,1	2,6	- 2,6	- 0,1	11
12	- 0,4	- 0,9	- 1,0	- 1,3	- 1,2	- 0,7	- 0,2	- 0,1	0,2	0,3	- 0,3	- 0,9	0,5	- 1,4	- 0,5	12
13	- 1,0	- 0,8	- 1,2	- 2,5	- 2,2	- 1,3	- 0,2	- 0,1	- 1,6	- 2,4	- 3,4	- 4,3	0,5	- 4,3	- 1,7	13
14	- 3,4	- 3,1	- 3,5	- 2,3	- 1,9	- 0,3	0,4	- 0,1	- 1,5	- 3,8	- 3,2	- 4,3	0,5	- 4,3	- 2,3	14
15	- 4,5	- 3,1	- 3,2	- 3,2	- 2,0	- 1,9	- 1,0	- 1,7	- 2,2	- 3,4	- 4,8	- 3,9	- 1,0	- 4,9	- 2,9	15
16	- 4,1	- 4,3	- 5,1	- 6,3	- 6,0	- 4,9	- 3,9	- 4,0	- 5,0	- 6,7	- 8,6	-10,5	- 3,9	-10,5	- 5,7	16
17	-11,7	-12,1	-12,8	-12,3	-11,6	-11,4	- 8,3	- 8,2	- 9,1	-11,6	-11,6	-12,7	- 8,2	-12,7	-11,1	17
18	-13,9	-14,3	-15,7	-15,7	-11,5	- 9,2	- 8,3	- 7,4	- 8,2	- 9,6	-11,1	-13,2	- 7,4	-17,1	-11,5	18
19	-14,9	-15,3	-14,8	-13,9	- 9,8	- 7,1	- 3,2	- 3,1	- 1,2	- 1,2	- 1,9	- 2,1	- 1,2	-15,7	- 7,4	19
20	- 1,0	- 1,1	- 1,7	- 1,9	- 1,1	- 0,5	2,3	1,9	0,7	- 0,1	- 0,3	- 0,4	2,4	- 2,3	- 0,2	20
21	- 0,9	- 0,8	- 0,9	- 1,2	- 1,2	- 0,2	0,2	- 0,7	- 0,7	- 0,7	- 0,2	- 0,8	0,7	- 1,3	- 0,5	21
22	- 0,9	- 1,1	- 0,9	- 1,1	- 0,1	- 0,7	1,0	- 0,8	0,4	- 0,7	0,9	0,9	1,1	- 1,1	0,1	22
23	0,8	- 0,3	0,7	- 0,1	1,0	1,1	1,9	2,3	1,7	1,9	0,5	0,2	2,5	- 0,1	1,1	23
24	0,1	- 0,2	- 1,9	- 3,0	2,7	4,7	6,0	6,7	5,3	4,7	- 0,5	- 0,6	6,8	- 2,2	2,0	24
25	- 1,2	- 1,7	- 0,8	- 0,1	- 0,3	- 0,1	2,0	2,0	0,2	0,3	0,4	0,6	2,5	- 2,2	0,1	25
26	0,7	1,7	2,7	2,5	2,8	3,1	3,3	3,5	3,9	3,0	3,0	2,9	4,1	0,7	2,8	26
27	3,4	3,8	2,9	1,7	1,9	2,3	2,7	2,6	2,0	2,6	2,2	2,8	4,0	1,1	2,6	27
28	2,8	1,7	1,8	2,3	2,7	3,4	4,7	4,8	4,4	4,3	4,1	3,7	4,8	1,7	3,4	28
29	3,1	2,3	2,7	2,8	2,6	2,4	3,4	4,2	4,1	4,0	3,8	3,8	4,6	2,4	3,3	29
30	3,6	3,1	2,5	2,6	3,6	3,7	4,0	4,6	3,7	2,5	2,6	2,2	4,6	2,2	3,2	30
31	1,9	1,3	2,1	1,3	2,2	3,3	5,0	5,9	5,9	4,7	4,1	3,8	6,2	1,8	3,6	31
MI	- 1,1	- 1,2	- 1,5	- 1,6	- 0,5	0,5	1,3	1,3	0,7	0,0	- 0,4	- 0,6	2,0	- 2,3	- 0,3	MI

REGISTRERINGER AV LUFTTEMPERATUR T (RECORDS OF TEMPERATURE T).

OSLO - BLINDERN

APRIL 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	3,8	3,1	3,4	3,4	4,7	5,8	4,0	3,8	3,1	3,6	2,7	2,3	5,8	2,1	3,6	1
2	2,7	2,2	2,6	3,0	2,8	3,1	3,1	3,5	2,5	1,8	2,1	2,2	4,0	1,8	2,6	2
3	2,0	1,7	1,8	1,6	2,1	3,2	3,6	3,4	2,8	2,6	1,9	1,4	3,7	1,4	2,3	3
4	1,5	1,6	1,7	0,9	1,6	1,7	1,9	2,8	2,6	2,4	2,4	3,0	3,0	0,9	2,0	4
5	2,9	2,1	1,9	2,8	3,8	5,5	5,1	5,5	4,6	4,0	3,6	3,6	5,8	1,8	3,8	5
6	3,4	2,3	2,3	1,0	1,7	2,8	3,3	3,5	3,1	2,6	2,0	2,0	3,5	1,0	2,5	6
7	2,3	2,2	1,9	2,4	4,0	4,3	5,1	4,9	4,5	3,4	2,5	2,3	5,2	1,9	3,4	7
8	1,9	1,6	1,5	1,8	3,6	5,6	5,8	5,8	5,5	4,6	3,5	2,7	6,7	1,3	3,7	8
9	2,6	1,3	1,5	2,5	3,7	3,9	3,9	3,9	3,9	3,0	2,8	2,3	4,5	1,4	3,0	9
10	2,0	2,0	1,5	2,0	3,1	4,9	6,1	7,3	6,8	5,5	4,8	4,4	7,7	1,5	4,2	10
11	3,8	2,9	1,8	3,5	6,9	9,3	10,8	10,4	10,5	4,7	3,5	2,7	11,5	1,2	5,8	11
12	1,7	1,3	0,5	3,8	8,7	11,9	13,7	12,9	13,1	7,8	4,8	3,9	14,1	0,1	6,9	12
13	3,7	3,7	3,7	4,1	6,3	9,8	10,8	7,9	5,8	4,9	4,9	4,5	11,8	3,7	5,9	13
14	3,8	3,3	2,8	2,1	2,9	7,1	7,9	9,3	8,7	5,9	4,6	2,7	9,7	2,2	5,1	14
15	1,6	2,5	1,4	3,3	1,2	2,3	3,8	5,0	4,6	2,3	- 0,3	- 1,1	5,7	- 1,1	2,1	15
16	- 0,4	- 1,1	- 0,2	- 3,1	2,9	4,8	4,8	2,7	- 0,4	- 3,4	- 0,4	- 0,8	5,8	- 1,6	0,9	16
17	0,1	- 3,5	- 1,4	3,3	2,0	1,5	5,9	6,0	6,6	3,6	1,6	- 0,1	6,8	- 1,5	2,5	17
18	- 0,5	- 1,7	- 2,1	1,4	4,1	5,7	8,3	9,9	9,0	6,1	4,3	1,6	10,1	- 2,8	3,9	18
19	- 0,1	- 0,5	- 0,1	1,2	4,3	7,4	9,1	9,8	7,7	5,6	3,8	4,3	9,8	- 0,5	4,4	19
20	4,2	4,1	4,0	4,1	4,8	4,9	4,9	4,8	4,8	4,7	4,4	4,3	4,9	3,8	4,5	20
21	4,0	3,3	4,1	4,3	4,8	5,0	5,0	4,1	3,8	3,8	3,8	3,8	5,0	3,8	4,2	21
22	4,1	4,1	3,8	4,3	4,7	4,3	5,1	4,2	3,7	3,2	2,9	3,6	5,9	2,9	4,0	22
23	3,4	3,3	3,4	2,3	2,7	3,1	4,0	5,1	4,2	3,8	4,8	4,7	5,3	2,7	3,8	23
24	4,7	4,3	3,9	2,0	3,3	3,3	3,3	3,8	3,8	3,9	3,9	4,6	4,7	2,6	3,8	24
25	4,2	3,1	2,6	1,6	1,9	2,3	4,0	4,7	5,1	4,6	4,6	4,6	5,5	1,6	3,6	25
26	3,7	3,3	2,7	2,7	3,4	4,2	4,7	5,8	5,6	4,9	3,6	3,6	5,6	2,6	4,0	26
27	3,6	2,6	3,4	3,6	8,5	9,3	10,7	10,8	10,2	8,2	6,3	4,5	11,6	2,5	7,0	27
28	3,5	3,5	3,7	2,3	3,0	4,0	6,0	7,4	5,8	4,9	4,9	4,9	8,0	2,9	4,5	28
29	4,8	4,1	3,9	4,5	5,7	5,2	5,5	6,8	8,8	7,5	5,9	4,9	8,9	3,7	5,6	29
30	4,5	3,8	3,7	3,1	2,8	2,3	5,4	7,0	8,7	6,0	4,0	4,0	9,0	2,1	4,7	30
MI	2,8	2,1	2,2	2,3	3,9	5,1	5,9	6,1	5,7	4,3	3,5	3,0	7,0	1,5	3,9	MI

MAI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	1,1	1,0	2,4	1,8	6,4	8,3	8,7	4,1	4,9	1,1	2,4	2,0	8,2	0,9	3,9	1
2	1,1	1,7	1,6	2,5	5,2	8,9	7,0	8,9	5,9	4,3	3,5	3,4	8,0	0,9	4,2	2
3	3,7	2,5	3,9	1,9	5,2	8,4	8,9	8,9	9,2	8,9	4,8	3,5	10,8	2,3	5,7	3
4	2,9	2,7	2,7	2,8	6,0	8,0	6,8	3,5	2,6	2,3	2,7	2,5	8,0	1,9	3,6	4
5	2,5	2,1	1,5	2,3	6,0	8,8	6,3	4,3	5,4	3,1	3,6	2,7	7,9	1,3	4,1	5
6	1,8	1,4	1,8	3,3	5,5	7,6	5,8	5,2	5,7	4,9	4,0	3,8	7,6	1,1	4,2	6
7	3,8	3,8	3,9	1,0	6,0	8,2	6,7	3,7	5,5	3,9	3,7	3,6	9,9	3,7	4,7	7
8	3,4	3,1	4,7	1,3	6,2	7,4	7,0	8,0	7,6	6,8	4,8	3,9	9,5	3,2	5,7	8
9	2,1	0,7	1,6	1,3	6,9	8,8	9,1	8,3	8,2	5,4	4,1	3,7	9,7	0,7	5,0	9
10	2,6	2,5	4,0	7,3	9,3	10,3	11,3	12,2	10,7	8,1	5,5	4,4	12,4	2,5	7,4	10
11	2,8	1,6	3,9	5,9	8,7	10,8	11,3	12,7	11,8	9,9	8,4	6,8	13,0	1,4	7,9	11
12	5,8	3,4	5,2	6,7	8,0	10,1	11,3	12,0	11,2	11,4	8,7	6,7	11,9	3,8	8,4	12
13	4,4	3,9	4,7	7,8	10,5	11,8	12,7	13,0	9,1	8,6	8,7	8,9	12,8	3,8	8,4	13
14	8,3	8,3	8,5	8,3	8,3	10,7	14,5	15,3	16,9	13,1	11,8	10,6	16,9	7,6	11,3	14
15	10,1	8,5	9,4	10,3	12,5	12,1	11,6	10,6	10,7	10,0	9,8	8,8	13,9	8,0	10,3	15
16	6,6	6,0	6,5	7,1	10,5	10,7	11,9	12,9	13,1	11,7	12,0	11,8	13,2	5,9	10,1	16
17	10,8	10,3	10,6	10,3	10,9	10,7	10,0	9,3	9,4	8,7	8,6	7,7	10,9	7,7	9,8	17
18	7,1	6,3	6,4	7,5	9,2	10,3	11,1	11,7	10,7	9,6	8,6	8,2	12,2	6,2	8,9	18
19	7,7	7,6	7,5	8,4	9,1	8,8	7,3	8,9	8,3	8,2	7,9	6,3	10,4	6,2	8,0	19
20	5,0	4,9	5,0	7,3	9,9	11,6	13,5	13,6	13,4	12,3	8,0	8,0	13,9	3,8	9,3	20
21	10,4	9,3	9,5	8,4	7,9	9,2	10,3	9,7	10,8	9,2	9,0	8,9	10,8	7,6	9,4	21
22	8,5	8,2	8,7	9,3	9,6	10,6	12,6	11,6	11,3	10,9	10,6	10,0	12,6	8,2	10,2	22
23	9,0	8,2	8,6	9,5	10,6	9,6	10,6	12,3	11,9	11,4	11,0	11,3	12,7	8,1	10,3	23
24	11,5	11,2	12,0	11,8	11,0	12,2	15,7	17,7	16,4	14,3	11,7	13,7	17,9	10,8	13,3	24
25	13,0	13,1	14,4	12,9	10,6	10,6	11,8	11,3	11,2	11,0	9,4	8,2	14,7	8,2	11,5	25
26	7,1	7,2	7,3	7,6	8,7	9,3	10,9	11,9	11,2	13,0	9,0	9,0	12,2	7,0	9,2	26
27	9,7	8,9	9,5	9,6	10,7	11,3	13,0	11,8	11,1	10,9	10,3	9,8	13,1	8,9	10,6	27
28	9,0	8,7	8,7	9,6	12,7	14,3	16,4	17,1	15,9	13,9	11,9	9,9	17,3	8,7	12,3	28
29	9,3	9,3	9,4	8,7	9,8	10,8	11,1	11,9	11,8	11,8	11,8	11,8	11,9	9,3	10,6	29
30	11,2	11,0	10,9	10,7	12,1	14,9	17,9	17,9	17,2	15,8	13,7	11,9	18,4	10,7	13,8	30
31	11,8	10,3	12,6	15,6	17,3	17,3	20,8	23,4	24,4	22,3	19,8	20,2	24,6	10,8	18,1	31
MI	6,6	6,1	6,7	7,6	9,1	10,1	11,0	10,9	10,7	9,6	8,4	7,8	12,5	5,5	8,7	MI

JUNI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	18,3	16,4	18,1	20,6	23,9	25,6	27,0	25,4	24,0	22,2	19,9	19,0	27,2	16,3	21,8	1
2	17,4	15,1	15,9	17,8	19,8	20,8	22,3	23,3	23,5	21,0	18,2	17,4	23,8	15,0	19,4	2
3	16,5	15,2	15,8	13,7	18,7	17,9	21,1	22,8	22,9	20,2	16,9	14,0	23,0	14,0	18,4	3
4	13,0	12,3	13,1	16,4	19,1	20,3	21,9	22,8	22,3	20,6	16,6	14,1	22,9	12,4	17,8	4
5	13,2	12,3	13,8	17,0	22,0	24,1	25,3	26,1	26,0	21,2	18,9	15,9	26,5	12,6	19,9	5
6	14,8	13,3	15,0	20,3	24,0	26,4	27,0	27,8	25,8	23,7	19,1	15,7	27,9	13,3	21,2	6
7	13,9	12,0	14,4	13,7	22,5	24,7	25,7	23,0	24,0	21,9	18,0	15,4	25,9	12,6	19,7	7
8	13,8	13,0	14,4	16,7	17,5	18,4	16,1	14,8	13,7	13,5	12,9	12,6	18,6	12,6	14,8	8
9	12,5	11,1	10,7	8,3	9,1	12,2	14,6	16,7	16,7	16,6	12,1	11,7	17,6	8,8	12,7	9
10	11,0	9,5	10,0	12,6	14,3	16,8	17,7	13,8	17,6	14,7	12,7	12,2	19,8	9,4	14,0	10
11	12,2	11,3	12,6	13,4	14,0	14,3	17,3	17,5	16,2	13,9	11,7	11,5	17,7	11,5	13,9	11
12	10,8	10,3	11,3	11,9	13,2	13,7	17,7	13,8	17,6	15,2	12,8	11,8	19,0	10,5	14,0	12
13	11,7	11,4	12,1	11,3	15,7	17,0	18,9	16,5	15,7	12,8	11,8	11,4	19,0	11,4	14,3	13
14	11,1	11,3	11,6	13,7	11,7	11,8	11,4	13,3	12,8	12,6	12,0	11,7	13,7	10,7	11,8	14
15	11,2	11,3	11,6	13,3	14,1	13,7	15,1	13,3	15,7	14,5	13,3	12,2	16,3	11,0	13,3	15
16	11,5	11,3	11,3	12,3	14,6	17,4	16,3	17,0	19,0	17,2	14,1	11,7	19,5	10,8	14,5	16
17	9,8	8,3	10,8	11,3	16,2	17,1	19,5	20,9	18,4	16,2	13,5	10,4	21,0	7,9	14,6	17
18	9,4	9,2	11,1	14,0	17,3	20,1	19,9	20,3	21,9	20,0	16,9	14,7	21,9	9,1	16,3	18
19	14,0	12,3	14,1	15,8	17,9	17,4	22,1	23,4	23,1	20,4	17,5	15,5	24,2	12,6	18,0	19
20	14,0	12,8	13,6	16,3	20,1	22,0	23,6	24,2	23,1	21,6	19,6	17,5	24,7	12,7	19,2	20
21	16,2	15,6	15,6	17,6	19,7	18,7	21,0	21,1	18,9	17,1	15,7	13,9	21,5	13,9	17,6	21
22	13,5	13,3	16,2	15,6	17,5	15,3	19,2	13,7	17,8	13,0	16,5	14,6	19,8	13,5	16,6	22
23	14,6	15,1	15,4	13,2	15,8	17,8	18,3	19,7	20,2	15,3	15,7	14,7	20,8	14,6	16,6	23
24	13,9	14,7	14,6	11,7	17,5	13,0	18,8	19,9	20,8	20,2	20,0	19,9	21,0	13,9	17,8	24
25	19,2	16,8	16,0	14,2	14,6	15,8	15,8	15,7	15,1	14,7	14,2	12,7	19,2	12,7	15,4	25
26	12,7	12,3	11,7	12,3	14,1	13,9	14,9	11,5	11,7	12,1	11,7	11,2	14,9	10,8	12,5	26
27	10,8	10,6	10,7	13,9	11,6	12,1	12,6	13,8	14,8	14,7	11,0	10,8	16,3	10,6	12,2	27
28	9,6	8,6	10,2	14,1	16,3	16,0	15,4	12,9	11,7	12,5	12,6	12,5	16,4	8,5	12,7	28
29	11,7	10,4	10,7	12,6	10,6	11,3	13,6	15,6	14,7	13,7	11,2	9,1	16,6	9,1	12,4	29
30	6,7	5,5	8,3	12,2	13,7	15,3	15,3	13,6	12,6	12,6	9,6	8,3	17,0	5,4	11,2	30
MI	13,0	12,2	13,0	14,3	16,6	17,1	18,8	19,2	18,6	17,2	14,9	13,5	20,4	11,6	15,8	MI

REGISTRERINGER AV LUFTTEMPERATUR T (RECORDS OF TEMPERATURE T).

0310 = BLINDERN

JULI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	7,7	8,3	9,7	12,3	14,6	15,1	16,3	17,4	16,5	12,9	10,9	9,4	19,0	7,1	12,7	1
2	7,4	5,1	7,8	11,9	13,7	15,0	16,7	15,4	15,0	13,0	12,4	11,9	16,8	5,0	12,1	2
3	10,9	10,3	11,8	14,0	16,8	19,1	19,8	17,9	18,4	15,6	14,0	12,0	20,0	10,8	15,0	3
4	9,9	9,6	10,5	14,5	16,9	19,3	21,0	21,3	20,8	19,7	16,6	14,7	22,6	9,6	16,1	4
5	13,8	13,3	14,2	15,9	18,0	19,6	22,0	22,6	22,8	20,4	18,0	16,9	23,0	12,8	18,1	5
6	15,3	14,1	14,3	16,1	17,8	19,4	20,4	21,2	22,0	20,0	17,0	15,2	22,9	13,2	17,5	6
7	11,9	11,1	14,3	17,8	20,0	21,7	22,2	22,6	20,7	17,4	14,7	14,5	22,8	10,8	17,4	7
8	12,4	11,3	12,4	15,3	18,8	17,7	16,9	17,9	18,9	13,1	16,8	16,3	18,9	11,4	16,1	8
9	15,0	15,1	15,7	16,2	16,9	15,9	16,3	13,8	20,8	13,7	16,3	15,3	20,9	15,0	16,8	9
10	14,4	13,3	14,2	16,7	19,0	15,6	16,4	16,7	18,6	16,9	15,7	14,0	20,0	12,8	16,0	10
11	13,3	12,3	13,4	14,6	16,9	17,2	18,7	13,9	18,9	17,4	14,6	14,0	19,2	12,6	15,9	11
12	13,8	13,7	14,4	16,0	19,1	21,0	22,5	23,1	23,8	20,8	18,0	14,3	25,0	13,1	18,4	12
13	12,9	12,6	14,5	16,3	20,5	22,7	24,7	24,6	18,3	18,5	16,6	14,6	24,8	12,2	18,1	13
14	14,5	14,4	14,3	14,5	17,8	19,9	21,1	22,7	18,8	17,8	16,2	15,0	22,8	14,2	17,3	14
15	14,7	13,2	12,7	12,0	13,9	13,4	13,4	13,1	13,8	13,7	12,7	11,7	15,2	11,5	13,4	15
16	11,9	12,1	11,0	13,0	11,6	13,0	14,6	13,4	16,6	16,3	15,5	14,5	16,8	10,0	13,6	16
17	14,6	14,2	15,8	16,2	17,9	19,0	21,6	22,6	21,4	19,6	16,9	15,7	22,7	14,6	18,0	17
18	14,8	13,2	14,0	13,2	13,8	13,3	14,3	16,2	16,4	14,6	13,7	13,7	16,7	12,9	14,4	18
19	13,5	12,3	11,8	13,3	14,7	16,7	17,0	17,9	16,9	13,0	14,3	12,2	18,9	12,2	14,7	19
20	11,8	11,7	13,6	14,5	14,7	17,9	17,5	19,8	19,0	17,4	15,7	14,6	20,9	11,6	15,7	20
21	14,1	13,8	13,7	13,8	14,8	17,7	18,0	15,8	14,9	14,3	13,9	13,4	18,3	13,4	14,8	21
22	13,2	12,8	13,7	16,3	17,7	20,7	20,9	17,8	17,9	16,3	15,5	13,9	21,8	12,8	16,4	22
23	13,9	13,3	13,6	13,7	15,5	17,3	18,1	16,8	17,3	16,8	15,2	14,1	18,5	13,0	15,5	23
24	13,2	12,7	12,6	13,3	13,5	13,7	17,9	17,8	17,6	14,9	13,0	12,4	18,7	12,4	14,7	24
25	11,3	10,5	11,6	13,1	14,2	15,5	16,8	13,6	18,0	13,8	12,8	11,7	19,7	10,5	14,1	25
26	12,8	12,7	13,6	15,8	18,4	13,9	15,8	17,6	19,9	18,8	15,3	13,3	20,0	12,0	16,1	26
27	12,1	11,5	12,6	14,0	16,6	20,7	20,9	23,3	21,1	19,5	15,4	13,7	23,9	11,5	16,8	27
28	12,8	11,6	12,5	13,2	15,6	17,0	19,9	20,9	19,7	17,0	14,1	13,8	21,0	11,6	15,8	28
29	13,7	13,4	13,7	14,0	14,7	14,3	13,9	14,0	14,0	14,1	14,0	14,3	14,8	13,7	14,1	29
30	14,4	14,2	14,2	13,8	14,1	14,1	14,3	15,2	15,5	15,2	14,6	14,6	15,6	13,8	14,5	30
31	14,5	14,5	14,4	14,3	14,8	16,0	16,1	15,7	14,7	14,3	13,8	13,8	16,1	13,8	14,7	31
MI	12,9	12,5	13,1	14,5	16,2	17,5	18,3	18,8	18,4	16,7	15,0	13,8	19,9	12,0	15,6	MI

AUGUST 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	13,6	13,2	13,6	13,6	13,8	15,7	18,8	18,9	17,3	14,5	14,0	13,7	18,9	13,2	15,1	1
2	13,6	12,3	12,4	13,2	14,3	14,4	15,8	15,4	14,7	13,8	12,8	12,7	16,4	12,3	13,8	2
3	12,6	12,3	12,8	13,1	13,9	15,0	15,9	15,3	14,4	14,0	13,3	11,9	16,9	11,9	13,8	3
4	11,6	10,7	10,6	11,7	14,6	16,1	17,5	17,4	16,7	15,1	14,0	13,1	18,7	10,1	14,1	4
5	13,2	11,0	11,7	11,3	11,6	13,0	16,4	18,0	15,8	13,6	11,8	10,6	18,6	10,6	13,5	5
6	10,0	9,1	10,8	13,7	15,8	17,6	19,1	19,5	17,7	15,5	13,0	11,8	19,8	8,8	14,5	6
7	12,7	11,7	12,1	12,0	13,4	14,1	15,3	17,8	16,1	15,5	14,9	14,2	17,8	11,7	14,2	7
8	14,9	14,2	13,9	13,4	12,8	13,0	13,5	13,7	14,4	14,4	14,5	14,4	14,5	12,6	13,9	8
9	14,6	15,3	15,6	14,8	14,9	14,3	14,9	13,0	15,0	14,3	14,0	13,2	15,7	13,2	14,7	9
10	11,7	9,1	9,3	12,1	14,2	16,0	17,5	17,0	15,8	13,4	12,5	11,9	17,7	8,8	13,4	10
11	12,0	12,7	13,6	12,7	13,0	12,8	11,9	12,0	12,0	11,0	11,0	11,0	13,6	11,0	12,1	11
12	10,8	10,3	11,0	11,6	12,7	13,2	15,6	14,7	15,5	14,7	14,6	13,9	15,7	10,8	13,3	12
13	13,7	13,7	13,8	13,1	13,2	14,0	14,5	14,0	13,9	13,8	13,1	12,9	14,8	12,9	13,6	13
14	12,7	12,3	12,4	12,3	13,8	14,8	16,7	16,7	18,8	18,7	18,1	14,6	18,8	12,0	15,4	14
15	13,8	14,1	15,1	15,7	15,6	16,4	16,8	17,2	15,9	13,0	14,3	13,8	17,6	13,8	15,3	15
16	12,8	12,5	12,2	12,0	12,4	12,6	12,8	12,9	13,0	12,7	12,0	11,8	13,3	11,8	12,5	16
17	11,4	11,3	12,1	12,0	13,6	14,7	17,4	21,5	22,8	21,8	19,9	17,9	22,8	11,1	16,4	17
18	16,8	15,7	15,6	17,1	20,7	22,9	24,5	24,9	24,0	29,9	19,5	19,9	25,1	15,1	21,0	18
19	17,9	16,9	16,0	17,4	20,0	21,1	21,4	18,8	17,7	17,5	16,7	15,9	21,9	15,3	18,0	19
20	15,8	15,1	14,9	14,3	16,0	17,7	18,8	21,7	19,3	17,7	15,2	13,7	21,7	13,7	16,7	20
21	14,6	14,6	14,6	15,2	15,3	14,2	15,8	13,8	13,2	13,0	12,7	10,7	15,9	10,6	14,1	21
22	9,6	7,8	7,5	9,9	13,6	15,2	16,5	15,8	14,4	12,7	11,5	8,8	16,5	7,5	11,9	22
23	7,5	7,5	9,0	9,8	12,2	13,6	15,8	16,4	14,9	13,0	11,8	10,3	16,4	7,3	12,0	23
24	8,7	8,3	9,3	10,1	12,2	14,8	16,9	17,7	15,9	14,0	10,8	9,2	17,7	8,3	12,4	24
25	8,6	8,3	7,7	9,4	13,3	17,0	18,4	13,6	16,6	14,4	13,1	13,1	19,2	7,4	13,2	25
26	12,9	12,0	12,8	12,3	16,2	16,8	17,0	16,8	15,8	13,7	12,5	11,0	17,9	11,0	14,2	26
27	10,2	9,3	9,4	10,0	11,4	11,0	11,0	12,3	10,9	11,7	11,3	10,5	12,9	9,1	10,8	27
28	9,8	9,3	9,9	10,2	13,1	13,8	17,7	19,1	16,6	12,7	9,8	8,5	19,5	8,5	12,8	28
29	7,4	7,1	8,2	10,4	13,5	16,0	18,6	20,9	19,1	16,8	14,4	11,7	21,4	7,0	13,7	29
30	10,7	10,5	10,8	12,3	17,5	19,4	19,7	18,8	17,9	16,0	14,0	13,0	19,8	9,9	15,1	30
31	9,7	8,3	7,9	10,9	13,7	15,9	16,8	17,0	15,8	11,9	8,8	8,6	17,7	6,8	12,1	31
MI	12,1	11,7	11,8	12,7	14,3	15,6	16,8	17,2	16,2	15,1	13,5	12,5	17,9	10,8	14,1	MI

SEPTEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	7,1	6,7	7,1	9,8	11,2	14,2	16,3	16,0	13,9	12,5	12,9	12,9	17,2	6,4	11,6	1
2	12,9	12,5	12,0	11,9	12,3	12,9	13,1	13,1	13,2	13,2	13,8	13,6	13,8	11,7	12,9	2
3	13,6	13,3	14,5	14,6	14,9	15,9	16,9	16,7	14,8	14,0	13,5	13,5	17,9	13,6	14,7	3
4	11,2	12,2	11,5	11,6	12,8	13,8	15,8	16,5	14,6	11,6	10,5	10,0	16,6	9,9	13,0	4
5	8,9	7,2	8,1	9,0	11,0	13,3	15,1	14,6	14,7	13,2	13,0	13,3	16,0	7,4	11,8	5
6	13,3	12,3	12,3	12,1	12,9	14,0	14,9	15,8	14,7	11,6	13,8	13,7	15,8	11,8	13,7	6
7	13,3	12,3	12,7	13,3	13,7	14,1	14,8	14,8	15,0	13,0	15,0	15,0	15,0	12,6	14,1	7
8	14,9	14,8	14,7	14,7	14,6	13,8	13,0	13,0	13,7	13,6	13,4	13,2	14,9	12,9	14,0	8
9	13,2	12,8	12,8	12,8	14,7	15,9	17,4	17,1	15,7	12,7	11,7	9,2	18,6	9,2	13,8	9
10	9,3	8,5	8,2	9,7	12,7	15,7	16,7	17,3	15,9	13,0	12,5	11,5	17,3	7,7	12,6	10
11	11,4	10,3	10,5	10,4	10,7	13,7	18,0	15,0	12,9	10,4	8,8	6,9	18,0	6,9	11,6	11
12	6,0	7,5	6,1	6,4	11,1	13,0	13,6	12,7	12,0	11,7	10,8	10,6	13,9	5,8	10,2	12
13	10,8	13,0	14,3	13,9	13,9	15,0	17,0	14,5	12,8	9,8	8,5	8,0	17,0	8,0	12,7	13
14	7,9	7,3	6,6	6,8	10,1	12,3	14,0	12,8	10,4	8,3	7,6	6,3	14,1	5,1	9,3	14
15	6,5	6,3	4,9	5,2	9,3	12,8	14,4	13,9	11,9	9,9	5,8	4,0	14,9	4,0	8,7	15
16	2,8	2,1	1,2	7,3	9,8	10,7	10,9	10,1	8,9	9,0	10,0	10,9	11,2	1,1	7,8	16
17	10,9	9,8	9,5	9,1	10,8	12,1	13,2	14,9	13,7	12,7	11,7	11,0	15,1	9,0	11,6	17
18	10,9	11,3	11,4	11,8	13,6	16,7	17,9	16,6	14,8	12,7	11,8	10,3	18,0	9,8	13,3	18
19	8,8	7,7	7,0	7,7	12,8	11,3	14,7	14,8	13,0	10,9	8,8	8,0	15,7	6,1	10,8	19
20	5,8	5,3	5,0	5,7	8,5	10,7	11,1	10,4	8,1	6,3	9,0	8,9	11,2	4,9	8,1	20
21	8,3	8,0	8,7	8,7	9,6	12,3	11,7	12,4	10,9	8,5	7,2	8,0	13,1	6,3	9,6	21
22	6,9	4,6	3,7	4,7	9,8	13,9	15,0	12,3	11,5	9,3	7,7	6,7	15,2	3,4	8,8	22
23	6,0	5,6	5,4	5,9	7,4	8,3	9,8	9,7	9,1	9,4	9,0	7,5	10,0	4,6	7,8	23
24	5,5	4,7	4,3	4,7	9,8	12,6	13,7	12,8	10,7	6,3	4,5	3,5	13,8	3,5	7,8	24
25	2,8	2,0	4,9	6,0	7,6	10,8	11,0	10,9	11,0	10,5	10,7	11,6	12,1	2,7	8,4	25
26	12,0	12,3	13,2	13,3	15,0	16,5	16,0	14,5	11,9	9,8	10,9	8,1	17,4	8,1	13,5	26
27	7,6	6,1	5,6	7,0	9,2	11,3	13,9	12,6	10,5	7,9	5,0	4,3	14,6	3,9	8,8	27
28	3,4	4,4	2,5	3,5	8,7	11,2	12,9	11,4	10,0	11,0	8,3	7,2	13,0	2,5	7,8	28
29	6,0	4,8	3,7	3,8	8,6	11,0	12,7	11,7	9,1	7,1	6,0	4,1	12,9	2,7	7,4	29
30	2,2	1,7	0,8	1,1	6,7	9,7	10,8	10,3	7,4	5,7	4,8	4,5	10,8	0,0	5,5	30
MI	8,7	8,4	8,1	9,8	11,1	13,2	14,2	13,6	12,2	11,7	10,2	9,2	14,8	6,7	10,7	MI

REGISTRERINGER AV LUFTTEMPERATUR T (RECORDS OF TEMPERATURE T).

OSLO - BLINDERN

OKTOBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	2,9	2,2	2,2	2,3	5,9	7,4	8,6	3,5	5,8	2,8	1,3	0,8	8,8	0,8	4,2	1
2	0,6	- 0,3	- 1,1	0,0	4,1	7,5	9,4	8,0	5,9	2,5	1,3	0,5	9,5	- 1,1	3,2	2
3	0,1	- 0,2	- 0,7	- 0,7	3,6	6,5	8,1	7,1	5,9	2,7	0,9	0,1	8,3	- 2,0	2,8	3
4	- 0,2	- 1,1	- 1,2	- 1,0	3,0	7,2	9,2	8,3	7,0	3,8	5,2	3,1	9,5	- 2,4	4,0	4
5	4,1	3,8	2,6	3,4	5,7	6,7	8,0	7,6	4,5	2,3	0,7	0,5	8,4	0,5	4,2	5
6	- 0,1	0,3	- 0,6	0,1	3,6	6,1	7,4	6,9	6,5	5,9	5,7	5,8	7,7	- 0,7	4,0	6
7	5,9	5,2	5,9	5,7	6,2	6,3	8,2	7,9	7,2	5,8	5,7	5,8	8,2	5,7	6,4	7
8	5,7	4,6	4,5	5,1	6,2	6,3	10,9	10,9	9,7	8,7	8,3	8,6	11,0	4,4	7,7	8
9	8,3	7,8	7,5	7,3	7,7	8,6	9,0	9,8	10,0	11,2	10,2	9,9	10,7	7,0	8,8	9
10	9,8	9,4	10,5	10,5	10,8	11,3	11,2	11,3	11,3	11,4	11,7	11,8	11,8	9,9	10,9	10
11	11,6	11,9	12,2	11,6	11,9	12,2	12,5	12,6	12,1	12,1	11,8	11,0	12,8	11,0	12,0	11
12	10,8	10,6	10,4	9,8	9,5	9,9	10,7	11,6	10,7	11,8	10,7	10,8	10,8	9,4	10,4	12
13	10,8	10,3	9,8	8,9	8,8	8,7	8,3	8,1	8,0	8,0	8,1	8,0	10,8	8,0	8,8	13
14	8,0	7,3	7,8	7,8	8,0	8,6	8,0	8,1	8,6	8,7	8,8	8,8	8,8	7,6	8,3	14
15	8,8	8,8	9,1	8,3	9,4	11,6	10,9	10,7	9,9	9,9	9,9	9,7	11,0	8,0	9,7	15
16	9,2	8,3	8,7	7,9	7,1	7,0	6,8	6,6	5,7	5,6	5,6	5,6	9,2	5,5	7,1	16
17	5,8	5,7	6,3	6,4	6,6	6,8	7,1	7,1	6,9	6,9	6,9	6,9	7,5	5,6	6,6	17
18	6,9	6,9	6,7	5,9	6,0	6,1	6,5	6,9	6,6	5,8	2,7	2,3	6,9	1,9	5,6	18
19	1,0	0,3	1,4	1,6	3,7	4,8	7,9	8,9	9,6	9,6	7,7	5,6	9,6	0,3	5,2	19
20	4,6	4,3	3,8	3,1	8,9	11,8	12,7	11,8	9,2	8,8	5,9	6,5	12,9	3,8	7,8	20
21	4,9	4,1	2,9	3,7	4,4	7,1	8,1	7,3	5,2	3,4	0,7	- 0,3	8,2	- 0,3	4,3	21
22	- 0,8	- 1,1	- 2,0	- 2,2	0,8	4,2	5,3	4,4	1,5	0,3	- 0,2	- 0,7	5,4	- 2,3	0,8	22
23	- 1,3	- 2,2	- 2,5	- 3,0	- 0,3	2,5	5,2	3,5	0,6	- 0,2	- 1,2	- 1,4	5,2	- 3,3	0,0	23
24	- 1,7	- 2,1	- 2,2	- 2,1	0,0	4,3	6,5	6,1	3,6	2,8	1,8	2,2	6,5	- 3,0	1,8	24
25	2,2	2,5	2,7	2,1	2,6	3,4	4,1	3,4	3,0	2,5	2,4	2,2	4,2	2,0	2,8	25
26	1,2	- 0,3	- 2,0	- 2,2	- 0,9	1,1	2,8	1,2	- 1,2	- 3,0	- 3,2	- 4,1	2,9	- 4,2	- 0,8	26
27	- 5,3	- 6,3	- 5,4	- 5,5	- 3,5	- 2,3	- 1,4	- 2,2	- 2,5	- 3,1	- 3,1	- 2,4	- 1,4	- 6,4	- 3,6	27
28	- 2,3	- 3,0	- 3,1	- 2,3	- 2,1	- 2,1	- 1,4	- 1,2	- 0,2	- 1,2	0,1	- 0,1	0,3	- 3,2	- 1,6	28
29	0,8	0,7	0,7	1,5	1,6	2,6	2,7	2,7	1,1	1,1	1,1	0,7	2,8	0,7	1,3	29
30	0,6	0,6	0,4	0,1	0,3	0,6	0,7	0,6	0,5	0,4	0,4	0,2	0,8	- 0,2	0,5	30
31	0,5	0,5	0,8	0,3	0,6	0,5	0,5	0,5	- 0,4	- 0,3	- 0,4	- 0,4	0,8	- 0,4	0,3	31
MI	3,7	3,3	3,1	3,1	4,5	6,0	6,9	6,6	5,6	4,7	4,1	3,9	7,4	2,0	4,6	MI

NOVEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	- 0,4	- 0,7	- 0,5	- 0,2	- 0,1	- 0,1	0,1	0,1	- 0,1	0,4	0,8	0,7	0,9	- 0,9	0,0	1
2	0,8	0,7	0,5	0,3	- 0,3	- 0,2	0,4	0,3	0,2	0,3	0,3	0,3	0,3	- 0,3	0,3	2
3	0,3	0,3	0,9	0,6	0,7	0,8	0,7	0,0	0,8	1,8	1,8	4,0	4,0	0,0	1,1	3
4	5,7	5,2	6,7	6,8	6,8	3,1	8,1	6,8	4,8	4,2	4,5	3,6	8,9	2,7	6,0	4
5	3,7	3,7	2,4	2,2	2,9	4,8	6,0	5,0	3,0	3,0	3,0	3,0	6,5	1,4	3,6	5
6	3,5	1,8	1,4	- 0,3	0,5	1,9	2,5	1,9	0,8	- 0,9	- 1,3	- 1,9	3,5	- 1,9	0,8	6
7	- 2,6	- 2,8	- 3,2	- 3,3	- 2,4	- 2,2	2,2	0,5	- 1,0	- 1,8	- 2,2	- 2,2	2,2	- 4,0	- 1,6	7
8	- 2,4	- 2,8	- 2,7	- 4,1	- 3,2	- 1,2	- 0,5	- 0,6	- 2,8	- 3,6	- 4,4	- 5,2	- 0,5	- 5,2	- 2,8	8
9	- 5,3	- 4,6	- 4,3	- 4,6	- 5,0	- 3,1	- 2,1	- 2,3	- 2,4	- 3,5	- 4,4	- 4,5	- 2,0	- 5,9	- 3,8	9
10	- 3,7	- 4,5	- 5,2	- 5,3	- 5,3	- 4,3	- 3,5	- 3,5	- 3,7	- 3,6	- 4,7	- 4,7	- 3,5	- 5,5	- 4,3	10
11	- 5,4	- 5,2	- 6,1	- 5,0	- 6,9	- 6,4	- 4,8	- 4,3	- 6,7	- 7,0	- 6,4	- 6,6	- 4,3	- 7,0	- 6,0	11
12	- 5,4	- 5,2	- 4,3	- 4,9	- 4,0	- 2,9	- 1,7	- 2,3	0,6	1,6	2,0	0,6	2,2	- 5,4	- 2,0	12
13	- 0,3	- 0,4	- 1,5	- 2,2	- 0,3	0,0	0,3	0,8	1,0	1,1	1,8	0,2	1,8	- 2,3	0,0	13
14	0,1	0,3	0,5	- 1,7	- 1,3	0,1	- 0,2	- 0,9	- 1,4	- 1,8	- 3,2	- 3,7	1,0	- 3,7	- 1,0	14
15	- 5,4	- 5,1	- 6,0	- 6,3	- 4,7	- 3,0	- 6,1	- 6,3	- 5,9	- 5,2	- 4,5	- 4,2	- 4,0	- 6,3	- 5,3	15
16	- 3,3	- 3,3	- 2,9	- 1,7	- 1,4	- 1,2	- 1,1	- 1,2	- 1,0	- 0,7	- 0,2	- 0,9	- 0,2	- 3,3	- 1,5	16
17	- 0,2	- 0,3	- 0,5	- 1,3	- 1,1	0,7	0,9	- 0,3	- 1,9	- 2,0	- 0,1	3,1	3,1	- 2,1	- 0,2	17
18	3,9	3,8	3,4	3,6	2,7	2,8	3,3	3,5	3,5	3,1	3,5	3,5	4,0	2,7	3,4	18
19	3,6	3,1	2,6	2,3	2,1	2,1	2,4	1,9	1,7	1,5	0,6	- 0,3	3,6	- 0,3	2,0	19
20	- 0,6	- 1,4	- 1,6	- 1,4	- 1,1	1,7	3,0	2,9	2,8	2,7	- 0,1	- 0,4	4,0	- 1,9	0,5	20
21	- 1,7	- 2,7	- 3,7	- 1,3	- 4,3	- 2,1	- 1,7	- 2,3	- 1,6	- 1,8	- 1,8	- 1,7	- 1,6	- 4,9	- 2,5	21
22	- 1,6	- 1,3	- 0,7	0,1	1,5	3,0	3,7	3,5	3,2	2,6	3,2	3,6	3,7	- 1,6	1,8	22
23	5,3	4,6	5,3	1,1	4,6	5,9	5,3	4,2	3,3	2,4	2,1	1,8	6,2	1,7	4,1	23
24	1,8	1,4	1,2	- 0,3	- 0,3	0,8	1,6	0,2	- 1,9	- 2,8	- 3,4	- 3,8	1,8	- 3,8	- 0,5	24
25	- 3,9	- 3,0	- 2,4	- 1,6	- 1,9	- 1,2	- 0,6	0,2	0,3	1,3	2,3	1,5	2,3	- 3,9	- 0,7	25
26	1,6	1,0	1,8	1,2	2,0	2,0	1,8	1,6	1,4	1,1	0,2	- 1,7	2,2	- 1,7	1,2	26
27	- 2,0	0,7	- 0,2	0,1	2,8	3,9	4,4	1,6	- 1,4	- 1,6	- 1,6	- 2,6	4,8	- 2,6	0,4	27
28	- 2,6	- 2,1	- 3,1	- 3,5	- 0,2	- 0,6	- 1,3	- 1,5	- 1,4	- 1,4	- 1,4	- 1,3	- 0,2	- 3,2	- 1,5	28
29	- 0,7	- 0,5	- 0,7	0,1	0,7	0,9	1,0	1,0	1,0	3,1	4,1	3,4	5,0	- 0,7	1,1	29
30	2,9	2,2	- 0,4	0,7	0,6	1,8	2,0	1,2	1,1	1,0	- 0,3	0,6	3,9	- 1,0	1,1	30
MI	- 0,5	- 0,3	- 0,8	- 0,3	- 0,5	0,4	0,9	0,5	- 0,1	- 0,2	- 0,3	- 0,5	2,0	- 2,4	- 0,2	MI

DESEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	1,1	1,3	1,7	1,3	0,7	1,1	1,0	0,1	- 0,1	- 0,1	0,4	0,8	1,9	- 0,1	0,8	1
2	0,8	0,7	1,4	2,2	3,6	1,7	4,9	4,8	6,0	5,9	5,0	4,0	6,0	0,7	3,7	2
3	4,0	3,2	2,9	1,1	0,9	2,1	3,0	1,9	1,0	4,3	5,0	5,3	5,9	0,2	3,0	3
4	5,0	3,1	2,1	3,0	0,8	2,2	2,8	2,8	4,6	5,7	6,8	6,8	6,8	- 0,3	3,6	4
5	7,8	6,9	7,9	5,8	4,1	3,2	5,8	3,9	2,9	1,9	3,9	4,9	8,0	1,0	5,1	5
6	4,0	2,9	3,7	3,8	2,7	3,8	5,0	3,4	1,7	3,6	- 0,1	- 0,9	5,9	- 1,0	2,7	6
7	- 1,0	0,1	1,7	1,7	2,5	3,9	2,6	0,5	- 1,5	- 2,5	- 3,3	- 2,0	2,7	- 3,3	0,0	7
8	- 3,0	- 2,5	- 3,2	- 1,9	- 5,0	- 3,0	- 2,2	- 4,3	- 6,4	- 6,5	- 5,8	- 5,5	- 2,2	- 6,4	- 4,4	8
9	- 7,3	- 7,6	- 8,5	-11,0	-10,0	- 9,1	- 9,1	-10,0	-10,5	- 9,8	- 8,7	- 8,7	- 8,7	-10,6	- 8,8	9
10	- 8,7	- 8,7	- 7,3	- 8,1	- 8,1	- 7,2	- 6,9	- 7,1	- 7,2	- 6,4	- 6,7	- 5,9	- 5,9	- 8,1	- 7,0	10
11	- 6,6	- 8,1	- 8,0	- 3,2	- 7,8	- 3,0	- 6,1	- 7,1	- 7,5	- 9,2	-10,3	-11,1	- 4,8	-11,1	- 8,0	11
12	-11,2	-11,2	-12,0	-12,8	-12,4	-13,5	-10,0	-11,2	-12,3	-13,2	-13,2	-13,3	-10,0	-13,3	-11,9	12
13	-14,1	-14,2	-14,3	-13,8	-12,4	-11,4	-11,5	-11,4	- 9,6	- 8,8	- 8,7	- 7,6	- 7,6	-14,4	-11,5	13
14	- 7,2	- 7,1	- 6,6	- 6,5	- 6,4	- 6,3	- 6,2	- 6,5	- 6,5	- 7,2	- 7,7	- 8,2	- 6,1	- 8,2	- 6,9	14
15	- 7,9	- 7,7	- 8,1	- 8,0	- 8,0	- 7,6	- 7,7	- 8,4	- 7,8	- 7,9	- 8,1	- 9,5	- 7,6	- 9,1	- 8,1	15
16	- 9,6	- 9,6	- 9,7	-10,5	-10,3	- 9,6	- 8,4	- 9,3	- 8,7	- 8,5	- 8,5	- 8,4	- 8,4	-10,5	- 9,3	16
17	- 8,6	- 8,3	- 8,6	- 8,0	- 7,7	- 7,3	- 6,9	- 7,3	- 8,9	- 6,9	- 7,3	- 8,5	- 6,6	- 9,1	- 7,7	17
18	- 8,3	- 9,1	- 9,3	-10,3	-12,1	-10,4	- 9,1	-11,5	-13,0	-13,3	-13,3	-13,3	- 8,3	-13,4	-11,1	18
19	-13,6	-13,2	-13,2	-13,3	-13,1	-12,0	-11,1	-10,9	-11,0	-11,0	- 7,8	- 7,1	- 7,1	-13,7	-11,4	19
20	- 5,9	- 4,5	- 2,7	- 2,5	- 5,1	- 3,1	- 1,5	- 4,1	- 4,4	- 6,0	- 7,6	- 8,1	- 1,5	- 8,1	- 4,6	20
21	- 9,2	-10,1	-11,0	-12,2	-12,5	-11,1	- 9,0	- 7,9	- 8,9	- 8,8	- 6,7	- 6,9	- 6,1	-12,5	- 9,2	21
22	- 9,0	- 8,7	- 8,0	- 3,2	- 8,4	- 3,6	- 9,3	- 3,0	- 8,6	- 7,6	- 7,5	- 5,6	- 5,6	- 9,0	- 8,2	22
23	- 4,6	- 4,7	- 4,1	- 3,1	- 3,0	- 2,9	- 2,9	- 2,9	- 2,0	- 1,1	- 1,0	- 1,0	- 1,0	- 4,7	- 2,8	23
24	- 0,5	- 0,1	- 0,2	0,3	0,9	1,0	1,0	0,9	0,8	0,8	0,8	0,8	1,0	- 0,5	0,6	24
25	0,8	0,0	1,0	1,1	1,1	1,1	1,1	0,9	0,7	0,1	0,0	0,0	1,1	0,0	0,7	25
26	- 0,2	- 0,4	- 1,1	0,3	- 0,3	- 0,2	- 0,2	- 0,1	0,0	0,2	1,8	2,5	2,5	- 1,1	0,2	26
27	2,0	1,3	0,0	1,3	0,0	1,3	1,1	1,3	1,0	0,0	0,0	0,1	2,0	0,0	0,7	27
28	0,0	0,5	0,5	2,4	2,5	1,3	2,1	2,0	1,9	1,8	1,8	1,9	2,8	0,0	1,6	28
29	1,1	1,1	1,1	1,0	1,0	0,7	0,1	- 0,2	0,2	- 0,2	- 0,2	- 0,5	1,8	- 0,5	0,4	29
30	- 1,1	- 0,3	- 1,0	- 1,3	- 1,8	- 2,3	- 2,5	- 2,1	- 2,0	- 1,8	- 1,0	- 1,2	- 0,9	- 2,7	- 1,5	30
31	- 1,3	- 2,1	- 2,8	- 1,3	- 2,4	- 2,4	- 3,2	- 3,4	- 3,4	- 3,4	- 3,4	- 3,4	- 1,3	- 3,5	- 2,7	31
MI	- 3,8	- 3,7	- 3,7	- 3,3	- 4,1	- 3,3	- 3,0	- 3,0	- 3,7	- 3,7	- 3,5	- 3,5	- 1,6	- 5,6	- 3,6	MI

REGISTRERINGER AV RELATIV FUKTIGHET U (RECORDS OF RELATIVE HUMIDITY U).

OSLO - BLINDERN

JANUAR 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	74	73	72	72	69	66	59	62	62	63	72	77	77	59	68,4	1
2	85	82	77	84	87	81	80	59	62	62	61	59	88	57	71,6	2
3	58	55	55	59	64	66	64	58	73	73	77	79	80	54	65,1	3
4	79	82	77	80	79	80	72	75	76	70	72	74	83	65	76,3	4
5	75	78	77	73	75	73	73	76	77	77	77	79	79	73	76,4	5
6	79	79	80	82	85	81	88	89	95	91	95	99	99	78	87,2	6
7	99	97	98	95	98	99	98	99	97	43	50	61	99	42	86,3	7
8	82	68	63	60	67	63	65	70	79	86	91	93	93	58	72,4	8
9	89	88	85	87	87	83	75	76	82	83	85	90	90	73	84,6	9
10	97	96	96	93	94	93	95	90	85	88	82	83	98	79	91,2	10
11	79	80	80	77	73	72	76	76	74	73	79	77	82	73	76,9	11
12	76	77	74	73	75	77	75	71	69	72	73	70	81	67	73,8	12
13	69	67	67	68	66	63	61	63	65	61	62	64	70	61	64,9	13
14	68	69	70	74	83	75	68	67	79	83	80	83	85	65	74,9	14
15	82	79	82	82	80	77	69	74	82	82	82	84	84	68	79,6	15
16	79	82	82	73	83	83	90	93	99	99	99	97	99	78	88,8	16
17	95	83	79	80	79	73	78	82	88	88	89	86	95	76	83,7	17
18	90	88	85	85	72	61	57	59	61	65	70	69	90	57	71,8	18
19	70	74	77	74	74	70	70	75	80	80	80	80	82	68	75,3	19
20	80	82	84	87	80	74	75	76	81	73	77	79	88	73	79,2	20
21	78	79	78	78	77	83	70	73	76	73	74	75	83	70	76,2	21
22	73	70	72	72	72	69	60	66	74	80	83	85	77	60	73,2	22
23	88	88	84	91	95	90	84	84	84	82	78	78	95	73	85,5	23
24	78	78	78	75	75	72	70	70	69	69	67	65	80	65	72,2	24
25	65	65	67	65	65	62	63	63	70	72	70	68	73	62	66,4	25
26	68	68	70	69	67	62	63	60	63	62	65	65	70	60	65,2	26
27	64	65	65	66	70	70	70	73	72	78	80	85	74	64	71,5	27
28	82	80	84	82	77	75	70	72	75	79	88	89	89	69	79,4	28
29	92	93	94	91	90	90	87	89	85	80	79	80	95	77	87,5	29
30	80	77	74	73	70	69	62	67	77	80	82	77	83	61	74,0	30
31	76	75	73	72	69	63	60	61	65	71	70	74	78	58	69,1	31
MI	78,4	78,0	77,4	77,5	77,3	73,4	71,8	73,4	76,6	75,7	77,1	78,2	85,1	65,9	76,4	MM

FEBRUAR 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	75	76	74	82	80	78	74	73	76	79	80	82	85	71	77,4	1
2	81	75	68	63	74	64	59	63	75	80	83	80	83	58	72,5	2
3	81	81	83	80	77	73	68	78	82	53	52	44	86	43	69,7	3
4	59	60	69	75	72	67	59	64	71	77	77	80	82	44	69,2	4
5	80	79	85	81	82	67	59	63	77	83	85	85	87	56	77,2	5
6	85	87	87	87	88	83	72	77	84	92	98	98	99	67	86,5	6
7	97	96	97	97	95	97	77	83	88	93	93	93	98	71	92,7	7
8	58	57	62	63	55	45	37	37	60	45	58	50	93	33	60,6	8
9	58	59	73	80	37	31	32	33	36	40	45	44	80	31	47,3	9
10	32	67	75	79	68	55	40	37	50	59	64	69	78	36	58,9	10
11	71	74	76	80	75	62	50	48	61	69	76	83	83	48	68,8	11
12	89	98	93	91	90	90	78	72	73	73	86	83	99	68	85,2	12
13	64	50	51	58	55	63	54	55	55	59	56	55	83	48	56,1	13
14	54	51	48	47	43	37	32	27	34	31	34	42	55	28	40,3	14
15	43	54	58	63	60	49	40	44	55	63	65	76	77	39	55,8	15
16	73	77	80	79	75	61	52	50	59	72	77	80	81	49	69,8	16
17	80	84	87	82	78	57	44	26	33	40	40	41	87	26	57,7	17
18	43	48	51	51	54	43	39	40	41	41	44	88	88	40	48,6	18
19	88	82	80	78	77	73	72	72	76	76	75	74	88	72	76,9	19
20	73	72	74	73	70	68	69	70	73	71	78	80	80	68	72,8	20
21	79	88	91	93	89	83	85	83	88	90	93	98	98	79	88,9	21
22	99	98	99	93	92	82	77	79	78	83	83	83	99	75	88,2	22
23	83	83	72	72	67	58	58	60	64	70	80	84	87	57	70,9	23
24	91	54	66	68	63	57	49	45	50	55	61	66	93	44	60,4	24
25	71	75	84	84	78	65	61	60	65	80	88	89	89	60	75,0	25
26	91	97	99	97	93	69	65	65	78	73	42	45	99	40	76,2	26
27	57	63	72	67	62	43	40	38	59	75	98	97	98	36	64,8	27
28	97	97	97	96	90	89	90	88	81	73	79	77	97	77	88,3	28
MI	75,1	75,4	77,5	77,9	72,7	65,5	58,3	58,4	64,4	63,4	71,1	73,8	87,6	52,3	69,9	MM

MARS 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	72	69	64	61	59	54	50	55	62	72	73	73	77	48	63,7	1
2	75	89	86	92	97	93	98	93	95	95	96	93	98	75	92,3	2
3	96	96	97	97	97	97	93	86	90	42	60	54	97	31	83,8	3
4	61	69	82	87	74	53	41	41	53	59	59	63	87	36	62,0	4
5	69	78	83	83	66	59	64	68	77	87	90	91	93	59	75,0	5
6	90	91	90	85	84	74	81	90	88	95	86	83	97	70	86,4	6
7	85	82	91	99	95	96	99	97	97	93	91	92	99	82	93,1	7
8	97	98	98	78	82	53	52	47	56	63	88	92	99	44	73,7	8
9	98	95	95	95	93	93	94	95	97	97	98	98	98	92	95,7	9
10	97	97	98	98	98	97	97	85	85	87	75	64	98	61	89,8	10
11	72	75	88	83	68	59	65	61	61	81	74	72	88	55	71,6	11
12	73	88	88	85	78	83	85	83	85	81	85	88	90	73	83,5	12
13	80	76	77	70	62	63	58	51	62	68	68	68	80	50	66,9	13
14	69	68	69	65	60	53	50	51	59	63	64	66	71	49	61,9	14
15	67	65	67	68	60	59	57	57	59	65	72	72	72	55	64,0	15
16	75	76	76	73	67	61	55	55	58	58	59	57	78	53	64,3	16
17	39	57	56	53	46	41	36	32	37	49	47	51	59	31	47,0	17
18	56	58	61	59	52	43	44	37	36	51	63	73	73	36	52,9	18
19	74	75	73	74	64	56	48	52	57	72	73	70	77	48	65,7	19
20	68	61	66	64	66	77	69	69	77	73	81	78	81	59	71,2	20
21	78	77	78	83	87	62	61	62	91	82	75	79	93	60	76,3	21
22	76	75	83	94	95	89	80	83	97	93	93	76	98	75	86,6	22
23	80	80	82	80	70	53	56	58	93	83	83	92	93	54	73,8	23
24	81	76	79	68	52	32	30	28	36	58	74	76	82	28	57,5	24
25	80	85	93	86	79	73	59	58	97	99	97	97	99	61	83,8	25
26	96	95	94	95	97	97	97	97	97	97	97	96	97	93	96,3	26
27	92	84	84	85	88	89	76	84	90	90	92	93	93	71	88,9	27
28	88	92	93	92	92	83	79	78	83	80	79	83	94	77	85,4	28
29	85	80	75	71	78	79	69	65	63	65	64	63	85	60	71,7	29
30	82	84	63	59	55	56	58	53	67	88	85	85	88	53	66,7	30
31	84	86	82	84	82	74	67	59	54	61	68	68	88	52	72,7	31
MI	78,5	79,3	81,0	79,2	74,9	63,8	66,7	66,0	71,9	76,2	77,7	77,6	87,8	57,4	74,9	MM

OSLO - BLINDERN REGISTRERINGER AV RELATIV FUKTIGHET U (RECORDS OF RELATIVE HUMIDITY U).

APRIL 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	68	67	62	58	53	53	69	77	83	80	85	87	89	52	70,2	1
2	85	91	39	93	83	80	83	67	81	89	87	87	94	64	84,6	2
3	87	88	89	91	88	71	66	68	72	73	81	91	94	65	80,4	3
4	89	84	84	97	96	93	92	89	90	90	92	88	98	80	90,3	4
5	83	81	82	78	69	61	62	56	60	60	64	65	86	54	68,4	5
6	61	61	63	87	78	60	64	60	59	63	67	67	87	57	66,3	6
7	66	67	67	66	57	45	42	41	42	52	60	69	67	39	55,3	7
8	63	66	63	61	51	42	40	39	41	47	55	59	69	39	52,5	8
9	52	59	64	59	50	54	53	53	52	53	58	59	64	49	55,9	9
10	59	59	60	61	59	52	48	43	50	59	58	60	62	47	55,8	10
11	62	65	68	57	38	36	35	33	32	51	53	54	68	31	48,7	11
12	59	62	67	57	41	28	28	30	30	43	60	64	68	27	47,8	12
13	69	72	78	81	73	59	56	73	89	93	94	96	96	51	77,8	13
14	98	98	98	98	90	62	59	49	48	63	42	47	99	41	71,0	14
15	48	48	46	40	33	28	28	28	32	45	59	61	61	24	41,3	15
16	39	58	47	43	31	25	25	48	92	95	93	85	95	24	58,3	16
17	50	50	49	43	35	30	25	24	24	29	37	43	60	23	37,4	17
18	47	54	58	43	39	39	27	25	27	38	58	75	76	25	44,3	18
19	84	83	83	90	68	53	48	48	53	55	80	88	90	43	69,2	19
20	93	97	96	97	96	95	95	93	95	96	96	97	97	93	95,7	20
21	97	97	97	93	98	93	90	93	93	94	92	91	98	89	94,8	21
22	92	94	96	96	89	84	76	87	88	91	92	91	97	72	89,7	22
23	99	90	91	91	91	85	80	72	80	88	80	83	93	66	85,0	23
24	81	79	84	85	87	86	88	88	89	89	91	87	91	77	86,2	24
25	87	87	89	90	90	92	89	92	94	93	95	98	98	84	91,3	25
26	91	93	94	91	90	83	81	73	74	83	89	91	94	73	86,4	26
27	93	90	91	78	54	47	40	36	39	57	77	89	94	35	65,9	27
28	97	97	97	95	95	89	87	84	74	87	89	89	97	57	86,6	28
29	89	90	96	93	73	70	77	74	39	44	60	75	97	39	73,3	29
30	87	87	88	76	63	73	48	25	23	35	47	47	90	23	58,7	30
MI	78,4	77,2	77,9	73,3	68,6	62,5	59,3	58,5	61,5	63,0	73,0	75,8	85,6	51,4	69,6	MI

MAI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	66	69	63	58	48	47	56	83	75	73	94	93	96	42	69,0	1
2	69	67	67	61	47	38	45	48	53	63	63	59	88	33	58,1	2
3	67	78	84	57	50	42	31	27	23	28	39	89	89	22	49,6	3
4	90	93	92	71	37	58	55	83	93	91	85	94	94	33	78,3	4
5	94	93	91	74	53	47	56	75	72	69	79	88	97	42	74,3	5
6	93	91	88	73	62	51	70	67	73	73	80	89	94	49	75,8	6
7	88	88	84	82	67	53	43	94	73	72	90	89	94	40	76,1	7
8	88	90	86	67	61	48	58	47	59	61	74	82	90	38	68,4	8
9	93	97	93	81	55	51	45	53	85	80	90	88	97	44	75,9	9
10	91	88	54	27	19	20	19	17	20	22	36	43	91	17	38,0	10
11	51	59	54	48	38	17	16	17	17	22	41	59	61	16	36,6	11
12	74	89	78	80	56	43	48	53	56	47	64	84	89	43	63,1	12
13	87	88	79	69	60	47	53	78	88	98	97	97	99	46	78,4	13
14	94	97	94	92	93	79	68	58	39	62	74	78	97	38	77,5	14
15	81	91	90	75	70	72	78	84	87	91	98	99	99	64	84,5	15
16	94	92	94	82	19	57	62	65	65	88	80	81	96	46	75,8	16
17	89	90	99	90	99	93	98	93	88	90	90	89	99	88	92,8	17
18	87	88	81	87	72	67	59	60	64	72	84	81	89	59	75,2	18
19	82	81	78	63	61	63	89	82	78	63	49	41	92	41	69,6	19
20	45	44	42	33	30	26	19	17	16	18	35	35	45	16	29,8	20
21	33	38	41	45	53	53	55	81	77	92	97	96	97	33	63,4	21
22	98	94	90	84	79	74	65	78	89	98	88	90	99	63	85,3	22
23	95	94	89	68	73	89	87	70	74	81	83	82	95	65	82,1	23
24	87	95	96	90	98	92	61	47	53	53	77	62	99	40	76,7	24
25	91	94	88	85	78	60	61	62	58	58	59	83	94	53	73,4	25
26	97	90	90	76	77	68	64	61	62	72	80	85	98	53	77,0	26
27	78	86	90	98	99	83	62	72	73	79	89	97	99	61	83,7	27
28	94	97	87	88	68	53	40	43	46	58	66	80	98	38	68,5	28
29	91	89	95	94	94	93	98	99	97	93	98	98	99	89	95,8	29
30	98	98	98	97	90	73	94	59	62	69	88	97	98	57	83,3	30
31	96	93	93	87	83	87	80	49	44	52	61	60	96	40	67,1	31
MI	83,8	85,2	81,6	72,7	64,5	59,6	57,6	62,0	63,2	67,5	74,7	80,3	92,5	45,5	71,1	MI

JUNI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	67	75	73	64	58	49	51	56	51	51	68	62	76	47	60,4	1
2	55	61	54	47	34	34	29	27	25	31	35	36	63	25	39,0	2
3	39	45	46	41	38	36	39	38	36	41	56	68	68	34	43,8	3
4	72	75	72	63	51	42	36	35	35	37	55	63	81	34	51,8	4
5	60	63	66	53	43	42	38	37	33	37	59	68	70	33	50,4	5
6	69	74	71	51	36	35	36	32	34	38	51	67	77	32	49,8	6
7	78	83	73	63	54	38	35	36	40	47	65	85	85	33	58,5	7
8	89	90	92	81	69	66	73	74	82	83	87	96	98	61	82,3	8
9	86	82	87	80	59	48	42	33	35	34	60	86	98	32	59,3	9
10	51	55	54	40	42	43	40	48	52	68	81	92	92	39	56,2	10
11	90	91	88	79	73	72	61	53	58	69	89	90	91	48	76,1	11
12	92	90	85	80	70	60	55	46	45	57	80	98	98	36	71,9	12
13	84	87	82	67	59	60	59	59	70	83	86	90	90	53	73,8	13
14	91	90	90	90	85	91	96	73	78	73	84	98	99	72	87,6	14
15	98	89	88	70	67	70	63	95	69	67	77	90	98	63	78,8	15
16	92	93	93	81	67	58	68	76	40	43	49	59	94	40	68,3	16
17	70	79	68	47	40	40	35	32	33	37	44	56	81	28	48,4	17
18	63	67	72	49	52	50	47	43	41	48	53	63	73	40	53,8	18
19	53	70	75	63	56	50	48	44	45	59	74	82	82	41	60,4	19
20	90	93	87	70	59	50	42	41	44	52	61	75	96	38	63,7	20
21	96	93	94	73	63	69	61	53	66	77	82	95	99	52	77,3	21
22	97	90	80	88	82	64	68	74	75	73	86	98	98	63	81,3	22
23	98	98	96	93	92	73	65	60	55	83	80	87	98	53	82,5	23
24	95	94	89	70	62	56	59	60	57	64	66	66	98	55	70,6	24
25	68	93	99	98	83	62	55	70	69	71	78	88	99	51	78,1	25
26	81	73	70	61	58	60	60	73	84	71	73	78	92	55	71,3	26
27	73	73	73	60	69	83	68	50	52	52	82	64	88	50	67,8	27
28	78	83	80	91	48	48	39	88	98	92	94	94	98	43	78,3	28
29	95	98	89	51	83	53	59	37	40	48	54	72	99	36	63,5	29
30	81	90	68	49	47	37	39	53	56	61	85	87	92	35	62,5	30
MI	79,0	81,5	77,7	67,2	60,0	55,3	52,9	53,5	53,3	58,6	69,8	77,4	89,0	44,1	68,8	MI

REGISTRERINGER AV RELATIV FUKTIGHET U (RECORDS OF RELATIVE HUMIDITY U).

OSLO - BLINDERN

JULI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	79	74	82	66	57	43	42	34	34	51	43	45	88	31	54,9	1
2	56	74	59	43	42	37	36	44	55	82	92	79	95	34	58,3	2
3	69	52	48	40	32	34	32	34	32	46	53	58	69	29	44,2	3
4	70	75	63	46	36	37	34	34	35	43	64	66	75	34	50,7	4
5	68	67	69	60	55	51	48	50	46	47	43	59	74	38	54,4	5
6	68	63	58	51	52	51	47	41	39	54	68	92	92	38	57,3	6
7	91	88	82	82	49	44	37	35	37	63	90	95	95	33	61,9	7
8	99	99	99	81	50	61	70	68	67	67	75	75	99	48	75,9	8
9	82	82	85	73	78	93	89	74	53	62	76	76	97	51	77,3	9
10	92	88	38	72	63	70	75	73	72	60	61	61	95	56	72,9	10
11	62	63	65	59	53	53	49	47	49	51	61	62	65	47	56,2	11
12	64	63	62	56	48	44	40	38	40	51	67	92	92	36	55,4	12
13	96	97	90	77	61	53	38	37	32	63	68	99	99	34	71,5	13
14	96	99	99	96	70	60	61	49	68	77	87	89	99	47	79,3	14
15	93	88	88	82	68	64	62	80	65	58	59	60	94	57	70,6	15
16	55	54	56	62	64	73	65	59	59	61	63	68	90	53	66,3	16
17	68	67	64	62	61	55	50	44	50	61	68	77	77	44	60,8	17
18	89	93	99	99	99	93	99	70	64	76	87	90	99	63	88,7	18
19	90	80	78	73	58	52	58	54	48	60	63	88	90	47	66,8	19
20	92	94	90	79	91	73	78	63	65	61	70	80	94	56	77,8	20
21	83	92	92	98	91	52	57	74	98	88	97	99	99	50	84,8	21
22	99	83	69	55	51	45	44	42	71	71	97	99	99	40	69,1	22
23	88	62	58	53	46	42	43	50	45	47	72	74	88	40	57,0	23
24	73	70	64	64	76	63	48	45	47	55	63	77	77	41	62,1	24
25	93	99	98	73	67	61	62	55	56	90	96	97	99	49	78,9	25
26	92	93	88	68	55	51	74	68	53	57	77	87	96	49	71,8	26
27	98	95	92	86	70	54	57	38	49	53	90	98	98	36	73,5	27
28	97	99	97	83	84	80	63	57	49	57	94	90	99	43	79,2	28
29	85	83	78	82	85	93	99	92	94	97	98	96	99	78	90,8	29
30	96	97	97	98	97	93	98	90	87	89	94	93	98	86	94,5	30
31	97	95	97	94	98	91	84	81	91	92	99	93	99	73	93,3	31
MI	83,0	81,3	78,7	71,5	65,4	60,6	59,3	56,7	58,1	61,8	75,3	81,1	91,3	47,1	69,6	MI

AUGUST 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	94	97	93	96	98	92	84	58	67	76	86	88	99	54	81,6	1
2	88	91	95	82	79	83	70	67	70	93	95	97	97	60	84,2	2
3	96	95	97	92	65	56	49	61	70	65	61	63	97	48	72,7	3
4	58	57	55	52	45	38	39	40	36	51	54	54	63	35	48,3	4
5	54	68	68	63	70	63	53	44	57	60	82	89	89	40	65,1	5
6	90	92	87	86	60	57	44	40	46	53	81	98	93	38	68,3	6
7	92	95	92	93	94	86	72	51	45	55	67	72	97	45	76,3	7
8	69	80	97	96	94	92	85	77	81	73	78	91	98	67	84,6	8
9	93	92	97	96	94	92	85	77	80	73	78	91	98	71	87,5	9
10	93	91	98	74	68	56	52	55	59	93	96	85	98	50	76,8	10
11	84	78	75	81	76	81	82	70	73	89	91	95	95	69	81,3	11
12	95	95	95	90	75	60	63	72	70	75	80	85	98	60	80,3	12
13	83	89	89	84	80	73	67	69	70	73	79	87	90	62	78,6	13
14	90	87	93	87	75	73	74	59	56	55	54	93	97	52	74,7	14
15	85	84	89	85	85	73	64	62	66	80	88	95	95	62	79,7	15
16	99	98	97	92	88	93	84	72	77	84	97	97	99	72	90,4	16
17	97	88	80	77	77	78	73	65	57	56	68	80	98	54	74,7	17
18	81	81	73	65	54	47	41	40	45	63	67	71	85	38	60,7	18
19	80	83	80	74	61	53	54	62	81	80	82	84	88	52	73,4	19
20	86	92	91	90	82	73	66	55	62	74	93	98	99	50	80,2	20
21	97	94	97	92	92	93	80	91	98	99	98	95	99	72	93,8	21
22	97	90	97	83	57	46	38	44	56	69	75	91	98	38	70,3	22
23	95	95	93	81	67	47	45	50	59	69	82	93	96	42	73,0	23
24	96	96	95	85	75	61	44	39	50	65	90	91	97	39	74,0	24
25	92	92	94	91	65	44	37	39	45	64	68	62	97	36	66,1	25
26	62	64	67	63	52	45	40	39	43	50	62	64	67	39	54,3	26
27	70	81	75	72	61	59	58	55	58	58	56	56	81	54	63,3	27
28	57	58	50	47	44	41	35	31	35	63	83	90	90	27	52,8	28
29	91	89	84	84	67	53	59	49	58	73	90	90	94	46	74,5	29
30	98	94	88	72	52	43	43	44	46	48	48	48	98	42	60,3	30
31	65	73	65	49	40	34	35	34	36	50	86	90	90	31	55,5	31
MI	84,7	85,8	85,4	79,5	70,7	64,8	56,9	55,6	59,7	69,2	77,9	83,3	92,9	50,2	72,8	MI

SEPTEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	91	97	94	91	73	71	64	67	96	99	99	99	99	62	86,8	1
2	99	98	98	99	97	94	93	93	97	98	95	99	99	93	96,7	2
3	99	99	99	99	98	88	70	55	68	80	90	96	99	52	86,8	3
4	96	98	99	93	86	74	70	47	38	51	62	64	99	34	73,3	4
5	71	87	82	93	81	68	62	64	73	90	98	98	98	61	80,6	5
6	96	97	97	92	88	82	87	83	83	90	97	97	98	57	91,3	6
7	97	96	95	96	90	91	88	97	97	92	91	93	95	79	93,8	7
8	95	86	86	84	82	93	97	97	95	88	90	93	97	82	90,5	8
9	96	96	97	97	78	67	54	54	62	73	74	90	99	46	78,7	9
10	97	92	92	83	65	47	47	54	53	66	60	72	95	45	68,2	10
11	70	89	87	95	98	78	29	33	36	43	49	59	98	27	63,8	11
12	63	54	60	55	38	35	38	40	47	62	67	89	89	34	54,0	12
13	98	98	89	73	78	67	41	40	41	71	91	67	98	32	71,6	13
14	56	53	60	56	43	26	30	30	35	40	41	47	67	25	43,1	14
15	44	53	59	62	41	36	31	29	30	33	64	72	72	29	46,2	15
16	80	82	92	90	61	54	35	47	50	78	94	87	93	44	72,5	16
17	89	93	96	93	96	72	62	51	59	74	86	90	99	50	81,4	17
18	98	95	97	93	81	38	37	37	43	52	53	61	98	34	65,8	18
19	70	72	72	70	52	37	37	34	36	46	58	63	78	34	53,9	19
20	82	86	90	85	67	60	63	72	95	99	99	89	99	56	82,3	20
21	96	90	91	89	75	51	36	47	51	64	73	75	98	44	71,5	21
22	81	91	90	88	66	33	28	49	51	52	47	50	91	25	60,7	22
23	53	57	63	61	63	63	75	75	64	77	87	97	97	50	70,2	23
24	95	94	90	83	47	35	35	37	55	70	83	88	97	34	68,2	24
25	94	96	98	99	87	60	68	80	81	95	97	98	99	58	87,8	25
26	97	93	95	93	81	64	30	28	34	40	55	70	98	27	65,0	26
27	89	90	94	88	69	53	38	28	35	30	59	68	97	28	62,7	27
28	75	69	73	68	58	41	40	46	61	57	70	73	79	38	61,2	28
29	85	87	81	86	47	34	30	30	34	38	40	51	88	28	50,3	29
30	66	74	77	77	56	40	34	33	93	57	63	82	80	31	57,7	30
MI	83,6	85,4	85,8	84,5	71,4	59,3	53,0	52,6	58,4	67,4	74,4	78,7	93,1	44,6	71,2	MI

REGISTRERINGER AV RELATIV FUKTIGHET U (RECORDS OF RELATIVE HUMIDITY U).

OSLO - BLINDERN

OKTOBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	73	74	74	73	54	43	45	42	57	70	79	88	88	42	64,8	1
2	90	94	98	91	70	57	43	41	57	79	84	90	98	40	74,5	2
3	91	97	98	92	73	59	51	52	62	83	96	99	99	48	79,4	3
4	99	98	99	99	82	69	60	48	59	71	79	83	99	48	78,8	4
5	98	90	91	71	57	52	41	43	62	73	88	89	91	41	70,7	5
6	92	92	99	91	77	67	59	64	67	76	85	97	98	57	80,7	6
7	99	95	93	97	93	87	79	77	84	97	96	97	99	76	91,2	7
8	97	98	99	98	90	73	70	69	80	95	99	99	99	69	89,2	8
9	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99,0	9
10	99	99	99	99	99	99	98	98	99	99	99	99	99	97	98,8	10
11	99	99	99	99	98	99	99	98	98	97	97	98	99	97	98,3	11
12	98	98	98	95	89	83	82	79	77	83	94	95	99	76	89,8	12
13	95	96	98	96	98	89	90	89	91	92	92	92	99	87	93,3	13
14	92	90	89	88	86	85	92	92	93	95	98	94	98	85	91,3	14
15	97	94	98	93	93	82	79	83	84	83	92	94	99	75	89,8	15
16	91	92	89	89	89	84	83	83	94	93	99	99	99	81	91,3	16
17	99	99	98	86	72	63	65	69	78	86	88	90	99	60	83,2	17
18	91	97	97	92	92	93	93	80	78	93	94	95	98	75	91,3	18
19	97	98	99	99	99	99	95	99	99	99	99	97	99	91	98,3	19
20	89	82	89	85	59	43	33	36	43	46	59	54	90	31	59,8	20
21	59	61	65	58	54	35	33	29	35	40	52	60	67	29	48,5	21
22	67	68	78	79	64	52	48	52	72	81	92	91	92	47	70,5	22
23	91	93	93	91	77	61	56	64	85	87	89	91	94	55	81,7	23
24	90	82	89	78	74	57	58	59	70	73	83	86	92	55	74,8	24
25	99	91	90	87	85	73	73	69	71	72	69	67	99	67	79,3	25
26	87	79	88	89	80	70	63	62	88	90	95	94	96	62	81,0	26
27	92	93	99	95	96	87	85	89	92	89	88	91	99	84	91,3	27
28	87	86	87	81	76	73	70	69	70	71	73	76	89	69	76,9	28
29	78	80	82	77	74	69	68	94	81	78	75	83	94	63	78,3	29
30	91	82	88	87	82	77	79	67	62	65	65	64	93	62	75,8	30
31	64	65	63	67	79	73	73	76	97	81	85	85	97	63	75,6	31
MI	89,0	89,1	91,1	88,2	80,8	73,4	69,7	70,4	76,9	82,4	86,5	88,3	95,5	65,5	82,2	MI

NOVEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	78	84	82	80	80	83	86	86	92	86	87	90	90	78	84,7	1
2	87	89	83	82	68	85	82	82	81	81	83	84	91	79	83,9	2
3	82	84	87	82	78	67	69	88	97	95	97	98	99	66	85,3	3
4	95	94	98	99	99	84	59	68	85	87	83	90	99	56	85,1	4
5	92	93	95	97	96	73	64	70	82	90	95	95	97	61	86,8	5
6	95	97	97	95	91	85	78	70	70	84	83	81	97	70	85,5	6
7	87	88	89	81	77	73	54	65	80	83	86	87	90	51	79,3	7
8	88	87	87	83	79	73	77	84	87	87	85	88	89	70	84,2	8
9	88	88	89	87	89	73	79	80	83	85	90	98	99	78	86,3	9
10	96	99	99	98	98	93	95	91	93	94	96	95	99	90	96,0	10
11	98	97	91	90	82	87	83	84	88	86	91	83	98	79	88,3	11
12	83	84	80	85	89	91	89	96	97	95	96	97	97	79	90,3	12
13	92	88	89	86	88	96	99	99	97	93	90	97	99	85	92,8	13
14	98	90	92	90	89	88	88	90	91	87	87	83	98	83	89,4	14
15	87	88	84	81	84	81	78	80	79	79	78	78	89	78	81,7	15
16	74	72	73	72	73	70	73	77	82	78	78	93	93	69	76,3	16
17	83	84	92	93	95	90	80	87	93	93	92	99	99	77	90,3	17
18	88	80	78	76	77	80	80	73	68	65	73	75	88	64	76,1	18
19	77	94	93	93	93	98	96	98	97	93	99	99	99	76	94,6	19
20	98	97	98	89	89	82	78	89	93	92	93	95	98	82	91,1	20
21	96	90	93	98	97	88	73	65	64	63	82	87	97	73	83,0	21
22	86	93	93	93	94	96	97	98	99	99	99	99	99	86	95,3	22
23	99	99	98	91	79	84	84	52	69	73	77	78	99	51	77,5	23
24	79	84	82	91	91	85	83	71	87	88	92	92	92	63	83,8	24
25	90	88	89	92	92	93	99	95	94	98	95	97	99	88	93,1	25
26	97	97	99	99	99	99	95	93	98	58	55	73	99	52	88,7	26
27	79	56	67	68	54	45	39	42	58	61	60	64	79	35	57,8	27
28	62	61	63	68	67	64	67	69	75	93	93	97	97	60	73,0	28
29	98	97	97	98	97	93	98	93	99	54	43	40	99	33	84,8	29
30	43	42	39	71	70	66	66	70	74	75	85	87	87	37	67,3	30
MI	86,5	86,1	87,2	87,3	85,8	81,1	77,9	80,6	85,1	83,2	84,8	87,3	95,2	67,6	84,4	MI

DESEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	MAX	MIN	DIES	DT
1	93	90	93	95	94	97	98	98	99	99	99	99	99	90	96,2	1
2	99	99	98	93	98	98	93	91	93	93	95	95	99	91	96,0	2
3	89	87	88	87	85	77	66	71	77	87	86	83	92	64	81,9	3
4	86	86	87	83	74	63	66	67	71	79	89	96	96	60	79,6	4
5	81	72	41	52	59	54	51	63	73	63	49	46	84	40	58,7	5
6	45	51	60	68	70	43	40	36	44	51	63	75	75	35	54,3	6
7	59	75	63	47	38	42	38	45	39	62	70	61	91	37	57,4	7
8	72	73	72	77	82	74	68	73	80	83	85	86	88	68	77,3	8
9	99	85	79	77	74	74	73	82	83	83	68	67	99	66	78,8	9
10	65	64	67	64	66	63	63	62	63	61	61	58	67	58	63,1	10
11	61	60	57	53	61	59	59	59	61	68	78	81	81	55	63,6	11
12	81	79	79	77	74	71	69	76	77	78	76	73	82	69	75,8	12
13	74	74	73	75	75	73	71	77	84	79	80	76	84	70	76,0	13
14	76	76	77	75	74	73	74	77	75	73	76	78	78	72	75,3	14
15	77	75	74	73	76	75	73	71	72	72	71	68	78	68	73,3	15
16	70	68	68	68	68	69	63	67	69	71	74	76	76	63	69,3	16
17	80	88	89	89	88	79	77	76	77	75	79	78	89	74	81,3	17
18	72	69	61	60	66	62	59	70	75	79	80	83	83	59	69,7	18
19	84	83	83	83	84	83	90	87	88	89	88	91	92	82	86,5	19
20	91	96	94	81	70	61	52	63	66	67	74	74	98	51	72,8	20
21	78	85	85	87	85	83	85	96	98	96	93	92	98	78	88,6	21
22	91	97	97	97	93	91	90	83	95	93	97	84	98	84	93,2	22
23	82	84	78	77	77	80	88	88	86	91	92	95	95	75	84,8	23
24	99	99	99	98	97	96	97	96	96	97	97	96	99	96	97,3	24
25	96	95	95	95	94	93	95	96	97	97	98	98	98	94	95,9	25
26	97	98	98	99	99	99	99	99	99	99	99	91	99	91	98,0	26
27	88	86	87	91	93	87	75	77	74	82	97	96	97	71	86,1	27
28	97	95	93	93	97	98	97	96	96	94	92	89	98	88	95,2	28
29	92	91	89	92	91	91	92	89	88	94	96	97	97	87	91,8	29
30	97	97	93	91	91	86	86	82	82	81	78	75	97	75	86,8	30
31	70	74	68	70	69	73	73	74	75	71	75	73	78	68	72,3	31
MI	82,9	82,3	80,2	79,8	79,4	76,7	74,8	77,2	79,7	81,4	82,4	81,6	89,8	70,3	79,9	MI

OSLO - BLINDERN

REGISTRERINGER AV VIND D,V (RECORDS OF WIND D,V).

JANUAR 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	00	0,0	00	0,0	00	0,0	30	1,5	00	0,0	24	1,0	00	0,0	00	0,0	00	0,0	00	0,0	22	0,5	25	1,1	1,6	1
2	00	0,0	00	0,0	21	0,8	17	0,5	23	0,8	04	3,2	02	5,1	03	4,0	03	4,2	03	3,3	02	5,2	03	4,7	6,7	2
3	01	5,7	03	5,1	01	7,2	01	4,6	32	0,5	00	0,0	18	0,5	36	1,5	00	0,0	00	0,0	00	0,0	00	0,0	8,2	3
4	00	0,0	27	0,7	00	0,0	03	0,0	00	0,0	00	0,0	06	0,5	00	0,0	00	0,0	09	0,5	05	2,3	00	0,0	2,3	4
5	20	0,6	03	0,5	00	0,0	23	0,5	36	0,6	00	0,0	00	0,0	00	0,0	03	2,0	05	1,0	00	0,0	00	0,0	3,3	5
6	00	0,0	06	0,5	03	1,3	04	2,1	00	0,0	07	0,5	00	0,0	00	0,0	23	0,5	06	0,5	00	0,0	26	0,5	2,2	6
7	20	5,2	20	5,2	20	5,7	21	3,6	19	2,6	18	2,2	18	5,3	21	4,1	20	5,1	26	5,1	24	5,3	25	6,2	7,9	7
8	24	3,6	00	0,0	33	1,0	16	0,8	00	0,0	00	0,0	19	1,5	00	0,0	24	1,0	23	1,0	22	0,8	22	1,1	6,7	8
9	00	0,0	00	0,0	00	0,0	25	1,0	04	1,1	00	0,0	08	1,0	00	0,0	03	2,7	03	2,1	03	1,7	02	1,0	3,2	9
10	00	0,0	00	0,0	03	2,7	06	1,7	00	0,0	00	0,0	00	0,0	03	0,8	06	1,3	04	2,7	04	3,1	03	4,0	5,1	10
11	03	3,6	02	4,6	03	5,2	03	4,7	05	5,1	05	4,2	05	4,0	05	4,6	04	4,8	05	4,1	03	6,4	03	5,2	8,2	11
12	03	5,5	02	6,6	02	6,6	02	7,5	02	6,2	02	7,7	02	6,7	02	8,2	02	8,8	03	11,3	02	8,8	02	8,8	11,8	12
13	02	10,4	02	10,3	02	7,0	02	5,9	02	6,2	02	5,1	01	3,1	02	4,1	01	3,1	03	1,0	02	2,1	03	1,5	11,8	13
14	36	1,0	02	2,5	02	2,6	00	0,0	02	2,1	01	2,1	03	2,6	06	1,0	02	1,2	00	0,0	03	1,5	00	0,0	4,0	14
15	02	1,0	03	0,5	01	0,5	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	1,5	15
16	00	0,0	00	0,0	00	0,0	21	1,2	00	0,0	00	0,0	27	1,0	17	2,0	17	2,0	17	1,0	17	2,1	17	2,8	3,6	16
17	17	1,5	27	1,0	04	0,5	05	1,5	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	02	3,0	00	0,0	08	1,0	3,0	17
18	00	0,0	00	0,0	23	1,0	00	0,0	02	0,5	01	3,6	02	5,3	02	4,0	02	2,2	02	4,2	03	4,1	04	4,2	5,8	18
19	05	3,6	05	3,6	05	2,6	06	2,0	02	2,0	04	2,1	08	1,0	07	1,0	00	0,0	03	0,6	22	1,4	24	1,0	4,2	19
20	24	0,5	00	0,0	24	0,5	00	0,0	36	1,2	34	2,1	02	2,1	01	2,1	00	0,0	03	2,6	05	2,6	04	3,1	4,3	20
21	02	3,1	04	1,0	05	2,4	02	1,1	05	1,5	06	1,0	04	1,5	02	1,8	02	1,8	02	2,5	03	2,0	04	2,2	3,6	21
22	02	2,5	03	2,0	02	1,6	00	0,0	00	0,0	06	0,5	04	0,5	02	0,8	02	1,0	00	0,0	00	0,0	00	0,0	3,4	22
23	00	0,0	00	0,0	23	1,0	00	0,0	26	1,0	25	1,0	00	0,0	00	0,0	00	0,0	05	1,5	06	1,5	04	2,1	2,3	23
24	03	2,6	01	2,6	03	3,4	03	3,6	05	3,1	03	3,2	03	4,1	02	4,6	02	1,0	02	4,2	03	4,1	05	3,5	7,1	24
25	04	3,6	02	4,6	01	4,4	03	3,6	03	3,8	05	5,0	03	3,2	02	3,6	04	3,3	03	3,3	02	3,1	03	4,1	5,2	25
26	04	3,2	03	3,1	05	1,2	02	3,7	03	3,0	03	5,9	02	6,2	02	4,1	01	4,0	03	4,3	01	3,1	36	3,6	7,2	26
27	36	2,6	01	3,2	05	1,1	05	3,2	00	0,0	00	0,0	18	1,5	18	2,1	17	1,0	00	0,0	00	0,0	00	0,0	4,8	27
28	03	1,0	04	2,1	05	1,1	06	1,2	06	2,1	00	0,0	00	0,0	00	0,0	07	0,5	02	1,0	00	0,0	00	0,0	3,0	28
29	00	0,0	06	1,3	00	0,0	06	1,2	00	0,0	00	0,0	00	0,0	00	0,0	04	1,0	05	1,0	00	0,0	04	2,1	2,8	29
30	04	1,0	03	3,6	03	3,6	02	4,1	03	4,6	03	2,6	04	1,5	05	0,5	00	0,0	00	0,0	00	0,0	14	1,2	5,7	30
31	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	26	1,0	22	1,0	00	0,0	00	0,0	03	1,0	1,5	31
M:		2,0		2,1		2,1		2,0		1,8		1,7		1,9		1,8		1,7		2,0		2,0		2,1	4,9	M

FEBRUAR 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	00	0,0	00	0,0	27	1,0	02	2,0	02	0,6	05	2,1	04	1,6	04	3,1	03	2,1	03	2,2	03	4,2	03	5,2	6,0	1
2	01	2,1	36	1,8	09	2,6	05	2,7	24	2,2	00	0,0	00	0,0	21	0,2	00	0,0	00	0,0	05	0,5	00	0,0	6,2	2
3	00	0,0	03	4,3	02	9,9	01	7,2	01	7,0	01	4,6	36	3,6	35	5,2	34	7,3	34	7,0	34	6,8	36	5,7	10,9	3
4	27	1,6	00	0,0	02	3,1	03	3,1	03	2,6	00	0,0	00	0,0	05	1,0	03	1,5	04	2,1	04	2,6	00	0,0	7,0	4
5	03	2,6	04	0,5	00	0,0	08	0,5	00	0,0	21	0,5	00	0,0	15	0,5	00	0,0	02	2,0	01	0,5	00	0,0	3,2	5
6	00	0,0	36	0,5	00	0,0	00	0,0	00	0,0	24	0,2	20	0,5	20	0,5	00	0,0	16	1,7	24	0,2	12	1,0	2,1	6
7	00	0,0	00	0,0	00	0,0	00	0,0	34	0,6	00	0,0	18	5,2	16	5,7	18	6,7	16	5,0	16	3,6	17	2,0	7,2	7
8	08	0,5	01	2,6	03	2,7	04	0,5	02	5,2	03	1,5	21	2,1	19	0,5	00	0,0	24	2,1	30	0,6	27	1,0	6,2	8
9	36	6,2	15	0,6	27	1,5	22	1,0	30	5,7	34	4,1	31	8,7	31	6,6	33	5,2	33	3,7	33	3,6	34	3,1	9,3	9
10	00	0,0	00	0,0	12	0,2	02	1,6	10	1,0	14	0,8	24	0,3	28	1,5	01	2,6	03	1,1	36	0,3	00	0,0	5,1	10
11	02	0,8	00	0,0	04	1,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	2,1	11
12	00	0,0	01	1,5	35	1,2	02	1,0	00	0,0	22	0,5	19	0,2	00	0,0	00	0,0	00	0,0	03	0,5	00	0,0	2,0	12
13	03	4,6	03	7,7	03	7,8	04	7,2	04	6,7	04	5,2	06	3,1	05	3,2	03	3,5	02	5,1	02	5,7	03	4,6	9,3	13
14	02	6,2	03	5,3	03	5,0	03	8,3	03	8,9	04	6,7	04	5,7	04	5,0	01	6,2	01	6,2	02	4,2	03	0,2	11,3	14
15	03	3,0	03	2,0	09	0,4	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	31	0,5	30	0,7	23	0,2	3,7	15
16	00	0,0	00	0,0	35	0,5	03	0,5	00	0,0	00	0,0	24	1,0	00	0,0	07	0,7	35	0,5	00	0,0	00	0,0	3,1	16
17	03	0,5	00	0,0	00	0,0	00	0,0	00	0,0	21	0,5	00	0,0	03	4,1	03	2,6	02	5,2	03	4,1	02	5,7	6,2	17
18	03	7,0	03	8,6	03	8,8	03	10,2	03	7,2	03	9,3	03	6,8	03	7,8	03	6,8	03	6,2	03	4,6	03	6,1	10,8	18
19	01	6,2	01	6,2	02	5,7	36	5,2	36	4,7	01	4,8	01	4,6	01	3,6	01	4,0	01	4,0	05	2,1	36	2,5	7,7	19
20	03	1,0	02	1,5	05	0,5	03	1,5	05	1,0	00	0,0	11	0,5	00	0,0	00	0,0	00	0,0	00	0,0	12	0,5	3,6	20
21	00	0,0	20	1,0	21	1,0	21	1,9	20	2,1	18	1,5	26	1,5	21	1,0	20	0,2	00	0,0	16	1,4	21	0,5	2,6	21
22	18	1,5	20	1,5	24	1,0	21	1,5	16	2,7	22	1,0	12	2,5	19	0,5	15	2,2	16	1,5	00	0,0	00	0,0	2,9	22
23	00	0,0	00	0,0	26	1,0	27	1,5	29	1,0	24	1,5	20	2,1	21	1,5	00	0,0	35	1,0	00	0,0	00	0,0	2,6	23
24	23	0,5	36	3,1	00	0,0	27	1,5	29	1,0	24	1,4	21	2,1	21	1,6	00	0,0	34	1,0	00	0,0	34	0,1	3,6	24
25	23	0,4	36	3,1	00	0,0	00	0,0	00	0,0	20	1,0	24	0,5	00	0,0	00	0,0	22	1,0	00	0,0	00	0,0	3,1	25
26	00	0,0	00	0,0	17	1,2	21	1,5	00	0,0	25	1,0	00	0,0	20	1,5	24	1,0	27	3,0	27	4,7	24	2,6	5,7	26
27	18	1,0	01	0,5	17	1,1	34	4,1	23	0,5	21	1,5	15	0,5	19	1,0	18	2,7	16	3,7	18	4,1	27	5,1	5,1	27
28	27	6,2	18	5,0	18	5,7	20	5,7	18	6,0	18	5,8	18	4,6	19	5,5	19	3,7	18	3,5	17	3,6	16	3,6	7,0	28
M:		1,9		2,1		2,2		2,5		2,4		2,0		2,1		2,2		2,1		2,8		2,1		1,8	5,6	M

MARS 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	16	3,1	17	1,5	13	1,5	12	2,1	09	1,0	17	1,0	17	3,1	26	2,1	35	1,5	00	0,0	04	2,1	19	2,1	3,6	1
2	21	1,5	17	2,1	16	3,1	18	4,1	13	4,1	18	5,7	18	5,1	17	4,6	16	3,1	19	1,0	00	0,0	18	2,6	7,7	2
3	17	3,1	14	1,0	21	1,5	18	2,6	18	3,6	18	5,7	18	6,2	25	1,0	03	1,5	34	1,0	23	0,5	19	4,6	7,2	3
4	18	4,1	17	3,6	17	3,1	17	2,6	17	4,1	18	4,1	22	6,7	21	10,3	21	4,1	20	3,6	21	5,7	20	3,1	10,3	4
5	18	4,1	22	2,6	00	0,0	20	4,1	18	6,2	18	7,2	18	6,2	17	7,2	18	8,2	20	6,2	18	4,1	19	7,2	8,2	5
6	20	3,1	19	2,6	19	2,1	20	5,1	19	4,1	20	5,1	19	8,8	18	6,2	18	4,1	19	6,7	18	6,7	18	6,7	9,3	6
7	19	6,7	17	4,6	15	3,6	09	2,1	11	1,0	06	2,1	12	3,1	16	4,1	16	6,7	17	7,7	18	5,1	17	7,7	7,7	7
8	18	1,5	00	0,0	00	0,0	24	1,0	01	1,0	26	2,6	26	3,1	20	3,1	22	2,1	18	1,5	18	2,6	17	5,7	5,7	8
9	17	4,6	17	4,1	16	6,2	16	7,2	16	7,2	16	7,2	16	5,1	15	7,2	15	2,6	15	2,6	11	1,0	08	0,5	8,2	9
10	00	0,0	00	0,0	00	0,0	19	1,5	19	1,0	20	2,1	19	2,1	19	2,1	24	2,6	00	0,0	23	3,1	33	2,6	3,6	10
11	05	1,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	20	1,0	16	2,6	17	3,6	18	2,1	12	3,1	11	2,1	5,1	11
12	09	4,1	05	4,6	06	4,6	05	5,1	05	6,2	04	5,1	04	6,2	05	4,6	06	3,6	05	4,1	05	3,6	05	4,6	6,2	12
13	04	4,1	04	4,6	03	5,1	02	6,2	02	5,7	02	5,7	02	6,2	02	3,6	01	2,6	01	3,6	01	4,1	00	0,0	7,7	13
14	00	0,0	03	1,0	35	1,0	03	1,0	02	2,1	02	3,6	01	4,1	01	4,1	01	1,0	01	2,1	01	3,1	01	4,1	4,6	14
15	01	4,1	01	4,1	01	4,1	01	3,1	05	3,6	05	2,6	03	4,1	02	3,1	04	3,1	01	2,1	03	2,6	03	2,6	4,6	15
16	02	4,1	04	4,1	03	3,1	05	3,6	04	5,1	04	5,7	04	6,7	03	7,2	04	4,6	04	6,2	04	6,2	03	9,3	9,3	16
17	02	9,3	02	10,3	02	7,2	02	10,3	02	10,8	02	8,8	02	7,2	02	8,2	02	5,7	01	5,1	02	4,1	04	3,6	11,8	17
18	02	1,5	01	2,6	00	0,0	00	0,0	00	0,0	20	2,1	26	3,1	22	3,1	17	2,6	22	1,0	04	1,0	03	1,0	3,6	18
19	03	1,0	02	0,5	00	0,0	00	0,0	00	0,0	00	0,0	21	1,0	22	1,5	26	1,0	17	2,1	17	1,0	19	2,1	3,1	19
20	20	2,6	20	4,6	19	3,6	20	5,1	19	4,1	20	7,2	20	6,2	20	5,1	17	6,7	17	4,1	17	4,6	18	4,6	8,2	20
21	16	3,6	17	3,1	16	2,6	15	2,6	12	1,5	14	2,6	08	1,0	07	1,0	03	0,5	02	3,1	04	2,1	05	1,0	4,1	21
22	05	1,0	04	3,1	03	5,7	04	4,1	08	1,5	17	2,1	17	3,1	15	4,1	14	2,6	16	2,1	16	3,1	17	3,6	6,2	22
23	17	3,6	18	3,6	16	4,1	16	4,1	20	2,1	20	6,2	20	1,5	00	0,0	00	0,0	00	0,0	03	1,5	02	2,6	6,2	23
24	02	3,1	35	0,5	00	0,0	15	2,1	14	1,0	31	2,1	20	2,1	21	2,1	21	2,6	00	0,0	00	0,0	04	1,5	4,1	24
25	00	0,0	09	1,0	17	2,1	18	5,1	18	3,6	17	2,1	15	2,6	12	6,2	09	1,0	10	1,0	15	1,0	00	0,0	6,2	25
26	11	1,0	06	1,0	09	0,5	00	0,0	20	2,6	21	1,0	00	0,0	04	2,1	19	1,5	17	3,6	16	2,1	10	1,0	3,6	26
27	08	4,6	13	5,7	17	5,7	17	4,6	17	4,6	18	3,1	11	3,1	15	4,1	16	3,6	15	3,1	14	2,6	14	2,1	6,2	27
28	10	3,1	05	2,1	07	0,5	07	1,5	05	3,1	04	4,1	04	4,6	03	4,6	02	4,6	02	5,1	06	5,1	05	4,1	6,7	28
29	05	3,6	04	4,6	05	3,1	04	6,7	03	7,2	02	6,2	02	6,7	02	6,7	01	3,6	02	4,6	02	6,2	03	7,7	7,7	29
30	02	6,2	02	5,7	01	6,2	02	6,7	02	7,2	02	5,7	03	5,1	04	4,1	03	3,1	01	4,1	02	5,1	01	5,1	8,2	30
31	02	4,6	03	4,6	02	5,1	02	3,6	03	5,1	03	2,6	03	2,1	02	2,1	03	2,1	02	4,1	01	3,6	01	3,1	5,1	31
M:		3,2		3,0		2,8		3,5		3,6		3,9		4,1		4,1		3,0		3,0		3,2		3,4	6,5	M

OSLO - BLINDERN

REGISTRERINGER AV VIND D,V (RECORDS OF WIND D,V).

APRIL 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	03	3,1	01	3,1	00	0,0	02	4,6	03	5,1	02	5,7	02	4,1	02	2,1	34	1,0	02	4,1	02	6,7	02	6,2	7,7	1
2	02	7,7	02	6,2	03	5,7	02	6,2	03	6,2	02	5,1	05	5,7	04	5,7	03	5,7	03	4,5	02	4,0	01	5,0	7,7	2
3	01	4,0	01	4,2	01	4,0	03	4,1	05	3,6	04	4,1	05	3,1	05	2,6	05	3,6	04	5,1	03	6,7	03	9,3	9,3	3
4	03	7,7	02	6,7	02	6,7	04	5,7	04	3,6	05	3,1	07	1,5	05	1,5	02	2,1	01	2,1	02	4,1	02	5,7	8,2	4
5	03	6,2	03	6,2	01	7,2	01	3,6	02	7,2	04	6,7	03	5,1	04	5,1	04	4,1	03	4,6	04	5,7	05	4,1	8,8	5
6	04	4,1	05	4,1	04	4,1	02	5,1	03	5,1	04	4,6	03	6,7	03	5,1	05	5,1	04	5,1	01	5,1	01	4,6	6,7	6
7	03	4,1	02	4,1	02	3,6	02	2,6	06	1,0	10	2,1	06	2,1	09	1,5	10	1,0	00	0,0	00	0,0	00	0,0	4,1	7
8	00	0,0	00	0,0	02	1,0	00	0,0	23	0,5	16	2,6	20	3,1	10	1,0	00	0,0	00	0,0	03	1,0	18	1,0	3,1	8
9	16	1,0	36	1,5	02	1,0	00	0,0	00	0,0	19	2,6	23	2,6	00	0,0	02	1,0	02	1,5	03	1,5	03	2,1	3,6	9
10	04	2,1	02	3,1	03	2,6	04	2,6	05	2,1	07	3,1	09	2,1	05	1,5	03	3,1	02	4,1	03	3,1	03	3,6	4,1	10
11	03	1,0	04	1,0	02	1,0	00	0,0	23	1,0	19	2,6	22	2,6	19	3,1	20	2,1	00	0,0	02	3,1	03	2,1	5,1	11
12	02	1,5	00	0,0	03	2,6	00	0,0	11	1,5	17	1,0	22	2,6	23	1,0	33	1,0	01	1,0	04	1,0	02	3,1	3,6	12
13	02	1,0	00	0,0	00	0,0	16	1,0	18	1,0	22	2,1	17	5,1	18	4,6	18	2,6	18	2,1	20	1,0	21	1,0	5,7	13
14	20	2,1	21	1,0	21	1,0	00	0,0	22	1,0	09	0,5	04	4,6	02	4,1	03	1,5	01	2,6	03	7,2	02	1,0	8,8	14
15	02	2,1	03	6,2	03	5,1	04	5,1	02	4,1	04	2,6	25	3,1	21	2,1	20	2,1	00	0,0	01	2,6	03	2,1	7,2	15
16	02	2,1	03	1,0	04	2,1	02	0,5	23	2,1	19	2,1	23	3,1	19	4,1	21	1,0	00	0,0	00	0,0	02	1,5	4,1	16
17	02	6,2	01	5,7	01	4,6	01	6,2	02	4,1	04	5,7	04	6,2	04	4,1	34	3,6	35	4,1	02	4,1	00	0,0	8,2	17
18	04	1,5	03	1,0	00	0,0	18	0,5	17	1,0	21	2,1	07	3,1	21	3,1	20	2,6	00	0,0	18	0,5	25	1,0	4,1	18
19	27	1,0	35	1,0	02	1,0	17	2,1	18	2,1	17	1,5	20	2,6	20	3,6	24	3,1	22	2,1	21	1,5	17	1,0	4,1	19
20	00	0,0	12	1,0	16	2,6	16	1,5	19	3,1	18	3,6	18	2,1	18	1,0	17	2,1	18	1,5	18	1,5	19	1,0	3,6	20
21	21	1,0	00	0,0	02	1,0	00	0,0	00	0,0	20	1,5	19	3,1	20	3,1	19	2,1	17	2,6	16	2,6	16	1,0	4,1	21
22	16	2,1	12	2,1	09	1,0	14	2,6	14	3,6	17	3,1	18	2,1	00	0,0	32	1,0	00	0,0	03	1,0	03	2,1	4,1	22
23	02	2,6	04	3,1	05	1,5	10	2,1	15	2,1	09	1,0	06	0,5	04	3,1	05	2,6	03	2,1	05	4,1	05	4,1	4,6	23
24	05	3,6	05	4,1	04	4,1	02	4,8	03	5,0	04	5,1	02	4,8	03	3,3	01	3,6	02	4,3	02	6,7	02	7,2	7,6	24
25	02	8,2	02	9,8	02	10,3	03	9,8	02	6,7	03	4,0	02	5,1	01	4,5	07	1,0	13	2,3	00	0,0	16	3,5	11,0	25
26	16	3,1	10	1,2	02	2,3	01	1,0	01	2,6	02	0,5	03	0,5	04	1,7	04	0,5	02	0,5	00	0,0	00	0,0	5,0	26
27	00	0,0	02	2,0	00	0,0	19	1,0	02	5,1	07	3,2	36	0,5	30	2,0	00	0,0	00	0,0	14	1,5	16	1,5	6,2	27
28	17	3,1	16	1,3	17	1,8	19	2,6	17	0,5	21	2,2	20	2,4	17	4,8	16	5,7	16	4,1	16	3,6	17	2,3	6,2	28
29	18	3,1	18	2,8	19	3,0	21	1,2	17	3,2	18	5,0	17	4,6	12	2,2	21	7,2	20	5,3	19	4,8	17	3,1	7,2	29
30	16	2,0	17	2,1	18	2,1	01	3,1	02	9,5	01	4,1	02	6,7	34	5,1	33	1,8	27	2,1	28	3,6	27	2,1	9,5	30
MI		2,9		2,9		2,8		2,7		3,1		3,1		3,4		2,9		2,5		2,3		2,9		2,7	6,1	IM

MAI 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	00	0,0	20	1,0	00	0,0	18	0,5	30	3,0	29	2,4	06	2,1	36	6,0	24	1,5	03	0,5	03	1,5	03	2,0	6,5	1
2	00	0,0	15	2,6	17	1,0	21	2,0	17	2,9	20	3,1	21	4,0	21	3,6	00	0,0	36	3,6	01	4,3	36	8,7	8,2	2
3	36	8,5	35	3,3	36	4,1	33	5,1	33	2,6	28	4,6	29	4,4	19	3,3	26	8,1	28	2,6	18	1,5	16	0,6	7,4	3
4	00	0,0	00	0,0	14	1,5	15	2,1	20	4,1	16	6,6	20	5,2	16	4,2	17	1,5	00	0,0	17	2,6	16	2,0	7,2	4
5	17	1,6	21	1,6	15	1,2	18	1,0	20	2,1	17	4,3	18	6,7	17	6,2	27	2,1	17	3,1	17	2,6	16	1,5	9,0	5
6	00	0,0	00	0,0	16	1,2	00	0,0	16	4,6	20	3,1	22	3,3	18	5,1	20	3,1	17	3,1	17	2,7	17	3,0	6,7	6
7	18	1,5	16	2,0	15	1,8	17	2,0	18	2,2	19	3,1	20	4,2	18	1,5	21	4,0	22	3,3	20	2,6	00	0,0	7,5	7
8	00	0,0	00	0,0	02	2,3	05	2,6	01	1,6	09	1,5	00	0,0	09	0,5	10	2,3	17	4,1	24	1,4	36	0,6	4,8	8
9	03	2,1	00	0,0	00	0,0	19	1,0	21	1,5	18	2,2	22	1,1	14	3,1	24	1,2	00	0,0	03	2,2	00	0,0	4,3	9
10	03	2,4	00	0,0	00	0,0	01	4,3	01	5,1	02	4,1	36	3,0	32	4,6	36	5,2	36	4,8	36	5,3	01	8,4	7,0	10
11	00	0,0	00	0,0	02	1,0	11	0,7	18	2,1	24	2,1	21	2,4	19	3,3	20	4,4	19	2,0	19	2,6	18	1,7	5,6	11
12	17	1,8	17	1,4	23	3,1	22	3,1	20	4,6	18	2,1	17	3,6	16	5,0	17	2,6	22	2,6	00	0,0	00	0,0	5,7	12
13	00	0,0	00	0,0	00	0,0	21	1,0	23	1,5	17	4,8	18	3,6	23	3,7	17	4,7	17	3,0	24	0,8	19	3,1	5,5	13
14	19	2,6	17	2,3	17	2,2	17	4,3	17	2,6	18	3,6	18	3,1	17	1,2	23	7,9	20	2,6	00	0,0	00	0,0	7,9	14
15	00	0,0	00	0,0	00	0,0	00	0,0	18	1,2	19	3,6	16	5,3	17	2,6	15	2,4	20	1,0	29	1,0	22	0,5	6,0	15
16	00	0,0	00	0,0	27	1,0	21	1,0	19	1,0	20	2,6	32	1,5	21	1,5	05	0,6	04	3,1	04	4,1	03	4,4	4,6	16
17	03	2,8	02	3,0	03	2,2	21	1,8	00	0,0	18	2,1	17	4,7	17	6,3	17	7,2	17	6,0	18	4,8	19	3,6	9,0	17
18	18	4,1	18	4,1	15	2,6	17	5,3	18	5,1	18	5,7	18	7,2	18	6,5	18	6,2	17	3,3	18	4,1	20	5,3	8,2	18
19	19	4,2	20	4,0	19	3,1	20	5,5	16	5,0	17	6,7	19	3,1	18	3,6	25	2,5	24	2,0	28	4,5	23	2,2	8,2	19
20	22	2,6	00	0,0	16	1,0	17	1,0	16	2,1	20	2,6	21	3,3	17	4,1	23	3,2	00	0,0	03	3,9	02	3,1	5,1	20
21	04	3,6	05	3,1	06	6,2	04	4,6	04	6,2	05	6,7	03	4,9	01	2,5	03	4,1	19	2,1	20	1,0	00	0,0	7,7	21
22	17	1,4	00	0,0	06	0,8	04	2,6	03	3,6	09	2,6	13	3,6	21	2,1	17	2,6	20	2,0	17	2,5	16	2,2	5,0	22
23	16	4,0	17	2,0	00	0,0	00	0,0	08	1,0	03	1,8	07	1,0	06	0,8	27	1,5	04	2,6	04	3,1	04	1,0	4,0	23
24	09	2,6	04	1,2	14	3,6	18	4,1	19	3,1	21	0,5	17	1,5	17	1,5	21	1,2	28	2,0	02	3,2	02	5,7	5,7	24
25	03	7,6	01	8,2	15	3,6	16	5,3	16	7,2	16	5,7	16	5,1	16	6,7	22	5,8	21	5,0	22	3,6	17	2,1	8,8	25
26	17	2,1	19	2,2	17	2,0	13	1,0	16	3,1	15	3,1	18	2,6	19	4,5	18	4,7	22	2,0	22	0,5	03	2,3	5,7	26
27	04	5,1	03	8,2	06	4,0	07	1,2	17	3,6	17	5,0	17	5,5	18	3,5	17	3,2	13	2,2	18	1,6	21	0,5	6,7	27
28	21	1,0	00	0,0	00	0,0	00	0,0	23	1,5	21	2,5	19	4,1	18	3,6	17	4,1	17	4,8	18	1,8	00	0,0	5,2	28
29	16	4,1	17	3,6	16	2,0	15	1,2	16	3,1	18	4,8	19	3,2	20	3,6	21	3,2	19	3,4	17	2,6	17	2,6	6,0	29
30	20	1,2	18	2,2	18	2,2	16	3,0	21	1,1	18	2,0	21	3,1	18	3,5	17	2,9	19	1,6	22	1,6	00	0,0	6,1	30
31	35	1,1	36	1,2	00	0,0	06	1,1	03	1,5	02	3,6	03	2,6	02	2,2	12	2,0	02	2,1	02	3,6	02	3,3	4,1	31
MI		2,2		1,7		1,7		2,2		2,9		3,5		3,5		3,6		3,3		2,6		2,5		2,1	6,3	IM

JUNI 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	03	1,6	03	3,1	03	3,2	04	3,1	07	2,6	20	2,1	23	2,2	20	2,5	23	3,5	18	2,8	00	0,0	04	2,3	4,2	1
2	01	2,6	20	1,8	02	4,8	03	3,1	03	6,7	03	6,2	03	6,2	02	5,1	03	5,5	01	3,8	01	5,3	01	5,8	6,9	2
3	02	5,8	03	4,8	04	2,7	06	4,1	12	2,1	07	1,0	22	1,8	12	1,0	22	1,0	28	1,2	03	3,0	02	2,0	6,2	3
4	03	1,2	03	0,8	00	0,0	00	0,0	18	0,8	20	2,1	19	2,4	19	2,5	19	2,1	00	0,0	00	0,0	02	1,1	3,1	4
5	03	3,3	00	0,0	00	0,0	20	1,0	12	0,5	23	1,5	23	1,5	21	2,2	22	2,2	22	0,5	00	0,0	36	0,5	3,6	5
6	03	2,5	03	0,5	00	0,0	21	1,0	23	0,5	22	1,5	21	2,2	21	3,6	21	3,1	22	1,0	00	0,0	00	0,0	4,5	6
7	02	1,0	00	0,0	00	0,0	00	0,0	21	1,0	18	3,6	21	4,6	17	5,1	17	4,6	19	2,3	00	0,0	00	0,0	6,2	7
8	04	1,2	02	1,2	18	1,5	20	1,0	20	2,6	22	3,1	23	4,1	18	4,8	15	3,0	16	4,1	14	2,3	12	0,5	5,1	8
9	00	0,0	03	6,7	02	5,7	02	5,3	02	7,2	04	5,2	04	3,6	05	1,0	00	0,0	03	1,0	03	2,1	02	3,1	9,3	9
10	02	4,1	03	2,2	03	1,5	00	0,0	18	1,1	23	2,8	22	2,0	20	4,5	18	3,1	17	3,6	18	3,0	18	1,5	6,0	10
11	23	1,1	00	0,0	00	0,0	20	0,5	21	2,2	19	2,0	20	3,0	19	4,4	17	2,9	19	3,1	19	3,2	22	2,6	4,4	11
12	21	2,6	21	1,6	23	0,8	00	0,0	18	1,0	23	3,1	24	2,0	19	3,2	17	4,1	19	4,1	22	1,0	17	0,5	5,2	12
13	21	0,5	02	1,1	36	1,5	00	0,0	18	2,2	17	3,1	18	2,6	20	4,2	18	4,1	18	4,6	19	3,1	19	2,6	5,8	13
14	18	2,6	21	2,1	18	1,0	17	3,1	17	3,2	17	2,7	19	3,2	19	6,7	18	6,0	18	4,1	18	3,1	14	2,5	6,8	14
15	10	1,0	09	2,1	06	3,1	06	2,6	06	2,6	08	3,6	08	1,5	00	0,0	25	1,0	20	1,0	20	2,2	20	2,7	8,2	15
16	17	2,1	18	2,1	18	2,0	18	2,5	19	3,3	19	3,6	18	3,0	17	2,6	28	5,2	28	4,6	00	0,0	00	0,0	5,2	16
17	00	0,0	00	0,0	00	0,0	28	3,1	26	5,7	25	6,2	26	6,7	28	5,7	27	6,7	29	6,7	30	2,6	09	1,0	8,0	17
18	30	0,8	06	0,8	00	0,0	22	2,1	24	2,5	34	2,2	29	3,5	28	4,6	28	4,6	36	2,0	36	1,0	00	0,0	6,0	18
19	00	0,0	00	0,0	00	0,0	07	1,0	04	1,0	16	1,2	19	2,2	18	1,5	24	1,3	20	1,0	00	0,0	00	0,0	4,2	19
20	00	0,0	02	0,8	00	0,0	19	1,0	20	1,8	21	2,6	18	3,3	17	4,5	18	5,0	18	4,1	18	2,6	18	2,1	6,2	20
21	17	1,5	16	1,0	19	2,2	19	2,2	21	2,6	17	4,6	22	4,6	18	4,1	18	5,3	17	3,0	19	2,8	00	0,0	5,5	21
22	02	2,1	02	2,1	17	1,0	21	1,0	23	3,1	20	4,1	22	3,1	18	4,6	18	2,0	17	1,0	00	0,0	00	0,0	8,2	22
23	04	1,0	00	0,0	17	0,8	12	1,0	00	0,0	18	0,6	18	2,0	24	0,5	00	0,0	04	3,6	03	2,3	03	3,5	6,4	23
24	00	0,0	16	1,5	13	1,0	21	1,3	15	2,3	18	1,2	20	0,5	00	0,0	06	1,5	06	4,1	09	4,8	09	3,3	6,0	24
25	15	5,1	12	1,6	09	3,1	18	5,1	13	5,0	18	7,4	17	6,7	23	5,8	18	5,7	17	6,0	18	5,0	18	5,3	7,8	25
26	18	4,3	17	5,3	19	5,0	20	5,1	19	4,6	16	6,2	18	7,2	20	6,7	18	4,6	18	5,3	18	5,5	19	6,7	10,0	26
27	19	6,8	19	6,2	20	4,3	19	5,2	17	3,6	19	4,0	21	2,1	16	2,6	26	1,5	01	0,8	00	0,0	33	5,0	7,7	27
28	03	1,0	35	0,5	00	0,0	20	1,0	18	2,3	20	5,7	18	4,4	18	3,6	19	4,6	19	4,1	18	2,6	18	1,8	7,0	28
29	19	2,0	23	2,5	23	2,8	19	4,6	22	3,4	27	7,0	24	5,2	23	6,7	21	5,3	23	6,3	22	4,6	00	0,0	8,8	29
30	27	0,8	36	0,8	18	1,2	15	2,1	24	2,5	32	2,5	20	4,6	07	2,8	18	1,0	23	1,0	00	0,0	02	2,5	6,0	30
MI		2,0		1,8		1,8		2,1		2,7		3,4		3,4		3,6		3,4		3,0		2,1		2,0	6,2	IM

OSLO - BLINDERN

REGISTRERINGER AV VIND D,V (RECORDS OF WIND D,V).

JULI 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	03	1,0	02	3,1	00	0,0	34	1,7	24	2,6	30	1,0	18	3,3	30	4,6	36	5,3	04	2,6	33	4,6	35	2,1	6,4	1
2	04	1,0	03	2,2	07	0,8	31	1,0	20	2,6	20	4,1	21	5,3	18	5,7	26	5,5	18	3,0	17	1,5	23	1,0	7,7	2
3	28	2,8	36	1,0	33	1,7	30	3,1	33	2,6	30	3,6	33	5,1	32	4,8	34	3,3	03	3,1	02	5,2	01	3,3	5,7	3
4	03	1,1	03	2,1	35	0,7	02	3,1	06	3,1	22	5,8	21	2,1	24	1,0	22	0,6	00	0,0	04	1,0	03	4,0	5,8	4
5	02	4,8	01	1,2	00	0,0	23	1,8	16	2,6	19	2,3	20	2,2	21	3,1	31	2,6	31	3,6	03	3,6	02	4,6	7,4	5
6	01	5,2	02	5,6	03	6,2	07	2,6	19	1,5	06	1,1	25	1,1	00	0,0	08	1,2	19	1,5	00	0,0	00	0,0	6,7	6
7	03	2,3	03	3,1	08	1,6	09	1,0	19	3,2	21	2,2	20	4,5	20	3,6	20	3,6	17	3,3	17	1,5	00	0,0	5,1	7
8	00	0,0	00	0,0	00	0,0	00	0,0	01	6,2	01	7,7	02	6,2	01	6,7	03	2,6	05	3,1	02	2,0	03	2,6	7,7	8
9	02	2,6	01	2,1	00	0,0	00	0,0	24	1,0	36	3,1	00	0,0	26	1,0	29	3,3	30	2,6	00	0,0	03	0,5	3,8	9
10	31	0,5	02	1,0	02	0,8	24	1,0	25	0,6	36	4,1	02	4,6	07	1,5	18	1,5	02	3,2	02	3,6	35	5,1	6,5	10
11	36	3,5	04	1,4	36	1,2	02	2,6	09	2,6	09	1,2	35	2,6	36	3,1	35	4,2	01	3,8	36	3,6	02	4,8	8,0	11
12	02	6,2	02	3,0	36	2,1	00	0,0	19	1,5	19	2,2	22	2,1	18	1,0	24	3,1	18	3,0	00	0,0	00	0,0	7,3	12
13	03	1,2	03	3,0	00	0,0	00	0,0	21	1,0	26	3,1	18	2,6	19	2,6	00	0,0	17	2,2	17	1,2	19	1,0	6,2	13
14	00	0,0	20	2,0	19	1,5	20	1,0	18	1,0	21	2,0	20	2,0	23	3,6	20	4,6	21	4,0	17	2,0	18	2,6	5,3	14
15	17	1,0	18	1,0	13	1,5	09	2,1	16	1,5	34	4,0	35	5,1	03	1,5	35	2,6	35	3,6	34	3,1	35	2,6	6,7	15
16	34	4,1	36	6,2	36	7,0	01	2,6	36	4,6	01	8,0	01	4,1	03	5,7	36	3,6	36	2,1	00	0,0	33	2,0	8,2	16
17	01	4,2	36	3,6	02	4,0	02	5,3	03	2,2	15	2,1	21	2,1	20	2,3	21	4,1	21	3,4	17	2,6	18	4,4	5,3	17
18	16	3,0	15	2,0	09	1,5	16	2,0	14	3,4	16	4,3	15	3,1	17	4,7	17	3,9	15	2,2	11	1,0	11	1,3	5,1	18
19	12	1,8	15	1,0	14	1,5	16	0,5	16	2,2	20	1,2	22	2,1	16	0,5	00	0,0	21	2,0	17	1,5	00	0,0	3,0	19
20	13	0,5	03	1,2	00	0,0	00	0,0	22	2,1	35	1,1	00	0,0	29	2,6	26	3,3	28	2,1	02	1,0	00	0,0	4,1	20
21	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	03	1,5	21	3,1	19	2,8	00	0,0	21	2,0	00	0,0	00	0,0	3,8	21
22	00	0,0	00	0,0	00	0,0	36	3,8	36	4,6	35	1,5	17	2,5	07	1,5	18	1,2	20	1,5	00	0,0	07	1,5	5,1	22
23	01	3,0	01	5,7	02	4,8	02	1,0	02	1,5	34	1,2	27	1,7	21	1,7	22	2,1	00	0,0	00	0,0	02	3,6	6,2	23
24	04	4,2	03	1,6	05	4,1	24	1,0	22	1,6	22	2,1	24	2,6	35	2,5	22	1,7	02	5,0	01	4,2	36	2,6	6,2	24
25	00	0,0	25	1,4	00	0,0	36	1,5	36	3,6	35	1,6	22	1,0	34	2,2	27	1,2	01	1,0	02	1,0	02	1,0	5,2	25
26	04	1,0	00	0,0	36	1,0	04	2,1	03	3,1	36	1,0	36	4,0	36	1,6	35	2,0	00	0,0	03	2,2	36	1,1	5,2	26
27	04	1,0	03	2,1	00	0,0	00	0,0	00	0,0	22	2,0	32	1,2	20	3,2	00	0,0	23	1,5	00	0,0	00	0,0	4,6	27
28	03	2,1	04	0,5	00	0,0	20	0,5	23	1,6	18	1,5	22	3,0	18	3,1	17	2,6	21	3,5	22	2,8	16	1,6	3,8	28
29	12	1,0	13	2,1	09	1,2	17	2,0	12	1,2	07	2,1	06	3,1	06	2,0	07	1,8	06	1,1	05	1,7	07	1,4	3,6	29
30	04	2,1	04	3,1	04	4,2	03	4,1	02	4,6	01	4,1	02	3,6	03	3,9	02	4,2	02	3,0	01	4,1	03	3,8	5,1	30
31	02	2,1	02	2,2	03	2,8	03	2,6	05	2,4	04	2,2	07	1,0	08	2,1	20	2,1	13	1,0	15	2,0	17	1,8	4,2	31
MI		2,0		2,1		1,6		1,6		2,3		2,7		2,8		2,8		2,5		2,4		1,8		1,9	5,6	MI

AUGUST 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	00	0,0	03	3,1	05	3,6	08	2,6	17	1,0	18	1,1	18	2,2	17	7,7	17	6,3	17	5,1	18	3,6	17	1,5	7,7	1
2	16	1,3	15	1,0	18	0,5	18	1,0	17	1,0	26	0,5	17	2,4	21	4,2	22	1,0	17	2,2	17	1,0	00	0,0	4,2	2
3	00	0,0	00	0,0	00	0,0	00	0,0	05	2,6	04	5,3	05	1,6	23	2,1	00	0,0	01	3,6	36	5,2	02	3,4	5,7	3
4	03	3,6	02	5,0	01	4,8	05	2,6	03	1,5	10	1,1	16	1,3	25	1,5	22	1,6	02	2,0	01	2,0	01	3,8	5,9	4
5	01	3,8	02	5,9	02	6,4	03	8,0	02	5,3	04	3,4	05	1,2	19	2,5	36	1,4	02	1,5	02	2,1	03	1,8	8,0	5
6	02	1,5	04	1,5	00	0,0	00	0,0	21	1,5	22	2,6	18	3,0	20	4,5	18	3,6	21	3,1	16	1,0	00	0,0	6,0	6
7	13	1,2	00	0,0	00	0,0	21	0,5	16	1,2	16	2,2	19	1,6	16	2,6	19	3,7	18	1,2	05	1,4	04	1,0	4,8	7
8	10	1,5	07	2,2	14	2,0	13	1,5	16	4,0	08	1,0	09	1,1	03	4,3	03	1,6	02	4,1	02	4,1	06	2,6	5,1	8
9	06	3,6	06	3,1	12	0,8	16	3,1	17	2,1	18	4,3	18	3,3	16	3,8	15	5,2	16	4,2	18	3,5	17	1,0	5,5	9
10	11	1,0	00	0,0	00	0,0	00	0,0	00	0,0	02	1,0	00	0,0	03	2,1	00	0,0	31	2,1	04	0,5	36	1,1	2,8	10
11	01	4,5	36	4,1	36	5,8	36	4,5	33	3,7	33	4,2	32	4,6	33	6,7	33	4,1	10	1,0	17	1,7	00	0,0	8,0	11
12	00	0,0	00	0,0	00	0,0	03	1,5	05	1,8	06	0,8	19	1,0	00	0,0	00	0,0	17	1,0	19	1,0	16	1,7	2,6	12
13	17	0,5	00	0,0	15	3,1	16	2,3	17	2,1	19	2,8	18	2,5	20	3,1	18	2,7	16	1,4	17	1,0	00	0,0	4,0	13
14	12	1,0	07	0,8	04	2,7	04	2,2	06	2,0	07	1,8	00	0,0	14	4,7	13	4,6	14	5,9	14	6,4	18	1,2	7,5	14
15	09	0,7	15	4,3	16	3,3	17	5,3	18	5,8	17	6,2	17	6,9	18	5,7	18	5,7	17	3,4	16	2,6	18	0,6	8,0	15
16	00	0,0	20	1,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	18	0,8	17	1,0	00	0,0	06	1,5	00	0,0	2,1	16
17	03	2,1	02	4,1	03	5,0	02	7,7	04	6,7	03	4,1	03	4,6	03	4,1	06	3,0	15	2,6	10	1,5	03	3,1	7,7	17
18	03	3,1	03	4,3	02	5,7	03	4,6	05	3,1	10	3,6	09	3,3	12	2,8	09	2,1	02	2,1	04	3,6	05	2,1	6,7	18
19	05	2,6	03	3,1	03	3,2	04	3,6	07	3,5	09	1,8	12	1,2	05	0,8	03	1,2	05	2,0	03	2,2	02	3,2	5,1	19
20	03	2,6	03	1,7	05	2,3	03	1,0	09	1,8	36	0,5	00	0,0	22	1,6	23	1,2	20	1,7	00	0,0	00	0,0	3,1	20
21	16	1,5	19	1,0	00	0,0	17	2,7	15	1,5	20	3,6	18	4,6	19	3,3	15	2,7	17	1,8	00	0,0	00	0,0	5,5	21
22	26	2,7	21	1,3	00	0,0	20	1,5	21	3,1	19	5,1	18	4,6	18	6,2	18	5,0	19	2,6	18	1,5	03	1,3	7,7	22
23	04	1,2	03	1,7	00	0,0	00	0,0	20	1,0	20	2,6	20	3,6	16	4,3	17	4,1	17	3,6	18	2,8	18	0,7	6,2	23
24	04	1,1	04	1,0	00	0,0	00	0,0	15	1,2	24	1,3	22	1,7	20	2,1	22	2,3	20	1,7	00	0,0	02	1,2	2,7	24
25	02	2,1	02	2,6	04	1,0	00	0,0	17	0,5	11	2,1	10	1,2	04	2,0	02	1,6	02	2,3	01	4,0	36	4,8	4,8	25
26	36	5,1	36	5,0	36	6,2	36	7,0	03	8,8	04	7,7	03	7,0	02	7,2	36	5,0	03	6,4	01	5,1	36	9,5	9,5	26
27	36	8,0	36	9,3	36	5,7	36	5,1	36	7,4	36	10,1	36	4,6	01	5,7	02	3,8	02	4,6	36	3,6	01	6,0	10,8	27
28	33	5,3	34	3,8	33	5,2	34	5,3	35	6,9	36	4,6	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	7,2	28
29	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	20	4,0	18	1,5	00	0,0	00	0,0	00	0,0	5,0	29
30	00	0,0	00	0,0	00	0,0	00	0,0	20	4,0	20	6,0	22	5,0	22	6,2	22	4,0	28	1,0	33	3,0	30	3,0	6,2	30
31	00	0,0	00	0,0	00	0,0	02	5,0	36	1,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	5,0	31
MI		2,0		2,3		2,2		2,5		2,8		2,9		2,4		3,4		2,6		2,4		2,1		1,8	5,8	MI

SEPTEMBER 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	22	1,0	00	0,0	02	3,2	02	2,3	03	2,1	3,3	1
2	04	2,2	04	2,6	02	3,2	03	2,6	04	2,6	02	3,1	03	3,1	01	4,0	03	4,0	03	5,0	03	4,2	04	4,6	5,5	2
3	03	3,6	04	3,2	08	2,6	17	3,5	16	2,6	17	4,7	16	5,1	18	5,0	18	4,0	17	2,5	17	1,5	17	0,5	5,3	3
4	22	0,5	00	0,0	23	1,0	22	2,0	21	1,5	23	2,0	30	4,5	29	8,8	27	4,8	25	1,5	27	3,0	32	3,2	10,4	4
5	00	0,0	00	0,0	00	0,0	00	0,0	18	1,2	20	1,2	18	3,0	18	1,8	20	3,3	21	0,8	20	1,0	00	0,0	3,6	5
6	00	0,0	02	2,1	10	1,0	06	1,5	00	0,0	22	0,5	00	0,0	21	1,2	19	1,7	17	3,1	18	3,1	19	3,0	4,3	6
7	21	2,0	00	0,0	15	1,2	17	2,6	13	1,2	18	1,2	12	1,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	4,6	7
8	00	0,0	16	1,0	16	1,6	16	2,1	16	2,6	18	1,5	00	0,0	16	2,1	17	3,2	16	2,2	17	1,0	00	0,0	4,6	8
9	00	0,0	00	0,0	00	0,0	22	0,5	21	0,5	22	2,0	24	1,5	28	0,5	00	0,0	00	0,0	00	0,0	04	0,6	2,2	9
10	00	0,0	00	0,0	00	0,0	18	1,5	19	0,8	20	4,7	18	5,3	19	4,0	20	3,8	14	1,6	18	1,0	26	2,2	5,5	10
11	00	0,0	20	2,1	23	1,0	19	4,0	19	3,6	19	4,6	27	10,3	26	9,3	26	3,6	27	5,1	23	2,0	27	1,0	11,1	11
12	00	0,0	00	0,0	00	0,0	22	2,5	24	6,1	25	5,2	25	5,2	28	3,6	00	0,0	23	2,5	19	3,5	17	3,6	8,0	12
13	18	3,5	18	5,2	19	5,7	19	5,7	18	6,0	19	6,4	19	9,3	18	6,4	28	9,8	30	7,7	00	0,0	30	2,1	11,5	13
14	29	3,6	29	4,3	28	3,3	24	1,0	26	5,1	33	1,5	22	2,1	27	3,7	31	3,1	36	4,0	36	6,2	02	6,4	8,0	14
15	35	5,2	03	3,0	07	2,0	11	1,0	28	4,1	32	5,4	30	5,0	32	5,4	34	5,0	36	4,1	36	1,3	05	1,0	6,7	15
16	02	3,1	03	2,0	00	0,0	00	0,0	22	1,2	21	5,3	20	5,0	21	4,6	19	4,6	19	5,0	18	2,1	18	3,2	7,0	16
17	19	2,5	12	1,0	00	0,0	00	0,0	21	0,8	20	1,1	20	2,1	21	4,6	19	4,1	19	4,6	22	3,6	14	1,0	5,0	17
18	22	1,0	00	0,0	00	0,0	22	1,8	21	2,2	21	6,0	22	6,2	21	5,9	24	3,1	23	4,2	20	3,1	25	4,3	6,8	18
19	24	2,1	27	1,2	00	0,0	00	0,0	18	5,3	25	6,9	25	6,2	23	6,7	24	7,2	20	2,0	22	2,6	21	1,8	10,3	19
20	00	0,0	09	1,0	00	0,0	03	1,0	08	1,0	22	1,5	17	2,0	13	0,8	07	1,3	18	1,0	18	4,0	17	3,1	4,0	20
21	00	0,0	17	3,2	17	2,7	23	2,2	20	4,1	21	5,1	27	5,7	24	3,6	23	3,6	23	2,2	00	0,0	18	2,8	6,2	21
22	00	0,0	05	1,5	00	0,0	00	0,0	17	2,6	36	3,6	06	2,1	24	2,1	04	1,8	01	5,0	01	4,8	01	3,9	5,7	22
23	03	2,6	03	3,8	03	3,3	05	1,0	00	0,0	00	0,0	22	2,0	21	2,2	20	4,6	20	3,1	21	2,1	00	0,0	6,5	23
24	36	2,2	02	2,4	03	1,0	00	0,0	02	3,0	01	0,5	21	2,5	21	1,8	00	0,0	02	1,5	03	3,5	03	2,1	4,3	24
25	05	1,0	06	0,8	06	0,8	00	0,0	23	2,6	18	5,7	20	4,3	18	6,2	19	6,7	18	5,1	17	6,7	18	5,0	7,7	25
26	18	5,7	17	4,6	19	4,5	21	3,6	20	1,2	20	4,4	29	6,2	30	5,7	30	2,2	33	1,5	00	0,0	00	0,0	6,7	26
27	00	0,0	00	0,0	00	0,0	19	2,2	20	5,2	19	5,5	26	8,2	25	9,8	25	1,8	24	3,8	18	1,2	23	1,5	10,3	27
28	27	1,2	23	2,6	00	0,0	25	1,0	19	1,0	21	4,1	20	7,4	21	3,1	18	3,4	20	4,0	22	3,2	21	2,5	7,4	28
29	27	1,0	01	3,6	04	2,5	22	0,8	27	1,5	27	2,0	27	2,5	28	4,2	31	5,0	34	6,7	36	4,8	09	1,5	7,7	29
30	17	2,1	05	1,0	00	0,0	25	0,5	17	1,5	19	3,1	18	3,5	31	2,0	34	2,2	36	5,0	03	2,0	04	2,7	6,0	30
MI		1,5		1,7		1,2		1,5		2,4		3,3		4,0		4,0		3,3		3,3		2,5		2,2	6,5	MI

OSLO - BLINDERN

REGISTRERINGER AV VIND D,V (RECORDS OF WIND D,V).

OKTOBER 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	00	0,0	02	2,6	01	3,1	02	2,1	07	2,6	09	1,0	04	1,7	05	1,5	02	2,0	02	2,0	03	2,6	02	1,7	4,3	1
2	02	1,0	00	0,0	00	0,0	03	0,5	19	0,5	20	2,1	19	2,5	19	2,1	00	0,0	00	0,0	00	0,0	03	2,3	3,8	2
3	03	2,6	02	1,3	02	1,3	00	0,0	00	0,0	19	1,5	21	3,0	22	1,2	00	0,0	00	0,0	03	0,5	03	1,6	3,1	3
4	04	2,2	00	0,0	00	1,7	00	0,0	00	0,0	18	1,0	21	0,8	04	3,6	01	1,3	02	4,2	02	3,6	03	4,1	5,1	4
5	03	3,6	03	4,6	03	1,5	04	3,0	09	3,0	12	3,2	09	2,2	11	1,5	03	2,0	04	2,0	03	2,3	03	2,6	5,2	5
6	02	1,0	03	1,5	03	2,1	03	2,1	00	0,0	18	1,6	20	2,1	22	2,6	24	1,0	00	0,0	22	1,0	21	0,5	3,0	6
7	15	0,5	17	2,1	00	0,0	13	1,5	16	1,2	15	0,8	24	0,5	21	1,0	00	0,0	00	0,0	00	0,0	00	0,0	2,1	7
8	00	0,0	00	0,0	00	0,0	00	0,0	21	1,6	22	2,1	20	2,0	19	1,5	18	1,6	16	0,6	00	0,0	22	0,8	3,1	8
9	23	1,0	21	1,5	00	0,0	24	0,5	00	0,0	28	1,2	22	1,0	00	0,0	00	0,0	17	3,1	17	2,9	16	4,1	4,1	9
10	17	2,6	25	1,2	15	1,0	17	2,1	21	1,5	20	1,0	16	1,2	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	4,1	10
11	06	1,0	12	1,5	17	2,3	18	3,1	18	3,6	18	4,1	17	4,6	18	3,0	17	2,7	17	2,7	17	1,5	00	0,0	6,2	11
12	19	0,5	00	0,0	00	0,0	05	1,0	05	2,1	04	1,5	03	2,2	03	3,6	02	3,6	02	3,8	01	4,7	02	4,7	5,1	12
13	02	4,6	04	3,6	05	2,2	08	1,6	04	2,1	04	1,1	03	1,5	08	1,6	05	1,6	04	1,8	04	2,0	04	2,1	5,2	13
14	02	1,6	04	2,0	03	2,7	03	4,1	03	3,6	03	3,2	03	4,1	02	8,0	03	6,2	02	3,1	01	3,4	01	5,2	8,2	14
15	01	4,3	03	3,1	34	1,6	09	1,0	09	0,8	20	2,0	18	2,6	04	1,0	02	1,0	06	1,2	01	3,6	02	4,6	8,7	15
16	02	8,9	01	7,5	02	8,8	02	8,9	02	7,7	02	6,9	02	5,8	02	2,6	00	0,0	00	0,0	30	0,8	30	0,5	10,0	16
17	00	0,0	02	1,1	04	1,2	04	3,0	03	2,1	02	2,0	04	1,0	09	1,0	00	0,0	03	1,2	00	0,0	00	0,0	3,2	17
18	21	1,0	20	0,5	00	0,0	05	1,1	03	3,6	02	2,8	04	1,2	02	4,1	36	2,6	00	0,0	36	0,5	03	2,7	5,1	18
19	00	0,0	00	0,0	03	1,0	09	0,5	00	0,0	20	1,5	19	3,1	20	5,2	24	2,0	23	1,0	00	0,0	00	0,0	7,2	19
20	25	1,5	20	2,0	00	0,0	20	2,1	20	7,2	21	6,4	24	5,0	25	6,0	25	2,4	20	3,1	27	2,0	00	0,0	9,2	20
21	28	4,9	33	2,1	28	1,7	12	1,0	34	3,6	01	5,5	02	5,7	34	5,2	36	3,6	09	2,0	01	2,0	04	3,6	8,7	21
22	00	0,0	36	1,5	02	2,1	03	1,0	00	0,0	19	1,5	19	2,1	00	0,0	00	0,0	02	1,5	03	1,2	02	2,0	3,6	22
23	03	1,0	00	0,0	02	0,5	00	0,0	23	0,8	23	1,1	00	0,0	00	0,0	01	1,5	02	2,1	00	0,0	00	0,8	3,1	23
24	00	0,0	36	1,2	09	1,0	04	3,9	06	0,5	00	0,0	00	0,0	07	2,0	03	3,8	04	1,8	05	1,6	06	1,0	4,6	24
25	04	2,6	04	2,9	03	3,3	03	3,0	03	3,5	03	2,9	10	1,2	04	1,5	01	2,0	04	0,5	36	2,2	36	2,5	3,9	25
26	01	4,1	02	1,5	01	1,2	04	2,2	02	2,0	09	0,6	18	1,0	00	0,0	07	0,5	00	0,0	00	0,0	00	0,0	4,5	26
27	00	0,0	00	0,0	00	0,0	36	1,5	00	0,0	17	1,1	00	0,0	14	1,3	13	1,0	03	1,0	12	2,0	01	4,3	4,3	27
28	02	5,8	02	6,2	03	5,3	04	5,2	04	6,2	02	6,2	02	7,2	02	3,6	03	4,6	03	6,4	02	4,1	03	5,0	7,4	28
29	01	5,2	36	3,0	04	4,0	06	3,0	08	4,6	08	4,1	07	5,3	06	4,6	06	4,0	07	3,3	07	3,5	07	4,1	6,2	29
30	07	4,0	09	3,6	07	3,0	07	3,0	09	3,6	08	3,7	10	3,7	09	4,2	09	3,6	08	1,5	07	2,2	08	2,1	5,2	30
31	08	1,8	12	3,0	12	3,6	11	5,1	12	4,3	11	5,3	11	4,6	10	3,1	05	1,6	05	4,1	03	3,8	04	5,0	7,2	31
MI		2,1		2,0		1,8		2,2		2,3		2,5		2,5		2,5		1,8		1,7		1,7		2,2	5,2	IM

NOVEMBER 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	06	5,1	04	5,0	03	4,8	06	4,0	07	2,3	06	4,0	06	3,6	06	3,6	06	4,1	05	4,3	04	4,7	04	4,4	5,7	1
2	04	4,1	03	4,8	03	5,0	03	5,0	04	5,7	02	6,2	03	6,0	02	5,1	03	4,3	04	3,3	04	2,1	05	1,5	6,7	2
3	05	1,0	19	0,5	15	1,3	15	2,5	15	2,5	17	4,6	15	4,1	18	3,2	16	6,2	17	8,2	17	8,2	18	7,7	8,9	3
4	18	8,4	18	7,2	18	5,9	22	2,1	27	1,2	19	5,1	18	6,2	23	3,6	00	0,0	06	1,4	20	3,1	17	2,1	9,3	4
5	20	1,0	21	1,0	00	0,0	21	1,2	20	1,5	20	0,5	22	1,1	22	0,5	03	1,2	03	1,1	03	0,6	00	0,0	3,1	5
6	04	1,6	03	3,0	03	2,1	03	3,6	04	3,2	03	4,2	01	1,8	01	1,5	34	1,0	31	2,5	02	1,8	00	0,0	4,3	6
7	00	0,0	00	0,0	00	0,0	03	2,7	00	0,0	00	0,0	21	0,5	24	0,5	03	2,7	03	1,8	02	1,6	00	0,0	3,1	7
8	02	2,3	04	2,6	05	2,6	03	3,4	00	0,0	00	0,0	00	0,0	00	0,0	07	0,5	05	0,5	04	3,2	04	3,6	5,2	8
9	03	2,9	36	2,6	36	2,5	01	3,5	01	2,2	03	1,1	00	0,0	00	0,0	02	0,5	00	0,0	01	2,0	01	1,6	3,6	9
10	02	1,6	36	1,8	36	0,9	02	1,8	02	1,0	36	0,5	00	0,0	00	0,0	00	0,0	00	0,0	02	2,0	00	0,0	2,0	10
11	22	1,0	12	1,8	10	2,6	04	3,3	02	5,2	36	3,1	03	5,7	00	0,0	03	2,9	05	2,6	05	2,5	02	2,0	7,9	11
12	04	2,7	04	4,0	03	5,9	03	5,7	03	10,1	01	5,9	02	7,8	04	4,3	05	4,3	06	2,4	17	4,1	18	1,9	10,1	12
13	17	3,0	16	1,6	03	1,8	03	3,1	03	2,5	02	3,2	02	1,0	00	0,0	03	2,4	01	5,8	02	5,2	00	0,0	6,7	13
14	00	0,0	36	3,1	32	2,3	00	0,0	04	1,0	00	0,0	00	0,0	19	1,2	27	1,2	02	0,5	36	0,7	02	2,1	4,6	14
15	02	5,0	36	2,6	36	2,1	36	2,5	04	3,0	04	2,6	03	3,2	03	2,8	02	5,7	02	5,0	06	3,0	03	3,2	8,3	15
16	02	6,6	02	8,8	02	10,3	02	7,7	02	8,2	01	9,8	02	12,4	01	13,6	02	10,8	02	12,4	02	13,6	02	10,3	14,5	16
17	01	6,7	02	4,8	18	0,5	20	1,0	00	0,0	20	2,3	17	2,8	21	0,8	00	0,0	07	0,5	04	3,8	17	4,5	11,0	17
18	17	6,7	17	7,0	16	5,0	15	4,6	14	3,6	15	5,1	16	5,1	14	3,6	13	2,1	14	4,1	15	4,1	11	2,6	7,7	18
19	12	3,1	07	2,6	02	3,6	02	4,1	02	4,6	04	2,1	00	0,0	31	1,0	00	0,0	00	0,0	00	0,0	00	0,0	5,1	19
20	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	02	1,5	03	1,0	01	5,7	01	4,6	01	5,1	29	1,0	00	0,0	6,2	20
21	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	17	1,0	00	0,0	22	2,6	25	1,5	29	1,5	00	0,0	00	0,0	2,6	21
22	27	1,0	00	0,0	26	1,0	28	1,0	26	2,1	23	2,1	24	1,0	28	1,5	00	0,0	00	0,0	18	2,1	20	2,1	3,1	22
23	21	3,1	20	1,0	23	5,7	22	4,6	19	3,1	22	5,1	22	6,2	23	1,5	23	2,6	00	0,0	04	1,5	04	1,0	6,7	23
24	00	0,0	00	0,0	00	0,0	05	1,0	07	2,1	22	1,0	22	1,5	00	0,0	27	1,0	00	0,0	03	1,0	04	2,1	3,1	24
25	03	2,1	01	1,0	03	1,5	02	2,1	02	1,5	00	0,0	00	0,0	00	0,0	00	0,0	03	3,1	09	3,1	05	4,6	4,6	25
26	03	3,1	00	0,0	00	0,0	00	0,0	03	1,0	03	1,5	02	3,1	26	1,0	00	0,0	30	5,7	31	4,6	00	0,0	6,7	26
27	31	2,1	32	3,6	00	0,0	09	1,5	31	3,1	30	5,7	30	1,0	25	3,1	01	2,1	07	0,5	00	0,0	08	1,0	6,2	27
28	00	0,0	04	1,5	02	1,0	02	1,5	00	0,0	06	1,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	27	1,0	2,6	28
29	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	27	1,0	00	0,0	23	1,0	00	0,0	29	4,1	30	6,7	25	3,1	8,8	29
30	24	6,7	15	2,6	21	1,5	02	2,1	00	0,0	00	0,0	04	1,0	00	0,0	03	1,5	03	1,5	10	1,0	04	3,1	7,7	30
MI		2,7		2,5		2,3		2,5		2,4		2,7		2,5		2,1		2,1		2,6		2,9		2,2	6,2	IM

DESEMBER 1979

DT	02		04		06		08		10		12		14		16		18		20		22		24		MAX	DT
1	02	3,1	04	2,6	03	2,1	00	0,0	00	0,0	00	0,0	24	2,1	24	1,0	18	0,5	22	0,5	00	0,0	00	0,0	3,6	1
2	21	1,0	00	0,0	33	1,0	26	1,0	00	0,0	00	0,0	03	1,5	00	0,0	19	3,6	17	0,5	18	0,5	21	1,5	4,6	2
3	08	1,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	23	3,1	00	0,0	00	0,0	20	5,1	20	4,6	22	3,6	6,2	3
4	22	1,0	23	1,5	27	2,1	18	1,0	26	3,1	23	4,1	20	2,6	19	1,5	19	4,1	20	7,2	18	9,8	20	7,7	10,8	4
5	27	7,2	21	8,7	21	7,2	27	2,1	20	3,6	19	4,1	20	4,6	23	3,6	14	3,1	21	1,5	27	2,6	26	4,6	7,2	5
6	22	3,1	23	5,1	21	6,7	22	1,5	22	1,0	27	4,1	28	4,6	26	3,1	27	2,6	22	1,0	18	0,5	00	0,0	9,3	6
7	00	0,0	00	0,0	31	5,1	31	5,1	31	7,2	21	2,6	32	1,0	30	1,0	00	0,0	00	0,0	03	2,1	02	1,0	7,7	7
8	00	0,0	00	0,0	02	1,5	07	1,0	00	0,0	00	0,0	00	0,0	00	0,0	03	1,0	00	0,0	04	1,0	05	1,5	2,1	8
9	02	3,6	05	2,1	01	2,6	03	3,6	03	3,1	24	1,5	07	2,1	00	0,0	00	0,0	23	2,1	04	4,1	03	4,1	5,7	9
10	03	5,7	02	7,2	02	10,3	03	9,3	02	8,8	04	8,2	02	11,3	02	10,3	02	8,2	02	7,2	02	9,3	01	7,2	11,3	10
11	03	1,0	03	4,1	03	4,6	02	5,7	02	5,7	03	5,1	01	6,2	04	2,1	06	2,1	00	0,0	00	0,0	00	0,0	7,7	11
12	00	0,0	03	2,1	05	1,5	04	2,1	05	2,1	00	0,0	00	0,0	03	1,5	04	1,0	03	1,0	04	1,5	03	2,1	3,1	12
13	04	1,5	05	2,1	01	1,0	03	1,5	04	2,1	05	2,1	06	3,1	04	4,6	05	3,1	04	4,1	03	4,1	05	5,1	5,7	13
14	05	3,6	05	5,1	06	4,6	06	5,1	04	4,6	05	5,7	05	6,2	04	5,1	03	5,7	03	7,2	02	4,6	03	6,2	8,2	14
15	02	6,7	03	6,2	04	6,2	02	5,1	02	5,7	02	7,2	02	8,2	02	6,2	02	7,2	02	7,2	02	7,2	02	6,2	8,8	15
16	02	2,6	02	4,6	02	5,1	01	4,1	01	4,6	00	0,0	01	1,5	05	1,0	02	0,5	00	0,0	09	1,5	17	2,1	6,7	16
17	22	2,1	24	1,0	17	2,1	04	2,1	04	3,6	03	4,1	03	3,6	02	4,6	01	1,0	01	1,0	00	0,0	03	3,6	5,1	17
18	03	3,6	02	4,1	02	4,1	08	1,0	00	0,0	00	0,0	00	0,0	03	1,0	00	0,0	00	0,0	03	1,0	00	0,0	5,7	18
19	00	0,0	03	1,0	04	1,5	00	0,0	00	0,0	24	1,0	00	0,0	00	0,0	00	0,0	00	0,0	06	1,5	00	0,0	2,6	19
20	00	0,0	12	1,0	02	3,1	05	3,6	01	2,1	02	3,6	04	3,6	11	0,5	01	2,1	01	1,5	00	0,0	04	1,0	4,6	20
21	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	26	1,0	27	1,0	22	1,5	34	1,0	00	0,0	3,1	21
22	00	0,0	00	0,0	23	1,5	00	0,0	21	2,1	25	1,0	20	1,0	06	1,5	05	1,0	07	0,5	04	0,5	04	2,1	2,6	22
23	04	3,6	03	4,6	02	5,7	02	7,7	02	8,2	02	7,2	02	6,2	02	6,2	02	8,8	03	4,6	04	2,1	04	2,1	9,3	23
24	05	2,1	00	0,0	17	0,5	16	1,5	14	1,0	14	2,6	14	1,0	11	1,0	10	0,5	05	1,0	04	1,0	05	1,0	2,6	24
25	05	1,0	05	1,0	04	1,5	04	2,1	05	1,5	06	1,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	00	0,0	2,6	25
26	00	0,0	00	0,0	00	0,0	21	1,0	22	1,0	19	2,1	20	1,0	20	1,0	20	1,0	22	1,0	18	4,1	18	7,2	7,2	26
27	18	5,7	18	5,1	18	6,7	18	5,1	18	4,6	18	7,2	19	7,2	17	7,2	15	5,7	15	5,7	16	5,1	18	6,2	8,2	27
28	18	5,1	17	2,6	18	2,1	18	3,6	04	1,5	00	0,0	00	0,0	04	1,5	03	1,0	07	0,5	03	2,1	02	3,1	5,1	28
29	01	3,1	02	3,1	03	4,1	01	3,1	01	3,1	01	4,1	01	4,1	01	4,6	01	3,1	00	0,0	21	1,0	21	3,1	5,1	29
30	22	1,5	18	1,0	00	0,0	00	0,0	09	1,0	02	2,1	03	2,1	04	2,6	04	3,1	04	1,5	02	3,1	02	4,1	4,1	30
31	02	3,1	14	0,5	01	4,1	01	5,1	02	4,1	01	5,1	01	5,7	01	5,7	01	6,7	01	6,2	01	6,7	01	6,7	7,7	31
MI		2,3		2,4		3,2		2,7		2,8		2,8		3,0		2,6		2,5		2,2		2,7		3,0	5,9	IM

OSLO - BLINDERN

REGISTRERINGER AV NEDBØR R (RECORDS OF PRECIPITATION R).

JANUAR

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1											0,0		0,0	0,5
2														
3														
4														
5						0,0	0,0						0,0	1,0
6			0,2	0,7	0,4	0,8	0,8	0,3	0,1				3,3	12,0
7														
8														
9														
10				0,0	0,0		0,0	0,1	0,0	0,2	0,2		0,5	7,0
11	0,1		0,1		0,1	0,2	0,2	0,1	0,1				0,9	10,0
12			0,1	0,1		0,4	0,3	0,1	0,1	0,5	0,6	0,2	2,4	15,0
13	0,2	0,8	0,2	0,3	0,0		0,0						1,2	10,0
14	0,0	0,0	0,1		0,4	0,4	0,0						0,9	10,0
15														
16							0,0	0,0					0,0	1,0
17														
18												0,0	0,0	0,5
19														
20														
21						0,1							0,1	1,0
22														
23					0,0	0,0			0,0				0,0	3,0
24	0,0	0,0			0,0	0,1	0,0	0,0		0,0	0,0	0,0	0,1	16,0
25	0,0	0,0						0,1	0,2		0,2	0,1	0,6	10,0
26	0,2	0,0						0,0			0,1	0,1	0,4	4,0
27								0,0		0,0	0,1	0,0	0,1	4,0
28	0,1	0,0	0,0	0,2	0,2	0,1	0,0						0,6	10,0
29					0,1	0,1	0,1	0,2	0,0		0,0	0,0	0,5	13,0
30	0,0												0,0	0,5
31														
SUM	0,6	0,8	0,7	1,3	1,2	2,2	1,4	0,9	0,5	0,7	1,2	0,4	11,6	128,5

1979

FEBRUAR

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1				0,5	0,2	0,5	0,2		0,1	0,6			2,1	6,0
2	0,5	0,7	0,1										1,3	4,0
3			1,0	3,2	0,4	0,4	0,2	0,2	0,4	0,1			5,9	10,0
4														
5														
6														
7								0,0	0,2	0,3	1,8	1,6	3,9	8,0
8	0,3	0,2	0,1										0,6	5,0
9														
10														
11														
12														
13						0,0	0,0						0,0	0,5
14														
15														
16														
17														
18												0,2	0,2	0,5
19	0,5	0,5	0,1								0,0	0,0	1,1	9,0
20	0,0												0,0	0,5
21								0,0	0,0	0,0			0,0	2,0
22				0,0	0,1	0,2	0,5			0,2			1,0	9,0
23														
24														
25														
26														
27												0,0	0,0	1,0
28	0,4	0,2	0,1	0,2	0,2		0,3	0,1					1,5	8,0
SUM	1,7	1,6	1,4	3,9	0,9	1,1	1,2	0,3	0,7	1,2	1,8	1,8	17,6	63,5

1979

MARS

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1														
2					0,5	0,5	0,5	0,5	0,5				2,5	5,0
3														
4														
5														
6														
7			0,0	0,4	1,2	0,8	1,8	1,9	1,4	0,7	0,3		8,5	15,0
8	0,3	0,2											0,5	2,0
9		0,2	1,2	2,6	2,7	3,9	3,2	2,7	2,7	2,2	1,9	1,2	24,5	21,0
10	4,8	2,8	2,6	0,6	0,5	1,6	2,0	0,9	0,3	0,3		0,0	16,4	19,0
11				0,0			0,0		0,0	0,0			0,0	2,0
12		0,8	0,5	0,8	0,5	0,3	0,5	0,2	0,2	0,5	0,2	0,2	4,4	20,0
13	0,5		0,2	0,2			0,0			0,0			0,9	9,0
14														
15														
16														
17														
18														
19														
20														
21							0,3		0,5				0,8	7,5
22				0,6	1,7	1,0	1,0	0,3	0,5	0,7		0,0	5,8	17,0
23					0,0				0,0			0,3	0,3	6,5
24	0,3	0,3											0,6	4,0
25									0,6	2,9	1,8	1,3	6,6	8,0
26	1,6	1,6	1,8	2,9	6,0	1,1	4,1	3,1	2,7	0,4			25,3	19,0
27	0,2	0,2	0,3			0,3	0,3	0,4	2,3	1,2	1,1	1,3	7,6	21,0
28	0,3	2,3	2,4		0,5	0,3	0,2	0,2	0,3	1,2			7,7	14,5
29							0,1						0,1	1,5
30										0,1	1,3		1,4	8,0
31	0,2	0,2											0,4	12,0
SUM	8,2	8,3	9,0	8,1	13,6	9,8	14,0	10,2	12,0	10,2	6,6	4,3	114,3	212,0

1979

APRIL

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1								0,1		0,2	0,5	0,7	1,5	9,0
2	0,3	0,4	0,5		0,3		0,4	0,2	0,1	0,8	0,5	0,3	3,5	15,0
3		0,3	0,4		0,3					0,3	0,2	0,8	2,3	18,0
4	1,2	0,4	0,1	1,0	2,4	1,5	1,5			0,5			8,6	11,0
5			0,3										0,3	12,0
6			0,0										0,0	4,0
7														
8														
9														
10														
11														
12														
13														
14														
15														
16									0,3	1,2			1,5	6,5
17	0,2												0,2	1,0
18														
19														
20			0,3	0,2	0,3		0,8	0,3	0,5	0,7	0,2	0,2	3,5	23,0
21	0,2	0,3					0,2			0,1	0,3	0,4	1,5	9,0
22	0,5	0,7	0,8		0,3	0,9	0,4	0,8	1,9	1,6	0,5	0,5	8,9	22,0
23	0,7	0,8	1,9	0,8	1,0	0,5	0,7			0,3			6,7	21,0
24	0,2	0,1	0,2		0,2	0,6	0,8						2,1	17,5
25	0,4	5,3	10,2	3,5	2,0	2,5	1,5	1,0	3,0	1,5	1,0	0,5	32,4	23,5
26	0,5	2,5	1,0	0,2	0,2	0,4	1,4						6,2	16,0
27	0,2	0,2						0,0					0,4	5,0
28			0,1										0,1	6,5
29			0,2	0,2				0,1					0,5	5,0
30		0,1			0,1								0,2	6,0
31														
SUM	4,4	11,1	16,0	5,9	7,1	6,4	7,7	2,5	5,8	6,9	3,2	3,4	80,4	231,0

1979

MAI

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1								0,2		0,4			0,6	2,0
2				0,1				0,1					0,2	3,0
3														
4								0,2	0,3	0,5			1,0	1,0
5							0,2			0,2			0,4	3,0
6														
7							0,3	0,3					0,6	2,0
8	0,6						0,3	0,3		0,1			1,3	1,5
9							0,1						0,1	1,0
10			0,3		0,2		0,1		0,1		0,5		0,7	2,5
11													0,5	1,0
12						0,0								
13													0,0	2,0
14													0,0	1,5
15														
16														
17			0,6		1,0	1,0	0,2							
18							1,3	0,5		3,2	0,0	0,2	3,6	3,0
19													4,4	7,5
20							0,8			0,2			0,0	1,0
21					0,1			1,5	0,5				1,0	3,0
22													2,1	4,0
23				0,2	0,2	3,6	1,9			0,4			0,0	0,5
24		0,6	1,0	0,5	0,5		0,3			0,6			6,3	5,0
25	1,8	0,5	0,3										3,7	6,0
26													2,6	4,0
27		1,0	5,0	2,1	4,5	0,7	0,9			0,1			0,1	1,0
28	0,2		0,3	0,3						0,9	0,2	0,2	15,5	11,5
29			0,2	0,7	0,5	0,5	3,5	1,0	0,3	5,0	0,5		0,8	5,0
30							0,2	0,2	0,5				12,2	18,0
31													0,9	1,0
SUM	2,6	2,1	7,7	3,9	7,0	5,8	10,1	4,3	1,7	11,8	1,2	0,4	58,6	91,0

1979

JUNI

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1														
2														
3														
4														
5														
6														
7														
8														
9		1,0	1,5	1,4									3,9	8,0
10														
11														
12														
13														
14														
15							0,8		0,2			1,0	2,0	3,0
16	2,3		0,7	0,2				7,0	0,6	0,3			11,1	4,0
17														
18								1,0		0,3			1,3	1,0
19														
20														
21														
22										0,2			0,2	0,5
23	0,3	0,3							0,1	0,4			1,1	4,0
24	0,2									0,0			0,2	2,0
25	0,3	2,0	2,5	1,9			0,5	0,2		0,4			7,8	7,0
26			0,1					0,8	0,2	0,3			1,4	6,0
27	0,2					0,8	1,8	0,3					3,1	3,0
28						0,3	0,3	0,2	1,5	0,4			2,7	4,0
29					0,5	0,3	2,0						2,8	1,5
30							0,3		0,7				1,0	2,5
SUM	3,3	3,3	4,8	3,5	0,5	1,4	5,7	9,5	3,3	2,3		1,0	38,6	46,5

JULI 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1										0,0			0,0	
2										0,0			0,0	1,0
3														
4														
5							0,3	0,2	1,4				1,9	1,5
6														
7														
8										0,0			0,0	1,0
9						0,3	1,4			0,3			2,0	2,5
10						0,1	0,5						0,6	4,0
11														
12														
13							0,2	0,2		1,6			2,0	2,5
14		0,2		0,2									0,4	3,0
15			1,3	0,8				0,3					2,1	8,0
16		0,4		1,0	0,8	0,5			0,2				2,9	10,0
17			0,1										0,1	0,5
18		0,4	0,4	1,0	9,3	1,6	0,9	0,9					14,5	12,0
19				0,5									0,5	1,0
20							1,6	0,3		1,0			2,9	5,0
21			0,1	0,2			0,2	1,3	1,6	0,6			4,0	13,5
22				0,2					8,6	0,6	0,4		9,8	6,0
23	0,2	0,2	0,2	0,2									0,8	2,5
24										0,1			0,1	2,0
25	0,8	0,5	0,5	0,3			0,2	0,2	0,2	1,6			4,1	9,0
26				0,3			8,9	0,3		1,0			10,5	5,0
27										0,1			0,1	0,5
28														
29					0,5	0,5	3,0	5,9	1,1	0,5	1,2	0,2	12,9	13,0
30			0,3		1,2	3,3	1,0	0,5		0,5			6,8	16,5
31				1,0	1,0		1,0			7,3			10,3	10,0
SUM	0,8	1,7	2,9	5,4	12,8	6,3	19,2	10,1	13,1	15,2	1,6	0,2	89,3	130,0

OKTOBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1														
2														
3														
4														
5														
6														
7		1,8												
8														
9		0,1												
10		2,1	3,1	0,6				0,2						
11			0,6	0,2				0,1						
12														
13		2,3	1,1	0,7		0,2		0,2						
14							0,2	1,6	1,2	0,2	1,9	6,6	3,0	
15		0,6	0,3	0,3								1,0	1,0	
16		1,4	2,8	4,2	4,2	3,2	2,7	0,7		0,7	0,7			
17			0,2	0,2	0,2	0,1								
18					0,3	3,3	4,1	2,3	0,5					
19					0,1				0,5	0,5				
20		0,1	0,1	0,1										
21														
22														
23														
24														
25			0,1											
26														
27														
28														
29									0,2					
30	0,2	0,2	0,2	0,1			0,2	0,1	0,1	0,1				
31						0,7			0,7	0,6				
SUM	8,5	8,5	6,7	4,9	6,8	7,7	5,3	2,5	2,5	5,0	10,9	7,5	76,8	130,0

AUGUST 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1			0,5	3,2	5,0	2,0	1,6	0,9	0,7				13,9	10,5
2				0,2			0,5				2,5	0,5	3,7	5,5
3										0,1		0,2	0,3	6,0
4														
5														
6														
7					0,1									
8			3,5	2,8	2,0	1,5				0,4		1,0	0,1	0,5
9	1,8	0,8	8,3	6,3	1,1	0,3			0,3				10,9	16,0
10			0,1							2,0	4,0	0,5	18,9	11,0
11			0,5	0,4	0,4	1,8	0,8		0,4	1,0	0,6	0,7	6,6	5,0
12	0,7	0,7											6,6	14,5
13													1,4	4,0
14	0,3		0,4							0,1		4,8	5,6	8,0
15	0,8	1,4											2,2	3,5
16						1,2	0,8					0,9	2,9	7,5
17	1,3												1,3	3,5
18														
19								0,4					0,4	5,0
20	0,1												0,1	1,0
21					0,8	4,8	0,3	2,9	4,1	4,4	0,4		17,7	11,0
22	0,6		0,5										1,1	2,0
23									0,1				0,1	2,0
24														
25														
26														
27		1,2	0,3	0,2	0,1	0,1	0,1						2,0	12,5
28														
29														
30														
31														
SUM	5,6	4,1	14,1	12,8	9,5	11,7	4,1	4,2	5,6	8,0	7,5	8,6	95,8	129,0

NOVEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1	1,0	0,4	1,0			0,5	0,5	0,5	0,5	0,4			4,8	24,0
2			0,8	0,5	0,5	0,4	0,2	0,2	0,1				2,4	24,0
3								0,4	0,7	1,7	1,3	1,5	5,6	9,0
4	3,2	3,2	9,1	2,0									17,5	7,0
5														
6		0,2	0,2											
7													0,4	4,0
8														
9														
10														
11						0,5	3,0	2,5	0,2	0,8			7,0	8,0
12		0,2	0,8	3,8	2,5	1,5	1,8	2,8	1,1	1,8			16,3	12,0
13						5,0	1,5	1,1	1,0	1,5	2,0		12,1	12,0
14	1,0												1,0	2,0
15														
16							0,7	0,7	0,7	0,7	1,4	2,4	6,6	16,0
17	1,4	0,9	0,9	0,9	0,3	0,3					0,5	0,7	5,9	10,0
18	0,3						0,2						0,5	8,0
19			0,6				0,3		0,3				1,2	7,0
20														
21														
22														
23				0,1					0,1	0,1			0,2	4,0
24													0,1	4,0
25														
26										0,5	0,5	3,4	9,4	5,0
27	0,3					1,3	2,0	1,0	0,5	0,3			5,4	8,0
28														
29										0,5	0,5	0,5	1,5	5,0
30	0,5	0,5	0,6										1,6	6,0
31														
SUM	7,7	5,2	13,1	4,3	5,1	8,0	12,9	6,3	7,6	6,3	12,5	10,5	99,5	173,0

SEPTEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1									1,6	1,2	0,8	0,6	4,2	8,0
2	2,8	0,5						0,1				9,6	13,0	6,0
3	2,6	8,6	4,0	2,9	0,8								19,1	8,0
4							4,6	0,4					5,0	2,5
5					0,5								0,5	1,0
6														
7	0,2	0,2	0,4	0,4				0,6	0,2				2,0	8,0
8	0,2					4,3	8,0	1,3					10,8	4,5
9	0,2												0,2	0,5
10														
11	0,2	0,2	0,4	1,5	1,3								3,6	4,5
12												1,0	1,0	3,0
13	1,4	1,0							0,1	0,6	1,2		4,3	5,0
14	0,3												0,3	1,0
15														
16										0,5			0,5	1,0
17		0,2	0,4								0,2	0,2	1,0	4,0
18			0,6										0,6	1,0
19														
20							0,5		4,2	1,3			6,0	5,0
21	3,3	2,2	0,5					0,4					6,4	3,5
22														
23														
24														
25									0,2	1,4	1,9	0,3	3,8	5,0
26	0,3												0,3	1,0
27	0,6	0,3											0,9	3,5
28														
29														
30														
31														
SUM	12,1	13,4	6,3	4,8	2,6	4,3	10,1	2,8	6,3	5,0	4,1	11,7	83,5	76,0

DESEMBER 1979

DT	02	04	06	08	10	12	14	16	18	20	22	24	SUM	VAR
1		0,2	0,3								0,1		0,6	3,0
2		0,1											0,1	7,0
3														
4														
5	0,5	0,1										0,5	1,1	1,5
6														
7														
8														
9														
10														
11														
12														
13														
14												0,1	0,1	9,0
15	0,1			0,1			0,1						0,3	7,5
16														
17	0,1			0,1	0,1	0,1	0,1	0,1	0,1	0,1			0,8	11,0
18														
19														
20						0,1		0,1					0,2	3,0
21														
22														
23														
24	0,5	0,2	0,3		0,5	0,5			1,5		0,5	0,5	4,0	15,0
25	1,0	0,5	0,5	0,6	0,5	0,5	0,5	0,5	0,5	0,8	1,0	1,0	7,4	24,0
		0,8	1,0	0,4	0,4	0,4	0,6	0,6	0,8	1,0	0,5	0,5	7,8	24,0
26	0,3	0,3	0,3	0,2							0,1	0,1	1,3	10,0
27	0,2	0,2	0,2	0,1	0,2	0,2		0,1		1,2	1,2	4,2	7,8	17,0
28	1,7	2,2	3,2	1,2	0,8	1,1	1,2	0,7	1,0	0,2	1,0	0,5	14,8	11,0
29	0,5	0,6	0,5	0,6	1,0	1,0	1,0	1,0	1,0	0,7	1,0	1,0	9,8	24,0
30	1,0	0,3	0,2										1,5	12,0
31														
SUM	5,9	5,4	6,5	3,3	3,5	3,9	3,5	3,1	4,7	4,0	6,4	8,4	87,6	179,0

AVVIK I LUFTTRYKKS MIDLENE 1979 FRA DE TILSVARENDE MIDLER I PERIODEN 1931 - 1960
(DEPARTURES OF THE MEAN ATMOSPHERIC PRESSURES 1979 FROM THE CORRESPONDING MEAN ATMOSPHERIC PRESSURES FOR THE PERIOD 1931 - 1960)

	LAT	LON	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OKT	NOV	DES	ÅR
RØRØS	62 34	11 23	3,1	1,7	-12,5	1,1	- 3,3	1,7	- 1,1	- 1,3	- 4,3	6,3	- 9,9	- 5,3	- 1,9
OSLO - BLINDERN	59 56	10 44	2,2	1,7	-12,9	0,1	- 3,4	2,1	- 1,8	- 1,3	- 3,3	6,6	- 7,7	- 5,4	- 1,9
FERDER FYR	59 32	10 32	2,3	2,0	-13,0	0,6	- 3,1	1,9	- 1,9	- 1,5	- 2,4	6,2	- 7,6	- 5,6	- 2,0
GVARV	58 23	09 11	2,1	1,9	-13,7	0,7	- 3,7	1,6	- 1,9	- 1,6	- 2,5	6,1	- 7,5	- 5,5	- 2,1
OKSØY FYR	58 04	08 05	2,4	2,1	-13,3	1,0	- 2,4	2,1	- 1,0	- 1,6	- 0,0	5,2	- 6,5	- 5,7	- 1,7
SKUDENES II	59 09	05 15	1,9	2,6	-13,5	1,7	- 1,3	1,6	1,3	- 2,0	- 0,7	3,8	- 6,5	- 6,1	- 2,1
BERGEN - FREDRIKSBERG	60 24	05 19	1,9	2,6	-14,0	1,6	- 3,1	1,4	0,9	- 2,3	- 1,9	3,9	- 7,3	- 6,0	- 2,4
LÆRDAL - TØNJUM	61 04	07 31	3,3	2,6	-15,4	0,7	- 1,9	1,5	0,0	- 2,0	- 2,6	5,9	- 7,4	- 4,8	- 2,1
TAFJORD	62 14	07 25	2,6	2,5	-16,2	0,4	- 6,6	0,6	- 0,1	- 2,0	- 3,7	5,1	- 8,2	- 5,6	- 2,7
OJA II	62 32	06 32	2,6	2,7	-15,4	0,0	- 7,3	0,6	- 0,3	- 2,0	- 4,0	5,2	- 8,5	- 5,5	- 2,8
TRONDHEIM - TYHOLT	63 25	10 26	3,2	3,8	-12,6	3,2	- 4,6	2,7	1,2	0,1	- 2,6	8,0	- 6,2	- 3,3	- 0,4
BJØDO VI	67 16	14 22	1,4	0,5	-11,6	3,8	- 7,2	0,5	- 1,6	- 1,9	- 6,2	7,7	- 7,5	- 6,3	- 2,1
TROMSØ	69 39	18 56	3,3	0,7	- 3,7	5,1	- 5,6	- 0,9	- 1,1	- 1,0	- 6,7	8,2	- 6,8	- 6,2	- 1,5
VARØ	70 22	31 06	3,8	2,0	- 2,7	6,7	- 4,7	- 1,8	0,8	0,5	- 8,3	8,5	- 4,3	- 7,4	- 0,3
KARASJOK	69 28	25 30	3,8	1,5	- 1,9	5,4	- 3,2	- 1,4	- 0,2	- 0,1	- 7,4	8,9	- 3,0	- 6,6	- 0,7

AVVIK I LUFTTEMPERATURMIDLENE 1979 FRA DE TILSVARENDE MIDLER I PERIODEN 1931 - 1960
(DEPARTURES OF THE MEAN TEMPERATURES 1979 FROM THE CORRESPONDING MEAN TEMPERATURES FOR THE PERIOD 1931 - 1960)

	LAT	LON	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OKT	NOV	DES	ÅR
RØRØS	62 34	11 23	- 7,8	- 1,5	1,5	0,5	- 0,4	2,0	- 2,5	- 1,2	- 0,5	- 0,9	- 2,7	- 4,3	- 1,5
DREVSJØ	61 33	12 03	- 3,6	- 1,9	1,1	- 0,1	- 1,1	2,1	- 2,8	- 1,4	- 0,8	- 1,0	- 2,8	- 4,8	- 1,7
FUKSTUA II	62 37	09 17	- 4,2	- 0,9	- 0,1	0,5	- 1,8	1,9	- 2,5	- 1,7	- 1,1	0,1	- 1,4	- 2,8	- 1,2
VINSTRA - SJULSTAD	61 35	09 47	- 3,1	- 3,0	0,9	0,1	- 1,5	1,9	- 1,7	- 2,0	- 0,8	- 1,6	- 3,7	- 4,8	- 2,1
LØKEN I VOLBU	61 07	09 01	- 3,3	- 1,0	0,4	0,0	- 2,2	1,2	- 1,7	- 2,0	- 1,0	- 0,9	- 3,3	- 4,2	- 1,7
HAUGEDALSHØGDA	61 10	11 27	- 3,0	- 5,5	0,8	- 0,3	- 1,4	1,7	- 2,1	- 2,0	- 0,9	- 1,8	- 3,1	- 3,9	- 2,0
ØSTRE TJTEN	60 12	10 52	- 3,6	- 3,0	0,4	- 0,9	- 1,4	1,6	- 2,0	- 2,1	- 0,6	- 1,4	- 2,3	- 3,2	- 1,7
FLISA	60 37	12 01	- 3,4	- 3,9	1,2	- 0,5	- 1,5	1,7	- 2,1	- 1,6	- 0,3	- 1,4	- 1,5	- 3,5	- 1,5
OSLO - BLINDERN	59 56	10 44	- 3,2	- 2,6	0,1	- 0,9	- 2,2	1,1	- 1,8	- 1,9	- 0,8	- 1,2	- 1,3	- 1,6	- 1,4
NESBYEN - SKOGLUND	60 34	09 08	- 3,9	- 2,3	1,7	0,1	- 1,7	1,7	- 1,3	- 1,7	- 0,3	- 1,4	- 3,1	- 3,4	- 1,4
FINSE	60 36	07 31	- 3,5	- 1,6	- 1,2	- 0,4	- 3,3	0,6	- 2,1	- 1,3	- 1,7	- 0,8	- 1,2	- 3,4	- 1,9
DAGALI - FAGERLUND	60 28	08 27	- 3,2	- 0,9	- 0,2	0,0	- 2,8	1,5	- 1,6	- 1,6	- 1,3	- 0,5	- 1,4	- 3,7	- 1,6
KONGSBERG/KONGSBERG IV	59 40	09 39	- 1,8	- 2,6	0,2	- 0,8	- 2,0	1,0	- 1,3	- 1,9	- 0,3	- 0,7	- 1,7	- 2,3	- 1,4
ÅS	59 40	10 47	- 3,2	- 3,1	0,1	- 0,8	- 2,2	0,9	- 1,6	- 1,8	- 0,3	- 1,3	- 1,2	- 1,7	- 1,4
FERDER FYR	59 32	10 32	- 1,3	- 2,9	- 0,5	- 1,0	- 2,2	0,4	- 1,6	- 1,7	- 0,6	- 1,6	- 0,7	- 1,6	- 1,5
GVARV	59 23	09 11	- 1,8	- 3,2	0,9	- 0,7	- 2,1	0,7	- 1,4	- 1,8	- 1,0	- 1,0	- 2,5	- 1,2	- 1,6
LYNGØR FYR	58 38	09 09	- 1,4	- 2,8	- 0,2	- 1,5	- 3,0	0,0	- 1,3	- 1,5	- 0,5	- 0,7	- 0,9	- 1,2	- 1,5
BYGLANDSFJORD - SØLJAKKEN	58 10	07 48	- 3,0	- 2,7	0,0	- 0,6	- 2,6	0,7	- 1,0	- 1,7	- 1,1	- 0,4	- 1,3	- 1,9	- 1,4
HYLESTAD - BRØKKE	59 26	07 30	- 3,5	- 1,7	- 0,3	- 0,8	- 3,0	0,6	- 1,8	- 1,9	- 1,2	- 0,5	- 1,3	- 1,7	- 1,6
OKSØY FYR	58 04	08 05	- 1,7	- 2,2	0,2	- 1,4	- 2,8	- 0,4	- 1,9	- 1,5	- 1,0	- 0,6	- 1,0	- 1,6	- 1,5
LISTA FYR	58 07	06 34	- 1,0	- 1,4	- 0,1	- 0,9	- 2,5	- 0,2	- 1,5	- 1,4	- 1,1	- 0,8	- 0,5	- 1,6	- 1,5
ØGRESTAD FYR	58 39	05 33	- 1,7	- 2,5	- 0,3	- 0,6	- 2,1	- 0,6	- 1,3	- 1,3	- 1,0	- 0,3	- 0,4	- 1,6	- 1,5
FISTER	59 11	06 04	- 1,9	- 2,9	0,0	- 0,2	- 2,2	0,0	- 1,6	- 1,5	- 1,3	- 0,5	- 0,9	- 1,4	- 1,3
SAUDA	59 39	06 22	- 1,7	- 2,7	0,1	- 0,1	- 2,8	- 0,2	- 1,2	- 1,6	- 1,0	- 0,3	- 1,5	- 1,1	- 1,4
SKUDENES II	59 09	05 15	- 1,0	- 2,6	- 0,6	- 0,6	- 2,6	- 0,2	- 2,8	- 1,4	- 1,6	- 0,1	- 1,0	- 1,3	- 1,6
BERGEN - FREDRIKSBERG	60 24	05 19	- 1,0	- 1,8	- 0,6	0,1	- 2,6	- 0,2	- 2,7	- 1,6	- 1,8	- 0,3	- 0,9	- 1,3	- 1,4
MJØLKELEN	60 30	05 56	- 3,8	- 2,6	0,6	0,3	- 2,8	0,5	- 2,6	- 1,7	- 1,5	- 0,3	- 1,5	- 1,6	- 1,6
LEITEANGER	61 11	06 52	- 4,5	- 1,4	0,0	0,1	- 2,8	0,5	- 2,6	- 1,7	- 2,0	- 0,6	- 1,2	- 2,5	- 1,6
KINN	61 34	04 48	- 2,3	- 0,9	- 0,8	0,3	- 2,2	- 0,4	- 2,2	- 1,8	- 1,9	- 0,1	- 1,1	- 1,5	- 1,2
OPSTRYN	61 36	07 11	- 2,8	- 0,9	0,4	0,4	- 1,9	1,2	- 2,7	- 1,4	- 2,3	0,6	- 1,0	- 2,0	- 1,1
VIGRA	62 34	06 07	- 2,0	- 1,1	- 0,5	- 0,2	- 3,5	0,9	- 1,5	- 1,4	- 1,9	- 0,2	- 0,7	- 1,3	- 0,9
STØLA - MOLDSTAD	63 25	08 04	- 2,7	- 1,1	- 0,6	- 0,9	- 3,5	0,8	- 1,4	- 1,0	- 1,7	- 0,3	- 0,8	- 1,3	- 1,0
VINJEØRA	63 12	09 00	- 4,2	- 0,2	- 0,2	- 0,4	- 1,1	1,5	- 1,9	- 0,7	- 1,4	- 0,3	- 1,4	- 1,8	- 1,0
ØRLAND III	63 42	09 36	- 2,7	- 0,5	0,4	- 0,2	- 3,6	0,9	- 2,1	- 0,9	- 1,5	- 0,8	- 1,1	- 1,9	- 0,9
TRONDHEIM - TYHOLT	63 25	10 26	- 3,8	- 0,9	0,7	- 0,2	- 3,8	1,2	- 2,8	- 0,6	- 1,5	- 1,1	- 1,4	- 2,4	- 1,2
BERKÅK II	62 30	10 01	- 3,9	- 0,1	0,8	0,1	- 3,7	1,8	- 2,5	- 0,8	- 1,1	- 0,1	- 1,4	- 2,2	- 0,9
SULSTUA	63 10	12 01	- 4,5	- 0,9	1,2	- 0,3	- 3,1	1,9	- 2,3	- 0,7	- 0,8	- 0,4	- 0,7	- 3,2	- 0,9
KJØBLI I SNÅSA	64 10	12 23	- 3,5	- 1,2	0,7	- 0,4	- 3,2	1,6	- 2,2	- 0,5	- 1,2	- 0,9	- 0,0	- 2,9	- 0,9
LEKA	65 06	11 42	- 2,5	- 0,7	0,2	- 0,1	- 3,4	1,0	- 1,5	- 0,2	- 1,6	- 0,9	- 0,7	- 1,4	- 0,7
MOSJØEN - MOSAL	65 51	13 12	- 4,0	- 1,3	0,5	- 0,7	- 1,0	0,7	- 1,0	0,0	- 1,3	- 1,7	- 1,0	- 0,9	- 1,0
MYKEN	60 16	12 29	- 1,7	- 0,6	- 0,1	- 0,2	- 1,1	0,2	- 1,0	- 0,6	- 1,7	- 1,1	- 1,0	- 1,0	- 0,9
BJØDO VI	67 16	14 22	- 1,6	0,0	0,7	0,6	- 0,2	0,8	0,3	0,7	- 1,0	- 1,1	- 0,1	- 0,3	- 0,1
NARVIK III	68 28	17 30	- 2,2	- 0,4	1,1	0,4	0,0	0,3	0,9	0,6	- 0,7	- 0,9	0,0	0,8	- 0,9
EVENSKJER	68 35	16 35	- 1,7	- 0,3	0,3	0,1	- 0,3	0,3	0,4	0,2	- 0,5	- 1,0	- 0,6	0,4	- 0,3
BØ I VESTERÅLEN II	68 38	14 25	- 1,4	- 0,5	0,3	0,3	- 0,3	0,3	0,7	0,6	- 1,1	- 1,7	- 1,0	- 0,6	- 0,4
BARDUFOSS	69 03	18 33	- 1,5	- 0,7	- 0,1	0,3	0,2	0,8	1,0	0,1	- 0,5	- 1,4	- 2,0	0,3	- 0,6
TROMSØ	69 39	18 56	- 2,9	- 0,9	0,6	0,1	0,4	0,4	1,8	0,7	- 0,6	- 1,4	- 1,3	- 0,4	- 0,3
TORSVÅG FYR	70 15	19 30	- 2,2	- 0,8	0,6	0,0	0,3	0,1	1,3	0,7	- 0,4	- 1,2	- 0,6	- 0,3	- 0,2
ALTA LUFTHAVN	69 59	23 22	- 1,6	- 1,0	0,3	- 0,2	0,1	0,5	1,2	0,4	- 0,2	- 2,2	- 0,7	1,3	- 0,4
KISTRAND II	70 27	25 13	- 1,0	- 0,6	- 0,1	- 0,3	0,0	0,1	2,1	1,0	0,0	- 1,9	- 0,8	0,6	- 0,4
SLETNES FYR	71 05	28 11	- 3,4	- 0,5	0,1	- 0,9	0,1	- 0,5	0,5	0,6	0,6	- 1,6	- 0,8	0,8	- 0,4
VARØ	70 22	31 06	- 3,1	- 1,3	0,2	- 1,6	0,0	- 0,8	0,1	0,2	0,6	- 1,4	- 1,0	0,8	- 0,6
PASVIK	69 10	29 15	- 3,6	- 1,5	0,6	- 1,7	0,5	0,1	0,5	0,3	0,7	- 2,3	- 0,6	1,1	- 0,7
KARASJOK	69 28	25 30	- 3,7	- 1,1	1,2	- 0,5	0,2	1,1	0,8	0,3	- 0,1	- 2,7	- 1,2	0,7	- 0,6
SICCAJAVRE	68 45	23 32	- 4,7	- 2,2	1,7	0,4	0,3	1,2	0,2	0,1	- 0,5	- 3,5	- 0,6	0,1	- 0,6

NATTENS MIDLERE (11 CM TEMP. 10 CM OVER BAKKEN) (MEAN GRASS MIN. TEMP. DURING THE NIGHT)

	LAT	LON	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OKT	NOV	DES	ÅR
LØKEN I VOLBU	61 07	09 01	-22,4	-17,6	- 9,5	- 3,5	- 1,6	4,6	5,8	4,9	1,9	- 3,0	-12,2	-16,6	- 5,8
KISE PÅ HEDMARK	60 48	10 48	-17,3	-20,0	- 6,4	- 1,5	1,2	7,3	8,3	7,2	3,8	- 0,6	- 5,8	-11,5	- 2,9
OSLO - BLINDERN	59 56	10 44	-11,0	-11,2	- 3,9	1,0	3,9	8,6	9,6	8,0	3,9	- 0,6	- 4,1	- 7,3	- 0,3
ÅS	59 40	10 47	-14,3	-16,3	- 5,6	- 0,8	2,3	8,1	8,1	7,5	4,7	- 0,5	- 4,5	- 7,6	- 1,6
PRESTEBAKKE	59 30	11 32	-13,2	-15,9	- 6,1	- 1,7	2,0	6,4	6,4	4,6	3,3	- 2,4	- 3,3	- 7,1	- 2,2
GVARV	59 23	09 11	-17,7	-16,9	- 5,2	- 1,6	0,2	7,1	7,6	7,3	2,6	- 1,3	- 6,5	- 8,5	- 2,7
KONSMO - EIKELAND	58 15	07 19	-13,5	- 8,8	- 4,0	- 0,6	2,0	6,9	6,5	6,6	4,8	2,6	- 1,5	- 4,8	- 0,1
UALAND - BJERLAND	58 33	06 21	-13,6	- 8,0	- 3,4	- 0,2	2,1	7,3	6,0	7,3	4,5	2,3	- 1,4	- 3,3	0,2
FANA FORSØKSSTASJON	60 16	05 21	- 8,8	- 9,0	- 2,7	0,0	2,4	7,5	7,8	7,8	5,8	1,4	- 0,4	- 2,8	0,8
VANGSNES	61 10	06 39	- 8,8	- 3,5	- 1,3	1,8	3,6	9,8	10,3	10,2	7,0	3,9	0,8	- 2,4	2,9
STØLA - MOLDSTAD	63 25	08 04	- 3,1	- 9,0	- 5,0	- 3,7	1,5	6,0	7,2	6,4	4,7	0,3	- 2,1	- 3,8	- 0,6
TRONDHEIM - TYHOLT	63 25	10 26	-12,9	- 7,5	- 4,1	- 1,0	1,2	6,8	7,3	6,9	3,0	- 1,1	- 2,9	- 7,5	- 1,0
NERDAL I RANA	66 16	13 59	-11,7	- 9,4	- 3,5	- 2,8	1,3	6,5	8,8	6,7	3,1	- 2,9	- 4,0	- 6,7	- 1,4
BJØRKENÅS	68 46	16 12	- 9,2	- 7,8	- 0,2	- 3,4	0,6	6,6	8,6	7,3	3,7	- 0,9	- 4,0	- 5,8	- 0,9
KARASJOK	69 28	25 30	-23,8	-21,5	-14,5	-10,6	- 1,5	5,7	6,4	5,2	1,0	- 8,1	-12,2	-16,5	- 7,7

MIDLERE SJØTEMPERATUR KL. 13 (MEAN SEA SURFACE TEMP. AT 13H.)

	LAT	LON	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OKT	NOV	DES	ÅR
FERDER FYR	59 32	10 32	- 0,2	- 1,1	0,4	3,7	7,8	15,1	16,5	16,3	14,0	10,1	6,8	4,2	7,8
LYNGØR FYR	58 38	09 09	- 1,0	- 1,0	1,2	3,5	7,2	14,0	15,4	15,9	14,3	10,7	6,8	4,8	7,7
TORUNGEN FYR	58 24	08 48	- 0,4	- 0,7	1,7	3,3	6,7	13,1	14,7	15,5	13,7	10,4	6,5	4,6	7,4
LINDESNES FYR	57 59	07 03	1,4	1,7	3,3	3,4	6,7	10,7	11,1	14,8	13,2	11,2	7,7	6,1	7,6
SLETTERØY FYR	59 55	05 04	4,2	2,7	3,4	4,2	6,4	10,9	12,0	13,7	12,9	11,0	8,5	6,6	8,0
HELLISØY FYR	60 45	04 43	3,0	2,8	3,5	4,3	6,4	10,7	11,7	13,0	12,5	10,4	8,4	6,4	7,9
SULA	63 51	08 27	2,0	2,0	3,1	5,1	6,7	10,4	11,1	12,0	10,7	9,3	6,1	5,4	7,0
SKLINNA FYR	65 12	11 00	4,0	3,7	4,3	4,8	5,9	9,5	11,1	12,3	10,6	9,0	6,8	5,8	7,1
MYKEN	66 16	12 29	3,7	3,1	4,2	4,3	5,4	8,0	11,0	11,2	10,0	8,6	6,8	5,8	6,8
SKROVA FYR	68 09	14 39	2,7	2,0	2,2	2,4	4,3	6,7	12,5	12,7	10,2	8,1	5,8	4,6	6,2
GLEIPEN FYR	67 33	13 03	1,1	0,2	2,0	3,8	3,7	8,0	12,5	12,9	10,3	6,8	5,0	3,9	6,0
RØST II	67 30	12 05	1,6	1,2	2,2	4,0	6,0	8,2	10,2	11,2	8,7	7,0	5,2	4,0	5,8
TORSVÅG FYR	70 15	19 30	3,0	2,7	2,6	3,4	4,5	6,6	9,9	9,4	8,6	7,0	5,8	4,6	5,7
SLETNES FYR	71 05	28 14	3,7	1,1	1,0	2,1	4,2	6,1	8,6	9,7	7,8	6,0	2,5	2,1	4,2
HAKKAUR FYR	70 42	30 05	- 0,7	- 0,3	0,4	1,6	3,7	5,0	7,8	8,0	7,9	6,8	2,8	1,8	3,7

EKSTENSOTABELL

OSLO - BLINDERN — JANUAR 1979

	KL. 07										KL. 13										KL. 19										DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	NN	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	NN	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	NN	VÆRSYMB.	TN	TX	R	FX	DT
1	1008,3	-24,2	89	00	0	4	12	0	82	TD	02	TD	1007,2	-18,0	59	00	0	4	63	TD SO	02	TD SO	1005,3	-15,2	62	06	1	6	59	TD	10	TD SO	-24,3	-15,2		2	1
2	1005,6	-13,5	78	23	1	4	12	4	83	TD	02	TD S	1005,1	- 7,0	82	02	3	3	82	TD SO	02	TD SO	1005,3	- 6,1	80	01	3	7	83	TD	02	TD SO	-15,2	- 6,1	0,0	3	2
3	1007,1	- 7,6	97	01	3	4	12	1	86	TD	02	TD	1007,6	- 8,4	45	20	1	0	60	TD SO	02	TD SO	1008,2	-12,2	73	23	1	0	99	TD	10	TD SO	-12,5	- 5,5		4	3
4	1008,6	-16,8	79	00	0	4	12	0	70	TD	02	TD	1010,6	-13,5	73	26	2	0	59	TD SO	10	TD SO	1011,9	-14,6	78	04	2	0	60	TD	02	TD SO	-17,8	-12,2		2	4
5	1013,9	-16,8	75	00	0	4	12	9	70	TD	02	TD	1013,9	-13,7	73	00	0	4	48	TD S	70	TD S SO	1013,1	-15,4	74	03	2	4	60	TD	02	TD S	-18,0	-12,7		2	5
6	1008,9	-12,1	77	03	1	4	14	8	65	TD S	71	TD S	1006,0	- 9,4	84	03	1	8	23	TD S	73	TD S	1002,6	- 7,4	94	00	0	8	60	TD	02	TD S	-15,8	- 7,4	0,7	2	6
7	990,4	1,8	92	20	3	4	14	8	66	TD	02	TD	986,9	2,4	96	19	3	8	65	TD	02	TD	982,7	2,8	67	22	3	0	80	TD	01	TD	- 7,5	3,1	2,6	4	7
8	988,7	- 0,6	54	00	0	4	12	0	80	TD	02	TD	991,6	- 2,0	64	00	0	1	80	TD SO	02	TD SO	988,1	- 2,9	79	19	1	2	80	TD	02	TD SO	- 3,7	3,7		4	8
9	987,7	- 6,0	82	00	0	4	12	0	80	TD	02	TD	987,8	- 3,2	75	09	1	0	30	TD SO	10	TD SO	986,5	- 6,8	81	03	2	0	60	TD	02	TD SO	- 7,3	- 0,7		2	9
10	983,1	- 5,8	93	03	2	4	12	3	15	TD	10	TD T	982,0	- 5,0	93	22	1	8	13	TD	10	TD KS	979,9	- 4,3	84	05	1	8	50	TD	10	TD KS	- 9,2	- 4,3		2	10
11	978,8	- 3,6	81	03	1	4	12	7	75	TD S	70	TD S	980,5	- 2,5	77	06	1	8	60	TD S	71	TD S	983,3	- 1,9	72	04	1	8	70	TD	02	TD S	- 4,4	- 1,9	0,7	4	11
12	987,9	- 2,0	93	03	1	4	14	8	75	TD	02	TD S	989,5	- 2,8	73	03	4	8	58	TD S	71	TD S	988,6	- 4,0	70	03	3	8	60	S	71	S	- 4,0	- 1,5	0,8	5	12
13	989,2	- 5,2	88	02	3	4	12	8	62	TD S	71	TD S	993,8	- 4,8	81	02	3	7	83	TD S	70	TD S	998,2	- 5,6	62	03	2	8	82	TD	02	TD S	- 6,4	- 4,0	3,5	6	13
14	1005,7	- 4,3	88	03	2	4	12	8	73	S	70	TD S	1010,8	- 3,9	70	00	0	7	75	TD S	70	TD S	1014,8	- 7,4	75	06	1	0	76	TD	02	TD S	- 7,4	- 3,7	0,1	2	14
15	1018,0	-13,2	82	00	0	4	13	0	80	TD	02	TD	1020,5	- 9,0	71	00	0	0	15	TD SO	10	TD SO	1022,1	-12,2	78	09	1	0	58	TD	10	TD SO	-14,0	- 7,4	0,8	2	15
16	1021,7	- 8,0	78	18	2	4	13	7	65	TD	02	TD	1019,7	- 6,2	87	27	1	8	58	TD	10	TD	1019,3	- 4,0	98	17	1	8	03	T	47	TD T YR	-13,0	- 4,0		2	16
17	1021,5	- 4,8	78	04	2	4	13	8	65	TD	02	TD T	1023,8	- 3,9	77	00	0	6	60	TD SO	10	TD SO	1023,5	- 6,0	85	04	2	0	50	TD	10	TD SO	- 8,0	- 3,1	0,0	2	17
18	1024,9	- 5,0	82	23	2	4	12	6	63	TD	02	TD	1026,4	1,0	58	02	4	7	81	TD	02	TD	1027,0	- 0,2	62	03	2	4	85	TD	02	TD	- 9,0	1,0		4	18
19	1029,0	- 2,1	75	04	1	4	12	7	70	TD	02	TD S	1028,7	- 1,2	68	00	0	7	75	TD	02	TD	1027,4	- 2,9	79	00	0	7	78	TD	02	TD	- 2,9	- 0,2	0,0	4	19
20	1024,0	- 4,4	84	00	0	4	12	8	75	TD	02	TD	1024,1	- 3,9	74	06	1	8	75	TD	02	TD	1025,4	- 8,6	83	00	0	0	80	TD	01	TD	- 8,6	- 2,5		3	20
21	1027,7	- 3,7	76	05	2	4	12	8	70	TD	00	TD	1026,7	- 3,9	74	05	1	6	70	TD SO	01	TD SB SO	1024,2	- 4,7	76	03	1	8	70	TD	02	TD	- 8,2	- 3,6		3	21
22	1017,9	- 5,3	72	03	1	4	12	8	70	TD	02	TD	1014,7	- 4,8	64	00	0	4	75	TD SO	01	TD SO	1011,1	- 6,5	75	00	0	7	75	TD	02	TD SO	- 6,7	- 4,2	0,1	3	22
23	1005,7	- 7,6	87	00	0	4	12	7	73	TD	02	TD	1003,9	- 7,2	88	00	0	8	65	TD	02	TD S	1000,8	- 6,6	83	00	0	8	65	TD	02	TD S	- 8,1	- 6,3		1	23
24	994,2	- 7,3	78	04	2	4	12	3	70	TD S	70	TD S	991,1	- 7,1	71	01	3	8	60	TD S	71	TD S	988,9	- 7,2	60	02	3	8	68	TD S	71	TD S	- 7,6	- 6,2	0,0	4	24
25	988,1	-11,4	86	01	0	4	12	7	72	TD	02	TD S	987,3	-11,8	62	05	0	7	75	TD	02	TD	985,9	-13,1	70	04	2	8	49	TD S	71	TD S	-13,1	- 6,9	0,1	4	25
26	984,2	-17,0	89	02	0	4	13	0	70	TD	02	TD S	982,7	-14,6	62	04	0	0	62	TD SO	02	TD SO	978,7	-13,8	61	01	2	8	70	TD	02	TD SO S	-17,0	-13,0	0,8	4	26
27	980,5	-14,5	86	05	2	4	13	0	70	TD	02	TD S	982,8	-13,5	67	00	0	6	60	TD SO	02	TD SO	984,1	-13,3	78	17	2	8	61	TD S	70	TD S SO	-17,1	-12,3	0,2	3	27
28	986,0	-11,1	98	05	1	4	14	8	13	TD S	70	TD S	988,6	-10,2	73	14	1	3	17	TD SO	10	TD S SO	991,1	-10,8	76	03	1	8	65	TD	02	TD SO	-14,3	- 9,2	0,2	2	28
29	995,8	-11,3	93	04	2	4	15	8	12	TD	10	TD	997,8	- 9,2	88	00	0	8	16	TD	10	TD S	998,2	- 7,6	81	09	1	8	33	TD	10	TD S	-11,3	- 7,6	0,5	2	29
30	998,8	- 7,1	74	04	3	4	15	3	70	TD	02	TD S	998,8	- 8,8	67	04	1	7	65	TD SO	02	TD SO	997,7	-10,6	79	21	1	1	70	TD	02	TD SO	-10,6	- 7,0	0,5	3	30
31	993,2	-12,4	72	00	0	4	15	0	80	TD	02	TD	991,6	- 7,7	59	22	1	7	62	TD	02	TD	988,7	- 8,1	69	00	0	3	45	TD	02	TD SO	-13,6	- 6,8		2	31
MI	1002,4	- 8,5	77		1,5		13	5,3			1002,7	- 6,9	71		1,3	5,4					1002,0	- 7,7	75		1,5	4,9					-10,8	- 5,4	11,6		MI

OSLO - BLINDERN — FEBRUAR 1979

	KL. 07										KL. 13										KL. 19										DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	NN	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	NN	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	NN	VÆRSYMB.	TN	TX	R	FX	DT
1	982,0	-10,5	78	05	1	4	15	8	53	TD SB	84	TD SB	977,7	- 7,9	75	04	2	8	50	TD S	70	TD SB S	975,1	- 8,4	83	03	2	8	15	TD SB	83	TD S SB	-13,5	- 7,9	0,4	2	1
2	974,4	-11,6	88	06	1	4	20	0	70	TD	02	TD S	975,2	- 8,0	59	00	0	3	60	TD	10	TD SO	976,4	-10,5	75	00	0	6	60	TD	10	TD SO	-12,9	- 7,2	3,0	4	2
3	967,5	-11,5	93	03	3	4	22	8	13	TD S	73	TD S	965,1	- 7,6	72	35	2	8	68	TD S	70	TD S	968,1	- 4,1	61	05	4	8	70	TD	02	TD S	-14,6	- 4,1	3,0	5	3
4	977,6	-12,3	73	04	1	4	22	1	80	TD	01	TD	978,7	- 6,7	65	00	0	1	75	TD SO	02	TD SO	979,2	- 9,5	75	04	1	0	75	TD	02	SO	-12,6	- 4,1	2,9	5	4
5	982,3	-14,7	84	00	0	4	21	2	72	TD	02	TD	985,1	- 9,3	82	19	1	1	72	TD SO	02	TD SO	988,2	-12,7	81	00	0	0	80	TD	02	TD SO	-15,4	- 7,7		3	5
6	995,7	-15,0	88	00	0	4	21	0	70	TD	02	TD	999,2	- 7,2	77	00	0	4	17	TD SO	10	TD SO	1000,2	- 9,1	88	22	1	8	60	TD	02	TD SO	-15,5	- 5,3		2	6
7	992,7	- 7,0	96	00	0	4	21	8	03	T TR	45	T TR TD	987,4	- 3,1	96	01	1	8	60	TD	02	TD TR T	984,3	- 2,5	88	18	3	8	47	TD S	70	TD S	- 9,1	- 0,5		4	7
8	984,8	- 7,2	81	02	1	4	24	2	70	TD	01	TD S	986,4	- 0,1	42	17	1	0	88	TD SO	02	TD SO	985,1	- 5,8	61	27	3	1	88	TD	02	TD SO	- 7,9	0,8	4,5	4	8
9	982,7	- 8,0	76	21	2	4	23	1	80		02	TD	983,6	0,7	31	30	4	2	86	TD SO	02	TD SO	986,4	0,0	37	32	3	0	86	TD	02	TD SO	- 9,8	1,5		5	9
10	989,7	- 8,4	78	00	0	4	22	5	80	TD	02	TD	989,8	0,5	47	20	2	1	84	TD SO	02	TD SO	991,2	- 3,4	54	32	2	0	84	TD	02	TD SO	- 8,9	2,5		3	10
11	996,8	-10,8	75	05	1	4	22	3	86	TD	02	TD	998,7	- 3,4	58	00	0	3	75	TD SO	02	TD SO	999,1	- 6,5	63	04	2	0	80	TD	02	TD SO	-11,3	- 1,4		2	11
12	996,8	-12,6	91	03	2	4	22	3	12	TD	10	TD	994,8	-10,1	88	23	1	0	13	TD SO	10	TD SO	993,0	-11,4	77	00	0	0	65	TD	02	TD SO	-13,9	- 6,5		2	12
13	994,7	- 4,1	91	03	4	4	22	3	80	TD	02	TD	998,9	- 7,0	57	04	3	2	80	TD SO	02	TD SO SB	1002,1	-11,8	56	04	2	2	82	TD	02	TD SO	-11,8	- 1,6		5	13
14	1008,6	-15,4	46	03	3	4	22	1	83	TD	02	TD	1010,8	-11,8	35	03	3	0	83	TD SO	02	TD SO	1012,1	-12,4	35	01	4	0	85	TD	02	TD SO	-16,3	-10,4	0,0	5	14
15	1018,5	-17,8	49	00	0	4	21	0	82	TD	02	TD	1022,1	- 8,8	46	00	0	1	82	TD SO	02	TD SO	1024,5	-11,8	59	01	1	0	80	TD	02	TD SO	-18,0	- 6,5		4	15
16	1029,6	-16,2	80	00	0	4	21	1	80	TD	02	TD	1031,7	- 8,1	57	00	0	0	60	TD SO	02	TD SO	1031,9	-11,0	64	04	1	0	75	TD	02	TD SO	-16,5	- 6,6		2	16
17	1033,7	-15,6	87	23	1	4	21	0	82	TD	02	TD	1033,5	- 6,1	52	00	0	0	70	TD SO	02	TD SO	1030,9	- 6,5	36	03	2	0	80	TD	02	TD SO	-16,4	- 3,2		3	17
18	1026,6	- 6,5	50	03	3	4	21	1	86	TD	02	TD	1023,8	- 3,7	40	02	5	5	86	TD SO	03	TD SO	1021,4	- 3,1	40	03	5	8	80	TD	02	TD SO	- 7,2	- 3,1		5	18
19	1021,5	- 4,3	80	03	3	4	22	8	70	TD S	70	TD S	1022,7	- 3,9	74	02	3	8	70	TD S	70	TD S	1024,0	- 4,1	77	02	3	7	70	TD	02	TD S	- 5,4	- 2,9	1,3	5	19
20	1025,2	- 4,3	75	04	1	4	21	8	72	TD	02	TD S	1026,1	- 2,1	69	00	0	8	62	TD	02	TD	1025,9	- 2,3	72	00	0	8	68	TD	02	TD	- 4,6	- 2,0	0,0	3	20
21	1023,0	- 3,2	94	21	1	4	21	8	68	TD	02	TD	1022,5	- 3,1	65	21	2	8	62	TD	02	TD	1020,1	- 3,6	88	18	1	8	68	TD	02	TD	- 3,8	- 1,8		2	21
22	1015,6	- 4,7	98	25	1	4	20	8	50	TD YR	56	TD YR	1013,2	- 5,0	85	23	1	8	50	TD YR	57	TD YR	1010,5	- 5,0	82	19	2	8	60	TD	02	TD YR	- 5,3	- 3,4	0,0	2	22
23	1008,7	- 5,3	73	26	1	4	21	8	60	TD	02	TD	1011,3	- 2,8	46	20	2	6	61	TD SO	02	TD SO	1013,9	- 3,4	63	00	0	8	62	TD	02	TD SO	- 5,5	- 2,6	1,0	2	23
24	1021,6	- 6,2	86	00	0	4	21	1	83	TD	02	TD	1023,7	- 0,8	52	21	1	6	85	TD	03	TD SO	1022,4	- 2,3	52	03	2	4	83	TD	02	TD SO	- 7,9	0,8		2	24
25	1022,1	- 7,4	85	00	0	4	21	5	75	TD	02	TD	1020,0	- 1,0	63	20	1	8	70	TD	03	TD SO	1016,6	- 2,1	71	00	0	2	75	TD	02	TD SO	- 7,5	0,4		2	25
26	1007,0	- 6,3	96	12	1	4	21	8	01	T	45	T TD	1001,7	1,8	66	26	2	6	80	TD SO	02	TD SO	998,7	1,0	81	10	1	6	80	TD	02	TD SO	- 7,6	4,2		2	26
27	997,5	- 3,2	59	19	1	4	20	8	82	TD	03	TD	997,1	5,0	44	18	2	4	82	TD SO	02	TD SO	994,6	2,7	60	18	3	7	85	TD	02	TD SO	- 3,2	6,4		3	27
28	989,6	0,6	95	18	4	4	19	8	09	T	43	T TD R	990,3	0,3	90	18	4	8	03	T SL	68	T SL	992,0	0,2	77	18	3	8	11	TD	10	TD T SL	0,2	2,8	0,8	4	28
MI	1002,4	- 8,9	77		1,5		21	4,4			1002,5	- 4,3	62		1,5	4,2					1002,4	- 5,7	66		1,8	4,1					-10,1	- 2,5	16,9		MI

EKSTENSOTABELL

OSLO = BLINDERN — MARS 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	992,8	= 1,9	61	11	2	4	19	7	60 TD	10 TD	992,1	= 0,4	49	12	2	6	57 TD SO	10 TD SO	992,0	= 2,0	78	J2	2	6	60 TD	10 TD SO	= 3,0	0,2	0,7	3	1
2	989,4	= 2,1	82	18	J	4	19	8	50 TD	10 TD	986,8	1,7	93	20	2	8	40 TD YR	10 TD T	986,5	1,7	93	20	2	8	40 TD YR	10 TD T	= 3,2	1,8		4	2
3	983,1	2,9	95	15	2	4	20	9	42 TD	10 TD	981,3	3,8	95	18	4	8	06 T	43 T TD	986,6	5,9	29	25	4	1	80 TD	01 TD T	1,4	6,2	2,5	4	3
4	989,9	= 0,2	82	17	2	4	18	1	80 TD	02 TD	988,6	5,9	45	21	4	5	80 TD SO	02 TD SO	990,2	2,9	54	20	J	1	80 TD	02 TD SO	= 0,4	6,5		5	4
5	992,8	1,8	72	20	4	4	17	1	80 TD	02 TD	992,4	5,5	60	18	4	2	80 TD SO	02 TD SO	991,7	2,7	82	18	4	1	80 TD	02 TD SO	= 1,7	5,5		5	5
6	993,6	2,6	88	20	J	4	16	8	70 TD	03 TD	995,3	4,1	78	18	4	8	75 TD	02 TD	994,6	2,0	93	18	4	7	70 TD	02 TD SO	1,8	5,2		5	6
7	989,3	= 0,7	93	18	J	4	14	9	06 T YR	56 T TD YR	983,2	1,2	95	12	2	9	08 T SL	68 T YR SL	979,3	1,6	95	18	4	8	40 TD YR	50 T YR SL	= 0,7	2,2	0,0	6	7
8	989,6	= 0,3	92	00	0	4	16	2	80 TD	02 TD SL	992,9	4,3	60	26	2	1	80 TD SO	02 TD SO	992,7	1,8	58	21	2	5	80 TD	02 TD SO	= 0,5	4,9	9,0	4	8
9	981,7	1,0	93	16	4	4	16	3	60 TD SL	68 SL TD	976,5	1,1	93	17	4	8	47 TD SL	69 SL TD	972,6	0,5	95	18	J	8	47 TD SL	69 SL TD	0,0	1,8	2,9	5	9
10	970,9	0,1	96	19	1	4	27	9	03 T SL	69 SL T TD	975,7	0,3	95	21	2	9	05 T SL	68 SL T	980,6	0,7	95	24	2	6	70 TD SL	68 SL T TD	= 0,7	1,3	32,0	3	10
11	987,8	= 2,0	84	00	0	4	29	7	80 TD	02 TD SL	988,8	2,5	55	00	0	6	85 TD SO	02 TD SO	987,3	0,4	79	21	2	8	70 TD YR	56 TD YR SO	= 3,5	2,8	6,0	3	11
12	980,1	= 1,3	84	04	4	4	30	8	32 TD S	71 S TD YR	990,3	= 0,3	82	05	J	8	32 TD S	71 TD S	981,9	0,3	83	07	J	8	57 TD S	70 TD S	= 1,9	0,5	1,6	4	12
13	991,1	= 2,2	74	02	4	4	35	8	60 TD S	70 TD S	994,6	= 0,6	82	02	4	6	66 TD SO	02 TD SO S	997,2	= 2,4	68	J2	J	6	70 TD	02 TD SO	= 3,1	0,5	3,7	4	13
14	1000,9	= 4,0	65	J1	1	4	32	8	70 TD	02 TD	1002,7	0,3	61	02	2	4	70 TD SO	02 TD SO	1003,4	= 2,5	63	35	2	2	78 TD	02 TD SO	= 5,1	0,8	0,0	3	14
15	1005,7	= 3,8	65	J3	2	4	31	7	70 TD	02 TD	1006,4	= 1,8	55	05	2	4	70 TD SO	02 TD SO SB	1005,9	= 2,6	59	03	2	2	70 TD	02 TD SO	= 5,5	= 1,4		3	15
16	1005,8	= 6,1	75	J3	J	4	30	8	80 TD S	70 TD S	1004,7	= 4,4	58	02	4	4	68 TD SO	02 TD SO S	1003,7	= 5,7	54	J3	4	2	70 TD	02 TD SO	= 7,0	= 2,6	0,0	4	16
17	1006,1	=13,2	34	U2	1	4	26	2	80 TD	02 TD	1006,3	= 9,0	37	03	4	0	87 TD SO	02 TD SO	1005,5	= 9,8	39	J2	2	1	87 TD	02 TD SO	=13,8	= 5,7	0,0	5	17
18	1004,6	=17,2	00	U2	1	4	26	1	86 TD SO	02 TD SO	1000,5	= 8,5	36	25	2	0	86 TD SO	02 TD SO	996,4	= 8,9	43	20	2	1	86 TD	02 TD SO	=18,0	= 6,9		3	18
19	990,9	=15,0	72	00	J	4	25	J	83 TD	02 TD	998,4	= 5,7	52	26	1	4	70 TD SO	02 TD SO	995,6	= 1,8	64	19	1	7	78 TD	03 TD SO	=16,8	= 1,8		2	19
20	984,1	= 2,3	65	19	J	4	25	4	83 TD	02 TD	984,7	1,2	74	21	4	7	78 TD SO	02 TD SO	986,0	0,5	74	18	4	8	80 TD	02 TD SO	= 3,4	2,5		4	20
21	987,1	= 1,1	77	18	2	4	23	8	70 TD	02 TD	987,2	0,4	59	15	J	8	60 TD	02 TD S	986,6	= 0,9	89	J3	1	8	60 TD	02 TD S	= 2,0	0,6		4	21
22	983,6	= 1,1	37	U3	J	4	25	J	47 TD S	71 TD S	993,7	0,6	89	22	2	8	47 TD	10 TD S	982,8	0,7	95	19	2	8	65 TD	10 TD SO SL	= 1,8	1,7	1,4	4	22
23	986,2	= 0,1	82	19	J	4	28	J	80 TD YR	56 TD YR	998,1	2,1	55	24	2	8	70 TD	02 TD YR	989,9	1,1	86	29	1	7	70 TD S	70 TD S	= 0,7	2,5	5,2	4	23
24	996,1	= 2,1	74	00	0	4	26	J	83 TD SO	02 TD SO S	998,9	5,2	26	25	2	0	89 TD SO	02 TD SO	999,9	3,9	J8	16	1	2	83 TD	02 TD SO	= 3,6	7,1	0,9	3	24
25	998,3	= 0,2	92	18	2	4	25	8	70 TD	03 TD	994,9	0,8	87	15	2	8	70 TD	02 TD	986,4	0,3	95	12	2	8	38 TD KS	77 TD S	= 2,9	3,9		4	25
26	977,8	2,4	94	12	2	4	31	3	60 TD R	60 TD KS R SL	977,0	3,5	95	28	1	8	60 TD R	63 TD R	977,0	3,7	94	22	2	9	03 T	47 T TD R	= 0,2	4,3	13,2	2	26
27	974,2	2,2	80	17	J	4	26	J	70 TD	02 TD T R	977,0	2,3	81	17	J	8	65 TD R	60 TD R	977,7	2,0	89	15	J	8	75 TD R	60 TD R	0,9	3,7	19,4	4	27
28	983,4	2,1	91	U6	1	4	24	8	75 TD	02 TD R	987,1	4,2	81	04	J	8	75 TD	02 TD R	990,4	4,1	85	J3	1	8	70 TD R	62 TD R	1,1	4,9	11,9	4	28
29	997,9	2,7	73	J3	J	4	21	J	80 TD	02 TD R	1000,4	2,9	72	03	4	8	75 TD	02 TD R	1001,1	4,6	99	J3	J	7	80 TD	02 TD R	1,8	4,7	2,7	4	29
30	1000,3	2,3	62	U1	J	J	15	7	80 TD	01 TD	999,0	4,1	73	04	4	8	75 TD	02 TD	997,8	2,9	74	J1	J	8	60 TD R	60 TD R	1,8	4,6	0,1	5	30
31	997,0	1,7	U1	U2	J	J	13	J	70 TD R	60 TD R	996,7	4,2	69	01	J	7	70 TD	02 TD R YR	995,8	5,6	94	J1	1	8	70 TD	02 TD SO	1,1	6,3	1,8	4	31
MI	990,7	= 1,8	79		2,3		23	6,1			990,7	1,0	68		2,8	5,9			990,5	0,4	72		2,5	5,7			= 2,9	2,2	115,0		MI

OSLO = BLINDERN — APRIL 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	994,7	3,2	60	04	1	3	7	7	70 TD	02 TD	993,3	5,7	52	03	4	8	70 TD R	60 TD R SO	991,7	3,3	81	J1	1	7	70 TD R	60 TD R	2,3	5,8	0,0	4	1
2	990,4	2,1	90	J4	1	2	3	3	80 TD R	60 TD R	991,0	3,3	82	03	4	8	70 TD R	60 TD R	991,8	2,4	81	04	1	8	70 TD R	60 TD R	1,1	4,3	2,7	4	2
3	991,6	1,6	87	03	J	1	0	3	80 TD SL	68 SL R TD	994,1	3,1	80	04	2	7	75 TD SO	02 TD SO RB SL	996,0	2,7	70	J4	J	8	75 TD	02 TD SB SO	0,9	4,0	3,0	4	J
4	996,2	1,8	84	U3	1	J	0	2	70 TD S	72 TD SO S	1000,0	1,7	93	04	1	8	60 TD SL	68 TD SL S	1003,1	2,7	89	J3	2	8	60 TD	02 TD R SL	0,4	3,0	3,3	5	4
5	1006,8	2,6	79	02	1	1	0	J	75 TD	02 TD R	1007,5	5,8	59	03	4	8	80 TD	02 TD SO	1008,0	4,6	98	J3	J	8	60 TD	02 TD SO	2,2	6,0	7,2	4	5
6	1011,4	1,4	68	04	J	1	0	3	50 TD KS	77 KS TD	1012,0	3,0	65	03	4	8	56 TD	02 TD KS	1012,5	2,7	61	J4	J	8	56 TD	02 TD	0,7	4,8	0,0	4	6
7	1014,5	1,9	65	U2	2	1	0	3	75 TD	02 TD	1014,9	5,2	38	07	2	8	75 TD	02 TD	1015,1	4,3	40	J0	0	8	75 TD	02 TD	1,4	5,2	0,0	4	7
8	1016,7	1,4	83	00	0	1	0	8	70 TD	02 TD	1015,4	6,3	39	24	1	7	70 TD	02 TD SO	1014,3	5,2	39	11	1	8	80 TD	02 TD SO	0,7	6,6		2	8
9	1014,0	1,4	83	U4	1	1	0	7	73 TD	02 TD	1013,1	4,3	51	19	2	8	75 TD	02 TD SO	1010,8	3,8	51	J2	1	8	73 TD	02 TD	0,8	5,2		3	9
10	1009,5	1,8	89	U3	2	1	0	3	75 TD	02 TD	1008,1	5,8	47	09	2	3	75 TD	02 TD	1006,8	6,5	49	J5	2	7	75 TD	02 TD SO	1,1	7,6		3	10
11	1006,6	1,4	66	J3	1	0	0	1	80 TD SO	01 TD SO	1006,7	10,4	34	24	2	2	75 TD SO	02 TD SO	1006,0	8,9	32	23	1	2	80 TD	02 TD SO	0,7	11,3		4	11
12	1007,1	0,9	63	J0	J	0	0	1	78 TD SO	02 TD SO	1006,1	12,5	28	21	1	2	70 TD SO	02 TD SO	1003,1	12,1	31	J0	0	6	78 TD	02 TD SO	= 0,9	14,4		3	12
13	999,2	3,7	80	20	1	0	0	7	73 TD	02 TD	998,0	11,6	49	23	J	1	60 TD SO	02 TD SO	997,6	5,1	92	19	J	8	70 TD	03 TD SO	2,2	12,1		4	13
14	999,4	2,2	96	23	1	0	0	6	05 T	45 T TD	1001,2	7,9	59	03	J	J	70 TD SO	01 TD SO T	1002,8	8,1	49	J2	1	1	80 TD	02 TD SO	1,7	9,8		4	14
15	1015,4	1,0	42	U3	4	0	0	4	82 TD SO	02 TD SO	1016,9	J,5	25	13	1	7	84 TD	02 TD SO	1015,7	4,1	34	21	2	1	87 TD	02 TD SO	= 0,4	8,1		4	15
16	1016,9	= 0,2	47	04	1	0	0	2	87 TD SO	02 TD SO	1015,2	4,9	23	24	J	8	84 TD	03 TD SO	1013,2	= 0,4	94	25	1	8	46 TD S	71 TD S	= 2,6	5,5		3	16
17	1015,8	= 0,5	46	02	J	4	2	1	87 TD SO	01 TD S SO	1015,6	5,1	26	03	4	1	87 TD SO	02 TD SO	1015,0	5,4	24	J5	2	1	87 TD SO	02 TD SO	= 1,8	7,0	1,7	4	17
18	1016,0	= 0,9	54	00	0			1	87 TD SO	02 TD SO	1014,8	8,0	30	18	1	2	87 TD SO	02 TD SO	1012,3	8,0	26	22	1	2	87 TD SO	02 TD SO	= J,J	10,5		3	18
19	1009,9	0,7	79	U6	1			7	73 TD SO	02 TD SO	1007,0	8,8	45	21	2	8	78 TD	02 TD SO	1004,4	6,8	51	24	2	6	78 TD	02 TD SO	= 2,4	10,3		3	19
20	1000,3	3,8	94	16	1			8	09 T R	60 T R TD	999,7	4,9	93	17	2	8	09 T R	60 T R	998,1	4,7	93	19	2	8	09 T R	60 T R	3,2	6,8	0,5	3	20
21	993,8	3,8	95	U2	1			8	15 TD	40 TD T R	992,4	4,9	93	21	2	9	06 T YR	51 T YR	991,6	3,8	93	17	1	9	06 T	45 T YR	3,0	5,1	3,5	3	21
22	988,8	3,7	94	13	1			8	15 R TD	61 TD R	989,1	5,7	76	17	2	8	84 TD RB	80 RB R TD	988,7	3,4	85	J5	1	8	70 TD R	61 TD RB R	2,9	5,7	3,0	3	22
23	985,7	3,2	90	00	0			8	70 TD R	61 TD R	986,3	3,8	82	12	2	8	80 TD	02 R TD	986,3	4,1	87	06	2	7	80 TD	01 TD R RB	2,3	5,5	10,3	3	23
24	987,7	3,1	82	04	J			8	73 TD R	60 TD R	989,4	3,8	87	03	J	8	70 TD R	60 TD R	990,5	3,9	87	03	J	8	75 TD R	60 TD R	2,5	4,7	3,8	4	24
25	989,6	1,8	89	02	5			8	73 TD SL	68 SL R TD	987,1	3,6	88	03	J	8	82 TD	02 TD SL	988,6	5,4	89	14	2	8	80 TD RB	81 RB TD	1,0	5,5	20,0	5	25
26	995,0	2,8	91	04	2			J	82 TD YR	51 TD YR R RB	997,6	4,6	84	04	2	8	80 TD R	60 TD R YR	999,3	5,6	74	00	0	7	84 TD	01 R TD	1,7	7,1	18,0	J	26
27	1002,7	3,9	82	00	0			2	86 TD SO	02 TD SO R	1002,8	10,2	40	32	2	5	86 TD SO	02 TD SO	1000,9	10,0	40	21	1	J	86 TD	02 TD RB SO	1,6	11,7	2,6	4	27
28	998,1	3,0	93	18	2			9	05 T YR	50 T YR TD	997,6	4,3	77	22	2	8	68 TD	02 TD T YR	993,6	4,9	79	15	4	8	58 TD	02 TD SO	2,7	10,0	0,1	4	28
29	983,4	3,8	94	21	2			8	75 TD	02 R TD	977,5	5,4	70	16	J	8	84 TD	02 TD	970,8	8,7	48	21	4	6	84 TD SO	02 TD SO R	J,6	8,7	0,4	4	29
30	962,8	J,6	87	21	1			8	73 TD	02 TD R	968,4	J,6	63	J5	4	8	75 TD	02 TD LB	967,9	8,1	24	26	J	1	86 TD SO	01 TD SO	2,0	8,7	0,2	5	30
MI	1000,5	2,1	76		1,8		0	6,4			1000,5	5,7	59		2,4	6,4			999,9	5,3	62		1,9	6,2			1,1	7,4	80,3		MI

EKSTENSOTABELL

OSLO - BLINDERN — MAI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	973,2	2,3	62	00	0			1	81	TD SØ			976,5	8,0	48	14	3	7	74	TD SØ	86	TD SØ SO	978,7	4,1	73	16	2	7	74	TD RØ	80	TD TO SØ SO =	0,3	8,1	0,1	4	1
2	982,7	1,4	64	17	2			1	83	TD SØ			984,4	7,3	40	18	4	4	85	TD SO	02	TD SØ RØ	985,1	4,9	58	11	2	7	85	TD SØ	02	TD SØ RØ SH	0,3	7,5	0,7	4	2
3	978,9	3,6	61	13	3			7	80	TD SØ			980,5	7,9	35	30	2	7	80	TD	02	TD SO	985,4	8,5	25	25	3	1	86	TD SØ	01	TD SØ	1,3	10,5	0,1	4	3
4	992,4	1,9	89	18	1			7	82	TD SØ			994,8	7,0	51	18	3	7	82	TD SO	02	TD SO	997,4	2,5	92	05	1	7	82	TD			1,7	8,5		4	4
5	1000,3	1,5	85	20	1			5	80	TD SØ			1001,0	7,5	45	18	4	4	80	TD SO	02	TD SO	1003,2	4,7	74	31	2	6	86	TD			1,3	7,8	1,0	5	5
6	1006,7	2,1	79	16	1			3	80	TD SØ D			1008,6	7,2	49	30	2	7	80	TD RØ	81	TD RØ SO D	1006,1	5,7	69	19	3	7	85	TD			0,7	7,9	0,3	4	6
7	1005,2	3,7	84	17	1			3	73	TD R			1004,4	8,8	48	20	3	3	72	TD SO	02	TD SO RØ R	1004,8	4,8	67	22	2	6	72	TD SØ	02	TD SØ RØ H	2,7	9,6	1,4	4	7
8	1004,6	3,9	79	05	2			7	72	TD SØ D			1004,7	7,3	48	18	1	7	72	TD	02	TD SØ RØ D	1005,0	7,9	51	22	2	8	72	TD SØ	02	TD SØ RØ	2,7	9,4	0,5	3	8
9	1009,0	2,6	86	00	0			1	65	TD SØ D			1009,1	8,8	48	18	2	8	65	TD	03	TD SØ	1008,2	5,5	72	00	0	8	67	TD R	60	TD R	0,0	9,5	0,1	3	9
10	1007,8	5,7	35	16	2			2	80	TD SØ D	01	TD SØ D R	1007,7	11,3	11	35	2	3	80	TD SO	02	TD SO D	1004,9	10,1	12	35	3	1	86	TD SØ	02	TD SØ	2,0	12,8	1,2	4	10
11	1012,9	4,4	51	00	0			1	83	TD SØ D	02	TD SØ D	1011,1	11,0	13	26	2	1	88	TD SO	02	TD SO D	1010,4	11,1	14	20	3	1	88	TD SØ	02	TD SØ	0,7	12,8		4	11
12	1010,8	5,4	68	21	2			3	84	TD	03	TD SØ	1010,9	11,4	43	18	2	5	84	TD	02	TD SO	1010,4	11,8	44	27	2	7	84	TD SØ	02	TD SØ	3,2	11,8		4	12
13	1014,0	7,1	71	00	0			3	70	TD SØ D	02	TD SØ D	1013,2	12,2	48	21	2	7	70	TD R	60	TD SO R	1010,6	8,7	93	18	3	8	47	TD	02	TD SØ R	3,1	12,7		4	13
14	1006,0	8,3	93	17	3			3	60	TD	02	TD	1014,9	10,8	74	17	3	8	60	TD	02	TD SO	1003,6	16,4	39	23	4	6	74	TD	02	TD R	7,6	16,9	0,0	4	14
15	1001,3	9,1	95	00	0			7	70	TD SØ D	02	TD SO D	1000,4	13,1	70	18	3	8	70	TD	02	TD SO D	998,9	10,6	87	17	2	8	45	TD	02	TD R	7,4	16,4		4	15
16	999,1	6,5	88	25	1			3	43	TD SØ D	02	TD SØ D	998,9	10,9	62	24	1	8	57	TD	02	TD RØ	992,9	13,1	97	11	3	3	47	TD	10	TD RØ TO	5,6	13,3	0,3	3	16
17	985,7	10,7	93	00	0			3	47	TD	10	TD RØ TO	987,0	10,5	96	19	3	8	14	TD R	62	TD R	989,3	9,2	87	19	4	6	71	TD	02	TD R	9,1	13,1	4,3	5	17
18	993,0	7,0	83	17	3			3	70	TD	02	TD R	995,9	10,8	62	18	4	7	80	TD SO	01	TD YR	995,4	10,5	66	18	3	7	80	TD SØ	02	TD SØ YR	6,8	11,8	4,4	4	18
19	997,0	7,6	74	20	3			3	63	TD	02	TD D	997,3	6,8	85	18	3	8	65	TD R	61	TD SO D R	995,7	8,6	64	25	3	3	80	30	25	R TD TO RØ	6,8	10,5	0,0	4	19
20	1010,6	6,5	35	00	0			1	83	SO	02	30 TO	1011,9	12,6	25	20	2	1	88	SO	03	SO	1010,6	13,5	15	23	2	1	88	J SO	02	J SO	3,2	14,4	1,0	4	20
21	1006,7	8,7	42	08	3			7	80	TD	03	J SO	1010,8	10,4	51	08	3	8	80	TD	02	TD R	1002,8	10,1	83	23	2	8	70	TD	02	TD R TO	6,8	13,5		4	21
22	1004,9	8,6	35	02	2			3	53	TD	02	TD YR	1013,0	11,6	75	09	2	8	56	TD RØ	81	TD RØ YR	1012,4	11,2	92	18	2	8	48	TD RØ	81	TD RØ	7,8	13,0	2,1	3	22
23	1002,9	8,5	31	00	0			3	63	TD	02	TD RØ	1012,4	9,7	88	06	1	8	50	TD R	61	TD R RØ	1012,4	12,2	72	00	0	4	80	TD	01	TD R 30	7,6	13,0	0,5	3	23
24	995,1	11,9	95	17	1			3	30	TD R	61	TD R	996,8	14,0	78	13	1	4	70	TD SO	10	T R SO	996,0	15,8	55	20	1	3	80	SO Ø	01	TD SØ	10,5	18,0	8,4	3	24
25	984,8	14,7	91	12	3			7	60	TD	02	TD SØ RØ	989,1	11,1	62	17	3	7	75	TD	02	TD SO	990,9	11,1	96	21	3	7	82	TD	02	TD SØ	10,2	15,8	3,7	5	25
26	997,5	6,9	94	17	1			3	63	TD	02	TD	1000,6	10,1	69	18	2	8	68	TD RØ	80	TD RØ	1001,9	11,2	63	19	3	7	70	TD SO	02	TD SØ RH	8,0	12,3		4	26
27	996,2	9,1	92	06	2			3	67	TD R	63	TD SO R	998,2	12,2	72	16	3	7	70	TD SO	02	TD SO H	998,3	11,1	72	19	1	8	70	TD	02	TD SØ	8,0	13,2	8,2	4	27
28	998,1	8,7	89	25	1			3	70	TD	02	TD R	998,5	15,2	43	18	2	7	70	TD SO	02	TD SO	999,5	15,1	49	17	2	1	84	TD SO	01	TD SØ	7,9	17,4	8,2	4	28
29	1003,7	8,7	93	17	3			3	43	TD R	63	TD SØ R	1002,7	11,1	96	17	3	8	47	TD R	63	TD R	1002,8	11,8	95	22	1	8	47	TD R	63	TD R	8,2	15,1	0,9	4	29
30	1006,5	10,7	75	15	2			3	00	T	45	T TD R	1008,7	16,2	68	20	2	3	63	TD SO	01	TD SO T	1010,4	16,8	62	17	2	0	70	TD SO	02	TD SO	10,4	18,4	12,5	4	30
31	1014,0	14,3	75	10	1			7	70	TD SØ D	02	TD SO D	1014,0	18,7	63	03	2	8	70	TD	02	TD SO D	1012,4	24,3	38	12	2	3	68	TD SO	02	TD SO	11,6	24,3		3	31
M:	1000,1	6,8	77		1,4		6,2						1000,6	10,7	57		2,4	6,4					1000,6	10,4	61		2,2	5,5					9,2	12,9	59,6		1M

OSLO - BLINDERN — JUNI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1014,1	19,2	68	33	2			7	60	TD SØ	01	TD SØ	1012,6	27,1	51	20	3	1	66	Ø SO	05	TD SO	1011,7	23,4	50	19	3	3	70	J SO	05	Ø SØ	16,4	27,3		3	1
2	1021,2	16,0	50	04	3			1	80	SO	02	J SØ	1022,8	21,8	29	06	3	1	82	SO	02	SO	1022,8	22,8	25	04	3	4	82	30	03	SO	14,0	25,0		4	2
3	1029,6	16,2	42	09	3			2	89	SO	02	30	1026,8	21,1	50	23	1	5	80	Ø SO	03	Ø SO	1022,8	22,3	37	27	1	5	80	J SO	01	J SØ	14,4	22,9		4	3
4	1021,2	14,9	62	00	0			3	83	J SO	02	J SØ	1018,6	21,3	38	18	2	2	88	SO	02	Ø SO	1013,7	22,0	35	21	2	0	88	30	02	SO	12,0	23,1		2	4
5	1011,4	16,7	61	00	0			0	83	SO	02	30	1009,4	25,1	39	24	1	0	80	SO	02	SO	1007,1	25,9	32	23	2	2	85	Ø SO	02	SO	11,9	28,7		3	5
6	1007,4	16,1	65	00	0			2	73	TD SØ	02	J SØ	1005,9	26,6	32	22	2	3	85	Ø SO	03	TD SO	1004,5	25,3	32	21	2	0	80	TD SØ	02	Ø SØ	12,3	27,8		3	6
7	1005,8	17,8	69	00	0			0	62	TD SØ	02	TD	1003,8	25,2	32	22	2	0	70	TD SO	02	TD SO	1001,8	23,2	40	19	2	0	64	TD SØ	02	TD SØ	12,3	25,7		4	7
8	998,8	15,7	87	19	2			7	65	TD SØ D	03	TD SO D	996,8	18,3	51	21	2	8	60	TD	02	TD SO	993,6	13,5	82	18	2	8	60	TD	02	TD	12,7	23,2		3	8
9	991,2	8,8	81	03	4			3	73	TD R	60	TD R	993,6	13,6	46	36	3	6	78	TD SO	02	TD SO H	995,3	16,7	34	00	0	2	85	TD SO	01	TD SØ	8,2	17,7	3,9	5	9
10	1003,8	11,0	49	01	1			3	84	TD SØ D	02	TD SO D	1003,8	17,8	40	19	2	3	84	TD SO	02	TD SO D	1004,4	16,2	58	18	3	3	81	TD SO	02	TD SØ	9,5	19,6	0,4	4	10
11	1007,2	12,6	34	22	1			3	73	TD	02	TD SØ	1007,5	16,4	68	25	2	2	70	TD SO	02	TD SO	1006,7	15,4	57	18	2	0	70	TD SO	02	TD SØ	11,7	18,2		3	11
12	1005,9	11,4	81	22	1			3	73	TD O	03	TD SO D	1003,7	16,5	60	22	2	3	70	TD SO	02	TD SO D	1000,5	16,3	45	20	2	2	83	TD SO	02	TD SØ	10,4	19,4		3	12
13	996,5	12,7	76	00	0			7	73	TD	02	TD SØ	994,5	18,3	59	15	3	6	47	TD SO	02	TD SO	991,9	13,8	76	18	3	7	59	TD	03	TD SØ	10,8	19,2		3	13
14	988,1	10,7	95	16	2			3	73	TD YR	56	TD YR	986,7	11,2	99	16	3	8	11	TD R	62	TD R YR	986,6	12,7	77	18	4	8	60	TD	10	TD R	10,6	13,8	0,0	4	14
15	988,0	11,9	82	06	2			3	63	TD	10	TD R	989,9	14,0	76	00	0	7	50	TO	10	TD RØ	993,1	14,9	68	00	0	5	56	TD SO	10	RØ SO TO	10,8	16,4	5,2	4	15
16	999,1	11,3	87	23	1			8	20	TD	10	TD T SO	998,9	18,2	55	18	3	3	70	TD SO	01	SO	999,9	18,5	39	27	2	1	86	30	02	SO RØ	10,5	19,4	7,9	3	16
17	1004,0	13,1	55	27	2			8	88	SO	01	30 Ø	1002,8	18,2	36	24	4	4	88	SO	02	SO	1004,0	18,0	34	28	4	5	88	SO	03	30	7,6	21,3	1,3	4	17
18	1010,2	12,8	59	00	0			3	83	J SO	05	30	1008,0	20,1	46	24	2	7	80	Ø SO	03	TD SO	1007,7	21,1	40	28	2	3	85	30	02	30	8,9	21,9		4	18
19	1010,9	14,6	77	00	0			7	80	TD	02	SO	1010,1	20,1	60	13	1	6	84	SO	01	TD	1008,6	22,2	48	24	1	4	88	30	01	30	12,1	24,2		3	19
20	1010,8	16,2	75	00	0			5	88	SO	02	30	1009,3	23,1	45	21	2	2	88	SO	02	SO	1007,2	22,5	47	16	3	1	88	SO	01	SO	12,3	24,5		4	20
21	1006,7	15,8	91	18	2			8	20	TD	10	T SO	1005,6	19,8	65	19	2	6	70	TD SO	10	TD SO	1003,5	17,7	69	18	2	6	70	TD SO	10	TD SO	14,8	22,5		3	21
22	1001,1	16,1	78	18	2			8	70	TD	02	TD SO	1001,2	18,3	67	24	3	8	70	TD	02	TD RØ	1001,1	18,6	73	21	1	7	70	TD SO	02	TD SØ	13,0	19,7		3	22
23	1002,9	15,0	95	18	1			8	07	T R	60	TD T R	1004,1	18,4	68	13	1	8	60	TD	10	TD T R	1003,9	17,7	61	00	0	8	60	TD RØ	80	TD RØ SO	14,0	21,3	0,8	2	23
24	1003,0	14,8	83	16	2			3	70	TD	02	TD RØ	1002,2	18,9	55	21	2	8	70	TD	02	TD	997,8	20,1	60	04	3	8	65	TD	02	TD RØ	13,4	20,9	0,7	3	24
25	992,4	15,5	95	12	2			3	65	TD RØ	81	TD RØ	993,8	16,6	54	18	4	6	70	TD SO	02	TD SO TO RØ	995,4	14,7	67	17	4	7	70	TD	02	TD SO RØ	13,8	20,1	5,5	4	25
26	998,7	12,4	62	19	4			1	80	TD SØ	02	TD SO RØ	998,1	13,9	59	17	4	7	80	TD	02	TD SO	996,5	12,2	77	17	3	8	75	TD	02	TD RØ	10,7	15,0	2,4	5	26
27	994,7	10,6	68	20	3			7	83	Ø	02	TD Ø RØ	993,5	12,7	81	27	2	7	80	TD SO	15	TO RØ H TD	994,8	14,8	49	00	0	2	86	Ø SO	01	RØ H TD Ø	9,9	16,3	1,5	4	27
28	999,9	12,1	89	18	1			1	87	TD SO Q	02	TD SO Q	997,4	15,6	50	18	3	8	62	TD	03	TD SO D	994,0	12,0	93	19	4	8	65	TD	02	TD R	7,7	16,8	2,9	4	28
29	990,6	12,0	52	20	2			7	80	SO	02	TD	996,5	14,6	52	21	4	7	77	SO RØ	88	SO RØ	986,9	14,7	42	22	4	7	80	30	02	SO RØ H	9,0	16,6	2,7	4	29
30	987,7	10,2	60	22	1			2	88	SO	02	TD SO	988,0	16,4	37	19	3	7	80	SO Ø	14	SO Ø	989,6	14,1	51	20	1	6	70	SO Ø	15	SO RØ	5,0	17,6	2,8	5	30
M:	1003,4	13,8	73		1,5		5,4						1002,5	18,6	54		2,4	5,0					1001,6	18,1	53		2,2	4,3					11,4	20,8	38,0		1M

EKSTENSOTABELL

OSLO - BLINDERN — JULI 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	994,0	10,6	80	00	0			7	86	ø SO YR	51	J SO	994,4	15,9	44	21	4	7	86	SO	25	SO ø RB	995,4	14,2	47	04	4	3	80	TD SO	01	SO R	6,8	18,8	1,0	4	1
2	996,8	9,8	52	00	0			3	88	SO	02	TD SO	999,6	15,9	35	20	3	2	88	ø SO	03	SO	997,8	14,0	60	19	2	8	50	TD R	60	ø SO R	5,0	17,0	0,0	4	2
3	999,4	12,6	42	30	4			3	89	SO	02	R TD	1001,7	19,4	30	28	3	5	88	ø SO	03	SO	1004,6	17,4	32	02	3	6	88	ø SO	03	ø SO	9,9	19,7	0,3	4	3
4	1011,2	11,2	67	00	0			2	89	SO	02	J SO	1010,8	20,2	35	23	2	3	88	SO	02	SO	1009,7	20,7	37	04	1	7	80	J SO	03	SO	9,4	22,7		3	4
5	1010,9	15,3	59	00	J			6	86	ø SO D	01	J SO	1008,0	21,1	45	18	2	4	60	ø SO	15	TD SO RB	1006,8	22,1	42	00	3	7	80	J SO	03	TD SO RB	12,4	23,0		4	5
6	1006,9	15,0	55	04	3			1	85	TD SO	02	TD SO	1003,6	20,2	46	25	1	2	85	TD SO	02	TD SO	1001,2	21,2	38	22	2	2	85	TD SO	02	TD SO	13,4	22,7	1,9	4	6
7	1000,0	16,3	54	09	1			1	84	TD SO	02	TD SO	996,3	22,1	37	22	3	3	75	TD SO	02	TD SO	993,7	19,4	47	20	2	6	75	TD SO	03	TD SO	10,4	23,2		4	7
8	992,2	13,6	98	00	0			3	80	TD D	02	TD SO D	991,9	17,5	65	35	4	7	64	TD	15	TD SO ø YR	992,3	18,8	63	05	3	7	80	TD	02	TD YR	10,9	19,4		4	8
9	993,1	16,0	75	05	1			8	80	TD	02	TD	993,3	15,7	93	02	1	8	70	TD RB	80	TD RB TD	993,0	19,9	51	30	2	3	80	TD SO	01	TD SO RB	14,4	21,2	0,0	3	9
10	997,1	14,8	83	00	0			7	80	TD	02	TD SO RB	998,4	16,4	81	34	2	7	80	TD RB	80	TD RB TD	1000,5	18,3	57	02	2	6	80	TD	02	TD RB TD SO	12,5	20,1	2,1	4	10
11	1005,7	14,3	57	03	J			1	81	TD SO	02	TD SO TO	1005,9	18,0	49	00	0	7	84	TD	02	TD SO	1005,9	18,7	47	36	2	6	84	TD	02	TD SO	12,3	19,2	0,5	4	11
12	1008,0	14,3	59	03	1			7	80	TD	02	TD SO	1006,7	22,2	40	17	2	2	84	TD SO	02	TD SO	1005,3	22,1	45	20	2	1	84	TD SO	02	TD SO	12,7	24,8		4	12
13	1008,9	15,3	86	00	0			3	70	TD	02	TD SO	1004,4	24,0	43	24	2	4	78	TD SO	02	TD SO	1003,6	18,5	82	00	0	7	75	TD	02	TD SO TO RB	11,8	25,1		3	13
14	1003,7	14,3	95	00	0			8	48	TD	10	TD RB	1002,2	21,1	57	16	2	1	48	TD SO	10	TD SO	999,9	18,7	73	20	2	7	60	TD	03	TD SO	13,9	23,1	2,4	4	14
15	997,9	12,0	93	16	1			7	80	TD	15	TD RB	998,8	13,5	61	34	0	7	80	TD	02	TD	998,9	14,3	57	35	0	7	80	TD	02	TD RB	11,6	18,7	1,8	4	15
16	997,8	10,0	70	36	4			3	80	TD R	60	TD R	998,2	12,7	78	01	4	8	80	TD	02	TD R	998,6	16,6	57	35	3	7	80	TD	02	TD SO	9,3	17,0	0,7	4	16
17	1000,8	15,7	81	03	3			7	80	TD	02	TD SO R	999,9	20,7	52	17	2	4	80	TD SO	02	TD SO	997,3	20,5	51	22	2	0	80	TD	02	TD SO	14,0	23,1	2,6	4	17
18	991,3	12,9	99	17	3			3	72	TD R	60	TD R	996,8	13,9	98	16	3	8	60	TD R	60	TD R	983,7	15,3	69	19	2	7	72	TD	02	TD SO R	12,7	20,5	1,8	3	18
19	981,2	12,0	77	16	1			7	83	TD SO	02	TD SO RB	981,0	17,0	55	16	2	7	82	TD SO	02	TD SO	981,2	16,9	51	24	1	7	82	TD	02	TD SO	11,7	18,9	13,2	3	19
20	981,1	13,3	82	00	0			7	80	TD SO	02	TD SO	981,2	17,0	84	31	1	7	75	TD SO	02	TD SO RB	981,5	18,0	64	22	1	6	78	TD RE	15	TD SO RB RE	11,0	20,6		3	20
21	982,9	13,4	88	26	1			7	70	TD RB	80	TD RB RE	983,3	18,3	54	16	2	7	75	TD SO	02	TD SO RB	985,2	14,9	86	21	1	7	80	TD SO	02	TD RB SO	13,2	18,3	3,2	3	21
22	988,9	15,6	56	34	2			3	80	TD SO	02	TD SO RB	989,5	20,6	44	20	1	5	86	TD SO	02	TD SO SO	991,0	17,9	68	21	2	0	86	TD	02	TD SO RB RE	12,3	22,0	3,9	3	22
23	995,1	13,3	57	03	2			7	83	TD	02	TD RB	995,6	17,6	38	31	1	8	85	TD	02	TD SO	994,7	16,9	47	21	1	7	85	TD SO	02	TD SO	12,5	18,4	10,4	4	23
24	996,2	12,7	62	36	1			7	73	TD	15	TD SO	996,4	16,7	57	21	2	7	73	TD SO	02	TD SO RB	995,5	16,6	52	30	3	7	80	TD	02	TD RB SO	12,2	18,7		4	24
25	997,3	12,1	90	00	0			7	80	TD	02	TD SO RB	998,1	16,7	58	20	1	7	80	TD	02	TD SO	998,5	15,3	70	03	2	6	80	TD RB	81	TD SO RB	10,2	19,6	2,0	4	25
26	1001,5	14,7	78	04	2			6	80	TD SO D	02	TD SO RB D	1002,8	18,7	57	21	1	7	83	TD SO	02	TD SO ø	1003,0	19,9	49	35	1	5	83	TD SO	02	TD SO RB H	10,9	20,2	2,5	3	26
27	1006,1	13,1	93	00	0			6	82	TD D	02	TD D SO	1006,0	22,4	48	31	3	6	82	TD RB	80	TD D SO RB	1005,6	20,9	60	17	1	5	82	TD SO	02	TD RB RE TO	10,9	24,1	10,2	3	27
28	1006,2	14,7	36	00	0			4	80	TD SO D	02	TD D SO	1005,1	18,9	72	21	1	6	80	TD SO	02	TD SO D	1002,8	19,1	47	23	2	2	72	TD SO	02	TD SO TO	10,9	21,2	0,1	3	28
29	999,8	13,6	76	12	1			3	68	TD	03	TD SO	997,1	14,2	88	10	2	8	60	TD R	60	TD R	993,5	14,0	93	08	2	8	68	TD	02	TD R	12,9	19,1		3	29
30	990,2	13,8	95	05	3			3	80	TD	02	TD R	990,6	14,6	95	02	3	8	69	TD	02	TD R	990,9	15,6	86	35	2	7	70	TD	02	TD R	13,6	15,6	13,2	4	30
31	991,6	14,2	93	04	2			8	70	TD	02	TD R	991,6	15,4	84	09	1	8	70	TD YR	50	TD YR R	990,6	14,8	93	11	2	3	12	TD R	64	TD YR R	14,0	16,2	7,5	3	31
MI	997,8	13,6	75		1,3		5,9						997,4	18,0	59		2,1	5,8					996,8	17,8	59		1,9	5,8					11,6	20,4	81,3		IM

OSLO - BLINDERN — AUGUST 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	986,8	13,4	95	04	3			3	80	TD R	62	TD R	986,2	16,6	78	20	2	6	70	TD RB SO	80	TD RB K SO	986,8	15,8	69	18	3	6	70	TD	02	TD RB SO	12,9	19,3	13,0	4	1
2	986,4	13,2	89	00	0			7	82	TD	02	TD RB SO	985,7	16,3	74	29	1	7	65	TD SO	02	TD RB SO	984,8	14,7	77	18	2	8	70	TD	15	TD RB SO	12,0	17,1	10,4	3	2
3	987,6	12,8	95	00	0			7	82	TD	01	TD RB R	982,4	15,4	52	04	3	6	78	TD SU	02	TD SO	984,9	14,4	68	02	2	3	80	TD R	60	TD RB SO	12,1	16,6	3,5	3	3
4	1001,5	10,5	35	05	2			7	80	TD SU YR	50	TD YR	1002,4	17,5	42	04	1	4	82	SO	02	TD SO	1002,4	17,1	39	26	1	6	82	J SO	05	SO	10,0	18,2	0,3	4	4
5	1005,8	11,4	69	04	3			8	80	TD	02	J SO	1006,5	15,0	55	07	2	6	82	SO	01	TD SO	1004,3	16,6	50	00	0	4	82	SO	01	SO	11,0	19,1		4	5
6	1005,7	11,4	81	00	0			3	84	TD SO	02	SO	1004,5	18,8	46	20	2	4	84	SO	03	TD SO	1003,1	16,7	50	18	3	1	84	J SO	05	ø SO	8,9	20,0		4	6
7	1002,0	12,2	93	00	0			3	85	TD	10	TD ø	1002,2	15,1	75	24	2	8	65	TD	10	TD ø YR	1000,3	16,1	48	18	2	7	85	TD	10	TD YR	11,2	18,1		3	7
8	997,7	13,6	95	14	2			3	07	T R	60	TD RB	997,7	13,4	64	04	1	8	60	TD	10	T R	995,7	14,4	75	04	3	8	85	TD	02	TD RB	13,0	16,2	4,6	3	8
9	989,6	14,8	97	00	0			3	08	T R TO	94	TD RB R	989,9	15,0	75	17	2	8	70	TD	02	TD RB	989,5	15,0	71	17	3	8	76	TD	02	TD RB	14,4	19,7	20,1	3	9
10	993,4	10,8	38	00	J			4	84	TD SO	01	TD YR	994,5	16,3	57	08	1	6	84	SO	03	SO	995,0	15,4	71	33	1	7	80	RB	80	RB SO	9,0	17,6	5,3	3	10
11	994,2	12,9	77	32	3			3	80	RB	80	RB	994,6	12,8	87	32	3	8	15	R	63	R RB	994,2	11,3	78	14	2	8	15	R	64	R	11,3	15,4	7,4	4	11
12	998,8	11,4	95	00	0			3	70	TD	01	R RB	1001,6	15,7	88	12	1	7	84	SO	02	SO YR	1003,2	15,2	72	20	1	3	80	J	02	J SO	10,1	15,9	7,1	2	12
13	1004,8	13,1	87	17	2			3	50	TD	02	TD	1005,9	14,6	65	18	3	8	65	TD	02	TD	1005,2	13,9	70	18	2	8	60	TD	02	TD	11,4	15,2	0,0	3	13
14	1001,9	12,8	87	04	2			8	15	TD	10	RB	998,9	15,7	73	07	1	5	65	TD	02	TD YR	994,6	18,8	57	16	3	3	10	TD	10	TD YR	12,0	18,8	0,7	3	14
15	993,0	14,8	39	17	3			3	15	TD	10	T RB	995,2	16,6	72	17	4	8	15	TD	10	TD YR	998,9	15,8	70	17	4	8	15	TD	10	TD	13,2	18,8	7,1	4	15
16	1005,7	11,8	95	00	0			8	15	TD	10	TD D	1006,9	12,6	91	00	0	8	10	TD R	61	TD R U	1007,0	12,8	75	00	0	7	70	TD SO	01	TD SO	11,5	15,9	0,1	4	16
17	1006,0	12,4	79	03	1			6	70	J SO	01	TD RB	1003,9	15,7	78	03	3	8	13	TD	10	TD ø SO	1002,7	22,1	57	36	2	6	10	TD	10	TD SO RB	10,7	22,6	4,2	4	17
18	1009,3	16,2	89	03	J			3	70	TD SO	02	TD	1010,0	24,1	45	08	2	2	70	ø SO	03	ø SO TD	1008,6	23,4	48	32	1	2	70	J SO	02	J SO	15,0	25,1	0,0	4	18
19	1007,9	16,5	79	03	3			2	80	J SO	03	TD SO	1005,6	21,3	52	10	2	6	84	ø SO	02	ø SU	1003,9	17,7	79	33	2	7	84	J SO	02	J TO RB	15,3	23,4		3	19
20	1001,7	14,6	93	35	2			7	70	TD YR SO ø	50	TD YR SO ø	1000,5	18,8	66	17	1	6	47	TD SO	02	TD SO YR	998,3	18,7	76	19	1	5	69	TD	02	TD SO	14,2	22,1	0,5	3	20
21	994,4	14,6	96	17	2			8	80	TD D	02	TD D	992,2	15,0	92	18	3	8	60	TD RB	80	TD RB D	988,6	13,2	93	13	2	8	80	TD R	60	TD R RB	13,2	18,7	0,0	3	21
22	991,8	8,5	93	00	J			1	85	TD SO	01	TD SO R	993,0	16,0	43	20	3	3	86	TD SU	02	TD SU	993,4	13,5	59	19	2	2	86	TD	02	TD SO	6,4	17,1	18,8	4	22
23	995,3	9,2	88	00	0			7	73	TD D	03	TD D	996,0	15,8	46	19	2	6	82	TD SO	02	TD SO D	996,4	13,9	61	17	3	2	84	TD	02	TD SO RB	7,3	16,3		4	23
24	997,4	9,8	93	00	0			3	80	TD D	02	TD D	997,1	16,2	48	18	2	2	60	TD SO	02	TD SO D	997,8	15,2	61	18	2	2	80	TD SO	02	TD SU	7,9	18,3	0,1	3	24
25	1000,5	8,4	95	00	J			J	70	TD SO D	02	TD SO D	999,9	18,0	38	14	1	1	70	TD SO	02	TD SO D	998,8	16,4	51	01	2	2	80	TD SO	02	TD SO	7,4	19,3		3	25
26	997,9	12,3	67	02	4			8	80	TD	02	TD SO	994,8	17,9	42	05	5	6	80	TD SO	02	TD SU	992,3	15,7	44	02	3	7	82	J	03	TD ø SO	11,7	17,9		5	26
27	988,6	9,5	76	35	3			3	78	TD R	60	TD R ø	989,6	11,8	62	02	4	8	80	TD R	60	TD R	991,5	11,8	59	33	4	7	80	TD SO	02	TD SO R	8,9	15,7	1,5	5	27
28	995,7	9,5	90	33	3			1	87	TD SO	01	TD SO	997,0	16,8	38	02	1	1	87	TD SO	02	TD SO	996,2	15,5	40	00	0	4	87	TD SO	02	TD SO	9,0	19,4	0,5	4	28
29	1003,8	8,9	84	00	0			3	75	TD SO D	02	TD SO D R	1004,6	17,8	59	25	2	7	75	TD	02	TD SU R	1003,7	18,5	64	00	0	4	80	TD SO	02	TD SO	6,7	21,5	0,0	3	29
30	1003,7	11,9	88	00	J			8	78	TD SO	02	TD SO D	1004,0	18,6	59	00	0	8	75	TD	03	TD SO	1003,9	17,5	48	23	1	8	87	SO	02	SO	9,6	20,0	0,0	1	30
31	1008,9	9,2	57	00	0			1	85	J SO	02	TD D	1009,7	16,1	37	00	0	1	86	SO ø	02	ø SO	1008,3	15,7	36	00	0	2	86	TD SO	03	TD SU	6,7	17,6		1	31
MI	998,6	12,0	84		1,4		5,8						998,8	16,4	61		1,9	5,9					998,3	15,9	62		1,8	5,7					10,8	18,5	105,2		IM

EKSTENSOTABELL

OSLO - BLINDERN — SEPTEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1007,7	7,5	91	00	0			7	75 TD	03 TD D	1007,1	15,0	66	00	0	7	70 TD SO	02 TD SO	1004,7	12,7	95	02	2	8	10 TD R	60 TD SO R	5,8	16,6		2	1
2	1002,6	11,8	96	03	2			8	60 TD	10 TD R	1001,9	13,2	92	02	2	8	60 TD	10 TD	1000,7	13,2	95	02	3	3	40 TD	10 TD YR	11,2	13,2	7,5	3	2
3	994,1	14,5	98	18	2			8	30 TD R	62 TD R	998,1	16,3	64	18	2	8	30 TD	10 TD	997,0	14,7	98	18	2	6	80 TD	02 TD SO RB	13,1	18,0	27,6	3	3
4	997,7	11,5	97	24	2			7	40 TD	01 TD D	997,0	15,2	72	23	2	6	58 TD SO	02 TD SO	999,1	13,6	88	23	2	2	88 SO Ø	02 TD RB TO	11,4	16,7	1,2	5	4
5	1004,9	8,3	82	00	0			7	80 TD SO YR	50 TD YR	1005,4	14,3	61	24	2	6	83 Ø SO	02 TD SO RB	1005,1	14,3	58	20	2	4	73 TD	02 SO Ø RB	6,7	15,7	9,0	3	5
6	1007,1	11,9	96	07	1			8	30 TD YR	50 TD YR	1007,7	14,2	88	22	1	8	25 TD	10 TD YR	1006,9	14,7	83	18	2	8	25 TD	10 TD	11,7	15,6	0,5	3	6
7	1007,1	13,5	95	15	1			8	06 T YR	52 T YR RB	1007,9	14,7	87	16	1	8	60 TD	02 TD T YR	1007,7	15,1	95	13	1	8	27 TD	10 TD R	13,0	15,4	1,0	3	7
8	1006,3	14,5	87	15	2			8	60 TD	10 TD R	1005,4	13,3	95	21	1	8	08 T R	64 TD T R	1004,1	13,7	89	19	3	8	57 TD	10 TD T R	13,0	15,1	1,2	3	8
9	1003,2	12,4	96	00	0			9	09 T	45 TD T R	1003,4	17,1	59	21	1	2	78 TD SO	01 TD T SO	1002,3	14,7	66	00	0	2	86 TD	02 TD SO	12,3	18,6	10,8	3	9
10	999,8	8,1	89	00	0			1	85 TD	02 TD SO	997,5	16,8	44	20	3	4	85 TD SO	02 TD SO	995,8	14,2	62	24	3	6	80 TD	02 TD SO	7,1	17,3		4	10
11	990,3	10,3	95	20	2			9	79 TD R	61 TD R	982,1	16,7	66	20	3	2	80 TD SO	01 TD SO H	986,7	11,4	38	27	4	1	86 TD	02 TD SO	9,8	18,0	1,1	6	11
12	995,5	5,9	49	24	1			1	87 TD SO RI	02 TD SO RI	997,0	13,9	36	26	4	7	85 TD SO	02 TD SO RI	995,0	11,2	57	00	0	7	85 TD	03 TD SO	4,7	13,9	2,5	4	12
13	979,0	13,8	83	18	1			7	60 TD	02 TD R	975,6	16,3	61	17	4	6	78 TD SO	02 TD SO	977,0	11,3	58	27	4	7	78 TD RB	80 TD RB SO	10,0	16,7	3,4	6	13
14	990,6	5,1	61	25	2			2	83 Ø SO	02 TD Ø RB	992,0	13,5	30	23	2	4	80 TD SO	03 TD SO Ø	991,1	9,3	38	33	3	3	80 TD	02 TD SO YR	5,1	14,3	2,2	4	14
15	997,8	3,7	63	09	1			1	88 SO	02 SO TD	999,9	12,7	35	30	3	5	88 Ø SO	03 Ø SO	1003,6	11,1	30	34	3	1	88 Ø SO	01 Ø SO	3,5	15,0	0,0	4	15
16	1006,7	1,0	91	04	2			2	86 SO Ø RI	02 TD	1000,9	10,8	51	21	3	7	84 Ø SO	03 Ø SO	995,4	10,3	51	20	3	8	80 TD	02 TD SO Ø	0,6	11,3		4	16
17	983,8	9,2	97	00	0			6	75 TD SO	02 TD RB	932,8	13,1	69	18	2	7	88 TD	02 TD SO	981,0	13,8	59	20	3	7	80 TD	02 TD SO	8,5	15,2	1,1	3	17
18	973,9	11,0	96	00	0			8	80 TD	02 TD RB	973,7	17,2	40	24	4	4	84 TD 80	03 TD SO	976,0	13,8	48	24	2	4	80 TD	02 TD YR	10,6	18,0	1,0	4	18
19	984,0	6,1	75	00	1			1	88 SO	02 TD	985,6	15,5	36	24	4	3	88 SO	03 SO	988,6	12,0	38	24	3	1	86 TD	02 SO	5,7	15,8	0,0	5	19
20	994,0	5,1	89	03	1			9	81 TD SO	02 TD	992,1	11,2	58	22	1	7	80 TD	03 TD SO	995,0	8,1	97	34	2	8	60 TD R	63 TD R	4,5	12,0		3	20
21	977,8	8,7	39	19	3			7	80 TD	01 TD R	981,9	12,2	48	20	3	6	80 TD SO	02 TD SO	985,4	10,0	52	23	2	1	88 TD	02 TD SO RB	7,7	13,2	12,0	4	21
22	994,6	3,4	20	04	2			1	89 TD D RI	02 TD SO D RI	1000,0	14,9	32	36	3	1	89 TD SO D	02 TD SO D RI	1002,8	10,3	61	03	2	6	84 TD	02 TD SO RB	3,0	15,3	0,4	3	22
23	1004,8	4,7	65	03	2			4	75 TD SO D	02 TD SO D	1003,0	9,9	73	29	2	7	75 TD	03 TD SO D	1002,0	9,5	64	20	4	7	75 TD R	60 TD R SO	4,3	10,3	0,0	4	23
24	1004,0	3,2	33	00	0			1	87 TD SO D	01 TD SO D R	1005,2	13,5	37	24	2	1	89 TD SO	02 TD SO D	1005,2	8,0	67	33	2	1	89 TD D	02 TD SO D	3,0	14,0	0,0	4	24
25	1003,5	5,4	97	20	1			9	04 T D	47 TD T D	1001,5	11,1	64	19	4	8	70 TD	02 TD T D	999,6	10,6	87	19	4	3	65 TD R	61 TD SO R	2,1	11,3		4	25
26	990,1	13,0	93	18	3			8	63 TD	02 TD RB	992,6	17,2	39	30	4	6	80 TD SO	02 TD SO	996,0	11,8	37	32	3	2	76 TD	01 TD SO	10,3	17,2	4,1	4	26
27	993,0	5,8	35	17	2			7	73 TD D	01 TD D RB	992,8	14,0	46	20	4	5	80 TD SO	02 TD SO	998,9	9,4	36	24	3	1	80 TD	02 TD SO	5,6	14,5	0,9	5	27
28	1008,1	2,7	73	26	2			1	83 TD SO D	02 TD	1009,1	12,1	43	22	3	5	86 TD SO	03 TD SO	1006,9	10,0	62	21	2	7	80 TD	01 TD SO	2,4	13,2		4	28
29	1008,9	2,8	68	00	0			1	84 TD SO	02 TD SO	1011,9	12,2	30	25	3	2	88 SO	03 TD SO	1012,9	8,1	46	32	3	1	80 TD	02 TD SO	2,7	12,6		4	29
30	1016,7	0,0	82	12	1			0	85 TD SO D	02 TD D	1016,2	10,6	37	20	2	2	87 SO	03 TD SO	1015,7	5,4	59	36	2	1	84 TD	02 SO	0,0	11,0		4	30
MI	997,6	7,8	35		1,3		5,2				997,5	14,0	55		2,5	5,3			997,6	11,5	62		2,5	4,7			7,0	14,8	83,5		IM

OSLO - BLINDERN — OKTOBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1019,8	1,8	73	03	3			1	86 TD SO	02 TD D	1020,9	8,3	46	04	1	2	87 TD SO	02 TD SO	1020,8	4,8	61	33	2	2	81 TD	02 TD SO	1,5	9,2		4	1
2	1024,7 -	0,9	95	00	0			5	81 TD SO	03 TD D	1024,8	8,9	50	26	2	3	80 TD SO	02 TD SO	1022,8	4,4	62	00	0	3	79 TD	02 TD SO	- 1,0	9,2		3	2
3	1020,5 -	1,5	96	03	1			1	70 TD SO RI	02 TD RI	1017,8	8,0	51	20	2	3	73 TD SO	02 TD SO HI	1014,4	4,0	69	00	0	3	70 TD	02 TD SO	- 1,6	8,0		2	3
4	1009,5 -	2,4	94	00	0			2	62 TD SO RI	01 TD RI	1007,5	8,4	47	19	1	0	70 TD SO	02 TD SO	1007,4	5,4	99	03	2	1	85 TD	02 TD SO	- 2,4	9,4		3	4
5	1013,1	2,0	84	03	2			5	83 TD SO RI	02 TD SO RI	1014,2	7,7	47	07	2	2	86 TD SO	02 TD SO HI	1013,8	2,9	67	03	2	1	85 TD	02 TD SO	2,0	8,3		3	5
6	1014,8 -	1,0	96	04	1			5	73 TD RI	02 TD RI	1014,4	7,4	59	18	2	2	60 TD SO	02 TD SO HI	1012,3	6,0	71	00	0	7	70 TD	03 TD SO	- 1,3	7,6		2	6
7	1010,1	5,5	92	14	1			8	60 TD	02 TD R	1010,3	7,6	84	15	1	8	63 TD	02 TD	1009,5	6,8	90	03	1	7	70 TD	02 TD SO	5,4	8,3	1,9	2	7
8	1007,4	4,4	97	00	0			8	75 TD D	02 TD D	1006,8	9,9	74	23	1	5	47 TD SO	10 TD SO D	1005,9	9,0	88	18	1	7	60 TD	10 TD SO	4,0	11,3		2	8
9	1004,4	7,1	98	00	0			9	00 T	47 TD T YR	1003,3	8,9	98	23	1	9	03 T	45 T YR	1001,0	10,5	97	18	1	9	07 T	43 T	7,0	10,5	0,1	2	9
10	994,4	10,3	98	17	2			9	04 T	45 T R	995,2	11,2	97	19	2	9	05 T	45 T	995,5	11,4	97	00	0	9	07 T R	61 T R	9,5	11,4	6,0	3	10
11	988,5	11,8	98	19	1			9	04 T	45 T R	987,3	12,4	97	18	2	9	04 T	45 T R	989,1	12,2	95	18	2	8	60 TD	10 TD R	11,2	12,5	2,8	4	11
12	992,9	9,6	96	02	1			3	60 TD	10 TD	992,9	10,6	80	04	2	8	68 TD	10 TD	992,4	10,8	78	02	3	8	68 TD R	61 TD R	9,4	12,2	0,1	3	12
13	991,1	9,0	97	04	2			3	60 TD R	61 TD R	992,1	8,6	89	06	1	8	70 TD	02 TD R	992,5	8,2	88	02	2	8	70 TD	02 TD SO	8,0	10,8	10,4	4	13
14	991,1	7,6	87	02	3			8	70 TD D	02 TD D	990,4	8,4	89	06	2	8	60 TD R	61 TD R D	986,4	8,7	93	04	4	8	60 TD R	60 TD R	7,3	8,7	0,6	4	14
15	988,2	8,1	95	27	1			5	70 TD	01 TD R RB TQ	992,1	11,0	73	19	2	7	70 TD	02 TD SO	993,2	9,9	83	02	2	7	70 TD	02 TD	7,9	11,0	15,9	4	15
16	988,9	8,1	88	02	3			8	60 TD R	63 TD R	988,8	7,2	82	03	4	8	63 TD	02 TD R	990,7	6,0	94	00	0	7	70 TD R	60 TD R	6,0	9,9	11,4	5	16
17	997,8	6,2	96	07	1			7	75 TD	02 TD R	1000,5	7,0	63	03	1	8	75 TD	02 TD R	998,3	6,9	80	00	0	8	75 TD	02 TD	5,6	7,3	11,8	3	17
18	993,5	5,9	92	14	1			8	60 TD	02 TD	994,8	6,4	93	03	2	8	50 TD R	63 TD R	1002,2	4,8	84	00	0	1	75 TD	01 TD R	4,8	7,2	0,1	3	18
19	1005,4	1,5	99	03	1			9	05 T	49 T YR	999,9	7,0	89	18	2	8	58 TD	02 TD	993,8	9,6	99	19	1	9	40 TD	02 TD RB	- 0,2	9,6	10,9	4	19
20	993,0	3,9	88	00	0			1	79 TD	02 TD YR	993,1	12,6	38	23	4	3	82 TD 80	03 TD SO	996,4	8,6	43	21	2	1	84 TD	02 TD SO	2,9	13,0	1,3	4	20
21	1003,4	3,8	59	31	3			7	81 TD SO	01 TD	1010,1	8,0	32	03	4	2	84 TD 80	02 TD 80	1016,3	4,5	35	03	3	1	60 TD	02 TD SO	2,8	8,7		4	21
22	1022,5 -	1,8	75	03	1			2	82 TD RI	02 TD	1023,0	5,2	47	23	1	3	84 TD 80	03 TD 80	1021,8	0,6	76	00	0	3	60 TD	02 TD SO	- 1,9	5,6		3	22
23	1021,8 -	3,0	87	04	1			9	68 TD RI	02 TD	1021,9	4,4	58	00	0	3	58 TD 80	02 TD 80	1020,6	0,5	82	03	2	3	56 TD	02 TD	- 3,0	5,2		2	23
24	1023,3 -	3,0	89	24	1			1	80 TD RI	02 TD RI	1024,0	6,2	55	17	1	1	60 TD 80	02 TD 80	1023,9	3,3	69	04	3	1	60 TD	02 TD SO	- 3,0	6,9		3	24
25	1023,8	2,0	88	04	2			3	64 TD	02 TD YR	1024,4	4,0	77	03	2	7	68 TD	01 TD	1023,5	3,2	68	03	2	7	60 TD	02 TD	1,7	4,3	0,1	3	25
26	1022,8 -	1,5	87	04	2			2	68 TD	02 TD	1021,8	2,5	65	12	1	3	70 TD 80	02 TD SO	1020,2 -	1,2	88	04	2	1	59 TD	02 TD SO	- 1,5	3,2		3	26
27	1018,6 -	4,7	98	00	0			9	08 T RI	45 T	1017,5 -	1,5	83	12	1	6	12 TD 80	10 TD SO I	1016,0 -	2,5	86	11	2	8	14 TD	10 TD SO	- 6,0 -	1,2		2	27
28	1015,5 -	2,7	84	04	3			9	05 T S	71 T S	1018,2 -	2,0	71	03	4	8	65 TD	02 TD T S	1013,9 -	0,4	69	03	3	8	60 TD	02 TD	- 3,1 -	0,4	0,0	4	28
29	1010,6	1,5	78	07	2			8	60 TD	02 TD YR	1010,2	2,8	65	09	3	6	70 TD SO S	70 TD SO S	1009,8	1,2	80	09	3	7	70 TD S	70 TD S	- 0,4	2,8	0,0	3	29
30	1010,2	0,3	84	09	2			8	60 TD S	70 TD S	1010,1	0,4	82	09	3	8	22 TD S	71 TD S	1010,2	0,5	62	08	2	4	60 TD	02 TD S	0,0	1,2	0,9	3	30
31	1008,1	0,8	63	12	3			8	60 TD	02 TD	1008,1	0,6	70	12	3	8	57 TD	02 TD	1007,6 -	0,4	88	07	3	8	56 TD S	70 TD S	- 0,4	0,9	0,5	4	31
MI	1007,4	2,9	89		1,5		5,9				1007,5	6,7	69		1,9	5,5			1007,2	5,2	77		1,6	5,2			2,3	7,5	74,8		IM

EKSTENSOTABELL

OSLO - BLINDERN

NOVEMBER 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1006,8	- 0,5	82	06	3	4	3	8	53	TD S	69	TD SL SL
2	1008,5	0,2	84	08	3	4	9	8	60	TD S	70	TD S
3	1019,0	0,9	85	16	2	4	7	8	65	TD	02	TD
4	984,4	6,7	98	19	3	0	0	8	60	TD R	63	TD R SL
5	973,0	2,0	96	00	3	0	0	6	75	TD RI	02	TD RI
6	967,7	0,4	98	01	2	0	0	8	70	TD	02	TD R
7	973,8	- 3,5	88	00	3	0	0	2	80	TD RI	02	TD RI
8	974,7	- 3,5	86	05	2	0	0	2	73	TD RI	02	TD RI
9	982,0	- 4,8	89	02	2	0	0	7	63	TD RI	02	TD RI
10	992,8	- 4,3	96	00	3	0	0	9	01	T RI	45	T RI
11	996,0	- 5,8	85	06	2	0	0	3	03	T RI	45	T RI
12	993,3	- 4,4	83	03	4	4	10	8	12	TD S	71	TD S
13	984,4	- 2,1	87	00	0	4	11	2	80	TD	01	TD S
14	986,3	- 0,3	89	00	0	4	17	8	80	TD	02	TD S
15	992,9	- 5,2	83	03	2	4	17	7	60	TD	10	TD
16	997,3	- 2,2	70	03	5	4	14	3	72	TD	02	TD
17	989,0	- 0,9	92	00	0	4	16	3	61	TD S	71	TD S
18	990,9	3,7	75	20	3	4	13	3	63	TD	03	TD R
19	999,4	2,1	93	03	3	4	10	8	73	TD R	60	TD R
20	1011,9	- 1,6	95	10	1	4	8	1	73	TD	01	TD
21	1017,9	- 4,6	91	00	0	4	7	0	80	TD	02	TD
22	1004,3	0,1	92	00	0	4	7	3	61	TD	02	TD
23	993,0	5,3	95	23	3	4	7	2	70	TD	02	TD YR
24	992,0	0,8	82	05	1	4	7	2	86	TD	02	TD
25	997,0	- 1,6	91	02	1	4	7	3	80	TD	02	TD S
26	981,0	1,5	96	00	0	4	6	0	02	T	45	T R
27	990,0	0,0	70	09	1	4	5	0	80	TD	02	TD
28	1007,9	- 2,8	62	00	0	4	5	3	84	TD	02	TD
29	994,4	0,1	95	20	1	4	5	9	01	T	45	TD T R
30	990,6	0,9	94	22	1	4	4	8	80	TD	02	TD
MI	993,1	- 0,8	86		1,5		7	5,7				

KL. 13

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1006,9	0,2	88	06	3	8	15	TD S	71	TD S
1012,5	0,4	83	03	4	8	60	TD S	70	TD S
1015,6	0,8	70	15	3	8	65	TD	02	TD
984,0	8,4	56	22	3	1	82	TD SO	01	TD SO R
972,4	5,9	64	23	1	5	78	TD SO	02	TD SO RI
967,5	2,4	83	06	3	7	70	TD	02	TD SO
975,3	1,4	66	22	1	2	75	TD RI SO	02	TD SO RI
977,4	- 0,7	75	24	2	2	75	TD SO RI	02	TD SO RI
984,5	- 2,2	77	00	0	7	82	TD RI	02	TD SO RI
995,1	- 3,4	95	00	0	9	05	T RI	45	T RI
992,7	- 5,0	79	01	3	9	05	TD S	73	TD T S
985,3	- 1,9	88	04	5	8	04	TD S	73	TD S
983,3	0,4	96	01	2	8	17	TD S	72	TD S
987,6	0,3	83	00	0	5	60	TD SO	10	TD SO
994,3	- 5,0	79	04	3	8	58	TD	10	TD
996,4	- 1,1	88	03	5	8	80	TD S	71	TD S
992,1	1,9	78	20	2	6	75	TD SO	01	TD SO S
993,1	3,2	78	15	4	8	68	TD R	60	TD R
1000,7	2,4	95	03	2	8	63	TD R	60	TD R
1015,4	4,0	64	02	3	0	80	TD SO	02	TD SO
1016,3	- 1,8	76	22	1	4	45	TD SO	10	TD SO
1001,9	3,9	95	24	1	8	64	TD	02	TD YR
996,5	6,2	49	23	3	4	84	TD SO	02	TD SO
993,3	1,8	73	20	1	1	86	TD SO	02	TD SO
996,6	- 0,8	97	03	1	9	02	T	47	TD T SO
975,0	2,2	96	01	1	8	40	TD R	61	T R
978,9	4,4	38	18	2	1	86	TD SO	02	TD SO
1006,4	- 1,0	63	12	1	8	45	TD S	71	TD S
987,2	1,2	96	00	0	9	02	T	45	T YR
990,3	2,0	65	00	0	7	70	TD	02	TD
993,2	1,0	76		2,0	6,0				

KL. 19

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1007,2	0,0	86	06	3	8	58	TD	10	TD S
1017,0	0,3	82	03	3	8	70	TD	02	TD S
1007,9	1,1	97	18	4	8	60	TD SL	69	TD SL
980,5	4,7	86	17	1	7	75	TD	03	TD SO
970,6	3,0	83	04	2	8	70	TD R	60	TD SO R
970,3	0,0	77	02	1	2	75	TD	02	TD SO
974,1	- 1,3	82	03	2	1	80	TD RI	02	TD RI SO
978,2	- 3,2	87	07	1	3	70	TD RI	02	TD SO RI
987,7	- 2,0	82	00	0	6	65	TD RI	02	TD SO RI
997,1	- 3,6	92	00	0	9	05	T RI	45	T RI
994,9	- 7,0	83	05	2	2	75	TD	02	TD SO S
981,9	1,5	93	06	2	8	50	TD R	61	TD R S
982,8	1,1	93	02	3	7	57	TD SL	68	TD SL S
989,2	- 1,5	88	00	0	7	60	TD	10	TD SO
996,0	- 5,5	78	03	4	8	60	TD	10	TD
992,4	- 0,8	81	03	0	8	47	TD S	71	TD S
994,4	- 2,1	93	12	1	5	75	TD	02	TD SO
997,0	3,5	65	12	3	8	70	TD	02	TD R
1003,5	1,7	95	00	0	7	60	TD	02	TD R
1017,6	2,7	63	03	3	0	80	TD	02	TD SO
1012,0	- 1,5	90	27	1	7	60	TD	03	TD SO
1000,4	3,2	98	00	0	9	02	T	47	TD T
996,5	3,0	68	08	1	7	84	TD	02	TD SO
995,0	- 2,0	88	00	0	1	82	TD	02	TD SO
993,8	0,6	93	00	0	8	58	TD	15	TD T SO
973,6	1,0	95	28	2	4	70	TD	02	TD R
1005,8	- 1,6	80	06	2	6	84	TD	02	TD SO
1003,0	- 1,4	75	00	0	8	60	TD YR	57	TD YR S
985,0	1,9	97	29	1	3	60	TD	02	TD T YR
986,1	1,4	73	03	2	7	75	TD	02	TD SO
993,1	- 0,1	84		1,7	5,9				

DØGNET

TN	TX	R	FX	DT
1,0	0,2	4,4	4	1
0,0	0,5	3,9	4	2
0,2	1,1	0,9	4	3
1,1	8,5	23,1	5	4
1,8	6,4	2,5	2	5
- 0,2	3,2	0,4	3	6
- 3,9	2,3		2	7
- 4,1	- 0,5		3	8
- 5,5	- 1,7		3	9
- 5,4	- 2,0		2	10
- 7,0	- 3,5		4	11
- 7,6	- 1,5	7,2	5	12
- 2,3	2,0	16,1	3	13
- 2,3	1,2	13,1	3	14
- 6,2	- 1,5		4	15
- 6,3	- 0,8		7	16
- 2,6	0,9	10,7	7	17
- 2,6	3,7	2,1	4	18
- 1,7	3,7	0,8	4	19
- 2,2	4,3	0,6	4	20
- 5,2	2,7		3	21
- 2,2	4,1		2	22
- 2,8	6,2	0,3	4	23
- 2,0	3,0		2	24
- 1,9	0,6	0,0	3	25
- 0,6	2,3	9,7	3	26
- 1,9	4,5	5,1	4	27
- 3,3	- 0,2		2	28
- 1,4	2,0	3,1	1	29
- 0,4	5,9	0,0	4	30
- 2,3	2,0	104,0		IM

OSLO - BLINDERN

DESEMBER 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	981,1	1,7	92	01	1	4	4	3	70	TD	02	TD R
2	987,0	2,1	96	24	1	4	4	3	70	TD	01	TD T YR
3	991,3	1,9	87	02	1	4	4	0	80	TD	02	TD
4	993,5	1,5	84	00	0	4	4	0	80	TD	02	TD
5	976,8	6,4	43	23	3	3	2	0	80	TD	01	TD R
6	984,8	3,6	62	21	3	3	2	3	80	TD	02	TD
7	989,4	2,0	52	00	1	3	2	0	84	TD	02	TD
8	999,6	- 4,0	71	00	0	3	2	1	82	TD	02	TD
9	994,5	- 9,6	78	02	2	3	2	1	71	TD	02	TD
10	985,2	- 7,8	68	02	1	3	2	1	73	TD	03	TD
11	986,0	- 7,5	54	03	3	3	2	1	84	TD	02	TD
12	1002,3	-12,3	77	00	0	3	2	0	82	TD	02	TD
13	1010,7	-14,6	72	00	0	3	2	2	80	TD	02	TD
14	1005,8	- 6,5	76	04	3	3	2	8	70	TD S	70	TD S
15	998,0	- 8,9	73	04	3	4	2	6	75	TD	02	TD SO
16	986,9	-10,2	67	02	3	4	3	2	70	TD	02	TD SO
17	980,8	- 8,1	87	00	0	4	3	3	63	TD S	70	TD S
18	979,0	-10,1	58	16	3	4	4	0	80	TD	01	TD
19	989,1	-13,5	81	00	0	4	3	1	72	TD	02	TD
20	1003,4	- 1,7	79	04	2	4	3	7	70	TD	02	TD YR IS
21	1016,3	-11,9	83	00	0	4	3	0	63	TD	02	TD
22	1012,7	- 7,5	94	25	1	4	3	3	07	T	47	T
23	997,8	- 3,7	77	03	4	4	4	8	05	T S	70	T S
24	996,9	0,8	96	18	2	4	5	8	05	T YR	58	T SL
25	1007,0	1,1	93	06	1	4	3	8	05	T R	61	T R
26	1007,3	0,2	95	00	0	4	4	8	02	T SL	68	T SL
27	1003,9	0,8	86	20	1	4	3	3	45	TD	10	TD R
28	979,2	2,1	94	18	3	4	10	8	68	TD R	61	TD R SL
29	981,3	1,1	89	03	3	4	6	8	63	TD SL	68	TD SL
30	982,9	- 1,3	91	13	1	4	17	7	76	TD	01	TD S
31	986,9	- 2,0	67	33	2	4	16	8	73	TD S	70	TD S
MI	993,5	- 3,7	78		1,8		4	4,3				

KL. 13

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
994,4	1,3	95	00	0	8	06	T	47	TD T SO
996,1	5,7	96	00	0	4	70	TD SO	02	TD SO
994,5	3,5	65	23	1	5	80	TD SO	02	TD SO
978,4	2,9	63	18	2	7	75	TD	03	TD SO
979,3	5,9	49	18	3	1	75	TD SO	02	TD SO
987,8	5,8	38	28	4	1	87	TD SO	02	TD SO
992,4	2,7	38	19	1	1	85	TD SO	02	TD SO
999,6	- 2,3	69	00	0	2	70	TD SO	03	TD SO
994,0	- 8,5	69	00	0	5	80	TD SO	02	TD SO
983,2	- 7,0	63	04	3	1	80	TD SO	02	TD SO
988,8	- 4,8	56	04	4	2	82	TD SO	03	TD SO
1016,3	-10,0	68	00	0	0	65	TD SO	02	TD SO
1009,3	-11,5	70	05	3	6	80	TD SO	03	TD SO
1015,4	- 6,2	72	05	3	7	70	TD SO	85	TD S SO
993,6	- 7,9	73	02	1	7	40	TD SO	85	TD SO SO
998,1	- 8,7	63	02	2	2	75	TD SO	02	TD SO
975,4	- 6,9	77	01	3	8	60	TD S	71	TD S
983,0	- 9,3	98	00	0	0	60	TD SO	10	TD SO
990,5	-11,2	90	00	0	5	07	T YR IS	56	TD LB YR T
1009,4	- 1,6	50	04	3	1	80	TD SO	02	TD SO
1017,5	- 9,6	99	00	0	8	02	T	47	T
1010,2	- 8,8	89	00	0	8	06	T	47	T
995,3	- 2,7	82	03	4	8	05	T	45	T
1030,8	1,0	95	13	1	8	03	T YR	50	T YR
1037,4	1,1	93	05	1	8	04	T SL	68	T SL R
1038,6	- 0,2	97	23	2	8	04	T	44	T SL
1032,1	2,1	75	18	4	8	50	TD	10	TD YR
982,6	2,3	95	03	2	8	72	TD	02	TD R
978,8	0,4	92	02	3	8	40	TD S	72	TD S SL
986,0	- 2,7	85	35	1	4	65	TD	02	TD SO
987,7	- 2,7	72	02	3	8	65	TD S	70	TD S
994,4	- 2,8	75		1,9	5,1				

KL. 19

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
988,8	0,1	98	21	1	9	03	T	47	T
987,7	6,0	92	22	1	6	70	TD	02	TD
992,8	1,2	78	20	1	1	80	TD	02	TD SO
992,9	4,8	74	18	3	7	75	TD	02	TD
979,7	2,2	70	21	1	0	80	TD	02	TD SO
990,8	1,2	46	29	2	0	87	TD	02	TD SO
995,9	- 2,4	59	00	0	0	82	TD	02	TD
997,9	- 6,5	81	00	0	6	59	TD	02	TD SO
991,8	-10,2	82	00	0	6	60	TD	02	TD SO
984,8	- 6,4	60	03	4	6	75	TD	02	TD SO
992,3	- 8,2	61	04	2	0	82	TD	02	TD
1009,2	-13,0	75	00	0	1	70	TD	02	TD SO
1007,7	- 9,6	80	04	3	7	65	TD	02	TD SO
1003,8	- 7,1	73	03	4	4	75	TD	01	TD SO
988,4	- 7,8	69	04	3	6	60	TD SO	85	TD SO
998,2	- 8,5	67	04	1	8	70	TD	03	TD SO
973,9	- 6,9	76	02	2	8	68	TD	02	TD S
985,7	-13,3	77	06	1	0	70	TD	02	TD SO
994,5	-11,1	86	26	1	6	30	TD YR IS	10	TD T YR IS
1013,4	- 8,0	67	22	1	0	80	TD	02	TD SO
1016,7	- 6,1	95	23	2	8	06	T	47	T
1006,8	- 7,8	95	00	0	8	02	T	47	T
992,3	- 1,2	88	03	3	8	06	T S	77	T S
1004,0	0,8	95	05	1	8	05	T R	61	T YR R
1007,4	0,9	95	00	0	8	04	T SL	68	T SL
1008,0	0,0	97	16	1	8	50	TD	10	TD T
993,0	1,0	72	16	4	8	56	TD	10	TD
983,2	1,9	93	04	2	7	75	TD	02	TD
977,7	0,3	88	00	0	8	42	TD S	72	TD S
986,6	- 1,6	91	05	2	7	68	TD S	70	TD S SO
988,0	- 3,4	72	02	4	8	68	TD S	70	TD S
994,3	- 3,8	79		1,6	5,4				

DØGNET

TN	TX	R	FX	DT
0,0	1,3	0,5	3	1
0,0	6,2	0,2	3	2
3,0	6,0		3	3
0,0	3,7		4	4
2,2	7,7	1,1	5	5
1,1	6,0		4	6
- 2,4	2,7		4	7
- 6,5	- 1,9		2	8
-10,6	5,7		3	9
-10,2	0,3		6	10
- 8,2	- 4,8		5	11
-13,0	- 8,2		2	12
-14,6	- 9,5		3	13
- 9,6	- 6,1	0,0	4	14
- 9,1	- 7,1	0,2	4	15
-10,5	- 7,8	0,2	4	16
- 9,1	- 6,7	0,2	3	17
-13,3	- 6,9	0,6	4	18
-14,0	-10,3		2	19
-11,1	- 1,4	0,2	3	20
-12,9	- 5,6		2	21
- 8,8	- 5,8		2	22
- 7,8	- 1,2	0,5	5	23
- 1,2	1,0	5,6	3	24
0,6	1,1	8,1	2	25
- 0,2	1,0	6,1	2	26
0,0	2,9	0,9	4	27
0,3	3,0	15,4	4	28
0,3	2,0	8,6	3	29
- 2,9	0,3	9,2	3	30
- 3,6	- 1,4	0,0	4	31
- 5,6	- 1,6	57,6		IM

EKSTENSOTABELL

BERGEN - FREDRIKSBERG — JANUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1016,1	-13,4	42	13	2	3	0	0	85	02	1017,6	-10,1	42	16	2	1	60 SO	04 SO	1017,9	-11,4	47	14	1	0	65	04 SO	-13,6	- 9,8		3	1
2	1015,2	-10,9	59	18	2	3	0	0	80	02	1015,1	- 7,7	58	14	2	1	60 SO	04 SO	1015,5	- 7,9	54	14	2	0	60	04 SO	-11,5	- 7,1		3	2
3	1012,8	- 7,3	60	15	2	3	0	0	75	02	1012,2	- 1,2	28	15	4	8	70 TD	03 TD	1009,3	- 0,8	35	15	4	8	80 TD	02 TD	-10,8	- 0,7		5	3
4	1010,9	- 2,5	72	15	5	3	0	9	50 TD S	71 TD S	1011,6	- 0,7	65	14	5	8	70 TD	02 TD S	1012,6	- 0,1	68	15	5	8	75 TD	02 TD	- 2,5	0,3	0,0	6	4
5	1012,9	- 1,3	96	15	5	4	10	3	10 TD S	73 TD S	1013,2	- 0,3	86	15	5	7	70 TD SB	86 TD S	1011,6	- 0,2	99	15	4	8	10 TD SB	86 TD SB	- 1,4	0,1	6,0	6	5
6	1004,1	0,9	92	14	6	4	18	3	50 TD S	72 TD S SB	1004,4	2,8	93	15	4	7	75 TD	02 TD SL S R	1001,6	4,8	86	15	6	8	65 TD R	63 TD RB LB	- 0,3	4,8	10,9	6	6
7	995,1	4,9	75	16	1	2	0	8	70 TD R	62 TD R	990,2	4,8	90	16	3	7	70 TD RB	81 TD RB H	991,8	3,7	63	20	4	7	75 TD RB	80 RB LB H TO	2,6	6,9	32,6	8	7
8	997,8	1,5	88	16	1	4	3	6	75 TD	02 SB H RB TO	995,7	3,1	72	14	5	7	75 TD	27 TD RB H TO	993,5	2,8	79	20	4	8	70 TD RB	81 TD RB H TO	0,7	4,6	27,5	7	8
9	993,0	1,9	80	20	1	4	6	8	70 TD RB	81 TD RB H	992,1	2,4	77	14	4	7	70 TD RB H	88 TD RB H TO	989,0	1,2	86	14	5	8	70 RB H TO	91 LB H RB TO	1,1	3,1	8,7	5	9
10	983,7	0,5	96	14	4	4	9	3	55 TD SB	86 SB H RB TO	932,9	0,6	98	15	4	8	03 TD SB	86 TD SB	980,2	0,1	69	18	1	7	75 TD	01 TD SB	0,0	1,6	17,7	6	10
11	980,1	- 0,5	81	14	1	4	23	1	80	02 TD	933,0	- 0,9	79	00	0	7	50 SO TD	04 SO	986,3	- 1,8	97	14	2	7	80 TD	02 TD SO	- 1,2	0,3	6,8	3	11
12	992,9	- 3,8	76	00	0	4	21	7	75 TD	02 TD	936,9	- 0,7	65	04	1	7	70 SO TD	04 TD SO	997,8	- 1,4	71	16	2	6	70 TD	04 TD SO	- 3,5	- 0,2		2	12
13	999,1	- 2,0	77	01	2	4	20	7	80 TD	02 TD	1001,3	- 0,9	92	14	1	7	65 TD	26 TD SB SO	1002,0	0,2	90	12	3	1	85	02 TD SB SO	- 2,4	0,4		4	13
14	1013,3	- 3,3	89	00	0	4	21	0	85	02	1016,4	- 1,0	70	24	2	0	80 SO	02 SO	1022,0	- 3,8	77	16	1	0	80	02 SO	- 3,8	0,6	2,4	4	14
15	1024,7	- 5,4	83	00	0	4	20	0	75	02	1024,6	- 2,1	56	14	3	7	70 SO HA	04 SO	1023,1	- 0,1	55	14	5	8	75 TD	02 TD SO HA	- 5,9	- 0,1		5	15
16	1020,8	2,1	95	14	6	4	16	8	75 TD R	62 TD SL S R	1018,1	2,0	92	14	5	8	55 TD R	63 TD R	1014,7	3,8	80	15	6	8	60 TD R	63 TD R SL	- 0,1	3,9	2,4	7	16
17	1020,7	5,3	52	12	2	4	7	8	80 TD	02 TD R	1027,4	4,0	63	31	2	7	70 TD	04 TD	1030,0	3,1	77	29	2	8	80 TD	02 TD	3,1	6,0	21,0	6	17
18	1029,2	- 0,5	35	14	1	4	6	0	70 TD	02 TD	1030,6	1,1	75	00	0	1	50 SO TD	04 TD SO	1030,9	1,2	85	00	0	8	60 TD	04 TD SO	- 0,3	4,1		4	18
19	1031,7	- 1,5	75	22	1	4	6	0	80	02 TD	1030,8	0,5	67	00	0	0	50 SO TD	04 TD	1028,6	- 1,6	72	00	0	0	60 TD	04 TD SO	- 1,7	1,6		3	19
20	1026,0	- 4,1	80	00	0	4	6	0	75 TD	04 TD	1025,6	- 1,1	68	00	0	0	50 SO TD	04 TD SO	1024,5	- 1,9	71	00	0	0	70 TD	04 TD SO	- 4,3	- 0,7		2	20
21	1027,5	- 2,7	66	00	0	4	6	0	80	02 TD	1029,7	- 0,1	87	35	2	7	65 TD	04 TD SO	1028,1	- 0,1	90	15	1	8	80 TD	04 TD	- 3,1	0,7		4	21
22	1023,3	- 1,4	79	14	4	4	6	8	70 TD S	70 TD S	1020,9	- 1,2	77	13	2	8	70 TD S	70 TD S	1016,7	- 1,2	79	13	2	8	75 TD	04 TD S	- 1,4	0,2	0,5	4	22
23	1011,0	- 2,3	71	15	2	4	6	8	70 TD	02 TD	1009,3	- 2,0	71	00	0	1	70 SO TD	04 TD SO	1007,1	- 4,2	77	13	2	0	65 TD	04 TD SO	- 4,2	- 1,0	0,0	3	23
24	998,0	- 5,1	75	14	3	4	6	0	85	02 TD	994,6	- 2,2	51	14	2	8	70 TD	04 SO	990,7	- 2,7	80	13	3	8	75 TD	02 TD	- 5,4	- 1,9		4	24
25	986,7	- 1,7	44	10	3	4	6	7	80 TD	02	987,4	- 1,3	92	18	2	1	75 SO TD	02 TD SO	987,1	- 4,2	87	14	2	6	65 TD	04 SO	- 4,2	- 1,5		4	25
26	986,8	- 5,3	66	09	2	4	6	6	75 TD	02 TD	986,4	- 4,3	86	28	2	7	70 SO TD	04 TD SO	984,9	- 6,0	58	15	3	1	80 TD	02 TD SO	- 6,0	- 3,7		4	26
27	984,7	- 6,5	46	12	4	4	6	7	80 TD	02	983,7	- 2,1	55	13	5	8	70 TD	02 TD	984,1	- 2,5	96	15	5	8	00 TD S	75 TD S	- 7,8	- 1,4		6	27
28	987,8	- 1,6	80	12	4	4	15	7	70 TD	02 TD S	992,0	0,1	62	12	1	7	75 TD	02 TD S	994,5	- 0,8	60	11	4	1	80 TD	02 TD SO	- 2,5	0,3	9,0	5	28
29	997,4	- 0,4	50	11	1	4	15	8	75 TD	02 TD	998,2	- 0,2	54	31	1	8	65 TD	04 TD	998,7	- 1,4	67	18	1	8	60 TD	04 TD	- 2,9	- 1,1	0,0	4	29
30	1002,2	- 5,3	74	04	1	4	13	0	70 TD	04 TD	1002,9	- 1,6	63	09	1	0	50 SO TD	04 TD SO	1003,2	- 4,5	68	10	2	0	50 TD	04 TD SO	- 5,7	- 1,1		3	30
31	998,2	- 1,4	32	14	5	4	13	0	80 TD	02 TD	994,8	0,3	24	14	6	8	70 TD	02 TD	991,3	- 0,4	67	12	5	8	65 TD	22 TD S SF	- 6,1	0,8		6	31
MI	1005,9	- 2,3	71		2,6		9	4,4			1006,2	- 0,6	67		2,5	5,4			1005,5	- 1,2	71		2,8	5,3			- 3,1	0,4	145,5		IM

BERGEN - FREDRIKSBERG — FEBRUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	980,7	0,8	79	14	5	4	17	7	50 TD SB	85 TD SB S SF	974,8	0,4	86	13	6	7	50 TD SB	85 TD SB	972,6	1,4	93	22	4	6	58 TD LB	84 TD SB LB	- 0,1	2,3	4,8	6	1
2	981,8	- 0,5	97	32	2	4	18	7	59 TD	26 LB S SB	982,6	0,0	77	09	2	6	58 TD	15 SB TD	981,7	- 1,1	79	11	3	5	62 TD	02 SB TD	- 2,0	1,4	11,7	6	2
3	969,2	- 0,8	74	00	0	4	33	6	61 SB TD	85 SB TD	977,0	- 0,6	57	11	3	7	80 TD	02 SB TD	981,7	- 2,1	76	00	0	3	83 TD	01 TD SB	- 2,4	0,5	7,7	5	3
4	984,3	0,0	98	27	1	4	35	6	53 TD	26 TD SB	986,3	0,2	88	12	1	4	80 SO	02 TD SO SB	986,9	0,1	97	32	1	4	80 TD	26 TD SO H SB	- 4,1	0,8	6,3	5	4
5	990,5	- 0,8	98	11	3	4	36	5	80 SB	85 TD SB	994,4	1,3	88	26	1	4	80 TD SO	26 TD SB LB SO	998,5	0,9	89	34	2	7	85 TD	02 TD SO SO	- 1,3	1,7	4,3	4	5
6	1004,7	- 0,4	88	12	3	4	33	6	85	02 TD SB	1006,5	1,2	71	13	5	6	85	02 TD	1005,5	0,8	78	14	5	5	85	02 TD SO SB	- 0,9	1,3	3,5	6	6
7	995,2	0,9	90	14	5	4	30	8	28 TD S	73 TD S	999,2	0,6	98	15	2	8	55 TD S	73 TD S	989,1	- 1,8	75	33	2	5	80 TD	02 TD S	- 1,8	1,3	0,8	6	7
8	996,7	- 2,3	71	32	2	4	35	0	80 TD	02 TD	999,2	- 1,2	85	00	0	4	60 TD SO	04 TD SO SB	998,4	- 0,3	79	31	2	8	70 TD S	70 TD SO S	- 2,3	0,3	19,2	3	8
9	997,2	- 3,2	80	31	1	4	40	0	80 TD	02 TD S SB	999,0	- 1,8	80	11	2	7	70 TD	02 TD SB SO	999,9	- 0,7	86	35	1	7	75 TD	02 TD SB SO	- 3,2	0,6	3,9	4	9
10	1001,4	- 1,9	93	34	2	4	41	7	75 TD	02 TD SB	1002,1	1,3	80	18	2	7	65 TD SO	04 TD SB SO	1002,7	- 0,7	86	28	2	7	70 TD	02 TD SO SB	- 2,5	1,8	2,7	3	10
11	1003,8	- 1,1	54	36	2	4	40	1	80	02 TD	1004,2	0,7	49	13	2	0	80 SO	02 SO	1005,2	- 3,5	74	00	0	0	80	02 SO	- 3,5	0,8	0,4	3	11
12	1003,3	- 5,7	88	00	0	4	40	1	80	02	1001,3	- 0,6	54	20	2	0	85 SO	02	997,6	- 3,4	56	19	2	0	85	02 SO	- 5,7	- 0,1		4	12
13	998,2	- 6,3	82	00	0	4	40	0	80	02	1001,2	0,5	38	06	4	4	80 SO	03 SO	1005,2	- 2,7	21	03	4	0	80	02 SO	- 6,4	- 0,6		5	13
14	1012,9	- 9,6	38	09	2	4	35	0	80	02	1015,5	- 7,4	28	02	5	0	80 SO	02 SO	1018,0	- 8,2	27	29	3	0	80	02 SO	- 9,9	- 2,7		5	14
15	1023,2	- 5,0	40	21	3	4	34	0	80	02	1027,1	- 0,4	46	23	2	0	80 SO	02 SO	1029,8	- 2,2	52	00	0	0	85	02 SO	- 8,3	0,2		4	15
16	1033,2	- 6,2	76	00	0	4	33	0	85	02	1035,1	- 0,3	55	20	1	0	70 SO	04 SO	1033,3	- 2,9	63	22	1	0	85	02 SO	- 6,8	0,2		2	16
17	1032,3	- 5,6	61	14	1	4	31	0	85	02	1031,5	0,9	39	12	2	1	75 SO	04 SO	1028,4	- 1,4	45	15	1	1	75	04 SO	- 6,3	2,4		2	17
18	1022,6	0,7	36	19	2	4	29	1	85	02	1021,4	5,7	25	06	4	1	89 SO	02 SO	1021,6	1,6	62	17	2	7	80	02 SO	- 4,3	5,7		5	18
19	1023,3	- 0,2	86	13	1	4	27	8	75 TD	02 TD	1025,4	0,7	80	27	1	8	70 TD	04 TD	1026,7	0,7	56	00	0	8	70 TD	02 TD	- 0,4	1,8		2	19
20	1028,7	0,8	56	13	3	4	27	8	80 TD	02 TD	1029,9	2,7	58	13	4	8	75 TD	02 TD	1029,1	2,9	59	14	3	7	75 TD	02 TD	0,0	3,1		4	20
21	1027,1	0,8	76	12	3	4	27	5	70 TD	02 TD	1026,4	0,7	76	18	3	7	70 TD	02 TD	1023,2	- 0,1	88	13	2	0	70 TD	04 TD SO	- 0,1	3,5		4	21
22	1019,5	- 0,5	80	12	3	4	26	8	70 TD	02 TD	1018,0	0,4	69	13	3	7	65 TD	04 TD	1015,9	0,4	63	13	2	8	70 TD	02 TD	- 0,9	0,8		4	22
23	1016,3	- 0,4	82	12	2	4	25	8	65 TD	02 TD S	1020,5	1,6	71	13	3	6	45 TD SO	10 TD SO	1024,8	0,9	98	30	2	7	60 TD	10 TD SB LB	- 0,9	2,4	0,7	3	23
24	1032,6	- 0,4	77	27	2	4	25	1	70 TD	02 TD SB	1034,6	2,0	63	15	1	7	70 TD SO	02 TD SO	1034,3	1,6	66	00	0	7	70 TD	02 TD SO	- 1,4	3,2	0,5	4	24
25	1031,3	2,4	57	13	4	4	25	2	80 TD	02 TD	1029,2	3,2	98	12	5	8	75 TD	02 TD	1025,3	3,5	61	13	5	7	70 TD	02 TD	0,4	3,6		5	25
26	1013,2	3,7	93	15	5	4	20	8	50 TD R	63 TD R	1011,0	4,8	82	20	3	8	70 TD	02 TD R	1009,0	3,7	74	13	2	7	70 TD	02 TD	2,2	5,1	3,7	6	26
27	1005,4	1,9	89	11	2	4	20	8	75 TD	02 TD RB	1001,1	3,5	71	14	4	8	75 TD	25 TD SO RB	993,6	3,4	92	14	5	8	60 TD R	63 TD R	1,7	4,5	11,1	6	27
28	989,7	0,7	98	12	4	4	11	8	40 TD S	73 TD R SL S	989,5	1,3	96	13	3	8	50 TD SL	69 TD S SL	990,1	1,5	93	13	3	8	50 TD SB	86 TD SL LB SB	0,7	4,2	61,3	7	28
MI	1007,8	- 1,4	78		2,3		30	4,3			1008,4	0,8	87		2,8	5,0			1008,1	- 0,3	71		2,1	4,7			- 2,3	1,8	142,6		IM

EKSTENSOTABELL

BERGEN - FREDRIKSBERG — MARS 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	NN VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	NN VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	NN VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	989,6	1,6	79	14	5	4	10	3	53 TD SL	69 TD SB S SL	992,0	1,0	92	15	5	8	45 TD SL	69 TD SL	994,1	1,5	80	15	5	7	65 TD	10 TD SL	0,7	3,3	16,5	6	1
2	983,1	1,3	93	15	7	4	8	3	43 TD SL	69 TD SL	987,7	5,5	90	17	4	7	60 TD	10 TD SL	989,6	6,0	82	14	6	8	65 TD R	63 TD SL R	1,2	6,2	4,4	8	2
3	986,1	6,1	96	15	4	3	0	3	53 TD R	62 TD R	989,7	5,6	67	20	4	7	70 TD RB	81 TD R RB	993,8	4,3	59	20	5	7	75 TD	02 TD RB	3,7	6,7	35,7	6	3
4	991,4	4,3	61	19	6	2	0	7	70 TD	02 TD RB	993,3	3,2	67	20	5	7	70 TD LB	84 TD LB TD SF	996,7	3,7	71	21	5	7	70 TD LB	84 TD LB SF TD	2,7	4,8	7,9	6	4
5	997,5	4,5	76	19	5	1	0	7	70 TD RB	80 TD RB H	996,5	4,6	88	19	6	8	65 TD R	62 TD RB R	995,5	5,3	86	18	5	8	70 TD R	63 TD R	2,6	5,6	3,3	6	5
6	996,4	5,5	85	15	6	1	0	8	70 TD RB	61 TD R RB	995,5	5,4	75	16	7	8	70 TD	25 TD RB	992,6	4,9	68	16	8	8	70 TD	02 TD	4,8	6,4	4,1	8	6
7	985,4	4,1	45	19	5	0	0	8	63 TD	02 TD R RB	983,7	4,1	53	12	3	8	60 TD LB	83 TD	985,2	1,8	92	14	3	8	60 TD	25 TD LB	1,8	5,7	0,0	8	7
8	999,2	1,2	79	14	2	0	0	5	83 TD	02 TD RB RI	997,8	3,1	61	15	6	7	80 TD	02 TD	992,1	3,3	83	16	6	8	65 TD R	63 TD R	1,2	3,9	1,6	6	8
9	971,9	3,5	86	16	7	0	0	8	63 TD R	63 TD R	970,3	1,8	95	15	5	8	40 TD SL	69 TD R SL	972,1	1,3	93	13	4	8	70 TD LB	83 TD SL LB	0,9	4,2	12,8	7	9
10	980,5	0,2	90	13	1	4	8	7	73 TD	02 TD SB LB	938,4	1,8	61	31	4	8	75 TD	02 TD SB	992,5	1,0	67	31	1	1	75 TD	02 TD SO	0,2	2,9	37,5	5	10
11	991,8	1,7	57	14	1	4	11	7	80 TD	02 TD SB	937,4	3,9	43	13	5	7	80 TD	02 TD SO	981,5	2,3	66	15	5	8	50 TD S	73 TD S SO	0,6	4,2	3,6	6	11
12	981,6	1,7	77	14	1	4	14	7	80 TD	26 TD SB LB	982,1	5,7	39	08	3	2	89 SO	02 TD SO	984,2	3,0	37	14	2	1	85	02 SO	0,8	6,1	3,3	5	12
13	995,0 -	2,1	69	09	1	4	10	1	83 TD	02 TD	999,0	4,7	41	16	4	7	80 TD SO	02 TD SO	1001,3	2,5	65	15	4	7	75 TD	02 TD SO	- 2,3	5,1		4	13
14	1005,4	0,7	67	17	2	4	8	7	73 TD SB	65 TD	1008,8	0,9	72	27	2	7	70 TD SO	01 TD SB	1008,9	0,4	71	29	1	1	70 TD	02 TD SO	- 0,2	2,6	0,0	4	14
15	1010,8 -	3,6	80	00	0	4	10	6	73 TD	02 TD SB	1011,6	2,2	47	32	2	3	70 TD SO	02 TD	1010,1	0,7	43	31	1	1	75 TD	02 TD SO	- 3,8	2,7	2,2	2	15
16	1008,2 -	4,7	71	00	0	4	8	1	75 TD	02 TD	1007,1	1,6	46	27	2	0	80 SO	02 TD SO	1005,5	1,0	86	02	4	0	80	02 SO	- 5,1	3,8		4	16
17	1005,9 -	3,4	35	06	3	4	6	3	83	02	1008,3 -	1,7	30	06	4	0	89 SO	02 SO	1008,0 -	2,5	27	05	4	0	89 SO	02 SO	- 3,9	1,0		6	17
18	1007,9 -	7,0	32	06	2	3	0	1	83	02 SO	1006,1 -	2,7	55	15	3	7	65 TD SB	85 TD SB SO	1003,5 -	3,6	76	14	4	2	75 TD SO	01 TD SB SO	- 7,3 -	1,8		4	18
19	997,1 -	3,7	80	06	3	3	0	7	73 TD	26 TD SB SO	993,7 -	0,6	89	14	4	8	70 TD	26 TD SB S	991,5	2,1	70	18	4	8	65 TD LB	84 TD SL S LB	- 4,6	2,2	0,0	5	19
20	986,0	0,2	92	18	5	4	5	8	53 TD S	72 TD LB SL S	986,3	1,7	79	15	6	8	40 TD SL	69 TD S SL	986,7	1,7	92	14	6	8	30 TD SL	69 TD S SL	- 0,9	2,7	7,5	6	20
21	986,4	0,8	86	14	1	4	5	8	50 TD S	73 TD S SL R	986,4	3,9	65	14	4	7	70 TD	23 TD S SL	985,5	3,1	75	15	4	8	70 TD R	60 TD SL R	0,6	4,4	5,1	6	21
22	982,7	2,8	58	23	2	3	0	3	73 TD	02 TD R	981,1	4,9	34	06	5	8	75 TD	02 TD SO	981,9	1,9	77	14	3	8	02 TD SO	86 TD SO	1,9	5,4	1,0	5	22
23	986,6	0,6	99	14	3	4	2	8	30 SB LB	84 LB SB SL	981,2	1,5	97	10	2	8	70 TD	26 TD SB LB	985,7	2,0	89	18	2	8	70 TD RB	80 TD SB RB	0,5	3,4	6,4	5	23
24	1005,5	0,5	86	13	3	4	1	8	73 TD	26 TD SB RB	1007,9	2,8	82	13	3	8	75 TD	02 TD SB RB	1006,3	3,5	89	15	3	8	75 TD	02 TD SO	0,2	4,2	4,9	5	24
25	996,6	2,3	45	16	3	3	0	8	73 TD	02 TD	985,5	2,6	67	13	4	8	75 TD LB	84 TD SB LB	977,5	4,5	72	13	5	8	75 TD	02 TD LB RB	2,2	4,6	0,1	6	25
26	975,6	5,5	97	15	1	1	0	8	53 TD R	63 TD R	978,7	5,4	97	14	2	8	60 TD R	63 TD R	974,3	5,7	71	14	5	7	70 TD	01 TD R	4,3	7,9	18,0	6	26
27	970,2	3,1	86	02	2	1	0	8	73 TD RB	80 TD RB	972,8	6,0	54	15	4	7	70 TD	02 TD RB SO	973,9	5,3	56	14	4	8	70 TD RB	80 TD	3,0	6,7	12,6	6	27
28	984,2	2,8	80	17	2	1	0	7	73 TD	02 TD RB	988,9	9,1	37	04	3	7	80 TD SO	01 TD SO	991,6	8,4	46	04	4	7	70 TD RB	80 TD SO	2,7	10,7	2,1	5	28
29	999,1	4,8	79	25	1	0	0	7	73 TD	02 TD RB	1003,7	11,1	40	02	4	1	70 TD SO	02 TD SO	1005,8	9,8	37	04	2	1	75 TD SO	02 TD SO	4,6	11,8	0,1	4	29
30	1006,1	1,8	73	00	0	0	0	7	73 TD	02 TD SO	1004,3	6,8	57	34	1	7	70 TD	02 TD	1003,6	5,5	70	28	1	7	70 TD	02 TD	1,7	9,8		4	30
31	1001,9	1,7	98	15	1	0	0	8	03 T	42 TD T NL	1001,4	6,6	57	18	4	6	75 TD SO	02 TD T SO	1001,7	4,4	56	17	1	8	75 TD	02 TD SO	1,4	7,2		4	31
MI	992,4	1,3	77		3,3		3	6,6			993,0	3,6	64		3,9	6,5			993,0	3,1	67		3,9	5,9			0,5	5,0	191,0		MI

BERGEN - FREDRIKSBERG — APRIL 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	NN VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	NN VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	NN VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1000,7	3,6	70	12	3	0	0	3	73 TD R	60 TD R	1000,3	5,3	67	14	3	8	70 TD	02 TD R	998,4	5,4	72	27	2	7	70 TD	02 TD	3,2	7,7	0,0	5	1
2	995,4	2,8	93	00	3	0	0	8	63 TD R	60 TD R	995,6	5,8	69	36	2	7	60 TD	10 TD R	995,8	5,1	75	28	2	6	73 TD SO	02 TD SO	2,7	7,4	0,0	4	2
3	997,5	5,1	42	03	4	0	0	8	83	02 TD SO	997,8	8,6	35	36	3	7	89 SO	02 SO	999,3	6,7	36	04	1	2	80 TD SO	02 TD SO	3,1	9,3	0,1	5	3
4	996,9	6,5	40	06	1	0	0	7	80 TD	02 TD SO	998,7	8,3	35	08	5	7	75 TD SO	02 TD SO	1004,8	7,6	35	15	4	7	75 TD SO	02 TD SO	3,7	9,8		7	4
5	1009,8	0,6	83	00	3	0	0	7	73 TD	01 TD SO RI	1010,4	10,7	34	08	3	1	75 TD SO	02 TD SO	1011,3	8,6	34	07	3	7	70 TD	02 TD SO	0,3	11,1		5	5
6	1012,4	6,5	43	08	1	0	0	7	73 TD	02 TD	1014,6	7,4	30	27	4	7	70 TD	02 TD	1015,6	6,4	62	28	3	8	70 TD	02 TD	4,8	8,6		4	6
7	1019,4	3,6	72	02	2	0	0	3	70 TD	02 TD	1020,3	7,5	39	28	2	2	75 TD SO	02 TD SO	1020,4	7,9	33	27	2	7	70 TD SO	02 TD SO	3,6	9,2		3	7
8	1022,1	1,1	75	00	0	0	0	3	70 TD	02 TD SO RI	1022,0	6,9	47	29	2	7	70 TD SO	02 TD SO	1020,7	5,2	54	29	2	7	70 TD SO	02 TD SO	0,8	8,2		4	8
9	1017,8	2,0	68	00	0	0	0	7	70 TD	02 TD SO	1016,0	6,7	37	27	3	7	70 TD SO	03 TD SO	1013,1	6,5	37	28	3	7	70 TD	02 TD SO	2,0	7,7		4	9
10	1009,6	4,7	62	05	3	0	0	8	73 TD R	60 TD R	1007,2	4,7	90	22	2	8	60 TD R	63 TD R	1004,6	8,7	74	00	0	8	65 TD R	60 TD R	3,7	6,7	0,1	3	10
11	1004,3	5,4	72	09	2	0	0	1	70 TD	02 TD R	1004,4	15,8	19	16	4	7	70 TD	01 TD SO	1004,8	15,3	14	15	2	1	80 TD SO	02 TD SO	5,1	16,7	3,6	6	11
12	1006,7	8,7	30	11	2	0	0	3	83	02 TD SO	1005,3	16,2	21	22	2	2	85 SO	02 SO	1005,8	10,4	48	31	2	2	80 TD SO	02 TD SO	5,6	17,1		4	12
13	1003,2	6,1	83	16	2	0	0	7	60 TD	10 TD SO RB	1003,2	7,7	77	15	3	8	65 TD R	62 TD R	1003,9	5,7	93	18	4	7	40 TD	10 TD R	5,7	10,4	0,1	4	13
14	1006,9	5,4	96	18	3	0	0	3	60 TD R	62 TD R	1011,0	6,0	96	12	2	8	40 TD R	60 TD R	1013,5	6,2	97	28	2	8	25 TD	10 TD R	5,2	6,7	4,4	5	14
15	1018,4	3,1	98	18	2	0	0	3	50 TD	10 TD R	1020,0	5,6	71	18	3	8	70 TD	02 TD	1019,7	5,3	52	18	2	8	73 TD	02 TD SO	3,1	6,9	2,9	4	15
16	1018,8	2,7	90	06	2	0	0	7	70 TD	02 TD R	1021,0	6,6	72	34	1	8	70 TD	02 TD R SO	1020,1	4,6	57	30	2	7	80 TD SO	02 TD SO R	2,7	8,7	0,2	3	16
17	1020,5	0,7	75	06	2	0	0	0	83	02 TD SO RI	1021,7	8,7	45	30	2	2	80 SO	02 SO	1022,3	7,7	44	25	2	7	75 TD SO	02 TD SO	0,6	9,1	0,5	4	17
18	1023,3	2,6	71	14	3	0	0	3	75 TD	02 TD SO	1022,9	7,6	51	18	4	7	75 TD SO	02 TD SO	1021,5	5,4	52	18	3	8	73 TD	02 TD SO	2,2	8,7		4	18
19	1016,5	4,1	62	13	4	0	0	3	75 TD	02 TD	1012,4	6,0	67	14	5	7	70 TD SO	02 TD R	1008,7	6,2	86	15	4	8	50 TD R	63 TD R SO	3,9	7,2		6	19
20	1004,6	6,1	93	14	1	0	0	8	73 TD	21 TD R	1005,5	6,3	95	17	4	8	60 TD R	61 TD R	1004,8	6,6	92	17	4	8	60 TD R	62 TD R	5,6	7,3	13,1	6	20
21	999,0	5,4	83	13	4	0	0	7	75 TD	02 TD R	994,8	5,7	76	18	4	8	70 TD R	63 TD R	995,0	5,8	76	16	4	7	75 TD	02 TD R	4,9	6,8	2,0	6	21
22	992,5	3,4	82	14	1	0	0	7	73 TD R	62 TD R	991,7	6,1	66	14	4	7	75 TD SO	02 TD R RB SO	989,9	4,7	85	15	3	8	65 TD R	63 TD SO R	3,2	6,7	10,7	5	22
23	987,2	5,3	63	13	3	0	0	7	80 TD	02 TD R	987,1	9,7	35	10	3	7	80 TD	02 TD R	986,9	9,1	35	10	2	7	80 TD	02 TD	4,0	9,8	15,5	5	23
24	988,3	6,6	55	11	2	0	0	7	75 TD	02 TD	991,4	8,3	59	27	2	7	70 TD SO	RB 80 TD	993,0	10,1	45	00	0	7	70 TD SO	02 TD SO RB	5,2	11,6	0,0	4	24
25	993,4	4,2	68	23	1	0	0	1	85 SO	02 SO TD	992,8	11,0	41	31	2	7	80 TD	02 TD SO	994,9	8,9	54	22	2	7	75 TD	02 TD RB	3,7	11,2	0,0	4	25
26	1000,8	5,4	93	28	2	0	0	3	70 TD	02 TD R	1004,1	6,7	85	36	2	8	70 TD	02 TD R	1007,1	7,9	66	33	4	4	70 TD	02 TD R SO	5,1	9,1	1,2	4	26
27	1012,7	4,4	77	34	3	0	0	1	70 TD SO	02 TD	1012,7	9,6	56	29	3	7	70 TD SO	02 TD SO	1010,1	8,4	65	27	2	7	75 TD	02 TD SO MA	4,1	10,7	1,1	5	27
28	1005,1	4,7	75	15	2	0	0	8	70 TD R	60 TD R	1004,6	5,2	85	13	3	8	70 TD	02 TD R	1001,4	5,7	98	17	2	8	15 TD R YR	59 TD R YR	3,6	8,6	1,5	4	28
29	988,9	5,1	97	17	4	0	0	8	73 TD R	62 TD R YR	984,1	4,0	89	27	3	8	65 TD R	63 TD R	978,4	3,9	77	18	3	8	70 TD RB	80 TD R	2,6	6,2	13,8	6	29
30	975,7 -	0,2	92	38	3	4	8	1	73 TD SO	02 TD R SL S	978,9	5,8	62	31	4	7	80 TD SO	02 TD SO SB LB	981,3	3,8	75	29	4	7	70 TD	02 TD SO LB RB -	0,4	6,1	17,4	5	30
MI	1004,9	4,2	73		2,5		0	6,2			1005,1	7,7	59		3,0	6,7			1004,9	6,9	61		2,7	6,7			3,5	8,9	88,2		MI

EKSTENSOTABELL

BERGEN - FREDRIKSBERG — MAI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	985,3	1,7	90	34	4	1	0	8	60	TD LB	84	TD LB	987,0	3,6	56	27	3	7	80	TD	26	TD RB LB	985,8	4,1	45	15	5	7	75	TD	02	TD SO	1,4	5,4	7,4	5	1
2	987,0	0,9	98	13	4	3	0	7	50	TD LB	84	TD LB	989,9	5,2	56	18	5	7	75	TD SO	02	TD LB SO	991,5	5,3	46	35	4	5	80	TD SO	02	TD SO	0,9	6,8	4,6	6	2
3	990,3	2,4	77	17	2	0	0	7	70	TD	02	TD SO D	991,7	5,6	57	25	4	6	85	TD SO	02	TD LB SO	994,0	4,3	56	20	4	7	80	TD	02	TD SO LB	2,0	6,1	6,0	4	3
4	998,6	1,1	96	13	2	3	0	8	70	TD LB	84	TD LB	1000,7	4,6	52	15	5	8	75	TD SO	02	TD LB	1002,3	2,2	95	14	4	7	60	TD LB	84	TD LB RB	1,1	4,8	2,6	6	4
5	1004,0	1,3	96	15	4	3	0	8	20	TD LB	84	TD LB	1006,2	4,9	74	14	4	7	75	TD	02	TD LB	1007,6	5,3	69	12	4	7	70	TD LB	81	TD SO	3,7	6,7	23,7	5	5
6	1011,2	3,4	85	13	2			7	70	TD RB	80	TD LB	1012,5	4,7	79	19	2	7	70	TD RB	81	TD RB LB	1013,0	4,2	77	36	2	8	70	TD RB	80	TD RB	2,8	5,6	3,5	4	6
7	1013,0	1,8	89	28	2			8	70	TD SO	02	TD RB	1012,7	7,9	42	31	2	6	80	TD SO	02	TD SO	1011,7	6,6	46	34	2	4	80	SO	02	TD SO LB	1,2	8,6	2,7	3	7
8	1011,1	1,9	70	15	2			3	80	SO	02	SO RI D	1011,7	9,4	32	31	2	1	89	SO	02	SO	1012,4	8,6	37	29	2	1	85	SO	02	SO	1,0	10,3	0,0	4	8
9	1015,4	2,2	82	14	1			3	80	SO	02	SO RI	1015,8	9,1	42	26	4	1	89	SO	02	SO	1016,3	8,1	48	29	3	1	85	SO	02	SO	1,2	9,6		4	9
10	1019,2	3,4	95	29	4			7	80	TD	02	TD SO	1020,4	6,3	49	34	4	6	80	TD SO	02	TD SO RB	1020,3	7,3	45	30	3	1	85	SO	02	TD SO	3,0	8,3		4	10
11	1016,8	2,7	75	00	0			6	75	TD SO	04	TD SO RI	1015,7	10,8	31	19	3	6	80	TD SO	02	TD SO	1016,4	7,4	51	18	4	8	75	TD	02	TD SO	1,4	11,7	0,1	4	11
12	1016,4	5,4	93	13	3			8	53	TD R	63	TD R	1018,1	6,5	92	14	4	8	40	TD R	63	TD R	1019,2	6,7	97	18	3	8	20	TD R	YR	59 TD R YR	5,2	7,4	4,3	5	12
13	1018,0	8,2	86	14	4			3	70	TD R	62	TD R YR	1017,6	8,8	92	14	4	9	40	TD YR	53	TD R YR	1015,1	11,1	86	15	5	8	40	TD	10	TD R YR	6,6	11,2	2,2	6	13
14	1012,9	8,4	93	17	3			3	53	TD	21	TD R YR	1013,7	7,7	95	18	5	8	58	TD R	63	TD R	1011,5	8,8	95	17	5	8	59	TD R	63	TD R	7,7	11,6	9,0	7	14
15	1008,5	7,9	86	15	1			8	70	TD R	62	TD R	1009,0	9,1	82	13	3	7	75	TD RB	80	TD R RB	1007,9	9,1	69	22	3	7	75	TD	02	TD RB SO	7,7	10,6	21,8	5	15
16	1004,3	7,1	99	12	3			6	73	TD SO HA	02	TD SO D	1001,5	10,8	45	11	3	8	70	TD R	61	TD SO HA	922,7	8,2	93	25	2	8	65	TD	10	TD RB TD	5,3	11,2	3,5	3	16
17	986,9	11,0	92	22	3			8	40	TD R	63	TD R	989,4	7,8	92	14	5	8	50	TD	10	TD T R	991,8	8,4	82	14	5	8	70	TD RB	81	TD R RB	7,7	11,2	12,4	6	17
18	993,6	6,3	88	16	4			3	73	TD RB	80	TD R RB	997,5	6,4	93	36	1	8	65	TD RB	80	TD RB	999,7	6,8	82	26	1	3	70	TD RB	80	TD RB	6,2	8,8	35,6	6	18
19	1002,4	4,8	79	14	4			7	70	TD RB	81	TD RB	1003,3	4,1	88	11	4	8	70	TD RB	81	TD RB	1008,4	5,4	58	27	5	7	75	TD SO	02	TD SO RB	1,1	7,2	5,0	5	19
20	1015,8	4,5	94	13	1			7	80	TD SO	02	TD RB D H	1016,1	10,1	28	15	4	6	80	TD SO	02	TD SO	1012,0	13,4	15	15	3	7	89	SO	02	30 TD	3,1	13,4	5,6	5	20
21	999,8	13,4	97	15	3			8	70	TD R	61	TD R SO	996,4	17,2	45	13	4	7	70	TD	02	TD R RB TO	1003,3	10,7	62	16	7	7	60	TD	10	TD	8,8	18,1	0,9	8	21
22	1003,9	11,6	55	13	2			7	73	TD SO	02	TD SO D	1003,0	11,9	42	18	4	8	65	TD RB	81	TD RB SO	1005,7	10,2	76	18	4	7	65	TD	10	TD RB SO	9,7	12,3	2,5	7	22
23	1005,3	10,5	55	14	3			7	73	TD SO	02	TD RB SO D	1004,1	14,1	41	16	4	7	70	TD	02	TD SO	1001,1	12,3	58	11	4	8	70	TD R	61	TD R	7,2	16,3	5,1	4	23
24	999,3	10,9	65	14	4			8	73	TD	02	TD RB	1001,9	13,2	49	16	4	7	75	TD SO	02	TD SO	1003,1	11,9	52	15	3	7	75	TD SO	02	TD SO	10,0	14,3	3,4	6	24
25	994,9	7,9	85	13	2			8	63	TD R	62	TD SO D	996,9	7,6	90	23	2	8	65	TD R	62	TD R	1000,1	7,7	88	17	3	3	60	TD R	63	TD R	7,6	12,1	0,1	4	25
26	1002,0	7,1	76	14	3			3	40	TD	10	TD R	1003,8	11,0	67	18	3	7	60	TD SO	10	TD RB SO	1004,5	9,8	71	13	4	7	70	TD	25	TD RB	6,2	12,6	9,4	4	26
27	992,6	9,8	92	08	2			8	70	TD R	63	TD R RB	994,3	13,4	51	16	5	7	70	TD SO	02	TD R RB	998,9	9,5	63	16	7	3	70	TD	10	TD SO	8,6	13,4	8,3	8	27
28	1004,9	8,3	79	15	4			3	70	TD	02	TD R	1006,4	12,5	53	19	5	6	70	TD SO	10	TD SO	1006,3	11,2	68	18	4	7	65	TD SO	10	TD SO	7,7	13,8	1,0	7	28
29	998,1	10,7	79	16	5			3	63	TD R	63	TD R SO	1002,6	10,4	76	14	5	8	70	TD	10	TD R	1005,8	11,7	66	15	4	7	75	TD SO	02	TD SO	9,3	11,7	3,6	7	29
30	1009,3	11,0	74	14	4			3	73	TD SO	02	TD SO D	1012,3	14,8	60	19	4	7	70	TD SO	10	TD SO RB	1016,0	15,3	51	19	4	6	80	TD SO	02	TD SO	9,7	15,6	8,0	5	30
31	1017,0	10,5	76	22	2			7	63	TD SO	04	TD SO D	1014,5	18,7	40	27	2	8	70	TD	04	TD SO	1014,7	17,7	55	24	2	7	65	TD	01	TD RB	8,6	18,8	0,0	4	31
MI	1004,4	6,4	79		3,2		0	6,9					1005,4	9,3	61		3,6	6,8					1006,1	8,7	65		3,7	6,6					9,2	10,8	196,4		1M

BERGEN - FREDRIKSBERG — JUNI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1016,7	13,5	79	34	1			3	50	TD	10	RB D TD	1019,8	10,4	93	03	2	8	25	TD RB	81	TD RB	1026,3	9,5	96	36	2	3	60	TD	25	TD RB R TO	9,2	21,8	1,9	4	1
2	1031,1	8,7	82	31	3			1	70	TD SO	02	TD T D RB	1031,5	16,5	43	31	4	6	89	SO	02	TD SO	1029,3	16,6	47	31	4	7	85	SO HA	02	SO HA	7,1	17,8	17,7	4	2
3	1029,2	14,1	47	21	1			3	80	TD	02	TD SO D	1030,4	15,7	58	13	3	8	65	TD R	63	TD R	1027,5	14,5	77	23	3	7	75	TD	02	TD R	12,3	18,4		4	3
4	1025,4	13,2	76	28	1			3	70	TD SO	02	TD RB D SO	1022,5	21,3	48	27	1	0	70	TD SO	10	TD SO	1018,3	24,5	39	33	3	0	70	TD SO	10	TD SO	12,2	25,2	5,5	4	4
5	1015,5	15,2	77	05	2			0	70	TD SO	10	TD SO D	1013,4	23,6	47	36	2	1	70	TD SO	10	TD SO	1014,2	19,5	38	18	2	7	75	TD	03	TD SO	14,5	25,5		4	5
6	1012,2	14,3	74	27	1			3	75	TD	02	TD	1012,4	21,5	48	34	2	4	70	TD SO	02	TD SO	1012,2	19,2	60	30	2	6	75	TD SO	02	TD SO	14,3	23,2		3	6
7	1010,8	15,4	76	16	2			7	70	TD D	03	TD D	1011,3	16,9	69	19	3	7	65	TD	02	TD	1010,6	14,9	83	14	1	8	45	TD	02	TD	13,8	19,2		3	7
8	1006,9	11,1	36	16	2			8	40	TD R	61	TD R	1005,8	10,9	93	13	3	8	50	TD R	61	TD R	1003,4	10,7	92	15	3	8	56	TD R	61	TD R	10,5	15,2	1,3	3	8
9	1001,0	8,7	82	36	1			4	75	TD	01	TD R	1003,1	13,4	55	33	4	1	80	SO	02	TD SO	1006,2	11,6	58	31	4	3	85	SO	02	SO TD	8,6	13,8	4,0	4	9
10	1012,7	7,8	75	31	2			3	70	TD	02	TD SO D	1014,5	13,7	52	31	2	3	80	TD SO	02	TD SO	1014,9	12,8	49	27	3	5	83	SO	03	SO TD	6,5	13,7		4	10
11	1015,6	9,6	82	34	2			1	70	TD SO	02	TD SO D	1015,7	13,2	60	31	3	7	60	TD	02	TD SO	1015,0	12,9	63	30	3	5	60	TD SO	03	TD SO	7,9	15,2		3	11
12	1013,0	10,0	79	34	3			3	60	TD	02	TD	1011,1	13,9	62	29	3	2	60	TD SO	01	TD	1007,8	13,9	63	23	3	2	70	TD SO	02	TD SO	9,7	16,0		3	12
13	1003,2	8,7	93	09	2			8	50	TD	02	TD SO D	1001,4	12,2	74	26	2	6	45	TD SO	01	TD	998,6	13,9	63	24	4	2	70	TD SO	02	TD SO	7,9	15,0		4	13
14	993,0	9,5	92	18	3			3	40	TD	02	TD	990,1	12,0	63	14	4	8	65	TD	02	TD	989,4	10,8	86	21	4	8	50	TD R	61	TD R	9,3	13,9		4	14
15	992,4	12,4	77	33	2			4	60	TD SO	02	TD R	993,9	18,9	50	20	2	7	70	TD SO	02	TD SO	998,0	17,5	58	36	1	7	70	TD SO	02	TD SO	10,3	20,1	3,3	4	15
16	1006,8	9,7	92	22	2			3	63	TD YR	50	TD SO R YR	1010,2	10,1	88	20	3	8	70	TD	25	TD R YR RB	1011,7	10,1	96	17	4	8	55	TD R YR	58	TD R YR	9,7	17,6	0,1	4	16
17	1016,2	9,3	79	23	2			7	75	TD	02	TD R YR	1017,5	11,3	71	24	3	8	75	TD	02	TD RB	1018,0	11,0	86	28	2	8	65	TD R	60	TD R	8,7	11,4	2,4	4	17
18	1019,0	10,8	97	25	3			3	40	TD R	63	TD R	1020,6	11,1	93	22	2	8	45	TD R	62	TD R	1021,0	11,3	92	22	2	8	65	TD	10	TD R	10,3	11,7	9,7	4	18
19	1020,6	11,0	95	27	2			3	50	TD YR	52	TD R YR	1021,0	13,2	86	00	0	8	70	TD	10	TD YR	1020,0	14,3	77	33	2	7	80	TD	02	TD	10,7	14,6	4,5	2	19
20	1017,0	11,3	96	28	2			3	40	TD	10	TD YR D	1014,9	19,7	61	31	2	5	75	TD SO	02	TD SO	1013,7	17,8	58	30	1	7	75	TD SO	02	TD SO	10,7	21,2	0,2	2	20
21	1010,3	12,0	90	12	3			7	63	TD	10	TD SO D	1007,2	17,8	62	19	4	1	75	TD SO	02	TD SO	1004,4	13,8	77	15	2	7	70	TD SO	01	TD SO	10,7	18,1		4	21
22	1002,3	13,7	86	17	3			8	53	TD R	62	TD SO	1006,0	13,2	72	15	4	7	70	TD	10	TD R	1007,3	14,7	67	18	4	7	75	TD SO	02	TD SO	12,6	18,0	0,0	6	22
23	1009,2	11,9	77	15	3			6	80	TD SO	02	TD SO D	1009,6	18,2	50	11	2	7	75	TD SO	02	TD SO	1008,2	16,0	62	27	3	7	75	TD HA	30	02 TD SO HA	11,3	19,7	2,7	4	23
24	1005,7	13,4	83	36	1			7	50	TD	10	TD SO HA TO	1004,8	14,8	63	29	2	7	65	TD	10	TD	998,8	17,3	60	20	2	8	55	TD RB	81	TD SO	12,7	18,3		4	24
25	996,3	11,7	72	13	4			7	70	TD	01	TD R RB	996,4	12,5	70	15	4	8	70	TD	02	TD SO RB	998,6	13,0	67	18	4	7	75	TD SO HA	02	TD SO RB	11,2	17,3	16,5	6	25
26	998,7	9,2	74	16	3			8	60	TD RB	81	TD SO HA RB	997,5	9,8	82	15	3	8	65	TD RB	81	TD RB	995,4	8,1	86	16	3	8	65	TD R	63	TD RB R	8,0	13,2	12,9	7	26
27	998,3	8,5	89	20	4			7	75	TD	25	TD R RB	1004,2	11,0	74	27	3	7	75	TD	15	TD RB SO	1007,9	11,1	86	26	4	7	70	TD	02	TD RB	8,1	11,3	53,0	7	27
28	1006,9	9,6	79	16	4			8	70	TD RB	80	TD RB	1000,2	9,8	86	14	5	8	60	TD R	63	TD R RB	1001,1	10,7	90	26	3	7	70	TD	25	TD R	9,6	11,1	2,8	5	28
29	994,8	8,4	80	15	4			8	63	TD R	63	TD R RB	993,7	8,8	77	15	4	7	70	TD RB	81	TD RB H	994,0	10,1	79	27	3	7	70	TD RB	81	TD RB SO	6,7	10,7	19,9	5	29
30	997,3	7,7	89	29	1			7	60	TD RB	81	TD RB	998,2	9,2	95	28	4	8	58	TD RB	81	TD RB	1000,5	9,7	85	31	3	8	70	TD RB	81	TD RB	7,6	10,1	25,1	4	30
MI	1009,3	11,0	82		2,5			6,5					1009,3	14,2	68		2,9	6,0					1009,1	13,7	71		2,9	6,5					10,1	16,6	183,5		1M

EKSTENSOTABELL

BERGEN - FREDRIKSBERG — JULI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1005,8	8,6	89	36	2			7	70 TD	80 TD RB	1008,2	11,1	55	31	4	6	85 SO	02 TD SO RB	1009,5	9,8	60	29	3	7	70 RB	81 SO RB	8,6	12,2	14,0	4	1
2	1009,0	8,5	90	13	3			7	73 TD	02 TD RB	1007,7	8,0	72	17	5	8	70 TD R	62 TD R	1006,3	10,2	96	23	3	8	50 TD R	62 TD R	7,7	10,7	1,9	6	2
3	1012,0	8,7	74	34	2			7	73 TD	02 TD RB R	1015,1	11,8	59	27	3	7	75 TD SO	02 TD RB SO	1017,7	11,9	63	29	2	7	75 TD	02 TD SO	8,3	12,8	9,4	4	3
4	1020,9	10,8	79	20	1			8	70 TD	02 TD D	1021,5	16,0	62	34	2	7	70 TD SO	02 TD SO	1022,0	14,7	62	27	3	1	70 TD SO	02 TD SO	10,6	16,6	0,1	4	4
5	1020,1	12,1	86	31	1			8	70 TD	02 TD R	1020,0	12,6	95	36	2	8	25 TD	10 TD R	1019,0	14,3	78	28	4	7	70 TD SO	01 TD	11,2	14,9	0,0	4	5
6	1016,1	10,4	90	20	1			8	70 TD R	81 TD R	1014,7	12,8	59	13	3	8	70 TD	02 TD R	1011,8	14,6	68	17	3	8	70 TD	02 TD R	10,2	14,7	1,4	4	6
7	1004,1	14,2	66	15	4			8	70 TD	02 TD	1002,7	13,4	86	16	4	8	50 TD R	62 TD R	1003,3	12,2	95	35	2	8	50 TD R	61 TD R	12,1	14,6	0,2	4	7
8	1005,3	10,5	76	33	3			8	73 TD	02 TD R	1004,5	12,6	69	31	2	8	75 TD	02 TD	1002,0	13,3	66	28	3	8	75 TD	02 TD SO	10,4	14,2	10,1	3	8
9	1000,2	11,0	85	12	3			8	70 TD R	80 TD R	1002,7	12,6	85	31	1	7	75 TD	01 TD R	1005,0	13,0	67	34	2	7	70 TD	02 TD RB	10,3	14,8	0,4	4	9
10	1009,9	10,4	80	36	2			6	80 TD SO	02 TD SO	1011,8	15,0	55	31	3	6	80 TD SO	02 TD SO	1013,4	14,4	53	31	2	1	89 SO	02 TD SO	10,4	16,0	0,8	4	10
11	1015,0	10,6	89	36	2			1	70 TD SO	02 TD SO D	1015,6	16,6	57	30	3	6	70 TD SO	02 TD SO	1015,5	16,6	59	31	3	6	75 TD SO	02 TD SO	9,5	17,8		4	11
12	1015,8	10,8	95	00	0			3	80 TD	10 TD SO D	1015,3	18,3	56	35	2	1	80 TD SO	02 TD SO	1014,8	17,0	56	28	2	1	80 TD SO	02 TD SO	10,4	20,1		4	12
13	1012,8	11,6	83	04	1			1	70 TD SO	10 TD SO D	1012,1	20,4	48	20	4	4	75 0 SO	05 TD 0 SO	1011,6	18,2	48	15	3	7	70 TD SO	10 TD 0 SO	10,7	20,9		4	13
14	1010,6	13,3	95	18	3			3	30 TD R	60 TD SO R YR	1013,4	11,4	92	33	2	6	50 TD R	63 TD R	1014,2	11,2	85	07	1	8	70 TD	25 TD RB R	10,7	18,4	0,9	4	14
15	1013,6	10,2	88	36	2			1	80 SO	02 TD SO RB D	1013,0	12,8	62	33	3	7	80 SO	02 SO RB	1012,1	12,7	67	30	4	7	80 TD SO	02 TD SO RB	9,7	13,7	12,9	4	15
16	1009,9	10,3	71	36	4			7	80 TD SO	02 TD SO D	1008,6	14,6	56	32	3	7	80 TD SO	02 TD SO	1008,0	15,5	53	31	2	0	89 SO	02 TD SO	9,3	16,6	0,8	4	16
17	1008,5	10,4	90	34	1			7	70 TD	02 TD SO D	1006,8	15,8	62	34	2	7	80 TD	02 TD SO	1003,2	13,3	69	13	3	8	70 TD R	61 TD SO	9,6	16,9		4	17
18	994,9	11,1	92	36	2			3	70 TD R	62 TD R	993,6	11,8	77	14	4	8	70 TD	21 TD R	990,8	12,8	85	13	4	8	75 TD R	60 TD R	11,1	13,8	15,0	5	18
19	989,7	11,0	92	34	2			6	80 TD	02 TD RB R D	990,3	13,3	76	29	3	8	75 TD	02 TD	991,7	11,7	92	27	3	8	55 TD R	60 TD	10,8	13,4	1,4	4	19
20	991,8	10,1	96	27	2			3	80 TD R	61 TD R YR	993,5	11,1	96	28	4	8	55 TD R	63 TD R	995,7	10,2	90	31	3	8	70 TD	21 TD R	9,7	11,7	5,0	4	20
21	995,0	9,6	89	13	1			3	73 TD	25 TD RB D	996,0	12,3	67	27	4	7	75 TD	02 TD RB	997,1	11,6	92	29	3	8	70 TD RB	80 TD RB	9,3	12,8	12,8	4	21
22	999,8	11,4	93	32	3			7	80 TD	02 TD RB D	1002,6	13,0	86	34	3	8	70 TD RB	80 TD RB	1004,6	12,5	70	31	4	7	75 TD	02 TD RB SO	10,7	13,2	3,9	4	22
23	1007,1	9,7	95	31	1			8	60 TD RB	81 TD RB	1007,8	10,4	66	26	3	8	75 TD	02 TD RB	1007,4	11,1	71	18	2	7	80 TD SO	02 TD RB SO	9,2	12,6	2,8	5	23
24	1006,0	9,4	83	15	3			3	70 TD	02 TD RB SO	1006,2	11,5	71	20	2	7	70 TD	02 TD RB	1006,2	11,5	72	36	2	7	70 TD RB	81 TD RB	9,1	11,8	0,3	3	24
25	1006,6	9,6	93	29	1			7	70 TD SO	02 TD RB D SO	1007,4	14,4	61	29	3	7	75 TD	02 TD SO	1007,7	14,0	67	33	3	7	80 TD	02 TD SO	8,6	15,2	0,3	4	25
26	1009,7	10,4	90	36	2			6	70 TD SO	10 TD SO D	1011,3	15,3	63	29	3	6	75 TD SO	02 TD SO	1012,3	14,6	69	34	3	7	75 TD	02 TD SO	9,7	15,3		4	26
27	1014,6	12,7	89	32	2			3	73 TD	02 TD D	1015,4	15,6	86	33	3	8	75 TD	02 TD	1014,9	15,8	58	33	3	7	80 TD SO	02 TD SO	12,3	17,3		3	27
28	1013,8	11,6	90	32	2			7	73 TD SO	02 TD D SO	1011,8	17,6	57	31	3	6	85 SO	02 TD SO	1008,7	16,1	59	29	2	7	80 TD SO	02 TD SO	11,3	18,2		4	28
29	999,5	12,7	93	00	0			3	80 TD R	63 TD SO R	998,6	15,4	79	14	3	8	50 TD R	63 TD R	995,2	15,1	92	18	4	8	55 TD R	63 TD R	12,7	16,6	2,7	5	29
30	995,5	13,2	93	19	1			3	80 TD R	62 TD R	997,1	13,6	89	18	3	8	70 TD R	60 TD R	997,8	14,4	83	22	2	8	70 TD	02 TD	12,8	15,2	50,3	5	30
31	996,7	12,8	93	31	2			3	80 TD	10 TD R D	995,0	17,4	67	25	2	6	70 TD SO	04 TD SO	993,4	16,2	74	31	2	8	70 TD RB	80 TD SO	12,6	20,1	0,6	4	31
MI	1006,8	10,9	87		2,1			7,1			1007,0	13,8	69		2,9	7,0			1006,9	13,6	71		2,7	6,6			10,3	15,3	148,0		MI

BERGEN - FREDRIKSBERG — AUGUST 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	991,0	12,6	85	16	1			3	70 TD	21 TD RB R	990,9	17,7	53	19	3	5	80 TD SO	02 SO TD	990,6	16,0	60	14	3	7	75 TD	02 TD RB SO	12,6	18,3	16,7	5	1
2	990,8	11,6	90	31	2			7	70 TD	02 TD D RB	991,2	14,3	77	29	2	7	75 TD	02 SO RB TD	992,1	14,1	79	14	2	8	70 TD RB	81 TD RB SO TD	10,9	16,1	2,7	6	2
3	996,3	12,4	88	13	3			7	73 TD	02 TD RB	1000,3	14,3	75	28	3	8	70 TD	02 SO TD	1002,9	15,7	52	31	3	1	89 SO	02 SO TD RB	12,2	16,9	3,6	3	3
4	1007,2	9,8	72	34	3			1	80 SO	02 SO D	1008,8	15,9	49	33	3	4	89 SO	02 SO	1010,3	14,7	54	30	3	1	89 SO	02 SO	9,2	17,3	0,1	4	4
5	1012,9	8,1	95	14	3			0	00 SO T	42 SO D T	1013,2	14,6	55	29	3	2	89 SO	02 T SO	1012,4	14,6	60	29	2	1	89 SO	02 SO	7,8	15,6	0,1	4	5
6	1009,1	13,6	48	14	1			7	73 TD	02 TD T R	1008,1	15,3	53	15	5	8	70 TD R	60 TD R	1004,8	16,9	52	18	4	8	65 TD R	60 TD R	10,2	17,0	0,3	5	6
7	1000,0	17,3	53	15	5			7	63 TD	10 TD R	999,8	15,2	80	15	5	8	65 TD RB	81 TD RB	999,3	15,3	85	18	2	8	65 TD RB	80 TD RB	11,9	19,2	0,3	7	7
8	996,9	14,3	46	24	2			7	70 TD	02 TD RB	995,6	16,1	80	18	4	8	60 TD R	63 TD R RB	995,0	16,3	77	16	3	8	65 TD RB	81 TD RB R	14,2	18,2	6,9	5	8
9	994,6	11,7	95	26	1			8	80 TD R	63 TD RB R	998,7	11,1	93	33	3	8	70 TD R	62 TD R	1000,2	11,5	62	36	2	7	75 TD	02 TD R	10,8	16,4	18,5	4	9
10	1001,8	10,3	88	13	3			8	80 TD	25 TD RB	1003,2	12,6	86	10	2	7	75 TD RB	80 TD RB SO	1003,7	12,8	76	31	2	7	75 TD	02 TD RB SO	10,1	13,7	14,6	3	10
11	1004,8	9,6	95	12	2			7	80 TD	10 TD RB D	1004,8	16,8	60	31	2	1	85 SO	02 SO TD	1004,2	16,3	62	24	3	1	89 SO	02 SO	9,2	17,6	3,2	4	11
12	1007,1	11,6	85	14	3			3	73 TD	03 TD D SO	1008,0	14,4	66	19	4	7	80 TD SO	02 SO TD	1009,2	13,2	70	18	3	7	73 TD	03 TD SO	10,6	16,3		5	12
13	1008,8	12,6	71	15	3			3	70 TD R	60 TD R	1004,8	14,4	85	14	5	8	55 R TD	63 TD R	1002,6	17,1	58	18	4	3	70 TD R	62 TD R	11,7	17,1	1,4	5	13
14	996,7	14,1	93	21	3			3	60 TD R	63 TD R	990,2	17,3	74	14	5	8	50 TD R	63 TD R	988,1	16,1	86	15	5	3	50 TD RB R	81 RB TD R TO	14,3	17,6	20,8	6	14
15	989,9	14,8	82	15	6			8	60 TD R	63 TD R RB	998,1	10,8	93	27	2	8	50 TD R	63 TD R	1005,1	12,4	82	14	4	7	70 TD RB	80 TD R	10,9	16,8	53,1	8	15
16	1008,4	12,5	72	15	3			7	73 TD	02 TD RB	1007,6	13,8	66	15	5	6	70 TD SO	15 TD RB SO	1008,5	15,3	61	16	4	7	70 TD RB TO	95 TD RB SO	11,7	15,7	15,4	5	16
17	1009,5	11,8	80	27	2			7	70 TD	10 TD RB	1008,1	15,4	61	00	0	8	70 TD	10 TD	1007,5	13,5	85	23	2	8	65 TD R	63 TD RB R	11,7	16,7	9,4	5	17
18	1012,4	13,1	93	13	1			8	60 TD	10 TD R	1014,5	13,8	95	34	2	8	45 TD R YR	62 TD T R YR	1014,2	17,1	80	36	2	5	50 TD SO	10 TD R YR SO	12,6	17,2	2,9	3	18
19	1010,6	13,3	93	21	1			8	60 TD R	60 TD R SO D	1009,6	18,2	65	02	2	8	70 TD R	60 TD R SO	1009,7	16,2	77	31	1	7	65 TD	10 TD R	12,6	19,4	4,7	3	19
20	1007,9	13,6	93	00	0			7	23 TD	10 TD R D	1006,5	14,8	93	36	1	7	20 TD	10 TD SO YR	1003,7	15,2	77	17	3	7	60 TD	10 TD	13,6	16,3	0,5	4	20
21	996,5	13,4	83	15	5			8	70 TD R	60 TD R	997,7	13,3	62	20	2	7	80 TD	02 TD RB R	997,3	13,0	63	22	3	7	80 TD	02 TD RB SO	12,3	15,3	1,9	5	21
22	997,5	9,4	88	14	4			7	65 TD R	81 TD RB D	998,7	9,4	93	11	4	7	60 TD RB	81 TD RB TO	999,1	10,8	72	14	4	5	70 TD	02 TD RB	9,2	13,1	10,0	5	22
23	1000,0	10,4	70	15	3			7	73 TD	02 TD RB	1001,1	14,7	53	18	4	7	75 TD	02 TD SO	1001,9	14,4	61	20	3	6	73 TD SO	02 TD RB SO	10,2	16,1	15,9	4	23
24	1003,7	8,3	93	00	0			1	60 TD	04 TD SO D	1004,5	16,7	50	27	2	7	75 TD SO	02 SO TD	1004,9	14,3	61	32	3	7	75 TD	02 TD SO	7,7	17,7	0,0	4	24
25	1006,0	10,6	95	29	2			8	70 TD	10 TD D	1006,6	16,5	61	28	3	6	75 TD SO	02 TD SO	1006,2	16,2	58	31	3	1	80 TD SO	02 SO TD	10,6	18,3		3	25
26	1005,6	9,5	92	00	0			1	70 TD	02 TD D SO	1004,2	17,1	57	28	3	1	80 TD SO	02 TD SO	1001,9	16,8	55	30	3	2	80 TD SO	02 TD SO	9,4	19,6		4	26
27	1000,7	9,4	62	35	4			1	89	02 30 D TD	1000,1	15,3	48	33	4	1	89 SO	02 SO	1001,3	12,9	59	14	4	1	89 SO	02 SO	9,0	16,9		5	27
28	1006,7	8,1	86	35	3			3	80	02 30 D	1009,0	13,0	55	28	3	7	80 TD SO	02 TD RB SO	1009,8	10,0	92	16	4	8	80 TD R	61 TD R SO	8,1	13,6		5	28
29	1011,5	13,1	92	16	4			8	65 TD R	63 R TD	1013,5	13,1	93	16	4	8	50 TD R YR	63 TD R YR	1013,0	13,7	79	15	4	7	60 TD	10 TD R YR	9,7	14,6	7,8	5	29
30	1011,8	12,6	93	21	4			8	55 TD R	63 TD R	1014,1	11,9	83	13	3	8	70 TD	21 TD R	1014,8	11,7	75	31	3	7	75 TD	02 TD SO RB	11,3	13,7	18,5	5	30
31	1018,0	8,6	75	13	1			1	80 TD	02 TD D	1018,0	13,5	51	31	3	1	85 SO	02 SO TD	1015,4	12,6	55	31	4	2	89 SO	02 SO	6,3	14,3	15,7	4	31
MI	1003,6	11,6	83		2,9			6,2			1004,2	14,6	69		3,1	6,3			1004,2	14,4	69		3,1	5,6			10,8	16,5	240,7		MI

EKSTENSOTABELL

BERGEN - FREDRIKSBERG — SEPTEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1012,5	9,0	85	31	1			7	75 TD	03 TD SU D	1011,3	11,8	76	24	2	8	70 TD R	61 TD R SO	1009,0	11,6	92	12	2	8	60 TD R	62 TD R				4	1
2	1005,0	12,4	93	28	2			8	50 TD D	10 TD R D	1003,3	16,3	76	16	2	7	45 TD SU	10 TD D SO	1002,4	15,0	92	16	2	9	25 TD YR	50 TD YR R SO	11,2	17,2	10,6	4	2
3	1000,9	12,1	90	14	3			7	70 TD R	60 TD R YR	1002,6	15,8	59	18	3	7	75 TD SU	02 TD SU R	1003,2	16,1	97	27	2	1	80 TD SU	02 TD SU	11,6	17,8	18,6	4	3
4	1005,7	10,1	93	27	3			8	50 TD RB	81 TD RB R SO	1008,4	11,7	72	19	4	7	70 TD RB	81 TD RB SO	1010,3	11,5	75	23	3	7	70 TD RB	80 TD RB	3,7	16,2	9,1	5	4
5	1009,8	10,7	90	15	1			8	65 TD R	63 TD R RB	1011,0	13,2	93	12	4	8	40 TD R	63 TD R	1011,1	15,4	89	13	4	7	70 TD RB	80 TD RB R	10,5	15,5	7,2	5	5
6	1009,9	15,3	70	15	3			8	65 TD	10 TD RB	1009,3	19,7	42	14	5	6	70 TD SO	10 TD SO	1008,0	16,7	75	17	3	1	60 TD SO	10 TD SO	15,0	21,4	3,2	5	6
7	1006,6	17,6	51	16	3			7	63 TD	10 TD	1009,0	15,3	82	14	4	8	55 TD R	63 TD R	1010,4	15,0	90	16	4	8	50 TD	21 TD R	11,8	17,7		5	7
8	1010,6	13,1	39	13	1			7	60 TD	10 TD R D	1011,0	14,8	71	16	4	8	70 TD RB	80 TD RB	1010,4	13,6	80	14	3	8	70 TD	25 TD RB	13,1	15,8	7,6	5	8
9	1013,3	10,1	90	17	1			7	70 TD RB	80 TD RB	1014,2	12,2	66	23	3	7	75 TD	02 TD SU RB	1013,4	10,3	79	18	1	7	75 TD	25 TD SU RB	13,1	13,7	10,6	5	9
10	1006,6	10,0	90	14	5			8	70 TD RB	81 TD RB	1016,3	12,4	86	23	3	7	70 TD	25 TD RB	1016,4	11,1	85	18	2	9	70 TD RB	81 TD RB	9,6	13,2	4,8	6	10
11	992,6	11,4	93	15	1			8	50 TD R	90 TD R	996,4	11,1	61	30	1	7	70 TD SO RB	81 TD SU RB R	1000,6	9,4	69	31	3	5	75 TD	25 TD RB SO H	8,9	12,6	24,9	6	11
12	1006,5	7,6	76	15	2			7	60 TD RB	81 TD RB	1005,8	11,3	61	22	4	8	75 TD SU RB	81 TD SU RB	998,5	9,5	83	18	4	8	75 TD	25 TD RB	8,7	11,5	6,1	5	12
13	981,7	11,7	92	22	3			8	70 TD RB	81 TD RB R	990,9	9,8	90	18	5	8	40 TD R	63 TD R RB	996,9	8,3	60	31	4	7	75 TD	16 TD R RB	7,5	14,1	16,2	7	13
14	1001,3	5,6	38	12	2			7	70 TD RB	81 TD RB	1001,1	8,4	67	23	1	7	70 TD RB	80 TD RB	1003,0	7,5	66	36	3	7	75 TD	02 TD RB	5,4	8,8	39,5	4	14
15	1009,0	4,4	30	15	3			7	65 TD RB	81 TD RB	1012,9	6,7	85	16	2	7	70 TD	25 TD RB SO	1015,8	9,2	65	35	2	3	75 TD	02 TD SO RB	1,2	10,6	6,0	4	15
16	1012,2	7,6	80	34	1			7	80 TD	02 TD RB	1005,0	8,2	80	17	5	8	70 TD R	63 TD R RB	996,0	11,0	92	17	8	8	30 TD R	63 TD R	7,1	11,2	11,0	7	16
17	991,0	10,1	89	17	3			8	70 TD RB	80 TD R RB	999,9	10,7	93	20	4	8	50 TD R	63 TD R RB	995,4	11,3	93	18	4	8	40 TD R	63 TD R	10,1	11,7	30,3	5	17
18	981,9	10,9	88	18	1			7	70 TD	25 TD R RB	992,5	11,1	85	22	4	8	60 TD RB	81 TD RB R	996,8	9,9	82	27	4	8	70 TD RB	81 TD RB R	9,7	12,3	38,0	5	18
19	991,2	10,0	79	27	3			7	70 TD RB	81 TD RB	994,0	10,7	66	22	1	7	70 TD RB	81 TD RB	997,3	10,1	70	27	4	7	70 TD	25 TD RB	8,7	11,1	14,7	5	19
20	997,4	8,7	74	16	2			5	70 TD	02 TD RB D	990,7	10,5	58	19	2	8	70 TD R	62 TD R	998,0	9,4	66	18	3	3	75 TD	02 TD SO RB	8,5	10,7	5,1	5	20
21	985,9	7,4	38	15	3			3	65 TD R	65 TD R RB	990,7	9,5	76	29	3	7	65 TD RB	81 TD RB R SO	993,1	9,0	92	31	1	8	60 TD RB	81 TD RB	7,2	9,8	11,9	5	21
22	1006,8	8,3	76	36	1			3	70 TD	02 TD RB	1011,3	10,8	56	36	3	6	75 TD SO	02 TD SU RB	1012,5	8,6	68	36	2	1	80 TD SO	02 TD SO	7,1	11,6	12,1	5	22
23	1007,3	7,9	92	18	3			3	80 TD	03 TD	1003,5	7,8	80	17	5	8	60 TD R	63 TD R	1007,8	8,9	82	26	3	7	70 TD	02 TD R RB	6,3	9,7	0,1	7	23
24	1012,6	5,8	33	34	2			7	70 TD R3	81 TD RB	1013,6	7,6	60	20	3	5	80 TD SO	02 TD SU RB	1011,9	9,8	82	18	4	3	70 TD	02 TD SU	5,7	11,6	10,3	4	24
25	1004,2	10,4	88	18	6			3	60 TD R	63 TD	999,8	11,3	85	17	7	8	65 TD R	63 TD R	996,6	12,3	90	18	7	3	40 TD R	63 TD R	3,7	12,4	0,6	8	25
26	999,1	8,9	83	25	1			7	80 TD	02 TD R RB	1003,5	10,7	65	25	1	7	70 TD SU RB	81 TD SU RB	1001,3	9,3	74	21	3	7	70 TD	02 TD SO RB	3,3	13,2	51,0	7	26
27	996,4	8,2	75	17	1			8	80 TD	25 TD R RB	1004,4	8,5	66	27	6	7	70 TD SO RB	81 TD SU RB TO	1010,1	8,5	65	27	4	6	75 TD	02 TD SO RB	7,3	9,7	1,6	6	27
28	1015,1	6,6	86	13	2			7	80 TD	25 TD D RB	1017,7	9,5	79	20	3	7	70 TD RB	81 TD RB	1015,7	9,8	85	27	3	8	70 TD	25 TD R RB	6,3	9,9	7,4	4	28
29	1020,9	4,8	72	31	3			5	80	02 TD RB	1023,7	8,1	62	36	3	7	70 TD RB	81 TD RB SO	1021,2	7,2	86	33	2	6	75 TD RB	80 TD RB SO	1,7	10,2	9,2	5	29
30	1024,0	3,6	86	31	2			3	85 TD	02 TD RB D RI	1023,7	9,3	48	34	3	0	85 TD SO	02 TD SU	1022,4	7,7	56	34	3	1	85 TD	02 TD SU	3,1	9,8	0,5	3	30
MI	1003,9	9,3	83		3,4				7,0		1004,6	11,2	72		3,7	7,0			1005,0	10,8	77		3,3	6,2			8,9	12,8	374,8		IM

BERGEN - FREDRIKSBERG — OKTOBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,4	2,4	83	30	0			1	75 TD	02 D RI TD	1025,0	11,1	50	36	2	1	70 TD SO	02 TD SO	1025,1	8,6	46	36	2	3	70 TD	02 TD SO	2,1	13,1		3	1
2	1027,5	3,2	70	35	1			0	70 TD	02 TD D RI	1027,9	11,4	33	16	3	1	80 TD SO	02 TD SU	1026,5	9,1	34	14	2	1	75 TD	02 TD SO	2,6	11,8		4	2
3	1024,0	4,5	74	28	3			6	70 TD	02 TD D RI	1022,2	10,5	36	18	3	6	80 TD SO	02 TD SO	1019,0	8,1	45	22	2	7	75 TD	02 TD SO	4,1	11,1		3	3
4	1013,7	2,7	77	14	2			0	70 TD	02 TD D RI	1011,5	9,7	51	36	2	1	70 TD SO	02 TD SO	1009,4	7,6	50	00	0	2	70 TD	02 TD SO	2,9	11,3		3	4
5	1008,9	5,7	56	27	2			7	80 TD	02 TD D RI	1011,3	12,4	42	34	2	7	70 TD SO	02 TD SU	1012,7	9,6	49	18	1	7	70 TD	02 TD SO	3,7	12,8		3	5
6	1014,7	3,6	76	00	0			7	70 TD	02 TD D RI	1014,6	6,9	67	13	1	8	65 TD	04 TD SU R	1013,7	6,6	86	31	1	8	70 TD R	61 TD R	3,3	9,6		2	6
7	1010,9	7,1	89	00	0			3	70 TD	02 TD R D	1010,4	7,6	83	27	1	8	65 TD	04 TD R	1009,8	8,8	93	00	0	8	60 TD	04 TD R	6,9	8,9	1,6	2	7
8	1009,8	11,6	74	17	1			3	65 TD	10 TD R	1011,0	11,7	86	18	4	8	65 TD	21 TD R	1011,6	12,1	90	18	4	8	60 TD	10 TD R	8,9	13,3	3,8	5	8
9	1010,1	12,4	32	18	1			3	65 TD	10 TD R	1038,9	13,7	82	19	3	7	65 TD	10 TD	1031,7	14,9	62	16	2	7	70 TD	02 TD	11,8	15,1	3,2	5	9
10	998,0	12,7	32	17	1			3	60 TD	10 TD R	998,8	14,2	82	18	4	8	70 TD	10 TD R	998,5	13,4	92	16	3	8	60 TD R	62 TD	12,4	15,2	9,8	6	10
11	987,2	14,5	90	18	1			3	63 TD R	63 TD R	992,7	11,5	92	17	1	8	60 TD R	63 TD R	996,1	11,3	92	18	3	8	70 TD	10 TD R	11,2	14,6	23,1	6	11
12	997,4	11,4	76	17	3			7	80 TD	02 TD R	998,3	14,7	57	15	2	7	65 TD SO	10 TD SU	997,0	11,3	77	36	1	7	65 TD	10 TD SU	11,1	15,2	10,0	4	12
13	996,1	7,6	35	00	0			3	13 TD D	10 TD T D	997,3	7,6	96	00	0	9	03 T	45 T D	997,3	7,6	95	00	0	9	15 TD	10 T	7,1	11,4	0,1	2	13
14	994,5	6,6	95	31	1			3	65 TD	40 T D	991,7	10,4	76	15	1	8	75 TD	02 TD	939,3	10,3	90	23	1	8	80 TD R	61 TD R	6,5	11,1	0,2	2	14
15	992,4	9,7	93	27	1			7	60 TD	04 TD R	995,4	10,6	89	01	2	8	70 TD	04 TD R	997,7	10,0	92	36	1	8	70 TD	02 TD	9,4	11,2	10,0	3	15
16	996,9	8,3	95	33	1			8	00 T	45 TD T D	997,6	9,2	93	35	3	7	70 TD SO	10 TD T D	1000,9	9,5	77	36	3	7	70 TD	02 TD SO	7,6	10,2	0,2	3	16
17	1007,1	6,6	83	36	2			7	70 TD RB	80 TD D RB	1007,4	7,7	71	17	3	7	75 TD	02 TD RB SO	1004,1	7,5	62	36	4	7	75 TD	02 TD R	6,2	9,5	0,4	4	17
18	1001,7	6,8	82	36	1			6	75 TD	02 TD R	1007,2	7,8	82	02	3	7	65 TD RB	81 TD SU	1011,7	7,7	85	15	2	7	70 TD	02 TD R SO	6,7	8,5	3,7	5	18
19	1004,9	7,5	78	18	6			8	65 TD R	63 TD R	1000,2	10,6	92	25	3	8	58 TD R	63 TD R	1001,1	10,2	79	18	3	7	70 TD	02 TD R	6,7	10,7	3,8	7	19
20	1001,2	9,6	70	27	3			7	65 TD RB	81 TD RB	1004,6	9,4	71	27	5	7	70 TD	25 TD RB	1008,1	7,0	92	27	3	8	60 TD R	63 TD RB R	6,7	10,4	39,8	6	20
21	1015,6	4,0	77	02	3			7	80 RB	80 TD R RB	1022,3	6,6	66	36	2	5	89 SO	02 SO RB	1025,5	4,4	66	03	2	1	89	02 SO	3,6	7,1	28,7	4	21
22	1028,0	1,1	76	09	1			5	89	03 D RI	1029,2	8,6	49	16	3	7	75 TD SO	02 TD SU	1028,1	7,3	51	15	3	7	80 TD	02 TD SO	0,6	8,7	0,4	3	22
23	1027,2	4,1	76	03	1			1	80 TD	02 TD	1027,4	8,4	49	17	3	7	85 SO	02 SO TD	1025,6	5,4	66	17	2	3	80 TD	02 TD SO	3,6	8,9		3	23
24	1022,0	1,9	85	00	0			2	80 TD	02 TD RI D	1021,5	8,5	49	00	0	0	60 TD SO	04 TD SO	1019,8	11,4	28	12	1	0	89	02 SO TD	1,6	11,5		2	24
25	1019,6	6,9	55	08	2			1	89	02	1019,8	12,4	43	16	1	5	70 TD SO	04 TD SO	1017,2	13,3	17	18	3	0	89	02 SO TD	5,4	14,9		4	25
26	1019,4	5,4	41	00	0			0	80	02	1020,9	11,6	32	00	0	0	50 SO	04 SO	1020,9	7,7	45	00	0	0	75	02 SO	5,1	15,3		4	26
27	1019,1	2,4	59	00	0			0	85	02 D RI	1017,2	7,6	36	00	0	0	85 SO	04 SO	1014,5	5,6	63	05	1	0	70	04 SO	1,7	10,1		2	27
28	1011,6	2,0	74	00	0			0	89	02 D RI	1010,5	5,6	61	00	0	1	70 SO	04 SO	1009,4	4,2	60	00	0	5	70	02 SO	1,1	6,4		3	28
29	1006,9	1,9	69	04	2			7	80 TD	02 TD	1006,0	7,6	49	00	0	7	60 TD SO	04 TD SO	1007,2	6,0	40	00	0	7	70 TD	04 TD SO	0,6	7,6		3	29
30	1009,1	3,2	77	13	3			8	70 TD R	61 TD D R	1006,9	6,5	42	11	4	7	70 TD SO	02 TD R	1004,3	5,8	39	12	4	8	75 TD	02 TD SO R	3,1	6,7	0,0	4	30
31	996,0	5,6	74	13	4			8	65 TD R	63 TD R	996,4	7,5	74	12	4	8	65 TD R	63 TD R	997,3	7,8	51	12	4	8	70 TD R	62 TD R	5,2	8,4	1,3	6	31
MI	1009,8	6,2	77		1,9				5,4		1010,1	9,7	64		2,2	5,7			1009,8	8,7	68		1,9	5,6			5,4	11,0	140,8		IM

EKSTENSOTABELL

BERGEN – FREDRIKSBERG — NOVEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1000,8	6,5	61	17	4			3	80	TD R	61	TD R	1001,6	7,6	42	12	4	6	80	SO TD	02	TD R	1002,0	8,5	39	16	1	8	75	TD	02	TD SO	5,7	9,2	7,2	5	1
2	1009,7	6,8	49	22	1			7	73	TD	02	TD	1014,5	7,6	48	19	3	7	75	TD	02	TD SO	1018,6	5,5	55	18	2	4	80	TD	02	TD SO	5,5	9,6	0,0	5	2
3	1014,6	6,9	50	18	6			8	80	TD	02	TD	1017,4	7,6	62	18	6	8	70	TD P	61	TD R	936,9	8,4	61	17	8	8	70	TD R	61	TD R	3,6	8,5		9	3
4	991,1	8,1	75	20	1			3	70	TD	02	TD R	939,1	7,7	67	21	5	7	70	TD	02	TD RB	943,4	8,1	67	26	5	7	70	TD RB	81	TD RB	6,2	10,1	29,3	9	4
5	977,3	7,3	79	20	4			7	75	TD RB	80	TD RB	978,0	6,5	79	02	1	8	70	TD RB	81	TD RB H	978,2	4,6	83	14	2	8	70	TD RB	80	TD RB	4,6	8,2	5,6	8	5
6	974,9	3,1	93	12	1			7	70	TD	02	TD RB TO	977,0	4,6	85	18	1	3	40	SO TD	04	TD SO RB	979,2	2,2	92	15	2	4	70	TD	04	TD SO RB	2,2	9,2	12,0	3	6
7	980,7	2,7	93	14	3			8	63	TD RB	81	TD RB	980,5	5,8	85	25	3	7	70	TD RB	81	TD RB	979,9	5,8	86	23	2	7	70	TD RB	81	TD RB	1,6	6,3	13,0	4	7
8	982,9	3,9	92	14	2			7	70	TD RB	81	TD RB	984,8	5,3	77	27	3	7	70	TD RB	81	TD RB H	984,8	4,3	83	17	2	8	70	TD RB	81	TD RB H	3,5	6,2	24,1	4	8
9	986,9	3,2	88	14	2			4	80	TD	02	TD RB	990,9	4,2	77	18	1	7	65	SO TD	04	TD SO RB	994,3	3,9	90	27	2	8	70	TD D	02	TD SO	2,1	4,8	13,2	4	9
10	1001,7	1,4	95	27	2	3	0	3	75	TD	02	TD RB LB	1004,3	3,6	69	22	2	1	80	SO	02	SO TD LB	1002,7	2,3	53	16	4	8	75	TD	02	TD SO	1,1	4,0	3,6	4	10
11	996,3	1,5	83	16	3	4	2	4	70	TD LB	84	TD LB S SL	996,4	2,9	74	16	5	5	80	SO	26	TD SB LB	996,5	2,6	82	17	5	7	70	TD LB	84	TD LB SO	0,7	3,6	9,8	7	11
12	994,9	3,1	63	17	4	3	0	7	70	TD LB	84	TD LB TO	992,9	4,5	52	00	0	2	80	SO TD	02	TD LB	991,1	0,7	59	00	0	0	60	TD	01	TD SO	0,7	4,8	12,0	5	12
13	990,6	0,7	77	31	1	4	0	8	50	TD SB	85	TD S	992,1	0,4	93	00	0	8	50	TD SB	85	TD SB	993,4	0,7	88	14	2	8	75	TD	02	TD SO LB	– 0,5	1,5	0,1	4	13
14	994,0	0,1	80	13	1	4	2	7	85	TD	02	TD SB	994,2	2,5	60	15	2	7	75	TD	02	TD SO SB	994,9	2,4	62	15	2	6	70	TD	02	TD SO	0,0	2,6	2,6	3	14
15	995,1	– 1,7	92	00	3	4	2	3	75	TD	02	TD	996,6	1,0	70	00	0	1	50	SO TD	04	TD SO	997,7	– 0,7	68	00	0	0	65	TD	04	TD SO	– 1,7	2,5	0,0	2	15
16	1000,2	0,5	68	27	1	4	2	3	80	TD	02	TD	1001,0	2,3	65	35	1	7	65	TD	04	TD SO	999,9	4,0	45	26	2	3	70	TD	04	TD	– 2,2	4,8		3	16
17	995,9	0,2	80	16	2	4	2	3	85		02	TD	995,9	3,3	58	17	4	7	75	TD	03	TD SO	991,0	4,8	63	18	5	8	75	TD R	60	TD R SL	– 0,4	5,1		6	17
18	983,0	8,3	79	18	5	0	0	3	70	TD R TO	60	TD R	988,3	7,6	65	18	6	7	75	TD RB SO	80	TD RB SO R	992,5	8,3	53	18	4	7	75	TD	02	TD SO RB	4,2	8,4	12,7	7	18
19	999,0	6,5	66	18	3	0	0	3	60	TD R	63	TD R	1003,4	6,9	66	18	3	8	70	TD RB	81	TD RB R	1004,4	5,7	86	24	1	8	70	TD RB	80	TD RB	5,6	8,4	0,8	6	19
20	1019,4	2,3	92	00	3	0	0	0	70	TD	02	TD RB D	1023,4	4,1	85	00	0	1	50	SO TD	04	TD SO	1023,8	2,5	89	00	0	0	55	TD	04	TD SO	2,0	5,8	7,2	2	20
21	1022,2	5,2	92	16	1	0	0	3	80	TD	02	TD	1020,5	6,1	57	17	5	8	75	TD	02	TD	1015,8	6,0	75	18	6	8	70	TD R	80	TD R	2,1	6,7		7	21
22	1008,4	8,0	95	17	1	0	0	3	50	TD R	63	TD R	1008,5	7,6	95	00	0	8	30	R	60	R TD	1000,8	8,6	92	18	5	8	65	TD R	63	TD R	5,6	8,7	27,1	6	22
23	1002,0	6,7	68	22	4	0	0	7	70	TD	02	TD RB R	1004,1	7,1	60	23	2	7	70	TD	02	TD	1002,4	4,7	74	17	2	7	70	TD RB	81	TD RB	4,3	9,6	26,2	5	23
24	997,7	3,7	85	19	3	0	0	3	50	TD RB	81	TD RB H	999,7	5,2	75	18	3	7	70	TD RB	81	TD RB SO	1000,9	4,4	79	15	2	3	70	TD	02	TD RB	3,2	5,2	10,5	5	24
25	1000,6	5,3	85	17	2	0	0	3	75	TD RB	80	TD RB	1000,1	5,7	80	18	4	8	70	TD RB	81	TD RB	998,3	4,8	79	18	3	9	70	TD R	63	TD R RB	3,7	6,2	21,3	5	25
26	984,8	6,6	90	18	1	0	0	3	63	TD R	63	TD R	991,9	4,3	85	03	2	8	70	TD R	62	TD R	993,9	4,5	86	25	3	7	70	TD	25	TD RB SO R	1,2	7,1	5,3	5	26
27	1007,2	4,2	58	35	1	0	0	7	80	TD	02	TD RB	1012,6	3,6	67	34	2	7	80	SO TD	02	TD SO	1013,5	2,6	79	24	1	3	70	TD	02	TD SO	2,6	6,2	20,2	6	27
28	1007,1	3,6	59	16	3	0	0	3	70	TD R	63	TD	1004,5	5,3	86	17	6	8	70	TD R	62	TD R	1003,1	7,1	88	18	6	8	60	TD R	63	TD R	2,2	7,2	0,0	6	28
29	996,8	9,5	93	18	1	0	0	3	60	TD R	63	TD R	995,1	10,1	79	27	4	8	70	TD	21	TD R	998,5	6,7	67	30	4	7	75	TD	02	TD RB	6,1	10,1	42,7	6	29
30	998,7	5,3	82	14	3	0	0	7	75	TD	02	TD RB D	996,0	5,2	88	17	3	8	70	TD R	61	TD R	998,6	7,2	72	17	3	9	80	TD	02	TD R	4,7	7,3	7,8	5	30
MI	997,2	4,3	77		2,9		0	6,5					997,8	5,2	72		2,8	6,4					996,9	4,7	73		3,0	6,2					2,8	6,4	314,3		MM

BERGEN – FREDRIKSBERG — DESEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	988,5	7,1	89	00	3	0	0	3	75	TD	02	TD RB R	986,5	6,7	93	31	3	8	50	TD R	62	R TD	987,8	6,4	88	18	3	8	70	TD R	60	TD R	6,1	8,4	2,8	5	1
2	990,8	9,5	00	18	3	0	0	3	70	TD R	62	TD R	992,0	9,2	95	20	4	8	60	TD R	63	TD R	988,7	8,1	80	20	4	8	70	TD	02	TD R	6,2	9,8	25,1	7	2
3	998,0	6,1	00	19	3	0	0	7	70	TD	02	TD R	998,8	7,3	75	18	6	8	70	TD	03	TD	995,2	8,1	83	22	5	8	70	TD R	62	TD R	5,6	8,3	10,2	6	3
4	1002,2	6,1	74	27	1	0	0	7	70	TD RB	81	TD R RB	1002,7	7,0	74	18	6	8	70	TD	02	TD RB	998,1	7,6	86	18	7	8	65	TD R	63	TD R	5,5	8,2	5,1	7	4
5	986,1	7,5	30	28	3	0	0	7	80	TD	02	TD R RB	988,0	4,6	83	18	3	7	70	TD RB	81	TD RB H	991,1	3,9	88	22	2	7	70	TD RB	81	H TD RB	3,7	10,1	21,0	7	5
6	996,2	4,2	89	29	3	0	0	7	73	TD RB	81	TD H RB TJ	1001,2	5,1	56	31	3	7	75	TD	02	TD RB	998,5	2,6	93	14	3	9	65	TD R	63	TD R	2,6	5,7	10,6	7	6
7	1001,5	3,4	58	31	3	0	0	7	70	TD	02	I TD RB	1004,6	3,3	92	01	2	4	70	TD	25	TD RB H SO	1006,0	3,5	64	01	3	1	75	TD	02	TD RB SO	2,3	6,6	11,6	5	7
8	1004,8	– 0,5	80	18	2	0	0	3	80	TD	02	TD D RI	1004,0	– 0,1	71	00	0	1	70	TD SO	04	TD SO RI	1002,1	– 1,8	86	00	0	3	60	TD	04	TD SO	– 1,8	3,7	2,5	3	8
9	995,4	– 2,2	83	27	2	0	0	3	70	TD	02	TD RI	992,4	– 1,6	76	20	2	7	56	TD	04	TD RI	987,3	1,0	51	30	2	8	70	TD	04	TD	– 2,4	1,2		3	9
10	977,6	4,1	33	11	1	0	0	3	80		02	TD	978,7	2,9	24	31	3	7	85	SO	02	SO	982,7	0,9	24	08	2	1	65		04	SO	0,9	4,7		5	10
11	985,9	– 2,5	38	20	2	0	0	3	80		02		991,8	– 1,7	47	00	0	0	60	SO	04	SO	997,4	– 3,4	59	00	0	3	40		01	SO	– 3,9	1,7		2	11
12	1006,3	0,2	92	15	3	3	0	3	70	TD S	70	TD S	1010,3	0,3	75	15	3	8	50	TD S	71	TD S	1010,9	1,1	67	17	3	8	70	TD S	70	TD S	– 3,7	1,3	0,1	4	12
13	1003,3	– 0,4	41	11	2	1	0	3	75	TD	03	TD S	999,4	2,8	30	15	4	8	70	TD R	61	TD R	998,3	0,8	72	17	4	3	40	TD S	75	TD S R	– 0,2	2,8	0,0	5	13
14	997,4	3,5	53	19	2	4	3	7	75	TD	02	TD S SL	998,1	2,2	43	08	2	7	75	TD	02	TD	994,8	1,4	28	10	6	3	80	TD	02	TD	0,2	3,8	2,9	6	14
15	987,1	1,6	18	11	4	3	0	3	80	TD	02	TD	986,7	0,7	16	09	4	6	89	SO	02	SO TD	986,0	– 0,7	24	27	2	0	80	TD	01	30 TD	– 0,7	2,3		7	15
16	990,7	– 5,2	39	17	1	1	0	3	80	TD	02	TD	992,6	– 3,7	60	22	1	6	40	TD SO	04	TD SO	991,1	– 0,8	59	15	4	8	75	TD S	70	TD SO	– 5,4	– 0,6		4	16
17	976,7	2,5	36	17	3	4	1	3	70	TD S3	85	TD S	974,7	2,3	56	26	1	8	70	TD	02	TD SB	975,5	1,7	68	05	1	8	70	TD	02	TD SB	– 0,9	3,1	0,2	5	17
18	985,5	– 1,3	46	01	3	3	0	3	80		02	TD	991,5	– 2,7	76	19	3	7	70	SB	86	SO SB	995,1	0,1	93	15	3	8	50	SB	86	SB	– 2,9	2,3	0,0	4	18
19	999,5	0,9	30	36	3	4	10	7	80	TD	26	TD SB	1004,5	1,2	85	36	2	7	70	TD	26	TD SO H SB	1006,5	4,6	71	36	4	8	60	TD RB	81	TD SO LB	– 0,3	4,7	8,7	4	19
20	1012,8	3,6	79	36	3	4	6	4	70	TD	02	TD RB LR	1016,8	3,5	75	31	3	1	75	TD SO	02	TD SO	1018,1	1,2	89	08	2	9	65	TD	04	TD	1,2	4,8	4,2	4	20
21	1020,0	3,1	30	15	3	4	5	8	80	TD	02	TD	1021,9	2,8	61	17	4	7	75	TD	02	TD	1021,7	0,3	63	16	3	3	75	TD	02	TD	0,2	3,3		5	21
22	1016,0	2,2	55	16	4	4	5	3	73	TD	02	TD	1013,2	1,6	65	17	4	7	70	TD SB	85	TD	1007,9	0,8	62	18	4	4	75	TD	02	TD SB	0,2	2,3		5	22
23	1000,8	– 0,9	49	28	1	4	4	1	82	TD	02	TD	998,6	– 0,3	63	19	1	8	60	TD	04	TD	995,8	0,3	64	15	3	8	65	TD	04	TD	– 1,9	1,0	0,0	4	23
24	1000,2	0,6	99	00	3	4	11	8	50	TD	26	TD S	1004,4	0,8	98	28	1	7	50	TD RB	80	SB TD RB	1007,3	0,1	97	00	0	0	40	TD	04	TD	0,1	0,9	4,7	3	24
25	1009,7	0,4	98	00	3	4	10	3	60	TD S	70	TD	1010,7	1,2	99	00	0	8	40	TD R	61	TD R S	1011,4	1,8	98	15	1	9	60	TD R	61	TD R	0,0	2,0	0,0	2	25
26	1010,1	4,0	78	16	4	3	0	7	75	TD	02	TD R	1008,3	4,8	60	18	6	7	75	TD	02	TD	1003,0	4,1	87	18	7	8	65	TD R	63	TD R	1,8	5,6	3,3	7	26
27	1000,0	4,7	95	17	4	0	0	3	60	TD R	63	TD R	995,2	5,6	78	18	6	8	65	TD R	61	TD R	994,0	3,7	78	18	6	8	70	TD R	63	TD R	3,2	7,3	41,4	8	27
28	984,4	3,8	84	16	2	0	0	8	75	TD RB	81	TD RB R	989,2	4,2	79	17	2	7	70	TD	25	TD RB	990,7	3,1	83	15	2	7	70	TD	02	TD RB	3,0	4,9	34,2	6	28
29	989,9	0,6	98	00	3	0	0	1	80	NL	02	TD	988,6	0,1	99	00	0	7	50	TD	04	TD NL	987,8	– 0,7	98	00	0	0	50	TD	04	TD RI	– 0,6	3,2	0,5	2	29
30	988,8	– 1,3	87	00	3	0	0	7	75	TD	02	TD RI	990,7	0,3	75	19	2	7	65	TD SO	04	TD SO	991,2	– 0,3	69	13	3	1	80	TD	01	30 TD	– 1,9	0,4	0,3	3	30
31	993,7	– 1,6	79	27	1	0	0	0	75	TD	02	TD RI	995,2	– 1,8	67	25	2	0	65	TD SO	04	TD SO	994,7	– 3,8	83	00	0	0	65	TD	04	30 TD	– 3,8	0,0		3	31
MI	998,8	2,1	69		2,5		2	5,7					998,1	2,2	69		2,7	6,3					997,2	1,8	73		2,9	5,7					0,4	4,0	187,4		MM

EKSTENSOTABELL

TRONDHEIM – TYHJLT

JANUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1005,8	-19,5	42	23	3	4	11	3	73	TD	00		1005,5	-15,0	38	23	3	6	80	Ø	02	J	1006,0	-12,8	66	23	3	4	75	TD	01	TD SB	-20,6	-12,6		4	1
2	1005,3	- 8,8	32	21	3	4	12	3	33	TD S	71	TD SB	1005,5	- 6,8	86	22	2	6	78	TD	14	TD SB	1006,2	- 6,4	88	22	2	5	75	TD	02	TD	-13,3	- 9,1	0,2	3	2
3	1005,4	-11,6	36	22	3	4	12	3	89		01		1005,0	-11,6	78	24	1	3	89	90	02	90	1003,7	- 8,6	53	11	2	3	89		02		-12,6	- 6,4	0,5	3	3
4	1003,8	-11,4	55	22	2	4	12	3	89		02		1005,3	- 9,0	51	15	1	1	89	90	02	90	1006,6	- 9,6	52	13	1	0	89	NL	02	90	-12,3	- 8,3		3	4
5	1005,7	-13,1	33	13	2	4	12	3	89		02		1004,4	-10,7	52	13	1	5	89		03		1002,3	- 8,6	58	10	2	5	75	TD	02		-13,6	- 8,0		3	5
6	995,7	- 7,1	56	09	2	4	12	7	73	TD	02	TD	932,7	- 4,2	53	19	2	7	89	TD	03	TD	990,1	- 3,4	56	21	2	4	75		01	TD SB	-10,5	- 3,3		4	6
7	976,9	- 0,9	94	21	3	4	19	2	89		01	TD SB	975,8	- 1,6	78	23	3	6	89		03	TD	972,6	- 1,0	76	22	2	7	75	TD	03	TD SB	- 3,9	- 2,5	2,4	5	7
8	982,0	- 0,2	89	24	3	4	17	3	73	TD	01	TD SB	981,8	- 1,2	68	20	3	6	89		03	TD SB	978,4	- 2,6	65	22	3	4	75		01		- 2,9	- 1,8	1,5	4	8
9	978,0	- 1,9	73	24	3	4	19	3	50	TD SB	85	TD SB	979,2	- 0,8	99	18	2	8	20	TD S	73	TD S	977,8	- 3,4	74	22	3	3	80	TD	01	TD SB	- 3,4	- 0,2	1,2	4	9
10	975,1	- 5,3	37	23	1	4	20	1	89		01	TD	974,7	- 6,6	58	00	0	3	89	90	03	90	974,9	- 8,0	61	21	2	4	89		01		- 8,0	- 2,2	2,5	3	10
11	976,4	-12,3	72	22	2	4	20	2	73		02		978,5	- 8,4	90	15	1	8	80	Ø	03	Ø	980,3	- 3,6	60	10	1	7	75	TD	02	TD	-12,3	- 3,1		3	11
12	985,8	- 1,8	33	18	3	4	20	7	73	TD	02	TD	980,0	- 1,4	54	17	3	5	89		02		982,2	- 4,4	55	08	3	5	89		02		- 4,4	- 1,4		4	12
13	992,4	- 6,3	82	09	2	4	20	3	73	TD	03	TD	982,2	- 7,1	94	11	3	7	30	TD S	71	TD S	984,4	- 7,2	97	09	1	4	75	TD S	71	TD S	- 8,1	- 4,4		4	13
14	1003,0	- 6,0	86	23	2	4	22	3	73	TD	14	TD SB	1007,4	- 4,8	88	23	2	9	25	TD S	73	TD SB	1010,1	- 4,6	78	22	3	5	75	TD	14	TD S	- 7,7	- 4,1	1,1	3	14
15	1015,2	- 3,1	98	22	2	4	24	3	73	TD	14	TD	1017,1	- 2,4	93	10	2	8	73	TD	02	TD	1016,0	- 6,8	99	07	1	2	75	TD	01	TD	- 6,8	- 2,3	0,3	3	15
16	1012,0	- 4,5	86	00	3	4	24	3	73	TD	03	TD	1012,7	- 3,1	99	08	2	8	10	TD	10	TD S	1008,4	- 2,2	85	09	2	8	75	TD	02	TD SJ	- 9,0	- 2,0		3	16
17	1013,8	- 1,5	79	11	1	4	26	3	23	TD S	71	TD S	1018,2	- 0,3	95	22	3	8	20	TD S	71	TD S	1021,6	- 1,1	99	22	3	6	70	TD	02	TD	- 2,2	0,0	2,0	3	17
18	1024,8	- 1,3	94	23	2	4	26	7	73	TD	02	TD	1025,6	- 1,4	90	22	1	5	70	TD	03	TD	1025,5	- 3,2	99	22	2	8	02	T	43	TD	- 3,2	- 3,5	0,4	3	18
19	1024,8	- 7,8	72	19	2	4	26	3	89		01	TD	1025,1	- 6,9	58	22	2	0	89	90	02	90	1024,1	- 7,6	67	20	2	2	80	TD	03	90	- 8,4	- 3,0		3	19
20	1021,8	-11,4	35	22	3	4	26	7	53	TD	03	TD	1020,9	-10,3	81	21	2	7	89		02	TD	1020,5	- 2,2	77	07	1	3	89		01		-11,5	- 2,2		3	20
21	1019,0	- 0,6	60	19	1	4	26	3	75	TD	03	TD	1018,8	- 0,8	55	20	3	4	89		01	TD	1017,0	- 0,7	58	21	2	7	75	TD	03	TD SJ	- 2,2	- 1,3		4	21
22	1012,0	- 0,2	97	22	3	4	25	3	22	TD SB	85	TD	1009,7	- 0,4	97	23	2	8	50	TD S	71	TD SB	1006,9	- 0,3	98	23	3	8	70	TD SB	85	TD SB	- 3,7	- 0,7	0,0	4	22
23	1000,1	- 1,0	89	22	2	4	27	3	23	TD S	73	TD S	998,6	- 0,8	99	21	3	9	20	TD S	73	TD S	996,2	- 2,0	93	21	2	6	70	TD	01	TD SB	- 2,0	- 0,0	3,8	3	23
24	989,7	- 7,6	83	22	2	4	24	3	73	TD	01	TD	987,5	- 4,8	73	15	3	4	89	90	02	90	985,9	- 5,4	69	06	2	4	73		03	90	- 9,1	- 1,9	3,4	4	24
25	983,3	-10,4	62	09	3	4	24	3	73		02		982,3	-11,8	56	11	3	3	80	Ø 90	03	9 90	980,6	-13,6	59	10	2	3	75	J	02	9	-13,9	- 4,9		4	25
26	979,5	-17,1	78	11	1	4	24	3	73	TD	03	TD	979,9	-15,8	85	10	1	6	50	90 IN	76	90 IN	980,1	-17,5	98	10	2	1	75	TD	02	TD	-17,5	-13,3		3	26
27	978,1	-19,3	95	10	1	4	24	3	73	TD	02	TD	977,5	-19,0	84	18	1	4	75	90	02	90	976,9	-17,8	86	11	1	3	75	TD	01	90	-21,2	-16,9	0,5	3	27
28	978,0	-15,7	76	19	2	4	24	3	89		02		980,8	-13,3	71	20	2	5	89	90	03	90	981,9	- 9,6	77	20	1	8	75	TD	03	90 TD	-19,2	- 9,3		3	28
29	985,7	- 5,9	38	18	3	4	25	3	73	TD	03	TD S	990,0	- 4,0	58	22	3	7	89		02		991,6	- 5,9	53	23	2	6	75		02		- 9,6	- 3,8	0,7	4	29
30	993,0	-13,1	66	22	3	4	25	3	89		02		994,5	-10,6	59	21	2	1	89	90	02	90	994,4	-11,1	59	22	2	0	75		02	90	-13,6	- 5,9		3	30
31	991,6	-13,6	69	22	1	4	25	0	73		02		989,5	-12,0	69	09	2	2	88	Ø 90	03	Ø 90	985,6	- 4,6	49	17	2	0	75	TD	01	TD SJ	-14,7	- 4,3		3	31
MI	997,2	- 7,7	74		2,1		24	4,4					997,6	- 6,6	75		2,1	5,4					997,0	- 6,3	73		2,0	4,2					- 9,6	- 4,0	20,8		IM

TRONDHEIM – TYHJLT

FEBRUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	974,3	- 5,9	63	09	3	4	35	3	73	TD	03	TD	970,0	- 5,2	57	12	1	7	89		03		969,5	- 6,2	93	20	1	8	40	TD S	73	TD S	- 6,9	- 1,6		4	1
2	968,4	- 7,2	88	14	1	4	37	3	61	TD SB	85	TD SB	967,7	- 5,0	97	21	2	8	60	TD SB	89	TD SB	968,4	- 2,3	94	22	3	8	23	TD SB	85	TD SB	- 7,7	- 1,7	2,6	4	2
3	967,8	- 9,2	09	23	3	4	45	3	89		01	TD SB	968,5	-10,0	66	22	3	1	89	90	02	90	970,0	-11,4	59	22	2	1	89		02	90	-11,4	- 2,3	5,2	4	3
4	972,0	-10,8	71	19	2	4	42	7	73	TD	00		974,4	- 8,1	78	19	1	7	65	TD S	71	TD SB	974,0	- 8,2	94	19	1	3	60	TD	01	TD SB	-13,3	- 6,3		3	4
5	974,4	- 2,6	85	21	3	4	44	3	23	TD SB	85	TD SB	976,7	- 1,2	99	23	4	9	05	TD SB	85	TD SB	981,9	- 1,4	85	19	1	6	73	TD	01	TD S	- 9,1	- 0,6	1,2	4	5
6	988,3	- 0,8	27	22	3	4	50	3	05	TD SB	85	TD SB	990,0	0,0	66	22	3	8	80	Ø	03	TD SB	985,8	- 0,2	54	21	3	8	73	TD	02	TD SB	- 2,2	0,2	5,6	4	6
7	979,4	- 1,6	78	21	2	4	46	3	43	TD SB	85	TD SB	977,0	- 0,8	98	22	2	7	56	TD S	71	TD S	977,8	- 2,2	88	22	3	8	23	TD S	73	TD SB	- 2,2	- 1,5	0,3	5	7
8	981,5	- 2,8	39	21	2	4	53	3	73	TD	01	TD S	980,4	- 1,2	81	28	4	6	65	TD S	72	TD S	975,6	- 3,0	94	27	4	8	23	TD S	75	TD S	- 3,9	- 0,9	3,3	5	8
9	974,7	- 1,6	95	34	4	4	48	3	73	TD S	72	TD S	978,8	- 0,1	69	35	3	5	60	TD S	70	TD SB	983,8	- 1,6	94	32	3	8	60	TD S	72	TD SB	- 3,4	- 0,6	11,7	6	9
10	984,8	- 2,3	98	32	1	4	53	3	73	TD	01	TD SB	985,8	- 2,0	91	32	4	8	05	TD SB	86	TD SB	989,0	- 1,6	74	29	3	7	75	TD	03	TD SB	- 2,4	- 0,3	2,2	4	10
11	992,0	- 2,0	94	30	2	4	56	3	23	TD S	72	TD SB	993,5	- 0,6	76	30	3	7	89		01	SB	992,4	- 0,2	84	26	4	7	58	TD	03	TD SB	- 2,8	- 0,1	3,3	4	11
12	989,5	- 0,4	98	24	2	4	58	3	22	TD S	71	TD S	990,4	0,2	78	35	2	7	75	TD	14	TD S	992,0	- 1,7	63	01	2	3	75	TD	01	TD SB	- 1,7	- 1,1	7,8	4	12
13	997,2	-10,4	95	19	2	4	59	3	03	T	43		1000,0	-10,0	94	05	1	5	70	TD SB	01	T	1003,3	-13,7	88	09	1	1	75	TD	01	TD SB	-13,7	- 1,7	1,2	3	13
14	1009,6	-21,7	71	22	3	4	58	3	89		01		1011,2	-18,2	64	20	3	4	89	90	02	90	1012,0	-15,0	67	23	2	4	75	TD	02	90	-23,0	-13,7		4	14
15	1014,5	- 8,9	88	22	3	4	61	3	40	9	72	TD SB	1017,1	- 5,2	81	23	2	6	80	Ø	03	TD SB	1019,3	- 2,5	82	22	3	7	73	TD	02	TD	-15,0	- 2,3	0,7	3	15
16	1023,3	- 1,8	82	21	3	4	60	6	73	TD	02	TD SB	1025,6	- 0,2	69	23	3	4	89	90	01	90	1026,6	- 2,2	73	23	3	1	89		02	90	- 2,7	- 0,2	0,2	3	16
17	1026,3	- 7,7	32	14	1	4	60	0	89		02		1026,2	- 3,1	63	09	1	0	89	90	02	90	1024,0	- 5,8	51	13	2	0	89		02	90	- 9,0	- 1,7		3	17
18	1020,7	- 3,4	42	19	2	4	57	0	89		02		1020,7	- 1,4	40	12	2	0	89	90	02	90	1020,2	- 2,2	36	16	3	1	89		03	90	- 7,2	- 1,5		4	18
19	1018,2	- 5,0	51	12	2	4	55	5	73	TD	03		1017,7	- 2,5	53	14	4	5	89		02	90	1017,3	- 3,1	56	22	2	6	89		03	90	- 8,7	- 1,4		4	19
20	1019,9	- 5,5	63	21	2	4	52	5	89		02		1019,7	- 2,0	57	26	1	2	89	90	01	90	1019,1	- 3,9	74	25	1	6	75	TD	03	90	- 6,1	- 1,0		3	20
21	1016,2	- 6,1	73	21	2	4	50	1	89		01	TD	1015,8	- 1,5	62	00	0	1	80	Ø 90	02	Ø 90	1014,4	- 4,2	85	07	1	1	80	NL	02	J 90	- 7,2	- 1,0		3	21
22	1008,9	- 8,0	85	21	3	4	50	1	80	J	02	J	1007,5	- 5,2	73	25	1	1	65	TD 90	02	TD 90	1005,3	- 5,4	94	11	1	8	50	TD	03	TD	- 9,1	- 2,7		3	22
23	1003,0	- 4,6	90	11	1	4	50	9	17	TD S	71	TD SB	1005,1	- 0,4	99	21	2	9	16	TD S	73	TD S	1008,8	1,0	94	31	4	8	25	TD R	61	TD SB	- 5,7	- 2,3	0,0	4	23
24	1015,6	- 0,2	94	27	1	4	59	6	75	TD SB	86	TD SB	1017,4	0,9	97	23	2	8	10	TD S	73	TD SB	1018,0	2,4	74	20	2	8	75	TD LB	83	TD LB	- 0,4	- 3,2	6,6	5	24
25	1012,9	2,8	68	25	3	4	53	7	73	TD	02	TD RB	1011,2	4,3	58	17	2	7	89		02		1006,9	5,4	48	25	2	8	89		02		2,4	- 5,5	7,6	4	25
26	990,8	5,4	58	26	3	4	45	8	73	TD	02	TD	991,8	4,4	57	24	4	5	89		01	TD RB	990,6	1,2	97	25	2	8	21	TD SL	83	TD RB	1,2	- 6,6		5	26
27	992,3	- 0,6	88	24	3	4	41	3	80	J	01	TD SB	993,2	0,0	84	18	3	3	89	90	02	TD SB	987,3	- 1,8	63	08	3	3	89		02	90	- 1,8	- 1,3	1,6	5	27
28	979,7	3,0	62	17	2	4	40	8	73	TD	03	TD	978,6	5,0	67	22	1	6	89		02		980,0	3,1	71	28	2	8	89		02		- 2,0	- 5,8	1,0	5	28
MI	996,3	- 4,3	80		2,4		51	5,1					996,9	- 2,5	74		2,3	5,1					996,9	- 3,1	76		2,3	5,6					- 6,2	- 0,3	62,8		IM

EKSTENSOTABELL

TRONDHEIM - TYHJLT

MARS 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	982,4	1,8	97	17	4	4	37	8	79	TD	03	TD	982,9	2,3	91	15	4	4	79	TD SØ	01	TD SØ	982,2	0,2	92	16	4	8	75	TD	03	TD SØ	0,2	4,4		5	1
2	977,9	- 3,3	96	05	2	4	37	1	79	TD	01	TD	971,0	- 0,7	74	17	4	9	03	TD S	73	TD	973,0	5,1	98	19	2	3	75	TD	01	TD SØ	- 3,5	5,4		8	2
3	967,3	5,2	66	00	0	4	35	6	89		03	TD	959,7	4,2	80	18	3	7	88		25	RB	973,4	2,4	65	20	5	4	89		01	TD R SL	1,7	7,2	0,6	5	3
4	973,8	0,4	66	17	3	4	32	6	89		02	TD SØ	975,4	2,6	62	21	4	7	89		03		976,9	0,8	80	17	2	4	75	TD	01	SØ	0,2	4,8	1,7	6	4
5	979,3	0,0	97	20	3	4	40	9	05	TD S	73	TD S	977,7	2,0	76	17	2	8	75	TD SØ	80	TD SØ	979,8	0,4	93	17	3	8	50	TD SØ	83	TD SØ	- 0,5	2,2	4,5	5	5
6	980,4	0,4	97	16	2	4	47	3	79	TD SL	83	SL S TD	990,1	3,2	93	33	1	5	80	Ø SØ	01	Ø R	977,5	5,8	56	17	3	7	89		03	SØ Ø	- 0,2	6,1	10,2	3	6
7	977,0	4,0	92	15	4	4	40	7	89		02	J	979,2	2,8	53	17	2	8	65	TD	03		978,7	0,1	98	34	1	8	06	TD S	71	TD SL	0,1	6,5	1,2	4	7
8	986,3	- 0,7	97	16	2	4	43	3	79		02	TD SØ	987,0	2,3	56	07	2	2	89	SØ	01	SØ	982,6	2,1	45	13	3	1	89		01	SØ	- 0,8	3,7	1,4	3	8
9	969,1	3,1	91	12	1	4	40	3	89		03		984,6	5,2	49	13	6	6	89	SØ	02		985,1	4,9	40	14	5	8	89		02		0,2	5,7		7	9
10	970,3	3,2	98	11	3	4	40	3	79	TD	02	TD	974,1	1,9	76	15	2	8	58	TD SL	68	SL TD	978,7	0,2	91	25	2	9	20	TD S	71	TD S	0,2	5,0		5	10
11	985,9	- 2,8	94	14	1	4	49	1	89		01	TD S	984,3	0,2	83	09	3	0	89	SØ	01	SØ	980,9	1,2	91	11	3	3	89		03	SØ	- 3,2	2,2	6,8	4	11
12	978,5	0,6	91	13	3	4	40	8	89		03		981,3	1,0	52	12	4	6	89		02		982,8	0,0	53	10	4	4	89		01	SØ	0,0	1,6		5	12
13	989,5	- 1,1	84	09	3	4	35	8	89		03		992,1	0,2	47	11	4	3	89	SØ	01	SØ	994,4	- 2,4	53	06	2	3	89		02	SØ	- 2,4	0,7		5	13
14	1000,3	- 8,6	73	17	2	4	35	1	80	J	01		1002,3	- 1,5	59	00	0	1	80	Ø	02	Ø SØ	1002,5	- 2,4	91	00	0	7	75	TD	03	J SØ	- 9,3	- 0,8		3	14
15	1003,9	- 8,6	77	17	3	4	35	3	79	TD	02	TD	1005,2	- 3,2	63	03	1	1	75	Ø SØ	01	Ø SØ	1003,3	- 3,3	64	06	1	1	89	J	02	J SØ	- 9,2	- 1,7		4	15
16	1004,4	-11,4	80	17	2	4	35	1	79	Ø	02	J	1005,4	- 5,4	65	04	2	1	70	Ø SØ	02	J SØ	1005,7	- 7,8	65	33	3	3	89		03	SØ Ø	-11,8	- 3,3		3	16
17	1009,4	-14,8	62	11	2	4	35	1	80		01		1018,7	-10,0	52	10	2	1	89	SØ	02	SØ	1015,3	-10,2	47	08	2	1	89		02	SØ	-14,8	- 7,8		3	17
18	996,8	-18,1	30	11	3	4	35	3	89		03		990,2	- 8,4	57	10	3	8	50	TD SØ	80	TD SØ	986,9	- 4,6	99	11	3	8	50	TD SØ	80	TD SØ	-18,1	- 4,0		4	18
19	982,1	- 4,7	93	11	3	4	36	3	43	TD SØ	80	TD SØ	976,2	- 2,4	94	20	4	8	21	TD S	71	TD S	970,5	1,1	63	21	2	8	78	TD	16	TD S	- 9,0	1,1	1,4	4	19
20	972,1	- 1,0	97	21	1	4	37	6	79	TD	16	TD SØ	973,6	1,7	63	06	1	5	89	SØ	01	SØ TD	975,0	1,2	68	05	1	5	89		02	SØ	- 1,0	3,7	2,8	3	20
21	977,2	1,4	98	20	2	4	36	7	80	Ø	03		979,1	4,6	45	13	2	3	89	SØ	01	SØ	979,1	2,2	49	13	2	3	89	J	02	Ø SØ	- 0,3	5,2		3	21
22	979,3	- 2,4	84	12	1	4	36	7	79	Ø SØ	03	J	978,6	4,6	53	16	3	4	75	Ø SØ	01	Ø SØ	978,1	2,8	38	13	2	7	75	Ø	03	J SØ	- 2,9	5,1		4	22
23	979,8	- 1,4	90	15	2	4	34	2	80	Ø	01	J	982,3	4,2	50	18	3	3	89	SØ	02	SØ	986,4	2,8	51	15	2	3	89	SØ	02	SØ	- 1,5	4,9		4	23
24	991,6	- 1,8	93	22	1	4	34	3	79	TD SØ	80	TD SØ	993,8	2,1	93	20	2	7	59	TD	01	TD SØ	995,4	1,1	97	23	1	8	59	TD RB	80	RB L3	- 3,1	3,8	0,0	3	24
25	990,6	0,0	82	09	2	4	33	8	80		02	TD R3	994,1	3,8	49	17	4	8	89		02		996,8	2,3	50	18	6	8	80		02		- 0,3	4,3	1,1	6	25
26	988,4	4,1	96	20	3	4	32	3	80		02		989,0	6,0	53	18	3	8	89		02		988,5	7,0	57	18	2	8	80		02		2,2	7,3		6	26
27	969,2	5,0	91	12	3	4	31	3	80		01		988,7	7,1	51	14	4	4	89	SØ	01	SØ	971,7	5,0	53	16	4	2	89	SØ	01	SØ	4,3	7,7		6	27
28	978,9	4,6	85	15	1	4	25	3	80	SØ	02		984,0	7,6	51	18	2	3	89	SØ	02	SØ	987,9	6,6	55	18	3	7	80	SØ	03	SØ	4,2	8,3		5	28
29	994,4	3,5	74	11	1	4	24	1	79	SØ	01		988,0	8,2	55	16	2	5	80	Ø SØ	03	SØ	998,9	6,1	97	15	2	1	80	SØ	01	SØ	2,8	9,5		3	29
30	999,4	- 0,6	90	21	2	4	18	6	75	TD	03	TD	998,0	3,2	69	04	2	4	79	TD SØ	01	TD SØ	995,4	4,4	59	15	2	1	79	TD SØ	01	TD SØ	- 1,0	6,1		2	30
31	993,3	- 1,4	71	30	3	3	15	3	83	TD SØ	03	TD	992,0	6,0	54	17	3	1	79	TD SØ	01	TD SØ	991,9	6,2	55	14	3	1	79	TD SØ	02	TD SØ	- 1,4	7,3		3	31
MI	984,2	- 1,5	71		2,3		35	5,5					984,1	1,8	62		2,7	4,7					984,0	1,3	63		2,6	4,9					- 2,1	3,6	31,7		IM

TRONDHEIM - TYHJLT

APRIL 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	993,3	1,8	93	15	2	3	14	3	80	TD SØ	03	TD	993,9	4,8	54	12	3	6	70	TD SØ	03	TD	992,6	4,6	65	07	2	3	70	TD	02	TD SØ	1,1	6,2		4	1
2	992,5	2,8	73	08	2	3	12	3	80	SØ	02	TD RB	993,6	6,7	56	13	4	3	89	SØ	01	SØ	994,9	4,4	64	08	3	5	80	SØ	03	SØ	2,2	6,9	0,0	4	2
3	996,3	1,2	80	08	2	3	12	3	63	TD	01	TD	996,9	4,4	63	08	3	4	70	TD SØ	02	TD SØ	997,0	3,2	66	08	3	2	70	TD SØ	01	TD SØ	1,2	4,5		4	3
4	998,1	1,7	88	08	3	3	11	6	80		03	TD	998,0	5,8	56	14	3	3	89	SØ	01	SØ	999,0	4,4	62	11	4	8	80	TD SØ	03	SØ	- 0,1	6,5		4	4
5	1004,5	1,7	83	21	2	3	9	2	80	SØ Ø	01	J	1006,2	5,6	57	05	2	3	89	SØ	02	J SØ	1006,0	6,5	39	13	1	7	75	J SØ	03	J SØ	1,0	6,7		4	5
6	1008,0	2,4	64	16	3	2	8	3	79	TD SØ	01	TD	1008,2	6,2	55	17	1	3	70	TD SØ	02	TD SØ	1008,8	5,6	54	17	2	3	70	TD SØ	02	TD SØ	1,0	6,7		4	6
7	1010,8	- 0,4	89	19	2	2	7	3	79	J	03	J	1012,2	3,2	85	35	1	5	75	Ø SØ	02	Ø SØ	1013,0	4,2	92	29	1	7	75	J	03	J SØ	- 0,7	5,6		2	7
8	1015,6	0,2	77	21	3	2	6	7	80		02		1015,1	2,6	72	32	3	7	80	TD	02	TD	1013,9	3,2	61	31	1	6	89	SØ	02	TD SØ	- 0,6	5,2		3	8
9	1010,8	- 3,1	90	20	2	2	4	3	80		01		1019,2	2,1	64	07	1	1	89	SØ	01	SØ	1017,0	3,1	65	04	2	5	80	J	03	SØ	- 1,7	3,3		2	9
10	1005,7	- 2,1	77	22	2	2	4	3	73	TD	01	TD	1013,8	3,6	65	05	2	8	75	TD SØ	03	TD SØ	1010,6	5,5	38	13	2	8	73	TD	02	TD SØ	- 2,8	6,4		3	10
11	1000,0	2,6	95	24	1	1	3	8	73	TD	02	TD RB	999,8	6,0	66	06	1	8	75	TD	02	TD	999,5	6,4	72	32	1	7	75	TD	02	TD SØ	2,2	7,9	0,0	3	11
12	1001,1	2,9	90	04	1	1	3	4	79	TD SØ	01	TD	1000,9	9,5	55	01	1	0	80	Ø	01	TD	998,5	9,2	55	31	1	1	75	J SØ	03	J SØ	1,9	11,0		2	12
13	996,4	1,2	99	17	1	1	1	8	60	TD	03	TD	996,1	2,6	86	07	2	8	70	TD	03	TD	995,7	2,9	36	33	3	8	65	TD	02	TD	1,2	9,2		3	13
14	1000,0	- 1,0	78	02	1	3	4	3	89		01	TD S	1002,0	0,8	62	27	3	8	89		03	S	1005,1	0,8	64	32	3	6	89		02		- 1,0	2,9	1,8	4	14
15	1013,8	- 1,8	86	21	1	1	1	8	89		02		1014,9	1,2	51	04	2	3	89	SØ	01	SØ	1014,6	1,1	50	04	2	2	89	SØ	01	SØ	- 1,8	1,8	0,1	4	15
16	1013,4	- 4,8	69	21	2	1	1	3	80	SØ	03	RI	1013,0	0,0	54	35	2	4	89	SØ	03	SØ	1013,4	0,0	66	31	3	6	89		03	SØ	- 5,3	1,3		3	16
17	1015,0	- 0,8	95	21	2	1	1	3	89		02	/	1014,9	2,6	76	23	2	5	89	SØ	15	LB	1013,9	2,2	76	23	2	7	89		15	RB	- 1,1	3,8	0,0	3	17
18	1011,9	0,3	76	20	2	1	1	8	79	TD YR	50	TD LB	1010,9	5,2	59	27	3	7	89	SØ	01	SØ	1009,1	3,1	74	21	2	8	75	TD RB	80	TD	0,1	5,8	0,0	3	18
19	1005,1	2,5	97	21	2	1	1	8	70	TD R	61	TD YR	1004,1	6,0	82	24	1	8	80	Ø	02	J R	999,8	5,9	93	32	1	7	89		02	TD	1,9	7,3	0,8	3	19
20	994,9	3,6	98	21	2	0	0	8	80	YR	51	YR	995,0	5,4	97	35	1	8	56	TD R	63	TD R	994,1	6,2	94	33	1	8	80	J	02	J R	3,3	7,4	0,3	2	20
21	991,1	4,1	98	36	1	0	0	3	07	TD R	63	TD R	989,3	4,9	95	06	2	8	40	TD	02	TD RB	985,8	7,2	77	36	2	3	89	30	01	TD SØ	3,8	7,5	1,6	3	21
22	985,9	2,5	78	19	1	0	0	1	89	30	02		985,6	9,7	48	14	4	6	89	SØ	03	SØ	984,6	8,3	52	12	3	6	89	30	02	SØ	1,8	10,3	2,4	4	22
23	984,0	6,2	59	13	3	0	0	6	89		02		984,2	8,6	52	14	3	5	89	SØ	01	SØ	984,7	7,4	53	13	3	3	89	30	01	SØ	5,4	9,5		5	23
24	985,9	4,8	58	14	3	0	0	4	80	30	02		987,5	8,0	50	16	3	3	89	SØ	01	SØ	987,8	8,2	49	14	3	3	89	30	02	SØ	3,3	9,3		4	24
25	990,2	5,8	66	11	3	0	0	3	80	Ø 30	02		990,5	8,8	52	11	3	8	75	Ø	03	Ø SØ	989,9	4,7	91	37	2	7	89	J YR	51	J R	3,5	9,3		4	25
26	992,9	3,9	77	07	2	0	0	3	89	30	01	J	995,7	8,0	66	05	2	7	89	SØ	03	Ø SØ	997,9	5,9	94	27	1	8	75	J R	61	J R	2,3	8,3	2,7	3	26
27	1001,6	4,0	95	30	2	0	0	8	56	TD R	63	TD R	1002,7	4,6	81	25	2	8	60	TD	14	TD R	999,7	5,0	78	19	1	6	70	TD	01	TD R3	4,0	5,9	7,2	3	27
28	994,3	0,2	94	22	2	0	0	3	89	RI	01	TD RI	991,0	4,0	76	29	1	8	56	TD R	61	TD RB	986,8	4,1	93	21	3	7	65	R	61	RB	- 0,7	5,8	2,6	4	28
29	973,0	2,2	97	20	2	0	0	6	74	TD R	61	TD R	988,7	7,6	49	17	3	4	89	SØ	01	TD RB	987,4	2,1	69	28	2	7	74	TD L8	83	TD S SL	0,6	7,6	2,7	4	29
30	984,4	- 1,0	89	20	2	0	0	2	80	Ø RI	01	J RI	983,7	4,2	47	11	3	6	89		03	30	983,6	5,6	42	09	3	4	89	30	01	SØ	- 1,9	6,5	1,4	4	30
MI	998,4	1,8	79		2,0		3	5,1					988,3	5,1	64		2,3	5,5					997,5	4,7	67		2,1	5,8					0,7	6,6	23,6		IM

EKSTENSOTABELL

TRONDHEIM - TYHOLT — MAI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	969,5	0,2	99	20	3	4	2	3	56	TD LØ S	83	TD S	973,0	3,8	64	25	3	6	80	Ø	14	TD RØ	975,0	6,1	49	26	2	3	80	Ø SØ	01	Ø SØ RØ	0,2	6,1	1,5	4	1
2	976,9	0,2	77	17	2			4	89	SØ RI	01	RI	978,3	5,4	58	32	2	4	89	SØ	02	SØ	980,2	7,7	47	33	2	3	89	SØ	02	SØ	- 1,4	8,3	0,2	3	2
3	981,4	1,7	65	09	1			7	73	Ø	03	Ø	979,0	1,8	90	28	2	8	27	TD SL	68	TD SL	980,8	3,5	76	21	3	8	75	TD R	61	Ø RØ	0,8	7,8		3	3
4	987,9	1,4	99	11	1			2	80	SØ RI	01	RI	980,1	5,6	54	36	2	4	89	SØ	03	SØ	981,3	6,6	51	33	1	3	89	SØ	01	SØ	- 0,3	7,7	0,3	3	4
5	992,8	1,8	96	22	2			3	80	SØ	02		983,2	6,8	47	04	2	6	89	SØ	03	SØ	985,4	5,2	84	33	3	6	89		02	SØ	0,3	8,2		3	5
6	1000,7	2,0	88	21	3			8	75	Ø	02	Ø	1002,8	4,9	67	36	2	7	75	Ø	02	Ø SØ	1004,2	5,0	82	11	1	7	70	TD R	61	TD SØ	1,7	5,7		3	6
7	1002,6	2,6	88	22	1			7	80	SØ	01	TD R	1002,7	4,5	69	33	3	7	89		02		1003,0	3,9	66	32	2	7	89		02		1,1	5,2	0,5	4	7
8	1003,3	0,8	97	22	2			8	33	TD S	71	TD RØ	1004,0	2,9	84	01	2	7	70	Ø SØ	15	SØ	1003,6	5,8	56	36	1	3	89	SØ	01	SØ	0,3	6,0	0,4	2	8
9	1005,1	1,2	71	41	3			1	89	SØ	01		1005,6	7,6	40	26	4	3	89	SØ	03	SØ	1005,8	7,3	48	30	3	2	89	SØ	02	SØ	- 0,5	8,7		4	9
10	1008,5	3,2	30	19	2			3	89	SØ	03		1009,4	5,8	57	30	2	6	89	SØ	15	SØ	1010,2	3,1	82	31	3	3	89		15	SØ	1,2	7,3		4	10
11	1008,5	1,7	74	20	3			2	80	SØ	01		1010,9	8,2	54	01	2	7	89	SØ	02	SØ	1009,8	8,9	37	32	2	8	89	SØ	03	SØ	- 0,8	9,5		3	11
12	1002,9	4,6	65	21	1			3	89		02		1010,0	4,1	86	30	3	7	89		02	RØ	1009,5	5,2	56	30	3	7	89	SØ	01	SØ	- 3,5	9,0		4	12
13	1009,2	2,8	74	07	1			3	80		02		1005,0	6,8	67	06	1	8	89	RØ SØ	80	SØ	999,4	6,8	99	30	2	8	58	TD R	63	TD R	- 3,2	9,1	0,2	3	13
14	993,2	10,8	89	23	3			3	80		01	TD RØ	993,2	13,1	58	25	4	5	89	SØ	01	SØ	993,5	12,2	55	26	5	6	89	SØ	02	SØ	6,5	13,8	1,4	5	14
15	994,0	7,7	89	20	2			3	80		14		994,8	9,6	82	33	2	6	89	SØ	03	SØ	993,6	9,5	61	31	2	3	80	TD SØ	01	TD RØ	7,5	12,2		5	15
16	994,7	6,6	78	21	2			7	89	SØ	02		994,8	10,8	51	33	1	5	89	SØ	01	SØ	992,0	9,7	57	32	2	3	80		03	SØ	4,9	12,0	0,0	3	16
17	978,8	13,0	95	17	1			8	58	TD	02	TD	976,5	14,8	82	18	3	8	57	TD	02	TD	979,1	10,0	85	32	3	7	60	TD SØ	01	TD SØ	7,5	16,1		4	17
18	981,6	6,6	90	08	1			8	89	SØ	01	R	983,8	10,7	80	29	1	8	89		03		989,8	8,2	58	32	2	7	89	SØ	02	SØ	5,2	12,5	0,1	5	18
19	991,4	4,0	97	20	2			3	80	Ø YR	51	RØ Ø	992,6	7,0	71	23	2	7	80		02	Ø YR	993,0	5,6	80	31	2	8	80		02		3,8	8,2	1,3	4	19
20	1004,6	3,7	73	22	3			7	89	SØ	14	Ø RØ	1007,2	7,5	55	05	2	6	89	SØ	01	SØ	1007,1	9,2	50	34	2	3	80	SØ	02		2,4	10,1	0,7	4	20
21	1002,1	9,6	48	17	1			7	89		02		998,6	10,4	47	16	3	8	58	TD R	63	TD R	996,6	11,9	49	15	3	7	80		03	RØ TD	9,6	13,6		4	21
22	999,2	10,4	97	36	1			2	75	Ø D SØ	01	Ø	996,7	14,2	54	13	4	8	89	SØ	03	TD SØ	994,5	14,4	93	19	3	7	80	SØ	03	SØ	9,3	15,5	0,8	6	22
23	999,0	9,2	85	04	1			7	75	Ø	02	Ø	998,4	12,6	74	04	3	3	89	SØ	01	SØ	996,3	16,2	84	30	1	1	80	SØ	02	SØ	9,2	16,2		3	23
24	993,9	11,6	92	15	3			7	80	Ø	03		992,7	10,8	94	19	2	8	56	TD	14	TD R	993,0	13,6	39	35	2	3	80	SØ	01	SØ	10,1	16,6		4	24
25	989,6	8,4	91	08	2			8	75	TD RØ	80	TD	992,2	13,4	84	01	2	7	80	Ø SØ	02	TD RØ	993,1	14,6	58	16	3	8	89		02	TD	7,3	17,8	2,4	4	25
26	990,5	6,8	77	21	3			3	80	Ø SØ	01	TD RØ	994,4	10,0	65	08	2	4	80	SØ	14	SØ	995,8	10,6	65	32	3	3	80	SØ	01	SØ	6,3	14,6	4,8	4	26
27	996,0	6,4	94	07	1			3	75	Ø D	03	D	990,6	12,0	64	15	2	7	80	Ø	01	TD RØ	990,0	10,4	45	18	4	6	80	SØ	03	SØ RØ	1,8	17,5		4	27
28	994,1	11,0	39	22	2			7	80	Ø SØ	03	Ø	996,4	12,4	57	32	3	7	80	Ø SØ	02	Ø SØ	997,5	11,8	57	32	3	3	80	SØ	01	Ø SØ	11,0	16,4	2,2	4	28
29	998,0	8,2	81	07	1			1	80	Ø D ØØ	01	Ø D	992,2	12,4	73	18	3	7	89	RØ	80	TD R	992,3	16,7	54	18	4	7	89		02	RØ	6,3	16,7		4	29
30	999,5	10,8	81	07	1			2	63	TD D SØ	01	TD D	1000,7	15,7	57	35	2	4	89	SØ	03	SØ	1004,0	14,8	84	27	2	3	80	SØ	02	SØ	7,0	18,6	1,3	4	30
31	1014,0	9,7	82	16	1			8	75	TD	03	TD	1013,7	12,8	71	03	3	5	80	Ø SØ	01	Ø SØ	1010,5	16,4	60	34	2	7	88	Ø SØ	02	Ø SØ	8,9	16,4		3	31
MI	998,5	5,7	76		2,0		0	5,9					995,3	9,0	64		2,4	6,1					995,7	9,6	60		2,5	5,6					4,1	11,7	27,1		MM

TRONDHEIM - TYHOLT — JUNI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1009,5	18,0	64	12	1			1	69	Ø SØ	01	Ø	1017,1	26,6	45	19	4	3	70	Ø SØ	03	Ø SØ	1010,8	12,3	88	27	5	7	58	Ø SØ	01	Ø SØ RØ	12,3	27,2		5	1
2	1023,5	9,1	82	19	1			7	75	Ø	01	Ø RØ	1025,9	11,1	68	32	3	7	88	Ø	02	Ø SØ	1026,9	13,9	55	33	2	1	89	SØ	01	SØ	8,1	13,9	9,0	5	2
3	1026,1	10,0	72	05	2			0	89	SØ	02		1023,4	16,3	58	03	2	0	89	SØ	02	SØ	1020,1	21,5	41	32	1	0	89	SØ	02	SØ	6,4	21,5		3	3
4	1717,5	13,4	67	20	3			7	89		01		1016,4	18,9	46	30	3	3	89	SØ	01	SØ	1013,6	19,7	33	31	2	3	89	SØ	02	SØ	12,3	21,5		3	4
5	1010,8	12,5	61	07	2			1	89	D SØ	02		1008,0	18,4	46	05	2	0	89	TD SØ	02	SØ	1005,3	22,0	39	02	1	0	89	SØ TD	02	SØ	9,4	22,0		3	5
6	1004,6	15,1	66	02	1			0	75	Ø SØ	02		1003,2	22,5	42	05	1	1	89	SØ	02	SØ	1002,4	22,4	44	31	3	2	89	SØ	02	SØ	12,8	25,1		3	6
7	1002,5	17,0	68	16	2			3	75	Ø SØ	03	Ø	1002,5	20,2	56	22	3	0	70	TD SØ	01	TD SØ	1001,2	17,0	64	31	3	5	70	TD SØ	03	TD SØ	13,6	22,4		4	7
8	998,3	12,3	94	20	1			8	63	TD	15	TD YR	996,6	10,4	95	29	3	8	65	TD RØ	80	TD RØ	997,0	7,4	91	30	3	8	80	Ø	14	TD R	7,1	17,0	0,0	4	8
9	994,2	6,5	88	28	3			7	70	TD RØ	81	TD RØ	994,6	8,8	69	22	4	5	74	TD RØ	80	TD RØ	997,2	7,5	73	30	3	7	80	SØ	14	TD RØ	6,5	9,7	8,1	4	9
10	1000,1	6,0	95	22	2			3	75	TD	02	TD RØ	1001,1	9,6	71	25	2	8	75	Ø	02	TD	1002,0	11,0	67	29	2	3	88	Ø	02	Ø	9,3	11,3	3,2	3	10
11	1005,5	9,4	88	20	1			8	80	Ø	02	J	1005,8	11,3	77	22	3	5	80	Ø SØ	01	Ø SØ	1006,3	10,4	77	34	3	6	89		03	Ø SØ	9,1	12,5		4	11
12	1005,7	8,5	93	31	2			3	75	YR TD	50	TD	1004,5	9,8	80	36	1	8	89		03	TD	1003,0	10,0	78	32	2	7	80		02		8,5	10,8	0,0	3	12
13	996,2	9,5	78	04	1			3	80	Ø D SØ	01	J D	992,0	14,2	62	05	2	3	80	Ø SØ	02	Ø SØ	989,0	16,6	51	34	2	7	89	SØ	03	SØ	5,5	18,2		3	13
14	984,1	12,8	86	20	2			8	75	Ø SØ	02	J	980,6	15,7	72	33	1	6	73	TD TØ	17	Ø RØ SØ TØ	979,5	14,2	91	33	2	8	75	J RØ	81	RØ Ø TØ	10,5	17,2		5	14
15	984,1	11,0	97	28	1			8	63	TD	14	RØ TD	986,9	13,1	81	36	2	7	68	TD SØ	01	TD	989,7	12,8	80	31	3	3	80	J SØ	01	Ø SØ	10,6	15,1	8,7	3	15
16	992,7	9,6	97	32	2			8	50	TD RØ	80	TD RØ	995,5	9,8	94	28	1	8	71	TD YR	50	TD RØ	997,4	11,3	77	27	2	8	80	J	14	TD RØ	8,6	12,8	2,4	3	16
17	1000,0	8,8	91	23	1			7	65	TD RØ	80	TD RØ	1000,4	9,4	73	27	4	6	74	TD RØ SØ	80	TD RØ	1003,1	8,3	84	25	3	7	65	TD RØ	80	TD RØ	8,1	11,3	5,4	5	17
18	1005,1	7,6	74	27	3			7	74	TD RØ	80	TD RØ	1007,3	7,6	93	18	1	8	70	TD R	61	TD RØ	1008,4	7,4	97	35	2	8	58	TD R	63	TD RØ	6,3	9,0	3,3	4	18
19	1007,7	9,2	82	22	2			3	50	TD R	63	TD R	1008,1	11,8	95	24	1	8	65	TD R	63	TD R	1008,7	11,0	98	33	1	8	60	TD R	61	TD R	6,8	12,1	6,7	2	19
20	1009,2	11,4	97	07	1			3	60	TD	14	TD R	1007,6	15,0	76	03	2	3	80	Ø SØ	01	TD SØ	1003,9	17,6	63	05	2	4	89	SØ	01	J SØ	10,8	17,7	3,5	2	20
21	1000,9	14,8	90	03	1			7	70	TD SØ	03	TD	998,2	20,0	64	03	2	4	80	Ø SØ	01	Ø SØ	994,4	21,5	56	00	0	7	89	SØ	03	Ø SØ	13,0	22,1		2	21
22	992,7	19,0	52	19	3			3	80	SØ	01		991,9	24,3	45	17	4	3	71	Ø SØ	02	SØ	998,0	13,6	76	31	3	8	70	TD	03	Ø R SØ	13,6	25,1		4	22
23	999,8	13,0	88	07	1			8	75	J SØ	01	TD RØ	1000,8	16,0	74	34	1	4	70	TD SØ	01	TD SØ	1002,9	17,8	57	02	1	5	75	J SØ	02	Ø SØ	11,0	19,1	2,0	3	23
24	1000,0	14,4	86	00	3			3	75	Ø SØ	01	J	997,0	24,1	47	15	2	6	75	Ø SØ	03	Ø SØ	995,0	23,1	44	16	3	6	75	Ø SØ	02	Ø SØ	11,6	24,7		4	24
25	990,4	19,1	62	11	4			6	70	TD SØ	02	TD	987,0	21,0	56	14	4	8	70	TD	03	TD SØ	988,0	15,8	66	33	3	6	78	TD SØ	15	RØ TD	14,6	23,2		5	25
26	990,8	13,0	74	18	1			3	65	TD SØ	01	TD	989,7	18,3	45	17	2	5	69	SØ	01	SØ	988,4	17,6	42	20	4	4	89	SØ	01	RØ	10,2	19,7	0,6	4	26
27	986,4	12,7	61	24	2			7	89	SØ	03		989,2	12,0	80	29	3	6	70	TD SØ RØ	80	TD RØ	991,6	11,5	81	28	4	8	75	TD	03	TD RØ	10,5	18,0	0,0	4	27
28	995,6	9,9	84	26	2			3	70	TD	02	TD RØ	991,6	12,6	66	08	3	5	69	SØ	01	TD SØ	985,7	13,6	80	00	0	8	70	R TD	61	TD RØ	9,7	13,6	0,8	4	28
29	987,2	9,1	77	17	1			7	82	Ø	02	J RØ	984,2	9,6	68	34	3	8	65	TD R	61	TD RØ	983,9	8,4	91	29	1	8	80	J	02	TD R	7,9	13,6	1,6	4	29
30	984,6	7,4	95	22	1			8	65	TD YR	50	YR TD	986,7	9,7	72	26	4	7	72	TD RØ	81	TD RØ	988,1	8,1	91	27	2	7	70	TD RØ	80	TD RØ	7,4	10,0	8,5	4	30
MI	1000,2	11,9	80		1,7			5,7					999,5	14,9	67		2,4	5,1					999,4	14,2	69		2,3	5,8					9,6	17,2	63,8		MM

EKSTENSOTABELL

TRONDHEIM - TYHJLT — JULI 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	990,5	6,5	88	24	4			3	7J	TD RB	80	TD RB	992,1	7,2	71	26	4	5	89	YR	50	TD YR	993,8	6,6	73	25	J	8	80	J YR	50	Ø RB	6,4	9,2	4,4	4	1
2	995,9	6,8	81	22	2			7	8J	30	02	J RB	993,2	11,8	48	23	3	8	89	RB	80	RB	990,4	8,8	95	18	2	8	60	TD R	62	TD RB	5,2	12,0	4,4	4	2
3	996,1	6,8	95	23	2			3	58	TD R	62	TD RB	1000,6	7,4	90	24	3	8	75	Ø RB	82	TD RB	1004,4	7,5	91	20	2	8	75	J YR	52	J RB	5,5	8,9	8,3	4	3
4	1009,8	9,2	84	19	2			3	8J		02	J	1011,4	10,4	93	26	3	8	58	TD YR	50	J YR	1011,6	11,7	73	29	J	9	80	Ø YR	50	TD YR	7,5	12,2	4,3	3	4
5	1008,8	10,1	90	18	1			3	71	TD	02	J	1008,3	13,0	82	29	2	7	71	TD SU	01	TD RB	1009,3	11,5	74	28	3	4	89	SU	01	TD SU	9,7	13,8	0,3	3	5
6	1007,4	9,3	78	05	1			2	71	TD SU	01	J NL	1004,9	12,1	57	09	2	4	89	SU	02	SU Ø	1002,1	14,2	54	35	1	6	89	SU	03	SU	4,8	14,8	0,2	3	6
7	998,5	11,6	77	18	1			1	8J	SU	01	NL	999,8	18,9	57	30	2	2	89	SU	01	SU	998,2	19,8	49	31	3	6	89	SU	03	SU	9,3	24,2		3	7
8	998,1	10,7	95	31	3			7	8J	J	14	J	998,2	11,7	94	30	2	8	75	Ø YR	50	J YR	994,6	12,9	91	24	1	8	80	J	20	J YR	10,6	19,8		3	8
9	991,1	12,7	97	22	1			3	8J	J SU	01	J NL	990,6	17,0	71	14	3	8	80	Ø	03	Ø RB	994,4	11,2	90	31	3	8	60	TD YR	50	J RB	10,8	18,0	0,8	4	9
10	999,5	9,8	97	22	2			3	5J	TD R	63	TD R	1001,4	10,9	88	33	2	8	60	TD	02	TD RB	1003,9	10,2	80	27	2	8	75	J R	60	TD RB	9,8	11,2	7,3	3	10
11	1006,4	9,3	94	22	2			8	7J	TD	02	J RB	1007,4	12,3	69	33	3	7	80	Ø	01	Ø	1008,0	12,0	65	31	2	7	89	SU	01	J	9,0	13,0	2,5	3	11
12	1007,5	10,6	84	18	1			3	8J	TD SU	01	J	1007,2	14,8	65	04	2	4	89	SU	02	SU Ø	1006,2	16,6	60	04	2	1	89	SU	01	SU	8,4	16,7		3	12
13	1005,0	12,7	84	18	1			1	7J	J SU	10	J NL	1003,2	17,6	63	36	2	2	89	SU	02	SU Ø	1001,8	21,2	41	30	2	3	89	SU	02	SU	9,3	21,6		2	13
14	1001,5	13,3	68	23	1			1	8J	J SU	03	J NL	999,4	17,9	63	34	1	3	89	SU	03	SU Ø	1001,0	14,9	71	30	3	6	8J	J SU	01	J TJ RB	10,8	21,2		3	14
15	1000,7	8,8	97	23	3			3	8J	TD RB	82	J RB	999,4	9,9	90	26	4	8	80	Ø R	60	TD R	999,5	8,8	94	24	3	8	7J	TD R	62	J YR	8,8	14,9	10,7	4	15
16	1000,5	7,8	97	22	2			8	4J	TD YR	51	TD RB	1001,4	9,5	94	24	1	8	70	TD YR	51	TD YR	1001,9	10,2	82	26	2	8	89		02	YR TD	7,8	10,2	10,7	4	16
17	999,8	9,9	91	24	1			3	8J	J SU	03	J NL	997,7	14,1	65	05	2	4	89	SU	01	SU Ø	994,1	16,2	63	35	1	6	89	SU	02	SU	7,1	18,3	0,3	2	17
18	986,0	13,0	37	04	1			7	8J	YR	50	RB	993,5	17,4	55	15	3	8	89		02	YR	992,4	15,5	71	33	1	7	89		01		11,9	18,8	2,9	4	18
19	982,1	11,9	95	21	1			3	8J	TD	02	J	991,4	15,3	82	05	2	7	89	SU	01	J	991,1	16,6	67	36	2	4	89	SU	01	SU	11,6	17,3	0,0	3	19
20	981,1	12,1	94	30	2			3	89		03	NL	991,2	12,7	93	30	2	8	75	Ø	02	Ø	990,7	11,6	93	24	2	8	58	TD R	63	TD R	11,1	16,6		3	20
21	980,4	10,4	95	24	2			3	5U	TD YR	53	TD R	992,7	12,8	91	25	2	7	89		02	J YR	994,7	13,1	77	26	J	7	89		02	YR	10,1	13,5	25,3	3	21
22	987,0	11,3	91	26	2			8	8J	J YR	50	J RB	999,7	11,0	93	27	2	8	70	TD YR	50	J YR	991,1	10,0	94	28	2	8	60	TD YR	53	TD YR	10,0	13,1	5,3	3	22
23	993,7	9,1	90	25	J			3	8J	RB	80	J RB	994,8	11,0	85	31	2	8	80	Ø	02	J RB	995,8	11,5	73	33	2	8	89		02	Ø	9,8	12,3	8,3	3	23
24	996,8	9,2	94	21	1			3	8J	J	02	J YR	996,8	10,9	80	30	2	8	80	J	02	Ø YR	997,2	10,6	85	30	2	8	89		02	Ø YR	8,3	12,2	2,0	3	24
25	997,6	10,0	94	25	1			3	6J	TD YR	50	J YR	999,2	11,3	90	30	1	8	70	TD	02	TD YR	999,6	12,3	81	31	2	7	89		01	TD YR	9,9	12,7	4,4	3	25
26	1001,8	11,5	93	22	1			7	8J		01		1002,9	15,9	68	06	2	5	89	SU	01	SU	1003,0	17,8	60	30	2	4	89	SU	01	SU	10,7	17,8	0,0	3	26
27	1006,0	11,2	94	21	1			3	5J	TD	02	J NL	1006,8	13,7	77	33	2	7	89		02	J	1006,8	13,9	66	33	J	6	89	SU	03		11,2	17,8		3	27
28	1006,1	10,7	86	04	1			3	89		02		1005,2	12,7	68	34	1	7	89		01	SU	1002,4	14,2	69	32	2	2	89	SU	01	SU	10,7	14,2		3	28
29	994,9	10,9	88	03	2			2	8J	SU	02	NL	992,0	20,8	59	04	1	5	89	SU	03	SU	989,9	20,0	41	18	J	5	89	SU	02	SU	9,3	23,7		4	29
30	988,3	15,4	64	19	2			3	8J		02	RB	988,4	20,4	54	14	J	4	89	SU	01	SU RB	987,8	20,6	52	13	4	J	89	SU	01	SU RB	14,5	22,7	0,0	4	30
31	989,5	13,8	78	20	2			2	7J	J NL SU	01	NL	988,5	18,0	68	32	2	3	80	Ø SU	03	J SU	987,2	17,1	82	20	2	6	84	J RB	80	J RB SU	12,2	20,6	0,1	4	31
MI	996,9	10,5	89		1,7		6,4						996,8	13,6	75		2,2	6,3					996,7	13,5	73		2,3	6,3					9,1	15,9	102,5		MI

TRONDHEIM - TYHJLT — AUGUST 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	983,4	16,4	66	19	1			3	8J	SU D J	01	D Ø	982,2	20,6	53	16	4	5	89	SU	03	SU	981,2	19,2	55	10	J	5	89		03	SU	13,2	21,5	0,4	4	1
2	982,6	12,2	74	19	2			3	8J	J	02	TD RB	982,9	15,2	62	33	2	5	89	SU	01	SU Ø	981,7	13,2	80	31	J	6	89	SU	03	SU	12,2	19,2	2,1	3	2
3	989,3	9,8	71	29	J			6	8J	30	02		982,6	10,8	62	31	J	5	89	SU	15	SU RB	986,0	8,8	80	29	J	6	89	SU RB	80	SU RB	8,8	13,2		4	J
4	1000,0	7,7	93	23	2			7	8J	RB	80	RB	1002,1	10,6	68	32	J	5	89	SU	15	SU RB	1003,6	11,2	62	28	J	4	82	SU Ø	01	SU RB	7,4	12,5	1,5	4	4
5	1005,2	6,3	94	19	2			3	8J	30 Ø	15	RB	1005,1	11,8	57	04	2	5	89	SU	02	SU	1003,8	13,2	57	03	2	1	89	SU	01	SU	9,1	13,5	0,7	3	5
6	1002,1	10,6	78	20	1			2	9J	SU D	02	D	1000,4	15,0	59	35	2	2	89	SU	02	SU	997,8	18,6	50	14	1	3	89	SU	03	SU	7,4	20,0		2	6
7	993,5	15,2	37	17	1			6	8J	SU	03		992,5	19,6	52	16	J	5	89	SU	03	SU	992,1	19,1	54	18	J	5	89	SU	02	SU	12,8	21,0		4	7
8	992,0	16,0	61	16	J			7	7J	SU Ø	03	J	991,7	18,4	61	21	J	7	72	TD R	60	SU Ø	990,8	17,0	60	16	4	6	78	J	02	J SU RB	15,2	19,2		4	8
9	989,3	15,4	63	10	2			7	8J		02	J	988,0	17,8	63	12	4	8	73	TD RB	80	TD RB	987,6	15,7	89	12	1	8	65	TD R	63	TD R	15,2	18,6	0,0	4	9
10	990,9	10,3	90	21	2			7	8J		02	TD R	994,0	11,4	80	30	2	7	89	SU	02		996,2	11,6	68	32	2	7	89		02		10,3	15,7	5,7	3	10
11	999,5	10,6	81	36	1			7	8J		02	D	999,3	10,5	84	33	2	8	60	TD RB	80	J RB	998,7	10,1	94	30	2	8	80	J	02	TD RB	10,0	12,6		3	11
12	999,4	11,2	95	21	2			3	8J	J	02	J RB	999,5	11,9	95	34	1	8	80	Ø YR	50	J YR	999,6	13,8	85	34	1	4	89	SU	01	J YR	9,5	14,5	12,2	2	12
13	999,3	12,8	93	08	1			1	8J	SU D	01	TD D	997,8	20,4	46	16	4	4	89	SU	03	SU	996,4	20,0	45	17	J	3	89	SU	02	SU	9,6	21,7	0,0	4	13
14	994,3	16,0	38	17	J			3	8J	30	01		993,0	18,4	56	16	4	6	89		03	SU	990,4	17,0	57	15	J	8	7J	TD	03	TD SU	14,6	20,0		5	14
15	983,8	17,8	53	16	J			3	7J	TD SU	01	TD	985,6	20,0	30	16	4	6	75	TD	03	TD SU	992,3	11,4	84	28	J	3	7J	TD RB	82	TD RB	11,4	20,1		5	15
16	1002,0	10,9	90	06	1			7	8J		01	TD RB	1000,7	14,9	65	04	2	8	89		02		1000,1	15,9	55	19	J	5	89	SU	01	SU	10,4	16,5	1,6	4	16
17	1004,4	11,0	77	21	1			3	89	SU D	02	TD D	1004,5	15,0	63	10	2	8	89		03	SU	1004,1	12,6	97	36	2	8	85	J	02	TD RB	9,4	15,9		3	17
18	1005,0	15,4	67	15	2			4	7J	TD SU D	01	TD D	1005,8	24,8	47	15	J	0	78	SU Ø	01	SU Ø	1005,2	25,0	41	18	J	1	89	SU	02	SU	11,7	26,2	2,2	4	18
19	1004,9	14,3	86	00	0			3	7J	SU Ø	02	J	1002,7	20,4	68	32	1	5	70	SU TD	03	SU TD	1000,3	23,2	42	14	2	3	89	SU	01	SU TD	12,3	25,2		3	19
20	999,0	15,4	69	00	0			7	8J	D Ø	03	J D	997,6	17,2	72	35	2	4	76	SU Ø	01	SU Ø	995,5	17,1	68	36	1	3	76	SU Ø	01	SU Ø	14,8	23,2		3	20
21	989,5	14,8	76	05	1			1	7J	TD SU D	02	TD D	987,0	21,4	50	16	J	5	80	SU Ø	03	SU Ø	985,4	18,3	54	22	2	6	89		03	SU Ø	11,3	21,7		3	21
22	987,4	8,0	97	20	2			3	6J	TD R	63	TD R	989,1	11,0	86	10	1	6	80	SU Ø	01	TD R	989,2	12,8	82	34	2	5	80	SU Ø	02	SU Ø	8,0	18,3	10,7	4	22
23	991,2	8,2	94	19	2			7	8J		01	J	991,4	11,0	80	30	2	8	89		03	Ø RB	991,7	12,1	64	24	2	8	89		02		7,6	12,9	6,5	3	23
24	992,0	8,4	93	22	J			8	6J	TD R	61	TD R	994,1	10,5	91	24	2	8	65	TD R	60	TD RB	995,9	10,5	94	20	1	8	65	TD YR	50	TD RB	8,4	12,1	3,9	3	24
25	999,2	10,0	95	23	1			8	6J	TD YR	50	TD RB	1000,3	12,6	82	03	2	6	75	SU Ø	01	SU Ø	1000,4	13,1	71	33	2	3	89	SU	01	SU Ø	9,7	14,4	3,8	2	25
26	1001,1	9,1	91	33	1			3	7J	J	03	J	1000,8	10,9	61	00	J	8	89		02	Ø	999,4	10,4	61	34	1	7	89		02	RB	9,1	13,1		2	26
27	995,1	9,1	88	29	2			7	8J		02		993,5	11,8	65	30	4	5	89	SU	15	SU	993,2	9,2	81	30	J	6	82	J	14		8,2	12,3	1,0	4	27
28	996,3	7,6	93	24	2			6	8J		14	RB	997,5	9,8	65	30	J	6	89	SU	02	SU	998,3	10,0	67	30	1	3	89	SU	01	SU	7,6	11,2	0,1	4	28
29	997,4	7,4	85	18	1			1	8J	SU D	01	D	997,1	11,8	81	29	1	6	89	SU	03	RB	998,3	11,7	94	38	1	8	75	J YR	50	Ø RB	7,2	12,9		3	29
30	996,7	10,5	93	19	2			8	6J	TD R	63	TD RB	999,3	11,1	80	24	J	6	70	TD RB	80	TD RB	1002,2	8,4	88	22	2	6	75	TD	02	TD RB	9,4	13,9	5,2	4	30
31	1005,1	6,1	94	22	J			6	6J	TD RB	81	TD RB	1006,6	10,2	62	24	4	5	89	SU	15	TD RB	1007,7	8,4	67	27	J	4	89	SU	01	SU	6,1	10,8	4,2	4	31
MI	995,8	11,6	81		1,8		5,7						996,0	14,7	67		2,5	5,8					996,0	14,1	68		2,1	5,5					10,2	16,9	61,8		MI

TRONDHEIM - TYHJLT

SEPTEMBER 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	1007,0	5,0	90	23	2			6	80	D	03	D	1005,8	9,7	86	05	2	5	89	SO	01	SO	1003,2	9,7	85	03	1	4	89	SO	01	SO					
2	1001,8	5,0	94	09	1			2	78	SO RI	01	RI	1000,1	11,4	67	05	3	3	89	SO	03	SO	997,3	14,0	65	12	3	3	89	SO	02	SO	3,5	15,0		3	2
3	992,4	13,8	73	12	3			7	80	J	03	J	992,4	11,5	97	08	3	8	65	TD R	65	TD R	993,9	10,8	97	10	1	8	75	TD R	61	TD R	10,8	15,0		4	3
4	993,1	10,0	97	04	1			7	43	TD R	60	TD R	993,3	10,2	93	29	4	8	50	TD R	63	TD RB	996,2	10,6	72	32	1	4	75	TD SO	01	TD R	8,3	12,2	11,2	4	4
5	1000,0	8,1	94	22	2			7	89		03	TD RB	1001,0	11,4	82	04	2	5	82	SO Ø	01	SO Ø	1001,1	10,6	84	01	1	7	89		02	J	7,2	11,7	3,3	2	5
6	1002,5	10,5	94	08	1			7	03	T	42	TD RB	1001,1	16,2	78	35	2	2	89	SO	01	TD SO	1000,9	18,3	89	28	1	2	80	SO	02	SO	10,3	18,6	0,6	2	6
7	998,1	16,4	96	16	2			3	80	SO	03		999,3	20,0	55	23	2	5	89	SO	03	SO	999,6	18,6	96	18	3	7	80	J	03	SO	13,2	20,8		4	7
8	1001,1	12,5	95	03	1			3	53	TD SO	02	TD	1000,4	15,2	76	31	2	7	62	TD	02	TD	999,7	11,9	94	30	2	8	59	TD R	65	TD R	11,9	18,6		3	8
9	1001,4	9,4	93	27	1			7	73	TD SO	01	TD R	1002,4	10,3	86	32	2	7	75	Ø	02	Ø R	1001,5	10,1	74	36	1	8	89		02	Ø	9,3	11,9	10,4	3	9
10	992,1	7,8	95	23	1			3	89	D	01	TD D	999,7	11,4	72	33	2	5	89	SO	01		991,5	9,6	82	26	4	9	75	TD RB	81	TD RB	7,7	14,2	1,0	4	10
11	982,5	7,5	95	00	0			3	73	TD R	61	TD R	977,1	8,1	95	18	2	8	65	TD R	65	TD R	980,1	7,0	78	27	4	6	65	TD RB	81	TD R	6,5	9,8	8,3	4	11
12	986,1	6,0	90	27	3			3	63	TD RB	81	TD RB	991,4	8,2	61	26	4	7	75	TD RB	80	TD RB	991,5	8,0	58	24	3	7	80	SO R	02	SO TD RB	4,9	9,8	17,3	5	12
13	973,5	6,0	94	09	2			7	85	J RB	80	TD RB	972,2	7,2	95	34	2	8	30	TD RB	80	TD RB	977,1	7,3	77	29	3	7	80	J	02	TD	5,7	8,0	3,0	4	13
14	984,2	5,6	91	28	1			7	70	TD	02	TD RB	987,3	6,8	76	25	3	5	80	TD SO	01	TD	989,6	4,8	86	22	3	7	80	J R	62	Ø RB SO	4,3	7,7	5,4	4	14
15	992,9	3,8	93	21	3			7	70	TD	01	TD RB	998,0	7,1	69	30	4	7	89	TD SO	02	TD SO	1002,7	5,8	73	31	3	8	80	J	02	J SO RB	3,2	7,8	4,3	4	15
16	1001,0	3,1	93	20	2			7	73	J	02	J RB	995,3	9,4	58	07	1	7	89	SO	01	J	996,0	8,9	59	12	2	7	80		02	SO	2,1	10,5	1,3	4	16
17	977,2	7,6	84	25	2			7	80		02	J RB	976,8	10,1	84	19	1	8	89		02	RB	973,5	8,9	94	06	1	8	80	J R	60	J RB	7,2	10,4	1,3	2	17
18	966,9	8,6	93	08	1			3	80	SO	01	T RB	966,3	10,7	78	31	1	8	89		03	RB	969,2	8,9	91	22	2	8	40	TD R	60	J RB	7,9	11,5	2,5	3	18
19	974,7	6,7	90	21	3			3	73	TD R	63	TD R	976,8	9,7	69	25	4	7	89	RB	80	TD RB	980,6	8,6	72	22	2	7	75	J	02	R	6,3	9,8	5,6	4	19
20	990,2	7,0	93	21	2			3	70	TD	02	TD RB	990,5	11,3	58	09	1	4	89	SO	01	TD	992,9	9,7	73	08	2	6	80		01	SO	6,7	11,4	4,9	3	20
21	974,5	6,0	93	21	1			7	73		02	R	976,0	8,9	67	32	1	5	89	SO	01	Ø	979,9	8,5	73	28	3	5	80		01	SO	2,8	11,7	10,5	4	21
22	991,8	6,9	86	35	1			7	73	J	02	J RB	989,5	6,7	71	25	3	4	89	SO	01	J	1001,4	5,1	78	25	3	7	75	RB	80	RB	5,1	8,5	2,3	4	22
23	1000,1	1,7	91	20	1			1	80	SO	01	J RB	997,0	7,9	57	02	2	7	89	SO	03	SO	993,5	7,4	89	00	0	7	80		02	SO	1,1	8,9	2,5	3	23
24	1000,5	6,6	80	21	3			3	73	J YR	50	J	1001,5	9,9	61	24	3	6	89	SO	02	J RB	1001,3	7,8	64	09	1	3	80		01	SO	5,7	11,6	0,0	4	24
25	991,3	9,3	47	18	3			3	80		02		989,6	9,9	54	18	3	8	89		02		983,2	12,7	93	18	4	9	75	J	02	RB	5,4	13,0	0,6	4	25
26	981,6	8,8	91	27	1			3	63	TD R	63	TD R	986,8	10,3	59	24	4	4	89	SO	01	TD R	989,9	8,8	63	25	3	7	80	J	01	J	7,5	14,0	6,7	5	26
27	987,2	2,5	81	19	2			1	80	SO	01		983,8	7,7	62	07	1	6	89	SO	02		991,2	4,8	84	27	4	7	59	TD R	65	SO R R	2,0	9,1	1,0	6	27
28	998,1	2,8	95	22	1			3	72	TD R	63	TD R	1001,7	4,9	85	24	3	7	89	RB	80	TD RB	999,1	4,4	95	23	1	8	40	TD R	63	TD R	2,8	6,3	8,0	4	28
29	1004,1	4,1	82	26	4			7	63	TD	02	TD RB	1006,3	4,9	86	27	4	7	54	TD SO R	63	TD R	1009,3	5,0	82	26	4	8	63	TD R	63	TD SO R	2,0	6,2	16,3	4	29
30	1012,8	3,8	93	21	2			7	75	TD	02	TD R	1013,9	5,0	86	28	2	7	75	TD R	63	TD R	1015,7	4,5	80	21	2	6	80	J	02	TD SO RB	3,0	6,9	9,2	4	30
MI	992,0	7,1	38		2,2				6,4				992,4	9,7	73		2,4	6,2					992,8	9,0	75		2,3	6,3					6,0	11,4	141,0		MI

TRONDHEIM - TYHJLT

OKTOBER 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	1017,9	0,5	95	20	2			6	80	SO	01	J	1018,3	6,0	61	10	3	3	89	SO	01	SO	1017,9	5,5	61	09	1	3	89		02	SO	0,3	6,9	1,7	3	1
2	1019,9	- 0,6	85	17	2			3	80	RI	02	RI	1020,3	5,2	64	35	1	4	89	SO	03	SO	1019,4	4,6	73	14	1	4	89		02	SO	- 0,6	6,4		3	2
3	1016,8	- 0,2	88	20	3			3	80	RI	01	RI	1014,6	6,4	58	19	1	3	89	SO	02	SO	1011,6	3,9	77	19	1	2	89		02	SO	- 0,5	8,6		3	3
4	1007,7	3,4	88	20	3			7	75	J	03	TD RB	1006,8	5,4	83	20	3	7	75	Ø	02	Ø	1008,6	6,5	81	12	1	7	75	J	02	Ø	3,4	8,1	0,0	3	4
5	1005,7	3,6	96	00	0			1	80	RI	01	RI	1005,6	10,4	52	11	1	1	89	SO	02	SO	1005,0	7,8	81	18	1	2	89		03	SO	2,9	11,4		3	5
6	1006,9	1,4	85	19	2			3	80	RI	03	RI	1006,4	7,1	80	01	1	4	89	SO	03	SO	1004,9	4,0	85	31	1	2	80	J	01	SO	1,2	7,8		2	6
7	1005,4	3,6	78	20	1			7	80		03	J	1005,2	7,3	66	05	1	0	89	Ø SO	01	Ø SO	1003,1	6,8	82	34	1	3	80	J	03	SO	3,6	8,0		3	7
8	1001,2	4,6	95	21	1			3	63	TD R	60	TD RB	1000,3	5,5	97	07	1	8	23	TD R	61	TD R	998,5	6,0	97	12	1	9	20	TD R	63	T R	3,8	6,8	0,8	2	8
9	996,8	10,0	97	20	2			3	40	TD R	65	TD R	996,6	10,2	95	21	2	8	56	TD R	63	TD R	998,1	8,8	95	33	1	8	39	TD R	63	TD R	6,0	10,3	26,8	3	9
10	986,4	6,8	99	02	1			3	06	T YR	50	T R	987,6	7,6	98	21	1	8	05	T YR	50	T YR	989,6	8,0	98	21	1	8	03	T R	63	T R	6,3	8,8	22,2	2	10
11	986,2	7,8	99	08	1			3	02	T R	63	T R	979,5	9,2	98	36	2	8	60	TD R	62	T R	982,4	10,4	91	24	3	8	75	TD	15	TD R	7,8	10,6	4,6	4	11
12	990,0	8,0	94	07	1			8	60	TD R	61	TD RB	991,4	9,3	95	33	1	9	21		40	T	990,6	8,2	95	04	1	9	05	T	47	T	8,0	10,4	4,2	3	12
13	988,7	4,5	98	00	0			9	03	T	45	T	988,7	8,0	98	00	0	9	09	T	42	T	988,1	6,8	95	22	1	7	59	TD	02	TD SO	4,3	8,4		2	13
14	988,8	5,9	93	22	2			3	80		02	TD	989,2	7,4	91	08	1	8	89		02		988,6	6,3	94	04	2	6	75	J	02	SO	4,7	8,2		3	14
15	986,4	6,7	93	04	2			3	80		03	TD RB	988,6	7,8	74	06	2	7	89		01		991,7	6,6	82	04	2	8	75	TD	03	SO	6,1	8,4	0,8	3	15
16	991,2	5,5	88	04	1			7	80	Ø	02	J	991,0	5,8	86	04	1	8	80	Ø YR	50	Ø	991,4	5,7	95	30	2	8	65	TD R	60	TD RB	5,5	6,6		2	16
17	996,6	3,6	85	19	2			8	89		02	TD RB	997,1	5,0	74	20	2	6	89	SO	01		994,9	4,4	84	16	2	6	89		02	SO	3,6	5,7	1,1	3	17
18	989,6	3,1	86	00	0			8	80	R	62	R	994,1	7,4	73	25	3	6	80	Ø	15	RB	997,8	5,3	85	23	2	6	75	TD	15	Ø RB	2,3	7,4	0,2	3	18
19	994,3	4,4	61	14	2			7	89		02	J	986,9	8,2	55	18	2	7	89	SO	02		986,1	7,5	59	20	2	4	89		01	RB	3,2	9,3	0,1	4	19
20	979,8	5,2	78	23	3			5	80		15	TD RB	981,9	6,7	91	24	4	5	65	TD RB	81	TD R	988,1	5,0	91	26	4	6	60	TD RB	82	TD RB	4,7	7,6	1,9	6	20
21	999,2	1,5	97	29	3			6	75	TD RB	81	TD RB	1008,3	3,6	81	21	2	5	80	SO Ø	15	TD RB	1014,2	2,2	91	27	2	6	75	TD RB	80	Ø TD RB	1,5	5,5	15,8	5	21
22	1018,1	1,9	94	19	2			8	75	TD	03	TD RB	1018,8	4,0	72	19	2	4	89	SO	01	SO	1018,7	1,4	76	22	2	3	89		01	SO	1,4	4,7	2,9	3	22
23	1019,3	- 2,1	93	21	2			3	89	RI	02	RI	1019,0	2,7	68	15	1	3	89	SO	02	SO	1017,7	0,3	93	00	0	2	89		01	SO	- 2,1	2,7		3	23
24	1016,2	- 3,1	93	21	2			2	89	RI	02	RI	1016,3	3,0	66	07	1	2	89	SO	02	SO	1014,4	1,3	71	00	0	1	89		02	SO	- 3,3	3,6		3	24
25	1013,9	0,6	93	02	1			2	89		02		1014,0	5,4	72	35	2	3	89	SO	03	SO	1013,9	7,1	49	17	1	2	89		02		0,0	7,3		2	25
26	1013,8	0,0	85	36	1			0	89		01		1013,7	4,0	60	02	1	0	89	SO	02	SO	1013,7	1,0	72	21	1	2	89		03	SO	- 0,7	7,1		1	26
27	1011,1	- 1,9	94	17	2			1	89		02		1010,1	2,1	77	09	2	0	89	SO	02	SO	1008,6	0,2	91	07	1	0	89		02	SO	- 2,4	2,6		3	27
28	1005,9	3,7	47	14	3			0	89		02		1005,7	4,0	48	14	2	0	89	SO	02	SO	1005,5	1,0	53	16	1	0	89		02	SO	- 1,3	4,0		4	28
29	1003,5	0,0	59	11	1			3	89		02		1002,2	4,4	53	16	5	3	89	SO	03	SO	1002,6	3,0	51	16	4	1	89		01	SO	- 0,6	4,6		5	29
30	1002,4	1,7	52	17	3			2	89		03		1002,0	3,0	52	17	4	5	89	SO	03	SO	1002,0	1,7	52	16	4	3	89		01	SO	1,5	3,2		4	30
31	997,6	1,0	53	16	4			3	89		02		996,4	2,6	51	17	6	6	89		03		996,4	2,0	51	17	5	4	89		01		0,6	2,6		6	31
MI	1001,8	2,9	85		1,8				5,0				1001,8	5,9	73		2,0	4,8					1001,9	4,8	77		1,7	4,5					2,3	6,9	83,1		MI

EKSTENSOTABELL

TRONDHEIM - TYHOLT — NOVEMBER 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	997,8	1,7	91	17	3			7	89		03		999,8	2,8	91	15	4	4	89	SO	01	SO	999,8	2,5	92	18	4	4	89		01		1,7	3,5		6	1
2	1002,8	1,9	96	18	3			3	89		01		1006,7	4,0	93	19	4	1	89	SO	01	SO	1009,5	1,5	95	15	3	0	89		01	SO	1,5	4,2		5	2
3	1007,9	- 0,8	83	13	1			1	89	RI	02	RI	1000,0	4,5	95	20	4	8	80	Ø	03	Ø	990,5	0,6	99	18	1	8	54	S	70	S	- 1,7	5,8		9	3
4	979,9	6,0	97	17	3			3	89		01	TD LB	972,0	7,6	92	17	2	6	89		03	SO	988,7	6,8	49	17	3	2	89		01	SO	0,6	8,8	7,8	6	4
5	962,6	5,6	92	19	2			6	75		03		964,4	5,0	81	17	2	7	89		03	RB	964,8	4,1	74	21	2	9	75	TD	01	RB	4,1	6,9		4	5
6	965,6	0,8	81	20	2			5	80		02	TD	966,8	2,1	88	23	2	3	89	SO	01	SO	968,2	- 0,8	82	19	2	5	75	TD	03	SO	- 0,8	4,1	0,0	3	6
7	971,2	- 3,1	94	19	2			3	89	RI	01	RI TD	970,6	0,6	81	06	1	3	89	SO	02	SO	969,3	- 0,6	72	15	1	2	89		01	SO	- 3,1	0,8		3	7
8	970,8	- 2,4	76	11	1			7	75	TD	03	TD	973,0	- 0,6	77	20	1	7	89		02		974,4	0,5	78	21	2	7	80	TD	02		- 3,8	0,7		2	8
9	977,0	0,0	80	19	3			7	80	J	02	TD SB	979,0	1,0	95	20	3	6	80	Ø	02	Ø SB	981,6	0,8	97	21	2	8	21	TD S	71	TD S	0,0	1,7	0,0	3	9
10	984,9	0,9	85	17	3	4	4	7	75	TD	02	TD S	988,7	1,6	90	24	4	8	75	TD	03	SB	991,9	0,3	89	20	3	8	75	TD	02	TD	- 0,7	2,0	6,8	4	10
11	989,6	- 5,6	87	08	2	4	7	1	80		02		988,5	- 3,0	59	16	1	7	89	SO	03		987,6	- 3,3	65	13	2	6	89		02		- 6,2	0,5	5,5	3	11
12	989,3	- 5,2	88	11	1	4	7	1	89		01		990,2	- 4,0	66	08	2	5	89		03		989,3	- 2,8	69	05	2	3	89		01		- 6,1	- 0,8		4	12
13	983,7	- 2,3	82	16	1	4	7	6	75	TD	03		984,1	- 0,7	80	19	1	3	89	Ø	80	SO	01	TD SB	984,3	- 2,4	80	21	2	1	80	J	01	SB Ø SO	- 3,0	0,5		3	13
14	984,1	- 7,6	82	21	3	4	7	3	80		03	J	984,5	- 5,1	78	19	2	1	89	SO	01	SO	985,5	- 5,8	80	19	2	0	89		01	SO	- 7,6	- 2,4	0,0	3	14
15	987,7	- 5,7	95	19	1	4	7	7	75	TD S	71	TD	989,6	- 3,6	78	08	1	2	89	SO	01	SO	992,0	- 6,0	85	17	2	0	89		01	SO	- 8,1	- 2,5	0,0	3	15
16	996,0	- 7,2	74	09	1	4	7	0	80		02		987,8	- 3,8	65	06	1	3	89	SO	03	SO	998,1	- 0,7	63	12	3	9	75	TD	03	SO	- 9,2	- 0,7		4	16
17	987,0	- 1,4	76	08	2	4	7	7	75	TD	02	TD	983,6	- 1,4	77	19	2	5	80	Ø	01	Ø	984,7	0,6	68	20	3	6	75	TD	03	Ø	- 2,6	0,6		4	17
18	979,6	5,4	97	16	3	4	7	8	75	TD	02	TD	984,3	6,0	97	16	4	7	85	Ø	03	Ø	988,4	5,3	97	18	3	7	75	TD	02	Ø	0,0	6,0		5	18
19	993,4	5,4	98	18	3	1	1	7	75	TD	02	TD	986,0	5,2	98	18	3	6	89	Ø	01	Ø	999,7	3,3	62	19	3	6	75	TD	02	TD	2,3	6,1		5	19
20	1010,9	2,9	94	20	2	0	0	9	75	TD	02	TD RB	1015,3	2,9	94	21	2	3	70	SO TD	01	TD SO	1015,5	1,0	95	14	1	3	75	TD	01	TD SO	0,2	3,5	0,7	3	20
21	1009,4	- 0,8	86	07	1	0	0	3	75	TD RI	03	TD RI	1003,8	1,8	99	09	2	8	89		03		1000,7	2,3	90	07	1	8	75	TD RB	80	TD RB	- 2,4	2,4		2	21
22	995,2	2,5	98	22	2	0	0	8	70	R	61	R	995,5	3,6	97	23	2	6	84	Ø RB	81	TD RB	993,5	3,0	95	20	2	4	75	TD	01	RB	1,7	4,5	4,4	3	22
23	978,9	3,5	88	19	2	0	0	7	75	TD	03	TD RB	979,0	4,3	86	24	3	6	80	Ø RB	81	TD RB	990,2	3,0	74	23	3	6	75	TD	14	TD RB	2,2	5,8	1,5	6	23
24	986,6	- 0,1	88	22	2	0	0	3	80		01	TD	986,0	1,4	80	17	1	7	89	SO	02	SO	986,9	0,3	66	19	2	4	89		02		- 0,6	3,0	2,1	3	24
25	987,4	- 0,4	88	21	3	0	0	7	73	TD	03		988,1	0,4	90	21	2	8	59	TD S	71	SB TD	986,9	- 0,2	86	20	3	5	75	J	02	Ø	- 1,2	1,4		3	25
26	976,0	- 2,1	78	20	1	4	1	0	80		01	J	971,8	0,4	71	10	1	3	89	SO	03	SO	972,1	- 1,1	82	19	2	8	22	TD S	71	SO	- 3,2	0,3	0,2	3	26
27	986,0	0,8	95	20	3	4	6	3	75	TD	14	TD S	995,3	2,0	80	26	5	5	65	TD RB	81	TD R	1001,8	0,3	93	18	2	8	25	TD LB	81	TD LB	- 2,3	3,0	4,5	5	27
28	1003,1	- 4,0	93	21	2	4	7	3	80		01	TD	998,0	- 1,4	72	19	2	8	89		03		992,9	0,3	80	15	1	9	70	TD	03	J S	- 4,9	0,3	7,2	4	28
29	982,4	1,6	97	00	3	3	7	8	50	TD R	61	TD R	976,9	3,0	97	20	2	9	02	T R	63	TD R	976,4	3,4	91	24	3	6	65	TD RB	81	T R	- 0,4	4,8	11,7	4	29
30	985,4	3,6	94	24	2	0	0	3	65	TD R	63	TD R	985,7	2,4	95	17	1	8	80	Ø R	61	TD R	981,8	1,9	95	10	1	6	65	TD	01	Ø R	1,5	5,7	14,3	5	30
MI	986,9	- 0,2	76		2,1		3	4,8					987,2	1,3	74		2,3	5,4					987,6	0,6	77		2,3	5,0					- 1,7	2,7	66,3		14

TRONDHEIM - TYHOLT — DESEMBER 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	975,6	1,2	94	21	1	0	0	3	65	TD R	63	RB Ø	978,5	5,0	90	22	3	6	89		14	TD RB	982,2	3,8	91	20	2	7	73	TD YR	51	TD RB	0,5	5,3	2,5	3	1
2	973,9	5,6	73	22	2	0	0	3	70	TD R	63	TD R	975,4	6,8	85	25	3	8	50	TD R	63	TD RB	978,7	5,5	77	27	3	7	70	TD R	61	TD RB	3,0	8,2	1,9	4	2
3	983,9	3,5	72	20	3	0	0	3	89		01	TD RB	985,1	1,7	65	20	2	7	89		03		980,5	4,4	53	19	3	7	89		03		0,8	5,5	2,4	5	3
4	984,4	2,8	85	24	1	0	0	1	80	RB	80	RB	987,1	2,7	77	20	3	4	89		01	RB	978,7	5,8	51	15	4	3	70	TD	03	Ø	1,5	5,8	0,3	4	4
5	956,4	2,8	85	24	6	0	0	3	20	TD RB	82	TD RB	966,0	2,2	77	26	5	6	65	TD LB	83	TD LB	968,4	0,9	97	23	3	8	50	TD LB	84	TD LB	0,2	8,7	0,2	8	5
6	971,5	1,8	86	26	6	3	1	3	50	TD S	73	TD S	979,2	2,7	87	27	4	6	50	TD LB	84	TD LB	982,8	0,2	86	24	3	7	50	TD S	73	TD LB	- 0,7	3,7	5,5	7	6
7	983,7	- 1,2	94	21	3	4	7	4	75	TD	01	TD SB	989,6	0,2	94	19	2	7	80	Ø	14	TD SB	983,5	- 0,6	21	23	2	8	40	TD SB	86	TD SB	- 2,0	1,5	2,7	4	7
8	995,3	- 3,7	94	19	3	4	3	7	75		01	J	994,6	- 3,5	91	19	2	5	80	Ø	01	Ø	992,3	- 2,5	93	20	3	6	75	TD	03	Ø SB	- 4,1	- 0,4	2,7	3	8
9	989,7	- 2,6	92	00	3	4	10	7	73	J	02	TD S	990,7	- 4,3	94	20	2	4	89	SO	01	J SO	988,5	- 6,4	86	15	1	0	80	J	02		- 8,3	- 1,3	4,5	4	9
10	983,6	- 7,4	63	10	2	4	10	0	75	TD	02		982,7	- 6,8	61	08	3	0	89	SO	02	SO	982,7	- 7,7	56	33	1	0	89		02	30	- 8,9	- 6,0		4	10
11	983,0	- 9,0	56	09	1	4	10	0	89		02		985,5	- 7,8	57	06	1	0	89	SO	02	SO	989,7	-11,6	67	21	1	0	89	30	02	30	-11,6	- 7,0		3	11
12	997,8	-10,4	71	21	2	4	10	2	89		03		1001,3	-11,0	66	19	3	3	89	SO	03	SO	1003,4	-10,4	62	20	3	3	89		02		-12,8	- 9,6		3	12
13	1001,6	- 9,6	84	19	1	4	10	3	80		02		1000,0	- 4,0	46	13	3	0	89	SO	02	30	998,8	- 4,8	46	13	2	0	89		02	30	-12,0	- 2,7		3	13
14	997,3	- 3,5	51	18	3	4	10	3	89		03		996,7	- 2,8	49	16	4	5	89	SO	03	30	996,7	- 4,4	49	17	3	0	89		01	30	- 6,2	- 2,4		5	14
15	995,3	- 8,1	51	12	4	4	10	0	89		02		994,0	- 8,1	54	09	3	1	89	SO	03	30	999,9	- 8,9	56	09	3	0	89		02	30	- 9,7	- 4,4		5	15
16	984,7	- 7,7	57	05	3	4	7	3	89		03		986,0	- 8,4	56	08	2	2	80	Ø SO	01	SO	984,6	-10,0	57	09	3	0	89		01	30	-10,4	- 7,0		3	16
17	974,2	-12,9	66	18	2	4	6	6	75	TD	03		972,0	-13,1	76	20	3	6	60	TD SB	85	TD SB	973,1	-14,2	91	18	2	1	75	J	01	TD SB	-14,6	- 9,5		3	17
18	973,2	- 9,2	74	21	3	4	7	4	75	TD	03	TD	971,2	- 2,7	99	22	4	7	21	TD SB	86	TD SB	978,8	- 2,0	67	17	2	6	75	TD	02	TD SB	-15,0	- 0,5	0,0	4	18
19	980,0	- 1,2	90	24	3	4	10	8	21	TD S	74	TD S	987,0	- 0,8	76	31	3	6	80	Ø	14	TD SB	991,2	1,1	90	30	3	9	65	TD SB	86	TD SB	- 4,7	1,1	6,5	4	19
20	1003,1	1,2	90	24	1	4	22	7	75	TD	02	TD SB	1007,1	- 0,4	94	21	2	7	65	TD	02	TD	1008,7	- 0,6	94	20	2	7	65	TD	02	TD	- 1,3	1,9	3,9	3	20
21	1006,4	- 2,7	73	21	2	4	22	6	75	TD	02	TD	1006,1	- 1,5	88	17	1	7	89		03		1005,6	- 0,2	66	16	1	7	75	TD	02	TD	- 4,2	0,0		3	21
22	1002,3	- 3,4	72	21	2	4	22	0	80		01		1002,8	- 6,9	67	19	2	5	89	SO	03	SO	999,9	- 7,2	69	20	3	7	70	TD	03	SO TD	- 7,4	- 0,6		3	22
23	994,1	- 8,9	81	17	2	4	22	0	80		02		994,0	- 5,9	62	08	1	3	89		03		991,3	- 4,5	84	06	2	7	75	TD	03	Ø	- 8,5	- 4,5		3	23
24	991,1	0,4	95	00	3	4	23	7	75	TD	02	TD	995,1	0,7	82	19	1	8	75	TD	02	TD	999,4	- 1,7	74	20	2	7	75	TD	02	TD	- 4,9	2,9		4	24
25	1002,3	- 2,6	97	00	3	4	23	8	70	TD	10	TD	1002,3	- 2,3	95	00	0	8	80	TD	02	TD	1001,9	- 4,5	95	20	2	3	80	Ø	01	TD	- 5,2	- 1,2		2	25
26	1001,8	- 3,8	97	14	1	4	21	1	73	TD	03	TD	1001,8	- 3,4	98	00	0	5	89		03		998,6	- 5,6	95	09	1	1	89		01		- 6,2	- 2,8		2	26
27	992,0	2,4	62	07	2	4	19	5	75	TD	03	TD	989,6	1,0	80	12	1	8	89		03		983,4	5,2	95	17	4	8	75	TD	02	TD	- 6,2	- 6,2		5	27
28	969,0	4,2	55	17	3	4	19	4	75	TD	01	TD	972,6	4,7	48	21	3	5	89		03		978,4	2,8	54	20	3	5	75	TD	02		2,2	5,2		6	28
29	982,3	- 2,0	59	19	2	4	19	6	73	TD	02	TD	981,8	- 3,9	66	17	2	7	89		02		980,7	- 6,0	82	00	0	7	80	Ø	02		- 6,4	- 2,8		3	29
30	980,3	- 7,4	94	17	2	4	19	1	73	TD	01	TD	982,6	- 8,4	95	20	2	4	80	Ø	03		984,4	- 7,6	95	19	2	2	80	J	01		- 8,8	- 4,9		3	30
31	987,5	- 9,2	90	22	3	4	19	1	73	TD	01		989,7	-10,2	90	19	3	7	89		15	TD	990,3	- 9,6	88	20	2	5	75	TD	01	TD SB	-11,7	- 7,6		3	31
MI	987,0	- 3,1	77		2,3		12	4,3					988,6	- 2,9	75		2,4	5,1					989,0	- 3,3	75		2,4	4,6					- 5,9	- 0,4	33,1		IN

EKSTENSOTABELL

TRONDHEIM — JANUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	995,8	-5,9	79	21	2	4	80	3	86	01 SB	996,1	-4,7	83	20	3	7	59 SB	85 SB	997,3	-3,2	96	28	2	8	25 SB	83 SB	-6,6	-2,2	6,6	4	1
2	997,8	-4,0	86	30	3	4	90	3	80 TD SB	86 TD SB	998,8	-4,9	71	24	3	6	84 TD SB	85 TD SB	1001,9	-6,8	64	35	3	7	86 TD	15 TD SB	-6,8	-3,0	9,2	4	2
3	1005,0	-11,0	64	07	2	4	90	3	80	02 TD	1005,5	-10,8	86	30	2	7	89	03	1005,1	-6,8	64	23	2	3	89	02	-12,0	-6,7	1,8	3	3
4	1006,7	-6,0	74	21	3	4	90	3	80	02	1008,7	-7,0	79	23	3	3	89	02	1009,8	-9,0	92	02	2	3	89 NL	02 NL	-9,2	-5,8		4	4
5	1007,2	-9,2	89	21	2	4	85	0	89	02 NL	1005,4	-9,8	86	00	0	3	89	02	1001,8	-8,9	87	21	1	3	89	02	-10,8	-8,5		3	5
6	994,6	-6,2	47	21	1	4	80	0	80	02	992,2	-7,3	43	20	4	1	89 SF	36 SF	987,3	-7,8	56	24	4	4	89	02 SF	-9,5	-5,5		5	6
7	978,7	-9,7	65	12	1	4	80	1	80	02	971,7	-7,0	58	17	3	1	89	02	956,1	-6,8	56	20	1	1	89	02	-11,2	-6,3		5	7
8	964,5	-8,2	58	20	1	4	76	3	80	02	966,5	-7,8	79	21	4	8	86 TD SB	85 TD SB	987,2	-5,0	94	24	3	8	80 TD SB	85 TD SB	-9,0	-5,0		4	8
9	968,5	-3,0	90	20	3	4	85	3	80 TD SB	85 TD SB	970,1	-3,2	94	02	3	8	84 TD	15 TD SB	972,1	-5,0	90	35	1	3	86 TD	26 TD SB	-5,0	-3,0	4,3	4	9
10	977,4	-8,0	79	09	1	4	90	3	80	02 TD SB	978,9	-8,0	79	00	0	5	89	02	978,6	-10,0	87	10	1	3	89 RI	02	-10,4	-4,5	2,6	3	10
11	977,4	-9,5	84	00	3	4	85	7	80 RI	02 RI	979,9	-9,0	86	21	3	2	89 RI	01 RI	983,4	-10,8	77	22	1	3	80 RI	02 RI	-11,0	-8,3		3	11
12	991,8	-7,5	89	21	2	4	84	7	80 RI	02 RI	985,3	-8,5	73	35	1	7	89	02 RI	987,4	-3,9	91	22	3	7	89	02	-11,3	-3,9		4	12
13	1000,1	-5,6	46	20	1	4	85	2	80	01	999,4	-5,0	46	19	3	8	86 TD	10	997,7	-4,1	91	21	2	8	86	02	-6,7	-3,8		5	13
14	999,4	-4,3	64	20	3	4	82	7	80	02	1004,5	-2,4	61	21	2	8	89	02 SB	1011,8	-3,6	79	31	3	7	80 SB	80 SB	-5,0	-2,4		4	14
15	1021,0	-7,8	64	07	1	4	80	0	80	02 SB	1023,1	-8,5	84	27	1	0	89	02	1023,1	-10,0	90	00	0	0	89	02	-10,0	-3,5	0,3	3	15
16	1016,1	-4,0	45	21	1	4	78	7	89	03	1013,2	-2,0	57	21	4	8	89	02	1010,5	-2,5	94	21	1	3	89	02	-11,0	-1,8		4	16
17	1007,7	-2,8	91	23	1	4	76	6	80	02	1010,5	-3,9	71	21	4	8	84 TD S	70 TD S	1013,3	-2,0	79	23	4	3	86 TD	22 TD S	-4,0	-2,0		4	17
18	1017,2	0,8	87	21	1	4	75	3	80	02 TD	1017,9	2,0	71	23	1	8	89	02	1017,3	2,0	87	22	1	3	86 TD RB	80 TD RB LB	-2,0	2,8	0,3	5	18
19	1013,7	2,0	94	23	3	4	70	3	81 TD RB	81 TD RB	1012,9	3,0	79	24	4	8	84 TD RB	83 TD RB LB	1015,0	0,8	93	32	1	4	89	01 RB		3,8	3,3	3,5	5	19
20	1023,8	-2,3	65	34	1	4	68	3	81 SB	85 TD SB RB	1027,5	-1,9	65	03	2	8	85 SB	85 SB	1027,9	-2,1	58	30	0	7	85 SB	85 SB	-3,0	0,8	5,1	5	20
21	1022,1	-6,4	87	30	3	4	65	3	80	02 SB	1016,8	-5,4	92	00	0	7	89	02	1010,8	-4,7	80	30	0	3	89	02	-6,4	-1,5	0,2	2	21
22	1008,5	-6,0	79	21	1	4	65	7	80	02	1008,7	-6,5	79	00	0	8	89	02	1008,1	-7,2	64	06	2	7	89	02	-7,5	-4,0		3	22
23	998,7	-7,2	64	21	3	4	65	3	80	02	996,2	-7,0	57	21	4	8	89	02	994,2	-7,5	71	21	1	3	85 TD SB	85 TD SB	-7,5	-6,0		4	23
24	992,5	-8,4	61	21	1	4	65	7	80	02 TD SB	993,1	-9,0	58	21	4	7	89	02	993,2	-9,0	71	21	4	7	89	02	-9,0	-7,2	0,2	4	24
25	991,1	-8,0	93	21	1	4	65	6	80	02	988,8	-8,2	45	21	1	8	89	02	986,0	-9,9	97	21	3	8	80	02	-9,9	-7,0		5	25
26	980,7	-12,5	57	21	3	4	65	6	80	02	979,6	-16,0	57	21	4	6	89	02	979,2	-17,3	54	21	3	1	89 NL	01 NL	-17,5	-9,9		4	26
27	977,8	-17,8	30	35	1	4	65	1	80 RI	02 RI	977,2	-13,0	81	03	1	8	84 S	71 S	976,4	-12,8	87	00	0	3	50 S	71 S	-18,3	-12,5		4	27
28	973,6	-9,4	94	21	1	4	70	7	70 S	70 S	974,0	-7,9	86	21	3	7	68 S	70 S TD	975,5	-8,7	84	27	1	7	60 S	70	-12,8	-6,5	1,3	4	28
29	980,5	-5,3	84	21	3	4	70	7	80	02 S	983,4	-4,0	66	20	4	8	75 SB	85 SB TD	987,3	-5,0	94	35	4	3	05 TD SB	86 TD SB SF	-5,0	-4,0	0,3	5	29
30	994,1	-7,0	64	21	3	4	80	3	80	02 TD SB SF	992,6	-6,2	57	21	4	3	89 SO	01 SO	991,5	-3,6	33	21	3	6	80	02 SO	-3,9	-3,5	5,2	4	30
31	991,7	-4,2	45	22	1	4	76	6	80	02	992,3	-5,8	45	18	1	2	89 SO	01 SO	991,8	-7,5	66	22	2	2	89	02 SO	-8,0	-3,5		4	31
MI	996,0	-6,6	70		2,7		77	5,5			996,2	-6,3	69		2,6	6,1			996,0	-6,4	72		2,4	5,7			-8,7	-4,4	40,6		IM

TRONDHEIM — FEBRUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	989,3	-7,0	92	00	3	4	76	3	80	02	987,4	-2,5	33	21	3	8	89	02	980,8	-2,0	37	21	2	3	89	02	-3,5	-2,0		4	1
2	976,8	-5,0	97	10	1	4	73	7	80	02 SF	976,5	-6,2	57	18	3	6	89	02	976,5	-7,2	97	18	1	1	89	02	-6,5	-1,4		5	2
3	975,2	-7,4	91	14	3	4	72	1	80	02	974,1	-8,0	48	00	0	3	89 SO	02 SO	973,9	-8,5	94	12	1	3	89	02	-9,9	-6,7		4	3
4	975,2	-8,6	99	36	1	4	72	1	89	02	975,9	-8,4	59	28	1	7	89	02	976,4	-6,8	48	27	2	7	80	02	-9,5	-6,8		3	4
5	978,7	-9,0	91	32	1	4	71	1	80	02	982,1	-11,2	47	00	0	2	89 SO	02 SO	984,8	-11,5	98	23	2	3	89	02 SO	-12,5	-8,3		5	5
6	985,4	-11,5	97	21	1	4	71	2	80	02	984,8	-11,5	97	21	5	0	89 SO	02	980,8	-11,0	94	21	4	3	89	02 SO	-12,0	-11,0		6	6
7	974,0	-13,0	98	21	1	4	70	7	80	02	974,2	-11,8	80	21	4	7	87 SB	85 SB	974,7	-9,0	86	23	2	7	89	02 TD SB	-13,0	-9,0		6	7
8	972,5	-10,2	94	30	3	4	70	7	80 RI	02	971,4	-8,2	61	21	2	8	89 SO	02 RI	970,9	-11,5	86	00	0	3	89	01 SO	-11,5	-8,2	0,1	4	8
9	973,2	-9,8	91	21	2	4	70	3	80 TD SB	85	974,1	-9,0	90	20	2	7	87 SB	85 SB TD	974,7	-7,6	99	20	2	7	50 SB	85 SB	-12,5	-7,6	0,0	3	9
10	974,6	-7,7	86	00	3	4	71	3	89	02 SB	977,4	-7,8	71	06	2	1	89 SO	01 SO SB	980,0	-10,2	84	27	1	3	89	02 SO	-11,2	-7,0	1,3	2	10
11	983,1	-8,8	86	20	3	4	80	3	80 SB	85 SB	983,9	-9,6	81	21	2	2	89	02 SB	983,4	-12,2	86	00	0	3	80	03	-12,2	-7,7	0,5	3	11
12	987,0	-12,5	86	00	0	4	75	2	80 RI	02 RI	990,9	-11,5	86	00	0	3	89 SO	02 SO RI	994,4	-13,0	86	21	1	0	89 RI	03 SO RI	-13,5	-10,9	0,1	2	12
13	999,6	-12,0	87	22	2	4	75	3	80 RI	02 RI	1001,1	-10,5	86	22	2	7	84 TD SB	85 TD SB RI	1002,5	-10,2	87	21	2	7	89	02 TD SB	-13,5	-10,2		3	13
14	1000,0	-7,0	86	21	1	4	76	3	80 TD SB	85 TD SB	999,1	-4,8	87	21	3	8	10 TD S	72 TD SB S	998,6	-2,0	96	21	3	3	70 TD SB	86 TD SB S	-10,2	-2,0	0,5	4	14
15	1000,1	0,0	92	21	3	4	85	8	86 TD SB	85 TD SB	999,9	0,2	84	23	4	8	86 TD SB	85 TD SB	999,7	0,0	94	22	4	3	80 TD SB	86 TD SB	-2,0	0,2	7,0	5	15
16	1004,9	1,2	71	23	3	4	85	3	86 TD SB	85 TD SB	1038,2	2,5	71	24	3	8	80 TD SB	85 TD SB H	1011,4	2,6	84	27	3	8	80 TD RB	85 RB TD LB	0,0	3,6	3,2	4	16
17	1017,1	2,0	71	24	1	4	80	3	80 RB	80 RB	1020,4	2,0	71	22	4	7	85 RB	80 RB	1020,6	1,6	80	20	4	3	85 RB	80 RB	1,1	3,6	5,5	4	17
18	1018,9	1,4	61	25	1	4	80	8	80	02	1019,9	1,1	61	20	3	7	89	02	1020,4	1,1	56	21	3	8	89	02	1,0	2,0	0,6	4	18
19	1017,9	-4,8	76	21	2	4	80	0	89	02	1016,9	-4,0	97	22	3	0	89 SO	02 SO	1016,4	-1,2	38	22	4	0	89	02 SO	-5,2	-1,1		4	19
20	1015,6	-3,0	53	19	3	4	80	0	89	02	1015,9	-2,0	45	21	4	3	89 SO	02 SO	1014,1	-2,3	91	22	1	3	89	03 SO	-3,7	-1,2		4	20
21	1005,6	2,4	84	21	6	4	77	8	89	02	1035,1	3,8	69	23	3	8	87	15 TD RB	1004,7	3,6	68	23	5	8	89	02 TD RB	-2,3	4,0		6	21
22	1003,0	3,6	71	21	3	4	68	8	80	02	1001,5	3,0	68	21	4	8	89	02	999,5	2,5	71	21	4	8	89	02	2,5	4,0	0,0	5	22
23	996,1	0,9	96	21	2	4	67	8	80 TD SB	85 TD SB LB	996,7	0,8	96	00	0	8	70 TD S	70 TD S SB	997,9	0,2	84	03	3	3	70 TD	02 TD S	0,2	3,0	2,0	5	23
24	1005,1	2,8	73	04	3	4	71	8	80	02 SB	1009,5	3,4	66	36	2	8	85	02	1009,5	5,7	86	03	3	8	58 SB	85 SB	-5,7	0,5	2,5	4	24
25	997,2	5,4	90	00	0	4	77	8	30 SB	85 SB	992,6	2,8	79	18	1	8	90	15 SB	987,2	2,9	96	20	4	8	40 S	72 SB	-5,8	-2,5	3,2	4	25
26	971,2	3,0	79	20	3	4	72	8	84 R	62 R H	983,3	3,0	74	21	4	8	89	21 TD R	984,2	0,5	90	23	5	8	80 TD SL	69 SL TD R	-2,9	4,0		9,8	5	26
27	979,3	-4,0	76	34	1	4	74	8	86 TD	15 TD SB SL	985,9	-4,8	69	32	3	6	86 TD SO	15 TD SB	989,3	-6,0	90	21	1	7	86 TD	26 TD SB SO	-6,0	0,8	13,0	6	27
28	986,0	-7,9	58	00	0	4	80	8	89	02 TD SB	982,8	-2,7	45	15	3	8	85	02	983,4	-2,3	56	21	4	8	89	02 SF	-9,0	-2,3	4,5	5	28
MI	991,8	-5,1	72		2,3		75	6,3			991,8	-4,4	68		2,5	5,9			991,8	-4,7	74		2,6	5,9			-7,0	-2,7	93,8		IM

EKSTENSOTABELL

TRONDHEIM — MARS 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	988,2	- 3,2	53	21	2	4	74	8	89	02	984,0	- 2,4	53	00	0	8	89	02	981,4	- 1,4	47	24	1	6	89	02	- 3,2	1,4		5	1
2	975,8	0,8	45	21	6	4	71	8	89	02 SF	975,6	0,2	41	21	5	7	89	02	969,1	- 0,1	46	18	4	6	89	02 SO	- 0,5	2,0		6	2
3	958,7	0,6	52	19	5	4	71	8	89	02	954,4	1,7	57	22	6	7	89	02 LB	956,0	- 1,4	77	20	5	7	89	01 LB	- 0,5	4,2		6	3
4	961,9	- 0,8	69	21	3	4	71	4	89	02 SB	962,9	1,9	47	20	4	6	89	02	962,3	- 0,2	47	18	2	1	89	01 SO	- 1,3	2,3	0,9	5	4
5	967,7	- 0,5	49	20	4	4	72	6	89	02 TO SB	970,4	- 0,5	59	18	2	6	89 SO	02 SO SB	970,5	- 2,0	47	18	3	4	89	01 SO	- 2,0	0,6	0,5	5	5
6	972,9	- 1,9	53	18	4	4	71	7	89	02	973,1	- 1,0	51	21	5	8	89	02	976,8	- 0,2	53	20	3	6	89	02 TO SB SF	- 3,0	- 0,2	0,0	5	6
7	969,3	2,8	57	21	5	4	71	8	89	02 TO SB	968,2	4,5	51	21	4	8	89	02	967,9	3,8	51	21	5	7	89	02	- 2,7	4,8	0,3	5	7
8	979,9	- 0,5	86	19	3	4	73	8	89	02 TO SB	934,1	1,4	64	20	4	6	89 SO	02 SO	986,0	- 0,5	57	20	4	1	89	01	- 0,5	4,0	2,5	6	8
9	982,1	0,0	49	20	3	4	71	1	89	02	979,8	2,8	37	16	5	1	89 SO	02 SO	977,8	1,6	43	15	4	1	89	02	- 3,3	3,0		5	9
10	980,3	1,0	57	12	1	4	75	1	89	02	934,7	3,6	48	18	3	7	89 SO	02 SO	987,2	1,1	46	20	3	7	89	02	0,2	4,5		5	10
11	989,1	- 1,7	48	07	1	4	73	3	89	02	990,2	1,8	48	22	1	2	89 SO	02 SO	990,6	- 0,5	52	14	3	3	89 SO	02	- 1,8	2,0		4	11
12	990,7	- 2,0	52	23	2	4	71	3	89	02	992,6	1,7	52	21	2	3	89 SO	02 SO	993,8	0,0	52	22	2	0	89	02 SO	- 2,8	1,9		4	12
13	997,3	- 3,0	57	08	1	4	71	0	81	02	999,2	0,2	56	00	0	0	86 TO SO	04 TO SO	1000,1	- 3,3	61	09	1	1	89	02 SO	- 3,5	0,4		2	13
14	1003,3	- 6,5	71	00	0	4	70	3	89 SO	02	1004,4	- 1,8	51	00	0	1	87 SO	04 SO	1004,9	- 5,6	56	00	0	0	89	02	- 6,6	- 1,5		2	14
15	1008,1	- 9,2	57	04	1	4	70	1	89 SO	02	1010,7	- 7,8	33	10	3	0	89 SO	02 SO	1011,9	- 9,7	36	00	0	0	89	02 SO	-10,0	- 5,6		3	15
16	1012,5	-11,2	86	21	1	4	70	1	87 SB	85 SB	1014,3	- 7,5	61	17	2	0	89 SO	02 SO SB	1013,0	- 9,0	62	21	2	1	89	02 SO	-12,0	- 7,0	0,1	2	16
17	1005,5	- 8,4	83	21	4	4	74	8	73 SB	85 SB	1002,8	- 6,4	76	19	1	4	89 SO	01 SB	999,1	- 9,0	69	03	1	4	89	02 SO	- 9,5	- 6,0	2,0	4	17
18	998,9	-11,6	89	00	0	4	77	0	89	02	995,3	- 6,6	40	00	0	1	89 SO	02 SO	991,7	-11,3	52	27	1	2	89	02 SO	-12,5	- 6,5	1,2	3	18
19	979,8	-11,0	57	21	1	4	75	7	86 TO	15 TO	975,4	-10,0	84	21	1	8	80 TO SB	85 TO SB SF	977,4	- 9,0	79	20	3	6	84 TO SB	85 TO SB SF	-12,0	- 9,0		4	19
20	989,8	-12,0	89	00	0	4	78	3	86 TO SO	15 TO SB	972,6	- 8,5	57	21	3	3	89 SO	02 SO TO SB	975,3	- 9,0	68	21	3	3	86 TO SB	85 SO	-13,3	- 8,3	1,6	3	20
21	979,6	- 7,0	81	21	3	4	78	8	89	02 TO SB	982,6	- 3,4	53	20	3	6	89 SO	02 SO	984,6	- 5,3	37	21	2	2	89	01 SO	- 9,5	- 2,8	0,3	4	21
22	987,9	- 9,0	79	26	1	4	78	2	89 SO	02 SO	988,5	- 4,5	45	21	2	3	89 SO	02 SO	988,2	- 7,4	52	20	1	0	89	02 SO	-11,0	- 3,0		2	22
23	986,3	- 7,3	86	00	0	4	78	2	89 SO	02 SO	989,9	- 2,8	49	06	2	7	89	03 SO	991,4	- 3,5	58	06	2	6	89	02 SO	-10,3	- 2,2		2	23
24	994,7	- 4,2	76	06	1	4	78	6	82 TO	10	996,9	- 0,3	56	28	1	2	89 SO	01 SO	996,8	- 3,6	58	07	2	0	89	02 SO	- 4,8	0,3		2	24
25	993,9	- 5,6	90	00	0	4	78	7	89	02	991,0	- 1,7	57	00	0	7	89 SO HA	02 HA SO	987,1	- 2,4	57	19	3	6	89	02 SO	- 6,5	- 0,3		3	25
26	974,7	1,0	37	18	3	4	77	8	86 TO SB	85	973,8	2,5	51	20	3	6	89 SO	02 SO TO	973,8	2,5	51	18	2	8	89	02 SO	- 5,5	2,5	0,0	5	26
27	976,9	3,0	57	00	0	4	77	5	89 SO	02 SO	978,9	7,0	47	20	3	5	89 SO	02 SO	981,0	4,5	53	20	1	6	89	02 SO	- 0,5	7,0		6	27
28	986,2	3,5	56	20	4	4	75	6	89	02	989,7	4,8	51	20	4	2	89 SO	01 SO	992,6	1,8	59	06	1	1	89	02 SO	1,8	5,0		5	28
29	996,9	1,4	66	03	1	4	73	7	89	03	997,6	4,5	54	22	3	6	89	02 SO	997,9	4,0	59	22	3	3	89	03	1,0	5,0		4	29
30	998,8	3,0	73	21	3	4	70	7	89	02 SO RB	999,2	3,7	73	19	1	8	87 RB	80 RB SO	998,9	2,2	74	06	1	6	87	02 SO RB	2,2	4,2	0,0	3	30
31	998,1	- 0,2	77	00	1	4	70	3	89 SO	02	998,5	4,1	44	20	3	7	89 SO	02 SO	999,1	2,8	47	20	3	7	89	02 SO	- 0,1	4,4	0,0	4	31
MI	985,9	- 3,2	65		2,2		74	5,0			986,5	- 0,6	53		2,6	4,7			986,4	- 2,1	55		2,4	4,0			- 4,6	0,2	9,4		11

TRONDHEIM — APRIL 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1002,7	2,3	58	21	1	4	70	2	89 SO	01	1003,1	5,0	47	18	3	0	89 SO	01 SO	1002,9	2,2	65	07	1	0	89	02 SO	0,2	5,4		3	1
2	1002,3	2,0	64	00	0	4	67	1	89 SO	02 SO	1002,1	4,5	51	07	1	0	89 SO	02 SO	1001,7	1,5	71	04	1	0	89	02 SO	- 1,2	5,2		2	2
3	1001,1	- 1,3	24	00	0	4	65	3	89	02	1000,8	1,0	71	00	0	8	89	02	1000,9	0,5	89	06	1	8	85 TO LB	85 LB	- 2,2	1,5		2	3
4	1002,7	0,2	98	00	0	4	65	0	10 TO SB	85 TO SB	1004,5	1,0	98	03	1	8	75 TO S	71 TO SB S	1005,2	1,2	73	03	2	8	85 TO	15 TO SB S	0,2	1,5	0,1	3	4
5	1006,8	0,2	74	00	0	4	65	0	89 SO	02 SO	1008,1	3,0	96	00	0	0	89 SO	02 SO	1008,7	1,2	84	05	2	0	89	02 SO	- 2,5	4,0	0,9	2	5
6	1008,8	1,0	97	04	1	4	63	0	82 SO	02 SO	1008,5	3,0	49	21	2	6	89 SO	03 SO	1007,9	2,2	97	19	3	7	82	03 SO	- 2,3	3,4		3	6
7	1007,2	1,4	71	21	3	4	62	8	80	02 SB	1007,6	3,0	64	21	4	6	88 SO	02	1007,5	1,1	81	19	3	5	80	02 SO SB	0,2	3,5	0,1	4	7
8	1011,8	- 3,0	84	03	2	4	72	3	65 SB	85 SB	1012,4	- 1,6	61	00	0	4	89 SO	01 SO SB	1012,4	- 3,0	68	30	1	7	89	02 SO	- 3,3	1,2	4,0	3	8
9	1012,1	- 4,0	79	26	1	4	65	1	89 SO	02 SB SO	1012,2	- 1,4	47	30	1	3	89 SO	02 SO	1012,2	- 2,1	47	30	1	2	89	02 SO	- 6,2	0,9	0,1	2	9
10	1012,2	- 5,0	79	00	0	4	65	1	89 SO	02 SO	1011,1	- 1,0	48	25	1	2	89 SO	02 SO	1009,5	- 3,2	51	31	1	0	89	02 SO	- 7,2	0,0		2	10
11	1007,6	- 4,0	58	15	1	4	63	0	82 SO	02 SO	1007,0	- 1,8	47	06	3	0	89 SO	02 SO	1006,6	- 3,0	53	05	1	1	89 SO	02 SO	- 8,0	- 1,3		3	11
12	1007,6	- 4,3	81	02	2	4	63	1	89 SO	02	1008,6	- 2,0	71	06	2	4	87 SO	26 SB	1009,3	- 3,0	66	06	4	4	89	02 SB	- 6,5	- 1,0		4	12
13	1010,2	- 5,0	71	03	2	4	64	1	89 SO	16 SO SB	1008,0	- 3,1	45	27	1	3	89 SO	02 SO	1001,7	- 4,5	47	24	3	8	89	02 SO	- 7,2	- 2,7	0,8	4	13
14	987,3	- 7,8	92	35	1	4	77	8	80 TO SB	86 SB	991,8	- 7,8	54	34	2	3	85 SO	26 SO SB	996,9	- 7,1	62	35	1	5	85 SO	03 SO SB	-10,0	- 3,5	8,5	6	14
15	1008,6	- 3,2	68	02	1	4	85	1	89 SO	01 SB	1012,6	- 2,8	74	04	3	8	87	03 SO SB	1014,8	- 5,0	66	35	1	7	65 TO	15 SO SB	- 7,3	- 1,4	7,2	5	15
16	1013,9	- 5,5	86	00	0	4	90	7	80 SB	85 SB	1012,8	- 2,0	56	21	3	6	89 SO	01 SO SB	1009,3	- 2,1	54	22	4	8	80	15	- 6,0	- 1,7	4,4	4	16
17	1007,7	- 2,0	97	00	0	4	95	7	89	02 TO S	1008,2	0,2	53	02	2	5	89 SO	01 SO	1009,3	- 3,0	59	04	2	4	89 SO	02 SO TO SB	- 3,8	0,2	8,0	5	17
18	1009,8	- 4,0	71	21	1	4	90	2	89 SO	02 TO SB SO	1008,9	- 1,3	51	21	1	2	89 SO	02 SO	1008,0	- 3,0	48	17	1	6	89	03 SO	- 6,5	- 0,2	0,3	2	18
19	1000,2	- 2,5	40	21	2	4	86	0	89 SO	02 SO	999,1	0,5	39	23	3	7	89	03 SO	998,2	- 0,5	74	22	3	8	89	02 SB	- 6,0	0,5		4	19
20	996,2	1,5	71	21	1	4	83	7	89	02	995,8	5,5	57	00	0	8	87 RB	80 SO	994,9	3,7	88	08	2	8	89	02 RB	- 0,5	6,2	0,0	4	20
21	993,0	3,1	77	00	0	4	76	6	89	01	991,2	7,0	51	30	1	4	89 SO	02 SO	990,6	5,3	57	00	0	6	89	02 SO	1,6	7,5	0,0	2	21
22	989,8	2,9	76	21	2	4	70	5	89 SO	02 SO	990,6	7,3	49	25	2	3	89 SO	01 SO	990,4	5,3	61	06	1	7	82	03 SO	0,0	7,8		2	22
23	989,6	3,0	64	20	2	4	65	1	80 SO	02 SO	989,9	6,0	45	24	2	3	89 SO	03 SO	990,9	5,0	53	20	1	7	80	03 SO RB	0,5	6,5		2	23
24	992,7	4,0	68	00	0	4	64	3	82	02	994,5	5,6	61	06	2	5	89 SO	01 TO RB SO	995,5	4,5	61	33	2	1	80 SO	02 SO	2,0	7,0	0,0	2	24
25	998,7	3,5	66	00	0	4	62	1	89 SO	02 SO	1000,1	6,2	53	11	1	0	89 SO	02 SO	1000,5	4,8	97	02	1	0	89 SO	02 SO	- 0,2	7,0	0,2	2	25
26	999,7	3,0	66	00	0	4	60	5	89 SO	03 SO	999,4	5,6	52	20	3	7	86 TO	10 SO	999,1	5,5	51	00	0	7	86 TO	10 TO SO	0,0	7,5		3	26
27	999,0	2,2	81	06	2	4	53	7	80 TO	10 TO	998,1	3,4	58	00	0	8	86 TO	10 TO SO	997,6	2,3	71	00	0	8	87 SO TO	10 TO SO	2,0	5,5		3	27
28	990,4	1,8	77	23	2	4	53	8	80 TO	10 TO	985,3	4,6	52	21	2	6	80 SO TO	10 TO SO	978,3	4,5	53	19	2	7	89 SO	02 SO	1,2	5,7		3	28
29	974,8	2,7	66	21	2	4	51	8	89 SO	02 SO	970,3	5,6	51	12	1	5	89 SO	02 SO	967,9	5,0	46	00	0	5	89	02 SO	2,0	5,7		4	29
30	965,3	3,0	64	31	1	4	46	8	80	02	964,1	5,2	39	11	3	5	89 SO	01 SO	965,9	3,5	79	07	1	7	89	02 SO RB	1,0	6,5		3	30
MI	1000,3	- 0,5	73		1,1		68	4,2			1000,2	1,9	55		1,7	4,3			999,7	0,7	62		1,5	5,0			- 2,5	2,9	34,3		3M

EKSTENSOTABELL

TRONDHEIM — MAI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	968,4	5,0	93	06	2	4	40	7	89	30	970,3	5,9	40	18	4	3	89	80	972,7	5,4	38	16	4	6	89	02 30	1,0	7,3	0,1	5	1
2	976,2	3,5	82	20	1	4	35	6	89	02	980,5	6,8	45	21	4	5	89	80	984,6	4,5	51	21	2	5	89	02 30	2,2	7,5		4	2
3	990,5	4,5	51	18	2	3	30	3	89	80 02 30	992,4	6,5	45	21	2	4	89	80	989,2	4,8	45	12	2	8	89	02 30	0,5	7,0		4	3
4	985,4	5,5	89	20	4	3	17	6	89	80 02 30	989,3	6,2	51	20	4	7	89	02	992,4	6,4	46	21	3	3	89	80 01 30	4,0	7,8		5	4
5	993,8	4,4	91	00	0	3	15	1	89	80 00 30	994,0	7,0	43	20	3	1	89	80 00	994,6	6,0	41	28	1	6	89	03 30	1,4	8,4		3	5
6	998,4	3,4	82	00	0	2	8	1	89	80 02 30	1000,7	7,4	39	18	2	1	89	80 02	1002,4	6,0	45	00	0	3	89	02 30	1,5	8,6		2	6
7	1005,0	4,2	82	21	2	2	2	3	89	80 02 30	1004,7	7,0	43	27	2	3	89	80 02	1003,3	4,6	62	33	2	2	89	80 02 30	1,5	7,5		3	7
8	1002,7	3,5	74	22	1	2	0	3	89	80 02 30	1003,9	5,0	57	03	1	7	89	03	1003,8	4,2	57	30	1	3	89	80 01 30	1,2	6,2		2	8
9	1002,3	3,8	81	22	1	2	0	3	89	80 02 30	1001,5	7,2	45	23	2	2	89	80 02	1001,2	5,0	47	19	2	7	89	88 80 80 RB	0,8	7,5		2	9
10	998,6	4,4	93	20	1	2	0	3	89	02 RB	999,4	4,2	66	21	3	7	89	15 SB	1001,0	0,5	94	22	3	8	70	TD SB 86 TD SB	0,5	5,5	0,0	4	10
11	1004,0	1,6	71	24	3	3	0	3	89	02 TD SB	1003,1	3,5	45	27	2	2	89	80 01 SB SO	1001,6	3,2	40	34	2	3	89	80 01 80	0,0	5,1	4,3	3	11
12	999,8	3,6	84	18	2	3	0	3	89	80 02	1000,8	1,8	66	03	2	8	82	88 85 SB SO	1001,7	0,2	89	35	1	8	56	LB 86 LB	0,0	4,7	0,0	3	12
13	1006,2	1,1	46	00	0	4	3	1	89	80 01 SB SO	1005,1	1,4	48	23	3	2	89	80 01 80	1000,0	1,7	33	21	4	3	89	02 80	- 2,3	3,0	4,3	4	13
14	979,4	0,0	79	03	2	3	0	3	89	TD SL 68 TD SL 80	979,8	1,0	71	32	2	7	89	02 TD SL	982,4	- 0,5	46	27	3	7	84	TD 15 TD SB	- 1,5	1,8	2,0	4	14
15	987,5	- 0,4	76	34	3	4	5	3	05	TD SB 86 TD SB	989,7	1,6	51	30	3	7	87	15 TD SB SO	989,8	1,4	45	30	2	6	89	02 SB SO	- 1,2	3,0	4,5	5	15
16	991,5	0,8	59	00	0	3	0	7	89	02 TD SB	993,5	2,5	57	03	2	8	89	02	994,5	2,0	57	07	2	5	89	01	- 0,5	2,5	2,5	3	16
17	993,7	1,8	82	00	0	2	0	6	89	02 SB	989,3	6,2	48	23	2	8	89	03 80	991,6	3,5	87	27	1	8	70	R 60 R	- 0,3	6,8	0,0	3	17
18	975,3	4,5	94	20	1	1	0	8	89	02 TD R	977,2	6,5	61	21	4	8	89	02 TD RB	978,0	5,9	84	22	3	8	86	RB 80 RB	3,2	8,2	3,7	5	18
19	982,7	3,8	91	21	4	0	0	3	70	25 RB	987,4	5,0	54	22	4	7	85	02 RB	990,0	4,4	54	22	4	7	86	02 RB	2,8	6,0	0,2	5	19
20	994,2	2,4	88	23	3	0	0	3	80	J 88 J 38 85 SB RB	997,9	5,4	46	23	4	5	80	TD SO 02 TD SB SO	1002,8	1,1	94	22	3	8	50	SB 85 SB TD	0,8	5,4	0,0	4	20
21	1009,3	3,0	84	21	3	1	0	6	89	30 02 TD SB	1009,4	6,2	33	21	2	1	89	80 01 SO	1006,0	5,0	36	03	3	2	89	30 02 30	0,0	7,0	2,5	4	21
22	1000,7	5,0	93	18	1	1	0	8	89	02 30	1001,0	8,0	53	24	2	8	89	02	1000,4	7,5	99	00	0	8	89	02	2,2	8,0		3	22
23	996,4	6,0	73	20	1	1	0	7	89	02	997,9	9,8	57	36	2	8	89	02	998,7	7,4	64	36	1	8	89	02	5,0	9,8		2	23
24	1000,9	5,4	96	22	1	1	0	7	75	15 R	999,4	11,0	49	05	2	2	86	80 02 80	995,8	10,2	49	00	0	8	89	YR 50 YR 80	5,0	12,8	2,2	5	24
25	996,4	11,0	97	20	3	1	0	2	89	30 02 TD RB 80	994,6	12,2	53	30	2	3	89	80 02 80	991,1	8,9	68	06	1	8	84	TD R 61 TD R 80	6,5	14,2	0,8	4	25
26	982,8	10,4	71	00	0	1	0	1	89	30 03 30	980,8	15,0	45	20	5	2	89	80 02 80	985,9	9,6	92	24	4	5	80	30 02 80 RB	6,9	15,4	0,1	5	26
27	986,6	4,5	86	24	3			8	65	RB 80 RB	994,6	5,2	80	22	4	7	70	R8 80 RB	995,3	7,6	64	25	2	6	89	01	4,0	10,0	2,0	6	27
28	996,9	4,2	94	01	1			3	87	25 TD RB	998,8	6,0	77	03	2	8	84	02	999,9	3,8	89	03	4	8	84	TD RB 80 RB TD	3,8	7,6	2,2	4	28
29	994,8	3,4	94	03	3			8	80	J TD R 62 TD RB	996,7	2,5	94	03	2	8	86	TD RB 80 TD SB R	998,0	3,5	71	04	3	4	89	SO 01 TD RB	2,0	4,0	5,7	4	29
30	995,5	3,8	33	04	1			3	89	25 TD RB	997,6	9,4	64	21	3	8	87	RB 80 RB	997,5	8,8	69	21	3	8	87	RB 80 RB SO	2,2	11,0	5,5	3	30
31	1003,3	5,5	84	23	4			3	86	TD RB 80 TD RB	1012,4	6,6	74	27	3	8	86	TD 15 TD RB	1017,2	5,2	79	33	2	7	89	02 RB	5,0	8,8	1,6	5	31
MI	993,5	4,0	68		2,0		5	5,5			995,0	6,1	55		2,7	5,3			995,3	4,8	59		2,2	6,0			1,9	7,4	44,2		IM

TRONDHEIM — JUNI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1015,4	8,0	54	05	1			1	89	30 01 RB SO	1011,7	12,4	39	07	2	1	89	80 01 SO	1008,0	13,3	36	00	0	7	89	02 30	3,0	15,0	0,5	2	1
2	1007,1	7,8	39	23	3			3	80	RB 80 RB	1011,0	6,6	73	23	5	7	80	R8 80 RB	1015,9	5,8	84	22	4	8	75	RB 81 RB	4,6	13,6	4,0	5	2
3	1018,2	6,1	74	24	4			7	82	25 RB	1019,0	6,8	89	24	5	8	70	R8 80 RB	1017,0	8,1	69	23	1	7	80	02 RB	5,8	8,1	8,6	7	3
4	1011,0	7,1	77	26	1			8	80	TD 15 TD RB	1011,9	4,6	95	08	2	8	40	TD YR 51 TD YR	1012,1	6,4	57	30	3	2	89	80 01 30	4,2	8,6	0,5	5	4
5	1007,9	5,0	96	23	4			8	86	TD R 60 TD SO R	1007,7	9,0	61	31	3	7	89	02 TD R	1005,8	8,0	64	30	3	7	89	02	3,2	9,0	0,7	4	5
6	1003,4	8,0	76	32	2			3	80	02	1004,6	7,5	90	32	3	8	89	02	1003,4	6,8	94	06	1	8	80	TD YR 50 TD YR	6,3	8,0	0,0	3	6
7	998,4	7,0	99	06	1			3	00	J T 47 T YR R	996,8	7,8	99	21	1	9	05	T R YR 61 T YR R	994,5	10,0	96	21	3	8	86	TD R 60 TD YR R	6,8	10,0	2,0	4	7
8	994,1	5,0	86	29	2			3	87	28 TD R RB	992,8	6,4	86	32	3	8	89	RB 80 RB	991,2	5,8	65	32	2	8	89	02 RB	5,0	10,5	3,6	4	8
9	989,7	5,4	79	20	2			7	82	TD R 80 T R	990,6	6,6	79	30	3	7	85	02 TD RB	990,2	5,4	83	06	1	8	86	TD RB 80 TD RB	4,0	6,6	2,6	3	9
10	990,9	4,5	89	00	0			3	60	R 60 R TD	991,4	6,2	84	23	3	8	89	02 TD RB R	992,9	5,8	77	32	1	8	85	RB 80 TD RB	4,0	6,6	1,4	3	10
11	994,0	5,5	96	22	2			8	86	TD R 60 TD RB R	995,7	7,8	74	24	3	7	86	TD 15 TD SO RB R	996,6	6,0	83	24	2	8	87	RB 81 TD RB	4,4	7,9	2,4	4	11
12	997,1	6,0	94	21	2			3	84	TD R 60 TD R RB	995,9	7,0	96	21	3	8	80	TD R 62 TD R	993,5	7,0	83	22	4	8	80	TD R 60 TD R	5,5	7,5	8,4	4	12
13	989,3	7,5	76	21	4			8	80	02 TD R 15 RB R	989,7	8,0	79	23	4	8	87	15 RB R	991,2	7,0	94	30	1	8	89	RB 80 TD RB	7,0	8,0	4,2	4	13
14	989,1	11,2	58	31	1			6	89	02 RB	988,1	16,0	39	12	1	2	89	80 01 SO	986,6	16,8	38	04	3	1	89	80 02 80	7,0	17,6	0,3	3	14
15	984,0	13,0	61	03	2			8	89	RB 80 RB SO	983,1	15,2	64	14	1	8	87	RB R 80 RB R	982,6	11,2	87	29	1	8	84	RB 81 RB	11,0	16,8	0,0	3	15
16	989,0	8,0	98	05	1			8	70	J TD 10 RB	990,3	13,3	64	23	1	6	89	03	991,6	7,6	81	31	3	8	82	RB 80 RB	6,7	13,5	6,3	4	16
17	989,2	8,4	86	21	2			8	80	J RB 80 RB	992,0	7,0	76	30	3	7	84	R8 80 RB	994,0	7,2	62	30	2	7	89	02 RB	6,7	8,4	3,4	4	17
18	996,9	6,5	71	24	2			7	89	02 R8	1000,2	9,6	48	33	3	7	89	SO 02	1002,7	8,0	58	30	3	7	89	02 30	5,4	11,0	4,2	3	18
19	1005,1	6,4	78	27	2			8	89	02 TD RB	1006,3	8,8	59	23	3	7	89	SO 02 RB	1006,1	7,4	57	06	2	8	89	02 SO	5,4	9,0	0,5	3	19
20	1003,9	8,0	57	20	1			8	89	02	1003,4	9,2	58	19	2	8	89	02 TD R	1003,0	6,4	96	04	2	9	05	T R 63 T R	6,2	9,2	0,0	2	20
21	1002,0	6,8	96	00	0			9	05	T YR 51 T YR R	1000,7	9,0	96	07	2	8	87	RB 80 TD T YR R	999,3	9,3	94	07	1	8	89	02 TD RB	5,8	9,5	7,4	2	21
22	996,9	11,5	89	00	0			8	89	25 TD RB	996,2	18,2	57	04	1	7	86	TD SO 10 SO	998,0	18,1	48	06	1	1	89	SO 01 SO	9,0	19,5	2,6	3	22
23	1001,9	12,3	74	32	3			1	89	30 02 TD SO	1002,8	17,0	58	33	2	1	85	SO 02 SO	1002,4	12,8	69	05	2	7	85	J 05 J SO	12,2	19,0		4	23
24	1005,3	9,8	90	32	1			7	80	J TD SO 10 TD SO	1004,4	14,5	62	05	1	1	89	SO 02 SO	1001,6	11,2	74	07	2	7	70	J 05 SO	8,0	14,5		3	24
25	996,7	16,4	62	00	0			3	89	30 02 30	995,5	23,8	37	24	1	1	89	SO 01 SO	992,8	20,1	41	25	2	1	89	SO 02 SO	7,3	25,3		2	25
26	990,1	20,0	52	19	2			2	89	30 02 30	989,7	19,8	54	23	3	8	86	03	994,2	10,4	92	13	1	8	80	RB 80 RB	10,4	21,2		4	26
27	990,1	9,1	94	32	1			8	80	J TD R 61 R	990,3	10,3	95	11	1	7	80	TD 21 R	989,0	11,6	81	08	2	7	86	02 30	9,0	12,1	0,6	3	27
28	990,2	9,3	97	09	1			8	60	TD 10 TD R	990,4	9,3	89	13	2	8	60	TD 10 TD	989,7	8,1	99	04	1	8	60	10 TD YR	8,1	11,9	8,0	3	28
29	986,1	8,1	95	00	0			8	80	J TD 10 TD R	988,0	12,6	66	06	2	3	89	01 TD	985,1	12,3	71	05	2	3	89	SO 02 SO RB	7,1	14,4	3,7	3	29
30	983,8	8,3	96	00	0			6	82	30 01 TD	983,3	16,7	44	20	1	3	82	SO 01 SO	983,5	18,2	27	20	2	6	89	SO 02 SO	6,8	19,1	0,0	3	30
MI	997,2	8,5	81		1,6			6,9			997,4	10,9	70		2,3	8,2			997,1	9,7	72		2,0	8,6			6,5	12,4	76,5		IM

EKSTENSOTABELL

TROMSØ — JULI 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	981,0	14,3	59	00	J			7	85		02		980,6	14,2	57	20	4	3	89	SO	01	SO R	981,3	11,4	69	28	2	7	80	RB	80	RB SO	10,8	18,4		4	1
2	982,5	11,5	51	18	3			3	89	SO	02	TD RB SO	986,6	10,6	56	22	4	7	89		02	TO RB SO	987,8	12,2	45	20	2	6	89		02	SO	7,4	13,5	3,1	4	2
3	988,8	14,0	41	19	4			3	89	SO	02	SO	991,7	15,2	39	28	3	7	89		03	SO	995,4	9,5	81	31	2	8	86	TD RB	80	TD RB	8,9	17,0	0,3	4	3
4	1003,9	10,0	79	31	3			7	89	RB	80	TD RB	1007,8	9,0	69	31	3	8	89		02	RB	1008,8	9,0	71	06	2	6	89		01		8,2	10,2	4,7	4	4
5	1007,1	8,9	79	09	1			8	89		02	SO	1005,8	11,0	56	06	1	8	89		02		1005,1	10,5	64	05	1	7	89		02		7,3	12,0	0,3	2	5
6	1006,1	12,0	64	12	1			7	89	SO	02	SO	1006,6	11,5	79	31	2	8	89		02	SO	1004,4	11,0	66	06	1	5	89		02	SO	9,0	13,3		3	6
7	1000,7	14,9	36	00	J			3	89	SO	02	SO	999,1	20,8	49	14	2	4	89	SO	02	SO	998,0	20,6	39	18	3	1	89	SO	02	SO	9,5	22,1		4	7
8	999,7	17,7	38	19	1			1	89	SO	02	SO	1000,1	21,9	49	20	4	4	89	SO	01	SO	998,8	20,0	51	04	1	0	89		02	SO	14,4	23,0		4	8
9	998,9	21,5	40	12	2			3	89	SO	02	SO	997,8	25,5	30	00	0	0	89	SO	01	SO	996,3	25,0	32	00	0	1	89	SO	02	SO	15,5	27,5		2	9
10	997,5	23,4	45	00	0			1	89	SO	02	SO	997,8	25,5	32	21	2	1	89	SO	02	SO	998,1	24,2	32	03	1	3	89	SO	02	SO	17,5	26,5		2	10
11	1001,7	14,5	79	32	1			4	89	SO	02	SO	1003,7	15,5	71	30	1	3	84	SO	02	SO	1005,6	12,0	89	00	0	8	86	TD	10	TD SO	12,0	24,2		2	11
12	1007,8	11,2	86	00	0			3	86	TD	10	TD RB	1007,8	13,0	73	00	0	8	89		01	TD	1007,0	12,0	76	04	1	0	89		02	SO	9,5	14,5	0,3	1	12
13	1007,1	12,3	90	00	0			3	89	SO	40	T SO	1005,9	19,6	57	06	1	3	89	SO	02	SO	1004,8	19,4	58	00	0	5	89	SO	02	SO	9,0	19,7		1	13
14	1004,7	15,6	92	00	0			7	86	R	60	R SO	1003,6	18,0	64	22	2	7	89		02	R	1003,0	17,9	58	00	0	7	89		02		15,0	19,5	0,8	2	14
15	1002,7	18,8	74	01	2			7	89		02		1001,3	20,2	39	00	0	7	89	SO	02	SO	999,5	20,9	37	00	0	2	89	SO	01	SO	14,0	20,9	1,0	2	15
16	999,3	20,0	41	00	0			1	89	SO	02	SO	998,4	22,5	37	30	1	1	89	SO	02	SO	997,5	21,2	33	00	0	1	89	SO	02	SO	15,0	25,0		1	16
17	998,6	17,5	48	22	1			3	89	SO	02	SO	997,8	16,8	64	32	1	3	89	SO	02	SO	995,8	12,0	84	06	1	7	89		03	SO	12,0	21,2		1	17
18	990,6	11,5	94	00	0			7	84	TD	10	TD R	988,0	17,5	57	00	0	6	89	SO	01	TD SO	986,6	16,9	66	00	0	7	89	RE SO	15	SO RB	10,0	19,5	0,1	1	18
19	985,5	17,5	84	00	0			1	89	SO	02	TD RB SO	985,6	21,5	47	30	1	3	89	SO	02	SO	986,1	17,5	58	00	0	1	89	SO	02	SO	13,9	22,0	3,0	1	19
20	983,7	15,8	66	00	J			3	89	SO	02	RB SO	981,7	16,8	51	03	1	8	89		02	SO	981,9	15,6	69	27	1	6	89	YR	50	R	12,8	17,5	0,1	1	20
21	982,7	15,6	64	00	0			5	89	SO	02	SO	982,1	19,6	46	22	3	6	89	SO	02	SO	982,1	15,2	85	00	0	6	89	SO	02	SO	13,0	20,2	0,0	3	21
22	983,2	13,4	31	00	0			1	80	SO	01	SO TD	985,0	18,5	57	05	1	7	85	TD SO	03	TD SO	986,8	17,8	37	00	0	8	80		02	SO	10,7	19,4		4	22
23	990,8	16,0	64	00	0			1	89	SO	02	SO	992,8	18,0	47	19	1	5	89	SO	02	SO	994,1	16,8	56	05	1	7	89		02	SO	13,5	19,5		1	23
24	996,4	12,0	79	10	1			3	84	TD	10	TD	996,8	14,5	61	03	2	5	89	SO	01	TD SO	996,8	13,0	64	03	1	1	89	SO	02	SO	11,0	16,8		3	24
25	998,2	12,0	71	06	1			6	89	SO	02	SO	999,1	16,0	57	02	3	2	89	SO	02	SO	999,9	11,0	65	03	3	2	89	SO	02	SO	8,0	16,0		4	25
26	1002,8	8,8	76	03	1			3	80		02	30	1003,9	10,0	62	04	1	8	89		02		1004,0	10,5	64	05	1	2	89	SO	01	SO	6,8	11,5		3	26
27	1005,2	9,2	71	00	0			7	89		02	30	1005,7	12,0	64	30	2	7	89		02	SO	1005,8	9,6	66	00	0	7	80		02		8,0	12,5		2	27
28	1007,0	9,1	31	00	0			7	89		15		1005,5	10,0	66	30	2	7	89		02	RB	1004,5	9,3	68	07	1	7	80		02		7,5	11,0		2	28
29	1001,1	8,8	71	05	1			7	80	SO	02	30	999,4	10,9	56	06	3	1	89	SO	01	SO	996,6	10,3	59	03	3	2	80	SO	02	SO	6,7	13,0	0,2	3	29
30	993,6	9,0	71	08	2			2	89	30	02	30	992,9	14,0	51	03	2	3	89	SO	02	SO	992,6	10,4	66	23	3	5	89		03	SO	5,5	14,0		3	30
31	992,5	8,0	76	05	1			3	80		02		991,8	11,0	62	29	1	7	89		02		990,8	9,5	64	02	2	7	80		02		7,2	11,0		5	31
MI	996,8	13,6	68		0,8			5,3					996,9	16,2	55		1,7	5,1					996,6	14,6	60		1,1	4,8					10,6	17,8	13,9		MI

TROMSØ — AUGUST 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	988,8	7,0	89	06	1			3	70	TD YR	50	TD YR	988,7	10,0	54	03	1	7	89		02	TD YR	988,7	8,5	64	03	3	4	89	SO	01	SO	7,0	11,5	0,0	3	1
2	987,5	7,0	65	06	3			3	89		02	RB SO	986,5	9,5	57	03	3	8	89		02		986,2	8,0	69	03	3	3	89		02		6,4	9,5	0,1	4	2
3	987,1	6,8	86	04	2			3	80	TD R	60	TD R	989,4	8,0	73	04	2	8	89	R	60	TD R	991,2	7,3	71	01	1	3	89	YR	50	YR	6,5	8,7	0,2	4	3
4	995,8	6,6	74	03	1			7	86		03	RB	997,6	8,6	71	30	3	8	80	YR	50	YR	999,3	8,0	84	00	0	7	85	YR	50	R	5,1	8,7	1,1	3	4
5	1001,8	8,2	71	20	2			7	89		02		1002,3	9,4	71	21	2	8	80	YR	50	YR	1001,2	9,2	74	22	2	8	75	RB	80	RB	7,1	10,4	0,1	4	5
6	1001,8	8,8	77	18	3			3	80	RB	80	RB	1002,3	9,2	89	32	1	7	89	RB	80	RB	1002,6	9,2	77	02	1	5	80		02	RB	7,7	11,2	5,1	4	6
7	1000,1	9,5	76	07	1			1	80	30	40	T	997,8	14,0	56	04	1	3	89	SO	01	SO	995,8	14,0	51	02	2	1	80	SO	01	SO	5,0	16,5	2,7	3	7
8	995,3	11,4	74	00	0			3	89		02		995,2	17,0	53	00	0	4	89	SO	02	SO	995,0	15,7	31	05	2	5	80	30	02	30	7,3	18,0		2	8
9	994,1	15,0	62	00	0			3	70	J SO	05	J SO	993,9	21,3	45	20	3	1	80	0 SO	05	J SO	993,5	20,0	45	04	3	1	80	30	02	30	10,0	21,6		4	9
10	993,9	17,1	92	19	3			1	80	30	02		994,2	20,9	33	19	3	1	89	SO	02	SO	995,2	19,4	36	18	2	3	80	30	02	30	12,3	21,2		6	10
11	999,6	14,9	77	20	1			7	80		02	RB	1002,5	14,1	81	31	1	7	80		01	RB	1002,6	12,8	77	00	0	5	86		01		11,5	19,5	0,3	3	11
12	1003,3	13,9	87	00	0			7	80		02	RB	1002,5	15,9	66	12	3	3	89		01	RB	1001,8	17,0	62	21	1	4	73		01		11,6	18,8	0,5	5	12
13	1002,2	17,5	56	19	2			3	80	30	02	30	1002,3	18,4	45	19	3	8	86		03	SO	1001,6	18,4	46	20	3	6	87	30	02	30	14,6	20,3	0,0	5	13
14	999,6	16,6	64	00	0			6	87	30	02		998,8	21,3	48	18	3	4	87	30	02	SO	996,6	18,6	47	21	3	4	83	30	02	30	13,2	21,8		5	14
15	993,3	16,8	46	20	1			1	89		02		992,0	17,2	46	20	4	7	89		02		992,7	17,4	18	22	4	8	80		02		12,6	18,8		6	15
16	997,7	10,8	92	00	0			8	80	RB	80	R	1003,1	14,2	54	22	3	6	89	SO	02	SO	1005,4	12,6	66	00	0	6	80		02	SO	10,6	18,0	4,1	4	16
17	1004,3	11,8	79	00	0			4	80	30	01	R	1007,3	16,7	52	20	2	3	89	SO	02	SO	1008,3	15,0	59	09	1	6	80	SO	02	SO	9,6	17,7	0,0	3	17
18	1009,5	10,2	95	04	2			3	80	YR	53	YR	1010,4	11,4	94	03	2	8	80	YR	51	YR R	1011,3	11,4	99	00	0	7	85		01	R	9,1	15,0	1,0	3	18
19	1007,3	11,2	94	05	1			4	80	TD	02	TD R	1005,8	18,8	64	11	1	1	89	SO	02	TD SO	1004,0	18,2	66	00	0	5	82		02	30	9,5	19,6	1,5	2	19
20	1000,9	14,4	99	00	0			1	80	TD	10	T	998,0	19,7	58	00	0	5	89	SO	03	T SO	997,4	18,4	62	05	1	6	82		03	SO	12,0	20,8		1	20
21	994,6	13,4	94	00	0			1	50	30	40	T RB TO	992,9	17,3	68	00	0	3	80	TD SO	03	SO	990,7	11,8	89	00	0	4	80	TD	03	TD SO	10,9	18,7	12,3	3	21
22	987,1	8,2	97	00	0			0	02	T	45	T YR	985,0	13,8	77	07	1	3	59	TD SO	10	T SO	983,7	15,6	66	03	0	7	80		03	TD SO	7,6	16,6	0,2	4	22
23	982,8	11,0	83	00	0			6	86	30	02	SO	982,8	11,0	68	03	3	7	86		02	SO	982,7	9,2	80	00	0	8	86		02		9,2	15,7		4	23
24	982,1	7,6	99	19	2			8	80	TD R	60	TD R	984,4	8,0	90	27	3	8	80	TD	10	TD R	987,1	7,6	90	22	1	8	80	R	60	TD R	7,0	9,9	2,9	3	24
25	993,4	5,5	95	30	3			8	80	RB	80	RB	998,6	7,0	80	30	1	8	84		25	RB	1001,2	6,4	84	00	0	8	80	RB	80	RB	5,5	8,0	5,7	3	25
26	1003,4	5,7	96	21	1			3	20	YR	50	RB YR	1003,2	8,2	64	23	3	7	80	RB	80	YR SO	1002,2	8,4	68	00	0	7	89		02		4,8	9,3	2,3	3	26
27	999,7	6,8	95	03	2			7	89		02		997,7	10,7	58	02	3	3	89	SO	01	RB SO	995,8	9,6	98	03	2	7	89		02		5,0	11,9	0,1	4	27
28	993,8	7,3	83	00	0			8	83		02		993,5	10,9	54	18	2	7	89	SO	02	SO	993,8	10,8	61	18	1	7	89		02	SO	5,4	12,2	0,1	2	28
29	994,7	8,2	97	00	0			8	80	R	60	R	992,6	9,2	94	00	0	8	70	R	60	R	990,0	9,5	90	00	0	6	89	SO	02		7,7	11,0	4,5	2	29
30	989,6	8,0	87	20	3			8	83	RB	80	RB	989,0	11,0	79	21	3	8	85	RB	80	RB	988,0	8,9	90	08	1	8	85	RB	80	RB	8,0	11,8	3,0	5	30
31	990,8	7,6	84	21	3			7	82		15	RB	992,4	8,3	84	21	2	7	80	RB	80	RB	993,4	8,0	79	21	1	7	89		15	RB	6,1	9,4	6,6	3	31
MI	996,0	10,8	81		1,3			6,1					996,2	13,3	68		2,0	5,7					996,1	12,4	68		1,5	5,9					8,6	14,9	54,7		MI

TRONDHEIM — SEPTEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	995,4	6,0	95	J6	2			J	65	RB	81	RB	998,1	6,5	87	03	2	8	65	RB	80	RB	1000,7	5,5	87	,36	1	7	84	TD	15	TD RB	5,5	8,3	8,8	3	1
2	1002,8	3,9	81	J2	2			J	80		15	RB	1004,4	5,3	79	31	1	7	80		15	RB	1011,4	5,2	92	,29	1	8	80	RB	80	RB	3,5	6,0	2,6	4	2
3	1005,3	4,2	99	00	0			2	89	30	01	RB	1005,2	7,3	57	05	2	3	89	50	02	50 RB	1002,4	6,1	61	,04	4	4	89	30	02	30	2,6	8,1	7,8	4	3
4	998,1	6,6	77	00	0			7	80		02	RB	997,7	9,6	61	00	0	8	86		02		997,0	7,9	76	,22	3	8	82	R	60	R	2,8	10,4	0,1	4	4
5	995,5	6,5	83	18	1			3	80		02	R	997,5	8,6	71	19	3	7	89		02		999,3	8,3	80	,00	0	7	89		01		5,0	9,7	2,8	3	5
6	1003,2	8,0	96	17	1			3	80		02	RB	1003,2	12,2	69	36	1	5	89	50	01	50	1002,7	9,3	73	,00	0	4	80		02	50	7,2	12,5	0,1	1	6
7	1001,6	9,4	87	00	0			3	80		01	R TD	998,8	15,0	57	33	1	5	89	50	01	R 50	998,2	16,2	54	,24	3	7	82		01	50	7,6	16,5	0,4	4	7
8	998,4	12,8	84	24	2			3	80	TD	25	RB	1000,4	10,6	98	34	2	8	60	TD	25	TD RB	998,6	9,8	80	,11	2	7	83		01	RB TD	9,8	16,6	0,1	3	8
9	992,7	7,8	96	00	0			7	80	R	63	R	991,4	10,7	96	22	4	6	86		02	R	994,6	8,4	68	,24	1	7	80	RB	80	RB	7,2	11,0	14,6	4	9
10	988,2	8,4	84	21	1			7	80		02	TD RB	992,3	10,5	91	24	1	7	89	50	02		997,7	11,2	54	,21	3	7	80		02	RB 50	7,0	11,6	2,1	4	10
11	977,3	7,0	66	20	3			3	89		02	TD RB	977,0	8,2	57	21	2	3	89	50	01	TD RB 50	974,8	8,0	67	,36	2	1	80		02	30	5,5	11,5	0,7	4	11
12	974,1	6,0	71	03	1			3	89		02	RB	976,7	9,5	64	27	1	8	89		02		979,4	7,5	92	,00	0	8	87		25	RB TD	3,3	9,5	0,7	3	12
13	979,5	6,0	97	00	0			3	81	TD R	60	TD RB R	978,2	7,0	86	13	1	9	89		25	R RB TD	977,2	5,4	90	,36	2	7	89		02	RB	5,4	8,0	4,5	3	13
14	976,2	5,5	94	00	0			3	80		21	TD R	977,5	8,0	68	26	2	7	89		02	RB	974,4	5,6	86	,19	1	7	80		25	RB	5,0	8,0	1,0	3	14
15	981,5	4,8	00	21	3			3	87		02	RB	983,6	7,2	89	21	3	8	80	RB	80	RB	985,3	6,6	92	,25	2	8	85	RB	80	RB	4,3	7,5	2,8	3	15
16	986,8	6,0	99	22	3			3	80	R	60	R	988,3	6,0	94	26	1	8	70	R	61	RB	987,5	4,5	90	,25	1	8	65	R TD	60	TD R	4,5	6,6	9,3	4	16
17	978,8	1,5	99	00	0			3	89		02	TD R	974,9	6,0	64	06	2	1	89	50	02	50	972,4	4,5	76	,36	1	7	89		01	30	0,5	7,5	5,2	3	17
18	968,3	4,5	86	04	1			3	89		02	TD RB	966,5	8,5	57	19	2	7	89		03	RB 50	966,2	7,5	69	,06	2	3	89		02		4,5	9,5	0,3	3	18
19	967,5	6,0	94	J6	1			7	80		02		969,5	9,0	76	00	0	8	89		02		972,5	7,8	94	,09	0	3	80	TD R	62	TD R	5,0	9,5	0,0	3	19
20	981,3	6,0	94	J1	3			3	80	TD R	62	TD R	986,9	6,7	86	08	2	8	84	TD R	61	TD R	989,4	5,8	79	,03	2	7	89		02	TD R	5,8	8,0	11,5	3	20
21	988,0	5,0	94	00	0			7	89		02	RB	986,2	8,0	64	25	1	8	89		02		984,0	8,0	62	,10	2	7	80		02		4,0	9,9	1,3	3	21
22	982,0	5,5	87	00	0			3	23	TD R	60	YR R	983,0	6,6	97	24	2	8	62	R	60	TD R	985,2	6,4	96	,20	2	8	75	YR	50	YR R	4,5	8,0	3,1	2	22
23	992,8	4,7	97	22	2			3	80	TD R	65	TD R	987,0	6,0	87	00	0	8	70	TD R	60	TD RB	987,8	4,2	83	,00	0	7	84		02	TD RB	4,2	6,7	16,2	3	23
24	994,8	2,0	98	00	0			3	05	T	44	T YR	995,9	4,2	96	00	0	6	89	50	02	T 50 0	996,5	4,0	73	,24	2	7	80		02	50	0,6	9,5	7,8	3	24
25	994,2	5,0	73	23	3			3	80	30	02		998,0	8,0	58	30	2	7	89	50	02	50	992,0	7,8	53	,21	4	8	80		02	50	3,8	9,5	0,2	4	25
26	972,8	9,5	81	24	1			7	84		15	R	973,9	6,7	96	31	4	8	64	RB	80	RB	975,1	6,1	92	,22	3	8	70	RB	80	RB	5,8	9,7	1,5	5	26
27	977,6	4,8	76	12	1			7	80		02	RB	978,9	7,0	65	22	3	7	89	50	02	RB	979,3	5,0	77	,25	1	7	89	RB	80	RB 50	4,0	7,3	5,1	4	27
28	980,3	4,8	89	23	3			7	80	RB	80	RB	982,9	6,0	74	23	3	7	89		25	TD RB	984,2	5,8	71	,24	3	6	84		02	RB	4,0	7,2	2,0	4	28
29	990,0	3,8	98	00	1			7	80		25	RB	994,6	5,0	84	00	0	6	80		25	RB	998,3	4,4	94	,17	1	7	80		25	RR	3,5	5,9	3,5	4	29
30	1005,1	1,8	99	00	0			7	83		02	RB	1008,5	4,4	79	00	0	6	84	50	02	RB 50	1012,7	2,4	79	,34	2	7	87		02	50 RB	1,2	5,2	9,0	3	30
MI	987,7	5,8	88		1,5		6,9						988,2	7,8	74		1,7	6,6					988,5	8,8	78		1,8	6,9					4,6	9,0	128,4		TM

TRONDHEIM — OKTOBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1016,1	1,2	98	24	2			3	80	TD LB	84	TD SB LB	1017,8	3,0	89	30	1	7	89		25	TD LB RB	1018,4	2,0	90	,30	0	8	80		25	TD RB	1,0	3,0	5,0	3	1
2	1015,9	3,6	71	21	3			3	80		02	RB	1013,4	5,0	62	23	3	8	89		02		1010,2	4,0	86	,23	2	8	80	RB	80	RB	1,5	5,0	1,6	4	2
3	999,0	6,0	94	23	3			3	80	TD R	64	TD RB R	1010,6	4,0	69	36	1	7	89		25	TD RB R	1011,7	2,0	86	,30	1	8	84	TD RB	80	TD RB LB	1,5	6,5	10,0	4	3
4	1006,4	1,6	74	02	1			7	80		26	TD RB LB	1009,0	2,5	74	03	2	8	89		02	TD RB	1009,7	2,0	64	,03	1	8	89		02		0,9	2,8	5,5	4	4
5	1007,9	2,8	84	22	3			8	80		02		1008,1	4,0	66	23	3	9	89	LB	83	TD LB	1003,9	3,5	79	,24	3	9	87	R	60	R	1,0	4,2	0,2	4	5
6	1000,9	3,8	94	00	0			7	80		25	RB	1002,0	4,8	64	33	3	6	86	50	02		1001,7	1,8	94	,00	0	8	80		02	RB	1,8	5,6	3,8	3	6
7	1000,3	2,8	96	18	2			3	70	R	61	R	1000,3	4,1	86	22	2	7	75	YR	50	R	999,8	3,1	97	,00	0	8	65	R	60	R	1,6	4,2	2,4	3	7
8	998,2	3,0	99	00	0			7	81	TD R	60	TD R	997,7	4,5	89	06	2	7	89		02	TD R	995,8	3,0	94	,00	0	8	80		02		2,5	4,5	7,6	2	8
9	992,6	3,0	90	03	3			3	89		02	RB	993,2	4,0	79	11	1	8	87	RB	80	RB	995,1	2,5	83	,00	0	8	85	TD RB	80	TD RB	2,0	4,0	0,4	3	9
10	999,0	1,5	99	00	3			7	89		02	TD RB	999,0	2,8	47	10	3	3	89	30	01	50	999,5	1,0	48	,09	2	6	80		02	50	1,0	3,0	0,7	5	10
11	1001,1	1,5	43	08	1			3	80		02		1000,1	1,6	32	16	4	7	89		02		997,1	1,2	32	,18	3	5	80		02		0,4	2,0		4	11
12	993,0	0,0	45	15	3			7	80		02		992,6	0,0	49	21	4	6	89		02		992,3	- 0,2	57	,20	2	7	75	KS	77	KS	- 0,2	1,4		4	12
13	991,8	0,0	87	00	0			8	80		22	3	991,1	1,0	83	23	1	8	89		02	S	989,8	0,6	86	,00	0	3	80		02		- 0,4	1,2	0,2	3	13
14	988,9	0,2	87	J6	1	1	0	8	80		02	S	991,5	1,7	81	24	1	6	89	50	01	50 S	994,7	0,2	87	,00	0	6	80		02	50	- 0,1	3,0	0,0	2	14
15	998,3	- 2,0	89	J7	1	4	0	3	80		02	30	998,0	1,0	69	00	0	0	89	50	02	50	998,4	- 2,2	84	,00	0	0	80		02	50	- 2,2	1,5	0,3	3	15
16	997,3	- 4,3	90	00	0	3	0	1	80		02		994,2	- 1,0	57	00	0	0	89	50	02	50	990,8	- 4,2	83	,00	0	0	80		02	50	- 4,3	- 0,8		3	16
17	986,9	- 1,0	71	21	4	2	0	6	80		03		988,7	1,0	81	23	2	7	89		02	TD SB	989,9	0,0	98	,21	3	8	86	TD	26	TD SB	- 4,9	1,0		4	17
18	990,9	0,8	57	22	3	4	10	7	80		02	TD SB	990,0	1,7	51	21	2	2	89	50	01	50	988,0	1,0	91	,21	4	6	80		03	50	- 0,5	2,0	5,9	4	18
19	985,3	4,0	64	20	4	4	4	7	80	RB	80	RB SB	982,5	5,0	65	21	4	8	86	TD RB	80	RB	978,6	4,9	62	,21	4	8	80	TD	25	RB	- 0,5	5,5	0,5	5	19
20	970,5	4,6	73	22	4			8	84		02	RB	971,3	5,2	77	22	3	7	85		02	TD RB	975,4	2,8	92	,31	1	8	80	RB	80	RB	2,7	5,5	2,0	5	20
21	988,5	0,0	65	31	3	4	2	7	80		26	38	986,2	- 0,4	65	30	3	8	70	38	85	38	1001,0	- 2,0	86	,30	1	8	70	38	85	38	- 2,1	3,0	4,1	3	21
22	1002,1	1,0	76	25	1	4	12	7	80		26	38	1002,1	0,2	99	21	2	9	05	TD S	74	TD S	1001,4	0,2	99	,00	0	9	10	TD S	74	TD S	- 2,0	1,3	6,4	4	22
23	1008,9	1,2	99	00	0	4	20	9	03	TD SL	68	TD SL S	1013,4	4,8	99	21	3	8	87	RB	80	TD SL R	1013,0	5,0	73	,21	3	8	87	RB	80	RB	0,0	5,0	23,0	4	23
24	1013,3	5,0	81	21	3	3	0	3	80		02	RB	1015,1	5,5	79	21	3	8	89	RB	80	RB	1015,8	5,8	71	,22	3	8	80		02	RB	5,0	6,0	0,5	4	24
25	1017,2	2,0	94	22	1	1	0	4	80		02		1016,7	3,0	81	00	0	0	89	50	02	50	1014,8	0,2	96	,00	0	0	80		02	50	0,2	6,0	0,1	3	25
26	1014,1	0,0	86	21	3	1	0	3	80	RI	02	RI	1014,5	2,2	57	21	2	0	89	50	02	50 RI	1014,1	0,2	90	,00	0	0	80	RI	02	50 RI	- 0,6	2,3		3	26
27	1018,1	- 0,5	92	00	0	1	0	4	99		02	RI	1011,8	3,2	62	24	1	5	99	50	02	50	1010,6	0,8	71	,00	0	1	99		02	50	- 1,0	3,2	0,1	3	27
28	1007,9	1,0	52	23	2	1	0	0	80	RI	02	RI	1006,2	3,8	46	22	5	1	89	50	02	50 RI	1007,0	2,0	48	,22	4	0	89		02	50	0,8	6,0		5	28
29	1007,3	1,0	51	21	3	1	0	0	80		02		1008,5	1,5	48	21	4	0	89	50	02	50	1008,4	- 0,3	48	,21	4	0	89		02	50	- 0,3	2,0		4	29
30	1009,0	- 1,0	48	21	3	1	0	2	89		02		1008,9	- 0,8	41	21	4	1	89		02	50	1009,6	- 2,0	48	,20	5	0	89		02	50	- 2,4	0,0		5	30
31	1008,2	- 1,0	45	20	4	1	0	0	80		02		1006,7	0,5	40	20	4	0	89	50	02	50	1006,7	- 0,5	47	,20	4	0	89		02	50	- 2,0	0,5		5	31
MI	1000,9	1,3	75		2,1		2 5,7						1001,3	2,6	67		2,4	5,1					1001,1	1,2	78		1,6	5,4					0,1	3,2	80,3		TM

EKSTENSOTABELL

TRO480

NOVEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1006,9	3,0	56	03	1	1	0	3	89		02		1007,4	1,4	47	02	1	0	89	SO	02	SO	1007,8	3,5	53	08	0	0	89		02	SO	-3,5	-0,5		4	1
2	1008,2	3,4	53	20	2	1	0	2	89		02		1009,5	2,0	51	21	4	3	89	SO	02	SO	1010,5	2,7	54	21	3	1	89		02		-4,0	-2,0		4	2
3	1009,6	1,7	66	21	3	1	0	8	89	S	70		1005,1	1,4	71	00	0	1	89	SO	01	SO	994,5	0,4	96	21	3	7	89		02	30	-3,8	-0,4	0,0	4	3
4	973,5	0,3	84	21	4	1	0	8	58	3	70	3	970,4	3,0	61	20	4	4	88	SO	01	SO S	967,5	1,7	61	08	1	7	88		02	30 SB	-0,5	3,6	0,0	6	4
5	961,7	0,0	71	03	2	1	0	8	89		02		961,0	2,0	61	24	2	6	89	SO	02	SO	962,5	2,3	56	21	4	8	89		02	30	0,0	2,3	0,0	4	5
6	965,8	3,0	57	21	3	1	0	7	89		02		967,8	2,5	58	21	3	7	89		02		969,9	2,0	61	21	3	9	89		02		1,5	3,5		4	6
7	973,4	1,0	71	00	0	1	0	8	89		02		975,3	1,2	71	18	2	4	89		01	SO	976,2	2,0	94	08	1	5	89		02	30	-2,0	2,0		3	7
8	976,2	1,5	79	00	0	1	0	2	89	RI	02	RI	975,7	1,0	71	06	1	5	89	SO	02	SO	974,5	2,0	96	08	1	3	89	RI	02	30	-2,4	-0,5		2	8
9	973,7	0,5	98	20	3	1	0	8	87	RI	15	RI	974,9	0,0	99	21	3	8	80	TD SB	86	TD SB	976,9	0,4	99	21	2	8	75	TD SB	86	TD SB	-3,0	0,6		4	9
10	981,8	0,1	99	19	1	4	15	3	89		02	SB	984,3	0,0	99	24	2	8	70	SB	85	SB	988,0	0,2	99	08	0	8	89		02	SB	-0,9	0,7	18,5	2	10
11	990,4	1,8	99	24	2	4	20	7	89		02	SB	991,2	2,1	98	24	1	7	89		02		991,4	4,0	95	08	0	7	89		01	SO	-3,5	0,0	7,8	2	11
12	993,1	7,0	94	00	0	4	15	3	89	RI	02	RI	994,0	5,0	94	22	2	3	89		02	SO	995,7	4,8	80	21	3	3	89		02		-7,5	-3,8		3	12
13	995,3	8,0	86	00	0	4	15	8	89	RI	02	RI	992,5	4,0	74	05	2	8	89		02	RI	989,6	0,0	94	21	3	8	87	SB	85	SB	-8,0	0,2		3	13
14	987,8	2,8	77	09	1	4	15	3	89		02	SB	988,0	2,4	94	00	0	7	89		02		988,0	3,0	81	08	1	8	89		02		-3,2	0,0	0,1	3	14
15	989,3	3,0	96	00	0	4	15	3	86	TD SB	85	TD SB	991,4	2,8	94	06	1	8	86	TD	10	TD SB	995,8	4,0	94	08	0	6	89		02	TD	-4,0	-2,5	0,5	1	15
16	1001,2	5,5	94	00	0	4	15	3	87	RI	02	RI	1003,9	5,8	81	00	0	0	89		02	RI	1005,0	3,0	81	21	3	0	89		02		-5,8	-3,0	0,3	3	16
17	999,9	0,3	91	19	4	4	15	3	89		02		992,2	1,4	54	24	1	8	89		03		984,8	1,2	84	21	4	8	75	S	70	S	-3,9	0,0		5	17
18	983,8	0,2	71	24	2	4	15	3	89		02	S	988,2	0,4	74	24	2	3	89		01		991,4	0,9	86	08	0	7	83		02	S	-1,8	0,8	0,0	4	18
19	998,5	0,8	90	00	0	4	15	3	89		02		998,3	1,2	97	24	1	8	89		03		995,8	0,0	90	14	0	8	89		02		-2,0	1,0	0,0	3	19
20	1004,8	2,0	90	03	4	4	12	8	86	TD LB	83	TD RB LB	1010,1	1,6	73	21	3	7	89		15	TD LB	1012,1	2,0	79	21	3	8	89		15	TD SB LB	0,0	3,0	1,2	5	20
21	1001,6	1,2	51	20	4	4	12	7	89		02		993,0	3,8	51	21	4	8	89		02		992,8	3,5	79	21	5	8	86	TD R	60	TD R	-1,2	5,8	0,5	6	21
22	974,9	4,0	73	21	5	3	0	8	85	TD R	60	TD R	973,7	2,0	79	21	5	8	86	TD R	60	TD R	978,5	0,4	92	21	3	8	86	TD SB	86	TD SL SB	-0,4	5,0	1,1	5	22
23	979,9	2,0	94	16	2	4	5	8	86	TD	15	TD SB	972,2	2,0	92	05	1	8	89		02		974,5	2,0	87	21	2	8	80		26	SB	-2,4	0,4	7,7	2	23
24	976,3	2,0	90	21	1	4	24	9	40	3	73	3	977,7	0,7	83	21	3	9	46	SB	85	SB	979,5	1,0	99	21	4	9	50	SB	85	SB	-2,7	0,7	12,1	5	24
25	981,6	0,0	69	22	1	4	33	7	89		02	SB	981,9	2,5	68	21	3	7	89		02		980,2	2,4	79	21	2	7	89	SB	85	SB	-2,5	0,0	12,3	4	25
26	977,6	1,5	86	21	2	4	25	8	89		02	SB	975,7	3,5	90	31	1	6	89		02		976,0	4,0	89	24	2	9	89		01		-4,5	-1,0	0,1	4	26
27	982,3	4,5	89	21	2	4	24	8	89		02		986,2	3,2	96	23	2	8	88	SB	85	SB	989,6	1,0	99	21	3	8	86	TD SB	85	TD SB	-5,5	-1,0		4	27
28	996,7	0,3	99	03	2	4	32	7	87		26	TD SC	1000,1	4,0	79	00	0	3	89		01		999,9	5,5	94	00	0	0	89		02		-5,5	-0,2	9,2	4	28
29	988,8	3,0	31	15	3	4	30	3	89		02		980,4	2,0	51	21	3	8	89		02		973,2	3,0	57	21	4	6	89		02		-5,7	-2,0		4	29
30	976,1	3,2	73	21	4	4	28	3	86	TD S	70	TD S	978,5	3,0	66	24	2	7	86	TD	15	TD SB	977,4	2,9	99	21	3	9	40	SB	85	TD SB	-4,0	-2,2	0,1	4	30
MI	986,9	1,5	79		2,1		13	6,4					986,7	1,2	76		2,0		5,9				986,3	1,4	81		2,1		8,1				-3,1	0,3	71,5		IM

TRO 180

DESEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	975,9	1,9	92	25	2	4	36	3	51	TD S	71	TD S	977,9	1,8	90	22	2	7	60	SB	85	SB TD	980,9	2,0	99	08	0	8	60	SB	85	SB	-3,0	-0,8	7,3	4	1
2	974,3	3,8	86	24	2	4	52	3	89		01	SB	963,8	1,0	94	22	4	8	70	S	70	S SF	963,5	0,0	87	24	4	7	70	SB	85	S SF	-6,4	1,0	14,6	6	2
3	966,7	3,0	79	21	3	4	43	3	83	TD RB	80	TD SB RB	969,3	3,0	71	21	4	8	87	LB R	83	TD RB	973,3	1,8	92	22	4	8	87		26	TD LB	0,0	3,0	2,6	4	3
4	976,1	1,5	81	23	1	4	32	3	87		02	LB	969,9	2,0	89	21	3	8	87	LB	84	TD LB	969,5	3,2	84	21	4	8	89		02	R3 TD	-1,2	3,0	2,2	5	4
5	953,1	0,0	66	19	1	4	30	8	89		02	RB	947,4	0,5	64	24	2	8	89		02		947,9	1,2	73	08	0	6	89		02		-1,2	3,4	1,5	5	5
6	960,7	0,0	00	36	1	4	30	8	87	SB	85	SB TD	959,5	1,8	76	02	3	7	89		26	TD SB	958,0	4,3	64	08	3	8	89		26	TD SB	-4,3	0,2	0,1	4	6
7	985,4	7,0	74	02	2	4	35	8	87		02	TD SB	988,2	7,7	90	19	1	7	89		02	SB	988,4	5,9	89	24	3	8	80		26	SB	-8,0	-4,0	3,0	4	7
8	981,3	4,6	99	23	3	4	50	8	60	SB	85	SB	978,4	3,8	99	21	3	7	85		01	SB	974,8	4,2	96	08	0	8	80	SB	85	SB	-6,2	-3,4	11,2	4	8
9	979,2	6,2	95	00	0	4	75	8	43	SB	86	SB	980,1	3,7	99	16	1	9	20	SB	86	SB	982,1	3,6	86	03	2	8	65		26	TD SB	-7,5	-3,2	13,9	3	9
10	983,7	4,0	90	00	0	4	75	7	89		02	TD SB	984,4	4,5	98	00	0	8	76	TD SB	86	SB	984,8	6,0	98	08	0	7	89		02	TD SB	-6,6	-3,2	8,0	3	10
11	985,4	5,0	87	20	2	4	66	7	89		02	SB	987,1	5,6	89	21	2	6	89		02		988,2	4,0	80	24	3	8	89		02		-6,3	-4,0	0,4	3	11
12	992,4	2,5	96	21	3	4	65	7	89		02	TD SB	995,6	1,9	98	21	3	8	87	SB	85	SB TD	998,5	1,0	98	21	3	8	86	SB	85	SB TD	-4,0	-1,0	1,5	3	12
13	1002,5	1,8	92	24	3	4	64	8	89		02	TD SB	1003,9	1,0	83	21	2	7	89		02		1004,1	2,0	86	24	2	8	89		02		-2,0	-0,5	1,8	3	13
14	1002,2	5,5	71	00	0	4	60	3	89		02		1003,1	6,0	66	12	2	0	89		02		1003,1	4,2	58	12	1	0	89		02		-6,5	-1,9		3	14
15	1002,7	6,0	97	05	2	4	60	3	89		02		1002,8	4,4	97	18	3	2	89		03		1000,1	7,1	92	00	0	3	89		03		-7,7	-3,0		4	15
16	995,6	4,2	93	21	3	4	60	6	89		02		994,4	5,3	96	21	3	3	89		02		994,2	7,9	94	24	4	2	89		02		-7,9	-3,9		5	16
17	988,8	9,2	61	00	0	4	55	8	89		02		992,4	10,0	57	21	4	8	89		02		978,8	9,5	99	21	3	8	89		02		-10,0	-7,8		5	17
18	973,7	9,9	62	02	1	4	53	8	89		02		971,3	9,0	74	00	0	8	89		02		971,9	7,0	80	06	0	8	89		02		-11,2	-7,0		4	18
19	976,8	6,8	94	00	0	4	52	3	89		02	SB	982,6	4,5	97	21	2	8	87	SB	85	SB	987,2	3,4	99	21	4	8	84	SB	85	SB TD	-8,0	-3,4	0,1	4	19
20	995,4	0,0	99	25	2	4	55	8	89		02	TD SB	994,0	0,5	94	23	4	8	84	TD SL	68	TD S	991,9	2,5	86	25	4	8	87		21	TD SL R	-3,4	2,5	4,0	6	20
21	985,0	5,0	66	23	5	4	45	8	85	TD R	60	TD R	984,8	4,8	86	23	4	8	86	TD	21	TD R	986,1	3,8	94	24	2	8	60	R	61	R	-2,0	-5,7	4,0	7	21
22	987,6	5,2	69	21	5	4	35	8	85		15	RB	989,6	5,0	66	23	4	8	80	RB	80	RB	992,8	4,9	66	21	3	8	84		02	RB	-3,8	-5,8	5,7	5	22
23	988,4	3,8	66	22	3	4	30	8	82		02	YR	989,6	0,5	92	12	3	8	65		02	R	992,4	0,2	73	05	2	8	89		15		-0,4	-5,3	0,4	5	23
24	995,6	3,5	90	00	0	4	25	8	89		02	SB	994,0	0,8	94	10	1	8	88		26	SB	995,2	0,4	90	05	0	8	70	SL	68	SB	-4,0	-0,7	0,8	4	24
25	1000,0	0,8	99	22	3	4	25	8	84	TD IS	24	SL TD	1001,7	2,7	81	22	3	7	86		02	TD RB	1003,0	2,8	76	21	3	7	82		02	TD	0,3	3,1	0,7	4	25
26	1003,0	0,3	87	22	2	4	25	2	89		02		1001,6	1,8	98	00	0	7	89		02		999,7	2,5	99	05	1	6	89		02		-2,5	-3,1	0,0	4	26
27	993,5	4,0	99	00	0	4	25	0	89	RI	02	RI	990,8	5,0	96	00	0	7	89		03	RI	989,1	2,0	79	21	3	8	86	TD S	70		-5,5	-1,8		3	27
28	975,9	4,0	86	23	1	4	25	8	89		02	TD S	971,5	1,5	74	33	1	8	89		02		969,3	1,6	90	11	1	8	80	S	70	S	-4,8	-1,3	0,0	3	28
29	976,8	0,6	98	06	2	4	28	8	60	3	71	S	980,1	0,1	83	03	3	8	80		02	S	982,7	0,0	83	09	0	8	75		02	S	-1,6	0,1	1,8	3	29
30	981,3	1,0	94	19	1	4	25	7	73	SB	85	SB	982,1	1,8	97	00	0	8	60	SB	85	SB	981,5	2,6	97	08	0	6	84	TD	02	SB	-2,6	0,0	0,0	3	30
31	981,1	3,5	98	06	1	4	28	8	89		02	TD SB	981,1	4,0	98	05	1	6	89		02	TD SB	980,0	5,4	98	24	1	3	89		02	TD SB	-6,0	-2,5	2,2	2	31
MI	984,5	2,4	82		1,7		44	6,5					984,3	2,2	84		2,3		7,0				984,9	2,2	82		2,0		6,9				-4,2	-0,5	67,8		IM

MD.	MIDLERE LUFTTRYKK P1	P01	MIDLERE LUFTTEMPERATUR J7	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
RØRJØ																										1979
1	936,4	1018,2	-2,0	-1,1	-1,1	-1,0	- 7,8	-13,9	-23,8	- 1,0	7	-45,8	1	0 0,0	0 0,0	2 1,5	1 2,0	1 1,5	7 1,5	2 1,0	0 0,0	5 1,2	3 1,3	4 1,0	1 1,0	64
2	935,5	1014,6	-1,5	- 0,2	-10,1	-11,1	- 1,5	- 6,3	-16,3	3,2	25	-40,4	14	0 0,0	0 0,0	1 1,0	3 1,7	2 2,4	2 1,0	3 3,7	0 0,0	2 1,0	9 1,8	13 1,5	10 3,3	32
3	924,8	1031,1	- 7,8	- 2,4	- 3,8	- 1,9	- 1,5	- 0,7	- 9,4	5,6	3	-35,2	18	0 0,0	2 1,0	4 1,0	3 1,3	17 2,5	16 2,5	5 5,2	9 3,6	11 2,9	2 1,5	1 1,0	1 2,0	22
4	936,8	1012,6	- 2,3	1,9	1,4	- 0,2	0,5	3,6	- 3,4	12,0	12	-16,0	16	0 0,0	3 1,7	4 1,0	8 1,4	20 2,1	11 1,2	3 2,0	1 2,0	3 2,3	3 1,3	3 1,7	13 1,7	18
5	935,7	1029,8	2,3	7,7	7,1	1,6	- 0,4	9,6	0,0	22,1	31	- 8,9	1	1 1,0	2 1,5	1 2,0	0 0,0	6 2,5	18 2,2	2 4,5	12 2,9	15 2,9	5 1,6	5 1,6	7 1,7	19
6	941,2	1012,6	4,8	13,1	14,0	11,4	2,0	17,8	6,2	26,1	5	0,0	3	1 2,0	0 0,0	0 0,0	2 1,0	2 1,0	8 2,9	4 3,3	6 2,5	8 2,0	3 1,3	11 1,8	22 1,8	23
7	930,9	1039,6	7,9	12,5	11,3	9,9	2,3	14,8	6,6	22,8	13	1,6	3	3 2,0	2 1,5	1 2,0	5 3,2	9 1,9	9 1,9	0 0,0	2 2,5	2 1,5	1 2,0	7 2,0	37 1,9	22
8	937,0	1030,7	7,9	12,0	11,9	9,7	1,2	14,2	6,2	22,1	18	- 0,8	31	3 1,7	1 2,0	1 1,0	2 1,5	6 1,5	14 2,9	8 2,5	6 2,0	6 2,5	0 0,0	4 2,3	20 2,2	22
9	931,0	1036,7	4,3	8,8	8,7	6,1	0,3	10,3	2,8	20,7	6	- 5,0	23	1 2,0	1 2,0	1 3,0	1 2,0	1 2,8	12 2,6	2 2,5	4 2,5	12 1,8	9 2,8	16 2,6	6 1,8	21
10	942,4	1018,5	2,1	2,7	1,0	0,2	- 0,9	4,7	- 3,3	12,0	11	-14,1	27	0 0,0	0 0,0	1 1,0	0 0,0	0 0,0	10 3,5	2 1,0	1 3,0	3 2,7	7 1,9	8 1,8	4 1,8	51
11	928,2	1035,2	- 7,6	- 5,1	- 6,4	- 6,5	- 2,7	- 3,0	-10,9	4,1	4	-24,5	16	0 0,0	0 0,0	0 0,0	1 1,0	1 1,8	10 4,2	2 2,0	3 3,3	4 1,8	6 1,5	4 2,0	1 3,0	55
12	923,0	1036,8	-12,6	-10,6	-11,4	-11,7	- 4,3	- 6,8	-16,5	4,5	5	-34,0	11	0 0,0	0 0,0	2 1,5	2 1,5	1 1,7	8 2,2	3 2,3	3 4,7	6 2,2	3 3,0	8 2,3	5 1,6	62
ÅR	934,6	1010,5	- 2,9	1,3	0,3	- 1,0	- 1,5	3,7	- 5,1	26,1		-45,8		9 1,8	11 1,6	19 1,5	21 1,4	80 2,2	123 2,5	36 2,9	47 2,9	77 2,3	51 1,9	84 1,9	127 2,0	401
TYNSET - STØR																										1979
1	955,1	1019,2	-21,9	-18,8	-21,2	-20,7		-16,0	-26,3	- 0,9	7	-46,1	1	23 1,0	16 1,0	0 0,0	10 1,0	3 0,0	0 0,0	6 1,3	4 1,0	0 0,0	13 1,2	0 0,0	0 0,0	21
2	954,0	1016,1	-17,7	-10,6	-12,1	-14,1		- 8,0	-20,2	4,2	28	-42,8	14	8 1,1	4 1,2	0 0,0	16 1,1	2 1,0	0 0,0	18 1,3	10 1,2	0 0,0	6 1,3	0 0,0	0 0,0	20
3	942,3	1031,4	- 6,7	- 0,7	- 3,1	- 4,7		0,4	- 9,7	8,3	3	-38,0	18	2 1,0	8 1,1	0 0,0	9 1,3	3 3,3	0 0,0	36 3,0	12 2,8	0 0,0	12 1,6	0 0,0	1 1,0	13
4	954,0	1012,5	- 2,0	3,7	2,3	0,7		4,6	- 3,1	9,3	12	-13,7	16	5 1,8	14 1,3	0 0,0	11 1,3	12 1,3	0 0,0	17 1,8	13 1,4	0 0,0	8 1,0	1 2,0	0 0,0	10
5	952,3	1029,9	3,9	8,3	8,2	5,8		10,3	1,0	23,0	31	- 7,8	11	6 1,7	0 0,0	0 0,0	0 0,0	4 2,8	1 2,0	37 2,5	26 2,7	0 0,0	12 1,6	0 0,0	0 0,0	7
6	957,0	1012,9	9,1	16,2	15,3	11,9		18,5	5,5	25,8	5	- 0,2	5	10 1,4	4 1,5	0 0,0	2 1,5	8 1,5	0 0,0	34 1,9	15 1,7	1 1,0	5 1,8	0 0,0	1 2,0	10
7	953,9	1029,9	9,9	14,3	13,0	11,0		15,7	6,3	22,8	13	0,4	4	24 1,5	18 1,2	0 0,0	4 1,5	0 0,0	1 1,0	29 1,8	5 1,6	0 0,0	5 1,2	1 2,0	0 0,0	6
8	951,0	1010,3	7,3	13,1	11,9	9,9		14,4	5,8	21,2	18	- 1,1	29	12 1,5	16 1,6	0 0,0	7 1,4	1 1,0	0 0,0	32 2,3	10 1,6	0 0,0	3 1,3	0 0,0	0 0,0	9
9	950,5	1027,6	2,8	9,3	7,1	5,8		10,3	1,8	17,8	6	- 6,0	27	8 1,1	7 1,0	0 0,0	4 1,5	3 1,3	0 0,0	37 1,9	9 1,2	1 1,0	8 1,3	0 0,0	4 2,0	9
10	960,3	1019,4	- 3,1	2,4	0,8	- 0,4		3,6	- 4,0	12,2	11	-17,1	28	8 1,6	17 1,1	0 0,0	8 1,1	5 2,4	0 0,0	28 2,3	11 2,2	0 0,0	2 1,0	0 0,0	0 0,0	17
11	946,2	1006,3	- 9,1	- 6,1	- 8,3	- 8,0		- 4,3	-12,5	4,7	5	-31,1	16	3 1,0	3 1,3	0 0,0	9 1,4	9 1,7	1 2,0	25 2,0	20 1,7	0 0,0	10 1,1	0 0,0	1 1,0	9
12	947,2	1008,9	-14,7	-12,3	-14,2	-14,1		- 9,1	-19,5	4,3	2	-35,0	11	11 1,0	2 1,1	0 0,0	4 1,3	6 1,8	0 0,0	17 3,2	18 1,7	0 0,0	26 1,3	0 0,0	0 0,0	9
ÅR	952,3	1011,2	- 3,7	1,6	0,0	- 1,4		3,4	- 6,2	25,8		-46,1		117 1,3	109 1,3	0 0,0	80 1,2	58 1,7	3 1,7	316 2,2	193 1,9	2 1,0	110 1,3	2 2,0	7 1,7	140
SÆTER I KVIKNE																										1979
1			-13,5	-12,5	-13,2	-13,3	- 1,5	- 8,8	-18,0	1,9	7	-35,9	1	0 0,0	0 0,0	0 0,0	1 1,0	0 0,0	2 1,0	68 2,5	0 0,0	0 0,0	0 0,0	4 2,0	5 1,0	13
2			- 9,8	- 6,2	- 8,1	- 8,4	- 1,1	- 4,6	-13,1	6,2	25	-36,8	14	1 3,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	45 2,3	0 0,0	0 0,0	0 0,0	24 2,8	0 0,0	14
3			- 5,9	- 1,4	- 3,9	- 4,0	0,4	0,2	- 8,4	8,7	3	-27,7	18	0 0,0	0 0,0	0 0,0	2 1,0	0 0,0	1 2,0	69 3,1	0 0,0	0 0,0	0 0,0	5 2,0	0 0,0	16
4			- 1,6	3,3	1,2	0,3	0,4	4,2	- 3,8	11,2	12	-12,6	9	2 2,5	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	62 2,1	0 0,0	0 0,0	0 0,0	13 2,6	1 2,0	12
5			4,0	8,2	8,2	5,0	- 0,5	9,7	0,5	21,5	31	- 6,4	10	1 3,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	64 3,3	0 0,0	1 1,0	0 0,0	15 2,1	4 3,0	8
6			11,0	15,2	12,9	11,7	2,2	17,0	6,5	25,1	21	1,8	3	7 1,4	0 0,0	0 0,0	1 1,0	0 0,0	1 1,0	32 2,4	4 2,3	1 3,0	0 0,0	17 2,2	13 2,8	14
7			9,5	12,9	10,9	10,2	2,1	14,8	6,3	21,8	13	0,9	4	4 2,8	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	22 2,4	0 0,0	1 3,0	0 0,0	30 2,7	23 3,1	13
8			8,0	12,4	10,8	9,8	1,4	14,1	6,1	21,3	18	1,1	31	5 3,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	44 3,1	0 0,0	0 0,0	0 0,0	22 2,8	7 3,4	15
9			4,4	9,2	6,1	5,9	1,2	10,4	1,9	19,7	6	4,2	23	2 2,0	0 0,0	0 0,0	0 0,0	0 0,0	2 3,0	45 2,4	0 0,0	0 0,0	0 0,0	14 2,7	10 4,5	17
10			- 0,3	4,2	1,0	1,3	- 0,8	5,4	- 2,1	13,3	10	- 9,9	23	0 3,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	63 2,9	0 0,0	0 0,0	0 0,0	15 2,4	1 4,0	14
11			- 5,4	- 3,1	- 5,1	- 4,7	2,0	- 1,6	- 9,0	4,7	4	-20,8	14	1 2,0	0 0,0	0 0,0	0 0,0	1 1,0	0 0,0	58 2,8	0 0,0	0 0,0	4 1,5	6 1,8	1 1,8	8
12			- 8,6	- 7,3	- 8,8	- 8,5	- 2,7	- 4,6	-13,1	7,7	2	-22,5	12	0 0,0	0 0,0	0 0,0	1 1,0	0 0,0	5 2,2	66 2,6	0 0,0	0 0,0	0 0,0	7 3,0	2 3,0	12
ÅR			- 0,6	2,9	0,3	0,5	- 1,1	4,7	- 3,8	25,1		-36,8		25 2,4	0 0,0	0 0,0	7 1,3	1 1,0	21 2,3	638 2,7	4 2,3	3 2,3	0 0,0	170 2,5	72 3,0	186
OPPDAL - BJØRKE																										1979
1			- 8,8	- 7,6	- 7,9	- 8,3		- 4,6	-12,2	2,4	17	-25,2	1	6 1,8	4 1,3	4 1,3	4 1,5	3 0,0	0 0,0	0 0,0	1 2,0	7 1,9	30 2,2	25 2,2	2 2,5	10
2			- 6,3	- 4,6	- 5,1	- 5,7		- 2,5	- 8,9	5,0	25	-24,0	14	1 4,0	2 2,5	3 1,0	0 0,0	0 0,0	0 0,0	5 4,0	10 2,6	40 2,5	18 2,1	1 2,0	4
3			- 3,5	- 0,7	- 1,3	- 2,3		1,1	- 5,5	7,6	3	-20,3	18	0 0,0	2 1,7	7 2,7	2 3,0	1 2,0	2 2,0	1 2,0	9 3,6	13 3,8	29 2,9	10 2,1	5 2,2	7
4			- 0,8	3,4	1,3	1,0		4,7	- 2,0	11,7	12	- 9,4	16	1 2,0	1 3,0	7 3,0	22 2,4	3 3,0	4 3,3	1 3,0	3 2,3	4 2,0	27 2,3	8 2,2	4 2,5	7
5			3,4	8,0	7,3	5,2		9,8	1,4	19,6	31	- 5,1	9	1 2,0	1 3,0	5 2,6	12 2,0	3 0,0	0 0,0	5 3,6	20 3,6	12 3,8	28 2,7	5 2,6	0 0,0	4
6			9,6	15,1	13,1	11,5		17,3	7,1	25,0	5	2,0	10	1 4,0	5 2,3	11 2,5	9 2,1	1 3,0	0 0,0	0 0,0	16 2,8	9 2,4	15 2,9	8 1,9	2 3,0	13
7			8,1	13,2	11,1	10,0		14,6	6,7	22,3	7	1,2	4	0 3,0	3 2,3	10 2,3	11 1,7	3 2,3	0 0,0	0 0,0	9 2,8	13 2,6	19 3,0	0 0,0	0 0,0	22
8			8,5	12,7	11,3	10,2		14,2	7,2	21,2	18	2,4	28	1 9,0	3 2,3	4 3,0	19 2,3	1 2,0	0 3,7	4 3,5	8 3,0	3 2,3	25 2,6	7 2,9	2 2,8	13
9			5,0	9,0	6,7	5,4		10,4	3,5	21,2	6	- 2,0	23	3 2,3	2 2,1	0 0,0	12 2,5	0 0,0	0 0,0	2 2,0	16 3,3	10 3,8	25 3,2	7 1,6	4 2,3	9
10			2,4	6,4	4,0	3,9		8,0	0,3	13,8	12	- 6,5	2	2 2,0	2 1,5	2 2,5	11 1,9	2 1,0	0 0,0	2 3,0	15 4,0	1 4,0	27 2,6	4 3,0	12 2,2	13
11			- 1,6	- 0,5	- 1,6	- 1,4		1,3	- 4,7	8,0	21	-11,5	14	4 1,8	2 1,5	2 1,5	1 1,0	0 0,0	0 0,0	0 0,0	16 4,1	2 2,0	26 2,8	28 2,3	2 2,0	7
12			- 5,4	- 4,8	- 5,1	- 5,2		- 1,9	- 8,2	8,2	2	-17,0	18	3 2,0	7 1,7	1 2,0	4 1,8	0 0,0	0 0,0	0 0,0	9 4,3	13 3,5	28 2,4	15 2,5	1 2,0	12
ÅR			0,9	4,1	2,8	2,1		6,0	- 1,3	25,0		-25,2		23 2,3	39 1,7	56 2,4	110 2,1	11 2,3	9 3,1	15 3,1	127 3,5	97 3,1	319 2,6	133 2,3	35 2,3	121
SØRKNESSET																										1979
1			-17,5	-15,1	-16,3	-16,7	- 6,7	-11,9	-21,9	- 1,5	7	-40,0	1	0 0,0	0 0,0	46 1,0	1 2,0	0 0,0	12 1,4	1 1,0	0 0,0	17 1,2	0 0,0	0 0,0	15 1,5	1
2			-13,3	- 6,8	- 8,3	-10,1	- 1,0	- 4,3	-15,5	5,0	25	-30,5	14	0 0,0	0 0,0	43 1,2	1 1,0	0 0,0	10 1,9	0 0,0	0 0,0	22 2,3	0 0,0	0 0,0	8 3,3	0
3			- 7,7	- 2,2	- 4,1	- 5,2	0,2	- 0,9	- 9,1	5,5	6	-33,3	18	0 0,0	0 0,0	32 1,5	1 2,0	0 0,0	37 2,2	2 3,0	0 0,0	21 3,3	0 0,0	0 0,0	0 0,0	0
4			- 2,7	2,1	1,1	0,4	0,2	3,0	- 3,4	10,0	12	-12,7	16	0 0,0	0 0,0	21 1,3	0 0,0	0 0,0	37 1,4	0 0,0	0 0,0	31 1,8	0 0,0	0 0,0	1 2,0	0
5			1,2	6,8	5,7	3,6	- 1,8	7,9	- 0,9	18,0	31	-10,0	9	0 0,0	0 0,0	13 1,2	0 0,0	0 0,0	35 1,7	1 1,0	0 0,0	41 2,1	0 0,0	0 0,0	3 1,7	0
6			6,2	11,8	10,4	11,1	1,8	17,2	5,7	24,5	8	- 0,5	10	0 0,0	0 0,0	8 1,8	0 0,0	0 0,0	34 1,2	0 0,0	0 0,0	45 1,4	1 2,0	0 0,0	2 3,5	0
7			7,8	12,8	12,0	9,9	2,3	14,9	6,0	22,0	13	- 0,9	4	0 0,0	0 0,0	6 1,5	2 2,0	0 0,0	21 1,5	0 0,0	0 0,0	49 1,5	1 2,0	0 0,0	14 3,1	0
8			6,6	11,8	11,1	9,0	1,8	13,2	5,4	19,5	18	- 0,5	4	0 0,0	0 0,0	4 1,5	0 0,0	0 0,0	40 1,9	0 0,0	0 0,0	39 1,8	2 2,0	0 0,0	1 3,0	1
9			3,8	8,9	6,5	3,7	- 0,8	10,1	2,2	19,2	6	- 5,5	23	0 0,0	0 0,0	13 1,3	1 1,0	0 0,0	32 1,8	0 0,0	0 0,0	36 2,4	0 0,0	0 0,0	8 4,0	0
10			- 2,2	3,6	1,7	0,8	- 0,7	5,7	- 3,1	12,5	11	-11,5	27	0 0,0	0 0,0	11 1,4	0 0,0	0 0,0	39 2,3	1 1,0	0 0,0	37 1,5	0 0,0	0 0,0	9 3,2	0
11			- 8,2	- 5,3	- 7,0	- 7,0	- 3,4	- 3,0	-11,3	4,5	4	-26,0	16	2 1,0	0 0,0	20 1,2	0 0,0	0 0,0	24 2,3	2 1,5	0 0,0	31 1,9	2 1,5	0 0,0	3 1,0	0
12			-10,5	- 9,5	-10,5	-10,3	- 5,3	- 6,6	-14,7	4,5	3	-29,5	11	0 0,0	0 0,0	30 1,1	0 0,0	0 0,0	36 2,0	0 0,0	0 0,0	21 2,4	1 1,0	0 0,0	5 4,2	0
ÅR			- 2,9	1,8	0,8	- 0,8	- 1,6	3,8	- 5,0	24,5		-40,0		2 1,0	0 0,0	253 1,2	6 1,7	0 0,0	363 1,9	7 1,7	0 0,0	390 1,9	7 1,7	0 0,0	66 2,6	2
DREVSJØ																										1979
1			-18,7	-15,3	-18,0	-17,7	- 6,6	-12,5	-24,1	- 0,6	8	-43,2	1	0 0,0	0 0,0	0 0,0	3 1,0	0 0,0	2 1,0	0 0,0	3 1,3	0 0,0	0 0,0	0 0,0	2 1,5	83
2			-15,3	- 7,9	-11,2	-12,1	- 1,9	- 6,0	-18,8	2,8	25	-38,7	14	0 0,0	0 0,0	0 0,0	1 1,0	0 0,0	2 1,0	4 1,3	5 1,2	0 0,0	1 1,0	0 0,0	10 2,8	61
3			- 8,0	- 2,4	- 4,1	- 5,4	- 1,1	- 1,6	- 9,7	4,5	3	-37,2	18	0 0,0	0 0,0	1 1,0	12 1,5	0 0,0	23 1,9	10 2,0	12 2,2	0 0,0	1 1,0	0 0,0	4 1,3	30
4			- 2,4	1,3	0,1	- 0,9	- 0,1	2,4	- 5,1	12,0	12	-20,2	9	2 1,5	0 0,0	9 1,3	3 1,8	0 0,0	9 1,1	7 1,6	2 2,0	0 0,0	2 1,5	0 0,0	8 1,9	43
5			3,1	6,9	6,2	4,2	- 1,1	8,6	- 1,4	20,0	31	-12,7	4	2 1,0	0 0,0	0 0,0	5 1,4	0 0,0	14 1,6	34 2,0	15 2,1	0 0,0	1 1,0	0 0,0	7 1,1	15
6			10,8	15,4	14,1	11,9	2,1	18,0	4,8	25,7	6	1,0	3	12 2,3	1 1,0	0 0,0	0 0,0	0 0,0	4 2,5	19 2,5	10 2,0	12 2,0	0 0,0	6 1,2	0 0,0	10 1,9	22
7			8,9	12,4	11,6	10,1	2,0	14,6	6,0	21,2	13	0,8	3	16 2,8	0 0,0	1 1,0	6 1,7	0 0,0	11 1,8	3 1,3	2 2,0	0 0,0	2 2,0	0 0,0	43 1,9	9
8			8,1	12,1	11,3	9,7	1,4	13,8	5,6	20,8	18	- 2,0	29	8 2,8	2 2,1	1 1,0	3 1,0	0 0,0	21 2,1	16 1,7	4 1,8	0 0,0	2 2,0	0 0,0	13 2,2	23
9			3,9	9,1	6,3	5,0	0,8	10,3	1,6	18,7	6	- 6,7	23	4 1,8	0 0,0	1 2,0	8 1,0	0 0,0	4 1,5	11 2,1	12 2,0	0 0,0	3 1,3	0 0,0	23 2,4	24
10			- 2,1	3,7	0,3	0,2	- 1,0	4,9	- 3,7	11,0	11	-13,2	27	0 0,0	0 0,0	0 0,0	3 1,0	0 0,0	12 1,8	3 1,7	2 2,0	0 0,0	4 1,5	0 0,0	8 2,8	61
11			- 8,1	- 5,1	- 7,0	- 6,9	- 2,8	- 3,2	-11,8	2,7	4	-25,8	15	0 0,0	0 0,0	0 0,0	3 1,3	0 0,0	12 1,9	6 2,3	2 1,5	0 0,0	0 0,0	0 0,0	6 2,3	61
12			-12,8	-10,7	-12,3	-12,3	- 4,8	- 7,7	-18,1	3,8	2	-30,7	11	0 0,0	0 0,0	0 0,0	1 1,0	0 0,0	6 1,8	1 3,0	8 2,3	0 0,0	0 0,0	0 0,0	6 2,8	71
ÅR			- 2,7	1,6	- 0,2	- 1,1	- 1,7	3,5	- 6,2	25,7		-43,2		44 2,4	3 1,7	13 1,3	53 1,4	0 0,0	120 1,8	114 2,0	83 2,0	0 0,0	22 1,4	0 0,0	140 2,1	503

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅM.	MIDLERE SKYDEKKE 07	13	19	ÅM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TM <0	TX <0	TN <=10	TX>= =25.	NEDBØR R>= 0.1	R>= 1.0	R>= 10.0.	VINDSTYRKE FX> =68	FX> =88	FX> =98.	ANTALL DAGER MED: R	S	SL	YR	TÅKE	H	IH	TU	KV	OV	SD	TÅKE 07	13	19.
RØRØS																																					1979
1	91	91	92	91	6,3	4,8	6,3	5,9	14	47	3,7	8	31	31	31	0	16	6	0	0	0	0	0	14	0	0	0	0	0	0	0	16	31	1	3	2
2	89	86	85	87	7,3	5,1	7,0	6,5	31	111	11,0	10	28	23	17	0	13	11	1	1	0	0	0	15	0	0	0	0	0	0	0	17	28	1	0	0
3	89	76	80	83	6,1	5,1	5,1	5,5	17	63	6,5	11	30	14	10	0	10	5	0	0	0	0	2	16	0	0	0	0	0	0	1	14	31	0	0	0
4	92	75	76	83	6,3	6,8	5,8	6,2	26	104	5,1	21	22	2	1	0	12	9	0	0	0	0	6	12	6	1	0	0	0	0	0	17	28	0	0	0
5	80	59	69	70	5,1	5,6	5,4	5,4	25	104	8,1	26	13	0	0	0	10	5	0	0	0	0	4	6	0	0	0	0	0	0	1	13	4	0	0	0
6	80	52	54	68	5,1	5,9	5,3	5,5	65	97	9,4	15	0	0	0	1	17	13	0	0	0	0	17	0	0	0	0	0	0	4	3	12	0	0	0	0
7	87	63	69	79	7,1	6,1	6,3	6,7	59	75	10,0	24	0	0	0	0	22	15	1	0	0	0	22	0	0	3	0	0	0	1	0	21	0	1	0	0
8	88	64	85	76	8,4	6,2	5,7	6,1	56	90	11,8	10	2	0	0	0	17	9	2	2	0	0	17	0	0	3	0	0	0	0	1	16	0	2	0	0
9	84	60	70	74	6,1	5,9	6,2	6,1	41	87	9,7	4	5	0	0	0	19	12	0	2	0	0	18	4	2	2	0	1	0	0	0	12	0	1	0	0
10	90	72	77	81	5,3	4,9	5,2	5,1	22	71	7,0	11	22	5	4	0	11	5	0	1	0	0	8	5	1	2	0	0	0	0	0	8	16	2	1	0	0
11	89	85	88	88	7,4	6,0	7,9	7,1	31	111	5,8	29	30	23	14	0	16	9	0	4	0	0	5	16	3	2	0	0	0	0	0	24	30	1	1	2
12	86	85	85	85	5,8	4,7	7,2	5,9	22	69	7,6	20	31	25	23	0	15	6	0	3	1	0	0	15	0	1	0	0	0	0	1	17	31	0	0	0
ÅR	87	72	75	80	6,2	5,6	6,2	6,0	409	85	11,8		214	123	102	1	180	105	4	22	1	0	99	103	12	14	0	1	0	5	15	195	185	8	4	4
TYNSET - STØE																																					1979
1	94	91	92	93	8,0	4,6	6,0	6,9	17		2,5	8	31	31	31	0	13	9	0	0	0	0	0	13	0	0	0	0	0	0	0	19	31	0	0	0
2	94	90	38	91	8,0	5,7	3,0	7,2	29		16,0	10	27	22	23	0	13	8	1	0	0	0	0	13	0	0	0	0	0	0	0	20	28	0	0	0
3	90	79	80	84	7,6	5,2	7,2	6,7	22		10,0	11	27	7	10	0	13	7	1	0	2	1	0	13	3	1	0	0	0	0	0	18	31	0	0	0
4	94	77	74	83	6,8	6,5	6,2	6,8	15		3,5	26	20	0	2	0	17	6	0	0	0	0	15	13	11	0	0	0	0	0	2	20	30	2	0	0
5	90	65	68	78	5,9	5,8	5,2	5,7	32		6,5	26	12	0	0	0	15	8	0	4	1	0	14	6	5	0	0	0	0	0	0	14	16	0	0	0
6	92	66	68	80	5,8	6,2	5,8	5,8	65		12,0	14	1	0	0	2	15	12	2	2	0	0	13	0	0	0	0	0	0	3	1	16	0	0	0	0
7	95	73	76	85	6,3	6,1	6,9	6,5	34		12,0	15	0	0	0	0	20	18	2	0	0	0	20	0	0	0	0	0	1	0	1	19	0	2	0	0
8	97	79	76	86	7,4	6,8	5,3	6,4	64		14,0	10	3	0	0	0	20	14	3	0	0	0	20	0	0	3	0	0	0	0	0	18	0	8	0	0
9	95	74	78	84	5,9	5,7	6,1	5,9	43		11,1	4	12	0	0	0	17	10	1	0	0	0	10	1	1	1	1	0	0	0	0	11	0	4	0	0
10	99	87	88	92	6,4	5,3	5,7	5,8	35		12,0	11	19	8	6	0	13	8	1	0	0	0	9	5	0	0	0	0	0	0	2	16	2	8	3	1
11	96	89	89	92	6,3	6,1	6,2	6,4	20		5,5	13	30	25	18	0	10	5	0	1	0	0	0	10	0	0	0	0	0	0	1	16	30	3	5	2
12	97	90	92	93	6,6	5,5	5,4	5,8	18		4,0	20	31	24	25	0	15	7	0	5	3	1	0	15	0	0	0	0	0	0	3	18	31	0	0	0
ÅR	94	80	81	87	6,8	5,8	6,1	6,3	444		16,0		213	117	115	2	181	112	11	24	7	2	111	89	20	5	1	1	0	4	9	205	199	27	8	3
SÆTER I KVIKNE																																					1979
1	86	81	86	85	4,7	5,2	3,9	4,6	10	32	3,0	18	31	30	26	0	10	5	0	3	0	0	0	10	0	0	0	0	0	0	5	10	31	0	0	0
2	86	79	83	83	6,4	6,1	5,8	6,1	29	97	6,5	10	27	24	17	0	13	9	0	7	0	0	0	13	0	0	0	0	0	0	2	18	28	0	0	0
3	81	72	79	78	5,8	4,9	6,0	5,6	18	64	5,2	11	31	11	8	0	8	6	0	8	3	2	0	8	0	0	0	0	0	0	2	10	31	0	0	0
4	86	68	73	78	6,2	5,6	6,3	6,1	31	141	13,5	27	22	1	4	0	10	8	1	0	0	0	7	9	5	3	0	1	0	0	0	16	24	0	0	0
5	72	55	65	69	5,3	4,6	5,0	5,1	31	103	9,5	20	13	0	0	0	10	6	0	10	1	0	7	5	1	4	0	1	0	0	1	7	1	0	0	0
6	77	64	69	73	5,6	4,5	5,3	5,1	58	85	8,5	2	0	0	0	1	14	12	0	1	0	0	14	0	0	5	0	0	0	3	2	11	0	0	0	0
7	85	72	79	82	6,8	6,1	5,7	6,4	123	160	21,0	14	1	0	0	0	22	15	4	4	0	0	22	0	0	14	0	1	0	2	0	18	0	0	0	0
8	89	73	83	85	6,4	6,5	6,1	6,4	92	133	22,5	10	1	0	0	0	15	13	3	0	1	1	15	0	0	10	0	0	0	0	1	19	0	0	0	0
9	87	68	84	82	5,7	5,4	6,4	5,9	49	86	7,8	22	11	0	0	0	14	11	0	5	0	0	10	5	4	3	0	0	0	1	15	0	0	0	0	0
10	89	74	86	84	5,9	4,4	4,1	4,8	29	78	12,0	10	21	3	0	0	8	6	1	4	1	1	0	3	1	1	0	0	0	4	10	0	0	0	0	0
11	91	85	89	89	6,0	5,3	4,3	5,4	21	66	6,4	30	30	20	10	0	10	5	0	0	2	1	1	10	1	0	0	0	0	0	12	7	0	0	0	0
12	89	85	88	87	4,6	5,4	4,1	4,7	13	36	6,5	20	31	23	20	0	5	3	0	0	0	0	0	5	0	0	0	0	0	0	2	5	31	0	0	0
ÅR	85	73	80	81	5,8	5,3	5,1	5,5	504	97	22,5		210	112	85	1	139	99	9	57	8	5	85	68	12	40	0	3	0	5	20	151	153	0	0	0
OPPDAL - BJØRKE																																					1979
1	66	62	60	62	4,3	5,1	4,0	4,5	9		2,7	14	31	27	21	0	10	4	0	0	0	0	0	10	0	0	0	0	0	0	3	9	31	0	0	0
2	70	66	67	68	4,8	4,8	5,3	5,0	35		9,0	10	28	23	9	0	13	5	0	3	0	0	0	13	0	0	0	0	0	0	4	12	28	0	0	0
3	65	56	60	61	5,3	5,3	3,2	5,3	21		10,0	11	29	10	5	0	8	5	1	12	0	0	0	8	0	0	0	0	0	0	3	8	31	0	0	0
4	75	58	63	67	5,8	6,0	6,2	6,0	19		6,4	27	20	1	0	0	9	5	0	1	0	0	5	8	3	7	0	0	0	0	0	11	17	2	0	2
5	68	50	54	61	5,7	6,1	5,6	5,8	20		9,5	8	13	0	0	0	6	4	0	4	0	0	3	4	0	6	0	0	0	0	0	10	2	2	0	0
6	82	58	64	74	5,1	5,3	5,7	5,4	47		12,0	2	0	0	0	1	13	11	1	4	0	0	13	0	0	6	0	0	0	1	2	12	0	4	0	0
7	88	64	78	82	8,4	6,8	6,9	6,8	125		20,1	15	0	0	0	0	22	17	4	0	0	0	22	0	0	17	0	0	0	1	0	20	0	5	0	0
8	82	61	70	75	6,3	6,2	6,1	6,2	69		25,0	10	0	0	0	0	16	9	3	4	1	0	16	0	0	9	0	0	0	0	0	14	0	4	0	0
9	77	60	72	72	5,7	6,2	6,6	6,2	42		9,6	14	5	0	0	0	18	8	0	5	0	0	16	7	3	3	0	0	0	0	0	15	1	0	0	0
10	84	54	61	60	4,7	4,2	3,6	4,3	19		6,3	11	13	2	0	0	7	4	0	4	1	0	3	2	0	3	0	0	0	0	7	9	4	0	0	1
11	70	69	69	70	4,3	5,3	4,5	4,7	17		7,4	30	29	11	1	0	10	6	0	6	4	0	4	9	1	2	0	0	0	0	1	3	18	0	0	2
12	89	66	89	68	4,1	4,6	4,3	4,5	26		9,7	20	31	18	12	0	8	5	0	7	1	0	1	8	0	0	0	0	0	0	5	7	30	0	0	0
ÅR	73	60	68	68	5,2	5,5	5,1	5,4	449		26,1		199	92	48	1	140	83	9	50	7	0	85	69	7	53	0	0	0	2	25	130	102	17	0	5
SØR-HESSET																																					1979
1	90	82	88	88	3,5	4,1	3,7	3,8	11	35	2,4	8	31	31	30	0	13	4	0	1	0	0	0	13	0	0	0	0	0	0	11	8	31	0	0	0
2	86	66	71	76	3,5	3,6	4,3	3,8	9	39	5,6	10	28	23	19	0	9	3	0	3	0	0	1	9	0	1	0	0	0	0	6	8	28	0	0	0
3	91	66	75	79	5,3	5,7	5,3	5,6	90	300	20,5	11	30	18	9	0	22	11	2	6	0	0	1	22	1	0	0	0	0	0	2	15	31	0	0	0
4	89	63	68	76	6,7	5,9	6,2	6,3	45	173	13,7	26	22	1	2	0	18	12	1	0	0	0	5	18	3	2	0	0	0	0	1	17	30	0	0	0
5	80	54	58	69	5,2	4,9	4,3	4,8	19	148	11,6	25	14	0	0	0	10	9	2	3	0	0	11	6	1	3	0	0	0	0	4	11	9	0	0	0
6	86	54	56	72	4,7	5,0	4,6	4,8	66	88	13,3	9	1	0	0	0	12	12	2	0	0	0	10	0	0	0	0	0	0	5	3	10	0	0	0	0
7	89	61	67	78	5,5	6,5	6,1	6,2	35	98	17,0	19	1	0	0	0	24	17	3	0	0	0	24	0	0	2	0	0	0	2	1	16	0	1	0	0
8	92	65	66	78	7,0	6,1	5,7	6,3	127	148	32,5	10	1	0	0	0	21	12	3	4	0	0	21	0	0	9	0	0	0	0	1	19	0	2	0	0
9	82	58	66	71	5,5	5,3	5,4	5,4	59	113	23,6	4	9	0	0	0	14	8	2	2	0	0	14	2	2	5	0	0	0	1	11	0	2	0	1
10	92	68	70	78	4,8	4,3	4,9	4,7	42	102	15,0	11	21	4	1	0	10	7	2	2	0	0	8	3	0	2	0	1	0	0	8	13	2	4	0	0
11	92	81	89	89	4,7	5,1	3,7	4,5	50	132	12,9	13	30	22	14	0	16	11	1	5	0	0	1	18	0	0	0	0	0	0	5	9	30	1	0	0
12	87	84	88	86	3,9	4,3	4,0	4,1	20	50	4,5	20	30	25	19	0	17	6	0	5	0	0	2	17	1	1	0	1	0	0	8	9	31	0	0	0
ÅR	88	67	72	78	5,0	5,1	4,9	5,0	633	113	32,5		218	124	94	0	198	112	18	32	0	0	104	108	8	25	0	2	0	7	51	146	192	10	0	1
DREVSJØ																																					1979
1	90	90	90	90	4,0	4,4	3,8	4,1	14	50	4,0	13	31	31	30	0	11	5	0	0	0	0	0	11	0	0	0	0	0	0	8	10	31	0	0	0
2	89	80	83	84	4,0	5,4	4,9	4,7	12	63	2,0	1	28	23	21	0	14	4	0	0	0	0	0	14	0	0	0	0	0	0	8	12	28	1	0	0
3	90	75	81	84	6,1	5,6	6,1	5,9	39	217	10,1	10	10	18	9	0	16	10	1	0	0	0	3	16	2	2	0	0	0	0	3	18	31	0	0	0
4	88	70	74	79	6,7	6,3	5,7	6,2	36	138	7,9	26	28	4	5	0	12	12	0	0	0	0	5	12	4	0	0	0	0	0	2	18	30	1	0	0
5	80	62	64	73	5,3	6,0	5,4	5,6	42	135	7,3	28	16	0	3	0	16	13	0	0	0	0	10	7	1	0	0	0	0	0	1	13	15	0	0	0
6	75	55	59	67	4,3	5,4	5,1	5,0	64	78	11,4	15	3	0	0	2	15	12	2	0	0	0	15	0	0	1	0	0	0	4	5	11	0	0	0	0
7	87	68	73	80	6,1	6,3	6,9	6,5	107	111	13,7	26	0	0	0	1	24	23	4	0	0	0	24	0	0	0	0	1	0	2	1	20	0	0	0	0
8	90	66	73	81	6,0	6,4	5,7	6,0	104	141	31,7	12	4	0	0	0	13	14	3	0	0	0	18	0	0	2	0	0	0	0	2	18	0	2	0	0
9	87	62	71	76	5,7	5,5	5,1	5,5	65	116	26,4	14	11	0	0	0	14	13	1	0	0	0	14	0	0	1	0	0	0	0	1	12	0	1	0	0
10	93	69	82	83	4,8	4,8	4,4	4,7	42	111	15,6	15	22	4	4	0	8	6	1	0	0	0	8	3	1	5	0	0	0	0	10	14	3	4	0	0
11	94	89	93	93	5,4	6,1	5,1	5,5	30	79	9,1	13	30	24	16	0	16	9	0	0	0	0	5	16	1	4	0	0	0	0	3	14	30	2	1	2
12	93	90	92	91	3,3	3,6	4,1	3,7	23	59	6,5	30	31	25	22	0	13	7	0	1	0	0	0	13	0	0	0	0	0	0	12	11	31	0	0	0
ÅR	88	73	78	82	5,2	5,5	5,2	5,3	578	100	31,7		234	129	110	2	177	128	12	1	0	0	102	92	9	15	0	1	0	6	56	171	199	11	1	2

MIDLERE LUFTTRYKK · MIDLERE LUFTTEMPERATUR · AVVIK FRA NORM. · MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER · VINDFORDELING: HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT

EVEISTAD - ØVERENGET 1979

MD.	PM	PO	07	13	19	TM	AVVIK FRA NORM.	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-16,7	-14,7	-16,0	-16,2		-12,0	-21,1	2,2	7	-36,8	1	9 1,0	60 1,1	9 1,0	0 0,0	0 0,0	0 0,0	8 1,3	6 1,2	1 1,0	0 0,0	0 0,0	0 0,0	0
2			-10,2	- 8,9	-11,0	-12,7		- 6,3	-18,7	6,0	26	-28,2	6	9 1,2	38 1,0	6 1,0	3 1,0	0 0,0	0 0,0	9 1,4	14 1,3	0 0,0	0 0,0	0 0,0	5 1,0	0
3			- 4,7	- 0,2	- 1,6	- 2,6		1,6	- 5,6	8,2	3	-29,9	18	2 1,0	19 1,1	5 1,0	2 1,0	1 1,0	2 2,5	32 2,0	26 1,3	2 1,0	1 1,0	1 1,0	0 0,0	0
4			- 0,4	4,7	3,3	2,0		6,2	- 1,4	14,1	12	- 9,2	16	1 3,0	35 1,1	9 1,0	2 1,0	1 1,0	5 1,6	22 1,3	10 1,1	0 0,0	0 0,0	1 1,0	4 1,5	0
5			4,0	10,2	9,9	8,7		12,5	1,2	23,2	31	- 4,9	11	1 1,0	9 1,1	0 0,0	0 0,0	0 0,0	0 0,0	41 1,7	25 1,3	4 1,8	1 1,0	4 1,3	8 1,3	0
6			13,7	13,5	13,8	11,2		21,6	6,8	28,0	6	- 0,4	10	3 1,3	9 1,1	1 1,0	0 0,0	0 0,0	3 1,0	44 1,6	25 1,4	0 0,0	0 0,0	0 0,0	5 2,2	0
7			10,6	16,1	19,9	12,8		18,6	7,7	24,7	14	- 0,2	2	6 1,2	17 1,2	0 0,0	0 0,0	0 0,0	0 0,0	18 1,3	6 1,2	3 1,0	3 1,0	2 1,0	38 1,5	0
8			8,5	14,4	14,2	11,4		16,9	7,2	24,1	18	0,6	29	4 1,3	11 1,2	1 1,0	0 0,0	0 0,0	1 1,0	40 1,6	15 1,1	4 1,0	0 0,0	1 1,0	16 1,6	0
9			3,9	12,4	9,4	7,7		14,0	3,0	19,4	6	- 5,2	30	4 1,5	19 1,1	5 1,0	0 0,0	0 0,0	4 1,5	30 1,8	10 1,2	1 1,0	1 1,0	4 1,5	12 1,9	0
10			- 0,8	1,6	2,1	1,6		6,0	- 2,3	13,4	11	-13,1	27	1 2,0	18 1,0	6 1,0	0 0,0	1 1,0	9 1,2	42 1,4	5 1,0	1 1,0	0 0,0	3 1,3	6 1,2	1
11			- 7,2	- 4,8	- 6,1	- 6,4		- 2,7	-10,2	4,5	23	-28,1	16	3 1,0	28 1,1	4 1,0	2 1,0	0 0,0	2 1,5	27 1,4	13 1,1	0 0,0	1 1,0	4 1,0	6 1,0	0
12			-12,0	-10,9	-11,7	-11,6		- 8,3	-15,1	7,1	5	-28,7	19	10 1,0	34 1,0	10 1,0	0 0,0	3 1,0	3 1,0	12 1,8	9 1,6	0 0,0	2 1,0	2 1,5	8 1,3	0
ÅR			- 1,7	3,5	2,2	0,6		5,7	- 4,1	28,0		-36,8		53 1,2	297 1,1	56 1,0	9 1,0	6 1,0	29 1,4	325 1,6	164 1,3	16 1,2	9 1,0	22 1,2	108 1,6	1

FOKSTUA II 1979

MD.	PM	PO	07	13	19	TM	AVVIK FRA NORM.	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	895,2	1015,6	-13,3	-12,5	-13,0	-13,1	- 4,2	- 9,8	-16,9	- 1,4	7	-29,5	1	2 1,0	8 1,0	12 1,2	2 1,0	9 1,4	14 1,7	7 2,6	7 2,3	5 2,0	2 1,5	0 0,0	1 1,0	24
2	895,6	1014,2	-10,3	- 7,8	- 9,4	- 9,5	- 0,9	- 6,2	-13,0	0,6	25	-27,2	14	0 0,0	1 1,0	2 1,5	3 1,0	6 1,5	15 2,7	9 1,9	18 2,3	13 3,1	3 1,0	3 3,0	1 1,0	10
3	884,3	999,7	- 6,8	- 4,4	- 5,3	- 5,9	- 0,1	- 2,5	- 8,7	5,5	3	-23,1	18	1 1,0	1 1,0	5 2,0	2 1,5	4 2,0	24 4,4	30 4,1	15 3,2	4 2,0	1 3,0	1 4,0	0 0,0	5
4	896,8	1011,8	- 3,2	0,2	- 1,0	- 1,8	0,5	1,2	- 4,4	5,8	12	-11,1	17	2 1,0	7 1,6	3 2,0	6 2,5	2 2,0	19 3,4	8 2,5	11 2,0	8 2,3	5 2,0	3 2,3	0 0,0	11
5	896,7	1009,8	0,7	4,2	3,2	1,9	- 1,8	5,6	- 1,8	15,9	31	- 8,7	4	4 2,0	4 1,0	4 2,0	6 2,8	8 3,0	11 3,1	19 3,5	11 2,9	5 2,0	12 2,7	3 2,3	3 2,3	3
6	901,9	1012,0	8,6	13,1	11,7	10,0	1,9	14,9	5,5	22,7	6	0,2	10	2 1,0	0 0,0	5 1,8	2 1,0	3 3,0	9 1,9	18 2,8	11 1,9	20 2,4	11 1,7	1 2,0	0 0,0	8
7	898,6	1009,1	6,9	11,0	10,1	8,5	- 2,5	12,9	4,8	19,7	13	0,6	2	1 1,0	9 1,4	10 1,7	4 2,0	3 1,3	3 4,0	6 2,8	13 1,5	16 2,0	14 1,9	4 2,0	3 1,3	7
8	898,4	1009,1	6,5	10,2	9,2	8,0	- 1,7	11,5	4,8	17,5	18	- 0,7	28	0 0,0	3 1,7	8 1,6	5 2,0	1 1,0	10 3,0	20 3,8	11 2,9	18 1,9	8 2,0	2 1,0	1 2,0	6
9	894,9	1007,2	2,6	6,1	4,0	3,8	- 1,1	7,2	1,2	17,8	6	- 4,6	23	1 1,0	2 1,0	3 2,0	0 0,0	0 0,0	4 3,5	13 3,7	17 2,5	24 2,6	13 3,3	4 2,5	2 4,0	7
10	902,9	1017,9	- 1,3	2,9	0,2	0,3	0,1	4,0	- 2,8	10,3	11	-12,2	29	2 1,0	3 2,0	3 1,3	0 0,0	6 1,0	17 1,4	11 3,3	10 2,1	15 2,5	5 2,0	1 1,0	2 2,5	18
11	888,4	1004,1	- 5,7	- 4,1	- 5,3	- 5,2	- 1,4	- 2,6	- 8,5	3,6	22	-16,9	16	1 1,0	2 3,0	3 1,3	1 1,0	4 1,0	8 2,4	12 4,5	13 2,5	13 2,3	7 3,0	3 3,0	0 0,0	23
12	888,2	1005,7	- 8,9	- 8,3	- 9,3	- 9,0	- 2,8	- 6,0	-12,3	4,8	2	-20,3	18	1 3,0	1 1,0	6 1,0	3 1,0	4 1,3	13 2,5	15 3,7	10 2,5	7 2,1	7 3,9	3 2,3	2 2,0	21
ÅR	895,2	1009,7	- 2,0	0,9	- 0,4	- 1,0	- 1,2	2,5	- 4,3	22,7		-29,5		17 1,4	41 1,5	69 1,6	31 1,9	50 1,8	147 2,9	168 3,5	147 2,4	148 2,3	88 2,4	28 2,3	15 2,1	143

KJØRENSGRENDI 1979

MD.	PM	PO	07	13	19	TM	AVVIK FRA NORM.	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-15,7	-14,7	-15,2	-15,4	- 6,4	-11,8	-19,0	1,5	7	-35,6	1	5 1,2	5 1,0	21 1,3	41 1,3	3 2,2	0 0,0	0 0,0	0 0,0	0 0,0	1 2,0	3 1,0	5 1,4	7
2			-10,6	- 8,0	- 8,4	- 9,4	- 1,3	- 5,6	-12,7	4,7	25	-25,5	14	6 1,3	6 1,0	13 1,6	15 1,3	8 2,3	0 0,0	0 0,0	2 1,5	2 2,5	6 2,2	11 2,6	8 1,5	7
3			- 5,5	- 2,0	- 2,9	- 3,9	0,3	0,1	- 6,9	7,4	3	-25,1	18	6 1,0	4 1,0	16 2,1	22 2,1	24 3,3	1 3,0	0 0,0	4 3,5	6 4,0	0 0,0	3 3,0	3 1,0	4
4			- 1,2	2,9	2,2	0,7	0,0	4,3	- 2,2	10,2	12	-10,1	17	1 3,0	0 0,0	6 1,5	11 1,6	33 2,1	0 0,0	1 1,0	1 1,0	1 4,0	9 2,0	9 1,7	7 2,6	11
5			2,8	7,7	6,5	4,7	- 1,5	9,3	0,5	18,4	31	- 7,1	9	2 2,0	0 0,0	7 2,6	3 2,3	25 1,9	10 2,6	5 1,4	8 2,6	11 2,4	11 2,4	6 2,3	2 2,5	3
6			10,0	13,2	13,7	11,8	1,6	17,4	6,9	24,9	21	0,6	10	2 1,0	0 0,0	3 1,3	1 1,8	28 1,8	3 1,3	1 1,0	3 1,7	7 2,0	14 2,6	9 2,6	11 2,7	5
7			8,7	13,7	12,2	10,6	- 2,3	15,6	6,7	22,9	13	1,6	4	1 1,0	0 0,0	8 2,3	5 1,8	10 2,2	0 0,0	2 1,0	2 1,0	3 1,7	16 2,3	27 2,9	13 2,9	6
8			7,9	12,5	11,2	9,9	- 1,7	14,0	6,5	19,6	18	1,1	23	0 0,0	0 0,0	9 1,8	10 2,4	23 2,9	6 2,8	0 0,0	1 1,0	4 3,0	12 2,2	11 2,4	9 2,7	8
9			4,3	8,7	6,1	6,0	- 1,2	9,9	3,2	19,6	6	- 3,5	23	2 1,0	2 1,0	19 2,1	8 1,5	10 2,4	3 1,3	0 0,0	3 2,3	4 2,8	16 3,0	16 3,0	4 2,0	3
10			- 0,8	3,3	1,6	1,1	- 0,7	4,7	- 1,6	13,0	10	- 9,1	27	3 1,3	7 1,0	18 1,9	26 2,1	18 2,3	4 1,3	0 0,0	1 2,0	1 2,0	1 1,0	6 2,3	5 1,4	3
11			- 6,4	- 4,6	- 5,3	- 5,7	- 2,6	- 2,7	- 8,5	4,7	4	-18,8	16	4 1,0	3 1,0	14 1,6	28 1,6	16 2,7	1 3,0	0 0,0	0 0,0	2 4,5	2 2,5	4 2,5	6 1,3	10
12			-10,4	- 9,5	-10,2	-10,2	- 4,0	- 6,7	-12,9	6,4	2	-23,2	12	1 1,0	8 1,3	20 1,4	33 1,7	8 2,6	1 3,0	0 0,0	0 0,0	4 3,3	5 2,2	9 2,2	1 1,0	3
ÅR			- 1,4	2,1	0,9	0,0	- 1,7	4,0	- 3,3	24,9		-35,6		13 1,2	35 1,1	151 1,8	206 1,7	208 2,4	29 2,2	9 1,2	25 2,2	45 2,8	[illegible]	114 2,5	74 2,2	70

LESJASKOG 1979

MD.	PM	PO	07	13	19	TM	AVVIK FRA NORM.	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-16,9	-15,7	-16,2	-16,6		-12,1	-22,3	1,1	7	-43,6	1	6 2,0	0 0,0	52 2,0	19 2,7	0 0,0	6 2,5	0 0,0	0 0,0	0 0,0	2 3,0	8 2,1	0 0,0	0
2			-12,3	- 7,0	- 9,0	-10,1		- 5,1	-15,6	4,5	25	-38,5	14	9 1,6	0 0,0	16 1,6	25 2,6	0 0,0	4 2,5	0 0,0	0 0,0	3 3,7	8 2,8	19 2,9	0 0,0	0
3			- 6,6	- 0,4	- 2,4	- 3,7		1,1	- 8,6	6,6	29	-31,7	18	2 1,5	0 0,0	38 2,7	20 3,3	0 0,0	10 3,1	0 0,0	0 0,0	7 3,6	6 3,0	10 2,6	0 0,0	0
4			- 2,0	3,5	2,1	0,3		4,8	- 4,3	10,1	12	-14,2	16	7 1,6	0 0,0	35 2,7	7 2,7	0 0,0	9 2,7	0 0,0	0 0,0	6 2,8	5 2,0	21 2,3	0 0,0	0
5			3,1	7,6	6,5	4,5		8,9	- 0,9	18,5	31	- 9,4	3	6 1,7	0 0,0	22 3,0	7 3,7	0 0,0	10 3,0	0 0,0	0 0,0	24 3,8	9 3,2	15 3,0	0 0,0	0
6			9,5	13,2	13,2	11,4		17,0	5,8	24,4	6	- 1,0	10	3 1,2	0 0,0	10 2,4	12 3,3	0 0,0	10 3,0	0 0,0	0 0,0	20 2,8	18 3,0	15 2,6	0 0,0	0
7			8,3	13,3	11,2	9,9		14,7	5,8	21,9	13	- 1,7	4	2 1,5	0 0,0	6 2,3	3 2,3	0 0,0	9 4,0	0 0,0	0 0,0	25 3,2	38 3,1	10 2,1	0 0,0	0
8			7,7	12,8	11,1	9,7		14,1	5,8	20,3	19	- 1,4	5	3 1,8	0 0,0	20 2,6	10 3,2	0 0,0	9 3,3	1 2,0	0 0,0	11 2,7	28 2,6	9 2,3	0 0,0	0
9			3,8	8,5	6,0	5,5		9,5	2,4	19,4	6	- 4,5	23	7 1,7	0 0,0	14 2,4	13 2,2	0 0,0	5 2,8	0 0,0	0 0,0	21 3,0	15 2,3	15 2,4	0 0,0	0
10			- 1,5	4,0	0,9	0,7		5,3	- 3,0	14,0	10	-10,9	23	1 1,0	0 0,0	31 2,3	27 2,9	0 0,0	6 2,7	0 0,0	0 0,0	14 2,6	5 2,6	6 1,5	0 0,0	0
11			- 6,3	- 4,2	- 5,9	- 3,7		- 2,4	- 9,9	4,6	5	-22,5	14	6 1,3	0 0,0	45 2,1	14 3,6	0 0,0	4 1,8	0 0,0	0 0,0	3 2,3	9 1,9	9 2,7	0 0,0	0
12			-11,0	-10,4	-11,6	-11,2		- 6,7	-16,5	8,5	2	-29,9	31	9 1,3	0 0,0	53 2,1	10 2,7	0 0,0	3 2,0	0 0,0	0 0,0	4 3,3	6 2,7	8 3,1	0 0,0	0
ÅR			- 2,0	2,3	0,5	- 0,4		4,1	- 5,1	24,4		-43,6		65 1,6	0 0,0	345 2,3	167 2,9	0 0,0	85 2,9	1 2,0	0 0,0	138 3,1	149 2,8	145 2,5	0 0,0	0

GJEILO I SKJÅK 1979

MD.	PM	PO	07	13	19	TM	AVVIK FRA NORM.	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-20,2	-19,8	-20,1	-20,3	-10,9	-16,1	-24,4	- 0,8	8	-40,0	1	2 1,0	1 3,0	0 0,0	11 2,0	1 3,0	2 2,5	1 1,0	1 1,0	0 0,0	3 1,0	3 1,0	1 1,0	67
2			-13,3	-10,3	-10,4	-11,8	- 2,9	- 7,4	-16,2	4,8	26	-35,7	1	4 1,0	1 2,0	1 1,0	14 1,6	1 2,0	0 0,0	1 1,0	2 3,5	4 2,5	24 3,0	3 2,3	2 1,0	27
3			- 3,6	0,7	- 0,4	- 1,6	1,5	2,7	- 5,2	8,5	3	-23,0	18	3 4,0	1 4,0	0 0,0	22 3,4	19 3,6	6 3,2	3 2,7	7 2,0	2 3,0	17 2,9	2 2,5	2 5,0	9
4			3,0	6,7	4,6	3,0	0,2	7,6	- 1,2	12,2	12	- 8,2	16	2 1,0	0 0,0	1 1,0	33 2,4	8 3,2	5 1,6	3 1,0	3 1,0	3 2,3	19 2,5	6 3,0	0 0,0	7
5			4,4	10,7	8,0	6,6	- 1,8	11,9	0,8	20,5	31	- 7,0	9	5 2,0	0 0,0	1 1,0	11 3,1	9 2,9	3 4,3	3 2,3	8 2,4	5 3,6	31 3,4	8 3,3	0 0,0	6
6			10,5	18,0	16,3	13,4	1,4	20,0	7,0	27,3	6	1,0	3	1 1,0	4 1,0	1 1,0	10 3,1	3 3,0	3 4,3	4 3,0	8 3,1	12 3,8	29 3,4	7 2,3	4 1,3	4
7			10,9	16,9	14,3	13,1	- 1,3	18,4	8,2	25,2	13	2,3	4	0 0,0	1 1,0	0 0,0	8 3,3	7 3,6	4 3,3	3 2,7	5 3,8	8 2,5	45 3,5	3 2,7	0 0,0	[illegible]
8			9,5	16,0	13,5	12,0	- 1,3	16,8	7,3	21,3	19	0,3	23	1 1,0	0 0,0	1 3,0	17 3,5	9 3,7	3 3,3	4 2,3	5 2,2	10 3,1	23 3,0	3 4,0	2 2,0	[illegible]
9			5,9	11,1	7,9	7,6	- 1,0	12,2	3,9	20,5	7	- 4,0	23	2 1,0	2 1,5	0 0,0	11 3,1	2 4,5	1 1,0	1 1,0	3 4,0	5 3,0	40 3,2	0 0,0	0 0,0	23
10			- 1,8	3,5	2,1	0,9	- 2,0	5,4	- 2,5	14,4	10	-12,0	28	0 0,0	0 0,0	1 1,0	22 3,0	3 4,3	0 0,0	2 1,0	2 3,5	1 3,0	9 2,9	2 3,0	0 0,0	51
11			- 5,4	- 4,0	- 4,6	- 4,8	- 3,0	- 1,7	- 8,1	6,2	4	-20,0	16	2 2,0	0 0,0	1 1,0	20 2,6	5 3,4	1 1,0	3 1,3	2 1,0	2 4,0	22 2,5	3 3,7	0 0,0	29
12			-11,7	-10,9	-10,7	-11,2	- 3,8	- 6,8	-14,5	7,6	2	-27,5	11	1 1,0	0 0,0	1 1,0	10 2,8	7 4,6	0 0,0	1 1,0	1 1,0	7 4,1	28 1,9	4 1,0	4 1,8	29
ÅR			- 1,2	3,2	1,0	0,6	- 2,2	5,3	- 3,7	27,3		-40,0		23 1,7	10 1,7	8 1,3	191 2,8	72 3,6	28 3,0	29 2,0	47 2,6	59 3,3	290 3,0	44 2,7	15 2,0	278

ØVRE TESSA 1979

MD.	PM	PO	07	13	19	TM	AVVIK FRA NORM.	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-17,5	-15,6	-16,8	-16,9	- 6,6	-13,0	-20,9	- 2,1	8	-38,1	1	2 1,0	4 1,0	3 1,0	13 1,0	11 1,4	18 1,4	13 1,5	6 1,3	13 1,5	1 1,0	4 1,5	3 1,0	2
2			-12,1	- 7,7	- 9,4	-10,2	- 0,7	- 5,9	-13,9	2,3	26	-27,4	14	4 2,0	5 2,2	3 2,0	9 1,3	8 1,6	15 1,5	9 1,4	2 1,0	5 2,6	4 2,8	14 3,4	5 3,4	1
3			- 7,5	- 1,8	- 4,7	- 5,2	0,8	- 0,5	- 9,2	5,8	6	-28,3	18	0 0,0	5 2,0	5 1,8	14 2,4	14 2,5	20 2,6	9 1,3	6 1,8	6 2,2	3 2,3	6 3,0	5 2,4	0
4			- 2,8	3,1	1,0	- 0,3	0,1	4,0	- 4,3	10,9	12	-12,8	16	3 1,0	4 1,0	12 2,2	3 1,6	8 2,3	12 2,1	6 1,7	6 2,0	11 1,7	4 2,5	8 1,8	9 1,9	1
5			1,8	6,7	5,5	3,4	- 2,2	8,2	- 1,8	19,1	31	- 9,2	9	2 2,0	5 2,0	2 1,5	5 3,0	6 2,5	12 2,8	5 2,6	5 2,6	17 2,6	12 3,1	12 2,8	10 2,8	0
6			10,0	13,2	14,1	11,6	1,8	17,3	5,4	24,6	21	1,2	9	6 2,2	6 1,3	6 2,2	10 2,0	6 2,5	4 2,5	3 1,7	0 0,0	2 2,0	9 3,3	19 3,2	18 2,8	1
7			9,0	13,7	12,3	10,6	- 1,8	15,5	6,2	22,2	13	1,4	4	4 2,0	15 1,5	7 1,6	11 1,4	4 2,3	1 1,0	2 1,0	1 2,0	2 3,0	5 2,2	22 3,2	17 2,3	2
8			7,4	12,1	10,8	9,3	- 1,7	13,6	5,3	20,1	18	- 0,6	23	3 2,0	3 1,7	9 1,8	10 2,3	14 2,4	18 2,1	1 3,0	2 2,0	1 4,0	7 2,1	15 2,7	10 2,0	0
9			3,1	8,0	5,2	4,9	- 1,0	9,0	1,9	18,4	6	- 5,4	23	1 3,0	1 2,0	3 2,0	5 1,6	6 2,0	13 1,8	2 2,5	6 1,2	9 2,6	5 1,2	15 3,5	22 3,1	2
10			- 2,7	2,4	- 0,4	- 0,5	- 1,2	3,4	- 3,7	11,4	11	-12,4	27	2 1,5	3 1,3	14 2,1	7 1,7	11 2,1	17 2,0	8 1,0	7 1,3	9 1,1	3 2,7	6 2,2	6 2,2	0
11			- 7,6	- 5,7	- 6,3	- 6,9	- 2,9	- 3,6	-10,3	3,7	23	-21,7	16	3 1,3	3 2,3	5 2,2	6 1,7	10 1,9	13 2,1	13 1,5	5 1,6	21 1,8	2 2,5	4 2,5	4 3,5	1
12			-11,4	-10,6	-11,0	-11,1	- 4,0	- 7,4	-14,5	5,0	2	-24,8	12	0 0,0	2 2,5	5 2,0	10 2,4	5 1,6	22 1,5	6 1,3	8 1,8	7 1,1	4 1,3	12 3,2	8 2,9	4
ÅR			- 2,5	1,7	0,0	- 0,9	- 1,6	3,4	- 5,0	24,6		-38,1		30 1,8	56 1,7	74 2,0	108 1,8	103 2,1	165 2,0	77 1,5	54 1,7	103 2,0	59 2,5	135 3,0	117 2,6	14

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELA= TIV FUKTIGHET kl 07	kl 13	kl 19	DM.	MIDLERE SKYDEKKE kl 07	kl 13	kl 19	DM.	NEDBØR SUM	%	MAX DT.
EVENSTAD - ØVERENGET											1979
1	81	78	81	81	4,9	5,1	4,1	4,8	20	50	8,0 12
2	83	72	78	79	4,2	5,2	4,7	4,7	10	33	2,8 19
3	85	66	78	79	6,5	5,9	6,1	6,2	128	557	30,3 10
4	88	61	66	74	6,9	6,7	6,1	6,6	68	251	30,5 26
5	78	51	53	66	5,7	6,3	5,7	5,9	62	144	17,5 25
6	77	47	43	61	4,8	5,3	4,9	5,0	30	57	10,8 26
7	81	57	62	72	5,4	6,3	6,5	6,3	90	75	20,7 19
8	87	62	65	75	6,7	6,5	5,7	6,3	108	98	26,6 10
9	89	53	61	71	5,8	5,4	4,9	5,3	54	75	17,3 14
10	89	71	79	81	6,0	5,5	4,9	5,5	37	93	22,2 15
11	86	82	87	85	5,7	6,2	5,7	5,9	92	167	26,5 13
12	84	81	83	83	4,7	4,6	4,6	4,6	63	126	19,2 28
ÅR	84	65	70	76	5,6	5,8	5,4	5,6	827	113	30,5
FOKSTUA II											1979
1	78	76	76	77	4,2	4,0	3,9	4,0	7	26	2,3 14
2	81	76	78	78	4,5	4,4	4,3	4,4	7	26	3,3 10
3	81	74	78	79	5,9	5,4	5,9	5,8	22	110	5,5 11
4	81	70	73	76	6,1	5,6	6,2	5,9	13	68	3,9 26
5	75	60	65	70	5,6	5,6	5,5	5,6	35	175	11,8 25
6	76	58	62	70	4,9	5,0	5,3	5,1	84	175	14,5 26
7	86	65	70	78	6,3	6,6	6,9	6,6	101	138	24,6 15
8	86	65	71	77	6,3	6,3	6,0	6,2	93	155	33,2 10
9	81	65	74	75	5,9	6,5	6,2	6,2	41	111	11,9 4
10	79	67	74	74	4,4	4,5	4,5	4,5	17	61	7,8 11
11	86	83	85	85	5,0	5,4	4,7	5,1	24	92	3,9 29
12	84	81	83	83	4,0	4,6	3,9	4,2	15	50	4,7 28
ÅR	81	70	74	77	5,3	5,3	5,3	5,3	499	111	33,2
KJØREMSGRENDI											1979
1	84	82	83	83	4,7	4,4	3,8	4,3	10		2,1 14
2	82	73	78	77	5,5	4,3	4,4	4,7	25		13,9 10
3	80	67	71	74	5,8	5,7	5,3	5,7	29		7,2 11
4	80	63	64	71	5,9	5,8	6,0	5,9	8		3,3 20
5	71	53	58	64	5,5	5,3	4,9	5,2	23		9,0 25
6	75	56	59	67	4,5	5,5	5,0	5,0	57		12,0 30
7	81	60	66	73	6,3	6,1	6,1	6,3	121		41,3 15
8	83	63	68	74	6,2	6,1	5,7	6,0	100		28,9 10
9	80	61	71	73	6,0	5,9	5,8	5,9	31		8,6 4
10	83	70	75	77	5,2	4,6	5,1	5,0	16		10,3 11
11	86	82	84	84	5,4	5,5	5,1	5,3	25		3,7 30
12	84	82	82	83	4,3	4,8	4,9	4,7	26		5,8 20
ÅR	81	68	71	75	5,4	5,3	5,2	5,3	471		41,3
LESJASKOG											1979
1	81	79	79	80	3,3	5,2	4,2	4,2	9	20	3,5 8
2	80	73	78	77	4,9	5,3	4,9	5,0	47	118	16,8 10
3	73	58	62	66	5,6	5,8	5,9	5,8	16	53	4,2 11
4	79	54	59	67	6,3	6,2	6,2	6,2	11	44	4,1 14
5	68	47	49	57	6,0	5,7	5,5	5,8	14	70	3,1 26
6	76	49	57	67	5,4	5,2	5,6	5,4	40	100	13,0 15
7	84	58	71	77	6,6	6,7	6,7	6,7	82	137	31,4 15
8	86	57	68	76	6,4	6,6	6,4	6,5	56	102	30,6 10
9	84	59	73	75	6,5	6,4	6,1	6,4	49	98	8,5 4
10	82	62	73	74	4,8	4,6	4,1	4,6	21	47	8,3 11
11	82	79	82	81	5,6	5,4	5,1	5,3	40	100	11,2 30
12	79	77	77	78	5,0	5,0	4,8	4,9	51	102	16,1 20
ÅR	79	63	69	73	5,3	5,7	5,5	5,6	436	87	31,4
GJEILO I SKJÅK											1979
1	99	98	98	98	4,0	4,7	3,9	4,2	14	70	5,1 7
2	90	84	86	87	4,5	4,1	4,0	4,2	3	17	1,6 4
3	82	66	73	75	4,7	4,7	4,3	4,8	13	130	3,5 4
4	83	56	62	70	5,0	4,8	5,2	5,0	8	100	3,0 26
5	73	48	53	63	4,5	4,4	4,3	4,4	22	157	6,0 24
6	78	54	59	69	4,3	4,5	4,7	4,6	33	106	8,5 2
7	81	60	68	74	5,7	6,7	6,0	6,8	84	171	31,5 15
8	89	67	69	78	6,1	5,8	5,8	5,9	51	142	16,5 22
9	90	70	80	82	5,3	5,7	6,0	5,7	42	162	13,0 14
10	94	77	83	86	4,1	4,4	4,3	4,3	20	80	12,5 11
11	92	89	91	91	6,0	5,4	4,9	5,4	31	155	9,8 4
12	92	89	90	90	4,7	4,2	4,4	4,1	33	157	12,8 5
ÅR	87	72	78	80	4,8	4,9	4,7	4,9	354	127	31,5
ØVRE TESSA											1979
1	93	94	93	93	4,2	4,6	3,6	4,1	15	50	5,7 8
2	87	78	81	83	3,7	4,3	4,3	4,2	13	59	7,5 10
3	91	68	80	82	5,3	5,3	5,8	5,6	47	276	11,0 10
4	84	60	66	73	5,9	5,6	5,1	5,5	22	116	5,5 26
5	73	53	57	65	5,3	5,2	4,6	5,0	39	115	9,0 25
6	78	56	57	66	4,6	4,5	4,3	4,5	43	90	8,5 26
7	84	62	67	75	5,5	5,4	6,5	5,8	109	156	27,7 10
8	93	68	72	81	6,4	6,2	5,5	6,0	105	167	19,6 10
9	89	66	79	80	5,0	5,2	5,3	5,1	30	106	11,9 4
10	93	76	86	86	4,8	4,6	4,4	4,6	29	73	14,8 11
11	94	90	92	92	4,9	4,6	4,9	4,8	49	148	8,6 13
12	91	89	89	90	3,7	4,0	5,0	4,3	27	73	6,1 28
ÅR	87	72	77	81	5,0	5,0	4,9	5,0	548	119	27,7

MD.	LUFTTEMPERATUR TJ <0	TX <0	TJ <=10	TX>. =25.	NEDBØR R>= 0,1	R>= 1,0	R>= 10,0.	VINDSTYRKE FX> =08	FX> =88	FX>. =98.	ANTALL DAGER MED: FOREKOMST AV R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	TÅKE 07	13	19.
EVENSTAD - ØVERENGET																								1979
1	31	29	29	0	17	7	0	0	0	0	0	17	0	0	0	0	0	0	5	12	31	1	0	0
2	28	24	25	0	10	4	0	0	0	0	0	10	0	0	0	0	0	0	4	8	28	0	0	0
3	25	9	7	0	19	13	4	1	0	0	5	18	1	0	0	0	0	0	1	17	31	1	0	0
4	16	0	0	0	15	11	4	0	0	0	12	10	3	0	0	0	0	0	0	16	28	2	0	0
5	14	0	0	0	13	13	1	0	0	0	15	6	1	0	0	0	0	1	0	12	2	1	0	0
6	1	0	0	0	13	9	1	0	0	0	13	0	0	0	0	0	0	4	3	10	0	0	0	0
7	1	0	0	0	24	19	2	0	0	0	24	0	0	1	0	0	0	4	0	17	0	1	0	0
8	0	0	0	0	18	12	3	0	0	0	18	0	0	0	0	0	0	2	0	16	0	3	0	0
9	12	0	0	0	14	9	1	0	0	0	14	0	0	0	0	0	0	1	1	10	0	3	0	1
10	21	5	1	0	13	10	1	0	0	0	13	3	0	0	0	0	0	2	1	14	2	3	2	0
11	28	21	14	0	16	11	2	2	0	0	5	14	0	0	0	0	0	3	15	30	1	1	1	
12	31	22	18	0	17	12	3	1	0	0	2	15	0	0	0	0	0	9	12	31	1	0	0	
ÅR	203	110	96	3	195	130	22	4	0	0	110	93	5	1	0	0	0	12	28	159	183	17	3	2
FOKSTUA II																								1979
1	31	31	29	0	0	1	0	0	0	0	0	9	0	0	0	0	0	0	7	7	31	0	0	0
2	28	27	19	0	5	2	0	0	1	0	0	5	0	0	0	0	0	0	2	6	28	1	0	0
3	31	23	8	0	13	7	0	17	8	2	0	13	0	0	0	0	0	0	2	13	31	0	0	0
4	29	8	3	0	9	7	0	1	0	0	5	9	5	0	0	1	0	0	0	15	29	0	0	0
5	18	1	0	0	11	8	1	8	0	0	8	6	3	0	0	1	0	0	2	13	4	0	0	0
6	0	0	0	0	12	10	4	4	0	0	12	1	0	0	0	1	0	1	5	11	0	2	0	0
7	0	0	0	0	18	14	4	1	0	0	18	0	0	0	0	0	0	1	0	20	0	1	0	0
8	1	0	0	0	19	11	3	9	1	0	10	0	0	0	0	0	0	0	0	16	0	1	0	0
9	13	0	0	0	14	10	1	8	2	0	13	6	5	0	0	1	0	0	0	15	1	1	0	0
10	23	5	2	0	8	4	0	4	1	1	6	2	0	0	0	0	0	0	7	12	11	1	1	0
11	30	23	8	0	15	8	0	6	4	0	1	15	1	0	0	0	0	2	2	7	30	0	0	0
12	31	26	19	0	14	4	0	8	5	1	0	14	0	0	0	0	0	7	4	31	0	0	0	
ÅR	232	141	88	0	147	86	13	71	22	7	82	80	14	0	0	4	0	2	37	139	196	7	1	0
KJØREMSGRENDI																								1979
1	31	30	30	0	23	4	0	0	0	0	0	19	0	0	0	0	0	0	7	6	31	0	0	0
2	28	23	18	0	14	3	1	0	0	0	0	12	0	0	0	0	0	0	3	5	28	0	0	0
3	30	15	3	0	16	6	0	10	0	0	2	16	0	0	0	0	0	0	3	12	31	0	0	0
4	22	0	1	0	12	2	0	1	0	0	7	10	4	0	0	0	0	0	2	13	16	0	0	0
5	13	0	0	0	10	6	0	6	1	0	9	2	1	2	0	0	0	0	3	12	1	0	0	0
6	0	0	0	0	15	11	1	2	0	0	15	0	0	0	0	3	0	4	4	10	0	1	0	0
7	0	0	0	0	22	13	5	1	0	0	22	0	0	3	0	2	0	3	0	18	0	0	0	0
8	0	0	0	0	18	12	4	3	0	0	18	0	0	4	0	0	0	1	0	16	0	1	0	2
9	4	0	0	0	16	8	0	4	0	0	15	4	3	0	0	1	0	0	0	13	0	1	0	0
10	17	6	0	0	11	3	1	2	0	0	7	5	1	3	0	0	0	0	3	13	1	1	0	0
11	29	22	10	0	23	10	0	3	1	0	1	18	0	0	0	0	0	0	3	8	29	0	0	0
12	31	23	19	0	22	8	0	1	1	0	0	18	0	0	0	0	0	0	5	8	31	0	0	0
ÅR	205	119	86	0	202	86	12	33	3	0	96	104	9	12	0	6	0	8	33	134	168	4	0	2
LESJASKOG																								1979
1	31	30	30	0	9	3	0	0	0	0	0	9	0	0	0	0	0	0	6	10	31	0	0	0
2	28	24	17	0	15	8	2	0	0	0	1	15	0	0	0	0	0	0	4	13	28	0	0	0
3	28	10	10	0	11	5	0	0	1	1	1	11	0	0	0	0	0	0	4	18	31	0	0	0
4	25	0	3	0	9	4	0	0	0	0	0	9	0	2	0	0	0	0	0	16	30	0	0	0
5	17	0	0	0	10	6	0	7	0	0	8	3	1	0	0	0	0	0	3	16	4	0	0	0
6	1	0	0	0	12	8	1	0	0	0	12	0	0	0	0	0	0	1	2	14	0	0	0	0
7	1	0	0	0	21	12	1	0	0	0	20	0	0	4	0	0	0	1	1	22	0	0	0	0
8	3	0	0	0	24	6	2	0	0	0	23	0	0	2	0	0	0	0	0	19	0	3	0	0
9	9	0	0	0	20	11	0	0	0	0	17	5	1	2	0	0	0	0	0	16	1	0	0	0
10	20	2	3	0	13	6	0	2	0	0	9	3	1	5	0	0	0	0	7	11	4	1	0	1
11	29	20	16	0	16	9	1	2	0	0	2	16	0	0	0	0	0	0	2	11	25	0	0	0
12	31	24	22	0	13	7	1	3	0	0	0	13	0	0	0	0	0	0	4	13	31	0	0	0
ÅR	223	110	101	0	173	85	8	20	1	1	99	84	3	15	0	0	0	2	33	179	185	4	0	1
GJEILO I SKJÅK																								1979
1	31	31	30	0	8	5	0	1	0	0	0	6	0	0	0	0	0	0	9	10	31	1	0	1
2	28	21	19	0	3	1	0	4	0	0	0	3	0	0	0	0	0	0	7	8	28	0	0	0
3	25	6	5	0	7	5	0	6	0	0	4	6	2	4	0	0	0	0	4	8	31	1	0	0
4	14	0	0	0	4	3	0	2	1	0	4	1	0	5	0	0	0	0	3	9	1	1	1	0
5	9	0	0	0	11	7	0	5	2	1	10	1	0	5	0	0	0	0	6	7	0	0	0	0
6	0	0	0	5	11	8	0	8	0	0	11	0	0	2	0	0	0	1	5	10	0	0	0	0
7	0	0	0	2	18	12	3	4	0	0	18	0	0	3	0	0	0	0	2	15	0	0	0	0
8	0	0	0	0	15	9	2	3	2	2	15	0	0	1	0	0	0	0	0	15	0	1	0	0
9	16	8	1	0	16	8	1	0	0	0	16	0	0	6	0	1	0	0	1	12	0	1	0	0
10	19	9	3	0	10	5	1	4	0	0	10	0	0	3	0	0	0	0	11	12	0	1	1	1
11	27	17	10	0	9	7	0	4	0	0	3	7	0	1	0	0	0	0	2	13	23	3	1	0
12	29	20	20	0	12	7	1	7	3	2	2	11	0	1	0	0	0	0	9	8	31	3	0	0
ÅR	180	101	87	7	124	77	8	52	8	5	93	35	2	31	0	1	0	1	59	127	145	12	2	2
ØVRE TESSA																								1979
1	31	31	30	0	22	4	0	0	0	0	0	15	0	0	0	0	0	0	5	8	31	0	0	0
2	28	24	19	0	15	2	0	3	0	0	0	12	0	0	0	0	0	0	3	4	28	0	0	0
3	31	16	10	0	20	10	1	4	0	0	0	20	0	0	0	0	0	0	1	15	31	1	0	0
4	27	0	2	0	13	8	0	0	0	0	2	13	1	0	0	0	0	0	3	13	30	0	0	0
5	16	0	0	0	13	7	0	4	2	0	12	2	1	0	0	0	0	0	2	8	14	0	0	0
6	0	0	0	0	16	10	0	2	1	0	16	0	0	0	0	0	0	2	6	6	0	0	0	0
7	0	0	0	0	20	11	5	4	0	0	20	0	0	0	0	0	0	2	0	14	0	0	0	0
8	1	0	0	0	23	12	4	0	0	0	21	0	0	2	0	0	0	0	0	15	0	1	0	0
9	13	10	1	0	13	10	1	2	2	0	18	2	2	2	0	0	0	0	1	12	0	1	0	1
10	23	8	1	0	16	5	1	2	0	0	11	4	1	2	0	0	0	0	3	9	2	1	1	0
11	30	24	15	0	20	11	0	4	0	0	0	17	0	0	0	0	0	0	3	6	30	0	0	0
12	31	24	20	0	22	8	0	7	1	0	1	19	0	1	0	0	0	0	3	7	31	0	0	0
ÅR	237	127	97	0	219	98	12	39	6	0	101	104	5	7	0	0	0	4	30	117	197	4	1	1

MD.	MIDLERE LUFTTRYKK PH	PO	MIDLERE LUFTTEMPERATUR J7	13	19	TM	AVVIK FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING (%)PPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
ØRSTA																									1979
1	927,2	1017,7	-15,5	-14,9	-13,4	-13,5	- 7,1	-12,0	-18,8	0,2	7	-34,8	1	4 1,0	3 1,0	2 1,0	2 1,0	0 0,0	0 0,0	0 0,0	0 0,0	4 1,5	19 1,7	28 1,2	31 1,0	0
2	927,4	1015,4	-10,3	- 6,9	- 8,4	- 9,0	- 1,4	- 5,2	-12,8	2,5	26	-24,8	14	4 1,3	6 1,3	0 0,0	0 0,0	0 0,0	1 2,0	0 0,0	1 3,0	13 2,9	29 2,3	19 2,4	11 1,1	0
3	914,5	999,6	- 3,9	- 1,4	- 3,5	- 4,0	0,6	- 0,1	- 7,3	5,5	28	-23,5	18	2 1,0	3 1,7	10 1,9	11 2,2	4 3,5	1 3,0	2 2,5	14 2,2	14 3,0	20 2,6	2 1,5	10 1,4	0
4	927,0	1011,9	- 2,2	2,9	1,1	- 0,1	- 0,3	4,0	- 3,8	8,0	20	-10,4	17	4 2,0	3 1,3	14 2,4	13 2,3	3 0,0	0 0,0	0 0,0	6 2,0	19 2,0	16 2,1	4 2,3	11 1,5	0
5	926,6	1010,2	2,1	5,9	4,3	3,4	- 2,1	7,1	- 0,4	16,3	31	- 9,4	8	3 1,0	1 1,0	2 2,0	6 2,2	3 0,0	0 0,0	3 2,3	13 2,5	30 2,6	24 2,4	8 2,5	3 1,0	0
6	931,3	1012,8	10,0	14,5	12,9	11,3	1,6	16,1	6,5	23,0	21	2,0	9	0 0,0	5 2,2	3 1,7	9 2,2	0 0,0	0 0,0	2 2,5	2 2,0	12 2,3	18 2,3	24 2,1	12 2,3	7
7	928,2	1009,7	6,9	13,1	11,6	10,4	1,7	15,0	6,7	20,4	13	3,0	2	7 1,6	1 1,0	5 1,4	10 1,7	0 0,0	3 1,3	1 1,0	3 3,0	18 2,6	15 2,4	21 2,6	9 1,4	0
8	927,5	1009,3	7,8	12,2	10,9	9,5	2,0	13,7	5,7	18,8	18	0,2	5	10 1,8	5 2,1	9 2,1	7 1,6	3 1,7	3 2,0	3 2,7	2 1,0	11 2,5	16 1,9	11 2,5	13 1,4	0
9	924,8	1007,8	4,1	7,5	5,6	3,3	1,6	8,8	3,0	19,6	6	- 3,4	23	4 1,3	0 0,0	5 1,6	5 2,0	2 1,0	1 3,0	2 1,5	4 2,5	18 2,4	23 2,3	22 2,6	4 1,6	0
10	933,1	1018,6	- 1,8	2,5	0,6	0,2	1,4	4,0	- 2,7	11,8	9	-10,8	28	1 1,0	1 1,0	12 1,8	7 1,7	3 2,3	3 1,3	2 1,5	6 1,8	13 1,8	15 2,0	17 1,8	13 1,4	0
11	918,8	1004,8	- 5,7	- 4,3	- 5,0	- 5,1	2,2	- 1,8	- 8,1	4,6	22	-18,5	16	0 0,0	1 3,0	9 1,7	10 1,3	0 0,0	3 1,7	0 0,0	4 2,0	8 2,0	33 1,7	16 1,8	6 1,5	0
12	919,3	1007,1	-10,3	- 9,6	-10,1	-10,1	- 4,5	- 6,9	-13,1	6,0	2	-24,0	11	7 1,6	2 1,3	4 2,0	5 1,2	0 0,0	1 4,0	0 0,0	2 3,0	4 2,0	27 2,1	21 2,0	20 1,7	0
ÅR	925,5	1010,4	- 1,6	1,8	0,3	- 0,3	- 1,9	3,6	- 3,8	23,0		-34,8		40 1,4	31 1,6	75 1,9	81 1,8	12 2,3	18 2,0	15 2,1	67 2,3	170 2,4	261 2,1	181 2,1	138 1,4	0
SOGNEFJELL																									1979
1	843,8	1018,6	-15,0	-13,0	-14,3	-14,4		-10,7	-18,8	- 3,4	7	-34,3	1	1 2,0	6 2,7	1 4,0	3 1,0	0 0,0	8 2,8	6 2,7	4 2,0	8 3,0	6 3,5	3 2,0	2 1,5	45
2	847,2	1015,4	-12,3	-10,4	-12,4	-12,3		- 8,6	-16,6	- 2,2	28	-26,6	14	1 3,0	8 3,1	2 1,5	3 2,3	2 3,5	7 3,4	6 4,0	1 3,0	4 3,8	10 3,8	14 2,4	4 2,0	22
3	836,3	1000,6	-10,5	- 7,8	- 9,3	- 9,5		- 6,0	-12,2	0,5	29	-25,7	18	0 0,0	3 3,3	1 2,0	0 1,3	4 3,5	20 4,0	25 3,8	3 2,0	11 5,6	6 4,8	5 2,4	2 2,0	7
4	848,4	1012,2	- 6,8	- 2,8	- 4,9	- 5,5		- 1,7	- 8,8	4,3	12	-18,8	8	1 2,0	11 2,5	4 2,0	3 1,7	4 3,5	16 3,1	18 2,6	0 0,0	0 0,0	17 3,3	3 2,7	2 1,5	11
5	849,3	1011,6	- 4,4	- 0,9	- 1,9	- 3,4		0,6	- 7,2	8,4	31	-21,1	8	0 0,0	2 3,5	0 0,0	0 0,0	0 0,0	12 3,8	27 3,2	3 2,3	9 4,1	18 3,8	5 1,8	1 2,0	16
6	855,6	1013,9	4,3	6,5	5,3	4,7		8,8	1,7	14,7	6	- 1,6	10	0 0,0	1 2,0	0 0,0	0 0,0	0 0,0	15 2,8	8 2,0	5 1,2	6 1,7	14 2,9	5 1,4	5 2,4	31
7	852,3	1009,8	4,1	6,7	5,3	3,1		8,6	2,5	13,4	13	- 2,7	2	2 1,0	2 2,0	5 2,4	1 1,0	1 2,0	4 2,0	4 1,8	6 3,2	5 1,8	31 2,3	13 2,5	11 2,2	8
8	851,6	1009,4	3,9	6,0	5,3	4,6		7,5	2,3	12,2	18	- 2,3	28	1 3,0	10 3,1	3 3,0	3 1,7	9 3,2	19 3,2	11 2,4	1 1,0	7 3,7	17 2,5	3 2,0	4 1,5	5
9	848,6	1008,9	- 0,2	1,1	0,4	0,1		3,1	- 1,7	14,8	6	- 9,5	30	1 2,0	1 2,0	0 0,0	1 1,0	2 3,0	8 3,1	15 2,9	1 4,0	26 4,3	23 3,2	3 4,7	0 0,0	9
10	865,0	1017,9	- 2,9	0,0	- 2,3	- 2,1		1,4	- 5,0	7,3	11	-13,5	28	0 0,0	1 1,0	0 0,0	3 1,0	9 1,0	14 3,6	6 2,5	1 1,0	12 3,8	12 2,3	3 2,7	2 2,0	38
11	840,6	1004,6	- 7,2	- 7,2	- 7,8	- 7,6		- 4,9	-10,2	2,4	29	-18,0	14	0 0,0	3 3,0	1 2,0	8 1,3	1 1,0	15 3,5	11 3,3	4 1,5	13 1,6	17 3,2	7 1,1	0 0,0	10
12	839,8	1006,5	-11,3	-11,1	-11,9	-11,6		- 8,0	-14,5	- 0,1	5	-23,0	16	1 1,0	4 2,8	5 1,4	1 1,0	5 2,2	15 4,1	7 3,6	1 1,0	12 4,7	12 4,1	10 1,9	1 1,0	19
ÅR	847,9	1010,8	- 4,9	- 2,7	- 3,9	- 4,3		- 0,8	- 7,4	14,8		-34,5		8 2,3	52 2,8	22 2,1	34 1,4	37 3,2	153 3,4	144 3,1	30 2,1	113 4,0	183 3,1	74 2,2	34 2,0	211
VINGTRA - SOLSTAD																									1979
1			-19,3	-17,1	-19,4	-13,9	- 8,1	-15,4	-22,7	- 8,3	18	-35,9	1	2 1,0	1 1,0	0 0,0	9 1,2	1 1,0	1 1,0	2 1,0	1 1,0	5 1,0	22 1,0	2 1,0	3 1,0	44
2			-14,8	- 9,1	-11,2	-12,3	- 3,0	- 6,9	-17,0	5,3	24	-28,2	1	3 1,0	4 1,3	5 1,2	6 1,3	2 2,0	0 0,0	3 1,0	1 1,0	2 1,0	15 1,1	17 1,5	2 1,0	24
3			- 5,3	0,2	- 1,4	- 2,7	0,9	1,8	- 6,5	9,3	6	-27,4	18	2 1,0	1 1,0	4 2,3	11 1,9	21 2,1	4 1,8	4 1,3	1 3,0	1 1,0	5 2,0	6 1,5	1 1,0	29
4			0,6	3,7	3,2	1,1	0,1	7,5	- 0,4	14,3	12	- 5,3	17	2 2,5	2 1,5	1 2,0	21 1,7	6 1,5	6 1,5	3 1,7	2 2,5	2 1,0	7 1,1	5 1,4	4 1,5	29
5			4,8	10,9	10,3	7,4	- 1,5	13,1	1,8	22,2	31	- 4,0	5	8 3,0	4 1,3	3 0,0	7 1,6	6 2,3	4 2,3	7 2,0	9 1,9	3 3,3	19 2,1	10 1,8	2 1,5	20
6			12,3	18,6	18,7	15,0	1,9	21,5	9,0	28,2	6	2,7	10	0 0,0	1 2,0	3 1,3	12 1,7	11 1,8	4 1,4	8 2,0	4 2,0	1 1,0	10 1,6	19 2,3	2 1,5	15
7			11,8	17,1	15,2	13,8	- 1,7	19,3	9,1	25,3	12	3,0	3	1 2,0	1 1,0	2 1,5	16 1,5	3 1,4	3 1,7	6 1,3	2 1,0	3 2,0	20 1,6	10 1,6	2 3,0	18
8			9,2	14,7	14,2	11,8	- 2,0	16,7	7,6	23,2	18	1,2	23	2 2,0	0 0,0	4 1,5	16 1,4	14 2,3	3 1,7	5 1,4	2 1,5	2 2,0	6 1,5	7 1,9	2 1,0	30
9			4,9	11,8	9,5	7,9	- 0,8	13,2	3,7	20,8	6	- 2,9	23	3 1,7	1 1,0	3 1,0	7 1,7	6 2,3	7 1,3	6 1,3	8 1,5	2 2,5	11 2,6	15 2,3	3 1,6	16
10			- 1,3	4,3	2,0	1,3	- 1,6	5,9	- 1,9	13,2	11	-11,4	28	0 0,0	0 0,0	0 0,0	3 2,0	8 1,5	4 1,8	4 1,3	4 1,3	0 0,0	8 1,0	13 1,4	3 1,0	46
11			- 7,5	- 4,8	- 6,6	- 6,5	- 3,7	- 3,0	- 9,9	6,1	4	-21,6	16	4 1,0	1 1,0	1 1,0	5 1,6	4 1,7	4 1,8	1 2,0	1 1,0	1 1,0	20 1,1	15 1,3	1 2,0	27
12			-12,1	-11,4	-12,3	-12,2	- 4,8	- 8,8	-15,4	6,7	5	-25,5	13	2 1,0	3 1,0	2 1,0	7 1,2	1 4,0	0 0,0	2 1,0	0 0,0	0 0,0	14 1,4	28 1,2	2 1,0	30
ÅR			1,4	5,4	2,1	0,6	- 2,1	5,4	- 3,8	28,2		-35,9		21 1,4	19 1,2	25 1,4	127 1,6	94 1,9	40 1,7	51 1,5	35 1,7	22 1,7	157 1,5	147 1,6	29 1,4	328
SKÅBU - STORSLÅEN																									1979
1			-13,6	-12,1	-13,4	-13,3	- 3,6	-10,2	-16,7	- 1,0	7	-30,2	1	6 1,7	0 0,0	0 0,0	2 1,0	0 0,0	0 0,0	1 1,0	2 2,0	5 1,0	0 0,0	2 2,0	0 0,0	75
2			-10,5	- 6,6	- 9,0	- 9,2	- 0,7	- 5,4	-13,0	4,0	26	-24,5	14	7 2,1	0 0,0	0 0,0	2 1,0	1 3,0	0 0,0	3 1,3	1 1,0	3 1,7	7 3,0	9 2,1	0 0,0	61
3			- 7,1	- 3,2	- 5,3	- 5,6	- 0,3	- 1,7	- 8,4	5,5	3	-23,0	18	11 1,4	0 0,0	0 0,0	1 1,0	0 0,0	8 1,5	17 2,1	3 5,3	8 3,1	6 2,7	2 1,0	0 0,0	37
4			- 2,0	1,8	- 0,1	- 0,9	0,1	2,8	- 3,7	8,0	12	-10,0	17	10 1,9	0 0,0	5 2,0	1 1,0	0 0,0	1 1,0	11 1,5	7 1,4	1 5,0	2 1,0	1 1,0	0 0,0	51
5			1,4	5,4	3,9	2,5	- 2,5	6,8	- 1,5	18,5	31	- 8,5	9	5 1,8	0 0,0	0 0,0	1 1,3	1 3,0	1 1,0	27 2,2	18 2,3	0 0,0	11 2,1	1 3,0	0 0,0	28
6			9,8	14,3	13,3	11,2	- 1,7	17,0	5,8	24,5	7	0,0	30	5 2,4	3 1,7	3 2,8	7 1,4	2 1,0	5 2,6	17 1,8	11 1,9	2 2,5	3 1,7	3 2,3	0 0,0	27
7			8,7	13,2	11,7	9,9	- 1,9	15,0	5,4	21,0	13	0,6	1	24 1,9	2 1,0	0 1,3	3 1,0	2 1,0	1 1,0	18 1,5	0 0,0	0 0,0	2 2,0	6 2,3	3 3,7	24
8			6,7	10,9	9,7	8,3	- 2,3	12,8	4,7	18,5	18	- 1,5	31	13 2,5	0 0,0	1 1,0	3 2,3	3 0,0	5 1,6	12 2,1	8 2,0	0 0,0	2 1,0	0 0,0	3 2,7	46
9			3,0	8,4	4,7	4,7	- 1,0	9,3	1,1	18,5	6	- 5,0	30	8 2,4	0 0,0	1 2,0	2 1,0	0 0,0	0 0,0	8 1,6	15 2,2	12 2,9	9 2,6	3 1,0	1 1,0	31
10			- 2,1	2,8	0,3	0,1	- 0,5	4,5	- 3,0	12,5	10	-10,5	26	3 2,0	2 1,0	0 0,0	4 1,0	2 1,0	3 1,7	5 1,2	9 2,1	3 1,7	2 1,0	4 1,8	3 1,7	53
11			- 6,4	- 4,6	- 6,3	- 5,9	- 2,3	- 3,2	- 8,8	2,5	23	-16,5	12	2 1,0	1 1,0	0 0,0	0 0,0	0 0,0	5 3,2	3 2,3	1 2,0	0 0,0	0 0,0	3 4,3	0 0,0	75
12			- 9,6	- 8,6	- 9,4	- 9,4	- 2,8	- 6,4	-12,7	4,0	2	-21,0	23	2 1,5	0 0,0	0 0,0	0 0,0	0 0,0	1 1,0	5 3,0	5 1,4	4 2,5	1 2,0	2 2,0	0 0,0	73
ÅR			- 1,9	1,8	0,1	- 0,6	- 1,3	3,4	- 4,2	24,5		-30,2		96 2,0	8 1,3	18 1,9	31 1,3	8 1,5	30 1,9	127 1,9	80 2,1	38 2,5	45 2,2	36 2,1	10 2,5	568
LOKEN I VOLBU																									1979
1	940,1	1017,9	-17,0	-15,4	-16,3	-16,5	- 6,3	-13,0	-20,2	- 1,8	8	-36,4	1	1 1,0	0 0,0	1 1,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	3 1,3	0 0,0	2 1,0	86
2	948,8	1015,7	-12,2	- 7,5	- 9,2	- 9,8	- 1,0	- 5,0	-14,2	5,0	26	-25,7	14	7 1,1	5 1,4	3 1,7	4 2,0	0 0,0	1 2,0	2 1,5	2 1,5	2 3,0	2 1,0	13 1,8	44
3	936,9	1001,8	- 6,2	- 1,6	- 2,3	- 4,0	0,4	0,0	- 7,3	6,7	3	-27,8	18	5 1,6	3 1,3	3 1,3	7 1,9	3 2,0	5 2,0	7 1,6	1 1,0	1 1,0	1 1,0	0 0,0	4 1,5	53
4	948,0	1012,0	- 1,1	3,9	2,4	1,1	0,0	4,9	- 1,8	10,6	12	- 7,2	18	4 1,3	3 1,7	8 1,5	2 1,0	3 1,0	0 0,0	2 2,0	1 1,0	1 1,0	7 1,7	1 1,0	7 1,1	51
5	947,9	1010,8	2,7	7,8	7,1	4,7	- 2,2	9,6	0,5	17,2	30	- 6,5	9	2 2,0	1 1,0	1 1,0	5 1,6	7 1,1	3 1,7	3 3,0	5 1,0	12 1,3	11 1,3	3 1,0	11 1,7	85
6	951,2	1012,5	13,1	16,5	15,3	12,7	1,2	18,9	7,4	26,3	6	1,9	30	4 2,0	1 2,0	3 2,0	1 1,0	3 1,8	11 1,8	11 1,8	1 2,0	3 1,7	12 2,6	3 2,7	5 1,8	30
7	947,5	1008,7	10,3	13,5	11,9	10,2	- 1,7	17,4	8,0	24,5	13	2,0	4	2 1,0	0 0,0	1 1,0	2 1,0	8 1,2	5 1,2	8 1,5	5 1,6	1 4,0	11 1,7	6 2,5	3 2,7	43
8	947,9	1009,6	8,0	11,3	12,0	11,3	- 2,0	14,9	6,8	20,5	18	- 0,2	28	0 0,0	1 1,0	2 1,5	4 1,0	1 1,0	4 1,3	16 1,5	3 2,7	5 1,2	4 1,5	1 2,0	1 1,0	51
9	945,7	1008,2	4,8	10,0	7,3	6,7	- 1,0	11,4	3,7	21,5	6	- 3,3	30	2 1,0	0 0,0	0 0,0	4 2,0	4 1,8	1 3,0	2 1,5	2 1,0	2 1,0	16 2,0	12 1,9	2 2,5	43
10	954,9	1019,4	- 1,0	3,7	2,1	1,2	- 0,9	5,4	- 1,6	13,2	9	- 9,6	27	1 1,0	0 0,0	0 0,0	1 1,3	1 3,0	2 1,0	4 1,3	3 1,7	2 2,0	2 1,0	7 1,9	0 0,0	67
11	940,8	1006,3	- 2,3	- 5,4	- 6,0	- 6,5	- 3,3	- 2,5	-10,0	4,6	4	-20,2	16	0 0,0	0 0,0	0 0,0	2 1,0	0 0,0	1 1,0	7 2,9	1 2,0	0 0,0	1 1,0	12 1,8	0 0,0	66
12	941,4	1008,4	-11,4	-11,0	-11,1	-11,4	- 4,2	- 7,4	-14,9	6,0	5	-25,6	12	1 1,0	0 0,0	1 2,0	3 1,7	0 0,0	1 1,0	2 3,0	0 0,0	0 0,0	0 0,0	9 2,8	1 1,0	72
ÅR	946,7	1010,9	- 1,7	2,5	1,3	0,1	- 1,7	4,6	- 3,6	26,3		-36,4		29 1,4	14 1,4	24 1,6	36 1,5	32 1,4	34 1,6	64 1,8	24 1,6	28 1,5	70 1,8	86 2,0	49 1,7	635
BEITOSTØLEN *)																									1979
1	912,5	1018,9	-15,8	-13,6	-16,2	-15,8	- 5,8	-11,5	-20,1	- 1,5	7	-35,0	1												
2	912,9	1014,8	-11,5	- 6,8	- 9,5	- 9,9	- 0,8	- 5,4	-14,9	2,5	26	-28,1	14	8 1,9	4 1,5	7 1,1	15 1,1	7 1,0	8 1,6	4 1,8	1 1,0	4 2,3	11 2,9	10 3,1	5 3,4	0
3	902,2	1001,5	- 8,0	- 3,2	- 5,3	- 6,1	- 0,1	- 1,6	- 9,8	6,2	6	-30,0	18	3 1,0	6 1,0	8 1,0	31 1,4	10 1,3	10 1,8	7 2,1	2 2,5	2 1,5	2 1,0	2 4,0	1 1,0	9
4	913,4	1011,8	- 2,9	1,7	0,2	- 0,9	0,1	2,6	- 4,0	7,0	12	-11,0	8	2 1,0	12 1,3	11 1,5	23 1,5	6 1,8	10 1,2	1 1,0	1 2,0	4 1,3	9 2,4	6 1,2	1 1,0	4
5	913,6	1010,7	0,5	4,8	3,3	2,1	- 2,7	6,3	- 1,7	14,8	31	-10,3	2	2 1,5	2 1,3	1 1,0	12 1,1	6 1,0	9 1,6	5 1,6	11 1,4	3 2,3	12 2,2	8 1,3	6 1,9	7
6	913,0	1012,0	9,2	14,3	13,4	11,9	1,4	16,4	5,6	23,1	6	- 0,1	30	3 1,7	1 1,0	1 2,0	7 1,6	3 1,2	17 1,2	11 1,6	3 1,0	9 2,3	11 1,5	7 2,3	7 2,3	7
7	914,1	1008,2	8,4	13,3	12,0	10,1	- 1,9	15,2	5,8	21,3	13	- 1,0	4	3 2,0	2 1,0	5 1,0	8 1,0	3 1,0	7 1,0	9 1,6	9 1,2	1 2,0	15 1,9	12 2,4	4 1,8	15
8	914,3	1009,0	6,6	11,0	10,3	8,5	- 1,9	12,8	5,1	18,9	18	- 2,0	28	1 1,0	5 3,6	7 1,6	8 1,6	8 1,9	24 1,3	7 1,4	2 1,0	2 1,0	17 1,4	2 1,0	2 1,5	8
9	912,0	1008,1	3,1	7,6	5,0	4,6	- 1,1	8,9	1,7	19,3	6	- 6,2	23	0 0,0	2 2,0	5 1,0	9 1,2	8 1,0	3 1,0	3 1,0	10 1,2	3 2,3	22 2,4	12 2,5	5 1,8	8
10	920,0	1019,0	- 2,4	2,4	- 0,3	- 1,5	- 1,3	3,8	- 3,7	11,0	9	-12,0	28	0 0,0	2 1,3	7 1,0	29 1,1	8 1,3	9 1,4	1 1,0	2 1,0	11 1,0	9 2,1	7 2,1	1 1,0	7
11	905,7	1006,6	- 7,0	- 4,2	- 7,1	- 6,4	- 2,0	- 2,6	-10,6	4,6	22	-19,8	15	2 1,0	3 2,1	6 1,2	31 1,2	4 1,3	3 1,7	5 2,6	7 1,4	7 2,1	8 2,4	2 2,0	0 0,0	9
12	906,1	1007,7	-11,3	- 9,0	-10,7	-10,5	- 3,7	- 6,8	-14,3	4,9	1	-26,0	17	1 5,0	5 1,2	4 1,0	22 1,3	3 1,3	2 1,0	12 1,3	2 1,5	6 1,3	11 3,5	5 1,6	1 3,0	14
ÅR	912,1	1010,4	- 2,6	1,5	- 0,4	- 1,1	- 1,7	3,2	- 5,1	23,1		-35,0														

*) Månedsmidler for januar delvis interpolert.

ÅRSOVERSIKTER

(ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	UM.	MIDLERE SKYDEKKE 07	13	19	UM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN<0	TX<0	TN<=-10	TX>=25	NEDBØR R>=0.1	R>=1.0	R>=10.0	VINDSTYRKE FX>=6B	FX>=8B	FX>=9B	ANTALL DAGER MED: R	S	SL	FOREKOMST AV YR	SH	H	IH	TO	KV	OV	SD	TÅKE 07	13	19
BRÅTÅ																																				1979
1	95	94	94	95	4,3	4,8	4,3	4,6	28	46	9,0	8	31	30	29	0	10	6	0	0	0	0	0	10	0	0	0	0	0	0	4	8	31	0	0	0
2	88	83	85	86	4,3	5,0	5,0	4,8	14	23	7,1	10	28	25	13	0	10	2	0	3	0	0	0	10	0	0	0	0	0	0	4	5	28	0	0	0
3	90	77	83	85	5,7	5,5	6,1	5,8	82	265	31,4	6	31	14	6	0	13	7	3	12	1	0	2	13	2	0	0	0	0	0	2	15	31	0	0	0
4	86	75	78	81	5,6	5,3	5,4	5,4	6	32	3,3	20	26	0	1	0	5	1	0	2	0	0	0	5	2	0	0	0	0	0	2	9	30	0	0	0
5	83	72	74	79	5,7	6,0	5,3	5,7	45	237	7,2	24	12	0	0	0	16	11	0	2	0	0	11	4	2	0	0	0	0	0	2	12	18	0	0	0
6	84	71	73	79	4,9	4,9	5,4	5,1	24	80	11,6	2	0	0	0	0	12	5	1	0	0	0	12	0	0	0	0	0	0	1	3	12	0	0	0	0
7	90	75	78	84	6,4	6,3	6,3	6,3	58	138	13,4	19	0	0	0	0	16	11	2	0	0	0	16	0	0	1	0	0	0	0	0	19	0	1	0	0
8	93	79	80	86	6,2	6,4	5,9	6,2	81	176	21,0	22	0	0	0	0	18	11	2	1	1	0	18	0	0	0	0	0	0	0	0	16	0	0	0	0
9	90	80	86	86	6,5	6,4	6,3	6,4	96	204	15,2	26	2	0	0	0	19	15	4	1	0	0	18	7	6	1	0	0	0	0	0	17	0	1	0	0
10	88	77	81	83	4,8	4,8	4,3	4,7	37	76	8,5	11	18	7	1	0	10	6	0	2	0	0	9	3	2	1	0	0	0	0	4	9	3	1	0	0
11	90	86	86	88	6,1	6,1	5,5	5,9	66	129	16,0	30	28	17	8	0	17	13	1	6	0	0	4	17	1	2	0	0	0	0	2	17	30	0	0	0
12	84	83	84	84	3,8	4,8	4,9	4,5	59	87	14,0	6	30	24	19	0	16	9	2	0	2	0	2	16	2	0	0	0	0	0	7	10	31	1	2	1
ÅR	88	79	82	85	5,4	5,5	5,4	5,5	596	114	31,4		206	117	82	0	162	97	15	40	4	0	98	86	17	5	0	0	0	1	30	149	202	4	2	1
SOGNEFJELL																																				1979
1	72	70	71	71	4,5	5,2	3,5	4,4	36		14,3	8	31	31	29	0	15	8	1	2	0	0	0	15	0	0	0	0	0	0	7	9	31	10	10	8
2	77	74	78	76	4,9	4,9	4,7	4,8	39		8,7	9	28	28	27	0	10	10	0	8	0	0	0	16	0	0	0	0	0	0	5	10	28	11	11	11
3	80	76	81	80	6,5	6,3	6,7	6,5	166		37,3	6	31	29	15	0	24	18	5	17	11	7	0	24	0	0	0	0	0	0	4	22	31	21	17	20
4	77	67	75	75	6,2	5,7	5,8	5,9	42		8,6	30	30	23	7	0	17	12	0	2	0	0	0	17	0	0	0	0	0	0	2	15	30	11	12	12
5	81	71	76	79	5,8	6,3	6,4	6,1	87		9,6	18	30	15	10	0	24	18	0	9	0	0	11	23	8	2	0	0	0	1	3	19	31	15	15	17
6	77	69	72	75	5,4	4,9	5,6	5,3	78		16,7	2	9	0	0	0	15	13	3	0	0	0	15	5	5	2	0	0	0	1	5	16	10	9	12	11
7	84	72	74	79	7,0	6,7	6,3	6,7	97		19,0	15	4	0	0	0	21	14	3	2	0	0	19	6	4	0	0	0	0	0	0	20	4	13	8	8
8	86	78	75	80	6,7	6,7	6,0	6,5	125		33,7	9	6	0	0	0	21	16	4	7	2	0	20	3	1	0	0	0	0	0	0	16	0	8	5	5
9	91	82	90	89	7,6	7,1	7,5	7,4	115		15,7	4	20	11	0	0	26	21	3	14	2	1	17	19	6	1	0	0	0	0	0	27	16	22	14	19
10	78	67	73	72	4,6	4,6	4,7	4,6	60		14,7	11	26	9	4	0	10	8	2	0	2	1	6	5	1	0	0	0	0	0	9	14	13	11	8	12
11	91	88	91	90	6,3	5,9	6,1	6,1	85		12,2	4	30	28	15	0	24	20	1	12	8	4	2	24	0	0	0	0	0	0	2	13	29	17	14	18
12	85	84	86	85	4,7	5,4	5,0	5,0	73		12,1	5	31	31	21	0	18	15	2	12	8	5	0	18	0	0	0	0	0	0	6	12	31	13	11	11
ÅR	81	75	78	79	5,9	5,8	5,7	5,8	1003		37,3		276	205	128	0	231	173	24	94	33	18	90	175	25	5	0	0	0	2	43	193	274	161	137	152
VINSTRA - BULSTAD																																				1979
1	89	88	88	88	3,5	3,9	3,4	3,6	13	59	6,0	8	31	31	31	0	6	3	0	0	0	0	0	6	0	0	0	0	0	0	9	7	31	0	0	0
2	87	75	81	82	3,9	4,4	3,5	3,9	5	36	2,2	2	28	22	23	0	4	2	0	0	0	0	0	4	0	0	0	0	0	0	6	5	28	0	0	0
3	90	69	75	80	5,8	5,5	5,0	5,4	37	336	8,6	11	25	7	8	0	11	8	0	0	0	0	4	9	0	0	0	0	0	0	4	15	31	5	2	5
4	86	61	60	71	6,6	6,5	6,2	6,4	20	143	6,6	26	16	0	0	0	10	4	0	0	0	0	8	4	0	0	0	0	0	0	1	19	5	3	0	0
5	76	49	49	63	5,1	5,6	5,0	5,3	30	115	10,6	25	0	0	0	0	9	5	1	0	0	0	9	0	0	0	0	0	0	0	3	12	0	0	0	0
6	78	54	50	64	4,8	5,2	4,5	4,8	30	56	7,2	26	0	0	0	10	14	10	0	1	0	0	14	0	0	0	0	0	0	4	4	8	0	0	0	0
7	80	59	62	71	5,6	6,2	6,4	6,1	104	135	35,1	14	0	0	0	1	16	13	3	1	0	0	16	0	0	0	0	0	0	3	0	15	0	1	0	0
8	92	67	66	78	6,4	5,8	5,7	6,0	82	124	26,3	10	0	0	0	0	14	10	2	1	0	0	14	0	0	1	0	0	0	2	1	16	0	1	1	0
9	91	57	66	74	5,0	5,2	5,1	5,2	57	136	29,8	4	8	0	0	0	11	8	1	1	0	0	10	1	0	0	0	0	0	1	2	13	0	2	1	1
10	96	73	85	86	5,3	5,0	4,3	4,9	38	127	16,9	11	20	4	1	0	8	7	2	0	0	0	6	2	0	0	0	0	0	0	7	13	2	3	3	1
11	93	86	93	91	4,8	5,1	4,7	4,9	45	167	11,4	13	30	20	15	0	11	10	1	0	0	0	3	10	0	0	0	0	0	0	4	10	30	3	4	4
12	92	90	92	91	3,7	4,9	4,5	4,4	22	85	9,0	28	31	27	21	0	11	6	0	0	0	0	1	10	0	0	0	0	0	0	6	11	31	1	2	1
ÅR	88	69	72	78	5,1	5,3	4,9	5,1	483	118	35,1		198	111	99	11	125	86	10	7	0	0	85	46	0	1	0	0	0	10	47	144	158	19	13	12
SKÅBU - STORSLÆEN																																				1979
1	74	72	73	73	4,9	3,2	4,0	4,0	16	53	5,5	17	31	31	29	0	7	5	0	0	0	0	0	7	0	0	0	0	0	0	8	7	31	0	0	0
2	66	55	60	61	4,1	4,0	3,3	3,8	10	53	6,0	10	28	25	22	0	7	3	0	0	0	0	0	7	0	0	0	0	0	0	7	7	28	0	0	0
3	79	61	70	71	6,2	5,5	5,6	5,8	63	350	17,1	10	31	19	9	0	14	12	2	0	1	0	0	14	0	0	0	0	0	0	2	17	31	0	0	0
4	75	56	62	67	6,4	5,7	5,0	5,8	42	191	14,5	26	28	2	0	0	11	11	1	1	0	0	0	11	0	0	0	0	0	0	3	17	30	3	0	0
5	68	53	59	64	4,5	4,8	4,4	4,6	29	81	7,2	25	13	0	0	0	8	8	0	2	0	0	5	3	1	0	0	1	0	0	6	9	17	1	1	1
6	75	56	55	65	4,4	4,9	4,3	4,5	45	83	14,6	14	0	0	0	0	14	13	1	5	0	0	14	0	0	0	0	0	0	2	5	7	0	2	0	0
7	82	61	68	75	5,4	5,9	5,3	5,7	112	113	24,4	15	0	0	0	0	18	15	5	2	1	0	18	0	0	1	0	0	0	0	1	14	0	1	0	0
8	92	71	73	82	6,0	5,8	5,1	5,6	122	158	20,6	12	1	0	0	0	15	14	5	3	0	0	15	0	0	0	0	0	0	0	2	15	0	2	0	0
9	83	60	72	74	4,7	4,8	4,7	4,8	64	133	20,6	4	13	0	0	0	11	9	2	0	1	0	11	4	4	0	0	0	0	0	2	8	2	2	0	0
10	87	73	76	80	4,2	4,1	4,2	4,2	40	103	17,0	11	21	4	1	0	7	7	2	0	0	0	5	2	0	0	0	0	0	0	8	10	2	4	1	0
11	86	81	85	85	4,7	4,8	4,3	4,7	65	167	11,3	13	30	25	8	0	11	11	2	0	0	0	0	11	0	0	0	0	0	0	5	9	30	3	1	1
12	81	79	80	80	3,1	3,8	4,7	3,9	24	57	12,4	28	31	26	18	0	7	5	1	2	0	0	0	7	0	0	0	0	0	0	6	7	31	2	1	2
ÅR	79	65	69	73	4,9	4,8	4,7	4,8	632	121	24,4		227	132	87	0	130	113	21	35	3	0	68	66	5	1	0	1	0	2	55	127	202	20	4	4
LØKEN I VOLBU																																				1979
1	86	85	86	86	4,3	3,9	3,3	3,9	15	56	4,2	8	31	31	30	0	13	5	0	0	0	0	0	13	0	0	0	0	0	0	10	9	31	0	0	0
2	83	70	71	75	4,3	4,5	3,8	4,1	3	14	1,8	2	28	23	22	0	5	1	0	0	0	0	0	5	0	0	0	0	0	0	5	8	28	0	0	0
3	85	67	75	77	6,1	6,0	6,4	6,2	63	420	10,6	10	29	16	9	0	21	17	2	0	0	0	2	21	2	0	0	0	0	0	1	17	31	0	0	0
4	85	62	68	74	6,7	6,2	5,8	6,2	29	153	5,6	26	22	0	0	0	20	10	0	0	0	0	8	16	3	2	0	0	0	0	1	18	30	1	0	0
5	78	57	57	68	5,2	5,4	4,7	5,1	40	121	6,4	27	12	0	0	0	11	9	0	0	0	0	11	0	0	3	0	0	0	0	3	12	2	0	0	0
6	80	54	54	68	4,9	4,3	4,3	4,7	62	105	16,5	26	0	0	0	1	14	14	1	0	0	0	14	0	0	1	0	0	0	1	3	8	0	1	0	0
7	83	58	64	74	5,4	5,6	5,3	5,6	121	153	27,6	15	0	0	0	0	18	15	5	0	0	0	18	0	0	3	0	0	0	0	1	12	0	0	0	0
8	91	65	66	78	6,0	6,1	5,7	6,0	113	166	25,5	9	1	0	0	0	21	15	3	0	0	0	21	0	0	0	0	0	0	1	1	16	0	6	0	1
9	83	59	68	73	5,5	5,0	4,3	5,1	66	122	16,6	4	5	0	0	0	14	10	3	0	0	0	14	0	0	8	0	0	0	0	6	12	0	0	0	0
10	93	74	79	83	5,2	4,7	4,3	4,9	57	127	21,2	11	18	4	0	0	12	8	2	0	0	0	11	2	0	5	0	0	0	0	4	12	2	2	0	0
11	90	88	87	88	4,8	5,0	4,6	4,8	73	197	12,0	1	30	21	15	0	16	11	3	0	0	0	2	16	0	0	0	0	0	0	4	10	30	0	0	0
12	87	85	84	85	4,6	4,8	4,4	4,6	39	98	9,8	28	30	24	19	0	16	11	0	1	0	0	1	15	0	0	0	0	0	0	5	8	31	0	0	0
ÅR	85	68	72	77	5,0	5,1	4,9	5,1	681	137	27,6		206	119	95	4	181	126	19	1	0	0	102	88	5	22	0	0	0	2	43	142	185	10	0	1
BEITOSTØLEN +)																																				1979
1	86	84	86	86	3,7	3,8	3,6	3,7	32		14,0	8	31	31	29	0	10	7	0	0	0	0	0	10	0	0	0	0	0	0	7	8	31	0	0	0
2	79	68	73	75	3,6	4,8	3,7	4,0	3		1,5	2	28	26	22	0	5	1	0	5	0	0	0	5	0	0	0	0	0	0	3	5	28	0	0	0
3	88	71	78	81	5,8	5,9	6,2	6,0	101		24,5	10	31	20	13	0	21	17	2	0	0	0	1	21	0	1	0	0	0	0	3	17	31	0	0	0
4	83	64	70	75	6,4	5,9	5,7	6,0	29		4,5	23	27	5	2	0	18	11	0	1	0	0	2	18	1	0	0	0	0	0	2	19	30	1	1	0
5	80	61	63	72	4,9	5,4	5,3	5,2	50		9,4	24	13	0	1	0	13	9	0	0	0	0	13	1	0	4	0	0	0	0	4	12	22	0	2	2
6	78	56	59	69	4,8	4,9	4,8	4,8	54		12,1	26	1	0	0	0	14	12	1	1	0	0	14	0	0	3	0	1	0	1	4	10	0	0	0	0
7	86	63	70	78	5,7	5,9	6,0	5,8	135		29,0	15	1	0	0	0	19	16	5	0	0	0	19	0	0	5	0	0	0	1	1	13	0	0	0	0
8	92	71	71	81	6,2	6,3	5,9	6,1	146		28,8	9	3	0	0	0	16	16	5	3	0	0	16	0	0	9	0	0	0	0	1	17	0	2	0	0
9	86	64	75	77	5,5	5,5	5,1	5,4	71		17,0	4	8	0	0	0	14	11	2	1	0	0	13	3	2	4	0	0	1	0	3	13	1	3	0	0
10	92	76	84	85	4,8	4,9	4,3	4,7	62		19,1	11	23	5	1	0	14	9	2	1	0	0	11	5	2	4	0	1	0	0	6	11	3	2	0	0
11	86	84	87	87	4,0	5,3	4,5	4,6	90		19,4	19	30	23	14	0	17	11	3	2	0	0	2	16	0	1	0	0	0	0	3	8	30	0	0	0
12	87	84	85	85	3,9	5,1	4,5	4,5	65		15,5	28	31	26	18	0	16	14	1	3	0	0	1	15	0	0	0	0	0	0	7	7	31	0	0	0
ÅR	85	71	75	79	4,9	5,3	5,0	5,1	828		29,0		227	136	100	0	177	134	21	20	0	0	92	94	5	31	0	2	1	2	44	140	207	8	3	2

	Midlere lufttrykk		Midlere lufttemperatur				Avvik fra norm	Midlere (M) og absolutte temperaturekstremer						Vindfordeling. Hyppighet og tilhørende midlere vindstyrke i Beaufort												
MD	PH	P0	07	13	19	TM		MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
ÅBJØRSBRÅTEN																										1979
1			-15,5	-13,2	-15,0	-15,0	-6,3	-10,7	-19,8	0,7	7	-36,5	1	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	34 1,6	8 1,3	1 1,0	0 0,0	0 0,0	52
2			-11,0	-5,5	-8,1	-8,8	-1,0	-4,3	-14,1	5,2	26	-26,5	14	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	3 1,3	0 0,0	22 1,4	2 1,0	4 1,0	4 1,5	0 0,0	49
3			-6,0	-2,5	-3,1	-1,7	-0,3	-0,9	-8,1	5,4	3	-28,8	18	0 0,0	0 0,0	4 1,3	2 2,0	4 1,8	3 1,3	3 1,7	18 2,4	4 2,5	2 2,0	4 1,0	0 0,0	49
4			-0,9	2,5	1,5	0,0	-0,5	3,7	-3,0	10,0	14	-9,0	18	0 0,0	1 1,0	7 1,6	2 1,0	1 2,0	0 0,0	1 2,0	10 1,5	5 2,2	0 0,0	2 2,0	0 0,0	61
5			3,8	7,1	3,1	3,9	-2,2	8,6	-0,7	16,0	31	-7,3	9	0 0,0	1 1,0	9 1,0	1 1,0	2 1,0	0 0,0	4 2,0	24 2,0	7 1,9	1 1,0	0 0,0	0 0,0	44
6			11,4	15,3	14,5	11,6	1,1	18,0	5,8	24,8	7	0,0	10	0 0,0	1 1,0	21 1,2	1 1,0	6 1,7	4 2,0	4 1,5	10 1,6	4 1,3	0 0,0	1 1,0	1 2,0	34
7			10,9	14,3	12,3	11,0	-1,9	16,2	6,6	21,0	13	0,0	4	1 2,0	2 1,0	14 1,0	3 1,2	0 0,0	2 1,0	2 1,0	2 2,0	2 2,0	2 1,0	2 1,5	7 1,7	81
8			9,1	12,3	10,7	9,4	-2,1	13,7	5,6	19,0	18	-1,2	28	1 1,0	4 1,0	9 1,2	2 1,0	3 1,7	7 1,4	3 1,3	8 1,3	5 1,6	0 0,0	0 0,0	1 1,0	80
9			6,0	9,6	6,5	6,3	-0,8	11,0	2,7	20,0	6	-4,4	30	0 0,0	2 1,5	1 1,0	1 1,0	2 1,0	3 2,7	0 0,0	22 1,9	7 1,9	5 1,4	2 1,5	3 2,3	42
10			-0,3	3,6	1,3	1,1	-0,3	4,8	-2,6	14,9	9	-10,4	27	0 0,0	0 0,0	1 1,0	0 0,0	1 3,0	4 1,5	2 1,0	11 1,6	2 1,0	2 1,0	2 1,0	1 1,0	67
11			-6,6	-3,9	-5,6	-5,7	-2,7	-2,0	-9,7	3,8	4	-20,9	16	0 0,0	0 0,0	5 1,0	0 0,0	1 2,0	3 1,0	0 0,0	22 1,3	8 1,3	2 2,0	0 0,0	1 1,0	48
12			-10,0	-8,2	-10,1	-9,7	-3,8	-6,4	-13,8	6,2	2	-25,4	12	0 0,0	0 0,0	0 0,0	0 0,0	1 2,0	0 0,0	0 0,0	23 1,4	13 1,3	1 1,0	2 1,0	1 1,0	52
ÅR			-0,8	2,6	3,3	0,0	-1,7	4,3	-4,3	24,8		-36,5		2 1,5	11 1,1	74 1,2	15 1,2	21 1,7	29 1,5	19 1,5	206 1,7	65 1,6	20 1,3	19 1,3	15 1,7	599
LILLEHAMMER III																										1979
1	987,2	1017,0	-14,5	-13,5	-13,7	-14,3	-5,4	-11,0	-17,6	1,5	8	-31,0	1	22 1,9	18 1,1	12 1,2	33 1,2	0 0,0	4 1,0	3 1,0	0 0,0	1 1,0	0 0,0	0 0,0	0 0,0	0
2	986,3	1015,6	-11,1	-8,0	-8,7	-9,9	-2,3	-5,5	-13,6	5,0	26	-22,3	14	12 1,6	10 1,3	16 1,1	19 1,1	5 1,0	11 1,5	6 1,5	1 1,0	1 1,0	1 1,0	0 0,0	2 1,0	0
3	974,3	1012,5	-4,2	-0,7	-1,2	-2,5	0,0	1,3	-5,5	8,5	3	-23,5	18	7 1,1	6 1,0	6 1,0	14 1,1	8 1,3	25 1,4	21 1,7	0 0,0	5 2,0	1 3,0	0 0,0	0 0,0	0
4	985,0	1012,9	0,1	4,2	1,0	2,0	-0,5	6,0	-1,1	12,5	12	-7,0	16	8 1,8	2 1,0	4 1,0	23 1,0	5 1,0	24 1,1	15 1,2	1 2,0	3 1,0	3 1,7	1 1,0	1 2,0	0
5	984,3	1011,7	4,4	9,7	10,0	6,7	-1,7	12,6	1,8	20,8	31	-3,5	5	9 1,7	3 1,0	2 1,0	13 1,1	5 1,4	20 1,4	16 1,5	0 0,0	16 1,4	7 1,7	2 1,5	0 0,0	0
6	986,8	1013,4	11,2	17,8	13,1	14,3	1,8	21,7	7,9	28,6	7	1,0	10	4 2,0	2 1,0	4 1,3	12 1,1	4 1,3	23 1,5	20 1,6	0 0,0	10 1,6	7 1,9	2 3,0	1 3,0	1
7	982,9	1009,5	10,8	16,6	15,7	13,1	-2,0	18,9	8,1	24,5	14	0,5	2	22 1,9	0 0,0	3 1,0	24 1,2	0 0,0	11 1,0	4 1,3	0 0,0	3 1,3	11 1,5	2 2,0	3 3,7	6
8	983,8	1010,7	9,2	14,2	14,3	11,5	-2,2	16,9	7,2	24,5	18	1,7	31	5 3,2	3 1,0	0 0,0	23 1,5	2 1,0	22 1,4	19 1,3	0 0,0	6 1,3	12 1,8	0 0,0	1 2,0	0
9	981,5	1008,7	5,1	12,2	9,0	8,0	-0,7	13,6	3,6	19,4	6	-3,5	23	8 3,3	2 1,0	2 1,0	26 1,1	3 1,0	17 1,3	11 1,8	0 0,0	3 2,7	9 1,9	2 3,5	2 2,0	5
10	991,8	1019,9	0,5	4,4	2,8	2,2	-1,1	6,3	-0,8	13,0	11	-8,0	28	5 1,2	4 1,0	9 1,0	29 1,2	1 2,0	21 1,4	9 1,1	0 0,0	6 1,0	5 2,2	0 0,0	1 2,0	3
11	977,7	1006,2	-5,3	-3,6	-4,3	-4,7	-3,4	-1,9	-7,7	5,3	4	-18,7	16	8 1,8	14 1,7	10 1,2	29 1,2	0 0,0	15 1,5	12 1,6	0 0,0	1 1,0	1 5,0	0 0,0	0 0,0	0
12	978,5	1007,5	-9,1	-8,7	-9,1	-9,1	-3,7	-6,3	-12,0	6,5	5	-22,5	13	21 1,9	6 1,7	12 1,3	31 1,1	0 0,0	10 1,5	5 2,0	0 0,0	2 1,0	6 2,7	0 0,0	0 0,0	0
ÅR	981,3	1011,3	-0,3	3,7	3,2	1,4	-1,8	6,1	-2,5	28,6		-31,0		131 1,9	70 1,4	80 1,1	280 1,2	33 1,2	203 1,4	141 1,5	2 1,5	57 1,4	63 1,9	9 2,3	11 2,4	15
HAUGEDALSHØGDA																										1979
1			-17,4	-15,3	-16,4	-16,8	-6,0	-12,6	-21,7	1,0	7	-40,4	1	0 0,0	0 0,0	0 0,0	5 1,0	0 0,0	0 0,0	0 0,0	2 1,0	3 1,0	20 1,0	2 1,0	0 0,0	61
2			-18,0	-10,6	-13,4	-13,7	-5,5	-6,7	-20,2	4,0	26	-31,5	15	0 0,0	0 0,0	0 0,0	7 1,0	3 1,0	1 1,0	0 0,0	1 1,0	0 0,0	19 1,1	0 0,0	0 0,0	53
3			-5,3	-0,3	-1,1	-2,7	0,8	1,4	-6,4	6,0	5	-31,0	18	0 0,0	2 1,0	6 1,2	25 1,0	17 1,2	6 1,3	0 0,0	0 0,0	2 2,0	14 1,4	0 0,0	0 0,0	21
4			-0,8	4,5	4,3	1,9	-0,3	6,2	-2,0	13,7	12	-10,0	18	0 0,0	4 1,0	10 1,0	14 1,0	3 1,0	3 1,0	2 1,5	0 0,0	4 1,3	21 1,0	3 1,7	0 0,0	24
5			3,8	10,3	10,3	6,7	-1,4	13,1	1,0	24,0	31	-6,1	11	0 0,0	0 0,0	0 0,0	3 1,1	3 1,0	5 1,0	8 1,0	4 1,5	17 1,2	34 1,2	1 2,0	0 0,0	13
6			10,3	19,1	13,6	14,1	1,7	21,7	6,3	29,2	1	-1,5	10	0 0,0	1 1,0	1 1,0	22 1,1	5 1,0	3 1,0	3 1,0	0 0,0	11 1,2	39 1,4	0 0,0	0 0,0	5
7			10,0	16,5	15,3	12,8	-2,1	18,5	7,5	25,2	14	-0,6	2	0 0,0	8 1,3	5 1,2	3 1,0	1 2,0	3 1,0	0 0,0	0 0,0	3 1,0	49 1,3	5 1,4	0 0,0	11
8			8,2	14,6	13,9	11,2	-2,0	16,3	6,6	23,0	18	-1,2	29	0 0,0	3 2,0	0 0,0	6 1,0	5 1,0	1 2,0	5 1,2	2 1,5	2 1,0	39 1,1	6 1,7	0 0,0	24
9			3,3	11,7	9,2	7,3	-0,9	12,9	2,6	18,4	6	-6,4	30	0 0,0	1 2,0	1 1,0	6 1,0	1 1,0	2 1,0	2 1,0	1 1,0	5 1,2	39 1,3	3 1,7	0 0,0	29
10			-1,2	4,3	1,0	1,2	-1,8	5,3	-2,7	13,0	11	-13,4	28	0 0,0	2 1,0	2 1,5	6 1,0	5 1,0	0 0,0	5 1,4	0 0,0	3 1,0	17 1,1	0 0,0	0 0,0	53
11			-6,1	-4,5	-5,3	-5,5	-3,1	-2,5	-8,7	1,8	5	-21,8	15	0 0,0	0 0,0	0 0,0	11 1,2	5 1,0	0 0,0	0 0,0	0 0,0	3 1,3	24 1,0	0 0,0	0 0,0	47
12			-11,2	-10,0	-11,3	-11,0	-3,9	-8,2	-14,2	5,0	5	-28,0	18	0 0,0	0 0,0	0 0,0	2 1,0	0 0,0	0 0,0	3 1,3	1 2,0	4 1,5	22 1,1	0 0,0	0 0,0	61
ÅR			-2,0	3,4	2,5	0,5	-2,0	5,5	-4,3	29,2		-40,4		0 0,0	21 1,0	25 1,1	120 1,0	50 1,1	24 1,1	28 1,2	11 1,4	57 1,2	337 1,2	20 1,6	0 0,0	402
TRYSIL - INNBYGDA																										1979
1			-15,0	-13,1	-13,3	-14,2		-9,8	-18,9	2,6	7	-32,2	1	17 2,1	0 0,0	17 2,2	1 3,0	0 0,0	1 2,0	7 1,9	7 2,0	0 0,0	0 0,0	2 2,0	9 2,2	32
2			-15,4	-8,4	-9,3	-11,8		-4,8	-18,2	3,0	27	-28,2	18	15 2,1	0 0,0	7 1,4	5 2,4	0 0,0	11 2,4	5 2,0	5 1,0	0 0,0	0 0,0	0 0,0	11 2,8	25
3			-5,9	-0,6	-1,3	-3,2		0,9	-6,9	5,5	31	-28,6	18	3 1,7	0 0,0	17 1,6	3 2,7	4 3,5	19 2,8	19 3,5	15 3,3	0 0,0	1 2,0	1 2,0	6 2,3	5
4			-1,6	4,0	2,0	1,2		5,6	-2,3	14,5	12	-10,5	16	5 3,2	0 0,0	26 2,0	4 2,3	1 3,0	10 1,9	9 1,8	6 2,5	0 0,0	1 2,0	0 0,0	8 2,6	20
5			4,3	9,8	9,3	6,7		12,0	1,9	23,6	31	-7,0	1	4 2,0	0 0,0	1 2,0	0 0,0	0 0,0	10 2,5	31 2,5	21 3,0	1 2,0	4 1,8	1 2,0	5 2,8	18
6			11,0	18,1	17,6	14,0		20,8	7,3	27,8	7	0,7	10	3 3,0	0 0,0	1 1,0	1 3,0	0 0,0	7 2,6	18 2,7	26 2,7	2 2,0	2 2,5	1 1,0	4 4,0	25
7			10,6	15,2	14,8	12,5		18,0	8,2	23,6	13	1,2	2	19 2,6	0 0,0	1 2,0	1 1,0	0 0,0	1 3,0	9 2,2	9 1,9	0 0,0	1 3,0	7 2,7	26 2,7	19
8			8,2	14,6	13,9	11,4		16,7	7,1	24,0	18	-0,2	29	3 3,7	0 0,0	3 1,3	2 2,5	0 0,0	16 2,1	13 2,4	14 2,2	1 1,0	2 1,5	0 0,0	14 3,4	28
9			4,1	12,0	8,0	7,6		13,5	3,4	21,0	6	-4,7	23	1 2,0	0 0,0	0 0,0	1 3,0	1 3,0	6 1,3	17 2,7	17 2,5	4 2,5	2 2,5	0 0,0	18 2,7	23
10			-1,4	3,7	1,0	1,4		6,4	-2,2	13,8	9	-12,4	27	6 1,5	0 0,0	10 1,3	7 2,0	1 1,0	14 2,6	8 2,9	3 2,3	0 0,0	0 0,0	0 0,0	10 2,2	34
11			-5,2	-3,7	-4,5	-4,0		-1,2	-7,6	4,6	23	-16,7	16	9 2,0	0 0,0	10 1,7	2 2,0	1 2,0	11 2,4	11 2,7	8 2,1	0 0,0	3 1,3	3 4,0	16 2,0	20
12			-11,5	-10,1	-10,8	-10,9		-7,3	-14,1	6,0	5	-28,0	19	13 2,3	0 0,0	9 1,6	3 1,7	0 0,0	13 2,2	8 2,6	7 2,4	0 0,0	1 2,0	2 3,5	9 2,3	26
ÅR			-1,5	3,5	2,4	0,8		5,9	-3,5	27,8		-32,2		96 2,3	0 0,0	102 1,8	30 2,2	8 3,3	119 2,3	155 2,6	138 2,5	8 2,1	17 1,9	17 2,8	136 2,6	269
KISE PÅ HEDMARK																										1979
1	999,3	1016,5	-12,8	-11,3	-12,0	-12,4	-5,9	-8,6	-16,3	3,5	7	-28,4	28	9 1,7	3 1,0	4 1,0	3 1,3	2 1,5	0 0,0	1 1,0	1 1,0	0 0,0	2 3,0	28 1,5	37 1,4	3
2	998,0	1015,8	-14,1	-10,3	-13,3	-12,3	-5,5	-6,4	-17,1	4,0	26	-27,0	15	4 1,8	5 1,0	3 1,3	3 1,3	15 1,4	7 1,0	0 0,0	1 1,0	2 1,0	7 1,7	15 1,1	11 1,7	11
3	986,1	1002,4	-3,3	-0,4	-1,1	-2,0	1,5	1,4	-4,9	8,3	3	-24,8	18	6 1,8	2 1,0	2 2,0	12 1,9	25 2,5	7 2,0	2 4,5	8 2,8	5 3,0	6 2,2	11 1,4	5 1,4	2
4	996,3	1012,5	0,7	3,9	4,2	2,4	-0,4	5,9	-0,2	10,8	27	-5,7	16	5 2,4	3 1,7	5 1,0	12 1,6	18 1,7	8 1,1	2 1,5	4 1,8	3 2,0	5 1,2	10 1,2	9 1,3	6
5	995,6	1011,5	5,6	9,9	9,3	7,2	-1,4	12,0	3,1	19,5	31	-2,1	4	6 1,7	1 1,0	0 0,0	2 2,5	30 2,1	10 1,6	5 3,6	6 2,7	5 1,6	4 1,8	9 1,3	8 2,4	7
6	997,9	1013,3	12,3	17,0	17,9	14,5	1,3	20,1	9,6	26,1	6	4,8	10	1 3,0	2 2,0	2 1,5	2 1,5	32 1,9	9 1,6	7 2,7	4 2,0	5 1,8	2 1,5	7 1,4	11 1,9	6
7	993,6	1009,0	12,3	16,4	16,5	14,1	-1,8	18,8	10,1	23,3	14	2,7	2	5 2,2	6 1,7	4 1,8	5 1,6	17 1,9	8 1,3	5 1,2	0 0,0	1 1,0	8 1,1	11 1,4	20 1,8	3
8	994,6	1010,2	11,0	14,9	15,0	12,8	-1,8	17,3	9,2	23,1	18	4,0	29	5 1,0	4 2,0	6 1,3	6 1,7	27 2,1	6 1,7	4 2,3	3 1,7	4 2,3	3 1,0	8 1,5	13 1,5	4
9	992,7	1008,4	7,3	12,9	10,7	9,6	-0,3	14,1	5,9	19,4	10	-1,2	30	11 1,5	7 1,0	3 1,3	2 2,5	12 1,8	2 1,3	6 2,0	7 1,9	9 2,1	7 2,1	7 2,1	11 2,5	6
10	1003,3	1019,8	2,3	5,6	4,0	3,6	-1,4	7,1	1,0	15,7	11	-5,0	24	5 1,3	17 1,1	9 1,4	7 1,6	13 2,1	6 2,7	6 1,0	1 4,0	3 1,7	3 1,3	5 1,8	10 1,8	7
11	989,3	1005,6	-2,5	-1,2	-2,0	-2,1	-2,3	0,8	-4,9	8,2	4	-12,9	15	24 1,7	7 1,1	5 1,0	9 2,3	3 2,0	5 2,8	4 2,3	2 2,0	3 2,3	3 1,0	4 1,3	18 1,4	3
12	990,3	1007,0	-6,7	-6,3	-7,2	-6,9	-3,8	-4,2	-10,2	8,1	5	-18,0	18	19 2,1	12 1,5	5 1,6	5 1,5	1 2,0	2 3,5	2 3,0	0 0,0	1 1,0	4 3,5	11 1,8	28 1,4	3
ÅR	994,8	1011,0	1,0	4,3	3,7	2,4	-1,8	6,5	-1,2	26,1		-28,4		101 1,8	69 1,4	48 1,4	68 1,8	195 2,0	70 1,7	44 2,2	37 2,2	41 2,0	54 1,8	126 1,5	181 1,6	61
STAUR FORSØKSGÅRD																										1979
1			-13,2	-12,2	-12,6	-12,9	-6,2	-9,5	-16,5	3,6	7	-29,0	1	22 1,2	0 0,0	44 1,1	17 1,1	0 0,0	1 1,0	3 2,0	0 0,0	0 0,0	0 0,0	0 0,0	6 1,0	0
2			-13,5	-9,7	-10,1	-11,6	-4,9	-6,7	-16,4	3,6	26	-27,1	15	2 1,0	0 0,0	6 1,0	21 1,0	0 0,0	6 1,8	3 1,0	0 0,0	15 1,0	18 1,2	0 0,0	13 1,3	0
3			-3,1	0,0	-1,0	-1,8	1,6	1,5	-4,3	6,8	5	-24,8	18	7 1,0	0 0,0	22 1,6	8 1,4	0 0,0	25 1,6	8 2,3	0 0,0	7 1,6	2 2,5	0 0,0	14 1,0	0
4			1,8	4,7	3,9	2,7	-0,5	6,4	0,3	12,5	13	-4,0	18	9 1,0	0 0,0	6 2,0	21 1,3	0 0,0	12 1,4	6 2,2	1 2,0	21 1,4	0 0,0	0 0,0	11 1,2	0
5			7,3	10,5	9,3	7,7	-1,6	13,0	4,0	20,4	31	-1,2	10	11 1,5	0 0,0	1 2,0	1 2,0	0 0,0	20 2,3	14 2,2	0 0,0	26 1,7	13 1,4	0 0,0	7 1,9	0
6			13,1	18,0	17,6	14,6	1,1	21,1	10,0	27,9	1	5,0	10	20 1,5	0 0,0	0 0,0	8 1,9	0 0,0	8 2,0	17 1,9	0 0,0	12 1,8	17 1,4	0 0,0	8 1,8	0
7			13,0	16,4	15,2	13,6	-2,4	19,2	10,0	26,0	14	3,5	2	40 1,4	1 2,0	9 2,0	1 2,0	0 0,0	5 1,6	1 2,0	1 2,0	5 1,2	6 1,7	0 0,0	24 1,5	0
8			11,8	15,1	14,6	12,3	-1,9	17,9	9,4	25,6	18	3,2	29	15 1,6	0 0,0	6 2,2	12 2,0	0 0,0	15 2,1	5 1,2	1 2,0	10 1,5	8 1,8	0 0,0	21 2,0	0
9			8,7	12,5	10,1	9,6	-0,9	14,4	6,2	19,0	3	-1,0	23	4 1,8	0 0,0	1 1,0	6 2,0	0 0,0	7 1,9	16 1,9	0 0,0	11 2,3	33 1,9	0 0,0	12 1,8	0
10			2,4	5,7	1,1	3,7	-1,6	7,1	0,7	14,0	11	-6,0	24	11 1,2	3 1,3	16 1,9	20 1,3	0 0,0	11 1,6	4 2,5	1 2,0	1 4,0	9 1,6	0 0,0	17 1,3	0
11			-2,8	-1,3	-1,4	-2,1	-1,9	0,3	-4,8	7,2	4	-13,6	15	11 1,3	0 0,0	15 1,3	40 1,4	0 0,0	0 0,0	12 2,4	0 0,0	2 1,0	9 2,1	0 0,0	1 3,0	0
12			-8,1	-7,0	-7,3	-7,7	-3,9	-4,9	-10,3	6,5	4	-22,0	19	14 1,0	0 0,0	23 1,3	8 1,4	0 0,0	1 2,0	6 1,0	0 0,0	0 0,0	18 1,8	0 0,0	23 1,2	0
ÅR			1,5	4,4	3,5	2,4	-1,9	6,7	-1,0	27,9		-29,0		166 1,4	4 1,3	149 1,4	168 1,4	0 0,0	111 1,8	95 2,0	4 2,0	110 1,6	133 1,7	0 0,0	157 1,5	0

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET kl 07	kl 13	kl 19	DM.	MIDLERE SKYDEKKE kl 07	kl 13	kl 19	DM.	NEDBØR SUM	%	MAX DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=10	TX>=25.	NEDBØR R>=0.1	R>=1.0	R>=10.0.	VINDSTYRKE. FX> =6B	FX> =8B	FX> =9B.	ANTALL DAGER MED: R	S	SL	YR	SH	FOREKOMST AV H	IH	TU	KV	OV	SD	TÅKE 07	13	19.
ÅBJØRSBRÅTEN																																				1979
1	86	82	86	86	5,2	4,1	3,6	4,3	22	65	7,7	12	31	30	28	0	10	5	0	0	0	0	0	10	0	0	0	0	0	0	6	9	31	0	0	0
2	81	68	73	75	4,3	4,0	4,3	4,4	5	22	2,1	2	28	23	19	0	7	1	0	0	0	0	0	7	0	0	0	0	0	0	6	7	28	0	0	0
3	86	75	80	82	5,3	6,1	6,4	6,2	64	320	10,5	26	30	16	9	0	20	14	1	2	0	0	0	20	0	0	0	0	0	0	2	18	31	6	5	5
4	85	69	74	79	5,6	6,0	6,5	6,3	63	242	11,4	26	26	2	0	0	18	12	1	0	0	0	5	16	3	0	0	0	0	0	1	19	30	11	6	1
5	74	60	62	70	5,1	5,2	5,2	5,2	37	103	13,4	25	13	0	0	0	15	8	1	0	0	0	12	3	0	0	0	0	0	0	0	10	13	2	1	0
6	76	58	58	70	4,6	4,6	4,3	4,6	36	92	6,4	25	0	0	0	0	15	10	0	0	0	0	15	0	0	0	0	0	0	2	4	9	0	3	0	0
7	80	66	70	77	5,8	6,3	6,3	6,1	107	110	25,3	15	0	0	0	0	22	14	3	0	0	0	22	0	0	2	0	0	0	4	0	14	0	2	1	2
8	86	72	74	80	6,5	6,3	5,3	6,1	102	123	15,5	9	2	0	0	0	23	16	5	1	0	0	23	0	0	2	0	0	0	1	1	16	0	5	3	3
9	80	62	72	74	4,6	4,3	4,4	4,4	55	89	19,2	3	9	0	0	0	17	9	1	0	0	0	17	0	0	1	0	0	0	1	7	8	0	5	3	2
10	88	75	79	82	4,9	4,4	4,3	4,6	65	130	21,5	15	20	3	2	0	14	10	2	0	0	0	11	3	0	1	0	0	0	0	7	13	2	9	6	2
11	88	82	87	86	4,8	4,2	4,0	4,4	76	162	17,3	13	30	21	13	0	17	12	2	0	0	0	2	16	1	0	0	0	0	0	5	8	30	4	4	3
12	85	82	84	84	4,1	4,5	4,3	4,3	45	110	9,3	24	31	25	18	0	17	8	0	0	0	0	1	17	1	0	0	0	0	0	8	10	31	0	0	0
ÅR	83	71	75	79	5,3	5,0	5,0	5,1	677	115	25,5		220	122	89	0	195	119	16	3	0	0	108	92	5	6	0	0	0	8	47	141	196	47	29	18
LILLEHAMMER III																																				1979
1	86	84	84	85	4,8	4,7	4,3	4,8	23	51	7,9	12	31	30	29	0	14	8	0	1	0	0	2	13	0	2	0	0	0	0	6	11	31	0	2	0
2	85	76	80	81	4,3	4,4	4,4	4,3	8	26	2,5	2	28	23	20	0	5	4	0	0	0	0	0	5	0	0	0	0	0	0	7	9	28	0	2	0
3	87	75	79	82	5,8	5,9	6,0	5,9	112	487	33,8	10	28	7	6	0	17	13	2	0	0	0	10	17	7	8	0	0	0	0	3	18	31	5	7	4
4	86	68	68	75	6,3	6,0	5,3	6,1	72	134	21,7	23	17	0	0	0	13	11	2	0	0	0	12	9	6	9	0	0	0	0	2	17	22	5	2	0
5	80	58	61	71	5,2	5,7	5,3	5,4	55	131	11,0	25	11	0	0	0	16	12	1	0	0	0	15	4	3	5	0	1	0	1	1	13	0	3	0	0
6	81	57	61	66	4,2	4,6	4,3	4,4	57	73	19,6	26	0	0	0	0	14	9	2	0	0	0	14	0	0	3	0	0	0	0	7	8	0	0	0	0
7	84	62	65	75	5,3	5,4	5,9	5,5	82	82	12,6	19	0	0	0	0	20	17	2	0	0	0	20	0	0	6	0	0	0	2	1	11	0	2	3	0
8	89	70	68	78	6,1	5,8	5,3	5,7	123	135	22,7	9	0	0	0	0	15	12	5	0	0	0	15	0	0	6	0	0	0	1	2	17	0	2	2	0
9	88	61	64	73	4,9	4,4	4,4	4,6	52	88	12,3	3	7	0	0	0	12	11	1	1	0	0	12	0	0	4	0	2	0	1	3	8	0	4	2	2
10	93	79	82	86	5,5	5,0	4,5	5,1	63	89	21,2	15	17	3	0	0	11	11	2	0	0	0	10	2	0	8	0	0	0	0	8	17	2	2	3	1
11	93	85	89	90	5,1	5,1	5,0	5,1	92	135	24,0	13	30	21	10	0	15	12	3	0	0	0	9	11	3	8	0	0	0	0	7	12	10	1	6	2
12	89	88	89	89	4,5	4,5	5,2	4,7	52	90	15,9	28	31	24	18	0	16	12	1	1	0	0	6	13	2	3	0	0	0	0	9	14	31	4	2	1
ÅR	87	72	73	79	5,2	5,1	5,1	5,1	791	109	33,6		200	108	83	3	170	132	21	6	0	0	125	74	21	62	0	3	0	5	56	155	178	28	31	10
HAUGEDALSHØGDA																																				1979
1	86	85	86	86	4,1	4,7	3,7	4,3	25	51	7,2	13	31	29	28	0	12	9	0	0	0	0	1	12	1	0	0	0	0	0	7	10	31	1	0	0
2	86	82	84	85	3,1	3,7	3,3	3,6	12	38	3,5	2	28	24	24	0	7	4	0	0	0	0	0	7	0	0	0	0	0	0	7	6	28	0	0	0
3	91	80	78	83	5,9	4,7	5,1	5,4	86	274	16,0	10	28	7	7	0	17	13	3	0	0	0	4	17	3	0	0	0	0	0	3	13	31	2	0	0
4	93	72	66	78	5,6	5,5	5,1	5,5	76	195	27,2	26	16	0	0	0	16	9	3	0	0	0	15	6	2	0	0	0	0	0	3	16	22	2	0	0
5	90	62	62	77	5,0	4,8	4,9	4,9	62	144	10,1	28	13	0	0	0	19	12	1	0	0	0	17	3	1	0	0	1	0	1	2	9	1	2	0	0
6	88	53	53	71	3,7	3,7	3,1	3,6	57	78	14,0	26	1	0	0	13	15	12	1	0	0	0	15	0	0	0	0	0	0	4	7	4	0	1	0	0
7	93	66	69	81	5,2	5,3	5,2	5,2	102	92	21,2	19	1	0	0	1	25	17	2	0	0	0	25	0	0	1	0	0	0	4	2	10	0	0	0	1
8	96	70	76	85	5,6	5,2	4,3	5,0	83	98	22,0	12	2	0	0	0	16	12	2	0	0	0	16	0	0	0	0	0	0	1	2	9	0	5	0	0
9	97	68	73	82	5,0	4,2	4,2	4,5	70	88	13,3	14	12	0	0	0	13	11	2	0	0	0	18	0	0	1	0	0	0	1	2	5	0	7	0	0
10	95	80	86	88	5,6	4,7	4,1	4,8	67	103	25,2	15	20	3	2	0	15	9	1	0	0	0	12	3	0	2	0	0	0	0	7	12	0	6	1	0
11	93	90	93	92	5,3	5,8	5,7	5,8	114	178	29,4	13	29	21	10	0	17	13	3	0	0	0	4	16	2	0	0	0	0	0	4	15	30	1	3	1
12	89	88	88	88	4,6	4,2	4,3	4,4	58	94	12,0	30	31	26	17	0	16	12	2	0	0	0	2	14	0	0	0	0	0	0	8	13	31	0	2	1
ÅR	91	75	76	83	5,0	4,7	4,6	4,8	812	112	29,4		212	112	88	11	193	133	20	0	0	0	129	78	9	4	0	1	0	11	54	122	174	27	6	3
TRYSIL - INNBYGDA																																				1979
1	90	89	88	89	4,9	5,0	4,7	4,9	20	48	4,7	12	31	29	26	0	14	7	0	0	0	0	0	14	0	0	0	1	0	0	5	13	31	0	0	0
2	91	78	83	85	3,3	3,0	4,5	4,3	11	42	4,4	8	28	22	24	0	11	4	0	0	0	0	0	11	0	0	0	0	0	0	8	10	28	0	0	0
3	92	75	81	84	6,0	5,8	5,1	5,8	103	448	24,5	27	27	9	8	0	18	13	4	0	0	0	8	17	5	3	0	0	0	0	2	16	31	0	0	0
4	92	68	71	79	6,2	6,2	5,3	6,0	60	150	17,0	26	19	0	2	0	13	12	3	0	0	0	13	9	8	5	0	0	0	0	2	15	20	0	0	0
5	86	61	65	76	5,8	6,0	5,3	5,8	84	187	16,5	28	12	0	0	0	20	16	3	0	0	0	16	7	3	2	0	0	0	1	2	13	2	1	0	0
6	86	55	59	74	4,3	5,1	4,2	4,5	73	88	15,9	26	0	0	0	7	14	13	1	0	0	0	14	0	0	0	0	0	0	2	5	7	0	1	0	0
7	89	72	74	82	5,1	6,0	6,0	5,8	127	119	31,4	19	0	0	0	0	27	20	3	0	0	0	27	0	0	0	0	1	0	6	0	14	0	2	0	0
8	95	69	72	83	6,2	6,0	5,0	5,7	101	112	33,4	10	1	0	0	0	18	13	2	0	0	0	18	0	0	2	0	0	0	1	1	15	0	4	0	0
9	95	62	73	80	5,3	5,0	4,7	5,0	81	96	14,7	4	11	0	0	0	16	12	3	0	0	0	15	0	0	2	0	0	0	1	0	6	0	1	0	0
10	98	77	89	89	4,9	4,8	4,4	4,7	66	96	19,9	15	20	4	3	0	16	11	2	0	0	0	12	4	0	5	0	0	0	0	5	12	1	3	1	0
11	97	92	94	95	5,1	6,0	5,2	5,7	73	118	19,0	4	29	19	9	0	18	11	2	0	0	0	10	16	4	6	0	0	0	0	3	15	30	0	3	2
12	94	93	93	93	5,9	4,3	4,7	4,3	57	97	11,8	24	31	20	18	0	16	11	2	0	0	0	7	14	2	5	0	0	0	0	9	13	31	0	2	0
ÅR	92	74	79	84	5,1	5,4	5,1	5,2	856	117	33,4		209	103	90	7	201	143	25	3	0	0	140	92	22	30	0	2	0	11	42	149	174	15	6	2
KISE PÅ HEDMARK																																				1979
1	87	84	86	86	5,1	5,1	5,3	5,3	19	54	8,0	13	31	29	24	0	15	5	0	0	0	0	1	15	0	3	0	0	0	0	3	16	31	1	0	0
2	90	82	82	85	3,9	4,2	4,7	4,1	10	42	3,0	4	28	22	22	0	7	4	0	0	0	0	0	7	0	0	0	0	0	0	7	9	28	0	0	0
3	86	79	79	82	6,1	5,4	5,7	5,7	31	163	4,1	10	21	6	5	0	13	11	0	0	0	0	7	17	6	0	0	0	0	0	3	16	31	0	0	0
4	88	73	73	79	6,7	6,1	6,0	6,3	59	190	16,2	26	13	0	0	0	17	9	2	1	0	0	15	9	4	2	0	1	0	0	1	17	3	1	0	0
5	80	64	68	74	5,3	5,5	5,6	5,5	47	124	12,2	25	3	0	0	0	17	10	1	1	0	0	15	5	3	4	0	1	0	2	1	10	0	1	0	0
6	80	62	57	69	4,2	4,8	4,1	4,3	60	95	13,0	26	0	0	0	3	14	12	1	1	0	0	14	0	0	1	0	0	0	4	6	8	0	0	0	0
7	81	67	67	75	5,9	5,3	5,7	5,6	37	45	8,7	19	0	0	0	0	20	14	0	1	0	0	20	0	0	2	0	0	0	6	2	11	0	0	0	0
8	85	72	71	78	6,1	5,9	5,4	5,8	103	147	23,5	12	0	0	0	0	21	12	2	1	0	0	21	0	0	0	0	0	0	0	1	14	0	0	0	0
9	83	62	66	72	4,4	4,9	4,5	4,6	36	96	14,3	3	3	0	0	0	10	7	1	0	0	0	10	0	0	2	0	0	0	0	2	7	0	0	0	0
10	90	76	84	84	5,8	5,1	4,7	5,2	53	106	22,8	15	16	2	0	0	15	7	1	0	0	0	12	3	0	0	0	0	0	0	5	16	2	0	0	0
11	88	81	88	87	6,1	5,8	5,3	5,8	82	174	18,0	13	27	15	3	0	16	11	3	2	0	0	7	14	4	0	0	0	0	0	2	12	23	0	1	0
12	86	84	86	85	5,3	4,9	5,2	5,1	33	83	7,9	30	31	22	16	0	16	8	0	0	0	0	3	16	3	2	0	0	0	0	6	15	31	0	0	1
ÅR	85	74	76	80	5,4	5,2	5,2	5,3	570	101	23,5		178	96	70	3	186	110	11	10	0	0	125	86	20	16	0	2	0	12	39	151	149	3	1	1
STAUR FORSØKSGÅRD																																				1979
1	92	88	90	90	8,0	6,9	7,1	7,4	15	47	6,5	12	31	29	22	0	5	5	0	0	0	0	0	5	0	0	0	0	0	0	0	28	31	0	0	1
2	90	81	81	85	4,9	4,4	4,6	4,6	16	73	5,5	2	27	23	21	0	5	4	0	0	0	0	0	5	0	0	0	0	0	0	2	8	28	0	0	0
3	88	78	82	84	5,9	5,2	5,3	5,7	40	222	19,0	10	23	6	5	0	12	9	1	1	0	0	10	8	5	5	0	0	0	0	2	15	30	3	1	1
4	86	75	78	82	6,7	6,2	6,7	6,6	61	235	18,5	26	12	0	0	0	14	10	1	0	0	0	12	3	1	2	0	1	0	0	0	18	0	0	0	0
5	76	68	70	75	4,9	4,4	4,7	4,7	33	106	7,3	25	3	0	0	0	14	9	0	0	0	0	13	2	1	4	0	0	0	0	1	7	0	0	0	0
6	79	62	62	74	3,6	3,4	3,3	3,5	38	66	11,5	26	0	0	0	0	11	7	1	0	0	0	11	0	0	1	0	0	0	0	8	3	0	0	0	0
7	81	70	78	80	5,5	5,0	5,4	5,3	57	77	10,2	18	0	0	0	1	18	13	2	0	0	0	18	0	0	5	0	0	0	0	1	9	0	0	0	0
8	86	71	71	79	6,3	5,3	5,3	5,6	85	120	20,0	10	0	0	0	1	18	13	2	1	0	0	18	0	0	5	0	0	0	1	0	12	0	0	0	0
9	82	67	72	78	4,2	4,1	5,0	4,5	20	34	6,5	9	2	0	0	0	12	7	0	1	0	0	11	0	0	3	0	0	0	0	0	4	0	0	0	0
10	91	78	83	85	6,2	5,5	6,2	6,0	52	113	24,2	15	15	1	0	0	11	7	1	0	0	0	11	0	0	5	0	0	0	0	0	16	0	0	0	0
11	94	88	90	91	6,8	6,4	6,3	6,5	39	123	12,0	13	24	11	4	0	12	11	2	0	0	0	2	11	0	2	0	1	0	0	1	17	23	2	1	0
12	93	88	89	90	6,6	6,2	6,1	6,3	56	144	7,5	29	29	18	18	0	13	12	0	2	0	0	2	11	0	0	0	0	0	0	1	17	29	0	1	0
ÅR	87	76	79	83	5,8	5,3	5,6	5,6	532	102	24,2		166	88	70	8	145	107	10	6	0	0	108	45	7	32	0	2	0	1	16	154	141	5	3	2

MÅ.	MIDLERE LUFTTRYKK P1	P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILGRENSE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
ØSTRE TOTEN																									1979
1			-12,3	-11,9	-12,1	-12,6	- 5,8	- 9,2	-16,1	3,2	7	-30,0	1	7 1,3	5 1,0	1 1,0	3 1,0	1 1,0	0 0,0	0 0,0	13 1,2	18 1,1	4 1,5	9 1,0	32 1,1	0
2			-10,8	- 7,7	- 8,4	- 9,4	- 3,0	- 5,2	-12,8	5,1	26	-22,0	15	2 2,0	4 1,0	7 1,0	2 1,0	0 0,0	0 0,0	10 1,9	8 1,4	18 1,2	14 1,1	9 1,9	10 1,1	0
3			- 3,5	- 0,5	- 1,2	- 2,2	0,4	1,3	- 4,6	7,0	3	-22,5	18	4 1,3	7 1,1	3 1,0	12 1,1	6 1,2	11 1,6	5 2,0	14 1,9	7 2,0	6 1,8	1 1,0	17 1,3	0
4			0,3	4,1	3,1	2,0	- 0,9	5,6	- 0,2	10,1	12	- 5,2	18	7 2,3	14 1,0	6 1,0	12 1,0	12 1,1	4 1,3	1 1,0	13 1,2	5 1,0	0 0,0	11 1,1	0
5			7,0	10,5	9,6	7,6	- 1,4	12,4	3,6	21,0	31	- 1,7	11	6 1,8	5 1,0	2 1,0	7 1,0	7 1,0	6 1,2	12 1,9	20 1,9	16 1,8	1 1,0	2 1,0	9 1,4	0
6			13,0	17,9	16,2	14,9	1,6	20,9	10,0	27,8	1	4,9	30	5 1,8	0 1,2	0 1,0	3 1,1	3 1,3	6 1,7	11 1,4	11 2,1	6 1,3	5 1,4	5 1,6	9 1,2	0
7			12,9	16,4	15,7	13,6	- 2,0	19,0	9,8	23,9	13	2,1	2	13 1,7	11 1,2	3 1,0	13 1,1	3 1,1	2 1,0	5 1,4	6 1,2	6 1,2	2 1,0	3 1,7	20 1,5	1
8			13,9	14,9	13,8	12,1	- 2,1	17,0	8,8	23,4	18	4,0	29	5 1,2	4 1,3	1 1,0	7 1,4	12 1,3	14 1,6	7 1,6	9 1,4	13 1,2	3 1,3	0 0,0	17 2,1	1
9			8,2	12,6	9,4	7,1	- 0,6	13,7	5,5	18,3	3	- 0,6	16	3 1,3	3 1,1	0 0,0	3 1,8	3 1,7	6 1,2	5 1,6	22 2,2	15 2,3	12 2,5	5 1,4	9 2,2	2
10			2,0	3,1	3,1	3,0	- 1,4	6,4	0,6	14,1	11	- 5,5	28	2 1,0	5 1,0	2 1,0	3 1,1	6 2,5	7 1,4	4 1,0	9 1,4	11 1,5	3 1,0	11 1,3	4 1,5	21
11			- 3,1	- 2,3	- 2,7	- 2,9	- 2,1	0,0	- 5,4	5,8	4	-12,4	12	5 1,4	1 1,0	3 1,7	5 1,8	1 1,0	5 2,8	1 1,0	14 1,7	5 2,0	15 1,2	8 1,4	10 1,1	14
12			- 6,9	- 6,4	- 7,1	- 7,0	- 3,2	- 4,2	- 9,6	7,5	2	-18,6	12	1 1,0	1 1,0	1 1,0	3 1,0	0 0,0	2 1,0	5 1,4	8 2,8	11 1,6	12 2,1	13 1,4	15 1,4	19
ÅR			1,5	4,4	3,5	2,1	- 1,7	6,5	- 0,9	27,8		-30,0		60 1,7	66 1,1	39 1,1	83 1,2	63 1,4	63 1,6	66 1,6	137 1,8	139 1,5	82 1,6	66 1,4	163 1,4	58
GARDERMOEN																									1979
1	980,1	1015,7	-11,9	-10,3	-12,0	-11,7	- 4,8	- 8,3	-16,2	2,6	7	-31,3	1	20 1,9	39 1,8	4 1,5	3 1,0	1 1,0	2 2,0	4 2,8	0 0,0	2 2,0	0 0,0	0 0,0	2 1,0	16
2	986,9	1015,4	-11,7	- 7,1	- 9,3	-10,5	- 4,2	- 4,4	-15,9	5,6	27	-26,7	6	5 1,6	13 2,5	6 1,8	3 1,0	1 1,0	2 1,5	15 2,2	7 2,3	1 2,0	4 1,0	4 2,0	3 2,7	20
3	977,2	1002,6	- 4,3	- 0,5	- 1,0	- 2,5	- 0,2	1,2	- 5,3	5,6	24	-23,0	18	8 2,4	14 2,1	6 1,8	1 1,5	7 2,0	16 2,4	18 3,1	10 3,4	2 2,0	1 1,0	1 3,0	2 2,0	4
4	987,2	1012,3	- 3,1	4,0	3,0	2,3	- 1,2	6,1	- 1,0	15,4	12	- 8,0	16	14 2,1	19 2,3	3 1,9	2 1,5	9 1,8	2 1,0	15 2,4	7 2,9	0 0,0	2 1,0	2 2,0	4 1,8	6
5	987,2	1011,8	3,2	7,5	5,3	7,3	- 2,4	12,6	2,8	22,8	31	- 3,6	1	9 2,6	9 1,3	2 1,5	1 1,0	4 2,3	10 2,0	25 3,3	21 3,1	6 2,3	3 1,0	3 2,7	2 1,5	2
6	980,7	1013,6	12,4	17,9	17,3	14,7	1,1	20,8	8,8	28,2	1	3,1	30	5 3,2	4 2,3	2 1,3	1 2,3	4 1,3	6 2,8	23 2,3	20 3,0	8 2,0	5 3,0	5 2,2	3 1,0	1
7	984,8	1008,7	11,6	16,2	16,0	13,5	- 2,5	19,3	8,8	23,5	13	2,1	2	20 2,3	14 1,7	11 1,3	3 2,0	1 2,0	4 2,3	4 2,3	1 3,0	7 1,6	1 2,0	5 1,8	10 1,7	7
8	986,0	1010,1	9,9	14,7	14,3	12,1	- 2,5	17,7	7,7	24,4	18	1,2	29	13 2,2	10 2,3	2 1,3	3 1,2	9 1,9	13 2,1	13 2,4	9 2,4	4 2,0	3 1,0	1 3,0	6 1,8	5
9	984,5	1008,9	6,0	12,5	10,2	8,9	- 1,1	14,4	4,9	17,6	9	- 2,6	23	4 2,3	3 1,3	0 0,0	3 0,0	2 2,5	7 1,9	23 2,4	17 2,7	7 2,6	8 2,5	4 2,0	4 2,0	5
10	994,3	1019,6	0,8	5,0	3,3	2,7	- 1,8	6,8	- 0,3	12,5	9	- 9,0	24	11 2,0	7 1,7	13 1,2	6 1,8	9 2,2	3 1,3	18 2,3	13 1,6	1 1,0	0 0,0	0 0,0	3 1,0	7
11	980,0	1015,4	- 3,2	- 1,6	- 2,1	- 2,5	- 1,9	0,6	- 5,4	6,2	4	-13,2	12	10 1,7	11 2,1	3 1,7	3 2,2	3 2,3	7 1,9	12 1,9	7 2,3	4 1,3	2 2,5	4 1,3	8 1,3	14
12	980,8	1016,6	- 6,9	- 6,2	- 7,4	- 7,0	- 3,1	- 3,8	- 9,6	6,6	5	-21,0	21	10 1,6	21 2,2	3 1,3	3 1,0	4 1,3	8 2,0	7 2,7	6 3,0	3 1,7	1 4,0	4 1,8	4 1,3	13
ÅR	985,8	1010,9	3,3	4,5	3,8	2,2	- 2,1	6,9	- 1,7	28,2		-31,3		131 2,1	172 2,0	60 1,8	41 1,5	57 1,9	80 2,1	177 2,8	118 2,7	45 2,0	30 2,0	33 2,0	51 1,6	100
FLISA																									1979
1	991,8	1016,5	-14,3	-12,7	-13,3	-13,7	- 5,3	- 9,9	-17,9	3,0	8	-38,3	1	12 1,3	11 1,1	0 0,0	3 1,2	1 1,0	2 1,5	2 2,0	1 2,0	0 0,0	0 0,0	0 0,0	5 1,0	64
2	991,4	1015,8	-14,1	- 8,0	-10,1	-11,3	- 3,9	- 5,6	-16,9	3,8	26	-30,0	15	8 1,3	0 0,0	0 0,0	1 1,0	0 0,0	10 1,8	8 2,0	0 0,0	0 0,0	1 3,0	0 0,0	12 1,4	50
3	979,9	1003,1	- 3,3	0,9	- 0,9	- 1,9	1,2	1,7	- 4,7	6,5	31	-25,5	18	13 1,4	3 1,3	2 2,0	2 2,0	0 0,0	7 2,3	24 2,3	8 2,8	0 0,0	0 0,0	4 1,8	0 0,0	26
4	989,8	1012,8	3,8	4,9	3,9	2,7	- 0,5	6,3	- 0,3	14,5	12	- 5,5	18	16 1,6	12 1,0	0 0,0	3 2,0	0 0,0	2 1,5	9 1,7	2 2,5	0 0,0	0 0,0	0 0,0	0 0,0	46
5	987,7	1012,3	6,0	10,6	9,3	7,8	- 1,5	12,4	3,4	22,8	31	- 2,6	9	9 1,3	1 1,0	0 0,0	0 0,0	0 0,0	7 2,1	39 2,1	9 1,8	1 1,0	1 1,0	2 1,0	27
6	991,9	1013,8	13,3	18,6	18,0	15,3	1,7	20,9	8,8	27,5	1	3,4	10	2 2,0	1 2,0	1 1,0	1 2,0	0 0,0	11 1,9	35 2,0	7 2,3	0 0,0	0 0,0	1 2,0	6 2,5	25
7	987,0	1009,0	12,0	16,7	15,2	13,8	- 2,1	19,2	8,8	24,0	14	1,9	2	5 1,8	2 1,5	0 0,0	2 2,5	0 0,0	2 1,5	7 1,8	2 2,0	0 0,0	1 2,0	1 2,0	28 1,8	43
8	988,3	1010,4	10,3	13,5	14,1	12,6	- 1,6	17,6	8,3	25,0	18	1,0	29	4 2,3	1 2,0	0 0,0	2 1,5	0 0,0	7 2,7	13 1,5	1 1,0	0 0,0	1 2,0	2 1,5	10 2,3	82
9	986,4	1008,9	5,7	11,1	10,0	8,0	- 0,3	14,4	4,3	18,0	6	- 3,8	30	2 1,0	0 0,0	0 0,0	3 1,3	0 0,0	3 1,7	21 2,2	7 2,6	2 2,5	6 2,3	0 0,0	7 2,3	39
10	996,7	1020,0	0,4	5,2	2,9	2,5	- 1,4	6,5	- 0,4	13,5	11	- 7,6	24	5 1,4	1 1,0	0 0,0	3 1,3	0 0,0	6 2,3	10 1,7	1 1,0	1 1,0	0 0,0	0 0,0	6 2,2	60
11	982,5	1015,9	- 3,3	- 1,8	- 2,3	- 2,7	- 1,5	0,1	- 5,6	6,4	4	-13,6	28	13 1,3	3 0,3	0 0,0	3 1,3	0 0,0	9 2,1	13 1,9	0 0,0	0 0,0	0 0,0	0 0,0	10 1,6	60
12	983,5	1017,5	- 9,1	- 7,8	- 8,5	- 8,6	- 3,5	- 6,0	-11,2	6,9	5	-24,5	13	12 1,1	3 0,3	0 0,0	0 0,0	0 0,0	4 1,8	10 2,0	1 4,0	2 1,0	0 0,0	2 1,5	5 1,0	57
ÅR	983,2	1011,3	0,3	1,6	0,4	0,2	- 1,5	6,5	- 1,9	27,5		-38,3		94 1,4	32 1,3	3 1,7	23 1,6	1 1,0	60 2,1	190 2,0	41 2,3	6 1,5	14 1,8	7 1,6	95 1,8	529
VINGER																									1979
1			-12,8	-11,2	-11,7	-12,0	- 4,7	- 9,0	-15,6	3,0	7	-34,0	1	24 1,8	10 1,1	2 1,0	1 1,0	1 1,0	10 1,0	2 1,0	2 1,5	2 1,5	4 1,0	7 1,0	22 1,0	3
2			-13,9	- 7,9	- 9,5	-10,8	- 1,4	- 5,4	-15,6	6,8	26	-27,0	17	10 1,0	3 1,0	4 1,3	3 0,7	13 1,1	12 1,0	2 1,0	4 1,0	5 1,0	7 1,3	21 1,0	0
3			- 3,0	0,7	- 0,3	- 1,4	0,3	1,7	- 4,3	8,0	27	-23,5	18	13 1,0	7 1,0	1 1,0	5 1,4	5 1,2	19 1,7	20 1,7	8 1,8	2 2,5	5 1,2	1 1,0	7 1,0	0
4			1,9	5,0	3,3	2,7	- 0,7	6,3	- 0,6	15,0	12	- 7,5	18	10 1,3	15 1,1	4 1,5	12 1,1	10 1,0	13 1,1	6 1,2	6 1,2	0 0,0	3 1,3	4 1,0	7 1,3	0
5			7,4	10,8	9,3	7,9	- 1,0	12,9	3,3	23,8	31	- 3,5	1	1 1,0	1 1,0	3 1,0	6 1,3	6 1,5	18 1,4	18 1,4	14 1,4	7 1,9	8 1,1	4 1,3	7 1,1	0
6			13,1	18,8	18,2	15,3	1,5	21,2	8,6	27,6	5	3,5	10	7 1,4	1 1,0	0 0,0	7 1,0	8 1,0	16 1,2	14 1,2	15 1,3	6 1,7	6 1,3	6 1,3	4 1,5	0
7			13,3	17,2	15,3	13,8	- 2,4	19,3	8,8	24,5	14	2,4	2	13 1,5	13 1,2	3 1,0	3 1,0	4 1,0	5 1,2	8 1,3	4 1,3	3 1,3	7 1,3	11 1,2	12 1,1	0
8			11,7	16,1	15,9	12,7	- 1,9	17,5	8,5	25,0	18	0,5	29	12 1,0	9 1,2	1 1,0	3 1,0	6 1,5	20 1,4	13 1,3	5 1,0	6 1,8	7 1,3	4 1,0	10 1,6	1
9			3,1	10,5	9,3	7,0	- 0,4	14,5	4,8	18,5	3	- 3,0	15	5 1,2	3 1,0	2 1,0	1 1,0	5 1,6	9 1,2	13 1,4	18 1,9	4 1,3	12 1,4	8 1,6	7 1,1	0
10			1,4	5,8	3,1	3,1	- 1,5	6,7	- 0,2	14,0	9	- 7,0	24	13 1,0	8 1,1	2 1,3	3 1,4	7 1,9	9 1,1	7 1,0	7 1,4	3 1,7	10 1,0	10 1,0	12 1,0	0
11			- 3,2	- 0,5	- 1,0	- 1,6	- 1,1	0,9	- 4,1	7,0	4	-11,4	21	15 1,1	5 1,0	2 1,0	4 1,3	3 1,3	10 1,3	13 1,0	10 1,0	3 1,3	7 1,0	5 1,4	13 1,0	0
12			- 7,8	- 6,2	- 7,1	- 7,1	- 2,9	- 4,7	- 9,7	7,6	5	-22,5	13	19 1,0	4 1,3	3 1,0	1 1,0	3 1,0	8 1,1	14 1,1	4 1,8	1 2,0	7 1,1	6 1,0	20 1,1	3
ÅR			1,6	5,2	3,6	2,7	- 1,6	6,8	- 1,3	27,6		-34,0		144 1,2	75 1,1	20 1,1	63 1,1	58 1,3	150 1,3	140 1,3	95 1,4	41 1,6	81 1,2	73 1,2	142 1,1	7
HVAM																									1979
1			-12,1	-10,6	-11,2	-11,8	- 4,8	- 8,5	-15,5	2,5	8	-35,5	1	9 1,0	11 1,1	11 1,4	11 1,0	10 1,0	0 0,0	0 0,0	5 1,6	4 1,0	0 0,0	0 0,0	0 0,0	32
2			-13,7	- 7,3	- 9,4	-10,8	- 3,4	- 5,4	-16,2	5,3	27	-28,7	15	2 2,5	8 1,4	2 1,0	20 1,1	3 1,0	1 1,0	1 2,0	13 1,4	0 0,0	5 1,6	0 0,0	6 1,0	23
3			- 2,7	0,6	- 0,7	- 1,3	0,7	1,5	- 4,3	6,0	31	-23,5	18	0 0,0	12 1,4	2 1,0	3 1,0	7 1,6	14 2,1	27 2,8	0 0,0	0 0,0	0 0,0	0 0,0	4
4			2,0	5,2	4,3	3,1	- 0,7	6,9	0,2	15,5	12	- 5,2	18	0 0,0	0 0,0	20 1,0	24 1,4	9 1,7	2 1,5	3 1,7	10 2,2	6 2,8	3 1,0	0 0,0	0 0,0	16
5			7,5	10,5	10,0	8,1	- 1,5	12,9	4,0	25,9	31	- 1,9	9	1 1,0	5 1,1	1 1,3	1 1,0	4 2,0	6 1,8	20 2,5	19 3,3	9 2,9	6 1,2	0 0,0	0 0,0	15
6			13,0	18,7	17,3	15,8	1,8	20,8	10,0	28,1	1	4,5	30	0 0,0	3 1,1	1 1,0	3 1,0	3 1,0	7 1,7	21 1,9	16 2,6	10 3,0	4 2,8	3 2,3	0 0,0	22
7			14,2	17,6	16,1	14,5	- 1,0	19,8	9,6	24,3	13	3,0	2	8 1,9	20 1,7	14 1,7	3 1,8	3 1,7	1 3,0	8 2,3	4 2,8	1 1,0	7 1,7	2 2,0	3 2,3	16
8			12,0	16,1	14,7	13,1	- 1,5	17,9	8,9	24,9	18	2,0	29	2 2,0	5 2,2	4 1,8	9 1,3	4 2,0	13 2,1	14 1,6	14 2,3	7 3,0	3 1,3	0 0,0	0 0,0	19
9			8,1	14,1	10,3	9,9	- 0,1	14,8	5,4	18,8	9	- 3,5	30	1 1,0	1 1,0	2 2,5	1 1,5	0 0,0	5 1,6	10 2,6	13 3,2	19 3,0	10 3,0	2 3,0	0 0,0	23
10			1,7	5,9	3,7	3,4	- 1,2	7,1	0,5	13,2	9	- 6,5	24	0 0,0	13 1,6	1 1,0	20 1,4	6 2,0	1 2,0	9 1,4	11 2,4	11 2,5	2 1,0	0 0,0	0 0,0	19
11			- 2,1	- 0,5	- 1,2	- 1,5	- 1,2	1,2	- 4,1	7,0	4	-11,7	21	4 1,0	11 2,1	10 1,7	3 1,8	2 1,0	9 1,1	19 1,7	7 1,3	8 2,0	0 0,0	1 2,0	1 1,0	10
12			- 6,0	- 5,0	- 5,7	- 5,7	- 1,7	- 3,2	- 8,7	7,2	5	-26,3	21	2 1,0	12 1,2	14 1,1	4 1,5	1 1,0	8 1,4	15 1,4	7 2,4	9 3,1	5 3,2	2 1,0	1 1,0	10
ÅR			2,0	5,4	4,1	3,1	- 1,3	7,2	- 0,8	28,1		-35,5		99 1,4	101 1,5	85 1,6	123 1,3	50 1,5	70 1,6	132 2,0	146 2,5	84 2,7	45 2,1	10 2,1	11 1,4	209
EGNERFJELL																									1979
1	986,8		-10,3	- 9,4	- 9,6	- 9,9	- 4,0	- 7,5	-12,2	2,0	7	-23,8	1	7 1,6	28 1,4	20 1,0	11 1,4	3 1,3	1 1,0	7 1,3	1 1,0	0 0,0	2 2,0	0 0,0	1 2,0	6
2	983,0		- 9,7	- 6,3	- 6,9	- 7,3	- 2,7	- 4,8	-11,0	5,0	27	-19,8	15	8 1,9	13 1,1	17 1,2	9 1,6	1 1,0	7 1,1	12 1,9	2 2,0	1 1,0	8 1,9	5 1,0	3 1,3	1
3	975,1		- 3,2	- 0,1	- 1,0	- 1,6	- 0,4	0,9	- 3,7	5,7	24	-19,0	18	12 1,6	9 1,3	5 1,8	6 1,8	7 1,6	20 2,4	20 3,0	8 2,9	1 1,0	3 1,3	1 4,0	1 1,0	0
4	985,0		1,0	4,7	3,9	2,8	- 0,8	5,9	0,4	13,8	12	- 3,7	16	6 2,5	10 1,3	11 1,5	12 1,4	7 1,3	13 1,4	16 1,9	4 2,0	1 2,0	4 1,3	3 1,0	3 1,3	0
5	985,3		6,0	9,9	9,0	7,5	- 2,0	12,0	4,2	23,7	31	- 0,9	2	4 2,5	2 2,0	0 0,0	3 1,3	4 1,3	27 1,7	30 2,9	14 2,5	3 1,7	4 1,5	1 2,0	1 1,0	0
6	987,7		13,4	18,6	17,4	15,4	1,6	20,5	11,0	28,2	1	6,0	9	3 2,3	4 2,3	1 1,0	7 1,4	3 2,3	7 1,9	35 3,0	10 2,1	7 1,7	4 3,0	4 2,5	5 2,0	0
7	982,6		12,2	17,4	16,3	14,3	- 1,7	19,2	10,4	24,5	13	5,1	2	17 2,4	13 1,3	5 1,2	13 1,7	1 3,0	7 1,9	9 2,2	2 1,5	2 1,5	7 1,4	6 1,8	10 1,8	1
8	983,9		13,9	15,5	14,4	12,9	- 1,9	17,3	9,7	24,6	18	6,3	29	7 2,9	5 2,3	6 2,3	3 1,9	3 2,3	20 2,4	17 2,4	4 2,8	5 2,6	0 0,0	4 2,0	8 2,0	1
9	982,6		7,6	13,1	10,3	9,8	- 0,6	13,9	6,6	17,0	4	- 0,1	30	3 2,0	5 1,4	3 1,0	0 0,0	0 0,0	14 1,9	29 2,4	9 3,3	9 2,9	13 2,8	1 2,0	4 1,5	0
10	992,1		1,9	5,4	3,2	3,6	- 1,4	6,3	1,4	12,4	9	- 5,0	28	6 1,3	9 1,3	14 1,1	13 1,7	5 1,4	6 1,7	22 1,9	7 1,4	4 1,8	1 1,0	0 0,0	5 1,0	1
11	977,5		- 1,6	- 0,4	- 0,3	- 1,1	- 1,2	0,7	- 3,0	6,7	4	- 9,0	11	9 1,8	10 1,4	8 1,1	7 1,4	3 1,5	14 1,9	17 1,9	7 1,7	1 2,0	1 2,0	2 1,0	4 1,0	4
12	979,4		- 5,4	- 5,0	- 5,2	- 5,3	- 1,9	- 3,3	- 7,0	7,0	5	-17,4	19	12 1,5	20 1,7	5 1,8	1 1,0	15 1,6	7 1,7	11 1,8	7 1,4	5 2,8	2 3,0	0 0,0	3 1,0	2
ÅR	983,6		1,9	5,3	3,3	3,4	- 1,4	6,8	0,6	28,2		-23,8		94 2,0	125 1,6	101 1,3	93 1,6	63 1,6	143 1,9	225 2,4	75 2,2	39 2,2	49 2,1	27 1,7	48 1,5	16

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	JM.	MIDLERE SKYDEKKE 07	13	19	JM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=10	TX>= =25.	NEDBØR R>= 0.1	R>= 1.0	R>= 10.0.	VINDSTYRKE FX> =8B	FX> =8B	FX> =9B.	ANTALL DAGER MED: R	S	SL	FOREKOMST AV YR	SH	H	IH	TO	KV	OV	SD	TÅKE 07	13	19.
ØSTRE TOTEN																																				1979
1	86	84	86	86	5,8	5,1	5,7	5,6	20	59	5,7	13	31	29	25	0	20	3	0	1	0	0	0	17	0	0	0	0	0	0	2	16	31	2	1	1
2	79	72	73	75	3,2	3,8	4,0	3,6	15	60	3,8	4	28	23	17	0	8	6	0	1	0	0	0	8	0	0	0	0	0	0	8	8	28	0	0	0
3	83	74	78	80	4,8	4,7	5,3	4,9	32	145	8,0	13	29	7	5	0	19	10	0	0	0	0	4	16	1	4	0	0	0	0	3	12	31	4	3	3
4	84	69	71	78	5,7	5,7	5,9	5,8	90	200	14,1	26	13	0	0	0	16	10	2	0	0	0	12	7	0	9	0	0	0	0	3	13	19	3	0	0
5	73	58	64	71	4,4	4,8	5,0	4,7	33	85	11,5	25	5	0	0	0	16	8	1	0	0	0	15	1	0	10	0	0	0	1	3	8	0	0	0	0
6	74	57	54	67	3,1	3,6	3,6	3,4	42	64	11,2	9	0	0	0	6	14	9	1	0	0	0	14	0	0	3	0	0	0	3	11	4	0	0	0	0
7	77	64	68	74	4,3	4,8	5,0	4,8	63	80	12,7	15	0	0	0	0	23	14	1	0	0	0	23	0	0	16	0	0	0	5	2	6	0	0	0	0
8	87	69	71	80	6,2	5,5	5,2	5,6	96	128	19,4	12	0	0	0	0	27	14	2	0	0	0	20	0	0	10	0	0	0	0	3	14	0	0	0	0
9	78	59	66	70	5,3	4,7	4,3	4,7	29	44	13,1	3	2	0	0	0	14	8	1	0	0	0	11	0	0	5	0	0	0	0	1	7	0	2	1	1
10	90	78	83	85	6,1	5,1	4,6	5,3	57	114	25,0	15	10	2	0	0	14	7	1	0	0	0	10	3	0	9	0	0	0	0	4	13	0	5	0	2
11	90	87	89	89	6,8	6,0	6,2	6,3	83	166	21,2	13	27	16	4	0	10	10	2	2	0	0	4	13	0	3	0	1	0	0	2	17	24	4	4	3
12	88	87	88	88	5,8	5,2	6,3	5,8	35	81	10,9	30	28	23	17	0	19	10	1	2	0	0	2	15	1	1	0	0	0	0	4	17	31	3	0	1
ÅR	82	72	74	79	5,2	4,9	5,1	5,0	585	98	25,0		175	100	68	0	206	109	12	3	0	0	124	80	2	70	0	1	0	9	46	135	164	23	9	11
GARDERMOEN																																				1979
1	91	88	90	90	5,8	5,6	5,8	5,8	16	27	4,1	13	31	29	24	0	16	5	0	1	0	0	1	16	0	1	0	0	0	0	4	17	31	1	0	0
2	92	74	79	82	4,1	4,7	4,4	4,4	19	44	5,6	4	28	21	21	0	2	5	0	1	0	0	2	8	1	2	0	0	0	0	5	10	28	1	0	0
3	91	77	81	84	5,7	6,0	6,1	5,9	88	266	18,6	10	27	9	7	0	20	13	3	2	0	0	11	20	9	5	0	0	0	0	1	18	31	0	1	1
4	88	70	70	78	6,3	6,4	6,3	6,4	101	210	26,5	26	21	0	0	0	18	13	4	0	0	0	10	10	7	9	0	1	0	0	1	20	19	3	1	1
5	81	60	64	73	6,2	6,6	5,7	6,2	74	143	16,9	25	3	0	0	0	20	11	3	1	0	0	20	5	4	6	0	1	0	5	0	14	0	0	0	0
6	70	51	50	61	4,9	4,8	4,4	4,6	48	67	10,9	28	0	0	0	5	12	9	1	1	0	0	12	0	0	5	0	1	0	3	2	3	0	0	0	0
7	76	59	62	69	5,8	5,6	5,5	5,7	108	113	22,9	23	0	0	0	0	21	17	3	0	0	0	21	0	0	5	0	0	0	7	0	11	0	0	0	0
8	87	64	65	75	6,0	5,8	5,3	5,7	97	92	17,3	2	0	0	0	0	20	15	4	0	0	0	20	0	0	13	0	0	0	0	1	14	0	2	0	0
9	86	56	63	71	4,9	5,5	4,7	5,0	52	62	14,5	3	0	0	0	0	18	10	2	0	0	0	18	0	0	8	0	0	0	1	1	9	0	3	0	0
10	89	73	81	82	6,0	5,8	5,4	5,7	78	91	18,0	15	17	4	0	0	17	11	4	0	0	0	14	4	0	11	0	0	0	0	3	17	3	7	1	2
11	91	86	88	89	6,1	6,4	6,3	6,3	113	138	22,3	13	28	12	3	0	19	15	5	0	0	0	12	14	5	8	0	0	0	0	0	18	30	5	7	3
12	86	87	90	87	5,1	5,4	5,8	5,4	80	79	15,1	30	31	19	16	0	18	9	1	2	0	0	7	17	2	5	0	0	0	0	4	13	31	1	2	4
ÅR	86	70	73	78	5,8	5,7	5,6	5,6	849	102	26,5		195	94	71	0	203	133	30	8	0	0	154	94	28	78	0	3	0	19	22	164	173	23	12	11
FLISA																																				1979
1	88	86	87	87	5,5	5,4	5,8	5,6	12	32	3,2	13	31	29	23	0	14	4	0	0	0	0	0	13	0	0	0	0	0	0	4	17	31	0	0	0
2	88	75	82	83	3,8	4,0	3,9	3,8	11	39	6,4	4	28	25	21	0	5	3	0	0	0	0	1	4	0	2	0	0	0	0	11	9	28	0	0	0
3	87	72	76	80	6,3	5,6	5,5	5,8	50	263	12,7	27	24	7	5	0	13	10	1	0	0	0	8	13	6	1	0	0	0	0	3	17	31	0	0	0
4	85	68	72	77	6,3	5,9	6,1	6,1	46	128	12,1	26	16	0	0	0	13	9	1	0	0	0	13	2	1	4	0	1	0	0	2	18	12	2	0	0
5	84	60	67	76	6,2	6,0	5,1	5,8	71	182	15,2	2	8	0	0	0	16	11	3	0	0	0	15	3	2	0	0	2	0	2	2	12	0	1	0	0
6	79	54	53	65	3,9	4,4	3,9	4,0	37	84	11,4	26	0	0	0	3	15	13	2	0	0	0	15	0	0	0	0	0	0	6	3	4	0	0	0	0
7	82	63	66	74	5,1	4,9	5,3	5,2	79	91	11,2	11	0	0	0	0	16	13	3	0	0	0	16	0	0	1	0	0	0	8	2	11	0	1	0	0
8	88	66	72	79	6,3	5,5	4,8	5,5	86	104	16,7	12	0	0	0	1	10	15	2	0	0	0	19	0	0	2	0	0	0	3	2	13	0	2	0	0
9	88	68	68	75	4,9	4,1	4,3	4,5	32	47	6,0	21	6	0	0	0	12	9	0	0	0	0	12	0	0	2	0	0	0	2	2	4	0	5	0	0
10	91	77	84	85	5,5	5,3	4,9	5,2	54	95	13,4	15	17	3	0	0	11	8	2	0	0	0	10	1	0	5	0	0	0	0	7	15	0	6	1	1
11	90	87	90	89	5,8	6,3	5,4	5,8	65	125	14,6	13	28	14	5	0	13	16	2	0	0	0	8	14	3	2	0	0	0	0	3	14	30	3	1	0
12	82	81	82	82	3,6	4,4	4,3	4,3	32	108	12,0	28	29	18	16	0	13	11	1	0	0	0	4	12	2	1	0	0	0	0	10	12	31	1	0	1
ÅR	86	71	75	79	5,1	5,2	5,0	5,1	615	99	16,7		197	96	70	6	160	122	17	0	0	0	122	62	16	20	0	3	0	21	51	146	163	21	2	2
VINGER																																				1979
1	88	85	87	87	6,1	5,6	6,1	6,1	12	32	4,0	7	31	28	20	0	13	4	0	0	0	0	0	13	0	1	0	0	0	0	4	20	31	0	0	0
2	89	78	82	84	4,7	3,8	4,1	4,2	19	76	8,0	4	27	24	21	0	6	5	0	0	0	0	0	6	0	1	0	0	0	0	7	8	28	1	1	0
3	88	76	81	83	6,2	6,0	5,8	6,0	92	274	13,0	10	24	7	4	0	14	12	1	0	0	0	7	11	3	1	0	0	0	0	0	19	31	1	1	0
4	81	70	74	78	6,5	6,0	5,8	6,1	49	144	9,0	25	15	0	0	0	14	11	0	0	0	0	13	3	1	4	0	0	0	0	3	18	5	1	0	0
5	78	64	69	77	6,1	5,7	4,9	5,6	62	141	15,5	28	6	0	0	0	17	13	1	0	0	0	14	5	2	0	0	2	0	1	2	10	0	2	0	0
6	68	57	56	64	4,1	4,3	3,3	4,0	74	101	33,0	14	0	0	0	7	11	10	1	0	0	0	11	0	0	0	0	0	0	3	3	2	0	0	0	0
7	77	63	69	75	5,1	5,1	4,8	5,0	90	111	10,5	14	0	0	0	2	23	17	3	0	0	0	23	0	0	0	0	0	0	3	0	9	0	1	0	0
8	86	66	76	81	6,2	5,8	5,1	5,7	122	153	20,0	20	0	0	0	1	17	14	5	0	0	0	17	0	0	0	0	0	0	1	0	13	0	5	0	0
9	86	59	71	76	5,6	5,1	4,3	5,2	36	51	10,2	21	5	0	0	0	14	9	1	0	0	0	14	0	0	3	0	1	0	1	0	7	0	4	0	1
10	95	78	88	88	6,3	5,6	5,9	5,9	70	125	19,5	15	17	3	0	0	15	8	3	0	0	0	12	3	0	1	0	0	0	0	2	19	0	9	2	2
11	95	89	93	93	6,5	6,3	6,5	6,4	92	174	22,0	13	27	12	1	0	15	11	4	0	0	0	6	12	0	1	0	0	0	0	2	18	23	5	4	3
12	92	90	91	91	4,8	4,8	5,0	4,9	43	88	7,5	29	27	18	15	0	13	10	0	1	0	0	1	13	0	1	0	0	0	0	4	14	31	6	3	4
ÅR	85	73	78	81	5,7	5,3	5,2	5,4	711	116	33,0		179	92	61	3	172	124	19	1	0	0	118	66	6	12	0	3	0	9	27	157	149	35	11	10
HVAM																																				1979
1	87	85	86	86	6,0	5,5	6,3	6,0	10	25	2,0	13	31	29	22	0	13	6	0	0	0	0	1	12	0	1	0	0	0	0	4	20	31	1	1	0
2	88	78	82	84	4,5	4,2	5,0	4,6	16	55	5,3	4	28	23	21	0	8	5	0	0	0	0	0	8	0	0	0	0	0	0	4	9	28	3	4	0
3	88	77	80	83	5,9	5,5	6,5	6,0	66	287	17,6	10	22	7	5	0	18	11	1	0	0	0	8	17	5	4	0	0	0	0	3	19	31	5	5	3
4	85	73	78	80	6,6	6,1	5,8	6,2	49	129	11,2	26	13	0	0	0	17	11	2	0	0	0	15	7	5	12	0	0	2	0	0	1	17	3	1	0	0
5	78	69	70	76	5,8	5,9	5,2	5,6	72	164	17,6	30	4	0	0	1	17	11	2	1	0	0	16	2	1	4	0	5	0	1	2	12	1	0	0	0
6	70	57	59	67	4,8	4,8	4,9	4,7	46	66	11,4	25	0	0	0	4	9	9	1	1	0	0	9	0	0	4	0	1	0	0	3	7	0	0	0	0
7	75	64	70	74	5,7	5,7	5,7	5,7	65	80	9,9	19	0	0	0	0	22	15	0	0	0	0	22	0	0	1	0	0	0	5	0	10	0	0	0	0
8	85	67	74	80	6,1	6,1	5,6	6,0	92	124	20,0	20	0	0	0	0	20	14	3	0	0	0	19	0	0	6	0	0	0	2	0	14	0	2	0	0
9	86	62	69	75	5,3	5,5	5,3	5,4	46	67	15,1	3	4	0	0	0	17	10	1	0	0	0	16	0	0	4	0	0	0	0	0	9	0	3	0	2
10	90	78	85	86	6,3	5,6	4,9	5,6	88	138	19,3	16	17	3	0	0	14	9	5	0	0	0	12	2	0	5	0	0	0	0	5	18	0	9	3	4
11	91	88	91	90	7,5	6,3	6,3	6,9	89	148	18,2	4	25	10	1	0	16	14	3	2	0	0	9	8	0	2	0	0	1	0	0	21	18	7	8	3
12	91	89	91	91	5,7	5,7	5,6	5,7	63	124	10,3	30	27	17	13	0	15	12	1	5	0	0	7	14	6	0	0	0	0	0	3	14	15	9	6	6
ÅR	85	74	78	81	5,9	5,6	5,6	5,7	702	109	20,0		171	89	62	5	186	127	19	21	0	0	134	70	17	43	0	8	1	8	25	170	127	40	27	18
EGNERFJELL																																				1979
1	91	89	90	90	5,3	5,1	6,2	5,7					31	28	17	0				1	0	0				0	0	0	0	0	4	15		2	1	1
2	83	73	79	78	4,0	4,1	4,5	4,2					28	22	13	0				0	0	0				0	0	0	0	0	8	10		0	1	1
3	93	77	81	86	6,1	5,7	6,4	6,1					26	10	3	0				1	0	0				0	0	0	0	0	3	19		2	1	1
4	86	72	72	78	6,8	6,3	6,1	6,3					11	0	0	0				0	0	0				0	0	0	0	0	2	19		4	2	2
5	87	67	70	79	5,7	5,8	5,1	5,5					2	0	0	0				1	0	0				1	0	1	0	2	1	10		3	0	2
6	75	54	55	66	4,7	4,6	4,1	4,6					0	0	0	4				1	0	0				1	0	0	0	0	3	7		1	0	0
7	84	59	67	75	5,6	5,5	5,5	5,5					0	0	0	0				1	0	0				1	0	0	0	3	1	12		0	0	0
8	92	67	70	80	5,7	5,8	5,2	5,8					0	0	0	0				1	0	0				1	0	0	0	0	2	14		5	0	0
9	88	62	65	74	5,2	4,8	4,7	4,9					1	0	0	0				2	0	0				6	0	0	0	0	2	7		4	1	3
10	95	82	84	88	5,6	5,7	5,1	5,5					14	4	0	0				0	0	0				5	0	0	0	0	5	17		9	6	5
11	96	91	94	94	6,6	6,1	6,3	6,4					26	12	0	0				1	0	0				7	0	1	0	0	2	18		6	8	6
12	92	90	92	91	4,6	4,8	5,4	4,9					27	19	12	0				1	1	0				1	0	0	0	0	7	12		4	4	5
ÅR	89	74	78	82	5,5	5,4	5,1	5,4					166	95	45	4				3	1	0				28	0	2	0	5	40	160		40	24	26

MÅNEDS- OG

(MONTHLY AND

MD.	MIDLERE LUFTTRYKK PH	MIDLERE LUFTTRYKK RO1	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING (YRPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
SKOTTERUD																									1979
1			-11,4	-10,0	-10,7	-10,8	- 4,0	- 7,8	-14,4	3,0	7	-31,0	1	25 1,2	17 1,3	0 0,0	14 1,9	3 0,0	2 1,0	2 1,0	1 5,0	0 0,0	18 1,5	0 0,0	5 1,2	9
2			-14,0	- 6,9	- 9,4	-10,1	- 4,0	- 4,1	-15,8	6,0	27	-28,0	17	23 1,5	16 1,3	0 0,0	9 1,8	3 0,0	5 1,0	6 1,2	7 2,1	0 0,0	9 1,1	0 0,0	4 1,5	9
3			- 3,7	0,8	- 1,4	- 1,4	0,0	1,9	- 4,3	6,0	24	-23,6	19	8 1,4	11 2,1	0 0,0	11 1,7	3 0,0	0 1,8	30 1,9	17 3,4	3 0,0	7 1,1	0 0,0	3 1,0	0
4			3,5	4,0	4,2	2,9	- 0,9	6,8	- 0,3	16,0	12	- 7,0	16	6 1,0	7 1,4	0 0,0	23 1,1	0 0,0	4 1,3	16 1,4	6 2,3	0 0,0	12 1,4	0 0,0	4 1,3	7
5			5,7	10,9	10,8	9,1	- 1,7	13,3	3,5	25,0	31	- 3,0	1	4 1,0	2 1,0	1 1,0	3 1,4	3 0,0	7 1,9	16 1,6	15 2,5	0 0,0	32 1,7	0 0,0	2 2,0	5
6			12,3	19,4	18,3	13,2	1,2	21,8	8,6	28,0	1	4,0	28	6 1,3	2 1,0	0 0,0	3 1,0	3 0,0	16 1,8	7 1,6	15 1,7	0 0,0	18 1,4	0 0,0	3 1,0	20
ØR																									
TRYVASSHØGDA II																									1979
1	943,0	1014,5	- 9,3	- 8,9	- 9,0	- 9,2		- 7,3	-11,4	0,3	7	-21,0	1	2 2,5	1 1,0	7 2,3	16 1,9	14 1,7	14 1,4	11 1,3	5 1,6	3 1,7	0 0,0	1 6,0	9 1,8	10
2	943,4	1014,3	- 7,3	- 9,5	- 8,3	- 8,7		- 2,9	- 9,5	5,0	25	-19,4	14	3 2,3	4 2,8	1 2,0	2 5,0	13 2,2	7 1,6	8 1,3	9 1,7	7 1,6	8 1,5	5 1,4	11 2,4	11
3	937,5	1031,9	- 4,5	- 4,7	- 5,1	- 5,7		- 1,2	- 5,3	3,3	24	-17,3	18	0 0,0	1 2,0	3 2,3	1 2,3	5 2,8	16 1,9	31 1,6	19 2,6	5 2,2	0 0,0	0 0,0	3 1,3	4
4	943,0	1011,9	0,0	1,8	1,7	0,7		3,4	- 1,0	10,5	12	- 5,4	17	1 1,0	9 2,2	8 2,1	15 2,0	9 2,2	14 2,4	10 1,4	3 1,0	4 1,0	8 1,1	0 0,0	2 2,0	11
5	949,0	1011,8	1,5	6,7	5,7	5,1		9,1	2,6	20,2	31	- 2,4	2	0 0,0	4 1,8	0 0,0	1 2,3	0 0,0	19 1,9	26 1,9	14 1,4	8 2,8	7 2,1	2 3,5	3 2,3	7
6	952,2	1013,3	12,1	18,1	14,9	13,0		17,5	9,7	25,1	6	4,6	9	0 0,0	3 3,1	0 0,0	2 3,0	2 2,5	11 2,2	26 1,6	23 1,8	9 2,0	6 2,2	2 2,0	2 2,0	4
7	947,9	1008,4	11,6	14,1	11,3	12,5		17,2	9,6	22,4	13	4,6	2	1 1,0	13 1,2	1 1,0	1 1,0	5 1,4	8 2,0	9 1,4	11 1,5	9 1,1	5 2,0	12 1,2	15 1,8	3
8	943,5	1009,9	13,2	12,6	12,1	11,0		14,8	8,7	21,6	18	5,1	28	2 1,5	10 2,5	6 2,3	0 2,3	0 2,2	3 2,0	12 1,4	20 2,0	18 2,0	4 2,0	2 2,0	3 2,0	1 1,0	4
9	947,0	1010,0	6,9	10,3	8,1	8,0		11,5	5,5	16,0	9	0,4	30	2 1,0	3 2,3	4 2,8	2 2,0	1 2,0	7 1,6	14 1,6	25 2,2	12 2,7	5 2,6	4 3,0	8 3,0	1
10	953,3	1019,2	2,0	4,1	3,0	2,8		5,2	1,1	11,0	9	- 6,5	28	3 0,0	0 0,0	0 0,0	2 3,5	10 2,7	8 1,8	25 1,6	23 1,6	5 1,2	1 1,0	4 1,0	5 2,6	5
11	943,9	1035,0	- 2,2	- 1,4	- 1,9	- 2,0		- 0,3	- 3,7	4,0	4	-10,0	15	0 0,0	0 0,0	1 1,0	12 3,1	2 2,5	9 2,3	25 1,8	12 1,8	6 1,0	3 1,8	8 2,6	3 2,8	1
12	941,1	1036,1	- 5,2	- 4,7	- 5,0	- 5,1		- 3,4	- 6,7	4,9	2	-14,1	13	0 0,0	4 3,0	4 1,8	8 2,3	5 3,4	10 2,4	11 1,7	11 2,5	7 2,0	8 2,9	16 2,4	4 2,5	5
ØR	947,0	1010,4	1,5	3,5	3,1	2,2		5,3	0,0	25,1		-21,0		11 2,3	58 2,3	33 2,2	73 2,4	68 2,2	137 1,9	214 1,7	173 1,9	79 1,9	55 2,0	57 2,1	69 2,2	66
OSLO - BLINDERN																									1979
1	1002,4	1014,6	- 8,5	- 8,9	- 7,7	- 7,9	- 3,2	- 5,4	-10,8	3,7	8	-24,3	1	5 2,8	32 2,3	10 1,8	3 1,0	0 0,0	1 1,0	5 1,8	6 1,7	3 1,3	2 1,5	0 0,0	0 0,0	26
2	1002,4	1014,7	- 6,3	- 4,1	- 5,7	- 6,6	- 2,0	- 2,5	-10,1	6,4	27	-18,0	15	6 2,2	23 2,7	1 1,0	3 0,0	1 1,0	0 0,0	11 2,3	8 1,5	4 1,0	3 2,0	3 2,0	2 2,5	22
3	999,8	1012,4	- 1,8	1,0	0,4	0,4	0,1	2,2	- 2,9	7,1	24	-18,0	18	6 2,2	24 3,0	4 2,3	0 0,0	5 2,0	7 2,6	20 3,0	13 2,8	5 2,4	3 1,3	1 1,0	0 0,0	5
4	1000,3	1012,0	2,1	5,7	5,3	3,9	- 0,9	7,4	1,1	14,4	12	- 3,3	18	3 2,3	36 2,7	4 1,8	1 2,0	4 1,3	4 2,5	8 1,9	11 1,7	8 1,8	1 1,0	1 1,0	1 2,0	8
5	1000,4	1011,9	6,3	10,7	10,1	8,5	- 2,2	12,9	5,2	24,3	31	- 0,3	1	6 2,3	2 2,0	4 1,5	1 2,3	3 2,0	1 2,5	32 2,4	13 2,1	8 2,1	2 2,0	3 2,0	2 3,0	10
6	1002,5	1013,7	13,8	18,6	13,1	13,8	1,1	20,8	11,4	27,8	6	5,0	30	2 2,0	3 3,1	2 2,5	1 3,0	3 1,3	5 2,6	25 2,7	19 2,1	9 1,9	6 2,2	0 0,0	0 0,0	13
7	997,3	1008,5	13,8	18,0	17,8	15,5	1,8	20,4	11,6	25,1	13	8,0	2	7 3,0	13 2,1	5 2,3	1 1,5	2 1,5	5 1,8	8 2,0	17 1,8	6 1,5	2 2,0	6 2,3	3 2,3	15
8	998,6	1009,8	12,0	16,4	15,9	14,3	1,9	18,5	10,8	25,1	18	6,4	22	2 2,5	20 2,5	6 2,3	3 1,7	2 1,5	4 2,0	21 2,4	4 2,0	3 1,7	1 1,0	1 1,0	3 2,3	23
9	997,6	1008,9	7,3	11,0	11,0	10,5	- 0,8	14,8	7,0	18,6	9	0,0	30	2 2,5	11 2,1	1 1,0	1 1,0	2 1,0	3 1,3	13 2,3	18 2,3	16 2,4	4 3,5	4 2,5	4 3,0	11
10	1007,9	1019,1	2,9	6,7	5,2	4,7	1,2	7,5	2,3	13,0	20	- 6,0	27	0 0,0	16 2,3	7 1,3	4 2,8	5 2,0	3 1,3	13 1,5	2 2,0	5 1,6	2 1,5	1 3,0	0 0,0	15
11	991,1	1004,9	- 0,8	1,0	- 0,1	- 0,2	1,3	2,0	- 2,3	8,5	4	- 7,6	12	4 2,0	22 3,1	12 2,3	3 1,0	3 1,7	3 3,0	4 2,5	8 1,6	5 2,2	2 1,5	1 1,0	0 0,0	23
12	991,1	1006,0	- 3,7	- 2,8	- 3,8	- 3,6	- 1,6	- 1,6	- 5,8	7,7	5	-14,6	13	5 1,8	29 3,1	6 1,3	0 0,0	2 1,0	2 2,5	7 2,6	7 1,7	6 1,7	2 2,5	2 3,0	1 2,0	24
ØR	998,9	1010,5	2,9	6,9	5,6	4,3	- 1,4	8,1	1,5	27,8		-24,3		48 2,4	353 2,9	62 2,3	21 1,8	32 1,9	41 2,2	167 2,4	126 2,0	78 1,9	30 2,1	23 2,1	16 2,8	195
FORNEBU																									1979
1	1012,9	1014,9	- 7,1	- 7,3	- 8,8	- 8,5	- 3,9	- 5,4	-12,3	3,5	8	-26,0	1	7 1,6	10 2,1	9 2,1	1 2,0	2 1,0	1 1,0	5 1,4	4 1,8	6 1,3	6 1,3	4 1,3	5 1,0	33
2	1012,7	1014,8	-10,3	- 4,3	- 8,4	- 7,4	- 3,0	- 2,6	-12,6	5,9	27	-22,6	15	7 1,4	5 1,3	7 3,1	1 1,0	3 1,0	2 1,0	10 2,3	3 1,3	1 1,0	3 1,3	0 0,0	5 2,6	37
3	1000,3	1032,3	- 1,9	1,3	0,6	- 0,2	0,1	2,9	- 2,8	7,3	31	-18,1	18	4 2,0	13 2,5	11 2,3	3 1,5	6 1,5	4 2,5	22 3,0	7 3,0	6 2,2	4 1,5	1 2,0	2 1,5	12
4	1009,8	1011,8	2,2	6,4	5,3	4,4	- 0,9	8,1	1,3	14,3	12	- 3,9	16	0 0,0	13 2,5	16 2,9	1 1,3	4 1,5	2 1,5	14 1,9	7 1,6	4 1,8	3 2,3	2 1,0	3 2,3	18
5	1009,8	1011,7	7,3	11,5	11,3	9,2	- 2,2	13,8	5,4	26,4	31	- 0,4	5	2 2,0	3 2,0	1 2,3	5 1,4	3 2,3	3 1,2	39 2,6	8 2,3	3 1,3	5 1,8	6 2,2	2 2,0	8
6	1011,7	1013,6	14,0	18,9	18,3	15,3	0,8	21,6	11,8	28,5	6	5,5	30	2 2,0	3 2,3	3 3,0	2 1,5	3 1,3	3 1,3	31 2,7	14 2,5	7 1,7	2 2,5	6 2,5	1 2,0	10
7	1006,5	1008,4	14,4	18,5	18,7	16,1	1,9	21,2	11,9	25,7	13	5,4	2	15 2,3	4 2,0	5 1,2	3 2,3	3 1,8	2 2,0	22 2,5	6 2,0	4 1,8	6 2,2	11 2,1	6 2,6	6
8	1007,8	1009,7	12,5	17,2	16,5	14,5	2,1	19,3	10,7	26,5	18	6,1	23	6 2,3	7 1,5	6 1,5	6 1,8	7 1,6	5 2,4	19 2,7	10 2,1	6 2,3	3 1,7	4 2,0	7 2,1	7
9	1006,9	1008,5	8,5	10,3	12,8	11,4	- 0,7	16,0	7,2	20,0	11	- 0,4	16	3 1,2	5 1,5	4 1,3	1 1,0	3 1,3	2 1,5	17 2,8	16 3,3	11 3,0	7 3,0	5 3,2	5 2,0	8
10	1017,1	1019,1	2,9	7,5	5,1	3,0	- 1,5	8,4	2,1	14,0	30	- 6,0	27	11 1,5	5 1,3	14 2,1	8 2,4	6 2,7	3 1,0	14 1,8	1 4,0	0 0,0	6 1,7	0 0,0	2 1,0	33
11	1002,9	1034,9	- 1,1	0,8	- 0,1	- 0,5	2,1	2,1	- 3,3	9,0	4	-10,0	12	9 1,9	12 2,2	9 2,3	2 2,0	0 1,7	7 2,4	2 2,0	7 2,0	5 1,0	1 1,0	1 1,0	0 1,7	23
12	1001,0	1036,1	- 4,3	- 2,8	- 3,8	- 3,9	- 2,2	- 1,3	- 6,4	8,7	5	-15,8	13	7 1,6	10 2,3	6 2,2	7 1,0	3 1,7	3 2,0	5 3,4	5 2,6	3 2,3	5 2,4	7 1,0	4 1,5	28
ØR	1003,5	1010,5	3,0	6,9	5,9	4,7	- 1,7	8,7	1,1	28,5		-26,0		75 1,8	90 2,2	94 2,2	42 1,7	54 1,7	39 1,8	200 2,5	88 2,4	56 2,0	50 2,0	47 2,0	47 1,9	213
DONSKI																									1979
1			- 8,8	- 7,8	- 9,0	- 8,3	- 3,1	- 6,0	-12,4	4,5	8	-21,0	1	7 1,9	2 2,5	3 2,0	5 2,2	1 2,0	0 0,0	0 0,0	0 0,0	1 1,0	1 4,0	14 2,5	31 2,1	28
2			-10,8	- 4,9	- 7,1	- 8,1	- 3,1	- 3,3	-12,6	5,4	27	-20,8	6	2 2,0	5 2,2	2 1,5	3 1,8	2 1,5	7 2,7	0 0,0	0 0,0	2 1,5	0 0,0	10 1,4	9 1,9	40
3			- 2,8	1,0	- 0,1	- 0,9	0,3	2,4	- 3,7	8,7	5	-19,7	18	4 2,5	6 2,5	3 2,0	9 2,2	10 2,4	11 2,8	6 2,3	2 2,0	2 1,5	4 1,8	8 1,9	8 1,8	20
4			1,9	5,6	5,2	3,9	- 0,9	7,5	1,1	13,8	12	- 4,0	16	4 2,5	7 2,4	13 2,4	1 1,5	6 1,5	6 1,8	7 1,7	2 2,5	4 2,0	1 1,0	5 1,8	8 1,8	23
5			6,7	10,8	10,4	8,3	- 2,4	13,1	4,2	25,1	31	- 2,3	6	3 1,3	0 0,0	2 3,0	10 2,7	13 2,5	19 2,7	10 2,8	1 3,0	7 2,6	1 3,0	13 2,5	7 2,0	7
6			13,3	18,6	18,2	13,0	0,8	21,0	10,7	28,5	6	4,3	30	4 1,8	3 1,5	7 1,7	6 1,5	14 2,4	21 2,0	9 2,6	5 2,0	2 2,5	5 2,2	10 2,2	3 2,3	1
7			13,3	18,0	17,7	13,4	2,0	20,6	10,8	24,6	13	3,4	2	13 2,3	1 1,0	4 1,8	7 1,6	4 2,3	5 2,0	9 2,3	4 2,0	3 1,7	8 2,4	17 2,5	15 2,3	3
8			11,4	16,7	15,6	13,6	2,1	18,5	9,5	25,5	18	4,9	23	4 2,0	2 1,5	0 0,0	6 1,5	6 1,7	11 2,0	10 2,3	5 2,2	2 2,0	1 2,0	11 1,8	16 2,1	19
9			7,1	14,1	11,4	10,1	- 0,6	15,3	5,9	19,8	9	- 0,9	28	2 2,0	1 1,0	2 2,0	6 1,7	4 1,5	7 2,0	6 1,8	3 2,0	10 2,3	11 3,2	11 2,9	7 2,4	20
10			2,2	6,6	4,5	4,1	- 1,1	7,6	1,3	13,4	20	- 5,5	27	4 1,8	1 1,0	6 1,6	7 2,1	6 2,2	4 3,0	1 1,0	1 1,0	1 1,0	6 1,8	13 1,5	6 1,8	35
11			- 1,5	0,1	- 1,2	- 1,2	- 1,4	1,5	- 4,2	8,5	4	-11,5	12	2 1,5	0 0,0	4 2,5	5 2,4	5 2,6	3 2,3	1 1,0	1 1,0	3 2,0	1 2,0	14 2,0	18 2,4	33
12			- 4,9	- 4,3	- 4,8	- 4,8	- 1,5	- 2,2	- 7,4	8,5	5	-18,0	19	3 1,7	3 3,1	4 1,8	2 3,0	1 1,0	4 2,3	2 3,0	0 0,0	2 2,5	3 2,7	11 2,1	24 2,5	34
ØR			2,4	6,2	5,0	3,9	- 1,5	8,0	0,3	28,5		-21,8		42 2,0	31 2,2	52 2,0	72 2,0	72 2,2	98 2,3	61 2,3	24 2,0	39 2,3	42 2,5	137 2,1	152 2,2	263
ASKER BRANNSTASJON																									1979
1			- 6,8	- 7,4	- 9,1	- 8,7		- 5,8	-12,8	5,4	7	-24,6	1	3 1,0	10 1,2	10 1,3	3 1,7	4 1,0	0 0,0	2 1,0	4 2,0	7 1,9	3 1,0	4 3,5	23 1,7	20
2			- 2,4	- 4,3	- 6,3	- 6,3		- 2,9	-11,5	5,5	27	-20,5	17	9 1,8	4 2,3	6 2,8	3 2,3	3 1,3	2 2,5	2 2,0	2 3,5	0 0,0	8 1,0	9 1,7	16 1,6	19
3			- 1,9	1,2	- 3,7	- 3,9		2,2	- 3,5	8,8	3	-20,1	18	3 1,3	3 1,7	1 2,3	2 1,0	5 1,8	8 2,6	7 2,6	5 1,8	5 2,8	9 1,6	4 1,8	11 2,1	27
4			2,0	5,4	4,2	3,1		6,9	1,1	13,5	12	- 5,1	16	2 3,0	7 2,1	9 2,0	6 1,7	2 1,0	3 2,0	0 0,0	0 0,0	5 2,2	4 3,5	3 3,0	4 1,3	45
5			7,6	10,8	9,3	8,2		13,0	4,4	24,1	31	- 2,1	6	5 2,6	3 2,3	8 2,1	1 1,8	11 2,6	8 2,0	8 2,6	4 2,8	8 1,9	3 2,0	9 2,2	3 4,0	19
6			13,0	18,4	17,1	13,4		20,6	10,6	27,6	6	6,5	30	1 3,0	2 2,3	4 2,3	6 1,8	13 2,2	14 2,6	7 2,9	2 3,0	4 2,8	4 3,0	3 4,3	4 2,0	26
7			14,8	17,8	17,1	15,3		19,7	11,5	24,5	13	4,6	2	3 3,0	1 3,0	2 1,0	7 2,4	6 1,5	5 2,2	4 2,3	5 2,0	4 2,8	2 2,5	11 2,8	12 2,8	29
8			12,9	16,3	14,7	13,5		17,9	9,8	24,0	18	4,9	23	10 2,4	3 2,0	9 1,6	7 1,9	8 2,6	15 2,1	1 1,0	3 1,3	0 0,0	3 2,0	1 2,0	4 2,5	89
9			10,1	14,0	10,9	10,8		14,8	6,9	19,0	4	- 0,3	30	2 1,0	4 1,5	6 2,2	3 1,3	2 2,0	4 3,0	4 2,3	13 2,8	6 3,2	11 2,3	4 2,3	9 2,7	82
10			3,3	6,5	4,1	4,3		7,5	1,7	14,6	10	- 4,6	24	5 2,0	2 1,0	7 2,3	3 2,8	3 2,0	0 1,5	3 1,0	1 1,0	4 1,8	5 2,0	2 2,0	5 1,6	46
11			- 1,4	0,5	- 1,1	- 1,0		1,8	- 4,1	7,5	4	-11,0	15	7 1,0	5 3,1	10 1,3	3 0,0	0 3,0	0 0,0	4 2,8	8 2,0	7 1,4	2 1,5	19 2,7	3 3,0	88
12			- 4,7	- 3,8	- 4,8	- 4,4		- 2,0	- 7,1	7,9	5	-16,6	13	6 2,0	0 0,0	3 1,7	1 1,3	2 4,0	4 2,5	0 0,0	2 2,5	8 2,9	2 1,5	20 2,4	10 1,8	32
ØR			3,3	6,3	4,8	4,1		7,8	0,8	27,6		-24,6		58 2,0	44 2,0	78 1,9	49 2,0	53 2,3	69 2,3	42 2,4	47 2,3	66 2,2	57 2,1	96 2,4	82 2,1	339

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MÅ.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅR	MIDLERE SKYDEKKE 07	13	19	ÅR	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN ≤0	TX ≤0	TN ≤-10	TX ≥25.	NEDBØR R≥0,1	R≥1,0	R≥10,0.	VINDSTYRKE FX≥8	FX≥8	FX≥8	ANTALL DAGER MED: TÅKE 07	13	19.	FOREKOMST AV R	S	SL	YR	SH	H	IH	TO	KV	OV	SD
SKOTTERUD																																			1979
1	87	86	86	86	5,7	5,9	6,1	5,9	20	44	6,8	13	31	23	20	0	7	6	0	0	0	0	4	20	31	1	2	3	6	0	0	0	0	4	20	31
2	88	74	75	80	3,8	3,8	4,3	4,0	18	55	12,0	4	27	21	20	0	5	4	1	0	0	0	3	4	0	3	0	0	0	0	0	0	9	10	28
3	88	74	76	81	6,7	6,4	6,0	6,4	66	287	18,0	10	22	4	5	0	13	12	2	1	0	0	11	9	7	6	0	0	0	0	0	2	21	31	7
4	87	67	67	76	6,7	6,5	6,5	6,6	99	160	12,0	25	14	0	0	0	19	13	1	0	0	0	15	3	2	5	0	0	0	0	0	4	22	9	3
5	86	62	61	74	6,9	6,8	6,6	6,4	73	140	19,5	28	7	0	0	1	17	14	1	0	0	0	17	6	6	0	0	1	0	3	2	20	1	5	1
6	82	49	49	67	3,9	4,8	4,1	4,3	38	71	13,0	23	0	0	0	3	10	10	2	0	0	0	10	0	0	0	0	0	0	5	6	6	0	0	0
ÅR																																			
TRYVASSHØGDA II																																			1979
1	84	84	83	84	6,1	6,5	5,8	5,7	29	45	11,7	13	31	29	19	0	17	9	1	2	0	0	1	17	0	1	0	0	0	0	3	14	31	9	8
2	70	67	68	69	1,8	4,8	4,8	4,7	29	66	7,6	3	28	22	11	0	10	7	0	1	0	0	1	9	0	2	0	0	0	0	6	10	28	7	6
3	88	85	84	86	6,5	6,6	6,1	6,4	138	480	32,0	10	31	17	4	0	20	17	5	1	0	0	4	18	0	3	0	0	0	0	2	18	31	17	16
4	80	74	74	77	6,3	7,0	6,6	6,8	116	200	25,5	26	22	2	0	0	15	14	4	2	0	0	8	13	5	4	0	0	0	0	1	22	30	14	11
5	81	70	73	79	6,3	6,9	6,5	6,6	93	163	16,3	30	12	0	0	0	19	15	3	4	0	0	16	6	3	4	0	2	0	1	1	20	13	14	6
6	71	59	59	67	5,1	5,7	5,6	5,6	55	57	13,0	25	0	0	0	1	12	9	1	1	0	0	12	0	0	4	0	0	0	0	1	11	0	8	3
7	76	68	69	71	6,3	6,5	6,3	6,4	131	118	28,3	15	0	0	0	0	20	15	4	0	0	0	20	0	0	4	0	1	0	2	0	16	0	4	4
8	83	72	71	77	5,8	6,5	6,1	6,1	171	134	49,7	9	0	0	0	0	19	14	6	2	0	0	19	0	0	8	0	0	0	0	2	18	0	9	5
9	81	66	66	73	5,5	5,9	5,0	5,5	101	86	43,0	3	0	0	0	0	17	11	3	7	0	0	17	0	0	7	0	0	0	0	2	11	0	12	5
10	83	77	80	80	6,0	5,5	5,3	5,7	92	90	17,4	15	13	3	0	0	17	12	4	2	0	0	13	4	0	8	0	0	0	0	5	17	2	9	10
11	85	82	84	84	5,9	6,1	5,7	5,9	175	177	37,0	4	28	15	0	0	16	14	7	3	0	0	7	15	5	2	1	0	0	0	0	14	30	13	13
12	83	80	84	83	4,7	4,7	5,1	4,9	102	115	33,1	28	27	22	12	0	16	13	4	3	0	0	1	15	0	0	0	0	0	0	5	12	31	10	7
ÅR	80	74	74	78	5,7	6,0	5,8	5,9	1262	126	49,7		192	110	63	1	198	150	42	39	0	0	119	97	13	47	1	3	0	3	28	183	196	126	94
OSLO - BLINDERN																																			1979
1	77	71	78	75	5,3	5,4	4,9	5,2	12	24	3,5	13	31	28	15	0	14	2	0	1	0	0	0	14	0	1	0	0	0	0	5	12	31	0	0
2	77	62	66	70	4,4	4,2	4,1	4,2	17	49	4,6	8	27	20	13	0	3	6	0	0	0	0	2	6	0	2	0	0	0	0	8	10	28	3	1
3	79	68	72	74	6,1	5,9	5,7	5,9	118	442	32,0	10	23	5	0	0	17	14	4	1	0	0	14	12	7	5	0	0	0	0	4	18	31	6	4
4	76	59	62	68	6,4	6,4	6,2	6,3	80	182	20,0	25	8	0	0	0	16	12	3	0	0	0	15	6	5	6	0	0	0	0	1	19	3	3	2
5	77	57	61	70	6,2	6,4	5,8	6,0	60	136	12,5	30	1	0	0	0	20	12	1	0	0	0	20	2	1	3	1	1	0	4	2	16	0	1	0
6	73	54	53	64	5,1	5,0	4,3	4,9	38	54	7,9	16	0	0	0	5	13	10	0	0	0	0	13	0	0	2	0	2	0	3	2	10	0	1	0
7	75	59	59	67	5,9	5,8	5,8	5,8	81	96	13,2	19	0	0	0	1	20	16	4	0	0	0	20	0	0	2	0	1	0	5	0	13	0	0	0
8	84	61	62	72	5,3	5,9	5,7	5,8	105	109	20,1	9	0	0	0	1	18	12	4	0	0	0	18	0	0	9	0	0	0	2	3	16	0	2	0
9	85	55	62	71	5,2	5,3	4,7	5,1	84	101	27,6	3	0	0	0	0	16	15	3	2	0	0	18	0	0	7	0	0	0	1	2	10	0	3	1
10	89	69	77	80	5,3	5,5	5,2	5,5	75	99	15,9	15	13	2	0	0	10	9	5	0	0	0	14	2	0	6	0	0	0	1	2	17	0	6	3
11	86	76	84	83	5,7	6,0	5,9	5,9	104	151	23,1	4	22	7	0	0	17	12	4	2	0	0	13	10	3	3	0	0	0	0	2	14	22	4	3
12	78	75	79	78	4,3	5,1	5,1	4,9	58	92	15,4	28	21	17	9	0	16	7	1	1	0	0	11	12	7	5	0	0	0	0	6	11	31	5	8
ÅR	80	64	68	73	5,6	5,8	5,3	5,5	829	112	32,0		144	79	40	7	193	127	29	7	0	0	158	64	23	51	1	4	0	16	37	166	146	30	22
FOR IEBU																																			1979
1	87	84	84	85	5,3	5,3	5,5	5,5	7	16	1,5	7	31	27	18	0	13	2	0	0	0	0	0	13	0	0	0	0	0	0	4	17	31	0	0
2	88	73	72	78	4,9	4,8	4,4	4,8	12	36	3,6	8	27	20	21	0	8	4	0	0	0	0	1	7	0	1	0	0	0	0	7	11	28	1	0
3	80	69	70	74	6,3	5,8	5,3	6,0	93	388	23,2	10	20	9	3	0	10	11	4	1	0	0	13	13	10	5	0	0	0	0	1	18	26	0	0
4	82	62	64	71	6,8	6,4	6,2	6,5	64	168	17,4	26	7	0	0	0	17	12	1	0	0	0	10	3	2	7	0	0	0	0	1	20	1	1	0
5	79	59	62	71	6,1	6,1	5,5	5,9	62	155	10,9	28	2	0	0	1	19	13	1	0	0	0	13	3	2	3	0	4	0	5	0	14	0	0	0
6	69	52	52	61	5,2	4,4	4,3	4,6	44	65	11,0	16	0	0	0	3	13	10	1	0	0	0	13	0	0	5	0	0	0	2	4	7	0	0	0
7	69	56	55	62	6,1	5,4	5,5	5,6	64	88	12,6	30	0	0	0	1	19	11	2	0	0	0	19	0	0	3	0	0	0	5	0	13	0	0	0
8	82	60	62	71	5,5	5,4	5,3	5,4	81	90	19,7	9	0	0	0	1	17	14	2	0	0	0	17	0	0	6	0	0	0	2	4	14	0	0	0
9	80	55	58	67	5,1	5,1	4,8	5,0	64	79	25,9	3	1	0	0	0	19	13	1	0	0	0	19	0	0	5	0	1	0	1	3	10	0	0	0
10	86	71	74	78	6,1	5,3	5,3	5,6	78	111	17,1	15	13	0	0	0	15	8	4	0	0	0	13	3	0	6	1	0	0	1	3	18	0	1	0
11	87	83	85	85	5,6	5,6	5,1	5,8	91	134	19,1	13	24	6	2	0	17	13	3	1	0	0	12	11	4	7	0	1	0	0	2	15	22	1	3
12	88	84	83	84	4,7	5,2	5,0	5,2	50	85	11,9	28	28	17	11	0	18	7	1	1	0	0	9	14	5	3	0	0	0	0	6	14	20	0	0
ÅR	81	67	68	74	5,7	5,4	5,4	5,5	710	103	25,9		190	75	53	1	191	118	20	3	0	0	150	67	23	51	1	6	0	16	39	171	128	4	3
DØNSKI																																			1979
1	80	77	79	79	5,9	4,9	5,2	5,3	15	22	4,3	12	31	27	18	0	13	4	0	1	0	0	1	17	0	1	0	0	0	0	5	14	31	0	0
2	86	68	77	79	4,3	4,4	4,3	4,3	22	47	5,9	3	27	21	20	0	20	5	0	0	0	0	3	13	1	3	1	0	0	0	8	10	28	1	0
3	88	73	78	80	6,0	5,7	5,6	5,8	153	437	44,4	10	22	5	3	0	19	15	5	0	0	0	11	17	9	2	1	1	0	0	2	17	31	1	1
4	83	64	66	73	6,5	6,7	6,2	6,5	81	147	19,7	26	8	0	0	0	21	10	3	0	0	0	17	10	6	6	0	0	0	0	1	20	12	2	0
5	81	60	63	73	5,4	6,2	5,7	6,1	76	136	11,8	27	7	0	0	1	21	13	2	0	0	0	18	1	0	2	0	4	0	5	0	16	0	0	1
6	72	53	53	63	5,1	4,5	4,1	4,6	52	64	11,0	9	0	0	0	4	15	9	1	1	0	0	15	0	0	4	0	1	0	3	4	6	0	1	0
7	74	56	59	66	6,1	5,3	5,3	5,6	108	110	20,8	30	0	0	0	0	20	14	4	0	0	0	20	0	0	3	0	0	0	7	0	10	0	0	0
8	86	59	65	74	5,7	5,7	5,6	5,7	116	98	32,4	9	0	0	0	1	20	13	2	0	0	0	24	0	0	6	0	0	0	2	4	17	0	0	0
9	86	53	61	70	4,7	5,2	4,6	4,8	66	67	24,9	3	3	0	0	0	26	11	1	2	0	0	21	0	0	8	0	0	0	1	3	10	0	3	0
10	92	72	82	83	6,0	5,5	4,3	5,5	93	96	22,0	15	16	2	1	0	27	9	3	0	0	0	15	4	0	12	2	0	0	1	5	17	3	4	3
11	88	81	87	86	5,4	5,7	5,7	5,6	124	128	29,8	13	25	8	1	0	26	14	3	2	0	0	10	16	4	4	0	1	0	0	4	14	23	2	1
12	84	80	81	82	5,0	4,8	3,6	5,1	65	73	17,6	28	28	18	12	0	24	10	2	0	0	0	10	18	6	2	2	1	0	0	7	15	31	1	0
ÅR	83	66	71	76	5,6	5,4	5,2	5,4	971	103	44,4		167	81	54	3	266	127	26	9	0	0	165	96	26	53	6	8	0	19	43	166	159	15	6
ASKER BRANNSTASJON																																			1979
1	81	77	80	80	5,6	5,5	5,4	5,5	16		7,4	12	31	27	19	0	13	4	0	0	0	0	0	13	0	0	0	0	0	0	4	14	31	1	1
2	83	67	75	76	1,8	4,4	4,1	4,5	19		5,7	3	28	23	17	0	10	5	0	1	0	0	1	9	0	1	0	0	0	0	6	11	28	3	0
3	83	73	80	80	6,0	5,9	5,3	5,8	149		39,0	10	23	5	3	0	17	14	5	2	1	0	8	14	3	4	0	0	0	0	4	16	31	1	1
4	81	66	71	76	6,3	6,3	6,1	6,4	87		21,9	25	6	0	0	0	14	10	3	0	0	0	12	4	0	6	0	0	0	0	3	21	13	6	2
5	75	61	66	73	3,9	5,9	4,8	5,5	68		23,6	27	6	0	0	0	17	13	1	2	0	0	17	1	1	2	0	4	0	3	1	11	0	3	2
6	67	55	59	66	4,9	4,5	4,4	4,6	42		15,7	25	0	0	0	4	10	8	1	0	0	0	10	0	0	2	0	0	0	0	3	6	0	0	0
7	72	60	63	69	6,0	5,3	5,7	5,7	81		27,7	30	0	0	0	0	20	14	3	0	0	0	20	0	0	1	0	0	0	2	1	10	0	3	2
8	81	64	72	77	5,7	5,5	5,6	5,6	91		21,5	1	0	0	0	0	16	12	3	1	0	0	16	0	0	8	0	0	0	1	4	15	0	1	0
9	78	56	67	70	5,0	4,9	4,6	4,8	45		16,1	3	1	0	0	0	15	12	1	4	0	0	15	0	0	8	0	0	0	0	4	10	0	4	2
10	92	75	87	86	6,1	5,5	5,2	5,6	92		18,6	15	16	2	0	0	14	11	4	0	0	0	12	2	0	6	0	0	0	1	4	15	0	8	7
11	90	83	86	86	6,1	5,8	5,4	5,8	136		29,3	13	27	8	2	0	17	14	7	2	0	0	8	14	3	7	0	0	0	0	4	15	23	5	2
12	87	82	87	86	5,5	4,7	5,3	5,2	80		15,0	28	28	17	11	0	14	10	2	2	0	0	4	13	2	1	0	0	0	0	5	13	31	4	2
ÅR	81	68	75	77	5,7	5,4	5,2	5,4	886		39,0		166	82	52	4	177	127	30	14	1	0	123	70	9	44	0	4	0	7	43	157	157	39	21

NO.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX DT	MIN DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
NESJYEN - SKOGLUND																								1979
1		-10,9	-15,6	-10,6	-13,6	- 5,9	-13,0	-20,4	- 4,5	7	-34,5	1	13 1,0	1 1,0	9 1,1	10 1,0	2 1,0	2 1,0	3 1,7	3 1,0	4 1,0	12 1,0	12 1,3	15 1,0	7
2		-13,3	- 3,9	- 3,3	-11,0	- 2,3	- 5,1	-18,5	8,0	26	-26,5	15	11 1,1	10 1,1	6 1,2	2 1,0	6 1,0	5 1,0	4 1,3	11 1,4	14 1,0	4 1,0	5 1,0	8 1,0	1
3		- 1,4	0,7	- 0,1	- 1,4	1,7	2,8	- 4,8	10,0	3	-23,0	18	8 1,0	2 1,0	5 1,2	9 1,1	10 1,3	9 1,0	12 1,0	3 1,0	8 1,1	11 1,5	3 1,7	13 1,1	0
4		0,5	6,3	3,7	3,4	0,1	7,9	0,1	13,5	28	- 3,6	15	6 1,5	8 1,3	7 1,1	3 1,0	12 1,2	13 1,0	9 1,0	5 1,2	4 1,3	10 1,1	0 0,0	13 1,2	0
5		1,8	11,2	11,2	7,3	- 1,7	13,3	2,3	20,5	30	- 4,0	2	6 1,2	5 1,3	1 1,0	9 1,1	7 1,3	11 1,5	6 1,2	5 1,0	22 1,6	3 2,3	3 1,0	15 1,2	0
6		11,0	20,1	19,0	15,3	1,7	22,7	9,1	29,5	6	2,8	30	5 1,8	9 1,5	13 1,0	6 1,3	7 1,4	18 1,4	9 1,1	2 1,5	5 1,8	10 1,7	2 1,5	7 1,6	0
7		11,1	18,5	17,8	14,8	- 1,3	20,7	9,7	28,5	12	3,2	4	19 1,1	1 1,0	0 1,0	2 1,0	4 1,0	8 1,1	11 1,0	4 1,0	9 1,0	7 1,0	5 1,8	17 1,1	0
8		8,9	15,9	15,0	12,2	- 1,7	18,1	8,3	25,0	18	0,6	28	8 1,0	4 1,0	14 1,0	2 1,0	6 1,0	8 1,0	15 1,1	4 1,0	6 1,3	5 1,2	7 1,0	14 1,0	0
9		5,2	13,1	10,2	8,0	- 0,3	14,7	4,7	22,6	6	- 4,8	30	8 1,8	4 1,1	4 1,0	6 1,0	4 1,0	5 1,0	2 1,0	3 1,7	16 1,2	14 1,8	9 1,6	14 1,3	1
10		- 0,5	1,8	2,1	1,0	- 1,4	6,5	- 1,3	16,5	11	-10,5	28	4 1,0	12 1,0	7 1,0	2 1,5	3 1,0	3 1,0	13 1,0	14 1,0	15 1,1	7 1,3	4 1,0	8 1,0	1
11		- 4,3	- 4,7	- 5,2	- 3,9	- 3,1	- 2,6	- 8,9	6,0	30	-19,2	16	6 1,0	16 1,0	10 1,1	11 1,0	7 1,0	0 0,0	3 1,0	3 1,0	16 1,1	9 1,0	3 1,7	3 1,0	3
12		-10,5	- 9,8	-13,2	-13,0	- 3,4	- 7,2	-13,6	7,8	5	-24,5	23	3 1,0	10 1,1	6 1,0	3 1,0	3 1,0	1 1,0	2 1,0	3 1,0	13 1,1	11 1,1	5 1,4	17 1,1	16
ÅR		- 3,9	4,2	3,3	1,3	- 1,4	6,6	- 2,9	29,5		-34,9		97 1,2	79 1,1	88 1,1	63 1,1	71 1,1	83 1,2	89 1,1	60 1,1	132 1,2	103 1,3	58 1,3	141 1,1	29
GOL - STAKE																								1979
1		-14,7	-12,4	-13,3	-14,3	- 6,3	-10,5	-17,1	0,5	7	-32,0	1	0 0,0	0 0,0	25 1,0	37 1,0	3 1,0	4 1,0	0 0,0	4 1,0	8 1,0	6 1,2	5 1,0	0 0,0	1
2		- 3,9	- 3,0	- 7,1	- 7,8	- 0,9	- 3,6	-11,3	5,0	26	-21,0	15	0 0,0	0 0,0	23 1,3	23 1,1	2 1,0	0 0,0	0 0,0	8 1,0	5 1,0	5 1,4	5 1,4	2 1,0	0
3		- 5,2	- 1,2	- 2,3	- 3,5	- 0,4	0,1	- 6,9	6,0	3	-24,5	18	0 0,0	0 0,0	19 1,4	46 1,3	2 1,5	3 1,0	0 0,0	3 1,3	4 1,5	10 1,8	4 2,3	2 1,0	0
4		- 0,3	3,0	2,2	1,2	- 0,5	4,8	- 1,5	9,5	12	- 7,0	18	0 0,0	1 1,1	20 1,0	34 1,1	3 1,0	2 1,0	1 1,0	3 1,0	3 1,0	17 1,4	6 1,0	0 0,0	0
5		1,9	8,2	7,2	3,1	- 2,1	9,9	0,3	17,0	31	- 6,5	2	1 1,0	1 1,1	18 1,3	19 1,3	3 1,0	2 1,0	0 0,0	10 1,2	16 1,4	15 1,5	11 1,4	0 0,0	0
6		11,6	17,4	15,3	13,1	1,8	19,0	7,3	26,4	6	1,5	30	0 0,0	1 1,1	23 1,4	27 1,3	2 1,0	0 0,0	2 1,3	5 1,2	7 1,0	13 1,6	7 1,4	1 1,0	2
7		10,9	15,5	13,3	12,1	1,8	17,5	7,6	23,5	13	2,0	2	0 0,0	1 1,0	24 1,2	11 1,0	3 1,0	0 0,0	2 1,0	9 1,2	10 1,1	18 1,4	9 1,4	1 1,0	2
8		8,9	13,5	11,3	10,3	2,0	15,0	6,4	22,5	18	0,0	28	0 0,0	0 0,0	27 1,3	29 1,2	3 1,0	4 1,0	3 1,0	6 1,0	2 1,0	6 1,3	7 1,3	1 1,0	5
9		3,1	10,6	7,3	5,9	- 0,8	11,6	3,4	19,5	6	- 4,0	30	1 1,0	1 1,0	17 1,2	20 1,1	2 1,0	0 0,0	2 1,0	5 1,2	2 2,0	29 1,4	8 1,9	0 0,0	3
10		- 0,4	4,8	1,9	1,7	- 0,7	5,3	- 1,1	14,5	11	- 9,5	28	0 0,0	0 0,0	14 1,0	50 1,0	3 1,0	1 1,0	3 1,0	7 1,1	2 1,0	8 1,1	1 3,0	1 1,0	3
11		- 5,3	- 3,4	- 4,1	- 4,7	- 2,3	- 1,4	- 7,4	4,0	4	-16,0	15	0 0,0	2 1,0	17 1,2	40 1,2	1 1,0	1 1,0	4 1,0	9 1,0	7 1,0	7 1,3	1 1,0	1 1,0	0
12		- 8,9	- 8,1	- 8,7	- 9,9	- 3,7	- 5,6	-11,7	5,0	5	-21,5	12	0 0,0	1 1,0	13 1,0	27 1,0	0 0,0	1 2,0	0 0,0	4 1,0	14 1,1	27 1,5	3 1,0	1 1,0	0
ÅR		- 0,4	3,6	1,3	1,0	- 1,0	5,2	- 2,7	26,4		-32,0		2 1,0	8 1,0	247 1,2	366 1,1	30 1,0	18 1,1	17 1,0	73 1,1	80 1,2	161 1,4	67 1,4	10 1,0	16
GEILO - GEILOSTJLEN																								1979
1		-14,2	-12,4	-14,0	-13,8	- 5,6	-10,0	-18,0	1,6	7	-33,5	1	0 0,0	0 0,0	0 0,0	5 1,2	0 0,0	0 0,0	0 0,0	2 3,5	3 2,3	2 2,0	0 0,0	0 0,0	81
2		-13,1	- 8,3	- 8,4	- 8,7	- 0,9	- 4,9	-12,8	2,0	26	-24,4	14	0 0,0	0 0,0	0 0,0	4 1,3	0 0,0	0 0,0	1 1,0	2 3,0	8 2,9	9 2,6	6 3,0	3 4,3	51
3		- 6,9	- 4,9	- 4,3	- 5,2	- 0,1	- 1,4	- 8,6	4,0	3	-25,0	18	0 0,0	2 1,0	1 1,0	15 1,6	0 0,0	0 0,0	1 2,0	3 4,7	15 4,2	8 2,5	2 3,0	2 4,5	44
4		- 1,9	1,5	0,3	0,6	0,1	2,6	- 3,8	7,8	12	-10,2	8	0 0,0	0 0,0	3 1,7	17 1,5	0 0,0	0 0,0	2 1,5	2 2,5	5 1,6	19 1,8	5 1,6	3 2,7	34
5		1,1	4,3	3,3	2,0	- 2,9	6,0	- 2,1	14,2	31	-10,5	2	1 3,0	0 0,0	0 0,0	6 1,3	0 0,0	2 1,0	2 2,0	7 2,1	19 2,3	31 2,3	4 3,0	0 0,0	21
6		10,1	14,4	13,3	11,1	1,7	16,4	5,2	23,2	5	1,2	29	1 1,0	1 1,0	0 0,0	1 1,5	1 3,0	0 0,0	0 0,0	4 4,0	16 2,4	34 2,4	4 2,0	1 2,0	24
7		9,4	13,1	11,7	10,3	1,7	14,9	5,6	21,2	13	0,6	4	11 2,5	0 0,0	0 0,0	7 1,0	0 0,0	0 0,0	1 1,0	3 1,0	3 1,7	19 1,9	11 2,6	5 3,4	33
8		7,5	11,9	10,3	8,9	1,9	13,3	4,5	19,8	18	- 1,5	31	3 2,3	3 1,0	0 0,0	10 1,0	0 0,0	0 0,0	1 2,0	5 1,2	10 1,8	12 1,8	1 1,0	0 0,0	48
9		4,1	7,9	6,3	3,2	- 1,1	9,2	2,0	20,0	6	- 7,0	30	2 1,5	0 0,0	0 0,0	2 1,0	0 0,0	0 0,0	2 1,5	3 4,3	16 2,5	27 3,1	8 2,9	1 3,0	29
10		- 1,3	3,5	3,3	0,6	- 0,9	4,6	- 3,1	12,8	11	-11,5	28	0 0,0	0 0,0	1 1,0	5 1,4	0 0,0	1 1,0	0 0,0	1 2,0	5 2,0	16 2,4	0 0,0	0 0,0	64
11		- 4,4	- 2,3	- 4,2	- 4,1	- 1,6	- 1,1	- 7,7	6,0	29	-17,0	15	0 0,0	0 0,0	0 0,0	3 1,1	0 0,0	0 0,0	0 0,0	3 2,7	10 2,1	16 2,0	1 5,0	0 0,0	52
12		- 9,3	- 8,3	- 9,1	- 9,1	- 4,1	- 5,6	-12,3	5,2	2	-23,0	16	1 3,0	0 0,0	0 0,0	5 1,4	0 0,0	1 2,0	0 0,0	2 3,0	3 3,0	17 3,0	2 3,5	2 3,5	60
ÅR		- 1,3	2,0	0,3	0,3	- 1,0	3,7	- 4,3	23,2		-33,5		19 2,3	6 1,3	5 1,4	88 1,3	1 3,0	4 1,3	10 1,6	37 2,7	113 2,5	210 2,4	44 2,7	17 3,5	541
FINSE																								1979
1		-19,5	-13,5	-14,1	-14,8	- 5,5	-10,6	-20,0	- 1,4	7	-34,0	1	0 0,0	1 4,0	1 2,0	7 2,9	17 2,7	12 2,5	1 3,0	0 0,0	1 4,0	3 3,7	4 6,0	4 3,0	42
2		-11,1	- 9,5	-11,1	-10,9	- 1,0	- 7,9	-14,3	- 0,9	21	-24,0	12	0 0,0	0 0,0	0 0,0	8 3,0	13 3,0	5 4,4	0 0,0	1 4,0	3 4,7	30 4,8	12 3,3	12
3		- 9,8	- 7,2	- 8,2	- 8,8	- 1,2	- 5,7	-11,3	1,2	3	-32,0	18	0 0,0	0 0,0	1 4,0	1 4,0	10 3,0	36 3,9	0 0,0	9 4,7	6 3,0	12 5,8	9 3,4	2 3,5	7
4		- 5,8	- 2,7	- 3,7	- 4,4	- 0,4	- 1,9	- 8,4	1,9	21	-16,7	8	0 0,0	0 0,0	1 3,0	1 4,0	14 4,4	32 5,3	1 2,0	0 0,0	3 2,7	6 3,0	16 3,4	9 2,9	7
5		- 4,2	- 0,2	- 0,2	- 2,4	- 0,3	1,4	- 5,6	7,0	30	-19,3	8	2 3,0	0 0,0	0 0,0	3 3,3	11 3,4	22 4,4	4 3,3	0 0,0	3 2,3	6 1,3	19 3,7	8 3,5	15
6		3,0	8,1	6,7	3,3	3,6	9,4	2,0	16,5	20	- 1,2	30	0 0,0	1 4,0	0 0,0	0 0,0	1 2,7	13 3,4	6 2,3	0 0,0	2 3,5	5 3,4	18 3,7	14 2,6	28
7		1,5	8,1	7,2	3,9	- 2,1	9,4	3,2	16,0	13	- 1,1	3	0 0,0	0 0,0	0 0,0	0 0,0	8 1,8	4 2,0	0 0,0	2 2,5	2 2,0	3 2,7	81 3,1	9 2,9	17
8		4,9	8,3	7,1	5,2	- 1,3	9,6	3,7	15,7	18	- 0,7	31	0 0,0	0 0,0	0 0,0	3 4,0	3 2,0	23 3,8	8 2,4	3 2,3	1 4,0	11 2,5	21 2,9	12 2,5	8
9		1,8	3,2	2,3	2,1	- 1,7	4,8	0,3	15,0	6	- 7,5	30	0 0,0	1 2,0	0 0,0	3 3,3	1 4,0	13 3,0	4 3,8	1 4,0	3 3,3	19 4,4	32 4,0	7 4,7	6
10		- 2,0	0,4	- 1,3	- 1,5	- 0,8	1,4	- 4,0	8,0	11	-11,8	22	0 0,0	1 2,0	0 0,0	4 3,0	19 4,2	20 2,7	0 0,0	2 3,0	1 3,0	1 1,0	15 4,1	5 2,6	25
11		- 6,2	- 4,9	- 5,6	- 5,8	- 1,2	- 3,0	- 8,9	4,0	23	-21,8	14	0 0,0	0 0,0	0 0,0	8 3,0	27 3,7	4 3,0	1 2,0	1 2,0	0 0,0	14 4,9	16 3,9	10 3,8	12
12		- 9,9	- 9,8	-10,3	-10,3	- 3,4	- 7,1	-13,8	2,6	2	-25,7	11	0 0,0	0 0,0	0 0,0	7 3,7	21 3,2	3 3,7	1 7,0	2 3,0	3 2,3	22 5,5	9 4,3	6 3,3	19
ÅR		- 4,2	- 1,0	- 2,7	- 3,3	- 1,9	0,0	- 6,3	16,5		-34,0		2 3,0	4 3,1	3 3,7	31 3,3	139 3,8	195 3,4	31 3,2	20 3,6	26 3,4	105 4,3	240 3,7	98 3,2	198
DAGALI - PAGERLUND																								1979
1		-13,4	-12,3	-14,6	-14,4	- 6,2	-10,0	-18,8	1,6	7	-35,0	1	0 0,0	3 1,0	8 1,1	12 1,3	3 1,3	1 1,0	0 0,0	2 1,5	14 1,0	39 1,5	4 1,0	3 1,0	4
2		-10,8	- 8,9	- 9,7	- 9,0	- 0,9	- 5,0	-13,2	1,8	26	-25,0	14	1 1,0	2 1,0	2 1,0	18 1,1	2 2,0	0 0,0	1 4,0	1 4,0	16 1,8	32 2,2	4 2,0	1 1,0	4
3		- 6,8	- 3,0	- 5,1	- 5,8	- 0,2	- 1,8	- 8,7	4,3	3	-27,5	18	0 0,0	3 1,3	3 2,3	31 2,1	7 1,7	0 0,0	2 1,5	1 1,0	9 2,1	28 3,2	2 1,0	2 1,5	5
4		- 2,2	1,4	- 0,2	- 1,1	0,3	2,3	- 3,8	7,0	11	-11,1	8	0 0,0	0 0,0	6 1,7	40 1,9	9 1,2	0 0,0	0 0,0	0 0,0	12 2,6	24 1,6	2 1,5	0 0,0	1
5		1,3	4,7	3,3	1,8	- 2,8	6,1	- 1,9	14,4	30	-11,4	8	0 0,0	0 0,0	1 1,0	13 1,9	3 1,7	2 2,5	0 0,0	10 2,3	29 2,2	32 2,0	5 1,8	1 2,0	0
6		9,7	14,3	12,6	10,5	1,6	16,0	5,5	22,8	20	0,5	30	1 2,0	1 2,0	3 2,3	13 1,5	6 1,7	8 1,9	1 1,0	3 1,7	19 3,1	29 1,9	8 1,4	1 1,0	0
7		9,7	13,1	11,1	9,9	1,6	14,5	5,8	21,2	13	0,0	2	2 1,0	1 1,0	7 2,1	9 1,4	3 1,3	5 2,0	0 0,0	3 1,3	25 2,4	29 1,9	7 1,6	2 1,0	0
8		8,8	11,4	9,4	8,7	1,6	13,1	5,0	19,5	18	- 0,4	28	0 0,0	3 1,3	8 1,4	21 1,4	10 1,9	1 1,0	1 1,0	2 1,0	7 1,4	30 1,7	6 1,7	4 1,5	0
9		5,0	7,6	6,0	5,1	- 1,3	9,5	2,1	20,2	6	- 6,7	30	1 1,0	0 0,0	1 1,0	7 1,0	2 1,0	3 1,3	3 1,0	3 2,7	9 2,3	46 2,7	13 2,0	1 1,0	1
10		- 0,9	4,1	1,1	0,9	- 0,5	5,1	- 2,6	12,9	11	-10,1	28	1 1,0	0 0,0	7 1,3	21 1,4	3 2,0	5 1,2	0 0,0	2 2,0	9 1,6	27 1,3	15 1,4	1 1,0	0
11		- 4,7	- 2,7	- 4,3	- 4,3	- 1,4	- 1,1	- 7,8	5,6	22	-20,0	15	1 1,0	2 1,0	7 1,3	10 1,6	3 1,4	3 1,7	2 3,0	1 1,0	12 2,0	27 1,8	15 1,7	2 1,5	0
12		- 9,9	- 9,0	- 9,8	- 9,3	- 3,7	- 5,6	-12,5	5,2	2	-23,2	16	2 1,0	4 1,0	10 1,3	4 1,8	2 3,5	1 1,0	2 1,5	4 1,8	13 1,3	38 1,8	6 1,2	3 1,0	4
ÅR		- 1,3	2,1	0,3	0,6	- 1,6	3,6	- 4,2	22,8		-35,0		9 1,1	19 1,1	63 1,3	190 1,6	56 1,7	29 1,7	12 1,8	32 1,9	174 2,1	381 2,0	84 1,6	21 1,2	19
LYNGDAL I NUMEDAL																								1979
1	978,2	1016,4	-13,6	-11,4	-13,1	-13,1	- 6,0	- 9,4	-17,4	4,5	7	-33,0	1	12 1,3	7 1,1	7 1,1	0 0,0	3 1,0	1 2,0	4 1,5	1 1,0	2 1,0	0 0,0	4 1,8	4 1,3	61
2	978,1	1015,6	-11,8	- 9,0	- 8,3	- 9,5	- 2,3	- 2,8	-13,6	8,0	26	-25,6	15	9 1,3	3 1,7	17 1,1	2 1,5	1 1,0	2 3,0	3 2,0	5 2,2	1 1,0	1 1,0	5 1,4	7 1,9	88
3	980,1	1022,2	- 4,3	- 0,1	- 1,1	- 2,2	- 0,1	- 1,5	- 5,1	9,5	3	-26,7	18	13 1,2	7 2,0	8 1,4	0 0,0	4 2,0	8 2,3	11 1,6	14 2,4	4 2,3	1 1,0	1 1,0	3 1,7	22
4	978,3	1012,1	- 0,3	5,0	4,2	2,3	- 0,9	6,3	- 0,9	11,5	12	- 6,6	18	11 1,8	9 1,4	12 1,8	3 1,3	1 1,0	3 2,0	8 1,8	8 2,0	1 2,0	1 1,0	2 1,5	3 1,3	28
5	976,5	1011,7	4,1	9,8	9,3	8,7	- 2,1	12,2	1,7	20,7	31	- 5,6	2	6 1,2	1 1,0	3 1,3	0 0,0	4 1,0	9 2,3	13 2,3	15 2,0	12 2,0	2 2,0	4 2,0	3 1,3	21
6	973,2	1013,4	11,4	17,8	17,7	14,1	0,8	20,1	8,0	26,5	6	2,4	30	3 2,0	2 1,5	2 2,0	1 2,0	2 1,0	11 1,9	20 1,9	9 1,8	11 1,9	2 1,5	6 2,3	1 3,0	18
7	974,6	1018,8	11,5	16,8	16,6	13,8	- 1,7	19,2	9,3	23,4	13	2,7	4	11 1,5	1 2,0	7 1,3	6 1,2	3 1,3	3 2,0	8 1,4	4 1,5	2 1,0	2 1,5	9 2,0	6 2,2	31
8	975,5	1016,0	8,8	13,0	12,3	11,7	- 2,2	16,8	7,6	23,5	18	0,7	28	12 1,7	1 1,0	7 1,4	5 1,4	3 1,3	11 2,1	12 1,5	1 1,0	5 1,4	1 1,0	1 3,0	2 1,0	32
9	974,5	1019,4	5,0	10,0	10,1	8,7	- 0,5	14,1	4,7	20,7	6	- 4,3	30	8 1,4	1 1,0	7 1,3	0 0,0	3 1,8	2 1,5	15 1,7	8 1,6	5 2,2	6 2,9	9 1,9	3 2,7	19
10	983,4	1019,4	0,6	5,1	5,1	2,9	- 1,0	7,3	- 0,3	17,1	9	- 8,9	27	11 1,5	5 1,0	6 1,5	4 1,5	1 1,0	7 2,0	6 1,3	2 1,5	2 1,5	1 3,0	2 2,0	1 1,0	45
11	969,4	1018,9	- 4,7	- 1,7	- 3,1	- 3,6	- 2,3	0,2	- 7,1	8,3	29	-17,8	15	9 1,3	5 1,4	10 1,3	1 1,0	1 1,0	3 1,3	8 2,0	1 2,0	0 0,0	1 1,0	5 1,4	4 2,0	45
12	970,2	1017,2	- 7,0	- 6,0	- 7,4	- 7,0	- 2,4	- 3,8	-10,6	9,7	2	-21,8	23	13 1,4	5 1,2	7 1,4	0 0,0	3 3,0	0 3,0	4 2,5	6 2,2	3 1,7	1 1,0	5 1,6	8 1,8	44
ÅR	975,2	1011,0	0,0	5,0	3,7	2,2	- 1,7	6,8	- 2,0	26,5		-33,0		117 1,5	47 1,4	90 1,3	22 1,4	25 1,4	60 2,1	112 1,8	74 2,0	48 1,8	21 2,0	63 1,9	42 1,8	384

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELA- TIV FUKTIGHET 07	13	19	ÅM.	MIDLERE SKYDEKKE 07	13	19	ÅM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN TX <=10	TX>. =25.	NEDBØR R>=a 0,1	R>=a 1.0	R>=, 10.0.	ANTALL DAGER MED: VINDSTYRKE. FX> =8	FX> =88	FX>. =98.	R	S	SL	FOREKOMST AV YR	SH	H	IH	TU	KV	OV	SO	TAKE 07	13	19.
NESBYEN - SKOGLUND																																				1979
1	84	85	85	85	4,4	4,1	3,1	3,9	10	42	2,5	12	31	31	30	0	15	2	0	0	0	0	8	13	0	8	0	0	0	0	11	9	31	0	0	0
2	85	81	77	81	4,3	4,0	3,3	3,8	6	35	3,4	2	27	21	21	0	5	2	0	0	0	0	6	6	0	0	0	0	0	0	6	5	28	0	0	0
3	84	86	71	78	5,5	5,8	5,1	5,6	33	300	6,0	10	20	6	5	0	13	11	0	0	0	0	6	12	4	2	0	0	0	0	4	17	31	0	0	0
4	92	63	64	76	6,7	6,3	5,8	6,3	35	206	7,2	26	16	0	0	0	19	10	0	0	0	0	15	9	4	6	0	0	0	0	0	19	14	0	0	0
5	80	53	52	66	4,8	5,5	4,8	5,0	29	91	8,1	25	12	0	0	0	12	9	0	0	0	0	12	0	0	2	0	0	0	0	2	10	0	0	0	0
6	83	49	49	67	4,1	4,3	4,2	4,2	52	98	25,3	25	0	0	0	0	12	7	1	0	0	0	12	0	0	0	0	0	0	2	5	8	0	0	0	0
7	87	56	60	74	5,5	5,9	5,3	5,6	101	129	26,4	19	0	0	0	1	13	13	4	0	0	0	13	0	0	1	0	0	0	2	1	14	0	0	0	0
8	93	66	68	79	5,5	5,7	5,4	5,5	116	173	21,0	9	0	0	0	1	12	15	4	0	0	0	13	0	0	7	0	0	0	1	1	13	0	0	0	0
9	89	54	64	73	4,7	4,8	4,2	4,6	43	83	12,0	3	7	0	0	0	14	8	2	0	0	0	14	0	0	2	0	0	0	0	5	10	0	0	0	0
10	96	75	86	87	5,1	4,8	3,8	4,5	51	124	19,8	15	19	5	1	0	15	10	1	0	0	0	14	3	0	8	0	0	0	0	8	12	2	1	0	0
11	93	93	94	94	4,0	4,9	4,3	4,2	70	189	13,6	13	29	19	12	0	16	14	2	0	0	0	6	13	2	4	0	0	0	0	5	8	30	0	0	0
12	89	88	90	89	3,9	4,0	3,7	3,9	38	123	9,6	24	31	24	20	0	16	11	0	0	0	0	6	13	1	4	0	0	0	0	10	11	31	0	0	0
ÅR	88	69	72	79	4,9	5,0	4,1	4,8	584	127	20,4		192	106	89	13	175	112	14	0	0	0	129	69	11	46	0	0	0	5	58	136	167	1	0	0
GOL - STAKE																																				1979
1	89	86	90	89	4,4	3,4	3,2	3,7	21	78	5,0	8	31	30	27	0	13	8	0	0	0	0	3	12	0	3	0	0	0	0	8	7	31	0	0	1
2	83	67	73	76	4,2	3,1	3,1	3,4	7	37	5,0	3	28	22	19	0	5	2	0	0	0	0	0	5	0	0	0	0	0	0	7	5	28	1	0	0
3	87	71	80	81	5,2	4,9	5,3	5,1	55	289	12,5	26	29	13	7	0	16	15	2	0	0	0	2	16	0	4	0	0	0	0	5	14	31	2	2	2
4	84	67	74	77	6,1	5,7	5,6	5,9	37	148	10,0	26	21	1	0	0	16	13	1	0	0	0	11	11	5	8	0	0	0	0	1	16	24	5	1	3
5	73	56	58	66	4,5	4,8	3,9	4,4	35	113	8,0	25	12	0	0	0	13	10	0	0	0	0	13	1	1	0	0	1	0	0	6	8	0	1	2	0
6	73	50	56	65	4,0	4,3	3,6	3,9	47	75	24,5	25	0	0	0	0	11	9	1	0	0	0	11	0	0	1	0	0	0	2	6	6	0	1	1	1
7	78	60	69	73	3,9	5,5	5,8	5,4	107	124	23,5	19	0	0	0	0	20	17	5	0	0	0	20	0	0	1	0	0	1	0	4	1	11	0	0	0
8	89	69	76	82	5,3	5,4	4,9	5,2	115	164	26,0	2	0	0	0	0	21	16	4	0	0	0	21	0	0	1	0	0	0	2	2	13	0	4	3	2
9	84	60	70	74	4,2	4,2	4,2	4,4	49	91	16,5	3	6	0	0	0	15	11	1	0	0	0	14	0	0	5	0	0	0	1	5	7	0	0	1	1
10	94	75	81	85	4,9	3,7	4,1	4,2	52	111	17,5	15	17	4	0	0	15	9	2	0	0	0	12	3	0	3	0	0	0	0	9	12	2	2	4	0
11	90	87	90	90	4,2	4,0	4,3	4,4	77	193	20,5	4	28	19	7	0	19	14	3	0	0	0	7	14	2	6	0	0	0	0	8	11	30	6	3	4
12	88	86	87	87	3,3	3,0	3,0	3,3	36	95	7,8	24	29	23	17	0	17	10	0	0	0	0	3	13	1	0	0	0	0	0	10	7	31	0	0	1
ÅR	84	70	75	79	4,3	4,3	4,3	4,4	638	123	26,0		301	112	75	5	178	134	19	0	0	0	117	75	9	31	0	2	0	9	68	119	177	30	17	23
GEILO - GEILOSTØLEN																																				1979
1	89	84	86	87	5,2	4,9	4,4	4,8	32	63	9,0	8	31	30	28	0	13	10	0	0	0	0	0	13	0	0	0	0	0	0	6	11	31	0	0	0
2	79	67	71	74	4,9	4,8	4,4	4,7	13	32	5,2	2	28	24	18	0	7	4	0	0	0	0	0	7	0	0	0	0	0	0	3	8	28	0	0	0
3	86	72	79	81	6,0	5,9	6,7	6,4	76	262	13,0	26	31	17	9	0	21	15	1	4	0	0	2	21	1	0	0	0	0	0	1	20	31	0	0	0
4	84	66	74	77	6,6	6,1	6,1	6,3	64	178	11,5	26	28	2	1	0	15	14	1	1	0	0	2	13	0	0	0	0	0	0	0	17	30	0	0	0
5	75	63	65	70	5,2	5,5	4,8	5,1	35	83	15,0	25	14	0	3	0	11	6	1	2	0	0	10	1	0	0	0	0	0	0	2	10	17	0	0	0
6	71	53	57	64	5,0	5,2	5,0	5,0	45	79	10,5	25	0	0	0	0	9	6	1	2	0	0	9	0	0	0	0	0	0	2	2	9	0	0	0	0
7	76	60	65	70	5,3	6,0	5,3	5,7	88	102	20,4	10	0	0	0	0	10	9	3	1	0	0	10	0	0	0	0	0	0	0	1	13	0	0	0	1
8	89	63	73	80	5,7	6,1	5,7	5,8	97	117	16,8	9	4	0	0	0	19	16	3	0	0	0	19	0	0	0	0	0	0	0	1	15	0	0	0	1
9	82	62	75	76	5,6	5,5	5,4	5,5	75	109	17,4	3	9	0	0	0	18	15	3	6	0	0	15	3	0	0	0	0	0	0	2	11	0	2	2	1
10	88	69	77	80	4,9	4,4	4,3	4,5	69	115	23,8	15	20	4	1	0	12	11	2	0	0	0	9	3	0	1	0	0	0	0	6	9	2	3	0	0
11	87	81	84	84	6,0	5,5	5,1	5,8	73	133	14,1	13	29	14	9	0	20	12	2	1	0	0	6	18	0	0	0	0	0	0	3	16	30	6	0	0
12	87	82	86	85	4,1	5,0	4,6	4,6	67	131	17,0	5	31	24	17	0	14	13	1	0	0	0	2	13	1	0	0	0	0	0	4	9	31	0	0	0
ÅR	83	69	74	77	5,4	5,4	5,2	5,3	734	111	23,8		225	115	80	0	169	131	18	15	0	0	83	92	2	1	0	0	0	2	31	148	200	5	2	3
FINSE																																				1979
1	85	84	84	84	4,7	5,0	5,2	5,0	68		23,6	8	31	31	28	0	15	11	2	2	1	1	0	15	0	0	0	0	0	0	7	13		0	1	2
2	85	77	82	82	6,0	5,5	5,2	5,6	25		5,2	8	28	26	22	0	12	8	0	9	3	2	0	12	0	0	0	0	0	0	3	18		0	0	0
3	92	89	92	91	6,7	6,4	6,3	6,5	107		17,3	5	31	29	14	0	25	22	3	17	9	7	0	25	0	0	0	0	0	0	3	22		0	0	1
4	89	79	85	86	6,6	6,4	6,7	6,5	33		9,0	26	30	23	2	0	16	11	0	5	2	0	3	16	3	0	0	0	0	0	1	21		0	0	0
5	89	73	80	85	6,0	6,0	5,5	5,8	82		21,6	15	24	11	9	0	13	13	7	13	2	0	13	14	7	6	0	0	0	0	3	15		4	5	4
6	87	64	73	81	4,8	5,6	6,1	5,5	55		14,2	25	5	0	0	0	14	10	1	1	0	0	14	5	5	4	0	0	0	0	4	16		2	1	3
7	93	73	77	88	3,9	6,3	6,0	6,1	86		20,5	30	3	0	0	0	23	17	1	1	0	0	21	4	3	12	0	0	0	0	2	18		3	3	3
8	90	69	78	82	6,3	6,5	6,4	6,4	188		29,3	18	2	0	0	0	21	18	7	5	2	1	21	1	1	7	0	0	0	0	1	18		3	0	2
9	90	82	87	87	7,3	7,2	6,7	7,0	208		25,6	20	16	1	0	0	25	24	9	15	4	1	19	14	7	3	1	0	0	0	1	21		2	1	1
10	82	72	78	78	6,4	5,0	5,2	5,2	82		26,4	11	23	10	1	0	15	12	3	6	3	1	9	9	3	7	0	0	0	0	5	16		0	1	2
11	89	87	89	89	6,3	6,6	7,2	6,9	135		22,8	4	30	25	9	0	24	21	4	12	8	4	4	23	2	1	0	0	0	0	1	24		1	1	1
12	91	90	91	91	5,4	5,3	5,7	5,5	133		27,5	5	31	28	18	0	20	17	4	17	9	5	3	20	2	2	0	0	0	0	6	17		0	1	0
ÅR	89	78	83	85	6,0	6,0	6,0	6,0	1202		29,3		294	186	103	0	229	184	35	108	43	22	107	158	33	42	1	0	0	0	37	216		15	14	19
DAGALI - FAGERLUND																																				1979
1	82	77	77	79	4,7	5,2	3,3	4,3	26	87	7,9	8	31	30	27	0	15	8	0	2	0	0	0	15	0	0	0	0	0	0	8	9	31	0	0	0
2	73	64	65	68	4,6	4,4	2,5	3,8	9	38	3,4	3	28	25	20	0	7	2	0	0	0	0	0	9	0	0	0	0	0	0	5	5	28	0	0	0
3	78	67	74	75	6,3	5,8	5,8	6,0	25	119	5,4	5	31	21	10	0	20	9	0	13	0	0	2	19	0	0	0	0	0	0	2	19	31	0	0	0
4	78	64	69	73	6,8	6,4	6,4	6,5	45	196	9,7	3	27	7	3	0	17	13	0	3	0	0	2	16	1	0	0	0	0	0	0	19	30	0	0	0
5	69	60	59	65	5,5	4,5	4,1	4,8	37	123	14,2	25	16	0	3	0	12	6	1	3	0	0	11	1	0	0	0	0	0	1	4	11	13	0	0	0
6	65	49	51	61	5,1	4,7	5,3	5,0	44	100	12,4	25	0	0	0	0	13	9	2	5	1	0	13	0	0	0	0	0	1	3	3	11	0	0	0	0
7	67	59	60	64	5,3	5,8	6,0	5,9	32	119	26,0	10	0	0	0	0	18	10	3	3	0	0	18	0	0	0	0	0	1	0	1	13	0	0	0	0
8	73	66	68	71	6,2	6,5	6,3	6,3	78	111	13,6	9	2	0	0	0	19	12	2	4	1	0	19	0	0	0	0	0	0	1	1	20	0	0	0	0
9	72	61	67	68	5,4	5,3	4,7	5,1	40	77	13,4	3	9	0	0	0	18	7	1	3	1	0	18	4	4	0	0	0	0	0	4	11	0	0	0	0
10	77	65	66	70	4,7	4,8	4,8	4,8	57	133	20,3	15	19	4	1	0	12	10	2	2	0	0	9	5	2	0	0	0	0	0	8	14	2	0	0	0
11	85	81	85	84	5,5	4,7	3,7	4,6	33	143	11,2	13	39	17	3	0	17	13	1	3	0	0	3	17	0	0	0	0	0	0	6	11	30	0	0	0
12	89	85	88	88	5,1	5,3	4,6	5,0	42	124	8,4	24	30	25	17	0	16	13	0	6	1	0	2	15	0	0	0	0	0	0	6	14	31	0	0	0
ÅR	76	67	69	72	5,3	5,3	4,8	5,2	548	113	26,0		222	129	89	0	186	112	12	53	2	0	97	101	7	0	0	0	0	0	48	157	196	0	0	0
LYNGDAL I NUMEDAL																																				1979
1	85	84	84	85	5,3	4,7	4,2	4,7	29	58	11,0	12	31	29	25	0	16	5	1	0	0	0	0	16	0	1	0	0	0	0	7	14	31	0	0	0
2	86	67	70	78	5,1	4,1	4,1	3,9	16	41	8,0	3	27	21	19	0	7	4	0	0	0	0	0	7	0	0	0	0	0	0	9	8	28	0	0	0
3	85	70	74	78	6,0	5,9	5,1	5,8	89	330	15,5	10	23	7	7	0	21	13	3	0	0	0	8	20	3	3	0	0	0	0	1	15	31	2	1	1
4	89	82	86	86	6,6	6,2	5,3	6,2	80	200	15,9	4	15	0	0	0	17	12	4	0	0	0	11	13	5	4	0	0	0	0	1	19	30	3	0	0
5	80	57	56	69	3,2	5,8	5,2	5,4	80	143	18,5	25	12	0	0	0	17	12	3	0	0	0	14	5	2	2	0	0	0	1	3	11	2	3	0	0
6	78	51	52	66	4,1	4,5	4,1	4,2	55	71	13,0	25	0	0	0	0	13	10	1	0	0	0	13	0	0	1	0	0	0	2	7	7	0	1	0	0
7	80	58	62	71	5,8	6,3	5,8	5,9	105	95	53,0	30	0	0	0	0	18	11	1	0	0	0	18	0	0	1	0	0	0	2	0	15	0	2	0	0
8	92	65	70	80	6,5	5,7	5,7	6,0	181	193	26,4	18	0	0	0	0	22	19	7	0	0	0	22	0	0	1	0	0	0	0	1	14	0	9	1	1
9	86	53	61	70	5,2	5,1	4,3	4,8	46	60	22,2	3	7	0	0	0	11	9	1	0	0	0	11	0	0	3	0	0	0	0	5	8	0	3	0	0
10	93	76	81	86	5,9	5,8	4,9	5,5	78	104	34,0	15	17	3	0	0	19	12	1	0	0	0	15	5	1	7	0	0	0	0	3	16	3	3	0	0
11	92	87	88	89	4,6	5,1	5,3	5,0	118	149	22,1	13	28	14	8	0	16	15	3	0	0	0	7	13	1	4	0	0	0	0	1	9	30	3	2	3
12	89	86	89	88	5,0	4,9	5,2	5,0	91	86	10,0	28	30	20	15	0	17	13	1	0	0	0	3	16	0	0	0	0	0	0	7	13	31	1	1	0
ÅR	86	68	71	78	5,3	5,3	5,0	5,2	928	118	53,0		190	94	74	5	194	135	26	0	0	0	122	98	12	27	0	0	0	5	45	149	186	30	5	5

MND.	MIDLERE LUFTTRYKK PM	PO1	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK FRA NORM	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
KONGSBERG KONGSBERG IV 1979																										
1			-11,8	-13,4	-11,1	-11,5	-4,8	-8,3	-14,9	5,0	7	-26,5	1	7 1,9	1 1,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	1 1,0	5 1,8	6 1,2	9 1,2	28 1,4	36
2			-11,0	-5,5	-9,9	-8,8	-2,6	-2,3	-12,8	8,6	26	-23,0	17	7 2,1	1 2,0	1 2,0	1 1,0	2 1,0	0 0,0	1 1,0	1 1,0	4 2,3	3 1,3	2 3,0	26 1,7	38
3			-3,1	1,0	0,2	-1,0	0,2	2,5	-3,8	11,0	3	-22,0	18	4 1,5	3 2,7	2 2,0	0 0,0	1 1,0	2 2,0	1 5,0	10 1,4	7 2,1	4 1,5	5 1,4	25 1,6	29
4			1,1	3,7	3,3	3,4	-0,8	7,4	0,2	13,4	12	-4,0	18	10 1,4	5 1,1	1 1,0	0 0,0	0 0,0	0 0,0	1 1,0	1 1,0	9 1,2	8 1,0	5 1,8	23 1,0	21
5			5,7	11,1	10,0	8,1	-2,0	13,4	3,6	21,1	31	-3,5	2	2 4,0	0 0,0	0 0,0	0 0,0	1 1,0	2 1,0	4 2,0	8 1,9	15 1,8	22 1,5	9 1,8	16 1,4	14
6			13,1	18,7	13,3	15,4	1,0	21,1	9,9	28,0	6	5,6	30	6 1,7	4 1,3	3 1,7	0 0,0	1 2,0	3 2,3	5 1,2	11 2,1	15 1,8	13 1,8	8 2,3	16 1,7	7
7			13,0	18,4	17,4	15,2	-1,3	20,6	10,4	26,0	13	3,5	2	13 2,6	2 2,0	0 0,0	1 1,5	0 0,0	1 1,0	0 0,0	2 2,0	4 1,3	21 1,7	17 1,3	24 1,5	8
8			10,3	16,2	13,3	13,1	-1,9	18,4	9,0	25,0	19	3,2	28	11 1,5	5 1,0	4 1,5	3 1,0	2 1,0	2 1,5	9 1,1	3 1,7	9 1,2	10 1,8	6 2,2	17 1,4	13
9			6,6	13,8	11,6	9,9	-0,3	15,2	5,9	20,0	3	-2,3	30	1 1,0	1 1,0	0 0,0	0 0,0	5 1,0	0 0,0	6 2,5	6 2,0	13 2,3	22 3,2	1 1,0	11 6,1	24
10			2,0	6,3	4,9	4,0	-0,7	7,5	1,2	17,3	9	-7,0	27	11 1,5	6 1,2	3 1,3	3 1,0	1 2,0	0 0,0	2 1,0	5 2,2	4 1,8	3 2,3	3 1,7	19 1,3	33
11			-3,0	-1,0	-1,8	-2,2	-1,7	1,2	-5,0	7,8	29	-15,7	15	7 2,1	2 2,0	0 0,0	2 1,0	0 0,0	1 1,0	1 2,0	2 1,5	5 1,4	7 1,7	4 1,0	27 1,3	32
12			-6,0	-5,3	-6,4	-6,1	-2,3	-3,0	-8,7	8,5	2	-20,0	16	7 1,0	7 1,7	0 0,0	0 0,0	0 0,0	2 3,5	4 1,3	0 0,0	2 1,5	13 1,7	3 1,3	31 1,2	24
ÅR			1,4	5,6	4,9	3,4	-1,4	7,8	-3,8	28,0		-26,5														
SLAGENTANGEN II 1979																										
1			-6,7	-5,0	-5,9	-6,3		-4,1	-8,3	5,4	7	-17,5	1	10 3,8	15 3,4	3 3,4	3 2,8	1 2,0	0 0,0	2 1,5	9 2,4	2 2,0	2 2,5	4 1,5	35 3,6	0
2			-6,0	-3,5	-4,1	-4,9		-1,9	-7,7	6,4	27	-15,0	15	3 2,6	10 3,3	3 3,3	2 2,8	2 3,0	1 3,0	11 2,9	5 2,2	10 2,4	1 2,0	7 2,1	19 2,9	5
3			-0,8	1,1	0,9	0,2		2,5	-1,6	7,5	3	-13,8	19	17 4,1	6 3,3	3 2,7	2 4,0	5 2,2	12 3,1	15 3,5	19 3,3	3 2,3	2 3,0	3 2,3	4 2,3	2
4			2,7	5,2	5,0	3,9		7,1	1,9	14,0	14	-1,1	18	13 3,1	8 2,5	3 3,8	7 2,4	5 2,2	6 2,8	15 2,3	7 2,6	2 1,5	1 2,0	1 4,0	5 2,6	6
5			7,5	10,0	9,6	8,4		12,0	5,8	19,8	31	0,0	2	7 2,6	2 1,5	1 4,0	1 3,0	1 2,0	16 3,3	29 2,9	18 2,8	3 2,0	2 2,5	3 2,3	7 3,1	3
6			14,2	17,6	17,0	15,6		20,1	12,2	27,5	6	7,7	30	11 2,8	3 2,3	2 1,5	0 0,0	4 2,5	16 2,9	18 3,1	21 2,9	2 1,5	4 2,5	2 5,0	6 1,7	1
7			14,8	18,0	17,4	16,0		19,8	13,1	23,5	10	9,2	2	18 3,2	9 2,1	1 2,0	3 2,4	1 2,0	9 3,4	11 2,7	6 2,5	7 2,3	3 2,3	7 2,6	11 2,7	5
8			13,7	17,1	15,9	11,9		18,4	12,0	24,0	18	8,0	23	11 2,9	9 2,7	1 1,0	0 0,0	4 2,5	9 3,3	22 2,5	8 2,5	6 2,2	2 2,5	4 1,5	13 3,2	4
9			10,2	14,9	12,6	12,0		15,8	9,0	20,4	4	4,0	16	7 2,0	1 4,0	1 2,0	0 0,0	3 1,3	7 2,7	12 2,5	17 2,9	19 2,6	12 3,2	4 2,5	4 3,0	3
10			5,5	7,6	6,8	6,4		8,6	4,3	14,3	9	-2,2	27	17 3,1	15 2,7	7 2,1	3 3,4	7 3,6	4 2,8	11 2,3	4 2,0	3 3,3	5 1,6	3 1,7	4 2,5	5
11			1,8	2,9	2,0	2,2		4,2	0,0	9,8	4	-4,0	11	9 3,9	4 2,5	3 3,0	1 3,8	2 3,5	5 3,8	9 2,7	17 2,4	6 2,3	4 1,8	8 2,6	17 3,1	2
12			-1,3	-1,1	-1,3	-1,4		1,0	-3,4	10,0	2	-11,8	22	12 4,0	10 4,0	8 3,0	2 3,5	3 2,3	4 3,5	11 3,2	2 2,5	11 2,5	3 3,0	8 3,0	15 3,4	4
ÅR			4,6	7,0	6,4	5,6		8,6	3,1	27,5		-17,5		146 3,3	92 3,0	40 3,1	36 3,0	33 2,5	89 3,1	166 2,8	133 2,7	74 2,4	41 2,5	54 2,5	140 3,1	40
HELSOM 1979																										
1			-8,9	-7,3	-7,7	-8,1	-4,1	-5,3	-11,1	5,6	8	-23,2	1	36 1,4	14 1,1	0 0,0	0 0,0	0 0,0	0 0,0	5 2,8	1 2,0	1 3,0	0 0,0	0 0,0	2 2,5	34
2			-9,1	-3,9	-8,1	-7,0	-3,3	-2,2	-11,9	7,4	27	-23,2	16	16 1,4	7 2,3	0 0,0	0 0,0	0 0,0	0 0,0	8 1,9	4 1,8	0 0,0	0 0,0	1 1,0	6 1,5	42
3			-2,0	1,2	0,2	-0,5	0,3	2,3	-3,0	8,0	3	-18,6	19	12 2,3	3 2,1	2 2,0	0 0,0	0 0,0	6 2,3	26 2,6	7 2,7	1 1,0	0 0,0	1 1,0	2 1,0	87
4			2,2	5,8	4,3	3,7	-0,3	7,3	1,0	14,9	12	-3,5	18	9 1,1	19 1,6	2 2,5	2 1,5	0 0,0	2 1,0	20 1,8	0 0,0	0 0,0	0 0,0	2 1,0	3 2,7	31
5			7,1	10,5	9,3	8,3	-2,0	12,3	4,7	24,5	31	-1,5	5	3 1,3	3 1,7	2 1,3	0 0,0	0 0,0	6 1,7	48 2,4	3 2,7	3 2,7	2 2,5	1 1,0	2 1,5	14
6			14,0	17,9	17,1	15,2	0,9	19,7	10,5	26,2	6	5,6	30	6 1,7	3 2,7	0 0,0	0 0,0	1 3,0	11 2,1	27 2,1	3 2,0	3 3,0	3 1,7	3 1,3	2 2,0	28
7			14,2	18,0	16,9	15,3	-1,6	19,7	11,0	22,0	27	5,4	1	19 1,9	4 1,5	3 1,3	3 1,0	1 3,0	4 2,3	17 1,4	2 1,0	1 1,0	2 1,0	4 1,5	7 2,0	26
8			12,7	17,0	15,3	14,1	-1,5	18,3	10,2	25,4	18	5,1	24	11 1,5	6 1,7	1 2,0	0 0,0	1 1,0	5 1,8	25 2,2	3 1,3	1 2,0	0 0,0	3 1,3	6 2,5	31
9			8,9	14,7	11,7	11,1	-0,2	15,6	7,2	19,5	4	-1,3	30	2 1,5	0 0,0	0 0,0	1 1,0	0 0,0	3 1,0	19 2,0	16 2,3	7 2,6	2 4,0	2 3,5	2 1,0	36
10			3,7	7,5	5,1	5,1	-1,5	8,2	2,3	14,2	9	-3,4	3	10 1,3	16 1,1	3 1,0	1 2,0	3 3,0	2 3,0	7 1,6	2 4,0	1 2,0	0 0,0	1 2,0	3 2,3	44
11			0,1	2,2	0,0	0,9	-1,8	3,6	-2,0	9,4	4	-9,2	15	12 2,1	6 2,0	1 1,0	1 2,0	4 1,8	0 0,0	13 2,3	4 1,3	1 3,0	0 0,0	3 2,3	5 1,4	40
12			-3,3	-2,2	-2,7	-2,9	-1,7	-0,1	-5,8	9,6	2	-16,5	19	23 1,7	12 2,7	2 2,3	0 0,0	0 0,0	0 0,0	9 2,4	6 3,0	1 5,0	2 3,5	1 3,0	5 1,2	32
ÅR			3,3	6,8	5,4	4,6	-1,4	8,3	1,1	26,2		-23,2		145 1,6	99 1,3	16 1,7	3 1,4	13 2,3	39 2,0	224 2,2	51 2,3	20 2,6	11 2,5	22 1,7	45 1,8	385
TORP 1979																										
1	1003,2	1014,4	-8,8	-7,4	-7,3	-8,0	-3,0	-5,2	-10,6	5,0	8	-23,5	1	49 2,9	12 2,8	6 2,9	1 3,0	0 0,0	0 0,0	3 3,0	4 3,8	6 1,8	2 3,5	2 1,5	8 2,1	0
2	1003,5	1014,7	-7,4	-4,3	-5,3	-6,1	-2,7	-2,3	-9,3	6,3	26	-19,2	15	22 2,5	13 3,2	1 3,0	2 2,5	1 1,0	1 1,0	7 2,9	6 3,0	8 2,1	7 2,6	3 2,3	8 2,4	5
3	991,6	1002,4	-2,2	0,2	0,0	-0,9	-0,3	1,8	-2,9	7,4	4	-17,6	18	13 2,5	15 3,5	3 2,0	1 2,0	1 2,0	12 3,7	12 3,5	21 3,9	5 2,4	1 4,0	5 2,0	4 2,3	0
4	1001,0	1011,7	1,4	4,9	4,3	3,3	-0,9	7,0	1,0	13,9	14	-2,3	16	13 2,1	19 2,3	9 2,0	3 2,0	5 2,2	1 3,0	15 2,5	14 2,4	1 1,0	1 1,0	4 3,0	4 2,5	1
5	1001,8	1012,2	6,3	10,0	9,1	7,7	-2,3	12,0	4,6	23,6	31	-1,3	2	9 2,3	3 2,0	4 1,8	2 1,5	1 4,0	7 2,7	14 3,3	31 3,4	9 2,9	5 1,8	4 1,8	3 3,0	1
6	1003,7	1014,0	13,2	16,7	16,2	14,5	0,5	19,2	11,1	25,9	6	6,6	30	9 3,1	4 1,8	4 2,3	2 1,0	2 2,5	6 2,2	22 2,5	21 3,2	9 2,7	6 3,0	0 0,0	3 1,7	2
7	998,4	1008,7	14,2	17,2	16,1	14,6	-1,7	19,3	11,1	22,3	27	6,7	2	15 2,6	3 2,1	7 1,3	0 0,0	2 1,5	12 2,4	9 2,6	9 2,8	10 2,4	2 3,0	6 1,8	11 2,3	1
8	999,5	1009,8	11,7	15,9	14,3	13,3	-1,8	17,6	10,2	25,1	18	5,8	25	19 2,5	3 3,0	3 2,0	3 2,0	1 1,0	11 2,9	14 2,4	14 3,1	9 2,6	2 2,0	3 1,3	8 2,3	3
9	999,3	1009,7	8,8	13,8	11,4	10,7	-0,3	15,1	7,6	19,4	4	0,8	30	6 2,0	3 1,7	0 0,0	1 1,0	0 0,0	6 2,5	6 2,2	22 3,1	20 2,8	15 3,1	5 2,0	6 2,0	0
10	1008,0	1018,8	3,5	6,8	4,9	4,8	-1,4	7,8	2,6	14,7	9	-3,1	24	25 2,4	12 2,3	7 2,7	3 2,0	5 4,0	2 2,5	6 2,2	7 2,9	10 2,3	1 2,0	3 1,0	9 1,4	3
11	991,1	1004,9	0,6	1,7	0,3	0,3	-0,8	3,4	-1,6	9,9	4	-8,4	15	10 3,1	4 1,8	3 2,0	2 3,0	2 2,5	1 5,0	7 3,6	11 3,0	12 2,3	7 2,4	8 2,5	11 1,8	3
12	995,0	1005,9	-2,8	-2,4	-3,0	-2,9	-2,1	-0,3	-5,3	8,7	2	-14,4	22	35 2,8	9 3,9	2 3,5	2 3,0	3 1,3	1 4,0	4 3,5	8 3,5	12 2,3	8 2,3	3 2,7	3 1,7	3
ÅR	999,9	1010,6	5,1	8,1	5,2	4,3	-1,6	8,0	1,5	25,9		-23,5		234 2,7	106 2,8	49 2,3	22 2,1	23 2,4	60 2,8	119 2,8	168 3,2	111 2,5	57 2,6	46 2,1	78 2,1	22
MÆKERØY 1979																										
1	1011,1		-7,5	-6,3	-6,3	-6,3	-4,5	-4,6	-8,7	4,4	7	-19,6	1	11 2,7	17 3,1	12 3,2	1 2,5	0 0,0	1 1,0	0 0,0	1 6,0	7 3,1	11 1,7	14 2,1	14 2,8	1
2	1014,4		-7,0	-3,7	-4,6	-5,4	-3,0	-2,2	-8,2	6,2	27	-15,6	14	9 1,6	15 3,5	7 3,7	1 1,0	4 1,0	0 0,0	5 3,0	9 2,4	5 3,0	7 1,4	7 1,9	7 2,1	8
3	1001,9		-1,4	1,0	0,3	-0,3	-0,1	2,0	-2,3	7,2	24	-14,1	18	7 3,1	10 4,4	10 2,9	6 3,0	6 2,7	4 4,0	12 3,2	11 3,7	16 4,7	5 1,6	4 3,0	2 2,0	0
4	1010,8		2,6	5,4	4,0	3,8	-1,0	6,9	1,4	15,0	14	-2,0	18	7 1,7	13 2,2	13 2,5	13 2,5	2 2,0	3 1,7	16 2,1	4 1,3	11 2,8	6 1,8	2 2,0	0 0,0	0
5	1011,6		6,9	10,1	8,8	7,9	-2,8	11,7	4,9	23,8	31	0,0	2	3 2,0	9 1,6	4 1,8	1 1,0	5 2,2	7 2,1	18 3,1	21 3,0	15 3,0	4 2,0	3 1,3	3 2,3	0
6	1013,2		13,9	17,7	16,6	15,3	0,5	19,7	12,0	27,1	6	7,6	30	5 3,2	10 2,2	3 2,3	3 2,3	2 2,5	3 2,7	19 2,2	22 3,1	13 2,9	9 2,3	1 2,0	0 0,0	0
7	1008,1		14,1	18,5	16,6	15,6	-1,3	19,8	12,2	23,3	11	7,4	2	8 2,5	12 3,2	3 2,3	6 2,2	3 1,8	6 3,7	5 1,8	12 1,8	8 2,1	10 2,2	7 2,1	8 2,4	0
8	1009,2		12,7	17,0	15,3	14,3	-2,0	18,0	11,3	24,5	18	8,3	28	9 3,2	4 3,3	13 2,3	3 2,8	0 0,0	6 3,7	17 2,6	19 2,6	7 2,1	5 2,4	2 3,0	3 3,0	0
9	1009,3		10,0	14,6	12,1	11,7	-0,5	15,3	8,8	19,3	4	1,0	25	1 1,0	5 2,2	5 1,8	0 0,0	3 2,2	2 2,0	7 2,1	23 2,7	26 3,1	12 3,0	1 1,0	3 2,0	0
10	1019,5		5,2	7,3	6,2	6,1	-1,4	8,2	4,1	12,7	9	-2,5	27	8 1,3	15 2,5	20 2,4	7 4,3	5 2,2	1 2,0	4 2,8	6 2,2	6 1,8	7 1,7	5 1,4	7 [illegible]	0
11	1004,5		1,5	2,9	2,1	2,0	-0,4	4,4	-0,2	9,0	4	-4,6	15	3 1,3	8 2,1	0 0,0	3 5,2	5 4,6	4 5,3	2 6,0	8 2,6	21 1,8	16 1,6	7 2,0	9 [illegible]	2
12	1005,7		-1,6	-1,3	-1,7	-1,7	-1,8	0,6	-3,7	8,5	2	-11,0	16	4 3,3	13 3,1	6 3,5	2 4,5	0 0,0	1 2,0	4 4,3	17 2,8	9 2,0	14 2,1	11 2,2	12 [illegible]	0
ÅR	1010,1		4,1	6,9	5,3	5,2	-1,6	8,3	2,6	27,1		-19,6		75 2,4	131 2,9	96 2,7	53 3,1	42 2,4	38 3,1	109 2,7	153 2,7	144 2,8	106 2,0	64 2,1	68 2,4	11
JELØY 1979																										
1			-6,4	-5,5	-5,3	-6,0	-3,5	-3,6	-8,1	6,0	7	-17,7	26	14 4,3	27 3,4	5 2,9	3 2,0	6 1,3	2 2,5	5 4,0	4 1,8	1 2,0	3 3,0	9 3,0	13 3,4	1
2			-6,8	-3,6	-4,6	-5,3	-3,0	-2,0	-8,3	7,2	27	-16,2	16	8 3,4	18 3,3	2 3,5	3 1,0	9 1,3	11 2,3	9 3,0	2 2,0	3 1,3	2 1,0	6 2,3	7 3,7	4
3			-1,2	0,9	0,3	-0,2	-0,2	2,2	-2,1	6,4	28	-14,0	18	12 3,8	16 3,7	3 3,0	0 0,0	9 1,9	16 2,7	22 4,4	4 3,3	2 3,0	2 4,5	4 2,0	2 2,0	1
4			2,0	5,1	4,3	3,8	-0,9	6,9	1,6	13,0	12	-2,5	16	10 2,7	24 3,0	2 3,5	2 2,0	4 2,0	15 2,8	9 3,0	6 2,2	1 1,0	2 1,5	4 2,0	6 2,3	5
5			7,2	9,8	9,5	8,2	-2,2	11,9	5,5	20,0	31	0,2	4	5 2,0	4 2,5	0 0,0	0 0,0	3 1,3	33 3,4	17 3,2	11 3,1	1 3,0	2 2,5	4 1,3	11 2,7	2
6			13,6	17,3	16,9	15,1	0,5	19,3	11,8	26,6	6	8,0	30	8 2,9	7 2,3	0 0,0	1 1,0	2 2,0	21 2,6	23 3,0	8 2,4	4 1,3	3 1,3	5 3,8	3 1,0	6
7			14,2	17,7	17,1	15,6	-1,8	19,2	12,5	22,5	27	8,6	1	17 2,4	9 2,5	1 2,0	2 3,5	2 2,0	11 2,2	16 2,5	9 1,8	5 1,4	1 3,0	9 2,2	10 2,6	1
8			13,3	17,1	15,3	14,7	-1,7	18,5	11,4	25,0	18	7,4	23	10 3,5	8 3,0	3 2,7	1 1,0	1 1,0	20 2,3	15 2,5	10 3,0	4 2,3	4 2,5	5 2,0	10 3,1	2
9			10,2	14,5	12,7	11,9	-0,4	15,4	8,7	19,5	4	3,1	16	7 1,1	2 3,5	1 2,0	3 2,3	0 0,0	18 2,3	14 2,9	16 2,9	8 2,9	6 3,8	4 2,3	6 2,0	5
10			4,5	7,5	6,0	5,8	-1,6	8,3	3,4	13,9	11	-3,1	27	7 3,3	28 2,9	10 2,7	3 2,2	7 3,0	9 1,7	10 2,7	4 3,0	4 2,3	0 0,0	4 1,8	3 1,3	2
11			1,5	2,5	1,9	1,8	-1,2	4,0	-0,3	9,2	4	-5,6	11	8 3,9	14 3,4	5 3,0	4 2,3	6 2,7	11 2,5	12 2,9	9 2,6	4 1,8	1 7,0	5 2,4	11 2,7	0
12			-1,8	-1,3	-1,7	-1,7	-1,9	0,4	-3,8	9,6	2	-11,8	13	6 3,8	32 3,0	5 3,2	6 1,0	4 2,0	10 2,3	6 4,2	9 3,4	2 2,5	3 2,3	4 2,8	6 2,5	0
ÅR			4,2	6,8	6,1	5,3	-1,5	8,4	2,7	26,6		-17,7		112 3,2	189 3,2	37 2,9	30 1,8	53 1,9	177 2,6	158 3,2	92 2,7	39 2,1	29 2,8	63 2,4	88 2,7	28

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET kl 07	kl 13	kl 19	DM.	MIDLERE SKYDEKKE kl 07	kl 13	kl 19	DM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TJ <=10	TX>=25.	NEDBØR RS>=0,1	RS>=1,0	RS>=10,0.	VINDSTYRKE FX> =8M	FX> =8B	FX> =9B.	ANTALL DAGER MED: R	S	SL	YR	SH	FOREKOMST AV H	IH	TO	KV	OV	SD	TÅKE 07	13	19.
KONGSBERG																																				
KONGSBERG IV																																				1979
1	89	87	89	88	6,1	5,0	5,2	5,4	24	41	10,5	12	31	29	25	0	14	4	1	0	0	0	0	14	0	0	0	0	0	0	5	15	31	0	0	0
2	91	77	76	82	4,5	4,1	4,2	4,3	11	27	5,5	3	27	17	17	0	10	3	0	0	0	0	0	9	0	0	0	0	0	0	7	7	28	0	1	0
3	88	71	75	80	6,4	6,3	5,3	6,1	97	313	15,9	26	21	4	3	0	18	14	4	0	0	0	0	16	8	6	0	0	0	0	2	18	31	6	1	2
4	89	64	68	75	7,1	6,8	6,2	6,7	78	186	10,5	3	11	0	0	0	16	9	3	0	0	0	0	8	6	6	0	0	0	0	1	21	21	4	1	1
5	78	57	60	69	5,6	6,2	5,7	5,9	83	166	21,4	25	4	0	0	0	17	12	3	0	0	0	17	1	1	1	0	1	0	3	1	15	0	5	0	0
6	75	55	54	66	4,9	4,7	4,8	4,8	69	99	19,9	25	0	0	0	0	7	12	10	3	0	0	0	12	0	0	1	0	1	1	4	10	0	3	0	0
7	79	59	64	71	6,0	6,1	6,1	6,1	104	116	34,0	31	0	0	0	2	21	12	3	0	0	0	0	21	0	0	5	0	0	0	0	13	0	0	0	0
8	89	81	85	76	8,3	5,8	6,2	6,1	132	133	24,5	1	0	0	0	2	16	12	6	0	0	0	0	16	0	0	4	0	0	0	1	17	0	4	2	0
9	87	84	81	71	4,8	5,2	4,6	4,9	47	44	16,1	3	4	0	0	0	11	10	1	0	0	0	0	11	0	0	3	0	0	0	1	7	0	5	4	1
10	93	76	81	85	6,0	5,5	5,3	5,5	140		28,0	15	15	2	0	0	17	11	5	1	0	0	0	14	4	1	4	0	0	0	0	4	17	3	5	2	4
11	92	86	90	90	5,3	5,3	5,4	5,3	115		23,8	13	25	11	6	0	16	14	5	0	0	0	0	7	13	3	4	0	0	0	0	4	12	30	5	2	1
12	89	83	88	87	5,1	5,2	5,7	5,3	97		13,3	28	28	20	13	0	17	12	1	2	0	0	0	9	15	1	0	0	0	0	0	6	15	31	2	1	2
ÅR	87	69	72	78	5,7	5,5	5,4	5,5					166	85	63	11	185	123	35	6	0	0	131	80	20	34	0	2	0	7	36	167	175	39	14	11
SLAGENTANGEN II																																				1979
1	83	83	83	83	6,5	6,0	6,0	6,2	17		4,5	12	29	26	12	0	13	6	0	3	0	0	1	13	1	1	0	0	0	0	4	21		0	1	0
2	78	70	72	74	4,3	3,9	4,1	4,2	8		4,3	3	27	19	11	0	9	2	0	0	0	0	1	5	1	0	0	0	0	0	8	9		2	2	1
3	82	74	76	78	5,8	5,9	5,8	5,9	108		34,1	10	18	3	3	0	17	17	3	2	0	0	0	13	12	6	7	0	0	0	3	16		1	1	1
4	80	71	72	76	6,6	6,8	6,3	6,6	67		18,0	26	4	0	0	0	14	10	2	0	0	0	0	14	5	5	9	0	0	0	2	19		1	0	2
5	77	68	69	73	5,8	5,5	5,3	5,6	85		16,8	30	0	0	0	0	15	14	7	0	0	0	0	16	1	1	4	0	0	0	1	13		1	1	1
6	73	59	60	67	5,1	4,6	4,3	4,7	37		9,0	25	0	0	0	0	4	13	10	0	5	0	0	13	0	0	6	0	0	0	2	9		0	0	0
7	74	60	66	70	6,0	5,1	5,1	5,4	101		46,7	30	0	0	0	0	16	11	3	1	0	0	0	10	0	0	7	0	0	0	2	10		0	0	0
8	78	63	68	72	5,1	4,4	5,1	4,9	77		15,9	3	0	0	0	0	14	10	3	2	0	0	0	14	0	0	3	0	0	0	4	12		0	0	0
9	75	56	61	66	4,7	4,7	4,4	4,6	35		14,0	21	0	0	0	0	11	5	2	1	0	0	0	11	0	0	6	0	0	0	1	4	9		1	1	0
10	82	72	77	78	5,8	5,6	5,1	5,5	85		17,3	15	2	0	0	0	12	8	5	1	0	0	0	12	2	2	9	0	0	0	0	6	18		2	0	2
11	85	79	82	83	5,8	5,7	6,0	5,8	146		43,0	13	11	3	0	0	13	8	5	7	0	0	0	12	7	3	3	0	0	0	0	4	16		1	0	0
12	86	82	85	85	4,8	5,1	5,4	5,1	93		24,0	28	19	14	3	0	14	11	4	3	0	0	0	9	12	6	5	0	0	0	0	6	12		2	0	0
ÅR	79	70	73	75	5,5	5,3	5,3	5,4	859		46,7		110	65	29	1	160	117	30	30	0	0	132	57	25	60	0	0	0	6	47	164		11	6	7
MELSOM																																				1979
1	86	83	86	85	5,7	5,5	6,1	5,8	29	34	10,0	12	30	27	18	0	16	6	1	0	0	0	0	16	0	0	0	0	0	0	4	19		1	1	0
2	86	72	79	81	4,5	3,2	3,7	3,8	9	16	3,6	3	27	19	18	0	7	3	0	0	0	0	0	7	1	0	0	0	0	0	6	7		2	2	1
3	89	77	82	84	5,1	5,8	5,3	5,5	122	298	29,4	10	19	8	3	0	17	15	4	2	0	0	0	12	14	9	1	0	0	0	3	14		10	7	4
4	87	73	77	81	6,7	6,5	5,7	6,3	76	131	16,5	25	7	0	0	0	11	10	3	0	0	0	0	14	7	6	0	0	0	0	0	19		5	2	1
5	80	70	75	78	5,7	5,3	4,1	5,2	100	179	19,5	27	5	0	0	0	19	12	3	1	0	0	0	19	1	1	0	0	0	0	2	2	11		11	7	5
6	77	66	66	72	5,1	4,5	4,3	4,6	40	54	10,5	25	0	0	0	2	13	8	1	0	0	0	0	13	0	0	3	0	0	0	1	3	8		3	2	0
7	77	65	72	75	4,7	3,7	3,9	4,1	134	161	43,5	30	0	0	0	0	21	13	5	0	0	0	0	21	0	0	2	0	0	0	3	1	1		4	0	0
8	84	69	76	79	4,9	4,7	4,6	4,8	90	86	17,9	3	0	0	0	1	17	11	4	2	0	0	0	16	0	0	0	0	0	0	4	10		2	0	0
9	80	62	70	73	4,5	4,1	3,3	4,1	42	42	14,5	21	2	0	0	0	11	8	1	1	0	0	0	14	0	0	2	0	0	0	1	3	7		6	2	2
10	87	76	84	83	5,5	5,5	4,9	5,3	88	74	17,1	15	13	2	0	0	13	10	4	1	0	0	0	13	1	0	5	0	0	0	1	5	16		6	3	3
11	87	82	86	86	5,3	5,0	5,6	5,3	194	160	44,9	13	21	7	0	0	16	14	8	2	0	0	0	11	9	3	1	0	0	0	3	13		5	6	4
12	83	78	83	82	4,8	4,8	5,1	4,9	101	98	32,2	28	21	17	9	0	16	12	4	3	0	0	0	8	12	3	4	0	0	0	0	6	13		0	2	2
ÅR	84	73	78	80	5,2	4,9	4,8	5,0	1025	102	44,9		145	78	48	3	183	122	38	10	0	0	142	67	23	18	0	0	0	8	42	138		55	34	22
TORP																																				1979
1	80	77	78	78	5,4	5,7	6,1	5,8	25	30	6,9	12	30	27	16	0	17	7	0	2	0	0	2	16	0	0	0	0	0	0	4	16	31	1	0	0
2	74	65	71	71	4,3	4,1	4,6	4,5	12	23	3,6	3	28	19	14	0	10	4	0	0	0	0	0	3	10	1	2	0	0	0	6	7	28	1	0	0
3	84	73	76	79	5,3	6,2	5,6	5,9	110	275	22,8	10	21	7	3	0	17	14	4	7	0	0	0	12	15	8	9	0	0	0	2	15	31	3	1	3
4	83	65	67	74	6,7	6,7	5,8	6,4	70	132	15,7	25	8	0	0	0	17	12	2	0	0	0	0	16	10	8	12	0	0	0	1	20	6	2	0	0
5	79	60	66	73	6,3	6,1	5,4	5,9	103	191	22,1	30	3	0	0	0	19	14	4	0	0	0	0	19	3	3	4	0	1	0	2	0	15	0	6	1	1
6	71	56	57	65	5,3	5,2	4,6	5,0	51	80	11,5	15	0	0	0	2	15	9	1	0	0	0	0	15	0	0	6	0	0	0	0	4	10	0	1	0	0
7	74	55	65	69	6,2	5,1	4,4	5,2	105	131	41,3	30	0	0	0	0	20	13	3	0	0	0	0	19	0	0	2	0	0	0	0	7	0	1	0	0
8	82	59	69	74	5,4	5,2	4,3	5,1	103	100	18,4	9	0	0	0	1	23	14	4	2	0	0	0	18	0	0	8	0	0	0	0	2	15	0	1	0	0
9	76	52	62	66	5,3	4,9	4,3	4,9	44	42	15,9	21	0	0	0	0	16	8	1	2	0	0	0	14	0	0	4	0	0	0	1	1	9	0	2	1	0
10	84	70	79	79	5,6	5,7	5,3	5,4	88	77	18,3	19	11	2	0	0	13	9	4	1	0	0	0	10	2	0	4	0	0	0	0	5	15	0	4	1	2
11	81	75	79	79	5,2	5,8	5,7	5,5	171	141	30,7	13	20	5	0	0	16	14	8	3	0	0	0	12	9	3	4	0	0	0	0	2	12	14	3	4	2
12	80	75	78	78	5,2	5,1	5,1	5,1	105	101	29,8	28	22	17	8	0	17	11	3	3	0	0	0	9	11	4	3	0	0	0	0	5	15	15	3	0	2
ÅR	79	65	71	74	5,6	5,5	5,1	5,4	987	101	41,3		143	77	41	3	202	129	34	17	0	0	149	76	27	58	0	1	0	10	32	156	125	28	8	10
MÅKERØY																																				1979
1	82	80	81	81	5,7	5,9	6,0	5,9	21	27	5,1	12	29	27	14	0	15	7	0	0	0	0	1	14	0	0	0	0	0	0	4	19	31	1	1	0
2	79	70	76	76	5,4	3,6	4,1	4,4	7	14	2,5	2	27	20	11	0	7	2	0	2	0	0	1	7	1	1	0	0	0	0	6	8	28	4	3	5
3	86	76	82	82	6,1	5,8	6,0	5,9	71	203	12,2	27	19	5	3	0	16	14	3	12	0	0	0	9	11	4	3	0	0	0	1	16	30	4	2	3
4	82	69	72	76	6,7	6,8	6,3	6,6	55	102	14,7	25	3	0	0	0	13	11	2	1	0	0	0	12	2	0	7	0	1	0	0	0	19	0	3	1	1
5	80	67	74	77	5,7	5,5	5,2	5,5	78	150	17,5	30	0	0	0	0	22	16	2	1	0	0	0	22	2	1	2	0	0	0	2	1	10	0	8	3	5
6	75	60	64	70	5,5	5,4	5,3	5,4	42	74	8,6	16	0	0	0	0	12	9	0	3	0	0	0	12	0	0	2	0	0	0	2	0	12	0	0	0	0
7	79	61	70	74	5,3	4,5	4,7	4,9	96	128	24,5	30	0	0	0	0	10	11	4	0	0	0	0	10	0	0	1	0	0	0	5	0	6	0	1	0	0
8	82	63	73	76	5,1	4,7	5,3	5,0	72	64	13,5	3	0	0	0	0	13	11	2	0	0	0	0	13	0	0	1	0	0	0	1	0	13	0	1	0	0
9	84	60	70	74	5,0	4,6	5,0	4,9	43	45	13,5	21	0	0	0	0	13	9	1	4	0	0	0	13	0	0	5	0	0	0	0	0	7	0	1	1	0
10	91	80	86	87	6,1	5,6	5,6	5,7	84	90	20,5	19	4	0	0	0	10	11	4	2	0	0	0	10	1	1	6	0	0	0	1	0	16	0	5	3	3
11	92	85	89	89	6,1	5,6	5,9	5,8	130	126	22,1	13	14	2	0	0	16	13	6	10	0	0	0	11	7	2	2	0	0	0	1	14	11	1	1	3
12	91	86	89	89	5,5	5,2	5,3	5,4	81	79	24,0	28	20	15	5	0	15	11	3	8	0	0	0	10	8	3	4	0	0	0	0	0	12	14	3	1	0
ÅR	84	71	77	79	5,7	5,3	5,4	5,5	780	86	24,5		116	69	32	3	179	125	27	60	0	0	138	52	12	34	0	1	0	10	14	152	114	32	16	20
JELØY																																				1979
1	83	81	80	81	6,0	5,6	6,2	5,9	16	27	7,2	12	30	26	10	0	13	3	0	3	0	0	0	13	0	0	0	0	0	0	3	18	31	1	0	0
2	82	69	74	76	4,8	4,0	4,9	4,5	6	17	2,7	3	28	21	9	0	6	2	0	0	0	0	1	6	0	0	1	0	0	0	7	9	28	1	2	1
3	88	79	81	83	5,9	5,9	6,2	6,0	115	383	27,0	10	19	4	3	0	17	15	4	9	1	0	0	12	14	8	6	0	0	0	2	17	25	4	4	2
4	86	76	77	81	6,7	6,6	6,1	6,5	64	136	16,8	26	4	0	0	0	14	12	2	1	0	0	0	14	3	3	10	0	0	0	0	20	1	3	2	2
5	83	76	76	79	6,1	5,7	5,3	5,7	69	144	13,0	27	3	0	0	0	18	14	2	2	0	0	0	18	1	1	3	0	0	0	1	14	0	2	1	2
6	81	69	70	76	5,0	4,6	4,1	4,6	44	72	10,0	16	0	0	0	2	13	10	1	1	0	0	0	13	0	0	2	0	1	0	1	5	8	0	0	0	0
7	81	70	75	78	5,5	4,4	4,3	4,9	79	113	27,0	30	0	0	0	0	14	12	3	1	0	0	0	14	0	0	6	0	0	0	1	7	0	0	0	0	0
8	85	72	78	80	4,7	4,8	4,8	4,8	106	106	17,7	9	0	0	0	1	19	13	3	3	0	0	0	18	0	0	3	0	0	0	0	6	12	0	0	0	0
9	83	68	70	75	4,9	4,5	4,3	4,6	31	36	10,1	21	0	0	0	0	14	5	1	6	1	0	0	14	0	0	4	0	0	0	1	4	7	0	1	0	0
10	90	79	83	85	5,3	5,8	5,0	5,6	74	89	14,6	15	8	1	0	0	12	9	5	2	0	0	0	12	0	0	9	0	0	0	1	3	17	0	5	3	1
11	89	87	88	88	5,7	5,5	5,3	5,7	117	130	34,1	13	13	5	0	0	16	12	4	4	0	0	0	11	7	2	4	0	0	0	0	5	15	8	1	2	0
12	90	87	89	89	4,9	4,8	5,4	5,0	63	81	18,5	28	19	15	2	0	14	11	1	3	1	0	0	10	8	3	5	0	0	0	0	4	13	15	1	2	3
ÅR	85	76	78	81	5,5	5,2	5,2	5,3	784	99	34,1		121	72	24	3	170	118	26	56	7	0	137	52	17	53	0	1	0	4	41	157	108	19	16	11

MD.	MIDLERE LUFTTRYKK P1	P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
ÅS																									1979
1	1002,6	1015,0	-9,1	-7,3	-3,3	-3,4	-3,2	-5,6	-12,0	4,3	7	-24,6	1	8 1,3	5 1,4	2 1,3	3 1,2	4 1,8	8 1,3	3 1,3	1 4,0	4 2,3	9 1,4	12 1,3	26 1,3	2
2	1002,7	1018,1	-10,4	-4,5	-7,3	-7,7	-3,1	-2,7	-12,4	6,8	27	-22,0	17	9 1,0	4 2,3	0 1,3	7 1,0	3 1,0	11 2,0	6 1,3	2 1,0	3 1,4	9 1,1	5 1,0	9 1,6	9
3	993,8	1022,7	-2,5	0,7	-3,2	-1,1	0,1	2,0	-3,5	6,7	28	-20,0	18	5 1,8	8 2,1	10 1,7	4 1,5	3 1,6	18 2,5	15 2,5	6 2,8	3 1,7	2 1,0	4 1,0	6 1,3	4
4	1000,3	1012,1	2,4	3,5	4,7	3,5	-0,8	7,3	0,5	14,2	12	-5,6	16	4 1,8	9 1,9	11 1,5	9 1,4	5 1,8	12 2,2	10 1,8	3 1,7	7 1,4	5 1,6	4 1,0	8 1,4	4
5	1001,7	1012,3	7,4	10,6	9,7	9,0	-2,2	12,6	4,0	25,0	31	-1,6	9	2 1,0	5 1,2	2 1,6	1 1,0	1 2,0	21 2,3	32 2,3	8 2,9	2 2,0	12 1,4	2 3,0	2 2,5	3
6	1002,6	1013,9	15,0	18,1	17,3	15,3	0,9	20,5	10,6	27,3	6	6,0	30	1 2,0	3 3,1	6 1,3	1 1,0	5 1,3	13 2,6	25 2,4	15 1,9	9 2,0	5 1,6	3 1,7	2 2,0	0
7	997,4	1008,7	14,5	17,8	17,1	15,2	1,0	20,1	10,8	24,0	27	3,9	1	4 1,3	9 1,6	10 1,4	2 1,0	6 1,5	6 2,0	13 1,8	5 1,6	3 1,7	9 1,4	7 1,6	12 1,9	7
8	998,6	1010,0	12,9	16,6	15,2	13,8	1,8	18,4	9,8	25,3	18	4,4	25	1 2,0	3 2,7	11 1,6	3 1,3	10 1,4	15 2,1	16 2,1	7 1,7	6 1,8	3 2,0	4 1,5	7 2,3	7
9	998,0	1009,8	9,1	11,2	11,1	10,0	-0,3	15,2	6,9	19,9	4	-1,5	30	0 0,0	1 1,0	1 2,0	5 1,4	3 1,3	20 1,9	13 2,4	10 2,2	11 2,9	10 2,3	2 2,5	4 1,5	10
10	1007,5	1019,4	2,9	6,7	4,5	4,4	1,3	7,7	1,6	12,6	11	-5,7	24	3 1,0	4 1,3	18 1,2	8 1,4	7 2,0	7 1,4	14 1,3	2 2,5	1 2,0	3 2,0	2 1,0	10 1,1	14
11	993,3	1005,2	0,9	3,8	0,2	1,3	1,2	2,2	-2,7	9,0	4	-9,0	12	1 1,0	6 1,3	4 2,3	2 1,5	18 1,4	13 1,4	12 1,4	3 1,7	4 2,0	4 1,3	4 1,3	9 1,2	10
12	994,4	1016,5	-1,8	-3,0	-3,9	-4,3	1,7	-1,3	-6,3	8,6	2	-16,2	13	4 1,5	5 1,3	7 2,1	3 1,0	7 1,3	5 2,0	11 2,2	5 1,8	6 1,0	8 1,5	13 1,1	13 1,2	6
ÅR	999,1	1010,9	3,1	6,4	5,3	4,1	1,4	8,0	0,6	27,3		-24,6		38 1,5	62 1,9	88 1,6	55 1,3	80 1,5	151 2,1	170 2,1	87 2,1	81 1,9	79 1,6	82 1,3	188 1,5	76
HOLAND - KOLLERJO																									1979
1	998,7	1015,1	-11,0	-9,5	-9,8	-10,4		-7,1	-14,5	2,5	8	-35,0	1	34 1,6	19 1,6	1 2,0	0 0,0	2 1,0	1 1,0	10 1,8	2 3,5	0 0,0	1 5,0	0 0,0	3 1,0	0
2	997,0	1015,4	-11,2	-7,3	-9,3	-11,0		-4,6	-17,7	6,1	27	-29,6	15	32 1,3	9 2,4	4 2,3	2 1,0	0 0,0	2 1,0	17 1,9	5 1,6	3 2,3	5 1,4	3 1,3	1 3,0	2
3	985,2	1027,8	-3,6	0,3	-0,8	-1,7		1,4	-5,1	5,2	28	-24,8	18	18 2,7	7 2,1	1 3,0	8 2,3	0 0,0	15 2,3	32 2,9	9 3,4	0 0,0	1 3,0	1 2,0	1 3,0	2
4	994,6	1012,1	0,8	5,1	4,4	2,9		6,5	0,0	15,4	12	-6,2	16	22 1,6	12 1,7	0 0,0	10 2,2	1 1,0	10 1,8	24 1,9	3 1,0	1 1,0	2 1,5	2 2,0	3 1,7	0
5	995,2	1019,3	3,1	10,0	10,0	7,8		12,3	3,9	24,5	31	-3,4	11	12 2,1	1 3,1	0 0,0	3 2,0	0 0,0	9 2,3	55 3,0	3 4,0	2 4,5	5 2,2	2 1,0	0 0,0	1
6	997,3	1014,0	13,1	18,3	17,8	14,9		20,4	9,0	28,0	6	4,0	10	15 1,9	4 2,3	0 0,0	6 1,7	0 0,0	3 1,7	26 2,6	12 3,2	14 2,8	8 2,4	2 3,0	0 0,0	0
7	992,0	1008,6	14,2	17,2	16,3	14,1		19,7	9,4	24,4	13	1,9	2	23 2,1	10 1,7	1 1,0	3 2,2	2 2,0	8 1,2	18 1,5	5 1,6	2 2,5	5 1,8	8 1,4	8 2,3	0
8	993,3	1010,1	13,7	16,3	15,2	13,1		18,0	8,8	24,9	18	2,5	29	19 2,7	7 1,1	1 1,0	5 1,6	3 2,0	11 2,1	28 2,2	7 1,9	1 3,0	1 5,0	3 2,0	2 3,0	8
9	992,5	1010,4	7,2	11,5	11,8	9,7		14,6	5,8	18,8	9	-4,4	30	9 1,2	4 2,1	0 0,0	2 1,5	3 2,0	6 1,7	31 3,2	10 3,7	7 3,0	10 3,3	4 2,5	2 1,0	5
10	1002,0	1019,5	1,7	6,0	3,3	3,5		7,0	0,8	12,6	11	-5,8	3	23 1,8	12 1,6	1 1,0	14 1,6	3 2,0	4 3,0	24 1,9	5 2,6	1 5,0	0 0,0	1 1,0	3 1,7	2
11	987,8	1018,3	-3,8	-3,8	-3,1	-3,3		1,9	-2,6	8,2	4	-9,4	21	23 1,4	8 1,5	1 3,0	14 2,0	0 0,0	7 2,7	28 1,8	2 3,0	3 3,7	1 3,0	2 1,5	4 1,0	0
12	988,6	1008,8	-4,9	-3,9	-4,5	-4,8		-2,2	-6,8	7,9	5	-18,9	19	17 1,5	15 1,7	0 0,0	1 1,0	1 1,0	10 1,5	14 2,1	8 4,4	4 4,3	1 2,0	1 5,0	1 1,0	0
ÅR	993,0	1010,9	1,4	5,6	4,1	3,2		7,3	0,7	28,0		-35,0		287 1,8	107 1,8	10 2,0	69 1,9	12 1,7	84 2,0	307 2,4	71 3,0	38 3,1	40 2,5	29 1,9	28 1,8	17
EIDSBERG - JOINGRUD																									1979
1			-9,0	-7,8	-8,1	-8,5	-3,7	-5,8	-11,2	3,0	7	-25,0	1	18 1,7	20 2,1	6 2,0	1 2,0	5 1,0	10 1,4	7 2,6	4 2,0	3 1,7	0 0,0	0 0,0	16 1,4	0
2			-9,3	-3,2	-6,4	-7,8	-3,2	-2,8	-11,3	7,0	27	-21,0	15	8 1,3	11 1,3	1 2,0	1 2,0	4 1,5	8 1,3	12 2,1	8 2,9	5 1,0	4 1,0	4 1,8	14 1,8	4
3			-2,9	0,8	-0,4	-1,0	0,1	1,8	-3,3	6,0	28	-18,4	18	8 2,8	11 2,6	4 2,2	0 0,0	2 1,0	29 2,1	25 3,2	7 4,3	1 3,0	0 0,0	3 1,0	3 1,0	0
4			1,7	5,5	4,3	3,4	-0,7	7,0	0,9	16,6	12	-4,1	16	5 1,8	3 2,3	15 1,7	3 1,6	8 1,5	7 1,3	18 2,2	14 2,3	2 2,0	0 0,0	4 1,5	6 2,2	0
5			0,7	10,0	9,3	7,9	-1,9	12,0	4,7	25,1	31	-1,1	11	1 3,0	5 2,2	1 1,0	2 1,0	3 1,7	18 2,2	22 3,6	28 3,3	8 2,9	2 1,5	3 1,7	3 2,3	0
6			13,8	18,2	16,8	15,0	1,1	20,1	10,2	28,5	1	5,0	28	1 2,0	3 2,3	3 2,1	1 2,0	2 1,0	7 1,9	22 2,7	32 2,9	9 1,8	2 1,5	3 2,7	5 3,0	0
7			13,0	17,4	15,8	14,3	-2,1	19,2	10,0	23,2	12	3,9	2	11 1,8	3 1,3	3 1,3	1 1,0	5 1,6	6 1,3	14 1,9	14 2,4	7 1,7	1 3,0	9 2,7	19 2,1	0
8			11,6	16,4	14,0	13,3	-1,9	18,0	9,3	25,8	18	4,0	29	6 3,7	9 2,1	2 1,3	3 1,7	1 1,3	25 1,7	9 2,4	19 2,4	6 1,3	2 1,5	4 1,3	4 1,5	0
9			8,2	13,5	11,2	10,4	-0,1	14,9	6,8	18,8	9	-1,5	16	3 1,7	1 1,3	2 1,5	1 1,0	1 1,0	12 1,3	19 2,0	26 3,0	11 2,8	8 2,9	4 1,8	2 1,5	0
10			2,5	6,5	4,8	4,2	-1,9	7,7	1,0	12,6	11	-6,0	27	5 1,2	8 1,5	9 1,2	9 1,3	9 1,2	13 1,5	16 1,8	10 2,1	3 1,3	3 1,0	0 0,0	7 1,7	1
11			-0,1	1,3	0,3	0,3	-0,3	2,6	-1,9	8,6	4	-8,5	11	6 1,8	11 2,1	1 2,0	7 1,4	5 1,4	19 1,7	18 2,1	8 2,5	4 1,5	1 1,0	3 1,0	7 1,1	0
12			-3,3	-3,0	-3,9	-3,6	-1,6	-1,1	-5,6	8,1	2	-16,3	13	17 1,8	12 1,7	7 2,0	4 1,3	2 1,0	17 1,2	13 1,5	7 2,0	4 2,8	3 2,3	0 0,0	7 1,7	0
ÅR			2,7	6,1	4,9	4,0	-1,4	7,8	0,8	28,5		-25,0		89 1,9	97 2,0	54 1,7	41 1,5	90 1,3	168 1,7	195 2,6	177 2,8	63 2,1	26 1,9	37 1,8	93 1,8	5
RYGGE																									1979
1	1007,9	1014,8	-8,7	-6,8	-7,3	-7,8	-3,1	-5,1	-11,0	5,1	8	-23,9	1	20 2,3	24 2,2	3 1,7	1 2,8	4 1,3	5 1,3	2 4,0	5 3,6	1 3,0	3 2,7	1 1,0	9 1,7	4
2	1008,2	1015,1	-10,1	-4,5	-6,3	-7,5	-3,3	-2,6	-13,1	6,7	27	-25,1	16	8 2,0	12 2,1	9 1,0	2 1,0	3 1,3	5 2,2	7 3,6	4 2,5	7 2,0	3 1,3	0 0,0	7 2,3	12
3	998,1	1022,7	-2,5	0,8	0,2	0,3	0,2	2,4	-3,3	6,3	28	-20,8	19	11 2,4	11 3,1	6 3,2	1 1,5	7 2,4	15 3,5	18 3,7	12 3,8	2 3,0	2 1,5	2 2,0	1 1,0	2
4	1005,5	1012,1	1,9	5,8	4,9	3,6	-0,8	7,5	0,4	16,2	12	-5,4	18	7 1,6	19 2,3	9 2,1	5 2,4	4 2,0	5 2,8	21 2,8	8 2,8	3 2,3	1 2,0	2 2,5	4 1,3	2
5	1006,2	1012,6	7,1	10,4	9,1	8,2	-2,0	12,5	4,8	26,9	31	-0,9	9	6 1,5	1 2,0	3 2,0	4 2,0	3 1,7	6 3,0	39 3,5	16 3,0	6 2,7	1 2,0	2 2,5	5 2,4	1
6	1008,9	1014,3	14,0	17,9	16,3	15,1	0,9	20,8	10,4	28,4	6	6,3	17	2 3,5	3 2,7	5 1,4	1 1,0	2 1,0	9 1,9	24 3,0	24 3,2	6 2,3	2 2,5	2 4,0	5 2,0	5
7	1002,7	1009,0	13,5	17,8	16,8	15,0	2,0	20,1	10,7	23,6	27	3,6	1	18 2,0	9 2,2	3 1,3	2 1,0	1 2,0	5 2,2	16 2,8	13 2,6	6 2,3	4 1,5	2 2,0	9 2,3	2
8	1003,9	1010,1	12,1	17,0	15,3	14,0	1,8	18,8	9,8	25,8	18	4,1	25	11 2,2	7 2,3	3 1,7	5 1,8	4 2,5	8 2,5	18 2,9	19 2,5	4 2,0	5 2,0	1 3,0	5 2,4	3
9	1003,5	1010,5	8,7	14,5	12,1	11,1	-0,1	15,7	7,4	19,8	9	-3,0	30	2 2,5	2 1,3	1 2,0	1 1,0	2 2,0	9 2,7	10 3,0	28 3,3	12 3,0	6 2,8	3 1,3	7 2,1	7
10	1012,8	1019,3	1,0	7,5	5,3	4,8	1,8	8,3	1,8	13,1	11	-5,1	3	10 2,1	15 1,7	12 2,5	6 2,1	6 2,5	9 2,2	9 3,0	5 2,8	4 3,0	1 1,0	0 0,0	3 1,7	11
11	995,6	1005,2	3,2	2,4	1,1	1,0	0,8	3,5	1,8	9,8	4	-7,0	12	10 2,1	9 2,2	4 2,3	7 2,3	9 2,4	5 3,2	13 2,7	15 2,6	2 2,5	3 1,7	0 0,0	9 1,6	14
12	999,7	1006,4	-2,9	-2,0	-3,3	-2,9	1,4	-0,4	-5,7	9,4	2	-16,7	19	23 2,2	21 2,4	3 3,3	3 2,0	6 1,5	5 2,2	10 3,4	5 3,4	5 2,4	3 2,3	1 4,0	3 1,7	5
ÅR	1001,4	1011,0	3,0	6,7	5,4	4,5	1,3	8,5	0,9	28,4		-25,1		186 2,2	135 2,3	61 2,2	43 2,0	53 2,0	86 2,6	184 3,2	154 3,0	58 2,5	34 2,1	16 2,4	67 2,0	68
KALNES																									1979
1			-8,1	-6,6	-7,3	-7,4	-3,3	-5,0	-10,3	4,0	7	-23,5	1	6 1,0	18 1,9	23 1,4	3 1,4	0 0,0	0 0,0	0 0,0	4 1,5	7 1,7	2 1,0	7 1,3	11 1,0	6
2			-9,8	-4,8	-6,4	-7,4	-3,3	-3,0	-12,2	6,5	27	-23,2	16	3 1,0	7 1,7	20 1,7	3 1,1	0 0,0	0 0,0	0 0,0	6 2,3	6 2,5	1 1,0	12 1,0	9 1,1	15
3			-1,7	1,1	0,2	-0,5	0,1	2,1	-2,9	8,2	24	-19,8	19	0 0,0	9 1,6	16 1,0	3 1,0	7 1,4	12 1,9	4 1,0	19 2,7	15 3,1	5 1,4	1 1,0	1 1,0	1
4			2,9	5,9	4,7	3,8	-0,9	7,2	1,0	16,8	12	-4,4	18	1 1,0	5 1,1	17 1,4	13 1,6	0 0,0	5 1,0	2 1,5	18 1,6	13 1,8	5 1,2	1 1,0	4 1,8	5
5			7,7	10,3	9,7	8,2	-2,1	12,0	5,1	25,5	31	0,6	2	0 0,0	1 1,0	6 1,3	3 2,0	2 2,0	5 1,6	7 1,4	26 2,2	27 2,4	3 2,0	2 1,0	0 0,0	11
6			13,0	18,1	17,0	15,3	0,9	20,0	10,8	28,0	6	7,3	30	0 0,0	5 1,7	2 2,1	3 1,1	0 0,0	4 1,8	3 1,3	28 2,3	29 2,2	3 2,0	0 0,0	2 3,0	8
7			14,5	18,3	16,2	15,2	1,9	20,0	11,5	24,0	27	6,0	1	6 1,5	2 1,5	4 1,3	11 1,5	3 1,7	8 2,1	6 1,3	10 2,1	12 1,4	3 1,3	7 1,3	16 1,9	5
8			13,3	17,2	15,3	14,2	1,7	18,6	10,5	25,8	18	6,5	29	1 1,0	1 2,1	2 1,5	19 1,3	0 0,0	18 1,8	2 1,5	17 1,8	17 1,4	1 3,0	5 2,2	3 2,7	7
9			9,9	14,3	11,7	11,3	-0,3	15,3	7,9	19,4	9	1,0	16	2 1,0	0 0,0	1 1,0	6 1,0	0 0,0	5 1,8	4 1,5	19 2,2	27 2,6	6 2,2	6 1,5	3 1,3	12
10			3,7	7,5	5,3	5,2	1,5	8,2	2,7	13,0	11	-4,5	27	0 0,0	7 1,3	8 1,0	11 1,4	21 1,2	7 2,0	6 1,2	12 1,4	3 2,3	0 0,0	1 1,0	0 0,0	16
11			0,7	2,2	0,9	1,1	1,0	3,2	-1,3	9,4	4	-5,8	11	0 0,0	2 1,0	9 2,3	13 1,3	3 2,0	14 1,9	3 1,7	20 1,8	2 1,5	6 1,0	0 0,0	1 1,0	15
12			-2,9	-1,9	-2,8	-2,7	1,0	-0,8	-5,0	8,6	2	-15,3	19	0 0,0	9 1,6	23 1,3	21 1,7	3 1,0	1 1,0	0 0,0	15 2,3	6 2,2	6 1,7	1 1,0	0 0,0	8
ÅR			3,8	6,8	5,4	4,7	1,4	8,2	1,5	28,0		-23,5		19 1,3	84 1,8	130 1,6	132 1,4	80 1,3	77 1,9	37 1,3	194 2,1	164 2,2	41 1,6	43 1,3	49 1,6	109
PRESTEBAKKE																									1979
1			-9,1	-7,0	-7,8	-8,1	-4,1	-5,8	-11,3	3,2	7	-24,5	1	31 1,3	18 1,2	12 1,3	8 1,4	3 1,0	2 1,0	13 1,6	4 1,0	0 0,0	1 1,0	2 1,0	1 1,0	1
2			-9,8	-4,3	-6,7	-7,1	-3,6	-2,9	-13,0	5,5	27	-23,5	16	7 1,0	9 1,2	15 1,7	7 1,0	0 0,0	1 1,0	15 1,3	11 1,1	4 1,0	9 1,0	1 1,0	4 1,0	1
3			-2,9	0,6	0,1	-1,1	0,1	1,8	-4,0	6,0	28	-22,1	19	2 1,0	9 1,0	13 2,8	3 1,7	15 1,3	10 1,4	23 2,7	12 1,7	3 1,0	0 0,0	1 1,0	0 0,0	0
4			1,3	4,9	4,3	3,0	-0,7	6,2	-0,1	14,5	12	-6,5	18	2 1,0	4 1,3	26 1,5	19 1,2	4 1,0	6 1,0	7 1,3	21 1,4	3 1,0	2 1,0	0 0,0	0 0,0	0
5			8,7	10,1	9,3	8,0	-1,0	12,3	4,3	24,9	31	-2,1	12	0 0,0	1 1,0	8 1,1	4 2,3	7 1,3	7 1,6	16 1,9	35 1,8	8 1,1	5 1,0	2 1,0	0 0,0	0
6			13,9	18,0	16,9	15,0	1,4	20,0	9,9	30,0	1	5,9	17	4 1,8	4 1,5	4 2,3	7 1,6	0 0,0	7 1,4	12 1,8	34 2,0	7 1,1	9 1,4	2 1,0	0 0,0	0
7			14,3	17,0	16,1	14,4	1,3	18,8	10,3	22,6	14	3,5	1	5 1,4	5 1,3	5 1,2	6 1,2	2 1,0	4 1,3	5 1,6	22 1,3	11 1,1	18 1,4	4 1,3	6 1,8	0
8			11,7	16,2	14,3	13,1	1,8	17,8	9,6	25,0	17	1,9	29	2 1,0	1 2,0	9 1,6	11 1,6	2 2,0	10 1,2	11 1,3	26 1,3	2 1,0	9 1,1	3 1,7	4 3,8	0
9			8,7	10,1	11,1	10,5	-0,1	14,1	7,4	18,0	9	-1,8	30	0 0,0	2 1,5	1 1,0	4 1,0	3 1,0	5 1,2	11 2,5	46 1,9	8 1,6	7 1,3	2 1,5	1 2,0	0
10			3,0	7,0	4,9	4,6	-1,5	7,8	1,9	13,0	11	-3,5	4	3 1,0	17 1,2	18 1,3	13 1,5	2 1,0	6 1,2	9 1,1	16 1,3	1 1,0	3 1,0	1 1,0	2 1,5	0
11			1,0	3,4	1,2	1,4	-0,3	3,2	-0,7	8,4	4	-7,8	15	8 1,0	8 2,1	8 1,3	11 1,2	2 1,5	5 1,4	19 1,5	21 1,4	3 1,0	5 1,0	0 0,0	2 1,0	0
12			-2,9	-1,8	-2,7	-2,6	1,4	-0,6	-4,7	8,0	5	-17,5	19	10 1,0	15 2,1	14 1,5	12 1,3	3 1,0	5 1,4	14 2,1	11 1,6	2 2,0	5 1,0	0 0,0	0 0,0	0
ÅR			2,9	6,4	5,2	4,3	1,3	7,7	0,8	30,0		-24,5		74 1,2	91 1,5	135 1,6	103 1,4	45 1,3	68 1,3	155 1,8	259 1,6	52 1,2	73 1,2	18 1,2	20 1,9	2

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

ANTALL DAGER MED: NEDBØR, VINDSTYRKE, FOREKOMST AV

ÅS 1979

MD.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	M.	Nedbør SUM	%	MAX	DT.	Lufttemperatur TN<0	TX<0	TN<=-10	TX>=25	Nedbør R>=0.1	R>=1.0	R>=10.0	Vindstyrke FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	85	81	83	84	5,7	5,7	5,8	5,8	9	16	1,8	12	31	27	13	0	14	4	0	0	0	0	2	13	0	2	0	0	0	0	3	16	31	1	0	0
2	86	69	76	78	4,6	4,1	4,4	4,4	8	24	3,2	3	28	21	20	0	7	2	0	0	0	0	2	6	1	2	0	0	0	0	7	8	28	1	1	0
3	89	75	80	83	5,8	5,7	6,0	5,8	118	437	29,1	10	22	6	4	0	17	14	5	2	0	0	11	16	10	2	0	0	0	0	0	16	31	4	2	2
4	81	68	70	76	6,0	5,8	5,3	5,9	65	135	17,1	26	9	0	0	0	14	12	2	1	0	0	14	4	4	7	0	0	0	0	3	17	3	3	1	0
5	78	66	71	77	6,3	6,0	5,4	5,9	88	180	20,1	30	7	0	0	1	21	14	3	0	0	0	19	2	2	1	0	2	0	2	0	15	0	3	1	0
6	71	61	63	69	4,9	4,8	4,3	4,8	46	66	9,8	25	0	0	0	1	14	11	0	0	0	0	14	0	0	3	0	1	0	3	1	8	0	0	0	0
7	76	63	67	73	5,7	5,3	5,0	5,3	55	70	12,5	30	0	0	0	2	21	13	1	0	0	0	21	0	0	3	0	0	0	2	0	9	0	0	0	0
8	82	64	70	76	5,6	5,5	5,1	5,4	84	88	17,1	9	0	0	0	1	25	11	3	0	0	0	19	0	0	1	0	0	0	1	1	14	0	1	0	0
9	83	61	68	73	4,7	4,5	4,4	4,5	54	63	13,2	3	2	0	0	0	18	10	2	0	0	0	17	0	0	6	0	0	0	0	6	8	0	1	0	0
10	88	75	84	84	5,3	5,7	5,3	5,7	93	108	20,7	15	17	2	0	0	20	9	5	0	0	0	16	3	2	4	0	1	0	1	2	16	0	6	0	3
11	90	85	88	89	6,0	5,6	5,8	5,9	118	142	29,4	4	24	7	0	0	21	13	4	0	0	0	13	11	7	4	0	0	0	0	1	15	17	5	4	3
12	89	83	88	87	5,2	5,1	5,6	5,3	74	103	20,9	28	25	17	9	0	15	11	2	0	0	0	9	11	5	2	0	0	0	0	2	12	17	4	4	3
ÅR	83	71	76	79	5,6	5,3	5,3	5,4	812	103	29,4		165	80	51	5	207	124	27	3	0	0	159	66	31	37	0	4	0	9	26	154	127	29	13	11

HØLAND - KOLLERUD 1979

MD.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	M.	Nedbør SUM	%	MAX	DT.	Lufttemperatur TN<0	TX<0	TN<=-10	TX>=25	Nedbør R>=0.1	R>=1.0	R>=10.0	Vindstyrke FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	83	81	82	82	5,1	6,1	6,1	6,0	16	31	4,8	7	30	27	21	0	14	5	0	1	0	0	2	12	1	1	0	0	0	0	3	17	31	0	1	0
2	84	70	73	77	4,3	4,5	4,0	4,3	16	43	4,0	2	28	21	21	0	9	5	0	1	0	0	2	7	0	3	0	0	0	0	5	10	28	1	0	0
3	85	71	76	79	6,7	6,4	6,5	6,5	86	319	28,2	10	22	9	7	0	19	13	3	10	0	0	11	17	6	7	0	0	0	0	1	21	30	1	1	1
4	85	64	67	74	6,8	6,6	6,5	6,6	63	137	8,5	23	12	0	0	0	15	13	0	0	0	0	14	5	3	9	0	1	0	0	1	22	1	0	0	0
5	83	66	68	75	6,1	6,5	5,8	6,2	90	178	17,2	30	4	0	0	0	19	15	4	1	0	0	18	5	2	5	0	6	0	4	1	15	2	4	0	0
6	77	55	56	68	5,2	4,9	5,0	5,0	76	117	17,1	26	0	0	0	3	12	10	3	1	0	0	12	0	0	3	0	1	0	6	3	8	0	0	0	0
7	84	60	66	75	5,9	5,8	6,1	5,9	85	106	16,7	30	0	0	0	0	20	15	3	0	0	0	20	0	0	4	0	0	0	12	0	12	0	1	0	0
8	90	63	70	78	6,3	6,1	5,0	5,9	86	102	15,0	20	0	0	0	0	24	15	2	1	0	0	22	0	0	9	0	0	0	1	1	15	0	4	0	0
9	90	60	69	76	5,6	4,9	4,3	5,1	65	83	12,6	3	5	0	0	0	19	12	2	0	4	0	18	0	0	5	0	0	0	2	3	13	0	5	0	0
10	92	77	87	87	6,5	5,9	5,8	6,0	83	106	15,9	15	17	2	0	0	19	10	5	2	0	0	16	3	0	12	0	0	0	1	4	19	0	9	2	1
11	93	89	92	92	6,7	6,6	6,4	6,6	110	141	17,1	13	24	9	0	0	20	15	4	3	0	0	11	12	3	7	0	0	0	0	1	20	14	3	3	2
12	92	89	91	91	4,6	5,3	5,1	5,0	72	103	19,2	29	24	17	13	0	14	11	2	0	1	0	12	10	6	9	0	0	0	0	7	15	9	2	1	1
ÅR	87	70	75	80	5,9	5,8	5,6	5,8	838	113	28,2		166	85	62	5	203	139	28	32	5	0	158	71	21	74	0	8	0	26	30	187	115	33	8	5

EIDSBERG - JOHNSRUD 1979

MD.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	M.	Nedbør SUM	%	MAX	DT.	Lufttemperatur TN<0	TX<0	TN<=-10	TX>=25	Nedbør R>=0.1	R>=1.0	R>=10.0	Vindstyrke FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	88	84	86	87	5,9	5,7	5,0	5,9	21		5,2	13	30	27	16	0	22	6	0	1	0	0	1	18	1	0	0	0	0	0	3	18	31	2	1	0
2	90	74	79	83	4,9	4,4	4,1	4,5	15		3,4	2	28	20	15	0	19	5	0	0	0	0	3	7	1	2	0	0	0	0	4	8	28	4	2	2
3	89	75	81	84	6,6	5,7	6,6	6,3	140		49,2	10	19	6	3	0	24	15	3	6	0	0	13	15	10	3	0	0	0	0	0	18	31	2	2	3
4	83	69	75	78	6,0	6,1	6,2	6,2	70		11,7	23	6	0	0	0	16	14	2	0	0	0	13	5	4	4	0	1	0	0	0	16	2	5	2	3
5	84	69	72	78	6,3	6,1	5,2	5,8	96		32,0	30	2	0	0	1	24	16	3	4	0	0	21	5	5	10	0	4	0	2	1	14	0	4	1	3
6	77	59	64	71	5,0	4,1	3,6	4,2	72		17,6	24	0	0	0	3	15	9	3	3	0	0	12	0	0	5	0	0	1	3	6	7	0	0	0	0
7	81	62	71	76	5,4	5,0	4,9	5,1	129		26,5	30	0	0	0	0	23	15	4	1	0	0	19	0	0	3	0	0	0	8	1	7	0	3	1	3
8	86	63	74	78	5,0	5,4	5,4	5,3	78		15,6	9	0	0	0	1	21	14	2	2	0	0	18	0	0	4	0	0	0	2	0	12	0	0	0	1
9	86	61	67	74	5,4	5,0	4,3	5,1	47		12,3	3	2	0	0	0	17	10	1	0	0	0	17	0	0	8	0	0	0	0	2	9	0	5	0	2
10	91	78	84	84	5,8	5,7	5,7	5,7	87		18,1	15	16	2	0	0	15	9	3	1	0	0	11	4	0	9	0	0	0	1	1	17	0	7	4	3
11	91	86	90	90	6,6	6,2	6,2	6,4	139		28,5	4	21	6	0	0	21	15	5	1	0	0	15	10	4	4	0	0	0	0	0	18	14	6	5	6
12	84	81	83	82	4,8	5,1	5,2	5,0	101		33,4	28	23	16	10	0	14	10	3	3	0	0	10	11	7	3	0	0	0	0	6	14	9	4	4	2
ÅR	86	72	77	80	5,7	5,4	5,3	5,5	995		49,2		147	77	44	5	232	138	29	27	0	0	153	75	32	55	0	5	1	16	24	158	118	42	22	28

RYGGE 1979

MD.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	M.	Nedbør SUM	%	MAX	DT.	Lufttemperatur TN<0	TX<0	TN<=-10	TX>=25	Nedbør R>=0.1	R>=1.0	R>=10.0	Vindstyrke FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	89	85	87	87	5,5	6,0	6,1	5,9	15	26	4,6	12	29	27	17	0	17	5	0	1	0	0	4	16	2	2	0	0	0	0	3	17	31	0	1	0
2	90	74	79	83	4,9	4,5	4,3	4,6	7	19	3,0	3	28	21	19	0	8	2	0	0	0	0	1	8	1	2	0	0	0	0	5	9	28	1	2	1
3	89	75	79	82	5,7	6,0	5,9	5,9	123	373	33,6	10	19	5	4	0	17	14	3	3	0	0	13	14	7	8	0	0	0	0	2	14	22	3	1	2
4	86	66	71	77	6,6	6,7	6,0	6,4	56	140	12,7	26	8	0	0	0	14	11	2	0	0	0	11	5	1	11	0	0	0	0	0	20	1	2	0	0
5	81	67	72	77	5,9	5,7	5,1	5,7	75	174	17,6	30	4	0	0	1	13	14	3	0	0	0	19	1	1	10	0	1	0	3	0	11	0	4	0	0
6	73	60	63	69	5,3	5,1	4,7	5,0	57	100	14,4	25	0	0	0	3	15	11	2	2	0	0	15	0	0	5	0	0	0	8	4	8	0	0	0	0
7	75	58	66	70	5,0	5,4	5,0	5,5	92	124	27,2	30	0	0	0	0	21	12	3	0	0	0	20	0	0	5	0	0	0	6	0	9	0	3	0	0
8	83	60	66	73	4,9	5,0	5,2	5,0	90	96	16,9	9	0	0	0	1	22	12	3	0	0	0	18	0	0	6	0	0	0	1	2	12	0	0	0	0
9	83	60	64	71	5,0	4,9	4,3	4,8	45	47	15,0	21	2	0	0	0	17	11	1	2	0	0	15	0	0	8	0	1	0	1	4	8	0	0	0	0
10	87	71	79	81	5,7	5,7	5,0	5,6	94	108	23,7	15	12	1	0	0	18	8	5	0	0	0	15	3	0	13	0	0	0	1	3	18	0	5	1	2
11	88	82	85	85	6,1	5,8	5,9	6,0	140	167	35,7	13	18	5	0	0	19	14	4	1	0	0	12	11	5	8	0	0	0	0	1	18	13	3	1	2
12	87	83	85	85	5,3	4,8	4,9	5,0	81	113	26,2	28	20	17	10	0	18	12	2	0	0	0	9	14	6	9	0	0	0	0	6	14	12	3	2	1
ÅR	84	70	75	78	5,6	5,5	5,0	5,5	875	113	35,7		140	76	50	7	205	126	28	14	0	0	149	72	23	87	0	2	0	20	30	158	107	24	6	8

KALNES 1979

MD.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	M.	Nedbør SUM	%	MAX	DT.	Lufttemperatur TN<0	TX<0	TN<=-10	TX>=25	Nedbør R>=0.1	R>=1.0	R>=10.0	Vindstyrke FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	85	80	82	83	6,2	5,9	6,0	6,0	17	27	4,4	10	29	27	13	0	15	6	0	0	0	0	0	15	3	0	0	0	0	0	4	18	31	0	1	0
2	88	73	80	82	5,0	4,2	4,1	4,4	11	25	3,4	28	28	20	18	0	7	4	0	0	0	0	1	7	1	0	0	0	0	0	6	10	28	1	0	0
3	91	79	85	86	5,9	6,0	6,1	6,0	131	452	30,8	10	18	5	3	0	18	14	3	3	0	0	12	14	5	1	0	0	0	0	4	18	23	2	0	2
4	83	72	78	81	6,8	6,3	6,0	6,4	82	138	13,7	26	8	0	0	0	18	12	2	0	0	0	15	2	1	0	0	0	0	0	2	20	1	1	1	3
5	84	74	77	82	6,6	6,1	5,7	6,2	132	217	38,1	30	0	0	0	1	21	16	3	0	0	0	21	2	2	2	0	0	0	3	2	17	0	6	3	4
6	75	64	66	73	5,0	3,9	4,4	4,4	55	86	8,6	26	0	0	0	5	13	10	0	0	0	0	13	0	0	1	0	0	0	3	4	8	0	0	0	0
7	76	62	71	76	5,3	4,7	4,6	4,8	89	119	24,4	21	0	0	0	0	19	10	2	0	0	0	19	0	0	2	0	0	0	6	3	8	0	2	1	1
8	70	54	60	65	5,1	5,6	5,4	5,3	85	91	25,4	9	0	0	0	1	16	11	2	0	0	0	15	0	0	0	0	0	0	1	1	13	0	2	0	0
9	84	60	68	74	5,4	4,8	4,0	5,0	54	62	10,9	21	0	0	0	0	15	11	1	1	0	0	14	0	0	1	0	0	0	0	1	9	0	1	0	0
10	92	75	87	86	5,6	5,6	5,1	5,5	82	95	16,0	19	11	1	0	0	13	11	4	0	0	0	13	3	3	3	0	0	0	1	8	19	0	5	1	2
11	94	88	92	92	6,9	6,4	5,0	6,4	153	170	36,8	4	20	7	0	0	20	14	7	1	0	0	17	9	4	2	0	0	0	0	1	20	11	5	4	2
12	87	84	87	86	5,4	5,2	5,0	5,3	103	132	36,4	28	21	13	9	0	17	12	3	0	0	0	10	13	5	1	0	0	0	0	7	17	16	3	0	1
ÅR	84	72	78	81	5,7	5,4	5,0	5,5	944	118	38,1		133	75	43	7	190	131	27	5	0	0	153	65	24	13	0	0	0	14	43	177	110	28	11	15

PRESTEBAKKE 1979

MD.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	M.	Nedbør SUM	%	MAX	DT.	Lufttemperatur TN<0	TX<0	TN<=-10	TX>=25	Nedbør R>=0.1	R>=1.0	R>=10.0	Vindstyrke FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	85	80	82	83	5,3	5,5	6,1	5,6	18	30	5,3	7	30	27	15	0	14	6	0	0	0	0	0	14	0	0	0	0	0	0	4	17	31	1	1	0
2	85	71	71	77	3,8	3,4	3,0	3,5	14	35	5,4	4	28	21	17	0	7	5	0	0	0	0	1	6	0	0	0	0	0	0	11	6	28	1	2	1
3	90	74	77	82	6,2	5,6	5,9	5,9	103	294	34,3	10	19	5	6	0	17	13	2	0	0	0	8	15	3	0	0	0	0	0	2	16	27	6	3	3
4	85	69	73	78	6,4	6,1	5,9	6,1	70	140	12,3	30	11	0	0	0	16	14	2	0	0	0	13	7	4	0	0	0	0	0	3	20	2	11	4	4
5	86	70	67	77	6,5	5,5	4,6	5,5	109	227	33,1	30	5	0	0	0	21	17	3	0	0	0	18	4	1	0	0	3	1	5	2	14	0	7	4	4
6	74	58	58	67	4,0	3,8	3,1	3,6	46	74	9,9	26	0	0	0	3	13	8	0	0	0	0	13	0	0	0	0	0	0	1	9	6	0	3	0	1
7	79	63	66	73	4,1	4,8	3,5	4,1	81	100	17,5	31	0	0	0	0	14	13	3	0	0	0	14	0	0	0	0	0	0	4	6	8	0	3	3	0
8	89	63	71	78	4,5	4,4	4,2	4,4	39	98	19,5	27	0	0	0	1	19	15	2	0	0	0	19	0	0	0	0	0	0	3	5	11	0	7	0	1
9	87	63	68	75	4,3	4,9	4,0	4,4	74	86	12,6	21	3	0	0	0	13	11	3	2	0	0	13	0	0	0	0	0	0	0	5	6	0	9	2	2
10	91	73	81	83	4,5	4,9	5,1	4,8	77	79	17,0	16	13	1	0	0	12	10	4	0	0	0	12	0	0	0	0	0	0	1	8	16	0	12	3	5
11	92	86	89	90	6,1	5,7	5,0	5,7	150	165	26,3	27	18	4	0	0	20	15	8	0	0	0	14	8	1	0	0	0	0	0	3	17	14	8	7	5
12	89	86	87	87	4,3	4,6	5,4	4,9	96	109	30,0	29	21	15	8	0	17	12	2	0	0	0	12	12	7	0	0	0	0	0	9	14	16	4	5	3
ÅR	86	71	74	79	5,0	4,9	4,7	4,9	927	112	34,3		148	73	46	5	183	139	26	2	0	0	137	66	16	0	0	3	1	14	67	151	118	72	34	29

MD.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK P01	MIDLERE LUFTTEMPERATUR J7	J3	J9	TM	AVVIK FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM.
FERDER FYR																									1979
1	1013,2	1014,1	-5,2	-5,1	-1,6	-3,1	-1,3	-3,2	-6,8	4,8	7	-15,9	26	21 4,3	23 4,3	3 3,4	3 3,0	3 3,3	3 3,3	4 4,3	5 4,8	4 5,5	0 0,0	1 3,0	18 3,9	0
2	1013,6	1014,6	-4,6	-4,2	-3,3	-4,2	-2,9	-1,9	-5,8	3,0	27	-14,3	14	10 3,3	18 4,1	3 3,1	3 2,0	2 2,5	4 2,8	4 4,5	7 4,1	9 4,1	8 2,5	2 4,0	8 3,6	0
3	1001,3	1002,2	-3,6	-3,3	-3,7	-3,0	-3,5	1,7	-1,2	5,0	26	-11,0	17	16 4,1	8 5,1	3 4,3	1 4,5	10 4,8	13 5,4	7 4,9	19 5,5	8 4,0	2 3,0	0 0,0	3 3,0	0
4	1010,8	1011,7	3,1	4,0	4,3	3,7	-1,0	5,5	2,5	10,5	12	0,5	4	18 3,4	17 3,8	0 0,0	1 2,8	0 0,0	5 2,8	13 3,2	13 4,0	5 3,8	2 2,0	2 3,5	5 2,8	0
5	1011,6	1012,5	7,1	7,7	8,3	7,8	2,2	9,8	6,4	16,5	31	2,6	2	11 3,5	3 3,3	2 3,5	0 0,0	4 3,0	9 4,1	21 4,0	29 4,4	7 4,7	3 1,7	1 4,0	3 2,7	0
6	1011,1	1011,2	13,9	15,7	13,7	14,7	9,4	17,4	13,1	23,0	1	9,1	9	8 3,8	5 2,1	1 1,0	2 3,0	2 2,9	8 3,1	23 3,6	19 4,4	11 3,3	3 2,7	2 3,0	4 3,8	2
7	1007,9	1008,8	13,6	16,7	16,4	15,6	1,6	18,0	14,1	20,0	10	10,2	2	13 3,4	6 2,7	3 2,7	1 2,0	3 3,7	10 3,0	10 3,4	15 3,3	13 3,5	4 2,5	2 2,0	13 2,9	0
8	1008,9	1009,8	14,3	15,9	15,3	13,0	1,7	17,4	13,6	21,5	18	10,7	27	19 3,4	6 3,2	2 2,3	1 4,0	3 4,3	12 3,7	18 3,6	10 4,3	9 4,3	3 2,7	2 3,5	8 4,3	0
9	1008,9	1009,8	12,1	13,4	13,7	12,8	0,6	14,8	11,4	17,5	4	8,2	30	4 3,0	1 3,0	1 2,0	1 4,0	1 2,5	6 4,0	9 4,7	28 5,1	25 4,6	9 4,0	1 3,0	4 3,8	0
10	1017,7	1018,6	7,1	7,5	7,9	7,4	1,6	9,1	6,3	13,0	11	-2,0	27	13 3,8	17 3,4	9 4,3	13 3,5	7 3,1	5 2,8	6 4,0	13 4,2	4 4,0	1 4,0	1 1,0	4 2,5	0
11	1003,7	1004,6	3,6	4,1	4,1	3,9	0,7	5,9	2,2	9,8	4	-2,8	11	10 3,0	3 2,3	6 4,0	3 4,8	1 4,5	7 6,3	6 5,0	16 5,1	11 3,6	5 3,4	4 3,8	12 3,5	0
12	1004,6	1005,5	0,6	0,4	0,5	0,4	1,0	2,2	1,0	9,2	5	7,2	16	27 4,7	7 4,1	3 4,7	3 4,7	5 3,4	5 5,0	8 5,9	11 5,1	10 4,0	1 3,0	3 2,3	10 3,6	0
ÅR	1009,6	1010,5	5,5	6,5	6,7	6,0	1,5	8,1	4,6	23,0		-15,9		170 3,9	114 3,7	53 3,6	41 4,3	47 3,6	87 4,1	126 4,0	185 4,6	116 4,1	41 3,0	21 3,1	92 3,5	2
GVARV																									1979
1	1011,8	1012,1	-11,9	-9,3	-11,8	-11,3	-4,8	-6,8	-16,3	5,9	7	-27,2	1	1 1,0	0 0,0	3 1,0	0 0,0	1 1,0	1 2,0	0 0,0	0 0,0	2 1,5	0 0,0	5 2,2	1 1,0	79
2	1011,8	1012,0	-11,9	-4,8	-7,2	-8,0	-3,2	-2,3	-14,1	4,0	27	-25,0	15	0 0,0	4 1,8	3 1,7	0 0,0	3 1,3	2 2,5	0 0,0	0 0,0	0 0,0	0 0,0	3 1,7	2 1,0	65
3	999,8	1001,9	-4,4	2,2	3,8	1,2	0,9	3,7	-3,1	12,3	3	-18,0	18	3 2,0	3 1,7	2 2,0	2 1,0	6 2,3	17 2,5	1 2,0	2 2,0	3 2,3	2 2,0	6 2,2	45
4	1008,6	1011,6	1,3	0,9	0,8	0,9	0,7	8,5	0,4	14,5	14	-4,4	18	0 0,0	0 2,0	1 1,0	7 1,3	8 1,8	3 1,7	0 0,0	2 2,0	1 3,0	2 1,0	2 1,5	4 3,5	54
5	1003,8	1011,8	3,7	11,6	11,1	8,2	2,1	13,8	3,1	24,5	31	-4,2	2	1 1,0	0 0,0	1 1,0	8 2,0	12 2,3	9 2,1	1 1,0	4 1,8	6 2,0	2 2,0	5 2,2	4 2,5	40
6	1010,7	1013,6	12,9	19,1	17,7	15,1	0,7	20,8	9,5	27,0	6	3,5	30	0 0,0	1 3,0	0 0,0	12 1,7	9 2,1	11 2,9	1 4,0	0 0,0	0 0,0	0 0,0	2 3,0	4 2,0	41
7	1005,7	1008,6	15,1	19,5	18,0	15,4	1,4	21,3	9,7	25,5	8	3,4	2	2 2,0	1 2,0	0 0,0	9 1,4	8 1,6	3 2,3	0 0,0	0 0,0	1 3,0	2 2,5	2 3,0	3 2,0	62
8	1006,7	1009,7	10,7	17,3	15,5	13,5	1,8	18,8	9,1	25,5	18	3,1	28	1 1,0	1 1,0	0 0,0	17 1,5	12 2,0	2 2,5	0 0,0	0 0,0	0 0,0	1 2,0	1 3,0	3 3,0	55
9	1006,8	1009,8	6,1	14,5	11,3	9,6	1,0	15,9	4,9	21,0	6	-4,2	30	0 0,0	0 0,0	1 1,0	3 1,2	4 2,0	3 2,7	1 4,0	1 1,0	4 2,0	7 3,6	3 1,7	4 1,5	87
10	1015,8	1018,9	2,1	7,3	4,7	4,3	1,0	8,6	1,2	16,6	11	-7,0	27	0 0,0	1 2,0	3 1,3	4 1,5	3 2,7	2 1,5	0 0,0	0 0,0	0 0,0	2 2,0	0 0,0	3 2,0	75
11	1002,2	1005,3	-3,0	-0,3	-1,1	-1,8	2,5	1,5	-4,8	8,4	4	-17,9	15	1 1,0	0 0,0	1 1,0	0 0,0	1 3,0	3 2,3	1 2,0	0 0,0	0 0,0	0 0,0	2 3,5	3 2,0	76
12	1003,1	1006,2	-4,3	-3,4	-4,7	-4,4	1,2	-1,4	-7,1	10,3	2	-16,9	22	2 2,5	5 2,0	2 2,5	2 1,5	4 2,3	3 2,3	0 0,0	0 0,0	2 2,5	1 4,0	4 2,0	3 1,5	66
ÅR	1007,6	1010,6	1,5	6,7	5,0	3,6	1,6	8,5	0,6	27,0		-27,2		11 1,7	22 2,1	17 1,8	66 1,5	73 2,1	62 2,4	5 2,6	8 1,8	18 2,1	24 2,8	36 2,3	38 2,2	715
LANGØYTANGEN FYR																									1979
1			-0,7	-5,8	-3,4	-3,1		-3,9	-7,8	5,8	7	-15,8	1	42 1,9	23 2,1	3 2,1	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	3 4,3	4 3,8	1 3,0	0 0,0	4 2,8	11
2			-5,3	-3,2	-3,1	-4,2		-1,5	-6,6	4,5	26	-14,5	14	17 1,5	19 2,3	0 0,0	3 1,7	0 0,0	2 2,5	1 1,0	10 3,3	0 0,0	2 1,5	3 1,7	5 1,6	22
3			-0,7	1,0	1,2	0,5		2,5	1,3	8,2	3	-12,8	19	5 1,8	26 2,3	1 5,0	1 3,0	0 0,0	14 4,4	9 4,6	20 4,2	4 4,0	2 2,5	1 3,0	4 2,3	3
4			2,5	4,6	5,3	3,8		6,8	1,9	14,6	14	-1,0	9	12 1,8	25 2,3	0 2,5	1 1,8	0 0,0	5 2,5	5 1,8	15 3,1	3 4,7	1 1,0	0 0,0	5 3,2	8
5			6,5	8,6	8,3	7,4		10,7	5,4	23,5	31	0,8	2	8 1,9	3 1,1	0 0,0	1 2,0	0 0,0	9 2,7	9 2,3	41 3,7	2 3,0	2 4,5	0 0,0	6 2,5	7
6			13,3	15,6	15,2	14,2		17,9	11,4	23,0	2	8,4	30	8 1,6	8 2,3	0 0,0	2 2,0	1 1,0	10 1,8	10 2,0	19 4,0	8 3,5	2 4,0	2 3,5	5 2,6	15
7			14,5	16,8	16,7	15,4		18,7	12,9	23,4	8	9,0	2	20 2,2	3 2,1	0 0,0	1 1,0	0 0,0	10 2,3	12 2,3	20 3,0	8 2,9	1 4,0	0 0,0	10 3,2	8
8			13,0	16,0	16,1	14,5		17,6	12,2	24,0	18	8,4	24	16 2,3	8 2,6	1 2,0	4 2,3	0 0,0	9 4,1	20 2,7	18 3,5	3 3,7	1 3,0	0 0,0	3 2,7	10
9			10,0	14,3	13,1	12,1		15,3	9,5	19,0	11	3,0	30	11 1,8	3 1,7	0 0,0	1 1,0	2 2,0	4 3,0	5 3,2	15 5,2	16 4,1	10 4,2	6 3,2	8 3,6	9
10			3,5	7,6	7,3	6,5		8,7	4,9	12,5	11	-2,1	27	15 1,9	32 2,4	2 3,0	7 3,7	5 3,8	3 2,7	3 3,3	7 2,9	4 4,3	1 2,0	0 0,0	6 2,7	8
11			2,0	2,9	2,7	2,4		4,6	0,4	9,6	29	-6,0	15	16 1,9	13 3,1	1 4,0	4 4,8	0 0,0	9 6,0	1 6,0	11 4,0	6 2,7	6 2,0	1 1,0	12 2,7	14
12			-0,9	-0,8	-1,1	-0,9		1,2	-2,5	9,9	2	-10,0	17	28 2,4	19 4,1	2 3,5	1 5,0	0 0,0	3 3,7	5 5,8	7 4,6	5 3,8	3 2,7	3 4,0	5 2,2	12
ÅR			4,3	6,5	6,3	5,5		8,2	3,4	24,0		-15,8		198 2,0	187 2,7	13 2,8	32 2,9	3 4,6	75 3,3	80 2,9	186 3,8	63 3,7	32 3,1	16 3,0	73 2,8	127
JOMFRULAND FYR																									1979
1			-7,1	-5,9	-6,1	-6,5	-4,5	-4,0	-9,2	4,6	7	-19,5	27	18 1,2	31 2,5	3 4,0	1 4,8	1 3,0	0 0,0	0 0,0	3 4,0	7 3,0	2 3,0	8 1,0	15 1,2	1
2			-5,9	-2,9	-4,2	-4,7	-2,9	-1,2	-8,0	5,6	27	-15,5	13	9 1,6	25 3,1	2 2,5	1 1,0	1 1,0	2 2,5	4 1,8	8 2,9	4 2,5	6 2,0	6 1,0	13 1,5	0
3			-0,9	1,1	1,1	0,3	-0,1	2,7	1,9	7,0	3	-13,3	19	1 3,0	28 3,1	1 2,0	3 3,3	15 4,0	8 5,0	9 3,8	16 3,5	3 3,7	4 2,0	0 0,0	3 2,0	0
4			2,6	4,9	5,0	3,8	-1,3	6,8	1,7	15,1	14	-1,8	18	2 3,5	33 2,1	4 3,0	5 3,0	5 2,2	4 1,5	3 1,3	15 2,7	6 4,2	2 1,5	1 2,0	7 2,4	2
5			0,1	9,4	9,0	7,5	-3,0	11,0	5,0	22,5	31	0,1	7	4 1,3	8 1,3	1 4,0	3 1,3	3 1,4	7 2,4	5 3,2	26 3,6	18 3,8	6 3,0	4 2,0	6 1,8	0
6			13,2	16,4	16,3	14,5	-0,1	18,7	11,5	24,4	2	6,8	30	2 1,0	8 1,4	3 3,3	3 2,0	0 0,0	13 1,5	8 2,4	30 3,0	8 3,8	3 1,7	2 3,0	10 2,3	0
7			14,0	18,0	17,0	15,5	1,0	19,5	12,0	24,2	8	7,1	2	13 1,3	7 1,3	0 0,0	3 2,0	3 1,6	2 1,0	15 2,7	15 2,9	15 2,9	2 3,0	10 2,6	9 2,1	0
8			12,7	16,6	16,0	14,3	0,3	18,0	11,7	23,3	18	8,3	23	3 2,6	14 2,1	5 2,2	3 2,0	8 3,1	4 4,0	11 2,7	16 2,6	12 3,2	3 2,3	5 1,6	4 1,0	0
9			10,0	14,7	12,8	12,0	-0,6	15,6	9,2	20,0	4	1,8	30	1 1,0	9 1,3	0 0,0	1 1,0	5 3,4	0 0,0	2 2,5	32 3,3	2 4,5	21 4,2	7 2,7	9 2,4	1
10			0,1	8,2	7,3	7,0	1,3	9,1	5,0	13,4	9	-1,4	27	7 2,3	27 2,9	11 3,2	2 1,5	14 4,4	7 2,4	1 1,0	2 4,0	11 3,6	4 2,5	2 1,0	4 1,8	1
11			2,2	3,4	3,1	2,7	1,3	4,9	0,3	10,0	4	-6,0	15	6 1,8	15 3,1	1 2,0	1 3,8	3 1,7	1 5,0	7 6,4	12 2,8	14 3,5	4 2,3	12 3,3	10 1,1	1
12			-0,6	0,1	-0,4	-0,5	1,3	1,4	-2,7	9,3	5	-11,4	22	10 2,1	33 3,1	0 0,0	1 7,0	5 3,8	9 2,8	4 5,3	3 5,0	10 3,7	8 3,4	4 1,8	8 2,1	2
ÅR			4,4	7,0	6,4	5,8	1,7	8,5	2,9	24,4		-19,5		78 1,8	238 2,7	32 3,3	34 2,6	56 3,4	60 2,7	68 3,4	171 3,2	123 3,5	64 3,1	65 2,1	98 1,8	8
LYNGØR FYR																									1979
1	1013,3	1014,2	-0,3	-4,9	-5,0	-3,4	-1,1	-3,3	-7,3	6,5	7	-16,3	27	30 2,3	21 3,3	14 3,9	4 4,8	2 4,5	1 4,0	0 0,0	0 0,0	10 3,8	1 1,0	0 0,0	8 2,0	2
2	1013,8	1014,7	-5,0	-2,7	-3,1	-3,9	-2,3	-1,2	-6,7	5,6	26	-14,8	14	11 1,3	19 4,7	10 3,7	1 3,0	2 2,0	0 0,0	2 3,5	6 4,2	10 2,5	4 2,5	3 2,3	5 2,0	11
3	1001,2	1002,0	-0,3	1,7	1,5	0,7	0,2	2,9	1,1	8,1	3	-11,9	18	2 3,5	16 3,3	11 4,3	2 3,0	4 4,3	9 4,4	9 4,4	11 4,0	15 4,6	4 3,0	1 4,0	5 2,2	1
4	1010,9	1011,7	2,8	4,5	4,7	3,7	1,5	6,1	2,1	12,8	14	0,5	4	2 1,5	11 3,3	29 3,9	6 3,7	1 3,0	3 2,0	6 1,7	6 2,7	13 3,3	1 1,0	5 3,0	5 2,2	2
5	1011,8	1012,6	6,6	8,6	8,4	7,4	3,0	10,1	5,4	19,5	31	1,0	4	3 2,0	3 3,3	11 3,4	3 2,3	4 3,3	3 2,3	9 2,9	24 3,6	20 3,7	9 3,1	2 4,0	1 1,0	1
6	1013,6	1014,4	13,7	15,4	15,3	14,4	9,0	17,4	12,4	22,4	2	8,4	30	2 3,0	1 2,3	8 3,3	11 2,5	7 2,1	7 2,3	6 2,3	16 3,6	18 3,8	7 3,9	1 4,0	3 2,0	3
7	1008,4	1009,3	14,7	16,9	17,2	15,7	1,3	18,7	13,8	23,6	5	10,2	2	8 2,4	9 2,2	1 3,0	4 3,3	2 3,0	14 2,4	13 2,5	12 3,6	7 3,4	6 3,0	8 3,2	12 3,8	4
8	1009,0	1009,8	13,3	16,1	16,4	14,9	1,5	17,9	12,9	21,6	18	9,5	23	7 3,3	4 3,1	8 3,9	7 2,4	9 3,3	14 3,8	5 3,6	11 3,5	13 3,8	6 3,0	2 2,0	7 2,1	0
9	1009,8	1010,6	10,8	14,3	13,2	12,4	0,8	15,1	10,3	18,1	4	5,0	30	3 2,3	0 0,0	3 3,0	2 2,0	2 4,0	5 2,0	1 2,0	14 3,6	34 4,1	11 4,4	7 3,4	5 3,2	3
10	1017,5	1018,3	0,9	8,4	8,1	7,7	0,7	9,3	6,1	13,2	11	0,0	27	9 2,8	12 3,3	19 3,9	6 4,3	7 5,4	13 5,2	3 4,3	5 3,2	10 2,5	2 4,0	0 0,0	5 2,4	2
11	1004,0	1004,8	3,1	4,1	3,8	3,5	0,9	5,6	1,5	10,7	29	-5,2	13	11 2,1	9 3,2	10 4,1	3 0,0	4 0,0	2 5,0	5 6,4	12 2,7	20 3,2	11 3,0	3 2,7	2 3,0	1
12	1001,7	1002,5	0,7	0,7	0,8	0,5	1,2	2,4	1,3	9,8	5	-9,7	17	12 2,4	20 4,3	10 4,8	1 4,5	3 6,0	5 4,8	3 5,3	6 5,3	13 3,2	10 3,5	2 3,0	4 2,0	1
ÅR	1009,8	1010,7	3,1	4,9	4,8	4,1	1,3	6,4	4,0	23,6		-16,3		100 2,3	121 3,3	137 3,7	50 3,3	47 4,0	76 3,6	62 3,4	123 3,6	183 3,6	72 3,3	31 3,1	62 2,5	31
TORUNGEN FYR																									1979
1	1012,4	1014,3	-5,4	-4,6	-4,3	-4,9	-4,4	-2,8	-6,7	6,0	7	-15,0	27	26 3,5	22 4,4	12 5,0	1 4,8	0 0,0	0 0,0	0 0,0	5 5,2	6 4,2	2 3,0	2 2,5	14 3,4	0
2	1012,8	1014,7	-4,2	-2,3	-2,2	-3,1	-2,3	-0,3	-5,7	5,0	26	-14,7	14	13 3,8	24 5,4	1 3,0	2 2,5	0 0,0	1 5,0	11 4,5	15 3,3	4 2,8	3 2,3	10 3,0	0
3	1003,2	1003,0	0,1	1,7	1,5	0,9	0,3	3,2	-0,9	7,5	3	-11,6	19	5 3,8	20 5,4	8 4,5	3 3,0	2 4,5	8 5,4	9 5,2	14 5,5	12 5,3	7 3,6	2 3,0	2 3,0	1
4	1009,9	1011,7	2,5	4,2	4,1	3,3	1,5	5,6	1,9	13,0	14	-1,0	18	3 3,7	31 4,6	14 4,6	2 4,0	1 2,0	1 3,0	3 3,6	12 4,1	13 3,7	5 3,2	1 4,0	2 3,0	2
5	1011,2	1013,0	6,3	7,9	7,6	6,8	2,3	9,4	5,0	16,0	31	1,0	5	1 3,0	4 4,3	13 4,2	1 3,0	2 3,5	5 4,1	5 4,0	29 4,4	23 4,3	3 4,3	2 3,0	4 2,8	1
6	1013,0	1014,8	12,7	14,3	14,9	13,5	0,2	16,7	11,5	22,0	18	8,2	30	5 3,0	6 4,3	11 3,7	3 3,0	3 2,3	3 3,0	10 2,9	18 4,4	21 4,4	4 3,8	3 4,7	1 3,0	2
7	1007,9	1009,7	14,1	16,5	16,3	15,2	1,3	18,6	12,8	23,0	5	9,0	2	7 3,6	3 2,3	2 2,0	3 2,7	1 3,0	9 3,3	10 3,2	17 4,1	9 3,8	9 4,4	3 4,7	17 3,3	3
8	1009,4	1010,1	12,3	15,9	15,8	14,4	1,7	17,5	12,2	22,0	29	8,7	23	5 3,4	13 4,1	4 3,8	3 3,7	3 2,7	13 4,2	10 3,9	13 4,2	10 4,3	9 3,1	1 3,0	9 2,4	0
9	1009,6	1011,4	10,8	14,1	13,1	12,3	0,7	15,1	10,1	19,5	9	4,7	30	4 2,3	9 3,6	2 3,0	1 5,0	1 3,0	2 2,5	2 3,0	18 4,9	33 4,3	14 5,1	0 0,0	6 3,5	2
10	1016,5	1018,3	7,2	8,6	8,3	7,9	0,9	9,8	6,4	13,4	11	1,0	23	9 3,6	17 4,6	15 5,1	6 5,2	3 5,3	11 5,4	3 4,7	4 4,3	13 3,2	3 4,0	2 2,0	6 3,8	1
11	1003,3	1005,1	3,1	4,7	4,2	4,0	0,8	6,3	1,9	10,6	4	-3,5	13	12 4,1	6 5,3	1 7,0	3 6,0	0 0,0	3 4,0	7 5,9	4 4,3	31 3,9	9 2,9	5 3,4	9 3,0	0
12	1003,6	1005,4	1,2	1,3	0,8	1,0	1,2	3,1	-1,0	10,2	5	-9,5	17	20 4,0	15 6,1	4 9,3	1 5,5	1 7,0	6 4,8	5 5,6	2 4,5	13 4,6	8 3,4	6 3,3	6 2,3	3
ÅR	1009,1	1010,9	5,1	8,9	8,7	7,9	1,5	8,5	4,0	23,0		-15,0		110 3,7	166 4,8	87 4,6	35 4,2	17 3,6	61 4,4	66 4,2	147 4,5	199 4,1	77 3,8	30 3,3	86 3,1	15

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET kl 07	kl 13	kl 19	DM.	MIDLERE SKYDEKKE kl 07	kl 13	kl 19	DM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=10	TX>=25.	NEDBØR R>=0.1	R>=1.0	R>=10.0.	VINDSTYRKE FX> =38	FX> =88	FX>=98.	ANTALL DAGER MED: R	S	SL	YR	SH	FOREKOMST AV H	IH	TO	KV	OV	SD	TÅKE kl 07	kl 13	kl 19.
FERDER FYR																																					1979
1	88	89	86	87	6,4	6,8	6,1	6,5	10	15	2,5	12	28	26	7	0	16	5	0	11	1	0	2	15	0	0	0	0	0	0	1	19		4	2	0
2	86	83	81	83	4,9	4,8	5,0	4,8	3	7	0,6	2	26	21	3	0	9	0	0	0	0	0	1	4	0	1	0	0	0	0	0	5	8		1	2	3
3	87	83	83	85	6,3	6,0	6,0	6,1	33	244	24,7	26	16	3	2	0	17	13	3	21	1	0	10	12	3	2	0	0	0	0	0	17		2	3	1
4	84	80	80	82	6,5	6,3	6,1	6,3	55	131	12,7	25	0	0	0	0	14	10	2	3	0	0	14	4	3	2	0	0	0	0	1	20		1	1	0
5	86	78	80	82	5,9	5,1	5,1	5,4	64	145	16,8	30	0	0	0	0	20	11	1	20	0	0	20	2	2	2	0	0	0	1	1	10		4	1	1
6	80	71	74	77	5,1	5,0	4,8	4,9	28	58	5,6	25	0	0	0	0	13	7	0	11	0	0	13	0	0	0	0	0	0	0	5	8		1	0	0
7	82	71	80	81	5,8	4,7	5,1	5,2	33	95	20,3	30	0	0	0	0	14	8	1	6	0	0	14	0	0	1	0	0	0	0	1	9		0	0	0
8	82	73	77	79	5,4	4,7	5,4	5,2	15	58	9,8	9	0	0	0	0	13	9	0	14	2	0	13	0	0	0	0	0	0	0	1	12		1	0	0
9	80	73	71	75	4,9	4,5	4,1	4,6	25	32	12,0	3	0	0	0	0	10	6	1	12	2	1	10	0	0	2	0	0	0	0	2	7		1	0	0
10	85	81	78	81	5,6	6,1	5,4	5,7	51	87	11,7	15	2	0	0	0	10	7	3	11	0	0	10	0	0	4	0	0	0	1*	1	18		3	1	1
11	86	83	83	84	5,9	5,6	5,5	5,7	137	169	42,6	13	8	0	0	0	14	12	6	24	4	1	14	8	8	3	0	0	0	0	1	15		1	0	1
12	88	85	86	86	5,6	5,5	5,4	5,5	61	77	22,3	28	18	12	0	0	13	8	3	21	5	1	12	6	5	4	0	0	0	0	3	15		2	0	0
ÅR	84	79	80	82	5,7	5,4	5,4	5,5	615	85	42,6		98	62	12	0	159	96	20	175	15	3	133	51	21	21	0	0	0	2	22	198		21	10	7
ØVARV																																					1979
1	88	86	87	87	4,6	4,5	3,3	4,2	14	29	2,9	11	31	27	24	0	10	5	0	0	0	0	1	10	0	0	0	0	0	0	7	11	31	0	0	0
2	89	88	86	80	3,8	3,6	4,1	3,8	5	16	3,1	3	27	20	19	0	5	2	0	0	0	0	1	5	0	1	0	0	0	0	9	8	28	0	0	0
3	89	88	78	80	3,0	3,3	3,3	3,4	95	432	20,3	26	22	3	3	0	16	12	4	0	0	0	14	12	8	2	0	0	0	0	1	14	31	1	0	0
4	93	90	85	76	6,4	6,1	6,0	6,3	29	78	7,3	5	11	0	0	0	13	9	0	1	0	0	12	5	4	2	0	0	0	0	1	20	3	4	0	0
5	87	87	89	73	5,2	5,6	4,6	5,2	94	224	21,6	27	10	0	0	0	20	13	2	0	0	0	13	2	1	0	0	3	0	3	3	10	0	1	0	0
6	81	82	58	71	4,9	3,8	4,7	4,8	73	118	13,2	9	0	0	0	0	13	8	3	1	0	0	13	0	0	0	0	0	0	3	3	8	0	0	0	0
7	82	83	82	71	4,7	5,5	5,3	5,2	84	94	35,1	30	0	0	0	0	16	9	2	0	0	0	16	0	0	0	0	0	0	5	1	10	0	0	0	0
8	95	80	72	82	6,0	5,2	5,5	5,6	178	180	26,7	22	0	0	0	1	20	15	8	0	0	0	20	0	0	0	0	0	0	3	1	13	0	1	0	0
9	95	92	84	75	5,0	4,8	4,1	4,6	31	37	13,5	3	5	0	0	0	13	8	1	0	0	0	18	0	0	2	0	0	0	0	5	10	0	4	0	0
10	94	70	85	85	5,9	5,1	5,1	5,4	65	82	17,9	15	12	0	0	0	16	8	3	0	0	0	16	2	1	9	0	0	0	1	6	15	0	4	0	0
11	90	85	88	88	6,6	6,7	6,2	6,8	82	105	14,0	4	25	8	5	0	16	13	3	0	0	0	11	10	3	0	0	0	0	0	6	9	21	4	2	2
12	84	82	86	84	4,3	4,3	4,7	4,4	46	74	13,5	28	30	19	10	0	14	7	1	2	0	0	5	11	2	1	0	0	0	0	8	12	23	0	0	2
ÅR	89	86	73	79	5,1	4,9	4,8	5,0	796	108	35,1		173	77	59	0	177	109	27	10	0	0	145	57	19	17	0	3	0	15	50	140	137	19	2	4
LANGØYTANGEN FYR																																					1979
1	83	82	80	82	5,2	5,9	5,3	5,5	24		6,7	12	29	25	9	0	11	6	0	2	0	0	0	11	0	0	0	0	0	0	5	17		2	1	1
2	81	73	77	78	4,8	3,9	3,8	4,0	3		1,8	3	27	20	4	0	5	1	0	1	0	0	0	5	0	1	0	0	0	0	9	8		0	0	1
3	90	81	82	85	6,3	6,3	6,0	6,2	112		27,1	26	17	3	3	0	17	13	4	13	0	0	13	13	8	2	0	0	0	0	1	19		3	1	0
4	87	79	74	80	6,9	6,7	6,1	6,6	64		20,0	4	4	0	0	0	13	11	1	0	0	0	13	4	4	5	0	0	0	0	0	22		3	1	1
5	86	77	78	81	6,3	5,4	5,3	5,7	90		16,8	24	0	0	0	0	16	12	3	4	0	0	18	1	1	4	0	0	0	3	0	13		2	2	1
6	80	71	69	74	5,8	5,5	5,1	5,5	84		35,0	16	0	0	0	0	12	9	3	6	0	0	12	0	0	2	0	0	0	1	1	14		3	0	0
7	77	71	75	76	5,8	5,5	5,3	5,5	58		31,4	30	0	0	0	0	19	10	1	1	0	0	19	0	0	3	0	1	0	2	1	9		1	0	0
8	86	73	74	80	6,5	5,4	5,1	5,7	134		22,6	9	0	0	0	0	14	12	7	7	0	0	14	0	0	3	0	0	0	6	0	12		2	0	0
9	86	63	68	75	5,6	5,0	4,3	5,1	41		15,0	21	0	0	0	0	12	10	1	14	5	1	12	0	0	4	0	1	0	1	2	8		3	0	0
10	91	79	81	85	6,5	6,3	5,8	6,1	103		32,9	15	3	0	0	0	11	8	4	0	0	0	14	1	0	7	0	0	0	1	2	16		3	2	1
11	90	87	87	88	6,3	5,2	5,0	5,7	137		35,2	1	13	4	0	0	15	14	6	9	2	0	12	8	3	4	0	0	0	0	3	14		1	2	1
12	89	85	88	88	5,6	5,2	5,3	5,4	81		23,7	28	19	15	0	0	13	9	2	10	2	2	9	7	2	4	0	0	0	0	4	15		4	2	1
ÅR	85	77	78	81	5,9	5,5	5,3	5,6	931		35,2		112	67	16	0	163	115	32	73	9	3	136	50	18	39	0	2	0	14	28	168		27	11	7
JOMFRULAND FYR																																					1979
1	82	80	80	81	5,4	5,9	5,1	5,5	36	46	14,0	12	30	27	15	0	14	8	1	3	0	0	9	14	0	0	0	0	0	0	5	15	31	1	1	1
2	77	68	74	74	4,4	4,5	4,1	4,3	8	15	3,2	4	27	20	10	0	8	2	0	3	0	0	2	6	0	2	0	0	0	0	6	9	28	0	0	1
3	85	76	78	81	6,1	6,2	6,2	6,1	113	283	28,1	26	19	3	3	0	16	12	4	14	0	0	13	10	7	0	0	0	0	0	17	23	3	1	0
4	84	77	74	79	7,1	6,7	6,2	6,7	66	140	19,4	4	4	0	0	0	14	10	2	0	0	0	14	6	6	7	0	0	0	0	0	20	2	1	1	1
5	85	74	76	80	6,3	5,6	5,9	5,9	102	222	17,8	24	0	0	0	0	20	13	5	5	0	0	19	1	1	5	0	1	0	2	1	13	0	3	1	3
6	81	70	66	74	6,0	5,5	5,7	5,7	35	63	6,1	25	0	0	0	0	11	9	0	4	0	0	11	0	0	0	0	0	0	0	0	12	0	1	0	0
7	76	65	70	73	5,4	5,4	5,7	5,5	77	105	54,0	30	0	0	0	0	14	9	1	0	0	0	14	0	0	0	0	0	0	0	0	10	0	0	0	1
8	85	73	73	79	6,4	5,1	5,5	5,7	153	158	34,0	2	0	0	0	0	16	12	6	2	0	0	16	0	0	0	0	0	0	2	0	10	0	0	0	0
9	83	61	68	73	5,0	5,0	4,8	4,9	41	43	12,7	21	0	0	0	0	11	9	2	10	1	0	11	0	0	3	0	0	0	2	0	10	0	1	0	0
10	86	78	79	81	6,1	6,1	5,8	5,9	108	113	31,5	16	3	0	0	0	13	11	4	3	0	0	13	0	0	4	0	0	1	0	2	17	0	2	0	1
11	88	83	86	86	5,5	5,4	5,3	5,5	158	144	24,0	13	12	2	0	0	16	14	7	13	0	0	14	6	4	1	0	0	0	0	4	11	7	1	0	0
12	87	83	84	85	5,2	5,0	5,1	5,4	80	83	25,7	28	19	12	2	0	14	11	2	11	2	0	8	8	2	4	0	0	0	0	4	15	14	0	0	0
ÅR	83	74	76	79	5,7	5,6	5,3	5,6	977	110	54,0		114	64	30	0	167	120	34	68	3	0	135	51	20	26	0	1	1	4	24	159	105	13	4	8
LYNGØR FYR																																					1979
1	77	77	76	76	5,6	5,8	5,0	5,5	29	39	8,7	11	29	27	7	0	13	7	0	6	0	0	0	13	0	0	0	0	0	0	5	17		0	2	1
2	80	77	78	78	4,6	4,1	4,2	4,3	4	7	2,3	3	26	17	6	0	9	1	0	0	1	0	1	5	0	0	0	0	0	0	7	10		0	0	1
3	86	79	79	82	6,1	6,4	6,1	6,3	110	262	34,8	26	16	3	2	0	19	12	3	17	0	0	16	13	9	1	0	0	0	0	1	18		3	1	1
4	85	81	78	81	6,0	6,8	5,9	6,5	60	122	20,5	24	0	0	0	0	14	12	1	3	0	0	14	3	3	3	0	0	0	0	2	21		2	2	0
5	84	79	78	81	6,1	5,1	4,9	5,4	98	204	17,8	25	0	0	0	0	16	14	5	6	0	0	16	0	0	5	0	0	0	2	2	11		3	3	4
6	77	71	70	73	5,3	5,1	4,8	5,0	29	54	6,2	25	0	0	0	0	11	7	0	4	0	0	11	0	0	0	0	0	0	0	5	11		0	0	0
7	72	69	71	71	5,1	4,8	5,3	5,0	58	78	27,3	30	0	0	0	0	13	9	1	1	0	0	13	0	0	0	0	0	0	0	2	10		1	0	1
8	86	74	73	79	5,7	4,7	4,1	4,9	206	210	48,7	9	0	0	0	0	17	15	7	4	1	0	17	0	0	1	0	0	0	2	0	10		0	0	0
9	82	63	70	74	4,7	4,5	4,0	4,4	39	43	15,7	8	0	0	0	0	10	8	1	10	2	1	10	0	0	2	0	0	0	1	4	6		0	1	0
10	85	81	80	82	6,4	6,1	5,4	6,0	98	97	26,7	16	0	0	0	0	15	10	3	13	1	0	15	1	1	4	0	0	0	1	4	18		2	0	1
11	86	82	84	84	4,9	5,1	5,0	5,0	153	142	38,1	2	3	1	0	0	15	14	5	13	3	0	12	5	2	1	0	0	0	0	3	10		0	0	0
12	84	83	84	84	5,3	5,9	5,4	5,5	97	99	28,7	28	18	10	0	0	16	12	3	13	7	2	9	10	0	0	0	0	0	0	4	16		0	0	0
ÅR	82	76	77	79	5,6	5,4	5,1	5,3	979	110	48,7		97	58	13	0	167	121	29	96	15	3	134	50	15	17	0	0	0	6	39	158		11	9	9
TORUNGEN FYR																																					1979
1	87	87	84	86	5,0	6,1	5,6	5,6	17	21	3,4	11	29	24	6	0	14	7	0	11	0	0	2	13	1	0	0	1	0	0	4	13		1	1	0
2	84	81	80	82	4,3	4,6	4,3	4,5	8	14	3,6	28	25	15	6	0	8	2	0	12	4	1	1	5	0	1	0	0	0	0	7	10		0	0	1
3	90	83	86	87	5,8	6,2	5,5	6,2	135	307	37,2	26	13	3	2	0	17	13	4	22	6	2	16	10	8	5	0	0	0	0	1	18		2	1	2
4	93	87	87	90	6,5	6,2	6,0	6,2	55	112	11,2	24	1	0	0	0	15	11	1	18	1	0	15	4	3	4	0	0	0	0	1	18		2	4	0
5	91	86	86	88	5,8	5,9	5,4	5,7	109	227	23,0	30	0	0	0	0	13	14	4	21	0	0	16	0	0	4	0	0	0	2	0	15		6	4	2
6	89	85	78	84	5,8	5,3	4,6	5,2	31	55	7,3	16	3	0	0	0	11	9	0	12	0	0	11	0	0	1	0	0	0	0	2	9		1	0	0
7	84	70	76	79	4,8	4,8	4,6	4,7	42	65	12,0	10	0	0	0	0	8	8	1	3	0	0	8	0	0	1	0	0	0	2	2	5		1	1	1
8	77	64	64	70	5,7	5,0	4,9	5,0	141	141	21,6	3	0	0	0	0	15	12	6	9	2	0	15	0	0	1	0	0	0	5	0	10		0	0	0
9	70	52	59	62	4,9	5,0	4,4	4,8	25	27	5,5	3	0	0	0	0	10	8	0	23	3	0	13	0	0	4	0	0	0	0	3	10		1	1	0
10	79	75	75	76	6,1	6,6	5,3	6,3	100	102	24,2	16	0	0	0	0	16	13	4	18	1	0	16	0	0	7	0	0	0	0	3	20		2	1	1
11	91	85	87	88	5,0	5,3	5,3	5,2	172	152	36,0	4	3	0	0	0	17	13	4	18	0	2	17	5	5	3	0	0	0	0	2	10		1	1	0
12	90	88	90	89	5,9	5,7	5,9	5,8	113	103	35,0	28	18	6	0	0	19	13	4	21	7	3	12	11	3	3	0	0	0	0	4	16		0	0	0
ÅR	85	79	79	82	5,5	5,6	5,3	5,4	948	104	37,2		96	48	14	0	168	123	28	195	30	8	139	48	20	34	0	1	0	7	29	154		17	14	7

MD.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK RO1	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
TVEITSUND																										1979
1			-10,0	- 8,0	-10,3	- 9,7	- 5,8	- 6,2	-14,3	7,2	7	-26,8	27	1 1,0	0 0,0	4 2,5	2 1,0	0 0,0	3 1,7	0 0,0	1 1,0	1 3,0	3 1,0	2 2,5	1 2,0	75
2			-10,0	- 4,9	- 6,3	- 7,7	- 3,5	- 2,3	-12,7	7,0	26	-23,1	16	1 3,0	0 0,0	0 0,0	4 1,5	0 0,0	5 1,6	1 2,0	5 2,4	0 0,0	1 1,0	6 1,8	2 1,0	69
3			- 3,5	- 0,8	- 0,2	- 1,3	- 0,1	2,4	- 4,7	9,3	3	-21,7	19	0 0,0	0 0,0	4 2,0	3 2,3	0 0,0	11 1,8	0 0,0	14 1,9	2 2,0	3 2,3	4 2,0	2 3,0	80
4			0,6	5,1	3,3	2,6	- 1,1	6,4	- 0,7	11,2	27	- 7,1	18	0 0,0	1 2,0	0 0,0	0 0,0	0 0,0	1 2,0	0 0,0	6 1,8	1 2,0	3 1,3	3 2,3	0 0,0	75
5			3,5	9,5	9,1	7,0	- 2,2	11,4	2,4	22,8	31	- 3,7	7	0 0,0	1 1,0	0 0,0	0 0,0	2 1,0	0 0,0	0 0,0	7 1,4	1 1,0	7 1,7	10 2,2	0 0,0	65
6			11,7	17,6	16,7	13,8	3,6	19,5	8,3	26,2	6	4,0	30	0 0,0	0 0,0	1 1,0	0 0,0	0 0,0	2 1,5	5 1,6	7 1,1	4 1,5	4 1,8	3 2,0	1 2,0	63
7			14,9	18,1	17,1	14,7	0,9	20,3	9,3	25,1	13	4,2	4	1 1,0	0 0,0	1 1,0	0 0,0	0 0,0	1 2,0	2 2,5	5 1,2	3 1,3	9 1,4	9 1,7	7 3,3	55
8			11,1	15,8	14,3	12,3	1,4	17,2	8,5	23,2	18	3,0	23	2 1,5	0 0,0	1 1,0	0 0,0	0 0,0	3 2,0	0 0,0	7 2,3	0 0,0	1 1,0	9 1,2	1 3,0	69
9			7,8	13,3	13,6	9,8	0,4	14,4	6,0	21,5	6	- 3,1	30	0 0,0	0 0,0	0 0,0	0 0,0	1 1,0	0 0,0	0 0,0	4 1,5	4 1,3	11 1,9	16 1,8	5 4,0	49
10			3,2	8,8	8,7	6,7	0,9	7,9	1,9	16,7	11	- 5,2	27	0 0,0	1 2,0	0 0,0	2 3,0	2 2,5	2 2,0	1 1,0	4 1,8	1 2,0	1 1,0	4 1,8	6 2,5	67
11			- 0,9	2,0	0,3	0,2	- 1,3	3,2	- 3,0	10,8	29	-13,2	13	0 0,0	2 2,0	1 3,0	2 1,5	1 2,0	10 1,5	1 1,0	7 2,0	2 1,5	7 1,7	7 1,8	4 3,5	46
12			- 3,4	- 1,8	- 2,0	- 2,8	- 1,6	- 0,3	- 5,9	9,4	2	-17,3	17	1 1,0	1 3,0	2 1,5	5 1,8	1 3,0	9 2,4	3 2,3	6 2,0	0 0,0	4 2,5	10 1,5	4 2,5	63
ÅR			2,1	6,2	4,8	3,7	- 1,5	7,8	- 0,4	26,2		-26,8		6 1,5	6 2,0	11 1,9	18 1,8	7 1,9	47 1,8	13 1,8	73 1,9	21 1,9	60 1,6	77 1,8	37 2,8	716
MELAUG																										1979
1			-10,7	- 8,2	- 8,8	- 9,5	- 5,7	- 6,1	-13,2	6,0	7	-26,2	27	0 0,0	4 1,0	5 1,0	8 1,1	1 2,0	0 0,0	0 0,0	1 3,0	2 3,0	5 2,4	1 2,0	2 1,5	64
2			- 8,3	- 3,1	- 4,1	- 5,9	- 2,6	- 0,5	-11,5	7,5	25	-25,0	16	1 2,0	5 1,4	4 1,5	1 1,0	0 0,0	1 1,0	2 2,0	2 1,5	12 1,0	0 0,0	1 1,0	0 0,0	55
3			- 2,0	1,3	0,4	- 0,7	- 0,3	2,5	- 3,7	7,0	2	-20,8	19	1 2,0	3 2,0	0 0,0	3 1,3	4 1,3	19 1,4	7 1,6	7 1,9	9 3,0	4 2,0	0 0,0	0 0,0	38
4			0,6	5,5	4,3	2,9	- 1,2	6,9	- 0,2	11,6	27	- 4,9	18	1 1,0	5 1,0	1 1,3	1 1,0	1 1,8	5 1,2	3 1,3	9 1,7	6 1,7	4 2,3	0 0,0	3 1,0	42
5			5,3	10,7	10,1	7,8	- 1,9	12,5	3,7	24,0	31	- 2,3	4	0 0,0	3 1,0	0 0,0	0 0,0	1 1,0	17 1,1	5 1,4	15 1,3	13 1,8	15 1,9	0 0,0	0 0,0	24
6			11,3	17,6	16,3	14,0	3,6	19,8	9,3	27,5	2	6,0	5	0 0,0	0 0,0	1 1,0	2 1,0	2 1,0	29 1,2	5 1,0	9 1,8	12 1,5	8 1,9	3 1,0	0 0,0	19
7			11,8	18,7	17,5	14,8	4,2	20,8	10,2	26,0	8	6,3	2	0 0,0	0 0,0	0 0,0	1 2,0	1 1,0	6 1,0	16 1,1	9 1,7	26 1,8	7 2,0	9 1,2	0 0,0	22
8			10,6	16,3	15,7	13,4	2,4	18,3	9,5	24,0	18	4,8	23	0 0,0	0 0,0	1 1,0	2 2,0	0 0,0	4 2,3	9 1,4	27 1,2	8 1,3	15 1,5	0 0,0	0 0,0	27
9			8,1	13,9	11,1	10,4	0,4	15,0	7,0	22,5	5	- 2,0	30	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	1 1,0	2 2,0	19 1,6	27 1,9	13 3,2	0 0,0	0 0,0	28
10			3,8	7,4	5,3	5,3	- 1,2	8,4	2,7	15,5	11	- 5,2	27	0 0,0	2 1,0	1 1,0	11 1,0	10 1,6	6 1,2	1 1,0	6 1,3	0 0,0	3 3,0	2 1,5	2 1,5	49
11			0,3	2,4	1,5	1,2	- 1,1	4,0	- 1,5	9,5	29	-11,0	13	0 0,0	1 4,0	1 1,0	2 1,5	3 1,0	6 2,3	2 1,0	7 1,1	9 1,4	17 1,4	1 3,0	1 1,0	40
12			- 3,5	- 2,0	- 2,0	- 2,8	- 2,1	0,1	- 5,9	9,0	2	-18,4	17	3 3,0	11 1,1	5 1,4	5 1,8	2 1,5	3 2,0	0 0,0	0 0,0	13 2,7	4 2,8	1 4,0	0 0,0	46
ÅR			2,2	6,7	5,0	4,2	- 1,6	8,5	0,5	27,5		-26,2		6 2,3	34 1,3	22 1,2	39 1,2	28 1,4	97 1,3	52 1,3	111 1,5	137 1,8	95 2,1	13 1,6	9 1,2	452
LANDVIK																										1979
1			- 5,0	- 6,0	- 7,1	- 7,2	- 5,4	- 3,9	-11,2	6,7	7	-25,4	27	0 2,0	37 2,2	21 2,0	1 1,5	0 0,0	0 0,0	2 3,5	3 3,3	1 5,0	1 3,0	0 0,0	0 0,0	18
2			- 7,4	- 2,7	- 4,9	- 5,5	- 3,7	- 0,7	-10,6	8,7	25	-22,0	12	4 1,8	35 2,7	7 1,0	2 1,5	0 0,0	0 0,0	8 1,3	1 3,0	6 2,7	0 0,0	1 1,0	3 1,0	17
3			- 0,3	2,2	1,1	0,7	0,1	3,2	- 1,9	8,0	24	-15,0	19	0 0,0	17 2,7	13 2,2	7 1,7	4 1,5	5 1,4	13 2,8	6 3,3	21 3,1	0 0,0	0 0,0	2 2,0	5
4			3,4	5,8	4,8	4,0	- 1,2	7,1	1,3	13,0	14	- 3,3	18	4 2,3	27 2,7	10 2,8	9 2,3	2 1,0	2 1,5	9 1,1	6 2,0	6 3,0	3 3,0	0 0,0	1 1,0	8
5			8,2	10,1	9,3	8,1	- 2,8	11,6	4,4	21,5	31	- 2,1	4	2 1,0	7 2,4	10 1,8	4 3,0	0 0,0	9 1,7	14 2,0	13 2,6	27 2,8	3 3,7	1 2,0	1 1,0	2
6			14,7	16,5	16,2	14,5	0,3	18,2	10,5	24,5	2	6,0	16	0 0,0	9 1,7	10 1,5	8 1,4	6 1,7	11 1,6	14 1,3	5 3,4	19 3,7	2 3,5	1 4,0	4 2,0	1
7			16,5	18,7	17,8	16,1	1,0	20,5	11,1	25,2	5	6,8	25	5 1,2	3 1,3	5 3,0	0 1,2	2 1,5	12 1,6	19 1,5	5 2,8	11 3,0	7 3,1	2 3,5	0 3,4	8
8			14,0	16,6	15,6	14,3	1,8	18,0	10,4	22,8	18	6,0	22	1 1,0	9 1,7	11 2,1	7 1,3	4 1,3	7 1,6	20 1,5	9 2,3	12 2,2	0 0,0	1 1,0	1 1,0	11
9			11,0	14,6	11,6	11,7	0,6	15,3	8,1	22,4	5	1,2	25	3 1,0	2 1,0	6 1,8	9 1,4	0 0,0	5 1,4	11 1,5	9 2,2	32 2,9	6 2,2	0 0,0	2 1,0	5
10			6,3	8,7	6,9	7,0	0,4	9,3	4,8	14,2	11	- 1,8	23	5 2,3	21 2,3	13 2,5	13 2,4	2 1,5	1 1,0	5 2,0	3 1,3	7 3,1	0 0,0	0 0,0	0 0,0	19
11			1,3	4,3	2,2	2,3	- 1,3	5,3	- 0,6	11,2	29	-10,3	14	6 2,5	10 2,5	7 1,0	7 1,7	1 1,0	9 1,7	11 1,3	11 1,5	8 2,1	0 0,0	0 0,0	3 3,0	17
12			- 0,4	0,4	- 1,0	- 0,5	- 1,5	2,1	- 3,9	10,8	1	-16,6	18	6 2,2	23 2,4	10 2,4	12 2,4	0 0,0	1 1,0	4 2,3	15 2,7	3 2,3	1 1,0	1 2,0	1 4,0	16
ÅR			4,9	7,4	6,1	5,5	- 1,0	8,8	1,9	25,2		-25,4		37 1,9	300 2,1	138 2,1	88 1,9	21 1,4	82 1,6	130 1,7	86 2,5	153 2,9	23 2,9	7 2,4	26 2,3	124
RYGLANDSFJORD - SOLBAKKEN																										1979
1	987,6	1014,7	- 6,8	- 7,4	- 8,1	- 8,3	- 5,0	- 5,5	-11,2	6,2	7	-22,0	27	32 2,4	5 2,4	7 3,0	3 1,7	4 2,5	0 0,0	0 0,0	0 0,0	2 2,5	3 2,3	2 2,0	30 2,1	5
2	988,2	1015,1	- 8,9	- 3,7	- 5,1	- 6,4	- 2,7	- 1,5	-10,7	5,7	25	-20,1	16	28 2,3	9 2,6	4 1,3	7 2,4	5 2,0	6 2,2	2 2,0	0 0,0	0 0,0	0 0,0	2 1,5	17 2,3	4
3	979,6	1001,5	- 2,4	1,3	0,3	- 0,9	0,0	2,8	- 3,4	7,7	2	-17,2	19	13 2,7	12 2,6	0 0,0	1 1,0	9 1,2	14 2,7	8 3,3	2 3,5	3 2,0	0 2,0	6 2,3	16 2,4	4
4	985,5	1011,4	1,2	5,5	4,4	3,2	- 0,8	6,7	0,5	11,8	27	- 4,8	18	13 1,9	17 2,9	5 2,4	6 3,8	4 2,3	7 1,7	5 2,4	3 2,3	1 2,0	0 0,0	4 3,3	22 2,3	3
5	986,8	1012,3	4,8	9,4	9,1	7,0	- 2,6	11,1	3,5	23,4	31	- 2,4	20	9 2,4	4 2,3	4 2,5	7 2,1	7 2,3	14 2,4	14 2,4	7 2,1	5 2,4	3 2,7	3 3,0	16 2,6	0
6	989,0	1013,8	11,1	17,7	17,1	14,1	3,7	20,3	9,2	27,6	19	5,1	30	17 2,2	1 4,0	3 3,3	3 2,7	7 2,3	13 2,2	12 2,3	13 2,8	2 2,0	4 3,0	7 3,1	8 3,5	0
7	984,2	1008,3	12,2	18,5	17,3	14,9	4,3	20,6	10,4	25,7	13	5,9	2	16 2,8	5 3,2	5 2,2	3 2,7	4 2,0	6 2,0	5 2,2	4 1,8	4 2,8	5 2,4	9 3,8	27 3,1	0
8	984,7	1009,8	10,1	16,2	15,1	13,0	2,7	17,9	9,2	23,2	18	4,4	28	10 1,8	4 2,3	2 3,0	3 2,0	7 1,7	11 2,8	17 1,9	6 1,7	1 2,0	3 2,0	6 2,2	13 2,7	5
9	980,0	1011,2	7,9	12,8	10,5	9,9	1,1	14,1	6,9	21,6	5	0,9	30	5 1,6	1 2,0	2 2,5	3 1,8	5 2,0	11 2,2	14 2,3	6 2,0	3 2,3	8 2,9	9 2,9	12 2,6	6
10	992,2	1018,0	1,7	7,3	5,3	3,7	0,4	8,3	3,5	15,5	11	- 3,2	27	20 2,5	4 2,0	2 3,5	7 2,4	6 2,8	4 2,0	4 2,0	4 2,3	0 0,0	4 2,0	3 2,3	26 2,2	9
11	979,3	1005,2	0,1	2,3	1,0	0,9	1,3	3,4	1,4	8,7	4	- 8,4	13	10 3,0	6 3,1	2 2,0	9 2,1	7 2,4	9 2,3	5 1,4	2 2,0	5 2,2	2 2,5	6 2,7	17 3,3	10
12	979,5	1005,7	- 2,5	- 1,7	- 2,2	- 2,3	- 1,9	0,2	- 4,7	8,8	5	-12,6	16	11 2,4	7 4,1	2 3,5	6 3,0	4 3,0	7 3,3	3 2,3	1 3,0	2 2,5	1 2,0	15 3,0	26 2,9	8
ÅR	984,9	1010,6	2,5	6,5	5,4	4,3	- 1,4	8,2	1,0	27,6		-22,0		144 2,4	75 2,8	38 2,6	68 2,4	69 2,4	102 2,4	89 2,3	48 2,3	28 2,3	36 2,5	74 2,9	230 2,6	84
BJØEN																										1979
1			-12,8	- 9,5	-12,3	-12,0	- 4,8	- 8,9	-16,7	1,5	7	-33,0	1	1 1,0	32 1,2	21 1,2	1 1,0	0 0,0	0 0,0	1 1,0	13 2,2	8 2,0	2 1,5	2 2,0	4 1,0	5
2			-10,0	- 6,2	- 8,7	- 8,8	- 0,4	- 5,6	-12,7	1,6	27	-22,4	14	1 1,0	8 1,3	18 1,4	6 2,3	0 0,0	0 0,0	1 1,0	28 1,8	14 2,0	1 1,0	0 0,0	1 1,0	6
3			- 0,1	- 3,2	- 5,6	- 5,4	- 0,4	- 2,6	- 8,8	6,5	26	-27,5	18	2 1,0	13 1,9	14 1,7	7 2,0	1 2,0	0 0,0	3 2,3	33 2,7	18 2,6	0 0,0	1 1,0	1 2,0	0
4			- 3,4	2,7	0,4	0,4	1,3	3,3	- 2,4	8,5	15	- 7,2	9	4 1,0	20 1,7	24 1,3	6 1,5	0 0,0	2 1,0	0 0,0	22 1,2	9 1,3	0 0,0	0 0,0	2 1,5	1
5			1,5	4,4	2,7	1,9	- 2,2	5,2	- 1,9	15,0	31	-11,4	8	2 1,5	12 1,7	7 1,4	10 1,0	1 1,0	2 1,0	1 1,0	36 1,5	16 1,4	2 1,5	0 0,0	4 1,0	0
6			9,0	13,0	11,1	9,7	1,3	14,3	4,7	21,5	4	1,5	30	1 2,0	10 1,5	13 1,3	1 1,5	0 0,0	2 1,5	5 2,3	28 2,0	21 1,5	2 2,5	2 1,5	0 0,0	2
7			9,1	13,6	12,3	10,0	1,1	14,3	5,2	21,2	13	0,5	2	1 2,0	1 1,0	3 1,0	2 1,0	0 0,0	5 1,0	8 1,1	44 1,4	23 1,4	1 1,0	0 0,0	5 1,2	0
8			8,2	12,3	9,9	9,3	0,8	12,8	5,5	16,7	4	2,0	27	0 0,0	8 1,3	6 1,0	5 1,0	2 1,0	4 2,3	5 1,4	41 1,7	18 1,5	0 0,0	0 0,0	3 2,0	1
9			5,2	8,6	5,3	5,8	- 0,5	8,9	2,7	17,5	6	- 2,5	15	1 2,0	1 1,0	4 1,3	3 1,0	0 0,0	1 1,0	4 1,5	33 1,7	29 2,2	6 2,2	1 1,0	6 2,8	1
10			0,9	3,4	1,6	1,6	0,2	4,1	- 1,0	11,2	11	-10,0	22	2 1,0	24 1,7	15 1,7	9 3,0	0 0,0	1 1,0	5 1,4	35 1,5	6 1,3	0 0,0	0 0,0	0 0,0	0
11			- 4,1	- 2,2	- 3,7	- 3,6	- 1,1	- 1,0	- 6,9	5,0	29	-17,5	15	3 1,7	7 2,1	5 2,0	3 2,3	1 1,0	4 1,0	2 1,0	48 1,4	13 1,8	3 1,0	0 0,0	1 1,0	0
12			- 8,4	- 6,1	- 8,1	- 7,7	- 2,5	- 4,7	-11,2	4,6	2	-22,0	12	1 2,0	24 2,3	10 2,7	3 2,6	2 2,5	4 1,0	3 1,0	18 2,1	23 1,5	0 0,0	0 0,0	2 1,0	1
ÅR			- 0,7	2,6	0,5	0,1	- 0,9	3,3	- 3,6	21,5		-33,0		19 1,4	180 1,7	143 1,6	57 1,9	7 1,6	25 1,2	38 1,5	379 1,7	198 1,7	17 1,7	6 1,5	29 1,6	17
HYLESTAD - BRUKKE																										1979
1			-10,8	- 9,5	-10,3	-10,4	- 5,5	- 7,1	-13,8	4,5	7	-25,5	1	1 2,0	18 1,4	0 0,0	1 3,3	0 0,0	1 1,0	0 0,0	2 4,0	0 0,0	7 3,7	0 0,0	34 1,0	26
2			- 7,8	- 3,8	- 5,1	- 6,0	- 1,7	- 1,6	- 9,9	5,2	25	-18,0	12	4 2,0	21 2,8	0 0,0	9 1,4	0 0,0	2 1,0	0 0,0	6 1,5	0 0,0	10 1,8	0 0,0	26 1,7	6
3			- 3,5	- 0,4	- 1,1	- 2,0	- 0,3	1,2	- 4,7	8,3	3	-21,5	18	1 1,0	13 2,3	0 0,0	8 1,1	0 0,0	8 1,9	5 4,2	14 2,4	0 0,0	12 3,0	0 0,0	10 1,9	22
4			0,2	3,6	3,0	1,8	- 0,8	4,9	- 0,5	9,9	20	- 4,5	18	1 1,0	16 2,6	0 0,0	18 1,7	0 0,0	5 2,6	3 1,7	14 1,4	0 0,0	10 3,2	0 0,0	14 1,8	9
5			2,9	6,8	7,1	4,8	- 3,0	8,9	1,5	20,0	31	- 4,7	8	2 2,5	0 0,0	0 0,0	3 2,3	0 0,0	9 3,0	5 2,0	19 2,7	0 0,0	25 2,9	0 0,0	13 1,5	17
6			10,2	15,5	15,0	12,4	0,6	18,3	7,8	24,5	19	3,5	10	1 4,0	3 3,3	0 0,0	7 1,1	0 0,0	12 2,9	4 1,0	20 3,2	0 0,0	9 2,8	0 0,0	9 3,0	25
7			9,9	16,0	14,9	12,5	1,8	18,1	7,8	24,0	13	2,8	2	6 3,2	9 2,5	0 0,0	2 1,5	0 0,0	4 1,8	0 0,0	8 3,1	0 0,0	16 3,4	0 0,0	26 4,1	20
8			8,6	13,9	13,1	11,1	1,9	15,8	7,2	22,5	18	3,0	22	4 3,0	2 1,3	0 0,0	2 1,0	0 0,0	8 1,5	2 3,5	14 2,3	0 0,0	18 3,4	0 0,0	5 2,8	36
9			6,6	10,2	8,7	7,9	- 1,2	12,0	4,8	20,2	6	- 3,4	30	0 0,0	1 4,0	0 0,0	2 1,0	0 0,0	5 2,0	4 3,0	15 3,7	0 0,0	29 4,3	0 0,0	6 2,3	38
10			2,6	5,4	4,1	3,6	- 0,5	6,5	1,3	13,2	11	- 6,0	22	1 2,0	19 3,1	0 0,0	7 3,1	0 0,0	1 4,0	0 0,0	8 1,5	0 0,0	7 4,1	0 0,0	10 1,0	43
11			- 1,7	- 0,3	- 0,9	- 1,0	- 1,3	1,9	- 3,8	7,7	29	-13,0	15	0 0,0	7 2,0	0 0,0	0 0,0	0 0,0	5 1,6	0 0,0	11 2,6	0 0,0	3 3,7	0 0,0	25 1,8	39
12			- 4,8	- 4,1	- 4,5	- 4,6	- 1,7	- 1,8	- 7,4	7,6	1	-17,0	17	0 0,0	11 4,1	0 0,0	3 4,7	0 0,0	0 0,0	0 0,0	10 3,0	0 0,0	16 2,8	0 0,0	22 2,3	31
ÅR			1,0	4,5	3,7	2,5	- 1,6	6,4	- 0,8	24,5		-25,5		21 2,7	117 2,6	0 0,0	69 1,9	0 0,0	60 2,2	23 2,6	141 2,6	0 0,0	162 3,3	0 0,0	202 2,1	304

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	DM.	MIDLERE SKYDEKKE 07	13	19	DM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=10	TX>= =25.	NEDBØR R>= 0.1	R>= 1.0	R>= 10.0.	VINDSTYRKE FX> =8B	FX> =8B	FX>. =9B.	ANTALL DAGER MED: R	S	SL	YR	3H	FOREKOMST AV H	IH	TO	KV	OV	SO	TÅKE 07	13	19.
TVEITSUND																																				**1979**
1	89	87	91	90	1,3	5,1	4,3	4,7	28	41	6,1	11	30	27	25	0	14	10	0	1	0	0	2	14	0	0	0	0	0	0	8	13	31	0	1	2
2	88	76	81	83	1,0	4,6	3,5	4,0	9	19	3,7	8	27	20	19	0	7	4	0	0	0	0	1	6	0	0	0	0	0	0	10	10	28	0	0	0
3	92	79	91	85	0,7	7,3	6,0	6,7	109	295	18,2	26	21	9	7	0	20	12	4	0	0	0	9	18	6	1	0	0	0	0	1	20	31	2	2	3
4	92	70	77	82	0,6	7,0	7,1	6,9	57	112	14,5	4	15	0	0	0	13	11	2	0	0	0	10	8	5	4	0	0	0	0	0	20	28	2	0	0
5	87	69	89	78	0,7	6,5	6,1	6,4	123	205	26,7	27	11	0	0	0	16	14	4	0	0	0	16	1	1	1	0	1	0	2	3	21	0	1	0	0
6	86	64	87	78	5,3	5,7	5,4	5,5	56	70	12,1	25	0	0	0	0	11	10	2	0	0	0	11	0	0	0	0	0	0	0	4	15	0	0	0	0
7	81	62	87	73	5,1	6,5	6,1	6,0	65	63	36,6	30	0	0	0	0	11	8	2	0	0	0	11	0	0	0	0	0	0	2	1	16	0	0	0	0
8	92	73	79	84	0,3	6,0	6,1	6,3	237	184	39,9	15	0	0	0	0	18	17	8	0	0	0	18	0	0	0	0	0	0	1	0	16	0	0	0	0
9	88	64	78	79	4,7	5,1	4,1	4,7	31	30	8,8	3	3	0	0	0	14	7	0	0	0	0	14	0	0	2	0	0	0	0	5	10	0	3	0	0
10	94	83	89	90	6,6	5,7	5,1	5,8	105	94	28,0	15	12	0	0	0	20	15	3	1	0	0	20	3	3	6	0	0	0	1	3	17	2	2	0	1
11	91	85	88	89	5,0	5,1	5,9	4,7	131	111	24,8	19	20	7	3	0	15	14	4	0	0	0	10	12	5	0	0	0	0	0	5	9	30	1	1	0
12	92	88	90	90	4,9	5,5	5,2	5,2	96	100	24,1	28	25	16	8	0	16	13	4	2	0	0	8	11	3	0	0	0	0	0	6	14	31	0	0	0
ÅR	89	75	80	83	5,7	5,8	5,3	5,6	1047	104	39,9		164	75	62	1	175	135	33	7	0	0	130	73	23	14	0	1	0	0	46	181	181	11	4	6
NELAUG																																				**1979**
1	77	76	78	77	1,8	5,5	4,8	5,0	58	50	16,0	11	30	27	19	0	21	11	2	0	0	0	2	21	1	0	0	0	0	0	7	13	31	2	0	1
2	76	58	58	66	3,9	3,8	3,8	3,8	11	14	4,0	8	27	16	16	0	10	4	0	0	0	0	1	9	0	1	0	0	0	0	12	9	28	0	0	0
3	79	63	67	71	5,7	6,4	5,8	5,9	152	276	34,2	26	21	5	5	0	21	12	7	0	0	0	11	19	8	3	0	0	0	0	1	16	31	6	4	3
4	80	54	60	68	6,1	6,4	5,9	6,2	90	129	24,8	4	12	0	0	0	17	11	3	0	0	0	14	8	4	4	0	0	0	0	1	18	19	5	0	0
5	81	52	53	67	5,9	5,6	4,8	5,4	134	206	36,7	27	10	0	0	0	19	14	4	0	0	0	16	4	0	3	1	0	0	0	4	12	0	2	0	2
6	76	49	51	65	5,1	4,7	4,9	4,8	61	80	9,0	23	0	0	0	0	17	11	0	0	0	0	16	0	0	0	0	0	0	4	6	9	0	1	0	0
7	72	44	47	59	4,0	5,3	4,7	4,6	113	104	59,1	30	0	0	0	2	17	10	3	0	0	0	17	0	0	3	0	0	0	4	3	7	0	1	1	1
8	84	57	58	68	5,3	5,4	4,0	5,1	198	134	31,5	9	0	0	0	0	21	16	7	0	0	0	19	0	0	0	0	0	0	4	0	7	0	6	0	1
9	78	46	58	65	1,1	4,6	4,1	4,3	33	27	11,1	21	1	0	0	0	21	9	1	2	0	0	17	0	0	4	0	0	0	1	5	5	0	3	1	1
10	84	68	76	78	5,8	6,2	5,8	5,9	115	86	19,7	15	8	0	0	0	22	14	4	0	0	0	20	3	3	6	0	0	0	1	3	16	0	3	0	3
11	80	70	72	75	4,9	4,7	5,1	4,9	236	145	60,6	1	16	3	1	0	13	15	5	0	0	0	14	10	2	2	0	1	0	0	4	11	12	0	0	0
12	89	86	85	87	5,1	5,2	5,1	5,2	122	86	25,7	14	22	17	8	0	22	14	4	0	0	0	9	16	0	3	0	0	0	0	6	14	22	1	1	3
ÅR	80	60	63	71	5,1	5,3	4,8	5,1	1323	103	60,6		147	68	49	3	226	141	40	2	0	0	150	90	18	29	1	1	0	17	52	137	143	30	7	15
LANDVIK																																				**1979**
1	91	89	90	90	5,5	5,7	4,8	5,4	42	39	10,5	11	29	26	17	0	21	9	1	2	0	0	7	19	0	5	0	0	0	0	5	15	31	0	0	0
2	90	80	84	86	1,8	4,1	3,4	4,0	16	20	6,4	28	27	16	16	0	10	6	0	3	0	0	2	9	0	2	0	0	0	0	8	8	28	0	0	0
3	91	82	87	88	6,0	6,4	5,0	6,1	157	296	46,8	26	16	4	3	0	18	13	5	10	0	0	14	12	5	10	0	0	0	0	0	15	20	1	0	0
4	88	77	81	84	5,8	5,8	5,8	5,7	77	115	20,3	24	3	0	0	0	20	14	2	3	0	0	20	5	5	11	0	0	0	0	1	15	1	0	0	0
5	82	77	78	81	5,5	5,5	5,2	5,4	137	221	23,2	30	4	0	0	0	21	13	6	1	0	0	21	1	1	3	0	2	0	2	3	14	0	1	0	1
6	78	73	73	77	4,4	4,7	4,3	4,5	79	111	21,0	25	0	0	0	0	13	11	2	2	0	0	13	0	0	3	0	0	0	3	3	5	0	0	0	0
7	68	62	63	66	3,8	4,3	3,1	3,7	32	34	14,8	29	0	0	0	1	8	5	1	1	0	0	8	0	0	6	0	0	0	1	4	3	0	0	1	0
8	84	73	76	80	5,2	5,1	4,3	4,9	169	125	36,6	14	0	0	0	0	13	13	8	0	0	0	17	0	0	3	0	0	0	2	0	7	0	0	0	0
9	83	66	79	78	4,1	4,3	4,1	4,2	36	27	15,0	21	0	0	0	0	10	12	1	3	1	0	13	0	0	0	0	0	0	1	5	7	0	1	0	0
10	88	82	86	86	5,9	6,1	5,4	5,8	114	81	31,5	13	3	0	0	0	15	11	4	1	0	0	15	0	0	5	0	0	0	1	3	15	0	3	1	0
11	93	87	91	91	5,3	5,1	4,3	4,9	217	149	52,9	2	16	3	1	0	20	17	5	1	0	0	14	8	1	5	0	0	0	0	4	10	9	0	0	0
12	92	88	88	90	5,3	5,4	4,9	5,2	137	98	32,1	27	22	10	7	0	20	13	4	3	0	0	13	12	1	9	0	0	0	0	3	13	17	0	1	0
ÅR	86	78	81	83	5,1	5,2	4,7	5,0	1213	99	52,9		122	59	44	1	200	137	39	31	1	0	157	66	13	62	0	2	0	10	39	127	106	9	3	1
BYGLANDSFJORD - SOLBAKKEN																																				**1979**
1	74	72	74	74	5,0	4,6	4,9	4,8	55	48	12,0	11	30	25	19	0	18	10	1	0	0	0	2	18	0	0	0	0	0	0	5	12	31	0	0	0
2	75	62	69	68	2,9	3,7	3,7	3,4	28	35	8,2	3	27	18	18	0	8	6	0	1	0	0	1	8	1	1	0	0	0	0	11	8	28	0	1	1
3	80	66	71	74	5,8	6,4	6,1	6,1	103	296	26,0	26	21	5	5	0	19	18	7	4	0	0	12	17	8	0	0	0	0	0	2	16	31	3	1	1
4	80	58	64	70	6,4	6,6	6,2	6,4	74	93	17,7	4	8	0	0	0	19	16	1	3	0	0	13	9	3	0	0	0	0	0	3	20	13	6	0	0
5	83	60	69	71	5,9	5,9	5,2	5,7	138	184	30,9	27	8	0	0	0	19	16	8	2	0	0	18	3	2	0	0	3	0	2	1	15	0	2	0	0
6	77	51	59	65	5,3	4,6	4,1	4,9	99	110	20,4	4	0	0	0	0	15	12	4	1	0	0	15	0	0	1	0	0	0	4	5	9	0	1	0	0
7	68	45	50	58	3,3	5,3	4,1	4,3	72	65	31,9	30	0	0	0	1	10	8	3	1	0	0	10	0	0	4	0	0	0	1	4	7	0	0	0	0
8	91	61	67	77	5,7	5,3	4,8	5,2	233	150	46,7	15	0	0	0	0	18	16	9	1	0	0	18	0	0	2	0	0	0	4	1	9	0	2	0	0
9	86	59	70	75	5,1	4,9	4,3	4,8	64	47	16,2	21	0	0	0	0	17	14	1	2	0	0	17	0	0	1	0	0	0	1	5	11	0	3	0	0
10	85	71	79	80	5,7	5,9	5,3	5,6	74	67	17,1	11	0	0	0	0	20	16	3	3	0	0	20	3	3	5	0	0	0	0	4	17	0	2	0	1
11	89	79	82	84	5,1	5,7	5,3	5,4	211	124	39,2	4	16	3	0	0	21	16	7	3	0	0	14	13	5	4	0	0	0	0	3	11	14	1	2	0
12	84	80	80	82	5,1	4,4	5,3	5,0	163	112	33,5	27	23	15	6	0	20	17	4	6	1	0	10	13	2	1	0	0	0	0	4	13	22	1	2	0
ÅR	81	64	68	73	5,1	5,3	5,0	5,1	1394	103	46,7		141	66	46	7	204	167	15	24	1	0	150	84	24	19	0	3	0	12	48	148	139	21	6	3
BJØEN																																				**1979**
1	82	82	83	83	5,8	5,5	5,3	5,6	85	123	29,5	8	31	30	23	0	12	8	3	0	0	0	0	12	0	0	0	0	0	0	3	18	31	0	0	0
2	81	80	83	82	5,1	5,3	5,3	5,4	55	63	13,0	3	28	26	23	0	8	5	1	0	0	0	0	8	0	0	0	0	0	0	3	10	28	0	0	0
3	85	82	83	84	6,5	6,5	6,7	6,6	122	330	25,0	5	31	21	10	0	19	17	3	1	0	0	1	19	0	0	0	0	0	0	1	21	31	0	0	0
4	86	84	86	86	7,0	7,0	7,2	7,1	47	127	11,8	7	28	3	0	0	17	9	1	0	0	0	1	16	0	0	0	0	0	0	0	23	30	0	0	0
5	78	73	73	76	5,5	6,7	6,0	6,6	58	171	15,0	25	14	3	5	0	18	13	2	0	0	0	12	8	2	0	0	0	0	0	1	19	26	0	0	0
6	78	65	69	73	6,3	5,8	6,0	6,0	90	158	18,7	9	0	0	0	0	13	10	4	0	0	0	13	0	0	0	0	0	0	0	1	16	0	0	0	0
7	76	67	70	73	5,7	6,0	6,1	6,0	44	65	7,5	27	0	0	0	0	10	9	0	0	0	0	10	0	0	0	0	0	0	0	0	13	0	1	0	0
8	81	74	76	78	6,4	6,2	6,3	6,3	91	107	29,1	15	0	0	0	0	16	14	1	0	0	0	16	0	0	0	0	0	0	0	1	16	0	0	0	0
9	82	80	81	81	7,3	7,2	7,2	7,3	121	142	20,0	19	7	0	0	0	18	16	4	0	0	0	18	2	0	0	0	0	0	0	0	24	1	1	0	0
10	83	75	77	79	6,7	6,9	6,6	6,7	89	107	25,8	20	20	4	0	0	14	12	2	0	0	0	10	5	1	0	0	0	0	0	1	23	11	2	1	0
11	89	87	88	88	7,2	7,1	7,0	7,1	121	173	26,0	4	31	19	8	0	22	19	3	0	0	0	4	20	0	0	0	0	0	0	0	24	30	0	0	0
12	87	86	87	87	6,9	6,7	7,3	6,8	190	192	31,2	6	31	24	20	0	19	16	5	1	0	0	4	17	0	0	0	0	0	0	1	22	31	0	0	0
ÅR	82	78	80	81	6,4	6,4	6,3	6,5	1053	139	31,2		220	130	89	0	186	148	29	2	0	0	82	107	3	0	0	0	0	0	12	229	219	4	1	0
HYLESTAD - BRØKKE																																				**1979**
1	80	77	79	79	1,3	4,1	4,1	4,3	53	54	15,0	8	31	27	20	0	18	10	1	5	1	0	2	18	2	0	0	0	0	0	9	10	31	2	2	3
2	73	61	63	67	2,4	4,0	3,2	3,2	19	27	5,8	3	28	20	13	0	9	5	0	4	0	0	2	8	1	0	0	0	0	0	12	6	28	0	1	0
3	85	77	77	80	0,2	6,2	6,3	6,4	144	343	19,7	26	25	8	4	0	19	17	6	8	1	0	7	19	3	0	0	0	0	0	2	21	31	7	10	8
4	86	70	74	78	5,7	6,4	6,3	6,3	40	62	5,2	3	18	0	0	0	20	15	0	4	0	0	16	12	7	0	0	0	0	0	1	18	30	6	1	3
5	87	72	87	77	5,4	6,0	5,2	5,5	119	180	20,9	23	12	0	0	0	17	13	5	7	0	0	18	2	1	0	0	0	0	1	3	13	2	3	2	2
6	86	62	84	76	4,8	4,7	4,3	4,6	71	89	13,8	9	0	0	0	0	18	13	2	3	0	0	18	0	0	0	0	0	0	1	9	9	0	2	2	2
7	81	58	81	70	4,0	4,7	4,4	4,4	49	45	19,3	30	0	0	0	0	10	8	1	11	0	0	10	0	0	0	0	0	0	0	4	8	0	2	1	1
8	91	67	69	79	5,0	5,7	4,8	5,1	236	172	74,0	15	0	0	0	0	15	15	8	5	0	0	15	0	0	0	0	0	0	0	2	10	0	7	9	7
9	83	66	73	76	5,1	5,0	5,3	5,3	100	78	19,8	3	5	0	0	0	13	14	4	13	4	0	18	0	0	0	0	0	0	0	5	11	0	5	3	8
10	87	75	79	82	5,3	5,5	5,1	5,4	113	84	19,0	15	12	0	0	0	20	16	5	3	2	1	18	2	0	1	0	0	0	0	5	15	1	7	8	8
11	89	82	85	86	4,1	5,5	5,2	5,0	146	124	28,4	4	24	7	3	0	20	17	6	3	2	0	11	16	4	1	0	0	0	0	6	10	30	10	8	6
12	89	86	86	87	4,8	5,3	5,0	5,0	141	112	28,7	28	28	18	11	0	18	17	6	10	0	0	8	15	3	0	0	0	0	0	7	14	26	6	7	8
ÅR	85	71	73	78	4,8	5,3	5,1	5,0	1227	105	74,0		177	80	51	0	200	160	44	64	10	1	139	92	21	2	0	0	0	2	65	145	179	57	54	56

MD.	MIDLERE LUFTTRYKK P1	P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK FRA NORM	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING NYPPIGHET OG TILSVARENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
KJEVIK																									1979
1	1011,8	1013,7	- 8,8	- 0,5	- 7,0	- 7,8	- 5,6	- 4,3	-10,7	7,0	7	-23,5	27	2 2,0	14 2,5	57 2,8	4 3,7	0 3,0	0 0,0	0 0,0	2 4,0	4 3,3	2 3,5	0 0,0	4 1,8	3
2	1012,4	1014,3	- 8,1	- 3,6	- 4,2	- 3,7	- 4,3	- 0,5	- 9,6	7,4	25	-18,9	12	2 2,5	13 3,1	33 3,3	2 2,0	1 3,0	0 0,0	5 3,2	6 2,5	8 2,0	2 3,0	2 2,5	5 2,8	9
3	999,5	1001,4	- 0,8	1,8	1,1	0,4	- 0,3	3,8	- 2,0	9,0	24	-15,0	19	1 3,0	5 4,0	29 3,3	1 3,0	4 2,8	4 3,0	9 3,6	11 3,5	14 3,8	3 3,7	4 3,0	1 3,0	5
4	1009,1	1011,0	2,1	3,2	4,1	3,5	- 1,3	7,1	1,2	11,9	14	- 2,8	18	0 3,0	0 3,3	32 3,4	10 3,4	2 3,5	0 0,0	6 2,8	10 2,7	6 3,2	2 3,0	2 3,0	2 1,5	8
5	1010,7	1012,6	6,2	9,3	8,5	7,4	- 2,0	10,9	4,3	21,8	31	- 1,8	7	0 3,0	0 3,3	11 2,7	3 3,0	1 3,0	2 3,0	18 3,2	25 3,2	6 3,2	9 3,3	2 3,0	4 2,5	6
6	1012,5	1014,3	12,6	16,0	15,1	13,8	- 3,3	18,1	10,3	25,2	2	5,8	16	0 3,0	3 2,3	8 3,2	3 2,9	11 2,5	1 2,0	5 2,4	20 3,1	10 3,4	11 2,8	2 2,5	4 3,0	6
7	1007,8	1009,6	13,3	17,7	16,9	14,9	- 1,8	20,1	10,6	24,4	5	5,7	25	0 3,0	0 0,0	10 1,3	3 1,7	1 1,0	1 2,0	10 2,3	19 3,0	5 3,2	11 3,3	13 3,6	16 3,3	4
8	1007,9	1009,7	11,4	16,3	15,5	13,7	- 1,9	18,4	10,0	23,0	18	5,1	28	1 3,0	5 2,7	14 2,3	10 2,5	7 2,4	5 3,0	11 2,5	11 3,2	7 2,4	11 3,3	2 3,5	2 2,5	5
9	1009,7	1011,5	9,1	13,8	11,9	11,1	- 1,0	15,2	8,3	21,0	5	- 1,6	30	0 0,0	3 2,3	10 2,2	3 3,0	1 2,0	0 0,0	2 2,0	12 3,2	21 3,7	22 3,8	6 2,0	7 2,6	3
10	1015,7	1017,6	5,8	8,4	6,7	6,7	- 0,3	9,5	4,5	14,0	11	- 2,9	23	1 2,0	4 3,3	41 2,3	13 3,8	9 3,7	3 3,0	1 2,0	5 2,2	4 2,5	4 3,8	2 1,5	2 1,5	7
11	1003,0	1004,9	1,3	3,6	2,9	2,1	- 1,3	5,4	- 0,5	11,0	29	- 9,6	14	3 3,0	5 4,2	29 2,3	2 3,5	2 3,0	1 1,0	10 3,2	5 3,4	12 2,5	5 3,2	4 4,0	5 2,4	7
12	1003,1	1004,8	- 1,3	- 0,3	- 1,1	- 1,1	- 1,9	1,7	- 4,0	10,7	1	-15,4	19	0 3,0	13 3,2	37 2,8	7 3,6	4 3,5	0 0,0	3 3,0	6 3,7	6 3,3	7 3,1	3 2,3	4 1,3	3
AR	1008,6	1010,5	3,5	6,8	5,7	5,0	- 1,9	8,8	1,9	25,2		-23,5		10 2,6	71 3,2	316 2,8	71 3,1	44 2,9	14 2,7	80 2,9	131 3,1	101 3,0	89 3,4	46 3,0	56 2,7	66
OKSØY FYR																									1979
1	1013,2	1014,2	- 4,8	- 4,3	- 3,1	- 3,5	- 4,7	- 2,6	- 6,2	3,2	7	-14,1	1	26 3,4	11 3,3	26 3,0	6 3,0	0 3,0	3 4,3	0 0,0	0 0,0	4 4,8	7 4,0	0 0,0	2 4,0	0
2	1013,9	1014,9	- 3,0	- 1,7	- 1,7	- 2,5	- 2,2	- 0,1	- 4,7	9,5	25	-13,6	14	11 3,0	7 4,7	25 3,5	3 3,3	0 3,0	0 3,0	2 4,3	3 4,7	8 3,6	14 3,7	0 0,0	7 3,0	4
3	1001,2	1002,1	0,7	2,1	1,7	1,4	0,2	3,1	- 0,2	6,9	24	- 9,7	18	4 3,0	7 4,3	17 3,2	3 4,1	3 4,3	9 4,2	6 3,3	5 4,6	16 3,6	12 5,1	4 2,5	2 2,5	0
4	1013,8	1011,7	2,8	4,1	4,2	3,5	- 1,4	5,4	2,3	10,5	14	- 1,0	18	3 3,3	0 0,0	30 4,3	16 5,0	3 3,3	0 0,0	2 3,0	7 2,4	13 4,2	9 3,3	1 6,0	5 3,0	1
5	1012,5	1013,4	6,2	9,1	7,5	6,9	- 2,0	8,8	5,3	18,0	31	1,9	2	3 2,7	1 3,0	3 4,3	11 4,1	1 3,0	2 2,5	5 4,2	14 3,5	31 4,2	11 3,8	1 4,0	4 3,3	1
6	1014,2	1015,1	12,2	15,9	14,0	12,9	- 3,4	15,6	11,1	21,0	2	8,2	30	2 3,5	3 2,7	1 3,0	15 3,9	1 3,0	3 3,7	10 2,4	5 3,0	21 4,5	18 4,4	4 4,8	0 0,0	1
7	1009,4	1010,3	13,2	16,0	15,3	14,1	- 1,9	17,3	12,0	20,2	10	8,6	2	4 2,5	0 0,0	0 0,0	2 3,0	0 3,0	1 4,3	3 2,7	7 2,9	22 4,3	23 4,1	13 4,8	17 3,6	1
8	1009,3	1010,2	13,0	16,0	15,3	14,4	- 1,6	16,8	12,3	20,5	18	9,3	23	4 4,0	6 3,3	4 4,3	12 3,8	1 4,0	10 4,1	11 4,1	4 3,5	17 4,9	13 3,7	6 3,7	5 3,4	0
9	1011,4	1012,1	10,9	13,8	12,8	12,1	- 1,0	14,4	10,3	17,3	9	4,4	30	2 2,5	2 3,1	4 3,8	5 4,2	1 4,1	2 2,0	2 2,5	2 3,5	18 4,9	38 4,4	8 4,8	6 4,0	0
10	1017,0	1017,9	7,3	9,1	8,7	8,5	- 0,6	9,9	7,2	13,0	11	1,8	23	5 2,6	4 3,0	16 3,1	21 5,2	14 3,9	5 5,8	3 2,7	1 3,0	5 4,0	8 4,3	4 3,3	4 4,3	3
11	1004,4	1005,3	3,8	5,3	4,5	4,4	- 1,0	6,2	2,8	10,1	4	- 1,0	11	15 3,2	3 5,3	5 5,1	3 5,2	1 3,0	4 4,0	7 6,0	2 4,5	14 4,5	18 3,9	3 4,0	12 3,2	1
12	1001,4	1003,3	1,3	1,5	1,0	1,2	- 1,0	3,1	- 0,5	10,1	1	- 7,4	17	17 3,4	16 4,3	12 3,8	3 3,7	1 0,8	2 5,5	1 2,0	4 6,0	8 5,0	16 3,7	3 4,7	5 2,6	2
AR	1010,1	1011,0	5,0	7,0	6,0	5,1	- 1,5	8,2	4,3	21,0		-14,1		96 3,2	68 4,0	181 3,1	110 3,6	29 3,1	41 4,2	52 3,9	84 3,6	177 4,6	187 4,1	47 4,3	69 3,4	14
MANDAL IT																									1979
1			- 3,3	- 4,1	- 4,8	- 4,7	- 3,9	- 3,3	- 6,8	5,4	7	-15,6	1	9 3,7	10 3,8	24 4,5	22 4,3	4 4,3	3 3,0	0 0,0	0 0,0	2 5,0	9 4,4	3 2,7	3 4,0	0
2			- 3,6	- 1,4	- 2,3	- 2,6	- 1,7	- 0,7	- 5,2	4,7	25	-15,8	14	8 2,4	0 3,0	13 3,7	27 4,9	0 3,0	0 3,0	6 3,3	2 4,5	1 3,0	15 3,9	9 3,2	8 4,8	0
3			0,3	1,6	1,3	1,3	- 0,5	2,4	- 1,2	6,5	2	-12,3	18	1 1,0	3 3,3	7 4,9	22 4,8	7 4,1	6 4,5	9 4,2	3 5,3	14 5,0	18 4,2	2 5,0	1 2,0	0
4			2,9	4,9	3,7	3,4	- 1,5	5,9	1,5	10,9	27	- 1,8	18	1 2,0	2 3,3	7 4,3	33 4,8	4 4,3	1 4,0	1 3,0	8 2,4	2 2,5	21 3,7	3 5,3	2 3,5	0
5			6,5	8,4	7,4	6,7	- 3,3	9,6	4,3	21,2	31	- 0,9	3	1 2,0	1 3,3	0 0,0	17 3,8	7 2,7	5 4,0	10 3,7	11 3,0	15 3,3	20 3,7	2 5,0	4 4,0	0
6			13,1	15,0	14,0	13,1	- 3,3	16,6	10,3	22,9	2	7,0	16	0 3,0	1 4,3	2 3,3	13 3,2	4 3,8	1 4,0	12 2,9	8 3,1	13 3,2	19 4,1	2 4,5	10 4,5	0
7			13,7	16,9	14,7	13,3	- 1,8	17,8	10,0	20,8	5	5,5	2	10 4,1	0 0,0	0 0,0	0 0,0	1 2,0	0 3,0	2 2,5	6 2,6	4 2,8	34 4,0	2 5,0	22 5,1	0
8			12,9	15,6	14,1	13,3	- 1,3	16,4	10,6	21,2	18	7,4	5	4 3,8	1 4,3	3 3,7	18 3,2	7 4,0	7 3,3	11 3,4	5 3,6	2 3,0	25 3,8	5 4,2	5 4,2	0
9			10,3	12,2	10,3	10,5	- 1,5	13,2	8,3	17,3	5	3,0	30	1 4,0	2 2,3	0 0,0	11 3,4	0 3,0	3 3,0	5 3,3	1 3,0	9 4,6	39 4,8	4 5,0	15 4,7	0
10			6,8	8,1	6,3	7,1	- 0,4	8,6	5,7	12,6	11	1,4	27	1 4,0	2 3,3	3 3,5	13 3,6	3 3,6	17 5,2	3 3,3	3 3,3	1 7,0	9 4,8	4 4,5	4 4,8	0
11			2,8	4,3	3,3	3,3	- 0,7	5,0	1,5	9,8	4	- 1,7	13	5 3,2	7 3,3	2 5,0	15 3,7	1 1,0	0 0,0	8 5,4	3 2,3	9 3,3	19 4,0	7 3,7	14 4,0	0
12			0,3	0,5	0,3	0,2	- 1,4	1,7	- 1,6	8,9	1	- 8,2	16	4 3,5	7 3,3	22 4,3	23 5,5	3 3,0	3 4,7	1 4,0	4 5,0	6 4,3	12 5,3	4 3,3	7 3,3	0
AR			5,0	6,8	5,5	5,4	- 1,5	7,8	3,1	22,9		-15,8		42 3,4	36 3,5	83 4,1	251 4,4	42 4,1	44 4,4	75 3,6	96 3,2	78 3,8	240 4,2	47 4,0	93 4,4	0
MONSMO - EIKELAND																									1979
1			- 7,7	- 5,8	- 6,1	- 6,8	- 4,0	- 4,4	- 9,4	5,0	7	-19,2	2	3 2,0	0 0,0	42 3,5	7 2,8	0 3,0	7 2,0	1 1,0	0 0,0	5 3,6	5 3,2	0 0,0	7 1,3	14
2			- 3,7	- 2,1	- 3,3	- 4,1	- 2,1	- 0,9	- 7,0	5,3	25	-16,8	14	2 1,0	0 0,0	29 3,9	4 2,0	0 3,0	3 2,3	1 2,0	0 0,0	17 2,3	8 2,9	0 0,0	17 2,3	3
3			- 1,7	- 0,8	- 0,1	- 0,5	- 0,6	1,7	- 2,8	5,9	2	-14,3	18	0 3,0	0 0,0	18 3,6	10 3,4	0 3,0	17 3,0	1 3,0	0 0,0	32 3,2	9 2,8	0 0,0	3 3,0	4
4			1,1	4,0	3,2	2,4	- 1,5	5,2	0,4	11,7	27	- 3,6	18	0 3,0	0 0,0	28 3,6	16 3,4	0 3,0	6 2,7	1 2,0	0 0,0	14 1,9	9 2,7	0 0,0	7 2,9	9
5			4,8	8,2	7,5	6,2	- 2,7	9,7	3,2	21,7	31	- 2,2	3	0 0,0	0 0,0	1 2,3	1 3,3	0 3,0	19 2,6	8 1,9	0 0,0	38 2,6	11 2,9	0 0,0	7 2,9	2
6			11,3	15,6	14,3	12,9	- 3,2	17,3	9,1	24,7	2	5,2	10	0 3,0	0 0,0	7 2,3	8 3,1	0 3,0	16 2,7	1 2,0	0 0,0	37 2,6	6 3,2	0 0,0	10 3,6	5
7			11,7	17,2	14,7	13,5	- 1,2	18,2	8,9	22,8	13	4,8	2	0 0,0	0 0,0	1 2,0	0 0,0	4 2,3	0 3,0	0 0,0	35 2,5	22 3,1	0 0,0	27 3,5	4
8			10,5	15,2	13,7	12,5	- 1,4	16,3	8,9	21,8	18	4,9	25	0 3,0	0 0,0	7 3,3	6 2,7	0 3,0	16 2,6	1 3,0	0 0,0	32 2,5	15 2,7	0 0,0	6 3,2	10
9			7,9	11,4	9,6	9,2	- 1,4	12,6	6,6	18,1	5	- 2,7	30	0 3,0	0 0,0	2 2,3	2 1,5	0 3,0	9 2,4	3 2,0	0 0,0	34 2,7	27 3,6	0 0,0	9 2,9	4
10			4,7	6,8	5,3	5,6	- 1,0	7,6	3,6	12,3	11	- 3,9	23	0 3,0	0 0,0	10 3,3	35 3,8	0 3,0	18 2,8	3 1,7	0 0,0	6 2,0	10 3,3	0 0,0	5 3,2	6
11			1,0	3,3	1,7	1,9	- 0,6	4,1	- 0,4	9,4	4	- 5,7	15	0 3,0	0 0,0	19 2,2	2 3,0	0 3,0	7 3,3	3 3,7	0 0,0	22 2,6	22 2,5	0 0,0	11 3,1	4
12			- 1,6	- 0,7	- 1,8	- 1,5	- 1,4	0,6	- 4,0	8,3	1	-12,4	12	3 1,7	0 0,0	20 3,6	12 4,3	0 3,0	3 4,3	0 0,0	0 0,0	18 3,3	8 3,0	0 0,0	11 2,1	12
AR			3,0	5,2	4,2	4,3	- 1,3	7,3	1,4	24,7		-19,2		8 1,6	0 0,0	193 4,3	106 3,4	0 0,0	129 2,7	23 2,2	0 0,0	290 2,7	152 3,0	0 0,0	119 2,9	77
LINDESNES FYR																									1979
1	1003,9	1012,8	- 3,3	- 2,7	- 3,0	- 3,1	- 3,2	- 1,4	- 5,2	6,5	7	-13,2	1	2 2,5	2 2,1	23 3,0	33 4,2	9 4,9	4 4,8	0 0,0	0 0,0	6 1,8	5 5,0	2 4,5	8 1,6	0
2	1010,9	1013,8	- 2,1	- 0,7	- 1,3	- 1,4	- 1,7	0,8	- 3,4	5,3	24	-14,6	15	0 0,0	1 1,0	6 4,0	31 4,5	3 2,0	0 0,0	1 5,0	4 4,0	2 2,5	7 4,1	6 3,7	21 3,5	0
3	998,0	1000,8	1,4	2,3	2,0	1,7	- 2,1	3,4	0,0	6,5	3	-10,3	18	1 1,0	5 4,8	8 5,3	16 4,3	3 3,3	10 5,0	8 4,6	7 5,6	12 5,6	14 4,2	3 1,7	8 3,5	0
4	1007,9	1010,7	3,0	4,2	4,1	3,6	- 1,3	5,1	2,1	8,2	27	- 0,4	16	1 1,0	2 4,1	7 3,9	36 4,0	7 4,4	3 3,7	0 0,0	0 0,0	4 1,8	9 3,6	14 3,4	7 2,3	0
5	1009,9	1012,7	6,1	7,4	7,3	6,6	- 2,0	8,4	4,9	18,2	31	3,9	4	0 0,0	2 1,0	1 2,0	17 4,1	3 2,0	9 2,2	13 2,5	5 1,8	8 3,0	19 2,9	9 5,2	4 2,5	0
6	1012,0	1014,8	11,6	12,5	12,3	11,8	- 3,5	14,3	10,3	20,8	3	6,4	11	0 0,0	0 0,0	0 0,0	14 4,5	2 4,5	5 3,8	1 3,0	3 2,0	8 4,6	20 3,7	26 3,8	10 3,7	1
7	1008,4	1011,2	10,9	12,3	12,0	11,4	- 3,0	13,2	10,0	15,6	29	7,0	2	1 3,0	0 0,0	0 0,0	0 0,0	0 0,0	5 2,4	0 0,0	0 0,0	3 4,7	10 3,6	37 4,8	37 4,8	0
8	1007,3	1010,0	13,3	14,9	15,3	14,2	- 1,1	16,3	12,7	20,0	18	10,5	24	0 3,0	3 3,1	5 2,4	11 3,2	4 3,8	17 3,9	3 3,1	1 5,0	5 3,0	9 3,0	8 3,8	27 4,6	1
9	1009,4	1012,2	11,0	13,0	12,3	12,1	- 0,9	13,8	10,3	16,1	7	3,8	30	0 0,0	1 2,1	0 0,0	6 3,2	9 3,3	2 2,0	0 0,0	1 2,0	16 4,6	17 4,2	15 5,3	23 5,2	0
10	1011,1	1016,9	8,5	9,4	8,7	8,8	- 0,5	10,1	7,4	13,2	11	3,0	22	0 3,0	12 3,7	14 3,4	18 4,8	13 3,8	15 5,3	3 3,0	2 2,5	3 3,7	1 0,0	6 5,2	9 5,1	0
11	1002,3	1005,1	4,8	5,9	5,3	5,2	- 0,0	7,0	3,2	10,4	4	0,0	11	3 1,0	7 3,7	9 4,1	6 3,2	1 2,0	3 3,0	5 6,0	5 5,0	9 3,4	12 3,6	6 3,8	24 4,1	0
12	1001,6	1004,4	2,0	2,3	1,9	1,9	- 1,5	3,6	- 0,1	9,7	5	- 5,6	16	4 2,3	8 3,3	22 4,0	15 3,3	1 2,0	3 3,0	6 3,7	0 0,0	8 4,9	4 5,0	9 4,2	13 3,3	0
AR	1007,6	1010,5	5,7	6,7	6,1	6,1	- 1,5	7,9	4,4	20,8		-14,6		12 1,9	43 3,5	93 3,9	109 4,2	54 4,3	76 4,1	40 3,6	28 3,8	84 4,2	127 3,8	141 4,3	191 4,1	2
LISTA FYR																									1979
1	1011,3	1013,0	- 3,7	- 2,6	- 2,3	- 3,2	- 4,0	- 1,0	- 6,1	6,7	7	-13,3	1	5 3,0	13 2,1	19 2,7	31 3,8	2 3,5	0 0,0	1 4,0	4 5,8	4 4,5	3 6,0	0 0,0	4 2,5	7
2	1012,6	1014,2	- 1,7	- 0,2	- 0,7	- 1,1	- 1,1	1,0	- 3,6	5,0	27	-14,0	14	4 1,3	3 2,3	18 4,1	14 3,8	3 2,0	1 5,0	4 5,0	3 4,7	6 3,8	5 3,6	10 3,5	9 4,1	4
3	999,0	1000,6	1,2	2,0	2,2	1,8	- 3,1	3,5	0,1	7,0	29	-11,0	18	6 1,2	7 2,3	12 4,3	13 4,3	11 4,6	5 3,0	10 5,4	6 5,2	12 5,3	4 3,8	5 2,8	2 3,5	1
4	1009,2	1010,8	3,3	5,2	4,3	4,2	- 0,9	6,3	2,5	13,0	11	- 0,7	18	4 1,0	1 3,1	14 3,9	23 4,1	16 3,3	3 1,7	1 2,0	1 1,0	4 3,0	6 2,8	11 3,5	3 4,3	3
5	1011,1	1012,7	8,4	8,3	7,3	7,0	- 2,5	9,7	4,7	24,6	31	- 0,3	20	0 3,0	0 0,0	5 2,8	11 4,6	15 3,6	16 3,2	12 2,6	5 2,2	8 2,6	9 2,8	8 4,5	3 4,3	1
6	1013,3	1014,9	11,7	13,0	12,6	12,0	- 3,2	14,7	10,2	22,7	5	6,0	12	1 2,0	1 2,1	3 4,3	8 4,0	9 3,9	4 3,5	6 3,2	5 4,0	10 3,7	15 3,9	26 4,8	4 3,0	0
7	1010,3	1011,9	10,8	12,3	11,3	11,4	- 3,5	13,0	10,1	16,3	31	7,5	2	0 3,0	0 0,0	0 0,0	1 5,0	2 4,0	3 3,0	0 0,0	3 2,3	16 4,4	5 5,0	6 3,0	2
8	1008,5	1010,0	13,0	15,1	14,7	13,9	- 1,4	16,1	11,8	21,0	19	8,4	23	4 1,8	1 3,3	1 1,3	8 3,3	13 4,3	10 4,5	2 4,0	2 2,5	5 3,2	20 3,6	22 4,8	4 2,8	1
9	1010,7	1012,3	11,1	12,7	12,2	11,8	- 1,1	13,8	10,0	17,1	1	2,6	30	0 0,0	0 0,0	2 1,5	6 2,7	11 3,9	1 3,0	5 4,6	6 4,0	7 4,3	20 5,6	21 5,1	11 3,8	0
10	1013,8	1016,4	7,9	9,4	8,1	8,3	- 0,8	10,0	6,6	14,2	11	0,4	22	3 1,7	2 2,3	11 4,1	33 5,0	13 5,3	6 2,7	1 5,0	2 5,0	0 0,0	5 6,2	5 5,0	7 3,7	0
11	1003,4	1006,0	4,8	6,1	5,2	5,2	- 0,5	6,9	2,7	10,2	4	- 0,3	21	7 3,1	3 3,1	9 3,4	13 3,1	9 4,6	5 5,6	1 3,0	3 4,7	11 4,3	9 4,6	13 4,9	11 3,9	0
12	1002,6	1004,2	1,8	2,1	1,3	1,7	- 1,6	3,5	- 0,3	10,0	5	- 8,4	21	4 1,3	12 2,2	19 4,3	19 4,3	4 0,3	1 7,0	3 6,0	5 4,8	4 5,5	5 5,4	10 4,7	6 3,8	1
AR	1003,9	1010,8	5,8	7,0	6,3	6,1	- 1,5	8,1	4,1	24,6		-14,0		38 2,0	43 2,5	115 3,7	183 4,1	101 4,1	55 3,6	46 4,1	43 4,2	74 3,9	117 4,3	190 4,7	70 3,6	20

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET kl 07	kl 13	kl 19	DM.	MIDLERE SKYDEKKE kl 07	kl 13	kl 19	MM.	NEDBØR SUM	%	MAX DT.	LUFTTEMPERATUR TI <0	TX <0	TN <=10	TX>= =25	NEDBØR R>=0,1	R>=1,0	R>=10,0	VINDSTYRKE FX> =08	FX> =08	FX> =08	ANTALL DAGER MED: R	S	SL	YR	SM	FOREKOMST AV H	IH	TO	KV	OV	SO	TRÅKE 07	13	19
KJEVIK																																				1979
1	86	83	83	85	5,3	5,6	5,1	5,5	59	49	10,2 11	29	26	14	0	20	13	1	3	0	0	3	19	1	2	0	0	0	0	4	14	31	0	0	0
2	83	73	71	76	4,1	4,6	4,2	4,2	24	29	9,1 28	26	10	15	0	11	5	0	3	0	0	1	10	0	2	0	0	0	0	7	8	28	0	0	1
3	82	72	74	77	6,2	6,7	6,4	6,4	168	300	50,8 26	17	4	2	0	21	17	7	7	0	0	17	11	6	12	0	1	0	0	0	18	23	0	0	0
4	84	72	76	79	6,2	6,6	6,4	6,4	74	109	25,0 24	4	0	0	0	19	15	1	0	0	0	19	6	6	19	0	0	0	0	0	18	2	2	1	1
5	81	67	69	75	6,1	5,9	5,5	6,0	127	202	27,3 30	7	0	0	0	16	14	6	1	0	0	16	0	0	10	0	2	.	1	1	16	0	2	0	0
6	76	65	66	72	5,2	5,3	4,8	5,0	73	106	13,5 25	0	0	0	1	13	12	2	1	0	0	13	0	0	4	0	0	0	3	1	6	0	0	0	0
7	67	53	58	61	4,1	4,9	4,3	4,3	34	35	17,2 29	0	0	0	0	7	7	1	1	0	0	7	0	0	7	0	0	0	0	2	3	0	0	1	0
8	79	62	63	70	5,1	5,4	4,1	5,0	196	137	50,4 14	0	0	0	0	20	13	7	2	0	0	16	0	0	4	0	0	0	0	4	8	0	0	0	0
9	75	58	65	68	4,6	5,3	4,4	4,8	46	33	13,2 21	1	0	0	0	13	9	1	2	0	0	13	0	0	8	0	0	0	1	3	11	0	1	0	0
10	77	68	72	73	6,1	6,2	5,9	6,1	134	89	35,1 13	5	0	0	0	10	12	4	3	0	0	10	0	0	14	0	0	0	1	0	18	0	2	2	0
11	81	75	77	78	4,9	5,7	4,7	5,1	266	163	70,5 1	17	2	0	0	24	18	8	3	0	0	19	10	3	10	0	0	0	0	3	10	9	2	1	1
12	89	85	87	87	5,6	5,7	5,3	5,7	141	92	36,4 27	22	13	7	0	21	16	4	7	0	0	14	11	4	5	0	0	0	0	4	17	22	0	1	0
ÅR	80	69	72	75	5,3	5,7	5,2	5,4	1342	103	70,5	128	61	38	1	201	151	42	31	0	0	164	67	20	97	0	3	0	10	25	147	118	9	6	3
OKSØY FYR																																				1979
1	90	91	88	89	5,6	5,5	5,5	5,5	60	57	12,7 11	23	23	4	0	18	12	1	16	1	0	4	18	4	2	0	0	0	0	4	16	28	1	0	0
2	90	84	82	86	4,5	4,9	4,3	4,8	18	24	3,7 1	35	13	3	0	11	6	0	12	3	0	1	10	0	1	0	0	0	0	5	10	26	0	0	1
3	93	88	89	91	6,3	6,6	6,0	6,3	132	232	42,1 26	13	4	0	0	19	14	4	24	7	1	18	9	7	3	0	0	0	0	0	18	12	0	0	0
4	93	88	87	90	6,6	6,7	6,7	6,7	53	93	13,6 24	1	0	0	0	10	12	1	10	0	0	18	7	7	9	0	0	0	0	0	19	0	2	4	0
5	89	86	84	87	6,3	5,8	6,1	6,0	82	178	17,1 30	0	0	0	0	15	14	1	14	1	0	15	0	0	3	0	0	0	2	1	14	0	6	3	4
6	87	81	78	83	5,4	5,6	4,9	5,3	67	114	18,6 25	0	0	0	0	11	10	2	16	0	0	11	0	0	1	0	0	0	3	1	7	0	1	0	0
7	79	73	76	77	4,0	4,5	4,1	4,2	28	36	12,1 29	0	0	0	0	8	7	1	16	1	0	8	0	0	1	0	0	0	0	5	3	0	1	1	1
8	90	79	81	85	5,5	4,8	4,3	5,0	125	110	32,0 14	0	0	0	0	13	11	6	17	0	0	13	0	0	1	0	0	0	3	1	9	0	0	0	0
9	88	72	78	81	4,9	5,2	4,2	4,8	48	44	12,7 26	0	0	0	0	11	10	2	19	2	0	11	0	0	2	0	0	0	1	5	10	0	1	0	0
10	89	84	85	87	5,3	6,4	5,0	6,2	104	85	34,8 13	0	0	0	0	14	11	4	22	2	0	14	0	0	7	0	0	0	1	2	18	0	2	1	1
11	95	89	90	92	5,1	5,6	4,8	5,2	248	188	67,3 1	3	0	0	0	25	21	7	20	4	1	23	5	3	10	0	0	0	0	5	11	1	1	0	1
12	92	92	93	92	5,7	5,7	5,8	5,7	133	107	19,7 25	19	6	0	0	21	17	5	20	9	3	14	11	4	2	0	0	0	0	5	18	14	0	0	0
ÅR	90	84	84	87	5,5	5,6	5,3	5,5	1098	102	67,3	92	40	7	0	181	145	34	217	30	5	150	80	25	42	0	0	0	10	34	153	81	15	9	8
MANDAL II																																				1979
1	79	78	78	79	5,7	5,5	5,5	5,6	92	61	21,4 7	29	26	6	0	21	13	2	3	0	0	3	19	1	0	0	1	0	0	3	14	29	1	1	0
2	76	67	74	73	4,2	4,2	4,1	4,1	31	32	9,5 3	26	15	3	0	11	7	0	3	0	0	4	9	0	0	0	0	0	0	9	10	28	1	2	1
3	87	81	85	85	6,7	6,7	6,7	6,7	203	344	54,0 26	17	4	2	0	20	16	9	15	1	0	14	14	4	0	0	1	0	0	2	21	20	2	2	2
4	89	81	83	86	6,3	6,1	6,7	6,4	89	120	27,5 24	2	0	0	0	20	18	1	9	1	0	13	9	7	0	0	0	0	0	0	18	2	2	2	4
5	88	82	84	87	6,5	5,7	6,1	6,1	137	221	28,3 30	1	0	0	0	21	15	5	3	0	0	20	2	2	3	0	1	0	4	2	16	0	7	5	8
6	84	77	77	92	5,5	5,2	5,3	5,3	96	120	30,0 15	0	0	0	0	15	12	4	4	0	0	13	0	0	1	0	0	0	2	3	11	0	3	2	3
7	79	68	74	78	3,4	3,5	3,3	3,4	39	36	23,5 29	0	0	0	0	6	5	1	10	0	0	6	0	0	1	0	0	0	0	8	3	0	2	1	1
8	90	81	84	86	5,2	5,1	5,2	5,0	182	140	51,4 14	0	0	0	0	16	16	7	2	0	0	16	0	0	0	0	0	0	5	1	9	0	3	2	2
9	91	81	88	88	5,4	5,7	5,0	5,4	133	88	27,0 18	0	0	0	0	17	15	5	12	0	0	17	0	0	2	0	0	0	1	6	14	0	2	1	3
10	91	83	88	88	6,7	5,9	5,8	6,1	140	82	27,6 15	0	0	0	0	18	15	8	14	3	0	16	0	0	2	0	1	0	1	2	17	0	3	4	3
11	93	87	90	91	5,8	5,3	5,4	5,5	303	186	66,5 1	9	0	0	0	24	24	8	7	4	0	21	7	3	0	0	0	0	0	1	13	7	2	2	4
12	90	89	90	89	6,0	5,7	6,1	5,9	190	120	25,8 28	21	14	0	0	20	18	8	15	6	0	11	11	1	1	0	0	0	0	2	16	16	0	0	0
ÅR	86	80	83	84	5,7	5,4	5,3	5,5	1635	116	66,5	105	59	11	0	209	174	59	105	16	0	163	71	18	10	0	4	0	13	37	162	102	28	24	31
KONSMO - EIKELAND																																				1979
1	89	86	85	87	5,0	5,0	5,5	5,2	78	53	21,8 7	29	27	12	0	20	12	1	4	0	0	3	20	3	0	0	0	0	0	4	11	31	0	0	1
2	85	74	77	80	3,7	4,0	4,1	3,9	37	38	13,3 28	37	15	6	0	11	6	1	2	0	0	2	10	1	1	0	0	0	0	9	9	28	3	1	0
3	95	84	88	90	6,6	6,6	6,9	6,7	252	359	34,6 26	20	7	3	0	20	19	12	2	0	0	12	18	8	5	1	0	0	0	0	21	31	3	2	0
4	93	80	86	86	6,6	6,6	6,7	6,6	59	69	15,3 24	13	0	0	0	19	15	1	0	0	0	17	11	9	7	0	0	0	0	0	21	21	3	2	1
5	94	80	82	88	6,3	6,3	5,8	6,2	164	210	31,2 30	10	0	0	0	24	18	5	3	0	0	24	4	4	7	0	0	0	2	1	14	1	6	2	2
6	90	75	78	87	5,7	5,0	4,9	5,2	101	103	21,7 27	0	0	0	0	15	12	4	3	0	0	15	0	0	6	0	0	0	3	3	13	0	1	0	0
7	86	65	71	78	3,3	4,1	3,9	3,8	29	23	13,1 29	0	0	0	0	9	6	1	3	0	0	9	0	0	3	0	0	0	1	5	5	0	0	1	0
8	96	79	82	86	6,0	5,4	4,2	5,2	258	169	55,7 14	0	0	0	0	21	16	8	3	0	0	20	0	0	4	0	0	0	4	1	10	0	6	1	2
9	97	82	89	91	5,2	6,0	4,9	5,4	136	76	22,0 18	1	0	0	0	22	16	5	2	0	0	21	0	0	3	0	0	0	1	5	13	0	3	1	1
10	96	87	90	92	6,9	6,3	5,8	6,2	144	78	28,1 13	6	0	0	0	21	14	4	2	1	0	21	2	2	7	0	0	0	1	2	17	0	5	2	2
11	97	93	94	95	5,7	5,6	5,2	5,5	299	164	63,7 4	14	1	0	0	25	20	8	3	0	0	19	9	3	2	0	0	0	0	2	11	12	1	1	4
12	95	93	94	94	5,8	6,1	5,8	5,8	201	115	45,4 27	24	16	5	0	18	17	6	7	3	2	10	12	4	1	0	0	0	0	3	17	18	1	0	0
ÅR	93	82	85	88	5,6	5,6	5,3	5,5	1758	112	63,7	144	60	26	0	225	171	56	22	4	2	173	86	34	46	1	0	0	12	35	162	142	32	13	13
LINDESNES FYR																																				1979
1	69	71	69	69	4,2	5,4	5,5	5,3	37	43	14,6 17	27	19	3	0	14	10	1	10	2	0	6	12	4	0	0	4	0	0	2	11		0	0	0
2	67	66	68	67	4,1	4,4	5,0	4,5	24	27	7,8 28	22	9	2	0	7	6	0	10	3	1	5	5	1	0	0	0	0	0	4	9		0	0	1
3	74	72	72	73	6,2	6,5	6,1	6,4	130	232	35,5 26	13	3	1	0	19	17	4	25	6	1	19	9	9	0	0	2	0	0	0	19		0	0	0
4	78	74	74	76	6,7	6,3	6,7	6,6	72	116	19,2 24	1	0	0	0	20	16	2	13	0	0	20	3	3	4	0	0	0	0	0	20		5	4	2
5	78	75	75	76	6,3	6,1	5,8	6,1	102	208	14,8 27	0	0	0	0	23	17	3	11	0	0	23	2	2	5	0	0	0	1	1	16		6	6	6
6	74	71	70	72	5,3	5,6	5,3	5,5	64	105	12,7 29	0	0	0	0	12	7	4	15	0	0	12	0	0	4	0	0	0	0	1	10		2	0	1
7	82	75	78	79	4,4	4,3	4,3	4,3	34	37	16,2 29	0	0	0	0	8	4	1	13	0	0	8	0	0	5	0	0	0	0	2	5		4	3	4
8	76	70	69	72	5,6	4,9	4,6	5,0	164	149	34,3 9	0	0	0	0	17	14	6	14	0	0	17	0	0	1	0	0	0	4	0	9		1	0	0
9	69	64	68	68	3,2	5,5	5,1	5,4	108	89	14,5 18	0	0	0	0	18	17	3	22	4	1	18	0	0	2	0	0	0	0	2	11		1	0	1
10	80	70	72	75	6,0	6,1	6,2	6,1	123	94	30,2 13	0	0	0	0	16	13	5	22	7	0	16	0	0	5	0	0	0	1	0	16		3	1	2
11	82	78	77	79	5,3	5,3	5,3	5,4	256	205	49,9 1	0	0	0	0	27	23	9	18	3	0	27	3	2	4	0	0	0	0	0	11		0	0	0
12	82	82	83	83	5,5	5,7	6,0	5,7	126	106	16,8 28	13	4	0	0	17	16	5	19	8	4	17	7	7	0	0	0	0	0	1	14		1	0	0
ÅR	78	72	73	74	5,5	5,5	5,5	5,5	1260	110	49,9	81	35	6	0	196	160	43	201	32	7	186	41	28	30	0	6	0	8	13	151		23	14	17
LISTA FYR																																				1979
1	77	76	78	77	4,6	5,5	5,3	5,2	52	61	20,4 17	28	17	6	0	13	8	2	14	2	0	6	11	4	1	1	4	0	0	3	12	22	0	0	0
2	74	71	73	73	4,1	4,7	4,6	4,5	25	38	5,8 28	24	10	4	0	7	6	0	14	1	0	7	5	5	2	0	1	0	0	5	9	26	0	0	0
3	82	79	79	81	6,5	6,7	6,4	6,5	141	344	31,2 26	12	3	1	0	19	18	3	23	6	2	19	10	8	2	0	3	0	0	0	21	7	0	1	0
4	83	74	79	80	6,5	7,0	6,7	6,7	49	80	10,9 16	1	0	0	0	17	13	1	10	0	0	17	4	4	3	0	0	0	0	0	21	1	4	1	1
5	85	81	80	82	6,0	6,0	5,9	6,0	98	200	13,6 27	1	0	0	0	22	17	4	17	1	0	22	4	3	4	0	3	0	3	1	18	0	5	0	4
6	80	75	77	78	5,8	5,5	5,2	5,5	70	103	17,2 15	0	0	0	0	14	10	3	20	0	0	14	0	0	9	0	1	0	0	0	11	0	3	2	0
7	88	81	83	85	4,3	4,0	3,8	4,1	32	35	10,3 29	0	0	0	0	7	5	1	23	0	0	7	0	0	2	0	0	0	0	6	6	0	5	2	3
8	88	79	77	82	5,5	4,8	4,7	5,0	176	150	52,5 9	0	0	0	0	20	16	6	13	1	0	20	0	0	2	0	0	0	5	1	7	0	1	0	1
9	79	74	77	77	5,7	5,8	5,3	5,7	95	79	12,9 26	0	0	0	0	18	17	2	23	8	1	18	0	0	2	0	0	0	0	5	16	0	1	0	0
10	82	75	79	79	6,1	5,8	5,9	6,0	122	102	25,5 13	0	0	0	0	17	13	4	24	8	1	17	0	0	5	0	0	0	0	1	17	0	2	1	0
11	87	81	83	84	5,9	5,3	5,3	5,5	239	194	56,1 4	4	0	0	0	24	23	6	24	7	3	24	4	4	3	0	3	0	1	1	12	1	0	0	0
12	83	80	82	82	5,5	5,9	5,7	5,7	106	95	26,3 28	18	4	0	0	20	13	4	19	12	6	15	9	4	2	0	0	0	0	4	17	12	1	0	0
ÅR	82	77	79	80	5,6	5,6	5,4	5,5	1205	115	56,1	88	34	11	0	193	139	36	231	40	13	186	47	32	37	1	15	0	9	27	167	69	22	7	9

MÅ.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
SIRDAL - TJØRHOI																									1979
1			-10,8	- 8,7	-11,2	-11,2		- 6,4	-15,2	4,0	7	-30,0	27	0 0,0	12 2,5	13 2,4	1 4,0	0 0,0	6 2,0	0 1,7	2 2,0	0 0,0	0 0,0	0 0,0	3 3,0	53
2			- 9,4	- 4,8	- 6,4	- 7,4		- 2,9	-12,6	2,4	26	-25,0	11	0 0,0	18 3,1	2 3,0	0 0,0	2 4,0	3 2,3	0 0,0	0 0,0	0 0,0	4 1,8	0 0,0	16 2,3	39
3			- 4,1	- 0,9	- 1,9	- 2,8		0,5	- 6,3	4,6	29	-24,5	18	0 0,0	10 2,3	9 2,7	2 4,5	0 0,0	14 3,1	1 4,0	8 1,6	5 1,6	12 2,3	0 0,0	0 0,0	32
4			3,3	3,1	1,8	1,4		3,9	- 0,7	7,5	13	- 6,3	18	1 2,0	21 2,7	12 2,8	2 1,5	0 0,0	13 1,9	0 0,0	0 0,0	0 0,0	2 1,5	0 0,0	4 2,5	35
5			2,1	3,8	5,1	3,6		7,7	- 0,1	20,0	31	-10,0	3	1 1,0	7 1,7	4 3,8	0 0,0	0 0,0	13 2,2	1 1,0	22 1,7	0 0,0	6 1,8	0 0,0	12 1,8	30
6			13,1	14,7	13,7	11,6		17,0	6,4	24,2	20	1,2	2	0 0,0	8 3,1	6 2,7	3 2,5	0 0,0	18 1,7	4 2,5	15 2,1	0 0,0	13 2,1	0 0,0	4 2,8	20
7			9,0	14,1	12,3	11,2		15,6	6,3	22,2	13	1,2	25	1 2,0	4 3,0	2 2,3	0 0,0	0 0,0	4 1,3	6 1,7	13 1,3	0 0,0	17 2,3	0 0,0	21 2,6	27
8			8,5	13,3	12,2	11,6		14,8	6,7	19,8	18	1,5	11	1 1,0	5 1,6	8 2,3	4 2,8	1 3,0	15 1,9	0 0,0	13 1,4	2 1,0	4 1,8	2 2,0	8 2,0	30
9			0,1	3,0	3,3	2,4		10,9	4,5	18,5	6	- 4,2	30	1 2,0	0 0,0	2 2,0	0 0,0	0 0,0	11 1,9	3 2,0	21 2,5	4 1,3	4 2,8	2 3,0	13 2,3	29
10			3,3	5,8	4,3	4,3		6,9	1,7	13,0	11	- 6,2	22	1 4,0	1 3,0	23 3,2	11 3,0	0 0,0	0 2,6	8 2,0	3 1,3	1 1,0	4 3,3	7 2,0	0 0,0	25
11			- 1,8	0,3	- 1,1	- 1,1		1,5	- 4,3	5,8	29	-14,8	15	7 1,4	7 2,1	1 3,0	1 3,0	0 0,0	14 2,3	9 1,6	3 1,7	0 0,0	0 0,0	2 2,5	14 1,8	36
12			- 4,8	- 4,4	- 5,3	- 5,3		- 2,0	- 8,1	6,0	5	-20,5	31	2 1,0	21 2,3	8 3,3	4 5,3	0 0,0	13 2,2	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	4 2,0	28
ÅR			3,7	4,0	2,8	1,9		5,6	- 1,8	24,2		-30,0		15 1,6	113 2,5	90 3,0	27 3,4	3 3,7	126 2,1	31 1,9	118 1,9	12 1,4	66 2,2	13 2,2	99 2,2	382
UALAND - BJULAND																									1979
1	987,9	1012,9	- 0,5	- 3,8	- 1,8	- 3,2	- 4,1	- 2,0	- 9,1	5,6	7	-22,4	27	3 1,0	2 1,5	7 1,1	19 1,8	14 1,6	7 2,3	9 1,0	3 1,7	3 2,0	4 2,3	2 2,0	2 1,5	18
2	988,7	1013,9	- 3,7	- 1,0	- 2,3	- 2,7	- 1,4	0,6	- 6,4	5,5	24	-16,4	11	2 1,5	1 1,0	3 2,0	12 2,5	3 4,0	6 2,8	5 1,4	1 3,0	3 2,0	3 1,0	7 2,0	5 2,8	21
3	975,7	1000,3	- 0,7	1,5	0,7	0,3	- 0,7	2,6	- 1,9	6,8	29	-14,0	19	1 1,0	4 1,3	4 1,0	23 2,2	11 3,5	9 3,1	8 2,4	7 2,3	6 3,0	9 2,4	4 1,5	0 0,0	7
4	986,0	1010,5	2,1	5,0	3,2	3,4	+ 1,0	6,1	1,3	10,3	11	- 3,6	18	5 1,8	1 2,0	3 0,0	23 2,1	18 2,4	7 2,0	8 1,4	0 0,0	1 1,0	2 2,5	7 1,9	3 2,3	15
5	987,6	1011,9	4,9	8,0	5,0	6,4	+ 3,2	10,3	3,6	24,4	31	+ 2,8	3	2 2,0	6 1,3	2 1,5	12 2,4	1 2,3	3 3,3	16 1,8	3 1,0	4 1,3	7 1,7	12 2,3	3 1,0	19
6	990,5	1014,2	11,3	15,2	14,1	12,7	0,2	17,2	9,4	24,7	4	4,9	10	1 2,0	0 0,0	0 0,0	4 2,0	9 1,8	7 1,9	5 2,0	1 1,0	5 1,6	15 1,7	20 2,2	3 2,7	20
7	987,0	1011,3	10,0	14,8	13,3	12,1	+ 2,0	16,5	8,7	21,7	12	5,9	2	3 1,3	0 0,0	0 0,0	0 0,0	1 1,0	3 1,3	3 1,3	1 1,0	5 1,2	19 1,9	31 2,2	14 2,6	13
8	985,9	1010,5	10,8	14,6	13,9	12,6	+ 1,4	16,7	9,5	23,9	18	5,2	10	1 1,0	2 1,0	0 0,0	6 1,2	9 1,3	12 1,8	9 1,6	3 1,3	4 1,5	13 1,6	14 1,8	8 1,8	12
9	987,8	1011,8	8,7	11,3	9,3	9,6	+ 1,0	12,8	7,3	19,2	1	0,0	30	5 2,4	1 1,0	1 1,0	5 1,0	7 2,0	6 1,5	4 1,0	3 1,7	5 2,6	12 1,8	18 2,4	7 2,6	16
10	991,9	1016,2	6,1	8,3	6,9	7,0	0,0	9,5	5,1	15,2	12	0,2	22	3 1,0	4 2,3	1 1,0	23 2,0	12 2,7	14 3,2	4 2,8	1 2,0	3 1,3	4 2,5	5 1,8	5 2,0	10
11	980,4	1004,9	2,1	3,9	2,8	2,8	+ 0,8	5,1	0,5	10,2	4	- 4,6	13	4 1,0	1 4,0	4 1,0	12 1,3	13 1,8	9 2,6	6 1,5	0 0,0	1 2,0	7 1,4	5 1,8	5 1,2	21
12	979,5	1004,2	0,0	0,5	- 0,3	0,0	+ 1,2	1,9	- 2,3	8,5	2	- 9,3	21	1 2,0	2 1,0	1 1,0	12 1,9	16 3,4	13 3,1	6 2,0	1 1,0	3 2,7	4 2,3	5 1,8	7 2,3	22
ÅR	985,8	1010,1	5,8	6,5	5,6	5,3	+ 1,5	8,1	2,1	24,7		+22,4		14 1,6	73 1,5	21 1,2	163 2,0	119 2,3	96 2,5	83 1,7	24 1,7	43 1,9	99 1,9	130 2,1	69 2,1	194
NORDRE EIGEROY																									1979
1			- 3,2	- 2,0	- 2,1	- 2,5	- 3,3	- 0,3	- 4,6	6,5	7	-12,0	1	6 2,7	8 1,6	12 2,6	10 3,2	26 3,4	5 3,4	0 0,0	3 3,0	5 3,4	4 2,5	4 3,3	3 1,3	1
2			- 1,7	- 0,3	- 0,9	- 1,2	- 1,7	0,8	- 3,4	4,1	27	-13,8	14	7 3,7	8 3,0	3 1,3	0 3,6	17 2,8	8 3,4	5 4,4	5 4,6	1 2,0	8 3,1	4 3,8	10 3,3	2
3			1,0	2,5	1,9	1,6	+ 0,5	3,6	+ 0,3	8,0	29	-10,5	18	0 0,0	2 1,5	2 1,9	9 3,9	18 4,1	13 3,6	9 4,2	4 3,8	3 4,3	12 3,9	10 2,9	4 1,0	0
4			3,0	5,2	4,4	4,1	+ 1,0	6,2	2,2	12,3	11	- 0,5	17	3 1,3	3 1,0	3 3,3	19 3,8	10 3,1	17 3,1	4 2,0	1 1,0	4 1,0	8 2,9	14 3,3	1 4,0	3
5			5,7	7,7	7,1	6,4	+ 2,9	9,4	4,1	22,5	31	0,4	1	7 1,9	1 1,0	0 0,0	8 1,8	5 2,7	21 3,5	25 2,2	3 2,3	1 3,0	12 2,4	6 3,7	3 3,3	0
6			11,2	12,2	12,2	11,3	+ 0,7	14,4	9,1	23,0	4	6,5	11	0 0,0	3 2,7	0 0,0	6 2,5	1 2,5	15 2,4	12 2,8	4 2,5	3 3,7	21 2,9	13 3,5	9 3,2	0
7			10,5	12,2	11,0	11,0	+ 3,5	13,2	9,1	15,0	13	6,5	2	1 2,0	0 0,0	0 0,0	0 0,0	5 2,6	3 1,3	0 0,0	1 2,0	2 1,5	4 2,3	49 3,2	28 4,2	0
8			12,1	14,7	13,8	13,3	+ 1,6	15,5	11,2	19,5	18	9,0	10	4 2,3	5 1,6	1 1,0	2 2,5	10 4,2	9 3,1	13 2,9	4 1,3	0 0,0	11 2,0	19 2,5	14 2,7	1
9			10,5	12,0	11,1	11,0	+ 1,5	12,9	9,1	16,5	7	3,5	30	2 1,5	4 1,3	0 0,0	1 3,5	4 3,8	8 2,5	13 3,1	5 2,2	2 3,0	27 3,7	14 4,1	7 3,3	0
10			7,9	9,5	8,4	8,4	+ 0,4	10,4	6,6	14,8	11	2,5	22	1 3,0	0 0,0	3 4,0	27 4,4	26 5,4	9 2,7	7 4,1	5 4,6	3 4,3	6 3,8	3 5,7	1 4,0	2
11			4,1	5,3	4,7	4,7	+ 3,7	6,5	2,5	11,0	3	- 0,5	17	4 1,8	6 2,0	1 1,0	11 2,6	10 4,5	4 3,8	11 3,4	4 3,5	2 1,8	17 2,4	4 3,5	10 3,6	3
12			1,7	1,7	1,4	1,5	+ 1,6	3,2	- 0,3	9,4	5	- 4,0	12	21 2,2	1 1,0	1 2,0	27 3,9	9 3,1	8 4,1	5 4,0	1 1,0	1 4,0	6 4,7	2 3,0	9 3,0	2
ÅR			5,3	6,7	6,1	5,8	+ 1,6	8,0	3,8	23,0		+13,8		58 2,3	41 1,9	33 2,4	141 3,3	145 4,0	117 3,1	104 3,1	40 3,0	27 2,9	136 3,1	142 3,3	99 3,3	14
OBRESTAD FYR																									1979
1	1003,8	1012,0	- 3,2	- 2,0	- 3,1	- 2,9	- 3,7	- 0,7	- 6,1	6,5	7	-15,9	2	0 0,0	3 1,7	9 1,8	17 1,6	14 2,6	33 3,7	0 0,0	1 4,0	9 4,1	1 5,0	3 4,3	1 5,0	2
2	1013,8	1014,0	- 3,1	- 0,8	- 1,7	- 2,1	- 2,3	0,7	- 5,1	4,4	27	-18,2	15	12 2,9	7 2,3	3 1,0	11 1,5	9 1,9	16 3,4	3 4,0	5 3,0	3 3,0	3 3,0	2 2,0	8 5,2	0
3	995,2	999,3	1,0	2,6	2,1	1,7	+ 0,3	3,7	+ 0,3	7,3	28	- 9,4	18	1 3,0	1 1,0	5 2,0	10 2,2	2 1,0	33 4,2	14 4,4	4 5,0	10 4,9	5 3,0	3 4,3	5 2,6	0
4	1007,2	1010,3	3,3	5,4	4,7	4,2	+ 0,6	6,5	2,4	14,9	11	+ 2,1	17	0 1,8	2 2,0	8 1,5	10 2,8	5 3,2	29 3,9	5 2,2	3 2,7	3 1,7	9 3,8	1 1,0	12 3,4	1
5	1003,3	1011,4	6,0	7,7	7,3	6,5	+ 2,1	9,4	4,2	24,7	31	+ 1,4	3	0 0,0	0 0,0	1 1,0	5 1,2	2 3,0	48 4,2	6 3,5	3 3,0	12 2,9	7 2,6	1 2,0	8 3,4	0
6	1011,7	1014,8	10,8	11,5	11,3	10,8	+ 0,6	13,5	9,2	21,6	1	7,1	11	7 3,6	1 1,0	2 1,5	3 2,0	3 3,0	20 3,6	4 2,3	3 4,3	9 2,7	4 4,0	3 5,0	31 3,5	0
7	1007,4	1012,5	10,1	11,4	11,1	11,0	+ 3,3	12,5	9,2	15,1	31	6,4	2	1 2,0	0 0,0	0 0,0	0 0,0	0 0,0	9 3,3	3 3,0	0 0,0	3 2,3	0 0,0	1 4,0	75 3,3	1
8	1003,5	1009,8	12,1	14,4	13,9	13,1	+ 1,3	15,3	10,8	19,6	19	7,4	25	7 3,1	5 1,3	1 1,3	2 1,5	2 3,0	21 4,4	6 4,0	4 2,5	3 2,7	9 2,2	0 0,0	30 3,3	0
9	1009,4	1011,5	10,8	12,1	11,6	11,3	+ 1,0	13,2	9,1	16,6	7	1,0	30	6 1,0	1 2,1	5 2,0	3 2,3	0 0,0	14 3,6	7 4,4	2 5,0	13 3,2	16 4,2	8 6,0	15 3,6	0
10	1012,3	1015,4	7,7	9,5	8,3	8,4	+ 0,3	10,4	6,3	15,0	11	0,5	22	8 1,8	0 0,0	1 1,0	7 3,3	4 3,8	50 4,2	9 4,1	0 0,0	2 3,5	4 3,5	3 5,3	7 3,3	0
11	1001,1	1004,4	4,7	5,7	4,9	5,0	+ 3,4	6,8	2,7	10,6	4	- 2,5	15	9 2,4	3 1,3	4 1,3	7 2,0	3 2,3	24 3,7	4 3,3	5 3,6	6 3,3	11 2,9	3 3,0	11 4,0	0
12	1003,4	1003,6	2,0	1,9	1,3	1,4	+ 1,0	3,5	- 0,3	9,5	5	- 6,0	12	3 4,0	8 2,1	9 1,3	19 2,1	5 3,2	24 4,8	2 6,0	2 6,5	7 4,0	7 4,3	2 4,5	5 4,0	0
ÅR	1003,8	1009,9	5,2	6,6	6,0	5,7	+ 1,5	7,9	3,5	24,7		+18,2		58 2,9	31 1,9	53 1,8	97 2,0	49 2,8	321 4,0	63 3,9	32 3,8	80 3,5	72 3,5	30 4,5	205 3,9	4
SOLA																									1979
1	1011,2	1012,3	- 4,1	- 1,8	- 3,3	- 3,2	- 3,3	- 0,6	- 6,5	5,9	7	-16,8	2	4 1,8	2 2,1	3 2,4	7 1,9	18 2,4	28 2,9	7 3,0	8 3,5	2 3,5	4 4,3	0 0,0	0 0,0	12
2	1013,1	1014,2	- 4,7	- 3,0	- 2,5	- 3,0	- 3,2	0,6	- 6,9	3,7	28	-17,0	15	11 2,6	4 1,3	3 1,7	3 1,7	9 1,6	16 2,0	9 3,0	4 3,3	3 3,0	2 3,0	2 3,0	4 3,3	14
3	998,4	999,8	0,7	3,8	2,3	2,3	+ 0,4	4,8	+ 0,5	11,2	29	+10,4	18	1 2,0	1 2,0	3 3,0	4 2,3	12 3,1	19 3,7	19 4,0	6 4,5	9 3,9	4 2,0	5 2,0	3 2,7	7
4	1009,5	1010,6	3,8	7,8	5,3	5,3	+ 0,6	8,6	2,7	15,4	11	+ 2,8	17	5 2,6	3 2,3	2 1,0	4 2,3	13 3,3	17 2,9	12 3,6	2 3,0	9 2,6	5 1,8	6 2,3	7 3,7	5
5	1013,4	1011,8	6,3	10,0	8,8	7,7	+ 2,6	11,8	4,3	25,2	31	+ 2,5	3	1 1,0	0 0,0	3 1,7	3 3,0	8 3,0	9 3,6	32 3,9	14 3,4	3 3,3	5 2,4	9 2,9	7 4,0	2
6	1014,1	1015,2	11,3	14,1	13,0	12,1	+ 1,1	16,5	9,4	24,5	1	8,2	11	11 3,0	1 2,0	0 0,0	2 2,0	1 4,0	4 2,3	10 3,0	12 3,1	3 3,0	6 3,0	22 3,5	15 3,5	3
7	1011,8	1012,8	11,3	14,7	13,1	12,3	+ 3,6	16,0	9,3	19,5	13	5,8	2	2 2,0	1 1,0	1 1,0	0 0,0	1 3,0	2 3,0	6 3,0	3 2,7	3 1,7	2 2,5	32 3,0	39 3,4	1
8	1008,8	1009,9	11,9	15,8	14,5	13,6	+ 2,0	17,2	10,4	20,4	7	6,6	25	5 3,2	3 1,7	0 0,0	3 1,0	7 2,1	14 4,1	8 3,6	8 2,8	5 2,0	3 3,0	14 2,8	16 3,3	7
9	1010,7	1011,8	10,0	13,2	11,2	11,1	+ 1,6	14,2	8,5	20,3	6	0,6	30	7 3,4	0 0,0	0 0,0	0 0,0	2 2,0	3 2,7	19 3,3	9 3,0	5 3,6	14 3,8	12 4,3	10 3,5	3
10	1014,5	1015,6	7,2	10,9	9,3	8,6	+ 0,1	11,7	5,6	16,6	12	2,1	24	7 3,4	1 2,0	3 1,0	1 2,0	28 3,4	22 3,3	8 3,8	2 3,5	4 2,5	2 5,5	4 2,3	4 4,0	7
11	1003,2	1004,3	3,8	5,6	4,3	4,4	+ 0,6	6,5	2,0	10,5	4	- 3,6	15	5 3,0	6 1,7	1 2,0	1 3,0	8 3,0	19 3,3	19 3,0	5 2,4	6 3,3	6 3,8	4 3,5	5 3,4	5
12	1002,5	1003,6	1,6	2,1	1,1	1,5	+ 1,3	3,8	- 1,0	9,7	5	- 7,2	12	3 2,2	2 1,3	4 2,8	8 3,3	10 4,5	15 3,3	4 5,3	8 3,6	2 2,0	5 4,4	5 4,4	4 2,8	21
ÅR	1009,0	1010,1	4,9	7,9	6,1	6,0	+ 1,8	9,2	3,1	25,2		+17,0		64 2,8	24 1,7	23 1,7	33 2,3	117 3,0	172 3,2	153 3,5	81 3,3	54 3,0	58 3,3	115 3,0	114 3,4	87
STAVANGER																									1979
1			- 3,5	- 1,0	- 2,3	- 2,3	- 3,3	- 0,6	- 4,6	5,1	7	-14,1	1	3 1,0	12 1,6	1 1,0	12 1,6	0 0,0	30 2,3	4 4,3	4 2,0	5 2,8	3 3,0	2 1,0	0 0,0	17
2			- 2,7	0,4	- 1,6	- 1,5	- 2,3	0,8	- 4,3	4,0	27	-11,8	14	5 1,6	5 1,6	7 2,3	7 1,4	5 1,6	5 1,6	14 2,7	4 2,5	1 4,0	2 3,0	2 3,5	13 2,2	14
3			1,4	3,9	2,1	2,2	+ 0,4	4,4	0,0	11,0	29	- 9,4	16	0 0,0	8 1,3	6 1,7	7 3,1	0 0,0	15 2,8	19 4,1	23 4,2	1 3,0	3 1,3	4 2,5	0 0,0	7
4			4,8	7,3	5,5	5,4	+ 0,2	7,8	3,1	15,3	11	+ 0,6	17	1 3,0	2 2,1	3 2,7	11 2,3	2 3,5	23 2,9	10 3,5	5 2,0	1 2,0	6 3,0	3 2,7	10 3,3	13
5			7,2	10,0	9,2	7,7	+ 2,3	11,2	4,8	23,3	31	+ 0,5	3	6 3,0	0 0,0	0 0,0	2 4,0	2 3,0	20 3,4	27 3,9	5 2,4	8 1,3	7 3,0	4 4,0	6 2,3	6
6	12,0	14,7	12,9	12,4	0,0	15,9	9,8	24,0	4	6,8	11	8 2,6	1 1,0	2 1,0	1 1,0	0 0,0	7 2,9	9 2,4	11 3,1	10 2,4	6 1,8	13 2,0	17 2,7	3
7	12,2	14,5	13,0	12,4	+ 2,5	15,2	9,6	18,0	31	6,3	2	9 3,7	0 0,0	0 0,0	0 0,0	0 0,0	2 4,0	12 4,4	14 3,0	8 2,4	4 2,5	6 1,8	3 2,3	24 2,3	7
8	13,1	15,9	14,0	13,7	+ 1,1	16,8	10,8	19,7	7	7,8	24	11 2,4	2 2,0	0 0,0	0 0,0	2 4,0	12 4,4	14 3,0	8 2,4	4 2,5	6 1,8	3 2,3	24 2,3	7
9	10,7	13,0	10,7	11,0	+ 1,2	13,7	8,7	20,7	6	3,2	30	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	3 3,0	13 2,3	12 3,1	15 2,2	16 3,9	6 3,7	21 2,8	4
10	8,1	10,8	8,3	8,9	0,5	11,4	6,6	16,5	9	2,0	22	1 1,0	1 1,0	0 0,0	3 2,7	8 4,3	41 3,3	17 1,9	3 4,0	1 2,0	1 5,0	0 0,0	11 3,2	6
11	4,0	9,7	4,2	4,8	+ 0,8	6,1	2,5	9,7	4	2,3	15	5 1,6	0 0,0	0 0,0	2 1,0	2 1,0	16 2,8	7 3,1	9 2,7	12 2,4	7 2,1	6 1,5	16 2,1	8
12	1,6	2,8	1,5	1,9	+ 1,1	3,2	0,3	9,0	2	- 4,0	12	6 1,7	2 1,3	3 3,0	21 5,0	7 2,9	0 0,0	9 4,6	5 3,4	8 2,9	5 4,0	2 1,5	11 2,5	14
ÅR	5,7	8,2	6,1	6,4	+ 1,2	8,8	3,9	24,0		+14,1		55 2,4	31 1,5	22 2,1	69 3,0	28 3,2	174 3,0	150 3,2	95 3,1	70 2,7	76 3,0	48 2,4	172 2,8	104

ÅRSOVERSIKTER

ANNUAL SUMMARIES

MD.	MIDLERE RELATIV FUKTIGHET kl. 07	kl. 13	kl. 19	DM.	MIDLERE SKYDEKKE kl. 07	kl. 13	kl. 19	DM.	NEDBØR SUM	%	MAX DT.	LUFTTEMPERATUR TI 40	TX 40	TI 4=10	TX>. =25.	NEDBØR R>= 0,1	R>= 1,0	R>= 10,0.	VINDSTYRKE FX> =68	FX> =88	FX> =98.	ANTALL DAGER MED: R	S	SL	YR	3H	H	IH	TO	FOREKOMST AV KV	OV	SD	TÅKE 07	13	19.
SIRDAL - TJØRHOI																																			1979
1	85	80	82	83	4,6	4,3	4,3	4,6	97	67	21,6 7	31	25	21	0	16	11	4	0	0	0	2	15	0	1	0	0	0	0	8	15	31	0	0	0
2	85	72	76	79	3,8	4,4	3,9	4,0	61	55	12,3 28	27	22	17	0	11	9	2	0	0	0	1	11	0	1	0	0	0	0	9	8	28	0	0	0
3	88	77	80	83	6,3	6,3	6,3	6,3	244	305	28,5 23	28	10	7	0	22	20	9	0	0	0	6	22	0	1	1	1	0	1	3	22	31	0	0	0
4	86	69	79	81	6,7	6,8	7,3	6,9	50	50	13,8 30	16	0	0	0	19	14	1	0	0	0	9	15	3	3	0	0	0	0	0	24	30	1	0	1
5	89	73	74	81	6,2	6,8	6,2	6,4	177	253	18,4 19	13	0	0	0	26	22	8	0	0	0	20	9	2	6	0	0	0	2	1	21	21	1	1	3
6	81	61	68	76	5,5	5,5	5,3	5,5	149	149	36,4 27	0	0	0	0	19	12	7	0	0	0	17	0	0	5	0	0	0	1	3	18	0	0	0	0
7	82	62	69	75	5,2	5,4	5,2	5,2	51	41	15,6 29	0	0	0	0	13	9	1	0	0	0	13	0	0	2	0	0	0	0	0	13	0	0	0	0
8	92	68	74	81	6,3	6,6	6,3	6,0	242	167	69,3 15	0	0	0	0	26	17	7	2	0	0	22	0	0	1	0	0	0	1	1	17	0	4	0	0
9	93	74	84	86	6,1	6,3	6,1	6,3	242	142	23,6 18	3	0	0	0	23	19	13	2	0	0	22	0	0	8	0	0	0	0	2	19	0	0	0	0
10	85	73	78	80	6,0	6,0	5,8	5,9	146	73	24,3 21	11	0	0	0	20	13	6	2	0	0	18	1	0	6	0	1	0	0	4	19	0	0	0	1
11	92	84	90	90	6,7	5,8	6,1	6,2	251	148	42,2 4	21	7	5	0	25	20	10	0	0	0	13	17	0	2	0	0	0	0	2	20	30	0	0	0
12	87	83	88	87	5,8	5,8	5,7	5,7	227	123	58,5 27	26	17	14	0	21	16	6	4	0	0	8	16	3	2	0	0	0	0	4	20	31	0	0	0
ÅR	87	73	79	82	5,8	5,8	5,7	5,8	1937	121	69,3	176	81	64	0	241	182	73	13	0	0	152	106	8	38	1	2	0	5	43	216	202	9	1	5
UALAND - BJULAND																																			1979
1	81	73	74	77	4,7	4,6	4,3	4,7	118	57	44,2 7	29	20	11	0	15	12	3	1	0	0	5	14	1	0	0	2	0	0	7	11	31	0	0	0
2	75	64	69	71	3,1	3,1	4,3	3,6	79	53	22,3 28	25	8	5	0	13	8	3	0	0	0	4	10	1	1	0	2	0	1	12	8	28	1	0	1
3	85	73	80	81	6,6	6,5	6,5	6,5	306	148	44,2 3	16	1	2	0	21	20	11	0	0	0	14	16	8	0	0	0	0	0	2	21	31	0	0	0
4	85	69	76	79	6,3	6,5	6,3	6,6	72	51	19,1 30	0	0	0	0	19	14	2	2	0	0	17	8	5	0	0	2	0	0	1	20	12	1	0	0
5	90	73	72	81	6,6	6,0	5,3	6,2	217	247	30,1 27	8	0	0	0	27	23	8	1	0	0	22	7	2	1	0	0	0	2	1	16	5	0	2	1
6	84	67	72	79	5,8	5,2	5,2	5,3	201	168	48,9 27	0	0	0	0	20	15	9	0	0	0	20	0	0	2	0	0	0	4	6	16	0	0	0	0
7	89	64	68	77	4,1	4,7	4,2	4,5	65	41	14,4 19	0	0	0	0	12	7	4	0	0	0	12	0	0	1	0	0	0	0	7	10	0	1	0	0
8	93	89	74	82	5,2	4,8	5,2	5,1	318	168	91,9 15	0	0	0	0	22	18	11	0	0	0	22	0	0	1	0	0	0	0	5	3	9	0	0	0
9	91	74	85	86	5,6	6,0	5,7	5,8	358	151	63,8 26	0	0	0	0	23	20	13	2	0	0	23	0	0	2	0	0	0	1	2	14	0	1	0	0
10	79	70	76	76	5,8	5,3	5,0	5,4	159	61	42,3 20	0	0	0	0	16	14	5	7	0	0	10	1	1	2	0	0	0	0	7	16	0	0	0	0
11	91	80	87	87	5,3	5,6	5,7	5,6	370	181	81,9 4	12	0	0	0	20	24	11	2	0	0	23	11	6	1	0	1	0	0	2	16	9	1	1	0
12	80	77	81	80	5,0	5,4	5,1	5,3	248	98	78,0 27	21	10	0	0	23	17	8	3	0	0	13	13	3	0	0	1	0	0	7	15	21	1	0	0
ÅR	85	71	76	80	5,1	5,3	5,1	5,4	2511	118	91,9	119	42	18	0	237	192	38	30	0	0	189	80	27	11	0	8	0	16	57	172	137	6	3	2
NORDRE EIGERØY																																			1979
1	70	70	69	69	4,0	4,9	4,9	4,6	45		14,0 17	27	17	2	0	17	8	2	10	0	0	8	15	2	3	0	1	0	0	2	7	16	2	0	0
2	69	68	71	69	4,8	4,6	4,3	4,7	73		25,0 27	25	9	2	0	13	7	3	11	1	1	3	10	0	3	0	1	0	0	0	10	26	0	0	1
3	79	76	78	77	6,1	6,2	6,3	6,3	158		21,0 9	14	2	1	0	22	17	7	16	6	2	16	12	3	8	0	0	0	0	1	20	3	1	1	0
4	77	72	78	78	6,7	6,7	6,8	6,7	52		9,5 20	3	0	0	0	19	12	0	3	0	0	19	3	2	11	0	0	0	0	0	22	0	3	2	4
5	85	76	77	81	6,3	6,4	6,3	6,5	32		9,0 29	0	0	0	0	24	13	0	8	0	0	24	1	1	16	0	0	0	0	0	18	0	14	7	11
6	83	76	78	81	6,1	5,7	6,0	6,0	54		12,0 26	0	0	0	0	16	9	1	2	0	0	16	0	0	10	0	0	0	1	0	16	0	4	3	1
7	84	77	79	81	6,2	5,6	5,8	5,7	18		5,5 19	0	0	0	0	11	6	0	3	0	0	11	0	0	7	0	0	0	0	0	16	0	6	3	2
8	83	71	73	77	6,2	5,8	5,7	5,8	138		40,0 9	0	0	0	0	19	10	4	3	2	1	19	0	0	9	0	0	0	0	0	13	0	2	1	2
9	80	72	77	77	6,0	6,1	6,3	6,1	140		25,5 18	0	0	0	0	21	14	7	10	4	0	21	0	0	5	0	1	0	0	0	15	0	1	2	3
10	73	67	70	70	6,2	6,0	5,9	6,0	109		27,6 20	0	0	0	0	16	13	4	19	9	5	16	0	0	12	0	0	0	0	0	17	0	3	3	5
11	79	76	79	79	6,1	6,3	5,9	6,2	260		74,0 4	1	0	0	0	28	25	6	6	3	2	28	2	2	9	0	3	0	0	0	15	0	1	2	3
12	74	74	74	74	5,8	6,1	5,8	5,7	127		38,4 28	20	4	0	0	20	19	4	13	7	6	18	9	5	2	0	0	0	0	0	15	9	1	3	1
ÅR	78	73	75	76	6,0	5,9	5,8	5,9	1226		74,0	90	32	5	0	226	153	38	103	32	17	197	52	15	95	0	6	0	1	3	184	54	38	27	33
OBRESTAD FYR																																			1979
1	71	70	72	71	3,9	5,2	4,6	4,6	42	45	11,4 7	27	18	7	0	13	8	2	12	0	0	7	9	3	1	0	2	0	1	5	8	15	1	0	0
2	74	72	74	74	4,0	4,9	5,4	4,8	39	38	11,9 28	25	10	6	0	13	8	2	7	0	0	7	11	5	1	0	0	0	0	4	10	17	0	0	0
3	79	75	76	77	6,7	6,7	6,9	6,8	129	287	15,8 9	13	2	0	0	19	16	8	12	8	0	16	14	11	1	0	1	0	0	1	23	3	1	2	0
4	78	70	75	76	6,3	7,0	7,2	7,0	60	87	11,7 30	2	0	0	0	20	12	1	11	0	0	20	4	4	4	0	0	0	0	0	24	0	2	1	3
5	80	74	78	77	6,5	6,5	6,3	6,5	92	180	10,8 29	4	0	0	0	24	19	1	13	5	1	24	3	3	6	0	1	0	3	0	18	0	6	3	3
6	79	77	78	78	7,1	6,6	6,8	6,4	111	154	22,3 29	0	0	0	0	23	17	5	10	5	0	20	0	0	13	0	0	0	2	0	19	0	6	2	0
7	86	81	80	83	6,5	5,1	5,0	5,5	57	63	9,5 29	0	0	0	0	23	10	0	3	0	0	14	0	0	4	0	0	0	0	0	14	0	3	4	2
8	82	71	73	77	6,5	5,6	5,3	6,0	131	168	47,5 15	0	0	0	0	21	18	4	10	2	1	21	0	0	3	0	0	0	5	0	15	0	0	0	0
9	79	72	75	76	6,7	6,4	6,4	6,5	107	103	17,1 18	0	0	0	0	23	19	8	13	6	1	22	0	0	2	0	1	0	0	1	21	0	0	0	0
10	72	67	70	70	5,8	5,7	5,6	5,7	81	66	21,5 20	0	0	0	0	14	10	4	15	3	1	14	0	0	7	0	0	0	0	4	19	0	1	1	0
11	79	76	81	80	5,6	6,1	6,1	5,9	228	192	85,5 4	4	0	0	0	27	23	6	10	5	2	26	2	2	4	0	1	0	1	1	10	0	0	0	0
12	79	79	81	80	5,3	5,9	6,1	5,8	114	100	33,7 28	18	4	0	0	20	16	3	17	8	6	15	8	3	6	0	0	0	0	1	12	4	0	0	0
ÅR	78	74	76	77	5,9	6,0	6,0	6,0	1291	117	85,5	93	34	13	0	237	178	41	147	40	12	206	51	31	52	0	6	0	12	17	193	39	20	13	8
SOLA																																			1979
1	78	74	74	75	4,1	5,2	5,1	4,8	35	40	15,1 7	29	18	6	0	18	7	1	6	0	0	6	14	4	2	0	6	0	2	5	8	13	0	0	0
2	84	76	77	80	4,3	4,8	4,8	4,5	53	90	19,9 28	26	9	10	0	23	8	2	4	0	0	6	12	4	2	0	2	0	0	5	8	27	1	0	0
3	80	69	74	78	6,7	6,4	6,8	6,6	111	292	17,7 9	14	1	1	0	19	15	5	10	0	0	19	15	11	8	0	4	0	0	0	19	4	0	0	0
4	77	61	67	71	6,6	7,0	7,2	6,9	34	82	8,1 16	4	0	0	0	18	7	0	3	0	0	10	6	4	10	0	1	0	0	0	24	1	0	0	1
5	81	65	66	73	6,5	6,5	6,1	6,4	91	190	8,3 19	6	0	0	1	25	22	0	4	0	0	25	6	5	11	0	4	0	3	0	16	0	1	0	1
6	79	66	69	78	6,8	6,1	5,9	6,3	122	177	25,9 27	0	0	0	0	19	14	5	2	0	0	19	0	0	14	0	0	0	4	0	17	0	2	1	0
7	85	67	71	77	6,4	5,3	5,0	5,6	56	65	8,6 29	0	0	0	0	19	9	0	1	0	0	15	0	0	13	0	0	0	0	0	12	0	3	0	0
8	82	66	68	74	5,9	5,7	5,4	5,7	188	174	43,8 9	0	0	0	0	19	19	6	5	0	0	19	0	0	9	0	1	0	3	0	15	0	0	0	0
9	80	66	78	76	6,1	6,3	6,1	6,2	175	143	26,1 18	3	0	0	0	24	20	6	8	1	0	24	0	0	9	0	2	0	2	1	17	0	0	0	0
10	72	60	68	67	5,4	5,4	5,5	5,4	76	62	24,1 20	3	0	0	0	16	8	4	8	1	0	16	0	0	10	0	1	0	0	5	16	0	0	0	0
11	83	78	78	80	6,3	6,0	6,2	6,2	181	162	43,0 4	8	0	0	0	26	23	9	7	4	0	25	8	5	8	0	0	0	3	0	15	0	0	1	0
12	78	78	77	78	5,8	6,1	5,9	5,8	112	107	28,1 27	18	4	0	0	20	14	3	13	1	0	18	8	6	6	1	4	0	0	2	14	10	1	0	0
ÅR	80	69	72	75	5,9	5,9	5,8	5,9	1236	122	43,8	108	32	17	1	236	166	37	70	7	0	208	69	39	99	1	33	0	17	18	181	55	8	2	2
STAVANGER																																			1979
1	78	73	75	75	4,6	4,7	4,6	4,7	37	39	17,5 7	27	14	2	0	13	10	1	5	0	0	5	12	3	0	0	2	0	0	6	8	17	0	0	0
2	78	74	77	77	4,6	4,3	4,6	4,5	57	93	17,4 28	25	8	2	0	14	8	1	1	0	0	3	11	0	0	0	0	0	0	8	9	27	0	0	0
3	77	73	75	76	6,2	6,3	6,7	6,4	116	264	19,2 9	12	1	0	0	21	14	5	14	4	0	16	11	5	0	0	1	0	0	2	20	1	0	0	0
4	71	69	73	72	6,3	6,8	7,2	6,8	36	58	7,3 16	1	0	0	0	10	8	0	2	0	0	10	0	0	0	0	1	0	0	0	20	0	0	0	0
5	73	70	71	72	6,1	6,1	6,0	6,0	76	149	11,5 19	1	0	0	0	24	19	1	7	2	1	24	3	3	1	0	2	0	2	1	16	0	1	0	2
6	79	76	78	80	6,4	5,6	6,1	6,0	135	173	26,8 27	0	0	0	0	12	15	5	2	0	0	19	0	0	2	0	0	0	3	1	16	0	1	1	0
7	80	78	78	79	6,1	5,6	5,3	5,7	64	66	19,4 19	0	0	0	0	11	9	1	3	0	0	11	0	0	0	0	0	0	0	0	13	0	3	1	1
8	80	78	77	78	6,2	5,8	5,3	5,7	205	183	49,2 9	0	0	0	0	20	16	7	6	2	1	20	0	0	0	0	0	0	0	3	1	16	0	0	0
9	84	80	83	83	6,3	6,2	6,6	6,4	198	140	32,6 18	0	0	0	0	25	20	8	9	2	2	25	0	0	0	0	1	0	0	1	21	0	0	0	0
10	69	67	71	69	5,3	5,0	5,0	5,1	83	62	23,8 20	0	0	0	0	14	10	3	9	1	1	14	0	0	0	0	1	0	0	7	15	0	0	0	0
11	83	81	84	83	6,2	5,8	7,1	6,4	179	148	43,5 4	4	0	0	0	27	24	4	6	2	2	27	3	2	0	0	4	0	1	1	17	2	1	2	0
12	78	75	77	77	5,9	5,4	5,4	5,5	122	109	29,8 27	16	2	0	0	18	15	4	12	6	0	12	8	2	0	0	0	0	0	3	16	1	1	0	1
ÅR	77	74	77	77	5,9	5,6	5,8	5,8	1308	118	49,2	86	25	4	0	222	168	10	70	19	13	192	48	15	3	0	12	0	9	29	187	48	7	4	4

MD.	MIDLERE LUFTTRYKK PH	PO	MIDLERE LUFTTEMPERATUR KL 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT.	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	09	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM.
PISTER																									1979
1			- 4,3	- 1,8	- 3,3	- 3,0	- 3,9	- 0,8	- 5,9	6,9	7	-16,2	1	3 2,3	3 1,7	1 2,0	1 1,0	3 1,2	37 1,3	14 1,4	2 1,0	0 0,0	1 1,0	0 0,0	2 3,0	84
2			- 3,8	- 0,3	- 1,3	- 2,2	- 2,9	1,4	- 6,0	8,5	27	-15,4	15	5 2,0	3 1,8	2 1,5	2 1,5	1 2,0	20 1,1	10 1,0	2 1,5	1 1,0	3 1,0	4 2,0	2 2,5	27
3			1,6	3,9	2,9	2,8	0,0	5,2	0,1	11,1	29	- 9,5	18	7 2,1	1 3,0	2 2,5	3 2,3	6 2,2	30 1,9	21 1,7	1 1,0	2 1,5	0 0,0	2 1,0	1 1,0	17
4			4,0	7,8	6,7	5,0	3,2	8,6	3,8	15,1	11	0,1	9	4 1,8	8 1,7	1 2,0	7 2,3	1 3,0	17 1,8	5 2,0	3 1,3	2 1,5	3 1,7	7 1,9	0 0,0	34
5			8,6	9,7	9,8	9,1	- 2,2	11,8	5,4	23,8	31	- 1,2	8	0 0,0	4 1,0	0 0,0	1 2,0	2 2,0	21 2,2	15 1,4	12 1,8	3 1,0	4 1,5	9 2,3	6 1,3	15
6			11,5	14,7	14,0	12,8	0,0	16,9	10,3	26,5	5	0,1	2	4 1,3	3 1,7	1 3,0	4 1,5	1 2,0	6 1,7	12 1,5	10 1,3	3 1,3	7 1,9	17 2,2	7 1,6	15
7			11,3	14,3	13,1	12,9	- 2,0	15,6	10,2	19,6	31	5,1	2	4 1,8	0 0,0	0 0,0	0 0,0	1 3,0	2 1,5	8 1,1	9 1,7	1 1,0	9 1,7	37 2,4	7 2,3	15
8			12,0	15,1	13,1	13,9	- 1,5	17,2	10,4	21,2	19	7,3	24	4 1,3	2 1,3	1 1,0	1 1,0	0 0,0	8 1,6	23 1,3	9 1,2	3 1,0	6 1,2	19 1,8	2 1,0	15
9			9,8	12,3	11,6	11,9	- 1,3	13,7	8,5	22,8	6	0,3	30	8 1,3	5 1,3	1 3,0	2 2,5	1 3,0	13 1,9	14 1,5	5 1,2	0 0,0	5 1,8	10 2,8	10 2,6	14
10			7,4	10,5	9,0	8,8	0,5	11,8	5,9	16,8	9	1,0	24	3 2,7	4 2,3	3 1,3	4 2,0	1 1,0	27 2,3	11 1,9	3 1,7	3 1,0	3 1,7	6 2,7	1 2,0	24
11			4,1	5,4	4,1	4,5	- 0,9	6,9	2,3	12,1	4	- 2,4	13	8 1,8	2 1,3	1 1,0	3 2,0	3 2,0	29 1,8	19 1,2	2 2,0	0 0,0	1 1,0	6 2,3	1 4,0	19
12			1,5	2,0	1,1	1,6	- 1,4	4,1	- 0,8	12,1	5	- 6,1	23	3 2,0	5 2,2	4 3,0	8 3,2	2 1,5	19 2,4	20 1,5	1 1,0	1 3,0	5 2,4	3 2,7	8 3,0	22
ÅR			5,2	7,8	7,0	6,4	- 1,3	9,4	3,7	26,5		-16,2		50 1,9	40 1,3	17 2,1	34 2,2	24 2,0	231 1,8	172 1,5	59 1,5	19 1,3	47 1,7	120 2,3	41 2,1	241
ULLADAL - FJELLBERG																									1979
1			- 5,0	- 4,6	- 5,1	- 5,5		- 3,1	- 8,2	4,2	7	-19,0	1	0 0,0	0 0,0	2 3,5	7 2,3	4 2,5	2 2,5	1 3,0	1 3,0	0 0,0	3 2,0	2 2,5	0 0,0	71
2			- 3,0	- 3,1	- 3,3	- 4,2		- 1,5	- 6,7	3,4	28	-15,0	14	0 0,0	2 3,3	5 3,1	12 3,5	1 4,0	0 0,0	0 0,0	0 0,0	0 0,0	1 3,0	0 0,0	1 2,0	62
3			- 1,5	1,1	- 1,0	- 1,5		1,9	- 2,8	7,0	26	-14,3	18	0 0,0	0 0,0	8 3,3	9 2,6	4 2,5	4 2,8	3 2,0	10 2,6	5 3,2	1 2,0	0 0,0	0 0,0	49
4			2,1	4,8	3,1	3,0		5,6	1,4	11,0	11	- 2,4	30	0 0,0	0 0,0	8 2,3	19 2,2	2 2,0	7 2,1	0 0,0	1 2,0	0 0,0	1 2,0	4 1,5	0 0,0	82
5			4,8	7,0	5,2	5,3		8,8	2,3	18,4	31	- 6,5	3	0 0,0	0 0,0	0 0,0	3 3,0	7 2,1	5 1,2	3 1,7	1 1,0	2 1,0	0 0,0	3 1,3	0 0,0	69
6			10,0	12,7	12,0	11,1		15,1	8,3	23,6	4	5,0	11	0 0,0	0 0,0	1 1,0	3 2,2	0 0,0	6 1,7	1 1,0	2 2,5	2 2,0	3 2,0	4 2,0	2 1,0	64
7			8,8	12,3	11,4	10,4		13,8	7,6	18,6	31	3,2	2	0 0,0	1 2,0	4 1,8	2 1,5	0 0,0	4 1,8	1 1,0	1 2,0	0 0,0	9 2,1	14 2,1	0 0,0	57
8			13,3	13,2	11,8	11,2		14,9	8,1	22,0	18	3,0	31	0 0,0	0 0,0	1 1,0	3 4,0	1 3,0	5 1,6	3 1,3	0 0,0	2 1,5	6 1,7	8 1,5	2 1,0	59
9			7,1	9,8	8,1	8,0		11,1	5,7	20,8	6	- 1,5	30	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	2 1,5	3 1,7	1 1,0	8 1,6	13 2,2	10 2,2	3 1,0	80
10			3,3	7,6	5,3	5,1		8,5	4,0	14,0	9	1,3	22	0 0,0	0 0,0	3 2,3	11 3,5	12 2,8	5 2,4	1 1,0	2 2,0	0 0,0	4 1,5	2 2,0	0 0,0	51
11			0,7	1,0	1,0	1,0		3,0	- 1,1	8,0	4	- 7,8	13	0 0,0	0 0,0	0 0,0	1 2,0	4 2,0	8 1,8	0 0,0	4 1,5	3 1,3	2 2,0	2 1,5	0 0,0	66
12			- 2,1	- 1,6	- 2,2	- 2,0		0,3	- 4,0	8,0	5	- 9,5	16	0 0,0	0 0,0	4 5,5	6 4,7	7 4,4	3 4,0	1 2,0	3 2,7	3 2,0	2 3,0	1 3,0	0 0,0	63
ÅR			3,0	5,1	4,3	4,1		6,5	1,2	23,6		-19,0		0 0,0	3 3,1	36 3,0	74 2,9	43 2,8	51 2,0	19 1,6	26 2,2	25 1,9	45 2,1	80 1,9	8 1,1	713
SULDAL - HO																									1979
1			- 7,1	- 9,7	- 9,7	- 9,5		- 2,6	-10,4	7,0	7	-20,1	1	2 1,0	9 1,3	2 1,0	29 1,6	2 1,0	14 1,3	2 2,0	1 3,0	0 0,0	3 1,3	0 0,0	0 0,0	33
2			- 7,0	- 9,1	- 8,0	- 8,1		- 0,7	- 9,0	3,5	18	-20,0	15	1 3,0	5 1,2	2 1,0	27 1,6	5 1,2	3 1,3	2 2,0	1 3,0	1 3,0	4 1,5	0 0,0	1 2,0	30
3			- 0,4	- 1,1	1,7	1,2		4,2	- 1,9	9,5	29	-13,7	18	0 0,0	17 1,3	6 2,0	19 2,0	9 1,4	2 1,5	3 2,0	12 2,4	6 2,3	5 1,4	1 1,0	3 1,0	13
4			3,8	7,7	5,3	5,3		8,4	2,5	14,0	11	- 1,5	9	2 2,0	7 2,7	8 3,1	18 1,7	3 2,0	5 1,4	4 1,5	11 1,6	7 1,7	4 1,5	3 1,0	8 1,6	12
5			8,6	9,6	8,8	7,5		11,4	3,6	21,5	31	- 3,0	3	4 2,0	8 1,3	4 1,3	10 1,8	7 1,1	7 1,3	6 1,0	14 1,6	9 1,6	10 2,1	1 1,0	3 1,0	10
6			12,3	16,0	14,6	13,3		18,0	9,3	26,4	4	1,1	11	2 1,0	3 1,7	6 2,3	10 1,6	3 1,0	9 1,2	11 2,2	7 2,1	24 2,1	2 1,5	4 1,3	6
7			11,7	15,5	14,2	12,9		16,8	9,1	22,0	13	5,0	2	0 0,0	2 1,0	0 0,0	4 1,0	1 1,0	0 0,0	6 1,5	19 1,8	16 2,1	29 1,8	1 2,0	3 1,7	12
8			11,1	15,0	14,2	13,0		17,6	9,2	23,0	19	3,7	31	1 1,0	1 1,0	0 0,0	11 1,0	2 1,0	9 1,0	5 1,0	9 2,0	13 1,3	11 1,4	2 1,0	7 1,6	22
9			8,4	12,2	9,3	9,7		13,5	7,0	24,5	6	- 1,5	30	2 1,0	7 1,3	2 2,0	7 1,0	5 1,2	12 1,3	11 1,2	12 1,6	9 2,0	5 2,0	2 1,0	6 1,0	10
10			9,7	9,5	7,2	7,2		10,5	4,2	15,0	11	- 3,0	24	1 1,0	12 2,6	3 2,3	29 2,4	3 2,4	16 1,2	5 2,2	2 1,0	5 1,6	2 1,0	0 0,0	0 0,0	14
11			1,4	2,7	1,5	1,7		4,2	- 0,4	11,5	4	- 9,2	15	3 2,0	12 1,6	3 1,0	12 1,6	3 1,0	6 1,3	6 1,7	2 1,0	5 1,4	8 1,4	2 2,0	1 1,0	24
12			- 1,1	- 0,6	- 1,3	- 1,1		1,6	- 3,6	11,2	5	-11,2	18	0 0,0	9 2,3	11 2,6	24 1,8	8 1,3	9 1,9	1 1,0	2 1,5	2 2,0	3 1,7	0 0,0	2 1,0	22
ÅR			3,8	6,2	5,0	4,9		8,6	1,6	26,4		-20,1		15 1,5	92 1,9	47 2,1	190 1,7	59 1,3	86 1,3	60 1,4	98 1,8	80 1,8	108 1,8	14 1,3	38 1,4	208
HYLSFJORDEN																									1979
1			- 5,1	- 2,9	- 4,3	- 4,4		- 1,1	- 7,8	5,9	7	-16,2	2	0 0,0	0 0,0	0 0,0	0 0,0	23 2,1	0 0,0	0 0,0	1 2,0	0 0,0	0 0,0	49 1,5	0 0,0	15
2			- 3,9	- 2,1	- 3,3	- 4,1		- 0,1	- 7,7	4,8	18	-20,4	11	0 0,0	0 0,0	0 0,0	0 0,0	19 2,5	1 3,0	0 0,0	0 0,0	0 0,0	0 0,0	42 1,2	3 1,7	19
3			0,1	2,6	1,3	1,3		4,2	- 1,1	10,0	29	-13,1	18	0 0,0	0 0,0	0 0,0	3 3,7	7 2,4	6 2,5	17 1,9	7 2,4	0 0,0	16 1,9	30 1,8	0 0,0	7
4			4,1	7,4	6,2	5,6		8,5	2,8	15,1	11	- 0,6	9	0 0,0	0 0,0	0 0,0	18 2,3	29 3,1	0 0,0	0 0,0	0 0,0	0 0,0	17 2,3	16 1,6	0 0,0	12
5			6,4	9,2	8,8	7,5		11,1	4,3	21,7	31	- 2,5	3	0 0,0	0 0,0	0 0,0	13 2,3	22 3,1	1 1,0	1 3,0	7 1,4	2 2,5	7 1,3	21 1,8	0 0,0	17
6			12,3	15,5	14,1	13,1		18,1	9,4	27,0	5	5,3	2	0 0,0	0 0,0	0 0,0	1 2,0	20 2,1	0 0,0	0 0,0	1 1,0	1 2,0	32 2,3	22 2,0	0 0,0	13
7			11,9	15,7	14,2	13,1		17,4	9,3	22,1	13	5,3	2	0 0,0	0 0,0	0 0,0	0 0,0	7 1,3	0 0,0	0 0,0	2 1,5	0 0,0	32 1,8	45 1,6	0 0,0	7
8			11,8	15,4	13,7	13,1		17,5	9,9	22,9	19	4,9	31	1 1,0	0 0,0	0 0,0	3 1,2	8 1,5	5 1,0	20 1,5	0 0,0	0 0,0	23 1,7	21 1,4	0 0,0	10
9			8,8	11,8	9,6	9,7		12,9	7,4	22,3	6	0,6	30	0 0,0	0 0,0	0 0,0	0 0,0	6 1,5	0 0,0	0 0,0	14 3,0	1 3,0	13 2,8	43 1,8	0 0,0	13
10			6,1	9,7	7,7	7,7		10,7	5,0	14,8	24	2,0	22	1 1,0	0 0,0	0 0,0	1 5,3	41 3,9	4 2,3	5 1,0	0 0,0	0 0,0	14 1,8	14 1,2	0 0,0	10
11			2,1	3,5	2,2	2,5		4,9	0,1	9,5	29	- 7,0	13	0 0,0	0 0,0	0 0,0	2 2,5	18 3,6	0 0,0	0 0,0	3 1,7	3 2,0	4 1,5	43 1,4	0 0,0	17
12			- 0,4	0,3	- 0,3	- 0,2		2,4	- 2,4	10,2	5	- 9,9	18	0 0,0	0 0,0	0 0,0	1 7,0	33 2,8	5 7,2	1 1,0	3 6,0	1 2,0	5 4,8	27 1,2	0 0,0	15
ÅR			4,4	7,2	5,7	5,4		8,9	2,4	27,0		-20,4		2 2,5	0 0,0	0 0,0	47 2,6	240 2,8	22 3,1	44 1,6	38 2,6	8 2,3	163 2,1	373 1,5	3 1,7	195
SAUDA																									1979
1	1012,6	1013,4	- 6,3	- 5,8	- 6,7	- 7,1	- 6,7	- 3,3	-10,5	7,5	7	-19,0	1	1 1,0	6 1,0	3 1,0	3 1,3	0 0,0	0 0,0	0 0,0	1 1,0	3 1,7	1 1,0	0 0,0	2 1,0	73
2	1011,1	1015,0	- 3,3	- 2,8	- 3,3	- 4,7	- 2,7	- 0,1	- 8,5	5,1	18	-20,7	15	0 0,0	1 1,0	1 2,0	4 2,3	2 3,0	1 3,0	0 0,0	0 0,0	1 2,0	0 0,0	0 0,0	2 1,0	78
3	999,9	1010,4	- 0,5	2,3	1,8	1,9	0,1	4,1	- 1,8	10,0	29	-14,4	18	0 0,0	2 1,0	4 2,0	5 1,8	0 0,0	4 1,5	0 0,0	1 2,0	12 2,3	1 2,0	2 1,0	1 1,0	61
4	1010,1	1010,9	3,0	7,0	6,7	5,2	3,1	9,0	2,1	15,0	11	- 2,2	9	0 0,0	0 0,0	4 1,3	15 1,5	2 1,5	1 1,0	0 0,0	0 0,0	1 2,0	3 2,0	3 2,0	0 0,0	61
5	1010,9	1011,8	3,6	9,3	7,4	7,3	- 2,8	11,5	3,8	22,6	31	- 2,2	3	0 0,0	1 3,0	1 1,0	1 1,0	4 1,8	7 1,3	1 2,0	3 1,0	4 1,3	10 1,2	2 1,5	1 1,0	88
6	1013,8	1014,5	11,7	15,3	13,6	13,2	3,2	16,5	9,5	28,9	5	5,0	11	0 0,0	2 1,5	2 1,0	1 1,0	1 3,0	4 1,8	2 1,5	17 1,2	14 1,2	10 1,7	5 1,6	1 1,0	31
7	1011,0	1011,6	11,6	15,4	13,8	13,3	- 2,2	16,0	9,5	22,8	12	5,0	2	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	2 1,0	1 2,0	9 1,1	25 1,2	6 1,5	8 1,5	2 2,0	40
8	1009,6	1009,8	11,1	15,3	13,4	13,2	- 1,6	16,1	9,8	24,1	19	5,0	31	0 0,0	0 0,0	3 1,0	3 1,0	0 0,0	3 1,3	1 1,0	6 1,2	18 1,3	2 2,0	3 1,3	3 1,0	84
9	1010,3	1010,9	8,6	11,6	10,1	9,9	- 1,0	13,3	7,5	22,2	6	- 1,0	30	1 1,0	2 1,0	1 1,0	2 1,0	1 1,0	1 2,0	0 0,0	5 1,0	6 1,5	10 2,5	13 1,0	3 1,0	45
10	1015,9	1016,5	4,9	8,7	7,3	6,7	0,3	10,6	3,5	15,5	11	- 2,6	23	4 1,0	3 1,3	1 1,0	13 2,2	3 3,0	0 0,0	0 0,0	1 1,0	2 1,5	4 2,5	3 2,7	0 2,0	85
11	1004,0	1014,7	0,8	1,9	1,3	1,2	- 1,8	4,1	- 1,2	9,7	29	- 9,4	15	2 1,0	2 1,3	7 1,0	3 2,7	0 0,0	0 0,0	0 0,0	1 1,0	1 2,0	2 1,0	1 2,0	4 1,0	67
12	1004,0	1004,6	- 1,2	- 0,7	- 1,3	- 1,1	- 1,1	2,0	- 3,5	10,7	5	-11,0	18	1 1,0	2 1,3	9 1,6	13 1,5	0 0,0	1 1,0	1 1,0	2 1,5	4 2,3	3 2,0	2 2,5	0 0,0	59
ÅR	1001,6	1010,3	3,4	6,5	5,3	4,8	- 1,4	8,8	1,7	28,9		-20,7		9 1,0	21 1,2	36 1,3	62 2,2	10 2,0	24 1,5	6 2,3	40 1,2	91 1,5	52 1,8	42 1,5	24 1,3	872
NEDRE VATS																									1979
1	1003,8	1011,9	- 4,8	- 2,8	- 3,3	- 3,8		- 0,7	- 7,3	6,6	7	-18,0	1	0 0,0	0 0,0	0 0,0	1 3,0	0 0,0	23 1,2	0 0,0	3 1,3	0 0,0	0 0,0	0 0,0	3 2,0	60
2	1005,7	1013,8	- 4,0	- 1,2	- 1,7	- 2,6		1,2	- 6,2	4,5	26	-17,8	15	0 0,0	0 0,0	2 1,0	0 0,0	0 0,0	11 1,3	2 1,0	0 0,0	0 0,0	6 1,2	0 0,0	4 1,0	59
3	991,2	998,1	0,3	2,7	1,9	1,4		4,4	- 1,2	10,5	29	-13,0	18	3 1,3	0 0,0	1 1,0	10 1,9	0 0,0	27 1,3	4 1,0	0 0,0	0 0,0	11 1,6	1 1,0	1 1,0	38
4	1002,2	1010,1	3,5	7,4	6,1	5,3		8,6	2,6	15,0	11	- 1,2	7	0 0,0	0 0,0	0 0,0	2 1,0	0 0,0	30 1,9	4 1,0	2 1,0	0 0,0	4 1,5	0 0,0	12 1,3	36
5	1003,3	1011,1	5,7	8,7	8,3	7,1		11,1	4,4	22,5	31	- 2,2	3	0 0,0	0 0,0	0 0,0	3 1,3	0 0,0	29 1,7	7 1,3	2 1,0	0 0,0	3 1,0	0 0,0	13 1,1	31
6	1007,1	1014,8	11,2	14,8	14,3	12,7		17,2	9,5	26,5	4	5,0	11	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	14 1,0	3 1,7	3 1,0	2 1,0	12 1,5	0 0,0	18 1,2	38
7	1004,8	1012,5	10,5	14,2	14,1	12,2		16,0	9,2	21,2	12	9,5	2	0 0,0	0 0,0	0 0,0	2 1,5	0 0,0	2 1,0	1 1,0	0 0,0	0 0,0	3 1,0	0 0,0	51 1,0	34
8	1002,2	1009,9	13,7	14,8	14,5	12,8		16,9	9,8	22,8	19	5,0	31	1 1,0	0 0,0	0 0,0	2 1,0	1 1,0	16 1,3	5 2,0	0 0,0	1 1,0	6 1,2	1 1,0	11 1,1	49
9	1003,2	1011,4	8,8	11,3	10,4	9,9		12,9	7,3	22,0	6	0,0	30	0 0,0	0 0,0	0 0,0	4 1,3	2 2,0	7 1,7	5 1,3	0 0,0	5 1,2	10 1,8	0 0,0	12 1,4	45
10	1008,1	1015,9	7,4	10,1	8,8	8,8		11,2	5,5	15,5	9	2,5	24	0 0,0	0 0,0	0 0,0	20 2,4	3 3,0	18 1,5	2 1,0	3 2,0	2 2,0	0 0,0	0 0,0	2 1,0	40
11	996,6	1004,5	2,7	4,2	3,3	3,3		5,5	0,7	10,4	4	- 7,0	15	0 0,0	0 0,0	0 0,0	7 2,0	3 3,0	11 1,9	8 2,9	1 1,0	0 0,0	6 1,2	0 0,0	4 1,3	53
12	996,1	1004,0	3,4	1,1	0,3	1,0		2,8	- 2,2	9,6	2	- 7,5	12	1 1,0	0 0,0	0 0,0	3 4,0	3 3,0	23 2,6	2 3,0	0 0,0	0 0,0	3 2,0	0 0,0	11 2,7	50
ÅR	1002,1	1009,9	4,4	7,1	6,3	5,8		8,9	2,7	26,5		-18,0		5 1,2	0 0,0	1 1,0	70 2,1	3 1,7	211 1,6	43 1,7	14 1,3	10 1,3	64 1,5	2 1,0	142 1,3	530

ÅRSOVERSIKTER

ANNUAL SUMMARIES

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅR.	MIDLERE SKYDEKKE 07	13	19	ÅR.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN 4-10	TX> =25.	NEDBØR R>= 0,1	R>= 1,0	R>= 10,0.	VINDSTYRKE FX> =8B	FX> =8B	FX> =9B.	ANTALL DAGER MED: R	S	SL	YR	SH	H	IH	TO	FOREKOMST AV KV	OV	SD	TÅKE 07	13	19.
FISTER																																				1979
1	74	67	73	73	3,3	5,3	4,3	4,4	57	57	18,2	7	27	10	0	0	12	8	1	0	0	0	0	9	2	0	0	2	0	2	7	9	29	0	0	0
2	81	70	78	77	4,1	4,4	4,3	4,6	82	78	19,3	27	24	6	3	0	13	8	2	0	0	0	6	10	3	0	0	0	0	0	6	8	28	0	0	0
3	74	65	69	70	6,2	6,3	6,0	6,4	108	200	27,3	3	10	1	0	0	13	16	4	0	0	0	15	12	6	0	0	1	0	1	1	19	16	1	0	0
4	76	60	65	69	6,8	6,7	6,8	6,7	51	66	12,7	20	0	0	0	0	17	12	1	0	0	0	17	1	1	2	0	0	0	0	0	19	1	0	1	1
5	81	66	67	74	6,3	6,4	5,9	6,2	133	238	20,4	19	2	0	0	0	26	23	3	0	0	0	26	5	5	1	0	2	0	2	0	15	1	0	0	0
6	84	70	74	79	6,5	5,9	5,9	6,1	157	173	39,2	27	0	0	0	1	22	15	5	0	0	0	19	0	0	2	0	1	0	2	0	15	0	0	1	0
7	84	69	71	77	5,9	6,2	5,8	5,9	85	62	11,2	19	0	0	0	0	13	11	1	0	0	0	15	0	0	4	0	0	0	0	0	16	0	0	0	0
8	85	70	70	76	5,8	6,1	5,8	5,8	182	147	48,0	15	0	0	0	0	25	16	6	0	0	0	24	0	0	0	0	0	0	0	0	16	0	0	0	0
9	83	70	77	78	6,2	6,2	6,0	6,4	240	169	35,9	18	0	0	0	0	27	22	10	2	0	0	29	0	0	1	0	2	0	0	2	21	0	0	0	0
10	73	59	65	67	4,9	5,2	5,3	5,2	78	49	19,7	20	2	0	0	0	17	9	4	0	0	0	14	0	0	1	0	1	0	0	6	17	0	0	0	0
11	82	76	80	80	5,9	6,0	5,3	5,8	242	183	46,1	4	8	0	0	0	26	21	9	0	0	0	23	4	1	0	0	2	0	0	3	15	3	0	0	0
12	77	72	78	75	4,8	5,8	5,3	5,3	134	93	28,6	27	19	4	0	0	18	14	5	2	0	0	14	5	1	0	0	1	0	0	3	14	8	0	0	0
ÅR	80	68	72	75	5,8	5,9	5,7	5,7	1539	119	48,0		92	27	11	1	240	175	51	4	0	0	206	46	19	11	0	12	0	10	29	184	86	1	2	1
ULLADAL - FJELLBERG																																				1979
1	72	68	70	70	4,2	4,5	4,1	4,3	152	65	55,0	7	30	21	11	0	11	9	4	0	0	0	0	11	0	0	0	1	0	1	8	11	31	1	0	1
2	77	71	78	75	5,0	4,4	4,9	4,8	135	73	24,8	28	27	21	1	0	13	11	6	1	0	0	2	13	2	0	0	0	0	0	6	13	28	3	3	3
3	80	71	79	78	6,5	6,1	6,4	6,3	313	246	92,5	3	22	7	1	0	19	17	8	0	0	0	7	17	2	0	0	0	0	0	1	20	31	0	0	0
4	81	69	78	78	6,8	6,5	6,8	6,7	79	51	19,6	30	2	0	0	0	10	12	3	0	0	0	14	8	5	0	0	0	0	0	0	21	30	1	1	4
5	80	73	76	78	6,3	6,2	6,2	6,2	195	203	26,2	19	12	0	0	0	22	18	8	0	0	0	21	7	6	5	0	0	0	1	0	17	15	1	1	0
6	88	76	80	83	6,8	5,8	6,1	6,2	225	131	82,0	27	0	0	0	0	18	16	5	0	0	0	18	0	0	5	0	0	0	1	1	17	0	9	4	3
7	91	78	80	85	6,2	5,9	5,9	6,0	75	49	18,0	1	0	0	0	0	16	12	2	0	0	0	16	0	0	9	0	0	0	0	1	15	0	3	1	3
8	91	75	82	85	6,0	6,2	5,7	6,0	191	102	31,4	15	0	0	0	0	23	21	8	0	0	0	25	0	0	3	0	1	0	2	0	16	0	1	0	0
9	91	77	80	88	6,6	6,5	6,7	6,6	520	196	64,5	18	1	0	0	0	24	23	16	1	0	0	24	0	0	3	0	1	0	1	1	21	0	1	0	2
10	73	65	73	71	5,4	5,1	4,8	5,1	158	54	67,4	20	3	0	0	0	11	10	5	1	0	0	11	0	0	1	0	1	0	0	5	15	0	0	0	1
11	87	83	86	86	6,6	6,5	6,7	6,6	438	174	76,2	4	18	3	0	0	23	21	13	0	0	0	13	15	2	2	0	1	0	1	1	20	24	2	0	0
12	80	78	79	79	5,2	5,4	4,9	5,2	287	100	51,8	3	24	10	0	0	14	15	8	3	1	0	9	13	4	3	0	1	0	1	4	14	20	1	0	0
ÅR	82	74	79	80	5,9	5,8	5,8	5,8	2768	115	92,5		139	68	16	0	214	185	86	9	1	0	186	44	21	31	0	9	0	8	28	200	179	23	10	17
SULDAL - HO																																				1979
1	85	84	83	84	4,0	4,3	3,0	3,8	104	60	28,6	7	29	19	14	0	10	8	4	0	0	0	8	10	2	2	0	0	0	1	7	7	27	0	0	0
2	86	81	82	84	4,1	4,4	3,1	3,8	98	71	20,5	28	26	14	13	0	12	11	5	0	0	0	2	10	0	1	0	0	0	0	7	9	28	0	0	1
3	78	63	71	72	5,9	5,5	5,0	5,3	218	232	65,0	3	18	2	2	0	16	16	7	0	0	0	14	9	4	6	0	1	0	0	5	12	29	0	1	1
4	80	60	70	73	5,7	5,6	5,3	5,6	46	40	10,0	30	3	0	0	0	15	10	1	0	0	0	15	2	2	11	0	0	0	0	1	11	0	2	0	0
5	82	66	69	75	5,3	5,5	4,7	5,4	174	242	23,6	19	6	0	0	0	22	22	7	1	0	0	17	5	1	13	0	1	0	1	1	13	2	0	1	0
6	83	64	72	78	6,0	5,2	4,9	5,4	187	185	82,0	27	0	0	0	3	14	13	5	0	0	0	14	0	0	9	0	1	0	1	4	13	0	0	0	1
7	83	64	68	75	5,3	4,7	4,9	4,9	46	43	11,8	1	0	0	0	0	13	10	1	0	0	0	11	0	0	8	0	0	0	0	3	11	0	0	0	0
8	88	66	71	78	6,1	5,7	4,9	5,5	173	127	28,0	15	0	0	0	0	23	19	7	0	0	0	25	0	0	1	0	0	0	1	1	15	0	2	0	0
9	89	70	83	83	6,3	6,2	6,3	6,3	386	203	47,0	26	1	0	0	0	20	21	12	1	0	0	26	0	0	4	0	0	0	2	1	20	0	4	0	5
10	78	60	73	73	4,5	4,1	4,0	4,2	148	69	47,6	20	7	0	0	0	10	10	4	0	0	0	16	0	0	0	0	1	0	0	10	10	0	2	0	3
11	87	86	88	87	6,4	5,9	5,8	5,9	337	178	67,5	4	12	4	0	0	24	20	13	0	0	0	19	8	4	1	0	0	0	0	2	17	12	3	2	2
12	82	79	82	81	4,1	4,7	4,8	4,6	244	117	64,8	27	22	11	3	0	23	14	8	2	0	0	12	7	1	2	0	0	0	0	8	14	10	1	1	1
ÅR	83	70	76	79	5,1	5,2	4,7	5,1	2161	123	82,0		124	50	32	3	219	177	74	4	0	0	179	51	14	98	0	4	0	6	50	148	108	14	5	14
HYLSFJORDEN																																				1979
1	77	72	74	75	3,5	2,8	3,2	3,2	106	54	28,0	8	22	17	12	0	9	8	4	2	0	0	8	7	2	0	0	0	0	1	13	6	31	0	0	0
2	83	71	78	79	4,1	3,4	3,3	3,8	67	42	24,2	28	26	9	7	0	13	10	2	0	0	0	4	12	3	1	0	0	0	0	8	6	28	0	1	0
3	77	64	73	73	5,7	5,5	5,3	5,7	216	200	66,4	3	10	2	1	0	22	19	5	0	0	0	16	14	6	2	0	0	0	0	4	14	29	0	0	0
4	75	58	66	69	5,3	5,2	6,3	5,6	58	44	13,6	20	1	0	0	0	15	9	2	1	0	0	15	1	0	13	0	0	0	0	1	10	1	0	0	0
5	80	65	68	74	5,9	5,1	5,3	5,5	233	284	37,2	19	6	0	0	0	22	20	9	1	0	0	20	6	4	11	0	1	0	1	2	13	3	3	1	1
6	80	65	71	76	5,5	4,5	5,7	5,2	194	149	64,6	27	0	0	0	2	18	13	6	0	0	0	17	0	0	6	0	0	0	0	3	13	0	0	0	0
7	81	62	67	73	5,6	4,7	5,4	5,3	85	53	11,1	19	0	0	0	0	16	12	1	0	0	0	16	0	0	1	0	0	0	0	2	12	0	0	0	0
8	89	69	77	82	5,6	5,1	5,8	5,5	174	112	47,7	15	0	0	0	0	22	20	5	0	0	0	22	0	0	4	0	0	0	2	0	12	0	0	0	0
9	89	72	86	85	6,3	6,0	6,8	6,3	330	179	52,4	26	1	0	0	0	27	23	13	2	1	1	26	0	0	2	0	0	0	0	3	22	0	2	0	0
10	78	60	71	71	4,9	4,6	4,1	4,5	138	56	48,6	20	4	0	0	0	14	10	5	7	2	1	14	0	0	3	0	0	0	0	8	11	0	0	1	0
11	85	81	87	85	5,9	5,6	4,8	5,4	433	201	66,5	23	11	1	0	0	23	21	13	0	1	0	20	9	4	5	0	0	0	1	2	14	8	0	0	0
12	77	78	77	77	5,1	4,9	4,7	4,9	187	79	54,5	27	19	7	0	0	15	13	7	10	4	2	11	6	1	5	0	1	0	0	6	12	10	1	1	0
ÅR	81	68	75	77	5,3	4,8	5,1	5,1	2261	113	66,5		113	36	22	2	216	178	71	28	8	4	186	55	20	56	0	2	0	8	52	145	110	6	4	1
SAUDA																																				1979
1	86	84	85	86	4,2	5,5	4,8	4,8	134	65	38,2	7	29	22	17	0	11	10	6	0	0	0	5	11	5	0	0	1	0	1	7	12	31	0	0	0
2	86	79	77	81	4,0	4,8	4,9	4,8	121	73	29,3	28	26	11	12	0	12	11	5	0	0	0	3	12	2	0	0	1	0	0	8	13	28	0	3	0
3	79	70	71	74	5,5	5,9	5,3	5,2	236	207	49,3	3	18	3	2	0	17	19	10	0	0	0	13	15	8	2	0	1	0	0	4	20	31	1	2	2
4	84	59	63	72	6,5	6,4	6,9	6,6	50	34	12,5	20	3	0	0	0	16	10	2	0	0	0	16	1	0	1	0	0	0	0	0	20	3	1	0	0
5	83	65	64	73	6,1	6,3	6,1	6,3	235	283	38,3	19	6	0	0	0	25	20	6	1	0	0	24	6	4	3	0	2	0	1	0	20	2	2	0	1
6	83	66	65	75	6,7	5,4	5,3	6,0	176	145	60,1	27	0	0	0	2	18	13	6	0	0	0	18	0	0	2	0	0	0	2	2	16	0	0	0	0
7	84	64	63	73	5,9	5,6	5,3	5,8	70	58	14,3	30	0	0	0	0	17	9	2	0	0	0	17	0	0	3	0	0	0	1	2	13	0	0	0	0
8	92	68	69	79	6,3	6,2	5,8	6,1	197	127	53,6	15	0	0	0	0	23	16	7	0	0	0	23	0	0	1	0	0	0	2	1	15	0	0	0	0
9	90	72	80	83	6,8	6,5	6,8	6,6	336	156	38,7	26	1	0	0	0	26	22	15	0	0	0	26	0	0	4	0	1	0	0	2	23	0	1	1	0
10	82	65	70	74	4,7	4,7	5,2	4,9	144	60	39,2	11	9	0	0	0	16	10	5	0	0	0	16	0	0	2	0	0	0	0	7	15	0	0	1	0
11	88	86	83	86	6,5	6,4	6,0	6,3	340	147	48,1	4	14	2	0	0	24	21	12	0	0	0	20	11	4	0	1	0	0	0	2	19	16	0	3	0
12	78	77	76	77	5,3	5,5	5,1	5,3	220	88	59,7	27	21	9	3	0	20	16	8	3	1	0	13	12	4	3	0	1	0	0	4	15	17	1	0	0
ÅR	85	71	72	78	5,8	5,8	5,6	5,8	2259	110	60,1		127	47	34	2	227	177	84	5	1	0	194	68	27	21	1	7	0	7	39	201	128	8	10	3
NEDRE VATS																																				1979
1	67	63	65	65	3,2	4,6	4,7	4,2	87	48	21,0	7	28	19	11	0	12	11	2	0	0	0	4	12	3	3	0	0	0	1	7	8	29	0	0	0
2	73	64	66	68	3,7	4,3	5,0	4,3	100	71	40,5	28	25	6	6	0	13	13	2	0	0	0	3	10	0	1	0	0	0	0	7	10	28	1	0	0
3	68	61	64	65	6,1	6,1	6,3	6,2	272	262	48,0	9	13	2	1	0	22	20	8	0	0	0	13	15	3	6	0	0	0	0	3	18	28	1	0	1
4	76	60	66	70	6,3	6,5	6,4	6,3	72	55	16,0	23	3	0	0	0	17	14	1	0	0	0	17	0	0	7	0	0	0	0	1	19	0	2	1	2
5	84	68	69	77	6,1	6,2	6,0	6,1	213	245	24,2	15	5	0	0	0	26	24	10	0	0	0	26	6	4	4	0	0	0	0	1	18	2	5	4	3
6	85	69	70	78	6,4	5,7	6,4	5,8	160	116	33,8	29	0	0	0	2	17	12	5	0	0	0	17	0	0	11	0	0	0	0	3	16	0	0	0	0
7	90	69	69	79	6,2	6,0	5,5	5,9	90	60	13,6	3	0	0	0	0	15	13	3	0	0	0	15	0	0	7	0	0	0	0	2	18	0	3	1	0
8	90	72	74	81	5,8	5,9	5,2	5,6	274	137	92,0	15	0	0	0	0	24	22	6	0	0	0	24	0	0	5	0	0	0	2	2	15	0	3	0	0
9	89	75	82	84	5,9	6,4	6,1	6,2	370	157	44,4	26	0	0	0	0	26	25	13	1	0	0	28	0	0	4	0	0	0	0	2	20	0	2	1	1
10	71	60	64	66	4,2	4,7	4,3	4,5	116	49	32,2	11	3	0	0	0	13	10	4	2	0	0	13	0	0	2	0	0	0	0	3	13	0	0	0	0
11	87	80	83	84	5,6	5,8	5,3	5,6	354	165	54,4	4	11	0	0	0	24	22	13	4	0	0	20	9	5	1	0	0	0	0	2	14	8	0	2	0
12	80	76	78	79	4,7	5,3	4,8	5,0	210	100	52,8	28	20	6	3	0	18	17	8	7	0	0	13	5	0	2	0	0	0	0	5	13	10	2	1	0
ÅR	80	68	71	75	5,3	5,6	5,3	5,5	2318	114	92,0		108	33	17	2	227	203	75	14	3	0	191	57	15	53	0	0	0	3	44	182	102	19	10	7

MÅ.	MIDLERE LUFTTRYKK PÅ	PÅ	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT.	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM.
SKUDENES II																								1979
1	1011,0	1012,1	- 1,9	- 0,6	- 1,3	- 1,5	- 3,3	0,2	- 4,0	6,4	7	-13,0	2	1 3,0	3 1,7	11 1,9	7 1,6	9 2,1	23 1,6	7 4,3	3 3,0	9 3,8	4 5,5	0 0,0	0 0,0	16
2	1013,1	1014,2	- 1,9	- 0,3	- 1,1	- 1,3	- 2,8	0,7	- 3,5	3,2	26	-12,5	15	4 2,5	10 2,1	10 2,3	12 1,9	3 2,7	5 2,8	6 4,2	5 3,6	5 4,0	1 3,0	3 1,7	4 3,8	16
3	998,1	999,1	1,3	3,2	2,2	2,1	- 0,8	3,9	0,2	10,3	29	- 8,6	18	2 3,0	0 0,0	0 3,2	12 2,8	8 3,4	21 4,6	14 5,6	4 3,8	11 4,6	5 4,6	0 0,0	7 3,7	3
4	1007,8	1010,6	4,5	6,5	5,1	4,9	- 0,6	6,9	2,9	12,0	11	- 1,5	18	3 4,0	2 2,0	2 2,0	15 2,7	11 2,7	17 2,5	11 4,0	0 0,0	9 2,7	4 1,8	1 1,0	12 4,0	3
5	1010,6	1011,5	6,7	8,1	7,4	6,8	- 2,6	9,1	4,5	20,5	31	- 1,5	3	2 3,5	0 0,0	1 2,0	1 2,5	6 1,8	14 4,0	33 3,9	1 3,0	15 2,2	3 2,3	3 4,0	10 2,8	1
6	1011,0	1015,0	11,7	13,3	12,3	11,8	- 0,2	14,6	9,8	23,1	8	7,0	2	9 3,3	3 3,3	0 0,0	7 2,7	2 3,5	6 2,3	5 3,6	9 3,2	11 3,2	9 2,3	15 3,3	14 4,1	0
7	1011,8	1012,8	11,8	13,4	12,3	11,9	- 2,8	13,9	9,7	17,3	12	6,5	21	3 2,8	0 0,0	0 0,0	3 3,0	3 3,0	6 2,3	6 2,2	2 2,0	5 1,0	1 3,0	22 2,6	41 3,9	1
8	1006,8	1009,8	13,3	14,9	13,2	13,5	- 1,4	15,5	11,4	18,1	19	8,0	31	12 3,1	3 1,7	4 2,3	2 2,5	1 2,3	21 3,1	5 3,2	3 3,0	8 2,1	4 2,3	8 2,3	16 3,8	3
9	1010,3	1011,4	11,0	12,4	11,1	11,1	- 1,6	13,0	9,1	16,7	3	3,0	30	4 3,5	4 1,8	0 0,0	1 2,0	8 2,7	9 3,3	10 4,0	7 4,4	5 3,8	20 5,4	14 4,1	7 4,7	3
10	1011,4	1015,5	8,6	10,2	9,2	9,1	- 0,1	10,6	7,1	13,4	12	1,0	22	7 2,4	0 0,0	1 1,8	30 3,2	22 5,2	11 3,6	0 0,0	1 6,0	5 4,2	3 3,7	4 4,5	0
11	1002,9	1003,9	4,8	5,9	5,1	5,1	- 1,0	6,6	3,0	10,5	4	- 1,5	13	3 1,7	0 1,3	9 2,1	3 1,3	1 2,0	18 5,5	7 4,7	1 3,0	9 3,6	7 3,0	8 3,3	8 3,5	10
12	1002,3	1003,3	2,6	3,0	2,9	2,8	- 1,3	4,4	0,7	9,6	5	- 4,0	12	1 2,0	12 1,4	4 2,0	13 3,0	11 3,8	8 3,1	11 5,9	1 5,0	8 3,5	4 4,0	8 4,3	4 3,5	8
ÅR	1008,9	1010,9	6,1	7,5	6,6	6,3	- 1,0	8,3	4,2	23,1		-13,0		57 2,9	43 1,7	51 2,2	82 2,4	91 3,4	170 4,1	126 4,2	36 3,5	96 3,2	67 3,9	85 3,2	127 3,8	64
UTSIRA FYR																								1979
1	1001,5	1011,5	- 0,3	- 0,2	- 0,6	- 0,6	- 2,8	0,9	- 2,3	6,6	7	-11,1	1	4 4,8	5 3,1	2 2,5	3 3,2	9 3,0	24 4,1	20 5,6	5 4,2	7 5,3	5 5,4	0 0,0	1 6,0	2
2	1009,3	1013,8	- 0,6	0,2	- 0,2	- 0,3	- 1,9	1,3	- 1,9	4,1	26	- 9,8	14	13 4,6	4 3,8	5 3,6	11 3,6	4 3,5	11 3,6	12 4,3	3 3,3	7 3,6	6 5,2	2 3,0	9 5,2	1
3	991,5	998,4	1,4	2,6	2,2	2,3	- 0,6	3,7	0,4	8,4	28	- 4,8	18	7 3,8	0 0,7	7 3,3	8 3,4	3 4,8	12 5,8	21 5,0	9 4,4	14 5,1	5 4,4	2 4,5	2 4,5	0
4	1003,5	1010,3	3,4	5,5	4,3	4,3	- 0,6	6,5	2,8	11,6	11	0,1	30	7 4,4	6 3,2	3 3,0	4 3,0	13 3,8	13 3,8	15 4,4	8 3,0	5 3,2	7 3,3	1 2,0	8 4,5	0
5	1001,1	1010,9	5,5	7,2	6,7	6,1	- 2,4	8,5	4,3	21,0	31	0,4	1	6 3,2	3 2,7	3 2,3	1 3,0	4 4,0	11 4,3	32 5,0	10 4,0	7 3,7	5 4,0	4 2,8	7 3,9	0
6	1003,2	1014,9	10,4	12,1	11,6	10,9	- 0,4	13,8	8,9	22,2	5	3,7	2	19 4,3	4 3,3	2 1,5	1 2,3	1 3,0	6 3,3	13 4,5	10 3,7	4 5,0	8 4,0	13 4,0	6 3,8	0
7	1006,0	1012,7	10,7	12,9	12,3	11,6	- 2,3	13,8	10,0	19,5	26	8,2	2	16 3,8	0 0,3	1 1,0	0 0,0	3 3,0	4 3,8	6 3,3	9 3,0	1 2,0	7 2,4	15 3,4	33 3,6	1
8	1002,8	1009,5	12,3	13,9	13,4	13,0	- 1,4	14,7	11,6	18,1	19	8,9	22	19 4,9	4 3,3	5 3,0	1 2,0	4 4,0	7 4,7	19 5,2	7 3,0	4 3,5	5 3,8	8 3,1	10 3,6	0
9	1004,1	1010,8	10,6	11,7	11,1	10,9	- 1,5	12,6	9,4	15,7	6	5,0	15	4 4,8	2 4,3	2 3,3	0 0,0	0 0,0	4 4,5	18 4,8	10 4,0	9 4,2	17 5,8	13 6,0	11 4,7	0
10	1008,3	1015,1	8,5	9,6	9,1	8,9	- 0,3	10,3	7,5	12,7	11	3,1	22	8 4,8	2 2,9	4 3,3	0 0,0	12 3,0	31 5,7	24 4,9	2 3,5	3 3,3	2 6,5	2 7,5	5 4,2	0
11	996,6	1003,4	5,1	5,7	5,3	5,3	- 1,0	6,7	3,7	9,8	4	0,1	15	3 5,0	3 3,1	2 1,0	3 2,0	3 1,3	10 4,7	20 5,9	5 4,6	9 4,7	11 4,5	12 4,8	4 5,0	0
12	996,0	1002,8	3,0	3,2	2,9	2,9	- 1,3	4,5	1,1	9,1	5	- 3,1	15	4 3,3	5 4,8	1 3,0	13 4,8	10 5,4	11 5,8	10 5,9	8 5,3	5 5,0	8 5,8	5 5,2	4 5,0	9
ÅR	1002,7	1009,5	6,8	7,0	6,3	6,3	- 1,3	8,1	4,8	22,2		-11,1		110 4,4	38 3,3	37 3,0	51 3,4	69 4,3	144 4,7	210 5,3	86 3,9	75 4,4	86 4,6	77 4,3	96 4,1	13
URSANGERVATN																								1979
1			- 3,4	- 1,5	- 2,2	- 2,5		- 0,2	- 5,0	6,0	7	-15,0	1	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	28 1,6	21 1,7	10 1,3	1 2,0	1 5,0	0 0,0	0 0,0	32
2			- 2,9	- 0,4	- 1,6	- 1,9		0,9	- 4,6	5,6	18	-13,3	15	7 1,6	4 2,0	1 1,0	0 0,0	1 2,0	13 1,5	10 1,6	11 2,7	1 1,0	0 0,0	1 1,0	3 1,3	32
3			0,8	3,1	2,3	1,8		4,4	- 0,4	11,0	29	-10,0	18	3 1,0	0 0,0	3 1,7	0 0,0	3 1,7	19 2,9	30 2,4	13 3,2	1 1,0	1 1,0	0 1,0	3 1,3	19
4			3,6	7,6	6,3	5,5		8,4	2,7	16,4	11	- 0,3	9	3 2,3	5 1,6	3 1,0	1 1,0	4 1,0	15 1,3	8 1,8	18 1,3	1 2,0	1 1,0	9 1,0	9 1,7	17
5			9,1	8,8	9,3	7,3		10,9	4,3	20,4	31	- 1,6	8	4 1,3	3 1,7	1 1,0	0 0,0	1 3,0	9 3,8	24 1,4	27 1,4	4 1,8	3 1,0	3 2,7	5 1,8	9
6			11,1	14,2	14,1	12,5		16,8	9,8	25,4	5	6,0	11	7 1,9	5 1,6	0 0,0	0 0,0	1 1,0	9 1,2	24 1,5	19 1,8	0 0,0	0 0,0	2 1,0	15 1,9	8
7			10,9	11,0	11,6	12,3		15,4	9,6	20,4	12	5,5	2	12 2,1	6 1,2	0 0,0	0 0,0	1 1,0	3 1,0	10 1,0	11 1,2	0 0,0	0 0,0	0 0,0	32 2,5	18
8			11,5	14,7	14,0	13,0		16,6	10,0	20,6	7	4,3	31	8 2,3	5 1,1	1 1,0	0 0,0	1 1,0	10 2,3	17 1,6	26 2,1	0 0,0	1 1,0	1 2,0	8 3,1	15
9			9,2	11,4	10,3	10,0		12,7	7,9	20,3	6	0,6	30	10 3,1	4 1,7	1 1,0	1 1,0	1 1,0	16 1,6	16 1,8	19 2,3	1 1,0	0 0,0	2 1,0	9 2,9	10
10			8,0	9,4	7,7	7,4		10,5	4,6	15,6	10	- 1,0	22	8 2,6	2 1,2	1 1,0	3 2,0	2 1,0	10 2,7	17 1,9	7 3,0	1 1,0	0 0,0	3 3,7	4 1,0	28
11			3,4	4,7	3,7	3,8		5,7	1,6	9,5	4	- 4,5	15	3 4,0	1 1,3	0 0,0	2 1,0	3 1,3	29 2,9	12 1,3	12 2,7	0 0,0	0 0,0	0 0,0	2 4,0	27
12			1,1	1,7	0,9	1,1		3,2	- 0,9	9,5	3	- 6,1	16	3 2,8	4 1,3	0 0,0	1 8,0	3 3,0	16 3,6	10 1,1	9 4,4	2 2,0	0 0,0	0 0,0	3 2,3	43
ÅR			4,8	7,3	6,6	5,9		8,8	3,3	25,4		-15,0		72 2,4	46 1,4	11 1,2	8 2,3	12 1,4	177 2,3	199 1,7	182 2,1	12 1,6	7 1,6	18 1,8	93 2,3	288
SLETTERØY FYR																								1979
1	1009,7	1011,6	- 0,8	0,0	- 0,2	- 0,4	- 2,7	1,1	- 2,4	6,5	7	-11,0	2	2 4,0	3 2,7	4 2,3	5 1,8	4 1,8	29 2,9	25 3,9	7 3,1	5 2,7	4 5,5	1 3,0	1 2,0	6
2	1011,9	1013,9	- 0,3	0,8	0,1	0,1	- 1,8	1,9	- 1,6	4,1	18	- 7,4	14	10 4,3	9 2,3	5 2,4	15 2,4	3 2,7	12 2,9	17 3,6	0 0,0	2 3,5	1 3,0	3 4,0	9 3,7	2
3	998,6	998,8	1,1	2,9	2,3	2,1	- 0,9	4,0	0,4	7,4	28	- 5,6	18	4 2,3	1 2,2	4 2,5	3 3,0	1 2,0	28 3,7	24 4,8	8 3,9	8 4,4	6 6,0	0 0,0	3 3,3	1
4	1003,6	1010,6	4,4	6,2	5,4	5,3	- 0,3	7,3	3,2	16,2	11	0,4	30	8 2,6	3 1,7	5 2,0	9 1,6	3 3,0	15 2,5	22 3,5	6 3,0	4 2,5	2 2,5	1 1,0	13 3,8	3
5	1009,1	1011,0	6,4	7,8	7,1	6,8	- 2,0	8,9	4,9	19,9	31	0,6	4	2 1,5	0 0,0	3 1,7	3 2,3	1 2,0	10 4,0	28 4,1	18 3,9	7 3,4	3 1,7	1 2,0	15 3,1	2
6	1013,0	1014,9	10,8	11,6	11,5	10,9	- 0,6	13,3	9,3	20,0	1	6,0	2	4 4,8	4 2,1	2 2,0	3 2,0	0 0,0	1 5,0	12 4,8	10 3,4	8 2,6	12 3,0	9 2,9	20 3,5	5
7	1010,9	1012,8	11,2	12,3	12,2	11,6	- 2,7	13,1	10,4	16,8	31	7,7	2	9 3,3	1 1,3	0 0,0	1 4,0	0 0,0	0 0,0	12 2,9	4 2,5	6 2,0	5 2,8	11 3,0	38 3,5	6
8	1007,7	1009,6	12,6	13,9	13,6	13,1	- 1,5	15,1	11,6	20,1	19	9,5	22	18 4,5	2 2,0	2 3,0	4 2,3	2 2,0	8 3,5	19 4,2	8 3,4	2 2,5	8 2,1	4 2,3	13 3,2	3
9	1003,5	1010,4	10,7	11,6	11,3	11,1	- 1,3	12,8	9,5	18,0	6	5,0	15	4 3,0	3 2,7	3 2,7	0 0,0	1 2,0	7 4,1	18 4,2	7 4,1	9 4,7	13 5,8	12 4,4	11 5,7	2
10	1013,4	1018,3	8,1	9,9	9,1	9,0	- 0,3	10,9	7,1	14,3	11	3,0	22	2 3,5	4 2,3	2 3,0	3 2,4	3 2,7	31 3,9	20 3,8	4 2,3	3 5,7	2 5,5	4 4,5	8 4,6	8
11	1001,2	1003,2	5,3	5,7	5,3	5,3	- 1,1	6,7	3,6	10,1	4	0,6	11	1 2,0	5 3,3	1 2,0	1 3,0	2 1,0	27 3,5	19 5,5	2 3,5	10 4,6	9 4,9	4 5,3	6 5,0	0
12	1001,0	1003,0	3,2	3,3	3,3	3,1	- 1,1	4,6	1,4	9,4	5	- 2,4	16	2 5,5	4 3,3	1 1,3	16 3,3	5 2,2	29 4,0	12 5,3	2 2,5	4 4,5	7 4,4	2 6,5	7 5,4	2
ÅR	1007,6	1009,6	8,1	7,2	6,3	6,8	- 1,4	8,3	4,8	20,1		-11,0		66 3,8	35 2,6	32 2,4	66 2,6	25 2,2	197 3,5	228 4,2	76 3,5	66 3,7	72 4,2	52 3,7	141 3,8	39
OKSØYRAID																								1979
1	1011,5	1012,2	- 3,3	- 0,7	- 2,6	- 2,3	- 2,8	0,0	- 4,7	7,2	7	-13,2	1	10 1,8	2 2,5	4 1,3	1 1,0	0 0,0	0 0,0	2 3,0	4 3,5	4 2,0	6 2,2	3 1,3	44 1,5	13
2	1013,5	1014,2	- 2,6	0,9	- 1,3	- 1,3	- 1,7	1,8	- 3,7	4,7	26	-10,3	14	12 2,3	4 2,5	1 3,0	6 1,5	0 0,0	0 0,0	3 2,7	5 2,4	2 1,5	3 1,3	1 2,0	25 1,4	22
3	993,5	999,2	0,8	3,4	2,1	1,8	- 0,4	4,6	- 0,3	11,6	29	- 9,2	18	4 1,5	14 2,6	2 2,5	1 2,5	2 1,5	0 0,0	4 2,0	12 2,8	14 2,6	5 2,0	2 1,5	18 1,4	12
4	1010,1	1010,8	4,5	7,3	6,1	5,6	- 0,1	8,4	3,4	15,6	12	0,0	9	6 1,8	14 2,1	6 2,3	6 2,3	1 2,0	4 1,3	3 1,7	9 2,2	3 1,7	5 1,4	4 1,3	9 1,6	20
5	1013,7	1011,4	8,6	9,0	8,5	7,3	- 2,9	10,6	4,6	21,0	31	0,1	8	1 4,0	6 2,5	3 1,8	11 2,0	4 1,8	3 2,0	5 1,8	13 2,5	14 2,9	10 2,7	3 3,0	6 2,2	12
6	1013,9	1014,6	12,3	13,7	14,0	13,2	0,0	17,3	10,3	25,1	5	6,2	2	2 1,5	8 1,6	3 1,3	6 2,7	3 2,7	7 2,3	23 2,6	11 2,5	8 3,0	13 3,0	3 2,0	1 3,0	2
7	1011,4	1012,1	12,5	14,4	14,3	13,2	- 2,3	16,5	10,6	21,8	12	7,0	3	2 1,0	2 1,5	3 2,3	3 2,0	4 2,0	10 2,4	23 2,2	13 2,8	8 2,1	15 3,1	2 2,5	1 2,0	5
8	1008,9	1009,6	12,6	15,2	14,1	13,4	- 1,7	16,9	10,5	21,8	19	6,1	31	3 1,7	1 2,0	1 2,0	3 2,0	3 1,3	4 2,3	13 2,2	6 3,3	9 2,6	17 2,5	2 1,5	12 1,9	17
9	1009,8	1010,5	9,1	11,4	10,0	9,9	- 1,5	12,6	7,8	18,9	6	1,8	30	3 1,0	0 0,0	1 2,0	1 1,0	1 2,0	10 3,2	16 3,6	9 3,2	12 2,2	3 2,3	20 1,7	13
10	1013,1	1016,0	5,9	10,0	7,5	7,6	0,2	11,0	5,1	15,3	24	0,2	23	6 2,2	11 2,8	0 2,8	8 2,5	1 2,0	2 2,5	2 2,5	1 2,0	6 2,5	7 1,9	6 2,0	19 1,9	18
11	1003,0	1013,7	2,8	4,8	3,3	3,5	- 1,2	5,9	1,5	10,6	3	- 2,9	14	6 1,7	4 3,0	0 2,8	2 2,0	3 2,0	0 0,0	3 2,7	11 3,2	7 2,9	11 1,5	4 2,0	22 1,8	14
12	1003,1	1013,8	3,4	1,9	0,7	1,1	- 1,3	3,3	- 1,0	10,8	5	- 6,3	16	13 2,9	7 4,1	1 3,0	2 3,0	0 0,0	2 3,5	3 1,7	8 3,6	9 3,4	13 2,0	7 2,1	24 2,1	4
ÅR	1009,1	1010,8	8,2	7,7	6,8	6,1	- 1,3	9,1	3,7	25,1		-13,2		68 2,1	73 2,3	39 2,5	57 2,2	19 1,9	33 2,3	94 2,4	109 2,9	93 2,7	117 2,3	40 2,0	201 1,7	182
MIDTLAGER																								1979
1	882,9	1013,8	-10,3	- 3,0	- 9,3	- 9,9		- 7,7	-12,8	0,5	20	-24,4	1	0 0,0	1 3,0	5 3,0	23 3,7	27 3,3	4 2,3	3 3,0	1 3,0	2 3,5	8 5,0	4 2,8	1 1,0	9
2	884,4	1014,7	- 9,1	- 7,3	- 8,2	- 8,3		- 5,7	-10,9	0,5	21	-22,0	14	3 2,0	5 2,0	4 5,8	12 3,1	12 3,0	5 3,2	3 2,7	1 4,0	3 2,7	11 3,5	11 3,6	8 3,4	6
3	873,1	1030,6	- 0,8	- 3,1	- 0,1	- 0,3		- 3,9	- 8,5	5,2	26	-19,4	18	3 2,0	1 2,0	3 4,3	21 5,3	24 4,4	6 4,3	2 2,0	4 3,8	10 4,7	8 4,4	3 4,0	3 3,0	2
4	881,2	1011,2	- 3,2	- 1,1	- 1,8	- 2,3		- 0,2	- 3,8	4,0	20	- 7,8	18	1 1,0	0 0,0	4 4,8	33 4,9	18 4,0	2 4,0	0 0,0	4 2,0	9 3,7	8 2,8	3 3,0	6
5	886,0	1012,2	- 1,2	1,1	0,3	- 0,3		2,7	- 2,6	10,4	31	-10,7	3	0 0,0	1 2,0	1 1,0	13 4,7	17 3,2	12 3,2	5 3,8	0 0,0	1 4,0	19 3,1	14 2,7	0 0,0	10
6	891,0	1014,2	0,1	0,0	0,2	0,1		11,0	4,4	18,2	20	- 0,3	30	2 2,0	0 0,0	2 4,0	7 4,0	16 3,0	14 2,7	3 3,3	3 3,3	1 2,0	29 3,2	9 2,7	0 0,0	8
7	887,8	1010,6	5,8	7,0	6,3	6,1		10,5	4,6	16,2	13	0,1	2	1 2,0	0 0,0	1 2,0	2 3,0	9 3,6	3 3,3	2 2,5	3 3,0	3 3,0	44 3,3	21 3,3	1 1,0	7
8	886,7	1009,3	6,2	8,8	8,4	8,4		10,4	5,2	16,5	18	0,4	31	0 0,0	0 0,0	1 3,0	10 4,3	15 4,2	9 3,7	3 3,3	4 4,3	1 2,0	27 3,2	15 2,9	0 0,0	6
9	885,1	1010,6	3,1	4,3	3,3	3,4		6,1	1,7	15,5	6	- 5,3	30	0 0,0	1 2,0	2 2,0	3 4,0	5 2,6	9 3,0	2 2,5	5 3,2	6 3,7	32 4,3	16 3,5	4 3,0	5
10	891,2	1017,7	0,3	1,7	0,8	0,8		3,1	- 1,1	9,7	11	- 7,5	22	0 0,0	1 3,3	15 4,0	31 4,5	11 3,3	8 2,8	4 3,0	1 2,0	1 2,0	10 3,4	8 3,2	1 4,0	6
11	878,0	1035,0	- 4,1	- 3,4	- 4,3	- 4,0		- 1,9	- 6,3	4,5	23	-13,0	13	2 1,5	2 1,5	5 2,8	19 3,8	12 4,0	4 3,8	1 4,0	1 3,0	9 3,6	20 4,1	8 4,1	0 0,0	6
12	876,9	1035,5	- 7,2	- 6,7	- 7,3	- 7,2		- 4,9	- 9,2	2,5	5	-15,5	16	2 1,0	4 1,5	11 2,9	22 5,7	12 3,3	6 4,7	0 0,0	3 3,7	5 4,6	10 4,9	7 4,6	6 3,5	5
ÅR	884,0	1010,5	- 1,7	0,1	- 0,8	- 1,1		1,6	- 3,3	18,2		-24,4		14 1,7	16 2,1	84 4,0	203 4,6	174 3,6	80 3,3	28 3,1	26 3,4	46 3,6	223 3,7	122 3,3	27 3,1	82

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MÅ.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅR	MIDLERE SKYDEKKE 07	13	19	ÅR	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <-30	TX <0	TN <=10	TX>= =25.	NEDBØR R>= 0.1	R>= 1.0	R>= 10.0.	VINDSTYRKE FX> =8R	FX> =8B	FX> =9B.	ANTALL DAGER MED: R	S	SL	YR	SM	FOREKOMST AV H	IH	TO	KV	OV	SD	TRÅKE 07	13	19.
SKUDENES II																																				1979
1	79	78	78	78	4,3	4,7	5,1	4,9	52	50	9,7	25	25	14	2	0	13	11	0	10	3	0	8	11	5	0	0	1	0	2	6	14	8	0	0	0
2	80	78	81	80	4,0	5,1	4,8	4,6	65	83	15,7	28	23	9	1	0	10	13	2	5	0	0	8	13	4	1	0	0	0	0	7	10	28	0	1	0
3	85	80	83	83	5,3	6,2	5,9	6,0	132	224	24,8	9	8	1	0	0	21	14	5	14	2	0	23	13	12	1	0	0	0	0	1	19	3	0	1	0
4	83	75	81	82	6,3	5,9	6,7	6,3	43	61	10,5	16	2	0	0	0	20	10	1	3	0	0	20	1	1	8	0	0	0	0	2	18	0	1	2	1
5	86	79	82	85	6,0	5,7	5,7	5,8	107	218	9,7	27	3	0	0	0	27	21	0	7	2	1	27	6	6	5	0	0	0	1	3	17	0	3	2	3
6	85	78	80	84	6,3	5,8	5,4	5,9	121	173	29,0	29	0	0	0	0	18	13	3	9	0	0	18	0	0	5	0	0	0	4	1	12	0	3	3	1
7	85	76	82	84	5,9	4,8	4,8	4,9	56	62	10,8	18	0	0	0	0	14	11	2	2	0	0	14	0	0	1	0	0	0	0	5	9	0	1	4	1
8	88	75	79	82	5,7	5,3	5,2	5,4	197	173	35,0	15	0	0	0	0	19	18	7	6	1	0	19	0	0	2	0	0	0	0	6	5	15	0	0	0
9	82	77	82	81	5,7	5,8	5,6	5,7	154	112	22,9	18	3	0	0	0	25	20	6	17	2	1	25	0	0	0	0	2	0	1	2	14	0	0	0	0
10	76	71	74	74	5,1	4,8	4,3	4,9	84	62	30,6	11	0	0	0	0	13	10	3	11	3	1	13	0	0	3	0	0	0	0	7	13	0	3	2	0
11	85	83	88	85	4,9	5,3	6,3	5,5	197	146	54,5	4	3	0	0	0	20	24	3	14	5	5	26	2	2	0	0	2	0	0	1	9	0	0	1	0
12	79	76	79	78	5,4	5,3	5,3	5,4	112	91	25,2	28	12	0	0	0	23	17	2	15	9	7	21	10	7	1	0	1	0	0	3	14	0	0	0	0
ÅR	83	77	81	81	5,3	5,4	5,5	5,4	1320	113	54,5		78	24	3	0	235	182	54	117	27	15	219	56	37	27	0	6	0	14	43	164	39	11	16	6
UTSIRA FYR																																				1979
1	78	77	76	77	4,4	5,5	5,1	5,1	38	48	10,9	17	23	9	2	0	15	11	1	20	8	3	8	12	5	3	0	4	0	1	5	11	11	0	0	0
2	78	74	78	76	3,5	5,1	5,0	4,5	50	70	9,9	28	23	6	0	0	16	11	0	10	4	2	13	13	10	0	0	4	0	1	7	8	25	0	1	0
3	79	78	78	78	5,6	6,5	6,4	6,2	114	207	15,3	12	10	1	0	0	20	18	4	23	9	1	19	14	12	4	0	1	0	0	1	18	5	1	0	0
4	80	71	75	77	6,3	6,2	6,9	6,5	39	59	9,6	16	0	0	0	0	16	12	0	11	3	0	16	1	1	2	0	1	0	0	1	20	0	3	1	2
5	84	74	77	81	6,8	6,5	6,9	6,3	110	244	14,2	17	0	0	0	0	24	21	5	16	4	2	24	6	6	4	0	3	0	1	0	17	0	3	5	2
6	83	75	78	81	7,0	6,6	6,1	6,6	70	117	17,4	29	0	0	0	0	10	12	2	13	4	0	16	0	0	8	0	0	0	2	0	19	0	1	2	2
7	87	75	81	83	6,1	5,2	5,5	5,6	62	78	19,3	29	0	0	0	0	18	12	1	9	3	0	18	0	0	9	0	0	0	0	2	14	0	2	2	1
8	85	76	80	81	5,4	5,6	5,3	5,4	102	159	36,5	15	0	0	0	0	21	16	5	17	4	1	21	0	0	3	0	0	0	3	1	13	0	0	1	0
9	81	78	81	80	6,1	6,0	6,3	6,1	118	94	26,9	21	0	0	0	0	21	17	3	23	8	1	24	0	0	3	0	0	0	1	1	13	0	0	0	1
10	75	69	71	72	5,2	5,7	5,3	5,4	99	83	31,5	11	3	0	0	0	14	12	3	23	6	2	14	0	0	3	0	0	0	1	5	15	0	3	1	0
11	83	81	82	82	5,1	5,7	5,4	5,5	137	159	39,1	4	0	0	0	0	27	25	7	20	8	6	27	6	6	4	0	5	0	0	2	8	0	0	1	0
12	78	76	79	78	5,1	5,9	5,4	5,5	117	101	33,4	28	10	0	0	0	21	18	9	24	13	7	20	9	8	0	0	2	0	0	1	12	5	1	0	0
ÅR	81	75	78	79	5,6	5,9	5,7	5,7	1186	111	39,1		66	16	2	0	232	185	33	227	68	25	219	61	48	43	0	20	0	10	26	168	46	14	14	8
UTSIRA FYR																																				1979
1	83	79	80	81	3,4	5,1	3,9	4,5	95	61	21,2	7	27	15	3	0	11	10	4	0	0	0	6	11	3	0	0	0	0	2	5	8	25	0	0	0
2	87	79	84	84	4,0	4,0	4,6	4,2	112	84	21,2	28	25	8	2	0	13	12	6	0	0	0	4	10	0	0	0	0	0	0	7	8	28	0	0	0
3	81	75	76	78	6,0	5,9	5,8	5,9	104	182	42,4	3	12	1	0	0	22	18	7	7	1	0	18	13	7	1	0	1	0	0	4	16	22	0	0	0
4	75	58	62	67	6,3	6,0	6,3	6,2	63	93	15,0	20	4	0	0	0	17	12	2	3	0	0	17	1	0	0	0	0	0	0	1	19	1	0	0	0
5	80	66	64	72	6,1	6,0	5,7	5,9	221	295	37,0	15	6	0	0	0	24	23	7	4	3	0	24	6	6	4	0	0	0	2	3	18	2	0	0	0
6	84	68	69	77	6,2	5,5	5,3	5,7	155	122	46,4	27	0	0	0	1	15	12	5	1	0	0	15	0	0	2	0	0	0	3	3	14	0	0	0	0
7	86	68	69	77	6,1	5,5	5,7	5,8	138	98	31,3	30	0	0	0	0	13	14	4	0	0	0	15	0	0	3	0	0	0	3	3	14	0	0	0	0
8	84	68	68	76	6,0	5,6	5,2	5,6	236	136	46,0	15	0	0	0	0	20	20	8	3	0	0	20	0	0	0	0	0	0	4	4	13	0	0	0	0
9	85	72	79	80	6,4	6,2	6,1	6,2	351	176	42,1	18	0	0	0	0	26	24	11	6	1	0	26	0	0	0	0	0	0	1	2	19	0	0	0	0
10	76	65	69	71	4,4	4,5	4,6	4,5	119	54	31,0	20	2	0	0	0	11	11	4	2	1	0	11	0	0	0	0	0	0	0	10	13	0	0	0	1
11	82	77	78	80	5,2	5,8	5,3	5,4	344	175	45,5	4	8	1	0	0	22	22	13	6	5	2	18	6	2	1	0	0	0	0	3	11	7	0	0	0
12	75	71	74	74	4,7	5,4	5,1	5,2	117	77	33,4	27	19	4	0	0	19	19	5	9	5	1	13	7	0	2	0	0	0	0	4	11	10	0	0	0
ÅR	82	71	73	76	5,4	5,8	5,4	5,4	2145	118	46,4		103	29	5	1	213	197	76	37	11	3	187	54	18	19	0	1	0	12	49	164	98	0	0	1
SLÅTTERØY FYR																																				1979
1	84	82	82	83	3,3	5,7	5,3	5,0	42	38	9,1	7	23	9	2	0	11	9	0	13	1	0	6	10	4	0	0	1	0	2	5	9		0	0	0
2	82	80	82	82	3,8	5,2	5,0	4,7	84	129	24,3	28	22	3	0	0	13	11	3	12	1	0	8	10	3	0	0	0	0	0	7	9		0	0	0
3	86	83	87	86	6,1	6,0	6,1	6,1	146	252	27,4	10	7	1	0	0	23	19	5	17	7	3	17	19	9	2	0	0	0	0	2	17		0	0	0
4	86	79	83	84	6,2	6,1	6,2	6,2	53	87	11,2	20	0	0	0	0	18	12	2	7	0	0	18	1	0	5	0	0	0	0	1	17		0	0	0
5	90	82	85	87	6,5	5,8	6,1	6,2	121	224	24,8	15	3	0	0	0	23	20	2	10	2	2	23	3	3	2	0	0	0	0	2	17		0	0	2
6	91	88	89	90	6,4	6,3	6,7	6,1	110	149	22,5	29	0	0	0	0	15	11	4	12	1	0	15	0	0	11	0	0	0	4	0	16		1	1	1
7	93	87	89	91	6,7	5,8	6,5	6,0	104	120	35,8	30	0	0	0	0	19	13	3	4	0	0	18	0	0	8	0	0	0	1	1	14		0	0	0
8	91	83	86	88	5,8	5,9	5,4	5,7	135	125	32,6	15	0	0	0	0	21	19	4	11	4	0	21	0	0	3	0	0	0	5	3	17		0	0	0
9	89	84	87	87	6,1	6,5	6,2	6,3	201	143	31,7	26	0	0	0	0	27	22	8	21	10	1	27	0	0	4	0	0	0	0	1	17		0	0	0
10	80	74	76	77	4,7	5,2	5,1	5,1	78	51	21,2	11	0	0	0	0	13	9	3	10	4	1	13	0	0	3	0	0	0	0	6	14		0	0	0
11	89	87	88	88	5,1	6,2	6,3	5,9	228	169	28,6	29	0	0	0	0	24	24	10	20	8	4	24	4	4	2	0	1	0	0	2	13		0	1	0
12	82	82	84	83	4,6	5,8	5,1	5,2	100	78	23,3	27	11	0	0	0	20	16	4	18	11	4	17	6	1	1	0	0	0	0	4	11		1	0	0
ÅR	87	83	85	86	5,3	5,9	5,7	5,7	1422	118	35,8		63	13	2	0	226	185	18	161	52	15	205	53	24	41	0	2	0	11	34	171		2	2	3
OMASTRAND																																				1979
1	80	76	78	78	4,2	5,1	4,2	4,5	158	69	37,1	7	28	14	3	0	10	10	7	2	0	0	6	10	5	0	0	2	0	1	8	10	26	0	0	0
2	78	75	76	77	4,3	4,6	4,3	4,5	115	57	30,1	28	20	3	1	0	14	11	4	0	0	0	5	13	2	0	0	0	0	0	8	10	28	0	0	0
3	78	67	73	74	5,7	5,8	5,8	5,8	260	178	72,1	3	14	2	0	0	19	17	9	0	0	0	14	14	6	0	0	2	0	0	5	10	28	0	0	0
4	78	66	69	72	6,1	6,4	6,0	6,2	75	40	17,8	30	0	0	0	0	16	9	3	0	0	0	16	1	0	2	0	0	0	0	0	17	0	0	0	0
5	81	69	70	76	6,6	6,2	5,8	6,2	254	273	41,1	15	0	0	0	0	26	26	7	2	0	0	26	6	5	3	0	3	0	3	2	20	0	1	0	0
6	81	72	73	77	6,6	5,6	5,8	6,0	174	127	59,2	27	0	0	0	1	16	12	5	3	0	0	16	0	0	2	0	0	0	0	1	18	0	0	0	0
7	81	73	72	76	5,9	5,7	5,9	5,8	88	66	16,8	30	0	0	0	1	16	12	3	0	0	0	18	0	0	3	0	0	0	0	1	13	0	0	0	0
8	86	70	78	81	6,3	5,9	5,6	5,9	187	108	42,2	15	0	0	0	0	22	19	6	1	0	0	22	0	0	2	0	0	0	0	2	13	0	0	0	0
9	87	74	84	84	6,3	6,5	6,1	6,5	439	176	47,6	14	0	0	0	0	27	25	16	2	0	0	27	0	0	3	0	0	0	0	1	20	0	1	0	0
10	78	69	70	72	4,1	4,6	4,8	4,6	156	55	42,7	20	0	0	0	0	13	11	5	1	0	0	13	0	0	1	0	0	0	1	7	12	0	0	0	0
11	82	75	81	80	6,3	5,7	5,6	5,9	403	153	53,8	29	9	0	0	0	24	18	12	3	0	0	22	7	3	3	0	1	0	0	2	16	7	0	0	0
12	72	69	73	72	4,8	5,7	5,1	5,1	250	94	38,5	27	19	4	0	0	20	16	9	2	1	1	12	8	0	2	0	3	0	2	5	12	13	0	0	0
ÅR	80	71	75	77	5,7	5,7	5,4	5,6	2599	108	72,1		96	23	4	1	225	186	86	16	1	1	197	59	23	21	0	11	0	7	42	177	102	2	0	0
MIDTLAGER																																				1979
1	74	72	73	73	5,3	4,7	4,4	4,8	52	61	9,8	9	31	30	22	0	14	10	0	13	2	2	0	14	0	0	0	0	0	0	6	13	31	0	1	0
2	75	72	77	76	5,0	4,8	5,1	5,0	26	37	5,0	2	28	27	18	0	12	8	0	13	4	2	0	12	0	0	0	0	0	0	6	14	28	0	0	0
3	84	82	84	84	6,7	6,0	6,3	6,3	132	264	26,0	26	31	28	9	0	23	17	4	22	2	1	1	23	1	0	0	0	0	0	1	22	31	1	3	0
4	85	77	83	83	6,8	6,3	7,2	6,8	36	65	5,7	24	28	17	0	0	20	11	0	12	2	0	4	19	3	2	0	0	0	0	0	20	30	1	1	0
5	82	77	78	80	6,2	6,2	6,0	6,1	112	249	14,8	29	17	5	2	0	24	19	5	11	3	1	16	16	4	8	0	1	0	0	0	16	31	3	3	3
6	82	70	74	78	5,5	5,4	5,8	5,6	128	160	30,8	27	1	0	0	0	15	11	5	6	0	0	14	3	1	9	0	0	0	1	2	16	3	2	2	3
7	86	73	77	81	6,3	6,0	6,1	6,0	84	98	16,0	30	0	0	0	0	17	11	2	4	1	0	17	2	1	6	0	0	0	1	2	17	0	1	0	0
8	88	74	76	81	6,2	6,0	6,0	6,1	178	155	39,1	15	0	0	0	0	22	17	7	8	0	0	22	0	0	13	0	0	0	0	1	16	0	0	0	0
9	88	81	85	85	6,8	6,9	6,8	6,8	227	182	36,1	19	12	0	0	0	25	21	11	15	1	1	21	15	4	11	0	0	0	0	1	23	11	0	0	1
10	78	72	78	77	5,3	5,4	5,3	5,6	126	105	37,1	11	21	4	0	0	17	12	4	13	3	0	13	7	1	3	0	0	0	0	5	17	13	3	2	2
11	88	86	87	87	6,9	6,8	7,1	6,9	169	178	42,7	4	30	23	5	0	22	20	5	11	3	3	5	21	0	1	0	1	0	0	2	23	30	0	2	0
12	84	80	84	83	6,6	5,5	5,2	5,8	104	104	16,3	3	31	26	10	0	22	15	4	19	10	6	4	22	2	2	0	0	0	0	3	17	31	0	1	0
ÅR	83	78	80	81	6,2	6,6	6,0	6,0	1354	129	42,7		230	160	72	0	233	172	47	152	30	16	117	154	17	55	0	2	0	2	29	214	239	11	18	9

MÅ.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK PO1	MIDLERE LUFTTEMPERATUR J7	J3	J9	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT J6(N)	J9	J6	J9(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
EIDFJORD - BU																								1979
1	999,6	1014,3	- 5,4	- 4,4	- 4,3	- 4,8	- 2,0	- 7,7	5,2	7	-17,1	1	1 1,0	3 3,7	10 1,7	7 3,1	0 0,0	11 1,5	1 1,0	0 0,0	10 2,6	3 1,7	0 0,0	1 1,0	46
2	1001,2	1015,9	- 4,2	- 3,6	- 2,3	- 3,5	- 0,6	- 6,1	3,5	26	-15,4	15	0 0,0	0 0,0	3 1,0	1 1,5	0 0,0	17 2,4	1 1,0	0 0,0	17 2,6	0 0,0	0 0,0	0 0,0	37
3	986,9	1011,1	3,1	1,9	1,3	2,8	3,4	- 1,6	9,1	29	-12,4	18	1 1,0	1 1,1	25 3,0	2 1,5	0 0,0	23 2,8	0 0,0	0 0,0	26 2,5	1 1,0	0 0,0	3 3,0	11
4	998,5	1012,7	3,1	7,0	3,7	3,0	8,1	2,6	13,0	11	- 2,1	8	0 0,0	0 0,0	20 2,6	1 1,0	0 0,0	25 2,3	0 0,0	0 0,0	15 2,2	0 0,0	0 0,0	4 1,8	19
5	993,3	1012,3	5,8	8,7	8,7	7,7	10,7	3,8	18,5	31	- 1,2	10	3 1,0	1 2,1	12 1,9	13 2,3	0 0,0	8 2,5	0 0,0	1 2,0	18 2,2	5 1,6	0 0,0	7 1,4	23
6	1001,0	1014,7	12,8	15,5	15,3	13,7	18,3	10,1	26,5	5	5,6	30	0 0,0	0 0,3	17 1,6	13 1,4	0 0,0	7 1,6	1 1,0	0 0,0	35 3,1	7 1,6	0 0,0	4 1,8	6
7	994,3	1011,9	11,9	14,4	14,8	13,0	16,9	9,8	22,9	13	5,0	24	0 0,0	0 0,3	8 1,6	3 1,0	0 0,0	2 1,0	2 1,0	0 0,0	52 3,0	11 2,6	0 0,0	3 2,3	10
8	996,2	1010,9	11,4	14,9	14,8	12,9	17,1	9,4	23,3	19	3,9	31	2 1,0	0 0,3	14 2,6	3 2,4	0 0,0	16 1,8	3 1,0	0 0,0	35 3,0	5 2,0	0 0,0	5 1,4	8
9	996,9	1010,8	7,9	10,1	9,1	8,7	11,7	6,6	18,9	6	- 1,0	30	0 0,0	0 0,0	4 1,8	13 1,2	0 0,0	7 1,4	2 1,0	0 0,0	49 3,2	3 1,7	0 0,0	2 2,0	10
10	1003,3	1017,3	5,4	7,7	6,3	6,3	9,2	3,9	12,8	11	- 3,3	23	3 4,3	0 0,0	22 3,9	10 3,3	0 0,0	9 2,3	2 1,5	0 0,0	15 2,3	2 1,0	0 0,0	0 0,0	30
11	991,7	1005,9	1,5	2,2	1,8	1,8	3,7	- 0,2	8,3	29	- 5,7	15	0 0,0	0 0,1	21 2,8	0 2,0	0 0,0	6 1,5	0 0,0	0 0,0	12 3,0	0 0,0	0 0,0	0 0,0	43
12	992,3	1006,7	- 0,9	- 0,6	- 1,3	- 0,9	1,7	- 3,2	9,2	5	- 8,2	31	0 0,0	0 0,1	29 3,9	1 1,0	0 0,0	2 1,0	0 0,0	0 0,0	20 3,3	0 1,0	0 0,0	0 0,0	41
ÅR	997,0	1011,1	4,2	6,2	5,8	5,0	8,2	2,3	26,5		-17,1		10 2,3	5 2,3	196 2,8	82 2,0	0 0,0	133 2,1	12 1,1	1 2,0	304 2,9	37 1,9	0 0,0	31 1,8	284
KVAMSKOGEN																								1979
1			- 8,1	- 5,9	- 7,2	- 7,1	- 4,2	- 4,1	-11,0	4,0	7	-23,5	1	1 1,0	10 1,1	10 1,0	10 1,1	0 0,0	4 1,0	1 2,0	3 1,3	3 1,3	7 1,4	8 1,0	6 1,0	30
2			- 0,3	- 2,2	- 4,0	- 4,5	- 1,1	- 1,3	- 8,5	3,0	21	-20,2	15	0 0,0	3 1,1	12 1,2	11 1,2	4 2,3	3 2,3	3 3,0	1 3,0	4 2,0	16 1,4	5 1,0	1 1,0	15
3			- 2,7	- 0,8	- 2,8	- 1,2	- 0,2	1,9	- 4,5	7,1	28	-18,8	18	0 0,0	14 1,1	3 1,4	10 1,9	4 1,9	7 2,4	11 1,6	9 2,3	9 2,8	8 3,3	6 1,0	0 0,0	1
4			1,6	1,7	1,3	2,8	0,6	5,3	0,6	11,2	11	- 4,6	9	0 0,0	12 1,4	10 1,3	17 1,7	8 1,8	13 2,0	9 1,6	5 1,4	2 1,0	5 1,4	7 1,1	2 1,0	4
5			3,1	0,6	0,5	1,3	- 1,0	7,8	1,5	17,2	31	- 6,0	8	0 0,0	7 1,4	8 1,0	21 1,2	8 1,5	4 2,3	7 1,9	20 1,7	2 2,0	14 1,7	2 1,5	0 0,0	0
6			9,7	13,3	12,3	11,3	0,3	15,4	7,8	23,9	5	2,0	2	0 0,0	5 1,0	4 2,0	3 1,6	2 1,0	6 2,7	5 2,4	25 2,1	7 1,9	16 1,7	6 1,3	0 0,0	9
7			8,9	11,8	11,2	10,0	- 0,1	13,4	7,3	20,0	13	4,0	2	0 0,0	0 0,1	1 1,0	9 1,6	1 1,0	0 0,0	2 1,3	20 1,8	23 1,7	35 1,7	4 1,3	0 0,0	2
8			9,3	12,8	11,7	11,7	- 1,0	14,5	7,8	20,2	19	2,0	31	0 0,0	4 1,5	4 1,3	13 1,5	2 2,0	4 2,3	6 1,8	10 1,8	8 1,5	28 1,5	9 1,4	0 0,0	5
9			6,2	8,6	7,3	7,1	- 1,9	10,1	4,9	20,0	6	- 3,0	30	0 0,0	14 1,4	1 1,3	8 1,9	1 1,8	2 1,3	5 1,6	20 1,8	0 0,0	17 1,7	10 1,1	4 1,8	2
10			3,1	7,5	3,1	3,1	0,1	6,3	2,4	13,1	11	- 4,0	23	0 0,0	1 1,0	5 1,4	23 1,5	9 3,0	11 3,1	1 5,0	9 1,7	6 1,7	15 1,2	8 1,8	0 0,0	3
11			- 0,3	1,0	- 0,2	0,0	- 1,0	2,2	- 2,3	8,4	4	-10,0	15	0 0,0	11 1,0	12 1,0	13 1,2	10 1,2	3 1,3	4 2,0	15 2,0	7 1,1	13 1,2	1 3,0	0 0,0	3
12			- 3,0	- 2,2	- 3,2	- 2,9	- 1,9	- 0,5	- 5,4	7,3	2	-14,0	31	0 0,0	32 1,0	18 1,3	8 2,6	1 3,0	3 3,7	1 6,0	6 2,5	4 2,3	8 1,4	8 1,3	0 0,0	1
ÅR			1,8	4,7	3,1	2,9	- 1,9	6,1	0,0	23,9		-23,5		1 1,0	119 1,1	96 1,2	152 1,5	56 1,9	60 2,3	51 2,0	141 1,9	75 1,8	182 1,6	74 1,3	13 1,2	75
RETHEGRENDA																								1979
1			- 9,6	- 7,9	- 8,1	- 8,2	- 4,7	- 6,0	-12,0	2,7	17	-31,2	2	1 1,0	4 2,3	0 0,0	3 1,9	3 2,3	7 2,3	2 1,0	0 0,0	17 1,8	14 1,6	20 2,1	17 1,8	0
2			- 7,3	- 5,7	- 6,1	- 6,0	- 2,2	- 2,3	-10,0	2,3	21	-18,4	15	1 4,0	2 2,8	3 4,0	3 4,3	3 2,7	7 1,7	9 1,7	8 1,9	3 1,0	13 1,5	19 1,7	13 1,6	0
3			- 3,2	- 0,1	- 1,8	- 1,3	0,3	1,2	- 4,8	7,0	29	-20,0	18	0 0,0	5 2,1	2 3,0	13 3,9	8 3,6	20 3,2	6 3,3	14 3,1	3 1,0	10 2,3	7 1,9	9 1,8	0
4			0,5	4,0	2,7	2,0	0,3	5,0	- 0,4	10,7	12	- 6,8	8	1 1,0	7 2,1	11 3,3	11 3,7	7 3,4	11 2,8	4 1,5	2 2,0	8 1,3	11 1,4	12 1,4	2 1,0	0
5			2,2	6,2	5,5	3,9	- 3,1	7,8	0,7	17,6	31	- 8,2	3	2 1,0	12 2,1	1 1,0	13 2,9	4 3,0	13 4,3	3 1,0	9 1,4	6 1,0	15 1,8	10 1,4	5 1,4	0
6			9,4	14,2	13,3	11,3	1,1	16,2	7,2	22,8	21	2,3	10	0 0,0	10 1,6	1 1,0	3 1,6	1 1,0	20 2,7	9 2,1	12 1,9	8 1,0	15 2,1	9 1,7	0 0,0	0
7			8,4	12,8	12,2	11,3	2,7	14,5	6,8	20,6	13	1,8	2	0 0,0	3 1,7	0 0,0	2 1,5	0 0,0	3 2,3	8 2,4	24 1,7	11 1,7	23 2,0	18 1,4	1 1,0	0
8			8,7	13,2	11,9	11,5	1,2	14,8	6,6	22,0	18	0,0	28	0 1,0	8 2,1	4 2,8	8 3,3	0 0,0	12 2,9	12 1,3	11 1,6	2 3,0	14 1,3	13 1,2	3 1,0	0
9			5,2	8,1	6,9	6,3	- 2,1	9,7	3,6	20,6	6	- 4,0	30	10 1,7	2 1,5	0 0,0	1 3,0	0 0,0	6 3,0	16 2,6	11 3,3	2 2,0	19 2,7	15 2,5	2 2,0	0
10			2,2	6,8	4,5	4,2	0,3	7,9	0,9	13,6	12	- 6,0	22	9 1,1	0 0,0	7 2,7	17 4,6	6 4,2	8 1,3	10 1,7	8 2,0	1 1,0	10 2,1	10 1,0	7 1,3	0
11			- 1,5	0,2	- 1,1	- 1,1	- 1,2	1,3	- 3,9	7,0	29	-14,5	14	9 1,4	0 0,0	8 2,5	3 5,0	0 2,8	4 2,5	10 2,1	6 1,5	8 1,4	13 1,8	17 1,6	6 1,7	0
12			- 5,4	- 4,6	- 5,0	- 5,1	- 2,7	- 2,1	- 7,8	7,3	2	-16,3	12	14 1,3	1 1,0	3 4,3	5 3,8	3 3,0	8 3,3	5 1,4	13 2,4	2 3,0	16 1,8	10 2,0	12 2,1	0
ÅR			0,8	4,1	3,0	2,1	- 1,6	5,7	- 1,1	22,8		-31,2		59 1,4	54 2,2	40 3,1	93 3,6	41 3,2	119 2,9	94 2,3	118 2,1	71 1,5	173 1,9	160 1,7	73 1,7	0
VJSS - 38																								1979
1	998,0	1014,2	-12,2	-10,7	-11,0	-11,0	- 7,0	- 7,7	-15,0	5,5	7	-28,0	1	15 1,1	35 1,1	8 1,5	0 0,0	0 0,0	1 3,0	0 0,0	2 2,5	0 0,0	1 2,0	3 1,7	85	3
2	999,2	1015,1	- 9,5	- 5,1	- 5,9	- 7,3	- 2,9	- 2,0	-11,8	4,5	26	-24,0	15	10 1,2	37 1,4	9 1,9	1 2,0	2 3,5	0 0,0	0 0,0	2 2,0	0 0,0	0 0,0	4 1,5	19	0
3	984,2	999,4	- 1,0	2,1	1,3	0,3	0,9	3,9	- 2,9	10,2	29	-18,1	18	4 1,0	19 1,7	19 2,0	6 2,7	10 2,9	17 2,9	3 2,7	1 3,0	0 0,0	2 2,5	5 2,0	8	2
4	995,8	1010,9	1,8	7,9	6,1	4,5	0,3	8,9	0,9	14,9	12	- 4,2	8	5 2,0	16 1,6	19 2,2	9 2,3	6 2,8	6 2,8	5 2,2	0 0,0	6 2,7	4 2,5	4 1,8	9	4
5	995,3	1011,2	4,8	9,1	8,3	7,7	- 2,3	11,2	2,9	20,5	31	- 4,5	8	5 1,5	19 1,7	7 2,1	3 2,4	4 2,3	11 3,1	2 3,0	5 2,6	7 2,4	5 2,8	10 2,1	10	2
6	999,2	1013,8	11,3	17,0	16,3	13,7	1,1	19,5	9,0	27,4	5	4,3	11	6 1,7	9 1,7	8 1,3	2 2,0	3 1,7	13 2,4	1 3,0	6 2,3	12 2,7	5 3,0	17 2,2	7	1
7	998,4	1011,0	10,9	15,5	15,0	12,9	1,9	17,9	9,2	24,1	13	4,8	24	3 1,7	7 1,1	0 1,3	2 1,5	2 2,3	1 1,3	1 2,0	3 2,7	21 2,9	13 3,0	22 2,4	12	0
8	994,2	1008,8	9,7	15,3	14,3	12,3	1,6	17,7	8,3	23,5	19	2,1	28	3 2,0	18 1,4	10 1,2	3 2,0	3 2,0	3 2,3	0 0,0	0 0,0	9 2,3	8 1,8	12 1,8	18	9
9	991,8	1009,7	7,1	10,5	9,3	8,5	1,3	12,2	6,2	23,0	6	- 0,4	30	4 1,5	23 2,1	7 1,4	3 2,0	3 2,3	3 3,0	1 3,0	0 0,0	7 2,4	9 3,0	10 2,2	15	5
10	1001,2	1016,9	2,8	7,7	5,5	5,0	0,3	9,4	1,5	14,4	10	- 6,0	24	3 2,0	23 1,4	6 2,0	3 2,1	5 3,6	9 3,3	6 2,7	0 0,0	2 1,5	5 2,0	3 2,3	16	7
11	988,7	1004,0	- 0,1	1,1	0,3	0,3	0,3	3,2	- 2,0	8,3	23	-11,4	16	10 1,5	23 1,6	18 1,2	2 3,0	5 2,6	3 2,3	0 0,0	1 2,0	0 0,0	1 1,0	4 2,0	18	6
12	989,6	1005,1	- 4,2	- 3,4	- 3,8	- 3,9	- 1,9	- 0,3	- 6,5	9,6	5	-16,1	31	11 1,4	30 1,3	19 2,0	2 2,0	2 3,0	4 3,5	2 4,0	0 0,0	2 2,0	2 3,5	1 1,0	12	3
ÅR	994,8	1010,0	1,7	5,6	4,7	3,5	- 1,5	7,8	0,0	27,4		-28,0		83 1,4	259 1,5	133 1,8	37 2,3	43 2,7	71 2,8	21 2,7	20 2,4	66 2,6	55 2,8	95 2,1	169	41
FLESLAND																								1979
1	1005,1	1011,3	- 3,0	- 0,7	- 2,3	- 2,0	- 2,3	0,1	- 5,6	6,9	7	-16,1	2	2 2,0	4 2,1	12 1,3	17 2,1	17 2,7	25 3,5	5 2,8	0 0,0	5 3,8	2 2,5	0 0,0	0	4
2	1007,2	1013,5	- 2,1	- 0,8	- 2,1	- 1,7	- 2,4	1,5	- 5,3	5,2	24	-12,7	15	4 2,3	9 2,1	5 1,6	7 1,3	8 2,3	15 2,8	11 2,8	3 1,3	2 1,0	1 2,0	1 3,0	7	9
3	992,0	998,1	3,6	3,6	2,2	1,3	- 0,5	4,6	- 1,1	13,6	29	-11,1	18	3 1,7	2 2,1	5 1,8	7 3,0	11 2,8	27 3,6	15 3,7	4 3,5	8 4,4	1 5,0	2 1,5	7	2
4	1001,2	1010,3	4,3	3,5	3,1	3,1	1,1	9,5	2,2	17,2	12	- 1,7	5	3 2,0	3 1,3	4 2,8	3 2,5	8 2,1	16 3,0	11 2,5	3 2,0	4 2,0	6 1,7	4 2,0	13	3
5	1003,5	1010,5	6,2	9,9	8,9	7,6	- 1,9	11,0	4,1	21,4	31	- 1,8	8	4 1,5	1 2,0	2 1,0	3 3,0	2 2,0	17 3,2	25 3,4	13 2,7	6 2,7	4 1,3	5 2,8	7	2
6	1008,5	1014,4	11,4	13,1	13,8	12,7	0,6	17,0	9,4	26,9	5	5,5	11	6 1,8	2 1,3	2 1,0	1 3,0	1 1,0	9 2,7	14 2,7	8 2,6	11 1,9	10 2,1	7 1,7	17	2
7	1006,2	1012,1	11,5	14,7	13,9	12,7	1,8	15,5	9,7	19,7	12	5,6	2	10 1,7	3 2,1	2 2,0	1 2,0	3 2,0	5 2,2	10 2,0	4 2,0	6 2,0	9 2,0	9 2,3	28	5
8	1003,3	1009,2	11,9	15,5	14,4	13,3	1,0	16,4	10,0	20,4	7	5,0	31	7 2,1	2 1,0	3 1,0	2 1,5	13 2,5	10 3,3	13 2,5	6 2,2	6 2,3	1 3,0	7 2,0	17	6
9	1003,8	1009,8	8,7	11,2	10,3	9,8	- 1,8	12,8	7,7	21,1	2	- 0,5	30	2 1,5	3 1,7	1 2,0	2 2,5	6 2,5	15 3,3	14 3,6	8 3,0	11 3,3	6 3,7	11 3,6	7	4
10	1007,1	1015,2	5,3	9,1	8,1	7,3	- 0,7	10,6	4,1	14,6	10	- 2,1	22	10 1,9	2 1,1	2 1,2	6 1,3	15 2,6	16 2,9	10 2,7	0 0,0	4 2,8	1 4,0	1 2,0	7	14
11	996,6	1002,7	3,4	4,3	3,8	3,7	- 1,1	6,1	1,8	9,6	4	- 5,3	17	2 1,0	1 1,3	6 1,5	7 1,0	17 2,4	28 3,4	5 2,8	4 3,8	7 3,3	2 2,5	3 3,0	1	7
12	996,5	1002,7	1,2	1,2	0,9	1,1	- 1,0	3,5	- 1,3	10,0	5	- 9,5	16	7 1,9	3 1,3	4 1,5	11 2,0	19 2,6	14 3,9	4 4,0	1 1,0	6 3,2	4 2,3	5 3,2	4	13
ÅR	1003,1	1009,2	4,9	7,8	6,9	6,3	- 1,2	9,1	3,0	26,9		-16,1		65 1,8	40 1,6	48 1,6	74 2,0	119 2,5	197 3,3	137 3,0	54 2,6	76 2,9	47 2,3	55 2,6	115	68
FANA FORSØKSSTASJON																								1979
1			- 4,4	- 2,8	- 3,3	- 3,6	- 3,4	- 0,9	- 6,3	6,7	7	-15,4	2	0 0,0	0 0,0	36 1,1	18 1,8	0 0,0	0 0,0	23 2,9	8 2,1	1 2,0	4 2,5	1 1,0	0 0,0	2
2			- 4,1	- 1,3	- 2,2	- 3,2	- 3,1	0,5	- 7,0	5,6	26	-16,4	14	0 0,0	0 0,0	31 1,4	13 1,0	0 0,0	0 0,0	23 2,0	9 3,2	0 0,0	0 0,0	0 0,0	0 0,0	11
3			0,4	3,0	2,2	1,5	- 0,5	4,3	- 1,4	10,2	29	-12,8	18	1 1,0	0 0,0	20 1,4	4 1,5	0 0,0	0 0,0	27 2,5	21 3,6	2 5,5	10 3,9	0 0,0	0 0,0	8
4			3,8	7,2	6,3	5,0	- 0,1	8,8	1,6	17,2	12	- 2,5	17	0 0,0	0 0,0	18 1,1	4 1,0	0 0,0	0 0,0	28 2,1	10 1,3	3 1,3	3 3,3	1 1,0	0 0,0	23
5			6,6	8,9	8,2	7,0	- 2,7	10,5	3,8	21,4	31	- 2,0	8	0 0,0	0 0,0	9 1,0	6 1,2	0 0,0	0 0,0	32 2,1	27 2,2	1 1,0	2 2,0	10 1,7	0 0,0	6
6			11,7	14,1	13,4	12,1	0,0	16,5	8,9	27,4	5	4,5	2	0 0,0	0 0,0	4 1,0	2 1,5	0 0,0	0 0,0	12 1,8	22 2,1	0 0,0	10 1,2	11 1,5	0 0,0	29
7			11,5	13,8	13,1	11,9	- 2,7	15,1	9,2	19,2	12	5,0	2	8 3,0	0 0,0	0 0,0	1 2,0	2 2,0	2 2,0	3 3,5	5 1,6	5 2,4	18 2,0	23 2,6	30 2,8	6
8			11,7	14,7	13,5	12,6	- 1,6	16,3	9,4	21,8	19	4,8	31	0 0,0	0 0,0	4 2,3	0 0,0	0 0,0	2 2,0	25 1,9	20 1,7	4 2,0	3 1,3	13 1,0	0 0,0	34
9			8,9	11,1	9,8	9,5	- 1,9	12,4	7,1	21,3	6	0,0	30	1 1,0	0 0,0	4 1,3	2 1,0	0 0,0	0 0,0	26 2,2	10 2,7	4 4,0	17 3,2	7 1,7	0 0,0	19
10			4,9	9,1	7,2	6,7	- 0,3	10,3	3,5	15,0	12	- 1,0	22	0 0,0	0 0,0	26 1,1	9 1,0	0 0,0	0 0,0	28 2,0	0 0,0	0 0,0	4 3,0	7 2,0	0 0,0	21
11			3,5	4,3	3,6	3,6	- 1,1	5,9	1,4	9,8	29	- 4,0	13	0 0,0	0 0,0	9 1,0	5 1,0	0 0,0	0 0,0	23 2,8	14 3,1	5 4,2	12 2,2	7 1,1	0 0,0	15
12			1,0	1,2	0,8	0,9	- 1,6	3,2	- 1,4	9,6	5	- 7,5	16	0 0,0	0 0,0	10 1,0	10 1,9	0 0,0	0 0,0	24 2,1	7 3,6	5 4,6	10 2,3	0 0,0	0 0,0	21
ÅR			4,6	6,9	6,0	5,5	- 1,7	8,6	2,4	27,4		-16,4		10 2,6	0 0,0	171 1,2	77 1,4	2 2,0	2 2,0	272 2,2	183 2,5	30 3,3	93 2,5	80 1,8	20 2,8	185

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MND.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	(M.	Nedbør SUM	%	MAX	DT.	Antall dager med: Lufttemperatur TN < 0	TX < 0	TN ≤ -10	TX ≥ 25	Nedbør R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke FX ≥ 6B	FX ≥ 8B	FX ≥ 9B	Forekomst av R	S	SL	YR	SH	H	IH	TO	KV	DV	SD	Tåke 07	13	19
EIDFJORD - BU 1979																																				
1	76	75	72	74	3,2	4,4	3,7	3,8	137		47,2	7	31	22	10	0	7	6	4	1	0	0	3	7	1	0	0	0	0	0	7	8	31	1	2	2
2	78	74	78	76	4,2	5,0	4,3	4,7	32		32,1	8	26	18	9	0	14	10	2	0	0	0	2	14	0	0	0	0	0	0	7	11	28	1	1	0
3	71	67	71	70	5,4	5,5	5,0	5,3	169		47,7	3	17	4	1	0	17	11	4	0	0	0	7	16	3	0	0	0	0	0	4	13	31	0	3	5
4	76	60	66	70	5,1	5,6	5,3	5,6	60		20,8	30	3	0	0	0	9	9	1	0	0	0	9	1	1	1	0	0	0	0	0	11	8	2	0	0
5	78	65	67	72	5,9	6,2	5,4	5,8	147		34,5	15	7	0	0	0	27	20	5	1	0	0	24	6	3	4	0	0	0	1	2	14	0	1	1	0
6	78	66	68	72	5,5	5,2	5,7	5,5	87		27,8	30	0	0	0	1	15	8	3	1	0	0	15	0	0	4	0	0	0	1	2	14	0	0	0	0
7	82	69	67	74	6,5	6,1	5,7	6,1	80		12,7	21	0	0	0	0	19	11	3	1	0	0	19	0	0	4	0	0	0	0	0	16	0	0	0	0
8	87	70	69	77	5,7	5,6	5,2	5,5	103		16,1	15	0	0	0	0	21	14	5	4	0	0	21	0	0	4	0	0	0	0	2	12	0	1	0	0
9	88	75	81	83	7,0	6,5	6,7	6,7	293		37,5	19	1	0	0	0	25	23	12	6	1	0	25	0	0	3	0	0	0	0	1	21	0	4	1	0
10	71	62	66	67	4,8	4,7	4,6	4,7	102		41,3	20	6	0	0	0	10	9	3	10	1	0	10	0	0	6	0	0	0	0	9	14	0	0	0	1
11	79	78	80	79	6,3	6,4	6,2	6,3	290		46,1	23	15	0	0	0	22	16	10	5	0	0	18	13	5	3	0	0	0	0	2	20	13	3	4	1
12	74	72	72	73	4,8	5,1	5,1	5,0	199		47,1	3	22	12	0	0	15	12	8	9	2	0	11	8	2	2	0	0	0	0	5	15	3	1	1	1
ÅR	76	69	71	74	5,4	5,5	5,3	5,4	1749		47,7		129	59	17	1	201	149	60	38	4	0	164	65	15	31	0	0	0	2	41	169	114	14	13	10
KVAMSKOGEN 1979																																				
1	75	73	78	75	3,7	4,8	4,5	4,3	150	58	39,5	7	30	25	19	0	10	10	5	0	0	0	3	10	3	0	0	1	0	1	10	12	31	0	0	0
2	79	72	74	76	3,9	5,1	5,0	4,7	129	53	23,1	28	28	20	9	0	16	15	4	0	0	0	3	16	2	0	0	0	0	0	8	13	28	0	0	0
3	83	76	77	79	6,2	5,9	5,9	6,0	328	193	66,1	3	24	6	6	0	23	22	11	6	0	0	8	22	4	1	0	1	0	1	4	20	31	0	0	0
4	78	66	72	74	6,2	6,4	6,2	6,3	86	43	23,8	30	6	0	0	0	14	14	2	1	0	0	13	8	3	0	0	0	0	0	0	17	30	0	0	0
5	83	72	73	78	6,5	6,6	6,4	6,5	276	244	33,8	15	12	0	0	0	28	27	11	0	0	0	21	10	2	1	0	0	0	2	1	22	17	0	0	0
6	87	71	78	81	6,5	5,9	6,5	6,3	210	123	66,6	27	0	0	0	0	17	14	6	0	0	0	17	1	1	2	0	0	0	0	1	18	0	1	0	0
7	94	82	81	87	6,5	6,5	6,0	6,4	183	114	28,6	1	0	0	0	0	22	19	7	0	0	0	22	0	0	12	0	0	0	0	1	20	0	0	0	0
8	93	73	80	85	6,2	6,3	5,8	6,1	310	157	93,5	15	0	0	0	0	23	21	10	0	0	0	23	0	0	2	0	0	0	0	3	19	0	0	0	0
9	93	79	90	89	7,1	6,9	6,3	6,8	574	183	65,0	26	1	0	0	0	27	27	20	1	0	0	27	3	3	1	0	1	0	2	1	23	0	1	0	0
10	80	65	72	74	4,7	4,9	4,5	4,7	189	56	45,5	21	8	0	0	0	13	13	5	2	0	0	13	2	1	2	0	1	0	1	8	14	2	0	0	0
11	86	83	87	86	6,4	6,1	6,4	6,3	380	130	49,7	29	16	7	0	0	24	20	14	2	0	0	16	18	7	0	0	3	0	0	2	20	25	0	0	0
12	78	74	82	79	5,0	6,1	5,2	5,4	318	106	46,1	5	24	17	6	0	21	20	8	4	0	0	9	18	4	2	0	2	0	1	4	14	27	0	0	0
ÅR	84	74	78	80	5,7	6,0	5,8	5,8	3133	114	93,5		149	75	40	0	238	222	103	16	0	0	175	108	30	23	0	9	0	8	43	212	191	2	0	0
REIMEGREND 1979																																				
1	72	69	70	71	3,5	4,7	3,4	3,9	80	78	25,0	8	31	26	20	0	9	8	3	2	0	0	1	9	1	0	0	1	0	1	10	8	31	0	0	0
2	75	66	70	72	3,9	4,9	4,7	4,5	47	53	10,0	8	28	20	14	0	14	13	1	2	0	0	2	14	2	0	0	0	0	0	8	10	28	0	1	0
3	70	66	70	69	5,7	5,5	5,5	5,7	171	263	35,5	3	26	11	7	0	21	17	4	9	0	0	10	19	6	0	0	0	0	0	4	18	31	1	5	3
4	72	61	67	69	4,7	5,2	5,3	5,2	37	51	9,6	20	13	0	0	0	12	8	0	2	0	0	10	8	5	4	0	0	0	0	5	13	30	0	1	2
5	78	65	67	72	5,4	5,6	5,3	5,4	168	313	41,9	15	12	0	0	0	26	21	4	1	0	0	19	11	4	7	0	0	0	1	4	10	27	2	1	1
6	82	66	66	74	5,4	4,9	5,7	5,3	76	82	20,3	27	0	0	0	0	14	10	3	1	0	0	14	0	0	8	0	0	0	1	6	15	0	1	1	0
7	91	69	70	80	6,4	5,9	5,8	6,0	79	78	15,7	18	0	0	0	0	20	12	2	0	0	0	20	0	0	15	0	0	0	1	1	16	0	4	0	0
8	85	67	69	76	6,0	5,6	5,4	5,7	152	133	19,8	9	0	0	0	0	22	15	7	2	0	0	22	0	0	14	0	0	0	1	3	14	0	1	0	0
9	87	73	81	82	6,9	7,0	6,9	6,9	298	189	46,0	19	3	0	0	0	27	23	12	0	0	0	25	3	3	10	0	3	0	0	1	22	0	1	0	0
10	72	60	64	66	4,6	4,3	4,5	4,5	97	54	36,3	20	13	0	0	0	13	10	3	8	0	0	11	3	0	6	0	0	0	0	10	14	0	1	0	0
11	82	79	80	81	6,2	6,3	6,1	6,2	232	190	42,4	23	22	6	5	0	23	18	8	3	0	0	14	20	8	4	0	0	0	0	2	16	23	0	5	1
12	78	74	76	76	4,1	4,9	4,7	4,6	157	126	37,8	5	26	21	11	0	19	16	6	7	0	0	7	18	4	2	0	0	0	0	6	13	31	0	0	0
ÅR	79	68	71	74	5,2	5,4	5,4	5,3	1592	125	46,0		174	84	57	0	220	171	93	38	0	0	155	105	33	70	0	4	0	5	60	169	201	11	14	7
VOSS - BØ 1979																																				
1	89	87	89	89	4,4	4,7	4,1	4,4	65	57	14,1	8	30	25	23	0	10	9	3	0	0	0	3	10	3	0	0	0	0	1	8	11	31	0	0	0
2	89	80	82	84	3,9	5,1	4,6	4,5	51	54	9,7	28	27	19	16	0	13	8	0	0	0	0	2	13	2	0	0	0	0	0	8	10	28	0	0	0
3	83	67	72	76	6,5	5,9	6,2	6,2	121	173	23,3	3	19	4	3	0	19	16	5	1	0	0	13	16	5	1	0	2	0	2	3	19	29	0	0	0
4	85	58	63	72	6,0	6,2	6,3	6,2	36	46	10,1	14	10	0	0	0	10	5	1	0	0	0	9	2	1	4	0	0	0	0	0	17	1	2	0	1
5	85	65	63	74	6,3	6,2	5,9	6,1	140	311	33,3	15	8	0	0	0	23	19	5	1	0	0	22	6	3	5	0	1	0	3	2	17	0	0	0	0
6	87	61	63	75	6,0	5,4	6,0	5,8	70	85	20,0	27	0	0	0	6	12	11	2	0	0	0	12	0	0	5	0	0	0	1	2	19	0	0	0	0
7	87	66	68	77	6,5	5,8	5,3	5,9	65	76	13,9	30	0	0	0	0	13	9	2	2	0	0	13	0	0	2	0	0	0	1	1	16	0	0	0	0
8	93	68	71	81	6,7	6,0	5,7	6,1	162	171	43,1	18	0	0	0	0	19	15	4	0	0	0	19	0	0	3	0	0	0	0	3	16	0	2	0	0
9	91	74	82	84	7,1	6,6	6,4	6,7	226	174	36,5	19	1	0	0	0	25	21	8	1	0	0	25	0	0	1	0	0	0	1	0	19	0	3	0	0
10	82	67	72	75	4,8	4,7	4,6	4,7	74	49	15,4	20	12	0	0	0	12	10	4	1	0	0	12	0	0	2	0	0	0	0	8	13	0	4	1	1
11	87	86	86	86	6,6	6,3	6,7	6,6	223	178	38,2	29	16	5	1	0	22	19	9	0	0	0	16	14	8	2	0	1	0	0	2	21	7	2	1	1
12	88	81	83	83	5,1	5,7	5,3	5,4	140	108	27,9	28	22	17	11	0	18	13	6	2	0	0	9	12	1	2	0	0	0	2	3	16	15	0	0	0
ÅR	87	72	74	80	5,8	5,7	5,5	5,7	1373	114	43,1		145	70	54	6	196	155	49	8	0	0	155	73	23	27	0	4	0	11	40	194	111	13	2	3
FLESLAND 1979																																				
1	73	69	73	73	3,8	5,4	5,2	4,8	92	83	19,1	7	27	17	4	0	13	12	5	0	0	0	5	13	4	0	0	5	0	2	6	9	25	0	0	0
2	80	71	77	78	4,7	5,2	4,0	4,9	104	89	42,8	28	26	5	5	0	16	13	1	0	0	0	3	15	3	3	0	1	0	1	6	11	28	0	0	0
3	77	68	72	74	6,4	6,2	6,1	6,2	175	168	33,8	10	16	1	1	0	23	20	5	9	0	0	17	17	9	8	0	3	0	0	2	18	22	1	0	0
4	71	58	63	66	5,7	6,4	6,0	6,1	79	68	17,5	23	5	0	0	0	16	11	2	0	0	0	16	1	1	10	0	0	0	0	0	14	1	0	0	0
5	76	62	66	71	6,4	6,4	6,0	6,2	173	244	22,3	18	5	0	0	0	27	25	5	4	0	0	26	7	7	11	0	5	0	2	2	20	1	0	0	1
6	76	65	68	72	6,2	5,7	5,8	5,9	140	133	33,9	27	0	0	0	2	17	14	5	0	0	0	17	0	0	11	0	5	0	1	1	16	0	1	1	0
7	77	65	67	72	6,5	6,0	5,7	6,1	146	121	49,5	30	0	0	0	0	21	13	6	0	0	0	21	0	0	16	0	1	0	0	0	17	0	1	0	0
8	75	64	68	71	5,7	5,7	5,4	5,6	240	166	62,3	15	0	0	0	0	23	19	9	1	0	0	23	0	0	6	0	0	0	4	4	17	0	1	0	0
9	88	74	91	83	6,0	6,4	6,0	6,4	276	136	34,5	26	1	0	0	0	26	24	10	5	1	0	26	0	0	10	0	4	0	1	1	19	0	0	0	0
10	87	66	76	79	4,7	5,0	5,2	5,0	118	60	30,0	11	5	0	0	0	16	12	5	2	0	0	15	1	1	9	0	2	0	0	8	14	0	1	2	1
11	87	80	93	84	6,2	6,0	5,9	6,0	260	153	49,1	29	7	0	0	0	23	23	11	5	1	0	23	8	6	6	0	9	0	0	2	15	8	0	1	0
12	76	75	79	77	5,5	6,0	6,0	5,8	144	89	29,8	27	20	2	0	0	19	16	4	9	1	0	14	9	3	4	0	2	0	0	2	14	15	1	0	0
ÅR	79	68	73	75	5,7	5,9	5,7	5,8	1947	118	62,3		112	25	10	2	240	202	68	37	3	0	208	71	34	94	0	37	0	11	34	184	100	6	4	2
FANA FORSØKSSTASJON 1979																																				
1					3,5	4,6	4,3	4,1	128	75	21,2	6	26	17	8	0	13	12	6	0	0	0	7	13	7	0	0	2	0	1	6	7	26	0	0	0
2					4,1	4,6	4,8	4,5	184	152	55,0	28	25	11	8	0	15	14	6	5	0	0	3	13	1	0	0	0	0	0	5	7	28	0	0	0
3					5,8	5,8	5,7	5,8	229	220	34,5	3	14	2	2	0	23	21	11	11	0	0	18	16	11	0	0	1	0	0	1	17	26	0	0	0
4					5,5	5,8	5,6	5,6	102	76	23,0	20	8	0	0	0	15	12	5	5	0	0	15	1	1	12	0	0	0	0	0	11	1	0	0	0
5					5,8	5,8	5,9	5,8	254	289	27,0	18	6	0	0	0	26	25	12	7	3	0	26	5	5	7	0	1	0	1	1	13	2	0	0	0
6					5,6	5,7	4,9	5,4	190	143	48,0	29	0	0	0	2	17	17	6	2	0	0	17	0	0	7	0	0	0	0	2	14	0	0	0	0
7	83	73	74	80	7,0	6,3	6,0	6,4	171	113	48,5	30	0	0	0	0	23	19	6	0	0	0	23	0	0	15	0	0	0	0	0	20	0	1	1	0
8	83	72	77	80	4,9	5,1	5,1	5,0	249	145	58,5	15	0	0	0	0	23	20	9	5	0	0	22	0	0	1	0	0	0	2	5	13	0	0	0	0
9	87	76	83	83	6,4	6,4	6,3	6,4	377	165	46,0	26	0	0	0	0	28	27	17	11	1	0	28	0	0	5	0	2	0	2	2	21	0	0	0	0
10	83	68	74	77	4,4	4,6	4,7	4,6	128	51	28,0	11	8	0	0	0	16	14	4	4	2	0	16	0	0	6	0	0	0	0	6	11	0	0	0	0
11	84	81	84	83	5,5	5,2	5,5	5,4	312	142	54,0	29	10	0	0	0	24	23	13	16	3	2	22	8	6	4	0	4	0	0	2	12	8	0	0	0
12	77	75	78	76	4,7	4,8	5,0	4,9	173	85	42,0	27	21	2	0	0	19	17	6	10	1	0	13	7	2	4	0	4	0	0	3	6	12	0	0	0
ÅR					5,3	5,4	5,3	5,3	2497	120	58,5		118	32	18	2	242	221	101	85	10	2	210	63	33	61	0	14	0	6	33	152	103	1	1	0

MD.	MIDLERE LUFTTRYKK PÅ	PØ	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
BERGEN - FREDRIKSBERG																									1979
1	1005,9	1011,3	- 2,3	- 0,6	- 1,2	- 1,3	- 3,0	0,4	- 3,4	6,9	7	-13,6	1	3 1,7	2 1,0	0 0,0	4 2,0	14 3,1	42 3,7	4 1,5	4 3,3	1 2,0	1 2,0	4 1,8	1 1,0	13
2	1003,1	1013,6	- 1,4	- 0,8	- 0,3	- 0,5	- 1,8	1,8	- 2,5	5,7	18	- 9,9	14	2 1,5	2 4,3	2 4,3	3 2,0	28 3,1	11 3,4	4 2,3	6 2,3	1 2,0	5 1,4	4 2,0	6 1,8	10
3	992,8	998,2	1,3	3,0	3,1	2,5	- 0,6	5,0	0,5	11,8	29	- 7,3	18	0 0,0	0 0,2	6 3,8	3 3,8	39 4,6	11 4,0	4 4,8	2 1,5	3 1,7	4 1,8	4 2,0	3
4	1005,0	1010,3	4,2	7,7	5,3	5,9	0,1	8,9	3,5	17,1	12	- 0,4	30	0 2,3	2 4,3	3 3,3	8 3,2	8 2,9	16 3,6	12 3,2	3 2,0	2 1,5	13 2,5	9 2,6	4 2,5	6
5	1005,3	1010,6	6,4	9,3	8,7	7,6	- 2,9	10,8	5,2	18,8	31	0,6	6	3 2,3	0 0,0	1 2,0	0 0,0	15 3,3	33 4,1	17 3,8	4 3,5	4 2,5	6 2,8	6 2,7	3 3,3	1
6	1009,2	1014,5	11,0	14,2	13,7	12,4	- 0,2	16,6	10,1	25,5	5	6,5	10	5 2,0	1 2,0	1 2,0	1 2,0	9 3,0	16 3,6	8 3,0	9 2,4	8 3,0	12 2,3	15 2,6	8 2,4	1
7	1008,9	1012,1	10,9	13,8	13,6	12,3	- 2,7	15,3	10,3	20,9	13	7,7	2	10 2,2	1 1,0	2 1,5	0 0,0	6 2,8	6 3,5	7 3,4	5 2,0	2 2,5	10 3,1	24 2,6	18 2,4	2
8	1004,0	1009,2	11,6	14,6	14,1	13,1	- 1,6	16,5	10,8	19,6	26	6,3	31	5 2,4	1 2,1	0 0,0	1 2,0	7 2,4	27 4,1	9 3,4	6 2,7	3 2,3	8 2,8	15 2,5	7 3,1	4
9	1004,5	1010,8	9,3	11,2	10,8	10,2	- 1,8	12,8	8,6	21,4	6	3,1	30	4 2,8	1 2,0	0 0,0	0 0,0	6 3,0	17 3,5	22 4,1	8 3,8	8 2,6	9 4,0	7 3,0	4 3,0	0
10	1009,8	1015,1	6,2	9,7	8,7	8,0	- 0,3	11,0	5,4	15,3	26	0,6	22	13 2,0	5 2,2	1 1,0	2 1,5	8 3,1	11 2,2	19 3,4	1 2,0	2 2,0	7 2,6	2 1,0	2 1,5	20
11	997,3	1002,6	4,3	5,2	4,7	4,6	- 0,9	6,4	2,8	10,1	4	- 2,2	16	2 2,5	3 1,3	0 0,0	0 0,0	3 2,0	16 2,8	34 4,2	6 3,3	5 2,2	7 2,7	2 2,5	2 2,0	10
12	997,4	1002,8	2,1	2,2	1,8	2,0	- 1,3	4,0	0,4	10,1	5	- 5,4	16	7 2,9	0 0,0	1 1,0	5 3,2	4 3,3	14 3,0	25 3,9	7 2,9	1 2,0	8 2,3	7 2,9	0 0,0	14
ÅR	1003,9	1009,2	5,3	7,6	7,1	6,4	- 1,4	9,1	4,3	25,5		-13,6		64 2,3	24 2,3	17 2,9	25 2,5	112 3,1	248 3,7	172 3,7	63 3,0	39 2,4	89 2,7	99 2,5	59 2,4	84
BERGEN - FLORIDA																									1979
1	1006,6	1011,1	- 2,3	- 0,8	- 1,1	- 1,5	- 3,1	0,3	- 3,8	6,7	7	-14,0	1	0 0,0	1 1,0	1 4,0	1 2,0	13 1,7	40 2,6	12 2,7	0 0,0	2 1,5	1 1,0	5 1,8	0 0,0	14
2	1008,8	1013,3	- 1,0	0,5	0,3	- 0,1	- 1,8	1,7	- 2,7	5,0	18	- 9,3	14	0 0,0	1 3,0	5 4,2	5 1,8	13 1,7	23 2,6	5 2,2	1 2,0	1 2,0	6 1,2	6 2,0	8 2,0	10
3	993,6	998,0	1,6	3,5	3,1	2,5	- 0,7	4,9	0,3	11,2	29	- 7,7	18	0 0,0	0 0,0	9 3,9	1 3,8	12 2,5	39 3,2	13 2,9	1 2,0	4 3,0	4 1,3	2 2,5	2 2,0	3
4	1005,7	1010,0	4,8	7,7	7,1	6,1	- 0,2	8,9	3,8	16,7	11	- 0,4	30	0 0,0	0 0,0	3 2,7	12 3,1	7 2,9	17 2,7	9 3,2	2 1,0	0 0,0	5 1,6	14 2,3	12 2,0	7
5	1006,0	1010,3	7,0	9,2	8,3	7,8	- 2,5	10,7	5,2	20,2	31	0,6	5	1 1,0	1 1,0	1 1,0	3 2,7	9 2,8	29 2,9	22 3,8	2 3,5	2 1,0	5 2,4	7 2,4	5 2,2	6
6	1003,9	1014,2	11,5	14,1	13,9	12,7	- 0,1	16,7	10,3	25,6	4	6,8	2	2 2,0	0 0,0	0 0,0	3 2,0	5 2,4	18 2,7	12 2,7	4 1,5	2 2,5	3 2,0	22 2,6	14 2,4	5
7	1007,6	1011,9	11,4	13,6	13,5	12,4	- 2,7	15,0	10,3	21,2	13	7,3	2	2 3,0	1 1,0	0 0,0	0 0,0	1 2,0	13 2,9	8 2,5	2 1,5	3 2,0	2 3,0	23 2,5	31 2,6	7
8	1004,8	1009,0	12,0	14,6	14,0	13,3	- 1,5	16,4	10,9	19,9	19	6,8	31	1 1,0	0 0,0	0 0,0	2 1,0	5 3,2	24 2,8	16 2,6	3 2,0	1 1,0	3 2,0	13 2,5	17 2,5	8
9	1005,3	1009,6	9,5	11,3	11,1	10,4	- 1,7	12,8	8,4	21,5	6	2,1	30	1 2,0	3 2,7	0 0,0	1 1,0	4 2,3	30 3,1	12 2,8	5 2,2	2 2,5	9 3,4	9 2,3	10 3,0	4
10	1010,5	1014,9	6,5	9,6	9,3	8,1	- 0,4	11,2	5,5	15,8	26	1,0	22	1 1,0	0 0,0	1 3,0	0 0,0	8 2,8	33 2,5	9 2,8	1 3,0	1 3,0	4 3,0	9 1,8	9 2,1	17
11	998,1	1002,8	4,4	5,3	4,9	4,7	- 1,0	6,5	2,8	10,2	4	- 1,7	16	0 0,0	0 0,0	2 3,5	2 3,0	10 2,8	32 3,6	19 2,8	1 2,0	3 3,0	4 3,0	5 2,2	1 1,0	11
12	998,1	1002,5	2,3	2,4	2,1	2,2	- 1,2	4,1	0,1	10,2	5	- 6,5	11	0 0,0	0 0,0	3 5,0	7 3,1	3 2,3	38 2,8	7 2,6	1 1,0	0 0,0	0 0,0	5 3,2	10 2,4	14
ÅR	1004,6	1008,9	5,6	7,6	7,3	6,5	- 1,4	9,1	4,2	25,6		-14,0		8 1,9	7 2,1	25 3,7	43 2,7	95 2,4	338 2,9	144 2,7	23 2,0	21 2,3	46 2,2	130 2,4	119 2,4	106
HELLISØY FYR																									1979
1	1008,1	1010,9	- 0,5	0,2	0,2	- 0,1	- 2,4	1,4	- 1,7	7,4	7	-10,6	1	0 0,0	4 1,5	2 2,0	13 2,8	23 3,8	23 3,4	12 3,5	3 3,7	7 3,4	3 3,0	1 4,0	1 6,0	1
2	1010,8	1013,6	- 0,1	0,6	0,3	- 0,1	- 1,7	1,9	- 1,4	4,6	26	- 8,0	15	7 4,7	7 3,1	1 2,0	11 2,6	5 3,0	19 4,3	13 4,8	2 6,0	3 3,3	1 5,0	5 3,0	10 4,9	0
3	995,2	997,9	1,4	3,0	2,6	2,2	- 0,8	4,0	0,4	10,5	29	- 5,0	18	7 3,7	5 3,0	3 2,3	11 3,1	6 4,5	12 4,8	27 5,9	7 6,0	6 5,8	2 4,0	2 3,0	0 0,0	5
4	1006,0	1010,7	3,9	5,8	5,3	4,8	- 0,3	6,9	3,0	14,0	12	- 0,4	30	18 3,9	2 3,0	4 3,5	7 3,6	5 3,6	10 4,3	20 4,3	5 2,0	2 4,0	3 1,3	3 4,7	6 4,2	5
5	1007,8	1010,5	5,6	7,0	6,8	6,1	- 2,5	8,2	4,4	18,8	31	0,0	1	1 4,0	3 2,7	3 3,3	4 2,3	4 3,0	6 4,0	42 5,2	10 3,4	4 3,0	3 2,3	7 3,4	6 3,8	0
6	1011,5	1014,2	10,7	11,2	11,1	10,6	- 0,5	13,2	9,0	23,4	5	4,4	11													
7	1009,8	1012,4	11,1	12,2	12,2	11,5	- 2,3	13,1	10,3	17,6	31	7,5	2	4 4,5	0 0,0	1 2,0	1 3,0	0 0,0	8 3,1	12 3,4	5 2,2	9 3,0	5 1,8	19 3,1	23 3,6	6
8	1006,7	1009,3	11,8	13,3	13,1	12,5	- 1,8	14,8	10,9	17,0	17	8,0	5	17 5,2	0 0,0	3 2,3	3 2,0	10 3,4	15 4,5	12 4,0	8 3,0	5 3,4	2 2,5	4 3,5	11 4,1	3
9	1006,7	1009,3	10,1	10,9	10,6	10,4	- 1,8	12,1	8,9	16,6	7	4,0	30	3 3,0	0 0,0	1 3,0	5 1,6	3 4,3	10 5,3	15 5,5	16 4,5	12 5,0	12 4,9	5 4,0	8 6,5	0
10	1012,4	1015,1	7,5	9,2	8,8	8,4	- 0,6	10,1	6,8	12,6	12	3,0	22	4 4,8	5 2,0	3 2,0	8 2,1	15 4,1	24 4,0	17 5,0	2 5,5	2 4,0	2 3,0	5 3,8	5 4,8	1
11	999,7	1002,4	5,3	5,7	5,5	5,4	- 0,9	6,8	3,7	9,1	4	0,0	18	3 3,7	2 2,5	1 2,0	6 3,5	8 4,0	19 5,4	16 6,6	10 5,1	9 5,3	9 5,9	3 5,3	2 5,8	2
12	1000,0	1002,7	2,7	3,0	2,8	2,7	- 1,5	4,2	1,2	9,5	5	- 3,4	16	5 5,0	1 3,0	3 2,7	20 3,6	19 4,1	15 6,3	7 7,1	4 4,0	8 5,8	4 6,0	5 5,2	4 6,5	0
ÅR	1006,4	1009,1	5,8	6,8	6,6	6,2	- 1,4	8,0	4,6	23,4		-10,6														
MIDDALEN																									1979
1			- 6,4	- 7,4	- 7,3	- 7,9	- 5,8	- 3,8	-11,1	6,5	7	-20,6	31	0 0,0	0 0,0	0 0,0	77 2,2	0 0,0	0 0,0	3 2,0	0 0,0	0 0,0	0 0,0	13 2,4	0 0,0	0 0,0	0
2			- 6,6	- 8,0	- 8,3	- 8,0	- 2,6	- 0,7	- 8,6	4,7	26	-20,5	15	0 0,0	0 0,0	0 0,0	43 2,2	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	34 2,2	0 0,0	0 0,0	0
3			- 0,5	2,3	1,4	0,8	0,6	3,9	- 1,8	9,6	29	-14,6	18	0 0,0	0 0,0	0 0,0	41 2,5	0 0,0	0 0,0	13 2,7	0 0,0	0 0,0	0 0,0	36 2,6	0 0,0	0 0,0	0
4			2,4	6,6	5,2	4,2	0,3	7,9	1,3	14,0	12	- 2,4	8	0 0,0	0 0,0	0 0,0	62 2,6	0 0,0	0 0,0	6 2,0	0 0,0	0 0,0	0 0,0	22 2,2	0 0,0	0 0,0	0
5			4,5	8,5	7,9	6,2	- 2,8	10,3	2,8	19,8	31	- 2,2	9	0 0,0	0 0,0	1 2,0	32 2,6	0 0,0	0 0,0	15 2,9	0 0,0	0 0,0	45 2,4	0 0,0	0 0,0	0
6			11,3	15,1	14,2	12,6	- 0,5	17,5	8,9	25,9	5	4,6	2	0 0,0	0 0,0	0 0,0	17 2,5	0 0,0	0 0,0	12 3,8	0 0,0	0 0,0	61 2,6	0 0,0	0 0,0	0
7			10,3	14,0	13,3	12,1	- 2,0	16,3	9,2	22,0	12	5,0	2	0 0,0	0 0,0	0 0,0	20 2,3	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	73 2,5	0 0,0	0 0,0	0
8			9,9	14,5	13,1	12,0	- 1,7	16,6	8,6	23,2	19	3,0	31	0 0,0	0 0,0	0 0,0	47 2,1	0 0,0	0 0,0	1 3,0	0 0,0	0 0,0	45 2,5	0 0,0	0 0,0	0
9			7,8	10,4	9,7	8,7	- 1,3	12,0	6,8	21,8	6	0,9	30	0 0,0	0 0,0	0 0,0	19 2,1	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	71 2,6	0 0,0	0 0,0	0
10			3,8	7,5	6,1	5,6	- 0,1	9,4	3,0	14,0	24	- 3,6	23	0 0,0	0 0,0	0 0,0	59 2,5	0 0,0	0 0,0	5 2,2	0 0,0	0 0,0	29 2,3	0 0,0	0 0,0	0
11			0,8	1,9	1,1	1,1	- 1,3	3,8	- 1,0	9,5	4	- 8,0	14	0 0,0	0 0,0	0 0,0	40 2,4	0 0,0	0 0,0	6 2,0	0 0,0	0 0,0	44 2,3	0 0,0	0 0,0	0
12			- 1,9	- 0,8	- 1,5	- 1,5	- 1,6	1,8	- 4,0	10,2	5	-11,6	31	0 0,0	0 0,0	0 0,0	56 2,5	0 0,0	0 0,0	5 2,8	0 0,0	0 0,0	32 2,5	0 0,0	0 0,0	0
ÅR			2,8	5,8	4,7	4,1	- 1,6	7,9	1,2	25,9		-20,6		0 0,0	0 0,0	1 2,0	518 2,4	0 0,0	0 0,0	73 2,3	0 0,0	0 0,0	505 2,5	0 0,0	0 0,0	0
TAKLE																									1979
1			- 2,8	- 2,1	- 1,8	- 2,3	- 3,4	0,0	- 4,7	6,9	7	-15,6	1	0 0,0	0 0,0	0 4,3	12 3,4	2 2,5	5 2,2	2 3,0	46 2,1	7 2,3	0 0,0	0 0,0	0 0,0	11
2			- 1,6	0,3	- 0,9	- 1,0	- 1,9	1,2	- 3,7	5,0	18	-13,3	14	0 0,0	4 2,3	7 3,1	1 2,0	5 3,4	2 1,5	4 1,3	30 2,3	7 2,6	1 5,0	4 2,3	3 1,7	13
3			0,7	2,9	2,0	1,7	- 0,7	4,3	- 0,5	8,6	29	- 9,5	18	0 0,0	1 5,0	8 3,4	7 2,3	0 0,0	10 2,6	4 3,3	33 3,1	4 1,3	2 5,0	2 3,0	0 0,0	22
4			3,5	6,6	5,3	4,7	- 0,5	7,6	2,0	13,6	12	- 1,8	17	0 0,0	0 0,0	7 1,6	9 2,9	0 0,0	9 1,5	1 1,0	18 1,4	6 1,8	4 2,3	0 0,0	3 3,0	34
5			5,9	8,5	8,1	6,9	- 2,4	9,8	4,1	17,4	21	- 1,7	2	4 2,0	0 0,0	0 1,8	5 2,6	3 2,7	5 2,2	5 3,4	25 2,2	11 3,0	1 2,0	2 2,0	3 1,7	23
6			11,5	13,4	13,1	12,0	- 0,1	15,1	9,3	21,8	5	4,2	2	3 1,2	6 1,8	7 1,7	1 2,0	4 1,3	2 1,0	5 1,6	12 2,5	14 2,6	1 1,0	2 1,5	14 2,1	17
7			11,3	13,1	12,9	12,0	- 2,8	14,2	9,7	18,4	13	6,4	11	5 2,0	10 2,1	3 2,3	1 2,0	1 2,0	1 3,0	0 0,0	12 1,8	11 2,6	1 2,0	3 2,3	15 2,3	30
8			11,5	14,2	13,2	12,5	- 1,7	15,6	9,6	19,1	19	5,9	6	1 1,0	2 1,5	3 2,0	1 2,0	1 4,0	8 2,1	2 1,0	24 1,8	8 2,3	2 1,0	0 0,0	7 2,7	34
9			8,8	10,3	9,6	9,3	- 1,9	11,6	7,3	17,5	7	1,7	30	1 3,0	1 3,0	8 3,1	0 0,0	0 0,0	7 2,4	1 2,0	28 2,0	21 3,3	4 3,3	1 3,0	0 0,0	18
10			6,0	8,3	6,8	6,8	- 0,9	9,4	4,3	14,8	10	- 0,1	22	0 0,0	3 1,7	7 2,3	1 4,5	1 2,0	7 3,1	0 0,0	40 2,0	10 2,6	0 0,0	2 4,5	1 5,0	18
11			3,8	4,0	3,7	3,7	- 1,5	5,7	1,7	10,0	4	- 3,2	17	0 0,0	1 3,0	7 4,3	3 2,6	2 3,0	19 2,5	1 6,0	33 2,1	10 3,7	2 3,0	0 0,0	0 0,0	10
12			1,1	1,6	1,3	1,3	- 1,6	3,4	- 0,8	10,2	2	- 7,0	16	0 0,0	0 0,0	12 5,3	9 4,1	7 2,4	4 3,0	1 4,0	28 2,3	12 3,8	1 4,0	3 4,0	3 3,3	13
ÅR			5,0	6,8	6,1	5,6	- 1,7	8,2	3,2	21,8		-15,6		16 1,8	28 2,1	83 3,2	53 3,1	26 2,5	78 2,3	26 2,6	329 2,2	121 2,9	19 2,9	19 2,8	49 2,4	243
VANGSNES																									1979
1	1006,8	1013,6	- 3,8	- 3,5	- 3,6	- 3,7	- 3,6	- 2,5	- 5,2	5,5	7	-14,4	1	0 0,0	0 0,0	1 4,0	37 2,6	0 0,0	40 3,0	0 0,0	0 0,0	4 3,8	0 0,0	0 0,0	0 0,0	11
2	1007,8	1014,5	- 2,1	- 0,8	- 0,8	- 1,4	- 1,1	0,5	- 3,0	4,2	26	-10,0	15	0 0,0	2 2,5	0 0,0	26 3,6	0 0,0	26 2,1	0 0,0	8 2,5	7 3,3	0 0,0	0 0,0	0 0,0	15
3	992,8	998,4	0,9	2,4	1,7	1,5	- 0,2	3,7	- 0,5	9,0	29	- 9,0	18	0 0,0	0 0,0	0 0,0	23 3,1	0 0,0	33 2,8	0 0,0	0 0,0	14 3,5	3 4,3	0 0,0	0 0,0	20
4	1005,0	1011,5	4,3	6,6	5,9	5,2	0,2	7,8	3,1	11,5	12	- 0,4	30	2 1,0	0 0,0	0 0,0	17 2,7	0 0,0	33 3,0	0 0,0	0 0,0	13 2,6	2 3,0	0 0,0	0 0,0	23
5	1004,7	1011,3	6,7	8,8	8,3	7,4	- 2,6	10,4	4,8	16,5	31	0,0	2	0 0,0	0 0,0	0 0,0	3 3,7	0 0,0	25 3,1	0 0,0	3 1,3	25 2,6	2 2,5	0 0,0	1 2,0	34
6	1007,8	1014,2	12,5	14,9	14,8	13,4	- 0,4	17,2	10,8	23,0	5	7,0	2	0 0,0	0 0,0	0 0,0	6 2,0	0 0,0	16 2,4	0 0,0	0 0,0	33 3,3	12 3,8	0 0,0	1 3,0	22
7	1005,0	1011,4	12,4	14,0	14,1	13,0	- 2,5	15,8	11,0	21,4	13	8,0	3	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	6 3,3	3 0,0	1 5,0	56 3,4	18 3,0	0 0,0	0 0,0	12
8	1003,2	1009,6	12,2	14,7	14,1	13,2	- 1,4	16,3	10,6	19,0	2	7,0	27	0 0,0	0 0,0	0 0,0	2 3,0	0 0,0	20 2,6	0 0,0	0 0,0	32 2,7	2 2,5	0 0,0	3 4,0	34
9	1003,0	1009,5	8,3	10,2	9,9	8,9	- 2,0	11,0	7,5	15,5	6	2,0	30	0 0,0	0 0,0	0 0,0	1 3,0	0 0,0	24 2,4	0 0,0	0 0,0	21 3,0	18 2,7	0 0,0	1 2,0	25
10	1010,4	1017,0	5,8	7,5	6,1	6,4	- 0,4	8,2	4,8	12,5	11	0,6	23	0 0,0	0 0,0	0 0,0	11 2,9	0 0,0	52 3,6	0 0,0	0 0,0	5 2,4	3 5,0	0 0,0	1 3,0	21
11	997,3	1003,8	2,8	3,1	2,8	2,8	- 1,3	4,4	1,2	8,2	18	- 2,0	14	0 0,0	0 0,0	0 0,0	8 2,7	0 0,0	39 3,2	0 0,0	0 0,0	4 2,0	10 3,9	0 0,0	4 2,0	27
12	999,3	1008,0	- 0,1	- 0,1	- 0,4	- 0,4	- 2,2	1,3	- 2,0	10,2	5	- 7,0	16	0 0,0	0 0,0	0 0,0	23 3,5	0 0,0	31 3,2	0 0,0	0 0,0	4 3,5	17 3,5	0 0,0	1 2,0	17
ÅR	1003,5	1010,1	5,0	6,8	6,1	5,5	- 1,4	7,8	3,6	23,0		-14,4		2 1,0	2 2,5	1 4,0	155 3,0	0 0,0	345 3,0	0 0,0	4 2,2	219 3,0	94 3,3	0 0,0	12 2,7	361

+) Månedsmidler for juni interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅR	MIDLERE SKYDEKKE 07	13	19	ÅR	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TJ <=10	TX>= =25.	NEDBØR R>= 0,1	R>= 1,0	R>= 10,0.	VINDSTYRKE FX> =8B	FX> =8B	FX> =9B.	ANTALL DAGER MED: R	S	SL	YR	SH	H	IH	TJ	KV	OV	SO	TÅKE 07	13	19.
BERGEN - FREDRIKSBERG																																				1979
1	71	67	71	70	4,4	5,4	5,1	5,0	116	82	32,6	7	26	12	3	0	12	11	5	19	1	0	6	11	5	0	0	3	0	3	6	13	30	0	0	0
2	76	67	71	72	4,3	5,0	4,7	4,7	113	103	61,3	28	23	2	0	0	16	12	4	7	0	0	8	14	4	0	0	1	0	0	7	10	28	0	0	0
3	77	64	67	71	4,6	6,5	5,2	6,3	191	175	37,5	10	8	1	0	0	22	20	6	16	3	0	20	16	13	0	0	1	0	1	2	22	19	1	0	0
4	73	59	61	66	6,2	6,7	6,7	6,5	88	63	17,4	30	1	0	0	0	17	12	5	6	0	0	17	1	1	1	0	0	0	0	0	20	1	0	0	0
5	79	61	65	72	6,9	6,8	6,6	6,8	196	236	35,6	18	0	0	0	0	27	24	4	12	2	0	27	7	7	2	0	1	0	2	2	25	3	0	0	0
6	82	68	71	77	6,5	6,0	6,3	6,3	184	146	53,0	27	0	0	0	2	18	16	6	4	0	0	18	0	0	4	0	0	0	2	1	19	0	0	0	0
7	87	69	71	79	7,1	7,0	6,8	6,9	148	105	50,3	30	0	0	0	0	23	14	6	1	0	0	23	0	0	2	0	0	0	0	0	23	0	0	0	0
8	83	69	69	75	6,2	6,3	5,8	6,0	241	144	53,1	15	0	0	0	0	24	20	10	4	1	0	23	0	0	3	0	0	0	4	3	20	0	1	0	0
9	83	72	77	78	7,0	7,0	6,2	6,8	375	164	51,0	26	0	0	0	0	28	25	14	8	1	0	26	0	0	1	0	1	0	1	1	23	0	0	0	0
10	77	64	68	70	5,1	5,7	5,0	5,5	141	60	39,8	20	0	0	0	0	17	12	5	3	0	0	15	0	0	0	0	0	0	0	5	19	0	1	1	0
11	77	72	73	74	6,5	6,4	6,2	6,4	314	152	42,7	29	4	0	0	0	23	21	13	11	2	2	23	6	6	0	0	3	0	3	2	18	8	0	0	0
12	69	69	73	71	5,7	6,3	5,7	5,9	187	92	41,4	27	14	1	0	0	12	10	7	10	1	0	14	7	2	0	0	4	0	1	2	16	13	0	0	0
ÅR	78	67	70	73	6,1	6,3	6,0	6,1	2354	120	61,3		76	10	3	2	240	202	85	91	11	2	220	62	38	13	0	14	0	17	31	228	102	3	1	0
BERGEN - FLORIDA																																				1979
1	71	69	71	70	4,7	5,5	4,6	4,5					26	13	2	0				2	0	0				2	0	4	0	3	5	7	28	0	0	1
2	74	69	70	71	4,6	5,3	4,9	4,9					23	2	0	0				1	0	0				1	0	0	0	0	7	13	28	0	0	0
3	74	64	66	69	6,3	6,5	6,1	6,3					10	1	0	0				3	0	0				4	0	2	0	2	2	20	23	1	0	0
4	70	58	59	64	6,1	6,3	6,0	6,3					1	0	0	0				1	0	0				7	0	0	0	0	0	18	1	0	0	0
5	75	61	64	69	6,6	6,5	6,2	6,4					0	0	0	0				3	1	0				4	0	2	0	1	2	21	1	0	0	0
6	79	66	68	74	6,5	5,9	6,3	6,3					0	0	0	2				1	0	0				9	0	0	0	2	1	18	0	0	0	0
7	81	67	68	74	6,9	6,7	6,2	6,5					0	0	0	0				0	0	0				7	0	0	0	0	0	20	0	1	0	0
8	80	66	66	72	6,1	6,1	5,5	5,9					0	0	0	0				1	0	0				5	0	0	0	3	2	16	0	1	0	0
9	80	69	73	75	6,8	6,7	6,3	6,6					0	0	0	0				3	0	0				6	0	6	0	1	1	19	0	0	0	0
10	72	61	61	65	4,9	5,3	4,9	5,0					0	0	0	0				4	0	0				4	0	2	0	0	8	15	0	2	1	0
11	73	69	68	70	6,1	6,0	5,3	6,0					4	0	0	0				11	1	0				3	0	10	0	3	2	16	8	0	0	0
12	72	72	75	73	4,3	6,1	5,5	5,5					18	1	0	0				8	1	0				3	0	5	0	1	3	11	11	0	0	0
ÅR	75	66	67	71	5,8	6,1	5,3	5,9					82	17	2	2				47	3	0				55	0	31	0	16	33	194	100	5	1	1
HELLISØY FYR[*)]																																				1979
1	77	79	79	78	4,5	5,0	5,6	5,0	64	54	12,2	7	32	6	1	0	16	12	2	21	9	2	11	13	6	3	0	5	0	2	6	12		0	0	0
2	84	79	79	81	5,6	5,3	5,3	5,4	64	75	11,8	2	17	2	0	0	10	14	2	20	7	0	7	14	5	1	0	0	0	0	4	14		0	0	0
3	89	81	85	86	6,9	6,3	6,3	6,5	145	188	27,9	28	7	1	0	0	26	21	4	24	14	7	22	18	15	6	0	2	0	0	2	20		0	0	0
4	87	78	81	83	6,3	6,2	5,6	6,0	70	82	14,0	20	1	0	0	0	18	10	3	13	1	0	16	1	0	6	0	0	0	0	0	15		1	2	2
5	92	83	85	88	6,5	6,1	5,8	6,1	115	217	12,7	17	0	0	0	0	22	20	1	21	7	4	22	4	4	9	0	1	0	1	2	19		1	1	2
6	92	88	88	90	6,5	5,8	6,0	6,1	95	134	25,0	27	0	0	0	0	17	14	5	5	0	0	17	0	0	0	0	0	0	0	1	16		3	1	1
7	93	87	87	90	6,7	5,4	5,3	5,9	91	106	30,6	30	0	0	0	0	23	18	2	11	0	0	23	0	0	12	0	0	0	0	1	15		0	0	0
8	92	81	84	87	5,9	5,5	5,3	5,6	188	192	33,1	15	0	0	0	0	21	20	7	21	4	1	21	0	0	5	0	0	0	2	5	17		1	0	0
9	89	85	87	87	6,8	6,3	6,1	6,3	199	151	30,4	26	0	0	0	0	28	26	7	25	12	3	26	0	0	8	0	1	0	1	2	16		0	1	2
10	82	77	78	79	4,6	5,0	5,2	4,9	78	52	22,8	11	0	0	0	0	16	13	3	10	4	3	15	0	0	4	0	0	0	0	8	15		2	1	2
11	89	87	87	88	5,9	6,7	5,9	6,2	216	180	34,5	29	0	0	0	0	27	26	7	25	15	5	27	4	4	2	0	3	0	0	2	16		0	0	0
12	83	84	85	84	4,8	6,3	5,3	5,5	103	80	16,0	28	12	0	0	0	21	18	4	23	13	6	17	9	4	0	0	1	0	0	3	10		1	0	0
ÅR	87	82	84	85	5,9	5,8	5,7	5,8	1428	117	34,5		99	9	1	0	251	209	47	225	80	31	228	63	38	56	0	13	0	6	36	185		9	6	9
MODALEN																																				1979
1	89	88	89	89	3,5	4,1	3,9	3,8	156	58	35,0	7	30	23	17	0	12	11	6	0	0	0	3	12	1	0	0	0	0	1	10	9	31	0	0	0
2	89	90	86	86	4,5	4,8	4,7	4,7	141	66	47,0	28	27	14	9	0	16	15	4	0	0	0	4	16	2	2	0	0	0	0	8	12	28	0	0	0
3	82	70	74	77	6,1	5,6	5,9	5,9	321	199	80,0	3	20	2	2	0	22	18	8	2	0	0	15	17	8	1	0	0	0	0	3	18	31	0	0	0
4	82	63	69	74	5,0	5,7	5,3	5,4	75	41	25,9	30	6	0	0	0	13	6	3	0	0	0	13	2	2	0	0	0	0	0	2	14	21	0	0	0
5	85	69	69	77	6,1	6,0	6,0	6,0	250	238	40,2	15	6	0	0	0	26	26	12	1	0	0	24	9	6	1	0	0	0	2	2	19	2	0	0	0
6	84	68	72	79	5,8	5,4	5,4	5,5	140	94	45,8	27	0	0	0	2	17	13	4	0	0	0	17	0	0	6	0	0	0	0	4	18	0	0	0	0
7	93	74	76	84	6,6	6,1	5,8	6,2	115	78	23,7	30	0	0	0	0	20	16	3	1	0	0	20	0	0	7	0	0	0	0	3	19	0	1	0	0
8	94	73	80	86	6,2	6,1	5,8	6,0	245	142	53,4	15	0	0	0	0	23	18	9	1	0	0	23	0	0	1	0	0	0	0	2	18	0	2	0	0
9	92	87	88	87	7,1	7,1	6,5	6,9	573	215	92,9	26	1	0	0	0	27	25	18	0	0	0	27	0	0	2	0	1	0	1	1	22	0	3	0	1
10	86	70	76	79	4,3	4,9	4,1	4,3	175	55	46,8	20	8	0	0	0	12	10	7	1	0	0	12	0	0	1	0	0	0	0	11	13	0	2	0	1
11	92	87	89	90	6,8	6,3	6,3	6,5	461	168	82,5	4	14	2	0	0	23	21	14	0	0	0	18	13	7	2	0	0	0	0	2	21	20	0	0	0
12	84	77	80	81	4,8	5,4	4,7	5,0	272	88	43,6	2	23	11	3	0	20	16	9	3	0	0	9	14	3	0	0	0	0	0	5	12	23	0	0	0
ÅR	88	75	79	82	5,6	5,6	5,4	5,5	2924	114	92,9		135	52	31	2	231	195	97	9	0	0	185	83	29	23	0	1	0	4	53	193	156	8	0	2
TAKLE																																				1979
1	83	82	81	82	4,9	5,2	5,3	5,2	168	61	51,9	7	27	13	3	0	13	12	6	4	0	0	7	13	7	0	0	2	0	0	7	14	25	0	0	0
2	83	76	78	80	5,1	4,4	4,3	4,7	165	70	45,3	28	24	6	2	0	15	15	7	3	0	0	4	12	1	0	0	0	0	0	5	9	28	0	0	0
3	85	76	79	81	6,2	5,6	6,1	6,0	334	182	67,3	3	12	1	0	0	23	19	12	5	2	0	18	16	11	0	0	0	0	0	3	16	24	0	0	0
4	85	72	78	81	5,7	6,0	5,6	5,8	99	46	30,3	30	6	0	0	0	14	9	2	0	0	0	14	1	0	1	0	0	0	0	1	14	1	0	0	0
5	88	76	76	82	6,4	6,3	5,8	6,2	254	229	29,8	18	4	0	0	0	28	23	10	2	0	0	28	7	7	1	0	0	0	0	2	18	0	0	0	0
6	87	81	82	85	6,2	5,6	5,8	5,9	152	100	66,8	27	0	0	0	0	18	14	4	0	0	0	17	0	0	4	0	0	0	0	1	17	0	1	1	0
7	90	83	84	87	6,6	6,3	6,3	6,4	114	83	25,2	30	0	0	0	0	21	14	4	0	0	0	21	0	0	8	0	0	0	0	0	20	0	1	0	0
8	90	79	83	86	6,0	6,0	5,6	5,9	234	161	63,6	30	0	0	0	0	21	20	9	1	0	0	21	0	0	1	0	0	0	0	1	18	0	0	1	1
9	90	85	89	88	6,7	6,8	6,6	6,7	639	224	97,3	26	0	0	0	0	27	27	19	6	1	0	27	0	0	0	0	2	0	0	1	21	0	0	0	1
10	83	76	80	81	4,5	4,5	4,5	4,5	178	51	45,7	20	1	0	0	0	15	10	6	2	0	0	15	0	0	2	0	1	0	0	8	14	0	0	0	0
11	84	84	85	84	6,5	6,0	5,9	6,1	468	156	88,8	29	7	0	0	0	23	20	15	8	3	0	22	6	5	1	0	0	0	1	2	18	7	0	0	0
12	81	79	81	80	5,0	5,4	5,1	5,2	340	99	63,4	5	19	3	0	0	20	17	9	13	3	1	14	9	3	1	0	2	0	2	4	12	10	0	0	0
ÅR	86	79	81	83	5,8	5,7	5,6	5,7	3195	116	97,3		100	23	5	0	238	200	103	44	9	1	208	64	34	19	0	7	0	4	35	191	95	1	2	2
VANGSNES																																				1979
1	77	77	78	77	4,3	4,9	4,4	4,4	59	64	17,9	8	30	22	4	0	11	7	2	2	0	0	5	11	4	0	0	0	0	0	8	11	26	0	0	0
2	76	76	73	75	4,1	4,6	4,2	4,3	16	23	7,0	28	23	9	0	0	9	5	0	4	0	0	2	8	1	0	0	0	0	0	9	8	28	0	0	0
3	73	72	72	72	6,0	6,0	6,2	6,1	94	177	26,2	3	11	2	0	0	13	11	3	1	0	0	11	9	6	0	0	0	0	0	4	20	5	0	0	0
4	73	67	69	71	5,7	5,6	5,7	5,7	32	56	19,8	20	1	0	0	0	9	6	1	0	0	0	9	1	0	0	0	0	0	0	2	14	0	0	0	0
5	79	71	69	74	5,1	6,4	5,9	6,1	82	205	14,8	15	0	0	0	0	16	15	3	0	0	0	16	0	0	0	0	0	0	0	2	17	0	0	0	0
6	85	75	71	78	5,6	5,2	5,6	5,5	45	71	12,4	29	0	0	0	0	14	11	1	1	0	0	14	0	0	0	0	0	0	0	4	15	0	0	0	0
7	85	77	75	80	6,0	5,8	5,3	5,8	59	88	11,2	18	0	0	0	0	17	13	1	0	0	0	17	0	0	0	0	0	0	0	3	16	0	0	0	0
8	88	80	78	83	5,9	5,7	5,4	5,7	124	159	27,5	15	0	0	0	0	22	16	4	0	0	0	18	0	0	0	0	0	0	0	3	15	0	0	0	0
9	90	84	86	87	6,8	6,9	6,7	6,8	249	231	29,2	19	0	0	0	0	25	23	11	0	0	0	25	0	0	0	0	0	0	0	1	22	0	0	0	0
10	78	74	74	76	4,2	4,5	4,1	4,3	75	63	20,5	20	0	0	0	0	10	9	3	0	0	0	10	0	0	0	0	0	0	0	10	11	0	0	0	0
11	81	81	79	80	6,3	6,4	5,8	6,1	173	188	36,6	29	6	1	0	0	18	15	7	5	0	0	17	4	3	0	0	0	0	0	2	18	0	0	0	0
12	78	78	77	78	4,7	5,3	4,3	4,8	113	115	19,0	3	20	13	0	0	15	13	5	6	0	0	11	6	0	0	0	0	0	0	7	13	25	0	0	0
ÅR	80	76	75	78	5,4	5,6	5,3	5,5	1121	120	36,6		91	47	4	0	179	144	61	23	0	0	155	39	14	0	0	0	0	0	55	180	84	0	0	0

MD.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK RO1	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT.	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
FJÆRLAND - SKAREST AD																									1979
1			- 8,9	- 8,4	9,0	- 8,9	- 9,3	- 6,2	-12,2	5,4	7	-24,6	1	1 1,0	0 0,0	1 1,0	4 1,0	2 1,0	3 1,7	0 0,0	1 2,0	2 1,5	4 1,0	2 1,0	0 0,0	71
2			- 9,2	- 9,6	- 9,0	- 9,2	- 2,0	- 1,4	- 9,4	4,6	26	-21,0	14	2 1,5	0 0,0	4 1,0	7 1,6	0 0,0	3 1,7	0 0,0	2 2,0	2 2,0	1 3,0	8 1,1	2 1,0	53
3			- 1,2	2,6	3,3	3,4	0,7	4,0	- 2,6	10,8	29	-16,7	18	0 0,0	0 0,0	2 1,0	7 1,1	0 0,0	5 2,8	0 0,0	5 2,2	4 2,5	8 2,1	11 1,5	0 0,0	44
4			1,2	7,2	4,3	3,9	- 0,4	8,3	0,3	11,5	27	- 4,5	18	1 2,0	0 0,0	10 1,2	11 1,4	4 1,5	5 1,4	2 2,0	3 1,3	2 2,0	2 1,0	11 1,3	1 1,0	38
5			4,2	9,6	8,7	7,9	- 2,9	11,7	3,2	20,8	31	- 3,2	9	1 1,0	1 1,0	11 1,2	4 1,8	7 1,7	5 2,2	2 1,5	10 1,7	5 1,2	5 1,2	8 1,3	3 1,0	31
6			10,9	14,8	13,6	13,5	3,0	19,1	8,8	26,2	5	4,5	11	0 0,0	0 0,0	7 1,4	1 1,0	4 2,0	1 1,0	1 1,0	16 1,5	4 1,5	6 1,6	9 1,6	0 0,0	41
7			10,2	15,6	14,3	12,9	- 2,3	17,5	9,1	24,4	13	5,0	2	0 0,0	0 0,0	5 1,0	2 1,5	1 1,0	3 1,7	3 1,0	22 1,4	7 1,1	4 1,5	7 1,3	0 0,0	39
8			10,1	15,4	13,7	12,5	- 1,3	17,0	8,7	22,9	19	2,7	28	0 0,0	0 0,0	9 1,3	3 1,3	2 1,5	2 1,5	2 1,5	11 1,2	6 1,5	3 1,7	13 1,7	0 0,0	42
9			7,0	9,8	8,4	8,2	- 1,5	11,0	6,3	19,3	6	- 1,3	30	0 0,0	4 1,0	3 1,1	3 1,0	1 1,0	4 1,0	0 0,0	2 1,5	11 1,5	3 1,0	12 1,1	0 0,0	46
10			2,4	6,8	4,3	4,2	- 1,0	8,1	1,3	12,6	12	- 4,1	4	0 0,0	1 2,0	17 1,2	9 1,5	2 1,0	10 1,7	1 1,0	1 1,0	4 1,0	1 2,0	4 1,3	1 1,0	48
11			3,4	1,4	3,6	3,7	- 1,1	3,0	- 1,5	9,2	18	-10,5	16	2 1,0	6 1,3	13 1,1	5 1,5	4 1,5	2 1,5	0 0,0	4 2,5	8 1,3	3 1,3	4 1,0	0 0,0	41
12			- 3,5	- 3,6	- 3,9	- 3,8	- 3,0	- 0,7	- 6,5	9,6	5	-15,7	31	0 0,0	0 0,0	11 1,1	11 1,5	3 2,4	0 0,0	0 0,0	4 2,8	3 3,7	3 2,7	10 1,0	0 0,0	43
ÅR			2,2	5,8	4,1	3,8	- 1,0	7,8	0,5	26,2		-24,6		7 1,3	10 1,1	103 1,2	67 1,4	33 1,7	43 1,8	11 1,4	81 1,6	55 1,6	42 1,6	99 1,3	7 1,0	537
LÆRDAL - TØNJUM																									1979
1	1003,9	1014,5	- 7,9	- 7,3	- 8,2	- 8,0	- 9,3	- 4,9	-10,8	8,5	7	-20,7	1	0 0,0	0 0,0	1 1,0	18 1,2	25 1,5	28 2,1	8 2,3	4 1,8	0 0,0	0 0,0	1 1,0	5 1,8	6
2	1013,3	1014,9	- 8,0	- 4,1	- 4,7	- 5,2	- 2,0	- 1,6	- 8,2	5,4	26	-14,1	15	2 2,5	1 3,0	1 1,0	11 1,3	18 1,5	19 2,3	3 3,0	0 0,0	0 0,0	3 2,0	3 1,3	14 2,6	9
3	995,2	996,6	0,3	3,6	2,3	2,0	1,1	5,1	0,8	10,7	29	-12,1	18	3 1,3	0 0,0	4 1,8	7 2,1	13 1,1	25 3,5	7 3,4	2 2,5	0 0,0	2 2,0	8 2,4	18 2,7	4
4	1008,9	1011,3	3,3	8,0	7,0	5,8	0,0	9,4	2,3	15,8	12	- 2,1	18	10 2,9	3 3,0	2 1,5	7 1,9	4 2,8	24 3,3	1 4,0	1 2,0	0 0,0	3 1,7	9 1,8	25 2,9	4
5	1006,5	1010,9	9,3	10,9	9,8	9,1	2,1	12,8	4,4	19,6	31	- 1,8	2	13 3,2	1 3,0	0 0,0	7 1,7	3 1,1	12 3,8	4 4,3	0 0,0	0 0,0	1 3,0	10 2,8	25 3,4	6
6	1009,4	1013,7	11,7	17,1	16,3	14,1	3,8	19,9	9,8	28,0	21	5,5	11	12 3,1	0 0,0	3 1,0	13 3,2	4 1,8	4 2,5	2 2,5	0 0,0	3 2,7	3 1,7	10 2,0	29 3,2	10
7	1006,2	1010,5	11,6	16,1	15,3	13,5	2,2	18,4	10,0	23,7	13	5,9	25	25 3,4	1 1,0	1 1,0	13 1,0	4 2,0	2 3,0	1 3,0	2 2,0	0 0,0	0 0,0	18 1,9	27 2,8	4
8	1001,9	1009,2	10,8	16,1	14,8	13,0	1,0	17,9	9,2	23,5	19	3,2	28	8 3,0	1 2,0	1 1,0	11 1,1	13 1,2	16 3,1	2 5,0	0 0,0	0 0,0	3 2,0	8 1,8	23 2,7	10
9	1001,7	1009,1	7,4	11,2	9,3	8,8	- 1,7	12,8	6,3	22,2	7	- 0,4	30	10 3,1	2 2,5	0 0,0	3 1,3	3 1,0	3 2,0	2 1,5	0 0,0	0 0,0	3 2,0	8 2,3	31 2,8	5
10	1013,2	1017,7	3,4	6,2	4,3	4,3	- 1,4	7,7	1,6	13,6	11	- 4,9	24	8 2,5	0 0,0	0 0,0	6 1,0	13 2,6	29 3,2	3 1,7	0 0,0	1 2,0	2 1,5	4 1,3	12 2,9	15
11	997,6	1004,0	1,1	2,2	1,1	1,3	- 1,0	4,0	- 1,2	10,2	4	- 8,8	15	7 3,1	1 5,0	2 1,5	15 2,1	10 2,3	17 2,5	4 3,8	2 3,0	1 2,0	3 2,3	3 1,7	12 2,3	13
12	1000,9	1005,4	- 3,0	- 2,5	- 2,7	- 2,9	- 2,9	0,4	- 5,4	11,2	5	-12,2	13	1 1,0	0 0,0	1 1,0	12 1,8	13 1,5	17 3,9	6 4,0	2 3,5	1 4,0	2 3,5	9 2,6	11 2,3	18
ÅR	1005,6	1010,1	3,3	6,5	5,4	4,5	- 1,0	8,5	1,4	28,0		-20,7		111 3,1	7 2,7	76 1,8	123 1,6	131 2,1	193 3,0	43 3,2	13 2,4	6 2,7	25 2,1	91 2,1	232 2,8	104
LEIKANGER																									1979
1			- 3,1	- 4,4	- 5,1	- 3,1	- 4,3	- 2,9	- 7,6	6,6	7	-17,3	1	5 1,0	22 1,1	3 1,0	17 1,1	4 1,0	4 1,0	1 2,0	2 1,5	1 2,0	0 0,0	0 0,0	0 0,0	28
2			- 2,9	- 1,0	- 1,4	- 2,0	- 1,4	0,8	- 4,4	5,2	26	-12,1	14	6 1,0	13 1,1	13 1,5	21 1,3	3 1,3	1 1,0	3 1,7	2 1,5	3 4,7	1 1,0	1 1,0	2 1,5	15
3			1,3	2,8	1,7	1,7	0,0	4,2	- 0,4	10,5	29	-11,2	18	7 1,0	23 1,3	7 1,0	14 1,4	2 1,5	4 1,3	6 1,2	3 1,3	5 1,8	3 1,3	0 0,0	3 1,3	17
4			4,8	7,3	6,5	5,6	0,1	8,9	3,2	15,1	12	- 0,5	18	8 1,9	7 1,0	2 1,5	10 1,3	4 1,5	11 1,3	10 1,1	2 1,0	3 1,0	5 1,4	0 0,0	4 1,5	24
5			7,0	9,3	8,2	7,6	- 2,8	11,3	4,9	19,2	31	- 0,1	3	4 2,5	12 1,8	1 4,0	3 1,2	1 1,0	3 2,0	9 1,8	7 1,1	14 1,5	10 1,1	3 1,0	2 1,0	22
6			13,3	16,0	14,1	14,1	3,5	18,7	10,9	24,1	21	6,6	2	3 1,7	4 2,3	1 1,0	3 1,0	0 0,0	11 1,9	13 1,9	9 2,4	11 2,7	10 1,9	4 2,8	2 1,5	16
7			12,7	14,7	13,3	13,4	2,6	17,4	10,7	23,0	13	6,0	15	5 1,8	4 1,3	2 1,0	4 2,5	2 1,0	4 1,8	10 1,2	15 2,5	19 2,5	9 2,1	4 2,8	7 1,4	9
8			12,3	15,0	14,3	13,2	1,7	17,2	10,1	21,9	19	6,3	31	6 2,7	11 1,3	3 1,0	6 1,2	3 2,0	10 1,3	10 1,7	6 1,8	12 2,6	5 1,8	2 2,5	1 1,0	14
9			8,6	10,4	9,3	9,0	- 2,0	11,5	7,3	16,0	6	1,0	30	2 2,0	18 1,3	14 1,4	12 1,5	4 2,0	4 1,3	5 1,4	10 1,9	7 3,6	3 2,0	1 2,0	3 1,3	7
10			5,1	7,4	6,2	6,0	- 0,6	8,9	3,9	14,4	11	- 1,2	4	3 1,3	16 2,1	10 2,1	9 1,0	6 2,0	6 1,8	11 1,7	0 0,0	3 3,0	0 0,0	3 2,3	2 2,0	28
11			2,4	3,1	2,3	2,3	- 1,2	4,5	0,7	9,0	18	- 4,3	15	7 2,1	16 1,2	5 2,2	11 1,6	5 1,6	6 1,3	5 1,8	3 4,0	3 3,0	1 3,0	1 1,0	2 1,5	25
12			- 1,3	- 0,8	- 1,0	- 1,1	- 2,3	1,1	- 3,2	9,7	5	- 9,6	12	7 4,1	31 2,1	15 1,7	13 1,9	4 1,8	0 0,0	4 1,3	1 3,0	3 2,7	1 2,0	1 1,0	1 1,0	15
ÅR			4,6	6,7	5,2	5,4	- 1,0	8,5	3,0	24,1		-17,3		63 2,0	175 1,6	87 1,5	114 1,5	43 1,6	64 1,6	87 1,5	60 2,1	84 2,5	48 1,7	20 2,1	29 1,4	220
BJØRKEHAUG I JOSTEDAL																									1979
1			-10,1	- 9,0	- 9,4	- 9,6	- 4,8	- 7,5	-12,6	5,0	7	-25,8	1	0 0,0	0 0,0	0 0,0	4 3,3	12 3,3	34 2,9	8 2,2	7 2,9	8 2,9	13 3,0	4 3,3	3 3,3	0
2			- 7,6	- 5,4	- 6,2	- 6,7	- 2,0	- 3,0	- 9,7	4,0	26	-17,5	15	1 3,0	0 0,0	0 0,0	1 3,0	1 4,0	24 2,8	9 2,7	13 2,6	4 3,0	12 3,3	10 3,2	9 3,0	0
3			- 2,8	- 3,2	- 1,8	- 1,7	3,3	1,7	- 4,5	7,3	29	-17,3	18	0 0,0	0 0,0	3 4,0	1 3,0	1 3,0	27 2,6	17 2,5	10 3,0	8 2,9	13 3,5	9 3,6	4 3,3	0
4			0,9	4,2	3,0	2,2	- 0,1	6,1	- 0,3	10,4	12	- 5,0	19	1 4,0	1 3,0	0 0,0	3 3,2	2o 2,5	11 2,3	28 2,6	5 2,6	9 2,9	0 0,0	4 4,3	0
5			5,8	8,7	6,1	5,3	- 2,6	9,2	2,0	16,0	31	- 3,0	8	1 4,0	0 0,0	0 0,0	0 0,0	0 0,0	22 2,6	10 2,7	18 2,7	12 3,0	21 3,0	5 3,4	4 4,0	0
6			10,5	13,6	11,9	12,6	0,8	18,0	8,5	26,0	21	4,5	30	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	13 2,1	19 2,0	13 1,8	16 2,4	20 2,5	9 2,8	4 3,5	0
7			10,2	14,1	14,3	12,9	2,3	17,0	8,6	21,8	28	4,5	2	2 2,0	0 0,0	0 0,0	0 0,0	0 0,0	1 2,0	15 1,5	7 1,3	23 1,3	4 1,5	26 2,0	10 2,4	5 2,8	0
8			9,7	13,4	12,4	11,5	1,9	15,4	8,4	19,5	14	3,6	31	1 3,0	0 0,0	0 0,0	0 0,0	0 0,0	3 2,7	16 1,5	19 1,4	10 1,3	13 1,3	21 1,7	6 2,3	4 3,0	0
9			5,6	9,1	7,2	6,9	- 1,9	10,3	4,7	20,0	6	0,8	15	4 2,8	2 2,0	0 0,0	2 2,0	0 0,0	15 2,3	12 2,4	14 1,9	10 1,9	21 2,3	8 2,5	2 3,0	0
10			1,7	6,3	4,0	3,7	- 3,1	7,1	0,8	12,5	12	- 4,5	23	0 0,0	0 0,0	0 0,0	5 2,2	39 2,1	14 1,7	16 1,8	7 2,1	10 2,2	2 2,5	0 0,0	0
11			- 1,8	- 0,3	- 1,1	- 1,3	- 1,5	0,7	- 3,5	4,6	23	- 9,1	16	0 0,0	0 0,0	0 0,0	0 0,0	1 2,0	8 2,3	10 2,1	28 2,1	11 2,5	19 2,6	10 3,0	3 3,7	0
12			- 6,1	- 5,2	- 6,1	- 6,0	- 3,1	- 3,7	- 8,4	6,5	2	-16,0	16	0 0,0	0 0,0	0 0,0	2 3,5	7 2,9	19 2,8	12 2,2	15 2,5	3 3,7	16 3,1	11 2,8	8 3,5	0
ÅR			1,1	4,1	3,2	2,4	- 1,6	5,9	- 0,5	26,0		-25,5		10 3,1	3 2,3	3 4,0	10 3,0	36 2,9	258 2,4	144 2,2	195 2,2	101 2,4	201 2,6	84 2,9	90 3,4	0
PORTUN																									1979
1	1010,8	1014,6	-12,2	-11,3	-11,7	-12,0	- 6,9	- 9,3	-14,7	1,1	7	-26,3	1	6 1,0	73 1,0	16 1,1	0 0,0	0 0,0	1 1,0	1 1,0	3 1,0	0 0,0	1 1,0	0 0,0	8 1,1	34
2	1011,4	1015,2	- 9,7	- 7,9	- 7,8	- 8,7	- 3,6	- 5,5	-11,6	3,3	26	-18,6	17	6 1,0	16 1,0	8 1,0	3 1,0	2 1,0	1 1,0	3 1,0	0 0,0	3 1,0	2 1,0	1 1,0	3 1,0	34
3	998,1	999,7	- 1,2	2,1	0,8	0,3	1,3	4,2	- 2,5	9,7	29	-14,0	18	6 1,3	8 1,3	7 1,1	8 1,3	2 1,0	7 2,0	16 1,6	2 1,0	4 1,0	3 1,7	2 2,0	7 2,3	21
4	1003,0	1011,6	1,5	7,8	5,8	4,3	0,1	9,2	0,4	14,8	12	- 3,2	18	7 1,9	6 1,3	4 1,3	3 1,7	2 1,0	4 2,0	9 1,7	14 1,2	2 2,0	1 1,0	2 1,5	6 1,0	30
5	1007,5	1011,0	4,9	10,6	9,1	7,3	- 2,3	12,5	3,2	18,6	31	- 3,2	8	8 1,0	4 1,3	4 1,5	3 0,0	0 0,0	9 1,9	20 1,6	15 ,7	8 1,3	3 2,0	2 3,0	4 1,0	16
6	1011,3	1013,7	13,1	17,7	15,9	15,2	3,6	20,2	8,0	27,2	21	4,7	3	2 1,0	12 1,3	7 1,3	2 1,0	0 0,0	2 1,5	21 1,7	12 1,3	7 2,0	2 4,0	0 0,0	3 1,0	20
7	1007,0	1010,4	11,1	16,0	15,3	13,2	1,6	18,6	9,3	24,0	13	5,2	3	2 1,0	5 1,0	4 1,3	0 0,0	1 2,0	7 1,7	27 1,2	16 1,1	4 1,5	2 1,0	1 1,0	2 2,5	22
8	1005,9	1009,4	10,0	15,7	13,7	12,4	1,3	17,9	8,6	23,5	19	3,1	28	4 1,0	10 1,2	6 1,3	0 0,0	0 0,0	3 2,7	25 1,3	11 1,5	5 1,0	3 1,0	2 2,0	2 2,0	22
9	1005,0	1009,1	9,7	10,7	9,1	9,2	- 1,2	11,7	6,0	20,5	6	- 0,5	30	6 1,0	10 1,1	3 1,0	0 0,0	1 1,0	11 1,7	13 1,0	16 1,1	8 1,0	2 1,0	3 1,0	2 1,0	10
10	1014,2	1017,8	1,1	3,9	2,7	2,4	- 2,1	6,0	0,4	10,8	15	- 5,2	27	9 1,0	15 1,1	6 1,3	1 1,0	0 0,0	5 1,0	5 1,0	3 1,0	7 1,0	4 1,0	1 1,0	6 1,9	29
11	1003,9	1004,2	- 0,2	0,9	0,0	0,1	- 0,4	2,1	- 1,9	9,0	18	- 8,7	16	11 1,0	9 1,3	3 1,3	3 1,3	0 0,0	2 1,0	11 1,2	4 1,5	3 1,0	4 1,3	1 1,0	7 1,0	27
12	1002,1	1005,8	- 3,9	- 3,7	- 3,9	- 3,8	- 3,6	- 3,1	- 8,0	8,5	5	-15,5	18	6 1,2	13 1,1	15 1,0	1 1,0	0 0,0	7 2,7	3 1,0	4 1,0	2 1,0	2 1,0	3 1,3	7 1,0	30
ÅR	1006,6	1010,2	1,4	5,0	3,7	2,9	- 1,7	7,0	- 0,2	27,2		-26,3		73 1,1	133 1,1	93 1,2	21 1,3	3 1,1	59 1,8	154 1,4	100 1,3	53 1,3	29 1,4	18 1,6	59 1,4	295
FØRDE I SUNNFJORD II																									1979
1	1005,9	1011,8	- 0,7	- 5,6	- 5,1	- 5,9	- 4,9	- 2,2	- 8,9	6,9	7	-20,6	1	0 0,0	0 0,0	2 1,0	18 1,1	17 1,4	13 1,7	0 0,0	2 1,5	4 2,3	0 0,0	0 0,0	0 0,0	37
2	1007,9	1013,7	- 3,1	- 2,3	- 2,4	- 3,5	- 2,6	0,7	- 7,3	6,2	18	-19,9	14	0 0,0	0 0,0	3 1,3	7 1,1	8 1,6	10 1,6	1 1,0	9 1,6	0 0,0	0 0,0	4 1,0	3 1,3	36
3	992,2	997,9	- 0,2	3,5	3,0	1,8	0,2	5,4	- 1,6	11,3	29	-13,7	18	0 0,0	0 0,0	1 1,0	7 2,0	8 2,4	23 2,3	4 2,0	9 2,7	2 3,0	7 3,9	0 0,0	0 0,0	32
4	1005,0	1010,6	1,0	8,1	7,4	5,0	0,1	9,6	0,7	16,6	11	- 3,0	8	0 0,0	1 1,0	0 0,0	5 1,0	17 2,1	9 1,9	1 1,0	6 1,2	6 1,7	2 1,5	3 2,3	2 1,5	38
5	1004,7	1010,3	4,8	9,5	9,2	7,1	- 2,1	11,5	3,4	21,4	31	- 3,6	2	0 0,0	0 0,0	0 0,0	5 1,8	12 2,4	18 1,9	2 1,5	10 1,3	9 1,3	7 1,4	6 2,0	2 1,0	22
6	1008,3	1013,8	11,2	15,5	15,0	12,9	0,7	18,0	9,1	25,8	5	5,0	2	0 0,0	0 0,0	0 0,0	3 2,7	5 2,4	11 1,6	0 0,0	7 1,1	12 1,6	19 2,4	2 2,5	3 2,3	28
7	1005,8	1011,3	10,7	14,4	14,5	12,3	2,3	16,6	9,5	23,3	13	5,3	11	0 0,0	1 2,0	0 0,0	0 0,0	0 0,0	9 1,2	1 1,0	2 1,0	11 1,5	22 2,0	12 2,5	5 2,0	30
8	1003,7	1009,2	10,3	15,0	14,7	12,8	- 1,2	17,4	9,3	24,4	19	4,8	31	0 0,0	0 0,0	0 0,0	0 0,0	3 3,0	11 1,6	1 3,0	8 1,6	6 1,7	13 2,0	9 2,1	7 2,1	35
9	1003,1	1008,7	7,8	10,4	9,3	9,0	- 1,8	12,6	6,5	25,1	6	- 0,4	30	0 0,0	0 0,0	0 0,0	0 0,0	3 1,3	14 2,1	2 2,3	14 2,2	4 3,0	10 2,3	4 1,5	4 2,0	35
10	1003,6	1015,5	4,6	8,3	7,1	5,4	- 0,3	10,6	2,8	15,8	24	- 3,6	4	0 0,0	0 0,0	0 0,0	12 1,5	14 3,5	8 2,9	2 1,5	3 1,3	3 1,7	3 3,3	3 2,3	2 1,8	43
11	993,7	1002,4	2,1	3,2	2,2	2,4	- 0,6	5,0	0,0	9,2	23	- 7,6	16	0 0,0	0 0,0	0 0,0	9 1,2	9 2,7	19 2,3	2 2,0	7 1,4	10 2,8	4 1,0	2 2,5	0 0,0	26
12	997,4	1003,1	- 1,4	- 0,9	- 1,3	- 1,3	- 2,0	1,7	- 4,4	10,2	5	-12,3	12	0 0,0	1 1,0	0 0,0	17 1,2	6 2,2	19 3,4	4 3,5	6 2,0	9 2,9	3 2,0	1 4,0	1 1,0	86
ÅR	1003,4	1009,0	3,3	6,6	5,2	4,9	- 1,5	8,9	1,6	25,8		-20,6		3 1,0	6 1,2	6 1,2	83 1,4	102 2,3	164 2,1	20 2,1	83 1,7	76 2,0	90 2,2	46 2,1	29 1,8	390

ÅRSOVERSIKTER

ANNUAL SUMMARIES

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	GN.	MIDLERE SKYDEKKE 07	13	19	GN.	NEDBØR SUM	%	MAX DT.	LUFTTEMPERATUR TA <0	TX <0	TN <=10	TX> =25.	NEDBØR Rda 0.1	Rda 1.0	Rda 10.0.	VINDSTYRKE FX> =68	FX> =88	FX> =98.	ANTALL DAGER MED: R	S	SL	YR	SH	H	IH	TO	KV	OV	SO	TÅKE 07	13	19.
FJÆRLAND - SKÅRESTAD																																			1979
1	93	93	93	93	4,1	4,3	4,5	4,4	136	70	38,5 9	31	27	22	0	13	10	4	0	0	0	2	13	1	0	0	0	0	0	7	9	31	0	0	0
2	90	83	89	88	4,3	4,2	4,3	4,3	95	54	17,7 8	28	19	12	0	15	15	4	0	0	0	1	15	0	0	0	0	0	0	7	9	28	0	0	0
3	91	71	82	83	6,1	5,6	6,0	5,9	185	162	49,3 3	17	3	4	0	20	16	6	0	0	0	14	15	6	0	0	0	0	0	4	18	31	0	0	0
4	92	64	77	80	6,1	5,4	5,2	5,2	42	38	12,8 20	10	0	0	0	12	5	2	0	0	0	11	2	0	2	0	0	0	0	0	7	30	0	0	0
5	95	86	91	81	5,3	5,2	5,3	5,8	121	189	16,6 15	7	0	0	0	21	18	4	0	0	0	24	3	2	2	0	0	0	0	2	16	0	0	0	0
6	92	70	72	81	4,6	4,3	4,7	4,5	77	85	16,4 25	0	0	0	1	11	12	3	0	0	0	14	0	0	0	0	0	0	1	4	11	0	0	0	0
7	98	76	79	86	5,9	5,6	5,1	5,5	70	71	11,8 3	0	0	0	0	23	16	1	0	0	0	23	0	0	0	0	0	0	0	2	12	0	0	0	0
8	97	77	84	88	5,5	5,6	4,8	5,3	215	190	66,8 15	0	0	0	0	17	16	6	0	0	0	17	0	0	0	0	0	0	0	2	12	0	0	0	0
9	97	86	95	93	6,3	6,8	6,3	6,8	399	225	50,2 19	1	0	0	0	27	24	12	0	0	0	27	0	0	0	0	0	0	0	1	23	0	0	0	0
10	91	77	88	86	4,1	4,3	4,2	4,2	136	61	46,5 20	13	0	0	0	13	10	6	0	0	0	13	0	0	0	0	0	0	0	9	10	0	0	0	0
11	90	89	90	89	6,0	6,1	6,3	6,1	276	159	35,0 29	13	6	1	0	21	18	11	0	0	0	18	9	6	0	0	1	0	0	2	19	21	0	0	0
12	86	86	87	87	3,9	4,3	3,9	4,0	222	113	45,5 5	23	17	12	0	17	16	8	1	1	1	10	11	4	0	0	0	0	1	6	8	27	0	0	0
ÅR	93	78	84	86	5,2	5,2	5,1	5,2	1974	114	66,8	143	68	51	1	216	176	37	1	1	1	174	68	19	4	0	1	0	2	46	154	168	0	0	0
LÆRDAL - TØNJUM																																			1979
1	75	73	76	75	3,9	4,9	4,2	4,3	25	78	11,6 8	31	24	13	0	6	4	1	0	0	0	2	6	1	0	0	0	0	0	6	10	26	0	0	1
2	78	72	74	75	4,7	4,8	4,7	4,7	8	31	3,7 8	27	17	12	0	3	3	0	7	1	0	2	7	1	0	0	0	0	0	4	8	28	0	0	0
3	60	52	57	57	3,9	5,8	5,0	5,9	27	193	10,2 4	13	3	1	0	14	8	1	15	2	1	12	8	4	0	0	0	0	0	3	18	4	0	0	0
4	69	50	53	60	6,2	5,7	6,1	6,1	14	74	5,9 30	4	0	0	0	10	3	0	3	1	0	10	1	1	0	0	0	0	0	0	13	1	0	0	0
5	68	50	53	60	5,0	5,8	5,7	5,8	43	215	8,0 17	3	0	0	0	13	9	0	10	2	1	13	1	0	0	0	0	0	0	2	13	0	0	0	0
6	79	56	64	67	5,1	5,4	5,9	5,6	23	74	8,3 2	0	0	0	2	14	6	0	11	0	0	14	0	0	1	0	0	0	1	2	12	0	0	0	0
7	79	59	61	70	6,3	6,4	6,1	6,4	36	143	13,5 20	0	0	0	0	20	13	2	1	0	0	19	0	0	1	0	0	0	0	1	20	0	0	0	0
8	86	58	65	74	6,3	6,1	6,0	6,1	65	151	17,2 22	0	0	0	0	20	10	2	3	2	2	18	0	0	1	0	0	0	0	0	13	0	0	0	0
9	85	65	75	77	6,6	6,8	6,3	6,7	121	228	12,9 20	1	0	0	0	25	18	6	6	0	0	24	0	0	0	0	0	0	0	0	22	0	1	0	0
10	78	68	76	75	5,1	4,7	4,7	4,8	42	82	12,0 11	11	1	0	0	13	8	2	7	1	1	12	0	0	1	0	0	0	0	6	14	0	0	0	0
11	75	69	75	74	5,3	6,1	5,7	6,1	77	220	20,0 30	17	2	0	0	10	11	3	9	2	1	14	7	5	2	1	0	0	0	2	17	5	0	0	0
12	75	72	72	73	4,9	5,1	5,3	5,1	94	160	18,0 5	24	16	7	0	14	6	4	14	3	1	9	6	2	1	0	0	0	0	2	12	21	0	0	0
ÅR	75	62	66	70	5,6	5,6	5,6	5,6	575	140	20,0	133	63	39	2	178	96	21	80	11	7	149	36	14	7	1	0	0	1	28	172	85	1	0	1
LEIKANGER																																			1979
1	73	72	74	73	4,4	4,9	4,7	4,7	52	58	16,2 9	30	24	7	0	10	7	2	0	0	0	4	10	4	0	0	0	0	0	7	11	27	0	0	0
2	72	68	67	69	4,6	4,8	4,8	4,8	25	33	7,0 27	24	10	2	0	13	5	0	1	1	0	4	13	4	0	0	0	0	0	8	14	28	0	0	0
3	66	62	66	66	5,7	6,0	6,2	6,0	81	150	31,0 3	10	3	1	0	15	13	3	1	0	0	12	14	11	2	0	0	0	0	4	17	16	0	0	0
4	64	58	60	62	5,8	5,6	5,8	5,7	20	36	10,0 20	3	0	0	0	10	5	1	0	0	0	10	1	0	7	0	0	0	0	1	13	0	0	0	0
5	70	63	61	66	6,0	6,2	5,8	6,0	86	232	14,5 27	1	0	0	0	20	14	4	1	0	0	19	1	1	5	0	0	0	0	2	18	0	0	0	0
6	75	67	69	70	5,6	5,0	5,4	5,3	40	73	9,5 29	0	0	0	0	13	7	0	1	0	0	13	0	0	0	0	0	0	0	3	15	0	0	0	0
7	80	72	67	74	6,4	5,6	5,2	5,7	59	95	11,5 18	0	0	0	0	18	11	2	1	0	0	18	0	0	4	0	0	0	0	3	14	0	0	0	0
8	82	70	69	76	5,9	5,7	4,3	5,5	92	131	19,6 15	0	0	0	0	17	14	3	0	0	0	17	0	0	3	0	0	0	0	3	14	0	0	0	0
9	84	75	80	81	6,9	7,1	6,6	6,8	205	211	25,0 28	0	0	0	0	25	20	9	3	0	0	23	0	0	6	0	0	0	0	1	22	0	1	0	0
10	85	81	84	84	4,2	4,5	4,3	4,3	89	62	19,5 20	5	0	0	0	13	7	3	6	0	0	12	0	0	7	0	0	0	0	12	13	0	0	0	0
11	80	78	80	80	6,3	6,5	6,0	6,4	134	177	29,5 29	9	0	0	0	19	13	7	3	0	0	17	8	6	6	0	0	0	0	2	19	0	1	0	1
12	73	70	70	71	4,9	5,2	5,3	5,1	107	115	20,3 7	22	16	6	0	14	13	5	3	1	0	9	8	3	6	0	0	0	0	6	14	25	0	0	0
ÅR	75	70	70	73	5,6	5,6	5,4	5,5	990	112	31,0	104	53	10	0	187	129	39	22	2	0	160	55	29	46	0	0	0	0	52	184	96	2	0	1
BJØRKEHAUG I JOSTEDAL																																			1979
1	76	76	76	76	4,1	4,5	4,3	4,5	68	52	20,5 8	31	29	21	0	9	6	3	0	0	0	1	9	1	0	0	0	0	0	11	14	31	0	0	0
2	75	73	72	73	5,4	5,1	4,9	5,1	53	49	17,0 28	28	24	13	0	3	8	2	0	0	0	0	9	0	0	0	0	0	0	5	14	28	0	0	0
3	76	76	73	75	6,3	6,4	6,3	6,4	139	273	52,0 6	25	6	5	0	17	16	6	1	0	0	9	14	3	4	0	0	0	0	4	22	31	0	0	0
4	70	65	63	66	5,8	5,7	5,3	5,7	17	21	4,5 14	14	0	0	0	6	6	0	0	0	0	6	1	0	5	0	0	0	0	3	14	30	0	0	0
5	73	68	63	68	6,7	6,5	6,3	6,6	123	237	24,6 24	8	0	0	0	17	17	6	0	0	0	15	2	0	4	0	0	0	0	2	21	13	0	0	0
6	71	60	58	65	5,8	5,6	5,7	5,7	85	135	17,0 26	0	0	0	1	10	10	4	0	0	0	10	0	0	1	0	0	0	1	3	15	0	0	0	0
7	79	67	69	69	7,5	8,2	5,9	6,5	85	89	14,9 19	0	0	0	0	15	13	2	0	0	0	15	0	0	8	0	0	0	0	0	20	0	0	0	0
8	85	74	69	77	6,5	6,4	6,1	6,4	191	248	65,0 15	0	0	0	0	16	16	6	2	0	0	18	0	0	6	0	0	0	0	1	22	0	0	0	0
9	90	83	90	84	7,4	7,0	7,2	7,2	230	189	38,3 26	0	0	0	0	24	24	7	1	0	0	24	0	0	7	0	0	0	0	0	25	0	1	0	0
10	77	73	70	73	4,6	4,4	4,4	4,5	118	81	43,3 20	15	0	0	0	9	9	5	0	0	0	9	1	0	3	0	0	0	0	9	14	1	2	0	0
11	87	88	86	87	7,1	7,4	6,7	7,1	210	175	44,0 4	27	9	0	0	17	15	9	0	0	0	10	12	3	0	0	0	0	0	1	22	30	0	0	1
12	81	79	77	79	4,2	4,5	4,1	4,3	165	115	38,4 5	27	23	14	0	16	15	6	2	1	1	8	13	3	2	0	0	0	0	11	14	31	0	0	0
ÅR	78	74	71	74	6,0	5,8	5,7	5,8	1524	128	65,0	175	90	53	1	165	135	56	6	1	1	126	61	10	40	0	0	0	1	50	217	195	3	0	1
FORTUN																																			1979
1	92	93	93	92	4,3	4,6	3,4	4,1	46	77	19,0 8	31	29	24	0	7	6	2	0	0	0	2	7	1	0	0	0	0	0	9	9	31	0	0	0
2	93	92	94	93	4,6	4,3	4,3	4,5	23	41	4,2 28	28	24	16	0	13	9	0	0	0	0	1	13	1	0	0	0	0	0	6	9	28	0	0	0
3	81	86	72	75	5,9	5,2	6,1	5,8	64	168	16,2 6	19	3	0	0	13	10	3	0	0	0	9	9	4	0	0	0	0	0	4	17	31	0	0	0
4	88	55	62	73	5,2	5,4	5,1	5,2	17	50	6,3 14	11	0	0	0	10	6	0	0	0	0	10	0	0	2	0	0	0	0	3	13	4	1	1	0
5	88	56	82	75	5,6	6,3	5,0	5,9	64	229	10,8 24	8	0	0	0	21	15	1	0	0	0	21	1	1	0	0	0	0	1	2	15	0	0	0	0
6	94	58	83	80	4,9	4,7	5,1	5,0	53	110	10,6 26	0	0	0	0	16	10	1	1	0	0	16	0	0	0	0	0	2	5	15	0	0	0	0	0
7	92	61	88	80	6,5	6,1	5,6	6,1	76	119	19,6 19	0	0	0	0	22	13	2	0	0	0	22	0	0	0	0	0	0	0	2	19	0	0	0	0
8	95	65	77	84	5,3	6,4	5,3	5,9	97	152	19,8 10	0	0	0	0	17	13	4	2	0	0	17	0	0	0	0	0	0	0	2	14	0	1	0	0
9	98	71	88	89	6,9	6,5	6,7	6,7	134	170	18,6 14	1	0	0	0	26	17	4	0	0	0	26	0	0	0	0	0	0	0	1	22	0	1	0	0
10	93	86	89	90	4,0	4,2	4,3	4,1	63	79	21,7 20	14	4	0	0	9	8	2	1	0	0	9	0	0	0	0	0	0	0	11	13	0	1	0	0
11	91	87	88	89	6,1	6,0	5,8	6,1	100	164	20,8 4	19	7	0	0	18	13	4	1	0	0	17	6	3	3	0	0	0	0	2	16	15	0	0	0
12	90	92	91	91	4,5	4,7	5,3	4,8	86	126	19,7 5	25	21	14	0	16	12	3	1	0	0	8	10	2	0	0	0	0	0	6	13	29	0	0	0
ÅR	91	74	79	84	5,1	5,4	5,3	5,4	823	121	21,7	143	88	57	3	188	132	26	9	0	0	158	46	12	5	0	0	0	3	53	175	138	4	1	0
FØRDE I SUNNFJORD II																																			1979
1	77	74	75	76	3,5	4,8	4,4	4,2	108	50	36,3 7	30	18	11	0	12	10	4	0	0	0	3	11	6	1	0	0	0	1	8	9	31	0	0	0
2	77	70	71	73	4,1	4,4	3,9	4,2	117	61	27,4 28	26	11	7	0	10	13	5	0	0	0	3	13	0	0	0	0	0	0	7	7	28	0	0	0
3	74	60	61	66	5,0	5,8	5,0	5,8	246	159	62,0 6	15	1	1	0	23	16	7	7	0	0	16	15	7	0	0	0	0	0	5	17	19	0	0	1
4	77	54	55	64	5,3	5,5	5,1	5,3	54	37	14,5 20	11	0	0	0	13	8	3	0	0	0	15	1	1	3	0	0	0	0	1	10	1	0	0	0
5	79	58	58	68	6,1	6,4	5,9	6,1	140	156	19,4 14	3	0	0	0	30	19	6	2	0	0	28	8	7	0	0	1	0	0	2	19	1	0	0	0
6	84	65	66	75	5,7	5,4	5,4	5,5	87	70	20,9 29	0	0	0	2	16	12	3	1	0	0	16	0	0	2	0	0	0	1	1	13	0	0	0	0
7	90	70	70	80	7,0	6,8	5,3	6,5	89	68	18,6 3	0	0	0	0	21	16	2	0	0	0	21	0	0	4	0	0	0	0	0	19	0	0	0	0
8	92	67	70	79	6,3	6,0	5,2	5,7	174	129	41,9 30	0	0	0	0	24	18	4	2	0	0	22	0	0	1	0	0	0	1	1	16	0	0	0	0
9	91	78	82	85	6,5	6,9	6,6	6,7	469	213	56,2 26	1	0	0	1	24	25	13	2	0	0	28	0	0	3	0	0	0	0	0	19	0	1	0	0
10	81	69	71	74	3,9	4,5	4,1	4,2	143	55	41,9 20	9	0	0	0	13	11	6	5	1	0	13	0	0	1	0	0	0	1	10	12	0	1	0	0
11	82	80	83	82	6,4	6,0	5,7	6,0	295	137	45,0 4	12	1	0	0	23	17	10	3	0	0	20	6	3	0	0	0	0	0	1	17	8	0	0	0
12	79	77	78	78	4,5	5,0	4,3	4,6	261	111	42,8 5	23	10	6	0	18	14	8	6	1	1	13	9	3	1	0	0	0	0	4	12	25	0	0	0
ÅR	82	69	70	75	5,4	5,6	5,2	5,4	2183	103	62,0	132	41	25	3	233	179	71	30	2	1	203	63	27	16	0	1	0	3	40	170	113	2	0	1

MD.	MIDLERE LUFTTRYKK PM	PO1	MIDLERE LUFTTEMPERATUR J7	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT J6(N)	03	06	J9(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
KIRKENES																										1979
1	1008,9	1010,0	- 0,2	0,4	0,3	0,1	- 2,3	1,6	- 1,8	7,5	7	-11,4	1	1 2,0	0 0,0	3 1,3	15 2,0	6 2,3	34 3,1	12 3,8	4 2,8	7 5,0	3 5,0	0 0,0	2 1,0	6
2	1011,4	1012,5	0,7	1,4	1,2	1,0	- 0,9	2,7	- 0,9	5,4	18	- 7,6	14	11 3,8	0 0,0	1 4,0	13 1,8	1 3,0	12 2,7	21 3,4	2 4,0	5 4,2	6 2,7	0 0,0	12 3,8	0
3	995,8	996,7	1,7	3,0	2,5	2,3	- 0,8	4,1	0,2	8,6	28	- 5,5	18	4 2,8	0 0,0	5 1,4	3 2,0	4 3,9	23 2,4	27 4,6	4 4,5	11 4,9	1 5,0	1 1,0	5 2,6	3
4	1009,0	1010,1	4,3	6,7	5,6	5,3	3,3	7,8	3,1	15,2	12	- 0,6	30	15 2,9	0 0,0	2 3,0	19 1,6	3 1,7	15 1,7	12 2,0	3 2,3	4 2,0	0 0,0	0 0,0	11 2,2	6
5	1008,3	1009,4	0,0	7,5	7,1	6,4	- 2,2	8,7	4,4	16,9	21	0,6	1	4 1,8	0 0,0	1 1,0	2 2,4	1 1,0	8 2,9	30 2,9	10 3,6	11 3,4	2 4,0	0 0,0	13 1,7	4
6	1012,7	1013,8	10,9	11,1	11,1	10,6	3,4	13,2	9,0	20,6	3	7,0	2	13 3,2	0 0,0	1 1,0	2 1,5	1 2,0	5 3,0	8 3,4	11 2,5	15 2,5	3 2,3	6 1,7	18 1,7	7
7	1010,4	1011,5	11,3	12,1	12,2	11,6	2,2	13,2	10,1	17,6	31	7,0	3	8 3,6	0 0,0	0 0,0	1 2,0	0 0,0	2 1,0	14 2,3	4 2,3	10 2,8	1 1,0	8 1,6	36 2,3	9
8	1007,7	1008,8	12,0	12,8	12,8	12,3	1,8	14,3	10,6	17,6	1	8,2	28	10 3,9	5 4,1	5 3,1	1 2,0	2 2,0	17 2,6	16 2,0	6 2,8	7 3,3	5 2,2	1 1,0	11 2,5	7
9	1006,2	1007,8	10,0	10,6	10,3	10,1	1,9	11,7	8,3	16,2	6	4,0	30	7 3,2	0 0,0	3 2,3	3 2,0	0 0,0	7 2,1	17 4,5	4 6,5	19 4,2	13 3,5	5 4,8	10 3,9	2
10	1013,1	1014,2	7,9	9,5	8,9	8,6	0,1	10,5	6,6	13,8	5	2,4	22	3 3,7	0 0,0	1 3,0	9 1,8	2 3,8	34 2,0	12 3,1	5 4,0	4 4,8	3 4,0	0 0,0	8 3,4	5
11	999,5	1000,6	5,1	5,6	5,3	5,2	1,1	6,7	3,1	9,4	4	0,0	16	2 5,5	0 0,0	3 2,7	7 1,2	2 1,5	26 3,7	15 4,3	8 4,5	12 4,7	10 2,8	0 0,0	6 3,8	1
12	1000,3	1001,5	2,6	3,2	2,3	2,7	- 1,5	4,3	0,8	9,4	5	- 3,0	9	9 4,2	0 0,0	5 2,4	13 2,4	7 4,7	19 2,8	13 5,6	2 5,0	9 4,9	1 3,0	5 5,0	3 3,0	2
ÅR	1007,0	1008,1	6,0	7,0	6,6	6,4	- 1,2	8,2	4,5	20,6		-11,4		87 3,5	5 4,1	33 2,1	102 2,0	36 3,3	202 2,6	197 3,6	61 3,6	114 3,9	48 3,2	26 2,8	135 2,6	82
DOMBESTEIN																										1979
1	1006,0	1010,4	- 1,9	- 1,4	- 1,1	- 1,6		0,4	- 4,2	7,4	7	-14,5	1	0 0,0	0 0,0	0 0,0	15 3,1	1 3,0	67 3,0	3 4,3	0 0,0	6 3,7	1 4,0	0 0,0	0 0,0	0
2	1003,2	1012,5	- 1,3	- 0,2	- 0,5	- 0,8		1,7	- 3,1	7,1	26	-11,8	14	0 0,0	0 0,0	0 0,0	17 2,9	0 0,0	35 2,8	3 2,7	0 0,0	7 3,9	3 2,3	0 0,0	19 2,7	0
3	992,7	997,0	0,8	3,3	2,2	1,9		4,8	- 0,8	9,8	3	-10,2	18	0 0,0	0 0,0	3 2,7	8 2,5	0 0,0	40 2,9	16 4,0	2 2,5	13 5,2	11 2,6	0 0,0	0 0,0	0
4	1006,2	1010,4	3,2	6,9	6,0	4,9		8,7	2,0	14,6	12	- 2,2	17	2 2,5	0 0,0	1 3,0	12 2,5	0 0,0	44 2,3	1 3,0	1 3,0	4 3,5	21 2,4	0 0,0	2 3,5	2
5	1005,2	1010,4	9,3	9,2	8,9	7,5		11,1	4,3	18,4	21	0,9	8	0 0,0	0 0,0	0 0,0	2 2,5	0 0,0	42 2,9	13 4,2	1 6,0	7 4,1	26 2,9	0 0,0	2 3,5	0
6	1009,3	1013,5	11,8	14,3	14,2	12,7		16,6	9,4	22,8	5	5,0	2	2 3,0	0 0,0	0 0,0	0 0,0	0 0,0	28 2,8	2 3,5	0 0,0	3 3,3	54 3,4	0 0,0	1 3,0	0
7	1007,0	1011,2	11,4	13,4	13,0	12,3		15,3	9,8	19,6	13	5,2	2	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	21 2,7	0 0,0	0 0,0	4 3,8	49 3,3	0 0,0	18 3,0	1
8	1005,0	1009,1	11,7	13,7	13,2	12,5		15,9	10,0	20,9	8	6,1	31	8 3,5	0 0,0	3 2,7	2 1,0	0 0,0	33 2,5	6 3,5	0 0,0	7 2,9	29 2,4	0 0,0	5 3,0	0
9	1003,4	1007,6	3,6	9,9	9,3	7,1		12,0	6,9	22,4	6	2,8	15	0 0,0	0 0,0	0 0,0	6 2,7	0 0,0	25 2,8	13 4,0	3 2,7	21 4,0	16 3,2	1 4,0	4 3,3	1
10	1010,5	1014,7	5,8	7,6	6,9	6,6		9,2	4,2	17,2	10	- 0,9	4	0 0,0	0 0,0	0 0,0	2 4,0	1 3,0	64 2,8	4 4,3	0 0,0	8 2,9	5 3,8	0 0,0	4 3,0	5
11	996,7	1001,0	3,8	4,1	3,3	3,6		6,1	1,5	11,7	29	- 4,6	16	0 0,0	0 0,0	0 0,0	13 2,8	0 0,0	49 3,5	4 5,5	0 0,0	12 4,3	7 2,3	0 0,0	4 2,8	1
12	997,8	1002,0	0,5	1,5	1,0	1,0		3,4	- 1,6	11,6	2	- 7,6	18	0 0,0	0 0,0	0 0,0	11 3,6	0 0,0	45 3,6	7 3,7	1 7,0	12 4,3	7 3,4	1 3,0	9 3,6	0
ÅR	1004,0	1008,2	5,1	6,9	6,3	5,8		8,8	3,2	22,8		-14,5		12 3,3	0 0,0	7 2,7	88 2,9	2 4,0	193 2,9	72 4,2	8 3,6	104 4,0	229 3,0	2 3,5	68 3,1	10
SANDANE																										1979
1			- 5,3	- 3,7	- 4,1	- 4,0	- 3,5	- 2,1	- 8,0	7,2	7	-19,0	1	0 0,0	30 1,2	0 0,0	9 2,0	0 0,0	0 0,0	3 2,0	1 3,0	0 0,0	1 1,0	0 0,0	0 0,0	49
2			- 3,9	- 2,6	- 2,6	- 2,6	- 1,7	0,8	- 5,9	6,6	26	-17,7	14	0 0,0	10 1,1	1 1,0	18 1,8	0 0,0	0 0,0	3 2,0	0 0,0	0 0,0	0 0,0	2 1,0	53
3			0,3	3,9	2,3	1,8	0,6	5,2	- 1,6	9,5	3	-12,1	18	1 2,0	3 1,3	0 0,0	7 2,0	10 2,7	1 3,0	10 2,1	2 1,0	0 0,0	4 1,5	6 2,0	47
4			3,6	8,4	5,1	4,7	3,0	9,1	0,7	15,6	22	- 3,0	17	3 2,3	19 1,1	0 0,0	9 1,8	1 1,0	0 0,0	2 2,0	0 0,0	0 0,0	12 1,9	0 0,0	2 3,0	46
5			7,1	10,4	8,3	7,5	- 2,2	11,7	3,7	18,5	31	- 2,5	2	0 0,0	1 1,0	0 0,0	18 1,5	1 1,0	0 0,0	18 1,8	9 1,8	0 0,0	7 1,6	0 0,0	0 0,0	39
6			13,3	16,5	14,2	13,2	0,8	18,0	8,5	26,7	21	3,8	2	2 2,0	2 1,1	0 0,0	3 2,7	0 0,0	0 0,0	8 1,3	2 2,5	1 4,0	13 1,7	0 0,0	6 3,0	53
7			12,3	13,6	13,3	12,8	2,6	16,5	9,1	23,2	13	2,8	2	0 0,0	1 1,0	0 0,0	0 0,0	0 0,0	0 0,0	4 1,5	0 0,0	18 1,6	2 2,0	20 2,0	48
8			12,3	15,4	12,6	12,6	2,0	16,2	8,7	20,7	8	4,2	5	0 0,0	0 0,0	0 0,0	6 2,0	0 0,0	0 0,0	7 1,4	5 1,4	0 0,0	10 2,5	0 0,0	10 1,8	59
9			8,2	11,1	8,9	9,0	- 1,4	11,8	6,3	22,8	6	1,3	21	1 2,0	2 1,5	0 0,0	0 0,0	2 2,0	0 0,0	19 1,8	8 2,0	0 0,0	5 2,4	0 0,0	1 3,0	52
10			3,9	8,0	5,0	5,4	1,1	8,6	2,2	16,2	10	- 3,2	4	0 0,0	2 1,0	0 0,0	4 3,0	4 3,8	0 0,0	10 1,4	0 0,0	5 1,8	0 0,0	2 1,5	66
11			2,7	3,7	2,2	2,7	- 0,5	4,9	- 0,1	9,8	29	- 8,4	16	3 1,0	9 1,1	0 0,0	9 1,9	6 2,7	0 0,0	2 2,5	4 3,0	0 0,0	5 2,4	0 0,0	5 1,6	47
12			- 1,8	- 1,4	- 1,3	- 1,8	- 3,4	1,4	- 4,4	10,9	2	-12,0	11	0 0,0	15 1,2	0 0,0	13 2,6	1 1,0	0 0,0	3 2,3	5 2,8	0 0,0	7 2,1	0 0,0	2 2,5	45
ÅR			4,4	7,3	5,3	5,1	- 1,4	8,5	1,6	26,7		-19,0		10 1,8	90 1,2	1 1,0	97 2,0	23 2,6	1 3,0	85 1,8	40 2,0	1 4,0	87 1,9	2 2,0	56 2,1	600
OPSTRYN																										1979
1			- 4,3	- 3,5	- 3,9	- 4,0	- 2,8	- 1,2	- 6,9	5,5	7	-17,5	1	0 0,0	0 0,0	3 2,7	43 2,2	4 1,5	0 0,0	3 2,3	0 0,0	1 2,0	0 0,0	0 0,0	0 0,0	42
2			- 3,0	- 2,2	- 2,2	- 2,7	- 0,9	- 0,2	- 5,0	5,7	26	-10,7	12	0 0,0	0 0,0	0 0,0	21 2,3	3 1,4	0 0,0	0 0,0	0 0,0	1 2,0	3 1,7	0 0,0	0 0,0	84
3			0,4	2,4	1,8	1,1	0,4	4,1	- 1,6	9,2	26	-12,0	18	0 0,0	0 0,0	8 1,8	8 1,8	9 1,6	22 2,0	5 2,0	1 2,0	5 1,8	0 0,0	0 0,0	0 0,0	35
4			3,5	6,4	5,3	4,4	0,4	7,6	2,0	15,3	12	- 2,7	30	0 0,0	0 0,0	7 1,6	31 1,7	7 1,4	1 2,0	0 0,0	1 1,0	1 1,0	1 1,0	0 0,0	0 0,0	41
5			6,8	9,6	8,3	7,2	- 1,9	11,2	3,8	21,9	31	- 1,0	2	0 0,0	0 0,0	5 1,4	4 1,3	3 1,6	18 1,7	13 1,4	10 1,3	1 1,0	3 1,0	0 0,0	0 0,0	34
6			13,2	16,2	14,3	13,4	1,2	18,3	9,6	26,0	21	6,1	10	0 0,0	0 0,0	1 1,0	15 1,5	2 1,0	0 0,0	12 1,4	9 1,4	8 1,0	4 1,8	7 1,7	0 0,0	32
7			11,3	14,2	13,3	12,1	- 2,7	16,1	9,3	22,7	13	4,9	2	0 0,0	0 0,0	0 0,0	7 1,1	0 0,0	4 1,3	8 1,0	12 1,3	0 0,0	8 1,4	0 0,0	0 0,0	54
8			11,3	14,8	13,1	12,4	- 1,4	16,6	9,4	23,2	19	6,0	22	0 0,0	0 0,0	4 1,3	8 1,6	2 1,5	9 1,2	11 1,5	4 1,3	2 1,5	3 1,0	0 0,0	0 0,0	53
9			7,4	9,6	8,1	7,9	- 2,3	10,8	5,7	23,5	6	1,8	23	0 0,0	0 0,0	1 1,0	3 1,8	1 1,0	0 0,0	7 1,4	6 1,5	1 2,0	10 1,7	0 0,0	0 0,0	59
10			6,1	8,0	6,8	6,6	0,0	9,8	3,9	15,5	26	- 2,6	23	0 0,0	0 0,0	0 0,0	33 2,0	6 2,2	6 1,5	2 2,3	2 2,5	1 2,0	0 0,0	0 0,0	0 0,0	46
11			2,1	2,2	2,3	2,0	- 1,0	4,5	0,0	10,4	4	- 4,0	15	0 0,0	0 0,0	1 2,0	13 2,0	1 2,3	7 1,6	7 2,6	3 2,3	2 2,5	2 2,5	0 0,0	0 0,0	51
12			- 1,6	- 1,1	- 0,9	- 1,3	- 2,0	1,9	- 3,8	12,4	5	- 9,0	9	0 0,0	0 0,0	5 1,4	11 3,1	7 1,9	4 2,0	1 3,0	2 1,5	2 3,5	7 2,0	0 0,0	0 0,0	48
ÅR			4,5	6,4	5,3	4,9	- 1,1	8,3	2,2	26,0		-17,5		0 0,0	0 0,0	35 1,6	193 2,0	52 1,7	83 1,7	69 1,7	49 1,4	21 2,0	44 1,6	0 0,0	0 0,0	549
LOEN																										1979
1			- 7,3	- 6,6	- 6,8	- 7,1	- 5,1	- 3,7	-10,4	7,5	7	-21,0	1	1 1,0	0 0,0	12 1,3	23 1,3	2 1,5	3 1,3	1 2,0	0 0,0	0 0,0	0 0,0	1 2,0	1 4,0	47
2			- 4,8	- 3,4	- 3,3	- 4,2	- 1,7	- 0,7	- 7,5	6,3	28	-18,0	12	0 0,0	1 1,0	11 1,5	29 1,6	2 2,0	2 2,5	0 0,0	0 0,0	5 1,8	5 2,0	0 0,0	0 0,0	29
3			- 0,3	3,4	2,1	1,4	0,9	5,0	- 1,5	10,2	31	-12,0	18	0 0,0	3 2,7	10 1,5	32 1,7	4 2,0	2 2,0	2 1,0	0 0,0	1 1,0	7 1,6	6 2,5	1 2,0	25
4			1,8	7,3	5,2	4,5	- 0,3	9,2	0,9	16,7	12	- 2,0	8	0 0,0	0 0,0	8 1,0	31 1,3	3 1,6	1 1,0	1 1,0	3 2,0	2 1,5	4 2,5	1 2,0	0 0,0	34
5			6,1	10,2	9,7	7,8	- 1,7	12,4	4,1	20,7	31	- 2,1	2	0 0,0	1 1,0	10 1,0	17 2,2	1 1,0	1 1,0	2 1,0	3 1,3	2 1,0	10 2,4	13 2,4	1 3,0	30
6			11,8	16,2	15,7	13,5	0,9	19,4	9,4	28,1	21	5,8	11	0 0,0	0 0,0	3 1,3	25 1,4	0 0,0	1 2,0	2 1,5	3 1,7	2 1,0	14 2,0	12 1,8	0 0,0	28
7			11,1	14,3	14,3	12,6	- 2,9	16,6	9,7	22,7	13	4,2	2	0 0,0	0 0,0	0 0,0	24 1,3	0 0,0	2 1,0	0 0,0	3 2,0	2 2,5	9 1,8	17 2,0	0 0,0	37
8			11,5	15,1	13,9	12,9	- 1,4	17,2	9,5	23,5	19	5,4	5	0 0,0	4 1,3	14 1,9	19 1,3	1 2,0	1 2,0	0 0,0	0 0,0	0 0,0	9 2,1	7 2,4	0 0,0	36
9			7,4	10,3	8,7	8,5	- 1,3	11,5	6,3	22,2	6	1,0	23	0 0,0	0 0,0	11 1,4	13 1,0	1 1,0	0 0,0	1 1,0	0 0,0	2 1,0	6 2,8	10 2,9	1 2,0	45
10			4,5	7,3	5,5	5,5	- 0,4	9,1	2,7	14,9	24	- 2,6	24	0 0,0	2 3,0	5 2,3	29 1,8	3 1,7	2 2,5	0 0,0	0 0,0	0 0,0	1 3,0	3 2,7	2 2,0	46
11			2,2	2,9	2,3	2,2	- 0,9	4,5	- 0,2	10,4	3	- 7,2	16	1 1,0	2 2,1	13 1,3	9 1,9	4 1,3	1 1,0	1 1,0	0 0,0	1 7,0	4 1,0	9 2,1	0 0,0	45
12			- 1,9	- 1,6	- 1,5	- 1,8	- 2,4	1,3	- 4,0	12,4	5	-10,8	9	1 1,0	4 1,1	8 1,4	19 2,3	3 2,0	0 0,0	0 0,0	0 0,0	0 0,0	5 3,8	5 3,0	3 1,0	45
ÅR			3,5	6,3	5,3	4,7	- 1,4	8,5	1,6	28,1		-21,0		3 1,0	17 1,8	105 1,5	271 1,6	23 1,6	16 1,7	10 1,2	12 1,8	12 1,8	74 2,2	89 2,3	9 2,0	449
OLDEN - VANGBERG																										1979
1			- 6,1	- 6,0	- 5,8	- 5,0		- 3,3	- 8,7	6,2	7	-19,5	1	0 0,0	0 0,0	4 1,3	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	1 3,0	0 0,0	0 0,0	0 0,0	88
2			- 3,8	- 2,9	- 2,8	- 3,3		- 0,3	- 5,8	6,3	26	-14,4	14	0 0,0	0 0,0	7 1,2	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	2 1,5	9 1,8	0 0,0	0 0,0	66
3			0,1	2,4	2,0	1,2		4,3	- 1,2	8,5	6	-11,4	18	1 2,0	1 5,1	20 2,1	1 3,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	9 1,9	0 0,0	0 0,0	61
4			2,2	6,4	5,8	4,3		7,9	1,4	13,4	12	- 1,8	18	0 0,0	1 2,0	3 1,3	3 1,3	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	12 1,7	0 0,0	0 0,0	69
5			6,2	9,6	9,3	7,6		11,9	4,3	19,0	31	- 1,9	2	0 0,0	6 3,2	3 2,3	1 3,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	34 1,6	0 0,0	0 0,0	49
6			11,9	15,7	15,2	13,4		18,6	9,8	25,9	21	6,4	11	0 0,0	0 0,0	5 1,6	1 2,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	22 1,6	3 2,0	0 0,0	99
7			10,8	14,0	13,8	12,2		16,1	9,8	22,2	13	5,4	2	0 0,0	0 0,0	1 2,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	20 1,6	7 2,3	0 0,0	69
8			11,2	14,0	13,3	12,4		16,0	9,8	21,0	19	6,5	5	2 2,0	1 1,0	9 1,8	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	15 1,7	2 1,5	0 0,0	64
9			7,3	9,2	8,5	8,1		10,7	6,5	20,1	6	2,0	23	0 0,0	0 0,0	3 1,3	1 2,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	6 2,0	12 2,6	0 0,0	68
10			4,5	6,1	5,7	5,2		8,1	3,0	13,9	10	- 2,3	4	0 0,0	0 0,0	2 3,9	4 1,0	0 0,0	0 0,0	1 2,0	0 0,0	0 0,0	3 1,7	3 2,7	0 0,0	73
11			2,3	2,5	2,3	2,1		4,3	0,2	10,7	3	- 6,5	16	0 0,0	0 0,0	13 2,8	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	8 2,1	0 0,0	0 0,0	69
12			- 1,4	- 1,3	- 1,3	- 1,4		1,4	- 3,4	11,3	5	- 9,5	12	0 0,0	0 0,0	14 3,2	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	6 3,3	0 0,0	0 0,0	73
ÅR			3,8	5,8	5,3	4,7		8,0	2,1	25,9		-19,5		3 2,0	9 3,1	96 2,4	8 3,3	0 0,0	1 2,0	0 0,0	0 0,0	3 2,0	144 1,8	27 2,4	0 0,0	804

ÅRSOVERSIKTER

(ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	UM.	MIDLERE SKYDEKKE 07	13	19	M.	NEDBØR SUM	%	MAX	DT.	ANTALL DAGER MED: LUFTTEMPERATUR TN <0	TX <0	TN <=-10	TX>= 25	NEDBØR R>= 0.1	R>= 1.0	R>= 10.0	VINDSTYRKE FX>= 6B	FX>= 8B	FX>= 9B	FOREKOMST AV R	S	SL	YR	SH	H	IR	TO	KV	OV	SD	TÅKE 07	13	19
KINN																																						1979
1	75	74	76	75	5,3	6,0	5,6	5,7	115	69	30,0	17	22	4	1	0	15	13	5	3	0	1	0	12	5	0	0	1	0	0	4	17		0	0	0
2	78	75	74	76	5,3	5,5	5,4	5,6	75	57	14,0	28	13	1	0	0	15	14	2	1	0	0	6	13	4	0	0	0	0	0	5	17		0	0	0
3	81	75	79	79	6,0	6,2	6,3	6,3	190	162	30,0	26	3	1	0	0	22	19	8	14	0	5	21	10	9	1	0	0	0	0	2	20		0	0	0
4	72	67	74	72	6,1	5,4	5,3	5,7	69	52	16,0	14	1	0	0	0	12	10	3	2	0	0	12	1	0	3	0	0	0	0	1	14		0	0	2
5	81	75	79	80	6,0	6,6	6,0	6,6	150	192	21,5	17	0	0	0	0	25	21	2	12	2	0	25	3	1	3	0	0	0	0	1	21		0	0	0
6	81	82	83	82	6,3	5,8	6,0	6,3	102	103	25,2	27	0	0	0	0	17	13	4	2	0	0	17	0	0	4	0	0	0	0	1	22		3	0	0
7	85	81	81	83	6,8	6,0	6,2	6,3	81	70	21,7	18	0	0	0	0	22	14	2	2	0	0	22	0	0	3	0	0	0	0	0	21		0	0	0
8	80	77	79	79	5,6	5,9	5,8	5,8	213	168	34,6	15	0	0	0	0	20	18	8	0	0	0	20	0	0	3	0	0	0	0	4	20		2	0	1
9	81	79	80	80	7,1	7,1	6,8	7,0	264	141	49,0	26	0	0	0	0	27	24	9	17	8	1	27	0	0	0	0	0	0	0	0	25		0	0	0
10	71	67	68	69	5,2	5,3	5,1	5,2	70	31	18,0	10	0	0	0	0	11	10	3	4	2	0	11	0	0	2	0	0	0	0	8	16		1	1	2
11	78	77	79	78	6,3	6,7	6,3	6,5	241	125	40,0	12	0	0	0	0	23	22	9	13	6	0	23	5	5	2	0	1	0	0	0	19		0	0	0
12	74	73	78	75	5,1	6,0	5,8	5,7	135	68	21,6	2	13	1	0	0	17	15	6	14	6	2	14	6	3	0	0	1	0	0	3	17		0	0	0
ÅR	78	75	78	77	6,2	6,0	6,0	6,1	1705	96	49,0		59	7	1	0	226	193	61	104	33	12	207	50	27	21	0	3	0	0	29	229		6	1	5
DOMBESTEIN																																						1979
1	76	75	75	75	4,7	5,1	5,1	5,1	91	44	30,2	7	27	15	2	0	13	9	5	6	0	0	4	13	1	0	0	1	0	2	5	12	31	0	0	0
2	79	72	71	74	5,1	4,9	3,2	5,1	148	86	19,0	8	23	9	2	0	17	16	6	4	0	0	5	16	1	0	0	0	0	1	6	14	28	0	0	0
3	74	65	67	69	5,6	5,8	6,1	5,8	246	181	61,2	6	12	2	1	0	21	16	8	13	3	0	17	13	5	0	0	1	0	2	5	18	31	0	0	0
4	75	59	60	67	3,3	5,3	5,4	5,3	36	25	10,2	30	4	0	0	0	9	7	1	1	0	0	9	1	0	0	0	1	0	0	2	13	0	0	0	0
5	75	60	61	68	6,2	6,4	6,0	6,2	120	156	29,3	1	0	0	0	0	27	17	4	8	2	0	24	7	3	0	0	1	0	0	1	18	1	0	0	0
6	79	68	69	74	5,1	5,2	5,0	5,1	51	52	12,7	26	0	0	0	0	17	11	1	1	0	0	17	0	0	0	0	0	0	1	5	13	0	0	0	0
7	85	73	72	78	6,9	6,5	5,6	6,4	67	71	10,5	18	0	0	0	0	20	16	1	0	0	0	20	0	0	2	0	0	0	0	0	21	0	0	0	0
8	82	73	74	77	6,4	6,0	6,1	6,2	188	183	40,8	30	0	0	0	0	22	19	6	1	0	0	22	0	0	0	0	0	0	3	0	18	0	0	0	0
9	82	78	79	79	7,0	6,8	6,7	6,8	441	211	44,4	14	0	0	0	0	29	27	13	11	2	0	29	0	0	0	0	4	0	0	0	24	0	0	0	1
10	76	72	69	73	4,9	4,7	4,5	4,7	125	49	30,4	20	2	0	0	0	15	11	4	4	1	0	13	2	2	0	0	0	0	0	8	15	0	1	1	0
11	76	79	78	77	6,3	6,2	6,1	6,2	305	149	38,8	5	7	1	0	0	22	20	12	13	1	1	19	10	6	0	0	4	0	1	1	18	8	0	0	0
12	75	70	73	73	4,6	5,0	5,6	5,1	238	109	47,5	5	18	7	0	0	17	13	11	11	2	1	12	8	2	0	0	5	0	3	5	14	25	0	0	0
ÅR	78	70	71	74	5,7	5,7	5,6	5,7	2056	107	61,2		96	34	5	0	231	132	72	73	10	2	191	70	20	2	0	17	0	13	38	198	124	1	1	1
SANDANE																																						1979
1	83	81	84	83	5,4	5,3	5,0	5,2	55	44	12,2	7	22	20	9	0	12	7	3	0	0	0	4	11	3	4	0	0	0	1	4	12	31	0	0	0
2	88	85	84	86	5,3	4,9	5,1	5,1	105	105	27,3	10	26	11	6	0	15	13	1	0	0	0	4	13	1	1	0	0	0	0	6	14	28	0	0	0
3	80	71	70	75	5,2	5,7	6,2	5,7	134	174	37,0	6	14	1	1	0	15	11	4	0	0	0	12	9	6	3	0	1	0	1	5	18	22	0	0	0
4	82	69	68	75	5,0	5,1	5,2	5,1	17	23	4,2	20	12	0	0	0	9	6	0	0	0	0	9	0	0	8	0	0	0	0	3	11	0	0	0	0
5	78	70	67	73	5,8	6,1	6,2	6,0	60	120	16,0	1	5	0	0	0	19	11	2	0	0	0	13	3	2	12	0	0	0	0	1	18	1	0	0	0
6	80	71	76	80	3,1	5,1	5,0	5,1	35	50	7,2	2	0	0	0	1	14	10	0	0	0	0	11	0	0	10	0	0	0	1	5	13	0	0	0	0
7	89	78	81	86	7,1	6,4	5,7	6,4	48	60	9,2	15	0	0	0	0	21	14	0	0	0	0	21	0	0	14	0	0	0	0	2	18	0	0	0	0
8	91	80	85	88	6,9	6,5	6,1	6,5	124	155	28,2	18	0	0	0	0	24	16	4	0	0	0	23	0	0	10	0	0	0	0	0	20	0	1	0	0
9	92	87	89	90	7,3	7,3	7,2	7,2	242	186	48,0	26	0	0	0	0	29	22	7	0	0	0	27	0	0	14	0	0	0	0	0	24	0	2	0	0
10	84	78	81	82	4,5	4,4	4,3	4,4	96	66	19,8	20	12	0	0	0	13	10	5	0	0	0	11	0	0	8	0	0	0	0	12	14	0	5	2	0
11	83	86	87	85	6,3	6,7	6,4	6,6	163	136	23,3	5	12	2	0	0	19	17	7	1	0	0	14	5	0	7	0	0	0	0	1	21	8	0	0	0
12	85	85	81	83	5,0	5,2	4,5	4,9	163	125	31,4	20	23	11	5	0	14	12	5	1	1	1	11	6	2	5	0	1	0	2	9	16	25	0	0	0
ÅR	85	78	79	82	5,8	5,7	5,6	5,7	1242	105	48,0		133	45	21	1	204	149	40	2	1	1	168	47	14	96	0	2	0	5	48	199	115	8	2	0
OPSTRYN																																						1979
1	61	60	60	61	4,7	5,0	4,2	4,6	43	42	19,3	9	31	18	5	0	6	4	3	0	0	0	1	6	0	0	0	0	0	0	5	9	31	0	0	1
2	76	71	72	74	5,0	4,9	4,8	4,9	86	89	27,3	10	25	17	0	0	16	13	3	0	0	0	3	14	0	0	0	1	0	0	6	13	28	4	2	1
3	61	54	60	60	5,1	5,2	3,7	5,3	113	149	42,0	6	19	3	1	0	10	9	4	1	0	0	6	9	3	0	0	1	0	0	4	13	31	1	1	1
4	63	57	58	60	5,2	5,3	3,1	5,2	25	41	8,0	29	6	0	0	0	7	5	0	0	0	0	7	2	0	0	0	0	0	0	4	11	20	1	0	1
5	67	54	59	65	5,6	6,1	5,8	5,8	92	236	27,3	1	6	0	0	0	19	17	2	0	0	0	16	6	0	2	0	1	0	0	2	12	5	1	0	0
6	72	60	65	71	5,2	5,1	5,5	5,3	50	85	7,7	2	0	0	0	1	14	11	0	0	0	0	14	0	0	0	0	0	0	1	3	15	0	0	0	0
7	88	71	77	85	7,0	6,2	6,2	6,5	100	137	17,5	19	0	0	0	0	21	15	4	0	0	0	21	0	0	3	0	0	0	0	0	21	0	0	0	0
8	80	68	76	78	6,5	6,2	5,9	6,2	90	123	20,2	30	0	0	0	0	20	12	3	1	0	0	20	0	0	0	0	0	0	0	0	16	0	0	0	0
9	85	70	80	81	7,2	7,0	7,0	7,1	222	227	30,9	19	0	0	0	0	29	24	9	0	0	0	28	0	0	0	0	0	0	0	0	26	0	0	0	1
10	61	55	60	60	4,3	4,4	3,7	4,1	80	65	20,5	20	3	0	0	0	11	11	3	1	0	0	11	2	0	1	0	0	0	0	9	11	0	1	0	1
11	68	69	71	69	6,1	6,1	5,8	6,0	128	136	19,0	30	13	2	0	0	16	14	6	2	0	0	11	9	1	2	0	0	0	0	3	19	16	1	1	0
12	64	65	61	63	4,8	4,7	4,3	4,6	125	108	25,2	4	25	12	0	0	14	11	5	5	0	0	10	9	2	3	0	0	0	0	8	13	27	0	2	0
ÅR	71	63	67	69	5,6	5,5	5,4	5,5	1154	114	42,0		132	52	9	1	183	146	42	10	0	0	148	57	6	11	0	3	0	1	44	179	158	9	6	6
LOEN																																						1979
1	88	87	86	87	4,3	4,7	4,3	4,6	51	50	16,0	9	30	23	18	0	8	6	2	1	0	0	2	7	1	0	0	0	0	0	3	8	31	1	1	0
2	87	83	82	84	4,9	4,8	4,6	4,8	66	73	11,5	9	26	15	8	0	14	13	2	0	0	0	3	12	0	0	0	0	0	0	6	12	28	0	0	0
3	80	61	70	72	5,3	5,4	3,7	5,5	88	124	53,0	6	15	2	1	0	14	11	1	4	0	0	11	10	6	1	0	0	0	0	4	14	31	0	0	0
4	83	59	62	71	4,7	5,0	3,2	5,0	26	43	8,4	30	11	0	0	0	6	4	0	0	0	0	6	1	1	2	0	0	0	0	3	8	7	0	0	0
5	82	60	62	72	5,8	5,7	6,0	5,8	67	186	20,8	1	5	0	0	0	15	12	2	1	0	0	13	2	2	4	0	0	0	0	1	14	0	0	0	0
6	88	68	70	79	5,2	4,9	5,4	5,2	71	127	12,5	15	0	0	0	3	12	10	2	1	0	0	12	0	0	1	0	0	0	0	2	12	0	0	0	0
7	94	78	78	86	7,2	6,7	6,1	6,7	100	156	13,5	19	0	0	0	0	24	18	2	0	0	0	24	0	0	4	0	0	0	0	1	21	0	2	0	0
8	90	69	78	83	6,7	6,6	6,1	6,5	85	133	21,0	22	0	0	0	0	17	14	3	0	0	0	17	0	0	1	0	0	0	0	0	16	0	0	0	0
9	93	77	90	89	7,3	6,8	7,1	7,2	199	195	22,1	19	0	0	0	0	28	24	8	1	0	0	28	0	0	3	0	0	0	0	0	23	0	2	0	0
10	83	70	80	79	4,6	4,5	4,6	4,6	69	56	14,2	12	10	0	0	0	11	11	2	1	0	0	11	0	0	1	0	0	0	0	8	12	0	3	0	0
11	83	80	86	83	6,6	6,9	7,1	6,8	133	140	16,5	27	14	4	0	0	18	16	5	4	0	0	15	8	5	1	0	0	0	0	1	22	5	1	0	0
12	86	85	85	85	5,2	4,9	5,3	5,2	138	128	33,1	20	21	11	4	0	14	13	7	3	1	0	10	7	3	0	0	0	0	0	4	14	25	0	0	0
ÅR	86	73	77	81	5,6	5,6	5,7	5,7	1093	113	53,0		132	55	31	0	181	132	36	15	1	0	154	47	18	18	0	0	0	0	33	176	127	9	1	0
OLDEN - VANGBERG																																						1979
1	88	88	86	87	4,7	5,5	4,5	4,9	52	40	17,1	9	31	24	8	0	9	6	3	0	0	0	4	9	3	0	0	0	0	0	5	11	31	1	1	0
2	88	83	82	85	5,0	4,8	3,5	5,1	90	82	18,8	6	26	16	7	0	14	12	4	0	0	0	3	12	1	0	0	0	0	0	6	13	28	0	0	0
3	78	69	70	73	5,4	5,6	6,3	5,8	123	143	60,5	6	14	3	1	0	13	9	3	0	0	0	11	9	7	2	0	0	0	0	5	17	31	0	0	0
4	82	65	63	72	5,2	5,4	3,3	5,4	26	36	8,6	30	7	0	0	0	9	4	0	0	0	0	9	1	1	6	0	0	0	0	2	10	10	0	0	0
5	83	65	64	74	5,9	6,5	6,5	6,3	84	195	22,0	1	5	0	0	0	18	14	2	1	0	0	18	2	1	3	0	0	0	0	1	15	0	0	0	0
6	88	72	72	80	5,5	5,3	5,7	5,5	76	107	12,6	15	0	0	0	2	13	10	3	1	0	0	13	0	0	5	0	0	0	0	2	15	0	0	0	0
7	93	80	81	87	7,0	6,3	5,9	6,4	97	124	13,3	3	0	0	0	0	23	16	2	0	0	0	22	0	0	7	0	0	0	0	1	18	0	0	0	0
8	87	78	78	82	6,6	6,5	6,3	6,5	107	135	27,1	22	0	0	0	0	22	14	5	0	0	0	19	0	0	1	0	0	0	1	0	19	0	1	0	0
9	92	87	89	90	7,4	7,4	7,3	7,4	278	211	33,4	19	0	0	0	0	28	24	9	0	0	0	28	0	0	3	0	0	0	0	0	27	0	1	0	0
10	82	78	77	79	5,0	4,5	4,1	4,6	100	63	25,6	20	9	0	0	0	14	10	3	1	0	0	14	0	0	2	0	0	0	0	9	13	0	3	2	1
11	82	84	84	83	6,6	6,4	6,3	6,4	161	134	36,0	30	11	4	0	0	19	16	7	2	0	0	16	7	4	1	0	0	0	0	1	18	3	1	0	0
12	81	82	80	81	4,3	5,0	5,7	5,0	147	108	28,0	5	23	10	0	0	16	15	5	2	0	0	11	8	3	2	0	0	0	2	5	15	25	0	0	0
ÅR	85	78	77	81	5,7	5,8	5,3	5,8	1341	110	60,5		126	57	16	2	198	130	46	7	0	0	168	48	20	32	0	0	0	0	37	191	128	7	3	1

MD.	MIDLERE LUFTTRYKK P1	P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING (TYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
KRÅKENES PYR																									1979
1	1004,8	1009,7	0,5	0,6	1,0	0,7	- 1,9	2,0	- 1,0	6,6	7	-11,6	1	0 0,0	0 0,0	2 3,0	16 2,5	3 3,0	16 2,8	18 4,9	10 4,8	26 5,3	2 3,0	0 0,0	1 4,0	2
2	1007,4	1012,4	1,2	1,3	1,1	1,2	- 0,3	2,8	- 0,5	5,4	18	- 6,9	14	6 4,3	3 5,0	5 4,8	10 2,5	3 3,0	8 2,5	3 6,3	7 5,0	27 6,1	3 2,7	0 0,0	9 5,4	3
3	991,2	996,0	1,9	2,1	2,3	2,1	- 0,7	4,0	0,5	7,3	3	- 5,0	18													
4	1005,9	1010,8	4,3	5,6	3,3	4,3	0,0	6,7	3,4	13,2	11	1,9	17	0 0,0	0 0,0	33 3,5	14 2,9	1 3,0	9 2,0	1 5,0	3 6,0	20 4,1	2 4,0	0 0,0	4 4,8	3
5	1004,9	1009,3	6,1	7,1	7,1	6,4	- 1,5	8,4	4,6	17,4	21	0,9	1	2 2,5	3 0,3	8 2,7	4 3,8	1 3,0	6 4,3	4 5,3	11 4,9	50 5,6	0 0,0	1 3,0	6 3,0	2
6	1004,6	1009,4	11,3	12,6	12,3	12,1	- 1,5	14,0	10,7	18,9	14	8,0	31	2 1,5	1 3,0	28 5,0	4 3,3	0 0,0	10 3,1	2 5,5	5 4,8	33 4,3	3 2,7	1 5,0	2 4,5	2
9	1002,4	1007,2	9,3	10,1	10,2	9,9	- 1,6	11,6	8,4	17,7	6	4,0	29	1 4,0	1 3,0	8 5,1	6 3,2	0 0,0	2 2,0	9 6,6	5 6,2	38 6,1	7 6,6	2 6,0	10 5,0	1
10	1009,6	1014,4	8,2	8,9	8,8	8,5	- 0,1	10,4	7,1	14,6	25	3,0	22	0 0,0	0 0,0	14 3,6	12 2,9	1 3,0	20 2,7	5 3,8	9 4,8	26 5,2	2 6,0	2 5,0	1 4,0	2
11	995,3	1000,1	5,1	5,4	5,3	5,3	- 1,0	6,8	3,7	9,9	29	0,6	16	0 0,0	0 0,0	2 5,5	7 3,0	1 3,0	17 3,5	15 5,3	3 7,3	33 6,5	3 5,7	1 7,0	6 5,3	3
12	996,4	1001,3	3,0	3,3	3,1	3,1	- 1,2	4,5	1,5	9,9	2	- 3,1	17	3 5,7	1 6,3	4 4,5	13 3,2	1 3,0	21 3,4	1 4,3	6 4,5	22 7,0	4 5,8	1 6,0	7 5,0	5
ÅR																										
BRØTAVIK - VELLE																									1979
1			- 4,8	- 3,8	- 3,3	- 4,3	- 3,8	- 1,4	- 7,4	5,0	16	-22,0	1	2 1,0	1 1,0	0 0,0	9 1,3	0 0,0	1 2,0	1 1,0	0 0,0	0 0,0	3 1,7	0 0,0	0 0,0	74
2			- 3,1	- 2,5	- 2,2	- 2,2	- 1,3	1,7	- 5,4	8,5	21	-17,5	14	5 2,0	1 1,0	0 0,0	1 1,3	0 0,0	1 2,0	0 0,0	0 0,0	2 2,0	2 2,0	0 0,0	2 2,0	67
3			- 0,1	0,6	2,0	1,5	- 0,2	5,4	- 1,9	9,4	3	-14,0	18	0 0,0	4 1,3	0 0,0	17 1,8	0 0,0	1 4,0	2 2,0	0 0,0	7 4,7	4 3,0	0 0,0	0 0,0	58
4			2,7	7,3	3,3	4,5	0,1	9,0	0,3	14,8	12	- 5,0	17	1 1,0	1 1,0	0 0,0	22 1,1	0 0,0	0 0,0	4 1,0	0 0,0	2 1,0	5 1,0	0 0,0	1 4,0	54
5			8,9	9,6	9,1	7,7	- 0,3	12,0	3,9	21,2	21	- 3,0	8	2 1,0	0 0,0	0 0,0	23 1,3	0 0,0	0 0,0	12 1,4	0 0,0	17 1,7	16 1,5	0 0,0	0 0,0	23
6			12,1	11,7	11,3	12,0	1,0	16,8	8,6	24,0	5	3,5	2	1 1,0	1 1,0	0 0,0	3 1,0	0 0,0	0 0,0	6 1,7	0 0,0	5 1,4	45 1,5	0 0,0	0 0,0	29
7			11,6	11,1	11,1	12,0	2,0	15,4	9,2	20,2	13	3,0	2	0 0,0	0 0,0	0 0,0	6 1,0	0 0,0	3 1,0	3 1,3	0 0,0	9 1,8	46 1,5	0 0,0	1 2,0	83
8			11,5	14,3	12,9	12,4	- 1,1	16,5	9,2	21,8	8	4,0	5	4 1,3	1 1,0	0 0,0	3 1,3	0 0,0	2 1,0	2 1,0	0 0,0	1 1,0	32 1,1	0 0,0	1 1,0	42
9			8,4	10,3	9,3	8,8	- 1,7	11,9	6,6	25,0	6	1,2	30	5 1,2	0 0,0	0 0,0	11 1,9	0 0,0	3 4,0	5 1,0	0 0,0	2 2,0	14 1,9	0 0,0	1 4,0	49
10			3,9	6,8	5,3	5,9	- 1,0	10,2	2,8	17,0	10	- 3,2	24	2 1,0	0 0,0	0 0,0	8 1,8	0 0,0	3 3,0	4 1,5	0 0,0	2 3,0	4 2,3	0 0,0	1 3,0	69
11			4,7	5,7	4,3	4,9	0,3	5,8	0,0	10,6	3	- 8,4	16	4 1,3	1 1,0	0 0,0	23 1,2	0 0,0	1 2,0	3 1,7	0 0,0	1 8,0	11 2,1	0 0,0	7 2,4	39
12			- 1,4	- 0,7	- 1,1	- 1,1	- 2,2	2,2	- 3,9	10,6	2	-11,5	12	2 1,0	1 1,0	0 0,0	13 1,7	0 0,0	1 2,0	1 1,0	0 0,0	4 1,8	13 2,5	0 0,0	4 1,8	57
ÅR			4,2	6,7	5,3	5,0	- 1,2	8,8	1,8	25,0		-22,0		28 1,3	13 1,1	0 0,0	145 1,4	3 3,0	16 2,4	43 1,4	0 0,0	82 2,3	195 1,6	0 0,0	18 2,3	984
TAFJORD																									1979
1	1007,6	1011,4	- 2,1	- 1,6	- 1,3	- 1,9	- 2,3	1,0	- 4,4	8,2	7	-15,5	1	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	57 3,4	1 2,0	0 0,0	0 0,0	0 0,0	0 0,0	1 1,0	34
2	1008,8	1012,6	- 1,8	- 0,7	- 1,3	- 1,5	- 1,8	1,8	- 3,9	9,6	26	-12,6	14	1 1,0	1 1,0	0 0,0	0 0,0	0 0,0	21 3,8	2 1,0	0 0,0	0 0,0	0 0,0	0 0,0	5 1,0	53
3	993,6	997,3	2,1	4,9	3,1	3,1	0,8	6,3	0,2	14,0	3	- 9,2	18	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	52 2,5	6 3,5	1 2,0	0 0,0	1 2,0	0 0,0	1 1,0	32
4	1007,1	1010,8	4,2	7,8	7,3	6,3	0,3	9,7	3,0	16,7	12	- 2,0	17	2 1,0	0 0,0	0 0,0	0 0,0	0 0,0	43 1,9	1 1,0	0 0,0	0 0,0	0 0,0	0 0,0	2 1,0	42
5	1005,4	1009,0	7,7	11,3	11,1	9,2	- 0,4	13,8	5,6	23,3	31	0,4	1	8 1,3	0 0,0	0 0,0	0 0,0	0 0,0	47 2,1	3 2,7	0 0,0	0 0,0	0 0,0	1 1,0	3 1,0	31
6	1003,3	1012,9	12,2	15,9	14,7	13,4	1,0	18,9	9,9	27,6	5	5,8	10	3 1,0	4 1,3	0 0,0	1 1,0	0 0,0	8 2,0	7 2,0	0 0,0	0 0,0	0 0,0	1 3,0	8 1,3	88
7	1003,9	1010,5	11,0	14,5	14,1	12,7	- 2,2	16,6	10,2	23,3	30	5,6	2	7 1,1	5 1,2	0 0,0	1 2,0	0 0,0	5 2,8	0 0,0	1 1,0	0 0,0	0 0,0	0 0,0	6 1,3	68
8	1001,3	1008,8	11,9	15,2	14,2	13,2	- 1,1	17,2	10,4	23,0	14	7,0	5	8 1,0	1 1,0	0 0,0	4 1,0	0 0,0	11 3,2	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	3 1,0	66
9	1001,4	1007,0	8,4	11,1	10,3	9,5	- 1,7	13,3	7,2	22,3	7	3,0	23	0 0,0	1 1,0	0 0,0	0 0,0	0 0,0	9 1,8	8 2,8	1 3,0	0 0,0	3 1,0	1 3,0	4 1,8	63
10	1011,6	1015,2	8,3	8,9	8,3	7,7	0,1	11,3	4,8	17,7	10	- 2,6	4	1 1,0	1 3,0	1 1,0	0 0,0	0 0,0	40 3,6	1 4,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	49
11	997,6	1001,2	3,9	4,6	3,3	4,0	- 0,8	6,9	1,4	13,2	22	- 4,5	14	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	42 3,0	2 4,5	0 0,0	0 0,0	0 0,0	1 1,0	2 1,0	43
12	998,8	1002,5	0,4	0,3	0,0	0,4	- 2,1	4,0	- 2,0	15,2	5	- 8,0	12	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	40 3,2	1 3,0	1 3,0	0 0,0	0 0,0	1 3,0	2 2,5	48
ÅR	1004,6	1008,3	5,4	7,7	7,1	6,3	- 0,9	10,1	3,5	27,6		-15,5		10 1,1	11 1,2	2 1,5	6 1,2	0 0,0	375 2,3	32 2,7	4 2,3	0 0,0	4 1,3	5 2,2	37 1,3	987
SKODJE																									1979
1			- 2,5	- 1,3	- 2,2	- 2,1	- 2,0	- 0,1	- 4,8	6,6	7	-15,9	1	5 1,0	21 1,2	33 1,4	11 2,0	4 1,5	1 2,0	2 1,0	3 2,3	4 1,5	1 1,0	2 1,0	2 1,0	0
2			- 1,6	- 1,1	- 1,7	- 1,7	- 0,5	2,1	- 3,5	8,0	26	-12,0	14	2 1,0	11 1,3	22 1,3	9 1,0	7 2,3	1 1,0	0 0,0	6 1,5	7 2,3	5 2,6	5 1,2	3 1,0	6
3			0,8	1,8	2,3	2,0	- 0,1	5,4	- 1,2	10,2	31	-11,3	18	2 1,0	6 1,2	21 1,7	11 1,4	9 2,8	11 3,0	5 1,4	6 2,0	9 2,8	7 1,7	1 2,0	4 1,3	1
4			3,3	7,4	5,8	4,9	- 0,2	8,4	1,0	13,7	12	- 3,3	17	2 1,5	5 1,6	32 1,8	11 1,3	10 1,4	4 1,3	2 1,0	4 1,3	7 1,3	5 1,2	3 2,0	2 1,5	3
5			8,3	10,3	8,3	7,8	- 1,1	11,9	3,9	20,8	21	- 2,2	8	2 1,0	1 1,3	10 1,4	6 1,5	7 1,4	2 2,0	8 1,3	11 1,5	21 2,1	16 2,1	4 2,3	3 1,0	2
6	12,6	14,8	13,3	12,5	0,8	16,8	8,7	24,6	5	4,9	11	0 0,0	3 2,3	6 1,2	4 1,3	3 1,3	5 1,6	6 1,5	3 1,7	20 1,9	27 2,0	5 1,6	4 1,5	4
7	11,4	13,6	12,3	11,9	- 2,6	15,1	9,0	21,4	30	4,6	2	1 1,0	0 0,0	4 1,5	2 1,0	2 1,0	3 1,3	6 1,0	10 1,4	28 1,5	29 2,0	1 1,0	1 2,0	0
8	11,6	14,5	12,3	12,5	- 1,6	16,2	9,3	22,5	14	5,5	5	1 1,0	11 2,3	13 1,5	3 1,0	4 1,8	6 1,3	6 1,5	7 1,6	13 1,3	14 1,7	4 2,3	5 1,2	4
9	7,9	10,4	8,9	8,8	- 2,4	11,9	6,3	22,4	6	1,8	23	3 1,0	8 1,2	9 1,1	6 1,3	5 1,6	3 1,7	7 1,4	6 1,5	13 1,9	17 2,6	6 1,8	5 1,0	2
10	5,1	7,7	6,3	7,0	- 0,2	10,6	3,9	15,5	10	- 1,9	23	11 1,0	7 1,1	13 1,2	3 1,7	5 1,0	7 1,7	9 2,4	6 2,0	9 1,0	5 3,0	6 1,3	2 1,5	9
11	3,4	4,5	3,8	3,7	- 0,6	8,3	1,0	12,5	3	- 3,7	17	4 1,0	10 1,2	21 1,3	11 1,2	9 2,3	6 4,0	3 2,3	2 4,0	3 4,3	14 2,1	3 2,7	2 1,0	2
12	0,1	0,8	0,6	0,5	- 1,1	3,4	- 2,1	12,3	5	- 9,3	18	7 1,0	11 1,2	30 1,5	9 2,1	1 2,3	7 2,1	2 1,5	1 3,0	6 3,3	11 2,7	3 3,0	1 1,0	1
ÅR			4,9	7,4	6,1	5,7	- 1,0	9,0	2,6	24,6		-15,9		41 1,0	100 1,3	212 1,5	91 1,4	63 1,9	56 2,2	56 1,3	65 1,7	136 1,9	151 2,1	43 1,8	34 1,2	34
SVIGY PYR																									1979
1	1004,2	1009,2	0,8	1,4	1,3	1,1	- 1,7	2,4	- 0,9	6,8	7	- 9,8	1	1 4,0	0 0,0	10 3,5	2 2,5	1 2,0	24 3,2	17 3,8	21 4,7	13 5,4	0 0,0	1 6,0	2 4,0	1
2	1006,9	1011,5	1,2	1,8	1,5	1,4	- 1,0	3,1	- 0,5	6,4	18	- 6,4	15	3 4,8	4 3,3	3 5,2	1 2,8	0 0,0	11 2,5	5 3,0	12 4,5	21 5,9	3 3,7	2 4,5	0 5,4	1
3	990,7	995,6	2,1	3,1	2,7	2,5	- 0,7	4,1	0,6	8,0	3	- 4,2	17	2 3,5	4 3,8	17 4,3	3 2,7	3 2,3	11 3,5	10 4,6	21 5,7	16 7,0	0 0,0	0 0,0	3 3,0	1
4	1005,5	1010,5	4,0	5,1	4,6	4,3	- 0,2	6,1	2,8	11,7	11	0,3	29	4 3,8	16 3,3	27 3,7	3 3,0	1 2,0	7 2,3	5 3,2	6 3,8	9 3,9	2 2,5	1 5,0	4 4,0	0
5	1003,7	1008,7	5,8	7,2	6,8	6,1	- 1,1	8,6	4,1	17,8	21	0,2	1	0 0,0	1 4,0	11 3,6	7 3,3	3 3,0	6 3,3	8 4,1	25 5,2	32 4,8	1 3,0	1 4,0	1 4,0	0
6	1003,8	1013,6	10,3	10,8	10,4	10,2	0,5	12,4	8,8	18,5	1	6,6	2	3 1,7	12 3,2	16 3,3	5 2,0	3 3,0	5 3,4	1 4,3	10 5,8	35 4,7	0 0,0	1 2,0	2 2,5	0
7	1006,4	1011,2	11,1	12,5	11,8	11,5	- 1,0	13,2	10,2	17,2	13	6,7	1	3 3,3	7 3,1	18 3,8	1 2,0	0 0,0	8 2,0	2 3,5	3 5,0	27 4,1	10 3,0	2 2,5	11 3,3	1
8	1001,2	1010,0	11,7	12,1	11,9	11,7	- 1,5	13,5	10,6	18,9	14	7,8	31	0 0,0	20 4,7	13 4,3	4 3,3	2 3,0	10 2,8	3 5,3	8 5,4	18 4,5	5 3,6	4 3,8	5 2,4	1
9	1001,5	1008,3	9,8	10,2	10,1	9,9	- 1,7	11,5	8,3	17,6	7	5,2	14	3 0,3	2 4,5	5 4,2	3 2,0	0 0,0	0 0,2	4 5,3	14 5,2	36 6,0	5 5,2	5 4,4	6 4,5	1
10	1009,1	1014,0	8,2	9,2	8,8	8,6	- 0,2	10,1	7,2	14,9	25	3,0	21	3 0,0	5 4,2	9 4,3	3 3,2	6 2,5	33 2,7	3 5,0	10 3,9	16 5,7	3 4,0	0 0,0	2 4,5	1
11	994,4	999,3	5,3	5,9	5,7	5,5	- 1,0	6,9	4,1	9,9	29	0,8	15	3 0,0	1 6,3	2 3,5	4 3,8	4 2,8	28 3,5	16 4,7	11 6,4	14 6,1	6 3,5	2 5,5	2 5,0	0
12	995,5	1000,4	3,5	3,7	3,3	3,5	- 1,1	5,0	1,6	10,2	2	- 4,0	17	1 3,0	2 4,5	7 5,0	5 4,4	3 3,3	31 3,0	9 5,3	11 6,7	13 6,2	4 6,0	0 0,0	7 5,1	0
ÅR	1002,5	1007,4	6,2	6,9	6,6	6,4	- 0,9	8,1	4,7	18,9		- 9,8		22 4,4	74 4,1	144 4,0	51 3,1	23 2,7	184 3,0	83 4,3	152 5,2	250 5,3	39 3,8	19 4,2	53 4,1	7
FISKÅBYGD																									1979
1			- 2,7	- 1,5	- 1,9	- 2,2	- 2,7	0,3	- 5,4	7,0	7	-16,8	1	0 0,0	32 1,2	27 1,1	5 1,0	6 2,2	2 3,0	2 2,0	7 1,4	1 3,0	2 5,0	0 0,0	9 1,1	0
2			- 1,5	0,8	- 1,1	- 0,8	- 1,1	2,1	- 3,9	6,2	18	-13,2	14	0 0,0	28 1,3	8 1,6	6 1,0	3 2,0	1 1,0	0 0,0	7 2,6	9 2,9	1 1,0	5 2,6	14 1,1	0
3			0,8	3,6	2,3	1,9	- 0,1	4,8	- 1,2	9,3	28	-10,7	18	0 0,0	20 2,4	16 1,3	2 1,0	1 1,8	4 3,0	0 0,0	14 2,8	13 3,3	6 4,0	3 1,0	7 1,3	4
4			4,4	7,7	5,7	5,1	0,2	8,7	1,3	16,4	12	- 2,8	30	0 0,0	23 2,4	13 1,4	1 1,0	12 1,6	0 0,0	0 0,0	19 1,7	11 1,8	4 2,5	4 2,5	2 2,0	4
5			9,8	9,2	8,4	7,2	- 1,8	11,0	4,0	20,9	21	- 2,4	2	0 0,0	9 1,3	3 1,3	2 1,0	12 2,0	1 3,0	1 1,0	25 2,6	24 2,7	9 2,2	3 2,0	3 1,0	1
6	12,6	13,7	12,8	12,0	0,5	15,6	8,5	22,5	1	4,2	3	0 0,0	6 2,3	3 2,0	2 2,0	3 2,7	1 1,0	0 0,0	21 2,5	24 2,0	11 2,4	7 1,9	6 2,0	6
7	12,0	13,9	13,2	12,1	- 2,1	15,1	9,1	21,2	13	4,1	2	0 0,0	10 1,8	3 2,2	2 1,0	2 1,5	4 1,8	2 1,0	15 1,6	30 1,9	11 2,6	6 1,5	1 1,0	5
8	12,3	14,0	13,0	12,3	- 1,6	15,9	9,5	21,2	14	4,3	6	0 0,0	27 3,1	3 1,3	5 1,2	5 2,2	0 0,0	0 0,0	12 1,4	17 2,0	5 2,2	2 2,0	2 1,0	15
9	9,0	10,3	9,1	9,1	- 1,8	12,0	6,7	23,8	6	- 0,2	30	0 0,0	12 1,3	6 1,0	2 1,0	3 2,3	3 2,3	2 3,0	26 3,0	12 3,1	2 1,5	11 1,6	5 1,0	6
10	5,0	9,3	6,3	6,0	- 0,8	10,4	3,3	15,7	25	- 2,0	24	0 0,0	28 1,0	17 1,3	2 2,5	1 1,0	1 1,0	7 2,0	15 2,4	3 2,0	2 1,5	8 1,4	1
11	3,4	4,2	3,3	3,4	- 1,2	5,8	0,9	10,8	29	- 6,2	16	1 1,0	31 1,1	11 1,4	5 1,4	6 2,3	1 1,0	2 2,5	13 3,3	7 2,7	5 4,2	0 0,0	8 1,8	0
12	0,9	1,4	1,0	0,9	- 1,6	3,3	- 2,3	10,5	2	- 9,2	18	0 0,0	33 1,0	16 1,3	2 2,0	6 1,3	4 2,3	3 3,3	9 3,4	10 3,4	5 4,8	1 2,0	4 2,5	0
ÅR	5,3	7,2	6,3	5,6	- 1,2	8,8	2,5	23,8		-16,8		1 1,0	259 1,3	125 1,3	43 1,3	66 2,0	22 2,2	13 2,2	175 2,4	173 2,4	84 2,9	44 1,8	66 1,4	42

[1] Månedsmidler for mars delvis interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅM.	MIDLERE SKYDEKKE 07	13	19	ÅM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=10	TX>= 25.	NEDBØR R>=0,1	R>=1,0	R>=10,0.	VINDSTYRKE FX> =08	FX> =08	FX> =38.	ANTALL DAGER MED: R	S	SL	YR	SM	FOREKOMST AV H	IH	TO	KV	OV	SO	TÅKE 07	13	19.
KRÅKENES FYR																																					1979
1					4,9	5,7	5,3	5,4	118	116	31,9	29	17	4	1	0	15	12	4	10	11	0	8	12	4	0	0	3	0	4	6	16		0	0	0
2					5,0	4,9	5,7	5,2	47	59	9,8	7	15	1	0	0	16	13	0	22	9	4	6	13	3	0	0	5	0	0	5	13		0	0	0
3					6,1	6,4	6,3	6,3	132	185	20,1	10	7	1	0	0	22	18	5	23	11	0	20	13	11	0	0	0	0	0	3	20		0	0	0
4					6,1	6,7	5,4	5,8	24	31	7,7	14	0	0	0	0	11	7	0	10	1	1	11	1	0	1	0	1	0	0	2	16		0	0	0
5					6,7	6,3	6,6	6,5	128	251	17,6	17	0	0	0	0	22	19	5	27	9	0	29	5	5	0	0	0	0	0	1	21		0	0	0
6	82	80	81	81	6,1	6,3	6,3	6,2	146	159	35,9	30	0	0	0	0	21	18	5	22	8	3	21	0	0	6	0	0	0	2	2	21		2	0	0
9	82	82	83	82	6,8	7,1	6,9	6,9	197	154	32,9	26	0	0	0	0	29	24	4	27	19	13	29	0	0	1	0	0	0	0	0	22		0	0	1
10	71	71	70	70	4,9	5,1	4,8	4,9	82	42	19,7	10	0	0	0	0	11	9	1	15	6	3	11	0	0	2	0	1	0	1	8	16		0	0	0
11	79	78	79	79	6,2	6,5	5,7	6,2	217	174	36,1	12	0	0	0	0	23	21	10	24	13	8	23	6	4	0	0	0	0	1	1	17		0	0	0
12	82	81	82	82	4,7	5,3	5,2	5,0	135	84	27,5	5	7	0	0	0	15	12	4	13	12	8	14	3	1	0	0	5	0	2	5	8		0	0	0
ÅR																																					
ØRSTAVIK - VELLE																																					1979
1	77	76	76	76	4,1	4,7	4,5	4,5	69	39	13,0	9	28	18	9	0	11	10	4	0	0	0	4	8	1	2	0	0	0	0	8	14	31	0	0	0
2	80	77	77	78	5,3	5,0	5,3	5,2	235	172	41,0	7	25	9	7	0	16	14	8	0	0	0	5	13	2	1	0	1	0	0	7	16	28	0	0	0
3	75	68	67	70	6,2	6,7	5,8	6,9	146	102	37,5	6	13	1	3	0	14	13	6	5	0	0	10	10	6	2	0	0	0	0	4	16	31	0	0	0
4	77	58	62	69	5,8	4,7	4,6	5,0	44	36	14,5	29	11	0	0	0	7	6	1	0	0	0	7	1	1	0	0	0	0	0	4	12	12	0	0	0
5	73	58	60	66	6,3	6,5	6,7	6,5	92	114	26,5	1	4	0	0	0	13	15	2	0	0	0	14	3	2	2	0	0	0	0	1	20	1	0	0	0
6	78	67	72	75	5,1	4,8	5,2	5,0	77	69	15,2	19	0	0	0	0	13	10	3	0	0	0	15	0	0	5	0	0	0	0	4	13	0	1	0	0
7	86	81	78	82	6,7	6,8	6,3	6,7	105	84	18,5	3	0	0	0	0	17	17	3	0	0	0	17	0	0	4	0	0	0	0	2	22	0	0	1	0
8	86	73	78	81	6,8	6,9	6,9	6,9	172	112	56,0	30	0	0	0	0	23	19	4	0	0	0	23	0	0	2	0	0	0	0	0	23	0	1	0	1
9	86	80	82	83	7,5	7,5	7,2	7,4	468	210	47,0	19	0	0	0	1	23	28	16	4	0	0	28	0	0	2	0	0	0	0	0	26	0	0	0	0
10	82	70	74	77	4,3	4,5	4,2	4,5	111	47	24,5	21	13	0	0	0	7	9	5	1	0	0	9	2	2	0	0	0	0	0	11	16	0	0	0	0
11	76	78	77	77	6,5	6,4	5,4	6,1	237	129	36,2	27	13	1	0	0	17	19	12	3	1	0	19	10	4	0	0	0	0	0	3	20	8	0	0	0
12	77	77	77	77	5,2	4,8	4,7	4,9	173	98	42,0	20	22	9	5	0	16	15	7	2	2	1	11	8	1	1	0	3	0	0	7	17	25	0	0	0
ÅR	79	72	73	76	5,8	5,7	5,8	5,7	1949	103	56,0		131	38	24	1	190	175	71	16	3	1	158	55	19	21	0	4	0	0	51	215	136	2	1	1
TAFJORD																																					1979
1	57	56	57	57	3,9	5,0	4,3	4,5	19	21	10,5	8	28	11	3	0	5	4	1	1	0	0	3	4	1	0	0	0	0	0	6	10	8	0	0	0
2	74	70	73	73	5,2	4,8	5,6	5,2	82	90	21,1	10	25	8	2	0	14	10	4	0	0	0	1	14	0	0	0	0	0	0	5	13	27	0	0	0
3	61	53	58	58	5,7	5,6	5,7	5,7	67	92	25,5	6	10	2	0	0	9	7	3	0	0	0	7	7	5	0	0	0	0	0	4	18	7	0	0	0
4	67	55	57	61	5,5	5,4	5,0	5,3	23	44	7,9	14	3	0	0	0	10	6	0	0	0	0	10	2	1	4	0	0	0	0	3	9	0	0	0	0
5	66	55	53	59	5,9	5,9	5,9	5,9	48	123	18,0	1	0	0	0	0	14	10	1	2	1	0	14	3	2	4	0	0	0	0	0	15	1	0	0	0
6	82	67	71	77	4,9	5,0	5,4	5,1	51	113	13,5	15	0	0	0	0	12	9	1	1	0	0	12	0	0	3	0	0	0	0	4	13	0	0	0	0
7	91	71	74	82	6,7	6,5	6,2	6,5	81	116	13,5	19	0	0	0	0	20	15	3	0	0	0	19	0	0	5	0	0	0	0	0	20	0	0	0	0
8	85	67	76	80	6,1	6,5	6,4	6,4	70	103	23,2	22	0	0	0	0	22	12	2	0	0	0	22	0	0	3	0	0	0	1	0	18	0	0	0	0
9	87	72	80	81	6,3	7,3	7,2	7,1	182	204	26,0	22	0	0	0	0	27	23	7	0	0	0	27	0	0	1	0	0	0	0	0	22	0	0	0	0
10	72	66	67	69	4,2	4,8	4,5	4,4	75	73	24,0	21	3	0	0	0	12	8	2	1	0	0	12	0	0	0	0	0	0	0	10	14	0	0	0	0
11	67	67	70	68	6,7	6,6	6,0	6,1	89	103	23,8	30	8	0	0	0	18	13	2	1	0	0	14	7	1	0	0	0	0	0	2	18	6	0	0	0
12	66	67	65	66	6,1	6,6	6,0	6,6	139	142	45,4	20	13	6	0	0	11	11	8	4	1	1	9	6	2	2	0	0	0	0	8	14	13	0	0	0
ÅR	73	64	67	69	5,5	5,6	5,6	5,6	926	102	45,4		97	27	5	1	175	128	51	13	2	1	150	43	12	22	0	0	0	1	42	184	62	0	0	0
SKODJE																																					1979
1	66	63	66	65	5,3	5,2	5,2	5,2	68	48	14,6	15	22	15	3	0	13	9	2	1	0	0	4	10	1	0	0	0	0	2	4	13	31	0	0	0
2	77	67	71	73	5,3	5,0	6,1	5,5	142	115	25,3	8	25	6	2	0	18	15	5	0	0	0	3	17	0	0	0	1	0	2	5	16	28	0	0	0
3	70	59	66	66	5,5	5,8	6,1	5,8	124	102	45,5	6	14	2	1	0	10	13	4	0	0	0	11	12	6	2	0	1	0	0	3	17	31	0	0	0
4	73	57	61	66	5,8	5,0	5,2	5,3	32	29	6,7	27	7	0	0	0	7	6	0	0	0	0	6	1	0	0	0	0	0	0	4	12	12	0	0	0
5	72	57	62	67	6,3	5,9	6,1	6,1	80	105	22,4	1	4	0	0	0	19	10	2	2	0	0	19	7	6	0	0	0	0	0	0	12	0	0	0	0
6	75	68	73	74	5,8	5,4	5,3	5,5	75	76	17,0	19	0	0	0	0	13	10	4	1	0	0	13	0	0	2	0	0	0	0	2	12	0	0	0	0
7	86	74	77	81	6,6	6,5	6,3	6,5	117	121	13,3	15	0	0	0	0	22	17	5	2	0	0	22	0	0	2	0	0	0	0	2	20	0	0	0	0
8	84	70	77	80	6,4	6,7	6,7	6,6	170	140	32,8	30	0	0	0	0	23	17	7	1	0	0	25	0	0	1	0	0	0	0	0	21	0	0	0	0
9	86	73	82	82	6,9	7,1	7,1	7,0	359	196	56,0	19	0	0	0	0	30	27	12	3	0	0	30	0	0	4	0	0	0	1	0	25	0	1	0	0
10	72	59	69	68	5,2	4,8	4,8	4,9	160	86	45,1	10	5	0	0	0	13	11	6	1	1	0	13	2	2	0	0	0	0	0	7	13	0	1	0	1
11	70	68	70	70	6,3	6,6	6,9	6,5	157	102	29,0	30	11	0	0	0	18	16	7	7	1	0	14	5	1	0	0	1	0	0	1	18	3	0	0	0
12	69	67	64	66	5,2	5,2	5,3	5,2	127	80	27,0	20	20	7	0	0	13	12	4	1	1	1	8	8	1	0	0	3	0	1	4	13	25	0	0	0
ÅR	75	68	70	72	5,9	5,8	5,9	5,8	1611	102	56,0		115	30	6	0	200	163	80	27	3	1	168	62	17	11	0	6	0	0	32	192	130	2	0	1
SVIØY FYR																																					1979
1	76	73	74	75	5,3	5,8	6,0	5,7	70		24,1	17	16	3	0	0	21	13	2	15	6	2	11	16	6	0	0	3	0	1	3	17	14	0	0	0
2	79	75	77	78	5,4	5,3	5,3	5,5	35		8,2	7	16	1	0	0	17	9	0	19	7	3	8	15	5	1	0	3	0	0	4	15	24	0	0	0
3	81	78	80	80	6,3	6,5	6,3	6,3	67		14,8	6	6	1	0	0	20	12	3	22	11	8	19	12	11	4	0	1	0	0	1	21	1	0	0	0
4	79	76	79	79	5,8	5,6	5,9	5,8	9		3,0	20	0	0	0	0	10	3	0	11	1	0	10	1	1	1	0	0	0	0	1	15	0	0	0	1
5	80	76	81	80	6,8	6,4	6,2	6,4	73		14,8	26	0	0	0	0	25	13	2	24	8	4	25	7	7	2	0	3	0	0	0	18	0	0	0	0
6	83	81	83	83	6,2	6,1	6,1	6,1	32		5,6	2	0	0	0	0	15	9	0	20	1	0	15	0	0	6	0	0	0	0	3	19	0	2	2	2
7	84	79	83	84	6,8	6,5	6,3	6,6	47		9,5	18	0	0	0	0	20	10	0	2	1	0	20	0	0	8	0	0	0	0	1	22	0	0	0	0
8	82	79	80	81	7,0	6,7	6,7	6,8	83		8,5	15	0	0	0	0	23	19	0	13	3	2	23	0	0	5	0	0	0	1	0	22	0	2	1	0
9	78	78	79	78	7,1	7,1	7,1	7,1	121		24,8	13	0	0	0	0	28	25	3	20	13	3	28	0	0	4	0	1	0	0	0	23	0	0	0	0
10	74	71	71	72	5,0	5,2	5,4	5,2	47		13,6	10	0	0	0	0	14	7	2	15	3	1	14	0	0	5	0	0	0	1	6	17	0	1	0	1
11	78	78	77	78	6,8	6,7	6,8	6,6	111		17,7	15	0	0	0	0	22	19	2	22	9	6	22	8	8	1	0	2	0	0	0	20	0	0	0	0
12	79	77	78	78	5,2	5,7	5,8	5,6	34		5,3	28	5	0	0	0	10	12	0	10	10	5	16	6	4	3	0	3	0	0	3	14	2	0	0	0
ÅR	79	77	79	79	6,1	6,1	6,2	6,1	709		24,8		43	5	0	0	230	131	14	220	73	34	211	69	42	40	0	16	0	3	22	223	41	5	3	4
FISKÅBYGD																																					1979
1	77	75	76	76	5,5	5,1	5,7	5,4	91		15,3	29	27	14	4	0	16	8	6	2	0	0	7	12	4	0	0	3	0	3	4	14	31	0	0	0
2	81	74	79	79	5,8	5,1	5,5	5,5	145		19,5	8	25	5	3	0	18	17	6	5	0	0	9	17	5	0	0	4	0	1	6	14	28	0	0	0
3	79	71	75	76	5,9	6,2	6,0	6,2	99		18,2	6	13	2	1	0	18	14	3	8	0	0	15	12	9	0	0	3	0	0	4	19	31	0	0	0
4	77	63	72	74	5,8	5,9	5,2	5,7	35		7,2	14	9	0	0	0	11	7	0	1	0	0	11	1	1	0	0	1	0	0	0	15	1	0	0	0
5	81	71	72	78	6,7	6,8	6,5	6,7	136		26,8	1	4	0	0	0	22	16	5	2	0	0	22	6	6	0	0	1	0	0	1	22	2	0	0	0
6	82	77	81	83	6,0	5,8	5,7	5,8	74		15,8	19	0	0	0	0	14	11	3	0	0	0	14	0	0	2	0	0	0	1	3	18	0	0	0	0
7	87	79	83	86	7,0	7,0	6,7	6,9	88		13,6	3	0	0	0	0	20	14	3	0	0	0	20	0	0	2	0	0	0	0	0	24	0	0	0	0
8	86	79	83	85	6,6	6,7	6,7	6,7	188		54,8	30	0	0	0	0	22	19	6	1	0	0	22	0	0	1	0	0	0	1	0	22	0	0	0	0
9	89	82	88	88	7,2	7,4	7,2	7,3	404		43,5	22	1	0	0	0	29	27	14	2	0	0	29	0	0	0	0	3	0	0	1	27	0	0	0	0
10	84	72	81	81	5,3	5,2	5,1	5,2	98		22,1	20	3	0	0	0	14	13	4	2	0	0	14	1	1	0	0	2	0	0	7	18	0	0	0	0
11	84	83	85	84	6,7	6,5	6,3	6,7	238		28,0	8	9	1	0	0	22	18	13	6	1	0	21	11	10	0	0	3	0	0	2	22	10	0	0	0
12	79	79	79	79	5,5	5,3	6,1	5,6	158		28,8	20	19	6	0	0	19	14	6	3	1	1	13	10	2	0	0	6	0	3	3	17	21	0	0	0
ÅR	82	75	80	81	6,2	6,1	6,2	6,1	1754		54,8		116	28	8	0	225	178	89	37	2	1	194	70	38	5	0	26	0	9	31	232	124	0	0	0

MD.	MIDLERE LUFTTRYKK P1	P01	MIDLERE LUFTTEMPERATUR J7	13	19	TM	AVVIK FRA NORM.	MIDLERE (1) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
VIGRA																									1979
1	1007,3	1009,9	- 0,7	0,1	- 0,4	- 0,4	- 2,0	1,2	- 2,4	6,7	7	-11,0	1	0 0,0	1 3,0	3 3,0	2 3,0	10 3,9	45 3,3	16 2,9	11 3,5	2 5,5	1 3,0	0 0,0	1 4,0	1
2	1009,3	1012,0	0,1	1,0	0,3	0,3	- 1,1	2,3	- 1,7	8,0	25	- 7,8	14	2 2,0	0 0,0	2 3,4	3 2,5	4 3,5	15 2,8	7 2,6	13 3,7	10 3,9	8 3,0	4 4,8	7 4,0	0
3	993,9	996,8	1,0	3,3	2,2	2,1	- 0,5	4,6	- 0,2	9,0	9	- 7,9	18	0 0,0	3 2,3	20 3,1	1 4,0	7 3,3	8 3,3	10 3,3	17 4,1	14 4,6	4 1,8	1 4,0	1 1,0	4
4	1008,3	1010,9	3,5	0,6	0,1	1,7	- 0,2	7,6	2,3	13,0	24	- 0,6	30	2 2,5	7 2,3	40 3,1	5 1,6	6 2,3	5 2,3	4 2,3	1 3,0	9 3,6	4 3,0	2 3,0	1 2,0	3
5	1006,7	1009,3	0,5	3,1	3,1	7,3	- 0,5	10,9	4,3	21,0	21	0,0	8	0 0,0	1 2,0	12 3,3	6 3,2	1 4,0	6 2,7	5 2,6	14 3,9	23 3,7	13 3,5	7 3,0	2 2,5	3
6	1011,5	1014,1	11,1	12,8	11,6	11,4	0,3	14,4	8,8	22,7	5	6,4	9	10 2,9	10 2,4	17 2,7	2 2,0	1 1,0	1 4,0	3 2,3	0 0,0	23 3,6	9 3,6	5 2,2	7 2,3	2
7	1009,0	1011,5	11,5	12,9	12,4	11,8	- 1,5	14,2	9,8	18,8	30	6,0	1	3 2,0	5 3,0	23 2,9	1 2,0	4 2,3	4 1,8	1 2,0	2 4,5	9 3,4	18 3,6	5 2,2	15 2,2	3
8	1007,1	1009,6	11,6	13,3	12,4	12,1	- 1,4	14,8	9,9	20,6	8	7,0	28	3 2,8	10 3,1	22 3,3	3 2,2	4 1,8	7 2,4	2 2,0	5 3,6	10 3,9	12 3,5	5 2,4	2 1,5	4
9	1001,4	1007,0	8,9	10,5	9,6	9,4	- 1,1	11,8	7,6	17,4	7	4,0	30	3 2,8	1 2,0	9 3,0	2 1,5	2 3,5	3 4,0	12 2,9	18 3,7	19 4,2	8 4,5	7 3,9	1 4,0	2
10	1012,0	1014,6	6,7	9,5	7,3	7,3	0,2	10,1	5,3	14,7	10	0,7	24	2 1,5	3 2,7	17 2,8	0 2,0	10 3,4	27 2,8	3 3,3	3 4,0	5 3,4	7 4,3	4 2,3	3 3,3	6
11	997,5	1000,1	4,6	5,4	4,8	4,8	- 0,7	6,6	2,8	11,5	3	- 0,6	17	0 0,0	1 3,0	4 2,5	1 4,0	13 3,5	21 3,5	17 3,2	18 3,9	7 4,7	4 4,5	3 3,3	1 5,0	0
12	998,6	1001,2	2,0	2,5	2,1	2,3	- 1,3	4,2	0,3	10,2	2	- 5,2	18	3 4,3	3 5,3	7 3,0	2 1,5	13 1,2	28 3,3	6 4,2	11 4,7	6 4,7	8 5,0	3 4,7	0 0,0	1
ÅR	1003,5	1006,1	5,6	7,3	6,3	6,1	- 0,7	8,6	3,9	22,7		- 11,0		33 2,7	45 3,3	183 3,1	38 2,6	77 3,4	171 3,1	86 3,0	113 3,9	137 4,0	96 3,7	46 3,1	41 2,7	29
OKA II																									1979
1	1007,8	1009,6	3,6	3,8	3,6	3,6		1,9	- 0,9	5,8	7	- 8,5	1	2 4,0	1 1,0	0 0,0	10 2,8	2 3,5	28 3,9	30 4,1	8 5,0	6 3,2	3 5,0	0 0,0	2 3,0	1
2	1009,4	1011,2	1,2	1,5	1,4	1,2		2,7	- 0,5	8,3	26	- 7,9	14	2 4,5	0 0,0	1 3,5	3 4,1	4 3,0	8 3,6	12 3,6	7 5,1	18 6,2	11 4,7	8 4,8	7 5,4	0
3	994,4	996,2	2,1	3,0	2,5	2,5		4,1	0,9	8,2	3	- 5,7	17	2 3,5	2 4,0	19 3,7	11 2,7	2 3,5	11 4,2	14 4,3	12 5,7	17 5,9	1 5,0	0 0,0	1 1,0	1
4	1003,0	1010,8	3,6	3,4	4,9	4,4		6,4	3,0	12,0	24	0,0	17	3 3,3	3 3,7	32 4,0	16 3,6	2 2,5	8 2,9	4 3,3	2 4,5	9 4,7	3 3,3	0 0,0	3 3,7	0
5	1007,1	1008,9	5,7	7,2	7,0	6,3		8,7	4,7	17,3	22	1,0	7	3 2,7	0 0,0	14 4,0	6 3,7	1 4,0	4 3,3	9 3,6	3 3,7	38 4,9	11 3,7	0 0,0	4 2,8	0
6	1012,0	1013,8	10,0	10,9	10,3	10,1		12,4	8,8	18,8	1	6,4	3	12 3,1	3 2,7	13 3,4	3 3,0	1 3,0	1 2,0	2 2,0	2 3,5	27 5,1	10 3,0	1 2,0	9 2,8	1
7	1009,4	1011,2	11,3	12,1	11,7	11,3		12,9	10,1	16,2	13	7,0	3	7 2,3	4 3,1	20 3,4	6 2,2	0 0,0	5 2,3	2 1,5	4 3,8	13 4,7	23 3,9	2 4,0	6 2,5	1
8	1007,7	1009,4	11,5	12,5	12,1	11,3		13,6	10,5	19,0	14	8,0	28	10 3,9	3 4,7	24 3,9	11 2,6	1 4,0	2 2,5	2 3,0	4 5,5	16 4,9	16 3,9	1 4,0	2 2,0	1
9	1004,6	1006,4	9,4	10,2	9,6	9,6		11,1	8,3	17,2	6	4,5	29	5 3,8	2 3,1	7 4,3	4 3,3	1 3,0	6 3,8	7 4,1	8 5,1	29 6,1	14 5,5	3 5,0	7 4,7	1
10	1012,0	1014,4	7,6	9,6	8,2	8,2		9,5	6,8	12,4	25	4,0	23	4 2,8	1 3,0	11 4,0	3 2,0	7 3,7	26 3,0	10 3,6	3 4,7	9 6,1	6 5,3	1 7,0	6 3,0	0
11	997,2	999,7	3,1	5,5	3,3	3,3		6,6	3,7	10,8	3	0,9	16	0 0,0	0 0,0	1 3,0	4 3,3	6 3,7	26 4,0	18 4,3	7 4,4	20 6,3	6 6,0	1 6,0	1 8,0	0
12	999,1	1000,9	2,7	2,9	2,9	2,8		4,4	1,2	9,6	5	- 5,5	17	5 4,8	1 4,3	3 3,0	3 3,8	7 3,0	22 3,3	15 4,3	7 6,0	13 6,8	8 8,0	1 3,0	2 4,5	0
ÅR	1003,9	1007,7	5,9	6,8	6,4	6,2		7,9	4,7	19,0		- 8,5		60 3,4	18 3,1	148 3,2	93 3,1	34 3,8	147 3,4	127 4,0	67 5,0	211 6,5	112 4,6	16 4,6	50 3,6	8
HJELVIK I RØMSDAL																									1979
1			- 2,7	- 1,9	- 2,1	- 2,4		- 0,3	- 4,9	6,7	7	- 15,6	1	0 0,0	0 0,0	0 0,0	0 0,0	40 2,3	35 1,7	5 2,4	8 2,5	2 1,5	0 0,0	0 0,0	0 0,0	3
2			- 0,7	0,4	- 0,1	- 0,3		2,0	- 2,5	9,2	26	- 11,5	14	0 0,0	1 3,0	3 2,7	10 2,5	26 1,9	4 3,0	15 2,4	12 3,2	4 2,3	3 2,7	0 0,0	6 3,7	0
3			1,0	3,6	2,1	2,1		5,1	- 0,4	10,2	3	- 10,2	18	0 0,0	0 0,0	5 3,0	19 2,2	13 2,4	6 3,2	14 2,1	14 2,6	0 0,0	15 1,5	0 0,0	0 0,0	7
4			3,2	6,1	5,3	4,4		7,4	1,8	12,2	24	- 2,2	17	0 0,0	1 3,0	10 2,3	22 1,7	1 1,0	4 2,3	4 2,5	3 2,0	0 0,0	12 1,7	0 0,0	0 0,0	27
5			8,9	9,8	9,2	7,9		11,7	4,4	19,4	21	- 0,2	8	0 0,0	0 0,0	8 2,4	11 2,3	0 0,0	1 4,0	9 1,6	5 2,2	12 2,7	38 2,1	0 0,0	0 0,0	9
6			12,1	14,1	13,6	12,6		16,1	9,7	23,6	5	5,8	10	0 0,0	0 0,0	5 1,4	3 2,0	1 3,0	2 3,0	2 1,0	7 2,4	0 0,0	60 2,7	1 2,0	0 0,0	9
7			11,3	13,5	13,0	12,1		14,7	9,6	21,0	30	6,2	2	0 0,0	0 0,0	9 1,7	6 1,7	0 0,0	0 0,0	1 2,0	4 2,5	2 3,0	61 2,3	0 0,0	0 0,0	10
8			11,8	14,3	13,0	12,0		15,5	9,8	21,5	14	6,2	28	1 2,0	2 3,3	23 1,7	12 1,8	1 2,0	2 3,0	3 2,3	1 2,0	5 2,4	31 2,4	0 0,0	1 3,0	11
9			9,1	10,2	9,3	9,3		11,5	6,8	18,4	25	2,4	23	0 0,0	0 0,0	11 2,1	8 1,6	5 1,8	2 1,0	7 2,3	29 2,7	4 1,8	17 2,1	0 0,0	0 0,0	7
10			5,3	7,3	6,3	6,2		8,6	4,1	13,3	9	0,0	23	0 0,0	0 0,0	3 1,0	29 2,1	16 1,8	1 3,0	3 1,0	8 2,3	2 2,0	6 1,5	0 0,0	1 3,0	19
11			3,1	4,0	3,4	3,4		5,8	1,2	13,0	3	- 4,0	16	0 0,0	0 0,0	6 2,2	11 2,4	26 2,2	4 3,5	4 2,3	15 2,5	7 2,1	2 2,0	0 0,0	1 4,0	11
12			0,4	0,9	0,5	0,6		3,0	- 1,7	12,7	5	- 8,0	18	0 0,0	0 0,0	2 3,5	25 2,5	24 2,9	0 0,0	9 2,0	16 3,1	6 3,7	1 2,0	0 0,0	4 4,0	6
ÅR			6,0	6,9	6,1	5,7		8,4	3,2	23,6		- 15,6		1 2,0	4 3,3	96 2,0	160 2,1	153 2,2	61 2,2	75 2,1	122 2,7	44 2,5	246 2,3	1 2,0	13 3,7	119
HUSTAD II HUSTAD = NERLAND																									1979
1	1006,2	1008,8	- 3,1	- 1,7	- 2,3	- 2,7	- 2,3	0,2	- 6,7	6,1	7	- 19,6	1	0 0,0	0 0,0	0 0,0	1 2,0	3 2,3	25 1,6	30 2,0	28 2,5	5 3,2	0 0,0	0 0,0	0 0,0	1
2	1007,2	1011,8	- 1,5	- 0,3	- 0,5	- 1,1	- 1,2	1,7	- 4,5	7,4	26	- 14,0	14	0 0,0	1 2,0	3 4,1	1 3,0	2 2,3	17 1,8	14 1,6	15 4,3	9 3,3	10 3,9	4 2,5	8 3,5	0
3	993,1	996,5	0,2	3,4	2,2	1,7	- 0,1	4,6	- 1,5	9,3	27	- 12,7	18	6 1,3	5 2,3	5 2,2	4 2,0	2 2,0	16 1,8	8 1,6	25 3,5	17 2,7	1 1,0	3 1,3	0 0,0	1
4	1007,5	1011,0	1,9	6,8	5,6	4,2	- 0,3	8,0	0,6	13,2	24	- 4,6	17	6 2,0	11 2,3	11 2,6	6 2,2	4 1,8	13 1,5	13 1,5	6 2,7	7 3,3	3 2,3	1 1,0	9 2,1	0
5	1003,6	1009,0	0,2	3,4	3,7	2,3	- 0,8	11,1	3,6	20,8	21	- 2,6	8	2 2,0	9 1,6	4 2,4	0 0,0	3 1,7	7 2,3	7 2,9	12 3,8	24 3,9	13 2,5	3 2,3	7 1,7	2
6	1013,4	1015,8	11,3	13,4	12,2	11,6	0,7	15,5	8,4	25,4	1	1,4	13	6 2,2	14 2,4	6 2,3	1 1,5	0 0,0	7 1,6	1 1,0	7 2,4	20 3,4	11 3,4	6 1,8	8 2,3	0
7	1007,5	1010,8	10,7	13,0	12,0	11,3	- 2,3	14,4	9,0	21,7	29	4,5	6	7 1,6	16 1,5	5 2,0	1 4,0	5 1,0	5 1,0	4 2,3	7 1,7	9 2,8	19 2,5	7 1,4	6 1,5	0
8	1003,0	1009,4	11,0	13,9	12,9	12,1	- 2,0	15,3	9,3	22,6	8	5,7	28	6 2,5	12 2,7	7 3,4	1 2,0	1 1,0	11 1,2	4 1,0	15 1,7	12 3,1	9 2,6	5 2,0	3 1,7	4
9	1003,2	1006,6	3,1	1,2	0,3	0,3	- 2,1	11,7	6,9	19,3	6	1,5	23	1 1,0	3 3,3	4 2,3	1 3,0	4 2,3	10 1,6	8 3,3	22 3,4	16 3,8	10 3,9	5 3,6	6 3,0	0
10	1011,4	1014,8	4,6	9,2	6,1	6,6	- 3,6	10,1	3,3	14,0	25	- 2,0	24	3 1,0	7 3,1	1 1,0	3 4,0	3 1,3	15 1,4	13 1,4	15 3,1	2 1,5	4 3,0	4 3,0	2 2,0	21
11																										
12	993,6	1000,9	- 0,3	3,1	- 0,3	- 0,3		2,6	- 3,6	11,0	5	- 12,0	11	3 4,7	3 3,7	5 3,4	6 1,8	11 2,2	22 2,1	14 2,1	16 4,4	8 6,0	3 6,0	2 5,5	0 0,0	0
ÅR																										
VINGVOLL - HAMRE I																									1979
1	1002,2	1010,9	- 3,6	- 4,8	- 5,1	- 3,1		- 2,3	- 8,8	7,1	7	- 19,7	1	0 0,0	3 1,7	12 1,6	23 1,3	13 1,3	6 1,3	11 1,9	5 1,6	5 2,0	1 4,0	0 0,0	1 2,0	11
2	1003,2	1011,8	- 2,9	- 0,9	- 1,8	- 2,2		0,9	- 5,3	9,0	26	- 19,0	14	2 1,5	3 1,7	12 1,5	13 1,4	5 1,6	2 2,0	7 2,3	3 2,3	18 2,7	5 2,6	2 2,5	2 1,5	10
3	983,6	992,0	- 0,1	3,3	2,1	1,5		5,2	- 2,0	10,4	29	- 14,8	18	0 0,0	11 1,7	9 2,0	7 1,6	10 1,4	10 2,3	21 3,3	5 2,8	8 3,4	3 4,0	2 1,0	1 2,0	6
4	1002,9	1011,3	1,6	6,3	5,5	4,3		8,3	0,0	15,0	12	- 4,1	16	1 2,0	13 1,5	18 1,6	12 1,4	9 1,7	6 1,8	8 2,6	4 2,0	10 1,8	1 2,0	1 2,0	0 0,0	7
5	1001,8	1009,1	8,0	11,7	9,8	7,7		12,9	2,6	19,6	31	- 2,9	2	1 3,0	12 1,8	10 2,1	4 2,0	4 1,5	8 2,5	6 2,0	6 1,5	15 2,1	11 2,2	9 2,1	1 2,0	6
6	1005,2	1013,3	12,1	16,0	14,5	13,2		18,5	9,1	27,1	5	4,2	13	3 1,0	7 2,0	14 1,7	2 1,5	3 1,3	2 2,0	13 1,9	4 1,5	12 2,3	11 1,5	9 2,1	4 2,3	6
7	1002,7	1010,9	11,0	14,6	13,2	12,2		15,9	9,1	23,5	30	4,0	6	3 2,3	5 1,8	17 1,6	3 1,3	5 1,0	5 1,4	8 1,6	7 1,4	13 2,5	7 1,3	10 1,5	2 2,0	8
8	1001,3	1009,4	11,2	13,3	13,4	12,7		16,7	9,1	22,7	19	5,7	17	6 1,5	9 1,4	10 1,3	5 1,2	7 1,1	4 3,5	12 3,3	3 1,3	11 2,0	5 1,4	5 1,4	0 0,0	16
9	998,6	1006,8	7,0	10,3	8,6	8,3		12,0	5,6	22,5	6	- 0,9	23	3 1,0	0 1,3	14 1,6	1 1,0	0 1,7	3 2,3	8 2,3	4 1,8	20 2,5	8 3,0	5 1,8	0 0,0	9
10	1006,7	1015,1	3,6	7,1	4,8	4,9		8,4	1,7	12,8	12	- 4,2	24	2 2,5	6 2,0	21 1,2	14 1,0	15 1,3	1 1,0	12 3,4	1 6,0	7 2,4	2 3,5	1 1,0	0 0,0	11
11	992,3	1000,7	1,0	2,5	1,3	1,5		3,9	- 1,5	11,1	4	- 8,1	16	1 1,0	3 1,3	14 1,6	3 1,4	12 1,0	11 2,0	11 3,3	6 2,7	7 2,4	3 2,0	0 0,0	1 3,0	13
12	993,3	1001,8	- 2,1	- 1,3	- 1,8	- 1,8		1,1	- 4,7	13,0	5	- 13,5	18	0 0,0	1 1,3	10 1,3	19 1,3	5 1,4	13 1,2	17 2,5	3 2,0	13 3,5	0 0,0	2 2,0	2 1,5	8
ÅR	999,8	1008,2	3,6	6,6	5,3	4,7		8,5	1,2	27,1		- 19,7		22 1,6	79 1,5	161 1,6	116 1,4	94 1,3	71 2,0	134 2,7	51 2,0	139 2,4	57 2,2	46 1,8	14 2,0	111
SMØLA - MULDSTAD																									1979
1	1005,7	1009,8	- 3,8	- 2,5	- 2,3	- 3,1	- 2,7	- 0,4	- 6,4	4,8	7	- 16,3	1	1 1,0	3 2,3	8 3,4	16 3,1	14 3,1	16 3,1	19 2,9	9 3,9	5 3,4	0 0,0	1 3,0	0 0,0	1
2	1006,6	1010,7	- 1,8	- 0,9	- 1,1	- 1,5	- 1,1	1,0	- 4,4	5,2	26	- 14,2	14	3 1,0	3 1,7	9 2,0	3 2,9	4 2,0	11 2,5	14 4,2	14 3,4	7 4,0	10 3,7	0 0,0	2 3,0	1
3	992,7	996,7	- 0,3	2,0	0,6	0,5	- 0,6	3,1	- 2,4	6,8	7	- 13,1	18	2 3,0	7 2,7	13 2,8	9 3,0	16 2,9	7 3,0	10 3,4	15 4,6	5 4,0	3 2,7	1 1,0	1 3,0	4
4	1007,3	1011,3	1,7	3,0	2,5	2,3	- 0,9	6,0	0,1	11,5	24	- 4,8	10	7 2,9	8 3,4	25 3,1	15 2,9	9 2,7	4 2,3	6 2,7	8 3,0	2 3,0	4 2,5	1 3,0	3 2,3	1
5	1001,9	1008,8	5,9	8,9	7,9	6,8	- 0,5	10,3	3,3	17,9	21	- 1,1	2	4 2,3	7 3,3	1 3,3	10 3,3	3 2,0	5 2,6	8 3,1	16 3,4	29 3,6	3 2,7	3 3,0	1 2,0	0
6	1009,8	1013,6	10,8	12,7	11,5	11,0	0,8	14,8	7,9	25,3	1	4,0	3	3 2,7	13 3,2	5 2,8	4 3,0	3 2,0	1 2,0	2 1,5	7 2,6	20 3,8	13 2,8	6 3,0	6 2,0	1
7	1007,1	1010,9	11,0	13,1	12,3	11,5	- 1,4	14,0	9,3	22,0	29	5,2	6	20 2,6	12 2,3	1 2,0	5 2,0	1 2,0	1 3,0	1 4,0	5 2,6	14 3,4	27 2,9	5 1,8	1 2,0	0
8	1005,3	1009,2	11,5	13,0	12,3	12,1	- 1,3	15,1	9,2	21,5	8	4,1	11	16 2,8	13 2,5	4 2,0	10 2,8	2 2,0	3 3,7	5 2,3	4 3,3	15 3,6	9 3,1	3 2,0	8 2,9	1
9	1002,1	1006,0	7,9	10,1	8,5	8,8	- 1,7	11,2	6,5	21,0	6	2,0	23	4 2,5	1 4,0	8 2,0	3 2,4	8 2,3	5 3,0	9 2,7	11 3,1	22 3,2	12 3,9	5 3,2	2 3,0	0
10	1010,6	1014,6	5,0	8,1	6,9	6,1	- 0,3	8,9	3,7	12,0	7	- 0,5	24	2 2,5	7 2,1	11 3,1	16 2,4	10 2,5	12 2,7	9 2,3	8 2,4	7 3,6	6 2,5	2 4,0	3 3,3	0
11	995,6	998,6	2,4	5,0	2,3	2,6	- 3,8	4,5	0,1	9,0	29	- 5,0	16	0 0,0	1 3,0	1 2,0	3 3,1	16 2,9	13 2,9	13 2,7	12 3,8	14 3,6	7 3,0	3 5,0	0 0,0	2
12	996,6	1000,6	3,0	3,3	3,1	3,0	- 1,3	2,3	- 2,6	9,2	2	- 11,5	17	3 3,7	1 3,3	8 4,0	10 2,5	13 3,2	13 2,5	10 2,3	16 3,5	9 5,4	7 5,0	3 2,7	0 0,0	0
ÅR	1003,7	1007,7	4,2	6,2	5,1	4,8	- 1,0	7,6	2,0	25,3		- 16,3		63 2,7	76 2,3	97 3,0	117 2,8	94 2,8	91 2,8	106 2,9	125 3,4	149 3,7	101 3,2	33 2,9	27 2,6	11

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅM.	MIDLERE SKYDEKKE 07	13	19	ÅM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=10	TX>= 25.	NEDBØR R>=0,1	R>= 1,0	R>= 10,0.	VINDSTYRKE FX> 08	FX> 08	FX> 08	ANTALL DAGER MED: R	S	SL	TÅKE YR	SN	H	IH	TO	FOREKOMST AV KV	OV	SD	TÅKE 07	13	19.
VIGRA																																				1979
1	73	72	73	73	4,4	5,5	4,9	5,0	31	80	16,2	17	24	4	2	0	17	11	4	4	1	0	5	15	3	0	0	4	0	3	3	11		0	0	0
2	77	74	75	76	5,4	5,3	5,4	5,4	94	112	12,4	7	21	2	0	0	19	16	3	3	0	0	7	18	5	0	0	5	0	2	6	13		0	0	0
3	74	69	72	73	5,5	5,6	5,3	5,7	144	195	38,3	20	11	2	0	0	19	15	4	10	1	0	17	10	7	2	0	2	0	1	4	16		0	0	0
4	77	64	71	73	5,6	4,5	5,0	5,0	28	37	10,4	20	3	0	0	0	11	6	1	1	0	0	11	1	1	3	0	0	0	0	2	10		0	1	0
5	76	65	70	73	6,2	6,1	5,6	6,0	96	157	18,2	26	0	0	0	0	23	13	3	5	0	0	23	6	5	4	0	1	0	0	1	15		1	0	0
6	81	73	76	79	5,6	5,8	5,5	5,6	73	92	21,4	19	0	0	0	0	12	9	1	1	0	0	12	0	0	6	0	0	0	0	3	14		1	0	1
7	83	74	78	79	6,3	6,7	5,7	6,2	85	109	16,6	22	0	0	0	0	19	15	2	2	0	0	19	0	0	10	0	0	0	0	2	20		0	0	0
8	83	75	77	79	6,5	6,3	5,4	6,4	139	164	45,6	30	0	0	0	0	23	18	7	1	0	0	23	0	0	5	0	0	0	0	1	21		1	0	0
9	78	73	76	76	6,8	6,6	7,1	6,8	298	186	28,2	19	0	0	0	0	28	27	10	13	1	0	28	0	0	3	0	7	0	0	0	21		0	0	0
10	74	67	71	72	4,7	5,2	4,8	4,9	129	86	45,2	10	0	0	0	0	15	10	5	6	0	0	14	0	0	3	0	2	0	1	7	15		0	0	0
11	71	70	73	72	3,3	5,7	5,4	5,5	151	130	21,1	30	1	0	0	0	21	17	7	9	3	0	21	10	10	1	0	8	0	1	1	11		0	0	0
12	69	66	67	67	3,3	5,0	4,8	4,6	85	81	10,4	3	14	1	0	0	17	16	1	13	2	1	14	9	4	0	0	6	0	5	5	6		0	0	0
ÅR	76	70	73	74	5,5	5,7	5,5	5,6	1423	121	45,6		74	9	2	0	224	173	30	76	7	1	194	69	35	37	0	35	0	13	35	173		3	1	1
ONA II																																				1979
1	71	72	73	72	5,1	6,2	5,7	5,7	88		18,1	9	18	4	0	0	15	12	4	9	4	1	5	12	0	0	0	1	0	1	4	14	23	0	0	0
2	75	74	75	75	6,0	5,3	6,1	5,8	69		30,1	7	13	1	0	0	13	14	2	2	7	3	3	17	2	0	0	5	0	0	4	18	25	0	0	0
3	76	74	76	76	6,0	5,9	6,6	6,1	181		51,2	20	7	2	0	0	19	16	6	17	6	6	17	10	6	0	0	1	0	1	2	18	9	1	1	1
4	79	70	77	77	5,9	4,9	5,3	5,4	28		7,5	29	0	0	0	0	6	5	0	13	2	0	7	1	1	0	0	0	0	0	3	15	0	0	0	0
5	81	74	77	78	6,7	6,4	6,1	6,4	96		19,8	26	0	0	0	0	21	16	4	20	6	1	21	5	4	2	0	1	0	0	0	17	0	0	1	0
6	86	81	84	85	6,1	6,1	5,8	6,0	80		21,0	19	0	0	0	0	16	10	3	17	4	0	16	0	0	6	0	0	0	0	1	17	0	0	2	2
7	87	80	82	84	7,0	6,4	5,7	6,4	97		18,2	21	0	0	0	0	21	15	4	8	2	0	21	0	0	5	0	0	0	0	1	20	0	0	0	0
8	84	80	80	82	6,6	6,5	6,6	6,6	167		44,4	30	0	0	0	0	25	17	6	13	2	1	25	0	0	2	0	0	0	0	1	21	0	1	0	0
9	81	76	80	79	7,1	7,0	7,2	7,1	263		24,1	11	0	0	0	0	29	24	10	20	11	5	28	0	0	1	0	1	0	0	0	25	0	0	0	0
10	75	70	75	74	5,1	5,4	4,3	5,1	98		38,5	10	0	0	0	0	13	11	3	14	3	2	12	0	0	1	0	0	0	1	6	16	0	0	0	0
11	73	74	75	74	6,5	6,2	6,3	6,3	210		24,8	30	0	0	0	0	21	16	10	25	7	4	21	5	4	1	0	3	0	0	0	17	0	0	0	0
12	76	76	79	76	4,1	5,1	4,3	4,6	66		12,8	5	8	1	0	0	13	12	2	34	12	7	12	6	3	0	0	4	0	0	6	8	0	0	0	0
ÅR	79	75	78	78	6,1	6,0	5,7	6,0	1463		51,2		46	4	0	0	221	168	64	203	63	32	190	56	20	18	0	16	0	3	28	206	57	5	4	3
HJELVIK I ROMSDAL																																				1979
1	59	57	61	59	4,0	5,4	5,0	4,9	46		13,1	8	28	10	3	0	13	8	1	0	0	0	4	12	3	0	0	0	0	1	5	9	31	0	0	0
2	65	57	62	62	5,3	5,3	5,1	5,3	88		17,5	8	24	6	1	0	16	14	3	2	0	0	2	15	1	0	0	3	0	3	5	16	28	0	0	0
3	63	57	59	61	5,3	5,8	5,7	5,8	107		41,9	6	10	3	0	0	15	11	4	1	0	0	10	11	4	2	0	2	0	0	3	17	31	0	0	0
4	69	58	60	64	5,3	5,4	5,3	5,4	47		15,0	27	4	0	0	0	7	7	2	0	0	0	7	2	2	0	0	0	0	0	1	10	20	0	0	0
5	70	57	59	64	6,2	6,1	5,8	6,0	68		21,4	1	1	0	0	0	17	11	1	0	0	0	17	5	5	0	0	2	0	0	0	14	0	0	0	0
6	81	72	73	77	5,5	5,3	5,7	5,5	74		15,2	19	0	0	0	0	14	12	3	0	0	0	14	0	0	2	0	0	0	0	1	12	0	1	0	0
7	87	76	78	82	7,3	6,6	6,3	6,8	118		19,2	16	0	0	1	0	20	16	4	0	0	0	20	0	0	1	0	0	0	1	0	22	0	0	0	0
8	84	73	81	82	6,7	6,7	6,3	6,7	128		32,5	10	0	0	0	0	25	14	4	0	0	0	25	0	0	4	0	0	0	0	0	23	0	0	0	0
9	82	73	83	81	6,0	6,7	7,1	6,8	274		30,8	15	0	0	0	0	27	23	10	0	0	0	27	0	0	1	0	0	0	0	0	21	0	0	0	0
10	74	70	70	71	4,9	5,5	5,0	5,1	134		49,8	10	0	0	0	0	13	11	4	1	0	0	13	1	1	2	0	0	0	0	7	16	0	1	1	1
11	69	69	70	70	6,0	6,0	5,5	5,8	141		19,8	10	3	0	0	0	21	16	5	2	0	0	18	9	6	1	0	1	0	0	1	11	9	0	0	0
12	66	64	65	65	4,6	4,8	4,3	4,6	125		22,2	20	20	7	3	0	17	13	5	2	1	1	12	8	2	0	0	2	0	1	4	8	25	0	0	0
ÅR	72	65	68	70	5,7	5,8	5,7	5,7	1390		49,8		96	29	4	0	205	156	46	6	1	1	169	63	24	13	0	10	0	6	29	179	144	2	1	1
HUSTAD II HUSTAD = NERLAND																																				1979
1	72	68	72	72	4,8	5,2	5,7	5,2	75	65	18,0	15	26	13	6	0	14	11	3	1	1	0	5	12	3	3	0	1	0	1	3	11		0	0	0
2	77	72	76	76	5,0	5,3	6,1	5,5	93	91	16,4	7	29	3	4	0	18	16	3	7	2	0	8	17	6	2	0	3	0	4	5	15		0	0	0
3	77	66	73	74	6,0	5,5	6,2	5,9	119	145	32,5	6	16	2	1	0	18	14	2	7	1	0	16	10	6	6	0	1	0	1	2	17		0	0	0
4	84	64	71	76	4,8	4,6	5,3	4,9	37	55	11,6	29	12	0	0	0	10	7	1	3	0	0	10	2	1	8	0	0	0	0	3	10		0	0	0
5	78	69	73	73	6,1	6,2	5,8	6,0	99	115	12,0	26	2	0	0	0	19	14	1	0	0	0	19	3	2	12	0	1	0	0	0	13		1	0	0
6	85	77	79	82	5,9	5,7	5,7	5,8	97	124	30,7	19	0	0	0	0	13	11	3	0	0	0	16	0	0	12	0	0	0	0	2	14		1	1	0
7	90	79	79	85	6,9	6,7	6,2	6,6	151	166	31,0	21	0	0	0	0	23	17	5	2	0	0	23	0	0	14	0	0	0	0	1	22		1	0	0
8	87	76	82	84	6,1	6,8	6,3	6,6	186	172	38,1	30	0	0	0	0	27	22	5	3	0	0	27	0	0	15	0	0	0	1	0	20		0	0	0
9	84	77	84	82	7,0	6,6	7,1	6,9	314	229	33,0	12	0	0	0	0	27	24	13	11	1	1	27	0	0	8	0	1	0	0	0	20		0	0	0
10	76	66	77	75	5,1	5,2	4,9	5,1	107	67	43,9	10	7	0	0	0	16	10	3	7	1	0	15	0	0	3	0	1	0	0	5	12		1	0	0
11																																				
12	76	76	73	75	5,6	5,2	5,0	5,6	72		10,8	20	23	8	4	0	15	11	1	4	2	1	12	6	3	2	0	2	0	1	3	17	5	0	0	0
ÅR																																				
TINGVOLL = HANEM																																				1979
1	81	80	83	81	4,8	5,5	5,0	5,1	25	25	12,6	8	30	20	13	0	3	4	1	0	0	0	3	8	2	0	0	0	0	1	4	14	31	0	0	0
2	82	75	77	79	5,1	5,1	6,0	5,4	81	83	17,9	10	25	15	6	0	11	11	4	0	0	0	2	14	1	0	1	2	0	2	5	17	28	0	0	0
3	74	62	63	67	5,8	5,7	5,5	5,7	67	73	32,4	6	20	3	3	0	11	8	1	4	0	0	8	9	6	1	0	0	0	0	2	15	31	0	0	0
4	79	58	61	68	5,7	6,0	5,8	5,8	24	30	5,9	27	15	0	0	0	10	8	0	0	0	0	9	3	2	0	0	0	0	0	0	13	10	0	0	0
5	79	57	61	70	6,2	6,1	6,2	6,2	40	77	11,7	1	7	0	0	0	14	10	1	1	0	0	14	3	3	0	0	2	0	0	0	15	1	0	0	0
6	83	65	70	77	5,3	5,5	6,0	5,8	64	94	15,6	19	0	0	0	0	13	10	1	0	0	0	13	0	0	6	0	0	0	0	1	15	0	0	0	0
7	89	73	78	83	6,8	6,8	6,9	6,8	102	208	36,2	21	0	0	0	0	16	16	5	0	0	0	16	0	0	3	0	0	0	0	1	23	0	0	0	0
8	87	71	79	82	6,5	6,7	6,7	6,6	114	130	31,8	22	0	0	0	0	21	16	2	2	1	0	21	0	0	4	0	0	0	0	0	20	0	2	0	0
9	88	76	82	83	6,9	6,8	7,1	7,0	203	180	35,0	29	1	0	0	0	24	22	9	0	0	0	24	1	1	1	0	1	0	0	0	21	0	1	0	0
10	81	70	75	77	5,3	5,5	4,6	5,2	98	73	40,4	10	12	0	0	0	15	9	2	1	0	0	15	2	2	4	0	1	0	0	3	15	0	3	1	0
11	80	77	78	79	6,1	6,1	6,1	6,1	74	76	19,7	30	21	5	0	0	19	13	2	1	0	0	14	8	4	2	0	0	0	0	0	14	12	1	0	0
12	77	76	78	76	5,1	5,1	4,3	5,0	75	73	21,4	8	25	12	5	0	17	9	3	4	1	1	9	11	1	0	0	2	0	0	4	13	25	0	0	0
ÅR	82	70	74	77	5,3	5,9	5,9	5,9	1024	93	40,4		146	55	27	3	193	136	31	16	2	1	147	59	22	21	1	8	0	3	20	195	138	7	1	0
SMØLA = MOLDSTAD																																				1979
1					4,0	5,4	5,3	4,9	108	103	20,2	29	30	15	4	0	15	11	4	5	0	0	6	12	2	2	0	1	0	0	1	8	31	0	0	0
2					5,3	5,6	5,5	5,7	97	115	22,0	7	23	7	1	0	19	18	2	8	2	0	6	18	5	1	0	2	0	0	4	13	28	0	0	0
3					5,9	5,6	6,0	5,8	80	98	17,8	20	24	3	2	0	13	9	3	8	2	0	11	9	5	2	0	1	0	0	1	16	31	0	0	0
4					4,2	4,7	4,9	4,6	29	40	13,5	29	10	3	1	0	7	6	1	3	0	0	7	2	2	3	0	2	0	0	2	7	12	0	0	0
5	77	61	67	72	6,1	5,6	5,8	5,7	63	126	12,8	1	5	0	0	0	20	15	2	7	0	0	20	3	3	4	0	2	0	0	0	10	0	0	0	0
6	81	72	76	78	6,2	5,6	6,0	5,9	66	106	17,9	19	0	0	0	1	11	10	2	4	0	0	14	0	0	5	0	0	0	0	1	16	0	4	0	1
7	85	72	78	81	6,8	6,2	6,2	6,4	134	209	31,0	21	0	0	0	0	19	15	4	1	0	0	19	0	0	5	0	0	0	0	1	20	0	2	0	0
8	83	71	78	79	5,9	5,9	6,3	6,0	141	170	39,6	30	0	0	0	0	22	20	4	1	0	0	22	0	0	3	0	0	0	0	0	12	0	1	0	1
9	83	74	81	81	6,4	6,2	6,5	6,4	216	191	31,2	11	0	0	0	0	28	25	8	7	1	0	28	0	0	2	0	2	0	0	0	18	0	0	0	0
10	82	71	76	78	5,5	5,0	4,7	5,1	124	89	33,2	10	1	0	0	0	15	11	4	1	0	0	15	0	0	3	0	1	0	0	6	14	0	0	0	0
11	79	77	82	80	5,9	5,8	5,0	5,6	176	163	34,0	30	12	1	0	0	18	16	7	3	1	0	19	5	1	2	0	2	0	0	0	8	5	0	0	0
12	80	76	78	78	5,2	4,7	4,8	4,8	51	43	10,4	1	22	0	1	0	10	12	1	10	2	1	13	7	3	2	0	4	0	0	4	12	13	0	0	0
ÅR					5,7	5,8	5,5	5,6	1285	119	39,6		129	32	8	1	206	168	42	64	8	1	174	56	21	34	0	17	0	0	20	154	120	7	0	2

MÅ.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILGRENSENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
VINJEØRA																									1979
1			- 6,3	- 6,3	- 6,3	- 6,0	- 4,2	- 3,3	-10,5	6,0	7	-23,1	1	0 0,0	0 0,0	13 2,0	33 2,0	0 0,0	20 1,8	0 0,0	0 0,0	3 2,3	6 1,5	0 0,0	0 0,0	16
2			- 3,0	- 3,8	- 2,2	- 2,3	- 0,2	1,0	- 6,1	7,2	26	-20,2	14	0 0,0	0 0,0	4 1,5	13 1,9	0 0,0	13 1,8	0 0,0	0 0,0	10 2,2	22 2,0	2 2,5	0 0,0	18
3			- 1,9	3,0	1,3	0,4	- 0,2	4,6	- 4,0	9,8	27	-19,0	18	0 0,0	0 0,0	12 2,3	11 1,9	0 0,0	21 1,7	0 0,0	0 0,0	10 2,2	11 2,3	0 0,0	0 0,0	25
4			1,1	0,7	3,2	1,6	- 0,4	7,7	- 0,6	12,3	24	- 5,5	10	0 0,0	0 0,0	13 2,0	3 1,8	0 0,0	33 2,2	0 0,0	0 0,0	13 2,0	8 2,1	0 0,0	0 0,0	9
5			5,5	10,9	9,8	7,7	- 1,1	12,7	2,4	20,0	29	- 2,8	9	0 0,0	0 0,0	6 1,7	12 1,8	0 0,0	11 2,0	0 0,0	0 0,0	26 2,2	21 2,0	0 0,0	0 0,0	17
6			11,8	15,9	14,0	12,9	1,5	18,1	8,6	27,1	5	4,0	13	0 0,0	0 0,0	1 1,0	4 2,0	0 0,0	13 1,8	0 0,0	1 2,0	33 2,1	19 2,9	0 0,0	0 0,0	19
7			10,9	14,9	13,0	12,4	1,9	16,0	9,0	24,2	29	3,5	6	0 0,0	0 0,0	5 2,0	9 1,9	0 0,0	4 1,5	0 0,0	0 0,0	41 1,8	11 2,5	0 0,0	0 0,0	23
8			11,0	15,6	13,0	12,7	1,7	16,9	9,0	23,4	19	5,0	28	0 0,0	0 0,0	18 1,7	11 1,9	0 0,0	7 2,3	0 0,0	0 0,0	18 1,8	13 1,6	0 0,0	0 0,0	26
9			6,2	11,1	9,3	8,6	- 1,4	12,2	5,5	22,5	6	0,0	23	0 0,0	0 0,0	10 1,8	7 1,7	0 0,0	4 1,5	0 0,0	0 0,0	19 1,5	28 2,6	0 0,0	0 0,0	22
10			3,1	8,4	6,9	5,2	- 0,3	9,1	1,5	13,0	5	- 4,0	27	0 0,0	0 0,0	14 2,0	27 1,9	0 0,0	12 1,9	0 0,0	0 0,0	12 1,9	3 1,3	0 0,0	0 0,0	25
11			0,1	1,9	0,7	0,8	- 1,4	3,8	- 2,8	10,8	4	-10,0	16	0 0,0	0 0,0	11 1,9	13 1,8	0 0,0	18 1,7	0 0,0	0 0,0	12 1,9	11 2,5	0 0,0	0 0,0	23
12			- 2,4	- 2,2	- 2,9	- 2,6	- 1,3	0,8	- 5,9	11,8	5	-16,5	17	0 0,0	0 0,0	13 2,1	19 2,1	0 0,0	13 1,7	0 0,0	0 0,0	7 2,1	14 3,6	0 0,0	0 0,0	22
ÅR			3,0	6,6	5,1	4,4	- 1,0	8,3	0,5	27,1		-23,1		0 0,0	0 0,0	132 1,9	173 1,9	0 0,0	169 1,9	0 0,0	1 2,0	204 2,0	107 2,4	2 2,5	0 0,0	245
SULA																									1979
1	1006,1	1010,6	- 1,1	- 0,1	- 0,2	- 0,5		1,2	- 2,1	5,6	18	- 8,9	26	1 3,0	1 4,0	0 0,0	3 2,0	4 1,8	37 4,0	8 3,5	19 4,9	7 5,4	6 4,3	2 3,5	3 2,7	0
2	1006,5	1010,0	0,4	1,5	0,8	0,8		2,3	- 0,9	5,5	23	- 8,8	14	4 5,5	2 4,0	0 0,0	1 3,0	3 3,0	16 3,4	7 2,9	23 5,0	9 6,9	6 6,0	3 4,3	13 9,5	0
3	993,0	998,8	1,5	3,1	2,3	2,3		3,7	0,6	7,6	28	- 9,0	17	1 4,0	0 3,4	0 0,0	7 4,0	3 1,3	26 3,7	9 3,7	26 5,5	6 4,7	2 4,0	0 0,0	4 3,8	0
4	1003,1	1011,8	3,5	5,9	4,9	4,5		6,2	2,8	9,7	26	0,0	15	3 4,3	22 4,0	3 3,0	20 4,0	3 3,0	14 3,1	3 3,0	10 5,1	1 5,0	7 4,0	0 0,0	4 3,0	0
5	1005,2	1010,6	5,7	8,0	7,3	6,7		8,6	5,0	14,5	27	2,0	8	3 3,3	7 4,3	2 4,0	0 3,8	2 2,5	11 3,0	4 3,0	35 5,3	13 4,5	5 3,0	0 0,0	2 3,0	0
6	1009,9	1013,3	10,1	12,5	10,7	10,7		13,3	8,7	21,5	1	6,9	10	4 3,0	11 3,3	5 3,2	5 3,0	3 3,7	5 1,8	0 0,0	16 4,2	15 4,9	10 3,6	1 3,0	15 3,3	0
7	1007,1	1010,4	10,0	12,9	11,9	11,5		13,7	9,8	19,5	30	7,0	1	6 2,7	24 2,8	3 4,7	3 2,7	2 2,0	3 2,3	1 6,0	4 5,0	11 4,1	25 4,0	0 0,0	11 3,6	0
8	1005,5	1008,8	11,4	13,5	12,1	12,2		14,2	10,4	19,0	8	8,0	26	5 3,0	23 3,5	1 3,0	13 2,4	2 3,0	10 4,1	2 3,0	15 4,2	9 4,9	11 3,7	0 0,0	5 3,4	0
9	1002,0	1005,3	8,9	10,3	9,1	9,4		10,8	8,0	19,0	6	5,0	29	2 5,5	6 4,0	2 4,5	3 1,0	3 3,0	7 3,3	7 2,8	19 4,7	12 5,9	16 5,4	1 6,0	15 4,7	0
10	1011,2	1014,6	6,4	8,3	7,1	7,2		8,5	5,6	10,0	5	2,0	24	7 3,0	12 4,2	2 4,0	6 3,0	3 3,7	24 3,0	9 2,8	14 3,4	6 4,7	6 3,5	0 0,0	4 6,0	0
11	995,9	999,3	3,6	4,4	4,1	4,0		5,3	2,7	9,0	29	- 1,3	16	2 3,0	2 2,5	1 2,7	4 3,5	1 4,0	35 3,3	4 3,3	18 5,1	7 6,6	9 5,7	0 0,0	5 5,2	0
12	998,8	1000,2	2,0	2,4	1,3	2,1		3,5	0,6	9,0	2	- 7,0	17	3 3,0	3 4,7	2 3,0	4 4,5	4 4,3	25 4,7	10 2,3	20 5,9	7 7,4	8 6,3	2 6,5	5 4,6	0
ÅR	1003,9	1007,3	5,3	6,9	6,1	5,9		7,6	4,3	21,5		- 8,9		41 3,6	122 3,6	23 3,5	77 3,5	27 3,9	213 3,6	64 3,0	219 5,0	103 5,4	111 4,6	9 4,7	86 4,2	0
ØRLAND III																									1979
1	1002,6	1010,4	- 3,7	- 3,5	- 3,1	- 3,5	- 2,7	- 1,2	- 5,6	4,2	7	-15,4	26	0 0,0	0 0,0	0 0,0	3 3,4	47 4,0	19 4,1	2 1,0	3 2,7	14 4,1	2 4,5	1 5,0	0 0,0	0
2	1009,3	1010,2	- 1,5	- 0,6	- 1,1	- 1,3	- 0,8	1,1	- 3,6	5,6	26	-16,4	14	3 4,3	0 0,0	2 2,5	4 2,5	21 3,8	14 4,1	1 3,0	2 3,0	14 5,1	11 5,0	2 3,5	10 4,5	0
3	996,4	999,2	0,5	2,1	1,3	1,2	0,4	3,9	- 1,1	9,5	29	-13,3	17	1 3,0	0 0,0	4 2,5	8 2,4	27 3,5	28 4,2	2 3,0	6 3,8	9 4,7	5 5,2	0 0,0	1 1,0	2
4	1013,9	1011,7	2,4	6,0	4,8	3,9	- 0,2	7,3	1,1	11,3	22	- 5,2	16	5 3,0	5 2,0	6 2,7	15 2,6	32 3,2	5 3,2	0 0,0	2 2,0	7 3,9	5 3,0	4 2,8	2 3,0	2
5	1008,3	1009,1	6,1	9,5	8,3	7,3	- 0,6	11,3	4,1	19,0	31	- 1,6	3	3 2,4	1 2,3	1 2,0	2 2,0	15 3,6	11 3,0	3 2,7	3 1,3	18 4,2	13 3,5	8 3,3	7 2,3	1
6	1012,6	1013,4	11,0	14,1	12,4	11,7	0,9	16,1	8,5	26,4	1	3,9	3	11 2,2	1 2,0	2 1,5	1 1,0	12 2,6	3 3,3	1 2,0	3 2,3	13 3,0	21 3,2	7 3,0	14 2,5	1
7	1009,6	1010,4	10,8	13,3	12,3	11,6	- 2,1	14,7	9,5	22,6	29	5,8	6	12 2,1	2 1,5	1 2,0	2 2,0	6 2,5	4 3,0	2 3,5	2 3,0	6 3,0	29 3,6	12 3,1	13 2,2	2
8	1008,4	1009,2	11,6	14,5	12,7	12,3	- 0,9	15,7	9,9	23,0	19	6,5	17	9 2,7	5 2,3	0 3,0	2 1,5	14 3,0	14 3,6	2 2,0	3 2,0	17 3,3	6 3,2	6 2,8	11 3,1	4
9	1003,0	1005,8	8,1	10,1	8,8	8,8	- 1,5	11,3	7,2	20,2	6	2,3	2	5 2,4	3 1,7	3 3,0	3 2,0	11 2,9	11 3,0	0 0,0	7 2,9	14 3,9	15 4,9	9 4,8	7 4,0	0
10	1014,1	1014,9	6,0	7,0	6,7	6,8	- 0,8	8,0	4,2	11,9	5	0,6	1	2 2,5	4 2,3	2 2,0	9 2,0	34 3,3	22 4,5	1 3,0	1 2,0	5 4,0	4 4,3	4 3,3	3 4,0	2
11	999,2	1000,0	2,2	3,0	2,3	2,1	- 1,1	4,3	0,9	8,3	29	- 3,4	16	1 2,0	1 2,0	0 0,0	0 0,0	33 3,4	28 4,0	3 2,0	4 3,3	10 3,9	6 5,5	2 4,5	1 3,0	1
12	1000,1	1000,9	- 3,5	- 3,4	- 3,6	- 3,5	- 1,9	1,5	- 2,4	10,0	2	-14,0	17	4 4,3	2 3,5	1 2,0	5 3,6	31 3,7	25 4,2	0 0,0	4 4,0	7 5,4	9 5,3	4 6,0	1 4,0	0
ÅR	1007,0	1007,8	4,3	6,3	5,3	5,0	- 0,9	7,8	2,7	26,4		-16,4		53 2,7	26 2,2	23 2,3	53 2,5	281 3,3	184 4,0	17 2,4	40 2,9	134 4,0	126 4,1	59 3,6	70 3,0	15
TRONDHEIM - TYHOLT																									1979
1	997,3	1012,0	- 7,7	- 8,6	- 8,3	- 8,2	- 3,8	- 4,0	- 9,6	2,5	7	-21,2	27	0 0,0	0 0,0	3 1,3	14 1,9	9 1,7	3 1,7	11 2,0	37 2,3	14 2,4	0 0,0	0 0,0	0 0,0	2
2	996,7	1011,2	- 4,3	- 2,5	- 3,1	- 3,5	- 3,9	- 0,3	- 6,2	8,6	26	-23,0	14	3 2,3	0 0,0	2 1,0	4 2,0	8 1,5	4 2,3	9 1,8	25 2,4	15 2,5	7 3,1	4 3,0	4 3,0	1
3	984,1	998,1	- 1,5	1,8	1,3	0,3	0,7	3,6	- 2,4	8,5	29	-18,1	18	0 0,0	4 2,0	6 1,5	7 2,7	19 2,9	18 2,9	21 2,9	11 2,6	2 1,5	0 0,0	0 0,0	2 1,0	4
4	998,0	1012,1	1,5	5,1	4,7	3,3	- 0,2	6,6	0,7	11,0	12	- 5,3	16	6 1,2	9 1,5	11 1,8	7 2,7	11 2,9	8 3,0	7 2,0	15 2,1	5 1,6	4 2,3	5 1,6	2 3,0	0
5	995,5	1000,4	5,7	9,0	8,6	7,4	- 0,8	11,7	4,1	18,6	30	- 1,4	2	8 1,8	9 2,1	7 1,6	4 1,5	3 2,0	6 2,7	10 2,8	15 2,3	4 3,0	5 3,0	10 2,2	12 2,3	0
6	999,7	1013,3	11,7	14,9	14,2	12,8	1,2	17,2	9,6	27,2	1	5,3	10	3 1,7	8 1,4	3 1,8	1 3,0	2 2,5	3 2,7	9 2,2	11 2,4	5 1,8	11 2,8	13 2,6	13 2,0	3
7	996,8	1010,4	10,5	13,6	13,3	11,9	- 2,0	15,9	9,4	24,2	7	4,8	6	5 1,4	7 1,6	4 1,8	1 2,0	1 4,0	2 3,0	7 1,7	12 1,6	15 2,3	11 2,5	18 2,2	10 2,0	0
8	999,9	1008,5	11,0	14,7	14,1	13,0	- 0,6	16,9	10,2	26,2	18	6,1	31	5 1,6	5 1,3	2 1,0	5 1,4	2 2,5	14 3,2	11 2,4	11 2,0	7 2,3	3 3,0	13 2,5	11 1,6	4
9	992,4	1006,2	7,1	9,7	9,0	8,3	- 1,5	11,4	6,0	20,8	7	1,1	23	4 2,0	5 1,4	5 1,6	3 1,4	3 2,7	1 2,0	7 2,0	14 2,3	14 2,6	14 3,4	7 2,7	5 1,6	2
10	1001,9	1010,9	2,9	5,9	4,3	4,3	- 1,1	6,9	2,3	11,4	5	- 3,3	24	5 1,4	9 1,3	7 1,1	1 1,8	4 1,8	11 2,6	15 2,1	19 1,8	5 3,0	2 3,0	3 1,0	6
11	987,2	1001,3	- 0,2	1,3	0,6	0,4	- 1,4	2,7	- 1,7	8,8	4	- 9,2	16	0 0,0	0 0,0	5 1,2	3 1,5	3 1,0	9 2,3	31 2,5	23 2,3	7 3,0	1 5,0	0 0,0	0 0,0	1
12	988,2	1002,5	- 3,1	- 2,9	- 3,3	- 3,1	- 2,4	- 0,4	- 5,9	8,7	5	-15,0	18	0 0,0	0 0,0	4 2,0	9 2,1	4 2,5	5 2,2	22 2,4	28 2,4	8 3,1	4 4,8	2 3,0	1 1,0	6
ÅR	994,5	1008,5	2,9	5,3	4,3	4,0	- 1,2	7,4	1,4	27,2		-23,0		39 1,6	56 1,6	64 1,5	73 1,9	68 2,4	84 2,7	160 2,4	221 2,2	101 2,5	62 3,1	75 2,4	63 2,0	29
VENNAFJELL																									1979
1	927,0		- 8,7	- 8,1	- 8,3	- 8,5	- 2,7	- 6,5	-11,3	- 1,6	7	-20,2	26	2 1,0	1 5,0	0 0,0	0 0,0	1 1,0	3 3,0	62 3,2	8 1,5	5 1,4	9 1,6	0 0,0	2 1,0	0
2	926,8		- 6,3	- 5,5	- 6,2	- 6,3	- 3,9	- 4,0	- 8,9	2,8	26	-21,4	14	11 3,9	9 0,0	0 0,0	1 1,0	3 3,0	4 1,8	34 3,3	5 1,4	5 1,6	14 3,9	5 4,6	3 5,0	2
3	915,9		- 4,5	- 2,8	- 3,6	- 3,9	- 3,1	- 1,5	- 8,2	4,0	3	-20,0	17	0 0,0	1 1,0	1 1,0	0 0,0	1 3,0	3 3,6	68 4,6	6 3,7	0 0,0	0 0,0	0 0,0	2 2,0	1
4	929,6		- 1,8	0,8	0,4	0,8	0,0	1,8	- 3,1	9,4	12	- 9,0	15	12 2,3	2 1,0	1 1,0	1 1,0	1 2,0	10 1,9	46 3,0	2 2,0	1 1,0	5 1,6	1 2,0	7 1,4	1
5	929,4		2,2	5,6	4,7	3,5	- 0,3	7,0	0,5	18,6	31	- 4,5	4	21 1,3	0 0,0	3 1,0	4 1,0	0 0,0	2 2,0	38 3,6	9 3,0	3 1,7	5 3,2	2 4,0	6 1,5	0
6	933,6		9,0	12,0	10,2	9,7	2,0	13,8	6,6	23,2	6	0,5	10	24 2,1	3 1,0	0 0,0	1 1,0	0 0,0	5 2,8	22 3,0	0 0,0	2 1,5	5 1,4	3 2,7	18 2,3	2
7	933,5		7,8	10,1	9,1	8,5	2,3	11,7	6,1	20,0	7	0,3	2	12 1,5	3 1,1	1 1,0	2 1,5	0 0,0	6 2,0	16 2,4	3 1,7	1 1,0	6 2,7	7 2,9	11 2,1	0
8	930,0		7,9	10,6	9,3	8,8	1,2	12,2	6,6	20,7	18	1,8	31	93 1,8	2 1,0	1 1,0	0 0,0	0 0,0	5 3,2	37 4,4	4 2,0	3 1,0	8 2,6	8 2,9	2 3,5	0
9	925,7		4,1	6,3	4,8	4,8	- 1,5	7,8	2,7	19,0	6	- 1,5	23	13 3,6	4 1,3	1 1,0	1 1,0	0 0,0	7 2,7	24 3,2	8 2,4	2 3,0	13 2,9	6 2,7	11 3,4	0
10	933,9		1,9	3,9	2,7	2,6	0,2	5,0	0,6	11,5	26	- 5,8	31	7 3,4	1 1,0	0 0,0	0 0,0	1 1,0	4 1,3	61 3,5	8 1,4	1 3,0	5 4,0	1 1,0	3 2,0	1
11	919,2		- 2,8	- 2,0	- 2,3	- 2,8	- 0,7	- 1,0	- 4,4	3,6	4	- 8,3	16	1 1,0	0 0,0	0 0,0	0 0,0	0 0,0	5 2,4	58 3,0	5 3,0	5 1,2	8 3,5	4 1,0	1 6,0	3
12	919,1		- 5,1	- 4,9	- 5,3	- 5,3	- 1,2	- 3,3	- 7,5	6,0	5	-15,8	18	4 1,8	2 1,3	0 0,0	0 0,0	0 0,0	10 2,8	47 4,0	4 1,0	5 2,2	11 3,4	3 3,7	5 6,0	2
ÅR	926,6		0,3	2,2	1,2	0,9	- 0,7	3,6	- 1,5	23,2		-21,4		150 2,1	29 1,2	8 1,0	10 1,1	4 1,8	66 2,8	513 3,6	62 2,2	33 1,6	97 3,0	40 2,9	71 2,7	12
SELBU - BØGSTAD SELBU - STUBBØ																									1979
1			-10,3	- 8,7	- 8,8	- 9,4		- 5,8	-13,5	2,3	7	-27,2	1	0 0,0	1 2,0	1 4,0	1 1,0	11 2,1	4 4,5	6 1,7	4 1,5	1 1,0	0 0,0	4 1,3	4 1,8	56
2			- 6,4	- 4,8	- 5,4	- 5,5		- 2,1	- 9,1	6,6	26	-28,2	14	0 0,0	0 0,0	1 1,0	0 0,0	13 3,3	1 4,0	2 4,5	1 2,0	2 1,5	1 4,0	4 1,8	13 4,4	46
3			- 2,6	1,9	0,1	- 0,6		3,1	- 4,4	7,8	28	-22,8	18	1 1,0	0 0,0	0 0,0	6 3,0	41 4,5	0 0,0	6 3,8	0 0,0	0 0,0	0 0,0	0 0,0	4 2,5	35
4			0,3	3,5	4,1	2,6		6,6	- 1,4	14,0	12	-13,0	16	1 2,0	2 2,3	1 2,0	6 3,5	23 3,4	1 5,0	1 2,0	0 0,0	1 2,0	0 0,0	1 2,0	13 2,4	40
5			5,4	10,3	9,6	7,3		12,2	2,0	20,3	31	- 5,1	1	0 0,0	0 0,0	2 2,0	3 1,3	21 3,8	5 2,4	3 2,7	3 2,7	0 0,0	5 2,2	5 1,6	23 2,7	21
6																									
7																									
8																									
9			9,7	10,5	8,5	8,1		12,0	5,2	23,0	6	- 0,5	27	7 2,9	2 1,0	2 1,5	16 1,8	5 3,0	11 2,4	8 3,0	0 0,0	2 1,0	15 2,6	16 2,8	6 3,2	0
10			3,9	6,8	4,5	4,4		8,0	1,4	14,2	10	- 5,0	23	3 1,3	0 0,0	0 0,0	37 1,4	10 2,9	18 2,4	12 4,3	0 0,0	0 0,0	10 2,5	3 1,7	0 0,0	0
11			- 1,1	0,6	0,3	- 0,3		2,1	- 3,1	7,0	4	-12,0	15	1 2,0	2 1,3	0 1,8	26 2,5	15 2,7	15 3,1	10 3,2	0 0,0	2 1,5	11 3,0	3 3,3	0 0,0	0
12			- 3,3	- 3,3	- 4,3	- 3,9		- 1,2	- 6,7	8,0	5	-14,5	12	1 2,0	10 1,7	6 2,0	33 2,9	9 3,1	12 3,5	3 2,7	1 6,0	0 0,0	9 4,1	4 2,3	9 2,4	0
ÅR																									

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD	Midlere relativ fuktighet 07	13	19	UM	Midlere skydekke 07	13	19	M	Nedbør SUM	%	MAX	DT	Lufttemperatur TN <0	TX <0	TN <=-10	TX >=25	Nedbør R>=0,1	R>=1,0	R>=10,0	Vindstyrke FX>=6B	FX>=8B	FX>=9B	Forekomst av R	S	SL	YR	SN	H	IH	TO	KV	DV	SD	Tåke 07	13	19
VINJEØRA																																				1979
1	86	85	86	86	3,7	5,3	3,8	4,3	32	41	14,8	8	31	22	15	0	17	11	1	0	0	0	5	16	1	0	0	0	0	0	5	8	31	0	0	0
2	90	83	87	88	5,3	5,5	3,9	5,6	190	145	24,5	3	26	7	8	0	19	15	9	1	0	0	6	18	3	0	0	1	0	0	4	14	28	0	0	0
3	86	75	78	80	5,9	5,3	3,3	5,6	123	98	42,9	6	23	3	5	0	13	12	4	0	0	0	10	12	4	2	0	0	0	0	3	13	31	0	0	0
4	89	71	77	81	5,2	6,0	5,3	5,7	35	30	11,7	29	16	0	0	0	13	7	1	0	0	0	12	4	3	0	0	1	0	0	1	13	26	0	0	0
5	89	70	72	80	5,1	5,8	3,7	5,6	55	71	8,4	1	7	0	0	0	23	13	0	0	0	0	23	5	3	0	0	0	0	0	1	11	1	0	0	0
6	93	75	83	88	5,9	5,5	5,9	5,8	70	95	18,3	18	0	0	0	0	17	14	2	1	0	0	17	0	0	4	0	0	0	1	2	16	0	0	0	0
7	97	93	88	92	6,8	6,5	6,7	6,6	157	164	23,9	3	0	0	0	0	25	19	7	0	0	0	25	0	0	4	0	0	0	2	1	24	0	0	0	0
8	95	78	87	90	6,1	6,4	6,3	6,6	138	124	28,3	22	0	0	0	0	22	17	6	0	0	0	22	0	0	0	0	0	0	3	0	20	0	1	0	0
9	97	84	91	92	6,3	6,7	7,2	6,9	315	206	54,6	12	0	0	0	0	27	23	12	1	0	0	27	1	0	0	0	0	0	0	0	21	0	0	0	0
10	92	78	88	87	5,1	5,2	4,0	4,8	147	81	35,8	10	13	0	0	0	15	12	5	2	0	0	15	1	1	0	0	1	0	0	6	12	0	1	0	0
11	89	87	90	89	5,0	5,4	4,3	5,1	146	112	30,4	10	23	5	0	0	18	14	5	2	0	0	16	8	2	0	0	2	0	0	2	9	16	0	0	0
12	87	86	87	87	4,2	4,5	3,3	4,2	105	78	20,0	19	23	13	8	0	16	12	4	4	1	1	10	10	3	0	0	3	0	1	9	9	25	0	0	0
ÅR	91	80	85	87	5,5	5,7	5,3	5,6	1553	105	54,6		162	50	36	0	230	169	36	14	1	1	193	75	20	10	0	8	0	7	34	170	158	2	0	0
SULA																																				1979
1	81	79	81	81	5,3	6,0	5,3	5,7	77		22,9	10	21	9	0	0	20	11	3	13	1	1	12	15	5	1	0	0	0	0	0	11		0	0	0
2	81	79	78	79	5,6	5,5	6,0	5,7	116		15,6	7	16	3	0	0	20	19	2	17	7	3	12	17	7	0	2	0	0	0	3	15		0	0	0
3	80	78	79	79	6,2	5,3	5,7	5,7	115		21,7	20	7	2	0	0	15	11	5	14	7	5	14	10	8	1	0	0	0	0	1	12		0	0	0
4	84	76	80	81	4,3	4,1	4,8	4,4	36		13,2	29	0	0	0	0	11	7	1	11	0	0	10	4	3	2	0	0	0	0	2	8		0	0	0
5	85	79	80	83	6,5	6,2	5,7	6,1	88		23,1	14	0	0	0	0	22	17	2	18	7	1	22	4	4	1	0	0	0	0	0	12		0	0	0
6	87	81	86	86	5,3	5,7	6,0	5,8	65		12,9	20	0	0	0	0	16	12	2	11	0	0	16	0	0	6	0	0	0	0	1	16		4	2	0
7	88	84	86	87	6,8	6,2	6,6	6,5	121		23,4	16	0	0	0	0	18	14	5	9	0	0	18	0	0	9	0	0	0	0	1	22		2	0	0
8	86	81	83	84	6,6	6,7	6,9	6,8	93		17,3	30	0	0	0	0	24	20	3	11	1	0	24	0	0	9	0	0	0	1	0	20		2	1	2
9	86	80	82	83	6,9	6,6	7,0	6,8	137		28,0	18	0	0	0	0	27	25	5	19	8	1	27	0	0	4	0	0	0	0	0	21		0	0	0
10	83	78	81	81	5,3	5,1	5,6	5,4	126		23,6	11	0	0	0	0	18	12	6	3	2	1	18	0	0	0	0	0	0	0	4	15		0	0	0
11	83	80	82	82	5,8	6,2	6,0	6,0	158		17,5	30	1	0	0	0	21	17	6	13	8	2	21	6	6	1	0	0	0	0	0	14		0	0	0
12	81	79	81	80	4,8	5,0	5,1	4,9	81		11,6	6	14	3	0	0	16	13	2	23	11	4	13	8	5	0	0	0	0	0	4	12		0	0	0
ÅR	84	80	82	82	5,8	5,7	5,9	5,8	1263		28,0		59	17	0	0	228	178	42	167	50	20	207	64	38	34	2	0	0	1	16	178		8	3	2
ØRLAND III																																				1979
1	79	81	77	78	4,5	5,5	4,9	4,9	61	66	12,7	9	29	19	3	0	16	10	2	16	1	0	5	16	2	2	0	4	0	3	4	10	31	0	0	0
2	81	77	78	79	5,4	5,3	5,7	5,5	100	120	15,6	7	24	7	2	0	21	17	3	15	4	0	11	19	8	1	0	8	0	2	3	16	28	0	0	0
3	76	71	72	73	5,7	5,1	5,2	5,3	60	74	13,5	5	14	3	2	0	13	9	2	16	2	1	10	12	6	0	0	2	0	1	4	14	25	0	0	0
4	82	65	69	74	4,8	5,0	5,4	5,0	33	43	13,5	29	10	0	0	0	14	8	1	0	0	0	12	7	1	6	0	3	0	0	0	8	3	0	0	0
5	81	62	69	75	6,2	6,0	5,8	6,0	83	119	15,0	14	2	0	0	0	22	11	2	8	1	0	22	5	4	5	0	2	0	0	0	16	0	0	0	0
6	86	74	80	83	6,0	5,2	5,3	5,7	83	141	20,7	20	0	0	0	1	15	14	3	3	0	0	15	0	0	11	0	0	0	0	2	16	0	2	0	0
7	91	80	84	87	6,2	6,1	6,3	6,2	133	205	30,2	16	0	0	0	0	22	13	5	4	0	0	22	0	0	17	0	0	0	1	2	20	0	0	0	0
8	85	74	83	83	5,9	6,3	6,2	6,1	105	154	26,0	30	0	0	0	0	21	15	3	7	0	0	21	0	0	10	0	0	0	0	0	16	0	0	0	0
9	87	77	81	83	6,5	6,3	6,3	6,4	197	177	19,9	12	0	0	0	0	27	27	9	12	2	1	27	0	0	6	0	4	0	1	0	17	0	1	0	0
10	81	72	79	78	5,1	5,3	4,3	4,9	126	101	25,2	10	0	0	0	0	16	10	5	7	2	0	16	1	1	9	0	1	0	0	5	11	0	1	0	0
11	79	76	80	79	5,0	5,8	5,1	5,2	127	134	20,1	4	8	1	0	0	18	13	5	12	2	1	15	11	5	6	0	2	0	0	1	8	5	0	0	0
12	77	77	75	76	4,5	5,1	3,7	4,5	53	58	7,8	2	21	11	1	0	16	12	0	20	7	3	10	10	4	2	1	7	0	3	4	8	25	0	0	0
ÅR	82	74	77	79	5,3	5,6	5,4	5,5	1141	114	30,2		108	41	10	1	221	139	10	120	21	6	186	81	31	75	1	33	0	11	25	160	117	4	0	0
TRONDHEIM – TYHOLT																																				1979
1	74	75	73	74	4,1	5,4	4,2	4,7	21	31	3,8	23	31	24	14	0	14	8	0	0	0	0	0	13	0	0	0	0	0	0	6	7	31	0	0	1
2	80	74	76	77	3,1	5,1	3,8	5,3	63	94	11,7	9	26	16	5	0	17	14	1	1	0	0	3	17	2	0	0	0	0	0	4	13	28	1	0	0
3	71	62	63	66	5,5	4,7	4,9	5,1	32	48	10,2	6	20	5	3	0	10	9	1	5	0	0	6	9	5	0	0	0	0	0	1	9	31	0	0	0
4	79	64	67	72	5,1	5,5	5,3	5,4	24	40	7,2	27	11	0	0	0	11	8	0	0	0	0	9	3	1	4	0	1	0	0	0	9	6	0	0	0
5	76	64	60	68	5,9	6,1	5,6	5,9	27	56	6,1	18	5	0	0	0	15	8	0	1	0	0	15	3	2	2	0	0	0	0	0	14	1	0	0	0
6	80	67	69	75	5,7	5,1	5,8	5,5	64	97	9,0	2	0	0	0	1	14	12	0	0	0	0	14	0	0	4	0	0	0	1	3	13	0	0	0	0
7	89	75	73	81	6,4	6,3	6,3	6,3	103	147	25,3	21	0	0	0	0	19	14	3	0	0	0	19	0	0	15	0	0	0	1	0	18	0	0	0	0
8	81	67	68	74	5,7	5,8	5,5	5,7	62	79	12,2	12	0	0	0	2	16	13	2	0	0	0	16	0	0	3	0	0	0	0	0	11	0	0	0	0
9	88	73	75	80	6,1	6,2	6,3	6,3	141	153	17,3	12	0	0	0	0	25	23	5	2	0	0	25	0	0	1	0	0	0	0	0	14	0	1	0	0
10	85	73	77	79	5,0	4,8	4,3	4,8	83	85	26,8	9	8	0	0	0	13	9	3	2	0	0	13	0	0	3	0	0	0	0	5	12	0	3	2	2
11	76	74	77	76	4,8	5,4	5,0	5,0	67	100	14,3	30	19	4	0	0	12	10	2	0	0	0	8	7	2	0	0	0	0	0	2	8	13	0	1	0
12	77	75	75	75	4,3	5,1	4,3	4,6	33	43	6,5	19	25	16	7	0	11	9	0	2	1	0	7	6	2	1	0	0	0	0	4	10	26	0	0	0
ÅR	80	70	71	75	5,4	5,5	5,3	5,4	720	84	26,8		145	65	29	3	177	137	17	16	1	0	135	58	14	33	0	1	0	2	25	138	136	5	3	3
VENNAFJELL																																				1979
1	76	75	74	75	4,1	5,0	4,1	4,5	25	31	9,5	23	31	31	19	0	11	9	0	4	0	0	0	11	0	0	0	0	0	0	3	8		6	8	2
2	82	83	81	82	6,0	5,6	5,3	5,7	129	155	24,1	10	28	24	7	0	17	13	5	11	0	0	0	17	0	0	0	0	0	0	4	16		10	9	11
3	79	72	75	76	6,2	4,8	4,7	5,2	36	45	11,3	6	30	21	3	0	10	8	1	20	6	2	0	10	0	0	0	0	0	0	2	10		5	1	5
4	82	71	78	78	5,3	5,7	5,7	5,6	42	48	10,8	27	23	5	0	0	11	9	1	7	1	0	0	11	3	0	0	1	0	0	1	12		6	1	5
5	77	63	66	72	5,1	5,7	5,2	5,4	40	49	10,8	26	15	0	0	0	18	9	1	7	2	2	9	11	1	2	0	0	0	0	1	9		4	2	3
6	80	71	74	77	5,2	5,5	5,7	5,5	144	131	29,3	2	0	0	0	0	15	12	6	0	0	0	15	0	0	6	0	1	0	2	3	13		12	7	8
7	91	82	85	88	6,2	6,3	6,6	6,4	289	260	44,5	23	0	0	0	0	24	19	10	2	0	0	24	3	3	12	0	0	0	1	1	20		15	14	16
8	88	77	82	84	5,7	6,2	5,9	5,9	144	120	20,7	12	0	0	0	0	19	17	6	7	2	0	19	0	0	8	0	0	0	0	0	14		13	3	6
9	89	78	87	86	6,3	6,3	6,3	6,5	182	147	20,7	30	9	0	0	0	23	19	7	10	0	0	22	9	4	8	0	1	0	0	0	18		9	7	13
10	76	68	72	73	4,3	4,2	4,7	4,6	79	63	22,3	10	12	4	0	0	11	8	4	10	5	3	10	5	2	6	0	0	0	0	5	10		5	4	7
11	82	80	83	82	5,0	5,6	6,0	5,6	87	96	21,9	28	28	19	0	0	17	11	3	9	4	2	6	14	2	3	0	0	0	0	1	12		4	4	3
12	77	76	79	77	4,9	5,0	5,1	5,0	37	42	11,9	20	31	22	11	0	9	7	1	13	9	7	2	8	1	2	0	1	0	0	2	11		5	6	6
ÅR	82	75	78	79	5,5	5,5	5,3	5,5	1234	105	44,5		207	126	40	0	185	141	45	106	29	16	110	99	16	47	0	4	0	3	23	153		94	66	85
SELBU – BUGSTAD / SELBU – STUBBE																																				1979
1	78	77	77	78	4,4	5,5	4,3	4,9	30		11,1	23	31	28	22	0	12	7	1	0	1	0	1	12	1	0	0	0	0	0	4	9	31	0	0	0
2	80	70	76	76	5,9	5,6	5,5	5,7	68		16,7	9	27	20	11	0	17	14	1	6	0	0	2	17	1	0	0	0	0	0	4	17	28	0	0	0
3	69	55	59	62	5,9	4,8	4,8	5,2	30		12,1	6	24	6	5	0	10	9	1	13	5	2	0	9	2	0	0	0	0	0	3	14	31	0	0	0
4	80	57	62	68	5,4	5,9	6,2	5,8	29		7,5	27	16	0	0	0	13	10	0	0	0	0	8	7	0	2	0	0	0	0	1	13	23	0	0	0
5	70	50	52	61	5,9	6,3	6,1	6,1	39		9,2	8	11	0	0	0	16	10	0	4	2	0	12	5	1	0	0	1	0	0	0	14	4	0	0	0
6																																				
7																																				
8																																				
9	84	67	75	77	6,3	5,9	6,6	6,3	107		12,8	9	1	0	0	0	23	19	2	0	0	0	25	2	2	5	0	0	0	1	0	17	0	0	0	0
10	75	64	70	71	5,0	4,6	4,7	4,8	50		13,7	10	12	0	0	0	12	9	1	1	2	1	12	2	2	2	0	0	0	0	5	11	0	0	0	0
11	77	72	75	75	4,6	5,7	5,7	5,3	64		11,5	30	25	6	2	0	14	9	3	6	1	1	7	8	1	2	0	0	0	0	2	10	12	0	0	0
12	74	71	74	73	4,5	5,2	5,2	4,9	26		8,4	20	26	19	12	0	10	8	0	6	0	0	4	7	0	0	0	0	0	0	4	10	24	0	0	0
ÅR																																				

MD.	MIDLERE LUFTTRYKK PA	PA1	MIDLERE LUFTTEMPERATUR J7	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
BERGEN II																										1979
1			-11,1	- 3,2	-10,3	-13,4	- 3,9	- 7,2	-14,6	- 1,5	20	-27,0	1	0 0,0	0 0,0	0 0,0	5 2,2	2 2,5	58 2,4	2 1,0	5 2,8	0 0,0	0 0,0	0 0,0	0 0,0	21
2			- 7,0	- 4,2	- 9,8	- 8,0	- 0,1	- 2,8	- 9,4	6,0	26	-27,2	14	0 0,0	1 2,0	3 2,0	1 2,0	0 0,0	30 2,4	4 2,0	10 3,1	0 0,0	4 3,3	15 3,2	0 0,0	14
3			- 4,8	- 1,0	- 1,8	- 2,2	0,8	2,1	- 6,0	9,0	3	-21,5	18	0 0,0	0 0,0	1 2,0	0 0,0	0 0,0	39 2,9	10 3,8	26 4,2	0 0,0	2 2,0	3 2,0	0 0,0	9
4			- 0,7	4,5	2,6	1,3	0,1	5,5	- 2,4	12,6	12	-11,0	16	0 0,0	1 2,0	3 2,7	0 0,0	0 0,0	33 2,2	5 3,0	10 2,2	1 1,0	0 0,0	10 2,2	8 2,4	19
5			3,9	3,3	3,0	3,3	- 0,7	11,4	0,3	21,0	31	- 6,5	2	2 3,0	5 2,7	2 2,0	3 2,0	0 0,0	13 3,2	10 2,4	28 3,3	1 6,0	4 2,5	11 2,5	3 2,7	16
6			10,5	15,9	13,3	12,0	1,8	17,6	6,8	26,0	6	1,5	13	0 0,0	7 2,3	11 3,0	0 0,0	0 0,0	18 3,1	3 2,0	5 3,2	3 4,0	2 3,5	20 2,7	7 3,1	14
7			9,3	13,7	11,7	10,8	- 2,3	15,0	6,9	23,2	7	1,0	4	0 0,0	7 2,9	6 3,2	0 0,0	0 0,0	9 3,0	1 3,0	14 3,4	0 0,0	2 2,0	17 3,1	18 2,9	19
8			9,1	13,8	12,1	11,0	- 0,8	15,2	7,6	24,0	18	2,0	31	4 2,8	3 2,3	5 3,0	0 0,0	0 0,0	31 3,1	2 3,0	11 3,1	0 0,0	4 3,3	6 3,2	7 2,9	20
9			4,3	9,0	6,7	6,6	- 1,1	10,8	3,2	22,5	6	- 4,3	23	1 2,3	3 2,3	3 2,3	0 0,0	0 0,0	10 3,0	8 3,3	9 2,9	9 2,7	9 3,0	16 3,6	9 3,1	13
10			1,0	6,1	2,1	2,3	- 3,1	7,1	- 0,9	14,6	10	-10,0	23	2 2,5	0 0,0	3 2,3	0 0,0	0 0,0	56 3,1	4 2,3	5 2,4	0 0,0	2 3,0	4 3,0	0 0,0	17
11			- 3,4	- 0,7	- 3,1	- 2,8	- 1,4	0,2	- 6,5	7,0	4	-16,0	11	1 3,0	0 0,0	5 2,2	0 0,0	0 0,0	44 3,3	6 2,2	13 2,9	2 3,0	1 2,0	4 2,8	0 0,0	14
12			- 6,5	- 5,4	- 6,3	- 6,2	- 2,2	- 3,3	- 9,8	6,0	2	-20,0	18	0 0,0	0 0,0	5 2,4	0 0,0	0 0,0	39 2,4	12 3,3	11 2,6	1 2,0	2 2,0	8 3,5	0 0,0	15
ÅR			0,5	4,3	2,3	1,9	- 0,3	6,0	- 2,1	26,0		-27,2		10 2,7	25 2,7	52 2,8	3 2,1	2 2,5	377 2,8	67 2,9	147 3,2	17 3,2	32 2,8	114 3,0	52 2,9	191
MERÅKER - KROGSTAD																										1979
1	995,0	1013,8	-10,6	- 3,9	- 9,6	- 9,2		- 5,7	-14,7	3,4	7	-30,6	1	0 0,0	3 2,3	5 1,6	31 1,9	13 2,3	3 2,7	0 0,0	0 0,0	2 1,5	0 0,0	0 0,0	4 2,5	32
2	993,3	1011,7	- 8,3	- 3,8	- 4,3	- 5,4		- 1,5	- 9,8	7,1	26	-29,9	14	0 0,0	0 0,0	2 3,0	13 2,0	6 2,5	8 2,8	1 2,0	0 0,0	0 0,0	7 3,7	7 3,6	9 3,2	28
3	981,9	999,8	- 2,7	1,7	0,3	- 0,3		3,2	- 4,0	9,1	3	-24,0	18	0 0,0	3 2,3	3 2,3	21 2,7	18 3,0	10 3,2	2 4,0	1 3,0	1 2,0	2 3,0	0 0,0	11	
4	994,9	1012,7	0,3	3,4	4,2	2,7		6,6	- 0,9	14,5	12	-10,6	16	3 2,3	3 2,3	6 2,2	15 2,3	3 3,0	16 2,9	0 0,0	0 0,0	2 1,5	6 2,8	6 3,0	7 2,9	18
5	992,3	1010,7	4,3	10,5	10,2	7,2		12,6	1,7	20,1	30	- 7,5	1	3 2,6	6 3,3	3 2,0	8 2,5	3 3,0	9 2,8	12 3,3	2 3,0	3 2,7	16 3,0	3 3,0	8 2,5	14
6	998,0	1013,1	10,3	16,3	15,4	13,1		19,1	8,3	28,8	6	0,9	3	2 3,0	2 2,5	2 3,0	3 2,3	3 3,3	7 2,6	7 2,9	0 0,0	0 0,0	26 3,0	12 3,3	6 2,7	20
7	992,9	1010,1	10,1	14,5	13,3	11,9		16,4	8,3	25,4	7	3,5	29	0 0,0	0 0,0	0 0,0	3 2,3	2 2,5	6 2,8	3 3,7	1 3,0	2 3,0	25 3,0	25 3,6	3 3,3	23
8	992,7	1010,8	10,7	15,2	14,2	12,5		17,3	8,6	26,0	18	0,5	6	0 0,0	2 1,5	1 2,0	1 2,0	1 2,5	10 3,9	6 3,3	1 3,0	0 0,0	11 2,9	17 2,7	6 3,0	27
9	989,8	1008,2	6,4	10,9	8,1	8,1		12,4	5,0	23,9	6	- 1,3	27	1 0,0	2 3,0	6 2,2	10 2,1	3 2,0	1 1,0	4 2,3	1 2,0	0 0,0	8 3,5	11 3,5	12 3,8	30
10	999,1	1017,0	3,9	5,6	3,3	3,1		7,3	- 0,2	13,4	11	- 8,0	27	0 0,0	2 2,3	5 1,6	21 1,6	4 3,0	12 3,7	0 0,0	1 4,0	1 3,0	4 3,5	4 2,8	2 2,5	37
11	984,6	1002,6	- 1,8	- 0,2	- 0,7	- 1,1		1,8	- 4,1	7,8	4	-14,7	15	0 0,0	2 2,0	9 1,8	17 2,4	3 3,2	14 3,1	0 0,0	0 0,0	0 0,0	2 3,0	6 3,3	2 3,0	32
12	985,3	1003,6	- 5,4	- 5,7	- 6,0	- 5,8		- 1,8	- 9,7	8,9	5	-22,0	11	0 0,0	1 3,0	2 3,0	26 1,3	9 2,8	11 3,5	1 4,0	1 5,0	1 5,0	3 3,3	11 4,1	2 2,5	29
ÅR	991,4	1009,2	1,4	3,1	4,1	3,0		7,3	- 0,9	28,8		-33,6		10 3,6	26 2,5	49 2,2	181 2,1	93 2,7	112 3,2	44 3,8	9 3,4	12 3,4	109 3,1	104 3,3	59 3,0	301
VÆRIES																										1979
1	1010,3	1012,4	- 7,5	- 6,8	- 9,5	- 7,0	- 3,6	- 3,2	-11,1	4,2	7	-23,3	28	1 1,0	0 0,0	10 1,3	29 2,3	33 2,2	1 3,0	2 2,3	2 3,5	7 2,3	0 0,0	0 0,0	1 1,0	1
2	1009,3	1011,3	- 4,3	- 2,4	- 2,3	- 3,1	- 0,6	0,3	- 7,2	9,3	26	-23,1	14	2 2,0	2 1,5	4 1,5	21 1,7	13 2,3	2 2,5	2 4,3	2 2,5	9 3,3	12 3,8	9 3,7	0 0,0	0
3	998,8	998,8	- 0,4	3,9	2,1	1,5	1,3	5,4	- 2,2	10,7	28	-18,4	18	0 0,0	2 1,5	1 1,0	12 2,3	29 2,5	24 3,7	10 3,9	3 3,0	5 3,0	3 3,0	0 0,0	2 1,0	2
4	1010,4	1012,4	2,5	7,4	5,3	5,7	0,9	8,6	1,0	15,2	22	- 4,8	16	0 0,0	3 1,3	13 1,9	17 3,2	15 2,4	6 3,3	3 1,7	0 0,0	9 1,6	17 2,6	2 2,5	3 3,3	1
5	1007,7	1009,7	8,9	11,2	10,3	9,8	0,4	13,8	4,3	22,0	31	- 1,3	1	1 3,0	1 3,3	5 2,0	13 2,0	12 2,3	7 3,3	5 3,0	5 2,2	16 2,6	19 2,6	5 2,8	4 2,3	0
6	1011,6	1013,5	12,4	15,7	15,1	13,5	1,6	18,0	10,0	28,8	1	5,9	3	1 1,0	1 3,3	0 0,0	3 1,8	13 2,5	5 3,4	2 4,0	2 1,0	14 2,4	27 2,9	12 3,8	5 2,8	3
7	1008,6	1010,5	11,3	14,5	14,1	12,8	0,2	16,7	9,9	26,1	7	4,8	6	1 2,0	0 0,0	1 1,0	4 1,3	12 1,7	3 3,9	1 1,0	0 0,0	9 2,7	46 2,8	10 2,6	0 0,0	1
8	1007,9	1010,8	12,4	15,9	15,1	13,8	- 0,2	17,8	10,4	27,2	18	6,5	29	0 0,0	1 2,3	0 0,0	11 1,8	15 2,5	16 3,8	2 3,0	2 1,5	12 2,3	18 2,4	7 3,6	5 2,4	4
9	1004,4	1006,4	9,0	10,8	9,3	9,2	- 1,0	12,6	8,7	22,4	7	1,2	23	1 2,3	2 1,3	0 0,0	3 2,2	15 1,6	7 2,7	6 1,3	2 1,0	10 2,9	25 3,2	9 4,2	2 3,0	2
10	1011,4	1016,4	3,2	6,6	4,3	4,6	- 1,1	7,6	1,8	12,7	25	- 5,6	27	2 1,0	0 0,0	3 1,3	11 1,9	20 2,0	13 3,5	2 2,0	0 0,0	10 2,6	10 1,6	5 2,2	0 0,0	8
11	999,8	1011,8	0,4	2,1	1,3	1,1	- 0,8	3,6	- 1,5	9,3	4	-10,3	15	0 0,0	0 0,0	7 1,6	14 1,8	38 2,3	8 4,5	6 3,2	1 2,0	10 3,4	3 2,3	1 3,0	1 2,0	1
12	1000,8	1018,8	- 2,9	- 2,7	- 3,2	- 3,0	- 2,3	- 0,1	- 6,6	10,3	2	-14,0	17	0 0,0	1 1,0	5 1,4	19 2,1	31 2,5	7 3,6	4 3,3	0 0,0	13 3,8	5 5,4	3 2,7	1 2,0	4
ÅR	1006,8	1010,8	5,5	8,4	6,8	6,7	- 0,6	8,4	1,3	28,8		-23,3		9 1,7	13 1,3	49 1,6	171 2,1	262 2,3	104 3,6	45 3,0	19 2,0	124 2,7	185 2,8	63 3,3	24 2,4	27
SULSTUA																										1979
1			-11,9	-10,3	-10,7	-11,1	- 4,5	- 6,6	-15,9	1,7	22	-32,2	1	0 0,0	0 0,0	0 0,0	0 0,0	11 2,9	37 3,1	2 3,0	0 0,0	2 1,5	4 2,0	3 1,3	0 0,0	34
2			- 7,3	- 4,4	- 5,5	- 5,7	- 0,9	- 2,5	-11,5	5,8	26	-35,9	14	0 0,0	0 0,0	0 0,0	3 2,7	25 2,4	0 0,0	0 0,0	1 2,0	15 2,3	13 2,4	1 4,0	26
3			- 3,1	0,5	- 1,3	- 1,9	- 1,2	2,0	- 6,1	7,6	26	-26,3	18	0 0,0	0 0,0	1 2,0	10 2,6	43 2,9	8 3,6	0 0,0	2 2,0	2 1,0	3 2,7	0 0,0	24
4			1,3	3,8	2,0	1,3	- 0,3	4,8	- 2,5	12,5	12	-13,3	16	0 0,0	0 0,0	0 0,0	3 3,0	30 2,8	6 2,0	0 0,0	2 2,5	7 1,3	8 2,1	0 0,0	31
5			0,8	3,2	2,1	1,3	- 0,1	11,1	0,7	19,2	31	- 8,2	1	0 0,0	0 0,0	2 3,5	3 2,3	27 2,4	7 3,3	3 1,7	11 2,2	13 2,3	11 2,3	1 4,0	15
6			11,3	15,9	14,2	12,6	1,2	18,0	6,7	27,8	6	- 1,1	3	0 0,0	0 0,0	0 0,0	0 0,0	11 2,8	9 2,3	3 2,3	10 2,4	19 2,4	14 2,4	3 3,3	21
7			11,6	13,9	12,3	11,8	- 2,3	15,7	7,4	23,6	13	0,8	29	0 0,0	0 0,0	0 0,0	1 3,0	15 2,7	9 2,3	0 0,0	8 1,4	19 2,1	11 2,5	1 2,0	32
8			12,0	14,4	12,8	11,6	- 0,7	16,3	7,0	25,7	18	- 0,4	6	1 1,0	0 0,0	0 0,0	3 2,7	3 1,7	24 2,6	9 2,8	1 4,0	3 2,3	13 2,5	1 4,0	23
9			6,9	9,7	7,2	7,3	- 0,8	11,0	4,1	21,1	7	- 3,3	2	0 0,0	0 0,0	1 1,0	1 2,0	2 2,5	12 2,5	6 3,2	2 2,0	7 2,7	17 2,7	10 2,8	4 2,5	28
10			1,7	3,5	2,3	2,9	- 0,4	6,3	- 0,6	11,1	25	- 6,7	6	0 0,0	0 0,0	3 2,7	7 1,6	13 3,0	4 2,5	0 0,0	6 2,5	7 2,0	2 2,5	0 0,0	45
11			- 2,8	- 0,2	- 1,3	- 1,6	- 0,7	1,5	- 5,0	6,8	4	-17,1	15	0 0,0	0 0,0	1 1,0	5 2,7	26 2,7	7 2,4	0 0,0	4 3,0	7 1,9	1 1,0	0 0,0	37
12			- 7,3	- 5,8	- 7,3	- 6,9	- 3,2	- 2,6	-12,2	7,4	5	-23,3	31	0 0,0	0 0,0	0 0,0	1 2,3	10 2,1	12 2,3	2 1,5	0 0,0	5 2,4	8 2,8	8 2,9	2 3,0	42
ÅR			1,7	4,4	2,7	2,1	- 0,9	6,3	- 2,3	27,8		-35,9		1 1,0	0 0,0	2 2,0	15 2,5	62 2,7	281 2,7	86 2,8	9 2,2	61 2,3	130 2,2	97 2,4	13 3,1	388
LEVANGER - EGGE I																										1979
1	1003,4	1012,9	- 8,2	- 7,8	- 7,6	- 8,0		- 4,8	-11,1	1,9	7	-24,0	27	2 1,0	23 1,2	3 1,0	1 1,0	2 1,5	0 0,0	5 1,8	27 1,6	11 2,3	0 0,0	0 0,0	2 2,0	17
2	992,1	1011,4	- 4,3	- 3,4	- 3,3	- 3,9		- 0,8	- 6,7	5,5	26	-20,4	14	0 0,0	8 1,4	2 1,0	1 1,0	0 0,0	8 1,3	5 1,6	20 1,8	23 2,1	6 3,0	0 0,0	2 2,5	9
3	987,1	999,1	- 1,2	1,3	0,9	0,1		3,2	- 2,4	8,6	29	-16,9	18	1 2,0	7 2,1	2 1,0	9 1,4	2 1,5	25 2,9	7 4,0	16 2,4	17 2,1	5 1,8	0 0,0	0 0,0	6
4	1000,8	1019,8	1,6	5,0	4,3	3,2		6,5	0,4	11,5	12	- 4,8	16	4 1,5	17 2,1	6 1,8	8 2,6	7 2,9	4 2,3	4 1,5	16 1,8	2 3,5	7 1,7	5 2,6	1 3,0	9
5	998,1	1010,9	6,1	9,5	9,7	7,7		12,2	4,0	19,4	25	- 0,5	1	4 1,8	11 1,9	2 1,5	2 2,5	0 0,0	8 3,1	5 2,0	16 2,0	7 2,0	28 2,8	5 1,8	1 1,0	4
6	1002,1	1013,6	11,9	15,3	14,3	13,1		17,7	9,8	27,5	1	5,4	10	2 2,5	3 1,7	2 2,0	1 1,0	1 1,0	6 2,2	3 1,7	6 2,2	10 2,5	30 2,7	8 2,0	2 1,5	11
7	998,9	1016,8	10,9	14,1	13,3	12,1		16,3	9,2	24,5	7	5,5	2	4 2,5	13 1,7	1 2,0	2 1,5	2 3,0	5 2,6	6 1,7	14 1,6	14 2,0	20 2,0	3 2,0	1 2,0	8
8	998,4	1009,9	11,8	15,0	14,1	13,1		17,0	10,2	26,0	18	6,9	31	2 1,5	9 1,4	1 2,0	2 1,0	2 2,5	10 3,2	7 2,7	19 2,1	9 2,1	14 2,0	3 2,3	4 2,0	11
9	994,7	1006,4	7,2	9,9	8,3	8,3		11,3	6,0	22,4	7	2,2	23	2 1,5	6 1,7	4 1,0	3 2,0	4 1,5	3 1,7	7 2,3	21 2,2	9 2,8	12 2,8	4 2,8	5 2,6	7
10	1001,9	1016,9	2,3	5,0	4,3	3,9		6,3	1,7	11,8	5	- 4,1	28	0 0,0	22 1,5	2 1,5	1 1,0	4 4,5	3 3,0	5 1,6	24 1,9	4 3,3	0 0,0	2 3,0	2 2,5	19
11	990,2	1012,2	0,4	3,9	2,7	2,3		2,7	- 1,5	8,0	4	- 8,0	16	0 0,0	3 1,2	1 1,0	1 1,0	12 2,1	22 1,8	7 2,7	25 1,9	4 1,8	1 2,0	1 3,0	0 0,0	10
12	990,6	1009,8	- 3,3	- 2,9	- 3,3	- 3,3		- 0,6	- 6,1	7,4	5	-14,5	17	3 3,0	5 1,2	4 2,0	2 1,0	8 3,0	14 1,6	14 1,4	35 2,6	3 6,0	0 0,0	1 1,0	0 0,0	14
ÅR	997,1	1009,0	3,0	5,2	4,7	3,9		7,3	1,1	27,5		-24,0		24 2,3	135 1,8	30 1,5	23 1,8	44 2,6	113 2,4	75 2,1	232 2,0	113 2,4	123 2,5	32 2,3	20 2,2	125
KJØBLI I SNÅSA																										1979
1			-13,3	- 9,0	- 9,6	- 9,2	- 3,3	- 5,9	-15,6	1,1	22	-37,0	1	0 0,0	3 1,7	20 1,0	17 2,9	4 3,0	0 0,0	2 3,0	0 0,0	5 2,0	9 1,9	2 1,0	2 1,0	24
2			- 8,7	- 6,1	- 9,1	- 8,7	- 1,2	- 2,3	-11,8	5,1	26	-39,4	14	0 0,0	2 2,0	12 2,0	11 2,4	5 3,6	0 0,0	0 0,0	2 2,5	12 2,7	15 2,3	5 1,2	0 0,0	17
3			- 3,2	0,4	- 1,4	- 1,7	0,7	1,9	- 5,9	6,1	3	-28,1	18	1 3,0	1 2,0	17 2,6	23 2,8	14 3,7	1 4,0	0 0,0	2 1,5	6 2,2	10 1,7	2 3,0	2 1,5	14
4			1,3	4,3	2,2	1,7	- 0,4	5,3	- 1,9	13,1	12	-14,9	16	0 0,0	4 1,8	16 2,5	24 2,3	6 2,5	1 2,0	0 0,0	1 2,0	9 2,3	14 2,0	2 1,0	0 0,0	13
5			6,5	9,1	8,1	8,0	- 0,2	10,9	1,7	18,8	30	- 7,2	1	0 0,0	1 1,0	11 1,7	11 2,3	8 2,5	4 2,3	3 2,0	12 2,3	13 2,3	21 2,6	3 1,3	0 0,0	6
6	12,9	15,7	13,9	12,6	1,0	17,8	7,2	27,7	6	- 0,5	19	1 3,0	3 1,7	8 1,5	11 1,9	3 2,0	0 0,0	1 2,0	1 2,0	22 2,5	29 2,2	4 1,8	0 0,0	7
7	11,3	14,3	13,2	12,1	- 2,2	16,2	8,7	24,6	14	2,3	29	0 0,0	0 0,0	6 1,5	5 1,8	11 2,3	2 2,0	2 2,5	1 3,0	23 2,3	35 1,8	1 1,0	0 0,0	7
8	12,1	14,7	13,5	12,2	- 0,5	16,8	8,5	24,7	18	- 0,0	6	1 2,0	1 1,0	9 2,3	7 2,1	16 3,4	2 3,5	0 0,0	3 2,0	22 2,3	18 1,9	3 1,3	2 1,0	9
9	6,8	9,5	7,3	7,8	- 1,2	10,6	4,9	20,2	7	- 2,3	2	0 0,0	3 3,7	3 2,3	10 1,9	3 1,6	1 2,0	1 1,0	5 2,4	11 2,0	31 2,0	8 1,6	0 0,0	12
10	1,7	5,6	2,2	2,8	- 0,9	6,3	- 0,8	10,4	11	- 8,6	27	0 0,0	2 1,5	13 1,9	9 3,0	3 3,3	3 5,0	1 3,0	2 1,5	10 1,8	12 1,8	2 2,5	1 1,0	30
11	- 1,1	0,8	- 0,3	- 0,4	0,0	2,0	- 3,2	6,1	5	-12,1	15	0 0,0	4 3,3	18 2,3	7 2,7	3 2,3	2 3,0	3 3,3	1 4,0	8 2,0	16 1,6	1 2,0	1 2,0	21
12	- 7,3	- 5,4	- 6,3	- 6,2	- 2,0	- 2,0	-10,8	6,7	5	-24,6	10	0 0,0	6 3,3	19 2,5	4 1,8	4 2,8	1 1,0	0 0,0	1 1,0	10 2,2	12 3,3	3 1,0	0 0,0	33
ÅR	1,9	4,7	3,1	2,5	- 0,9	6,4	- 1,6	27,7		-39,4		3 2,3	30 2,4	158 2,3	142 2,4	91 2,9	17 3,0	13 2,5	31 2,2	151 2,2	222 2,1	36 1,8	8 1,3	193

ÅRSOVERSIKTER

(ANNUAL SUMMARIES)

MND.	MIDLERE RELATIV FUKTIGHET 07	13	19	UM.	MIDLERE SKYDEKKE 07	13	19	UM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=-10	TX >=25.	NEDBØR R>=0.1	R>=1.0	R>=10.0.	VINDSTYRKE FX>=6B	FX>=8B	FX>=9B.	ANTALL DAGER MED: R	S	SL	FOREKOMST AV YR	SH	H	IH	TO	KV	OV	SD	TÅKE 07	13	19.
BERKÅK II																																						1979
1	69	67	70	69	4,3	4,0	3,7	4,0	17	31	9,7	8	31	31	22	0	6	2	0	0	0	0	0	6	0	0	0	0	0	0	9	9	31	0	0	0
2	75	68	72	72	4,4	4,1	5,6	4,7	76	127	16,7	9	27	22	10	0	12	10	4	2	1	0	1	12	1	0	0	0	0	0	6	12	28	0	0	0
3	74	55	63	66	4,6	4,2	3,3	4,2	26	46	10,9	11	28	6	9	0	7	6	1	7	4	0	1	7	1	0	0	0	0	0	7	8	31	0	0	0
4	77	56	64	68	5,1	5,0	5,0	5,0	36	78	11,2	27	19	0	1	0	8	6	1	0	0	0	5	5	2	1	0	0	0	0	2	8	24	0	0	0
5	69	45	50	60	4,3	5,0	5,0	4,9	43	113	16,6	8	14	0	0	0	10	10	1	1	0	0	6	6	2	0	0	0	0	0	1	9	4	0	0	0
6	78	54	61	70	4,5	4,8	5,3	4,9	74	93	12,5	19	0	0	0	1	17	14	1	0	0	0	17	0	0	2	0	0	0	3	3	10	0	2	0	1
7	86	66	72	79	5,3	5,7	6,2	5,9	94	93	15,0	10	0	0	0	0	19	17	4	0	0	0	19	0	0	4	0	0	0	1	2	17	0	4	0	1
8	83	63	72	77	5,9	5,7	5,4	5,6	74	82	15,6	22	0	0	0	0	16	13	3	1	0	0	16	0	0	1	0	0	0	0	0	11	0	0	0	0
9	86	63	78	78	4,6	5,7	5,6	5,3	82	106	12,0	4	4	0	0	0	19	15	2	2	0	0	18	6	5	1	0	0	0	0	0	5	0	0	0	0
10	76	56	72	70	4,1	3,7	3,2	3,7	34	52	9,6	10	19	1	0	0	8	5	0	2	1	0	7	2	0	1	0	0	0	0	11	9	4	0	0	0
11	75	68	76	74	3,5	4,7	4,1	4,2	24	47	6,0	30	28	15	5	0	3	6	0	1	0	0	3	7	1	0	0	0	0	0	5	5	12	0	0	0
12	76	73	75	74	3,9	4,0	4,0	4,0	41	66	8,8	19	31	23	13	0	8	6	0	0	0	0	2	7	0	0	0	0	0	0	7	8	30	0	0	0
ÅR	77	61	69	71	4,6	4,7	4,3	4,7	621	79	16,7		201	93	59	0	138	110	17	13	9	0	95	58	12	10	0	0	0	4	53	111	164	6	0	2
MERÅKER - KROGSTAD																																						1979
1	77	75	78	76	4,7	5,4	4,6	4,9	20		5,0	24	31	25	21	0	14	6	0	1	0	0	0	14	0	0	0	2	0	0	4	11	31	0	0	0
2	80	78	74	76	5,4	5,2	5,1	5,2	97		21,7	9	26	16	12	0	19	16	4	2	0	0	3	19	2	0	0	0	0	0	6	17	28	0	0	0
3	75	60	64	68	5,0	4,6	4,9	5,1	36		11,5	6	23	5	5	0	10	8	1	11	1	0	2	10	2	0	0	0	0	0	5	12	31	0	0	0
4	83	62	68	73	5,3	5,7	6,2	5,7	26		10,0	19	19	0	1	0	13	8	1	0	0	0	8	7	2	2	0	0	0	0	2	15	14	0	0	0
5	81	56	56	69	5,9	6,1	5,3	5,9	34		5,0	19	11	0	0	0	23	10	0	6	0	0	19	6	2	0	0	3	0	0	0	14	1	0	0	0
6	81	63	63	72	5,3	5,9	5,7	5,6	111		20,8	30	0	0	0	7	18	11	4	4	0	0	18	0	0	2	0	0	0	3	3	15	0	0	0	0
7	87	70	74	81	6,4	6,3	6,6	6,4	135		21,1	1	0	0	0	1	23	18	4	0	0	0	23	0	0	12	0	0	0	3	2	20	0	0	0	0
8	79	61	63	70	5,9	6,5	6,0	6,2	77		8,2	10	0	0	0	1	21	16	0	2	0	0	20	0	0	5	0	0	0	1	1	20	0	1	0	0
9	83	66	75	77	6,6	6,3	6,7	6,5	211		35,6	30	2	0	0	0	28	22	8	6	2	0	28	0	0	2	0	2	0	0	0	20	0	0	0	0
10	83	70	72	76	5,0	4,9	4,3	4,7	98		22,3	10	16	0	0	0	20	8	5	4	1	0	20	3	2	7	0	0	0	0	7	15	0	2	0	0
11	77	74	76	76	5,0	5,8	6,1	5,6	84		18,8	30	24	7	4	0	14	10	3	7	0	0	9	8	2	0	0	0	0	0	1	14	14	1	0	1
12	76	77	78	77	4,4	5,1	4,3	4,7	38		8,9	7	23	19	17	0	12	8	0	5	2	1	0	9	0	0	0	0	0	0	5	11	26	0	0	0
ÅR	80	67	70	74	5,5	5,7	5,5	5,5	967		35,6		176	72	60	9	215	141	30	51	6	1	153	76	12	30	0	7	0	7	36	184	145	4	0	1
VÆRNES																																						1979
1	82	80	79	80	4,6	6,3	5,1	5,3	22	39	6,9	23	31	22	16	0	14	7	0	1	0	0	2	14	2	2	0	2	0	0	3	13	30	0	0	0
2	82	80	80	81	5,3	5,6	5,9	5,6	62	109	13,8	9	25	12	10	0	20	14	1	6	0	0	7	19	5	1	0	3	0	0	4	16	28	0	0	0
3	68	56	59	62	6,2	5,3	4,7	5,4	38	64	10,2	6	17	3	3	0	12	9	1	12	1	0	0	10	4	0	0	1	0	0	3	13	28	0	0	0
4	76	57	63	68	5,8	6,1	6,4	6,1	31	52	8,3	27	11	0	0	0	13	9	0	1	0	0	12	5	4	4	0	1	0	0	0	14	1	0	0	0
5	74	60	62	65	5,9	6,5	5,3	5,9	39	85	9,3	26	6	0	0	0	21	11	0	8	0	0	20	5	3	5	0	2	0	0	0	14	1	0	0	0
6	81	69	71	76	5,6	5,8	5,6	5,7	106	156	18,8	9	0	0	0	4	14	13	5	7	0	0	14	0	0	5	0	0	0	3	4	14	0	0	0	0
7	89	76	78	82	6,2	6,5	6,5	6,4	188	261	32,2	23	0	0	0	1	20	14	8	0	0	0	20	0	0	13	0	0	0	1	1	19	0	0	0	0
8	83	68	70	75	6,3	6,5	5,7	6,2	84	99	15,8	12	0	0	0	2	18	14	2	0	1	0	18	0	0	7	0	0	0	0	1	17	0	0	0	0
9	88	75	79	82	6,6	6,2	6,5	6,4	182	204	26,8	30	0	0	0	0	25	23	6	9	0	0	26	4	4	6	0	1	0	0	1	19	0	0	0	0
10	84	72	81	80	5,3	5,2	5,0	5,1	86	91	25,0	10	8	0	0	0	16	10	3	1	1	0	15	1	1	6	0	2	0	0	5	16	0	2	1	1
11	81	75	80	79	5,2	5,9	6,0	5,7	86	143	14,7	4	17	3	1	0	14	9	4	0	1	0	12	9	6	2	0	1	0	0	1	15	12	0	0	0
12	80	78	80	79	5,0	5,5	5,3	5,3	34	48	6,7	8	24	14	10	0	12	8	0	8	2	0	8	8	4	2	0	1	0	0	4	13	25	1	0	0
ÅR	81	70	73	76	5,7	6,0	5,7	5,8	958	117	32,2		139	54	40	7	200	141	30	71	6	0	163	75	33	53	0	14	0	4	27	183	125	3	1	1
SULSTUA																																						1979
1	84	80	81	82	5,9	5,5	5,3	5,7	19	29	4,3	23	31	28	24	0	12	7	0	3	0	0	0	12	0	0	0	0	0	0	4	19	31	0	0	0
2	86	80	87	85	5,9	5,3	5,3	5,7	57	89	13,9	9	26	19	15	0	19	13	1	2	0	0	3	18	2	0	0	2	0	0	6	18	28	0	0	0
3	80	70	78	77	5,3	4,8	5,1	5,2	29	46	6,1	5	25	8	8	0	12	6	0	0	0	0	6	11	4	0	0	0	0	0	5	14	31	0	0	0
4	80	69	78	79	5,2	5,6	6,2	5,7	31	48	7,6	19	13	0	2	0	13	8	0	0	0	0	10	5	3	0	0	5	0	0	1	13	25	0	0	0
5	72	61	64	70	5,8	5,8	5,4	5,7	38	64	6,1	15	12	0	0	0	21	11	0	0	0	0	19	6	5	1	0	2	0	0	2	13	1	0	0	0
6	74	64	70	74	5,3	5,7	6,1	5,8	106	120	31,3	30	1	0	0	1	16	12	3	1	0	0	16	0	0	1	0	0	0	1	1	15	0	0	0	0
7	86	76	92	86	6,8	6,8	6,3	6,8	127	138	15,3	16	0	0	0	2	25	18	4	0	0	0	25	0	0	2	0	0	0	2	1	23	0	0	0	0
8	82	70	78	81	6,0	6,4	6,2	6,2	99	109	20,0	12	1	0	0	1	24	15	3	1	0	0	24	0	0	2	0	0	0	1	1	20	0	0	0	0
9	91	77	88	88	6,8	6,5	6,3	6,7	182	172	17,5	12	2	0	0	0	27	23	6	3	0	0	26	2	2	1	0	0	0	0	1	22	0	1	0	0
10	90	77	89	87	4,9	4,8	5,3	5,0	57	51	13,4	9	18	0	0	0	13	10	2	1	0	0	13	2	2	0	0	0	0	0	7	16	0	0	0	0
11	89	83	87	87	5,2	5,9	7,1	6,1	59	88	12,4	30	26	8	5	0	13	10	1	3	0	0	7	9	3	0	0	0	0	0	0	17	18	0	0	0
12	90	87	88	88	5,7	5,6	5,9	5,7	43	61	9,3	2	29	20	19	0	14	9	0	3	0	0	6	13	5	0	0	0	0	0	3	18	28	0	0	0
ÅR	84	75	81	82	5,8	5,7	6,0	5,9	845	90	31,3		189	83	73	4	209	142	20	25	0	0	155	78	26	7	0	9	0	4	32	208	162	1	0	0
LEVANGER - EGGEN																																						1979
1	79	80	81	80	4,6	5,5	5,2	5,1	28	40	6,9	24	31	24	16	0	10	7	0	0	0	0	1	10	1	0	0	0	0	0	4	11	25	0	0	0
2	85	83	81	83	6,0	5,6	5,6	5,7	59	91	10,6	9	26	17	7	0	17	13	1	2	0	0	3	17	1	0	0	0	0	0	5	18	28	0	0	0
3	71	66	64	67	6,2	4,7	4,9	5,3	27	45	10,0	5	22	5	3	0	9	6	1	7	4	1	0	9	0	0	0	0	0	0	4	15	31	0	0	0
4	81	67	69	74	4,3	4,6	3,2	4,7	12	24	4,2	29	10	0	0	0	9	5	0	0	0	0	8	1	0	8	0	1	0	0	2	5	2	1	0	0
5	77	61	57	67	5,6	5,7	5,6	5,6	32	80	6,6	26	3	0	0	0	14	8	0	2	1	0	13	1	0	2	0	0	0	0	0	11	1	0	0	0
6	79	66	68	74	5,3	5,4	5,4	5,4	81	109	17,6	2	0	0	0	2	14	12	3	1	0	0	14	0	0	1	0	1	0	3	3	15	0	0	0	0
7	90	76	77	83	6,1	6,2	6,0	6,1	124	170	20,5	23	0	0	0	1	13	13	4	0	0	0	13	0	0	5	0	0	0	0	2	16	0	0	0	0
8	81	68	69	74	5,8	5,8	5,8	5,8	78	105	11,4	12	0	0	0	1	17	15	2	2	0	0	17	0	0	3	0	0	0	0	1	14	0	0	0	0
9	88	76	80	82	6,6	5,2	6,2	6,0	142	167	15,8	9	0	0	0	0	27	21	6	2	0	0	27	0	0	12	0	1	0	0	1	15	0	2	0	0
10	84	79	79	81	5,2	4,3	5,1	4,9	57	63	14,0	21	8	0	0	0	11	7	3	1	0	0	10	0	0	6	0	0	0	0	7	13	0	1	0	0
11	80	80	78	79	5,7	5,4	6,0	5,7	54	87	12,7	30	17	4	0	0	11	10	1	5	0	0	7	7	2	3	0	0	0	0	1	10	11	1	2	0
12	83	82	81	82	4,5	5,3	4,3	4,9	56	84	11,0	19	24	17	8	0	10	10	1	4	2	0	4	8	1	2	0	2	0	0	4	10	26	0	1	0
ÅR	82	74	74	77	5,5	5,3	5,3	5,4	750	93	20,5		141	67	34	4	163	127	22	26	7	1	123	33	5	42	0	5	0	3	34	153	124	5	3	0
KJØBLI I SNÅSA																																						1979
1	79	77	77	78	5,0	5,0	5,1	5,1	25	34	5,6	9	31	27	21	0	15	7	0	4	0	0	0	15	0	0	0	0	0	0	4	13	31	0	0	0
2	86	79	84	84	5,5	5,3	5,6	5,5	74	97	8,5	9	26	20	14	0	21	16	0	2	0	0	3	21	3	0	0	0	0	0	5	16	28	0	0	0
3	76	63	71	72	5,3	4,9	4,7	5,0	24	34	8,7	5	25	6	7	0	12	6	0	5	0	0	5	11	3	0	0	0	0	0	2	12	31	0	0	0
4	77	62	72	75	4,4	5,1	4,9	4,8	22	37	6,3	29	17	0	2	0	11	6	0	0	0	0	8	4	1	0	0	0	0	0	4	9	25	0	0	0
5	72	62	65	70	5,7	5,2	5,7	5,5	67	129	15,6	14	12	0	0	0	22	15	3	2	0	0	20	7	3	0	3	0	0	0	1	12	2	0	0	0
6	72	60	67	72	4,8	5,4	5,0	5,1	126	162	41,7	30	2	0	0	3	16	15	2	0	0	0	16	0	0	1	0	0	0	3	4	14	0	0	0	0
7	83	73	78	82	6,4	6,4	6,3	6,3	140	163	38,9	16	0	0	0	0	23	16	3	0	0	0	23	0	0	5	0	0	0	1	1	19	0	0	0	0
8	79	65	72	76	5,3	5,5	5,0	5,6	96	108	28,0	23	1	0	0	0	20	13	3	2	0	0	20	0	0	1	0	0	0	3	1	13	0	0	0	0
9	89	73	84	84	6,4	6,3	5,9	6,2	141	153	14,9	9	2	0	0	0	27	24	3	1	0	0	27	1	1	2	0	0	0	2	1	16	0	0	0	0
10	85	70	84	82	5,4	4,5	4,1	4,8	71	69	19,2	21	15	1	0	0	17	12	2	3	0	0	17	2	2	2	0	0	0	0	7	12	0	0	0	1
11	80	74	80	79	5,7	5,8	6,2	5,8	46	70	12,7	30	25	4	2	0	11	10	1	3	0	0	6	7	0	0	0	0	0	0	2	15	18	1	0	1
12	83	83	81	82	5,2	5,0	5,1	5,1	72	94	14,0	4	28	20	19	0	15	10	3	4	0	0	5	13	4	0	0	0	0	0	4	13	27	1	0	0
ÅR	80	70	76	78	5,3	5,4	5,4	5,4	904	98	41,7		184	78	63	3	210	130	20	26	0	0	150	81	17	11	3	0	0	9	36	164	162	2	0	2

MD.	MIDLERE LUFTTRYKK PM	PO	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
NAMDALSEID - BJØBET																										1979
1	1001,8	1012,6	-10,1	-9,7	-9,0	-10,0	-4,1	-6,4	-14,5	2,7	7	-28,5	27	0 0,0	0 0,0	1 2,0	1 2,0	0 0,0	20 1,7	19 2,2	6 2,0	3 3,7	0 0,0	0 0,0	1 1,0	39
2	1000,0	1010,5	-6,7	-4,1	-4,0	-5,6	-0,7	-1,7	-9,7	4,5	26	-29,2	14	4 2,0	0 0,0	0 0,0	0 0,0	0 0,0	31 2,0	9 2,0	4 2,5	5 3,2	10 1,4	5 2,4	5 2,6	11
3	988,3	998,6	-3,1	0,8	-0,0	-1,2	0,7	2,2	-5,4	6,9	28	-22,8	18	0 0,0	0 0,0	2 1,5	3 1,0	3 2,3	33 2,5	21 2,1	6 2,8	3 3,3	0 0,0	1 1,0	0 0,0	16
4	1002,5	1012,8	0,1	4,6	3,1	1,9	-0,7	5,5	-3,0	8,6	26	-12,9	9	1 2,0	0 2,0	0 0,0	10 1,4	1 3,0	26 2,0	9 1,6	4 2,5	2 2,5	8 2,1	4 2,0	7 2,6	12
5	999,0	1009,4	3,6	0,1	3,0	5,9	-0,5	11,5	2,0	18,6	30	-3,9	9	3 2,4	1 2,0	0 0,0	7 2,0	3 1,7	15 2,6	10 2,2	8 2,3	7 2,1	19 2,8	5 2,2	12 1,8	1
6	1003,1	1013,0	11,3	15,8	11,7	12,5	1,4	17,4	7,8	28,0	6	1,7	19	2 2,0	6 2,0	1 2,0	4 2,3	3 2,3	11 2,1	2 2,0	4 1,5	3 2,1	14 2,1	9 2,2	24 1,7	2
7	1000,0	1009,9	10,9	14,6	13,0	12,2	-2,3	16,4	8,7	24,3	14	3,5	29	13 1,4	6 1,7	1 3,0	3 2,0	3 2,3	16 1,9	3 1,7	5 1,8	3 1,3	5 1,8	13 1,9	15 1,5	7
8	990,7	1009,6	10,1	15,1	12,0	12,1	-1,0	16,8	7,5	25,2	18	2,1	6	7 1,9	0 0,0	0 0,0	1 2,0	0 0,0	28 2,7	10 1,9	8 2,0	7 1,7	4 2,0	10 1,9	11 2,3	7
9	995,5	1005,5	6,4	9,7	7,1	7,3	-1,3	10,8	4,5	21,5	6	-2,0	23	2 1,5	2 2,3	1 2,0	0 0,0	0 0,0	15 2,0	14 1,9	4 1,8	6 1,8	16 2,4	13 2,5	6 2,3	11
10	1005,9	1016,2	1,4	9,2	3,0	3,0	-1,2	6,3	-0,3	10,2	9	-7,8	27	2 1,0	6 1,2	0 0,0	1 1,0	4 3,3	22 3,2	11 2,1	1 1,0	1 2,0	6 1,7	5 1,8	7 2,0	27
11	991,0	1001,3	-1,6	0,1	-1,0	-1,0	-0,6	1,6	-4,0	6,1	23	-13,5	16	2 1,5	0 0,0	0 0,0	0 0,0	0 0,0	24 2,4	12 1,7	9 1,6	3 3,0	1 1,0	1 3,0	0 0,0	38
12	991,7	1002,2	-3,5	-3,7	-6,0	-3,8	-3,2	-1,9	-10,3	7,4	5	-22,8	18	0 0,0	0 0,0	0 0,0	1 2,0	1 1,0	28 2,2	12 2,0	8 3,4	4 3,5	2 2,5	6 4,0	3 3,3	28
ÅR	993,2	1008,5	1,6	4,6	3,3	2,7	-1,2	6,5	-1,4	28,0		-29,2		38 1,7	24 1,8	6 2,0	31 1,7	23 2,4	272 2,3	132 2,0	67 2,2	52 2,4	85 2,2	72 2,3	91 2,0	199
HØYLANDET																										1979
1						-11,0	-3,7																			
2						-7,3	-1,0																			
3	996,3	999,3	-3,8	1,0	0,1	-1,2	2,2	2,6	-5,1	7,6	28	-22,0	18	0 0,0	0 0,0	8 1,4	12 1,7	13 2,0	1 1,0	1 4,0	8 2,5	22 2,5	0 0,0	0 0,0	1 1,0	27
4	1009,9	1012,9	-0,7	4,8	3,1	2,0	-0,4	5,8	-1,8	10,0	12	-11,8	16	3 1,7	0 0,0	13 1,7	20 1,5	7 1,4	0 0,0	0 0,0	3 1,0	11 1,9	1 2,0	0 0,0	1 2,0	29
5	1006,4	1009,4	5,3	9,0	0,0	6,9	-0,8	11,4	2,6	18,6	30	-3,6	1	0 0,0	0 0,0	0 1,3	5 1,2	9 1,6	0 0,0	0 0,0	6 2,2	36 2,1	3 3,0	3 2,0	2 2,0	21
6	1007,9	1012,8	11,5	16,2	14,3	13,8	1,3	18,5	8,5	28,6	6	2,4	3													
7	1006,8	1009,7	11,6	15,4	11,3	13,1	-2,0	17,2	9,9	25,0	14	4,2	29	0 0,0	0 0,0	4 1,5	3 1,3	0 0,0	0 0,0	2 1,5	3 1,7	42 1,6	2 1,0	7 1,0	3 1,3	27
8	1006,5	1009,3	11,5	16,0	11,7	13,4	0,0	17,8	9,2	27,0	18	2,2	6	0 0,0	0 0,0	7 1,3	7 1,1	11 2,3	0 0,0	2 2,0	10 1,9	27 1,9	2 1,5	3 2,0	3 1,7	21
9	1002,3	1005,2	6,8	10,0	8,0	8,1	-0,9	11,1	5,6	20,2	7	0,0	23	1 3,0	0 0,0	3 1,6	0 0,0	3 2,7	0 0,0	0 0,0	1 1,0	44 1,9	2 2,5	2 2,5	1 3,0	31
10	1013,2	1016,2	1,6	4,7	3,1	3,0	-1,0	5,9	0,4	10,0	3	-6,6	27	1 1,0	0 0,0	11 1,1	4 1,0	3 1,0	7 3,6	2 4,0	1 1,0	14 2,1	0 0,0	4 3,0	1 2,0	45
11						-1,0	-0,5																			
12						-5,5	-1,0																			
ÅR						2,8	-0,7																			
NORDLI - BRATTVOLD																										1979
1	956,4	1015,9	-14,9	-13,9	-14,1	-14,6	-4,9	-10,8	-17,8	-0,8	7	-32,6	27	0 0,0	0 0,0	5 2,8	6 2,7	3 1,7	1 3,0	0 0,0	0 0,0	5 2,4	4 2,0	2 2,5	0 0,0	67
2	954,0	1012,1	-10,5	-8,7	-9,2	-9,8	-1,3	-6,1	-13,4	3,7	26	-28,0	14	0 0,0	0 0,0	3 2,3	3 3,7	0 0,0	1 2,0	2 2,0	0 0,0	4 2,3	15 2,0	2 1,5	0 0,0	54
3	943,1	1001,4	-5,6	-2,7	-3,1	-4,1	0,7	-1,1	-6,9	3,3	7	-24,0	17	0 0,0	2 0,0	7 2,1	11 2,3	13 2,3	10 2,5	6 3,0	2 3,0	4 2,5	7 2,0	2 1,5	1 1,0	30
4	957,4	1013,7	-2,7	1,1	0,0	-0,9	-0,8	2,5	-3,8	9,4	12	-15,0	16	1 3,0	1 1,0	7 1,4	24 2,6	2 2,0	4 1,8	1 2,0	2 1,5	2 1,0	6 1,5	1 1,0	5 1,6	34
5	955,1	1010,1	2,9	6,2	5,0	4,4	0,3	7,9	1,0	14,7	30	-9,0	1	0 0,0	2 1,0	3 2,0	3 2,7	1 3,0	8 2,0	4 1,8	11 1,9	12 1,8	12 2,8	3 1,0	0 0,0	34
6	958,9	1012,7	8,3	13,4	12,1	10,5	1,6	15,7	6,3	25,0	6	1,4	3	1 1,0	0 0,0	2 1,0	1 1,0	2 2,5	2 2,5	7 1,6	2 1,5	6 1,3	30 1,9	5 1,6	0 0,0	32
7	955,6	1009,2	9,3	12,7	12,3	10,9	-1,7	14,8	8,3	20,6	14	3,0	2	1 3,0	0 0,0	4 1,0	0 1,4	1 2,0	10 1,8	0 0,0	2 1,5	3 1,0	35 1,6	3 2,3	0 0,0	25
8	956,0	1009,7	9,1	12,6	11,0	10,8	-0,5	14,3	7,7	21,6	18	1,0	29	0 0,0	0 0,0	0 0,0	3 1,4	3 3,2	13 3,3	7 2,1	5 1,8	6 2,7	19 1,6	5 2,0	5 1,0	23
9	950,9	1005,4	4,7	7,0	6,0	5,6	-1,4	8,4	3,8	16,8	6	0,0	16	0 0,0	1 2,0	3 1,4	1 3,0	1 1,8	4 1,8	6 1,2	4 2,0	9 2,0	31 2,0	8 1,4	2 1,5	12
10	961,6	1017,8	-0,1	1,5	0,5	0,5	-1,3	3,0	-1,0	8,3	11	-7,0	27	0 0,0	3 1,3	6 3,0	0 0,0	3 3,3	7 3,6	4 2,8	3 1,7	2 3,5	10 1,8	8 1,9	1 1,0	46
11	947,2	1003,3	-0,0	-2,1	-2,3	-2,8	-1,1	-0,8	-5,1	2,7	23	-10,0	12	0 0,0	0 0,0	6 1,3	6 2,2	12 1,7	9 3,0	5 1,2	2 3,0	3 1,7	7 1,6	1 1,0	0 0,0	39
12	946,5	1003,7	-7,3	-7,5	-7,3	-7,7	-2,0	-4,7	-10,9	4,3	5	-22,2	11	0 0,0	0 0,0	2 1,0	7 1,7	2 1,5	0 0,0	1 1,0	3 2,0	3 1,0	11 2,6	0 0,0	0 0,0	64
ÅR	953,7	1009,6	-0,8	1,6	1,0	0,2	-1,1	3,6	-2,6	25,0		-32,6		3 2,3	7 1,3	53 1,8	76 2,3	48 2,1	69 2,6	43 1,9	36 1,9	59 1,9	187 1,9	40 1,7	14 1,3	460
BUHOLMRÅSA FYR																										1979
1	1007,5	1010,1	-2,3	-2,1	-2,0	-2,2	-2,7	0,1	-4,1	4,8	7	-14,5	26	1 4,0	1 2,0	1 2,0	4 3,8	30 3,8	19 4,1	8 3,3	10 5,2	2 6,0	4 3,5	0 0,0	0 0,0	4
2	1005,4	1008,9	-0,1	0,3	0,1	-0,1	-0,1	2,2	-2,2	6,6	26	-12,0	14	8 6,0	0 0,0	1 2,0	2 2,5	9 3,8	18 4,1	10 3,9	12 5,3	4 6,0	5 4,6	4 5,8	8 5,0	3
3	994,4	996,9	1,2	2,5	2,2	1,9	0,0	4,0	0,0	8,5	29	-12,5	17	3 4,3	0 0,0	1 3,0	8 2,3	21 4,0	28 4,4	11 4,5	10 7,0	2 6,5	2 4,0	0 0,0	0 0,0	7
4	1009,5	1012,0	3,3	5,1	4,1	4,0	0,1	6,0	2,2	9,6	25	-3,0	14	6 3,5	18 3,0	3 1,3	12 2,6	22 2,9	8 3,0	2 3,0	7 4,1	5 4,4	3 4,3	0 0,0	2 3,0	2
5	1006,1	1008,8	6,5	7,5	7,1	6,7	-0,4	9,7	4,7	17,5	25	-0,5	1	4 3,5	6 4,0	1 2,0	1 1,0	5 2,4	13 3,8	6 3,2	24 4,5	16 5,2	9 3,0	1 4,0	0 0,0	7
6	1010,6	1013,0	10,9	12,0	11,0	10,9	0,8	14,0	8,8	25,0	24	6,0	9	18 3,3	10 3,2	0 0,0	0 0,0	1 3,0	7 3,4	1 5,0	17 4,1	16 4,8	9 3,8	2 4,5	6 3,8	3
7	1007,5	1009,9	11,7	12,6	12,7	11,9	-1,5	14,7	10,2	23,5	7	6,5	1	12 3,4	13 2,3	1 3,0	1 2,0	4 2,3	5 2,8	5 3,2	15 4,7	3 3,0	19 4,5	3 3,0	8 3,4	4
8	1005,3	1008,7	12,5	14,0	13,3	12,9	-0,5	15,8	10,9	22,0	1	7,1	4	14 3,5	14 3,4	0 0,0	1 2,0	6 2,5	21 3,9	1 2,0	16 5,4	6 3,2	3 5,3	1 5,0	6 3,0	4
9	1002,4	1004,8	9,5	10,1	9,7	9,6	-1,1	11,2	8,3	20,0	6	4,6	30	2 3,0	3 3,0	0 0,0	2 2,5	1 2,0	13 3,5	8 3,6	14 5,0	12 4,8	16 5,5	6 4,7	7 5,7	6
10	1012,4	1014,9	6,6	7,9	7,0	7,1	-0,5	8,7	5,5	11,8	25	1,8	31	4 3,3	9 4,0	1 2,0	6 1,8	7 2,9	19 4,9	9 2,9	6 4,5	7 3,6	3 5,0	2 5,5	4 5,5	16
11	997,1	999,6	3,4	3,9	3,5	3,5	-1,1	5,0	1,9	9,5	4	-1,5	12	2 6,0	0 0,0	0 0,0	7 2,9	9 3,6	28 4,3	20 4,3	13 5,8	1 6,0	1 5,0	1 5,0	4 5,5	4
12	997,6	1000,1	1,2	1,2	1,1	1,2	-1,2	2,8	-0,7	7,8	2	-11,0	17	3 3,2	2 3,0	0 0,0	11 3,0	12 3,0	15 4,6	13 4,2	14 5,8	7 6,4	7 7,3	2 7,5	2 5,5	3
ÅR	1004,8	1007,3	5,4	6,3	5,0	5,6	-0,7	7,9	3,8	25,0		-14,5		79 3,8	76 3,3	9 2,0	53 2,6	136 3,4	194 4,1	94 3,3	158 5,1	81 4,8	81 4,7	22 5,0	47 4,4	63
NORDØYAN FYR																										1979
1			-2,0	-2,1	-2,0	-2,1	-2,6	0,0	-4,1	5,0	7	-14,2	26	0 0,0	0 0,0	1 4,0	3 3,3	10 4,9	54 5,9	4 5,5	1 6,0	10 5,5	4 5,0	4 5,5	1 3,0	1
2			-0,1	0,2	0,2	0,0	-0,1	2,1	-1,8	5,9	26	-9,0	14	6 6,7	0 0,0	1 5,0	2 3,0	2 6,0	24 5,3	11 4,1	1 4,0	15 6,0	10 5,8	2 5,5	10 5,9	0
3			1,0	1,9	1,7	1,4	0,0	3,3	0,0	7,5	29	-9,3	17	1 4,0	0 0,0	5 3,6	0 4,7	9 4,8	47 5,3	7 5,1	3 4,3	12 7,5	5 4,8	1 7,0	0 0,0	0
4			2,9	4,5	3,7	3,5	-0,2	5,1	2,2	8,2	25	-2,0	15	8 4,1	3 4,0	14 4,4	14 3,9	13 5,1	17 4,5	1 2,0	2 4,0	10 4,8	4 4,3	1 3,0	2 4,5	1
8			11,6	13,3	12,4	12,2	-0,8	14,7	10,4	22,5	18	7,4	3	7 4,0	4 3,8	20 4,2	1 3,0	4 4,3	19 4,7	3 2,7	0 0,0	10 5,8	14 5,2	1 7,0	7 3,3	0
9			8,7	9,4	8,9	8,9	-1,7	10,5	7,7	17,0	7	4,5	16	4 4,3	0 0,0	3 3,3	3 5,0	4 3,3	8 4,0	6 4,8	4 5,3	18 3,4	13 5,5	13 5,9	12 5,8	0
10			6,0	7,1	6,7	6,6	-0,6	7,9	5,4	9,8	8	2,5	30	1 4,0	1 4,0	11 4,5	9 4,1	6 4,3	24 6,4	5 4,0	1 3,0	14 5,1	7 5,3	3 5,0	11 4,1	0
11			3,4	3,7	3,3	3,5	-0,8	4,9	2,3	8,5	5	-0,6	16	2 3,5	1 7,0	2 4,0	1 3,0	4 3,8	45 5,3	10 4,9	3 4,7	16 3,6	2 7,5	1 8,0	3 5,3	0
12			1,5	1,6	1,2	1,4	-0,9	3,1	-0,2	7,9	2	-9,2	17	4 3,0	3 5,7	2 2,3	4 4,5	9 4,8	23 5,8	8 5,3	6 4,3	22 6,6	2 1,0	8 6,9	2 5,5	0
ÅR																										
LEKA																										1979
1			-4,2	-3,7	-4,1	-4,1	-2,5	-1,9	-7,0	3,8	7	-17,0	26	0 0,0	0 0,0	1 2,0	1 2,0	3 2,7	17 3,5	9 2,6	42 2,6	3 3,3	1 3,0	1 7,0	0 0,0	15
2			-2,4	-1,2	-2,1	-2,2	-0,7	0,4	-5,5	4,5	25	-19,4	14	2 3,0	5 4,4	0 0,0	1 3,0	0 0,0	9 2,8	9 2,3	36 3,0	6 4,3	4 4,8	3 3,7	4 3,0	5
3			-0,8	1,6	0,4	0,2	0,2	2,9	-2,5	7,4	29	-16,4	17	0 0,0	1 2,0	0 0,0	3 2,0	3 1,7	34 3,6	5 2,6	27 3,2	3 5,7	0 0,0	0 0,0	1 2,0	16
4			2,0	4,8	3,3	3,1	-0,1	5,7	0,1	10,9	25	-6,8	16	9 3,1	12 2,3	2 3,5	4 1,3	3 2,0	19 2,6	2 2,5	19 2,7	1 2,0	1 2,0	1 3,0	3 2,3	14
5			6,2	8,0	7,6	6,8	-0,4	10,1	3,5	17,4	25	-0,9	5	1 2,0	13 2,5	1 2,0	3 1,7	1 1,0	8 2,5	10 2,8	35 3,3	8 4,6	4 2,3	1 1,0	6 2,3	2
6			10,8	13,3	12,1	11,5	1,0	15,5	8,4	26,1	24	4,5	5	9 1,8	21 1,9	1 2,0	0 0,0	0 0,0	8 2,6	4 1,0	18 2,9	9 3,4	3 3,3	1 4,0	10 2,3	6
7			11,6	13,5	12,8	12,2	-1,5	15,1	9,7	23,0	7	6,4	1	12 2,3	17 2,1	0 0,0	2 2,0	1 2,0	6 2,0	1 1,0	12 3,1	13 2,6	6 1,8	0 0,0	11 1,8	12
8			12,2	14,8	13,4	13,0	-0,2	16,3	9,7	24,8	18	3,7	6	11 3,3	13 3,0	0 0,0	0 0,0	0 0,0	18 3,2	2 1,5	18 3,1	5 3,0	5 4,0	0 0,0	7 2,4	14
9			8,0	9,5	8,5	8,4	-1,6	10,7	6,3	19,0	7	1,5	24	2 3,0	5 2,4	0 0,0	4 1,5	0 0,0	6 2,2	5 3,0	28 2,9	6 3,8	14 4,6	1 3,0	11 3,5	8
10			4,1	6,7	4,7	3,0	-0,9	7,5	2,2	11,9	25	-4,0	5	2 3,0	13 2,2	1 1,0	2 1,5	2 1,5	11 5,2	6 2,7	27 2,1	4 3,0	0 3,7	2 3,5	3 3,3	17
11			1,9	2,6	1,7	2,0	-0,7	3,8	-0,9	7,0	5	-6,5	12	2 3,0	1 4,0	2 2,0	2 1,5	0 0,0	17 3,1	10 2,9	36 3,0	0 4,0	2 3,5	0 0,0	1 5,0	14
12			-0,9	-0,6	-0,9	-0,9	-1,4	1,4	-3,8	7,5	2	-16,6	17	0 0,0	6 3,0	0 0,0	3 2,0	4 2,0	9 3,3	9 2,6	40 3,1	4 6,0	5 4,4	1 5,0	1 5,0	11
ÅR			4,0	5,8	4,8	4,6	-0,7	7,3	1,7	26,1		-19,4		50 3,0	107 2,5	8 2,3	25 1,7	17 2,0	162 3,2	72 2,6	338 2,9	65 3,7	48 3,7	11 3,7	58 2,6	134

+) Månedsmidler for januar, februar, juni, november og desember delvis interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

NAMDALSEID - BØGSET 1979

MD	Rel. fukt. 07	13	19	UM	Skydekke 07	13	19	UM	Nedbør SUM	%	MAX	DT	TN<0	TX<0	TN<=-10	TX>=25	R>=0.1	R>=1.0	R>=10.0	FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	92	93	94	93	5,5	5,5	5,0	5,5	40	30	6,9	7	31	26	20	0	10	9	0	0	0	0	0	12	1	1	0	1	0	0	3	14	31	2	1	1
2	94	89	91	92	6,2	5,5	3,0	5,7	140	128	18,5	26	26	17	11	0	20	18	5	0	0	0	5	18	2	0	0	2	0	0	2	15	28	2	0	0
3	88	75	77	81	5,0	6,7	4,7	5,5	45	45	12,1	20	20	3	7	0	12	8	1	0	0	0	0	10	3	0	0	0	0	0	2	12	31	0	0	0
4	92	73	70	84	4,0	5,5	5,1	5,3	25	34	6,5	29	21	0	2	0	12	8	0	0	0	0	10	4	2	2	0	1	0	0	3	11	30	1	0	0
5	90	70	72	81	5,9	6,4	6,0	6,1	57	110	19,1	14	12	0	0	0	20	11	1	2	0	0	19	3	1	2	0	1	0	0	0	14	1	0	0	0
6	87	68	75	80	5,0	5,6	5,7	5,5	105	164	27,0	30	0	0	0	1	15	14	5	2	0	0	13	0	0	0	0	0	0	1	3	14	0	0	0	0
7	95	80	85	90	6,0	6,4	6,2	6,3	112	165	17,3	15	0	0	0	0	21	14	4	0	0	0	21	0	0	8	0	0	0	0	2	19	0	0	0	0
8	89	66	76	80	3,0	5,8	5,6	5,8	89	124	12,4	30	0	0	0	1	20	14	3	2	0	0	10	0	0	5	0	0	0	0	0	14	0	1	0	0
9	92	79	88	88	6,7	6,4	6,1	6,5	222	202	24,0	12	3	0	0	0	20	25	9	0	0	0	27	0	0	3	0	0	0	0	0	19	0	2	0	0
10	90	79	87	87	5,0	5,0	4,3	4,9	94	70	22,5	21	15	0	0	0	19	13	4	2	0	0	17	1	1	3	0	0	0	0	7	13	0	2	0	1
11	90	87	89	89	5,0	5,8	5,1	5,5	107	109	21,2	30	21	8	2	0	15	12	4	1	0	0	11	9	2	1	0	1	0	0	4	12	21	1	1	1
12	90	89	88	89	6,0	5,3	5,1	5,5	120	108	20,0	6	29	19	16	0	16	13	6	2	2	1	7	13	3	0	0	4	0	0	5	18	25	3	0	1
ÅR	91	79	83	86	5,8	5,7	5,3	5,7	1156	104	27,0		189	75	64	1	211	159	42	10	2	1	160	70	15	25	0	10	0	1	31	175	167	14	2	4

HØYLANDET *) 1979

MD	Rel. fukt. 07	13	19	UM	Skydekke 07	13	19	UM	Nedbør SUM	%	MAX	DT	TN<0	TX<0	TN<=-10	TX>=25	R>=0.1	R>=1.0	R>=10.0	FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1									55	45	8,8	8																								
2									140	120																										
3	80	65	68	72	6,3	6,0	6,1	6,2	73	64	18,6	8	22	5	8	0	12	9	2	1	0	0	4	11	0	0	0	0	0	0	2	18	31	0	0	0
4	87	62	69	75	3,9	6,2	6,3	6,2	37	48	13,6	19	13	0	2	0	14	7	1	0	0	0	12	5	2	1	0	0	0	0	2	19	30	0	0	0
5	84	64	64	74	6,6	7,5	7,1	7,1	105	191	33,4	14	3	0	0	0	22	13	4	0	0	0	10	3	0	4	0	0	0	0	0	25	4	0	0	0
6	80	61	67	74	5,9	6,2	6,3	6,1	93	119	25,0	30	0	0	0	7	19	14	2	1	0	0	19	0	0	0	0	0	0	0	3	16	0	0	0	0
7	87	70	76	82	7,1	7,3	7,4	7,3	98	136	19,2	16	0	0	0	1	20	13	2	0	0	0	20	0	0	1	0	0	0	2	0	25	0	2	0	0
8	87	64	69	76	6,3	7,0	6,3	6,8	139	162	31,4	24	0	0	0	1	20	15	4	0	0	0	20	0	0	0	0	0	0	1	0	25	0	0	0	0
9	91	76	84	85	7,3	7,2	6,0	7,1	223	205	23,2	26	0	0	0	0	27	25	10	0	0	0	27	0	0	4	0	0	0	0	1	26	0	0	0	0
10	90	78	86	86	5,9	5,8	5,0	5,6	104	73	20,0	21	11	0	0	0	21	14	3	0	0	0	21	0	0	6	0	0	0	0	6	18	0	4	0	1
11									90	88																										
12									130	103																										
ÅR									1287	107																										

NORDLI - BRATTVOLD 1979

MD	Rel. fukt. 07	13	19	UM	Skydekke 07	13	19	UM	Nedbør SUM	%	MAX	DT	TN<0	TX<0	TN<=-10	TX>=25	R>=0.1	R>=1.0	R>=10.0	FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	88	87	87	88	4,8	5,3	5,0	5,0	18	26	6,4	8	31	31	25	0	0	5	0	0	0	0	0	9	0	0	0	0	0	0	6	14	31	0	0	0
2	91	86	92	90	5,6	5,1	5,1	5,3	46	72	9,0	7	28	24	13	0	15	12	0	0	0	0	3	14	0	2	0	0	0	0	3	13	28	2	0	0
3	87	75	78	81	6,3	5,7	6,1	6,0	25	47	7,2	20	10	15	8	0	12	8	0	0	0	0	4	11	3	1	0	0	0	0	1	15	31	0	0	0
4	92	70	76	81	6,0	6,3	6,4	6,3	17	52	3,8	19	22	4	3	0	10	6	0	0	0	0	5	8	3	3	0	0	0	0	3	18	30	2	1	0
5	83	69	72	77	5,6	6,2	5,9	5,9	58	232	9,8	23	13	0	0	0	13	11	0	0	0	0	10	5	2	1	0	0	0	0	0	16	14	0	0	0
6	84	64	69	77	3,7	5,5	6,0	5,7	63	95	28,0	30	0	0	0	1	17	12	2	0	0	0	17	0	0	5	0	0	0	4	3	14	0	2	0	0
7	93	77	79	87	7,3	6,9	6,7	7,0	152	214	38,9	16	0	0	0	0	23	18	7	0	0	0	23	1	1	1	0	0	0	1	0	23	0	2	0	0
8	89	69	73	80	6,8	6,4	6,4	6,5	90	125	44,9	23	0	0	0	0	13	11	1	1	0	0	15	0	0	2	0	0	0	2	0	20	0	1	0	0
9	92	79	86	87	7,8	7,1	7,0	7,3	89	148	12,7	9	0	0	0	0	27	19	1	0	0	0	27	1	1	9	0	0	0	1	0	25	0	0	0	0
10	91	83	89	88	7,0	6,6	6,1	6,6	50	78	15,2	12	18	7	0	0	15	8	2	0	0	0	13	7	5	3	0	0	0	0	1	24	3	6	3	2
11	91	86	88	89	5,0	5,9	5,2	6,0	45	100	17,0	30	29	17	0	0	14	11	1	0	0	0	4	12	1	0	0	0	0	0	1	13	27	1	0	1
12	91	91	91	91	5,5	6,2	3,6	5,8	56	86	11,8	7	30	21	17	0	11	13	1	0	0	0	3	13	1	1	0	0	0	0	4	17	31	2	3	2
ÅR	89	78	82	85	6,2	6,1	6,0	6,1	709	103	44,9		201	119	71	1	184	134	15	1	0	0	124	81	17	28	0	0	0	8	22	212	195	18	7	5

BUHOLMRÅSA FYR 1979

MD	Rel. fukt. 07	13	19	UM	Skydekke 07	13	19	UM	Nedbør SUM	%	MAX	DT	TN<0	TX<0	TN<=-10	TX>=25	R>=0.1	R>=1.0	R>=10.0	FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	71	73	75	73	5,5	5,4	6,6	5,8	30	40	11,0	24	25	12	4	0	13	10	1	16	1	0	10	11	8	0	0	0	0	0	3	17		0	0	0
2	74	73	74	74	5,0	5,7	6,1	5,9	66	106	13,0	3	22	4	1	0	19	16	1	18	4	2	9	17	7	1	0	0	0	0	4	17		0	0	0
3	72	68	67	69	5,9	5,8	5,2	5,6	46	78	8,5	8	6	2	1	0	13	11	0	16	4	0	10	12	8	0	0	0	0	1	1	15		0	0	0
4	74	68	69	71	4,6	5,5	5,0	5,1	42	73	22,0	19	5	0	0	0	9	5	1	5	0	0	9	2	2	1	0	0	0	0	3	12		0	0	0
5	76	75	77	76	6,7	6,8	6,4	6,7	35	138	21,0	14	1	0	0	0	22	12	1	14	4	2	22	3	2	0	0	0	0	0	0	21		0	0	0
6	83	79	84	83	5,4	5,5	6,2	5,7	88	128	18,0	15	0	0	0	2	20	13	2	11	0	0	20	0	0	7	0	0	0	2	3	13		1	0	1
7	85	83	83	84	6,8	6,6	6,7	6,7	115	217	20,0	16	0	0	0	0	20	14	5	9	0	0	20	0	0	10	0	0	0	1	1	22		1	0	0
8	79	74	78	78	6,4	6,6	6,1	6,4	89	144	26,5	24	0	0	0	0	19	16	2	11	3	1	19	0	0	3	0	0	0	0	0	18		0	1	1
9	81	79	79	80	6,7	6,1	6,6	6,5	108	150	10,3	26	0	0	0	0	28	26	1	13	2	0	28	0	0	1	0	0	0	0	1	17		1	1	1
10	74	70	71	72	5,2	5,1	5,0	5,2	62	67	10,0	20	0	0	0	0	15	10	1	11	3	2	14	0	0	1	0	0	0	0	6	15		0	0	0
11	77	74	76	76	5,2	6,1	7,2	6,1	94	147	18,1	4	6	0	0	0	16	14	3	19	5	4	16	4	4	1	0	0	0	0	0	14		0	0	0
12	78	77	74	76	6,2	5,5	3,7	5,8	66	106	12,0	4	15	6	1	0	15	12	2	10	6	0	11	7	3	0	0	1	0	1	5	18		0	0	0
ÅR	77	74	76	76	5,9	5,9	6,1	6,0	841	112	26,5		80	24	7	2	209	159	20	162	32	17	188	56	34	25	0	1	0	5	27	199		3	2	3

NORDØYAN FYR 1979

MD	Rel. fukt. 07	13	19	UM	Skydekke 07	13	19	UM	Nedbør SUM	%	MAX	DT	TN<0	TX<0	TN<=-10	TX>=25	R>=0.1	R>=1.0	R>=10.0	FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1					4,1	4,8	4,7	4,5	32	52	7,0	10	25	16	0	0	10	9	0	26	16	4	0	11	5	0	0	3	1	0	4	7	16	1	0	0
2					5,8	5,8	5,9	5,8	31	94	12,5	7	20	4	0	0	21	15	1	24	15	6	10	17	6	2	0	9	0	0	1	15	24	0	0	0
3					5,4	5,1	5,2	5,2	77	151	22,5	20	9	2	0	0	17	12	2	23	14	8	14	13	7	1	0	5	0	1	3	12	8	0	0	0
4					5,1	4,6	4,0	4,9	35	81	14,5	29	4	0	0	0	15	6	1	21	1	0	14	7	5	6	0	2	0	0	4	10	0	0	0	0
8	77	70	72	74	5,8	5,7	6,2	5,9	82	161	17,6	23	0	0	0	0	20	18	2	10	3	2	20	0	0	1	0	0	0	0	0	14	0	1	1	1
9	76	72	72	73	6,6	6,2	6,2	6,3	101	168	11,7	18	0	0	0	0	20	24	3	27	9	4	20	0	0	1	0	0	0	0	1	18	0	0	0	0
10					5,0	4,9	4,0	4,9	52	66	12,4	20	0	0	0	0	17	9	1	20	7	5	17	0	0	5	0	0	0	0	7	13	0	0	0	0
11	79	78	79	79	4,7	5,6	5,0	5,2	95	151	15,3	4	2	0	0	0	20	13	3	27	14	6	18	6	4	1	0	1	0	0	3	9	0	0	0	0
12	84	80	83	83	5,1	5,5	4,4	5,0	56	93	10,8	6	16	4	0	0	22	12	1	20	18	13	18	10	6	1	0	3	0	0	5	10	4	0	0	0
ÅR																																				

LEKA 1979

MD	Rel. fukt. 07	13	19	UM	Skydekke 07	13	19	UM	Nedbør SUM	%	MAX	DT	TN<0	TX<0	TN<=-10	TX>=25	R>=0.1	R>=1.0	R>=10.0	FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
1	70	68	70	70	4,2	5,5	4,6	4,8	37	30	6,5	9	29	20	7	0	11	11	0	2	0	0	5	10	1	0	0	0	0	0	3	7		1	0	0
2	76	73	76	75	5,6	5,5	5,4	5,5	107	92	31,0	7	25	8	3	0	17	15	3	10	2	0	6	16	2	0	0	0	0	0	2	14		0	0	0
3	73	67	70	71	6,0	5,7	5,0	5,7	82	83	16,2	8	18	5	4	0	10	10	2	8	3	1	5	10	3	0	0	0	0	1	2	15		0	0	0
4	78	67	70	73	5,1	5,1	5,7	5,3	71	81	33,8	19	13	0	0	0	11	8	2	2	0	0	11	7	3	1	0	0	0	0	3	11		0	0	0
5	78	70	76	76	6,5	6,9	6,3	6,6	114	148	31,7	14	4	0	0	0	20	17	3	4	1	1	23	7	5	1	0	0	0	0	0	19		0	0	0
6	80	75	78	79	6,4	5,7	6,2	6,1	92	103	19,1	29	0	0	0	3	13	13	3	2	1	1	19	0	0	5	0	0	0	1	1	16		1	0	0
7	86	78	81	83	6,0	6,3	6,9	6,7	147	156	41,1	1	0	0	0	0	24	14	4	0	0	0	24	0	0	13	0	0	0	1	2	22		2	0	0
8	80	70	74	76	5,0	5,8	6,0	5,9	162	147	50,3	24	0	0	0	0	21	14	5	3	1	0	21	0	0	0	0	0	0	1	1	11		0	0	0
9	82	75	80	80	6,6	6,4	6,3	6,6	181	124	17,6	1	0	0	0	0	28	26	6	8	0	0	28	1	1	1	2	1	0	0	0	17		0	1	0
10	77	69	77	75	5,1	5,2	5,4	5,3	91	54	19,0	9	8	0	0	0	20	13	3	3	2	0	20	3	3	2	0	0	0	0	6	17		0	0	0
11	76	73	74	75	3,2	6,2	3,2	5,5	97	85	18,1	30	18	0	0	0	17	13	3	7	2	2	12	10	5	0	0	0	0	0	1	9		0	0	0
12	75	75	75	75	5,2	5,3	4,7	5,1	92	76	17,1	7	20	8	4	0	20	11	3	10	3	3	10	15	5	0	0	1	0	1	4	12		0	0	0
ÅR	78	72	75	76	3,7	5,8	5,7	5,8	1253	92	50,3		115	41	18	3	227	165	37	60	15	8	180	79	28	23	2	2	0	5	25	170		4	1	0

MÅ.	MIDLERE LUFTTRYKK	MIDLERE LUFTTEMPERATUR				AVVIK FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER						VINDFORDELING NYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT											
	P1	P01	J7	13	19	TM	MMAX	MMIN	MAX	DT	MIN	DT	J6(N)	03	06	J9(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
SKLINNA FYR																									1979
1	1003,8	1010,6	-1,0	-1,7	-1,7	-1,7	0,0	-3,5	5,0	7	-13,5	26	0	0,0	2	3,5	1	3,0	4	4,3	13	5,4	35	5,9	18	4,3	5	5,2	3	3,3	8	4,4	2	7,5	1	5,0	1
2	1006,9	1008,5	-0,1	0,2	0,2	0,1	1,9	1,9	5,8	25	-8,2	14	3	3,7	4	3,3	1	3,0	1	7,0	3	7,7	25	5,7	15	5,0	3	3,7	6	7,7	6	5,7	12	5,0	5	6,6	0
3	995,7	997,6	1,1	2,2	1,7	1,6	3,7	0,0	7,9	29	-9,6	17	4	3,0	2	1,3	2	3,3	11	3,9	7	3,0	28	5,6	21	5,0	2	7,0	10	6,5	2	4,5	1	5,0	1	3,0	0
4	1011,0	1012,9	0,1	0,8	0,7	0,7	5,4	2,2	10,0	25	-3,5	15	9	4,2	9	3,1	12	3,3	13	3,7	11	4,4	5	4,0	15	4,4	6	4,7	3	3,3	4	3,8	0	0,0	3	5,3	0
5	1006,8	1008,7	0,5	0,8	0,5	0,0	8,5	4,3	12,5	25	0,6	13	1	2,0	3	3,7	8	1,3	7	3,1	1	3,8	4	4,3	13	4,6	20	4,9	15	5,0	4	3,5	3	4,3	4	3,0	4
6	1011,3	1013,2	9,6	11,2	11,1	11,1	13,0	8,3	21,6	1	5,2	4	8	3,6	11	3,1	6	3,3	3	3,0	4	4,3	2	3,2	5	3,2	19	3,8	11	4,2	10	4,2	3	3,0	7	3,6	2
7	1008,2	1010,0	14,7	12,1	11,3	11,2	13,3	9,9	19,4	18	7,0	1	10	3,6	14	3,1	6	2,6	3	3,2	2	3,5	2	3,0	6	4,3	8	3,6	12	3,9	10	3,2	11	3,2	8	3,1	2
8	1007,3	1009,1	11,6	13,1	12,6	12,2	14,6	10,5	21,3	18	7,8	4	10	4,4	8	4,1	5	3,2	10	3,1	9	4,1	8	5,0	4	5,0	5	4,4	7	5,3	10	4,9	3	3,7	7	4,1	1
9	1002,6	1004,5	8,8	9,7	9,0	9,2	10,5	7,6	15,6	7	4,4	16	2	4,5	3	4,3	4	3,3	5	3,4	3	4,3	10	5,2	11	4,5	7	4,6	13	4,5	15	5,5	10	4,9	7	5,9	0
10	1013,4	1015,3	6,2	7,1	6,6	6,5	7,9	5,3	10,2	25	1,2	31	8	3,6	7	4,0	6	3,3	9	3,7	7	4,0	11	6,8	15	3,9	5	4,8	7	5,0	6	4,5	5	5,4	4	4,8	1
11	998,1	1000,0	3,3	3,7	3,3	3,5	5,0	2,2	7,9	5	-0,3	15	0	4,3	1	2,0	0	0,0	7	3,3	3	4,0	27	5,3	30	5,4	2	5,0	8	5,1	3	6,3	1	5,0	0	0,0	0
12	991,2	1000,2	1,3	1,3	1,4	1,4	3,3	-0,3	7,8	5	-9,5	17	0	4,8	3	4,7	0	0,0	7	4,0	11	3,4	12	5,1	21	5,6	9	4,8	11	6,8	5	5,4	5	5,0	2	5,0	1
ÅR	1003,7	1007,6	4,9	5,9	5,1	5,3	7,3	3,7	21,6		-13,5		73	1,1	73	3,6	51	3,3	82	3,6	83	4,8	171	3,5	174	4,3	88	4,6	106	5,2	83	4,7	56	4,5	49	4,5	12
HAJAVATN III																									1979
1	970,8	1014,6	-13,3	-11,8	-12,7	-12,7	-4,3	-8,5	-18,5	0,0	8	-31,5	28	25	1,4	6	1,4	0	0,0	0	0,0	14	2,6	25	2,0	1	1,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	20
2	968,2	1011,3	-10,1	-7,3	-7,3	-7,4	-1,4	-4,9	-15,5	3,0	25	-35,6	14	21	1,5	8	2,3	0	0,0	0	0,0	0	0,0	7	2,1	22	1,6	9	1,8	0	0,0	0	0,0	0	0,0	0	0,0	17
3	959,0	1000,8	-0,1	-2,2	-3,2	-3,1	-0,4	-0,5	-8,0	4,0	27	-30,0	17	11	1,4	4	1,3	0	0,0	0	0,0	0	0,0	19	3,0	40	2,2	4	2,3	0	0,0	0	0,0	0	0,0	0	0,0	6
4	972,1	1013,8	-2,1	-2,1	-3,3	-3,2	-3,2	-3,4	-3,5	7,5	20	-17,2	17	17	1,1	12	2,5	0	0,0	0	0,0	0	0,0	20	1,9	28	1,1	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	13
5	980,0	1010,8	2,4	3,7	3,2	3,7	3,7	7,6	0,1	13,8	30	-13,0	1	13	1,3	2	1,3	0	0,0	0	0,0	0	0,0	19	2,6	40	1,4	7	1,7	0	0,0	0	0,0	0	0,0	1	1,0	11
6	972,9	1012,8	9,2	11,2	12,5	11,7	11,4	15,8	5,8	23,6	22	0,5	4	13	1,0	1	2,0	0	0,0	0	0,0	0	0,0	5	2,4	50	1,2	5	1,2	0	0,0	0	0,0	0	0,0	0	0,0	16
7	980,6	1009,2	13,9	14,1	14,1	12,3	14,1	16,5	8,5	23,5	9	3,2	29	26	1,1	7	2,1	0	0,0	0	0,0	0	0,0	7	1,4	22	1,1	4	1,5	0	0,0	0	0,0	0	0,0	1	1,0	26
8	969,7	1009,4	13,7	13,6	13,3	11,8	13,2	15,4	8,1	23,0	18	0,0	6	23	1,0	1	1,1	0	0,0	0	0,0	0	0,0	21	3,3	32	1,5	5	1,4	0	0,0	0	0,0	0	0,0	0	0,0	11
9	964,7	1005,1	3,2	7,4	6,3	6,0	6,6	8,6	3,4	16,0	7	-1,5	24	12	1,0	4	2,3	0	0,0	0	0,0	0	0,0	7	3,1	43	1,4	7	2,0	0	0,0	1	1,0	0	0,0	0	0,0	16
10	973,7	1017,4	-0,1	2,9	1,3	1,3	1,4	3,9	1,5	7,0	9	-7,5	25	23	1,1	2	1,3	0	0,0	0	0,0	0	0,0	10	4,0	28	2,1	1	1,0	0	0,0	0	0,0	0	0,0	2	1,5	22
11	981,1	1002,6	-1,9	-1,3	-1,7	-1,7	-1,2	0,5	-4,9	3,4	22	-14,0	27	10	1,0	3	0,0	0	0,0	0	0,0	0	0,0	21	2,8	34	1,8	8	2,4	0	0,0	0	0,0	0	0,0	0	0,0	17
12	980,0	1003,0	-7,1	-6,7	-7,3	-7,3	-2,7	-3,3	-12,7	4,0	2	-27,5	11	17	1,0	0	2,2	0	0,0	0	0,0	0	0,0	4	3,3	31	1,7	11	3,0	0	0,0	0	0,0	0	0,0	2	1,5	22
ÅR	967,8	1009,2	-0,2	2,5	1,8	1,8	1,0	4,5	-3,2	23,6		-35,6		210	1,2	55	2,0	0	0,0	0	0,0	0	0,0	154	2,8	404	1,6	82	2,0	0	0,0	1	1,0	0	0,0	6	1,3	197
SVEÍNINGDAL																									1979
1			-13,1	-13,9	-14,3	-14,5		-9,5	-19,0	2,1	8	-36,5	28	1	2,0	0	0,0	9	2,2	0	0,0	0	0,0	52	2,4	2	3,0	14	3,1	0	0,0	0	0,0	15	2,3	0	0,0	0
2			-3,8	-6,8	-7,3	-7,2		-3,9	-16,0	6,4	25	-36,5	14	0	0,0	0	0,0	6	1,0	0	0,0	0	0,0	21	2,2	7	3,0	18	3,7	0	0,0	1	5,0	31	2,3	0	0,0	0
3			-5,6	-0,1	-2,3	-3,1		0,9	-7,3	7,2	27	-27,0	17	4	1,5	0	0,0	7	1,0	1	1,0	0	0,0	31	3,6	6	3,8	16	3,7	0	0,0	0	0,0	0	0,0	0	0,0	0
4			-1,8	4,4	1,9	1,9		5,3	-3,5	10,7	25	-16,1	17	2	2,0	0	0,0	19	2,2	0	0,0	0	0,0	42	2,8	10	3,4	9	3,9	0	0,0	0	0,0	8	2,6	0	0,0	0
5			4,3	7,8	7,0	6,9		9,4	1,0	15,5	30	-3,5	1	11	2,6	0	0,0	4	2,0	0	0,0	0	0,0	28	2,8	13	3,3	31	3,3	0	0,0	0	0,0	6	1,8	0	0,0	0
6			10,0	15,3	14,2	14,1		17,7	6,4	27,5	22	0,0	3	7	3,0	0	0,0	4	2,3	0	0,0	0	0,0	25	2,2	11	3,0	33	3,1	0	0,0	0	0,0	10	2,9	0	0,0	0
7			11,5	15,9	13,1	13,1		18,3	9,2	25,6	14	2,9	7	24	2,8	0	0,0	1	2,0	0	0,0	0	0,0	26	2,3	8	2,3	15	2,9	0	0,0	0	0,0	19	2,5	0	0,0	0
8			13,1	15,6	13,3	13,3		16,9	7,8	24,8	18	0,4	8	7	1,9	0	0,0	10	2,0	0	0,0	0	0,0	44	2,6	6	2,8	10	3,1	0	0,0	0	0,0	16	2,4	0	0,0	0
9			3,0	3,9	3,1	3,4		10,0	3,5	18,6	7	-1,7	24	7	2,0	0	0,0	3	1,7	0	0,0	0	0,0	13	2,5	11	2,4	30	3,0	0	0,0	1	4,0	25	2,6	0	0,0	0
10			-0,4	3,8	1,3	1,1		4,5	-1,5	8,1	9	-11,4	27	7	2,0	0	0,0	27	1,4	0	0,0	0	0,0	26	3,4	7	2,6	12	3,0	0	0,0	0	0,0	14	2,2	0	0,0	0
11			-2,2	-2,1	-3,1	-2,9		-0,6	-6,3	5,4	22	-18,5	16	5	2,4	0	0,0	3	1,3	1	1,0	0	0,0	49	2,3	6	3,3	15	3,3	0	0,0	1	4,0	10	2,2	0	0,0	0
12			-8,1	-6,4	-7,3	-7,4		-2,9	-12,6	6,2	2	-26,0	11	12	2,3	0	0,0	1	1,0	0	0,0	0	0,0	24	2,1	16	2,4	18	3,6	0	0,0	0	0,0	22	2,1	0	0,0	0
ÅR			-3,2	3,5	1,3	1,3		5,5	-3,2	27,5		-36,5		87	2,4	0	0,0	94	1,8	2	1,0	0	0,0	401	2,7	103	3,0	221	3,3	0	0,0	3	4,3	184	2,4	0	0,0	0
SUBENDAL - BJØRIO																									1979
1			-14,4	-13,3	-14,2	-14,1		-10,5	-18,3	2,2	7	-32,2	28	0	0,0	4	1,3	0	0,0	2	2,0	3	1,9	14	1,9	11	1,7	33	1,5	4	2,5	5	2,6	4	1,0	0	0,0	8
2			-10,8	-7,2	-7,3	-7,3		-4,7	-15,1	6,5	26	-31,2	14	2	1,5	0	0,0	0	0,0	0	0,0	2	2,3	10	1,5	8	1,9	21	1,8	7	3,3	6	3,8	11	2,3	1	4,0	12
3			-3,7	-0,7	-2,9	-3,3		0,5	-7,3	5,5	29	-27,5	17	2	1,0	4	1,3	1	1,3	5	2,6	11	2,3	29	2,4	16	2,4	19	2,5	2	3,5	3	2,0	2	2,0	0	0,0	3
4			-1,6	3,4	1,7	1,6		4,5	-3,5	9,2	25	-16,0	16	6	1,0	4	1,0	2	2,0	9	2,0	11	2,1	10	2,2	16	1,4	8	1,0	1	1,0	8	1,8	4	2,3	6	2,0	5
5			4,1	7,9	6,7	6,4		9,4	0,7	15,0	30	-10,2	1	2	1,0	6	1,3	2	1,1	1	3,0	9	1,3	11	1,9	25	2,0	15	1,4	2	4,0	6	2,0	9	1,8	5	1,8	0
6			10,2	14,5	13,1	11,6		17,1	5,9	26,6	24	-0,6	3	16	1,5	3	1,7	2	1,5	1	1,5	2	2,5	5	2,0	14	1,7	8	1,5	3	4,3	9	3,3	10	2,3	14	1,9	0
7			11,2	15,7	13,2	13,1		17,9	8,7	23,6	9	2,9	29	6	1,5	9	1,1	1	1,0	1	1,5	5	2,2	7	2,3	16	1,8	7	1,7	2	3,0	8	2,3	10	2,8	12	1,5	6
8			10,2	14,7	13,2	11,9		16,2	7,1	24,4	18	-1,0	6	4	1,5	5	1,0	0	0,0	7	1,6	7	1,3	18	1,9	20	2,2	5	2,0	3	3,7	6	3,5	8	1,5	9	1,7	1
9			4,7	6,0	6,1	5,9		9,3	2,5	18,0	7	-2,6	3	2	1,5	2	1,0	2	1,8	9	1,3	6	1,3	10	1,5	11	1,4	13	1,8	3	3,7	11	3,4	14	2,3	4	2,0	3
10			-1,0	2,6	3,2	3,4		3,8	-2,4	8,4	9	-9,6	25	3	1,0	0	0,0	2	1,0	3	1,7	7	3,4	15	2,1	20	1,7	23	1,2	3	1,3	6	2,3	5	3,6	5	3,0	1
11			-3,7	-2,4	-3,0	-3,2		0,2	-6,3	6,6	22	-15,2	16	4	1,5	6	1,2	0	0,0	1	3,0	9	1,6	20	1,8	18	1,3	21	1,3	3	2,0	3	2,0	3	2,0	0	0,0	2
12			-7,9	-7,6	-8,4	-8,0		-3,7	-12,6	6,5	22	-24,8	18	8	1,4	0	0,0	0	0,0	1	3,0	3	1,7	10	2,2	20	1,6	26	1,2	7	2,1	4	3,8	2	4,5	8	2,0	4
ÅR			-3,3	3,0	1,3	1,9		5,0	-3,4	26,6		-32,2		55	1,4	43	1,1	12	1,3	43	1,9	81	1,9	155	2,0	195	1,8	199	1,7	40	2,9	75	2,8	62	2,3	64	1,9	45
VARDEFJELL																									1979
1	926,1		-2,5	-3,4	-3,2	-3,4	-3,0	-6,7	-12,2	-1,8	7	-26,2	27	0	0,0	0	0,0	0	0,0	1	1,5	21	2,4	33	2,6	12	2,3	11	2,6	4	1,0	4	3,3	3	1,0	1	1,0	3
2	923,7		-7,3	-7,2	-7,3	-7,8	-5,6	-5,6	-10,2	2,3	25	-17,1	14	3	3,3	1	2,3	1	1,0	2	2,0	6	2,0	22	3,3	12	2,2	14	2,8	6	5,2	6	4,0	1	5,0	5	3,2	2
3	915,3		-0,3	-1,8	-3,3	-3,6	-0,3	-3,5	-7,5	3,2	28	-19,6	17	0	0,0	0	0,0	0	0,0	0	0,0	3	3,3	22	3,2	20	3,9	17	4,4	6	3,8	4	7,3	1	4,0	0	0,0	1
4	920,7		-2,7	-1,4	-2,3	-2,2	-0,2	-0,4	-3,7	4,2	20	-10,4	14	1	2,5	1	1,1	2	1,3	11	2,6	17	3,5	13	3,2	16	3,1	7	2,7	1	1,0	3	2,0	3	2,3	3	4,7	6
5	926,4		3,3	2,5	2,3	1,6	-0,6	3,8	-0,3	9,5	30	-6,4	1	0	0,0	0	0,0	2	1,5	5	3,0	6	2,7	8	4,1	26	3,5	22	4,3	10	4,0	7	4,3	1	2,0	0	0,0	5
6	931,6		5,9	9,4	8,3	7,8	1,2	11,7	3,0	22,1	24	0,0	9	2	2,0	2	1,5	4	1,5	2	1,0	1	2,0	16	2,8	24	2,9	9	2,4	10	4,2	9	3,0	6	2,5	3	1,7	2
7	929,0		9,0	13,9	13,6	13,7	-0,6	12,9	7,5	20,4	9	1,3	1	2	2,5	2	1,0	3	1,7	6	3,0	12	3,3	14	1,9	7	3,1	3	1,3	5	3,8	13	2,7	14	2,2	8	2,8	4
8	923,6		3,8	13,0	9,3	9,9	0,0	12,2	7,4	19,8	18	1,9	31	0	0,0	3	3,3	4	1,8	6	2,0	8	1,8	20	2,7	13	3,7	16	3,4	3	2,7	7	4,4	3	2,7	6	3,3	6
9	922,6		3,1	4,0	3,3	3,4	-2,2	5,4	1,7	14,8	7	-2,0	16	0	0,0	2	1,0	0	0,0	7	2,1	7	3,6	11	3,8	19	3,7	7	3,4	11	4,6	12	4,4	10	3,7	4	3,8	0
10	931,0		-0,5	0,3	0,2	0,1	-1,0	1,5	-1,5	7,0	27	-5,3	31	0	0,0	0	0,0	0	0,0	4	1,5	20	2,5	26	3,5	12	2,8	6	2,7	2	5,0	8	4,4	5	2,4	7	3,0	3
11	918,1		-3,6	-3,1	-3,1	-3,3	-3,4	-1,7	-4,9	2,1	22	-9,3	12	1	1,0	0	0,0	0	0,0	4	3,3	12	2,5	34	3,2	20	3,6	6	3,8	0	0,0	6	4,5	2	3,5	3	3,3	2
12	917,0		-3,8	-3,4	-3,9	-3,8	-3,9	-3,6	-7,8	2,0	2	-19,4	18	4	3,5	3	1,7	1	2,0	0	4,0	13	3,2	10	2,8	25	3,4	8	3,9	8	6,4	5	3,0	1	4,0	2	3,5	7
ÅR	925,1		-0,6	0,6	0,1	0,2	0,7	2,2	2,2	22,1		-26,2		10	2,7	17	1,3	17	1,5	67	2,5	159	2,9	224	3,1	203	3,3	115	3,3	64	4,5	81	3,7	49	2,7	43	3,2	40
HOBJØEN - HOSÅL																									1979
1			-9,5	-9,0	-8,3	-8,2	-6,0	-6,3	-12,2	4,3	7	-24,5	28	1	5,0	0	0,0	0	0,0	1	1,0	19	2,7	52	2,7	12	2,4	1	2,0	1	1,0	0	0,0	2	3,5	0	0,0	4
2			-6,3	-4,5	-5,3	-5,3	-4,3	-2,0	-10,1	7,0	25	-26,0	14	3	2,6	0	0,0	0	0,0	2	3,5	13	2,5	42	2,6	4	1,8	1	1,0	0	0,0	5	3,8	6	3,5	3		
3			-3,1	-0,3	-1,3	-1,6	-0,5	1,5	-5,1	6,8	3	-20,3	17	3	1,3	1	2,0	0	0,0	2	1,5	20	2,7	48	2,7	9	3,0	2	4,5	1	2,0	1	3,0	1	3,0	0		
4			-0,2	4,4	3,1	1,9	-0,7	5,5	-1,8	10,8	25	-9,6	15	1	5,0	0	0,0	0	0,0	1	2,0	6	1,7	35	1,9	4	1,0	0	0,0	2	1,5	2	1,0	7	1,9	15	1,2	17
5			5,4	5,5	7,3	6,5	1,0	10,3	2,5	15,6	30	-9,5	1	2	1,0	2	2,3	0	0,0	2	1,0	10	1,9	34	2,4	13	2,6	4	2,5	1	2,0	5	1,4	2	2,0	14	1,6	4
6			10,6	13,8	13,3	11,9	0,7	16,6	8,2	27,7	22	3,3	1	11	2,1	2	1,5	0	0,0	1	1,0	6	3,0	14	2,2	1	2,0	2	2,0	3	2,7	1	2,0	13	2,0	24	1,8	12
7			12,8	15,4	13,1	13,8	1,0	17,8	10,5	26,1	9	4,9	29	15	2,1	2	1,5	0	0,0	1	2,0	9	2,0	10	2,3	2	2,5	0	0,0	0	0,0	9	1,3	28	2,1	14		
8			12,0	16,2	14,3	13,5	3,0	17,5	9,7	25,5	18	4,6	6	3	3,4	3	2,7	1	2,0	3	1,0	11	2,1	23	2,0	7	3,3	2	2,0	2	2,5	6	2,2	4	3,0	17	1,8	9
9			8,6	9,4	7,9	7,7	1,3	10,7	5,1	19,5	7	0,3	3	2	1,5	1	4,3	4	2,0	5	2,8	20	2,2	23	2,0	5	2,8	2	2,5	1	3,0	4	2,5	10	3,1	5	2,4	8
10			1,6	3,5	2,3	2,0	1,7	5,6	0,5	9,7	9	4,8	26	2	3,5	0	0,0	0	0,0	2	1,5	15	2,3	34	2,0	5	2,3	2	1,5	1	1,0	5	1,4	10	2,9	16		
11			-0,9	-0,2	-0,9	-1,8	-1,0	1,8	-3,4	8,2	22	-12,5	16	2	3,0	0	0,0	0	0,0	0	0,0	18	2,2	47	2,1	5	1,8	2	2,5	1	2,0	0	0,0	0	0,0	3	2,3	12
12			-3,7	-3,4	-4,0	-3,8	-3,9	-0,2	-7,3	7,6	2	-18,5	11	3	3,0	0	0,0	1	1,0	1	1,0	21	2,5	47	2,4	6	1,7	0	0,0	2	1,5	2	2,5	1	1,0	4	3,5	5
ÅR			2,1	4,6	3,6	3,1	1,0	6,6	0,3	27,7		-26,0		52	2,4	11	2,2	8	1,8	21	2,1	170	2,4	409	2,3	69	2,4	18	2,5	16	2,1	22	2,0	59	2,3	127	2,0	112

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MND.	MIDLERE RELATIV FUKTIGHET kl 07	kl 13	kl 19	DM.	MIDLERE SKYDEKKE kl 07	kl 13	kl 19	DM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TX <0	TN <=-10	TX>= =25.	NEDBØR RR>= 0,1	RR>= 1,0	RR>= 10,0.	VINDSTYRKE FX> =08	FX> =38	FX> =98.	ANTALL DAGER MED: R	S	SL	YR	SH	FOREKOMST AV H	IH	TO	KV	OV	SD	TRKE 07	13	19.
SKLINNA FYR																																			1979
1					4,7	6,2	5,5	5,5	44		11,7	9	25	17	2	0	15	11	1	23	9	2	9	12	5	2	0	4	0	0	0	13	16	0	0	0
2					6,0	5,9	5,2	6,0	53		6,2	3	20	1	0	0	20	14	0	25	13	3	7	18	5	0	0	11	0	0	2	15	18	0	0	0
3					6,1	5,9	5,8	6,9	52		8,3	3	0	2	0	0	16	11	0	22	14	5	13	12	9	2	0	3	0	2	0	17	9	0	0	0
4					5,9	4,8	5,8	5,8	33		13,7	29	4	0	0	0	13	5	1	15	2	0	14	6	3	5	0	3	0	0	2	12	1	0	0	0
5	79	74	77	78	6,6	6,9	6,4	6,6	75		14,3	14	0	0	0	0	22	17	2	19	5	1	22	5	5	6	0	2	0	0	0	18	0	0	0	0
6	82	77	81	81	7,0	6,1	6,3	6,5	30		6,1	18	0	0	0	0	18	7	0	10	0	0	13	0	0	7	0	0	0	0	0	19	0	2	3	1
7	88	82	84	86	7,0	6,8	6,9	6,9	78		19,6	16	0	0	0	0	21	10	2	5	0	0	21	0	0	13	0	0	0	1	0	25	0	2	2	3
8	82	75	75	78	6,3	6,2	6,0	6,4	82		25,0	23	0	0	0	0	13	14	2	17	2	0	18	0	0	2	0	0	0	0	1	18	0	0	1	1
9	82	76	78	79	7,1	6,8	6,8	6,9	103		15,3	26	0	0	0	0	27	22	2	21	6	0	27	0	0	3	0	1	0	0	0	24	0	1	0	0
10	78	74	75	76	5,3	5,5	5,1	5,4	49		15,0	20	0	0	0	0	19	9	1	13	6	1	19	0	0	5	0	0	0	0	7	16	0	0	0	0
11	78	77	78	78	5,1	6,3	5,1	5,6	126		17,5	4	1	0	0	0	16	15	7	23	11	4	16	5	3	1	0	1	0	0	1	11	0	0	0	0
12	79	79	80	80	5,6	6,0	5,0	5,8	95		16,7	7	16	4	0	0	19	17	7	20	13	6	14	9	4	1	0	4	0	0	1	4	17	10	0	0	0
ÅR					6,1	6,2	6,1	6,1	820		25,0		74	27	2	0	220	152	21	221	81	22	198	67	34	47	0	29	0	4	17	205	51	5	6	5
MAJAVATN III																																			1979
1	83	81	82	82	4,2	5,2	4,3	4,7	32	27	9,8	9	31	29	24	0	11	8	0	2	0	0	0	11	0	0	0	0	0	0	7	12	31	0	0	0
2	86	82	88	86	6,2	5,8	5,0	5,8	115	105	31,3	26	28	21	21	0	17	16	3	4	0	0	6	15	1	3	0	0	0	4	16	28	0	0	0
3	83	71	76	77	5,8	5,9	5,8	5,8	71	68	17,6	4	26	12	10	0	15	15	1	6	0	0	8	14	4	2	0	0	0	0	2	17	31	0	0	0
4	84	65	71	76	5,9	5,6	5,2	5,6	29	36	8,2	30	19	4	5	0	13	8	0	0	0	0	7	10	3	4	0	0	0	0	1	9	30	0	0	0
5	86	70	74	80	6,1	6,7	6,3	6,4	135	245	34,9	14	14	0	1	0	24	22	3	0	0	0	24	7	7	3	0	0	0	0	1	18	22	0	0	0
6	83	64	68	76	6,1	5,2	5,9	5,7	101	135	16,0	28	0	0	0	0	20	17	4	2	0	0	20	0	0	7	0	0	0	4	3	17	0	0	0	0
7	88	70	71	80	6,8	6,3	6,1	6,4	133	162	48,0	16	0	0	0	0	19	17	4	0	0	0	10	0	0	8	0	0	0	2	1	21	0	0	0	0
8	84	67	69	75	6,0	6,2	5,3	6,2	89	114	17,3	23	0	0	0	0	18	12	3	2	0	0	18	0	0	6	0	0	0	1	0	17	0	0	0	0
9	90	77	84	85	7,0	7,0	6,1	7,0	219	199	23,3	27	2	0	0	0	27	23	8	1	0	0	27	3	3	4	0	0	0	1	1	23	1	0	0	0
10	90	75	86	85	5,1	5,4	5,3	5,3	86	57	21,0	21	19	1	0	0	15	11	4	2	0	0	15	2	2	6	0	0	0	0	7	18	0	0	0	0
11	83	79	83	82	6,2	6,6	5,0	6,1	88	58	17,0	30	26	12	9	0	13	10	2	2	0	0	10	10	5	6	0	0	0	0	2	17	18	0	0	0
12	85	84	88	86	5,0	5,4	5,0	5,2	130	96	23,5	7	29	18	17	0	19	15	7	3	0	0	8	15	6	2	0	0	0	0	4	15	31	0	0	0
ÅR	85	74	78	81	5,9	5,9	5,7	5,8	1198	100	48,0		194	97	83	0	208	174	39	24	0	0	162	87	31	51	0	0	0	8	33	200	192	0	0	0
SVEININGDAL																																			1979
1	78	79	82	80	4,3	5,7	4,8	4,9	62	45	23,8	8	31	28	22	0	18	9	2	0	0	0	0	18	0	0	0	0	1	0	0	6	31	0	0	0
2	83	80	85	83	5,7	5,6	4,3	5,4	162	105	55,0	26	27	20	19	0	17	14	4	0	0	0	0	16	0	0	0	0	1	0	1	10	28	0	1	1
3	78	63	71	72	5,7	6,0	5,7	5,8	111	78	28,0	5	23	9	10	0	13	12	5	4	0	0	6	13	0	0	0	0	2	0	0	19	31	0	0	0
4	83	57	64	71	5,8	5,4	5,3	5,6	42	44	18,0	29	16	0	0	0	13	5	2	0	0	0	9	9	3	0	0	0	0	0	0	8	30	0	0	0
5	76	62	69	72	5,7	6,3	5,9	6,0	210	339	47,5	14	10	0	0	0	25	21	5	0	0	0	24	9	8	0	0	0	0	1	0	14	12	0	0	0
6	79	56	61	70	6,2	5,6	5,7	5,8	82	82	9,0	18	0	0	0	0	21	12	0	0	0	0	21	0	0	0	0	0	0	0	5	13	0	0	0	0
7	85	65	69	77	6,7	6,0	5,7	6,2	116	143	25,0	16	0	0	0	0	19	16	4	0	0	0	19	0	0	0	0	0	0	0	2	15	0	0	0	0
8	85	60	72	76	6,0	6,1	5,7	5,9	92	108	22,0	23	0	0	0	0	17	12	2	0	0	0	17	0	0	0	0	0	0	0	0	13	0	0	0	0
9	89	71	86	84	6,5	6,3	6,2	6,3	277	233	35,5	26	4	0	0	0	26	25	13	0	0	0	26	1	0	0	0	0	0	1	0	17	0	0	0	0
10	86	71	81	81	6,0	5,1	5,4	5,5	103	88	27,0	21	17	3	1	0	10	10	4	1	0	0	15	2	1	0	0	0	0	0	0	13	0	0	0	0
11	80	80	82	81	4,9	5,8	4,9	5,2	105	83	27,8	22	25	14	10	0	14	12	4	3	0	0	8	13	4	0	0	0	0	0	0	6	15	0	0	0
12	81	82	84	82	5,1	6,1	5,0	5,4	107	93	41,0	6	28	18	19	0	19	14	6	2	0	0	9	17	3	0	0	3	0	1	0	6	31	0	0	0
ÅR	82	69	76	77	5,7	5,8	5,4	5,7	1539	103	55,0		181	92	86	1	220	162	61	10	0	0	157	98	19	0	0	7	0	10	1	136	178	0	1	1
SUSENDAL - BJØR 10																																			1979
1	93	92	93	93	4,5	5,9	5,0	5,1	42		17,2	8	31	29	26	0	12	8	1	0	0	0	0	12	0	0	0	0	0	0	4	11	31	0	0	0
2	92	89	94	92	6,1	6,8	4,9	5,9	93		23,5	26	28	22	20	0	19	14	4	0	0	0	4	18	2	0	0	0	0	0	2	15	28	0	0	0
3	89	74	80	82	6,3	6,0	6,0	6,3	53		14,5	4	26	10	9	0	14	10	2	0	0	0	4	13	1	0	0	0	0	0	3	19	31	0	0	0
4	91	70	75	81	6,5	6,6	5,7	6,3	12		4,4	30	22	1	5	0	10	4	0	1	0	0	5	7	1	0	0	0	0	0	2	19	30	0	0	0
5	83	67	76	80	6,1	6,6	6,4	6,5	109		36,8	14	16	0	1	0	24	16	2	0	0	0	18	10	4	0	0	3	0	0	0	16	9	1	0	0
6	86	66	70	78	6,3	5,7	5,9	6,0	25		4,5	30	1	0	0	0	15	10	0	0	0	0	15	0	0	0	0	0	0	3	2	20	0	0	0	0
7	92	73	74	83	6,8	6,5	6,0	6,5	84		22,9	15	0	0	0	0	19	15	2	0	0	0	13	0	0	0	0	0	0	2	0	17	0	0	0	0
8	91	69	76	81	6,4	6,4	6,4	6,4	79		29,8	23	1	0	0	0	15	11	2	1	0	0	15	0	0	0	0	0	0	0	0	19	0	0	0	0
9	94	80	92	90	6,3	7,0	6,3	6,8	140		20,8	13	8	0	0	0	24	19	4	0	0	0	24	2	2	0	0	0	0	0	0	23	0	0	0	0
10	90	82	91	89	5,7	5,8	5,7	5,7	64		18,3	21	23	3	1	0	14	9	3	1	0	0	12	4	2	0	0	0	1	0	0	6	20	3	0	0	0
11	91	91	94	92	6,2	6,6	6,3	6,4	49		15,3	30	30	12	7	0	16	8	2	0	0	0	4	16	4	1	0	0	0	0	1	19	25	0	0	0
12	93	95	95	94	5,2	6,3	5,9	5,8	85		19,3	3	10	21	19	0	18	12	3	2	0	0	6	18	6	0	0	0	0	0	3	16	31	0	0	0
ÅR	90	79	84	86	6,1	6,3	6,0	6,1	835		36,3		216	98	87	3	199	136	25	17	0	0	125	100	22	1	0	4	0	5	23	214	188	1	0	0
VARDEFJELL																																			1979
1	79	78	77	78	5,3	5,0	5,4	5,3					31	31	19	0				3	2	1				0	0	0	0	0	2	13		5	3	5
2	84	83	84	84	6,2	5,6	5,1	5,6					28	26	13	0				11	5	3				0	0	1	0	0	4	14		7	8	8
3	81	77	77	79	5,5	5,6	6,2	5,8					11	26	7	0				13	8	4				0	0	0	0	0	1	16		2	7	4
4	81	75	77	78	6,5	5,5	6,3	6,1					26	19	1	0				7	1	0				1	0	0	0	0	0	16		6	4	5
5	87	80	83	85	6,6	6,3	6,3	6,6					19	3	0	0				20	8	2				5	0	0	0	0	0	19		8	6	10
6	84	76	77	81	6,6	5,7	5,3	6,1					0	0	0	0				3	0	0				13	0	0	0	1	2	18		10	9	10
7	89	79	80	85	6,6	6,7	5,7	6,4					0	0	0	0				4	2	0				12	0	0	0	1	1	17		14	9	10
8	81	75	77	79	6,3	6,1	6,2	6,1					3	3	0	0				12	5	1				6	0	0	0	1	0	18		4	6	7
9	94	91	90	92	7,3	7,4	7,0	7,2					2	1	0	0				13	3	0				7	0	0	0	0	0	23		11	9	11
10	79	77	78	78	4,8	5,0	5,4	5,1					22	7	0	0				11	1	0				5	0	0	0	0	7	15		7	5	6
11	86	87	86	86	6,3	6,6	6,7	6,6					30	23	0	0				12	4	0				1	0	0	0	0	2	22		6	6	7
12	85	86	88	85	5,3	6,1	5,3	5,9					11	25	10	0				16	8	6				0	0	0	0	0	3	18		5	6	6
ÅR	84	80	81	83	6,2	6,0	6,1	6,1					237	164	50	0				139	47	17				90	0	1	0	3	22	209		86	78	89
MOSJØEN - MOSAL																																			1979
1	80	79	79	79	4,1	5,0	4,2	4,4	73	44	28,5	9	31	28	19	0	11	8	2	3	0	0	2	11	2	0	0	0	0	0	9	12	31	0	2	0
2	83	79	83	82	5,7	5,3	5,3	5,5	220	157	93,5	26	26	20	14	0	18	15	4	3	0	0	6	16	2	3	0	0	0	0	4	15	28	0	0	0
3	80	73	76	77	5,4	5,1	5,2	5,2	93	64	22,8	5	23	8	8	0	14	12	2	5	0	0	11	10	5	8	0	0	0	0	5	14	31	0	0	0
4	87	71	78	79	5,9	5,4	5,3	5,7	21	21	7,8	29	16	0	0	0	12	4	0	1	0	0	9	7	1	11	0	0	0	0	3	15	20	0	0	0
5	82	70	78	78	6,1	6,5	6,1	6,2	235	313	48,0	14	4	0	0	0	24	20	8	1	0	0	23	3	2	16	0	0	0	0	0	15	1	0	0	0
6	83	72	73	78	5,9	5,5	5,3	5,6	30	59	10,3	18	0	0	0	1	22	10	1	0	0	0	22	0	0	15	0	0	0	0	0	18	0	0	0	1
7	85	75	76	80	6,5	6,7	5,7	6,3	86	108	21,3	1	0	0	0	1	20	13	3	0	0	0	20	0	0	11	0	0	0	1	2	20	0	0	1	0
8	81	65	72	75	5,6	6,1	6,3	6,0	70	90	28,0	23	0	0	0	2	15	14	2	1	0	0	15	0	0	6	0	0	0	0	1	14	0	1	0	0
9	87	74	82	82	7,0	7,1	7,2	7,1	308	199	32,3	29	0	0	0	0	27	25	14	0	0	0	27	0	0	16	0	0	0	0	1	23	0	1	1	0
10	85	76	84	82	4,3	4,9	5,3	4,9	104	53	27,0	21	12	0	0	0	15	12	4	2	0	0	13	1	0	12	0	0	0	0	9	16	0	2	1	0
11	86	87	90	88	6,0	6,0	5,2	6,1	93	69	18,6	22	21	7	0	0	16	11	4	1	0	0	10	12	4	4	0	0	0	0	3	17	13	0	0	0
12	86	84	87	85	5,1	5,5	5,3	5,3	148	85	43,0	6	26	13	10	0	20	14	6	3	0	0	10	16	5	2	0	0	0	0	5	13	31	0	0	0
ÅR	84	75	79	80	5,7	5,8	5,7	5,7	1521	98	93,5		159	76	54	7	214	138	50	23	0	0	170	76	21	104	0	0	0	1	48	192	155	4	5	1

NO.	P1	P01	07	13	19	TM	AVVIK. FRA NORM.	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
	MIDLERE LUFTTRYKK		MIDLERE LUFTTEMPERATUR					MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER						VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT												
SKÅLVÆR																										1979
1			-2,1	-1,9	-2,3	-2,2	-2,2	-0,9	-4,1	3,2	7	-14,5	26	0 0,0	1 3,0	1 2,0	11 4,1	3 2,5	43 3,8	13 3,0	10 2,9	1 7,0	2 4,0	3 5,7	0 0,0	0
2			-1,0	-0,3	-1,0	-0,9	-0,5	0,7	-3,0	4,8	26	-9,0	13	6 3,2	2 4,1	0 0,0	9 4,0	6 1,8	21 3,2	8 4,4	11 4,3	2 5,0	10 4,2	2 4,5	7 4,0	0
3			0,9	1,8	1,3	1,2	0,3	2,8	-0,7	7,6	30	-9,5	17	0 0,0	2 1,5	1 1,0	10 2,6	0 2,6	33 3,7	10 4,9	13 4,9	2 6,0	4 5,5	0 0,0	0 0,0	0
4			2,8	1,8	3,7	3,5	-0,1	5,4	1,5	10,6	25	-4,0	14	5 5,0	6 3,0	11 2,0	22 2,7	1 3,0	17 1,9	10 2,2	13 3,8	1 2,0	2 2,0	0 0,0	2 2,0	0
5			6,3	7,6	6,7	6,2	-0,9	6,6	3,6	14,0	28	-0,5	1	3 2,7	10 2,6	3 2,3	12 2,3	1 3,0	7 2,1	7 2,4	33 3,9	6 4,3	8 3,0	1 2,0	2 3,0	0
6			10,2	12,1	11,5	10,7	0,4	14,1	8,0	23,6	25	4,5	4	8 2,6	10 1,0	6 1,5	7 1,9	0 0,0	9 2,7	6 2,0	17 3,1	8 3,3	8 3,3	1 2,0	10 2,4	0
7			11,9	13,7	12,6	12,3	-1,0	14,7	9,9	24,0	9	6,5	1	20 2,0	17 2,1	3 1,3	3 1,3	0 0,0	1 2,0	6 1,7	11 2,8	4 2,3	17 2,2	2 3,0	5 1,8	1
8			12,3	14,2	12,9	12,8	-0,4	15,1	10,1	22,0	19	6,5	31	8 4,4	16 2,7	7 2,3	4 1,5	2 1,0	13 2,0	7 3,3	10 3,5	4 5,0	8 3,1	1 6,0	10 2,5	3
9			8,5	9,8	8,0	8,9	-1,3	10,4	7,0	15,6	7	4,0	16	6 5,7	3 2,0	6 3,2	7 2,3	1 5,0	12 2,5	8 3,9	17 3,6	3 3,7	15 4,5	5 5,2	7 4,6	0
10			5,2	6,8	5,0	5,7	-1,1	7,1	4,0	9,5	27	1,5	21	4 3,3	5 3,2	9 2,7	27 2,7	0 0,0	20 3,8	6 3,5	9 3,8	3 3,0	6 3,7	2 3,5	2 2,5	0
11			3,1	3,6	3,3	3,3	-0,5	4,3	1,5	7,0	4	-1,0	16	3 4,3	2 3,3	0 0,0	10 2,4	4 2,8	37 2,9	15 4,2	10 4,9	2 6,0	4 6,0	0 0,0	3 4,3	0
12			0,8	0,9	0,7	0,8	-1,0	2,1	-1,0	7,0	2	-10,0	17	3 4,4	3 3,7	0 0,0	12 3,1	2 3,5	29 3,1	13 3,6	14 4,7	7 5,3	5 4,6	0 0,0	3 4,3	0
ÅR			4,8	6,1	5,1	5,2	-0,7	7,0	3,1	24,0		-14,5		68 3,5	77 2,3	47 2,2	140 2,7	34 3,0	242 3,1	109 3,4	168 3,9	43 4,2	89 3,7	17 4,4	51 3,1	4
NERDAL I RANA																										1979
1	1007,8	1012,9	-8,2	-7,9	-7,7	-8,0	-3,4	-5,7	-10,3	2,5	8	-22,2	26	0 0,0	1 2,0	2 1,0	34 2,4	10 1,9	23 1,9	1 1,0	1 3,0	0 0,0	2 1,5	1 6,0	3 2,7	12
2	1004,2	1009,2	-5,3	-4,6	-5,1	-5,2	-1,1	-2,8	-8,0	5,5	25	-18,5	14	1 1,0	0 0,0	2 1,0	22 2,1	7 2,7	10 1,6	0 0,0	5 4,8	3 2,7	7 2,9	6 3,0	9 2,6	12
3	995,2	1000,1	-2,2	0,2	-0,3	-1,1	1,0	1,7	-3,6	7,5	27	-16,9	17	2 1,0	1 1,0	14 2,3	29 2,6	5 3,4	18 3,2	4 3,3	8 5,1	2 3,0	2 4,0	0 0,0	0 0,0	8
4	1008,6	1013,5	0,2	3,7	3,1	2,1	-0,3	5,3	-0,6	10,2	25	-8,0	16	8 2,0	0 0,0	8 1,0	31 2,3	2 1,0	6 2,5	0 0,0	2 2,5	1 3,0	6 2,3	1 3,0	3 2,7	22
5	1001,2	1009,0	4,5	7,4	7,0	5,8	-1,0	9,1	3,0	14,1	21	-2,0	1	2 1,0	0 0,0	7 2,5	10 2,3	4 3,0	5 1,7	13 3,4	19 3,7	4 2,0	5 2,8	1 3,0	6 2,2	7
6	1008,0	1012,7	9,3	12,6	13,0	11,2	0,2	16,1	8,2	27,6	22	4,3	19	0 0,0	0 0,0	2 2,0	10 1,5	3 3,3	12 2,3	7 2,3	14 2,5	11 3,4	9 3,0	1 2,0	3 3,0	15
7	1004,7	1009,3	12,2	15,7	15,8	14,0	0,0	18,5	10,9	26,6	9	6,5	2	3 2,2	0 0,0	3 1,7	11 2,1	4 2,9	6 2,8	7 2,7	13 2,6	3 3,0	4 4,3	8 3,6	7 2,9	22
8	1004,3	1008,9	11,3	15,1	14,0	13,3	0,4	17,3	10,1	23,5	7	5,5	29	1 2,0	1 1,0	9 1,0	15 1,3	3 2,3	9 3,4	3 2,0	9 3,3	1 3,0	7 3,4	5 2,6	7 4,0	23
9	1000,1	1004,8	6,4	8,9	7,0	7,3	-1,2	9,9	5,3	17,7	7	0,6	17													
10	1011,6	1016,4	1,8	3,4	2,0	2,5	-1,6	4,6	0,6	7,6	3	-3,1	25	3 1,3	0 0,0	9 2,1	20 2,1	3 1,6	11 2,8	4 1,0	8 2,6	3 1,0	2 2,5	1 3,0	6 2,3	15
11	997,1	1001,9	-0,1	0,1	0,0	0,0	-0,6	2,1	-2,0	6,1	5	-9,1	27	3 1,7	0 0,0	0 0,0	41 2,1	8 2,3	10 2,3	1 4,0	6 3,8	1 3,0	1 2,0	0 0,0	1 1,0	18
12	995,3	1001,2	-2,7	-2,9	-2,9	-2,8	0,0	-0,4	-5,5	5,4	3	-16,1	18	1 1,0	0 0,0	3 1,7	20 2,5	6 3,0	7 2,9	8 1,9	12 4,1	2 5,0	2 2,0	0 0,0	6 1,8	17
ÅR	1003,5	1008,3	2,0	4,0	4,1	3,3	-0,6	6,3	0,7	27,6		-22,2														
NORD-SOLVÆR *																										1979
1			-2,2	-1,6	-1,8	-1,9	-1,8	-0,7	-3,6	3,0	7	-12,4	26	2 3,5	1 4,0	0 0,0	0 0,0	62 4,1	0 0,0	7 2,1	0 0,0	10 2,0	0 0,0	0 0,0	3 4,0	8
2			-0,9	-0,4	-0,7	-0,8	-0,4	0,7	-2,6	5,0	25	-9,6	14	12 3,3	3 1,0	0 0,0	0 0,0	34 4,4	0 0,0	9 2,8	0 0,0	14 2,7	4 4,0	0 0,0	5 4,2	3
3			0,7	1,5	1,2	1,0	0,3	2,6	-0,5	7,1	27	-8,4	17	0 0,0	4 1,0	0 0,0	0 0,0	40 3,5	0 0,0	16 3,0	1 7,0	13 5,2	0 0,0	0 0,0	2 2,5	8
4			3,0	4,6	3,7	3,5	0,1	5,1	1,6	9,8	25	-4,2	14	19 2,7	3 2,3	0 0,0	0 0,0	32 1,6	0 0,0	10 2,1	0 0,0	9 2,4	0 0,0	0 0,0	2 1,0	15
5			6,7	7,1	6,6	6,1	-0,6	8,3	3,8	12,2	24	-0,6	1	3 2,3	4 1,0	0 0,0	0 0,0	10 1,8	0 0,0	21 2,8	0 0,0	29 3,7	1 1,0	0 0,0	5 2,2	6
6			9,7	11,8	10,9	10,4	0,5	13,5	8,2	24,0	22	4,2	4	17 1,4	6 1,5	0 0,0	0 0,0	10 2,8	0 0,0	5 1,6	0 0,0	31 2,8	3 2,7	0 0,0	5 1,6	13
7			12,1	13,5	13,0	12,5	-0,9	15,1	10,4	23,0	9	7,1	2	24 1,6	13 1,5	0 0,0	0 0,0	8 1,6	0 0,0	0 0,0	0 0,0	24 2,1	0 0,0	0 0,0	9 1,7	15
8			12,4	14,3	12,3	12,9	-0,2	15,5	10,5	24,4	19	7,0	31	20 3,6	9 3,3	0 0,0	0 0,0	24 1,9	0 0,0	7 3,4	0 0,0	16 3,1	4 4,3	0 0,0	3 2,0	10
9			8,2	9,3	8,3	8,5	-1,6	10,0	6,0	16,0	7	3,5	23													
10			5,2	6,5	5,3	5,7	-0,7	7,1	3,9	11,6	27	1,0	30	9 2,6	10 1,9	0 0,0	0 0,0	34 3,6	0 0,0	14 2,7	0 0,0	8 3,0	0 0,0	0 0,0	5 3,2	13
11			3,0	3,4	3,0	3,1	-0,6	4,1	1,5	7,0	4	-0,5	29	7 4,1	1 1,0	0 0,0	0 0,0	53 3,2	0 0,0	12 3,6	0 0,0	12 3,8	1 4,0	0 0,0	0 0,0	4
12			1,1	1,2	1,2	1,1	-0,5	2,4	-0,5	6,2	2	-8,4	17	9 3,4	3 3,3	0 0,0	0 0,0	38 3,2	0 0,0	6 4,2	0 0,0	25 3,7	4 6,0	0 0,0	2 3,0	6
ÅR			4,3	5,9	5,1	5,2	-0,5	7,0	3,2	24,4		-12,4														
MYKEN **																										1979
1	1007,5	1010,1	-1,2	-0,3	-0,3	-0,9	-1,7	0,6	-2,4	4,0	7	-10,4	26	3 3,0	0 0,0	4 4,8	2 3,5	2 1,0	38 4,4	11 4,1	8 4,0	14 3,4	1 3,0	1 7,0	3 4,0	6
2	1004,7	1007,2	-0,3	0,1	-0,2	-0,2	-0,6	1,4	-1,9	6,1	25	-5,9	2	5 3,2	0 0,0	3 3,0	4 2,8	6 3,0	19 4,2	9 4,4	2 6,0	15 4,4	7 4,9	3 4,3	9 5,0	2
3	995,7	998,2	0,8	1,5	1,2	1,1	-0,1	2,8	-0,4	7,0	27	-8,0	17	0 0,0	2 3,0	7 3,7	8 3,4	14 3,9	29 4,1	7 4,4	3 5,3	12 5,3	2 5,5	0 0,0	1 4,0	8
4	1010,9	1013,4	2,8	3,9	3,0	3,1	-0,2	4,7	1,6	10,1	25	-4,0	15	3 4,0	0 0,0	24 3,4	3 2,3	2 1,0	10 3,0	6 4,7	3 3,3	8 3,0	4 3,0	1 3,0	3 3,7	16
5	1006,0	1008,5	3,0	3,7	5,4	3,1	-1,1	7,4	3,6	11,8	24	0,3	15	3 1,3	3 3,0	13 3,1	2 3,0	1 3,0	9 3,1	10 3,4	19 4,7	17 4,0	5 3,6	1 4,0	3 4,3	6
6	1010,3	1012,7	8,9	10,3	9,7	9,4	0,2	12,0	7,7	22,5	25	3,8	4	6 2,7	1 3,0	12 2,7	2 2,0	3 2,7	3 3,0	3 2,7	6 3,2	29 3,5	6 2,7	3 3,7	5 2,8	11
7	1007,2	1009,7	11,5	12,4	11,9	11,7	-1,0	13,9	10,3	22,2	9	6,9	2													
8	1006,6	1009,1	11,7	13,1	11,0	12,0	-0,6	14,2	10,2	20,2	9	8,1	25	9 3,6	15 3,9	10 3,1	5 2,8	3 5,0	2 4,0	3 3,7	6 3,7	11 4,0	7 3,9	0 0,0	3 2,3	18
9	1003,8	1003,2	8,3	9,9	8,3	8,5	-1,7	10,0	7,3	16,0	7	5,0	23	4 4,3	1 3,1	10 3,7	1 3,0	3 1,0	9 3,6	9 3,6	9 4,2	15 4,1	11 5,4	2 3,5	12 4,8	4
10	1012,8	1015,4	5,1	6,2	5,1	5,8	-1,1	7,3	4,6	9,0	3	1,0	21	3 2,7	3 2,8	9 3,2	3 3,3	2 2,0	18 5,2	2 4,5	7 4,1	12 4,2	4 4,8	1 5,0	7 4,3	18
11	997,6	1000,1	3,3	3,3	3,2	3,3	-1,0	4,6	2,1	7,4	5	-0,3	17	6 4,2	1 3,0	0 0,0	1 4,0	14 3,8	32 4,0	8 3,9	14 5,8	2 5,0	4 5,5	0 0,0	5 3,8	3
12	996,7	999,2	1,0	1,5	1,5	1,5	-1,0	3,0	0,1	7,0	2	-9,1	17	7 4,4	5 4,0	0 0,0	2 2,5	6 4,5	21 4,5	7 3,6	12 4,4	22 5,3	2 7,0	1 7,0	3 5,3	5
ÅR	1001,7	1007,2	4,8	5,5	5,1	5,0	-0,9	6,8	3,6	22,5		-10,4														
OLDFJORD																										1979
1			-2,7	-1,9	-2,1	-2,2	-1,2	0,1	-4,8	4,1	8	-12,7	26	0 0,0	0 0,0	0 0,0	10 4,0	0 0,0	14 3,6	0 0,0	0 0,0	1 2,0	0 0,0	0 0,0	2 1,0	63
2			-1,9	-0,9	-2,0	-1,8	-0,4	0,7	-4,6	6,6	25	-14,5	13	0 0,0	0 0,0	0 0,0	3 5,1	3 3,3	2 1,5	0 0,0	0 0,0	13 1,0	0 0,0	1 2,0	6 1,8	51
3			-0,3	1,9	0,0	0,4	0,6	3,1	-2,3	9,4	27	-14,4	17	0 0,0	0 0,0	0 0,0	0 3,9	12 3,6	10 3,3	0 0,0	3 3,0	3 2,0	0 0,0	0 0,0	0 0,0	47
4			2,8	5,0	3,0	3,0	0,3	6,1	0,3	11,8	25	-7,0	16	4 2,5	0 0,0	0 0,0	2 2,5	13 2,5	3 2,1	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	63
5			6,5	7,7	7,0	6,4	-0,2	10,0	3,5	17,0	25	-1,4	15	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	27 2,4	0 0,0	0 0,0	7 3,1	0 0,0	0 0,0	2 1,5	57
6			10,5	12,9	11,0	10,9	0,7	15,3	8,0	25,5	25	2,6	4	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	9 2,2	2 1,0	0 0,0	7 2,3	3 1,0	0 0,0	1 2,0	68
7			13,1	15,3	14,1	13,3	-0,2	17,4	11,1	26,0	9	6,2	2	0 0,0	0 0,0	0 0,0	1 2,0	0 0,0	7 3,0	0 0,0	0 0,0	0 0,0	1 3,0	1 2,0	3 2,3	80
8			12,6	15,1	13,5	13,1	0,3	16,6	10,6	24,2	19	5,1	31	3 2,0	0 0,0	0 0,0	5 1,6	0 0,0	24 3,2	0 0,0	0 0,0	1 2,0	4 1,5	0 0,0	7 1,3	49
9			7,5	9,4	7,3	7,7	-1,0	10,6	5,3	20,0	7	0,7	17	4 2,0	2 2,0	1 2,0	1 2,5	3 2,3	1 5,0	4 2,5	9 2,0	4 2,5	2 1,0	6 2,7	4 3,3	46
10			3,6	5,8	4,2	4,3	-1,3	7,0	1,9	13,5	28	-1,0	6	1 2,0	0 0,0	0 0,0	1 3,5	0 0,0	17 3,2	0 0,0	0 0,0	2 5,0	1 2,0	3 3,3	3 1,7	62
11			2,2	2,8	2,2	2,3	-0,3	4,5	0,3	8,6	5	-3,9	28	0 0,0	0 0,0	0 0,0	2 1,5	0 0,0	26 2,1	0 0,0	0 0,0	4 4,5	1 4,0	0 0,0	1 3,0	56
12			0,0	-0,2	0,2	0,0	-0,3	2,4	-2,4	8,5	21	-12,4	18	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	15 2,5	1 5,0	0 0,0	10 2,4	1 6,0	0 0,0	4 2,8	62
ÅR			4,3	6,1	5,0	4,8	-0,4	7,8	2,2	26,0		-14,5		12 2,2	2 2,0	1 2,0	43 3,7	31 3,0	169 2,8	7 2,4	12 2,3	52 3,1	13 2,0	11 2,7	33 2,0	704
LEIRÅMO																										1979
1			-8,0	-7,7	-8,0	-8,0		-3,8	-12,6	4,2	20	-22,0	26	0 0,0	9 1,2	10 1,4	0 0,0	0 0,0	9 4,2	44 2,5	2 3,0	4 4,3	5 2,6	3 1,0	0 0,0	7
2			-6,1	-4,7	-6,2	-5,9		-2,2	-10,0	6,5	25	-24,2	13	0 0,0	8 2,1	2 2,0	0 0,0	0 0,0	3 5,3	41 2,9	9 3,3	3 5,0	12 4,1	5 2,8	0 0,0	1
3			-4,5	-0,6	-3,1	-3,0		0,5	-6,5	6,6	29	-23,3	17	0 0,0	2 2,0	1 1,0	0 0,0	0 0,0	10 4,5	62 3,2	6 3,5	5 4,4	2 4,0	2 5,0	0 0,0	3
4			-0,4	3,1	0,0	0,8		4,0	-2,9	8,7	25	-12,0	16	0 0,0	7 3,0	9 2,3	0 0,0	0 0,0	6 4,0	38 2,6	15 3,5	7 3,3	3 2,3	3 2,3	1 3,0	1
5			4,9	7,2	5,0	5,0		8,5	1,7	14,1	28	-4,4	1	0 0,0	5 2,6	5 2,0	2 1,0	0 0,0	2 4,0	32 3,3	26 4,2	13 3,6	5 4,0	1 5,0	0 0,0	2
6			10,8	14,0	12,0	11,0		15,6	6,5	24,8	22	0,3	1	0 0,0	4 2,0	4 1,5	1 2,0	0 1,0	0 0,0	34 3,1	25 3,4	11 3,9	2 5,0	7 3,6	0 0,0	2
7			12,7	17,4	14,1	14,0		18,7	9,2	26,0	9	4,8	7	0 0,0	2 1,0	25 2,2	5 2,6	0 0,0	6 3,5	28 2,2	7 4,3	5 3,6	0 0,0	1 5,0	0 0,0	14
8			13,1	15,1	12,2	11,9		16,2	7,8	23,0	19	1,2	27	0 0,0	10 2,0	13 2,0	0 0,0	0 0,0	3 3,0	45 2,8	6 2,7	3 4,0	4 2,8	0 0,0	1 1,0	8
9			4,9	8,3	5,0	6,1		9,5	3,0	18,5	7	-3,4	17	0 0,0	4 1,3	6 2,0	2 1,5	0 0,0	0 0,0	26 2,5	22 3,2	9 2,3	6 3,0	6 2,0	0 0,0	9
10			3,3	3,0	3,3	1,2		4,2	-1,8	8,5	8	-6,7	6	0 0,0	8 1,3	4 1,0	0 0,0	0 0,0	6 5,7	45 2,4	9 3,7	5 1,8	2 2,0	6 2,0	0 0,0	8
11			-1,2	-0,9	-1,0	-1,4		1,2	-4,5	6,2	22	-12,0	16	0 0,0	9 1,2	8 1,4	0 0,0	1 1,0	3 4,0	45 2,7	8 3,5	4 1,5	1 3,0	2 2,0	0 0,0	9
12			-3,0	-3,2	-4,2	-3,5		-0,4	-7,9	5,3	21	-20,8	18	0 0,0	9 1,8	9 1,6	1 3,0	0 0,0	11 4,0	34 2,8	9 4,6	9 1,6	4 4,5	3 3,0	2 1,5	2
ÅR			1,7	4,3	2,3	2,4		6,0	-1,5	26,0		-24,2		0 0,0	77 1,9	96 1,9	11 2,1	1 1,0	59 4,3	474 2,8	144 3,6	78 3,7	46 3,5	39 2,7	4 1,8	66

*) Månedsmidler for september delvis interpolert.
**) Månedsmidler for juli delvis interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	DM.	MIDLERE SKYDEKKE 07	13	19	DM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TX <0	TX <0	TN <=10	TX>=25.	NEDBØR R>=0.1	R>=1.0	R>=10.0.	VINDSTYRKE FX> =8B	FX> =9B	FX>=10B.	ANTALL DAGER MED: R	S	SL	YR	SH	FOREKOMST AV H	IH	TO	KV	OV	BD	TÅKE 07	13	19.
SKÅLVÆR																																				1979
1	71	69	71	71	5,6	5,7	5,7	5,7	58	79	10,0	1	25	17	2	0	13	12	1	7	2	0	10	16	6	0	0	0	0	0	2	18	31	0	0	0
2	75	74	74	74	6,7	6,4	6,7	6,3	105	148	24,0	26	22	9	0	0	13	16	4	11	0	0	8	16	6	0	0	0	0	0	3	17	28	0	0	0
3	69	66	68	68	6,1	6,6	6,2	6,3	39	87	10,5	7	13	3	0	0	15	13	2	12	1	0	11	10	5	2	0	0	0	0	0	17	27	0	0	0
4	73	64	69	70	6,8	6,4	6,3	6,6	44	71	15,5	29	3	0	0	0	14	7	2	4	1	0	12	6	4	0	0	0	0	0	0	18	1	0	0	0
5	84	79	84	84	7,3	7,3	7,4	7,3	131	262	17,5	14	1	0	0	0	25	20	4	3	0	0	23	4	4	0	0	0	0	0	0	28	0	1	0	0
6	90	86	88	89	7,8	6,7	7,2	7,2	80	119	12,0	30	0	0	0	0	21	18	1	1	0	0	21	0	0	9	0	0	0	0	0	23	0	2	1	3
7	93	87	91	92	7,3	6,7	7,2	7,1	88	147	23,0	1	0	0	0	0	17	13	3	1	0	0	17	0	0	3	0	0	0	0	1	24	0	3	1	3
8	88	82	86	86	6,8	6,1	7,0	6,6	103	134	29,0	23	0	0	0	0	15	12	3	3	2	0	15	0	0	1	0	0	0	0	0	21	0	0	0	0
9	90	87	88	89	7,7	7,4	7,1	7,5	197	186	17,5	19	0	0	0	0	28	27	8	10	1	0	28	0	0	2	0	0	0	0	0	28	0	0	0	0
10	86	81	86	85	5,3	5,6	5,3	5,4	83	69	20,5	20	0	0	0	0	18	14	3	7	0	0	18	0	0	0	0	0	0	0	6	18	0	0	0	0
11	84	83	83	83	6,1	6,8	6,6	6,6	109	127	22,0	6	5	0	0	0	17	14	3	12	1	0	10	7	6	0	0	0	0	0	2	20	3	0	0	0
12	86	87	87	86	6,4	6,5	6,2	6,4	112	135	32,0	22	16	6	0	0	23	17	2	13	3	2	15	12	3	0	0	0	0	0	3	21	15	0	0	0
ÅR	82	79	81	81	6,7	6,5	6,3	6,6	1169	126	32,0		90	37	2	0	229	183	36	93	14	2	196	71	34	13	0	0	0	0	17	253	105	6	2	6
NERDAL I RANA																																				1979
1	87	86	84	86	4,3	5,6	4,7	5,0	75	56	27,8	8	31	28	17	0	13	9	2	3	0	0	1	13	1	0	0	0	0	0	4	14	31	0	0	0
2	88	87	86	87	6,4	5,5	3,2	5,6	164	148	35,5	26	25	20	10	0	10	15	5	7	0	0	4	15	2	1	0	0	0	0	3	14	28	0	0	0
3	81	73	74	76	3,3	5,4	3,6	5,4	76	69	16,6	5	21	8	6	0	13	11	3	7	1	0	6	11	1	4	0	1	0	0	2	12	31	0	0	0
4	87	75	75	80	5,9	5,3	5,2	5,5	27	30	9,8	19	14	1	0	0	10	7	0	3	1	0	8	5	3	5	0	0	0	0	0	13	30	0	0	0
5	87	77	78	82	6,3	6,2	5,9	6,1	161	268	39,2	14	3	0	0	0	25	18	4	7	0	0	24	7	3	16	0	0	0	0	0	17	4	0	0	0
6	91	81	77	84	5,9	5,4	5,4	5,6	99	127	14,8	18	0	0	0	0	22	16	4	2	0	0	22	0	0	11	0	0	0	2	1	14	0	0	0	0
7	90	80	79	85	6,3	5,4	5,3	5,7	45	58	14,0	2	0	0	0	0	15	12	1	1	0	0	16	0	0	8	0	0	0	2	1	15	0	1	0	0
8	90	78	78	83	5,6	5,4	6,0	5,7	99	103	27,4	23	0	0	0	0	17	11	3	1	1	0	17	0	0	10	0	0	0	1	0	12	0	0	0	0
9	93	85	88	90	6,0	7,0	6,5	6,7	270	216	38,4	1	0	0	0	0	27	24	11	2	0	0	27	0	0	13	0	0	0	0	0	21	0	0	0	0
10	86	82	83	84	4,3	4,8	4,3	4,7	86	53	19,6	9	12	0	0	0	15	14	3	6	0	0	16	2	2	10	0	0	0	0	9	14	0	0	0	0
11	85	86	86	86	5,7	6,1	6,0	5,9	94	85	18,3	24	22	0	0	0	16	13	5	0	0	0	9	13	5	4	0	0	0	0	3	17	21	0	0	0
12	87	86	87	87	5,6	5,8	5,6	5,7	115	85	22,8	6	26	16	0	0	13	10	5	8	2	0	9	13	2	4	0	0	0	0	2	13	31	0	0	0
ÅR	88	81	81	84	5,7	5,7	5,5	5,6	1311	101	39,2		194	76	33	5	209	150	46	50	5	0	152	79	19	86	0	1	0	5	25	176	176	1	0	0
NORD-SOLVÆR *)																																				1979
1	71	71	70	71	5,4	5,6	5,5	5,5	42	36	9,4	2	25	17	2	0	11	9	0	13	1	0	8	11	6	0	0	0	0	0	1	14		0	0	0
2	74	73	72	73	6,1	6,1	3,8	6,0	91	87	33,0	26	21	10	0	0	16	13	2	13	3	1	7	15	6	0	0	0	0	0	3	16		0	0	0
3	66	65	65	65	5,6	5,7	6,0	5,8	45	43	10,3	5	14	7	0	0	13	9	1	12	4	0	10	11	8	0	0	0	1	0	0	14		0	0	0
4	72	66	69	70	6,1	5,4	5,3	5,6	38	46	10,8	29	7	0	0	0	11	7	1	4	0	0	10	5	3	4	0	0	0	0	0	14		0	0	0
5	76	71	74	75	6,1	6,6	6,4	6,4	106	177	13,4	15	1	0	0	0	13	10	5	3	0	0	18	5	5	2	0	0	0	0	0	18		0	0	0
6	81	76	76	79	7,0	6,3	6,1	6,5	73	101	10,1	27	0	0	0	0	20	18	1	1	0	0	20	0	0	9	0	0	0	0	0	17		2	0	2
7	81	79	79	80	6,6	6,6	6,3	6,6	30	69	11,6	2	0	0	0	0	13	9	2	0	0	0	13	0	0	8	0	0	0	0	2	22		1	1	1
8	75	70	75	74	5,0	5,6	6,2	5,9	67	69	16,1	23	0	0	0	0	12	11	2	3	0	0	12	0	0	1	0	0	0	0	1	15		0	0	0
9	74	72	73	73	7,0	6,7	6,7	6,8	194	164	22,0	20	0	0	0	0	27	25	9	4	0	0	27	0	0	0	0	0	0	0	0	22		0	0	0
10	71	69	70	69	4,8	5,0	5,1	5,0	73	49	17,0	21	0	0	0	0	16	14	2	3	0	0	16	1	1	0	0	0	0	0	7	14		0	0	0
11	68	69	69	68	6,0	6,4	6,4	6,2	84	76	13,2	24	1	0	0	0	16	12	3	11	0	0	16	6	6	0	0	0	0	0	2	18		0	0	0
12	70	70	69	70	6,1	6,1	6,2	6,1	81	75	21,9	22	17	4	0	0	21	12	2	12	2	2	17	7	3	0	0	0	0	0	1	21		0	0	0
ÅR	73	71	72	72	6,1	6,0	6,0	6,0	944	79	30,0		86	38	2	0	194	157	30	89	10	3	172	81	38	21	0	1	0	0	17	205		3	1	3
MYKEN **)																																				1979
1	72	75	75	74	4,1	5,6	4,3	5,2	42	55	8,7	8	25	8	1	0	20	11	0	12	2	0	8	21	6	1	0	4	0	0	2	10	23	0	0	0
2	76	72	77	76	5,1	6,2	3,3	5,9	57	80	16,7	26	18	9	0	0	21	13	1	13	4	0	9	17	5	4	0	5	0	0	3	16	17	0	0	0
3	73	73	72	73	4,2	5,0	5,1	4,9	46	61	9,7	7	12	5	0	0	10	10	0	11	5	1	12	12	7	0	0	2	0	0	2	7	4	0	0	0
4	78	74	78	77	3,7	5,1	4,6	5,2	16	26	6,8	19	8	0	0	0	15	4	0	7	1	0	11	7	3	2	0	0	0	0	4	13	0	0	0	0
5	83	82	83	83	5,7	5,6	5,6	5,7	128	260	15,6	14	0	0	0	0	23	21	4	11	1	1	29	9	7	1	0	0	0	0	1	10	0	0	0	0
6	87	82	83	85	6,4	5,9	5,3	6,0	83	134	14,3	28	0	0	0	0	21	17	2	0	0	0	21	0	0	7	0	0	0	0	2	15	0	1	0	4
7	86	83	84	85	6,6	6,1	6,0	6,2	48	89	10,2	2	0	0	0	0	14	7	1	3	0	0	14	0	0	0	0	0	0	0	2	20	0	2	2	1
8	80	79	78	77	5,8	4,4	5,3	5,2	87	116	21,7	18	0	0	0	0	15	11	3	3	0	0	15	0	0	5	0	0	0	0	0	11	0	1	1	0
9	79	78	79	78	6,4	6,0	6,0	6,1	116	115	18,1	26	0	0	0	0	26	23	2	16	1	0	26	0	0	1	0	0	0	0	0	14	0	0	0	0
10	78	76	77	77	4,8	4,8	4,0	4,4	56	44	13,9	21	0	0	0	0	15	10	1	11	0	0	15	2	2	1	0	0	0	0	7	8	0	0	0	0
11	76	78	76	76	5,1	6,3	5,1	5,7	115	119	25,2	24	2	0	0	0	19	15	3	14	5	0	17	9	6	0	0	0	0	0	3	11	1	0	0	0
12	78	80	78	79	5,6	5,8	4,7	5,4	114	134	32,2	22	12	4	0	0	22	14	4	19	6	1	19	8	5	4	0	1	0	0	2	12	7	0	0	0
ÅR	79	77	78	78	5,7	5,8	5,3	5,5	905	97	32,2		77	30	1	0	230	156	21	133	25	3	196	85	41	30	0	12	0	0	28	147	52	4	3	5
GLOMFJORD																																				1979
1	68	68	68	68	4,2	5,3	4,3	4,8	100	54	17,5	2	30	11	2	0	15	11	5	6	1	1	5	14	4	3	0	2	0	0	8	13		0	0	0
2	71	70	72	71	3,3	5,9	3,7	5,9	219	130	39,2	26	22	10	4	0	18	16	8	8	2	0	5	17	4	0	0	0	0	0	3	17		0	1	1
3	65	58	63	63	4,1	4,4	4,3	4,3	62	38	23,9	5	16	6	3	0	10	6	2	8	2	0	5	8	1	5	0	1	0	2	6	8		0	0	0
4	70	61	69	70	5,1	4,6	4,9	4,9	49	39	11,0	19	11	1	0	0	11	8	1	2	0	0	10	6	5	11	0	0	0	0	6	12		1	0	0
5	69	68	69	69	6,2	6,3	6,4	6,3	217	238	37,2	15	2	0	0	0	24	19	7	3	0	0	24	8	6	6	0	1	0	0	1	18		0	0	0
6	85	74	79	84	6,2	6,0	3,3	6,0	128	108	19,4	18	0	0	0	2	23	17	3	1	0	0	22	0	0	12	0	0	0	0	2	16		0	0	0
7	85	77	81	84	5,8	5,8	5,5	5,6	47	47	12,8	2	0	0	0	1	18	11	1	0	0	0	18	0	0	18	0	0	0	0	2	15		0	0	0
8	79	71	78	79	5,4	5,7	6,3	5,9	77	55	23,7	31	0	0	0	0	19	15	2	4	1	0	19	0	0	7	0	0	0	0	1	15		0	0	0
9	86	78	87	85	6,3	6,7	6,1	6,4	355	160	48,2	1	0	0	0	0	23	24	13	4	0	0	25	0	0	26	0	0	0	0	1	20		0	0	0
10	74	65	74	72	4,1	4,8	4,8	4,5	142	56	37,4	4	4	0	0	0	16	14	2	3	1	0	16	4	4	7	0	1	0	0	0	13	10	0	0	0
11	69	69	71	70	3,5	6,4	3,3	5,9	105	60	30,0	24	13	0	0	0	10	9	3	0	1	0	10	5	5	2	0	5	0	0	4	17		0	0	0
12	71	74	71	72	5,4	5,9	5,2	5,8	142	76	36,0	6	21	7	2	0	17	12	5	3	0	0	9	10	2	2	0	5	0	2	4	19		0	0	0
ÅR	74	69	74	74	5,4	5,6	5,3	5,5	1643	85	59,2		119	35	11	3	207	162	39	51	8	1	168	72	31	99	0	23	0	4	48	183		1	1	3
LEIRFJO																																				1979
1	72	72	70	71	4,3	5,1	4,0	4,6	41	34	13,5	8	31	20	19	0	14	9	2	6	0	0	1	14	1	0	0	0	0	0	4	5	31	0	0	0
2	69	66	70	69	5,5	5,0	3,4	5,3	170	170	49,7	26	25	10	11	0	15	13	6	10	1	0	5	13	3	0	4	0	0	0	3	12	28	0	0	0
3	71	57	64	66	5,1	4,9	5,3	5,1	61	64	20,5	5	25	9	10	0	13	7	2	12	0	0	6	12	6	0	0	0	0	0	1	8	31	0	0	0
4	70	56	64	66	5,7	5,0	5,3	5,3	13	20	8,6	18	18	2	5	0	10	3	0	3	0	0	3	7	2	0	1	0	0	0	2	9	30	0	0	0
5	64	57	65	64	5,9	5,7	3,6	5,7	30	178	15,4	14	8	0	0	0	21	14	3	3	0	0	20	11	10	0	2	0	0	0	1	12	6	0	0	0
6	67	55	61	64	5,6	5,3	5,3	5,5	39	71	12,8	30	0	0	0	0	16	9	2	4	0	0	16	0	0	0	0	0	1	0	0	9	0	0	0	0
7	72	52	66	69	5,3	5,3	5,2	5,3	35	70	13,4	23	0	0	0	1	18	6	1	1	0	0	13	0	0	5	0	0	0	0	0	10	0	0	0	0
8	71	51	65	68	5,3	5,7	5,3	5,5	33	71	15,1	23	0	0	0	0	15	10	2	3	0	0	15	0	0	2	0	0	0	0	0	9	0	0	0	0
9					6,3	6,3	6,0	6,2	244	203	57,7	1	3	0	0	0	24	21	8	3	0	0	21	2	2	0	2	0	0	0	0	16	0	0	0	0
10					4,3	4,8	4,6	4,6	83	57	25,8	4	22	0	0	0	14	12	2	1	0	0	13	5	4	0	2	0	0	0	0	6	12	4	0	0	1
11					5,5	5,6	5,2	5,4	52	50	11,3	24	27	9	5	1	14	7	3	3	0	0	7	12	5	0	1	0	0	0	0	2	11	11	0	0	0
12					5,4	5,8	5,4	5,5	61	49	14,2	3	27	15	13	0	16	10	3	3	0	0	7	14	6	0	4	0	0	0	0	1	14	31	0	0	1
ÅR					5,4	5,4	5,1	5,3	932	85	57,7		188	77	63	1	190	121	34	61	1	0	143	90	39	7	16	0	0	1	20	127	172	0	0	2

MD.	MIDLERE LUFTTRYKK PM	PO	MIDLERE LUFTTEMPERATUR J7	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
BODØ VI																										1979
1	1008,9	1010,5	- 3,9	- 3,6	- 3,5	- 3,7	- 1,0	- 1,7	- 6,2	3,9	18	-16,1	26	0 0,0	1 3,1	1 3,0	56 4,8	20 3,2	3 3,3	0 0,0	0 0,0	6 4,2	1 4,0	4 3,3	1 4,0	0
2	1005,4	1007,0	- 2,5	- 1,8	- 2,3	- 2,4	0,0	- 0,4	- 5,1	5,4	26	-12,6	13	2 2,0	1 2,0	1 2,1	20 1,6	21 1,2	1 3,0	0 0,0	2 3,5	16 5,1	4 4,3	3 4,0	4 4,8	0
3	997,4	999,0	- 0,8	0,0	- 0,3	- 0,3	0,7	1,9	- 2,5	7,2	3	-13,3	17	0 0,0	2 1,3	0 0,0	48 4,0	15 1,9	18 4,3	2 4,0	2 5,0	5 5,0	4 3,5	0 0,0	0 0,0	0
4	1011,8	1013,3	1,9	4,2	3,2	2,9	0,6	5,3	0,0	12,2	24	- 8,1	14	7 3,0	3 2,3	1 2,3	32 3,7	10 3,4	4 3,0	3 2,7	1 3,0	7 3,1	3 2,3	3 4,0	4 2,3	0
5	1006,9	1008,4	5,5	7,0	6,3	6,3	0,2	8,9	2,9	15,6	28	- 2,5	15	3 2,0	2 3,5	1 1,0	19 3,9	15 3,5	6 3,2	6 2,5	5 2,8	16 4,1	11 3,5	4 2,8	4 2,0	0
6	1011,7	1013,2	10,0	12,2	11,3	11,7	0,8	14,4	7,8	25,8	22	3,5	4	5 2,4	1 3,0	0 0,0	13 3,5	7 2,9	2 3,0	1 4,0	0 0,0	30 3,8	9 3,8	13 2,2	7 1,3	0
7	1008,1	1009,6	13,5	14,9	14,3	13,9	0,3	17,1	11,1	26,8	9	4,8	29	16 2,5	9 2,0	0 0,0	14 3,6	9 2,4	1 4,0	1 1,0	3 2,7	6 4,3	12 2,5	15 2,2	4 1,8	3
8	1007,4	1008,9	12,3	13,3	13,3	13,1	0,7	16,5	10,5	24,7	19	3,0	27	10 2,8	12 2,3	0 0,0	13 3,4	11 3,4	7 3,0	2 3,0	2 2,0	9 3,7	6 4,2	7 2,7	3 2,0	0
9	1001,4	1002,9	7,7	9,7	9,1	9,4	1,0	10,4	6,2	19,7	7	1,4	17	2 3,0	4 2,3	1 2,0	20 3,4	9 2,7	5 3,0	2 2,0	7 2,6	7 4,3	12 4,3	9 3,3	12 3,1	0
10	1013,9	1015,4	2,9	3,5	4,0	3,0	1,1	6,3	1,7	11,0	27	- 2,1	6	1 3,0	1 2,0	1 2,0	31 3,7	27 3,0	7 4,0	2 4,5	2 1,5	5 4,4	6 5,0	4 3,3	5 3,8	1
11	999,0	1000,5	1,8	2,1	1,5	1,8	0,1	3,6	0,1	7,8	5	- 3,4	16	2 3,0	1 3,0	2 2,0	41 3,9	20 3,4	9 3,6	2 4,0	2 3,5	4 5,3	3 4,7	1 5,0	1 4,0	2
12	997,8	999,4	- 0,5	- 0,3	- 0,3	- 0,4	0,3	1,7	- 2,8	7,2	22	-12,3	18	4 3,0	3 2,7	3 3,1	36 3,8	22 3,6	3 4,7	1 1,0	1 4,0	16 5,1	2 5,5	1 5,0	2 5,0	0
ÅR	1003,7	1017,3	4,0	5,5	4,7	4,3	- 0,1	7,0	2,0	26,8		-16,1		60 2,6	40 2,5	14 2,2	351 1,0	195 3,9	66 3,7	22 2,0	27 2,9	127 4,3	73 3,8	64 2,8	47 2,8	6
KLETKOVFJELL																										1979
1	915,0		- 3,8	- 3,2	- 3,2	- 3,4	- 1,8	- 7,4	-11,3	- 1,3	19	-22,5	26	0 0,0	2 2,5	2 1,5	2 2,5	3 2,4	46 4,6	12 3,4	7 1,4	2 3,5	13 3,2	1 1,0	0 0,0	1
2	912,8		- 8,4	- 8,0	- 8,3	- 8,4	- 3,3	- 6,4	-10,5	0,5	26	-19,4	6	0 0,0	3 1,3	1 2,0	0 0,0	7 1,4	23 4,6	14 2,5	10 3,9	10 4,3	10 4,4	6 2,3	2 2,5	1
3	906,4		- 7,1	- 6,3	- 7,1	- 7,0	- 3,2	- 5,2	- 8,8	0,8	27	-19,6	16	0 0,0	0 0,0	0 0,0	9 1,9	19 3,2	32 5,1	16 5,3	4 5,0	3 6,0	1 1,0	0 0,0	0 0,0	2
4	920,2		- 4,1	- 2,8	- 3,7	- 3,7	- 0,2	- 2,2	- 5,4	2,4	20	-12,8	14	1 2,0	3 2,3	2 2,1	1 1,3	9 2,1	34 3,6	12 4,1	6 2,7	2 3,0	6 1,8	8 3,4	1 1,0	2
5	916,9		- 0,8	0,8	0,2	- 0,1	0,4	2,1	- 2,0	7,5	28	- 8,0	13	2 1,0	3 1,3	1 3,0	2 2,0	4 1,8	22 3,1	24 4,3	18 3,9	8 2,6	4 4,0	4 2,8	0 0,0	1
6	922,0		3,3	7,3	7,0	5,3	1,4	9,5	3,9	20,0	22	- 1,0	10	5 1,4	2 1,0	0 0,0	1 1,0	4 3,8	14 3,4	8 3,3	23 2,2	14 3,3	16 2,5	1 3,0	2 2,5	0
7	920,5		4,8	11,6	10,4	10,3	1,0	12,7	7,8	20,5	10	1,1	2	8 1,8	8 1,3	3 3,0	8 2,3	11 3,3	21 3,0	6 3,3	3 3,3	4 3,3	5 1,6	6 2,5	8 2,0	2
8	917,6		7,8	9,5	9,1	8,2	0,3	10,6	6,1	18,3	19	0,5	31	6 1,8	3 2,3	0 1,7	1 1,5	4 2,8	18 4,6	24 4,1	3 3,0	6 3,2	8 2,8	7 2,4	4 3,0	0
9	912,7		2,0	3,0	2,3	2,3	- 1,8	3,9	0,7	13,5	7	- 4,2	17	2 1,0	1 1,0	1 1,0	2 2,0	3 2,7	21 4,0	16 3,9	7 3,4	13 3,9	11 3,1	8 2,8	4 2,5	1
10	923,0		- 1,7	- 3,8	- 1,2	- 1,3	- 0,8	0,5	- 3,0	10,8	27	- 9,5	30	0 0,0	2 1,5	0 0,0	6 2,8	5 1,0	32 4,9	14 2,3	9 2,8	3 6,0	10 3,1	7 3,1	3 1,0	2
11	908,4		- 4,8	- 4,0	- 4,3	- 4,8	- 2,8	- 3,5	- 6,2	1,0	22	-10,2	16	1 1,0	0 0,0	0 0,0	0 0,0	6 3,5	49 4,3	14 3,1	5 1,8	4 1,5	5 3,2	6 2,7	0 0,0	0
12	906,6		- 6,7	- 6,5	- 6,3	- 6,5	- 3,8	- 4,7	- 8,5	0,8	22	-19,3	17	0 0,0	3 2,3	0 0,0	5 3,4	3 5,0	23 3,5	22 4,2	13 3,8	4 3,8	5 2,0	8 2,2	6 1,2	1
ÅR	915,4		- 1,5	- 0,5	- 1,0	- 1,2	- 0,3	0,8	- 3,1	20,5		-22,5		25 1,6	30 1,7	10 2,0	43 2,2	82 3,4	339 4,2	182 3,8	108 3,1	73 3,8	94 2,9	60 2,7	30 2,0	13
FAUSKE - VETE																										1979
1	991,0	1012,3	- 0,7	- 0,2	- 0,1	- 0,3		- 4,3	- 8,5	2,0	20	-18,5	26	1 1,0	1 1,0	2 3,0	23 2,0	36 2,7	12 2,7	6 3,2	3 2,3	1 1,0	2 4,5	0 0,0	1 3,0	5
2	987,2	1008,2	- 4,8	- 4,1	- 4,8	- 4,7		- 2,5	- 7,0	4,5	25	-16,2	13	1 1,0	0 0,0	3 1,0	19 2,8	31 2,5	7 3,3	2 3,0	1 1,0	3 6,0	9 3,0	3 3,3	1 6,0	4
3	979,9	1000,6	- 2,6	- 0,6	- 1,3	- 1,9		0,2	- 3,9	6,0	7	-15,3	17	1 1,0	1 1,0	1 3,0	21 2,9	31 3,1	29 3,1	2 3,5	3 3,3	1 2,0	0 0,0	1 2,0	1 3,0	1
4	993,4	1014,1	0,7	3,0	1,7	1,5		4,0	- 0,8	9,6	24	- 7,0	14	3 1,0	4 1,3	5 1,3	21 1,6	22 1,7	14 2,0	2 2,0	0 0,0	0 0,0	7 2,0	6 3,0	5 2,6	1
5	988,9	1009,2	4,9	6,6	5,3	5,3		8,4	2,5	15,0	28	- 1,8	15	1 1,0	1 1,0	3 1,3	11 1,5	17 2,5	12 2,2	14 2,1	3 1,0	2 3,0	14 2,8	3 2,3	2 1,0	10
6	992,8	1012,8	9,3	12,3	11,1	10,8		14,3	7,2	27,0	22	3,0	1	0 0,0	1 1,0	4 1,3	10 1,5	4 1,5	7 1,7	2 2,0	5 1,6	8 2,5	21 2,4	18 2,2	2 3,0	8
7	991,2	1010,8	10,2	13,0	11,6	11,9		17,7	10,7	26,0	9	6,5	2	1 1,0	4 2,1	3 1,7	17 1,3	3 1,3	7 3,1	3 1,0	3 3,3	5 4,0	26 2,5	10 1,7	3 2,3	3
8	989,7	1010,5	11,4	14,6	12,7	12,5		15,9	9,6	25,0	19	5,5	31	1 1,0	3 1,3	2 1,5	14 1,8	16 2,9	12 2,5	1 1,0	5 1,8	4 2,3	19 2,2	5 1,8	2 1,5	10
9	983,5	1013,6	3,9	8,1	7,1	5,8		9,3	4,6	18,5	7	0,0	17	0 0,0	3 1,0	4 1,0	12 1,7	13 1,9	10 2,2	4 1,5	4 1,8	1 1,0	13 3,5	12 3,3	0 0,0	14
10	995,1	1016,8	1,2	3,0	2,5	2,1		4,2	0,2	8,0	27	- 3,8	6	1 1,0	3 1,3	3 1,3	9 2,8	29 2,1	22 3,9	5 1,2	3 2,7	2 3,5	6 3,0	5 3,2	1 2,0	7
11	981,5	1002,0	- 0,4	0,2	- 0,2	- 0,2		1,5	- 1,7	7,0	22	- 6,0	27	1 4,0	0 0,0	1 2,0	11 2,3	23 2,2	26 2,9	9 3,1	1 4,0	3 2,3	4 2,8	1 6,0	0 0,0	5
12	979,9	1000,6	- 2,1	- 2,3	- 2,5	- 2,4		- 0,3	- 4,5	6,2	22	-13,2	18	3 1,7	0 0,0	7 1,4	13 2,5	21 2,2	20 2,6	7 2,1	5 2,6	0 0,0	1 4,0	3 3,0	3 2,3	5
ÅR	987,8	1008,3	2,5	4,2	3,3	3,1		5,7	0,7	27,0		-18,5		14 1,4	18 1,3	38 1,4	180 2,1	250 2,4	180 2,8	57 2,2	36 2,2	30 3,1	122 2,7	67 2,6	21 2,5	73
ØVRE SALTDAL																										1979
1			-11,1	-11,7	-10,8	-11,0	- 3,5	- 6,8	-15,5	- 0,5	8	-27,8	5	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	22 2,1	3 1,7	3 1,0	0 0,0	0 0,0	65
2			- 3,2	- 3,5	- 3,1	- 3,5	- 0,6	- 3,1	-13,1	6,0	26	-26,0	5	0 0,0	1 3,0	2 1,5	0 0,0	0 0,0	4 4,3	0 0,0	15 2,1	1 4,0	1 1,0	0 0,0	0 0,0	60
3			- 0,3	0,8	- 1,1	- 2,4	1,2	1,6	- 7,0	7,3	29	-28,5	19	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	2 3,5	2 5,0	41 2,9	0 0,0	0 0,0	0 0,0	0 0,0	48
4			- 1,3	1,6	0,1	1,5	0,1	5,6	- 3,4	10,6	20	-13,9	4	0 0,0	4 2,3	1 2,0	0 0,0	0 0,0	3 1,3	1 1,0	11 1,7	4 2,0	1 2,0	1 1,0	1 2,0	63
5			8,9	8,9	8,0	8,9	3,1	10,5	2,5	16,0	28	- 3,4	1	1 1,0	2 2,0	3 1,7	1 1,0	1 3,0	1 3,0	4 2,0	26 1,8	16 2,5	3 1,7	0 0,0	2 1,5	33
6			13,3	14,7	13,2	11,9	3,9	16,9	7,3	28,6	22	1,0	1	1 1,0	21 1,8	7 2,3	1 2,0	0 3,0	1 1,0	1 1,0	8 2,0	4 2,0	0 0,0	4 1,3	0 0,0	42
7			13,0	17,9	16,1	14,3	3,5	19,5	10,2	27,5	9	2,4	29	0 0,0	15 2,2	3 1,7	5 2,0	1 1,0	4 1,5	1 2,0	5 1,6	6 1,3	4 1,5	1 1,0	1 2,0	47
8			10,5	15,3	14,3	13,0	3,6	17,6	8,4	26,5	20	0,6	7	1 3,0	13 1,8	0 0,0	0 0,0	0 0,0	2 2,0	3 1,7	13 2,7	0 0,0	3 1,7	2 2,0	0 0,0	86
9			4,5	9,4	7,3	5,7	- 1,1	10,8	2,9	21,4	7	- 4,9	17	0 0,0	2 2,5	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	1 1,0	7 1,4	2 1,5	5 2,2	0 0,0	0 0,0	73
10			- 1,1	3,0	1,1	0,8	- 1,2	4,1	- 2,2	8,8	8	- 8,4	27	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	11 2,9	9 2,7	7 2,4	0 0,0	0 0,0	0 0,0	66
11			- 2,7	- 1,8	- 2,3	- 2,3	- 1,1	1,0	- 6,0	7,0	22	-16,0	16	0 0,0	0 0,0	0 0,0	1 2,0	1 1,0	2 3,0	5 3,4	13 1,9	8 2,4	2 1,5	0 0,0	0 0,0	58
12			- 4,3	- 5,2	- 5,2	- 4,9	- 3,6	- 1,0	- 9,8	7,3	22	-22,0	17	0 0,0	2 1,0	0 0,0	0 0,0	0 0,0	5 2,2	13 2,3	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	68
ÅR			0,3	4,4	2,9	2,3	- 0,2	6,4	- 2,1	28,6		-28,5		3 1,7	60 2,0	10 2,0	3 1,9	3 1,7	19 2,6	34 2,6	188 2,2	51 2,2	22 1,6	8 1,4	4 1,8	679
BOLNA																										1979
1			-13,7	-12,8	-13,8	-13,4		-10,0	-17,2	- 1,6	8	-29,4	27	43 3,8	6 3,1	0 0,0	16 3,0	0 0,0	5 3,0	5 2,0	8 3,0	0 0,0	0 0,0	0 0,0	1 3,0	9
2			-10,3	- 8,7	-10,9	-11,3		- 6,9	-14,5	2,4	26	-27,0	13	28 3,3	17 3,1	0 0,0	5 4,0	0 0,0	2 2,0	10 3,4	17 3,5	0 0,0	3 2,3	0 0,0	2 3,5	0
3			- 7,7	- 4,4	- 6,2	- 6,4		- 3,3	- 9,5	2,8	29	-28,0	17	9 3,0	25 3,0	0 0,0	17 3,6	0 0,0	20 3,9	13 3,6	11 3,9	0 0,0	0 0,0	0 0,0	0 0,0	0
4			- 3,8	- 3,1	- 1,7	- 2,3		0,9	- 5,4	6,8	20	-17,5	17	15 3,3	13 3,4	0 0,0	27 3,2	0 0,0	19 3,3	9 3,0	3 3,0	0 0,0	3 3,0	0 0,0	1 3,0	0
5			1,3	3,7	2,7	2,1		4,9	- 0,8	9,8	28	- 8,9	1	6 3,0	7 3,3	0 0,0	11 3,1	0 0,0	13 3,3	16 3,2	33 3,8	0 0,0	0 0,0	2 3,0	0 0,0	
6			7,8	10,8	9,3	8,5		12,8	4,7	23,7	22	- 0,8	1	2 3,0	4 3,0	0 0,0	5 3,2	0 0,0	13 3,3	14 2,7	45 3,3	0 0,0	2 3,5	0 0,0	5 3,4	0
9			3,1	5,8	4,2	4,1		6,7	1,7	15,7	7	- 4,9	17	0 0,0	12 2,7	0 0,0	8 3,5	0 0,0	12 3,1	25 3,2	23 3,5	0 0,0	3 3,7	2 3,0	5 2,6	0
10			- 2,8	0,5	- 1,8	- 1,6		1,2	- 4,2	5,2	3	-11,1	28	13 2,8	31 3,0	0 0,0	13 3,5	0 0,0	7 3,3	9 2,7	17 3,2	0 0,0	1 3,0	0 0,0	0 0,0	0
11			- 4,6	- 4,2	- 4,5	- 4,5		- 2,2	- 7,6	2,6	22	-17,3	27	7 3,1	22 3,3	0 0,0	11 3,3	0 0,0	24 3,0	7 3,3	11 3,5	1 4,0	4 3,3	0 0,0	3 3,3	0
12			- 7,0	- 7,2	- 8,1	- 7,5		- 4,5	-11,8	1,5	22	-25,7	18	13 3,2	27 3,2	1 4,0	11 3,3	0 0,0	8 3,5	8 4,0	18 4,2	0 0,0	6 3,0	0 0,0	1 3,0	0
ÅR																										
VALLJORD																										1979
1			- 7,7	- 7,0	- 7,2	- 7,3	- 3,1	- 3,9	-11,2	3,0	20	-18,0	28	0 0,0	1 1,7	1 2,0	1 1,3	1 1,0	1 1,0	15 1,7	34 1,7	27 2,4	4 3,3	0 0,0	0 0,0	3
2			- 5,3	- 3,7	- 4,3	- 4,3	- 2,3	- 1,5	- 8,3	6,0	25	-21,6	13	1 4,0	1 1,0	2 1,0	0 0,0	2 2,0	1 1,0	16 1,9	28 1,8	24 2,6	2 2,0	1 1,0	2 2,5	4
3			- 2,8	0,6	- 1,3	- 1,4	0,3	1,6	- 4,5	8,5	27	-19,5	19	0 0,0	3 1,3	5 1,4	3 1,7	2 1,0	11 3,1	25 3,4	16 2,9	16 1,8	3 1,3	0 0,0	0 0,0	9
4			0,8	4,1	2,3	2,2	0,3	5,0	- 0,8	10,8	25	- 8,4	10	7 2,1	8 1,9	13 1,3	6 1,7	3 1,0	5 2,0	17 2,1	7 1,4	13 1,8	0 0,0	0 0,0	1 2,0	10
5			5,4	7,8	6,7	6,1	0,1	9,1	3,0	15,7	26	- 1,9	8	11 2,6	7 2,1	5 1,2	1 1,0	3 1,7	6 3,2	23 2,5	13 2,9	9 2,3	3 1,7	1 1,0	1 1,0	7
6			9,8	13,0	12,3	11,0	0,5	15,1	7,8	27,0	22	2,0	1	3 2,3	6 1,5	11 1,5	5 1,2	3 1,3	9 1,7	14 1,2	12 1,8	17 2,5	1 2,0	1 1,0	4 2,3	4
7			13,6	17,1	15,9	14,3	0,4	18,8	11,2	27,0	9	6,0	29	10 2,3	7 1,7	5 1,8	8 1,3	1 1,0	4 2,3	9 1,3	10 1,7	17 2,1	2 1,5	4 2,3	2 3,5	14
8			11,9	15,4	14,0	13,3	0,3	16,7	10,0	24,5	19	4,5	27	12 2,6	4 1,3	10 1,2	9 2,0	2 1,0	5 2,4	11 3,1	13 2,2	16 1,8	2 2,0	0 0,0	1 3,0	12
9			0,2	3,4	2,3	2,6	- 1,2	10,5	4,9	19,6	7	- 2,0	17	4 1,8	2 2,3	5 1,3	2 1,3	2 1,0	2 1,0	16 2,2	19 1,9	23 1,7	4 2,3	0 0,0	0 0,0	11
10			1,3	4,3	2,3	2,7	- 1,8	5,4	0,1	8,5	3	- 5,0	6	3 3,0	1 1,3	2 1,3	3 1,3	0 0,0	4 2,8	17 3,1	18 1,8	31 1,9	1 3,0	1 2,0	1 1,0	11
11			0,3	3,3	2,2	2,3	- 1,1	2,6	- 2,6	7,0	22	- 9,0	16	1 1,0	4 1,5	5 1,4	2 1,5	1 1,0	3 2,0	11 4,0	18 2,3	33 1,9	3 1,7	0 0,0	0 0,0	9
12			- 2,3	- 2,5	- 2,3	- 2,5	- 2,0	0,7	- 6,1	7,1	22	-16,0	19	3 0,0	3 1,7	3 1,3	2 1,1	0 0,0	13 2,1	15 2,0	34 1,9	9 2,3	0 0,0	2 2,5	12
ÅR			2,6	5,0	3,9	3,8	- 1,0	6,7	0,3	27,0		-21,6		52 2,4	49 1,7	67 1,4	41 1,4	20 1,3	51 2,1	187 2,1	203 2,0	260 2,0	34 2,2	8 1,8	14 2,4	106

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET kl. 07	13	19	GJ.M.	MIDLERE SKYDEKKE kl. 07	13	19	GJ.M.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR ANTALL DAGER MED: TN <0	TX <0	T4 <=10	TA> =25.	NEDBØR R>=0,1	R>=1,0	R>=10,0.	VINDSTYRKE FX> =8R	FX> =88	FX> =98.	FOREKOMST AV R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	TÅKE kl. 07	13	19.
BODØ VI																																				1979
1	75	72	78	74	5,0	6,5	6,1	5,8	52	58	12,6	10	10	23	2	0	17	9	1	20	2	0	2	16	1	1	0	4	0	0	3	18	31	0	0	0
2	77	76	78	77	6,3	5,7	5,1	6,1	104	144	39,8	26	24	16	4	0	17	11	3	12	4	0	0	15	4	3	0	9	0	1	2	17	28	0	0	0
3	69	65	67	67	5,5	5,1	5,0	5,5	34	43	8,0	7	18	8	4	0	8	5	0	13	4	1	0	6	3	2	0	4	0	1	1	16	26	0	0	0
4	75	66	67	70	6,0	5,7	5,1	5,8	30	56	6,9	29	12	1	0	0	12	5	0	5	0	0	0	8	4	2	0	2	0	0	2	15	7	0	0	0
5	75	68	71	73	6,3	6,7	6,1	6,4	118	241	19,2	16	4	0	0	0	24	15	3	13	0	0	24	11	10	7	0	2	0	0	0	19	2	0	0	0
6	81	73	76	79	6,7	6,8	6,6	6,6	83	120	11,7	11	0	0	0	2	21	16	2	5	0	0	21	0	0	11	0	0	0	0	1	18	0	0	0	2
7	78	72	73	76	6,2	6,0	5,9	6,0	34	49	14,2	2	0	0	0	1	16	8	1	1	0	0	15	0	0	8	0	0	0	1	1	17	0	0	0	0
8	76	66	70	72	5,8	5,7	5,2	5,9	62	64	21,4	31	0	0	0	0	17	10	2	3	0	0	17	0	0	5	0	0	0	0	1	17	0	0	0	0
9	78	71	75	76	7,0	6,8	6,3	6,8	130	120	15,3	28	0	0	0	0	29	21	7	3	0	0	23	0	0	5	0	7	0	0	0	24	0	0	0	0
10	74	69	69	70	4,3	5,1	4,6	4,8	32	70	18,9	8	5	0	0	0	15	13	1	14	1	0	15	2	2	8	0	4	0	0	0	14	0	0	0	0
11	70	70	71	71	6,0	6,5	5,2	6,2	37	57	10,8	30	16	2	0	0	13	11	1	12	3	0	13	11	9	3	0	5	0	0	3	20	7	0	0	0
12	78	74	76	75	6,3	6,2	5,6	6,1	77	74	23,9	6	22	9	3	0	20	14	2	17	2	0	13	17	6	2	0	6	0	1	1	18	18	0	0	0
ÅR	75	70	72	73	6,0	6,0	5,0	6,0	893	86	39,8		131	61	13	0	209	135	23	131	10	1	167	86	39	57	0	43	0	4	24	213	119	0	0	2
KLETKOVFJELL																																				1979
1	81	81	78	80	5,3	5,6	5,1	5,3					31	31	23	0				13	1	0				1	0	0	1	0	2	13		2	3	2
2	84	83	84	84	6,1	5,8	6,0	6,0					28	26	12	0				14	1	0				0	0	0	0	0	2	15		6	6	5
3	78	75	77	77	5,0	4,4	5,0	4,8					31	29	8	0				18	9	2				0	0	0	0	0	2	10		1	0	2
4	80	80	80	80	5,6	5,4	5,6	5,5					30	21	5	0				3	1	0				0	0	0	0	0	2	13		4	5	6
5	82	78	81	82	6,3	6,3	6,3	6,5					21	13	0	0				16	0	0				5	0	1	0	0	0	20		6	4	5
6	83	78	80	82	6,9	6,2	6,1	6,4					4	0	0	0				3	0	0				15	0	0	0	1	1	16		10	8	9
7	79	71	75	77	5,3	5,5	5,7	5,5					0	0	0	0				3	0	0				9	0	0	0	1	1	14		6	5	7
8	81	75	80	80	5,9	6,4	6,3	6,2					0	0	0	0				7	0	0				12	0	0	0	0	0	17		5	5	6
9	91	88	90	90	7,0	7,0	7,2	7,0					12	3	0	0				13	0	0				9	0	1	0	0	0	22		13	9	8
10	76	74	74	75	5,1	5,2	5,2	5,1					28	15	0	0				12	3	1				2	0	1	0	0	0	15		4	3	6
11	86	85	86	86	6,2	6,0	5,3	5,9					30	29	1	0				12	3	1				0	0	2	0	0	4	18		6	2	2
12	82	82	83	82	6,1	5,7	5,3	5,9					31	29	8	0				14	0	0				1	0	1	1	1	1	18		4	2	2
ÅR	82	79	81	81	6,0	5,8	5,3	5,8					246	196	57	0				130	18	4				54	0	6	2	3	23	191		67	52	60
RAUSKE - VETE I																																				1979
1	75	74	75	75	5,2	5,4	5,3	5,3	49		12,3	29	31	28	7	0	15	12	1	3	0	0	3	15	3	0	0	0	0	0	2	11		0	0	1
2	79	76	78	77	5,9	5,3	5,8	5,7	96		28,0	25	27	20	7	0	13	11	2	3	0	0	5	12	4	0	0	0	0	0	3	15		0	0	1
3	73	63	68	69	5,2	4,9	5,3	5,0	24		6,6	5	25	11	5	0	8	7	0	3	2	0	5	6	2	1	0	0	0	0	0	12		0	0	0
4	75	64	70	71	5,6	5,1	5,3	5,3	17		4,0	14	14	5	0	0	8	6	0	1	0	0	3	7	2	1	0	0	0	0	1	13		0	0	0
5	74	68	71	73	6,1	6,3	6,4	6,2	82		14,0	14	5	0	0	0	21	18	3	1	0	0	21	8	8	5	0	0	0	0	1	19		1	0	3
6	85	73	76	81	6,3	6,4	6,3	6,4	106		18,0	12	0	0	0	1	21	17	3	1	0	0	21	0	0	9	0	0	0	0	3	18		4	1	2
7	81	72	74	77	5,3	5,0	5,3	5,4	33		9,0	2	0	0	0	1	12	11	0	1	0	0	12	0	0	4	0	0	0	0	1	13		0	0	0
8	83	69	76	78	5,6	5,8	6,3	5,9	33		17,0	16	0	0	0	1	13	13	3	1	0	0	18	0	0	13	0	0	0	0	0	16		0	0	0
9	85	77	81	82	6,3	6,4	6,7	6,5	181		32,6	27	0	0	0	0	26	22	7	7	0	0	26	1	1	3	0	0	0	0	0	20		2	1	1
10	77	69	71	73	5,0	4,9	4,8	4,9	83		23,0	23	15	0	0	0	17	10	4	3	1	0	15	6	2	6	0	0	0	0	0	16		0	0	0
11	76	74	77	75	5,8	5,8	6,2	5,9	35		6,5	24	22	9	0	0	10	7	0	3	0	0	4	8	2	1	0	0	0	0	3	17		0	0	0
12	77	77	79	77	6,6	6,0	6,3	6,4	54		21,2	6	24	15	3	0	17	10	2	2	0	0	9	14	6	2	0	0	0	0	0	20		0	0	0
ÅR	78	71	75	76	5,8	5,6	5,9	5,7	843		32,6		161	84	22	1	187	144	28	47	5	0	143	77	30	45	0	0	0	1	23	190		7	2	8
ØVRE SALTDAL																																				1979
1	86	84	84	85	5,3	5,8	5,3	5,6	27	36	12,7	9	31	31	24	0	9	5	1	1	0	0	0	9	0	0	0	0	0	0	3	17	31	0	0	0
2	89	83	88	87	6,0	5,4	5,3	5,7	76	117	15,1	26	27	18	18	0	14	12	2	1	0	0	4	13	3	0	0	0	0	0	4	13	28	0	0	0
3	81	63	69	73	5,3	4,7	6,0	5,4	25	36	11,4	5	22	8	10	0	5	5	1	3	0	0	2	5	1	0	0	0	0	0	2	12	31	0	0	0
4	89	62	67	76	5,9	5,6	5,3	5,6	6	15	2,3	19	21	1	2	0	10	2	0	0	0	0	3	6	1	0	0	0	0	0	2	10	26	0	0	0
5	78	65	68	73	5,9	6,5	6,2	6,2	50	143	13,8	15	6	0	0	0	13	10	2	0	0	0	13	2	1	3	0	0	0	0	0	16	0	0	0	0
6	90	68	78	83	6,0	6,4	6,2	6,5	75	136	20,7	28	0	0	0	4	22	13	2	0	0	0	22	0	0	4	0	0	0	2	0	19	0	1	0	0
7	89	68	78	84	5,9	5,4	6,3	5,9	46	84	14,2	18	0	0	0	2	14	10	2	0	0	0	14	0	0	4	0	0	0	3	0	16	0	0	0	0
8	93	68	79	83	5,7	6,4	6,3	6,2	70	117	21,4	23	0	0	0	3	16	13	1	0	0	0	10	0	0	0	0	0	0	0	0	16	0	0	0	0
9	96	82	92	91	6,7	6,9	6,1	6,7	133	166	19,2	9	3	0	0	0	26	19	5	0	0	0	20	0	0	1	0	0	0	0	0	19	0	1	0	0
10	90	79	86	86	4,7	5,2	4,3	4,8	54	54	14,7	4	20	1	0	0	14	12	1	3	0	0	12	5	0	1	0	0	0	0	7	11	1	1	0	0
11	86	85	88	86	5,7	5,6	5,0	5,7	38	58	12,3	24	21	11	3	0	7	5	2	0	0	0	2	6	0	0	0	0	0	0	4	14	7	0	0	0
12	87	88	91	89	6,3	5,9	5,7	6,0	38	42	8,5	9	30	17	15	0	12	7	0	0	0	0	4	11	3	0	0	0	0	0	3	18	28	0	0	0
ÅR	88	75	80	83	5,9	5,8	5,3	5,9	638	81	21,4		186	87	77	9	162	113	19	11	0	0	120	57	9	13	0	0	0	5	25	181	152	3	0	0
BOLNA																																				1979
1					4,3	5,5	4,2	4,7	33		11,4	8	31	31	29	0	14	9	1	0	0	0	0	14	0	0	0	0	0	0	4	8	31	0	0	0
2					5,3	5,1	4,3	5,0	36		19,8	7	28	26	22	0	16	14	3	3	0	0	1	16	0	0	0	0	0	0	3	11	28	0	0	0
3					6,0	5,8	6,2	6,0	16		10,5	4	30	22	10	0	10	9	1	3	0	0	0	16	0	0	0	0	0	0	0	16	31	0	0	0
4					6,3	5,8	6,3	5,9	13		8,4	15	24	9	6	0	12	2	0	0	0	0	1	12	0	1	0	0	0	0	0	15	30	1	0	0
5	80	72	78	79	6,3	6,9	6,1	6,7	135		36,7	15	19	0	0	0	21	14	2	1	0	0	15	13	2	0	0	0	0	0	0	23	30	0	0	0
6	82	69	74	78	6,3	5,6	6,2	6,1	31		13,7	30	2	0	0	0	20	13	1	0	0	0	20	0	0	0	0	0	0	0	2	0	18	0	0	1	0
9	94	82	88	89	6,3	6,9	6,4	6,7	178		32,0	1	8	0	0	0	26	20	8	1	0	0	25	6	3	0	0	0	0	0	0	20	1	0	0	0
10	85	74	82	82	5,1	5,6	5,2	5,4	48		10,8	9	26	11	1	0	17	11	1	1	0	0	9	13	4	1	0	0	0	0	5	14	9	2	0	0
11	85	84	86	85	6,1	6,2	5,8	6,1	65		13,0	23	30	29	9	0	21	9	3	1	0	0	1	21	0	0	0	0	0	0	0	16	25	0	0	0
12	86	86	88	87	5,7	6,3	5,7	6,3	115		31,0	3	31	29	17	0	22	15	2	4	1	0	2	22	2	0	0	0	0	0	1	19	31	0	0	0
ÅR																																				
VALLJORD																																				1979
1	80	77	79	79	5,2	5,5	5,7	5,5	37	42	10,8	29	31	27	17	0	16	10	1	0	0	0	2	15	0	2	0	0	0	0	0	11	31	0	0	0
2	80	74	79	78	6,4	5,3	5,6	5,8	164	131	63,0	26	25	16	9	0	15	13	5	3	0	0	6	14	4	3	0	2	0	0	3	17	28	0	0	0
3	70	57	64	65	3,1	3,7	4,3	4,4	36	29	12,2	18	20	8	3	0	7	6	2	2	0	0	4	6	3	4	0	1	0	0	5	9	31	0	0	0
4	77	60	67	70	5,7	5,3	5,2	5,4	24	44	5,3	8	11	2	0	0	11	9	0	1	0	0	8	7	4	8	0	0	0	0	2	11	19	0	0	0
5	73	62	68	71	6,0	6,0	6,0	6,0	123	232	20,0	15	5	0	0	0	20	18	4	2	0	0	20	8	7	18	0	1	0	0	2	17	0	0	0	0
6	84	67	73	78	6,1	6,5	6,3	6,2	100	133	17,1	17	0	0	0	2	24	18	4	1	0	0	24	0	0	22	0	0	0	2	0	18	0	0	0	0
7	80	61	67	74	5,4	5,2	5,3	5,4	42	65	8,3	24	0	0	0	1	16	10	0	0	0	0	16	0	0	15	0	0	0	1	1	12	0	0	0	0
8	81	61	69	73	5,7	5,8	5,9	5,8	87	97	17,9	31	0	0	0	0	19	11	4	1	0	0	19	0	0	16	0	0	0	0	0	16	0	0	0	0
9	87	70	80	81	6,5	6,5	6,4	6,6	209	161	37,5	29	1	0	0	0	26	22	6	3	0	0	25	1	1	25	0	1	0	0	1	20	0	1	0	0
10	79	65	71	73	4,6	4,5	5,1	4,7	77	51	30,5	23	16	0	0	0	10	13	2	1	0	0	10	3	2	12	0	0	0	0	9	12	0	0	0	0
11	71	70	71	71	5,9	5,6	5,3	5,7	48	36	14,0	23	22	5	0	0	10	8	1	1	0	0	3	8	0	3	0	0	4	0	0	17	1	0	0	0
12	76	78	79	78	6,3	6,2	6,1	6,2	90	58	24,3	22	26	12	8	0	17	9	3	0	0	0	9	15	5	9	0	3	0	0	1	18	0	0	0	0
ÅR	78	67	72	74	5,8	5,5	5,5	5,6	1057	82	63,0		197	70	42	3	200	147	39	27	0	0	155	77	26	137	0	12	0	3	25	178	110	1	0	0

MD.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK FRA NORM	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 00(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
KØRGELV																										1979
1			- 7,4	- 7,1	- 7,1	- 7,2		- 4,4	-10,4	2,8	20	-17,4	26	0 0,0	1 1,0	9 2,3	23 1,9	21 2,3	1 1,0	0 0,0	1 1,0	1 1,0	1 1,0	0 0,0	0 0,0	29
2			- 8,1	- 7,9	- 8,1	- 8,7		- 2,6	- 8,9	4,8	25	-22,5	13	0 0,0	1 1,0	6 1,2	21 1,4	3 1,0	3 1,0	0 0,0	5 2,6	2 3,0	5 3,4	0 0,0	0 0,0	28
3			- 3,8	- 3,8	- 2,2	- 2,9		0,3	- 5,8	7,0	27	-21,9	19	0 0,0	0 0,0	8 1,4	35 1,7	14 1,7	7 1,7	0 0,0	6 2,2	3 2,7	0 0,0	0 0,0	0 0,0	20
4			- 3,2	- 3,2	- 1,1	- 1,1		3,8	- 2,1	10,4	24	-11,0	17	0 0,0	0 0,0	16 1,9	30 1,3	2 1,0	0 0,0	0 0,0	1 1,0	2 1,0	7 2,4	0 0,0	0 0,0	32
5			4,7	6,7	5,3	5,1		8,1	2,0	14,8	28	- 2,5	15	0 0,0	0 0,0	1 1,0	7 1,1	33 1,1	3 1,0	0 0,0	0 0,0	3 2,7	13 2,8	5 2,0	0 0,0	24
6			10,0	12,8	11,7	11,3		15,0	7,6	26,7	22	4,0	20	0 0,0	0 0,0	0 0,0	17 1,2	3 1,0	4 1,5	0 0,0	3 1,0	18 1,4	16 1,8	0 0,0	0 0,0	29
7			13,8	17,8	13,7	14,9		19,0	10,8	26,3	9	5,4	29	0 0,0	0 0,0	1 1,0	0 1,0	3 1,0	1 1,0	0 0,0	4 1,3	12 1,8	16 2,6	0 0,0	0 0,0	44
8			11,6	15,4	13,1	12,9		16,9	9,4	23,8	9	3,8	27	0 0,0	0 0,0	4 1,0	18 2,3	3 1,2	0 0,0	0 0,0	2 1,0	2 3,5	18 1,4	1 2,0	0 0,0	43
9			9,1	9,2	7,2	7,2		10,1	4,7	17,3	7	- 1,0	17	0 0,0	2 1,0	5 1,3	5 1,0	2 1,0	0 0,0	0 0,0	8 1,3	5 3,6	12 3,3	2 3,0	0 0,0	49
10			1,7	3,0	2,3	2,4		4,6	0,4	8,9	3	- 3,5	6	0 0,0	0 0,0	7 1,2	31 1,9	2 2,0	0 0,0	0 0,0	2 1,0	1 2,0	5 7,6	5 4,4	0 0,0	35
11			- 0,5	- 0,7	- 0,4	- 0,1		1,8	- 2,7	7,4	22	- 8,1	29	0 0,0	0 0,0	4 1,3	23 1,4	13 1,6	0 0,0	0 0,0	2 1,0	2 9,0	3 1,7	0 0,0	0 0,0	38
12			- 3,3	- 2,6	- 3,3	- 3,1		- 0,3	- 6,1	5,3	21	-15,3	19	0 0,0	0 0,0	11 1,3	15 1,0	12 1,1	1 1,0	1 1,0	0 0,0	3 2,3	3 3,7	1 6,0	0 0,0	42
ÅR			2,2	4,5	3,2	3,3		6,0	- 0,1	26,7		-22,5		0 0,0	7 1,1	83 1,7	271 1,6	90 1,8	19 1,4	1 1,0	37 1,6	71 2,3	91 2,6	9 4,0	0 0,0	413
FINNØY I HAMARØY																										1979
1			- 4,3	- 3,6	- 3,5	- 3,3		- 2,0	- 6,4	3,2	19	-14,5	26	0 0,0	9 1,1	0 0,0	43 1,7	3 2,0	4 1,5	6 1,7	0 0,0	8 2,6	5 1,8	0 0,0	1 1,0	8
2			- 3,1	- 2,1	- 3,1	- 3,3		- 0,7	- 5,9	5,0	26	-14,0	13	1 1,0	11 1,0	0 0,0	13 1,6	3 1,0	8 2,6	0 0,0	0 0,0	30 3,1	1 6,0	0 0,0	2 2,0	12
3			- 1,3	- 0,7	- 1,2	- 1,0		1,6	- 3,8	9,0	27	-15,6	19	0 0,0	5 1,2	0 0,0	38 1,9	3 1,0	15 2,1	5 1,4	0 0,0	17 3,1	2 2,5	0 0,0	0 0,0	11
4			1,1	1,0	2,2	2,1		4,8	- 1,1	10,6	25	- 8,0	18	4 1,0	13 1,1	0 0,0	31 1,3	3 1,0	6 1,2	1 1,0	0 0,0	9 1,7	1 1,0	0 0,0	1 1,0	19
5			5,2	6,8	5,7	5,4		8,2	2,6	15,5	25	- 3,6	15	1 2,0	10 1,3	1 1,0	17 1,9	1 1,0	4 1,5	7 1,7	0 0,0	29 2,2	5 2,4	0 0,0	2 2,5	10
6			10,3	12,2	11,7	10,8		14,5	7,8	26,2	25	3,0	1	1 1,0	2 1,5	0 0,0	13 1,1	0 0,0	4 1,3	6 1,7	0 0,0	40 2,3	15 1,9	0 0,0	1 1,0	8
7			13,5	16,9	15,9	15,1		18,6	11,7	27,0	10	7,0	2	0 0,0	12 1,3	0 0,0	23 1,3	0 0,0	4 1,8	1 1,0	0 0,0	36 1,9	8 1,8	0 0,0	2 2,0	7
8			12,5	14,8	13,7	13,2		16,2	10,0	24,8	9	6,1	30	3 1,3	11 2,5	0 0,0	21 1,5	0 0,0	5 1,4	3 2,7	0 0,0	32 2,0	3 2,0	0 0,0	0 0,0	15
9			6,9	8,5	7,9	7,6		10,4	5,5	20,2	7	- 0,5	17	0 0,0	3 1,3	0 0,0	27 1,3	0 0,0	1 1,0	3 2,0	0 0,0	27 2,1	11 2,9	0 0,0	4 1,7	6
10			2,2	4,7	2,8	3,1		5,4	0,8	9,0	28	- 1,9	6	2 2,0	13 1,1	0 0,0	30 2,0	0 0,0	3 1,7	3 2,0	0 0,0	22 2,4	1 3,0	0 0,0	2 2,0	17
11			0,5	1,1	0,4	0,6		2,4	- 1,6	7,2	5	- 5,2	13	2 2,0	4 1,3	0 0,0	36 1,2	0 0,0	7 1,7	3 1,7	0 0,0	10 2,7	5 2,8	0 0,0	2 1,5	21
12			- 0,9	- 1,0	- 0,3	- 0,9		1,0	- 3,5	7,0	21	-10,4	18	2 1,5	8 1,0	0 0,0	30 2,0	0 0,0	2 1,0	2 1,5	0 0,0	33 3,1	2 3,0	0 0,0	2 2,0	12
ÅR			3,0	5,3	4,3	4,1		6,7	1,3	27,0		-15,6		16 1,9	118 1,3	1 1,0	331 1,6	4 2,5	63 1,8	40 1,7	0 0,0	293 2,4	59 2,3	0 0,0	21 1,9	146
SKJÅMEN - SLETTJORD																										1979
1			- 4,3	- 3,9	- 3,7	- 3,9	- 1,7	- 1,4	- 6,7	6,3	19	-15,7	27	0 0,0	0 0,0	12 1,8	31 1,1	14 2,9	0 0,0	0 0,0	0 0,0	1 3,0	6 2,2	2 2,0	1 2,0	26
2			- 3,1	- 3,2	- 3,3	- 3,1	- 3,6	- 0,6	- 6,3	7,0	26	-17,0	13	0 0,0	0 0,0	10 1,6	13 1,9	17 3,2	0 0,0	0 0,0	0 0,0	0 0,0	5 2,4	4 1,5	3 2,3	25
3			- 2,0	- 2,2	- 1,3	- 1,2	- 3,2	1,4	- 4,0	8,0	29	-16,9	19	0 0,0	0 0,0	18 1,9	21 1,3	42 1,1	0 0,0	0 0,0	0 0,0	0 0,0	2 1,5	0 0,0	0 0,0	11
4			0,7	0,5	2,4	1,9	0,0	4,4	- 0,9	9,8	25	- 8,0	14	1 0,0	0 0,0	0 1,7	21 2,2	25 2,1	0 0,0	0 0,0	0 0,0	1 1,0	12 3,0	0 0,0	0 0,0	23
5			5,3	7,4	6,7	6,0	- 0,2	8,8	3,3	17,0	26	- 1,2	15	0 0,0	0 0,0	0 0,0	8 1,1	34 2,6	1 4,0	0 0,0	0 0,0	7 1,6	19 1,8	3 2,3	3 3,7	18
6			13,2	12,3	11,3	10,9	0,4	14,5	8,4	25,6	25	2,1	1	0 0,0	0 0,0	0 0,0	0 0,0	12 2,7	1 3,0	0 0,0	0 0,0	6 1,8	24 1,8	8 2,8	11 2,6	28
7			13,1	17,2	16,6	15,3	3,9	18,9	11,9	26,8	9	6,3	29	0 0,0	0 0,0	0 0,0	1 3,0	11 2,2	6 2,0	0 0,0	0 0,0	1 1,0	20 1,6	1 1,0	30 2,7	23
8			11,7	14,6	14,1	13,1	3,1	16,7	10,3	24,2	9	2,4	27	0 0,0	0 0,0	0 0,0	0 0,0	17 3,7	3 2,3	0 0,0	0 0,0	1 2,0	13 1,6	4 1,8	22 2,4	33
9			7,1	9,6	8,8	8,1	- 0,7	10,6	5,9	21,5	7	0,1	17	0 0,0	0 0,0	0 0,0	2 3,5	23 2,7	0 0,0	0 0,0	0 0,0	5 2,2	14 1,8	3 2,7	7 2,7	36
10			2,1	3,9	2,3	2,9	- 1,0	4,8	0,7	9,9	3	- 4,3	16	0 0,0	0 0,0	0 0,0	13 1,5	17 2,9	0 0,0	0 0,0	0 0,0	5 2,4	2 3,5	0 0,0	5 3,6	46
11			0,1	0,8	0,7	0,6	- 0,3	2,8	- 1,8	7,0	22	- 6,6	13	0 0,0	0 0,0	17 1,3	29 1,0	11 1,8	0 0,0	0 0,0	0 0,0	2 1,0	3 1,7	2 3,0	0 0,0	26
12			- 1,0	- 1,1	- 1,2	- 1,1	- 0,6	1,3	- 3,8	8,2	22	-11,1	8	0 0,0	0 0,0	16 1,3	17 1,1	22 2,4	0 0,0	0 0,0	0 0,0	1 2,0	0 0,0	2 3,0	3 3,0	32
ÅR			3,3	5,1	4,5	4,1	- 0,4	6,9	1,4	26,8		-17,0		1 0,0	0 0,0	78 1,7	162 1,4	245 3,0	11 2,4	0 0,0	0 0,0	35 1,9	119 1,8	28 2,4	89 2,8	327
HARVIK III																										1979
1	1008,9	1011,8	- 0,3	- 5,8	- 3,8	- 3,9	- 2,2	- 3,8	- 8,0	3,5	19	-18,5	26	1 1,0	0 0,0	32 4,7	32 3,6	0 0,0	0 0,0	0 0,0	1 2,0	6 2,2	12 2,3	1 1,0	0 0,0	8
2	1001,8	1007,4	- 4,3	- 4,2	- 1,3	- 1,6	- 3,4	- 2,3	- 6,7	5,2	22	-14,5	13	0 0,0	1 0,3	21 5,0	26 3,3	0 0,0	0 0,0	0 0,0	4 1,5	2 1,5	17 3,1	2 1,5	0 0,0	11
3	998,1	1000,9	- 2,3	- 3,2	- 1,5	- 1,4	- 1,1	1,7	- 4,0	8,5	27	-15,6	19	1 1,0	2 1,3	18 3,3	43 2,8	1 1,0	2 1,0	3 1,3	4 3,1	1 2,0	4 1,5	1 1,0	1 1,0	6
4	1011,6	1014,4	3,8	3,4	2,1	1,8	0,4	4,4	- 0,7	9,9	23	- 6,8	14	2 1,5	1 1,0	8 1,0	40 2,4	1 2,0	0 0,0	1 1,0	5 2,4	7 1,4	2 1,5	2 1,5	15
5	1006,2	1008,0	3,3	7,4	6,3	5,9	0,3	8,8	2,8	16,5	26	- 0,6	15	0 0,0	1 1,0	10 4,2	17 1,7	0 0,0	4 2,3	6 4,2	10 1,9	18 2,4	15 2,7	0 0,0	1 2,0	11
6	1003,2	1012,0	13,2	12,1	11,4	11,7	0,3	14,2	8,2	27,4	25	3,6	1	0 0,0	0 0,0	3 1,7	12 1,9	0 0,0	1 1,0	1 1,0	7 2,9	22 2,5	32 2,6	0 0,0	0 0,0	12
7	1007,3	1010,0	11,1	17,3	13,2	13,3	3,9	19,2	12,0	26,5	10	0,4	29	0 0,0	0 0,0	2 2,5	21 2,8	2 1,5	1 1,0	3 2,0	15 2,3	14 2,0	17 1,9	3 1,3	5 1,8	7
8	1007,0	1009,7	12,1	15,2	13,6	13,2	3,6	16,7	10,1	25,0	9	3,4	27	4 1,3	3 1,7	10 3,1	11 2,2	0 0,0	2 1,5	0 0,0	2 2,5	24 2,3	12 1,3	5 1,4	1 2,0	16
9	1003,1	1012,8	7,2	9,3	8,3	7,9	- 0,7	10,6	5,8	18,0	7	1,0	17	2 2,0	1 1,3	16 2,1	12 2,2	1 1,0	2 1,5	1 5,0	2 1,5	18 3,1	20 2,8	4 1,3	0 0,0	11
10	1011,4	1016,2	2,3	1,0	2,3	2,9	- 0,9	4,8	1,0	8,3	3	- 2,2	15	3 1,0	0 0,0	33 2,7	17 3,6	0 0,0	1 3,0	1 5,0	1 3,0	0 3,7	15 2,9	2 1,0	3 1,0	11
11	998,9	1001,7	0,0	0,7	0,5	0,4	0,1	2,4	- 1,6	8,6	21	- 6,8	12	0 0,0	0 0,0	22 2,0	45 2,7	0 0,0	0 0,0	2 4,0	0 0,0	0 2,5	8 2,9	0 0,0	0 0,0	7
12	997,0	999,9	- 1,2	- 1,3	- 1,3	- 1,3	0,5	0,4	- 3,5	7,4	22	-11,6	17	0 0,0	1 1,0	9 2,0	45 3,4	0 0,0	0 0,0	1 1,0	1 1,0	16 2,1	12 2,3	0 0,0	0 0,0	8
ÅR	1009,2	1013,0	3,1	4,9	4,1	3,7	0,0	6,4	1,3	27,4		-18,5		13 1,3	13 2,1	184 3,3	339 2,8	3 1,4	13 2,1	18 3,7	48 2,3	138 2,5	171 2,4	20 1,3	13 1,5	123
EVENSKJER																										1979
1			- 3,1	- 4,9	- 4,7	- 4,9	- 1,7	- 2,4	- 7,8	4,4	19	-16,0	26	2 3,0	1 2,0	3 2,3	23 2,4	3 2,9	34 3,2	8 3,1	2 2,5	2 3,0	3 3,0	0 0,0	2 3,0	2
2			- 4,0	- 3,3	- 3,6	- 3,7	- 3,3	- 1,3	- 6,6	4,9	21	-16,2	13	3 3,0	2 2,3	7 2,0	17 2,0	8 2,9	14 3,1	6 3,1	7 4,0	6 3,8	6 3,7	0 0,0	3 3,0	3
3			- 3,2	- 3,0	- 1,2	- 1,7	- 3,3	1,3	- 4,6	7,2	27	-15,8	16	0 0,0	1 2,0	3 2,3	20 2,3	2 2,7	30 3,4	8 3,3	7 4,0	3 4,7	0 0,0	0 0,0	1 3,0	11
4			0,1	0,5	2,2	1,8	0,1	4,7	- 1,5	10,4	22	- 7,6	10	8 3,8	3 3,0	11 2,8	11 2,0	7 2,6	8 2,8	4 2,5	2 3,0	0 0,0	0 0,0	4 3,3	29
5			4,8	6,8	6,0	5,3	- 0,3	8,4	2,4	15,0	25	- 3,0	15	7 3,0	4 2,8	11 2,7	7 2,7	8 2,9	13 3,2	7 3,3	10 4,1	8 4,3	7 3,4	0 0,0	5 3,0	6
6			9,1	11,5	11,0	10,1	0,3	13,9	7,4	23,0	25	4,2	1	9 3,1	4 2,8	8 3,0	1 2,5	2 2,5	7 2,7	9 2,9	13 3,3	9 3,6	7 3,4	0 0,0	8 3,0	12
7			12,1	16,2	14,7	13,8	0,4	17,8	10,1	27,2	9	6,0	7	20 3,0	7 3,3	18 2,7	10 2,5	2 2,3	5 2,6	5 3,0	3 3,7	4 3,0	2 3,0	0 0,0	0 0,0	17
8			11,0	13,7	13,1	12,2	0,2	15,7	8,9	23,2	9	3,4	27	3 3,0	8 2,6	13 2,0	10 2,3	4 2,5	13 3,2	3 3,0	4 3,5	2 3,0	1 4,0	0 0,0	8 3,0	19
9			6,7	9,3	7,8	7,7	- 0,5	10,5	5,2	18,4	7	- 1,0	17	7 3,1	2 2,3	8 2,3	10 2,1	6 2,4	6 2,7	5 2,8	8 3,5	9 3,3	8 3,3	1 3,0	9 3,1	9
10			2,3	4,4	2,7	3,1	- 1,0	5,3	0,6	9,4	3	- 4,9	16	3 2,3	1 3,3	7 2,3	16 2,1	6 2,7	17 3,4	6 3,2	9 3,2	5 3,0	5 3,0	0 0,0	6 3,0	12
11			- 0,2	0,5	0,1	0,1	- 0,6	2,1	- 2,2	7,2	22	- 6,8	13	0 0,0	0 0,0	1 3,0	13 2,3	10 2,3	31 3,1	9 3,2	3 3,7	2 4,0	9 3,0	0 0,0	3 3,0	9
12			- 1,1	- 0,9	- 1,2	- 1,1	- 0,4	1,3	- 3,9	7,5	22	-11,0	17	3 3,0	2 2,5	5 2,8	11 2,3	8 2,6	23 3,0	7 3,3	9 4,0	3 5,0	4 3,8	0 0,0	8 3,1	7
ÅR			2,7	4,7	3,3	3,5	- 0,3	6,4	0,7	27,2		-10,2		73 3,1	35 2,7	99 2,6	152 2,3	80 2,6	201 3,1	79 3,1	77 3,6	53 3,7	52 3,3	1 3,0	57 3,1	136
SKRJVA FYR																										1979
1			- 1,6	- 1,5	- 1,3	- 1,6	- 1,4	0,0	- 3,6	3,6	19	-11,4	26	2 2,5	0 0,0	20 3,9	33 4,5	3 4,3	9 3,6	5 3,4	3 5,3	7 3,4	7 3,4	1 1,0	6 2,2	0
2			- 1,4	- 1,2	- 1,3	- 1,4	- 0,3	0,2	- 3,2	4,5	26	- 8,6	6	6 3,2	2 3,5	16 3,4	21 4,9	3 3,0	0 0,0	1 4,0	3 4,7	23 4,1	3 4,3	1 3,0	3 3,3	2
3			- 0,1	0,5	0,3	0,1	0,3	1,6	- 1,8	7,4	27	- 9,2	19	0 0,0	1 2,0	27 4,3	25 3,0	3 3,0	11 4,4	10 3,4	2 7,0	12 4,8	1 5,0	0 0,0	1 5,0	0
4			1,6	2,0	2,0	2,1	0,0	3,8	0,2	8,2	26	- 6,7	14	6 4,3	5 4,0	29 3,5	28 2,8	3 2,7	3 3,0	2 3,0	2 3,5	4 2,5	2 2,5	0 0,0	1 5,0	8
5			4,5	5,4	5,2	4,7	- 1,0	6,9	2,6	13,6	26	- 1,0	13	1 2,0	6 2,3	19 3,8	13 3,1	1 2,0	3 2,8	6 3,7	7 5,0	18 3,7	3 4,3	3 2,5	4 2,3	3
6			9,3	10,5	10,3	9,3	- 0,1	12,5	7,2	23,8	25	4,0	4	0 0,0	2 3,5	16 3,3	9 2,4	2 2,0	1 1,0	2 1,5	7 2,6	39 3,3	2 1,5	1 2,5	4 2,0	4
7			13,5	13,0	13,1	11,1	0,4	17,1	11,7	25,0	9	6,6	2	9 2,3	10 2,2	16 3,4	14 2,2	3 2,0	2 1,5	4 2,3	7 3,9	18 2,6	0 0,0	1 1,0	1 3,0	8
8			12,6	13,7	13,1	12,9	0,1	15,2	10,7	21,8	9	7,2	3	1 3,3	13 3,5	23 2,8	14 2,9	4 2,5	3 2,3	3 3,3	3 5,0	19 3,9	0 0,0	1 1,0	8 2,9	1
9			8,1	9,0	8,5	8,4	- 1,1	10,0	6,7	17,6	7	4,0	30	5 2,2	5 2,6	11 4,3	13 2,3	2 3,0	4 4,5	7 2,9	5 2,6	18 1,7	5 3,4	5 3,2	12 3,0	1
10			4,8	5,3	5,1	5,0	- 0,3	6,4	3,1	9,2	27	- 0,5	21	3 2,7	5 2,2	19 3,8	17 3,7	1 2,0	11 4,2	2 5,0	5 4,0	15 3,9	6 3,7	0 0,0	8 3,1	1
11			2,5	2,4	2,3	2,5	- 0,8	3,8	0,8	7,4	5	- 1,6	24	4 1,8	0 0,0	23 3,4	22 3,2	1 3,0	15 3,3	5 4,6	2 8,0	3 6,0	4 3,5	0 0,0	8 2,8	3
12			1,1	1,0	1,1	1,1	- 0,3	2,5	- 0,9	6,0	2	- 7,6	17	5 3,0	2 3,1	14 3,1	25 3,4	2 2,5	4 3,5	5 3,8	9 5,4	16 5,3	4 3,5	1 1,0	9 3,0	1
ÅR			4,6	5,2	5,1	4,8	- 0,4	6,7	2,8	25,0		-11,1		44 2,8	48 2,9	233 3,0	237 3,3	25 2,8	68 3,8	52 3,4	55 4,4	192 3,9	37 3,3	14 2,4	61 2,8	29

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	M.	Nedbør SUM	%	MAX	DT.	Lufttemperatur TN <0	TX <0	TN <=-10	TX >=25.	Nedbør R>= 0.1	R>= 1.0	R>= 10.0	Vindstyrke FX>= 6B	FX>= 8B	FX>= 9B	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	Tåke 07	13	19
KOBBELV																																				1979
1	74	71	73	73	4,0	4,9	4,1	4,3	34		7,7	20	30	27	16	0	16	10	0	4	1	0	2	16	1	2	0	0	0	0	7	9	31	0	0	0
2	75	72	73	74	5,1	5,1	5,1	5,3	172		56,1	26	24	18	10	0	16	13	4	3	0	0	6	14	3	1	0	0	0	0	4	14	28	0	0	0
3	68	61	64	65	4,8	4,1	4,1	4,3	41		11,6	4	24	11	8	0	9	4	2	3	0	0	7	6	1	1	0	1	0	0	8	11	31	0	0	0
4	75	60	68	70	5,0	4,5	4,0	4,5	28		6,4	29	15	4	2	0	14	8	0	1	0	0	8	8	0	3	0	0	0	0	4	8	30	0	0	0
5	73	67	72	73	6,3	5,8	5,0	6,0	139		18,1	15	7	0	0	0	23	20	5	2	0	0	23	8	7	3	0	0	0	0	2	17	6	0	0	0
6	78	67	73	75	6,2	5,8	6,0	6,0	110		16,3	12	0	0	0	2	21	17	4	0	0	0	21	0	0	9	0	1	0	1	2	17	0	0	0	1
7	79	60	69	74	4,9	4,4	4,6	4,6	21		6,1	15	0	0	0	2	10	7	0	1	0	0	9	0	0	6	0	0	0	0	5	10	0	0	0	0
8	82	62	73	76	5,8	5,3	5,5	5,6	99		25,3	24	0	0	0	0	18	12	3	2	0	0	13	0	0	0	0	0	0	0	3	17	0	0	0	0
9	91	79	85	86	6,4	6,3	6,5	6,4	226		44,3	1	1	0	0	0	23	20	7	4	1	1	23	0	0	9	0	0	0	0	0	18	0	1	0	1
10	75	64	72	72	4,2	4,4	4,2	4,2	103		25,1	23	12	0	0	0	15	12	3	3	4	0	15	5	5	4	0	0	0	0	10	10	0	0	0	0
11	71	68	72	71	5,3	5,4	4,7	5,2	54		11,6	22	23	7	0	0	13	6	2	2	2	1	11	7	5	0	0	1	0	0	5	14	7	0	0	0
12	74	73	77	74	5,5	5,5	4,0	5,3	137		38,1	22	25	15	7	0	19	12	4	4	1	1	11	15	6	0	0	1	0	0	5	13	31	0	0	0
ÅR	76	67	73	74	5,3	5,1	5,0	5,1	1164		56,1		162	82	43	4	197	141	34	33	9	6	154	79	28	38	0	4	0	1	55	158	164	1	0	2
FINNØY I HAMARØY																																				1979
1	78	74	74	76	5,4	6,0	5,5	5,6	33	40	9,0	8	20	25	2	0	14	12	0	4	0	0	1	14	0	1	0	0	0	0	4	15	31	0	0	0
2	82	80	81	81	5,6	6,1	6,0	5,9	98	131	29,5	26	23	14	5	0	13	13	3	10	0	0	6	12	4	0	0	0	0	0	2	16	28	0	0	0
3	68	62	65	65	3,6	6,0	5,1	5,3	41	51	12,6	4	20	7	6	0	8	8	1	14	3	1	5	5	0	0	0	1	0	1	4	15	31	0	0	0
4	80	63	71	74	5,8	5,0	5,6	5,5	18	30	8,0	8	13	3	0	0	7	6	0	1	0	0	4	6	2	0	0	0	0	0	2	14	25	0	0	0
5	81	71	78	80	6,1	6,7	6,4	6,4	114	204	19,0	31	3	0	0	0	17	16	4	4	2	1	13	8	1	2	0	0	0	0	0	18	4	0	0	0
6	87	79	81	84	6,5	6,8	6,3	6,6	106	143	29,6	28	0	0	0	2	16	13	4	2	0	0	16	0	0	0	0	0	0	1	1	20	0	0	0	0
7	83	68	73	78	6,3	5,3	5,4	5,6	26	43	13,2	2	0	0	0	2	6	6	1	1	0	0	6	0	0	0	0	0	0	0	1	14	0	0	0	0
8	83	69	76	78	5,8	6,3	6,4	6,2	77	80	19,0	24	0	0	0	0	12	12	3	3	0	0	12	0	0	0	0	0	0	0	0	15	0	0	0	0
9	92	76	85	86	6,3	6,7	6,8	6,7	105	88	14,0	27	1	0	0	0	19	19	3	7	0	0	19	0	0	0	0	1	0	0	0	20	0	0	0	0
10	82	69	77	78	4,9	4,9	4,6	4,8	97	69	20,0	8	12	0	0	0	12	12	3	3	0	0	11	3	0	0	0	0	0	0	8	12	4	0	0	0
11	73	74	78	75	5,7	6,0	6,0	5,9	45	47	13,0	22	20	4	0	0	8	8	2	1	1	0	6	6	3	0	0	1	0	0	4	17	17	0	0	0
12	80	82	83	82	6,1	6,6	6,2	6,3	82	85	19,5	22	24	11	2	0	13	13	2	3	1	0	10	10	1	0	0	1	0	1	2	19	24	0	0	0
ÅR	81	72	77	78	5,9	6,0	5,9	5,9	842	81	29,6		149	64	15	4	147	138	26	59	7	2	111	64	11	3	0	4	0	3	28	195	164	0	0	0
SKJOMEN - SLETTJORD																																				1979
1	70	71	69	69	4,2	6,2	4,4	4,9	20	38	12,3	10	30	21	3	0	10	5	1	2	0	0	0	10	0	1	0	0	0	0	3	9		0	0	0
2	71	72	78	73	5,7	5,8	6,0	5,8	56	127	29,6	26	23	15	7	0	13	8	1	7	0	0	5	12	3	5	0	0	0	0	2	14		0	0	0
3	65	64	62	64	3,9	5,1	5,7	5,6	14	32	4,4	4	20	9	6	0	5	5	0	7	0	0	2	5	1	2	0	0	0	0	2	11		0	0	0
4	80	66	66	72	6,0	5,3	5,0	5,8	13	43	3,5	18	13	4	0	0	11	5	0	2	0	0	5	8	2	6	0	0	0	0	2	14		0	0	0
5	78	66	71	74	6,4	6,5	6,9	6,6	62	155	10,4	29	0	0	0	0	13	15	1	2	0	0	16	6	4	9	0	0	0	0	0	20		1	0	0
6	90	79	83	87	7,0	6,6	6,3	6,8	54	108	10,4	29	0	0	0	1	21	14	1	0	0	0	21	0	0	17	0	0	0	1	0	21		0	0	0
7	87	73	74	81	6,6	5,2	5,0	5,7	11	22	3,7	22	0	0	0	2	10	4	0	0	0	0	10	0	0	9	0	0	0	1	0	12		0	0	0
8	86	76	77	81	6,1	6,4	6,3	6,3	44	68	12,9	24	0	0	0	0	18	12	1	3	0	0	18	0	0	12	0	0	0	0	0	16		0	0	0
9	87	77	81	83	7,0	6,6	7,1	6,9	60	75	12,0	29	0	0	0	0	24	16	1	0	0	0	24	0	0	19	0	0	0	0	0	22		1	0	0
10	79	73	75	76	5,6	5,0	5,0	5,2	52	76	9,1	8	11	0	0	0	13	10	0	4	0	0	11	4	2	8	0	0	0	0	7	14		0	0	0
11	74	73	73	73	5,1	5,8	5,1	5,3	49	94	17,1	23	22	4	0	0	9	7	2	0	0	0	4	6	0	3	0	0	0	0	5	12		0	0	0
12	78	78	80	79	6,0	7,1	6,0	6,3	57	104	18,9	22	25	11	1	0	18	10	2	2	0	0	8	11	1	6	0	0	0	0	2	19		0	0	0
ÅR	79	72	74	76	6,0	6,0	5,9	5,9	492	78	29,6		147	64	20	3	170	111	10	37	0	0	124	62	13	97	0	0	0	2	23	184		2	0	0
NARVIK III																																				1979
1	77	75	76	76	5,2	5,9	5,3	5,5	16	29	5,9	10	30	28	8	0	15	4	0	15	0	0	2	14	0	0	0	2	0	0	2	13	31	0	0	0
2	80	78	81	80	5,9	5,4	6,1	5,8	73	155	31,0	26	24	17	8	0	13	8	2	8	6	1	4	13	4	0	0	1	0	0	2	16	28	0	0	0
3	71	63	66	67	5,0	4,8	4,7	4,9	16	34	9,7	4	24	9	7	0	8	3	0	10	0	0	4	6	2	0	0	1	0	0	3	8	28	0	0	0
4	78	65	69	72	5,7	4,8	5,6	5,4	21	58	6,0	8	12	2	0	0	11	7	0	2	0	0	6	8	3	1	0	1	0	0	3	11	12	0	0	0
5	77	65	70	74	5,9	6,4	6,2	6,2	74	161	13,9	15	4	0	0	0	19	14	2	3	0	0	19	7	7	0	0	1	0	0	0	12	1	0	0	0
6	87	78	83	85	6,7	6,3	6,7	6,6	88	140	10,8	29	0	0	0	2	19	16	2	1	0	0	19	0	0	1	0	0	0	1	1	22	0	0	0	0
7	82	68	71	77	6,0	4,7	4,9	5,2	20	31	9,1	2	0	0	0	3	12	5	0	0	0	0	12	0	0	0	0	0	0	4	2	9	0	0	0	0
8	86	70	76	79	6,0	6,3	6,0	6,2	73	90	26,0	24	0	0	0	1	16	11	1	3	0	0	13	0	0	1	0	0	0	0	1	18	0	0	0	0
9	90	77	84	85	7,1	6,5	6,9	6,8	86	91	13,8	29	0	0	0	0	26	19	2	6	0	0	26	0	0	0	0	0	0	0	0	24	0	0	0	0
10	80	73	76	77	5,4	5,0	5,4	5,2	89	116	19,5	9	9	0	0	0	14	10	4	9	0	0	14	4	4	0	2	1	0	0	8	17	1	0	0	0
11	76	73	73	74	5,3	6,0	5,3	5,6	40	71	11,2	23	20	5	0	0	11	6	2	8	1	0	7	9	5	0	0	1	0	0	3	15	9	0	0	0
12	78	79	81	79	6,3	6,9	6,1	6,5	55	96	12,5	22	28	16	2	0	21	12	3	0	0	0	11	16	5	0	0	1	0	0	1	19	21	0	0	0
ÅR	80	72	76	77	5,9	5,8	5,3	5,8	651	90	31,0		151	77	25	6	183	115	18	79	10	1	140	77	30	3	2	9	0	5	26	184	131	0	0	0
EVENESKJER																																				1979
1	76	76	76	76	5,5	5,4	6,1	5,7	13	16	2,2	1	30	28	7	0	17	5	0	0	0	0	2	17	1	0	0	0	0	0	0	14	31	0	0	0
2	80	79	79	79	5,8	5,9	6,1	5,9	54	82	9,1	27	23	16	10	0	18	13	0	2	0	0	7	18	5	1	0	0	0	0	1	16	28	0	0	0
3	76	66	67	71	5,0	4,7	4,3	4,8	37	60	9,0	4	24	9	7	0	11	8	0	3	0	0	6	9	2	1	0	0	0	0	3	10	31	0	0	0
4	87	66	72	78	6,0	5,5	5,6	5,7	19	42	7,0	15	16	2	0	0	16	5	0	1	0	0	10	11	5	1	0	0	0	0	1	17	17	0	0	0
5	81	68	73	77	5,9	6,6	6,8	6,5	84	227	15,1	31	7	0	0	0	25	15	2	0	0	0	22	7	3	2	0	0	0	0	0	17	5	0	0	0
6	90	79	82	86	6,6	6,5	6,4	6,5	54	106	7,5	11	0	0	0	2	24	17	0	1	0	0	24	0	0	3	0	0	0	1	1	23	0	0	0	0
7	90	71	77	83	6,2	5,0	5,6	5,6	27	51	8,8	21	0	0	0	2	12	7	0	0	0	0	12	0	0	6	0	0	0	1	2	13	0	0	0	0
8	90	78	79	83	6,1	6,1	5,9	6,0	83	117	13,5	6	0	0	0	0	21	15	1	0	0	0	19	0	0	2	0	0	0	0	1	17	0	0	0	0
9	92	79	86	87	6,8	6,4	6,6	6,6	74	101	7,6	11	2	0	0	0	28	19	0	1	0	0	28	0	0	0	0	0	0	0	0	20	0	0	0	0
10	84	74	79	80	5,3	4,7	4,9	5,0	72	85	10,6	8	11	0	0	0	16	13	1	0	0	0	14	7	3	1	0	0	0	0	8	15	3	0	0	0
11	81	78	80	80	5,6	5,6	5,7	5,6	33	43	11,1	22	24	3	0	0	17	8	1	1	0	0	4	11	0	0	0	0	0	0	3	14	8	0	0	0
12	82	85	86	84	6,5	6,9	6,6	6,7	76	101	13,2	3	25	10	3	0	22	19	1	2	1	0	10	16	0	1	0	0	0	0	1	21	22	0	1	0
ÅR	84	75	78	80	6,0	5,8	5,9	5,9	626	81	15,1		162	68	27	4	227	144	6	15	1	0	158	96	19	18	0	0	0	2	21	197	145	0	1	0
SKROVA FYR																																				1979
1	93	91	91	92	5,0	5,5	5,7	5,4	42	75	16,1	28	29	12	2	0	18	9	1	13	2	0	4	16	2	0	0	0	0	0	1	10	31	0	0	0
2	91	92	93	92	6,1	6,1	6,1	6,1	90	155	27,0	26	24	12	0	0	16	11	3	12	1	0	9	13	1	0	0	0	0	0	1	17	28	0	0	0
3	90	86	86	88	4,9	4,3	5,1	4,8	36	75	10,1	7	18	6	0	0	12	7	1	13	4	1	3	8	3	0	0	0	0	0	2	11	15	0	0	0
4	90	84	84	86	5,5	4,8	4,5	5,0	23	47	5,5	7	13	2	0	0	10	4	0	5	1	0	7	7	2	4	0	0	0	0	3	10	3	0	0	0
5					6,2	6,5	6,5	6,4	57	158	6,0	12	4	0	0	0	21	16	0	15	0	0	21	8	7	1	0	0	0	0	0	15	0	0	0	1
6					6,6	6,3	6,2	6,4	47	98	11,6	17	0	0	0	0	18	10	1	4	0	0	18	0	0	4	0	0	0	0	2	19	0	1	0	3
7	74	71	69	72	5,9	4,5	4,6	5,0	16	40	5,6	2	0	0	0	2	8	4	0	5	0	0	8	0	0	2	0	0	0	0	2	8	0	0	0	1
8	72	69	71	71	5,4	5,5	5,0	5,6	74	125	15,2	31	0	0	0	0	13	15	2	7	0	0	18	0	0	1	0	0	0	1	2	11	0	0	0	0
9	78	75	78	76	6,2	6,2	6,0	6,2	89	119	11,5	26	0	0	0	0	24	19	1	12	0	0	24	0	0	0	0	0	0	0	0	16	0	1	0	0
10	76	70	71	73	4,7	4,8	4,5	4,7	74	71	16,0	21	1	0	0	0	12	10	2	13	0	0	12	3	3	0	1	0	0	0	7	12	0	0	0	0
11	74	78	78	75	5,9	6,2	6,0	6,0	48	52	19,6	22	12	0	0	0	15	9	1	5	2	2	9	10	2	0	0	0	0	0	2	18	6	0	0	0
12	81	82	80	81	5,5	6,8	6,0	6,1	97	126	26,9	22	19	3	0	0	19	16	2	15	2	0	12	13	6	0	0	0	0	0	1	16	15	0	0	0
ÅR					5,7	5,6	5,6	5,6	693	93	27,0		120	37	2	2	191	130	14	119	15	0	150	78	26	12	1	0	0	1	23	163	98	2	0	5

Columns: MIDLERE LUFTTRYKK (P1, P01) · MIDLERE LUFTTEMPERATUR (07, 13, 19, TM) · AVVIK FRA NORM · MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER · VINDFORDELING: HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT

GLØPEN FYR — 1979

MD	P1	P01	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	1005,8	1010,0	-1,3	-0,7	-0,7	-0,9	-1,2	0,7	-4,4	4,6	19	-9,4	26	10 1,6	1 3,0	7 3,6	4 3,5	1 1,3	10 4,1	13 4,4	10 4,3	13 4,1	4 3,0	2 2,0	9 2,4	5
2	1002,2	1006,4	-0,8	-0,4	-0,7	-0,8	-0,4	0,9	-4,1	6,2	25	-10,2	13	10 4,0	2 1,3	2 3,0	7 3,6	4 1,3	9 4,7	5 4,8	3 3,0	13 4,3	13 3,5	8 5,6	6 2,2	2
3	994,6	998,7	-0,1	0,8	0,1	0,0	-0,2	1,8	-2,7	6,0	27	-10,6	20	1 2,8	2 3,0	9 3,8	12 4,1	6 2,8	9 4,4	15 5,3	2 6,5	10 4,7	11 3,7	1 3,0	7 2,0	5
4	1009,9	1014,1	1,1	2,3	2,1	1,8	-0,3	3,5	-1,0	8,0	24	-7,3	14	3 3,3	4 2,3	23 2,8	23 2,6	5 3,0	2 2,0	0 0,0	1 4,0	4 3,0	4 3,3	0 0,0	4 2,5	12
5	1004,1	1008,2	3,9	3,1	4,7	4,2	-1,3	6,3	1,5	11,0	25	-2,1	14	3 3,7	2 1,0	12 3,4	11 2,9	6 3,2	1 2,0	1 3,0	6 3,0	19 4,6	13 3,5	4 4,0	5 3,4	11
8	1003,2	1009,2	11,3	12,8	12,2	11,8	-0,3	13,9	8,7	18,0	9	5,5	25	7 3,1	2 3,0	20 2,8	22 2,6	3 2,7	1 5,0	1 5,0	2 2,5	16 3,0	6 3,0	4 3,3	3 2,7	6
9	998,6	1002,6	7,0	8,4	7,9	7,6	-1,0	9,4	4,8	14,1	7	1,0	30	9 2,4	6 3,0	7 3,4	6 3,3	3 2,3	4 2,5	6 2,3	4 3,0	14 3,9	9 4,1	3 4,3	14 3,3	5
10	1011,2	1015,3	4,5	5,5	4,0	4,9	-1,0	6,3	2,9	9,6	7	-0,3	22	11 2,4	10 2,2	7 3,0	5 5,0	7 1,7	8 4,9	3 3,7	1 3,0	6 3,2	15 3,7	3 3,0	9 2,4	8
11	995,0	1000,1	2,8	2,8	2,5	2,7	-0,9	3,9	1,1	7,2	22	-2,2	24	6 2,3	2 4,0	9 2,6	5 2,8	4 3,5	24 3,7	12 5,0	3 4,0	4 3,8	4 4,5	5 4,2	12 2,4	0
12	991,6	998,7	1,3	1,4	1,2	1,3	-0,4	2,7	-0,5	7,4	22	-7,1	17	12 2,3	5 2,4	4 3,8	3 4,7	3 4,4	13 4,2	5 3,0	1 5,0	16 3,0	13 4,5	1 2,0	15 2,2	0
ÅR																										

RØST II+ — 1979

MD	P1	P01	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	1003,5	1009,8	0,2	0,5	0,5	0,4		1,5	-1,0	4,4	19	-6,0	26	4 3,0	2 3,5	6 4,0	8 2,6	2 3,5	9 4,1	14 5,4	11 4,0	15 3,3	10 2,4	0 0,0	4 1,5	8
2	1001,6	1005,9	0,0	0,5	0,1	0,2		1,6	-1,2	6,2	26	-5,0	5	4 4,5	0 0,0	4 2,8	9 3,7	1 3,0	10 2,4	8 4,4	3 4,3	18 4,1	12 4,5	0 0,0	9 4,2	6
3	993,2	997,6	1,0	1,8	1,2	1,3		2,6	-0,2	6,4	3	-6,8	19	0 0,0	1 2,0	15 3,6	13 2,2	5 3,0	17 3,9	9 5,3	2 6,5	18 4,2	3 4,7	0 0,0	0 0,0	10
4	1012,0	1013,4	2,1	2,9	2,6	2,4		3,7	0,9	7,0	24	-4,2	14	0 2,3	1 1,0	27 3,0	20 1,5	0 0,0	10 1,5	4 1,8	2 2,0	9 1,4	1 1,0	0 0,0	3 2,3	10
5	1006,3	1007,6	4,2	5,2	4,7	4,5		6,0	3,3	10,5	22	0,0	12	3 4,0	3 3,3	10 2,9	13 2,9	0 0,0	4 2,0	16 3,3	7 2,1	11 4,2	16 1,9	0 0,0	1 4,0	7
6	1010,5	1011,8	7,5	8,9	8,7	8,2		10,2	6,8	15,5	25	4,3	4	1 2,0	3 3,3	18 2,9	6 2,5	1 1,0	2 1,0	3 1,0	4 1,5	25 2,8	14 2,1	6 1,5	0 0,0	7
7	1008,4	1009,7	10,2	11,4	11,1	10,7		12,6	9,4	19,0	19	6,8	2	6 1,7	5 3,1	29 3,0	10 2,1	0 0,0	3 1,3	5 2,8	4 3,8	8 2,5	1 2,0	2 2,0	7 1,3	13
8	1007,4	1008,7	10,7	12,1	11,4	11,3		13,1	10,0	16,6	9	7,5	4	4 1,8	7 3,9	22 3,3	13 1,5	2 2,0	9 1,9	7 2,3	0 0,0	18 3,1	3 2,0	0 0,0	2 1,5	6
9	1001,0	1002,3	7,9	8,5	8,1	8,0		9,4	7,1	13,0	7	3,5	16	3 2,8	1 4,0	9 4,1	7 2,7	0 0,0	9 3,7	7 4,4	2 2,5	19 2,8	12 4,0	2 4,5	9 3,7	5
10	1013,3	1014,7	5,4	6,0	5,5	5,6		6,9	4,5	9,0	7	1,0	21	6 4,3	2 2,0	20 2,3	9 2,6	3 1,7	9 4,6	11 4,4	1 4,0	12 3,7	8 4,4	0 0,0	4 2,3	8
11	997,8	999,1	3,3	3,8	3,7	3,8		5,0	2,4	7,5	4	-0,9	28	0 0,0	1 5,0	5 3,0	15 2,6	1 2,0	9 3,4	16 4,6	10 5,7	5 3,8	4 4,3	5 3,4	3 4,7	16
12	997,2	998,5	1,9	1,9	1,9	1,9		3,3	0,4	7,2	2	-7,5	17													
ÅR	1005,3	1006,6	4,6	5,3	5,0	4,9		6,3	3,5	19,0		-7,5														

KVALNES I LOFOTEN — 1979

MD	P1	P01	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-0,8	-0,9	-0,7	-0,8	-0,9	1,0	-2,9	8,2	19	-8,8	26	0 0,0	6 3,0	3 2,7	1 3,0	6 3,5	45 3,6	2 5,0	15 3,1	1 3,0	7 3,1	7 3,3	0 0,0	0
2			-0,8	-0,6	-0,9	-0,8	-0,2	1,2	-3,1	7,2	26	-8,9	6	2 2,5	1 3,0	0 0,0	3 3,3	4 3,3	33 3,3	3 2,7	19 3,4	6 4,2	7 5,0	3 4,3	3 4,3	0
3			0,2	1,1	0,2	0,4	0,2	2,2	-1,8	9,1	27	-9,6	19	0 0,0	2 4,0	3 2,7	6 2,3	11 2,9	39 3,1	7 2,4	21 2,9	2 5,0	1 6,0	1 3,0	0 0,0	0
4			1,8	3,4	2,3	2,3	-0,5	4,4	0,0	9,9	25	-6,4	14	2 3,0	7 2,6	10 2,5	2 2,5	6 2,0	38 2,2	1 2,0	9 2,3	7 2,4	2 2,5	1 2,0	5 4,0	0
5			4,9	5,8	5,2	5,0	-0,8	7,1	2,9	13,9	26	-0,9	14	2 2,5	11 3,0	12 2,4	7 2,3	7 3,1	23 3,3	1 2,0	14 3,3	6 4,3	1 3,0	3 3,3	4 3,0	0
6			8,7	10,3	10,1	9,4	0,3	13,1	7,1	23,2	25	3,7	1	0 0,0	7 2,0	6 2,2	3 2,0	2 2,5	8 2,4	0 0,0	8 2,8	15 3,1	19 2,8	14 2,5	8 2,3	0
7			12,1	12,9	12,3	12,1	-0,4	15,0	9,9	24,7	9	7,0	2	4 2,8	17 2,8	7 2,1	5 1,8	7 2,6	10 2,4	0 0,0	5 3,2	11 2,5	11 2,7	12 2,3	4 2,3	0
8			12,2	13,4	12,3	12,5	0,6	14,7	10,1	22,1	9	6,8	27	5 3,4	15 2,0	11 2,0	6 2,5	6 2,5	23 3,1	0 0,0	11 3,0	6 2,5	1 3,0	1 3,0	8 2,9	0
9			8,0	9,0	8,2	8,3	-1,1	9,9	6,5	20,0	7	1,7	17	4 3,3	5 3,2	5 3,2	6 2,3	3 2,3	25 3,4	1 1,0	15 2,9	5 3,6	6 4,5	7 3,7	8 3,1	0
10			4,3	4,8	4,7	4,5	-1,2	6,4	2,7	12,6	27	-0,5	22	1 3,0	1 2,0	1 2,0	0 2,4	2 3,5	40 2,5	4 2,0	18 2,4	3 3,3	7 4,0	3 3,3	4 3,3	0
11			2,1	2,3	2,0	2,1	-1,1	3,7	0,3	7,4	22	-2,7	13	0 0,0	0 0,0	2 2,0	3 1,7	5 3,6	33 3,2	11 1,2	18 2,4	4 4,5	2 4,0	8 3,8	3 3,0	1
12			1,3	1,3	1,1	1,3	0,0	3,0	-1,1	8,4	22	-8,2	17	1 3,0	3 2,7	3 2,3	1 2,0	3 3,0	43 3,0	5 2,0	12 3,4	6 2,8	4 2,8	6 4,0	4 3,5	0
ÅR			4,3	5,2	4,3	4,7	-0,4	6,8	2,6	24,7		-9,5		21 3,0	75 2,8	63 2,4	52 2,3	63 2,9	360 3,0	35 2,0	165 2,9	72 3,2	68 3,4	66 3,1	51 3,1	1

BØ I VESTERÅLEN II++ — 1979

MD	P1	P01	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	1007,8	1009,4	-2,9	-2,3	-2,0	-2,4	-1,4	-0,4	-4,9	5,0	18	-11,5	29	6 1,8	2 2,0	5 2,2	27 2,0	14 2,2	6 1,8	2 2,5	5 2,2	0 0,0	4 3,0	1 3,0	5 2,0	16
2	1003,8	1005,3	-2,2	-1,5	-2,2	-2,0	-0,5	-0,1	-4,9	5,0	18	-16,5	13	3 2,0	1 2,0	0 0,0	19 3,4	0 2,8	1 2,0	12 3,2	7 4,4	10 3,7	1 3,0	2 2,0	5 2,2	14
3	996,9	998,4	-0,8	0,8	-0,6	-0,4	0,3	1,7	-3,6	7,6	27	-14,6	20	0 0,0	4 2,0	0 0,0	10 1,9	17 2,4	10 3,0	13 3,3	4 2,3	3 4,0	1 3,0	0 0,0	0 0,0	22
4	1011,9	1013,4	1,9	3,2	2,2	2,2	0,3	4,2	-1,1	9,5	25	-3,1	14	5 4,2	14 2,2	0 0,0	12 2,5	8 1,9	3 3,0	3 1,3	3 2,7	2 1,5	3 1,7	2 1,5	1 1,0	34
5	1006,4	1007,9	5,3	6,3	5,1	5,3	-0,3	7,4	2,6	15,0	26	-2,0	13	3 2,0	13 2,8	3 2,3	8 3,0	3 2,4	6 2,7	19 2,7	10 3,9	7 4,3	3 3,7	4 2,8	9 2,0	3
6	1010,0	1011,5	9,0	11,0	10,5	9,8	0,3	14,0	7,5	24,6	25	4,0	1													
7	1008,1	1009,6	13,8	15,0	14,2	13,8	0,7	17,0	10,2	26,7	9	4,8	26	10 1,7	10 2,3	1 1,0	11 1,6	2 1,0	3 1,0	4 4,0	5 2,6	7 1,4	3 1,0	11 1,5	9 1,6	17
8	1007,3	1008,8	12,5	14,2	13,1	12,9	0,6	15,4	9,6	22,6	9	2,5	27	7 2,4	16 2,9	0 0,0	7 3,0	6 1,2	6 2,7	6 2,2	3 1,7	4 1,8	3 1,7	0 0,0	4 2,0	31
9	1000,4	1001,9	7,1	9,0	7,3	7,8	-1,1	9,9	5,2	18,6	7	-0,2	17	8 2,8	7 2,1	3 2,0	6 2,3	1 1,0	7 2,6	6 2,0	8 2,5	15 3,2	0 0,0	4 3,0	6 3,2	19
10	1013,2	1014,7	2,7	5,1	3,0	3,5	-1,7	5,9	0,6	13,0	27	-6,0	17	5 2,0	3 1,0	2 2,0	9 3,4	4 2,5	3 2,3	6 3,0	10 2,5	7 3,3	2 3,5	2 2,0	4 3,0	36
11	998,3	999,8	1,5	1,7	1,0	1,4	-1,0	3,0	-1,0	7,6	5	-5,3	28	2 2,0	0 0,0	4 2,3	22 2,5	15 2,2	8 2,9	3 7,0	3 4,0	1 7,0	3 2,3	1 5,0	6 3,3	22
12	996,6	998,2	0,0	0,3	0,0	0,1	-0,6	1,9	-2,5	8,6	21	-10,0	7	4 2,5	7 1,4	0 0,0	20 2,3	6 2,5	3 3,0	6 3,5	12 5,1	0 0,0	2 4,0	1 3,0	5 3,4	27
ÅR	1005,1	1006,6	4,0	5,2	4,3	4,3	-0,4	6,7	1,5	26,7		-16,5														

KLEIVA I SORTLAND — 1979

MD	P1	P01	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-3,3	-3,2	-3,7	-3,6	-2,0	-2,2	-5,7	3,6	19	-12,4	27	1 1,0	2 1,0	4 2,5	2 2,5	16 1,7	5 3,0	3 1,0	9 1,8	15 2,4	6 2,5	16 1,5	4 2,0	10
2			-2,5	-2,1	-2,7	-2,5	-0,5	-1,1	-4,9	5,2	16	-12,2	13	6 1,2	5 1,7	4 3,3	3 1,7	9 2,8	6 2,5	3 1,7	10 3,0	25 3,1	0 0,0	4 2,8	1 1,0	7
3			-1,9	0,5	-1,0	-0,9	0,0	1,3	-3,5	7,8	27	-12,5	19	3 1,0	3 1,3	1 2,0	3 1,3	6 1,7	12 2,6	18 3,3	11 1,5	2 1,0	1 1,0	0 0,0	2 1,0	26
4			0,9	3,6	1,3	1,9	-0,1	4,4	-0,7	10,0	25	-8,0	14	13 1,1	4 1,0	0 0,0	0 0,0	2 1,5	1 1,0	6 1,0	7 1,1	2 1,0	0 0,0	0 0,0	3 2,0	50
5			4,3	6,1	4,9	4,8	-0,9	7,1	2,4	14,8	25	-3,5	13	4 2,0	4 1,0	3 1,0	6 1,5	1 1,0	3 5,0	23 2,4	9 2,8	7 2,4	5 2,0	1 1,0	5 1,4	22
6			9,3	11,8	10,0	10,2	0,3	13,6	7,3	25,0	25	3,9	1	1 2,0	6 1,3	2 1,5	8 1,1	2 2,0	2 2,0	15 1,6	33 2,1	9 3,3	4 2,3	0 0,0	0 0,0	8
7			13,2	16,2	14,3	14,2	0,4	17,5	10,8	26,5	9	7,0	2	4 1,8	8 1,3	6 1,3	7 1,3	3 1,2	8 1,9	23 2,1	9 1,8	3 1,3	2 2,0	2 1,0	5 2,0	10
8			11,8	14,4	12,3	12,7	0,2	15,5	9,6	23,4	9	4,4	27	9 2,6	11 2,2	6 1,3	1 1,0	3 2,6	0 0,0	12 1,3	15 1,9	5 1,6	1 1,0	3 1,7	10 2,0	15
9			7,0	9,0	7,5	7,7	-1,1	9,9	5,6	19,0	7	1,6	24	3 2,6	2 1,3	2 1,0	1 1,0	0 0,0	5 1,4	12 1,5	19 2,6	12 1,8	1 2,0	7 2,3	5 1,6	19
10			2,8	4,6	3,2	3,5	-1,3	5,5	1,2	9,3	3	-2,3	17	5 1,8	2 1,0	0 0,0	6 2,5	4 2,0	0 0,0	9 1,6	9 1,9	20 1,8	5 1,8	9 1,3	5 1,2	19
11			0,8	1,0	0,7	0,8	-0,9	2,4	-1,1	7,2	5	-4,6	28	1 1,0	10 1,0	1 4,0	18 2,2	2 1,5	3 2,0	4 4,5	3 1,0	3 2,0	16 2,9	3 2,7	5 1,0	21
12			-0,2	-0,5	-0,7	-0,4	-0,1	1,2	-2,7	5,9	22	-9,5	17	12 1,8	8 1,6	2 3,0	13 1,5	1 2,0	2 2,5	0 0,0	25 2,5	1 2,0	3 2,0	0 0,0	2 1,0	24
ÅR			3,5	5,1	4,0	4,0	-0,6	6,3	1,5	26,5		-12,5		71 1,7	66 1,4	31 2,2	63 1,9	54 1,9	47 2,4	128 2,1	159 2,1	104 2,3	44 2,4	45 1,8	47 1,6	231

BORKENES — 1979

MD	P1	P01	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-4,2	-3,7	-3,7	-3,9	-1,7	-1,7	-6,1	4,8	19	-15,4	26	7 1,9	9 1,7	22 2,4	25 2,5	1 2,0	5 1,4	0 0,0	5 2,2	0 0,0	1 1,0	0 0,0	8 1,6	9
2			-3,3	-2,3	-2,3	-2,8	-0,3	-0,6	-5,5	5,9	26	-13,6	13	9 1,6	2 1,3	18 2,4	13 2,9	5 1,0	6 2,7	5 4,0	3 1,7	0 2,0	2 2,5	1 3,0	3 2,0	11
3			-1,3	0,6	-1,2	-0,8	0,4	1,4	-3,5	7,2	27	-13,0	19	0 0,0	0 0,0	12 1,3	22 1,6	23 2,7	2 2,0	14 3,4	0 0,0	4 3,8	0 0,0	0 0,0	0 0,0	11
4			1,5	3,4	1,9	1,8	0,1	4,4	-0,9	9,7	25	-3,2	14	10 2,2	0 0,0	2 2,3	10 1,7	9 2,3	5 1,0	6 2,0	0 0,0	2 1,0	7 1,7	4 3,0	4 1,5	31
5			5,6	6,9	5,1	5,3	-0,5	8,0	2,0	16,2	26	-2,7	13	4 2,3	1 1,0	0 0,0	12 2,3	18 2,6	12 2,3	15 2,4	4 1,8	6 2,3	8 2,3	1 2,0	4 2,5	8
6			10,2	12,0	10,0	10,4	0,5	13,9	7,7	25,8	25	3,5	1	0 0,0	0 0,0	2 2,0	1 2,0	6 1,8	7 1,4	5 1,8	10 2,3	20 1,9	15 2,3	2 3,0	4 1,8	15
7			14,1	16,1	14,6	14,2	0,4	17,7	10,8	27,2	9	5,5	26	7 2,6	0 0,0	0 0,0	6 1,5	3 1,7	8 1,9	3 3,0	5 2,6	15 2,1	21 2,2	1 1,0	8 3,0	16
8			12,3	14,2	12,3	12,4	0,2	15,7	9,1	24,3	9	3,2	27	4 1,5	1 1,0	1 1,0	4 1,8	5 1,4	20 2,5	6 1,2	1 1,0	5 2,2	6 1,8	3 3,0	21 2,6	16
9			7,5	9,5	7,5	7,8	-1,1	10,3	5,7	20,8	7	0,5	17	2 2,0	2 1,5	5 1,4	11 2,0	8 3,4	1 3,0	3 2,3	3 1,0	16 1,8	3 1,3	3 2,0	12 1,9	21
10			2,9	4,6	3,0	3,3	-1,3	5,4	1,1	9,3	27	-4,5	17	2 1,0	1 2,0	9 2,3	12 1,6	11 2,1	1 1,0	7 1,2	0 0,0	14 1,6	7 2,4	1 1,0	10 2,5	18
11			0,2	0,7	0,3	0,4	-1,0	2,1	-1,5	7,1	22	-5,7	13	0 0,0	1 2,0	12 1,6	11 2,6	11 2,3	6 2,8	3 1,3	0 0,0	12 1,8	11 1,3	1 2,0	3 4,0	13
12			-0,8	-0,9	-0,8	-0,9	-0,2	1,1	-3,3	7,9	21	-11,9	17	4 2,0	3 2,0	10 2,1	22 2,0	7 3,1	7 1,4	12 2,6	2 1,0	7 2,4	3 2,3	1 1,0	1 2,0	14
ÅR			3,7	5,1	4,0	3,9	-0,4	6,5	1,3	27,2		-15,4		49 2,0	20 1,7	93 2,0	159 2,2	113 2,5	80 2,1	79 2,5	33 2,0	101 2,0	84 2,0	18 2,4	78 2,3	183

+) Månedsmidler for desember delvis interpolert.
++) Månedsmidler for juni delvis interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅR.	MIDLERE SKYDEKKE 07	13	19	ÅR.	NEDBØR SUM	%	MAX	DT.

MD.	LUFTTEMPERATUR TX <0	TX <=10	TX>=25.	NEDBØR R>=0.1	R>=1.0	R>=10.0.	VINDSTYRKE FX> =8	FX> =8	FX> =9	ANTALL DAGER MED: R	S	SL	YR	TH	FOREKOMST AV M	IH	TO	KV	OV	SD	TÅKE 07	13	19.

GLØPEN FYR 1979

1	82	80	81	81	5,0	6,1	5,3	5,6	146	95	20,1	24	23	6	0	0	22	21	6	6	0	0	4	20	2	2	0	0	0	0	3	12		0	0	0
2	80	85	85	83	6,2	6,6	6,3	6,5	224	191	80,8	26	22	12	1	0	20	17	4	14	2	0	9	15	4	2	0	0	0	0	3	20		0	0	0
3	82	81	82	82	5,4	5,3	5,3	5,3	72	58	19,5	7	21	8	1	0	10	8	3	13	3	1	8	6	4	3	0	0	0	0	2	14		0	0	0
4	83	81	80	82	5,3	5,3	5,2	5,2	42	42	10,8	19	14	2	0	0	15	12	1	1	1	0	10	10	5	5	0	0	0	0	3	12		0	0	1
5	87	81	83	85	7,1	6,4	6,3	6,6	93	122	13,5	27	3	0	0	0	27	22	2	3	1	0	20	9	8	2	0	0	0	0	0	16		0	0	0
8	83	79	80	81	5,3	5,1	5,7	5,5	104	118	24,6	31	0	0	0	0	13	13	5	2	0	0	10	0	0	4	0	0	0	0	6	12		0	0	1
9	84	82	82	83	6,7	6,6	6,3	6,5	235	147	55,0	16	0	0	0	0	25	24	7	7	0	0	25	0	0	4	0	0	0	0	0	20		0	0	0
10	83	78	80	81	5,7	5,3	4,8	5,3	134	76	31,8	4	2	0	0	0	15	13	6	3	0	0	15	4	2	1	0	0	1	0	5	15		0	0	0
11	82	82	82	82	6,5	7,1	6,8	6,8	112	57	16,8	30	3	0	0	0	21	17	3	12	4	1	17	11	7	0	0	2	0	0	0	20		0	0	0
12	82	82	83	82	6,3	7,1	6,9	6,8	164	86	52,5	22	14	3	0	0	19	16	5	14	1	0	16	8	5	2	0	1	0	0	1	24		0	0	0
ÅR																																				
	82	79	80	81	5,3	6,3	6,1	6,2	539		40,0		67	19	1	0	218	144	5	90	19	7	178	60	14	23	3	1	0	0	11	205		8	3	9

RØST II [+)] 1979

1	75	73	74	74	5,0	6,5	6,3	6,2	39		7,5	8	19	3	0	0	24	15	0	12	1	0	7	21	4	1	0	0	0	0	0	16		0	0	0
2	79	77	78	80	6,6	6,9	6,7	6,7	64		11,0	26	16	8	0	0	18	13	1	13	2	1	8	11	0	0	0	0	0	0	2	21		0	0	0
3	76	73	75	75	5,8	5,7	5,7	5,8	29		5,8	4	11	5	0	0	10	9	0	11	5	2	7	6	2	0	0	0	0	0	0	14		0	0	0
4	84	79	80	82	6,2	6,1	5,7	6,0	21		5,5	21	10	1	0	0	11	7	0	2	0	0	8	4	1	2	0	0	0	0	1	16		0	1	1
5	87	80	81	84	6,7	6,3	6,3	6,5	60		6,8	17	0	0	0	0	26	18	0	7	1	0	24	7	4	4	0	0	0	0	0	15		0	0	1
6	90	86	88	89	7,2	6,7	6,8	6,9	24		4,9	11	0	0	0	0	17	11	0	1	0	0	17	0	0	10	0	0	0	0	1	25		3	0	3
7	88	86	87	87	6,3	6,0	5,8	6,0	23		8,0	3	0	0	0	0	10	5	0	2	0	0	10	0	0	3	0	0	0	0	1	18		4	2	2
8	87	80	80	83	6,3	5,4	5,1	6,0	31		7,6	24	0	0	0	0	16	9	0	6	0	0	16	0	0	2	0	0	0	0	1	14		1	0	2
9	83	81	82	82	6,3	6,7	6,3	6,5	86		6,6	26	0	0	0	0	25	18	0	9	1	0	25	0	0	0	0	0	0	0	0	16		0	0	0
10	79	76	78	77	8,5	8,6	8,0	8,4	54		12,0	21	0	0	0	0	16	10	1	9	1	0	16	1	0	0	0	0	1	0	0	14		0	0	0
11	79	77	78	78	6,2	7,2	6,5	6,6	82		8,2	30	1	0	0	0	21	12	0	4	4	0	20	5	2	0	0	0	0	0	0	19		0	0	0
12	79	80	81	80	6,0	6,8	6,3	6,3	106		40,0	22	10	2	0	0	24	17	3	10	4	0	20	5	1	1	0	0	0	0	1	17		0	0	0
ÅR	82	79	80	81	6,3	6,3	6,1	6,2	559		40,0		87	19	1	0	218	144	5	90	19	7	178	60	14	23	3	1	0	0	11	205		8	3	9

KVALNES I LOFOTEN 1979

1	69	70	68	69	4,7	6,2	4,1	5,1	31	28	7,5	2	27	6	0	0	14	7	0	12	0	0	0	14	3	0	0	3	0	0	3	9	31	0	0	0
2	73	75	70	76	5,2	5,8	5,3	5,6	119	149	34,8	26	20	11	0	0	15	14	1	17	0	0	8	14	7	2	0	0	0	0	3	15	22	0	0	0
3	68	65	66	67	4,7	4,6	4,3	4,7	98	117	40,4	3	18	8	0	0	12	11	2	9	0	0	7	11	4	3	0	0	0	0	5	15	27	0	0	0
4	81	73	75	77	5,7	5,4	5,3	5,5	18	27	5,8	29	14	2	0	0	11	6	0	2	0	0	5	6	1	0	0	4	0	0	3	13	11	0	0	0
5	82	77	80	80	6,3	6,5	5,2	6,3	87	167	18,8	27	2	0	0	0	25	17	2	7	0	0	24	8	6	1	0	1	0	0	1	18	1	1	0	0
6	90	84	85	87	7,1	6,7	6,3	6,8	31	50	5,4	17	0	0	0	0	19	9	0	1	0	0	19	0	0	5	0	0	0	0	1	23	0	1	0	0
7	84	83	85	84	6,2	5,6	5,3	5,9	57	110	36,9	2	0	0	0	0	10	6	2	1	0	0	10	0	0	6	0	0	0	0	1	18	0	3	0	3
8	77	74	77	77	6,3	6,0	5,7	6,0	38	85	18,5	31	0	0	0	0	17	12	1	1	0	0	17	0	0	2	0	0	0	0	1	18	0	2	1	0
9	80	78	78	78	6,5	6,3	6,3	6,4	102	99	19,1	11	0	0	0	0	24	16	4	8	0	0	24	0	0	0	0	0	0	0	0	16	0	0	0	0
10	72	70	69	70	4,7	5,1	4,6	4,8	66	53	15,7	20	2	0	0	0	16	13	1	4	0	0	15	5	3	0	0	1	2	0	0	7	13	0	0	0
11	73	74	74	74	5,0	5,6	5,1	5,3	114	85	39,9	5	13	0	0	0	15	14	1	10	1	0	14	9	8	0	0	1	0	0	4	12	8	0	0	0
12	71	76	75	74	4,5	6,6	5,5	5,6	153	125	40,1	22	17	3	0	0	21	18	5	9	0	0	15	17	11	0	0	5	0	0	4	13	18	0	0	0
ÅR	77	75	76	76	5,6	5,9	5,5	5,7	931	88	40,4		113	30	0	0	199	143	21	81	1	0	161	84	43	19	1	16	0	0	33	183	118	7	1	0

BØ I VESTERÅLEN II [++)] 1979

1	85	86	85	85	4,3	6,0	4,3	5,1	43	55	8,0	2	29	18	3	1	17	10	0	2	0	0	3	14	1	0	0	2	0	0	4	14		0	0	0
2	88	88	91	89	5,3	5,8	5,3	5,7	110	151	41,0	26	21	12	4	1	15	11	3	10	0	0	8	11	4	1	0	0	0	0	5	15		0	0	0
3	80	75	79	79	4,3	3,5	4,2	4,0	45	58	9,3	4	20	8	4	1	11	8	0	4	1	0	9	10	1	0	0	1	0	0	8	9		0	0	0
4	80	73	78	79	4,9	5,0	5,1	5,0	26	41	9,2	7	14	3	0	1	10	8	0	1	0	0	5	8	3	2	0	1	1	0	4	13		0	0	0
5	80	75	78	79	6,1	6,4	6,7	6,4	45	80	13,8	27	5	0	0	0	20	10	1	3	2	0	20	4	3	4	0	1	0	0	0	19		0	0	0
6	86	80	82	84	6,3	6,5	6,2	6,5	40	63	4,8	13	0	0	0	0	17	11	0	1	0	0	17	0	0	0	0	0	0	0	1	21		1	1	0
7	81	76	78	80	6,1	5,0	4,8	5,2	36	63	22,2	2	0	0	0	2	7	6	1	0	0	0	7	0	0	1	0	0	0	0	4	14		0	0	0
8	79	72	77	77	6,2	5,7	5,4	5,8	63	98	18,6	31	0	0	0	0	17	13	1	3	0	0	17	0	0	2	0	0	0	0	3	16		2	0	0
9	86	78	84	84	6,7	6,8	6,3	6,6	104	99	13,3	26	1	0	0	0	26	20	2	5	0	0	26	0	0	1	0	0	0	0	1	19		0	0	0
10	81	74	77	78	4,8	5,1	4,3	4,8	78	63	13,4	23	15	0	0	0	18	13	3	1	0	0	18	4	3	3	0	1	0	0	8	15		0	0	0
11	77	80	82	80	6,1	5,7	5,3	5,7	35	36	11,6	22	10	1	0	0	11	8	1	3	2	2	6	8	2	1	0	1	0	0	4	14		0	0	0
12	81	87	85	84	5,4	6,7	5,9	6,0	157	178	66,7	22	22	3	0	0	20	16	4	5	2	1	12	11	1	0	0	0	0	0	2	16		0	0	0
ÅR	82	79	81	82	5,6	5,7	5,5	5,6	782	82	66,7		145	50	11	2	189	134	16	33	7	3	144	70	18	15	0	7	0	0	44	185		3	1	0

KLEIVA I SORTLAND 1979

1	82	83	82	82	5,8	6,1	6,0	5,9	78	62	10,4	1	30	25	2	0	20	16	1	4	0	0	3	18	1	0	0	0	0	0	0	16	31	0	0	0
2	84	82	82	83	5,6	5,4	5,3	5,8	166	171	85,0	26	23	14	3	0	18	15	3	10	0	0	9	13	2	1	0	0	0	0	2	12	28	0	0	0
3	72	64	66	68	4,5	4,3	4,2	4,3	32	26	12,0	4	22	9	3	0	9	6	1	1	0	0	4	7	0	0	0	0	0	0	9	12	31	0	0	0
4	86	67	73	79	5,7	4,2	4,7	4,9	28	32	8,5	15	13	4	0	0	9	7	0	0	0	0	4	6	1	0	0	0	0	0	6	12	30	0	0	0
5	89	75	81	85	5,5	6,8	5,3	6,4	51	73	12,5	27	1	0	0	0	13	14	1	3	0	0	15	7	3	5	0	0	0	0	0	17	18	0	1	0
6	91	79	85	88	5,1	6,4	5,1	6,3	67	91	11,7	12	0	0	0	1	20	14	2	1	0	0	20	0	0	17	0	0	0	0	1	21	0	1	0	0
7	87	70	76	82	6,0	4,6	5,2	5,3	17	29	8,0	2	0	0	0	1	6	5	0	0	0	0	6	0	0	1	0	0	0	0	3	14	0	0	0	0
8	86	71	78	80	5,9	5,6	5,6	5,7	49	49	10,1	31	0	0	0	0	15	10	1	0	0	0	15	0	0	7	0	0	0	0	3	17	0	1	0	0
9	92	78	88	87	6,6	6,4	6,6	6,5	122	95	13,0	20	0	0	0	0	25	21	3	2	0	0	25	0	0	5	0	0	0	0	0	19	0	0	0	0
10	83	76	79	80	4,6	4,5	4,6	4,6	99	80	30,4	23	8	3	0	0	13	11	4	0	0	0	11	5	2	5	0	0	0	0	0	13	3	0	0	0
11	81	84	85	83	5,7	5,5	5,7	5,6	47	35	13,5	23	20	3	0	0	11	8	2	2	2	2	5	7	1	3	0	1	0	0	5	17	8	0	0	0
12	84	89	89	87	5,6	6,7	5,8	6,0	130	102	49,0	22	23	12	3	0	21	15	4	0	0	0	11	18	8	4	0	0	0	0	2	17	23	0	0	0
ÅR	85	77	80	82	5,7	5,8	5,6	5,6	883	69	89,0		143	67	8	2	185	142	22	23	2	2	128	81	18	51	0	1	0	0	40	187	172	2	1	0

BORKENES 1979

1	80	79	80	80	5,0	5,6	4,3	5,1	34	38	9,0	2	30	26	2	0	13	8	0	0	0	0	0	13	0	0	0	0	0	0	2	9	31	0	0	0
2	82	82	82	82	5,4	5,8	5,1	5,4	50	67	8,0	26	22	13	7	1	12	9	0	2	0	0	6	10	3	0	0	1	0	0	1	11	28	0	0	0
3	75	70	71	73	4,2	3,7	3,7	3,9	18	23	6,0	4	22	10	5	1	8	4	0	1	0	0	5	7	4	2	0	0	0	0	8	6	31	0	0	0
4	84	76	81	82	5,5	4,7	5,1	5,1	19	35	5,0	15	13	3	0	0	9	4	0	1	0	0	2	8	0	0	0	0	0	0	5	13	24	0	0	0
5	84	76	80	83	5,2	5,6	5,2	5,7	36	140	13,9	27	4	0	0	0	22	11	1	2	0	0	18	7	3	1	0	0	0	0	1	12	2	0	0	0
6	89	84	88	89	6,7	6,3	6,3	6,5	23	55	4,8	27	0	0	0	1	13	8	0	0	0	0	10	0	0	0	0	0	0	0	1	19	0	1	0	1
7	82	76	78	81	5,3	4,8	5,2	5,3	11	28	6,5	2	0	0	0	1	9	3	0	0	0	0	7	0	0	0	0	0	0	0	3	12	0	0	0	1
8	84	74	80	82	5,0	5,8	5,0	5,4	40	67	9,5	18	0	0	0	0	18	12	0	1	0	0	10	0	0	0	0	0	0	0	2	16	0	1	0	2
9	88	77	86	86	6,7	6,2	6,7	6,5	80	108	12,5	23	0	0	0	0	27	15	2	0	0	0	27	0	0	0	0	0	0	0	0	16	0	0	0	0
10	81	73	79	79	4,9	4,8	4,4	4,7	83	88	19,0	23	3	0	0	0	18	12	3	0	0	0	17	4	1	0	0	1	0	0	6	11	4	0	0	0
11	78	79	79	79	5,3	5,6	5,2	5,4	47	57	12,3	22	22	4	0	0	11	10	1	1	0	0	4	8	1	0	0	1	0	0	1	12	8	0	0	0
12	82	87	86	86	5,7	6,1	5,2	5,7	72	79	13,7	9	24	14	2	0	18	13	2	3	0	0	8	14	4	0	0	0	0	0	1	13	25	0	0	0
ÅR	82	78	81	82	5,5	5,4	5,3	5,4	533	65	19,0		143	70	16	4	184	109	9	17	0	0	130	71	16	3	0	3	0	0	31	150	153	2	0	4

MD.	MIDLERE LUFTTRYKK P+1	MIDLERE LUFTTRYKK P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER TMAX	TMIN	MAX	DT	MIN	DT.	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM.
ANDØYA																									1979
1	1003,1	1009,8	- 3,6	- 3,1	- 3,2	- 3,4	- 1,9	- 1,1	- 6,6	5,0	19	-15,8	27	2 4,0	3 3,7	3 3,7	1 3,0	2 3,5	23 4,8	15 4,7	18 4,1	8 4,5	7 3,7	3 3,3	7 4,0	1
2	1003,8	1005,5	- 2,7	- 1,9	- 2,2	- 2,3	- 0,3	0,1	- 5,1	5,8	26	-13,0	13	2 3,0	5 4,0	5 3,4	1 3,0	3 3,1	14 5,3	7 4,1	18 4,7	13 4,0	5 4,8	2 4,5	3 4,3	0
3	997,6	999,2	- 2,1	- 0,2	- 2,2	- 1,8	- 0,1	0,9	- 4,9	6,3	28	-15,1	18	1 3,0	1 4,0	0 0,0	2 3,0	8 3,5	19 4,7	21 4,0	31 3,5	7 3,4	1 3,0	1 3,0	0 0,0	1
4	1012,4	1014,1	0,3	2,2	0,9	0,8	- 1,2	3,1	- 2,7	7,6	25	-12,0	10	3 4,4	12 2,5	10 3,3	1 1,0	4 2,8	10 2,6	14 2,3	16 2,6	3 3,7	2 3,5	1 2,0	1 3,0	8
5	1006,5	1008,2	4,5	5,6	4,3	4,7	3,0	7,1	2,0	13,1	26	- 1,8	13	1 3,0	11 3,8	14 3,1	2 2,5	5 3,3	9 2,7	17 3,1	14 3,6	8 5,5	5 4,8	4 3,0	2 3,5	1
6	1009,9	1011,3	3,4	3,8	3,3	3,6	0,2	11,6	6,5	20,5	25	3,9	1	4 2,8	6 2,3	8 1,8	3 2,4	2 3,0	8 1,9	7 2,3	4 3,0	19 3,7	17 4,2	5 3,0	6 2,7	1
7	1003,7	1010,3	12,4	13,5	12,3	12,4	0,3	15,4	9,7	25,0	10	7,1	28	12 2,4	24 3,1	8 2,1	1 1,0	2 2,0	11 2,3	11 3,1	4 3,8	2 2,0	4 3,3	5 2,8	8 2,4	1
8	1007,4	1009,5	11,1	13,0	11,9	11,7	0,3	14,3	8,7	21,0	10	1,6	7	5 3,2	18 3,7	9 2,9	2 2,0	1 1,0	9 3,6	11 2,8	13 2,8	3 3,0	7 3,0	2 2,0	8 2,4	5
9	1000,3	1001,9	6,8	6,8	7,3	7,5	- 1,0	9,6	5,1	18,5	7	- 1,6	17	7 3,6	6 3,2	4 3,5	3 2,7	5 3,0	7 3,0	13 3,0	9 3,0	12 3,6	6 3,3	9 3,7	4 3,3	5
10	1013,4	1015,1	2,8	4,0	2,9	3,2	- 1,4	5,1	1,0	8,1	3	- 4,8	16	4 4,5	3 2,5	3 2,7	3 3,2	5 3,0	4 4,0	16 3,8	20 3,1	12 2,8	8 3,8	2 4,0	6 4,0	2
11	998,4	1000,1	0,4	1,0	0,9	0,8	- 1,1	2,5	- 1,7	6,5	22	- 5,4	23	1 2,0	0 0,0	0 0,0	0 0,0	4 3,5	12 4,5	27 3,4	22 2,8	5 3,2	7 4,7	4 4,0	7 3,4	1
12	996,5	998,2	0,1	0,3	0,5	0,2	- 0,3	1,6	- 2,9	7,0	21	-13,0	13	2 3,0	4 4,3	3 3,3	4 2,5	3 1,3	16 4,4	9 3,4	24 3,4	10 4,4	3 1,7	6 3,5	6 4,5	3
ÅR	1005,3	1006,9	3,2	4,3	3,3	3,5	- 0,8	5,9	0,8	25,0		-15,8		49 3,5	95 3,3	63 3,0	23 2,7	50 3,8	142 3,9	169 3,4	193 3,4	102 3,8	72 3,9	44 3,3	58 3,3	29
TENNEVOLL																									1979
1			- 9,8	- 9,2	- 9,2	- 9,4	- 3,7	- 5,3	-14,0	5,0	19	-21,5	11	3 1,3	3 1,0	0 0,0	3 1,0	3 0,0	13 1,6	52 1,1	1 2,0	4 1,0	4 1,0	6 1,0	0 0,0	4
2			- 5,8	- 4,9	- 6,0	- 5,7	- 0,2	- 2,5	- 9,9	5,5	21	-21,3	13	2 2,0	4 1,0	1 1,0	1 1,0	3 0,0	18 3,2	35 1,6	5 4,0	8 2,6	6 1,0	2 2,0	0 0,0	2
3			- 4,2	- 3,1	- 3,4	- 3,8	- 0,1	- 1,5	- 7,8	9,5	27	-20,9	19	1 1,0	3 1,0	0 0,0	3 1,0	0 0,0	20 3,3	52 1,5	7 2,9	5 1,8	0 0,0	0 0,0	0 0,0	2
4			- 1,6	- 0,1	- 1,0	- 0,7	- 0,4	- 4,6	- 3,9	10,2	22	-12,0	10	14 1,9	6 1,0	0 0,0	3 1,0	0 0,0	12 1,0	30 1,2	3 1,3	0 0,0	1 1,0	2 1,0	0 0,0	13
5			3,1	3,8	3,3	3,7	- 0,3	9,0	1,7	18,5	26	- 3,5	9	8 1,0	6 1,2	0 0,0	7 1,0	0 0,0	22 2,3	14 2,1	2 4,0	16 1,5	8 1,3	5 1,0	0 0,0	5
6			10,4	12,7	11,9	11,0	0,4	14,6	7,5	27,0	25	2,0	20	10 1,0	4 1,0	0 0,0	3 1,0	0 0,0	7 2,0	15 1,5	7 1,9	14 2,1	7 1,3	6 1,0	0 0,0	12
7			14,1	17,3	16,0	15,1	0,9	19,2	9,8	26,4	9	3,0	29	12 1,1	18 1,1	0 0,0	3 1,0	0 0,0	24 1,7	12 1,3	1 1,0	1 1,0	2 1,0	1 1,0	0 0,0	8
8			11,4	14,8	13,3	12,7	0,2	16,3	8,3	23,2	14	- 0,2	27	18 1,0	9 1,1	0 0,0	2 1,0	0 0,0	12 2,3	19 1,5	4 2,0	1 1,0	9 1,1	4 1,0	0 0,0	15
9			3,2	3,0	3,1	3,0	- 0,7	10,1	3,7	19,5	7	- 3,0	17	3 1,0	4 1,0	0 0,0	5 1,0	0 0,0	14 1,4	21 1,3	6 1,7	6 1,5	3 1,0	11 1,1	1 1,0	16
10			0,0	2,5	0,2	0,8	- 1,6	3,2	- 2,0	8,0	3	-10,2	16	5 1,0	0 0,0	0 0,0	8 2,0	0 0,0	16 2,4	31 1,0	4 1,3	7 1,4	4 1,3	7 1,6	0 0,0	14
11			- 4,1	- 3,4	- 3,7	- 3,8	- 2,5	- 0,4	- 7,4	7,0	21	-17,6	13	0 0,0	3 1,0	0 0,0	2 1,0	0 0,0	22 1,7	47 1,1	3 1,3	3 2,6	5 1,0	1 1,0	0 0,0	2
12			- 3,5	- 3,2	- 3,2	- 3,3	- 0,3	- 0,2	- 7,4	7,0	23	-16,0	14	0 0,0	3 1,7	0 0,0	1 3,0	0 0,0	17 1,6	45 1,2	8 3,0	10 3,6	0 0,0	4 1,3	0 0,0	5
ÅR			1,1	3,9	2,7	2,3	- 0,6	5,8	- 1,8	27,0		-21,5		70 1,2	63 1,1	1 1,0	43 1,1	0 0,0	197 2,1	373 1,3	51 2,3	77 2,0	49 1,1	59 1,1	2 1,0	98
GIBOSTAD																									1979
1			- 7,0	- 7,0	- 6,7	- 7,0	- 3,3	- 4,3	- 9,6	3,2	19	-18,1	27	4 1,5	7 1,4	3 2,3	3 2,3	0 0,0	15 2,0	0 0,0	12 3,0	14 1,5	7 1,3	0 0,0	6 1,5	22
2			- 5,1	- 4,4	- 4,6	- 4,9	- 0,9	- 2,4	- 7,3	4,3	26	-15,0	13	2 1,5	3 1,3	0 0,0	1 2,3	0 0,0	23 2,5	0 0,0	27 3,0	4 1,8	5 1,0	1 1,0	5 2,6	13
3			- 2,8	- 2,1	- 2,3	- 2,6	- 0,9	- 1,2	- 4,3	7,9	27	-13,8	19													
4			- 0,5	2,7	1,1	0,9	- 0,1	3,9	- 2,2	8,9	22	- 8,4	18	13 1,9	6 1,7	0 0,0	3 1,7	0 0,0	5 1,4	3 1,7	14 1,8	4 2,8	0 0,0	1 1,0	4 1,0	37
5			4,3	6,9	5,3	5,1	0,2	8,1	2,5	17,1	26	- 1,8	13	6 1,7	6 1,8	0 0,0	4 1,8	1 1,0	6 2,2	5 2,3	44 2,8	3 2,0	3 2,3	2 2,5	5 2,0	8
6			9,2	10,9	10,0	9,6	0,1	12,5	7,1	25,0	25	4,1	1	1 1,0	3 2,3	0 0,0	0 0,0	0 0,0	0 0,0	3 1,3	44 2,7	2 1,5	0 0,0	3 3,0	21 2,2	13
7			14,1	15,7	14,3	14,1	1,0	17,3	10,7	26,7	9	5,6	30													
8			13,9	13,3	12,7	12,1	0,2	15,3	9,0	23,4	9	3,5	27	26 2,1	2 2,3	0 0,0	0 0,0	0 0,0	8 4,1	0 0,0	32 2,1	0 0,0	2 1,0	2 2,5	7 2,3	14
9			8,7	8,8	7,3	7,5	- 0,4	9,9	5,4	16,6	7	0,4	17	3 1,7	2 2,3	1 2,0	1 1,0	0 0,0	9 2,3	2 1,3	41 2,1	5 1,6	1 1,0	0 0,0	9 2,1	16
10			1,3	3,2	1,7	2,2	- 1,2	4,0	0,4	7,6	20	- 4,5	17	16 1,4	1 3,0	0 0,0	0 0,0	3 3,0	20 2,8	0 0,0	32 1,8	4 1,0	5 1,8	0 0,0	1 1,0	11
11			- 1,1	- 0,5	- 0,8	- 0,8	- 0,7	1,3	- 3,1	5,9	21	- 9,3	13	2 1,0	3 1,3	0 0,0	0 0,0	1 1,0	19 2,7	1 4,0	21 3,3	11 1,5	1 1,0	0 0,0	3 1,3	28
12			- 1,9	- 1,9	- 1,8	- 1,9	- 0,1	0,1	- 4,2	6,0	22	-10,6	18	5 1,4	1 3,0	1 1,0	1 2,0	2 3,0	14 1,9	3 3,0	29 3,4	9 1,7	4 1,0	1 1,0	1 2,0	22
ÅR			2,1	4,0	3,1	2,9	- 0,1	5,6	0,4	26,7		-18,1													
ØVERBYGD																									1979
1			-12,8	-12,8	-13,1	-11,3	- 2,3	- 7,1	-16,2	5,4	19	-34,4	5	13 1,7	0 0,0	11 1,9	16 2,1	7 2,3	0 0,0	0 0,0	1 2,0	0 0,0	6 2,3	1 2,0	6 2,0	29
2			-10,2	- 8,7	- 9,3	- 9,6	- 0,3	- 5,4	-14,2	6,3	22	-38,7	13	12 1,3	0 0,0	8 1,5	9 1,7	17 2,4	0 0,0	0 0,0	1 1,0	12 2,0	0 0,0	6 1,5	19
3			- 0,3	- 1,5	- 4,3	- 4,7	- 1,0	- 0,3	- 9,9	7,1	30	-28,5	21	11 1,3	0 0,0	11 1,3	27 1,9	22 2,1	1 2,0	0 0,0	1 2,0	0 0,0	2 2,0	0 0,0	17
4			- 1,6	2,7	1,7	0,0	0,5	3,5	- 5,1	9,4	20	-18,7	10	22 1,2	0 0,0	3 1,5	16 1,8	9 1,8	0 0,0	2 1,0	1 1,0	0 0,0	11 1,3	0 0,0	7 1,7	14
5			4,9	7,5	5,9	5,4	0,2	8,7	1,8	17,4	26	- 3,3	10	15 1,5	0 0,0	8 1,1	22 1,7	13 2,2	0 0,0	1 1,0	8 1,5	1 2,0	13 1,9	0 0,0	6 2,0	4
6			10,6	13,3	12,1	11,3	0,3	15,1	7,6	26,8	25	0,3	1	25 1,7	0 0,0	3 1,0	12 1,7	9 1,7	1 1,0	2 1,5	7 1,3	0 0,0	6 2,3	0 0,0	16 1,8	3
7			14,6	17,8	16,3	15,3	1,0	19,3	9,9	26,7	9	5,1	30													
8			10,7	14,8	13,1	12,3	0,2	16,1	8,2	23,2	9	- 2,6	27	15 1,2	2 1,5	0 1,3	17 1,8	11 2,3	0 0,0	1 2,0	0 1,0	0 0,0	10 1,8	2 2,5	10 1,4	13
9			5,1	8,8	6,4	6,4	- 0,4	9,7	2,9	17,8	7	- 3,5	17	9 1,3	0 0,0	9 1,0	13 1,7	4 1,8	0 0,0	2 1,0	3 1,3	1 1,0	22 1,9	0 0,0	14 1,6	16
10			- 0,2	1,3	- 0,1	0,3	- 1,3	2,3	- 2,6	8,1	3	-11,5	27	16 1,3	0 0,0	0 1,3	20 1,9	5 2,0	0 0,0	2 1,0	7 1,0	1 1,0	9 1,9	0 0,0	6 1,5	21
11			- 3,7	- 2,9	- 3,2	- 3,3	1,0	- 0,6	- 6,7	4,7	22	-18,7	12	17 1,0	0 0,0	11 1,1	19 1,8	16 1,9	0 0,0	0 0,0	2 1,5	0 0,0	7 1,6	0 0,0	6 1,2	21
12			- 5,3	- 5,3	- 5,6	- 5,5	1,4	- 1,7	-10,8	9,5	21	-25,6	11	16 1,1	0 0,0	9 1,1	7 1,9	11 1,7	1 1,0	0 0,0	2 1,5	0 0,0	12 1,1	0 0,0	6 1,3	29
ÅR			0,4	2,9	1,3	1,3	0,2	5,0	- 2,9	26,8		-38,7													
BARDUFOSS																									1979
1	1001,9	1012,3	-14,0	-13,2	-12,8	-13,3	- 4,8	- 8,2	-18,2	4,9	19	-27,0	5	2 1,0	3 1,0	5 1,4	9 2,2	13 1,8	2 1,0	9 1,0	17 1,3	9 1,4	2 1,5	11 1,6	0 0,0	17
2	997,4	1007,6	-10,5	- 8,2	- 9,3	- 9,7	- 0,7	- 5,4	-14,3	5,6	26	-32,5	13	0 0,0	0 0,0	2 1,0	8 1,6	13 2,6	1 2,0	5 1,2	21 2,0	11 2,3	6 2,3	2 2,5	1 4,0	14
3	991,4	1001,3	- 9,4	- 8,9	- 9,1	- 9,4	- 0,1	0,5	-11,5	7,6	27	-26,1	16	1 1,0	2 1,5	7 1,3	16 2,1	23 2,3	1 1,0	7 1,3	15 2,1	6 1,2	1 1,0	8 1,3	2 1,0	8
4	1004,7	1014,6	- 2,2	3,0	1,1	0,0	0,3	4,2	- 5,4	10,6	22	-15,1	10	5 1,4	6 1,5	3 1,3	1 2,0	17 1,7	7 1,3	9 1,3	4 1,8	2 2,0	9 1,7	8 2,4	1 3,0	15
5	999,2	1008,8	4,1	7,3	5,9	5,1	0,2	9,0	1,2	18,2	26	- 3,8	3	3 2,0	2 2,1	3 1,5	3 2,3	8 2,6	2 1,5	8 2,1	17 2,6	9 2,0	7 2,1	13 1,6	4 2,0	5
6	1001,8	1011,2	10,3	12,9	12,1	11,0	0,8	15,8	7,5	27,1	25	2,0	1	2 1,0	5 1,4	7 1,4	3 1,0	1 2,0	1 1,0	8 1,3	8 2,1	10 2,7	9 1,8	24 2,1	5 2,0	7
7	1000,8	1010,1	14,0	16,0	15,9	15,2	1,0	19,9	9,7	27,5	9	2,2	30	5 1,6	6 1,3	3 1,4	10 2,2	13 1,2	4 2,3	4 1,5	5 1,6	3 1,0	11 2,5	7 2,4	5 1,2	15
8	1000,5	1009,8	10,4	14,8	13,7	12,3	0,1	16,7	7,7	24,8	9	- 0,3	27	6 1,5	10 1,3	2 1,0	3 2,0	9 2,0	2 1,5	5 1,6	7 1,4	5 1,4	8 1,6	13 2,0	1 2,0	22
9	992,9	1002,4	4,7	9,0	6,8	6,3	- 0,5	10,0	3,5	19,4	7	- 4,1	17	1 2,0	3 1,7	1 1,3	3 2,7	5 1,9	0 0,0	3 1,7	12 2,1	14 1,9	14 2,1	10 2,1	1 1,0	20
10	1000,4	1010,3	- 1,5	1,6	- 0,3	- 0,3	- 1,4	2,7	- 3,1	7,7	3	-11,9	16	1 1,0	5 1,0	2 3,0	11 2,6	9 2,0	1 1,0	3 1,3	9 1,9	7 1,7	10 1,9	8 1,8	3 1,7	24
11	992,1	1002,1	- 6,7	- 5,6	- 6,3	- 6,1	- 2,0	- 2,1	-10,3	6,5	22	-21,2	13	2 1,0	0 0,0	4 1,0	5 1,8	9 2,2	0 0,0	7 1,1	19 1,5	10 1,6	10 1,2	8 1,0	2 1,0	14
12	989,9	999,9	- 7,1	- 6,1	- 6,8	- 6,7	- 3,3	- 2,7	-11,8	6,6	22	-21,9	18	1 3,0	1 1,1	2 2,0	3 1,7	9 2,2	3 1,7	11 1,1	23 2,0	9 1,6	9 1,2	2 1,0	1 1,0	19
ÅR	999,3	1008,0	- 0,6	2,7	1,1	0,7	- 0,6	5,0	- 3,7	27,5		-32,5		22 1,5	43 1,1	52 1,4	77 2,1	131 2,1	24 1,5	75 1,4	157 1,9	95 1,8	96 1,8	112 1,9	26 1,7	178
KVESMENES - RYE IG																									1979
1			- 9,7	-10,4	- 9,9	-10,0	- 4,1	- 6,2	-14,3	5,4	19	-24,6	3	0 0,0	1 1,0	3 1,3	1 1,0	1 2,0	26 3,2	23 3,7	0 0,0	2 4,0	7 3,0	4 2,8	8 1,8	20
2			- 7,4	- 6,1	- 7,4	- 7,2	- 3,7	- 4,1	-10,9	8,2	26	-24,6	13	1 1,0	0 0,0	0 0,0	0 0,0	0 0,0	28 3,8	5 3,2	0 0,0	3 3,7	16 2,9	2 3,0	3 2,0	28
3			- 4,8	- 1,1	- 3,3	- 3,6	- 0,1	0,0	- 7,9	6,6	7	-21,0	19	1 2,0	1 3,0	2 1,0	1 1,0	2 2,5	39 3,7	20 2,7	2 1,0	0 0,0	1 1,0	0 0,0	0 0,0	24
4			- 1,2	2,0	1,1	0,3	- 0,3	3,3	- 3,9	9,2	24	-14,5	18	9 1,9	0 0,0	2 1,5	2 1,5	2 2,0	23 2,3	10 3,1	0 0,0	0 0,0	3 2,0	2 2,0	11 2,1	88
5			4,4	7,4	6,0	5,2	- 0,2	8,9	1,2	17,2	26	- 3,5	6	7 1,7	0 0,0	1 2,0	0 0,0	1 2,0	20 2,9	9 2,4	1 2,0	0 0,0	5 2,4	13 2,5	12 2,5	21
6			10,3	12,7	11,9	11,8	0,7	14,4	7,4	26,8	25	0,8	1	11 1,4	1 2,0	0 0,0	0 0,0	0 0,0	4 2,5	4 2,8	1 2,0	0 0,0	23 2,6	6 3,2	14 2,5	26
7			13,9	17,9	16,3	15,1	1,2	19,2	9,6	26,7	9	1,6	29	10 2,1	0 0,0	0 0,0	0 0,0	0 0,0	22 2,3	13 2,0	3 2,0	0 0,0	6 1,7	0 0,0	7 2,7	32
8			11,2	14,6	12,9	12,3	0,4	15,6	8,3	22,4	10	1,0	27	3 1,7	0 0,0	2 1,5	1 2,0	1 1,0	23 2,6	7 3,0	2 2,0	0 0,0	8 1,8	8 2,4	8 2,1	30
9			5,3	9,1	6,8	6,7	- 1,0	9,8	3,4	18,2	7	- 2,8	17	5 2,0	0 0,0	3 1,3	0 0,0	0 0,0	11 2,6	3 2,3	0 0,0	0 0,0	5 2,0	9 2,2	20 2,8	34
10			0,1	2,1	1,7	0,8	- 1,6	3,2	- 1,9	8,6	3	-11,0	17	3 1,3	0 0,0	2 1,5	1 1,0	0 0,0	21 3,5	10 3,6	0 0,0	0 0,0	16 2,3	3 2,7	7 2,9	30
11			- 3,2	- 2,3	- 2,3	- 2,5	- 0,9	0,7	- 5,8	6,6	22	-13,9	12	0 0,0	0 0,0	2 1,5	1 1,0	0 0,0	29 2,9	13 3,3	0 0,0	0 0,0	13 2,7	6 2,3	0 0,0	27
12			- 3,3	- 3,3	- 3,7	- 3,4	0,7	- 0,4	- 7,7	10,0	21	-18,2	11	0 0,0	0 0,0	2 1,5	0 0,0	1 2,0	22 2,7	17 3,2	2 1,5	1 4,0	12 2,7	4 1,8	8 1,9	26
ÅR			1,3	3,6	2,4	2,0	- 0,5	5,4	- 1,9	26,8		-24,6		60 1,7	3 2,1	20 1,5	6 1,3	3 2,0	264 3,0	134 3,3	11 1,7	6 3,9	115 2,5	97 2,5	95 2,4	386

(+) Månedsmidler for mars og juli delvis interpolert.
(++) Månedsmidler for juli delvis interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅM.	MIDLERE SKYDEKKE 07	13	19	ÅM.	NEDBØR SUM	%	MAX DT.	LUFTTEMPERATUR TN <0	TX <0	TJ <=10	TX> =25.	NEDBØR R>=0.1	R>= 1.0	R>= 10.0.	VINDSTYRKE FX> =38	FX> =88	FX>. =98.	ANTALL DAGER MED: R	S	SL	YR	SN	FOREKOMST AV H	IH	TO	KV	OV	SO	TÅKE 07	13	19.
ANDØYA																																				1979
1					5,2	6,1	5,3	5,7	35	39	7,2	2	30	21	5	0	17	10	0	12	1	0	3	16	0	0	0	6	0	0	1	13		0	0	0
2					5,3	6,0	5,3	5,9	73	106	22,2	26	22	12	3	0	10	14	2	15	2	0	3	14	6	3	0	7	0	0	2	16		0	0	0
3					5,0	4,8	4,2	4,6	20	24	6,9	4	23	11	9	0	13	6	0	11	4	0	6	11	4	0	0	3	0	0	4	7		0	0	0
4					5,3	5,1	4,9	5,2	17	25	4,4	17	23	3	2	0	11	5	0	3	2	0	4	11	2	1	0	3	0	0	3	13		0	0	0
5					6,0	5,8	5,0	5,9	69	113	14,4	11	7	0	0	0	19	13	3	10	1	0	17	8	6	4	0	3	0	0	0	13		0	0	0
6					6,3	6,4	5,8	6,6	34	87	6,7	12	0	0	0	0	19	14	0	7	1	1	19	0	0	16	0	0	0	0	1	20		2	1	2
7					5,3	5,2	5,4	5,4	13	32	0,0	4	1	0	0	0	7	2	0	0	0	0	7	0	0	5	0	0	0	0	2	13		0	0	2
8					6,1	5,5	5,3	5,7	60	86	8,6	19	0	0	0	0	17	14	0	4	0	0	17	0	0	7	0	0	0	0	1	13		1	1	1
9					6,9	6,4	6,3	6,6	142	129	24,3	20	2	0	0	0	27	20	5	5	0	0	27	0	0	3	0	1	0	0	0	19		0	0	0
10					3,3	4,9	3,2	5,1	101	80	22,7	23	8	0	0	0	19	15	3	3	0	0	18	8	5	6	0	6	0	0	0	16		0	0	0
11					5,1	6,0	5,3	5,7	38	40	11,2	23	24	2	0	0	16	8	1	12	3	0	7	12	2	0	0	8	0	0	0	12		0	0	0
12					5,3	6,5	6,0	6,1	171	186	67,4	22	23	8	0	0	22	16	5	13	1	0	13	18	8	1	0	8	0	0	1	18		0	0	0
ÅR					5,7	5,7	5,7	5,7	795	82	67,4		180	93	13	1	203	137	19	117	13	1	146	98	33	46	0	15	0	0	23	173		3	2	5
TENNEVOLL																																				1979
1	88	85	85	86	5,3	6,5	5,0	5,9	31	36	7,0	1	30	27	22	0	14	6	0	0	0	0	2	12	0	2	0	0	0	0	2	14	31	0	0	0
2	81	78	83	81	5,3	6,4	6,0	6,2	67	108	29,8	26	24	14	16	0	12	9	2	3	0	0	5	11	3	3	0	0	0	0	2	17	28	0	0	0
3	79	65	70	72	6,1	5,0	4,3	5,3	16	24	11,7	4	26	10	12	0	7	3	1	0	0	0	4	6	2	0	0	0	0	0	4	14	31	0	0	0
4	88	86	89	87	6,2	5,4	5,1	5,9	23	43	5,0	14	21	2	5	0	12	6	0	2	0	0	4	10	1	3	0	0	0	0	4	19	24	0	0	0
5	76	63	71	73	6,4	6,6	7,1	6,7	89	147	11,9	29	10	0	0	0	18	16	2	2	0	0	15	8	4	4	0	0	0	0	0	18	3	0	0	0
6	80	72	75	77	7,2	6,7	7,2	7,1	55	120	13,0	28	0	0	0	2	21	15	1	0	0	0	21	0	0	7	0	0	0	1	1	24	0	1	0	0
7	78	64	67	73	5,9	5,6	5,3	6,2	25	49	11,0	17	0	0	0	4	12	4	1	0	0	0	12	0	0	1	0	0	0	1	0	16	0	0	0	0
8	81	70	77	77	5,3	6,7	5,3	6,5	66	94	13,8	24	1	0	0	0	19	15	1	1	0	0	19	0	0	11	0	0	0	0	1	18	0	0	0	0
9	90	76	84	85	7,1	7,0	7,3	7,3	109	133	18,5	30	2	0	0	0	25	22	3	0	0	0	25	0	0	4	0	0	0	0	0	25	0	0	0	0
10	84	74	82	81	5,6	5,3	5,1	5,4	79	87	22,9	23	17	6	1	0	15	11	4	0	0	0	14	4	2	3	0	0	0	0	0	8	17	0	0	0
11	83	83	86	84	5,6	6,6	5,7	6,0	98	97	24,7	22	28	14	9	0	13	7	2	2	0	0	5	12	1	0	0	0	0	0	4	14	19	0	0	0
12	84	85	83	84	6,3	7,1	6,5	6,7	74	89	22,7	22	28	16	11	0	20	13	2	3	0	0	8	16	3	0	0	0	0	0	1	21	17	0	0	0
ÅR	83	73	78	79	6,3	6,2	6,3	6,3	672	85	29,8		147	89	76	6	188	127	19	72	3	0	132	79	16	38	0	0	0	2	27	217	153	1	0	0
GIBOSTAD+)																																				1979
1	82	83	83	82	6,0	5,4	5,2	5,2	42	46	9,1	1	30	27	17	0	13	11	0	3	0	0	3	10	0	0	4	0	0	0	4	13	31	1	1	0
2	82	79	81	81	6,0	5,8	5,7	5,8	102	126	53,3	24	25	16	11	0	14	11	2	7	0	0	3	13	7	0	0	0	0	0	2	16	28	0	0	0
3	80	82	80	72	5,6	4,8	4,3	5,0	6	7	2,0	8	22	10	7	0	5	4	0	10	0	0	3	5	3	0	0	0	0	0	5	10	31	0	0	0
4	87	82	88	86	4,4	4,8	4,5	4,6	22	38	9,8	18	19	4	0	0	0	0	0	0	0	0	2	5	1	0	1	0	0	0	0	10	30	0	0	0
5	82	82	80	75	5,7	5,5	5,0	5,7	43	81	9,8	29	4	0	0	0	17	10	0	10	0	0	17	7	7	2	1	0	0	0	2	17	3	0	0	0
6	88	79	81	84	6,1	5,7	6,1	6,0	56	110	8,1	16	0	0	0	1	23	17	0	9	0	0	23	0	0	1	0	0	0	0	2	21	0	0	0	0
7	76	64	70	73	5,1	5,6	5,5	5,5	14	27	0,0	1	0	0	0	2	1	3	0	0	0	0	4	0	0	0	0	0	0	0	1	12	0	0	0	0
8	86	70	74	78	6,2	5,8	5,3	6,0	51	69	9,4	25	0	0	0	0	19	13	0	3	2	0	18	0	0	4	0	0	0	0	0	20	0	3	0	0
9	91	76	81	84	6,5	6,3	6,1	6,4	122	123	18,5	23	0	0	0	0	27	17	4	4	0	0	27	0	0	1	0	0	0	0	0	23	0	0	0	0
10	82	71	75	77	5,1	4,8	4,3	4,9	33	81	24,2	23	13	0	0	0	10	12	2	4	2	0	15	6	5	0	1	1	0	0	9	16	2	0	0	0
11	82	81	80	81	5,2	5,2	5,2	5,4	29	36	10,0	23	26	8	0	0	12	6	1	0	0	0	5	10	2	0	0	0	0	0	4	14	18	0	0	0
12	81	86	86	85	5,8	6,3	6,3	6,1	56	54	8,2	9	25	14	1	0	19	11	0	7	0	0	7	17	4	0	2	0	0	0	1	19	25	0	0	0
ÅR	83	73	77	79	5,7	5,5	5,3	5,6	626	67	53,3		164	79	36	3	175	120	9	56	4	0	132	73	29	8	9	1	0	0	36	191	168	4	1	0
ØVERBYGD+-)																																				1979
1	77	75	74	75	5,0	5,9	5,3	5,4	36	82	8,8	10	30	28	25	0	10	8	0	0	0	0	2	12	0	0	0	0	0	0	2	11	31	0	0	0
2	78	74	76	76	6,0	6,3	5,2	5,8	41	95	12,7	24	26	18	17	0	13	6	2	0	0	0	5	12	4	0	0	0	0	0	3	14	28	0	0	0
3	78	60	65	67	5,8	4,4	4,3	5,0	3	6	1,4	8	26	13	11	0	6	1	0	0	0	0	0	6	0	0	0	0	0	0	3	8	31	0	0	0
4	79	58	64	70	4,7	4,4	3,3	4,8	15	56	4,7	15	25	7	5	0	9	4	0	0	0	0	1	9	1	0	0	0	0	0	0	11	30	0	0	0
5	71	60	62	67	6,0	5,1	6,1	5,7	43	143	11,2	29	12	0	0	0	17	9	1	0	0	0	15	6	1	0	0	1	0	0	0	13	5	0	0	0
6	77	65	71	74	6,7	6,4	5,7	6,6	71	178	10,8	29	0	0	0	2	23	18	1	0	0	0	23	0	0	3	0	0	0	0	0	21	0	1	1	0
7	72	52	58	66	5,8	5,5	5,3	5,5	42	82	11,7	12	0	0	0	3	13	7	1	0	0	0	13	0	0	0	0	0	1	1	1	10	0	0	0	0
8	83	59	72	75	6,3	6,4	6,3	6,3	51	94	9,4	24	1	0	0	0	16	12	0	0	0	0	13	0	0	0	0	0	0	0	1	20	0	1	0	0
9	84	65	79	78	6,9	6,6	6,3	6,8	103	156	32,5	23	6	0	0	0	24	17	2	0	0	0	24	0	0	0	0	0	0	0	0	21	0	1	0	0
10	78	68	71	73	6,0	5,4	5,3	5,6	66	114	19,4	23	23	6	2	0	15	10	1	0	0	0	12	6	1	0	0	0	0	0	0	7	20	2	1	0	0
11	75	70	72	71	4,2	5,3	5,2	4,9	17	35	5,3	23	28	17	5	0	11	4	0	0	0	0	3	12	2	0	0	0	0	0	0	5	10	15	0	0	0
12	73	75	77	75	5,5	6,8	6,1	6,2	37	62	10,4	9	29	21	16	0	17	9	1	0	0	0	1	16	0	0	0	0	0	0	1	16	31	0	1	0
ÅR	77	65	70	72	5,7	5,7	5,7	5,7	525	89	32,5		206	110	81	3	181	105	9	0	0	0	117	79	9	3	0	1	0	1	26	175	173	4	2	0
BARDUFOSS																																				1979
1	80	78	79	79	4,8	5,9	3,3	5,4	50	74	12,0	10	30	28	28	0	13	9	1	0	0	0	2	12	1	1	0	0	0	0	2	10	31	0	0	0
2	76	70	75	74	5,3	5,9	5,2	5,4	49	79	16,1	26	25	18	18	0	14	8	2	0	0	0	5	14	5	0	0	0	0	0	1	13	28	0	0	0
3	78	53	63	65	4,3	4,4	4,3	4,6	6	11	2,2	4	30	12	18	0	6	2	0	0	0	0	1	6	0	0	0	0	0	0	1	4	31	0	0	0
4	79	53	59	66	4,7	5,0	4,3	4,9	16	40	5,0	14	25	5	6	0	11	4	0	0	0	0	1	10	1	0	0	0	0	0	0	8	30	0	0	0
5	70	51	59	65	5,8	5,7	6,2	5,9	41	114	10,1	29	11	0	0	0	10	8	1	0	0	0	12	8	4	2	0	3	0	0	0	12	13	0	0	0
6	75	63	67	71	6,3	6,2	6,5	6,3	39	85	6,7	29	0	0	0	3	20	11	0	0	0	0	20	0	0	8	0	0	0	2	0	20	0	0	0	0
7	72	52	58	66	5,0	5,5	5,2	5,4	16	31	7,5	2	0	0	0	1	11	4	0	0	0	0	11	0	0	2	0	0	0	2	0	11	0	0	0	0
8	82	62	69	74	6,3	6,3	6,2	6,3	70	119	12,2	21	1	0	0	0	21	16	1	0	0	0	21	0	0	7	0	0	0	1	0	19	0	3	0	0
9	91	69	79	82	6,8	6,3	6,3	6,5	81	109	16,4	23	3	0	0	0	28	16	1	0	0	0	28	0	0	4	0	0	0	0	0	18	0	2	0	0
10	82	70	75	77	5,5	5,3	5,3	5,4	79	110	35,2	23	21	4	3	0	16	11	1	1	0	0	13	11	5	7	0	0	0	0	7	19	9	0	0	0
11	86	84	85	85	5,1	5,4	5,4	5,3	37	64	10,0	22	29	21	19	0	15	6	1	0	0	0	3	13	1	1	0	1	0	0	3	12	27	0	0	0
12	84	81	84	82	3,7	6,1	5,7	5,9	53	79	12,0	9	29	23	17	0	20	10	1	0	0	0	6	18	3	0	0	0	0	0	1	17	31	0	0	0
ÅR	80	66	71	74	5,0	5,6	5,5	5,6	537	78	35,2		207	111	106	7	193	105	9	1	0	0	123	92	20	32	0	6	0	5	19	163	200	5	0	0
KVEJSMENES - RYENG																																				1979
1	88	87	88	88	5,8	6,1	4,3	4,9	18	30	5,0	30	30	26	24	0	9	6	0	3	0	0	1	9	0	0	0	0	0	0	5	11	31	0	0	0
2	86	80	84	84	6,5	6,3	5,3	6,1	40	69	13,5	17	24	13	12	0	8	7	1	3	0	0	5	8	4	0	0	0	0	0	3	18	28	0	0	1
3	87	76	81	82	6,4	5,5	5,0	5,6	3	6	1,0	4	26	13	11	0	6	1	0	0	0	0	1	9	0	0	0	0	0	0	3	13	31	0	0	0
4	83	67	72	76	5,0	5,1	5,0	5,4	16	53	6,0	14	25	7	5	0	8	5	0	0	0	0	1	8	0	2	0	0	0	0	3	15	19	0	0	0
5	70	55	61	66	6,5	6,0	6,4	6,3	17	174	13,2	29	13	0	0	0	15	11	1	2	0	0	14	6	4	3	0	0	0	0	0	20	2	0	0	0
6	78	68	73	76	6,3	6,6	6,5	6,5	77	193	18,5	3	1	0	0	1	19	15	2	0	0	0	19	0	0	5	0	0	0	0	0	20	0	0	0	0
7	75	57	63	71	3,8	5,2	4,7	5,2	30	67	7,5	12	0	0	0	1	10	6	0	0	0	0	10	0	0	0	0	0	0	1	3	11	0	1	0	0
8	83	65	77	78	6,5	6,8	7,1	6,8	42	72	12,7	3	0	0	0	0	16	12	1	1	0	0	16	0	0	2	0	0	0	0	0	22	0	1	0	1
9	87	69	81	81	6,9	6,8	7,2	7,0	60	86	18,7	20	5	0	0	0	14	11	1	0	0	0	14	0	0	4	0	0	0	0	0	23	0	0	0	1
10	79	66	72	73	5,8	5,7	5,7	5,7	48	64	14,1	23	21	4	2	0	13	8	1	0	0	0	12	8	6	5	0	0	0	0	8	22	2	0	0	0
11	79	75	73	75	5,3	5,8	5,8	5,5	16	36	9,4	23	25	12	5	0	7	3	0	0	0	0	3	6	2	1	0	0	0	0	4	17	7	0	0	0
12	75	76	77	76	6,7	7,1	6,8	6,5	28	51	8,3	9	22	13	10	0	14	8	0	1	1	0	5	12	0	4	0	0	0	0	2	20	23	0	0	0
ÅR	81	70	75	77	5,0	6,1	5,9	6,0	425	70	18,7		199	100	74	4	139	93	7	24	1	0	101	62	16	26	0	0	0	0	1	31	212	143	2	0	3

MÅD.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING (YPPIGHET OG TILHØRIGHET) MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
SKIBOTN - MELÅ																									1979
1			- 9,7	-10,0	- 9,1	- 9,7		- 6,1	-13,1	7,8	19	-22,0	27	2 2,5	34 1,2	15 2,2	5 3,2	11 2,4	5 2,0	4 1,5	9 2,3	0 0,0	1 1,0	2 1,0	5 1,0	0
2			- 6,9	- 5,7	- 6,7	- 6,6		- 3,8	- 9,7	7,0	26	-22,0	13	1 2,0	33 1,2	14 1,6	5 1,0	1 1,0	8 2,6	0 0,0	3 2,0	5 3,2	0 0,0	4 3,0	6 1,2	4
3			- 4,2	- 3,9	- 3,1	- 3,5		0,3	- 6,7	6,6	30	-19,0	22	0 0,0	22 1,1	16 1,3	0 0,0	5 3,0	7 1,9	11 1,3	13 2,1	1 3,0	11 1,8	4 1,3	3 1,0	0
4			0,0	0,1	0,3	0,7		3,7	- 3,4	9,0	21	-11,8	10	0 0,0	21 1,2	9 1,4	0 0,0	3 2,0	14 1,4	15 1,2	15 1,3	1 1,0	0 0,0	1 1,0	7 1,0	0
5			5,6	5,3	5,4	5,7		9,4	1,4	17,2	26	- 3,9	12	1 2,0	7 1,1	0 0,0	0 0,0	0 0,0	9 1,6	26 2,0	24 1,6	9 2,0	3 2,0	0 0,0	12 1,7	2
6			11,1	11,0	11,2	11,1		15,1	7,7	27,0	25	1,0	1	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	6 2,0	10 2,0	10 1,8	29 1,7	17 1,9	13 1,8	4 2,3	1 1,0	0
7			15,0	17,9	15,1	15,2		19,2	10,8	29,2	9	2,0	29													
8			11,7	11,8	12,2	12,4		15,6	8,4	26,0	10	0,0	26	0 0,0	7 1,1	2 1,0	1 2,0	13 2,3	19 1,4	2 1,0	20 1,2	6 1,7	10 1,2	5 1,2	8 1,0	0
9			6,5	6,5	6,2	6,7		10,0	3,4	18,0	7	- 2,0	17													
10			0,3	2,3	0,2	0,8		3,6	- 2,0	8,8	6	-11,0	17	7 1,6	28 1,3	11 1,7	2 2,5	8 3,1	1 2,0	3 3,3	1 2,0	3 3,0	10 1,8	10 1,2	7 1,1	0
11			- 2,0	- 1,3	- 2,1	- 2,1		0,4	- 4,5	4,0	6	-12,0	12	1 1,0	6 1,3	2 1,3	0 0,0	8 2,1	20 1,7	7 2,3	16 1,7	4 2,3	21 1,9	5 1,0	0 0,0	0
12			- 3,0	- 2,5	- 3,3	- 3,0		0,0	- 7,0	10,0	21	-13,0	7													
ÅR			1,9	4,1	2,2	2,4		5,6	- 1,2	29,2		-22,0														
TROMSØ																									1979
1	990,1	1010,6	- 6,0	- 6,3	- 6,1	- 6,4	- 2,2	- 4,4	- 8,7	3,9	19	-18,3	27	5 3,0	4 2,3	4 2,0	1 1,0	1 1,0	0 0,0	3 2,3	47 3,2	10 3,6	3 1,3	3 2,0	2 4,0	10
2	991,7	1008,2	- 5,1	- 4,4	- 4,7	- 4,9	- 0,7	- 2,7	- 7,0	4,0	21	-13,5	12	2 1,5	4 2,5	1 2,0	1 1,0	1 1,0	2 2,0	4 2,0	41 3,1	10 3,5	4 1,8	0 0,0	2 3,5	12
3	980,3	1020,5	- 3,2	- 0,6	- 2,1	- 2,1	0,0	0,2	- 4,6	7,0	27	-13,0	20	0 0,0	3 1,3	7 1,4	3 1,7	1 1,0	3 4,0	14 2,7	43 3,4	2 1,5	3 1,0	1 1,0	0 0,0	13
4	1003,1	1014,4	- 0,5	1,9	0,7	0,4	0,1	2,9	- 2,5	7,8	22	-10,0	14	2 2,5	13 1,7	13 1,7	1 2,0	3 1,7	1 1,0	5 2,4	17 2,2	6 2,2	2 1,0	6 1,0	1 2,0	20
5	991,6	1008,6	4,0	4,1	4,3	4,5	0,4	7,4	1,9	15,4	26	- 2,3	13	3 1,3	13 2,2	6 1,6	0 0,0	1 2,0	2 4,0	5 1,8	31 3,0	11 3,1	6 2,0	4 2,0	3 2,3	9
6	997,2	1011,0	8,3	10,9	9,7	9,2	0,4	12,4	6,5	25,3	25	3,0	1	0 0,0	5 1,3	16 1,5	2 1,5	4 1,3	1 1,0	2 2,0	13 2,4	16 3,2	2 1,5	12 2,3	10 2,1	7
7	99,,8	1010,3	13,6	16,2	14,6	14,2	1,8	17,8	10,6	27,5	9	5,5	30	2 1,5	13 1,3	13 1,2	3 1,3	2 1,5	1 2,0	5 2,4	8 2,8	1 3,0	3 2,0	10 1,8	2 1,0	30
8	995,1	1010,8	11,5	13,3	12,4	11,7	3,7	14,9	8,6	21,8	14	4,3	26	0 0,0	17 2,2	7 1,4	2 1,0	2 2,0	0 0,0	13 2,4	20 2,6	1 3,0	1 3,0	6 2,0	2 1,0	25
9	988,1	1011,9	6,8	7,8	6,3	6,6	0,0	9,0	4,6	16,6	8	0,5	17	6 1,5	7 2,1	7 1,7	1 2,0	3 2,3	0 0,0	5 1,6	15 2,9	14 2,6	4 1,3	4 2,0	2 1,5	22
10	1001,1	1015,3	1,3	2,6	1,2	1,6	- 1,1	3,2	0,1	6,5	3	- 4,3	17	1 1,0	4 1,8	3 1,3	1 2,3	1 1,0	2 3,5	2 2,5	34 3,3	13 3,1	0 0,0	6 1,7	1 3,0	22
11	985,6	1020,8	- 1,5	- 1,2	- 1,1	- 1,4	- 1,3	0,3	- 3,1	5,8	21	- 8,0	13	1 1,0	4 1,5	3 1,2	1 1,0	0 0,0	2 2,5	4 2,5	36 3,3	16 3,0	0 0,0	1 1,0	2 2,5	18
12	981,5	998,7	- 2,4	- 2,2	- 2,2	- 2,3	- 0,4	- 0,5	- 4,2	5,8	22	-11,2	18	2 1,0	6 2,3	5 1,6	0 0,0	0 0,0	5 1,4	28 3,2	20 2,8	0 0,0	2 1,5	1 1,0	0
ÅR	993,3	1007,3	2,0	3,7	2,3	2,6	- 0,3	5,0	0,2	27,5		-18,3		24 1,6	93 2,1	86 1,5	19 1,6	22 1,6	14 3,0	64 2,2	333 3,1	120 2,8	28 1,6	85 1,8	28 2,2	209
TROMSØ - LANGNES																									1979
1	1007,3	1010,7	- 6,0	- 5,9	- 5,7	- 5,9	- 3,1	- 3,2	- 9,3	5,4	19	-16,6	27	3 2,3	1 1,0	2 2,0	3 1,0	0 0,0	0 0,0	28 3,3	23 3,7	9 2,6	3 1,7	4 3,3	1 4,0	16
2	1005,1	1008,2	- 4,7	- 4,1	- 4,4	- 4,6	- 1,8	- 1,9	- 7,5	4,6	26	-16,1	12	2 2,5	4 1,3	4 2,5	3 1,3	2 1,0	3 1,7	15 2,5	26 3,7	14 4,4	4 2,8	0 0,0	1 1,0	6
3	999,5	1020,6	- 3,5	- 3,5	- 3,1	- 3,2	0,1	0,8	- 5,1	7,0	27	-14,2	20	0 0,0	4 1,5	7 1,1	4 1,5	0 0,0	3 2,7	28 3,3	23 3,3	5 1,8	2 1,0	0 0,0	0 0,0	17
4	1013,3	1014,4	- 1,1	1,7	1,0	0,2	- 0,6	3,4	- 3,2	8,5	22	- 9,7	14	12 1,8	12 2,1	7 1,1	3 1,7	0 0,0	1 2,0	5 1,0	18 2,4	1 1,0	2 2,0	1 2,0	2 1,5	26
5	1007,5	1008,6	3,9	3,1	3,3	3,8	0,2	7,7	1,8	15,5	26	- 1,8	13	11 2,0	10 2,3	6 2,7	1 1,0	0 0,0	2 2,5	10 3,2	15 3,3	18 3,5	6 2,3	6 2,3	2 3,0	6
6	1010,0	1011,1	8,1	10,5	9,3	8,8	0,1	12,4	6,3	24,5	25	3,1	5	13 1,9	11 2,3	3 1,3	3 2,0	0 0,0	1 1,0	3 2,3	14 3,3	5 3,0	18 3,0	12 2,9	1 1,0	6
7	1009,3	1010,4	12,8	15,6	14,4	13,6	1,3	17,8	9,6	27,3	10	5,6	30	14 2,1	23 2,7	3 2,3	3 1,3	2 1,0	0 0,0	4 2,3	5 2,0	5 2,0	15 2,0	6 3,0	3 1,7	8
8	1008,8	1009,9	13,0	12,9	12,1	11,2	0,1	14,9	7,7	21,9	14	2,2	7	5 1,8	19 2,2	8 2,0	1 1,0	1 2,0	0 0,0	14 2,7	15 2,8	2 2,0	7 2,0	5 2,0	2 1,0	14
9	1000,9	1002,0	6,7	6,0	6,3	6,7	- 0,7	9,5	4,7	15,5	7	0,0	24	4 1,5	11 1,6	4 2,3	1 1,0	1 1,0	2 1,0	21 2,3	10 2,5	9 3,0	6 2,8	1 2,0	1 2,0	19
10	1011,4	1015,5	2,1	3,1	1,1	2,2	- 1,3	4,2	0,4	8,0	3	- 5,6	16	3 2,7	4 1,1	3 1,7	1 1,0	1 1,8	1 2,0	22 3,1	20 3,5	5 2,4	2 2,5	7 3,0	0 0,0	21
11	999,8	1020,9	- 1,0	- 1,0	- 1,5	- 1,4	- 2,0	1,2	- 4,1	6,7	21	- 9,6	28	0 0,0	2 1,0	3 1,3	1 1,0	1 1,0	3 1,7	23 2,6	25 3,3	5 3,2	2 3,0	2 2,0	1 1,0	20
12	997,3	998,7	- 2,5	- 2,3	- 2,3	- 2,2	- 1,1	0,3	- 4,2	6,2	22	-11,1	18	2 4,3	6 2,2	2 2,0	1 1,0	1 1,0	2 1,0	17 2,8	19 4,2	12 3,3	5 2,0	0 0,0	0 0,0	21
ÅR	1000,3	1007,4	1,9	3,7	2,3	2,6	- 0,7	5,6	- 0,2	27,3		-16,6		69 2,0	107 2,2	54 1,8	30 1,3	14 1,3	18 1,8	190 2,8	213 3,5	90 3,1	72 2,4	44 2,7	14 1,8	180
TORSVÅG FYR																									1979
1	1006,9	1009,9	- 2,5	- 2,6	- 2,5	- 2,5	- 2,2	- 0,8	- 4,5	5,9	19	-15,1	26	2 2,5	9 4,0	2 1,5	11 3,8	2 3,5	33 4,3	19 3,8	3 3,7	2 7,0	5 5,0	2 6,0	6 5,2	0
2	1002,6	1015,6	- 2,2	- 1,9	- 1,7	- 2,0	- 0,8	0,0	- 3,9	6,0	21	- 9,0	5	2 3,0	11 3,7	5 4,3	11 1,4	3 3,4	13 4,8	10 5,1	7 5,0	4 5,0	8 5,6	0 0,0	2 5,0	2
3	997,4	1020,4	- 0,7	0,6	- 0,1	- 0,2	0,0	1,7	- 1,7	8,4	28	- 6,3	20	2 1,0	4 3,8	8 2,3	11 2,7	4 2,3	42 4,3	12 4,3	7 4,6	1 3,0	0 0,0	0 0,0	1 4,0	2
4	1011,3	1014,3	3,8	2,1	1,1	1,3	0,0	3,3	- 0,3	7,5	23	- 9,1	14	6 4,2	16 3,0	7 2,3	7 3,0	2 1,0	9 3,2	10 3,0	5 3,2	3 3,3	2 3,5	1 3,0	7 3,7	15
5	1009,6	1018,5	4,2	3,2	4,1	4,5	0,3	6,7	2,5	17,0	26	- 2,0	13	11 2,3	10 2,4	6 3,2	6 1,7	1 7,0	10 4,3	16 2,9	12 4,1	3 5,3	4 4,8	6 4,5	4 3,3	4
6	1009,3	1010,9	7,5	9,0	8,1	8,3	0,1	10,8	6,0	21,1	26	3,3	5	13 2,1	8 2,1	1 1,0	1 1,0	2 3,0	13 2,7	10 3,1	19 4,2	8 4,5	4 2,5	4 2,8	4
7	1003,0	1010,9	12,1	13,4	13,2	12,6	1,3	16,3	10,3	25,8	9	6,7	30	16 2,7	7 3,1	5 2,6	17 2,1	13 2,2	3 2,0	10 3,0	5 3,2	9 3,6	2 3,5	0 0,0	3 2,0	3
8	1007,2	1009,8	10,7	12,5	12,3	11,5	0,7	14,5	9,3	21,9	14	6,1	4	3 3,0	5 3,3	10 3,2	14 1,7	5 3,6	15 3,3	9 2,4	9 3,1	5 3,2	1 4,0	3 3,0	6 3,7	8
9	998,9	1011,8	7,5	8,3	7,9	7,9	- 0,1	10,0	6,3	17,8	7	3,0	30	10 3,2	6 2,8	6 2,2	3 2,3	1 3,0	15 3,6	11 2,3	7 3,1	2 4,5	11 4,3	3 3,3	8 4,0	7
10	1011,8	1014,8	3,6	4,1	3,5	3,7	- 1,2	5,3	2,1	8,6	26	- 0,9	17	1 4,0	3 3,3	3 2,3	11 3,6	3 2,3	17 3,0	12 3,5	5 4,2	5 4,2	10 4,7	4 5,5	10 4,5	1
11	997,1	1020,0	1,7	2,3	2,1	1,9	- 3,0	3,4	0,5	7,4	22	- 2,4	30	0 0,0	1 2,7	1 2,0	3 1,3	3 3,7	23 3,5	29 2,7	6 2,3	1 3,0	4 6,0	4 4,0	4 3,5	0
12	995,2	998,2	0,5	0,7	0,3	0,0	- 0,3	2,3	- 1,1	7,3	22	- 7,4	17	2 5,5	5 6,0	8 4,1	14 1,5	4 3,0	20 3,1	13 3,7	8 5,1	3 7,0	2 3,5	4 5,3	10 5,3	0
ÅR	1004,2	1017,1	3,6	4,5	4,1	3,9	- 0,2	6,1	2,1	25,8		-15,1		68 2,9	79 3,1	69 3,0	110 3,2	57 3,7	208 3,8	164 3,2	84 3,8	57 1,3	57 4,7	31 4,2	65 4,1	46
NORDREISA																									1979
1			-10,7	-11,7	-11,3	-11,5	- 4,0	- 6,8	-14,0	9,1	19	-23,2	27	0 0,0	0 0,0	0 0,0	1 4,0	0 0,0	33 2,9	7 2,0	3 1,7	0 0,0	5 2,6	1 2,0	4 3,0	39
2			- 8,3	- 7,7	- 8,1	- 8,1	- 1,0	- 4,9	-12,2	7,6	26	-25,2	13	0 0,0	0 0,0	0 0,0	2 1,0	0 0,0	23 2,9	1 1,0	1 2,0	0 0,0	3 2,7	0 0,0	1 2,0	34
3			- 5,4	- 5,2	- 5,3	- 5,3	- 0,7	0,0	- 8,0	7,0	29	-21,0	21	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	36 3,1	7 3,1	2 4,5	0 0,0	0 0,0	0 0,0	1 2,0	47
4			- 1,4	2,5	- 0,1	- 0,1	- 0,1	3,4	- 3,6	8,5	22	-13,2	15	3 2,3	0 0,0	0 0,0	0 0,0	0 0,0	16 2,5	4 1,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	57
5			6,0	7,3	6,2	6,2	0,8	8,5	1,9	17,4	26	- 1,8	12	3 2,3	2 1,3	0 0,0	1 2,0	0 0,0	22 2,8	5 2,3	1 2,0	0 0,0	6 2,8	0 0,0	21 2,5	32
6			9,3	12,0	10,7	10,2	0,7	13,7	6,8	24,2	26	0,6	5	3 2,7	1 2,0	0 0,0	1 2,0	0 0,0	6 2,3	2 2,0	1 2,0	0 0,0	7 2,9	0 0,0	35 2,4	28
7			14,8	17,0	15,4	15,3	1,8	18,4	11,3	27,9	9	4,0	30	7 2,3	5 2,8	0 0,0	3 2,7	0 0,0	16 2,7	6 2,7	0 0,0	0 0,0	0 0,0	0 0,0	31 2,3	25
8			11,8	11,0	12,3	12,4	3,0	15,5	9,1	23,0	14	3,1	7	4 2,3	2 2,3	0 0,0	1 1,0	0 0,0	20 3,0	4 2,8	0 0,0	0 0,0	3 2,0	0 0,0	20 2,3	39
9			5,7	6,2	6,3	6,7	- 0,5	10,0	3,7	18,6	7	- 1,0	25	2 2,5	1 1,0	0 0,0	0 0,0	0 0,0	10 2,8	3 1,3	0 0,0	0 0,0	0 0,0	0 0,0	15 2,3	59
10			- 0,8	0,5	- 0,3	- 0,3	- 2,1	1,9	- 2,5	8,0	3	-12,1	17	1 1,0	2 2,5	0 0,0	0 0,0	0 0,0	22 3,0	4 1,8	0 0,0	2 3,0	0 0,0	10 2,8	48
11			- 3,4	- 3,6	- 3,3	- 3,6	- 0,7	- 0,1	- 6,9	6,6	22	-16,8	12	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	16 3,4	16 2,0	3 2,0	0 0,0	7 1,9	0 0,0	1 3,0	47
12			- 4,3	- 3,5	- 3,9	- 3,9	- 1,4	- 0,9	- 7,8	11,4	21	-15,9	11	0 0,0	0 0,0	0 0,0	1 3,0	0 0,0	19 2,6	9 1,7	2 1,5	0 0,0	3 2,0	0 0,0	9 2,9	50
ÅR			1,0	3,0	1,7	1,6	- 0,3	4,9	- 1,8	27,9		-25,2		29 2,5	13 2,2	0 0,0	10 2,8	0 0,0	245 2,9	71 2,1	17 2,1	0 0,0	36 2,5	1 2,0	168 2,5	505
NORDSTRAUM I KVÆNANGEN																									1979
1			- 7,2	- 7,4	- 7,2	- 7,2	- 3,8	- 4,4	- 9,8	7,0	19	-20,0	27	1 2,0	0 0,0	0 0,0	3 2,4	2 2,5	27 2,7	41 3,7	0 0,0	0 0,0	4 3,0	10 4,0	2 2,5	1
2			- 6,0	- 5,4	- 5,3	- 5,6	- 1,0	- 2,6	- 8,0	7,4	22	-15,6	13	1 3,0	0 0,0	0 0,0	2 2,2	2 3,0	28 3,3	29 3,2	0 0,0	0 0,0	9 3,3	6 3,5	3 3,7	1
3			- 3,1	- 1,3	- 2,3	- 2,4	0,0	- 0,1	- 4,8	5,6	29	-15,3	20	1 3,0	0 0,0	0 0,0	5 2,0	0 0,0	30 2,7	50 4,0	3 2,3	1 3,0	1 2,0	0 0,0	1 3,0	1
4			- 0,2	1,8	0,6	0,5	0,1	2,8	- 1,8	7,8	26	- 8,0	14	2 3,0	0 0,0	0 0,0	4 1,8	1 3,0	22 2,8	25 2,5	0 0,0	0 0,0	1 1,0	8 2,0	18 2,4	9
5			4,6	6,2	5,4	4,9	0,3	7,7	2,3	15,6	26	- 1,8	15	7 1,7	0 0,0	0 0,0	1 1,0	0 0,0	21 2,9	19 3,2	0 0,0	0 0,0	4 2,8	20 2,4	16 2,7	6
6			9,0	10,5	9,2	8,3	0,1	12,7	6,9	22,5	25	3,0	5	4 1,8	0 0,0	0 0,0	0 0,0	0 0,0	5 2,6	5 2,6	0 0,0	0 0,0	11 2,3	33 2,5	24 2,6	8
7			11,6	13,7	11,4	11,0	1,0	17,5	10,8	25,7	9	5,0	30	2 2,5	0 0,0	0 0,0	0 0,0	1 1,0	19 2,4	17 2,8	0 0,0	0 0,0	2 1,0	21 2,0	20 2,6	11
8			11,2	13,1	12,3	11,8	0,3	14,8	9,0	20,8	19	6,0	7	12 2,0	0 0,0	3 1,3	1 1,0	0 0,0	14 2,8	17 3,8	0 0,0	0 0,0	2 2,0	9 2,4	14 2,5	18
9			7,2	8,8	7,7	7,7	- 0,3	9,9	5,7	17,0	7	2,2	25	4 2,3	0 0,0	0 0,0	1 2,0	1 1,0	14 2,2	12 2,2	0 0,0	1 1,0	13 2,2	14 2,9	20 3,0	10
10			1,8	2,3	1,8	1,8	- 1,8	3,7	0,1	8,2	3	- 4,8	16	0 0,0	1 2,3	0 0,0	7 1,7	3 2,7	23 3,2	27 3,6	2 2,0	0 0,0	14 2,9	13 3,3	3 4,0	3
11			- 0,9	- 0,5	- 0,7	- 0,7	- 1,1	1,6	- 2,7	6,5	22	- 7,6	29	0 0,0	3 2,3	1 1,3	3 1,2	0 0,0	33 3,8	33 3,6	1 2,0	0 0,0	4 2,8	7 2,6	1 3,0	2
12			- 1,8	- 1,6	- 1,6	- 1,7	0,3	0,6	- 3,9	12,1	21	-11,6	17	3 3,0	0 0,0	1 1,0	4 1,8	3 2,0	27 3,0	28 2,8	1 2,0	0 0,0	8 2,1	5 3,0	6 3,7	5
ÅR			2,3	3,5	2,3	2,7	- 0,8	5,4	0,3	25,7		-20,0		32 2,2	7 1,6	5 1,2	42 1,9	13 2,3	259 2,8	299 3,4	7 2,1	2 2,0	73 2,5	146 2,7	128 2,8	75

+) Månedsmidler for juli, september og desember delvis interpolert.

ÅRSOVERSIKTER

(ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	UM.	MIDLERE SKYDEKKE 07	13	19	M.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=-10	TX>=25	NEDBØR R>=0,1	R>=1,0	R>=10,0	VINDSTYRKE FX>=6B	FX>=8B	FX>=9B	ANTALL DAGER MED: R	S	SL	FOREKOMST AV YR	SH	H	IH	TO	KV	OV	SD	TÅKE 07	13	19
SKIBOTN – MELA*)																																				1979
1	70	70	68	69	3,0	4,0	4,0	4,0	8	23	6,2	1	30	28	22	0	3	2	0	0	0	0	0	3	0	0	0	0	0	0	0	1		0	0	0
2	71	68	74	72	4,8	4,8	4,7	4,7	6	19	2,0	24	24	17	13	0	3	2	0	1	0	0	1	4	0	1	0	0	0	0	0	7		0	0	0
3	72	61	67	67	4,5	4,5	4,3	4,5	0	0			23	12	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		0	0	0
4	72	57	68	69	4,1	4,4	5,1	4,7	4	21	1,5	5	22	3	2	0	4	2	0	0	0	0	1	4	0	2	0	0	0	0	0	3		0	0	0
5	67	55	68	66	5,3	4,9	5,3	5,2	40	200	15,5	29	9	0	0	2	13	12	1	0	0	0	12	4	3	6	0	0	0	0	0	8		0	0	0
6	72	59	72	73	5,6	4,8	5,3	5,3	61	244	14,2	3	0	0	0	1	17	13	2	0	0	0	17	0	0	12	0	0	0	1	0	6		0	0	2
7	70	58	68	70	5,2	4,5	4,7	4,8	35	113	7,5	12	0	0	0	1	11	9	0	0	0	0	11	0	0	2	0	0	0	0	1	6		0	0	0
8	82	66	82	80	5,7	5,5	5,5	5,6	48	137	9,2	3	0	0	0	1	13	11	0	0	0	0	13	0	0	6	0	0	0	0	0	9		1	0	1
9	85	68	83	81	6,0	5,8	5,0	5,8	53	118	14,0	20	3	0	0	0	19	13	1	0	0	0	19	0	0	3	0	0	0	0	0	15		0	0	0
10	75	69	74	74	4,7	4,3	4,3	4,5	31	78	12,0	23	21	3	2	0	9	7	1	0	0	0	5	3	0	6	0	0	0	0	0	5		0	0	0
11	79	75	74	76	4,3	4,4	4,3	4,4	11	38	5,1	22	27	13	2	0	7	3	0	0	0	0	3	5	0	3	0	0	0	0	0	0		0	0	0
12	75	76	77	76	5,3	6,0	5,3	5,6	31	91	15,0	21	28	14	8	0	11	8	1	0	0	0	2	9	0	0	0	0	0	0	0	8		0	0	0
ÅR	74	65	73	73	5,0	4,8	5,0	4,9	328	87	15,5		189	90	59	5	114	32	6	1	0	0	84	32	3	41	0	0	0	1	1	70		1	0	3
TROMSØ																																				1979
1	70	69	72	71	5,3	6,1	5,7	5,8	41	43	9,2	2	30	28	10	0	14	9	0	0	0	0	2	14	2	0	0	1	0	0	2	18	31	0	0	0
2	72	68	74	72	6,3	5,9	5,9	6,0	54	68	13,0	27	23	17	10	0	15	10	1	4	0	0	3	14	3	0	0	2	0	0	2	16	28	0	0	0
3	65	53	55	58	5,0	4,7	4,0	4,6	9	10	2,5	8	26	12	3	0	9	4	0	4	0	0	1	9	1	0	0	0	0	0	5	11	31	0	0	0
4	73	55	62	66	4,2	4,3	5,0	4,5	34	52	8,5	14	18	7	0	0	12	5	0	1	0	0	2	11	1	0	0	0	0	0	6	7	30	0	0	0
5	68	55	59	63	5,5	5,3	6,0	5,6	44	72	5,7	29	5	0	0	2	17	13	0	1	0	0	14	7	3	1	0	0	0	0	0	15	11	0	0	0
6	81	70	72	77	6,9	6,2	6,6	6,6	77	131	8,6	3	0	0	0	1	22	16	0	1	0	0	22	0	0	6	0	0	0	0	0	20	0	2	1	1
7	68	55	60	65	5,3	5,1	4,3	5,0	14	25	4,7	4	0	0	0	3	11	4	0	0	0	0	11	0	0	1	0	0	0	0	1	8	0	0	0	0
8	81	65	68	73	6,1	5,7	5,9	5,9	55	69	12,3	21	0	0	0	0	21	13	1	2	0	0	21	0	0	10	0	0	0	1	0	15	0	1	0	0
9	88	74	78	81	6,9	6,6	6,9	6,8	128	117	16,2	23	0	0	0	0	29	21	3	1	0	0	28	0	0	3	0	0	0	0	0	25	0	1	0	0
10	75	67	75	74	5,7	5,1	5,4	5,4	80	70	23,0	23	14	1	0	0	21	12	2	0	0	0	16	12	6	1	0	0	0	0	8	19	8	0	0	0
11	79	76	81	78	6,4	5,9	6,1	6,1	72	82	18,5	10	26	13	0	0	14	8	3	2	0	0	4	13	3	0	0	0	0	0	2	19	21	0	0	0
12	82	84	82	83	6,5	7,0	6,9	6,8	88	93	14,6	2	26	17	2	0	22	16	3	3	0	0	8	20	4	1	0	0	0	0	1	23	31	0	0	0
ÅR	75	66	70	72	5,9	5,7	5,8	5,8	696	70	23,0		168	95	27	1	207	131	13	10	0	0	134	100	23	23	0	3	0	1	27	196	191	4	1	1
TROMSØ – LANGNES																																				1979
1	79	78	80	79	4,3	5,7	3,7	5,3	51	65	10,3	20	30	28	15	0	11	9	2	5	0	0	3	14	2	0	0	1	0	0	2	12	31	0	0	0
2	77	72	78	77	5,8	5,4	6,1	5,8	63	91	17,0	27	23	17	14	0	13	9	2	9	0	0	6	15	5	1	0	1	0	0	2	15	28	0	0	0
3	73	59	63	66	4,9	4,6	4,1	4,5	15	20	2,7	4	28	10	7	0	10	6	0	7	0	0	2	10	2	0	0	0	0	0	3	3	31	0	0	0
4	81	63	68	73	4,0	4,1	4,3	4,3	32	59	9,5	17	22	7	0	0	7	5	0	2	0	0	3	7	3	2	0	0	0	0	6	5	21	0	0	0
5	70	58	63	66	5,4	5,3	5,7	5,5	37	67	6,0	30	0	0	0	0	17	12	0	3	1	0	13	7	3	1	0	4	0	0	0	15	1	0	0	0
6	82	70	73	78	6,3	6,1	6,4	6,3	78	153	9,2	28	0	0	0	0	24	19	0	3	0	0	24	0	0	12	0	0	0	0	1	19	0	1	0	0
7	71	57	64	68	5,2	4,5	4,3	4,7	15	31	5,5	2	0	0	0	2	7	4	0	0	0	0	7	0	0	2	0	0	0	0	1	9	0	0	0	0
8	83	66	69	74	6,2	5,8	5,3	5,9	51	72	10,0	21	0	0	0	0	19	13	1	1	0	0	19	0	0	1	0	0	0	1	0	15	0	3	0	0
9	86	71	78	80	6,0	6,3	6,4	6,4	122	130	14,1	9	0	0	0	0	26	19	4	2	0	0	26	1	1	4	0	0	0	0	0	18	0	0	0	0
10	74	68	75	74	5,7	5,0	5,0	5,2	34	79	26,0	23	11	0	0	0	18	15	2	1	0	0	14	9	2	5	1	1	0	0	6	17	4	0	0	0
11	80	77	81	79	5,3	4,9	5,3	5,2	66	88	17,7	10	26	8	0	0	14	7	2	6	1	0	0	13	4	0	0	1	0	0	3	8	20	0	0	0
12	82	81	81	81	6,2	6,3	6,7	6,4	78	96	13,7	2	20	15	1	0	18	16	3	7	2	0	7	17	2	0	0	1	0	1	1	20	24	0	0	0
ÅR	78	68	73	75	5,5	5,3	5,3	5,5	692	80	26,0		175	85	37	2	189	134	16	51	4	0	130	93	24	28	1	9	0	2	25	152	160	4	0	0
TORSVÅG FYR																																				1979
1					5,5	6,2	5,3	5,7	24	43	5,4	20	29	17	3	0	11	7	0	18	5	1	3	11	2	0	0	4	0	0	3	15		0	0	0
2					6,3	6,3	6,0	6,3	41	89	10,6	27	19	12	0	0	13	10	1	20	5	2	9	18	9	0	0	2	0	0	2	18		0	0	0
3					5,2	5,1	4,9	5,0	23	46	4,1	8	19	9	0	0	13	6	0	18	4	2	3	12	2	1	0	3	0	0	3	10		0	0	0
4					4,9	4,5	5,8	5,0	24	51	4,5	16	12	4	0	0	11	7	0	8	2	1	1	11	1	0	1	6	0	0	3	9		0	0	0
5					6,0	6,0	5,5	5,8	64	142	11,9	30	4	0	0	0	21	13	1	16	5	0	20	12	11	3	0	3	0	0	0	15		0	1	0
6					6,8	6,0	6,0	6,4	101	221	16,9	13	0	0	0	0	23	18	1	7	2	1	23	0	0	13	0	0	0	1	0	18		3	1	2
7					5,1	4,9	4,0	5,0	10	26	3,4	4	0	0	0	2	9	2	0	1	0	0	9	0	0	2	0	0	0	0	2	9		1	2	1
8					5,8	5,6	5,6	5,7	39	63	6,8	24	0	0	0	0	18	10	0	5	1	0	13	0	0	7	0	0	0	0	1	13		1	0	1
9					6,8	6,5	6,4	6,6	94	131	13,7	17	0	0	0	0	25	18	2	8	0	0	25	1	1	1	0	0	0	0	1	21		0	0	0
10					5,7	5,2	4,3	5,2	40	48	8,7	3	4	0	0	0	20	12	0	19	2	0	13	14	9	4	0	5	0	0	4	15		0	0	0
11					4,4	5,3	5,0	4,9	33	49	11,4	25	11	0	0	0	9	8	1	13	3	1	7	7	5	5	0	1	0	0	3	8		0	0	0
12					5,7	6,4	6,6	6,2	89	148	27,0	22	20	7	0	0	24	18	2	19	8	2	14	20	10	1	0	14	0	0	2	16		0	0	0
ÅR					5,7	5,7	5,5	5,7	582	80	27,0		118	49	3	2	202	129	8	153	37	10	147	106	50	37	1	38	0	1	24	167		5	4	4
NORDREISA																																				1979
1	75	73	72	73	3,9	6,0	5,3	5,1	39	80	8,5	20	30	28	25	0	11	7	0	2	0	0	2	10	1	0	0	0	0	0	4	9	31	0	0	0
2	76	74	78	76	6,1	6,0	5,8	6,0	35	76	11,5	17	26	19	18	0	10	8	1	1	0	0	3	9	2	0	0	1	0	0	4	14	28	0	0	0
3	74	65	68	70	5,3	5,0	4,0	4,8	4	8	1,3	18	27	13	10	0	4	2	0	2	0	0	0	4	0	0	0	0	0	0	3	7	31	0	0	0
4	78	63	70	73	5,2	4,7	5,4	5,1	16	52	6,7	8	21	8	6	0	9	5	0	1	0	0	1	8	1	0	0	3	0	0	3	13	30	0	0	0
5	72	63	68	70	5,7	4,7	5,0	5,2	52	137	20,5	29	8	0	0	0	13	8	2	1	0	0	10	6	2	0	0	0	0	0	2	11	5	0	0	0
6	81	72	77	79	6,4	6,4	6,0	6,3	66	189	9,6	29	0	0	0	0	23	17	0	0	0	0	23	0	0	1	0	0	0	2	0	20	0	0	0	0
7	74	62	66	71	5,8	5,0	5,0	5,4	15	31	5,5	21	0	0	0	4	10	6	0	0	0	0	10	0	0	0	0	0	0	1	2	10	0	0	0	0
8	80	69	75	76	6,3	6,7	6,4	6,5	36	67	10,8	17	0	0	0	0	16	11	1	1	0	0	16	0	0	3	0	0	0	0	0	21	0	0	0	0
9	86	69	84	82	6,3	6,6	6,8	6,7	91	123	15,9	23	0	0	0	0	24	18	1	0	0	0	24	1	1	1	0	0	0	0	0	21	0	0	0	0
10	77	70	73	74	5,0	5,1	5,3	5,4	65	110	15,7	4	21	10	1	0	16	11	2	0	0	0	9	9	2	0	0	4	0	0	5	17	17	0	0	0
11	77	75	78	76	5,4	6,1	5,2	5,6	35	78	10,4	11	28	13	9	0	13	7	1	1	0	0	5	12	4	0	0	1	0	0	4	14	30	0	0	0
12	78	76	76	76	3,8	7,2	6,3	6,4	31	69	6,5	9	29	22	8	0	15	8	0	0	0	0	2	14	1	0	0	0	0	0	2	22	31	0	0	0
ÅR	77	69	74	75	5,7	5,8	5,5	5,7	485	85	20,5		193	113	77	4	164	108	8	12	0	0	105	73	14	5	0	9	0	3	29	179	203	0	0	0
NORDSTRAUM I KVÆNANGEN																																				1979
1	72	71	70	71	3,2	4,8	4,2	4,1	22	67	7,1	1	30	27	13	0	10	5	0	5	0	0	2	9	1	0	0	0	0	0	5	3	30	0	0	0
2	77	77	76	77	6,2	5,7	5,4	5,8	16	55	8,9	17	23	17	11	0	13	3	0	4	0	0	3	12	1	0	0	0	0	0	2	13	22	0	0	0
3	76	69	71	72	4,0	4,1	3,4	4,1	5	14	3,0	17	26	12	7	0	7	2	0	3	0	0	0	7	0	0	0	0	0	0	2	4	21	0	0	0
4	79	72	75	77	4,8	4,0	4,9	4,5	10	42	4,0	14	17	8	0	0	3	3	0	1	0	0	1	8	0	2	0	0	0	0	3	5	14	0	0	0
5	78	70	72	75	3,5	4,2	5,1	4,9	35	135	14,1	29	5	0	0	0	11	4	2	0	0	0	7	7	3	0	0	0	0	0	3	11	2	0	0	0
6	87	81	82	85	6,0	5,6	5,3	5,8	60	133	10,4	17	0	0	0	0	23	17	2	1	0	0	23	0	0	0	0	0	0	1	1	16	0	1	0	0
7	80	68	74	79	5,2	4,2	4,1	4,5	16	32	5,8	22	0	0	0	2	9	5	0	0	0	0	9	0	0	0	0	0	0	2	4	6	0	0	0	0
8	83	77	80	82	5,9	6,0	6,0	6,0	33	62	5,1	3	0	0	0	0	17	11	0	0	0	0	16	0	0	3	0	0	0	0	0	15	0	1	0	0
9	84	77	81	82	6,3	6,3	6,5	6,3	57	98	9,6	27	0	0	0	0	25	15	0	1	0	0	25	0	0	0	0	0	0	0	1	17	0	0	0	0
10	76	74	78	77	5,2	4,8	4,7	4,9	25	56	4,8	3	12	1	0	0	16	6	0	3	0	0	11	6	1	0	0	0	0	0	5	14	3	0	0	0
11	78	77	79	77	4,4	4,8	4,3	4,7	21	70	8,8	11	24	9	0	0	9	5	0	3	0	0	4	7	2	0	0	0	0	0	4	10	21	0	0	0
12	79	79	79	79	5,2	5,9	5,6	5,6	21	70	5,5	9	27	12	1	0	12	6	0	2	0	0	2	11	0	0	0	2	0	0	2	12	31	0	0	0
ÅR	79	74	76	78	5,2	5,0	5,0	5,1	321	70	14,1		166	86	34	2	161	32	4	30	0	0	103	67	8	5	0	2	0	3	32	126	144	2	0	0

MIDLERE LUFTTRYKK · MIDLERE LUFTTEMPERATUR · AVVIK FRA NORM · MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER · VINDFORDELING: HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT

LOPPA — 1979

MD	PO	PO	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	1009,7	1011,0	-3,7	-3,7	-3,3	-3,8	-2,7	-2,1	-6,2	5,4	18	-15,4	27	2 3,5	8 3,3	0 0,0	0 0,0	11 1,8	29 2,3	18 3,3	16 4,1	0 0,0	3 5,7	1 7,0	5 4,2	0
2	1003,5	1006,8	-1,2	-2,6	-2,0	-2,9	-0,9	-1,2	-4,9	6,0	21	-12,8	7	3 4,7	7 2,1	3 1,0	3 3,0	8 2,7	13 3,6	13 2,3	21 3,9	9 1,9	2 1,0	1 4,0	1 6,0	0
3	1000,6	1001,9	-1,7	0,2	-1,0	-0,9	0,3	0,9	-3,1	6,7	28	-10,2	18	0 0,0	7 2,4	1 2,0	6 1,8	4 2,0	35 2,1	27 3,3	7 3,1	4 3,5	0 0,0	0 0,0	0 0,0	2
4	1013,8	1015,1	0,3	2,0	0,7	0,9	-0,1	2,9	-1,2	7,0	22	-9,1	14	3 1,3	10 2,1	3 1,0	15 1,4	4 2,5	13 1,1	20 1,5	11 2,9	1 2,0	2 3,0	0 0,0	4 3,5	4
5	1008,1	1009,4	4,3	5,3	4,0	4,1	-0,1	6,5	2,1	16,2	26	-2,1	15	1 4,0	19 2,0	3 2,0	12 1,3	3 1,8	13 1,5	17 2,1	14 3,5	0 0,0	5 5,0	0 0,0	4 4,0	0
6	1010,2	1011,5	8,3	8,4	8,9	8,4	-0,4	10,9	6,2	24,4	26	3,2	5	1 2,0	22 1,7	2 1,3	13 1,0	3 1,0	1 1,0	6 1,7	27 3,3	3 3,7	10 3,4	0 0,0	0 0,0	2
7	1010,5	1011,8	14,1	13,5	14,4	14,3	1,9	16,9	11,7	25,6	9	6,2	30	1 1,0	33 1,2	10 2,5	12 1,3	3 1,7	11 1,5	2 3,0	15 1,9	0 0,0	6 2,0	0 0,0	0 0,0	0
8	1009,5	1010,8	11,6	12,9	12,1	11,9	0,4	14,1	9,6	22,0	13	5,1	4	0 0,0	20 2,1	4 1,8	5 1,3	7 1,1	22 1,6	7 2,7	17 2,8	0 0,0	3 3,3	0 0,0	3 2,0	4
9	1000,9	1002,2	7,3	8,3	7,1	7,6	-0,5	9,3	5,8	15,5	8	2,4	30	2 2,5	20 1,0	3 1,4	5 1,2	2 1,0	15 1,7	7 1,4	18 3,3	1 2,0	8 2,8	0 0,0	2 1,0	2
10	1014,5	1015,8	2,9	3,5	2,7	3,0	-1,3	4,3	1,1	7,4	3	-2,6	14	4 2,3	13 1,0	2 3,0	5 3,8	5 2,0	12 1,6	19 2,5	19 3,3	0 0,0	2 2,5	0 0,0	10 4,4	1
11	1000,1	1001,4	0,0	1,0	0,0	0,9	-3,3	2,3	-0,6	6,9	22	-4,4	29	1 2,0	1 1,0	0 0,0	5 1,0	7 1,1	26 1,8	24 3,5	14 4,0	1 7,0	5 5,0	0 0,0	3 2,3	3
12	997,7	999,0	-0,1	0,1	-0,3	-0,1	-0,3	1,6	-2,1	8,5	21	-3,3	17	6 4,2	11 3,4	2 2,3	6 2,2	3 1,0	23 2,3	15 2,8	17 4,1	2 6,5	0 0,0	0 0,0	8 3,5	0
ÅR	1006,8	1008,1	3,1	4,3	3,8	3,5	-0,4	5,5	1,5	25,6		-15,4		24 3,4	172 2,2	33 1,9	90 1,6	60 1,7	213 2,3	175 2,7	196 3,4	21 4,4	46 3,4	2 5,5	40 3,6	18

ALTA LUFTHAVN — 1979

MD	PO	PO	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	1012,6	1012,9	-11,7	-11,8	-11,0	-11,3	-4,8	-8,6	-14,8	6,2	19	-25,5	27	0 0,0	0 0,0	1 4,0	2 1,0	10 2,7	31 3,3	18 2,3	17 2,1	2 2,0	3 3,7	3 3,7	5 6,0	1
2	1007,7	1008,0	-10,0	-8,0	-8,8	-9,3	-1,0	-5,1	-12,7	7,4	22	-26,7	13	2 2,5	2 2,0	1 4,0	2 2,0	9 2,4	22 2,3	17 2,4	17 2,2	5 2,4	3 3,7	1 2,0	2 5,0	1
3	1003,5	1003,8	-6,5	-3,0	-5,0	-5,1	0,3	-1,8	-8,8	5,0	29	-24,5	21	0 0,0	0 0,0	1 2,0	3 1,4	13 2,2	30 3,2	29 3,3	4 2,3	2 1,0	1 1,0	0 0,0	0 0,0	5
4	1014,7	1015,0	-2,0	1,0	-0,1	-0,8	-0,2	1,9	-4,3	7,0	26	-13,0	19	2 2,5	5 2,0	4 1,9	1 2,3	9 1,9	28 3,0	10 2,7	3 2,3	2 1,5	2 2,5	4 3,8	5 3,2	12
5	1009,0	1009,3	4,0	8,1	5,0	4,7	0,1	7,5	1,9	17,7	26	-1,8	15	2 2,0	7 2,0	4 1,8	3 2,0	3 2,7	14 3,2	8 3,1	7 2,7	3 3,7	4 3,0	12 3,3	13 2,8	4
6	1010,1	1010,4	8,8	12,1	11,0	10,6	0,5	14,2	8,3	27,2	25	3,8	5	3 3,7	7 1,7	4 1,8	2 1,5	4 2,3	5 2,8	3 2,0	6 2,7	1 2,0	6 3,2	24 2,6	13 3,5	12
7	1011,1	1011,4	14,8	17,3	16,6	15,5	1,2	19,4	12,0	27,8	9	5,2	30	5 2,6	7 1,0	8 2,3	3 1,8	3 3,0	15 3,0	14 3,0	4 2,3	1 3,0	2 2,0	19 2,7	3 2,3	7
8	1010,6	1010,9	11,5	14,3	13,3	12,6	0,4	15,9	9,6	23,4	14	3,8	26	7 2,4	3 2,3	2 2,5	4 1,3	4 3,3	17 3,2	10 3,6	4 2,3	1 3,0	1 4,0	14 2,0	12 2,5	14
9	1001,4	1001,7	6,2	9,0	7,1	7,0	-0,2	9,9	4,9	17,2	7	-0,5	25	9 2,8	5 1,6	1 2,0	1 2,0	1 2,0	11 2,1	11 3,2	7 1,9	4 3,0	2 2,5	9 2,7	16 3,4	13
10	1016,2	1016,5	-1,0	0,3	-0,7	-0,8	-2,2	1,8	-2,6	8,0	3	-9,4	17	2 3,0	0 0,0	1 1,0	1 2,3	6 2,2	30 3,2	13 2,3	8 2,0	2 3,0	3 2,7	8 3,6	7 4,9	9
11	1002,7	1003,0	-3,0	-3,2	-3,2	-3,5	-0,7	-0,3	-6,1	4,7	22	-13,4	26	1 3,0	0 0,0	0 0,0	3 1,2	8 1,9	31 2,7	17 3,6	13 2,2	2 2,5	4 3,5	1 4,0	2 3,0	4
12	999,6	999,9	-4,6	-4,6	-4,2	-4,4	1,3	-1,6	-7,4	9,6	21	-16,1	11	1 4,0	2 2,0	2 2,5	0 0,0	8 2,4	27 2,4	22 2,1	12 2,1	3 3,3	2 2,5	4 4,3	5 3,8	5
ÅR	1008,3	1008,6	0,5	2,4	1,7	1,3	-0,4	4,4	-1,7	27,8		-26,7		14 2,7	38 2,0	29 2,3	43 1,7	84 2,4	261 2,9	172 2,3	104 2,2	28 2,6	33 3,0	99 2,9	83 3,5	87

SULOVOMI — 1979

MD	PO	PO	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1			-17,2	-17,0	-18,3	-17,5	-4,0	-13,3	-22,7	3,6	19	-33,6	27	3 1,0	7 1,1	2 1,9	13 1,6	15 2,3	24 2,6	3 2,7	6 2,5	2 3,5	6 2,0	3 3,3	3 2,0	1
2			-14,3	-12,9	-14,0	-14,1	-1,1	-9,3	-19,5	2,9	21	-37,5	13	3 2,0	4 1,3	6 1,7	23 1,8	11 2,0	15 2,6	5 2,0	2 1,5	1 3,0	6 2,3	3 2,3	3 2,0	2
3			-10,7	-6,5	-9,3	-9,0	3,8	-5,5	-14,5	0,9	29	-34,0	21	1 1,0	6 1,2	9 1,6	1 1,3	13 2,0	20 2,5	27 3,0	5 3,2	2 2,5	2 2,0	2 1,0	1 1,0	1
4			-4,0	-1,7	-3,3	-3,1	0,2	-1,2	-8,9	4,9	25	-24,3	19	3 1,3	6 2,0	4 1,3	2 1,5	0 2,1	23 2,0	14 1,9	4 2,0	0 0,0	7 1,7	4 2,3	8 2,6	6
5			1,5	3,7	2,1	1,9	0,0	4,8	-1,2	14,1	26	-6,5	8	0 0,0	4 1,3	3 1,8	1 3,0	8 2,3	8 2,3	15 2,3	19 2,1	6 2,7	9 3,0	13 2,3	2 2,0	3
6			8,8	11,6	10,1	9,4	1,3	13,1	5,6	24,0	25	-1,3	5	3 2,0	4 2,0	1 2,0	3 1,7	3 1,5	7 2,1	9 2,1	11 2,2	6 1,8	15 3,1	9 2,2	12 3,2	2
7			12,5	15,8	14,2	13,1	0,8	17,2	8,2	23,8	9	1,2	25	8 1,7	6 1,8	9 2,2	3 1,9	17 2,1	14 1,8	9 2,3	7 3,1	1 2,0	3 1,3	1 2,0	7 1,9	5
8			9,9	12,4	10,7	10,4	0,5	13,7	6,3	20,7	20	-0,7	7	1 2,0	10 1,6	4 1,5	3 1,6	11 1,7	17 1,7	18 2,2	0 0,0	5 2,0	2 1,5	8 2,0	8 1,9	4
9			4,2	6,7	4,3	4,7	0,0	7,5	1,3	15,3	8	-3,9	12	8 1,9	3 2,0	3 1,3	1 1,0	4 1,8	10 1,7	22 2,0	2 1,0	2 2,0	10 2,3	11 1,9	10 2,2	4
10			-4,8	-3,5	-4,7	-4,5	-2,5	-1,9	-7,3	3,4	3	-16,7	16	5 1,2	11 1,3	1 1,0	6 2,5	13 2,1	11 1,9	11 1,9	9 3,3	2 2,0	7 2,9	2 3,0	7 3,0	6
11			-8,0	-7,6	-7,1	-7,7	-0,6	-4,5	-11,7	1,1	18	-23,9	26	1 1,0	9 1,1	1 1,0	10 1,0	7 2,0	20 2,1	21 2,2	6 2,8	3 2,0	8 1,4	2 1,0	1 1,0	1
12			-9,3	-8,9	-9,2	-9,8	1,7	-4,9	-13,6	4,8	21	-28,6	11	1 1,3	12 1,3	1 1,5	11 1,7	10 1,3	16 1,6	8 2,3	5 3,2	1 3,0	8 1,9	5 1,6	5 1,4	1
ÅR			-2,7	-0,7	-2,0	-2,2	-0,3	1,3	-6,5	24,0		-37,5		38 1,5	82 1,3	49 1,7	98 1,7	123 2,0	185 2,1	162 2,3	76 2,5	31 2,3	83 2,3	63 2,1	67 2,3	36

BRENNELV — 1979

MD	PO	PO	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	1008,4	1012,9	-11,3	-11,1	-11,3	-11,4	-3,8	-8,7	-14,6	6,1	19	-24,0	29	7 2,9	0 0,0	0 0,0	2 1,5	0 0,0	6 4,8	50 3,1	1 3,0	7 1,0	5 2,4	0 0,0	7 2,4	8
2	1003,5	1008,0	-9,1	-8,2	-8,8	-8,9	-0,2	-5,4	-12,9	4,2	22	-23,4	13	3 2,3	0 0,0	2 3,5	3 1,3	0 0,0	12 4,3	32 3,4	0 0,0	4 3,8	9 2,7	0 0,0	6 2,8	13
3	999,7	1004,1	-6,3	-3,4	-4,3	-5,1	0,6	-2,1	-8,5	3,5	28	-23,6	18	2 1,5	0 0,0	4 1,8	0 0,0	0 0,0	10 3,0	64 3,9	0 0,0	3 2,3	1 2,0	0 0,0	0 0,0	9
4	1010,8	1015,2	-1,7	1,2	-0,5	-0,8	0,2	1,9	-4,0	8,1	26	-12,3	15	3 1,8	0 0,0	8 1,6	2 2,5	0 0,0	18 2,7	34 3,3	0 0,0	2 2,5	0 0,0	1 2,0	4 3,3	13
5	1005,2	1009,4	3,7	5,7	5,0	4,3	0,0	7,6	1,3	18,4	26	-2,5	14	23 2,3	0 0,0	7 2,3	2 2,5	0 0,0	2 3,5	38 3,7	0 0,0	2 3,5	8 3,6	0 0,0	8 2,9	3
6	1006,2	1010,4	8,0	11,6	10,3	9,7	0,1	13,5	6,9	26,2	26	2,0	5	49 2,4	0 0,0	8 2,1	3 2,0	0 0,0	4 3,0	13 3,6	0 0,0	1 3,0	4 3,8	0 0,0	5 2,6	3
7	1007,5	1011,5	14,0	16,8	15,4	15,0	1,3	19,4	11,0	27,2	8	4,8	30	11 2,8	0 0,0	7 2,1	3 3,0	0 0,0	7 3,6	21 3,2	0 0,0	7 3,3	0 0,0	0 0,0	4 2,5	3
8	1006,7	1010,9	11,2	14,1	12,7	12,2	1,0	15,8	8,6	24,2	20	4,4	7	25 2,0	0 0,0	4 2,0	2 2,5	0 0,0	2 3,5	38 3,7	0 0,0	2 3,0	1 3,0	0 0,0	8 2,6	11
9	997,1	1001,4	6,5	8,6	7,3	7,2	0,2	9,6	4,7	16,5	8	-1,0	12	21 2,5	0 0,0	3 2,3	2 3,0	0 0,0	4 2,0	24 3,5	0 0,0	5 2,2	4 2,3	0 0,0	12 3,3	15
10	1011,9	1016,3	-0,6	0,7	-0,7	-0,3	-1,6	1,8	-2,7	7,5	3	-8,5	14	14 2,6	0 0,0	1 1,0	1 2,0	0 0,0	7 2,9	47 3,3	0 0,0	4 1,8	5 2,4	0 0,0	9 3,4	5
11	998,7	1003,1	-5,5	-5,5	-5,0	-5,3	-0,3	-0,9	-5,7	4,0	22	-16,5	27	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	64 3,3	0 0,0	1 1,0	4 2,0	0 0,0	6 2,3	15
12	995,3	999,7	-4,3	-4,0	-4,0	-4,1	1,8	-1,6	-7,4	9,2	21	-19,0	12	11 2,9	0 0,0	2 3,0	2 2,5	0 0,0	8 2,6	30 3,5	2 3,0	8 3,9	13 2,7	0 0,0	5 2,8	12
ÅR	1004,3	1008,6	0,6	2,4	1,0	1,2	0,0	4,2	-1,9	27,2		-24,0		214 2,5	0 0,0	46 2,2	22 2,7	0 0,0	80 3,2	455 3,6	3 3,0	46 3,1	54 2,8	1 2,0	74 2,9	110

BANAK — 1979

MD	PO	PO	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	1011,9	1012,8	-12,3	-12,4	-12,0	-12,6	-4,5	-9,0	-16,0	6,6	19	-24,8	27	6 3,3	0 0,0	0 0,0	0 0,0	0 0,0	1 4,0	49 3,5	17 3,5	0 0,0	1 4,0	4 3,8	3 4,3	12
2	1007,1	1008,0	-10,6	-8,6	-9,9	-10,2	-0,3	-6,0	-14,2	6,0	17	-28,5	13	4 3,0	0 0,0	2 2,5	1 3,0	2 2,0	2 3,0	32 3,7	18 3,4	2 1,0	5 3,2	2 4,0	3 3,0	11
3	1003,1	1004,0	-7,3	-4,3	-5,1	-6,0	0,1	-2,9	-9,5	3,4	8	-26,9	18	0 0,0	0 0,0	0 0,0	0 0,0	2 1,5	3 2,7	54 4,1	18 3,2	0 0,0	0 0,0	1 2,0	1 1,0	14
4	1014,3	1015,2	-2,1	0,2	-0,8	-1,4	-0,2	1,4	-4,4	7,0	26	-13,2	19	3 2,0	2 3,3	1 2,0	1 1,0	1 2,0	1 2,0	42 3,4	6 2,3	2 2,0	2 2,0	3 4,7	7 2,9	19
5	1008,5	1009,4	3,1	5,6	3,0	4,2	0,0	7,4	1,4	18,5	26	-4,0	14	17 2,7	1 2,0	2 1,0	0 0,0	0 0,0	1 2,0	28 3,3	9 3,9	7 3,6	2 3,5	5 4,8	10 3,0	11
6	1009,5	1010,4	8,2	12,0	10,3	9,9	0,2	13,8	6,9	26,5	26	1,8	10	10 2,3	3 2,0	5 1,8	2 1,9	1 1,0	2 4,0	10 2,9	3 3,0	1 2,0	5 3,4	4 3,0	23 2,8	15
7	1010,8	1011,7	14,3	17,8	16,2	15,1	1,5	19,3	11,5	26,7	8	4,7	25	20 2,7	13 2,7	4 2,0	1 2,0	2 3,0	3 3,0	17 3,3	10 3,1	1 2,0	1 3,0	3 2,3	8 2,8	10
8	1010,1	1011,0	11,1	14,6	13,1	12,5	0,8	16,0	9,0	24,5	20	3,0	7	13 2,2	7 2,6	4 1,3	2 1,5	1 2,0	2 2,5	30 3,5	10 2,8	0 0,0	1 5,0	3 2,3	5 2,8	15
9	1000,3	1001,2	6,1	8,8	7,1	7,2	0,2	9,9	4,6	16,6	7	-2,3	12	7 2,4	5 2,0	1 2,0	1 2,0	1 1,0	4 3,5	21 3,3	6 2,5	1 4,0	3 3,7	9 3,6	16 3,1	15
10	1015,3	1016,2	-1,0	0,1	-0,9	-0,8	-2,1	1,5	-3,1	7,2	25	-11,0	27	2 2,3	0 0,0	2 2,0	0 0,0	2 1,5	4 1,8	41 3,7	12 2,8	1 4,0	4 3,3	5 3,8	12 3,9	8
11	1002,1	1003,0	-4,1	-4,1	-3,6	-3,9	-0,6	-1,2	-6,2	4,0	18	-15,2	26	1 3,0	1 2,0	0 0,0	0 0,0	2 3,0	4 4,0	47 3,7	12 3,3	2 5,0	4 3,5	3 4,0	1 4,0	13
12	998,8	999,7	-5,6	-5,2	-4,7	-5,2	1,3	-2,1	-8,3	7,8	21	-20,8	12	7 3,1	1 4,0	0 0,0	0 0,0	0 0,0	2 1,5	32 3,3	18 3,2	3 4,3	3 2,3	5 4,2	6 3,5	16
ÅR	1007,7	1008,6	0,1	2,0	1,2	0,8	-0,3	4,0	-2,4	26,7		-28,5		96 2,6	33 2,6	21 1,9	8 1,8	14 2,0	27 2,9	403 3,6	139 3,2	20 3,3	31 3,3	47 3,7	95 3,1	159

HAMMERFEST RADIO — 1979

MD	PO	PO	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
1	1001,4	1010,7	-7,6	-7,8	-8,2	-7,9	-3,5	-4,8	-11,5	4,5	19	-20,5	27	4 3,5	5 3,1	6 2,8	12 1,9	7 2,3	3 2,8	8 3,4	19 4,2	4 3,3	9 3,3	4 3,3	3 2,7	4
2	997,4	1006,6	-6,2	-5,4	-5,7	-5,9	-0,9	-2,9	-9,1	5,6	22	-18,7	13	2 3,3	6 3,7	2 3,0	16 3,1	6 3,7	10 3,6	3 5,0	12 2,3	3 4,0	18 4,0	1 2,0	3 3,7	2
3	993,0	1002,1	-5,1	-2,9	-4,2	-4,2	-0,4	-1,5	-7,5	4,6	28	-21,0	20	2 3,3	2 3,3	3 1,7	17 2,2	3 2,8	9 2,3	17 3,9	24 4,5	4 3,3	2 3,0	1 6,0	0 0,0	7
4	1005,4	1014,8	-1,3	0,1	-1,3	-1,2	-0,3	1,2	-4,1	6,4	26	-12,2	13	3 2,6	4 1,0	10 2,5	14 2,4	3 3,0	4 3,0	14 2,8	15 2,1	4 3,0	4 3,3	2 3,0	0 0,0	11
5	1001,1	1010,0	2,9	4,3	3,1	3,2	0,3	5,4	0,9	16,1	26	-2,5	15	1 1,0	6 2,3	8 3,1	10 2,9	7 3,0	6 2,7	10 3,3	11 2,7	12 2,2	14 3,5	3 3,0	1 2,0	4
6	1001,7	1010,4	7,7	9,7	8,7	8,2	0,0	11,4	5,7	24,5	25	1,5	11	3 2,3	8 2,1	7 2,1	3 1,6	1 1,0	2 1,5	5 2,2	7 2,7	9 2,4	20 2,8	4 2,8	4 3,8	12
7	1003,0	1011,5	13,3	13,8	14,3	14,3	2,0	17,6	11,5	27,6	9	6,6	30	4 1,5	5 2,4	13 3,4	17 2,9	3 2,4	6 2,7	9 2,8	8 2,8	6 2,7	5 2,6	3 1,7	1 2,0	6
8	1001,6	1010,2	11,1	12,8	12,2	11,7	0,8	14,4	9,3	22,6	14	3,0	4	2 2,5	5 2,4	12 3,2	1 1,8	4 3,0	3 2,7	8 3,1	18 3,1	14 2,4	11 1,8	0 0,0	4 3,8	8
9	992,2	1000,9	6,3	7,7	6,7	6,7	-0,2	8,8	4,8	16,2	7	0,8	30	3 2,8	8 2,8	2 3,0	6 3,0	2 1,0	2 2,5	4 2,0	11 2,6	12 2,1	16 2,9	6 2,7	6 2,8	10
10	1005,9	1014,9	0,1	1,3	0,7	0,7	-1,0	3,0	-1,7	6,8	3	-9,4	17	2 2,5	7 3,6	3 3,3	1 2,8	10 3,0	3 1,7	6 3,3	17 3,6	9 3,8	15 3,3	3 3,3	4 3,3	10
11	992,2	1001,2	-1,6	-1,8	-1,3	-1,6	-3,7	0,6	-4,4	5,0	22	-11,0	13	1 1,0	1 3,0	1 3,0	10 2,2	7 2,1	11 1,6	16 3,9	19 3,3	6 2,8	8 2,8	3 3,3	1 3,0	6
12	989,6	998,6	-2,4	-2,6	-2,6	-2,5	1,1	0,0	-5,6	8,0	21	-13,5	12	6 4,3	5 4,8	6 2,3	11 2,5	6 2,0	5 3,2	10 2,9	11 2,5	9 3,0	9 3,1	5 3,4	3 3,3	7
ÅR	998,6	1007,6	1,5	2,6	1,9	1,8	-0,3	4,4	-1,0	27,6		-21,0		37 2,9	62 3,1	73 2,0	120 2,5	63 2,6	69 2,6	110 3,3	172 3,2	92 2,7	131 3,1	35 3,0	30 3,2	87

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	24	MIDLERE SKYDEKKE 07	13	19	MN.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TA <0	TJ <=10	TX >25.	NEDBØR RA>=0,1	RA>=1,0	RA>=10,0.	VINDSTYRKE FX>=8	FX>=98	FX>=99.	ANTALL DAGER MED: R	S	SL	YR	BH	H	IH	TJ	KV	OV	SD	TÅKE 07	13	19.
LOPPA																																				1979
1	70	70	70	70	5,7	6,7	5,2	6,2	37	51	8,1	2	30	22	5	0	11	9	0	0	0	0	2	13	0	0	0	0	0	0	0	16	31	0	0	0
2	78	75	77	77	6,7	6,9	5,3	6,8	32	54	8,0	27	21	15	4	0	10	11	0	12	0	0	7	15	3	0	0	0	0	0	2	23	25	0	0	0
3	72	67	71	71	6,1	5,9	5,7	5,9	15	22	5,1	19	22	10	1	0	3	3	0	5	2	0	2	8	2	0	0	0	0	0	1	14	28	0	0	0
4	81	75	78	79	5,3	5,7	5,2	5,6	24	43	6,3	8	15	5	0	0	11	5	0	3	0	0	2	11	2	0	0	0	0	0	2	17	15	0	0	0
5	79	75	78	78	5,2	5,8	5,7	5,9	52	83	9,8	30	5	0	0	0	19	16	0	1	0	0	15	9	4	0	0	0	0	0	2	16	7	0	1	0
6	86	82	84	85	6,6	6,6	7,1	6,8	112	200	17,0	16	0	0	0	0	21	21	3	5	0	0	24	0	0	0	0	0	0	0	2	23	0	0	2	5
7	75	71	73	75	6,1	5,7	5,2	5,7	8	14	3,6	2	0	0	0	1	5	3	0	0	0	0	3	0	0	1	0	0	0	0	2	12	0	0	0	0
8	82	78	81	81	6,7	6,5	6,2	6,5	52	68	10,6	17	0	0	0	0	17	12	1	0	0	0	17	0	0	0	0	0	0	0	2	18	0	1	1	1
9	86	81	85	85	7,3	7,2	7,1	7,3	128	127	18,6	17	0	0	0	0	26	22	2	0	0	0	26	0	0	0	0	0	0	0	0	26	0	0	0	0
10	78	75	79	78	5,3	5,5	5,1	5,6	35	63	12,4	3	11	0	0	0	17	12	1	1	0	0	10	10	8	2	0	4	0	0	5	16	8	0	0	0
11	77	77	76	77	6,1	6,5	6,3	6,4	36	46	9,2	25	13	4	0	0	12	11	0	4	0	0	6	11	4	0	0	2	0	0	2	20	16	0	0	0
12	79	75	79	77	7,7	6,6	7,3	7,3	58	73	15,9	22	21	10	3	0	22	13	1	10	0	0	14	16	8	0	0	2	0	0	0	26	20	0	0	0
ÅR	79	75	78	78	6,1	6,3	6,2	6,3	619	71	18,6		144	86	8	1	191	138	8	57	2	0	130	93	31	3	0	8	0	0	20	227	150	1	4	6
ALTA LUFTHAVN																																				1979
1	82	81	82	82	4,2	4,7	3,2	4,7	38	181	14,7	3	30	27	24	0	11	7	2	0	1	0	0	11	0	0	0	0	0	0	2	9		0	0	0
2	80	77	78	79	3,3	5,6	5,4	5,5	11	55	2,5	24	20	14	17	0	10	5	0	1	0	0	3	10	3	0	0	0	0	0	3	14		0	0	0
3	79	67	70	73	5,0	5,1	4,3	4,9	6	30	1,3	18	30	15	10	0	9	4	0	0	1	0	0	6	0	0	0	0	0	0	1	7		0	0	0
4	78	64	69	73	4,8	4,6	4,3	4,6	10	63	2,9	17	23	8	0	0	8	6	0	1	0	0	0	8	0	0	0	0	0	0	1	3		0	0	0
5	70	60	62	66	3,5	4,9	4,8	5,1	49	245	12,3	30	8	0	0	0	16	10	2	0	0	0	11	8	3	2	0	0	0	0	2	11		0	0	0
6	69	62	64	67	3,3	5,5	5,3	5,6	33	87	6,1	17	0	0	0	2	14	10	0	2	0	0	11	0	0	5	0	0	0	0	0	13		0	0	0
7	59	50	52	57	4,7	4,6	4,3	4,5	23	44	6,0	18	0	0	0	5	3	6	0	0	0	0	0	0	0	0	0	0	0	2	3	4		0	0	0
8	69	58	62	65	5,0	5,7	5,1	5,9	32	64	9,8	31	0	0	0	0	16	7	0	1	0	0	15	0	0	3	0	0	0	0	0	12		0	0	0
9	73	63	67	69	6,1	6,3	6,0	6,1	94	235	17,0	13	1	0	0	0	22	17	1	2	0	0	22	0	0	1	0	0	0	0	0	13		0	0	0
10	70	66	70	69	3,1	4,8	4,7	5,0	25	96	8,2	22	21	11	0	0	15	8	0	4	0	0	7	12	4	2	0	0	0	0	3	11		0	0	0
11	74	72	74	73	4,3	4,8	4,7	4,7	10	42	3,2	11	23	15	7	0	11	4	0	1	1	0	2	11	1	0	0	0	0	0	4	9		0	0	0
12	74	72	75	73	5,3	5,9	5,1	5,8	23	100	5,6	9	22	23	8	0	15	8	0	4	0	0	0	15	0	0	0	0	0	0	2	14		0	0	0
ÅR	73	66	69	71	5,2	5,2	5,1	5,2	354	101	17,0		196	117	72	7	152	92	5	43	3	0	82	81	11	13	0	0	0	2	21	120		0	0	0
SOLOVOMI																																				1979
1	81	81	80	81	4,5	5,4	4,2	4,7	17	74	8,9	1	31	29	29	0	16	4	0	0	0	0	1	18	1	1	0	0	0	0	2	7	31	1	0	1
2	82	80	81	81	6,3	5,4	5,0	5,6	19	76	3,0	24	28	21	23	0	20	9	0	0	0	0	0	20	0	0	0	0	0	0	1	12	28	0	0	0
3	85	78	81	81	5,2	5,4	4,7	5,5	13	54	2,5	18	31	28	16	0	24	4	0	0	0	0	0	24	0	0	0	0	0	0	2	14	31	0	0	0
4	83	68	79	79	5,6	4,7	3,5	5,3	11	58	1,3	17	30	19	13	0	17	6	0	0	0	0	0	17	0	0	0	0	0	0	0	9	30	0	0	0
5	78	65	70	75	5,6	4,8	4,3	5,0	48	209	17,9	30	10	0	0	0	21	8	2	0	0	0	15	16	8	2	0	0	0	0	3	11	29	1	0	0
6	72	60	66	70	6,1	6,1	5,5	6,0	49	107	11,2	30	1	0	0	0	20	10	1	1	0	0	20	1	1	11	0	0	1	1	0	12	0	0	0	0
7	69	54	61	69	3,5	4,9	4,3	5,0	41	69	8,8	13	0	0	0	0	13	10	0	0	0	0	13	0	0	3	0	1	0	4	4	6	0	0	0	0
8	80	68	77	79	6,0	6,5	6,2	6,2	39	72	7,7	17	1	0	0	0	21	13	0	0	0	0	21	0	0	4	0	0	0	0	0	14	0	1	0	0
9	87	72	82	83	5,7	6,2	5,3	5,9	81	180	24,1	13	10	0	0	0	23	13	1	1	0	0	22	3	2	8	0	0	0	0	0	14	2	0	0	0
10	86	79	83	84	5,8	4,7	4,3	5,1	26	95	4,0	5	29	19	11	0	18	9	0	1	0	0	2	18	0	0	0	0	1	0	2	10	29	0	0	0
11	87	86	86	86	5,3	5,6	5,3	5,6	22	81	6,1	30	30	29	17	0	19	7	0	2	0	0	0	19	0	0	0	0	0	1	1	14	30	0	1	0
12	83	84	83	84	5,2	6,1	5,3	5,8	30	107	5,4	10	30	28	21	0	20	10	0	0	0	0	0	20	0	0	0	0	0	0	0	10	31	1	0	1
ÅR	81	73	77	79	5,7	5,5	5,2	5,5	396	99	24,1		240	173	132	0	231	103	4	5	0	0	94	156	12	29	0	1	2	5	15	133	241	4	1	2
BRENNELV																																				1979
1	82	84	82	82	5,0	5,5	5,0	6,1	26	100	7,9	1	31	29	23	0	13	6	0	3	0	0	2	12	0	0	0	0	0	0	0	15	31	0	0	0
2	82	80	82	82	5,2	5,6	6,1	6,1	9	36	3,7	24	27	19	19	0	12	3	0	0	0	0	1	12	1	0	0	0	0	0	1	16	28	0	0	0
3	87	79	81	83	5,5	5,2	5,5	5,4	11	46	2,8	17	28	17	11	0	13	3	0	12	0	0	1	13	1	0	0	0	0	0	1	10	31	0	0	0
4	84	75	79	81	6,0	5,7	5,4	5,7	9	41	3,5	9	24	8	4	0	9	5	0	0	0	0	1	8	0	0	0	0	0	0	0	13	17	0	0	0
5	81	73	77	79	6,1	5,8	5,5	5,8	68	272	27,3	30	7	0	0	0	18	11	1	1	0	0	14	10	5	0	0	0	0	0	0	12	6	0	0	0
6	81	73	78	81	6,0	6,2	5,7	6,2	43	108	8,9	17	0	0	0	1	17	14	0	1	0	0	17	0	0	0	0	0	0	0	0	17	0	0	0	0
7	74	64	68	72	4,7	4,9	4,7	4,8	12	24	5,0	18	0	0	0	4	8	5	0	0	0	0	8	0	0	0	0	0	0	1	3	8	0	0	0	0
8	84	74	78	81	6,2	6,1	6,4	6,2	42	65	9,2	17	0	0	0	0	16	9	0	1	0	0	14	0	0	0	0	0	0	0	0	16	0	0	0	0
9	86	80	84	84	7,1	6,7	6,3	6,8	140	255	30,3	24	1	0	0	0	21	16	6	2	0	0	21	0	0	0	0	0	0	0	0	20	0	1	0	0
10	84	80	84	83	5,3	5,1	5,5	5,5	12	34	4,0	4	20	9	0	0	10	4	0	0	0	0	5	5	0	0	0	0	0	0	2	14	0	0	0	0
11	85	85	85	85	5,3	5,3	5,0	5,5	22	69	11,8	9	29	15	6	0	11	4	1	8	0	0	1	11	1	0	0	0	0	0	1	13	22	0	0	0
12	87	86	86	86	6,3	6,7	7,1	6,8	31	100	6,5	9	29	21	6	0	17	8	0	3	0	0	0	17	0	0	0	0	0	0	0	23	25	0	1	0
ÅR	83	78	80	82	6,1	5,7	5,3	5,9	425	99	30,3		176	113	69	5	165	88	8	33	0	0	87	88	8	0	0	0	0	1	8	177	160	1	1	0
BANAK																																				1979
1	83	85	83	83	4,4	5,1	4,0	4,5	21	117	5,0	2	31	28	25	0	9	9	0	9	1	0	1	9	1	0	0	0	0	0	1	5		0	0	0
2	78	78	78	78	5,3	5,4	5,3	5,5	5	24	1,4	17	27	19	19	0	7	4	0	7	0	0	2	7	1	1	0	0	0	0	2	12		0	0	0
3	78	70	74	75	5,7	5,3	5,1	5,4	12	75	4,0	19	28	17	11	0	9	5	0	11	0	0	0	9	0	1	0	0	0	0	1	9		0	0	0
4	74	63	67	70	6,0	5,5	5,2	5,6	2	14	1,0	12	24	11	5	0	3	1	0	2	0	0	0	3	0	0	0	0	0	0	1	10		0	0	0
5	66	57	60	64	5,7	5,3	5,1	5,4	14	244	25,0	30	3	0	0	0	11	7	1	1	0	0	9	5	1	4	0	0	0	0	1	13		0	0	0
6	63	56	61	63	6,2	5,9	5,3	5,8	39	115	8,0	16	0	0	0	2	14	12	0	1	0	0	14	0	0	2	0	0	0	0	0	15		0	0	0
7	57	47	52	57	4,7	4,7	4,3	4,7	11	24	5,0	22	0	0	0	4	6	4	0	1	0	0	0	0	0	2	0	0	0	0	3	5		0	0	0
8	72	57	62	67	6,3	5,9	6,3	6,2	34	61	11,3	17	0	0	0	0	13	10	1	0	0	0	13	0	0	4	0	0	0	0	0	16		0	0	0
9	69	62	65	66	6,7	6,6	6,3	6,5	42	200	24,0	13	2	0	0	0	17	13	2	0	0	0	17	0	0	1	0	0	0	0	0	16		1	0	0
10	67	64	65	66	5,5	4,5	4,3	4,8	11	39	5,0	13	22	9	1	0	8	3	0	13	0	0	5	6	3	1	0	0	0	0	5	10		0	0	0
11	69	69	69	69	4,7	5,0	5,1	5,0	10	48	2,5	18	29	15	7	0	8	4	0	10	0	0	3	8	3	0	0	0	0	0	4	11		0	0	0
12	72	70	69	70	5,2	6,3	5,8	5,8	25	114	4,5	2	29	20	3	0	15	10	0	3	0	0	0	15	0	1	0	0	0	0	2	17		1	0	0
ÅR	71	65	67	69	5,8	5,5	5,2	5,4	296	89	25,0		197	119	76	6	120	82	4	67	1	0	70	62	9	17	0	0	0	0	22	139		2	0	0
HAMMERFEST RADIO																																				1979
1	74	77	78	75	5,0	5,5	5,2	5,3	63	124	14,0	5	31	27	21	0	14	11	2	10	0	0	2	14	1	1	0	0	0	0	2	14	31	0	0	0
2	76	76	76	76	6,0	6,0	6,7	6,3	28	65	5,3	27	25	17	12	0	10	9	0	13	1	0	7	14	5	4	0	0	0	0	1	16	28	0	0	0
3	76	70	73	74	5,2	4,9	4,7	4,9	17	28	6,1	17	28	14	10	0	7	4	0	2	2	0	1	7	1	0	0	1	0	0	3	9	31	0	0	0
4	83	71	78	80	5,6	4,9	5,0	5,2	24	40	8,0	10	24	11	3	0	12	7	0	1	0	0	2	12	2	2	0	0	0	0	2	9	30	0	0	0
5	77	73	76	77	5,7	5,2	5,3	5,5	66	161	24,2	30	10	0	0	0	19	13	2	5	0	0	17	13	9	10	0	0	0	0	3	14	8	0	0	0
6	81	71	76	79	6,3	5,7	6,1	6,0	72	138	8,1	4	0	0	0	0	13	10	0	3	0	0	13	0	0	11	1	0	0	0	2	18	0	0	0	0
7	64	56	59	63	4,6	5,0	4,3	4,7	3	7	1,8	14	0	0	0	5	3	1	0	0	0	0	5	0	0	4	0	0	0	0	2	11	0	0	0	0
8	77	68	70	73	6,2	5,4	6,0	5,9	28	32	4,1	30	0	0	0	0	10	11	0	1	0	0	10	0	0	12	0	0	0	0	0	11	0	1	0	0
9	84	74	78	80	7,5	6,7	6,3	7,0	164	248	20,0	27	0	0	0	0	25	19	7	1	0	0	23	1	1	11	0	0	0	0	0	20	0	0	0	0
10	75	69	72	73	5,3	5,0	5,1	5,1	77	96	21,8	3	20	6	0	0	16	11	2	5	0	0	11	11	6	1	1	0	0	0	6	15	10	0	0	0
11	74	74	73	74	3,2	5,1	5,7	5,3	30	50	4,0	20	27	10	1	0	16	9	0	6	1	1	7	15	7	1	0	1	0	0	3	11	22	0	0	0
12	76	75	76	76	6,0	5,9	7,0	6,3	69	113	9,2	9	26	15	4	0	21	18	0	10	1	0	5	19	2	4	0	0	0	0	0	16	31	0	0	0
ÅR	76	71	74	75	5,7	5,4	5,7	5,6	638	92	24,2		191	100	51	5	185	129	13	69	5	1	116	106	34	61	2	2	0	0	24	164	191	1	0	0

MÅ.	MIDLERE LUFTTRYKK P1	MIDLERE LUFTTRYKK PO1	MIDLERE LUFTTEMPERATUR U7	U13	U19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
PRUDHOEMEN FYR																										1979
1	1009,3	1011,0	- 4,3	- 1,3	- 3,3	- 1,9	- 3,3	- 2,9	- 7,0	5,0	18	-16,3	27	5 1,8	3 1,3	2 1,3	3 1,3	3 1,0	44 1,8	8 1,1	2 1,0	4 1,5	3 1,7	7 1,1	11 1,9	1
2	1009,2	1007,0	- 3,4	- 3,3	- 3,1	- 3,1	- 1,2	- 1,8	- 5,3	5,0	21	-15,0	7	0 0,0	3 1,3	1 1,0	3 1,8	5 1,8	23 1,3	3 1,0	6 1,7	17 1,8	3 1,3	3 1,7	8 1,0	1
3	1001,1	1002,8	- 2,2	- 1,5	- 1,7	- 1,9	0,0	0,0	- 3,6	5,7	28	-13,1	20	1 1,3	1 1,0	0 1,7	1 1,3	1 1,0	38 1,7	22 1,8	7 1,6	5 1,4	3 1,7	1 1,0	1 1,0	0
4	1013,1	1014,8	- 0,3	0,7	0,3	0,1	- 0,1	1,9	- 1,5	6,7	26	- 7,9	14	0 0,0	2 1,3	12 1,3	11 1,7	1 1,0	23 1,9	3 2,0	10 2,2	5 1,2	3 1,3	2 1,0	4 1,3	4
5	1007,9	1009,6	1,0	1,0	0,3	0,3	- 0,1	5,3	1,9	15,8	26	- 0,6	14	5 1,4	3 1,3	5 1,2	27 1,4	1 1,0	12 1,9	8 1,3	7 1,4	9 1,6	4 1,8	7 1,9	2 1,0	3
6	1008,8	1010,4	0,4	0,5	0,7	0,6	- 0,3	9,0	4,9	24,2	26	1,4	10	2 2,0	1 1,0	3 2,3	13 1,6	3 1,2	2 1,5	2 1,5	4 1,5	17 1,2	6 1,2	7 1,4	14 1,4	3
7	1013,9	1012,5	11,1	12,1	11,4	11,5	1,3	14,1	9,2	22,3	9	6,5	13	1 1,0	0 0,0	1 1,0	13 1,3	13 1,3	19 1,7	9 1,7	12 1,4	8 1,6	8 1,5	8 2,5	4 2,0	1
8	1009,2	1010,9	10,3	11,0	11,0	10,8	1,2	12,8	9,2	21,0	14	6,0	2	5 1,0	0 1,3	9 1,0	14 1,2	2 1,0	19 1,5	2 1,5	12 1,0	11 1,4	4 1,5	3 1,0	4 1,8	2
9	999,6	1001,1	7,1	7,8	7,3	7,3	0,2	9,0	6,0	14,5	8	3,2	30	7 1,0	7 1,1	2 1,5	1 1,8	0 0,0	2 1,0	10 1,3	7 1,0	26 1,1	7 1,6	14 1,9	4 1,0	0
10	1012,8	1014,5	2,1	2,3	2,7	2,6	1,4	4,2	1,1	7,2	5	2,4	31	2 1,3	2 1,3	2 1,5	12 1,4	1 1,5	16 1,2	7 1,6	13 1,5	9 1,6	7 1,1	10 1,1	9 1,4	0
11	999,5	1001,1	0,3	0,5	0,7	0,7	- 0,6	2,2	- 0,8	6,0	21	- 5,4	30	3 1,7	3 1,5	0 0,0	7 1,9	1 1,0	25 1,5	14 1,2	16 1,6	9 1,0	4 1,5	4 1,3	4 1,8	0
12	998,9	998,6	- 0,1	- 0,2	- 0,5	- 0,3	0,1	1,5	- 2,3	7,1	21	- 9,7	17	5 1,8	5 1,1	4 1,3	14 1,4	5 1,4	9 1,9	9 1,3	11 1,0	8 1,0	6 1,7	9 1,4	8 1,0	0
ÅR	1006,2	1007,9	2,3	3,1	2,3	2,7	- 0,4	4,6	1,0	24,2		-16,3		45 1,3	46 1,3	54 1,1	133 1,3	33 1,6	237 1,4	97 1,1	107 1,8	128 1,0	58 1,0	71 1,8	69 1,2	15
HELJES FYR																										1979
1			- 0,3	- 0,8	- 0,3	- 0,3	- 0,2	- 3,4	- 8,0	4,0	18	-16,9	27	0 0,0	1 1,3	1 2,0	1 1,3	13 1,5	12 1,1	7 1,1	17 1,4	6 2,8	14 1,4	7 1,3	5 1,4	0
2			- 1,3	- 1,3	- 1,1	- 1,3	- 1,7	- 2,1	- 6,7	5,8	21	-14,0	7	2 1,0	3 1,0	0 1,2	11 1,2	12 1,8	8 1,5	7 1,9	6 1,0	8 1,4	13 1,5	2 1,0	5 1,0	0
3			- 1,1	- 2,3	- 2,2	- 2,0	0,2	- 1,0	- 3,9	4,1	30	-11,5	20	1 1,3	2 1,5	1 1,0	7 1,9	11 1,5	21 1,6	19 1,0	16 1,5	5 1,8	4 1,3	1 1,0	2 1,0	0
4			- 0,3	0,1	- 0,3	- 0,5	- 0,4	1,0	- 1,8	6,0	23	- 8,2	13	2 1,5	4 1,3	11 1,3	14 1,5	4 1,3	11 1,3	24 1,8	5 1,4	3 1,7	6 1,8	2 1,5	3 1,7	1
5			2,9	3,7	3,5	3,1	- 0,1	5,1	1,5	14,5	26	1,0	14	6 1,3	0 0,0	6 1,0	10 1,3	7 1,6	15 1,1	13 1,2	16 1,8	3 1,0	13 1,0	1 1,0	3 2,0	0
6			0,2	7,3	0,0	0,4	1,0	9,4	4,4	22,5	26	0,5	10	3 1,7	0 1,7	0 0,0	3 1,1	2 1,3	0 1,8	0 1,8	3 1,3	3 1,3	21 1,9	20 1,8	7 1,1	4
7			11,1	12,3	12,1	11,8	1,2	14,2	9,4	20,0	8	6,0	13	0 1,3	1 1,3	10 1,0	22 1,5	9 1,2	1 1,5	4 1,3	0 0,0	4 1,3	18 1,1	1 1,0	3 1,7	5
8			10,3	11,3	11,1	10,7	0,9	13,1	8,6	22,1	14	6,0	2	1 1,0	0 1,1	4 1,3	7 1,9	11 1,5	13 1,2	3 1,0	7 1,3	5 1,2	22 1,7	0 0,0	1 1,0	7
9			7,1	7,8	7,2	7,2	0,2	8,7	6,0	16,0	8	2,0	30	3 1,7	2 1,1	1 1,8	1 1,8	1 1,1	10 1,1	10 1,7	8 1,4	3 1,7	25 1,6	12 1,6	7 1,9	1
10			1,8	1,8	1,3	1,8	1,2	3,2	0,4	7,0	5	0,2	31	2 1,0	1 1,1	2 1,0	11 1,7	6 1,5	1 1,5	18 1,0	9 1,7	10 1,5	18 1,0	11 1,7	2 1,5	0
11			- 0,2	- 0,1	- 0,2	- 0,2	- 0,6	1,3	- 1,7	5,0	22	- 5,5	29	1 1,0	0 0,0	5 1,0	7 1,6	3 1,9	13 1,2	13 1,0	21 1,9	10 1,7	10 1,9	1 1,0	1 0,0	0
12			- 0,7	- 0,7	- 1,1	- 0,9	- 0,7	1,1	- 2,9	7,5	21	- 9,0	17	1 1,3	0 1,7	2 2,3	11 1,5	9 1,2	5 1,8	17 1,4	15 1,1	1 1,0	13 1,9	4 1,8	6 1,0	0
ÅR			2,0	2,6	2,1	2,2	- 0,3	4,2	0,4	22,5		-10,9		43 1,2	12 1,3	58 1,1	113 1,2	93 1,5	120 1,0	141 1,0	123 1,0	61 1,4	177 1,0	62 1,5	45 1,8	18
KISTRAND II																										1979
1			- 3,4	- 3,5	- 3,6	- 3,5	- 4,0	- 6,6	-12,3	6,2	19	-22,4	27	1 2,0	0 0,0	1 3,0	2 2,5	1 1,0	21 2,8	30 3,0	4 2,3	12 2,8	5 2,4	7 2,9	9 2,4	0
2			- 7,5	- 6,7	- 6,3	- 7,1	- 6,8	- 3,9	-10,3	5,5	22	-20,1	7	3 2,3	3 2,7	3 3,0	11 3,3	0 0,0	12 2,9	15 2,8	4 2,8	15 2,6	7 2,9	8 2,3	3 2,3	0
3			- 5,8	- 5,4	- 4,7	- 4,7	- 5,1	- 2,4	- 7,6	3,6	29	-20,0	21	1 3,0	3 2,7	0 2,3	10 2,6	1 1,0	20 2,5	35 2,9	1 2,0	11 3,5	2 2,0	0 0,0	0 0,0	3
4			- 1,8	0,3	- 1,2	- 1,1	- 0,3	1,1	- 3,7	6,3	22	-11,0	13	5 3,0	9 1,7	12 2,4	3 2,7	3 2,0	21 2,2	19 2,3	1 3,0	0 0,0	3 2,3	4 3,0	0 0,0	9
5			3,3	3,5	3,7	3,1	0,0	5,9	1,1	14,6	26	- 2,8	15	3 2,0	0 2,3	10 2,8	16 2,4	1 1,0	12 2,2	13 2,7	5 2,4	0 0,0	3 3,3	6 3,0	7 2,6	6
6			7,9	9,4	9,2	8,3	0,1	11,9	5,9	23,8	26	1,1	10	3 2,3	12 1,9	13 1,9	10 1,3	3 1,0	9 1,8	2 1,5	4 2,3	4 2,5	6 3,0	11 2,9	7 3,0	8
7			13,4	15,5	14,3	13,7	2,1	17,1	10,0	23,5	9	5,0	25	4 1,8	27 2,1	17 2,0	5 2,0	4 2,3	5 2,4	9 2,3	0 0,0	1 1,0	4 2,0	0 0,0	10 2,1	7
8			11,3	13,1	11,9	11,7	1,0	14,8	9,1	22,0	13	3,3	26													
9			8,4	9,0	8,3	8,8	0,3	9,0	4,6	15,1	7	0,3	25	3 1,7	2 1,3	5 2,4	3 2,0	3 2,0	7 1,4	21 2,2	9 1,7	6 2,3	4 2,5	24 2,9	9 2,6	0
10			- 0,2	1,0	0,3	0,1	1,0	2,2	- 2,3	7,4	25	- 8,7	16	4 2,5	0 0,0	1 1,3	15 2,9	1 2,0	1 1,0	22 2,2	4 2,3	14 2,5	9 2,2	10 2,5	12 2,3	0
11			- 2,5	- 2,4	- 2,3	- 2,4	- 2,6	- 0,2	- 4,5	3,4	18	-12,2	27	0 0,0	0 0,0	0 0,0	1 1,5	3 2,3	17 2,8	36 3,1	5 2,4	11 2,6	7 2,7	4 3,0	1 2,0	2
12			- 3,3	- 3,1	- 3,1	- 3,2	- 3,6	- 0,6	- 6,0	7,2	22	-13,6	12	3 2,0	4 5,1	3 2,7	2 3,5	3 2,7	14 2,6	9 1,3	15 2,7	18 2,3	3 2,3	7 2,9	8 2,4	4
ÅR			1,0	2,2	1,3	1,3	- 0,4	4,0	- 1,3	23,8		-22,1													
SLETNES FYR																										1979
1	1011,2	1011,4	- 7,0	- 6,9	- 6,7	- 6,9	- 3,1	- 4,1	-10,3	4,6	19	-18,0	27	3 4,0	1 4,0	4 3,8	3 4,7	0 0,0	13 4,8	16 3,9	13 4,1	9 3,7	7 5,3	5 6,6	19 5,9	0
2	1005,9	1007,0	- 5,1	- 5,1	- 4,9	- 5,1	- 3,5	- 2,7	- 7,7	5,4	22	-17,0	7	3 3,3	6 5,0	3 4,3	3 5,8	3 7,4	17 5,2	7 3,3	5 5,2	7 4,9	14 5,5	4 5,5	8 5,8	0
3	1003,3	1004,5	- 3,9	- 2,8	- 3,1	- 3,5	- 3,1	- 1,5	- 6,4	4,0	29	-17,0	20	2 4,5	0 0,0	0 4,0	9 4,0	2 3,5	23 4,8	18 3,3	13 4,5	12 4,5	6 4,3	1 4,0	1 6,0	0
4	1014,3	1015,5	- 2,0	- 0,6	- 1,7	- 1,7	- 3,9	0,3	- 4,4	5,6	26	-11,0	19	1 5,0	9 2,7	10 4,4	15 4,3	1 2,0	15 4,3	10 3,3	4 3,0	8 4,0	6 4,3	1 5,0	2 4,0	8
5	1008,4	1009,5	2,8	3,6	2,7	2,7	0,1	4,3	0,5	11,0	27	- 2,5	15	3 3,4	1 3,3	9 4,3	15 4,5	0 4,2	11 4,0	11 4,0	2 4,5	8 4,3	3 4,0	5 5,2	15 4,9	2
6	1009,1	1010,2	5,8	6,4	6,0	5,8	- 0,8	8,1	4,1	18,4	15	0,6	1	2 2,5	3 3,7	4 3,8	19 4,1	1 1,0	12 3,8	2 3,3	0 0,0	3 4,0	10 4,7	7 5,0	27 4,4	3
7	1012,7	1013,8	9,8	9,9	9,5	9,4	0,5	11,4	7,8	19,0	20	5,3	10	5 3,0	4 2,8	4 3,3	7 3,7	2 3,5	43 4,1	4 4,3	0 0,0	0 0,0	9 3,7	7 4,1	5 4,0	3
8	1013,5	1011,6	10,2	11,2	9,9	10,2	1,5	12,3	8,0	24,2	14	4,2	10	1 2,0	1 2,0	3 3,7	27 4,4	2 3,5	17 3,2	13 3,3	1 2,0	2 2,5	6 3,7	3 4,3	15 4,4	2
9	997,3	1000,4	7,2	8,1	7,1	7,4	0,0	9,1	6,0	15,2	8	2,1	30	2 1,5	5 4,0	5 3,4	4 4,0	0 0,0	15 3,1	10 3,3	5 3,4	3 3,7	8 4,0	5 6,2	25 4,6	3
10	1013,6	1014,7	0,9	1,4	0,3	1,0	- 1,0	2,7	- 0,9	7,4	25	- 7,6	31	4 3,0	0 0,0	1 4,3	5 5,4	2 4,0	6 4,2	21 3,4	5 3,2	13 4,5	6 4,8	9 4,9	19 5,5	2
11	1001,2	1002,4	- 1,0	- 1,2	- 1,3	- 1,1	- 1,8	0,6	- 3,3	3,4	20	- 7,5	29	2 4,0	0 0,0	3 4,3	6 4,8	0 0,0	14 4,4	11 4,6	8 4,6	33 4,2	2 3,5	6 5,3	5 5,0	0
12	997,3	998,5	- 1,1	- 1,0	- 1,3	- 1,1	- 0,8	0,7	- 4,1	5,8	21	-11,5	17	7 1,7	4 4,5	6 3,5	9 5,0	2 1,5	13 4,5	5 3,6	11 4,2	13 5,1	9 5,0	1 6,0	12 5,3	1
ÅR	1007,2	1008,3	1,4	1,9	1,1	1,4	- 0,4	3,4	- 0,9	24,2		-18,0		47 1,2	34 3,7	58 4,2	121 4,4	23 1,8	199 4,2	123 3,6	67 4,1	111 4,3	86 4,6	54 5,2	153 5,0	24
RUSTEFJELOMA																										1979
1	1012,6	1014,0	-16,1	-16,5	-17,1	-16,9	- 0,9	-10,7	-24,1	5,8	19	-33,0	6	3 4,0	1 1,0	1 1,0	0 0,0	0 0,0	0 1,7	50 1,9	0 0,0	3 1,3	4 2,0	1 3,0	2 6,0	22
2	1007,8	1009,2	-12,3	-10,8	-10,7	-11,3	- 0,1	- 6,5	-17,1	4,0	17	-33,4	1	3 2,5	0 0,0	1 1,0	0 0,0	0 0,0	16 3,6	38 2,1	0 0,0	9 2,1	3 2,3	0 0,0	3 2,0	8
3	1001,5	1000,8	-10,8	- 9,7	- 7,3	- 7,3	- 3,0	- 3,5	-13,9	4,0	29	-34,5	22	1 3,0	0 1,7	1 2,0	3 1,2	0 0,0	11 3,2	45 2,3	0 0,0	2 2,5	0 0,0	1 3,0	1 3,0	19
4	1015,1	1016,5	- 4,3	- 0,7	- 2,3	- 3,3	- 1,0	0,0	- 8,9	6,0	23	-25,4	19	9 2,1	9 1,3	2 2,5	3 1,0	0 0,0	14 1,8	20 2,0	0 0,0	0 0,0	1 3,0	0 0,0	1 2,0	28
5	1008,7	1010,0	3,1	4,9	3,3	3,4	- 0,1	6,2	- 0,1	14,0	25	- 5,5	14	3 3,4	10 1,3	3 0,0	0 2,2	3 0,0	6 1,8	22 2,7	0 0,0	5 2,6	5 2,6	3 2,0	9 3,7	18
6	1009,2	1010,8	8,2	11,0	9,3	9,0	- 0,6	12,8	4,6	25,1	26	0,5	1	13 2,3	9 1,8	0 0,0	9 2,0	3 0,0	7 2,0	16 1,7	0 0,0	2 3,5	6 3,5	7 2,9	4 2,8	17
7	1011,2	1013,0	12,3	17,2	15,2	13,3	0,7	18,6	7,5	24,5	20	1,0	30	15 1,9	6 1,5	1 1,0	5 1,0	0 0,0	11 2,3	33 1,7	0 0,0	0 0,0	2 1,5	0 0,0	7 1,9	13
8	1010,7	1012,0	10,5	14,2	12,4	11,6	0,4	15,6	5,6	24,4	14	2,2	27	3 1,8	4 1,3	1 1,3	1 1,0	0 0,0	10 2,3	23 2,3	0 0,0	0 0,0	2 2,0	8 2,1	4 1,5	35
9	999,7	1001,0	6,1	7,2	7,1	7,2	0,0	9,9	3,7	15,5	7	3,9	12	11 2,0	3 0,1	3 0,0	1 1,0	0 0,0	6 1,3	22 2,1	0 0,0	0 0,0	6 2,0	9 3,2	3 3,3	32
10	1013,1	1016,4	- 1,0	0,2	- 1,1	- 1,2	- 1,0	1,4	- 4,9	6,5	24	-15,7	19	2 2,5	3 2,0	0 0,0	3 1,7	0 0,0	1 1,0	24 2,6	0 0,0	7 1,7	4 4,5	5 3,4	13 3,6	31
11	1002,9	1004,2	- 0,6	- 0,1	- 0,2	- 0,0	- 1,3	- 2,1	-11,4	3,0	18	-25,6	27	2 2,5	0 0,1	1 1,0	3 1,3	0 0,0	18 2,4	39 2,6	0 0,0	2 3,0	1 2,0	0 0,0	0 0,0	24
12	993,5	990,9	- 7,0	- 8,9	- 8,1	- 8,7	1,7	- 2,5	-12,4	6,0	21	-31,4	12	9 3,3	1 1,0	0 0,0	0 0,0	0 0,0	5 1,5	23 2,1	0 0,0	6 3,2	3 3,3	2 2,5	6 3,2	37
ÅR	1000,0	1000,4	- 1,1	- 0,9	- 0,5	- 0,7	- 0,8	3,3	- 5,9	25,1		-31,4		85 2,5	49 1,5	7 1,3	41 1,5	0 0,0	112 2,3	355 2,2	0 0,0	36 2,9	37 2,7	36 2,8	53 3,1	284
MAKKAUR FYR																										1979
1			- 7,2	- 7,8	- 7,3	- 7,4	- 3,2	- 4,2	-10,3	5,0	19	-18,2	27	2 4,5	0 0,0	0 4,0	4 2,8	1 3,0	10 4,0	16 3,2	22 3,4	3 3,3	10 4,1	3 5,0	18 5,5	1
2			- 5,0	- 5,3	- 5,6	- 5,0	- 0,4	- 3,0	- 8,3	5,3	22	-17,5	7	0 0,0	0 0,1	11 1,7	7 5,0	1 3,0	14 5,3	8 2,4	9 4,2	7 4,0	16 4,2	0 0,0	5 4,6	0
3			- 4,0	- 3,7	- 3,3	- 3,1	0,2	- 2,1	- 6,3	3,5	28	-17,0	20	2 4,0	0 0,0	0 4,3	11 4,5	1 2,0	18 3,5	24 3,0	19 3,7	3 2,7	3 2,3	0 0,0	2 3,0	4
4			- 2,6	- 1,2	- 2,3	- 2,3	- 1,0	- 0,4	- 4,5	4,8	27	-11,3	20	0 3,2	0 0,0	12 3,7	2 2,5	0 0,0	24 3,3	33 2,7	0 0,0	8 4,1	2 4,0	0 0,0	1 3,0	2
5			2,7	3,6	3,0	2,9	0,3	4,7	1,0	10,5	25	- 3,2	15	2 3,0	2 3,1	2 2,3	10 3,0	0 2,8	12 2,6	6 1,8	8 3,4	7 2,4	9 2,2	3 4,0	10 5,0	3
6			0,1	0,9	0,3	0,3	0,4	9,3	4,1	20,4	27	0,0	10	4 3,8	0 0,3	3 2,7	9 2,1	4 2,5	22 3,7	3 2,7	3 2,7	1 3,0	12 4,4	1 7,0	25 4,8	3
7			9,7	11,0	10,4	10,1	0,3	12,5	8,0	20,0	19	5,0	10	6 1,2	1 2,3	2 1,0	12 2,6	15 3,2	33 2,9	2 2,0	1 2,0	0 0,0	9 2,4	1 2,0	8 3,0	3
8			10,4	11,6	11,1	10,7	0,4	13,4	8,4	24,0	14	6,0	2	1 1,0	0 0,0	2 2,3	17 2,6	3 2,0	32 3,2	8 1,3	1 1,0	2 2,0	6 2,7	2 4,0	14 2,6	5
9			7,4	8,5	7,3	7,8	0,7	9,4	6,2	15,4	9	2,0	30	10 4,7	2 2,5	2 3,5	7 2,3	0 0,0	15 2,6	10 2,5	5 2,6	9 3,2	8 3,9	1 3,0	18 4,8	3
10			0,7	1,2	0,3	0,3	- 1,7	2,6	- 1,0	6,7	25	- 7,0	31	5 0,6	0 0,1	1 3,0	3 1,7	0 0,0	12 3,4	15 2,9	12 3,8	5 3,4	10 4,3	4 3,8	21 5,1	5
11			- 1,8	- 1,7	- 1,7	- 1,1	- 1,1	0,2	- 4,1	3,4	18	-11,0	13	5 4,0	0 0,0	2 4,0	3 4,0	0 0,0	12 4,8	27 3,3	9 3,4	20 4,4	6 3,8	0 0,0	3 4,3	3
12			- 1,3	- 1,7	- 2,0	- 1,7	1,0	0,5	- 5,0	6,0	21	-11,5	17	9 3,4	0 0,0	6 5,3	3 3,7	1 3,0	8 2,8	15 2,9	7 3,4	11 3,5	8 4,3	1 6,0	10 4,6	8
ÅR			1,1	1,8	1,1	1,3	- 0,6	3,6	- 1,0	24,0		-18,2		98 4,3	5 2,0	62 3,7	100 3,1	32 3,0	212 3,4	167 2,9	96 3,6	76 3,6	99 3,7	16 4,3	132 4,5	40

* Månedsmidler for august delvis interpolert.

ÅRSOVERSIKTER

(ANNUAL SUMMARIES)

MD.	Midlere relativ fuktighet 07	13	19	UM.	Midlere skydekke 07	13	19	UM.	Nedbør SUM	%	MAX	DT.	Lufttemperatur TN <0	TX <0	TN <=-10	TX >=25	Nedbør R>=0.1	R>=1.0	R>=10.0	Vindstyrke FX>=6B	FX>=8B	FX>=9B	R	S	SL	YR	GH	H	IS	TO	KV	OV	SD	TÅKE 07	13	19
FRUHOLMEN FYR																																				1979
1	77	75	78	77	5,2	6,0	6,1	5,8	31	54	8,7	2	30	24	6	0	18	13	0	23	7	0	0	17	2	0	0	2	0	0	2	17		0	0	0
2	77	78	76	77	6,7	6,6	6,6	6,7	46	59	7,1	27	20	10	2	0	19	14	0	24	12	1	9	17	6	2	0	0	0	0	0	18		0	0	0
3	76	74	73	75	4,3	4,9	4,6	4,7	31	40	6,5	19	24	13	3	0	15	7	0	10	5	1	0	13	1	0	0	0	0	0	3	8		0	0	0
4	78	75	75	77	5,9	5,4	5,6	5,6	12	76	13,9	14	16	9	0	0	16	11	1	12	3	1	6	16	5	0	0	0	0	0	1	11		0	0	0
5	79	75	77	78	5,8	5,0	5,3	5,4	69	150	23,7	30	3	0	0	0	23	17	1	21	4	1	19	14	9	0	0	0	0	0	3	13		0	1	0
6	79	76	78	79	6,3	6,0	6,0	6,2	81	219	15,6	4	0	0	0	0	18	14	2	3	3	0	18	1	1	10	0	0	0	0	3	20		3	1	2
7	70	68	71	71	4,3	4,6	4,6	4,5	6	16	1,3	2	0	0	0	0	3	3	0	0	0	0	3	0	0	5	0	0	0	0	5	11		1	0	1
8	74	70	71	73	6,0	5,4	5,1	5,6	31	50	7,5	20	0	0	0	0	15	12	0	10	0	0	15	0	0	4	0	0	0	0	0	14		1	1	1
9	79	76	75	77	6,6	6,6	6,3	6,6	107	191	17,6	17	0	0	0	0	26	19	3	11	1	0	26	0	0	2	0	0	0	0	0	20		2	1	0
10	79	75	79	79	5,1	5,5	5,0	5,3	50	74	15,1	3	10	1	0	0	18	11	1	22	4	0	15	13	9	0	0	1	0	0	5	14		0	0	0
11	78	75	79	78	6,4	5,8	5,7	6,0	61	84	8,7	24	10	2	0	0	19	13	0	21	7	1	13	18	10	0	0	1	0	0	1	14		0	0	0
12	75	77	78	77	5,8	6,4	6,6	6,3	97	97	11,6	3	24	11	0	0	25	23	1	20	9	1	11	20	5	2	0	1	0	0	1	15		0	0	0
ÅR	77	75	76	77	5,8	5,7	5,7	5,7	622	86	23,7		143	76	11	0	220	157	9	200	55	9	146	129	48	25	0	5	0	0	24	175		7	4	4
HELNES FYR																																				1979
1					5,6	6,0	5,0	5,8	72	89	20,2	3	31	25	8	0	23	15	1	17	2	0	2	23	2	0	0	0	0	0	1	15		1	2	1
2					6,7	6,3	6,8	6,6	72	88	11,1	12	25	17	9	0	21	17	2	17	1	0	8	18	3	2	0	0	0	0	1	20		0	0	0
3					5,7	5,8	5,8	5,8	26	36	4,0	8	25	10	2	0	13	13	0	12	1	0	1	15	0	0	0	0	0	0	1	12		0	0	0
4					5,8	5,4	5,7	5,6	77	167	25,6	15	10	10	0	0	16	12	2	4	0	0	4	15	3	0	0	0	0	0	0	11		0	0	0
5					6,2	5,8	5,0	6,0	78	252	29,6	30	7	0	0	0	18	16	1	6	0	0	13	10	7	1	0	2	0	0	2	15		0	0	0
6					6,7	6,3	6,4	6,5	91	253	20,1	18	0	0	0	0	26	18	1	7	1	0	25	0	0	5	0	0	0	0	2	21		2	3	1
7					4,0	5,1	4,8	4,9	10	28	6,7	2	0	0	0	0	6	3	0	0	0	0	8	0	0	3	0	0	0	1	4	13		2	1	1
8					5,8	6,3	5,7	5,9	52	137	12,3	17	0	0	0	0	21	13	1	2	0	0	21	0	0	12	0	0	0	0	2	16		0	2	1
9					7,2	7,1	6,0	7,1	123	241	25,1	27	0	0	0	0	26	24	2	3	0	0	26	0	0	4	0	0	0	0	0	21		0	0	1
10					5,8	5,4	5,3	5,5	50	82	10,6	3	13	3	0	0	19	15	1	10	0	0	14	14	9	1	0	1	0	0	2	14		0	1	0
11					5,8	6,0	6,0	5,8	58	100	8,2	25	22	8	0	0	16	16	0	17	2	0	5	16	4	0	0	0	0	0	1	11		0	0	0
12					6,0	6,5	6,3	6,3	109	156	13,9	10	24	11	0	0	24	19	3	13	0	0	7	22	4	0	0	1	0	0	1	16		0	0	0
ÅR					6,0	6,0	6,0	6,0	818	124	29,6		166	87	19	0	231	181	14	113	7	0	134	133	32	28	0	4	0	1	17	185		5	9	5
KISTRAND II +)																																				1979
1	76	76	76	76	5,4	5,2	5,1	5,2	29	88	5,9	2	31	28	21	0	14	7	0	0	0	0	1	14	1	0	0	0	0	0	0	6	31	0	0	0
2	81	77	80	80	5,5	5,4	5,3	5,5	16	55	4,5	12	26	18	16	0	14	4	0	0	0	0	0	13	1	1	0	0	0	0	0	5	28	0	0	0
3	84	77	81	81	5,4	4,9	4,9	5,1	20	67	6,0	19	28	18	9	0	11	5	0	1	0	0	0	11	0	0	0	0	0	0	1	4	31	0	0	0
4	86	76	80	82	5,5	5,0	5,0	5,2	16	80	7,2	13	21	3	3	0	11	4	0	0	0	0	1	10	0	1	0	0	0	0	0	3	30	0	0	0
5	84	79	82	83	5,7	5,4	5,0	5,4	76	317	27,0	30	7	0	0	0	19	13	2	0	0	0	16	11	8	1	0	0	0	0	1	9	6	0	0	0
6	85	79	79	82	5,3	5,3	5,4	5,5	45	105	8,4	17	0	0	0	0	20	15	0	0	0	0	20	0	0	0	0	0	0	1	0	11	0	1	0	0
7	75	67	73	76	4,8	4,6	4,3	4,5	14	34	6,5	18	0	0	0	0	3	4	0	0	0	0	3	0	0	0	0	0	0	1	2	4	0	0	0	0
8	85	74	84	85	5,9	5,5	5,8	5,7	50	86	13,0	17	0	0	0	0	14	11	1	0	0	0	14	0	0	0	0	0	0	0	0	10	0	0	0	0
9	88	81	84	85	6,5	6,3	5,7	6,2	124	191	15,6	13	1	0	0	0	23	19	4	0	0	0	23	1	0	0	0	0	0	0	0	13	0	0	0	0
10	83	77	81	81	5,4	5,1	4,6	5,0	51	111	21,0	22	18	6	0	0	14	8	1	1	0	0	8	9	3	1	0	1	0	0	1	7	5	0	0	0
11	83	81	84	82	5,2	5,2	5,4	5,2	20	67	5,5	10	28	13	3	0	13	6	0	2	0	0	3	13	3	0	0	0	0	0	0	4	21	0	0	0
12	84	83	84	84	5,6	5,9	5,8	5,8	48	178	7,6	9	28	17	4	0	19	16	0	1	0	0	2	18	1	0	0	0	0	0	0	13	31	0	0	0
ÅR	83	77	81	81	5,5	5,3	5,2	5,4	509	114	27,0		188	108	56	0	180	112	8	3	0	0	99	100	17	4	0	1	0	2	5	89	183	1	0	0
SLETNES FYR																																				1979
1	79	78	78	78	6,3	6,5	5,3	6,2	24	52	3,9	27	31	27	17	0	22	10	0	20	5	2	2	22	2	0	0	0	0	0	2	18	31	0	0	0
2	78	78	77	78	7,4	6,5	7,0	6,9	41	108	5,9	11	25	17	11	0	21	16	0	20	10	0	7	22	4	0	0	0	0	0	0	21	28	0	1	0
3	74	76	75	75	6,2	6,2	5,6	6,0	13	33	2,5	19	28	15	7	0	14	5	0	13	3	0	0	14	0	0	0	0	0	0	0	18	31	0	0	0
4	77	74	76	76	6,2	5,6	6,4	6,1	20	65	6,1	14	26	11	2	0	13	5	0	8	0	0	4	12	3	1	0	0	0	0	0	17	30	0	0	0
5	74	72	74	74	6,4	6,3	6,1	6,2	64	246	16,8	30	11	0	0	0	23	17	1	15	2	1	21	11	8	4	0	1	0	0	0	17	7	0	0	0
6	74	74	74	74	6,1	6,3	5,4	6,2	40	111	12,5	4	0	0	0	0	19	8	1	12	1	0	19	2	1	7	0	0	0	0	0	16	0	2	0	0
7	74	74	73	74	5,7	6,1	5,5	5,7	7	26	5,5	2	0	0	0	0	5	1	0	1	0	0	5	0	0	1	0	0	0	0	1	12	0	3	3	0
8	72	69	73	72	5,8	5,3	5,0	5,7	60	150	12,5	17	0	0	0	0	18	11	2	5	0	0	13	0	0	3	0	0	0	0	0	15	0	1	0	1
9	76	73	75	75	7,5	7,3	7,3	7,4	99	177	14,8	16	0	0	0	0	25	20	4	0	1	0	23	0	0	1	0	0	0	0	0	26	0	0	1	0
10					5,7	5,7	5,4	5,6	54	115	13,0	3	16	4	0	0	18	12	2	20	5	2	12	12	5	0	0	0	0	0	4	15	6	0	0	0
11					6,3	6,3	5,9	6,2	35	78	4,3	15	28	10	0	0	19	14	0	20	2	0	4	19	3	0	0	0	0	1	0	12	20	0	0	0
12					6,2	6,7	6,3	6,6	31	146	6,6	25	23	10	1	0	24	15	0	24	3	0	3	22	1	0	0	2	0	0	1	19	31	0	0	0
ÅR					6,3	6,2	6,2	6,2	508	109	16,8		193	94	38	0	224	134	10	178	32	5	122	136	27	17	0	3	0	1	8	206	184	6	5	1
RUSTEFJELBMA																																				1979
1	84	84	84	84	6,2	5,5	5,9	5,9	23	70	3,1	2	31	30	27	0	22	11	0	0	2	0	2	22	1	0	0	0	0	0	0	13	31	0	0	0
2	82	82	84	83	6,4	6,2	7,1	6,6	21	81	4,4	14	27	21	19	0	19	7	0	7	1	0	2	18	0	0	0	0	0	0	1	19	28	0	0	0
3	83	77	81	81	6,3	6,0	6,3	6,2	11	31	3,7	4	29	18	16	0	13	2	0	7	1	0	3	15	3	0	0	0	0	0	0	16	31	0	0	0
4	83	73	78	80	6,4	5,6	6,0	6,0	8	33	1,4	15	27	14	10	0	17	3	0	0	0	0	2	16	1	1	0	0	0	0	1	13	30	0	0	0
5	81	75	78	80	6,2	6,3	6,2	6,2	59	257	19,8	30	17	0	0	0	20	10	1	6	2	0	20	11	9	2	0	0	0	0	0	18	15	0	0	0
6	78	69	70	75	6,1	5,8	6,2	6,1	42	127	7,5	18	0	0	0	1	13	10	0	5	1	0	18	0	0	3	0	0	0	0	0	14	0	0	0	0
7	70	58	61	68	4,1	4,3	4,3	4,4	6	13	6,2	2	1	0	0	0	2	1	0	0	0	0	2	0	0	0	0	0	0	2	2	4	0	0	0	0
8	79	65	69	75	6,3	5,9	5,7	6,0	53	102	10,1	22	3	0	0	0	18	11	1	5	0	0	18	0	0	2	0	0	0	2	0	12	0	3	0	0
9	85	72	81	81	6,6	6,4	6,6	6,5	93	182	23,8	16	6	0	0	0	23	17	2	7	0	0	25	0	0	2	0	0	0	0	0	18	0	0	0	0
10	84	78	81	82	6,2	6,0	6,1	6,1	26	70	7,4	4	24	12	5	0	17	8	0	12	1	0	9	14	6	2	1	0	0	0	0	14	15	0	0	0
11	86	87	87	86	6,3	6,1	6,2	6,2	21	70	3,2	9	29	19	16	0	19	7	0	9	3	0	3	19	2	1	0	0	0	0	0	16	26	0	0	0
12	88	87	87	87	7,3	6,7	7,0	7,0	19	144	7,0	20	31	24	15	0	24	15	0	7	3	0	3	23	2	2	0	0	0	0	1	25	31	0	1	0
ÅR	82	76	78	80	6,2	5,9	6,2	6,1	412	97	23,8		225	138	108	1	216	102	4	79	17	0	107	138	24	15	1	0	0	4	5	182	207	3	1	0
MAKKAUR FYR																																				1979
1	87	88	85	86	5,1	5,5	3,7	4,7	38	78	6,0	11	31	26	18	0	20	14	0	11	2	0	0	19	0	0	0	0	0	0	4	8	31	0	0	0
2	85	86	85	85	6,3	6,1	6,3	6,3	42	95	7,7	4	23	17	12	0	20	15	0	17	1	0	4	19	2	1	1	0	0	0	2	18	28	0	0	0
3	83	83	84	83	5,3	4,8	5,2	5,1	21	41	3,6	19	28	19	6	0	13	10	0	6	0	0	0	13	0	0	0	0	0	0	3	10	31	0	0	0
4	86	83	85	85	5,7	6,0	5,9	5,9	14	38	2,8	18	23	15	1	0	11	6	0	0	0	0	4	14	4	0	0	0	0	0	1	16	30	0	0	0
5	88	82	83	84	5,7	6,1	5,0	5,9	45	129	14,1	30	0	0	0	0	16	10	1	5	1	0	13	8	4	7	0	0	0	0	0	13	12	0	0	0
6	85	80	81	84	6,1	5,9	5,0	6,0	23	61	3,8	14	0	0	0	0	17	10	0	9	1	0	17	2	2	3	0	0	0	0	0	14	1	0	0	0
7	80	79	81	81	3,4	3,7	3,9	3,7	2	5	2,0	2	0	0	0	0	1	1	0	0	0	0	1	0	0	2	0	0	0	0	11	8	0	2	0	0
8	84	79	82	83	6,3	5,6	5,7	5,9	39	83	13,0	23	0	0	0	0	15	8	1	0	0	0	15	0	0	4	0	0	0	0	1	16	0	0	0	0
9	88	83	85	86	6,4	6,6	6,3	6,4	104	144	20,1	16	0	0	0	0	23	17	2	6	1	0	23	1	1	3	0	0	0	0	0	22	0	0	0	0
10	86	87	85	86	5,2	4,9	4,1	4,8	51	80	6,3	6	20	3	0	0	18	13	0	0	3	0	13	11	5	0	0	0	0	0	6	10	10	0	0	0
11	90	88	89	89	5,2	5,7	5,3	5,4	31	70	6,5	16	29	9	1	0	13	9	0	3	1	0	5	12	4	0	0	0	0	0	3	14	17	0	0	0
12	86	86	87	87	5,4	6,1	5,9	5,8	46	107	6,1	26	29	13	1	0	21	15	0	17	0	0	5	21	4	2	0	0	0	0	1	13	29	0	0	0
ÅR	88	84	84	85	5,3	5,6	5,4	5,5	456	80	20,1		193	102	39	0	191	128	4	83	10	0	100	120	26	22	1	0	0	0	32	162	189	2	0	0

MD.	MIDLERE LUFTTRYKK PH	MIDLERE LUFTTRYKK PO	MIDLERE LUFTTEMPERATUR J7	J3	J9	TM	AVVIK FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX DT	MIN DT	VINDFORDELING HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT J6(N)	J3	J6	J9(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
VARDØ																								1979
1	1010,4	1012,2	- 7,3	- 7,4	- 7,3	- 7,4	- 3,1	- 4,8	-10,3	4,3 19	-20,2 27	4 3,0	3 3,7	5 2,6	2 2,5	0 0,0	8 3,8	10 4,8	16 4,4	12 3,8	16 4,6	10 5,4	7 4,4	0
2	1008,0	1007,8	- 6,4	- 6,7	- 6,2	- 6,5	- 1,3	- 3,9	- 9,1	3,5 22	-15,0 1	1 0,0	0 3,3	5 4,0	3 4,6	10 4,7	4 3,8	7 4,9	13 4,6	15 3,3	6 2,8	4 4,5	7 3,9	1
3	1004,3	1006,0	- 4,3	- 4,2	- 3,7	- 3,8	- 0,2	- 2,0	- 5,9	2,6 27	-14,2 20	1 2,0	4 3,3	3 4,0	7 3,4	5 2,8	11 3,7	29 4,2	14 3,4	8 2,3	10 2,8	0 0,0	1 4,0	0
4	1014,4	1016,2	- 2,7	- 1,8	- 2,1	- 2,1	- 1,0	- 0,9	- 4,1	4,0 23	- 9,0 13	3 2,7	12 2,8	4 3,5	8 3,0	12 2,8	13 2,8	16 2,7	11 3,2	3 2,0	2 2,0	4 3,3	4 2,5	0
5	1008,3	1010,0	2,3	3,6	2,3	2,6	0,4	4,6	1,0	10,5 27	- 2,0 15	5 2,8	4 1,3	1 2,5	3 3,0	14 3,1	7 3,1	7 2,1	11 2,5	9 2,8	7 3,0	8 4,6	8 3,6	0
6	1003,9	1010,6	3,3	3,2	3,7	3,4	- 3,3	7,5	3,7	15,1 27	0,4 10	13 3,1	3 2,3	2 2,9	7 1,7	2 2,5	18 2,7	14 2,3	2 3,0	3 3,3	4 3,3	6 4,0	16 4,1	0
7	1011,8	1013,5	0,3	1,2	0,3	0,2	0,1	11,0	7,4	15,7 3	5,0 7	8 2,5	14 2,2	0 2,1	13 2,5	12 3,1	23 2,2	3 2,7	1 1,0	0 0,0	0 0,0	2 2,5	9 3,8	0
8	1010,5	1012,2	0,6	1,0	0,3	0,9	0,2	11,8	8,2	18,8 14	4,6 27	12 2,8	5 2,2	0 2,2	17 2,7	9 2,6	23 2,4	3 4,0	5 3,0	0 0,0	7 2,9	3 2,3	3 3,3	0
9	998,3	1000,2	7,2	8,2	7,3	7,4	3,6	8,8	6,1	13,8 9	1,6 29	6 3,0	4 3,1	1 2,8	1 3,3	9 3,0	9 2,3	10 3,6	8 3,3	2 3,5	7 4,9	11 3,6	16 4,1	0
10	1013,5	1015,2	1,1	1,2	1,0	1,1	1,1	2,7	0,6	5,7 25	- 5,5 31	6 3,8	4 3,6	3 1,3	5 3,0	3 3,3	6 3,0	7 4,9	14 3,9	8*3,3	12 4,1	12 3,7	11 4,7	2
11	1002,1	1003,9	- 1,6	- 1,5	- 1,1	- 1,3	- 1,0	0,3	- 3,3	4,7 18	- 8,0 13	1 0,0	4 3,3	7 3,0	1 3,0	3 3,7	7 4,0	14 4,4	27 4,2	14 3,5	6 3,7	4 3,3	1 4,0	1
12	999,8	998,6	- 1,8	- 1,9	- 1,7	- 1,9	0,3	0,0	- 4,0	4,4 22	- 9,6 13	10 4,7	10 3,7	3 3,7	0 0,0	0 0,0	14 3,4	6 3,2	24 4,1	10 3,4	10 2,8	2 4,5	4 3,5	0
ÅR	1007,1	1008,9	0,9	1,5	1,1	1,0	- 0,6	2,9	- 0,9	18,8	-20,2	70 3,3	73 2,9	54 2,9	76 2,9	79 3,2	143 2,9	120 3,7	146 3,8	84 3,2	87 3,6	66 4,0	87 4,0	4
BJØRNØYA (KRI) *)																								1979
1			-16,4	-15,8	-17,0	-15,4		-11,8	-21,8	5,0 19	-33,6 27	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	6 2,0	50 1,6	0 0,0	5 3,4	0 0,0	0 0,0	9 2,3	23
2			-12,0	-12,6	-11,6	-11,3		- 7,1	-16,2	4,0 17	-27,0 2	5 2,4	0 0,0	0 0,0	0 0,0	0 0,0	22 2,1	31 1,7	0 0,0	4 2,8	0 0,0	0 0,0	7 2,9	15
3			- 3,1	- 3,0	- 2,9	- 2,9		- 3,5	-11,8	4,0 28	-30,0 20	2 3,0	2 0,0	0 0,0	0 0,0	0 0,0	1 2,0	65 1,8	0 0,0	0 0,0	0 0,0	0 0,0	5 2,0	20
4			- 4,6	- 3,3	- 4,1	- 3,7		0,0	- 8,6	7,0 23	-20,0 20	19 2,4	1 1,0	1 2,0	0 0,0	0 0,0	0 0,0	34 1,7	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	35
5			3,0	3,0	4,1	3,6		6,3	0,8	14,5 28	- 4,0 14	15 2,9	9 2,7	4 2,8	0 0,0	0 0,0	5 2,0	18 1,8	8 2,5	2 2,5	2 3,0	5 2,8	12 3,3	13
6			7,8	10,3	8,3	8,2		11,4	5,3	22,5 15	1,9 10	33 2,5	0 0,0	9 2,4	0 0,0	0 0,0	1 2,0	4 2,0	0 0,0	3 2,7	0 0,0	0 0,0	30 2,4	10
7			10,7	13,2	11,2	11,3		14,4	7,8	23,8 19	2,4 27	55 3,0	0 0,0	15 2,9	0 0,0	0 0,0	0 0,0	8 2,1	0 0,0	0 0,0	0 0,0	0 0,0	11 2,0	4
8			10,4	13,5	11,7	11,3		14,4	7,1	24,0 15	- 0,6 27	12 2,4	0 0,0	11 2,3	2 2,0	2 2,0	2 2,0	14 2,1	0 0,0	0 0,0	0 0,0	0 0,0	6 2,0	8 2,3	16
9			0,0	0,1	7,3	7,1		9,5	4,7	14,8 9	- 2,7 4	4 2,3	5 2,1	3 1,7	1 2,0	4 2,0	1 1,0	19 1,7	0 0,0	10 2,2	0 0,0	12 2,9	8 2,5	23
10			- 1,3	- 0,5	- 2,0	- 1,0		0,7	- 4,0	7,5 25	-12,0 31													
11			- 4,6	- 4,5	- 3,1	- 4,7		- 2,0	- 8,4	2,8 18	-18,0 29	2 3,0	0 0,0	1 3,0	0 0,0	0 0,0	36 2,1	26 1,9	0 0,0	3 2,0	3 3,7	5 2,2	3 2,0	11
12			- 5,9	- 5,7	- 6,3	- 5,9		- 2,4	-10,1	3,4 23	-22,6 13	8 3,4	0 0,0	0 3,0	2 3,5	0 0,0	1 3,0	43 2,1	0 0,0	0 0,0	5 4,0	2 1,5	9 3,1	23
ÅR			- 1,2	- 0,7	- 0,8	- 0,7		2,5	- 4,6	24,0	-33,6													
PASVIK																								1979
1			-12,6	-11,8	-20,0	-20,0	- 0,0	-14,3	-27,0	4,3 19	-37,3 27	6 1,0	0 0,0	0 0,0	0 0,0	1 1,0	3 3,3	7 1,9	2 1,5	2 1,5	2 2,0	1 2,0	1 3,0	68
2			-16,4	-13,1	-13,7	-14,0	- 1,3	- 9,7	-20,1	3,0 17	-36,5 13	3 2,0	1 1,0	5 2,2	7 1,9	0 0,0	1 1,0	18 2,3	6 1,5	1 2,0	3 1,7	1 3,0	0 0,0	38
3			-10,3	- 4,4	- 7,2	- 6,3	- 0,6	- 3,4	-14,6	5,0 31	-35,0 21	4 1,3	2 1,3	1 2,0	1 1,8	1 1,0	1 2,0	30 2,7	3 1,7	2 1,5	2 1,5	0 0,0	40
4			- 5,6	- 3,3	- 2,7	- 3,6	- 1,7	0,5	-10,1	7,4 23	-26,0 18	12 1,5	3 1,3	0 0,0	3 1,3	3 2,3	2 2,5	26 2,0	1 1,0	2 1,5	1 1,0	0 0,0	3 1,7	34
5			4,0	3,8	5,1	4,7	0,5	8,0	0,9	22,4 26	- 4,0 14	9 1,9	8 1,3	0 0,0	0 0,0	1 3,0	3 2,3	39 2,1	3 1,7	2 4,0	10 2,7	1 2,0	3 1,7	18
6			13,3	12,8	12,3	13,0	5,1	14,9	6,8	24,5 26	0,4 7	21 1,9	5 1,2	3 1,3	12 1,2	0 0,0	2 2,0	15 1,8	2 2,5	1 3,0	16 2,0	3 1,7	0 0,0	10
7			14,1	17,4	16,3	14,9	6,5	18,8	9,8	23,6 8	1,5 25	33 1,8	14 1,3	4 1,8	11 2,0	1 2,0	0 0,0	19 1,9	0 0,0	1 1,0	2 1,5	0 0,0	2 1,5	9
8			11,0	15,0	13,4	12,6	4,3	15,9	8,1	23,0 15	3,0 8	17 1,4	6 1,5	7 1,9	13 1,6	0 0,0	1 3,0	25 1,7	4 2,3	0 0,0	6 1,5	0 0,0	0 0,0	17
9			0,6	0,0	7,3	7,4	0,7	9,8	4,8	16,0 9	- 1,5 4	13 1,4	0 0,0	1 1,0	1 1,5	1 2,0	1 3,0	30 1,8	6 2,3	1 2,0	14 1,6	2 1,5	2 1,0	9
10			- 2,2	- 2,4	- 2,1	- 1,9	- 2,3	0,4	- 5,4	5,5 3	-16,0 18	6 2,7	0 0,0	3 1,7	11 2,1	0 0,0	0 0,0	27 2,0	3 1,3	2 1,5	16 1,7	3 1,7	1 4,0	21
11			- 5,9	- 5,8	- 5,3	- 5,9	- 3,6	- 3,0	-10,0	2,8 18	-23,0 29	0 0,0	1 2,0	0 0,0	1 3,0	0 0,0	5 3,6	46 2,0	3 1,3	0 0,0	1 2,0	0 0,0	0 0,0	33
12			- 8,9	- 8,3	- 8,3	- 8,5	- 6,1	- 4,6	-13,8	2,7 22	-32,0 13	2 3,0	1 3,0	0 0,0	3 1,7	1 2,0	1 2,0	19 2,6	0 0,0	0 0,0	7 1,7	1 2,0	1 2,0	85
ÅR			- 1,3	- 0,7	- 0,3	- 1,0	- 0,7	2,8	- 5,9	24,5	-37,0	123 1,7	40 1,3	21 1,8	67 1,7	7 2,0	20 2,7	303 2,1	33 1,8	14 2,0	80 1,8	14 1,9	13 1,9	353
KIRKENES LUFTHAVN																								1979
1	1002,5	1004,7	-16,3	-16,0	-16,1	-16,2	- 5,9	-11,9	-20,1	4,0 19	-29,0 23	1 3,0	1 3,3	0 0,0	0 0,0	1 1,0	20 2,9	32 2,8	2 3,0	14 3,4	3 2,0	5 4,4	2 7,0	6
2	997,6	1000,6	-12,6	-11,8	-11,6	-12,1	- 1,0	- 7,9	-18,8	2,5 17	-28,0 14	1 3,0	4 3,3	0 0,0	0 0,0	11 3,0	18 2,6	14 3,4	3 4,0	6 1,3	10 2,9	6 3,5	2 5,0	3
3	995,2	1006,9	- 8,7	- 8,1	- 7,0	- 7,4	0,2	- 4,3	-11,0	4,0 31	-25,0 21	1 4,3	0 0,0	1 2,0	1 2,8	0 0,0	25 3,4	24 3,3	3 3,5	8 2,9	3 2,3	0 0,0	1 5,0	10
4	1005,2	1016,9	- 5,7	- 2,7	- 4,0	- 4,5	- 2,3	- 1,3	- 7,7	5,3 23	-17,2 20	0 3,0	5 3,6	3 2,3	1 2,0	7 2,7	25 2,4	16 2,9	4 3,0	5 2,4	2 3,5	5 2,4	3 2,0	9
5	999,3	1010,6	2,2	4,1	3,6	2,9	- 0,2	6,2	0,6	17,6 26	- 4,6 14	7 2,0	3 2,4	7 2,9	7 2,4	2 3,0	15 2,3	10 3,4	13 3,2	8 3,5	5 5,0	6 4,5	4 2,3	1
6	993,9	1010,9	7,4	9,6	8,6	8,0	1,0	12,3	5,1	22,2 27	0,4 7	16 2,2	13 2,3	7 2,3	3 2,7	1 4,0	4 2,3	8 3,3	3 2,7	1 2,0	5 3,6	13 2,8	11 3,5	4
7	1002,1	1013,0	11,0	13,9	12,3	11,8	- 3,0	16,1	8,4	24,0 20	4,8 25	20 2,7	21 3,0	13 2,6	7 2,6	1 2,5	4 2,3	5 2,6	2 3,5	1 2,0	1 3,0	3 2,3	9 2,2	3
8	1001,4	1012,3	10,1	13,6	12,0	11,3	- 3,1	15,1	7,7	24,2 15	2,5 9	6 2,2	8 2,9	9 2,9	10 2,1	6 1,8	13 2,3	16 3,0	4 3,0	3 3,3	2 3,0	5 2,4	1 2,0	10
9	999,3	1001,3	0,0	0,4	7,0	6,9	3,2	9,6	4,6	15,3 9	0,0 25	3 2,3	3 3,0	2 2,0	3 1,7	3 2,3	8 2,3	16 3,5	9 2,9	6 3,0	7 3,4	13 3,3	9 2,9	8
10	1005,4	1017,0	- 2,2	- 3,9	- 2,1	- 1,8	- 2,0	0,3	- 4,1	7,5 25	-11,6 31	3 3,3	0 0,1	0 0,0	4 2,3	7 2,6	10 2,0	18 3,3	11 3,3	11 3,0	10 3,2	14 3,4	3 4,0	2
11	991,0	1005,6	- 4,7	- 5,1	- 5,0	- 4,9	- 0,5	- 2,5	- 7,6	2,5 18	-14,8 26	2 4,0	0 0,0	2 2,5	2 2,0	3 3,3	20 2,3	27 3,9	15 3,4	13 3,5	2 3,5	0 0,0	0 0,0	4
12	988,9	1000,4	- 6,0	- 6,3	- 6,1	- 5,1	1,7	- 2,6	- 9,9	3,3 25	-23,0 13	3 5,0	2 5,6	0 0,0	0 3,0	3 2,3	12 2,3	14 2,7	14 3,7	17 3,5	4 4,3	10 3,5	2 4,5	4
ÅR	999,5	1010,9	- 1,0	- 0,1	- 0,7	- 1,0	- 1,0	2,4	- 4,1	24,2	-29,0	69 2,8	66 2,7	44 2,0	83 2,5	58 2,3	180 2,7	200 3,2	88 3,3	93 3,3	54 3,4	80 3,3	47 3,2	60
GUOVDAGEAIDNU																								1979
1			-18,0	-19,6	-20,0	-19,6	- 5,7	-13,6	-26,3	3,3 19	-39,9 27	1 1,0	1 1,0	0 0,0	1 1,3	0 0,0	23 1,2	2 1,0	8 1,6	0 0,0	2 1,0	1 1,0	2 1,5	49
2			-15,9	-13,8	-15,3	-15,3	- 2,1	-10,2	-21,5	1,9 27	-37,5 13	2 1,5	3 1,3	0 0,0	7 1,6	2 2,0	19 1,4	4 1,0	3 1,0	0 0,0	6 1,7	0 0,0	1 1,0	37
3			-10,5	- 6,3	-10,0	- 9,5	1,0	- 5,3	-15,6	1,8 31	-37,2 21	0 0,0	0 0,0	0 0,0	0 1,0	1 2,0	22 1,5	10 1,6	2 1,5	1 1,0	1 1,0	0 0,0	0 0,0	47
4			- 6,0	- 1,2	- 3,5	- 4,3	- 0,1	- 0,5	- 9,5	5,1 25	-30,4 19	0 0,0	0 0,0	1 1,0	7 1,1	0 0,0	10 1,2	9 1,6	0 0,0	0 0,0	4 1,5	1 2,0	2 2,0	86
5			2,2	4,8	4,0	2,9	0,6	6,3	- 0,8	17,0 26	- 0,9 14	2 2,0	0 0,0	0 0,0	3 1,8	0 0,0	13 1,8	17 1,6	5 1,6	0 0,0	12 1,8	1 2,0	6 1,7	32
6			9,8	12,4	11,6	10,3	1,0	14,4	5,9	24,0 25	- 3,2 5	10 2,0	2 2,1	1 2,3	0 0,0	0 0,0	8 1,3	5 1,8	13 1,7	2 1,5	11 1,6	6 2,2	2 2,5	30
7			12,8	16,8	15,5	13,8	3,7	18,5	7,7	24,9 8	1,0 25	3 1,0	0 0,0	2 1,0	18 1,3	0 0,0	23 1,2	9 1,9	6 1,2	1 1,0	2 1,5	0 0,0	2 2,0	27
8			9,7	13,8	11,9	11,0	0,1	15,3	5,0	22,3 20	- 2,0 26	3 1,7	0 0,0	0 0,0	5 1,2	0 1,3	30 1,3	4 1,3	6 1,0	2 1,0	4 1,3	0 0,0	2 1,5	30
9			3,5	7,0	5,1	5,0	- 0,3	8,3	1,0	16,5 7	- 7,0 4	5 2,2	3 1,3	1 1,0	1 1,0	2 2,0	15 1,5	2 2,0	6 1,5	1 1,0	4 1,3	5 1,2	8 2,3	37
10			- 4,9	- 3,1	- 5,6	- 4,8	- 3,0	- 1,8	- 8,9	4,5 6	-21,5 16	1 1,0	1 1,0	0 0,0	12 1,3	1 2,0	5 1,2	12 1,4	6 1,2	2 2,0	3 1,0	1 2,0	6 1,7	43
11			- 8,5	- 7,4	- 7,3	- 7,9	- 0,9	- 4,6	-11,8	1,9 18	-26,5 26	0 0,0	0 0,0	0 0,0	0 0,0	1 1,3	16 1,5	10 1,3	4 1,8	1 2,0	2 1,5	0 0,0	0 0,0	56
12			-11,1	-10,4	- 9,1	-10,2	- 0,9	- 5,8	-15,8	3,0 22	-33,0 13	3 1,0	1 2,1	0 0,0	14 1,4	0 0,0	10 1,1	12 1,8	2 1,5	1 2,0	2 1,0	0 0,0	1 1,0	47
ÅR			- 3,1	- 0,5	- 2,0	- 2,4	- 0,7	1,8	- 7,5	24,9	-39,9	80 1,7	11 1,1	5 1,2	85 1,3	15 1,7	191 1,4	96 1,8	61 1,5	11 1,8	53 1,5	15 1,7	32 1,9	491
KARASJOK																								1979
1	997,9	1016,0	-20,2	-19,8	-21,1	-20,5	- 5,7	-15,1	-26,6	4,2 19	-37,4 11	1 1,0	1 1,0	2 1,3	4 1,0	1 1,0	3 1,0	0 0,0	0 0,0	5 1,2	2 1,0	3 1,3	0 0,0	71
2	992,7	1010,2	-17,2	-14,1	-15,1	-15,7	- 1,1	-10,3	-21,6	3,0 17	-39,4 13	0 0,0	1 1,0	3 1,1	11 1,3	1 2,0	0 0,0	0 0,0	0 0,0	5 1,0	5 1,0	0 0,0	2 1,8	51
3	989,0	1008,0	-10,9	- 8,7	- 7,3	- 8,7	1,2	- 3,8	-13,9	3,4 28	-37,0 21	0 0,0	2 1,3	9 1,1	3 1,2	0 0,0	7 1,3	7 1,4	14 1,1	2 1,0	3 1,3	2 1,0	0 0,0	46
4	999,1	1015,9	- 5,3	0,0	- 2,3	- 3,4	- 0,5	0,9	- 9,1	8,0 25	-28,0 19	0 0,0	3 1,3	0 0,0	14 1,0	2 1,0	6 1,3	1 1,0	3 1,0	6 1,0	4 1,3	2 1,0	1 1,0	46
5	993,7	1010,0	3,3	6,0	5,2	4,0	0,2	7,8	0,2	19,6 26	- 5,8 14	3 1,3	3 1,0	1 1,0	11 1,0	1 1,0	3 1,0	4 1,0	15 1,3	7 1,4	11 1,6	9 1,1	3 1,7	19
6	991,3	1010,1	10,5	13,4	12,3	11,2	1,1	15,3	7,1	25,6 25	1,0 5	1 1,0	0 0,0	1 1,0	13 1,0	1 1,0	4 1,0	5 1,0	3 1,0	1 1,0	8 1,0	15 1,6	13 1,0	25
7	993,7	1011,3	13,7	17,9	16,3	14,7	3,3	19,4	9,2	26,0 8	1,0 25	1 1,0	0 0,0	2 1,0	33 1,0	4 1,0	11 1,0	5 0,0	6 1,0	0 0,0	0 0,0	1 1,0	5 1,0	20
8	995,4	1011,3	10,1	14,8	12,7	11,8	0,3	16,1	7,2	23,4 20	0,6 26	1 1,0	1 1,0	2 1,1	22 1,0	0 1,0	9 1,0	3 1,0	4 1,0	5 1,0	2 1,0	0 0,0	4 1,0	37
9	985,8	1001,8	4,1	8,5	6,2	5,8	0,1	9,4	2,3	17,8 7	- 5,2 4	2 1,5	2 1,0	1 1,3	2 1,0	1 1,0	4 1,0	6 1,0	5 1,0	10 1,1	9 1,0	2 2,5	8 1,1	36
10	1000,9	1017,9	- 4,1	- 2,2	- 4,6	- 3,9	- 2,7	- 0,9	- 7,7	6,2 3	-20,8 18	1 2,0	1 1,1	3 1,3	3 1,0	3 1,0	0 0,0	5 1,0	3 1,3	5 1,0	10 1,0	5 1,2	2 1,5	45
11	988,4	1008,4	- 9,2	- 7,9	- 8,1	- 8,5	- 1,2	- 4,0	-12,5	3,0 18	-28,6 26	0 0,0	0 0,0	2 1,1	7 1,0	1 1,0	9 1,6	3 1,0	6 1,0	3 1,0	0 0,0	1 1,0	1 1,0	57
12	984,6	1001,8	-12,2	-11,3	-10,0	-11,2	0,7	- 5,5	-16,4	5,4 22	-35,0 12	1 1,0	1 1,0	4 1,0	1 1,0	0 0,0	1 1,0	2 1,0	4 1,3	5 1,0	5 1,0	0 0,0	3 1,0	63
ÅR	993,1	1009,8	- 3,1	- 2,0	- 1,3	- 2,0	- 0,6	2,5	- 6,8	26,0	-39,4	14 1,3	28 1,3	35 1,1	136 1,0	14 1,1	57 1,1	36 1,1	63 1,1	54 1,1	59 1,1	40 1,4	42 1,1	820

*) Månedsmidler for oktober interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	DM.	MIDLERE SKYDEKKE 07	13	19	DM.	NEDBØR SUM	%	MAX	DT.	LUFTTEMPERATUR TN <0	TX <0	TN <=-10	TX >=25	NEDBØR R>=0.1	R>=1.0	R>=10.0	VINDSTYRKE FX>=28	FX>=38	FX>=98	R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	TÅKE 07	13	19
VARDØ																																				1979
1	82	82	82	82	6,1	6,0	6,1	6,1	53	118	6,9	2	31	29	14	0	26	18	0	13	2	0	1	26	0	1	0	1	0	0	1	17	31	0	1	1
2	81	82	81	81	6,0	6,3	6,7	6,6	62	135	9,7	8	27	21	13	0	19	17	0	11	1	0	2	19	2	1	0	1	0	0	1	18	28	0	0	0
3	78	76	78	78	5,8	6,0	6,2	6,0	39	83	5,3	19	30	17	6	0	20	11	0	0	0	0	2	20	2	0	0	1	0	0	0	17	31	0	0	0
4	77	74	76	77	5,8	5,8	6,0	5,9	16	44	4,1	15	24	19	0	0	13	4	0	1	0	0	1	12	3	4	1	0	0	0	3	16	30	0	0	0
5	80	74	76	79	6,0	5,5	5,3	5,8	60	167	11,6	30	7	0	0	0	21	9	2	0	1	1	19	14	10	10	0	0	0	0	0	13	12	0	0	0
6	79	73	77	79	6,2	5,9	5,3	6,0	25	68	4,6	3	0	0	0	0	13	8	0	1	0	0	12	2	1	14	0	1	0	0	1	17	0	0	0	0
7	79	75	78	81	5,2	5,1	5,1	5,1	7	17	4,8	2	0	0	0	0	3	2	0	0	0	0	3	0	0	4	0	0	0	0	2	10	0	3	0	1
8	79	75	78	79	5,1	5,7	5,5	5,5	50	96	18,5	23	0	0	0	0	14	10	2	2	0	0	14	0	0	12	0	0	0	0	2	11	0	3	0	1
9	82	78	80	80	6,5	6,2	6,0	6,5	75	119	10,6	16	0	0	0	0	22	16	1	7	3	2	22	0	0	14	0	1	0	0	0	17	0	2	0	0
10	75	74	74	75	6,2	5,8	6,0	6,0	40	71	5,4	4	16	0	0	0	19	14	0	12	3	2	14	14	7	2	5	4	1	0	0	14	4	0	0	0
11	79	78	78	78	5,6	6,3	5,7	5,9	22	51	4,9	16	28	12	0	0	13	7	0	10	1	0	6	13	4	1	0	0	0	0	0	15	2	0	0	0
12	79	80	77	79	6,3	6,3	6,5	6,4	60	140	15,0	20	31	15	0	0	21	16	1	11	0	0	5	21	5	3	0	1	0	0	1	19	31	0	0	0
ÅR	79	77	78	79	6,0	5,9	6,0	6,0	539	93	18,5		193	116	31	0	204	132	6	85	11	5	104	141	34	66	6	10	1	0	11	184	169	8	1	3
BUGØYFJORD KRJ +																																				1979
1	89	89	88	89	4,7	5,5	4,4	4,8	21		6,5	14	31	30	27	0	16	5	0	0	0	0	1	16	0	0	0	0	0	0	4	9	31	0	0	1
2	85	81	86	85	6,3	6,6	6,6	6,6	46		12,0	5	29	29	20	0	22	9	1	0	0	0	0	22	0	0	0	0	0	0	1	20	28	0	0	0
3	87	78	83	84	6,1	6,1	6,4	6,3	32		7,6	15	27	19	16	0	16	10	0	0	0	0	0	16	0	0	0	0	0	0	1	17	31	0	0	0
4	81	72	79	79	5,8	5,2	5,4	5,4	11		5,0	12	23	14	14	0	16	2	0	0	0	0	0	14	1	0	0	0	0	0	2	14	30	0	0	0
5	80	72	75	79	6,0	6,2	5,0	6,1	67		15,7	25	0	0	0	0	10	9	2	1	0	0	10	8	8	3	0	0	0	0	0	16	8	0	1	0
6	77	68	75	78	6,0	5,4	5,7	5,8	33		8,1	17	0	0	0	0	20	9	0	0	0	0	20	0	0	0	0	0	0	2	1	13	0	0	0	0
7	77	70	77	81	5,2	4,3	4,0	4,8	19		7,8	31	0	0	0	0	7	4	0	0	0	0	7	0	0	1	0	0	0	2	2	7	0	0	0	0
8	82	68	75	80	6,0	5,6	5,3	5,8	44		9,1	22	1	0	0	0	20	12	0	0	0	0	20	0	0	1	0	0	0	0	1	17	0	1	0	0
9	84	76	83	83	6,5	6,5	6,0	6,4	59		8,3	16	0	0	0	0	22	15	0	0	0	0	22	0	0	1	0	0	0	0	0	17	0	1	0	0
10	87	80	85	85	5,3	6,0	5,1	6,2	30		6,0	17	25	0	4	0	17	8	0	0	0	0	7	12	3	0	0	0	0	0	4	15	0	0	0	0
11	88	88	90	88	6,5	6,5	6,6	6,5	29		7,7	16	10	19	7	0	10	8	0	0	0	0	2	18	0	0	0	0	0	0	1	20	25	0	0	0
12	88	87	86	87	5,7	5,7	5,7	5,7	61		16,8	31	31	22	13	0	22	11	1	0	0	0	2	22	2	0	0	0	0	0	2	16	31	0	0	0
ÅR	84	77	82	83	6,0	5,8	5,8	5,9	452		16,3		203	127	101	0	210	102	4	1	0	0	103	128	14	6	0	0	0	4	19	181	184	2	1	1
PASVIK																																				1979
1	86	86	86	86	6,0	5,7	5,0	5,7	15	100	1,5	14	31	29	23	0	13	5	0	0	0	0	0	13	0	0	0	0	0	0	2	14	31	0	0	0
2	86	83	86	86	6,2	6,6	6,0	6,4	21	124	4,6	27	28	25	22	0	15	7	0	0	0	0	4	15	2	2	0	0	0	0	1	15	28	0	0	0
3	89	77	84	84	6,2	5,7	6,8	6,2	10	71	1,9	7	30	19	18	0	13	4	0	0	0	0	2	13	2	0	0	0	0	0	1	18	31	1	0	0
4	85	69	76	79	5,1	5,3	5,5	5,4	6	32	1,5	13	25	14	14	0	12	2	0	0	0	0	3	11	2	1	0	0	0	0	1	12	30	0	0	0
5	77	68	73	76	6,1	6,8	5,0	6,3	60	250	21,8	18	13	0	0	0	13	10	1	0	0	0	13	5	3	2	0	1	0	0	1	16	4	0	1	0
6	71	61	64	68	6,6	6,6	6,2	6,5	40	100	8,5	3	0	0	0	0	13	13	0	0	0	0	13	0	0	1	0	0	0	4	0	17	0	0	0	0
7	71	59	61	70	5,1	5,6	4,0	5,2	38	68	17,0	22	0	0	0	0	8	4	2	0	0	0	8	0	0	1	0	0	0	2	3	7	0	0	0	0
8	80	67	71	77	6,1	5,8	6,2	6,0	59	97	17,7	25	0	0	0	0	10	7	3	0	0	0	10	0	0	3	0	0	0	0	1	14	0	0	0	0
9	89	78	88	87	6,7	6,9	6,0	6,7	74	195	17,5	16	0	0	0	0	20	12	1	0	0	0	20	0	0	3	0	0	0	0	0	19	0	1	0	0
10	92	83	90	90	6,0	6,1	6,1	6,3	27	87	6,1	17	25	13	6	0	16	8	0	0	0	0	12	8	3	6	0	0	0	0	0	21	19	0	0	0
11	94	94	93	94	7,0	6,8	6,1	6,7	22	96	6,5	16	29	22	13	0	12	5	0	0	0	0	2	11	0	3	0	0	0	0	0	20	30	0	0	0
12	94	93	93	93	5,3	6,5	6,2	6,1	26	130	4,4	29	30	23	18	0	17	7	0	1	0	0	3	17	1	1	0	0	0	0	3	19	31	0	1	0
ÅR	85	77	80	83	6,2	6,2	6,0	6,1	398	111	21,8		213	145	119	0	167	84	7	1	0	0	93	93	13	23	0	1	0	6	13	192	204	2	2	0
KIRKENES LUFTHAVN																																				1979
1	85	88	83	84	4,0	4,4	4,0	4,1	13	45	2,8	14	31	29	26	0	17	4	0	8	0	0	1	17	1	0	0	0	0	0	4	3		0	0	1
2	82	80	84	82	6,1	6,1	5,5	5,9	37	168	11,1	13	28	25	22	0	13	10	1	5	0	0	1	18	1	0	0	0	0	0	1	13		0	0	0
3	86	80	82	83	5,6	5,8	5,7	5,7	20	95	5,2	18	31	23	15	0	14	7	0	0	0	0	0	14	0	0	0	0	0	0	1	12		0	0	0
4	84	71	78	80	5,1	4,6	5,4	5,1	17	81	3,6	12	27	20	13	0	11	8	0	1	0	0	2	10	1	1	0	0	0	0	2	12		1	1	0
5	78	69	72	76	5,7	5,9	5,4	5,7	59	246	10,3	30	11	0	0	0	16	12	2	4	2	0	15	6	4	3	0	1	0	0	1	13		1	0	0
6	69	59	64	68	6,0	5,8	5,2	5,7	38	103	9,3	18	0	0	0	0	15	8	0	3	0	0	16	0	0	4	0	0	0	2	0	10		0	0	0
7	72	55	64	74	5,0	4,5	4,0	4,5	10	16	4,2	1	0	0	0	0	6	3	0	2	0	0	6	0	0	2	0	0	0	2	2	3		0	0	0
8	79	60	69	76	5,2	5,1	5,0	5,1	33	52	8,8	22	0	0	0	0	11	7	0	0	0	0	11	0	0	7	0	0	0	0	2	7		1	1	1
9	85	71	81	82	6,3	6,6	6,3	6,4	65	127	20,2	16	0	0	0	0	20	12	1	0	0	0	20	0	0	8	0	0	0	0	0	17		1	0	0
10	85	76	82	82	6,0	5,3	5,3	5,6	20	61	5,0	17	25	11	4	0	15	6	0	3	1	0	7	13	3	5	0	2	0	0	4	14		0	0	1
11	84	84	84	84	5,7	5,9	5,5	5,7	16	52	7,5	16	30	21	8	0	17	4	0	0	0	0	2	16	1	0	1	0	0	0	1	13		0	0	0
12	86	84	84	85	5,1	5,5	5,3	5,3	33	110	9,0	31	30	23	14	0	20	10	0	0	0	0	1	20	1	0	0	0	0	0	1	10		0	0	1
ÅR	81	73	77	80	5,5	5,5	5,2	5,4	361	85	20,2		213	152	103	0	181	91	4	52	0	0	82	114	12	30	1	3	0	4	19	127		4	2	4
CUOVDATMUKKI																																				1979
1	77	77	77	77	5,3	5,0	4,3	4,9	10	56	2,7	1	31	29	29	0	15	3	0	0	0	0	0	15	0	0	0	0	0	0	3	8	31	1	2	1
2	78	77	78	78	6,1	5,4	5,3	5,7	15	94	3,6	26	28	25	22	0	15	5	0	0	0	0	1	15	0	0	0	1	0	0	1	13	28	0	0	0
3	79	73	78	77	6,1	5,6	5,7	5,9	12	80	3,5	10	31	23	21	0	12	6	0	0	0	0	0	12	0	0	0	0	0	0	2	18	31	0	0	0
4	80	66	71	74	5,0	5,2	6,0	5,7	9	53	2,4	30	28	15	12	0	11	4	0	0	0	0	0	11	0	0	0	0	0	0	1	14	30	0	0	0
5	78	64	65	72	6,6	5,6	4,0	5,7	61	254	19,8	30	20	0	0	0	16	11	1	0	0	0	11	8	0	2	0	0	0	0	0	16	11	3	0	0
6	68	58	62	66	6,4	7,0	6,3	6,6	51	111	11,4	17	1	0	0	0	13	11	1	0	0	0	18	0	0	0	0	0	0	3	0	19	0	0	0	0
7	67	52	57	66	6,2	5,5	5,1	5,7	48	77	13,1	2	1	0	0	0	15	9	1	0	0	0	15	0	0	1	0	0	0	5	2	14	0	0	0	0
8	81	60	69	75	7,0	6,9	7,0	7,0	25	45	3,3	23	1	0	0	0	15	10	0	0	0	0	15	0	0	0	0	0	0	0	0	22	0	0	0	0
9	85	67	76	79	6,3	6,6	6,3	6,4	69	153	22,9	13	11	0	0	0	21	13	1	0	0	0	20	1	0	1	0	0	0	0	0	19	1	1	0	0
10	83	77	83	82	6,7	5,4	5,7	5,9	19	73	5,9	13	30	18	12	0	18	7	0	0	0	0	0	17	0	0	0	0	0	0	1	16	24	1	1	1
11	84	81	82	82	6,2	6,8	6,3	6,5	25	100	7,2	5	30	19	15	0	14	8	0	0	0	0	1	14	0	0	0	0	0	0	0	19	30	0	1	0
12	81	81	82	81	5,5	6,1	6,1	6,0	24	120	4,6	29	30	28	25	0	13	8	0	0	0	0	0	14	0	0	0	0	0	0	1	15	31	0	0	0
ÅR	78	69	73	76	6,3	5,9	5,8	6,0	368	99	22,9		242	158	136	0	183	95	4	0	0	0	84	107	0	4	0	1	0	8	11	193	217	6	4	2
KARASJOK																																				1979
1	79	79	78	79	5,1	5,6	4,3	5,1	9	53	2,0	14	31	28	28	0	19	2	0	0	0	0	1	19	0	0	0	0	0	0	6	13	31	0	0	0
2	79	77	80	79	6,3	5,9	5,0	6,0	15	107	3,3	26	28	22	24	0	12	6	0	0	0	0	2	11	0	0	0	0	0	0	3	16	28	0	0	0
3	80	71	78	77	6,2	5,1	5,6	5,6	10	77	3,6	10	28	18	17	0	11	3	0	0	0	0	0	11	0	0	0	0	0	0	3	14	31	0	0	0
4	81	64	70	74	5,6	5,1	5,7	5,4	9	60	2,3	15	27	12	11	0	11	3	0	0	0	0	2	10	0	2	0	0	0	0	2	13	30	0	0	0
5	75	62	63	71	6,0	6,0	4,6	5,6	57	271	17,3	30	16	0	0	0	14	11	1	0	0	0	12	7	4	1	0	1	0	0	0	10	6	0	0	0
6	68	57	59	65	6,1	6,3	5,7	6,0	49	109	14,0	17	0	0	0	1	15	8	2	0	0	0	15	0	0	0	0	0	0	2	0	13	0	0	0	0
7	67	50	55	67	5,1	4,9	4,8	5,0	25	45	9,5	18	0	0	0	2	11	4	0	0	0	0	11	0	0	2	0	0	0	0	3	11	0	0	0	0
8	82	61	68	77	6,5	5,9	5,0	6,1	33	60	11,8	22	0	0	0	0	10	7	1	0	0	0	10	0	0	0	1	0	0	1	0	14	0	2	0	0
9	88	69	79	82	6,2	6,3	6,0	6,2	38	141	16,0	13	9	0	0	0	20	11	1	0	0	0	19	2	0	1	0	0	0	0	0	17	0	4	0	0
10	84	78	84	83	6,3	5,3	5,3	5,8	16	70	4,1	13	26	17	11	0	13	5	0	0	0	0	6	10	2	5	0	0	0	0	2	16	25	0	0	0
11	86	84	85	84	5,9	6,3	6,1	6,1	21	100	5,2	22	29	20	11	0	14	9	0	0	0	0	5	14	0	6	0	0	0	0	1	15	30	0	0	0
12	84	85	84	85	4,7	6,4	6,0	5,7	28	147	4,1	29	30	26	19	0	13	10	0	0	0	0	0	18	0	0	0	0	0	0	2	14	31	0	1	0
ÅR	79	70	74	77	5,9	5,8	5,6	5,7	330	97	17,3		224	143	124	3	168	79	5	0	0	0	83	102	6	17	1	1	0	6	22	166	212	6	1	0

MD.	MIDLERE LUFTTRYKK P1	P01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK. FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER MMAX	MMIN	MAX	DT	MIN	DT	VINDFORDELING (YPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
KAUTOKEINO IT																										1979
1	972,3	1015,9	-17,1	-18,3	-19,7	-17,2	- 5,0	-14,5	-24,1	2,5	19	-36,0	27	0 0,0	1 2,1	0 0,0	1 2,0	0 0,0	1 2,0	0 0,0	3 2,0	0 0,0	0 0,0	83
2	967,2	1010,3	-17,5	-13,8	-15,3	-15,8	- 1,4	-11,5	-21,1	1,2	26	-41,5	13	4 2,5	1 1,0	1 1,0	4 1,3	1 2,0	1 1,0	9 1,7	0 0,0	0 0,0	1 1,0	61
3	963,3	1004,9	-10,2	- 3,6	- 0,0	- 3,3	2,2	- 4,8	-13,2	4,1	30	-35,0	21	0 0,0	1 1,0	0 0,0	1 1,0	0 0,0	5 2,4	25 2,4	0 0,0	0 0,0	0 0,0	61
4	974,2	1015,4	- 5,5	- 0,4	- 2,7	- 3,6	1,1	0,2	- 8,3	6,0	25	-22,5	19	3 2,1	1 2,0	0 0,0	0 0,0	0 0,0	3 1,3	2 1,0	6 1,2	1 2,0	0 0,0	70
5	969,6	1009,6	2,1	4,8	4,1	2,8	0,2	6,4	- 0,7	16,8	26	- 6,5	15	3 2,3	1 2,0	0 0,0	3 2,0	0 0,0	4 2,0	24 1,6	4 2,3	2 2,0	10 1,8	38
6	971,2	1009,9	10,6	13,2	11,9	10,9	1,3	14,8	6,4	24,0	25	- 2,5	5	3 1,8	1 2,0	2 1,0	0 0,0	1 1,0	1 1,0	9 1,4	3 2,7	1 1,0	11 1,5	47
7	973,0	1011,0	13,0	17,0	15,3	14,0	3,5	18,5	8,5	25,2	9	0,0	25											
8	972,0	1011,0	10,0	13,0	12,3	11,0	0,1	15,0	7,0	21,5	20	- 2,1	26											
9	982,3	1021,7	3,6	7,2	5,3	4,7	- 3,9	7,7	1,0	13,5	7	- 5,1	25	11 1,3	0 0,0	0 0,0	1 1,0	0 0,0	0 0,0	15 1,3	3 1,3	0 0,0	8 1,8	46
10	976,3	1018,0	- 0,0	- 3,3	- 3,7	- 3,4	- 3,6	- 2,9	- 8,7	6,2	1	-23,0	15	6 1,7	0 0,0	2 1,0	3 1,3	0 0,0	1 4,0	13 1,9	0 0,0	0 0,0	2 2,5	66
11	961,4	1015,0	- 8,3	- 6,0	- 5,1	- 5,1	- 0,7	- 5,4	-12,0	1,2	18	-24,6	25	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	3 1,3	20 2,3	0 0,0	0 0,0	0 0,0	65
12	953,9	1011,7	-10,3	-10,0	- 9,3	-10,5	1,1	- 6,4	-14,6	4,0	21	-30,5	11	4 3,0	4 2,5	1 3,0	2 1,0	1 1,0	0 0,0	10 2,2	1 4,0	0 0,0	1 1,0	69
ÅR	968,9	1019,5	- 3,2	- 3,5	- 1,3	- 2,4	- 0,4	1,4	- 6,6	25,2		-41,5												
SICCAJAVRE																								1979
1			-18,3	-19,6	-18,3	-18,7	- 1,7	-13,7	-24,2	2,0	19	-37,2	28	6 1,2	5 1,5	7 1,3	10 1,3	4 1,3	16 1,8	27 2,1	1 4,0	3 3,0	4 1,8	2 1,5	1 2,0	7
2			-17,6	-15,3	-13,3	-15,5	- 2,2	-11,7	-21,9	0,0	17	-40,5	13	5 2,0	2 1,0	10 2,4	6 2,0	17 1,9	17 2,5	9 2,2	3 1,7	1 1,0	5 3,4	3 1,7	2 1,0	4
3			-10,3	- 7,0	- 3,1	- 7,1	- 1,7	- 5,6	-14,2	1,0	31	-34,6	21	3 3,0	0 0,0	6 2,2	5 2,4	3 1,6	29 2,9	25 3,0	5 3,4	1 1,0	11 1,5	4 1,8	0 0,0	2
4			- 6,4	- 2,3	- 4,2	- 3,0	0,4	- 1,2	- 9,3	6,3	24	-26,6	9	12 2,3	0 0,0	2 1,0	11 1,9	4 1,3	19 2,0	27 1,8	0 0,0	3 2,0	4 1,0	2 1,0	4 2,3	2
5			1,1	3,8	3,3	2,1	3,3	5,5	- 1,3	15,9	26	- 7,6	12	7 2,6	3 2,3	2 2,0	12 2,2	3 2,0	11 2,9	18 2,4	7 2,4	7 3,6	14 3,1	5 4,0	3 3,0	1
6			9,5	12,5	11,3	10,1	1,2	14,5	6,0	22,6	25	- 2,3	5	3 2,2	1 2,0	3 1,3	9 1,8	3 2,0	7 2,1	13 2,3	4 2,8	5 1,6	12 3,1	10 3,5	14 3,6	4
7			12,3	15,6	13,3	13,3	3,2	18,1	8,2	23,2	9	- 0,6	25	12 2,0	7 2,1	12 2,2	15 3,1	3 2,4	7 2,0	18 2,6	3 2,6	1 3,0	1 2,0	2 2,0	1 2,0	4
8			9,7	12,0	12,3	10,7	3,1	14,7	6,9	20,6	20	- 3,5	26	4 2,3	6 1,3	7 2,1	15 2,0	3 2,0	19 2,6	16 2,4	4 2,0	4 2,8	6 1,7	4 2,0	0 0,0	1
9			3,4	6,7	4,3	4,4	- 3,5	8,0	1,1	14,9	7	- 7,3	25	9 2,3	1 3,0	4 2,3	8 2,3	3 2,3	9 2,0	17 2,3	1 2,0	5 2,2	13 2,2	13 2,5	5 2,8	4
10			- 0,1	- 4,3	- 3,3	- 3,8	- 3,3	- 2,7	- 9,4	5,6	3	-21,9	15	4 2,3	1 1,0	0 2,7	10 3,5	7 1,0	10 1,8	17 2,9	4 4,0	3 2,7	14 1,9	4 2,3	8 2,1	5
11			- 6,5	- 8,3	- 8,3	- 8,4	- 8,0	- 5,2	-12,3	0,6	18	-22,9	11	3 2,0	1 2,0	3 1,2	3 1,1	3 3,3	17 2,8	35 2,9	1 1,0	2 4,0	2 2,0	4 1,0	3 1,0	5
12			-11,2	-11,1	-11,0	-11,1	- 9,1	- 6,7	-16,2	2,7	22	-31,6	11	5 2,6	5 2,2	3 3,0	15 2,3	3 2,4	7 2,3	29 2,1	5 3,0	3 2,0	6 2,2	0 0,0	2 1,5	4
ÅR			- 3,5	- 1,4	- 2,3	- 2,3	- 0,6	1,2	- 7,2	23,2		-40,5		72 1,1	32 2,1	67 2,1	125 2,3	73 1,9	163 2,4	249 2,5	40 2,7	38 3,6	92 2,3	53 2,5	43 2,6	43

*) Månedsmidler for juli og august delvis interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	DØGN	MIDLERE SKYDEKKE 07	13	19	MND.	NEDBØR SUM	%	MAX	DØGN	LUFTTEMPERATUR TI <0	TA <0	TI <=10	TX> =25	NEDBØR R>=0.1	R>=1.0	R>=10.0	ANTALL DAGER MED: VINDSTYRKE FX> =68	FX> =38	FX> =98	FOREKOMST AV R	S	SL	YR	BH	H	IN	TU	KV	ÅV	SD	TÅKE 07	13	19
KAUTOKEINO II[1]																																					1979
1	78	79	78	78	6,3	6,0	6,3	6,5	12	120	3,3	25	31	30	29	0	11	6	0	0	0	0	0	14	0	0	0	0	0	0	0	20	31	0	0	1
2	79	78	80	79	6,5	5,7	6,3	6,3	22	244	4,2	26	28	27	25	0	12	7	0	0	0	0	0	12	0	0	0	0	1	0	2	18	28	1	0	0
3	86	72	82	80	6,3	5,7	6,1	6,2	13	144	3,7	26	31	20	17	0	11	5	0	0	0	0	0	11	0	0	0	0	0	0	3	21	31	0	0	0
4	73	62	71	70	5,9	5,1	5,3	5,5	12	100	2,6	13	29	14	11	0	10	5	0	0	0	0	0	10	0	0	0	0	0	0	2	15	30	0	0	0
5	74	60	69	69	6,1	4,8	4,3	5,2	10	150	6,5	18	29	0	0	0	10	7	0	0	0	0	0	7	3	0	0	0	0	0	3	9	7	0	0	0
6	63	55	60	63	6,1	6,2	6,1	6,2	36	77	10,9	17	1	0	0	0	10	9	1	0	0	0	13	0	0	0	0	0	0	1	0	17	0	0	0	0
7	64	50	58	57	5,3	5,4	5,3	5,5	10	26	3,7	31	0	0	0	1	10	6	0	0	0	0	10	0	0	0	0	0	0	6	2	11	0	0	0	0
8	82	61	66	76	6,3	6,3	6,3	6,5	30	89	3,7	31	1	0	0	0	13	10	0	0	0	0	13	0	0	0	0	0	0	1	0	19	0	0	0	0
9	88	67	75	80	6,1	6,6	6,7	6,6	117	316	24,4	27	10	0	0	0	17	15	5	0	0	0	16	1	0	0	0	0	0	0	0	18	0	0	0	0
10	87	76	81	83	6,7	5,7	6,2	6,2	38	211	16,2	10	30	21	9	0	12	5	1	0	0	0	1	11	0	0	0	0	0	0	1	17	24	0	0	0
11	90	81	82	83	7,1	6,1	7,3	6,9	22	157	5,8	22	30	25	13	0	11	7	0	0	0	0	0	13	0	0	0	0	0	0	0	23	30	0	0	0
12	83	81	82	81	7,3	6,0	7,1	6,9	28	215	8,4	19	30	26	23	0	14	9	0	0	0	0	0	14	0	0	0	0	0	0	0	22	31	1	0	0
ÅR	79	68	73	76	6,5	5,8	6,3	6,2	410	129	24,4		241	171	129	1	151	91	7	0	0	0	64	93	3	0	0	0	1	8	13	210	212	2	0	1
SICCAJAVRE																																					1979
1	88	89	89	89	5,3	5,9	5,3	5,7	11	61	2,8	8	31	30	30	0	12	5	0	0	0	0	0	12	0	0	0	0	0	0	0	9	31	1	2	1
2	91	92	91	91	6,1	5,9	6,1	6,1	10	59	2,1	27	28	27	26	0	13	4	0	0	0	0	1	13	0	0	0	0	0	0	0	12	28	1	0	0
3	95	92	93	94	6,3	5,8	6,2	6,2	15	100	4,0	10	31	30	17	0	20	6	0	0	0	0	1	20	0	0	0	0	0	0	1	17	31	0	0	0
4	95	88	90	92	5,8	5,4	5,3	5,6	6	32	1,3	29	26	17	12	0	13	1	0	0	0	0	0	13	0	0	0	0	0	0	3	15	30	0	0	0
5	91	81	81	87	6,3	5,8	5,3	5,8	53	212	17,4	30	19	0	0	0	10	11	1	0	0	0	14	10	7	1	0	1	0	0	0	13	23	3	0	0
6	82	70	75	80	5,9	5,9	5,9	5,9	54	115	8,6	18	1	0	0	0	15	13	0	4	0	0	15	0	0	1	0	0	0	4	0	11	0	0	0	0
7	82	70	70	80	5,5	5,4	5,3	5,5	39	60	11,6	12	2	0	0	0	13	9	1	1	0	0	13	0	0	5	0	0	0	6	1	10	0	0	0	0
8	91	78	81	87	6,5	6,5	6,7	6,6	54	96	11,2	31	2	0	0	0	13	10	1	0	0	0	18	0	0	1	0	0	0	1	0	17	0	1	0	0
9	92	82	85	88	6,1	6,6	6,7	6,6	73	166	23,9	1	3	0	0	0	18	10	2	0	0	0	17	1	0	6	0	0	0	0	0	17	0	0	0	0
10	94	90	92	93	6,6	6,5	6,1	6,5	22	100	3,8	10	31	22	11	0	14	7	0	2	0	0	1	16	1	0	0	1	0	0	0	16	24	2	1	1
11	95	94	94	94	6,8	6,7	7,2	6,9	18	86	4,1	5	30	27	15	0	16	4	0	2	0	0	1	18	1	0	0	0	0	0	0	20	30	1	1	5
12	95	93	95	93	6,3	6,0	6,2	6,2	15	75	3,5	3	31	29	24	0	16	4	0	2	0	0	0	16	0	0	0	0	0	0	0	12	31	3	3	6
ÅR	91	85	86	89	6,2	6,0	6,1	6,1	370	100	23,9		242	182	131	0	183	94	5	21	0	0	81	119	9	17	0	2	0	11	5	169	228	12	7	13

MIDLERE LUFTTRYKK · MIDLERE LUFTTEMPERATUR · AVVIK FRA NORM · MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER · VINDFORDELING: HYPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT

MD	PM	PO	07	13	19	TM	AVVIK FRA NORM	MMAX	MMIN	MAX	DT	MIN	DT	36(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
SVALBARD LUFTHAVN																										1979
1	1013,0	1017,0	-20,8	-20,6	-20,0	-20,5		-15,0	-24,8	-0,6	18	-34,9	13	2 1,5	2 2,5	2 3,0	11 2,9	29 4,0	4 4,5	2 1,0	3 2,0	13 2,8	7 2,9	2 3,0	2 4,0	14
2	1007,6	1011,5	-20,1	-20,6	-20,7	-20,6		-16,4	-24,1	1,5	20	-43,7	25	2 1,0	1 1,0	0 0,0	8 2,3	25 4,4	12 5,0	4 3,0	8 4,3	15 4,0	2 2,0	1 2,0	0 0,0	6
3	1009,0	1012,8	-16,8	-14,8	-15,8	-16,0		-12,1	-20,8	2,2	30	-37,1	1	1 1,0	2 1,0	1 8,0	10 2,8	31 6,1	20 5,8	3 3,3	3 1,0	9 1,8	3 2,3	2 1,0	2 1,0	6
4	1019,8	1023,7	-18,1	-15,6	-16,5	-17,4		-12,8	-21,7	-4,7	1	-30,2	8	1 4,0	4 2,0	6 1,5	9 2,4	16 3,7	6 3,5	0 0,0	4 2,3	13 2,8	10 1,4	0 0,0	4 1,3	18
5	1011,9	1015,7	-8,8	-6,9	-6,0	-8,0		-4,8	-10,2	-0,1	31	-15,6	1	3 2,7	3 2,7	0 0,0	2 3,5	21 5,1	4 4,8	0 0,0	2 3,0	28 2,9	21 2,0	1 1,0	4 1,8	4
6	1006,8	1010,4	-0,7	0,0	0,2	-0,5		2,0	-2,1	6,8	30	-8,4	3	6 1,8	5 2,0	1 0,0	2 2,0	3 4,7	1 4,0	0 0,0	1 7,0	27 3,3	31 2,5	8 2,1	2 1,5	3
7	1010,0	1013,5	7,1	8,6	3,0	7,6		11,7	5,1	21,3	16	2,4	9	6 2,7	5 3,0	2 2,5	2 4,5	6 4,5	0 0,0	0 0,0	2 4,5	36 3,7	30 2,8	1 3,0	2 1,0	1
8	1010,5	1014,0	4,6	5,7	3,3	4,8		7,6	3,1	16,5	15	0,3	28	3 2,0	3 3,3	4 2,0	7 3,4	18 4,3	1 3,0	2 1,0	0 0,0	31 3,1	16 2,0	3 2,0	4 2,0	1
9	1001,7	1005,3	0,7	1,8	1,2	1,0		3,2	-0,7	8,9	16	-5,9	25	1 1,0	0 0,0	2 2,5	13 2,8	35 3,1	6 2,8	2 1,0	2 2,0	12 2,5	6 1,5	1 2,0	0 0,0	8
10	1010,0	1013,6	-4,2	-4,5	-4,2	-4,3		-1,3	-6,8	8,2	27	-16,8	17	1 2,8	1 6,0	0 0,0	14 2,3	39 3,4	6 2,5	8 3,6	4 3,5	8 4,0	2 5,0	1 4,0	4 3,0	2
11	1000,5	1004,1	-6,3	-7,1	-6,6	-6,8		-4,0	-8,8	3,1	5	-17,7	27	2 3,5	3 3,3	3 3,7	8 4,1	39 4,2	5 4,6	4 2,5	1 5,0	10 2,3	5 4,0	3 3,0	5 2,8	2
12	998,3	1002,0	-12,4	-13,0	-12,7	-12,7		-8,6	-15,8	2,8	20	-33,2	31	1 4,0	2 2,5	3 1,7	14 2,4	40 3,7	7 2,6	1 4,0	4 3,8	9 2,1	6 3,0	4 4,0	2 5,0	0
ÅR	1008,3	1012,0	-8,0	-7,2	-7,3	-7,8		-4,2	-10,6	21,3		-43,7		32 2,3	31 2,7	24 2,5	101 2,8	302 4,1	72 4,4	26 2,7	34 3,3	211 3,1	139 2,4	27 2,5	31 2,3	65
SVEA GRUBER																										1979
1	1016,3	1017,4	-19,2	-19,8	-19,7	-19,5		-15,7	-24,2	-1,6	18	-33,4	2	0 0,0	38 2,7	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	2 3,5	0 0,0	3 2,7	24 4,1	4 3,5	22
2	1011,3	1012,4	-21,0	-20,5	-20,6	-20,8		-16,9	-24,9	1,5	20	-41,2	25	0 0,0	53 3,2	0 0,0	0 0,0	0 0,0	0 0,0	1 2,0	3 6,0	12 5,7	0 0,0	0 0,0	0 0,0	15
3	1013,8	1014,9	-18,7	-17,7	-18,0	-18,3		-15,8	-21,7	-1,7	31	-36,4	16	0 0,0	80 3,7	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	13
4	1022,7	1023,8	-15,8	-14,6	-15,1	-15,8		-12,9	-19,3	-1,8	1	-26,9	9	1 2,0	61 2,2	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	1 1,0	1 2,0	2 3,0	0 0,0	0 0,0	24
5	1014,5	1015,6	-8,6	-6,9	-6,0	-8,0		-5,4	-10,8	-0,8	31	-17,4	1	0 0,0	59 2,5	0 0,0	1 1,0	0 0,0	0 0,0	1 2,0	4 1,5	2 2,0	10 3,2	0 0,0	0 0,0	16
6	1008,8	1009,8	-0,2	0,5	0,3	-0,1		1,3	-1,5	5,1	25	-7,5	6	0 0,0	40 1,4	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	1 1,0	0 0,0	15 2,9	0 0,0	0 0,0	34
7	1012,3	1013,3	7,0	3,5	3,3	7,5		11,0	5,0	12,8	25	1,2	5													
8	1012,8	1013,8	4,1	5,4	4,3	4,4		6,4	2,9	11,1	15	0,0	30	0 0,0	37 2,8	9 2,6	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	1 3,0	16 2,9	0 0,0	0 0,0	30
9	1004,3	1005,3	0,7	1,5	1,1	1,0		2,7	-0,4	7,6	15	-6,6	25	0 0,0	47 2,5	5 1,8	3 3,0	0 0,0	0 0,0	0 0,0	5 1,4	1 1,0	1 1,0	0 0,0	0 0,0	28
10	1012,9	1013,9	-4,5	-4,6	-4,3	-4,7		-2,0	-7,3	7,5	27	-16,9	18	0 0,0	27 2,5	0 0,0	1 5,0	0 0,0	0 0,0	0 0,0	0 0,0	3 3,0	8 2,4	4 5,0	0 0,0	50
11	1003,4	1004,5	-7,5	-7,4	-7,7	-7,5		-5,4	-10,2	1,6	6	-19,5	30	3 1,0	64 2,3	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	11 3,3	0 0,0	0 0,0	12
12	1001,1	1002,2	-13,5	-13,3	-13,7	-13,5		-8,9	-18,2	2,3	21	-36,3	31	2 4,0	36 2,5	0 0,0	0 0,0	0 0,0	0 0,0	0 0,0	1 2,0	3 2,7	10 3,3	0 0,0	0 0,0	41
ÅR	1011,2	1012,2	-8,1	-7,4	-7,7	-7,9		-5,1	-10,9	12,8		-41,2														
NY-ÅLESUND II																										1979
1	1015,5	1016,6	-18,7	-18,7	-19,0	-18,9		-14,8	-24,0	-0,1	17	-34,0	11	3 3,0	2 4,0	1 4,0	10 3,1	10 2,6	9 1,7	3 2,0	1 4,0	2 1,0	4 1,8	5 3,2	5 1,6	38
2	1009,7	1010,7	-19,0	-19,5	-19,2	-19,3		-14,8	-23,8	1,0	20	-41,1	25	2 4,5	2 1,0	1 1,0	9 4,1	11 3,4	1 4,0	5 1,8	3 2,3	5 2,6	8 2,3	5 2,4	0 0,0	32
3	1010,8	1011,8	-12,9	-11,7	-12,0	-12,4		-9,2	-16,4	3,2	30	-27,7	1	0 0,0	0 0,0	1 4,0	23 1,8	24 3,6	5 2,2	1 2,0	2 1,0	4 1,5	4 1,5	1 1,0	1 2,0	27
4	1022,2	1023,2	-16,3	-13,3	-15,2	-15,8		-11,4	-20,6	-1,0	2	-29,0	8	0 0,0	0 0,0	1 1,0	6 3,2	9 2,3	4 1,5	0 0,0	1 1,0	1 3,0	1 1,0	2 2,5	5 2,4	60
5	1014,4	1015,4	-8,2	-4,9	-5,6	-6,9		-3,6	-10,1	0,6	30	-15,2	8	0 0,0	1 1,0	3 2,7	10 2,7	8 2,9	3 2,0	1 1,0	3 1,0	0 0,0	8 2,5	4 1,5	3 1,7	49
6	1009,6	1010,6	-1,1	0,8	0,2	-0,5		1,9	-2,5	5,2	30	-8,5	5	1 1,0	0 0,0	0 0,0	2 3,0	5 1,8	4 1,5	1 3,0	1 4,0	4 1,8	9 2,6	5 1,4	5 1,8	53
7	1012,2	1013,1	5,6	6,7	6,3	5,9		8,2	4,1	17,0	17	1,0	31	5 1,4	2 2,0	3 1,3	11 2,4	11 2,3	9 2,1	4 3,8	3 1,7	5 2,2	10 2,1	6 2,5	10 2,6	14
8	1012,7	1013,7	3,9	5,4	5,2	4,5		6,6	2,6	12,5	16	-1,1	23	3 1,7	3 1,0	1 1,0	9 1,4	28 2,3	6 1,7	3 2,3	3 1,7	3 2,0	4 1,3	3 2,3	6 1,5	21
9	1004,2	1005,2	0,6	1,8	1,3	1,1		3,4	-0,8	8,0	17	-6,0	25	1 1,0	0 0,0	0 0,0	12 2,8	13 2,2	10 1,5	2 2,5	0 0,0	5 1,0	8 1,1	4 2,0	3 1,3	32
10	1012,1	1013,1	-4,2	-4,2	-4,2	-4,3		-1,4	-7,5	6,2	28	-18,0	16	1 4,0	1 1,0	0 0,0	14 2,8	22 2,8	16 2,3	8 1,6	6 2,2	5 2,4	5 1,6	6 3,3	2 3,5	7
11	1002,9	1003,9	-6,5	-6,5	-6,6	-6,5		-4,2	-8,9	2,2	5	-19,5	26	2 2,5	0 0,0	1 5,0	14 3,9	19 2,8	14 2,6	5 2,8	6 1,2	7 1,3	7 2,3	3 4,0	5 3,2	7
12	1000,4	1001,4	-11,9	-11,4	-11,8	-11,7		-8,2	-15,7	2,1	20	-33,3	31	0 0,0	1 1,0	0 0,0	13 3,2	21 2,3	7 3,0	10 1,7	3 1,7	3 1,0	7 2,4	9 3,4	2 3,5	17
ÅR	1010,6	1011,6	-7,4	-8,3	-6,7	-7,1		-4,0	-10,3	17,0		-41,1		13 2,3	12 1,7	12 2,3	133 3,3	181 2,7	88 2,1	43 2,1	32 1,8	44 1,8	75 2,0	83 2,6	47 2,2	387
HOPEN																										1979
1	1014,3	1015,6	-17,3	-18,1	-17,8	-17,7		-13,5	-21,3	-0,8	18	-32,1	11	9 2,9	26 4,1	25 4,0	2 1,5	0 0,0	0 0,0	0 0,0	6 4,2	7 4,7	2 5,0	7 4,6	7 3,3	2
2	1010,5	1011,8	-19,2	-19,0	-18,8	-19,1		-14,9	-22,6	1,8	21	-32,4	28	3 3,0	16 4,4	25 4,6	6 3,2	1 2,0	1 1,0	1 4,0	5 4,4	11 5,2	4 4,8	1 2,0	4 3,8	6
3	1011,8	1013,1	-18,2	-17,2	-17,4	-17,8		-14,4	-21,2	-0,3	31	-31,5	1	5 2,4	26 4,3	42 4,3	4 1,5	1 6,0	0 0,0	0 0,0	1 3,0	0 0,0	2 3,0	0 0,0	2 4,5	10
4	1021,0	1022,3	-15,5	-14,1	-15,0	-15,2		-11,7	-17,9	0,2	1	-25,9	17	3 3,0	14 3,5	45 3,6	3 3,7	2 3,0	1 3,0	0 0,0	2 3,0	2 4,0	3 2,7	2 2,5	2 3,5	11
5	1013,3	1014,6	-8,3	-7,2	-7,3	-8,1		-6,2	-10,3	0,5	28	-17,9	1	1 2,0	19 3,4	28 4,9	6 4,5	2 2,5	1 2,0	3 2,3	3 3,3	9 3,6	4 2,8	4 2,3	9 2,4	4
6	1008,9	1010,2	-0,6	0,0	-0,1	-0,6		0,7	-1,9	4,1	16	-5,6	6	4 2,8	15 2,7	13 3,2	12 2,6	4 2,5	0 0,0	3 2,0	3 2,7	7 4,3	6 2,3	10 2,8	6 3,5	7
7	1013,6	1014,8	2,6	2,8	2,3	2,3		4,0	0,7	7,8	16	-1,8	23	2 3,0	6 4,0	21 3,1	17 2,2	2 2,0	2 1,5	2 2,0	3 2,3	7 3,0	8 3,1	11 3,4	2 3,0	10
8	1013,1	1014,3	2,1	2,2	2,1	1,9		3,7	0,5	9,1	18	-2,0	1	3 3,0	8 4,5	27 3,6	9 2,8	0 0,0	1 2,0	6 2,3	9 3,1	10 3,1	5 3,0	7 3,6	4 4,0	4
9	1002,5	1003,7	1,0	1,6	1,2	1,1		2,5	0,0	5,1	9	-3,0	30	7 2,6	23 4,0	31 3,5	2 3,5	0 0,0	0 0,0	1 1,0	3 2,7	4 4,0	3 3,3	7 3,1	3 3,7	6
10	1012,5	1013,8	-2,1	-2,0	-2,2	-2,2		-0,2	-4,0	6,5	28	-9,5	22	9 2,6	24 3,4	8 3,5	6 3,3	0 0,0	1 4,0	3 3,3	13 3,1	12 4,3	4 3,3	3 3,3	3 4,0	7
11	1002,5	1003,7	-5,2	-5,3	-5,2	-5,2		-3,7	-6,9	0,0	5	-18,2	28	7 2,1	14 3,8	17 3,7	13 3,8	8 4,4	0 0,0	3 2,0	3 1,7	4 3,3	7 4,6	5 3,4	3 3,0	6
12	1000,6	1001,9	-9,9	-9,8	-10,4	-10,0		-7,2	-13,2	1,6	21	-28,6	31	7 2,9	31 3,3	14 3,5	6 3,7	1 4,0	0 0,0	2 3,0	7 4,6	8 4,4	3 5,3	3 3,0	4 3,3	7
ÅR	1010,4	1011,7	-7,5	-7,2	-7,4	-7,5		-5,1	-9,8	9,1		-32,4		60 2,8	222 3,8	296 3,7	86 3,1	21 3,4	7 2,1	24 2,4	58 3,4	81 4,1	51 3,5	60 3,3	49 3,4	80
BJØRNØYA																										1979
1	1010,8	1012,6	-10,2	-10,8	-10,9	-10,6	-4,9	-6,6	-14,8	1,3	18	-27,5	2	6 3,8	9 4,4	21 5,0	19 4,3	8 4,5	5 3,2	5 4,0	5 4,2	2 5,5	5 5,4	3 7,3	5 6,0	0
2	1005,4	1007,2	-7,6	-7,3	-7,2	-7,4	-0,5	-4,7	-10,0	3,3	21	-21,0	28	8 5,0	3 4,0	10 5,8	20 6,2	13 6,2	4 6,3	1 3,0	2 4,5	9 5,7	12 5,8	1 4,0	1 4,0	0
3	1002,9	1004,6	-5,0	-5,1	-5,3	-5,3	1,9	-3,4	-7,8	2,4	29	-16,5	17	1 4,0	6 5,0	33 5,2	23 5,0	13 5,2	5 5,2	5 4,4	3 3,3	3 3,7	0 0,0	1 4,0	0 0,0	0
4	1016,5	1018,3	-6,9	-6,1	-6,8	-6,8	-1,4	-4,0	-9,3	1,2	1	-21,2	14	4 7,0	32 4,5	25 4,4	13 4,2	3 3,3	5 5,0	4 4,3	1 3,0	1 3,0	0 0,0	0 0,0	2 5,0	0
5	1010,1	1011,9	-3,5	-2,7	-3,3	-3,4	-2,1	-1,7	-5,3	3,8	27	-12,3	7	3 3,0	17 4,3	31 4,9	11 4,4	3 5,0	4 3,3	0 0,0	2 3,5	4 4,0	6 4,8	6 3,8	6 3,8	0
6	1008,2	1009,9	1,4	2,2	1,9	1,6	-0,4	3,2	0,3	11,2	26	-3,8	9	8 2,4	9 2,7	4 3,5	9 4,3	17 4,7	2 2,0	3 3,0	11 3,9	2 3,5	5 5,6	11 4,5	8 3,4	1
7	1011,1	1012,8	6,2	7,1	6,7	6,3	1,0	9,0	4,5	17,4	15	-1,4	24	3 2,2	6 4,2	8 5,0	5 4,6	24 4,9	5 5,6	8 3,6	5 3,8	5 4,4	13 3,8	5 1,4	2 3,5	2
8	1010,3	1012,0	5,2	5,9	5,6	5,3	0,3	7,1	4,0	15,7	15	0,6	28	5 4,8	7 4,9	16 4,0	11 4,4	16 5,1	2 4,5	2 4,5	11 4,1	6 3,7	6 3,7	3 2,7	4 3,0	4
9	1000,3	1002,0	2,8	3,7	3,2	3,1	0,1	4,4	2,1	7,8	7	-1,3	25	6 3,8	15 4,5	16 3,4	8 3,4	9 3,8	3 4,3	7 3,6	7 3,7	2 2,0	3 2,7	3 2,0	7 3,6	4
10	1011,5	1013,3	-0,2	0,2	0,0	0,0	-0,4	1,5	-1,4	6,0	28	-8,1	23	2 4,5	5 4,6	15 4,1	11 4,5	9 4,1	6 3,0	14 4,8	10 4,3	3 4,3	5 4,2	4 6,0	8 5,9	1
11	998,7	1000,5	-2,2	-2,1	-2,2	-2,2	-0,2	-0,7	-3,9	2,8	6	-10,0	12	4 4,5	8 5,0	12 4,8	13 4,5	16 4,4	12 4,8	6 5,2	2 4,5	5 4,0	7 4,9	2 5,5	1 6,0	2
12	998,0	999,8	-4,9	-5,0	-5,0	-5,0	-1,1	-2,6	-7,5	2,5	21	-18,5	31	7 4,1	13 4,6	13 5,2	10 4,0	7 5,1	16 4,3	3 5,7	2 4,0	4 6,0	4 5,5	2 4,0	6 4,2	0
ÅR	1007,0	1008,7	-2,1	-1,7	-1,9	-2,0	-0,3	0,1	-4,1	17,4		-27,5		59 4,0	130 4,3	204 4,7	159 4,6	138 4,8	69 4,4	58 4,3	61 4,0	46 4,4	66 4,7	41 4,1	50 4,3	14
JAN MAYEN																										1979
1	1009,4	1010,6	-10,1	-10,2	-9,2	-9,8	-3,8	-5,3	-13,8	5,9	18	-26,8	11	34 3,5	3 6,3	1 4,0	1 4,0	0 0,0	7 3,1	3 3,7	5 3,4	5 3,4	7 3,6	3 3,0	20 6,0	4
2	1003,3	1004,5	-6,6	-6,6	-6,9	-6,8	-1,6	-4,1	-10,0	4,8	16	-21,5	12	16 5,4	3 5,7	3 5,0	3 3,3	7 3,4	0 0,0	8 3,1	11 4,1	1 3,0	4 3,5	4 6,3	14 5,9	10
3	996,0	997,2	-5,6	-4,7	-4,5	-5,0	-0,2	-2,7	-7,6	1,8	25	-17,3	4	22 5,1	11 5,0	4 4,8	11 4,4	3 3,7	1 3,0	2 1,0	4 2,8	6 2,8	3 3,7	4 4,0	12 4,3	10
4	1018,1	1019,2	-3,6	-3,0	-3,3	-3,4	0,1	-1,6	-5,1	3,7	21	-10,0	11	23 4,7	22 4,9	3 5,0	6 3,7	3 3,7	3 2,7	7 2,4	6 2,3	4 3,3	4 1,8	3 2,3	4 4,0	2
5	1014,3	1015,5	-2,8	-2,3	-2,5	-2,7	-2,2	-1,3	-4,2	3,0	23	-9,0	12	23 3,0	30 4,8	1 1,0	6 4,0	5 3,0	0 0,0	2 1,5	3 2,3	1 3,0	3 2,7	5 2,2	4 3,5	5
6	1007,4	1008,5	1,3	2,2	2,5	1,8	-0,6	3,6	0,3	9,3	3	-2,3	13	17 3,2	2 3,0	0 0,0	9 3,3	11 2,2	8 2,1	5 1,8	13 1,7	4 2,0	7 3,7	3 4,7	3 4,7	8
7	1009,6	1010,7	3,7	4,3	4,3	3,9	-1,3	5,5	2,6	7,8	3	-1,0	1	10 5,1	3 3,3	1 3,0	6 3,2	9 2,8	9 2,7	12 2,3	20 2,4	3 3,0	0 0,0	7 4,1	11 4,5	2
8	1008,0	1009,1	5,1	5,8	5,7	5,4	-0,1	7,2	4,1	9,8	21	1,6	27	8 4,0	1 1,0	1 3,0	14 3,2	5 2,0	3 1,3	5 1,8	22 2,9	9 3,0	6 2,8	8 4,5	6 4,7	5
9	1001,7	1002,8	1,9	2,5	2,3	2,2	-1,7	3,7	1,0	8,2	7	-1,8	16	30 4,6	4 2,3	2 2,0	10 3,6	3 3,0	5 3,6	2 2,5	4 3,5	2 4,0	3 4,0	8 4,5	16 4,8	1
10	1009,0	1010,1	1,3	1,6	1,2	1,3	0,4	2,8	-0,1	5,3	26	-7,5	19	20 4,4	3 3,0	2 4,5	13 4,0	5 3,4	12 4,2	6 3,5	9 2,8	3 2,7	1 4,0	3 4,0	6 3,3	10
11	999,5	1000,7	-2,3	-2,2	-2,6	-2,4	-1,2	-1,0	-3,9	4,8	4	-8,1	22	33 4,6	11 4,0	1 7,0	9 3,6	1 3,0	6 4,0	3 2,3	2 1,5	2 2,5	6 2,0	3 3,0	13 4,5	0
12	997,2	998,4	-1,5	-1,4	-1,1	-1,3	1,7	0,4	-2,7	7,5	20	-10,3	31	11 4,3	9 5,1	3 3,0	26 4,0	5 4,2	4 2,8	0 0,0	7 4,0	6 5,2	8 3,9	3 2,3	7 4,4	4
ÅR	1006,1	1007,3	-1,6	-1,2	-1,2	-1,4	-1,0	0,6	-3,3	9,8		-26,8		252 3,0	102 4,6	22 4,3	114 3,7	57 3,0	58 3,1	55 2,5	106 2,8	46 3,2	52 3,2	54 3,9	116 4,8	61

*) Månedsmidler for juli delvis interpolert.

ÅRSOVERSIKTER

ANNUAL SUMMARIES

MD.	MIDLERE RELATIV FUKTIGHET 07	13	19	UM.	MIDLERE SKYDEKKE 07	13	19	UM.	NEDBØR SUM	%	LUFTTEMPERATUR MAX	DT.	TN <0	TX <0	TN 4-10	TX>. =25.	NEDBØR R>= 0,1	R>= 1,0	R>= 10,0	VINDSTYRKE FX> =68	FX> =88	FX>. =98.	ANTALL DAGER MED: FOREKOMST AV R	S	SL	YR	SH	H	IH	TO	KV	OV	SD	TÅKE 07	13	19.
SVALBARD LUFTHAVN																																					1979
1	69	70	70	70	3,2	4,3	4,0	3,8	10		3,6	6	31	31	31	0	9	3	0	13	1	0	0	9	0	0	0	0	0	0	9	6	31	0	0	0
2	69	70	71	70	3,7	4,7	4,4	4,3	30		11,0	20	28	25	26	0	9	6	1	17	5	2	1	9	1	0	0	0	0	0	10	11	28	0	1	0
3	69	69	70	69	4,5	5,6	5,0	5,1	13		4,0	4	31	29	30	0	8	5	0	21	11	5	0	8	0	0	0	0	0	0	5	10	31	0	0	0
4	77	71	74	75	4,5	3,6	3,8	3,9	12		2,2	18	30	30	30	0	11	6	0	5	1	0	0	11	0	0	0	0	0	0	5	6	30	0	0	0
5	71	67	69	70	4,1	4,5	4,7	4,4	7		1,8	10	31	31	16	0	7	4	0	10	1	0	0	9	0	0	0	0	0	0	5	10	31	0	0	0
6	83	80	78	81	6,7	5,8	5,3	6,0	20		9,4	27	24	8	0	0	10	6	0	4	1	0	8	5	3	2	0	0	0	0	3	16	8	3	3	1
7	71	65	64	68	5,1	5,1	4,3	4,8	7		4,5	15	0	0	0	0	5	2	0	9	0	0	5	0	0	1	0	0	0	0	4	9	0	0	0	0
8	74	69	71	72	6,1	6,1	5,3	6,0	11		3,4	5	0	0	0	0	6	5	0	10	1	0	8	2	2	4	0	0	0	0	2	17	0	1	0	1
9	79	73	76	77	6,3	6,3	6,1	6,2	22		4,8	19	17	3	0	0	11	9	0	6	0	0	6	8	1	1	0	0	0	0	3	20	0	1	0	0
10	73	75	74	74	5,9	6,1	6,0	6,0	13		3,0	25	26	19	9	0	11	6	0	10	1	1	3	10	0	1	0	0	0	0	2	19	19	0	0	0
11	67	68	69	68	5,2	5,9	5,7	5,6	20		8,0	15	29	23	14	0	10	4	0	12	3	1	0	10	0	0	0	0	0	0	3	14	18	0	0	0
12	74	73	73	73	3,6	4,3	4,6	4,2	17		5,7	21	31	27	25	0	12	8	0	9	2	0	0	12	0	0	0	0	0	0	6	7	31	0	0	0
ÅR	73	71	72	72	4,9	5,2	5,0	5,0	182		11,0		278	226	181	0	113	61	1	129	27	9	31	93	7	9	0	0	0	0	57	145	227	5	4	2
SVEA GRUBER [1]																																					1979
1					5,0	4,6	4,1	4,6	21		6,0	18	31	31	31	0	11	7	0				0	11	0	0	0	0	0	0	9	13	31	0	0	0
2					4,0	4,3	3,8	4,0	48		11,0	19	28	24	25	0	11	8	1				2	11	2	0	0	0	0	0	9	11	28	0	0	0
3					5,5	5,2	4,6	5,1	37		5,0	27	31	31	30	0	15	15	0				0	15	0	0	0	0	0	0	7	14	31	0	0	0
4					3,6	3,1	3,7	3,8	12		3,5	19	30	30	28	0	9	4	0				0	8	0	0	0	0	0	0	9	3	30	0	0	1
5	65	64	64	65	4,6	4,8	4,3	4,6	56		20,5	29	31	31	19	0	9	6	2				0	8	0	0	0	0	0	0	8	11	31	0	0	0
6	74	72	72	73	6,2	6,0	5,9	6,0	21		13,1	1	18	9	0	0	6	3	1				4	3	1	5	0	0	0	0	4	20	30	1	1	1
7	70	63	62	66	5,0	5,0	4,5	4,8	10		7,0	3	0	0	0	0	5	3	0				5	0	0	2	0	0	0	0	4	10	0	0	0	0
8	72	67	68	70	6,4	5,6	5,3	5,8	11		10,0	10	0	0	0	0	5	1	1				5	2	2	8	0	0	0	0	4	19	0	0	1	1
9	73	71	71	72	6,5	6,8	6,6	6,6	27		6,0	27	16	2	0	0	18	7	0				17	12	11	8	0	0	0	0	2	21	5	0	0	0
10	65	65	65	66	5,5	5,7	5,3	5,5	28		13,0	25	29	19	10	0	13	6	1				2	13	2	1	0	0	0	0	7	17	30	0	0	0
11	63	66	67	66	6,0	6,7	6,2	6,3	26		8,5	23	30	26	15	0	13	6	0				0	13	0	0	0	0	0	0	0	16	30	0	0	0
12	68	67	67	67	4,0	4,2	3,8	4,0	22		6,7	22	31	27	26	0	12	6	0				0	12	0	0	0	0	0	0	10	10	31	0	0	0
ÅR					5,2	5,2	4,9	5,1	319		20,5		275	230	184	0	127	72	6				35	108	18	24	0	0	0	0	73	165	277	1	2	3
NY-ÅLESUND II																																					1979
1	78	81	82	80	3,1	4,1	4,1	3,7	23		10,5	6	31	31	30	0	8	5	1	1	0	0	0	8	0	0	0	0	0	0	8	5	31	0	0	0
2	79	75	77	77	4,1	4,7	4,3	4,4	25		6,5	21	28	26	26	0	9	7	0	2	0	0	3	9	3	0	0	0	0	0	10	11	28	0	1	0
3	78	78	79	78	4,6	4,8	5,1	4,9	7		4,2	30	31	29	26	0	4	2	0	0	0	0	0	4	0	0	0	0	0	0	5	13	31	0	0	0
4	86	79	81	83	3,9	3,1	3,4	3,5	28		9,5	6	30	30	28	0	8	5	0	1	0	0	0	8	0	0	0	0	0	0	9	7	30	0	0	0
5	85	75	78	82	4,2	4,5	4,4	4,3	18		7,3	28	31	28	18	0	7	4	0	0	0	0	1	7	1	0	0	0	0	0	10	10		0	0	0
6	93	87	90	91	6,1	5,5	5,7	5,8	37		9,3	27	23	5	0	0	6	6	0	1	0	0	4	4	0	5	0	0	0	0	3	18		4	2	1
7	89	87	87	88	5,1	4,9	4,8	4,9	14		5,6	15	0	0	0	0	6	5	0	1	0	0	6	0	0	3	0	0	0	0	5	11		0	0	0
8	87	84	84	86	5,8	5,3	5,2	5,4	9		2,0	6	5	0	0	0	8	4	0	1	0	0	8	0	0	5	0	0	0	0	2	13		3	1	1
9	90	86	86	88	5,8	5,7	5,9	5,8	12		2,2	11	13	3	0	0	10	5	0	0	0	0	7	5	1	5	0	0	0	0	4	14		0	1	0
10	82	83	83	83	6,0	6,1	5,9	6,0	129		29,4	30	26	19	11	0	18	15	5	4	0	0	10	13	4	3	0	0	0	0	5	19		0	0	0
11	76	76	77	77	4,9	5,4	5,2	5,2	18		9,3	15	29	24	15	0	10	4	0	7	2	1	0	10	0	0	0	0	0	0	6	13		0	0	0
12	81	79	79	80	3,8	4,1	4,1	3,9	27		5,5	28	31	28	24	0	12	9	0	5	1	0	0	12	0	0	0	0	0	0	8	7		0	0	0
ÅR	84	81	82	83	4,8	4,9	4,8	4,8	347		29,4		278	223	178	0	106	71	6	31	7	1	39	80	9	21	0	0	0	0	75	141		7	5	2
HOPEN																																					1979
1	71	71	72	72	3,7	4,1	4,1	4,0	20		6,2	26	31	31	28	0	12	6	0	10	3	1	0	12	0	0	0	1	0	0	7	7	31	0	0	0
2	72	72	73	72	4,5	5,4	4,9	4,9	30		12,7	22	27	23	22	0	13	6	1	17	5	1	2	13	2	0	0	0	0	0	4	10	28	1	0	0
3	73	74	74	74	6,1	5,2	5,3	5,5	58		12,9	13	31	31	27	0	14	11	2	19	2	0	0	14	0	0	0	0	0	0	4	16	31	7	8	5
4	69	68	69	69	4,9	4,4	4,7	4,7	64		12,9	26	30	28	27	0	22	13	2	10	1	0	0	22	0	0	0	0	0	0	4	10	30	5	3	3
5	72	71	72	72	6,0	5,7	5,9	5,9	24		5,7	3	31	29	16	0	10	8	0	12	1	1	0	16	0	0	0	0	0	0	2	16	31	1	1	4
6	76	73	76	76	7,0	6,7	6,5	6,7	7		2,6	3	26	10	0	0	10	3	0	2	0	0	4	8	1	1	0	0	0	0	1	23	24	1	3	3
7	77	77	79	78	5,6	5,6	5,2	5,5	15		9,0	3	9	0	0	0	14	3	0	6	0	0	13	2	1	8	0	0	0	0	5	15	0	5	3	6
8					7,2	7,2	7,2	7,2	30		9,4	17	11	0	0	0	17	6	0	2	0	0	15	4	1	17	0	0	0	0	0	24	0	7	9	8
9					7,7	7,4	7,6	7,6	73		10,3	23	15	2	0	0	26	14	1	6	0	0	23	15	5	19	0	1	0	0	0	28	0	10	7	7
10	88	87	88	88	6,7	6,8	6,8	6,8	38		10,0	21	31	13	0	0	16	7	1	7	1	1	6	14	3	4	0	1	0	0	0	19	23	3	1	2
11	88	89	88	88	5,7	6,1	6,1	6,0	33		7,7	23	30	29	7	0	21	7	0	10	0	0	1	20	0	1	0	0	0	0	4	19	30	1	1	1
12	87	88	88	87	4,3	4,5	4,8	4,5	26		9,8	5	31	30	17	0	12	5	0	11	3	3	2	12	2	2	1	0	0	0	5	10	31	0	0	0
ÅR					5,8	5,8	5,8	5,8	418		12,9		303	226	144	0	195	89	7	118	16	7	66	152	15	92	1	3	0	0	36	197	259	41	36	39
BJØRNØYA																																					1979
1	80	79	81	80	5,4	5,3	4,4	5,1	13		2,3	12	31	28	23	0	20	4	0	21	3	1	2	26	0	0	0	0	0	0	2	10		0	0	0
2	81	84	83	82	7,2	7,4	7,0	7,2	24		4,9	11	24	22	13	0	20	7	0	24	12	3	4	24	2	1	0	1	0	0	0	22		0	0	0
3	85	85	85	85	7,0	6,5	6,8	6,8	31		4,2	27	30	21	11	0	25	12	0	24	8	1	4	25	2	0	0	0	1	0	0	21		1	0	2
4	83	81	83	83	6,9	6,3	6,3	6,6	30		8,7	22	30	26	14	0	18	7	0	13	2	1	1	18	1	0	0	0	0	0	0	17		0	0	0
5	79	76	78	79	6,9	6,8	6,6	6,7	35		9,2	14	31	24	2	0	16	6	0	15	3	1	4	16	3	0	0	1	0	0	0	19		0	3	1
6	86	83	83	85	7,3	7,0	6,7	7,0	9		2,7	3	14	1	0	0	13	4	0	11	1	0	11	5	3	10	0	1	0	0	0	24		2	3	4
7	85	81	83	84	5,9	5,8	5,2	5,7	23		8,2	22	2	0	0	0	12	5	0	10	0	0	12	1	0	16	0	0	0	0	2	15		4	3	4
8	87	84	85	86	6,9	6,3	6,9	6,7	51		13,3	31	0	0	0	0	17	8	2	12	0	0	17	2	1	11	0	0	0	0	1	23		2	4	4
9	87	84	86	87	7,0	6,9	6,8	6,9	49		11,2	14	2	0	0	0	20	12	2	9	0	0	19	0	0	14	1	0	0	0	0	21		9	4	5
10	79	80	81	80	6,2	6,9	6,2	6,4	28		4,6	5	20	7	0	0	19	8	0	20	1	0	10	18	7	3	1	0	0	0	0	16		1	0	0
11	80	79	78	79	6,7	6,4	6,3	6,4	22		4,5	22	27	18	0	0	19	6	0	21	2	0	7	18	4	6	0	0	0	0	1	22		1	1	2
12	79	78	78	78	5,9	5,7	5,8	5,8	30		5,2	1	31	29	9	0	19	8	0	22	6	1	5	18	3	2	0	0	0	0	1	14		1	0	0
ÅR	83	81	82	82	6,6	6,4	6,3	6,4	345		13,3		242	173	72	0	230	87	4	206	38	8	96	171	26	63	2	3	0	1	7	224		21	18	22
JAN MAYEN																																					1979
1	82	80	77	80	5,3	5,9	5,5	5,6	61		13,7	31	31	27	22	0	20	14	1	24	13	4	1	19	0	1	0	0	0	0	3	13		0	0	0
2	83	86	84	84	6,3	6,7	6,8	6,6	64		15,2	21	28	19	12	0	20	18	1	22	7	2	5	20	2	7	0	1	0	0	0	19		2	2	2
3	82	81	80	81	6,6	6,6	6,7	6,6	88		11,6	2	31	26	7	0	20	16	1	21	9	4	1	26	1	0	0	0	0	0	0	22		0	0	0
4	80	79	79	79	7,0	7,0	6,9	7,0	18		3,7	28	29	24	0	0	15	8	0	20	3	2	4	13	1	0	0	0	0	0	0	23		0	0	0
5	74	74	76	75	6,6	6,1	6,3	6,4	43		12,4	4	28	21	0	0	22	8	1	16	6	2	5	19	2	3	0	0	0	0	1	17		2	0	0
6	87	86	88	86	7,7	7,4	7,1	7,4	42		8,1	24	14	0	0	0	17	12	0	9	3	0	15	6	2	13	0	0	0	1	0	25		4	4	3
7	87	86	87	87	7,5	7,4	6,9	7,3	81		20,0	13	1	0	0	0	19	15	3	9	3	0	19	0	0	23	0	0	0	0	0	26		4	4	1
8	87	86	86	86	7,1	7,0	7,1	7,1	52		21,3	16	0	0	0	0	14	8	2	11	0	0	14	0	0	18	0	0	0	0	0	26		2	2	2
9	84	82	84	84	7,0	7,1	7,1	7,1	200		68,5	11	12	0	0	0	25	19	5	15	2	0	24	14	12	16	1	0	0	0	0	22		0	0	0
10	84	82	82	83	7,1	6,7	6,9	6,9	31		7,2	2	15	4	0	0	21	13	0	12	0	0	15	12	2	17	0	1	0	0	0	20		3	8	4
11	77	74	76	75	7,4	6,8	6,8	7,0	87		19,8	6	26	20	0	0	26	13	4	18	4	1	10	22	4	7	0	1	0	0	0	19		1	1	1
12	75	76	77	76	5,9	6,1	6,6	6,2	39		8,0	21	20	11	1	0	21	8	0	18	3	0	9	16	4	8	0	1	0	0	0	15		0	0	0
ÅR	82	81	81	81	6,8	6,7	6,7	6,8	836		68,5		235	152	42	0	249	152	18	195	53	15	122	167	30	113	1	4	0	1	4	247		18	21	13

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	RØROS	TYNSET - STJEI	SÆTER I KVIKNE	OPPDAL - BJØRKE	SØR-NESSET	DREVSJØ	EVENSTAD - ØVERENGET	FOKSTUA II	KJØREMSGRENDI	LESJASKOG	GJEILO I SKJÅK	ØVRE TESSA	BRÅTÅ	SOGNEFJELL	VINSTRA - SOLSTAD	SKÅBU - STORSLÆEN	LØKEN I VOLBU
1/1 - 5/1	-28,0	-32,7	-20,0	-12,9	-24,1	-26,4	-24,4	-18,7	-22,4	-24,4	-27,6	-23,0	-21,0	-18,6	-26,2	-17,7	-24,6
6/1 - 10/1	-17,1	-16,5	-8,7	-4,0	-10,0	-13,3	-13,0	-9,2	-9,7	-7,8	-11,7	-12,1	-8,6	-9,6	-18,3	-10,5	-14,3
11/1 - 15/1	-13,3	-16,4	-12,2	-8,4	-15,5	-13,5	-12,7	-12,3	-12,9	-14,1	-17,4	-14,2	-13,4	-14,7	-14,8	-11,5	-13,0
16/1 - 20/1	-12,0	-17,2	-9,9	-5,6	-13,0	-13,6	-11,0	-10,3	-11,5	-14,8	-17,2	-13,6	-13,1	-10,9	-13,9	-10,3	-10,7
21/1 - 25/1	-10,0	-10,6	-8,6	-7,1	-11,3	-10,6	-10,1	-12,0	-12,8	-14,0	-16,7	-14,1	-13,9	-15,9	-13,3	-11,4	-13,2
26/1 - 30/1	-20,0	-29,4	-19,9	-12,2	-21,2	-27,6	-25,0	-16,1	-21,6	-23,3	-28,2	-22,9	-21,2	-16,6	-25,4	-17,9	-22,1
31/1 - 4/2	-22,3	-24,8	-16,4	-9,2	-20,3	-20,1	-19,0	-14,4	-17,9	-18,9	-25,0	-18,0	-16,2	-15,4	-22,8	-13,8	-17,0
5/2 - 9/2	-3,1	-14,5	-5,9	-5,1	-7,3	-11,1	-13,4	-8,1	-7,0	-6,6	-5,6	-7,0	-5,2	-12,1	-13,4	-7,7	-8,2
10/2 - 14/2	-14,0	-14,5	-10,7	-9,1	-11,6	-13,8	-14,1	-12,4	-10,8	-13,3	-13,0	-11,8	-10,6	-15,7	-13,0	-11,5	-13,8
15/2 - 19/2	-12,3	-19,6	-10,3	-5,0	-12,0	-15,5	-16,3	-10,6	-12,2	-11,7	-17,9	-13,7	-12,6	-13,2	-14,7	-10,8	-11,7
20/2 - 24/2	-10,0	-11,0	-6,9	-4,7	-9,9	-9,1	-10,2	-8,3	-8,7	-9,3	-12,1	-9,9	-8,9	-9,4	-8,3	-8,3	-8,6
25/2 - 1/3	-1,7	-0,7	-0,5	-0,3	-1,5	-3,1	-2,7	-3,9	-0,9	-1,1	0,9	-2,1	-1,4	-7,8	-2,0	-3,3	-0,7
2/3 - 6/3	-0,0	-0,3	0,2	0,4	-0,9	-0,8	2,0	-2,5	0,2	0,3	2,3	-1,2	-1,0	-6,1	1,0	-1,8	0,0
7/3 - 11/3	-2,3	-2,2	-2,7	-1,9	-3,8	-3,6	-0,5	-5,5	-3,5	-3,6	-1,3	-4,5	-3,6	-9,4	-1,6	-5,3	-3,6
12/3 - 16/3	-12,2	-12,8	-10,8	-6,9	-10,9	-10,6	-7,3	-9,8	-8,9	-10,1	-7,7	-10,7	-9,2	-13,8	-7,0	-10,0	-7,4
17/3 - 21/3	-11,1	-12,7	-3,4	-6,6	-11,3	-12,5	-9,5	-10,7	-9,2	-8,7	-6,1	-10,3	-8,0	-14,1	-10,1	-10,5	-10,6
22/3 - 26/3	-3,1	-2,2	-3,1	-0,9	-4,0	-4,4	-1,6	-5,1	-2,6	-2,3	0,0	-3,8	-3,1	-8,5	-1,3	-4,5	-3,3
27/3 - 31/3	0,1	1,1	1,1	1,7	-0,5	-0,6	1,4	-1,8	0,7	1,5	3,0	-0,6	0,4	-5,1	2,4	-1,2	0,8
1/4 - 5/4	-0,1	0,1	0,3	1,0	-1,3	-1,3	1,5	-2,3	0,2	0,2	2,4	-1,3	-0,8	-5,8	1,8	-2,1	0,6
6/4 - 10/4	-2,1	-1,4	-1,7	-0,9	-2,1	-3,0	0,8	-3,1	-0,6	-1,5	1,1	-2,4	-1,8	-7,8	1,8	-2,4	-0,6
11/4 - 15/4	-0,3	0,6	0,1	1,5	0,4	0,1	2,7	-1,7	1,1	0,9	3,4	0,4	0,5	-3,6	3,5	0,2	1,8
16/4 - 20/4	-1,0	0,3	-0,1	0,3	-1,1	-2,2	1,1	-2,5	-0,1	-0,7	2,1	-1,1	-0,8	-6,3	2,9	-1,3	0,9
21/4 - 25/4	1,0	2,8	2,1	3,1	0,8	0,6	2,0	-0,3	1,9	2,6	4,6	1,2	1,7	-4,3	3,8	0,0	1,7
26/4 - 30/4	0,3	1,6	0,8	0,8	0,6	0,5	3,5	-1,2	1,7	0,5	4,3	1,3	0,7	-5,1	4,8	0,5	2,4
1/5 - 5/5	-0,3	1,0	0,4	0,3	-1,2	-1,5	2,1	-3,1	0,1	-0,5	2,3	-1,0	-1,3	-8,6	3,5	-2,0	0,7
6/5 - 10/5	0,0	1,4	0,6	0,0	-1,1	-0,3	3,4	-2,5	0,3	-0,2	2,1	-0,9	-1,2	-8,6	3,8	-1,3	0,9
11/5 - 15/5	4,0	6,3	5,4	6,0	4,6	5,1	8,1	2,6	5,7	5,1	8,1	4,6	4,2	-2,4	8,7	3,9	6,7
16/5 - 20/5	5,3	7,1	5,5	5,9	4,7	5,3	7,0	2,8	5,8	5,5	7,7	4,3	3,9	-2,5	8,4	3,0	5,2
21/5 - 25/5	8,1	9,0	8,0	8,8	5,7	7,1	8,4	4,6	6,9	7,3	9,1	5,4	6,4	0,2	8,5	4,6	6,3
26/5 - 30/5	8,3	9,1	8,9	8,9	6,8	7,8	10,2	5,5	8,1	8,5	9,6	6,9	7,2	0,1	10,0	5,6	7,7
31/5 - 4/6	13,0	14,0	14,4	13,7	12,5	14,2	15,8	11,7	13,2	12,6	13,7	12,8	11,8	5,8	16,9	12,9	13,3
5/6 - 9/6	12,0	13,4	12,9	12,9	12,6	14,3	16,3	12,2	13,8	12,4	14,6	13,5	12,7	7,0	17,1	14,1	15,4
10/6 - 14/6	9,2	10,4	10,0	10,1	10,8	11,0	13,5	9,7	10,8	10,1	13,6	12,0	11,6	5,3	14,9	11,5	12,5
15/6 - 19/6	8,6	9,7	9,1	8,8	9,8	9,4	12,6	7,8	10,0	9,7	11,5	9,4	9,4	2,2	13,0	9,0	10,8
20/6 - 24/6	15,3	15,7	16,1	15,3	13,9	15,0	16,5	13,3	15,2	15,2	16,6	14,6	14,7	7,7	17,2	13,5	15,2
25/6 - 29/6	9,6	9,5	9,1	9,4	7,9	8,8	11,4	6,6	8,8	9,0	11,3	8,3	8,3	1,3	11,6	7,1	9,2
30/6 - 4/7	6,2	7,4	5,4	5,8	6,8	6,5	9,3	4,2	6,8	6,1	9,2	6,9	6,6	0,3	10,9	6,6	9,1
5/7 - 9/7	11,3	11,5	11,4	11,3	11,1	11,6	13,7	10,2	12,3	10,6	13,9	11,7	11,5	5,5	15,4	11,6	13,4
10/7 - 14/7	10,3	11,8	11,3	11,2	11,4	11,3	14,7	9,9	12,0	11,2	14,7	12,5	12,0	6,7	15,5	11,9	14,2
15/7 - 19/7	9,0	10,8	9,8	9,2	8,9	9,4	12,1	7,7	9,2	8,6	11,7	9,8	9,4	5,0	12,7	9,3	11,6
20/7 - 24/7	8,3	10,4	8,9	8,7	9,8	9,2	12,4	7,7	10,0	9,1	12,7	10,0	9,6	4,0	13,4	9,4	11,5
25/7 - 29/7	11,1	12,4	11,9	11,4	10,4	11,3	13,6	9,4	11,9	12,1	14,8	11,9	11,9	7,2	14,4	10,5	12,4
30/7 - 3/8	10,7	12,0	11,1	12,0	10,3	10,4	13,2	9,4	11,5	11,5	13,6	10,7	10,8	6,3	13,8	9,6	11,8
4/8 - 8/8	9,3	8,9	9,8	10,5	8,3	9,1	10,7	7,9	9,7	9,9	12,6	9,3	9,9	5,4	11,5	7,8	9,8
9/8 - 13/8	9,3	10,3	10,0	10,2	9,1	9,9	11,7	8,3	10,3	10,1	12,8	9,7	10,2	5,0	12,1	8,5	11,0
14/8 - 18/8	12,3	11,1	12,1	12,7	10,2	11,8	12,6	9,2	10,8	11,8	13,2	10,2	10,7	5,6	12,6	9,0	10,7
19/8 - 23/8	11,0	11,7	10,7	11,5	10,1	10,8	12,5	9,0	11,0	9,9	11,6	9,9	9,5	4,6	12,7	9,0	10,6
24/8 - 28/8	7,2	7,9	7,5	7,1	7,2	7,5	9,4	5,7	7,8	7,7	9,5	7,3	7,5	2,7	10,1	6,9	8,5
29/8 - 2/9	7,2	7,2	7,7	8,1	7,2	7,4	9,2	6,1	7,9	7,5	9,9	7,3	7,4	3,0	9,3	6,8	9,1
3/9 - 7/9	10,3	10,1	10,8	11,1	9,3	9,4	11,3	8,9	10,4	10,3	11,4	9,5	10,0	5,4	11,7	9,2	11,2
8/9 - 12/9	7,0	8,3	7,6	7,9	8,0	8,5	10,5	5,4	8,1	7,7	10,1	7,1	7,4	1,1	10,9	6,9	9,1
13/9 - 17/9	4,1	4,1	4,1	4,1	4,0	4,5	6,3	2,0	4,0	3,6	6,0	3,2	3,7	-1,8	6,2	2,9	5,5
18/9 - 22/9	5,1	5,8	5,5	5,9	5,5	5,5	7,6	2,8	5,2	4,4	7,6	4,2	4,4	-1,2	7,1	3,8	6,0
23/9 - 27/9	4,2	3,9	3,9	5,4	3,7	3,1	6,0	1,9	4,0	3,9	5,3	2,4	3,3	-1,6	5,9	2,8	4,1
28/9 - 2/10	0,1	-0,8	-0,2	1,1	0,7	0,4	1,6	-1,1	1,2	-0,1	1,7	-0,6	0,2	-5,3	2,4	0,0	1,8
3/10 - 7/10	0,1	-0,5	1,1	3,2	0,8	0,1	1,7	0,0	1,5	0,7	-0,8	-1,1	-0,9	-3,1	0,9	-0,6	0,5
8/10 - 12/10	7,2	6,1	7,4	9,0	7,0	6,6	7,6	6,1	7,0	6,7	6,8	5,8	6,6	3,3	5,6	6,1	6,9
13/10 - 17/10	2,3	3,8	4,4	5,0	3,2	2,9	5,7	2,2	4,6	3,2	5,6	3,1	4,1	-0,3	5,7	2,9	5,2
18/10 - 22/10	1,1	0,9	0,6	1,6	0,8	0,8	2,0	-1,2	0,6	0,3	2,8	-0,1	0,5	-4,6	2,2	-0,6	1,6
23/10 - 27/10	-6,2	-8,2	-1,8	5,3	-3,4	-4,8	-5,1	0,0	-3,9	-3,8	-6,5	-5,6	-4,7	-0,1	-4,3	-1,9	-3,3
28/10 - 1/11	-3,0	-4,3	-3,6	-0,2	-4,9	-4,8	-2,8	-5,3	-3,3	-2,1	-1,2	-4,8	-4,2	-7,6	-2,5	-6,2	-3,8
2/11 - 6/11	-2,3	-0,9	-1,4	0,9	-2,8	-2,1	-0,5	-2,7	-0,9	-0,6	0,7	-3,3	-1,3	-6,1	-0,6	-3,2	-2,4
7/11 - 11/11	-7,3	-10,9	-5,8	-3,3	-8,4	-8,7	-10,4	-6,7	-8,0	-7,7	-6,1	-8,6	-5,0	-8,7	-9,8	-7,4	-9,6
12/11 - 16/11	-14,7	-15,9	-11,5	-5,7	-14,9	-12,5	-11,9	-10,7	-12,1	-13,7	-12,6	-13,6	-11,7	-12,7	-11,6	-10,2	-11,0
17/11 - 21/11	-4,0	-6,3	-2,9	0,7	-6,3	-6,1	-4,2	-3,9	-5,0	-4,7	-5,9	-6,3	-5,0	-6,9	-4,8	-5,3	-5,7
22/11 - 26/11	-7,0	-8,4	-3,8	-0,5	-6,6	-8,1	-6,4	-2,9	-5,4	-4,4	-3,8	-5,3	-4,6	-5,0	-8,3	-4,5	-6,5
27/11 - 1/12	-3,2	-6,5	-3,0	0,1	-2,9	-4,4	-5,1	-3,5	-2,6	-3,1	-1,3	-3,9	-2,5	-5,0	-5,1	-4,4	-3,6
2/12 - 6/12	-3,2	-4,4	-0,6	0,8	-0,3	-1,8	-1,6	-2,2	-0,8	-0,1	1,8	-1,6	0,3	-5,2	-4,5	-1,5	-0,3
7/12 - 11/12	-19,0	-25,1	-12,4	-7,6	-17,5	-18,8	-20,3	-12,8	-15,6	-17,0	-17,7	-16,5	-15,6	-16,5	-17,4	-13,1	-17,0
12/12 - 16/12	-19,3	-22,6	-13,6	-9,2	-16,8	-22,8	-20,6	-14,0	-15,7	-15,4	-16,9	-17,1	-17,3	-16,4	-19,4	-15,5	-19,4
17/12 - 21/12	-11,0	-15,4	-8,0	-5,9	-11,1	-16,4	-18,3	-9,1	-10,5	-10,4	-11,3	-10,4	-8,1	-11,2	-14,7	-9,7	-14,6
22/12 - 26/12	-11,0	-11,3	-7,3	-4,7	-9,3	-9,6	-7,1	-9,1	-10,8	-11,2	-13,7	-12,7	-13,0	-10,7	-10,1	-10,1	-11,6
27/12 - 31/12	-7,0	-7,5	-8,8	-5,7	-8,9	-6,0	-3,7	-8,4	-9,2	-15,0	-11,9	-10,2	-9,4	-11,4	-8,1	-7,7	-7,1

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	BEITOSTØLEN	BJØRGSBRATE I	LILLEHAMMER III	HAUGEDALSHØGDA	TRYSIL - INNBYGDA	KISE PR HEDMARK	STAUR FORSØKSGÅRD	ØSTRE TOTEN	GARDERMOEN	FLISA	VINGER	HVAL	EGNEFJELL	TRYVASSHØGDA II	OSLO - BLINDERN	FORNEBU	DØNSKI
1/1 - 5/1		-22,2	-20,4	-27,3	-20,0	-17,2	-20,4	-18,2	-17,5	-25,5	-21,9	-22,1	-15,4	-13,0	-13,8	-15,0	-13,6
6/1 - 10/1		-10,6	-11,4	-12,5	-11,3	-9,7	-8,0	-7,9	-8,6	-8,1	-5,8	-6,0	-4,9	-4,9	-4,2	-5,2	-6,2
11/1 - 15/1		-12,5	-10,6	-12,7	-9,6	-8,8	-9,3	-9,7	-8,3	-9,1	-8,0	-8,0	-7,0	-7,4	-5,6	-5,9	-5,9
16/1 - 20/1		-9,7	-9,6	-11,4	-10,5	-6,8	-7,5	-7,8	-7,3	-9,3	-8,0	-7,3	-6,3	-6,7	-4,3	-4,5	-4,6
21/1 - 25/1		-12,1	-10,6	-10,8	-9,9	-9,2	-9,7	-10,1	-9,6	-10,2	-10,0	-9,2	-9,1	-10,5	-7,3	-7,2	-8,0
26/1 - 30/1		-20,7	-21,8	-25,1	-23,9	-21,6	-21,5	-21,1	-18,3	-19,5	-17,8	-16,9	-16,1	-13,2	-11,7	-13,2	-14,3
31/1 - 4/2		-14,4	-16,6	-19,1	-16,4	-17,2	-17,8	-15,5	-14,4	-14,8	-13,9	-13,5	-11,9	-9,4	-9,4	-9,6	-10,3
5/2 - 9/2	-7,3	-7,1	-10,0	-15,5	-13,4	-13,0	-12,8	-10,5	-11,9	-12,9	-12,6	-11,7	-8,9	-5,5	-7,1	-8,3	-9,4
10/2 - 14/2	-13,7	-13,1	-11,4	-16,2	-12,1	-15,1	-14,7	-10,5	-12,6	-13,7	-13,6	-14,0	-9,6	-8,5	-8,9	-9,6	-10,3
15/2 - 19/2	-12,3	-11,5	-12,0	-17,2	-15,9	-16,9	-15,4	-13,5	-13,9	-15,9	-15,2	-15,1	-11,0	-8,7	-8,8	-10,8	-11,0
20/2 - 24/2	-9,8	-7,9	-7,1	-9,7	-7,1	-6,5	-6,1	-5,6	-6,0	-6,3	-6,0	-5,9	-4,7	-5,9	-3,8	-4,1	-3,9
25/2 - 1/3	-2,2	-1,4	-2,2	-3,3	-4,5	-3,7	-2,8	-0,8	-4,0	-3,1	-2,8	-2,4	-1,1	-2,0	-1,2	-1,8	-2,6
2/3 - 6/3	-1,4	-0,5	1,6	1,3	0,2	2,6	1,8	1,9	0,7	1,8	2,1	1,7	1,3	-0,6	2,3	3,1	1,1
7/3 - 11/3	-5,3	-4,1	-0,9	-0,4	-0,8	0,2	0,5	-0,6	-0,6	0,1	0,1	0,2	0,0	-2,6	0,6	1,0	0,3
12/3 - 16/3	-11,3	-8,8	-6,3	-6,0	-6,4	-5,5	-5,5	-5,9	-5,3	-4,6	-4,6	-4,6	-4,4	-6,4	-2,7	-2,3	-3,0
17/3 - 21/3	-12,1	-10,3	-9,3	-10,3	-10,1	-9,5	-9,8	-9,0	-9,2	-8,5	-8,4	-7,7	-7,8	-9,3	-6,7	-6,5	-7,3
22/3 - 26/3	-5,3	-4,0	-1,6	-2,2	-3,0	-1,5	0,1	-0,9	-1,1	-0,6	0,0	0,5	0,1	-2,4	0,9	0,7	0,4
27/3 - 31/3	-0,3	-0,5	1,5	1,3	1,0	1,6	1,8	1,3	1,2	2,3	2,5	2,4	1,8	-0,4	2,9	2,8	2,7
1/4 - 5/4	-1,0	-1,0	1,8	1,6	1,2	2,1	1,8	1,4	1,2	2,0	1,9	1,9	1,4	-0,6	2,8	3,3	3,0
6/4 - 10/4	-3,0	-1,7	1,0	0,8	-0,2	1,4	1,4	0,8	1,3	1,4	1,8	2,4	2,2	-0,5	3,1	3,6	2,7
11/4 - 15/4	-0,3	1,2	2,5	2,7	1,6	2,5	3,9	2,9	2,8	3,8	3,5	4,5	4,6	3,1	5,1	5,5	4,6
16/4 - 20/4	-1,2	0,0	1,2	0,3	-0,1	1,5	1,8	1,3	1,1	1,9	1,7	2,4	2,3	0,5	2,8	3,8	2,7
21/4 - 25/4	0,1	0,6	2,0	2,6	2,1	2,9	3,5	2,3	2,1	3,5	3,6	3,6	2,8	0,4	3,5	4,3	3,7
26/4 - 30/4	0,1	1,3	3,9	3,3	2,6	4,1	4,0	3,7	3,3	3,6	3,7	4,1	3,5	1,4	4,8	5,7	5,0
1/5 - 5/5	-2,2	-0,8	2,9	2,4	1,5	3,5	3,9	3,1	2,5	2,7	3,4	3,5	3,1	0,7	4,0	5,1	3,8
6/5 - 10/5	-2,1	-0,1	3,2	3,1	3,4	4,1	4,0	3,9	3,7	3,7	3,5	4,4	4,0	1,9	5,3	6,1	4,9
11/5 - 15/5	3,3	5,8	8,5	8,2	7,9	8,8	8,8	9,4	8,1	9,2	9,0	8,6	8,4	5,9	8,7	9,9	8,5
16/5 - 20/5	2,3	4,5	6,5	7,0	7,4	7,4	7,9	7,9	7,3	8,9	9,4	8,7	8,1	5,5	8,8	9,6	8,6
21/5 - 25/5	4,0	5,4	8,1	8,5	9,0	8,3	9,6	9,0	9,0	10,2	10,1	10,3	9,9	7,2	10,7	11,3	10,4
26/5 - 30/5	5,3	7,4	9,6	10,1	9,6	10,0	11,1	10,8	10,0	10,6	10,5	10,9	10,0	7,7	10,8	11,8	10,6
31/5 - 4/6	11,3	12,5	15,9	15,7	15,9	15,0	15,8	17,0	17,3	18,1	18,3	19,5	18,7	16,5	18,7	19,4	18,3
5/6 - 9/6	13,7	14,5	17,0	15,7	16,3	16,3	16,5	17,3	16,6	17,6	17,4	17,8	17,5	16,2	17,4	18,4	17,3
10/6 - 14/6	11,2	11,6	13,8	13,3	13,7	13,4	13,0	13,8	12,8	13,6	13,0	12,9	13,0	10,6	13,3	14,1	13,1
15/6 - 19/6	8,7	9,7	12,5	12,3	11,9	13,6	13,8	13,5	14,3	13,6	13,7	14,8	15,0	12,1	15,0	15,9	15,0
20/6 - 24/6	13,3	14,0	16,4	16,6	16,6	16,6	17,2	16,9	16,9	18,3	17,9	17,7	17,8	14,4	17,1	17,7	16,5
25/6 - 29/6	7,0	8,0	11,1	11,4	10,9	12,5	12,0	11,7	11,1	11,9	12,6	11,7	11,6	9,4	12,8	13,7	13,1
30/6 - 4/7	6,7	8,2	9,8	9,5	9,5	11,2	10,5	10,7	11,3	11,2	11,5	11,9	12,3	10,5	13,0	14,1	13,0
5/7 - 9/7	11,0	11,8	14,3	13,4	14,2	15,1	14,6	14,7	15,1	15,2	14,8	15,7	16,0	14,4	16,8	17,8	16,5
10/7 - 14/7	12,3	12,9	15,2	14,7	14,1	15,7	15,1	15,7	15,0	15,7	15,2	16,6	16,1	14,4	16,8	17,6	16,2
15/7 - 19/7	9,3	10,4	12,6	12,2	11,6	13,3	13,0	12,4	12,5	12,8	12,8	13,0	12,8	10,8	14,2	15,0	14,3
20/7 - 24/7	[illegible]	10,7	12,8	12,9	12,3	13,9	12,9	13,7	13,6	13,4	14,0	14,7	14,1	12,1	15,2	16,0	15,1
25/7 - 29/7	10,1	11,5	13,2	13,1	12,5	14,4	14,5	14,0	13,0	13,9	14,1	14,2	14,5	12,7	15,3	16,2	15,2
30/7 - 3/8	10,2	10,7	12,9	13,4	12,6	14,4	14,1	13,1	12,5	13,8	13,7	14,0	13,4	11,2	14,3	15,2	14,3
4/8 - 8/8	[illegible]	8,8	10,9	9,8	9,8	12,2	12,1	11,4	11,8	11,8	12,5	12,8	12,9	10,9	13,8	14,6	13,8
9/8 - 13/8	9,3	10,0	11,8	11,9	11,9	13,0	12,8	12,1	11,7	12,5	12,5	12,7	12,1	10,0	13,3	14,0	13,6
14/8 - 18/8	9,1	9,8	12,6	12,5	13,2	13,8	13,7	13,3	13,8	14,9	14,8	15,4	14,8	12,3	15,5	15,4	14,6
19/8 - 23/8	9,3	10,2	12,3	12,2	12,4	13,2	13,6	12,7	12,3	13,6	13,4	13,6	13,5	11,7	14,3	14,9	13,6
24/8 - 28/8	6,1	7,7	9,7	9,2	9,5	11,0	10,7	10,5	10,5	10,5	10,4	10,7	11,0	10,0	12,6	13,2	11,9
29/8 - 2/9	7,1	8,3	9,6	8,9	9,5	11,1	11,3	10,8	11,3	10,5	11,3	11,9	12,4	10,9	12,6	13,7	12,3
3/9 - 7/9	[illegible]	10,3	11,3	11,1	11,1	11,8	12,0	11,6	11,8	11,9	12,5	12,9	12,7	10,7	13,3	14,0	12,9
8/9 - 12/9	6,3	8,5	10,7	9,7	10,4	12,2	12,2	11,5	11,0	11,3	11,8	12,3	12,0	9,5	12,2	13,5	12,4
13/9 - 17/9	3,1	5,3	6,6	6,0	6,2	8,9	8,7	8,3	7,9	7,9	8,4	8,8	8,6	6,7	9,4	10,8	9,3
18/9 - 22/9	4,3	6,0	7,7	7,1	7,3	9,6	9,8	9,1	8,9	8,9	9,7	9,9	9,4	7,8	9,9	10,7	9,2
23/9 - 27/9	1,6	4,2	6,0	5,6	5,8	7,7	7,7	7,1	7,0	7,2	7,7	8,0	8,3	6,4	9,0	9,6	8,1
28/9 - 2/10	-0,3	1,4	3,1	0,5	2,0	4,3	5,1	4,2	3,5	2,9	3,9	4,0	5,0	3,9	5,3	6,0	4,1
3/10 - 7/10	-1,7	0,3	1,8	-0,2	0,8	3,2	4,0	3,0	2,0	1,2	2,1	2,5	3,6	2,4	3,9	3,9	2,8
8/10 - 12/10	[illegible]	7,6	7,3	7,7	7,5	8,2	8,5	8,3	8,6	8,9	9,5	9,6	9,1	7,8	9,8	10,0	9,2
13/10 - 17/10	3,1	4,4	5,9	5,7	4,8	7,3	6,8	6,3	6,1	6,1	6,1	6,7	6,3	4,9	7,9	8,6	8,2
18/10 - 22/10	-0,6	1,3	2,8	1,6	1,7	4,4	4,6	3,8	3,4	3,6	3,9	3,8	4,4	2,8	4,9	5,7	4,3
23/10 - 27/10	[illegible]	-3,5	-2,4	-4,5	-4,1	-1,1	-1,4	-1,7	-2,0	-2,7	-2,2	-1,5	-0,9	1,2	0,3	0,2	-0,4
28/10 - 1/11	[illegible]	-4,6	-2,5	-2,8	-3,1	-0,6	-1,4	-1,9	-2,3	-1,4	-1,1	-1,0	-1,8	-3,5	0,0	0,7	0,3
2/11 - 6/11	[illegible]	-2,2	0,3	-0,8	-0,4	2,3	1,6	1,0	0,5	0,7	1,0	1,5	1,4	-0,7	2,3	2,6	1,8
7/11 - 11/11	-8,3	-8,1	-7,4	-8,0	-8,1	-4,7	-5,0	-5,5	-6,4	-6,0	-4,8	-4,3	-4,5	-3,2	-3,5	-3,8	-4,2
12/11 - 16/11	[illegible]	-10,7	-9,1	-9,3	-6,8	-5,1	-3,7	-5,7	-4,2	-3,9	-3,3	-3,3	-3,2	-5,0	-2,1	-2,0	-3,4
17/11 - 21/11	-6,3	-5,1	-3,1	-3,7	-2,8	-1,1	-1,9	-2,1	-1,8	-2,4	-1,9	-2,3	-1,1	-1,5	0,5	-0,1	-0,3
22/11 - 26/11	-4,2	-4,4	-5,2	-5,0	-5,2	-2,1	-1,9	-3,0	-0,9	-1,8	1,0	0,7	1,5	0,1	1,4	0,3	-0,5
27/11 - 1/12	[illegible]	-3,0	-4,2	-6,7	-5,0	-2,6	-1,7	-2,6	-2,6	-2,8	-1,5	-1,2	-0,7	-0,5	0,4	0,1	-0,3
2/12 - 6/12	[illegible]	0,4	-1,1	-1,9	-1,9	1,3	2,7	2,5	1,6	2,0	3,1	2,9	3,2	1,6	3,4	3,2	1,1
7/12 - 11/12	-16,3	-15,8	-13,9	-18,3	-17,5	-12,1	-13,5	-11,9	-10,1	-15,9	-13,1	-9,3	-8,7	-7,1	-5,5	-5,5	-6,7
12/12 - 16/12	-18,0	-17,4	-15,7	-18,7	-18,9	-12,9	-15,0	-13,1	-12,4	-16,9	-15,6	-12,3	-12,1	-10,9	-9,6	-9,2	-10,0
17/12 - 21/12	-11,1	-11,0	-12,6	-20,0	-20,4	-11,2	-12,4	-11,3	-14,8	-17,6	-15,6	-13,1	-10,3	-8,1	-8,7	-9,8	-11,2
22/12 - 26/12	-10,1	-10,4	-7,8	-6,0	-5,2	-5,4	-4,3	-5,8	-4,9	-3,1	-1,9	-2,5	-2,9	-4,2	-1,8	-2,5	-3,1
27/12 - 31/12	-3,3	-5,9	-4,8	-2,3	-2,6	-2,1	-4,6	-3,1	-2,4	-1,3	-1,0	-1,3	-1,6	-3,1	-0,2	0,3	-0,4

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	ASKER BRANNSTASJON	NESBYEN - SKOGLUND	GOL - STAKE	GEILO - GEILOSTOLEN	FINSE	DAGALI - FAGERLUND	LYNGDAL I NUMEDAL	KONGSBERG / KONGSBERG IV	SLAGENTANGEN II	MELSOM	TORP	MÅKERØY	JELØY	ÅS	HØLAND - KOLLERUD	EIDSBERG - JOHNSRUD	RYGGE
1/1 - 5/1	-13,3	-24,6	-21,2	-20,4	-21,7	-22,7	-22,0	-18,7	-10,3	-14,0	-13,3	-11,9	- 9,5	-15,2	-20,8	-15,8	-14,8
6/1 - 10/1	- 5,0	-16,6	-10,5	- 8,7	- 7,3	- 7,4	- 7,3	- 6,9	- 0,9	- 2,2	- 2,2	- 0,9	- 0,9	- 3,6	- 2,9	- 1,8	- 1,1
11/1 - 15/1	- 6,1	-13,7	-10,9	-12,6	-15,0	-13,5	-11,1	- 9,0	- 4,2	- 5,7	- 6,0	- 4,9	- 3,9	- 5,9	- 6,7	- 5,8	- 5,2
16/1 - 20/1	- 4,0	- 9,7	- 3,8	- 9,3	-10,0	- 9,1	- 6,9	- 5,7	- 3,4	- 4,2	- 4,7	- 4,0	- 3,6	- 4,8	- 6,6	- 5,5	- 4,8
21/1 - 25/1	- 8,0	-12,0	-12,1	-12,9	-15,5	-13,2	-10,3	- 9,7	- 6,6	- 8,4	- 8,7	- 7,4	- 6,9	- 8,5	-10,0	- 8,7	- 8,5
26/1 - 30/1	-14,2	-22,4	-19,4	-18,0	-17,8	-19,3	-19,4	-17,8	-11,8	-13,7	-12,9	-11,6	-10,7	-12,6	-15,3	-12,9	-12,1
31/1 - 4/2	[illegible]	-17,7	-13,4	-12,2	-13,2	-12,5	-13,9	-12,4	- 7,9	- 9,3	- 8,0	- 7,3	- 7,3	- 9,5	-12,9	- 9,7	- 9,2
5/2 - 9/2	- 6,0	-10,8	- 6,0	- 6,5	-10,0	- 7,6	- 6,4	- 6,8	- 4,9	- 7,0	- 5,8	- 5,7	- 5,5	- 8,5	-12,9	- 8,8	- 8,0
10/2 - 14/2	- 9,5	-15,9	-11,2	-13,6	-15,3	-13,9	-12,2	-11,1	- 7,1	-10,8	- 8,9	- 8,2	- 7,5	-10,4	-14,7	- 9,8	-10,8
15/2 - 19/2	-10,0	-14,8	-10,6	-11,2	-13,6	-12,2	-12,3	-12,3	- 7,3	-10,1	-10,2	- 8,1	- 7,4	-11,2	-15,2	-10,6	-10,3
20/2 - 24/2	- 3,1	- 7,2	- 6,2	- 7,9	- 8,7	- 7,1	- 6,1	- 5,1	- 2,6	- 3,8	- 3,8	- 3,0	- 2,9	- 4,6	- 5,8	- 4,2	- 4,4
25/2 - 1/3	- 1,7	0,2	- 0,9	- 2,1	- 6,0	- 2,8	- 1,3	- 0,4	0,2	- 0,5	0,4	0,3	- 0,8	- 1,6	- 3,7	- 1,5	- 2,0
2/3 - 6/3	2,1	2,4	0,3	- 1,2	- 4,8	- 1,6	2,5	2,8	3,0	2,6	2,3	2,1	2,2	2,0	1,2	1,4	1,6
7/3 - 11/3	0,1	- 0,8	- 2,7	- 4,3	- 7,0	- 5,1	- 1,7	- 0,3	1,3	0,8	0,4	0,9	0,8	- 0,3	0,1	0,0	0,3
12/3 - 16/3	- 3,3	- 4,6	- 7,2	-10,1	-14,3	-11,0	- 4,9	- 3,3	- 1,9	- 3,2	- 3,4	- 2,5	- 2,3	- 3,4	- 4,6	- 3,5	- 3,1
17/3 - 21/3	- 6,0	- 7,7	- 9,1	-10,2	-13,8	-10,3	- 8,7	- 7,0	- 5,2	- 6,4	- 6,8	- 5,7	- 5,4	- 7,3	- 8,7	- 7,3	- 7,1
22/3 - 26/3	0,0	- 0,2	- 2,9	- 4,8	- 7,0	- 4,1	- 1,5	- 0,4	1,3	0,9	0,3	1,0	1,3	0,5	0,2	0,8	0,9
27/3 - 31/3	2,6	2,1	0,4	- 1,0	- 4,0	- 1,4	1,4	2,0	2,6	2,6	1,8	2,6	2,7	2,6	2,3	2,7	3,0
1/4 - 5/4	2,1	1,7	0,3	- 1,8	- 4,7	- 2,3	1,5	2,0	2,5	2,6	1,8	2,5	2,8	2,4	1,8	1,9	2,7
6/4 - 10/4	2,5	1,6	- 0,8	- 2,5	- 7,2	- 3,3	0,7	1,7	3,2	2,7	2,1	3,0	3,1	2,7	2,1	2,8	3,2
11/4 - 15/4	4,5	3,9	2,1	0,6	- 2,7	0,0	3,1	4,6	5,0	5,5	5,3	5,6	4,6	5,0	4,2	5,4	4,9
16/4 - 20/4	3,1	3,9	1,2	- 0,6	- 3,7	- 0,9	2,0	3,6	3,6	2,9	2,6	3,2	3,2	2,7	1,9	2,7	2,7
21/4 - 25/4	3,2	4,2	1,9	0,1	- 3,8	0,0	2,6	3,3	3,9	3,8	3,0	3,7	4,0	3,5	3,6	3,6	3,9
26/4 - 30/4	4,0	5,3	2,7	0,4	- 4,0	0,2	4,0	5,2	5,3	4,8	4,8	4,8	5,0	4,6	4,0	4,0	4,4
1/5 - 5/5	4,2	3,2	0,8	- 2,9	- 8,4	- 3,3	2,5	4,3	5,1	4,4	3,9	4,6	5,0	4,3	3,4	3,6	4,6
6/5 - 10/5	4,3	4,0	1,8	- 2,5	- 7,4	- 2,8	2,9	4,6	5,9	5,3	4,7	5,1	5,4	4,7	4,4	4,6	5,2
11/5 - 15/5	[illegible]	9,5	6,7	3,1	- 1,0	3,1	8,3	10,0	8,9	8,6	8,5	7,6	8,5	8,1	7,1	7,1	7,6
16/5 - 20/5	8,7	7,8	5,5	3,1	- 1,4	2,7	7,0	8,2	8,9	8,6	8,0	8,5	8,8	8,8	9,0	9,0	8,9
21/5 - 25/5	10,0	8,3	6,4	4,2	0,9	3,9	8,2	9,2	10,0	10,2	9,6	9,7	10,1	10,0	10,4	10,6	10,4
26/5 - 30/5	10,5	10,5	8,4	6,0	2,0	6,1	10,1	11,2	10,7	10,9	10,0	10,3	10,5	10,6	10,8	10,7	10,5
31/5 - 4/6	18,2	14,9	13,7	12,1	5,5	12,2	16,1	17,2	16,8	17,9	17,4	18,1	16,3	18,3	18,2	19,3	18,4
5/6 - 9/6	17,5	17,7	16,1	13,4	5,9	12,5	16,0	17,3	17,3	16,5	16,3	16,8	16,1	17,2	16,4	16,7	16,8
10/6 - 14/6	12,7	15,5	13,8	12,1	5,8	11,0	13,1	14,0	13,1	12,5	11,7	12,4	12,8	12,7	12,8	12,2	12,5
15/6 - 19/6	15,1	13,9	11,0	9,0	3,3	8,4	13,3	14,8	15,8	15,4	14,5	15,2	15,4	15,4	14,3	14,7	14,8
20/6 - 24/6	16,7	17,7	15,2	13,6	8,9	12,9	15,8	17,0	17,2	16,7	15,5	16,7	16,7	16,8	16,8	16,8	16,6
25/6 - 29/6	12,0	12,0	9,4	7,2	2,5	6,6	10,7	12,5	13,9	13,1	12,4	13,2	13,8	12,6	12,1	11,9	12,9
30/6 - 4/7	13,5	11,6	9,0	6,8	2,1	6,1	11,5	13,2	14,5	13,2	13,2	14,0	14,3	13,1	11,9	12,6	13,3
5/7 - 9/7	17,0	15,2	13,2	11,3	6,0	10,7	15,1	17,1	17,3	16,5	16,0	17,2	16,7	16,4	15,2	15,4	15,9
10/7 - 14/7	16,5	16,7	11,1	12,3	7,0	12,0	15,6	16,7	17,2	16,2	15,4	16,8	16,4	16,6	15,6	15,8	16,1
15/7 - 19/7	14,1	13,7	11,4	10,1	5,0	9,6	13,1	14,5	15,1	14,9	14,2	14,7	14,7	14,1	13,4	13,4	14,2
20/7 - 24/7	15,1	14,0	11,5	9,6	4,3	8,9	13,7	15,1	15,5	14,7	14,0	14,8	15,5	15,0	13,9	13,8	14,7
25/7 - 29/7	15,2	14,4	12,5	10,3	8,2	10,5	13,3	14,3	15,8	15,4	14,2	15,6	15,5	15,1	13,8	14,0	14,8
30/7 - 3/8	15,0	14,3	11,6	10,4	7,3	10,0	12,8	14,0	15,3	15,4	14,1	14,8	15,0	14,3	14,1	14,0	14,7
4/8 - 8/8	13,2	12,5	9,9	8,8	6,3	9,3	11,6	13,2	15,2	14,3	13,4	14,6	14,7	14,0	13,3	13,5	14,1
9/8 - 13/8	13,1	12,8	11,0	9,5	6,7	8,8	11,9	13,2	14,3	13,7	13,1	13,9	14,1	13,2	12,8	12,7	13,7
14/8 - 18/8	14,0	12,8	11,1	9,6	7,4	9,5	12,3	13,3	15,7	15,0	14,2	15,5	15,8	15,3	15,2	15,5	15,8
19/8 - 23/8	13,9	12,6	10,6	9,1	6,4	8,6	12,1	13,4	15,1	14,5	13,4	14,8	15,0	14,3	13,6	14,0	14,2
24/8 - 28/8	12,0	9,7	8,8	7,1	5,1	7,4	9,8	11,6	13,8	12,6	11,6	12,9	13,5	12,1	10,9	11,2	12,0
29/8 - 2/9	12,3	10,6	9,3	8,0	5,0	8,0	11,3	12,7	14,6	13,4	13,4	13,8	14,0	13,0	11,8	12,5	13,5
3/9 - 7/9	13,2	12,7	10,9	10,1	7,4	10,0	12,5	12,6	14,7	14,3	13,3	14,4	14,4	13,5	13,2	13,3	14,3
8/9 - 12/9	12,0	11,5	8,9	6,9	3,0	6,4	11,4	12,3	13,5	12,9	12,5	13,2	13,4	12,6	12,3	12,1	12,9
13/9 - 17/9	10,2	7,6	5,9	4,3	0,3	4,0	7,9	9,5	11,0	10,1	10,0	11,1	11,4	9,7	8,6	9,2	10,1
18/9 - 22/9	10,5	7,8	6,3	3,7	0,8	4,0	8,3	9,6	11,8	10,5	10,4	11,3	11,5	10,3	9,2	9,9	10,9
23/9 - 27/9	9,0	8,1	4,6	3,0	0,0	2,7	6,0	7,6	10,9	9,8	9,3	10,1	10,5	9,1	8,0	9,0	9,4
28/9 - 2/10	5,3	2,4	1,8	- 0,2	- 3,4	0,1	2,4	4,1	8,0	5,4	5,5	7,1	7,2	5,5	3,3	5,0	5,2
3/10 - 7/10	[illegible]	0,5	1,1	- 0,7	- 2,7	- 0,2	1,3	3,5	6,0	3,8	3,9	5,9	4,9	3,3	1,8	3,1	3,1
8/10 - 12/10	9,3	7,1	7,4	7,1	4,6	7,4	9,0	9,9	10,8	9,9	9,7	10,4	10,2	9,9	9,4	9,6	10,1
13/10 - 17/10	8,0	7,3	5,4	4,4	2,1	4,3	7,2	7,9	9,0	8,5	7,8	8,5	8,7	7,6	7,0	7,2	8,3
18/10 - 22/10	4,0	2,0	1,7	0,4	- 2,0	0,7	3,1	4,3	7,1	6,1	5,9	6,7	7,3	5,4	4,6	5,2	5,9
23/10 - 27/10	- 0,3	- 4,2	- 2,3	- 2,8	- 3,7	- 2,2	- 2,1	- 1,1	2,4	0,8	0,6	2,2	1,5	- 0,6	- 1,3	- 0,4	0,4
28/10 - 1/11	- 0,2	- 1,9	- 3,6	- 5,3	- 7,1	- 5,0	- 1,5	- 0,4	1,9	1,4	0,6	2,0	1,2	0,1	- 0,3	- 0,1	1,1
2/11 - 6/11	1,0	- 1,3	- 1,6	- 1,8	- 4,0	- 2,1	0,0	1,1	4,6	3,7	2,9	4,1	3,8	2,4	2,2	2,5	3,6
7/11 - 11/11	- 1,2	- 9,3	- 6,2	- 5,3	- 6,5	- 5,3	- 6,4	- 5,2	- 0,7	- 1,7	- 1,2	- 0,4	- 1,3	- 3,8	- 3,8	- 3,6	- 2,7
12/11 - 16/11	- 3,0	-10,8	- 9,1	-10,2	-10,5	-10,2	- 8,5	- 7,0	- 1,0	- 3,8	- 3,4	- 1,5	- 1,3	- 2,4	- 1,7	- 1,5	- 1,9
17/11 - 21/11	[illegible]	- 4,5	- 4,0	- 4,0	- 6,8	- 4,5	- 3,2	- 1,5	2,4	1,0	0,7	2,2	2,4	- 0,7	- 1,2	0,1	0,8
22/11 - 26/11	3,2	- 7,2	- 4,1	- 1,0	- 2,7	- 1,2	- 2,1	- 1,0	4,6	3,6	3,7	4,7	4,4	2,3	2,8	3,4	4,4
27/11 - 1/12	[illegible]	- 2,7	- 1,7	- 1,2	- 2,7	- 1,4	- 0,7		3,0	2,6	2,6	2,9	2,9	0,3	0,2	1,2	1,9
2/12 - 6/12	3,0	- 0,6	0,7	0,2	- 2,9	- 0,4	2,7	3,1	6,1	5,4	5,2	5,8	6,0	4,3	4,0	4,7	5,6
7/12 - 11/12	- 6,1	-15,2	-13,1	-13,7	-15,1	-14,4	- 9,8	- 7,0	- 2,7	- 4,1	- 4,3	- 2,8	- 3,5	- 6,2	- 7,1	- 6,1	- 5,2
12/12 - 16/12	-10,3	-17,0	-15,8	-16,9	-15,7	-16,7	-14,2	-12,8	- 6,4	- 8,1	- 8,9	- 6,8	- 7,7	- 9,9	-11,7	-10,4	- 9,1
17/12 - 21/12	-10,0	-16,7	-11,0	- 9,0	- 9,8	- 9,4	-12,1	-12,2	- 5,3	- 8,9	- 7,1	- 5,8	- 5,7	- 9,7	-12,1	- 9,5	- 8,4
22/12 - 26/12	- 3,7	-11,1	-10,0	- 8,9	- 8,1	- 8,8	- 8,1	- 6,9	- 1,4	- 2,8	- 2,9	- 1,5	- 1,2	- 2,4	- 1,1	- 0,9	- 1,6
27/12 - 31/12	[illegible]	- 4,5	- 5,7	- 8,2	-12,1	- 8,0	- 2,3	- 1,7	0,7	0,0	- 0,5	0,3	0,8	- 0,8	- 0,5	- 0,3	0,4

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	KALNES	PRESTEBAKKE	FERDER FYR	GVARV	LANGØYTANGEN FYR	JOMFRULAND FYR	LYNGØR FYR	TORUNGEN FYR	TVEITSUND	NELAUG	LANDVIK	BYGLANDSFJORD - SOLBAKKEN	BJÅEN	HYLESTAD - BRUKKE	KJEVIK	OKSØY FYR	MANDAL II
1/1 - 5/1	-14,2	-16,1	- 7,9	-19,1	-10,0	-10,9	- 8,9	- 8,6	-13,2	-16,8	-13,4	-12,8	-19,5	-17,1	-15,7	- 9,2	- 8,7
6/1 - 10/1	- 0,3	- 1,2	0,4	- 7,4	- 1,2	- 0,6	- 0,2	0,6	- 2,2	- 1,2	- 0,6	- 2,0	- 4,2	- 3,4	- 0,1	1,2	1,2
11/1 - 15/1	- 4,0	- 5,2	- 3,1	- 9,1	- 4,5	- 5,5	- 3,8	- 4,0	- 9,5	- 9,9	- 7,9	- 7,6	-11,6	- 8,8	- 7,5	- 3,7	- 3,6
16/1 - 20/1	- 5,1	- 6,2	- 3,2	- 5,7	- 3,6	- 3,9	- 3,1	- 2,9	- 5,8	- 5,9	- 3,6	- 5,0	- 6,6	- 6,2	- 3,9	- 2,4	- 3,7
21/1 - 25/1	- 8,2	- 9,0	- 6,3	- 8,4	- 6,9	- 7,3	- 6,3	- 6,0	- 9,6	- 9,0	- 7,4	- 9,1	-12,3	-11,6	- 7,3	- 5,4	- 6,8
26/1 - 30/1	-11,3	-11,2	- 9,9	-16,1	- 9,9	-10,4	- 9,1	- 8,2	-16,3	-12,9	- 9,1	-12,1	-16,9	-14,1	- 9,6	- 6,9	- 6,9
31/1 - 4/2	- 9,1	- 7,6	- 5,8	-13,3	- 6,4	- 6,8	- 5,2	- 4,3	-10,2	- 7,6	- 8,4	- 8,1	- 9,7	- 7,7	- 7,0	- 2,3	- 1,4
5/2 - 9/2	- 3,3	- 7,6	- 4,2	- 9,0	- 3,2	- 3,9	- 2,6	- 1,5	- 5,6	- 4,3	- 4,2	- 5,5	- 8,1	- 4,2	- 5,8	- 1,1	- 1,7
10/2 - 14/2	-10,4	-10,1	- 6,5	-12,5	- 6,7	- 8,1	- 7,7	- 6,9	-12,4	-11,0	-10,6	-11,3	-13,1	-11,4	-11,1	- 6,6	- 6,2
15/2 - 19/2	- 9,7	-10,3	- 6,3	-11,0	- 6,8	- 7,0	- 6,6	- 5,9	-11,0	- 8,4	- 6,8	- 7,5	- 9,9	- 7,8	- 7,2	- 5,4	- 6,6
20/2 - 24/2	- 1,2	- 4,8	- 2,7	- 4,4	- 2,6	- 2,6	- 2,3	- 2,0	- 6,9	- 4,7	- 4,3	- 6,4	- 9,4	- 5,7	- 4,0	- 2,0	- 2,1
25/2 - 1/3	- 1,0	- 1,2	0,3	- 2,3	0,4	0,5	1,2	1,9	- 0,7	0,3	1,0	0,3	- 2,9	- 0,5	0,4	2,0	1,2
2/3 - 6/3	2,0	1,7	1,8	3,2	2,8	2,9	3,7	4,2	3,3	3,2	3,7	2,7	- 1,8	1,4	3,5	4,8	3,6
7/3 - 11/3	0,6	0,2	1,2	0,3	1,3	1,0	1,4	1,7	- 1,3	0,0	1,8	- 0,5	- 4,6	- 1,9	1,4	2,3	1,5
12/3 - 16/3	- 2,0	- 3,8	- 1,8	- 1,5	- 1,3	- 1,2	- 1,0	- 1,2	- 3,9	- 3,0	- 2,1	- 2,9	-11,3	- 4,7	- 2,1	- 0,9	- 1,9
17/3 - 21/3	- 6,6	- 7,5	- 4,6	- 5,8	- 5,1	- 5,0	- 4,2	- 3,9	- 7,3	- 6,5	- 4,3	- 6,1	-10,8	- 7,6	- 4,6	- 3,3	- 4,4
22/3 - 26/3	1,2	0,7	1,1	- 0,2	1,1	1,0	1,7	2,1	- 1,0	0,3	1,9	0,0	- 3,5	- 1,1	1,8	2,7	1,8
27/3 - 31/3	3,1	2,3	2,2	2,9	3,3	2,8	3,0	2,6	2,1	2,0	3,0	2,9	- 0,8	1,9	2,8	3,0	2,6
1/4 - 5/4	2,3	1,5	2,3	2,8	2,9	2,4	2,6	2,3	1,6	1,4	2,4	2,0	- 0,6	0,9	2,2	2,4	2,0
6/4 - 10/4	3,3	2,5	3,0	2,3	3,3	3,0	2,3	2,5	1,0	1,6	2,9	1,9	- 2,0	0,2	2,5	2,8	2,2
11/4 - 15/4	5,3	5,2	4,6	4,3	4,7	4,9	4,3	4,4	3,1	3,7	5,0	4,2	1,4	3,0	5,0	4,7	5,3
16/4 - 20/4	2,3	2,2	3,4	3,8	3,1	3,2	3,4	2,7	2,3	2,9	3,7	2,8	0,6	1,5	2,7	2,8	2,5
21/4 - 25/4	4,1	3,5	4,2	4,5	4,0	4,1	4,1	3,9	3,2	3,3	4,5	3,5	1,5	2,2	4,0	3,9	3,7
26/4 - 30/4	4,6	3,0	4,5	5,8	4,7	5,0	4,6	4,3	4,3	4,7	5,4	5,0	1,6	3,1	4,9	4,4	5,0
1/5 - 5/5	4,4	3,5	4,9	4,2	4,5	4,9	4,5	4,3	3,0	3,5	4,4	2,9	- 3,6	0,5	3,9	3,9	3,3
6/5 - 10/5	5,2	4,1	5,7	5,0	5,1	5,1	5,0	4,7	3,6	3,8	5,1	3,3	- 2,0	1,6	4,5	5,0	4,1
11/5 - 15/5	7,7	7,2	7,6	9,7	7,0	7,1	7,2	6,2	8,6	9,4	9,6	8,6	2,8	6,0	7,7	6,5	6,8
16/5 - 20/5	9,1	9,7	8,4	8,0	7,9	7,9	7,7	6,8	7,1	8,4	8,4	6,6	3,1	4,7	8,0	7,0	7,3
21/5 - 25/5	10,3	10,6	9,2	10,0	9,2	9,4	9,0	8,5	8,7	9,4	9,3	9,0	4,4	6,9	9,1	8,4	8,3
26/5 - 30/5	10,7	10,9	10,1	10,9	9,3	9,9	9,6	9,2	10,3	10,4	10,2	9,8	5,5	7,9	9,5	9,4	8,8
31/5 - 4/6	18,0	19,2	16,3	17,6	16,7	17,2	16,2	14,5	15,5	17,6	17,5	17,3	11,4	14,9	17,7	15,3	17,4
5/6 - 9/6	16,0	16,4	15,8	16,3	14,3	15,3	15,5	14,1	14,9	15,3	15,8	14,7	11,0	13,3	14,7	13,5	13,9
10/6 - 14/6	12,1	12,4	12,7	13,6	12,0	12,4	12,7	11,8	13,2	12,5	12,2	14,0	10,2	12,7	12,0	11,2	11,7
15/6 - 19/6	14,7	14,0	14,6	14,9	14,4	14,7	14,8	14,0	14,0	14,2	14,8	13,7	7,8	11,2	13,5	12,9	12,9
20/6 - 24/6	17,1	17,3	16,2	16,4	15,4	15,3	15,5	14,7	15,3	15,0	14,9	15,6	13,1	14,7	14,2	14,2	13,7
25/6 - 29/6	12,3	12,0	13,7	12,7	13,1	13,0	12,3	11,7	10,8	10,9	12,5	10,5	5,8	8,4	11,8	11,3	10,6
30/6 - 4/7	13,3	12,9	14,1	13,2	14,1	14,1	14,3	13,8	12,6	12,8	14,1	12,6	6,1	10,1	13,3	13,1	12,1
5/7 - 9/7	16,6	15,5	16,8	16,9	16,4	16,6	17,1	16,2	15,9	16,2	17,5	16,1	10,7	13,9	16,3	15,0	14,9
10/7 - 14/7	16,3	16,7	16,6	16,9	16,9	16,9	16,7	16,3	16,4	16,2	17,5	16,6	12,3	14,0	16,2	15,6	15,4
15/7 - 19/7	14,1	13,5	15,0	14,7	15,2	15,4	15,2	14,7	14,4	14,0	15,6	14,2	9,9	12,2	14,2	13,8	13,2
20/7 - 24/7	14,3	13,5	14,8	14,8	14,8	14,6	15,2	14,7	14,0	14,3	15,4	13,5	7,8	10,9	14,5	13,7	12,5
25/7 - 29/7	15,3	14,2	15,4	15,0	14,8	14,8	15,2	14,7	14,3	14,7	15,7	15,4	11,0	12,5	14,1	13,8	14,5
30/7 - 3/8	14,3	14,0	15,4	14,7	14,8	14,9	15,0	14,6	13,9	14,3	15,0	14,0	10,8	12,3	14,4	14,6	13,8
4/8 - 8/8	14,3	13,6	15,2	13,9	14,6	14,6	14,7	14,4	13,2	13,3	14,3	13,2	10,3	11,1	13,6	14,5	13,3
9/8 - 13/8	13,3	12,9	14,6	13,5	14,2	14,4	14,8	14,4	12,4	13,1	14,3	12,9	9,6	11,0	13,3	14,1	13,0
14/8 - 18/8	16,2	15,9	15,6	14,4	15,4	15,3	15,3	14,9	13,3	14,1	15,0	14,0	9,0	11,9	14,6	14,9	14,0
19/8 - 23/8	11,7	13,9	15,4	13,3	14,8	14,7	14,8	14,3	12,5	13,2	14,4	13,2	8,5	10,7	13,7	14,5	13,9
24/8 - 28/8	12,3	11,1	14,2	12,0	13,5	13,3	14,4	13,8	11,6	12,3	13,6	11,8	8,7	10,1	12,8	14,1	13,3
29/8 - 2/9	13,1	12,6	14,6	12,4	14,1	14,3	15,1	14,8	13,5	13,9	14,6	13,4	8,9	11,7	14,3	14,5	13,5
3/9 - 7/9	14,1	13,5	14,6	13,7	14,2	14,4	14,8	14,4	13,8	14,3	14,9	14,2	10,5	12,0	14,4	14,6	13,4
3/9 - 12/9	12,0	12,3	14,4	12,1	14,1	13,9	14,2	14,2	12,2	12,8	13,8	12,0	7,2	10,1	13,2	13,5	11,8
13/9 - 17/9	10,1	9,1	11,8	8,9	11,3	11,0	11,4	11,0	8,4	9,0	10,5	8,2	3,2	6,3	9,6	10,9	8,9
18/9 - 22/9	11,2	9,8	12,6	9,0	12,0	11,7	12,0	11,8	9,1	9,7	11,1	8,6	4,2	6,5	10,7	11,4	9,6
23/9 - 27/9	9,0	8,8	11,7	7,2	10,5	10,4	10,9	10,7	7,2	8,1	9,5	7,3	5,0	5,5	8,9	10,6	9,2
28/9 - 2/10	6,7	5,6	9,1	3,7	8,1	8,0	8,6	8,8	4,1	4,9	6,9	5,8	1,7	3,6	6,2	9,1	7,3
3/10 - 7/10	4,1	2,7	7,7	3,9	6,8	7,6	8,3	8,5	4,0	4,7	7,5	5,7	0,8	3,6	7,0	9,2	7,2
8/10 - 12/10	10,3	9,7	11,3	9,0	10,1	10,8	11,1	10,7	9,5	10,5	10,7	10,1	6,7	8,4	10,5	11,0	10,4
13/10 - 17/10	7,0	7,7	9,3	9,0	9,3	9,3	9,6	9,9	8,2	8,4	9,5	8,7	4,9	7,2	9,3	10,3	9,2
18/10 - 22/10	6,3	5,5	8,8	3,8	7,4	7,3	8,2	8,3	5,1	5,6	6,7	5,4	- 0,1	3,3	6,5	8,7	7,3
23/10 - 27/10	3,0	0,8	3,5	- 0,9	2,4	2,9	4,1	4,8	0,4	1,5	3,7	2,1	- 0,5	- 0,2	3,6	5,7	4,3
28/10 - 1/11	1,0	0,6	2,8	1,5	2,9	3,4	4,3	5,0	0,7	1,3	4,2	2,0	- 3,1	0,4	3,9	5,7	3,6
2/11 - 6/11	3,1	3,1	5,6	1,8	4,5	4,7	5,3	5,6	2,5	3,0	4,5	3,2	- 1,7	1,1	4,9	5,9	4,6
7/11 - 11/11	- 2,5	- 1,7	1,6	- 3,7	0,8	1,6	2,6	3,4	- 0,9	0,7	1,7	- 0,4	- 4,8	- 1,2	1,7	3,7	2,1
12/11 - 16/11	- 1,4	- 0,4	1,0	- 7,3	- 2,3	- 2,3	- 1,2	- 0,7	- 4,8	- 4,1	- 3,3	- 2,7	- 7,2	- 5,5	- 2,9	1,0	0,2
17/11 - 21/11	1,0	1,1	4,1	- 1,3	2,7	2,6	3,4	4,1	- 0,5	0,9	2,1	0,4	- 5,6	- 2,6	1,5	4,1	3,8
22/11 - 26/11	3,3	4,3	6,4	- 1,4	4,8	5,4	5,9	6,2	2,9	3,9	4,6	2,6	- 0,6	1,2	5,0	6,5	5,3
27/11 - 1/12	1,0	2,6	5,1	0,6	3,7	4,2	5,2	5,2	2,8	3,3	4,6	2,8	- 0,7	1,5	4,3	5,6	4,5
2/12 - 6/12	5,3	5,2	7,2	2,8	6,3	6,3	7,2	7,0	4,8	5,5	6,4	4,3	0,6	3,2	6,8	7,4	6,3
7/12 - 11/12	- 4,0	- 4,8	- 1,3	- 3,6	- 1,5	- 1,3	- 0,4	0,4	- 3,1	- 2,8	- 1,2	- 2,0	- 9,8	- 5,2	- 1,5	0,5	- 1,3
12/12 - 16/12	- 8,0	- 8,4	- 4,3	- 8,8	- 5,7	- 4,5	- 3,2	- 2,6	- 7,9	- 6,8	- 4,1	- 6,1	-13,0	- 9,8	- 4,4	- 1,9	- 3,7
17/12 - 21/12	- 8,3	- 8,5	- 2,7	-11,8	- 5,0	- 4,4	- 3,1	- 2,3	- 7,2	-10,0	- 5,8	- 6,1	-11,0	- 7,4	- 7,8	- 1,6	- 2,1
22/12 - 26/12	- 3,6	- 0,5	0,7	- 4,1	- 0,8	- 0,8	0,3	0,9	- 2,7	- 2,8	0,2	- 1,9	- 6,8	- 4,4	- 0,5	1,2	0,2
27/12 - 31/12	0,0	- 0,1	2,0	- 1,4	0,9	1,0	1,5	1,4	- 2,3	- 1,4	0,3	- 3,1	- 8,2	- 6,0	- 0,7	0,8	0,4

1979

PENTADE	KONSMO - EIKELAND	LINDESNES FYR	LISTA FYR	SIRDAL - TJØRHOM	[illegible]ALAND - [illegible]ILAND	NORDRE EIGERØY	OBRESTAD FYR	SOLA	STAVANGER	FISTER	ULLADAL - FJELLBERG	SULDAL - [illegible]	HYLSFJORDEN	SAUDA	NEDRE VATS	SKUDENES II	UTSIRA FYR
1/1 - 5/1	-11,0	-7,2	-7,3	-17,1	-9,5	-6,4	-7,5	-7,5	-6,0	-6,9	-9,9	-11,7	-8,3	-11,2	-7,6	-5,0	-3,9
6/1 - 10/1	-0,1	3,7	3,5	-2,3	0,9	3,3	3,6	2,7	2,3	3,0	-0,5	1,0	1,1	0,8	2,3	3,8	3,7
11/1 - 15/1	-3,0	-2,1	-1,8	-10,6	-4,4	-1,2	-1,4	-1,6	-1,4	-3,2	-5,7	-7,6	-5,0	-6,7	-4,4	-0,4	0,6
16/1 - 20/1	-4,7	-2,2	-2,2	-3,9	-2,4	-1,8	-2,2	-2,0	-0,6	-0,8	-0,6	-2,4	0,0	-4,6	-2,2	-0,5	0,7
21/1 - 25/1	-8,3	-5,4	-5,5	-11,9	-6,8	-4,6	-5,5	-5,6	-4,3	-5,0	-7,6	-8,2	-6,1	-9,3	-5,4	-3,6	-2,4
26/1 - 30/1	-9,2	-5,3	-5,5	-14,1	-8,2	-4,3	-4,5	-5,0	-4,0	-5,1	-8,5	-9,3	-7,2	-10,8	-5,6	-3,2	-2,3
31/1 - 4/2	-3,7	-0,1	0,0	-7,3	-3,4	-0,3	0,4	-0,9	-1,0	-0,8	-3,9	-4,7	-3,8	-4,9	-1,6	-0,2	0,3
5/2 - 9/2	-2,7	0,2	0,5	-6,3	-2,1	-0,6	-1,0	-1,3	-1,1	-1,8	-5,0	-5,4	-4,4	-4,0	-1,7	-0,6	0,5
10/2 - 14/2	-8,3	-5,2	-5,0	-14,6	-6,3	-4,0	-7,3	-7,8	-5,1	-7,8	-8,3	-11,8	-10,5	-10,7	-8,0	-5,0	-2,7
15/2 - 19/2	-7,1	-5,4	-4,8	-8,0	-4,4	-3,3	-4,7	-5,8	-2,9	-2,1	-4,3	-4,4	-2,3	-5,0	-3,7	-2,3	-1,9
20/2 - 24/2	-3,1	-0,7	-0,5	-7,0	-2,0	-0,9	-1,5	-2,2	-0,8	-2,2	-3,2	-3,8	-3,3	-3,7	-1,5	-0,2	0,2
25/2 - 1/3	0,1	2,8	2,8	-2,3	1,0	2,1	1,8	1,1	2,0	2,2	-0,3	-0,4	0,1	-0,5	1,3	1,4	1,8
2/3 - 6/3	2,3	4,9	5,1	1,0	3,0	4,3	4,5	4,2	3,9	4,9	1,9	3,6	3,3	3,4	3,8	4,0	4,1
7/3 - 11/3	0,2	3,1	3,2	-1,9	0,8	2,5	2,6	2,1	2,3	2,2	-0,4	1,5	1,7	1,4	1,3	2,3	2,4
12/3 - 16/3	-2,0	-0,7	-0,7	-6,8	-2,3	-0,4	-0,6	-0,3	0,1	0,0	-3,8	-2,0	-1,2	-2,0	-1,6	0,2	0,2
17/3 - 21/3	-3,3	-2,9	-2,7	-8,9	-4,3	-2,8	-2,0	-1,3	-1,4	-0,8	-4,8	-3,1	-3,1	-3,7	-2,6	-0,9	-0,8
22/3 - 26/3	0,3	2,7	2,5	-1,2	1,5	2,3	2,5	2,8	3,0	3,5	0,6	1,9	2,1	1,3	2,7	2,6	2,4
27/3 - 31/3	1,0	3,4	3,8	1,4	3,4	4,0	3,5	4,9	5,2	5,7	3,2	4,9	4,7	5,0	4,7	4,4	3,5
1/4 - 5/4	1,0	2,6	3,0	1,0	2,7	3,2	3,1	3,9	4,1	4,7	2,5	4,3	4,6	4,7	4,4	4,3	3,7
6/4 - 10/4	1,2	2,8	3,8	0,2	2,6	4,1	4,1	5,0	5,0	5,7	1,9	4,7	4,9	4,6	4,6	4,8	3,9
11/4 - 15/4	1,0	4,6	5,9	3,0	5,5	5,9	6,1	7,9	8,2	9,0	5,4	7,9	8,1	6,9	8,0	6,1	5,4
16/4 - 20/4	1,7	2,8	3,3	0,5	2,3	2,9	3,0	3,9	4,1	4,7	2,5	4,6	4,9	4,6	4,1	3,8	3,5
21/4 - 25/4	2,3	4,1	4,5	2,0	3,8	4,4	4,9	6,5	6,1	6,9	3,6	5,7	6,1	5,6	6,1	5,8	4,7
26/4 - 30/4	3,3	4,5	4,7	1,5	3,6	4,2	4,2	4,9	4,8	5,1	2,3	4,5	4,8	4,9	4,5	4,9	4,5
1/5 - 5/5	2,0	3,4	3,5	-0,3	1,7	3,3	3,1	3,0	3,2	3,1	0,3	2,4	2,8	3,1	2,2	3,4	3,2
6/5 - 10/5	2,0	4,3	4,4	0,3	3,0	4,3	4,0	4,6	4,6	4,5	2,5	4,3	4,7	5,0	3,9	4,9	4,5
11/5 - 15/5	7,2	6,3	6,6	3,1	6,6	5,7	6,1	8,0	7,7	8,2	5,0	7,1	7,1	6,7	7,7	6,6	6,2
16/5 - 20/5	6,7	7,1	7,6	3,8	6,6	7,0	7,3	8,1	8,1	8,4	5,2	7,6	7,8	7,3	7,3	7,1	6,6
21/5 - 25/5	7,0	8,0	8,6	6,0	8,6	8,1	8,3	10,1	10,0	11,0	7,9	10,5	10,3	10,0	10,2	8,6	7,7
26/5 - 30/5	8,0	8,7	9,2	7,0	9,4	7,9	8,4	10,5	10,7	11,3	9,1	11,3	10,4	10,3	10,1	8,6	7,2
31/5 - 4/6	17,1	14,9	16,2	14,2	18,0	15,0	13,7	14,9	15,7	15,7	15,2	16,7	16,2	15,4	15,9	14,1	12,0
5/6 - 9/6	13,0	12,6	13,4	12,4	13,3	12,7	11,9	13,0	13,8	13,9	12,7	14,6	14,7	14,6	14,4	13,0	12,1
10/6 - 14/6	11,0	9,1	8,8	11,4	11,1	8,6	8,6	10,4	10,3	11,3	9,5	12,2	12,3	12,9	11,0	10,1	9,6
15/6 - 19/6	12,1	11,1	10,7	10,4	11,4	10,5	9,8	11,4	11,0	11,8	9,8	11,9	11,9	12,2	11,6	11,5	10,6
20/6 - 24/6	11,1	13,2	13,3	14,8	14,3	12,3	11,4	14,0	14,4	14,8	13,4	15,6	15,1	15,5	14,7	12,7	11,8
25/6 - 29/6	9,3	11,3	11,4	7,7	9,7	10,5	10,9	10,8	10,6	11,0	7,8	10,2	10,0	10,2	9,8	10,8	10,1
30/6 - 4/7	11,2	9,7	9,5	8,5	10,1	9,3	9,0	10,5	11,0	10,5	8,2	10,2	10,3	10,6	10,0	10,5	10,1
5/7 - 9/7	14,3	11,7	11,6	11,2	12,9	10,8	10,4	12,3	13,5	12,9	10,6	13,1	13,2	13,4	12,5	11,9	11,4
10/7 - 14/7	15,1	11,8	11,4	12,0	13,3	11,6	11,0	12,7	14,0	13,4	11,4	14,3	14,2	14,4	13,3	12,4	12,1
15/7 - 19/7	12,7	11,3	11,4	10,5	11,5	11,2	10,7	12,1	12,8	12,3	10,1	12,4	12,7	13,0	11,7	11,8	11,3
20/7 - 24/7	11,0	10,4	10,8	9,1	10,4	10,4	10,2	11,8	12,5	11,4	8,8	11,2	11,5	12,0	10,8	11,1	10,8
25/7 - 29/7	14,1	12,1	12,4	12,1	13,0	11,7	11,5	13,5	14,3	14,1	11,7	14,3	14,6	14,5	13,4	12,9	12,9
30/7 - 3/8	13,1	13,9	13,6	12,1	12,8	13,1	13,2	14,1	14,6	13,5	11,6	14,1	13,9	14,5	13,4	13,4	12,9
4/8 - 8/8	12,3	14,0	14,0	11,1	13,2	13,3	13,6	14,5	14,6	14,4	12,4	14,0	14,0	14,1	13,7	13,9	13,3
9/8 - 13/8	12,2	13,3	13,3	9,9	11,7	12,4	12,4	13,3	13,5	12,8	10,1	12,2	12,9	12,8	12,1	13,0	12,4
14/8 - 18/8	13,2	14,9	14,3	12,1	13,9	14,1	13,9	14,2	14,2	14,3	12,4	13,8	14,1	13,3	13,9	14,2	13,5
19/8 - 23/8	12,3	14,7	14,4	10,7	12,3	14,1	14,0	13,5	13,5	13,5	11,5	13,2	13,2	14,1	12,9	13,9	13,3
24/8 - 28/8	11,6	13,9	13,5	9,1	11,9	12,5	11,8	12,3	12,8	12,9	10,4	12,3	12,1	12,6	12,0	12,8	12,6
29/8 - 2/9	12,3	14,4	14,2	11,4	13,8	13,7	13,1	13,9	14,0	13,8	11,6	12,6	12,2	12,2	12,1	13,6	13,1
3/9 - 7/9	12,3	14,2	14,1	11,9	12,9	13,3	14,0	14,8	14,6	14,1	12,1	13,6	13,0	13,4	13,7	14,0	13,5
8/9 - 12/9	10,3	13,4	13,2	9,3	10,7	12,3	12,5	12,4	12,5	12,1	9,1	11,2	11,4	11,4	10,8	12,2	11,9
13/9 - 17/9	7,3	10,7	10,5	5,4	7,7	9,4	9,7	9,2	9,1	9,0	5,8	7,9	7,9	8,4	7,8	9,4	9,3
18/9 - 22/9	8,2	11,5	11,0	5,7	8,5	10,2	10,4	10,3	10,0	10,3	6,7	8,8	9,0	9,4	9,1	10,2	10,0
23/9 - 27/9	7,3	10,9	11,0	5,2	8,0	10,1	10,4	9,6	9,4	9,9	6,3	7,7	8,2	8,1	8,8	10,2	10,1
28/9 - 2/10	5,3	9,3	8,6	3,3	6,3	8,1	7,8	7,2	7,5	6,8	4,3	5,3	5,8	5,6	6,5	8,2	8,5
3/10 - 7/10	5,0	9,2	8,3	4,0	6,6	8,4	7,8	8,1	8,5	8,6	5,7	7,2	8,4	6,4	8,4	9,1	9,0
8/10 - 12/10	9,3	11,2	11,6	8,5	11,2	11,6	11,7	13,2	12,9	12,1	10,5	10,5	10,1	9,9	12,2	11,9	11,3
13/10 - 17/10	3,3	10,6	10,7	7,7	9,4	10,1	10,2	10,2	10,1	10,7	8,5	9,1	9,2	9,2	9,5	10,0	9,5
18/10 - 22/10	3,3	9,1	8,6	3,1	6,5	8,3	8,5	7,8	7,8	7,7	4,1	5,2	5,5	5,9	6,7	8,2	8,4
23/10 - 27/10	2,1	6,6	5,7	1,9	5,1	6,8	6,8	6,8	8,1	7,7	5,5	6,1	7,3	3,8	8,8	8,4	8,8
28/10 - 1/11	1,2	5,8	4,9	0,9	3,2	5,1	5,1	5,8	5,6	6,6	2,7	6,0	6,7	5,5	5,8	6,9	6,2
2/11 - 6/11	3,2	6,3	6,1	0,8	4,2	6,1	6,2	5,5	5,8	6,1	2,5	4,7	5,0	3,9	5,2	6,4	6,7
7/11 - 11/11	0,7	4,7	4,8	-2,4	1,7	3,8	4,3	3,6	3,0	2,6	-1,1	1,3	1,4	0,4	1,7	4,2	4,7
12/11 - 16/11	-1,1	2,5	3,1	-4,3	0,7	2,5	2,1	1,5	1,9	1,7	-1,9	-2,6	-1,2	-3,0	-0,8	2,5	2,8
17/11 - 21/11	1,7	5,5	4,9	-2,5	2,4	4,4	4,9	4,3	4,8	4,5	1,4	0,2	1,5	0,4	3,8	5,0	5,7
22/11 - 26/11	4,0	7,0	6,9	1,1	4,4	6,1	6,6	6,1	5,5	6,3	2,4	2,7	3,7	2,3	4,9	6,3	6,2
27/11 - 1/12	3,1	5,7	5,9	1,0	3,7	5,5	6,0	6,0	5,9	6,9	2,6	3,8	4,1	3,2	4,9	6,1	6,0
2/12 - 6/12	5,0	7,7	7,9	2,4	5,9	7,0	7,7	7,2	6,9	7,4	3,6	5,8	6,2	6,2	6,2	7,1	7,0
7/12 - 11/12	-2,3	0,9	0,9	-4,6	-0,5	1,1	0,9	0,3	1,7	1,1	-3,5	-1,3	-0,3	-1,3	-0,1	1,6	1,6
12/12 - 16/12	-5,0	-1,7	-2,5	-8,4	-3,0	-1,8	-1,6	-1,2	-0,9	-1,1	-5,4	-3,2	-2,0	-2,8	-1,5	0,7	0,5
17/12 - 21/12	-4,1	-0,4	0,0	-9,2	-1,6	-1,2	-0,4	0,0	0,4	-0,3	-4,0	-5,9	-3,9	-5,3	-1,6	1,4	2,6
22/12 - 26/12	-0,0	1,8	1,8	-2,5	0,6	1,5	1,2	1,1	1,3	1,3	-1,0	-1,3	-0,5	-1,2	0,4	2,4	2,6
27/12 - 31/12	-2,1	1,9	1,1	-9,0	-1,6	1,2	0,9	0,3	1,1	-0,1	-3,2	-1,8	-1,7	-3,3	-1,1	1,5	2,4

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	HØYANGERVATN	SLETTERØY FYR	OKSTINDAN	MIDTLÆGER	FINNFJORD - BU	KVALSKJØFJ	RELFSFJELL	VOSS - SG	FLESLAND	FARRIS FOTBALLBANESTASJON	BERGEN - FREDRIKSBERG	BERGEN - FLORIDA	HELLESØY FYR	HØYANGER	TAKLE	VANGSNES	FJÆRLAND - SKARESTAD
1/1 - 5/1	- 3,1	- 4,0	- 5,5	-14,6	- 8,5	-11,2	-13,8	-17,0	- 5,5	- 6,5	- 5,2	- 5,4	- 3,3	-11,1	- 5,1	- 8,1	-13,9
6/1 - 10/1	1,0	3,4	2,4	- 5,9	- 0,5	- 0,7	- 1,8	0,0	2,6	2,2	2,3	2,2	3,5	0,2	1,9	0,6	- 0,5
11/1 - 15/1	- 3,0	0,7	- 2,3	-10,2	- 5,5	- 8,4	- 9,5	-12,5	- 3,3	- 5,9	- 1,9	- 1,9	0,0	- 8,3	- 3,3	- 3,2	- 7,9
16/1 - 20/1	0,2	1,6	0,4	- 5,4	- 3,5	- 3,1	- 4,7	- 8,4	0,4	- 1,7	0,8	0,8	1,8	- 5,0	- 0,4	- 1,2	- 7,4
21/1 - 25/1	- 1,3	- 1,8	- 3,7	-10,7	- 6,1	- 9,7	-11,1	-14,7	- 2,9	- 4,6	- 2,2	- 2,0	- 0,7	-10,8	- 3,2	- 3,7	-10,0
26/1 - 30/1	- 4,3	- 2,1	- 4,8	-12,8	- 6,9	-10,8	-11,8	-15,3	- 3,6	- 5,6	- 2,9	- 3,0	- 1,7	-11,7	- 4,2	- 6,0	-12,6
31/1 - 4/2	- 1,3	0,0	- 1,7	- 9,2	- 3,7	- 5,1	- 7,2	- 8,9	- 1,1	- 1,4	- 0,4	- 0,3	0,2	- 6,1	- 1,1	- 3,6	- 8,2
5/2 - 9/2	- 1,1	0,6	- 1,6	- 8,7	- 2,6	- 4,6	- 6,3	- 6,8	- 1,7	- 2,9	- 0,5	- 0,4	0,8	- 3,4	- 0,6	- 0,4	- 2,7
10/2 - 14/2	- 6,0	- 1,8	- 4,3	-11,9	- 7,5	- 8,7	- 9,8	-12,9	- 4,9	- 9,0	- 3,4	- 3,5	- 1,9	- 9,7	- 4,1	- 3,5	-10,6
15/2 - 19/2	- 3,1	- 0,2	- 0,6	-10,6	- 3,1	- 4,9	- 7,4	-10,0	- 3,0	- 6,1	- 1,2	- 1,1	- 1,2	- 7,3	- 2,8	- 2,3	- 8,1
20/2 - 24/2	- 4,7	0,2	- 3,1	- 6,0	- 3,1	- 3,2	- 4,5	- 5,5	- 0,1	- 0,5	0,8	1,1	0,9	- 3,4	0,8	0,1	- 2,9
25/2 - 1/3	1,7	1,8	0,7	- 4,5	- 0,3	- 0,7	- 1,0	- 0,3	1,3	2,1	2,4	2,4	1,9	- 0,1	2,5	1,4	0,4
2/3 - 6/3	4,1	4,3	4,5	- 3,2	2,0	1,9	0,5	2,9	3,7	4,3	4,5	4,5	3,9	3,3	4,4	3,1	2,4
7/3 - 11/3	1,7	2,2	1,5	- 6,1	1,2	- 1,7	- 2,3	0,5	1,2	1,6	2,2	2,2	2,4	1,1	1,5	1,8	1,7
12/3 - 16/3	- 0,7	0,6	0,0	-10,1	- 1,2	- 4,8	- 5,3	- 2,7	- 0,5	- 1,7	0,7	0,8	0,7	- 2,2	- 0,7	- 0,1	- 3,4
17/3 - 21/3	- 1,1	- 0,6	- 2,0	-10,8	- 4,3	- 5,6	- 6,5	- 4,5	- 1,5	- 2,2	- 1,0	- 1,0	- 0,4	- 3,4	- 1,5	- 2,6	- 4,2
22/3 - 26/3	2,7	2,7	2,0	- 4,8	1,3	- 0,4	- 0,9	0,8	2,9	2,7	3,0	3,2	2,4	1,3	2,2	1,7	1,2
27/3 - 31/3	4,3	3,8	1,9	- 2,6	5,5	2,9	2,8	4,3	5,5	4,3	5,5	5,7	4,4	4,4	4,1	5,0	4,3
1/4 - 5/4	5,0	4,7	3,5	- 3,2	4,9	3,0	2,0	4,5	5,8	4,7	5,7	6,0	5,0	4,7	4,6	5,5	4,7
6/4 - 10/4	4,5	4,4	3,0	- 4,6	3,7	1,4	0,3	3,2	5,1	4,4	5,3	5,6	4,3	3,2	3,7	4,5	3,0
11/4 - 15/4	8,2	7,3	6,8	0,3	6,8	4,7	3,8	6,0	8,3	7,2	7,8	8,4	6,0	5,2	5,4	6,3	3,7
16/4 - 20/4	4,3	4,1	4,4	- 2,1	4,0	2,0	1,4	3,6	5,1	3,9	5,1	5,2	3,9	2,8	3,7	3,7	2,3
21/4 - 25/4	6,3	5,5	6,9	- 2,0	5,9	3,6	3,0	5,9	6,9	5,8	6,6	6,9	5,3	5,9	6,3	6,7	5,4
26/4 - 30/4	4,3	4,4	4,9	- 2,4	4,8	2,3	1,3	4,0	5,2	4,6	4,9	5,0	4,2	3,7	4,7	4,8	4,2
1/5 - 5/5	2,3	3,4	2,9	- 5,3	2,3	0,3	- 0,9	2,5	3,4	2,9	3,2	3,1	3,0	1,9	2,7	3,8	3,1
6/5 - 10/5	5,0	4,8	5,0	- 4,2	4,4	1,2	0,0	3,3	4,8	4,3	5,0	5,1	4,5	3,5	3,9	4,9	3,7
11/5 - 15/5	7,3	6,9	7,4	0,7	6,3	4,5	4,1	7,2	7,5	7,3	7,6	7,8	6,2	6,2	7,6	7,0	6,6
16/5 - 20/5	7,3	6,5	6,9	0,3	6,3	4,3	3,8	6,4	7,0	6,4	7,3	7,6	6,4	5,6	6,6	6,8	6,6
21/5 - 25/5	10,3	9,2	10,3	2,1	10,3	7,3	7,3	9,7	10,6	9,9	10,9	11,2	8,1	9,8	9,9	9,6	9,9
26/5 - 30/5	11,3	8,9	10,1	3,0	10,7	7,9	7,7	9,9	10,4	9,7	10,6	10,7	7,3	9,4	9,8	11,3	10,2
31/5 - 4/6	15,1	11,9	11,8	8,4	15,9	13,5	13,2	14,9	14,4	14,4	14,2	14,6		14,4	13,1	14,2	13,6
5/6 - 9/6	14,3	12,2	15,0	8,5	16,0	13,1	13,5	15,9	14,8	14,0	14,6	15,0		14,9	14,5	15,2	15,3
10/6 - 14/6	11,0	9,8	12,4	7,8	13,5	9,9	11,1	13,3	11,1	10,5	11,0	11,1		11,9	10,4	12,1	13,2
15/6 - 19/6	11,3	10,3	12,3	5,4	12,1	9,7	9,3	12,4	12,0	11,6	11,7	11,9		10,7	11,1	12,2	12,1
20/6 - 24/6	14,3	12,2	15,4	10,8	16,3	13,8	14,7	17,1	14,4	13,6	14,4	14,6		15,6	13,9	16,3	16,7
25/6 - 29/6	9,7	10,2	10,5	3,0	9,7	7,4	7,5	9,6	10,7	9,5	9,9	10,1		9,4	10,0	11,3	10,7
30/6 - 4/7	11,2	10,0	10,6	3,1	9,6	7,2	6,8	9,7	10,8	9,9	10,1	10,1		9,1	9,7	10,5	9,7
5/7 - 9/7	12,3	11,6	13,1	7,9	12,7	10,2	10,4	12,8	12,6	11,8	12,3	12,4	11,3	12,1	11,7	12,8	12,8
10/7 - 14/7	13,3	12,2	14,6	8,7	14,4	11,3	11,7	14,0	13,6	13,3	13,7	13,7	12,2	13,3	12,9	13,8	13,2
15/7 - 19/7	11,7	11,6	13,1	6,7	12,9	9,8	10,2	13,2	12,3	11,4	12,0	12,1	11,5	12,2	12,0	13,1	13,2
20/7 - 24/7	10,7	10,9	11,8	4,9	11,2	8,1	8,2	11,4	11,6	10,4	10,8	10,8	10,5	10,5	10,7	12,1	12,3
25/7 - 29/7	13,3	12,5	14,5	8,7	14,9	11,3	12,1	14,2	14,1	13,2	13,5	13,6	12,6	13,6	13,2	14,3	14,3
30/7 - 3/8	13,3	13,0	14,8	8,5	14,5	11,9	12,3	14,8	14,5	13,6	14,1	14,3	13,3	13,2	13,8	14,9	14,9
4/8 - 8/8	14,1	13,6	14,0	7,5	14,4	11,2	11,9	12,9	14,1	13,5	14,0	14,3	12,2	12,5	13,7	14,3	13,1
9/8 - 13/8	12,3	12,7	13,1	6,8	12,5	10,1	9,8	12,4	12,9	12,1	12,7	12,7	12,3	11,7	12,0	13,1	12,6
14/8 - 18/8	13,7	13,7	13,6	9,0	13,6	11,8	11,7	12,5	14,2	13,5	13,8	14,1	13,2	12,6	13,1	13,1	12,6
19/8 - 23/8	13,3	13,4	13,7	7,7	13,3	11,1	11,6	12,9	13,5	12,7	13,1	13,3	12,7	12,7	12,5	13,1	13,3
24/8 - 28/8	12,1	12,6	13,1	6,9	11,9	10,2	8,6	11,0	12,4	11,8	12,5	12,5	12,0	10,8	11,5	11,9	11,2
29/8 - 2/9	11,3	12,9	12,1	7,1	10,7	9,8	8,5	10,3	12,3	11,5	11,9	12,2	11,5	10,8	10,8	11,2	9,8
3/9 - 7/9	13,3	13,9	12,6	8,3	12,3	11,1	11,2	12,0	14,1	13,6	14,2	14,2	13,2	12,1	12,4	11,9	11,9
8/9 - 12/9	13,3	11,9	11,2	4,4	11,3	7,9	7,4	10,1	10,6	10,4	11,0	11,2	11,1	9,9	10,3	10,6	10,1
13/9 - 17/9	8,1	9,6	8,2	1,6	7,5	5,5	4,8	7,3	7,3	7,9	8,5	8,6	9,3	7,4	8,1	7,5	6,5
18/9 - 22/9	9,1	10,4	9,4	1,5	8,3	6,4	5,0	8,0	9,0	8,9	9,5	9,6	9,8	8,1	8,4	8,6	7,8
23/9 - 27/9	9,3	10,1	8,9	1,7	8,6	5,6	4,8	7,2	8,5	8,3	8,9	9,2	9,7	7,6	8,5	7,3	6,7
28/9 - 2/10	6,0	8,7	6,3	- 0,6	4,5	2,5	1,2	3,8	6,0	5,4	7,2	7,2	8,0	4,6	5,5	5,1	3,2
3/10 - 7/10	9,7	9,0	7,2	- 0,3	6,5	4,6	2,6	4,1	6,3	5,9	7,1	7,5	7,8	5,7	5,9	5,7	3,0
8/10 - 12/10	11,5	12,0	10,4	6,0	9,2	9,5	8,8	9,2	11,7	12,1	12,6	12,6	11,1	9,1	11,0	8,8	8,4
13/10 - 17/10	8,3	9,6	8,9	3,8	8,6	6,8	6,5	6,5	7,9	7,7	8,5	8,6	9,1	7,5	8,0	7,8	6,8
18/10 - 22/10	6,1	8,2	5,9	- 0,9	4,3	3,2	1,9	4,2	6,2	5,6	7,1	7,0	7,6	3,9	5,7	5,6	3,9
23/10 - 27/10	6,1	8,8	7,2	0,4	5,6	4,4	4,1	2,2	6,6	5,3	7,2	7,7	8,0	3,8	5,5	5,4	0,3
28/10 - 1/11	5,3	6,3	6,6	- 4,9	4,3	2,7	1,5	4,4	5,0	4,1	5,6	5,6	6,4	3,9	5,2	5,6	3,8
2/11 - 6/11	5,2	6,7	5,6	- 2,9	3,5	2,4	0,7	3,4	5,2	5,2	6,2	6,4	6,7	4,1	5,4	4,9	2,5
7/11 - 11/11	2,3	4,6	2,3	- 5,3	0,4	- 1,1	- 2,5	- 0,1	2,9	2,1	3,5	3,3	4,8	- 0,1	2,6	2,0	0,6
12/11 - 16/11	- 0,3	2,9	0,7	- 7,8	- 1,0	- 4,3	- 6,1	- 4,9	0,1	- 0,7	1,2	1,7	2,6	- 1,9	0,4	0,1	- 3,1
17/11 - 21/11	4,3	5,3	3,3	- 3,3	1,6	- 0,2	- 0,6	- 0,7	3,7	4,4	4,9	5,1	5,6	0,1	4,6	3,6	0,2
22/11 - 26/11	6,3	6,5	4,5	- 1,8	2,0	2,0	1,5	2,2	5,3	5,7	5,7	5,8	6,6	2,1	4,6	3,2	1,7
27/11 - 1/12	5,3	6,1	4,5	- 1,9	3,2	1,4	0,3	1,8	5,0	5,0	6,0	6,1	6,1	2,3	4,6	3,1	1,6
2/12 - 6/12	6,1	7,4	6,7	- 1,3	4,2	3,5	2,0	4,4	6,1	5,9	6,4	6,4	7,1	5,1	6,2	4,7	3,1
7/12 - 11/12	- 0,7	2,8	- 0,2	- 9,9	- 2,1	- 5,0	- 8,6	- 5,7	- 0,8	- 0,9	0,3	0,7	1,2	- 2,4	- 0,4	- 1,8	- 6,7
12/12 - 16/12	- 0,1	0,7	- 1,5	-12,4	- 4,4	- 5,5	- 8,6	- 6,1	- 0,9	- 0,8	0,2	0,5	0,3	- 3,8	- 1,5	- 3,4	- 6,5
17/12 - 21/12	- 0,3	2,5	0,1	- 8,0	- 1,8	- 3,5	- 6,0	- 7,2	0,5	- 0,1	1,5	1,7	2,6	- 3,2	0,8	- 1,2	- 4,5
22/12 - 26/12	1,0	2,2	0,4	- 5,5	- 0,5	- 2,7	- 4,9	- 5,1	0,5	0,7	1,4	1,7	2,2	- 2,1	1,1	- 0,9	- 4,2
27/12 - 31/12	0,0	2,9	0,2	- 7,4	- 2,1	- 5,4	- 6,0	- 4,9	- 0,1	- 0,2	1,1	1,3	2,0	- 3,7	0,6	- 0,6	- 5,2

PENTADE MIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	LERVIK - TJØTTA	LEIKANGER	SJOKEMANN I SOGNDAL	FJØRTOFT	FJØRA I SOGNEFJORD II	KVIV	DOMBESTEIN	SANDANE	OPSTAD I	LJØEN	ULDEN - VANSJØEN	GRÆNDAVIK - VELLE	TAFJORD	SKODJE	SVIDØY FYR	FISKERØYSØ	VIGRA
1/1 - 5/1	-13,3	- 9,8	-15,9	-17,5	- 8,5	- 3,0	- 4,3	- 8,7	- 8,4	-11,4	-10,4	- 6,8	- 6,3	- 5,2	- 1,3	- 5,1	- 2,6
6/1 - 10/1	- 3,6	0,4	- 2,6	- 2,8	1,2	3,1	1,9	1,2	- 0,8	- 0,1	- 0,2	0,5	0,8	1,0	3,0	1,4	2,1
11/1 - 15/1	- 7,2	- 4,9	- 9,9	-11,3	- 7,3	0,2	- 2,2	- 5,5	- 3,9	- 7,3	- 6,3	- 6,5	- 2,4	- 2,7	1,2	- 3,4	- 0,5
16/1 - 20/1	- 6,1	- 2,3	- 8,1	- 9,4	- 4,3	1,7	- 0,4	- 3,5	- 0,8	- 5,6	- 4,4	- 3,3	0,4	- 0,6	2,4	- 0,8	0,8
21/1 - 25/1	- 7,3	- 5,5	-10,0	-13,5	- 6,8	0,0	- 2,1	- 5,0	- 4,1	- 7,4	- 5,8	- 3,1	- 1,3	- 1,3	1,3	- 1,4	- 0,1
26/1 - 30/1	-11,5	- 8,0	-12,8	-15,7	- 9,1	- 1,3	- 3,3	- 6,7	- 6,8	-10,1	- 8,7	- 7,3	- 2,9	- 4,3	- 0,3	- 4,1	- 2,2
31/1 - 4/2	- 8,1	- 5,0	- 9,8	-12,0	- 4,4	0,7	- 1,0	- 3,0	- 4,6	- 6,8	- 5,9	- 2,1	- 2,7	- 1,7	1,1	- 1,1	- 0,4
5/2 - 9/2	- 3,3	0,0	- 5,8	- 6,4	- 3,5	1,2	- 0,1	- 1,3	- 2,5	- 2,0	- 2,0	- 0,7	- 1,2	- 0,4	1,3	- 0,1	0,3
10/2 - 14/2	- 3,2	- 5,1	- 9,4	-13,8	- 9,1	- 0,9	- 4,4	- 7,2	- 5,4	- 8,2	- 6,6	- 6,8	- 4,7	- 3,8	- 0,8	- 3,6	- 1,8
15/2 - 19/2	- 6,1	- 2,9	- 8,6	-13,4	- 5,1	0,4	- 3,0	- 5,3	- 2,5	- 5,9	- 4,8	- 5,6	- 1,7	- 0,7	1,3	- 3,2	- 0,5
20/2 - 24/2	- 1,2	- 0,6	- 4,7	- 6,3	- 3,9	1,7	1,3	- 0,1	- 1,7	- 3,9	- 2,3	0,4	- 0,6	0,2	2,6	1,0	1,6
25/2 - 1/3	1,3	1,5	- 1,8	- 0,6	2,1	2,6	3,2	2,5	1,7	2,0	2,0	3,3	3,9	3,6	2,9	2,8	3,2
2/3 - 6/3	4,3	3,4	1,1	2,3	3,3	3,7	4,3	3,9	1,8	2,9	3,0	3,8	4,5	3,2	3,8	3,8	3,9
7/3 - 11/3	2,3	2,1	0,6	1,6	1,9	2,1	1,7	1,7	1,7	1,6	1,5	1,7	3,6	2,5	2,8	1,8	2,7
12/3 - 16/3	0,9	0,8	- 3,7	- 3,5	0,3	1,0	0,9	1,4	1,7	1,5	1,9	1,8	0,2	0,3	1,5	0,7	0,7
17/3 - 21/3	2,3	3,0	- 7,1	- 4,6	- 1,7	0,2	- 1,3	- 1,3	- 3,2	- 1,6	- 2,1	- 1,5	- 0,9	- 1,5	0,0	- 0,6	- 0,8
22/3 - 26/3	2,3	2,2	- 1,2	0,7	2,8	2,9	2,7	2,4	2,5	2,0	2,1	2,0	4,5	3,1	3,1	2,5	2,4
27/3 - 31/3	6,1	5,9	2,9	4,5	4,7	4,1	4,7	4,7	4,8	4,4	4,4	4,2	6,3	4,8	3,7	4,1	3,8
1/4 - 5/4	5,3	6,2	2,5	3,9	5,3	5,7	4,9	4,0	5,2	4,2	4,2	4,7	6,6	5,4	4,2	4,4	4,7
6/4 - 10/4	4,6	4,4	1,0	3,0	3,7	4,7	3,9	3,7	3,7	3,2	3,1	3,4	5,6	3,8	3,6	4,1	3,8
11/4 - 15/4	6,3	7,0	2,8	4,0	6,3	7,0	5,3	5,2	5,6	5,2	5,0	4,3	6,8	4,8	4,2	5,7	4,4
16/4 - 20/4	3,7	3,7	0,7	2,8	3,7	4,0	4,0	3,8	2,8	3,3	3,0	4,2	4,4	4,1	3,9	4,7	4,2
21/4 - 25/4	7,0	7,2	3,5	6,7	6,5	6,1	7,0	7,2	6,9	7,1	6,5	6,8	8,5	7,6	5,6	7,8	7,1
26/4 - 30/4	5,3	5,1	3,1	5,4	4,6	4,3	4,3	4,8	2,7	3,9	3,8	3,7	4,0	3,7	4,3	4,2	4,3
1/5 - 5/5	4,6	3,6	1,9	4,5	2,8	3,1	3,5	3,6	2,8	3,6	3,5	4,1	5,5	4,0	3,3	3,4	4,2
6/5 - 10/5	4,6	4,7	2,0	3,8	3,7	3,8	3,7	3,8	3,0	4,1	3,8	3,4	4,8	3,9	3,7	3,4	4,0
11/5 - 15/5	9,0	7,6	5,0	7,6	7,0	6,5	8,0	8,7	6,8	7,7	7,9	7,9	9,4	7,9	6,5	7,6	7,2
16/5 - 20/5	7,3	7,4	4,8	7,3	7,1	6,8	7,4	7,7	7,0	7,8	7,5	7,9	9,0	7,9	6,0	7,5	7,3
21/5 - 25/5	10,8	10,5	7,2	9,3	10,7	9,6	10,8	10,2	11,0	11,1	10,7	11,3	12,5	11,4	8,3	10,5	10,2
26/5 - 30/5	11,7	10,9	7,9	10,8	10,4	8,2	10,8	10,5	11,3	11,8	11,4	11,4	13,3	11,3	8,6	10,9	10,6
31/5 - 4/6	14,1	14,7	12,3	13,1	13,8	11,5	13,0	13,7	15,4	14,3	14,6	13,5	14,4	14,2	9,2	12,0	11,2
5/6 - 9/6	13,3	14,1	11,5	14,3	14,9	12,1	14,0	14,8	15,3	14,8	15,0	13,6	14,3	13,9	10,8	12,8	12,4
10/6 - 14/6	13,1	13,5	13,6	13,2	12,0	9,0	11,6	11,9	12,1	12,6	12,3	10,9	11,8	10,6	9,1	10,5	10,4
15/6 - 19/6	12,3	12,7	10,9	11,7	11,6	9,9	11,5	11,9	10,7	11,6	11,2	11,1	11,9	10,7	9,7	10,9	10,4
20/6 - 24/6	17,3	17,0	15,8	16,4	15,3	11,6	15,4	16,7	17,5	17,2	16,8	15,5	15,7	15,1	11,6	14,6	12,9
25/6 - 29/6	12,1	11,5	9,3	10,9	10,8	9,9	11,3	11,2	10,6	11,4	11,1	11,5	13,1	11,4	10,3	11,3	10,9
30/6 - 4/7	10,3	10,7	8,7	10,6	9,5	9,7	9,7	10,4	8,7	9,8	9,1	9,7	9,9	9,4	9,4	9,7	9,7
5/7 - 9/7	13,1	13,4	11,6	13,2	12,3	11,5	12,1	12,9	11,8	12,4	11,9	12,0	12,6	11,5	11,3	11,9	11,6
10/7 - 14/7	14,2	14,1	13,2	14,0	13,4	12,1	12,9	13,4	12,8	13,3	13,4	12,5	12,9	12,7	12,3	13,0	12,6
15/7 - 19/7	13,3	13,4	12,1	13,1	12,8	11,4	12,3	12,7	11,3	12,0	11,9	11,2	11,4	10,9	11,3	11,8	11,2
20/7 - 24/7	13,3	12,4	11,5	12,9	11,3	10,7	11,1	11,5	10,9	11,4	11,0	11,1	12,1	11,2	11,0	11,1	11,3
25/7 - 29/7	14,3	14,8	13,9	14,2	14,2	12,6	14,1	14,5	14,6	15,1	14,3	13,7	15,0	14,1	12,4	13,6	13,0
30/7 - 3/8	14,3	15,2	12,9	14,4	14,5	13,4	13,9	14,1	14,2	14,9	14,4	13,6	15,3	13,7	12,6	13,6	13,3
4/8 - 8/8	14,1	14,3	11,6	13,0	13,7	12,5	14,2	13,9	14,1	14,1	13,8	13,9	14,9	14,0	12,7	13,5	13,2
9/8 - 13/8	12,3	13,5	12,2	12,7	12,2	11,7	12,2	12,2	12,7	12,7	12,2	12,2	12,7	12,4	11,2	12,3	11,9
14/8 - 18/8	14,3	13,0	11,3	13,5	13,1	13,4	12,9	13,0	13,8	13,2	12,9	13,4	14,9	14,4	12,4	13,0	12,7
19/8 - 23/8	12,7	13,5	11,1	11,9	13,1	12,4	12,9	13,5	12,5	13,3	12,5	12,7	12,9	12,5	12,2	12,8	12,7
24/8 - 28/8	10,3	11,8	10,9	10,4	11,8	11,8	11,1	11,4	10,3	11,6	11,0	10,9	11,5	10,9	10,7	11,0	10,9
29/8 - 2/9	10,3	10,8	8,7	10,8	10,6	11,1	10,4	10,2	9,9	10,3	9,5	9,9	11,0	10,0	10,5	9,9	10,6
3/9 - 7/9	12,3	12,2	11,1	12,0	13,4	12,8	13,2	13,0	12,5	11,9	11,8	13,3	13,1	12,3	12,6	13,4	12,5
8/9 - 12/9	10,7	10,7	8,7	10,3	10,1	10,6	9,7	10,3	9,0	10,0	9,6	9,6	10,9	9,7	10,3	9,5	9,9
13/9 - 17/9	7,3	7,6	4,7	6,4	7,8	9,1	7,6	7,7	6,0	6,7	6,5	7,3	7,7	6,9	8,8	7,6	8,4
18/9 - 22/9	8,2	8,7	6,2	7,7	8,1	9,6	8,3	8,3	6,4	7,8	7,2	7,5	8,5	8,2	9,4	8,5	8,6
23/9 - 27/9	6,2	7,4	5,6	6,3	8,0	9,3	8,6	8,1	7,0	7,7	7,4	8,5	9,7	8,2	9,4	8,6	9,3
28/9 - 2/10	3,3	4,7	3,2	2,5	4,4	8,0	4,9	4,1	4,7	3,9	3,4	4,3	5,1	5,3	7,6	5,1	6,7
3/10 - 7/10	3,2	5,3	3,2	0,7	5,3	8,2	5,2	4,0	6,5	4,4	3,7	4,7	7,3	6,4	8,2	5,1	7,4
8/10 - 12/10	7,7	8,9	7,4	6,9	11,2	10,9	11,1	10,5	8,6	9,2	9,0	10,9	10,1	10,3	10,7	11,3	10,5
13/10 - 17/10	6,3	8,1	6,7	5,5	7,5	9,1	7,5	6,5	8,0	6,2	5,9	7,7	8,1	7,7	8,7	7,8	8,5
18/10 - 22/10	4,8	5,1	2,4	3,8	4,9	7,3	5,5	4,9	3,8	4,6	4,6	4,7	6,1	5,5	7,0	4,9	6,4
23/10 - 27/10	3,2	4,4	1,9	- 2,9	4,6	9,4	5,5	2,5	7,5	3,8	3,8	3,4	8,8	7,0	9,3	5,8	7,3
28/10 - 1/11	4,3	4,8	0,1	1,5	5,3	6,2	5,9	5,0	5,5	6,0	5,7	5,0	6,9	6,5	7,5	5,2	7,1
2/11 - 6/11	4,3	5,0	0,4	1,9	4,9	6,4	5,8	5,3	3,7	5,4	4,9	5,4	6,1	5,7	7,0	5,4	6,5
7/11 - 11/11	1,3	2,1	- 1,8	0,1	1,2	3,9	2,4	1,7	0,6	1,5	1,5	1,5	2,6	2,5	4,1	2,1	3,3
12/11 - 16/11	- 3,6	- 0,6	- 4,6	- 3,3	- 1,5	2,8	0,0	- 1,7	- 0,8	- 1,8	- 1,7	- 1,7	0,2	0,1	3,0	0,2	2,2
17/11 - 21/11	1,3	2,8	- 1,8	- 0,1	2,8	5,9	5,0	3,3	3,5	2,2	2,4	3,0	5,9	5,4	6,6	3,7	5,9
22/11 - 26/11	1,7	3,1	0,5	1,4	3,5	6,3	4,5	3,8	2,3	2,7	2,6	4,2	4,4	3,7	5,8	4,3	4,8
27/11 - 1/12	2,8	3,1	- 0,2	0,1	3,6	6,1	4,9	3,7	2,5	2,7	2,8	5,1	4,2	4,4	6,1	4,8	5,4
2/12 - 6/12	4,6	5,4	1,6	2,3	5,3	6,6	5,9	5,4	2,6	4,3	4,2	5,2	4,8	4,9	6,3	5,6	5,8
7/12 - 11/12	- 5,1	- 3,3	- 9,8	- 9,8	- 4,8	1,1	- 1,4	- 6,0	- 3,5	- 4,9	- 3,8	- 7,2	- 2,0	- 2,3	2,1	- 2,8	0,3
12/12 - 16/12	- 5,3	- 4,8	-11,3	-10,7	- 3,4	0,4	- 1,2	- 4,2	- 2,5	- 2,8	- 2,8	- 3,8	- 2,0	- 1,0	2,4	- 1,0	0,7
17/12 - 21/12	- 3,6	- 2,4	- 7,1	- 7,3	- 2,1	2,6	0,7	- 1,2	- 2,7	- 2,0	- 1,7	- 0,4	- 0,5	- 0,5	2,7	1,3	1,6
22/12 - 26/12	- 4,3	- 1,5	- 4,3	- 6,0	- 1,5	2,7	1,2	- 1,6	- 1,0	- 3,0	- 2,6	- 1,2	2,2	0,6	3,6	1,0	2,2
27/12 - 31/12	- 2,1	- 1,5	- 5,3	- 5,8	- 2,6	2,2	- 0,4	- 3,0	- 1,8	- 3,4	- 2,7	- 1,7	- 1,2	0,1	3,3	0,3	2,0

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	ØNA II	HJELVIK I RINGDAL	HJØSTAD II HJØSTAD = IFTLAND	TINGVOLL = LAIEN	STJØLA = HJØLSTAD	VINJEØRA	SJLA	ØRLAND III	TRONDHEIM = TYHOLT	VENNAFJELL	SELJU = RJØSTAD SELJU = STILLBE	RERRAK II	HERØKER = KROGSTAD	VÆRØES	SULSTJA	LEVANGER = EGGEN	KJØLI I SNÅSA
1/1 - 5/1	- 1,5	- 5,7	- 3,8	- 9,9	- 6,0	-10,4	- 2,3	- 5,7	-11,0	-12,6	-15,0	-15,4	-15,3	-11,0	-15,2	-11,4	-14,6
6/1 - 11/1	2,2	1,2	2,0	0,0	0,4	- 1,4	2,2	- 0,4	- 2,8	- 6,2	- 5,9	- 7,5	- 3,6	- 2,0	- 7,0	- 4,1	- 6,1
11/1 - 15/1	0,9	- 2,6	- 3,9	- 4,1	- 3,9	- 7,1	- 1,0	- 2,9	- 5,1	- 8,2	- 6,4	- 9,0	- 8,6	- 5,6	-10,5	- 7,7	- 9,2
16/1 - 20/1	1,5	- 1,2	- 1,5	- 4,1	- 0,9	- 3,9	1,2	- 1,4	- 4,4	- 5,0	- 6,7	- 7,1	- 6,6	- 4,6	-10,0	- 4,8	- 8,0
21/1 - 25/1	0,9	- 1,5	- 1,9	- 4,7	- 2,1	- 5,7	0,4	- 2,1	- 4,1	- 7,7	- 6,2	- 7,2	- 5,2	- 3,6	- 6,1	- 4,5	- 5,6
26/1 - 30/1	- 0,7	- 4,8	- 5,2	- 9,0	- 6,0	-10,4	- 3,2	- 8,0	-13,2	-11,6	-16,0	-15,8	-18,9	-14,1	-17,2	-14,3	-15,6
31/1 - 4/2	0,1	- 1,8	- 2,5	- 5,8	- 3,2	- 6,4	- 0,8	- 4,4	- 8,1	- 9,3	-10,3	-12,0	-11,9	- 8,9	-13,7	-10,0	-11,3
5/2 - 9/2	1,3	0,3	0,0	- 0,8	- 0,5	0,0	1,1	0,0	- 1,6	- 5,6	- 2,8	- 4,4	- 1,9	- 0,5	- 3,0	- 2,0	- 4,6
10/2 - 14/2	- 1,1	- 2,6	- 3,6	- 4,6	- 3,5	- 5,3	- 1,6	- 4,9	- 6,8	- 9,8	- 9,7	- 8,2	- 9,9	- 6,9	-11,9	- 7,0	-13,3
15/2 - 19/2	1,1	- 1,6	- 3,6	- 2,6	- 2,7	- 3,8	0,8	- 0,7	- 4,0	- 6,6	- 6,5	- 6,8	- 5,9	- 4,2	- 6,5	- 3,7	- 5,3
20/2 - 24/2	2,3	- 0,1	- 0,7	- 2,5	- 0,7	- 1,7	1,9	- 0,2	- 3,1	- 3,9	- 6,0	- 4,9	- 5,3	- 4,7	- 5,9	- 3,7	- 6,0
25/2 - 1/3	0,7	4,5	3,2	3,2	1,8	2,6	3,3	2,5	2,2	- 2,2	1,9	- 0,1	2,2	3,9	1,1	1,9	0,8
2/3 - 6/3	4,0	3,7	3,5	2,5	2,0	1,8	3,1	1,9	1,7	- 1,8	1,9	0,7	2,4	3,2	0,7	1,3	0,3
7/3 - 11/3	3,2	2,5	2,0	2,3	1,0	1,1	2,3	1,9	1,0	- 2,9	1,2	- 1,4	1,7	3,2	0,3	1,9	0,6
12/3 - 16/3	1,3	- 1,3	- 3,4	- 1,8	- 2,1	- 3,3	0,3	- 2,0	- 3,3	- 7,8	- 6,3	- 7,4	- 5,6	- 2,7	- 8,1	- 3,9	- 7,3
17/3 - 21/3	- 0,7	- 0,5	- 1,7	- 2,1	- 2,5	- 3,6	- 1,0	- 2,6	- 4,4	- 8,2	- 5,7	- 6,5	- 6,4	- 3,5	- 6,8	- 4,8	- 8,4
22/3 - 26/3	2,3	3,1	1,8	2,7	1,6	1,9	3,4	2,8	2,0	- 2,6	1,1	- 0,8	0,4	2,5	- 0,3	1,1	- 0,5
27/3 - 31/3	4,0	4,3	3,8	4,7	2,8	4,2	4,6	4,9	4,5	0,0	3,9	2,1	4,0	6,0	2,2	4,3	3,1
1/4 - 5/4	4,3	5,0	4,3	4,6	2,6	4,3	4,9	4,4	3,7	- 0,7	3,1	1,6	2,8	5,2	1,7	3,4	2,6
6/4 - 10/4	3,3	3,5	2,7	2,6	1,4	1,8	3,0	2,2	2,0	- 2,2	0,9	- 0,2	1,0	3,2	0,0	1,9	0,6
11/4 - 15/4	3,5	4,1	3,7	3,7	2,2	3,1	3,4	2,5	2,6	- 0,9	2,1	1,4	2,2	3,4	0,6	2,1	0,6
16/4 - 20/4	4,1	3,6	3,7	3,1	2,9	3,2	3,9	3,2	2,1	- 1,8	1,7	1,0	1,3	3,5	0,4	2,2	0,0
21/4 - 25/4	5,7	7,1	7,0	7,1	5,7	6,1	6,4	7,0	6,2	1,5	5,2	3,6	5,7	7,9	3,6	5,6	4,1
26/4 - 30/4	4,1	3,5	3,8	3,3	3,2	3,7	5,0	4,2	3,6	- 0,9	2,9	1,5	3,2	4,9	2,3	3,8	2,6
1/5 - 5/5	4,2	4,5	4,1	3,3	3,4	3,8	4,7	3,9	3,2	- 1,0	2,8	1,5	2,9	5,1	1,9	4,1	2,6
6/5 - 10/5	3,9	3,9	3,5	3,9	3,7	3,8	4,6	4,0	3,5	- 0,9	2,9	1,3	3,2	4,6	2,8	4,0	3,4
11/5 - 15/5	6,1	8,1	7,1	7,4	6,5	7,3	5,7	6,5	6,7	2,6	6,7	5,4	6,1	7,8	5,0	6,6	5,0
16/5 - 20/5	6,3	7,7	7,4	7,5	7,0	7,8	6,8	7,7	7,9	3,8	8,1	6,5	8,4	9,5	7,2	7,8	7,1
21/5 - 25/5	8,2	11,3	10,6	11,8	10,2	11,2	8,3	11,0	11,4	7,7	11,4	9,0	11,4	13,0	10,1	11,9	10,3
26/5 - 30/5	8,5	11,2	10,7	11,3	9,6	11,2	9,2	9,9	10,9	7,3	10,9	9,9	10,5	11,5	10,0	10,8	9,7
31/5 - 4/6	9,1	13,5	12,6	14,8	11,4	14,3	10,3	12,6	14,3	11,9		13,7	14,4	14,8	13,7	14,3	14,2
5/6 - 9/6	10,3	13,6	12,3	14,0	11,8	13,4	10,7	12,4	13,8	11,9		13,2	14,3	14,0	13,8	14,2	13,4
10/6 - 14/6	9,2	10,8	9,3	11,4	9,4	11,6	9,7	9,8	10,6	7,4		10,0	10,9	11,7	10,5	11,0	11,0
15/6 - 19/6	9,1	11,2	9,9	11,3	9,2	10,2	9,3	9,1	9,6	6,0		9,1	9,4	10,5	8,9	9,7	8,4
20/6 - 24/6	11,3	14,9	13,5	16,5	12,3	15,5	12,0	14,4	16,0	14,2		16,2	17,8	17,3	17,3	17,0	17,2
25/6 - 29/6	10,3	11,9	11,7	12,1	11,4	12,9	11,7	12,5	13,0	8,3		10,7	12,9	14,3	12,3	13,2	12,5
30/6 - 4/7	9,2	9,5	9,2	8,5	8,3	8,8	8,9	8,4	8,0	3,5		6,7	7,7	8,9	7,1	8,0	7,4
5/7 - 9/7	11,0	11,8	11,0	12,1	11,7	12,4	11,3	11,7	12,3	9,7		11,8	13,1	13,6	12,5	12,6	13,1
10/7 - 14/7	12,3	12,9	12,4	13,5	12,6	13,6	12,6	12,4	12,8	9,7		11,5	12,3	13,2	11,9	12,9	12,8
15/7 - 19/7	10,6	11,0	10,3	11,0	10,8	11,5	11,0	11,3	11,8	8,6		10,2	12,3	13,0	12,5	12,9	13,5
20/7 - 24/7	11,1	11,3	11,0	11,4	10,9	11,6	11,4	10,8	10,9	6,8		9,6	10,5	11,6	10,0	11,0	10,6
25/7 - 29/7	12,1	14,2	12,8	14,5	12,8	14,0	12,1	12,7	13,1	9,7		11,4	12,9	13,8	12,6	12,5	12,6
30/7 - 3/8	12,7	14,1	13,3	14,6	13,5	14,5	13,2	14,4	14,9	10,3		12,6	14,0	15,7	13,1	15,2	13,8
4/8 - 8/8	12,6	14,0	13,3	14,3	13,2	14,2	13,2	13,6	13,5	9,2		11,7	12,7	14,1	11,8	13,7	12,6
9/8 - 13/8	11,3	12,4	11,7	12,7	11,9	13,1	12,2	12,9	13,1	8,9		11,2	12,9	14,0	12,3	13,3	13,0
14/8 - 18/8	12,3	14,4	13,4	14,5	14,1	14,4	13,4	14,2	15,8	11,8		13,4	16,2	16,9	14,9	16,1	15,3
19/8 - 23/8	12,3	12,6	12,7	12,9	12,6	13,5	12,1	13,1	14,4	10,7		12,4	13,8	15,0	13,1	14,4	13,7
24/8 - 28/8	10,5	10,8	10,2	10,3	9,9	10,3	10,6	10,1	9,9	5,6		8,0	9,7	10,9	8,3	9,9	9,1
29/8 - 2/9	10,5	10,3	10,2	9,6	9,6	9,6	10,4	9,5	8,9	5,9		8,2	8,3	9,7	8,0	9,0	8,0
3/9 - 7/9	12,1	11,9	12,0	12,3	12,2	12,6	12,3	12,5	12,7	9,7	13,0	11,5	13,1	13,5	12,0	12,9	11,9
8/9 - 12/9	10,1	10,0	9,7	9,1	9,2	9,6	9,7	9,5	9,4	5,9	9,6	8,5	9,1	10,0	8,8	9,2	9,1
13/9 - 17/9	8,5	7,1	7,8	6,6	7,4	7,2	8,0	7,7	6,6	2,5	6,0	4,8	6,1	7,6	5,2	6,4	5,2
18/9 - 22/9	9,2	8,3	8,5	7,7	8,1	8,2	9,2	8,7	7,9	4,3	8,1	6,1	8,4	9,0	7,1	8,2	7,2
23/9 - 27/9	9,3	8,4	8,1	7,7	7,7	7,3	9,0	7,6	7,3	3,7	6,9	4,5	6,5	8,4	5,8	7,0	6,2
28/9 - 2/10	5,9	4,7	5,1	3,2	3,3	4,1	6,8	5,1	3,8	- 0,1	2,8	1,1	2,7	4,3	1,6	3,9	2,5
3/10 - 7/10	6,2	5,3	6,1	3,8	6,2	4,8	7,9	6,2	4,9	2,8	4,0	2,8	2,8	4,8	2,7	4,2	3,1
8/10 - 12/10	10,1	9,3	10,0	8,7	9,1	9,6	8,8	8,4	7,9	7,0	9,4	8,1	8,1	8,5	7,5	7,5	6,8
13/10 - 17/10	8,1	7,1	7,9	6,2	7,1	6,8	7,5	6,4	5,7	3,6	6,2	4,9	4,5	5,9	3,7	5,2	4,6
18/10 - 22/10	7,1	5,8	6,2	5,0	5,7	4,9	6,9	5,6	4,3	0,3	3,4	2,1	3,9	5,6	3,5	4,2	3,0
23/10 - 27/10	3,3	5,0	1,8	1,9	1,9	2,9	6,5	4,3	1,1	5,4	3,3	1,1	- 0,9	0,5	0,5	0,3	- 0,6
28/10 - 1/11	7,2	5,9		5,4	4,0	2,8	5,0	3,7	2,2	- 3,5	0,6	- 1,6	0,9	2,8	- 0,3	1,6	0,0
2/11 - 6/11	6,2	6,0		5,1	4,8	3,3	5,4	4,3	3,1	- 1,1	1,9	0,6	2,7	4,1	1,4	3,3	1,5
7/11 - 11/11	4,1	2,1		0,1	1,0	- 0,9	3,3	1,6	- 1,0	- 3,9	- 1,7	- 4,4	- 4,1	- 0,4	- 4,0	- 0,8	- 1,4
12/11 - 16/11	2,7	- 0,7		- 3,5	- 0,6	- 4,4	1,5	- 1,3	- 4,3	- 5,4	- 5,0	- 7,9	- 7,2	- 4,4	- 6,9	- 3,8	- 2,9
17/11 - 21/11	5,3	4,9		3,0	3,2	2,2	4,6	3,5	2,4	- 1,0	1,2	- 0,5	1,6	2,9	1,2	2,1	0,6
22/11 - 26/11	5,3	3,9		1,6	3,2	1,8	4,6	3,5	1,2	- 1,6	1,1	- 2,1	0,0	1,9	- 0,6	1,3	0,9
27/11 - 1/12	3,7	4,0		2,1	4,2	3,0	4,7	3,4	1,5	- 1,6	1,1	- 0,9	1,0	2,6	0,0	1,2	- 0,7
2/12 - 6/12	9,3	5,5	5,1	3,9	4,5	4,3	5,6	4,5	3,2	- 0,9	2,2	0,6	3,1	4,4	2,0	3,2	1,5
7/12 - 11/12	1,2	- 2,2	- 2,9	- 3,8	- 2,2	- 4,9	0,3	- 1,9	- 5,1	- 7,6	- 6,1	- 9,3	-10,1	- 5,6	- 9,9	- 5,9	-10,0
12/12 - 16/12	1,1	- 2,1	- 3,9	- 3,2	- 3,5	- 7,6	- 1,4	- 4,2	- 7,5	-10,0	- 8,5	-10,3	-11,2	- 7,5	-12,5	- 7,9	-10,0
17/12 - 21/12	2,3	0,7	0,2	- 2,3	- 0,6	- 2,9	1,1	- 1,8	- 4,0	- 6,6	- 5,6	- 7,1	- 8,6	- 4,7	- 9,2	- 4,9	-10,4
22/12 - 26/12	2,5	0,3	- 0,8	- 3,7	0,0	- 3,5	2,5	- 0,7	- 3,3	- 4,3	- 2,5	- 5,9	- 5,2	- 4,2	- 7,9	- 4,1	- 5,0
27/12 - 31/12	2,3	0,3	- 1,6	- 2,7	0,5	- 2,5	3,2	- 0,3	- 3,0	- 3,7	- 4,1	- 6,6	- 4,8	- 2,2	- 6,0	- 1,5	- 4,8

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1973

PENTADE	MANDALSELVA - BYGSET	HOVLANDET	SUPDALSELVA - BRATTVOLL	BJØRLIVASSFYR	LEKA	SKLENNA FYR	HATVATN III	SVELGEFOSS	BJØSEDAL - LIJORD	VARDEFJELL	TUSTNES - MJØSA	SKÅLVÆR	HERØYAL I RANA	HORN-SØLVER	MYKEN	GLOMFJORD	LEIRBOTN
1/1 - 5/1	-14,3		-21,4	- 4,4	- 6,5	- 3,7	-17,9	-21,7	-21,4	-11,2	-14,0	- 3,8	-11,9	- 3,1	- 1,3	- 4,2	-11,3
6/1 - 10/1	- 1,7		-13,7	0,7	- 0,2	1,1	- 8,0	- 6,0	- 7,9	- 6,6	- 3,3	0,5	- 3,6	0,3	0,8	- 0,2	- 5,4
11/1 - 15/1	- 0,3		-12,0	- 2,7	- 5,1	- 2,5	-12,6	-15,6	-12,2	- 9,8	- 9,0	- 2,7	- 7,1	- 2,1	- 1,3	- 1,7	- 6,9
16/1 - 20/1	- 0,3		- 9,2	0,9	- 1,0	1,2	- 7,2	- 6,8	- 7,4	- 4,9	- 3,3	1,0	- 2,9	0,8	1,3	0,3	- 4,3
21/1 - 25/1	- 3,3		- 7,1	- 1,2	- 2,1	- 0,8	- 7,0	- 7,8	- 9,2	- 8,3	- 5,4	- 1,2	- 5,5	- 1,3	- 0,9	- 2,0	- 6,7
26/1 - 30/1	-17,7		-21,0	- 6,6	- 8,9	- 5,8	-22,3	-27,2	-25,1	-15,2	-19,1	- 7,0	-16,1	- 6,0	- 4,4	- 6,1	-13,1
31/1 - 4/2	-12,3		-16,4	- 2,9	- 5,1	- 2,8	-15,7	-18,8	-15,6	-13,1	-11,4	- 3,9	- 9,2	- 3,4	- 2,4	- 3,8	-10,5
5/2 - 9/2	- 1,2		-10,1	0,4	- 2,5	- 0,4	- 9,5	- 9,0	-10,3	- 9,9	- 6,4	- 1,8	- 6,6	- 2,3	- 1,6	- 3,4	- 7,6
10/2 - 14/2	- 3,2		-12,9	- 3,0	- 5,9	- 2,5	-14,7	-13,7	-12,9	-10,7	-10,0	- 3,7	- 8,8	- 3,3	- 2,8	- 6,5	-11,4
15/2 - 19/2	- 0,1		- 7,3	0,7	- 0,6	1,1	- 7,0	- 7,9	- 9,3	- 6,0	- 4,4	1,0	- 4,0	1,1	2,0	1,1	- 2,9
20/2 - 24/2	- 5,3		- 8,9	1,7	- 3,5	1,2	- 8,1	- 6,9	- 8,6	- 4,8	- 4,2	1,1	- 3,7	1,6	1,7	1,0	- 3,0
25/2 - 1/3	1,1		- 1,5	3,0	2,3	3,1	- 0,6	0,8	- 0,1	- 2,1	2,0	2,8	1,6	2,4	2,7	2,7	0,7
2/3 - 6/3	3,7	0,1	- 2,2	2,9	1,0	2,7	- 1,4	0,1	- 0,6	- 4,0	1,0	2,1	0,7	1,6	1,8	1,5	- 1,0
7/3 - 11/3	3,3	1,9	- 1,2	2,8	2,2	3,0	- 0,4	1,5	0,4	- 3,5	1,9	3,3	2,3	3,1	3,4	2,9	0,8
12/3 - 16/3	- 3,2	- 5,9	- 8,4	- 1,2	- 3,0	- 0,6	- 9,1	- 8,3	- 8,4	- 9,1	- 5,6	- 1,6	- 4,6	- 1,4	- 0,9	- 2,8	- 7,8
17/3 - 21/3	- 6,3	- 7,4	- 9,7	- 2,2	- 5,1	- 2,7	-11,6	-11,5	-11,5	-12,0	- 9,3	- 4,2	- 9,3	- 4,6	- 4,3	- 6,5	-12,4
22/3 - 26/3	- 3,3	- 1,0	- 4,3	2,9	3,0	2,2	- 5,3	- 4,9	- 3,2	- 4,9	- 1,9	1,8	- 0,6	1,9	1,6	1,1	- 2,1
27/3 - 31/3	2,3	4,1	3,5	5,5	4,4	4,7	1,8	3,4	2,7	- 0,6	3,6	5,1	4,2	4,9	4,3	5,0	3,6
1/4 - 5/4	2,1	3,0	3,6	5,1	4,1	4,6	1,9	1,8	1,4	- 1,5	2,7	4,6	3,4	4,7	4,3	4,6	1,9
6/4 - 10/4	0,3	0,8	- 2,0	3,0	1,3	2,7	- 2,4	- 1,8	- 1,8	- 3,9	- 0,1	2,1	0,6	2,1	1,8	0,8	- 1,6
11/4 - 15/4	0,3	0,3	- 2,7	2,3	1,1	1,6	- 2,7	- 1,5	- 2,3	- 4,6	- 1,0	1,2	- 0,3	1,0	0,4	- 0,6	- 3,1
16/4 - 20/4	1,1	0,0	- 2,4	3,1	1,9	3,1	- 2,1	- 0,4	- 0,7	- 3,0	0,5	2,5	- 0,1	2,8	2,4	2,0	- 0,4
21/4 - 25/4	4,1	5,4	1,9	6,5	6,4	6,1	3,3	5,2	4,5	1,1	6,1	7,0	5,9	6,7	5,8	7,3	4,7
26/4 - 30/4	3,3	2,8	0,8	4,2	3,7	4,0	1,5	2,5	2,6	- 1,4	3,5	3,8	3,3	3,8	4,0	4,3	3,1
1/5 - 5/5	3,3	3,4	3,0	4,3	3,6	3,9	0,7	2,5	2,2	- 1,6	3,9	4,3	4,5	4,7	4,3	5,5	3,2
6/5 - 10/5	3,3	3,5	1,4	4,0	3,8	4,4	1,3	3,1	2,9	- 0,5	4,2	4,5	4,1	4,6	4,6	4,5	3,0
11/5 - 15/5	3,7	5,3	2,9	5,6	5,2	5,1	2,0	3,8	3,3	- 0,7	4,5	4,0	2,8	3,6	2,4	3,0	2,2
16/5 - 20/5	7,3	7,2	4,4	6,6	6,8	6,1	4,1	5,6	5,9	1,5	6,4	6,1	5,9	6,2	5,2	5,5	5,3
21/5 - 25/5	10,7	10,8	8,4	10,1	10,5	8,4	6,3	8,6	8,1	5,5	9,4	9,4	8,6	8,9	7,3	10,9	8,6
26/5 - 30/5	11,2	10,7	7,8	9,5	10,1	7,9	7,4	9,2	9,3	5,0	10,0	8,8	8,7	8,3	6,7	9,2	8,8
31/5 - 4/6	13,3		11,6	10,2	11,3	9,2	10,2	11,4	10,6	6,7	11,0	9,6	10,1	9,2	7,5	9,2	9,5
5/6 - 9/6	13,2		11,5	11,1	11,3	9,8	10,9	12,0	11,0	8,0	11,1	9,9	10,5	8,8	8,1	9,5	11,1
10/6 - 14/6	11,3		9,1	9,2	10,0	9,1	8,7	10,4	10,1	5,3	10,1	9,4	8,9	9,0	7,9	9,4	9,9
15/6 - 19/6	8,3		7,1	8,8	8,5	8,3	7,4	9,4	9,0	4,5	9,3	8,8	8,7	8,7	8,5	8,6	9,3
20/6 - 24/6	10,9		11,9	13,0	14,9	12,0	15,2	16,9	16,3	12,8	15,8	13,5	15,3	13,2	11,3	14,9	15,3
25/6 - 29/6	13,2		10,8	12,7	13,0	11,7	12,1	12,8	12,9	9,4	14,0	13,1	13,3	13,0	12,2	13,2	12,6
30/6 - 4/7	7,3		8,1	8,6	8,2	8,5	6,8	8,6	8,4	3,7	9,3	8,6	8,8	9,0		9,6	9,1
5/7 - 9/7	12,7	13,6	12,3	12,4	12,9	11,4	14,3	14,8	14,4	11,4	15,2	12,9	15,0	13,4		15,5	15,3
10/7 - 14/7	12,3	13,6	11,4	12,1	12,0	11,0	12,9	14,1	14,2	9,9	14,0	11,9	14,4	11,9		13,2	15,2
15/7 - 19/7	13,3	14,7	11,8	12,4	13,5	11,9	13,1	14,7	15,4	12,0	15,1	13,5	16,0	14,1		15,1	16,1
20/7 - 24/7	11,2	12,0	9,9	11,2	11,5	11,1	11,7	13,0	12,8	9,4	13,6	12,6	14,3	13,0		14,2	14,0
25/7 - 29/7	12,1	13,6	11,7	12,4	12,3	11,2	13,0	13,7	13,7	9,5	13,7	12,0	13,8	12,1		12,5	13,0
30/7 - 3/8	14,1	15,7	12,1	14,5	14,5	12,7	13,2	13,5	12,8	11,0	14,5	13,2	14,7	12,9		13,2	12,8
4/8 - 8/8	12,1	13,1	11,2	13,3	13,1	12,6	11,8	11,6	11,7	8,9	13,3	12,9	13,1	12,8	11,6	12,6	11,3
9/8 - 13/8	12,5	14,5	12,6	13,7	13,9	12,8	13,6	14,6	14,3	11,5	15,4	13,8	15,6	14,2	13,6	15,3	14,3
14/8 - 18/8	11,3	16,5	13,3	15,9	15,6	14,4	14,7	15,3	15,1	12,8	16,6	15,1	15,9	14,9	14,0	15,6	14,4
19/8 - 23/8	13,3	14,5	12,1	13,3	14,5	13,0	13,5	12,7	12,9	11,8	14,7	14,3	14,3	14,9	13,4	16,0	13,7
24/8 - 28/8	9,1	10,4	7,7	10,3	10,1	10,1	8,5	9,6	8,5	5,4	10,3	10,4	10,1	10,2	9,7	9,3	8,2
29/8 - 2/9	7,3	9,1	6,7	10,2	9,1	9,7	6,7	8,0	7,4	4,3	9,2	9,6	8,6		9,7	8,6	7,4
3/9 - 7/9	11,7	11,8	9,4	13,1	12,0	11,6	10,1	9,3	8,3	7,4	10,3	11,8	10,4		11,1	11,5	9,1
8/9 - 12/9	9,1	9,7	7,5	9,9	9,2	9,5	7,8	8,6	8,1	4,5	9,5	9,6	8,9		9,1	8,6	8,2
13/9 - 17/9	5,1	5,9	3,1	8,1	6,7	7,6	4,0	4,6	4,1	1,0	6,1	7,3	5,5		7,2	5,6	3,7
18/9 - 22/9	7,1	7,8	5,3	9,2	8,3	9,0	6,0	6,3	5,5	3,2	7,4	8,8	8,0		7,9	7,4	5,7
23/9 - 27/9	5,2	6,8	4,9	9,4	7,3	8,2	4,7	4,7	4,3	2,5	6,4	8,3	6,0		7,9	7,1	5,2
28/9 - 2/10	3,1	3,6	1,2	6,6	5,1	6,7	0,8	2,3	1,5	- 0,7	3,5	5,8	3,0		6,2	4,0	2,0
3/10 - 7/10	3,3	3,3	2,5	8,0	5,1	7,7	1,3	2,3	0,8	1,2	3,1	6,9	2,9	6,9	6,7	4,6	2,0
8/10 - 12/10	3,3	5,3	3,0	8,4	5,8	7,4	3,3	3,4	2,2	0,8	5,1	6,4	4,2	6,4	6,2	5,0	2,9
13/10 - 17/10	4,3	4,5	1,6	6,7	5,5	6,1	2,8	2,8	1,3	- 0,8	3,1	5,3	3,2	4,9	4,7	2,9	0,3
18/10 - 22/10	4,3	3,9	1,4	7,1	5,3	6,3	2,3	2,8	2,0	- 0,4	4,4	5,7	3,5	5,4	5,6	4,8	2,8
23/10 - 27/10	- 0,3	- 0,9	- 3,4	8,1	4,2	7,3	- 1,1	- 3,2	- 2,7	1,9	0,4	6,2	1,0	7,1	7,2	5,8	- 0,4
28/10 - 1/11	1,3		- 2,7	4,2	2,8	3,7	- 1,6	0,1	- 1,4	- 3,4	1,0	3,8	0,8	3,5	4,2	3,2	- 0,4
2/11 - 6/11	1,1		- 1,5	5,1	3,0	4,8	0,3	1,4	- 0,1	- 2,1	2,4	4,8	2,0	4,4	4,7	5,4	1,5
7/11 - 11/11	- 3,1		- 3,0	2,3	0,5	2,8	- 2,4	- 4,7	- 4,8	- 3,5	- 2,5	3,0	0,4	3,1	3,7	2,0	- 2,6
12/11 - 16/11	- 5,2		- 3,8	0,4	- 0,2	1,4	- 3,5	-10,1	- 6,8	- 5,3	- 5,9	1,3	- 2,5	1,8	2,0	0,3	- 4,6
17/11 - 21/11	0,7		- 2,7	4,8	3,1	4,2	- 0,7	- 0,1	- 2,5	- 2,4	1,1	4,3	0,5	4,0	3,9	3,7	0,8
22/11 - 26/11	0,3		- 1,8	4,6	3,0	4,5	- 0,2	0,0	- 0,6	- 2,1	1,7	3,8	1,2	3,4	3,2	1,7	- 0,6
27/11 - 1/12	- 0,1		- 3,8	4,0	1,6	3,1	- 3,9	- 4,6	- 4,6	- 4,5	- 2,3	1,8	- 2,7	1,5	1,8	0,2	- 4,3
2/12 - 6/12	2,9		0,3	5,2	4,2	4,9	0,9	1,6	1,5	- 1,0	3,8	4,8	2,4	4,6	4,6	3,9	1,7
7/12 - 11/12	- 0,3		-11,2	- 0,5	- 4,0	0,0	-10,1	-12,8	-13,6	- 8,1	- 9,0	- 1,2	- 6,0	- 0,2	0,4	- 2,7	- 6,8
12/12 - 16/12	-11,3		-13,8	- 3,1	- 4,0	- 1,6	-10,5	-14,8	-14,1	- 9,0	- 8,8	- 1,7	- 5,8	- 1,1	- 0,5	- 2,0	- 6,8
17/12 - 21/12	- 7,3		-10,3	- 0,4	- 3,7	- 0,7	-10,9	-11,0	-12,1	- 9,0	- 7,0	- 2,2	- 6,6	- 1,8	- 2,0	- 3,0	- 7,3
22/12 - 26/12	- 3,3		- 6,3	2,3	0,8	2,2	- 4,1	- 4,1	- 4,8	- 3,9	- 0,5	2,2	0,1	2,8	3,5	2,3	0,4
27/12 - 31/12	- 1,7		- 5,8	2,7	0,7	2,9	- 4,3	- 4,3	- 6,2	- 4,0	- 1,9	2,4	- 0,9	2,5	2,9	1,4	- 1,2

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	BJØRNØYA	KLETKNUFJELL	RAUDKØ - VESTER	SVARTE SALTDAL	BODØ	VALLØYAN	KVIGTJELV	FINNØY I TAMARAM	SKJOMEN - SLETTJORD	NARVIK III	EVENSKJER	SKROVA FYR	RØST II	KVALNES I LOFOTEN	RØ I VESTERÅLEN II	KLEIVA I SOMTRØNDELAG	RØRKENES
1/1 - 5/1	- 4,0	- 9,1	- 7,2	-17,4	-17,8	-11,1	-11,1	- 5,7	- 5,0	- 4,8	- 5,5	- 1,4	- 0,1	- 0,5	- 2,8	- 5,6	- 4,1
6/1 - 10/1	- 3,0	- 8,6	- 5,4	- 8,9	-10,2	- 5,3	- 4,6	- 2,7	- 3,6	- 6,1	- 5,0	- 0,9	0,9	- 0,8	- 2,4	- 3,0	- 4,1
11/1 - 15/1	- 4,1	-10,4	- 6,4	-11,5	-12,7	- 7,4	- 6,5	- 3,4	- 3,3	- 6,5	- 5,3	- 1,5	0,1	- 1,2	- 2,2	- 3,4	- 3,9
16/1 - 20/1	- 3,3	- 6,1	- 2,7	- 5,6	- 8,4	- 2,7	- 2,9	- 0,1	0,0	- 0,7	- 0,1	1,1	2,3	1,9	1,1	0,3	0,4
21/1 - 25/1	- 3,3	-10,4	- 6,4	- 8,5	-11,3	- 6,6	- 6,4	- 4,5	- 4,4	- 7,4	- 5,4	- 2,6	0,6	- 0,8	- 2,3	- 3,2	- 4,4
26/1 - 30/1	- 6,7	-11,9	- 9,7	-13,9	-19,4	-10,4	-11,8	- 6,4	- 7,6	- 9,8	- 7,9	- 4,2	- 1,6	- 3,7	- 6,1	- 6,7	- 7,2
31/1 - 4/2	- 5,7	-12,1	- 7,8	-10,8	-15,7	- 8,1	- 7,5	- 5,2	- 4,7	- 7,4	- 6,7	- 3,2	- 1,2	- 3,2	- 3,9	- 4,6	- 5,8
5/2 - 9/2	- 3,3	-12,5	- 8,3	-11,2	-13,1	- 8,0	- 8,6	- 5,9	- 7,8	-10,9	- 8,5	- 5,0	- 1,8	- 4,3	- 5,5	- 6,4	- 7,8
10/2 - 14/2	- 5,2	-11,5	- 8,2	-11,9	-14,5	- 9,2	-10,3	- 6,8	- 8,6	- 8,7	- 7,4	- 3,5	- 2,4	- 3,1	- 6,2	- 6,0	- 6,8
15/2 - 19/2	- 3,1	- 4,5	- 1,5	- 5,6	- 7,8	- 2,1	- 2,2	- 0,2	0,4	0,2	0,3	1,6	2,4	2,3	1,6	1,2	1,3
20/2 - 24/2	- 3,1	- 4,3	- 1,7	- 4,9	- 7,3	- 2,0	- 3,5	0,5	0,7	0,3	0,8	1,7	2,7	2,5	1,6	1,3	1,5
25/2 - 1/3	- 1,0	- 4,8	- 3,1	0,8	- 3,2	1,1	0,1	0,8	0,7	- 1,4	- 0,1	0,9	2,4	2,1	1,3	0,1	1,1
2/3 - 6/3	- 1,2	- 5,9	- 3,7	- 0,1	- 3,8	0,6	- 0,2	0,6	0,7	0,6	0,4	1,6	2,3	1,6	1,2	0,4	0,8
7/3 - 11/3	- 2,3	- 4,5	- 1,1	- 2,2	- 2,7	2,7	1,7	2,4	2,3	2,6	1,8	3,1	3,5	3,4	2,8	2,2	2,2
12/3 - 16/3	- 3,2	-10,2	- 5,0	- 6,1	-10,9	- 4,3	- 5,8	- 4,0	- 4,0	- 4,0	- 4,8	- 2,2	- 0,3	- 2,1	- 3,2	- 3,6	- 4,1
17/3 - 21/3	- 3,1	-14,2	- 9,9	-13,5	-16,2	-11,4	-13,0	- 8,9	-10,1	- 9,7	- 8,4	- 5,6	- 3,5	- 5,2	- 5,6	- 6,9	- 7,1
22/3 - 26/3	0,1	- 6,0	- 1,0	- 2,5	- 5,9	- 1,9	- 2,2	- 1,0	- 1,4	- 2,0	- 2,8	- 0,5	0,9	- 0,7	- 2,2	- 2,0	- 1,9
27/3 - 31/3	4,3	- 1,6	3,5	4,8	0,2	5,0	3,8	4,5	4,9	4,2	3,7	4,0	4,3	4,8	4,4	4,2	4,7
1/4 - 5/4	3,3	- 2,7	2,6	1,2	- 1,2	3,6	3,1	3,6	3,1	2,9	2,8	3,5	3,3	3,5	3,7	3,7	3,1
6/4 - 10/4	3,3	- 5,8	- 3,0	- 0,3	- 5,1	0,0	- 3,9	- 0,3	0,4	0,2	0,1	0,1	1,0	0,2	- 0,4	- 0,4	0,0
11/4 - 15/4	- 3,3	- 7,7	- 2,2	- 2,2	- 6,0	- 1,1	- 2,0	- 2,2	- 2,8	- 2,5	- 2,5	- 1,7	- 0,6	- 1,4	- 2,3	- 2,4	- 2,8
16/4 - 20/4	1,5	- 4,0	0,0	0,8	- 3,8	0,7	- 1,0	0,9	- 0,4	- 0,5	0,0	0,8	2,1	2,0	1,5	0,8	0,5
21/4 - 25/4	7,2	0,0	5,8	5,8	2,0	5,7	4,9	6,8	6,0	6,2	5,4	6,2	4,7	5,5	6,2	5,6	6,0
26/4 - 30/4	4,1	- 2,1	3,5	4,0	0,4	4,3	3,3	4,2	4,7	4,7	4,2	3,9	3,9	4,1	4,5	4,0	4,3
1/5 - 5/5	5,3	- 2,0	4,7	5,3	0,1	5,5	4,7	5,5	6,0	6,0	5,7	4,2	4,3	5,0	5,1	4,3	5,2
6/5 - 10/5	4,3	- 1,4	4,2	5,2	0,0	4,8	3,5	4,4	5,1	5,2	5,1	4,5	4,2	4,6	5,1	4,1	5,5
11/5 - 15/5	2,3	- 4,0	1,3	3,5	- 3,0	2,6	1,0	1,8	2,5	2,2	1,8	1,7	1,6	2,1	2,2	1,4	1,8
16/5 - 20/5	5,1	- 0,7	3,9	6,4	2,1	5,2	4,2	4,2	4,7	4,6	4,1	3,6	4,3	4,0	4,2	3,6	4,1
21/5 - 25/5	9,3	3,8	8,7	10,1	5,2	8,9	7,9	9,1	8,8	8,8	8,2	7,6	6,4	7,7	8,7	8,4	8,1
26/5 - 30/5	8,7	3,5	8,9	10,8	5,4	9,7	8,5	7,7	8,6	8,3	6,8	6,5	6,0	6,8	6,6	6,6	6,9
31/5 - 4/6	8,3	3,8	8,3	10,1	6,3	8,9	8,3	7,7	8,6	7,8	8,0	6,7	6,6	8,1		7,7	8,4
5/6 - 9/6	8,5	5,4	9,0	11,0	7,8	9,5	9,2	8,6	9,2	7,9	8,3	6,7	7,1	7,6		8,1	8,9
10/6 - 14/6	9,1	3,8	8,1	10,4	8,1	9,2	8,0	8,6	9,3	8,9	8,5	8,0	7,3	8,4		8,6	9,2
15/6 - 19/6	8,7	3,3	7,7	9,6	8,2	9,0	8,3	9,1	9,7	9,5	9,2	8,4	7,7	7,5		8,7	9,2
20/6 - 24/6	14,1	12,1	15,0	15,9	13,8	14,8	14,8	15,2	13,7	14,0	12,3	12,8	9,5	12,0		13,7	12,1
25/6 - 29/6	13,3	8,1	13,0	13,8	10,0	13,3	14,1	14,1	14,7	14,8	13,0	13,1	10,5	11,6		12,9	13,5
30/6 - 4/7	9,3	4,2	9,7	11,3		10,9	10,7	10,6	12,2	12,0	10,7	10,0	8,4	9,3		10,2	11,0
5/7 - 9/7	15,3	11,0	15,3	16,7		16,0	16,7	16,7	16,6	16,2	15,0	15,2	11,5	15,4	16,8	16,2	16,7
10/7 - 14/7	13,3	11,0	13,7	14,8		15,1	15,5	16,0	16,5	16,6	15,0	14,8	11,1	12,3	14,6	15,1	15,9
15/7 - 19/7	10,1	13,4	16,1	17,1		17,3	17,0	18,1	17,7	17,8	16,3	16,8	12,1	14,0	16,8	17,5	16,3
20/7 - 24/7	14,3	10,2	13,4	14,5		14,9	14,8	15,9	16,2	16,5	15,4	15,6	11,2	11,9	14,8	15,5	15,6
25/7 - 29/7	12,3	8,5	12,9	14,0		13,9	14,1	13,6	13,4	13,5	11,7	12,6	9,9	10,1	10,8	11,4	11,1
30/7 - 3/8	13,0	9,4	13,2	13,2		14,3	13,9	12,2	11,3	11,5	10,2	11,7	9,3	9,5	10,1	10,2	9,3
4/8 - 8/8	13,1	7,3	12,3	12,3		13,0	12,5	12,5	11,9	12,2	11,0	12,0	10,7	11,1	11,9	11,4	10,9
9/8 - 13/8	10,3	10,7	14,8	15,6		16,0	15,5	16,6	17,1	16,6	15,1	15,7	12,9	16,0	16,3	16,4	16,3
14/8 - 18/8	15,2	11,2	14,4	15,5		15,3	14,8	15,3	15,2	15,1	14,5	14,5	13,0	15,7	15,4	14,8	15,4
19/8 - 23/8	10,2	11,8	15,5	14,7		15,1	15,0	16,4	15,0	16,2	14,4	16,1	12,8	14,4	16,1	16,0	14,3
24/8 - 28/8	9,3	3,7	8,8	9,5		9,5	9,2	9,5	9,4	9,6	9,0	9,8	9,4	9,2	9,3	9,0	8,7
29/8 - 2/9	8,3	3,0	7,9	8,5		9,3	8,8	8,5	9,3	9,1	8,9	9,3	9,3	9,2	8,6	8,3	8,9
3/9 - 7/9	11,3	6,5	10,2	9,9	7,3	11,0	10,3	11,3	10,7	10,6	10,4	11,1	10,0	12,0	11,1	11,1	11,2
8/9 - 12/9	8,3	4,0	8,5	8,8	6,1	9,3	9,0	9,4	10,3	9,3	9,2	9,3	8,8	9,6	9,0	9,2	10,2
13/9 - 17/9	6,3	- 0,1	5,3	4,6	2,3	5,8	5,6	6,1	6,6	6,7	6,4	6,9	6,8	6,4	6,2	6,1	6,1
18/9 - 22/9	8,3	2,1	6,4	6,2	4,3	7,0	7,2	7,7	7,7	7,8	7,3	8,4	7,7	8,0	7,7	7,8	7,0
23/9 - 27/9	6,3	0,7	5,5	5,5	2,5	6,3	5,8	6,4	7,4	6,7	6,8	7,6	7,5	6,9	6,5	6,5	6,6
28/9 - 2/10	4,3	- 1,4	2,7	2,4	- 0,6	3,7	3,3	4,2	4,5	4,6	4,7	6,0	6,3	5,6	4,6	4,2	4,4
3/10 - 7/10	4,3	0,0	2,5	1,4	- 0,1	3,1	2,7	3,7	3,8	4,3	4,7	5,8	6,3	5,4	4,8	4,8	4,6
8/10 - 12/10	4,3	- 1,8	3,2	3,5	0,3	4,8	3,9	4,1	3,8	3,4	3,7	5,1	5,8	4,6	4,0	3,9	3,3
13/10 - 17/10	2,7	- 3,4	0,8	- 0,8	- 2,3	1,2	1,0	1,4	1,0	1,5	0,8	3,2	3,9	2,0	0,7	1,4	0,9
18/10 - 22/10	4,3	- 1,8	2,7	2,2	- 0,6	3,6	2,7	3,5	3,9	3,1	3,1	4,6	5,5	4,7	4,1	3,2	3,3
23/10 - 27/10	5,5	4,7	5,1	- 1,7	- 2,2	1,5	3,1	4,2	2,2	3,6	3,7	6,8	7,3	6,4	4,8	5,0	5,4
28/10 - 1/11	2,2	- 6,3	3,1	0,7	- 4,3	1,8	0,8	1,5	2,1	0,9	2,2	3,7	4,5	3,4	2,4	2,3	2,1
2/11 - 6/11	4,3	- 4,1	1,5	1,8	- 2,3	3,0	2,2	3,4	3,2	1,8	2,8	4,7	5,5	4,4	4,1	3,8	2,9
7/11 - 11/11	1,3	- 3,7	3,1	- 2,7	- 4,4	- 0,5	- 3,2	0,5	0,2	1,0	- 0,5	3,1	4,4	2,4	0,7	0,7	0,0
12/11 - 16/11	- 3,3	- 6,7	- 2,3	- 7,4	- 6,3	- 2,8	- 2,3	- 2,3	- 1,9	- 1,7	- 2,6	0,9	2,7	0,2	- 0,9	- 1,7	- 2,3
17/11 - 21/11	3,1	- 3,5	1,5	1,1	- 2,7	2,4	3,7	1,8	2,6	2,0	1,2	3,1	4,5	2,9	2,6	1,8	1,9
22/11 - 26/11	2,3	- 4,2	3,3	- 3,1	- 3,1	0,7	1,2	0,9	0,3	0,1	0,3	1,9	3,5	1,8	1,5	0,6	0,1
27/11 - 1/12	3,3	- 6,8	- 3,2	- 6,0	- 7,7	- 2,7	- 3,3	- 1,6	- 1,6	- 1,1	- 1,5	0,4		0,3	- 0,7	- 1,2	- 1,1
2/12 - 6/12	3,3	- 3,2	3,3	0,8	- 1,9	1,6	0,8	2,2	1,9	1,5	2,2	3,6		3,9	3,0	2,5	2,3
7/12 - 11/12	- 2,1	- 8,0	- 4,7	- 8,2	-10,6	- 5,8	- 6,5	- 3,9	- 4,1	- 3,5	- 3,2	- 0,6		- 0,5	- 2,5	- 2,8	- 3,4
12/12 - 16/12	- 2,3	- 9,2	- 4,9	-10,1	-11,3	- 5,2	- 5,7	- 2,7	- 3,3	- 4,0	- 3,2	- 0,6		- 0,7	- 1,6	- 2,7	- 3,5
17/12 - 21/12	- 3,3	- 9,5	- 5,6	- 8,4	-11,5	- 5,4	- 6,2	- 3,0	- 3,8	- 3,1	- 3,1	- 0,9		- 0,4	- 1,6	- 2,2	- 2,6
22/12 - 26/12	2,3	- 4,1	0,9	- 0,4	- 4,7	1,5	0,3	2,1	2,4	1,4	1,6	3,2		3,8	3,0	2,9	2,8
27/12 - 31/12	1,2	- 4,8	- 3,4	- 2,1	- 5,1	- 0,5	- 1,1	0,3	0,6	- 0,2	- 0,3	1,9		1,9	0,8	0,2	- 0,3

PENTADEMIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	ANDØYA	TENNEVOLL	GIBOSTAD	ØVERBYGD	BARDUFOSS	KVESMENES - RYE IG	SKIBOTN - MELL I	TROMSØ	TROMSØ - LANGNES
1/1 - 5/1	- 3,3	-10,3	- 7,9	-16,5	-15,7	-11,3	-11,5	- 7,2	- 7,2
6/1 - 10/1	- 4,7	-10,6	- 7,4	-11,9	-14,4	-11,9	-12,1	- 6,9	- 6,4
11/1 - 15/1	- 3,2	-12,7	- 7,9	-12,6	-16,5	-10,7	- 9,4	- 6,7	- 6,1
16/1 - 20/1	0,3	- 0,8	- 0,5	- 2,1	- 3,2	- 0,7	- 0,8	- 0,9	- 0,3
21/1 - 25/1	- 3,7	- 9,4	- 7,4	-12,2	-12,0	-10,0	-10,7	- 7,4	- 6,8
26/1 - 30/1	- 6,1	-11,7	-10,6	-16,5	-16,7	-15,1	-13,8	- 9,7	- 9,0
31/1 - 4/2	- 4,1	-10,0	- 6,8	- 9,4	-13,9	- 8,5	- 8,1	- 6,4	- 6,1
5/2 - 9/2	- 6,0	-12,1	-10,7	-16,2	-17,6	-14,7	-14,1	-10,4	- 9,8
10/2 - 14/2	- 5,2	-11,9	- 9,5	-21,6	-19,4	-15,7	-14,2	- 9,4	- 9,3
15/2 - 19/2	1,1	- 1,6	- 0,6	- 1,5	- 2,0	- 0,4	0,6	0,3	0,6
20/2 - 24/2	0,0	0,8	- 0,1	- 4,9	- 2,1	- 0,9	- 0,8	0,0	0,2
25/2 - 1/3	- 0,1	- 0,8		- 3,3	- 3,7	- 2,6	- 2,8	- 2,5	- 2,1
2/3 - 6/3	0,0	0,7		- 3,6	- 2,5	- 1,6	- 1,4	- 0,1	0,3
7/3 - 11/3	1,3	2,0		0,1	- 0,4	0,8	1,0	1,2	1,2
12/3 - 16/3	- 3,3	- 7,0		- 8,5	- 9,8	- 7,2	- 6,4	- 5,1	- 5,4
17/3 - 21/3	- 6,7	-11,0		-16,0	-15,4	-12,2	-11,2	- 8,7	- 8,6
22/3 - 26/3	- 4,0	- 5,7		- 3,7	- 6,5	- 4,5	- 3,9	- 3,4	- 3,8
27/3 - 31/3	2,3	3,4		3,4	2,2	3,4	3,5	3,2	2,6
1/4 - 5/4	2,1	1,3	2,1	1,6	1,3	1,5	1,5	1,4	1,2
6/4 - 10/4	- 1,5	- 1,5	- 0,5	- 1,8	- 2,1	- 1,5	- 1,3	- 1,1	- 1,2
11/4 - 15/4	- 2,3	- 4,9	- 3,0	- 5,9	- 5,3	- 5,0	- 4,3	- 4,6	- 4,6
16/4 - 20/4	- 0,7	- 1,6	- 0,6	- 1,9	- 2,0	- 1,7	- 1,7	- 1,3	- 1,5
21/4 - 25/4	4,1	4,6	4,4	4,2	4,9	4,6	5,1	4,5	3,8
26/4 - 30/4	3,5	4,2	3,7	3,7	3,4	4,0	4,8	3,6	3,3
1/5 - 5/5	5,2	5,7	5,8	4,9	4,9	4,8	5,6	5,1	5,0
6/5 - 10/5	4,1	4,7	4,8	4,3	4,4	4,8	4,9	4,2	4,4
11/5 - 15/5	1,3	1,8	1,6	1,6	1,0	1,8	2,8	1,1	1,3
16/5 - 20/5	4,2	4,5	4,1	4,5	4,3	4,3	4,5	3,4	3,7
21/5 - 25/5	6,7	9,0	7,6	8,5	8,7	8,0	8,5	7,2	6,8
26/5 - 30/5	6,2	7,6	6,4	8,5	7,3	7,6	7,3	6,1	5,9
31/5 - 4/6	7,0	8,2	7,3	9,0	8,7	8,4	9,3	6,9	6,8
5/6 - 9/6	7,2	9,0	7,6	7,9	7,9	8,5	9,4	6,7	6,4
10/6 - 14/6	7,3	8,9	8,0	8,8	9,1	9,1	9,9	7,7	7,4
15/6 - 19/6	7,9	9,6	8,9	10,3	9,7	10,5	10,7	8,8	8,6
20/6 - 24/6	9,9	13,4	11,8	15,2	14,6	12,7	12,8	11,1	10,3
25/6 - 29/6	11,1	14,5	12,5	15,4	14,8	14,5	14,9	12,7	12,0
30/6 - 4/7	10,2	12,7			12,0	12,9		11,7	11,8
5/7 - 9/7	14,3	15,9			16,8	16,2		16,0	15,2
10/7 - 14/7	14,2	16,4			17,2	18,1		16,3	15,4
15/7 - 19/7	14,9	17,5			18,8	18,4		17,3	16,1
20/7 - 24/7	12,9	15,6			15,9	14,5		15,4	14,5
25/7 - 29/7	9,1	12,2			11,8	12,1		10,1	10,1
30/7 - 3/8	8,7	10,4			10,0	9,5		8,6	8,6
4/8 - 8/8	10,3	11,3	10,1	11,3	11,0	11,4	11,5	10,1	9,8
9/8 - 13/8	15,1	16,7	15,6	17,3	16,0	17,0	17,5	16,6	15,3
14/8 - 18/8	13,9	15,0	14,8	14,8	15,0	14,8	14,8	14,4	13,8
19/8 - 23/8	13,1	13,9	13,6	14,9	15,0	14,0	13,3	13,7	12,8
24/8 - 28/8	8,7	8,4	8,8	7,6	7,9	8,3	8,4	7,8	8,0
29/8 - 2/9	8,5	8,9	8,5	7,8	7,9	8,6		7,3	7,5
3/9 - 7/9	10,3	8,9	10,1	8,5	9,2	8,8		8,7	8,5
8/9 - 12/9	8,8	8,7	8,6	8,5	8,5	8,3		8,7	8,7
13/9 - 17/9	6,1	4,9	6,4	6,0	5,7	6,1		5,5	5,6
18/9 - 22/9	7,3	6,3	7,2	6,4	5,3	6,1		6,6	6,6
23/9 - 27/9	6,3	5,6	6,2	4,5	5,0	5,4		5,5	5,7
28/9 - 2/10	4,0	3,3	4,2	3,2	3,5	4,3		3,7	4,1
3/10 - 7/10	4,3	3,5	4,3	3,5	3,2	4,5	4,5	3,1	3,8
8/10 - 12/10	3,3	2,6	2,6	0,8	1,0	0,9	0,9	1,9	2,5
13/10 - 17/10	0,7	- 1,9	0,2	- 2,5	- 3,3	- 2,8	- 2,7	- 0,7	0,0
18/10 - 22/10	2,0	2,5	2,7	0,7	0,5	1,7	1,8	1,9	2,6
23/10 - 27/10	4,3	0,1	2,8	- 2,0	- 0,3	0,2	0,7	2,5	2,5
28/10 - 1/11	1,3	- 4,8	- 0,4	- 2,4	- 4,9	- 1,7	- 2,0	- 0,3	0,2
2/11 - 6/11	3,0	- 2,2	1,1	- 1,1	- 4,7	- 0,8	- 0,1	0,3	0,9
7/11 - 11/11	3,3	- 5,3	- 1,2	- 5,5	- 8,1	- 3,2	- 2,0	- 0,8	- 1,5
12/11 - 16/11	- 1,3	-10,2	- 3,4	- 4,6	-11,1	- 5,2	- 4,9	- 4,1	- 4,6
17/11 - 21/11	1,3	0,2	1,1	- 0,5	- 2,5	0,3	0,1	0,5	0,8
22/11 - 26/11	0,3	- 2,3	- 0,9	- 3,6	- 4,3	- 2,4	- 1,2	- 1,2	- 0,7
27/11 - 1/12	- 0,2	- 2,5	- 1,3	- 4,9	- 5,4	- 3,5		- 2,8	- 2,6
2/12 - 6/12	2,1	1,0	1,5	- 2,5	- 2,0	- 0,1		0,2	0,5
7/12 - 11/12	- 2,1	- 6,5	- 4,8	-13,4	-10,6	- 7,5		- 5,1	- 4,5
12/12 - 16/12	- 2,3	- 8,0	- 4,6	- 7,2	-12,0	- 5,7		- 4,1	- 4,3
17/12 - 21/12	- 0,5	- 4,1	- 2,7	- 6,3	- 6,9	- 4,3		- 3,5	- 3,3
22/12 - 26/12	1,9	1,0	1,3	- 0,6	- 2,1	0,4		1,2	1,1
27/12 - 31/12	0,0	- 3,0	- 2,0	- 2,9	- 6,7	- 3,8		- 2,5	- 2,7

PENTADE	TORSVÅG FYR	NORDREISA	NORDSTRAUM I KVÆNANGEN	LOPPA	ALTA LUFTHAVN	SUOLOVUOPMI	RREINELV	BANAK
1/1 - 5/1	- 2,6	-10,0	- 6,4	- 2,9	-10,3	-16,9	-10,3	-10,8
6/1 - 10/1	- 2,9	-12,1	- 8,5	- 5,0	-15,4	-22,0	-14,5	-16,1
11/1 - 15/1	- 1,8	-10,8	- 6,1	- 2,7	-11,0	-17,4	- 9,6	-11,9
16/1 - 20/1	1,6	- 1,7	- 0,9	1,0	- 3,0	- 7,2	- 3,2	- 3,8
21/1 - 25/1	- 3,2	-10,4	- 8,4	- 5,0	-11,6	-15,9	-12,6	-13,0
26/1 - 30/1	- 7,1	-17,3	-12,8	- 8,2	-19,0	-24,8	-17,9	-19,1
31/1 - 4/2	- 2,7	- 9,5	- 7,2	- 3,9	-10,4	-15,4	- 9,2	-11,2
5/2 - 9/2	- 6,5	-14,9	-12,2	- 8,5	-16,0	-20,3	-15,0	-16,5
10/2 - 14/2	- 5,2	-17,4	-11,0	- 6,6	-18,4	-23,7	-16,6	-19,4
15/2 - 19/2	2,5	- 1,9	0,4	2,2	- 1,5	- 6,8	- 1,2	- 1,2
20/2 - 24/2	1,5	- 3,7	- 1,1	1,6	- 4,5	-10,0	- 5,4	- 6,4
25/2 - 1/3	- 0,7	- 3,3	- 2,8	- 1,7	- 5,1	- 8,8	- 6,4	- 7,0
2/3 - 6/3	1,5	- 1,9	- 0,3	1,2	- 3,4	- 7,1	- 2,6	- 3,4
7/3 - 11/3	2,3	0,8	1,1	2,0	- 0,5	- 4,8	- 1,0	- 1,9
12/3 - 16/3	- 2,6	- 6,9	- 4,8	- 3,1	- 7,8	-12,4	- 7,1	- 8,1
17/3 - 21/3	- 6,0	-12,7	-10,0	- 7,1	-14,6	-20,1	-14,7	-16,5
22/3 - 26/3	- 0,9	- 4,9	- 3,7	- 2,2	- 6,3	-10,6	- 6,8	- 7,7
27/3 - 31/3	4,6	2,8	3,2	3,6	1,7	- 1,1	2,0	1,4
1/4 - 5/4	2,7	1,4	1,4	2,1	- 0,2	- 3,2	0,1	- 0,5
6/4 - 10/4	0,2	- 1,9	- 0,1	0,0	- 1,6	- 5,2	- 1,2	- 1,4
11/4 - 15/4	- 3,3	- 5,6	- 4,3	- 3,8	- 5,3	- 8,8	- 5,5	- 6,0
16/4 - 20/4	- 0,5	- 2,1	- 2,1	- 1,1	- 4,0	- 8,0	- 4,3	- 5,2
21/4 - 25/4	4,4	3,8	3,7	3,9	2,7	- 0,2	2,6	1,8
26/4 - 30/4	4,4	4,0	4,2	4,0	3,4	0,6	3,6	2,9
1/5 - 5/5	6,2	5,0	5,0	5,5	4.7	1,0	4,7	4,3
6/5 - 10/5	5,1	4,9	4,8	4,8	4,6	0,9	4,5	4,3
11/5 - 15/5	1,1	1,7	2,0	1,6	1,9	- 1,0	2,1	1,8
16/5 - 20/5	3,1	4,5	3,6	3,0	3,2	1,3	2,2	2,3
21/5 - 25/5	5,6	7,6	7,0	6,0	6,5	3,5	5,6	6,7
26/5 - 30/5	5,6	7,3	6,9	5,5	7,0	5,2	6,4	6,5
31/5 - 4/6	6,2	8,9	7,6	6,3	8,5	6,5	7,7	7,9
5/6 - 9/6	6,0	7,2	6,8	5,9	7,0	5,3	5,9	5,6
10/6 - 14/6	6,6	8,8	7,6	6,9	8,5	7,6	7,8	7,9
15/6 - 19/6	8,0	9,4	9,0	8,3	9,8	8,5	9,1	9,2
20/6 - 24/6	8,7	11,6	10,5	9,6	12,3	11,8	10,7	10,7
25/6 - 29/6	10,7	13,7	12,9	11,9	16,1	15,5	15,5	16,4
30/6 - 4/7	11,5	13,7	13,3	12,7	14,8	12,0	14,7	14,7
5/7 - 9/7	14,9	16,8	15,6	16,2	17,1	15,1	16,4	16,7
10/7 - 14/7	14,2	17,3	16,2	16,4	18,0	16,3	17,9	18,5
15/7 - 19/7	14,8	19,1	16,3	18,2	18,6	15,1	17,7	18,3
20/7 - 24/7	13,3	15,1	14,1	15,0	15,0	12,3	13,9	14,2
25/7 - 29/7	8,7	10,5	10,4	9,5	11,2	9,5	10,9	11,2
30/7 - 3/8	8,0	8,5	9,0	8,1	9,7	8,0	10,0	10,1
4/8 - 8/8	10,1	10,8	11,3	11,3	11,7	9,4	10,8	10,9
9/8 - 13/8	16,0	17,9	15,6	17,0	16,5	12,8	15,3	15,5
14/8 - 18/8	14,3	15,4	13,9	14,5	15,1	13,4	15,3	15,3
19/8 - 23/8	12,2	13,8	13,1	12,4	14,4	13,2	13,7	14,6
24/8 - 28/8	8,4	8,5	8,7	8,7	9,3	6,9	9,1	9,4
29/8 - 2/9	8,2	8,0	8,2	8,0	8,9	6,4	8,5	8,3
3/9 - 7/9	9,8	8,5	8,9	9,2	8,5	6,0	8,3	8,2
8/9 - 12/9	9,5	8,8	9,5	9,4	8,5	7,0	8,4	8,7
13/9 - 17/9	7,1	6,5	7,4	7,1	7,4	4,3	7,2	7,6
18/9 - 22/9	8,0	6,9	7,9	7,6	7,6	5,4	7,3	7,1
23/9 - 27/9	6,8	5,4	6,7	6,8	6,1	2,9	6,3	6,4
28/9 - 2/10	5,1	3,4	5,0	4,6	4,1	1,4	4,3	4,5
3/10 - 7/10	4,6	3,6	4,4	4,4	3,8	1,1	3,3	3,6
8/10 - 12/10	2,5	0,6	0,7	2,3	- 0,5	- 3,5	- 0,4	- 1,0
13/10 - 17/10	1,6	- 4,3	- 1,1	0,5	- 4,8	- 8,9	- 3,1	- 4,1
18/10 - 22/10	3,1	0,9	2,4	3,2	0,0	- 4,6	- 0,5	- 1,1
23/10 - 27/10	6,7	- 2,5	2,8	4,9	- 1,2	- 7,2	0,0	- 0,7
28/10 - 1/11	2,7	- 2,9	- 0,1	1,4	- 3,1	- 6,4	- 3,5	- 3,7
2/11 - 6/11	3,1	- 2,1	0,1	2,2	- 2,4	- 5,1	- 2,2	- 2,7
7/11 - 11/11	2,7	- 2,4	0,7	1,7	- 0,6	- 4,9	0,4	0,1
12/11 - 16/11	1,1	- 5,7	- 1,8	0,3	- 5,3	- 7,9	- 4,5	- 5,7
17/11 - 21/11	2,7	- 1,0	1,1	2,4	- 1,3	- 4,7	- 0,5	- 1,0
22/11 - 26/11	1,6	- 3,8	- 0,7	0,8	- 4,2	-11,3	- 5,1	- 5,2
27/11 - 1/12	0,1	- 5,6	- 3,3	- 1,2	- 6,2	-11,6	- 7,4	- 8,4
2/12 - 6/12	2,1	- 2,3	- 0,1	2,0	- 2,9	- 7,9	- 3,7	- 5,0
7/12 - 11/12	- 1,9	- 7,6	- 4,2	- 3,2	- 7,2	-14,5	- 7,5	- 8,2
12/12 - 16/12	- 0,3	- 6,5	- 3,7	- 1,5	- 8,8	-12,9	- 8,4	- 9,3
17/12 - 21/12	0,0	- 3,1	- 1,4	- 0,2	- 3,2	- 5,2	- 2,0	- 2,8
22/12 - 26/12	3,5	- 0,8	0,9	3,3	- 0,9	- 6,3	0,0	- 0,9
27/12 - 31/12	- 0,1	- 3,8	- 1,9	- 1,0	- 4,4	- 6,8	- 3,9	- 5,6

PENTADE MIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	HAMMERFEST RADIO	FRUHOLMEN FYR	HELLEJ FYR	KISTRAND II	SLETNES FYR	RJUKEFJELL MA	HAKKARI FYR	VARDO	BJORNOYA (RAD)	PASVIK	KIRKENES LUFTHAVN	CHRISTIANSUND	KARASJOK	KAUTOKEINO II	SIGGAJAVRE
1/1 - 5/1	-6,1	-4,2	-5,3	-7,6	-6,1	-14,6	-6,8	-7,2	-14,5	-20,4	-15,3	-16,7	-18,1	-18,9	-20,7
6/1 - 10/1	-10,1	-6,0	-6,7	-11,8	-8,2	-20,7	-8,6	-8,0	-20,0	-24,5	-20,5	-24,4	-22,8	-21,3	-19,9
11/1 - 15/1	-5,5	-3,9	-4,8	-8,2	-6,4	-15,5	-6,2	-6,2	-15,4	-17,7	-13,8	-21,6	-22,9	-20,1	-17,3
16/1 - 20/1	-1,1	0,1	-0,9	-2,6	-2,0	-7,5	-2,9	-2,7	-7,2	-8,8	-7,5	-9,0	-9,3	-9,5	-9,7
21/1 - 25/1	-3,1	-7,9	-8,8	-11,7	-10,4	-19,2	-10,7	-10,0	-17,8	-20,8	-17,2	-17,5	-16,4	-16,3	-17,0
26/1 - 30/1	-12,2	-8,3	-8,7	-14,1	-9,0	-20,0	-9,1	-9,4	-22,7	-26,9	-22,1	-28,0	-31,8	-28,4	-27,6
31/1 - 4/2	-8,2	-4,2	-4,7	-8,7	-5,6	-16,3	-6,4	-7,0	-14,9	-17,8	-14,6	-16,7	-18,4	-16,3	-15,5
5/2 - 9/2	-11,0	-9,7	-10,0	-13,9	-11,5	-18,5	-12,1	-10,7	-18,0	-17,6	-18,1	-20,2	-19,4	-20,2	-21,5
10/2 - 14/2	-9,9	-6,3	-7,5	-11,1	-8,2	-16,8	-9,3	-10,1	-14,6	-23,8	-16,4	-25,0	-28,0	-27,1	-27,7
15/2 - 19/2	-1,1	-2,9	-1,1	-0,1	-0,9	-1,0	-1,0	-0,5	-2,7	-5,9	-4,3	-8,7	-7,5	-10,1	-11,5
20/2 - 24/2	-3,1	-1,0	-3,1	-3,5	-0,1	-7,0	-0,8	-4,7	-8,5	-10,2	-8,8	-11,2	-12,6	-12,3	-11,6
25/2 - 1/3	-4,0	-3,8	-4,9	-6,5	-6,1	-10,7	-6,6	-6,3	-11,7	-12,6	-11,3	-9,5	-9,2	-8,9	-9,8
2/3 - 6/3	-1,3	-0,5	-3,5	-2,6	-1,7	-7,1	-2,7	-1,9	-5,4	-4,9	-5,0	-6,0	-7,3	-7,5	-7,1
7/3 - 11/3	-0,2	-1,0	-3,1	-1,2	-1,1	-3,6	-1,5	-1,0	-2,9	-2,3	-3,3	-5,2	-3,9	-4,2	-4,7
12/3 - 16/3	-5,7	-3,8	-4,3	-6,5	-4,7	-9,3	-5,7	-5,8	-8,3	-12,4	-9,0	-13,1	-11,2	-11,4	-13,1
17/3 - 21/3	-13,1	-8,3	-9,1	-13,0	-10,6	-18,9	-11,2	-10,3	-17,1	-20,3	-17,5	-22,2	-21,6	-20,7	-22,3
22/3 - 26/3	-3,2	-3,1	-3,6	-6,1	-4,5	-9,4	-5,1	-4,5	-9,3	-9,2	-9,6	-10,5	-9,4	-9,2	-10,1
27/3 - 31/3	1,3	2,6	2,3	1,3	1,6	1,2	1,7	1,0	0,9	1,4	0,0	-0,3	1,1	0,2	1,2
1/4 - 5/4	0,7	1,8	0,9	0,1	0,1	1,8	0,7	1,4	2,7	2,5	3,6	3,0	2,0	1,9	3,6
6/4 - 10/4	-1,7	-0,1	-0,7	-1,3	-1,8	-2,9	-2,5	-3,0	-4,1	-4,8	-5,5	-5,1	-4,4	-5,5	-7,7
11/4 - 15/4	-6,3	-3,9	-4,6	-5,3	-5,7	-7,9	-6,4	-6,0	-7,7	-8,1	-8,2	-9,5	-8,5	-8,7	-10,3
16/4 - 20/4	-4,3	-2,5	-3,6	-4,5	-5,0	-8,7	-6,3	-5,5	-9,5	-9,6	-9,5	-9,6	-8,8	-6,8	-9,3
21/4 - 25/4	1,3	2,6	2,2	1,7	0,5	-0,6	-0,2	-0,1	-0,4	0,7	-1,0	0,2	1,3	0,4	0,3
26/4 - 30/4	2,3	3,1	2,9	2,8	2,5	2,2	2,2	1,6	2,2	2,4	0,9	1,2	1,8	0,7	0,4
1/5 - 5/5	4,3	5,1	4,4	4,0	4,1	4,3	4,4	3,5	4,0	4,6	3,4	1,8	3,6	1,2	0,6
6/5 - 10/5	3,3	4,0	3,5	3,9	3,1	3,3	3,1	2,9	3,8	3,6	2,9	2,0	3,0	1,3	0,9
11/5 - 15/5	3,3	1,5	2,1	1,5	1,7	1,6	1,7	1,3	1,5	2,0	0,6	0,2	1,2	0,0	-1,0
16/5 - 20/5	1,3	1,6	1,2	1,6	1,1	1,7	1,4	1,4	1,9	3,4	1,2	1,8	2,6	1,9	0,9
21/5 - 25/5	4,4	3,3	3,2	4,3	2,7	3,7	2,3	2,3	3,9	4,9	3,1	4,3	5,1	5,1	3,4
26/5 - 30/5	4,3	4,4	4,6	5,2	4,1	5,6	4,1	4,6	6,0	9,9	6,5	6,5	7,8	7,1	6,6
31/5 - 4/6	5,7	4,7	4,6	6,1	4,1	5,8	4,5	4,1	6,0	8,0	5,9	7,9	9,2	8,1	8,0
5/6 - 9/6	4,7	4,0	3,5	4,9	2,8	4,4	2,9	2,8	4,5	5,8	3,5	6,1	7,0	7,4	6,6
10/6 - 14/6	5,3	4,9	4,9	6,6	4,3	7,2	5,5	4,8	7,5	9,2	6,8	8,8	9,6	9,2	8,3
15/6 - 19/6	7,3	7,1	6,9	7,7	6,8	9,0	7,2	6,2	9,6	10,5	9,0	9,2	10,1	10,2	9,3
20/6 - 24/6	10,4	6,8	7,1	9,3	8,8	8,5	5,2	4,0	7,0	12,3	7,0	12,1	12,6	13,8	13,1
25/6 - 29/6	13,3	10,5	10,0	13,6	8,9	16,1	10,2	8,9	12,7	17,5	13,2	16,1	17,5	15,2	14,3
30/6 - 4/7	14,0	11,8	12,3	13,3	11,3	14,4	12,4	10,2	14,2	15,8	14,9	13,3	14,3		11,8
5/7 - 9/7	14,3	13,0	12,4	14,3	9,1	13,8	8,7	7,4	9,7	15,2	9,9	15,5	16,3		14,7
10/7 - 14/7	17,7	13,0	12,9	16,8	7,7	15,6	8,4	8,5	10,1	17,9	11,5	17,2	18,6		16,4
15/7 - 19/7	14,7	13,7	11,0	16,4	13,0	15,4	11,3	10,0	12,1	16,0	13,2	15,4	16,0		14,8
20/7 - 24/7	13,3	9,3	10,7	13,1	13,3	14,2	11,0	10,0	11,8	13,8	12,4	12,4	13,7		12,5
25/7 - 29/7	8,3	8,1	8,5	9,9	8,8	11,1	9,4	9,2	10,6	11,8	10,2	10,2	10,9		10,3
30/7 - 3/8	7,7	7,8	8,1		8,0	10,0	8,7	8,6	9,7	11,2	9,3	9,6	10,8		9,8
4/8 - 8/8	11,3	9,9	10,1		9,5	10,1	10,0	9,3	10,5	10,6	9,8	9,6	10,1		9,6
9/8 - 13/8	16,7	15,1	13,5		10,9	12,9	10,9	9,8	11,0	13,0	11,8	13,1	13,6		13,3
14/8 - 18/8	15,2	13,9	13,9		14,1	15,7	14,8	12,1	15,6	17,6	16,6	14,8	16,1		14,4
19/8 - 23/8	12,2	10,0	11,5		10,3	13,4	11,5	11,1	12,9	15,3	13,5	13,4	13,5		13,0
24/8 - 28/8	7,3	8,0	8,1		8,3	8,6	9,3	8,8	9,0	9,7	8,4	7,4	8,1		8,4
29/8 - 2/9	7,7	8,1	7,7		7,7	8,2	7,9	7,8	8,0	8,4	7,5	7,2	7,8		6,3
3/9 - 7/9	7,3	7,9	7,7	7,5	7,3	7,7	8,3	7,8	7,8	7,9	7,5	6,0	6,2	6,3	5,6
8/9 - 12/9	8,2	8,6	8,8	7,7	9,0	9,3	10,7	9,5	10,1	10,3	10,0	7,3	7,7	6,1	7,0
13/9 - 17/9	6,3	7,5	7,7	7,4	8,0	8,5	8,4	8,3	8,3	8,0	7,7	5,1	6,5	4,5	3,8
18/9 - 22/9	7,2	8,0	7,9	7,4	7,3	7,7	7,7	7,5	7,3	7,5	6,9	6,0	6,5	5,5	5,3
23/9 - 27/9	5,3	7,1	6,3	5,7	6,3	5,7	6,3	6,0	6,1	5,8	5,0	3,0	4,3	3,0	2,8
28/9 - 2/10	3,3	5,2	4,2	3,4	4,4	3,0	4,3	4,0		2,9	2,8	1,0	1,8	1,7	0,3
3/10 - 7/10	3,2	4,1	3,6	3,1	3,3	3,0	3,6	3,0		2,3	1,7	1,4	1,9	0,6	-0,2
8/10 - 12/10	3,1	1,5	1,5	0,6	3,4	-2,2	0,4	1,4		-1,7	-2,4	-3,0	-2,2	-3,1	-3,2
13/10 - 17/10	-2,3	-0,6	-3,1	-2,7	-3,9	-4,4	-3,7	-0,7		-5,6	-5,0	-9,5	-8,9	-10,5	-11,7
18/10 - 22/10	3,3	2,7	1,5	-0,2	0,4	-2,2	0,3	0,3		-2,7	-2,6	-5,4	-4,9	-5,1	-5,8
23/10 - 27/10	2,3	5,1	3,9	1,2	3,4	0,6	3,2	3,1		-0,7	0,8	-8,3	-6,0	-11,3	-10,0
28/10 - 1/11	-1,3	0,3	-1,4	-2,9	-3,1	-4,6	-3,8	-2,8		-6,4	-6,4	-6,5	-5,9	-6,5	-6,9
2/11 - 6/11	-2,1	0,8	-3,4	-2,1	-2,0	-5,4	-3,5	-2,7	-4,3	-4,6	-5,2	-4,3	-4,0	-4,2	-4,9
7/11 - 11/11	3,2	2,0	1,3	0,0	3,6	-1,2	0,1	0,3	-2,7	-5,0	-3,5	-6,7	-7,0	-7,8	-8,7
12/11 - 16/11	-2,3	0,3	-0,2	-2,8	-1,2	-6,8	-1,4	-1,3	-4,0	-4,9	-4,7	-7,3	-7,5	-8,3	-8,2
17/11 - 21/11	3,2	2,0	1,2	-0,5	3,0	-2,6	0,4	1,0	-1,0	-1,4	-1,3	-3,5	-3,1	-4,8	-5,2
22/11 - 26/11	-1,7	0,7	-0,5	-3,1	-1,2	-9,4	-2,2	-2,7	-7,3	-7,7	-6,4	-12,9	-15,3	-12,6	-11,4
27/11 - 1/12	-3,1	-1,3	-2,0	-5,3	-2,7	-9,9	-3,2	-2,8	-8,4	-11,4	-7,7	-12,4	-14,0	-12,8	-12,6
2/12 - 6/12	-1,1	0,6	-0,2	-2,8	-1,7	-9,0	-1,7	-1,9	-7,0	-8,7	-6,8	-11,7	-12,9	-9,3	-8,8
7/12 - 11/12	-5,3	-2,9	-3,4	-5,9	-3,1	-8,4	-4,0	-5,0	-8,0	-15,1	-8,8	-16,3	-18,4	-18,2	-21,7
12/12 - 16/12	-4,1	-1,8	-2,3	-5,8	-3,7	-13,5	-3,3	-2,5	-11,7	-16,7	-11,2	-15,5	-20,2	-14,8	-15,8
17/12 - 21/12	-2,3	0,0	-0,1	-2,0	-0,5	-2,2	-0,4	-0,8	-3,8	-4,3	-4,7	-5,3	-4,2	-5,9	-7,6
22/12 - 26/12	1,3	2,6	1,7	0,1	1,3	-2,5	1,1	0,3	-1,5	-3,0	-1,9	-6,7	-5,9	-7,5	-6,3
27/12 - 31/12	-3,1	-0,8	-1,2	-3,3	-1,1	-5,8	-1,8	-1,4	-3,5	-3,3	-3,7	-6,5	-6,2	-7,0	-6,2

PENTADE MIDLER AV LUFTTEMPERATUREN (FIVE-DAY MEANS OF TEMPERATURE)

1979

PENTADE	SVALBARD LUFTHAVN	SVEA GRUBER	NY-ÅLESUND II	HOPEN	BJØRNØYA	JAN MAYEN
1/1 - 5/1	-21,2	-20,4	-18,0	-17,9	-11,8	-10,6
6/1 - 10/1	-17,3	-18,4	-16,5	-16,1	-10,4	-10,2
11/1 - 15/1	-27,2	-25,6	-20,7	-22,4	-12,5	-16,5
16/1 - 20/1	-13,6	-10,5	-12,2	- 8,3	- 3,5	- 1,1
21/1 - 25/1	-23,0	-20,9	-19,7	-21,8	-12,0	- 8,8
26/1 - 30/1	-13,6	-19,5	-13,1	-17,8	-11,8	-12,5
31/1 - 4/2	-22,3	-26,6	-23,4	-27,8	-12,1	- 4,6
5/2 - 9/2	-20,4	-24,2	-19,6	-25,0	- 7,5	-12,4
10/2 - 14/2	-18,2	-19,9	-16,1	-20,6	- 9,1	-12,6
15/2 - 19/2	- 9,7	-10,0	-11,1	- 7,4	- 0,9	- 0,1
20/2 - 24/2	-18,5	-16,5	-19,7	-11,7	- 5,4	- 5,6
25/2 - 1/3	-34,8	-29,9	-30,1	-25,4	-11,2	- 5,0
2/3 - 6/3	-14,8	-18,0	-13,2	-13,7	- 2,5	- 9,7
7/3 - 11/3	-12,2	-16,3	-13,9	-18,0	- 2,1	- 4,1
12/3 - 16/3	-19,9	-23,2	-16,6	-22,3	- 7,3	- 4,4
17/3 - 21/3	-20,2	-20,5	-17,6	-25,2	-12,7	- 6,5
22/3 - 26/3	-13,9	-19,6	-13,9	-19,3	- 7,3	- 2,2
27/3 - 31/3	- 8,1	-11,1	- 4,3	- 6,5	- 0,1	- 3,3
1/4 - 5/4	-10,1	- 8,2	- 8,1	- 8,5	- 1,8	- 0,7
6/4 - 10/4	-21,0	-18,4	-19,1	-17,8	- 9,1	- 4,9
11/4 - 15/4	-21,3	-20,0	-20,1	-20,9	-12,3	- 6,0
16/4 - 20/4	-19,1	-17,8	-17,0	-17,0	- 9,3	- 2,3
21/4 - 25/4	-19,1	-16,4	-18,1	-17,2	- 6,0	- 2,2
26/4 - 30/4	-13,7	-13,7	-12,1	-11,4	- 2,6	- 4,4
1/5 - 5/5	- 9,5	-11,6	- 8,9	-12,1	- 3,7	- 3,3
6/5 - 10/5	- 9,9	- 9,6	-10,2	- 9,9	- 4,9	- 3,3
11/5 - 15/5	- 9,2	- 9,2	- 8,0	- 7,8	- 3,0	- 5,3
16/5 - 20/5	- 7,6	- 7,4	- 6,4	- 9,5	- 5,9	- 4,4
21/5 - 25/5	- 7,9	- 6,2	- 4,7	- 7,3	- 3,0	- 0,4
26/5 - 30/5	- 1,9	- 5,0	- 3,7	- 3,4	- 0,6	- 0,8
31/5 - 4/6	- 2,1	- 1,9	- 1,8	- 0,7	0,5	2,1
5/6 - 9/6	- 3,4	- 2,5	- 3,2	- 2,8	- 0,8	1,6
10/6 - 14/6	- 1,8	- 1,2	- 1,1	- 1,6	1,3	0,7
15/6 - 19/6	3,9	1,4	1,0	0,5	1,7	1,4
20/6 - 24/6	- 0,2	0,3	- 0,9	- 0,4	1,8	3,7
25/6 - 29/6	1,9	2,1	1,8	1,3	4,9	1,3
30/6 - 4/7	6,7		4,7	0,8	5,7	2,1
5/7 - 9/7	5,4		4,5	2,4	7,0	3,9
10/7 - 14/7	8,7		7,8	3,6	9,0	4,5
15/7 - 19/7	11,1		8,0	4,1	10,6	3,9
20/7 - 24/7	8,7		6,6	0,8	2,0	3,5
25/7 - 29/7	6,2		4,1	2,3	4,0	4,7
30/7 - 3/8	3,3		2,8	0,0	3,0	4,9
4/8 - 8/8	3,9	5,3	3,4	2,4	5,5	5,4
9/8 - 13/8	6,4	4,8	6,4	2,2	6,9	5,9
14/8 - 18/8	8,3	7,2	7,6	4,4	9,8	5,7
19/8 - 23/8	5,2	4,5	3,9	1,5	4,1	6,3
24/8 - 28/8	3,4	3,2	2,6	0,7	2,6	4,2
29/8 - 2/9	1,9	1,2	2,8	0,9	3,0	4,5
3/9 - 7/9	0,7	1,1	0,9	0,3	3,3	4,3
8/9 - 12/9	1,5	1,0	1,0	1,7	5,5	1,7
13/9 - 17/9	4,4	3,8	4,3	2,9	3,7	0,3
18/9 - 22/9	0,7	0,8	1,5	1,8	2,6	1,0
23/9 - 27/9	- 1,7	- 1,0	- 0,8	0,6	2,2	3,2
28/9 - 2/10	- 0,5	- 0,9	- 0,3	- 0,6	1,8	2,4
3/10 - 7/10	- 2,2	- 2,5	- 2,6	- 0,6	1,0	3,7
8/10 - 12/10	- 4,3	- 4,1	- 4,2	- 1,2	- 0,7	0,2
13/10 - 17/10	-11,8	-11,8	-12,9	- 6,8	- 3,0	- 1,6
18/10 - 22/10	- 8,1	- 9,0	- 7,6	- 4,5	- 1,4	- 1,8
23/10 - 27/10	- 3,2	- 3,1	- 1,7	- 0,8	1,5	4,0
28/10 - 1/11	3,0	1,2	3,3	- 0,1	1,0	2,6
2/11 - 6/11	- 0,2	- 1,2	0,3	- 1,1	0,5	1,6
7/11 - 11/11	- 4,3	- 4,6	- 5,0	- 3,2	- 1,2	- 3,7
12/11 - 16/11	- 9,0	- 8,8	- 8,7	- 6,9	- 4,5	- 2,2
17/11 - 21/11	- 7,1	- 6,9	- 7,9	- 2,8	- 0,7	0,1
22/11 - 26/11	-10,3	-11,1	- 9,1	- 6,1	- 3,2	- 6,4
27/11 - 1/12	-11,5	-14,2	- 9,9	-11,7	- 4,3	- 4,7
2/12 - 6/12	-12,5	-15,4	-10,4	-10,6	- 4,2	- 2,9
7/12 - 11/12	-15,3	-17,3	-12,9	-16,1	- 8,8	- 2,7
12/12 - 16/12	- 8,3	- 8,0	- 7,1	- 8,0	- 2,7	1,7
17/12 - 21/12	- 5,2	- 5,3	- 7,0	- 2,5	- 1,3	0,1
22/12 - 26/12	-16,7	-15,2	-14,8	- 9,2	- 3,7	0,0
27/12 - 31/12	-18,9	-20,5	-18,8	-16,4	- 9,1	- 4,1

1978

SVALBARD LUFTHAVN	NY-ÅLESUND II	HOPEN	BJØRNØYA	JAN MAYEN
-23,5	-22,8	-25,4	-14,4	- 7,0
-17,8	-19,6	-17,9	- 9,1	- 8,1
-23,5	-21,7	-17,5	-10,6	- 8,4
-15,6	-14,0	-12,0	- 6,1	- 6,4
-22,8	-18,3	-22,1	-16,4	- 1,4
-22,4	-18,2	-23,7	-20,8	-11,3
- 8,4	- 6,8	- 6,7	- 3,6	- 2,5
-13,9	-12,2	-16,7	- 9,2	- 0,9
-22,1	-20,7	-24,4	-18,8	-11,8
-27,4	-24,2	-27,3	-24,5	-18,7
-22,6	-21,3	-23,0	-15,3	-14,9
-27,6	-24,7	-26,4	-19,0	- 8,2
- 9,4	- 9,9	- 7,2	- 1,8	- 5,9
-22,4	-21,7	-20,7	-11,0	- 2,6
-27,5	-23,6	-24,6	-19,8	- 9,3
-17,5	-13,1	-14,2	- 9,1	- 3,6
- 9,9	- 3,7	- 5,7	- 5,1	- 2,3
-18,8	-18,6	-14,8	- 9,6	- 9,3
-16,4	-13,7	-14,7	- 7,7	- 1,3
- 4,3	- 3,4	- 8,6	- 0,8	- 7,0
-12,8	-14,3	-20,3	- 7,3	- 7,0
- 6,7	- 6,2	- 7,3	- 1,9	0,4
-10,3	- 8,6	-11,1	- 7,4	- 0,9
- 8,8	- 7,3	- 9,1	- 4,7	- 0,4
-15,0	-12,8	-11,9	- 7,2	- 5,8
- 7,7	- 6,8	- 6,3	- 3,9	0,4
- 2,5	- 3,6	- 2,3	1,1	- 1,2
1,3	2,1	- 0,4	0,4	1,9
2,0	1,8	0,8	2,3	1,0
- 0,4	0,1	- 3,3	- 0,8	- 0,1
- 2,0	- 1,6	- 3,8	- 0,6	0,7
- 2,1	- 2,4	- 2,2	- 0,4	1,0
0,4	1,3	- 0,8	0,5	3,3
1,7	1,9	- 1,3	1,5	2,5
3,2	3,8	- 0,9	2,0	2,4
8,0	7,3	1,3	7,3	2,1
8,1	5,4	2,3	5,4	2,8
4,2	2,8	1,4	2,9	2,2
4,3	3,2	0,7	2,9	4,6
5,3	4,3	1,3	4,5	4,4
5,2	5,0	0,4	2,3	5,1
6,9	5,1	2,0	4,5	6,9
6,5	5,4	3,9	5,6	5,6
5,7	5,4	2,5	6,0	6,5
4,6	4,1	2,5	4,1	4,7
4,1	4,1	2,6	3,4	6,7
4,4	3,8	3,9	6,9	6,8
5,8	4,4	3,3	5,5	4,4
4,1	4,4	2,3	4,8	5,2
3,2	2,2	2,2	3,8	3,3
- 1,1	- 2,0	- 0,2	0,6	2,8
- 1,9	- 1,2	- 1,0	0,6	3,4
- 4,8	- 5,8	0,8	0,8	1,1
- 3,1	- 2,2	- 0,4	0,2	4,0
- 6,3	- 4,4	- 2,7	- 0,7	2,9
- 5,6	- 4,4	- 2,2	- 0,4	3,2
- 5,6	- 5,8	- 3,0	- 0,3	2,3
- 5,8	- 6,4	- 4,3	- 0,3	1,5
- 2,9	- 4,6	- 0,9	- 0,4	- 3,5
- 8,5	- 7,5	- 3,2	- 0,8	- 0,1
- 6,6	- 6,1	- 5,0	- 1,4	- 2,1
- 4,3	- 5,5	- 2,2	0,2	- 2,9
- 8,9	-10,3	- 6,0	- 1,3	- 2,8
- 9,2	- 9,1	- 6,9	- 2,8	- 7,2
-16,3	-13,9	-13,9	- 6,4	- 6,9
-18,2	-16,4	-18,8	- 6,2	-11,8
- 8,4	- 7,3	- 7,8	- 3,5	- 3,5
- 6,1	- 5,5	- 5,6	- 0,8	0,0
-12,9	- 8,3	-14,5	- 4,7	0,1
-11,7	- 7,7	-15,9	- 9,0	- 5,7
- 8,9	- 8,6	- 5,5	- 4,7	- 7,2
-12,5	-11,6	-10,6	- 7,8	- 3,5
-23,8	-19,2	-23,3	-18,6	-11,2

R E L A T I V S O L S K I N N S T I D

(RELATIVE DURATION OF SUNSHINE)

STASJON (STATION)	ÅR	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OKT	NOV	DES
SØR-NESSET	1979	19,1	36,1	20,7	25,8	43,3	17,4	23,7	27,0	41,2	43,1	17,1	14,3
KISE PÅ HEDMARK	1979	14,2	38,1	20,3	24,2	41,6	36,8	34,1	33,4	47,1	32,4	20,0	11,1
OSLO - BLINDERN	1979	21,3	49,0	20,5	23,2	29,1	19,2	37,0	36,0	42,3	33,6	24,4	30,8
ÅS	1979	13,1	39,2	25,3	21,1	31,5	19,6	40,0	37,5	47,1	28,0	19,9	30,2
LYNGØR FYR	1979	14,2	43,9	20,5	26,2	38,9	45,4	47,6	47,4	50,3	20,4	33,7	23,7
KJEVIK	1979	21,3	49,2	22,5	25,3	32,3	31,8	58,1	51,3	44,3	28,9	32,0	25,5
SOLA	1979	21,3	40,8	22,2	16,3	30,3	27,2	39,8	38,8	29,7	36,9	24,1	13,8
SJUKOAL - 10	1979	-	28,9	20,5	22,7	30,1	46,3	35,8	33,5	25,8	42,8	32,4	-
BERGEN - FLORIDA	1979	32,3	35,4	20,4	23,4	25,0	27,3	21,8	28,7	19,1	41,1	21,0	18,5
BJØRKEHAUG I JOSTEDAL	1979	33,2	40,8	19,1	37,5	30,5	45,7	32,7	30,8	19,9	52,0	9,3	30,3
SKODJE	1979	20,3	33,0	20,7	37,4	33,3	36,3	18,8	20,0	13,1	42,6	21,3	11,6
FISKEBYGD	1979	27,3	35,8	35,7	35,7	27,5	33,9	20,0	23,7	11,3	38,9	20,6	21,4
TRONDHEIM - TYHOLT	1979	21,7	26,9	34,2	30,4	32,0	34,4	24,7	28,2	27,5	42,1	20,6	14,6
BODØ VI	1979	12,1	23,2	37,7	39,4	27,6	22,8	33,4	35,4	17,6	38,9	25,3	-
TROMSØ	1979	14,2	15,0	43,1	43,5	31,9	18,5	39,0	25,5	15,2	28,8	26,4	-
KARASJOK	1979	-	13,6	31,1	30,8	32,4	26,5	42,6	23,6	17,8	22,8	7,6	-
BJØRNØYA	1979	-	-	11,6	16,7	16,4	13,2	33,8	16,2	9,9	7,7	-	-
BJØRNØYA	1978	-	10,0	18,7	17,4	22,8	17,8	19,6	8,4	12,9	12,7	-	-

M Å N E D S U M M E R A V G L O B A L S T R Å L I N G (CAL/KV.CM)

(MONTHLY TOTALS OF GLOBAL RADIATION (CAL/SQ.CM)

STASJON (STATION)	ÅR	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OKT	NOV	DES
KISE PÅ HEDMARK	1979	355	2840	5500	7219	11917	13037	11901	8707	7129	3414	934	380
OSLO - BLINDERN	1979	973	3136	4869	6905	9812	11072	11026	8647	5757	2963	1336	714
ÅS	1979	926	2838	5097	6592	10773	-	13024	-	7069	3159	-	-
KJEVIK	1979	1394	3118	4344	7689	10713	13523	15198	10529	7006	2885		
BERGEN - FLORIDA	1979	710	2083	3996	6681	8483	9813	9536	7973	3984	2846	810	357
TRONDHEIM - TYHOLT	1979	451	1717	5392	3641	11120	11662	9879	8061	5089	2657	733	133
TROMSØ	1979	25	521	4143	3660	11132	3384	12858	6804	3360	1213	154	-
BJØRNØYA	1979	-	138	2243	6794	11023	11257	12267	6143	2564	730	11	-
BJØRNØYA	1978	102	403	3308	7237	11218	11828	11382	5703	2919	794	-	-

EKSTENSOTABELL

SVALBARD LUFTHAVN — JANUAR 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1000,7	-22,5	61	12	4	3	4	1	88 TD	02 TD NL	1001,1	-23,2	63	10	4	1	88 TD	02 TD NL	1000,5	-23,7	63	10	4	0	88 TD	02 TD NL	-24,6	-21,2		5	1
2	1002,0	-20,9	47	14	4	3	4	0	88 TD NL	02 TD NL	1003,6	-21,4	54	09	4	0	89	02 TD SF NL	1004,9	-22,7	58	10	4	0	89	02	-24,7	-20,0		5	2
3	1008,9	-21,3	56	10	5	3	4	1	89 NL	03 NL	1011,5	-21,1	61	10	4	1	89	02 NL	1013,2	-23,4	69	12	4	1	89 NL	02	-24,7	-19,8		5	3
4	1014,3	-24,8	73	11	3	3	4	1	89 NL	02 NL	1013,4	-26,5	74	10	3	1	89	02 NL	1011,0	-25,4	77	11	2	1	89 NL	02 NL	-26,6	-21,8		4	4
5	1005,0	-26,2	79	12	2	3	4	0	88 TD NL	01 TD NL	1003,5	-25,9	79	12	3	1	89 NL	02 TD NL	1000,1	-22,2	76	09	1	5	86 TD S	70 TD S NL	-27,8	-21,2		3	5
6	992,8	-10,1	79	19	7	4	7	7	57 TD S SF	70 TD S SF	989,2	- 8,7	92	18	6	9	12 TD S SF	73 TD S SF	987,7	- 7,0	93	19	5	9	58 TD S SF	70 TD S SF	-22,2	- 6,2	0,3	7	6
7	987,7	-11,6	92	09	3	4	10	9	40 TD S	71 TD S	988,8	-12,7	90	11	4	8	68 TD S	70 TD S SF	989,1	-15,0	86	11	2	4	85 TD	02 TD S	-15,2	- 6,3	4,5	5	7
8	986,7	-14,5	82	15	1	4	10	4	86 TD	01 TD	985,4	-12,9	81	17	1	7	87 TD	03 TD	985,9	-13,4	80	20	4	6	70 TD S SF	70 TD S SF	-16,4	-10,4	0,2	5	8
9	987,0	-20,9	81	17	1	4	10	2	87 TD NL	01 TD NL	986,2	-26,0	81	11	3	1	88 TD	02 TD NL	985,8	-26,2	81	00	0	1	89 NL RI	02 TD NL RI	-26,6	-12,6	0,0	5	9
10	986,5	-29,8	80	13	2	4	10	1	88 TD NL	02 TD NL	988,3	-29,1	80	11	3	1	88 TD	02 TD NL RI	989,7	-28,4	80	11	3	1	88 TD	02 TD	-30,5	-22,6		4	10
11	991,2	-29,6	80	12	3	4	10	1	88 TD	02 TD NL	991,4	-28,3	79	11	3	2	88 TD	02 TD NL	992,9	-27,7	79	12	3	3	88 TD NL	02 TD	-30,1	-26,8		4	11
12	997,3	-29,6	79	09	1	4	10	1	88 TD	02 TD	999,1	-27,1	79	18	1	1	88	40 TD	999,3	-25,1	79	17	2	2	70 IN	76 IN S	-29,6	-25,1		4	12
13	999,1	-29,3	79	12	3	4	10	2	82 NL	40 IN NL	999,5	-31,1	79	10	1	1	88	40 NL	998,8	-26,6	79	12	3	6	85	40	-31,1	-24,5	0,0	3	13
14	997,9	-22,8	79	13	2	4	10	3	70 TD	02 TD	993,2	-22,8	79	00	0	2	88 TD	01 TD NL	981,7	-11,6	66	12	8	8	80 TD SF	38 TD SF S	-27,8	-11,1		2	14
15	962,7	-14,7	77	11	7	4	10	8	60 TD SF	38 TD SF S	964,4	-13,7	84	10	4	8	56 TD S	70 TD S SF	965,6	-11,9	71	04	4	6	82 TD	01 TD S	-15,7	-10,1	0,0	8	15
16	976,0	-17,1	79	08	2	4	10	8	67 TD S	70 TD S	979,8	-16,2	84	11	2	6	56 TD S	70 TD S	982,7	-16,9	82	11	2	3	75 TD	40 TD S	-17,4	-11,0	0,2	6	16
17	987,0	-17,8	79	09	2	4	10	2	84 TD	01 TD S	989,7	-15,3	80	11	3	7	62 TD S	70 TD S	991,3	-15,7	80	12	1	6	80 TD	01 TD S	-18,7	-13,7	0,2	3	17
18	997,0	-19,5	79	12	1	4	10	2	86 TD	02 TD	1000,7	-20,8	80	11	2	1	87 TD	02 TD	1003,0	-18,5	78	11	3	7	88 TD	03 TD	-22,4	-14,7	0,0	4	18
19	999,3	-11,7	82	13	4	4	10	9	56 TD S	70 TD S	998,8	- 7,5	77	25	6	7	65 TD SB	85 TD SB S	1000,5	- 8,8	73	27	5	8	64 TD S	70 TD S SB	-18,5	- 5,8	0,3	6	19
20	1005,4	-13,2	71	31	2	4	11	7	82 TD S	70 TD SB S	1008,4	-16,3	81	06	1	7	65 TD S	71 TD S	1009,7	-18,0	80	25	2	7	82 TD	22 TD S	-19,0	- 8,4	1,1	5	20
21	1012,0	-23,1	81	24	1	4	12	1	88 TD	02 TD	1014,1	-19,6	82	15	1	8	84 TD	02 TD	1016,6	-17,7	84	10	2	9	45 TD IN	76 IN	-24,3	-15,0	0,1	4	21
22	1021,4	-23,4	81	12	4	4	10	0	89	01 TD	1023,8	-19,1	72	11	1	1	88 TD	02 TD	1024,5	-20,7	72	14	1	1	88 TD	02 TD	-26,0	-17,2	0,0	4	22
23	1019,3	-22,6	77	00	0	4	10	3	88 TD	03 TD	1015,9	-23,7	80	18	1	3	85 TD	01 TD S	1012,8	-22,2	81	12	4	5	85 TD	01 TD	-27,2	-17,2		4	23
24	1014,5	-20,5	66	14	6	4	10	2	80 TD SF	38 TD SF	1018,0	-22,5	65	12	5	2	82 TD SF	36 TD SF	1020,7	-25,0	62	11	6	1	82 TD SF	36 TD SF	-25,0	-15,0	0,0	7	24
25	1021,4	-28,5	68	13	2	4	10	2	86 TD	02 TD	1019,6	-26,0	66	09	2	3	80 TD	15 TD	1016,4	-27,8	74	11	3	4	80 TD	03 TD	-28,5	-23,0		6	25
26	1010,9	-23,2	73	08	2	4	10	5	80 TD	01 TD	1009,4	-25,5	74	09	2	2	80 TD	02 TD	1007,6	-24,3	73	09	1	2	82 TD	02 TD	-27,8	-19,8		4	26
27	1004,5	-28,0	76	11	4	4	10	3	84 TD	03 TD	1003,9	-24,3	70	11	4	3	84 TD	02 TD	1003,9	-23,8	69	11	4	2	85 TD	02 TD	-28,1	-22,6		5	27
28	1004,3	-20,1	72	12	3	4	10	5	84 TD	03 TD	1003,7	-23,4	76	10	2	5	85 TD	02 TD	1003,3	-23,8	76	10	3	6	84 TD	03 TD	-24,4	-18,2		4	28
29	1002,0	-24,0	76	12	2	4	10	4	86 TD	03 TD	1002,0	-24,8	78	13	2	2	88 TD	03 TD	1002,0	-23,4	78	13	2	5	80 TD S	70 TD S	-25,6	-20,9		4	29
30	1001,6	-15,3	81	28	4	4	12	7	82 TD S	70 TD S	1003,1	-15,9	84	29	3	7	60 TD S	70 TD S	1006,3	-15,7	77	22	4	6	82 TD	02 TD S	-24,3	-13,8	0,5	5	30
31	1010,3	-18,9	78	11	5	4	13	6	75 TD	03 TD S	1011,2	-13,6	80	25	2	8	62 TD S	70 TD S	1016,3	-13,0	85	12	1	8	70 TD S	70 TD S	-19,8	-11,5	0,3	5	31
Mi	1000,2	-21,1	76		3,0		9	3,4			1000,7	-20,8	77		2,7	3,7			1000,8	-20,2	76		3,0	4,2			-24,2	-16,4	7,7		IM

SVALBARD LUFTHAVN — FEBRUAR 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,1	- 2,7	66	22	4	4	10	8	82 TD	02 TD S	1022,4	- 4,4	69	21	1	7	82 TD	15 TD	1022,6	- 8,1	81	12	3	7	80 TD	02 TD	-13,0	- 2,2	0,4	4	1
2	1018,2	- 4,8	71	13	5	4	10	7	83 TD S	72 TD	1017,3	- 7,1	77	12	3	8	75 TD	02 TD	1018,5	-10,2	90	12	1	5	60 TD IN	76 TD IN	-11,6	- 4,4	0,0	5	2
3	1020,4	-11,6	88	11	3	4	11	9	50 TD S	72 TD S	1019,7	- 7,1	81	25	2	8	75 TD	15 TD S	1019,2	- 3,3	68	13	5	8	80 TD	03 TD S	-14,3	- 2,5	0,0	5	3
4	1021,1	- 4,9	69	12	3	4	10	5	81 TD	03 TD S	1023,8	- 7,1	77	10	1	7	82 TD	15 TD	1026,2	- 7,9	82	14	1	2	82 TD NL	01 TD	- 8,8	- 2,3	0,2	5	4
5	1030,2	- 8,9	81	00	0	4	10	1	86 TD	02 TD	1032,1	-10,8	82	14	4	1	86 TD	01 TD	1033,3	-10,1	79	12	2	1	82 TD NL	02 TD NL	-12,7	- 6,0		4	5
6	1031,3	-12,6	82	11	1	4	10	8	65 TD S	70 TD NL S	1030,1	- 9,4	88	12	2	7	58 TD S	71 TD S	1029,8	- 8,0	77	27	3	9	50 TD S	73 TD S	-15,6	- 6,3	0,1	4	6
7	1029,4	-12,9	74	19	2	4	10	2	82 TD	22 TD S	1026,1	-11,9	80	12	4	8	56 TD S	70 TD S	1021,7	- 8,5	88	22	2	6	60 TD S	70 TD S	-15,4	- 4,7	0,8	5	7
8	1020,6	-13,5	78	35	2	4	12	9	60 TD S	70 TD S	1021,3	-16,3	77	17	1	6	70 TD	15 TD S	1022,8	-25,3	80	11	2	2	84 TD NL	01 TD NL	-25,3	- 6,8	0,7	6	8
9	1026,7	-21,5	77	12	3	4	12	1	88 TD NL	01 TD NL	1028,2	-18,1	69	11	4	7	82 TD	02 TD NL	1028,4	-20,3	69	11	4	1	86 TD NL	01 TD NL	-27,9	-16,6	0,0	5	9
10	1029,2	-22,8	73	11	3	4	12	1	89	02	1029,5	-25,2	75	12	1	1	86 TD	02 TD	1028,0	-22,8	77	11	3	3	86 TD	01 TD	-26,5	-19,1		5	10
11	1020,8	-16,9	85	28	4	4	12	5	70 TD	01 TD	1019,7	-15,8	86	03	3	9	58 TD S	71 TD S	1022,0	-21,2	59	14	5	1	80 TD	01 TD S	-24,4	-15,2		5	11
12	1029,0	-27,7	54	10	2	4	10	2	86 TD	03 TD	1031,6	-27,6	64	03	3	4	70 TD	01 TD	1032,3	-28,7	71	12	3	9	57 TD S	70 TD S	-28,7	-20,7	0,2	5	12
13	1031,2	-27,0	74	11	3	4	10	6	70 TD	03 TD S	1018,6	-17,4	80	21	6	8	65 TD SF	38 TD SF	1002,1	-10,1	88	25	9	7	06 TD SF	39 TD SF	-29,8	- 9,3	0,2	9	13
14	997,9	-17,3	77	04	4	4	10	6	80 TD S	70 TD S SF	1002,4	-23,3	71	15	5	2	80 TD	02 TD	1005,7	-25,3	62	14	4	2	82 TD	01 TD	-25,3	- 9,2	0,0	9	14
15	1011,9	-29,1	70	03	3	4	10	2	82 TD S	70 TD S	1011,0	-26,8	76	05	2	8	40 TD S	70 TD S	1015,6	-29,4	72	04	4	9	20 TD S SF	70 TD S SF	-29,4	-24,4	0,0	6	15
16	1012,4	-26,6	74	05	4	4	10	9	35 TD S	71 TD S	1012,0	-28,6	74	12	3	7	65	40 TD S	1010,8	-28,2	73	11	3	5	70 TD	01 TD	-29,4	-24,8	0,2	5	16
17	1010,9	-29,6	72	12	3	4	10	3	84 TD	40 TD	1009,8	-29,6	74	11	2	5	82 TD	40 TD	1005,5	-27,8	76	11	2	3	88 TD	01 TD	-30,3	-25,8	0,1	4	17
18	995,9	-22,8	77	11	2	4	10	7	80 TD	02 TD S	996,6	-26,0	74	11	4	2	82 TD	40 TD	997,2	-25,6	70	11	4	4	70 TD S	70 TD S	-28,1	-19,3	0,3	5	18
19	1003,2	-28,0	65	12	4	4	10	2	81 TD NL	40 TD NL	1005,1	-25,3	68	10	3	6	60 TD	40 TD NL	1007,0	-26,4	70	12	5	6	75 TD	01 TD	-28,0	-23,9	0,0	5	19
20	1012,3	-25,1	65	13	5	4	10	5	70 TD	03 TD	1017,2	-24,1	57	13	4	1	84 TD	02 TD	1019,4	-28,8	66	12	3	1	84 TD	02 TD	-28,8	-23,0		6	20
21	1015,4	-23,8	80	10	1	4	10	8	82 TD	02 TD S	1014,2	-24,6	76	11	1	7	86 TD	02 TD	1011,1	-19,4	81	26	3	7	86 TD	02 TD	-29,0	-17,6	0,2	3	21
22	1004,2	-14,0	62	29	4	4	10	7	84 TD	02 TD	1003,1	-13,8	60	30	4	7	87 TD	02 TD	1000,5	-15,1	65	28	4	3	87 TD	01 TD	-21,2	-12,8		5	22
23	995,4	-18,1	72	26	2	4	10	1	87 TD	02 TD	993,3	-24,3	77	11	1	3	88 TD	03 TD	991,3	-23,9	78	08	1	2	86 TD	02 TD	-24,3	-13,6		5	23
24	991,1	-26,0	76	10	2	4	10	2	86 TD	01 TD S	991,6	-28,3	77	10	2	2	86 TD	03 TD	991,4	-29,2	77	11	2	2	86 TD	01 TD S	-29,2	-21,1	0,0	3	24
25	992,0	-26,0	76	01	3	4	10	8	62 TD S	70 TD S	995,9	-30,1	76	11	3	5	70 TD	15 TD	1000,3	-33,0	72	11	3	2	80 TD	02 TD	-33,0	-21,0	0,1	4	25
26	1004,5	-32,4	73	13	1	4	10	2	80 TD	02 TD	1006,4	-30,8	77	11	1	4	35 TD S	76 TD S	1007,5	-32,1	77	14	1	2	70 TD	40 TD S	-34,4	-29,1		4	26
27	1010,0	-25,4	71	25	3	4	10	2	86 TD	02 TD NL	1012,8	-25,0	66	26	3	2	87 TD	02 TD	1015,2	-25,8	70	25	2	1	88 TD	02 TD	-32,6	-21,9	0,0	4	27
28	1017,9	-28,8	74	11	2	4	10	1	87 TD	03 TD	1018,1	-28,8	76	12	1	2	88 TD	02 TD	1017,3	-27,1	71	11	1	2	88 TD	02 TD	-31,6	-24,2		3	28
Mi	1014,4	-20,0	73		2,8		10	4,8			1014,6	-20,3	74		2,6	5,1			1014,4	-20,8	75		3,0	3,9			-24,6	-15,3	3,5		IM

EKSTENSOTABELL

SVALBARD LUFTHAVN — MARS 1978

DT	KL. 07 P	T	UU	DD	F	N	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1016,4	-26,2	70	11	1	4	10	6	88	TD		03 TD	1014,8	-22,9	65	12	1	6	86	TD		02 TD	1012,3	-16,9	59	25	2	6	82	TD		02 TD				3	1
2	1005,4	-10,7	70	14	5	4	10	8	80	TD SF		36 TD SF	1001,1	- 8,7	82	13	5	8	35	TD SF S	70	TD SF S	1000,5	-10,3	87	24	3	8	65	TD S	71	TD S SF	-16,9	- 6,5		6	2
3	1006,1	- 6,4	90	25	5	4	10	8	58	TD S		70 TD S	1009,9	- 7,4	81	23	4	6	82	TD		02 TD S	1010,1	- 9,8	87	10	3	9	50	TD S	70	TD S	-12,2	- 3,9	0,8	6	3
4	1004,4	- 6,7	90	25	3	4	10	8	75	TD		15 TD S	1000,7	- 2,1	74	25	3	7	70	TD S	70	TD S	999,0	2,7	73	21	4	8	65	TD	02	TD S RB	- 9,8	4,5	0,5	5	4
5	996,7	- 2,3	90	24	5	4	10	8	58	TD SB SF	RB SB	85 TD SF	998,3	- 6,8	79	24	6	8	59	TD SF	36	TD SB LB SF	1001,5	-13,1	74	23	4	4	68	TD S	70	TD S SB SF	-13,1	4,5	0,0	6	5
6	1006,1	-18,8	78	36	2	4	10	7	60	TD SB		85 TD S SB	1009,7	-21,4	81	16	1	1	86	TD		02 TD SO SB	1010,4	-21,5	80	36	1	1	86	TD	02	TD	-22,2	-11,0	0,0	4	6
7	1005,0	-20,0	79	25	2	4	10	7	60	TD S		70 TD S	1004,5	-21,5	80	19	1	6	80	TD		02 TD S	1002,3	-18,6	80	02	1	8	56	TD S	70	TD S	-22,7	-18,0	0,0	3	7
8	997,0	-17,6	80	24	2	4	10	7	86	TD		01 TD S	996,0	-18,2	76	12	2	5	84	TD		01 TD	995,7	-21,4	76	21	1	4	88	TD	01	TD	-21,4	-16,5	1,5	3	8
9	997,2	-20,5	79	25	3	4	10	7	80	TD		03 TD	999,2	-20,0	73	08	1	6	88	TD		01 TD	1001,1	-19,3	74	25	2	7	75	TD	02	TD	-23,6	-18,3		3	9
10	1004,2	-19,3	77	12	2	4	10	8	65	TD S		70 TD S	1005,9	-22,5	79	11	1	4	65	TD		15 TD S SO	1007,5	-23,2	79	00	0	4	68	TD S	70	TD S	-23,2	-18,4	0,0	3	10
11	1012,3	-28,9	73	00	0	4	10	1	89			02 NL	1014,1	-30,5	73	10	1	0	89	SO		02 SO	1013,4	-32,8	74	09	1	1	88	TD	03	TD SO	-32,8	-22,3	0,3	4	11
12	1013,0	-30,4	76	11	2	4	10	1	88	TD		02 TD	1016,3	-27,7	63	12	3	1	88	TD SO		02 TD SO	1016,7	-30,9	73	12	2	1	84	TD	02	TD SO	-32,8	-26,1		4	12
13	1014,7	-31,7	76	10	3	4	10	1	86	TD		02 TD	1014,3	-29,6	73	10	1	1	88	TD		02 TD SO	1013,2	-28,5	76	11	1	2	88	TD	03	TD SO	-34,7	-26,0		3	13
14	1012,0	-30,4	74	19	1	4	7	1	84	TD		02 TD	1011,8	-27,4	71	16	1	1	87	TD SO		02 TD SO	1010,3	-30,4	77	11	1	1	87	TD	02	TD SO	-31,8	-25,5		2	14
15	1004,9	-28,7	78	00	0	4	10	3	87	TD		03 TD	1000,5	-23,9	77	12	2	7	65	TD		40 TD SO	996,3	-19,4	81	26	1	7	60	TD S	70	TD S	-30,4	-18,3		3	15
16	992,4	-20,1	80	01	3	4	10	8	60	TD		22 TD S	994,4	-24,3	73	03	2	2	86	TD SO		01 TD SO S RE	996,4	-26,9	68	36	3	1	88	TD	02	TD SO	-27,6	-17,8	0,8	5	16
17	999,3	-35,6	73	11	1	4	10	1	86	TD		02 TD	1001,3	-32,5	71	09	1	1	86	TD SO		02 TD SO	1003,0	-34,8	73	09	1	2	84	TD	03	TD SO	-35,6	-26,0	0,1	3	17
18	1004,6	-34,3	73	10	2	4	10	1	84	TD		02 TD	1005,1	-30,5	71	10	1	3	86	TD SO		03 TD SO	1004,4	-28,5	76	00	0	6	80	TD	03	TD SO	-35,4	-28,5		2	18
19	995,9	-24,5	80	14	1	4	10	8	75	TD S		70 TD S	986,7	- 6,8	85	12	5	8	58	TD S	70	TD S SF	978,1	- 2,6	98	18	6	9	06	TD S SF	73	TD S SF	-30,0	- 1,9	0,1	6	19
20	979,3	- 2,1	91	23	5	4	10	7	84	TD		01 TD S	984,2	- 2,8	91	24	3	7	81	TD		02 TD SF SB	988,9	- 3,9	97	26	3	9	36	TD SB	85	TD SB	- 3,9	1,6	3,2	6	20
21	997,6	- 6,7	96	26	2	4	20	9	56	TD S		70 TD S	1001,6	- 6,1	87	25	1	7	60	TD S		70 TD S	1004,4	- 6,5	92	11	1	9	15	TD S	73	TD S	- 7,0	- 3,7	6,4	3	21
22	1005,7	- 7,2	90	33	1	4	28	7	82	TD		01 TD	1005,4	- 5,0	90	18	1	7	65	TD S		70 TD S	1004,4	- 3,7	88	00	0	7	80	TD	15	TD S	- 7,7	- 0,7	5,5	3	22
23	1004,5	- 6,3	96	18	2	4	28	6	88	TD SO		40 TD S	1005,2	- 8,2	70	18	1	4	88	TD SO		03 TD SO	1005,4	-10,8	76	13	3	6	88	TD	02	TD SO	-10,8	- 2,3	0,3	3	23
24	1004,3	-13,3	91	24	1	4	28	4	05	T		48 TD T	1002,9	-10,1	86	00	0	2	80	TD SO		02 T SO	1000,3	-12,3	88	26	2	6	82	TD SO	02	TD SO	-14,3	- 8,0		3	24
25	997,5	- 9,3	84	27	2	4	28	6	80	TD		02 TD	997,2	- 6,7	65	12	3	6	85	TD SO		15 TD SO	997,3	-10,6	79	24	1	5	84	TD SO	01	TD SO	-12,3	- 6,4		4	25
26	997,7	-13,8	87	00	0	4	28	4	80	TD SO		40 TD	998,8	-13,4	82	24	1	1	84	TD SO		40 TD T SO	999,3	-15,6	85	25	1	0	84	TD SO	40	TD SO	-17,0	- 9,8		3	26
27	1000,2	-19,2	85	25	1	4	28	2	04	T		48 TD T	1000,6	-17,9	84	11	1	2	80	TD SO		40 TD T SO	1000,0	-18,5	84	12	1	3	70	TD	40	TD SO	-22,0	-14,4		2	27
28	999,0	-19,8	85	17	1	4	28	2	70	TD SO		01 TD S SO	999,9	-19,8	80	00	0	1	80	TD SO		40 TD SO	1000,5	-20,2	85	00	0	2	65	TD SO	40	TD SO	-21,3	-16,7	0,5	2	28
29	1001,2	-22,4	82	15	1	4	28	5	65	TD SO		01 TD S IN	1001,9	-20,1	81	00	0	1	70	TD SO		01 TD SO	1001,2	-22,7	81	18	1	3	75	TD SO	03	TD SO	-24,6	-18,5	0,3	2	29
30	999,5	-23,1	82	00	0	4	28	5	60	TD SO		40 TD SO	999,5	-21,0	80	00	0	1	80	TD SO		02 TD SO	1000,0	-21,3	82	00	0	1	76	TD SO	03	TD SO	-25,0	-18,5		2	30
31	997,3	-14,1	87	00	0	4	30	9	40	TD S		70 TD S	996,5	- 8,1	74	11	6	7	62	TD SO		22 TD S SF SO	997,7	- 9,3	78	11	5	8	56	TD S	71	TD S SO	-22,9	- 7,4	1,0	6	31
M	1002,3	-18,4	82		1,9		16	5,3					1002,5	-16,8	77		1,9	4,1					1002,3	-17,5	80		1,8	4,6					-21,7	-12,7	21,3		IM

SVALBARD LUFTHAVN — APRIL 1978

DT	KL. 07 P	T	UU	DD	F	N	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1003,2	-12,1	70	11	4	4	30	1	80	SO TD		01 TD SO	1006,6	-11,9	73	30	2	1	84	SO TD		02 TD SO	1008,9	-13,8	77	24	2	1	82	SO TD	02	TD SO	-15,6	- 8,4	0,1	5	1
2	1012,6	-16,5	84	24	4	4	30	6	70	TD S SO		70 TD S SO	1014,2	-13,7	77	00	0	3	70	IN SO TD	76	TD SO IN S	1015,3	-17,6	81	00	0	4	65	TD SO S	70	TD S SO IN	-19,6	-13,2	0,0	4	2
3	1018,8	-20,9	82	25	1	4	30	6	65	SO TD		22 SO TD S	1021,4	-19,8	74	20	1	2	70	SU TD		02 TO SU	1022,2	-22,8	80	20	1	1	80	SO TD	02	TD SO	-23,3	-16,7	0,1	1	3
4	1018,5	-26,7	80	08	3	4	29	2	75	SO TD		03 SO TD	1016,0	-19,2	84	24	1	7	83	TD		02 SO TD	1012,1	-19,1	80	10	3	6	70	TD S	70	TD S SO	-26,7	-17,5		3	4
5	1004,2	-14,4	85	00	0	4	30	8	60	TD S		70 TD S	997,0	-11,1	84	22	1	8	68	TD S		70 TD S	983,0	- 0,4	93	13	5	9	15	TD S	73	TD S SF	-19,1	0,2	0,3	6	5
6	991,0	- 3,9	71	13	5	4	30	4	86	TD SO		15 TD SO	1002,2	- 2,8	71	11	4	7	88	TD		02 TD SO SF	1007,0	- 3,4	77	26	1	7	82	TD	15	TD SO	- 5,0	0,2	0,2	6	6
7	1009,2	- 4,8	78	13	3	4	30	8	80	TD		15 TD SB	1008,3	- 4,2	80	11	5	8	60	TD S		70 TD S	1004,9	- 4,4	88	13	5	9	10	TD S SO	73	TD S SO	- 6,1	- 3,0	0,0	6	7
8	997,7	- 1,4	78	12	6	4	30	8	70	TD S		70 TD S	994,6	- 1,9	73	13	6	8	65	TD S SO	71	TD S SO SF	992,1	- 1,0	69	13	6	5	82	TD SF SO	36	SF TD S SO	- 4,4	- 0,7	0,9	7	8
9	995,1	- 0,9	69	13	6	4	28	7	85	TD SF SO	36	SO SF TD S	998,2	- 2,4	65	09	4	8	83	TD SF	36	SF SO TD	999,8	- 4,2	69	12	6	8	75	TD SF	36	TD SF	- 4,2	0,9	0,0	7	9
10	1002,5	- 8,3	63	13	4	4	26	5	83	TD SF SO	36	SO SF TD	1003,9	- 8,7	60	14	5	5	87	SO SF TD	36	SO SF TD	1005,7	- 9,8	55	13	5	6	87	TD SO	02	SF SO TD	-11,1	- 3,6		7	10
11	1008,9	-11,8	52	12	4	4	22	2	89	SO		02 SO TD	1011,1	-11,3	60	11	4	1	89	SO		02 SO	1013,2	-12,9	61	11	4	1	88	SO TD	02	SO TD	-15,9	- 9,6		6	11
12	1017,2	-14,4	60	12	3	4	22	0	89	SO		02 SO TD	1019,5	-11,0	55	11	3	1	89	SO		02 SO	1020,6	-10,7	45	12	4	0	88	SO TD	02	SO TD	-18,3	- 9,5		4	12
13	1022,0	-13,3	52	09	4	4	22	1	89	SO		02 SO TD	1021,8	- 9,7	45	12	4	1	89	SO		02 SO	1020,7	-11,3	57	11	5	1	89	SO	02	SO	-15,8	- 9,3		5	13
14	1020,9	-12,0	58	11	4	4	22	1	89	SO		02 SO	1021,5	-11,1	62	11	4	1	89	SO		02 SO	1021,6	-11,2	55	15	4	0	89	SO	02	SO	-16,4	- 9,4		6	14
15	1022,8	-16,4	69	12	3	4	22	1	89	SO		02 SO TD	1023,4	-11,9	69	12	1	1	82	SO TD	40	TD SO	1023,4	-14,7	74	19	1	2	84	TD	15	TD S SO	-19,2	-10,5		4	15
16	1025,0	-18,2	78	12	2	4	22	1	83	TD SO		01 TD S	1026,8	-12,7	69	15	1	2	84	TD SO		03 SO TD	1027,2	-12,9	72	18	1	4	82	TD SO	01	SO TD	-21,0	-11,2	0,0	3	16
17	1024,5	- 7,4	76	03	3	4	20	8	75	TD S		70 TD S	1021,6	- 0,9	65	21	6	7	70	TD		15 TD S SO	1017,2	- 1,1	87	22	7	9	20	SF SO S	73	SF SO TD S	-13,2	- 0,8	0,0	7	17
18	1014,0	- 0,8	93	24	5	4	20	9	30	TD S SF		70 TD S SF	1014,0	- 0,9	93	24	5	7	75	TD SO		15 TD S SB SO	1012,8	- 0,7	90	23	6	8	65	SF SB TD	85	SB TD SF SO	- 1,1	- 0,4	1,3	8	18
19	1011,7	- 4,6	93	02	3	4	20	8	75	TD		02 TD SF SB	1013,3	- 5,1	81	01	3	7	82	TD		15 SB TD SO LB	1013,6	- 6,8	81	11	2	7	82	TD	15	TD SO	- 7,9	- 0,1	0,8	6	19
20	1014,8	- 7,4	90	10	3	4	20	7	75	TD		15 TD	1015,3	- 5,6	74	04	1	8	80	TD S	70	TD S	1016,6	- 6,4	74	12	2	7	82	TD	02	TD S	-10,6	- 4,5	0,0	3	20
21	1023,2	-11,8	55	11	2	4	20	0	89	SO		02 SO	1027,1	- 9,0	61	24	1	0	89	SO		02 SO	1029,7	-10,5	68	00	0	0	89	SO	02	SO	-13,7	- 6,4	0,0	3	21
22	1034,0	-12,0	65	24	2	4	20	1	89	SO		03 SO	1034,7	- 9,1	68	14	1	1	89	SO		02 SO	1034,0	- 9,9	71	10	1	1	89	SO	02	SO	-22,4	- 7,4		3	22
23	1033,7	-14,3	74	10	1	4	20	1	89	SO		03 SO TD	1034,2	- 8,6	58	14	1	2	89	SO		03 SO	1034,6	- 9,2	69	18	1	1	89	SO	02	SO	-18,4	- 7,3		2	23
24	1033,6	-14,3	76	10	1	4	20	5	80	TD S SO		70 TD S SO	1031,7	- 9,3	79	29	1	8	65	TD S		70 TD S SO	1028,0	- 4,9	78	25	4	5	70	TD SO	22	SO TD S	-17,1	- 4,9	0,0	4	24
25	1021,8	- 6,1	92	33	2	4	20	7	81	TD		02 TD S SF	1020,1	- 5,3	88	29	1	1	87	TD SO		01 SO TD	1019,0	- 6,9	86	23	1	1	85	SO TD	02	SO TD	-10,4	- 3,3	0,0	4	25
26	1017,2	- 8,1	86	11	3	4	20	8	75	TD		02 TD	1016,6	- 7,6	81	12	4	8	70	TD		15 TD	1015,9	- 7,2	80	12	3	8	75	TD	22	TD S SL	-11,8	- 6,5		4	26
27	1017,8	- 6,4	79	12	1	4	20	8	82	TD		15 TD	1020,2	- 6,7	73	11	4	8	82	TD S	70	TD S	1021,8	- 7,9	71	11	4	7	80	TD SO	02	SO TD S	- 7,9	- 5,8	0,0	5	27
28	1022,6	- 8,8	71	13	2	4	20	8	63	TD SB		85 TD SB	1021,8	- 7,7	64	13	2	6	80	TD SO	01	SO SB LB	1021,1	- 8,1	78	33	1	7	80	TD SB	85	TD SB SO	- 9,3	- 5,7	0,0	5	28
29	1018,8	-13,7	78	11	1	4	20	4	85	TD SO		02 LB TD SO	1017,5	- 7,4	60	00	0	5	87	TD SO	02	SO TD	1014,6	- 9,0	72	06	1	6	80	TD SO	15	TD SO	-14,5	- 7,1	0,1	3	29
30	1009,2	- 9,8	80	00	0	4	20	7	65	TD S		70 TD S SO	1007,5	- 8,9	81	36	1	7	60	TD S SO	70	TD S SO	1006,4	- 9,3	74	01	4	6	60	TD S SO	70	TD S SO	-10,4	- 7,0	1,1	5	30
M	1015,5	-10,7	75		2,8		24	4,7					1016,1	- 8,5	71		2,6	4,6					1015,4	- 8,9	74		3,0	4,5					-13,7	- 6,3	4,9		IM

EKSTENSUTABELL

SVALBARD LUFTHAVN — MAI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	RR VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	RR VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	RR VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1004,8	-13,5	65	04	2	4	22	5	82 TD SO	15 TD SO	1004,3	-12,4	65	09	1	4	80 TD SU	15 TD S SU	1003,9	-15,3	66	12	1	2	89 SO	02 SO TD	-15,5	-8,5	0,8	5	1
2	1005,3	-19,4	72	11	2	4	22	2	89 SO	03 SO	1005,7	-14,6	63	13	1	1	88 TD SO	01 TD SU	1005,2	-15,3	64	12	2	1	88 TD SO	02 TD SO	-21,4	-14,1	0,0	3	2
3	1004,7	-17,2	68	09	2	4	22	1	89 SO	02 TD SO	1005,0	-13,2	64	14	2	2	86 SO	40 TD SU	1005,3	-13,9	65	09	1	1	89 SO	02 SO TD	-19,6	-11,7		4	3
4	1007,2	-18,5	69	12	1	4	22	2	87 TD SO	02 TD SO HA	1009,1	-10,6	60	23	2	4	88 TD SU	02 TD SU	1009,7	-12,0	73	00	0	5	86 TD SO	03 TD S SO	-21,7	-9,3		3	4
5	1008,9	-12,4	80	00	0	4	22	6	59 TD S SO	70 TD S SO	1008,8	-11,7	81	35	1	5	58 TD S SO	70 TD S SO	1009,7	-13,2	79	26	1	3	75 TD SO IN	76 TD SO S	-17,5	-10,5	0,6	3	5
6	1013,6	-16,8	71	00	0	4	26	1	89 SO	02 TD SO	1015,8	- 9,5	49	25	2	1	89 SO	02 SO	1018,1	-10,0	53	26	3	0	89 SO	01 SO	-19,3	- 8,1	0,5	4	6
7	1021,9	-15,2	70	10	3	4	26	0	89 SO	02 SO	1023,9	- 7,5	62	00	0	0	89 SO	02 SO	1025,0	- 9,9	66	24	1	0	89 SO	02 SO	-19,1	- 6,4		3	7
8	1030,1	- 9,8	73	24	2	4	26	0	89 SO	02 SO	1033,4	- 6,1	53	27	2	0	89 SO	02 SO	1034,9	- 7,9	70	25	2	1	89 SO	02 SO	-14,8	- 5,2		3	8
9	1033,6	- 7,2	73	11	4	4	20	7	75 TD SO	15 TD SO	1028,8	- 4,8	84	00	0	8	60 TD IS R	66 R KS IS SU	1023,3	1,5	71	23	5	8	74 TD	15 TD SL YR IS	-10,9	1,5		5	9
10	1013,7	1,5	77	00	0	4	18	8	79 TD	03 TD SL	1010,4	0,9	84	00	0	7	75 TD	15 TD	1011,1	- 0,5	80	25	3	6	82 TD SO	02 TD SO	- 1,0	3,3	0,4	5	10
11	1009,4	- 1,3	68	24	4	4	17	3	84 TD SO	02 TD SO	1009,9	- 1,6	69	24	5	3	84 TD SU	01 TD SU	1010,3	- 3,0	71	25	5	7	86 TD	15 TD SO	- 3,0	2,0		7	11
12	1013,9	- 4,7	74	00	0	4	17	1	89 SO	01 SO TD	1015,1	- 3,8	69	01	2	2	89 SO	02 SO	1014,8	- 4,2	76	00	0	5	89 SO	03 SO	-10,9	- 2,4		6	12
13	1014,8	- 2,4	82	25	3	4	12	7	84 TD	02 TD	1016,5	- 2,2	84	00	0	7	80 TD SU	02 TD S SU	1017,8	- 0,4	77	25	:	1	88 TD SO	40 TD SO	- 4,6	0,3	0,1	3	13
14	1018,9	- 4,7	97	25	1	4	4	6	80 TD SO	03 TD T SO	1018,9	0,6	74	00	0	3	88 TD SO	03 TD SU	1017,1	2,4	62	13	5	7	82 TD SO	01 TD SO	- 5,5	4,8	0,1	6	14
15	1014,6	- 1,4	64	13	6	3	4	8	83 TD	02 TD SO	1014,4	- 0,7	64	12	7	5	82 TD SU	01 TD SU	1016,7	0,6	66	09	4	7	84 TD	03 TD SO	- 6,1	3,0		7	15
16	1020,1	0,0	97	25	1	3	4	7	70 TD S	70 TD S SO	1024,1	0,6	86	00	0	7	85 TD SU	02 TD SU S	1024,9	1,6	68	00	0	8	84 TD	15 TD SO	- 0,9	2,2	0,1	6	16
17	1026,5	- 0,8	95	00	0	3	4	8	84 TD	02 TD	1026,7	0,2	84	00	0	8	84 TD	02 TD	1026,1	0,4	86	00	0	8	85 TD	02 TD SO	- 0,9	1,6	0,0	2	17
18	1023,2	1,8	65	13	4	2	3	6	86 TD	02 TD	1023,2	2,5	63	16	4	6	85 TD SU	02 TD SU	1022,7	1,5	74	27	1	7	82 TD	02 TD SO	0,4	3,5		5	18
19	1018,8	3,4	70	23	3	2	0	3	86 TD SO	01 TD SO	1017,5	0,8	80	27	2	7	80 TD	26 TD S SU	1016,7	2,4	63	24	3	5	80 TD SO	15 TD RB SO	- 0,1	4,7		5	19
20	1017,9	1,5	63	24	4	2	0	4	80 TD SO	15 TD SO	1018,5	5,4	55	22	4	5	82 TD SO	15 TD SU	1019,5	3,4	65	22	5	5	82 TD	15 TD SO	0,2	6,1	0,0	6	20
21	1018,8	2,6	65	21	3	2	0	7	82 TD SO	15 TD SO	1017,3	2,6	76	18	1	8	82 TD	03 TD SU	1014,5	4,7	70	18	4	8	80 TD	21 TD R	0,6	5,7		5	21
22	1013,0	5,0	72	22	4	2	0	8	75 TD R	60 TD R	1014,6	4,6	79	31	1	8	70 TD R	60 TD R	1015,3	3,9	8R	06	2	8	75 TD R	60 TD R	2,3	7,7	2,9	5	22
23	1018,0	1,3	97	27	3	2	0	8	58 TD R	58 TD R YR	1018,4	1,1	98	25	3	8	30 TD	10 TD YR R	1018,1	1,0	96	25	3	8	50 TD	02 TD SO	0,7	4,7	2,7	4	23
24	1011,0	0,5	98	28	2	2	0	9	06 T R	60 TD T R	1007,4	0,1	98	26	3	9	06 T	45 TD R T	1006,6	2,1	80	24	4	7	80 TD	01 TD T R	0,1	3,4	0,0	5	24
25	1007,3	0,6	85	25	2	2	0	8	75 TD	02 TD	1006,4	1,1	90	25	3	7	70 TD SU	23 TD S SU	1005,2	1,9	74	25	3	8	82 TD	02 TD SO S	0,5	3,4	2,7	5	25
26	1001,7	1,2	79	13	4	2	3	8	59 TD SL	68 TD S SO SL	1002,7	1,0	72	13	4	8	70 TD S	70 TD S SL	1003,6	1,2	70	12	4	7	75 TD S SO	70 TD S SO	- 0,3	2,3	1,0	5	26
27	1006,4	- 0,4	60	13	3	2	0	7	86 TD SO	03 TD SO	1008,4	- 0,1	61	35	2	7	86 TD	02 TD SU	1009,3	0,3	53	14	1	7	87 TD SO	02 TD SO	- 1,0	1,2	0,0	4	27
28	1008,9	- 0,2	71	02	2			7	86 TD	02 TD	1009,5	- 0,1	74	02	2	8	80 TD SO S	70 TD S SU	1010,6	- 0,7	80	27	1	7	82 TD	22 TD S	- 1,2	0,4		3	28
29	1011,1	- 0,9	93	28	2			7	80 TD SO	02 TD S SO	1010,2	- 1,1	90	36	2	7	81 TD	02 TD SU	1009,3	- 1,8	97	35	1	9	09 T	47 TD T	- 1,9	0,0	0,0	3	29
30	1012,5	- 0,4	93	25	4			6	80 TD SO	02 TD T S	1014,7	0,6	69	25	5	2	89 SO	02 SO TD	1014,5	- 0,8	71	25	4	1	89 SO	02 SO	- 3,0	2,2	0,0	5	30
31	1010,1	- 1,3	68	16	4			7	82 TD SO	02 TD SO	1009,3	0,5	64	12	3	5	86 TD SU	03 TD SU	1010,8	- 1,7	65	11	4	7	86 TD SO	02 TD SO	- 2,1	0,8		4	31
MI	1014,2	- 4,2	77		2,4		9	5,4			1014,5	- 2,5	73		2,1	5,2			1014,5	- 2,6	72		2,4	5,3			- 6,4	- 0,4	11,9		IM

SVALBARD LUFTHAVN — JUNI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	RR VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	RR VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	RR VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1015,1	- 2,4	85	26	2			8	80 TD S KS	77 TD KS S	1016,3	- 1,4	64	25	3	8	82 TD S	70 TD S KS	1016,3	- 2,5	66	25	4	5	85 TD SO	01 TD SO S	- 2,9	- 1,1	0,1	4	1
2	1012,8	- 2,2	80	11	2			8	82 TD S	70 TD S	1009,6	0,0	76	03	2	2	87 TD SU	01 TD SU S	1003,9	1,0	49	10	4	7	88 TD SO	02 TD SO	- 3,2	2,1	0,2	4	2
3	991,9	- 3,0	64	14	7			8	70 TD S	70 TD S	991,2	- 3,8	73	12	4	9	40 TD S	70 TD S	993,1	- 3,7	79	11	3	7	75 TD SO	22 TD S SO	- 4,0	1,6	0,0	7	3
4	999,6	- 3,2	80	34	2			2	89 SO	02 TD S SO	1002,1	- 1,3	66	33	2	1	89 SU	01 SU	1003,2	- 0,7	58	27	2	2	89 SO	02 SO	- 3,7	- 0,5	0,2	3	4
5	1004,1	- 2,5	76	29	1			8	83 TD	15 TD	1002,7	- 2,1	70	35	2	7	82 TD SU	02 TD S SU	1001,9	- 1,7	69	33	2	6	86 TD SO	01 TD SO	- 2,8	- 0,5		3	5
6	1004,7	- 1,5	70	28	2			2	89 SO	02 TD SO	1006,3	0,0	52	26	3	1	89 SO	02 SO	1007,1	- 0,2	62	25	3	6	89 SO	03 SO	- 2,1	1,3	0,0	3	6
7	1009,3	- 3,3	70	24	2			7	88 TD	02 TD	1010,7	- 2,3	66	25	3	7	88 TD SO	02 TD SU	1011,1	- 2,3	65	25	3	4	88 TD SO	03 TD SO	- 3,3	0,4		4	7
8	1010,0	- 2,8	62	29	2			8	85 TD	02 TD S	1010,2	- 1,9	62	33	2	7	88 TD	02 TD	1010,0	- 1,9	59	30	2	7	89	02 TD SO	- 2,9	- 0,9	0,0	3	8
9	1009,7	- 2,9	66	25	3			8	83 TD	15 TD S	1010,1	- 2,4	68	24	3	7	84 TD	22 TD S	1010,7	- 1,7	62	28	2	6	88 TD	01 TD	- 3,5	- 1,4	0,0	3	9
10	1011,7	- 1,3	65	27	2			6	89	02 TD SO	1012,9	- 1,1	66	30	2	7	89	02	1013,7	- 0,4	58	27	1	6	89	03	- 1,7	0,6	0,0	2	10
11	1015,3	- 0,6	56	05	1			8	86 TD	02 TD	1016,2	0,0	57	07	1	8	88 TD	02 TD	1016,0	0,0	78	25	4	7	82 TD	15 TD SO	- 1,1	1,0		4	11
12	1012,2	0,2	64	25	3			8	82 TD	15 TD	1010,1	0,7	64	22	3	8	82 TD	15 TD SU	1006,6	1,6	61	23	3	7	81 TD	15 TD SB	- 0,6	2,1	0,0	4	12
13	1001,1	3,4	62	28	2			8	75 TD	15 TD SO	999,5	2,8	80	06	1	7	78 TD	15 TD	998,6	1,1	95	27	2	8	62 TD	15 TD	0,6	5,0	0,0	4	13
14	1001,2	0,0	97	05	1			8	50 TD	40 TD SL YR	1001,9	1,6	88	28	1	8	80 TD S	70 TD SL S SU	1004,0	1,8	81	25	2	8	86 TD	02 TD S YR	0,0	2,4	0,0	4	14
15	1011,8	1,4	65	01	4			7	86 TD	15 TD	1015,5	1,4	59	01	2	7	88 TD SU	02 TD SO	1018,1	0,7	60	33	1	5	88 TD SO	01 TD SO	0,3	1,8	0,2	4	15
16	1019,9	1,9	51	25	3			0	89 SO	01 SO	1019,3	2,6	63	25	4	2	89 SO	03 SO	1018,0	0,4	69	27	3	7	88 TD SO	03 TD SO	- 0,3	3,3		5	16
17	1010,7	0,7	74	01	1			7	86 TD	01 TD SB	1008,5	3,9	55	03	1	7	86 TD	02 TD SU	1007,8	2,4	71	11	4	8	70 TD S	70 TD S	- 0,4	4,1	0,0	4	17
18	1009,6	3,0	60	13	3			4	86 TD SO	01 TD SO	1010,5	4,0	53	26	3	5	86 TD SU	03 TD SU	1010,9	2,9	56	12	3	6	89 SO	02 TD SO	1,3	4,7	0,0	4	18
19	1011,4	1,3	62	10	3			4	88 TD SO	03 TD SO	1011,8	2,2	62	35	2	3	88 TD SU	02 TD SU	1011,2	1,7	68	26	3	7	88 TD SO	02 TD SO	0,6	3,6		4	19
20	1010,9	- 0,1	62	13	4			7	82 TD	15 TD	1010,9	3,1	56	15	4	3	86 TD SU	02 TD SO	1011,6	1,6	59	14	4	6	86 TD SO	02 TD SO	- 0,4	4,4		4	20
21	1012,4	1,3	62	35	1			8	88 TD	03 TD	1013,0	2,2	68	34	3	7	88 TD	02 TD	1013,0	2,0	66	29	1	7	88 TD	15 TD	0,3	2,9		4	21
22	1013,3	4,2	59	10	3			1	89 SO	02 TD SO	1013,3	6,0	51	27	2	2	89 SO	02 SO	1012,9	3,8	56	17	4	7	89	02 SO	2,0	7,1		4	22
23	1013,9	3,6	66	27	1			7	86 TD	02 TD	1015,7	3,2	73	34	2	7	88 TD	02 TD SU	1016,6	3,7	65	31	1	7	88 TD SO	02 TD SO	1,5	4,8	0,0	5	23
24	1017,0	4,1	72	28	1			1	89 SO	02 TD SO	1015,2	7,8	62	26	3	4	89 SO	01 SO	1013,0	7,4	72	26	3	7	88 TD SO	02 TD SO	2,9	11,5		4	24
25	1003,8	10,6	55	12	7			7	82 TD	21 TD RB R	1003,6	7,5	68	12	7	6	84 TD	01 TD RB	1007,1	9,8	66	11	5	6	84 TD SO	03 TD SO	7,3	14,3	0,2	9	25
26	1010,9	7,3	72	14	6			7	84 TD SO	02 TD SO	1011,2	7,8	68	13	6	7	84 TD	02 TD SU	1013,4	7,0	63	13	5	7	84 TD SO	02 TD SO	4,4	10,0	0,0	7	26
27	1019,4	6,3	59	13	6			7	84 TD	02 TD R	1019,1	11,1	42	12	5	3	85 TD SO	02 TD SO	1017,0	10,5	32	12	6	4	89 SO	01 TD SO	5,4	11,4	0,0	7	27
28	1012,9	8,6	66	12	6			8	84 TD	25 TD RB SO	1015,7	12,2	64	25	4	8	82 TD	03 TD RB SO	1017,2	8,1	70	26	2	5	80 TD SO	03 TD SO	2,5	12,7	0,0	7	28
29	1015,1	8,1	78	25	4			7	82 TD SO	02 TD SO	1016,8	8,0	74	30	3	5	82 TD SO	01 TD SU	1018,2	6,0	82	25	4	5	82 TD	02 TD SO	5,1	12,8	0,0	6	29
30	1021,0	3,6	98	35	2			9	04 T	45 TD T SO	1022,0	4,2	92	33	1	9	10 TD	10 TD T SO	1021,5	6,0	79	26	1	2	80 TD SO	40 TD T SO	3,2	6,6		4	30
MI	1010,4	1,5	69		2,9		6	2			1010,7	2,5	68		2,8	5,7			1010,8	2,1	66		2,9	6,1			0,2	4,3	0,9		IM

EKSTENSUTABELL

SVALBARD LUFTHAVN — JULI 1978

DT	KL. 07 P	T	UU	DD	F	n	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,1	7,6	77	32	1			3	86 SO TD	03 SO TD	1020,6	10,6	58	27	3	3	88 SO TD	03 SO TD	1019,9	10,0	56	27	2	1	89 SO	02 SO TD	4,3	13,1		4	1
2	1019,6	10,6	60	25	3			1	89 SO	02 SO	1019,4	10,2	57	27	4	1	89 SO	03 SO	1018,9	13,0	47	25	4	1	89 SO	02 SO	9,1	14,1		4	2
3	1018,9	8,3	74	00	0			1	89 SO	02 SO TD	1018,7	10,3	60	29	2	1	89 SO	01 SO	1017,2	9,9	60	27	3	2	89 SO	02 SO	7,6	14,3		5	3
4	1016,6	7,9	59	02	4			3	89 SO	03 SO	1015,3	7,1	59	01	5	1	89 SO	01 SO	1014,1	7,5	58	02	5	1	89 SO	02 SO	7,1	10,5		6	4
5	1013,1	6,3	57	27	1			1	89 SO	02 SO	1011,9	9,0	51	26	3	3	89 SO	03 SO	1010,3	9,0	59	25	3	3	89 SO	01 SO	4,4	10,2		6	5
6	1007,9	5,2	68	23	5			7	88 SO TD	02 SO TD	1008,8	4,7	68	23	4	7	86 TD SO	02 SO TD	1009,3	4,0	68	24	4	5	88 SO TD	01 SO TD	3,8	9,4		6	6
7	1009,2	2,4	85	24	4			8	80 TD R	60 TD R SO RB	1008,3	2,5	84	24	5	8	84 TD YR	51 TD YR LB R	1007,9	3,0	77	24	4	7	86 TD	02 TD YR SO	1,9	4,8	0,6	5	7
8	1006,1	2,4	76	23	4			8	85 TD	02 TD LB	1006,2	3,4	74	25	3	8	81 TD LB	83 TD RB LB	1006,3	3,0	74	25	4	8	82 LB TD	83 LB TD	1,9	4,2	2,0	5	8
9	1006,5	3,8	71	24	4			8	88 TD	03 TD	1006,4	4,1	65	24	5	8	84 TD	15 TD	1006,7	3,6	73	24	4	8	82 TD RB	80 TD R RB	2,4	5,2	0,0	6	9
10	1007,7	2,7	86	28	2			7	88 TD	02 TD	1008,0	5,0	68	25	2	7	88 SO TD	03 SO TD	1008,3	5,2	76	24	3	7	88 TD	02 TD SO	2,2	5,9	0,0	4	10
11	1007,7	2,9	85	24	3			8	82 TD R	60 TD	1008,1	5,3	66	25	4	7	86 TD SO	02 SO TD H YR	1007,9	5,3	66	24	4	6	88 SO TD	01 SO TD	2,9	6,5	0,0	5	11
12	1008,2	5,2	69	24	4			7	86 TD YR R	58 TD R SO	1008,8	5,1	74	25	4	8	86 TD R	60 TD R	1009,5	5,4	68	25	3	6	89	01 TD R	4,0	7,5	0,0	5	12
13	1008,3	4,6	77	24	4			7	88 TD	02 TD	1007,8	4,6	86	25	4	8	85 TD	21 TD R	1007,2	4,6	90	25	4	8	82 TD R	60 TD R	3,9	6,4	0,0	6	13
14	1007,0	3,1	82	28	1			8	82 TD	02 TD R	1007,5	4,3	81	28	2	7	88 TD	02 TD R	1007,8	5,3	77	25	4	8	88 TD	12 TD	1,2	6,6	0,4	4	14
15	1006,6	5,8	71	25	4			8	86 TD R	60 TD R	1005,1	5,3	76	24	4	8	82 TD R	60 TD R	1003,6	4,1	80	26	1	7	86 TD	02 TD R SO	4,1	6,3	0,0	4	15
16	1003,1	5,3	73	27	1			7	88 TD	02 TD SO	1003,9	6,5	70	25	4	5	86 TD SO	15 SO TD	1004,7	5,8	69	25	4	7	86 TD SO	02 SO TD	4,1	7,8	0,0	4	16
17	1007,4	4,3	78	27	3			7	88 TD	02 TD	1009,5	4,9	77	27	2	7	88 TC	02 TD	1010,7	5,9	76	25	4	7	88 TD	02 TD	3,8	6,3		4	17
18	1013,0	4,9	87	25	2			8	86 TD	02 TD	1014,0	5,5	81	26	3	8	87 TD	02 TD	1014,1	5,6	73	25	4	7	88 TD	02 TD	2,7	6,6		4	18
19	1014,1	6,0	72	24	4			7	87 TD	02 TD	1014,3	6,9	63	25	4	4	88 SO TD	02 SO TD	1014,3	7,3	64	25	4	2	88 SO TD	02 SO TD	4,9	7,8		4	19
20	1015,0	6,4	76	28	1			6	89	03 SO	1015,0	8,6	58	26	2	6	89	03 SO	1014,3	8,8	58	25	2	7	89 SO	15 SO RB	5,6	10,2		4	20
21	1013,5	6,5	77	25	4			7	88 TD	02 TD RB	1013,2	8,1	63	25	5	6	86 SO TD	15 SO TD	1012,6	7,5	57	24	5	7	88 TD	02 TD	6,2	9,6	0,0	5	21
22	1012,2	5,2	66	24	5			6	88 TD	01 SO TD	1012,2	6,1	71	25	4	3	89 SO	02 SO TD	1012,1	5,2	70	25	4	2	89 SO	02 SO	4,6	7,5		5	22
23	1012,9	3,7	85	26	3			7	84 TD	02 SO TD	1014,0	4,5	80	29	2	7	89 SO	01 SO TD	1013,9	6,0	73	27	4	3	89 SO	03 SO	3,6	7,3		4	23
24	1015,7	6,1	72	26	1			1	89 SO	02 SO	1016,3	8,0	65	26	4	3	89 SO	03 SO	1016,5	5,2	65	25	5	2	70 SO TD	40 SO TD	4,9	9,5		5	24
25	1017,9	3,2	95	00	0			8	82 TD	02 TD	1018,0	3,2	90	30	2	8	82 TD	02 TD	1016,8	5,4	81	25	4	2	70 SO TD	40 TD T SO	2,8	6,9		5	25
26	1015,6	7,2	90	00	0			6	86 TD	01 TD	1015,7	6,9	73	29	2	6	89 SO	02 SO TD	1015,1	7,8	74	26	3	5	89	03 SO	3,4	9,5		4	26
27	1014,9	7,9	65	25	4			3	89 SO	02 SO	1015,8	7,9	76	25	5	6	89 SO	03 SO	1015,8	8,8	73	24	4	7	88 TD	03 SO TD	7,7	10,4		5	27
28	1016,2	7,9	79	25	3			7	82 TD SO	02 SO TD	1016,9	9,9	68	24	5	5	84 SO TD	40 SO TD	1017,0	7,6	85	25	4	7	84 TD	03 SO TD	7,1	11,1		5	28
29	1017,1	7,3	82	25	2			8	85 TD	02 TD	1015,6	8,0	84	02	2	8	87 TD	21 TD	1010,9	8,3	84	23	1	8	84 TD	16 TD	6,4	10,8		4	29
30	1004,4	8,1	90	10	1			8	82 TD	15 TD R	1003,5	8,2	88	24	1	8	75 TD	21 TD R SO	1002,7	9,0	80	20	4	8	75 TD	15 TD R	6,9	10,3	1,8	5	30
31	1003,7	7,1	80	18	2			8	75 TD	15 TD	1003,8	7,4	65	24	4	8	82 TD	15 TD	1003,3	5,8	78	22	4	8	80 TD	02 TD SO	5,4	9,6	0,6	4	31
M	1011,7	5,7	76		2,6			6,1			1011,7	6,5	71		3,4	5,9			1011,3	6,5	71		3,6	5,4			4,5	8,6	5,4		IM

SVALBARD LUFTHAVN — AUGUST 1978

DT	KL. 07 P	T	UU	DD	F	n	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1001,3	4,6	91	26	4			8	82 TD	15 TD	1001,6	5,0	84	24	4	8	82 TD R	60 TD R	1003,3	5,2	68	36	1	7	87 TD	02 TD R	3,5	6,1	0,1	5	1
2	1008,1	6,7	62	25	4			5	87 TD SO	02 TD SO	1010,7	8,5	54	24	5	3	89 SO	02 TD SO	1011,8	6,6	66	24	4	1	89 SO	02 SO	5,2	9,2	0,0	5	2
3	1013,3	5,4	76	25	4			7	82 TD	02 TD SO	1014,0	6,3	71	26	2	8	85 TD	02 TD	1013,8	8,2	70	25	4	7	80 TD	15 TD SO	4,7	8,5		4	3
4	1013,0	6,6	81	24	3			8	80 TD	15 TD	1013,8	5,7	87	25	3	8	80 TD SO	02 TD SO	1014,5	5,4	87	25	3	8	87 TD	02 TD SO	5,1	8,9		4	4
5	1015,7	5,6	72	17	1			8	80 TD	15 TD	1015,8	5,4	85	31	1	8	82 TD	15 TD	1015,7	5,2	90	31	1	8	80 TD	02 TD SO YR	4,0	7,3		3	5
6	1014,5	5,8	92	33	2			7	82 TD	02 TD	1014,4	6,1	88	30	1	7	80 TD SO	02 TD SO	1013,7	6,2	93	25	3	8	80 TD	02 TD SO	5,2	7,2	0,0	3	6
7	1010,1	5,8	93	09	1			7	80 TD	02 TD YR SO	1009,2	5,8	92	04	2	7	80 TD	20 TD YR	1007,1	8,3	69	04	1	7	86 TD	15 TD SO	4,9	8,3	0,6	3	7
8	1004,7	6,9	71	21	1			7	80 TD	02 TD YR	1004,9	5,2	91	26	3	7	82 TD SO	15 TD	1004,9	5,0	85	27	4	7	82 TD	02 TD SO	5,0	8,3	0,8	4	8
9	1003,2	5,9	73	00	0			7	82 TD YR	50 TD YR	1001,8	7,7	78	27	1	8	77 TD R	60 TD YR R	1001,1	4,9	97	27	2	8	70 TD R	60 TD R	4,0	8,0	0,0	4	9
10	997,6	5,6	93	00	0			8	78 TD R	61 TD R	996,9	5,9	87	25	4	8	58 TD R	61 TD R	997,6	5,4	82	24	4	8	62 TD R	61 TD R	4,9	6,6	1,9	5	10
11	1002,9	3,4	78	05	2			8	84 TD R	60 TD R	1006,1	4,4	69	03	2	7	87 TD	02 TD R	1008,7	4,0	66	01	1	7	89 SO	02 SO TD	2,0	7,0	1,4	4	11
12	1012,7	2,6	59	03	2			5	89 SO	03 SO	1013,8	4,3	49	03	1	3	89 SO	02 SO	1014,6	5,1	52	01	3	1	89 SO	02 SO	2,5	6,6	0,0	3	12
13	1015,1	3,5	58	11	1			3	89 SO	02 SO	1015,1	5,3	58	30	1	2	89 SO	02 SO	1015,2	5,8	54	26	3	1	89 SO	02 SO	2,8	6,8		3	13
14	1016,4	4,7	62	25	3			4	87 TD SO	03 TD SO	1016,7	5,3	64	25	4	7	87 TD	02 TD SU	1014,6	5,0	64	21	4	7	86 TD	15 TD SO	2,9	6,0		4	14
15	1009,2	6,1	76	22	4			8	75 TD YR	50 TD YR	1007,6	4,9	91	25	5	8	80 TD YR	58 TD YR R	1007,6	4,5	86	26	4	7	85 TD	02 TD YR R	3,5	6,8	0,0	6	15
16	1008,2	5,3	74	22	3			8	82 TD	15 TD SO	1009,5	4,3	86	26	4	7	82 TD	15 TD	1011,2	4,0	81	25	3	7	86 TD	02 TD	3,5	5,8	0,0	5	16
17	1014,6	3,2	81	13	1			8	85 TD	02 TD	1016,8	4,1	76	33	1	7	85 TD	02 TD	1017,8	3,9	84	27	2	8	85 TD	03 TD SO	3,1	4,7		4	17
18	1018,8	2,9	87	21	1			8	80 TD	02 TD	1018,8	3,2	85	30	1	8	82 TD	02 TD	1019,1	3,0	88	35	1	8	81 TD	02 TD	2,9	4,6		3	18
19	1019,2	2,4	88	34	1			8	86 TD	02 TD R	1018,9	2,7	85	30	1	8	87 TD	02 TD	1017,1	3,0	86	00	0	8	80 TD	02 TD YR	2,1	5,4	0,0	4	19
20	1011,4	4,4	84	08	1			7	80 TD	02 TD	1009,3	5,7	77	25	3	7	82 TD SO	02 TD SO	1005,8	6,1	77	00	4	7	82 TD	02 TD SO	3,0	8,2	0,0	3	20
21	997,0	5,4	97	00	0			8	65 TD R	61 TD R	996,7	5,7	97	26	2	8	80 TD R	61 TD R	998,0	6,1	97	25	2	8	81 TD	21 TD R	5,0	7,7	1,6	4	21
22	997,1	5,2	68	24	5			5	85 TD SO	01 TD RB R YR	1001,2	3,0	73	23	3	6	86 TD SO	02 TD SU	1003,4	2,7	77	25	2	7	89	03 SO	2,1	8,9	5,9	6	22
23	1006,0	3,6	70	09	4			5	89	02 SO	1004,0	8,2	49	13	4	7	89	03 SO	999,5	6,5	73	12	7	8	80 TD R	62 TD R	1,1	8,7		7	23
24	996,6	8,1	69	12	6			6	85 TD	02 TD	997,4	9,8	63	13	5	2	87 TD SO	02 TD SU	999,4	6,0	80	33	2	5	86 TD SO	02 TD SO	3,2	11,1	0,2	7	24
25	999,8	4,3	98	25	3			8	40 TD YR	50 TD YR R	1001,1	5,1	97	25	3	8	70 TD YR	58 TD YR H	1003,7	5,3	95	28	1	8	86 TD	02 TD YR	4,3	6,4	1,6	4	25
26	1007,4	5,1	95	03	2			8	82 TD	15 TD	1007,6	7,9	64	07	1	4	87 TD SO	01 TD SU	1007,3	6,8	73	09	2	7	88 TD	02 TD SO	4,7	8,2	1,0	3	26
27	1010,1	4,9	88	25	2			8	87 TD	02 TD	1013,7	4,4	90	27	3	8	84 TD	02 TD	1015,2	4,5	86	24	3	8	84 TD	03 TD	4,2	6,8	0,0	4	27
28	1019,8	4,3	97	25	1			7	82 TD	02 TD	1020,5	7,2	74	00	0	2	89 SO	01 TD SU	1020,3	7,4	62	15	4	6	89 SO	02 SO	3,7	8,8	0,0	4	28
29	1021,2	8,7	70	10	4			7	87 TD SO	02 TD SO	1021,8	5,7	59	13	4	7	88 TD R	60 TD R	1021,7	4,4	70	14	3	8	82 TD R	60 TD R	4,0	9,5	0,0	5	29
30	1022,2	4,3	90	25	1			7	84 TD	01 TD R	1022,0	4,9	87	24	1	8	86 TD	02 TD	1021,0	4,6	88	25	2	8	86 TD	02 TD R	3,7	5,5	1,1	3	30
31	1020,3	2,8	81	12	2			6	86 TD SO	02 TD SO	1021,3	4,7	81	27	2	7	86 TD	02 TD SU	1022,2	4,5	77	00	0	7	86 TD	02 TD	2,1	5,2	0,0	3	31
M	1009,9	5,0	80		2,2			6,9			1010,4	5,6	77		2,5	6,5			1010,5	5,3	78		2,5	6,8			3,6	7,3	16,1		IM

EKSTENSOTABELL

SVALBARD LUFTHAVN — SEPTEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1022,7	3,4	93	00	0			8	82	TD R	60	TD R	1023,2	3,0	95	27	2	8	80	TD	02	TD R	1022,6	3,3	91	25	2	8	82	TD	03	TD YR					1
2	1022,5	3,4	81	26	1			8	82	TD	02	TD	1022,1	3,4	79	33	1	8	82	TD	02	TD	1021,0	3,0	81	25	2	7	82	TD	01	TD SQ	2,9	4,0	0,0	2	2
3	1020,6	0,9	93	12	2			8	80	TD	02	TD	1020,1	1,8	84	34	1	5	82	TD	40	TD SQ	1018,8	2,6	88	25	1	7	86	TD	03	TD SQ	0,9	3,5		3	3
4	1016,2	2,1	91	00	0			2	88	TD SQ	01	TD SQ	1014,9	5,8	62	13	2	7	86	TD R	60	TD R	1012,7	4,6	70	13	5	8	80	TD R	60	TD R	1,6	7,4		5	4
5	1007,0	3,7	72	13	5			8	82	TD	02	TD R	1004,6	4,6	71	10	2	8	81	TD	15	TD	1003,1	2,5	96	10	2	8	70	TD R	60	TD R	2,1	4,9	10,5	6	5
6	1004,3	3,3	80	03	3			7	85	TD	01	TD R	1007,8	5,2	62	04	2	7	89	SO	02	SO TD	1010,6	4,0	63	04	3	6	89	SO	01	SO	2,5	6,0	3,5	4	6
7	1013,1	1,2	82	13	1			6	89		02		1012,0	5,0	59	24	3	7	88	TD	02	TD SQ	1010,0	3,6	73	25	5	6	85	TD SQ	01	TD SQ	0,6	5,6		5	7
8	1008,8	1,2	70	24	4			7	86	TD SB	85	TD SB	1008,2	1,4	65	27	4	7	88	TD SQ	02	TD SB S	1008,6	- 0,2	62	31	3	2	89	SO	01	TD SQ	- 0,2	3,6	0,0	5	8
9	1007,3	- 2,9	59	24	3			2	88	TD SQ	02	TD SQ	1007,1	- 0,7	59	25	2	5	88	TD SQ	02	TD SQ	1006,8	- 0,5	54	33	4	3	89	SO	03	SO TD	- 3,5	0,5	0,0	5	9
10	1004,5	- 2,2	64	24	3			5	88	TD	03	TD	1002,9	0,6	59	27	3	3	89	SO	02	SO SB TD	1002,0	0,9	59	27	3	5	89	SO	03	SO	- 3,4	1,5		4	10
11	1000,8	- 0,9	70	28	2			4	89	SO	03	SO	1000,8	- 0,4	78	17	1	7	70	TD S	70	TD SO S	1000,3	- 1,2	95	12	2	9	56	TD S	71	TD S	- 1,2	1,3	0,0	4	11
12	1001,6	- 2,5	69	03	3	3	3	7	89		02	TD S	1001,5	- 2,7	68	34	3	7	87	TD	02	TD	1001,1	- 4,4	65	23	3	3	86	TD SQ	03	TD SQ	- 4,4	0,7	3,1	4	12
13	1000,5	- 3,4	64	34	2	3	3	3	89		02	SO TD	1001,9	- 3,9	61	28	2	1	89	SO	02	SO TD	1002,8	- 4,6	63	31	2	1	89	SO	02	SO	- 4,6	- 1,2		4	13
14	1003,6	- 2,9	69	30	2	3	3	7	86	TD	02	TD	1004,9	- 3,7	63	19	1	2	89	SO	03	SO TD SB	1003,9	- 2,4	68	19	3	7	89		03	SO	- 4,6	- 1,6		3	14
15	1000,9	- 2,9	70	11	4	3	3	6	86	TD	15	TD	1000,3	0,2	60	19	4	2	86	TD SQ	02	TD SQ SB	998,6	1,1	58	19	4	5	85	TD	15	TD SQ	- 4,5	2,0	0,0	4	15
16	997,9	1,2	63	20	4	3	3	6	89	TD	15	TD SB	998,0	1,2	58	17	2	5	88	TD SQ	01	TD SQ	997,4	1,2	62	12	3	6	86	TD	03	TD SQ	- 2,7	2,5	0,0	4	16
17	995,8	- 3,2	74	12	4	3	3	5	87	TD SQ	01	TD SQ	994,8	- 0,4	59	14	4	3	89	SO	02	SO TD	993,2	- 1,0	65	13	4	8	84	TD	15	TD SQ	- 3,3	0,1		5	17
18	992,1	- 0,9	84	27	1	3	4	8	70	TD S	70	TD SB S	993,3	- 0,5	95	00	0	9	25	TD S	71	TD S	993,7	- 0,2	98	33	3	9	10	TD S	73	TD S	- 1,0	0,6	0,0	5	18
19	996,7	- 2,8	96	30	3	4	15	7	82	TD	22	TD S	999,8	- 3,9	74	32	4	7	87	TD	15	TD	1002,5	- 6,0	68	28	2	7	87	TD SQ	02	TD S	- 6,0	0,0	11,2	4	19
20	1001,6	- 9,9	81	11	4	4	15	6	87	TD SQ	03	TD	1002,1	- 5,2	60	12	2	7	82	TD	15	TD SQ S	1003,4	- 7,5	76	12	1	6	82	TD	15	TD	-11,3	- 4,3	0,0	4	20
21	1006,4	- 8,6	88	12	2	4	15	4	87	TD	01	TD	1007,9	- 4,6	80	12	1	6	89	SO	02	SO TD	1008,5	- 6,0	77	25	1	5	89	SO	02	SO	- 8,8	- 3,7	0,0	3	21
22	1009,9	- 4,4	77	24	2	4	15	7	89		02		1011,9	- 4,0	76	00	0	6	89		02	SO	1012,9	- 4,2	72	16	1	4	89		02	SO	- 6,9	- 2,7		3	22
23	1010,1	- 7,2	84	12	2	4	13	7	87	TD	02	TD	1017,1	- 4,0	72	00	0	7	88	TD	02	TD	1016,8	- 3,9	69	00	0	7	86	TD	14	TD	- 9,2	- 3,1		4	23
24	1014,2	- 4,2	81	13	2	4	12	7	86	TD	02	TD	1012,7	- 1,3	76	00	0	8	85	TD	15	TD	1011,0	- 1,2	88	12	2	8	80	TD	02	TD S	- 4,2	- 0,8		3	24
25	1007,9	0,4	86	23	4	4	12	7	82	TD	26	TD SB S	1007,3	0,9	77	24	5	7	80	TD SB	85	TD SB YR SQ	1005,2	0,6	82	22	4	7	80	TD	15	TD LB	- 1,2	1,7	0,2	5	25
26	1004,3	- 5,8	68	00	0	4	10	1	87	TD	01	TD	1004,8	- 4,1	64	30	1	1	89		02	SO TD	1003,1	- 4,9	63	31	4	2	89		02	SO	- 6,8	0,6	0,0	5	26
27	1003,9	- 3,4	59	33	4	4	9	2	88	TD	01	TD	1006,0	- 3,2	56	35	4	2	89	SO	02	SO	1007,5	- 2,8	64	01	4	5	86	TD	15	TD SQ	- 6,2	- 1,8		5	27
28	1012,4	- 7,6	66	05	1	4	9	2	89		02	TD	1014,4	- 6,1	71	11	3	1	89	SO	02	SO	1015,2	- 9,1	79	11	3	1	89		02	SO	- 9,2	- 2,0		4	28
29	1015,9	-10,6	85	11	3	4	9	1	89		02		1016,8	- 8,8	80	00	0	1	88	TD	01	TD SQ	1017,1	- 6,9	76	11	2	8	80	TD	15	TD	-11,0	- 6,6		4	29
30	1017,5	- 6,6	85	11	3	4	10	8	82	TD S	70	TD S	1019,2	- 5,4	85	12	2	7	80	TD	02	TD S	1020,1	- 5,5	82	12	2	8	85	TD	15	TD	- 6,9	- 4,8	0,3	4	30
31	1007,6	- 2,4	77		2,5		6	5,5					1007,9	- 1,0	70		2,0		5,4				1007,7	- 1,6	74		2,7		5,8				- 3,6	0,6	28,8		MN

SVALBARD LUFTHAVN — OKTOBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1020,0	- 6,1	82	12	2	4	13	8	87	TD	02	TD	1018,7	- 5,5	77	09	2	7	84	TD	15	TD SQ	1015,8	- 3,4	87	14	1	8	57	TD S	71	TD S	- 6,8	- 2,9	1,2	4	1
2	1013,1	- 0,5	68	17	1	4	13	8	85	TD	02	TD	1013,4	- 2,6	74	12	2	6	88	TD	15	TD SQ	1014,0	- 7,3	86	11	4	3	86	TD	01	TD	- 7,4	- 0,6	0,1	4	2
3	1016,5	- 2,0	73	11	2	4	13	8	86	TD	02	TD	1018,0	- 2,1	66	14	3	6	88	TD	02	TD	1018,4	- 3,9	70	00	0	3	88	TD	01	TD	- 7,3	- 0,9		4	3
4	1018,3	- 6,9	78	11	4	4	13	2	86	TD	02	TD	1018,6	- 5,5	77	11	3	7	87	TD	03	TD SQ	1018,2	- 7,0	77	13	4	7	86	TD	02	TD	- 7,9	- 2,8		4	4
5	1016,9	-10,8	88	11	2	4	13	3	86	TD	02	TD	1017,0	- 6,1	84	00	0	7	82	TD	03	TD	1017,2	- 5,7	85	00	0	7	83	TD	02	TD	-11,6	- 4,9		4	5
6	1018,4	- 5,2	87	21	1	4	13	7	85	TD	03	TD	1018,6	- 5,3	85	11	2	7	88	TD	03	TD SQ	1017,1	- 5,2	82	11	1	8	88	TD	03	TD	- 6,4	- 3,8		3	6
7	1014,5	- 3,3	60	30	4	4	11	8	83	TD	02	TD	1014,0	- 5,9	69	24	4	3	87	TD	01	TD	1013,9	- 7,0	72	18	1	7	88	TD S	70	TD S	- 7,0	- 2,3	0,0	6	7
8	1015,7	- 8,1	69	04	4	4	11	8	84	TD	02	TD S	1016,7	- 9,2	66	13	3	7	84	TD	15	TD S	1016,1	-10,6	70	12	3	4	84	TD	15	TD	-11,3	- 6,4	0,1	4	8
9	1011,0	-10,4	72	11	3	4	11	8	80	TD	22	TD S	1008,4	-11,4	80	12	3	7	70	TD S	70	TD S	1005,1	-10,1	86	11	3	8	80	TD S	70	TD S	-12,2	- 9,2	0,0	4	9
10	996,3	- 3,4	73	12	2	4	12	8	80	TD	15	TD	993,1	- 1,2	70	13	5	8	80	TD	15	TD S	986,3	0,9	66	13	6	7	83	TD SF	36	TD SF	-10,1	- 1,6	0,1	6	10
11	983,8	1,4	65	13	5	4	11	7	80	TD	15	TD SL	989,4	0,4	92	24	3	8	70	TD S	70	TD S	992,3	0,8	97	21	1	8	65	TD YR	56	TD S SL YR	- 0,8	- 3,3	0,0	7	11
12	992,5	- 4,6	76	22	7	4	10	7	82	TD SF	38	TD SF	995,8	- 6,8	64	32	5	5	89		01	TD SF	999,8	- 8,7	60	34	4	1	89		02		- 8,7	- 0,6	0,6	7	12
13	1003,3	-14,4	72	11	3	4	10	1	89		02		1003,3	-12,7	62	11	3	7	89		02		999,1	-11,6	64	10	2	8	86	TD S	71	TD S	-15,9	- 8,1		5	13
14	986,8	- 5,7	65	10	4	4	10	8	82	TD	15	TD	985,3	- 4,3	84	00	0	8	30	TD S	71	TD S	989,0	- 6,8	66	13	4	7	70	TD	15	TD S	-11,6	- 4,0	0,0	4	14
15	999,4	- 8,7	69	00	0	4	10	8	82	TD	15	TD	1003,7	- 9,4	72	15	1	5	87	TD	02	TD S	1004,9	-10,6	72	12	3	5	87	TD	02	TD	-11,1	- 6,2	0,4	4	15
16	1001,1	- 4,5	78	13	6	4	10	8	70	TD SF S	71	TD S SF	1001,2	- 2,4	69	12	5	8	80	TD SF	36	TD S SF	999,9	- 0,6	65	26	2	8	80	TD	15	TD S SF	-10,9	- 0,2	0,0	6	16
17	993,9	- 2,7	69	18	5	4	9	8	81	TD YR	50	TD YR	988,3	- 1,7	72	18	4	8	78	TD	15	TD YR	983,5	- 2,1	70	18	3	7	80	TD	15	TD	- 0,6	- 4,2	0,1	5	17
18	976,6	- 2,7	97	21	1	4	9	8	80	TD	15	TD S SL	972,0	- 1,1	88	02	4	8	82	TD	22	TD S	971,4	- 2,4	88	04	2	7	78	TD S	70	TD S	- 2,8	- 2,7	0,2	5	18
19	971,9	- 3,3	96	27	2	4	15	7	60	TD S	70	TD S	974,0	- 2,4	92	25	3	7	75	TD S	70	TD S	975,8	- 2,3	84	24	4	8	75	TD	02	TD S SL	- 4,8	- 1,8	9,7	4	19
20	979,8	- 3,5	88	00	0	4	17	8	70	TD S	70	TD S	982,4	- 4,1	88	11	1	6	86	TD	02	TD S	985,0	- 1,6	77	04	3	3	88	TD	01	TD S	- 4,6	- 0,1	0,6	4	20
21	991,2	- 1,8	72	10	2	4	17	4	87	TD	03	TD	995,1	- 4,0	85	11	3	5	88	TD	02	TD	996,5	- 3,7	82	12	1	7	88	TD	03	TD	- 4,9	- 0,1	0,2	4	21
22	998,4	- 3,4	96	00	0	4	17	8	75	TD S	71	TD S	999,3	- 3,3	90	12	1	8	81	TD	22	TD S	999,1	- 4,0	90	12	2	8	82	TD S	70	TD S	- 4,2	- 1,7	3,5	5	22
23	997,7	- 5,1	81	11	2	4	17	7	81	TD	15	TD	997,0	- 8,9	76	11	3	3	86	TD	01	TD	995,2	-10,8	78	12	4	2	88	TD	01	TD	-10,8	- 3,4	0,1	4	23
24	991,3	-12,1	78	11	3	4	17	1	89		03	TD	989,1	-13,5	86	12	4	2	88	TD	03	TD	986,5	- 7,1	73	36	1	2	88	TD	02	TD	-13,5	- 4,6		4	24
25	984,4	- 2,7	68	04	4	4	17	8	84	TD	02	TD	985,9	- 4,0	63	01	3	8	82	TD S	70	TD S SF	987,3	- 4,3	63	04	2	7	84	TD	02	TD S	- 7,2	- 1,0		5	25
26	991,3	- 9,5	68	09	1	4	15	2	87	TD	01	TD	992,4	-11,2	78	10	2	2	86	TD	03	TD	991,9	-11,3	86	11	3	6	80	TD S	71	TD S	-11,3	- 3,8	0,1	4	26
27	983,9	-11,5	80	12	4	4	18	3	82	TD	02	TD S	974,1	- 7,6	77	12	6	8	58	TD SF	38	TD S	965,0	- 6,9	74	06	5	8	56	TD SF S	70	TD S SF	-13,0	- 3,4	0,6	6	27
28	966,2	- 4,4	76	06	6	4	14	8	68	TD SF S	70	TD SF S	974,8	- 4,9	60	04	4	7	84	TD	01	TD S SF	979,4	- 5,1	58	05	4	3	88	TD	01	TD	- 9,5	- 2,7	0,3	9	28
29	986,7	- 5,1	59	34	5	4	13	3	88	TD	03	TD	989,9	- 6,8	61	34	5	2	88	TD	02	TD	993,2	- 7,4	64	35	5	2	87	TD	02	TD	- 7,4	- 3,3	0,0	6	29
30	997,9	- 6,6	56	32	4	4	12	1	87	TD	01	TD	1000,1	- 9,7	70	11	1	1	88	TD	02	TD	1001,4	- 9,7	72	23	2	1	88	TD	02	TD	-10,6	- 5,2		5	30
31	1001,7	-11,6	78	12	4	4	12	3	87	TD	01	TD S	999,9	-12,7	74	11	4	6	86	TD	02	TD	997,1	- 8,8	61	11	4	6	85	TD	02	TD	-13,7	- 8,2	0,0	4	31
31	997,4	- 5,6	75		3,0		13	6,0					997,7	- 5,9	76		3,0		6,0				997,3	- 5,9	75		2,7		5,7				- 8,6	- 2,5	14,9		MN

EKSTENSUTABELL

SVALBARD LUFTHAVN — NOVEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	988,8	-2,1	69	12	5	4	11	8	82	TD S	70	TD	987,2	-0,8	76	08	2	7	58	TD S	71	TD S	986,8	-2,1	92	13	4	7	82	TD	02	TD S	-8,8	-0,2	0,0	5	1
2	982,9	-0,9	65	16	3	4	11	4	82	TD	02	TD	978,6	-0,1	63	12	3	7	84	TD	02	TD	975,2	0,1	62	10	5	4	84	TD	01	TD	-2,8	1,9	0,1	6	2
3	980,3	-2,3	66	13	4	4	11	3	84	TD	02	TD	983,9	-3,3	64	15	4	7	88	TD	02	TD	985,7	-2,8	63	14	4	7	88	TD	02	TD	-3,3	0,6		5	3
4	989,6	-5,2	63	13	5	4	11	7	84	TD	01	TD	992,7	-6,6	70	12	4	7	80	TD	15	TD	995,0	-7,4	77	12	4	8	75	TD S	71	TD S	-7,9	-2,5		5	4
5	996,0	-0,1	65	19	6	4	13	8	75	TD	02	TD S	998,2	-4,8	76	23	5	7	65	TD S	71	TD S	997,8	-6,9	77	23	4	8	65	TD S	71	TD S	-7,4	0,4	0,0	6	5
6	998,8	-7,6	64	27	3	4	11	8	85	TD	02	TD	999,2	-8,1	71	13	1	8	82	TD	15	TD	997,9	-8,4	81	11	3	7	65	TD S	71	TD S	-8,6	-6,0	0,9	5	6
7	1000,5	-9,9	85	33	2	4	12	6	75	TD S	71	TD S	1005,3	-11,1	88	12	1	7	50	TD S	71	TD S	1007,7	-12,2	86	12	3	9	65	TD S	71	TD S	-12,3	-8,0	0,2	4	7
8	995,0	-6,8	80	12	7	4	12	8	40	TD S SF	70	TD SB SF	980,6	-3,3	97	12	6	8	15	TD S SF	71	TD S SF	971,0	-2,4	95	10	4	8	65	TD R	63	TD S R	-14,4	-2,6	0,3	9	8
9	962,7	-2,7	91	21	6	4	15	6	25	TD S SF	71	TD R S SF	967,6	-3,8	73	22	4	6	65	TD SB	85	TD S SF SB	968,2	-4,6	90	24	4	8	58	TD S	72	TD S	-4,6	-4,3	3,7	7	9
10	971,5	-9,4	78	02	6	4	11	8	70	TD	15	TD S	976,3	-11,5	72	02	6	7	62	TD S SF	70	TD S SF	980,6	-12,4	65	04	4	3	82	TD	01	TD S SF	-12,4	-4,1	1,0	6	10
11	990,6	-13,6	63	02	3	4	10	8	75	TD S	70	TD S	994,4	-15,9	72	12	2	6	80	TD	15	TD S	994,2	-19,0	72	10	4	1	84	TD	01	TD	-19,5	-11,8	0,0	4	11
12	983,7	-17,4	58	14	6	4	10	3	80	TD SF	38	TD SF	987,8	-17,8	52	12	4	5	86	TD	02	TD SF	992,0	-17,9	57	11	4	1	88	TD	01	TD	-19,6	-15,8	0,0	8	12
13	993,3	-15,8	52	12	4	4	10	2	89		03		988,6	-15,5	52	12	5	7	88	TD	02		980,5	-14,0	81	14	7	9	10	TD SF	39	TD SF	-19,6	-14,0		8	13
14	988,0	-5,8	66	14	6	4	10	7	84	TD SF	36	TD SF	966,9	-3,9	68	14	4	5	86	TD	02	TD SF	965,6	-3,2	68	11	5	5	88	TD	02	TD	-15,2	-2,0	0,2	9	14
15	964,5	-8,0	85	12	1	4	10	6	88	TD	03	TD	966,8	-8,2	88	00	0	6	86	TD	01	TD	968,9	-4,9	80	23	4	8	85	TD	03	TD	-8,9	-3,2		5	15
16	970,9	-5,9	85	24	3	4	15	8	60	TD S	70	TD S	971,9	-5,2	87	24	1	8	70	TD S	71	TD S	973,3	-4,5	59	04	4	7	84	TD	02	TD S	-6,6	-2,8	3,6	4	16
17	979,3	-9,4	68	04	4	4	11	7	80	TD	01	TD S SF	982,5	-11,2	64	03	5	5	84	TD	02	TD	984,8	-13,4	77	13	2	5	84	TD S	70	TD S	-15,1	-3,7	0,5	6	17
18	987,4	-15,7	65	12	2	4	13	2	84	TD	01	TD	987,8	-18,1	72	12	4	1	88	TD	02	TD	987,6	-19,5	70	14	3	1	88	TD	02	TD	-19,5	-12,6	0,0	4	18
19	988,2	-18,9	76	11	3	4	12	1	88	TD	02	TD	988,6	-16,5	79	12	3	5	88	TD	03	TD	988,9	-15,5	80	11	3	8	85	TD	03	TD	-20,7	-14,6		4	19
20	988,8	-16,8	77	00	0	4	12	5	88	TD	02	TD	989,1	-16,7	82	00	0	2	86	TD	01	TD	989,0	-17,8	78	26	3	1	88	TD	02	TD	-18,0	-13,8		3	20
21	990,6	-15,5	77	09	1	4	11	5	80	TD	15	TD S	990,9	-18,7	80	15	1	3	80	TD	22	TD S	989,4	-20,3	80	11	2	1	84	TD IN	76	TD IN	-21,6	-13,8	0,4	3	21
22	987,0	-19,1	80	09	1	4	11	0	89		01	TD D	987,5	-17,1	74	12	3	1	89		02		988,0	-15,4	71	10	4	1	89		02		-22,1	-14,6	0,1	5	22
23	990,2	-15,6	64	10	4	4	11	1	89		02		992,9	-15,5	64	09	5	4	86	TD	03	TD	994,2	-14,9	65	11	5	5	87	TD SF	38	TD SF S	-16,2	-14,1		6	23
24	998,1	-15,1	71	12	3	4	17	2	88	TD	01	TD S	999,8	-16,8	73	11	3	2	87	TD	02	TD	1000,9	-18,0	74	11	3	2	87	TD	02	TD	-18,1	-13,4	0,1	5	24
25	1002,9	-16,7	72	00	0	4	22	1	87	TD	02	TD	1004,8	-19,8	79	11	1	1	87	TD	01	TD	1006,1	-20,2	80	15	1	1	80	TD	02	TD	-21,8	-15,8		3	25
26	1008,7	-21,7	79	12	3	4	22	1	80	TD NL	02	TD NL	1010,9	-23,0	79	11	3	1	83	TD NL	02	TD NL	1012,9	-23,5	79	12	1	1	82	TD NL	40	TD NL	-24,4	-19,1		3	26
27	1017,5	-22,7	79	10	2	4	22	3	70	TD S	70	TD S	1021,1	-23,3	79	12	1	4	75	TD S	71	TD S	1023,9	-25,2	78	13	1	2	84	TD	01	TD NL S	-25,2	-21,0	0,0	2	27
28	1023,0	-19,3	76	23	1	4	22	3	82	TD	03	TD D	1017,9	-11,9	53	12	4	6	86	TD SF	36	TD SF	1009,7	-4,5	64	19	6	8	82	TD SF	36	TD SF	-25,2	-4,2	0,1	6	28
29	1007,1	-5,3	89	00	0	4	21	8	60	TD S	71	TD S	1005,3	-1,3	64	22	4	8	80	TD S	70	TD S	1003,0	1,7	78	21	5	8	65	TD S	68	TD S SL	-9,0	2,5	1,0	6	29
30	996,6	1,1	82	00	0	4	21	8	80	TD YR	50	TD YR	999,1	1,2	84	27	3	8	80	TD	02	TD YR	999,5	0,6	71	22	4	2	82	TD	01	TD YR R	-0,8	3,1	0,2	7	30
M	990,1	-10,8	73		3,1		14	4,9					990,8	-10,9	73		3,1		5,3				990,6	-10,8	78		3,7		4,8				-14,3	-7,2	12,4		M

SVALBARD LUFTHAVN — DESEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	988,2	-1,1	81	22	6	4	21	9	18	TD S SF	73	TD S SF	991,7	-4,1	87	25	6	7	80	TD SF	38	TD SF S	1004,6	-10,7	76	29	5	3	84	TD	01	TD SF	-10,7	-3,5	0,4	8	1
2	1015,2	-10,5	74	24	3	4	22	3	80	TD IN	76	TD NL	1014,6	-10,9	80	07	2	7	84	TD	03	TD S	1011,6	-9,1	84	00	0	8	75	TD S	70	TD S	-13,4	-8,3	1,3	6	2
3	1010,3	-0,9	76	24	5	4	22	8	80	TD	15	TD S	1012,5	-1,9	79	23	5	3	84	TD	02	TD	1013,8	-2,1	74	24	5	1	88	TD	02	TD	-9,1	0,2	0,3	7	3
4	1012,3	0,3	68	23	4	4	22	7	80	TD	03	TD	1012,6	0,1	74	23	6	6	84	TD	01	TD	1009,8	0,1	78	25	4	8	59	TD S	73	TD S	-2,1	1,3		6	4
5	1004,1	-0,8	81	25	3	4	23	5	87	TD	01	TD S	1009,0	-7,4	72	24	2	1	88	TD	02	TD	1013,6	-11,9	76	28	1	1	88	TD	02	TD	-11,9	1,3	0,4	5	5
6	1015,9	-14,9	81	13	1	4	23	1	88	TD	02	TD	1015,3	-11,7	81	13	1	8	82	TD S	70	TD S	1016,0	-10,5	79	13	1	8	82	TD	22	TD S	-16,8	-10,0		3	6
7	1014,8	-9,0	81	12	4	4	22	8	82	TD S SF	70	TD S	1012,5	-5,5	74	11	3	8	80	TD S	70	TD S	1010,9	-5,4	82	24	2	8	70	TD S	71	TD S	-10,5	-3,9	0,1	4	7
8	1008,3	-6,4	90	09	1	4	24	8	70	TD S	70	TD S	1008,1	-9,5	80	12	4	2	80	TD	02	TD S	1008,4	-8,0	66	12	3	5	85	TD	01	TD	-9,5	-4,9	0,2	4	8
9	1012,1	-12,8	66	14	6	4	24	8	84	TD SF	36	TD SF	1015,3	-15,0	60	14	5	4	87	TD SF	36	TD S SF	1016,6	-15,5	55	12	4	2	87	TD	02	TD SF	-16,0	-7,6	0,1	7	9
10	1016,4	-17,6	59	12	4	4	24	2	88	TD	02	TD	1015,1	-18,1	60	11	3	2	88	TD	01	TD	1012,7	-18,8	62	11	3	5	89		03	TD	-18,9	-14,6	0,0	5	10
11	1013,7	-18,2	63	11	4	4	23	2	89		02		1015,5	-17,4	65	13	2	6	88	TD	03	TD	1016,9	-16,8	70	11	2	7	88	TD	02	TD	-19,8	-15,8		4	11
12	1016,4	-13,1	77	00	0	4	22	8	81	TD S	70	TD S	1016,2	-13,8	80	09	2	3	86	TD	02	TD S	1015,8	-11,0	80	02	1	8	81	TD	02	TD	-16,8	-9,9	0,0	3	12
13	1011,1	-12,4	86	00	0	4	23	8	80	TD S	71	TD S	1009,2	-11,5	87	13	2	8	80	TD S	70	TD S	1006,9	-12,1	87	00	0	8	70	TD S	71	TD S	-13,1	-9,0	0,2	3	13
14	1002,0	-12,1	82	12	4	4	26	7	58	TD S	71	TD S	1000,1	-11,2	85	12	2	8	70	TD S	71	TD S	998,7	-10,1	87	13	1	8	70	TD S	71	TD S	-12,2	-9,2	1,7	4	14
15	993,7	-9,5	79	13	3	4	27	8	70	TD S	71	TD S	991,7	-10,8	82	12	4	9	57	TD S	71	TD S	991,3	-11,4	77	13	5	9	50	SF TD S	71	TD S SF	-11,4	-5,3	1,4	5	15
16	988,3	-14,9	64	12	3	4	26	1	89		01	TD	985,5	-13,1	68	11	4	8	80	TD S	71	TD S	984,9	-12,8	84	08	2	9	35	TD S	71	TD S	-15,8	-11,3	0,7	5	16
17	988,8	-8,8	81	13	7	4	25	7	20	TD S SF	70	TD S SF	993,4	-10,8	68	11	5	3	82	TD SF	36	TD SF	994,9	-10,0	64	14	5	3	84	SF TD	36	TD SF	-12,8	-6,4	1,1	8	17
18	1001,9	-8,4	65	14	4	4	25	7	84	TD	02	TD	1005,9	-8,5	80	13	3	6	82	TD	03	TD	1008,9	-8,8	80	13	4	6	84	TD	01	TD S	-12,2	-7,2		6	18
19	1014,6	-12,7	71	13	3	4	25	1	89		01		1018,0	-10,9	64	12	3	5	86	TD	01	TD	1019,9	-10,7	60	00	0	7	86	TD	02	TD	-14,5	-7,3	0,3	4	19
20	1017,6	-6,0	66	14	4	4	25	7	85	TD	02	TD S	1014,7	-3,8	86	35	1	6	70	TD	22	TD S	1013,4	-4,5	90	00	0	6	82	TD	03	TD S	-14,6	-1,7	0,0	6	20
21	1011,4	-6,6	92	01	3	4	40	9	45	TD S	71	TD S SF	1013,0	-9,9	90	08	2	8	70	TD S	71	TD S	1014,8	-12,8	81	10	3	3	82	TD	01	TD S	-15,4	-1,3	7,6	4	21
22	1019,8	-15,6	84	14	2	4	44	1	84	TD NL	02	TD NL	1021,0	-14,4	85	13	3	8	65	TD S	70	TD S NL	1020,7	-9,0	89	33	1	8	60	TD S	71	TD S	-21,7	-8,0	1,7	4	22
23	1018,6	-4,6	77	34	1	4	48	7	82	TD	01	TD S	1017,1	-3,3	65	23	4	5	86	TD	01	TD	1012,2	-1,9	69	25	4	7	86	TD	02	TD	-10,1	-1,9	0,7	5	23
24	1005,3	-3,9	81	22	5	4	40	5	82	TD	01	TD SF	1006,9	-1,7	63	25	5	2	87	TD	01	TD SF	1008,1	-3,5	70	22	3	2	87	TD	02	TD	-5,9	-0,9		6	24
25	1016,3	-12,9	70	35	3	4	39	2	85	TD	03	TD	1020,4	-15,8	60	34	4	3	85	TD	02	TD	1017,5	-16,5	62	32	5	1	84	SF TD	36	TD	-17,5	-3,4		5	25
26	1023,8	-27,7	63	12	3	4	37	1	89	NL	02	NL TD	1025,5	-31,7	65	12	3	1	89	NL	02	NL TD	1029,3	-25,5	56	13	4	0	89	NL	01	NL	-31,7	-15,4		5	26
27	1033,9	-30,3	63	12	4	4	37	1	89	NL	02	NL	1034,7	-31,7	66	11	3	0	89	NL	02	NL	1033,9	-32,1	69	14	1	0	89	NL	02	NL	-32,5	-24,3		4	27
28	1033,3	-28,3	68	00	0	4	34	1	89		02	NL	1034,3	-30,7	67	00	0	1	89		02		1033,7	-26,0	65	10	1	1	89		02	NL	-33,3	-26,0		3	28
29	1029,2	-22,9	72	12	2	4	37	4	86	TD	01	TD S IN	1026,4	-22,9	77	10	2	8	80	TD S	70	TD S	1024,3	-18,4	76	12	1	8	60	TD S	71	TD S	-29,3	-18,4	0,0	3	29
30	1027,8	-22,3	63	35	2	4	37	1	88	TD NL	02	TD NL	1024,2	-20,4	60	32	4	7	82	TD	02	TD	1015,7	-18,1	66	27	5	8	80	TD SF	38	TD SF	-24,0	-16,3	0,4	5	30
31	1004,7	-18,5	65	35	3	4	33	6	85	TD	02	TD SF	1004,3	-18,8	63	27	3	5	86	TD NL	03	TD NL	1001,0	-15,2	57	24	4	7	84	TD	03	TD NL	-20,5	-12,5		6	31
M	1011,9	-12,2	74		3,1		29	4,9					1012,4	-12,8	73		3,2		5,1				1012,3	-12,2	73		2,6		5,3				-16,3	-8,2	18,3		M

EKSTENSOTABELL

NY-ØLESJØ II

JANUAR 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1002,7	-23,0	80	11	3			1	86	02	1033,2	-22,2	78	11	3	1	86	02	1033,6	-24,4	64	00	3	1	88	02	-27,7	-21,0		3	1
2	1004,5	-23,1	87	00	3			1	80 TD NL	02 TD NL	1036,2	-23,0	57	17	1	1	80 TD	02 TD	1037,9	-23,2	64	18	1	1	80 TD	02 TD	-25,4	-21,0		2	2
3	1011,0	-24,8	59	00	3			1	80	02	1013,9	-23,2	67	10	1	0	80	02	1016,9	-23,2	64	00	3	1	80	02	-26,0	-19,0		1	3
4	1017,0	-22,0	68	00	3			1	80	02	1015,9	-23,2	63	11	1	1	80	02	1013,8	-25,6	64	17	1	1	80 TD NL	02 TD NL	-25,6	-20,1		2	4
5	1007,6	-24,9	32	16	2			1	80 TD	02 TD	1003,7	-22,6	78	17	2	1	80 TD	02 TD	999,2	-13,6	99	14	1	8	30 3	73 TD S	-26,6	-13,6		4	5
6	991,5	- 9,5	99	10	3			3	30 S	71 S	990,4	- 7,4	94	27	3	9	10 S	73 S	990,5	-11,4	82	26	2	3	70 TD	00 S	-13,6	- 6,0	9,8	5	6
7	991,2	-21,3	85	00	3			1	80 TD	02 TD	991,9	-21,4	90	13	1	3	80 TD	03 TD	991,3	-15,4	96	13	1	9	40 S	71 S TD	-21,8	-11,2	3,6	3	7
8	988,8	-12,9	97	14	1			8	40 S	71 S	988,0	-12,2	96	00	0	8	40 S	71 S	989,8	-16,6	82	29	3	9	30 TD	01 S	-16,6	-12,0	2,9	4	8
9	989,7	-25,8	91	00	3			2	80	00	939,6	-28,4	90	00	0	1	80	02	988,8	-28,2	85	24	1	1	80	02	-29,4	-16,4	1,8	3	9
10	989,7	-29,6	75	00	3			1	80 NL	02 NL	991,7	-28,0	73	00	0	1	80	02	993,0	-26,8	73	25	1	1	80 NL	02 NL	-29,6	-25,0		1	10
11	995,7	-29,0	75	00	3			1	80 NL	02 NL	995,6	-27,7	84	00	0	3	70	03	996,3	-27,8	86	00	3	2	70	02 S	-29,5	-21,5		1	11
12	1000,8	-26,5	87	00	0	2	70	NL	00 NL	1032,5	-27,2	88	12	1	3	80		02	1032,3	-28,9	87	00	3	1	80	02	-29,5	-25,0	0,0	1	12
13	1001,3	-30,0	80	00	3			1	80 NL	02 NL	1031,9	-27,3	71	00	0	1	80 NL	02 NL	1031,5	-23,8	88	00	3	5	60	02	-31,0	-23,6		1	13
14	999,1	-20,0	72	00	3			2	70 TD	02 TD	992,7	-14,3	68	17	3	4	65 SF	36 TD	993,8	-11,0	97	12	0	8	30 SF	38 SF	-25,4	-10,8		7	14
15	986,8	-11,1	87	10	4			3	30 SF	38 SF	988,0	- 8,3	67	10	4	8	60 TD	02 TD	971,1	-12,8	64	10	3	8	70 TD	02 TD	-13,2	- 7,4		6	15
16	979,9	-16,2	68	10	3			9	50 TD	00 SF	983,5	-16,0	68	10	3	6	70	02	985,2	-13,2	69	11	2	7	70	02	-17,5	-12,2		5	16
17	990,3	-14,8	69	17	1	1	70	NL	02		992,1	-12,5	71	18	1	8	70	02	993,6	-11,8	70	18	1	8	70	02	-16,0	-11,0		4	17
18	998,9	-13,6	88	00	3			3	70	02	1032,3	-15,0	70	14	1	0	80	02	1035,8	-11,9	91	28	2	3	50 S	70 S	-16,8	-11,0		3	18
19	999,0	-10,4	84	10	5	7	60	SF	00		1031,0	- 8,8	90	27	2	9	50 S	71 S	1034,0	-10,6	94	30	3	9	50 S	71 S	-14,8	- 7,2	0,0	6	19
20	1008,8	-15,1	86	27	2	8	57		02		1011,5	-16,9	85	16	2	7	70	01	1013,0	-21,2	94	16	1	1	70	02	-22,7	-10,6	1,0	3	20
21	1014,7	-20,9	32	00	3	1	82	TD	02 TD	1016,8	-20,4	64	00	0	1	82	TD	02 TD	1018,5	-17,2	69	13	2	1	80 TD	02 TD	-22,0	-16,5		3	21
22	1023,1	-14,9	39	14	3	1	82	TD	02 TD	1025,6	-14,2	48	14	2	1	82	TD	02 TD	1026,3	-18,4	51	00	0	1	80 TD	02 TD	-20,1	-13,8		3	22
23	1021,2	-19,1	58	00	3	0	80		02	1018,4	-18,8	67	22	1	1	88		02	1015,0	-18,6	62	00	0	2	86	02	-21,6	-17,0		2	23
24	1016,8	-19,1	83	13	4	3	70	TD	02 TD	1020,2	-15,2	58	10	4	1	88		02 TD	1021,5	-19,0	48	14	3	0	88	02	-21,6	-14,7		4	24
25	1024,2	-20,0	53	14	3	3	70	TD	02 TD	1022,7	-18,8	55	12	3	8	80	TD	02 TD	1019,2	-19,8	55	16	2	3	70 TD	02 TD	-21,7	-18,8		4	25
26	1013,9	-18,7	57	14	3	3	70	TD	02 TD	1012,7	-18,8	56	25	1	7	80	TD	02 TD	1010,2	-17,9	93	18	1	7	80 TD	02 TD	-21,0	-16,1		3	26
27	1006,2	-20,0	59	00	3	3	70	TD	02 TD	1005,7	-19,0	59	14	4	7	80	TD	02 TD	1007,0	-20,0	55	23	1	2	80 TD	02 TD	-21,8	-17,2		4	27
28	1008,8	-15,7	38	23	1	1	80	TD	02 TD	1010,7	-17,0	59	24	1	4	80	TD	02 TD	1005,8	-18,2	54	18	1	3	80 TD	02 TD	-21,3	-14,0		2	28
29	1004,3	-17,8	56	26	1	2	80	TD	02 TD	1004,0	-18,8	62	14	1	1	80	TD	02	1004,7	-20,7	73	16	1	2	80 TD	02 TD	-23,0	-15,7		4	29
30	1004,5	-15,9	97	17	1	3	40	S	71 TD S	1006,4	-16,6	95	28	3	8	40	S	71 S	1009,6	-17,9	87	26	1	5	50 TD	01 TD S	-22,6	-15,0	0,2	3	30
31	1011,1	-16,2	77	13	1	2	60	TD	01 TD S	1012,5	-11,6	76	26	2	8	60	TD	15 TD	1017,0	- 8,2	81	13	2	8	30 TD S	71 TD S	-19,1	- 8,2	0,5	4	31
MI	1002,6	-19,4	73		1,4		3,5			1003,1	-18,6	72		1,6	3,9				1003,3	-18,6	72		1,4	3,9			-22,4	-15,2	19,8		IM

DET

NY-ØLESJØ II

FEBRUAR 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,5	- 2,4	78	19	3			3	60 S	70 S	1023,9	- 2,4	69	18	1	8	65	02	1024,7	- 3,2	70	12	2	3	60	02	- 8,7	- 2,0	2,6	3	1
2	1021,4	- 6,8	94	19	1	3	50	S	71	01	1019,8	- 8,8	91	21	1	5	75	01	1020,6	-10,0	92	19	1	3	60	02	-10,5	- 3,2	0,0	2	2
3	1022,3	-11,0	95	18	1	3	60		02	1021,6	- 5,8	98	15	2	8	50	S	71 S	1020,8	- 2,6	88	13	4	6	50	02	-12,8	- 2,5		4	3
4	1025,0	- 4,0	97	00	3	3	65		00 S	1026,4	- 4,3	97	19	1	8	70	TD	02 TD	1028,7	- 4,6	99	17	1	7	40	TD	02 TD	- 7,0	- 1,0	1,5	4	4
5	1032,4	- 6,8	95	21	1	3	40	TD	02 TD	1034,8	- 6,8	78	18	1	8	82	TD	02 TD	1035,6	- 6,8	97	00	0	8	30 S	70 TD S	-10,1	- 4,6		3	5
6	1033,0	- 6,8	97	00	0	3	50	S	71 S	1032,2	- 7,2	96	28	1	8	50	S	71 S	1032,9	- 9,8	92	00	0	8	50	TD	02 S	-10,8	- 6,0	0,9	3	6
7	1031,5	-11,0	84	25	1	3	70	S	71 S	1026,5	- 8,2	99	13	2	9	30	S	73 S	1025,9	-11,4	92	13	4	6	30	3F	38 S	-13,3	- 8,0	1,8	4	7
8	1023,8	-15,2	87	25	1	3	70	TD	02 3F	1024,6	-17,0	85	00	0	1	88		02 TD	1025,6	-22,7	95	14	1	1	88	4L	02	-26,0	-11,4	1,1	4	8
9	1029,3	-18,0	90	00	0	3	70	TD	02 TD	1030,7	-15,3	67	17	1	8	70	TD	02 TD	1031,2	-19,0	84	00	0	3	70	TD	02 TD	-24,3	-15,0		2	9
10	1031,9	-21,8	84	00	3	1	88		02	1032,5	-22,3	77	00	0	0	88		02	1031,6	-22,2	77	00	0	0	80		02	-26,6	-18,6		2	10
11	1025,7	- 9,8	96	25	2	3	50	S	71 S	1023,2	-14,8	75	13	4	6	70	TD	02 TD	1026,9	-20,8	61	10	4	2	70	3F	38 3F	-22,3	- 9,6	0,4	5	11
12	1033,2	-28,0	60	11	3	2	88		02	1036,7	-28,8	57	14	2	2	88		02	1036,8	-25,2	76	35	1	9	50	TD	02	-32,0	-20,8		4	12
13	1034,6	-29,4	82	27	1	3	50	TD	00 TD	1033,6	-19,2	88	26	1	8	40	TD S	70 S	1027,8	-11,4	97	10	5	8	10	S	73 S	-27,6	-10,7		5	13
14	1001,6	-17,3	79	34	1	1	50	TD	01 TD S	1035,7	-21,4	65	13	3	3	82	TD	01 TD	1040,0	-22,6	56	12	4	3	60	TD	02 TD	-23,3	-10,8	3,1	6	14
15	1015,7	-27,4	38	14	3	6	60	TD	03 TD	1014,2	-24,2	77	34	4	8	40	SF	38 TD SF	1019,7	-27,6	73	09	4	8	60	3F	36 SF	-31,7	-22,6		6	15
16	1015,8	-25,6	69	13	1	7	60	TD	01 TD S	1015,4	-24,4	63	16	3	8	70	TD	03 TD	1013,4	-25,2	79	00	0	8	60	TD	01 TD	-29,6	-23,5	0,0	4	16
17	1013,0	-29,0	70	19	2	3	80	TD	02 TD	1011,7	-21,8	64	19	1	5	80	TD	01 TD	1007,6	-20,0	84	12	1	8	50	S	70 TD S	-30,0	-19,5		3	17
18	998,4	-18,2	37	32	2	7	50	TD	00 TD S	999,1	-21,1	80	34	2	8	50	TD	03 TD	1000,5	-25,9	72	13	4	3	60	TD	01 TD	-27,0	-16,9	0,5	5	18
19	1005,8	-23,8	68	19	4	3	60	TD	02 TD	1038,4	-22,9	67	11	4	3	75	TD	02 TD	1010,3	-23,9	62	13	2	3	65	TD	03 TD	-28,2	-22,3		5	19
20	1015,4	-25,5	19	15	3	1	88		02	1020,0	-22,5	50	16	2	2	88		02	1022,5	-26,8	56	00	0	0	86		02	-28,0	-21,3		8	20
21	1019,1	-22,8	71	00	3	7	70	TD	02 TD S	1018,0	-21,9	87	00	0	7	80	TD	02 TD	1015,7	-18,3	97	00	0	8	70	TD	02 TD	-28,1	-17,8	0,0	2	21
22	1009,4	-15,3	80	32	3	7	80	TD	02 TD	1007,4	-15,0	90	27	2	8	58	TD	02 TD	1004,6	-15,4	91	14	1	9	30	TD S	70 TD	-19,5	-14,2		4	22
23	998,8	-19,8	95	00	3	3	86		02 TD	996,0	-23,0	97	00	0	4	88		02	993,8	-21,5	96	00	0	4	70	TD	02 TD	-25,2	-14,8	0,0	2	23
24	993,6	-23,6	61	14	1	1	88		02	994,9	-24,7	72	18	1	2	88		02	994,2	-21,8	90	12	1	9	50	S	70 TD	-28,0	-21,5		8	24
25	994,8	-25,0	90	29	3	3	30	S	71 S	1000,1	-28,0	78	12	2	2	88	TD	10 TD	1003,2	-28,8	72	14	1	2	88	TD	02 TD	-29,2	-20,8	0,5	4	25
26	1006,9	-30,0	75	00	3	2	80	TD	02 TD	1010,2	-29,2	84	00	0	3	65	TD	10 TD	1009,9	-24,5	90	27	1	9	10	S	71 TD	-30,0	-24,5		4	26
27	1013,9	-21,1	80	35	3	6	50	TD	01 TD S	1016,3	-22,0	81	34	1	3	70	TD	01 TD	1018,4	-25,0	86	00	0	2	88	TD	02 TD	-27,1	-21,1	2,4	4	27
28	1020,8	-27,2	85	00	3	1	86	TD	02 TD	1021,0	-25,8	75	00	0	2	86	TD	02 TD	1019,3	-25,0	87	00	0	2	65	TD	02 TD	-27,9	-23,4		2	28
MI	1017,5	-18,4	80		1,6		5,1			1017,7	-18,2	79		1,5	5,2				1017,5	-18,6	82		1,6	5,3			-23,0	-14,5	14,6		IM

EKSTENSOTABELL

NY-ÅLESUND II — MARS 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1017,8	-22,8	65	00	3			3	83 TD	02 TD	1015,9	-19,2	59	17	1	8	86 TD	03 TD	1013,2	-15,2	53	00	3	8	76 TD	02 TD	-25,0	-12,7		3	1
2	1005,5	-10,2	67	12	8			3	33 SF	00 TD SF	1001,8	- 5,4	91	11	6	8	15 SF	36 SF TD S	1001,4	- 6,7	96	12	3	8	15 S	71 SF S	-18,2	- 6,6		7	2
3	1023,6	-20,9	96	27	2			1	93 TD	10 S	1025,6	-20,6	98	17	1	1	65 TD SU	10 TD SU	1011,6	-10,2	98	00	3	8	30 S	71 S	-10,5	- 2,5	2,2	4	3
4	1018,5	-15,0	79	00	3			2	73 TD	02 TD	1015,9	-12,1	68	12	2	8	70 TD	02 TD	1013,5	- 7,8	92	01	1	8	45 TD S	71 TD S	-23,8	- 7,8		2	4
5	1003,7	- 4,9	95	15	1			3	43 TD S	71 TD S	995,7	- 2,2	91	09	5	8	65 TD SF	36 TD S	934,3	- 0,8	96	10	6	8	60 SF	36 SF	- 8,0	- 0,8	0,9	6	5
6	993,7	- 4,2	96	10	1			3	73 30	01	1003,2	- 1,0	79	12	3	2	80 SO	02 SO	1007,5	- 2,2	94	24	2	7	80	02	- 5,0	1,3	0,0	6	6
7	1009,0	- 1,9	86	11	2			3	63 TD	02 TD S	1017,8	- 3,4	96	10	4	8	40 TD SF S	73 TD S	1024,5	- 3,2	99	10	5	8	20 SF	36 SF	- 4,8	- 1,8	0,6	5	7
8	997,2	- 2,1	91	14	6			3	63 SF	38 SF	996,0	- 1,4	87	09	7	8	60 SF	38 SF	992,7	- 1,2	82	11	6	7	70 SF	38 SF	- 4,3	- 0,3	0,4	7	8
9	998,2	- 1,2	86	11	8			3	83	02 SF	1001,0	- 1,0	84	09	4	8	88	02 SF	1003,1	- 2,3	82	11	3	8	70 TD	02 TD	- 2,7	- 0,5		6	9
10	1004,5	- 6,9	76	09	4			3	83	02	1006,6	- 7,1	71	09	2	3	89 SO	01 SO	1008,1	- 9,0	63	11	2	5	88	02	- 9,7	- 2,3		4	10
11	1011,3	-14,0	61	00	0			3	83	02	1013,4	-10,0	60	00	0	1	89 SO	01 SO	1015,6	-13,0	63	25	1	0	89 30	02 30	-16,0	- 8,4		3	11
12	1020,0	-17,9	84	00	0			3	83 30	02 30	1022,4	-12,9	61	00	0	0	89 30	02 30	1023,4	-14,6	64	00	3	0	89 30	02 30	-19,3	-10,8		1	12
13	1024,7	-16,8	70	00	3			3	89 30	02 30	1024,6	-11,1	62	00	0	0	89 30	02 30	1023,7	-12,4	59	00	3	0	89 30	02 30	-18,7	-10,8		1	13
14	1023,3	-16,0	69	00	3			3	89 30	02 30	1023,9	-13,0	62	21	1	0	89 30	02 30	1024,3	-12,1	61	00	3	0	89 30	02 30	-19,2	-10,5		1	14
15	1025,7	-17,1	84	00	3			2	86 TD	02 TD	1026,1	-12,0	70	00	0	2	88 TD	02 TD	1026,0	-14,3	84	00	3	3	89 TD	03 TD	-19,2	-10,9		2	15
16	1026,3	-13,0	85	00	3			2	83 TD	02 TD S	1027,4	-10,1	80	24	1	4	88 TD	02 TD	1026,8	- 7,2	87	24	1	8	50 3	71 S TD	-16,0	- 7,2	0,0	4	16
17	1023,5	- 1,5	71	30	3			3	63 3	70 3	1020,6	- 1,9	97	27	4	8	10 S SF	70 S SF	1017,9	0,0	96	24	4	8	10 3F	38 S SF	- 7,3	0,5	0,9	4	17
18	1015,9	- 1,1	96	24	3			3	33 SF	36 SF	1016,9	- 2,2	95	24	2	7	60 TD	02 SF	1013,2	- 2,8	99	30	2	8	50 3L	69 3L SO	- 3,0	0,3	1,0	4	18
19	1019,4	- 7,4	95	30	2			3	63 TD	02 TD	1016,1	- 6,1	88	19	1	0	88	02 TD	1016,4	- 7,8	88	18	1	0	89	02	- 8,0	- 2,8	1,3	3	19
20	1017,2	-10,4	95	16	2			3	73 TD	02 TD	1018,3	- 6,2	91	00	0	8	70 TD	02 TD	1018,7	- 8,9	92	00	0	3	88 TD	02 TD	-12,7	- 5,5		2	20
21	1025,5	-13,5	86	00	0			3	83	02	1030,2	- 9,8	69	00	0	0	89	02	1032,0	- 9,2	59	00	0	1	89	02	-15,7	- 7,2		2	21
22	1035,2	-15,2	78	00	0			3	83	02	1037,0	- 8,6	75	00	0	1	89	02	1036,8	- 9,8	71	00	0	7	89	02	-15,2	- 7,3		1	22
23	1036,4	-11,0	80	00	0			3	83 TD	02 TD	1036,9	- 6,8	71	00	0	9	88 TD	02 TD	1037,1	- 7,4	91	00	0	7	83 TD	02 TD	-13,0	- 5,2		2	23
24	1035,3	- 7,2	92	00	0			3	83 TD S	71 TD SB	1034,0	- 6,2	95	00	0	8	60 S	71 S	1030,4	- 5,4	98	00	0	8	50 3	73 S	- 8,5	- 4,8	0,0	2	24
25	1024,1	- 4,3	97	00	0			3	93 TD	00 TD S	1022,9	- 3,8	88	12	2	7	70 TD	01 TD	1021,6	- 4,7	92	00	0	8	70 TD	03 TD	- 5,4	- 2,5	3,5	3	25
26	1020,0	- 8,8	97	15	3			3	63 TD	03 TD	1018,9	- 6,8	95	12	2	8	70 TD	02 TD	1018,3	- 6,1	94	15	2	8	70 TD	02 TD	- 8,9	- 4,7		4	26
27	1020,0	- 5,1	92	26	1			3	73 TD	02 TD	1022,6	- 3,3	91	30	1	8	65 S	71 S TD	1024,1	- 4,2	92	00	0	8	65 TD	02 TD S	- 8,9	- 3,0		3	27
28	1024,2	- 7,6	87	10	2			3	73 TD	01 TD S	1033,8	- 5,4	73	00	0	6	60 TD	01 TD	1022,8	- 6,9	92	00	0	8	50 TD	10 TD S	- 7,6	- 3,1	0,0	3	28
29	1020,5	- 9,2	92	00	0			3	83 TD	02 TD	1018,1	- 5,9	79	15	2	5	86 TD	01 TD	1015,6	- 5,4	95	00	0	8	50 3	70 S TD	- 9,6	- 4,9	0,0	4	29
30	1011,4	- 8,0	68	25	2			7	82 TD	02 TD	1011,1	- 9,8	70	25	2	6	82 TD	02 TD	1010,2	-11,7	77	13	3	6	70 TD	02 TD	-11,7	- 5,4	0,2	3	30
MI	1004,1	-15,7	86		1,8		5,2				1004,5	-14,9	83		1,5	4,9			1004,1	-15,4	85		1,1	5,1			-19,6	-11,7	37,2		IM

NY-ÅLESUND II — APRIL 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1006,0	-13,5	75	00	0			1	84 TD	02 TD	1009,0	-12,2	75	00	0	1	84 TD	02 TD	1011,5	-13,7	80	00	3	1	84 TD	02 TD	-14,0	-10,0		3	1
2	1015,5	-14,6	87	00	0			7	60 TD S	70 TD S	1017,6	-17,6	90	00	0	7	58 TD	02 TD S	1019,2	-20,1	94	00	3	6	65 TD	01 S TD	-23,2	-13,0	0,0	3	2
3	1023,6	-20,9	96	27	2			1	93 TD	10 S	1025,6	-20,6	98	17	1	1	65 TD SU	10 TD SU	1025,1	-23,8	94	00	3	1	88 TD	01 TD	-24,3	-20,0	0,0	2	3
4	1018,5	-15,0	79	00	3			2	73 TD	02 TD	1015,9	-12,1	68	12	2	8	70 TD	02 TD	1013,5	- 7,8	92	01	1	8	45 TD S	71 TD S	-23,8	- 7,8		2	4
5	1003,7	- 4,9	95	15	1			3	43 TD S	71 TD S	995,7	- 2,2	91	09	5	8	65 TD SF	36 TD S	934,3	- 0,8	96	10	6	8	60 SF	36 SF	- 8,0	- 0,8	0,9	6	5
6	993,7	- 4,2	96	10	1			3	73 30	01	1003,2	- 1,0	79	12	3	2	80 SO	02 SO	1007,5	- 2,2	94	24	2	7	80	02	- 5,0	1,3	0,0	6	6
7	1009,0	- 1,9	86	11	2			3	63 TD	02 TD S	1017,8	- 3,4	96	10	4	8	40 TD SF S	73 TD S	1024,5	- 3,2	99	10	5	8	20 SF	36 SF	- 4,8	- 1,8	0,6	5	7
8	997,2	- 2,1	91	14	6			3	63 SF	38 SF	996,0	- 1,4	87	09	7	8	60 SF	38 SF	992,7	- 1,2	82	11	6	7	70 SF	38 SF	- 4,3	- 0,3	0,4	7	8
9	998,2	- 1,2	86	11	8			3	83	02 SF	1001,0	- 1,0	84	09	4	8	88	02 SF	1003,1	- 2,3	82	11	3	8	70 TD	02 TD	- 2,7	- 0,5		6	9
10	1004,5	- 6,9	76	09	4			3	83	02	1006,6	- 7,1	71	09	2	3	89 SO	01 SO	1008,1	- 9,0	63	11	2	5	88	02	- 9,7	- 2,3		4	10
11	1011,3	-14,0	61	00	0			3	83	02	1013,4	-10,0	60	00	0	1	89 SO	01 SO	1015,6	-13,0	63	25	1	0	89 30	02 30	-16,0	- 8,4		3	11
12	1020,0	-17,9	84	00	0			3	83 30	02 30	1022,4	-12,9	61	00	0	0	89 30	02 30	1023,4	-14,6	64	00	3	0	89 30	02 30	-19,3	-10,8		1	12
13	1024,7	-16,8	70	00	3			3	89 30	02 30	1024,6	-11,1	62	00	0	0	89 30	02 30	1023,7	-12,4	59	00	3	0	89 30	02 30	-18,7	-10,8		1	13
14	1023,3	-16,0	69	00	3			3	89 30	02 30	1023,9	-13,0	62	21	1	0	89 30	02 30	1024,3	-12,1	61	00	3	0	89 30	02 30	-19,2	-10,5		1	14
15	1025,7	-17,1	84	00	3			2	86 TD	02 TD	1026,1	-12,0	70	00	0	2	88 TD	02 TD	1026,0	-14,3	84	00	3	3	89 TD	03 TD	-19,2	-10,9		2	15
16	1026,3	-13,0	85	00	3			2	83 TD	02 TD S	1027,4	-10,1	80	24	1	4	88 TD	02 TD	1026,8	- 7,2	87	24	1	8	50 3	71 S TD	-16,0	- 7,2	0,0	4	16
17	1023,5	- 1,5	71	30	3			3	63 3	70 3	1020,6	- 1,9	97	27	4	8	10 S SF	70 S SF	1017,9	0,0	96	24	4	8	10 3F	38 S SF	- 7,3	0,5	0,9	4	17
18	1015,9	- 1,1	96	24	3			3	33 SF	36 SF	1016,9	- 2,2	95	24	2	7	60 TD	02 SF	1013,2	- 2,8	99	30	2	8	50 3L	69 3L SO	- 3,0	0,3	1,0	4	18
19	1019,4	- 7,4	95	30	2			3	63 TD	02 TD	1016,1	- 6,1	88	19	1	0	88	02 TD	1016,4	- 7,8	88	18	1	0	89	02	- 8,0	- 2,8	1,3	3	19
20	1017,2	-10,4	95	16	2			3	73 TD	02 TD	1018,3	- 6,2	91	00	0	8	70 TD	02 TD	1018,7	- 8,9	92	00	0	3	88 TD	02 TD	-12,7	- 5,5		2	20
21	1025,5	-13,5	86	00	0			3	83	02	1030,2	- 9,8	69	00	0	0	89	02	1032,0	- 9,2	59	00	0	1	89	02	-15,7	- 7,2		2	21
22	1035,2	-15,2	78	00	0			3	83	02	1037,0	- 8,6	75	00	0	1	89	02	1036,8	- 9,8	71	00	0	7	89	02	-15,2	- 7,3		1	22
23	1036,4	-11,0	80	00	0			3	83 TD	02 TD	1036,9	- 6,8	71	00	0	9	88 TD	02 TD	1037,1	- 7,4	91	00	0	7	83 TD	02 TD	-13,0	- 5,2		2	23
24	1035,3	- 7,2	92	00	0			3	83 TD S	71 TD SB	1034,0	- 6,2	95	00	0	8	60 S	71 S	1030,4	- 5,4	98	00	0	8	50 3	73 S	- 8,5	- 4,8	0,0	2	24
25	1024,1	- 4,3	97	00	0			3	93 TD	00 TD S	1022,9	- 3,8	88	12	2	7	70 TD	01 TD	1021,6	- 4,7	92	00	0	8	70 TD	03 TD	- 5,4	- 2,5	3,5	3	25
26	1020,0	- 8,8	97	15	3			3	63 TD	03 TD	1018,9	- 6,8	95	12	2	8	70 TD	02 TD	1018,3	- 6,1	94	15	2	8	70 TD	02 TD	- 8,9	- 4,7		4	26
27	1020,0	- 5,1	92	26	1			3	73 TD	02 TD	1022,6	- 3,3	91	30	1	8	65 S	71 S TD	1024,1	- 4,2	92	00	0	8	65 TD	02 TD S	- 8,9	- 3,0		3	27
28	1024,2	- 7,6	87	10	2			3	73 TD	01 TD S	1033,8	- 5,4	73	00	0	6	60 TD	01 TD	1022,8	- 6,9	92	00	0	8	50 TD	10 TD S	- 7,6	- 3,1	0,0	3	28
29	1020,5	- 9,2	92	00	0			3	83 TD	02 TD	1018,1	- 5,9	79	15	2	5	86 TD	01 TD	1015,6	- 5,4	95	00	0	8	50 3	70 S TD	- 9,6	- 4,9	0,0	4	29
30	1011,4	- 8,0	68	25	2			7	82 TD	02 TD	1011,1	- 9,8	70	25	2	6	82 TD	02 TD	1010,2	-11,7	77	13	3	6	70 TD	02 TD	-11,7	- 5,4	0,2	3	30
MI	1017,5	- 9,7	85		1,3		5,2				1018,1	- 7,7	80		1,5	4,7			1017,5	- 8,3	84		1,3	5,3			-12,0	- 5,6	8,8		IM

EKSTENSOTABELL

NY-ÅLESUND II — MAI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1008,4	-13,3	71	33	3			7	70	TD	02	TD	1017,8	-10,8	64	20	1	3	80	TD	02	TD	1017,3	-15,0	71	16	3	2	89		02		-15,0	-10,8		4	1
2	1007,9	-15,6	71	00	0			5	70	TD	02	TD	1018,0	-13,8	71	16	2	3	70	TD	02	TD	1007,6	-12,8	64	00	0	5	98	TD	02	TD	-18,6	-11,1		3	2
3	1007,5	-11,2	69	00	0			0	88	TD	02	TD	1017,5	-11,2	64	00	0	7	88	TD	02	TD	1007,7	-12,8	67	16	1	6	88	TD	02	TD	-16,4	-10,2		1	3
4	1011,2	-12,1	71	00	0			1	88	TD	02	TD	1012,0	-9,8	69	00	0	4	88	TD	02	TD	1012,0	-11,0	71	00	0	7	70	TD S	71	TD	-15,0	-9,4		1	4
5	1011,8	-11,8	91	28	3			3	50	TD	02	S	1012,0	-11,2	94	30	2	5	65	TD S	71	TD	1013,3	-12,0	85	00	0	3	70	TD	02	TD	-12,2	-9,4	0,8	3	5
6	1017,5	-16,5	86	00	0			0	89		02	TD	1020,0	-10,9	64	00	0	1	89		02		1021,9	-11,5	96	00	0	5	65	S	71	S	-19,0	-9,4	0,0	2	6
7	1025,4	-11,3	71	00	0			0	89		02		1026,1	-9,8	73	00	0	0	89		02		1027,2	-10,2	76	00	0	0	89		02		-15,4	-8,4	0,0	1	7
8	1031,4	-10,1	71	00	0			0	89		02		1035,9	-5,6	71	00	0	1	89		02		1037,4	-6,8	71	00	0	2	89		02		-13,3	-5,4		1	8
9	1033,9	-8,6	77	13	2			0	65	TD	02	TD	1028,6	2,2	82	19	2	8	65	TD S	71	TD	1023,7	0,5	97	09	2	8	50	S	71	S	-7,2	2,3		3	9
10	1011,7	2,1	00	24	2			7	70	TD	02	TD	1010,5	2,7	78	23	0	5	88	TD	02	TD	1011,1	1,7	69	16	2	3	98	TD	02	TD	-2,2	4,2	2,1	4	10
11	1010,9	-1,9	00	24	0			7	70	TD	02	TD	1011,8	-2,7	97	27	0	8	65	S	71	TD	1013,2	-3,7	78	27	1	8	65	TD	01	TD S	-3,7	1,8		4	11
12	1016,8	-4,0	90	00	0			1	89		02		1017,0	-2,1	79	00	0	1	89		01	TD	1016,6	-3,6	84	00	0	6	88	TD	03	TD	-4,2	-0,9	0,1	4	12
13	1016,0	0,2	92	18	1			3	65	TD	02	TD S	1017,5	3,2	86	00	0	8	65		02		1019,1	2,8	94	00	0	3	65	TD	02	TD R	-3,8	3,4	0,0	2	13
14	1020,4	1,8	92	11	3			3	82	TD	02	TD	1020,5	3,1	79	11	3	5	82	TD	01	TD	1019,2	3,1	84	10	3	8	82	TD	03	TD	0,2	3,9	0,0	3	14
15	1016,4	1,1	00	09	3			8	82	TD	03	TD	1016,4	0,9	79	10	4	8	80	TD	03	TD	1018,2	-0,9	90	10	3	8	80	TD	02	TD	-1,4	4,4		6	15
16	1022,2	1,8	94	27	1			8	75	TD	02	TD	1025,6	2,8	78	18	2	7	75	TD	01	TD	1026,9	2,2	88	21	1	8	80	TD	02	TD	-0,9	2,9		5	16
17	1028,0	1,2	75	00	0			8	80	TD	02	TD	1028,7	3,2	65	00	0	8	70		02		1028,7	2,2	94	00	0	8	80	TD	02	TD	0,9	3,4		2	17
18	1025,5	1,0	00	13	2			5	88	TD	02	TD	1025,3	4,2	81	00	0	3	88	TD	03	TD	1024,5	2,2	87	00	0	7	80	TD	03	TD	0,4	4,7		3	18
19	1019,5	1,9	92	10	1			3	70	TD	03	TD	1016,2	2,4	91	10	1	8	65	R	61	R TD	1017,2	1,8	80	17	3	7	65	TD	01	TD R	1,4	3,6		5	19
20	1018,4	2,2	75	11	2			3	70	TD	01	TD S	1018,9	3,8	69	21	1	7	70	TD	03	TD	1019,7	2,8	87	19	3	7	70	TD	02	TD	0,8	4,5	1,5	4	20
21	1018,9	2,0	85	11	3			7	80	TD	15	TD	1016,9	1,5	96	11	2	8	40	SL	68	SL TD	1013,5	4,7	87	17	4	8	60	R	61	R SL	1,0	4,3		4	21
22	1013,1	3,6	94	34	4			3	62	R	60	R	1014,9	3,9	95	34	2	8	60		02		1018,1	1,8	96	00	0	8	60	TD R	61	R	1,8	5,0	17,3	5	22
23	1020,2	1,6	95	21	3			3	60	TD	02	TD R	1020,1	1,8	95	23	2	3	60		02		1019,3	1,8	85	00	0	8	62		02		1,5	3,5	7,6	3	23
24	1013,4	0,2	97	00	0			0	03	T	45	T	1010,3	1,2	97	00	0	0	03	T	45	T	1009,3	1,2	97	00	0	0	04	T	45	T	0,2	2,0		2	24
25	1008,3	1,9	88	06	1			3	63	TD	00	TD R	1007,5	1,8	91	22	2	8	62		02	TD	1007,5	0,8	95	33	2	8	60	TD	02	TD	0,3	2,0	0,3	2	25
26	1004,9	0,4	85	10	3			3	75		00		1005,1	1,3	86	11	3	5	75		02		1006,0	1,2	86	11	2	9	75		02		-0,7	1,4		3	26
27	1008,8	0,3	87	14	2			3	80	TD	02	TD	1010,7	2,0	76	10	1	8	80	TD	02	TD	1011,5	0,6	88	00	2	7	80	TD	02	TD	-0,2	2,4		3	27
28	1011,1	0,0	83	14	2			7	80	TD	02	TD	1011,7	1,3	78	14	1	8	80	S	71	TD	1012,7	0,6	95	36	1	3	50	S	73	S	-0,2	1,8		2	28
29	1012,9	0,2	00	26	3			3	62	TD	02	TD S	1012,4	2,4	82	00	0	4	70		03		1012,1	0,8	88	00	0	3	62		02		-0,6	3,1	2,3	3	29
30	1015,8	-2,0	95	27	3			7	60	00	00		1018,3	-3,2	88	30	3	7	70		02		1017,7	-2,1	78	00	0	3	86	TD	01	TD	-3,3	0,8		4	30
31	1013,0	-2,3	83	00	0			7	80	TD	02	TD	1012,2	-0,9	77	35	1	3	70	30	02	30	1013,5	-1,1	86	33	1	8	70		02		-4,0	-0,8		3	31
MI	1016,2	-3,0	84		1,7		6,0						1016,3	-1,5	80		1,4	5,7					1016,5	-2,3	84		1,3	6,4					-4,9	-0,3	32,5		MM

NY-ÅLESUND II — JUNI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1017,7	-2,6	90	29	3			3	63	TD	02		1019,9	-3,4	90	27	3	8	65		02		1019,4	-3,8	95	28	1	7	68		01		-3,8	-1,1		3	1
2	1014,4	-2,0	94	10	1			7	63	TD	00	0	1011,9	-1,8	70	00	0	7	70		02		1006,3	-0,4	73	17	3	6	80	30	03	30	-4,0	-1,8	0,7	4	2
3	994,3	-1,4	91	11	3			8	63	TD	02	TD S	993,8	-0,6	73	11	3	8	70	TD	02	TD	995,9	-0,4	88	26	1	8	70	TD	01	TD	-3,7	-1,7	0,0	6	3
4	1001,7	-0,9	72	26	1			2	80	TD	02	TD	1003,1	0,0	71	26	3	3	80	TD	03	TD	1005,8	-0,4	70	27	2	1	86	TD	01	TD	-1,7	0,2		4	4
5	1006,4	-2,2	87	14	3			3	70	TD	02	TD	1005,4	-1,2	76	06	1	8	70	TD	02	TD	1004,6	-1,2	80	32	2	7	70	TD	02	TD	-2,4	-0,4		3	5
6	1008,2	-0,5	76	29	2			1	83		02	TD	1009,2	-0,8	91	29	4	5	88		02		1011,2	-3,2	95	29	3	7	80		02		-3,5	-0,2		4	6
7	1013,1	-4,8	96	29	3			3	70	TD	02	TD	1013,3	-3,2	87	28	3	8	70	TD	02	TD	1014,3	-2,5	84	28	2	8	70	TD	02	TD	-4,9	-2,5		3	7
8	1013,8	-3,8	92	27	3			3	70	TD	02	TD	1013,3	-2,5	80	32	3	7	80	TD	02	TD	1013,0	-2,5	88	32	2	7	80	TD	02	TD	-4,0	-2,3		4	8
9	1012,4	-2,2	88	28	2			3	80	TD	02	TD	1012,9	-0,8	77	15	1	5	88	TD	02	TD	1013,0	-0,5	84	25	1	6	83	TD	02	TD	-3,0	-0,6		2	9
10	1014,2	-0,5	72	12	1			3	80	TD	02	TD	1015,2	-0,1	69	09	2	7	88	TD	02	TD	1015,9	0,2	88	09	1	7	88	TD	02	TD	-1,0	0,2		2	10
11	1017,5	-0,4	84	12	2			3	75	TD	02	TD	1018,3	0,6	88	12	2	8	70	TD	02	TD	1018,3	0,6	88	12	2	8	70	TD	02	TD	-0,8	1,0		3	11
12	1014,0	0,0	86	27	2			3	70	TD	02	TD	1010,9	1,0	84	27	2	8	50	S	70	S TD	1007,3	1,6	77	18	2	8	65	TD	01	TD S	-0,5	1,6		2	12
13	1001,4	2,8	80	11	3			3	65	TD	02	TD	1000,1	4,9	72	00	0	3	75	TD	01	TD	999,7	5,6	95	04	3	3	80	TD	02	TD	1,5	5,8	0,5	4	13
14	1002,8	2,9	94	29	2			8	73	TD	03	TD	1004,3	1,8	94	27	2	8	65		02		1007,4	1,6	95	00	0	8	75	TD	02		1,3	5,6		3	14
15	1014,7	1,1	75	33	3			8	82	TD	02	TD	1018,6	2,0	68	33	2	2	82	TD	01	TD	1020,9	1,4	90	32	3	1	84	TD	01	TD	1,1	2,5		3	15
16	1022,6	0,6	86	00	0			0	80	TD	02	TD	1022,0	0,8	85	23	2	3	86	TD	03	TD	1019,7	0,8	86	22	2	8	84	TD	03	TD	0,5	1,5		3	16
17	1011,1	1,0	86	10	1			7	70	TD	02	TD	1010,1	1,9	85	10	4	8	70	TD	02	TD	1009,8	2,2	86	09	1	8	70	TD	02	TD	0,5	2,2		4	17
18	1011,9	2,1	92	34	2			8	75	TD	02	TD	1013,4	2,5	91	33	2	8	75	TD	02	TD	1013,7	3,1	86	14	2	9	75	TD	01	TD	1,5	3,3		4	18
19	1013,6	3,2	91	00	0			4	75		00		1013,9	3,8	86	27	1	4	75		02		1013,5	3,4	82	28	1	7	75		00		2,8	4,4		2	19
20	1013,0	2,0	00	33	2			7	80		00		1013,3	2,2	90	34	1	7	70		02		1013,9	2,6	86	35	2	5	75		01		2,0	3,5		2	20
21	1015,0	1,9	84	10	1			3	70		00		1015,7	2,4	80	33	2	8	75		02		1015,7	2,4	89	36	2	9	70		02		1,9	2,6		2	21
22	1015,7	4,2	78	00	0			0	80	30	02	30	1015,9	4,6	75	36	1	1	80	30	03	30	1015,4	5,2	79	27	1	3	80	30	03	30	2,4	5,2		2	22
23	1016,2	4,4	80	26	1			7	80		00		1018,0	3,8	92	30	2	8	80		02		1018,9	4,6	91	00	0	8	85		02		3,5	5,2		3	23
24	1019,8	4,0	94	12	1			8	80	TD	02	TD	1018,2	7,9	72	12	1	1	88		02	TD	1014,9	9,0	72	00	0	3	88		02		3,8	9,1		1	24
25	1006,3	8,5	80	12	7			7	80	TD	02	TD	1003,3	7,8	88	09	6	8	80	TD	02	TD	1007,8	6,8	91	12	6	5	88		02		4,5	11,2		7	25
26	1011,2	7,0	92	08	1			7	75		00		1011,9	7,2	91	08	6	6	70		02		1012,7	7,2	87	08	6	6	70		02		5,5	9,5		7	26
27	1019,3	6,0	87	09	1			7	80	TD	02	TD	1020,1	7,1	60	09	5	5	80		01		1017,9	8,2	56	08	6	3	85		02		3,0	8,4		6	27
28	1014,3	5,9	73	08	8			8	70		00		1016,8	8,6	87	09	5	8	70		02		1018,4	9,2	92	10	3	8	70		02		5,2	10,0		6	28
29	1016,3	9,4	91	09	4			7	65		00		1017,8	10,1	88	26	1	8	65		02		1019,2	8,8	91	12	2	3	70	30	01	30	6,5	10,6		5	29
30	1023,4	3,8	95	35	1			8	65		00		1024,6	3,8	96	03	1	8	65		02		1024,7	3,3	97	03	1	8	20	TD	02	TD	3,0	10,1		2	30
MI	1012,5	1,7	86		2,4		6,5						1012,8	2,5	82		2,4	6,2					1013,0	2,4	83		2,2	6,1					0,6	3,7	1,2		MM

EKSTENSOTABELL

NY-ÅLESUND II — JULI 1978

KL. 07													KL. 13												KL. 19												DØGNET				
DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	ww	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	1023,7	2,8	97	10	2			3	80	TD	02	TD	1023,6	8,0	87	10	2	3	86	TD	01	TD	1022,5	8,7	85	12	1	7	88	TD	01	TD	1,0	8,8		2	1
2	1022,2	7,3	84	10	1			1	88	TD	02	TD	1022,4	9,8	72	36	1	1	88	TD	02	TD	1022,4	0,1	87	10	2	5	88	TD	03	TD	0,1	10,2		2	2
3	1021,9	5,6	88	11	1			5	83	TD	02	TD	1021,4	8,8	80	07	1	2	88	TD	01	TD	1020,8	9,0	85	10	2	2	88	TD	02	TD	0,1	9,9		3	3
4	1019,4	5,8	82	11	3			4	88	TD	03	TD	1019,1	7,4	73	10	3	1	89		01	TD	1019,2	6,9	76	09	2	1	89		02		5,2	9,1		4	4
5	1016,6	5,5	91	34	4			7	70	TD	03	TD	1016,0	5,6	91	34	3	8	70	TD	03	TD	1014,1	5,4	92	35	2	8	70	TD	02	TD	4,6	7,3		4	5
6	1011,7	3,0	91	30	3			3	30	TD	10	YR	1011,7	3,3	90	33	3	5	70	TD	01		1012,5	2,9	90	30	3	8	70	TD	03	TD	2,5	5,5	0,0	4	6
7	1011,4	0,9	90	27	2			3	60	YR	51	JL YR	1010,8	2,5	91	26	2	8	58	YR	51	YR	1010,7	2,4	92	27	3	8	60	YR	50	YR	0,9	2,9	1,2	3	7
8	1009,6	1,2	96	27	3			3	50	TD	02	TD YR	1009,4	2,2	96	28	3	8	70	TD	02	TD YR	1009,0	2,0	97	29	2	8	70	TD	02	TD YR	0,8	2,4	2,2	3	8
9	1009,2	3,0	93	03	2			3	70	TD	02	TD	1009,8	2,9	96	01	2	8	70	TD	02	TD	1009,7	2,4	96	34	2	8	65	YR	50	YR	1,4	3,0	2,1	3	9
10	1010,2	3,4	90	30	3			7	80		02	TD	1010,8	4,9	90	36	1	7	80		02		1010,6	4,4	92	32	2	7	80		02		1,8	5,1	0,0	3	10
11	1010,4	3,5	90	35	3			7	80	TD	02	TD	1011,4	3,2	91	35	3	7	80		02		1011,1	3,3	94	34	2	7	80		02		2,6	4,5		3	11
12	1011,3	2,7	95	33	2			3	60	TD	40		1012,3	4,0	91	36	1	8	80		02		1012,3	4,3	92	10	2	3	80		02		2,4	4,5		2	12
13	1011,9	0,4	81	36	2			3	80		40	TD	1011,0	2,4	98	00	0	8	65	TD YR	50	TD YR	1009,8	2,8	96	00	0	8	60	TD YR	50	TD YR	0,4	4,3		2	13
14	1008,3	3,0	97	30	3			3	80	TD	02	TD	1009,5	4,2	95	00	0	3	80		40		1011,1	5,2	92	30	0	8	70		40		2,8	5,2	0,1	1	11
15	1009,7	4,2	94	30	3			3	70		40		1008,1	3,5	97	29	3	8	70	R YR	60	TD R	1006,8	4,0	97	39	1	8	70	R	60	R YR	3,2	5,2		4	15
16	1005,7	4,8	95	30	3			7	82	TD	01	R TD	1006,2	5,3	95	36	2	8	81	TD	03	TD	1006,8	5,3	95	30	0	8	75	TD	02	TD	3,2	6,0	2,7	2	16
17	1009,6	3,7	98	17	1			3	50	TD	10	TD	1013,7	4,6	98	00	0	8	70		40	TD	1014,9	5,3	96	20	1	8	70		10		3,4	5,3		2	17
18	1015,3	4,1	98	30	3			3	63	TD YR	50	TD	1016,7	4,6	98	00	0	8	20	YR TD	51	T YR	1017,1	4,1	97	33	1	8	50	TD	10	TD	3,5	5,3	0,0	2	18
19	1017,1	4,1	94	33	2			8	60		02	TD	1017,9	4,2	97	35	3	8	50	TD	03	TD	1018,1	5,0	98	36	2	7	70		01		3,9	5,0	0,1	3	19
20	1018,4	5,2	97	00	3			3	40	TD	10	TD	1018,3	5,2	92	36	1	7	70		01	TD	1018,5	5,0	95	33	2	3	63		02		3,0	6,0		2	20
21	1017,3	3,2	98	30	3			3	20	TD	10	TD	1016,8	3,8	96	35	2	8	40	TD	10	TD	1016,2	4,7	94	31	1	8	63		02		2,8	5,0		2	21
22	1016,3	4,2	92	22	3			8	63		02		1015,3	5,3	91	24	2	8	80		02		1015,1	5,4	90	27	2	8	80		02		3,5	6,5		3	22
23	1015,3	4,8	90	24	3			1	80		02		1015,6	6,2	91	11	2	6	80		03		1016,3	6,2	91	10	1	3	89		03		4,0	6,5		3	23
24	1018,5	6,0	92	36	1			1	89		01		1019,2	7,0	92	01	1	0	89		01		1019,3	6,4	95	31	1	1	89		03		4,5	7,3		3	24
25	1020,0	4,2	94	30	3			3	80		03		1020,4	4,6	95	10	1	8	80		02		1019,5	4,0	96	10	2	8	80		02		3,6	6,4		3	25
26	1018,0	4,6	96	30	3			7	83		02		1018,1	5,6	92	10	1	7	89		02		1017,8	7,2	91	30	1	6	83	30	01	30	3,5	7,5		2	26
27	1017,7	5,0	90	00	3			7	83		02		1018,4	5,4	91	00	0	8	89		02		1018,0	5,0	91	15	1	7	83		02	R	3,9	7,5		2	27
28	1018,1	4,8	95	00	3			3	30		02		1019,6	5,4	94	00	0	8	20	TD	03	TD	1019,7	5,4	95	22	1	8	70	TD	02	TD	1,0	6,8	0,0	3	28
29	1019,0	4,8	95	12	1			3	84		02		1017,0	6,9	91	17	1	8	84		02		1012,9	7,6	88	12	1	8	82		02		4,5	8,1		2	29
30	1005,7	7,6	88	14	1			3	80		02	R	1004,0	8,2	90	12	3	8	80		02		1003,4	8,6	92	13	3	3	80		02	R	4,5	9,5	1,0	5	30
31	1004,3	5,2	96	36	2			3	63	TD	20	TD YR	1004,7	6,2	92	20	2	8	65	TD	20	TD YR	1005,0	3,8	96	18	2	8	60	TD	20	TD YR	2,7	8,0	3,3	3	31
MI	1014,3	4,1	92		1,5			6,7					1014,5	5,2	91		1,6	6,5					1014,2	4,9	92		1,5	7,0					2,8	6,3	13,2		MI

NY-ÅLESUND II — AUGUST 1978

KL. 07													KL. 13												KL. 19												DØGNET				
DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	1033,9	3,1	98	30	3			3	01	T	42		1035,0	4,4	97	30	3	7	57		01		1037,0	4,9	92	32	3	2	63	30	01		2,3	5,5	2,0	4	1
2	1033,2	5,5	88	33	1			5	62	30	01		1032,8	5,7	91	02	2	8	70		02		1033,0	6,4	86	22	1	2	73	30	01		2,0	8,4		3	2
3	1034,2	6,5	86	21	2			1	70	30	02	30	1034,3	6,4	86	11	1	4	80	SO	02	SO	1033,8	6,6	90	13	3	8	70		03		5,0	8,0		4	3
4	1034,3	6,0	94	25	1			3	70		02		1036,0	6,8	94	24	1	8	70		02		1036,5	5,5	98	13	1	8	70		02		3,7	7,0		3	4
5	1037,5	5,3	88	21	1			1	80	30	01	30	1037,5	6,6	87	21	2	7	80	SO	03	SO	1037,2	6,4	90	22	2	1	80	30	01	30	3,6	7,0		2	5
6	1036,8	5,2	94	22	1			3	70		03		1036,5	5,0	91	00	0	8	70		02		1035,5	5,1	94	30	0	8	70		02	TD	3,7	6,4		2	6
7	1011,3	5,0	92	11	3			3	80		02		1010,1	5,0	92	12	3	8	70	YR	52		1007,8	6,0	90	13	1	3	70	YR	52	YR	3,4	6,0		4	7
8	1035,4	5,5	92	12	3			3	63	TD YR	50	TD YR	1035,8	7,2	87	24	2	8	80		01		1036,2	6,2	89	12	2	3	81		01		3,9	7,4	0,6	4	8
9	1004,4	5,0	90	16	3			3	63		02		1003,0	5,2	94	13	3	8	65	TD YR	50	TD	1002,6	5,2	91	18	2	8	70		02		3,4	6,2		4	9
10	999,6	3,2	96	09	1			3	63	TD YR	50	TD YR	999,6	2,7	95	00	0	8	65	TD YR	50	TD YR	1000,8	5,5	91	21	2	8	63		01	YR	2,5	6,0	0,3	2	10
11	1007,2	3,8	92	32	3			7	70		02		1010,1	4,9	87	31	4	4	80		01		1012,7	4,3	85	33	3	3	82		02		2,6	5,5	0,2	4	11
12	1016,3	4,0	93	00	3			2	80		02		1017,4	5,2	55	07	1	1	88		02		1017,4	5,4	97	10	2	1	88		02		2,4	6,0		3	12
13	1017,2	2,4	95	10	2			7	84		03		1017,2	5,0	73	09	2	1	84	SO	01	30	1017,0	4,8	85	12	2	1	84	30	02	30	1,3	5,8		3	13
14	1017,7	4,3	86	11	2			7	80		03	30	1017,6	5,5	78	14	3	8	86		02		1014,5	5,0	84	16	3	8	70	TD	02	TD	1,0	6,0		3	14
15	1010,0	4,6	94	00	3			3	70	TD YR	52	TD R YR	1009,2	5,2	91	20	1	8	89		02	TD	1009,1	4,6	91	25	3	4	89	30	01		3,8	6,0	0,4	4	15
16	1009,2	4,4	90	18	1			7	80		02		1012,0	5,0	90	25	3	6	89		01		1013,4	4,8	90	25	2	3	80		02		3,0	6,4		4	16
17	1016,2	3,0	95	32	1			2	80	30	03	30	1019,5	4,0	92	08	1	2	89	30	02	30	1020,1	5,0	90	16	2	2	80	30	02	30	1,8	5,5		2	17
18	1021,6	3,0	92	12	1			7	80		02		1022,1	3,9	91	00	0	3	80		01		1021,6	4,2	91	00	0	3	80	30	02	30	1,5	5,0		2	18
19	1023,3	3,2	96	09	1			7	80		02		1023,3	3,8	94	09	2	8	80		02		1019,7	3,4	91	11	1	7	80		02		1,0	4,5		4	19
20	1013,6	3,4	91	17	1			7	80		02		1012,4	5,0	91	11	1	7	80		02		1008,0	4,8	92	00	0	8	80		02		1,8	6,0		5	20
21	999,5	4,2	84	00	0			3	03	T	42	T YR	998,2	4,3	97	11	1	8	03	T	42	T	1000,0	4,5	98	00	0	8	70		01	YR	3,5	5,5	0,2	3	21
22	998,1	3,2	92	24	3			3	75		01	TD	1002,4	5,0	87	26	3	7	75		02		1005,4	2,4	95	03	1	4	80		01		2,0	6,4	0,1	4	22
23	1008,1	2,0	95	00	0			1	80	30	01	30	1006,1	5,1	75	20	1	5	89		03	30	1001,7	9,0	68	10	3	8	80		03		0,3	9,0		3	23
24	997,8	6,5	90	12	1			3	80		02	YR	999,3	7,6	88	12	4	7	80		01		1001,5	7,0	90	03	1	7	80		02		0,5	9,5	0,2	4	24
25	1002,5	3,2	96	30	3			3	50	TD R	63	T R	1003,4	3,2	97	00	0	8	70	TD	02	TD YR	1005,9	3,2	97	00	0	8	70		01	YR	2,5	7,0	0,5	4	25
26	1010,7	3,6	98	30	3			8	01	T YR	52	T YR	1011,5	4,6	98	06	1	8	02	T	42	T	1010,6	3,6	98	10	1	6	05	T	41	T	2,7	4,6	3,5	3	26
27	1012,5	3,8	95	30	3			3	75		02		1015,8	5,6	95	25	2	8	75		02		1018,2	5,2	94	24	1	8	75		02		2,5	5,6		5	27
28	1022,1	3,5	97	30	3			7	80		02		1024,0	4,9	92	10	1	7	80		02		1023,4	5,8	86	36	1	1	84		01		2,0	7,6		1	28
29	1023,9	4,5	92	00	0			3	80		02		1023,8	5,9	91	00	0	7	80		02		1023,7	6,4	80	33	1	3	75		02		3,0	8,3		3	29
30	1024,7	3,8	95	30	3			3	75		02		1024,3	5,2	91	34	1	8	75		02		1023,5	4,9	92	30	0	8	75		02		2,6	6,4		2	30
31	1022,4	3,3	97	00	0			8	70		02	YR	1023,3	6,8	78	18	2	8	80		02		1024,1	5,2	90	37	1	3	80		02		2,6	6,8	0,3	2	31
MI	1012,1	4,1	91		1,1			6,6					1012,7	5,2	89		1,7	6,5					1012,6	5,2	90		1,5	5,6					2,6	6,5	8,3		MI

EKSTENSOTABELL

NY-ÅLESUND II

SEPTEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1024,9	3,5	95	00	0			3	80	02	1025,5	3,9	94	00	0	8	82	02	1024,8	3,7	94	13	1	3	80	02	2,6	5,2		2	1
2	1024,1	4,2	86	00	0			3	82	02	1024,9	4,2	87	00	0	8	82	02	1021,6	4,1	98	15	2	3	80	02	2,8	4,2		2	2
3	1023,7	3,1	92	08	2			3	82	02	1022,9	5,0	86	15	2	8	82	02	1021,7	0,6	97	15	1	3	90 TD	10 T	0,0	5,0		2	3
4	1018,6	- 0,4	97	00	0			2	80 RI	02 T RI	1017,3	4,0	86	00	0	2	89	02	1015,0	5,2	87	09	4	3	70 TD	21 R	- 1,5	7,0		4	4
5	1009,8	4,2	87	09	1			7	80	02 TD R	1007,5	4,4	96	32	2	8	89	02	1005,8	3,6	96	00	0	8	57 TD	21 TD R	1,5	5,1	1,5	4	5
6	1007,7	2,3	97	00	0			7	80	02 R	1011,1	4,6	82	00	0	4	89	02	1012,4	5,4	63	09	3	5	89	02	1,4	5,5	2,0	4	6
7	1015,0	1,2	92	10	1			7	80	02	1014,4	4,2	89	25	2	8	89	02	1013,6	1,5	00	00	2	8	75 TD	02 TD SL	0,5	5,4		3	7
8	1011,9	- 0,4	94	29	2	2	0	3	70 TD KS	77 KS TD	1011,9	- 1,0	86	27	4	3	89	02 TD	1010,3	- 2,0	75	31	3	2	89	02	- 2,5	1,5	2,0	4	8
9	1010,1	- 2,0	91	31	3	1	0	3	75 TD	02 TD	1010,3	- 1,0	81	31	2	3	89	01 TD	1010,4	- 1,0	65	33	2	4	89	01	- 3,5	- 0,5		4	9
10	1007,5	- 1,9	90	28	1	1	0	3	80	02	1006,4	0,4	87	29	2	5	89 KS SD	68 SD	1005,0	- 0,2	95	27	3	8	40 S	70 S	- 3,3	0,5		4	10
11	1003,2	- 2,0	00	25	2	4	1	4	83 SD	01 SD	1003,0	- 2,0	99	00	0	8	00 S	70 S	1003,1	- 2,0	99	00	0	3	83 SD	01 TD S	- 3,0	- 0,2	1,0	4	11
12	1005,1	- 6,0	82	00	0	4	12	3	83 SD	02	1004,9	- 4,5	82	00	0	7	85	03	1003,4	- 2,0	92	28	2	8	04 S	70 S	- 8,0	- 2,0	4,0	3	12
13	1003,6	- 3,0	83	00	0	4	10	3	83 SD	01 S	1004,9	- 4,5	76	05	2	5	85 SD	02	1005,6	- 5,0	76	00	0	3	85 SD	01 SD	- 6,0	- 2,0	2,5	4	13
14	1006,0	- 4,0	82	00	0	4	8	7	80	03	1006,4	- 4,0	76	14	2	7	80	02 SD	1004,4	- 2,0	91	09	2	8	04 S	70 S	- 6,5	- 1,0		4	14
15	1001,1	- 0,9	78	09	2	4	18	7	70	02 S	1000,4	1,0	79	17	3	8	70	02 S	999,1	1,4	87	18	2	8	04 S	70 S	- 2,0	2,4	7,5	4	15
16	997,1	1,0	92	00	1	4	22	3	01 S	73 S	998,1	2,0	71	18	5	7	70	02 S	997,6	2,0	97	18	3	7	70 TD	02 S	- 0,2	3,0	5,4	5	16
17	997,8	0,0	97	19	1	4	25	3	73	02 S	998,9	1,0	80	09	2	7	75	02	999,4	- 0,2	77	09	3	3	75	01	- 0,2	2,0	4,3	4	17
18	995,5	- 1,8	86	00	0	4	25	3	65	02	996,9	- 1,2	96	15	1	8	30 S	71 S	998,3	- 2,5	96	32	5	9	10 S	71 S	- 4,0	- 0,2		5	18
19	1000,9	- 4,8	87	30	1	4	25	7	70 SF S	70 S	1004,2	- 6,3	78	33	3	6	80	15	1004,2	- 7,8	75	33	2	3	82	02	- 8,2	- 2,5	5,0	5	19
20	1001,9	- 3,0	79	18	3	4	25	3	80	02	1002,9	- 3,0	91	00	0	8	65 S	70 S	1004,5	- 1,8	75	30	0	9	70	15	-10,2	- 1,6		4	20
21	1009,5	- 3,8	75	10	1	4	25	3	80 TD	02 TD	1011,3	- 8,4	86	18	1	1	89	01 TD	1011,9	- 9,8	88	21	1	1	89	01	-10,4	- 1,7	0,5	3	21
22	1013,5	-10,7	88	20	2	4	25	1	89	02	1015,4	- 8,5	78	14	1	5	89	03	1015,9	- 8,4	84	18	1	0	82	02	-13,7	- 7,5		2	22
23	1017,5	- 9,7	88	00	0	4	25	9	89	00	1018,6	- 1,0	84	18	1	8	75 TD	03 TD	1017,9	0,0	94	17	1	9	75 TD	15 TD	-11,8	0,0		3	23
24	1014,6	1,0	85	36	1	4	25	7	70 TD	02 TD	1013,1	1,3	84	36	1	8	70 SL	68 SL S	1012,8	0,2	96	30	3	6	73 SL	68 SL	- 1,0	1,7		3	24
25	1010,0	1,2	86	25	2	4	20	7	80 YR	51 YR TD	1009,4	1,5	91	29	3	7	75 TD	26 TD SB YR	1008,2	- 1,4	87	29	4	7	80 TD RB	80 RB LB TD YR	- 1,9	1,7	1,3	4	25
26	1008,3	- 7,3	38	28	3	4	20	1	89	40 SB	1008,6	- 5,3	86	31	2	2	89	02	1007,5	- 5,4	79	32	3	5	89	40	- 8,0	- 1,4	1,3	4	26
27	1008,2	- 4,2	72	31	3	4	20	1	89	02	1010,4	- 3,8	65	03	1	1	89	02	1011,2	- 3,2	70	32	1	1	89	02	- 6,8	- 2,9		4	27
28	1016,1	- 5,0	86	00	0	4	20	1	89	40	1017,2	- 5,3	87	25	1	0	89	02	1017,9	- 5,8	87	00	0	0	89	02	- 8,1	- 2,5		4	28
29	1018,1	- 6,6	79	14	1	4	20	7	89	03	1018,9	- 5,2	80	13	2	7	89	02	1019,0	- 6,4	81	11	3	7	89	02	-10,6	- 5,0		3	29
30	1020,2	- 5,0	87	13	1	4	20	7	80	02	1021,6	- 5,9	90	14	1	4	89	01	1022,6	- 8,0	90	14	1	5	89	02	- 8,0	- 5,0		3	30
MI	1010,1	- 1,7	85		1,5		13	6,1			1010,5	- 1,1	84		1,6		5,7		1010,1	- 1,6	84		1,8		5,6		- 4,3	0,5	38,5		MN

140

NY-ÅLESUND II

OKTOBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,7	- 5,7	88	14	2	4	20	3	80	02	1019,8	- 3,1	85	12	4	5	89	02	1018,2	- 1,5	95	13	3	8	50 S TD	71 S TD	-11,4	- 1,5		4	1
2	1014,3	0,4	97	10	2	4	21	3	57 TD S	70 TD S	1014,7	0,4	82	11	3	7	70 TD	26 TD S	1015,5	- 0,6	94	26	2	7	75 TD	02 TD	- 1,5	2,0	2,6	4	2
3	1014,0	- 0,4	78	15	2	4	20	3	80 TD	02 TD	1020,2	0,1	88	12	1	8	80 TD	02 TD	1020,7	- 1,0	88	00	0	8	80 TD	02 TD	- 1,3	0,1	0,0	3	3
4	1020,8	- 3,1	85	12	2	4	20	3	80 TD	01 TD	1021,0	- 4,8	91	00	0	6	80 TD	03 TD	1020,4	- 4,4	92	00	0	8	80 TD	02 TD	- 7,0	- 1,0		2	4
5	1019,3	- 6,2	94	00	0	4	20	7	80 TD	02 TD	1019,6	- 3,2	85	13	2	7	80 TD	02 TD	1020,1	- 5,8	81	00	0	3	80 TD	00 TD	-10,4	- 3,2		3	5
6	1021,2	- 4,9	71	24	1	4	20	7	80 TD	02 TD	1021,3	- 4,6	76	18	1	7	80 TD	02 TD	1020,2	- 4,2	96	00	0	8	65 S	71 S	-10,0	- 3,5		2	6
7	1017,7	- 5,8	94	30	1	4	22	3	73 TD	00 TD	1017,3	- 7,6	88	24	1	8	70 TD	26 S	1017,4	- 8,2	88	00	0	3	30 TD S	70 TD S	- 9,0	- 2,9	0,2	4	7
8	1019,4	-11,6	75	16	2	4	22	1	80	01 TD	1019,6	-11,9	80	00	0	8	70 TD	03 TD	1018,8	-11,4	87	15	3	3	60 TD	02 TD	-13,6	- 8,0	0,2	3	8
9	1012,4	- 7,6	87	16	3	4	22	3	73 TD	02 TD	1009,3	- 7,2	84	12	3	6	80 TD	01 TD	1005,2	- 5,8	87	25	1	8	65 TD	02	-12,3	- 5,8		4	9
10	995,4	- 2,7	91	12	3	4	20	3	00 TD SP	37 S SP	993,0	- 0,8	87	09	5	8	65 SF TD	02 SF	993,5	0,2	89	10	3	3	60 SF TD	02 SP	- 6,0	0,9	0,2	6	10
11	997,0	2,2	80	37	3	4	18	3	73 TD	00 TD	991,8	0,6	94	00	0	7	65 S	70 S	993,8	- 0,5	96	12	1	8	60 S	70 S	- 5,2	2,2		6	11
12	998,8	- 7,8	88	30	1	4	17	3	65 SF TD	10 SF	1001,7	-10,6	70	31	1	1	89	01	995,0	-10,7	87	34	4	1	80 TD	02 TD	-11,2	- 0,2	0,9	4	12
13	1006,1	-14,0	81	15	2	4	17	1	80	02	1005,1	-11,0	43	18	2	7	80 TD	03 TD	998,7	-10,2	59	14	3	7	75 TD	02 TD	-15,6	-10,2		4	13
14	999,1	- 6,0	91	24	2	4	18	1	43 S	71 S	998,3	- 5,8	94	30	1	8	45 S	71 S	992,0	- 5,2	92	00	0	8	65 TD	22 S	-10,2	- 5,0	0,0	5	14
15	1002,5	-10,0	60	16	2	4	18	1	80 TD	02 TD S	1006,4	-15,4	73	16	1	1	80 TD	02 TD S	1006,4	- 9,7	86	12	2	1	80 TD	02 TD	-16,6	- 5,0	0,3	3	15
16	1001,5	- 4,4	85	10	3	4	20	3	80 TD SF	36 TD SF	1001,4	- 2,2	88	11	5	8	75 TD SF	38 TD SF	1000,4	- 1,6	89	12	5	8	50 TD SF	38 TD SF S	-10,0	- 1,0	0,0	6	16
17	993,0	1,1	94	10	3	4	20	3	63 TD R	63 TD R S	998,9	2,0	91	10	3	8	65 TD R	63 TD R	995,8	- 2,8	95	34	3	8	60 S SF	73 R SL S TD	- 3,1	3,2	7,7	5	17
18	981,3	- 5,6	95	34	2	4	25	3	80 S TD	71 S SF	976,6	- 5,4	91	32	1	7	65 TD	26 TD S	974,9	- 4,8	86	00	0	8	70 S	71 TD S	- 6,5	- 2,8	17,0	3	18
19	975,8	- 6,9	96	00	0	4	25	3	80	01	977,4	- 6,9	95	00	0	5	80	03	978,9	- 4,8	95	00	0	3	80	02	- 9,5	- 4,8	1,5	0	19
20	983,1	- 5,5	91	00	0	4	25	8	80	02	986,4	- 4,5	91	00	0	7	80	02	989,2	- 4,9	94	00	0	5	80	01	- 8,0	- 4,0		0	20
21	994,4	- 1,7	90	00	0	4	25	4	80	02	989,1	- 4,2	88	00	0	7	80	02	989,1	- 3,0	85	00	0	7	80	02	- 7,2	- 1,5		0	21
22	1000,9	- 4,5	88	00	0	4	25	7	80	02	1001,9	- 2,2	84	00	0	8	80	02	1002,8	- 3,0	77	00	0	3	80	02	- 8,2	- 2,2		3	22
23	999,8	- 3,4	86	00	0	4	13	3	80	02	999,1	- 4,7	86	00	0	8	85 TD	02 TD	997,4	- 5,6	79	17	1	4	85 TD	01 TD	- 5,5	- 2,7		3	23
24	993,6	- 9,8	88	24	1	4	13	3	80 TD	10 TD	992,3	- 6,7	75	26	1	1	85 TD	02 TD	990,8	- 4,8	84	00	0	2	85 TD	03 TD	-11,7	- 3,5		4	24
25	989,1	- 3,6	77	33	1	4	12	3	80 TD	02 TD	990,3	- 4,8	71	35	4	3	85 TD	02 TD	991,4	- 4,4	89	33	4	2	85 TD	02 TD	- 5,0	- 2,0		5	25
26	994,2	- 9,0	73	11	3	4	12	3	85 TD	02 TD	988,4	-12,0	73	12	1	1	85 TD	02 TD	994,4	-11,0	82	14	2	3	70 TD S	70 TD	-14,5	- 4,4		4	26
27	986,0	-13,0	64	19	1	4	13	2	70 TD	02 TD	977,8	-13,2	73	10	4	8	70 TD	03	968,4	- 6,2	72	15	5	8	70 TD	02 TD	-14,4	- 6,0	0,0	5	27
28	971,9	- 2,5	97	11	3	4	12	3	65 TD	00 TD	979,5	- 3,6	54	01	2	8	70 TD	02 TD	984,0	- 4,4	71	33	4	8	75 TD	02 TD	- 6,5	- 1,5		5	28
29	991,9	- 6,6	71	33	4	4	12	1	80 TD	02 TD	994,8	- 7,9	80	32	3	1	80 TD	02 TD	997,7	- 9,0	88	30	3	1	80 TD	02 TD	- 9,0	- 4,0		4	29
30	1001,7	- 8,0	92	28	3	4	12	1	89	02	1003,7	-11,3	88	00	0	8	89	03	1004,7	- 9,2	92	26	3	8	30	22 S	-11,4	- 7,0		4	30
31	1002,8	-11,6	85	08	1	4	20	1	89	02 S	1000,8	- 7,8	64	10	2	8	84	03	995,8	- 5,2	89	10	4	8	84	36	-14,8	- 5,2	0,8	5	31
MI	1000,2	- 5,7	83		2,2		19	5,3			1000,4	- 5,8	81		1,7		6,2		999,8	- 5,3	83		2,0		6,2		- 9,2	- 2,9	31,4		MN

EKSTENSOTABELL

NOVEMBER 1978

NY-ÅLESJUND II

DT	KL. 07 P	T	UU	DD	F	N	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	989,0	+2,6	84	10	6	4	30	3	1J SF	37 SF	986,0	+0,7	86	13	4	8	65 SF	36 SF	987,6	+0,8	91	12	4	3	50 S	70 S	+6,0	0,5		6	1
2	984,2	+1,0	85	09	2	4	40	3	5J S	74 S	981,6	+2,7	86	28	1	4	89	03 S	979,2	+4,0	81	10	2	1	89	02	+4,0	1,6	5,8	4	2
3	983,6	+2,7	59	18	2	4	40	3	8J	02	976,7	+4,5	70	00	0	0	89	02	988,6	+4,9	75	10	1	3	89	02	+7,0	+1,8	1,0	3	3
4	991,6	+3,0	92	00	3	4	45	3	5J S	70 S	984,1	+3,6	95	00	0	8	65	15 S	995,6	+3,2	90	11	3	3	50 S	73 S	+7,5	+2,9	2,1	3	4
5	998,4	+3,1	90	28	3	4	45	3	5J S	73 S	1000,4	+5,8	90	27	2	9	50 S	73 S	1001,2	+8,5	92	25	2	9	50 S	71 S	+8,5	+0,8	5,8	3	5
6	1002,0	+12,0	86	00	3	4	45	3	8J	01 S	1002,6	+11,8	86	18	1	8	80	02	1001,6	+11,0	86	27	1	6	80 S	72 SB	+14,5	+7,0	5,0	3	6
7	1004,2	+13,0	36	14	1	4	45	1	8J	00 S	1038,4	+16,2	86	20	2	1	89	02	1039,8	+13,8	77	11	2	1	89	02 TR	+19,5	+9,6	1,4	2	7
8	994,2	+6,2	88	12	7	4	45	3	01 SF	39 SF	977,8	+3,8	99	10	7	9	01 SF	39 SF	970,2	2,2	98	09	3	8	70 R	63 R SL SF	+13,8	2,2		8	8
9	983,7	+3,5	98	27	5	4	40	3	4J TD S	71 TD S	967,7	+3,8	87	27	2	8	20 TD SL	68 TD SL R	970,4	+7,2	92	29	3	9	30 TD I4	78 SL TD	+7,4	3,0	19,0	5	9
10	975,7	+10,6	75	10	3	4	35	3	4J TD SF	38 S SF IN	980,2	+11,8	99	34	3	8	89	02 TD SF	984,6	+14,6	92	13	2	0	80	01	+14,7	+7,0	9,0	4	10
11	993,8	+16,8	95	13	2	4	30	3	8J	02	986,8	+17,6	55	13	2	0	89	02	995,9	+18,0	92	17	1	0	89	02	+20,5	+14,6		4	11
12	986,8	+15,2	31	13	3	4	30	0	8J	02	990,0	+14,4	51	14	3	6	89	03	994,1	+16,0	47	13	2	0	80	02	+18,4	+13,6		4	12
13	994,1	+15,6	95	15	3	4	29	3	8J TD	03 TD	939,9	+12,0	54	15	3	4	85 TD	03 TD	932,0	+ 9,2	61	11	5	8	80 SF	33 SF	+20,0	+ 9,2		5	13
14	970,9	+ 5,8	73	11	3	4	28	3	8J TD SF	36 TD SF	969,2	+ 3,2	73	25	1	7	85 TD	02 TD	967,6	+ 6,0	78	25	1	4	85 TD	01 TD	+ 9,8	+ 3,0		7	14
15	988,7	+ 6,0	98	15	2	4	28	1	8J TD	02 TD	989,0	+ 8,1	88	00	0	7	85 TD	03 TD	972,3	+ 6,3	91	00	0	8	85 TD	02 TD	+ 9,0	+ 5,3		2	15
16	973,8	+ 6,1	26	16	1	4	30	7	8J S	70 S	976,1	+ 6,6	94	20	1	6	85 TD	02 TD	978,1	+ 5,5	56	33	3	3	83 TD	02 TD	+ 7,0	+ 3,2	0,3	4	16
17	934,2	+ 9,2	33	03	5	4	28	3	83 SF	36 SF	936,4	+10,6	51	35	3	2	85 TD	01 SF	988,4	+12,6	53	00	2	2	83 TD	02 TD	+14,0	+ 9,5		5	17
18	930,6	+14,4	52	14	2	4	28	3	87 TD	02 TD	930,6	+13,8	57	10	4	0	87 TD	02 TD	930,1	+14,0	57	10	4	3	87 TD	02 TD	+16,2	+11,0		4	18
19	991,1	+14,2	38	12	4	4	28	3	87 TD	02 TD	991,6	+12,6	57	10	3	7	85 TD	03 TD	991,4	+12,6	62	22	1	7	83 TD	02 TD	+15,0	+12,6		4	19
20	992,0	+14,0	87	38	3	4	28	3	8J	01	992,0	+15,0	80	00	0	2	80 TD	01 TD	992,0	+14,6	78	00	3	3	83 TD	03 TD	+17,0	+11,0		3	20
21	993,9	+14,0	86	22	2	4	30	4	8J SB	85 SB S	993,9	+17,8	95	15	1	1	89	01 SB	992,6	+18,8	95	00	0	1	89	02	+20,5	+13,5	1,4	3	21
22	988,8	+16,2	71	00	3	4	30	3	8J	02	939,8	+16,8	73	00	0	0	89	02	990,4	+13,0	68	11	2	0	80	02	+20,9	+12,5	0,0	2	22
23	992,6	+15,3	77	14	3	4	30	3	8J	02	934,6	+13,3	77	11	3	3	89	03	986,7	+14,0	72	19	2	1	89	01	+17,6	+12,3		4	23
24	1000,4	+13,7	76	18	2	4	30	3	8J	02	1002,0	+16,2	82	19	1	0	89	02	1003,0	+14,7	81	17	1	0	89	02	+16,2	+12,3		2	24
25	1005,0	+17,2	32	00	3	4	30	3	8J	02	1007,1	+17,0	86	00	3	1	89	02	1008,5	+19,0	88	21	1	0	89	02	+20,0	+14,2		2	25
26	1011,0	+18,2	77	00	3	4	30	3	89	02	1013,5	+19,5	73	00	0	0	89	02	1015,5	+21,5	75	00	0	0	89	02	+22,0	+16,5		1	26
27	1020,5	+18,0	86	27	3	4	30	2	81 S	71 S	1024,1	+21,5	79	23	1	1	89	02 S	1025,5	+20,6	79	16	2	0	89	02	+22,8	+16,5	0,6	3	27
28	1022,5	+19,8	78	13	2	4	30	3	7J S	71 S	1015,9	+ 9,0	77	09	3	9	70 SF	38 SF S	1010,7	- 7,8	95	10	3	3	50 SF	38 SF	+21,6	+ 6,5	0,0	6	28
29	1006,7	+ 3,2	75	12	3	4	40	3	6J S	71 S SF	1006,3	+ 1,4	78	17	2	8	89	26 S	1003,4	+ 1,2	78	15	2	9	50 S	73 S	+ 8,8	+ 1,0	3,0	3	29
30	998,1	1,4	97	25	1	4	45	3	8J TD	02 TD R SF	999,8	1,0	96	05	1	8	80 TD	02 TD R SL	1000,5	1,1	90	26	2	9	50 KS	77 TD KG	+ 3,6	2,5	7,3	3	30
MI	992,3	+10,1	78		2,5		34	4,1			992,9	+10,3	77		1,9	4,4			992,9	+10,3	77		1,8	3,6			+14,1	+ 7,1	61,7		IM

DESEMBER 1978

NY-ÅLESJUND II

DT	KL. 07 P	T	UU	DD	F	N	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	987,7	+ 1,0	88	10	3	4	45	3	3J KS SF	72 KS SF SF	998,3	+ 3,0	87	25	5	9	30 SF S	71 KS SF S	1009,9	+12,8	92	28	4	3	30 SF S	71 S SF	+12,8	1,4	3,0	5	1
2	1018,6	+11,4	91	19	1	4	50	3	8J	02 SF S	1014,8	+ 8,0	77	14	2	4	89	01	1011,7	- 0,5	90	18	2	3	50 KS	77 KS	+12,8	+ 0,5	3,0	4	2
3	1012,5	+ 2,0	87	17	1	4	50	3	8J	02 KS	1016,3	+ 3,0	88	24	2	0	89	01	1016,7	- 5,4	97	00	3	3	80	02	+ 7,0	- 0,4	0,0	3	3
4	1013,5	1,2	91	22	3	4	50	3	6J SF YR	50 SF YR	1013,3	1,2	86	25	4	3	85 TD SF	36 TD SF	1010,2	0,4	92	23	3	8	60 TD S	70 TD S	+ 5,6	1,5	0,0	4	4
5	1007,8	+ 4,0	84	29	3	4	51	3	83 TD	36 TD	1013,5	+ 8,2	74	30	4	1	85 TD SF	36 TD	1016,8	+13,4	95	00	3	1	85 TD	02 TD	+13,4	0,5	0,1	4	5
6	1018,3	+14,6	88	00	3	4	51	3	83 TD	02 TD	1017,2	+ 8,3	84	15	1	9	80 S	70 S	1017,4	+ 5,8	79	15	1	9	80 TD	02 TD	+16,0	+ 5,8		3	6
7	1015,0	+ 3,7	38	12	3	4	51	3	8J TD	02 TD	1013,5	+ 2,2	88	12	2	3	80 TD	02 TD	1012,6	+ 3,1	94	27	2	8	70 TD S	70 TD S	+ 6,2	+ 2,0	0,0	4	7
8	1011,2	+ 8,0	95	00	3	4	52	1	83 TD	02 TD	1011,0	+11,4	97	00	0	4	85 TD	03 TD	1010,8	+ 8,0	95	00	3	4	85 TD	02 TD	+13,0	+ 3,0	0,0	3	8
9	1013,3	+ 8,0	80	10	1	4	51	7	83 TD SF	38 TD SF	1016,0	+10,2	85	11	3	1	85 TD SF	36 TD SF	1016,2	+11,0	73	19	3	6	89 TD SF	38 TD SF	+13,0	+ 7,0		6	9
10	1017,1	+11,0	85	12	2	4	50	3	83 TD	02 TD	1015,4	+10,2	71	12	4	4	85 TD SF	36 TD SF	1013,4	+ 9,0	70	12	3	3	85 TD	02 TD SF	+12,3	+ 9,0		5	10
11	1013,8	+ 8,6	95	00	3	4	50	7	8J	02	1016,0	+11,7	59	03	1	1	89	01	1017,3	+ 9,0	80	14	3	7	89	02	+12,3	+ 8,5		3	11
12	1016,2	+ 6,8	82	11	3	4	50	7	8J	02	1016,6	+ 5,2	87	15	2	8	80 SB	70 SB	1015,9	+ 3,9	86	25	1	7	89	02 SB	+ 9,5	+ 3,4		4	12
13	1012,4	+ 4,6	87	21	1	4	50	7	8J	02	1010,2	+ 4,1	90	17	2	6	89 SB S	70 SB	1007,4	+ 4,3	95	25	1	7	70 SB S	70 SB S	+ 5,2	+ 3,8	0,3	3	13
14	1002,1	+ 4,5	90	00	3	4	51	3	83 SB S	70 SB	1000,7	+ 5,6	95	22	1	9	60 S SB	73 S	999,2	+ 5,0	95	22	1	8	69 S SB	70 S SB	+ 6,0	+ 4,3	2,3	2	14
15	995,8	+ 4,9	96	34	3	4	45	3	5J S	74 S SB	995,0	+11,2	87	12	3	9	60 SB	85 S SB	994,5	+10,8	87	14	4	8	60 SF	38 S SB	+11,2	+ 4,5	9,6	4	15
16	991,3	+11,0	85	12	3	4	53	1	8J	02 SB	999,4	+16,4	90	17	2	7	85 TD S	70 TD	998,6	+17,2	92	00	0	3	89 TD	02 TD	+20,4	+ 9,5	2,2	4	16
17	992,8	+13,0	95	00	3	4	51	1	8J	02	995,0	+13,0	95	08	4	2	89	02	998,0	+ 8,3	92	10	3	1	89	02	+17,2	+ 8,0	0,0	4	17
18	1004,1	+ 9,2	34	00	3	4	50	3	7J TD	10 T	1006,5	+ 6,2	90	09	1	8	70 SF S	70 SF TD S	1009,4	+ 4,8	76	17	2	9	80	02 SF S	+14,5	+ 4,8		4	18
19	1014,9	+ 4,8	78	10	1	4	50	7	8J	02	1018,6	+ 3,9	73	16	3	8	89 SF	36 SF	1020,5	+ 5,0	58	10	4	8	80	02 SF	+ 6,9	+ 3,5	0,1	4	19
20	1018,2	+ 7,0	79	13	1	4	50	3	8J	02	1016,6	+ 5,6	94	14	1	5	89	02	1015,1	+ 5,6	98	28	4	9	20 S SF	72 S SF	+ 7,0	+ 2,4		5	20
21	1015,8	+11,0	91	31	3	4	50	3	8J	02 S SF	1017,3	+14,9	79	13	1	1	89	01	1018,3	+17,0	90	00	0	1	89	01	+19,2	+ 5,0	3,4	4	21
22	1022,1	+14,9	79	00	3	4	50	3	8J	02	1024,0	+12,2	92	16	2	8	89	03	1023,2	+ 8,0	91	00	3	9	80	26 S	+18,5	+ 8,0		2	22
23	1021,3	+ 9,0	85	14	2	4	50	3	8J	02 SF S	1018,5	+ 4,6	85	00	0	8	89	02	1013,9	+ 3,6	88	09	2	9	89	02	+ 8,0	+ 2,5	0,0	2	23
24	1009,3	+ 2,6	92	27	2	4	50	3	8J	02 S	1011,6	+ 3,4	96	30	3	7	89	02	1012,0	+ 4,0	95	30	4	4	89	01	+ 4,6	+ 1,8	0,0	5	24
25	1020,8	+12,1	84	01	1	4	50	3	8J	02	1024,2	+14,7	97	02	3	0	89	02	1022,8	+18,2	69	02	4	3	89 SF	36	+18,2	+ 4,0		5	25
26	1027,0	+24,8	52	13	2	4	50	3	8J	02	1029,3	+23,1	59	14	3	0	89	02	1032,8	+23,4	58	12	3	3	89	02	+25,2	+18,2		4	26
27	1036,8	+24,7	35	00	3	4	50	3	8J	02	1036,6	+24,3	53	00	0	0	89	02	1035,6	+24,0	53	00	3	3	89	02	+25,8	+22,5		3	27
28	1034,6	+24,3	65	00	3	4	50	3	8J	02	1035,1	+20,0	69	00	0	7	80	03	1033,6	+17,2	76	00	3	4	89	02	+25,0	+17,2		2	28
29	1029,5	+19,2	92	00	3	4	50	2	8J	15	1027,6	+15,0	95	15	2	5	80 SB	85 SB	1027,5	+15,4	78	18	2	3	70	15 SB	+18,0	+13,0		2	29
30	1032,2	+22,2	55	25	1	4	50	1	8J	02	1028,6	+21,2	63	34	3	7	89	02	1021,3	+16,7	64	35	4	6	89	02	+23,0	+13,3	1,3	5	30
31	1009,0	+17,2	65	34	3	4	50	3	8J	00 30	1009,3	+17,2	70	35	2	3	89	02	1005,8	+13,0	69	35	4	5	8J	01	+21,1	+13,0		5	31
MI	1014,0	+10,0	80		1,9		50	4,8			1014,7	+10,2	82		2,3	4,8			1014,5	+ 9,8	83		2,1	5,5			+13,8	+ 6,3	23,3		IM

EKSTERNSTATABELL

HJPEN — JANUAR 1978

DT	KL. 07 P	T	JU	DD	F	D	SS	I	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 13 P	T	JU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 19 P	T	JU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1004,1	-23,4	73	04	1			1	80	SB	85		1004,8	-25,1	70	04	4	6	88		02		1004,1	-25,5	70	04	4	6	89		02		-25,5	-19,0	0,0	5	1
2	1004,4	-26,4	70	04	3			1	80		02		1005,3	-26,8	72	04	3	1	89		02		1006,4	-25,9	69	04	5	3	89		02		-27,2	-24,6		6	2
3	1008,6	-27,4	68	03	1			3	80		02		1011,0	-27,2	67	04	4	1	89		02		1019,9	-26,2	69	04	4	3	99	NL	02	NL	-27,6	-25,3		6	3
4	1014,8	-26,1	70	04	3			3	80	NL	02	NL	1015,3	-26,7	72	04	2	3	89		02		1013,9	-26,7	72	05	1	3	89		02		-27,3	-24,7		4	4
5	1007,4	-23,3	75	06	2			3	80	NL	02	NL	1004,2	-21,9	74	05	4	1	89		02		1001,7	-21,7	69	04	5	3	99	NL	02	NL	-27,1	-21,4		5	5
6	1001,3	-21,0	70	04	1			3	80		02		1000,8	-17,2	70	03	4	1	89		02		998,8	-13,6	63	03	2	3	89	NL	02	NL	-22,0	-13,5		5	6
7	993,3	-16,6	84	00	3			3	80		02		992,8	-16,8	82	03	1	1	89		02		992,1	-14,2	85	10	5	1	89		02		-18,0	-10,3		5	7
8	989,0	-18,0	81	06	3			1	80		02	SF	987,6	-17,5	77	05	5	2	89		02		987,2	-17,9	81	04	1	3	86	RI	01	RI	-18,7	-13,0		6	8
9	986,6	-19,0	79	01	1			3	80	NL	02		987,1	-18,1	78	02	4	1	89		02	NL	986,7	-18,6	66	00	3	5	80		02		-17,6	-15,6		5	9
10	987,2	-20,2	78	11	3			1	80	NL	01	NL	988,3	-20,6	74	12	3	2	89		03		987,6	-19,4	77	08	5	3	83	TD	10		-21,3	-18,5		5	10
11	986,8	-22,8	73	04	1			3	70	S	70	S SF	986,4	-23,7	69	05	6	8	60	SF	36	SF S	987,0	-23,6	69	03	3	3	02	SF SB	85	SB SF S	-24,3	-19,8	0,2	8	11
12	993,5	-23,2	69	02	3			3	20	SF	38	SF SB	997,3	-23,0	73	01	3	7	60	KS	77	KS SF	999,8	-21,4	73	00	4	3	89		02	SF	-25,4	-21,4	4,0	8	12
13	1001,1	-20,4	75	10	2			3	80		02		1001,5	-21,7	75	10	1	1	89		02		1002,3	-21,0	78	00	3	6	89		01	SB	-22,2	-20,1	0,1	4	13
14	1002,5	-16,6	79	08	2			3	70	SB	85	SB	996,7	-12,7	82	08	4	8	10	SB SF	85	SB SF	996,7	-11,0	82	08	3	3	90	SF	36	SF S	-21,9	-10,3	0,3	8	14
15	996,0	- 3,0	82	21	3			3	30	S SF	71	S SF	992,4	- 8,6	81	23	4	7	80	SB	85	SB S SF	994,8	-10,4	89	28	1	3	70	SB	83	SB	-11,0	- 2,4	9,9	8	15
16	971,0	-11,5	77	30	3			3	60	TD SF	36	TD	978,9	-10,4	75	33	1	7	80		02	TD SF	979,0	-10,9	79	32	1	7	89		03		-12,0	- 8,3	4,0	6	16
17	982,5	-11,5	78	31	3			3	70	SB	85	SB SF S	984,8	-11,9	77	03	4	8	30	SB SF	85	S SB SF	988,3	-12,2	78	34	5	6	70	SF	36	SB SF	-12,4	- 9,6	1,0	6	17
18	996,0	-14,0	72	32	3			3	80		02	SB	1001,3	-16,1	74	31	1	0	80		02		1004,3	-17,0	78	30	3	3	80		02		-17,5	-12,0	1,0	5	18
19	1009,1	-11,9	78	30	2			3	80		02		1006,8	- 7,7	78	25	5	8	70	SF	38	SF	1004,7	- 5,6	79	28	4	3	70	SF	36	SF SB	-18,0	- 5,2		6	19
20	1006,0	-11,1	81	32	2			1	80		02	NL	1009,7	-13,2	79	27	1	1	89		02		1012,0	-15,0	82	28	2	2	89		02		-15,0	- 5,2	0,2	6	20
21	1014,4	-14,6	82	33	2			3	80		02	SB	1016,6	-15,6	81	33	1	8	80		02		1018,4	-16,6	81	33	1	6	82		02		-17,0	-13,7	0,0	2	21
22	1023,5	-21,7	77	30	3			3	80		02		1025,5	-22,1	70	02	1	1	80		01		1026,3	-20,1	69	28	4	3	89		02		-22,2	-16,6		4	22
23	1020,0	-18,8	62	32	1			3	80		02		1018,4	-19,0	78	32	3	3	80		02		1013,7	-19,0	79	28	4	8	50	S	71	S	-22,3	-17,9		5	23
24	1014,8	-24,5	70	27	3			3	80		02	SB	1018,7	-25,4	70	07	1	1	82		02		1019,4	-28,6	68	27	5	2	82		02		-28,6	-19,0	0,3	6	24
25	1018,1	-28,8	65	28	0			3	82	SF	36	SF	1016,2	-28,6	65	06	7	2	70	SF	38	SF	1013,6	-28,1	67	26	5	3	65	SF	38	SF	-29,1	-25,4		7	25
26	1009,0	-28,2	65	28	1			3	80	SF	36	SF	1008,2	-27,5	67	25	3	0	20	TD	10	SF	1005,7	-27,2	68	24	1	3	70	SF	40	SF TD	-28,8	-26,0		5	26
27	1001,0	-24,4	69	31	3			3	00	SF	38	SF	1001,6	-22,4	59	02	4	8	60	SF	40	SF	1001,2	-22,4	69	31	6	3	09	SF	38	SF	-27,8	-21,7		7	27
28	1001,5	-23,6	67	04	3			1	80		01	SF	1002,0	-24,2	68	06	1	3	75	TD	10	TD	1002,1	-24,9	67	06	4	2	80	SF NL	36	TD SF	-24,2	-21,4		6	28
29	1002,9	-24,4	70	34	1			7	60	SB	85	SB TD	1003,9	-23,3	70	33	3	7	60	TD	10	TD S	1004,8	-20,5	73	21	3	3	70		40	TD	-25,4	-20,3	0,1	4	29
30	1008,2	-22,2	77	33	1			2	80		02		1006,1	-19,4	78	34	3	3	84		02		1008,2	-20,2	78	32	3	2	82		02		-23,0	-19,5	0,1	3	30
31	1017,6	-19,6	78	32	2			1	80		01	TR	1015,4	- 9,3	82	27	6	8	04	SF S	73	S	1020,0	-11,1	81	30	4	3	89	NL	01	SF	-24,3	- 5,3	0,4	6	31
MI	1001,0	-19,9	74		3,3		2,5						1001,6	-19,5	74		3,5	3,7					1001,8	-19,2	73		3,8	3,5					-22,2	-16,3	17,8		TM

HJPEN — FEBRUAR 1978

DT	KL. 07 P	T	JU	DD	F	D	SS	I	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 13 P	T	JU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 19 P	T	JU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1026,5	- 8,4	82	30	1			3	80	S	78	S	1027,1	- 6,6	84	00	0	8	80		02		1025,6	- 6,6	84	27	4	8	80	RI	02	RI	-12,7	- 5,8	3,3	4	1
2	1018,1	- 3,9	81	04	4			3	60	S	71	S	1017,7	- 2,8	84	20	1	8	20	TD	10	TD S	1021,3	- 7,0	84	34	3	8	70	TD	10	TD KS	- 8,0	- 2,4	1,3	5	2
3	1023,8	- 5,0	84	00	0			3	00	T	45	T	1025,4	- 5,0	84	32	2	0	04	T	45	T	1025,4	- 3,9	84	10	3	8	45	TD	10	TD S	- 7,2	- 3,3	1,6	3	3
4	1025,1	- 2,4	88	00	0			3	80	S	71	TD S	1027,0	- 3,8	84	00	0	8	30	S	71	S	1028,0	- 5,0	88	09	1	3	40	S	71	S	- 5,1	- 1,8	3,8	3	4
5	1031,5	- 7,5	87	08	3			3	80	S	71	S	1033,3	-11,2	87	09	3	8	70	TD	10	TD S	1034,1	-11,4	85	09	3	8	90	TD S	70	TD S	-11,4	- 4,8	1,5	4	5
6	1034,2	-15,4	85	10	2			3	80	TD	10	TD	1034,5	-17,6	85	00	0	1	85	TD	10	TD	1033,8	-17,6	84	00	0	8	90	TD	10	TD SB	-19,2	-11,2	0,6	3	6
7	1032,4	-14,6	84	00	0			3	80	S	71	S TD	1031,7	-13,5	84	00	0	6	40	TD SB	85	TD SB S	1027,5	-11,0	84	28	3	8	80		02	TD SB	-18,1	-10,4	0,3	3	7
8	1020,6	-11,8	71	31	1			3	50	SF S	71	SF SB S	1022,5	-16,6	67	08	1	8	80		02	S	1024,1	-25,6	65	28	2	1	86	NL	02		-25,6	- 4,8	3,1	5	8
9	1028,3	-24,8	63	04	1			1	80		02		1030,6	-25,6	65	07	3	2	70	TD	10	TD	1030,8	-25,8	67	28	4	1	83		01	TD	-26,7	-21,4	0,3	4	9
10	1029,7	-23,0	57	08	3			3	80	SF	36	SF	1029,2	-22,4	61	07	3	1	86	SF	36	SF SB	1026,3	-19,4	49	06	4	0	89		02	SF	-26,4	-19,3	0,0	6	10
11	1020,9	-19,0	62	00	0			7	84		02		1018,9	-15,0	61	29	4	7	86		02		1022,0	-25,1	66	04	5	6	80		02	S	-25,1	-14,0		7	11
12	1027,3	-32,1	64	06	6			2	60	SF	38	SF	1028,6	-30,7	64	06	4	8	45	TD	10	TD SF	1028,3	-29,8	65	06	6	8	12	SF	39	TD SF	-32,6	-24,2	0,4	6	12
13	1029,7	-31,0	66	35	1			1	60	SF	36	SF	1018,6	-24,0	69	32	5	8	15	TD SF S	70	SF TD	1030,2	-12,8	78	28	6	8	20	SF	38	SF S	-33,8	-12,7		7	13
14	994,8	-21,2	72	05	3			7	50	SF	38	SF	1003,4	-28,6	67	03	1	4	50	TD	10	TD SF	1008,3	-30,2	64	03	4	0	80		02		-30,2	- 9,0	3,0	7	14
15	1009,6	-31,2	65	02	4			3	80		02	SF	1008,7	-28,3	66	06	4	8	45	TD	10	TD	1010,7	-30,3	68	06	4	3	70	TD	10	TD	-32,9	-27,4		8	15
16	1010,1	-29,5	66	35	3			3	70		40	TD	1009,5	-28,0	66	01	1	1	50		40		1008,3	-27,5	64	35	4	3	82		02	TD	-30,6	-26,8		5	16
17	1009,1	-29,0	67	36	3			1	80		02	SF	1009,0	-28,0	67	05	3	1	70	TD	10	TD	1006,6	-26,8	68	32	3	3	89		02	SF	-29,0	-26,4		6	17
18	998,5	-22,6	74	30	2			3	60	SB	85	SB	998,6	-24,0	72	32	3	8	50	TD	10	TD SB	999,5	-24,4	70	10	3	1	89		01		-27,3	-22,0	0,0	4	18
19	1001,0	-27,6	68	35	3			1	80		02		1001,1	-26,6	68	06	6	1	40	SF	36	TD SF	1000,3	-25,3	69	05	7	9	02	SF	39	SF	-28,3	-24,4	0,4	8	19
20	1010,7	-26,6	72	07	6			3	00	SF	38	SF	1016,3	-26,4	65	06	5	1	89		02	SF	1019,4	-27,2	56	06	4	0	89		02		-27,2	-24,4		8	20
21	1015,2	-25,8	58	33	3			1	80		03		1011,1	-21,0	65	33	5	8	89	RI	03		1008,6	-18,4	62	35	5	3	72	TD	10	TD	-28,5	-18,1		5	21
22	1001,3	-16,0	64	34	4			3	80		02		1001,8	-17,1	62	34	4	8	86		02	SF	1001,8	-17,7	58	35	2	3	86		02		-18,4	-15,0		6	22
23	997,9	-21,0	77	00	0			6	80		02		995,5	-21,6	81	06	3	2	89		02		993,6	-24,2	78	04	2	2	86		02	TD	-24,2	-17,0		4	23
24	993,9	-26,6	74	32	1			1	80		02		994,5	-26,0	74	02	1	2	89		01		994,4	-28,1	74	30	1	0	83		02		-28,6	-23,8		3	24
25	994,8	-27,2	74	06	3			1	80		40		998,0	-29,3	73	06	3	1	86	SO	02	SO RI	1001,3	-29,8	72	35	2	0	86		02		-30,2	-26,2		3	25
26	1006,9	-28,4	73	32	2			3	80		02		1009,0	-27,6	73	30	2	2	86		02		1009,5	-27,4	73	29	3	2	86		02		-30,4	-26,5		3	26
27	1010,1	-26,7	74	30	2			1	89		03		1014,1	-25,7	73	04	3	1	85		01	TD	1016,7	-26,0	70	34	2	0	89		02		-27,7	-24,2		3	27
28	1020,2	-25,6	75	30	1			1	89		02		1021,3	-24,4	75	31	1	1	89	SO	02	SO	1021,0	-25,7	75	27	1	0	89	NL	02	NL SO	-26,8	-23,7		3	28
MI	1015,1	-20,9	73		2,6		4,6						1015,6	-20,6	72		3,0	4,6					1015,3	-21,1	71		3,3	3,8					-24,0	-16,8	19,3		TM

EKSTENSOTABELL

HOPEN — MARS 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,3	-24,7	75	08	3			1	80		02		1021,5	-23,6	75	07	3	6	86		02		1020,3	-23,2	75	07	4	7	84		02		-26,8	-22,0		4	1
2	1014,8	-18,3	78	09	4			8	70	TD	10		1010,2	-10,6	84	10	4	8	80	TD	10	TD S	1004,9	- 1,8	81	32	4	8	45	S	70	TD S	-23,4	- 1,8		4	2
3	1008,2	- 3,9	79	24	4			8	80		02	3F	1012,2	- 6,2	79	27	5	4	89		03	30	1014,4	- 6,5	81	33	3	1	89		01		- 7,1	- 1,7	2,3	5	3
4	1012,4	- 2,8	84	24	3			3	20	TD S	71	TD S	1010,1	- 1,8	82	25	2	8	70	TD	10	TD S	1008,4	- 0,8	92	23	4	3	70	TD	10	TD SL	- 6,5	- 1,1	0,2	5	4
5	1005,8	- 1,2	82	27	1			3	63	TD	10	TD	1003,7	- 1,7	78	27	2	8	89		02	S	1001,8	- 0,1	84	28	3	8	60	TD	10	TD S	- 1,8	- 1,2	0,8	5	5
6	1002,8	-15,8	74	31	4			3	50	S SF	70	S SF	1009,1	-17,6	73	32	4	1	86	SF SO	36	S SF SO	1013,4	-18,5	70	33	3	1	80		02	30	-19,6	- 0,5	6,2	6	6
7	1006,7	-16,8	73	37	4			8	10	TD S	71	TD S	1007,1	-15,6	74	08	4	8	30	TD S	71	TD S	1005,7	-14,8	73	37	3	8	20	S	71	TD S	-18,5	-14,8	2,2	4	7
8	997,2	-13,2	75	07	4			3	10	S SF	71	S SF	996,9	-15,0	74	08	4	8	61	TD	10	TD S SF	996,4	-16,1	74	08	5	3	60	S	70	TD S SF	-16,5	-12,5	0,1	5	8
9	995,5	-17,4	74	07	3			3	60	SF	36	S SF	998,2	-19,2	73	06	4	8	30	TD S	70	TD S SF	1000,5	-20,9	72	06	6	8	30	SF	38	TD S SF	-20,9	-15,7	5,8	6	9
10	1006,5	-26,4	65	04	1			9	86		02	SF	1008,2	-24,2	65	05	2	8	84		02		1009,4	-28,0	68	00	0	0	89		02		-28,0	-20,8	0,3	6	10
11	1011,2	-28,6	63	04	6			1	80	SF	38	SF	1013,3	-25,7	61	08	4	0	75	TD SO	10	TD SF SO	1014,4	-26,7	63	36	2	0	89		02	30	-29,3	-25,4		6	11
12	1012,9	-27,7	63	04	4			3	30	TD	10	TD	1014,3	-30,2	61	01	4	1	30	TD SF SO	36	TD SF SO	1014,4	-30,0	61	32	4	0	40	TD SF	36	TD SF SO	-31,5	-25,2		6	12
13	1013,2	-29,0	62	03	5			0	60	TD	10	TD SF	1013,7	-29,0	64	03	3	0	60	TD	10	TD	1013,6	-27,0	64	32	4	0	70	TD	10	TD	-30,5	-26,5		6	13
14	1013,8	-25,9	65	03	2			0	80	SO	02		1014,3	-25,0	66	32	3	0	89	SO	02	SO	1014,3	-25,6	69	32	1	0	89		02	SO	-27,4	-23,7		4	14
15	1012,3	-26,0	69	28	1			1	80	RI SO	02	RI	1009,7	-23,8	70	11	2	1	89	SO	02	RI SO	1004,3	-18,5	72	14	2	8	30	S	71	SB S SO	-27,6	-18,2		3	15
16	991,6	- 9,6	77	00	0			8	40	S	71	S	991,0	-16,2	69	26	2	8	40	S	71	S	993,4	-23,8	67	36	0	8	30	SF	38	S SF	-23,8	- 8,4	4,5	7	16
17	998,1	-29,9	65	36	3			3	80	SO	02	SF	1000,9	-28,3	65	35	4	2	85	SF SO	36	SF SO	1003,2	-28,9	66	34	3	0	89		01	SF SO	-30,3	-23,8	1,5	6	17
18	1007,0	-27,4	67	32	3			1	80	SO	02	RI	1008,5	-23,6	69	31	3	1	70	SO	40	SO	1009,6	-23,8	70	31	2	1	80	RI	02	RI SO	-23,9	-23,3		3	18
19	1005,3	-13,2	79	03	2			0	30	S	71	S	1001,3	- 8,0	79	21	2	8	80		02	S	995,1	- 3,5	79	22	5	3	30	S SF	71	S SF	-24,0	- 3,5	1,0	5	19
20	984,7	0,6	81	27	5			3	50	S	70	TD S SF	988,4	1,2	79	27	5	8	60	TD	10	TD R SL	992,7	0,7	79	26	5	8	56	TD	10	TD SL	- 3,5	1,2	7,3	7	20
21	1003,0	- 6,3	81	08	1			3	70	S	78	S	1007,9	- 9,2	77	06	4	8	80		02	S	1010,9	- 9,3	81	37	3	3	80		02		- 9,5	0,7	3,6	5	21
22	1012,1	- 5,2	82	37	2			3	30	TD	10	TD	1011,9	- 2,2	82	08	2	8	70	TD S	71	TD S	1010,9	- 2,8	82	10	2	9	70	TD S	78	TD S	- 9,3	- 2,2	0,0	3	22
23	1010,1	- 3,8	79	12	3			3	70	TD	10	TD	1010,6	- 3,6	78	12	3	8	70	TD	10	TD S	1009,8	- 6,2	84	13	3	9	60	TD	10	TD SO	- 8,2	- 2,3	0,4	3	23
24	1005,2	- 4,8	82	07	4			3	50	S	71	TD S	1002,8	- 3,1	81	08	3	9	20	S	73	TD S	999,9	- 4,8	81	06	3	8	60	TD	78	TD S	- 8,3	- 2,6	0,5	5	24
25	994,7	- 5,4	81	08	4			3	60	TD S	71	TD S	994,4	- 5,6	81	07	3	8	60	TD SB	85	TD SB S	993,5	- 7,2	79	06	5	7	70	TD SF	36	TD SB SF	- 7,4	- 4,3	1,5	5	25
26	995,0	- 9,4	78	36	3			3	60	TD	10	TD S SF	997,9	- 9,0	68	36	4	8	75	TD	10	TD SO	999,5	-11,1	66	35	4	4	80		01	TD	-11,5	- 5,7	1,1	5	26
27	1001,7	-13,8	78	32	2			2	80	SO	02	SO	1002,9	-12,1	70	31	1	1	80	SO	02	SO	1002,4	-13,8	75	30	1	1	80		02	SO	-14,5	-10,7		4	27
28	1000,5	-16,2	78	30	2			1	70	TD	10	TD NL	1001,4	-16,2	77	30	3	0	80	SO	02	TD SO	1002,3	-16,4	75	33	3	0	80		02	TD	-18,0	-14,3		3	29
29	1004,3	-16,6	77	00	0			3	80	TD	10	TD	1004,9	-17,0	77	28	1	8	75	TD SO	10	TD	1003,5	-15,9	77	12	2	2	80		02	TD	-18,0	-14,3		3	29
30	1000,8	-17,2	75	37	1			2	80	SO	02	SB	1000,1	-16,3	77	07	5	8	80	SF	36	SO	998,2	-15,8	77	37	6	8	30	S SF	71	S SF	-17,8	-14,1	0,1	6	30
31	993,1	- 7,8	32	08	3			3	40	TD SF	36	TD SF	995,8	-13,2	75	18	3	7	80		02	TD SF	997,6	-12,0	72	24	4	2	50	TD SF	36	TD S SF	-15,8	- 9,4	0,9	7	31
M:	1004,6	-14,9	75		3,3		5,5						1005,3	-14,6	74		3,2	5,4					1005,1	-14,6	74		3,4	4,7					-13,2	-10,3	46,3		M

HOPEN — APRIL 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1002,4	-16,4	77	11	3			2	70	30 TU	10	TD SB	1004,5	-15,3	69	30	4	7	70	TD SO	10	TD SO	1006,4	-15,7	70	36	6	8	40	SF	33	SF SB	-17,3	-10,4	0,8	6	1
2	1012,1	-16,7	69	34	5			2	70	SF	36	SF SB	1014,6	-15,2	65	33	4	1	80	SO SF	36	SF SO	1016,2	-16,0	67	31	2	0	80		02	30	-17,2	-14,0	4,7	7	2
3	1019,5	-19,8	68	33	3			3	80		02		1022,0	-17,6	68	31	3	2	82	SO	02	SO	1024,0	-19,4	67	31	2	1	80		02	30	-19,9	-16,0		4	3
4	1024,2	-20,1	66	08	2			1	80	SO	03	SO	1021,3	-14,9	72	24	2	7	75	TD	10	TD SO	1018,4	-15,3	74	09	3	3	80		02	SO SB	-21,2	-14,7		3	4
5	1009,2	- 7,4	85	25	2			3	60	TD	10	TD	1005,5	- 5,6	81	12	1	8	50	S	71	S	995,1	- 1,0	84	15	2	3	01	T	47	T TD S	-16,0	- 1,0	0,3	3	5
6	987,8	- 1,4	82	11	1			3	50	S	71	S TD	989,9	- 2,4	77	09	4	8	70	TD	10	TD S	1010,0	- 8,4	79	09	5	8	70	SF TD	36	TD SF	- 8,4	- 0,0	5,4	6	6
7	1018,0	-17,0	77	14	2			7	80		03	SO	1018,7	-15,7	75	12	2	7	80		02		1016,1	-11,8	78	14	3	8	70	TD	10	TD	-18,7	- 8,4	0,1	5	7
8	1009,0	- 5,8	77	14	2			7	80		02		1015,0	- 4,1	81	13	4	8	50	S	71	S	1011,8	- 2,8	79	14	1	3	30	S	71	S	-13,2	- 2,7		5	8
9	1011,2	- 1,2	78	13	1			3	60	SF S	71	S SF TD	1012,4	- 4,6	78	13	5	8	70	SF	36	SF S	1003,6	- 8,0	81	13	4	7	80		02	SF	- 9,0	- 2,8	1,9	6	9
10	1002,9	-12,7	78	09	3			3	80		02	SF	1004,0	-12,0	72	09	5	3	89	SO	01	SO	1006,3	-14,4	72	09	4	8	70	TD	10	TD	-14,5	- 7,9	0,0	5	10
11	1011,9	-21,7	67	38	4			1	80	30	02	SO SF	1014,3	-19,4	67	07	4	0	80	SO	02	SO	1016,5	-20,4	66	07	4	0	80		02	30	-21,7	-14,0		6	11
12	1020,3	-21,0	65	07	4			0	80	SO	02	SO	1021,7	-18,2	68	07	3	0	80	SO	02	SO	1022,3	-19,4	69	06	4	0	80		02	30	-22,3	-17,7		5	12
13	1022,3	-20,7	70	09	1			1	80	SO	03	SO	1022,3	-18,0	72	09	4	6	75	TD	10	TD SO	1021,9	-20,2	70	09	4	5	80		02	SO TD	-20,7	-15,6		4	13
14	1022,7	-22,3	69	07	5			1	60	30 TD SF	36	TD SO	1023,7	-20,2	70	07	4	1	80	SO	02	SO SF TD	1024,8	-20,6	70	06	1	2	80		02	30	-23,5	-19,4		5	14
15	1026,3	-20,4	70	08	3			3	80		02		1027,0	-19,4	72	07	3	8	86		02		1027,2	-19,2	72	07	2	8	81		02		-22,6	-18,6		4	15
16	1029,3	-19,7	72	15	2			8	70	TD	10	TD	1031,2	-17,9	73	12	2	8	70	TD	10	TD	1032,5	-18,7	73	00	0	8	05	T	43	T TD	-20,3	-16,3		2	16
17	1033,0	-18,7	73	00	0			3	60	30	40	SO	1031,4	- 8,4	61	23	4	8	80		03	SO	1028,2	- 4,0	87	23	5	8	70	TD	10	TD	-22,6	- 4,0		5	17
18	1020,5	- 0,8	73	24	5			8	80	SF	36	SF	1019,5	0,6	74	23	4	7	80		02	SF	1017,8	0,3	82	23	6	8	80		02		- 4,0	0,7		7	18
19	1014,5	- 0,7	79	25	4			8	85		02		1016,3	- 4,6	84	10	4	8	62	TD	10	TD	1017,7	-10,1	82	08	4	8	65	TD	10	TD	-10,1	0,3		6	19
20	1018,0	-10,0	72	07	1			7	86		02		1018,3	- 9,6	73	07	2	7	86		02	S	1018,7	- 9,7	72	05	2	8	70	S	71	S SO	-11,6	- 9,1	0,6	4	20
21	1023,9	-14,0	61	33	4			0	80	30	02	SO	1026,5	-10,6	64	05	2	1	89	SO	02	SO	1030,9	-14,0	73	06	1	8	80		02	SB	-15,0	- 9,7	0,0	4	21
22	1036,5	-13,7	68	07	2			3	60	TD	10	TD	1036,8	-13,6	68	06	2	8	65	TD	10	TD	1034,9	-14,0	61	32	1	1	80	30	01	SO TD	-16,6	-13,3	0,2	4	22
23	1033,0	-10,5	55	04	4			1	80	30	02	SO	1033,9	-10,5	65	06	4	1	89	SO	02	SO	1034,6	-11,2	72	06	3	1	80		02	30	-14,8	- 8,5		5	23
24	1034,6	-12,6	70	04	2			1	80	30	02	30	1032,7	- 9,4	61	30	3	1	89	SO	02	SO	1028,6	- 9,6	70	01	4	1	80		02	30	-14,7	- 8,5		4	24
25	1021,9	- 7,4	79	31	1			3	60	TD	10	TD SB	1019,7	- 5,4	73	32	3	1	89	SO	01	SO TD	1018,6	- 4,9	69	06	4	3	86		02	30	-10,3	- 3,7	0,0	4	25
26	1018,9	-10,5	72	05	3			3	80	30 SB	85		1019,4	- 9,3	73	06	2	7	86		02	SB SO	1020,0	- 9,4	75	00	0	7	86		02	SB	-11,0	- 4,9	0,0	4	26
27	1022,2	- 9,0	77	01	2			3	84	38	85	SB	1024,5	- 7,4	73	06	1	7	80	TD SB	85	TD SB	1026,1	- 8,6	78	09	3	8	70	SB	85	SB	- 9,8	- 6,8	0,0	3	27
28	1026,7	-14,7	85	14	2			3	83		02	TD SB	1026,4	-11,7	85	13	2	8	88		02	SB	1025,7	-12,6	79	14	3	8	86		03	30 SB	-15,4	- 8,6	0,1	3	28
29	1023,4	-11,4	85	07	2			6	84	30	01	S	1021,4	- 8,8	82	09	2	8	82		02	SO	1018,6	- 5,6	81	00	0	8	50	S	71	S	-13,3	- 5,5	0,5	3	29
30	1011,9	- 3,5	85	43	2			3	60	S	70	S TD	1009,7	- 4,0	78	27	4	6	84		02	SB	1007,9	- 6,0	66	24	3	7	80		02	30	- 6,0	- 2,5	1,7	4	30
M:	1018,6	-12,8	73		3,0		5,0						1019,2	-11,1	72		3,1	5,3					1019,0	-11,7	73		3,2	5,8					-15,4	- 8,8	16,0		M

EKSTENSOTABELL

HOPEN — MAI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1004,0	-10,9	91	30	1			8	80	30	02	30	1004,3	- 8,8	64	36	1	8	70	TD	10	TD 30	1004,3	-11,1	65	31	2	7	88		01		-11,7	- 6,0	0,2	4	1
2	1005,8	-12,8	70	31	2			0	81		02	IN	1006,9	-12,0	66	30	2	7	65	SB	85	30 IN	1006,9	-15,1	68	32	1	1	89		02	30 SB	-15,1	-10,9	0,0	3	2
3	1006,6	-12,8	69	30	3			1	80	30	02	30	1006,8	-12,4	63	05	2	1	89	30	02	30	1007,1	-14,6	69	30	3	1	89		02		-17,3	-10,8	0,1	3	3
4	1008,8	-13,6	66	30	3			3	89	30	03	30	1009,7	-10,1	55	09	1	1	89	30	02	30	1010,3	-10,4	52	11	2	0	89		02	30	-17,0	- 8,0		2	4
5	1010,0	-10,9	72	32	1			1	80	30	02	30	1010,2	- 8,9	67	33	3	1	89	30	02		1008,7	- 7,3	74	35	1	8	50	S	71	3 30	-13,5	- 7,0		4	5
6	1011,0	-11,2	74	32	3			7	60	TD	10	3B TD	1012,6	- 9,3	66	34	5	8	70	SF	36	TD SF	1013,6	- 8,8	75	33	4	8	60	3B	85	3B SF	-12,2	- 7,3	2,0	6	6
7	1020,7	- 8,7	77	31	3			3	80		02	TD	1023,3	- 6,7	74	07	3	8	88		02		1025,5	- 6,7	69	34	3	3	88		02		- 9,5	- 6,3	0,4	5	7
8	1031,8	- 8,2	72	38	3			7	80		02	3 30	1035,5	- 7,9	77	06	3	8	84		02		1037,3	- 9,7	87	33	3	3	86		03	30	- 9,7	- 6,4	0,1	4	8
9	1036,0	- 8,2	87	31	3			3	80		02		1032,9	- 2,8	78	32	4	8	84		02	30	1028,7	- 1,6	75	24	1	7	84		02		- 9,9	- 1,6		6	9
10	1020,1	0,1	77	28	3			3	80		02		1016,4	1,2	85	30	5	8	50	TD	10	TD	1013,4	0,1	84	27	5	8	65	TD	10	T TD	- 1,6	1,3		5	10
11	1013,4	- 1,3	79	27	3			3	80		03	30	1013,5	- 0,4	77	26	5	3	89	30	02	30	1013,0	- 0,9	75	27	4	6	89		02	30	- 2,3	0,0		6	11
12	1014,3	- 1,4	79	34	3			3	80		02		1017,3	- 1,8	67	04	2	6	82		02	30	1018,8	- 3,0	72	36	1	7	89		02	30	- 3,0	- 0,9		5	12
13	1020,9	- 2,6	79	09	3			3	80		02		1021,9	- 1,1	81	11	2	9	88		02		1022,6	- 1,0	84	19	3	9	05	T	45	TD T	- 4,8	- 0,3		3	13
14	1023,7	- 4,6	82	13	2			3	06	T	45	TD T	1023,9	- 4,0	81	08	3	8	70	TD	10	TD T	1022,9	- 4,5	81	10	4	8	80		02	TD	- 4,9	- 0,8		4	14
15	1019,5	- 2,6	82	09	3			3	70	TD	10	3 TD	1020,5	- 1,1	84	10	3	9	05	T	45	KS T TD	1022,0	- 0,6	84	04	3	9	02	T	45	T	- 4,8	0,1	0,0	6	15
16	1025,2	1,6	77	21	3			3	80	30	01	TD 30	1027,5	2,7	68	00	0	8	88		02	30	1028,1	1,0	69	27	1	1	89	30	01	30	- 0,6	3,4	1,4	3	16
17	1029,2	- 0,4	84	24	2			3	01	T	45	TD T	1029,5	- 0,4	81	07	1	8	20	TD	10	T TD	1029,2	- 0,8	84	11	3	3	50	TD	10	TD	- 1,1	1,2		3	17
18	1029,1	- 3,0	84	11	3			3	50	TD	10	TD	1038,4	- 2,0	81	12	3	8	60	3 TD	70	TD S	1028,5	- 1,6	81	11	3	3	70	TD	10	TD S	- 3,4	- 0,7	0,0	4	18
19	1029,1	- 2,0	81	13	1			3	70	TD	10	TD	1026,8	- 0,9	84	15	3	8	70	TD	10	TD	1024,8	0,0	84	23	3	3	06	T	45	T	- 3,2	0,0	0,0	4	19
20	1024,6	- 0,7	89	24	1			3	80		02	TD 3	1025,0	1,6	73	24	4	2	86	30	02	TD 30	1025,2	2,1	89	24	4	3	80		02	30	- 0,8	2,2	0,1	5	20
21	1025,3	0,8	73	24	1			2	80		02		1024,6	0,6	77	16	3	7	70	TD	10	T TD	1023,7	- 0,2	84	33	2	8	12	TD	10	TD	- 0,3	2,6		5	21
22	1022,3	2,7	74	27	3			3	70	TD	10	TD T	1022,4	2,8	77	26	5	8	85		02		1022,4	2,5	81	24	5	3	85		02		- 0,3	3,3		6	22
23	1022,3	2,2	84	25	3			3	50	TD	10	TD	1021,9	2,2	84	26	6	8	12	TD	10	T TD	1020,6	1,1	84	27	5	3	12	TD	10	TD	1,0	3,3		6	23
24	1015,6	- 1,3	84	15	2			3	70	TD	10	TD	1011,2	0,2	84	09	2	9	06	T	45	TD T	1008,1	1,4	84	26	4	8	60	TD	10	R TD T	- 1,5	1,4		5	24
25	1010,6	- 0,2	84	28	1			3	03	T	45	T	1009,5	0,4	82	25	1	8	60	TD	10	TD T	1008,1	0,1	84	25	3	3	56	TD	10	TD	- 0,7	1,4	0,1	4	25
26	1003,2	- 0,6	84	38	3			3	00	T YR	50	T	1002,9	- 0,8	84	07	2	8	73	SL	68	TD T S YR	1002,4	- 0,8	82	35	3	8	65	SL	68	SL	- 1,1	0,2	0,1	3	26
27	1005,6	- 3,0	73	33	1			7	80		02	3 TD	1008,5	- 3,7	69	02	1	8	80		02		1010,5	- 4,2	73	36	2	3	80		02		- 4,2	- 0,8	4,1	5	27
28	1012,1	- 4,6	78	33	2			3	60	TD	10	TD	1012,8	- 3,3	65	00	0	8	65	TD	10	TD	1013,7	- 3,4	68	34	2	3	80		02	TD	- 5,1	- 3,1		3	28
29	1014,7	- 3,1	70	35	2			3	80		02		1014,4	- 3,4	69	09	2	8	86		02		1012,5	- 4,6	66	30	3	3	86		02		- 4,6	- 2,3		3	29
30	1014,9	- 5,4	73	36	2			7	80		02		1017,9	- 2,8	63	28	2	3	89	30	02	30	1018,1	- 2,4	72	27	4	6	89		02	30	- 6,3	- 1,7		4	30
31	1014,2	- 4,1	81	39	3			3	60	3	70	TD 3	1012,3	- 5,4	70	08	3	8	68	TD	10	3 TD	1012,1	- 5,9	73	36	3	8	73	TD	30	10 TD 30	- 6,1	- 2,4	0,1	4	31
MI	1017,5	- 4,2	78		3,1			6,9					1017,8	- 3,2	74		2,8		6,7				1017,5	- 3,6	74		2,9		6,5				- 5,7	- 1,8	8,7		IM

HOPEN — JUNI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1017,7	- 5,4	64	03	2			3	50	3B	85	3B S	1019,3	- 4,2	65	30	3	8	80	S	78	S 3B	1018,6	- 3,7	72	27	2	7	60	3B	83	3B S	- 6,7	- 3,7	0,2	4	1
2	1015,8	- 2,4	72	38	1			7	82		02	3B	1014,2	- 1,0	55	26	1	3	84		02		1010,9	- 4,0	66	14	3	8	82		02		- 4,0	- 0,5	0,3	4	2
3	992,9	- 2,9	78	38	1			3	10	3	71	3	988,5	- 1,4	81	05	2	8	70	TD	02	TD S	988,2	- 3,0	81	35	3	8	62	TD	10	TD S	- 6,1	- 0,5	4,0	4	3
4	997,2	- 3,6	72	31	4			3	70	TD	10	TD S	1000,6	- 2,6	68	02	4	8	80		02	TD SB	1003,3	- 2,8	67	31	3	4	84	30	02	30	- 4,4	- 2,4	4,7	5	4
5	1005,2	- 2,6	66	35	2			3	80		02	30	1004,4	- 2,2	65	30	3	4	89	30	02	30	1002,6	- 2,4	68	32	2	3	86		02	30	- 4,1	- 1,8	0,1	4	5
6	1003,7	- 1,7	70	32	3			7	87		03	30 TD	1006,1	- 1,1	68	30	3	7	88	30	02	30	1008,1	- 1,0	68	29	2	7	88		02	30	- 3,1	- 0,7	0,0	4	6
7	1009,8	- 1,4	81	34	1			8	86		02		1011,5	- 1,6	61	33	3	1	89	30	02	30	1012,1	- 1,8	66	32	2	7	90		03	30	- 3,7	- 0,5		3	7
8	1011,9	- 3,1	69	35	3			3	80		02	3B	1012,1	- 2,0	64	30	2	8	82		02	30 3B	1011,7	- 2,3	66	28	3	3	86		02	30 3B	- 3,3	- 0,6	0,3	3	8
9	1012,3	- 2,4	67	19	1			8	88		02	30	1012,8	- 1,7	67	26	2	8	88		02		1012,7	- 2,1	72	28	2	8	88		02	3B	- 3,2	- 1,6	0,6	3	9
10	1013,8	- 1,9	63	32	1			3	86		02		1015,3	- 1,4	64	29	2	7	82	S	78	S	1016,4	- 1,5	66	30	2	7	86		02		- 2,7	- 0,6	0,0	3	10
11	1017,4	- 2,0	72	34	3			3	86		02		1018,1	- 1,6	65	06	1	8	86		02		1018,4	- 1,4	61	33	3	8	82	3	78	3	- 2,0	- 0,5	0,0	3	11
12	1016,6	- 2,1	62	26	2			3	86		02		1015,7	- 1,1	66	23	3	8	86		02		1014,0	- 2,2	77	23	4	8	86		02		- 2,4	- 1,1	0,0	4	12
13	1009,3	0,5	84	21	5			3	81		02		1008,4	1,9	72	21	5	7	86		02	30	1005,1	1,5	87	21	4	8	30	TD	10	TD YR	- 2,9	2,5		6	13
14	1003,8	0,9	85	24	1			3	50	TD	10	TD	1004,7	1,2	84	24	4	9	09	T	47	T TD RB	1004,3	0,6	84	24	3	9	08	T	47	T TD	0,1	2,4	0,1	6	14
15	1011,6	- 0,8	83	33	4			3	86		02	TD 30	1010,3	- 0,9	62	03	4	7	88		01	30	1017,5	- 1,0	68	33	3	8	86		02		- 1,4	0,9	0,2	4	15
16	1019,7	0,2	68	32	3			1	80	30	02	30	1020,4	0,6	73	31	3	1	89	30	02	30	1020,5	0,2	75	29	2	1	89	30	02	30	- 1,4	1,2		4	16
17	1017,6	- 0,9	79	28	2			3	89	30	02	30	1019,5	- 0,6	84	14	2	8	89		02		1013,8	- 1,6	91	13	3	8	89		02		- 1,6	0,5		3	17
18	1013,3	- 2,3	77	09	3			8	88		02		1013,7	- 1,6	70	09	2	8	88		02		1013,7	- 1,6	77	05	2	8	78	TD	10		- 3,1	- 1,1		3	18
19	1013,9	- 3,3	77	06	3			8	82		02		1014,0	- 1,8	66	07	2	7	82	30	02	30	1013,9	- 2,2	69	08	1	7	84		02	30	- 3,7	- 1,2		3	19
20	1013,2	- 2,9	84	06	2			8	84		02	3	1013,3	0,4	66	00	0	7	84		02		1013,3	- 1,0	72	12	1	9	84		02		- 3,8	- 0,5	0,2	3	20
21	1014,8	- 0,9	84	06	3			8	86		02		1016,0	- 0,1	69	05	2	7	88		02	30	1016,8	- 0,6	66	35	2	8	88		02	30	- 2,8	- 0,8	0,0	3	21
22	1017,7	- 1,3	79	09	2			8	80		02		1017,8	- 1,5	78	10	4	8	70	3B	85	3B	1017,3	- 2,0	87	39	4	8	40	3	71	3 3B	- 2,0	- 0,4	0,1	4	22
23	1017,5	0,0	85	06	2			9	06	T	45	T YR	1016,6	0,8	84	05	2	8	12	TD	10	TD T	1019,4	0,2	85	06	2	9	09	T	45	T	- 2,0	1,0	2,9	4	23
24	1020,2	- 1,1	84	08	3			3	03	T	45	T	1020,2	- 0,5	84	07	3	9	08	T	45	T	1018,7	1,1	79	37	4	8	70	TD	10	TD T	- 1,9	1,5		4	24
25	1012,3	2,5	62	38	5			7	82		02	R	1013,1	2,0	68	09	4	8	50	R	62	R TD	1014,7	1,2	84	37	4	8	60	TD	10	TD R	- 0,1	2,9	0,1	5	25
26	1018,6	0,8	82	11	4			8	50	R	63	R TD	1021,9	0,6	82	10	5	8	60	TD	10	TD R	1023,7	0,2	84	39	4	8	80	TD	10	TD	0,2	1,2	13,3	6	26
27	1025,9	1,1	72	08	4			1	80	30	01	30 TD	1026,0	1,6	66	07	4	2	86	30	03	30	1023,5	0,8	74	36	4	1	88	30	02	30	- 0,7	1,8	2,0	4	27
28	1022,4	1,4	75	08	3			1	80	30	02	30	1023,4	1,4	81	07	3	6	70	TD	10	TD 30	1023,9	2,2	77	38	3	1	84	30	01	30 TD	- 0,7	2,2		4	28
29	1023,7	2,2	70	38	3			2	80	30	02	30	1024,2	2,6	73	07	3	1	89	30	02	30	1024,1	2,1	81	38	2	4	89	30	02	30		1,3	3,0		4	29
30	1024,7	2,7	74	07	2			3	80	30	02	30	1025,7	4,2	67	07	2	0	89	30	02	30	1026,3	4,1	68	36	1	1	89	30	03	30		1,3	5,2		2	30
MI	1013,8	- 1,1	74		2,8			6,5					1014,4	- 0,4	71		2,8		6,2				1014,2	- 0,8	74		2,7		6,6				- 2,3	0,3	29,1		IM

EKSTENSOTABELL

HOPEN — JULI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1025,8	2,2	69	10	2			3	89 SO	02 30	1025,9	3,0	72	10	2	1	89 SO	02 SO	1025,2	3,2	79	09	2	1	89 SO	02 30	0,4	4,5		3	1
2	1024,9	2,6	75	00	3			1	89 SO	02 30	1024,4	4,6	68	00	0	2	89 SO	02 30	1023,5	3,8	70	10	1	1	89 SO	02 30	0,4	4,8		3	2
3	1021,2	2,8	72	11	1			3	89 SO	02 30	1020,4	4,6	57	06	4	0	89 SO	02 SO	1018,6	4,1	52	05	5	0	89 SO	02 30	1,7	4,8		5	3
4	1017,0	= 0,8	85	08	5			2	30 SO	40 30	1016,0	= 0,3	84	05	6	7	60 TD	10 TD SO	1014,4	= 0,3	81	05	5	8	65 TD	10 TD	= 1,3	4,3		6	4
5	1012,0	= 0,6	78	04	3			6	81	02	1011,7	1,2	66	33	4	5	84 SO	02 SO	1011,3	1,8	63	06	3	5	89	02 30	= 1,0	2,9		6	5
6	1010,7	1,6	78	28	2			7	89	02	1010,4	4,1	61	33	4	7	89	02	1010,3	0,6	84	11	3	7	89 SO	40 30	= 0,4	4,9		4	6
7	1012,4	3,3	72	10	1			1	89 30	02 30	1012,0	3,1	75	27	4	1	70 SO	40 SO	1010,8	0,9	85	26	4	8	20 TD	10 TD T SO	= 1,2	4,9		5	7
8	1007,9	1,0	79	29	3			3	89	02 30 TD	1007,9	2,2	69	28	3	8	89	02 SO	1007,2	1,2	77	28	3	8	89	02	0,4	2,7	0,0	4	8
9	1008,2	0,4	84	29	3			3	88	40	1009,2	2,6	74	29	3	8	88	02	1009,9	1,8	72	28	2	7	89	03 30	0,0	3,0		3	9
10	1009,3	0,3	84	28	3			8	81	02 S	1010,2	2,1	79	29	3	1	70 SO	40 SO	1010,8	2,1	73	30	0	1	89 SO	02 SO	= 0,8	3,3	0,0	3	10
11	1011,3	2,3	74	00	3			4	89 30	02 30	1011,9	1,2	75	17	1	0	02 T	44 T SO	1011,9	= 0,7	85	17	1	8	10 TD	10 TD T	= 0,7	2,4		2	11
12	1011,0	0,3	85	07	1			3	04 T	45 T	1011,7	1,6	79	07	1	8	60 TD	10 TD T	1011,9	0,7	82	07	1	9	05 T	45 T TD	= 0,7	1,8		1	12
13	1011,4	= 0,7	84	00	3			3	04 T	45 T TD	1011,4	1,7	74	02	1	7	80	02 TD T	1010,7	0,8	79	02	1	7	84	02	= 1,6	1,8		1	13
14	1009,9	0,4	84	00	3			8	84	02	1010,4	1,4	81	00	0	8	70 TD	10 TD	1010,4	1,0	82	29	1	8	70 TD	10 TD T	0,1	1,9		1	14
15	1008,6	0,8	85	29	2			8	72 TD	10 TD	1007,4	1,3	81	04	3	8	88	02 TD	1005,9	0,7	82	03	2	8	88	02	0,0	1,6		3	15
16	1005,7	0,1	84	29	3			3	50 S	71 S TD	1007,5	0,6	84	32	2	8	50 TD	10 TD S	1008,5	0,9	84	00	0	8	00 T	47 TD YR	= 0,7	2,3	0,3	4	16
17	1011,8	1,0	84	00	3			3	20 TD YR	50 TD YR T	1014,0	3,1	82	12	1	9	08 T YR	50 T YR TD	1015,2	2,4	84	00	0	9	01 T	45 T YR	0,5	3,5	0,6	3	17
18	1017,5	1,6	84	36	2			3	03 T	43 T YR	1018,3	2,1	87	06	3	8	88	02 T	1017,6	3,1	89	35	3	7	88	03 30	1,3	3,1	0,2	3	18
19	1015,2	3,2	86	32	1			1	80 SO	02 30	1015,8	0,9	84	07	1	9	02 T	47 T SO	1015,8	0,6	82	38	3	7	60	40 T SO	0,0	4,0		3	19
20	1016,0	0,8	81	35	4			3	80	02	1016,5	1,2	81	04	4	7	82	02	1016,6	1,4	82	33	4	8	65 TD	10 TD	= 0,1	2,2		5	20
21	1016,9	0,2	84	07	2			3	60 TD	10 TD	1016,5	0,4	84	07	3	7	75	40 TD	1016,1	1,0	82	38	2	7	88 30	02 30	= 0,1	1,9		4	21
22	1015,1	0,8	85	06	1			3	04 T	42 T YR	1014,9	2,2	78	00	0	6	60 SO	40 SO T	1014,9	1,2	79	28	3	7	82	02	= 0,5	2,4	0,0	3	22
23	1015,3	2,4	78	27	3			3	85	02	1016,7	1,5	78	10	1	9	03 T	47 T SO	1017,6	= 1,0	81	30	0	3	03 T	44 T	= 1,1	3,2		3	23
24	1019,3	= 0,9	84	08	2			3	07 T	45 T	1021,0	= 1,2	82	07	2	9	08 SO T	45 T SO	1021,0	= 1,1	84	37	2	4	65 TD	40 TD SO T	= 3,2	= 0,9		2	24
25	1020,9	0,3	79	07	1			1	80 SO	02 30	1021,3	1,3	75	07	1	4	53 SO	40 SO	1020,8	0,7	84	36	2	7	20 TD	10 TD SO	= 2,3	1,6		2	25
26	1017,2	2,8	78	32	1			1	82 30	02 30 TD T	1019,1	4,8	86	07	3	2	86 SO	02 SO	1018,1	3,6	79	33	4	7	82	02 30	= 0,1	5,2	0,0	4	26
27	1017,3	1,4	84	05	1			3	03 T	45 T YR	1018,3	2,7	84	06	1	9	05 T	43 T	1018,7	3,2	32	33	1	3	08 T	45 T	1,3	3,7	0,3	4	27
28	1019,3	2,3	84	21	2			3	04 T	45 T	1020,3	3,5	77	07	1	6	56 SO	40 SO T	1020,5	3,2	81	28	3	3	15	40 30	1,1	5,1		5	28
29	1021,5	0,9	84	30	1			3	03 T	43 T TD	1021,6	2,9	74	22	2	7	85	02 TD T	1019,1	2,4	84	14	3	9	02 T R	63 T R	0,5	4,7		5	29
30	1012,2	6,4	93	22	1			3	73 TD	10 TD T R	1011,2	5,3	82	22	5	8	30 TD	10 TD T	1011,1	5,2	82	22	5	9	07 T	43 T	2,0	7,4	2,7	6	30
31	1010,3	4,3	94	23	3			3	03 T	47 T TD YR	1010,5	5,9	79	22	5	7	80 TD	10 TD T	1008,9	3,4	93	27	4	3	60	40 30 TD	3,0	6,1	0,2	6	31
MI	1014,7	1,4	80		2,1		5,6				1015,0	2,3	77		2,4	5,8			1014,6	1,7	79		2,4	6,0			= 0,1	3,4	4,3		TM

HOPEN — AUGUST 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1004,2	4,5	82	24	3			3	20 TD R	60 T R YR	1002,9	4,1	79	25	5	8	70 TD	10 TD R	1003,2	2,2	81	28	4	8	80	02 TD	2,2	6,1	0,3	5	1
2	1008,0	2,7	78	30	2			5	86 SO	02 TD R	1012,5	3,3	79	29	2	5	86 SO	02 SO	1014,7	4,6	69	27	1	1	86 30	02 30	0,6	4,8	0,6	4	2
3	1017,3	2,6	84	30	4			2	06 T	47 T SO	1018,2	4,4	82	24	4	8	70 TD	10 TD YR	1018,2	4,9	84	22	4	8	73 TD	10 TD	2,3	5,5		4	3
4	1017,0	5,2	79	22	3			8	70 TD	10 T YR	1017,3	5,1	82	23	4	8	70 TD	10 TD	1017,1	4,2	85	25	4	7	03 T	47 T	3,0	6,1	0,3	6	4
5	1017,8	3,6	78	27	3			1	80 SO	01 30 TD	1018,9	3,8	72	00	0	1	80 SO	02 SO	1019,8	2,6	77	30	0	7	80	02 30	1,6	4,4		4	5
6	1018,7	= 0,3	81	07	3			1	86 30	01 30 T	1018,7	0,0	82	07	3	6	25 TD	40 TD SO T	1017,3	1,8	85	35	3	9	06 T	45 T TD	= 1,8	4,3		3	6
7	1015,8	1,7	85	30	0			9	03 T	46 T TD	1015,1	3,1	87	06	1	9	01 T	45 T YR	1013,7	2,7	85	16	2	8	70 TD	10 TD T R	0,9	3,6		3	7
8	1011,0	2,4	84	11	1			3	80	20 YR	1010,7	2,9	84	09	2	9	12 TD	10 TD	1010,0	2,3	85	30	3	9	04 T YR	51 TD	1,4	3,0	0,6	3	8
9	1008,9	3,7	84	39	1			3	20 TD	10 TD YR	1008,4	6,0	70	26	3	6	88 SO	01 30 TD	1007,1	6,1	92	23	4	8	65 TD	10 TD RA	2,3	6,6	0,2	4	9
10	1004,1	4,1	85	18	3			3	30 TD R	61 TD R T	1002,8	5,7	79	22	4	6	80	02 TD R	1002,0	4,3	78	22	3	5	86	02	3,0	7,9	0,6	5	10
11	1001,6	2,7	85	24	3			3	03 T	12 T YR	1003,1	0,7	85	31	5	8	20 TD LB	84 TD LB RB T	1005,7	1,0	92	33	4	9	84 TD SL	60 TD LB	0,6	4,5	0,2	5	11
12	1008,9	0,6	92	33	1			8	80 TD	20 TD YR	1010,7	0,9	84	33	5	8	70 TD	10 TD YR LB	1012,8	0,9	89	36	5	7	75 TD	10 TD LB	= 0,3	1,4	4,3	5	12
13	1014,6	1,2	94	38	1			3	85	02 TD	1016,5	1,0	85	04	4	7	30 TD	10 TD YR	1018,1	1,4	84	34	3	7	88	02 TD	0,0	1,7	1,8	6	13
14	1020,3	1,2	84	05	1			3	50 TD	10 TD YR	1020,6	2,4	79	22	2	8	88	02 TD YR	1019,6	1,4	82	27	4	8	89	02	0,2	2,9	0,4	4	14
15	1014,2	3,3	79	23	1			7	83 30	02 30	1012,7	3,7	81	22	5	8	88	02 SO	1010,5	4,6	78	23	5	3	83	02	1,0	4,8	0,1	5	15
16	1010,1	3,3	79	28	3			4	82 30	01 30 TD T	1010,8	4,6	73	29	5	5	89	02 SO	1011,2	3,5	79	30	3	1	89	01 30	1,3	5,6		5	16
17	1016,6	1,8	84	35	3			4	40 30 TD	13 30 TD	1019,2	3,0	81	05	3	8	89	02 TD	1021,1	2,7	84	35	3	8	88	02	= 0,4	4,9		4	17
18	1022,4	2,7	81	17	1			3	70 TD	10 TD YR	1023,4	3,6	81	15	2	7	87	02 TD	1023,6	2,7	82	18	3	8	70 TD	10 TD T YR	1,0	3,6	0,3	3	18
19	1023,4	2,1	84	19	1			3	30 TD	10 T R YR	1023,4	2,7	82	12	1	8	50 TD	40 TD YR	1022,1	2,7	81	30	0	8	30 TD	10 TD T YR	1,2	3,1	0,5	3	19
20	1018,2	3,8	84	18	4			8	05 T YR	51 T YR TD	1014,4	4,2	84	22	3	9	09 T	12 T TD YR	1012,9	4,6	92	22	3	8	10 TD YR	53 TD YR	2,1	7,0	1,2	5	20
21	1004,2	4,6	84	21	3			8	80 TD	10 TD R YR	1002,0	5,1	82	23	5	8	70 TD	10 TD	1002,8	4,8	84	22	5	9	06 T	45 T YR	4,3	5,7	8,0	5	21
22	1004,1	5,0	85	21	3			9	02 T YR	51 T YR R	1003,4	6,3	84	21	5	8	50 TD R	61 TD R T	1005,2	5,0	84	28	3	4	80	40 TD R SO	3,5	7,4	1,3	5	22
23	1007,3	3,0	84	04	3			9	04 T	12 T YR	1005,6	3,0	85	05	5	9	02 T YR	51 T YR	1004,9	4,1	84	39	2	9	02 T	12 T TD R	2,6	5,8	1,1	5	23
24	1004,8	3,8	84	07	1			3	02 T	45 T YR	1004,2	3,5	84	06	1	9	04 T	45 T	1002,7	3,9	84	07	1	8	60 TD	10 TD T R	2,9	5,0	1,1	3	24
25	1002,7	2,9	85	00	0			9	02 T	45 T YR	1007,9	6,8	81	21	4	8	70 TD	10 TD SO T	1010,4	4,2	84	22	3	8	70 TD	10 TD SO	2,9	6,9	9,7	5	25
26	1008,0	4,0	82	33	3			8	60 TD R	61 TD T YR	1006,3	3,7	84	03	3	8	30 TD YR	55 TD YR R T	1005,5	3,4	84	37	2	9	02 T YR	51 T YR R	2,3	5,6	0,4	8	26
27	1014,7	4,1	81	19	1			8	73 30 TD	10 TD SO T	1017,5	2,8	81	13	2	8	70 TD	10 SO TD	1019,0	1,4	84	11	1	3	02 T	45 T	1,1	4,4	3,7	4	27
28	1019,3	2,1	85	04	0			9	03 T YR	53 YR T	1020,7	4,0	85	05	4	8	60 TD R	64 TD R T YR	1022,4	2,8	85	36	3	9	01 T	47 T R YR	= 0,2	4,6	0,4	5	28
29	1023,6	2,3	84	05	1			3	10 TD YR	50 TD YR	1024,3	3,0	82	06	4	8	56 TD	10 TD YR	1024,5	3,0	82	39	4	8	56 TD	10 TD	1,9	4,8	4,4	5	29
30	1026,5	2,8	81	10	3			8	60 TD	10 TD	1026,4	2,7	82	07	3	8	62 TD	10 TD	1026,3	2,4	84	13	3	8	58 TD	10 TD YR	2,4	4,0	0,1	4	30
31	1025,6	2,3	82	11	3			8	70 TD	10 T YR	1026,2	2,3	82	13	2	8	70 TD	10 TD	1026,1	2,6	81	39	1	8	80	02 TD	1,4	2,8	0,6	3	31
MI	1013,3	2,9	83		3,0		7,0				1013,7	3,5	81		3,2	7,3			1013,9	3,2	82		2,8	7,2			1,6	4,8	42,0		TM

EKSTERNSOTABELL

HOPEN — SEPTEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1026,1	2,4	84	07	1			3	80		01	TD YR	1026,3	2,5	82	00	0	9	60	TD	40	TD YR	1026,0	2,2	78	00	0	8	80		02	TD YR	1,5	3,2	0,6	3	1
2	1025,9	1,6	78	19	1			3	78	TD	10	TD	1026,1	1,9	77	17	2	8	86		02	TD	1025,2	1,7	74	17	2	8	86		02		0,9	2,6	0,3	2	2
3	1023,1	2,3	85	05	1			3	50	TD	10	TD YR	1022,4	2,6	85	07	4	8	60	TD	10	T YR	1021,4	2,5	84	06	4	8	60	TD	10	TD	0,8	2,8	0,2	4	3
4	1018,7	2,7	84	05	1			3	40	TD YR	51	TD YR	1018,1	2,7	84	05	4	9	09	T R	63	T R TD YR	1016,2	2,6	84	06	4	9	35	TD YR	51	TD YR R	2,0	3,1	1,2	5	4
5	1010,8	3,6	84	04	1			3	01	T YR	52	T YR	1008,4	3,8	82	23	3	8	60	TD	10	T R	1006,4	3,2	85	22	3	9	05	T R	61	TD T R	2,6	4,4	2,8	5	5
6	1004,1	2,7	82	24	1			3	83		02	T R	1005,4	1,8	77	36	1	5	86		02	80	1009,2	0,8	78	06	4	3	88		02		0,8	3,7	3,0	5	6
7	1012,7	1,4	78	04	3			8	89		02	LB	1013,8	1,8	81	32	3	6	89		01	LB	1013,7	0,3	92	27	3	5	89		03		- 0,5	2,3	0,2	4	7
8	1011,1	3,0	81	24	3			8	86		02		1009,9	3,2	75	21	3	8	86		02		1008,9	1,6	77	28	3	6	99		02	RB	0,3	3,2	0,2	5	8
9	1007,1	- 0,6	72	09	1	4		3	80		02		1006,9	- 0,7	70	02	3	8	86		02	80 86	1008,0	- 1,6	86	01	3	6	99		02	30	- 1,6	1,8	1,2	4	9
10	1006,8	- 1,8	82	20	3	4		3	80		02	30	1005,3	- 0,7	66	24	3	8	89	YR	50	38	1004,1	- 0,7	72	10	3	8	89		02	38	- 3,5	- 0,9	0,1	4	10
11	1003,1	- 0,6	82	26	2	4		2	80	30	02	30	1003,4	0,4	61	26	1	5	89	30	02	30	1003,2	- 0,3	81	35	1	8	89		02	30	- 1,7	0,9		4	16
12	1002,8	- 0,1	72	08	3	4		7	86		02	38	1003,1	- 0,4	74	04	3	4	89	30	02	30 38	1002,9	- 1,8	72	03	1	7	89		02	30	- 0,5	2,0	0,1	5	17
13	1001,4	- 1,4	74	03	2	4		8	89	LB	83		1002,6	- 1,7	78	04	3	8	89	LB	83	LB	1004,0	- 1,6	56	02	3	3	89		02	LB	- 1,1	3,1	3,3	5	18
14	1006,0	- 3,0	82	04	3	4		8	88		02		1007,2	- 2,7	57	05	3	8	88		02		1007,4	- 2,7	58	03	2	3	88		02		- 3,3	- 1,4	0,1	4	14
15	1005,4	- 1,6	81	00	3	4		7	80		02		1005,1	- 0,3	67	24	3	5	89		02		1004,0	- 0,4	68	00	0	1	89		01	30	- 3,0	0,3		3	15
16	1003,7	- 0,2	83	22	1	4		6	89		02		1003,9	0,7	65	16	2	3	89		02		1002,8	0,1	75	11	3	3	89		02		- 1,7	0,9		4	16
17	998,7	0,1	88	09	5	4		3	65	38	85	38 TD	999,2	0,6	85	08	3	8	35	TD SB	85	SB	999,5	1,6	95	08	1	3	04	T YR	50	T YR 3	- 0,5	2,0	0,1	5	17
18	992,5	2,0	85	06	3	4		9	02	T	45	T YR	993,1	2,6	85	05	3	9	05	T YR	54	T YR	993,4	2,7	82	05	1	3	60	TD	21	T R YR	1,1	3,1	3,3	5	18
19	994,6	1,8	84	00	3	4		3	02	T R	61	T R	997,2	2,4	84	35	3	8	40	TD R	61	TD R T YR	1000,8	- 0,4	77	15	4	3	62	TD	10	TD R	- 0,4	2,8	7,7	5	19
20	1002,8	- 1,4	72	36	3	1		7	80		01	TD	1003,2	- 0,9	70	35	3	7	86		02	30 SB	1003,0	- 0,4	79	36	4	3	63	TD	10	TD	- 1,9	- 0,3	1,6	5	20
21	1003,0	1,2	79	36	4	2		3	60	TD	10	TD SL YR	1003,5	0,7	82	36	3	8	50	TD LB	84	TD LB YR	1003,3	0,4	84	14	1	3	50	TD S	70	S LB TD	- 0,6	1,3	0,3	5	21
22	1004,3	1,0	32	10	1	4		3	50	TD	10	TD SL S	1006,6	1,0	85	30	4	8	50	TD	10	TD	1009,8	1,1	94	13	1	3	90	TD YR	53	TD YR	0,1	1,3	2,3	5	22
23	1015,2	0,1	79	36	3	3		3	86		02	TD LB	1016,5	0,6	81	01	1	8	86		03	SB	1017,3	1,3	84	32	3	8	38	TD	10	TD YR	- 0,4	1,4	0,9	4	23
24	1016,5	1,5	84	00	3	3		3	70	TD	10	TD YR	1015,6	1,7	82	00	0	8	70	TD	10	TD	1014,7	1,4	79	00	0	3	80		02	TD	1,0	1,8	0,4	3	24
25	1011,5	1,4	88	22	2	2		3	80		02		1010,5	1,8	78	24	3	8	89		02	SB	1008,1	1,3	73	25	3	3	86		02	SB	0,8	2,1		4	25
26	1004,4	- 2,5	84	04	3	2		3	40	S	73	S SB	1004,0	- 2,6	63	33	2	5	89		02	SB S	1002,2	- 1,8	85	02	3	3	88		03		- 3,6	1,5	0,7	4	26
27	999,5	- 3,8	89	02	3	1		3	80		02	38	1000,3	- 2,8	61	02	0	7	88		02	SB	1001,5	- 2,6	56	03	0	2	89		02	38	- 4,5	- 1,6	0,8	8	27
28	1006,1	- 1,3	87	02	1	2		3	80		01	38	1010,0	- 1,2	75	03	5	7	89		02		1012,6	- 2,3	67	02	3	7	89		02	38	- 2,6	- 0,2	4,0	6	28
29	1015,6	- 2,4	72	36	3	3		3	80		20	38	1017,2	- 2,0	77	02	4	3	56	SB	85	SB TD	1018,9	- 2,2	75	01	2	3	65	TD S	71	TD S 38	- 3,8	- 1,8	1,5	6	29
30	1019,9	- 1,9	91	01	1	4		3	80		02		1021,4	- 3,0	65	03	1	8	89		02		1022,0	- 3,2	68	35	2	0	89	38	85	38	- 4,6	- 1,9	0,9	3	30
MI	1008,4	0,2	75		2,6		7,3						1008,7	0,5	75		3,0	7,1					1008,8	0,1	74		2,7	7,0					- 1,1	1,3	36,6		MM

HOPEN — OKTOBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,1	- 4,4	67	02	1	4		3	80		02		1023,2	- 4,2	69	05	2	8	89	30	01	30	1022,1	- 3,7	73	15	2	5	89		03	30	- 4,8	- 3,0	0,0	2	1
2	1019,4	- 2,8	87	13	3	4		2	80		02		1018,7	- 1,8	89	10	3	7	89		02	30	1018,1	- 1,8	72	10	3	7	89		02		- 4,8	- 1,8		3	2
3	1019,0	- 2,8	81	08	1	3		3	80		02		1020,3	- 2,4	64	07	3	4	89	30	02	30	1021,0	- 2,2	87	17	3	6	99		02	30	- 3,4	- 1,6		5	3
4	1019,9	- 2,5	81	08	4	3		3	80		02		1018,4	- 2,0	75	04	5	5	89		02		1017,3	- 1,8	85	04	5	7	89		02	35	- 2,8	- 1,5		5	4
5	1015,7	- 1,0	79	04	3	3		7	89		02		1016,5	- 0,3	85	04	3	7	89		02	TD	1017,2	- 1,0	72	35	4	7	89		02	38	- 2,6	- 0,2	0,0	5	5
6	1018,3	- 2,9	69	01	3	3		3	80		02		1018,0	- 1,8	72	03	3	8	89	38	85		1017,1	- 1,7	77	36	3	8	89	38	85	38	- 3,4	- 0,8	0,0	5	6
7	1014,2	- 2,7	69	03	3	3		3	80		02		1014,0	- 3,9	62	02	4	5	89	30	01	30	1014,6	- 3,2	61	33	3	8	89		02	38 SO	- 3,9	- 1,5	0,0	5	7
8	1015,9	- 4,2	74	02	2	3		8	89		25	38	1016,8	- 3,0	62	02	2	8	89	38	85	38	1016,5	- 4,8	63	34	2	8	89	38	85	38	- 5,0	- 3,0	0,3	4	8
9	1012,6	- 6,3	63	36	3	3		3	80	38	85		1010,4	- 6,4	67	01	2	8	89	38	85	38	1008,5	- 7,3	69	32	3	3	80	38	85	38	- 7,6	- 4,1	0,1	4	9
10	1005,0	- 4,5	78	18	3	3		8	80		03	38	1002,3	- 1,7	65	20	4	7	89		02		997,5	- 1,3	85	15	3	3	89		02	30	- 7,3	- 1,3	0,0	5	10
11	987,0	0,3	87	05	3	3		9	03	T	48	SL S	989,8	0,2	85	04	2	9	02	T	45	R T	994,3	0,2	85	28	2	3	08	T	43	T	- 1,3	0,6	1,1	5	11
12	994,3	0,1	81	28	3	3		8	80		02	TD	992,9	- 0,3	70	29	4	7	89		02		997,0	- 4,6	66	36	4	8	88	38	85	TD YR	- 4,8	- 0,5	1,2	6	12
13	1003,6	- 7,4	82	03	3	3		7	89		02		1005,7	- 7,6	59	02	3	7	89		02	SB	1004,1	- 7,8	59	36	1	7	89		02		- 7,9	- 4,5	0,1	5	13
14	991,3	- 3,4	83	12	5	3		3	70		15		995,1	- 0,2	78	20	4	6	89		01	SB S	993,4	- 0,8	89	20	3	8	89		02	38	- 7,8	- 0,5	0,0	5	14
15	997,6	- 8,1	86	01	3	3		1	80		03	38	1004,4	- 8,7	65	36	4	6	88	38	85	38	1007,6	- 8,7	82	01	3	6	89		02	38	- 9,0	- 0,8	1,6	6	15
16	1009,5	- 6,9	70	09	3	3		7	89		03		1009,0	- 4,2	85	12	4	8	56	S	70	SB S	1007,2	- 1,8	85	07	1	8	58	S TD	71	S TD	- 9,2	- 1,8	0,1	5	16
17	1003,1	0,3	82	20	1	3		7	89		02	TD	997,1	- 0,2	85	16	3	9	40	S	73	S 38	991,4	1,4	82	20	5	8	50	TD	10	TD 38	- 1,8	2,8	2,0	5	17
18	983,6	0,9	84	20	1	3		9	10	R	61	R	979,3	0,6	84	20	4	9	10	TD R	61	R TD	975,1	0,3	84	14	2	9	03	T R	61	3L T TD	- 0,4	2,5	2,5	5	18
19	971,4	- 0,2	85	22	2	3		9	06	T	43	T YR	975,1	- 0,2	84	00	0	8	07	T	43	T YR TD	978,3	- 0,5	84	00	0	9	03	T	43	T S	- 0,8	1,2	5,2	3	19
20	980,7	- 0,5	84	00	3	4		3	03	T	45	T SB	981,4	- 0,4	84	04	3	9	08	T SB	86	T SB	982,4	- 0,8	84	04	2	9	10	TD S	71	TD S 38	- 1,0	0,3	1,2	4	20
21	990,0	- 0,5	81	04	3	4		4	89		03	T	993,4	- 0,6	82	03	4	9	50	TD S	71	TD S	996,0	- 1,3	77	05	3	9	40	TD	10	TD S	- 2,2	0,0	1,5	4	21
22	988,0	- 2,8	69	01	1	4		7	89		02	TD	998,6	- 3,0	70	01	3	6	89		02		998,6	- 4,6	77	34	4	4	89		02		- 4,7	- 1,0	0,6	4	22
23	997,6	- 3,2	84	35	3	4		8	80	TD	10	TD SB	996,8	- 2,6	84	01	3	8	50	TD KS	77	TD KS SB	995,2	- 2,6	82	33	4	8	50	TD KS	77	TD K3	- 4,6	- 2,8	0,0	5	23
24	987,9	- 3,4	82	02	1	4		8	56	TD KS	77	TD KS	983,6	- 3,2	79	12	5	6	45	TD	10	TD K3	979,2	- 2,3	81	35	5	8	45	TD S	73	TD K3 3	- 4,5	- 2,3	0,0	6	24
25	979,3	- 1,8	82	04	5	4		8	80		02	3	981,7	- 1,7	75	36	3	7	89		02		982,7	- 3,5	75	25	5	5	80	3F	36	3F	- 3,5	- 1,0	4,5	6	25
26	988,0	- 4,2	77	01	5	4		7	80	3F	36	3 3F	992,2	- 5,0	75	02	4	8	56	S	70	3F S	992,7	- 5,8	65	36	3	3	89		01	38	- 6,0	- 2,0	0,3	6	26
27	987,5	- 5,2	64	12	2	4		7	89		02		978,1	- 2,6	82	09	5	8	40	KS TD	77	KS TD	968,0	- 0,3	84	11	5	8	20	S TD	73	S TD KS	- 7,4	- 0,3	0,2	7	27
28	957,9	- 1,0	82	13	3	4		7	80	TD	10	T TD TR	980,6	- 3,1	82	04	8	8	15	S	73	S TD SB	968,8	- 5,3	81	02	5	8	15	3	73	3	- 5,4	- 0,2	2,1	8	28
29	978,5	- 4,6	79	01	6	4		8	21	3 3F	73	3 3F	982,2	- 5,0	72	03	6	7	80	3F	36	S 3F	986,1	- 5,0	75	35	5	7	58	3F	36	3F	- 5,5	- 3,2	9,8	7	29
30	993,2	- 5,8	68	35	5	3		7	88	3F	36	3F	998,2	- 5,6	73	34	4	4	89		02	3F	1000,8	- 6,8	67	02	4	1	89		02	NL	- 7,0	- 5,0	0,9	6	30
31	1003,4	- 9,3	69	03	3	3		1	80		02		1004,2	-10,0	69	30	2	3	89	30	03	30	1003,6	- 8,3	79	30	1	6	89		03	NL 30	-11,0	- 6,8		4	31
MI	998,3	- 3,2	73		3,4		6,8						998,3	- 2,9	75		3,5	6,9					998,0	- 3,1	75		3,2	7,0					- 4,9	- 1,4	35,3		MM

EKSTENSOTABELL

HØPEN — NOVEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	998,5	+ 2,3	82	18	4	4		8	50 SB	85 SB	998,2	+ 1,3	82	18	3	7	89	02 TD SB	993,8	+ 0,6	84	19	3	9	05 T	47 TD SB	+ 8,3	+ 0,6	0,0	4	1
2	989,3	+ 1,1	92	20	1	4		3	80 TD	10 TD NL	931,5	+ 0,4	84	08	4	8	40 TD S	73 TD	974,3	+ 0,8	84	07	3	8	40 TD S	71 TD S	+ 2,1	+ 1,2	1,0	6	2
3	978,7	+ 1,5	84	05	4	4		3	50 TD S	70 TD S	932,2	+ 1,6	82	03	4	8	56 S	71 S TD	986,8	+ 2,3	79	03	4	8	58 S	71 S	+ 2,4	+ 0,7	1,4	5	3
4	992,2	+ 4,2	77	04	4	4		6	80	01 SB	935,7	+ 3,8	79	06	3	7	89	02	998,7	+ 4,6	77	06	3	8	89 S	70 S SB	+ 5,4	+ 2,3	3,1	4	4
5	1004,4	+ 3,7	74	00	0	4		7	80 S	70	1004,4	+ 2,4	64	22	3	8	80	02	1001,0	+ 0,8	82	21	4	8	40 S	71 SB	+ 5,4	+ 0,5	0,0	5	5
6	1000,7	+ 1,0	81	27	3	4		8	70	02 TD SB	1000,9	+ 1,6	81	00	0	8	50 TD	10 TD	998,1	+ 2,7	84	03	3	8	70	02 TD T S	+ 2,7	+ 0,4	1,0	5	6
7	1000,6	+ 7,0	75	03	1	4		7	80	02	1006,5	+ 9,4	70	35	2	8	86 S	71 S	1011,0	+11,2	69	03	2	5	89 S	70 S	+11,2	+ 2,1	0,8	4	7
8	1007,5	+ 6,4	72	10	4	4		8	80	02 SB	936,3	+ 0,9	81	16	4	9	30 TD H	87 TD S KS	998,1	1,1	82	19	4	9	02 T	42 T K3	+13,8	1,3	0,1	6	8
9	974,3	0,8	66	22	3	4		8	70	02 TD YR	975,5	0,8	82	21	3	8	70	02	978,8	+ 1,0	81	21	3	8	40 S	71 T S	+ 1,0	2,1	7,2	9	9
10	973,4	+ 2,2	59	20	3	4		7	80	02 SF	973,4	+ 2,4	65	21	3	8	57 S	71 S	977,0	+ 9,6	77	31	5	8	10 SF S	73 SF S	+ 9,6	+ 1,0	6,5	6	10
11	988,7	+13,4	69	36	3	4		7	40 SF	38 S	984,8	+13,6	66	03	4	7	56 TD SF	36 TD KS	987,2	+15,3	66	35	2	6	89 S	71 TD S SF	+15,5	+ 9,6	1,7	6	11
12	981,6	+13,6	79	04	7	4		8	80 SF	36 SF	982,8	+16,5	78	02	6	8	50 SB	85 SB SF	980,6	+15,6	77	01	4	8	50 S	71 S SB	+17,4	+13,5	0,4	8	12
13	976,9	+14,4	79	06	4	4		6	50 S	71 S	993,1	+11,4	84	06	5	7	89 S	70 S	982,6	+ 4,7	85	07	6	8	10 SF S	73 S SF	+16,1	+ 4,7	0,8	6	13
14	971,5	+ 0,9	84	00	0	4		8	80 TD	10 S	969,7	+ 2,6	84	00	0	8	05 T	12 T	968,4	+ 5,8	82	12	2	6	88	02 T TR	+ 6,8	+ 0,7	3,4	6	14
15	959,3	+ 0,6	84	07	3	4		3	50	25 SB S	961,4	+ 0,9	84	00	0	8	40 TD	10 TD SB	956,7	+ 2,6	81	27	5	8	50 SF	38 SF TD	+ 6,0	+ 0,5	1,0	5	15
16	971,9	+ 3,8	74	22	3	4		7	80 SF	36 SF	972,7	+ 5,4	79	22	5	8	05 SF SB	86 SF SB	971,2	+ 4,0	78	19	5	7	89 SF	36 SF S	+ 5,7	+ 2,4	1,0	6	16
17	975,2	+10,8	75	35	1	4		7	50 SF SB	86 SF SB	978,2	+12,7	77	35	8	7	05 SF SB	86 TD SB SF	932,1	+14,5	75	36	4	7	88 SB SF	85 SB SF	+14,8	+ 3,5	8,3	7	17
18	984,5	+16,3	70	35	7	4		2	80 SF	36 SF	935,0	+14,6	68	03	7	8	40 SF SB	85 SF SB	935,4	+15,6	71	33	3	2	89	01 SB SF	+16,8	+13,5	3,8	8	18
19	986,0	+14,0	72	35	1	4		3	80	02	986,7	+13,5	74	32	3	5	89 K3	77	988,4	+12,9	72	33	3	4	89 SF	38 SF K3	+16,7	+12,9	1,5	7	19
20	987,0	+14,2	74	32	1	4		7	80 TD IN SF	76 TD IN SF	987,4	+14,3	74	35	3	4	88 TD IN SF	76 TD SF IN	988,0	+14,0	75	32	3	1	89 SF	36 TD SF IN	+14,9	+12,6	0,5	5	20
21	990,8	+13,4	78	33	2	4		2	80	02	992,0	+14,2	79	34	3	1	89	02	991,1	+13,8	75	30	2	1	89	02	+15,2	+13,2	0,2	4	21
22	989,9	+16,0	81	34	3	4		4	80	03	990,7	+17,8	78	05	4	1	89	02	992,1	+18,0	69	34	1	2	89 NL	02 NL	+18,0	+12,4	0,0	4	22
23	994,7	+19,6	75	34	4	4		3	80 IN KR	76 IN KR	936,5	+19,7	75	04	3	2	89 IN	76 IN	998,0	+19,5	75	34	1	6	89 IN	76 IN	+20,2	+18,0		5	23
24	1000,9	+18,5	74	05	4	4		1	80	01	1002,2	+19,4	77	05	3	1	89	02	1002,5	+19,2	77	33	2	3	89	02 NL	+19,6	+18,3		5	24
25	1003,9	+19,6	72	34	3	4		1	80	02 NL	1003,4	+18,9	74	05	3	2	89	02	1006,5	+18,2	68	33	4	3	89	03 NL	+19,6	+18,0		4	25
26	1008,9	+20,0	68	34	2	4		3	80 IN	76 IN	1010,7	+19,7	68	02	4	7	89 IN	76 IN	1013,0	+18,5	68	34	4	2	89 IN NL	76 IN	+20,1	+18,2		4	26
27	1019,0	+20,0	71	00	0	4		2	80	02	1023,2	+21,6	73	02	1	1	89	02	1026,2	+21,5	74	30	1	2	89 NL	02 NL	+21,6	+18,2		4	27
28	1029,9	+21,2	75	00	0	4		1	80	03	1029,5	+18,6	74	06	2	6	89	03	1023,8	+ 8,4	78	07	2	7	50 SB	85 SB	+21,8	+ 8,4		3	28
29	1016,2	+ 2,0	72	22	3	4		3	80 SF	36 SF	1013,0	+ 1,5	81	23	5	8	86 SF S	70 SF S	1012,1	+ 0,5	78	21	4	3	89 SF S	70 SF S	+ 8,7	+ 0,5	0,0	5	29
30	1013,0	0,6	82	23	3	4		3	07 L8	84 LB YR	1011,9	0,2	82	25	5	8	40 TD	10 TD LB YR	1010,9	+ 0,2	82	25	5	8	60	02 TD	+ 0,9	1,2	0,0	6	30
M:	992,6	+ 0,3	75		3,3		5,6				993,0	+ 0,3	77		3,4	6,1			992,9	+ 0,2	77		3,7	5,8			+11,9	+ 6,7	51,5		MM

147

HØPEN — DESEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	999,9	0,6	75	29	6	4		7	50 TD	10 TD RB	993,6	0,5	63	27	9	7	50 SF	37 SB SF	1001,6	+ 3,2	62	29	5	3	80	02 SF	+ 4,9	2,0	3,2	11	1
2	1016,2	+ 8,9	68	31	2	4		8	80 S	71 S	1019,0	+ 9,0	63	30	3	2	80	02	1016,3	+ 4,2	72	22	4	8	80	03	+10,0	+ 3,2	1,1	6	2
3	1011,1	+ 3,4	79	26	3	4		3	80	02	1012,4	+ 3,0	82	32	3	2	80	02	1011,2	+ 3,4	77	33	3	2	80	02	+ 4,2	+ 0,4		6	3
4	1015,6	+ 3,3	82	24	3	4		2	80	02	1015,4	+ 1,4	75	23	3	1	80	02	1014,7	+ 1,3	79	22	4	2	89 NL	03 NL	+ 6,3	+ 1,3		5	4
5	1006,8	+ 0,5	82	24	4	4		7	80	02	1007,2	+ 4,6	66	35	5	7	89 SB	85 SB	1014,3	+ 9,2	68	31	3	7	89 S	73 SB	+10,1	0,0		5	5
6	1018,8	+ 9,5	73	03	3	4		8	80	02 S	1018,5	+ 9,8	78	04	2	8	50 S	70 S	1020,1	+14,1	78	02	3	3	80	01 S	+14,1	+ 9,0	0,0	4	6
7	1023,8	+15,4	72	05	2	4		2	80	02	1022,3	+13,0	78	05	3	6	89	03	1017,6	+ 8,1	79	13	4	7	80	02	+15,8	+ 8,1	0,1	4	7
8	1008,6	+ 3,6	82	10	4	4		3	86 S	73 S	1009,1	+ 5,0	81	09	4	8	20 S	73 S SF	1010,2	+ 6,9	77	10	4	5	80 S	71 S	+ 8,3	+ 3,5	3,2	5	8
9	1015,0	+13,5	78	05	3	4		3	80	02 S	1018,5	+16,4	74	04	4	8	60 IN	71 IN S	1020,3	+20,6	74	34	4	2	89	01 IN	+20,6	+ 6,9	0,5	6	9
10	1021,4	+20,5	75	06	3	4		7	80	02	1021,0	+19,8	75	06	3	7	89	02	1019,5	+20,6	74	08	2	1	89	02	+21,5	+19,8	0,0	5	10
11	1019,1	+17,1	77	05	1	4		5	80 IN	76 IN	1020,7	+18,2	75	04	3	7	89 IN	76 IN	1022,1	+20,4	74	04	1	1	80	02 IN	+21,0	+17,1	0,0	4	11
12	1021,7	+19,6	75	00	0	4		0	80	02	1020,5	+19,6	78	00	0	1	89	02	1018,8	+17,9	74	00	0	0	89	02	+21,2	+17,9	0,1	1	12
13	1015,9	+17,7	78	04	2	4		7	80	02	1014,1	+16,8	78	06	2	7	89	02	1011,9	+19,2	77	05	2	7	89	02	+19,9	+16,2		3	13
14	1008,1	+22,8	73	05	1	4		0	80 IN	76 S	1006,8	+22,8	73	08	1	1	89 IN	76 IN	1005,3	+22,5	73	00	0	0	89	02	+23,5	+19,2	0,0	2	14
15	1001,2	+18,9	77	00	0	4		1	80	03	998,4	+15,5	79	08	1	8	60 IN	76 IN	994,6	+13,5	79	06	2	8	60	03 IN	+22,8	+13,5	0,0	2	15
16	985,6	+ 5,0	84	11	2	4		7	50 SB	85 SB	984,4	+ 3,6	84	11	5	8	05 SB SF	86 SB SF	985,9	+ 3,9	84	11	6	8	06 SF	37 SB	+13,5	+ 3,2	0,5	7	16
17	989,3	+ 4,6	77	10	6	4		3	06 SF	39 SF	991,4	+ 3,2	84	10	5	8	06 SB SF	86 SF SB	995,9	+ 4,2	78	10	5	7	83 SF	36 SB SF	+ 4,8	+ 3,2	5,6	7	17
18	1004,7	+ 6,4	73	10	3	4		7	40 SB	85 SB	1009,5	+ 6,7	63	10	5	7	89	02 SB	1013,5	+ 9,3	68	07	3	1	89 NL	02 NL	+ 9,6	+ 4,2	0,9	6	18
19	1019,3	+ 9,6	77	09	3	4		4	80	03	1022,6	+ 7,8	75	09	3	7	89	02 S	1025,1	+ 7,3	72	11	3	4	80 S	73 S	+11,7	+ 7,3	0,0	4	19
20	1026,1	+ 4,8	79	16	3	4		7	80	02 S	1025,6	+ 3,6	79	18	3	7	89	02	1021,0	+ 2,9	63	22	4	7	80	02	+ 8,3	+ 2,9	0,0	4	20
21	1017,8	+ 4,2	82	19	1	4		3	80	03	1015,8	+ 3,9	72	09	3	8	89	02 SB	1015,4	+ 3,8	69	10	4	3	89 NL	01 NL	+ 4,2	+ 2,7		5	21
22	1021,2	+ 4,2	66	08	2	4		7	80	02	1023,6	+ 6,0	78	00	0	3	89	03 NL	1021,7	+ 5,2	79	21	3	4	80	01 S	+ 8,4	+ 3,4	0,0	4	22
23	1021,7	+ 3,4	78	22	1	4		3	60 SB	85 SB	1019,6	+ 3,1	81	24	4	2	89 SF	36 SF SB	1014,8	+ 2,0	77	24	5	3	20 SF	38 SF	+ 9,3	+ 2,0	1,3	6	23
24	1003,0	+ 1,0	78	28	5	4		1	80	01 SF SB	1005,0	+ 3,6	74	34	3	2	89	02	1006,7	+ 5,2	78	31	3	2	89	02	+ 6,0	+ 1,4	1,2	8	24
25	1011,6	+13,8	72	36	5	4		3	90 SF	36 S	1014,6	+18,8	65	02	5	3	89 SF	36 SF	1016,8	+19,6	68	33	3	3	89 IN	76 SF	+19,6	+ 4,7	0,0	7	25
26	1022,2	+22,6	64	09	1	4		0	80	02 SF	1024,2	+23,0	61	01	3	1	89	02	1029,9	+25,0	64	33	4	1	84 SF	38 SF	+25,0	+19,5	0,0	8	26
27	1031,8	+27,0	62	04	5	4		1	80 NL	02 NL	1032,8	+26,0	64	02	4	2	89	02 SF	1033,3	+26,6	66	36	3	3	90 IN	76 SF IN	+28,3	+25,0		6	27
28	1033,6	+24,8	67	36	4	4		0	80	02	1035,7	+27,2	66	06	4	2	89	02	1037,1	+28,5	69	35	4	2	89 NL	02 NL	+29,0	+24,8	0,1	4	28
29	1033,1	+26,8	70	00	0	4		3	88 IN	76 IN	1030,2	+23,2	72	27	1	2	89 IN	76 IN	1028,5	+23,2	73	36	3	2	89 NL	02 NL IN	+29,6	+23,2	0,1	4	29
30	1026,1	+25,2	67	35	4	4		3	90 SF	38 SF NL IN	1020,0	+20,6	70	32	4	6	90 SF	36 SF	1009,9	+16,4	67	29	6	8	90 SF	38 SF SB	+27,3	+16,4	0,1	8	30
31	1000,2	+19,0	68	01	3	4		7	80 SF	36 SB	1001,7	+18,8	64	01	3	6	89	01 SF	998,0	+15,8	68	28	5	3	89	02	+20,0	+13,8	3,1	8	31
M:	1014,5	+12,1	74		3,3		5,0				1014,7	+12,0	73		3,3	5,0			1014,7	+12,4	73		3,4	4,3			+15,2	+ 9,4	21,1		MM

EKSTENSOTABELL

BJØRNØYA — JANUAR 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	996,8	-10,4	88	07	4			1	84		03		995,4	-10,2	81	06	5	7	70		02		993,8	- 9,2	90	35	5	8	40	3F SB	85	3F SB	-13,0	- 7,5		6	1
2	994,9	-11,5	90	04	3			3	70		02	3F SB	996,7	-11,2	90	05	6	6	60	SB SF	85	SB SF	1000,5	-15,2	90	34	5	1	60	3F	36	3B 3F	-15,2	- 8,0	0,8	6	2
3	1003,8	-19,0	78	03	3			2	80		02		1005,5	-20,2	79	03	6	2	80		02		1007,2	-19,9	79	33	3	2	80		02		-23,6	-15,0	0,0	6	3
4	1009,8	-17,0	32	34	3			3	83	NL	02	NL	1010,2	-16,8	82	05	5	4	80		03		1009,8	-15,0	86	36	3	3	40	3F	33	3F	-19,9	-15,0		6	4
5	997,6	-10,4	38	35	3			7	45	3F NL	36	3F S	997,8	-13,8	85	01	5	2	80		01	S	1000,1	-15,7	76	32	4	1	80		02		-15,7	- 9,8	1,3	6	5
6	1001,7	-18,3	77	33	2			3	84		02	NL	1000,7	-17,8	85	11	3	1	84		02		999,5	-11,6	74	15	1	2	84	NL	02	NL	-20,0	-11,6	0,1	4	6
7	998,0	- 5,7	39	12	1			3	80		02		999,7	- 4,8	75	10	6	7	60	SF	02	SF SB	999,1	- 4,4	34	39	7	8	33	3F	38	3F SB	-11,6	- 3,9		7	7
8	997,1	- 3,5	90	06	7			3	30	3F	33	3F SB	998,5	- 6,2	92	02	6	8	60	SB	85	SF SB	998,0	- 9,6	90	35	1	8	70		02		- 7,6	- 3,4	2,4	7	8
9	996,0	-10,0	39	05	3			3	80		02	3	996,8	-10,0	90	09	2	6	80		03		998,6	- 8,2	90	39	3	6	80		03		-13,3	- 7,6	1,1	4	9
10	980,3	- 7,2	81	06	5			1	80		02		998,3	- 7,8	81	06	6	6	80		02	SF	978,2	-11,7	84	33	8	8	40	3F S	71	3F S	-11,7	- 6,5		8	10
11	979,0	-11,0	31	36	3			3	01	3F S	33	3F S	982,2	-17,7	79	01	3	9	03	SF	37	SB SF	985,9	-17,6	79	36	7	9	03	3F	37	3B SF	-18,3	-11,0	7,1	8	11
12	995,3	-17,7	79	35	4			3	80	SB	85	3B	999,3	-17,3	78	34	3	1	84		02	SB	1001,2	-16,6	81	30	3	3	80		02		-17,8	-16,0	7,5	7	12
13	997,0	-13,9	85	11	1			3	84		03		995,7	-10,4	85	09	5	6	60	SB	85	SB	998,0	-11,0	86	38	4	8	60	3B	85	3B	-19,7	- 9,8	0,0	5	13
14	994,3	- 5,4	93	21	1			1	82		01	3F SB	992,3	- 4,2	89	22	1	7	80		03		977,1	- 0,3	93	16	7	9	05	3F S	75	3 SF	-12,0	- 0,0	1,1	7	14
15	965,7	- 1,3	95	25	5			1	80		01	3F	966,8	- 5,3	66	25	6	8	70	S	85	S	968,2	- 6,9	82	24	5	7	80		02	S	- 6,9	- 0,2	3,1	8	15
16	974,7	-10,0	86	30	2			1	84		02	3B	978,8	- 5,7	82	29	0	7	50	SF SB	85	SB SF	981,3	- 6,7	88	29	3	5	70		02	3B	-10,1	- 4,6	1,5	6	16
17	984,7	- 8,0	76	30	1			3	80		01	3B	988,5	- 7,3	68	30	5	5	86		01		992,4	- 7,6	74	31	1	1	80		02	3B	- 9,2	- 5,7	7,3	6	17
18	997,9	- 6,0	76	31	3			2	84	NL	01	3B NL	1003,7	- 6,0	71	31	1	1	89		02		1007,4	- 5,2	82	31	5	1	86		02		-13,3	- 5,0	0,0	5	18
19	1011,1	-12,0	31	26	3			3	83		02	3B	1009,0	- 3,2	94	22	7	9	02	S	73	S	1009,2	- 2,8	78	24	4	7	81		03		-13,3	- 2,8	0,5	7	19
20	1008,1	- 1,4	74	30	1			3	80		02		1010,2	- 4,0	78	34	3	7	65	S	70	S	1011,6	- 3,6	76	31	3	8	60	3	70	3	- 7,5	- 1,6	0,3	5	20
21	1013,9	- 6,7	33	26	1			7	68	S	70		1015,6	- 5,3	94	24	3	7	70		02	S	1016,4	- 3,8	93	24	2	3	50	3	70	3	- 9,6	- 3,0	0,3	4	21
22	1019,5	- 8,1	31	31	1			3	70		02	3	1022,4	-15,3	79	06	1	4	86		02		1021,1	-16,5	84	35	4	6	80	S	70	3	-16,8	- 3,5	2,5	5	22
23	1018,6	-17,9	77	07	3			1	83		01		1015,5	-19,1	78	08	3	1	89		02		1012,0	-18,0	73	08	3	1	80		02		-20,1	-16,5	0,0	4	23
24	1009,3	-18,6	74	33	3			7	10	3F SB	85	3F SB	1009,7	-20,4	76	04	6	7	80	SF	36	SF	1011,2	-22,8	73	35	6	2	50	3F NL	36	3F	-22,8	-15,3	0,0	7	24
25	1014,5	-24,8	71	34	3			1	53	3F	36	3F	1014,7	-24,2	72	02	5	1	75	TD	02	TD	1013,4	-24,2	74	33	5	2	70		02	TD	-25,4	-20,8		7	25
26	1007,7	-20,8	70	32	3			2	70		02		1007,7	-24,5	70	02	5	2	60		40		1006,5	-24,4	69	32	4	3	80		02		-25,1	-20,8		5	26
27	1002,7	-23,3	71	35	1			3	70		02		1001,8	-20,9	74	02	1	5	60		40		1000,8	-20,4	75	32	4	8	70	3	70	3	-24,1	-20,0		5	27
28	999,8	-21,0	77	34	1			3	80		02		1000,6	-21,2	73	04	4	4	65		40		1001,3	-21,4	77	33	4	1	83	NL	01		-21,6	-19,8	0,0	5	28
29	1003,9	-21,8	76	05	2			3	86	NL	02	NL	1004,5	-23,8	75	10	3	1	89		02		1002,2	-15,9	82	15	6	1	70	3F	36	3F	-23,8	-15,9		6	29
30	1003,6	-15,3	36	02	3			1	80		02		1005,9	-17,8	95	05	2	0	80		02		1010,8	-19,1	85	00	3	3	70		02	TD	-21,0	- 9,3	0,2	6	30
31	1018,8	-13,2	92	21	1			1	80		02		1021,3	- 9,5	81	20	5	3	80		02		1023,8	- 4,8	75	20	5	7	80		03		-19,3	- 4,8		5	31
MI	998,5	-12,7	81		4,3		4,0						999,4	-13,0	80		4,7	4,6					999,3	-12,6	81		4,4	4,9					-16,3	- 9,5	37,2		IM

BJØRNØYA — FEBRUAR 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,1	- 5,5	77	09	4			3	80		02		1020,2	- 3,4	88	08	5	8	60	TD	10	TD	1017,4	- 2,4	93	09	3	3	50	3	71	TD S	- 9,2	- 2,4		5	1
2	1015,9	- 0,8	92	21	1			3	20	TD	10	TD S	1018,9	- 2,0	90	19	4	7	60	TD	10	TD	1020,6	- 2,4	92	18	4	3	70		01		- 4,2	- 0,8	0,8	4	2
3	1021,7	- 1,3	92	16	1			3	80		02		1021,1	- 0,2	91	18	5	6	70		02		1020,3	- 0,2	92	18	4	6	15	TD	10	TD S	- 3,0	- 0,9	0,0	5	3
4	1024,6	- 1,6	90	23	1			3	80		02		1027,3	- 2,7	82	23	3	8	70		02		1028,0	- 3,9	74	24	3	3	70		02		- 3,9	- 0,4	1,6	4	4
5	1028,4	- 7,1	86	23	3			7	70		03		1029,3	- 8,7	81	21	3	3	80		01		1030,5	- 4,2	74	20	3	3	80		02		-10,1	- 3,5		4	5
6	1031,3	- 7,2	32	15	4			3	80		02	3	1032,5	-10,1	93	02	3	4	60		40	TD	1032,8	- 9,5	86	32	2	0	85	NL	01	NL TD	-10,1	- 4,2	0,0	4	6
7	1032,1	- 9,0	88	09	2			3	70	3	71	3	1032,5	- 7,8	90	16	2	8	70	S	70	S	1030,7	- 4,5	71	31	3	8	80		02		-12,5	- 1,5	0,0	3	7
8	1023,4	- 2,4	89	28	5			3	69	3F	36	3 SF	1020,1	- 2,7	92	26	1	8	40	S SF	72	TD S	1019,3	- 8,0	88	34	5	3	30	3F	36	3F S	- 8,0	- 2,0	0,0	5	8
9	1026,6	-18,6	78	05	4			1	86		02		1027,8	-19,1	77	06	3	8	60		02		1027,2	-18,9	79	37	4	3	70		02	TD	-19,3	- 8,0	3,5	5	9
10	1025,5	-20,0	78	05	1			7	70		02		1025,4	-20,1	76	05	5	1	80	SO	01	SO	1023,0	-18,0	72	33	5	2	80		02		-20,5	-18,0		5	10
11	1018,0	-13,0	85	33	5			3	70		02	3F S	1018,6	-13,2	85	36	3	3	84	SO	01	SO S	1016,4	-12,4	77	32	5	3	60	3B 3F	85	3O 3B 3F	-18,0	-11,0	0,0	6	11
12	1023,2	-25,9	70	34	6			2	70	3F	33	3F	1026,9	-28,2	72	04	6	3	40	3F	40	3F	1028,2	-27,2	68	33	6	4	50		40		-28,5	-12,4	0,1	6	12
13	1031,3	-27,0	66	01	3			3	70		02	3F	1027,8	-21,3	66	33	4	7	60		40		1012,7	- 8,0	71	30	7	3	50	3F	36	TD 3F	-27,3	- 8,0		8	13
14	994,2	- 8,2	88	33	7			3	02	3B 3F	86	3B 3F	1030,9	-17,3	66	03	5	5	70		01	TD	1008,9	-22,3	71	36	4	6	60	3B	85	3B	-22,3	- 5,0	1,0	9	14
15	1008,1	-26,4	65	08	1			7	70		02		1008,5	-28,5	69	04	1	2	50		40		1009,2	-26,0	69	33	4	4	70	IN	76	IN	-28,3	-22,0	0,2	5	15
16	1009,5	-28,1	67	02	3			3	70		01	3B	1009,1	-26,4	61	03	5	2	40		40		1007,7	-27,2	66	32	5	0	85		02		-28,9	-25,5	0,0	5	16
17	1006,2	-26,1	68	33	5			3	50		40		1005,9	-25,8	69	02	6	4	50		40		1005,8	-25,4	75	32	5	2	50		40		-27,4	-25,4		6	17
18	997,5	-20,2	79	18	1			3	30	3B	85	3B	998,0	-14,9	82	34	3	8	60		02	SB	998,0	-17,2	81	35	4	4	80		01		-26,3	-14,5	0,0	5	18
19	998,7	-23,0	76	35	3			3	60		02		997,8	-25,2	74	04	6	7	60		02		998,1	-25,0	74	32	6	4	30		40		-25,7	-17,2	0,1	6	19
20	1000,8	-20,2	76	34	6			3	33	IK	76	IK	1007,3	-20,5	74	05	6	8	50		40	IK	1013,4	-22,8	87	36	6	0	60		40		-25,0	-19,9	0,1	7	20
21	1016,3	-24,1	77	32	3			1	80		02		1013,3	-20,2	79	23	3	3	84	SO	02	SO	1011,8	-17,0	62	36	4	5	85		02		-29,1	-17,0	0,0	6	21
22	1005,3	-10,1	73	33	7			3	80		02	3	1004,7	-10,2	74	33	5	7	60	SB	85	SB	1004,9	-10,3	75	30	4	3	60		01		-17,0	- 9,6	0,0	7	22
23	995,5	- 9,0	86	15	3			8	50	SB	85	3B	996,8	- 7,6	90	28	2	4	65		01	S SB	999,2	-12,5	82	35	4	2	70		02	S	-13,0	- 5,5	0,2	6	23
24	990,4	-15,8	86	12	4			7	60		02		987,9	-11,0	88	09	4	8	15	S	73	TD S	989,3	-15,5	84	35	4	8	20	3	72	3	-18,8	-11,0	0,7	5	24
25	994,6	-22,5	79	00	0			0	80		02		996,9	-14,9	72	00	0	1	80		02		999,0	-20,0	79	36	0	1	80		02		-24,0	-14,9	1,4	4	25
26	1004,4	-21,0	78	07	3			7	50	SB	85	3B	1006,2	-21,0	78	06	4	8	20	SB TD	85	TD SB	1007,2	-20,6	71	35	4	5	86		02	TD SB	-23,9	-18,7	0,0	4	26
27	1009,1	-22,8	77	08	4			0	70		40		1012,4	-22,8	76	06	4	0	89	SO	02	SO	1014,9	-23,7	70	37	4	1	70	TD NL	10	TD NL	-23,8	-20,0	0,0	5	27
28	1016,3	-23,2	78	37	4			4	80		03	3F	1016,3	-21,4	78	08	4	1	60	SO	40	SO	1012,9	-19,0	79	37	6	4	20	3F	36	3F	-24,4	-17,5		6	28
MI	1013,2	-15,6	80		4,3		5,6						1013,6	-15,3	79		4,0	5,1					1013,3	-18,1	77		4,2	4,5					-18,9	-11,2	9,7		IM

EKSTENSOTABELL

BJØRNGYA — MARS 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1010,8	-14,0	86	38	5			3	10	SF	36	S SF	1008,7	-12,5	86	07	6	9	20	S SF	71	S SF	1006,3	- 3,0	93	10	7	9	04	S SF	73	S SF	-19,0	- 3,0	0,1	7	1
2	1002,7	- 0,2	93	17	4			3	50		02	S SF	1005,1	- 0,3	92	19	4	7	60	TD	10	TD	1007,7	- 1,6	88	23	4	8	60	TD	10	TD	- 3,5	0,8	2,9	7	2
3	1012,2	- 2,8	82	29	3			7	80		02		1013,9	- 2,1	81	18	2	8	60		02		1013,2	- 1,0	89	15	4	2	86		01	SB	- 3,6	0,0		5	3
4	1009,7	- 1,6	85	17	6			7	80		03		1009,3	- 1,5	89	21	5	8	70		25	RB SO	1008,2	- 1,8	84	19	6	7	70		02	RB	- 2,0	2,4	0,0	6	4
5	1003,4	- 1,7	88	19	6			3	60	R	60	TD	1002,0	- 1,4	93	19	5	8	20	TD	10	TD R	1001,3	- 1,0	92	18	5	8	40	TD R	61	TD R	- 0,0	1,9	0,0	6	5
6	1009,1	- 9,5	66	32	3			7	80		02	S SF	1014,2	- 9,3	74	32	4	6	70		01	S	1015,7	- 6,9	61	31	4	6	80		02	S	- 9,5	1,1	4,9	7	6
7	1008,6	- 2,0	90	27	6			3	30	S	72	S	1007,3	- 0,9	78	22	6	7	70		02	S	1003,6	- 1,9	81	22	5	8	80		02		- 7,0	- 0,8	1,7	7	7
8	995,8	0,8	93	20	5			6	60	R	60	R	993,7	1,0	93	19	5	8	30	TD R	60	TD R	989,8	0,4	93	15	4	7	50	LB	83	TD R SL LB	- 2,0	1,0	0,1	6	8
9	982,2	-11,1	79	03	1			3	40	TD S	70	TD S	985,3	-13,4	73	03	5	7	57	TD SB	85	TD SB S	987,7	-15,0	76	03	5	8	50	TD SB	85	TD SB	-15,0	0,4	1,7	5	9
10	1003,6	-17,8	66	03	1			3	80		01	SB	1007,3	-19,6	70	04	4	1	89		02		1008,7	-19,2	69	03	3	3	89		03		-19,8	-15,0	0,0	5	10
11	1009,3	-18,0	71	05	3			7	80		01	SB	1012,2	-24,0	71	05	4	5	80		02		1012,6	-23,0	72	07	3	7	80		02		-24,0	-17,5	0,0	5	11
12	1009,5	-21,8	68	07	4			3	80		01	SB	1009,7	-23,2	69	05	5	4	50	TD	40	TD	1010,4	-27,2	67	05	6	1	50	TD	40	T	-27,1	-20,8	0,0	6	12
13	1011,4	-26,9	59	03	5			1	50	TD	40	T	1012,1	-26,1	67	05	4	2	40	TD	40	T	1012,6	-25,0	69	03	4	1	58	TD	40	T	-27,5	-25,0		6	13
14	1013,4	-23,3	72	04	3			1	80		02		1013,8	-21,7	72	05	2	2	80	SO	03	SO	1013,0	-23,4	72	05	3	1	80		02	SO	-25,0	-21,0		4	14
15	1009,7	-19,2	74	09	3			3	80		01	S	1010,9	-12,4	73	17	5	1	86		02		1002,3	- 8,5	69	19	6	3	80		02		-24,3	- 8,2	0,0	6	15
16	993,8	- 8,4	36	23	1			3	70		01	S	991,8	- 9,0	82	31	1	7	70		02	S	994,1	-16,5	75	32	1	8	80		02		-16,3	- 5,5	1,5	6	16
17	999,3	-21,0	75	32	2			1	80		02	VL	1001,5	-19,9	74	32	2	3	80		03		1004,3	-25,0	67	32	1	1	80		02		-25,0	-16,5	0,1	4	17
18	1007,4	-22,3	70	00	3			3	80		02		1008,6	-19,3	69	32	3	3	84	SO	02	SO	1007,9	-13,5	72	14	4	4	84		01	SB SO	-27,2	-13,5		5	18
19	1003,0	- 6,3	72	19	1			3	80		02	SB	999,3	- 2,4	76	18	5	8	80	SF	36	S SF	993,4	- 1,2	93	18	3	9	01	SF	37	S SF	-13,9	- 1,2	1,1	8	19
20	991,9	0,8	92	22	6			3	30	LB	83	RB SL LB	994,5	0,7	77	22	5	8	70		02	SB	997,0	- 0,8	78	22	4	8	80		02		- 1,2	1,1	2,9	8	20
21	1002,8	- 1,2	77	19	1			3	80		02		1006,4	- 0,2	88	21	3	6	70		01		1008,6	- 0,9	93	19	2	7	60	TD	10	TD	- 1,6	0,7	0,5	4	21
22	1008,2	- 1,8	92	20	2			3	10	S	73	TD T S	1007,7	- 0,9	82	21	3	7	80		01	TD S	1005,6	- 8,1	81	10	3	3	80		02		- 8,5	- 0,5	0,7	4	22
23	1004,2	- 3,3	72	10	1			3	80		03		1004,5	- 3,1	69	11	5	7	70		02		1003,7	- 4,8	74	11	3	5	60	SB	85	SO	- 9,2	- 2,3	1,2	5	23
24	999,7	- 4,6	72	11	3			7	60		02	SB	997,1	- 4,0	75	10	3	7	70	SB SO	85	SB SO	993,9	- 4,3	86	10	4	8	50	SB	85	SB SO	- 5,8	- 3,3	1,1	4	24
25	993,5	- 5,1	84	05	3			3	80		02	SB	994,3	- 4,4	79	10	3	8	65	SB	85	SB	995,8	- 5,3	79	09	1	8	50	TD	10	TD	- 5,9	- 4,0	0,4	4	25
26	997,8	- 7,4	82	00	2			3	60		02		999,4	- 7,3	77	36	2	8	50	TD	10	TD	1000,3	- 8,9	82	00	1	3	50	TD	10	TD	- 9,9	- 5,3	0,0	4	26
27	1000,9	-11,1	88	00	3			2	80		01	TD	1001,5	- 8,5	86	36	2	3	60	TD	10	TD	1000,4	-12,8	82	03	3	3	70		02	TD	-12,8	- 8,5		3	27
28	999,0	- 9,6	86	08	3			3	40	TD SB	83	TD SB	999,7	- 9,7	82	03	4	5	70		03	SO	1000,5	- 7,4	85	07	1	7	65	SB	85	SO	-13,3	- 7,0	0,1	4	28
29	1001,3	-11,6	89	07	2			3	02	T	46	T SO	1001,2	- 6,8	88	34	1	1	70	TD SO	10	TD T SO	998,9	- 8,3	81	14	2	1	80		02	TD SO	-12,8	- 5,4	0,0	5	29
30	994,0	- 8,0	89	04	3			3	50	TD	10	TD T	993,4	- 8,0	86	04	5	6	58	TD SF SO	36	TD SO	993,4	-10,8	76	03	4	6	50	TD	10	TD SF	-10,8	- 6,7		5	30
31	995,9	-10,7	73	02	1			1	80		01	TD S	997,7	- 9,7	72	28	4	0	80		02		997,5	- 8,1	77	23	1	3	80		01	SB	-11,3	- 6,2	0,0	5	31
M:	1003,0	- 9,5	30		3,6		5,7						1003,6	- 8,8	79		3,9	5,5					1003,2	- 9,3	79		4,0	5,4					-12,7	- 6,1	20,6		M

149

BJØRNGYA — APRIL 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	999,0	- 9,7	88	27	5			7	40	SF	36	SF SB	1005,4	- 9,9	79	34	5	6	70		01	SF	1009,9	-10,3	71	34	5	3	80	30	02	30	-12,8	- 6,5	0,7	5	1
2	1015,3	- 8,4	79	32	3			1	80		02	SB	1016,7	- 7,0	71	34	2	3	80	SO	02	SO	1016,3	-11,0	77	34	1	0	80	SB SO	85	SB SO	-11,0	- 6,4	0,0	5	2
3	1020,1	-11,3	76	03	1			1	80	30	02	30	1022,5	-10,7	72	33	4	2	85	SO	02	SO	1024,1	-11,0	74	33	1	5	70		03	3	-11,8	- 8,8	0,0	5	3
4	1023,2	-15,0	76	12	1			1	80	30	03	30	1016,2	- 3,8	86	18	6	7	20	SF SU	36	SO S	1013,9	- 2,8	68	33	4	7	80		02	S SF	-17,7	- 1,4	0,0	6	4
5	1010,2	- 0,8	93	24	1			3	49		02		1004,4	1,2	93	19	5	9	09	T	47	TD T YR	991,8	0,5	98	19	1	8	50	SL TD	68	SL TD T	- 6,3	1,3	0,2	7	5
6	987,8	- 1,4	79	29	1			1	10	S	73	TD S R	996,1	- 1,5	86	34	4	6	70		01	TD S	1004,8	- 1,3	86	05	1	8	60	S	71	TD S	- 3,7	1,5	1,8	6	6
7	1012,7	- 2,5	75	08	1			7	70		02	TD	1013,2	- 1,4	69	14	5	8	80		02		1010,1	- 0,6	74	17	3	8	70	S	70	S	- 2,5	0,6	0,4	6	7
8	999,6	0,2	92	15	7			8	10	S	73	SF S	996,6	2,0	82	18	6	6	70	SO	40	R TD SF S	998,2	1,0	92	18	5	6	70		01	SB	- 1,7	2,3	0,7	8	8
9	991,6	0,7	92	15	5			7	80		02	SB RB	991,6	0,1	90	11	6	7	60		02		991,5	- 0,5	92	08	4	8	50	TD	10	TD S	- 0,5	1,2	1,1	6	9
10	989,0	- 2,0	92	06	6			3	05	S SF	73	SF S	991,3	- 0,1	92	12	4	7	30	SB	85	SB TD S SF	995,1	- 1,1	92	08	5	8	60	TD	10	TD SB	- 2,2	0,0	0,7	6	10
11	1002,6	- 4,2	76	07	3			3	80		01	SF	1005,2	- 4,7	76	08	5	7	60	SF TD	36	SB SF TD	1007,2	- 5,0	72	08	3	3	80	30	02	30 SF	- 5,1	- 0,9	0,1	6	11
12	1010,8	- 4,7	75	09	5			7	70		02		1012,6	- 5,0	82	08	6	7	40	SF	36	SF SO	1015,1	- 6,7	74	08	6	3	80	TD	10	SF TD	- 6,7	- 4,2	0,0	6	12
13	1015,2	- 9,5	72	06	6			6	50	SB	85	SB S	1013,7	- 8,6	74	05	7	5	40	SB SO	85	SB SO	1013,5	-10,2	76	05	6	8	40	SB	85	SB SO	-10,5	- 6,6	0,0	7	13
14	1014,1	-10,5	77	05	3			6	20	SB	85	SB	1015,4	- 9,8	76	06	6	7	40	SB	85	SB SO	1017,3	- 9,0	79	06	6	7	20	SB SF	86	SB SF TD	-11,0	- 8,8	0,1	7	14
15	1019,9	- 7,5	84	06	3			3	80	TD SB	85	SB	1021,4	- 6,5	79	06	4	5	50	SB	85	SB	1022,0	- 5,9	79	08	4	6	70		02	SB	- 9,5	- 5,9	0,1	6	15
16	1024,3	- 5,7	88	07	4			3	70		01		1026,4	- 4,3	76	07	4	5	70		02		1028,9	- 5,4	75	08	4	3	84	30	02	30	- 7,2	- 3,9	0,0	5	16
17	1031,2	- 5,1	88	08	3			3	80		03		1032,3	- 2,1	66	19	3	8	80		02		1030,9	- 1,6	78	18	4	8	80		02		- 6,5	- 1,5		4	17
18	1028,6	- 0,5	81	23	1			8	80		02		1027,5	0,6	75	23	4	4	84	SO	01	SO	1025,6	0,4	73	23	4	2	86	30	02	30	- 2,0	1,0		5	18
19	1020,6	- 0,1	89	28	4			3	80		02		1019,1	0,4	71	24	4	5	86	SO	01	SO	1017,9	- 0,3	73	24	4	7	80		02		- 1,0	0,5		5	19
20	1017,0	- 0,8	89	27	4			3	80		26	SB	1017,4	- 0,3	82	27	4	8	60	TD	10	TD	1017,5	- 0,9	79	28	4	8	70		02	TD	- 0,9	0,0	0,0	4	20
21	1021,6	- 7,1	82	06	4			3	80		02	TD YR	1025,3	- 7,3	68	03	4	3	80		01		1028,3	- 7,6	69	03	4	1	86	30	02	30	- 7,6	- 0,8	0,3	4	21
22	1034,2	-10,1	77	06	4			7	50	SB	85	SB	1035,0	-10,4	75	07	3	7	70	SB	85	SB S	1034,1	-11,0	78	06	3	8	60	3	70	SB S	-11,0	- 7,6	0,0	4	22
23	1031,7	- 9,3	89	06	4			3	84	SO	02	30	1031,5	- 8,0	82	04	5	1	89	SO	03	SO	1032,0	- 8,2	74	04	5	5	99	30	03	30	-11,4	- 7,6	0,0	5	23
24	1033,5	- 9,0	91	05	4			2	83	SO	01	30	1033,0	- 7,1	73	04	3	0	89	SO	02	SO	1030,4	- 4,2	70	33	5	7	80		03	30	-10,1	- 4,2		5	24
25	1024,0	- 3,3	71	33	5			8	80	S	70	S	1021,8	- 3,3	77	36	3	8	90	S	70	S	1019,6	- 2,5	84	32	4	7	70		02	S	- 4,2	- 2,2	0,1	5	25
26	1018,6	- 2,9	74	32	4			3	80		02		1018,5	- 3,0	75	01	3	8	80		02		1018,5	- 6,0	85	32	3	8	80		02		- 6,0	- 2,5	0,1	4	26
27	1019,2	- 6,5	82	07	3			7	80		02		1020,6	- 5,9	78	04	4	7	80		02		1022,3	- 6,6	72	10	4	4	80	30 S	70	S SO	- 7,3	- 5,0		5	27
28	1021,7	- 7,5	82	07	4			3	80	SO	01	30 SB	1021,1	- 6,0	79	05	4	7	40	SO SB	85	SO SB	1019,5	- 3,8	90	07	2	8	60	30	01	30 SB	- 9,0	- 3,6	0,0	4	28
29	1018,9	- 4,3	78	11	2			2	86	30	02	30 SB	1018,1	- 1,8	81	11	2	6	70	SO	01	SO SB	1016,4	- 1,5	90	10	0	5	60	TD	10	S TD	- 6,4	- 1,0	0,0	4	29
30	1012,7	- 2,8	89	20	2			6	00	SB SO	85	SB SO	1012,0	- 3,5	73	29	4	8	70		02	SB	1010,7	- 4,7	85	29	3	6	80		02	SB	- 6,5	- 1,5	0,5	4	30
M:	1015,6	- 5,5	81		4,2		6,0						1016,1	- 4,3	77		4,3	5,8					1016,0	- 4,6	78		4,1	6,2					- 7,0	- 2,7	8,9		M

EKSTENSUTABELL

BJØRNØYA — MAI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	NN	VÆRSYMB.	KL. 13 P	T	UU	DD	F	I	VV	VÆRSYMB.	NN	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	NN	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1006,6	- 6,4	82	30	3			7	03	SB	86	SB SF	1005,6	- 5,7	60	32	3	5	70		26	SB	1005,9	- 6,6	58	35	3	6	86		03		- 6,7	- 4,5	1,7	5	1
2	1006,2	-12,3	60	35	2			3	80		02		1006,2	- 8,0	66	35	3	5	80		02		1004,2	- 9,0	66	19	4	3	70		15	30	-12,5	- 6,6	0,2	4	2
3	1002,1	- 6,4	82	09	1			6	70		15		1003,4	- 7,3	77	09	3	5	80	80	01	SB SD	1003,6	- 7,2	82	27	3	3	86	30	02	30 SB	-13,9	- 6,1	3,0	4	3
4	1002,5	- 6,8	90	09	3			3	30	SB SF	85	SB SF	1006,5	- 8,3	82	05	5	6	80	SF SD	36	SB SF	1010,1	- 8,2	68	09	4	0	86		02	30 SF	- 9,6	- 5,0	4,1	5	4
5	1011,6	- 4,8	39	33	3			2	83	30	02	30	1012,3	- 2,7	77	25	4	6	30	SB	86	SB	1011,7	- 3,5	74	30	3	4	70		20	SB	- 9,4	- 2,6	0,0	5	5
6	1015,2	- 6,7	84	36	1			1	80		02		1017,1	- 5,2	78	30	4	3	80		02		1018,3	- 4,4	72	31	6	1	84		02		- 7,0	- 3,5	0,1	6	6
7	1023,2	- 5,3	77	37	1			3	84		02		1024,4	- 4,2	73	32	3	3	84		02		1025,5	- 3,8	71	36	2	0	89	30	02	30	- 5,8	- 3,5		6	7
8	1028,8	- 9,8	73	34	1			3	80		02		1033,5	- 5,2	72	08	3	8	70	TD	10	TD SD	1034,3	- 6,3	75	37	2	8	70	TD	10	TD	- 7,9	- 3,4		4	8
9	1038,7	- 6,7	84	34	1			3	70	TD	10	TD	1037,3	- 3,3	79	20	4	8	70		02	TD	1031,4	- 1,1	92	21	4	8	80		02		- 8,0	- 1,1		5	9
10	1023,4	0,8	88	22	1			8	83	TD	10	TD	1020,2	1,5	94	22	6	9	03	T	45	T TD	1019,0	1,3	76	28	5	8	80	TD	10	TD T	- 1,2	1,6		6	10
11	1018,4	1,0	93	23	1			3	20	TD	10	TD	1018,4	1,1	92	24	1	8	50	TD YR	50	TD YR	1017,9	1,0	90	23	1	8	60	TD	10	TD YR	0,3	1,8		5	11
12	1015,7	1,3	93	21	1			3	40	TD	10	TD R	1016,2	1,5	88	20	4	8	60	TD	10	TD	1016,5	1,8	84	19	1	4	75	TD SD	10	TD SD	0,8	2,1	0,1	5	12
13	1017,4	2,8	76	18	3			1	81	30	02	30	1018,8	2,0	78	11	4	6	80	TD SD	10	TD SD	1018,5	0,1	94	12	5	9	02	T	47	T TD 30	0,1	2,8		5	13
14	1018,2	- 0,4	82	11	1			7	81		02	TD	1017,4	- 0,3	89	10	5	8	50	TD	10	TD	1014,9	- 0,5	93	07	3	8	50	TD	10	TD	- 0,5	0,2		6	14
15	1012,8	1,5	90	19	1			1	85	30	01	TD R YR	1015,5	3,0	86	16	5	8	70		03		1017,9	2,7	76	18	0	7	70		02		- 0,7	3,4	1,0	6	15
16	1024,2	1,8	86	19	3			1	80		01		1025,8	2,2	89	11	3	7	70		02		1025,9	- 0,5	92	12	4	1	08	T	44	T	- 0,5	2,9		6	16
17	1024,5	- 1,5	93	10	3			3	03	T	45	T	1023,2	- 0,9	93	10	5	9	02	T	45	T	1022,5	- 0,4	93	11	3	3	02	T	43	T	- 2,0	- 0,1		6	17
18	1022,2	1,8	93	14	2			3	03	T	43	T YR	1023,8	2,0	93	21	1	9	02	T	45	T	1024,4	1,4	92	10	3	9	03	T	45	T	- 0,5	2,2	0,4	5	18
19	1024,0	0,1	80	21	3			3	80	TD	10	TD T	1024,3	1,4	92	20	1	9	02	T	45	T TD	1025,6	2,3	89	25	3	2	60	TD	10	TD T 30	- 0,7	2,6		4	19
20	1027,2	- 0,4	83	25	1			3	02	T	45	T TD	1027,3	0,9	88	21	3	4	80	TD	10	TD T	1027,0	- 0,4	90	30	3	0	80		01	TD T	- 1,0	3,0		3	20
21	1024,6	1,2	92	19	2			3	70		02		1023,9	2,3	93	19	3	9	03	T	47	T TD	1023,5	2,0	92	19	3	7	01	T	45	T	- 0,8	2,7		4	21
22	1023,8	1,9	90	21	1			3	80		03	T	1024,6	2,9	76	20	3	8	80		02	30	1024,7	2,4	81	20	3	3	70	TD	10	TD	- 0,2	3,1		4	22
23	1024,0	1,6	93	10	2			3	04	T YR	50	T TD YR	1021,9	2,0	92	12	4	3	30	TD SD	40	TD T 30 YR	1019,0	0,9	93	12	3	0	02	T	44	T TD 30	0,8	2,5	0,0	5	23
24	1012,6	4,6	90	18	1			3	61	TD SD	10	TD R 30	1010,7	4,6	90	24	4	8	25	TD	10	TD SD	1011,8	2,3	93	25	3	2	02	T	45	T TD	3,3	7,4	0,0	6	24
25	1010,5	1,4	92	12	2			3	02	T	45	T	1008,7	5,0	86	18	3	5	80		02	T	1007,3	4,1	79	19	4	6	70		02		1,2	5,5		4	25
26	998,7	3,5	88	14	4			3	61	YR	50	YR RB	998,0	4,4	89	16	4	7	60	TD	10	TD YR	998,1	1,0	88	36	3	3	30	TD	10	TD T	1,0	4,9	0,2	5	26
27	1004,5	- 1,0	86	33	1			7	73		02	LB	1008,6	- 1,1	76	05	4	8	80		02	SB	1011,3	- 2,2	73	34	3	7	86		02		- 2,2	1,0	0,1	5	27
28	1011,7	- 1,7	89	36	3			3	80	30	02	30	1012,1	- 1,3	66	07	3	7	89	SD	02	SD	1012,9	- 2,0	89	10	3	3	89	30	02	30	- 2,5	- 1,0	0,0	3	28
29	1011,9	- 1,2	75	12	3			3	83	S	70	3 SD	1009,1	- 0,4	89	11	5	3	60	S	70	S	1009,1	- 0,3	95	10	3	3	20	L9	83	SL TD	- 2,7	- 0,3	0,0	6	29
30	1012,8	- 2,8	77	07	1			7	80		02		1017,6	- 2,7	73	07	2	8	84		02		1016,8	- 2,3	74	12	4	7	86		02		- 3,2	- 0,2	0,2	6	30
31	1004,1	- 0,8	93	12	7			9	03	S	73	3	1000,7	0,9	93	11	4	8	30	TD	10	TD S	1003,2	- 1,2	89	36	0	3	08	T S	71	TD T 3 SL	- 2,5	1,0	0,0	7	31
Mi	1016,2	- 1,5	84		3,5		6,4						1016,6	- 0,6	83		3,7	6,7					1016,5	- 1,2	82		3,7	5,8					- 3,1	0,4	11,7		MN

JØ

BJØRNØYA — JUNI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	NN	VÆRSYMB.	KL. 13 P	T	UU	DD	F	I	VV	VÆRSYMB.	NN	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	NN	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1018,3	- 4,3	69	33	1			6	70		02		1021,1	- 2,3	67	30	2	5	89	SD	02	SD	1019,4	- 0,1	86	22	4	7	70	TD	10	TD SD S	- 1,1	0,1	2,3	7	1
2	1014,8	- 0,4	70	10	1			2	80	SD	02	30	1010,7	0,0	74	12	5	7	89	SD	03	SD	1002,8	- 0,1	93	12	6	8	20	TD S	80	TD S SL SD	- 3,9	0,5	0,0	6	2
3	992,2	1,6	90	27	3			8	40	YR	50	TD T YR R	993,2	1,2	79	26	6	8	60	RB	80	RB TD	991,6	0,5	89	26	5	8	10	SL TD	80	SL TD RB	- 0,1	2,7	5,7	7	3
4	1001,2	- 0,4	84	30	1			3	60	3	70	3	1005,3	- 0,4	81	30	2	8	70		02	SB	1007,0	- 0,3	76	31	1	7	70		02	T SD	- 1,0	0,8	2,0	5	4
5	1007,9	- 0,8	74	34	3			3	80		02		1009,3	1,6	70	19	3	7	60	S	70	S	1001,4	1,0	92	12	4	8	58	TD YR	50	TD YR 3	- 0,5	1,8	0,1	5	5
6	1007,4	- 0,3	82	35	3			7	80		02	TD SL	1009,5	0,0	89	36	4	8	20	TD S	72	TD S	1011,0	0,1	79	33	3	8	70	TD RB	80	TD S	- 0,9	1,2	0,0	4	6
7	1011,8	- 0,6	89	32	3			3	80		02	RB SB	1012,9	- 0,6	71	35	4	8	70		15		1013,4	- 0,8	73	36	4	8	80	TD	02	TD	- 1,0	0,2	1,0	5	7
8	1012,2	- 0,7	89	01	3			3	50		16		1012,1	0,0	71	28	1	7	80		02		1011,9	- 0,6	73	33	2	7	84		02		- 1,2	0,7		5	8
9	1011,8	- 2,0	86	00	3			3	81		02		1012,3	- 1,0	70	04	3	8	84		02		1012,4	- 0,5	69	00	3	7	86		02		- 2,2	- 0,4		3	9
10	1013,0	- 1,6	85	38	3			7	81		02		1013,6	- 1,3	84	06	3	7	84		02		1014,2	- 1,0	86	11	4	8	84		02		- 1,7	- 0,3		4	10
11	1014,5	- 1,3	86	10	4			7	84		02		1015,2	- 1,2	70	08	4	8	84		02		1016,9	- 1,3	87	07	4	8	86		02		- 1,5	- 0,9		5	11
12	1016,9	- 2,3	77	07	2			3	81	S	70	3	1016,2	- 1,0	74	12	3	8	86		02	S	1014,2	0,7	72	20	4	3	86		02		- 2,9	0,7	0,3	4	12
13	1011,1	2,6	76	21	1			5	86	30	03	30 TD S R	1008,7	4,0	77	20	6	8	70	TD	10	TD SD	1006,8	3,0	92	21	3	8	30	TD	10	TD	0,6	4,3	0,0	7	13
14	1008,7	3,2	93	24	1			3	20	TD	10	TD	1009,4	4,8	79	24	6	3	60	TD SD	10	TD SD T	1008,1	3,1	78	26	3	7	50	TD	10	TD	2,9	5,0	0,0	6	14
15	1012,6	0,5	39	36	4			3	70		02		1016,4	1,7	76	36	2	7	70		02		1018,7	0,1	81	07	3	3	80		02	TD	0,1	3,2		5	15
16	1021,1	0,6	73	36	1			3	80		01		1022,3	2,2	69	35	3	2	84		02		1021,9	1,3	85	00	0	7	86		03		- 0,1	2,5		4	16
17	1015,5	1,6	66	18	3			3	80	LB	83	3B	1011,6	3,2	70	17	3	7	86		02		1008,6	3,0	93	17	4	8	86		02		0,0	3,5	0,0	5	17
18	1007,4	3,7	89	00	0			3	70	R	60	R	1008,0	2,1	92	26	1	9	03	T	47	RB R	1008,5	3,4	92	13	2	8	70	R	60	R T YR	2,1	3,7	2,6	6	18
19	1010,1	0,8	84	09	1			3	80		02		1011,2	1,2	73	10	1	7	89		02		1011,1	0,1	71	06	4	6	86		02		0,1	3,5	0,7	5	19
20	1008,9	- 0,2	81	08	3			3	86		02		1008,4	0,3	74	10	5	7	80		02	SB	1009,5	0,4	79	09	5	7	80		02		- 0,9	0,3	0,1	5	20
21	1010,2	1,4	93	10	5			3	50	TD	10	TD T	1011,5	1,0	93	11	4	8	40	TD YR	50	TD T YR S	1011,4	4,3	90	11	4	6	60	TD	10	TD T YR	- 0,1	4,3	0,0	5	21
22	1010,2	1,4	93	10	6			3	20	TD	10	TD T	1008,5	2,2	92	13	5	8	10	TD	10	TD R SL	1010,1	5,4	92	17	3	8	40	TD	10	TD	1,4	5,6	0,0	7	22
23	1014,2	3,4	92	00	0			9	03	T	45	T TD	1015,0	2,9	89	08	2	9	04	T	45	T TD	1015,1	1,2	93	08	4	9	04	T	45	T	1,0	6,0	3,1	4	23
24	1013,2	0,7	93	08	3			3	03	T	43	T	1011,2	5,2	73	09	4	5	86		02	T	1006,3	5,6	87	11	6	5	80		02	30	0,0	7,0		6	24
25	1001,4	6,4	81	11	6			7	82	30	02	30 R	1004,4	12,6	66	18	4	2	89	SD	02	SD	1007,0	9,2	74	10	4	2	89	SD	02	SD	4,3	15,0	0,0	8	25
26	1007,9	7,3	89	12	7			7	60	TD	40	TD	1010,0	6,2	81	13	8	7	60	TD SD	10	TD SD T	1013,2	5,7	84	13	7	7	80	TD	10	TD SD	5,2	9,2		8	26
27	1014,9	4,8	81	12	6			3	65	TD SD	10	TD SD	1014,3	5,4	75	11	6	4	80	SD	01	TD SD	1013,2	4,5	85	12	6	8	60	TD	10	TD SD	3,1	6,6		8	27
28	1014,8	5,9	86	15	5			4	80	30	02	30 TD	1016,7	8,4	77	11	5	1	75	SD	40	SD	1016,2	8,7	75	12	5	1	80	TD	10	TD SD	3,4	13,0		7	28
29	1017,4	8,8	69	33	2			2	80	30	02	30 TD	1018,5	11,7	60	00	0	1	89	SD	02	TD SD	1018,7	12,2	59	26	2	1	89	SD	02	SD	5,9	13,0		5	29
30	1020,1	12,8	58	14	3			1	73	30	40	30 TD	1020,0	9,9	66	12	5	1	86	SD	40	SD	1020,1	9,1	64	12	5	3	89	SD	03	SD	5,5	13,7		6	30
Mi	1011,4	1,8	79		3,8		6,7						1011,8	2,7	78		3,8	6,1					1011,3	2,6	79		3,9	6,7					0,5	4,2	17,6		MN

EKSTENSOTABELL

BJØRNØYA — JULI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1019,0	5,7	84	11	5			1	86 30	40 T SO	1019,8	6,8	77	11	5	1	86 SO	40 SO	1019,8	7,1	79	09	4	2	86 SO	40 SO	3,2	9,3		8	1
2	1019,0	6,6	74	10	4			1	89 SO	02 SO	1017,9	7,8	72	10	6	1	89 SO	02 SO TD	1016,9	5,8	74	11	5	1	89 SO	02 SO TD	3,4	7,7		8	2
3	1016,7	5,1	75	09	4			1	89 SO	02 SO	1016,3	6,0	59	07	4	1	89 SO TD	02 SO	1015,0	3,2	79	06	4	1	89 SO	02 SO TD	2,9	7,2		5	3
4	1013,1	2,7	77	04	3			2	89 SO	03 SO	1012,6	0,3	92	05	6	8	30 TD	10 TD SO	1012,2	0,3	93	04	6	8	20 TD	10 TD	= 0,5	3,7		6	4
5	1011,0	0,6	34	03	3			3	89	02 TD	1011,6	0,1	88	03	3	8	80	02	1012,6	2,3	79	05	4	0	89 SO	02 SO	= 0,7	2,4		6	5
6	1013,0	4,7	79	28	3			1	89 SO	01 SO T	1013,6	5,5	77	28	4	3	84 SO	40 SO	1014,4	3,5	93	28	3	8	15 TD YR	50 TD YR	0,7	5,5		4	6
7	1015,1	2,4	93	30	2			7	40 TD	10 TD YR	1014,7	3,9	85	27	3	7	60 TD	10 TD YR	1013,0	3,8	81	27	3	8	86	02 TD YR	2,2	5,0	0,2	4	7
8	1012,1	2,3	86	31	3			8	73 TD YR	50 TD YR	1012,2	3,6	81	29	4	8	86	02 TD YR	1011,4	3,7	81	28	4	8	89	02	2,3	4,2	0,0	4	8
9	1011,0	3,4	90	28	3			3	85	02 TD YR	1011,4	4,9	79	28	4	7	87	02	1011,0	3,8	88	28	4	8	88	02	2,3	4,9	0,1	5	9
10	1011,4	2,9	92	27	1			3	73 YR TD	50 YR TD	1011,8	3,8	89	28	3	8	65 TD	10 TD YR	1011,9	3,9	89	27	3	8	90 TD	10 TD	2,9	4,0	0,0	4	10
11	1010,3	4,1	93	11	2			3	03 T	45 T YR	1010,8	3,0	92	05	3	9	03 T	45 T YR	1010,8	2,8	86	00	0	7	86	02 T	2,7	4,3	0,0	3	11
12	1011,5	1,5	72	28	3			1	89 SO	01 30	1011,7	4,6	78	29	3	7	89	03 SO	1011,9	3,0	84	33	3	8	89	02 30 YR	2,4	4,9	0,0	4	12
13	1011,1	3,0	86	00	3			8	84	02 YR	1010,6	3,4	88	04	1	8	08 T YR	52 T YR	1009,9	2,9	89	32	3	8	70	15 YR	1,5	4,4	0,1	3	13
14	1009,5	1,5	22	06	3			8	60 TD	10 TD YR R	1008,7	1,9	88	07	3	8	82	40 T	1008,8	2,0	92	05	3	8	75	40 TD T	0,2	3,7	0,9	3	14
15	1008,4	0,8	93	01	3			8	60 TD	40 TD	1008,5	2,2	86	36	4	8	89	02 SL	1007,3	3,0	88	30	3	7	89	02	0,8	3,0		4	15
16	1006,4	3,9	32	26	3			3	80 SO	40 R	1007,1	5,8	69	25	4	4	89 SO	02 SO	1008,2	5,9	76	24	4	6	89 SO	02 SO	3,0	6,4	0,0	4	16
17	1010,5	6,4	79	21	3			7	80	02 30	1012,3	8,1	69	21	4	5	89 SO	01 SO	1013,7	7,6	74	21	1	7	89 SO	02 SO	5,0	8,4		4	17
18	1015,0	6,7	76	36	1			6	89	02	1015,5	7,1	79	06	2	7	89	02 YR	1015,3	4,7	76	35	3	9	89 SO	02 SO	1,7	7,6		4	18
19	1014,2	2,8	73	33	1			1	89 SO	01 30	1014,5	3,1	85	03	4	3	89 SO	02 SO	1014,0	2,5	85	35	3	6	89	02 SO	2,4	5,1	0,0	4	19
20	1013,9	1,8	33	35	3			3	80 TD	10 R	1014,3	2,2	90	05	3	8	80	02 TD	1014,4	1,8	92	05	4	8	20 TD	10 TD	1,3	2,5	0,0	4	20
21	1014,6	1,6	33	34	3			3	86	02 TD	1015,1	1,9	93	04	3	9	02 T	47 T	1015,7	0,9	93	36	4	9	04 T	45 TD T	0,9	2,2		4	21
22	1014,9	2,8	36	28	3			6	89	02	1015,1	3,2	90	33	2	9	03 T	47 TD SU	1015,4	4,3	81	35	2	8	80	40 TD	0,9	4,6		4	22
23	1015,3	3,2	39	00	0			8	70 TD YR	50 TD YR	1016,4	3,1	84	03	2	8	89	02 TD YR	1016,2	1,7	93	09	2	9	03 T	45 TD T	1,7	4,3	0,0	3	23
24	1016,7	2,0	20	11	4			8	40	40 YR	1017,2	3,5	82	11	4	6	86 SO	02 TD SO	1017,5	3,6	86	09	3	8	60 TD	10 TD SO	0,3	4,2	0,0	4	24
25	1016,7	4,6	30	10	4			3	80	02 TD YR	1016,6	7,6	78	10	4	8	65 TD	10 TD	1015,9	6,6	79	11	4	1	89 30	02 90 TD	2,7	7,6	0,1	5	25
26	1014,2	4,9	85	38	3			2	86 30	02 30	1014,5	4,6	84	06	4	7	84	03 SO	1015,0	3,0	92	30	3	9	05 T	45 T TD	3,0	6,6		4	26
27	1016,6	2,6	93	32	2			3	03 T	45 T YR	1018,1	3,2	93	00	0	9	05 T	45 T YR	1019,3	3,0	93	30	3	9	05 T	45 T	2,4	3,4	0,0	3	27
28	1020,4	1,8	93	30	3			3	03 T	45 T YR	1021,2	2,8	86	00	0	9	03 T	45 T TD	1021,3	3,5	86	31	2	8	80 TD	10 TD T	1,3	3,5	0,4	3	28
29	1019,7	6,7	90	17	4			8	60 TD	10 TD	1018,4	8,0	90	16	5	8	70 TD R	60 TD R	1014,9	9,1	93	18	4	8	30 TD YR	51 TD R	3,5	9,1	0,0	6	29
30	1013,6	6,6	92	21	3			9	07 T YR	50 T YR	1015,0	7,1	92	22	5	8	35 TD YR	50 TD YR T	1013,8	7,4	94	21	6	0	04 T YR	50 TD T	6,4	9,2	1,8	6	30
31	1013,7	7,2	93	21	4			3	30 TD	40 TD T	1013,8	6,3	93	24	4	9	04 T	45 TD T	1011,8	6,7	93	22	1	9	01 T	45 T R	6,0	7,7	0,0	6	31
MI	1013,8	3,7	86		3,1		6,1				1014,1	4,4	83		3,5	6,5			1013,8	4,0	86		3,3	6,3			2,3	5,4	3,6		IM

151

BJØRNØYA — AUGUST 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1008,0	6,3	93	26	4			3	30 TD	40 TD T YR	1007,9	5,4	92	24	4	9	80 TD	10 TD	1007,0	4,4	92	28	4	7	70 TD R	60 TD R	4,1	6,8	0,7	5	1
2	1009,8	1,3	93	35	4			3	02 T	45 TD T	1014,3	2,7	90	29	3	2	89 SO	40 TD SO	1014,4	5,1	81	30	3	1	89 SO	02 SO	2,1	5,2	0,2	4	2
3	1019,2	4,8	81	26	3			3	80	03	1020,3	6,4	77	25	3	9	89	02	1021,1	6,0	78	24	4	8	89	02	3,7	7,0		4	3
4	1021,9	4,1	85	28	3			3	80	02	1021,7	6,9	76	22	4	8	89	02	1020,7	6,2	79	24	3	7	89	02	5,0	7,0		4	4
5	1019,7	6,3	93	26	3			7	60 TD	40 YR	1019,5	7,1	84	28	3	7	89	02 SO TD	1018,5	6,5	99	27	3	9	40 TD YR	50 TD YR	5,5	7,2	0,2	3	5
6	1016,4	4,4	93	29	3			3	01 T	45 T YR	1016,0	5,8	93	09	1	9	08 T	43 T	1015,4	5,2	92	11	4	9	50 TD	40 TD	4,3	6,5	1,1	4	6
7	1012,8	5,4	92	12	3			3	40 TD	40 TD	1011,5	6,5	85	11	4	9	80 TD	10 TD	1009,9	6,2	82	11	4	8	75 TD	10 TD	3,9	7,0	0,0	4	7
8	1008,3	6,4	93	13	3			3	57 TD YR	50 TD	1008,7	7,4	90	17	3	8	50 TD	40 TD YR	1008,9	6,5	90	00	0	8	30 TD	10 TD YR	5,9	7,5	0,0	4	8
9	1009,3	5,5	92	20	3			3	20 TD	10 TD YR	1009,0	8,3	84	21	4	6	89 SO	01 TD SO	1007,9	8,3	88	29	4	8	89	01 R SO	4,9	9,0	0,0	4	9
10	1004,9	5,4	90	27	1			3	80 YR	60 TD YR	1006,6	5,8	78	25	4	8	89	02	1006,2	4,4	88	26	3	8	89	02 TD YR	4,3	8,3	0,2	6	10
11	1006,1	4,1	34	26	1			3	80 TD YR	50 TD YR R	1006,9	4,4	86	30	4	8	75 TD	15 TD R	1009,4	2,8	92	32	3	8	89	02 TD	2,8	5,1	0,1	5	11
12	1013,6	2,4	79	35	1			3	80	02	1014,0	2,8	79	33	4	7	89	02	1014,3	2,8	78	36	1	5	89 30	02 30	2,4	3,2	0,8	4	12
13	1015,5	2,1	74	32	5			7	80	02	1015,8	2,5	78	02	5	7	89	02	1016,2	1,7	94	33	4	8	80 TD	10 TD	1,6	3,0		5	13
14	1018,8	0,9	34	35	3			1	20 TD SO	10 TD T 30	1019,8	4,0	75	09	3	1	89 SO	40 SO T	1020,2	2,2	79	36	3	8	89	02 30	0,0	4,1		4	14
15	1018,4	0,9	30	10	4			3	80	02	1016,9	4,5	74	21	5	7	89	03 SO	1015,7	5,6	75	23	4	8	89	02	0,5	5,8		5	15
16	1014,8	5,3	34	26	1			3	86	02	1015,3	5,6	74	28	3	7	89	02	1015,2	4,2	78	30	3	7	89	02	4,2	5,9		5	16
17	1016,7	3,4	38	34	2			3	60 TD	10 TD	1017,6	2,5	90	01	2	4	03 T SO	44 T YR SO TD	1018,1	3,4	89	09	3	4	89 30	40 T SO	2,0	4,5		3	17
18	1019,0	2,8	34	09	1			3	10 TD SO RE	10 TD SO RE	1019,1	5,4	88	13	4	8	80 TD YR	50 TD YR	1019,0	4,4	74	08	4	8	40 TD YR	50 TD YR	1,0	5,5	0,1	4	18
19	1019,0	4,2	33	10	4			3	20 TD YR	50 TD YR	1019,0	5,2	93	11	4	8	30 TD YR	51 TD YR	1018,1	7,4	93	17	3	8	50 TD	10 TD YR	3,9	7,5	0,4	4	19
20	1015,8	6,1	93	20	4			3	04 T	45 T TD YR	1013,9	8,6	89	19	6	9	60 TD YR	50 TD YR	1010,5	8,9	86	19	7	8	50 TD R	62 TD R YR	4,4	9,2	0,4	7	20
21	1004,4	6,9	93	21	3			3	40 TD	10 TD R	1006,7	7,3	90	22	6	8	50 TD	10 TD	1007,9	8,8	93	21	3	9	08 T	47 TD T	6,5	10,0	3,9	7	21
22	1005,0	7,8	93	19	6			3	00 T	45 T	1005,3	8,4	92	20	4	9	08 T	43 T	1004,0	7,9	93	11	3	7	04 T	44 TD T	6,0	10,5	0,1	6	22
23	998,5	5,4	92	10	4			3	50 TD	40 TD T YR	997,3	9,8	93	16	5	8	50 TD	40 TD T R	998,8	8,4	92	17	6	8	50 YR	50 TD	3,1	10,7	0,2	6	23
24	1001,7	7,6	92	21	5			3	60 TD	40 TD	1002,0	7,8	92	23	3	8	60 TD	40 TD	1001,5	6,0	93	00	0	9	03 T YR	51 T YR R	5,5	9,7	1,6	7	24
25	1004,9	6,8	93	21	5			3	50 TD R	60 TD R	1008,2	8,2	90	21	3	7	89	02 TD R	1009,2	8,7	89	18	4	6	89 30	02 90	4,8	9,4	2,8	5	25
26	1006,8	4,9	38	00	0			7	80	02	1007,3	3,9	93	29	2	8	89 YR	50 YR	1009,5	4,5	90	00	0	8	89	02	3,1	8,7	0,1	4	26
27	1013,0	5,4	93	19	3			8	50 TD YR	50 TD YR	1015,0	8,2	73	19	3	3	89 SO	02 SO TD YR	1016,3	5,8	95	11	3	1	89	01 30	3,2	8,3	0,6	4	27
28	1015,9	1,7	94	08	4			3	03 T YR	51 TD SU	1013,8	2,5	93	01	4	9	03 T YR	50 T YR	1013,9	4,6	92	08	5	8	40 TD	10 TD YR T	1,2	5,8	0,1	5	28
29	1014,5	4,2	93	01	4			3	01 T R	60 TD T R	1016,2	5,6	93	07	2	9	03 T	45 T R	1017,7	4,8	93	12	4	9	03 T YR	50 T YR	3,7	5,8	0,2	5	29
30	1020,6	4,4	93	11	4			3	02 T	45 T YR	1021,3	6,6	90	11	4	8	50 TD	10 TD	1021,3	5,6	92	13	3	8	50 TD	10 TD T YR	4,3	7,1	0,9	5	30
31	1020,4	5,1	92	12	3			1	93	40 TD	1021,6	7,6	79	12	5	2	75 TD SO	40 TD SO	1022,8	5,2	84	12	4	2	89 90	02 TD SO	4,8	7,6	0,0	8	31
MI	1012,7	4,7	90		3,7		7,5				1013,2	5,9	86		3,7	6,8			1013,3	5,5	87		3,5	6,9			3,6	7,1	23,0		IM

EKSTENSOTABELL

BJØRNDYA — SEPTEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,4	4,1	85	09	2			8	80	02	1033,8	4,6	78	09	3	8	89	02	1023,5	3,6	88	18	3	3	89	02	3,6	5,3		4	1
2	1023,0	4,5	84	10	2			3	80	02	1022,4	5,4	84	09	4	8	89	02	1020,4	3,1	84	17	3	3	89	02	3,0	5,7		5	2
3	1015,8	3,7	93	08	4			9	01 T YR	53 TD T YR	1014,3	4,7	93	08	4	8	30 TD YR	52 TD YR T	1013,4	4,3	93	18	1	9	03 T YR	51 T YR TD	2,5	4,9	0,4	5	3
4	1011,9	4,8	93	10	4			9	04 T	45 T YR	1011,8	5,5	93	11	4	9	05 T	45 T YR	1011,5	4,5	93	10	3	9	04 T	45 T	4,0	6,0	1,2	5	4
5	1011,3	4,9	92	24	4			7	60 TD	40 TD YR T	1010,9	5,3	90	24	4	6	65 TD YR	50 TD RB	1010,1	4,8	92	25	4	8	30 TD YR	50 TD YR	3,9	5,6	0,3	5	5
6	1010,3	4,1	92	27	1			8	60	40 RB	1010,7	3,8	90	26	4	7	70 TD	10 TD LB	1011,2	3,3	89	27	4	7	88	02 YR	3,2	4,9	0,7	5	6
7	1013,0	1,0	85	17	3			3	80	02 TD LB	1014,4	1,9	75	05	3	3	89 SO	01 SO	1015,4	2,0	81	04	3	6	99 SO	02 SO	0,9	3,5	0,6	4	7
8	1014,2	0,0	93	12	2			9	80	02	1013,1	2,4	85	00	0	7	89	02 SO	1011,5	2,7	84	00	0	6	89	15 SO TD	- 0,8	2,7		4	8
9	1009,4	1,1	74	04	1			7	84	13	1008,7	0,9	69	04	5	8	89	02	1008,2	0,0	61	02	3	6	99	02	1,0	2,7		5	9
10	1006,8	- 0,5	58	04	3			7	80	02	1005,3	0,2	55	10	2	7	89	02	1003,9	- 0,5	36	07	2	7	89	02	- 0,5	0,4		4	10
11	1001,6	- 0,6	59	06	1			8	80	03	1001,3	- 0,3	84	04	4	8	25 SB	85 SB SO	1000,7	0,9	94	05	1	8	70 TD	15 SB	- 1,2	0,9		5	11
12	1000,8	1,6	78	03	3			4	80	02 LB TD	1001,7	1,7	77	04	4	8	89	02 LB	1002,4	0,8	54	03	3	5	80	15 SO	0,6	1,9	3,5	5	12
13	1002,2	0,1	88	05	3			3	89	02 SB	1002,8	0,2	60	01	4	9	89	02 SO	1001,7	0,5	60	06	3	7	89	02	- 0,6	1,1	0,3	5	13
14	1005,4	- 0,2	89	09	3			6	80	15	1006,8	0,1	60	11	1	7	89	02 SO	1006,5	- 0,3	92	00	0	6	80 SO	02 SO	- 0,6	0,6	0,0	4	14
15	1005,0	- 1,0	91	09	3			6	80	02	1004,8	- 0,5	58	12	3	7	89	02	1003,8	- 0,6	90	10	3	8	80	02	- 1,1	0,0		4	15
16	1001,2	0,3	85	08	3			3	80	02	1000,0	1,7	66	10	4	8	89	02	997,3	0,7	82	08	4	7	89 SB	85 TD	- 0,7	1,7		5	16
17	988,1	2,2	94	05	4			9	03 T	47 TD R	986,9	4,8	93	12	4	6	60 TD	40 TD RB T	987,0	3,5	90	08	2	7	80 YR TD	80 TD RU SO	0,8	5,5	1,0	6	17
18	987,4	4,1	93	10	3			3	23 TD	10 TD RB T	989,3	3,9	93	10	3	8	30 TD R	60 TD R T	991,1	2,6	93	05	4	8	30 TD R	60 TD R T	2,5	4,5	3,0	4	18
19	996,4	0,0	76	04	6			3	70	02 TD LB R	1000,2	- 0,3	72	04	6	6	80	02	1002,7	- 0,7	69	04	6	6	84 TD	02 TD	- 0,7	2,6	6,8	7	19
20	1003,8	- 0,4	89	08	3			7	80	02	1003,4	0,2	55	00	0	2	89 SO	01 SO	1002,6	- 0,6	60	02	3	7	89	02 30	- 1,1	0,5		6	20
21	1002,8	0,7	90	06	3			3	60 TD	40 TD	1004,5	1,0	81	06	5	9	80	02 SB TD	1006,0	0,8	76	05	0	2	96	01	- 1,6	1,2		6	21
22	1007,9	0,1	72	02	6			3	80	02	1010,0	0,5	70	02	5	6	89	02 SO	1011,7	0,7	72	03	6	7	89	02	0,0	1,0	0,0	6	22
23	1016,2	0,7	76	04	1			7	80	02 SB	1017,5	0,7	73	03	3	4	89 30	01 SO	1017,7	0,0	84	02	2	7	60	15 SB SO	0,0	0,9	0,0	6	23
24	1014,5	1,3	94	04	1			9	04 T	47 T YR TD	1013,5	1,2	94	08	2	9	05 T	45 T TD	1012,4	1,0	89	07	3	4	89	02 TD SO	0,0	2,4	0,1	4	24
25	1010,9	- 0,1	89	11	3			2	80	02	1010,7	3,1	78	11	2	1	89 SO	02 SO	1009,8	0,2	84	12	2	1	89	02 30	- 0,2	3,2		3	25
26	1006,3	- 0,3	89	21	3			7	70	15	1004,9	1,7	88	27	3	7	89	02	1003,9	- 0,7	70	33	4	9	89	02 SB	- 1,5	1,8		5	26
27	1002,9	- 1,8	78	19	3			7	80 SB	80 SB	1005,0	- 1,2	53	33	5	6	89	02	1005,0	- 1,2	55	35	5	6	89	02	- 2,1	- 0,2	0,8	6	27
28	1007,9	- 0,3	70	11	5			3	80	02	1010,0	- 0,3	79	36	6	6	70	15 LB SO	1012,3	0,0	82	13	5	7	60	15 SB	- 1,4	0,8	0,0	6	28
29	1016,0	- 0,9	87	11	1			7	90	03	1017,6	- 0,9	84	36	4	4	89	02 SO	1018,9	- 0,7	65	12	3	2	89	02 30	- 1,3	0,0	0,0	5	29
30	1019,9	- 2,2	79	14	2			6	80	15	1020,1	0,4	75	20	1	7	86	15 SO	1020,2	- 1,0	86	00	0	3	89	01 SB	- 3,9	0,5		4	30
MI	1007,9	1,0	79		3,7		7,0				1008,2	1,7	76		3,5	6,5			1008,2	1,1	77		3,2	6,3			0,2	2,1	18,5		IM

BJØRNDYA — OKTOBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1020,8	- 0,4	79	06	1			7	80	03	1021,0	- 0,8	75	09	3	3	89 SO	02 SO	1019,7	- 1,2	76	08	3	7	89	02	- 1,6	0,3	0,1	4	1
2	1015,0	- 2,9	86	10	3			3	80	01	1013,8	- 1,2	85	12	4	5	84	15 SO	1012,8	- 0,8	79	10	3	6	80	15 SO	- 3,2	1,7		4	2
3	1014,0	- 0,4	72	09	3			7	80	04	1015,7	- 0,3	72	08	4	4	89 SO	02 SO	1015,8	- 0,5	65	08	1	1	89	01 SO	- 0,5	1,1		5	3
4	1015,1	- 0,9	87	07	1			7	80	02	1013,5	- 0,6	68	06	3	7	89	02 SB	1011,9	- 0,1	82	06	5	7	80 SB	85 SB	- 1,1	0,0		6	4
5	1010,0	1,1	94	07	1			2	80	01	1010,9	1,2	73	06	5	1	89 SO	02 SO	1012,3	0,1	75	07	4	2	89	02 30	- 1,0	1,2	0,0	6	5
6	1014,9	- 1,0	86	06	5			1	80	02	1016,6	- 0,9	80	06	5	2	89 SO	01 SO	1016,9	- 0,4	87	02	0	0	79 1	83 30	- 1,4	0,3		6	6
7	1015,2	- 1,1	85	04	3			3	85	15	1014,1	- 1,0	76	33	5	7	70 SB	85 H	1014,8	- 1,6	76	34	2	6	80	02 SB	- 2,5	- 0,2	0,1	6	7
8	1015,6	- 2,2	74	14	3			7	80	02 SB	1015,6	- 1,8	86	35	2	7	50 SB	85 SB	1014,4	- 1,8	76	15	3	3	88	02 SB	- 2,9	- 1,1	0,7	4	8
9	1008,1	- 1,8	76	35	3			7	80	02	1006,8	- 1,6	81	24	1	3	89 SO	01 SO SB	1006,6	- 2,9	82	09	1	6	80 SB	85 SB	- 3,1	- 1,4	0,2	4	9
10	1004,6	- 2,0	76	13	1			3	80	02	1003,5	- 1,1	93	17	4	8	86	15	999,6	- 2,0	94	20	5	3	80 R TD	63 R TD	- 4,3	- 2,2	0,9	6	10
11	987,8	- 1,1	85	26	4			3	82	16	993,8	- 1,7	88	29	5	7	70 YR TD	50 TD YR	999,0	- 1,5	84	29	0	8	60 TD	10 TD YR	- 1,1	- 2,9	- 4,7	6	11
12	996,5	- 3,3	93	26	5			9	04 T YR	51 R YR T TD	996,9	- 1,1	93	34	3	8	50 TD	10 TD R	999,2	- 1,4	73	33	0	7	84	02 TD	- 1,5	- 3,5	- 2,0	6	12
13	1003,4	- 3,0	70	07	3			3	80	02	1004,8	- 3,3	67	08	4	8	89	02	1002,7	- 2,9	70	12	1	3	89	02	- 3,3	- 1,2	- 0,3	6	13
14	990,7	- 1,2	76	25	3			3	80	02 LB	987,3	- 0,1	92	27	2	8	80	16 S	988,1	- 1,4	65	31	6	8	70	02 S	- 2,9	- 1,6	- 0,4	6	14
15	999,9	- 2,5	72	36	3			3	80	02	1000,3	- 2,0	67	32	3	6	89	02	1000,0	- 1,9	71	30	3	7	89	02	- 3,9	- 1,1	- 1,8	7	15
16	1005,8	- 1,2	93	21	1			3	53 R	61 SL	1005,8	- 2,4	89	19	4	7	60 TD	10 TD	1005,3	- 2,2	90	18	3	8	60 TD	10 TD	- 3,3	- 2,6	- 0,3	5	16
17	998,6	- 1,5	95	17	3			3	80	03	994,7	- 2,5	98	20	5	8	89	02	991,4	- 2,8	94	21	1	9	03 T	46 TD	- 1,4	- 3,4		5	17
18	979,6	- 2,7	93	21	1			3	60 TD R	61 TD R	975,5	- 2,6	89	17	4	7	82	40 R	970,5	- 1,8	92	16	3	8	70 TD	10 TD	- 1,8	- 4,3	- 2,1	7	18
19	970,1	- 1,0	94	32	2			9	03 T YR	51 T TD YR	975,8	- 0,8	89	32	6	8	57 LB	83 LB	981,4	- 1,4	84	29	3	8	60 SB	85 SB	- 1,4	- 2,3	- 2,1	7	19
20	981,5	- 3,2	37	27	3			7	80	02	981,7	- 3,0	68	27	2	4	89	02	982,9	- 3,0	68	27	2	3	89 NL	01	- 3,2	- 1,4	- 0,5	5	20
21	987,7	- 2,4	76	27	2			3	80	02	991,6	- 0,4	88	35	3	6	89	16	994,3	- 0,1	88	32	3	8	89	02 SB	- 4,1	- 0,7		5	21
22	997,2	- 0,4	69	04	1			3	80	02	998,7	- 0,7	71	01	4	8	89	02	999,1	- 1,3	88	33	4	8	89	02	- 1,5	- 0,3	- 0,3	5	22
23	998,8	- 1,6	89	03	3			4	80	01	997,7	- 2,2	89	03	2	6	89	02	994,8	- 3,0	70	36	2	1	89	01	- 3,3	- 1,0		5	23
24	985,7	- 1,6	77	04	6			8	80 SB	85 SB	991,0	- 1,6	84	04	6	8	70	15 SB	977,7	- 1,0	78	13	7	8	80	02 SB	- 3,4	- 1,0	0,4	7	24
25	974,8	- 0,4	85	36	6			8	60 S SF	71 S SF	980,2	- 0,3	74	04	6	5	89	03	984,2	- 0,8	75	01	6	8	89	03 SB	- 1,7	- 0,2	2,4	7	25
26	990,3	- 1,3	78	36	5			8	70	16 SB	994,7	- 1,5	89	32	5	8	50 SB	85 SB	996,3	- 0,9	65	30	5	8	89	02 SB	- 1,9	- 0,8	0,7	7	26
27	981,9	- 0,4	93	18	3			8	70 SL	68 SL S	986,5	- 3,0	93	19	6	8	40 SL TD	68 SL TD	982,1	- 1,1	75	23	0	3	84	02 SL TD	- 2,0	- 3,0	- 0,9	8	27
28	951,1	- 0,4	84	33	6			8	70 SB	85 SB	961,5	- 0,3	79	34	6	5	70	15 SB	970,6	- 2,1	72	01	8	8	80 SB SF	85 SB SF	- 4,0	- 1,1	- 2,3	9	28
29	983,2	- 2,4	72	35	8			8	80 SF	36 SB SF	987,5	- 1,6	82	34	6	5	75	15	990,6	- 2,0	64	35	5	8	89	02	- 3,3	- 0,6	- 6,5	8	29
30	997,4	- 2,5	67	35	5			8	80 SB	85 SB	1001,1	- 2,5	68	36	3	7	89 SB	85 SB	1003,5	- 2,6	65	34	5	2	89 NL	01 NL	- 2,8	- 1,6	0,0	6	30
31	1003,8	- 2,7	78	36	3			8	70 SB	85	1002,6	- 3,6	82	12	3	7	86	02 SB	999,2	- 1,7	86	15	5	8	85	02 SB	- 5,0	- 1,6	0,2	6	31
MI	998,7	- 0,7	77		4,2		6,6				997,2	- 0,3	79		4,2	6,2			997,4	- 0,8	76		4,4	6,6			- 2,2	0,6	29,9		IM

EKSTENSOTABELL

BJØRNØYA — NOVEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	992,9	1,3	93	17	5			3	70	TD R	60	R	993,0	1,4	94	20	4	5	70		01	TD R	994,9	- 0,2	93	19	4	0	89		02		- 1,7	2,3	0,1	6	1
2	981,5	2,5	90	13	5			3	80		03		969,0	1,4	93	12	6	8	40	R	61	R	984,9	- 1,2	92	10	4	4	70	TD	10	R	- 0,8	2,7	1,9	7	2
3	974,9	0,5	93	10	3			3	06	T	45	TD T	981,7	- 0,1	93	35	4	8	30	TD SB	85	TD T RB YR	936,1	- 0,2	92	34	3	8	60	TD	26	TD SB	- 0,2	1,5	4,7	4	3
4	987,8	- 0,6	92	18	3			3	81		26	SB	990,3	- 1,0	86	06	4	4	89		01		993,9	- 0,5	85	07	4	7	89		03		- 1,3	- 0,2	0,6	4	4
5	1002,4	- 0,3	38	12	1			7	89		02		1003,0	- 1,3	93	18	3	3	84		02	SB	1002,1	- 0,5	81	18	3	7	89		02		- 2,7	0,5	0,0	5	5
6	998,4	0,2	84	12	1			7	83		02		996,7	1,2	85	15	4	8	89		02		995,3	0,3	92	22	3	4	89	NL	01	NL	- 3,5	1,3	0,4	5	6
7	1001,0	- 1,5	88	14	1			3	80		03		1006,1	- 2,4	78	04	3	8	89		02		1008,8	- 3,4	79	11	4	8	83		02		- 3,4	1,0		4	7
8	997,8	2,8	90	15	3			3	70	R	61	R RB	991,8	4,0	93	19	7	9	04	T	47	TD T R	990,8	5,3	88	18	2	9	40	R	61	R T TD	- 3,4	5,5	1,1	9	8
9	976,9	1,7	90	20	5			7	80		02	TD R	971,1	2,5	86	18	4	6	86	TD	25	TD LB	977,4	1,1	73	26	5	8	89		02	SB	- 1,3	5,3	2,7	9	9
10	976,2	- 2,8	87	26	5			3	80	SB	85	SB	975,5	- 3,3	86	25	5	7	84	SB	85	SB	974,7	- 2,2	81	28	7	3	89	NL	01		- 3,9	- 1,0	0,5	7	10
11	990,1	- 6,0	65	35	3			7	80		02		985,2	- 6,1	67	31	2	6	80	SB	85	SB	983,2	- 6,8	81	38	3	7	89		02	SB	- 9,0	- 1,8	0,1	7	11
12	965,4	- 1,0	93	31	3			6	80		01	SF SB S	977,9	- 6,4	93	01	7	8	60	SB SF	85	SB SF	980,9	- 7,5	85	32	5	9	70		02	SF SB	- 8,5	- 0,5	9,0	9	12
13	989,8	- 6,7	77	39	3			3	80		03		979,7	- 0,5	89	11	6	8	25	S	71	S	972,5	2,2	92	15	3	9	35	R	63	R T 3L	- 8,2	3,0	1,0	7	13
14	968,3	1,6	70	16	3			2	80		01		963,2	- 0,3	84	15	6	4	89		02		953,3	0,6	86	12	5	8	80	S	73	S SJ	- 0,8	2,8	9,2	7	14
15	961,8	0,3	95	29	4			7	80		02	SB	970,3	- 1,0	90	27	7	6	80	SF	38	SB SF	976,8	- 4,2	76	27	7	6	80	SF	36	SB SF	- 4,3	0,9	1,7	8	15
16	979,4	- 6,4	97	23	3			2	70		15	SB	978,1	- 6,8	69	25	5	5	89		02	SB	976,4	- 5,6	88	28	4	6	70	SB	83	SB	- 7,8	- 3,7	2,1	7	16
17	976,9	- 4,0	91	29	4			3	30	SB	83	SB	979,7	- 4,9	68	29	3	7	89		02		981,8	- 5,3	73	30	2	8	80	SB	85	SB	- 5,8	- 3,5	3,3	6	17
18	983,9	- 7,2	88	07	1			3	80		02	SB	983,3	- 7,5	69	03	4	6	75		15		981,8	- 7,2	70	33	3	8	50	SB	85	SB	- 8,0	- 3,4	0,1	5	18
19	983,8	- 6,9	81	04	3			3	50	SB SF	85	SB SF	985,3	- 6,8	73	05	4	8	50		26	SB	986,1	- 6,3	77	32	3	8	40	SB SF	83	SB SF	- 7,6	- 6,0	0,8	5	19
20	987,8	-10,4	79	31	2			1	89		01		989,2	- 8,2	61	34	4	3	89		02		939,8	- 6,8	74	27	3	6	89		16	NL	-12,0	- 5,6	0,3	5	20
21	993,0	- 3,7	89	31	3			3	80		02		992,7	- 7,0	78	09	2	4	89		02	SB	988,6	- 5,2	81	10	1	7	89		03		-10,5	- 3,5	0,1	7	21
22	982,2	- 4,8	77	09	6			3	80		03		982,6	- 3,7	76	09	6	8	89		02	SF	983,1	- 3,5	75	08	3	8	80		02	SF	- 6,5	- 3,2	0,1	7	22
23	984,0	- 1,5	85	11	3			3	30	SB SF	83	SB SF	985,6	- 1,0	93	24	5	8	30	SB SF	85	SB SF	989,3	- 2,4	87	28	3	8	83		26	SB	- 3,7	- 0,5	0,1	7	23
24	991,2	- 2,6	90	09	3			3	50	SB SF	85	SB SF	993,5	- 3,5	81	09	5	8	30	SF SB	85	SB SF	995,1	- 4,6	78	07	3	8	40	SF	38	SB SF	- 5,3	- 1,8	4,2	7	24
25	998,8	- 7,8	74	06	3			1	80	SF	36	SF	1001,3	- 9,7	75	05	3	6	30	SB	85	SB SF	1003,4	-10,1	74	01	3	8	50	SF	36	SB SF	-10,1	- 4,6	0,4	5	25
26	1006,1	-12,3	77	04	3			7	80	SF	36	SB SF	1008,1	-12,7	81	03	3	8	80		02		1010,4	-13,6	79	04	3	9	50	SB SF	85	SB SF	-13,6	- 9,6	0,1	6	26
27	1016,6	-13,0	79	05	4			3	80		02	SB	1021,5	-13,7	77	03	4	5	86		01	SB	1024,5	-12,7	75	06	3	1	89	NL	02	NL	-13,8	-12,7	0,3	5	27
28	1026,1	-11,5	78	11	3			2	80		01	SB	1022,5	- 3,4	71	15	3	6	89		02	SB	1020,1	- 3,0	74	17	3	3	89		02	SB	-14,0	- 2,5	0,0	6	28
29	1015,2	- 0,4	90	18	7			3	10	SB SF	86	SB SF	1014,6	- 0,4	90	19	4	7	89		02	SB	1015,1	0,5	86	19	3	3	82		02		- 3,2	0,6	0,3	7	29
30	1007,5	1,9	93	21	7			3	70	R	63	R	1010,2	2,5	92	23	6	8	60	TD	10	R TD	1012,3	2,2	97	22	3	8	13	YR TD	51	TD YR R	- 1,3	2,8	3,9	8	30
Mi	989,9	- 3,3	81		4,7		6,6						990,4	- 3,2	81		4,7	6,5					990,8	- 3,4	81		4,6	6,6					- 5,8	- 1,1	48,7		MM

BJØRNØYA — DESEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1008,9	1,7	78	42	6			1	80		01	TD R	1007,1	0,2	65	26	7	6	89		03		1010,7	- 3,7	73	30	7	9	89		02		- 4,0	2,8	0,9	8	1
2	1018,9	- 2,3	73	31	5			3	80		02		1021,0	- 1,5	75	32	4	8	88		02		1023,9	- 1,2	79	26	3	6	83		02		- 4,5	0,0	0,1	7	2
3	1018,8	0,1	81	27	3			3	86		03		1018,7	0,2	82	27	3	1	89		01		1018,6	- 0,1	82	28	1	3	89		03		- 1,2	0,4		5	3
4	1019,0	- 0,4	84	28	3			3	80		02		1020,1	- 1,1	78	23	3	7	89		02		1018,5	0,3	92	26	1	9	15	SB	86	SB	- 1,1	0,5	0,0	4	4
5	1010,3	0,4	92	24	1			3	86		02	SB	1019,3	- 1,8	81	27	4	8	85		15	SB	1013,0	- 0,9	85	33	0	8	84		02	SB	- 2,2	0,3	1,2	6	5
6	1019,2	- 2,3	77	21	2			3	80		02		1017,3	- 1,0	78	26	4	8	85		02		1016,5	- 1,0	82	27	2	8	81	SB	83	SB	- 4,0	- 0,8	0,5	6	6
7	1021,0	- 5,4	75	15	3			3	82		02		1018,8	- 3,3	88	21	5	8	80	S	70	S	1016,0	1,2	85	24	1	8	70	3L	68	3L S	- 5,6	1,2	0,2	5	7
8	1009,5	- 0,4	93	32	3			3	90	3	70	3	1008,5	- 1,4	75	01	4	8	75	S	70	S	1006,3	- 2,5	81	34	3	3	89		02		- 2,5	1,2	0,2	5	8
9	1004,3	- 2,2	90	10	3			3	50	3 SF	71	3	1009,4	- 4,8	82	08	5	8	40	3 SF	71	3 SF	1013,5	- 7,5	70	19	5	7	84	3F	36	3F	- 7,5	- 2,2	0,4	6	9
10	1016,0	-10,0	67	10	4			4	89		01		1015,6	- 9,2	70	10	1	8	88		02		1013,6	- 7,0	76	12	1	8	80		02		-10,2	- 7,0	0,1	5	10
11	1010,8	- 5,0	76	12	6			3	70	3F	37	3F S	1012,8	- 5,8	70	11	6	4	89	3F	36	3F	1015,5	- 6,6	67	10	4	7	80		02	S SF	- 7,0	- 4,6	0,1	6	11
12	1017,3	- 6,3	70	07	3			3	80	S	70	3	1017,1	- 5,8	76	10	4	8	70	S	71	S	1015,4	- 7,4	76	10	4	4	85		01	3	- 7,1	- 5,5	0,0	5	12
13	1012,4	-11,3	79	07	3			1	80		02		1010,1	-10,8	85	06	3	7	89		02		1007,9	- 8,7	73	07	3	8	80		03		-11,3	- 9,7	0,1	4	13
14	1004,7	-12,5	81	07	1			3	80	SB	85	SB	1004,1	-14,2	79	08	3	7	80		03	SB	1003,1	-13,3	77	08	3	5	89		02		-14,8	- 8,5	0,0	4	14
15	999,3	-14,0	85	12	2			7	80		03		994,4	- 8,8	89	12	4	8	50	S	71	S	986,2	- 4,1	93	13	6	9	03	S SF	73	S SF	-15,6	- 4,0	0,0	8	15
16	980,7	- 7,8	66	16	1			6	89		02	SB SF	978,8	- 6,3	64	09	1	6	86		03		977,1	- 4,4	90	36	6	9	03	SB SF	86	SB SF	- 9,0	- 3,2	2,1	6	16
17	979,5	- 5,0	90	28	3			3	01	SB SF	86	SB SF	935,3	- 6,2	79	24	5	8	89		01	SB SF	980,8	- 9,0	84	16	1	4	89		03		-10,5	- 3,3	12,9	8	17
18	996,0	- 3,7	85	06	3			3	80		02	SF	1003,2	- 5,0	81	06	4	2	89		02		1007,1	- 5,0	81	07	1	2	89	NL	02		-10,3	- 3,3	2,6	5	18
19	1011,2	- 3,6	81	06	3			3	82		03		1014,7	- 3,1	93	09	6	8	20	SB SF	86	SB SF	1019,0	- 4,8	90	11	4	1	86	NL	01	SB SF	- 6,5	- 2,8		6	19
20	1023,1	- 6,4	73	17	1			3	80		02		1023,7	- 6,2	67	17	4	1	89		02		1021,0	- 5,5	68	16	4	0	89	NL	02	NL	- 7,5	- 3,9	0,4	5	20
21	1009,9	- 3,3	89	13	4			7	40	SB	85	SB SF	1005,3	- 1,8	92	09	4	8	35	S	71	S SB	1004,5	- 1,7	93	09	3	9	06	SB	86	SB S	- 5,6	- 1,6	0,1	6	21
22	1014,8	- 2,8	85	08	4			3	80		02	SB	1019,9	- 3,5	88	12	4	4	89		02		1022,6	- 5,4	77	07	2	2	89	NL	01	S NL	- 5,9	- 1,5	5,8	6	22
23	1024,9	- 6,0	85	19	4			2	80		02		1025,3	- 4,7	75	22	5	3	89		02		1022,6	- 3,9	79	24	4	2	89	NL	02	NL	-10,2	- 3,7	0,2	5	23
24	1010,7	- 0,7	74	27	7			3	80	SF	37	SF	1008,9	- 1,3	85	29	4	8	85	S	70	S SF	1008,9	- 1,6	92	33	1	8	89		02	SB S	- 3,9	- 0,3		7	24
25	1010,3	- 3,7	86	03	1			3	70	SB	85	SB	1015,3	-10,0	60	03	6	3	89		02		1017,7	-13,0	64	14	6	8	88		03	NL	-13,0	- 1,3	0,2	7	25
26	1018,9	-15,9	62	03	3			6	82	SB	85	SB	1021,1	-18,3	64	06	5	3	89		01	SB	1022,1	-19,0	66	36	3	3	80	SF	36	SF	-19,2	-13,0	0,0	6	26
27	1026,0	-22,6	69	04	7			2	80	SF	36	NL SF	1029,3	-21,8	70	05	6	1	89		02	SF	1030,2	-22,0	71	04	3	1	89	NL	02		-22,6	-19,0	0,0	7	27
28	1030,5	-21,2	74	08	3			2	80		02	SF	1031,7	-20,6	73	05	5	1	89		02		1032,2	-21,8	74	06	3	0	89	NL	02	NL	-22,2	-20,6		5	28
29	1030,8	-18,9	82	07	3			0	80		02		1029,4	-17,6	82	05	2	3	89		02		1028,7	-17,7	73	10	3	6	80		03		-22,2	-17,3		5	29
30	1022,8	-19,4	75	07	3			2	20	SF	36	SB SF	1023,2	-21,8	74	05	4	4	89		02	SF	1016,4	-16,7	69	31	4	4	89		02	NL	-22,6	-10,5	0,3	8	30
31	1000,3	- 9,5	93	02	6			8	03	SB	86	SB	1003,1	-14,7	70	04	4	6	80	SF	36	SB SF	1002,8	-12,9	69	28	3	8	89		03	NL SF	-16,7	- 8,3	2,0	8	31
Mi	1012,3	- 7,2	80		4,8		5,7						1013,0	- 7,5	77		4,4	5,6					1012,8	- 7,3	79		4,2	5,7					- 9,9	- 4,7	30,1		MM

EKSTENSOTABELL

JAN MAYEN — JANUAR 1978

DT	KL. 07 P	T	JU	DD	F	N	SS	I	VV	VÆRSYMB.	NN	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	NN	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	NN	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	986,8	-7,7	21	33	3	4		3	01	SF	39	SF SB	988,7	-8,7	80	01	8	9	01	SB SF	86	SB SF	989,5	-6,6	82	16	7	9	03	SF	36	SF SB	-9,1	-6,5	3,8	9	1
2	990,8	-7,4	75	16	7	4		3	01	SB SF	85	SB SF	974,6	-9,2	69	36	7	7	30	SB	85	SB SF	974,1	-7,5	82	33	3	9	05	SF SB	85	SB SF	-9,7	-5,4	7,5	9	2
3	999,9	-7,6	82	36	3	4		3	02	SB SF	85	SB SF	1033,9	-7,7	79	01	5	8	10	SB	85	SB SF	1038,8	-7,6	72	16	6	7	10	SB SF	85	SB SF	-8,0	-6,0	4,9	6	3
4	1013,4	-8,4	86	16	1	4		7	61	SB	85	SB	1014,7	-7,7	72	36	1	7	30	SB	85	SB	1013,8	-7,4	62	12	3	4	82		02	SB	-8,7	-7,4	2,1	5	4
5	1002,0	-4,8	60	12	1	4		3	80		02		998,2	-4,0	63	11	1	9	80		02		995,9	-3,0	88	13	4	8	80	NL	02		-9,2	-3,0	1,1	4	5
6	986,8	0,2	94	14	3	3		3	82		02		976,0	-1,8	88	04	4	8	25	SB	85	SB	971,3	-0,9	90	12	3	6	70	SB	85	SB	-3,2	-0,2	0,0	6	6
7	978,1	-3,8	75	12	7	4		1	23	SB	85	SB SF	986,7	-5,4	87	01	8	8	10	SB	85	SB SF	981,3	-5,4	76	35	3	7	60	SF	36	SF SB	-5,4	-0,8	3,2	8	7
8	998,0	-7,4	72	35	3	4		3	60	SB	85	SB	1030,7	-10,6	66	35	4	5	50		16	SB	999,5	-12,2	87	11	3	1	84		02	SB	-12,5	-4,7	2,3	7	8
9	989,7	-10,4	70	16	5	4		3	81		02	NL	990,3	-10,2	67	01	4	8	60	S	70	S SF	981,8	-10,8	69	16	1	6	70	NL	02	S	-12,5	-10,0	0,3	6	9
10	995,0	-13,0	60	16	3	4		6	60	S SF	70	S SF	998,0	-14,3	69	36	5	7	40	SB	85	SB SF	999,5	-14,9	73	16	6	6	10	SB SF	85	SB SF	-15,1	-10,8	0,2	6	10
11	1010,4	-15,6	69	16	3	4		3	20	SB SF	85	SB SF	1016,3	-15,6	47	16	3	6	50		02	SF SB	1019,5	-16,0	52	16	3	7	60	SB	85	SB	-16,3	-13,3	2,7	6	11
12	1007,1	-8,7	32	27	1	4		3	60	SB	85	SB	999,1	-3,7	87	22	6	9	25	S SF	71	S SF	997,2	-1,6	94	15	1	8	20	S	71	S SF	-17,0	-1,6	1,7	6	12
13	989,2	-4,4	31	15	3	4		7	11	SB	88	SB SF	998,9	-9,0	84	14	3	9	03	SF SB	85	SB SF	1004,1	-9,0	75	16	3	8	30	SB	85	SB SF	-10,3	-0,4	7,4	7	13
14	983,1	-0,8	94	19	1	4		3	05	S	71	S SB	973,3	0,0	91	22	6	8	30	SB	85	SB	975,0	-4,4	73	27	5	9	70		02	SB	-9,0	-1,0	8,3	6	14
15	983,6	-15,4	75	14	5	4		8	13	SB	85	SB	987,1	-14,1	66	36	5	8	80		02	SB	991,8	-10,2	79	16	5	7	15	SB SF	85	SB SF	-15,5	-4,4	2,0	6	15
16	1003,5	-14,1	75	15	3	4		3	20	SB SF	85	SB SF	1007,3	-15,8	69	36	6	7	07	SF	38	SF SB	1010,0	-15,2	58	16	3	8	70		20	SF SB	-16,0	-10,2	2,4	6	16
17	1013,7	-13,9	58	16	3	4		4	81		01	SB	1012,7	-15,1	51	24	1	5	80		26	SB	1010,3	-7,2	75	27	3	3	15	SB	86	SB	-15,5	-7,2	1,1	5	17
18	1008,2	-4,9	82	20	3	4		3	70	SB	85	SB	1018,9	-4,3	75	21	4	6	70		02	SB	1018,3	-4,1	88	23	3	7	70	SB	85	SB	-9,8	-3,0	4,7	6	18
19	1006,2	-1,4	71	12	1	4		4	80		02	SB	1016,0	-0,8	71	09	4	8	80		02		1015,9	-0,4	85	19	3	7	80		02		-4,6	-0,4	0,1	5	19
20	1006,5	0,2	73	19	1	4		7	81		02	S	1016,9	0,0	94	09	3	6	80		02		1016,0	0,6	93	18	3	3	50	TD	10	TD	-0,9	0,6	0,0	4	20
21	1004,1	1,1	93	12	1	4		8	61	TD	10	TD	1016,5	1,2	93	13	3	8	20	TD YR	50	TD YR R T	1017,8	1,6	91	10	3	7	50	TD	10	TD	-0,5	1,6		4	21
22	1010,8	1,6	91	11	1	3		8	40	TD	10	TD YR	1013,0	1,4	91	08	2	6	56	TD	10	TD	1013,1	1,0	87	09	2	5	80		01	TD	-1,0	2,0	3,6	3	22
23	1007,9	0,6	88	12	1	3		2	89		01		1015,8	0,2	88	09	4	5	70		03		1013,7	0,2	95	10	0	3	80		01	TD SB	-0,3	1,9		6	23
24	1004,4	2,2	82	09	3	3		4	86		01	S	1006,4	2,2	50	03	4	5	86		02		1008,4	2,5	84	11	4	6	81		02		-2,6	-0,2	0,0	6	24
25	1014,7	5,4	82	15	3	3		3	81		02	SB	1018,8	7,4	98	05	3	6	84		02		1019,8	9,3	82	15	4	3	85	NL	02		-2,5	-2,5	0,2	5	25
26	1018,6	-10,9	99	14	1	3		3	81		02		1018,1	-10,2	60	02	4	6	70		02	SB	1017,0	-11,4	66	16	4	6	70	S	70	S	-11,4	-9,0		5	26
27	1013,7	-13,2	73	12	5	4		7	43	SB	85	SB	1012,0	-14,1	80	36	5	7	30	TD SB	85	TD SB SF	1009,3	-14,6	92	14	5	7	13	SB SF	85	SB SF TD	-14,9	-11,2	0,2	5	27
28	1006,9	-14,2	72	16	1	4		3	81		02	SF	1005,7	-14,7	67	34	4	6	80		02		1008,4	-16,6	71	16	3	8	60	SB	85	SB	-17,0	-14,0	0,2	6	28
29	1005,9	-11,0	87	01	5	4		3	31		16	SB SF	1009,3	-10,4	88	35	5	5	40	SF SB	85	SB SF	1011,2	-12,8	76	15	5	2	86		01	30	-17,2	-10,4	1,1	6	29
30	1012,4	-7,2	51	19	1	4		3	80		02		1012,0	-4,6	55	19	5	7	80		02		1012,0	-2,6	65	19	6	4	80		02	30	-12,9	-2,6	3,1	6	30
31	1013,8	-1,2	79	19	6	4		3	80		02	NL	1015,6	-1,4	70	17	5	5	84		02		1015,2	-0,9	75	15	4	6	84		02		-2,6	-0,5		6	31
M:	1002,1	-6,7	73		4,8		6,9						1003,0	-7,1	73		4,5	6,7					1003,1	-6,8	75		4,2	6,1					-9,5	-4,4	61,2		IM

JAN MAYEN — FEBRUAR 1978

DT	KL. 07 P	T	JU	DD	F	N	SS	I	VV	VÆRSYMB.	NN	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	NN	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	NN	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1007,6	-1,1	35	04	3	4		3	60	S	70	S	1032,3	-0,6	91	35	4	7	70	SB	85	SB S	1031,7	-0,2	88	31	3	1	80		26	SB	-1,7	-1,1	0,0	5	1
2	1005,5	-2,1	33	34	5	4		3	61	TD	10	SF TD RI S	1010,8	-2,0	91	36	4	9	09	T	47	T TD S SF	1016,5	-6,0	90	35	1	8	06	SB SF	85	S T SF SB	-6,0	-0,7	0,9	6	2
3	1022,0	-8,0	30	34	7	4		3	80	SF SB	83	SF SB	1025,3	-6,6	87	33	5	7	70		02	SF SB	1025,7	-5,4	85	31	4	8	65		02		-8,2	-5,2	3,8	7	3
4	1024,0	-1,2	75	09	3	4		3	23	SB	85	SB	1022,5	-0,4	88	10	5	7	70	S	70	S SB	1021,3	0,6	91	10	4	3	70	TD	10	S LU TD	-5,4	0,6	0,5	6	4
5	1023,2	1,2	35	10	1	4		7	71		02		1025,9	1,2	87	11	4	8	30	SL	68	SL	1027,7	1,0	88	10	1	3	50	TD	10	TD SL SB	0,4	1,4	0,1	5	5
6	1031,1	0,2	91	10	1	4		3	71	S	70	YR SL SB	1032,6	0,0	88	10	4	8	30	LS	83	LS SL S	1032,6	0,2	90	11	1	8	50	TD	10	T YR	-0,2	1,7	0,6	4	6
7	1031,7	0,6	88	14	1	4		3	81		02		1032,3	0,1	87	36	1	5	80		04		1031,6	0,1	91	19	2	8	60	SB	85	SB	-1,0	0,1	0,5	3	7
8	1027,9	0,2	93	20	2	4		3	23	SB TD	54	SB	1027,3	0,4	82	29	3	6	70	SB	85	SB	1026,8	1,0	88	24	2	7	60		15	SB	-1,0	0,1	1,3	4	8
9	1027,4	2,8	90	01	3	4		7	71	S	70	S	1028,6	4,2	98	01	3	7	80	TD	02	T SB S	1028,1	6,7	87	12	3	3	50	S TD	70	S TD SB T	-6,7	-0,8	0,6	4	9
10	1024,1	7,6	91	01	3	4		7	71		02	S	1023,8	8,0	82	36	4	8	70	SB	85	SB	1022,8	8,7	71	01	4	3	70	SB	85	SB	-9,2	-6,7	0,2	4	10
11	1020,3	-6,6	37	02	6	4		3	13	SF	36	SF SB	1023,5	-5,0	66	11	4	3	80	SO	01	SF SO SB	1025,8	-5,9	64	33	3	3	84		02	30	-9,2	-4,5	0,2	6	11
12	1030,2	-12,7	38	16	3	4		3	23	SB SF	85	SF SB	1035,0	-13,7	87	36	6	7	15	SF TD SB	85	SF SB TD	1037,8	-18,8	83	01	7	8	50	SF	38	SF SO	-18,3	-5,6	0,1	7	12
13	1038,9	-17,0	85	12	6	4		7	31	SB SF	85	SB SF	1039,5	-16,6	84	35	5	5	40	SF SO	38	SF SO SB	1034,8	-17,4	84	34	5	3	90	SF	38	SF SO	-19,0	-16,0	0,8	7	13
14	1025,6	-14,6	18	33	1	4		3	84		02	NL	1022,4	-13,2	82	03	2	4	75	IN SO	76	SO IN NL	1018,5	-10,2	90	02	2	8	80	S	70	S SB 30	-17,4	-10,0	0,1	5	14
15	1014,4	-12,9	82	15	6	4		4	70	SF	36	SF	1020,5	-15,0	75	01	5	7	40	SF SB	85	SF SB	1024,8	-20,8	73	01	5	8	25	SF SB	85	SF SB	-20,8	-9,5	0,1	6	15
16	1027,8	-22,2	71	36	3	4		3	70	SF	36	SF	1028,6	-20,1	70	36	6	3	70	SF SO	36	SF SO	1027,6	-19,8	70	33	4	5	30	SF TD	36	SF TD 30	-23,4	-19,4	1,2	7	16
17	1024,2	-21,8	73	35	3	4		3	70	SF	36	SF	1025,3	-21,2	78	36	5	4	75	SO	02	SF SO	1024,9	-19,5	72	16	5	3	80		02	30	-21,6	-19,5		6	17
18	1022,1	-19,1	77	16	6	4		3	40	SF	36	SF NL	1019,3	-17,6	77	33	7	1	60	SF SO	36	SF SO	1018,0	-16,4	58	12	4	2	85		03	SF SO	-19,5	-16,4		7	18
19	1014,7	-13,6	71	16	4	4		6	70	S	70	S	1017,5	-10,4	70	35	6	3	70	SO	01	SF	1019,1	-20,8	69	36	6	3	75		36	SO	-21,3	-13,5	0,0	7	19
20	1021,6	-19,8	79	13	7	4		4	65	SF NL	36	SF NL	1023,2	-19,2	82	35	5	3	70	SF SO	36	SF SO	1023,9	-18,5	83	15	4	4	20	SF SB	85	SF SO SO	-20,8	-18,5		7	20
21	1023,6	-18,1	79	16	5	4		2	80	SF	36	SF SB	1023,5	-16,0	82	35	5	2	82	SO	01	SO SF	1022,4	-14,8	54	30	3	2	84		02	30	-18,7	-12,8	0,6	6	21
22	1014,8	-7,8	93	11	1	4		3	20	SB	85	SB	1011,4	-6,4	73	28	3	8	60	S TD	70	TD S SB	1007,0	-6,6	88	04	2	7	60	TD S	70	TD S	-14,3	-4,2	0,1	4	22
23	995,5	-4,2	38	14	1	4		3	60	S	71	S	998,4	-12,0	85	34	7	6	15	SF	38	SF SB S	1001,4	-18,8	82	15	6	4	15	SF	39	SF	-19,3	-4,0	4,0	7	23
24	1000,7	-20,5	75	16	6	4		5	60	SF	36	SF	1000,3	-20,0	72	01	5	5	70	SO	02	SF	998,0	-19,3	75	16	6	8	20	SF SB	85	SF SB	-21,3	-18,8	0,3	7	24
25	993,8	-13,2	83	01	7	4		9	02	SF	37	SF	993,2	-12,8	84	36	7	9	01	SF	39	SF	992,6	-11,4	82	02	8	9	01	SF	39	SF	-19,4	-11,0	1,2	8	25
26	996,0	-12,5	82	01	7	4		9	01	SF	39	SF	996,1	-11,3	82	02	8	8	06	SF SB	85	SF SB	995,1	-10,2	80	02	8	8	20	SF TD	36	TD SB SF	-13,0	-9,8		9	26
27	991,2	-0,2	82	08	8	4		8	61	TD	02	TD SB	989,6	-1,8	85	08	7	8	05	TD S	71	TD S	986,2	-1,2	90	08	8	9	10	SB SF	85	S SB SF	-10,2	-0,2	1,1	9	27
28	981,9	0,4	88	09	6	4		9	02	S SF	73	S SF	980,8	0,7	90	10	1	8	12	TD R	61	TD R SF S	983,2	0,2	91	00	0	9	02	T YR	51	TD R T YR	-1,2	1,2	4,5	8	28
M:	1016,5	-9,2	83		4,8		6,1						1017,1	-9,4	82		4,7	5,9					1017,0	-9,9	80		4,2	6,1					-12,5	-7,1	25,4		IM

EKSTENSOTABELL

JAN MAYEN — MARS 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	988,3	-3,3	88	31	9	4		3	50 TD	10 TD T	993,0	-6,4	84	32	9	7	30 TD	10 TD	1000,7	-9,0	82	31	5	6	40 SB	85 TD S3	-9,0	-0,2	1,5	9	1
2	1004,4	-8,9	82	36	1	4		7	50	02 SB	1003,7	-5,4	83	02	2	8	70 SB	85 TD SB	998,9	0,4	85	09	4	3	70 TD SL	83 TD S3	-10,1	0,5	0,0	6	2
3	994,7	0,9	88	16	2	4		8	50 TD	10 TD R	994,0	0,1	90	21	2	8	35 TD	02 TD R	991,3	0,4	90	17	3	3	10 TD R	60 TD T R RB	-0,1	1,1	6,1	4	3
4	994,1	-6,8	90	33	7	4		3	20 SB SF	85 SB T SF	1001,6	-10,1	77	34	5	9	05 TD SB SF	85 TD SB SF	1004,6	-12,2	71	36	8	9	03 SF	38 SF SB TD	-12,2	0,6	10,4	8	4
5	1015,0	-12,9	57	36	5	4		6	60 SF	36 SF SB	1018,8	-12,1	58	35	4	3	88 SO	01 SO SF	1020,9	-10,4	46	18	1	2	89	02 30	-13,2	-10,4	3,9	8	5
6	1017,8	-4,8	87	20	1	4		7	80	03	1014,0	-2,5	72	21	5	8	70	02	1009,4	-1,7	88	19	4	3	80	02 3	-10,4	-1,7		5	6
7	998,8	-0,8	91	10	3	4		3	10 3	73 3	993,8	0,2	91	13	3	9	06 T YR	51 T S YR	990,2	1,2	91	06	1	3	03 T YR	51 T YR	-1,7	2,0	0,8	4	7
8	986,5	-0,6	23	23	2	4		3	03 T	43 T YR	986,5	1,0	90	22	2	7	60 TD	02 TD T	987,0	-1,3	90	15	6	8	50 TD	10 TD	-1,3	2,0	0,5	6	8
9	995,0	-2,4	88	34	7	4		7	33 SB SF	85 SB SF	999,6	-2,8	85	33	4	8	50 TD S	70 TD SB S SF	1001,4	-7,0	87	33	6	9	03 T SF TR	45 S SF T TD	-7,0	-1,2	0,1	7	9
10	1010,2	-6,9	85	01	3	4		8	70	02	1013,5	-5,0	90	34	3	6	80	02	1016,4	-4,6	83	12	2	7	80	02	-8,1	-4,6	1,3	6	10
11	1013,0	-2,4	90	30	3	4		3	13 TD SL	68 T SL YR TD	1010,7	-2,9	85	00	0	6	80	02 S	1007,4	-4,4	88	36	4	3	40 TD	10 TD T	-4,6	-2,0	1,6	4	11
12	1002,9	-15,2	83	35	9	4		9	03 SF	39 SF	1018,8	-11,6	80	36	9	8	20 SB SF	85 SB SF	1008,1	-7,3	69	36	3	6	60 SB	85 SB SF	-15,2	-4,4	0,8	6	12
13	1011,4	-13,4	84	36	5	4		3	03 SB SF	85 SB SF	1010,5	-9,3	58	36	2	5	80 SO	03 SO SF	1010,4	-8,9	57	31	2	4	89	03 30	-15,0	-7,1	3,1	7	13
14	1009,7	-4,8	82	16	3	4		6	60 SB	85 SB NL	1010,1	-3,4	69	15	4	3	89 SO	01 SB SO	1009,3	-3,5	76	18	3	3	89 SO	15 30	-9,0	-3,0	0,3	4	14
15	1007,2	-5,0	90	00	0	4		6	70 S	70 S NL	1007,3	-3,8	88	28	1	7	84 KS	77 KS S	1006,4	-2,8	72	28	2	7	70 S	70 S	-5,8	-2,7	0,1	3	15
16	1007,4	-15,2	83	36	7	4		6	20 SF	38 SF S	1010,2	-15,9	73	35	6	2	80 SO	01 SO SF	1012,2	-17,2	67	36	6	1	98	02 30	-17,2	-2,8	1,6	8	16
17	1010,8	-17,0	73	00	0	4		5	83	03 NL	1009,5	-13,6	73	16	2	6	82	02 SB	1008,1	-11,8	75	13	1	5	86	02 38	-19,2	-11,3		6	17
18	1002,7	-7,1	64	18	1	4		3	82	03 NL	998,8	-4,5	69	19	4	8	80	02	991,7	-2,3	90	17	4	8	20 TD S	70 TD S	-12,2	-2,3	0,1	5	18
19	978,7	-0,6	90	20	2	4		3	50 TD	10 TD T YR	978,1	-0,6	91	20	2	9	06 T YR	51 TD T YR	974,8	0,7	91	11	3	3	30 TD R	61 TD T R YR	-2,3	0,7	3,5	4	19
20	971,3	1,3	88	14	3	4		3	50 TD R	60 TD YR R	969,7	1,2	87	10	3	8	40 TD	10 TD R	973,6	1,5	85	16	4	3	45 TD YR	50 TD R	0,1	2,0	5,4	4	20
21	986,2	0,2	88	18	1	4		3	70	02 YR S	993,5	0,1	84	21	2	7	70 SO	02 SO	996,0	-0,2	88	17	2	7	80	02	-1,0	1,5	0,2	4	21
22	993,0	-0,4	91	20	2	4		7	63 TD	26 TD SB	992,8	0,5	88	12	3	5	80 SO	01 TD SO SB	992,4	0,7	88	10	2	5	83	01 SO	-0,9	1,3	0,7	3	22
23	953,3	0,4	32	36	1	4		7	75 SB	85 SB	995,3	1,9	69	00	0	6	83 SO	03 SO SB	997,5	2,6	31	31	5	9	03 T	44 T SO	-2,6	2,0	0,2	5	23
24	1001,3	-3,0	88	36	1	4		3	50 SB	85 SB	1000,7	-3,8	90	36	1	8	30 TD SB	85 TD SB	999,2	-4,2	82	36	5	9	80 SF	36 SB SF	-4,2	-1,9	0,5	5	24
25	996,8	-2,8	85	09	5	4		5	63	02 SF S	997,1	-3,2	80	02	6	4	85 SO SF	36 SO SF	998,2	-4,9	83	12	3	7	50 SB SF	85 SB SF SO	-4,9	-2,1	0,7	6	25
26	999,7	-4,3	73	36	3	4		3	80 SB	85 SB SF	1001,6	-3,6	84	01	4	7	50 SB	85 SB	1002,9	-5,0	82	31	5	6	70 SB	85 SB SO	-5,0	-3,0	0,2	6	26
27	1001,2	-6,9	70	31	3	4		1	73	01 SB SF	1000,9	-5,4	75	36	6	3	82 SF	36 SF	999,6	-4,4	82	31	5	3	82	02 SF	-7,2	-4,4	0,4	6	27
28	1000,4	-8,1	34	36	3	4		7	40 SF	36 SF	1001,1	-6,8	82	36	5	7	60 SF SO	36 SF SO	1001,0	-6,0	83	32	6	9	50 SF	36 SF	-9,6	-4,4		7	28
29	999,4	-7,4	38	32	5	4		1	80 SF	36 SF SO	999,0	-8,1	83	01	8	5	65 SF SO	36 SF	999,9	-8,6	32	31	7	9	60 SB SF	85 SB SO	-8,6	-6,0	0,1	8	29
30	1002,0	-11,1	79	31	3	4		7	50 SF	36 SF NL	1004,0	-11,7	76	36	5	6	30 SB	85 SB SF	1004,4	-12,0	76	36	4	3	50 SB	85 SB	-12,0	-8,6	0,2	7	30
31	1010,9	-13,5	75	36	3	4		3	73 SF	36 SF SB	1014,2	-14,2	77	33	6	1	70 TD SF SO	36 SO SF	1017,7	-14,1	76	33	3	1	80 SO	02 30 SF	-14,5	-12,0	0,3	7	31
MI	1000,1	-5,9	33		3,8		6,5				1000,9	-5,2	80		3,8	6,2			1001,1	-5,2	31		4,0	6,0			-7,9	-2,7	44,7		IM

JAN MAYEN — APRIL 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,3	-11,8	80	23	2	4		7	80 SB	85 SB NL	1024,5	-7,8	82	25	2	8	70 S	70 S SB	1024,0	-5,0	83	30	3	8	60 TD	02 TD S	-14,2	-4,8	0,2	5	1
2	1024,2	-0,6	76	23	3	4		3	82	02	1024,6	-0,2	90	27	2	8	40 S	71 TD S	1026,2	-0,5	90	30	3	3	10 TD S	71 TD S	-5,0	0,0	0,3	4	2
3	1028,1	-1,0	30	00	0	4		3	60 TD S	70 TD S	1030,1	0,3	85	00	0	5	60 TD	10 TD S	1028,8	0,1	75	30	0	7	80	02 TD	-1,6	0,4	2,3	2	3
4	1022,8	-0,3	30	20	3	4		3	50 3	70 3	1018,1	0,1	90	18	3	9	07 T R	50 TD T S R	1015,1	-0,4	90	24	1	9	05 T	45 T R	-0,5	0,3	0,0	4	4
5	1008,4	1,9	85	21	1	4		6	83	02 TD	1014,2	4,9	65	26	8	5	80 SO	01	1008,5	3,0	77	27	7	2	82 30	02 30	-0,4	7,6	0,9	8	5
6	1013,5	3,2	87	23	3	3		3	70 YR	51 YR	1013,3	4,2	83	29	6	4	82	01 TD YR	1011,9	1,4	90	30	0	3	60 TD	10 TD	1,4	5,5	0,0	7	6
7	1003,0	-0,2	31	30	0	3		3	03 T	45 T SL R	1001,9	1,8	88	25	3	8	65 TD	02 TD	998,6	-0,3	31	13	3	3	10 TD S	70 S TD	-0,3	1,8	3,9	4	7
8	999,2	-0,2	88	36	7	4		3	03 SF S	37 SF S	1003,7	-12,2	77	01	7	9	03 SB SF	85 SB SF	1007,3	-13,7	71	36	7	9	06 SF	33 SF S3	-13,7	-0,2	4,3	8	8
9	1039,6	-16,8	66	36	6	4		6	30 TD SF	36 TD SF	1039,2	-14,2	65	36	7	9	06 SF	39 SF SB	1038,6	-13,4	64	36	7	4	10 SB SF	85 SF	-16,8	-13,4	4,0	7	9
10	1007,6	-12,3	77	35	7	4		7	60 SF	36 SF	1008,5	-11,2	72	35	6	4	80 SO	01 SO SF	1008,5	-11,4	77	36	6	8	10 SB SF	85 SF S3	-13,1	-10,7	0,5	8	10
11	1009,7	-11,2	35	36	7	4		3	04 SF SB	85 SF SB	1008,9	-11,2	82	35	7	9	05 SF SB	85 SF SB	1008,7	-11,2	32	34	3	6	40 SB SF	85 SB SF	-12,0	-10,5	3,2	8	11
12	1007,4	-9,2	88	35	7	4		3	01 SF SB	85 SF SB	1007,5	-3,8	90	35	6	8	16 SF SB	85 SB SF	1008,4	-2,4	85	33	5	7	50 SB TD	85 TD S8 SF	-11,3	-2,4	3,9	8	12
13	1014,2	-5,3	88	01	6	4		3	02 SF SB	85 SB SF	1016,5	-6,0	88	01	6	9	02 S SF	71 SF S SB	1017,5	-6,5	84	36	0	6	12 SB SF	86 SB SF S	-6,3	-2,0	5,3	7	13
14	1018,5	-7,2	83	35	3	4		7	20 SB TD	85 SB TD	1018,8	-6,7	83	33	4	4	60	26 SB TD	1019,2	-5,8	79	35	4	3	70	26	-7,2	-5,8	2,8	6	14
15	1020,7	-7,4	70	27	1	4		3	89 30	02 30	1021,3	-4,2	58	12	3	1	89 SO	01 SO	1020,4	-4,3	75	11	4	0	89 30	02 30	-9,0	-4,0	0,1	4	15
16	1019,6	-3,0	83	12	3	4		0	87	02	1020,5	-0,6	79	13	2	8	82	02	1021,3	-0,2	88	18	3	7	82	02	-5,2	-0,2		4	16
17	1023,1	-4,0	87	22	3	4		3	80	02	1024,8	-1,6	84	21	4	7	80	02	1026,1	-0,9	85	23	3	4	84	01	-0,3	-4,0		4	17
18	1026,1	-0,8	30	22	3	3		3	86 90	02 30	1026,2	-1,3	87	23	2	3	89 SO	01 SO	1024,3	-1,8	90	30	0	3	89 30	02 30	-1,2	-2,4		5	18
19	1021,5	-0,9	70	30	0	3		7	81	02	1020,6	-1,4	68	36	1	7	88	02	1019,8	-1,7	90	39	1	7	88	02	-0,2	-1,8		2	19
20	1018,8	-0,4	70	10	2	3		7	83	02	1018,8	-1,6	55	34	3	2	89 SO	01 SO	1018,4	-0,6	32	36	3	3	89	02 30	-1,0	-1,7		5	20
21	1019,0	-1,4	91	36	1	3		6	73	03	1021,4	-0,6	87	34	3	2	70 TD	10 TD	1023,3	-0,8	88	36	0	3	70 TD	10 TD	-1,4	-2,5		7	21
22	1025,7	-2,3	31	36	1	3		0	73 SB	85 TD SB	1024,8	-1,2	91	36	0	6	65 TD SO	10 TD SO	1025,1	-1,8	84	31	3	7	65 TD	10 TD	-2,3	-1,8	0,0	7	22
23	1028,5	-0,6	75	23	2	3		0	75 TD	10 TD	1031,3	-0,2	70	10	2	4	89 SO	01 SO	1033,0	-1,4	85	11	4	7	86	02	-1,4	-2,1		4	23
24	1035,3	-2,7	67	33	3	3		7	86	02	1035,5	-1,5	66	21	1	7	86	02	1035,0	-1,4	60	13	1	7	88	02	-2,7	-1,3	0,0	4	24
25	1031,5	-1,8	66	00	0	3		3	86 30	02	1030,5	-0,9	64	20	2	1	89 SO	01 SO	1028,7	-0,4	67	30	0	1	89 30	02 30	-3,1	-0,4		3	25
26	1027,3	-1,2	90	00	0	3		7	70	03	1026,7	0,0	82	00	0	8	82	02	1025,2	0,5	82	20	3	7	82	02	-3,0	1,3		3	26
27	1023,3	-1,0	75	24	3	3		7	84	02	1024,8	-1,4	82	22	3	8	83	02	1025,7	-1,8	84	21	3	6	84	02	-0,9	-2,0		4	27
28	1024,8	-0,8	82	22	4	2		3	80	03	1024,5	-2,0	61	28	4	7	84 S8	85 SB	1023,8	-1,6	72	26	3	7	85 9	70 3 SB 30	-0,4	-2,2		5	28
29	1022,5	-0,0	90	27	1	2		3	50 TD S	70 TD S	1024,1	-2,0	88	02	3	7	85	02	1024,7	-2,2	73	36	1	6	89	03 KS	-2,2	-1,6	0,0	3	29
30	1022,8	-2,9	72	15	1	2		7	86	02	1021,8	-1,9	72	11	1	8	88	03	1020,9	-3,4	90	39	4	8	29 SB TD	85 TD S8	-4,0	-1,1	0,0	4	30
MI	1019,3	-3,2	81		3,1		7,0				1019,8	-2,1	78		3,6	6,0			1019,5	-2,4	80		3,3	6,1			-4,6	-0,6	32,4		IM

EKSTENSOTABELL

JAN MAYEN — MAI 1978

	KL. 07										KL. 13								KL. 19								DØGNET				
DT	P	T	UU	UD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	TN	TX	R	FX	DT
1	1022,6	-7,8	52	01	1	2		1	83 SO	02 SO	1021,9	-5,7	47	32	3	0	89 SO	02 SO	1019,1	-3,7	55	25	1	3	89 SO	03 SO	-8,0	-3,2	0,9	6	1
2	1016,7	-6,6	75	02	1	4		3	82	02 SB	1018,9	-8,9	62	01	5	5	82 SO	02 SO	1019,8	-11,6	64	01	1	6	63 SB TD	86 SO SB TD	-11,6	-3,7	0,9	6	2
3	1017,9	-11,0	67	36	3	3		7	63 SB	85 SB	1016,9	-8,7	67	34	4	4	86 SO	01 SB SO	1016,0	-6,5	66	33	2	4	89 SO	02 SO	-12,0	-6,9	0,0	5	3
4	1015,5	-4,4	77	04	1	3		7	83 S	71 S	1017,3	-3,4	85	19	1	8	50 S	71 S	1017,1	-1,2	71	24	3	6	70 S	70 S SO	-7,0	-1,2	0,0	3	4
5	1015,4	-1,7	71	30	1	4		6	80	02 S	1016,6	-1,2	87	12	2	8	40 S	70 S	1018,4	-0,9	76	30	2	2	89 SO	02 SO S	-1,9	-0,2	2,8	5	5
6	1019,6	0,4	91	21	2	4		3	63	02 SB	1019,8	1,4	85	00	0	7	82	02	1017,2	1,1	91	17	4	8	53 TD R	63 TD R	-1,5	1,5	2,1	4	6
7	1010,4	0,9	91	21	1	3		3	10 TD R	61 TD R	1011,1	0,6	94	21	3	9	02 YR T TD	51 YR T TD	1014,1	3,0	84	35	3	7	60 TD	02 TD T	0,8	3,2	12,1	5	7
8	1022,4	-1,8	90	03	2	3		3	60 TD	10 TD T	1025,5	-1,1	90	16	1	8	20 YR TD	50 T TD YR	1027,7	-0,9	87	18	1	8	25 SL R	63 SL R	-2,9	3,0	0,7	3	8
9	1027,0	0,8	91	22	2	3		3	10 TD YR	53 TD YR	1025,8	1,3	90	20	2	9	03 T R	50 T R	1025,3	0,5	90	20	2	9	02 T	45 T	-1,2	1,5	0,2	3	9
10	1023,5	0,4	38	36	1	2		7	80	02	1022,0	0,8	90	20	2	9	04 T	45 T	1019,6	1,0	91	21	2	9	03 T	45 T	-0,6	1,2	0,1	3	10
11	1010,9	1,7	90	00	0	2		3	13 TD R	63 T R YR	1006,4	2,0	91	11	4	8	15 TD R	61 TD R	1003,2	2,8	90	36	1	8	63 TD	10 TD R	0,5	2,9	1,2	5	11
12	1005,5	-1,9	87	36	3	3		3	13 SB SF	85 SB SF	1007,3	-2,3	82	36	7	7	20 SB SF	85 SB SF	1008,6	-2,9	76	35	6	8	23 SB SF	85 SB SF	-2,9	2,8	6,3	8	12
13	1009,0	-3,2	73	36	0	3		6	63 SO SO	83 SB	1009,3	-3,0	71	31	5	7	65 SB	85 SB	1009,6	-2,5	72	30	3	7	85	15 SB	-3,3	-2,5	3,5	7	13
14	1006,7	-2,3	79	00	0	3		7	83 SB	85 SB	1005,6	-1,2	76	00	0	7	86 S	71 S SB	1004,3	-1,0	76	00	0	7	83 S	70 S	-2,7	-1,0	0,3	3	14
15	1005,9	-2,0	79	27	2	2		7	86	02 YR	1009,2	-0,2	59	24	2	8	85	03 SO	1009,8	0,0	92	13	3	8	82	02	-2,0	0,5	0,2	4	15
16	1011,2	1,4	90	16	3	2		3	20 TD YR	51 RB YR TD	1012,2	2,2	82	10	5	8	50 R	62 TD R RB YR	1012,0	2,1	91	10	4	3	20 TD	10 TD R	0,0	2,4	4,0	5	16
17	1013,2	2,0	90	11	1	2		3	20 TD R	61 TD R YR	1013,8	2,2	91	21	1	9	03 TD T	47 TD R	1011,3	2,2	91	30	3	3	02 T	46 T TD	1,6	2,8	1,7	4	17
18	1009,8	1,2	94	12	1	2		3	50 TD R	63 TD T R	1007,6	2,4	91	21	3	8	30 TD	10 TD R	1007,6	1,7	38	21	4	8	50 TD	10 TD	1,0	2,4	4,5	5	18
19	1019,9	2,0	75	22	3	2		2	83	02 SO	1023,4	2,6	79	20	3	4	89 SO	02 SO	1022,9	2,1	93	20	3	8	65 TD	10 TD	0,5	3,0	4,2	8	19
20	1019,3	1,4	91	13	1	2		3	83 R	61 T R YR	1016,8	2,0	91	21	2	9	03 T	47 T YR R	1015,8	2,1	91	23	2	9	02 T	45 T YR	0,1	2,6	0,9	4	20
21	1010,0	2,0	90	22	1	2		0	03 T R	61 T R YR	1010,4	2,0	91	21	4	9	04 T R	61 T R	1010,6	1,7	93	21	4	9	01 T YR	51 T R YR	1,7	3,0	6,9	5	21
22	1011,4	1,5	91	21	3	2		0	03 T	45 T R	1013,5	1,2	93	18	3	9	01 T	45 T YR	1011,8	1,5	91	21	3	9	02 T YR	53 T YR	1,1	2,1	11,1	4	22
23	1015,3	1,8	93	22	2	2		0	02 T YR	50 TD T YR	1015,4	2,4	91	22	2	8	15 TD YR	51 TD YR	1014,6	2,4	91	21	2	9	04 T YR	51 T YR	1,5	3,2	0,3	3	23
24	1014,5	-0,3	90	13	3	2		3	53 TD YR	51 TD YR	1013,1	-0,2	90	12	2	7	65 TD	10 TD	1009,6	0,9	90	22	1	8	60 TD	10 TD	-0,5	2,4	0,1	3	24
25	1002,7	-0,6	91	35	7	1		9	03 T IS	45 T YR IS	1013,5	-0,6	90	36	3	9	07 T	47 TD T	1004,2	-0,8	87	35	5	8	33 SB	85 SB T	-3,8	1,2	0,2	7	25
26	1008,7	-1,1	70	34	3	2		3	80	01	1011,9	-0,8	73	01	2	7	82	02	1012,1	-1,0	75	02	2	7	82	02	-1,6	-0,8	5,9	5	26
27	1011,9	-1,6	67	00	0	2		7	81	02	1012,4	-0,3	59	17	2	7	84 SO	02	1010,0	0,4	73	11	1	7	89	02	-1,6	0,5		4	27
28	1006,4	-0,8	90	02	3	2		3	80	02 S	1010,9	-0,6	84	02	4	7	84	02	1009,9	0,7	77	16	2	7	86	02 S	-1,0	1,0	0,2	6	28
29	995,6	2,2	93	11	3	2		3	13 R	61 YR R SL	999,2	1,2	91	34	3	9	08 T	47 R T	1006,4	-0,1	88	36	6	7	15 TD	10 TD T	-0,3	3,8	3,1	7	29
30	1006,1	0,3	87	10	3	1		3	83	02	997,5	2,3	87	11	4	3	75 R	61 SL S	1003,6	-0,5	84	34	5	3	40 TD SB	85 TD SB	-0,5	3,3	0,3	7	30
31	1017,4	-1,5	69	23	3	2		3	83	03	1031,2	-1,6	71	30	4	8	84	02	1022,6	-0,4	69	15	2	3	86 SO	01 SO	-2,1	-0,1	1,9	6	31
M:	1013,0	-0,9	83		3,4			7,2			1013,4	-0,4	82		3,0	7,1			1013,6	-0,3	82		2,9	7,0			-1,8	1,0	76,9		IM

JAN MAYEN — JUNI 1978

	KL. 07										KL. 13								KL. 19								DØGNET				
DT	P	T	UU	UD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	TN	TX	R	FX	DT
1	1017,8	-0,7	94	11	1	3		0	03 T S	71 T S	1010,3	1,4	87	11	6	8	65 TD R	61 TD R S	1006,5	2,1	91	22	1	0	03 T	47 TD T R	-1,5	2,3	0,3	6	1
2	1002,3	1,7	93	34	2	2		3	23 TD	10 TD T R	1003,1	3,8	71	29	4	5	80 SO	02 TD SO	1002,9	-0,5	88	32	6	5	80 SB SO	85 SB SO	-0,8	6,7	2,5	7	2
3	1006,9	0,1	72	26	1	2		7	84 SB	85 SB	1008,4	2,1	87	25	3	8	58 SB	83 SB	1010,0	2,8	87	23	4	7	65	02 SB	-1,3	4,0	0,6	6	3
4	1008,5	0,9	93	22	3	1		0	03 T	47 TD T R YR	1008,9	2,1	93	17	2	9	01 T	47 T YR	1008,8	1,6	93	20	3	9	03 T	45 T YR	0,9	2,9	0,5	4	4
5	1007,8	2,0	38	24	1	1		3	70 YR	53 SB YR	1011,2	1,0	83	30	4	6	40 SB TD	85 TD SB T YR	1014,5	-0,9	73	36	4	4	70	02 TD SB	-0,9	2,5	1,8	5	5
6	1017,1	-0,2	76	26	2	1		3	82	02 SO	1016,8	0,1	75	16	3	7	81	02	1015,3	0,6	78	15	3	3	89	01	-1,7	1,3	0,2	5	6
7	1011,9	1,0	35	14	3	1		7	75	02	1012,9	1,9	77	11	5	6	82	02 SB	1013,2	1,2	70	11	4	3	85	01 SO	0,1	2,0		5	7
8	1012,5	1,2	34	12	1	1		1	83 TD	10 TD	1012,5	3,0	69	12	4	4	82 SO	02 SO	1011,6	1,6	80	11	4	6	80	01	1,0	3,5	0,0	5	8
9	1009,1	1,3	83	10	3	1		3	83	02	1009,2	2,4	70	13	2	8	80	02	1009,7	1,4	84	11	4	7	82	02 TD	0,8	2,6		4	9
10	1011,0	-0,2	90	00	0	2		3	60 SB	85 SB	1009,7	1,4	83	12	3	7	82	02 SB	1006,1	1,7	72	13	3	7	82	02	-0,2	2,2	1,6	4	10
11	1004,9	2,2	88	34	3	1		3	82	02 TD	1011,2	4,1	84	21	2	8	68 TD	10 TD	1016,2	3,9	73	34	4	6	68 TD SO	10 TD SO	1,5	5,6	0,0	5	11
12	1015,2	1,0	76	32	1	1		3	83 SO	01 TD SO	1015,3	3,9	76	23	5	7	89	02 SO	1012,0	4,5	94	23	3	7	60 TD	10 TD	0,0	5,0		5	12
13	1010,6	5,2	90	21	3	1		3	80 TD SO	10 TD SO	1008,8	5,0	82	22	3	1	82 SO	03 SO TD	1009,1	4,4	88	21	3	2	80 SO	01 SO	4,0	10,2		7	13
14	1011,8	3,8	93	00	0	1		7	82	02	1014,8	8,6	57	32	3	4	85 SO	01 SO	1017,8	3,0	90	33	3	6	70 TD	10 TD SO	3,0	9,3		4	14
15	1022,9	0,6	90	16	3			7	80	01 TD	1034,3	1,2	94	13	3	8	80	02	1024,4	1,6	94	12	4	3	80	02	0,4	3,0		4	15
16	1021,4	3,5	93	21	1			0	07 T YR	53 T YR	1019,5	3,5	93	21	4	9	02 T	47 T TD YR	1016,3	3,7	91	18	2	9	02 T YR	51 T YR	1,5	4,3	4,0	4	16
17	1013,3	1,2	38	32	7			3	50	03 TD T YR	1015,5	4,2	70	18	3	6	80	03	1014,7	2,6	84	15	2	8	80	02	1,2	5,1	1,0	7	17
18	1009,1	2,4	93	00	0			3	63 TD R	61 TD R	1007,3	3,2	91	20	2	8	20 TD	10 T YR	1004,0	3,5	91	10	3	3	50 TD	10 TD YR	2,0	4,2	2,1	3	18
19	1000,3	5,0	73	33	2			7	84 TD	10 TD	998,1	1,7	83	36	6	7	75 TD	10 TD	996,7	2,2	87	31	6	7	80 TD	10 TD SO RB	1,7	6,0	0,3	7	19
20	994,1	1,7	91	36	6			3	73 LB	83 LB T	994,9	1,4	88	36	6	8	70 TD LB	83 TD YR LB R	995,9	1,4	85	36	7	6	80 RB	80 TD	1,3	2,3	0,0	8	20
21	995,9	3,8	88	08	3			3	70 TD	10 TD RB	996,8	6,8	70	10	1	6	85	01 TD	996,2	2,7	88	36	4	8	59 TD	10 TD YR	1,4	7,0	0,2	7	21
22	994,2	2,8	88	23	3			3	70	40 TD RB LB	995,6	2,8	91	18	1	8	60 TD	10 TD YR	997,4	3,0	93	14	1	9	05 T	47 TD T	0,9	3,4	3,0	7	22
23	1002,8	1,6	90	15	3			3	20 TD YR	50 TD	1006,3	3,0	90	19	2	8	56 TD	40 TD T	1009,6	2,1	88	21	2	8	50 TD	40 TD T	1,0	3,5	1,8	4	23
24	1010,7	2,0	91	32	3			7	60	40	1007,3	2,7	87	34	7	6	65 TD	10 TD YR RB	1002,2	1,0	91	35	9	9	08 T	47 TD SO	1,0	3,1	0,0	9	24
25	995,0	1,2	84	36	7			8	30 TD R SH	88 T RB SH	993,5	0,9	87	36	4	9	10 S	72 S SB	993,4	0,8	91	36	3	8	20 TD YR SL	68 TD YR S	0,6	1,4	4,9	9	25
26	996,7	1,2	75	01	1			7	80	01 R	1001,7	2,5	77	23	3	6	75	02	1004,3	2,9	85	18	2	7	85	02	0,4	4,0	30,9	5	26
27	1005,6	3,6	90	12	1			3	62 TD YR	50 TD YR	1006,7	4,6	87	10	2	7	56 TD	10 TD	1006,5	4,3	87	21	1	8	70 TD	02 TD	2,8	5,1	0,5	4	27
28	1000,0	0,8	93	34	7			8	58 R	81 R	1001,2	1,0	88	33	6	8	15 TD R	63 R YR	1004,3	1,6	88	30	4	8	25	40 R	0,8	4,5	3,0	7	28
29	1013,6	2,4	83	15	1			6	70	02	1017,6	2,8	90	16	2	8	70	40	1019,4	2,2	90	14	2	8	70 TD	10 TD	1,0	3,2	9,3	4	29
30	1020,3	2,0	88	12	2			7	70 TD	10 TD	1018,7	2,4	85	23	2	8	75 TD	10 TD	1016,2	3,3	85	22	2	5	89	01	0,6	3,3		2	30
M:	1008,2	1,8	86		3,1			7,2			1008,6	2,9	82		3,5	6,8			1008,5	2,2	86		3,5	6,8			0,8	4,1	68,5		IM

EKSTENSOTABELL

JAN MAYEN — JULI 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1011,8	2,8	90	25	1			3	50	TD	10	TD	1012,3	4,0	87	20	2	8	60	TD	10	TD	1013,2	4,0	87	21	2	3	50	TD	10	TD	2,4	4,8	0,0	3	1
2	1015,8	3,1	91	23	1			3	02	T YR	51	T YR	1016,8	8,2	73	01	3	6	50	TD 80	10	TD YR	1016,7	4,8	84	35	5	6	90	TD 90	40	TD 80	2,7	8,2	0,1	6	2
3	1017,3	2,5	91	35	3			4	20	TD 80	40	T 80 TD	1018,3	3,3	91	35	7	9	06	T	45	T 80	1018,5	1,4	91	35	8	7	05	T	44	T	1,4	6,0	0,0	8	3
4	1018,7	0,8	91	34	2			8	70		02	T YR	1020,4	1,6	90	35	8	7	40	TD	02	TD 80	1021,1	0,8	88	35	6	7	60	TD	03	TD	0,5	2,0	0,1	9	4
5	1018,4	1,0	88	35	7			7	60	TD	40	TD	1018,9	4,0	88	34	5	1	89		01		1019,4	5,5	62	35	4	1	85	30	02		0,4	6,2		7	5
6	1020,4	0,0	90	33	1			8	60	TD	40	TD	1020,6	1,7	84	18	2	8	60	TD	10	TD	1019,8	1,6	84	17	2	8	85		03	TD	0,2	5,5		4	6
7	1018,0	2,2	91	18	2			8	50	TD YR	50	TD	1018,5	2,8	84	18	2	8	75		02	TD YR	1018,8	3,5	79	12	1	8	80		02		0,4	3,5	0,0	3	7
8	1019,0	1,0	91	03	3			3	09	T	44	T	1019,1	3,6	75	01	2	5	70	TD	01	TD	1019,3	2,5	84	12	2	7	60	TD	40	TD	0,4	4,8	0,0	4	8
9	1018,0	0,3	93	18	2			3	20	TD	10	TD T	1017,6	3,4	87	22	3	9	60	TD	40	TD	1017,4	4,2	91	21	2	9	09	T	47	T	0,3	4,5		4	9
10	1016,9	4,6	90	23	2			3	60	TD	10	TD	1017,2	5,8	85	21	2	7	80		02	TD	1016,9	6,1	85	16	1	8	80		02	TD	1,0	6,5		3	10
11	1015,0	5,5	90	21	1			3	60	TD	10	T TD	1013,6	5,2	91	00	0	9	05	T	45	T TD	1011,7	5,4	91	00	0	9	03	T YR	50	T YR	4,4	6,2		2	11
12	1010,3	5,0	91	08	1			3	01	T	47	T	1010,7	5,3	91	00	0	9	10	TD YR	50	TD T	1010,3	5,4	91	22	1	9	03	T R	61	T TD R	5,0	5,7	0,5	2	12
13	1012,3	3,0	88	01	8			7	65	TD	10	TD R	1016,3	3,2	83	35	5	7	65		01	RB	1019,0	2,5	87	34	6	7	60	TD	02		1,9	3,5	5,7	7	13
14	1017,7	5,1	88	29	4			7	89		02		1017,5	5,6	79	17	2	6	60		40		1016,4	5,0	88	13	2	4	89		01		1,1	6,2	0,0	6	14
15	1016,0	3,5	66	01	4			3	50	80	40	80 T	1017,9	4,4	69	31	4	7	89		40		1017,8	3,7	77	30	4	6	89		02		0,7	5,4		7	15
16	1014,9	1,5	93	23	1			3	09	T	45	T	1014,4	4,4	87	18	1	6	50	TD	10	TD T	1013,5	6,0	75	21	3	4	89		03		1,0	6,5		4	16
17	1012,2	4,4	85	19	3			3	80		02		1012,9	4,7	94	13	3	9	65	TD	10	T	1013,8	5,2	90	33	1	3	10	TD YR	53	TD YR	4,0	6,2		4	17
18	1014,8	5,0	90	00	0			3	80		02		1015,9	5,5	91	10	3	8	20	TD YR	50	T	1016,8	6,0	85	01	1	7	80		01	TD T YR	4,6	6,0	0,7	3	18
19	1018,2	4,2	88	02	1			3	70		40		1019,1	5,8	89	24	3	7	89		01		1019,0	6,0	70	15	2	7	89		02		3,6	7,3	0,0	4	19
20	1018,0	4,4	79	02	2			7	89		03		1017,8	5,4	76	15	2	7	89		03		1017,6	4,6	85	18	1	8	89		03		4,4	6,2		3	20
21	1016,4	1,4	91	06	3			3	20	TD	10	TD	1014,9	4,2	77	23	2	6	60		40		1013,7	4,6	89	03	2	7	80		40		1,0	5,0		4	21
22	1011,5	3,2	90	23	3			3	60		40	T	1011,6	6,3	80	20	1	7	89		02		1011,4	5,6	91	12	3	8	80		02	TD	2,9	6,3		4	22
23	1011,6	5,4	31	00	0			3	09	T YR	51	T TD YR	1011,9	6,0	91	14	2	8	80		02	TD YR	1011,6	7,0	84	20	1	7	90		40		5,0	7,2	0,3	3	23
24	1009,2	6,2	80	01	2			3	70		02	TD YR	1009,3	7,2	82	14	1	8	75		02		1008,1	7,2	77	14	1	8	75		02		5,6	8,5	0,1	3	24
25	1006,5	7,8	92	19	3			3	70		02		1007,7	7,4	93	21	1	8	60	TD	40	R	1007,3	7,1	91	22	2	8	70	TD	10	TD RB	6,8	8,1	0,9	4	25
26	1006,3	6,0	91	13	1			3	09	T YR	50	T R	1008,3	6,6	91	19	1	9	02	T	45	T YR	1010,0	6,3	91	15	1	9	03	T	45	TD T	6,0	8,0	3,3	3	26
27	1011,4	7,1	91	10	3			3	50	TD YR	52	TD YR	1010,5	7,3	90	10	4	8	50	R	63	TD R	1010,6	7,1	91	09	3	8	58	TD R	61	TD R	6,3	7,4	0,2	4	27
28	1005,5	7,5	91	11	1			3	30	TD R	61	TD R	1013,9	7,4	90	10	3	8	30	TD R	61	TD R	1009,5	6,7	91	20	1	9	00	T R	60	T R	6,7	8,3	7,9	5	28
29	1003,5	6,6	91	20	1			3	09	TD YR	50	TD YR R	1014,7	7,3	91	22	1	9	02	T R	60	T R YR	1007,8	7,1	90	22	2	8	60	TD	40	TD R	6,0	8,1	16,1	2	29
30	1011,1	5,7	90	06	2			3	27	TD	01	T	1012,3	5,9	90	23	3	8	60	TD	10	TD	1012,6	6,3	88	22	2	8	60	TD	10	TD	5,2	7,1	2,7	5	30
31	1011,0	4,1	91	21	3			3	09	T	45	T YR	1011,4	5,0	91	19	1	9	09	T	45	T	1010,4	6,8	85	21	1	7	65	TD	10	T TD	1,0	7,5	0,0	5	31
MI	1013,8	4,9	88		2,8		7,6						1014,3	5,1	84		2,5	7,2					1014,3	5,0	85		2,5	7,1					3,2	6,3	38,9		IM

JAN MAYEN — AUGUST 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1014,1	5,5	85	27	3			2	80	30	40		1016,6	6,4	77	21	2	2	70	30	40	30	1017,3	6,2	85	15	2	6	80		03	30	2,0	7,8		8	1
2	1016,2	5,7	91	21	1			3	03	T	45	T	1015,8	6,6	91	22	3	9	03	T	47	T TD	1014,5	6,2	91	21	3	9	03	T YR	51	T YR	4,4	6,6		4	2
3	1014,3	5,4	91	21	1			3	03	TD YR	51	T YR	1015,6	5,7	91	22	3	9	05	T YR	50	T TD YR	1017,0	6,3	88	23	3	8	75	TD	10	TD T YR	5,3	6,5	1,6	4	3
4	1019,4	6,6	87	21	1			8	89		02		1020,3	8,1	70	20	1	8	89		02		1020,1	7,0	84	22	2	8	89		02		5,6	8,1	0,1	4	4
5	1018,9	5,7	91	19	2			3	80	D	40	TD D	1018,2	7,2	77	11	1	5	85		40	TD	1016,3	7,5	89	34	3	8	85		02		5,2	7,5	0,1	3	5
6	1013,6	5,2	91	34	5			7	60	TD	40	TD	1013,3	7,2	73	00	0	6	85	30	01		1010,5	5,6	83	21	1	5	75	TD	40		5,2	8,2		5	6
7	1007,9	5,0	83	26	2			5	60		40		1007,5	8,9	62	30	7	2	89	90	01		1008,9	7,5	83	23	3	6	90		03	30	4,4	10,3		8	7
8	1008,3	6,2	84	26	3			6	80		01	TD YR	1008,4	6,3	91	22	4	8	20	TD	40	TD	1007,7	6,1	90	29	4	8	80	TD	40	TD T	5,6	8,9	0,0	5	8
9	1007,1	3,0	84	17	3			2	70	30	40	TD YR	1009,4	5,7	76	09	2	2	70	30	40	30	1010,2	5,7	75	21	2	2	75	30	40	30	2,2	7,3	1,2	6	9
10	1011,4	2,8	91	21	2			7	80	TD	40	TD	1012,2	6,3	77	19	2	2	70	30	40	30	1014,9	6,1	76	14	2	2	70	30	40	30	2,4	7,6		3	10
11	1018,9	1,5	93	00	0			3	01	T	45	T YR	1020,6	3,1	87	21	3	8	20	TD	40	T	1020,2	4,5	88	17	1	8	75		02	T	0,3	6,1	0,1	4	11
12	1019,1	5,9	90	08	1			3	70	TD	10	TD T	1018,0	6,8	90	21	4	9	20	TD YR	50	TD YR	1016,8	6,2	91	19	2	9	02	T YR	51	T YR	3,7	7,5		4	12
13	1012,3	5,3	90	22	3			7	04	T YR	51	T YR	1012,0	6,0	90	22	2	9	03	T	45	T YR	1011,7	5,4	91	21	2	9	03	T	45	T	5,3	6,5	0,3	3	13
14	1012,7	5,0	90	21	2			3	60	TD	40	TD T YR	1013,9	5,6	90	19	2	8	70		40	TD YR	1014,9	6,0	87	23	2	7	80		02		4,8	6,0	0,4	3	14
15	1015,1	5,7	88	18	1			3	80		01		1014,6	7,7	64	21	2	2	89	90	02	90	1012,6	7,4	80	10	3	4	88	30	03	30	5,6	8,4	0,3	3	15
16	1009,0	6,8	80	11	1			7	84		02		1009,1	7,0	76	10	5	6	80		10		1007,8	6,0	90	07	2	7	82		02	TD	6,3	8,0		5	16
17	1005,8	8,7	84	25	3			7	60	YR	50	YR	1006,4	8,8	93	14	3	8	56	TD	10	TD	1008,3	6,4	91	13	4	9	03	T	45	TD T	6,2	9,8	0,1	4	17
18	1011,3	6,1	92	22	1			3	03	T	45	T YR	1013,4	6,5	91	14	2	9	02	T	45	T	1014,4	6,2	90	15	1	9	03	T YR	51	TD T YR	6,1	6,6	0,0	4	18
19	1014,9	7,1	88	11	3			3	70		40	TD	1010,8	7,7	88	10	5	8	50	TD R	63	TD R	1008,5	7,4	91	11	3	8	90	TD R	60	TD R	6,0	7,7	0,0	5	19
20	1003,8	6,0	90	20	1			3	09	T	45	T	1003,4	6,2	91	19	1	9	03	T	45	T	1003,3	7,0	90	17	1	9	03	T	45	T R YR	6,0	7,3	5,8	4	20
21	1003,2	6,2	91	00	0			3	09	T	45	T	1002,4	7,1	90	00	0	9	09	T YR	51	T YR	1001,5	7,6	90	00	0	9	01	T	47	T	6,1	7,9	1,2	2	21
22	1001,1	8,3	88	13	2			3	09	T YR	52	TD YR	1000,6	7,4	90	19	1	8	30	TD	40		1000,4	6,8	90	11	2	3	20	TD	10	TD T	6,8	8,3	5,5	6	22
23	1000,8	5,5	88	20	2			3	13	TD YR	52	TD YR	999,5	6,2	91	18	1	9	05	T R	61	YR T R	998,4	6,0	87	34	1	8	85	TD	10	TD T R	5,4	6,8	0,4	4	23
24	998,9	5,1	88	33	1			3	82		02		1003,9	4,2	85	01	5	8	60	TD	10	TD YR	1008,1	4,3	75	32	5	8	80	TD	10	TD YR	4,2	6,1	0,9	6	24
25	1018,0	3,7	67	01	4			1	86	30	01	30	1019,8	4,8	79	27	4	6	80		10	RB 90	1017,5	4,6	88	00	0	8	65	RB	81	RB	3,1	5,7	0,1	6	25
26	1020,3	3,3	71	01	1			2	80	90	01		1021,1	6,2	48	20	3	0	89	90	02	90	1019,3	6,4	72	19	2	1	89	90	02	90	3,0	7,0	4,9	5	26
27	1018,0	2,0	83	28	3			3	80		00		1018,2	4,0	70	36	3	8	82		02		1018,3	4,4	82	32	3	7	89		02		1,3	6,4		6	27
28	1019,9	3,6	72	36	1			1	88	30	02	30	1020,9	6,2	69	01	4	1	89	90	02	90	1021,5	5,3	89	33	4	1	89	90	02	30	3,6	6,2		4	28
29	1020,4	4,9	58	36	7			3	80	90	02	30	1020,4	2,8	82	35	7	3	89	90	02	90	1020,9	2,8	88	36	5	7	65		02	30	2,5	5,6		7	29
30	1019,6	4,0	87	34	4			3	60	YR	51	YR	1018,1	5,2	88	23	2	8	60	TD	40	TD	1019,9	4,5	91	22	3	9	08	T YR	51	TD YR T	2,5	5,4	0,5	6	30
31	1012,8	5,1	90	14	3			8	80	TD	10	TD T	1013,5	5,8	91	17	2	8	56	TD R	61	TD R	1013,9	5,5	91	14	2	9	03	T	47	TD T R	4,4	6,0	0,2	4	31
MI	1012,4	5,2	88		2,5		6,3						1012,8	6,2	82		2,8	6,2					1012,6	6,0	85		2,5	6,7					4,4	7,2	23,7		IM

EKSTENSOTABELL

JAN MAYEN — SEPTEMBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DUGHET TN	TX	R	FX	DT
1	1013,8	5,4	90	41	3			3	60	TD	10	TD T	1014,6	7,3	85	21	3	8	70	TD	02	TD YR	1015,0	6,8	88	39	1	3	80	TD	02	TD	3,9	7,3	0,4	6	1
2	1017,1	7,1	75	42	1			7	70		02		1016,3	7,0	75	25	1	7	70		02		1016,8	6,7	70	14	1	3	75		02		6,3	7,5	0,0	4	2
3	1016,5	5,3	80	11	3			3	75		02		1015,9	5,7	80	01	4	7	75		01		1015,4	5,1	75	16	4	3	82		02	RB SQ	4,8	6,7		6	3
4	1015,3	4,3	85	02	3			7	70	RB	80	RB	1017,2	4,0	80	27	2	7	82		02	RB	1019,2	2,9	77	14	2	3	82		02	RB	2,8	5,1	1,1	5	4
5	1020,0	1,3	72	25	2			2	10	TD	10	TD SB	1021,2	2,0	71	05	3	6	80	SQ	01	SB TD SQ	1021,1	2,0	73	13	3	3	84	SQ	02	SQ	1,0	2,9	1,2	3	5
6	1020,7	1,4	87	02	2			3	81		02		1020,9	2,3	77	02	1	8	84		02		1020,4	3,4	71	10	3	3	85		02	SQ	0,1	3,4	0,0	3	6
7	1018,1	3,2	91	36	1			7	81		02		1017,7	3,6	71	02	3	8	84		02		1016,5	3,9	75	36	3	7	84		02		2,7	3,9		3	7
8	1012,3	3,4	33	36	1			3	84		02		1011,4	4,5	80	12	2	8	84		02		1008,7	4,6	77	01	4	8	84		02		3,4	4,9		4	8
9	1004,1	5,6	80	09	2			3	60	R	63	R	1006,3	6,2	71	06	4	6	60	SQ	01	SQ R	1007,3	5,2	73	09	4	6	60	TD	10	TD	2,3	7,0	0,8	6	9
10	1006,3	1,5	71	01	6			3	80		02		1006,9	2,4	72	36	5	7	75	LB	83	LB SQ	1006,8	1,8	70	36	5	5	80	SQ	02	SQ	1,5	5,4	1,0	6	10
11	1006,8	1,4	80	36	4			7	70	LB	83	LB	1008,7	2,4	71	36	4	6	84		01	LB	1010,0	1,0	88	35	4	3	20	SB	83	SB SQ	0,7	2,6	0,6	5	11
12	1013,0	1,4	85	36	4			7	80		02		1015,2	1,1	59	35	4	7	82		02		1014,3	0,3	57	32	3	7	84		02		0,3	1,6	2,2	5	12
13	1009,6	0,6	01	32	2			7	84		02		1007,3	2,2	72	10	4	7	84		02		1005,2	2,0	71	10	4	7	84		02		0,6	2,2		5	13
14	1001,4	2,6	70	09	4			3	81		02		1000,7	4,4	75	10	4	4	86	SQ	02	SQ	998,9	4,2	85	09	4	5	85		02	RB SQ	2,3	4,9		4	14
15	997,3	2,6	90	15	2			3	86		02		998,2	5,3	83	12	2	3	86	SQ	02	SQ	997,5	4,5	94	14	3	5	84		02	SQ	2,1	5,5	0,0	4	15
16	993,6	4,7	38	13	4			3	80	R	60		993,3	5,1	87	11	4	8	80	R	60	R	993,6	4,6	91	10	3	5	62	TD	10	TD R	4,2	5,1	0,0	5	16
17	989,7	4,4	77	32	2			3	80		02	TD R	995,2	3,7	80	01	4	8	60	TD R	60	R TD	999,3	2,8	75	36	1	1	80		02	SQ	2,8	4,8	1,3	5	17
18	1006,2	0,3	55	33	3			1	80		02		1008,5	2,4	54	27	2	6	88	SQ	03	SQ	1009,3	2,5	70	26	2	3	88		02	SQ	0,3	3,0	0,3	4	18
19	1006,8	1,8	67	28	3			3	86		03		1006,7	2,0	72	27	2	8	85		02		1003,2	2,1	82	20	1	3	82		02	SB	1,6	3,0		3	19
20	992,9	1,0	90	36	5			3	20	SL	60	R SL	1002,2	0,6	70	01	6	8	50	SB SF	85	SB SF	1010,5	1,3	60	35	6	7	84		01	SB SF	1,4	3,0	4,0	7	20
21	1016,4	0,1	54	36	2			7	81		02		1017,0	0,6	54	24	1	8	84		01		1016,0	1,0	67	27	1	3	84		02		1,3	1,2	2,7	6	21
22	1016,4	1,0	62	19	1			8	84		02		1017,8	2,8	64	19	4	8	86		02		1017,5	3,3	82	16	4	3	84		02	RB	0,6	3,4		4	22
23	1014,3	3,8	82	12	1			3	81		02		1011,9	4,2	90	13	5	7	84		02	R	1007,9	4,2	97	11	4	8	80		02	RB	3,1	4,6	0,0	5	23
24	1002,5	4,2	92	11	3			1	70		01	RB	1001,5	5,3	75	10	5	7	70	TD	10	TD	1000,0	4,5	77	09	4	5	60	TD R	60	TD R	4,2	5,4	0,0	6	24
25	1000,5	4,6	94	09	5			7	60	TD	10	TD RQ	1003,5	5,5	77	10	5	5	70	TD SQ	10	TD SQ	1005,5	4,6	71	04	4	2	86		02	SQ	4,3	5,5	0,2	6	25
26	1006,1	3,8	78	01	3			3	84		02		1007,5	4,1	85	01	5	8	84		02	SQ	1008,1	5,0	82	26	4	6	81		02	SQ	1,9	5,5		5	26
27	1011,1	3,0	72	36	4			3	80		02		1013,2	2,8	75	36	3	7	83		02		1013,9	0,8	91	36	4	8	82		02		0,8	5,0		6	27
28	1014,3	0,5	80	32	2			7	80		02		1014,5	2,8	75	00	0	7	82		02		1013,5	2,7	94	11	3	3	82		02	SB	0,3	2,7		4	28
29	1012,7	3,4	82	13	3			7	82		02		1012,9	3,8	73	13	4	8	84		02		1012,5	3,8	93	11	3	3	81	YR	50	YR	0,6	3,8	0,6	4	29
30	1013,5	4,9	88	17	1			7	80	TD	10	TD	1013,9	4,4	91	17	1	8	70	TD YR	51	TD YR	1014,1	2,4	85	33	1	3	80	R	63	R TD YR	2,4	4,6	0,0	4	30
MI	1009,0	2,9	78		3,2				6,6				1009,9	3,6	75		3,3		6,9				1009,7	3,2	78		3,2		6,9				1,2	4,4	16,1		MM

JAN MAYEN — OKTOBER 1978

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	DUGHET TN	TX	R	FX	DT
1	1013,6	0,4	83	34	4	4		3	70	TD S	70	TD S	1011,2	1,3	88	02	2	7	80		02	S	1004,6	3,7	88	11	3	7	82		02		0,8	4,4	9,0	5	1
2	991,9	4,2	79	10	3			7	80		02		997,3	4,0	90	10	5	8	56	R TD	63	R TD	998,2	4,4	98	13	3	8	60	TD	10	R TD	3,1	4,5	0,0	6	2
3	992,9	4,6	84	11	4	9		7	70	TD	10	TD	993,6	5,2	86	10	5	8	60	TD	10	TD	992,9	5,6	85	08	5	8	60	R TD	61	R TD	2,6	5,6	4,8	6	3
4	997,3	4,5	88	07	4			7	80	TD	10	TD R	1000,3	6,0	72	36	4	5	70	SQ	02	TD SQ	1003,1	5,0	79	03	3	7	80	TD	02	RB SQ	3,3	6,0	0,9	7	4
5	1006,8	3,0	76	08	5			3	83		02		1008,6	0,7	80	36	4	7	85		03		1009,5	2,4	62	00	0	5	86		01	SB	0,7	5,2	0,2	6	5
6	1014,3	2,3	71	34	1			1	80		02		1016,1	3,2	68	09	4	2	86	SQ	02	SQ	1018,6	2,5	71	08	3	3	82		02	SQ	1,2	3,6	0,0	5	6
7	1020,6	1,3	71	02	3			7	82		02		1021,5	1,6	76	05	3	7	84		02	SQ	1021,6	1,0	71	36	3	7	84		02		0,1	2,6		5	7
8	1021,6	0,8	66	01	3			3	81		02		1021,4	0,4	57	36	2	3	88	SQ	02	SQ	1020,0	0,4	58	14	2	1	89		02	SQ	1,6	1,1		3	8
9	1015,2	1,1	60	28	3			1	86		02		1012,5	1,6	70	22	4	8	86	SQ	02	SQ	1007,0	2,4	75	24	4	3	70	TD	10	TD	3,4	2,6		5	9
10	992,9	4,9	38	23	7			3	60	YR	50	YR	999,2	5,6	84	26	7	8	30	R TD	61	R TD	996,5	3,8	70	28	6	4	70	TD	10	R TD	2,4	5,7	0,0	9	10
11	1003,3	4,6	30	21	4			3	60	RB	80	RB	1002,6	4,4	91	21	4	8	60	TD	10	TD RB	1001,9	4,8	90	22	3	4	60	TD	10	TD SQ	1,0	6,2	4,2	6	11
12	1001,2	1,5	91	00	3			0	01	T	45	T	1003,1	1,4	93	00	0	9	02	T	45	T	1003,2	2,6	91	00	3	3	15	TD	10	TD T R	0,1	4,8	0,0	3	12
13	1004,2	2,2	93	00	3			3	60	TD	10	TD	1004,5	3,2	90	00	0	7	50	TD	10	TD	1003,7	0,9	84	23	2	3	40	TD YR	50	TD YR	0,7	3,8	0,4	3	13
14	1001,5	0,2	77	32	4	3		3	70		01	LB	1008,7	0,1	57	01	5	1	86	SQ	02	SQ	1013,6	0,7	52	32	2	3	89		03	SQ	1,0	1,3	1,4	6	14
15	1005,6	4,0	90	23	4			3	70	TD	10	TD R	1001,0	3,9	83	20	5	8	70	TD	10	TD	995,7	3,2	91	18	3	8	50	TD	10	TD	2,6	4,4	1,7	6	15
16	991,6	3,8	31	18	4			3	50	TD	10	TD R	991,8	3,8	91	16	3	8	50	TD R	60	TD R	993,3	3,6	91	23	3	2	04	T R	61	R YR T	2,6	4,2	1,0	4	16
17	997,1	0,7	37	34	3	3		3	50	SB	85	SB LB	995,2	2,1	84	20	2	8	60	TD	10	TD	987,6	1,2	88	16	3	8	30	TD SB	85	TD SB	2,9	3,8	5,6	8	17
18	974,9	1,2	88	03	6	3		3	01	SB SF	86	LB SF SB	986,4	2,8	69	36	6	7	15	SF	36	SB SF	985,8	6,7	58	02	4	3	60	SF	36	SF	7,4	1,6	2,4	8	18
19	1000,8	7,1	57	04	3	3		7	82		02	SB	996,5	6,7	66	03	3	8	50	SB	86	SB	992,9	7,3	64	02	6	8	50	SB	85	SB	8,0	6,7	3,0	6	19
20	997,8	6,6	76	27	3	3		9	01	SB SF	86	SB SF	1000,8	5,2	82	01	6	9	01	SB SF	86	SB SF	1007,1	4,1	71	01	7	9	05	SB SF	86	SB SF	9,2	4,0	0,9	10	20
21	1012,4	3,0	64	01	3	3		3	70		01	SF SB	1012,4	3,0	66	36	2	6	85		03		1010,1	2,3	71	12	3	7	82		02		4,9	2,0	3,2	8	21
22	1001,5	0,1	93	19	5	3		3	10	S	71	S	999,2	1,9	91	18	5	8	60	R	61	YR R S	998,0	2,3	90	19	3	8	50	TD	10	R LB	2,5	2,3	0,1	5	22
23	984,3	2,2	91	11	4	8		8	40	R	61	TD R	976,0	2,0	90	10	6	8	40	R TD	63	R TD	970,1	3,2	90	39	4	8	40	TD	10	R TD	1,0	3,2	3,4	6	23
24	974,8	2,8	73	10	4	1		6	84		02		981,1	1,0	91	36	3	8	70	LB	83	LB	991,7	1,0	73	33	7	6	80		01	RB	0,3	3,2	5,0	7	24
25	1004,2	0,2	84	38	4	1		7	70	SB	85	RB	1008,0	2,0	76	01	4	7	80	SB	85	SB	1009,8	2,4	65	26	3	6	82		02		2,8	1,0	0,0	7	25
26	1004,7	2,0	87	23	5	2		8	81	LB	84	LB	997,6	2,4	91	18	4	8	30	R	61	R	982,2	2,8	91	22	2	8	40	R	61	R SL	2,4	3,1	1,6	5	26
27	982,8	3,2	76	28	3			6	82		02		986,5	4,9	75	02	5	7	50	SF SB	85	SF SB	985,8	7,6	60	03	5	8	60	SF	36	SF SB	8,0	7,6	9,6	8	27
28	1007,1	8,0	54	01	4	3		3	70		02	SF	1009,9	7,6	59	03	4	8	65	SB SF	85	SB SF	1012,4	6,4	48	34	4	7	80		01	SB SF	10,1	6,4	1,6	7	28
29	1015,0	6,2	50	33	3	3		3	85	SB	85	SB	1014,7	5,8	49	28	1	2	89	SQ	01	SQ	1013,5	8,2	53	34	1	1	89		02	SQ	8,4	5,8	0,5	6	29
30	1009,2	2,4	66	13	4	3		7	80		01		1004,8	0,1	65	15	5	8	82		02		999,8	0,6	94	13	6	3	40	SF LB	84	SF LB	8,9	1,0		7	30
31	984,1	2,7	88	21	4	2		2	82		02	TD	983,8	2,8	86	19	5	4	58	TD	10	TD	984,2	2,6	90	22	3	8	60	TD YR	50	YR TD	0,1	3,2	1,1	7	31
MI	1000,8	0,3	78		4,0				6,5				1000,8	0,5	78		3,8		6,6				1000,4	0,4	76		3,4		6,7				2,1	2,3	61,6		MM

EKSTENSOTABELL

JAN MAYEN — NOVEMBER 1978

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	NN	VÆRSYMB.
1	987,5	1,7	90	21	3	1		3	70		02	
2	977,2	- 2,4	97	35	6	3		3	80	SB SF	86	SB LO SF
3	983,6	- 2,5	90	10	6	3		3	70	SB SF	86	SB SF
4	993,4	- 6,2	84	46	6	3		3	01	SB SF	86	SB SF
5	994,2	2,0	84	16	5	4		4	40	TD	10	SF SB
6	999,1	- 5,0	87	33	7	4		3	40	SB SF	85	SB SF
7	1000,5	- 3,2	83	34	2	3		3	80		03	
8	979,1	0,9	98	22	1	2		4	70	TD	10	TD
9	979,5	- 4,0	83	36	3	3		3	30	SB	85	SB
10	989,0	- 7,0	82	32	3	4		3	60	SF	36	SF
11	986,9	- 2,6	93	10	6	4		3	00	SB SF	86	SB SF
12	988,0	- 2,7	82	34	3	4		7	82		02	
13	981,3	- 3,3	88	33	10	4		3	00	SB SF	85	SB SF
14	980,6	- 8,4	75	32	3	4		8	40	SB	85	SB SF
15	995,5	- 9,5	54	36	3	4		6	70		01	SB
16	995,7	-11,4	59	03	4	4		7	70	SB	85	SB
17	997,0	-11,1	77	04	3	4		3	01	SB	86	SB
18	990,5	- 7,6	87	32	3	4		3	00	SB SF	86	SB SF
19	986,8	- 9,1	72	36	4	4		7	10	SB SF	86	SB SF
20	995,2	- 4,1	75	11	4	4		3	30	SB	83	SB
21	980,0	- 5,1	87	31	5	4		3	30	SB SF	85	SB SF
22	991,9	-13,4	75	36	6	4		3	20	SB SF	85	SB SF
23	995,1	-10,1	85	01	5	4		3	04	SB SF	86	SB SF
24	1006,0	- 8,9	71	31	1	4		3	20	SB SF	85	SB SF
25	1012,3	-11,6	83	36	1	4		3	10	SB SF	85	SB SF
26	1020,2	-16,0	77	35	3	4		3	20	SB SF	85	SB SF
27	1026,2	-16,4	32	01	3	4		3	70	SF	36	SF SB
28	1015,1	- 6,1	88	17	3	4		3	20	S	70	S
29	995,5	0,2	90	14	1	4		3	01	T YR	51	T YR
30	1007,0	- 0,3	90	20	3	3		3	02	T	43	T
Mi	994,0	- 6,1	30		4,7			7,2				

KL. 13

P	T	UU	DD	F	N	VV	VÆRSYMB.	NN	VÆRSYMB.
988,2	2,4	91	18	3	8	50	TD SO	10	TD T
987,9	- 4,5	76	36	5	7	65	SF	36	SF SB
990,5	- 1,6	88	14	4	7	70	TD	10	TD S SF
1011,0	- 7,4	72	34	6	8	08	SB SF	85	SB SF
986,0	1,2	91	16	5	9	09	T SL	68	TD T SL
1011,2	- 4,3	85	31	4	8	70		15	SB
986,0	0,4	91	11	5	8	56	TD SL	68	TD SL
975,9	- 1,8	82	24	2	4	65	TD	10	TD
982,9	- 4,0	87	03	1	8	30	SB	85	SB
985,4	- 6,6	59	02	4	7	75		02	SF SB
989,7	0,2	91	21	1	8	10	SL	69	SL SB SF
988,7	- 2,0	60	06	4	8	82		02	
988,2	- 3,7	90	02	9	9	00	SF SB	86	SB SF
985,8	- 8,1	69	01	5	8	50	SB	86	SB
986,7	- 9,8	57	35	3	7	80		02	
987,0	-11,0	57	35	3	7	75		02	SB
986,2	- 7,3	72	02	3	9	01	SB SF	85	SB SF
982,0	- 7,5	83	01	5	8	05	SB SF	86	SB SF
987,6	- 7,8	64	02	3	6	80		02	SB SF
982,0	- 0,5	73	15	6	8	65	TD	10	TD
981,9	- 8,4	82	35	7	9	04	SF	36	SF
984,1	-13,2	72	03	7	6	30	SF	38	SF SB
999,0	- 8,8	82	34	6	8	20	SB SF	85	SB SF
1007,8	- 8,5	72	02	4	8	40	SB	85	SB
1015,0	-12,6	76	35	4	9	09	SB SF	85	SB SF
1022,0	-14,7	80	34	5	8	15	SF	36	SF SB
1026,0	-15,2	79	35	6	1	84		02	SF
1008,2	0,0	85	18	5	9	20	S	73	S
992,8	0,7	90	21	3	9	01	T YR	55	T YR R
1006,4	1,0	91	21	4	8	15		40	T YR
994,1	- 5,3	78		4,5	7,3				

KL. 19

P	T	UU	DD	F	I	VV	VÆRSYMB.	NN	VÆRSYMB.
983,4	2,0	90	17	3	8	65	TD	10	TD
992,9	- 5,3	64	33	3	8	80		02	SF
980,9	1,0	83	35	2	8	82		02	TD
1035,2	- 7,4	62	36	3	6	60	SB	85	SB SF
980,3	0,5	91	31	2	8	65	SL	68	SL S T
999,5	- 4,0	84	30	3	7	82		02	
988,0	2,6	91	22	4	9	01	T	45	T YR R SL
974,2	- 3,4	87	34	3	9	03	SF SB	86	SF SB
993,2	- 3,8	83	33	1	8	50	SB	85	SB
1000,3	- 7,6	57	33	3	7	82		02	
988,8	- 1,4	87	35	5	8	60		02	S SL
983,5	- 2,6	66	33	5	8	82		02	
981,5	- 5,3	85	36	10	9	00	SB SF	83	SB SF
988,4	- 9,3	64	36	6	4	80		02	SF SB
996,5	-10,6	58	35	4	6	82		02	SB
998,3	-10,8	50	36	4	8	70	SB	85	SB
985,4	- 8,0	62	31	4	3	70	SF	36	SF SB
994,8	- 8,6	66	36	5	3	80		02	SF
997,2	- 7,5	83	34	2	8	82		02	SB
985,5	0,4	91	16	5	3	40	S	71	S
993,8	-10,6	79	31	3	9	02	SB SF	85	SB SF
994,3	-12,0	30	30	4	3	82		02	SF
1002,0	- 8,8	70	36	5	8	20	SB	85	SB SF
1009,1	- 8,6	69	32	4	6	80		26	SB
1017,2	-14,4	32	34	4	9	10	SB SF	85	SB SF
1023,4	-16,1	77	36	6	9	02	SB SF	85	SB SF
1025,7	-15,4	64	33	5	1	84		02	
1030,8	0,0	30	16	4	3	20	YR	56	S YR
997,2	1,3	31	20	4	9	01	T YR	53	T YR
1010,2	2,4	72	27	6	1	80		01	
994,0	- 5,7	75		4,2	6,6				

DØGNET

TN	TX	R	FX	DT
0,5	3,1	0,3	4	1
- 5,6	2,0	2,3	7	2
- 6,4	1,6	2,0	7	3
- 8,0	1,0	5,1	6	4
- 7,3	2,3	1,3	6	5
- 5,1	0,5	5,4	9	6
- 4,5	2,9	0,0	6	7
- 4,0	3,1	0,6	5	8
- 4,6	- 3,0	1,6	4	9
- 7,9	- 3,8	0,6	7	10
- 9,4	2,0	0,7	7	11
- 3,6	- 1,4	7,5	7	12
- 14,0	- 2,0	5,5	12	13
- 9,6	- 5,3	27,4	10	14
-11,0	- 8,9	0,2	6	15
-12,0	-10,5	0,2	5	16
-11,6	- 7,2	0,5	6	17
- 9,0	- 6,5	3,0	6	18
-10,2	- 6,2	0,9	6	19
- 9,5	0,4	0,3	6	20
-10,6	0,9	1,7	8	21
-14,0	-10,1	5,7	7	22
-13,0	- 8,4	2,3	7	23
- 9,5	- 8,2	1,7	6	24
-14,4	- 8,6	0,7	5	25
-16,8	-12,0	2,8	6	26
-16,7	-15,0	1,9	7	27
-15,9	0,0	0,3	6	28
0,0	1,3	2,6	4	29
- 0,6	2,4	3,0	6	30
- 3,3	- 3,1	89,0		1M

JAN MAYEN — DESEMBER 1978

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	NN	VÆRSYMB.
1	1017,5	0,4	92	23	2	3		3	80		02	
2	1021,3	- 0,5	93	00	3	3		3	00	T	47	T
3	1019,9	- 1,0	91	20	2	2		3	60	TD	10	TD
4	1014,9	0,0	87	22	2	2		3	80		03	
5	1022,6	0,0	91	00	0	1		3	00	T	45	T
6	1024,5	0,3	91	24	1	1		3	10	TD	40	TD T
7	1020,0	0,0	90	00	3	0		3	02	T	47	T R
8	1015,8	0,2	90	00	0	0		3	00	T	47	TD T
9	1011,3	- 0,2	91	00	3	0		3	00	T	45	T
10	1013,7	- 0,5	90	00	3	0		3	00	T	43	T
11	1009,3	0,4	77	11	3	0		3	85		02	
12	1004,5	0,1	88	11	4	0		7	80		03	
13	1003,9	0,2	98	10	3	0		3	80	TD	10	TD KS
14	1003,4	- 0,2	92	32	2	0		3	80		02	
15	1008,6	-15,2	76	32	6	4		3	02	SB SF	86	SB SF
16	1014,2	-13,2	39	30	3	4		1	80		02	NL
17	1004,7	- 7,9	85	12	3	4		3	60	SB SF	85	SB
18	1002,0	-10,4	80	12	5	4		9	70	SF	36	SF
19	995,5	- 0,8	93	12	5	4		3	01	S SF	73	S SF
20	1008,6	- 6,2	90	35	7	4		3	03	S SF	72	TD S SF
21	1024,1	-13,3	71	35	7	4		3	80		02	SF
22	1022,6	- 9,8	75	00	3	4		7	80		03	
23	1022,3	- 1,6	90	20	3	4		3	80	TD SH	87	TD SH
24	1023,5	- 1,5	87	00	3	4		3	82		02	S
25	1022,4	- 3,4	49	34	6	4		3	80	SF	36	SF
26	1027,8	- 7,6	83	00	3	4		7	80		02	
27	1029,4	-11,4	75	35	6	4		2	80		01	SF
28	1026,6	- 9,6	70	00	3	4		8	81		01	TD NL
29	1022,6	- 4,4	87	09	1	4		3	82		01	
30	1028,9	- 6,8	48	11	5	4		3	60	SF	33	SF
31	1028,5	-18,8	80	34	3	4		1	20	SF	38	SF
Mi	1016,7	- 4,3	80		2,7			5,9				

KL. 13

P	T	UU	DD	F	N	VV	VÆRSYMB.	NN	VÆRSYMB.
1022,2	- 1,6	79	00	0	2	60		40	
1019,7	0,1	93	20	1	9	01	T	45	T
1020,0	0,0	82	12	3	2	82		01	
1016,1	0,8	90	00	0	8	08	T	46	TD T
1024,9	- 0,4	94	00	0	9	00	T	45	T YR
1023,7	0,6	88	22	3	5	60	TD	10	TD
1019,6	1,4	91	24	3	8	15		40	T
1015,2	0,2	90	00	0	9	00	T	45	T
1011,8	- 0,2	90	00	0	9	01	T	45	T
1013,6	- 0,8	87	00	0	7	10		40	T
1008,3	- 0,2	87	09	3	8	75		02	
1004,9	- 0,7	84	11	5	7	80	TD	02	TD
1004,2	0,0	79	15	1	8	80		02	
1003,0	- 1,3	73	00	0	8	60		02	
1012,1	-16,8	73	01	6	7	30	SF	38	SB SF
1012,7	-10,5	50	30	4	1	89		02	
1003,4	- 7,8	82	12	4	7	84		02	SB SF
997,9	- 5,5	85	11	5	8	50	S SF	70	S SF
1001,2	- 1,8	88	00	0	7	60	TD	10	S TD
1011,5	- 9,2	91	34	8	7	00	SF	39	SB SF
1027,8	-10,6	47	33	5	2	89		03	
1023,1	- 6,8	91	03	2	6	89		03	
1022,8	- 1,2	91	21	3	8	80		02	
1023,7	- 1,1	76	26	2	7	89	S	70	S
1024,9	- 6,3	94	21	3	8	15	TD	10	TD SF
1029,0	- 3,0	73	00	0	7	85		02	
1031,1	-11,4	73	28	3	1	84		01	SB
1025,0	- 8,3	59	36	2	8	82		02	
1023,9	- 6,2	70	25	2	2	89		02	
1031,5	-10,6	76	02	6	4	50	SF	36	SF
1027,0	-19,3	71	34	5	1	87		40	SF
1017,3	- 4,5	81		2,5	6,0				

KL. 19

P	T	UU	DD	F	I	VV	VÆRSYMB.	NN	VÆRSYMB.
1022,9	- 3,2	93	30	3	0	25	TD	40	TD T
1019,7	- 0,7	88	16	3	8	70		02	TD S
1017,2	- 0,2	88	12	4	7	82		02	
1018,1	- 0,4	94	07	2	9	04	T TR	49	T TR
1024,8	- 0,2	93	30	3	9	01	T	45	T
1021,2	1,8	90	30	3	3	25	TD R	60	TD
1018,2	1,8	87	24	4	3	20	TD	10	TD
1013,6	0,1	90	30	3	9	00	T	45	T
1012,1	- 0,6	91	30	3	9	01	T	45	T
1012,8	- 0,6	94	30	3	3	60	TD	10	TD
1007,1	0,0	85	12	3	3	80		02	
1004,2	- 1,4	88	11	3	7	82		02	TD
1004,2	0,4	87	34	2	8	80		02	
1002,6	- 2,0	91	22	1	8	60	S	70	S
1014,9	-16,8	60	36	6	5	80		01	SB SF
1011,4	- 8,8	45	28	3	1	89		02	
1004,4	- 9,2	78	17	3	3	82		02	
992,4	- 3,0	90	10	6	9	00	S SF	73	S SF
1005,2	- 1,8	91	30	3	7	80		02	TD YR S
1015,7	-12,2	83	35	8	8	01	SF	39	SB SF
1025,2	- 7,8	70	33	2	1	89		02	
1021,5	- 5,6	75	00	0	2	89		01	
1022,3	- 1,3	91	22	3	9	50		02	TD S
1023,2	- 1,7	79	30	4	3	80		01	S
1026,2	- 6,2	85	29	1	1	89		01	TD
1028,7	- 4,0	82	30	3	9	70	S	71	S
1030,2	-10,4	62	19	3	2	82	NL	02	NL
1022,9	-10,2	82	36	4	9	00	S SF	72	S SF
1024,4	- 4,1	85	10	3	7	20	SB	86	SB
1032,0	-17,3	85	35	7	3	03	SF	39	SF
1023,8	-18,9	43	36	2	1	80	TD	01	TD SF
1017,0	- 4,7	81		2,5	6,1				

DØGNET

TN	TX	R	FX	DT
- 3,3	2,5	0,1	6	1
- 5,0	1,1		3	2
- 2,0	0,3	0,3	4	3
- 1,1	1,0		4	4
- 0,7	0,2		2	5
- 0,4	1,6	0,2	3	6
- 0,3	2,2	1,5	4	7
- 0,2	1,8		4	8
- 0,8	0,4		1	9
- 0,2	- 0,3		1	10
- 1,0	0,4		4	11
- 1,7	0,2		6	12
- 1,5	0,4	0,0	4	13
- 2,0	0,6		3	14
-17,3	- 1,9	2,4	7	15
-19,6	- 8,8	0,2	6	16
- 9,8	- 7,5	0,0	5	17
-11,0	- 3,0	0,0	7	18
- 3,1	- 0,8	2,3	7	19
-12,2	- 1,8	0,5	9	20
-14,4	- 7,8	3,6	10	21
- 9,0	- 2,5		3	22
- 7,4	- 1,1	0,0	4	23
- 2,5	- 0,8	1,0	4	24
- 6,7	- 1,2	0,0	8	25
- 6,2	- 2,9		3	26
-13,0	- 3,6	0,3	6	27
-13,7	- 8,0	0,0	5	28
-11,5	- 4,1	1,1	6	29
-17,3	- 4,1	0,9	7	30
-20,7	-17,3		7	31
- 7,0	- 2,1	14,4		1M

MD.	MIDLERE LUFTTRYKK P.1	P.01	MIDLERE LUFTTEMPERATUR 07	13	19	TM	AVVIK FRA NORM.	MIDLERE (M) OG ABSOLUTTE TEMPERATUREKSTREMER IMAX	IMIN	MAX	DT	MIN	DT	VINDFORDELING (YPPIGHET OG TILHØRENDE MIDLERE VINDSTYRKE I BEAUFORT 16(N)	03	06	09(E)	12	15	18(S)	21	24	27(W)	30	33	CALM
SVALBARD LUFTHAVN																										1978
1	1001,6	1001,4	-21,1	-20,3	-20,2	-20,7		-10,4	-24,2	- 5,8	19	-31,1	13	0 3,0	1 1,0	3 1,3	20 2,7	44 3,1	5 2,6	3 3,0	2 4,0	4 2,8	2 4,5	2 2,5	0 0,0	3
2	1011,5	1018,4	-21,0	-20,3	-20,3	-20,1		-15,3	-24,6	- 2,2	1	-34,4	26	2 2,5	5 3,4	2 3,0	7 1,7	43 2,7	6 3,3	2 1,5	4 3,5	4 1,0	6 3,2	2 4,0	0 0,0	1
3	1002,4	1006,2	-18,1	-18,8	-17,9	-17,7		-12,7	-21,7	4,6	4	-35,6	17	4 2,3	2 1,5	0 0,0	10 1,5	21 2,3	9 1,8	8 1,3	2 2,5	21 2,8	5 2,0	0 0,0	1 1,0	14
4	1015,7	1019,4	-13,7	- 8,5	- 8,7	- 9,9		- 6,3	-13,7	0,9	9	-26,7	4	3 2,7	3 2,3	1 1,0	3 2,5	33 3,7	5 2,4	3 1,0	5 3,2	11 2,9	1 1,0	3 1,3	2 1,5	6
5	1011,4	1018,1	- 4,2	- 2,5	- 2,3	- 3,7		- 0,4	- 6,4	7,7	22	-21,7	4	3 1,0	3 2,3	1 2,1	3 2,2	16 3,4	4 2,8	2 2,5	4 4,0	26 3,0	10 2,0	1 1,0	0 0,0	16
6	1011,3	1014,2	1,5	2,3	2,1	1,7		4,3	0,2	14,3	25	- 4,9	3	2 2,0	2 1,5	4 1,3	3 3,3	14 4,8	4 5,3	1 4,0	1 3,0	17 3,2	20 2,1	7 1,7	8 1,9	6
7	1011,5	1015,1	3,7	6,5	6,3	5,3		8,6	4,5	14,3	3	1,2	14	1 3,0	3 3,7	3 3,0	1 1,0	3 3,3	0 0,0	1 2,1	2 4,0	55 3,8	22 2,3	4 2,0	1 1,0	3
8	1013,3	1013,8	5,0	5,0	5,3	5,3		7,3	3,6	11,1	24	1,1	23	1 1,5	7 1,7	2 1,5	3 2,1	3 3,3	2 3,5	1 1,0	5 2,6	29 3,1	14 2,6	6 1,0	4 1,5	6
9	1007,7	1011,4	- 2,1	- 1,1	- 1,3	- 1,3		0,6	- 3,6	7,4	4	-11,3	20	2 1,0	1 2,1	2 1,5	2 2,1	25 2,6	2 2,5	6 2,5	2 4,0	13 2,9	9 2,2	6 2,5	8 2,8	9
10	997,6	1001,1	- 5,0	- 5,9	- 5,7	- 5,9		- 2,5	- 8,6	4,2	17	-15,9	13	1 3,0	7 3,3	3 3,7	3 2,2	42 3,2	3 1,7	5 2,8	4 2,5	5 3,2	2 2,0	1 4,0	5 4,6	7
11	993,5	994,2	-11,3	-11,9	-11,3	-11,3		- 7,2	-14,3	4,3	9	-25,2	27	0 3,0	2 1,5	0 0,0	11 3,2	33 3,2	10 3,9	2 6,0	5 4,6	7 3,1	3 3,0	0 0,0	1 2,0	6
12	1012,2	1016,0	-12,2	-12,8	-12,2	-12,4		- 8,2	-16,3	3,6	1	-33,3	28	5 2,1	1 1,0	1 2,0	7 1,7	37 3,1	7 3,3	1 3,0	3 4,7	15 4,1	3 3,0	1 5,0	5 3,0	6
ÅR	1007,3	1011,0	- 7,3	- 7,1	- 7,2	- 7,5		- 4,0	-10,4	14,3		-35,6		16 2,3	15 2,1	13 2,2	81 2,3	330 3,2	53 3,2	39 2,3	39 3,5	207 3,3	97 2,4	33 2,1	35 2,5	79
NY-ÅLESUND II																										1978
1	1003,1	1004,1	-19,4	-18,6	-18,6	-18,9		-15,2	-22,4	6,0	6	-31,0	13	0 0,0	0 0,0	0 0,0	3 3,3	13 2,3	15 2,0	11 1,3	1 1,0	6 1,0	3 2,0	2 3,0	0 0,0	27
2	1017,6	1018,6	-18,4	-18,2	-18,6	-18,5		-14,5	-23,0	1,0	4	-32,0	12	2 2,0	0 0,0	0 0,0	2 1,0	17 2,7	10 1,7	11 1,1	2 1,0	3 1,3	3 2,4	2 1,0	6 2,7	24
3	1004,2	1005,3	-15,7	-14,9	-15,4	-15,3		-11,7	-19,6	3,5	5	-30,0	18	2 1,5	0 0,0	3 1,7	10 2,3	9 3,1	12 1,7	9 1,8	3 1,7	3 3,7	3 2,7	1 3,0	1 3,0	37
4	1017,7	1018,7	- 9,7	- 7,7	- 8,3	- 8,7		- 5,6	-12,0	1,3	6	-24,3	3	1 1,0	0 0,0	0 0,0	10 1,0	10 2,3	3 2,7	3 1,0	1 1,0	9 2,0	3 2,3	4 2,0	0 0,0	43
5	1016,3	1017,3	- 3,0	- 1,5	- 2,3	- 2,7		- 0,3	- 4,8	5,0	22	-12,0	6	2 1,0	0 0,0	1 1,0	9 3,1	9 2,1	7 1,9	6 2,5	5 1,6	4 2,5	6 2,8	3 2,3	5 2,0	3
6	1012,8	1013,8	1,7	2,5	2,4	1,7		3,7	0,6	11,2	25	- 4,9	7	1 1,3	3 1,7	1 1,0	13 1,3	12 2,3	2 2,3	2 2,3	1 2,0	2 1,5	13 1,8	7 2,7	12 2,2	8
7	1014,3	1015,3	4,1	5,2	4,9	4,1		6,3	2,8	10,2	2	0,1	2	16 1,3	2 2,0	2 1,5	13 1,7	8 1,3	2 2,5	3 1,3	5 1,6	2 2,5	4 2,5	3 2,4	9 2,3	22
8	1012,5	1013,4	4,1	5,2	5,2	4,5		6,5	2,6	9,5	24	- 0,3	23	1 1,0	1 1,3	3 1,0	10 1,6	17 2,3	4 2,8	4 1,5	9 1,4	9 2,0	1 3,0	2 3,5	6 2,0	23
9	1010,2	1011,2	- 1,7	- 1,1	- 1,6	- 1,4			0,5	- 4,3	7,0	4	-13,7	22	2 1,0	2 2,0	2 2,0	9 2,1	5 2,2	3 1,7	3 2,2	2 1,5	3 1,7	6 2,5	12 2,8	7 2,6	22
10	1000,1	1001,1	- 5,7	- 5,3	- 5,3	- 5,7		- 2,9	- 9,2	3,2	17	-16,6	15	3 3,0	0 0,0	1 3,0	11 3,5	15 2,9	12 2,4	3 1,0	0 0,0	5 1,2	4 2,3	5 3,2	9 3,2	29
11	1014,4	1015,4	-10,1	-10,1	-10,3	-10,2		- 7,1	-14,1	3,0	9	-22,3	27	1 3,0	2 4,0	1 1,0	13 3,3	18 3,1	11 2,1	7 1,0	5 1,4	6 1,5	7 2,3	1 3,0	1 3,0	17
12	992,7	993,7	-10,0	-10,2	- 9,8	-10,0		- 6,3	-13,8	1,5	4	-25,3	27	1 3,0	3 2,7	0 0,0	3 3,3	14 3,1	13 2,1	6 1,0	4 1,5	7 2,4	4 3,0	0 3,5	3 3,3	21
ÅR	1009,7	1010,7	- 7,0	- 6,3	- 6,5	- 6,8		- 3,9	- 9,8	11,2		-32,0		37 1,7	15 2,1	11 1,3	122 3,1	147 2,3	103 2,1	71 1,0	38 1,5	59 1,9	73 2,3	80 2,9	59 2,5	304
HOPEN																										1978
1	1001,4	1002,8	-19,9	-19,5	-19,2	-19,6		-16,3	-22,2	2,4	15	-29,1	25	4 4,3	20 4,2	11 4,3	3 3,0	2 3,0	3 3,0	0 0,0	2 4,0	2 4,5	3 3,4	9 3,7	22 2,8	1
2	1015,3	1016,7	-20,8	-20,0	-21,1	-20,9		-16,8	-24,0	1,8	4	-33,8	13	10 3,7	11 2,3	20 4,3	10 3,3	3 3,0	0 0,0	0 0,0	1 4,0	0 0,0	3 3,3	3 1,9	10 3,3	10
3	1005,0	1006,3	-14,9	-14,0	-14,6	-14,8		-10,8	-18,2	3,2	5	-31,5	12	0 4,2	7 4,0	13 3,3	13 3,7	5 2,0	1 2,0	1 3,0	2 3,5	5 3,4	10 3,0	7 2,1	11 2,8	4
4	1018,9	1020,2	-12,8	-11,1	-11,7	-12,2		- 8,8	-15,4	0,7	10	-23,5	14	3 4,3	1 4,1	23 3,3	15 3,8	10 3,1	3 2,3	0 0,0	0 0,0	10 3,7	1 4,0	5 3,2	8 3,0	4
5	1017,6	1018,9	- 4,2	- 3,2	- 3,6	- 4,0		- 1,8	- 5,7	3,4	16	-17,0	3	1 1,3	3 3,2	11 2,3	12 2,7	8 2,3	1 2,3	0 0,0	1 3,0	11 3,5	14 4,1	6 3,5	8 3,1	5
6	1014,1	1015,4	- 1,1	- 0,4	- 0,8	- 1,0		0,3	- 2,3	5,2	30	- 6,7	1	4 3,0	3 3,0	23 2,3	13 3,2	3 2,7	2 2,5	1 1,0	3 4,7	6 3,3	3 2,0	9 2,4	6 2,3	1
7	1013,8	1016,0	1,3	2,3	1,7	1,5		3,4	0,1	7,4	30	- 3,2	24	1 3,0	10 2,6	23 2,1	8 1,7	2 1,3	1 3,0	2 1,0	6 3,3	1 5,0	11 3,3	10 2,6	4 2,8	12
8	1013,6	1014,8	2,9	3,5	3,2	3,0		4,8	1,6	7,9	10	- 1,6	6	2 4,3	3 4,2	13 2,3	8 2,2	9 2,3	2 2,0	4 2,8	14 3,9	10 4,3	7 3,0	6 3,2	3 4,3	4
9	1008,6	1009,8	0,2	0,3	0,1	0,1		1,3	- 1,0	4,4	5	- 4,6	30	15 3,2	20 3,0	13 2,8	9 3,2	1 3,3	1 2,0	3 1,7	5 2,4	7 3,4	1 2,3	1 4,0	5 3,0	3
10	998,2	999,4	- 3,2	- 2,9	- 3,1	- 3,1		- 1,4	- 4,9	2,8	17	-11,0	31	20 3,7	27 3,6	3 2,3	5 3,3	7 3,3	1 3,0	1 3,0	8 3,8	1 3,0	1 2,0	3 2,3	5 3,4	5
11	992,8	994,1	- 9,3	- 9,3	- 9,2	- 9,3		- 6,7	-11,9	2,1	9	-21,8	28	11 4,1	22 3,8	14 3,0	2 4,1	1 2,3	2 4,0	4 3,8	11 3,8	4 5,0	2 4,0	3 2,7	7 3,1	7
12	1014,6	1015,9	-12,1	-12,0	-12,4	-12,2		- 9,4	-15,2	2,0	1	-29,6	29	7 3,3	11 3,1	11 2,3	10 3,0	5 4,3	1 3,0	2 2,0	6 4,2	5 3,8	5 3,0	5 4,0	4 3,3	1
ÅR	1009,6	1010,9	- 7,8	- 7,3	- 7,6	- 7,7		- 5,2	- 9,9	7,9		-33,8		92 3,7	155 3,6	201 3,1	120 3,2	33 2,3	20 2,7	13 2,1	59 3,8	62 3,8	60 3,3	73 2,8	93 3,0	71
BJØRNØYA																										1978
1	999,1	1000,9	-12,7	-13,0	-12,6	-12,8		- 9,5	-16,3	0,2	15	-25,4	25	7 5,7	21 4,8	17 4,0	3 4,0	3 3,7	3 5,7	3 3,0	6 4,8	6 4,3	2 3,5	12 3,9	2 3,0	2
2	1013,4	1015,2	-15,6	-15,3	-15,1	-15,4		-11,2	-18,9	0,9	3	-28,9	16	1 4,0	22 4,9	23 4,1	0 3,7	1 4,0	4 3,8	5 4,2	3 3,3	5 3,2	3 3,7	3 4,7	5 5,2	1
3	1003,2	1005,1	- 9,5	- 8,8	- 9,3	- 9,5		- 6,1	-12,7	2,4	4	-27,5	13	2 2,3	14 4,0	13 3,3	10 3,3	3 3,7	3 4,0	10 4,8	10 4,4	4 3,8	2 5,0	3 3,3	10 2,9	1
4	1015,9	1017,7	- 5,5	- 4,3	- 4,6	- 5,0		- 2,7	- 7,0	2,3	8	-17,7	4	2 3,0	3 3,9	23 4,0	12 3,7	5 3,1	3 5,7	8 5,0	1 2,0	7 4,0	4 4,3	3 3,7	13 3,8	1
5	1010,4	1018,2	- 1,3	- 0,9	- 1,2	- 1,3		0,4	- 3,1	7,4	24	-13,9	3	5 2,3	3 3,7	13 3,3	11 4,1	14 4,1	3 3,4	11 3,9	13 3,6	8 3,4	2 4,0	4 4,5	5 2,8	2
6	1011,5	1013,2	1,8	2,7	2,6	2,1		4,2	0,5	15,0	25	- 4,4	1	2 3,1	3 3,0	8 3,2	13 3,2	21 3,2	2 4,0	9 4,0	5 4,6	2 5,0	7 3,6	4 3,0	4 3,1	6
7	1013,9	1015,6	3,7	4,1	4,0	3,7		5,4	2,3	9,3	1	- 0,7	5	5 3,0	13 3,7	10 3,4	7 3,4	7 4,1	1 5,0	2 4,0	8 4,5	3 4,0	13 3,3	5 3,0	4 2,5	8
8	1010,0	1014,7	4,7	5,3	5,5	5,1		7,1	3,6	10,7	23	0,0	14	6 3,7	1 4,5	3 2,7	8 3,5	16 3,3	1 5,0	10 4,5	13 4,4	7 3,6	12 3,6	6 3,0	3 3,0	4
9	1008,1	1009,8	1,0	1,7	1,1	1,2		2,4	0,2	6,0	4	- 3,9	30	13 4,0	11 3,4	8 3,3	20 3,1	9 2,0	3 3,3	3 4,0	2 3,3	3 4,0	4 3,8	0 0,0	11 5,2	0
10	997,1	998,9	- 0,7	- 0,3	- 0,8	- 0,6		0,6	- 2,2	4,3	18	- 5,0	31	19 4,3	11 4,7	11 4,3	9 3,7	4 3,3	3 4,7	0 4,0	5 4,4	3 4,0	7 2,9	5 5,4	13 4,5	1
11	993,4	992,1	- 3,3	- 3,2	- 3,4	- 3,3		- 1,1	- 5,8	5,5	3	-14,3	28	4 4,3	11 4,6	3 4,2	11 4,3	9 4,7	6 5,3	11 5,1	5 5,3	5 5,2	3 5,1	8 3,3	3 3,7	0
12	1012,7	1014,8	- 7,2	- 7,3	- 7,3	- 7,3		- 4,7	- 9,9	2,8	1	-22,6	27	2 3,3	3 3,1	20 4,1	10 4,2	9 4,1	4 3,8	3 4,0	4 4,5	5 4,0	13 4,6	4 5,0	4 4,3	0
ÅR	1007,9	1009,7	- 3,7	- 3,2	- 3,4	- 3,6		- 2,1	- 1,3	- 5,8	15,0		-28,9	71 4,2	133 4,1	145 4,0	130 3,3	101 4,2	33 4,5	78 4,5	75 4,3	58 3,9	79 3,9	57 3,8	77 3,9	36
JAN MAYEN																										1978
1	1002,7	1003,9	- 6,7	- 7,1	- 6,8	- 6,3		- 2,9	- 4,4	- 9,5	2,0	22	-17,2	29	33 4,3	7 4,9	1 3,5	13 3,7	8 3,5	3 4,3	6 5,0	4 5,3	2 2,0	3 4,0	1 4,0	5 5,2	0
2	1016,9	1018,1	- 9,2	- 9,1	- 9,9	- 9,5		- 4,3	- 7,1	-12,5	1,7	8	-23,4	16	33 4,3	11 4,5	3 3,0	13 3,7	4 3,3	0 0,0	0 0,0	1 2,0	1 2,0	1 3,0	2 3,0	12 4,9	1
3	1000,7	1001,9	- 5,9	- 5,2	- 5,2	- 5,3		- 3,7	- 2,7	- 7,9	2,0	7	-19,2	17	33 4,7	7 4,7	0 0,0	4 3,1	5 2,1	0 3,0	9 3,2	8 2,6	1 2,0	2 1,5	2 5,5	9 5,9	3
4	1019,5	1020,6	- 3,2	- 2,1	- 2,1	- 2,7		- 0,8	- 0,6	- 4,6	7,6	5	-16,8	9	27 5,3	2 4,0	0 0,0	1 2,3	8 2,5	1 1,0	2 3,0	11 3,0	10 2,4	7 3,7	1 6,0	4 3,8	13
5	1013,3	1014,5	- 0,9	- 0,1	- 0,3	- 0,7		- 0,2	1,0	- 1,8	3,8	23	-12,0	3	15 1,3	3 3,2	1 1,0	3 3,7	11 3,1	1 2,0	8 2,2	24 2,7	5 2,8	1 2,0	5 3,6	6 4,0	7
6	1008,4	1009,5	1,8	2,3	2,2	2,1		3,3	4,1	0,8	10,2	13	- 1,8	3	12 5,3	2 2,3	0 0,0	5 2,1	15 3,7	10 2,2	6 2,0	13 2,3	8 3,9	2 3,0	3 4,0	11 4,6	3
7	1014,1	1015,2	3,3	3,1	3,0	2,5		3,7	6,3	3,2	8,5	24	- 0,2	6	15 5,1	7 1,9	2 2,5	6 2,3	7 2,3	0 1,5	12 1,3	19 1,8	8 2,0	0 0,0	3 4,0	3 6,7	5
8	1012,6	1013,7	5,2	6,2	6,0	5,6		5,1	7,2	4,4	10,3	7	0,6	11	9 4,3	3 4,0	2 1,5	1 3,3	8 2,5	7 2,1	12 1,6	26 2,5	9 2,6	5 3,0	1 7,0	5 290	9
9	1009,5	1010,6	2,9	3,5	3,2	3,1		3,8	4,4	1,9	7,5	2	- 1,4	20	20 4,1	11 2,5	3 3,5	12 4,1	13 3,3	3 3,0	4 3,3	2 2,3	3 1,3	7 2,3	0 0,0	5 1,4	3
10	1000,7	1001,8	0,3	0,5	0,4	0,3		0,6	2,3	2,1	7,6	27	10,1	28	15 4,1	13 4,2	2 3,5	13 4,7	7 3,7	3 3,6	6 4,0	9 3,4	6 4,2	7 4,3	0 0,0	7 3,3	6
11	994,0	995,2	- 6,1	- 5,3	- 5,7	- 5,3		- 4,6	- 3,1	- 8,5	3,1	1	-16,3	26	32 4,3	22 4,1	2 3,0	2 3,0	2 4,5	7 4,7	4 4,0	8 3,3	1 2,0	1 6,0	3 3,7	6 5,5	0
12	1017,0	1018,1	- 4,3	- 4,3	- 4,7	- 4,5		- 1,3	- 2,1	- 7,0	2,5	1	-20,7	31	10 5,3	3 3,3	1 2,0	5 3,0	13 4,1	2 2,0	2 3,0	9 2,3	5 2,4	3 2,7	4 3,0	5 5,8	28
ÅR	1009,1	1010,3	- 1,9	- 1,3	- 1,5	- 1,7		- 1,3	0,4	- 3,6	10,3		-23,4		272 4,1	91 3,8	13 2,3	73 3,3	101 3,1	51 2,8	63 2,8	134 2,6	55 2,7	33 3,3	25 4,0	78 4,5	76

ÅRSOVERSIKTER

ANNUAL SUMMARIES)

MÅ.	MIDLERE RELATIV FUKTIGHET 07	13	19	ÅM.	MIDLERE SKYDEKKE 07	13	19	ÅM.	NEDBØR SUM	%	MAX DT.	LUFTTEMPERATUR Tn <-1	Tx <0	Tj <=10	Tx>=25.	NEDBØR R>=0,1	R>=1,0	R>=10,0.	VINDSTYRKE FX> =08	FX> =09	FX> =08.	ANTALL DAGER MED: R	S	SL	FOREKOMST AV YR	SH	H	IL	TD	KV	OV	SD	TÅKE 07	13	19.
SVALBARD LUFTHAVN																																			1978
1	76	77	76	76	3,1	3,7	4,2	3,8	8		4,5 7	31	31	31	0	10	2	0	7	2	0	0	10	0	0	0	0	0	0	0	8	7	31	0	0	0
2	73	74	78	74	4,5	5,1	3,7	4,5	4		3,8 7	28	28	27	0	12	8	0	5	2	2	0	12	0	0	0	0	0	0	0	1	7	28	0	0	0
3	82	77	80	80	5,3	4,1	4,3	4,7	21		6,4 21	31	28	27	0	11	5	0	6	0	0	1	14	1	0	0	0	0	0	0	5	11	31	2	0	0
4	75	71	74	73	4,7	4,6	4,5	4,6	5		1,3 18	30	30	22	0	7	2	0	11	1	0	1	9	1	0	0	0	0	0	0	9	12	30	0	0	0
5	77	73	72	74	5,1	5,2	5,3	5,3	12		2,0 22	21	0	10	0	11	4	0	9	3	0	3	8	2	1	0	0	0	0	0	5	14	17	1	1	1
6	89	85	86	87	5,2	5,7	6,1	6,0	1		0,2 2	15	5	1	0	5	0	0	6	1	1	2	4	1	0	0	0	0	0	0	0	14	3	1	0	0
7	76	71	71	73	5,1	5,9	5,1	5,6	5		2,0 8	0	0	0	0	6	2	0	5	0	0	0	1	1	1	0	0	0	0	0	2	15	0	0	0	0
8	80	77	78	79	6,9	6,5	6,3	6,7	16		5,0 22	0	0	0	0	11	7	0	1	0	0	0	0	0	0	14	0	0	0	0	0	23	0	0	0	0
9	77	70	74	75	5,3	5,4	5,0	5,6	29		11,2 19	25	11	2	0	8	4	2	1	0	0	2	4	0	2	0	0	0	0	2	11	19	0	0	0
10	75	76	75	75	6,1	6,0	5,7	5,9	15		9,7 19	31	28	14	0	10	2	0	8	1	1	1	16	3	3	0	0	0	0	1	12	31	0	0	0
11	73	73	75	74	6,2	5,3	4,8	5,8	12		3,7 9	29	25	11	0	15	4	0	13	1	2	2	15	1	1	0	0	0	0	4	10	30	0	0	0
12	74	73	73	74	6,9	5,1	5,3	5,1	18		7,0 21	31	27	27	0	10	6	0	10	2	0	1	16	0	1	0	0	0	0	3	6	31	0	0	0
ÅR	76	73	74	75	5,3	5,2	5,2	5,3	146		11,2	274	211	179	0	131	58	9	82	13	6	34	109	10	29	0	0	0	0	40	142	248	4	1	1
NY-ÅLESUND II																																			1978
1	73	72	72	73	3,5	3,9	3,3	3,8	20		9,3 6	31	31	31	0	7	5	0	3	0	0	0	7	0	0	0	0	0	0	2	8		0	0	0
2	80	79	82	81	5,1	5,2	5,3	5,2	15		3,1 14	28	28	26	0	10	6	0	2	0	0	0	10	0	0	0	0	0	0	2	10		0	0	0
3	86	83	85	85	5,2	4,9	5,1	5,1	37		8,0 20	31	26	27	0	13	6	0	2	0	0	0	13	0	0	0	0	0	0	3	11		0	0	0
4	85	80	84	84	5,2	4,7	5,3	5,1	9		3,3 25	30	27	15	0	8	3	0	4	0	0	1	3	1	0	0	0	0	0	0	3	13		0	0	0
5	84	80	84	84	6,0	5,7	6,4	6,0	33		17,3 22	20	10	8	0	8	5	1	1	0	0	4	5	1	0	0	0	0	0	2	16		1	1	1
6	86	82	83	84	6,5	6,2	6,1	6,3	1		0,7 2	12	5	0	0	2	0	0	5	0	0	0	2	0	0	0	0	0	0	1	19		0	0	0
7	92	91	92	92	6,7	6,5	7,0	6,8	13		3,4 31	0	0	0	0	8	6	0	0	0	0	0	2	0	0	0	0	0	0	1	19		0	0	0
8	91	89	89	90	6,6	6,5	6,6	6,3	8		3,5 26	1	0	0	0	11	2	0	0	0	0	11	0	0	10	0	0	0	0	1	17	0	3	2	1
9	85	84	84	84	6,1	5,7	5,6	5,8	39		7,5 15	24	15	5	0	13	12	0	0	0	0	5	11	3	2	0	0	0	0	2	15	20	0	0	0
10	83	81	83	83	5,3	6,2	6,2	5,9	31		17,0 18	31	26	13	0	10	4	1	3	0	0	2	10	1	0	0	0	0	0	1	17	31	0	0	0
11	78	77	77	78	4,1	4,4	3,6	4,0	62		19,0 9	30	25	19	0	13	11	2	4	1	0	3	10	2	0	0	0	0	0	10	9	30	0	0	0
12	80	82	83	81	4,8	4,8	5,5	5,0	23		5,8 15	31	28	21	0	10	7	0	1	0	0	1	10	1	1	0	0	0	0	4	12	31	0	0	0
ÅR	84	82	83	83	5,4	5,4	5,5	5,4	291		19,0	299	221	165	0	113	60	3	25	1	0	35	91	10	31	0	0	0	0	45	141	112	4	3	2
HOPEN																																			1978
1	74	74	73	73	2,5	3,7	3,5	3,2	18		5,9 15	31	31	31	0	13	5	0	16	3	0	0	12	0	0	0	0	0	0	11	7		0	0	0
2	73	72	71	72	4,6	4,6	3,8	4,3	19		3,3 4	28	28	25	0	11	7	0	9	2	0	0	11	0	0	0	0	0	0	3	8		1	1	0
3	75	74	74	74	5,5	5,4	4,7	5,2	47		7,3 20	31	26	22	0	20	12	0	11	0	0	2	20	2	0	0	0	0	0	7	15		0	0	0
4	73	72	73	73	5,0	5,3	5,8	5,4	16		5,1 6	30	27	25	0	11	4	0	7	0	0	0	11	0	0	0	0	0	0	6	14		0	0	2
5	78	74	76	77	6,9	6,7	6,5	6,7	9		4,1 27	30	18	6	0	11	3	0	6	0	0	5	9	1	1	0	0	0	0	1	22		4	2	3
6	74	71	74	74	6,5	6,2	6,6	6,4	29		13,3 26	26	15	0	0	15	5	1	3	0	0	2	11	2	2	0	0	1	0	3	22		2	2	2
7	80	77	79	80	5,6	5,8	6,0	5,8	4		2,7 30	16	1	0	0	6	1	0	4	0	0	3	2	0	2	0	0	0	0	3	18	0	9	6	7
8	83	81	82	82	7,0	7,3	7,2	7,2	12		9,7 25	4	0	0	0	25	10	2	2	0	0	25	2	2	24	0	0	0	0	0	26	0	9	4	8
9	75	75	74	74	7,3	7,1	7,0	7,1	37		7,7 19	19	8	0	0	27	10	3	3	1	0	19	23	7	14	0	0	0	0	2	22	15	3	2	2
10	73	75	75	74	6,8	6,9	7,0	6,9	35		9,8 29	31	23	1	0	10	11	3	9	1	0	6	18	2	4	0	0	0	0	0	24	31	3	3	3
11	75	77	77	76	5,6	6,1	5,8	5,8	52		8,3 17	30	26	17	0	20	14	3	13	3	1	3	19	2	2	0	0	0	0	2	19	30	0	1	2
12	74	73	73	73	5,0	5,0	4,3	4,8	21		5,6 17	31	29	19	0	15	7	0	13	4	1	1	11	1	1	0	0	0	0	4	8	31	0	0	0
ÅR	76	75	75	75	5,7	5,9	5,7	5,7	329		13,3	307	232	146	0	193	83	1	96	14	2	73	140	19	58	0	1	0	1	45	208	107	31	21	29
BJØRNØYA																																			1978
1	81	80	81	81	4,0	4,6	4,9	4,5	38		7,3 17	31	29	26	0	16	10	3	19	3	0	0	16	0	0	0	0	0	0	5	8		0	0	0
2	80	79	77	78	5,6	5,1	4,5	5,1	10		3,5 9	28	26	22	0	11	4	1	10	2	1	0	11	0	0	0	0	0	0	2	9		0	0	0
3	80	79	79	79	5,7	5,5	5,1	5,5	21		4,5 6	30	29	17	0	16	9	3	13	2	0	4	16	2	0	0	0	0	0	4	14		1	0	0
4	81	77	78	79	6,0	5,8	6,2	6,0	9		3,3 6	30	21	9	0	14	2	3	12	1	0	3	10	1	2	0	0	0	0	0	14		0	1	0
5	84	83	82	83	6,1	6,7	6,8	6,3	12		4,1 4	24	12	2	0	12	4	0	11	0	0	6	8	2	7	0	0	0	0	0	18		5	5	8
6	79	75	79	78	6,7	6,1	6,7	6,5	18		3,7 3	15	3	0	0	9	5	0	12	3	0	7	8	5	7	0	0	0	0	1	20		2	2	1
7	86	83	86	86	6,1	6,5	6,3	6,3	4		1,3 30	2	0	0	0	7	1	0	7	0	0	7	0	0	17	0	0	0	0	0	17		4	7	6
8	90	86	87	89	7,3	6,8	6,9	7,1	23		3,2 29	0	0	0	0	20	5	0	6	0	0	20	0	0	22	0	0	0	0	0	26		7	5	4
9	79	76	77	78	7,0	6,5	6,3	6,6	19		6,3 19	16	1	0	0	12	5	0	8	0	0	11	7	4	7	0	1	0	0	1	18		4	2	2
10	77	79	76	77	6,8	6,2	6,6	6,5	30		6,5 29	28	12	0	0	32	3	0	20	3	1	10	17	3	2	0	2	0	0	0	19		2	0	1
11	81	81	81	81	6,8	6,5	6,6	6,5	49		2,2 14	30	17	6	0	27	12	0	20	5	3	9	23	2	2	0	0	0	0	0	16		1	1	0
12	80	77	79	79	5,7	5,6	5,7	5,7	30		12,9 17	31	24	14	0	20	6	1	17	3	0	2	19	1	1	0	0	0	0	3	15		0	0	0
ÅR	82	80	80	81	6,2	6,0	6,0	6,0	283		12,9	285	167	96	0	186	72	1	155	22	5	79	137	22	97	0	1	0	0	19	134		26	23	22
JAN MAYEN																																			1978
1	73	73	75	74	6,5	6,7	6,1	6,4	62		8,3 14	29	25	13	0	24	17	3	21	3	2	1	23	0	1	0	0	0	0	0	15	31	0	0	0
2	83	82	80	81	6,1	5,9	6,1	6,0	25		5,8 3	27	20	16	0	22	7	3	19	4	2	3	22	0	2	0	0	0	0	0	16	28	0	1	1
3	83	80	81	81	6,5	6,2	6,0	6,2	45		10,4 4	30	21	11	0	27	10	1	18	6	1	8	27	1	6	0	0	0	0	0	14	28	0	1	1
4	81	78	80	80	7,0	6,0	6,1	6,4	32		5,5 13	28	13	6	0	13	3	0	11	5	0	2	13	1	2	0	0	0	0	0	16	31	1	2	3
5	83	82	82	83	7,2	7,1	7,0	7,1	77		12,1 7	21	9	2	0	28	15	2	10	2	0	20	16	4	14	0	0	0	0	1	25	11	4	9	7
6	86	82	86	86	7,2	6,8	6,8	6,9	69		30,0 26	6	0	0	0	19	12	1	12	3	2	16	11	4	15	1	0	0	0	0	23	1	3	2	5
7	88	84	85	86	7,6	7,2	7,1	7,3	39		16,1 29	1	0	0	0	13	5	1	7	2	1	13	0	0	17	0	0	0	0	0	26	0	7	5	6
8	85	82	85	84	6,3	6,2	6,7	6,4	24		5,8 20	0	0	0	0	18	9	0	9	2	0	17	0	0	14	0	0	0	0	2	21	0	7	7	9
9	78	75	78	77	6,6	6,9	6,9	6,8	16		4,0 20	4	0	0	0	13	7	0	9	0	0	11	7	0	2	0	0	0	0	0	22	0	0	0	0
10	78	78	76	77	6,5	6,6	6,7	6,6	62		9,6 27	17	9	1	0	22	15	0	21	6	2	16	14	8	5	0	0	0	0	0	23	12	1	1	1
11	80	78	75	78	7,2	7,3	6,6	7,0	89		27,4 14	28	16	11	0	29	18	1	24	4	3	7	27	4	1	0	0	0	0	0	24	28	2	2	2
12	80	81	81	80	5,9	6,0	6,1	6,0	14		3,6 21	31	18	10	0	13	6	0	13	3	2	4	10	0	4	1	0	0	0	0	20	19	6	5	4
ÅR	81	80	80	81	6,7	6,6	6,5	6,6	554		30,0	222	127	70	0	241	127	5	174	30	15	118	170	34	90	2	0	0	0	5	249	183	32	35	39

SVALBARD LUFTHAVN — JANUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	998,3	-14,6	65	32	3	4	35	3	87	TD NL SF	38	TD NL SF	1006,8	-22,2	59	04	1	2	89	SF NL	36	NL SF	1014,8	-27,1	55	13	4	2	89		03	SF NL	-27,4	-11,5		6	1
2	1017,5	-20,1	62	12	2	4	35	7	82	TD	03	TD NL	1014,2	-22,3	62	28	3	8	82	TD	02	TD	1011,0	-18,5	64	26	5	3	83	TD SF	36	TD SF	-31,7	-17,7		5	2
3	1011,6	-19,2	60	36	1	4	34	7	84	TD	01	TD	1014,7	-18,7	59	35	2	7	85	TD	02	TD	1017,6	-23,5	58	10	3	1	83	NL	02	NL S TD	-25,0	-16,8		5	3
4	1021,3	-27,4	69	10	2	4	32	1	80		02	NL	1022,2	-27,3	72	11	2	1	89		02	NL	1021,8	-23,6	72	11	1	1	89	NL	02	NL	-27,1	-21,7	0,0	3	4
5	1009,7	-24,1	73	24	1	4	33	7	83	TD	03	TD NL	1031,9	-17,2	79	25	3	7	75	TD S	70	TD S	998,1	- 2,3	89	23	3	9	35	TD S	71	TD S	-28,9	- 1,3		5	5
6	999,2	- 6,4	86	22	1	4	34	2	83	TD	01	TD S SF	1030,5	-11,6	81	00	0	3	84	TD	03	TD NL	1010,4	-16,8	80	26	2	7	82	TD	03	TD	-17,3	- 1,4	3,6	5	6
7	998,6	-15,6	77	12	3	4	34	0	33	TD S SF	70	TD S SF	998,9	-18,5	79	12	0	9	25	TD S SF	71	TD S SF	997,0	-17,5	78	12	4	8	60	TD S SF	70	TD S SF	-18,5	-11,7	0,0	7	7
8	994,1	-10,8	68	12	3	4	34	3	84	TD S SF	70	TD S SF	995,5	-10,5	66	14	0	6	80	TD SF	38	TD SF S	998,2	-11,6	66	13	0	3	85	TD SF	38	TD SF	-17,5	- 8,3	0,5	7	8
9	1002,4	-16,6	82	13	3	4	34	2	83	TD	01	TD SF NL	1004,0	-18,9	59	11	5	1	89		02	TD SF	1004,4	-20,5	51	38	4	2	83		03		-21,7	-10,1	0,3	6	9
10	1005,1	-27,5	86	39	1	4	31	1	89		03		1003,5	-28,3	56	11	5	6	86	TD	02	TD	1003,1	-29,1	57	12	4	1	85	TD	01	TD S	-29,1	-19,8		5	10
11	1001,7	-30,1	50	11	5	4	33	3	80	SF	36	SF	1001,1	-26,4	73	13	6	9	00	TD S SF	72	TD S SF	1001,2	-27,4	73	13	5	9	15	TD S SF	71	TD S SF	-30,3	-24,8	0,0	7	11
12	1009,1	-31,0	72	30	3	4	33	2	89		03		1015,7	-30,7	73	00	0	2	88	TD	03	TD NL	1020,0	-28,6	72	30	0	1	83	TD	02	TD NL	-32,6	-27,4	1,0	7	12
13	1025,4	-34,4	71	30	0	4	33	1	80		02		1025,2	-30,1	72	00	0	6	80	TD	03	TD	1020,9	-23,9	76	38	5	9	30	TD S SF	71	TD S SF	-34,9	-21,6		5	13
14	1012,0	-27,2	73	00	0	4	32	1	87	TD	01	TD	1011,8	-26,1	74	14	1	1	89		02	TD	1013,5	-21,0	73	25	4	3	83	TD	02	TD S	-32,1	-18,5	0,4	6	14
15	1020,7	-28,0	68	22	1	4	32	0	89		02	TD	1026,7	-29,9	68	07	2	1	86	TD	02	TD NL	1025,7	-23,9	73	32	1	3	84	TD IX	70	TD IX	-29,2	-19,4	0,0	5	15
16	1023,5	-17,8	79	25	2	4	33	3	70	TD S	71	TD S	1022,3	-18,6	82	28	1	5	80	TD	22	TD S	1021,1	- 6,0	71	36	1	8	82	TD S	70	TD S	-25,2	- 4,8	0,3	3	16
17	1013,1	- 8,0	80	10	3	4	33	3	80	TD S	70	TD S	1010,5	- 7,5	91	00	0	8	66	TD S	70	TD S	1006,6	- 7,6	91	24	2	8	65	TD S	71	TD S	-10,1	- 4,5	0,3	6	17
18	992,5	- 1,6	79	23	7	4	35	3	84	TD NL SF	38	TD SF S	998,6	- 3,3	76	24	7	7	50	TD SF S	70	S SF TD NL	995,2	-15,4	92	27	7	9	15	TD SF S	71	TD SF S	-16,5	- 0,6	2,7	8	18
19	1002,1	-17,5	77	29	5	4	33	3	83	TD	02	TD SF	1009,3	-16,8	74	32	3	5	80	TD	22	TD S	1018,7	-18,1	73	24	2	2	86	TD NL	02	TD NL	-19,3	-12,3	0,4	7	19
20	1010,2	-21,5	74	17	1	4	32	1	83	TD NL	01	TD NL	1033,1	-20,0	74	11	1	1	89		02	TD NL	1034,2	-24,0	74	38	1	0	80	TD	02	TD	-25,2	-16,2	0,0	3	20
21	1034,9	-27,5	74	11	1	4	32	0	87	TD	02	TD	1035,1	-25,0	77	25	2	0	89		02	TD NL	1034,5	-24,4	76	27	1	0	80	NL	01	NL	-28,8	-22,5		4	21
22	1034,4	-23,8	77	00	0	4	32	0	80	TD NL	02	TD NL	1034,1	-24,5	76	00	0	1	88	TD	02	TD NL	1030,9	-25,5	76	00	0	1	87	TD	02	TD	-27,1	-21,0		3	22
23	1022,8	-25,9	76	00	0	4	33	1	80	TD NL	01	TD NL	1022,6	-22,5	74	26	1	8	85	TD	03	TD NL	1025,4	-18,5	78	24	1	3	60	TD S	70	TD S	-27,2	-17,3		3	23
24	1027,6	-19,8	77	13	2	4	33	2	83	TD NL	02	TD NL	1028,4	-21,6	74	11	2	1	88	TD	02	TD NL	1027,4	-24,2	73	00	0	1	87	TD	02	TD	-24,3	-16,5	0,4	3	24
25	1024,2	-26,0	73	17	1	4	32	1	86	TD	02	TD	1022,3	-26,2	73	00	0	1	89		02	TD	1018,2	-19,2	63	24	2	1	80		02		-29,2	-19,3		2	25
26	1013,6	-14,8	66	10	4	4	32	1	87	TD NL	02	TD NL	1013,1	-14,9	64	15	0	5	86	TD	02	TD NL	1013,8	-16,1	69	24	1	7	80	TD	03	TD	-20,6	-12,2		6	26
27	1015,1	-13,5	55	14	5	4	32	1	80		02	TD NL	1015,7	-15,3	60	12	0	1	89		02	NL	1014,5	-16,2	60	11	5	1	80	NL	02	NL	-17,4	-11,0		6	27
28	1009,5	-16,8	61	27	1	4	32	1	80	TD	03	NL	1007,0	-18,2	58	12	4	7	80	TD	03	TD	1004,4	-19,4	60	12	1	3	80	TD	02	TD	-19,8	-15,4		5	28
29	1001,0	-19,4	60	11	3	4	32	1	80	TD	02	TD S	1000,9	-20,3	69	11	4	8	75	TD S	70	TD S	1001,4	-22,7	71	11	2	3	80	TD	01	TD S	-22,7	-18,3	0,0	5	29
30	1004,5	-24,4	74	10	2	4	32	2	82	TD	02	TD	1010,6	-21,9	72	10	1	8	86	TD	02	TD	1009,0	-24,5	71	10	1	2	80	TD	01	TD	-24,5	-18,7	0,0	2	30
31	1012,9	-25,1	69	11	3	4	32	1	83	TD NL	02	TD NL	1015,0	-22,8	59	22	1	1	87	TD	40	TD NL	1016,1	-23,2	57	11	5	1	86	TD	40	TD	-25,2	-20,9		6	31
MI	1012,5	-20,8	69		2,9		33	3,2					1013,1	-20,6	70		2,7	4,3					1011,4	-20,0	70		2,8	4,0					-24,3	-15,0	9,6		IM

SVALBARD LUFTHAVN — FEBRUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1016,2	-21,5	57	14	5	4	32	0	81	TD NL	40	TD NL	1017,1	-20,6	58	14	6	1	86	TD	40	TD NL	1017,5	-18,6	62	15	6	1	86	TD	40	TD	-23,2	-18,1		7	1
2	1021,5	-20,5	55	13	6	4	33	1	84	TD SF	40	TD SF	1023,1	-22,1	55	12	7	1	89	SF	38	TD SF	1024,2	-22,5	60	13	7	1	88	TD SF	33	TD SF	-24,0	-16,7		9	2
3	1027,0	-24,0	56	14	3	4	33	1	80	TD SF	38	TD NL SF	1026,6	-22,5	57	11	6	1	89	SF	36	TD SF	1025,4	-21,4	54	11	3	1	83	NL SF	36	NL SF	-24,0	-19,4		7	3
4	1021,4	-23,4	57	13	6	4	24	1	83	NL SF	36	NL SF	1020,1	-23,6	57	13	5	1	86	TD SF	36	TD NL SF	1019,5	-22,8	54	14	6	1	87	TD SF	36	TD SF	-24,0	-19,5		8	4
5	1019,0	-19,9	56	15	6	4	25	2	86	TD SF	36	TD SF	1019,3	-18,8	56	14	4	7	85	TD SF	36	TD SF	1019,0	-17,9	52	17	2	8	85	TD	03	TD SF	-23,2	-16,9		6	5
6	1017,0	-20,5	57	12	2	4	24	3	86	TD NL	01	TD NL	1016,7	-20,1	61	13	2	7	88	TD	02	TD NL	1015,0	-20,9	68	25	2	5	88	TD	02	TD	-21,1	-17,2		4	6
7	1010,8	-15,4	46	12	5	4	24	7	81	TD	02	TD	1010,3	-18,8	43	13	6	6	89		02	TD	1009,3	-19,3	44	15	6	1	80		02	TD	-21,6	-14,7		6	7
8	1008,4	-20,5	45	14	5	4	23	1	80		02		1009,8	-22,3	46	13	5	1	89		02		1010,1	-22,3	46	13	4	1	80		02		-22,3	-18,9		7	8
9	1008,6	-23,0	51	14	6	4	23	1	80		02		1007,1	-23,4	52	11	5	1	89		02		1004,8	-22,5	58	18	5	3	86	TD SF	36	TD SF	-23,7	-20,3		6	9
10	1003,9	-20,7	57	11	5	4	23	7	80	TD S SF	70	TD S SF	1002,3	-19,7	65	12	5	7	65	TD	22	TD S SF	1001,0	-18,6	74	10	5	9	40	TD S SF	71	TD S SF	-22,3	-16,6	0,0	7	10
11	999,4	-10,3	59	13	5	4	23	3	82	TD SF	36	TD S SF	1002,3	-11,7	61	12	5	8	80	TD	15	TD SF	1005,9	-12,6	58	13	4	8	80	TD	15	TD	-18,5	- 9,0	0,0	7	11
12	1012,2	-18,9	47	11	4	4	23	2	80		03	TD	1014,3	-23,7	61	14	3	3	88	TD	02	TD	1015,6	-24,9	64	25	1	2	80	TD	02	TD	-24,9	-12,5		6	12
13	1010,6	-19,5	60	09	2	4	23	7	83	TD	03	TD	1005,5	-18,0	80	25	1	9	50	TD S	71	TD S	1001,6	-16,6	82	00	2	3	62	TD S	71	TD S	-24,0	-14,7		3	13
14	1002,5	-18,5	82	09	1	4	27	7	71	TD S	70	TD S	1003,6	-18,7	82	00	0	8	66	TD S	70	TD S	1004,2	-19,9	82	00	0	8	70	TD S	71	TD S	-19,9	-15,2	1,8	2	14
15	1001,7	-19,0	81	00	0	4	28	7	83	TD S	71	TD S	999,3	-19,2	81	09	2	8	70	TD S	70	TD S	1000,8	-17,3	81	13	2	8	70	TD S	71	TD S	-20,9	-14,8	0,2	4	15
16	1002,3	-17,7	31	11	2	4	29	3	50	TD S	71	TD S	1001,9	-16,6	82	08	4	8	50	TD S	71	TD S	1001,2	-15,9	83	26	1	8	56	TD S	71	TD S	-17,9	-14,6	0,3	4	16
17	995,3	- 5,0	87	01	1	4	30	5	80	TD S	70	TD S	996,9	- 3,7	88	21	6	7	65	TD S SF	70	TD S SF	998,7	- 1,8	88	18	4	8	75	TD S	70	TD S SF SL	-16,0	- 0,9	0,2	8	17
18	992,6	- 1,9	85	22	6	4	30	7	61	TD SF	36	TD S SF	1000,4	-10,8	90	23	8	9	01	T SF S	72	TD S SF T	1009,6	-14,2	86	24	6	1	80	TD SF	36	TD T S SF	-14,2	- 0,9	2,5	9	18
19	1003,0	- 0,9	78	24	6	4	22	9	03	TD S SF	71	TD S SF	1002,4	- 0,7	97	21	7	9	08	TD S SF	71	TD S SF	1000,8	- 0,3	91	24	6	8	40	TD S SF	71	TD S SF	-15,7	0,7	6,6	7	19
20	999,8	- 1,3	97	23	6	4	28	3	20	TD SF S	71	TD S SF	999,5	- 0,5	98	21	4	7	60	TD S	70	TD S SF	992,3	0,6	93	22	6	9	45	TD S SF	73	TD S SF	- 1,8	1,5	11,0	7	20
21	990,5	- 3,7	91	09	1	4	27	1	81	TD	01	TD SF	990,1	0,4	90	11	3	8	58	TD S	71	TD S	977,1	- 1,6	97	24	3	9	20	TD S	73	TD S	- 3,9	1,4	11,6	7	21
22	993,1	-13,1	86	25	5	4	28	7	40	TD S SF	71	TD S SF	995,7	-16,2	82	24	4	7	70	TD SB SF	85	TD SB SF	1000,2	-22,8	78	25	4	7	75	TD SF	36	TD SB SF	-23,5	- 1,6	6,2	8	22
23	1011,8	-31,1	74	16	2	4	28	1	80	TD	01	TD	1016,9	-34,0	73	20	1	0	89		01	TD	1020,4	-36,7	72	35	1	1	89		02		-36,7	-22,5	0,0	4	23
24	1025,6	-39,2	72	25	2	4	28	0	80		02		1028,6	-38,2	72	13	2	1	89		02		1028,1	-39,7	72	00	0	1	88	TD	02	TD	-41,7	-36,7		2	24
25	1021,6	-40,7	71	00	0	4	28	0	88	TD	02	T NL	1016,7	-41,1	71	08	1	7	86	TD	40	TD	1009,3	-37,0	72	17	1	7	86	TD	01	TD	-43,7	-37,0		3	25
26	992,8	-37,9	72	00	0	4	28	1	80		03	TD	988,5	-38,2	72	11	1	1	89		02		987,2	-37,4	73	20	1	1	88	TD	02	TD	-38,6	-35,1		2	26
27	993,8	-34,6	73	27	3	4	28	0	80		02	TD	999,6	-34,7	72	02	1	0	89		01	TD	1003,7	-38,5	72	20	3	0	87	TD	02	TD	-38,5	-32,3		4	27
28	1009,5	-41,1	71	08	2	4	28	0	87	TD	02	TD	1012,0	-39,7	71	25	3	2	87	TD	03	TD	1011,8	-37,1	72	25	3	1	87	TD	40	TD T	-42,5	-37,1		3	28
MI	1007,6	-20,1	69		3,5		27	3,7					1007,8	-20,6	70		3,8	4,7					1007,8	-20,7	71		3,4	4,4					-24,1	-16,4	30,4		IM

EKSTENSOTABELL

SVALBARD LUFTHAVN — MARS 1979

DT	KL. 07 P	T	UU	DD	F	N	SS	I	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1011,5	-30,6	72	24	3	4	27	2	87	TD	03	TD	1007,2	-17,5	80	13	8	6	56	SF TD	38	TD SF	1005,7	-13,6	84	12	8	8	30	TD SF	38	TD SF	-37,1	-12,1		9	1
2	999,7	-16,9	81	13	8	4	28	3	13	TD S SF	71	TD S SF	995,7	-17,7	81	13	7	9	02	SF TD S	71	TD S SF	998,9	-20,7	80	13	10	9	00	SF TD	39	TD SF S	-21,1	-12,5	0,1	10	2
3	983,8	-15,2	82	14	8	4	28	3	09	SF TD S	72	TD S SF	981,7	-10,5	85	14	6	8	50	TD SF	36	TD SF S	978,3	-13,5	85	12	8	9	08	TD S SF	71	S SF TD	-21,0	-10,0	3,0	10	3
4	972,7	- 9,7	88	07	8	4	28	3	04	SF TD S	72	TD S SF	973,9	- 8,9	88	10	6	9	02	SF TD S	72	TD S SF	975,4	- 8,9	88	13	8	6	50	TD SF	38	TD SF S	-13,5	- 8,0	4,0	9	4
5	987,2	-13,1	86	15	8	4	27	3	80	SF TD	38	TD SF	988,9	-13,5	85	12	6	7	75	SF TD	38	TD SF	990,4	-17,6	84	13	8	8	83	SF TD	38	TD SF	-21,2	- 8,9	2,1	8	5
6	993,6	-18,6	81	14	5	4	26	3	82		03	TD SF	994,1	-17,8	81	14	5	6	87	TD	02	TD SO SF	994,9	-17,9	80	14	6	6	81	TD	02	TD	-18,7	-14,7		8	6
7	992,7	-18,4	80	14	3	4	26	3	87	SF TD	36	TD SF	992,1	-13,2	80	08	4	6	82	TD	02	TD SF SO	987,9	- 9,7	76	14	6	7	82	TD	02	TD	-19,3	- 7,7		7	7
8	987,0	- 9,0	62	13	7	4	26	3	83	TD	01	TD	990,2	- 9,2	59	10	5	6	87	TD	02	TD SO SF	994,0	-10,2	65	12	5	7	87	TD	03	TD	-12,2	- 6,4		7	8
9	1001,0	-10,9	55	14	7	4	26	2	83	TD	03	TD	1005,4	-10,2	63	15	6	7	82	SF TD	36	TD SF	1009,1	- 9,5	57	14	6	6	81	TD	03	TD SF	-11,5	- 8,3		7	9
10	1013,8	- 9,9	48	14	3	4	26	7	85	TD	03	TD	1016,5	-10,0	49	13	4	5	89		01	TD	1018,4	-11,8	52	14	5	1	87	TD	02	TD	-12,1	- 8,4		6	10
11	1015,8	-18,9	54	13	5	4	24	2	81	TD	03	TD	1014,6	-17,6	69	13	6	9	15	TD S	71	TD S IN	1012,8	-14,4	70	17	6	8	35	TD SF	38	TD SF S	-21,6	-11,2		7	11
12	1012,9	-11,3	65	15	6	4	24	4	73	SF TD	38	TD SF	1015,1	- 7,4	61	16	6	5	82	SF TD	36	TD SF	1017,6	- 9,3	64	14	6	6	22	TD SF	36	TD SF	-18,9	- 7,4	0,1	7	12
13	1025,2	-13,5	62	13	3	4	24	3	82	TD SF	36	TD SF	1029,1	-14,4	56	15	7	7	85	TD SF	36	TD SF SO	1030,5	-15,3	51	14	7	3	87	TD SF	36	TD SF	-17,4	- 9,3		8	13
14	1033,8	-15,8	52	27	2	4	24	3	83	TD	02		1035,1	-18,9	60	24	1	0	88	TD	02	TD SO	1036,0	-21,1	66	25	2	3	83	TD	02	TD	-23,2	-14,5		7	14
15	1038,4	-27,0	73	25	1	4	24	3	83	TD	02	TD	1039,5	-23,1	70	04	1	1	88	SO TD	02	TD SO	1038,6	-28,4	71	09	2	1	89	TD	02	TD	-28,6	-20,1		3	15
16	1031,2	-30,8	72	11	1	4	24	1	83	TD	02	TD	1028,2	-29,3	68	00	0	1	88	TD	02	TD SO	1025,4	-30,0	74	30	1	0	88	TD	01	TD	-32,0	-26,5		4	16
17	1025,8	-20,0	58	18	3	4	24	2	83		02		1027,8	-23,2	63	26	2	1	89		01	SO	1026,2	-25,0	72	08	1	0	83		02		-30,3	-19,0		5	17
18	1017,6	-27,5	72	08	1	4	24	7	83	TD	02	TD	1012,0	-23,3	72	00	0	8	83	TD	02	TD	1010,5	-24,0	73	23	1	6	85	TD	02	TD HA	-30,0	-22,5		5	18
19	1009,5	-18,0	63	11	3	4	24	3	87	TD	02	TD	1007,5	-14,8	59	20	1	7	83	TD	02	TD SO	1005,1	-18,0	58	12	4	7	82	TD	02	TD	-25,0	-14,5		7	19
20	1005,0	-18,0	58	11	7	4	24	3	88	TD	02	TD	1005,2	-13,9	49	12	4	5	88	SO TD	01	TD SO	1006,5	-16,0	51	11	5	3	89		02	SO TD	-20,3	-13,9		10	20
21	1008,0	-17,2	53	10	1	4	24	1	83		02	TD	1009,2	-18,3	59	24	3	0	89	SO	02	SO	1009,5	-22,0	71	17	1	0	89		02	SO	-22,3	-15,0		6	21
22	1010,0	-26,1	72	01	1	4	24	3	83	TD	03	TD	1010,2	-20,3	71	24	1	7	84	TD	02	TD SO	1010,8	-19,7	72	00	0	8	65	TD S	70	TD S	-28,3	-19,0		3	22
23	1013,3	-19,7	77	00	0	4	24	7	81	TD	02	TD S	1015,3	-17,9	72	02	1	6	88	TD	02	TD	1016,8	-22,4	78	10	1	2	83	TD	01	TD SO	-22,9	-17,5	0,1	2	23
24	1019,4	-25,9	76	00	0	4	24	1	83	TD	02	TD	1020,9	-21,3	74	26	3	2	89	SO TD	01	TD SO	1021,0	-22,7	77	22	1	5	88	TD	03	TD SO	-27,1	-19,7		3	24
25	1020,9	-21,6	77	34	1	4	24	1	83	TD	02	TD	1020,9	-21,2	72	32	1	3	88	TD SO	02	TD SO	1018,8	-15,6	72	25	2	1	88	SO TD	01	TD SO	-25,7	-15,6		2	25
26	1013,4	-13,3	48	11	6	4	24	1	83	TD	03	TD	1010,9	-13,0	49	13	8	8	82	SF TD	36	TD SF SO	1008,5	-13,0	46	13	7	7	86	SF TD	36	TD SF	-20,3	-11,1		8	26
27	1004,2	-12,6	64	11	6	4	24	3	61	TD SF	36	TD SF	1002,8	-13,2	66	13	8	8	68	TD SF	38	TD SF SO	1003,8	-13,3	66	12	7	8	59	SF TD	33	SF TD	-15,3	- 9,5		8	27
28	1009,5	-12,7	64	13	6	4	24	1	82	SO TD SF	36	TD SF	1009,6	- 9,2	64	11	4	7	80	SF TD	36	TD SF SO	1004,0	- 7,6	65	15	3	8	80	TD	02	TD SO SF	-18,4	- 6,7	0,0	8	28
29	1005,1	- 8,9	88	30	1	4	25	7	83	TD S	71	TD S	1005,6	- 8,8	85	10	1	9	20	TD S	71	TD S	1005,2	- 8,7	89	08	3	7	80	TD	18	TD S	-12,5	- 7,3	1,3	6	29
30	1005,1	-10,4	87	00	0	4	26	6	73	TD	01	TD	1003,9	1,4	66	13	5	7	80	TD	01	TD S	1004,9	- 0,2	68	15	4	7	81	TD	02	TD SO	-11,2	2,2	2,7	5	30
31	1010,0	- 2,1	82	13	2	4	32	7	81	TD	01	TD	1014,4	- 1,4	82	28	2	8	30	TD S	70	TD S	1017,9	- 6,3	79	22	1	4	82	TD	15	TD S	- 6,0	0,7	0,0	4	31
MI	1008,9	-16,8	69		4,1		25	4,5					1009,1	-14,8	69		3,9	5,6					1008,9	-15,8	70		4,4	5,0					-20,3	-12,1	13,4		MI

SVALBARD LUFTHAVN — APRIL 1979

DT	KL. 07 P	T	UU	DD	F	N	SS	I	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,8	- 7,5	87	29	2	4	35	7	83	TD	02	TD	1021,2	- 8,9	68	13	1	1	88	TD SO	02	TD SO	1021,9	-10,7	87	00	0	1	86	TD SO	12	TD SO	-12,5	- 4,7	1,1	4	1
2	1024,7	-11,9	88	00	0	4	35	7	80	TD	40	TD	1024,7	- 8,6	91	00	0	7	82	TD SO	40	TD SO S	1023,5	- 7,4	87	15	1	8	70	TD	40	TD	-15,8	- 6,9		3	2
3	1021,6	- 7,3	87	13	2	4	35	3	53	TD S	71	TD S	1021,5	- 8,5	71	00	0	5	80	TD S SO	70	TD SO S	1021,2	-15,5	89	19	1	2	80	TD SO	02	TD SO	-17,3	- 6,5	0,2	4	3
4	1021,3	-11,3	86	00	0	4	36	3	70	TD S	70	TD S	1023,4	- 9,7	79	32	1	7	70	TD S	70	TD S	1024,3	- 9,4	84	32	1	0	70	TD S	70	TD S	-13,5	- 8,2	0,1	3	4
5	1025,3	-11,5	90	24	2	4	36	3	83	TD S	70	TD S	1026,8	- 7,6	80	03	1	7	80	TD S	71	TD S	1026,8	- 8,6	84	24	4	7	83	TD S	71	TD S	-14,7	- 4,8	0,2	4	5
6	1027,0	-15,5	86	00	0	4	38	3	69	TD S	71	TD S	1027,2	-15,6	74	27	2	7	80	TD SO	02	TD S SO	1026,8	-16,5	89	29	1	6	81	TD	02	TD SO	-17,2	- 7,6	2,1	4	6
7	1027,2	-23,3	98	06	1	4	38	1	83	TD SO	02	TD	1027,7	-19,6	60	24	3	0	88	TD	02	TD SO	1024,1	-25,3	64	24	2	0	83	TD SO	02	TD SO	-25,3	-16,5	0,0	4	7
8	1029,0	-25,7	77	24	2	4	38	3	83	TD SO	02	TD SO	1029,1	-21,2	68	00	0	0	88	TD SO	02	TD SO	1029,7	-23,6	66	09	1	2	89	TD SO	03	TD SO	-30,2	-20,0		3	8
9	1030,0	-24,4	77	16	1	4	38	3	87	TD SO	02	TD SO	1029,9	-20,5	63	07	1	7	87	TD SO	02	TD SO	1028,6	-19,1	78	08	2	6	73	TD S	70	TD SO S	-27,3	-18,0		3	9
10	1027,8	-21,0	79	13	2	4	38	3	81	TD SO	01	TD S SO	1028,1	-17,6	59	25	2	4	80	TD SO	15	TD S SO	1029,2	-20,8	71	07	2	1	85	TD SO	01	TD SO	-21,6	-16,2	1,1	3	10
11	1034,1	-20,2	92	12	3	4	35	1	86	TD SO	03	TD SO	1036,2	-19,5	60	08	3	1	89	SO	02	TD	1037,4	-21,4	63	13	3	0	89	SO	02	SO	-24,7	-17,5	0,3	5	11
12	1037,5	-27,6	76	00	0	4	35	3	83	TD SO	03	TD SO	1036,7	-21,3	61	11	1	2	89	SO	03	SO TD	1032,8	-20,5	70	09	3	7	80	TD SO	02	TD SO	-28,9	-18,4		3	12
13	1018,0	-12,0	69	24	6	4	37	3	82	TD S	70	TD S	1011,8	-14,7	65	01	4	4	87	TD SO	03	TD SO	1015,1	-20,3	57	04	5	4	85	TD SO	03	TD SO	-21,0	-11,2	2,0	6	13
14	1023,9	-23,6	59	00	0	4	36	3	80	SO	02	SO	1026,2	-19,5	54	13	4	0	89	SO	02	SO	1028,1	-21,8	57	12	4	1	88	TD SO	02	TD SO	-25,5	-18,7		5	14
15	1030,1	-24,5	66	10	1	4	35	1	83	TD SO	03	TD SO	1031,0	-22,2	61	24	1	1	88	TD SO	02	TD SO	1031,2	-22,6	62	00	0	0	83	TD SO	02	TD SO	-27,3	-19,4		4	15
16	1032,1	-26,4	65	00	0	4	35	3	87	TD SO	02	TD SO	1032,4	-22,4	62	22	1	0	86	TD SO	02	TD SO	1031,9	-22,6	64	22	1	1	81	TD SO	02	TD SO	-28,2	-18,1		2	16
17	1030,1	-24,5	66	08	2	4	35	3	82	TD SO	04	TD SO	1028,9	-21,2	63	32	1	0	83	TD SO	15	TD SO	1026,5	-20,0	73	07	2	9	20	TD S	72	TD S	-28,4	-19,3		2	17
18	1018,6	-17,9	80	33	2	4	37	3	12	TD S	73	TD S	1014,4	- 7,4	57	12	4	7	81	TD SO	15	TD SO S	1006,0	- 7,6	91	12	6	9	10	TD S SF	38	TD SF S SO	-21,2	- 5,9	2,2	6	18
19	1001,7	-13,1	87	23	8	4	45	9	02	TD SF	39	TD SF S	1016,7	-14,6	86	22	6	3	75	TD SF SO	38	TD SF SO	1010,1	-17,3	85	32	1	1	88	TD SO	02	TD SO SF	-17,3	- 4,8	1,9	8	19
20	1014,8	-21,8	82	13	1	4	45	1	83	TD SO	02	TD SO	1015,3	-19,1	84	08	2	1	87	TD SO	02	TD SO	1015,4	-20,4	82	00	0	4	86	TD SO	03	TD SO	-25,9	-16,3		3	20
21	1012,9	-21,8	81	27	1	4	45	7	86	TD SO	02	TD SO	1012,1	-18,1	81	00	0	0	86	TD SO	01	TD SO	1011,1	-19,6	81	28	2	0	87	TD SO	02	TD SO	-22,9	-16,0		2	21
22	1010,2	-22,4	80	25	1	4	45	0	83	TD SO	02	TD SO	1010,2	-18,4	79	26	1	0	88	TD SO	02	TD SO	1009,7	-17,9	81	25	1	0	83	TD SO	02	TD SO	-25,4	-16,1		3	22
23	1008,5	-19,7	81	00	0	4	44	7	85	TD SO	02	TD SO	1008,3	-15,9	81	00	0	3	84	TD SO	01	TD SO	1008,1	-16,4	82	24	1	0	88	TD SO	01	TD SO	-22,6	-13,9		2	23
24	1010,2	-19,7	80	00	0	4	44	0	88	TD SO	02	TD SO	1012,5	-17,5	79	00	0	3	88	TD SO	03	TD SO	1013,4	-17,1	80	26	1	4	86	TD SO	03	TD SO	-24,7	-14,9		2	24
25	1016,1	-21,8	80	27	1	4	44	2	88	TD SO	01	TD SO	1016,1	-16,6	78	26	2	4	88	TD SO	03	TD SO	1014,8	-13,1	80	26	2	3	88	TD SO	02	TD SO	-24,6	-12,6		3	25
26	1014,2	-19,7	79	26	2	4	44	1	88	TD SO	02	TD SO	1014,1	-14,6	77	26	1	7	86	TD SO	03	TD SO	1013,1	-15,0	78	30	0	7	85	TD SO	02	TD SO	-20,9	-12,2		3	26
27	1012,4	-18,7	80	26	1	4	44	1	86	TD SO	02	TD SO	1011,5	-14,0	78	25	3	7	86	TD SO	02	TD SO	1008,3	-11,5	80	27	1	7	83	TD SO	02	TD SO	-20,4	-11,5		3	27
28	1001,7	-12,7	77	12	3	4	44	7	62	TD SO	01	TD SO S	1000,5	-10,6	79	10	5	7	65	TD S SO	70	TD S SO	999,2	-11,1	69	14	5	5	83	TD SO	01	TD S SO	-15,2	- 8,7	0,0	5	28
29	999,5	-13,8	73	14	6	4	44	6	80	SO TD	02	TD SO	1001,6	-11,6	66	12	6	6	80	TD SF SO	36	TD SF SO	1004,0	-11,4	71	13	6	8	56	TD SF S	71	TD SO SF S	-14,8	- 9,7	0,4	7	29
30	1010,3	-11,0	55	13	7	4	44	5	81	TD SF SO	36	TD SF SO	1014,1	-10,7	51	13	6	2	86	TD SF SO	36	TD SF SO	1014,8	-11,9	54	14	7	0	83	TD SF SO	36	TD SF SO	-13,5	- 9,2	0,0	7	30
MI	1019,7	-18,4	77		1,9		39	4,5					1020,1	-15,6	71		2,1	3,6					1019,8	-16,5	74		2,2	3,6					-21,7	-12,8	11,8		MI

EKSTENSOTABELL

MAI 1979

SVALBARD LUFTHAVN

DT	KL. 07 P	T	UU	DD	F	N	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1019,4	-15,5	58	13	7	4	44	1	83 TD SF SO	36 TD SF SO	1019,3	-12,1	54	13	5	1	89 SO	02 TD SF SO	1018,2	-12,6	53	12	5	3	88 TD SO	03 TD SO	-15,6	-11,0		7	1
2	1012,4	-11,2	44	12	6	4	44	7	86 TD SO SF	36 TD SO SF	1009,2	- 8,6	45	12	7	7	82 TD SF	36 TD SO SF	1008,0	- 8,1	47	13	7	6	80 TD SO SF	36 TD SO SF	-13,7	- 7,2		7	2
3	1009,2	- 9,7	37	12	3	4	45	7	86 SO TD	31 TD SO	1012,0	- 4,3	35	12	1	7	86 TD SO	02 TD SO	1015,7	- 4,6	35	12	1	7	86 TD SO	02 TD SO	- 8,1	- 3,1		7	3
4	1020,6	- 9,9	61	12	9	4	43	3	89 SO	01 SO	1021,4	- 8,1	62	11	6	3	85 TD SO	15 TD SO	1018,0	-10,1	59	13	6	3	84 TD SO	02 TD SO S	-12,2	- 3,6		7	4
5	1015,9	- 9,7	49	13	1	4	40	3	89 SO	02 TD SO	1015,5	- 6,7	49	09	1	1	89 SO	02 SO	1016,0	- 7,6	62	12	4	7	88 TD SO	03 TD SO	-12,7	- 5,5	0,0	7	5
6	1018,4	-11,4	63	25	3	4	39	1	83 TD SO	02 TD SO	1018,8	- 9,4	64	28	3	7	88 TD SO	02 TD SO	1018,3	- 7,5	66	26	3	8	87 TD	02 TD SO	-11,4	- 6,7		4	6
7	1017,0	- 9,0	78	27	2	4	38	3	81 TD SO	02 TD SO	1016,3	- 7,0	62	28	1	8	86 TD	02 TD SO	1016,2	- 6,8	62	32	3	5	88 TD SO	02 TD SO	-10,1	- 5,0		5	7
8	1017,0	-11,0	60	01	3	4	38	2	86 TD SO	02 TD SO	1016,7	-11,3	60	33	2	1	87 TD SO	01 TD SO	1015,2	-11,3	60	36	2	1	87 TD SO	02 TD SO	-13,3	- 6,7		4	8
9	1009,0	-10,4	70	25	3	4	40	3	83 TD S 30	70 TD S 30	1016,5	- 7,6	69	24	1	7	58 TD S SO	70 TD S SO	1003,0	- 8,4	86	11	2	8	43 TD S 30	71 TD S 30	-14,3	- 6,4	0,0	4	9
10	1001,7	-11,1	69	12	3	4	40	3	83 TD S	70 TD S	1003,0	-10,5	64	14	4	7	70 TD S SO	70 TD S SF SO	1004,0	-10,7	64	14	4	7	83 TD SO	02 TD SO S	-11,2	- 7,5	1,8	5	10
11	1019,6	-12,3	72	30	3	4	42	2	87 30 TD	03 TD SO	1013,3	- 8,3	64	23	1	2	86 TD SO	02 TD SO	1014,7	- 8,5	74	30	3	1	87 TD SO	02 TD SO	-14,0	- 6,8	0,0	5	11
12	1016,0	-11,4	70	25	2	4	41	2	80 SO TD	03 TD SO	1015,3	- 9,2	66	25	3	1	86 TD SO	01 TD SO	1014,0	- 6,8	66	27	2	1	86 TD SO	02 TD SO	-12,3	- 6,0		4	12
13	1013,7	-11,6	81	26	2	4	40	2	83 SO TD	02 TD SO	1012,6	- 9,7	74	26	2	3	88 TD SO	01 TD SO	1010,7	- 7,6	72	25	1	5	86 TD SO	02 TD SO	-13,3	- 6,0		3	13
14	1004,3	- 9,3	80	25	1	4	40	1	73 TD SO	22 TD S	1032,2	- 8,7	78	25	3	3	83 TD SO	02 TD SO	1001,4	- 9,2	76	26	2	2	86 TD SO	02 TD SO	-10,3	- 5,7	0,1	3	14
15	1002,7	- 6,6	92	11	1	3	36	7	82 TD	02 TD SO	1005,4	- 5,7	62	11	5	8	86 TD	22 TD S	1007,2	- 5,5	65	12	5	7	86 TD SO	02 TD SO S	- 9,2	- 3,7		6	15
16	1009,9	- 9,1	87	31	3	3	36	2	83 30	01 TD SO	1011,6	- 5,2	60	24	2	1	89 SO	03 30	1012,3	- 5,2	65	01	3	1	89 SO	02 30	- 7,6	- 3,7	0,0	5	16
17	1014,0	- 9,1	74	26	1	3	36	3	83 SO	02 30	1014,9	- 6,7	71	25	1	1	88 TD SO	02 TD SO	1014,5	- 6,3	72	30	1	1	87 TD SO	02 TD SO	- 9,3	- 4,0		4	17
18	1011,4	- 8,2	76	25	2	3	35	1	83 30	02 30	1008,4	- 6,7	66	12	1	1	89 SO	02 SO	1006,8	- 7,7	96	14	4	2	83 TD SO	03 TD SO	- 9,7	- 4,9		4	18
19	1004,6	-10,5	74	25	2	3	34	1	83 30	02 TD SO	1005,3	- 7,8	72	25	2	1	89 SO	02 SO	1004,0	- 6,9	85	26	2	3	83 TD SO	03 TD	-10,6	- 6,2		4	19
20	1009,0	- 9,0	84	26	2	3	33	7	87 TD S	70 TD S	1009,5	- 7,2	82	28	1	8	56 TD S SO	71 TD S SO	1010,7	- 7,5	88	10	3	3	40 TD S	71 TD SO S	- 9,5	- 6,2	0,4	3	20
21	1014,2	-10,7	80	26	2	4	42	3	87 TD SO	22 TD S SO	1016,6	- 8,5	77	25	2	2	89 SO	01 TD SO	1018,2	- 8,4	69	25	1	1	89 SO	02 30	-11,3	- 6,3	1,3	3	21
22	1021,0	-11,4	81	26	1	4	36	1	89 SO	01 30	1022,5	- 9,1	76	23	1	5	88 TD SO	15 TD SO	1022,9	- 7,4	79	28	1	7	80 TD S	70 TD S	-11,1	- 6,9		2	22
23	1022,3	- 8,1	76	30	0	4	35	2	82 TD SO	22 TD S 30	1022,3	- 6,0	76	32	1	7	82 TD S SO	70 TD S HA SO	1021,8	- 5,8	80	27	1	7	82 TD S	70 TD S 30	- 9,1	- 4,8	0,1	2	23
24	1020,3	- 8,7	87	02	1	4	34	7	71 TD S 30	70 TD S 30	1020,6	- 4,4	76	34	1	7	85 TD S	70 TD S	1020,3	- 5,8	80	30	3	2	83 TD SO	02 TD S 30	- 7,2	- 2,5	0,1	2	24
25	1019,8	- 9,5	82	26	1	4	20	1	83 TD SO	01 TD S SO	1019,8	- 6,3	80	27	2	3	88 TD SO	03 TD SO	1018,8	- 4,5	70	26	1	3	83 TD SO	01 TD SO	- 9,8	- 3,6	0,0	3	25
26	1014,3	- 4,7	66	26	3	4	18	3	83 30	02 30	1011,8	- 4,5	65	28	3	5	89 SO	02 30	1008,1	- 6,3	69	14	7	8	73 TD S	71 TD S 30	- 9,1	- 2,8		7	26
27	997,5	- 6,7	74	11	0	4	16	3	73 TD S 30	70 TD S 30 SF	993,4	- 2,6	72	13	5	8	60 TD S	70 TD SO S SF	990,6	- 4,3	95	24	3	9	20 TD S	73 TD S 30	- 8,2	- 1,6	0,1	7	27
28	989,0	- 5,6	97	23	3	4	2	3	11 TD S SF	71 TD S SF	992,1	- 4,4	77	22	4	8	60 TD S	70 SF S TD	993,3	- 3,4	90	24	6	7	05 TD S SF	71 TD S SF	- 5,3	- 0,3	1,6	8	28
29	1003,2	- 5,7	90	25	5	4	15	7	61 TD SF	26 TD SO SF	1007,7	- 4,1	82	25	5	5	80 TD SO	26 TD SB SO	1009,1	- 4,7	88	24	4	7	80 TD SO	26 TD SO S SO	- 5,3	- 2,4	1,3	7	29
30	1011,6	- 4,2	69	24	3	3	14	1	83 SO	02 TD SO	1013,0	- 3,6	61	25	2	4	89 SO	01 30	1013,1	- 3,0	36	25	2	3	89 SO	03 SO	- 5,7	- 2,0	0,0	4	30
31	1016,2	- 3,4	77	21	2	3	14	7	73 TD S	70 TD S	1019,0	- 1,1	74	24	1	7	65 TD SB	85 TD S SB	1020,2	- 1,8	77	23	4	7	63 TD S 30	70 TD SO S	- 4,6	- 0,1	0,1	5	31
MI	1011,8	- 8,8	71		3,0		34	4,1			1012,1	- 6,9	67		3,2	4,5			1011,9	- 6,9	69		3,0	4,7			-10,2	- 4,8	6,8		IM

JUNI 1979

SVALBARD LUFTHAVN

DT	KL. 07 P	T	UU	DD	F	N	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1015,6	- 0,7	81	16	1	4	9	3	71 TD	26 TD SB S	1015,3	0,2	81	23	4	8	67 TD	15 TD SB	1014,4	0,7	77	25	1	7	81 TD	02 TD SO	- 2,3	1,9	1,1	4	1
2	1008,9	- 0,5	98	06	3	4	8	3	71 TD T S	71 TD T S	1000,3	0,7	88	12	3	8	56 TD SL	68 TD T SL	998,0	1,4	73	13	4	8	75 TD SL	68 TD SL	- 1,3	3,5	1,3	6	2
3	1000,4	- 1,7	91	22	7	4	7	7	61 TD	01 TD SL	1004,7	- 3,2	87	24	7	9	20 TD SB	85 TD LB SB SF	1001,0	- 5,2	90	25	7	8	70 TD SF 30	38 TD SO SF	- 8,1	2,0	1,7	8	3
4	1005,9	- 3,5	80	26	3	4	10	7	83 TD SO	02 TD	1010,0	- 3,5	73	28	3	6	87 TD SO	02 TD SO	1010,7	- 2,4	84	24	5	6	80 SO	03 TD SO	- 5,2	- 2,1	0,6	7	4
5	1009,1	- 4,2	69	31	2	4	10	1	83 30	02 SO	1010,0	- 3,2	73	30	3	0	89 SO	02 SO	1010,8	- 3,2	68	27	3	0	89 30	02 SO	- 5,1	- 1,5		8	5
6	1012,7	- 5,2	77	28	2	3	10	1	83 SO	02 30	1014,1	- 4,0	73	27	1	1	89 SO	02 SO	1014,3	- 3,3	71	29	1	1	89 SO	02 SO	- 6,1	- 2,3		4	6
7	1014,4	- 2,1	76	26	2	3	10	1	83 SO	02 30	1013,4	- 1,7	65	25	2	1	89 SO	02 SO	1010,7	- 1,2	65	26	1	1	89 SO	01 SO	- 5,6	- 0,1		3	7
8	1007,3	- 5,5	95	27	3	3	10	9	02 T	46 30 T	1006,1	- 2,8	74	26	2	5	89 SO	03 T SO	1005,4	- 2,5	74	29	2	6	89 SO	03 SO	- 5,3	- 0,8		3	8
9	1004,0	- 2,9	80	27	2	2	10	6	81	01	1003,6	- 1,4	70	25	2	6	87 TD SO	03 TD	1003,3	- 0,9	72	25	3	2	83 TD SO	02 TD SO	- 4,7	- 0,1		3	9
10	1002,0	- 1,8	80	26	3	2	10	6	86 TD	02 TD SO	1001,5	- 1,2	81	26	4	3	84 TD SO	01 TD SO	1001,4	- 2,1	87	26	4	8	83 TD	02 TD SO	- 4,3	- 0,1		4	10
11	1001,8	- 2,5	81	36	2	2	8	8	82 TD	02 TD	1002,8	- 1,2	70	04	1	8	84 TD	02 TD	1003,3	- 1,5	89	32	2	7	84 TD	02 TD	- 2,9	- 0,6		4	11
12	1003,2	- 2,9	72	01	3	2	5	8	83 TD	02 TD	1002,3	- 2,1	69	28	2	3	88 TD SO	02 TD SO	1000,1	- 2,1	74	32	2	7	88 TD	02 TD SO	- 6,2	- 0,6		3	12
13	995,9	- 2,3	80	36	3	2	4	8	86 TD	02 TD	994,9	0,3	66	11	4	1	88 TD SO	01 TD SO	995,4	- 0,1	68	26	2	2	88 TD SO	02 TD SO	- 2,8	- 1,7		4	13
14	998,0	- 0,8	72	03	3	1	4	3	83 TD	03 TD	998,8	- 0,8	79	25	3	8	86 TD	02 TD	999,3	- 0,6	78	27	2	8	84 TD	03 TD	- 3,1	- 1,3		3	14
15	997,1	0,7	77	10	3	1	4	6	63 TD LB	83 TD LB	996,2	- 0,3	96	28	2	8	55 TD S	70 TD S LB SO	996,7	- 0,2	97	27	2	8	83 TD	02 TD S	- 0,6	- 1,1	0,0	3	15
16	999,2	0,3	88	00	3	1	4	8	83 TD	03 TD	1000,4	1,3	80	26	2	7	89 SO	02 TD	1001,6	1,2	78	26	2	7	88 TD	02 TD SO	- 0,4	2,0	1,3	3	16
17	1002,5	2,1	70	00	3			3	83	02	1003,9	2,3	77	23	2	8	89	02	1005,4	2,9	74	25	3	7	89	02	- 0,6	3,3		3	17
18	1007,0	1,8	32	25	3			8	83 TD	03 TD	1008,2	2,4	76	25	3	8	88 TD	02 TD	1009,0	2,0	76	25	3	6	88 TD	01 TD	- 0,3	4,0		4	18
19	1010,4	0,1	95	29	3			6	83 TD SO	40 TD SO	1011,1	- 0,3	93	28	3	9	02 T SO	46 TD T SO	1011,0	0,6	81	25	4	7	82 TD	40 TD T SO	- 0,4	2,0		4	19
20	1011,5	- 0,2	73	25	4			8	84 TD	02 TD RB	1011,8	1,6	69	24	3	7	88 TD SO	02 TD SO	1011,7	1,3	62	24	5	1	89 SO	02 TD SO	- 0,9	3,6	0,0	5	20
21	1012,6	1,1	78	23	4			7	88 TD	02 TD SO	1013,2	- 0,8	73	29	2	4	89 SO	01 TD SO	1013,2	- 0,2	71	26	2	1	89 SO	02 30	- 1,0	2,6		6	21
22	1014,0	- 0,8	86	29	2			7	89 SO	02 30	1015,2	0,7	74	26	2	1	89 SO	40 SO	1016,4	- 1,1	98	26	4	9	05 T	40 TD T SO	- 1,2	1,6		4	22
23	1019,9	- 1,3	98	36	1			9	01 T	45 T TD	1020,1	- 1,5	98	33	1	9	05 T	45 T	1019,9	0,0	92	00	0	7	80	40 T	- 1,8	0,6		4	23
24	1018,0	0,5	95	36	1			8	83 TD	21 TD R	1018,2	0,8	96	01	1	8	15 TD YR	50 TD R YR	1017,4	1,9	96	25	2	8	59 TD	40 TD YR	- 0,5	3,3	0,2	3	24
25	1015,4	0,5	97	03	1			7	73 TD SO	40 TD T	1013,6	1,0	97	28	1	8	70 TD	40 T TD	1010,2	2,2	87	28	2	4	87 TD SO	01 TD SO	- 0,4	3,6	0,5	4	25
26	1003,2	1,8	97	26	3			8	30 TD R	59 TD R	999,4	1,5	97	26	4	8	50 TD R	61 TD R	998,0	1,5	97	28	2	8	56 TD	21 TD R	1,2	6,5	3,0	4	26
27	999,2	2,0	97	09	1			9	01 T	45 T TD	999,4	1,1	98	26	1	9	02 T	47 T YR	1000,0	2,2	98	24	3	8	30	40 T TD	0,9	4,2	9,4	3	27
28	1001,4	2,2	92	26	2			8	83 TD	40 TD	1003,2	1,8	91	25	3	8	84 TD	40 TD	1004,3	2,5	84	25	4	7	86 TD	02 TD	1,1	4,3	0,1	4	28
29	1006,5	2,4	78	27	1			7	87 TD	02 TD SO	1007,3	4,4	76	02	3	7	89	02 TD SO	1007,7	4,6	72	25	3	7	89	02	1,1	6,6		4	29
30	1008,0	5,2	66	28	3			5	89	01	1008,0	6,5	61	29	2	1	89 SO	02 SO	1007,3	6,2	55	27	2	1	89 SO	01 SO	2,6	6,8		4	30
MI	1006,8	- 0,7	83		2,6		4	6,7			1006,9	0,0	80		2,7	5,8			1006,6	0,2	78		2,7	5,5			- 2,1	2,0	19,7		IM

EKSTENSOTABELL

JULI 1979

SVALBARD LUFTHAVN

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1006,5	3,8	77	26	3			6	80 SO	01 SO	1007,0	5,6	68	26	3	2	89 SO	01 SO TD	1006,5	8,3	61	26	3	1	87 SO	02 SO	3,2	8,8		4	1
2	1002,9	11,0	61	11	4			7	88 TD	03 TD SO	1000,3	9,2	54	10	4	7	88 TD	25 TD RB	997,1	5,2	69	11	6	6	83 SO TD	21 TD RB R	3,9	12,7		6	2
3	1003,1	7,6	65	06	2			7	80 SO	0J SO	1006,3	9,1	62	24	3	5	87 TD	02 TD SO	1007,0	10,5	56	27	2	7	87 TD	03 TD SO	4,7	12,0	0,0	7	3
4	1009,7	6,2	71	26	3			2	80 SO	0J SO	1010,9	6,5	79	27	3	6	89 SO	03 SO	1010,8	8,5	68	25	4	1	80 SO	02 SO	3,8	11,1		5	4
5	1014,0	4,2	93	26	2			3	50	40	1014,5	4,1	88	26	4	8	84 TD	02 TD	1013,5	5,4	79	27	2	1	86 SO TD	02 TD SO	3,6	9,9		5	5
6	1007,8	7,2	82	09	5			7	88 SO TD	01 TD SO	1009,3	9,6	51	26	4	7	84 SO TD	02 TD SO R	1010,2	6,4	82	24	4	6	82 TD	15 TD SO	3,1	10,3		5	6
7	1013,9	4,0	77	35	1			7	86 TD	03 TD SO	1012,1	8,6	60	01	3	6	86 SO TD	01 TD SO	1008,5	8,3	64	11	6	7	88 TD	02 TD SO	3,6	10,0	0,0	6	7
8	1005,1	7,7	69	26	4			4	82 TD SJ	15 TD SO R	1010,3	6,5	63	22	5	7	80 TD	15 TD SO	1014,2	3,0	85	24	4	7	80 TD SO	15 TD SO	3,0	9,6	0,4	7	8
9	1016,5	2,8	98	36	3			7	86 TD	02 TD	1016,5	4,3	81	28	1	7	84 TD	21 TD R	1016,1	5,6	73	00	0	8	83 TD	02 TD R	2,3	5,9		4	9
10	1016,1	6,1	80	34	1			3	83 TD	01 TD SO	1016,6	11,0	64	26	3	1	88 SO TD	02 TD SO	1017,2	9,7	64	33	1	1	85 SO TD	02 TD SJ	4,2	12,0	0,0	3	10
11	1016,7	10,3	70	26	1			3	83 SO TD	02 TD SO	1015,9	15,2	55	25	3	1	89 SO	02 TD SO	1015,2	16,1	31	26	2	1	80 SO	02 SO	7,6	18,3		3	11
12	1017,5	6,6	76	25	1			1	83 SO TD	40 SO TD	1018,8	8,3	76	25	4	2	80 SO TD	40 TD SO	1019,5	7,8	77	25	4	3	80 SO TD	40 TD SJ	5,8	16,1		6	12
13	1019,6	5,5	85	25	2			7	84 TD	03 TD SO T	1019,9	9,2	63	24	5	4	89 SO	03 SO TD	1019,9	7,9	74	26	3	3	86 SO TD	02 TD SO	3,6	10,7		5	13
14	1021,5	6,2	96	25	1			3	82 SO TD	01 TD SO	1020,2	9,3	70	25	2	5	89 SO	0J SO TD	1017,8	10,5	66	26	3	8	88 TD	03 TD SO	5,5	13,1		4	14
15	1016,9	5,7	92	27	2			3	82 TD	0J TD R	1017,9	8,7	81	28	3	7	82 TD	40 TD SO	1017,1	9,8	82	27	2	1	84 SO TD	40 TD SO	5,7	12,7	4,6	4	15
16	1015,1	7,9	31	24	2			7	85 TD	02 TD SO	1013,4	15,2	62	25	4	4	88 SO TD	01 TD SO	1012,5	19,2	23	12	4	1	80 SO	02 SO TD	6,8	21,3		4	16
17	1013,2	11,6	54	24	1			2	80 SO	02 SO	1013,6	12,0	56	25	4	1	89 SO	01 SO	1011,7	10,9	59	25	3	4	80 SO	02 SO	10,2	19,4		5	17
18	1007,4	15,7	47	25	2			2	80 SO	02 SO	1005,7	15,2	54	25	4	5	89 SO	03 SO	1004,7	10,1	81	24	3	7	87 TD	02 TD R 90	7,3	16,4		4	18
19	1033,9	9,4	81	29	3			3	87 80 TD	02 TD SJ	1033,2	12,4	63	25	3	6	89 SO	02 SO TD	1003,4	12,1	61	25	3	7	86 SO TD	02 TD SJ	8,3	13,2	0,0	4	19
20	1004,6	10,7	62	05	3			7	83 TD	02 TD	1006,5	9,8	68	02	4	7	88 TD	02 TD	1007,4	10,5	48	11	4	3	89 SO	01 SO TD	9,1	13,2	0,0	4	20
21	1009,9	8,5	49	32	1			1	80 SO	02 SO	1011,1	8,9	57	02	4	1	89 SO	02 SO	1011,3	10,6	37	11	3	1	89 SO	02 SO	6,3	11,7		4	21
22	1012,9	6,8	58	31	2			1	80 SO	02 SO	1013,8	7,4	57	27	2	1	89 SO	02 SO	1013,6	9,8	54	26	3	1	80 SO	02 SO	5,2	11,2		4	22
23	1014,0	8,2	71	25	1			1	80 SO	03 SO	1013,7	11,3	52	25	4	1	89 SO	02 SO	1013,3	11,7	48	23	3	1	89 SO	02 SO	7,3	12,5		5	23
24	1010,5	7,8	66	26	2			3	80 SO	01 SO	1009,1	6,6	78	26	4	7	89	03 SO	1009,6	7,4	71	28	3	1	89 SO	02 SO	6,2	11,7		5	24
25	1011,4	8,6	80	25	3			3	80 SO	0J SO	1011,1	11,4	54	23	4	6	89 SO	03 SO	1010,3	10,2	55	23	6	5	80 SO	02 SO	6,7	12,3		6	25
26	1008,3	8,0	85	25	5			7	83 TD	02 SO	1007,1	5,4	84	26	5	7	84 TD	02 TD SO	1005,1	4,9	96	27	4	8	80 TD R	60 TD R	4,3	10,8		6	26
27	1001,6	5,7	80	25	1			8	84 TD	02 TD R	1001,5	7,7	63	24	4	8	88 TD	21 TD R	1002,5	5,0	68	27	4	6	80 SO	02 TD R	4,4	8,0	1,5	5	27
28	1003,3	4,0	99	23	6			8	85 TD	02 TD	1002,8	3,8	82	23	6	8	82 TD R	63 TD R	1002,5	6,4	76	22	4	7	83 TD	02 TD R	3,0	6,4	0,5	7	28
29	1003,5	4,4	72	25	4			7	80	02 TD	1005,0	5,9	84	28	2	6	89 SO	01 SO	1004,5	6,4	68	25	4	7	80 SO	03 SO	3,3	8,2	0,5	5	29
30	1001,4	5,8	71	24	1			6	83 TD	0J TD YR	1001,9	5,9	86	02	4	7	89 SO	02 SO TD	1002,5	4,5	52	01	4	6	83	01 SO TD	4,2	8,1	0,0	7	30
31	1000,2	2,9	91	36	3			7	80	02 TD SL	999,4	3,8	57	28	2	7	80	02 TD	997,3	2,6	64	33	2	7	83 TD	10 TD	2,0	5,6	0,0	4	31
MI	1010,0	7,1	71		2,9		5,1				1010,2	8,6	65		3,5	5,1			1009,8	8,6	64		3,4	4,3			5,1	11,7	7,4		MI

AUGUST 1979

SVALBARD LUFTHAVN

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	997,9	2,1	56	33	4			7	80 TD	15 TD	996,2	1,8	65	25	2	7	89 SO	22 TD S	996,4	3,0	54	34	3	6	80 SO	01 SO	1,2	3,5		4	1
2	996,5	2,3	60	34	3			3	80 SO	0J SO	997,0	3,7	53	02	4	7	89	02 SO	996,5	4,0	53	25	3	7	80 SO	0J SO	1,0	5,0	0,0	4	2
3	994,5	2,2	70	23	1			3	80 SO	10 TD SJ	994,7	4,6	59	24	1	6	89	01 SO	994,5	4,3	63	23	4	7	80	02 SO	1,7	6,1		5	3
4	994,0	2,9	76	23	3			3	86 TD	02 TD SL	995,8	4,0	76	23	4	7	88 TD	02 TD YR SL	996,9	3,5	89	23	4	7	86 TD R	60 TD R 90	1,0	5,0	1,1	6	4
5	999,3	3,8	86	24	5			3	82 TD R	62 TD R	1001,4	4,2	90	26	3	8	75 TD R	61 TD R	1002,0	4,6	92	25	3	7	82 TD	40 TD R	3,4	6,0	3,1	6	5
6	1002,5	4,3	86	01	2			7	85 TD SJ	01 TD SJ	1002,7	4,1	86	33	2	8	82 TD SO	15 TD SO	1002,5	4,5	84	28	1	8	82 TD	02 TD	3,2	5,3	1,7	4	6
7	1004,0	4,3	97	18	1			6	82 TD	02 TD	1005,3	5,1	81	28	3	8	82 TD	03 TD SO	1005,7	4,5	86	35	3	7	84 TD	02 TD	3,2	6,0		4	7
8	1008,6	3,5	79	24	3			3	80	02 TD R	1010,3	4,0	78	27	2	7	89	16	1011,2	3,8	79	25	3	6	89	02 TD	3,3	5,0	2,3	4	8
9	1012,0	4,0	69	10	1			7	80 TD	03 TD	1012,0	6,8	72	13	3	8	83 TD R	60 TD R YR	1012,3	5,8	73	13	3	8	81 TD	15 TD YR R	3,3	8,0		5	9
10	1013,4	5,6	93	25	3			7	83 TD	02 TD R YR	1014,4	8,8	72	25	2	6	89 SO	02 SO TD R	1015,8	9,1	66	26	2	2	80 SO	02 SO	4,3	11,0	1,3	4	10
11	1017,5	9,5	51	25	2			1	80 SO	02 SO	1016,8	12,1	37	25	4	1	80 SO	02 SO	1015,2	9,0	49	12	5	2	87 TD SO	0J TD SO	6,2	13,3	0,0	6	11
12	1013,1	9,7	68	23	2			3	85 TD	15 TD R 30	1014,9	7,2	81	18	1	7	80 TD	15 TD	1015,2	5,9	93	25	4	7	80 TD	02 TD	5,2	11,0	0,2	6	12
13	1015,2	3,1	97	25	3			3	70 TD	40 TD	1015,8	3,2	92	29	2	8	75 TD	40 TD	1015,4	2,3	97	34	1	9	00 T	45 TD T	2,3	6,4		4	13
14	1012,2	1,8	98	28	2			9	0J T	45 T	1011,4	5,7	79	26	3	6	84 TD SO	01 TD T	1012,0	6,4	86	07	2	7	82 TD	15 TD SO	1,8	9,9		3	14
15	1013,1	6,9	82	25	2			3	86 TD SO	03 TD SO YR	1010,0	15,7	56	13	3	6	75 0 SO	01 0 SO TD	1009,0	15,0	61	13	4	1	70 J SJ	02 0 SJ	8,3	16,5	0,3	7	15
16	1005,5	14,7	58	13	1			3	79 0 SO	03 J SO	1004,9	12,1	69	12	5	8	70 TD R	60 TD R	1005,7	10,8	74	24	2	8	82 TD	02 TD R	8,3	15,9		8	16
17	1010,3	6,4	35	25	1			3	60 TD	16 TD YR	1013,2	5,9	86	29	2	8	82 TD	15 TD	1013,7	7,6	74	07	1	8	80 TD	15 TD R	5,9	10,8	0,2	4	17
18	1011,9	8,5	70	25	2			7	81 TD	15 TD SO R	1013,0	8,7	74	26	2	7	75 TD	15 TD R	1016,9	6,2	90	24	3	8	75 TD	40 TD R	5,8	9,5	0,0	4	18
19	1021,4	7,5	78	25	2			7	82 TD	15 TD	1022,4	7,8	71	28	3	7	82 TD	02 TD SO	1022,2	4,9	90	29	2	7	85 TD	02 TD SJ	4,9	8,9	0,2	4	19
20	1020,9	5,3	73	07	2			7	86 TD	01 TD	1020,2	5,5	74	27	2	4	89 SO	01 TD SO	1019,7	6,1	72	25	3	3	89 SO	02 SO	4,5	7,2		4	20
21	1017,9	5,0	81	34	1			1	80 SO	02 SO	1017,5	6,0	71	28	1	1	89 SO	02 SO	1016,7	7,9	53	24	4	1	80 SO	02 SO	2,7	8,5		4	21
22	1017,0	2,9	70	10	2			1	80 SO	02 SO	1017,4	4,7	70	27	2	1	89 SO	02 SO	1016,3	4,7	60	11	4	1	80 SO	02 SO	1,5	7,9		5	22
23	1015,6	4,4	61	14	3			1	80 SO	02 SO	1015,2	5,4	61	26	1	5	89 SO	03 SO	1014,2	5,4	62	24	2	9	80	02 SO	2,6	7,0		6	23
24	1010,6	3,1	62	09	1			7	88 TD	14 TD	1009,5	3,0	58	07	3	7	88 TD	15 TD	1007,3	3,6	61	09	3	7	83 TD	02 TD	2,5	5,4		5	24
25	1004,9	2,9	74	24	2			3	80 SO	02 SO	1004,9	4,3	69	27	2	6	89	02 SO	1005,5	4,5	71	25	4	1	80 SO	02 SO	0,6	5,2		4	25
26	1009,2	2,5	82	11	1			3	86 TD	02 TD	1010,5	4,0	66	36	2	8	87 TD	02 TD	1011,2	4,0	70	00	0	7	89	02 TD	1,0	5,2		4	26
27	1012,0	1,2	77	36	2			7	83 TD SO	15 TD SO	1012,6	3,7	62	28	1	2	89 SO	02 SO TD	1012,8	4,2	59	26	2	3	80 SO	02 SO	2,4	5,2		3	27
28	1015,1	2,6	74	09	3			7	82 TD SO	15 TD SO	1016,2	5,4	61	11	1	7	86 TD SO	02 TD SO	1017,3	4,9	63	13	3	7	86 TD	02 TD SJ R	0,3	5,9		5	28
29	1017,6	5,5	60	11	5			6	88 TD SO	01 TD SO	1017,2	3,1	58	12	4	5	89 SO	03 TD SO	1016,3	1,8	61	11	4	7	88 TD	02 TD SO	1,8	6,0	0,0	6	29
30	1013,5	1,8	64	12	6			7	88 TD	15 TD	1014,7	2,8	62	10	4	7	88 TD	15 TD RB	1015,0	0,8	65	12	6	7	89 TD	15 TD	0,5	4,0		6	30
31	1017,6	1,7	63	09	4			6	88 TD	15 TD SO	1019,6	2,4	61	11	6	6	88 TD SO	15 TD SO	1020,2	1,6	61	11	5	6	88 TD SO	15 TD SO	0,8	3,9	0,0	7	31
MI	1010,2	4,6	74		3,0		6,1				1010,6	5,7	69		2,9	6,1			1010,7	5,3	71		3,0	5,8			3,1	7,6	10,6		MI

EKSTENSOTABELL

SVALBARD LUFTHAVN — SEPTEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	RR VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	RR VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	RR VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1020,3	1,3	58	11	4			2	89 SO	01 TD SO	1020,3	2,3	55	11	1	7	89	02 SO	1019,3	1,0	60	12	4	5	89 SO	02 SO	0,6	3,1		6	1
2	1017,6	0,3	76	11	2			1	89	01	1016,2	2,7	65	23	1	7	89 SO	02 SO	1014,6	2,5	69	11	1	3	89	02 TD SO	-1,0	3,4		4	2
3	1013,8	0,4	72	11	3			7	82 TD	22 TD S	1015,5	2,1	66	09	3	7	84 TD	22 TD S	1015,5	2,9	64	12	1	8	84 TD	15 TD S	-0,9	3,3	0,5	5	3
4	1015,1	-0,2	97	00	0			0	20 TD S	73 TD S	1015,8	1,0	96	00	0	7	80 TD	15 TD S	1015,8	1,6	85	22	2	7	85 TD	15 TD	-0,2	3,3	1,5	3	4
5	1016,1	1,2	88	00	0			8	88 TD	02 TD	1015,7	2,6	54	09	3	7	89 TD	15 TD	1014,5	1,6	61	12	3	7	98 TD SO	15 TD SO	0,9	3,1	2,0	3	5
6	1012,9	-0,3	86	12	2			8	80 TD S	70 TD S	1012,8	0,9	93	24	3	7	57 TD S	71 TD S	1012,5	1,5	72	24	4	7	87 TD	02 TD S	-0,9	2,0	0,0	4	6
7	1012,5	0,7	74	25	3			7	89 TD	02 TD	1013,1	-0,8	63	25	3	7	89	02 TD S SB	1012,0	-1,8	63	17	1	1	89 SO	02 SO	-2,4	1,8	1,7	4	7
8	1007,5	-2,6	66	09	3			1	89	02	1006,4	0,6	53	12	3	1	89	02	1004,8	-2,0	61	11	3	2	89 SO	02 SO	-3,2	0,6	0,0	5	8
9	999,5	0,5	66	11	2			7	80 TD	15 TD SB	999,9	2,9	64	13	3	8	70 TD R	60 TD SO R	999,5	3,6	73	13	5	8	70 TD R	61 TD R	-2,9	4,0	0,0	5	9
10	998,4	0,4	95	11	1			8	60 TD SL	69 TD R S SL	997,2	1,7	87	26	2	7	86 TD	02 TD R S	997,6	1,6	96	10	1	8	80 TD	02 TD	0,1	4,0	2,7	5	10
11	995,8	3,5	76	13	1			3	73 TD R	61 TD R	995,1	5,0	70	14	1	8	81 TD R	60 TD R	996,3	4,3	76	25	2	7	81 TD	02 TD R	0,2	6,0	1,2	5	11
12	998,1	2,2	98	00	0			0	00 T	45 TD T	999,8	2,5	98	22	2	8	70 TD R	61 TD T H	999,6	3,1	82	24	4	8	70 TD	21 TD R	2,0	4,8	1,0	4	12
13	998,7	1,9	87	24	2			7	81	40 TD	1000,1	2,6	70	10	2	7	80 TD	02 TD	999,5	1,6	92	11	2	9	89	02 TD	1,9	4,1	3,4	5	13
14	995,0	3,0	79	11	1			3	73 TD R	62 TD R	994,6	5,8	69	10	1	8	84 TD	25 TD R HB	994,9	5,8	74	10	4	8	89 TD RB	80 TD RB	1,1	7,0	2,7	5	14
15	996,4	3,4	84	26	1			7	81 TD	02 TD RB	999,0	5,6	81	25	2	6	88 TD SO	01 TD SO	1000,1	3,5	91	25	2	6	86 TD SO	02 TD SO	3,4	6,2	0,0	4	15
16	998,3	5,6	78	11	1			3	73 TD R	60 TD R	996,6	8,0	65	14	3	7	84 TD	02 TD R SO	996,8	7,8	69	15	3	7	84 TD	21 TD	3,3	8,2	0,0	6	16
17	995,2	4,8	72	11	1			7	81 TD	15 TD	994,1	5,6	69	11	4	6	88 TD	15 TD	993,0	4,5	69	11	4	7	88 TD	02 TD	4,5	8,5	0,0	6	17
18	994,3	0,9	80	09	2			7	83 TD	03 TD	980,4	0,0	96	27	1	8	25 S TD	71 TD S R YR	977,5	0,5	84	26	1	8	65 TD	22 TD T S	-0,1	5,3		5	18
19	981,2	2,3	65	13	1			7	83 TD	02 TD R	984,4	3,1	66	13	4	8	80 TD	15 TD R	987,9	2,5	71	25	2	3	88 TD	01 TD	0,5	4,4	4,8	5	19
20	993,8	-0,7	86	12	2			2	83 RI	02 RI TD	998,4	2,4	61	11	2	1	89 SO	01 SO RI	997,3	-1,8	85	13	1	1	89	01 SO	-1,9	2,5	0,0	3	20
21	999,5	-0,6	88	14	1			7	81 TD	22 TD S	1000,7	0,3	93	00	0	8	65 TD S	71 TD S	1000,8	0,4	95	00	0	7	80 TD	02 TD S	-2,2	1,0	0,0	2	21
22	1000,1	1,5	65	24	2			7	81 TD	15 TD	1001,0	1,4	79	26	2	7	87 TD SO	22 TD SB SO	1002,2	0,3	97	00	0	7	75 TD S	70 TD S SO	0,1	2,8	0,0	4	22
23	1004,8	0,3	91	00	0			5	81	01 SB TD	1006,3	-0,9	71	16	1	1	89 SO	02 SO	1007,3	-2,5	82	16	1	5	89	03 SO	-4,2	1,7	0,3	2	23
24	1007,1	-5,0	84	11	3			1	89	02	1008,7	-1,6	63	00	0	2	89 SO	01 SO	1006,0	-4,4	73	10	2	1	90	02 SO	-5,3	-1,5		3	24
25	1004,1	-5,9	82	11	3			8	89	03	1003,3	-4,5	72	11	3	1	89 SO	01 SO	1000,3	-5,4	81	12	3	1	89	02	-5,9	-3,5		4	25
26	995,5	0,0	70	12	3			8	80 TD	15 TD	993,6	1,3	65	12	5	8	84 TD	15 TD	993,1	2,5	71	11	5	3	82 TD	21 TD	-5,4	3,0		6	26
27	990,9	1,9	72	08	4			7	70 TD	15 TD R	993,9	1,6	66	08	4	7	82 TD	15 TD SB	996,2	0,5	70	08	3	7	86 TD	22 TD S	0,5	3,8	0,0	6	27
28	999,8	1,0	93	17	1			7	82 TD	15 TD SB	1003,3	0,4	77	05	1	7	80 TD	26 TD SB	1006,8	1,2	64	06	4	7	80 TD	15 TD SB	-0,3	2,4	0,0	6	28
29	1010,7	0,0	73	11	2			3	87 TD	15 TD	1012,9	-0,1	70	10	2	7	89	02 TD	1014,4	-1,1	72	10	2	8	88 TD	02 TD	-1,5	1,6	0,0	4	29
30	1016,3	-1,5	86	08	1			8	80 TD S	70 TD S	1017,1	-1,2	82	35	1	8	80 TD	15 TD S	1018,0	-1,1	74	27	2	7	82 TD	02 TD	-1,7	-0,6	0,0	2	30
MI	1001,6	0,7	79		2,4		6,3				1001,9	1,8	73		2,5	6,3			1001,7	1,2	76		2,5	6,1			-0,7	3,2	21,8		TM

166

SVALBARD LUFTHAVN — OKTOBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	RR VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	RR VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	RR VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1020,9	-2,3	73	24	2			3	83 TD	15 TD	1019,9	-1,0	73	11	2	8	82 TD	15 TD	1017,0	-0,4	91	11	4	8	20 TD S	71 TD S	-2,3	0,8	0,0	4	1
2	1005,5	-2,5	80	18	3			3	73 TD R	61 TD R	1005,2	-0,6	72	22	3	7	87 TD	02 TD SL R	1005,9	-2,3	64	28	4	7	86 TD	02 TD	-2,3	3,7	1,0	5	2
3	1012,0	-2,0	78	14	2			4	83 TD	01 TD	1017,3	-2,4	64	15	3	3	89	03 TD SO	1019,6	-3,3	90	12	3	4	88 TD	03 TD	-3,6	-1,0	0,0	5	3
4	1018,0	-4,4	78	11	4			3	80 TD	15 TD	1011,5	-1,0	80	09	2	8	70 TD	22 TD S	1005,9	-1,0	76	15	3	7	75 TD	15 TD	-6,4	1,5		4	4
5	994,7	-2,0	73	26	6			7	70 TD	15 TD	996,2	-2,0	68	25	4	6	87 TD	01 TD	999,6	0,6	66	25	2	4	89	01 TD	-2,6	3,6	0,1	6	5
6	1010,3	-0,3	78	08	2			8	82 TD S	71 TD S	1014,0	-1,4	90	09	3	8	50 TD S	71 TD S	1015,4	-1,9	77	12	4	8	59 TD S	71 TD S	-1,9	2,6	0,0	5	6
7	1017,6	-3,1	88	11	4			7	82 TD	15 TD	1018,5	-4,3	71	11	4	6	82 TD	15 TD	1017,9	-5,4	77	11	4	8	80 TD SB	85 TD SB	-6,1	-1,6	0,2	5	7
8	1015,6	-4,0	88	11	2	4	2	8	50 TD S	73 TD S	1017,0	-2,6	80	12	4	8	58 TD S	70 TD S	1019,0	-2,2	65	13	6	5	84 TD	02 TD S	-5,4	-1,0	0,8	6	8
9	1026,7	-2,4	63	12	1	4	2	3	80	03	1029,7	-3,4	62	14	3	1	89	02	1030,1	-3,3	78	11	3	1	80	02	-7,3	-1,7	0,0	6	9
10	1028,2	-9,9	82	11	3	4	1	1	80	02	1026,7	-7,5	78	12	2	7	86 TD	02 TD	1024,2	-6,2	86	11	4	8	82 TD	02 TD	-9,6	-5,7		4	10
11	1018,4	-4,1	90	12	1	4	1	8	73 TD S	70 TD S	1016,1	-2,1	87	00	0	8	56 TD S	70 TD S	1014,8	-2,0	96	10	2	8	30 TD S	71 TD S	-7,1	-1,0	0,0	4	11
12	1012,1	-2,8	88	12	2	4	1	7	70 TD	15 TD S	1010,5	-1,5	78	24	4	8	65 TD	22 TD S	1009,1	-5,9	72	18	4	6	81 TD	01 TD	-5,9	-0,8	2,2	5	12
13	1006,3	-6,8	72	10	2	4	1	3	63 TD S	71 TD S SB	1006,2	-7,8	69	09	2	8	80 TD	15 TD SB	1005,9	-7,9	65	12	2	7	84 TD S	70 TD S	-8,2	-5,2	1,4	8	13
14	1007,9	-12,5	64	12	3	4	1	1	88 TD	02 TD	1010,3	-13,3	65	11	4	1	89	14 TD	1011,4	-11,6	64	11	3	7	88 TD	15 TD	-13,5	-7,9	0,0	4	14
15	1013,0	-10,1	64	12	1	4	1	7	83 TD S	70 TD S	1013,2	-10,1	64	12	2	6	88 TD	02 TD S	1012,6	-9,4	64	01	2	7	86 TD SB	89 TD SB	-11,9	-8,9	0,0	3	15
16	1011,5	-11,6	60	32	2	4	1	2	80	02	1010,6	-13,1	72	11	3	5	89	03	1008,2	-14,4	79	10	3	1	86 TD	01 TD S	-14,5	-9,4	0,0	4	16
17	1004,2	-16,5	76	11	3	4	1	1	89	02	1004,3	-15,1	74	11	3	1	89	02	1004,8	-15,8	76	12	4	1	89	01	-16,8	-14,2	0,0	4	17
18	1004,6	-13,2	74	09	2	4	1	1	80	02	1003,8	-13,9	74	12	2	3	88 TD	01 TD	1001,1	-11,7	64	10	2	3	86 TD	01 TD	-15,9	-11,5		4	18
19	992,5	-6,4	74	10	2	4	1	7	86 TD	03 TD NL	988,7	-2,3	65	12	5	8	65 TD S	70 TD	984,8	-1,8	64	13	5	8	75 TD	02 TD S	-12,4	-1,3		6	19
20	979,6	-2,5	73	12	5	4	1	8	60 TD S	71 TD S	980,8	-4,9	82	09	3	9	15 TD S	71 TD S	984,6	-6,7	77	02	6	8	60 TD S	71 TD S 3R	-6,7	-1,2	0,0	6	20
21	994,2	-8,6	59	35	3	4	1	8	85 TD	02 TD SF	999,3	-9,8	63	35	4	5	86 TD	15 TD	1002,7	-9,1	54	32	5	5	86 TD	02 TD	-9,8	-6,4	1,2	6	21
22	1008,0	-10,4	53	31	4	4	1	1	89	02	1010,8	-10,2	52	32	3	1	89	02	1013,7	-9,8	59	10	2	1	89 NL	02	-11,0	-8,0		6	22
23	1014,9	-11,4	66	10	3	4	1	7	82 TD	03 TD	1010,5	-7,7	79	11	5	9	18 TD S	71 TD	1001,2	-1,5	76	11	5	8	70 TD	14 TD S	-14,5	-1,4		6	23
24	997,6	-1,9	82	24	6	4	2	9	50 TD S	3F 73 TD S R	1004,0	-4,4	91	24	7	8	57 TD SF	26 TD SB SF	1011,0	-4,8	87	24	6	4	70 TD SF	36 TD SB SF	-5,4	-5,2	2,3	9	24
25	1021,8	-8,2	80	34	2	4	2	8	83 TD	03 TD	1023,0	-9,0	86	21	1	5	89	03 TD	1021,5	-8,4	86	11	3	8	70 TD	22 TD S	-10,4	-4,7	3,0	6	25
26	1017,4	-3,6	90	16	1	3	1	8	83 TD	15 TD S	1016,4	-2,0	93	24	1	8	70 TD	15 TD	1014,1	0,1	97	20	2	8	70 TD	15 TD	-6,6	-1,5	0,5	3	26
27	1009,8	-4,3	69	01	2	2	1	7	80 TD	15 TD R	1010,4	-2,0	90	09	2	6	82 TD	15 TD	1006,7	-4,4	74	17	3	8	82 TD R	60 TD R	-0,1	-8,2	0,0	7	27
28	1008,1	-7,1	66	18	3	1	1	7	82 TD	01 TD R	1007,5	-5,3	62	19	4	7	75 TD	15 TD	1006,9	-3,4	68	13	4	7	75 TD	15 TD	-2,9	-8,0	0,4	5	28
29	1006,7	-6,9	66	18	5	0	0	6	82 TD	60 TD R	1009,1	-5,6	72	12	4	7	70 TD	15 TD R	1009,6	-7,4	64	21	6	8	80 TD NL	02 TD NL	-2,5	-7,4	0,0	6	29
30	1013,1	-4,9	68	17	3	0	0	4	86 TD	01 TD	1014,3	-1,7	77	18	2	8	80 TD	02 TD	1014,1	-1,6	84	12	3	8	80 TD	02 TD	-1,5	-7,5	0,0	6	30
31	1013,0	-2,7	73	14	3	0	0	9	80 TD	02 TD YR	1013,4	-0,7	81	11	4	7	70 TD	22 TD S	1014,3	-0,5	79	00	0	8	82 TD	02 TD	-0,5	-3,5	0,0	4	31
MI	1009,7	-4,2	73		3,0		1 5,8				1010,3	-4,5	75		3,1	6,1			1009,9	-4,2	74		3,5	6,0			-6,8	-1,3	13,1		TM

EKSTENSOTABELL

NOVEMBER 1979

SVALBARD LUFTHAVN

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1017,5	= 0,1	79	24	2	0	0	3	80 TD	02 TD	1020,5	= 1,5	93	24	1	7	82 TD	15 TD	1022,3	= 1,3	96	25	2	7	80 TD SB	85 TD S	= 1,5	1,0	0,0	3	1
2	1024,4	= 1,3	98	11	3	4	1	6	80 TD	22 TD S	1025,4	= 2,4	95	24	1	7	84 TD	02 TD	1025,0	= 3,2	97	24	1	7	10 TD	40 TD	= 3,4	= 0,1	0,1	3	2
3	1020,0	= 0,4	61	12	3	4	1	7	80 TD S	70 SB	1015,1	= 1,1	60	12	4	8	75 TD S	70 TD S	1009,8	= 1,3	60	11	3	7	80 TD	02 TD S	= 3,3	0,0	0,0	5	3
4	997,5	= 0,9	61	13	4	6	0	7	84 TD	03 TD	991,2	= 1,3	64	11	6	7	80 TD	15 TD	984,6	0,8	83	07	6	8	75 TD	02 TD	= 2,5	1,0	0,0	6	4
5	981,5	2,0	66	13	5	0	0	3	75 TD	00 TD S	984,0	1,6	64	13	4	8	80 TD	15 TD	984,5	1,6	62	11	4	7	80 TD	15 TD	= 0,1	3,1	0,0	6	5
6	984,5	0,8	65	14	3	0	0	8	85 TD	02 TD	984,8	1,1	78	05	2	8	70 TD S	70 TD S SB	987,1	1,8	64	12	3	7	80 TD	01 TD S	0,4	2,5		4	6
7	991,1	= 1,3	66	10	3	0	0	3	82 TD	02 TD	992,4	= 1,9	66	11	5	9	82 TD	15 TD	994,1	= 1,7	64	10	4	6	84 TD	01 TD	= 2,2	2,4	0,1	5	7
8	996,4	= 3,0	82	12	5	0	0	5	84 TD	03 TD	998,2	= 2,8	81	12	5	7	80 TD	15 TD	998,7	= 1,5	65	13	4	8	80 TD	03 TD	= 3,3	= 0,8		6	8
9	999,4	= 2,1	82	09	5	0	0	3	80 TD	15 TD S	998,5	= 3,0	65	10	3	6	80 TD	15 TD	997,2	= 3,2	84	09	2	5	80 TD	01 TD	= 3,5	= 1,2	0,0	6	9
10	995,3	= 4,0	63	12	3	0	0	3	83 TD	01 TD	995,6	= 5,4	61	04	4	6	84 TD	02 TD	996,7	= 6,4	57	06	3	8	82 TD	03 TD	= 6,5	= 1,5	0,0	4	10
11	997,5	= 8,5	58	35	1	0	0	5	80	03	998,3	= 9,9	59	33	4	2	89	03 TD	999,4	=10,5	59	32	4	1	89	01	=10,7	= 6,4		4	11
12	1001,2	=12,7	60	23	3	0	0	1	80	02	1002,0	=12,5	60	26	4	2	89	02	1002,7	=11,1	54	29	4	1	89	01 NL	=13,0	=10,5		4	12
13	1006,1	=13,1	61	29	3	0	0	1	80	02 TD	1008,5	=12,8	61	27	4	2	89	02	1010,8	=13,5	66	18	1	0	89	01	=13,5	=10,8		4	13
14	1010,5	=13,0	63	11	4	0	0	2	80	02 TD S	1010,1	=10,5	91	34	1	7	50 TD SB	85 TD SB S	1009,7	= 3,2	61	24	2	1	80 TD NL	01 TD NL SB	=18,3	= 2,5	0,0	4	14
15	1010,7	= 3,1	93	24	1	4	10	3	10 TD S	71 TD S	1011,5	= 4,3	85	26	4	8	70 TD S	71 TD S	1012,6	= 8,4	79	27	4	6	70 TD	22 TD S SF	= 7,0	= 2,0	8,0	5	15
16	1015,2	= 6,9	81	11	2	4	10	3	80 TD	02 TD	1016,2	= 6,9	71	00	0	8	75 TD S	70 TD S	1017,2	= 5,1	81	17	2	3	70 TD S	77 TD S	= 7,9	= 4,9	1,5	5	16
17	1016,2	= 5,0	64	19	3	4	10	7	70 TD	01 TD S	1011,9	= 5,4	73	11	4	7	80 TD	02 TD	1004,3	= 1,7	66	12	4	8	82 TD S	70 TD S	= 6,9	= 1,4	0,0	5	17
18	992,3	= 1,1	82	09	3	4	10	3	70 TD S	70 TD S SF	987,9	= 2,6	88	01	3	8	50 TD S	71 TD S	985,5	= 2,6	96	25	3	3	30 TD S	71 TD S	= 2,6	0,2	0,0	5	18
19	995,1	= 6,7	78	27	4	4	15	4	80 TD	01 TD S	1001,1	= 8,2	74	23	4	6	75 TD SB	85 TD SB	1003,9	= 8,2	76	19	4	8	25 TD SB	85 TD SB	= 8,5	= 2,0	7,9	6	19
20	1006,2	= 8,2	73	33	3	4	15	3	85 TD SB	85 TD SB	1009,8	=11,1	61	30	2	6	85 TD	02 TD SB	1010,8	=10,7	65	32	2	7	85 TD	23 TD SB	=11,9	= 8,0	0,1	5	20
21	1007,0	=15,0	79	11	3	4	15	1	80 NL	02 TD SB NL	999,3	=10,7	72	13	0	8	89 TD S SF	71 TD S SF	997,7	= 9,9	76	12	3	3	15 TD S SF	71 TD S SF	=16,2	= 9,0	0,2	8	21
22	974,2	= 3,5	65	14	5	4	10	5	70 TD SF	33 TD SF	974,0	= 1,9	69	10	5	6	85 TD	01 TD SF	974,5	= 3,0	95	39	7	1	82 TD SF	38 TD SF	=10,0	= 1,4	0,2	9	22
23	981,1	=10,6	74	11	7	4	8	3	70 TD SF	38 TD S SF	984,4	=12,1	61	12	7	5	80 TD SF	36 TD SF SB	986,2	=13,0	90	15	6	3	80 TD SF	36 TD SB SF	=13,0	= 3,0	0,0	8	23
24	986,2	=11,2	69	12	1	4	5	4	80 TD	03	985,9	=10,0	71	00	0	5	85 TD	01 TD	985,5	= 8,3	88	11	2	8	40 TD S	71 TD S SB	=13,0	= 8,3	0,0	7	24
25	988,5	= 9,0	69	20	3	4	12	7	70 TD	20 TD S SF	991,1	=11,0	60	03	3	8	70 TD	15 TD	993,5	=13,2	78	12	2	8	40 TD S	71 TD S	=13,2	= 7,2	1,7	5	25
26	996,6	=15,3	71	12	1	4	10	3	75 TD	26 TD SB	999,2	=16,1	65	10	1	7	82 TD	03 TD	1002,3	=16,8	68	11	4	3	84 TD	01 TD	=17,6	=12,8	0,2	4	26
27	1008,5	=16,7	61	12	3	4	2	7	80 TD	03 TD	1011,3	=16,0	56	11	5	8	84 TD	02 TD	1012,9	=15,0	58	11	5	6	86 TD	01 TD	=17,7	=14,2		6	27
28	1013,6	=10,6	32	12	3	4	2	1	88 TD	02 TD	1013,8	=11,9	46	11	3	1	89	02	1012,5	=12,2	45	12	4	7	87 TD	02 TD	=15,0	= 7,8		6	28
29	1007,6	=11,9	68	11	1	4	2	7	80 TD	03 TD	1003,9	=11,4	59	12	5	1	89	02 TD	1000,6	= 8,5	60	13	4	1	89	02	=13,5	= 8,5		5	29
30	996,0	=10,8	57	13	5	4	2	1	80	02	993,8	=11,8	64	14	4	1	89	02	991,3	= 9,4	62	14	4	2	80	02	=11,8	= 7,3		6	30
MI	1000,6	= 6,8	67		3,8		5	5,2			1000,7	= 7,1	68		3,6	5,9			1000,1	= 6,6	69		3,6	5,7			= 8,3	= 4,0	19,7		MM

DESEMBER 1979

SVALBARD LUFTHAVN

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	988,3	= 9,4	80	12	3	4	5	1	80	02	987,1	= 9,2	58	12	5	5	89	03 TD NL	987,3	= 7,6	64	11	3	7	82 TD	02 TD S	=10,4	= 7,0		6	1
2	988,0	= 8,6	76	13	3	4	5	7	84 TD	03 TD S	987,2	= 8,1	76	10	4	7	86 TD	03 TD	984,5	= 6,1	63	15	4	3	89	01 TD	= 9,6	= 4,6	0,2	4	2
3	982,4	= 5,3	68	12	5	4	5	7	86 TD	03	982,2	= 5,6	63	12	6	8	88 TD	02 TD	980,8	= 5,4	94	13	6	5	88 TD SF	36 TD SF	= 6,1	= 4,0	0,0	7	3
4	980,5	= 9,0	63	13	6	4	5	3	83 TD SF	36 TD SF	981,5	=11,1	69	13	5	8	50 TD S SF	71 TD S SF	982,5	=12,9	72	13	5	3	50 TD S SF	71 TD S SF	=13,2	= 5,8		7	4
5	983,6	=17,2	56	14	3	4	5	1	80	02 TD	986,6	=20,5	63	12	6	1	80 TD	02	990,4	=20,7	58	13	6	1	80 TD	02 TD	=22,2	=12,8	0,1	7	5
6	995,7	=18,9	63	12	1	4	5	2	80	03 TD	997,8	=18,5	68	13	1	1	89	02	998,7	=18,9	69	12	2	1	80	01	=20,7	=17,2		6	6
7	996,7	=15,2	62	25	2	4	5	1	80	02	993,4	=13,3	63	29	4	1	89	02	988,4	=13,7	64	23	3	1	80	02	=19,4	=12,1		5	7
8	983,8	=15,1	59	04	3	4	1	5	80	03	986,0	=17,3	69	10	2	3	82 TD S	70 TD S	987,5	=16,5	76	14	1	7	84 TD	02 TD S	=17,9	=10,7		5	8
9	992,0	=16,1	79	15	1	4	5	3	80	02	994,5	=17,4	80	11	3	1	89 RI	03 RI	996,4	=17,5	78	10	3	0	80	01 RI	=18,2	=13,5	0,0	4	9
10	997,0	=17,1	76	11	2	4	5	3	80	02	996,9	=17,2	72	11	3	3	75 TD	03 TD	996,4	=14,3	70	10	4	3	84 TD	01 TD	=18,1	=14,2		4	10
11	997,5	=13,1	69	12	3	4	5	1	80 TD	03 TD	999,3	=13,4	69	12	4	8	80 TD	03 TD	1000,2	=12,6	73	12	3	3	70 TD S	71 TD S	=15,3	=11,5		4	11
12	997,9	= 9,4	90	24	1	4	5	3	50 TD S	71 TD S	998,7	=14,3	90	27	2	2	85 TD	01 TD S	1001,5	=12,8	90	30	3	4	65 TD	15 TD S3	=14,3	= 8,5	0,7	3	12
13	1007,3	=19,5	84	15	1	4	5	1	80 TD	02 TD	1009,5	=21,6	84	09	1	1	88 TD	02 TD SB	1009,4	=13,8	87	09	3	3	65 TD S	71 TD S SB	=21,9	=11,7	0,1	3	13
14	1007,8	= 8,3	91	24	2	4	10	8	65 TD S	71 TD S	1008,8	0,6	74	22	4	7	70 TD S	70 TD S	1009,3	= 0,2	66	22	4	2	82 TD NL	01 TD S	=13,8	1,1	1,2	4	14
15	1012,4	= 0,1	81	24	3	4	15	1	80 TD	01 TD S	1015,2	= 2,3	91	13	2	8	80 TD	22 TD S	1016,4	= 2,2	91	07	1	3	80 TD	22 TD S	= 2,3	1,1	1,3	5	15
16	1017,1	= 7,8	92	16	1	4	15	3	80 TD	01 TD T	1017,1	= 5,2	71	10	1	7	80 TD	02 TD	1015,6	= 7,8	78	12	4	3	86 TD	01 TD	= 8,4	= 1,2	0,0	4	16
17	1012,2	= 8,7	76	11	3	4	10	1	80 NL	02 NL TD	1009,8	= 3,8	63	12	4	7	84 TD	03 TD	1007,7	= 2,8	65	06	2	7	81 TD S	70 TD S	= 9,0	= 2,5		5	17
18	1004,1	= 3,8	88	11	1	4	5	1	86 TD	03 TD	1004,0	= 3,9	66	11	3	3	88 TD NL	01 TD	1004,2	= 3,8	68	11	3	7	83 TD	01 TD NL	= 4,5	= 2,8	0,0	5	18
19	1003,5	= 6,7	70	12	1	4	5	1	80 TD	02 TD NL	1003,5	=11,6	84	10	1	1	85 TD	02 TD NL	1001,1	=12,5	87	12	3	4	85 TD IN	76 TD	=12,6	= 3,8		5	19
20	986,2	= 2,3	96	17	4	4	5	3	71 TD S	70 TD S	975,9	= 1,7	85	15	4	8	59 TD S	71 TD S	970,0	0,5	88	28	1	8	57 TD S	71 TD S	=12,5	2,8	0,0	7	20
21	956,2	= 1,5	93	12	1	4	15	3	15 TD S	73 TD S	950,9	= 2,8	71	22	5	8	65 TD S	70 TD S	969,3	=12,4	70	32	6	8	80 TD SF	36 TD S SB SF	=12,4	0,6	5,7	8	21
22	982,8	=14,1	72	10	2	4	15	7	65 TD SB	85 TD	982,9	=13,7	74	08	2	8	70 TD S	70 TD S SB	983,6	=14,3	77	28	2	3	82 TD	22 TD S	=17,2	=12,4	1,5	7	22
23	989,8	=11,5	85	26	1	4	10	3	40 TD S SF	70 TD S SF	993,4	=14,5	71	27	5	1	88 TD	02 TD S	997,4	=13,3	78	29	5	1	80 TD SF	36 TD SF	=14,3	= 8,5	3,6	8	23
24	1007,1	=13,2	70	28	3	4	10	1	86 TD	02 TD	1013,0	=17,4	69	22	2	1	75 TD	01 TD	1016,7	=16,5	76	23	2	1	86 TD	02 TD NL	=18,3	=12,8	0,5	5	24
25	1020,6	=21,6	80	11	3	4	10	0	80	02	1022,1	=22,5	80	09	2	0	89	02	1022,5	=22,2	79	11	1	0	80	02 RI	=23,5	=16,5		3	25
26	1020,3	=22,6	79	10	3	4	10	3	80 NL	02 NL	1019,3	=17,8	80	24	1	7	84 TD	02 TD NL	1017,7	=15,0	90	12	1	6	84 TD	01 TD	=23,7	=14,5		3	26
27	1012,8	=13,4	90	11	3	4	6	5	80	01 TD NL	1009,7	=11,3	81	24	2	6	82 TD	03 TD	1005,0	= 6,2	75	10	2	7	80 TD	01 TD	=15,5	= 5,4		3	27
28	997,7	= 3,5	78	23	4	4	6	3	82 TD SB	85 TD SB	998,0	=10,0	74	36	4	7	82 TD	02 TD SB	998,9	=12,1	69	12	4	8	85 TD S	71 TD S SB	=12,1	= 1,5	0,0	5	28
29	1001,7	=18,0	71	11	3	4	6	3	70 TD S	71 TD S	1004,2	=20,0	54	30	4	1	89	01 TD S SF	1005,8	=22,1	58	32	4	1	80	02	=22,2	=12,1	0,3	5	29
30	1004,9	=23,6	61	24	2	4	6	2	89	03	1004,3	=23,3	69	09	1	3	89	03	1005,3	=24,8	66	14	2	8	40 TD S	70 TD S	=24,8	=20,8	0,5	4	30
31	1009,8	=30,8	66	11	3	4	6	2	84 TD	03 TD	1009,3	=33,2	70	11	3	1	84 TD	02 TD	1007,3	=31,4	68	11	3	3	84 TD	02 TD	=33,2	=24,8	0,0	4	31
MI	998,0	=12,4	74		3,1		7	3,6			998,1	=13,0	73		3,3	4,3			998,6	=12,7	73		3,1	4,6			=15,3	= 8,6	16,5		MM

EKSTENSOTABELL

SVEA GRUBER — JANUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	999,8	-11,2		32	3	4	45	3	80	SF	36	SF	1010,0	-21,6		32	4	9	89		02	SF	1018,9	-28,5		30	3	4	80	SF	36	SF	-28,5	- 9,8			1
2	1018,8	-28,6		00	0	4	45	3	70	IN	76	IN	1015,4	-21,4		30	3	8	80	S SF	71	IN S SF	1012,1	-16,6		30	3	0	80	SF	36	S S3 SF	-33,1	-16,6	0,0		2
3	1012,5	-16,3		00	0	4	45	3	80		02	SF	1017,3	-18,2		00	0	8	89		02		1020,1	-19,6		04	1	8	88	RI	01	SB	-19,6	-14,1	0,5		3
4	1024,1	-27,3		00	0	4	45	3	80	NL	02	NL	1025,1	-30,0		00	0	0	89		02		1024,2	-28,9		00	0	0	80		02		-31,6	-19,4	0,0		4
5	1012,7	-15,8		04	1	4	45	3	80	SF	36	SF	1015,6	-12,1		04	4	8	50	S SF	71	S SF	1020,2	-10,1		04	3	6	90	S	70	S SF	-31,7	- 9,8			5
6	1001,6	- 5,2		00	0	4	45	0	80		02	S SF	1002,8	- 9,5		00	0	8	89		02		1003,0	- 8,1		00	2	3	80		02	3B	-11,2	- 2,7	1,8		6
7	1004,8	-19,2		00	8	4	45	3	10	S SF	73	S SF	1003,9	-21,0		00	0	8	10	S SF	73	S SF	1001,9	-20,1		00	6	3	10	S SF	73	S SF	-21,0	- 8,1	1,4		7
8	998,4	-15,3		00	0	4	45	3	15	S SF	71	S SF	1000,6	-14,3		00	0	8	20	S SF	71	S SF	1003,1	-15,6		00	3	4	50	SF	37	S SF	-20,3	-14,3	3,2		8
9	1006,2	-16,6		00	3	4	45	4	20	SF	36	SF S	1008,1	-20,7		00	3	0	89		02		1008,5	-22,4		00	2	0	89		02		-23,3	-15,6	1,6		9
10	1008,6	-28,4		00	3	4	45	4	80		02		1008,4	-28,7		00	2	6	89		02		1007,7	-30,2		00	3	0	89		02		-30,5	-22,3			10
11	1006,7	-30,2		00	1	4	45	3	20	S SF	70	SF	1006,8	-29,7		00	5	8	20	S SF	70	S SF	1006,1	-27,2		20	4	9	05	S SF	70	S SF	-32,0	-27,2	0,0		11
12	1011,0	-32,1		00	3	4	45	3	80		02		1017,4	-27,5		00	3	2	89		02		1022,7	-26,8		00	3	0	80		02		-33,1	-25,9	3,5		12
13	1027,8	-24,2		03	2	4	45	7	81	TD	02	TD	1028,0	-24,0		03	2	6	84	TD	02	TD	1025,6	-24,0		32	5	7	40	SF	33	SF	-32,7	-24,0			13
14	1014,0	-28,8		26	1	4	45	3	80		00		1014,2	-25,0		26	1	1	89		02		1015,6	-17,2		30	5	2	70	SF	36	SF	-29,3	-17,2			14
15	1021,3	-23,6		30	5	4	45	3	70	TD	00	TD	1039,4	-25,8		00	0	0	89		01	TD	1028,8	-17,7		30	5	0	80	SF	33	SF	-27,7	-17,2			15
16	1026,2	- 8,0		30	1	4	45	3	30	S	70		1025,5	- 5,2		32	3	3	20	S	70	S	1023,5	- 7,8		30	3	4	80		01	S	-19,2	- 4,7	0,0		16
17	1017,7	- 7,8		03	2	4	45	3	60	IK	79		1013,6	- 5,2		04	1	7	80	TD	03	TD IK	1009,3	- 6,9		30	3	8	40	S	71	TD S	-13,7	- 5,0	0,2		17
18	995,8	- 1,8		29	0	4	45	7	10	S SF	70	S SF	991,2	- 3,0		29	6	7	35	S SF	70	S SF	998,1	-13,8		29	5	7	05	S SF	70	S SF	-14,0	- 1,6	6,0		18
19	1002,0	-12,4		27	0	4	45	3	10	SF	36	SF	1009,9	-14,8		00	0	5	56	SF	03	SF	1023,4	-14,8		30	3	0	80		02	SF	-15,8	-11,4	1,3		19
20	1032,3	-16,2		00	3	4	45	3	80		00		1035,1	-18,2		00	0	1	89		02		1038,9	-21,3		00	3	0	80		02		-22,2	-14,6			20
21	1038,6	-22,8		33	3	4	45	3	80		02		1038,5	-22,0		00	0	0	89		02		1038,5	-22,4		30	3	3	80		02		-28,1	-19,3			21
22	1038,3	-22,6		33	3	4	45	3	80		02		1038,0	-22,2		03	3	0	89		02		1034,0	-22,8		30	2	2	80		02		-24,9	-21,2			22
23	1026,4	-18,7		34	3	4	45	2	80		02		1027,4	-17,2		04	3	5	56	S	71	S	1029,4	-17,0		34	3	8	56	SF	37	S SF	-23,4	-16,5			23
24	1031,9	-19,1		34	2	4	45	3	80		02	SF	1032,1	-21,2		04	2	0	89		02		1030,3	-21,1		34	1	3	80		02		-21,8	-16,8	0,0		24
25	1026,7	-20,8		34	3	4	45	3	80		02		1025,0	-21,6		04	2	0	89		02		1022,2	-21,3		34	2	0	80		02		-23,3	-20,3			25
26	1016,8	-16,5		34	1	4	45	3	60	SF	36	SF	1017,6	-18,4		04	1	4	89	SF	36	SF	1018,4	-18,2		34	3	3	80	SF	03		-22,2	-16,0			26
27	1020,0	-17,3		34	2	4	45	1	80	SF	36	SF	1019,9	-17,5		04	2	4	89		02		1018,8	-17,9		34	3	3	80	NL	01		-18,5	-16,5			27
28	1009,4	-19,5		34	1	4	45	7	50	S SF	71	S SF	1008,2	-20,0		04	1	7	80	TD	02	TD S	1007,0	-20,3		34	4	3	50	S SF	71	S SF	-20,3	-17,0	0,6		28
29	1003,8	-19,6		34	2	4	45	3	80	TD S SF	70	TD S SF	1003,8	-20,3		04	2	7	87	TD	28	TD T	1004,3	-22,2		34	1	3	85	TD	02	TD	-22,9	-19,6	0,5		29
30	1007,0	-22,9		30	3	4	45	3	80		02		1009,8	-20,0		04	2	8	80		40		1012,9	-22,0		34	3	0	80		01		-24,4	-20,0			30
31	1017,1	-26,4		34	3	4	45	0	80	SF	36	SF	1020,5	-28,9		04	4	1	88	SF	36	SF	1021,6	-28,2		33	5	3	80	SF	36	SF	-28,9	-22,0			31
MI	1015,8	-19,2			2,6		45	5,0					1016,4	-19,8			2,4		4,6				1016,9	-19,7			2,5		4,1				-24,2	-15,7	20,6		MI

SVEA GRUBER — FEBRUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,0	-27,0		34	3	4	45	3	80	SF	36	SF	1024,0	-26,2		04	1	0	89		01	SF	1023,4	-23,5		34	4	0	20	SF	39	SF	-28,7	-23,5			1
2	1026,8	-25,9		34	1	4	45	4	60	SF S	70	S SF	1029,3	-26,8		04	4	2	60	SF	36	SF	1029,2	-26,8		34	7	0	20	SF	39	SF	-26,8	-22,4	1,0		2
3	1031,4	-26,6		34	5	4	45	3	70	SF	36	SF	1033,9	-26,3		04	3	2	89		01	SF	1030,0	-24,9		34	6	0	20	SF	36	SF	-27,8	-24,9			3
4	1027,7	-26,6		04	3	4	45	1	50	SF	38	SF	1026,2	-27,0		04	5	1	89	SF	38	SF	1026,0	-27,2		34	4	2	80		02	SF	-28,0	-24,9			4
5	1025,2	-24,2		03	1	4	45	3	40	TD	02	TD	1024,5	-22,4		03	3	8	70	TD	02	TD SF	1023,7	-22,0		33	3	4	89		02		-27,9	-21,5			5
6	1021,1	-21,2		34	1	4	45	0	50	TD	02	TD	1020,3	-20,4		04	3	1	89		01	TD	1018,4	-19,7		34	4	0	89		02		-22,8	-19,7			6
7	1016,2	-19,8		03	1	4	45	3	70	TD	00		1016,0	-22,7		03	3	2	89		02		1011,6	-24,1		33	3	0	80	SF	36	SF	-24,5	-19,0			7
8	1014,5	-27,3		34	3	4	45	0	50	SF	36	SF	1015,2	-26,7		03	4	0	89		02	SF	1015,9	-27,7		33	4	0	80	SF	36	SF	-27,8	-24,0			8
9	1013,7	-26,2		03	3	4	45	0	80		00		1012,5	-28,5		02	3	1	70	TD	11	TD	1010,6	-27,1		33	4	2	89	SF	36	SF	-30,0	-27,0			9
10	1007,5	-24,0		03	3	4	45	3	80	SF	36	SF	1006,3	-22,0		03	3	8	80	SF	36	SF	1005,3	-20,9		33	2	8	50	SF S	70	SF S	-27,3	-20,8			10
11	1006,3	-12,3		03	2	4	50	3	50	S	70	S SF	1008,8	-15,0		03	2	8	50	S	70	S	1011,5	-16,9		03	2	6	60	SF	36	SF S	-21,2	-12,2	2,0		11
12	1017,0	-21,5		04	2	4	50	0	80		00		1018,1	-24,9		04	1	0	89		02		1018,7	-26,7		30	0	0	80		02		-26,7	-16,9	0,5		12
13	1014,5	-21,7		30	3	4	50	3	70	TD	00		1019,1	-20,6		03	2	8	20	S	72	S	1004,2	-16,2		33	1	8	50	S	73	S	-29,9	-16,2			13
14	1004,9	-18,2		30	3	4	50	1	80		00	S	1007,1	-16,7		04	1	8	40	S	70	S	1007,0	-18,8		30	0	9	70	TD	10	TD	-19,7	-14,8	4,9		14
15	1003,4	-18,9		04	2	4	50	0	20		22	S	1001,9	-17,4		04	2	8	15	S	72	S	1003,1	-17,3		34	3	8	60	SF S	72	TD	-22,2	-16,0	0,0		15
16	1006,4	-19,1		04	3	4	50	8	13	S	70	S	1005,4	-18,2		04	2	8	20	S	71	S	1004,5	-16,3		34	1	8	04	S	71	S	-25,8	-16,3	0,5		16
17	999,1	- 9,2		19	2	4	50	3	70	TD	00	S	999,9	- 2,6		20	5	9	15	SF S	72	S SF	998,7	- 1,4		24	7	8	05	SF S	73	S SF	-16,5	- 1,4	0,0		17
18	996,8	- 8,5		24	5	4	52	1	08	SF S	73	SF S	1003,8	- 9,0		24	7	9	09	S SF	72	S SF	1010,5	-10,0		24	6	1	15	SF	36	SF S	-10,0	0,0	7,0		18
19	1004,1	- 0,2		22	6	4	54	9	05	SF	39	SF S	1003,6	0,0		22	7	9	09	SF S	71	S SF	1002,0	- 0,2		24	6	9	09	SF S	71	S SF	-10,4	0,4	11,0		19
20	1002,0	- 0,3		24	4	4	55	8	10	S SF	73	SL SF	1001,9	0,3		24	4	8	59	SF SL	69	S SF	995,6	1,2		24	7	9	07	SF	37	SF S	- 0,7	1,5	5,0		20
21	992,8	- 3,9		00	0	4	55	5	72	TD	40	TD NL S	983,1	- 1,3		04	3	8	10	S	73	S	979,9	- 0,5		24	3	0	09	SF S	73	S	- 4,5	1,4	6,3		21
22	994,4	-11,7		24	5	4	55	7	03	SF S	71	S SF	997,3	-13,3		24	5	7	08	SF	39	SF	1001,8	-22,5		24	4	9	04	SF	36	SF S	-22,5	- 0,5	5,4		22
23	1014,1	-28,6		04	1	4	57	1	80		02		1018,5	-30,4		04	1	0	89		02		1021,8	-31,7		00	0	0	89		02		-32,9	-20,5	0,4		23
24	1027,8	-33,4		30	3	4	57	0	80		02		1031,7	-33,0		00	0	0	89		02		1031,8	-37,0		30	0	0	89		02		-38,0	-31,0			24
25	1022,4	-39,0		00	0	4	57	3	80		02		1018,0	-38,0		00	0	7	89		02		1011,3	-28,4		30	0	8	80	TD	03		-41,2	-28,3			25
26	994,1	-26,4		04	1	4	57	3	70	TD SF	36		989,1	-21,8		04	4	2	80		01		988,1	-24,7		04	4	2	89		02		-28,7	-21,4			26
27	995,2	-29,2		00	0	4	57	0	80		02		1000,7	-32,5		00	0	0	89	SO	02	SO	1005,3	-34,7		30	0	0	80		02		-35,2	-23,1			27
28	1012,9	-38,7		04	2	4	57	0	80	TD	02		1015,3	-31,2		04	4	0	89	SO TD	02	TD SO	1018,3	-29,9		34	4	0	80		02		-39,2	-29,7			28
MI	1011,3	-21,0			2,8		50	4,0					1011,5	-20,5			3,0		4,3				1011,0	-20,6			3,4		3,8				-24,9	-16,9	48,0		MI

EKSTENSOTABELL

SVEA GRUBER — MARS 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	MM	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	MM	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	MM	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1017,0	-26,7		04	4	4	57	6	25	SF	36	SF	1016,5	-25,7		04	5	9	15	SF	37	SF SO	1015,1	-22,4		04	5	9	02	SF	38	SF S	-29,9	-22,2			1
2	1007,1	-22,0		04	7	4	60	9	10	SF	39	SF	1001,1	-21,0		04	7	9	10	SF	39	SF	998,2	-21,8		04	7	9	00	SF	32	SF S	-23,6	-20,5	2,5		2
3	990,2	-19,8		04	6	4	60	9	00	SF	39	SF S	987,7	-16,5		04	5	9	02	SF	39	SF S	980,2	-18,0		04	6	9	05	SF	39	SF	-22,5	-16,0	2,0		3
4	976,0	-10,0		04	7	4	70	9	10	SF	39	SF S	978,5	- 9,0		04	6	9	10	SF	39	SF S	980,8	- 9,3		04	5	3	00	SF	30	SF S	-18,0	- 8,0	1,1		4
5	991,3	-15,3		04	3	4	70	9	01	SF	39	SF	994,1	-16,9		04	5	7	03	SF	39	SF	995,8	-19,6		04	4	7	03	SF	39	SF	-19,9	- 9,2	1,0		5
6	997,8	-24,1		04	1	4	70	8	80	SF	36	SF	999,0	-23,4		04	4	5	89	SF	38	SF SO	998,6	-20,9		04	4	5	70	SF	36	SF	-24,3	-18,8			6
7	997,9	-18,6		04	3	4	70	8	80	SF	38	SF	995,0	-16,4		04	4	9	01	SF	39	SF	992,8	-15,0		04	6	9	01	SF	39	SF	-22,5	-15,0			7
8	992,0	-14,9		04	5	4	70	3	35	SF S	71	SF S	994,1	-14,5		04	4	6	70	SF	36	SF S	999,3	-14,5		04	4	5	68	SF S	71	SF S	-16,0	-13,5	1,0		8
9	1007,6	-15,0		04	3	4	70	3	70	SF	36	SF S	1011,7	-15,4		04	3	4	70	SF	36	SF	1014,7	-14,8		04	3	6	70	TR	10	SF	-16,2	-14,5	1,3		9
10	1020,2	-15,3		04	3	4	71	1	88	SF	36	SF S	1021,9	-16,0		04	3	4	88	SF	36	SF	1021,9	-16,9		04	3	2	83	SF	36	SF	-16,9	-13,6	1,0		10
11	1020,6	-21,3		04	1	4	70	3	01	SF S	71	SF S	1019,1	-19,0		04	5	9	10	SF	39	SF S	1018,1	-16,0		04	5	9	10	SF	39	SF S	-22,3	-16,0	4,3		11
12	1018,5	-14,8		04	1	4	70	3	09	SF S	71	SF S	1020,7	-15,1		04	4	4	84	SF	36	SF	1022,8	-16,3		04	3	6	20	SF	36	SF	-16,1	-14,2	3,0		12
13	1032,4	-21,0		04	1	4	70	8	04	SF S	71	SF S	1036,8	-23,9		04	3	3	80	SF	36	SF	1037,8	-23,4		04	4	3	70	SF	36	SF	-24,0	-15,9	1,0		13
14	1039,3	-22,2		04	3	4	70	2	89		02		1039,8	-21,8		04	2	1	88	SO SF	36	SO	1039,5	-22,3		04	3	0	80	TD	01	SO	-21,1	-20,9			14
15	1041,5	-25,3		00	3	4	70	0	88	TR	40	TR	1042,0	-25,4		00	0	1	88	TR SO	40	TR SO	1042,1	-29,2		00	0	0	80	30	32	SO	-30,0	-21,3			15
16	1035,9	-32,1		00	3	4	70	3	80		02		1032,6	-29,9		04	1	2	88	SO TR	02	SO TR	1030,1	-33,8		00	0	3	80		02	SO	-36,4	-23,8			16
17	1031,8	-25,1		04	1	4	70	1	88	TR	40	TR	1031,6	-22,1		04	1	0	89	SO	02	SO	1031,0	-25,2		04	1	0	89		02	SO	-25,7	-19,3			17
18	1022,0	-22,0		04	2	4	70	6	70	TR SO	03	TR SO	1018,8	-21,0		04	1	8	70	TD	02	TD TR	1016,9	-22,1		04	5	2	70		01	TR	-29,6	-20,6			18
19	1015,1	-20,4		04	1	4	70	3	75	TD	02	TD	1013,2	-16,6		04	3	7	65	TD SO	03	TD SO	1010,6	-17,4		04	2	8	75	TD	02	TD	-23,2	-16,6			19
20	1008,6	-19,9		04	5	4	70	3	89		02	SF	1009,9	-17,8		04	3	2	89	SO	01	SO	1010,4	-18,4		04	3	0	89		02		-20,6	-16,8			20
21	1013,1	-18,0		04	3	4	70	3	80		02		1013,2	-18,0		04	1	0	89	SO	02	SO	1012,7	-20,8		04	1	3	80		02	SO	-21,4	-16,9			21
22	1013,4	-20,3		00	3	4	70	1	80		02		1013,0	-24,2		00	0	3	89		03		1012,8	-20,4		00	0	8	80	3F	02		-30,7	-20,3			22
23	1015,7	-17,2		04	1	4	70	7	75	TD	03		1017,9	-15,4		00	0	7	86	SO	02	SO TD	1019,6	-19,7		00	0	0	89		02	SO	-21,6	-15,1			23
24	1022,2	-18,2		04	2	4	70	0	80	SO TR	02	TR	1023,7	-18,0		04	2	2	89	SO TR	02	TR	1024,2	-18,7		04	2	3	89	TR	02	TR	-23,1	-17,7			24
25	1024,2	-17,9		04	2	4	70	3	89	30	02	TR	1024,3	-18,0		04	2	3	89	SO	03	SO	1023,3	-18,5		04	2	3	89		02		-20,2	-17,3			25
26	1018,6	-18,5		04	3	4	70	8	89	SF	02	SF	1015,9	-17,9		04	5	8	89	SF	38	SF	1014,2	-18,8		04	5	7	87	3F	38	SF	-21,0	-17,0			26
27	1009,2	-18,7		04	5	4	70	9	00	SF S	73	SF S	1009,1	-17,6		04	5	9	00	SF S	73	SF S	1012,0	-18,6		04	4	8	02	3F S	73	3F S	-20,0	-16,6	5,0		27
28	1014,5	-16,0		04	1	4	75	9	05	SF S	70	SF S	1015,8	-15,3		04	4	6	50	SF	38	SF S	1014,0	-15,6		04	3	8	07	3F S	71	3F S	-17,1	-15,2	4,7		28
29	1009,3	-13,8		04	1	4	75	3	05	SF S	71	SF S	1008,5	-11,9		04	3	9	05	SF S	73	SF S	1008,1	-11,6		04	3	8	10	SF S	71	SF S	-15,7	-11,4	3,3		29
30	1008,6	- 5,3		04	3	4	75	8	60	SF	36	SF S	1007,9	- 2,4		04	3	7	60	TD	02	SF S	1009,2	- 3,0		04	3	7	15	S	73	S	-11,3	- 2,4	3,6		30
31	1013,6	- 2,6		00	3	4	75	8	80		01	S	1018,0	- 3,0		00	0	8	60	S	70	S	1021,0	- 8,4		00	0	4	89		01		- 8,1	- 1,7	2,1		31
MI	1013,7	-18,7			3,3		70	5,5					1013,9	-17,7			3,1	5,2					1013,7	-18,0			3,2	4,6					-21,7	-15,8	37,1		MI

SVEA GRUBER — APRIL 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	MM	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	MM	VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV	VÆRSYMB.	MM	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1024,2	- 2,5		04	1	4	75	4	80	SO	40	TR SO	1025,6	- 2,0		04	1	6	80	TD	02	T	1026,6	- 2,3		04	1	9	70		40	T	- 9,0	- 1,3	0,0		1
2	1027,0	- 3,8		04	1	4	75	3	84	TD	10	T	1026,9	- 4,3		04	1	4	84	TD	10	T	1026,2	- 6,0		04	1	8	50	TD	03	TD	- 6,1	- 2,3			2
3	1024,4	- 6,0		04	1	4	75	8	80	TD S	70	TD S	1023,8	- 5,2		00	0	7	82	TD	10	TD S	1021,7	-11,2		22	1	1	80	30	01	TD	-12,0	- 5,2	0,0		3
4	1024,2	-16,8		00	0	4	75	3	81	TD I1	70	T I1	1027,7	-12,8		00	0	2	84	TD TR	40	TR	1028,1	-12,5		00	3	2	70	TR	02	TR	-19,1	-11,2	0,0		4
5	1029,2	-10,3		04	1	4	75	8	80	TD S	71	TD	1029,8	-10,5		04	1	7	80	TD S	71	TD S	1030,6	-11,0		00	3	9	20	TD S	IN 76	80 I1	-15,1	- 9,0	0,0		5
6	1030,1	-13,6		04	2	4	75	8	50	TD S	71	TD S	1030,6	-15,0		04	2	7	50	TD	02	TD S	1030,6	-17,8		04	4	4	50	TD	01	TD SF	-17,3	- 9,8	1,3		6
7	1030,3	-19,7		04	4	4	75	1	80	TD SO SF	36	SO	1030,3	-18,5		04	3	0	89	SO	02	SO	1031,1	-19,0		04	2	3	89	30 SF	36	SO	-20,2	-17,8	2,2		7
8	1030,7	-16,9		04	3	4	75	3	89	SO	02	SO TD	1031,0	-16,0		00	0	0	89	SO	02	SO	1031,7	-19,0		04	1	0	89	30	02	SO	-22,3	-15,5			8
9	1031,4	-25,0		00	3	4	75	0	80	TD SO	02	SO	1030,5	-18,8		00	0	8	80	TD	03	TD	1031,7	-18,8		00	3	3	82	TD	40	TD	-26,9	-18,0			9
10	1029,8	-15,5		00	3	4	75	7	40	TD SO	02	TD S	1030,5	-18,0		04	1	1	35	TD SO	05	TD	1032,4	-18,0		04	1	3	82	TD SF	10	TD	-22,0	-15,5	0,7		10
11	1038,0	-21,6		04	3	4	75	4	30	TD SO	10	TD SF	1039,9	-20,0		04	3	0	80	TD SO	01	TD SO	1040,8	-20,3		04	2	0	80	30	02	SO	-21,6	-17,7			11
12	1040,3	-24,4		00	0	4	75	1	89	30	03	30	1039,3	-22,0		00	0	2	89	SO	02	SO	1038,0	-20,1		00	3	3	80	S	70	SO	-25,6	-19,6			12
13	1013,1	-10,1		00	3	4	75	2	89	30	01	3 SO	1012,4	-14,0		04	3	4	89	SO	02	SO	1015,3	-17,4		04	3	4	80	3F	36	SF SO	-20,5	-10,0	2,5		13
14	1028,6	-20,4		04	3	4	75	1	80	30 SF	36	SF	1030,2	-20,0		04	3	0	89	SO	02	SO	1031,9	-21,5		04	2	3	80	30	02	SO	-21,7	-17,3			14
15	1033,5	-20,8		04	2	4	75	3	89	SO	02		1033,9	-20,0		04	3	0	89	SO	02	SO	1034,3	-20,9		04	2	3	89		02		-26,0	-19,9			15
16	1035,2	-20,4		04	2	4	75	3	80	30	02	30	1035,1	-20,0		04	2	0	89	SO	02	SO	1035,0	-20,8		04	2	3	89		02		-24,0	-19,7			16
17	1033,2	-24,8		00	3	4	75	3	80	TD SO	03	30	1031,7	-18,8		00	0	6	85	SO	03	TD SO	1029,8	-19,3		04	1	8	62	TD S	70	TD S	-25,0	-18,3			17
18	1022,7	-16,8		04	1	4	75	2	89	SO	02	TD S	1017,0	-15,0		04	1	3	82	TD	02	SO	1039,5	- 7,9		24	2	8	40	S SF	71	S	-21,1	- 7,4	0,3		18
19	1006,5	- 9,7		28	3	4	75	8	30	TD SF	38	SF S	1009,0	-12,1		28	3	2	70	SO SF	38	SF TD	1012,3	-15,1		36	2	2	80	TD	10	T	-15,1	- 5,2	3,5		19
20	1016,8	-21,8		00	0	4	75	3	89	SO	02		1017,7	-17,4		00	0	0	89	SO	02	SO	1017,9	-16,8		00	0	5	89		03		-23,5	-14,5			20
21	1014,7	-15,3		04	1	4	75	1	89	SO	01		1014,5	-15,0		00	0	0	89	SO	02	SO	1014,0	-15,3		04	1	3	89	30	02	SO	-19,0	-14,8			21
22	1012,9	-15,4		04	2	4	75	3	89	30	02	30	1012,9	-15,5		04	1	0	89	SO	02	SO	1012,6	-15,7		04	1	3	80		02		-19,3	-15,3			22
23	1011,8	-16,1		04	2	4	75	2	80	SF SO	36	SF	1010,3	-14,4		04	1	2	89	SO	02	SO SF	1010,7	-16,2		00	0	0	89	30	02	SO	-18,2	-13,6			23
24	1012,1	-20,2		00	3	4	75	2	86	TD SO	10	TD SO	1013,9	-12,8		00	0	0	89	SO	02	SO	1016,6	-16,7		04	1	3	89	30	02	SO	-24,0	-12,7			24
25	1018,3	-16,6		04	1	4	75	4	88	TD SO TR	40	TR SO	1019,9	-15,8		04	1	4	88	TR SO	02	TR SO	1018,4	-15,0		04	3	7	80	3F TD	36	TD SO	-23,8	-14,9			25
26	1015,8	-13,4		04	2	4	75	2	88	SO	02	TD SO	1016,2	-12,2		00	0	2	86	TD SO	02	TD SO	1015,8	-11,6		04	3	9	09	T	43	T	-15,0	-11,6	0,0		26
27	1014,1	-13,4		04	3	4	75	3	40	TD SO	02	TD SO	1013,2	-12,6		04	3	5	40	TD SO	03	TD SO	1010,0	-13,8		04	3	9	40	TD	22	TD SO S	-21,5	-11,6			27
28	1005,4	-14,2		04	3	4	75	8	83	TR	10	TR SF S	1004,8	-12,5		04	2	7	60	TR	10	TR SF SB	1002,6	-13,7		04	4	3	50	3F TD	36	TD SF	-15,0	-12,0	0,1		28
29	1004,8	-13,4		04	4	4	75	7	40	SF SO	39	SO SF	1007,0	-13,0		04	5	9	40	SF	36	SF	1009,2	-13,0		04	5	9	30	3F	39	SF	-15,0	-12,7	0,0		29
30	1016,0	-14,0		04	5	4	75	7	30	SF SO	39	TD SF	1018,2	-13,5		04	5	1	45	SO SF	36	SO SF	1020,5	-14,9		04	4	1	70	30 SF	36	SO SF	-15,2	-13,0			30
MI	1022,8	-15,8			1,7		75	3,6					1022,8	-14,6			1,5	3,1					1022,9	-15,4			1,7	3,7					-19,3	-12,9	11,7		MI

EKSTENSOTABELL

SVEA GRUBER — MAI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	F	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,9	-16,0	69	04	4	4	75	1	72 SF SO	36 SF TO	1023,3	-16,2	69	04	4	5	60 SF SO	35 SF TO SO	1022,7	-16,7	69	04	4	6	61 SF TO	36 SF SO	-17,4	-14,8			1
2	1017,1	-14,8	65	04	4	4	75	7	50 SO SF	36 TO SF	1014,2	-11,8	65	04	4	9	40 TO SF	38 TO SF	1012,5	-10,4	61	04	4	8	65 TO SF	35 TO SF	-16,9	-10,4			2
3	1013,3	- 9,4	53	04	4	4	75	7	70 TO	30 TO SF	1015,9	- 6,8	53	04	4	6	80 SO	01 30	1019,2	- 7,9	51	04	4	3	80	02 SO	-11,0	- 9,4			3
4	1024,7	-10,8	79	04	5	4	75	7	30 S SF	70 S SF	1023,2	-10,0	79	04	5	7	10 S SF	70 S SF	1023,1	-10,9	69	04	4	6	56 S SF	70 S SF	-12,0	- 7,9	3,0		4
5	1018,8	- 9,8	94	04	3	4	75	1	80 SO	02 SO	1018,6	- 8,0	50	04	2	1	80 SO	02 SO	1018,5	- 7,7	44	04	1	1	80 SO	02 SO	-14,3	- 7,7	7,0		5
6	1020,8	- 9,1	58	22	1	4	75	1	80 SO	02 SO	1020,0	- 5,5	56	22	1	1	80 SO	02 SO	1019,9	- 6,9	54	24	2	2	80 SO	02 SO	-13,5	- 4,9			6
7	1019,3	- 8,3	58	00	0	4	75	0	80 SO	02	1018,1	- 5,0	43	20	2	6	80 S	70 SO SS	1017,9	- 5,8	54	00	0	3	84 TO SO	02 TO SO	-11,2	- 4,5			7
8	1019,5	-13,1	65	08	1	4	75	1	80 SO	02 SO	1018,8	-10,4	63	04	1	2	89 SO	02 SO	1016,9	- 9,4	63	00	0	2	80 SO	02 SO	-14,0	- 5,5	0,0		8
9	1011,2	-10,8	58	00	0	4	70	0	80 SO	01 SO	1008,5	- 7,4	66	28	1	8	60 S	71 S SO	1004,9	- 7,2	59	24	2	4	60 S	71 S	-15,3	- 7,1			9
10	1005,3	-12,0	66	04	3	4	70	0	70 SF SO	36 SB SF	1007,0	-11,7	66	04	3	6	70 SF SO	36 SB SF SO	1006,9	-11,8	66	04	3	6	70 SF TR	36 SB SF TR	-12,1	- 6,9	7,0		10
11	1013,2	-11,1	91	00	0	4	70	0	80 SO	02 SF SO	1016,3	- 7,9	55	00	0	0	80 SO	02 SO	1016,6	- 7,8	61	00	0	0	80 SO	02 SO	-13,6	- 7,8	0,5		11
12	1018,5	-10,7	83	04	2	4	70	1	80 SO	02 SO	1018,4	- 9,0	65	04	0	1	89 SO	02 SO	1017,1	- 9,0	69	04	0	0	80 SO	02 SO	-13,1	- 6,7			12
13	1015,1	- 9,2	95	04	2	4	70	2	80 TO SO	02 TO SO	1013,8	- 6,8	65	04	2	3	86 W SO	03 W SO	1012,5	- 6,8	66	04	2	5	70 TO W	03 TO W	-11,3	- 6,8			13
14	1005,1	-10,2	75	04	1	4	70	4	50 TO TR 30	03 TO TR 30	1003,4	- 8,2	69	04	3	4	85 SO	02 SO	1001,4	- 8,2	63	04	2	0	80 SO	01 SO	-11,0	- 6,5	0,2		14
15	1004,4	- 8,9	78	04	1	4	70	0	05 SF	38 SF	1038,1	- 6,8	81	04	3	9	05 SF	36 SF	1007,9	- 6,8	69	04	2	9	20 S	70 S	-15,2	- 6,4			15
16	1010,5	- 6,8	95	04	2	4	70	2	80 SO	02 SO	1012,7	- 4,7	55	04	1	1	89 SO	02 SO	1015,1	- 5,0	62	04	1	0	80 SO	02 SO	- 7,4	- 4,3	1,0		16
17	1016,9	- 6,8	83	00	0	4	70	0	80 SO	02 SO	1017,1	- 5,5	60	00	0	0	89 SO	02 SO	1017,1	- 6,3	63	00	0	0	89 SO	02 SO	-11,2	- 4,5			17
18	1011,6	- 8,2	93	04	1	4	70	7	41 SF TR	36 SF TR	1010,7	- 8,0	62	04	2	7	50 TO	02 TO	1009,8	- 8,7	65	04	1	7	60 S	70 S SO	-12,0	- 5,7			18
19	1007,5	- 8,6	97	04	1	4	65	1	80 SO	01 SF	1007,6	- 8,5	60	04	1	1	89 SO	01 SF	1007,7	- 6,8	91	04	1	1	80 SO	01 SO	- 9,2	- 5,0	0,0		19
20	1007,3	- 7,8	70	04	1	4	65	7	20 TO	02 TO	1010,0	- 8,0	65	04	1	9	60 TO	02 TO	1014,0	- 8,6	63	04	1	9	25 S	70 S	-10,0	- 6,8			20
21	1016,9	- 9,4	83	04	1	4	65	7	25 TO	40 TO S	1019,1	- 6,2	62	04	1	4	89 SO	01 TO	1020,6	- 4,0	55	00	0	0	80 SO	02 SO	-10,7	- 3,7	0,6		21
22	1023,8	- 7,7	83	04	2	4	65	3	80 TO SO	02 TO SO	1025,2	- 5,2	62	04	2	1	87 SO	01 SO	1025,7	- 5,5	63	00	0	6	80	03 SO	-12,0	- 3,2			22
23	1025,0	- 7,8	92	04	1	4	65	3	70 TO SO	02 TO SO	1026,3	- 6,4	61	02	1	7	65 TO	03 TO SO	1024,3	- 6,5	69	04	1	7	80	02 TO SO	- 8,0	- 5,0			23
24	1022,7	- 4,4	80	18	2	4	65	7	80 TO	02 TO	1023,4	- 3,0	60	21	2	7	80 TO	02 TO	1023,0	- 2,7	87	00	0	5	80	01 TO	- 6,5	- 2,1			24
25	1023,0	- 5,8	91	04	1	4	65	7	73 TO SO	03 TO SO	1023,1	- 5,3	61	04	2	5	85 SO	01 TO SO	1022,2	- 5,0	67	04	2	5	80	02 SO	- 6,4	- 2,6			25
26	1018,4	- 6,8	80	04	1	4	65	3	70 TO SO	01 TO SO	1016,9	- 7,0	61	04	4	9	65 TO	03 TO S	1012,7	- 6,4	78	04	4	8	65 SF	36 TO	- 7,2	- 5,0			26
27	997,6	- 5,6	85	04	1	4	65	0	00 SF	36 SF	996,1	- 4,0	85	04	3	9	00 SF	37 SF	994,7	- 2,1	88	04	3	9	00 SF	37 SF	- 7,6	- 2,0	0,0		27
28	993,0	- 4,6	82	28	1	4	70	3	02 S SF	73 S SF	996,5	- 4,6	82	28	3	7	70 S SF	71 S SF	995,1	- 3,8	86	28	3	8	01 S SF	71 S SF	- 4,6	- 2,1	16,0		28
29	1006,8	- 4,8	82	28	1	4	75	8	60 S SF	71 S SF	1009,5	- 4,1	75	28	1	6	75 SF	38 SF	1010,3	- 4,2	72	28	4	7	50 SF	38 SF	- 5,1	- 2,2	20,5		29
30	1014,0	- 5,7	66	00	0	4	75	0	80 SO	02 SO	1015,8	- 3,1	61	00	0	2	80 SO	02 SO	1014,6	- 3,5	59	00	0	2	80 SO	02 SO	- 7,1	- 3,1			30
31	1019,8	- 2,5	89	28	3	4	75	3	84 S	70 SB	1022,0	- 0,8	78	28	3	8	84 S SF	71 S SF	1021,7	- 2,1	79	28	3	4	70 SF SO	36 SF SO	- 7,5	- 0,8	0,0		31
MI	1014,3	- 8,6	65		2,2		70	4,6			1014,8	- 6,9	64		2,2		4,8		1014,5	- 6,9	64		1,9		4,5		-10,8	- 5,4	56,0		MI

170

SVEA GRUBER — JUNI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	F	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1019,2	- 1,9	66	04	2	4	75	3	82 S	71 S	1018,4	0,3	65	28	2	8	81 LB	83 S	1016,1	1,2	72	00	0	3	81 TD S	71 S	- 2,5	1,5	13,1		1
2	1009,8	1,3	81	00	0	4	70	3	01 TD R	60 TD YR	1003,3	1,0	78	04	4	8	20 TD	02 TD T	998,7	0,6	75	04	1	9	20 TD	02 TD	0,0	1,5	4,5		2
3	1003,8	- 1,5	89	28	5	4	75	9	01 SF	37 SF	1005,7	- 3,0	92	28	6	9	05 SF	37 SF	1004,3	- 4,0	95	28	5	9	03 SF	37 SF	- 4,0	0,6			3
4	1009,0	- 4,2	75	28	5	4	75	6	81 SF S	70 SF S	1011,4	- 3,0	70	28	5	6	85 TD SF	36 SF	1012,8	- 3,4	54	28	3	7	82 SF	36 SO	- 4,6	- 1,7	0,0		4
5	1011,0	- 2,6	94	00	0	4	75	0	80 SO	02 SO	1012,2	- 1,4	50	00	0	0	80 SO	02 SO	1013,1	- 2,0	55	00	0	0	90 SO	02 SO	- 6,0	- 0,5			5
6	1012,3	- 4,1	72	00	0	4	75	0	80 SO	02 SO	1016,1	- 3,0	70	00	0	0	80 SO	02 SO	1016,5	- 1,2	85	00	0	0	80 SO	02 SO	- 7,5	- 1,0			6
7	1016,8	- 2,1	70	04	1	4	75	1	80 J SO	03 SO	1016,2	- 1,5	68	04	2	1	89 SO	02 SO	1015,5	- 1,4	87	04	1	1	80 SO	03 SO	- 3,9	- 0,5			7
8	1008,4	- 2,6	70	04	1	4	70	6	85 J	03 SO	1007,7	- 1,5	68	04	1	4	89 SO	02 SO	1007,1	- 0,8	86	04	1	1	89 SO	01 SO	- 3,4	- 0,5			8
9	1005,2	- 2,8	78	28	1	4	70	3	60 J	03 SO Ø	1005,3	- 2,0	75	00	0	8	70 TD	02 TD	1004,9	- 1,2	72	00	0	3	70 TO Ø	01 J	- 4,0	0,0			9
10	1004,1	- 0,9	79	04	1	4	70	3	81 TD	40 TD	1004,1	- 1,0	80	04	1	8	81 TD	40 TD	1004,3	- 1,7	82	04	1	8	81 TD	40 TD	- 3,6	- 0,4			10
11	1002,8	- 1,2	81	28	1	4	70	3	81 TD	40 TD	1003,3	- 0,5	82	28	1	8	78 TD	40 TD	1005,9	- 1,9	82	28	1	8	82 TD	40 TD	- 1,9	- 0,1			11
12	1004,2	- 1,8	72	00	0	4	70	3	80 TD	40 TD	1003,7	- 0,6	66	28	1	8	80 TD	40 TD	1002,3	- 0,6	66	28	1	8	80 TD	40 TD	- 3,1	- 0,6			12
13	997,5	- 1,2	89	04	1	4	70	7	86 TD	40 TD	997,3	- 0,8	89	04	1	6	86 TD	40 TD	999,0	- 0,7	70	04	1	8	86 TD	40 TD	- 1,9	- 0,6			13
14	999,7	- 0,6	75	04	1	4	65	3	86 TD	40 TD	1000,2	- 0,4	78	04	1	8	20 SL	68 TD SL	1001,8	0,2	72	04	1	7	86 TD	40 TD	- 1,4	0,7			14
15	999,2	- 0,2	78	04	1	4	65	0	20 TD	10 T	998,1	0,8	84	04	1	9	20 TD	10 T S	999,0	1,5	72	04	1	3	82 TD	40 TD	- 1,0	1,5	0,0		15
16	1003,0	2,1	87	04	1	4	65	3	86 TD	40 TD	1003,6	2,5	65	04	1	8	86 TD	02 TD	1004,2	1,8	67	04	1	7	86 TD	40 TD	0,6	2,5	0,5		16
17	1005,4	2,2	87	04	1	4	65	3	84 TD	40 TD	1007,3	2,5	87	04	1	8	84 TD	02 TD	1008,0	1,8	87	04	1	8	84 TD	40 TD	1,1	2,5			17
18	1008,2	2,8	86	04	1	4	60	7	86 TD	40 TD	1010,4	2,8	86	04	1	7	86 TD Ø	40 TD	1011,7	1,5	82	20	1	8	86 TD	40 TD	1,0	3,2			18
19	1012,1	0,8	85	00	0	4	55	8	20 TD	10 T	1012,5	1,6	78	00	0	8	20 TD	10 T	1013,7	0,6	72	00	0	7	65 TD	40 TD	0,0	2,4			19
20	1012,2	0,4	70	00	0	4	55	7	68 TD	40 TD	1013,0	0,8	87	00	0	7	60 TD	40 TD	1014,0	0,4	70	28	3	3	89 SO	01 SO	- 1,0	1,2			20
21	1014,1	0,8	79	28	2	4	55	1	89	02	1014,8	0,4	87	00	0	3	89 SO	01 SO	1015,5	1,0	86	00	0	3	89 SO	01 SO	- 1,7	1,3			21
22	1015,9	0,4	75	00	0	4	50	1	89 SO	01 SO	1016,5	1,0	87	00	0	0	89 SO	01 SO	1019,1	1,2	89	04	1	2	89 SO	01 SO	- 1,8	2,1			22
23	1020,3	0,4	73	04	1	4	50	1	82 SO	02 SO	1020,9	0,6	70	04	1	4	89	03	1023,0	0,8	75	00	0	4	89	03 RB	- 1,5	1,8			23
24	1021,0	1,0	85	00	0	4	50	3	80 TD	02 TD R	1020,8	1,5	82	00	0	8	80 TD	02 TD R	1019,8	2,0	75	04	1	8	86 TD	40 TD	0,7	2,0	0,0		24
25	1016,5	3,2	89	00	0	4	50	3	86 SO	01 SO	1014,8	4,2	87	00	0	6	89 SO	01 SO	1012,9	2,6	69	04	2	6	89	02	0,6	5,1	0,0		25
26	1006,0	2,0	78	04	2	4	47	8	70 TD YR	51 T	1001,8	2,8	75	04	2	8	75 TD	02 T	1000,4	2,2	82	04	4	8	84 TD R	61 TD YR	1,5	3,3	0,0		26
27	999,1	1,2	88	00	0	4	45	9	00 T YR	51 T YR	1001,8	2,3	86	00	0	8	06 T YR	51 T YR	1000,9	1,4	86	00	0	8	06 T YR	61 T YR	0,8	2,5	1,6		27
28	1002,9	1,0	95	00	0	4	40	8	30 TD	40 TD	1004,5	1,5	80	00	0	8	30 TD	40 TD	1005,8	1,8	79	00	0	8	30 TD	40 T YR	0,3	1,8	0,9		28
29	1007,4	2,0	75	00	0	4	35	7	40 TD	02 TD	1008,9	3,6	70	00	0	7	40 TD	10 T	1009,5	3,0	69	00	0	7	50 TD	10 TD	0,5	3,6	0,1		29
30	1010,4	3,1	67	04	2	4	30	2	85 SO	01 J	1010,4	3,5	60	04	2	1	85 TD SO	02 TD SO	1010,1	2,8	62	04	2	2	85 SO	02 SO	2,0	3,6			30
MI	1008,6	0,2	74		1,0		61	6,2			1008,8	0,5	72		1,1		6,0		1009,0	0,3	72		1,1		5,9		- 1,5	1,3	20,7		MI

EKSTENSOTABELL

SVEA GRUBER — JULI 1979

MANGELFULLE DATA FOR JULI 1979

SVEA GRUBER — AUGUST 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	999,0	2,2	90	00	0			3	80	02 TD SL	997,1	3,5	48	03	1	8	89	02	998,1	3,0	94	07	4	6	80	01	0,9	4,0	0,0		1
2	997,5	2,8	98	00	0			7	80	02	999,6	3,1	53	06	1	7	80	02	998,7	4,2	94	27	3	7	80	02	2,1	4,2			2
3	996,2	2,4	75	28	2			3	60 TD	10 T	996,9	4,1	67	28	1	8	89	02	995,7	4,3	67	28	4	7	80	01	2,0	4,6			3
4	995,5	3,0	75	28	3			3	80	02	998,1	5,1	69	28	4	7	89	02	999,7	4,1	78	28	4	7	80 YR	50 YR	2,7	5,0			4
5	1002,0	4,6	75	28	3			3	80	02	1004,2	6,9	61	28	3	8	89	02	1004,4	6,1	70	28	2	6	80	01 R	3,0	6,9	0,1		5
6	1005,2	4,2	78	00	0			7	80	02	1004,3	7,6	55	00	0	2	89 SO	01 SO	1004,1	6,8	66	00	0	2	80 SO	02 SO	3,7	8,4	0,0		6
7	1005,8	5,3	70	00	0			3	80	02	1006,2	7,0	57	00	0	8	89	02	1006,4	6,6	59	00	0	4	80 SO	01 SO	4,7	8,2			7
8	1010,4	4,7	83	27	4			3	80 SO	02	1012,6	5,8	59	28	1	7	89	03	1011,7	6,4	53	00	0	3	80 SO	01	4,5	7,0			8
9	1015,1	4,0	81	07	3			3	80	03 SO	1015,3	3,2	82	00	0	8	60 TD RB	81 RB	1014,8	3,2	84	04	2	8	60 TD RB	81 RB	3,0	6,4			9
10	1017,1	4,9	75	07	3			3	80	01 R	1018,0	6,4	70	00	0	3	80 SO	01	1019,5	5,0	70	00	0	3	80 SO	02 SO	3,1	6,8	10,0		10
11	1021,4	5,1	67	07	3			0	80 SO	02 SO	1020,4	6,5	63	04	2	0	80 SO	02 SO	1019,6	5,4	66	04	2	0	80 SO	02 SO	2,7	7,5			11
12	1016,4	6,0	35	00	0			3	80	02	1016,8	8,2	84	00	0	2	80	02	1016,4	6,2	82	04	2	7	60	03	5,0	8,5			12
13	1016,3	4,8	81	00	0			3	40 TD SF D		1016,5	4,6	81	00	0	7	40 TD	40 T	1017,1	3,2	85	00	0	9	03 T	45 T	3,1	6,2			13
14	1014,3	6,8	81	04	2			3	30 TD	10 T	1013,9	7,2	70	04	2	7	60 TD SO	01 TD YR	1015,8	6,0	75	04	3	7	80	01 TD	2,2	7,6			14
15	1014,4	8,2	75	04	3			7	80	02	1014,8	10,4	69	04	3	7	80	02	1013,0	9,7	70	04	4	9	60 TD	03 TD	5,0	11,1	0,0		15
16	1010,1	7,8	78	04	3			3	40 TD	03 TD	1009,3	7,8	75	04	3	8	50 TD	40 TD R	1010,1	6,7	72	04	3	8	80	01 TD	6,0	10,7			16
17	1011,8	5,4	81	00	0			3	81 TD	02 TD	1013,9	8,2	69	00	0	8	80 TD	01 TD	1014,9	8,2	65	00	0	8	80	02	5,0	9,2	0,3		17
18	1014,0	8,8	70	00	0			7	80	02	1015,0	9,4	67	00	0	8	80 TD YR	51 YR	1019,9	6,4	72	25	3	7	80	02 R	6,1	9,5			18
19	1024,3	7,3	89	00	0			0	80 SO	02 SO	1024,5	8,0	65	27	3	0	80 SO	02 SO	1024,3	5,9	70	27	2	2	80 SO	03 SO	5,3	8,8	0,0		19
20	1023,8	4,6	75	06	1			7	80	01	1022,4	8,6	94	06	1	1	80 SO	02 SO	1021,6	7,0	61	00	0	1	80 SO	02 SO	3,5	9,2			20
21	1021,0	2,5	76	06	1			2	80 SO	02	1020,6	4,1	63	06	3	0	80 SO	02 SO	1019,5	2,8	67	04	3	0	80 SO	02 SO	2,3	7,3			21
22	1020,3	1,7	65	04	3			0	80 SO	02 SO	1020,7	3,6	61	04	3	0	80 SO	02 SO	1019,3	3,6	66	04	3	2	80 SO	03 SO	1,0	4,2			22
23	1017,8	2,8	75	04	3			7	80	02	1018,2	4,7	62	04	2	2	80 SO	01	1019,8	4,6	66	04	2	4	80	02	2,2	5,0			23
24	1013,0	1,8	73	04	3			7	70 TD YR	50	1011,3	2,6	66	04	3	8	80	02 YR	1009,2	3,2	62	04	3	8	80	02	1,8	4,6	0,0		24
25	1008,2	3,8	87	00	0			6	80	02	1006,6	5,0	82	27	2	6	80	02	1008,1	5,2	61	28	2	2	80	01 SO	1,8	5,8	0,0		25
26	1011,6	3,0	80	00	0			3	85 TD	02 TD	1012,3	4,0	75	00	0	8	85 TD	02 TD	1012,6	4,0	75	00	0	7	85 TD	02 TD	1,0	5,2			26
27	1012,8	2,8	84	00	0			2	80 SO	02	1012,9	4,0	73	00	0	3	80 SO TD	02 SO YR	1013,5	3,8	59	04	1	8	80	03	2,0	5,3			27
28	1016,1	2,2	70	04	2			3	80 TD	02	1018,6	3,2	76	04	2	8	80 TD YR	50 TD	1020,5	3,8	67	04	3	8	80	02	1,8	4,0	0,0		28
29	1020,3	2,4	89	04	1			7	80 TD	02	1019,3	1,2	69	04	3	8	80 TD	02 SB	1019,6	0,9	67	04	3	8	80	02 SL	0,8	4,0	0,0		29
30	1015,6	1,6	75	04	4			3	10 TD	28	1016,0	0,8	66	04	3	8	05 T YR	51 T	1017,9	0,9	69	04	4	8	60 SL	68 SL	0,0	1,9	0,0		30
31	1019,2	0,9	76	04	4			7	60 TD	40 T	1020,9	1,2	73	04	3	9	40 S TD	70 T S	1023,4	0,9	72	04	3	8	60 SL	68 SL	0,4	1,5	0,2		31
MI	1012,4	4,1	72		1,8		6,4				1012,8	5,4	67		1,7	5,6			1013,1	4,8	68		2,1	5,5			2,9	6,4	11,2		MI

EKSTENSOTABELL

SVEA GRUBER

SEPTEMBER 1979

	KL. 07											KL. 13											KL. 19											DØGNET			
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	RR	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	RR	VÆRSYMB.	TN	TX	R	FX	DT
1	1022,0	1,0	61	04	2			1	80	SO		01																									1
2	1019,0	2,4	59	00	0			2	80	SO		02 SO																									2
3	1016,7	0,5	67	00	0	4	1	8	70	SR TD		85 SB																									3
4	1017,7	0,2	84	04	1	4	2	8	50	TD SL		68 SL																									4
5	1018,7	1,4	78	00	0	0	0	3	80			02																									5
6	1014,5	0,3	72	04	1	0	0	8	80	TD SL		68 SL TD	1015,0	1,3	79	22	1	8	50	TD SL		68 TD SL	1014,8	1,7	75	22	1	8	50	LB TD		80 LB TD	- 0,4	2,7	0,1		6
7	1015,5	0,3	85	22	1	0	0	7	80			01	1014,9	1,8	69	22	3	7	80	SL		68 LB	1014,2	0,7	54	22	1	7	80	TD		40 SB	- 0,3	2,5	0,0		7
8	1010,1	- 1,4	92	04	3	0	0	2	80			01	1009,5	- 1,0	90	04	3	1	80			02	1008,7	- 3,0	72	04	3	2	80			02	- 3,3	1,2	0,0		8
9	1000,8	0,3	73	04	1	0	0	7	80	TD		11 TD SB	998,3	1,0	70	04	3	8	80	TD		02 TD	998,8	0,8	82	04	3	8	82	TD LB		83 TD SL	- 4,5	1,5	0,0		9
10	989,7	0,8	85	00	3	4	0	3	50	LB		83 LB	989,7	1,1	86	00	0	8	50	TD R		60 LB R	990,3	1,6	88	00	0	8	50	YR		50 YR TD	0,3	2,0	1,3		10
11	988,7	2,0	75	08	3	0	0	8	60	TD YR		50 TD YR	988,3	4,1	70	06	2	8	75	TD		02 TD YR	988,9	3,1	79	04	3	8	75	TD YR		50 TD	1,4	5,2	2,7		11
12	990,5	2,1	85	00	3	0	0	8	50	TD YR		50 TD YR	992,3	2,8	85	00	0	3	50	TD R		61 TD YR R	994,3	3,4	72	04	1	3	80	TD SL		68 TD YR	1,7	4,3	0,1		12
13	1001,3	1,4	85	00	3	0	0	3	70	TD R		60 T YR	1002,6	2,1	70	00	0	8	80			02 T YR	1000,6	2,7	84	04	2	4	82	TD YR		50 TD YR	1,7	4,0	0,8		13
14	997,1	2,7	72	04	1	0	0	8	70	TD R		50 TD R	997,4	4,2	70	04	3	8	70	TD YR		54 TD YR	997,2	4,9	70	04	3	3	70	TD YR		50 TD YR	2,1	5,6	0,5		14
15	999,4	4,8	70	04	2	0	0	3	80	SO		01 TD YR	1001,5	5,9	70	04	2	7	80			02 YR	1002,3	6,3	70	04	2	3	80			02	4,2	7,6	0,4		15
16	1000,9	4,3	76	04	3	0	0	8	82	TD YR		50 TD YR	1001,2	5,0	75	04	3	8	82	TD		02 TD YR	1000,3	5,1	75	04	3	3	82	TD YR		50 TD YR	4,1	7,6	0,1		16
17	997,7	2,9	75	04	1	0	0	8	82	TD YR		50 TD YR	996,2	3,6	75	04	4	8	82	TD YR		50 TD YR	993,5	3,0	78	04	3	8	70	TD R		60 TD R	2,7	5,1	0,1		17
18	986,3	2,5	89	00	3	0	0	7	80			01 R	982,7	0,5	86	04	1	8	20	SL		69 SL	981,1	0,7	73	04	2	8	70	SL		60 SL	0,3	3,0	1,0		18
19	985,4	0,5	79	04	3	3	1	8	15	S		73 S	988,3	2,2	73	04	2	7	82	TD		40 TD S	991,0	1,9	69	00	0	3	80			01 TD	0,3	3,0	4,6		19
20	997,0	0,1	75	00	0	0	0	1	80			02	998,9	2,0	67	00	0	2	80	SO		02 SO	999,8	0,0	73	27	1	1	90			02 SO	- 0,1	2,0	0,0		20
21	1001,9	- 0,5	75	00	3	0	0	8	80			02	1003,1	0,2	79	00	0	7	80			02	1003,2	0,2	76	00	0	3	80			01	- 2,3	1,0			21
22	1003,6	0,7	72	08	1	0	0	8	80			25 LB	1004,0	1,0	72	05	2	8	80	TD		02 TD SL	1004,4	1,3	72	08	1	3	80			20 LB	- 0,3	2,0	0,0		22
23	1006,4	1,1	85	00	3	0	0	1	80	SO		01 TD	1008,0	0,5	65	00	0	1	80	SO		02 SO	1009,4	- 0,7	62	00	0	0	80			00 SO	- 1,5	0,7	0,2		23
24	1009,0	- 3,4	91	00	3	0	0	0	80			01 TD	1008,8	- 1,5	73	00	0	6	80			02	1009,3	- 2,3	87	00	0	2	80			02	- 5,5	- 0,3			24
25	1006,6	- 5,4	70	00	3	0	0	2	80	SO		01	1005,3	- 2,4	63	04	1	0	80	SO		02 SO	1003,0	- 2,0	86	04	1	2	80			02					25
26	998,4	- 0,5	72	04	3	3	0	3	70	SB		85 SB	996,0	0,4	72	04	3	8	65	SB		85 SB	993,5	1,2	82	04	3	3	60	LB		85 SB	- 2,0	1,9	0,0		26
27	993,0	1,0	70	09	1	2	1	8	70	LB		85 LB	995,8	0,7	73	09	4	8	60	LB		88 LB	998,2	- 0,2	72	04	1	8	60	TD		40 T	- 0,5	2,0	6,2		27
28	1001,3	0,7	87	04	1	2	0	3	60	LB		84 TD LB	1006,1	0,5	73	04	4	3	30	LB		84 LB	1008,2	0,4	73	04	4	8	30	LB S		84 LB	- 0,4	1,9	0,2		28
29	1014,0	- 0,4	85	04	2	2	0	8	80			02 LB	1016,0	1,0	80	04	2	8	80			02	1017,6	- 2,0	83	04	2	3	81	TD		40 T	- 2,0	1,5	0,3		29
30	1018,6	- 2,4	72	04	1	2	0	3	81	TD		40 TD	1019,8	- 1,5	70	04	1	8	84	TD		40 TD	1021,0	- 3,0	75	04	1	8	84	TD		40 TD	- 3,0	- 1,0			30
MI	1004,1	0,7	73		1,4		0	6,5					1004,5	1,5	71		1,6	6,8					1004,4	1,1	71		1,7	6,6					- 0,4	2,7	26,3		MI

172

SVEA GRUBER

OKTOBER 1979

	KL. 07											KL. 13											KL. 19											DØGNET			
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	RR	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	RR	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	RR	VÆRSYMB.	TN	TX	R	FX	DT
1	1023,7	- 2,2	86	00	3	1	0	3	80			03 TD	1023,1	- 0,5	83	00	0	8	89			01	1019,9	- 0,8	87	00	0	8	90	S		71 S	- 3,3	0,0			1
2	1009,7	0,0	86	00	3	4	1	3	70	SL TD		68 TD SB	1006,7	- 0,2	87	00	4	7	60	TD SL		68 TD	1007,6	- 1,9	84	00	3	3	70	TD SB		85 TD SB	- 2,3	1,0	1,4		2
3	1014,0	- 0,7	86	09	3	4	1	3	82	TD SF		40 TD SF SB	1020,7	- 2,4	81	04	3	4	84	SO		01 SO	1022,8	- 3,9	87	04	1	3	80			02 SO	- 4,1	2,0	0,5		3
4	1019,3	- 4,6	75	04	2	3	1	8	82	TD		10 TD	1014,6	- 4,2	82	24	1	8	82	TD		10 TD S	1009,3	- 3,5	78	00	0	3	80			02 TD	- 6,5	- 3,5			4
5	995,6	- 0,1	95	24	1	3	1	3	30	TD		40 TD S	997,8	1,4	94	24	4	6	80	TD		02 TD	1001,2	0,3	94	00	3	5	90			01 TD	- 3,5	3,2	0,4		5
6	1015,8	- 0,8	78	04	2	4	1	8	60	TD SB		85 TD SB	1017,7	- 1,5	76	04	3	8	60	TD SB		85 TD SB	1013,7	- 2,4	76	04	3	8	50	TD SB		85 SB	- 2,4	3,2	0,7		6
7	1021,5	- 3,9	91	00	3	4	2	7	80			01 SB	1021,9	- 4,5	92	00	0	7	80			02	1020,9	- 5,3	93	00	0	7	80	SB		85 SB	- 3,3	- 2,4	0,1		7
8	1019,7	- 4,5	79	04	2	4	2	8	20	TD SB		86 TD SB	1021,0	- 2,5	89	04	2	8	70	TD		02 SB	1021,4	- 2,5	86	04	2	8	70	TD		02 TD	- 5,8	- 2,5	1,3		8
9	1029,5	- 2,8	73	04	3	4	2	3	60	SB		85 SB	1032,7	- 2,7	81	04	2	6	80			01 SB	1033,0	- 7,0	79	04	2	1	90			01	- 7,0	- 2,0	0,0		9
10	1031,2	- 9,5	96	00	3	4	2	3	80			02	1028,9	- 9,3	85	00	0	0	80	SO		02 SO	1026,4	- 7,0	75	00	0	0	80			02 SO	-10,3	- 6,0	0,0		10
11	1018,7	- 1,3	89	26	3	4	2	8	80	TD		03 TD	1018,9	- 0,4	86	26	3	8	40	SB TD		86 TD SB	1017,1	- 1,3	72	26	1	8	80	TD		02 TD SB	- 7,3	- 0,2			11
12	1014,8	- 2,7	82	00	3	4	2	3	30	SB TD		85 TD SB	1013,2	- 2,7	82	00	0	8	30	TD SB		85 TD SB	1010,4	- 4,3	85	26	4	6	80	TD		01 TD SB	- 4,3	- 1,1	1,2		12
13	1008,9	- 7,7	87	04	2	4	2	8	60	SB		85 TD SB	1008,6	- 7,7	83	04	2	8	70	SB		85 SB	1007,9	- 8,0	85	04	2	3	70	TD		02 TD SB	- 8,0	- 3,8	0,5		13
14	1009,6	-11,5	93	00	3	4	2	1	80			02	1012,8	-11,0	95	00	0	1	89			02	1013,8	-11,6	93	00	0	0	80			02	-11,9	- 8,0	0,0		14
15	1015,8	-12,3	97	00	3	4	2	3	80			02	1015,9	-11,3	97	00	0	7	89			01	1015,3	- 9,2	94	00	3	7	89			02	-13,5	- 9,2			15
16	1013,9	-11,7	93	00	3	4	2	3	89			02	1012,8	-14,8	97	00	0	0	89			02 SO	1010,8	-15,3	98	00	0	0	89			02	-16,2	- 9,2			16
17	1006,2	-13,5	98	00	3	4	2	3	89			02	1006,8	-14,6	98	00	0	0	89	SO		02	1007,5	-16,0	81	00	0	3	89			02	-16,8	-12,7			17
18	1007,3	-15,5	99	00	3	4	2	3	89			02	1006,2	-14,6	99	00	0	0	89			02	1004,5	-12,8	93	00	0	1	89			02	-16,9	-12,8			18
19	995,0	- 3,6	70	04	2	4	2	8	80			03	991,9	- 3,6	69	04	3	8	58	TD SB		85 TD SB	988,7	- 3,8	70	04	3	3	50	TD		40 TD	-13,4	- 3,6			19
20	983,2	- 5,2	76	03	1	4	2	8	50	TD S SF		71 TD S SF	984,9	- 6,0	76	03	4	8	59	S SF		71 S SF	987,8	- 6,9	76	03	4	3	50	SF TD		36 TD S SF	- 6,9	- 2,6	1,1		20
21	996,0	- 9,1	92	04	1	4	2	5	70	TD		40 TD S	1001,0	- 9,5	92	04	1	5	70	TD		02 TD	1003,7	- 8,8	92	04	4	5	70	S NL SF		70 TD S SF	-10,0	- 6,9	0,5		21
22	1010,2	-11,1	93	00	3	4	2	1	89			02 S	1012,8	-11,9	94	00	0	1	89			02	1016,6	-12,1	91	00	0	0	89	NL		02	-12,1	- 8,7	0,0		22
23	1019,1	-10,3	91	04	3	4	2	1	80			02	1016,3	- 8,0	70	04	4	8	50	TD S		73 TD S	1006,4	- 3,7	79	00	0	3	50	TD SB		85 TD SB	-16,0	- 3,7			23
24	1001,2	- 2,3	81	00	6	4	2	8	30	S SF		73 S SF	1004,9	- 3,5	82	30	6	8	06	S SF		73 S SF	1013,4	- 4,5	63	30	4	8	40	S SF		71 S SF	- 4,7	4,3	6,6		24
25	1024,5	- 5,6	55	00	3	4	2	2	89			02	1025,9	-10,1	87	00	0	3	84			03	1024,3	- 5,3	62	04	2	8	89			02	-10,5	- 4,5	13,0		25
26	1020,3	- 0,9	70	00	3	4	2	8	80	TD		40 TD	1019,7	0,8	75	00	0	8	87	TD		40 TD	1017,7	1,2	75	00	0	8	87	TD		40 TD	- 5,3	1,2			26
27	1012,9	2,0	76	00	3	4	2	8	80	TD		40 TC	1013,4	1,8	72	00	0	8	88	TD		40 TD	1010,3	3,4	72	00	0	8	80	TD		40 TD	0,3	7,5			27
28	1010,0	4,1	37	27	2	4	1	3	80			02 TD	1011,0	3,0	65	27	2	1	89			02	1010,8	- 0,2	72	00	0	2	89			03	- 1,2	4,3			28
29	1010,7	4,6	65	27	2	4	1	8	80			02	1012,4	5,0	63	27	2	8	85	TD YR		51 TD YR	1014,5	1,8	82	00	0	8	80	TD YR		50 TD YR	- 1,3	5,6			29
30	1016,7	2,5	65	00	0	3	0	3	89			02 TD	1017,7	0,9	73	00	0	8	89			02	1017,3	1,0	73	00	0	9	89			00	0,3	4,7	0,0		30
31	1016,2	1,0	67	00	0	3	0	8	89			02	1016,9	0,9	70	00	0	8	80	TD SB		85 TD SB	1017,3	0,2	67	00	0	8	80	TD SB		85 TD SB	- 0,2	2,9			31
MI	1012,6	- 4,5	65		1,4		2	5,5					1013,2	- 4,6	65		1,8	5,7					1012,9	- 4,8	65		1,0	5,5					- 7,3	- 2,0	27,9		MI

EKSTENSOTABELL

NOVEMBER 1979

SVEA GRUBER

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	NN VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	NN VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	NN VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,1	+ 1,9	72	00	0	3	1	3	89	01	1023,9	+ 2,1	75	04	1	7	89	03	1025,4	+ 2,7	76	00	0	3	89	01		+ 1,2	0,6	0,0	1
2	1027,1	+ 3,4	72	04	1	3	1	2	89	01	1028,1	+ 3,2	75	04	1	7	89	03	1028,0	+ 2,7	76	04	1	6	89	02 SB		+ 4,6	+ 2,0		2
3	1021,2	+ 2,2	73	04	1	4	1	3	73 TD SB	85	1018,0	+ 2,0	70	04	1	8	80 TD	02 TD	1013,2	+ 2,4	69	04	1	4	89	01		+ 2,7	+ 1,5	0,0	3
4	997,4	+ 1,7	63	04	3	4	1	3	63 SB	85 TD	994,0	+ 2,0	85	04	4	8	70 TD	02 TD	987,5	+ 0,8	85	04	3	8	50 S	73 S		+ 3,5	+ 0,8	0,0	4
5	985,4	1,0	73	04	2	4	1	3	56 TD	01 SB	986,8	0,2	76	04	1	8	57 TD SB	85 TD SB	987,1	0,0	78	04	4	8	57 TD SF S	70 SF TD S		+ 1,0	1,0	0,9	5
6	987,3	0,0	79	04	1	3	1	3	50 S SF	71 SB SF	988,3	0,8	78	00	0	8	15 SB	86 SB	990,8	0,8	75	04	3	3	60 S	71 S		+ 0,5	1,6	0,0	6
7	993,8	+ 1,3	73	04	3	4	1	3	57 TD SF	36 TD SB SF	995,0	+ 2,0	76	04	3	8	50 SB	85 SB	996,3	+ 2,7	78	04	3	3	56 S	71 S		+ 2,7	0,6	0,6	7
8	999,0	+ 3,1	76	04	1	4	5	3	13 S	85 SB	1001,0	+ 3,2	78	04	3	8	50 SB	85 SB	1001,2	+ 2,7	82	04	3	3	53 S	71 S		+ 4,0	+ 2,6	0,7	8
9	1001,4	+ 2,0	69	04	3	4	4	3	73 TD	02 SB	999,6	+ 2,6	69	04	3	8	50 SB SF	85 SB SF	997,9	+ 2,0	70	04	3	3	56 S TD	71 S TD		+ 3,0	+ 2,0	0,4	9
10	997,5	+ 4,0	59	04	2	4	3	3	63 TD	02 TD SF	998,1	+ 3,6	59	04	1	8	86 TD	01 TD	998,6	+ 8,6	61	04	1	3	86 TD	01 TD		+ 9,1	+ 1,3	0,2	10
11	999,9	+10,3	50	36	1	4	3	3	89	02	1000,5	+11,0	50	36	1	2	89	02	1001,2	+10,1	50	36	1	3	89	02		+12,0	+ 7,0		11
12	1003,5	+12,8	49	00	3	4	3	3	89	02	1004,7	+12,5	48	00	0	3	89	02	1004,9	+ 9,7	37	04	2	3	89	02		+14,4	+ 9,7		12
13	1008,6	+11,3	42	27	2	4	3	3	89	02	1010,8	+10,8	42	27	2	3	89	02	1013,0	+12,7	45	00	0	3	89	02		+12,9	+ 9,6		13
14	1014,2	+11,3	30	04	3	4	3	3	89	02	1014,0	+12,0	63	04	2	3	89	02	1013,6	+11,5	67	00	0	3	89	01 S		+15,5	+11,0		14
15	1013,4	+ 1,8	54	27	1	4	3	3	84 SF	36	1013,7	+ 2,2	73	27	4	8	50 SF S	73 SF S	1014,2	+ 3,7	75	27	4	8	53 SF S	71 SF S		+13,7	+ 1,8	0,0	15
16	1015,6	+ 7,1	30	00	3	4	3	3	89	02	1020,6	+ 7,3	61	04	2	8	84 TD	40 TD	1020,3	+ 5,5	70	00	0	3	84 TD	40 TD		+ 9,7	+ 2,9	0,7	16
17	1018,5	+ 7,1	65	04	2	4	3	3	89	02 SB	1014,5	+ 6,0	70	04	4	7	89	03	1006,0	+ 4,5	78	04	3	3	53 SB SF	86 SB SF		+ 9,5	+ 3,6	0,0	17
18	992,5	+ 2,0	85	00	3	4	3	3	33 S	75 SF S	998,0	+ 2,0	80	00	0	8	50 TD S	71 TD S	996,9	+ 1,9	87	00	0	3	60 S	70 SB		+ 4,5	+ 0,8	2,4	18
19	997,2	+ 4,9	53	27	3	4	4	3	70 S	70 SB	1003,2	+ 6,9	58	27	4	5	80 TD SF	36 TD SF	1005,9	+ 8,0	58	27	4	3	83 TD	01 TD SB		+ 8,5	+ 0,9	1,8	19
20	1008,4	+ 7,1	30	27	2	4	3	3	80 TD	02 TD	1012,3	+ 9,2	49	27	1	7	89 SF	36 SF	1013,3	+ 9,3	48	27	3	4	89	01 TD		+10,0	+ 7,1	0,0	20
21	1009,0	+12,2	67	04	1	4	3	3	89 SF	36 SF SB	1003,5	+11,4	72	04	3	8	50 S SF	71 S SF	994,9	+11,3	76	04	3	3	48 S SF	71 S SF		+12,7	+ 9,0	0,3	21
22	977,7	+ 5,8	32	04	1	4	3	3	61 S SF	71 S SF	976,0	+ 1,5	78	04	2	7	89	01 SB SF	977,9	+ 4,5	64	04	3	3	29 SF	37 S SF		+12,6	+ 1,0	3,5	22
23	983,2	+10,5	78	04	3	4	4	3	01 S SF	75 S SF	988,5	+13,0	78	04	6	8	02 S SF	73 S SF	991,6	+14,2	76	04	5	3	07 SF	33 S SF		+19,3	+ 4,5	8,5	23
24	989,5	+13,2	65	04	3	4	4	3	83 SF	36 SF	988,2	+10,9	65	04	2	6	89	02	988,3	+ 8,8	73	04	1	3	13 SB	85		+15,0	+ 8,8	4,5	24
25	991,7	+12,6	65	04	1	4	5	7	70 TD	02 TD S	986,0	+13,0	65	04	1	8	70 TD	02 TD	986,9	+13,9	65	04	1	3	30 SB	85 TD		+13,9	+ 8,3	1,0	25
26	1001,0	+15,6	61	04	2	4	4	7	80	02 TD	1002,4	+11,8	62	04	2	7	89	02	1005,6	+17,2	63	04	3	8	80	02		+19,4	+11,8	0,0	26
27	1013,2	+17,8	57	04	1	4	4	3	89	02	1015,5	+18,2	59	04	1	8	89 SF	02	1017,6	+17,6	58	04	1	8	88 SF	36 SF		+13,6	+17,2		27
28	1018,8	+15,8	38	04	1	4	4	2	80	02	1018,2	+16,4	40	04	1	3	89	02	1016,7	+16,1	45	04	1	3	80	02		+17,7	+15,3		28
29	1012,0	+15,5	66	04	2	4	4	5	80	00	1008,5	+15,0	66	04	2	5	89	02	1005,3	+13,8	69	04	2	5	80	02		+16,7	+13,8		29
30	999,4	+13,2	65	04	3	4	4	5	80	03	997,7	+12,5	69	04	2	8	89	02	995,4	+11,6	67	04	2	3	83 SF	36 SF		+17,5	+11,6		30
MI	1003,4	+ 7,5	63		2,4		3	6,0			1003,7	+ 7,4	66		2,4	6,7			1003,2	+ 7,7	67		2,1	6,2				+10,2	+ 5,4	25,7	IM

DESEMBER 1979

SVEA GRUBER

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	NN VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	NN VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	NN VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	991,4	+10,3	67	04	2	4		2	80	02	989,5	+10,0	68	04	2	5	89	02	989,0	+ 9,8	70	04	2	3	70 S	71 S		+12,9	+ 9,3		1
2	990,3	+10,4	68	04	1	4		7	82 S	70	989,0	+ 8,5	67	04	1	7	82 TD	02 TD S	987,8	+ 7,0	69	04	2	7	83 TD SF	36		+14,4	+ 7,0	0,0	2
3	985,0	+ 8,2	78	04	3	4		3	82 SF	36 SF	985,8	+ 7,8	78	04	4	8	70 SF S	71 S SF	985,7	+ 9,2	75	04	3	3	60 S SF	71 SF S		+ 9,2	+ 6,0	0,0	3
4	984,9	+12,4	76	04	1	4		3	70 SF S	71 SF S	986,0	+14,2	76	04	4	8	60 SF S	71 SF S	986,9	+15,2	76	04	4	3	56 SF S	71 SF S		+15,5	+ 8,9	2,8	4
5	989,1	+21,6	70	04	1	4		1	82 SF	33 SF	991,6	+22,8	66	04	3	2	84 SF	36 SF	994,9	+24,0	61	04	3	3	89 NL	02		+24,3	+15,1	3,0	5
6	997,6	+21,0	57	00	3	4		3	80	02	1000,6	+24,5	77	00	0	0	89	02	1001,0	+26,1	62	00	0	3	80	02		+28,1	+17,6		6
7	997,6	+16,5	61	00	3	4		3	80	02	994,2	+13,1	54	36	2	0	89	02	990,1	+13,6	49	00	3	3	80	02		+26,5	+12,5		7
8	986,3	+19,1	50	04	1	4		3	80	02	988,2	+21,3	55	00	3	0	89	02	989,8	+22,7	61	00	3	3	80	02		+22,8	+10,6		8
9	997,0	+22,6	96	00	3	4		3	80	02	988,1	+21,0	66	00	3	0	89	02	990,5	+19,8	69	00	0	3	89	02		+21,6	+18,0		9
10	999,6	+18,8	69	00	3	4		3	80	02	999,9	+15,4	62	04	2	0	89	02	1000,3	+13,8	66	04	2	3	80	02		+21,3	+13,8		10
11	1001,5	+13,9	62	04	3	4		3	80	02	1003,2	+14,2	92	04	3	6	89	03	1003,6	+13,8	61	04	2	3	80	03		+14,8	+13,6		11
12	1001,5	+11,0	76	00	3	4		3	50 S	71 S	1001,5	+ 9,0	76	00	0	8	50 S	71 S	1002,3	+ 9,2	79	23	1	0	80	02 S		+11,7	+ 8,4	0,8	12
13	1010,1	+20,2	72	00	3	4		3	60 S	70 S	1012,7	+21,3	73	00	0	5	89	01 S	1012,8	+19,4	73	00	0	3	80	01		+24,7	+ 9,2	0,0	13
14	1010,7	+ 5,8	76	27	1	4		7	70 S	70 S	1011,7	0,2	85	27	4	6	89 SF	36 S	1012,1	0,8	58	27	3	0	80	02		+19,0	0,8	0,5	14
15	1017,6	+ 0,8	86	27	2	4		3	70 S	70 S	1018,5	+ 1,8	85	27	1	8	70 TD	02 TD S	1019,4	+ 2,0	84	00	3	8	80	01 S		+ 2,5	1,4	1,0	15
16	1019,7	+ 8,5	75	00	3	4		3	80	02	1019,9	+ 5,0	70	00	0	5	89	02	1018,7	+ 7,0	70	00	3	3	80	00		+ 9,5	+ 2,0	0,0	16
17	1014,6	+ 2,9	65	00	3	4		6	80	02	1012,3	+ 3,6	69	04	1	8	70 SB	85 SB	1008,6	+ 3,4	78	04	3	3	83 S	71 S		+ 7,2	+ 1,8		17
18	1008,1	+ 4,0	75	04	1	4		3	58 S SF	70 SF S	1006,2	+ 5,0	79	04	5	8	56 SF S	71 SF S	1004,4	+ 5,3	78	04	4	8	56 S	71 S		+ 5,3	+ 3,0	0,1	18
19	1005,9	+ 5,9	62	04	1	4		3	80	00 SF S	1005,8	+11,1	63	00	0	3	89	02	1003,7	+16,0	79	04	1	3	87 TD	40		+16,0	+ 4,7	0,5	19
20	989,3	+ 7,5	75	04	1	4		3	80	03	977,8	0,5	63	24	4	8	89 SF	36 SF	971,7	2,0	62	04	1	8	89	02 S		+18,9	2,0		20
21	988,1	+ 1,6	86	00	3	4		3	65 S	71 S	983,6	+ 3,0	72	27	1	8	38 S SF	71 S SF	972,7	+13,0	69	36	0	8	50 SF S	71 SF S		+13,3	2,3	2,0	21
22	986,6	+15,2	63	24	3	4		0	60 SF S	70 S	984,2	+12,6	67	04	1	8	65 S	70 S	986,0	+10,6	63	27	3	5	80 SF	36 SF S		+16,5	+ 9,0	6,7	22
23	992,5	+11,6	48	27	3	4		3	80 SF	36 SF	987,4	+12,0	47	27	5	5	89 SF	36 SF	1001,0	+11,7	49	27	5	5	89 SF	36 SF		+14,2	+ 9,0	4,0	23
24	1013,2	+14,5	55	00	3	4		3	80	02 SF	1014,9	+16,0	58	00	0	0	89	02	1017,4	+17,7	61	00	3	0	80	02		+17,7	+11,4		24
25	1024,0	+25,0	67	00	3	4		3	80	02	1024,3	+21,0	67	00	0	0	89	02	1024,6	+20,4	67	00	3	0	80	02		+27,0	+17,2		25
26	1022,0	+15,2	66	04	1	4		6	80	02	1021,5	+13,0	66	04	1	6	89	02	1019,9	+11,2	65	04	1	6	80	02		+22,0	+11,0		26
27	1015,1	+15,2	75	00	3	4		0	80	02	1012,8	+18,3	79	00	0	0	89	02	1010,0	+14,0	78	00	0	7	89	02		+20,2	+10,0		27
28	1000,6	+ 5,3	88	22	2	4		3	50 S	71 S	1000,5	+10,4	78	04	3	8	40 S	71 S	1002,5	+13,2	72	04	4	8	03 SF	36 SF S		+17,0	+ 2,5	0,7	28
29	1004,8	+20,0	69	00	3	4		3	50 S	71 S	1006,8	+20,5	65	00	0	1	89	02	1009,0	+21,1	51	00	0	8	50	02		+23,1	+ 8,0	0,3	29
30	1007,8	+23,0	49	00	3	4		3	80	02	1007,0	+22,6	60	00	0	0	89	02	1008,2	+24,5	73	00	3	0	80	02		+25,3	+21,0		30
31	1012,2	+31,7	31	00	3	4		3	80	02	1011,9	+33,0	55	00	3	0	89	02	1010,2	+34,2	61	00	3	0	80	02		+36,3	+20,6		31
MI	1001,1	+13,5	68		1,2			4,0			1000,9	+13,3	67		1,6	4,2			1001,5	+13,7	67		1,7	3,8				+18,2	+ 8,9	22,4	IM

EKSTENSUTABELL

NY-ÅLESUND II

JANUAR 1979

KL. 07

DT	P	T	UU	DD	F	N	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1002,9	-15,0	60	35	3	4	50	2	80	SF	38	SF
2	1021,5	-23,4	64	34	2	4	50	0	80		03	
3	1014,8	-17,6	65	36	2	4	50	0	80		02	S SF
4	1024,6	-24,6	77	00	0	4	50	0	80		02	
5	1008,0	-12,0	37	10	1	4	50	3	80		03	
6	1002,3	- 9,5	80	28	1	4	60	0	80		01	S
7	1000,4	-14,2	78	00	0	4	50	0	80		02	
8	997,9	-17,0	69	12	1	4	50	3	80		02	
9	1005,0	-16,1	69	00	0	4	50	0	80		02	
10	1006,7	-23,4	39	10	1	4	50	1	80	SF	36	
11	1004,8	-31,0	32	00	0	4	50	0	80		02	
12	1012,5	-24,2	82	26	2	4	50	3	80	KS	77	
13	1030,2	-28,1	32	00	0	4	52	0	80		02	
14	1014,5	-26,0	71	00	0	4	52	3	80		03	
15	1025,8	-26,0	71	28	3	4	54	1	80		02	
16	1024,6	-11,8	95	17	2	4	54	0	50	S	72	SB
17	1013,7	- 4,5	92	10	0	4	55	0	60		02	
18	992,6	- 1,2	82	22	1	4	55	0	80		00	
19	1007,8	-17,2	98	30	3	4	55	0	60	IS	38	SF
20	1034,3	-18,8	97	32	1	4	55	0	63	S	70	S
21	1036,7	-24,8	91	00	0	4	55	0	80		02	
22	1036,1	-23,0	80	00	0	4	55	0	80		02	
23	1024,1	-18,0	80	16	3	4	55	2	83		02	
24	1029,9	-15,4	87	14	1	4	55	2	83	TD	02	TD
25	1026,2	-20,2	91	00	0	4	55	0	83	TD	02	TD
26	1016,5	-19,2	65	00	0	4	55	0	83	TD	02	TD
27	1017,2	-15,9	95	26	1	4	55	0	80		02	
28	1012,0	-22,0	72	25	1	4	55	0	80		02	
29	1003,2	-17,6	38	32	1	4	55	3	50	TD	10	TD
30	1006,4	-21,0	78	00	0	4	55	3	80		02	
31	1014,8	-20,6	35	13	2	4	55	1	80		02	
M	1015,1	-18,7	78		1,6		53	3,1				

KL. 13

DT	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1011,4	-21,5	60	04	1	0	89	SF	38	SF
2	1018,8	-22,4	77	32	2	4	83		01	
3	1017,6	-19,2	71	08	1	3	89		01	
4	1025,3	-24,0	79	00	0	0	89		02	
5	1000,6	- 6,0	98	36	2	8	89		22	SF
6	1004,0	-14,6	98	00	0	0	89		02	
7	999,8	-14,0	80	10	3	7	89	SF	36	SF
8	999,2	- 8,2	72	10	4	6	80		02	
9	1006,2	-15,1	65	10	5	1	89	SF	36	
10	1005,1	-26,2	63	11	3	3	80		03	
11	1003,9	-28,1	62	00	0	2	89		03	
12	1018,5	-26,2	84	13	1	8	60	S	70	S
13	1029,4	-27,0	80	00	0	4	89		02	
14	1014,6	-22,5	91	15	1	9	40	S	71	SH S
15	1029,8	-31,8	81	00	0	1	89		02	
16	1023,7	-10,1	97	12	2	8	60	S	72	SB S
17	1011,3	- 3,8	92	10	2	8	60		02	
18	990,3	- 6,2	97	29	4	9	05	SF	39	SF
19	1015,0	-19,0	95	30	3	8	63	S	70	SB
20	1016,9	-21,0	97	32	1	2	85		02	
21	1016,3	-19,0	78	14	2	0	85	TD	02	TD
22	1015,5	-23,6	84	00	0	0	89		02	
23	1023,8	-14,0	76	16	4	9	80	S SF	70	S SF
24	1030,3	-17,3	87	14	1	4	85	TD	03	TD
25	1024,5	-24,0	88	00	0	1	85	TD	02	TD
26	1015,3	-12,0	63	13	3	2	85	TD	02	TD
27	1018,1	-16,0	72	16	1	0	89		02	
28	1010,0	-22,0	70	00	0	5	89		02	
29	1013,0	-20,2	87	00	0	8	88	TD	10	TD
30	1008,7	-21,6	79	00	0	8	88	TD	02	TD
31	1016,7	-24,2	92	00	0	2	89		02	
M	1015,6	-18,7	81		1,6	4,1				

KL. 19

DT	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1019,1	-28,0	61	11	3	0	80	SF	38	SF
2	1015,9	-18,8	79	32	2	0	60	S	71	S
3	1020,2	-22,6	75	00	0	0	89		03	
4	1023,6	-19,2	80	00	0	0	89		03	
5	995,2	- 4,4	39	38	4	9	20	S	73	S
6	1003,5	-19,7	97	00	0	1	89		02	
7	997,3	-11,4	94	00	0	9	25	S	73	S
8	1001,4	-12,2	75	36	1	5	80		02	
9	1006,5	-18,7	63	10	1	2	89	SF	36	
10	1005,4	-26,9	53	11	2	2	89		02	
11	1003,3	-27,2	76	00	0	1	89		02	
12	1024,0	-29,0	85	23	1	3	80	S	70	S
13	1022,9	-25,0	75	00	0	4	89		02	
14	1017,0	-23,0	87	30	2	9	40	S	71	SB
15	1028,0	-25,5	32	12	2	5	80		02	
16	1022,4	- 6,0	95	12	2	8	60	S	72	SB
17	1036,2	- 0,1	92	19	3	8	50		02	
18	1000,1	-16,2	98	29	4	9	02	SF	37	SF
19	1023,8	-21,2	95	00	0	0	89		02	
20	1037,5	-26,2	95	00	0	0	85	TD	02	TD
21	1036,1	-20,0	76	18	1	0	85	TD	02	TD
22	1031,5	-23,2	81	00	0	0	85	TD	02	TD
23	1027,2	-14,0	84	16	1	9	85	TD	02	TD
24	1029,2	-18,0	87	00	0	0	85	TD	01	TD
25	1021,2	-21,6	90	00	0	1	85	TD	02	TD
26	1016,9	-13,0	71	00	0	9	83	TD	02	TD
27	1017,2	-18,2	75	16	1	1	89		02	
28	1007,0	-21,7	71	00	0	2	89		02	
29	1003,2	-22,6	84	00	0	4	80		02	TD
30	1009,9	-21,8	81	00	0	6	80		02	
31	1017,4	-22,8	88	00	0	0	80		02	
M	1015,8	-19,3	82		1,2	4,1				

DØGNET

TN	TX	R	FX	DT
-29,0	-11,0		5	1
-30,0	-18,8		5	2
-22,6	-17,4	2,1	4	3
-26,2	-19,2		2	4
-22,5	- 4,0		6	5
-21,8	- 2,2	10,5	4	6
-21,4	-11,0		4	7
-19,0	- 7,2	0,0	5	8
-18,7	-12,2		5	9
-26,9	-18,7		5	10
-31,0	-26,0		4	11
-30,0	-24,0	0,0	2	12
-32,2	-25,0	0,5	1	13
-27,1	-20,0		3	14
-33,0	-22,0	1,3	3	15
-26,9	- 6,0	6,6	3	16
- 6,5	- 0,1	1,8	3	17
-16,7	- 0,1		5	18
-21,2	-15,2		5	19
-26,2	-18,5	0,1	2	20
-27,0	-18,8		2	21
-26,0	-19,5		1	22
-24,0	-13,0		4	23
-18,5	-13,0	0,1	3	24
-24,0	-18,0		2	25
-21,5	-12,0		4	26
-13,2	-11,3		1	27
-21,0	-17,0		1	28
-23,0	-17,0		4	29
-22,6	-20,5		2	30
-25,7	-20,0		2	31
-21,0	-14,3	23,0		M

NY-ÅLESUND II

FEBRUAR 1979

KL. 07

DT	P	T	UU	DD	F	N	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1016,9	-20,8	65	12	2	4	55	0	80		02	
2	1023,5	-18,1	68	09	3	4	55	0	80	SF	36	SF
3	1028,3	-18,8	61	10	3	4	55	1	80	SF	36	SF
4	1023,6	-20,2	58	10	3	4	55	0	80		02	
5	1021,1	-19,2	64	11	1	4	55	0	87	TD	02	TD
6	1018,7	-19,6	55	00	0	4	55	7	87	TD	02	TD
7	1012,6	-14,0	63	00	0	4	55	7	70	TD	02	TD
8	1010,4	-20,0	55	12	2	4	55	1	70	TD	02	TD
9	1009,9	-24,8	57	00	0	4	55	0	87	TD	03	TD
10	1006,1	-19,6	63	10	2	4	55	3	70	TD	02	TD
11	1002,2	-12,0	39	20	1	4	56	0	80	S	70	S
12	1014,4	-18,0	62	00	0	4	56	2	70	TD	02	TD
13	1009,8	-13,8	81	13	1	4	56	0	70	SF	36	SF
14	1005,5	-15,0	29	01	3	4	56	0	60		15	
15	1002,6	-18,3	98	00	0	4	56	3	70	TD	40	TD
16	1005,2	-16,3	98	00	0	4	57	0	50	S	70	SB
17	995,0	- 2,2	98	18	1	4	58	9	20	S SF	72	SF SB
18	994,1	- 1,8	96	27	2	4	59	0	50	S	70	SF SB
19	1002,8	- 1,0	99	26	1	4	60	0	00	SF	39	SF S
20	1030,9	- 1,2	97	21	1	4	65	0	10	TD SF SL	68	TD SF SL
21	991,2	- 2,6	97	00	0	4	70	7	88	TD	10	TD SF S
22	998,7	-22,4	91	10	3	4	70	8	80	TD	10	TD S SF
23	1017,4	-32,4	85	30	3	4	70	0	40	TD	10	TD SF
24	1030,1	-37,1	84	00	0	4	70	0	30	TD	10	TD
25	1023,4	-38,7	82	00	0	4	70	0	89		02	
26	995,1	-34,2	80	00	0	4	70	0	87	TD	02	TD
27	997,8	-29,0	82	28	3	4	70	0	87	TD	02	TD
28	1011,1	-38,6	81	00	0	4	70	1	87	TD	02	TD
M	1009,5	-18,9	79		2,1		60	4,1				

KL. 13

DT	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1018,1	-21,0	67	25	2	1	89		02	
2	1024,7	-18,1	61	10	5	1	89	SF	36	SF
3	1029,1	-18,1	57	12	4	0	89		02	
4	1021,8	-20,5	62	12	5	0	89	SF	36	SF
5	1022,0	-22,2	58	26	1	6	87	TD	03	TD
6	1018,2	-18,0	53	25	1	8	87	TD	02	TD
7	1011,5	-15,4	62	17	1	7	78	TD	02	TD
8	1011,4	-22,0	57	26	1	1	78	TD	02	TD
9	1008,4	-22,4	58	00	0	6	87	TD	02	TD
10	1014,7	-17,2	69	00	0	8	78	TD	02	TD
11	1014,0	-10,4	70	10	6	7	86	SF	36	SF
12	1016,1	-20,7	63	00	0	1	78	TD	02	TD
13	1006,2	-12,0	87	27	1	0	50	SB	85	SB
14	1006,6	-18,0	99	00	0	9	09	T	45	T
15	1001,2	-14,9	99	00	0	8	50	SB	85	TD SB
16	1003,5	-15,2	97	03	1	8	50	S	71	S SB
17	999,3	- 6,3	98	25	2	7	65	Ø	15	Ø SB
18	1006,1	-19,0	95	35	4	6	58	SF	36	SF SB
19	1032,5	- 0,6	99	24	4	8	05	SF	39	SF S
20	1030,5	- 1,0	98	26	2	8	30	TD	10	TD SL
21	931,2	- 0,2	22	11	4	8	20	TD	10	TD
22	1031,5	-26,2	88	29	3	7	30	TD	10	TD SF
23	1022,7	-33,6	84	29	3	0	20	TD	10	TD SF
24	1032,1	-39,0	81	00	0	0	89		02	
25	1018,2	-35,8	82	00	0	7	89		03	
26	992,0	-33,4	79	00	0	0	87	TD	02	TD
27	1033,7	-30,9	82	29	2	1	87	TD	02	TD
28	1012,7	-32,6	76	00	0	1	87	TD	02	TD
M	1010,0	-19,5	78		1,9	4,7				

KL. 19

DT	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1019,7	-21,6	64	19	1	0	89		02	
2	1025,5	-19,1	63	10	3	1	89	SF	38	SF
3	1027,5	-19,8	55	14	1	0	89		02	
4	1021,2	-22,3	59	13	2	0	89		02	
5	1020,8	-18,4	56	00	0	4	87	TD	02	TD
6	1016,6	-17,0	53	17	2	4	87	TD	01	TD
7	1010,5	-17,5	55	12	4	3	80	TD	02	TD
8	1012,0	-22,4	54	00	0	4	78	TD	02	TD
9	1006,6	-20,6	37	18	1	5	87	TD	02	TD
10	1003,6	-18,9	71	00	0	7	78	TD	02	TD
11	1007,5	-10,8	69	11	3	8	86	SF	36	SF
12	1016,8	-20,4	63	12	1	1	78	TD	02	TD
13	1003,6	-11,1	99	00	0	9	20	SB	85	S
14	1006,6	-20,3	97	00	0	8	60		40	T
15	1003,2	-13,7	98	07	1	8	50	S	71	SB S
16	1001,0	-10,0	95	02	1	9	10	S	72	S SB
17	997,8	- 5,0	97	00	0	8	60	S S	70	SB Ø
18	1013,5	-22,7	92	00	0	1	89		01	
19	1001,5	- 0,3	98	25	4	8	05	TD SF	39	TD SF S
20	991,8	1,0	95	20	2	8	50	TD S	73	TD S SF
21	977,2	- 0,9	98	10	1	8	20	TD SL	68	TD SL
22	1005,9	-26,8	88	28	4	8	40	TD	10	TD SF
23	1025,6	-34,2	84	30	1	0	20	TD	10	TD
24	1030,6	-38,2	81	00	0	0	89		02	
25	1010,9	-32,6	83	00	0	8	89		02	
26	990,6	-33,6	80	00	0	0	87	TD	02	TD
27	1006,1	-33,6	80	00	0	1	87	TD	02	TD
28	1012,5	-27,7	65	00	0	1	87	TD	02	TD
M	1009,5	-19,2	77		1,4	4,3				

DØGNET

TN	TX	R	FX	DT
-21,6	-14,5		4	1
-22,5	-14,0		6	2
-21,5	-17,0		5	3
-23,5	-18,4		5	4
-26,0	-18,4		4	5
-20,5	-17,0		2	6
-17,5	-14,0		4	7
-22,4	-17,5		4	8
-24,3	-20,6		4	9
-21,5	-17,2		4	10
-18,9	-10,0	0,6	6	11
-23,0	-10,8		5	12
-20,5	-11,0		4	13
-22,0	-11,0	3,1	5	14
-24,3	-13,5		3	15
-19,2	-10,0	0,6	2	16
-10,5	- 1,0	1,1	4	17
-23,2	- 0,5	2,7	5	18
-24,4	- 0,2	3,2	4	19
- 1,5	1,0	1,6	4	20
- 2,7	1,0	6,5	5	21
-26,8	- 0,5	5,5	4	22
-34,2	-26,8		4	23
-40,2	-34,0		2	24
-41,1	-32,6		0	25
-36,0	-30,5		1	26
-33,6	-28,0		4	27
-40,0	-27,7		0	28
-23,8	-14,8	24,9		M

EKSTENSOTABELL

NY-ÅLESUND II — MARS 1979

KL. 07												KL. 13										KL. 19										DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	MM	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	MM	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	MM	VÆRSYMB.	TN	TX	R	FX	DT
1	1010,2	-19,2	65	15	2	4	70	1	87	TD	02	TD	1036,6	-15,4	91	10	7	3	00	SF	39	SF	1024,9	-13,2	92	10	8	6	00	SF	39	SF	-27,7	-13,2		8	1
2	1000,6	-12,0	81	10	6	4	70	7	00	SF	39	SF	995,1	-12,2	81	10	6	7	00	SF	39	SF	988,1	-11,8	87	11	5	7	70	SF	39	SF	-18,0	-11,0		8	2
3	985,4	-10,6	93	11	7	4	70	7	00	SF	39	SF	981,6	-5,9	90	11	5	8	70	SF	39	SF	979,0	-7,0	89	11	4	5	80	SF	37	SF	-17,5	-5,0		8	3
4	975,7	-7,0	90	11	8	4	70	9	70	TD SF	37	TD SF	976,9	-6,7	90	11	5	7	70	TD SF	37	TD SF	978,1	-6,1	86	11	4	5	75	TD SF	37	TD SF	-7,3	-5,0		8	4
5	988,2	-8,4	82	09	6	4	70	3	63		15	SF	981,6	-9,1	79	09	4	8	70		02		983,6	-11,8	75	14	3	7	70		02		-11,8	-5,0		7	5
6	994,6	-16,2	58	00	3	4	70	3	80		02		985,5	-14,7	63	25	1	7	89		02		985,5	-12,4	64	10	5	8	80		02		-16,2	-11,8		5	6
7	994,7	-15,0	72	22	1	4	70	1	80		00		983,6	-13,4	75	00	0	1	89		02		980,1	-6,3	75	07	1	7	80		03		-15,0	-6,3		5	7
8	990,7	-6,9	79	09	1	4	70	7	80		02		982,6	-8,7	75	12	3	0	89		02		986,1	-8,0	69	15	3	4	89		01		-9,0	-6,0		5	8
9	1002,8	-10,0	75	09	1	4	70	7	80		00		1007,1	-6,1	70	09	5	8	80		02		1010,7	-7,4	75	09	4	7	80		02		-11,0	-6,1		5	9
10	1016,3	-10,2	65	12	3	4	70	3	80		02		1018,4	-12,8	80	11	3	0	89		02		1018,5	-14,5	71	12	3	0	89		02		-14,5	-7,4		4	10
11	1017,7	-15,0	70	11	2	4	70	0	80		02		1016,6	-17,1	64	00	0	0	89		02		1014,7	-11,0	92	09	4	9	50	3 SF	71	3	-17,1	-11,0		4	11
12	1014,4	-6,1	79	09	3	4	70	3	80		01		1017,0	-7,8	81	10	4	3	89		02		1019,3	-7,9	79	09	4	3	89		02		-11,0	-5,0	0,0	6	12
13	1024,8	-9,0	79	10	3	4	70	3	80		02		1029,8	-11,2	72	11	5	8	89		02		1031,7	-13,0	68	12	4	8	89		02		-13,0	-7,4		5	13
14	1035,8	-19,0	71	00	3	4	70	3	80		02		1036,9	-20,0	72	00	0	0	89		02		1037,7	-21,9	74	00	0	0	89		02		-22,0	-12,6		4	14
15	1040,6	-24,3	84	00	3	4	70	1	80		02		1041,0	-22,0	77	00	0	2	89		02		1040,8	-23,7	80	00	0	0	80		02		-23,0	-20,0		1	15
16	1035,9	-21,0	79	00	3	4	70	1	80		02		1032,0	-19,5	90	11	1	0	89		02		1028,2	-19,5	91	12	2	3	80		02		-26,0	-19,0		2	16
17	1027,9	-18,4	84	25	1	4	70	2	80		02		1029,7	-20,4	61	28	1	0	89		02		1029,2	-22,3	64	00	0	1	89		02		-23,8	-17,0		3	17
18	1019,1	-15,9	70	24	2	4	70	3	80		02		1015,1	-13,6	79	13	4	8	82	TD	10	TD	1012,5	-13,6	68	10	4	8	80		02	TD	-23,5	-13,2		5	18
19	1014,0	-19,7	71	00	3	4	70	3	87	TD	02	TD	1012,6	-17,2	71	00	0	5	87	TD	03		1009,8	-17,6	73	00	0	7	87	TD 80	02	TD	-20,9	-13,6		5	19
20	1008,0	-14,7	71	16	2	4	70	7	87	TD	02	TD	1008,8	-13,7	64	16	1	6	87	TD	02	TD	1013,0	-14,9	59	17	2	3	87	TD	01		-18,0	-13,5		2	20
21	1011,2	-19,7	70	00	3	4	70	1	83	TD	02	TD	1012,1	-18,4	71	00	0	0	88	TD	02	TD	1012,1	-21,4	73	00	0	0	83	TD	02	TD	-22,0	-14,9		2	21
22	1011,2	-17,2	82	00	3	4	70	3	75	TD	02	TD	1011,2	-14,2	94	00	0	8	85	TD	02	TD S	1012,1	-13,8	97	00	0	8	80	TD S	70	TD S	-23,0	-12,5		3	22
23	1015,6	-15,4	96	00	3	4	70	7	80	TD	01	TD S	1017,8	-17,2	91	00	0	1	83	TD	02	TD	1018,5	-18,6	94	13	1	7	85	TD	03	TD	-20,0	-13,8	0,2	1	23
24	1020,8	-17,9	85	00	3	4	70	1	80	TD	02	TD	1020,8	-10,4	77	13	2	5	86	TD	02	TD	1020,8	-9,4	92	10	3	7	87	TD	02	TD	-13,6	-9,4		3	24
25	1021,7	-10,8	90	27	2	4	70	1	86	TD	02	TD	1021,5	-12,3	76	27	2	1	86	TD	02	TD	1019,8	-16,0	77	00	0	1	88	TD	02	TD	-16,5	-9,2		3	25
26	1015,3	-11,6	85	09	1	4	70	1	80		02		1012,8	-10,0	57	09	4	0	80		03		1010,0	-9,5	92	09	5	7	80		02		-17,7	-9,0		5	26
27	1006,2	-8,4	75	10	1	4	70	7	80		02		1005,3	-5,1	76	12	4	8	70		02		1005,6	-8,0	85	09	0	8	70		02		-11,2	-5,0		6	27
28	1010,8	-11,1	86	00	3	4	70	3	70		00		1010,9	-6,1	78	21	1	8	70		02		1009,5	-3,1	85	12	2	3	70		02		-12,0	-3,1		6	28
29	1006,7	-5,1	97	33	2	4	70	3	50	SB	85	SB	1006,5	-4,2	94	00	0	9	20	SB	85	SB	1006,3	-5,8	96	00	0	8	30	3	71	3 SB	-6,8	-2,7	2,1	4	29
30	1005,9	0,3	90	12	2	4	70	3	70		15	3	1005,9	2,9	85	12	4	7	70		02	S	1006,7	0,2	91	12	1	6	75		02		-6,2	3,2	1,2	4	30
31	1011,8	-1,8	95	27	1	4	70	3	70	TD S	77	TD S	1016,2	-1,2	88	25	2	8	70	TD S	70	TD S	1020,6	-4,0	98	29	1	3	80		01		-4,5	0,3	0,6	4	31
M:	1010,8	-12,9	78		2,4		70	4,6					1011,0	-11,7	78		2,4	4,8					1010,7	-12,0	79		2,7	5,1					-16,1	-9,2	7,1		M

NY-ÅLESUND II — APRIL 1979

KL. 07												KL. 13										KL. 19										DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	MM	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	MM	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	MM	VÆRSYMB.	TN	TX	R	FX	DT
1	1026,0	-14,2	89	00	3	4	70	3	80		02		1026,2	0,0	86	00	0	0	89		02		1026,6	0,6	92	00	0	3	80		02		-15,5	4,0	0,0	2	1
2	1027,2	-12,2	87	00	3	4	70	1	80		02		1027,2	1,0	95	00	0	7	88	TD	02	TD	1027,4	0,4	97	00	0	5	60	TD	40	T	-15,1	1,0		1	2
3	1024,8	-10,8	82	12	2	4	71	3	70	S	70	S	1023,4	0,0	88	21	1	0	70		16		1022,0	0,2	97	16	1	8	50	S	70	S	-14,1	5,8	0,5	2	3
4	1023,2	0,0	96	00	3	4	72	3	50	TD S	70	SB TD	1024,1	3,0	94	05	1	8	50	TD S	70	TD SB	1025,4	5,7	96	00	0	6	70		16	TD S	-8,9	2,8	0,4	1	4
5	1026,0	4,3	97	00	3	4	75	3	20	TD S	73	TD SB S	1028,4	8,2	96	34	3	7	60	SB	70	TD SB	1029,4	10,3	97	34	1	8	60	TD S	70	TD SB	-10,3	3,8	4,0	3	5
6	1029,9	-13,4	90	12	2	4	80	3	70	TD	15	TD	1030,3	-14,0	85	12	2	7	70		05	TD	1029,8	-19,2	92	12	1	3	80		01		-19,2	-10,3	9,5	3	6
7	1029,6	-22,0	75	12	1	4	80	1	80		02		1030,2	-18,9	71	00	0	0	89		02		1030,5	-22,6	73	00	0	0	80		02		-25,7	-18,9		1	7
8	1030,7	-22,0	23	00	3	4	80	0	80		02		1030,7	-19,5	65	00	0	0	89		02		1031,5	-22,2	61	00	0	4	80		00		-29,0	-18,0		1	8
9	1032,5	-19,4	92	00	3	4	80	3	87	TD	02	TD	1031,1	-13,6	96	31	2	8	50	S	71	S	1030,1	-12,4	97	00	0	8	50	S	71	S	-21,5	-12,4		2	9
10	1030,8	-19,1	95	16	3	4	90	7	83	TD	01	TD S	1031,1	-19,6	82	00	0	0	88	TD	02	TD	1032,5	-19,6	78	00	0	1	88	TD	02	TD	-21,7	-12,4	1,2	3	10
11	1037,9	-20,0	72	14	1	4	85	0	88	TD	02	TD	1038,8	-18,6	63	00	0	0	88	TD	02	TD	1040,0	-21,0	65	00	0	0	88	TD	02	TD	-21,0	-17,5		4	11
12	1040,3	-24,0	88	00	3	4	85	1	80	TD	02	TD	1039,1	-18,3	72	00	0	3	80	TD	02	TD	1035,4	-18,2	85	00	0	7	60	TD	02	TD	-27,0	-17,5		0	12
13	1019,6	-15,4	97	33	1	4	85	3	40	TD S	70	TD S	1016,5	-16,2	77	33	1	4	1	83	TD	01	TD	1020,1	-21,4	69	33	3	1	83	TD	02	TD	-21,4	-13,0	0,2	4	13
14	1027,1	-23,0	68	13	1	4	85	0	80	TD	00	TD	1028,6	-18,0	59	00	0	0	88	TD	00	TD	1030,1	-21,0	59	00	0	1	88	TD	03	TD	-25,0	-16,0		3	14
15	1031,8	-20,0	77	00	3	4	85	2	80	TD	10	TD	1033,1	-17,8	64	00	0	3	84	TD	10	TD	1033,3	-21,0	63	00	0	0	83	TD	00	TD	-25,0	-17,0		0	15
16	1034,1	-24,0	86	00	3	4	85	2	84	TD	10	TD	1034,7	-18,0	70	00	0	1	84	TD	03	TD	1034,0	-20,0	69	00	0	2	86	TD	03	TD	-26,5	-17,0		0	16
17	1030,7	-19,1	94	00	3	4	85	3	57	TD	10	TD	1028,7	-14,0	92	00	0	8	42	TD S	71	TD S	1028,4	-13,3	92	09	3	8	20	TD SB	85	TD S	-24,7	-12,4		3	17
18	1018,9	-11,2	96	00	3	4	90	3	17	TD SB	85	TD S	1014,0	-8,2	97	10	3	8	18	TD S	73	TD S	1006,0	-8,4	99	11	5	8	02	TD SF 3	70	TD SF 3	-14,1	-7,8	6,0	6	18
19	1007,9	-14,6	96	24	3	4	90	3	23	TD SF	35	TD S	1011,1	-14,4	97	28	1	7	58	TD	02	TD	1013,9	-17,2	95	00	3	1	73	TD	10	TD	-17,2	-6,5	5,3	5	19
20	1017,4	-23,8	96	00	3	4	88	3	70	TD	10	TD	1018,0	-18,0	85	00	0	3	85	TD	02	TD	1017,6	-20,3	85	00	0	4	87	TD	03	TD	-27,2	-17,0		3	20
21	1015,1	-21,7	91	00	3	4	88	1	80	TD	02	TD	1014,6	-16,6	76	00	0	0	88	TD	02	TD	1013,7	-18,3	76	00	0	0	87	TD	02	TD	-23,6	-15,4		0	21
22	1012,6	-24,3	92	00	3	4	86	0	80	TD	02	TD	1012,7	-16,7	73	00	0	0	88	TD	02	TD	1011,4	-17,7	79	00	0	0	88	TD	02	TD	-25,5	-15,2		0	22
23	1010,7	-19,7	95	00	3	4	86	1	80		00		1010,8	-12,4	69	00	0	2	84		02		1010,8	-16,9	80	00	0	3	89		02		-22,8	-12,4		0	23
24	1013,5	-17,0	88	16	1	4	86	2	80		02		1014,7	-14,4	80	00	0	1	82		05		1015,8	-16,2	80	00	0	2	80		02		-24,2	-13,0		1	24
25	1017,4	-18,4	86	00	3	4	82	0	80		02		1018,2	-13,3	69	00	0	0	84		05		1016,9	-14,5	75	00	0	0	89		02		-22,4	-12,1		0	25
26	1015,9	-18,1	78	00	3	4	80	0	80		02		1016,2	-11,8	70	00	0	2	84		02		1015,4	-14,2	76	00	0	7	89		02		-21,6	-11,6		0	26
27	1014,4	-14,2	76	00	3	4	80	3	80		02		1013,4	-13,0	76	00	0	5	89		02		1010,3	-11,2	76	00	0	4	89		02		-18,2	-9,7		0	27
28	1003,5	-15,2	95	00	3	4	80	3	80		02	KS TD	1003,2	-11,2	87	00	0	1	89		01		1001,9	-11,4	73	00	0	1	89		01		-17,8	-9,2	0,0	1	28
29	1001,8	-10,0	80	09	2	4	80	7	80		02		1004,1	-7,6	76	10	3	7	89		02		1008,1	-8,0	85	10	4	8	84	SF TD	38	TD SF	-17,6	-7,0		5	29
30	1012,8	-8,3	82	10	1	4	80	3	80		02	SF	1016,0	-6,8	72	11	3	1	89		01		1017,5	-8,4	70	11	4	0	80		02		-8,9	-6,8		4	30
M:	1022,1	-16,8	86		0,7		82	3,9					1022,3	-13,3	79		0,8	3,1					1022,1	-15,2	81		0,8	3,4					-20,6	-11,4	27,7		M

EKSTENSOTABELL

NY-ÅLESJUND II

MAI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1022,2	-12,6	76	07	3			1	80		02		1021,9	8,7	69	12	4	0	89		02		1020,8	-11,0	76	09	4	1	80		02		-14,0	8,2		4	1
2	1015,3	9,8	72	09	4			1	80		02		1012,1	8,4	73	09	2	6	84		03		1010,9	7,1	61	10	3	3	88		01		-14,4	6,0		4	2
3	1012,0	8,2	61	00	3			7	80		02		1015,4	2,8	59	00	3	6	89		02		1018,5	5,6	62	16	2	2	84	TD	02		8,6	2,2		3	3
4	1024,4	-10,0	80	10	4			1	80	30	02	30	1023,0	7,2	76	10	4	0	89	S0	02	S0	1020,6	8,9	80	11	4	1	80		02		-11,4	5,4		5	4
5	1018,2	-11,1	81	00	3			1	80		02		1018,2	7,2	59	32	1	1	89		02		1018,8	6,8	69	00	3	3	80		02		-13,0	4,8		4	5
6	1021,5	9,5	75	00	1			1	80		02		1022,0	6,4	70	30	1	5	80		02		1022,5	8,0	95	27	3	3	80		02		-14,3	6,2		3	6
7	1021,2	9,1	85	27	3			7	80	TD	02	TD	1020,0	7,8	95	30	2	8	50	TD S	70	TD S	1019,7	9,3	86	32	3	5	83	TD	01	TD	-12,0	7,8		4	7
8	1020,5	-13,6	77	00	3			3	80	TD	10	TD	1020,8	9,4	70	00	0	1	82	TD	02	TD	1018,0	-10,3	67	00	2	2	86	TD	02	TD	-15,2	7,5	0,0	3	8
9	1011,5	-10,8	77	00	3			3	30	TD S	70	TD S	1008,1	8,4	94	09	1	7	65	TD S	70	TD S	1005,8	9,4	92	00	3	7	60	TD S	70	TD S	-13,6	7,0	0,0	3	9
10	1004,9	-11,8	86	12	1			7	70	TD	10	TD	1005,8	-10,6	80	12	4	7	70	TD	10	TD	1006,7	9,8	90	07	3	7	83	TD	02	TD	-12,7	9,2	0,2	4	10
11	1011,4	-10,3	86	10	3			1	80	TD	02	TD	1015,7	5,6	61	00	0	1	88	TD	02	TD	1017,5	7,8	88	00	3	1	88	TD	02	TD	-11,6	4,4		4	11
12	1018,2	-11,8	81	00	3			1	80	TD	02	TD	1017,3	6,2	64	00	0	0	88	TD	02	TD	1016,9	7,3	92	00	3	1	80		02	TD	-14,5	4,4		1	12
13	1015,8	-10,7	73	00	3			3	80		02		1014,8	4,8	65	00	0	4	88	TD	03	TD	1012,3	5,3	64	00	0	5	87	TD	02	TD	-13,5	2,6		1	13
14	1008,0	7,0	95	00	3			3	50	T	10	T	1004,2	4,7	84	00	0	7	60	TD	10		1004,1	7,8	92	27	1	3	80	TD	01		9,0	3,7		3	14
15	1005,8	-11,2	84	00	3			3	80	TD	02	TD	1008,1	4,4	75	00	0	5	89	TD	03	TD	1009,9	3,1	85	32	1	3	89		02		-13,0	2,3		2	15
16	1012,5	7,6	73	00	3			3	80	TD	02	TD	1014,0	2,9	34	00	0	8	88	TD	02	TD	1014,7	3,9	85	00	3	3	88	TD	02	TD	-11,4	1,4		2	16
17	1016,0	9,4	00	00	3			3	80	TD	02	TD	1017,4	3,9	75	00	0	2	88	TD	03	TD	1017,0	4,2	79	00	3	1	83	TD	02	TD	-13,5	2,2		2	17
18	1014,1	9,0	94	00	3			3	90	TD	02	TD	1011,0	4,8	76	00	0	0	88	TD	02	TD	1008,4	4,4	73	00	3	3	83	TD	02	TD	-11,0	3,0		1	18
19	1007,0	9,4	88	00	3			3	80	TD	03	TD	1007,5	5,0	78	00	0	8	88	TD	03	TD	1009,0	3,7	88	00	3	3	30	G	71	SB	-11,3	3,5		1	19
20	1010,0	7,0	91	00	3			7	70		01	G	1011,4	5,0	77	00	0	9	70		01		1012,8	5,0	76	00	3	3	70		01		8,0	2,9	0,3	4	20
21	1016,4	9,2	87	00	3			3	80		02		1019,1	2,9	76	00	0	3	89		02		1021,0	5,2	76	00	3	1	89		02		-11,1	2,3		1	21
22	1023,4	5,6	92	00	3			3	80		02		1024,8	3,4	82	00	0	8	80		02		1025,6	3,8	85	33	1	8	75		15	TD	9,8	2,9		1	22
23	1024,7	5,4	95	11	2			3	80		02		1024,8	4,0	85	00	0	8	80		02		1023,9	4,6	88	00	3	8	80		02		5,6	3,6		2	23
24	1022,6	5,4	97	06	2			3	60	TD	02	TD	1022,6	2,0	95	00	0	8	70		02	TD	1022,3	2,6	85	00	3	3	70		01	TD	5,0	1,0		2	24
25	1022,2	3,6	95	00	3			1	80		02		1021,9	1,4	77	22	1	1	89		01		1021,0	2,8	77	18	1	1	89		02		5,1	0,0		1	25
26	1016,8	5,0	87	00	3			7	80		02		1014,5	1,8	70	20	1	4	89		02		1011,6	2,0	72	27	1	7	89		02		3,3	0,0		1	26
27	999,6	3,2	97	10	1			3	00	G	74	G	996,9	3,0	85	11	1	8	70	TD	10	TD S	994,0	3,1	95	11	1	3	80	TD S	74	TD S	4,3	2,0	2,0	2	27
28	990,1	4,1	92	14	3			3	50	TD S	71	TD S	990,8	2,7	75	13	3	8	70	TD S	68	TD SL S	994,3	3,0	94	27	1	8	30	TD S	71	TD S	4,1	1,6	7,3	4	28
29	1006,0	5,2	94	27	3			3	20	G	70	G	1010,0	4,6	91	27	3	8	59	SB	85	SB S	1012,8	4,4	85	27	2	8	65		02	SB	5,4	3,0	6,9	4	29
30	1014,4	4,0	82	00	3			7	80		15		1015,4	0,8	62	00	0	7	80		02		1016,1	3,3	75	00	3	7	80		03		5,0	0,6	1,0	3	30
31	1018,1	3,2	95	10	1			8	70	G	70	SB	1020,6	1,4	94	15	1	9	20	S	71	S	1021,6	1,2	98	20	1	9	50	G	71	SB S	3,6	0,2	0,1	2	31
MI	1014,3	8,2	85		1,1		4,2						1014,5	4,9	75		0,9	4,5					1014,8	5,6	78		1,2	4,4					-10,1	3,6	17,3		MN

NY-ÅLESJUND II

JUNI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1015,6	1,0	94	10	1			3	40	SB	85	SB S	1015,8	1,8	88	15	1	8	65	TD	40	TD S8	1015,7	1,6	81	17	3	3	75		15	TD	1,2	2,8	2,9	4	1
2	1011,1	0,6	95	11	3			3	20	TD	20	TD YR	1013,0	2,8	88	11	3	8	70	TD	40	TD YR	998,9	1,2	94	25	1	3	80		02	YR	0,2	3,2	2,0	6	2
3	1003,0	1,2	94	25	3			3	80		02	SB	1006,0	3,2	94	22	4	9	10	S	73	S	1004,1	3,2	95	27	1	9	10	G	73	G	5,0	1,4	7,0	5	3
4	1013,3	5,4	90	28	3			3	60		02	G	1015,3	4,0	85	28	3	7	80	TD	02	TD	1014,6	3,0	96	00	3	7	82		03		6,4	2,2	8,8	5	4
5	1012,9	8,0	80	11	1			3	80		02		1014,0	3,2	90	33	2	2	89		02		1014,8	5,4	85	32	2	3	30		03		8,5	1,5		2	5
6	1015,6	5,4	90	00	3			2	80		01		1016,9	4,2	90	00	0	3	89		01		1016,7	3,4	87	31	1	3	89		00		7,6	1,5		2	6
7	1017,1	4,0	86	00	3			3	80		00		1016,7	0,6	70	00	0	1	89		02		1011,3	1,0	74	00	3	1	80		02		8,0	2,0		1	7
8	1009,6	2,5	80	00	3			3	80		00		1008,6	0,0	69	00	0	0	89		00		1007,9	0,0	80	00	3	1	88	TD	03		6,0	1,3		0	8
9	1006,8	3,4	91	00	3			1	80	TD	01	TD	1005,9	1,1	80	00	0	1	88	TD	02		1006,9	0,6	81	00	3	1	83	TD	01		5,0	2,0		1	9
10	1005,6	2,2	96	00	3			3	15	TD	10	TD	1004,4	0,2	91	00	0	8	20	TD	02	TD	1004,1	0,6	96	29	1	8	10	TD	10	TD	3,6	1,1		3	10
11	1004,2	0,8	94	00	3			8	20	TD	02	TD	1005,2	0,8	73	34	1	7	20	TD	01	TD	1005,7	0,0	81	36	1	7	20	TD	01	TD	1,5	2,5		4	11
12	1005,9	3,3	91	13	1			3	80		02		1004,7	1,4	73	00	0	4	89		02		1002,6	0,7	84	29	1	7	89		02		3,9	1,5		2	12
13	998,6	2,4	94	10	2			8	85	TD	02	TD	998,4	1,6	70	00	0	1	88	TD	01	TD	998,8	0,6	88	00	3	1	88	TD	02	TD	2,9	1,7		2	13
14	1000,6	4,2	97	00	3			7	05	T	45	T	1001,7	1,4	90	12	1	4	06	T	42	T	1001,7	3,7	97	00	3	7	04	T	44	T	4,2	0,6		1	14
15	999,4	0,7	88	14	2			8	80	TD	02	TD	998,6	1,6	94	00	0	8	64	TD	02	TD	999,3	1,2	96	27	1	8	65	TD	02	TD	3,7	2,3		3	15
16	1002,5	0,6	95	33	2			3	80	TD	02	TD	1003,9	1,8	87	00	0	7	82	TD	01	TD	1004,6	0,7	92	00	3	8	82	TD	03	TD	0,8	2,0		3	16
17	1006,1	2,0	97	00	3			3	00	T	45	T	1008,3	1,0	91	00	0	7	85	TD	02	TD	1008,4	1,8	92	00	3	7	85	TD	02	TD	2,5	2,4		2	17
18	1009,7	2,4	92	00	3			7	87	TD	02	TD	1011,0	4,2	87	00	0	7	87	TD	02	TD	1011,9	3,2	92	00	3	7	82		02	TD	1,0	4,3		1	18
19	1012,9	2,4	91	00	3			1	83	TD	02	TD	1013,9	4,0	82	00	0	1	88	TD	02	TD	1014,1	0,0	92	24	2	7	70	TD	15	TD	0,0	4,0		2	19
20	1014,1	0,2	91	28	2			7	80	TD	02	TD	1014,0	0,4	91	28	3	7	80	TD	00	TR TD	1015,9	0,8	95	28	2	8	80	TD	02	TD	0,8	1,2		3	20
21	1016,1	1,6	95	23	1			8	73	TD	15	TD SB	1016,5	2,0	82	00	0	7	80	TD	01	TD	1016,0	0,2	87	00	3	7	84	TD	02	TD	1,9	2,0	0,0	3	21
22	1016,8	1,7	94	00	3			8	80	TD	02	TD	1018,4	1,2	95	00	0	8	80	TD	02	TD	1019,8	2,3	97	00	3	8	18	TD	40	T	2,6	0,5		2	22
23	1021,6	3,8	96	00	3			3	00	T	44	T TD	1023,2	2,4	94	00	0	4	05	T	44	T	1023,1	1,2	92	00	3	2	89		40	TD	4,3	0,9		1	23
24	1020,8	0,0	96	00	3			3	80		02		1020,1	0,6	94	00	0	8	89		02		1019,4	3,3	93	15	1	6	89		01		2,1	3,5		2	24
25	1017,0	2,2	99	00	3			8	80		02		1014,9	2,8	95	27	1	8	89		02		1012,5	1,6	96	16	2	8	89	R	61	R	1,5	3,5		2	25
26	1005,5	1,8	98	00	3			8	18	TD	20	TD YR	1001,3	2,4	98	00	0	8	12	TD	20	TD YR	999,4	2,3	98	00	0	8	58	TD YR	50	TD YR	1,2	3,0	6,5	2	26
27	1002,0	1,8	98	00	3			8	06	T	45	T YR	1002,5	1,6	98	30	2	8	18	TD	10	T YR	1003,4	0,2	98	33	2	8	40	TD	10	TD	0,2	2,6	9,3	3	27
28	1005,1	1,2	90	00	0			7	85	TD	01	TD	1006,6	1,6	89	28	2	7	87	TD	01	TD	1008,0	1,5	94	31	2	8	80	TD	02	TD	0,4	2,2	0,0	3	28
29	1009,6	0,9	95	00	0			1	85	TD	01	TD	1010,3	4,0	88	00	0	1	88	TD	02	TD	1010,5	4,6	82	00	0	1	88	TD	02	TD	0,6	5,0		2	29
30	1010,5	3,4	91	00	0			7	88	TD	02	TD	1010,5	4,8	90	00	0	7	88	TD	02	TD	1009,7	4,8	91	00	0	1	89		02	TD	2,4	9,2		1	30
MI	1009,7	1,1	93		0,9		6,1						1009,7	0,8	87		0,8	5,5					1009,4	0,2	90		0,9	5,7					2,5	1,9	36,5		MN

EKSTENSOTABELL

NY-ÅLESUND II — JULI 1979

KL. 07												KL. 13												KL. 19												DØGNET				
DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	1009,0	2,8	92	00	0			1	80	TD	02	TD	1009,5	5,4	85	00	0	1	88	TD	02	TD	1008,9	5,4	87	00	0	1	89		02		2,3	6,4		2	1
2	1005,9	5,4	91	00	0			1	83	TD	02	TD	1003,3	7,4	82	13	3	7	80	RB	80	TD	998,7	6,0	80	20	2	3	80	RB	80	TD RB	3,5	8,5		4	2
3	1004,4	5,2	90	15	1			1	80	TD	02	TD RB	1038,1	5,8	95	10	1	8	75	TD R	60	TD RB	1009,8	5,2	92	27	1	7	85	RB	80	TD RB	3,5	6,8	0,0	5	3
4	1012,0	4,6	94	28	2			1	83	TD	02	TD RB	1013,3	5,6	92	20	1	7	85	TD	03	TD	1013,5	4,1	95	00	0	6	88	TD	03	TD	4,0	6,4	0,7	3	4
5	1014,9	5,0	94	15	1			1	88	TD	01	TD	1015,5	5,6	88	24	1	7	85	TD	03	TD	1014,6	5,3	86	26	1	7	85	TD	02	TD	2,7	6,3		3	5
6	1008,6	6,5	80	28	2			7	83	TD	02	TD	1009,8	5,4	88	19	3	8	70	TD R	60	TD RB	1011,6	4,7	87	18	4	8	70	R	63	R	3,8	7,5		4	6
7	1016,0	5,0	90	11	3			3	70	TD	02	TD	1014,1	5,5	91	11	4	8	30	TD	01	TD	1008,8	5,2	90	09	5	8	30	TD	01	TD	3,0	6,0	1,0	5	7
8	1004,5	5,0	86	17	6			6	80	TD	01	TD	1010,8	4,2	90	17	2	8	30	TD	10	TD	1015,6	3,0	95	12	2	7	40	TD	10	TD	3,0	5,2		7	8
9	1017,6	2,6	95	33	2			1	88	TD	01	TD	1017,8	5,5	90	00	0	2	88	TD	03	TD	1017,8	5,8	92	00	0	8	20	TD	03	TD	2,4	5,8		2	9
10	1017,7	5,8	94	00	0			6	85	TD	02	TD	1018,6	8,5	86	12	1	1	88	TD	03	TD	1019,1	8,4	87	14	2	1	89		02	TD	4,1	9,9		2	10
11	1018,3	9,0	71	11	1			1	80		02		1017,3	11,1	69	14	3	0	89		02		1016,6	13,4	92	11	1	1	89		02		7,3	13,4		4	11
12	1019,0	9,4	81	24	2			3	80	TD	03		1020,8	7,5	91	26	2	5	85	TD	03	TD	1021,0	6,4	94	16	2	5	85	TD	01	TD	5,0	13,5		5	12
13	1020,1	9,1	88	05	2			3	70	TD	02	TD	1020,4	9,8	85	24	3	6	80	TD	01	TD	1021,9	7,8	91	14	4	7	80	TD	02	TD	6,4	11,0		5	13
14	1023,4	5,9	95	00	2			1	73	TD	02	TD	1022,8	5,2	95	03	2	4	80	TD	11	TD T	1019,8	7,2	94	15	1	5	80	TD	03		4,5	8,4		4	14
15	1018,3	6,1	95	00	0			3	60		21	TD R	1019,2	9,7	91	22	2	7	80	TD	02	TD RB	1019,7	6,1	94	00	0	7	80	TD	01	TD	5,2	9,8	5,6	2	15
16	1016,8	6,8	84	00	0			3	80		00		1014,6	11,7	84	10	4	2	89		02		1012,6	13,8	84	10	4	1	89		02		3,9	14,4	0,0	4	16
17	1014,5	10,9	70	10	1			3	80		00		1014,9	11,8	77	25	2	4	89		02		1013,1	10,1	81	11	1	2	89		02		9,0	17,0		4	17
18	1010,0	5,3	94	27	1			7	80		02		1038,6	8,8	81	33	2	3	89		02		1007,1	7,2	92	00	0	7	82	YR	50		4,8	10,7		2	18
19	1005,5	5,8	92	15	1			7	80		02		1036,5	6,9	91	00	0	7	89		02		1006,3	6,4	91	15	1	7	84		02		4,0	7,2	0,0	2	19
20	1007,5	7,4	85	17	2			5	80		02		1039,1	6,7	86	10	4	4	89		02		1010,4	6,3	79	11	3	3	89		02		5,9	8,6		4	20
21	1012,0	5,2	90	09	2			1	80		02		1014,1	6,6	80	10	2	1	89		02		1014,3	6,5	79	11	3	1	89		02		5,0	8,0		3	21
22	1015,8	6,2	80	11	2			3	80		02		1016,5	8,0	78	05	1	0	89		02		1016,7	7,2	86	11	2	0	89		02		5,8	8,2		3	22
23	1017,2	5,8	90	11	1			1	80		02		1017,0	7,9	79	01	1	1	89		02		1016,0	7,8	82	08	1	0	89		02		5,9	8,2		2	23
24	1011,5	7,8	81	26	3			1	80		02		1012,6	6,8	91	34	3	7	70		03		1013,0	6,7	91	35	1	1	89		02		5,0	7,8		3	24
25	1015,0	5,3	94	34	1			7	82		02		1015,0	6,6	90	36	2	6	89		01		1014,0	6,0	94	36	2	7	80		03		4,7	7,2		3	25
26	1010,0	5,7	90	10	1			7	82		02		1038,5	6,0	91	26	3	8	89		02		1036,5	5,1	94	00	0	8	85	TD	10	R TD	4,5	6,5		3	26
27	1004,4	5,0	92	14	2			3	80		02	R	1035,3	3,0	94	33	3	8	70	TD YR	52		1036,4	3,4	92	23	3	8	70	TD YR	52	YR	1,1	5,2	2,5	4	27
28	1005,5	2,5	95	26	3			3	60	TD	02	TD YR	1035,0	3,2	95	26	3	8	50	TD RB	80	TD YR	1036,2	2,7	94	31	4	6	80	TD	01	TD	2,1	3,8	2,1	4	28
29	1006,0	1,0	95	33	3			3	80		02		1037,9	3,2	92	09	1	2	89		02		1007,9	3,6	94	34	2	8	70		02		1,3	5,0	2,1	4	29
30	1005,4	2,2	94	31	3			7	70		02		1035,8	5,2	81	05	1	5	80		03		1036,3	4,2	79	31	3	1	89		02		2,0	6,2		3	30
31	1004,1	2,3	87	33	3			1	82		00		1033,0	2,8	91	33	4	7	80		03		1030,7	3,5	85	35	3	5	89		03		1,0	4,2		4	31
M:	1012,0	5,6	89		1,8		5,1						1012,4	6,7	87		2,1	4,9					1012,1	6,3	87		1,9	4,8					1,1	8,2	14,3		IM

NY-ÅLESUND II — AUGUST 1979

KL. 07												KL. 13												KL. 19												DØGNET				
DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	1001,4	2,0	71	35	3			3	80		00		999,8	2,9	72	32	3	4	80		01		999,9	4,2	64	12	2	3	80		02		1,5	5,6		4	1
2	999,1	3,4	64	12	2			2	80		00		999,8	4,5	64	10	2	3	80		02		998,9	3,2	81	33	2	0	80		03		2,6	5,5		3	2
3	997,8	1,6	90	00	0			3	80		02	RB	997,8	2,3	87	30	3	8	63		02		997,3	1,7	75	31	2	3	50	TD	26	TD RB	0,7	3,2	0,0	3	3
4	997,0	1,6	95	00	2			3	60	TD R	61	TD R	998,6	2,3	96	35	1	8	60	TD R	61	TD R	999,9	3,1	94	26	1	3	60	TD R	61	TD R	1,2	3,2	0,8	2	4
5	1001,8	2,5	97	03	1			3	60	TD R	63	TD R	1013,4	2,5	96	08	1	8	50	TD R	63	TD R	1003,7	3,9	95	00	0	8	60	TD	10	TD R	2,0	3,9	1,7	2	5
6	1003,9	4,5	91	04	1			3	80	TD	01	TD RB	1003,9	6,2	82	12	2	8	80	TD	10	TD	1003,6	6,3	84	11	1	3	80	TD	10	TD	3,1	6,3	2,0	3	6
7	1004,8	4,7	91	00	0			3	81		02	RB	1036,4	5,7	88	22	2	8	81		02		1007,1	5,2	87	22	1	3	81		02		3,9	6,1	0,3	3	7
8	1011,8	0,4	96	00	0			3	50	TD	10	TD	1012,7	2,2	94	11	1	2	85		01	TD	1011,4	4,8	90	00	0	1	88		02		1,0	5,2		3	8
9	1014,2	4,2	87	00	0			3	80		02		1014,6	5,4	86	10	1	8	80		02		1014,5	5,0	90	11	2	3	80	TD	02	TD RB	2,0	6,1		3	9
10	1015,1	5,9	94	14	1			3	70	TD YR	50	TD YR	1016,0	8,6	84	10	1	7	85		01	TD YR	1016,8	11,3	90	12	3	3	85		01	YR	4,6	11,7	0,8	4	10
11	1018,2	8,7	38	12	1			1	80		02		1018,4	10,3	56	12	3	1	89		02		1016,7	9,0	61	06	1	1	89		02		6,3	11,6	0,0	4	11
12	1014,0	6,0	88	23	2			3	80	TD	02	TD	1015,7	7,2	72	23	2	8	70	R	02	R	1016,7	5,8	91	25	2	2	88		01	TD	5,3	9,0		3	12
13	1017,3	4,1	92	13	2			3	73	TD	10	TD	1018,0	5,4	88	26	2	2	85		02		1017,7	5,3	88	34	1	1	85		02		3,5	9,6	0,0	4	13
14	1014,3	2,4	95	00	0			3	02	T	44	T	1013,1	6,7	88	16	2	8	80		25	TD R	1013,3	7,0	94	00	0	8	70	TD R	61	TD R	1,5	7,8		3	14
15	1014,6	8,7	88	16	3			6	73	TD	00	TD YR	1012,9	10,8	85	12	2	7	75	TD	02	TD	1010,8	11,0	38	12	3	1	70	TD	01	TD	6,4	12,2	1,1	4	15
16	1008,3	10,5	90	12	1			5	73	TD	02	TD	1006,0	10,8	90	11	3	8	70	TD R	60	TD R	1006,9	9,6	92	12	3	3	75	TD YR	50	TD YR	8,4	12,5		6	16
17	1012,0	7,2	92	21	2			7	80		01	TD	1014,7	8,2	82	12	2	7	80		02		1015,2	7,6	85	11	2	7	80		02		5,4	10,2	0,0	4	17
18	1013,2	7,4	94	12	2			3	20	TD R	63	TD R	1014,1	7,8	95	03	1	8	20	TD	03	TD SO	1016,9	5,2	92	19	1	6	30	TD	01	TD	5,2	7,8	0,2	3	18
19	1021,6	8,0	78	13	3			7	20	TD	02	TD	1023,2	8,0	78	17	3	6	30	TD	10	TD	1021,8	6,9	80	18	3	6	30	TD	10	TD	4,2	8,0		3	19
20	1023,2	4,3	91	12	3			2	80	TD SO	01	TD	1022,3	6,8	86	13	2	2	80	TD SO	01	TD SO	1022,0	5,8	70	27	1	3	88	30	03	30	3,7	8,9		5	20
21	1020,7	2,0	99	11	1			3	01	T	45	T YR SO	1020,2	3,6	94	12	1	2	85		02	T	1019,6	5,3	90	00	0	0	85		02		0,8	7,5	1,3	1	21
22	1020,1	3,0	00	00	0			1	80		02		1020,0	2,6	96	34	1	9	01	T	47		1019,3	1,9	97	35	1	9	01	T	45	T	1,1	5,4		1	22
23	1018,7	0,2	97	00	0			3	02	T	44	T	1018,3	2,4	95	34	1	6	75	TD	03	T	1017,2	3,6	87	00	0	8	75	TD	02	TD	1,1	3,6		1	23
24	1013,3	3,1	00	00	0			7	73	TD	02	TD	1012,8	3,6	79	00	0	7	75	TD	02	TD	1011,7	4,0	82	10	1	7	80		02	TD	2,4	4,6		2	24
25	1007,7	1,5	00	14	1			1	80	TD	02	TD	1007,8	2,9	86	34	1	1	85		02		1008,2	3,4	90	10	1	1	85		02		0,6	4,2		1	25
26	1011,8	2,3	88	00	0			1	85		02		1013,3	3,9	87	00	0	2	85		02		1014,4	3,3	87	28	1	7	75		03		0,5	4,0		3	26
27	1015,0	1,4	88	11	1			1	85		02		1015,3	3,0	86	08	1	0	85		02		1015,3	3,3	87	11	1	1	85		02		1,0	3,5		2	27
28	1017,7	0,7	87	00	0			3	80		02		1019,1	4,0	69	00	0	3	80		02		1020,3	3,8	87	00	0	7	75	TD	02		0,4	4,9		1	28
29	1020,6	4,8	84	00	0			7	80		02		1019,2	5,1	85	12	3	6	80		02		1017,9	3,6	87	11	3	4	80		01		3,0	6,0		3	29
30	1016,3	3,4	72	11	1			6	80		02		1017,1	4,9	73	10	2	3	80		01		1017,7	4,0	64	10	3	5	80		02		2,1	4,9		4	30
31	1020,4	2,3	82	00	0			3	85		02		1022,0	5,4	65	14	2	4	80	TD	03		1022,7	3,9	83	14	1	7	80	TD	02		1,4	6,0		3	31
M:	1012,5	3,9	87		1,4		5,8						1012,8	5,4	84		1,6	5,3					1012,9	5,2	84		1,4	5,2					2,6	6,6	8,7		IM

EKSTENDOTABELL

NY-ÅLESUND II

SEPTEMBER 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.
1	1023,1	0,1	94	00	0			2	80 TD	01 TD
2	1020,7	0,2	98	00	0			1	80 TD	01 TD
3	1016,1	0,8	95	14	1			8	90 D	03
4	1017,5	1,4	99	00	0			8	50 TD LB	83 TD LB
5	1018,6	1,1	95	00	0			8	70 TD	02 TD
6	1016,7	0,8	92	00	0			8	73 TD	02 TD
7	1016,2	-2,9	90	30	2			7	70 S	71 S
8	1011,8	-3,2	90	18	3			8	80	02
9	1001,1	-0,3	92	10	3			8	50 TD S	70 TD
10	988,5	2,2	95	00	0			8	62 YR	50 TD R
11	988,6	0,6	97	00	0			2	80	01 T YR
12	990,9	1,9	97	13	1			8	20 TD	10 T
13	1000,9	1,5	97	00	0			8	30 TD	10 T
14	998,4	2,5	95	08	2			8	80	02
15	998,5	1,5	94	12	1			8	80 TD	02 TD
16	1001,3	1,7	97	00	0			8	82 TD	02 TD
17	997,2	6,3	87	13	2			8	81 TD	02 TD
18	995,3	1,8	92	26	1			8	80	02
19	983,0	1,9	92	25	1			7	73	16 SB
20	996,2	1,0	95	00	0			0	82	02
21	1001,5	-0,8	92	00	0			7	80	02
22	1002,5	1,5	91	00	0			8	80	02
23	1007,3	-0,6	96	03	1			7	63 SB	85 SB
24	1009,5	-2,0	80	16	2			1	80	02
25	1006,4	-4,9	82	16	1			0	80	02
26	997,1	0,8	92	12	3			8	81	03
27	992,8	3,5	80	10	3			0	81	01
28	1003,8	0,0	73	12	3			1	80	02
29	1013,6	-2,2	97	26	1			6	80	02
30	1018,4	-0,9	90	00	0			8	81 TD	02 TD
M:	1004,2	0,6	90		1,0			5,8		

KL. 13

DT	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.
1	1023,4	2,6	80	00	0	8	80 TD	03 TD
2	1019,4	3,0	76	36	1	3	88 TD	03 TD
3	1017,4	2,8	80	10	2	5	88 TD	01 TD
4	1018,0	1,4	95	00	0	7	56 TD YR	51 TD YR
5	1018,3	3,5	92	00	0	3	79 TD	02 TD
6	1015,5	2,2	87	28	1	8	70 TD	02 TD
7	1016,6	-2,1	82	28	2	2	80	02 S
8	1009,2	-0,7	70	24	1	0	89	02
9	997,1	2,1	87	23	1	7	75 TD	01 TD
10	999,3	1,4	96	09	1	8	70 YR	50 TD YR
11	998,1	3,5	90	12	2	8	70 TD R	63 TD R
12	992,3	2,4	97	00	0	9	09 T	45 T
13	1003,2	1,3	97	00	0	3	20 TD	10 T
14	997,4	6,0	94	12	3	8	70	16 YR
15	1001,1	5,2	92	29	1	8	86 TD	02 TD
16	999,1	7,0	88	12	2	8	82 TD R	60 TD R
17	996,1	5,8	86	09	4	7	89	02 TD
18	992,4	1,9	95	34	1	7	70	16 YR
19	996,5	2,8	89	10	4	8	80	02 TD
20	998,4	1,8	95	00	0	7	89	02
21	1002,4	1,0	91	00	0	7	80 TD	02
22	1002,5	1,9	91	00	0	7	82	02
23	1009,2	-0,7	91	23	1	4	65	40 TD SB
24	1009,8	-1,5	73	25	1	1	89	02
25	1005,4	-4,2	81	00	0	0	89	02
26	995,8	2,4	84	09	3	7	81	03
27	996,0	3,4	72	10	3	5	85	01
28	1006,2	1,6	73	12	4	2	88	02
29	1015,3	-2,4	85	00	0	2	89	02
30	1020,1	-0,6	80	15	2	8	84 TD	02 TD
M:	1004,4	1,8	86		1,3	5,7		

KL. 19

DT	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.
1	1021,1	1,9	92	13	2	3	88 TD	01 TD
2	1017,0	1,8	86	00	0	6	80 TD	03 TD
3	1018,0	3,9	79	27	1	6	83 TD	02 TD
4	1019,1	1,9	95	11	1	7	60 TD	20 TD YR
5	1017,2	2,4	85	28	1	8	75 TD	02 TD
6	1015,3	1,8	92	28	1	7	75 TD	02 TD
7	1015,3	-3,4	84	00	0	1	80	02
8	1007,0	-1,6	70	13	1	1	89	02
9	992,5	4,0	88	10	4	8	70 RB	80 TD RB
10	999,8	1,8	95	00	0	8	40 TD	40 TD
11	999,0	3,2	94	26	1	8	80 TD	20 TD R
12	993,9	2,1	97	14	1	9	20 TD	10 T
13	1003,0	2,0	95	30	2	8	80 TD	10 T
14	997,1	6,4	73	16	2	8	70	16
15	1002,8	2,2	95	00	0	3	80	02
16	999,0	7,1	87	08	4	8	80 TD RB	80 TD RB
17	991,0	5,2	97	00	0	8	80 TD R	61 TD
18	979,4	2,0	84	16	1	8	75	15 TD YR
19	989,7	3,7	86	10	1	7	82	02
20	999,7	0,6	95	00	0	6	80	02
21	1002,4	1,2	92	16	1	8	80	02
22	1003,6	2,0	80	00	0	7	80	15 SB
23	1009,9	-1,9	95	00	0	8	80	40 TD SB
24	1008,4	-2,2	79	12	2	1	82	02
25	1002,4	-5,2	85	00	0	0	80	02
26	993,9	2,8	84	15	1	8	70	02
27	998,7	1,0	75	16	3	2	85	01
28	1009,8	2,0	63	12	3	1	83	02
29	1016,5	-1,1	84	17	2	8	80	02
30	1021,2	-1,2	90	29	3	8	81 TD	02 TD
M:	1004,2	1,5	86		1,3	5,9		

DØGNET

TN	TX	R	FX	DT
-0,5	3,9		4	1
-1,5	3,0		2	2
0,6	4,1		3	3
1,1	4,2	0,8	1	4
0,9	3,5	1,8	1	5
0,4	2,4		2	6
-3,5	1,8	2,0	3	7
-5,0	0,8	0,0	3	8
-1,6	4,2	0,0	4	9
1,[illegible]	4,3	0,3	4	10
0,2	3,5	2,2	2	11
1,3	4,2	1,0	1	12
1,2	2,1		2	13
0,4	6,4		3	14
2,2	7,4	0,0	2	15
1,2	7,1		4	16
1,7	8,0	2,2	4	17
1,2	5,2	0,0	2	18
0,3	4,5	0,6	5	19
0,5	3,7		1	20
-2,0	1,3		1	21
1,2	2,4		1	22
-2,2	2,0	0,3	2	23
-4,8	-1,0	0,1	4	24
-5,0	-2,0		2	25
-5,5	3,4		4	26
0,3	5,1		4	27
-0,5	3,4		4	28
-2,7	2,5		3	29
-1,4	-0,6		3	30
-0,8	3,4	11,8		IM

NY-ÅLESUND II

OKTOBER 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.
1	1022,2	-1,7	91	17	1			8	80 TD	10 TD
2	1007,4	1,2	92	23	3			3	30 SL	68 R SL
3	1015,9	-5,0	87	00	0			1	80	01 SB
4	1016,8	-1,6	88	18	2			8	80 TD S	00 TD
5	997,7	-3,5	91	30	3			8	63 S	70 SB TD
6	1013,9	-0,8	88	10	1			8	60 TD	03 TD
7	1020,4	-6,6	86	00	0			1	88	02
8	1018,2	-4,1	95	15	2			0	20 S	73 S
9	1029,9	-4,7	59	12	2			0	80	02
10	1029,9	-5,0	82	11	2			7	80	02
11	1019,3	-1,3	92	13	1			8	63 S	72 S
12	1014,5	-3,1	85	27	3			8	70	00 S
13	1010,4	-13,1	79	00	0			1	80	02 S
14	1010,8	-11,4	63	15	3			0	89	02
15	1016,8	-15,8	81	27	1			2	83 RI	02
16	1014,3	-11,7	76	16	3			7	70	15
17	1006,9	-11,9	70	10	3			7	80	02
18	1005,2	-9,0	71	26	1			3	89	02
19	993,2	-3,2	76	09	1			3	82	02
20	983,2	-3,6	87	14	1			0	50 SB	85 SB SF
21	999,6	-9,4	58	30	3			2	80	02
22	1012,5	-11,2	59	34	3			1	89	02
23	1016,8	-10,1	53	15	1			3	80	02
24	997,2	-3,4	99	21	5			9	00 S	73 SL
25	1024,5	-6,5	87	12	2			8	70 TD	01 TD SB
26	1016,9	4,1	88	12	3			7	75 TD	00 R
27	1009,9	5,0	91	17	3			7	20 R	61 R
28	1005,5	6,0	91	20	1			3	60 R	62 R
29	1006,6	5,8	87	15	1			3	60 R	63 R
30	1014,1	2,6	96	00	0			8	60 R	63 R
31	1014,5	1,3	95	11	3			8	65 SL	68 R
M:	1011,8	-4,2	82		2,4			6,0		

KL. 13

DT	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.
1	1021,1	0,6	77	20	1	8	82 TD	10 TD
2	1009,3	-3,0	94	30	4	8	25	24 R SL
3	1019,9	-2,8	78	03	1	0	89	02
4	1011,4	1,8	85	18	2	8	70 TD S	70 TD S
5	1000,8	-2,2	91	30	3	5	75	01 TD
6	1016,8	-1,2	91	13	2	8	30 TD S	71 TD S
7	1021,0	-4,7	79	14	1	6	85	03
8	1019,0	-3,4	97	10	4	9	20 S	73 SB S
9	1031,8	-6,2	69	13	1	0	89	02
10	1027,9	-3,0	87	12	1	8	82	02
11	1017,6	-1,2	96	08	1	8	70 S	72 SB
12	1014,9	-6,2	84	27	2	8	70 S	70
13	1010,0	-13,1	76	00	0	4	89	03
14	1013,2	-13,6	77	17	1	0	89	02
15	1017,0	-12,2	75	16	1	8	89	03
16	1013,8	-12,2	71	16	2	6	89	01
17	1006,9	-11,8	75	18	1	6	89	02
18	1004,0	-5,2	82	13	4	7	70	01 S
19	991,2	-3,0	85	10	4	9	50 S	71 S
20	984,9	-5,0	70	13	4	8	70	15 SB
21	1004,6	-9,8	57	36	1	1	89	02
22	1014,9	-13,1	63	25	1	0	89	02
23	1009,8	-6,6	91	12	6	8	50 TD S	73 TD S
24	1006,0	-4,7	95	25	4	8	30 S	72 S
25	1024,9	-8,8	86	16	1	3	88	01 TD
26	1016,2	3,7	91	11	4	8	65 R	62 RB
27	1010,8	3,5	92	10	2	8	70 YR	52 R
28	1008,1	6,2	86	16	4	8	60 R	60 R
29	1009,5	3,6	96	09	1	8	60 R	63 R
30	1015,8	2,8	92	20	1	8	65 R	60 R
31	1014,8	1,7	92	11	4	8	65	15 LB
M:	1012,4	-4,2	83		2,3	6,1		

KL. 19

DT	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.
1	1017,1	0,7	91	12	3	8	40 TD S	73 TD S
2	1010,1	-3,7	92	30	3	8	62 SB	70 LB S
3	1021,5	-4,1	79	10	1	1	80	02
4	1006,6	3,2	82	13	3	3	70 YR	50 R
5	1004,0	-3,0	92	00	0	3	85	01
6	1018,4	-1,8	87	11	2	6	80 TD	01 TD
7	1019,8	-4,5	86	00	0	8	62 TD S	70 TD
8	1021,3	-0,9	80	10	3	8	70	16 SB
9	1033,1	-11,1	84	26	1	1	82	05
10	1025,2	-3,0	90	25	3	8	80	02
11	1016,3	-1,6	97	16	1	9	50 S	72 SB
12	1012,3	-6,1	88	09	2	9	50 S	75 S
13	1009,4	-11,2	68	15	2	1	80	02
14	1014,5	-13,6	76	22	1	1	80	02
15	1016,7	-16,0	75	22	1	1	89	02
16	1011,3	-13,7	75	14	3	6	89	02
17	1006,8	-10,8	75	16	1	5	89	02
18	1001,5	-5,0	72	10	3	6	80	02
19	985,1	-3,0	94	10	6	9	05 SF	39 SF S
20	989,0	-6,8	58	17	1	8	65	15 SB
21	1007,4	-10,0	59	34	3	1	89	02
22	1018,5	-15,2	72	23	1	0	89	02
23	998,8	-2,0	95	12	6	8	50 TD S	73 TD S
24	1015,4	-6,4	96	30	4	8	30 SF	38 SF S
25	1021,2	-3,4	72	12	2	8	70	03
26	1013,6	6,0	90	12	3	8	65 R	61 RB
27	1006,8	4,6	91	11	2	7	20 R	61 YR
28	1006,3	5,6	71	15	4	8	60 YR	50 R
29	1011,9	3,3	94	08	1	8	57 R	63 R
30	1015,1	2,6	90	18	2	8	65 R	60 R
31	1016,6	1,3	92	12	2	8	70 TD	02 RB
M:	1012,0	-4,2	83		2,3	5,9		

DØGNET

TN	TX	R	FX	DT
-2,2	0,7		4	1
-3,7	3,5	8,2	4	2
-6,5	-1,3	1,7	3	3
-5,8	3,8		4	4
-4,0	3,6	1,3	4	5
-3,0	0,6		4	6
-7,0	-1,8	0,0	3	7
-4,7	-0,2	1,0	4	8
-11,4	-0,9	1,7	5	9
-12,0	-2,4		3	10
-3,3	-1,0	0,1	3	11
-7,0	-1,6	2,8	3	12
-15,3	-6,1	0,6	2	13
-16,0	-10,2		3	14
-16,8	-11,8		2	15
-18,0	-10,6		3	16
-17,4	-10,8		3	17
-11,8	-4,8		4	18
-5,7	-2,2	0,0	6	19
-7,5	-2,8	2,3	6	20
-10,4	-6,8	0,2	4	21
-16,5	-10,0		4	22
-16,6	-2,0		7	23
-6,8	3,5	17,0	6	24
-10,0	-3,4	6,2	4	25
-3,4	6,0	2,0	4	26
2,0	6,0	16,1	4	27
2,7	6,2	21,0	5	28
3,3	5,9	14,0	4	29
2,4	5,0	29,4	3	30
1,0	2,6	3,3	4	31
-7,5	-1,4	128,9		IM

EKSTENSOTABELL

NOVEMBER 1979

ÅLESUND II

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1020,0	0,2	95	30	3			3	80 TD	01 TD	1022,1	1,1	86	00	0	7	75 TD	03 TD	1024,1	1,0	95	25	2	6	80 TD	02 TD	- 0,2	2,0	0,0	3	1
2	1028,0	0,8	92	13	1			6	80 TD	02 TD	1026,9	0,7	91	00	0	8	80 TD	02 TD	1026,6	- 0,2	92	30	0	2	80 TD	01 TD	- 0,5	1,1		3	2
3	1021,7	- 0,7	95	30	3			3	80 TD	02 TD	1017,7	- 0,9	86	11	4	8	70 TD	02 TD	1011,2	- 0,8	86	11	4	7	75 98	71 S	- 1,8	- 0,2		4	3
4	999,7	- 2,0	78	10	1			2	83		994,4	- 2,1	76	14	3	1	89	02	989,3	0,1	73	09	3	7	80 TD	03 TD	- 3,0	0,1	1,2	5	4
5	984,8	- 0,1	84	19	3			8	70 TD S	71 TD SB	986,5	0,5	95	25	2	8	65 TD	02 SB	987,5	1,3	87	09	3	8	70 TD	02 TD	- 0,7	2,2	0,0	4	5
6	987,5	0,8	80	10	1			7	80	00	987,2	1,0	80	10	4	8	80	02	988,7	1,5	88	10	3	8	80	02	0,0	1,8	0,4	4	6
7	993,5	0,0	76	11	1			2	80	00	995,5	- 2,0	76	14	3	4	80	02	996,9	- 2,4	73	15	3	3	80	02	- 3,1	2,0		6	7
8	999,7	- 3,9	63	14	2			3	80	02	1001,7	- 3,8	65	15	3	6	84	03	1002,4	- 3,8	67	14	3	3	80	01	- 5,0	- 2,2		3	8
9	1002,3	- 2,0	73	10	3			7	70	00	1001,4	- 2,6	64	11	3	1	89	02	1000,1	- 2,5	84	15	4	1	89	02	- 4,2	- 1,5		4	9
10	998,4	- 4,1	73	15	2			3	80	02 TD	998,9	- 7,4	41	25	1	2	86 TD	02	999,8	- 9,1	69	22	1	0	89	02 TD	- 9,1	- 2,2		4	10
11	1001,3	- 9,4	65	32	1			3	80	02	1002,6	-10,8	69	33	3	1	89	02	1003,2	-11,3	67	31	2	7	89	03	-11,8	- 7,5		4	11
12	1004,0	-12,3	21	20	1			6	60 TD S	73 TD S	1004,8	-12,2	77	30	3	8	65 TD	22 TD S	1005,6	-12,4	81	28	3	8	60 TD S	73 TD SB	-13,0	-11,1	0,8	3	12
13	1008,6	-12,5	80	27	3			6	80	00 S	1011,4	-12,7	73	26	3	7	60	26 SB	1013,0	-15,2	84	25	1	1	83	01 SB	-15,3	-11,9	2,4	4	13
14	1010,9	- 7,3	35	10	3			3	80 S	70	1010,5	- 5,2	99	10	3	9	10 S	73 S	1010,9	- 4,1	97	13	1	9	10 S	71 S	-17,0	- 4,1	0,0	3	14
15	1012,7	- 4,8	32	21	2			3	30 S	70 SB	1013,9	- 6,4	96	33	3	9	40 S	73 S	1016,0	- 9,3	77	27	1	8	80	26 SB	-11,0	- 3,5	9,3	3	15
16	1016,9	- 7,8	77	15	1			6	70	02 SB	1017,5	- 5,6	95	20	1	8	60 S	70 SB	1018,0	- 2,7	92	17	3	8	60 S	70 SB	-10,0	- 2,7	0,5	3	16
17	1017,2	- 4,8	34	19	2			3	80	00 SB	1013,4	- 3,7	85	12	2	8	70	26 SB	1006,2	- 3,2	79	17	1	8	70	02	- 5,0	- 2,6	0,7	3	17
18	995,0	- 2,8	85	22	1			3	60 S	70	991,8	- 2,3	92	25	1	8	65	26 SB	989,5	- 3,9	95	30	5	9	60 SF	38 SF	- 3,7	- 1,0	0,0	5	18
19	1000,5	-10,1	95	32	5			3	50 SF	38 SF	1005,4	-10,2	95	28	3	8	50 S	70 SF SB	1007,3	- 9,6	90	32	1	9	50 S	71 SB S	-10,2	- 3,4	0,0	6	19
20	1011,0	-10,7	79	31	1			3	60	01 TD S	1013,0	-11,8	76	27	2	7	70 TD S	70 TD S	1014,0	-12,8	84	30	3	9	60 TD	02 TD SB	-12,8	- 9,4	2,2	4	20
21	1009,3	-15,2	64	16	2			3	80	01	1011,6	-10,8	67	16	3	8	65 TD	03 TD	989,3	- 7,3	85	19	5	9	50 TD SF	37 SF	-15,2	- 7,3	0,3	7	21
22	975,0	- 2,0	73	39	7			3	60 TD	02 SF	975,6	- 1,2	75	09	6	3	80	01 TD	977,3	- 1,6	70	39	4	9	85	02 WL	-11,1	- 0,8		9	22
23	982,0	- 4,4	54	37	5			3	80	02	935,9	- 5,2	63	12	4	4	85	03	937,6	- 9,1	68	12	3	3	80	02	- 9,4	- 1,6		8	23
24	987,6	- 7,0	83	12	1			3	70	03	937,6	- 7,0	92	12	1	5	70	02	937,2	- 7,0	98	16	1	8	65	03	- 7,1	- 6,5		6	24
25	991,9	-12,0	81	12	3			3	80	00	935,2	-11,6	53	01	3	3	89	03	934,1	-15,0	68	27	1	1	80	01	-15,0	- 7,0		6	25
26	1000,5	-17,6	63	13	1			3	80	00	1002,8	-18,0	61	13	2	0	89	00	1005,9	-17,6	61	12	2	3	80	00	-19,3	-15,0		4	26
27	1012,0	-16,8	64	11	3			1	80	02	1014,0	-15,2	61	17	2	7	80 TD	03	1014,5	-11,5	55	17	2	8	80 TD	02 TD	-17,7	-11,5		3	27
28	1014,6	- 6,1	52	39	1			3	80 TD	03 TD	1015,3	- 7,2	97	20	1	7	80 TD	02 TD	1014,2	-10,8	58	00	0	2	80	02 TD	-11,5	- 6,0		5	28
29	1009,2	-10,7	72	23	1			1	80	02	1006,0	-10,4	71	15	4	0	89	02	1002,8	- 8,2	87	09	3	0	89	02	-12,0	- 8,2		5	29
30	997,3	- 8,7	87	13	1			3	80	02	995,5	-10,8	63	25	1	1	89	02	993,7	-10,4	71	16	2	1	89	02	-11,2	- 7,7		5	30
M:	1003,0	- 6,5	76		2,9			4,9			1003,2	- 6,5	76		2,5	5,4			1002,6	- 6,6	77		2,3	5,2			- 8,9	- 4,2	18,4		IM

DESEMBER 1979

ÅLESUND II

DT	KL. 07 P	T	UU	DD	F	D	SS	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	987,9	- 7,0	69	12	3			2	80	02	986,9	- 6,4	79	10	6	8	60 SF	03 SF TD	989,1	- 7,9	92	12	1	8	55 S	71 TD S	-11,6	- 5,1		7	1
2	989,8	- 8,8	91	30	3			3	70 TD	02 TD S	989,1	- 7,4	87	16	2	4	80	01 TD	987,6	- 7,8	86	25	1	2	80	01 TD	- 9,8	- 6,2	2,8	3	2
3	984,6	- 4,8	99	10	1			6	82	02 SF	984,3	- 3,2	72	08	5	1	82	02	984,4	- 4,2	99	08	1	6	82	03	- 8,5	- 3,0		5	3
4	983,1	- 4,8	70	09	4			3	80	02	983,9	- 8,5	69	11	4	1	89	02	984,8	-10,3	64	13	1	1	80	03	-13,3	- 4,2		5	4
5	986,0	-13,6	91	10	4			3	80	02	989,2	-14,8	62	12	4	1	89	02	991,2	-16,2	57	12	4	0	89	02	-15,2	-10,2		6	5
6	988,7	-15,9	57	12	2			3	82	00	1001,1	-16,0	55	13	2	0	89	02	1002,0	-17,6	64	21	1	0	89	02	-18,9	-14,6		4	6
7	1000,4	-18,2	68	30	3			3	80	02	997,5	-13,4	68	21	2	7	80	03	990,4	-11,6	73	21	2	3	83	01	-13,3	-11,4		2	7
8	987,3	-17,4	64	28	1			7	80 TD	02	939,4	-15,6	63	24	1	8	80 TD	02 TD	991,0	-13,2	65	31	3	3	86 TD	02 TD	-17,5	-10,4		4	8
9	995,1	-16,6	73	30	3			3	80 TD	02 TD	996,5	-16,6	78	00	0	1	86 TD	02 TD	997,9	-13,6	76	15	2	3	80 TD	02 TD	-18,3	-13,0		3	9
10	998,0	-14,2	75	17	1			3	80	02 TD	997,8	-11,6	69	16	2	8	88 TD	03 TD	997,4	- 9,6	75	13	2	4	82 TD S	70 TD	-17,5	- 9,3		3	10
11	998,2	- 7,4	94	17	3			3	30 S	73 S	999,9	- 7,2	96	00	0	9	30 S	71 S	1000,6	- 7,0	87	30	3	8	60	26 SB S	-10,2	- 7,0	0,3	3	11
12	999,2	- 6,3	97	18	1			3	50 SB	85 SB	1002,1	- 9,7	95	29	3	3	70	01 SB	1005,4	-18,8	94	30	0	0	80	02	-19,3	- 9,8	1,1	4	12
13	1009,9	-21,7	96	30	3			3	80	02	1011,6	-19,4	95	00	0	0	89	02	1009,1	- 8,8	90	18	2	9	60 S	70	-23,1	- 8,8	0,1	2	13
14	1007,8	- 0,2	32	30	2			3	50 S	70 SB	1008,9	- 0,6	91	13	2	9	50 S	71 S	1000,8	- 0,9	97	09	2	7	50 S	71 S	-10,2	1,0	2,1	3	14
15	1014,6	- 3,3	98	27	1			3	60	02 S	1016,9	- 5,2	98	12	1	8	60	02 S	1017,4	- 1,8	96	17	1	8	60	02	- 5,3	1,4	4,3	3	15
16	1017,5	- 2,5	96	30	3			3	80	02	1018,0	- 5,3	95	00	0	2	89	02	1016,9	- 3,2	88	39	2	8	70	02	- 5,4	- 1,8	0,0	2	16
17	1014,1	- 5,4	86	13	2			2	80	02	1012,7	- 8,2	87	25	1	0	89	02	1010,2	- 5,3	80	28	2	2	80	02	-10,3	- 2,2		5	17
18	1007,4	- 8,0	75	10	1			3	80	01	1007,4	- 7,0	77	11	2	0	89	02	1007,0	- 9,0	69	18	1	0	89	02	- 9,0	- 5,0		2	18
19	1006,1	-11,4	91	30	3			3	80	02	1005,5	-10,6	87	12	2	3	89	03	1004,1	- 8,4	92	18	1	8	83	03	-13,2	- 8,2		2	19
20	984,0	- 1,9	82	17	3			3	60 S	73 S	974,3	2,1	82	15	3	9	60 S	73 S	972,1	- 2,8	98	30	1	9	70 TD	02 SB	- 9,3	2,1	0,7	8	20
21	958,3	- 7,4	96	34	1			3	60 TD S	73 TD S	931,8	- 5,5	84	11	3	9	60 TD S	70 TD S	974,1	-16,4	77	33	4	9	30 S	73 S	-16,4	- 1,3	1,1	6	21
22	985,1	-15,0	63	27	2			1	80	01 S	935,1	-14,2	68	00	0	3	89	01	934,3	-14,1	69	13	1	0	83	01	-17,2	-13,9	4,5	4	22
23	992,7	-12,7	77	27	4			3	05 S	73 S	935,1	-12,6	88	27	5	8	20 S	70 S	1000,7	-13,8	90	29	4	8	20	36 S	-14,6	-12,3	3,0	6	23
24	1010,3	-14,5	90	30	4			1	70	01	1016,4	-16,1	77	30	3	0	89	01	1021,0	-20,8	86	12	1	0	89	01	-20,8	-13,8	0,0	5	24
25	1023,3	-21,2	91	16	1			3	80	02	1024,2	-20,4	75	13	1	0	89	02	1023,8	-19,7	84	13	1	0	89	02	-23,4	-19,4		1	25
26	1020,4	-13,8	95	13	3			3	80	02	1019,4	- 8,5	75	16	3	9	65 S	70 S	1017,2	- 5,3	91	15	3	9	60 S	70 SB	-19,7	- 5,3		3	26
27	1012,9	- 3,4	95	39	1			3	20	22 S	1010,1	- 3,8	97	13	1	8	20 S	70 S	1006,3	- 1,9	92	19	1	8	20 S	70 S	- 8,7	- 1,9	1,1	3	27
28	1001,5	- 8,6	90	27	3			3	30 S	70 SB	1002,0	-13,9	77	09	4	1	89	01	1002,9	-16,8	62	39	3	1	89	01	-16,8	- 1,9	5,5	4	28
29	1006,2	-25,4	72	30	3			1	80	01	1008,0	-21,6	69	31	4	4	65 TD	03	1009,2	-26,3	62	30	3	0	80	01	-26,3	-14,6		5	29
30	1008,4	-23,5	77	27	1			1	80	02	1008,2	-22,8	70	31	4	4	65 TD	03	1009,6	-26,0	76	33	3	3	60 TD	28 T	-29,5	-21,8		4	30
31	1012,2	-31,5	69	30	3			3	80	02	1011,6	-29,8	72	00	0	3	80	02	1008,9	-27,3	76	17	1	7	80	02	-33,3	-25,0		3	31
M:	1000,0	-11,9	81		1,8			3,6			1000,2	-11,4	79		2,4	4,1			1000,9	-11,8	79		2,0	4,1			-15,7	- 8,2	26,6		IM

EKSTENSOTABELL

HUPEN — JANUAR 1979

DT	KL. 07 P	T	JU	DD	F	D	SS	I	VV	VÆRSYMB.	MM	VÆRSYMB.	KL. 13 P	T	JU	DD	F	N	VV	VÆRSYMB.	MM	VÆRSYMB.	KL. 19 P	T	JU	DD	F	I	VV	VÆRSYMB.	MM	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	999,6	-17,3	08	36	3	4		1	80	SF	38		1004,8	-21,0	57	01	3	2	89	IN	76	SB SF	1013,3	-27,4	03	02	3	1	84	IN	76	IN SF	-27,9	-12,3		5	1
2	1017,5	-28,5	03	32	3	4		3	80		02		1013,4	-23,7	65	26	3	8	89		02	SB SF	1010,4	-18,1	58	27	3	8	50	IN	76	SB IN SF	-30,5	-18,1	0,3	6	2
3	1012,8	-19,7	04	00	3	4		1	80		02	S	1015,8	-18,8	61	35	3	3	89	NL	01	NL	1019,1	-18,2	64	36	2	2	89		02	NL	-20,5	-17,2	0,7	5	3
4	1021,2	-17,6	06	32	3	4		1	70	SF	30	SF	1022,7	-17,1	64	30	1	2	89		02	SF	1023,1	-15,9	79	29	3	0	89		02	NL	-19,9	-15,9		5	4
5	1018,5	-16,4	02	28	2	4		1	80	NL	02	NL	1011,5	- 7,1	85	09	1	8	89		02	SB S	1009,8	- 1,3	09	22	3	8	89		02	SF	-19,5	- 1,0		6	5
6	1002,1	- 1,4	74	22	1	4		7	80		02		1002,4	- 3,4	84	24	3	7	89		02		1002,9	- 6,2	78	03	3	7	89		02		- 6,2	- 1,0	0,8	6	6
7	1002,7	-15,2	77	08	1	4		3	82	S	71	S	1001,4	-15,5	77	05	5	8	30	SF	36	SF S	997,7	-13,2	77	03	3	8	05	S SF	73	S SF	-16,1	- 6,2	0,0	6	7
8	994,1	- 5,4	84	06	1	4		3	40	S	70	S SF	995,9	- 9,0	82	03	3	8	89		01	S	996,5	-12,0	70	04	3	8	30	SB SF	85	SB SF	-13,2	- 5,0	1,4	7	8
9	1000,0	-19,9	70	03	3	4		3	50	SF	36	SB	1002,0	-21,4	69	04	6	2	40	SF	38	SF	1003,7	-25,4	66	04	3	3	89		01	SF	-25,4	-12,0	2,0	7	9
10	1005,5	-30,0	62	04	3	4		3	80		02		1005,8	-31,6	63	04	4	1	89		02		1006,5	-31,6	64	04	1	0	89		02		-31,0	-24,9		5	10
11	1006,3	-31,6	66	07	3	4		3	80		02		1003,5	-27,8	66	07	6	8	40	SF	38	SF	1000,7	-21,0	72	07	3	8	40	SF	36	SB SF	-32,1	-21,0		6	11
12	1006,2	-21,0	73	29	3	4		1	01	SF	33	SB	1014,4	-22,8	72	30	5	1	89		01	SF	1021,0	-23,0	69	00	3	0	89		02		-23,0	- 8,5	3,0	7	12
13	1026,1	-23,5	69	06	1	4		3	80		01		1025,4	-24,0	66	05	1	1	89		01		1020,2	-22,4	70	06	3	8	02	S SF	75	S SF	-25,4	-22,2		6	13
14	1026,4	-17,4	75	05	3	4		3	02	SF	33	SF S	1010,2	-22,8	72	31	4	4	89		01	SF	1015,5	-19,3	75	23	1	0	89		02		-23,3	-15,8	0,9	8	14
15	1017,7	-19,2	01	00	3	4		3	80		01	SF	1038,5	-26,0	64	33	1	2	89		02	SF	1030,0	-20,8	64	23	3	3	89		03		-25,0	-12,2		5	15
16	1027,8	-13,4	07	24	1	4		1	81	SF	33	SF	1028,2	- 8,8	69	22	1	1	89		02	SF	1026,3	- 5,6	07	22	3	3	80		02	S	-21,2	- 5,6		5	16
17	1019,7	- 3,0	01	36	1	4		3	40	S	70	S	1017,2	- 2,4	84	21	5	7	08	SF	38	SF SB S	1011,8	- 2,5	82	22	1	8	60	SF	36	SF	- 8,8	- 1,4	0,2	5	17
18	1000,7	- 0,8	79	24	3	4		7	50	SF	33	SF	995,4	- 1,8	78	24	0	7	80	SF	38	SF	990,6	- 6,0	78	25	3	0	01	SF	33	SF	- 5,0	- 0,8	2,8	10	18
19	998,8	-10,2	01	31	3	4		1	80		02		1003,2	-11,7	83	33	1	1	89		02		1010,7	-13,0	74	33	3	3	03	SF	39	SF I?	-13,1	- 6,0		8	19
20	1028,2	-13,7	02	32	1	4		3	80		03		1032,5	-16,4	64	34	3	1	89		02		1035,6	-16,9	63	36	2	1	89		02	NL	-17,0	-12,8	0,0	6	20
21	1038,4	-19,0	70	34	2	4		1	80		02		1037,6	-22,2	74	04	3	2	89		02		1038,0	-22,6	78	05	3	1	89	IN	76		-23,2	-16,9		4	21
22	1040,0	-23,2	72	05	3	4		3	80		02		1039,2	-22,7	75	06	3	2	89		02		1035,5	-20,5	78	05	3	2	80	IN	76	IN	-25,1	-20,5	0,0	4	22
23	1029,5	-19,3	78	04	3	4		3	80		02	IN	1029,4	-19,6	78	05	3	2	89		02		1027,8	-20,3	78	06	3	1	89		02	NL	-20,5	-19,3	0,0	4	23
24	1031,3	-22,8	77	04	1	4		2	80		03	NL	1031,2	-23,8	74	05	1	1	89		02		1029,3	-24,2	75	06	1	0	89		02		-24,2	-20,3		4	24
25	1024,5	-24,2	75	06	1	4		0	80	IN SF	76	IN	1021,7	-23,2	75	05	1	5	40	TD SB	85	IN SF	1018,9	-19,6	79	04	5	7	80	SF	33	SF	-24,1	-19,6	0,0	5	25
26	1012,6	- 8,7	02	06	3	4		3	40	S	71	S SF	1014,4	- 9,0	78	06	3	8	89		22	S SF	1015,6	-15,2	78	06	1	2	80		02		-19,6	- 8,3	0,2	6	26
27	1015,5	-17,0	77	04	1	4		3	80		01		1014,5	-16,1	77	05	3	7	89		02		1019,3	-15,4	78	05	1	7	80		02		-18,0	-15,2	0,3	5	27
28	1005,8	-16,5	79	05	3	4		7	60	SF	38	SF	1003,6	-18,0	77	04	4	8	60	IN	76	IN SF	1001,2	-20,5	74	03	1	2	60	SF	38	SF	-20,7	-15,2		6	28
29	999,3	-10,7	08	03	1	4		3	60	SF	38	SB SF	1000,1	-19,8	68	02	1	8	50	TD	10	TD SF	1001,8	-19,7	65	01	1	3	50	SF TD	33	SF TD	-20,5	-19,5	1,6	6	29
30	1004,1	-19,8	09	02	1	4		7	50	SF	33	SF	1008,1	-24,4	59	01	2	2	89		02	SF	1011,6	-27,0	66	04	3	2	89		02		-27,4	-19,0		5	30
31	1015,9	-29,0	62	03	1	4		0	80		02		1018,1	-29,2	63	02	4	1	89		02		1018,7	-27,8	66	03	3	1	84	SF	38	SF	-30,3	-27,0		5	31
MI	1013,8	-17,3	71		3,8		3,7						1014,6	-18,1	71		3,9	4,1					1014,6	-17,8	72		3,9	4,1					-21,3	-13,5	20,1		IN

HUPEN — FEBRUAR 1979

DT	KL. 07 P	T	JU	DD	F	D	SS	I	VV	VÆRSYMB.	MM	VÆRSYMB.	KL. 13 P	T	JU	DD	F	N	VV	VÆRSYMB.	MM	VÆRSYMB.	KL. 19 P	T	JU	DD	F	I	VV	VÆRSYMB.	MM	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1020,1	-28,5	67	04	3	4		1	80	SF	38	SF NL	1020,3	-26,4	68	04	5	7	50	TD	10	SF TD	1020,7	-20,5	74	06	5	3	30	SF	38	SF	-29,3	-20,0		8	1
2	1023,6	-27,8	63	05	3	4		7	40	SF	38	SF	1025,2	-28,8	68	06	6	1	50	SF	38	SF	1026,7	-29,9	68	05	0	2	40	SF	38	SF	-29,2	-20,5		7	2
3	1026,8	-28,6	68	04	3	4		0	20	SF	39	SF NL	1026,1	-28,5	68	05	6	1	56	SF	38	SF	1025,6	-28,6	68	05	0	1	56	SF	38	SF	-31,0	-28,2		6	3
4	1023,0	-28,5	68	05	3	4		2	50	SF	36	SF NL	1022,3	-27,9	68	05	5	2	80	SF	36	SF	1021,7	-26,6	68	05	5	5	80	SF	36	SF	-29,2	-26,4		6	4
5	1022,3	-24,9	69	03	3	4		3	80		02	SF	1023,5	-26,4	70	04	4	4	89		02		1023,4	-24,9	72	06	1	0	89		01		-26,8	-24,9		6	5
6	1021,4	-23,4	73	08	3	4		1	80	NL	02		1020,5	-20,2	65	07	3	7	89		02		1018,4	-20,4	64	07	3	7	89		02		-25,0	-20,0		5	6
7	1015,2	-23,5	70	06	3	4		1	80		02		1013,8	-25,0	70	05	5	6	56	TD	10	TD SF	1012,3	-26,6	70	05	3	3	60	SF	36	SF TD	-26,6	-20,4		6	7
8	1010,2	-26,8	69	05	3	4		3	80		02	SF	1010,6	-26,3	70	04	6	7	89		03	SF	1010,7	-26,4	70	05	3	5	70	SF	38	SF TD	-27,2	-25,5		7	8
9	1008,7	-27,2	69	05	3	4		1	50	SF	38	SF	1008,3	-26,2	70	06	5	8	15	TD	10	SF TD	1006,1	-26,3	70	04	3	7	50	SF	38	TD SF	-28,3	-25,7		6	9
10	999,7	-17,6	75	04	7	4		0	03	SF	39	SF SB	1001,2	- 9,0	81	09	4	8	65	TD	10	S SB TD SF	1004,2	- 9,7	79	09	3	8	50	SF TD	36	SF TD	-26,6	- 8,6	3,0	8	10
11	1007,9	-16,0	77	08	1	4		3	80		01		1009,3	-19,0	73	07	3	6	89		03		1011,4	-23,4	70	05	4	2	89		02		-23,4	- 9,5	3,0	5	11
12	1015,9	-28,6	69	07	2	4		1	80		02		1017,6	-29,5	69	14	1	1	89		40	SO	1018,6	-29,0	69	00	0	2	80		02		-30,3	-23,4		5	12
13	1018,5	-26,7	68	00	0	4		0	03	T TR	49	T TR	1015,8	-24,2	73	10	1	8	80		01	T TR	1009,2	-17,9	78	18	4	8	30	S	71	S	-30,5	-17,9		4	13
14	1002,0	-11,9	73	33	3	4		6	80		01	S	1005,8	-20,6	68	02	3	4	89		02	SF T	1008,6	-23,8	67	00	0	0	89	NL	02		-23,8	- 8,2	2,4	5	14
15	1005,8	-21,5	77	03	1	4		8	80	S	71	S	1003,0	-18,5	77	22	2	8	50	S TD	71	S TD	1002,8	-15,7	78	06	1	8	20	S	71	S TD	-23,8	-15,7	0,0	2	15
16	1008,4	-17,6	74	09	2	4		3	60	S	70	S	1007,7	-17,5	77	12	2	8	40	S TD	70	S TD	1005,7	- 7,0	81	27	3	8	30	S TD	70	S TD	-19,1	- 7,0	0,7	3	16
17	1002,9	- 2,6	79	22	1	4		6	80		02	TD	1003,1	- 1,5	78	22	5	7	40	SF TD	38	SF TD	1002,9	- 1,0	81	22	7	9	03	SF TD	39	SF TD	- 8,4	- 0,6	0,3	8	17
18	999,5	0,0	78	24	3	4		3	50	S SF	71	S SF	1001,9	- 1,1	74	27	5	7	89		01	S SF	1010,5	- 6,0	77	24	4	0	89	NL	01		- 6,2	- 0,3	1,2	7	18
19	1012,0	0,2	78	23	6	4		3	80	SF	36	SF	1010,8	0,0	73	23	6	8	89		02	SF	1008,5	0,1	81	23	5	8	80	SF	36	SB SF	- 6,2	- 0,3	0,1	7	19
20	1005,2	1,2	81	23	6	4		7	70	TD	10	SF	1006,7	1,0	81	23	5	7	89		02	SB TD	1002,1	1,3	82	23	5	8	40	LB	84	LB	0,0	1,4	0,1	8	20
21	997,2	0,5	85	23	1	4		0	20	TD	10	T	998,2	0,6	84	21	4	9	20	TD S	73	TD S	982,4	0,8	79	24	0	8	50		40	TD SL	- 0,5	1,8	0,6	7	21
22	994,6	- 5,2	69	27	7	4		0	80	SF	36	S SF	997,4	- 6,0	75	27	4	7	89		02	SF	997,7	- 8,0	69	24	5	3	89		02		- 8,0	0,8	12,7	10	22
23	1010,9	-23,5	84	02	3	4		1	89		01	SB	1015,1	-24,4	64	02	2	2	89	SO	02	SO	1018,3	-27,1	65	36	3	2	89		02		-27,1	- 8,0	0,5	5	23
24	1023,3	-29,9	63	04	4	4		2	30		40	IN SF	1026,4	-28,1	64	34	3	8	10	TD	10	TD SF IN	1027,6	-28,1	67	33	3	1	35	TD SF IN	76	TD IN SF	-30,5	-26,9	0,2	5	24
25	1022,8	-27,8	70	35	2	4		1	89		02	TD	1019,5	-26,7	72	00	0	2	60	TD	10	TD SO	1012,8	-23,2	72	35	3	8	60	TD	10	TD	-28,2	-23,2	0,2	3	25
26	991,1	-16,3	79	06	4	4		8	30	S TD	71	S TD	992,6	-14,0	81	04	5	7	20	S SF	71	S SF TD	980,7	-16,4	79	02	7	9	03	SF	39	S SF	-23,2	-14,0	0,5	7	26
27	990,4	-25,0	68	34	6	4		1	03	SF	39	SF	997,5	-28,7	66	36	4	0	58	SO	40	SF SO	1003,4	-31,7	65	31	2	1	58		40	T	-31,7	-16,4	4,3	7	27
28	1012,4	-31,7	66	00	0	4		1	80		02	NL	1016,0	-29,9	65	00	0	1	89	SO	02	SO	1018,8	-31,5	69	02	3	1	89		02	SO	-32,4	-29,8		4	28
MI	1010,4	-19,2	72		4,1		4,5						1010,6	-19,0	72		3,7	5,4					1010,4	-18,8	73		4,2	4,9					-22,6	-14,9	29,8		IN

E K S T E N S O T A B E L L

HOPEN

MARS 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.
1	1018,7	-28,3	68	07	5	4		3	80	03 IN
2	1005,8	-20,7	73	07	7	4		0	02 T SF	45 T SF
3	987,2	-4,8	85	06	5	4		3	30 TD S	70 TD S
4	970,8	-4,5	81	07	7	4		0	01 S SF	73 S TD SF
5	987,9	-14,4	78	06	6	4		0	01 T S SF	73 T S SF
6	993,5	-25,3	68	04	3	4		8	30 TD SF	36 TD SF S
7	995,1	-19,5	73	05	6	4		0	03 TD SF	39 TD SF SB
8	984,9	-14,0	78	05	6	4		3	23 TD SF	38 TD SB SF
9	1008,1	-18,8	73	05	1	4		7	80	03
10	1018,2	-23,6	69	05	1	4		1	80	01 SF
11	1017,6	-23,6	70	05	6	4		3	03 T SF	41 T SF
12	1014,7	-13,8	75	04	5	4		9	06 T S SF	71 T S SF
13	1028,4	-21,2	72	06	7	4		0	01 TD SF	39 TD SF S
14	1037,4	-27,8	67	06	1	4		0	80	02 SF
15	1039,7	-24,9	70	04	1	4		1	80 SO	02 SO
16	1032,2	-18,3	67	06	3	4		1	80 SO	02 SO
17	1029,5	-28,6	67	04	3	4		1	03 T	44 T IN
18	1024,5	-29,2	67	00	0	4		1	80 SO	40 SO
19	1011,5	-24,4	72	04	3	4		7	30 TD SF	38 TD T SF
20	1004,6	-23,9	72	04	3	4		6	80 HA SF	40 HA SO
21	1008,0	-24,0	70	03	3	4		7	60 TD SF	10 TD SF
22	1012,9	-21,1	73	00	0	4		3	80	02
23	1017,0	-19,7	75	00	0	4		7	80 SO	02 SO
24	1022,8	-17,9	77	00	0	4		0	80	02
25	1025,8	-21,8	73	08	3	4		0	80 SO	01 SO
26	1016,7	-19,0	69	07	3	4		0	83 SF	38 SF
27	1003,9	-13,5	77	07	3	4		0	00 SF TD	38 TD SB SF
28	1009,0	-10,7	79	04	3	4		0	01 TD S SF	73 TD S SF
29	1006,4	-4,0	81	03	3	4		0	02 T TR	49 T S SF
30	1010,3	-3,0	84	07	2	4		0	03 T S TR	71 S T TR
31	1015,3	-1,0	82	22	3	4		7	70	40 T
M	1011,5	-18,2	73		4,3			6,1		

KL. 13

DT	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.
1	1017,5	-23,8	68	07	6	4	89 SO	02 SO
2	998,1	-19,1	78	06	6	9	01 S T SF	73 T S SF
3	984,0	-4,6	82	09	5	8	30 TD S SF	71 TD S SF
4	975,3	-2,1	82	11	6	9	05 T SF	45 T SF
5	990,0	-18,0	75	06	5	9	05 T S SF	71 T S SF
6	995,0	-24,2	68	03	5	6	65	01 TD SF
7	992,9	-10,0	81	03	6	9	03 T SF	45 T TD SF
8	987,0	-16,4	74	04	5	5	30 SF SO	40 SF
9	1011,1	-17,6	73	05	5	8	30 TD	10 TD
10	1019,9	-22,0	72	05	5	4	60 SF	36
11	1015,7	-20,5	73	05	6	9	03 T SF	45 T SF
12	1016,4	-13,8	75	03	6	9	05 T S SF	71 T S SF
13	1032,9	-23,8	68	05	6	3	58 TD SF SO	36 TD SF SO
14	1038,3	-26,5	68	05	3	0	88 SO	40 SO
15	1040,2	-24,7	70	05	1	0	89 SO	02 SO TD
16	1030,5	-22,4	65	01	3	4	89 SO HA	02 HA SO
17	1029,7	-26,1	69	05	4	1	89 SO	40 T SO
18	1020,8	-26,0	70	05	1	1	89 SO	02 SO
19	1008,8	-22,4	74	02	6	8	50 TD SF SO	36 TD SF SO
20	1005,1	-23,6	70	04	6	2	50 HA SF	40 HA SF
21	1009,9	-25,3	69	03	1	2	89 SO	02 TD SO
22	1014,2	-18,9	69	00	0	3	89	03
23	1018,7	-16,5	74	00	0	7	89 SO	02 SO
24	1024,5	-15,7	73	00	0	1	89 SO	01 SO
25	1025,5	-19,8	75	03	4	0	89 SO	01 SO
26	1013,7	-18,4	59	06	5	7	88 SF	38 SF
27	1004,1	-12,1	77	06	5	8	20 TD S SF	70 TD S SF
28	1010,2	-9,4	79	05	4	8	10 TD S SF	71 TD S SF
29	1007,9	-4,8	81	28	4	7	56	40 T S
30	1010,3	-1,0	84	08	2	9	02 T	47 T SB TR
31	1019,9	-3,4	84	00	0	9	01 T	45 T
M	1011,9	-17,2	74		4,0	5,2		

KL. 19

DT	P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.
1	1016,8	-24,6	67	07	6	1	89	01
2	992,6	-14,3	81	04	5	9	10 TD S SF	71 T S SF
3	978,7	-2,4	79	10	6	8	30 TD SF	38 TD SF S
4	980,9	-4,5	82	09	5	9	03 T S SF	72 T S SF
5	991,5	-19,8	73	05	5	9	05 T S SF	71 T S SF
6	995,5	-24,2	69	04	5	5	30 TD SF	36 TD SF
7	989,0	-5,8	82	05	4	9	08 TD SB SF	86 T SB SF
8	994,2	-18,6	72	03	5	5	20 SF	40 SF
9	1013,6	-17,6	74	05	5	3	60 SF	36 TD
10	1020,7	-23,6	70	05	5	4	89	03 SF
11	1014,4	-15,8	75	05	5	9	03 T S SF	71 T S SF
12	1019,7	-15,1	77	06	5	9	08 T SF	38 T SF S
13	1035,6	-27,0	66	06	4	0	89	02 SO TD
14	1038,5	-27,1	69	04	4	1	89	40 SO
15	1038,4	-22,0	66	02	4	2	89	02 SO
16	1029,7	-25,2	72	01	2	2	89	01 SO
17	1029,4	-26,4	69	03	4	1	89	40 SO
18	1017,5	-26,5	69	05	3	1	89	02 SO
19	1005,9	-22,2	74	04	6	8	50 TD SF	36 TD SF
20	1006,0	-23,3	73	04	5	0	88 SF	40 HA SF
21	1010,7	-24,2	69	04	3	1	89	02 SO
22	1014,8	-20,6	75	00	0	8	60 TD S	71
23	1020,1	-18,0	77	06	1	7	89	02 SO
24	1025,3	-21,0	75	00	0	1	58	40 SO
25	1023,4	-20,8	74	04	5	2	89	03 SO
26	1009,9	-18,4	73	06	6	8	30 SF	40 SF
27	1005,9	-12,0	77	06	5	8	20 TD S SF	73 TD S SF
28	1010,0	-8,9	79	04	5	8	10 TD S SF	70 TD S SF
29	1010,8	-7,8	82	28	2	7	56	40 T
30	1011,1	-0,4	84	06	2	9	04 T S	70 T SB S
31	1021,5	-1,3	81	06	2	8	60 TD	10 S TD T
M	1012,0	-17,4	74		4,0	5,3		

DØGNET

TN	TX	R	FX	DT
-31,5	-23,2	0,0	6	1
-25,1	-14,3		8	2
-14,3	-2,4	3,4	7	3
-4,7	-1,5	3,5	8	4
-19,8	-4,5	2,8	7	5
-25,3	-19,6	6,2	6	6
-24,2	-5,8	1,0	7	7
-18,6	-5,1	2,8	6	8
-21,1	-17,2		5	9
-23,6	-17,6		5	10
-24,3	-15,8		7	11
-15,8	-13,5	5,8	6	12
-27,0	-14,6	12,9	7	13
-28,0	-26,5		5	14
-27,8	-21,6		5	15
-25,6	-18,3		6	16
-29,0	-22,0	0,0	5	17
-30,0	-25,6		4	18
-27,2	-21,9		6	19
-24,4	-21,6		7	20
-26,0	-21,5		6	21
-21,2	-18,7		3	22
-21,6	-16,5	0,1	3	23
-21,0	-15,6		1	24
-24,3	-19,5		6	25
-22,0	-18,0		6	26
-18,4	-11,9	2,1	7	27
-12,4	-8,9	11,6	6	28
-9,1	-2,7	4,6	5	29
-8,1	-0,4	0,9	2	30
-3,8	-0,3	0,5	3	31
-21,2	-14,4	58,2		M

HOPEN

APRIL 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.
1	1022,7	-2,0	81	08	3	4		0	30 TD S	71 TD S
2	1026,2	-1,9	81	07	2	4		0	40 TD	10 TD S
3	1023,4	-4,2	78	05	2	4		1	60 TD	10 S
4	1023,1	-10,7	77	05	1	4		3	80	02 T S
5	1029,9	-15,6	69	00	0	4		0	00 T TR	48 T TR
6	1028,5	-9,3	75	06	3	4		1	30 TD S	73 TD S
7	1025,3	-19,5	62	05	1	4		0	07 T S SF	71 T S SF
8	1025,7	-18,3	59	02	2	4		7	13 TD S	71 TD T S SF
9	1031,5	-22,4	61	02	1	4		0	80 SO	02 SO
10	1029,9	-18,6	66	00	0	4		7	80 S	73 S
11	1033,1	-20,4	65	06	1	4		2	90 SO	02 SO
12	1038,8	-24,2	63	04	2	4		1	70 SO TD	10 T SO
13	1017,0	-14,1	66	24	1	4		0	03 S T	73 TD T S
14	1016,1	-22,4	65	03	3	4		7	03 SF T	38 S SF T
15	1031,7	-23,4	65	05	1	4		1	80 SO	01 SO
16	1034,0	-23,2	66	05	1	4		1	80 IN SO	76 SO IN
17	1031,8	-21,6	66	03	2	4		0	50 SO	40 SO
18	1027,6	-18,7	69	00	0	4		1	80 SO	02 SO
19	1009,3	-3,8	81	21	3	4		0	03 T S SF	71 S SF T
20	1015,2	-17,9	62	04	2	4		1	80 SO	02 SF
21	1015,1	-18,8	68	07	3	4		1	80 SO	01 SO
22	1011,2	-20,0	67	05	1	4		7	80 SF	36 SF HA
23	1009,1	-17,7	67	05	1	4		7	60 SB SF	85 SB SF
24	1011,0	-17,2	63	27	0	4		1	80 SO	01 KS HA SO TD
25	1019,8	-17,1	72	00	0	4		1	80 SO	02 SO
26	1014,6	-6,9	75	29	1	4		8	13 TD S	71 TD SF S
27	1014,4	-15,4	68	06	1	4		1	80 SO	01 TD S
28	1004,7	-14,3	69	06	1	4		8	81 S	71 S
29	997,9	-9,0	79	00	0	4		8	53 S TD	70 T S TR
30	1010,7	-16,0	69	05	8	4		3	80 SF	36 SF TD
M	1021,0	-15,5	69		2,9			4,9		

KL. 13

DT	P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.
1	1023,2	0,0	82	08	2	9	06 T	45 TD KS
2	1026,5	-3,2	77	06	3	5	70	01 TD SO
3	1022,9	-4,7	77	05	2	8	89	02 S
4	1025,0	-9,1	77	05	3	7	56 KS TD	77 KS TD SO
5	1030,7	-9,8	77	05	1	4	89	01 T TR SO
6	1027,8	-12,6	67	05	4	7	84 S	70 S TD SF
7	1024,8	-17,7	61	05	4	8	20 S TD SF	71 S SF TD T
8	1027,0	-19,6	59	04	4	3	50 TD SO	10 S SF TD SO
9	1031,5	-19,4	62	04	4	2	89 SO	03 SO
10	1030,2	-16,2	67	00	0	8	06 S T	78 S T TD
11	1034,9	-19,8	64	05	5	2	89 SO	02 SO TD
12	1037,5	-22,6	64	04	2	3	89 SO	03 SO
13	1008,8	-12,4	57	36	4	3	89 SF	36 S SB T
14	1022,0	-21,0	65	04	6	3	25 TD SF SO	38 SO TD T SF
15	1032,6	-22,1	64	05	3	2	89 SO	01 SO
16	1034,3	-22,1	66	05	4	1	89 SO	02 IN SO
17	1031,3	-20,4	63	32	3	1	89 SO	02 SO
18	1025,3	-14,5	65	11	2	5	89 SO	03 SO
19	1009,8	-7,4	67	24	4	7	86 S TD	71 S TD
20	1017,4	-17,0	62	05	3	1	89 SO	02 SO
21	1013,5	-17,1	65	05	4	3	89 SO	02 SO
22	1011,5	-17,5	67	06	5	1	89 SF SO	36 SO SF
23	1008,3	-14,7	69	05	4	6	89	02 SB SF
24	1013,9	-16,3	64	05	2	0	89 SO	02 SO
25	1021,6	-14,5	68	06	2	2	89 SO	02 SO
26	1015,7	-7,6	67	28	2	8	58 TD S	70 TD S
27	1014,1	-14,6	68	06	4	5	89 SO	03 SO
28	999,3	-11,0	72	05	5	9	05 T S SF	73 SF T S
29	1000,6	-2,0	79	12	4	8	12 S TD	71 S TD
30	1012,6	-15,4	68	06	6	3	50 SF	38 SF
M	1021,2	-14,1	68		3,4	4,4		

KL. 19

DT	P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.
1	1024,3	0,2	82	06	0	9	05 T	45 T KS
2	1025,2	-4,6	79	06	3	8	60	02 S
3	1022,0	-7,2	77	05	0	3	89	01
4	1026,9	-11,2	73	05	1	2	80	10 KS TD IN SO
5	1030,4	-11,3	74	00	0	3	80	02 SO
6	1026,9	-15,0	66	05	5	8	60 SF S	70 SF S
7	1024,1	-16,1	62	06	6	3	03 T SF S	71 TD T S SF
8	1028,8	-20,8	62	03	3	2	89	02 SO TD
9	1031,1	-20,2	63	00	0	5	89	03 SO
10	1030,3	-19,3	66	00	0	7	80 S	71 S T
11	1036,9	-21,0	64	03	5	1	80 SF	36 SO SF
12	1034,3	-21,6	65	02	1	0	80 SO	03 SO
13	1007,9	-20,7	63	06	5	6	03 SF	39 SF T
14	1026,2	-22,2	64	05	5	0	60 SF SO	36 SO TD SF
15	1033,4	-23,0	69	04	3	2	80 SO	02 SO
16	1031,7	-22,5	66	00	0	1	89	02 SO
17	1030,5	-20,6	62	01	1	1	89	02 SO
18	1020,5	-11,1	73	20	1	8	89	02 SO S
19	1009,7	-8,7	65	28	3	7	89	02 S TD
20	1018,3	-18,7	62	06	3	1	89	02 SO
21	1012,6	-17,9	68	05	4	6	89	03 SO
22	1011,3	-18,8	68	06	4	2	89 SF	36 SO SF
23	1007,9	-14,0	69	04	4	6	89	02 S
24	1016,4	-17,8	66	00	0	0	80 SO	02 SO
25	1020,4	-12,8	72	06	3	8	10 KS TD	77 SO KS
26	1015,6	-13,2	69	06	3	5	80	02 TD S
27	1011,9	-15,0	70	05	4	7	89 S	70 SO S
28	994,0	-0,9	84	15	3	0	05 S T	73 S T TD SF
29	1004,6	-8,0	73	08	6	8	58 SF TD	36 S SF TD
30	1013,7	-15,7	70	06	6	3	50 SF	38 SF
M	1021,0	-15,0	69		3,0	4,7		

DØGNET

TN	TX	R	FX	DT
-2,6	0,2	1,6	4	1
-4,6	0,2	2,6	3	2
-7,2	-3,4	0,2	3	3
-11,4	-7,2	0,6	3	4
-17,8	-9,3	0,2	1	5
-15,0	-9,2	1,3	5	6
-19,6	-15,0	4,7	6	7
-20,8	-16,1	10,3	7	8
-23,2	-18,5	0,9	5	9
-21,0	-15,2	0,0	1	10
-22,0	-18,9	0,3	5	11
-25,0	-21,0		5	12
-21,6	-11,0	1,1	6	13
-22,4	-18,0	2,7	8	14
-24,5	-22,0		5	15
-24,8	-21,6	0,5	4	16
-25,9	-19,6	0,0	4	17
-22,6	-11,1		3	18
-11,4	-3,4	3,9	6	19
-18,7	-8,7	2,7	6	20
-22,4	-16,9		4	21
-20,6	-17,5		5	22
-19,7	-14,0	0,5	6	23
-17,8	-14,0	0,9	4	24
-20,4	-12,8		3	25
-13,2	-2,9	12,9	6	26
-15,8	-13,2	1,6	4	27
-16,2	-0,9	0,4	5	28
-11,0	-0,9	8,9	6	29
-16,5	-8,0	4,8	7	30
-17,9	-11,7	63,6		M

EKSTENSOTABELL

HOPEN — MAI 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1015,5	-17,1	68	J5	3	4		3	10	SF SO	38	SF SO
2	1017,5	-13,5	74	J6	3	4		3	01	SF	39	SF
3	1006,9	- 9,9	81	J5	3	4		3	10	S TD SF	71	TD S SF
4	1017,7	- 8,2	82	J6	3	4		3	30	TD SF	36	TD T S
5	1014,5	-12,2	77	J6	3	4		3	13	TD S SF	70	TD S SF
6	1018,8	-14,2	69	J4	3	4		7	89		02	SF SO
7	1019,8	- 9,4	70	28	1	4		5	89		02	SO
8	1018,7	-12,2	64	J1	2	4		3	89	SO	03	SO
9	1012,4	-11,6	69	J2	2	4		3	80	S	71	S
10	1006,1	- 5,2	75	21	1	4		3	30	TD SB	85	TD SB S
11	1011,7	- 8,5	75	26	3	4		1	89	SO	01	SO
12	1017,7	-10,2	75	J6	3	4		2	89	SO	01	SO
13	1015,7	- 8,1	84	J6	3	4		3	89		02	
14	1005,5	- 8,2	77	J7	1	4		7	80		02	TD KS
15	997,0	- 5,1	82	J5	3	4		3	40	TD S SF	73	S SF
16	1006,3	- 8,1	75	J2	3	4		6	03	SF	39	TD S SF
17	1014,6	- 9,8	86	J3	3	4		1	90	SO	02	SO
18	1012,3	-10,4	72	J5	1	4		3	80	S	71	S
19	1003,9	- 8,9	89	J4	1	4		7	89	S	78	S
20	1009,3	- 8,9	86	J4	3	4		3	71		02	TD S
21	1017,0	- 7,8	68	21	1	4		2	80		03	KS
22	1023,1	- 8,1	84	J2	1	4		1	80	SO	02	SO
23	1024,5	- 8,2	85	J2	3	4		3	80	S	70	S TD
24	1024,4	- 6,7	88	J0	3	4		7	84	S	71	S
25	1023,5	- 8,6	78	J9	3	4		7	89	S	78	S
26	1018,1	- 6,8	79	J9	3	4		3	80		02	
27	998,2	- 1,6	87	J7	3	4		3	02	T	45	T S SF
28	1002,1	- 3,0	82	24	3	4		3	80		02	SF
29	1008,4	- 2,2	70	24	1	4		3	80		02	SF
30	1011,2	- 3,4	89	33	1	4		1	80	SO	02	SO
31	1019,0	- 2,4	85	24	2	4		7	80		02	SO
MI	1013,0	- 8,1	72		3,5			6,0				

KL. 13

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1015,9	-15,8	70	05	7	1	01	SF HA	39	HA SF SO
1006,1	-11,8	77	06	7	8	01	S SF	71	S SF
1009,9	- 8,9	81	06	5	8	15	TD S SF	71	TD S SF
1018,1	- 9,6	79	06	9	8	57	TD SF	38	TD SF
1015,3	-11,8	73	04	4	6	70		01	TD S SF
1019,9	-12,3	68	32	3	2	89	SO	01	SO
1016,9	- 6,8	84	23	4	2	89	SO	02	SO
1018,4	-12,4	58	32	2	1	89	SO	02	SO
1010,2	- 8,4	87	30	2	7	40	TD S	71	TD S
1007,2	- 2,7	70	18	3	7	89	S	70	S KS
1015,6	- 6,9	87	29	3	1	89	SO	02	SO
1017,5	-10,1	78	05	3	7	84	S	70	S SO
1019,4	- 7,2	77	12	1	8	84	S	71	
999,4	- 4,8	84	05	6	8	10	TD S SF	73	TD S SF
1009,5	- 6,8	73	03	5	6	30	SF SO	39	TD SF SO
1016,2	- 8,9	84	06	3	0	89	SO	02	SO
1008,8	- 9,1	72	06	4	8	35	S	71	S
1005,5	- 8,7	87	04	1	7	70	S	70	S
1011,6	- 8,9	87	04	3	8	60	TD S	70	TD S
1018,8	- 5,4	70	29	3	7	89		02	TD SB KS
1024,9	- 5,9	61	33	2	1	89	SO	02	SO
1024,8	- 7,1	62	04	2	8	80	S	70	S
1024,9	- 5,6	62	19	2	7	89	S	78	S
1022,7	- 7,5	74	12	1	7	89		02	KS S
1015,4	- 6,2	82	10	5	8	60	SF	36	SF
996,1	- 0,1	84	07	3	9	02	T	45	T
1005,5	- 3,8	89	23	4	7	25	SB	86	SB
1009,8	- 2,1	65	23	4	3	89	SO	01	SO
1014,2	- 1,7	62	04	2	1	89	SO	03	SO
1022,2	- 1,6	88	26	1	8	89		03	SO
1013,5	- 7,2	71		3,7	5,7				

KL. 19

P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1014,3	-15,8	72	J5	7	1	01	SF	39	SF HA
1005,9	-10,5	78	J6	9	8	02	T SF	45	T SF S
1012,4	- 8,8	82	J4	9	8	15	TD S SF	71	TD S SF
1015,6	-10,4	78	J6	9	8	01	T S SF	71	TD SF
1015,7	-13,4	69	J3	4	3	80		02	SO
1019,4	-10,6	73	25	3	3	89	SO	03	SO
1016,8	- 9,7	70	25	3	8	07	T S	71	S SB TD
1016,8	-12,6	64	J2	2	2	89	SO	02	SO
1008,9	- 9,4	88	J0	0	7	80	S	71	TD S
1007,7	- 2,6	74	J0	0	7	89	SO	02	SO
1017,0	- 8,5	84	J0	1	1	89	SO	02	SO
1017,0	- 9,1	79	J5	3	7	89		02	S SB
1013,4	- 6,0	74	14	2	3	89		02	KS S
999,3	- 6,4	81	J6	5	8	30	TD S SF	71	TD S SF
1001,7	- 7,6	79	J4	9	8	05	TD SF	39	TD SF S
1011,9	- 9,7	74	J4	1	7	20	S TD	71	S SF SO
1016,1	-10,8	88	J5	3	7	70	S	70	S SO
1006,1	-10,3	74	J7	3	8	35	S	71	S
1006,9	- 9,7	88	J4	1	6	89	S SO	70	S SO
1013,7	- 9,9	87	J2	2	8	60	S	70	TD SB S
1019,8	- 5,6	73	J3	2	8	89		02	
1025,3	- 7,2	89	J2	1	7	89	SB	86	SB
1024,5	- 7,6	84	J0	0	8	80		22	S
1025,0	- 7,2	88	17	2	7	89	S	73	S
1022,0	- 6,9	82	10	1	7	89		02	
1010,8	- 5,3	85	J8	0	8	50	S SF	70	S SF
992,1	- 0,1	84	J8	4	9	03	T	45	T
1006,8	- 3,8	94	20	5	1	89	SF SO	36	SF SO
1010,5	- 2,8	88	27	3	1	89	SO	02	SO
1016,5	- 2,4	84	J2	2	1	89	SO	01	SO
1024,3	- 1,5	73	24	3	1	80	SO	02	SO
1013,4	- 7,8	72		3,3	5,9				

DØGNET

TN	TX	R	FX	DT
-17,9	-14,8		7	1
-15,8	-10,5		9	2
-11,1	- 8,6	5,7	7	3
-10,4	- 7,5	1,8	7	4
-13,4	-10,4	1,0	6	5
-15,8	-10,6	0,0	6	6
-11,4	- 5,9		4	7
-13,6	- 9,5	0,0	3	8
-14,3	- 8,2	0,0	3	9
-13,0	- 2,3	1,0	4	10
- 8,7	- 2,4	0,2	4	11
-13,0	- 8,1		3	12
- 9,5	- 6,0	0,0	3	13
-10,5	- 8,0	0,7	5	14
- 7,6	- 4,5	3,0	7	15
- 9,7	- 6,6	3,8	6	16
-11,6	- 8,3	0,1	4	17
-11,5	- 9,0	0,4	5	18
-10,5	- 8,0	0,7	5	19
-11,4	- 8,6	0,0	3	20
-12,2	- 5,1	2,6	3	21
-11,5	- 4,9	0,1	3	22
- 9,0	- 7,0	0,0	3	23
- 8,2	- 4,8	0,0	2	24
- 8,6	- 6,2	0,0	5	25
- 8,4	- 5,3	0,0	6	26
- 5,6	- 0,2	2,3	7	27
- 4,3	- 0,5	0,7	7	28
- 4,1	- 2,1	0,1	6	29
- 6,1	- 1,2		4	30
- 4,8	- 0,9		4	31
-10,3	- 6,2	24,0		MM

HOPEN — JUNI 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1024,1	- 0,4	74	24	1	4		7	80		02	
2	1015,9	0,3	91	13	3	3		3	80		02	SO
3	1002,6	0,7	73	25	3	4		7	80	SO	01	
4	1002,8	- 1,5	70	29	3	4		7	80		02	S
5	1009,6	- 1,9	85	J2	2	3		2	80	SO	01	SO
6	1013,8	- 3,1	67	J1	3	3		1	80	SO	02	SO
7	1016,5	- 1,9	86	J4	3	3		3	80		02	
8	1007,7	- 4,4	79	J3	3	3		3	80		02	KS
9	1003,1	- 3,3	73	J4	1	3		3	80		02	
10	1002,9	- 2,1	75	J6	1	4		3	80	KS	77	KS
11	1004,0	- 2,8	77	J7	2	4		3	50	S	71	S
12	1005,5	- 2,6	70	29	1	4		7	80		02	
13	999,4	- 1,4	70	11	2	4		3	80		02	
14	998,8	- 0,7	87	06	1	4		3	23	SL TD	68	TD S
15	1000,5	0,2	82	J7	2	4		8	83	S	70	S T
16	1000,5	2,8	77	J0	0	3		7	80	SO	01	TD T SO
17	1003,5	1,1	82	26	1	3		8	80		02	TD
18	1006,4	- 0,6	75	J6	3	3		8	80		02	SO
19	1010,6	- 0,7	78	J3	3	3		8	80	S	70	S
20	1011,8	0,0	72	J3	2	3		7	80		02	KS TD
21	1013,5	0,1	73	J0	3	3		7	89		02	
22	1017,2	- 0,8	69	19	1	3		7	80		03	
23	1022,2	- 0,9	77	J0	0	3		3	84	SB	85	SB
24	1022,8	- 0,4	81	11	1	3		8	80	R	61	R
25	1018,9	1,6	72	09	2	2		2	89	SO	02	SO
26	1010,5	1,6	73	09	3	2		4	89	SO	02	SO
27	1001,0	1,7	85	08	1	2		9	00	T	45	T
28	1003,4	2,5	81	27	3	1		8	58	TD	10	TD
29	1007,2	0,6	82	06	3	1		8	23	TD	40	T RB
30	1009,7	- 0,9	84	06	1	1		3	63	TD	10	T
MI	1008,9	- 0,6	76		2,5			7,0				

KL. 13

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1022,9	1,2	75	23	4	8	89		03	LB
1027,2	- 0,1	85	10	3	8	15	RB TD	80	TD
1005,8	0,5	70	25	6	3	89	SO	02	SO
1016,4	- 0,3	61	34	5	4	89	SO	02	SO
1010,1	- 2,1	55	04	4	1	89	SO	01	SO
1015,5	- 1,2	64	03	2	6	89		03	SO
1015,4	- 1,4	63	03	2	8	89		02	
1006,7	- 4,0	70	04	3	8	75	TD	10	TD
1012,7	- 2,4	77	34	4	8	57	TD S	71	S
1013,3	- 1,0	67	33	2	8	89		02	KS
1014,7	- 0,9	65	00	0	7	89		01	S
1015,1	- 1,0	67	23	1	7	89		02	SO
998,7	- 0,7	74	13	4	7	89		01	
1010,4	0,2	85	05	2	8	25	TD YR	51	TD YR SL
1010,0	0,8	85	06	2	9	03	T	45	T S
1011,5	2,6	73	03	2	8	60	TD	10	TD SO
1004,7	1,9	74	05	4	7	89		02	
1007,6	- 0,6	70	03	2	7	89	S	78	S
1012,1	- 0,2	77	32	4	8	80	S	70	S
1012,2	0,3	72	28	2	7	89		02	KS
1014,7	0,8	72	27	3	7	89	SO	02	SO
1018,6	- 0,2	68	30	1	7	89		02	
1023,8	- 0,4	72	26	2	8	80	TD SB	85	TD SB
1022,4	0,1	82	08	2	7	89		02	R
1018,0	2,2	69	08	2	0	89	SO	02	SO
1007,4	2,3	68	08	4	3	89	SO	02	SO
1000,1	1,8	84	08	2	9	02	T	45	T
1035,4	2,8	81	19	3	8	70		02	TD
1008,1	0,6	84	05	4	9	05	T	47	T RB
1009,9	- 0,9	82	06	4	8	89		02	TD
1009,0	0,0	73		2,8	6,7				

KL. 19

P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1021,2	1,0	82	23	4	6	80		01	LB
1010,4	2,1	89	21	4	6	40		01	R
1006,5	- 1,8	88	25	5	4	89	SO	02	SO
1009,1	- 1,2	85	30	4	6	80		02	SO
1011,2	- 1,6	88	29	2	1	89	SO	01	SO
1016,3	- 2,6	72	J3	3	2	89	SO	02	SO
1012,5	- 2,3	88	J5	3	8	89		02	
1005,8	- 3,4	78	J4	3	7	80	TD	10	TD
1003,1	- 2,1	77	J2	2	8	84	TD S	71	TD S
1003,6	- 2,6	78	J2	2	8	60	S	70	S
1005,2	- 1,9	85	J0	0	7	89		02	
1003,3	- 1,4	74	20	2	7	89		02	
998,5	- 1,3	73	J8	4	8	89		02	
1001,7	0,8	82	J0	0	9	07	T	45	T YR
999,4	1,4	79	J0	0	9	05	T	45	T
1002,4	0,3	85	29	3	8	30	TD	10	TD T
1005,4	2,1	74	J2	4	6	89		01	
1008,3	- 0,9	77	J5	4	7	89	S	78	S
1012,9	0,3	73	29	3	6	89		02	S
1012,8	- 0,2	78	29	3	7	89		02	TD SO
1015,4	- 0,6	73	27	3	3	89		02	SO
1019,9	- 0,7	89	J0	0	7	89		15	
1021,9	- 0,8	78	19	2	7	89		02	SB
1021,2	0,3	81	10	2	7	89		02	
1015,8	1,3	72	09	3	5	89	SO	03	SO
1004,2	1,8	79	09	3	7	84	TD SO	10	TD SO
1000,4	1,9	82	22	2	8	40	TD	10	T
1006,7	- 0,2	84	J0	3	9	04	T	46	T
1008,8	0,4	84	J5	4	8	89	TD	28	T
1009,7	- 0,2	82	06	4	8	89		02	
1008,9	- 0,4	76		2,7	6,5				

DØGNET

TN	TX	R	FX	DT
- 2,4	1,4		5	1
- 0,4	2,8	0,0	5	2
- 2,1	2,3	2,6	7	3
- 3,5	- 0,3	0,0	7	4
- 4,0	1,0		4	5
- 3,6	- 0,8		4	6
- 3,1	- 1,1		4	7
- 5,0	- 2,2	0,0	3	8
- 4,0	- 2,0		5	9
- 2,6	- 1,0	0,1	4	10
- 3,8	- 0,7	1,6	2	11
- 4,2	- 0,9	0,1	2	12
- 2,4	- 0,5		4	13
- 2,1	0,8	1,0	4	14
- 3,9	1,5	0,0	3	15
0,3	4,1	0,0	3	16
0,1	2,1		5	17
- 1,4	2,2		5	18
- 1,9	0,3	0,7	5	19
- 0,9	0,5	0,0	3	20
- 1,0	1,3	0,2	4	21
- 1,9	0,1		4	22
- 1,5	0,0	0,2	2	23
- 1,1	0,4	0,6	2	24
- 0,2	2,5	0,0	3	25
0,6	2,4		4	26
0,6	3,0		3	27
- 0,2	3,0	0,0	4	28
- 0,4	1,1	0,2	4	29
- 1,3	0,4	0,0	5	30
- 1,9	0,7	7,3		MM

EKSTENSOTABELL

HOPEN — JULI 1979

	KL. 07										KL. 13										KL. 19										DØGNET				
ØT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	ØT
1	1008,5	0,2	81	Ø6	1			3	8Ø		02		1008,8	0,4	84	06	4	8	30	TD	10	TD	1008,6	1,1	81	Ø5	5	8	70		02	TD	- 0,4	1,5		5	1
2	1004,1	1,2	82	Ø6	5			3	73	R	63	R	999,4	0,7	84	09	4	8	65	TD R	62	TD R	1002,5	1,4	84	Ø8	2	9	05	T	43	TD T R	0,4	2,1	0,3	6	2
3	1008,4	1,1	84	ØØ	Ø			9	02	T	45	T	1010,2	1,4	84	09	3	9	02	T	45	T	1010,6	1,2	81	16	2	1	89	ØØ	02	T ØØ	0,5	1,6	9,0	3	3
4	1013,7	2,7	78	ØØ	Ø			7	8Ø		03	ØØ	1014,0	3,2	81	07	3	8	56	TD	10	TD ØØ	1013,3	2,0	84	ØØ	Ø	9	03	T	47	TD T RB	0,2	3,8		5	4
5	1017,3	2,6	84	28	1			9	04	T	45	T	1018,6	2,7	82	3Ø	4	8	20	TD R	60	TD R	1018,6	2,7	81	25	2	8	90	TD YR	90	TD YR R	0,0	3,2	2,0	5	5
6	1017,3	2,0	82	ØØ	Ø			8	73	TD YR	50	TD YR	1017,6	2,6	81	16	1	8	86	TD YR	50	T YR	1017,6	4,8	78	21	3	7	89		02	T YR	1,0	5,1	0,4	4	6
7	1020,1	2,7	81	2Ø	1			3	8Ø		02	3Ø TR	1020,1	1,9	84	05	2	8	60	TD	10	TD	1017,5	1,3	84	Ø7	3	8	3Ø	TD	02	TD T	1,3	5,2	0,1	4	7
8	1014,6	1,5	82	18	Ø			9	03	T	45	T YR	1015,3	4,2	82	23	1	7	84	TD RB	81	T RB	1016,9	2,9	78	27	3	5	89		01	TD	1,0	5,7	0,3	4	8
9	1018,6	2,3	72	28	1			3	8Ø	3Ø	02	3Ø	1019,2	2,6	78	ØØ	Ø	6	89		02	T	1019,2	3,0	82	10	2	8	57	TD	10	TD	1,0	3,3	0,1	3	9
10	1020,9	1,8	68	Ø6	1			1	8Ø	3Ø	02	3Ø	1022,2	3,3	75	08	1	1	89	3Ø	02	3Ø	1022,7	1,9	84	ØØ	Ø	9	02	T	46	T 3Ø	1,9	5,0		2	10
11	1023,3	3,6	72	Ø9	2			1	8Ø	3Ø	02	3Ø	1023,8	4,4	70	10	2	1	89	3Ø	02	3Ø	1021,4	4,7	66	Ø8	2	Ø	89	3Ø	02	3Ø	1,0	4,9		3	11
12	1024,6	4,4	73	Ø9	2			3	8Ø	3Ø	02	3Ø	1026,0	3,6	84	07	2	8	89		02		1026,5	4,7	75	11	2	1	89	3Ø	02	3Ø	2,6	4,9		3	12
13	1026,4	3,3	85	Ø9	3			9	03	T	47	T 3Ø	1026,7	3,2	84	Ø6	3	9	02	T	45	T	1026,8	3,4	84	Ø7	3	9	02	T	45	T	2,2	4,9		3	13
14	1026,8	3,3	70	10	1			1	8Ø	3Ø	01	3Ø	1026,9	4,8	67	Ø8	3	2	84	TD 3Ø	10	3Ø	1025,3	4,3	78	16	1	4	99	3Ø	03		2,1	5,9		3	14
15	1022,7	4,2	82	Ø8	2			7	8Ø	TD	10	TD	1022,3	3,9	82	07	3	7	89	TD	10	TD	1021,3	4,7	82	Ø7	2	7	88	TD	10	TD	2,9	4,7		4	15
16	1022,0	7,8	64	Ø7	1			1	8Ø	3Ø	02	3Ø	1022,2	5,8	65	Ø9	2	1	89	3Ø	02	3Ø	1021,9	3,7	79	ØØ	Ø	Ø	89	3Ø	02	3Ø	3,7	7,8		3	16
17	1020,4	5,9	66	Ø9	2			2	8Ø	3Ø	03	3Ø	1020,0	5,4	69	08	2	1	89	3Ø	02	3Ø	1019,2	2,6	78	Ø9	3	1	89	3Ø	02	3Ø	1,6	6,0		3	17
18	1012,9	3,2	84	Ø6	2			1	8Ø	TD 3Ø	10	3Ø	1011,2	3,9	74	07	1	1	70	TD 3Ø	10	3Ø	1008,9	4,1	85	ØØ	Ø	1	02	T	44	T	1,7	5,2		3	18
19	1005,5	4,0	84	ØØ	Ø			3	3Ø	TD	10	TD T YR	1004,9	3,8	81	07	2	7	80		01	TD T	1004,5	4,3	78	16	1	4	99	3Ø	02	3Ø	1,7	4,7	0,4	3	19
20	1003,4	4,7	77	35	2			7	8Ø		02	TD R YR	1004,3	3,6	75	35	4	8	70	TD	10	TD T	1005,8	3,2	79	Ø2	3	8	40	TD	10	TD YR	1,2	6,8	0,6	6	20
21	1008,7	0,4	82	Ø5	3			3	8Ø		02	TD	1011,0	0,1	82	Ø4	5	8	62	TD	10	TD	1012,2	0,0	79	Ø3	5	8	89		02	TD	- 0,4	3,4	0,2	7	21
22	1013,7	- 0,3	84	Ø5	3			3	8Ø		02		1015,1	0,0	82	Ø6	4	8	89		02		1015,9	- 1,1	85	Ø6	1	7	40	TD	10	TD T	- 1,1	0,4		6	22
23	1016,1	- 1,4	79	13	3			3	8Ø	TD KS	77	TD KS	1016,2	0,5	69	ØØ	Ø	3	89	3Ø	01	TD KS 3Ø	1016,4	- 1,1	84	27	2	1	80	TD 3Ø	10	TD 3Ø	- 1,8	0,7	0,0	5	23
24	1012,8	2,1	Ø6	29	1			1	8Ø	3Ø	02	3Ø	1010,6	2,7	72	3Ø	4	1	89	3Ø	02	T 3Ø	1009,3	2,8	73	29	3	1	89	3Ø	02	3Ø	- 1,5	3,7	0,0	4	24
25	1011,2	1,3	78	39	1			1	83		40	TD	1012,5	3,6	63	29	4	2	89	3Ø	02	3Ø	1012,2	4,2	64	29	3	5	89	3Ø	03	3Ø	- 1,1	4,9		6	25
26	1009,7	4,4	64	31	3			7	8Ø		02	3Ø	1010,0	5,2	57	28	4	6	89	3Ø	01	3Ø	1008,7	2,8	84	25	5	8	40	TD	10	T	1,8	5,8		6	26
27	1004,4	3,4	84	23	1			9	03	T	45	T	1012,3	2,9	82	21	3	9	05	T	45	TD T	1004,1	0,5	95	28	1	9	02	T	43	T R	0,2	4,0	0,1	5	27
28	1004,8	2,0	73	27	1			3	8Ø	3Ø	02	3Ø	1004,5	3,2	66	28	3	6	89	3Ø	02	3Ø	1002,9	2,1	77	25	3	7	8Ø		03	3Ø	0,3	3,8	0,1	4	23
29	1004,7	2,1	70	3Ø	3			3	8Ø		01	LB	1007,4	1,6	73	32	2	3	89	3Ø	01	3Ø	1007,6	0,3	79	3Ø	3	1	8Ø	3Ø	02	3Ø	- 0,1	2,6	0,2	3	29
30	1003,4	1,6	77	23	3			3	8Ø		02	SB T YR	1002,9	1,4	78	31	3	8	70	SB	85	SB	1002,8	0,9	89	14	3	7	8Ø		02	SB	- 0,4	2,0	0,0	4	30
31	1001,3	- 0,7	81	25	3			8	57	S	71	S	999,3	- 0,6	82	31	3	8	57	S	70	TD S	998,4	- 0,7	78	12	3	3	82		02	S	- 1,1	1,0	1,3	4	31
M:	1013,6	2,6	77		2,5		5,6				1013,7	2,8	77		2,6	5,6					1011,6	2,3	79		2,6	5,2					0,7	4,0	15,1		M

181

HOPEN — AUGUST 1979

	KL. 07										KL. 13										KL. 19										DØGNET				
ØT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	ØT
1	997,9	- 1,6		28	3			7	73		02		997,1	- 0,1		24	3	7	70		02	SB	995,7	- 0,4		24	3	8	50	S	71	SB S	- 2,0	0,3	3,3	4	1
2	995,0	- 0,3		Ø6	1			3	73	S	70	S	997,1	- 0,2		31	3	7	70	TD	10	SB S	998,5	- 0,8		28	2	8	60	TD	10	TD	- 1,1	0,1	1,0	4	2
3	998,9	1,4		23	3			7	83		02		998,9	1,3		21	4	7	84		02		997,8	1,6		22	3	8	15	TD YR	50	TD R YR	- 1,0	2,0	0,3	4	3
4	997,5	1,9		24	3			5	8Ø		02	3Ø	998,3	2,8		23	3	4	86	SO	02	3Ø	999,3	0,8		29	3	5	70	3Ø	10	3Ø	- 1,5	3,0	0,3	4	4
5	1002,7	2,0		31	3			2	83	3Ø	02	3Ø	1005,6	3,8		25	4	6	86		03	3Ø	1007,2	3,7		23	1	5	80		02	TD	0,2	4,7		5	5
6	1008,1	2,0		19	2			3	04	T	43	TD T YR	1008,6	2,0		17	1	9	03	T	45	TD T	1008,7	2,0		21	2	3	56	TD R	60	TD T R	1,0	4,5	0,0	4	6
7	1009,2	1,6		2Ø	3			3	6Ø	YR	53	TD YR	1011,0	3,6		22	2	8	70	YR	51	YR	1012,0	3,4		21	1	4	60	TD YR	51	TD T YR	1,8	4,3	1,1	5	7
8	1012,6	3,4		23	3			3	6Ø	TD YR	51	TD YR	1014,5	3,2		18	2	9	60	TD	10	TD YR	1016,0	2,2		3Ø	3	8	80		02	TD	1,3	4,5	0,1	4	8
9	1017,1	2,6		Ø6	3			3	6Ø	TD	10	TD T	1018,2	3,0		07	4	8	80		02	TD YR	1019,1	3,2		Ø6	3	8	80		02		1,3	3,7	0,0	4	9
10	1020,7	1,1		Ø9	3			9	02	T	45	T	1022,2	1,7		07	3	9	01	T YR	51	T YR	1023,3	0,8		10	3	9	03	T	44	T YR	0,3	3,9	0,0	4	10
11	1024,1	0,3		10	2			6	7Ø	TD	10	TD	1024,5	1,9		08	3	9	03	T	47	T SU	1024,0	2,3		Ø6	3	9	02	T	47	T YR	- 0,2	2,6	0,0	4	11
12	1021,8	3,3		18	1			3	15	TD R	60	TD T R YR	1021,2	3,7		18	3	8	20	TD R	60	TD R	1019,3	3,4		16	2	9	04	T R	60	TD T R	1,5	4,0	0,8	4	12
13	1015,8	4,2		29	1			8	2Ø	TD	10	TD T R	1016,7	2,2		03	1	9	02	T YR	50	TD T YR	1016,5	2,6		Ø6	2	9	02	T	45	T	1,9	5,3	7,3	2	13
14	1015,8	2,2		1Ø	1			9	01	T	45	T YR	1016,2	2,2		ØØ	Ø	9	02	T	45	T YR	1016,7	3,0		ØØ	Ø	Ø	Ø	T	44	T	1,1	4,3	0,1	4	14
15	1016,3	4,2		Ø5	3			9	02	T	45	T YR	1016,2	4,0		07	3	9	02	T	45	T	1015,6	6,1		Ø8	3	1	84		02	TD T	1,0	6,1	0,5	5	15
16	1013,5	5,2		Ø9	3			7	8Ø		03	3Ø	1012,9	4,4		Ø6	3	9	03	T R	60	TD T R	1012,6	4,3		Ø8	3	9	Ø5	T R	63	T R	3,7	6,6		4	16
17	1015,5	6,6		22	1			9	07	T	45	TD T RB	1017,8	5,6		21	3	5	86		02	TD	1019,0	8,8		22	3	6	7Ø	TD	10	T	2,8	8,8	9,4	5	17
18	1018,7	4,6		18	2			9	03	T	45	T R	1018,3	5,8		25	4	9	02	T	45	TD T RB	1020,0	3,8		27	4	7	80		02	TD T RB	2,1	9,1	0,1	5	18
19	1024,2	2,4		32	3			3	6Ø	TD	10	TD SU	1025,2	3,8		30	4	5	70	SO	10	TD SU	1025,0	1,2		29	4	6	60	TD	10	TD SU	1,0	4,8	0,0	5	19
20	1023,9	1,8		ØØ	3			3	86		01	TD T	1023,5	- 1,0		07	2	9	03	T	45	T SU	1022,6	- 0,2		37	3	7	05	T	45	T SU	- 1,1	2,9		4	20
21	1020,2	1,4		Ø6	1			3	2Ø	TD	10	TD T YR	1020,1	1,6		Ø5	4	8	25	TD YR	53	TD YR	1019,0	1,5		35	4	8	30	TD R	61	TD R YR	- 0,3	2,1	0,0	4	21
22	1018,3	1,8		38	1			8	6Ø	R	60	TD R	1017,8	1,8		Ø6	5	8	70	YR	52	R YR	1016,7	2,3		34	5	9	08	T	45	TD T YR	1,0	2,6	0,8	5	22
23	1015,8	2,8		Ø6	1			7	7Ø	TD	10	TD	1015,2	2,7		07	3	2	86	SO	02	TD SO	1013,3	1,7		35	5	8	86		02	SO	1,3	3,2	0,1	5	23
24	1005,9	1,7		34	3			3	5Ø	TD	10	TD YR	1003,9	1,2		03	6	8	57	TD S	71	TD S R	1001,7	2,4		32	5	8	60	TD R	61	TD S R	0,5	2,4	0,0	6	24
25	1001,6	1,0		27	3			3	5Ø	TD	10	TD R	1004,2	0,3		26	3	7	70		02	TD	1006,0	- 0,5		31	3	7	7Ø		02	SO	- 0,5	3,3	4,0	5	25
26	1008,1	0,9		33	1			8	5Ø	TD	10	TD	1009,6	0,1		32	4	8	30	TD	10	TD	1011,2	0,4		36	3	8	80		02	TD	- 0,8	3,4		5	26
27	1012,2	0,1		36	2			8	8Ø		02		1012,9	1,2		31	5	7	80		02	TD	1013,5	- 0,4		32	3	7	10	TD	10	TD	- 0,4	1,5		6	27
28	1015,7	0,4		Ø6	1			9	03	T	45	T RI	1017,1	1,9		Ø5	3	8	15	TD YR	50	TD YR	1018,6	2,5		Ø6	3	6	80		02	YR TD	- 1,0	2,5		5	28
29	1018,2	2,3		Ø6	1			8	5Ø	TD R	61	TD RB R	1017,5	2,7		Ø8	4	8	70	TD	10	TD R	1016,1	2,1		33	3	8	70	TD	10	TD	1,8	2,8	0,5	5	29
30	1013,5	1,4		Ø5	1			7	82		02		1013,9	1,1		Ø5	5	8	60	TD	10	TD	1013,9	1,0		35	5	8	60	TD	10	TD	0,5	2,1	0,1	5	30
31	1015,4	0,9		Ø6	1			7	6Ø	TD YR	50	TD YR	1016,5	1,2		Ø3	1	7	70	RB	80	TD RB YR	1016,2	1,0		34	5	7	7Ø	TD	10	TD RB	0,1	2,3	0,0	5	31
M:	1012,7	2,1			3,0		7,2				1013,3	2,2			3,3	7,2					1013,4	2,1			3,3	7,2					0,5	3,7	30,3		M

EKSTENSOTABELL

SEPTEMBER 1979

HØPEN

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1016,6	0,0		04	1			7	50 TD	10 SB	1016,7	1,3		03	5	6	85	02 SB SO	1015,6	0,5		03	5	8	50 TD	10 TD SB		1,6	0,2	6	1
2	1014,3	- 0,3		05	5			3	25 TD	10 TD YR	1013,2	- 0,3		02	4	8	30 TD YR	51 TD YR	1012,3	0,0		01	4	8	15 TD SB	86 TD SB YR	- 0,8	0,6	0,1	6	2
3	1013,4	1,2		26	3			3	20 TD	10 T	1015,9	1,8		05	3	8	15 TD RB	80 TD RB	1017,3	0,6		06	4	7	60 TD	10 TD RB	- 0,4	2,0	4,9	5	3
4	1017,4	- 0,2		00	0			0	09 T YR	53 T YR	1018,3	0,7		28	3	9	03 T	46 T YR	1018,7	- 1,0		28	1	9	03 T	44 T	- 1,0	1,2	1,6	4	4
5	1017,8	- 0,6		04	3			3	50 TD SB	83 TD SB T	1016,9	1,5		05	3	8	60 TD R	63 TD SL R	1015,6	0,8		05	4	9	60 TD	10 TD SL R	- 2,8	1,9	0,2	4	5
6	1013,0	1,4		01	2			7	70	02 T YR	1014,2	1,0		29	3	6	80 TD	10 TD	1015,5	- 0,6		30	2	7	60 TD SB	85 TD SB	- 3,6	2,2	3,8	5	6
7	1015,0	0,3		00	0			3	70 TD	10 GB	1014,8	0,5		00	0	8	50 TD	10 TD T	1012,7	0,2		03	2	8	70 TD	10 TD LB	- 0,7	0,7	0,2	3	7
8	1018,0	- 1,0		05	3			3	80	02	1018,3	0,0		05	5	8	80	02	1017,9	0,2		06	1	8	80 S	70 S	- 1,3	0,3	0,1	5	9
9	1002,4	1,2		05	1			0	02 T YR	50 T YR SL	1000,4	3,0		06	2	8	70 RB	80 T RB YR	999,7	2,6		07	3	8	50 TD R	63 TD RB R	0,0	5,1	0,5	5	9
10	999,0	3,1		23	1			0	03 T	47 TD T R	998,2	3,7		23	1	6	70 TD	10 TD T	998,7	3,1		21	2	8	70 R	61 TD R SO	2,3	4,8	9,4	5	10
11	990,1	2,4		06	2			0	03 T R	61 TD T R	998,8	3,3		07	3	9	03 T	45 T R	998,5	3,3		10	3	9	06 T	43 T	1,5	3,6	4,7	4	11
12	988,4	0,5		30	1			3	50 TD S	70 TD S R	999,9	1,2		24	1	9	03 T YR	70 T R S YR	996,6	1,3		23	4	6	60 TD	10 TD T YR	0,3	3,5	9,8	5	12
13	1000,8	0,1		18	1			0	80	02	999,4	2,7		03	5	8	70 R	60 R	996,4	2,2		04	6	9	03 T	45 T	- 0,5	3,3	1,6	6	13
14	994,3	3,4		06	1			0	03 T	45 T TD R	994,6	3,6		04	1	9	04 T	45 T	994,8	3,7		05	4	9	03 T	45 T	2,0	4,0	3,9	6	14
15	997,7	3,3		05	1			0	03 T YR	51 T YR	999,2	3,4		05	1	9	05 T YR	51 T YR	999,4	3,5		03	5	9	05 T R	63 T R	2,5	4,2	1,5	5	15
16	997,7	3,2		05	1			0	03 T R	63 TD T R	998,7	3,7		05	4	9	03 T	45 T R	997,8	3,0		04	4	9	01 T	45 T YR	2,6	4,2	8,5	5	16
17	994,4	1,0		04	3			0	02 T	45 T R	998,6	3,3		04	4	9	02 T	45 T	999,6	2,6		03	3	9	02 T YR	51 T YR	2,0	3,6	2,0	6	17
18	984,0	0,8		05	3			7	60 TD	10 TD T R	998,3	0,3		06	3	5	80 SO	02 TD SO	998,3	1,4		04	1	3	53 TD R	60 TD R	0,1	2,6	1,9	5	18
19	984,7	1,5		00	0			0	02 T	45 T	997,4	1,7		02	1	7	50 TD	10 T	998,7	3,7		05	2	8	80	02 TD	0,7	4,1	0,2	4	19
20	993,2	3,8		34	1			3	80	02 RB	996,0	3,4		34	5	8	80	02	998,5	1,2		00	1	8	80	02 TD	0,6	4,6	0,0	5	20
21	1002,6	- 0,4		29	3			0	03 T	44 T	1004,2	2,7		21	3	5	86	02 T SO	1005,2	1,3		22	3	2	86	01	- 1,2	3,1		5	21
22	1005,3	1,7		06	1			3	83	02 R	1003,5	2,0		03	5	8	60 R	61 R	1002,7	3,4		08	3	9	10 TD R	60 TD R	0,6	3,6	0,1	5	22
23	1002,8	3,0		06	1			3	20 TD R	63 TD R	1004,1	2,3		00	0	8	10 TD R	61 TD R	1005,0	2,4		05	2	9	20 TD YR	50 TD R YR	2,0	3,5	10,3	4	23
24	1005,1	0,4		19	2			3	80 TD S	79 TD S	1005,5	0,2		01	2	8	89	02 TD S	1005,2	- 0,4		05	3	7	89	02	- 0,5	2,8	5,9	4	24
25	1005,1	- 0,9		34	3			7	81	03	1005,1	- 1,0		30	3	7	84	02	1003,4	- 1,8		00	3	3	94	02	- 2,3	- 0,1	0,0	4	25
26	997,5	- 0,7		08	1			3	80	02 S	994,5	1,2		06	5	8	82	02 YR	991,7	1,6		06	5	8	70 TD	10 TD	- 2,2	1,6	0,1	5	26
27	989,6	1,4		07	1			3	60 TD	10 TD	990,7	1,2		06	4	8	65 TD	10 TD	992,3	0,6		04	1	8	53 TD YR	51 TD LB YR	0,5	1,9	0,0	5	27
28	994,0	1,1		04	1			3	50 TD	10 TD YR	997,9	1,8		04	4	8	57 TD	26 TD SL	1002,1	0,7		05	5	8	57 TD	10 TD	0,5	1,8	0,5	6	28
29	1008,3	0,6		03	1			7	81	02 SB	1012,2	0,2		36	3	7	84	02	1014,3	- 1,4		03	3	8	80	02 R	- 1,4	1,0	0,3	5	29
30	1017,8	- 2,3		01	2			3	81	02 KS	1020,2	- 2,9		02	3	6	84	12 TD YR	1020,4	- 2,5		02	1	7	81	02	- 3,0	- 1,2	0,2	4	30
MI	1002,1	1,0			2,9			7,7			1002,7	1,6			3,4	7,4			1002,6	1,2			3,5	7,6			0,0	2,5	73,0		IM

OKTOBER 1979

HØPEN

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,0	- 2,4	91	32	2			3	81	02	1024,5	- 2,8	90	02	1	8	86	02	1023,3	- 2,1	91	20	2	3	84	02	- 3,2	- 2,1	0,0	3	1
2	1014,2	1,0	00	21	1			3	60 R TD	60 GL R TD	1008,7	3,1	99	21	4	8	60 TD R	61 TD R	1010,2	0,7	99	28	4	7	82	02 TD R	- 2,1	3,1	0,0	5	2
3	1004,2	1,0	99	34	3			7	53 TD	10 LB	1013,2	- 0,7	84	02	5	8	84	02 TD	1017,8	- 1,7	81	34	5	8	81	02 TD S	- 2,4	1,0	4,2	6	3
4	1019,9	- 2,6	31	36	2			7	81	02	1018,6	- 2,5	84	36	2	7	84	02	1013,5	- 0,7	99	22	1	8	30 S	73 S	- 3,0	- 0,5	0,1	5	4
5	997,5	1,8	100	23	3	2		3	57 TD	10 TD S	993,6	- 0,2	92	28	5	8	82	02 TD	991,8	- 0,4	99	31	1	8	56 SB	85 SB	- 1,4	2,6	2,2	5	5
6	1007,9	0,4	99	35	1	2		3	86	02 SB	1013,6	0,6	96	05	3	5	84 SO	02 SO	1015,9	0,0	97	34	3	7	86	02 SO	- 1,4	1,5	0,5	5	6
7	1018,4	- 2,0	39	34	2	2		7	84 TD	03 TD	1019,8	- 0,4	84	09	3	7	86	02	1020,2	- 1,0	88	38	3	6	88	02	- 2,1	0,0		4	7
8	1019,9	- 1,2	95	38	3	2		7	84	02	1020,2	- 0,6	98	08	4	3	86	02	1020,9	- 0,4	97	38	4	4	86	02	- 1,8	- 0,1		5	8
9	1026,1	- 0,4	91	35	1	3		3	86	02 SB	1028,9	- 1,3	78	05	5	7	86	02	1029,2	- 2,6	86	32	3	1	86	02	- 3,0	0,0	0,0	5	9
10	1028,5	- 2,8	74	34	3	3		7	86	02	1027,7	- 3,0	79	03	2	7	86	02 SB	1026,4	- 3,0	75	31	2	7	86	02	- 3,9	- 1,8		5	10
11	1021,9	- 2,7	83	31	3	3		7	84	02	1020,0	- 0,1	90	26	3	7	84	02	1018,5	- 0,4	92	25	3	6	84	02	- 3,8	0,2	0,0	4	11
12	1015,4	- 0,1	96	23	3	4		7	84	02 TD H	1014,2	- 0,0	99	30	3	8	80 S	74 S	1011,3	- 0,8	95	21	3	7	85	02 S	- 0,8	0,3	0,1	4	12
13	1006,1	- 2,7	97	34	1	4		3	40 S	70 S	1005,8	- 4,0	99	04	5	8	80 S	70 S	1005,5	- 6,0	84	33	3	8	58 S	71 S	- 6,0	1,0	7,6	5	13
14	1007,0	- 2,7	76	32	2	4		7	82	02 SB	1008,9	- 6,6	78	01	2	7	82	02	1010,5	- 6,8	76	31	2	9	70 SB	85 SB	- 8,1	- 6,0	0,9	4	14
15	1013,2	- 6,9	76	32	3	4		8	84	02 SB S	1014,3	- 7,4	74	35	3	7	84 SB	85 SB	1014,5	- 8,0	71	32	2	7	84	02 SB	- 8,6	- 6,8	0,6	3	15
16	1013,2	- 8,2	76	32	2	4		7	83	02	1012,4	- 8,3	79	02	3	6	89	01	1009,4	- 7,1	83	37	1	8	84	02	- 9,0	- 7,1	0,0	4	16
17	1003,9	- 6,1	84	38	3	4		7	86	02	1003,4	- 7,7	80	36	2	3	86	02 SB	1004,3	- 7,8	81	32	4	9	80 SB	85 SB	- 8,4	- 5,7		4	17
18	1007,0	- 9,0	91	36	2	4		1	86	02 S	1006,0	- 9,3	85	17	3	7	86	02 SO	1005,6	- 2,2	70	16	4	7	86	02	- 9,0	- 2,2	0,0	4	18
19	996,0	- 0,5	39	30	3	4		7	53 TD	10 S	993,0	- 0,6	95	28	1	7	70 TD	10 TD SB	988,6	- 0,6	99	39	3	8	50 SB	85 SB TD	- 2,8	0,2	0,5	5	19
20	981,8	- 0,4	39	30	3	4		3	01 T	45 T S	981,2	- 0,9	99	00	0	9	06 T S	71 T S	981,2	- 0,9	99	30	0	9	04 T S	71 T S	- 2,0	1,0	1,2	4	20
21	987,9	- 7,1	87	32	0	4		8	02 SF S	73 SF S	993,4	- 7,3	81	01	5	8	04 SF S	70 S SF	988,0	- 8,4	73	32	3	8	60 SF S	70 SF S	- 8,8	- 0,8	10,0	9	21
22	1002,0	- 9,0	73	33	3	4		3	61 TD SF	10 TD SB SF	1006,5	- 8,0	77	02	0	8	30 SF SB	85 SB TD SF	1010,6	- 6,8	77	33	3	6	60 SF S	70 S SF SB	- 9,5	- 6,8	6,9	6	22
23	1019,2	- 5,0	77	00	0	4		8	84	02	1020,4	- 4,6	77	06	3	8	84	02	1014,3	- 2,0	95	17	1	8	60 S	71 S	- 7,1	- 2,0	1,3	5	23
24	1003,6	1,6	74	25	3	4		3	60 TD	10 TD S R	1007,1	0,0	72	25	6	8	80	02	1009,9	- 0,8	78	32	6	8	80	02	- 2,4	2,9	0,8	7	24
25	1022,2	- 2,6	77	35	3	4		6	84	03	1026,5	- 5,2	78	02	1	1	86	02	1026,7	- 3,5	79	32	2	7	86	02	- 5,9	- 0,6		7	25
26	1023,6	- 0,6	99	00	0	4		9	02 T	45 T TD	1023,2	2,8	99	23	5	8	58 TD	10 TD T	1022,8	1,3	99	23	5	8	12 TD	10 TD	- 3,5	5,0	0,0	5	26
27	1018,7	2,4	85	22	3	4		3	80	02 TD T	1018,8	2,2	99	23	5	5	56	40 T	1017,3	1,8	99	23	5	9	03 T	47 T TD	- 0,3	4,0	0,1	7	27
28	1017,8	1,5	78	22	3	4		1	80 TD	10 TD	1016,1	3,0	90	24	5	4	30	40 TD T	1017,8	- 0,3	99	19	3	8	50 TD	10 TD T	- 0,5	6,5		6	28
29	1017,0	1,8	99	22	3	4		9	02 T	45 T	1018,4	2,5	86	23	2	8	70 TD	10 TD T	1019,1	2,2	90	22	4	3	82 NL	02 TD NL	- 0,6	3,0		5	29
30	1021,2	2,1	84	22	3	4		2	81	02 TD T	1021,5	- 0,3	94	00	0	8	60 TD	10 TD	1021,4	0,4	91	23	3	8	60 TD	10 TD	- 0,6	3,4		5	30
31	1020,5	0,2	90	21	1	4		8	70 TD	10 TD	1020,3	0,0	91	20	2	8	60 TD	10 TD	1019,6	- 1,5	95	21	2	1	84 NL	02 NL S NL	- 1,7	0,5		5	31
MI	1012,2	- 2,1	88		2,9			6,7			1012,9	- 2,0	87		3,2	6,8			1012,5	- 2,2	88		3,4	6,8			- 4,0	- 0,2	37,6		IM

EKSTENSJONSTABELL

NOVEMBER 1979

HØPEN

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1021,6	= 3,6	94	19	1	4		2	84		02	
2	1028,3	= 4,4	39	25	2	4		3	80		02	T YR
3	1024,1	= 1,1	90	34	3	4		7	84		02	
4	1000,3	= 0,8	97	07	1	4		3	20	TD	10	TD S
5	987,6	= 0,5	99	10	1	4		3	30	TD	10	S
6	989,1	= 0,5	99	13	5	4		3	10	TD SB	86	TD S
7	992,2	= 1,2	99	17	1	4		3	40	TD	10	TD
8	995,8	= 1,4	99	17	1	4		3	20	S	71	S
9	994,9	= 0,7	99	15	1	4		3	50	S	70	TD S
10	989,2	= 3,2	86	12	5	4		3	60	SB	85	SB S
11	997,6	= 7,4	65	13	3	4		6	84		02	
12	1002,7	= 9,2	82	10	3	4		5	84		02	S
13	1006,8	= 7,2	95	28	3	4		5	82		02	
14	1014,7	=10,4	78	36	1	4		1	81	S	78	
15	1016,8	= 6,8	81	36	2	4		0	84		02	
16	1017,7	= 2,4	81	23	1	4		2	84		02	
17	1021,3	= 2,0	86	22	1	4		3	80		02	
18	991,1	= 0,8	100	10	1	4		3	10	S TD	70	TD S
19	993,7	= 3,0	98	28	7	4		0	00	SF	39	SF
20	1006,8	= 4,0	89	32	1	4		3	50	SB	85	
21	1007,8	= 2,0	89	28	1	4		0	84		02	S
22	978,4	= 0,0	100	09	2	4		0	02	T	45	T S
23	978,5	= 2,0	89	24	0	4		3	00	S	75	S
24	985,0	= 3,0	89	28	1	4		3	40	SF	36	SB SF
25	987,2	= 6,2	77	33	0	4		1	84		02	IN
26	998,8	=12,8	73	36	3	4		1	84		02	
27	1011,4	=17,0	78	36	1	4		2	84		02	
28	1018,1	=16,8	78	30	0	4		1	84		02	
29	1013,2	=14,1	91	35	1	4		1	84		02	
10	998,5	= 7,2	93	38	1	4		3	50	S	71	S
Mi	1002,3	= 5,2	88		3,2			5,7				

KL. 13

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1024,2	= 5,6	99	00	0	2	15	TD	10	TD T
1028,4	= 1,6	97	35	4	8	56	TD S	71	
1019,4	= 0,9	91	03	3	8	60	TD	10	TD
934,1	= 0,9	99	10	4	8	15	TD S	70	TD S
988,3	= 0,4	98	12	4	8	20	TD S	78	TD S
991,6	= 0,7	99	12	4	8	30	TD S	70	TD S
993,0	= 1,4	90	08	4	7	80		02	TD
997,7	= 0,5	99	10	4	7	65	TD	10	S
992,2	= 1,6	99	06	6	8	20	TD S	70	TD S
991,6	= 3,7	90	02	5	8	57	SB	85	SB
998,7	= 8,6	68	02	4	4	84		02	
1004,5	= 7,8	73	29	2	2	84		02	S
1010,1	= 7,4	65	30	4	7	82		02	
1015,6	= 9,0	74	36	2	1	84		02	
1017,5	= 6,6	81	26	2	0	86		02	
1020,5	= 4,6	99	04	3	8	20	SB	86	SB
1017,9	= 1,4	97	18	1	8	80		02	
938,8	= 1,5	99	19	4	8	30	TD	10	TD S
1031,0	= 2,4	77	27	7	7	20	SF	36	SF
1010,4	= 6,1	93	27	3	7	10	S	73	SB S
1024,0	= 4,1	99	07	5	8	50	S	70	S
976,0	= 1,2	100	06	2	9	04	T	45	T TD
931,6	= 3,8	99	22	1	7	70	SB	85	S
935,3	= 3,4	87	08	4	5	84		02	SF
931,1	= 8,6	85	03	4	7	58	SB	85	SB
1031,5	=13,8	77	05	3	7	84		02	S
1014,3	=17,0	78	06	1	1	84		02	
1018,4	=17,2	84	00	0	1	84		02	
1039,8	=11,3	91	06	3	7	84		02	S
995,3	= 5,5	79	11	5	8	70		02	S
1002,8	= 5,3	89		3,4	6,1				

KL. 19

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1026,2	= 3,6	99	00	0	2	53	TD	10	TD
1028,2	= 0,8	91	33	2	7	84		02	TD S
1013,9	= 1,6	99	05	2	8	15	TD	10	TD S
988,3	= 0,8	99	13	5	8	05	S	72	TD S
988,3	= 0,3	90	11	4	9	50	S	71	TD S
992,9	= 1,0	99	11	1	8	05	S	73	TD S
993,9	= 1,4	98	07	1	8	70	TD	10	TD
998,2	= 0,8	99	05	1	8	80		02	TD
989,8	= 2,4	91	04	5	8	84		02	TD S
991,5	= 4,8	77	02	5	6	80		02	SB
999,9	= 9,0	73	02	3	6	82		02	
1004,5	= 6,8	78	29	2	4	82		02	S
1012,2	= 7,6	69	29	1	8	82		02	
1016,4	= 8,9	77	36	2	1	84		02	
1017,5	= 5,0	89	22	3	3	84		00	
1022,0	= 3,6	99	04	2	8	80		02	SB
1017,1	= 0,8	97	12	1	8	80		02	S
988,2	= 1,0	95	23	1	8	10	TD SB	86	TD SB
1004,5	= 3,6	74	28	0	6	82		02	SF
1013,7	= 6,1	87	30	3	7	50	SB NL	85	SB SF
993,1	= 1,5	100	09	1	3	10	S	72	S
971,7	= 1,5	100	06	3	3	03	T	45	T
933,5	= 3,8	99	09	3	8	05	SB	86	SB
934,8	= 3,2	94	06	1	8	82		02	S
994,1	=11,3	91	05	1	3	82		02	SB
1004,3	=15,0	77	03	3	2	84		02	
1016,7	=17,8	77	04	1	1	84		02	
1017,9	=17,2	84	00	0	1	84		02	
1006,1	=10,1	93	08	1	7	84		02	S
999,5	= 5,2	89	10	1	7	80		02	S
1012,4	= 5,2	88		3,4	6,1				

DØGNET

TN	TX	R	FX	DT
= 6,0	= 1,5	0,3	3	1
= 5,4	= 0,6	0,3	4	2
= 1,6	= 0,8	0,3	4	3
= 1,9	= 0,3	0,8	5	4
= 1,1	0,0	0,7	5	5
= 1,3	= 0,1	0,4	6	6
= 2,0	= 0,7	0,6	5	7
= 2,1	= 0,4	1,1	5	8
= 2,5	= 0,1	1,0	6	9
= 4,8	= 2,2	0,9	6	10
= 9,4	= 4,7	0,6	6	11
= 5,6	= 6,6	0,2	4	12
= 9,1	= 6,5	0,3	5	13
=11,4	= 7,6	0,0	4	14
= 9,4	= 5,0		4	15
= 5,6	= 2,0		4	16
= 3,9	= 0,6	2,3	6	17
= 2,0	= 0,4	0,7	5	18
= 3,6	= 0,6	0,8	7	19
= 7,0	= 3,5	0,0	6	20
= 6,5	= 1,5	2,9	6	21
= 4,9	= 0,5	2,4	5	22
= 5,3	= 0,8	7,7	6	23
= 4,1	= 2,5	7,6	5	24
=11,3	= 3,2	0,0	5	25
=15,3	=11,3	0,8	4	26
=18,1	=14,7	0,0	5	27
=19,2	=16,4		4	28
=18,1	= 9,7		4	29
=10,5	= 5,2	0,2	6	30
= 9,7	= 3,7	32,6		IM

DESEMBER 1979

HØPEN

KL. 07

DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	989,0	= 7,1	74	35	3	4		3	84		02	
2	992,9	= 7,7	77	30	3	4		3	84		02	
3	986,2	= 9,4	89	39	1	4		7	82		02	
4	978,8	= 1,8	89	38	1	4		3	10	S	73	S
5	982,8	=14,5	39	35	3	4		3	02	SF	39	S SF
6	983,5	=22,5	85	32	3	4		2	50	SF	36	SF
7	991,5	=13,7	82	34	3	4		1	82	SF	36	SF
8	984,3	=22,3	78	32	3	4		3	82		02	S
9	990,4	=14,7	85	33	3	4		7	80		02	SB SF
10	998,8	=15,8	79	34	1	4		3	84		02	
11	1002,4	=15,3	86	34	3	4		3	84		02	
12	1003,8	=10,2	97	34	3	4		1	80		03	
13	1008,9	=13,7	84	33	3	4		1	84		02	SF
14	1015,4	= 4,4	79	22	3	4		3	80		02	
15	1017,9	= 1,4	84	23	1	4		2	82		02	
16	1021,5	= 1,9	94	18	2	4		0	82		02	
17	1015,2	= 2,5	89	39	3	4		3	82		02	
18	1003,7	= 2,0	99	08	3	4		3	20	S	70	S
19	1001,1	= 3,1	99	04	1	4		3	50	S	70	S
20	997,0	= 6,5	99	25	3	4		3	84		02	
21	985,6	1,6	99	23	3	4		3	50	YR	51	SL S YR
22	988,5	= 7,2	79	25	1	4		7	80		02	SB
23	995,1	= 3,5	74	24	1	4		3	80		02	SF
24	1006,4	=10,0	77	36	3	4		3	70	S	70	S
25	1023,2	=13,7	79	34	2	4		0	84		02	
26	1024,3	=11,7	93	34	3	4		2	84		02	
27	1015,7	= 9,3	89	30	0	4		1	84		02	
28	1000,8	= 3,0	99	23	1	4		3	80		02	KS SH TD
29	1001,8	=16,3	85	35	1	4		3	82		02	SB
30	1006,2	=22,4	86	35	2	4		0	84		02	
31	1009,9	=26,5	70	32	2	4		0	84		02	
Mi	1000,5	= 9,9	87		3,3			4,3				

KL. 13

P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
938,8	= 5,3	90	03	2	1	84		02	
931,6	= 6,5	99	00	0	8	84		02	
935,3	= 2,3	81	11	4	8	82		02	
978,1	= 3,7	99	04	5	8	10	S	72	S
934,7	=18,7	90	04	6	9	02	SF	39	SF
936,4	=21,4	86	03	5	2	50	SF	36	SF
931,6	=11,6	77	03	5	4	84		36	SF
934,4	=21,4	81	03	2	1	82		02	
934,1	=15,8	87	02	1	5	40		02	S
1010,0	=16,8	90	30	3	1	84		02	
1004,5	=15,4	81	04	3	0	84		02	
1010,8	= 5,4	95	20	5	8	20	S SF	70	S SF
1012,7	=15,0	81	35	3	1	84		02	
1017,1	= 3,8	81	22	5	6	84		02	
1019,6	= 1,1	73	24	4	0	84		02	
1022,2	= 2,6	94	18	2	7	82		02	
1012,9	= 2,6	97	07	3	8	70	S	70	S
1013,2	= 2,5	99	07	4	8	20	S	70	S TD
1031,7	= 3,4	99	05	4	8	80		02	S
931,1	= 2,8	99	19	4	8	80		02	
932,2	0,0	90	22	5	5	80		01	LB YR
938,5	= 4,7	84	21	4	7	80		02	SB
935,4	= 4,8	73	29	4	7	75	SB	85	
1012,5	=12,0	78	04	3	3	84		02	
1024,7	=12,8	86	04	2	3	82		02	
1023,4	= 9,9	94	06	2	2	84		02	
1013,7	= 7,3	99	00	0	6	84		02	
998,2	= 4,8	95	26	2	6	82		02	
1034,2	=20,6	85	04	3	1	84		02	NL
1035,8	=22,0	82	00	0	0	84		02	
1010,9	=26,5	70	36	2	0	84		02	
1030,7	= 9,8	88		3,2	4,5				

KL. 19

P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.
990,9	= 7,1	90	33	3	1	84		02	
989,0	= 4,9	89	36	1	6	81		03	
931,9	= 2,4	90	36	1	7	82		02	
980,4	=10,0	88	34	0	3	00	S SF	70	S SF
987,7	=21,9	86	32	0	6	05	SF	38	SF
987,0	=18,6	85	36	3	3	60	SF	36	SF
988,6	=12,8	87	33	1	3	82		02	
991,4	=16,1	87	32	3	7	70	SF KS	77	KS SF IN IS
987,1	=16,0	86	33	3	3	80		02	
1020,7	=18,7	88	30	2	1	84		02	
1005,6	=17,9	95	34	1	1	81		02	
1020,1	= 7,4	89	35	3	8	20	S SF	71	S SF
1014,9	=13,9	97	34	1	4	60	SB	85	SB
1016,8	= 2,8	78	22	4	2	84		02	
1021,7	= 4,2	98	30	0	5	82		03	
1021,1	= 1,8	91	10	3	8	82		02	
1010,0	= 2,6	95	09	3	8	70	S	70	S
1002,0	= 2,0	99	07	1	8	40	S	70	TD S
1001,5	= 4,8	97	06	3	8	80		02	
979,7	= 0,3	99	21	4	8	20	YR	57	SL S YR
988,6	= 3,8	77	25	7	5	80	SF	36	SF S
997,7	= 4,7	99	27	3	0	00	S SF	74	S SF
999,1	= 8,2	59	28	5	2	84		02	SB
1017,5	=13,5	82	04	2	2	84	30 TR	02	
1025,6	=12,8	89	04	2	5	82		02	
1021,6	= 8,9	90	05	2	0	84		02	
1009,6	= 7,5	97	00	0	8	84		02	
998,7	=10,3	90	05	5	9	58	SB	85	SB
1005,7	=21,4	78	04	3	0	84	NL	02	NL
1005,8	=20,8	84	04	2	5	84		03	S
1010,7	=27,1	72	36	1	0	86		02	
1000,8	=10,4	88		3,4	4,8				

DØGNET

TN	TX	R	FX	DT
= 3,1	= 5,3	0,0	5	1
= 3,1	= 4,3		4	2
= 3,1	= 1,3		5	3
=11,0	= 1,4	0,3	6	4
=21,9	=10,0	9,8	7	5
=21,0	=18,6		7	6
=13,6	=11,0		6	7
=23,0	=12,1	0,5	5	8
=16,5	=14,0	1,9	5	9
=18,0	=14,5	0,1	4	10
=19,1	=14,6		3	11
=18,6	= 3,7		6	12
=16,3	= 7,4	0,0	5	13
=14,5	= 2,8	0,0	5	14
= 4,5	= 0,8		5	15
= 1,5	= 1,6		4	16
= 3,1	= 1,7		4	17
= 4,0	= 2,0	0,1	6	18
= 5,5	= 1,9	0,7	5	19
= 7,6	= 0,3	0,0	5	20
= 5,0	1,6	3,7	9	21
= 8,0	= 1,6	4,1	9	22
= 8,3	= 3,5	3,4	9	23
=13,5	= 7,5	0,0	6	24
=15,4	=12,4		3	25
=13,3	= 8,6		3	26
=10,0	= 6,7		3	27
=10,3	= 2,3	0,0	5	28
=21,4	=10,3	0,2	6	29
=23,0	=20,8		3	30
=28,6	=20,8	0,0	4	31
=13,2	= 7,2	25,8		IM

EKSTENSOTABELL

BJØRNØYA — JANUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	NN VÆRSYMB.	KL. 13 P	T	UU	DD	F	I	VV VÆRSYMB.	NN VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	NN VÆRSYMB.	DØGNVET TN	TX	R	FX	DT
1	1002,3	-5,9	79	34	5			3	80	02	1002,1	-6,2	74	33	6	7	50 SB SF	85 SB SF	1003,0	-10,4	86	35	5	3	80	02 SB SF				6	1
2	1018,1	-24,3	66	34	3			1	80	02 SF	1017,6	-26,6	72	19	3	3	88	02	1012,9	-11,6	79	32	5	3	89	03 NL	-27,5	-11,6	0,3	6	2
3	1012,4	-8,5	77	35	4			3	80 SB	85 SB	1014,8	-10,8	72	08	2	4	89	01 SB	1018,7	-12,0	72	37	3	3	80	01	-14,2	-9,4	0,2	5	3
4	1021,6	-17,3	73	11	3			3	80 NL	02 NL	1022,9	-18,1	75	12	3	2	89	02 NL	1022,9	-17,6	81	12	4	3	80	02	-19,2	-12,0	0,1	4	4
5	1012,6	0,4	82	19	3			0	80 SF	36 3 SF	1010,2	-0,9	79	21	3	7	85	02 SF	1007,5	-1,9	84	21	5	7	80	02	-17,9	-0,6	0,1	7	5
6	1005,5	-1,9	81	20	1			1	80	02 NL	1003,4	-3,0	81	14	3	4	89	02	999,9	-4,5	84	14	2	2	80	02	-5,3	-0,3		5	6
7	993,8	-8,4	90	19	3			3	80	02	992,3	-3,7	86	06	4	8	70 S	71 S	997,8	-4,3	92	07	4	2	89	02 S	-9,1	-3,5		4	7
8	985,6	-1,6	90	11	3			3	80 SB	86 3 S3	987,0	-3,6	76	08	4	4	89 SF	36 SF SB	988,3	-6,0	88	06	3	3	81 SF	36 SF S	-8,2	-3,2	0,0	5	8
9	992,5	-11,4	85	06	3			3	80 SF	33 SF	996,0	-15,6	82	04	3	3	80 SF	36 SF	998,1	-17,2	82	05	3	3	80 SF	33 SF SB	-17,2	-6,0	0,1	6	9
10	1000,7	-23,2	75	05	3			4	80	02	1001,5	-24,0	75	05	4	1	86 TD	10 TD	1001,1	-24,9	74	07	4	3	89	01 TD	-24,3	-16,2	0,3	6	10
11	990,9	-8,9	90	12	3			7	80 SF	33 T SF	991,5	-7,2	89	25	4	7	70	01 SB SF	995,2	-7,3	86	26	4	7	80	02	-24,7	-4,3	0,1	9	11
12	1010,4	-18,3	73	02	1			3	80	02 SF	1015,4	-18,8	74	06	3	2	89	02	1018,8	-18,5	67	08	1	3	80	02	-13,7	-7,3	2,3	6	12
13	1016,4	-14,4	81	07	3			3	30 SF	33 3 SF	1014,6	-10,7	88	08	3	8	82	02 S SF IN	1009,6	-5,2	73	09	3	3	20 TD	10 3 SF TD	-14,6	-5,0	0,2	6	13
14	1008,7	-15,3	76	01	3			3	20 3 SF	71 3 SF	1015,5	-16,5	79	01	2	3	89	02 SF S	1020,3	-9,8	86	27	2	4	80	02 SB	-17,1	-3,3	1,2	6	14
15	1021,8	-7,2	77	29	3			3	10 SB SF	85 SB SF	1030,4	-13,1	77	04	4	0	60	01 SB SF	1032,5	-16,5	77	16	3	3	80	01	-17,5	-7,2	0,4	7	15
16	1029,8	-6,3	79	22	3			7	80	03	1027,0	-6,6	79	11	1	5	89	02	1022,5	-3,9	92	15	1	1	80	02	-16,3	-1,9	0,1	5	16
17	1016,8	-1,2	79	17	1			3	80	02 3	1017,1	-0,9	89	19	4	5	84	03 SB	1014,6	-3,1	92	20	1	3	80	02 TD	-5,7	-0,5	0,3	5	17
18	1008,0	0,8	92	24	7			3	30 R TD	60 R TD SF	1006,0	0,2	90	26	6	8	30 TD	10 TD SB R	1005,9	0,4	94	25	7	2	80 NL	02 NL SB TD	-3,3	1,3	0,3	7	18
19	1008,1	2,7	93	28	8			3	80	02	1010,5	5,0	72	30	3	7	60 TD	10 TD SB	1015,9	5,5	76	31	3	3	80 TD	85 TD SB	-5,3	0,4	0,1	8	19
20	1030,0	5,1	76	30	7			7	70	02 SB TD	1034,0	5,9	70	32	7	5	80	02 SB	1034,6	6,6	69	39	3	3	20 SB	80 SB	-6,6	4,7	0,4	8	20
21	1033,1	-13,2	72	10	3			7	80	03	1032,6	-14,7	64	09	5	8	82	03	1031,3	-16,8	78	08	3	0	80	02	-16,3	-6,6	0,6	5	21
22	1029,9	-11,5	82	09	3			2	80 SF	36	1029,6	-11,2	81	10	0	3	87	02 SF	1027,9	-11,8	84	10	1	1	80	02	-16,3	-11,0		6	22
23	1020,4	-7,9	90	11	1			7	05 SB	80 SB	1019,5	-8,5	75	10	3	3	89	01 SB SF	1019,4	-8,4	86	10	4	0	80 SF	33 SF	-12,6	-7,5	0,4	6	23
24	1020,2	-11,3	86	05	3			3	80 SF	33 SF NL	1020,2	-12,4	86	06	5	4	89 SF	36 SF	1018,3	-13,8	86	05	3	2	30 SF	38 SB SF	-13,3	-9,4	0,1	6	24
25	1013,3	-13,0	86	06	3			7	30 SF	38 SB SF	1010,1	-13,4	88	04	0	4	25 SF	10 SB SF	1005,4	-11,8	89	06	3	0	05 SB SF	80 SB SF	-14,0	-11,3	0,3	7	25
26	1005,1	-7,1	78	12	1			3	80	26 SB SF	1005,9	-6,1	79	16	4	5	70	26 SB	1005,8	-6,7	79	07	3	3	60 SF	30 SB SF	-11,3	-4,1	2,0	7	26
27	1003,4	-8,6	82	08	3			3	81 SF	36 SF	1002,7	-6,4	74	08	6	7	84 SF	36 SF SB	1000,8	-7,4	71	07	3	3	89 SF	36 SF S3	-8,5	-6,0	0,4	6	27
28	995,6	-8,9	89	06	3			3	70 SF	33 SF S3	994,7	-9,2	89	04	6	8	05 SF SB	85 SF SB	995,3	-13,5	84	04	3	2	80	02 SB SF	-13,5	-7,2	0,8	7	28
29	997,8	-17,6	78	02	1			3	80	02 SF	999,7	-17,9	77	36	4	7	82	03 SB	1001,2	-18,2	78	08	1	7	80	02 SB	-18,5	-12,2	1,1	6	29
30	1004,8	-18,1	76	01	3			3	80	02 SB	1006,5	-16,4	76	04	3	4	87	02	1008,5	-16,7	75	08	3	2	80	02	-18,2	-15,1	0,2	4	30
31	1010,7	-18,4	79	09	1			3	80	02	1011,2	-20,2	79	08	5	8	68 TD SF	38 TD SF	1011,2	-19,7	79	08	3	3	20 3 SF	71 TD SF 3	-20,3	-16,7		5	31
M:	1010,1	-10,2	80		5,0		5,4				1011,0	-10,8	79		4,5	5,3			1010,0	-10,9	81		4,4	4,4			-11,8	-6,6	13,0		IM

BJØRNØYA — FEBRUAR 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	NN VÆRSYMB.	KL. 13 P	T	UU	DD	F	I	VV VÆRSYMB.	NN VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	NN VÆRSYMB.	DØGNVET TN	TX	R	FX	DT
1	1011,1	-15,5	85	08	0			3	05 SF S	73 SF S	1011,9	-16,4	84	08	6	8	10 SF	38 SF S	1011,7	-17,1	94	08	3	3	60 SF	36 SF S	-20,8	-15,2	0,0	6	1
2	1004,9	-8,9	89	08	7			3	05 SF S	70 SF S	1006,7	-5,9	92	10	7	9	02 SF	39 SF S	1008,5	-7,3	86	10	7	7	20 SF SB	85 SB SF	-17,8	-4,0	0,2	8	2
3	1009,2	-11,6	84	09	8			3	10 SF	38 SF S3	1008,0	-11,2	85	09	8	9	04 SF SB	85 SB SF	1007,7	-8,6	86	09	4	3	30 SF	39 SF S3	-12,3	-7,3	1,9	9	3
4	1006,1	-6,8	85	10	7			7	05 SF SB	86 SB SF	1006,3	-6,5	85	11	6	8	18 SF	39 SF SB	1006,3	-7,0	86	10	3	7	01 SF	39 SF S3	-8,6	-6,2	0,6	9	4
5	1007,7	-7,0	89	11	7			7	05 SF SB	85 SB SF	1009,7	-7,3	86	11	7	8	60 SF	38 SF SB	1010,8	-7,2	88	11	3	4	15 SF SB	85 SB SF	-7,4	-6,1	0,2	8	5
6	1009,8	-6,3	86	13	7			3	80 SF	36 SF SB	1008,0	-6,9	85	13	5	3	20 SF	38 SF W SB	1004,9	-6,6	90	15	7	5	20 SF	38 SF S3	-7,8	-6,0	0,4	7	6
7	999,2	-6,7	92	12	7			7	05 SF S3	83 SF SB	997,0	-6,2	92	12	7	8	04 SF SB	85 SB SF	995,4	-5,4	86	11	7	9	03 SF S3	85 SB SF	-7,7	-5,2	0,3	8	7
8	993,8	-5,2	82	10	3			3	20 SF	38 SB SF	995,4	-6,3	82	09	7	8	08 SF	38 SF SB	997,1	-8,0	79	08	3	3	05 SF S3	83 SB SF	-8,1	-4,5	0,6	8	8
9	998,0	-11,8	88	07	7			3	01 SF SB	85 SB SF	997,6	-10,3	89	07	7	8	15 SF SB	85 SB SF	997,2	-11,7	86	07	0	3	15 SF S3	85 SB SF	-12,1	-8,0	0,3	8	9
10	994,6	-14,0	89	05	5			3	30 SF S3	85 SB SF	993,5	-10,0	90	03	4	8	04 SB	86 SB SF	993,0	-4,4	78	16	0	8	20 SB SF	86 SB SF	-14,1	-4,0	0,3	6	10
11	996,6	-5,4	89	15	6			3	50 SF	38 SB SF	998,4	-6,8	85	15	6	8	50 SF	38 SF SB	1000,8	-8,0	76	12	0	4	82 SF	38 SF S3	-3,0	-4,4	4,9	8	11
12	1007,8	-10,0	79	08	6			3	81 SF	36 SF S3	1011,2	-11,2	75	06	3	5	80 SF	37 SF SB	1013,7	-11,8	74	06	1	3	80	02 SF SB	-11,9	-8,0	0,6	6	12
13	1015,7	-14,8	66	09	3			2	80	01	1014,6	-15,0	74	17	3	7	89	03	1008,8	-6,4	90	21	5	8	20 SF SB	71 3	-17,4	-6,4	0,1	5	13
14	1003,4	-3,8	79	32	1			3	80 SF	36 SF SB	1004,7	-6,0	88	36	1	8	80	02 SF S	1006,0	-7,5	89	10	3	8	89	02	-8,0	-3,2	0,5	7	14
15	1002,3	-3,2	90	26	1			3	80	26 SB	1001,7	-4,2	81	28	1	8	88 SB	85 SB	1002,5	-3,8	81	35	3	8	88	02 SB	-7,5	-3,1	0,2	5	15
16	1006,6	-3,8	77	29	1			8	80	02 3	1007,6	-3,5	79	27	4	8	89	02	1008,1	-3,3	74	28	5	6	80	02	-4,3	-3,2	1,2	5	16
17	1008,9	-0,2	76	28	3			3	80	03 TD R SL	1012,0	1,3	79	26	7	8	60 TD	10 TD RB	1011,6	1,7	81	26	7	8	80 LB	83 TD	-3,8	-2,0	0,1	8	17
18	1008,6	1,9	85	26	8			3	80	02 RB	1012,0	0,8	84	28	7	8	50 TD	10 TD RB	1018,1	0,8	90	27	6	8	60 TD	10 TD	-0,2	-2,2	0,1	8	18
19	1019,9	1,1	84	24	5			8	75 TD	10 SB TD	1018,7	1,0	81	25	5	8	88 TD	10 TD	1016,7	1,1	85	24	0	8	86 TD	10 TD SB	-0,4	-1,8	0,0	7	19
20	1013,7	1,8	90	24	5			8	83 TD	10	1013,1	1,6	92	23	6	7	40 TD	10 TD	1008,4	1,8	92	24	7	8	50 TD	10 TD	-0,0	-2,1	0,0	7	20
21	999,3	1,2	92	23	8			3	80 TD R	60 TD YR R	992,8	2,6	92	24	7	8	50 TD	10 TD R	994,6	1,4	76	28	8	2	80	01 TD R	-0,4	-3,3	3,9	9	21
22	1001,2	-0,9	81	28	1			7	80	03	1000,0	-0,8	92	22	4	7	70 TD	10 TD S	1001,0	-2,4	88	25	4	7	89	02 TD S3	-2,4	-1,7	1,3	8	22
23	1010,0	-10,4	68	09	1			7	80 SB	83 SB	1013,9	-12,6	67	36	3	6	40 TD	10 TD SB	1016,3	-13,6	72	01	0	3	30 SB TD	85 TD SB	-13,6	-2,4	0,6	6	23
24	1022,4	-15,1	75	01	0			7	20 SB SF	85 SB SF	1024,7	-16,0	71	36	6	6	60 TD	10 TD SB SF	1025,6	-18,8	75	08	4	3	80	03 TD SB	-19,0	-13,6	0,8	6	24
25	1019,7	-18,2	71	09	3			7	30 SB	85 SB	1014,1	-13,2	85	11	4	8	50 SB	85 SB	1005,0	-8,9	81	12	5	8	70 SB	85 SB	-19,7	-8,9	0,2	5	25
26	976,9	-4,7	90	12	3			3	30 S SF	71 SB S SF	973,0	-5,6	90	05	7	7	50 SF	38 SF SB S	976,7	-10,7	90	07	7	8	60 SB	85 SB SF	-10,7	-3,5	1,2	7	26
27	989,9	-14,2	77	36	5			7	80 SB SF	85 SB SF	996,7	-15,8	70	36	5	6	60 SB	85 SB SF	1001,9	-16,7	75	03	4	6	82	02 SB	-16,7	-10,6	1,6	7	27
28	1007,9	-19,7	77	38	1			3	80 TD	10 TD NL	1007,2	-15,3	86	06	6	9	01 SB SF	85 SB SF TD	1005,4	-12,1	86	09	6	6	30 SF	39 SB SF	-21,0	-10,0	0,3	6	28
M:	1005,2	-7,6	81		5,6		7,2				1005,4	-7,3	84		5,7	7,4			1005,5	-7,2	83		5,8	7,0			-10,0	-4,7	24,1		IM

EKSTENSUTABELL

BJØRNØYA — MARS 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1000,2	= 3,5	92	11	9			9	01	SB SF	86	SB SF	1000,5	= 3,2	92	12	7	8	30	SB SF	85	SB SF	998,9	= 2,7	92	12	6	7	50	SB SF	85	SB SF	=12,1	= 2,3	0,8	7	1
2	986,6	= 0,4	90	13	9			8	40	SB SF	85	SB SF	982,0	= 0,6	92	17	8	7	00	SB	86	SB TD SF	983,6	= 0,6	90	18	8	8	60	SB	85	SB SF	= 2,7	1,5	0,6	8	2
3	974,2	= 0,9	91	14	7			5	53	SB SF	85	SB SF	969,0	= 1,2	92	12	6	8	60	SB TD	85	TD SB SF	958,0	= 0,4	92	13	8	9	01	S SF	73	S SF	= 1,6	0,7	0,7	8	3
4	961,1	= 1,0	86	14	1			3	89		01	TD SB	971,4	= 2,2	77	23	4	7	80	TD	10	TD SB SF	975,8	= 5,0	79	18	3	3	89		02	TD	= 6,0	1,6	1,4	9	4
5	976,4	= 1,9	89	07	3			3	84		02		977,5	= 3,8	90	07	6	8	30	SB SF	85	SB SF	979,3	= 4,2	89	07	6	6	20	SB SF	85	SB SF	= 6,0	= 1,7	2,1	6	5
6	982,8	= 4,7	89	07	3			3	30	SB SF	85	SB SF	984,1	= 5,3	89	05	6	8	25	SB SF	85	SB SF	983,0	= 3,5	94	12	9	9	02	SB SF	86	SB SF	= 6,5	= 3,5	1,7	7	6
7	980,6	= 1,3	92	11	5			7	85	SF	36	SB SF	982,5	= 2,7	85	12	4	4	89		15	SB	979,6	= 1,5	82	08	4	5	88		02	SB	= 3,8	= 0,8	1,7	6	7
8	975,2	= 0,1	92	23	1			3	30	SB TD	85	SB RB TD SF	986,9	= 5,2	85	29	4	8	75	TD SF	36	TD SB SF	983,6	= 7,3	82	24	3	6	86		02	TD SF	= 7,3	0,6	2,7	8	8
9	997,6	1,0	82	15	5			3	82		02	SB SF	999,3	= 0,3	90	09	6	7	50	SF	36	SF	1001,0	0,0	84	10	5	7	75	TD	10	TD	= 7,9	1,2	1,3	7	9
10	1004,6	= 0,8	90	07	3			3	40	TD	10	TD	1006,2	= 1,3	89	07	6	8	50	SF	36	TD SB SF	1006,1	= 2,8	89	06	7	8	10	S SF	71	SB S SF	= 2,8	0,0		7	10
11	1005,0	= 2,7	90	06	3			3	30	S SF	70	S SF	1004,8	= 1,1	89	09	3	5	50	TD	10	TD S	1005,0	= 2,1	88	06	2	5	60	TD	10	TD	= 9,5	= 1,1	1,4	7	11
12	1005,4	= 0,8	89	06	4			3	80	TD	10	TD	1006,5	= 0,8	90	08	3	3	40	TD	10	TD S	1008,4	= 0,8	89	09	4	8	60	TD	10	TD S	= 2,5	= 0,2	0,1	4	12
13	1013,8	= 0,7	92	08	5			3	03	TD S	73	TD S	1017,4	= 1,8	92	09	6	8	05	TD S SF	73	TD S SF	1021,9	= 5,0	86	08	6	7	15	SB SF	85	S SF	= 5,0	= 0,3	0,2	6	13
14	1026,8	= 7,5	74	08	5			3	70	SF	36	SB SF	1028,9	= 8,4	74	07	4	7	15	SB SF	86	SB SF	1030,5	= 9,7	74	06	5	7	70	TD	10	TD SB SF	= 9,7	= 4,5	1,9	6	14
15	1033,1	=11,1	71	07	1			7	80		26	SB SF	1035,1	=12,6	72	06	6	8	50		26	SB SF	1035,4	=13,0	74	04	3	7	60	SF	36	SB SF	=13,1	= 9,6	0,0	6	15
16	1032,3	=12,6	67	02	1			1	80		02	SB	1029,2	=10,5	59	01	1	1	80	SO	02	SO	1026,4	=12,2	56	04	1	4	89		02	SO	=13,8	=10,2	0,1	5	16
17	1022,6	=16,5	77	05	1			7	70	SF	37	S SF	1021,8	=13,8	82	05	6	8	50	SB SF	85	SB SF	1022,1	=12,1	86	06	5	7	25	SF	36	SB SF	=16,5	=11,4	0,0	6	17
18	1018,8	=11,7	74	05	1			3	60	S	70	SB S SF	1014,6	=10,1	68	07	4	3	80		26	SB SO	1009,8	=10,4	72	09	4	5	65		26	SB SO	=14,0	= 9,8	0,3	6	18
19	1002,3	=10,8	85	05	0			7	10	SB SF	85	SB SF	998,8	=11,8	89	05	7	8	15	SB SF	85	SB SF	997,0	=10,8	86	06	7	8	12	SF	39	SB SF	=12,5	=10,0	0,8	8	19
20	995,1	=11,2	88	05	3			3	20	SB SF	85	SB SF	995,7	=12,6	89	04	3	8	30	SF	39	SB SF	996,8	=12,2	88	04	3	3	20	SF	39	SB SF	=13,2	=10,1	1,6	8	20
21	1001,4	=14,0	81	05	7			3	00	SB SF	85	SB SF	1005,0	=15,3	82	06	0	8	30	SF	38	SB SF	1006,7	=15,8	85	05	5	7	30		26	SB SF	=15,7	=12,2	1,6	8	21
22	1010,3	=14,1	84	04	1			3	80		02	SB SF	1012,0	=13,1	76	06	3	7	65	SB	85	SB	1012,3	=12,0	76	06	2	7	84	SB	85	SB	=15,3	=11,7	0,4	5	22
23	1013,6	=11,1	75	08	3			3	82	SB	85	SB	1015,0	= 8,3	74	08	3	4	80	SB	85	SB	1015,7	= 7,5	81	07	4	6	84		00	SB	=12,5	= 7,5	0,0	4	23
24	1017,2	= 7,2	82	15	5			0	80		26	SB	1018,6	= 6,5	78	09	5	5	70	SB SF	85	SB SF	1018,5	= 6,7	85	10	5	6	86	SB SF	85	SB SF	=10,4	= 6,1	0,6	5	24
25	1016,7	= 6,0	79	09	3			2	80	SO	02	SB SO	1014,1	= 4,7	89	09	0	7	50	SF	38	SB SF	1009,3	= 4,1	92	09	7	8	05	SB SF	85	SB SF	= 7,0	= 3,0	0,3	7	25
26	999,9	= 1,9	93	09	7			1	00	SF	39	SB SF	996,3	= 2,0	92	08	7	9	02	SF	39	SB SF	991,2	= 1,2	93	08	6	7	01	SB SF	86	SB SF	= 5,6	= 1,2	2,2	8	26
27	991,3	= 1,0	92	12	5			7	50	TD	10	TD S SF	995,0	= 0,9	88	13	4	3	84	TD SO	10	TD SO	998,3	= 1,7	92	07	4	9	07	T	45	TD T	= 2,0	= 0,3	4,2	6	27
28	1000,4	= 2,4	92	06	5			1	00	T	45	T	1001,7	0,1	92	08	4	4	56	TD	10	TD T	1002,7	= 0,3	92	10	5	9	03	T	47	TD T	= 2,0	0,3		6	28
29	1005,3	1,1	92	20	1			7	60	TD	10	TD	1006,7	1,8	90	19	4	5	80		02	TD	1006,7	2,1	88	16	3	6	75	TD	10		= 0,6	2,4	0,1	5	29
30	1005,1	1,2	89	17	1			3	80		01		1007,0	0,7	90	21	3	7	70		26	SB LB	1009,2	0,1	89	20	3	9	80	S	71	SB S	0,1	2,4		6	30
31	1013,5	= 1,1	92	11	3			1	60	SB	85		1014,9	0,4	93	11	3	5	86	TD	26	SB TD	1015,9	0,1	90	10	1	3	60	TD	10	SB TD	= 1,4	0,9	0,3	4	31
M:	1002,2	= 5,0	85		5,0		7,0						1003,2	= 5,1	85		5,0	6,5					1001,2	= 5,3	85		4,9	6,8					= 7,8	= 3,4	31,3		M

BJØRNØYA — APRIL 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1016,7	= 0,1	90	07	3			7	60	TD	10	TD T	1018,0	0,4	92	10	3	4	15	TD	10	TD	1018,7	= 0,4	99	09	3	4	40	TD	10	TD	= 0,3	1,2	0,2	4	1
2	1020,5	= 0,3	90	07	3			3	50	TD	10	TD	1020,8	= 0,4	89	06	1	8	60	TD	10	TD	1020,0	= 0,9	92	04	4	8	25	TD	10	TD	= 0,3	0,8		4	2
3	1019,5	= 1,2	89	05	1			3	40	TD	10	TD	1019,5	= 1,3	81	04	4	8	70	TD	10	TD	1018,9	= 1,9	77	03	4	4	80	TD	01	TD	= 1,9	= 0,7		5	3
4	1019,9	= 1,6	84	02	1			0	70		26	SB	1022,0	= 4,0	77	03	1	5	80		02	TD	1021,5	= 3,8	90	03	3	9	50	TD	10	TD SO	= 4,0	= 1,9	0,0	5	4
5	1026,4	= 1,6	76	04	1			3	80		03		1027,0	= 2,5	81	07	3	4	80	SO	01	SO	1026,4	= 1,9	90	10	3	3	80		01	TD SO	= 3,9	= 1,2	0,0	4	5
6	1024,7	= 2,7	81	13	3			1	80	SO	01	S SO	1023,3	= 1,0	90	10	3	4	80	SO	02	SO	1020,8	= 1,7	92	12	3	5	60	SB	85	SB S SO	= 2,3	= 0,2	0,0	4	6
7	1019,6	= 6,2	99	02	6			3	70	TD	10	TD SB	1021,6	=11,8	78	01	6	8	10	TD S SF	71	TD SB S SF	1022,4	=13,0	84	02	0	8	60	TD	10	TD S SF	=13,0	= 1,6	0,1	6	7
8	1023,2	=12,9	84	06	6			3	20	TD S	71	TD S	1023,5	=11,3	86	01	0	3	30	TD S	71	TD S	1024,9	=11,4	86	02	5	8	35	TD S	70	TD S	=13,3	=10,9	1,0	6	8
9	1027,4	=10,5	88	03	1			3	10	TD S	71	TD S	1028,2	=10,0	88	04	3	8	50	TD	10	TD S	1029,1	=10,3	88	03	3	8	30	TD S	70	TD S	=12,5	= 9,7	0,4	5	9
10	1028,3	=10,9	86	02	3			3	50	TD S	71	TD S	1027,8	= 8,4	72	03	2	5	89	SO	02	S TD SO	1026,9	=12,3	79	05	3	2	89		02	SO	=12,9	= 8,3	0,3	3	10
11	1025,6	= 7,8	89	04	0			3	10	SB SF	86	SB TD S SF	1025,1	= 8,7	86	02	0	4	50	SF	36	SB SF	1024,6	= 5,7	90	10	7	8	01	SB SF	86	SB SF	=14,2	= 4,9	1,0	7	11
12	1032,1	=10,7	75	05	0			7	40	SB SF	85	SB SF	1033,8	=12,8	75	03	5	7	80		15	SB SF	1033,7	=14,2	73	02	1	6	80		02	SB	=14,2	= 5,7	0,3	7	12
13	1022,1	= 9,4	77	04	1			3	81		26	SB	1010,7	= 6,2	82	32	0	9	30	SB	86	SB	1010,4	= 9,8	72	02	0	6	60	SF	36	SF SB	=14,3	= 5,5	0,2	7	13
14	1027,3	=15,7	74	01	10			3	20	SF	16	SF	1015,6	=16,4	75	02	8	7	80		02		1020,8	=16,7	76	03	7	7	60		26	SB	=21,2	= 9,8	2,4	10	14
15	1028,5	=16,1	81	02	3			7	20	SB SF	85	SB SF	1027,6	=14,6	82	04	5	7	75	TD	10	TD SB SF	1028,5	=14,1	73	04	3	5	81	SO	01	SB TD	=17,1	=14,1	0,3	7	15
16	1029,0	=13,3	74	05	1			3	80		02	SB	1029,1	=12,2	76	04	4	6	70	SB	85	SB SO	1028,9	=12,4	74	05	4	7	70	SB	85	SB SO	=14,3	=12,0	0,0	5	16
17	1028,7	=13,6	75	04	1			3	80	SB	85	SB	1029,1	=13,7	68	06	4	5	88	SO	02	SB SO	1028,5	=13,6	69	07	3	4	80	SO	02	SO	=14,0	=12,4	0,0	5	17
18	1025,6	=13,5	72	09	3			2	80	SO	02	SO	1022,3	= 7,4	68	15	4	6	89		03	SO	1017,2	= 5,2	77	16	0	8	86	SF	36	SO	=17,3	= 5,2	0,0	6	18
19	1010,9	= 2,1	77	16	7			3	70	SF	36	SF S	1010,1	= 0,9	73	19	5	8	86		02		1008,9	= 3,6	84	02	5	8	65	SB SF	85	SB	= 5,2	= 0,7	0,0	7	19
20	1011,7	= 8,8	69	05	8			3	80	SO	03	SO	1013,1	= 8,2	74	06	4	6	84	SB SO	85	SB SO	1012,4	= 6,7	73	07	4	7	88		02		= 9,3	= 3,6	0,7	5	20
21	1007,8	= 3,6	93	10	5			3	10	SB SF	71	SB SF	1006,3	= 1,5	93	09	4	8	40	S	71	S SF	1003,8	= 1,0	93	11	4	8	20	S	71	S SL	= 6,7	= 0,8	0,2	5	21
22	1000,2	= 2,5	92	07	6			3	00	S	73	S	1001,2	= 2,8	89	06	6	8	20	S SF	71	S SF	1002,4	= 5,1	89	05	7	8	20	S SF	71	S SF	= 5,1	= 0,7	0,7	7	22
23	1004,5	= 8,2	92	03	1			3	50	S	70	S SF	1005,1	= 6,2	90	03	4	8	60	S	70	S	1006,4	= 7,5	89	05	3	8	60	TD S	70	TD S	= 8,6	= 4,8	3,0	7	23
24	1009,7	=11,3	86	04	1			7	80		26	SB S	1012,1	=10,2	77	06	4	6	86		02	S	1013,9	= 9,6	78	05	3	7	70	S	70	S	=11,3	= 5,7	0,3	4	24
25	1015,9	= 8,4	78	10	1			3	80	30	02	30	1017,0	= 3,3	73	15	4	2	89	SO	02	30	1016,8	= 4,3	77	16	1	4	89	30	02	30	=11,0	= 2,8	0,0	4	25
26	1015,1	= 1,2	78	18	1			3	80		00		1014,6	= 0,3	76	20	3	5	89	30	02	30	1013,4	= 3,2	77	19	4	3	89	30	02	30	= 5,1	= 0,1		5	26
27	1011,3	= 2,4	88	05	3			7	60	S	70	S	1010,5	= 2,8	89	07	3	7	70	SB	85	SB S	1008,0	= 2,7	89	08	4	8	25	S	71	S	= 4,3	= 0,6	0,4	4	27
28	997,8	0,2	90	19	4			3	13	S	73	S	994,4	0,2	86	25	3	3	89	30	01	S SO	995,4	= 6,5	90	13	4	8	89		02		= 6,5	0,7	3,1	5	28
29	992,8	= 5,0	92	05	6			3	50	TD	10	TD S	992,2	0,1	92	08	4	8	40	TD	10	TD S	992,8	= 0,3	89	08	5	8	60	TD	10	TD S	= 7,0	0,6	0,7	6	29
30	996,0	= 1,5	81	09	7			3	50	TD SF	36	TD S SF	998,4	= 3,7	78	07	7	8	50	TD SF	36	TD SF S	998,7	= 4,8	79	06	8	8	30	TD SF	36	TD SF S	= 4,8	= 0,3	0,8	8	30
M:	1016,8	= 6,9	83		4,7		6,9						1016,7	= 6,1	81		4,4	6,3					1016,3	= 6,8	83		4,5	6,5					= 9,3	= 4,0	29,9		M

EKSTENSOTABELL

BJØRNØYA — MAI 1979

KL. 07

DT	P	T	JU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1001,1	5,6	82	J6	3			3	20	S SF	70	S SF
2	994,6	2,5	22	J6	7			3	10	S SF	70	S TD SF
3	1004,1	3,8	84	J4	1			3	80		02	TD
4	1009,4	2,7	90	J6	9			3	40	S TD	71	T TD S
5	1008,8	4,0	89	J6	5			3	60	TD S	70	TD S SF
6	1015,4	6,5	86	J6	5			3	80	S0	01	S0
7	1020,1	6,6	79	J9	1			3	80		02	S0
8	1017,7	4,6	69	J1	2			3	80	S8	85	
9	1013,3	5,8	70	J0	1			3	80		03	TD S8 S0
10	1007,6	3,3	95	25	1			3	80		15	S8 S0
11	1011,5	4,5	92	J4	3			3	80		02	S0
12	1010,6	0,1	86	12	5			7	80	S8	85	S8
13	1013,9	2,7	04	16	2			1	80		01	S0 S8
14	997,3	1,0	22	J7	3			3	30	S	71	S
15	993,0	2,3	90	J2	7			3	60	S	71	S SF
16	1004,1	5,7	90	J3	0			3	80		02	S8 SF
17	1013,7	6,1	74	J2	1			3	80		02	
18	1005,1	5,4	82	J6	3			3	80		02	
19	1001,7	7,2	81	J6	1			3	80	S	70	S
20	1007,0	4,6	74	J2	1			3	60	S	70	S8 S
21	1017,8	5,8	75	J3	3			7	80		02	
22	1021,3	1,9	81	J8	3			3	80	S	70	S
23	1021,7	4,0	76	J7	1			7	80		02	S0
24	1021,8	4,7	74	J7	3			3	80		02	
25	1015,3	1,6	22	J9	5			3	50	TD	10	TD
26	1007,6	0,1	30	J8	5			3	50	S TD	70	S TD
27	990,0	2,7	89	12	5			3	60		02	R
28	1005,8	0,7	77	J3	5			5	80		15	S8
29	1012,5	1,5	72	28	1			3	80		02	
30	1012,6	2,0	07	J6	1			3	80	S0	01	
31	1019,3	0,8	35	10	2			3	80		02	
MI	1009,6	3,5	79		4,5		6,9					

KL. 13

P	T	JU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1001,6	5,6	76	06	8	9	50	S SF	70	S SF
995,5	0,3	92	07	5	7	02	T	45	T S SF
1008,1	3,8	75	04	4	9	80		02	TD
1015,6	0,6	92	06	6	8	20	TD S8	86	TD S8 S
1019,9	4,1	89	06	5	9	21	S TD	71	TD S
1019,1	6,0	68	06	4	8	89		02	S0
1019,8	4,2	72	29	3	8	86		03	
1017,5	3,5	76	06	4	7	60	S8	85	S8
1013,1	5,4	62	31	1	2	89	S0	02	S0 S8
1017,1	1,0	59	24	1	3	89	S0	01	S0 S8
1013,4	1,7	69	24	1	3	89	S0	02	S0
1011,3	2,3	82	29	3	7	89		02	S8
1013,0	2,2	60	15	4	2	89	S0	02	S0
993,8	0,1	76	10	4	7	80		27	H S8 S TD
996,2	3,6	77	02	9	8	50	TD	10	TD S SF
1008,6	5,4	85	04	9	8	84		02	
1014,0	5,3	78	04	1	8	89		02	S0
1012,4	4,9	85	06	6	3	83		02	
1013,7	5,3	77	05	1	3	86	S	70	S
1010,5	6,4	69	04	4	8	50	TD	10	TD S
1018,6	0,6	65	30	1	5	89	S0	02	S8 S0
1022,4	1,8	65	07	3	7	89		02	
1021,9	4,3	76	06	1	8	89		02	
1021,4	3,1	75	09	3	8	89		02	
1013,5	0,9	92	08	5	8	30	TD S SF	73	TD S SF
1003,9	0,6	92	10	5	3	05	T	45	T TD R
997,7	1,8	92	12	1	3	08	T	46	TD R
1018,1	1,7	73	27	5	4	80		16	S8
1012,9	1,1	79	33	3	8	60	S8	85	
1013,9	0,9	86	02	3	3	87	S0	01	
1024,5	0,4	89	29	3	8	89		02	
1010,1	2,7	76		4,4	6,8				

KL. 19

P	T	JU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1000,3	5,8	90	J6	8	3	02	S SF	73	S SF
998,4	0,9	92	J6	4	9	02	T	45	T
1010,8	4,6	77	J3	1	3	80		02	
1005,5	2,0	90	J7	9	8	08	S SF	73	TD S SF
1011,1	5,0	89	J6	3	8	80	TD	22	TD S
1020,3	7,3	66	J5	3	1	80	S0	02	S0
1018,5	3,4	70	J2	1	2	80		01	S0
1015,8	4,0	72	J2	4	4	80		02	S0 S
1011,2	5,0	75	23	4	5	73	S8	85	S0 S8
1007,2	1,9	79	26	4	5	80		15	S0
1013,7	4,4	76	15	1	2	80	S0	03	S0
1013,8	3,2	56	26	1	1	80	S0	01	S0
1010,6	2,0	76	15	3	7	80		02	S0 S8
997,6	3,3	90	J2	7	3	82	SF	38	SF
998,8	3,4	89	J2	7	3	20	TD	10	TD S SF
1011,2	5,4	88	J3	4	7	85		01	
1012,5	5,3	79	J5	1	8	80		02	
1010,4	4,9	86	J6	6	3	86	SF	36	SF
1004,7	6,0	75	J4	9	8	86	S8	85	TD S8 S
1013,7	6,4	68	J1	3	3	80	S8	85	TD S8
1020,0	1,8	82	21	3	6	80		01	
1022,5	3,2	73	J7	4	3	83	S0	01	S0
1022,3	4,9	75	J7	3	3	80		02	
1019,7	2,7	79	J8	4	3	80		02	
1013,2	0,5	89	J8	3	8	50	TD	10	TD S GL SF
998,3	0,2	90	J8	9	8	25	GL TD	68	GL S TD
994,6	0,5	75	27	7	9	60		02	TD T
1010,8	1,6	87	26	3	8	80	L8	83	S8 L8
1013,2	1,5	74	33	3	8	88	S8	85	S8
1019,1	1,0	88	J7	3	1	80	S0	02	S0
1027,2	0,2	74	23	1	7	80		02	
1010,6	3,1	78		4,5	6,6				

DØGNET

TN	TX	R	FX	DT
-6,0	-4,5	1,4	9	1
-10,2	0,1	6,5	8	2
-4,7	-0,9	0,6	5	3
-4,8	-0,2	0,2	7	4
-5,0	-2,0	3,3	6	5
-7,1	-5,0	0,3	5	6
-12,3	-3,2		4	7
-1,9	-3,4	0,0	4	8
-7,7	-3,6	0,1	5	9
-5,3	-1,0	0,3	5	10
-1,5	-1,2	0,3	5	11
-4,3	0,7	0,2	6	12
-9,3	-2,1	0,5	4	13
-8,1	-0,1	9,2	7	14
-4,6	-2,3	3,3	7	15
-6,2	-3,3	0,3	7	16
-6,2	-4,7		5	17
-5,9	-4,6		6	18
-7,3	-4,5	0,3	6	19
-6,3	-5,7	0,0	5	20
-6,8	-0,5	0,1	5	21
-3,1	-1,3	0,3	4	22
-4,3	-2,3		4	23
-5,3	-2,4	0,3	4	24
-2,7	-0,3		6	25
-0,3	0,7	0,8	7	26
-0,3	3,8	7,6	7	27
-2,3	0,0	0,3	8	28
-2,3	-0,5	0,1	6	29
-2,3	-0,9	0,1	5	30
-1,9	1,1		4	31
-5,3	-1,7	35,0		MM

BJØRNØYA — JUNI 1979

KL. 07

DT	P	T	JU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1025,7	1,4	70	21	1			3	80		02	
2	1007,7	1,6	93	11	5			3	60	R	62	R
3	1012,8	0,7	35	28	5			3	30	TD SL	69	TD YR SL
4	1012,8	0,8	74	31	7			3	80		02	S0
5	1011,1	0,5	35	29	1			7	80		02	S0
6	1014,0	0,2	73	J5	2			2	80	S0	01	S0
7	1013,7	0,3	74	11	5			2	80		02	
8	1005,3	1,1	86	08	1			3	50	SL	60	SL
9	1004,4	3,4	94	J4	1			3	80		02	
10	1003,5	0,7	89	J5	3			3	80	S	70	S
11	1004,7	0,2	93	22	1			3	80		02	
12	1005,4	0,1	76	J9	3			3	80		02	
13	993,5	1,6	92	13	5			3	50	TD R	61	TD R L8
14	998,8	2,0	90	22	1			7	82		02	TD L8
15	999,0	2,7	92	20	1			0	00	T	45	T R
16	1000,3	1,6	89	J4	2			3	80		02	T
17	1000,1	1,6	90	10	1			3	70	R	60	R TD
18	1007,0	0,4	89	J2	2			3	80		02	
19	1012,3	0,6	89	33	1			3	70		02	
20	1014,6	0,6	84	31	1			7	82		20	S0 S8
21	1015,5	0,3	78	29	3			3	80		02	S8
22	1014,1	1,6	85	12	1			3	80		02	
23	1017,8	2,7	82	12	6			3	80		02	
24	1018,1	4,0	92	12	1			3	80	R	61	R
25	1014,5	3,3	89	09	1			5	80	TD S0	10	S0 TD
26	1003,6	7,2	78	J9	4			6	70	TD	02	TD
27	998,5	6,6	92	20	5			7	30	TD	10	TD
28	1003,6	5,0	90	18	3			3	60	TD R	60	TD YR R
29	1004,1	1,6	90	04	4			9	02	T	45	T TD YR
30	1002,3	1,5	90	08	3			3	10	TD	10	TD T
MI	1008,0	1,4	86		4,0		7,3					

KL. 13

P	T	JU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1024,3	1,9	84	20	5	7	89		03	S0
1014,6	2,4	90	20	5	9	60		01	R
1016,1	0,7	74	28	5	7	60		02	TD YR S
1014,9	1,0	70	30	3	7	82		02	
1011,4	0,5	84	32	3	7	89		15	S0 S8
1015,5	0,3	72	31	3	1	89	S0	02	S0
1012,8	0,5	79	13	5	7	89		03	S0
1014,9	1,3	88	06	4	8	89		02	SL
1014,8	2,0	75	03	3	8	89		02	
1014,2	0,2	85	01	3	8	89		02	S
1005,0	2,0	72	33	1	9	89		02	
1014,9	1,5	69	01	2	8	89		02	
992,8	3,2	92	22	4	9	00	T	47	TD T R
1010,1	3,3	79	19	3	8	89		02	
998,7	3,6	92	19	3	9	05	T	45	T
1001,9	2,6	86	36	2	7	89		02	TD
1011,0	3,2	90	12	1	8	50	TD	10	TD R
1009,3	1,8	86	36	3	6	89		01	R
1014,3	0,0	86	31	4	7	89		02	
1014,9	0,8	72	33	5	6	89		02	S8
1015,6	0,1	74	29	3	7	89		02	S8
1015,0	3,2	78	12	4	8	89		02	
1019,5	3,6	89	12	5	7	86		02	R
1017,9	4,3	90	16	1	8	75	TD	02	TD R
1012,7	4,6	92	11	4	8	25	TD YR	50	TD S0
1002,2	9,8	77	05	3	0	80	TD S0	02	TD S0
999,5	6,1	90	22	4	9	09	T	45	TD T
1005,3	6,6	88	21	3	8	70		02	TD YR R
1003,0	0,8	92	05	5	8	25	TD	10	T
1012,4	1,8	92	08	6	8	20	SL	68	R SL
1008,3	2,2	83		3,8	7,0				

KL. 19

P	T	JU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.
1022,5	2,3	81	20	4	3	80	S0	01	S0
1014,0	2,4	90	26	5	8	50	YR TD	50	TD YR
1015,9	0,1	70	28	5	7	82		02	
1019,7	0,4	72	30	6	3	80	S0	02	S0
1012,4	0,6	76	30	3	7	80		02	S8
1019,0	0,7	74	J4	3	3	80	S0	03	S0
1009,5	0,1	79	11	5	7	80		02	
1014,4	2,1	82	J8	4	8	50	TD SL	68	TD SL
1014,6	2,2	79	32	3	8	80		02	
1014,4	0,3	84	34	3	9	86		02	S
1005,4	2,0	77	J3	1	8	80		02	
1002,6	1,0	75	23	3	7	80		02	
995,4	2,1	88	26	4	7	80	TD R	60	TD YR R
999,6	3,6	90	16	3	9	04	T YR	51	TD T YR
998,8	4,8	90	00	3	7	80		40	TD T
1002,6	0,8	86	J4	2	3	80		02	
1003,4	2,3	92	12	4	3	50	TD	10	TD YR
1011,0	1,2	86	J4	1	7	80		02	
1015,1	0,2	82	J2	4	7	80		02	
1015,3	0,3	86	J0	4	7	60	S8	85	S8
1014,9	0,3	75	J5	2	7	88		02	
1015,5	3,8	76	12	5	5	80	S0	02	S0
1018,8	4,0	84	11	5	7	86		02	
1017,8	3,4	90	12	3	8	75		02	TD
1009,5	5,7	86	11	5	6	50	TD	10	TD YR
1000,5	9,4	79	J6	2	0	80	TD S0	02	TD S0
1000,6	5,3	90	23	4	8	40	TD	10	TD YR
1005,4	4,4	90	J7	2	9	02	T	47	TD
1002,0	0,8	90	J8	4	8	03	T	47	T
1002,8	2,0	92	J8	4	9	06	T	47	TD T YR R
1008,2	1,9	83		3,6	6,7				

DØGNET

TN	TX	R	FX	DT
1,2	2,4		5	1
1,2	3,6	1,2	7	2
0,2	2,5	2,7	7	3
1,5	0,4	0,0	8	4
0,3	1,2		6	5
2,2	1,4	0,0	4	6
1,1	0,7		5	7
2,1	0,0	0,0	5	8
3,8	1,7	0,0	4	9
2,2	0,8	0,1	4	10
0,2	2,3	0,0	3	11
0,3	2,4		4	12
0,2	3,7	1,4	6	13
1,1	3,8	0,3	4	14
2,4	4,8	0,5	5	15
0,8	5,0		3	16
0,3	3,2	1,3	5	17
0,3	2,7	0,4	4	18
0,0	1,2	0,1	4	19
0,6	2,2	0,0	5	20
2,2	0,6	0,0	5	21
0,2	4,2	0,1	5	22
1,7	4,6		6	23
2,6	4,6	0,2	5	24
1,8	5,7	0,1	6	25
5,3	11,2	0,0	6	26
5,0	9,4		6	27
4,4	6,6	0,0	4	28
0,8	4,5	0,1	6	29
0,7	2,4	0,0	6	30
0,3	3,2	8,5		MM

EKSTENSOTABELL

BJØRNØYA — JULI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1000,8	3,0	92	09	5			9	02 T	43 T YR	1001,0	4,8	86	08	4	5	60 TD SO	10 TD T SO	999,5	3,9	90	10	6	9	02 T YR	53 T SO	1,5	5,6	1,7	8	1
2	993,5	3,6	92	08	5			8	20 TD R	63 TD T R	994,7	6,5	92	20	4	7	50 TD	10 TD R	999,2	8,2	81	17	4	6	86	02 TD RB	2,5	8,4	6,2	6	2
3	1003,3	7,5	84	12	5			3	85	02	1003,6	12,2	64	18	4	2	89	01	1006,6	12,2	65	18	3	1	80	02	5,6	13,5	1,7	5	3
4	1010,8	7,6	84	00	1			8	80 TD R	61 TD R	1012,7	8,6	84	21	4	7	75 TD	02 TD R	1015,2	7,6	89	23	4	6	80	02 RB	7,0	12,2	0,0	4	4
5	1018,3	5,0	86	21	5			8	89	02	1018,1	6,4	74	17	3	8	89	02	1016,9	6,5	78	18	4	8	89	02	5,0	7,6	3,1	4	5
6	1014,3	6,9	93	18	8			8	20 TD YR	51 TD R	1016,2	7,9	77	20	4	6	80 SO	01 TD YR	1017,0	7,4	75	21	4	3	89 SO	03 SO	5,6	8,5	0,1	6	6
7	1016,2	7,7	82	13	1			7	89	03	1013,3	8,2	74	13	7	6	89 SO	02 SO	1011,5	8,4	81	12	5	2	86 SO	02 SO	6,1	8,8	0,0	7	7
8	1012,5	9,4	81	23	3			7	75 TD	02 SO	1014,4	7,4	90	03	2	7	09 T	47 TD T	1015,3	3,2	93	06	3	7	40	40 T	3,2	10,1		7	8
9	1013,9	6,8	89	12	4			3	73 TD	10 TD	1014,0	10,4	72	11	4	1	65 TD	10 TD	1013,7	9,8	82	12	5	2	65 TD	10 TD	3,0	14,3		6	9
10	1015,2	9,9	74	17	6			2	73 TD SO	10 TD SO	1016,0	7,6	92	12	6	0	20 TD	10 TD	1016,7	6,6	93	12	5	9	13 TD	10 TD T	5,6	14,3		7	10
11	1015,9	9,4	78	11	6			1	73 TD SO	10 TD SO	1016,5	10,7	70	12	5	9	70 TD SO	10 TD SO	1016,8	10,4	79	16	6	0	60 TD SO	10 TD SO	9,6	10,9		7	11
12	1018,9	9,7	77	14	5			2	80 SO	02 SO	1020,8	9,5	85	19	3	7	70	02 SO	1021,3	8,2	93	11	4	8	70	02 TD	8,2	11,0		6	12
13	1021,8	7,9	92	10	3			3	50 TD YR	50 TD YR	1022,7	8,8	84	19	3	8	80	02 YR	1021,5	8,3	90	11	4	2	70	40 TD	7,0	9,2	0,0	4	13
14	1018,7	11,2	72	11	6			3	70	03	1018,2	11,8	69	12	5	8	65 TD	02 TD	1017,1	10,8	84	15	5	7	70 TD	02 TD	6,0	13,8	0,0	6	14
15	1017,2	7,6	84	29	1			7	50 TD	10 TD R	1017,0	11,5	74	35	1	4	65 TD	10 TD	1016,7	16,0	91	15	1	1	80	02 TD SO	7,6	17,4	0,1	6	15
16	1015,6	14,4	43	16	6			0	80 SO	02 SO	1015,2	14,2	38	15	7	0	80 SO	02 SO	1015,5	14,4	42	13	6	1	80 SO	02 SO	11,4	16,4		7	16
17	1014,4	10,4	79	12	5			1	80 SO	03 SO	1013,8	14,7	53	12	5	1	80 SO	01 SO	1011,9	11,8	74	11	5	1	80 SO	02 SO	9,7	15,7		6	17
18	1007,7	11,2	85	11	3			6	70 TD	40 TD SO	1006,2	11,6	78	12	5	5	80	02	1004,9	10,6	70	11	4	1	75 TD	02 TD	9,3	12,5		5	18
19	1003,0	8,4	78	12	3			2	70 TD	01 TD T	1002,7	5,1	84	01	2	6	75 TD	02 TD	1002,7	3,8	93	06	2	9	02 T	45 TD T	3,5	10,6		5	19
20	1003,1	3,3	92	00	0			3	70 30	10 T	1004,2	3,9	86	03	4	7	75	02 SO	1004,8	2,7	92	03	5	8	50 TD	10 TD	2,2	4,3	0,0	5	20
21	1004,7	1,8	93	04	6			3	80 T	44 TD T	1005,7	1,8	92	05	6	8	30 TD	10 TD T	1006,8	1,7	92	05	6	8	15 TD	10 TD	1,7	2,7	0,0	7	21
22	1008,6	2,2	92	06	5			3	50 TD RB	80 TD RB	1010,0	2,7	93	05	5	9	02 T	47 T R HB	1011,7	2,4	93	06	5	9	00 T	45 T	1,6	2,8	0,2	7	22
23	1014,0	1,6	90	07	5			3	50 TD	10 TD	1015,2	0,4	92	05	4	8	30 TD	10 TD YR	1015,8	0,8	92	03	1	8	02 T	47 TD	0,8	2,6	0,5	5	23
24	1015,7	0,0	92	00	2			0	00 T	42 T	1014,8	4,0	90	26	4	8	57 TD	10 TD T	1012,4	5,9	86	25	1	2	90	01 TD YR	1,1	5,9	0,0	4	24
25	1011,2	0,4	92	03	1			0	03 T	47 TD T YR	1013,7	1,0	90	01	4	9	02 T	47 TD T	1014,4	3,5	89	30	1	4	86 30	01 T TD	0,3	6,3	0,2	4	25
26	1014,2	5,2	89	28	3			3	80 30	03 30	1015,2	5,0	88	27	4	8	85	02 SO	1015,2	6,3	77	24	5	8	86	02	3,5	6,7		5	26
27	1008,8	5,4	86	25	6			3	80	02 YR	1007,9	5,3	86	26	6	8	50	03	1008,4	4,3	92	27	1	8	27 TD	10 TD YR	4,2	6,7	0,0	6	27
28	1009,5	4,4	92	26	1			3	30 TD YR	50 TD T YR	1009,7	5,0	90	26	4	9	57 YR	50 TD YR	1008,6	4,5	89	26	1	7	60 TD	02 TD YR	4,3	5,1	0,1	5	28
29	1007,9	3,8	90	27	1			3	60 YR	51 TD YR	1007,9	4,4	89	30	2	7	65 TD	02 TD YR	1007,9	4,3	89	28	2	7	75 TD	02 TD	3,5	4,6	0,0	4	29
30	1005,4	4,7	89	27	3			3	80	02 TD T	1003,8	4,2	92	27	4	9	40 TD R	63 TD T YR R	1003,5	3,3	90	33	1	8	60	02 R	3,1	4,9	0,1	4	30
31	1003,6	2,2	79	36	2			7	80 TD	02 TD	1001,7	4,4	79	27	1	7	80	02 R	1000,6	2,2	85	30	1	6	70	01 TD YR R	1,6	4,4	0,3	5	31
M:	1010,9	6,2	85		3,9		5,9				1011,2	7,1	81		4,2	5,8			1011,2	6,7	83		4,1	5,2			4,5	9,0	22,3		M

189

BJØRNØYA — AUGUST 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	997,0	3,2	90	31	5			5	50 TD R	61 TD R	998,1	1,2	81	35	5	7	80 SO	01 R SO	997,3	2,3	89	24	1	8	80 3L	63 30	1,2	3,1	2,1	5	1
2	998,1	2,1	72	35	1			0	80	03 30	999,2	3,0	72	32	2	6	80	02 SO	999,0	3,8	60	18	1	7	80 RB	80	1,1	3,3	1,0	5	2
3	1000,1	2,0	73	35	5			0	80	02 30	1000,3	4,8	75	24	1	7	80	02 SO	1000,0	4,4	89	27	1	7	80	02 RB	2,0	5,6	0,0	4	3
4	1000,9	4,4	85	27	1			7	80	02	1002,3	4,9	90	26	1	7	50 TD YR	51	1003,5	4,2	81	27	1	3	70 YR	50 YR	3,2	5,1	0,0	4	4
5	1006,6	4,8	80	27	5			3	70	05 YR	1007,5	3,8	74	20	1	7	80	02 SO	1007,4	7,7	85	18	5	5	80	02 SO	3,6	9,3	0,3	5	5
6	1007,3	5,8	85	29	3			7	70	02 TD	1008,8	7,3	78	21	5	5	80	02	1008,3	6,8	86	22	1	8	80	02	5,4	7,8		5	6
7	1010,6	5,2	86	24	1			3	70	02	1011,7	6,4	79	24	1	7	70 TD	02 TD RB	1012,1	6,1	82	21	1	7	80	02	5,1	7,0	0,0	5	7
8	1012,8	5,1	85	23	2			7	80 RB	80	1012,8	5,3	89	09	4	7	80	02 RB	1011,2	7,0	85	11	5	7	70 TD SO	10 30	5,0	9,6	0,0	5	8
9	1010,5	7,5	90	12	5			3	80	02	1011,4	9,6	75	13	6	6	80 SO	02	1012,0	8,6	79	12	6	3	80 30	02 30	5,8	10,3	0,0	6	9
10	1012,8	8,5	75	13	7			2	80 TD	02 30	1014,1	8,9	74	12	6	1	80 SO	02 SO	1015,6	7,1	81	12	5	6	80	03 30	7,0	9,1		7	10
11	1016,5	7,0	81	12	6			7	80	02	1015,9	9,7	72	12	6	4	80	02	1016,5	9,0	81	15	6	8	80	02 IA	5,9	10,0		7	11
12	1018,1	8,4	92	00	0			3	40 TD R	60 TD R	1017,7	5,3	92	05	2	9	02 T	45 T R	1015,2	4,3	92	06	1	9	01 T R	61 T R	4,3	9,1	4,3	7	12
13	1015,0	3,6	92	07	5			0	01 T	45 T R	1014,4	4,2	93	07	3	9	01 T	45 T YR	1013,2	5,8	92	11	2	9	01 T	42 T	3,6	5,9	5,2	3	13
14	1013,2	9,3	92	00	0			3	50 TD SO	10 TD T SO YR	1013,4	12,1	79	12	1	2	80 SO	02 TD SO	1012,1	10,4	86	11	1	1	50 TD SO	10 TD SO	5,5	12,7	0,0	4	14
15	1008,8	11,0	86	11	5			0	80 30	02 TD T 30	1006,9	12,9	73	12	6	1	65 TD SO	02 TD SO	1006,0	13,3	70	13	5	3	80 TD SO	02 TD SO	6,2	15,7		6	15
16	1005,9	11,6	89	15	3			0	60 TD R	61 TD R	1008,5	11,3	89	21	1	5	80 SO	01 TD R	1010,9	9,8	88	20	3	7	80	02	9,8	13,5	0,7	6	16
17	1016,1	8,5	89	20	1			1	80 SO	01 30 R	1017,8	11,0	81	21	4	2	80 SO	01 SO	1018,2	10,2	78	20	4	7	80	02 30	7,0	11,2	0,6	5	17
18	1017,2	8,6	92	21	1			7	60 TD	10 TD T R	1020,1	8,6	92	24	1	8	60 TD	10 TD	1022,6	6,2	85	28	3	7	80	02	6,2	10,2	0,4	5	18
19	1025,4	4,6	90	00	0			3	50 TD	10 TD YR	1024,7	5,0	89	10	1	8	80 TD	02 TD YR	1023,5	4,5	92	10	3	8	80	02 TD	4,3	6,4	0,3	4	19
20	1019,5	3,6	90	09	1			3	75 TD	40 TD	1017,7	5,0	92	08	1	8	60 TD	10 TD	1016,2	5,2	92	08	1	8	60 TD	10 TD	3,5	5,4	0,0	4	20
21	1014,1	4,0	90	06	1			3	50 TD	10 TD	1014,0	4,0	93	06	4	9	00 T	45 TD T	1012,8	3,8	92	06	5	9	00 T	45 T	3,8	5,6	0,0	5	21
22	1011,8	3,4	93	06	5			0	02 T YR	50 T YR	1011,3	5,1	92	06	5	9	02 T	45 T YR	1010,1	3,6	93	06	3	9	01 T	45 T	3,1	6,0	0,2	6	22
23	1008,6	4,0	89	06	5			3	30 TD YR	50 TD YR	1008,4	3,9	85	04	5	8	58 TD	10 TD YR	1006,7	3,4	89	04	7	7	60 TD	10 TD YR	3,1	4,3	0,5	7	23
24	1001,3	2,7	92	04	6			0	50 TD R	60 TD R YR	1000,3	2,5	92	03	0	8	60 TD R	61 TD R	1000,6	2,0	92	01	7	8	50 TD R	60 TD R	2,3	3,4	0,2	7	24
25	1003,5	2,0	90	35	5			3	60 TD R	63 TD S	1005,9	2,9	88	34	4	7	70 TD	15 TD R	1004,0	3,3	81	33	4	6	80	02 TD SO	1,5	3,5	0,1	7	25
26	1010,5	3,0	92	31	3			3	60 TD	02 TD YR	1012,0	3,2	86	33	2	7	80	02	1012,6	3,6	92	29	2	7	80	02	2,3	3,6	1,2	4	26
27	1013,1	3,6	79	00	0			7	80	02	1013,5	4,2	74	04	1	5	80	02	1013,7	3,2	76	12	2	7	80	02	3,0	4,6		3	27
28	1014,8	1,8	84	07	3			7	80	02	1015,3	1,8	78	06	3	7	80	02	1014,7	1,4	93	09	4	7	40 TD YR	50 TD T YR	0,8	3,4		4	28
29	1011,1	3,8	92	07	4			3	10 TD R	61 TD	1009,7	5,2	92	09	5	8	58 TD R	63 TD R	1007,4	4,4	92	07	4	8	40 TD R	61 TD R	1,2	5,5	0,2	5	29
30	1002,7	5,0	92	08	5			3	40 TD R	63 TD R	1002,6	5,2	90	09	6	8	20 TD R	63 TD R	1003,5	4,8	92	08	5	8	25 TD R	61 TD R	3,5	5,6	12,4	6	30
31	1007,3	1,7	89	06	6			3	40 TD R	60 TD R	1010,4	3,4	90	06	5	7	56 TD YR	50 TD R YR	1011,1	2,8	86	04	6	7	60 TD	10 TD YR	2,8	5,0	13,3	6	31
M:	1010,1	5,2	87		3,7		6,9				1010,5	5,9	84		4,2	6,3			1010,4	5,6	85		4,3	6,9			4,0	7,1	51,3		M

EKSTENSOTABELL

BJØRNØYA — SEPTEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1012,7	2,0	84	04	7			7	80 TD	02 TD YR	1014,7	2,0	70	03	6	7	60 TD	15 TD	1015,3	1,0	79	09	8	8	40 TD LB	83 TD SB	1,0	2,8	0,2	7	1
2	1015,1	0,8	86	02	8			8	50 TD SB	85 TD RB	1015,0	1,2	79	35	6	8	65 TD	02 TD	1014,5	1,4	77	06	9	7	80	02	0,8	1,8	0,0	6	2
3	1015,3	1,3	77	03	4			7	80	02	1017,5	2,2	77	33	3	7	89	02	1017,8	3,1	85	25	3	8	80	01	1,2	3,1		6	3
4	1017,3	1,1	92	24	1			9	70 TD SD	03 TD SD RI	1017,8	3,1	72	05	3	2	89 SD	02 SD	1016,6	1,3	99	08	4	5	80 SD	02 SD	- 0,4	3,4		4	4
5	1012,0	3,4	92	07	3			3	50 TD R	60 TD YR	1011,1	4,3	92	07	3	8	50 TD YR	50 TD YR	1011,0	3,4	99	08	3	9	03 T	47 T YR	1,1	5,0	0,1	5	5
6	1012,5	2,9	92	09	2			3	01 T YR	50 T YR	1013,8	4,8	90	20	4	8	65 TD	40 TD T YR	1014,0	4,8	89	19	2	6	86	02 TD	2,8	5,6	0,5	4	6
7	1012,4	3,7	92	06	3			3	03 T YR	50 T YR	1011,5	7,4	90	19	3	8	30 TD	10 TD T	1012,8	5,4	90	11	1	8	40 TD R	63 TD R YR	3,2	7,8	0,2	4	7
8	1003,0	6,0	92	26	2			3	01 T	45 T R	1004,1	6,7	90	22	5	7	60 TD	02 TD T R	1005,7	5,4	90	22	1	8	40 TD	10 TD R	4,9	7,2	10,5	5	8
9	1000,2	6,4	90	16	1			3	03 T	46 T R	994,9	7,3	88	15	5	7	70	02 TD RB R	991,8	5,6	88	21	1	7	65 RB	80 TD RB	4,9	7,7	2,9	6	9
10	993,8	4,7	98	21	1			3	80 TD RE	25 TD RB RE	992,9	6,7	77	18	4	7	80 TD	02 TD	989,0	6,3	89	16	5	8	60 TD R	61 TD R	4,3	7,0	6,3	5	10
11	985,2	5,6	88	19	1			1	80 SD	01 TD R	986,7	7,4	71	18	4	2	80 SD	02 SD	987,4	6,2	74	00	0	5	80 SD	03 SD	5,6	7,8	1,1	6	11
12	989,6	2,0	92	22	3			3	84 SD	02 T	993,1	5,3	88	00	0	3	84 SD	02 TD SD	996,3	3,7	86	08	1	3	75 TD	02 TD SD	1,3	6,3		3	12
13	998,5	3,0	90	06	4			3	70	02 T YR	993,1	3,0	92	03	6	9	40 TD R	63 TD R	999,1	4,1	92	08	1	3	30 TD R	61 TD R	1,5	4,1	0,0	6	13
14	987,6	5,0	92	11	1			3	02 T YR	53 T YR	998,4	4,6	92	09	3	9	01 T	45 T YR	999,3	4,8	92	11	3	9	02 T YR	51 T YR	4,1	5,4	11,2	4	14
15	993,0	5,1	92	09	1			3	03 T YR	50 T R YR	995,8	3,8	92	05	3	9	03 T YR	50 T YR	996,5	3,1	92	03	3	9	03 T R	60 T R YR	3,1	5,1	0,2	4	15
16	995,2	3,0	92	06	2			3	01 T	45 T R	995,0	3,0	92	02	2	9	01 T YR	50 T R YR	997,5	3,4	92	06	3	9	01 T YR	50 T YR	3,0	3,5	1,4	4	16
17	987,8	3,4	92	06	1			3	02 T	45 T YR	997,9	3,4	92	06	3	9	04 T YR	50 T YR TD	995,6	3,2	92	05	2	9	02 T	45 T YR	3,1	4,6	1,6	4	17
18	982,4	2,4	92	03	3			3	02 T	45 T R	991,8	2,7	92	01	2	8	30 TD	10 T YR	991,9	2,3	92	00	3	3	30 TD	10 TD T R YR	2,3	3,4	3,2	4	18
19	983,8	1,9	92	00	3			3	40 TD	10 TD T	986,2	2,6	90	05	2	8	60	02 TD	988,8	2,3	90	02	2	3	60 TD	10 TD T	1,9	2,6	0,0	2	19
20	994,5	2,4	89	01	2			7	80 TD	02 TD	997,8	3,2	89	00	1	5	80 SD	02 SD	1000,1	2,7	94	20	2	1	89	14 RB SD	1,5	3,6		3	20
21	1003,0	2,0	86	18	3			3	80	02 R	1003,9	4,5	65	16	4	7	89	14	1001,7	2,4	86	12	3	3	80	02	1,2	5,0	0,2	4	21
22	1002,0	2,0	93	07	3			3	50 R	61 R	1001,6	3,2	89	05	3	9	80 R	61 R	1001,6	2,7	92	01	1	7	89	02 R	1,7	3,2	1,0	4	22
23	1004,7	1,9	79	34	4			7	84	02	1006,9	1,7	73	34	4	7	89	02	1007,4	1,4	73	33	4	7	83	02	1,4	2,7	1,1	5	23
24	1006,8	0,8	77	33	4			3	86	02 30	1007,2	1,4	72	35	4	6	83	02	1007,1	0,6	99	30	3	7	83	02	- 0,6	1,8		4	24
25	1004,9 -	0,2	84	11	3			7	80	02	1002,7	2,4	86	11	4	5	89	03 SD	998,3	1,8	84	12	3	7	80	02	- 1,3	3,8		5	25
26	987,2	3,7	93	09	3			3	50 R	63 R	984,5	4,6	93	11	4	8	40 TD	40 TD R	981,2	3,6	92	11	1	8	30 TD YR	53 TD R YR	3,5	1,9	0,0	6	26
27	982,8	3,4	93	04	2			3	50 TD YR	51 TD YR	984,3	3,2	92	06	3	8	40 TD R	63 TD R YR	987,0	2,7	98	06	3	8	70	02 TD R	2,7	5,6	2,1	5	27
28	992,1	2,2	86	04	3			7	60	02 TD	986,0	2,6	79	03	5	8	82	02	988,4	2,2	88	03	4	8	57 TD	10 TD	1,9	2,7	4,7	6	28
29	1006,5	2,0	74	04	3			7	60 TD	02 TD	1010,4	2,0	76	04	4	8	80	02 TD	1013,4	1,0	76	05	3	7	60 TD	02	1,0	2,4		6	29
30	1018,7	0,0	94	09	4			7	80	02 SH	1020,7	1,0	70	28	2	7	87	02	1021,1	2,0	99	27	1	7	90 RB	80	0,0	2,0	0,1	5	30
MI	1000,0	2,8	87		3,5			7,0			1000,6	3,7	84		3,6	6,9			1000,4	3,2	88		3,4	6,8			2,1	4,4	49,3		IN

190

BJØRNØYA — OKTOBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1023,4	1,0	84	32	4			3	30 SB LB	85 SB LB	1025,3	1,0	85	28	2	7	80	15 LB	1024,7	0,8	90	22	3	3	60 R	62 LB	0,6	2,2	0,3	5	1
2	1016,0	3,6	94	23	4			3	40 TD R	63 TD R	1011,2	4,6	93	24	5	8	20 TD R	63 TD R	1009,3	1,8	73	30	0	8	70	02 TD R	0,8	4,6	4,1	6	2
3	1036,1	0,1	98	33	4			7	80	02 SB	1011,2	1,4	81	03	0	6	80 SO	01 SB LB SO	1016,9 -	0,2	75	33	0	8	70 SB	85 SB	- 0,3	2,2	2,3	7	3
4	1020,6 -	1,2	92	31	3			3	80	02	1020,0 -	0,2	67	21	1	8	89	02	1014,9	0,5	93	21	0	8	30 LB	84 LB	- 1,2	0,8	0,0	6	4
5	1003,5	4,4	79	26	0			3	50 TD R	60 R	1001,4	1,7	75	30	7	8	60 LB	84 TD R LB	1000,3	1,8	75	31	7	7	73	27 SB LB SH	0,5	4,7	4,0	7	5
6	1006,4	2,0	85	33	4			3	70	02	1010,9	2,1	81	03	4	7	80	15	1012,5	2,0	86	06	3	7	84	02	1,5	2,6	0,5	7	6
7	1014,7	0,0	93	07	1			3	30 SB	86 SB	1015,8	0,6	93	08	3	8	10 SB	86 SB	1014,0	1,0	84	08	4	7	30	26 SB LB	0,0	2,0	2,0	5	7
8	1015,2	0,4	84	11	1			4	80	02	1015,2	1,1	84	09	5	5	89	01	1015,2	0,2	88	09	5	3	80	02 SD	0,2	1,5	2,7	5	8
9	1018,6	0,0	79	08	1			3	80	02	1021,9	0,8	59	07	6	2	80 SD	02 SD	1024,2 -	0,8	64	06	6	4	80	02	- 0,9	1,0	0,2	7	9
10	1025,2 -	1,0	95	04	3			3	80	02	1025,0 -	0,2	68	06	4	4	80 SO	15 SO	1024,8 -	1,8	64	06	4	3	80	02 SD	- 1,8	- 0,2		6	10
11	1022,8 -	1,6	71	06	3			3	80	03	1021,3 -	1,3	73	06	1	7	80	02	1019,1 -	3,0	89	11	3	4	80	01	- 3,5	- 1,0		4	11
12	1015,0 -	0,8	79	12	1			3	80	03	1013,4 -	0,5	86	10	3	6	80	02	1011,1 -	1,5	89	14	3	6	80	02	- 3,0	0,0		4	12
13	1006,8 -	1,7	85	13	3			3	80	02	1006,0 -	1,3	90	00	0	5	80 SO	03 SO	1004,4 -	1,0	81	07	3	7	80	02	- 4,1	- 0,4	0,1	4	13
14	1003,7 -	3,2	85	07	4			3	00 S	73 S	1006,8 -	3,9	72	06	5	8	65 S	70 S	1009,0 -	3,9	97	05	4	7	80	02 S	- 4,1	- 0,8	0,0	5	14
15	1013,1 -	6,0	97	04	2			3	80	02	1012,8 -	4,9	88	07	4	9	05 S	73 S	1010,4 -	4,0	92	10	0	9	02 S	75 S	- 7,0 -	3,5	0,5	6	15
16	1008,7 -	3,7	85	06	3			3	10 S	73 S	1006,8 -	2,4	76	11	5	8	75	02 S	1003,6 -	2,4	85	11	0	7	79	02	- 4,0 -	2,3	3,8	6	16
17	994,3 -	0,2	93	12	5			3	30 S	71 SB S SF	994,5 -	1,7	90	09	7	9	05 S SF	73 S SF	999,5 -	3,6	79	07	6	9	03 SB SF	85 SB SF S	- 3,6	0,0	0,9	7	17
18	1003,7 -	3,8	71	09	5			3	80	02 NL	1012,4 -	1,4	69	10	3	7	84	02	998,2 -	1,2	89	12	4	3	84	02	- 4,0	0,2	2,8	6	18
19	992,2	0,8	79	11	3			3	70	15 SL S	986,6	1,6	89	20	3	8	80	02 LB	984,7	1,1	93	20	1	8	80	02	- 3,0	2,3	0,3	6	19
20	980,3	1,4	32	18	3			7	80 TD	02 TD	979,5	0,2	93	14	2	7	80 TD	02 TD	980,4	1,0	73	28	4	7	75 TD	02 TD T YR	- 0,2	1,6	1,0	4	20
21	991,3 -	2,3	85	06	0			3	84	02	998,9 -	3,6	58	34	8	5	89	15 SB	1003,3 -	4,0	73	33	7	6	89	02 SB	- 4,0	1,1	0,0	8	21
22	1007,9 -	3,0	58	33	7			3	84	03	1010,3 -	3,0	59	33	6	6	84	15	1013,1 -	3,8	65	34	5	7	84	02 SB	- 4,0 -	2,6	0,5	7	22
23	1019,3 -	6,7	73	10	3			6	86	02	1016,5 -	0,7	89	17	7	8	50	22 S	1012,0	2,1	93	20	5	8	30 YR	51 YR R	- 8,1	2,3	0,0	7	23
24	1010,9	2,8	82	28	5			6	80	15 TD YR	1014,6	2,8	82	25	4	8	65 YR	51 YR	1018,1	2,0	90	27	4	8	30 TD YR	51 TD YR	1,9	3,5	0,2	6	24
25	1024,6	0,2	73	31	4			6	80 TD	02 TD	1025,6	0,0	86	16	2	8	60 TD	10 TD	1024,6	2,2	93	20	4	8	60 TD	02 TD LB	- 1,0	2,4	0,2	8	25
26	1022,7	2,4	92	19	5			6	86	02	1023,1	3,0	92	18	5	7	65 TD	02 TD	1022,1	2,8	89	18	4	5	86	02	2,2	3,3	0,0	6	26
27	1018,5	2,0	94	18	5			9	04 T	47 TD T	1017,2	3,4	88	18	5	8	50 TD	10 TD	1016,0	4,2	77	18	7	3	84 NL	02	2,0	4,4		7	27
28	1014,4	3,2	88	17	3			0	86	02	1018,2	2,5	89	21	6	8	60	02 TD	1014,5	4,2	61	17	5	2	89	02	2,1	6,0		7	28
29	1015,6	2,8	82	21	4			6	65 TD	10 TD	1017,6	2,7	85	20	5	7	86	02	1018,8	1,8	93	18	4	3	89	02	1,8	4,3		6	29
30	1018,7 -	0,2	88	15	3			1	80	02	1018,9	2,1	73	16	4	7	89	02	1018,4	1,7	76	15	4	8	80	02	- 0,2	2,4		4	30
31	1017,7	1,1	87	18	4			6	89	02	1017,8	0,2	79	17	4	7	89	14	1017,6	1,2	84	18	4	7	80	02 TD SB	- 0,3	2,0		5	31
MI	1011,3 -	0,2	79		4,3			6,2			1011,7	0,2	80		4,5	6,9			1011,5	0,0	81		4,6	6,2			- 1,4	1,5	27,6		IN

E K S T E N S O T A B E L L

BJØRNØYA

NOVEMBER 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1020,5	-2,6	81	18	1			8	80		02	
2	1024,3	-0,7	92	08	1			8	70		02	
3	1019,8	-0,3	89	12	1			8	60	S	70	S
4	989,2	0,4	79	11	1			8	80		02	
5	978,6	0,4	92	11	1			8	50	SL TD	68	RB SL
6	980,3	2,6	85	15	1			7	80		02	YR
7	985,7	0,3	90	09	1			8	70		02	YR
8	991,1	-0,8	93	08	2			8	01	T	44	T
9	990,0	0,4	92	04	3			8	60	TD	02	S YR
10	989,6	-1,8	74	02	5			8	70		26	SB
11	997,0	-1,2	82	21	5			8	80	S	70	S
12	1004,2	-4,7	85	24	1			8	70	S	71	S
13	1008,1	-4,0	66	04	1			7	65		15	SB
14	1011,6	-4,2	59	06	5			8	80		01	
15	1013,4	-4,6	64	08	3			8	80		02	
16	1018,6	-4,0	77	12	2			8	80		02	
17	1015,8	0,1	77	13	3			8	60	S	70	S
18	989,4	-1,6	93	24	1			8	60		22	S
19	1005,0	-0,4	64	28	6			8	80		02	SB
20	1011,3	-2,8	64	29	5			8	60	SB	85	
21	1007,4	0,2	88	19	5			8	30	SB	85	SB
22	975,3	1,4	92	18	1			8	60	TD YR	53	TD YR R RB
23	977,9	-5,0	92	24	3			8	60	S SF	83	S SF
24	975,2	-2,4	90	09	3			8	75	TD	02	S
25	988,6	-5,8	69	00	3			2	80		02	
26	993,7	-5,7	75	14	3			1	61	SB SF	85	SB SF
27	1003,5	-6,1	75	07	7			8	70	SF	38	SF
28	1013,7	-5,4	70	09	3			8	81		02	
29	1007,3	-4,0	82	05	1			7	70	SB	85	SB
30	983,2	-2,5	92	11	3			8	03	SF	38	SB SF
M:	999,0	-2,2	80		4,5			6,7				

KL. 13

DT	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1022,0	-1,8	71	15	3	3	89		02	
2	1024,8	-1,7	82	07	3	4	86		01	TD T
3	1016,0	-0,3	90	12	3	8	89		02	S
4	992,0	1,1	89	13	6	8	56	SL	68	SL
5	977,9	0,4	92	12	5	8	30	SL	69	SL
6	992,4	1,8	85	13	5	8	50	TD	10	TD
7	987,3	0,2	92	07	3	6	60	TD	10	TD
8	993,2	-2,0	92	09	3	9	01	T	45	T
9	987,7	-0,4	78	04	7	8	60		15	SB SL
10	993,1	-2,4	84	02	6	7	70		26	SB
11	996,4	-1,3	92	28	4	6	86		26	SB S
12	1003,8	-5,0	86	24	3	6	70		26	SB
13	1011,0	-3,9	73	04	1	8	65	SB	85	SB
14	1011,8	-4,6	57	07	5	2	89		02	
15	1015,0	-3,8	66	09	1	7	89		02	
16	1020,7	-3,8	66	13	3	2	89		02	
17	1009,6	0,6	71	15	5	8	60		02	S
18	991,1	-0,8	89	24	4	4	80		02	SB
19	1008,5	-0,8	64	28	6	7	80		02	SB
20	1015,5	-3,3	66	29	6	7	75		26	SB
21	987,0	0,8	89	17	7	9	50	SL	68	SL SB
22	972,1	1,6	94	18	5	7	50	TD YR	50	TD YR
23	977,2	-4,0	79	16	4	8	60		03	SB
24	977,3	-2,2	89	07	4	6	80		15	SB
25	991,3	-3,9	66	01	5	7	80		02	SB
26	994,7	-6,7	67	12	6	1	89	SF	36	SF SB
27	1006,8	-6,2	72	07	7	7	70	SF	36	SF
28	1014,7	-5,6	73	11	4	7	89		02	
29	1001,4	-2,6	78	15	6	7	70	SF	36	S SF
30	979,4	-2,2	92	09	7	8	03	SB SF	86	SB SF
M:	998,7	-2,1	79		4,8	6,4				

KL. 19

DT	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	1023,5	-3,4	85	12	3	2	89	JL	02	JL
2	1023,9	-1,0	89	09	3	8	84		02	
3	1009,4	1,1	88	16	1	7	80		01	YR
4	979,1	1,6	86	16	5	8	60	SL	68	SL
5	978,6	0,8	88	12	4	7	81		02	SL
6	983,9	1,1	85	12	5	9	40	TD YR	51	TD YR R
7	988,7	-0,6	93	03	2	9	05	T	45	T TD
8	993,2	-1,7	92	00	0	4	09	T	41	T
9	987,0	-0,9	75	03	6	8	75		02	SB
10	996,6	-2,0	65	06	5	7	86		02	TD SB
11	1000,3	-3,4	57	03	5	8	70	SB	85	SB
12	1003,1	-7,2	92	22	1	8	60	SB	86	SB
13	1011,4	-3,6	64	07	4	8	84		02	SB
14	1012,7	-5,2	60	08	5	1	80		02	
15	1015,9	-3,2	66	07	3	7	89		02	
16	1021,8	-5,0	74	15	1	2	89	TR	02	
17	1001,8	0,3	72	15	5	8	80		02	
18	994,4	0,3	84	26	1	4	60		22	SB
19	1009,1	-1,8	71	28	1	8	80		02	
20	1017,2	-2,8	54	27	1	7	89		02	SB
21	994,4	1,8	88	18	0	6	30		23	S R
22	973,8	-0,7	78	27	0	8	50	S	73	TD YR S
23	975,8	-3,1	88	15	5	8	10	S	73	S
24	990,7	-1,6	84	06	1	1	75		15	SB
25	992,9	-4,4	61	06	1	0	80		02	
26	996,0	-6,0	75	08	5	2	70	SF	36	SF
27	1009,4	-6,4	72	07	5	7	80	SF	36	SF
28	1013,4	-5,6	88	09	6	3	60	SF	36	SB SF
29	995,0	-2,3	74	15	0	0	70	SF	38	SB SF
30	979,5	-2,5	89	07	5	2	80	SF	36	SF SB
M:	999,4	-2,2	78		4,5	6,3				

DØGNET

DT	TN	TX	R	FX
1	-3,4	1,2	0,5	4
2	-3,4	-0,3		4
3	-1,0	1,3	0,0	4
4	0,2	1,6	0,0	7
5	0,1	2,7	0,8	6
6	0,8	2,8	0,5	5
7	-0,6	1,1	0,1	6
8	-2,5	-0,4		4
9	-1,7	0,6	0,2	7
10	-2,6	-0,7	0,1	7
11	-5,0	-1,0	0,9	7
12	-10,0	-3,2	0,1	6
13	-7,2	-2,8	2,4	6
14	-5,2	-3,3	0,0	5
15	-5,2	-3,2		5
16	-6,5	-2,0		4
17	-6,2	1,0	0,0	6
18	-3,2	0,4	2,3	6
19	-1,8	0,5	0,2	6
20	-3,7	-1,4	0,0	7
21	-3,0	2,0	1,2	8
22	-0,7	2,4	4,3	7
23	-5,5	-0,6	0,5	7
24	-3,0	-1,1	2,5	5
25	-6,5	-0,7	0,2	6
26	-3,0	-4,0	0,1	7
27	-6,9	-5,6	0,0	7
28	-6,4	-5,3	0,0	6
29	-5,6	-2,2	0,8	7
30	-2,5	-1,9	3,9	8
M:	-3,9	-0,7	22,3	1M

BJØRNØYA

DESEMBER 1979

KL. 07

DT	P	T	UU	DD	F	D	SS	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	985,1	-2,9	79	05	3			3	70		03	
2	990,3	-4,5	81	15	1			3	81		02	S
3	973,4	-0,2	93	13	7			8	22	SF S	73	S SF
4	975,9	0,1	70	24	3			8	80		02	TD LB R
5	974,3	-1,9	88	06	3			8	65	TD	10	TD YR
6	988,6	-12,8	69	05	7			7	30	SB SF	85	SB SF
7	995,7	-7,5	66	34	1			5	81	SB	85	SB
8	980,6	-5,3	71	02	7			8	07	SB	86	SB SF S
9	989,6	-8,7	69	06	3			3	70	SB SF	85	SB SF
10	997,7	-12,1	75	07	3			2	86		02	SB
11	998,0	-6,5	73	09	1			2	80		02	
12	1002,5	-3,0	86	15	1			1	81		26	SB
13	1008,8	-3,8	74	33	3			8	60	SB	85	SB
14	1015,9	-5,8	76	15	5			8	80		02	
15	1016,7	-1,4	76	13	3			8	80		02	S
16	1016,6	-2,5	79	15	1			1	80		01	
17	1008,0	-4,4	86	15	1			8	81	TD SB	86	SB
18	993,6	-1,4	92	09	1			8	60	SB	85	SB S
19	996,3	-1,4	92	03	3			8	80		26	SB SF
20	998,4	-1,9	86	19	1			8	73	S	70	S
21	971,3	2,0	90	22	5			3	65	TD	28	TD R
22	991,3	-3,8	69	25	3			7	81	TD	10	TD SB
23	996,5	-2,6	90	33	1			8	60		26	SB
24	1009,8	-4,4	70	34	1			7	80		02	
25	1018,8	-7,4	77	08	5			8	73	SB	85	SB
26	1016,5	-2,3	89	09	1			3	73	S	78	S
27	1008,8	-1,4	93	09	1			8	03	T	43	T
28	1001,6	-6,4	78	16	1			1	80		02	
29	997,8	-9,6	81	05	6			8	50	S	73	S SB
30	1005,2	-12,7	58	02	1			2	80		02	
31	1005,4	-12,3	67	03	5			5	70	SF	36	S
M:	997,7	-4,9	79		4,6			5,9				

KL. 13

DT	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	987,9	-3,4	73	04	4	1	89		01	
2	984,1	-3,0	76	12	6	7	75	SF	36	
3	974,2	1,0	90	14	7	8	25	TD R	60	R S SF
4	977,2	-0,3	72	26	5	3	89		01	
5	974,7	-5,8	86	06	7	8	50	TD	10	TD
6	993,7	-11,8	68	03	5	7	70	SB	85	SB SF
7	995,0	-6,0	60	35	4	2	85		01	SB
8	982,3	-11,2	74	03	5	8	40	SB SF	85	SB SF
9	993,4	-9,1	70	02	5	7	80		02	SB SF
10	998,7	-14,8	81	09	3	1	89		02	
11	999,2	-5,1	75	11	1	8	65	SB	85	
12	1003,0	-1,8	90	27	4	7	70		15	SB
13	1011,4	-4,4	89	03	2	8	70	SB	85	SB
14	1016,5	-5,6	81	15	4	2	89		02	
15	1017,5	-1,8	85	15	4	8	89		02	
16	1015,7	-0,5	74	14	6	3	89		02	
17	1005,8	-3,4	75	15	5	7	60	SB SF	85	SB SF
18	993,9	-0,9	89	08	1	8	50	S	70	S
19	999,0	-1,6	93	01	4	8	60	TD	10	TD
20	990,0	0,6	79	18	7	8	60	S	70	S
21	969,6	-0,2	68	24	10	3	80		26	LB SB R TD
22	986,0	0,0	92	19	6	8	20	R S	75	SB
23	987,8	-2,9	69	34	4	2	89		02	SB
24	1012,4	-5,1	67	36	4	6	80		26	SB
25	1019,4	-6,8	79	15	5	8	80		26	SB
26	1015,4	-2,6	93	09	5	8	50	SB SF	85	SB SF
27	1008,0	-2,7	92	09	4	4	75		03	T
28	998,8	-4,4	77	16	2	6	89		01	
29	1000,6	-9,4	69	06	4	2	89		02	
30	1005,9	-15,4	69	09	3	4	89		03	
31	1006,6	-15,7	70	05	5	7	86		02	SF SB
M:	997,9	-5,0	78		4,8	5,7				

KL. 19

DT	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.
1	991,0	-6,7	84	05	2	1	80	JL	02	
2	978,0	-1,4	77	12	3	7	60	SF	38	SF
3	974,1	1,6	92	13	5	8	60	TD YR	51	TD YR R
4	976,9	-2,2	86	04	1	7	86		02	
5	977,6	-8,3	75	06	3	3	75	S	70	
6	998,8	-11,8	81	02	6	7	80		26	SB SF
7	991,0	-5,2	91	05	5	5	80	SB	85	SB
8	981,8	-11,3	69	02	5	8	70	SB	85	SB
9	995,8	-9,0	68	02	4	3	70	SB	85	SB
10	998,3	-15,0	88	09	3	0	80	RI NL	02	RI
11	1000,5	-5,8	75	10	1	7	70		26	SB
12	1001,4	-2,3	76	30	1	7	73	SB	85	SB SF
13	1011,8	-3,5	71	22	2	7	85		02	SB
14	1016,9	-1,6	81	15	1	3	80		02	
15	1017,5	-1,8	88	10	3	8	80		02	
16	1011,6	-1,0	76	15	1	7	80		02	
17	1001,1	-2,4	90	10	5	8	30	SF S	72	S SF SB
18	994,0	-0,8	88	06	5	8	50	S	70	S
19	1001,2	-2,8	89	06	1	8	86		02	TD SB
20	980,8	1,7	89	24	6	3	80		21	R SL
21	992,3	-2,0	66	26	7	4	70	JL	01	SB
22	993,8	-1,4	59	27	6	5	84		26	SF SB
23	1002,7	-3,4	61	31	1	2	89		02	
24	1014,9	-5,3	66	32	3	8	80		02	
25	1019,5	-5,6	78	11	5	2	86		01	
26	1012,2	-2,0	93	09	7	7	10	SB SF	86	SB SF
27	1007,0	-0,8	85	15	3	7	84		02	
28	995,5	-3,0	90	08	2	6	70	SB	85	SB
29	1003,7	-11,6	72	06	1	3	89		02	
30	1005,3	-12,7	64	06	3	1	84		26	SB S
31	1007,5	-18,3	73	06	1	2	85	SF	01	SF
M:	998,5	-5,0	78		4,5	5,8				

DØGNET

DT	TN	TX	R	FX
1	-6,7	-2,1	5,2	7
2	-9,2	-1,4	0,0	7
3	-1,4	2,1	0,7	8
4	-2,2	2,0	1,9	7
5	-8,3	-1,9	0,1	8
6	-12,8	-8,0	0,1	8
7	-12,0	-4,5	0,1	6
8	-12,4	-4,5	5,1	8
9	-11,5	-8,2	2,4	7
10	-16,2	-8,8	0,1	5
11	-15,0	-4,5		5
12	-5,8	-1,5	0,0	5
13	-5,0	-1,9	0,0	5
14	-3,0	-1,3	0,1	5
15	-1,9	-0,5	0,0	4
16	-4,0	-0,1		7
17	-1,5	-0,4	0,0	6
18	-2,4	-0,7	1,5	6
19	-2,8	-0,6	0,8	6
20	-4,3	1,8	0,0	7
21	-3,5	2,5	4,7	10
22	-4,5	0,2	1,6	8
23	-5,7	-1,4	2,9	6
24	-5,3	-3,4	0,0	5
25	-7,5	-5,0	0,0	6
26	-5,6	-2,0	0,1	7
27	-3,4	-0,8	0,8	7
28	-6,4	-0,8		4
29	-11,6	-2,6	0,8	6
30	-15,8	-11,3		5
31	-18,5	-11,5	0,6	6
M:	-7,5	-2,6	29,6	1M

EKSTENSJONSTABELL

JAN MAYEN — JANUAR 1979

DT	KL. 07 P	T	JU	JD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	JU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	JU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1017,5	-20,0	33	30	J			J	70	40	1018,3	-17,4	52	31	3	5	84 TD	01 TD	1018,7	-14,2	54	25	1	7	82	02	-21,0	-11,2		4	1
2	1017,6	-11,4	32	26	7			J	70 SF	39 SF	1016,0	-14,2	82	36	3	8	15 SF S	70 SF S	1013,6	-10,8	21	14	1	3	83 SF	36 SF S	-16,7	-10,6		7	2
3	1005,7	-12,6	30	12	3			J	01 SF S	71 S SF	1004,5	-10,6	90	01	7	8	02 SB SF	86 SB SF	1005,4	-9,5	91	36	7	5	02 SF	38 SF S3	-13,3	-9,5	2,4	8	3
4	1005,0	-10,8	33	14	3			J	02 SF	39 SF S3	1010,8	-3,2	96	35	3	8	02 TD SF	38 TD SF SB	1020,5	-7,4	90	33	8	9	02 SF	39 SF TD	-11,3	-3,2	6,0	8	4
5	1003,0	-8,4	35	28	3			3	80 S	78 S S3	997,1	-4,8	90	18	5	8	15 S	71 S	998,8	-1,2	93	18	1	3	15 S	73 S	-12,1	-1,2	4,2	9	5
6	990,1	-1,2	90	21	2			J	63 TD	10 TD S	990,0	-1,8	90	24	2	8	70 TD	02 TD S	990,1	-2,0	89	20	1	8	70	02 TD	-2,7	-0,3	1,3	5	6
7	983,1	-1,5	87	27	1			J	81	01 S	984,7	-2,0	69	36	4	8	82	02	985,1	-1,4	87	35	3	2	02 SF S	71 S	-4,3	-1,8	0,4	5	7
8	987,1	-5,1	38	33	7			J	03 S	73 S	989,9	-12,2	92	36	7	5	03 SF SB	86 SF SB	993,2	-10,2	79	31	3	2	02 SF	39 SF S3	-14,3	-2,0	1,7	8	8
9	992,5	-22,6	73	34	J			J	10 SF	37 SF	992,3	-15,9	95	33	0	5	85 SF	36 SF	994,1	-6,2	80	33	1	7	50 SB SF	85 SB SF	-23,2	-9,2	6,5	10	9
10	1003,8	-14,9	39	01	3			J	01 SF	39 SF	1006,6	-21,0	76	35	2	9	03 SF	39 SF	1007,1	-22,4	75	35	3	3	10 SF	35 SF	-23,3	-3,5	1,3	9	10
11	1010,2	-24,6	70	36	3			2	80	03 SF	1010,5	-25,8	75	25	0	1	30 TD	40 TD	1011,5	-25,8	76	16	3	2	82	02 TD	-26,3	-20,1		9	11
12	1016,3	-25,2	77	25	7			1	40 TD	40 TD	1019,0	-24,4	76	35	7	1	40 TD	10 TD	1022,0	-21,3	73	16	0	3	10 TD	40 TD	-29,9	-21,3		7	12
13	1024,7	-20,0	64	35	3			3	50 TD	40 TD NL	1026,0	-19,1	46	32	5	3	80 TD	40 TD	1026,9	-20,3	38	28	2	1	89	02 TD	-22,0	-17,5		7	13
14	1026,4	-13,6	37	00	3			1	80	01	1028,6	-10,2	82	29	2	5	85	02 S	1029,7	-11,3	83	20	3	6	83	01	-23,7	-9,5		3	14
15	1027,2	-3,1	90	18	3			3	83	02	1024,0	-2,3	84	16	2	3	80	02	1016,4	-0,8	80	14	1	3	80	02	-11,3	-0,8	0,1	4	15
16	996,5	0,0	90	07	1			J	60	15 S	995,6	-0,3	90	09	4	7	20 TD S	72 TD S	1000,1	-0,5	85	34	5	3	70	02 SB TD S	-1,0	-0,6	0,3	6	16
17	1021,1	-3,6	88	29	1			3	30 TD	15 TD SB	1025,0	-4,2	88	00	3	8	82	02	1022,5	-0,1	75	22	1	8	80	02	-5,0	-0,1	0,7	6	17
18	1021,4	-4,7	87	28	J			7	80	02	1023,7	-4,6	84	27	6	7	89	01	1026,0	-4,7	88	26	0	7	80	15 RB	-5,3	-3,3		7	18
19	1032,2	-1,5	93	36	1			7	80	01 TD YR	1038,7	-6,0	59	35	5	5	89	02	1043,9	-4,8	52	36	1	3	80	01	-6,7	-5,4	1,7	8	19
20	1044,7	-5,2	59	14	2			7	80	02	1042,2	-3,2	88	19	2	5	85	02	1038,2	-1,9	90	23	1	8	84 S	77 S	-7,4	-1,3		5	20
21	1029,4	-1,9	91	30	J			J	70 KS	77 KS S	1036,4	-2,1	85	32	4	5	80	03 KS	1023,7	-4,7	88	32	0	3	60 S	70 TD S	-5,0	-0,8	4,7	6	21
22	1024,4	-10,6	30	34	7			2	70 SF	36 S SF	1025,0	-13,3	93	33	7	2	80	02	1023,2	-13,1	80	32	7	3	80	02	-13,8	-1,5	0,3	7	22
23	1010,0	-5,6	87	27	1			3	80	02	1036,6	-10,3	76	34	0	4	88	01 SF	1035,8	-11,0	79	31	0	6	50 S	70 S SF	-13,3	-3,1		8	23
24	1011,8	-2,8	73	31	7			5	40 SF	36 SB SF	1019,8	-6,4	82	01	5	1	89	02 SF	1021,7	-7,2	69	31	7	3	80	02	-13,3	-1,0	1,3	8	24
25	1020,7	-11,6	39	34	7			3	10 TD S	73 T S	1019,3	-14,1	83	35	7	7	10 SF	38 T S SF	1015,2	-17,0	32	35	3	3	20 SF TD	38 SF	-17,2	-6,8	0,0	8	25
26	1007,5	-10,8	32	35	0			4	07 SF	37 IL SF	1005,1	-19,6	79	34	8	5	04 SF	39 SF	1000,3	-11,3	30	35	7	3	00 S SF	70 S SF	-20,3	-11,1	0,7	8	26
27	1001,1	-12,2	31	35	3			3	01 S SF	75 S SF	1001,9	-12,5	90	35	8	8	02 S SF	71 S SF	1001,6	-9,5	90	36	7	3	01 SB SF	85 SB SF S	-12,5	-9,1	8,5	8	27
28	1004,6	-3,9	34	35	3			5	30 SB	80 SB	1005,9	-10,8	85	34	4	6	80 S	78 SB S	1001,8	-10,6	76	34	3	3	80	01 S	-12,5	-8,1	2,9	7	28
29	1001,5	-12,0	32	34	3			2	80 SF	30 IL SF	1000,5	-14,0	93	33	5	7	20 TD SF	40 TD SF	998,5	-15,4	84	33	0	5	70 TD SF	40 TD SF	-17,1	-10,4	0,0	7	29
30	992,2	-16,9	35	36	3			3	00 S SF	75 S SF	995,7	-12,8	84	35	6	4	05 SB SF	85 SB SF	996,5	-8,4	79	16	3	3	20 SB SF	80 SB SF S	-17,3	-8,4	2,1	8	30
31	977,0	-5,8	32	20	1			3	80	02 S	980,6	-7,0	80	16	3	3	60 SB	85 S	982,2	-7,1	84	16	3	3	60 S	71 S	-7,3	-0,4	13,7	5	31
M	1002,6	-10,1	82		4,9		5,3				1000,7	-10,2	80		5,1	5,9			1000,0	-9,2	77		5,1	5,5			-13,3	-9,3	60,3		M

JAN MAYEN — FEBRUAR 1979

DT	KL. 07 P	T	JU	JD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	JU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	JU	DD	F	I	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	983,3	-6,2	87	17	3			1	60 TD	01 TD SB S	986,3	-5,4	73	18	3	8	70	02	987,0	-5,5	84	30	3	9	70	02	-8,7	-5,2	0,3	4	1
2	981,9	-3,0	82	35	3			3	01 S	73 S	980,5	-0,8	87	07	6	8	20 S	70 S	983,0	-0,2	82	27	1	9	50 S	70 TD S	-6,3	-0,2	3,7	6	2
3	992,7	-1,0	79	38	3			7	80 SF	36	999,3	-2,4	84	05	5	6	70 SF	36 SB SF	1001,2	-5,0	35	31	6	7	20 SB SF	85 SB SF	-5,2	-0,1	1,7	7	3
4	1003,1	-6,5	79	36	3			7	50	16 SF S3	1001,6	-6,3	85	01	5	6	03 SB SF	86 SB S SF	1000,7	-5,6	88	36	3	3	03 SB SF	86 SB SF	-7,5	-5,0	0,0	7	4
5	1000,8	-6,1	87	35	3			5	70 SF	36 SF	1001,3	-8,5	93	33	7	5	05 SF	36 SF	1000,3	-9,0	33	32	3	7	50 S SF	70 S SF	-9,4	-5,5	3,0	7	5
6	998,8	-8,4	33	34	3			1	03 S SF	70 S SF	999,4	-10,6	87	33	6	1	02 SB SF	86 SB SF	999,3	-12,7	84	34	7	1	01 SB SF	85 SB SF	-13,0	-7,3	1,5	7	6
7	1002,9	-8,7	30	36	1			7	03 SB	86 SB	1004,4	-10,0	90	32	4	7	02 SB SF	86 SB SF	1001,7	-11,9	85	31	3	3	00 SF	39 SB SF	-12,7	-8,2	7,1	8	7
8	1002,7	-17,2	79	33	7			3	02 SB SF	85 SB NL SF	1005,0	-16,2	80	33	7	4	06 SF	38 SB SF	1007,2	-15,9	83	33	3	3	04 SF	39 SB SF	-17,4	-11,7	4,4	8	8
9	1009,0	-17,1	84	33	3			3	80 SF	35 SF	1010,6	-16,5	93	33	4	6	88	02 SF	1010,3	-17,1	80	34	3	4	80 SF	36 SF	-17,8	-15,6	3,3	9	9
10	1010,6	-17,7	71	33	4			3	80	02	1009,5	-16,1	76	12	3	8	62 S	70 S	1007,0	-15,2	76	18	1	8	70 S	70 TD S	-19,0	-15,2		6	10
11	1007,0	-12,7	33	35	4			3	30 S SF	70 S SF	1009,7	-15,6	84	01	6	8	08 SB SF	86 SB SF	1011,4	-18,1	82	36	1	7	80 SF	36 SB SF	-18,6	-12,4	1,9	7	11
12	1015,5	-20,0	32	00	3			0	82	02	1017,3	-20,4	92	00	0	3	89 S0	02 S0	1017,3	-19,9	88	00	3	3	89	02 S0	-21,5	-17,9	1,3	5	12
13	1015,1	-8,8	88	00	3			7	80	02	1014,6	-5,9	94	00	0	6	89	02 TD H YR S	1013,6	-3,4	88	18	1	8	75 TD	10 KS YR	-19,9	-3,4		1	13
14	1012,7	-4,4	73	29	6			6	70 SF	36 TD SB SF	1012,8	-4,4	80	26	1	7	89	01	1011,4	-4,6	85	25	3	8	58 TD YR	51 TD YR	-5,5	-2,8	1,2	6	14
15	1009,4	-4,4	31	29	5			1	80	02	1010,6	-0,4	84	29	6	6	70	03	1012,6	1,6	82	26	0	7	70 YR R8	80 TD R8 YR	-9,0	1,7	3,0	9	15
16	1014,1	-0,6	84	00	J			J	70	01	1012,6	0,1	87	21	5	7	75 TD	10 TD	1013,2	0,1	88	22	6	7	85	02 TD	-0,8	4,8	0,0	8	16
17	1013,8	0,4	85	22	4			3	70 TD	10 TD	1013,7	0,5	93	22	5	8	50 TD	10 TD	1011,9	0,5	90	21	6	7	56 TD	10 TD	-0,3	0,7		7	17
18	1017,3	0,1	94	21	4			3	30 TD	10 TD	1017,7	0,4	85	18	5	8	65 TD	10 TD	1015,9	0,0	87	19	4	8	60 TD	10 TD	-0,5	0,7		6	18
19	1008,5	0,5	91	17	4			3	60 TD	10 TD	1007,0	0,2	91	20	2	8	20 TD SL	68 TD T SL	1006,5	0,1	91	22	2	7	02 T	44 TD T YR SL	-0,5	0,7		5	19
20	999,1	0,9	91	22	3			9	02 T YR R	59 T R	1003,9	0,6	90	22	2	9	15 TD	40 T YR	999,6	0,3	91	30	3	9	01 T SL	68 T SL	-0,7	1,1	2,7	6	20
21	991,2	0,5	72	28	1			2	80 IL	01 YR S SL	999,2	1,7	83	20	4	7	89	02 NL	1000,3	5,5	59	39	1	4	60	40	-5,5	0,5	15,2	6	21
22	998,6	1,8	73	34	1			6	80	01 TD S	1004,0	7,7	90	01	6	9	03 SF	38 SF	1005,3	9,8	87	32	7	9	01 SF	33 SF	-10,0	1,9	1,9	7	22
23	1014,2	-13,3	38	38	8			9	00 SF	39 SF	1022,3	-16,1	82	35	7	6	05 SF	36 SF	1026,5	-16,2	82	31	4	7	20 SF	36 SB SF	-16,8	-8,0		8	23
24	1021,3	-9,2	85	11	4			9	20 SB	86 SB	1013,2	-1,8	83	11	4	7	75 SF	36 S SF	1005,4	-0,5	93	39	4	8	50 S	72 S SF	-16,2	-0,5	1,8	5	24
25	997,1	-2,1	91	00	J			J	03 T	47 T YR	991,7	-1,6	91	00	0	8	08 T YR	56 T YR	985,4	-3,0	87	26	3	8	20 TD	40 T YR TD	-3,0	-0,2	3,1	5	25
26	989,0	-8,9	84	36	7			J	06 SF	38 SB SF	997,3	-14,3	79	32	6	5	07 T SF	44 T SB SF	998,7	-15,0	47	35	6	7	80 TD SF	36 TD SF	-16,5	-3,0	6,1	8	26
27	996,3	-8,2	87	13	2			3	20 S	72 KS S	988,9	-2,1	91	11	4	9	40 SF	36 S SF	985,0	0,7	90	17	4	8	15 S	73 S	-15,7	-0,7	1,2	6	27
28	978,1	-0,8	83	13	3			8	62 TD	10 TD	973,7	-1,5	90	12	4	8	17 TD S	72 TD S	965,3	-1,4	87	35	4	8	30 S	71 TD S SF	-2,0	-0,2	2,4	6	28
M	1003,0	-6,6	83		4,1		6,3				1003,9	-6,6	86		4,2	6,7			1003,1	-6,9	84		4,1	6,8			-10,0	-4,1	64,4		M

EKSTENSOTABELL

JAN MAYEN — MARS 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	973,5	-6,0	84	22	1			3	63 SF	36 3 SF WL	974,5	-6,1	80	18	1	8	60 TD	10 TD SF	964,2	-1,4	94	35	1	8	80	02 3 SF TD	-7,3	-1,3	0,8	7	1
2	967,3	-10,6	83	24	1			7	33 SB	85 3B SF S	970,4	-9,9	75	26	4	7	60 SB	85 SB SF	970,5	-8,7	64	25	3	7	70 SB	85 SB	-10,9	-1,4	11,6	9	2
3	967,2	-8,8	87	09	4			1	81 SF	36 JF S	967,8	-9,5	73	34	6	4	65 SF	36 SF	968,0	-10,2	79	31	4	9	04 S SF	72 S SF	-10,2	-10,2	0,2	6	3
4	963,1	-15,9	72	23	3			3	53 SB SF	85 3B SF	961,9	-10,8	79	31	4	9	02 SB SF	86 SB SF S	964,8	-13,4	75	29	3	8	08 SB SF	85 SB SF	-17,3	-10,2	9,2	9	4
5	973,7	-7,6	84	31	5			3	02 S SF	72 3 SF SB	978,8	-9,6	88	36	8	9	00 SF	39 SF SB S	931,8	-9,9	84	34	7	9	01 SF	39 SF SB	-13,5	-6,5	3,3	8	5
6	986,7	-6,0	90	34	4			3	63 SB	85 SB NL SF	990,1	-6,9	85	01	5	4	15 TD	40 TD T SB SD	990,6	-7,0	83	35	3	3	50 TD SF	40 TD T SF	-10,3	-5,4	7,1	8	6
7	989,4	-9,0	88	31	5			4	33 TD SF	86 TD SB SF	990,5	-10,5	83	35	6	7	10 SF	36 TD SF SB	988,5	-10,7	77	34	1	3	75 SF	36 SF SB	-11,3	-5,5	0,2	7	7
8	976,2	-5,8	85	36	6			3	53 S SF	71 3 SF WL	983,2	-2,4	85	09	6	8	05 S SF	72 S SF	980,2	-1,4	91	12	3	7	89	01 S SF	-11,7	-1,4	0,6	8	8
9	966,0	-4,8	88	30	3			9	43 TD	40 TD S	985,1	-0,1	91	09	4	8	08 TD S	71 TD S	987,7	0,5	90	10	6	8	15 TD SL	68 TD SL S	-6,3	0,7	6,8	6	9
10	978,6	-2,2	87	21	2			3	63	40 3L S TD	983,5	-2,6	77	23	1	8	65 TD	10 TD	986,6	-3,6	84	30	3	7	60 TD	10 TD S	-3,3	0,6	5,7	6	10
11	988,4	-1,9	79	33	3			3	63 S SF	71 3 SF	989,0	-2,6	87	21	1	3	20 TD S	71 TD S SF	990,6	-2,7	87	30	3	7	80 TD	10 TD S	-6,3	-1,0	1,5	6	11
12	997,3	-3,8	87	17	1			8	63 TD SB	85 TD SB	1031,8	-4,3	80	01	1	6	89	01 TD	1035,2	-3,0	87	35	1	7	20 TD SB	85 TD SB S	-5,1	-2,7	2,3	4	12
13	1013,3	-5,3	87	30	3			3	81	02	1017,2	-3,4	83	33	2	6	80	01 TD	1021,2	-2,8	85	32	1	8	58 KS	77 KS	-7,3	-2,8	0,8	4	13
14	1028,0	-5,6	88	35	6			3	33 SF	36 JF SB	1028,2	-6,4	83	33	3	7	10 SB SF	85 SB T SF	1024,2	-7,0	76	26	1	6	70	03 SB SF	-7,2	-2,6	0,5	6	14
15	1029,0	-7,8	75	35	1			2	83	01	1030,3	-5,0	82	34	3	6	84	02	1031,1	-3,1	76	34	3	1	89	01	-8,5	-2,4	0,2	5	15
16	1031,5	-3,5	84	30	3			5	81	03	1031,9	-2,4	88	00	0	6	89	03 SO	1030,0	-2,0	90	30	3	8	70 S	73 S	-3,0	-1,8		3	16
17	1024,8	-6,7	72	30	3			3	83	01 TD S	1021,6	-5,1	76	00	3	2	89	02	1019,8	-6,5	83	30	3	2	89 SO	02 SO	-8,0	-1,9	0,2	6	17
18	1014,4	-8,4	91	24	2			3	53 TD	10 TD	1035,7	-3,8	88	22	4	8	80 TD	10 TD	1031,2	-3,6	75	36	3	3	60 TD	36 TD	-8,9	-3,0		7	18
19	993,5	-8,1	76	36	5			3	02 S SF	73 S SF	939,5	-4,9	84	02	5	6	65 SF	14 S SF	938,1	-5,3	85	33	7	7	00 SF	39 SF SB	-8,6	-3,0	1,8	9	19
20	1004,2	-7,2	77	32	6			3	53 SF	36 SF	1034,0	-7,4	83	02	6	9	03 SB SF	86 SB SF	1034,5	-7,2	77	32	6	8	40 SB SF	85 SB SF	-7,8	-5,2	3,1	9	20
21	1004,7	-7,5	70	31	1			3	73	40 SF KS	1036,5	-7,2	59	03	4	3	89 SF	01 SF SB	1036,7	-7,4	30	23	2	1	89	02 SF SB	-9,0	-6,0	0,2	6	21
22	1007,0	-6,9	77	31	1			3	83 SF	36 SF S	1007,0	-5,4	64	28	3	1	89	15 SF	1006,2	-4,2	57	33	1	7	89	03	-9,6	-3,9	0,0	4	22
23	1004,7	-2,9	72	10	1			3	83 TD	10 TD	1014,8	-1,6	75	09	5	3	80	02	1009,4	-2,0	91	39	3	3	20 TD SB	85 TD SB	-6,0	-1,3		5	23
24	1005,8	-1,4	90	39	3			3	73 TD SB	85 TD SB	1015,9	-0,2	64	09	3	3	89	01 SB TD	1014,4	-1,0	72	37	1	2	83	02	-2,9	-0,2	2,9	5	24
25	998,8	-2,8	84	34	1			1	63 TD	10 TD	974,8	-1,5	84	07	1	8	65 TD	26 TD SB	990,8	-1,0	85	37	5	8	50 TD	26 TD SB	-4,7	-1,8	0,0	5	25
26	989,8	0,1	82	34	1			3	63 TD	10 TD KB	939,2	-1,5	84	01	5	7	60 SB SF	85 SB TD SF	938,4	-3,1	91	32	6	9	03 SB SF	85 SB SF	-3,1	-1,3	0,2	7	26
27	990,8	-3,5	83	36	5			3	03 SB SF	85 SB SF	993,8	-3,3	87	36	5	7	09 SB SF	85 SB SF	994,2	-3,5	88	36	5	9	05 SB SF	85 SB SF	-3,8	-1,9	2,3	7	27
28	995,8	-4,0	90	31	5			3	01 SB SF	85 SB SF	998,0	-4,6	87	01	7	9	01 SB SF	85 SB SF	1000,7	-4,7	84	36	3	9	03 SB SF	85 SB SF	-4,8	-3,5	8,4	8	28
29	1006,6	-6,3	82	34	7			3	23 JF	15 SB SF	1019,5	-6,3	77	29	3	7	50 SB SF	85 SB SF	1010,2	-6,9	67	32	1	8	80	02 SB TD SF	-6,3	-4,7	9,1	8	29
30	1006,5	-3,0	90	16	1			3	53 TD	10 TD SB	1032,4	-1,8	91	10	5	8	50 SB	85 SB	994,7	-0,8	91	13	1	9	10 S	73 S SB	-7,1	-0,8	1,7	5	30
31	995,9	-0,4	90	11	1			9	13 TD S	73 S SB	999,1	-0,2	90	08	3	9	20 TD S	71 TD S	1001,2	-0,6	85	39	1	8	60 TD	10 TD R3 3L S	-1,3	-1,0	0,0	5	31
Mi	995,9	-5,6	32		3,8				6,6		996,0	-4,7	81		3,8	6,6			996,1	-4,5	80		3,8	6,7			-7,5	-2,7	88,2		M

JAN MAYEN — APRIL 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1003,4	1,6	85	37	5			3	53 TD	26 TD LB	1038,7	0,4	91	05	3	7	60 TD	10 TD SB	1042,0	2,2	85	30	3	6	83	02 TD	3,2	2,2	2,2	6	1
2	1019,7	2,0	88	17	1			3	33 TD	10 TD RB	1022,9	1,3	84	03	2	7	60 TD	10 TD	1021,7	0,2	72	24	3	3	80	01 TD SB	0,0	2,6	1,1	4	2
3	1024,7	2,2	88	33	3			3	63 TD	10	1025,0	2,0	84	28	1	8	60 TD	10 TD	1024,4	2,7	85	16	1	8	63 TD KB	77 TD	2,7	3,2		4	3
4	1021,7	2,7	38	18	3			3	53 TD	10 TD	1021,7	2,0	85	17	2	8	57 TD	10 TD	1021,9	1,2	34	30	3	8	63 TD	10 TD	3,5	1,2	0,0	4	4
5	1023,3	0,7	76	24	3			8	83	02	1025,9	1,9	88	25	5	9	07 SB SF	85 SB	1027,6	2,6	87	20	3	6	10 TD SF	36 TD SB SF	2,7	0,5	0,0	5	5
6	1030,3	4,0	79	32	1			7	63 SF	36 SF	1031,8	4,8	77	03	4	7	50 TD	10 TD SB SO	1033,8	6,2	69	31	4	7	70 SB	85 TD	5,5	1,9	0,8	6	6
7	1036,2	8,4	61	35	2			3	83 SO	02 TD	1036,4	7,0	57	31	2	6	86 SO	02 SO	1034,6	6,7	61	27	2	3	60 SB	85 SB SB	3,0	6,2	0,0	4	7
8	1028,0	4,3	84	21	2			3	63 TD SB	85 TD SB	1025,1	3,0	69	18	3	3	80 TD SB	85 TD SB	1023,1	4,9	84	33	1	7	65 TD	02 TD SB SO	7,1	2,0	0,2	4	8
9	1024,2	3,6	85	31	1			3	73 TD	03 TD SB	1025,7	2,9	87	01	3	6	70 TD	02 TD SF	1026,1	1,7	79	31	4	7	89	03	5,7	0,9	0,0	6	9
10	1030,1	3,6	84	32	3			7	63 TD	10 TD SF	1031,7	5,0	69	01	3	6	89 SF	36 SF	1031,1	5,7	67	32	3	5	89	02 SF	6,1	1,7		6	10
11	1034,2	9,2	67	32	7			7	13 SB SF	85 3B SF	1036,2	8,2	61	04	3	6	85	15	1037,0	9,0	66	32	3	6	60 SB SF	85	-10,0	-4,9	0,1	7	11
12	1038,9	7,7	91	33	3			7	63 SF	36 SF	1010,5	6,4	98	03	4	6	80 SO	15 SF SO	1030,9	6,2	64	35	3	3	83	02 SO	-9,5	-5,2	0,0	7	12
13	1034,5	7,4	71	33	2			3	83 SO	02	1030,9	6,1	68	31	3	1	89 SO	01 SO	1026,5	6,1	79	34	3	4	89	03 SO	-7,9	-5,7		7	13
14	1026,0	4,5	84	36	3			3	83	01	1028,4	3,7	75	15	2	8	89	02	1029,1	3,6	73	19	3	8	89	02	-6,5	-3,4		6	14
15	1027,1	4,6	72	29	2			8	89	01	1027,4	2,3	75	26	3	7	89	03	1027,2	3,0	87	24	2	8	70 TD	10 TD	-5,7	-2,3		4	15
16	1027,6	4,8	83	36	2			3	83 3	70 3	1028,2	3,6	80	36	3	8	65 TD S	70 TD S	1028,7	4,3	80	32	1	6	89	02 TD	-5,0	-2,3	0,0	4	16
17	1027,0	4,6	73	19	1			3	83	02	1024,9	3,8	69	12	3	8	89	02	1022,0	4,3	87	11	1	8	89	02	-5,0	-3,7	0,0	4	17
18	1012,8	0,9	88	10	1			3	83 S	70 S	1011,2	2,6	91	36	4	8	60 TD S	70 TD S	1010,4	5,1	30	31	6	8	70 TD SF	36 TD S SF	-5,1	-0,7	1,0	6	18
19	1007,4	3,3	90	32	4			3	83	02 TD	1008,4	0,9	91	09	3	7	89	02	1003,8	0,2	88	09	4	7	86	02 SO	-5,7	-0,1	0,3	6	19
20	999,8	1,6	88	10	5			7	81 R	60 R	999,0	2,3	87	10	4	7	75 R	60 R	998,6	2,4	83	09	2	8	75 TD	10 TD R	-0,5	2,7	0,4	6	20
21	999,8	1,8	85	01	7			7	83	02 TD	1001,9	1,9	87	36	5	8	88	02	1001,2	2,2	88	31	3	7	83	02 TD	-2,4	3,7	0,4	8	21
22	1004,6	3,1	88	32	3			3	63 TD	10 TD	1005,4	2,8	94	02	5	8	85	02	1004,8	2,1	34	22	2	8	86	02	-3,5	-1,8		6	22
23	1004,8	2,4	38	02	1			8	81	02 3	1004,8	1,5	84	03	3	8	89	02	1004,9	1,9	87	35	3	7	83	02	-3,0	-1,3	0,1	5	23
24	1005,5	1,6	87	07	6			3	73 TD	02 TD	1006,6	0,5	87	22	1	8	70	40 TD	1007,5	1,9	88	35	5	8	63 3 SF	70 3	-2,7	0,9		6	24
25	1011,2	2,8	88	36	5			3	23 3 SF	72 3 SF	1014,5	2,4	84	36	8	7	80 TD SF	40 TD SB SF	1017,1	2,9	80	31	1	8	80 TD	02 TD SF	-3,3	1,9	2,7	7	25
26	1019,3	5,2	54	34	1			1	83	01 SF	1019,5	2,3	39	21	2	1	89 SO	02 SO	1016,7	2,0	77	19	1	7	83	02 SO	-6,3	-1,0	0,0	6	26
27	1010,4	1,9	93	22	2			3	23 TD S	70 TD S	1009,2	2,2	85	15	5	8	03 S SF	73 TD S SF	1009,9	3,7	77	36	3	7	60 SF	36 S SF SB	-1,0	-1,0	2,4	6	27
28	1002,2	6,8	65	28	1			3	83 SO	02 SF SO	993,8	2,8	91	11	4	9	07 TD S	85 TD SB S	990,8	3,0	72	31	4	7	83	01 TD S	-8,9	-2,5	3,7	6	28
29	995,4	3,5	81	04	3			3	02 SF	39 SF	999,8	5,2	70	02	9	8	01 SF	39 SF	1004,1	6,7	73	32	8	8	04 SF SB	86 SB SF	-6,7	-3,0	1,3	10	29
30	1005,2	7,4	61	02	7			3	01 SB SF	88 SB SF	1003,8	6,4	87	36	8	8	02 SB SF	86 SB SF	1003,1	4,1	87	36	7	8	02 SF	37 SB SF	-8,3	-4,1	1,2	9	30
Mi	1017,8	3,6	80		3,9				7,0		1018,2	3,0	79		3,8	7,0			1018,1	3,3	79		3,8	6,9			-5,1	-1,6	18,2		M

EKSTENSOTABELL

JAN MAYEN — MAI 1979

KL. 07													KL. 13												KL. 19												DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	1006,5	2,9	67	33	3			7	50	SF	38	SB SF	1008,3	3,1	67	03	8	8	56	SF	38	SB SF	1008,6	3,5	62	33	8	9	20	SB SF	85	SB SF		4,1	2,9	5,7	10	1
2	1006,6	4,7	69	33	3			3	60	SF	38	SF	1004,4	5,0	88	02	7	8	10	SB SF	85	SB SF	1003,7	4,9	92	36	7	9	10	SB SF	85	SB SF		5,3	3,5	0,0	9	2
3	1001,7	3,2	91	36	7			3	01	SB SF	86	SB SF	1003,2	2,6	85	01	7	8	01	SB SF	86	SB SF	1003,5	1,6	90	31	7	8	01	SB SF	86	SB SF		4,9	1,6	9,6	8	3
4	1010,7	1,5	90	31	7			3	01	SB SF	83	SB SF LR	1014,6	1,7	83	01	3	8	57	TD SF	38	TD SB SF	1016,4	3,0	83	31	6	8	50	TD SB SF	85	SB TD		3,3	0,1	12,4	8	4
5	1014,5	4,1	79	35	7			3	10	SB SF	86	SB SF	1013,7	3,4	85	35	7	7	03	SB SF	86	SB SF	1014,2	2,7	87	32	6	8	07	SB SF	86	SB SF		1,6	2,6	0,2	8	5
6	1015,6	2,7	84	32	3			7	10	SB SF	85	SB SF	1017,3	3,2	88	01	7	8	05	SB SF	86	SB SF	1019,2	2,4	84	32	7	9	70	SF	38	SB SF SD		3,1	2,3	4,8	8	6
7	1021,5	3,1	70	32	6			3	60	SF SD	36	SF SD	1022,0	2,6	96	02	4	9	86	SD	02	SF SD	1022,2	3,2	84	36	4	4	86		02	SD		3,6	1,9	1,4	7	7
8	1021,6	3,7	71	32	4			7	70		02		1021,5	3,6	96	01	3	7	86		02		1021,0	3,8	87	31	4	4	85		01			3,9	3,0		6	8
9	1019,6	4,1	83	32	4			7	07	T	43	TD SB T	1020,0	3,7	97	35	4	5	85		01	SB	1019,2	4,9	75	31	4	5	65	SB	85	SB S		5,2	3,4	0,1	5	9
10	1016,7	3,2	89	28	3			7	85	S	70	S	1017,1	1,8	85	28	2	7	70	TD	10	TD S	1017,4	1,9	75	31	2	3	74	TD	10	TD		5,5	1,7	0,1	4	10
11	1019,8	6,5	75	32	1			7	10	SB SF	80	TD SB SF	1022,0	6,3	82	02	1	8	60	TD SB	85	TD SB SF	1023,0	7,1	65	36	4	6	86	SF SD	36	SB SF SD		7,3	1,7	0,8	5	11
12	1020,6	7,3	69	31	3			3	60	SF	33	SB SF	1019,5	5,4	64	30	3	6	80		15	SB SF	1019,5	5,6	64	28	3	8	60	SB	85	SB		8,3	4,9	0,7	5	12
13	1018,3	5,2	71	35	3			3	80	SD	13	SB	1016,0	4,9	72	35	4	4	84	SD	26	SB SD	1011,1	3,8	82	34	3	7	40	SB	86	TD SB		6,3	3,8	1,4	5	13
14	1010,2	4,1	59	34	1			3	80		32	SB	1010,4	4,3	61	01	3	7	80		03		1010,4	4,2	69	35	3	8	80	TD S	70	TD SB S		5,5	3,1	0,2	7	14
15	1010,1	4,7	70	33	1			3	80		02		1010,7	5,7	83	02	3	7	75	SB	85	TD SB S	1011,7	4,1	72	32	5	8	83	TD	10	TD SB		5,5	3,1	0,0	5	15
16	1015,6	4,7	77	32	1			3	50	TD SB SF	83	TD SB SF	1018,2	4,5	71	02	5	6	80	TD	10	TD SB SF	1013,1	5,7	65	32	5	5	80	SD	02	TD SB SD		8,2	3,2	0,0	6	16
17	1017,6	5,8	59	32	1			3	80	TD	10	TD SB	1015,1	4,1	64	04	4	6	80	SD	15	TD SB SD	1014,1	4,8	64	31	4	7	80	SB	85	SB SD		7,3	4,0	0,2	5	17
18	1010,4	3,4	62	33	3			3	80	SD	15	TD SB SD	1009,9	2,8	62	02	4	4	80	TD	15	TD SB SD	1009,6	3,8	70	35	1	7	33	SB	86	TD SB SD		6,3	2,6	0,7	6	18
19	1008,1	4,7	72	33	3			3	75	TD SB	85	TD SB	1008,8	3,8	72	34	4	5	80		01	SB S	1009,9	4,0	75	32	3	7	75	SB	85	SB		5,5	3,2	0,2	5	19
20	1013,6	4,4	71	31	3			3	60	S	70	S	1016,5	3,1	71	02	2	4	80	S	70	S	1018,2	3,6	73	33	2	4	88	TD SD	10	TD SD S SD		4,8	2,6	0,7	4	20
21	1021,0	3,6	87	30	3			3	80		03		1021,8	1,9	96	11	5	5	89	SD	01	SD	1020,2	2,4	89	32	3	5	83	SD	02	SD		6,2	1,8	0,2	4	21
22	1014,1	0,1	95	34	3			3	80	TD	10	TD	1013,7	1,2	90	09	4	7	60	TD SL	68	TD	1011,2	0,8	95	10	3	8	60	TD SL	83	TD SL		3,7	2,7		6	22
23	1014,2	2,4	77	24	3			3	80	TD	10	TD	1015,2	1,9	88	10	1	7	80	TD	10	TD	1015,8	0,9	88	10	3	7	80		02	TD		0,0	3,0	0,0	6	23
24	1013,4	0,9	91	36	1			3	60	TD YR	11	TD	1011,7	2,2	85	30	1	7	75	TD	10	TD YR	1010,1	1,6	87	00	3	8	73	TD	10	TD		0,7	2,8	0,1	4	24
25	1009,1	1,0	90	00	3			3	06	T	47	TD T YR	1010,8	1,6	87	00	0	8	75	TD YR	50	TD R YR	1011,9	1,7	87	31	2	8	80	TD	10	TD YR		0,3	2,0	0,1	2	25
26	1008,8	0,3	81	33	3			1	80		02		1009,2	2,2	88	35	4	2	88	SD	02	SD	1004,5	1,9	35	31	3	6	83		02	TD SD		2,7	2,5	1,0	7	26
27	1011,7	1,8	87	36	1			7	83		01	TD SD S	1013,5	2,0	96	36	5	5	89	SD	01	SD	1014,8	2,0	38	31	1	1	83	30	01	30		3,3	1,1	0,1	6	27
28	1016,0	2,2	97	30	3			3	80	30	02	30	1017,5	0,5	35	21	2	0	89	SD	02	SD	1017,8	0,5	90	18	1	1	83	30	01	30		3,7	0,7		7	28
29	1014,1	0,6	76	11	3			3	80	30	02	30	1012,2	0,7	72	10	4	6	85		02	SD	1010,2	0,7	77	10	4	7	89		02			4,2	1,1		4	29
30	1010,1	0,7	90	11	1			7	75	TD	10	TD SD	1012,6	0,6	82	12	3	7	80	TD	10	TD	1014,9	0,8	98	13	2	8	80	TD	10	TD		0,1	1,1		4	30
31	1019,0	0,5	90	19	2			3	50	TD	26	TD SL S	1021,5	0,2	90	22	3	8	50	TD	10	TD S SD	1022,8	0,1	89	22	2	7	50	TD	10	TD S		0,7	1,0	2,0	4	31
MI	1013,9	2,8	74		3,9		6,6						1014,4	2,3	74		4,1	6,1					1014,6	2,5	76		3,9	6,5						4,2	1,3	42,7		IM

104

JAN MAYEN — JUNI 1979

KL. 07													KL. 13												KL. 19												DØGNET				
DT	P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	I	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	1018,8	0,2	90	23	3			3	50	TD	40	TD T	1014,3	0,7	90	22	2	9	01	T	47	T	1006,6	1,3	90	30	3	8	65	TD R	60	TD R		1,8	1,3	0,0	4	1
2	1008,2	3,0	87	27	1			3	60	TD R	62	TD R SL	1013,3	5,0	87	28	7	5	65	TD SD	01	TD R	1012,5	6,0	83	27	5	5	63	TD SD	02	TD SD		3,0	7,1	3,4	8	2
3	1023,7	1,8	90	26	2			3	60	TD R	21	TD R	1024,7	2,3	87	11	1	8	60	TD	10	TD R	1029,2	5,6	93	30	3	5	80	TD	10	TD		1,0	9,3	0,4	5	3
4	1025,0	1,6	88	30	3			7	65	TD	10	TD	1024,6	3,7	83	15	1	3	70	TD	10	TD	1022,7	4,3	84	21	1	5	82	TD SD	10	TD SD		0,5	5,6	0,0	3	4
5	1016,6	2,8	88	30	3			3	63	TD	10	TD	1015,6	3,8	88	21	1	8	75	TD	10	TD	1013,5	2,6	90	21	2	9	02	T	47	R TD TD		2,0	4,9		5	5
6	1010,8	1,7	90	30	3			3	02	T	45	T R	1010,6	3,1	88	22	2	8	60	TD	11	TD T	1009,7	6,4	76	27	3	3	65	TD R	61	TD R		1,3	6,4	3,1	4	6
7	1009,6	1,2	90	30	3			3	70		03		1009,8	1,4	79	31	5	9	80	TD SD	01	TD SD	1010,5	1,0	88	27	4	8	57	TD YR	50	TD YR		0,4	6,4	1,0	7	7
8	1009,7	0,3	85	36	4			3	60		40	SB	1009,3	0,8	84	30	4	5	89	SD	01	TD	1008,1	1,1	83	36	4	5	89		02	SD		0,8	1,6	0,6	6	8
9	1005,5	0,3	87	00	3			3	65		40		1004,0	0,4	84	15	2	8	89		02		1002,1	1,0	90	23	2	8	15	TD R	61	TD YR R		1,6	1,1		6	9
10	999,3	1,3	90	22	1			3	02	T	45	T	1000,0	1,5	87	15	1	8	85		02	TD T	1000,8	2,7	84	21	4	7	84		02			0,7	3,3	3,1	4	10
11	1002,8	0,7	87	23	2			7	83		02	TD YR	1004,8	1,9	83	14	2	6	84	SD	02	SD	1005,2	1,3	87	12	1	7	83		40	SD		0,2	3,1	0,0	4	11
12	1001,3	0,6	87	33	3			3	30	TD R	63	TD R	1003,4	1,4	83	34	5	7	75		02	TD SB	1003,6	0,2	84	32	3	7	63	TD	10	TD SD		0,7	1,6	3,8	6	12
13	999,3	1,3	82	31	2			3	80		02	SB	997,5	0,1	83	11	1	8	89		02	SB	994,8	1,0	82	13	2	8	80	TD	10	TD		2,3	1,0	0,0	4	13
14	994,3	0,1	87	35	3			3	50	TD S	70	TD T S	998,2	0,9	87	36	6	8	62	TD	15	TD S	1001,7	0,6	84	35	5	6	85	30	01	TD SD		0,8	1,1	1,7	7	14
15	1003,4	0,1	81	20	1			7	80		03		1001,5	1,0	85	18	3	8	80		02	TD	998,5	1,1	85	13	3	8	83		02	38		0,1	1,3	0,0	5	15
16	994,6	1,6	88	39	1			3	70	TD	10	LB YR TD	994,6	2,5	87	10	4	8	80	TD	10	TD YR RB	995,3	0,7	87	36	5	8	70	TD	10	TD YR		0,1	3,0	0,3	5	16
17	1002,3	0,2	88	36	7			3	13	TD SB	85	TD S	1008,4	1,3	80	36	5	7	80	TD	15	TD SB SD	1012,2	1,4	75	36	4	5	89	30	02	30 TD SB		0,3	1,7	0,1	8	17
18	1016,0	0,3	80	31	1			3	83		02	TD	1017,7	1,3	83	13	2	8	88		02		1017,4	1,2	82	11	4	7	89		02	38		0,4	1,4	2,7	4	18
19	1014,6	2,8	83	10	2			3	83		02	SB	1014,8	3,8	88	12	1	8	70	YR	50		1014,4	3,8	88	27	1	9	60	TD	10	TD YR		0,5	4,1	0,0	4	19
20	1014,1	3,0	90	11	3			3	60	YR	50	YR RB TD	1013,0	3,0	88	09	3	9	59	TD	40	YR TD	1009,9	3,3	90	10	3	8	60	TD	10	TD YR		2,5	4,0	0,0	4	20
21	1002,7	3,0	88	13	2			3	20	TD R	61	T R	1000,7	4,7	90	20	3	8	40	TD	10	TD R	1000,2	4,4	90	18	2	8	50	TD	10	TD R		2,2	4,7	5,9	3	21
22	1001,8	4,1	88	00	3			3	53	TD	15	TD T	998,9	4,6	88	10	4	8	65	TD R	61	TD R	994,3	4,8	88	10	4	8	15	TD R	61	TD R		1,9	5,6	1,3	5	22
23	999,2	4,0	88	14	4			8	45	TD	40	TD T R	1004,5	4,9	87	10	4	8	25	TD	40	TD	1002,6	3,4	88	14	4	8	17	TD R	63	TD R		3,0	5,4	4,1	5	23
24	1010,0	2,6	90	13	1			3	04	T R	61	T R YR	1011,6	3,4	90	21	1	9	02	T YR	51	T YR	1010,8	4,7	90	21	2	9	01	T	45	T YR		1,8	4,7	8,1	4	24
25	1008,8	4,2	88	25	1			7	30	TD	10	TD T	1008,5	3,1	90	00	0	9	01	T	45	T TD	1006,6	2,2	90	19	1	9	01	T	47	T		2,0	4,7	1,8	2	25
26	1003,5	0,5	88	20	1			9	02	T	47	T YR	1003,2	0,4	90	18	1	9	05	T	43	T	1003,6	1,1	87	17	2	8	20	TD	40	T		1,0	2,5	0,2	2	26
27	1005,7	0,0	85	22	1			7	56	TD	10	TD	1006,6	0,8	77	03	3	8	89		02	TD	1006,1	1,4	71	15	1	8	88		02			0,5	1,6		4	27
28	1004,5	0,3	84	14	2			3	80		02	TD SB YR	1004,5	2,0	83	09	2	8	80		02		1004,1	2,7	75	13	3	4	88	30	01	30		0,6	2,8	0,0	3	28
29	1004,2	1,2	87	36	3			7	50	TD	10	TD YR	1005,5	1,8	84	36	6	8	70	TD	10	TD	1007,2	2,2	88	35	6	8	60	TD	10	TD		0,2	2,8	0,0	8	29
30	1008,7	0,8	84	35	0			7	53	TD	15	TD SB	1009,0	0,8	84	36	6	8	56	TD	10	TD SB	1008,4	0,7	84	01	5	8	89		02	TD		0,2	2,2	0,0	7	30
MI	1007,3	1,3	87		2,7		7,7						1007,8	2,2	86		3,0	7,4					1007,2	2,5	85		2,9	7,1						0,3	3,6	41,6		IM

EKSTENSOTABELL

JAN MAYEN — JULI 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1005,6	0,2	90	35	4			3	80		02	T	1004,8	1,6	85	02	3	7	89		02		1003,7	1,2	88	36	4	8	80	TD	10	TD	1,0	2,5	0,0	5	1
2	996,7	1,5	91	35	8			3	04	T	45	T	996,5	2,0	88	35	8	8	30	TD	40	TD T YR	998,4	2,4	88	35	8	8	56	TD	15	TD T	0,8	2,6	0,0	8	2
3	1002,4	2,7	87	33	6			3	82	TD	10	TD SO	1006,3	5,0	66	21	2	5	86	TD SO	10	TD SO	1008,2	4,2	84	18	1	1	89	SO	02	SO	1,3	7,8	1,2	8	3
4	1006,6	3,1	91	12	1			3	82	TD R	60	TD T R	1003,3	5,0	90	12	4	9	30	TD R	60	T R	1003,4	4,3	88	15	3	8	50	TD	10	T RB	0,7	5,0	1,4	5	4
5	1002,3	3,8	90	11	3			3	45	TD	40	TD YR	1001,9	4,0	90	19	2	9	05	T YR R	58	T YR R	1003,2	4,4	77	23	4	7	60	TD YR	50	TD YR R	2,6	5,6	10,1	5	5
6	1007,2	2,0	90	20	1			3	60	TD	10	TD	1005,7	3,3	88	14	1	8	70	TD R	60	TD YR	1001,9	4,9	90	07	3	8	65	TD R	60	TD R	1,4	5,0	1,6	5	6
7	998,6	3,2	88	33	4			3	50	TD R	65	TD R	1003,3	4,0	77	34	3	5	89	SO	01	SO R TD	1006,9	5,0	75	21	2	3	89	SO	02	SO	2,2	6,0	7,7	5	7
8	1009,9	2,9	90	15	3			3	73	TD	10	TD YR	1008,1	3,7	84	10	2	7	89		02		1001,8	5,9	85	21	2	8	65	R	61	R	1,9	6,1	4,9	4	8
9	1001,0	4,2	91	11	2			3	03	T	45	T YR	1001,8	5,4	88	08	4	8	20	TD	10	TD T YR	999,0	5,4	90	09	4	8	50	TD YR	50	TD YR R	3,7	6,5	7,0	5	9
10	1001,9	4,6	88	15	5			3	53	TD	10	TD YR	1005,7	4,8	90	11	3	8	15	TD YR	50	TD YR R	1007,3	4,9	90	12	3	8	20	TD	10	TD T YR	4,0	5,6	1,9	5	10
11	1001,9	5,2	90	09	3			3	15	TD R	64	TD T R	1000,8	3,9	85	17	5	8	65	TD	10	TD YR R	1004,4	4,4	84	18	6	8	62	TD	10	TD	3,8	5,6	3,3	7	11
12	1005,2	4,8	90	00	0			3	10	YR	51	TD YR T	1004,4	5,7	87	35	2	8	25	TD R	61	TD R YR	1005,0	4,9	90	19	1	9	10	TD YR	53	TD YR R	3,2	6,6	2,0	6	12
13	1005,7	5,0	90	18	2			3	12	TD YR	53	TD T YR	1006,2	5,2	90	21	2	9	05	R T	61	TD YR R	1007,1	4,8	90	18	3	9	02	T YR	51	T YR R	3,3	5,2	20,0	3	13
14	1009,9	3,7	90	17	3			3	40	TD YR	51	TD YR	1011,2	4,5	87	15	3	8	50	TD	40	TD	1012,7	4,2	84	18	2	3	80	TD	10	TD	2,9	4,9	13,4	4	14
15	1015,1	3,8	84	21	2			3	82		02	T YR	1016,1	4,1	76	25	3	8	89		02	TD YR	1016,5	4,0	71	29	2	8	89		02		2,8	4,8	0,3	3	15
16	1015,7	3,3	87	29	2			3	80	TD	40		1015,9	4,3	83	09	2	8	89		02	TD	1016,0	4,9	80	21	3	7	80		02		2,0	5,2	0,3	3	16
17	1014,1	3,9	85	11	2			7	80		02		1013,2	4,3	82	08	2	7	89		02		1011,0	4,0	88	13	2	6	88		02		3,3	5,0		3	17
18	1007,6	3,2	90	32	2			3	80	TD YR	50	YR	1006,3	3,8	88	14	2	8	86		02	YR	1004,7	4,1	84	21	2	8	83	TD	10	TD	2,5	4,2	0,0	5	18
19	1001,6	3,9	91	22	1			3	80	TD	01	TD	1003,3	5,5	85	22	2	8	75	TD	40	TD	1004,4	3,6	91	01	4	9	75	TD	40	TD	3,5	5,5	1,2	4	19
20	1005,9	3,6	91	32	5			3	40	TD	40	TD R	1007,9	5,8	73	32	7	4	86	SO	01	SO TD YR	1009,6	2,2	93	33	6	0	20	TD SO	40	30	1,9	7,3	3,2	8	20
21	1010,9	1,0	93	31	5			7	23	TD	40	TD	1012,6	3,0	91	35	5	8	12	TD SO	10	TD SO YR	1013,8	4,2	87	30	4	7	70	TD	40	TD SO	0,9	4,5	0,1	7	21
22	1015,0	3,0	91	31	5			7	10	TD SO	40	TD	1016,2	4,4	87	33	4	6	50	TD	10	TD SO	1016,0	2,4	90	32	4	5	50	TD	40	TD SO	2,1	5,5	0,0	6	22
23	1015,5	3,1	70	20	3			1	50	TD SO	40	TD SO	1016,5	3,4	90	30	4	4	50	TD	40	TD SO	1014,0	4,6	88	30	5	3	60	TD SO	40	TD SO	1,2	5,3		7	23
24	1018,2	3,1	90	22	2			3	60	TD	10	TD	1019,7	5,6	88	18	1	7	85		01	TD	1020,0	5,0	90	12	2	8	57	TD	40	TD	4,2	7,2		5	24
25	1018,5	3,2	91	18	1			3	30	TD YR	50	TD T YR	1019,1	3,0	91	15	2	9	04	T	45	TD T YR	1018,5	4,6	87	16	2	8	60	TD	10	TD T	2,6	5,0	0,1	3	25
26	1017,4	5,0	91	29	1			3	80		02	TD	1017,9	4,8	87	21	4	8	80	TD	10	TD	1017,2	4,3	87	14	3	8	50	TD	40	TD	3,9	5,0	0,0	4	26
27	1015,8	5,0	92	21	1			7	70	TD	10	TD	1016,0	4,9	84	21	4	8	70	TD	10	TD	1014,7	4,6	87	21	3	3	60	TD	10	TD YR	2,0	5,2		4	27
28	1015,6	4,6	91	22	1			3	02	T	47	T	1015,8	5,3	91	18	1	8	30	TD	10	TD T	1015,7	5,2	90	21	1	8	20	TD	10	TD	4,2	5,7	0,0	3	28
29	1015,5	6,0	91	00	0			3	02	T	45	TD T YR	1016,3	6,3	91	20	2	9	01	T	45	T	1015,7	6,5	91	20	1	8	14	TD	10	TD T	4,7	6,6	1,5	3	29
30	1015,4	6,0	70	35	1			3	80		02		1015,2	5,2	87	34	4	8	88		02	TD	1015,1	3,8	91	04	3	8	50	TD	20	TD YR	3,6	6,5		5	30
31	1013,7	4,6	87	32	5			7	80		00		1014,5	2,7	90	36	1	8	80	TD	40	TD SO	1014,3	3,1	87	32	1	8	85		40	TD SO	2,4	6,6	0,0	6	31
M:	1009,2	3,7	87		3,3		7,5						1009,8	4,3	86		3,1	7,4					1010,7	4,1	87		3,1	6,9					2,5	5,5	81,2		M

JAN MAYEN — AUGUST 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1011,9	5,7	89	30	5			3	60	30	40	30	1011,8	6,4	70	30	6	7	89		02	SO	1012,4	4,4	90	31	6	7	80		02		2,1	8,2		6	1
2	1012,0	4,9	87	28	3			7	80		02		1010,7	5,8	80	29	5	6	89		02	SO	1010,8	6,1	73	29	5	7	80		02	YR	3,3	7,8		6	2
3	1008,8	4,7	33	24	4			2	60	30	40	30	1009,4	5,8	85	12	2	6	80		10	SO	1003,2	6,2	77	10	1	3	85		40	30	4,0	7,1	0,0	6	3
4	1007,2	4,6	90	19	1			3	80		40		1007,1	5,9	83	21	2	8	50	TD	40	TD	1006,5	4,9	87	21	2	3	80		40		4,3	6,3		4	4
5	1006,9	2,7	86	20	1			3	40	TD	40	TD	1007,8	3,2	93	15	2	8	20	TD	40	TD T	1008,0	5,0	80	18	2	8	60		40	TD SO	2,4	5,5		3	5
6	1008,5	5,2	85	22	2			3	53	TD	40	TD YR	1009,7	5,6	96	21	2	8	70	TD	10	TD YR	1009,3	5,9	91	12	1	8	70	TD	10	TD	3,5	6,3	0,0	4	6
7	1007,3	6,1	33	07	3			7	80		02	TD	1005,6	6,9	87	08	3	8	80		02	SO	1003,3	6,9	85	08	4	8	70	TD R	60	TD R	5,5	6,9	0,0	5	7
8	999,1	7,0	87	08	3			3	30	R	60	R	998,7	6,9	93	08	5	8	30	TD R	60	TD R	999,0	6,7	93	08	3	8	30	TD	40	TD YR	6,5	7,5	1,7	5	8
9	1000,3	6,1	33	00	0			7	04	T	45	T YR	1001,5	7,2	91	36	1	7	85		01	T YR	1000,6	9,4	82	28	2	8	80	TD	01	TD YR	6,0	9,4	1,0	3	9
10	996,2	5,9	91	23	3			3	60	TD	10	TD YR	998,3	5,6	93	15	1	9	03	T	47	TD T YR	1000,7	5,4	93	13	3	9	03	T	45	T YR	5,0	9,7	0,9	6	10
11	1007,4	4,1	30	24	2			7	80	TD	10	TD T YR	1010,3	7,3	66	27	5	1	99	SO	01	SO	1011,3	6,2	84	21	4	4	80	30	03	30	3,5	8,2	0,9	5	11
12	1013,4	5,0	87	21	1			3	80	YR	50	YR	1013,4	6,0	84	22	2	8	65	TD	02	TD YR	1012,8	5,5	91	10	3	8	57	TD	40	TD	4,9	6,2	0,0	5	12
13	1009,4	5,2	85	10	3			3	70	TD YR	50	TD YR	1008,1	6,0	94	09	4	8	50	TD	10	TD YR	1006,5	5,8	88	09	3	7	89	TD	02	TD YR	5,0	6,1	0,0	4	13
14	1002,7	6,0	93	00	0			3	73	TD	10	TD YR	999,8	7,4	88	22	3	8	75	TD	10	TD YR	997,3	7,0	93	08	3	8	10	TD YR	50	TD YR R	5,0	8,7	0,8	3	14
15	990,5	7,6	93	00	1			3	10	TD YR	50	TD YR	994,6	8,0	91	00	0	8	75	TD	02	TD	991,9	6,9	93	11	3	8	14	TD RB	80	TD RB	5,6	8,6	0,1	3	15
16	985,7	4,0	91	20	1			3	50	TD YR	50	TD T YR	990,2	4,4	87	23	6	8	20	TD YR	50	TD YR R	994,4	5,3	84	22	7	8	58	TD R	60	TD R	4,0	7,4	21,3	7	16
17	1002,5	4,2	91	22	1			3	60	TD YR	50	TD YR	1005,5	5,2	91	21	4	8	60	TD YR	50	TD YR	1010,3	7,3	82	23	2	5	80	TD	01	TD YR	4,2	8,0	3,4	7	17
18	1016,2	4,8	91	21	1			3	80	TD	10		1016,7	5,0	91	21	4	9	10	TD YR	53	TD T YR	1016,6	5,0	91	22	3	8	80		40	TD YR	4,0	7,5	0,2	4	18
19	1014,3	6,5	93	35	2			3	02	T	47	TD T YR	1014,9	5,7	93	21	1	9	02	T YR	51	T YR	1015,2	5,0	93	22	2	9	03	T	47	TD T YR	4,3	6,5	2,4	4	19
20	1013,3	5,4	91	00	0			3	33	TD	10	TD	1012,4	6,9	90	22	2	8	50	TD	10	TD	1010,5	7,4	87	29	3	8	80		02	TD SO	4,8	8,0	2,1	4	20
21	1007,9	5,2	90	32	6			7	73	TD SO	02	TD	1008,6	6,2	91	31	5	6	80	TD	40	TD T	1007,8	7,0	87	27	2	7	83	TD SO	10	TD SO	5,0	9,8	0,0	7	21
22	1008,7	7,6	90	34	5			3	60	TD	10	TD	1009,4	8,5	85	24	4	7	65	TD SO	10	TD	1009,8	7,4	88	27	2	7	89	TD SO	02	TD SO	5,4	9,5		4	22
23	1010,3	6,0	90	23	2			7	80		01	R	1010,8	7,2	90	22	2	7	87	TD	10	TD	1012,6	5,5	88	21	2	3	89		03	TD R	4,5	7,5	0,3	6	23
24	1012,5	4,6	90	00	0			8	62	TD	10	TD	1012,2	5,2	90	12	1	8	89		02	TD	1013,0	5,0	91	17	2	8	70	TD	10	TD	4,4	5,7	0,0	3	24
25	1014,1	3,6	87	23	2			3	63	YR	50	TD YR	1015,8	3,7	93	27	3	7	80	TD SO	10	TD SO YR	1017,2	2,4	87	34	3	5	89	SO	01	TD YR 30	2,3	5,2	0,0	4	25
26	1018,9	2,8	71	19	1			3	80	30	00		1019,4	5,8	66	21	2	1	89	SO	02	30	1018,8	5,2	72	17	1	1	89	30	02	SO	2,4	6,0	0,0	4	26
27	1015,6	3,2	76	25	2			3	87	TD	00	TD	1014,3	4,3	73	17	3	8	89		02		1012,5	4,7	73	10	2	8	89		02		1,8	7,1		3	27
28	1010,4	4,1	79	04	1			7	80		03		1010,4	5,4	72	09	4	3	89	SO	01	SO	1008,9	4,9	73	09	2	5	89	90	03	90	3,4	6,0		4	28
29	1006,8	4,1	91	36	3			3	80		02		1006,2	4,7	88	36	5	6	89		01	TD R	1005,7	4,8	91	36	5	8	58	TD RB	81	TD RB R	3,5	5,1		7	29
30	1004,8	4,6	90	36	3			8	50	TD RB	81	TD RB	1006,2	4,7	93	35	4	8	30	TD YR	51	TD RB YR	1009,8	4,8	88	35	5	8	65	TD R	83	TD RB R	3,6	5,0	13,3	6	30
31	1015,7	3,5	84	34	6			3	81	TD	02	TD	1018,5	3,6	87	33	5	8	89		02	SO	1020,3	3,4	90	34	5	8	75	TD	02	TD YR SO	3,1	4,8	4,0	6	31
M:	1007,7	5,1	87		2,7		7,4						1008,0	5,8	86		3,2	7,0					1008,2	5,7	86		3,0	7,1					4,1	7,2	52,4		M

EKSTENSOTABELL

JAN MAYEN — SEPTEMBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,2	3,6	93	33	1			7	53 TD	20 TD YR	1022,2	5,2	77	21	5	8	75 TD YR	50 TD YR	1022,2	4,9	90	09	3	8	70 TD YR	50 TD YR	2,8	5,2	0,0	5	1
2	1021,1	5,3	90	08	1			3	65 R	63 R	1022,0	6,2	87	08	4	6	85 TD	01 TD R	1019,9	5,2	94	08	4	3	20 TD YR	53 TD YR	4,0	6,2	3,6	4	2
3	1019,2	5,4	91	17	2			3	60 TD YR	51 TD YR	1020,0	6,9	85	12	2	7	89 SO	01 YR	1019,4	5,8	85	09	1	7	89	01	4,8	6,9	9,3	4	3
4	1018,9	2,1	88	33	3			7	80	01	1019,2	2,8	69	03	4	7	89 SO	02 SO	1019,4	2,6	82	33	1	7	89	02 LB SO	1,9	5,8	0,9	5	4
5	1016,9	1,9	82	34	3			7	84	02 TD SL	1017,0	3,8	72	36	4	7	89 SO	01 LB SO	1016,8	2,6	79	35	3	4	89 SO	01 YR SO	1,5	4,0	0,2	5	5
6	1014,2	1,6	75	36	1			3	80 SO	01 YR	1010,7	3,7	70	27	4	8	89	02 SO	1004,7	5,8	75	08	6	8	70 TD YR	50 TD YR	1,6	6,2	0,3	6	6
7	998,1	7,4	93	08	3			3	75 R	61 R	996,3	8,2	93	08	1	8	60 TD	10 TD R	994,3	6,0	93	20	3	8	50 TD YR	53 TD YR	3,8	8,2	2,5	6	7
8	997,5	4,1	91	00	3			3	30 TD	10 TD T	996,1	5,9	90	02	2	8	50	25 TD RW	994,3	4,3	88	00	3	8	17 TD YR	52 TD T YR	3,8	6,8	10,1	5	8
9	995,9	2,1	79	28	3			3	83 SH	87 SW YR	996,5	1,1	73	27	3	6	80 TD SB	85 TD SB LB	991,7	1,0	85	07	2	8	45 S	71 TD S SO	0,9	4,3	5,5	6	9
10	977,4	1,1	91	01	7			3	03 SL S	69 SL S SF	976,9	0,1	91	01	9	9	10 SL S SF	74 SL S SF	971,7	0,9	91	29	1	9	01 SL S SF	73 SL S SF	- 0,6	1,4	17,9	7	10
11	979,5	2,0	87	36	3			3	13 SL	68 R	985,2	1,2	87	34	7	8	30 S	71 S	992,2	1,8	82	36	5	3	65 TD	26 SB SL	0,0	3,8	68,5	8	11
12	989,3	0,2	84	36	1			3	30 SL YR	68 LB SL S	1001,6	0,8	82	36	4	8	50 TD SB	85 TD SB	1001,9	0,5	80	36	4	4	20 SB SL	86 SB S	- 1,3	1,8	5,5	5	12
13	1000,3	0,5	85	35	0			3	70 TD SB	85 S	1001,2	0,9	88	35	5	8	20 SL S	71 SL S	1002,0	1,1	88	35	3	3	30 LB	83 SL S	0,2	1,1	1,1	6	13
14	1005,3	1,6	76	36	3			7	80	10 YR	1038,9	0,2	90	36	5	6	58 LB SO	84 SL SO	1012,6	0,2	87	36	5	6	80	03 LB	0,2	1,9	3,7	6	14
15	1014,9 -	0,1	55	33	1			2	80	02	1015,9	1,1	51	02	2	3	89 SO	01 SO	1014,2	0,1	61	35	3	2	80 SO	02 SO	- 0,6	1,2	0,1	6	15
16	1007,0 -	1,0	71	36	2			7	80	03	1003,3	1,0	69	31	3	7	80	02	999,3 -	0,6	75	36	4	7	80	02	- 1,8	1,0		5	16
17	993,1	0,4	77	36	3			3	80	03	991,4	0,0	90	36	6	8	89	02 SO	990,1	0,0	85	36	0	7	70 TD	02 SO	- 0,9	0,7		8	17
18	987,8 -	0,1	88	34	3			3	53 TD	10 TD KS	987,6	0,5	94	34	6	8	50 SL S	71 S	988,1	1,2	84	32	0	8	17 TD	40 TD SL YR	- 0,2	1,2	0,0	7	18
19	989,8	1,0	93	31	3			3	63	23 YR	992,4	1,0	88	36	3	8	65 TD	20 TD YR	995,1	0,0	70	36	1	7	80	01	- 0,1	2,3	1,1	6	19
20	999,3	0,5	82	24	1			7	63 TD	26 TD SB	1001,3	0,4	88	33	4	5	80 TD	16 TD SB SO	1003,4	0,9	87	31	3	7	80 TD	13 TD SO	0,3	1,0	0,4	4	20
21	1008,0	0,4	80	35	3			7	80 TD SB	85 SB	1010,6	1,3	73	34	4	7	89 SO	02 SB SO	1011,1	0,4	80	31	2	1	89 SO	01 SO	0,1	1,3	1,1	5	21
22	1007,1 -	0,6	77	33	1			1	80	03	1005,8	4,1	72	16	4	5	80	03 SO	1001,1	4,0	91	15	3	8	65 TD R	62 TD R YR	- 1,2	4,5	3,3	6	22
23	998,1	4,3	91	11	1			3	60 TD YR	51 TD R YR	992,2	4,6	93	09	5	8	60 R YR	59 R YR	991,2	3,9	83	21	3	7	61 TD	40 TD T YR	1,3	4,9	3,8	6	23
24	994,6	3,7	91	14	3			7	87 YR	50 YR	993,5	3,8	91	17	3	8	58 TD	40 TD RB SO YR	988,5	3,9	88	09	3	8	65 TD R	61 TD YR	1,5	4,9	5,2	5	24
25	974,6	4,9	93	19	3			3	31 TD R	51 TD R	973,9	5,3	91	07	2	8	50 TD R	61 TD R	972,3	5,6	88	34	1	7	65 TD	02 TD	3,1	6,5	2,6	5	25
26	974,3	2,8	90	31	1			3	20 TD RB	80 TD RB	976,5	2,9	91	34	1	8	50 TD RB	81 TD RB	978,3	3,0	90	34	5	8	20 R	62 TD RB R	- 2,5	5,6	4,7	5	26
27	985,1	0,3	88	34	7			3	10 SL S	69 SL	980,7 -	0,2	85	35	6	8	10 LB SL	84 TD SL	981,1 -	0,2	85	35	5	3	40 S	71 SL S	- 0,4	3,0	31,6	7	27
28	1001,7	0,1	32	28	1			3	57 S	71 S KS	1003,4	1,5	90	29	6	8	15 YR	53 KS SL S	1008,6	2,0	90	35	5	3	57 R	61 SL R YR	- 0,3	2,3	10,6	6	28
29	1018,3	0,4	84	36	1			3	80	15 SB	1022,3	0,5	62	34	4	5	89 SO	01 RB SO	1024,4	0,0	76	35	1	6	80	13	- 0,5	2,8	9,2	5	29
30	1027,0	1,1	77	15	3			7	80	03	1027,7	1,4	75	20	3	7	89	03	1026,1	3,0	77	16	3	7	80	03	- 0,6	3,0	0,2	4	30
M:	1001,5	1,9	84		4,2		7,0				1002,1	2,5	82		4,0	7,1			1001,6	2,3	84		4,0	7,1			1,0	3,7	200,3		1M

JAN MAYEN — OKTOBER 1979

DT	KL. 07 P	T	UU	DD	F	D	SS	I	VV VÆRSYMB.	WW VÆRSYMB.	KL. 13 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	KL. 19 P	T	UU	DD	F	N	VV VÆRSYMB.	WW VÆRSYMB.	DØGNET TN	TX	R	FX	DT
1	1021,7	4,2	90	17	3			3	87	02	1019,7	4,8	91	16	4	8	60 TD	20 TD YR	1018,1	5,0	91	22	3	8	30 TD R	61 TD R YR	3,0	5,0		5	1
2	1017,6	4,0	93	20	2			3	03 T	45 T YR	1017,9	4,4	93	22	6	9	02 T R YR	60 T R YR	1018,3	4,0	93	00	3	9	02 T	45 T R YR	4,0	5,1	7,2	4	2
3	1020,0	3,9	93	00	3			3	02 T	47 T	1020,7	4,5	91	21	1	9	09 TD T	43 T	1020,7	4,6	91	20	1	9	02 T	43 TD T RW YR	3,8	4,7	1,0	3	3
4	1020,1	3,9	91	00	3			7	01 T	45 T YR	1020,0	4,4	91	00	0	8	09 T	43 T	1019,5	4,1	91	00	3	3	50 TD	11 TD T YR	3,9	4,9	2,4	3	4
5	1018,7	4,0	91	00	3			3	40 TD	40 TD	1019,3	4,7	91	00	0	8	09 T	45 TD T SO	1019,3	3,1	91	11	1	9	02 T	45 T	3,1	4,7	0,0	3	5
6	1014,0	2,8	93	10	3			3	30 TD	03 TD T	1013,1	4,6	84	09	3	8	89	02 TD	1012,0	3,6	82	08	4	3	84 TD YR	50 TD R YR	2,4	4,7	0,0	4	6
7	1014,9	2,6	71	15	3			3	80	03	1017,3	2,4	72	10	4	4	89 SO	02 SO	1018,5	2,0	66	12	2	7	89	03 LB RO	2,0	3,6	0,3	6	7
8	1018,4 -	0,3	71	01	3			3	80	02	1018,8 -	0,2	65	36	3	6	89	01 SB	1017,3 -	1,3	79	02	3	8	80	02 SB SO	- 1,3	2,0	0,0	4	8
9	1020,5 -	1,0	75	36	1			3	80 SB	85 SB	1022,7 -	0,6	62	36	4	6	89 SO	15 SB SO	1024,0	0,3	75	36	0	6	80	03 SB SO	- 2,1	0,3	0,4	6	9
10	1024,7	1,8	85	07	1			2	80	02 IL	1024,0	2,4	66	08	5	1	89 SO	02 SO	1023,0	1,7	71	09	1	3	89	02 SO	0,3	3,5	0,3	6	10
11	1020,4	0,3	87	36	2			3	80	03	1018,6	0,4	67	00	0	3	89 SO	02 SO	1016,5	1,0	71	32	1	6	89	03 SO	- 0,3	2,1		4	11
12	1015,0 -	0,2	72	36	1			3	80	03	1015,1	0,0	75	36	3	6	89	15 SB	1013,3 -	0,2	79	35	1	6	89	15 SB	- 0,7	1,0		5	12
13	1010,3 -	0,1	82	36	1			7	80	02 SB	1010,4	1,4	88	35	4	6	89	15 SB	1010,1	0,9	85	34	4	6	89	02 SB	- 0,6	1,4	0,3	5	13
14	1010,9	0,3	85	33	2			1	80	03 SB	1012,9	0,1	87	33	3	7	89	15 SO	1013,8 -	0,2	85	31	3	7	83	03 SB	- 1,0	1,1	0,3	4	14
15	1014,3 -	1,2	82	30	3			3	80	15 S	1014,6 -	0,8	67	29	3	3	89 SO	01 SO	1013,9 -	1,0	72	24	2	8	80	03 SO	- 1,2 -	0,2	1,8	5	15
16	1010,8 -	2,1	87	32	1			3	20 S	74 S	1012,3 -	5,6	79	33	3	7	20 S	73 S	1011,7 -	7,0	57	36	4	7	83	15 S	- 7,0 -	1,0	0,8	6	16
17	1006,5 -	5,4	70	10	3			7	80	02	1002,8 -	3,2	84	10	4	7	89	26 SB SO	996,9	0,1	91	09	5	8	50 S	70 SB S	- 7,4	0,1	3,0	5	17
18	988,7	0,9	91	07	3			3	60 SL S	71 SL S	998,5	0,7	88	36	6	7	65 LB	83 LB	991,9	1,0	75	35	6	7	70 LB	83 LB	0,1	1,5	1,2	7	18
19	994,1 -	4,6	82	36	3			7	80	03 YR	993,5 -	5,4	72	36	6	8	80 TD	02 TD	992,7 -	7,4	64	36	3	6	70 S	70 S	- 7,5	2,1	0,5	7	19
20	998,5 -	4,2	69	35	3			8	81	02 SB SF	1004,0 -	4,2	58	34	4	6	85 SF	36 SF SO	1009,1 -	4,9	87	35	3	8	84 SB	85 SB H	- 7,4 -	3,3	0,1	6	20
21	1010,6 -	0,5	73	24	1			7	84	26 SB	1014,5 -	1,8	66	26	4	6	89	01 SB	1015,1 -	3,8	67	34	3	8	89	02	- 5,0 -	0,5	1,0	5	21
22	1004,1	2,0	94	23	2			8	50 YR	50 SB YR	1003,3	2,6	94	19	2	9	09 T	45 T YR	1003,2	4,2	91	15	3	8	40 TD	10 TD T YR	- 3,8	4,2	1,9	5	22
23	999,5	4,7	90	16	3			3	58 TD	10 TD T	999,7	3,8	90	22	6	8	40 TD	10 TD YR	1005,3	2,9	87	22	4	3	80 TD	02 TD	2,9	4,9	0,5	6	23
24	1009,0	2,9	91	00	3			3	13 YR	53 YR	1011,3	4,7	93	22	2	9	09 T	45 T YR	1012,0	3,5	93	13	4	9	56 TD	10 T YR TD	2,4	4,7	1,0	4	24
25	1011,4	4,0	91	13	1			8	30 TD	10 TD YR	1010,2	3,8	93	14	4	9	06 T	45 T YR	1008,5	3,8	93	15	4	9	02 T	47 T YR	3,5	4,0	2,1	5	25
26	1002,7	4,5	93	15	3			8	40 TD YR	50 TD R YR	1001,9	5,0	85	12	6	7	60 TD	10 TD YR	1001,7	4,2	90	19	5	8	30 TD	10 TD	3,8	5,3	2,0	6	26
27	991,2	4,9	91	14	0			8	40 TD R	61 TD YR	997,9	4,5	88	19	6	7	30 TD	10 TD R	992,2	3,4	90	20	4	3	60 TD	02 TD SO	3,4	5,1	0,2	6	27
28	991,1	3,3	91	15	1			3	33 TD YR	50 TD YR	991,0	3,3	91	16	3	7	85 SO	40 YR	992,4	3,5	91	16	4	8	60 TD	10 TD	3,1	3,7	1,2	5	28
29	998,1	2,8	90	10	1			2	89	01 D	998,7	3,4	91	14	4	8	85 TD	02 TD	998,4	3,3	91	10	3	8	57 TD	10 TD YR	2,4	3,6	0,0	5	29
30	995,0	2,6	93	18	2			8	63 TD	10 TD R	994,4	1,7	93	16	3	8	09 T VR	51 TD R YR SO	997,9 -	1,0	87	29	6	5	88	03 SO	- 1,0	3,4	1,0	6	30
31	999,7 -	0,8	87	31	1			8	89	02	998,1	3,9	88	09	5	8	75 TD R	YR 58 TD R	996,8	3,0	91	09	5	8	50 R	63 R	- 2,0	4,3	0,5	6	31
M:	1008,8	1,3	84		3,2		7,1				1008,9	1,6	82		3,5	6,7			1009,2	1,2	82		3,4	6,9			- 0,1	2,8	31,0		1M

EKSTENSOTABELL

JAN MAYEN — NOVEMBER 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	N	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	998,0	3,7	93	09	4			3	23	TD R	63	TD R YR	1010,7	3,6	93	09	4	9	05	T YR	51	T YR TD	1004,2	3,6	93	18	1	3	03	T	49	T YR	3,0	3,9	10,4	6	1
2	1007,7	4,0	93	09	4			3	63	TD	10	TD T	1010,0	4,0	93	09	3	9	20	TD	10	TD	1010,2	3,8	93	19	3	9	56	TD	10	TD YR	3,3	4,3	2,6	4	2
3	1001,0	3,0	93	09	3			3	87		02		998,0	3,4	88	08	6	7	70	TD	02	TD	970,7	2,7	91	17	7	8	40	TD R	63	TD R	2,6	3,8	0,1	7	3
4	963,4	3,1	91	08	2			3	03	T R	63	T R	964,5	2,9	88	16	1	3	65	TD SO	11	TD SO	967,0	1,8	91	16	0	8	30	TD YR	50	TD YR SO	1,8	4,8	12,2	7	4
5	973,7	0,9	84	16	7			3	63	TD SB	85	TD SB YR	974,5	- 1,1	77	01	8	8	58	SB	85	SB	972,9	- 1,6	87	13	8	8	10	SB SF	86	SB SF	- 2,0	2,0	1,6	8	5
6	980,2	1,4	82	12	7			3	33	LB	83	LB	935,6	- 0,6	79	16	8	8	40	SB	85	SB LB	990,0	- 3,6	80	16	7	3	40	SB SF	85	SB SF	- 3,6	1,4	19,8	9	6
7	993,1	- 5,3	89	15	8			7	73	SF	36	SF SB	934,7	- 4,6	70	35	4	7	50	SB SF	85	SB SF	994,4	- 4,5	73	14	6	3	60	SB SF	85	SB SF	- 5,6	- 3,6	0,5	7	7
8	996,0	- 5,0	71	14	5			3	83	SF	36	SB SF	997,0	- 5,1	67	33	6	7	58	SF SB	85	SB SF	997,4	- 4,6	59	14	2	1	70	SB SF	85	SB SF	- 5,6	- 4,1	0,7	6	8
9	996,4	- 2,2	82	10	3			3	73	SB	86	SB	998,1	- 2,3	71	01	2	5	89		01	SB	998,8	- 2,0	73	23	2	5	80		02		- 4,6	- 1,9	0,8	4	9
10	1000,8	- 1,1	82	16	6			3	43	SB	85	SB	1003,2	- 2,0	73	02	6	7	84	SB	85	SB	1006,3	- 2,2	61	16	6	4	89	SB	86	SB	- 2,6	- 0,3	1,1	6	10
11	1009,4	- 4,4	90	16	5			3	63	SB	85	SB	1010,4	- 4,7	62	16	3	8	89		02	SB	1010,4	- 5,0	89	15	3	8	60	SB	85		- 5,2	- 2,2	0,3	6	11
12	1007,3	- 4,3	87	13	3			3	63	S	70	S	1004,8	- 1,3	72	16	5	8	60		16	S	1003,1	- 3,3	82	23	3	3	65		02	SB	- 3,8	- 1,3	0,1	6	12
13	1003,6	- 2,4	81	22	2			7	83		03	SF	1005,2	- 2,4	62	21	1	8	89		02		1007,0	- 3,2	70	14	1	3	83		02		- 4,0	- 2,4	1,4	4	13
14	1009,3	- 0,2	85	10	2			3	13	SB	86	SB	1011,1	- 1,5	62	26	2	1	89		01	SF H	1012,7	- 0,9	67	12	1	3	83		02		- 3,3	- 0,1	0,6	5	14
15	1014,3	- 2,2	86	16	5			3	83		02		1015,7	- 2,0	67	33	2	8	89		02		1016,2	- 3,0	71	27	2	9	83		02		- 3,7	- 0,9	0,0	4	15
16	1016,2	- 2,8	72	16	5			3	83		02		1015,0	- 1,4	69	16	2	5	89		01		1011,1	- 1,8	76	28	2	3	83		02	SB	- 3,2	- 1,4		4	16
17	999,3	- 0,2	85	11	3			3	73		22	S SB	996,3	- 1,0	77	34	2	7	50		16	SB	999,4	- 0,2	84	09	1	3	80		01	SB	- 1,8	- 1,0	0,1	5	17
18	999,1	- 0,4	75	13	3			2	83		01	SL SB	1003,5	- 0,3	80	01	4	7	89		02		1007,0	- 0,9	80	11	3	8	87	SB	85	SB	- 1,2	- 0,7	0,0	4	18
19	1008,8	- 0,8	87	15	3			3	13	SB	86	SB	1010,3	- 0,8	71	29	3	6	88		01	S	1013,3	- 1,4	80	13	1	8	70	SB	85	SB SF	- 2,4	- 0,6	0,9	5	19
20	1014,8	0,3	72	19	1			3	83		03	SL	1011,5	1,9	85	15	5	9	80	R	61	R LB YR	1012,6	2,4	89	14	0	9	50	R	63	R	- 5,0	2,4	4,4	6	20
21	980,3	1,9	87	14	4			3	43	TD	10	TD YR R	979,2	1,1	88	19	2	8	14	YR	55	YR T	981,3	- 2,8	85	16	7	8	03	SB SF	85	SB YR SL T	- 2,8	2,4	12,1	7	21
22	995,5	- 7,0	81	16	5			3	63	SB SF	85	SB SF	999,3	- 8,0	97	33	4	6	70		15	SB SF	993,0	- 7,6	97	16	2	9	70		02	SB	- 9,1	- 2,8	8,9	8	22
23	994,2	- 6,2	94	13	4			3	63	SB SF	85	SB SF	995,3	- 7,4	72	30	4	9	06	SB SF	86	SB SF	994,9	- 6,4	80	13	4	3	50	SB SF	89	SB SF	- 7,3	- 5,2	0,3	5	23
24	993,9	- 5,7	85	13	3			3	02	SB SF	86	SB SF	995,2	- 4,0	77	02	4	6	65	SB SF	85	SB SF	996,1	- 5,1	79	12	1	8	60	SB SF	85	SB SF	- 5,8	- 4,0	3,3	6	24
25	997,9	- 6,5	96	16	3			3	73	SB	85	SB	999,9	- 6,8	60	35	1	7	80		02	SB	994,5	- 6,5	97	16	3	8	80	SB	86	SB	- 8,3	- 5,0	1,2	5	25
26	997,3	- 6,4	86	16	1			3	53	SB	85	SB	999,3	- 6,4	85	34	1	8	60	SB	85	SB	1001,8	- 6,1	86	15	3	6	70	SF	36	SB	- 7,0	- 6,1	0,2	5	26
27	1010,6	- 5,3	97	16	1			3	73	SB SF	85	SB SF	1015,1	- 6,6	75	35	4	8	70	SB	85	SB SF	1016,7	- 7,0	92	12	1	3	30	SB	85	SB	- 7,0	- 5,3	0,8	6	27
28	1015,7	- 5,8	92	12	1			3	81	SF	36	SF S	1013,2	- 3,4	76	36	5	7	65		16	SF S	1010,5	- 4,3	89	11	0	3	63	SB SF	83	SB SF	- 7,9	- 3,4	1,4	7	28
29	1020,9	- 6,4	90	11	3			3	01	SF	38	SF S	1020,0	- 7,6	77	36	7	5	65	SF	38	SF	1019,9	- 7,1	69	11	3	3	73	SF	36	SF	- 7,6	- 3,9	0,7	8	29
30	1021,3	- 7,1	93	27	2			3	83		02		997,7	- 4,0	65	27	2	8	80	S	78	S	994,2	- 3,0	69	26	2	7	83		22	S	- 7,2	- 3,0		6	30
M:	999,3	- 2,1	77		4,1				7,4				999,8	- 2,2	74		3,9	6,8					999,5	- 2,6	78		3,9	6,8					- 3,7	- 1,0	86,5		M

JAN MAYEN — DESEMBER 1979

	KL. 07											KL. 13											KL. 19											DØGNET				
DT	P	T	UU	DD	F	N	SS	I	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	P	T	UU	DD	F	N	VV	VÆRSYMB.	WW	VÆRSYMB.	TN	TX	R	FX	DT
1	990,9	- 3,8	73	10	3			3	83		02		987,3	- 1,0	75	13	4	4	89		02		976,6	- 1,3	83	11	7	3	56	YR	51		- 4,7	- 1,3	0,1	7	1
2	981,6	- 0,4	89	10	3			3	43	TD	23	TD SL	981,3	- 0,4	82	26	1	5	60		40	RB T	952,8	- 0,5	92	25	3	6	63		15		- 0,3	- 0,5	7,6	7	2
3	981,7	- 5,6	90	26	5			7	73	TD	10	TD	989,0	- 6,5	77	24	4	8	35	SB	85	SB TD	971,3	- 5,0	75	22	1	8	70	SB	85	SB	- 7,3	- 3,3	0,1	7	3
4	973,9	- 5,0	89	10	4			3	73	S	70	S	975,4	- 3,2	37	09	3	7	75	SB	85	SB	971,9	- 2,1	47	17	3	6	83	S	78	S	- 5,5	- 2,1	0,3	6	4
5	972,2	- 2,0	50	16	3			3	83		01	S	976,0	- 2,0	55	02	5	6	80		15		980,2	- 2,3	81	16	7	3	10	SB SF	86	SB	- 2,7	- 0,7	0,1	7	5
6	993,1	- 3,0	59	16	3			3	63	SB SF	85	SB SF	989,2	- 3,4	58	02	5	5	89		02	SB SF	1001,9	- 5,2	62	15	1	3	56	SB	85		- 5,2	- 2,2	7,3	7	6
7	1005,4	- 7,0	53	29	4			1	73		26	SB	1009,5	- 7,2	55	33	3	8	70	SB	85	SB S	1008,1	- 7,1	37	10	3	3	73	SB	85	SB	- 7,1	- 5,2	0,0	4	7
8	1006,4	- 6,6	58	26	3			1	83	SF	36	SF SB	1007,4	- 7,0	58	32	4	1	89		01	SF	1006,8	- 6,2	55	28	1	1	83	SL	02	SL	- 7,1	- 5,4	0,2	5	8
9	1003,8	- 2,2	93	20	4			1	83		02	SL	1002,3	- 0,7	63	21	1	5	89		03		1001,3	- 0,4	85	20	1	8	89		02		- 2,5	- 0,4		5	9
10	999,6	0,1	88	21	3			3	83		02		1000,3	0,4	70	16	2	8	89		02		1000,4	0,8	80	12	2	8	89		02	TD YR	- 0,4	0,6		4	10
11	1001,8	0,8	81	10	2			3	83		02		1004,2	0,3	84	00	0	8	80	TD	10	TD	1009,8	0,8	71	15	2	8	89		02		0,3	0,9	0,0	3	11
12	1007,4	1,0	92	13	4			7	83		02		1008,4	1,2	87	14	4	5	89		01		1008,3	1,2	92	12	4	7	89		02		0,8	1,8		4	12
13	1005,4	1,5	92	09	5			3	63	TD	10	TD YR	1014,0	2,1	91	14	3	7	60	TD	10	TD YR	1001,6	1,8	92	09	4	4	70	TD	10	TD YR	1,2	2,3	0,1	4	13
14	997,0	2,6	84	09	1			3	81		02	TD YR	998,3	2,2	92	09	1	8	40	TD	10	TD R	999,6	2,2	88	09	1	3	40	TD	10	TD	1,5	2,8	0,5	5	14
15	1002,9	2,0	96	09	1			3	63	TD	10	TD	1005,0	1,8	98	10	3	8	30		40	TD YR	1006,1	2,2	90	27	1	3	60	TD	10	TD YR	1,5	2,6	0,3	4	15
16	1007,5	1,6	82	10	3			3	63	TD	10	TD YR	1008,1	1,6	67	09	2	8	80		02	TD	1006,1	1,4	57	10	4	5	83	TD	10		1,3	2,2	0,2	4	16
17	999,7	- 0,1	86	14	4			2	83		02	SL	997,7	- 0,6	82	16	3	6	57	SB	85	SB	998,0	- 1,1	85	12	5	8	73		02	SB	- 1,1	1,4		7	17
18	995,6	- 1,8	73	12	3			2	83	SF	36	SF SB	997,2	- 1,5	76	14	6	7	65		26	SB SF	1001,9	- 1,4	93	14	0	3	10	SB	86	SB	- 2,5	- 1,0	0,6	7	18
19	1015,0	- 3,0	86	12	1			7	83		02	SB	1014,9	- 2,9	79	27	2	5	89		01	SF D	1017,5	- 0,7	97	22	1	8	40	SL	68	SL	- 4,4	- 0,7	1,2	6	19
20	992,2	4,7	35	25	3			3	83		01	YR	986,2	6,6	81	26	8	8	50	TD	10	TD	978,8	6,0	84	24	7	3	50	YR R	62	R YR TD	0,7	7,5	2,5	8	20
21	981,9	- 1,8	91	25	5			1	83		02		986,0	- 2,4	75	25	3	4	40	SB	85	SB	986,2	0,0	70	21	5	8	83		03		- 3,6	6,0	8,0	8	21
22	987,3	- 1,6	59	27	1			2	83		01	SB	972,2	- 4,3	70	34	4	4	89		01	S	993,9	- 4,1	73	30	2	3	83	SL	01	SB	- 4,4	0,8	2,4	6	22
23	993,2	- 1,4	58	08	6			3	83	SF	36	SF	994,5	- 1,6	86	08	7	6	61		16	SF	996,0	- 0,6	86	08	5	3	63	SB	85	SB	- 4,9	- 0,6	0,1	7	23
24	994,5	0,8	92	07	7			3	13	SB SF	85	SB SF S	994,7	1,9	98	09	5	9	45	SL TD	62	SL LB TD	1002,0	0,8	99	08	2	8	50	TD	10	TD LB SL	- 0,6	1,9	0,6	8	24
25	1008,5	1,0	87	08	2			1	83		01	TD	1009,4	1,2	96	09	4	6	89		02		1008,4	1,8	90	08	4	7	89		02		0,0	1,8	5,1	4	25
26	1006,3	2,0	93	09	1			3	83		02	TD	1006,0	2,2	96	08	4	4	89		02		1004,1	2,0	96	08	5	3	63	TD	10	TD	1,3	2,4		5	26
27	998,8	2,5	92	08	7			6	73	TD	03	TD	999,7	1,3	80	08	6	7	60	TD	10	TD	998,5	0,6	68	09	3	4	83	TD	01	TD	0,6	2,8		7	27
28	995,5	- 0,1	80	13	7			2	83		02		996,7	- 0,5	87	05	5	3	89		15		999,4	- 0,7	90	12	0	4	89		02	SB	- 0,8	0,6		7	28
29	1006,2	- 4,0	81	14	4			3	83		02		1008,2	- 2,8	51	02	4	7	89		02		1010,0	- 3,5	71	11	5	6	50		26	SB H	- 4,9	- 0,7	0,0	6	29
30	1015,0	- 7,1	76	16	5			3	53	SB SF	85	SB SF	1017,6	- 9,2	81	04	5	6	40	SB SF	85	SB SF	1018,3	- 9,1	47	16	4	9	89		01	SB	- 9,6	- 3,5	1,1	6	30
31	1019,4	- 9,8	52	16	3			3	63	SB	85	SB SF	1019,2	- 9,6	50	16	2	6	89		02	SB SF	1016,9	- 9,4	58	16	2	7	70	SB	85	SB	-10,3	- 9,1	0,4	4	31
M:	996,6	- 1,5	75		4,1				5,9				997,6	- 1,4	76		4,0	6,1					997,5	- 1,1	77		4,0	6,6					- 2,7	0,4	38,8		M