LIBRARY

JAN 2000

National Oceanic &
Atmospheric Administration
U.S. Dept. of Commerce

QC
993
.F4
M48
1927

Colony of Fiji.

Meteorological Observations

TAKEN AT SUVA DURING 1927.

TAKEN at 2030 and 0330 G.M.T., or 8.30 a.m. and 3.30 p.m. Standard Time, at Suva, Fiji, in Latitude 18° 8′ South, Longitude 178° 26′ East, Local Standard Time being 12 hours fast of Greenwich Mean Time. Height of Cistern of Barometer above Mean Sea Level, 20 feet; Rain-gauge Site, 8 feet; height of other instruments above ground:—Rim of Rain-gauge, 1 foot; Thermometers, 4½ feet; Sunshine Recorder, 3¼ feet; Anemometer, 41½ feet, and 91 feet,

BY
E. W. G. TWENTYMAN, F.R.MET.SOC.,
HARBOUR MASTER, SUVA.

BY AUTHORITY: J. J. McHUGH, ACTING GOVERNMENT PRINTER, SUVA.—1928.

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

MONTHLY MEANS FOR THE YEAR 1927, SUVA STATION, TAKEN AT 8.30 A.M. AND 3.30 P.M.

Months.	Mean Pressure in Inches.		Air Temperature (F°)										Vapour Pressure in Millibars.		Relative Humidity (Saturation =100)		Amount of Cloud.	
			Dry Bulb.		Wet Bulb.		Means of		Absolute Max. & Min.									
							Max.	Min.	Max.	Date.	Min.	Date.						
	8·30	3·30	8·30	3·30	8·30	3·30							8·30	3·30	8·30	3·30	8·30	3·30
January	29·844	29·776	79·7	81·1	75·8	76·4	85·6	74·1	91	14, 28	70	8	28·8	29·0	83·6	80·7	7·9	8·8
February	29·854	29·787	81·0	82·9	76·6	77·1	87·0	74·6	91	1	71	3	29·3	29·1	81·4	76·7	6·8	8·0
March	29·937	29·858	82·3	84·9	77·2	77·3	89·8	74·7	92	11,21	73	4, 7, 21, 27	29·5	28·6	79·0	70·5	5·5	5·6
April	29·938	29·861	80·8	82·9	76·3	77·0	88·0	74·5	91	7, 13	71	21, 23	28·9	29·1	80·8	76·1	6·2	6·7
May	29·968	29·890	78·1	79·9	74·7	74·7	84·5	72·9	90	8	69	17, 25, 28	27·9	27·1	85·0	78·2	6·6	8·2
June	30·035	29·957	75·5	78·1	72·0	72·6	81·1	70·7	88	16	65	9, 12	25·3	25·0	84·0	76·2	6·4	6·7
July	30·037	29·955	74·4	77·6	70·5	71·3	80·4	70·0	88	29	63	13, 24	23·9	23·5	81·8	72·4	6·8	6·3
August	30·019	29·943	75·0	77·9	71·9	72·7	80·3	71·1	88	30	66	4	25·3	25·3	85·5	77·5	7·7	7·4
September	30·056	29·981	76·3	77·9	71·8	72·4	81·2	71·3	84	17, 18, 23	64	6	24·6	24·7	79·4	75·8	7·4	7·3
October	30·018	29·943	77·0	78·0	73·0	73·1	81·4	71·7	87	24	67	8	25·8	25·6	81·9	78·4	8·0	8·4
November.....	29·908	29·841	78·7	79·5	74·4	75·0	83·5	73·1	88	10, 15, 16	68	28	27·3	27·7	81·5	80·8	7·2	8·2
December	29·846	29·782	81·8	83·4	77·3	77·6	87·2	75·4	97	29	72	1, 4	30·0	29·7	81·1	76·5	6·0	7
Year	29·955	29·881	78·4	80·3	74·3	74·8	84·2	72·9	..	....	..	....	27·2	27·0	82·1	76·7	6·9	7·4

Months.	Rainfall.			Weather. No. of days of								Wind. Number of Observations of															
	Total.	Max.	Date.	Rain.	Hail.	Thndr Strms	Clear Sky		Overcast		Gales	N.		N.E.		E.		S.E.		S.		S.W.		W.		N.W.		Calms.	
							8·30	3·30	8·30	3·30		8·30	3·30	8·30	3·30	8·30	3·30	8·30	3·30	8·30	3·30	8·30	3·30	8·30	3·30	8·30	3·30	8·30	3·30
January	31·61	8·49	11	27	..	5	1	1	20	23	..	2	1	2	1	9	8	4	9	2	5	2	2	1	1	1	2	8	2
February ...	14·10	5·74	9	24	..	2	3	1	7	14	1	..	..	3	2	9	9	1	9	1	3	2	2	2	2	..	..	10	1
March	4·48	1·10	26	20	..	6	3	4	1	7	..	6	2	5	3	7	15	1	5	1	2	1	..	2	2	1	2	7	..
April	10·46	4·31	16	25	..	6	5	2	8	9	..	5	1	5	2	7	14	2	7	..	3	..	1	..	1	1	..	10	1
May	8·17	2·32	22	18	..	1	4	..	11	17	..	3	2	5	3	6	9	3	8	1	3	..	3	..	..	..	..	13	3
June	9·91	2·47	28	18	..	2	4	3	13	11	1	..	1	3	4	6	12	5	7	1	1	1	2	1	1	1	..	12	2
July	3·47	1·15	31	19	..	..	4	6	13	9	..	2	1	7	5	8	7	6	10	1	5	..	2	1	1	..	..	6	..
August	9·14	3·10	31	23	..	1	1	2	16	16	..	5	..	5	4	6	9	5	11	1	2	..	1	..	..	1	..	8	4
September ..	7·13	2·15	22	21	..	1	1	1	17	13	..	3	..	3	2	12	11	7	13	1	2	1	1	1	..	..	..	2	1
October	17·93	4·47	29	22	..	2	1	1	17	20	..	1	..	3	3	12	12	7	13	..	1	..	1	2	..	..	1	6	..
November...	15·38	2·27	17	29	..	3	1	1	15	20	..	2	2	3	3	10	8	9	14	3	1	..	..	..	2	..	..	3	..
December ..	17·39	2·37	20	27	..	7	4	1	6	11	..	3	6	4	2	8	8	4	11	5	4	4	..	..	..	..	..	3	..
Year	149·17	..	..	273	..	36	32	23	144	170	2	32	16	48	34	100	122	54	117	17	32	11	15	10	10	5	5	88	14

EXTREMES FOR THE YEAR.

Highest Pressure—30·190″ on July 5th at 8.30 a.m.
Lowest Pressure—29·567″ on February 10th at 3.30 p.m.
Highest Temperature—97° on December 29th.
Lowest Temperature—63° on July 13th and 24th.

Greatest Range—19° on March 21st.
Least Range—2° on June 14th.
Most Rain in 24 hours—8·49″ on January 11th.

JANUARY.

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last p.m. Observation.
	"	°	°	°	°		°	°	%	m.b.							"		
1	29·973	82·2	73·4	86	73	82·0	151	68	64	23·7	E.	3	197	cu/cu-nb	7	7·4	0·06	c	cd,bc,b
2	29·991	79·0	71·2	86	75	82·0	150	67	67	22·4	E.	4	157	st-cu	10	8·8	..	o	o,c,bc
3	29·953	84·0	75·9	86	73	82·1	143	72	67	27·1	E.	3	159	cu	4	4·3	0·63	bc	b,bc
4	29·881	80·0	76·0	88	74	81·8	144	74	83	28·9	N.N.W.	2	147	st-cu	9	1·8	0·12	o	R
5	29·834	78·0	75·8	87	75	82·0	146	75	90	29·8	N.N.W.	3	136	nb	10	1·0	0·08	or	cd,or
6	29·812	78·2	75·0	87	76	82·2	150	74	86	28·3	S.W.	1	107	st	10	0·0	0·02	o	d,tl
7	29·821	80·4	77·0	85	76	82·6	141	75	85	29·6	Calm	0	91	st	10	0·8	4·63	o	bc,d,tl
8	29·836	77·4	75·2	83	70	82·6	129	74	90	28·8	Calm	0	183	st-cu	10	1·5	0·10	o	R,d
9	29·849	78·0	75·0	84	75	80·1	146	74	86	28·3	S.E.	4	193	nb	9	4·5	1·43	op	p
10	29·863	79·0	73·8	81	73	78·8	112	72	78	26·5	E.S.E.	3	143	nb	10	0·0	0·32	o	o,qR
11	29·860	77·4	75·0	81	74	79·0	114	73	89	28·0	E.S.E.	5	358	nb	10	0·0	8·49	odg	opq
12	29·886	75·0	75·0	81	74	76·0	122	75	100	29·7	W.S.W.	2	274	nb	10	0·0	3·56	or	o,R
13	29·849	80·2	77·9	88	74	77·6	153	76	90	31·1	N.N.E.	3	213	st-nb	10	1·7	0·08	o	od
14	29·846	81·8	77·8	91	76	79·2	157	76	83	31·0	N	2	94	st-cu	10	3·4	1·24	o	o
15	29·957	81·0	78·0	87	74	80·8	148	77	87	31·4	Calm	0	61	ci/cu	5	5·3	0·53	bc	R,c,bc,
16	29·974	86·0	80·0	88	76	82·0	153	78	76	32·3	E.	4	92	ci/cu	5	6·8	0·02	bc	b,bc,or
17	29·972	80·4	75·4	82	78	81·2	121	73	79	27·4	E.S.E.	4	183	st/nb	10	0·0	0·97	o	o,d
18	29·919	81·4	77·8	84	74	79·2	137	76	85	30·7	E.	3	77	cu-nb	10	1·1	0·67	o	oR,c
19	29·924	78·2	75·2	82	74	79·8	107	74	86	28·3	E.	3	89	nb	10	0·0	4·89	o	op
20	29·824	75·4	74·4	84	72	76·1	136	74	95	28·2	E.N.E.	2	57	nb	10	0·5	0·54	od	oR,d
21	29·779	79·1	76·2	82	74	79.0	132	75	87	29·3	E.S.E.	1	113	ci/cu-nb	9	1·1	1·47	od	c,op
22	29·786	75·0	74·4	82	74	77·0	131	74	97	28·9	S.	2	74	nb	10	0·0	0·86	or	d,R,dR
23	29·781	77·0	75·2	86	74	79·0	150	74	92	28·8	Calm	0	24	St-cu/cu-nb	9	2·5	0·07	o	o,d,c
24	29·829	82·8	78·0	86	74	80·0	153	76	80	30·5	E.S.E.	4	36	ci/cu	6	7·8	0·05	bc	od,c
25	29·831	82·0	76·2	87	75	81·1	150	73	76	28·0	S.S.E.	3	162	ci/cu-nb	7	11·2	..	c	c,bc
26	29·719	81·0	76·4	88	74	82·0	148	75	81	29·2	S.S.W.	2	93	cu	2	10·8	0·18	b	b
27	29·718	78·9	75·0	89	72	82·2	154	73	82	27·9	Calm	0	76	ci	5	11·1	Trace	bc	0r,tlqb
28	29·769	80·0	75·0	91	74	83·0	165	73	79	27·4	Calm	0	143	st-cu	3	9.4	0·09	b	c,or,c,b
29	29·768	81·0	76·8	87	74	83·0	141	75	82	29·9	Calm	0	71	st-cu	10	1·3	0·34	o	T,c,bc,
30	29·691	79·2	77·0	87	75	82·0	150	76	90	30·8	N.E.	3	120	nb	6	5·6	Trace	bc	r,o
31	29·657	80·6	76·2	89	72	82·8	149	75	81	29·2	Calm	0	114	....	0	8·6	0·17	b	c,bc
	29·844	79·7	75·8	85·6	74·1	80·6	141	74·1	83·6	28·8	...	2·1	130·2	....	7·9	3·8	1·02	..	Means

At 3.30 p.m. Standard Time.

1	29·906	82·2	73·1	..	..	85·0	..	68	64	23·7	S.E.	3	..	st-cu/cu-nb	6	..	..	bc	bc,c
2	29·912	84·2	73·0	..	..	84·8	..	67	57	22·8	E.	4	..	cu	3	..	..	b	c,bc
3	29·855	82·2	76·0	..	..	83·8	..	73	74	28·0	E.S.E.	4	..	st/cu-nb	10	..	..	o	c,oR
4	29·788	80·0	76·8	..	..	84·0	..	76	86	30·3	W.S.W.	4	..	st/nb	10	..	..	o	c,oR
5	29·763	84·2	76·9	..	..	84·0	..	73	71	27·8	N.N.W.	2	..	st	10	..	..	o	c,o
6	29·758	82·0	77·0	..	..	84·2	..	75	79	29·5	S.S.W.	2	..	st	10	..	..	o	c,otl
7	29·773	79·0	77·4	..	..	84·0	..	77	93	31·6	S.	4	..	nb	10	..	..	oR	c,oR
8	29·793	81·2	75·0	..	..	81·0	..	72	74	27·0	S.S.W.	2	..	st	10	..	..	o	o
9	29·803	80·8	74·4	..	..	82·1	..	71	73	26·3	S.E.	4	..	cu/nb	10	..	..	oq	p,c,bc,o
10	29·815	74·6	72·8	..	..	79·8	..	72	91	26·8	E.	2	..	nb	10	..	..	or	or
11	29·772	79·0	77·0	..	..	79·4	..	76	91	30·8	E.S.E.	4	..	nb	10	..	..	or	or
12	29·807	75·8	75·6	..	..	78·0	..	76	99	30·7	E.	2	..	nb	10	..	..	oR	or
13	29·759	83·4	79·0	..	..	80·6	..	77	82	31·3	E.N.E.	2	..	st-cu	10	..	..	o	oR
14	29·808	78·0	76·4	..	..	83·0	..	76	93	30·5	Calm	0	..	st	10	..	..	o	c,otlqt,
15	20·885	82·0	79·4	..	..	83·0	..	79	89	33·3	S.E.	3	..	ci/st-nb	7	..	..	c	c,oR
16	29·924	83·2	77·6	..	..	83·5	..	75	77	29·8	S.E.	2	..	st-nb	10	..	..	o	bc,c
17	29·903	80·0	76·0	..	..	81·6	..	74	83	28·9	S.E.	4	..	nb/st-nb	10	..	..	o	or
18	29·878	79·0	76·2	..	..	81·0	..	75	87	29·3	E.N.E.	1	..	nb	10	..	..	o	op
19	29·851	74·0	73·0	..	..	78·8	..	72	95	27·3	E.N.E.	3	..	nb	10	..	..	oR	op
20	29·747	80·0	77·2	..	..	79·6	..	76	88	30·3	E.	4	..	nb	10	..	..	o	d,p,c,op
21	29·704	81·2	77·0	..	..	80·0	..	75	82	29·9	S.E.	2	..	cu-nb	10	..	..	o	c,od
22	29·733	76·4	75·8	..	..	79·0	..	75	97	29·9	Calm	0	..	nb	10	..	..	od	oR,d
23	29·749	78·6	77·0	..	..	81·0	..	77	93	31·6	N.N.W.	1	..	nb/st-nb	10	..	..	od	c,od
24	29·755	82·0	77·0	..	..	83·0	..	75	79	29·5	E.S.E.	4	..	cu/nb	8	..	..	cq	c,po
25	29·727	84·4	77·0	..	..	84·8	..	73	70	27·8	S.	3	..	cu	5	..	..	bc	bc,b
26	29·621	85·8	77·0	..	..	86·0	..	73	66	27·7	E.	4	..	ci/cu	1	..	..	b	b
27	29·653	85·1	77·3	..	..	86·0	..	73	70	28·1	S.S.W.	4	..	ci/cu	7	..	..	c	b.bc
28	29·704	85·8	75·8	..	..	76·6	..	71	62	26·2	S.S.E.	3	..	cu/nb	10	..	..	o	bc,c
29	29·722	78·6	76·4	..	..	84·0	..	76	90	30·8	N.W.	2	..	nb	10	..	..	or	c,or
30	29·611	84·0	78·2	..	..	85·0	..	75	76	30·1	S.E.	3	..	ci/st-cu	6	..	..	bc	c,od,c,b
31	29·579	86·1	79·0	..	..	86·8	..	76	72	30·7	S.	4	..	st	10	..	..	o	bc,c
	29·776	81·1	76·4	..	..	82·4	..	74·2	80·7	29·0	..	2·8	..	....	8·8	..	..	..	Means

Extremes for the Month.

Highest Pressure—29·991″ at 8.30 a.m. on 2nd.
Lowest Pressure—29·579″ at 3.30 p.m. on 31st.
Highest Temperature in Shade—91° on 14th and 28th.
Lowest Temperature in Shade—70° on 8th.
Greatest Range—17° on 27th, 28th and 31st.
Least Range—4° on 17th.
Disturbances—Cyclonic Depression East of Suva moving approximately E.S.E. between 21st and 24th.

Mean Temperature for Month—79·9° Max. + Min. ÷ 2.
Greatest Humidity—100 per cent. on 12th at 8.30 a.m.
Least Humidity—57 per cent. on 2nd at 3.30 p.m.
Most Rain in 24 hours—8·49″ on 11th.
Total Rainfall for Month—31·61″
Number of Days of Rain—27. Thunderstorms—5.
Days of Clear Sky—1. Overcast—20 at 8.30 a.m.
Total Hours of Sunshine for Month—118·3.

FEBRUARY.

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last p.m. Observation.
	"	°	°	°	°		°	°	%	m.b.									
1	29·626	85·0	79·0	91	76	83·8	151	77	76	31·2	E.N.E.	3	87	ci/cu	4	7·4	0·28	bc	r,c
2	29·681	82·0	78·0	87	77	84·0	156	76	83	31·0	Calm	0	67	ci/st	8	5·2	0·04	c	or,tld
3	29·769	80·2	74·8	88	71	82·0	149	72	77	26·7	W	3	122	....	0	8·8	..	b	c,bc,b
4	29·781	83·7	76·4	90	73	83·0	155	73	71	27·8	N.N.E.	1	98	cu	1	6·4	0·12	b	c,b
5	29·846	82·4	78·0	90	76	83·4	153	76	82	30·2	Calm	0	73	cu	1	11·8	..	b	od,c,b
6	29·820	82·8	77·9	89	75	83·8	166	76	79	30·5	E.N.E.	3	96	cu/cu-nb	8	7·4	0·08	c	b,bc
7	29·827	80·8	75·0	86	78	83·4	149	72	75	27·0	E.S.E.	4	226	nb/cu	10	2·4	0·01	o	c,od
8	29·859	78·0	75·4	86	75	82·2	138	74	88	29·0	E.	2	149	st-nb	10	0·1	0·92	o	bc,od
9	29·859	77·6	76·0	81	74	81·8	109	76	93	30·5	E.N.E.	3	95	nb	10	0·0	5·74	odq	0rr
10	29·712	74·4	74·0	82	73	76·6	131	73	98	28·0	E.	4	173	nb	10	0·0	0·53	orq	or,or
11	29·615	81·8	77·6	87	73	78·4	145	76	82	31·0	Calm	0	76	ci/st	8	10·5	0·12	c	ol,c,bc
12	29·713	79·0	76·0	81	74	80·0	105	75	86	29·3	W.	1	238	st-nb	10	0·1	1·95	o	c,olr,c
13	29·799	79·8	77·4	85	74	79·0	130	76	89	31·1	Calm	0	45	nb/cu-nb	10	1·0	0·39	od	od
14	29·841	82·0	76·2	88	74	79·6	147	73	76	28·0	Calm	0	76	st-cu/cu	7	4·9	0·08	c	c,bc,or
15	29·840	82·0	76·4	90	73	80·9	146	74	77	28·7	E.	2	32	cu	7	7·6	0·16	c	od,c,bc
16	29·908	82·0	77·0	88	75	82·0	149	75	79	29·5	Calm	0	43	cu	5	8·0	0·10	bc	cr,c,bc
17	29·945	78·2	75·4	85	76	82·1	147	74	87	28·3	Calm	0	99	cu/nb	8	3·3	0·19	c	or,c,bc,
18	29·938	79·2	76·6	87	74	82·0	146	75	89	30·1	S.W.	1	66	cu-nb	8	5·2	1·87	c	od,bc
19	29·949	82·0	78·0	86	74	81·0	144	76	83	31·0	E.N.E.	2	59	ci/cu	7	7·3	0·02	c	R,d,bc
20	29·962	81·0	76·4	89	75	82·1	149	75	81	29·2	S	2	73	cu-nb	7	6·5	0·18	c	c,o
21	29·942	78·0	74·8	88	73	82·0	155	74	86	28·3	Calm	0	104	a-cu/cu	7	6·4	0·10	c	0p,c,bc
22	29·952	79·4	76·8	89	74	82·0	151	75	89	30·1	Calm	0	77	ci/st-cu	8	7·6	Trace	c	c,or,c
23	29·975	80·0	77·0	89	78	83·4	158	76	87	30·3	S.S.W.	4	72	cu/nb	8	4·0	0·30	c	bc,cd
24	29·968	82·8	77·2	84	75	83·0	133	75	77	29·8	Calm	0	92	ci/cu-nb	9	3·6	0·20	o	or,c
25	29·986	83·4	78·1	89	75	82·4	150	75	78	29·8	E.	4	102	cu	7	9·7	0·03	c	od,c,bc
26	29·945	85·6	78·4	89	77	82·8	150	76	72	30·7	E.	4	168	cu	3	8·8	0·66	b	bl,od,b
27	29·943	82·2	76·4	88	75	82·0	148	73	76	28·0	E.S.E.	4	232	ci/st-cu	6	6·4	..	bc	cp,or,b
28	29·904	84·0	75·0	88	73	82·0	158	71	64	25·7	E.	3	164	cu	3	9·4	0·03	b	bc
	29·854	81·0	76·6	87·0	74·6	81·8	145	74·6	81·4	29·3	..	1·8	107·3	....	6·8	5·7	0·50	.	Means

At 3.30 p.m. Standard Time.

1	29·586	84·0	79·0	..	..	87·0	..	77	79	31·6	Calm	0	..	cu/nb	8	..	..	cd	c
2	29·657	80·0	76·6	..	..	85·0	..	75	85	29·6	W	4	..	st-nb	10	..	..	cq	opq
3	29·718	85·0	77·8	..	..	86·0	..	75	71	29·6	S.	4	..	st-cu/nb	9	..	..	o	b,bc,c
4	29·739	80·0	77·0	..	..	85·6	..	76	87	30·3	W.	2	..	nb	10	..	..	o	bc,c,or
5	29·750	88·0	78·6	..	..	87·8	..	74	65	29·1	S.E.	4	..	cu	1	..	..	b	bc
4	29·747	86·4	76·6	..	..	87·0	..	71	62	26·2	S.E.	4	..	cu	6	..	..	bc	bc,b
7	29·769	83·4	74·2	..	..	85·0	..	70	64	24·7	S.E.	4	..	cu-nb	10	..	..	o	bc,o
8	29·775	82·4	75·8	..	..	84·0	..	73	73	27·3	E.	4	..	st-cu/nb	10	..	..	oq	o
9	29·761	75·2	74·8	..	..	81·0	..	74	98	28·9	N.E.	2	..	nb	10	..	..	or	od,R,q
10	29·567	76·0	74·2	..	..	77·1	..	73	92	27·8	E.	2	..	st-nb	10	..	..	o	odq,R
11	29·592	83·8	79·0	..	..	81·0	..	77	80	31·6	S.W.	6	..	ci-st/cu	7	..	..	c	bc
12	29·729	77·0	74·6	..	..	79·0	..	73	89	28·0	N.E.	3	..	nb	9	..	..	o	or, R,d
13	29·716	79·4	77·6	..	..	80·0	..	76	92	30·8	E.S.E.	2	..	st-nb	9	..	..	o	orq,tl
14	29·783	85·0	79·0	..	..	82·0	..	77	76	31·2	S.S.W.	3	..	a-cu/cu-nb	8	..	..	c	o,rc
15	29·803	84·0	79·2	..	..	84·0	..	77	80	31·6	S.	1	..	ci/st-nb	10	..	..	o	c,od
16	29·840	84·0	77·0	..	..	85·0	..	74	72	28·6	S.S.E.	3	..	cu-nb	10	..	..	o	bc,c
17	29·883	80·0	77·4	..	..	83·6	..	76	89	31·1	S.E.	3	..	nb	10	..	..	o	c,or,d
18	29·867	83·0	78·0	..	..	84·0	..	76	79	30·5	S.E.	3	..	nb	10	..	..	od	c,o
19	29·891	83·0	77·2	..	..	83·8	..	74	76	29·0	S.S.E.	3	..	ci/st	8	..	..	c	b,bc
20	29·884	83·0	77·0	..	..	84·4	..	74	75	29·0	E.S.E.	3	..	cu/nb	10	..	..	o	bc,b,c
21	29·868	87·0	78·0	..	..	84·8	..	74	66	28·8	E.	4	..	cu-nb	6	..	..	bc	bc
22	29·867	87·0	78·0	..	..	85·6	..	74	65	28·8	E.	3	..	ci/cu-nb	7	..	..	c	c
23	29·905	85·2	77·8	..	..	85·4	..	74	71	28·9	E.	3	..	ci/st-cu	7	..	..	c	bc,c
24	29·903	80·4	76·8	..	..	84·0	..	75	84	29·6	E.	3	..	ci/cu-nb	8	..	..	c	p,c
25	29·894	85·0	77·2	..	..	85·0	..	73	70	28·1	E.	4	..	cu/nb	7	..	..	cq	bc,b
26	29·896	85·0	78·8	..	..	84·8	..	77	75	31·2	S.E.	4	..	cu/cu-nb	4	..	..	bc,p	bc,c,p
27	29·859	83·2	76·2	..	..	84·0	..	73	72	27·5	E.S.E.	4	..	cu/cu-nb	5	..	..	bc	b.bc
28	29·789	85·0	75·0	..	..	84·0	..	70	61	25·2	E.	4	..	cu	4	..	..	bc	c,bc
	29·787	82·9	77·1	..	..	83·9	..	74·4	76·7	29·1	..	3·2	..	....	8·0	..	..	..	Means

Extremes for the Month.

Highest Pressure—29·986 at 8.30 a.m. on 25th.
Lowest Pressure—29·567 at 3.30 p.m. on 10th.
Highest Temperature in Shade—91° on 1st.
Lowest Temperature in Shade—71° on 3rd.
Greatest Range—17° on 3rd, 4th and 15th.
Least Range—7° on 9th and 12th.
Days of Clear Sky—3. Overcast—7 at 8.30 a.m.

Mean Temperature for Month—80·9° Max. + Min. ÷ 2.
Greatest Humidity—98% on 10th at 8.30 a.m.
Least Humidity—61% on 21st at 3.30 p.m.
Most Rain in 24 hours—5·74″ on 9th.
Total Rain for Month—14·10″
Number of Days of Rain—24. Thunderstorms—2.
Total hours of Sunshine for Month—159·8.

Disturbances—Small disturbance indicated East of Suva on 10th and 11th, travelling approximately S.S.E.; strongest force of wind S.W. 7 on 11th.

MARCH.

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last p.m. Observation.
	"	°	°	°	°	°	°	°	%	m.b.									
1	29·862	79·4	75·2	88	74	83·0	147	73	82	27·9	W.N.W.	2	116	ci/cu	4	6·3	0·09	bc	b,c,or,c
2	29·898	81·0	77·9	89	76	83·0	148	77	87	31·4	W.	2	73	ci/cu	7	7·7	0·01	c	bc,cl,od
3	29·901	81·4	77·6	87	76	82·6	151	75	84	29·9	Calm	0	64	cu-nb	7	4·4	0·19	c	od,bc,l
4	29·892	79·0	76·0	87	73	83·0	146	75	86	29·3	S.S.E.	2	156	ci/cu	8	2·6	0·13	c	bc,c,0p
5	29·861	82·4	77·0	90	74	83·0	154	74	77	28·7	N.	2	59	ci/ci-st	8	5·4	0·43	c	0r,c,bc
6	29·888	79·8	76·1	86	75	83·0	141	75	84	29·6	Calm	0	61	ci/st	9	2·7	1·07	o	od,c
7	29·915	82·0	77·0	91	73	82·8	157	75	79	29·5	N.	2	43	ci/ci-st	4	6·6	0·05	bc	c,or,c
8	29·961	82·0	77·4	90	76	83·6	151	76	81	30·2	Calm	0	67	ci/cu	6	5·0	0·11	bc	od,c
9	29·958	78·0	76·0	90	75	83·0	156	75	91	29·8	N.N.E.	2	74	st-cu	7	3·8	..	c	ortl,cd
10	29·961	80·0	77·0	90	75	83·0	152	76	87	30·3	Calm	0	93	fr-cu	1	6·8	..	b	bc,bc,b
11	29·984	85·2	78·0	92	74	83·0	148	75	72	29·6	E.N.E.	2	81	ci/ci-st	8	5·9	0·04	c	ol,bc,b
12	30·025	82·0	78·8	91	74	83·0	150	78	86	32·5	Calm	0	79	cu	5	11·1	..	bc	otl,c,b
13	30·011	84·8	77·8	90	76	83·1	147	75	72	29·6	E.N.E.	3	103	fr-cu	4	11·0	0·05	bc	c,b
14	29·978	83·0	77·0	90	76	83·1	149	74	76	29·0	E.	4	111	cu/cu-nb	7	10·6	0·17	c	bc,b,bd
15	29·929	83·1	78·1	90	76	83·2	148	76	79	30·5	E.	4	152	cu/cu-nb	5	10·5	Trace	bc	c,op,c,b
16	29·957	85·2	79·0	91	77	83·7	146	77	75	31·2	E.	3	144	cu	4	10·3	Trace	bc	b,bc,b
17	29·970	85·4	77·6	91	76	83·9	147	73	70	28·1	E.S.E.	3	120	cu	4	10·7	..	bc	bc
18	29·931	81·4	75·8	89	74	83·9	147	73	77	27·7	S.W.	1	93	fr-cu	2	9·6	0·20	b	b.bc
19	29·928	80·0	76·2	89	75	84·0	147	74	83	28·9	W.N.W.	2	112	cu-nb	6	10·3	..	bc	bc,cpbc
20	29·974	83·2	74·4	91	74	84·6	146	70	65	24·7	N.E.	2	180	cu	1	9·6	..	b	bc,b
21	29·989	84·0	75·8	92	73	84·1	145	72	67	27·1	N.N.E.	1	76	....	0	11·4	0·04	b	c,b,bc,c
22	30·003	82·8	77·0	91	75	84·0	148	74	76	29·0	E.N.E.	2	92	cu/cu-nb	7	99	..	c	bc,c,or
23	29·964	83·1	77·1	89	75	84·0	144	74	76	29·0	E.	2	121	cu	7	4·8	0·33	c	c,bc,ob
24	29·968	81·1	77·5	90	76	83·9	145	76	85	30·7	Calm	0	83	cu/cu-nb	7	10·0	Trace	c	or,c,b,b
25	29·982	81·4	77·6	88	74	83·5	143	75	84	29·9	N.	1	111	cu/cu-nb	8	6·8	0·08	c	b,bc,o
26	29·923	83·4	77·1	89	74	83·2	143	74	74	28·3	E.	2	114	ci/cu	6	8·2	1·10	bc	bc,or,b
27	29·905	82·2	77·0	89	73	82·0	152	75	78	29·5	Calm	0	58	cu	2	8·6	0·13	b	or,c,bc
28	29·919	83·0	78·4	91	74	83·9	148	77	81	31·3	N.N.W.	2	104	ci/ci-cu	7	10·4	..	c	c,or,clr
29	29·945	83·3	77·9	91	75	84·0	152	75	78	29·8	N.	2	89	ci/cu	5	8·0	0·03	bc	c,b,bc
30	29·844	85·1	78·7	91	75	84·2	145	76	75	30·4	N.E.	2	71	cu	7	10·0	0·22	c	bc,b,od
31	29·829	83·8	79·4	91	74	83·8	151	78	82	32·4	E.N.E.	3	114	ci/cu/cu-nb	7	10·2	0·01	c	c,b,or,c
	29·937	82·3	77·2	89·8	74·7	83·4	148	74·9	79·0	29·5	..	1·7	97·2	....	5·5	8·0	0·14	..	Mean s.

At 3.30 p.m. Standard Time.

1	29·804	84·0	76·0	..	..	83·2	..	72	68	27·1	E.	3	..	cu/cu-nb	5	..	..	bc	op,c
2	29·816	84·8	78·0	..	..	83·8	..	75	73	29·6	E.S.E.	3	..	ci/cu-nb	7	..	..	c	bc
3	29·855	82·0	77·0	..	..	83·8	..	75	79	29·5	E.N.E.	3	..	st/nb	3	..	..	c	bc,o,or
4	29·814	81·8	77·8	..	..	83·4	..	76	83	31·0	N.E.	3	..	st-nb	10	..	..	o	bc,od,c
5	29·809	78·0	76·4	..	..	83·4	..	76	93	30·5	W.N.W.	2	..	st-nb	10	..	..	od	c,ortl,d
6	29·848	76·8	76·2	..	..	82·9	..	76	97	30·9	N.	2	..	st-nb	10	..	..	o	otlrq
7	29·857	83·9	79·1	..	..	83·4	..	77	80	31·6	W.N.W.	3	..	st/nb	8	..	..	c	c
8	29·898	82·0	78·0	..	..	83·8	..	76	83	31·0	W.N.W.	4	..	nb	10	..	..	ogtl	c,o
9	29·902	81·0	76·0	..	..	83·6	..	74	79	28·4	W.S.W.	4	..	st-nb	9	..	..	oq	bc,c
10	29·898	85·2	76·2	..	..	83·6	..	72	65	26·7	E.N.E.	3	..	cu/nb	5	..	..	bc	bc,c
11	29·906	84·0	79·0	..	..	83·6	..	77	79	31·6	E.S.E.	3	..	st/nb	9	..	..	odtl	bc,cp
12	29·908	87·0	79·0	..	..	84·0	..	76	69	30·3	E.S.E.	4	..	fr-cu	2	..	..	b	bc
13	29·905	87·0	77·0	..	..	84·1	..	72	62	27·2	S.E.	4	..	cu	1	..	..	b	b
14	29·865	87·0	78·0	..	..	84·0	..	74	66	28·8	E.	5	..	ci-st/cu	4	..	..	bc	bc,b
15	29·853	87·0	78·4	..	..	84·2	..	75	67	29·5	E.	4	..	cu	3	..	..	b	b
16	29·856	88·0	77·8	..	..	84·6	..	74	62	28·3	E.	4	..	fr-cu	1	..	..	b	bc,b
17	29·879	87·0	77·4	..	..	84·8	..	73	63	28·0	E.S.E.	4	..	cu	4	..	..	bc	bc
18	29·858	85·8	75·4	..	..	85·0	..	71	60	25·5	S.	4	..	cu	2	..	..	b	bc,b
19	29·846	85·0	75·7	..	..	85·1	..	71	65	25·9	S.	3	..	cu	1	..	..	b	c,bc
20	29·903	86·0	76·0	..	..	85·0	..	71	62	26·2	E.	4	..	cu	6	..	..	bc	b,bc
21	29·939	87·0	78·0	..	..	85·2	..	74	66	28·8	E.S E.	4	..	cu	1	..	..	b	b
22	29·904	87·3	78·0	..	..	85·4	..	73	65	28·0	E.S.E.	3	..	ci-st/cu	6	..	..	bc	c,bc,b
23	29·879	86·1	78·0	..	..	84·9	..	75	68	29·2	E.	4	..	cu-nb	7	..	..	c	cp,bc
24	29·909	86·6	76·4	..	..	84·9	..	72	61	27·2	E.	4	..	cu/cu-nb	4	..	..	bc	cp,bc,b
25	29·900	85·3	77·0	..	..	84·3	..	73	68	27·4	E.	4	..	cu/cu-nb	5	..	..	bc	o,c,b
26	29·842	83·2	76·0	..	..	84·0	..	73	71	27·5	E.	4	..	nb	10	..	..	or	bc,c,p
27	29·806	82·4	75·8	..	..	84·0	..	73	73	27·3	N.N.W.	2	..	cu-nb	8	..	..	c	bc,b,bc
28	29·826	87·2	78·0	..	..	84·7	..	74	65	28·8	E.N.E.	4	..	ci/cu/cu-nb	6	..	..	bc	bc
29	29·800	87·1	79·0	..	..	84·9	..	76	69	30·3	E.	3	..	ci/cu	4	..	..	bc	b,bc,b
30	29·756	86·9	78·1	..	..	85·0	..	74	66	28·8	E.S.E.	4	..	ci/cu	6	..	..	bc	cp,bc,b
31	29·770	88·0	77·0	..	..	85·0	..	72	59	26·8	E.N.E.	4	..	cu	2	..	..	b	bc,b
	29·858	84·9	77·3	..	..	84·2	..	73·9	70·5	28·6	..	3·5	..	....	5·6	..	..	..	Means.

Extremes for the Month.

Highest Pressure—30·025″ at 8.30 a.m. on 12th.
Lowest Pressure—29·756″ at 3.30 p.m. on 30th.
Highest Temperature in Shade—92° on 11th and 21st.
Lowest Temperature in Shade—73° on 4th, 7th, 21st and 27th.
Greatest Range—19° on 21st.
Least Range—11° on 3rd and 6th.
Disturbances—Nil.

Mean Temperature for Month—82·3° = Max. + Min. ÷ 2.
Greatest Humidity—97 per cent. at 3.30 p.m. on 6th.
Least Humidity—59 per cent. at 3.30 p.m. on 31st.
Most Rain in 24 hours—1·10″ on 26th.
Total Rainfall for Month—4·48″
Number of days of Rain—20. Thunderstorms—6.
Days of Clear Sky—3. Overcast—1 at 8.30 a.m.

Total hours of Sunshine for Month—149·2.

APRIL.

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last p.m. Observation.
	"	°	°	°	°	°	°	°	%	m.b.									
1	29·933	84·0	77·4	90	76	84·0	145	75	73	29·3	E.N.E.	3	134	cu	1	7·1	0·24	b	bc,b,cr
2	29·953	83·1	79·0	90	76	83·8	152	77	83	32·1	Calm	0	79	cu	7	8·9	0·06	c	bc,b,or
3	29·932	79·4	77·0	89	75	83·8	128	75	89	30·1	Calm	0	60	cu/st-nb	8	1·4	0·03	c	bc,or,b
4	29·908	81·8	79·0	90	77	83·7	151	78	88	32·5	E.	2	38	cu/nb	8	7·5	0·24	cr	0gl,cr
5	29·935	84·0	78·0	89	76	83·8	143	75	76	30·1	E.	4	99	cu/cu-nb	6	10·7	0·09	bc	c,op,bb
6	29·940	81·0	78·0	90	76	84·8	146	77	87	31·4	Calm	0	106	ci/cu	7	8·8	0·05	c	bc,od,c
7	29·901	84·0	78·2	91	76	84·0	143	75	76	30·1	E.S.E.	3	82	cu/cu-nb	7	9·6	0·38	c	bc,b,c,o
8	29·922	77·0	76·2	85	76	83·7	135	76	96	30·2	Calm	0	102	nb	10	2·4	0·37	op	bc,c,op
9	29·944	81·0	78·0	89	75	83·8	145	77	87	31·4	Calm	0	53	cu	1	8·2	..	b	bc,c,b
10	30·028	80·4	76·2	89	75	84·0	145	74	82	28·9	Calm	0	60	cu	2	9·3	0·05	b	o,dt,bc
11	29·933	82·6	78·0	89	75	84·1	147	77	81	31·3	N.N.W.	2	63	cu	4	8·2	0·30	bc	c,od,tl
12	29·908	83·2	78·0	90	75	84·0	150	76	79	30·5	N.	2	68	ci	1	5·8	0·19	b	cdtl,b,
13	29·912	82·4	77·0	91	73	84·7	146	74	77	28·7	N.N.E.	1	41	cu	1	5·5	1·10	b	or,c,b
14	29·923	79·0	76·0	88	74	83·2	141	75	86	29·3	Calm	0	64	nb	10	5·3	0·02	o	or,bc,o
15	29·926	78·6	76·0	89	76	83·5	146	75	88	30·1	S.E.	2	67	nb	10	6·0	0·19	or	cp,b,c
16	29·902	82·7	77·0	87	74	84·0	133	75	77	29·8	N.	1	95	ci-cu	8	4·2	4·31	c	otl,r,c
17	29·896	80·0	75·2	87	73	80·5	144	73	79	27·4	N.N.E.	3	107	ci-cu	8	5·8	0·64	c	tl,orq
18	29·922	78·0	75·0	85	74	81·5	145	74	86	28·3	N.N.E.	3	93	nb	10	2·7	0·68	or	bc,c,op
19	29·966	79·4	77·0	87	74	82·0	146	75	89	30·1	Calm	0	58	ci/cu-nb	8	4·7	0·09	c	cp
20	29·970	83·0	76·8	88	75	82·4	147	74	74	29·0	E.S.E.	4	107	cu	4	9·6	0·01	bc	op,bc,c
21	29·944	82·0	72·0	87	71	82·4	145	67	60	22·4	E.	3	153	cu	1	10·1	0·08	b	c,bc,od
22	29·954	79·8	74·0	86	75	82·0	143	71	75	26·0	F.	3	159	nb	10	1·4	..	o	op,bc,c
23	30·007	82·0	73·9	88	71	81·9	142	70	67	25·1	N.E.	2	168	cu	2	10·8	Trace	b	c,bc,b
24	29·996	78·4	76·0	86	74	81·8	141	74	89	29·0	E.	2	110	cu/cu-nb	8	6·8	0·30	c	bc,cd
25	29·961	81·0	74·4	88	74	81·8	145	71	73	26·3	E.N.E.	3	117	ci-st	7	9·3	..	c	bc,or,b
26	29·922	80·4	75·0	85	72	82·0	137	72	77	26·7	Calm	0	69	ci/ci-st	3	3·2	0·01	b	b
27	29·927	82·1	77·0	88	74	81·8	142	75	78	29·5	N.N.E.	2	36	ci-cu	3	8·6	..	b	c,bc,bz
28	29·921	78·9	74·5	83	75	82·0	113	72	80	27·2	W.N.W.	2	79	st	10	0·0	0·60	o	b,c,bc,o
29	29·923	78·0	74·8	89	75	81·8	145	74	86	28·3	Calm	0	86	a-st	10	3·1	0·33	o	op,c
30	29·943	76·0	73·0	88	74	81·2	145	72	86	26·4	N.E.	3	107	st	10	5·7	0·10	o	olqr,bc
	29·938	80·8	76·3	88·0	74·5	82·9	142	74·8	80·8	28·9	..	1·7	88·7	....	6·2	6·4	0·35	..	Means

At 3.30 Standard Time.

1	29·880	82·0	79·2	..	..	84·5	..	78	88	32·5	E.	4	..	cu/cu-nb	7	..	..	op	bc,cp
2	29·885	84·8	77·8	..	..	84·6	..	75	72	29·6	E.S.E.	3	..	cu/cu-nb	6	..	..	bc	bc,b
3	29·849	82·0	76·0	..	..	84·1	..	73	75	28·0	E.S.E.	3	..	nb/st-nb	10	..	..	og	c,og
4	29·834	85·0	78·0	..	..	84·4	..	75	72	29·6	E.S.E.	4	..	cu	6	..	..	bc,q	cp·
5	29·865	85·4	76·6	..	..	84·7	..	72	66	26·7	E.S.E.	3	..	cu	2	..	..	b	bc,b
6	29·845	85·0	78·2	..	..	84·5	..	75	73	29·6	S.E.	3	..	ci-st/cu	7	..	..	c	bc,b,bc
7	29·834	86·5	77·7	..	..	84·9	..	74	66	28·8	E.S.E.	4	..	cu	1	..	..	b	bc,b
8	29·871	83·2	78·9	..	..	83·8	..	77	83	31·3	E.S.E.	3	..	ci/cu-nb	8	..	..	c	c,or,c
9	29·894	87·0	80·2	..	..	84·6	..	77	73	31·9	S.	2	..	cu·	3	..	..	b	bc,b
10	29·931	87·2	79·0	..	..	85·0	..	76	69	30·3	S.S.W.	3	..	cu/cu-nb	4	..	..	c	b,bc
11	29·846	84·0	78·0	..	..	85·0	..	75	76	30·1	E.S.E.	3	..	cu-nb/nb	7	..	..	cd	c,bc
12	29·842	77·0	75·0	..	..	84·1	..	74	91	28·8	N.	3	..	nb	10	..	..	ort	bc,c,or
13	29·852	77·0	75·2	..	..	84·0	..	74	92	28·8	S.	2	..	nb	10	..	..	o	bc,c,or
14	29·827	84·2	77·4	..	..	84·0	..	74	73	28·6	E.S.E.	3	..	cu/cu-nb	4	..	..	bc	o,c,b
15	29·832	87·0	78·0	..	..	84·0	..	74	65	28·8	E.	3	..	cu-nb	5	..	..	bc	op,c
16	29·784	81·0	76·4	..	..	84·0	..	75	80	29·2	E.	3	..	nb	10	..	..	o	c,bc,o
17	29·816	82·0	80·4	..	..	81·0	..	81	93	34·9	S.E.	3	..	nb	10	..	..	o	bc,c,o
18	29·861	80·4	77·2	..	..	82·0	..	76	86	30·3	S.E.	2	..	nb	10	..	..	op	bc,cp
19	29·896	81·0	77·0	..	..	82·4	..	75	83	29·9	N.E.	3	..	cu/st-nb	7	..	..	c	o,c
20	29·890	85·0	76·0	..	..	83·0	..	72	64	26·7	E.	3	..	cu	3	..	..	b	bc
21	29·863	83·8	74·4	..	..	82·9	..	70	63	24·9	E.	4	..	cu/cu-nb	7	..	..	c	bc,c
22	29·886	81·0	74·9	..	..	82·3	..	72	74	27·0	E.	4	..	cu-nb/nb	8	..	..	c	o,c
23	29·940	84·0	75·0	..	..	83·1	..	71	64	25·7	E.	4	..	cu/cu-nb	6	..	..	bc	b,bc
24	29·919	82·6	77·4	..	..	82·0	..	76	78	30·5	E.	4	..	cu/cu-nb	7	..	..	c	opq,c,
25	29·841	84·6	74·2	..	..	82·6	..	69	59	24·5	E.N.E.	4	..	cu	1	..	..	b	bc
26	29·823	80·0	77·0	..	..	82·0	..	76	87	30·3	Calm	0	..	st	10	..	..	od	bc,oz,d
27	29·842	83·2	76·2	..	..	82·6	..	73	72	27·5	E.	2	..	ci/st-nb	5	..	..	bc	b.bc
28	29·866	80·0	75·8	..	..	82·0	..	74	82	28·9	S.	1	..	st/nb	10	..	..	o	od
29	29·804	80·0	77·0	..	..	82·0	..	76	87	30·3	W.	4	..	nb	10	..	..	orq	bc,ortl
30	29·908	81·2	76·0	..	..	82·0	..	74	78	28·4	N.N.E.	3	..	ci/cu	6	..	..	bc	c,bc
	29·861	82·9	77·0	..	..	83·4	..	74·4	76·1	29·1	..	3·0	..	....	6·7	..	..	..	Means

Extremes for the Month.

Highest Pressure—30·028″ at 8.30 a.m. on 10th.
Lowest Pressure—29·784″ at 3.30 p.m. on 16th.
Highest Temperature in Shade—91° on 7th and 13th.
Lowest Temperature in Shade—71° on 21st and 23rd.
Greatest Range—18° on 13th.
Least Range—8° on 28th.
Disturbances—Nil.

Mean Temperature for Month—81·3° = Max. + Min. ÷ 2.
Greatest Humidity—96 per cent. on 8th at 8.30 a.m.
Least Humidity—59 per cent. on 25th at 3.30 p.m.
Most Rain in 24 hours—4·31″ on 16th.
Total Rainfall for Month—10·46″
Number of days of Rain—25. Thunderstorms—6.
Days of Clear Sky—5. Overcast—8 at 8.30 a.m.

Total hours of Sunshine for Month—190·7.

MAY.

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat.=100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last p.m. Observation.
	"	°	°	°	°	°	°	°	%	m.b.									
1	30·030	80·4	77·2	86	74	82·0	137	76	86	30·3	Calm	0	92	st-cu/cu-nb	7	5·9	..	c	or,c,bc
2	30·000	79·0	77·0	86	73	82·0	143	76	91	30·8	Calm	0	43	cu/cu-nb	6	4·4	0·58	bc	b,o,c
3	29·974	78·2	76·8	86	73	81·6	144	76	94	30·5	Calm	0	41	ci-cu/st-cu	7	5·4	0·80	c	or,c,bc
4	29·973	77·0	76·0	84	74	81·6	147	76	95	30·2	N.	2	68	nb	9	4·5	0·71	or	c,tl,oRt
5	29·966	79·0	77·4	89	73	81·2	151	77	93	31·6	E.	3	25	cu/nb	9	8·3	Trace	od	bc,b,od
6	30·058	78·8	76·4	89	75	82·0	142	75	89	30·1	Calm	0	58	cu	6	8·2	..	bc	bc,c
7	30·061	79·2	76·6	87	74	82·2	143	75	89	30·1	Calm	0	20	ci/cu	8	9·5	0·06	c	bc,b,c
8	29·963	82·5	78·0	90	75	82·0	147	77	82	31·3	Calm	0	52	cu	3	8·2	..	b	cp,bc
9	29·958	82·2	76·0	88	75	82·8	144	73	74	28·0	N.N.E.	2	57	ci/cu	9	8·7	..	c	bc,c
10	29·884	81·2	76·2	86	75	82·6	144	74	79	28·4	Calm	0	62	ci/cu	6	4·8	0·95	bc	c,o,c
11	29·885	78·0	74·4	82	74	82·4	131	73	84	27·6	Calm	0	115	ci/cu/cu-nb	9	1·8	0·11	o	or
12	29·980	77·0	73·8	84	72	81·6	131	73	85	27·3	Calm	0	75	cu-nb	9	2·7	0·05	o	od
13	29·941	81·0	76·2	85	73	81·2	135	74	80	28·4	E.N.E.	2	45	a-cu	6	4·7	1·24	bc	c,or,bc
14	29·982	77·2	74·3	81	73	81·0	122	73	86	27·3	N.N.E.	3	93	a-cu/st-cu	8	0·6	0·08	c	o,Rr
15	30·024	77·4	75·4	83	72	80·4	123	74	91	28·8	Calm	0	59	cu/nb	7	0·6	0·03	c	od,c,bc
16	30·040	77·0	75·0	82	75	80·3	125	74	91	28·8	S.S.E.	4	166	cu/nb	10	0·2	Trace	o	od,q
17	29·986	76·8	72·0	84	69	79·8	138	69	78	24·6	Calm	0	124	ci-st	1	4·2	0·43	b	0,c,b
18	30·022	72·6	71·0	82	72	79·3	130	71	92	25·7	S.E.	3	117	nb	10	0·5	0·25	or	c,or
19	30·022	77·2	75·0	82	73	79·0	122	74	90	28·8	E.	4	171	st-nb	10	0·6	..	o	od
20	30·060	80·7	74·0	84	74	79·1	128	71	71	26·3	E.	3	149	a-cu/st	4	3·1	..	bc	c,bc
21	30·047	77·4	72·4	83	75	79·0	110	69	78	24·6	E.N.E.	2	218	st/nb	10	0·0	0·11	o	c,o
22	30·017	78·0	75·2	82	76	79·0	115	74	87	28·3	E.	2	205	nb	10	0·1	2·32	o	o,ir
23	29·938	75·0	73·8	84	73	78·1	139	74	94	28·2	N.E.	4	118	nb	10	3·2	0·11	or	o,ir
24	29·765	78·2	76·0	85	73	79·0	131	75	90	29·8	F.N.E.	2	123	st	8	1·9	0·28	i	o,ir,c,b
25	29·760	75·0	71·2	84	69	78·8	142	69	82	24·1	Calm	0	76	cu	1	10·6	Trace	b	or,c,bc
26	29·809	76·3	73·1	84	70	78·5	140	72	85	26·4	Calm	0	128	cu	5	10·1	0·01	bc	c,b
27	29·907	78·2	74·2	82	73	79·2	133	72	82	26·9	N.N.E.	2	63	cu/cu-nb	5	3·2	..	bc	c,d,bc,c
28	29·945	75·0	72·0	85	69	79·0	138	71	86	25·5	N.	2	37	cu	1	4·9	..	b	bc,b
29	30·005	79·0	74·8	83	70	79·0	139	73	81	27·9	S.E.	1	53	cu	1	5·0	0·05	b	b,bc
30	30·024	77·2	71·4	83	74	78·9	139	68	75	23·3	E.S.E.	4	193	cu/nb	7	7·4	Trace	cq	o
31	29·981	79·1	73·1	85	70	78·8	142	70	74	25·1	E.N.E.	3	111	cu	4	10·2	..	bc	b,c,bc
	29·968	78·1	74·7	84·5	72·9	80·4	1353	73·2	85·0	27·9	..	1·5	95·4	....	6·6	4·6	0·26	..	Means

At 3.30 Standard Time.

1	29·940	83·0	78·0	..	..	82·0	..	76	79	30·5	E.	3	..	cu/cu-nb	5	..	..	bc	c,bc,b
2	29·963	77·8	75·0	..	..	82·0	..	74	87	28·3	N.N.W.	2	..	st-nb	10	..	..	o	c,orq
3	29·934	77·2	76·0	..	..	82·0	..	76	94	30·2	S.E.	3	..	st/cu-nb	10	..	..	o	bc,c,o
4	29·869	82·4	78·0	..	..	81·4	..	76	82	30·2	S.E.	3	..	cu	4	..	..	bc	orR,c
5	29·870	85·2	77·0	..	..	82·0	..	73	68	28·1	E.N.E.	3	..	ci/ci-st	5	..	..	bc	c,b
6	29·966	85·0	79·4	..	..	82·8	..	77	78	32·0	E.S.E.	2	..	ci/cu	8	..	..	c	bc,c
7	29·894	84·2	76·0	..	..	83·0	..	72	67	27·1	S.E.	2	..	ci/cu	8	..	..	c	b,bc
8	29·848	88·2	78·4	..	..	83·0	..	74	63	28·3	N.E.	2	..	ci	10	..	..	o	bc,c
9	29·855	83·0	76·8	..	..	83·2	..	74	75	29·0	S.	2	..	ci/cu-nb	9	..	..	o	c
10	29·810	77·8	75·6	..	..	83·0	..	75	90	29·8	S.W.	3	..	nb	9	..	..	o	c,oqR
11	29·856	75·2	73·2	..	..	82·0	..	72	91	26·8	S.S.W.	2	..	nb	10	..	..	o	o,ir
12	29·904	79·6	73·4	..	..	81·8	..	71	74	26·0	S.E.	3	..	cu-nb	8	..	..	c	o
13	29·858	81·2	77·0	..	..	81·7	..	75	82	29·9	E.	3	..	cu/cu-nb	8	..	..	c	b,c,or
14	29·951	78·5	74·1	..	..	81·0	..	72	80	27·2	Calm	0	..	nb	10	..	..	od	o,ir,d
15	29·980	79·2	73·8	..	..	80·8	..	71	77	25·7	S.S.E.	4	..	nb	10	..	..	o	c,o
16	29·937	77·1	75·0	..	..	80·2	..	74	90	28·8	S.S.E.	2	..	st-nb	10	..	..	o	o
17	29·905	78·8	69·0	..	..	79·9	..	63	59	19·8	S.E.	4	..	st-nb	10	..	..	oz	bc,c,o
18	29·945	78·0	72·0	..	..	79·1	..	69	74	24·1	E.S.E.	4	..	cu/nb	9	..	..	o	or,d,c
19	29·964	79·0	71·0	..	..	79·1	..	67	66	22·4	E.S.E.	3	..	st	9	..	..	o	c,o
20	29·986	79·3	73·1	..	..	79·2	..	70	74	25·1	E.	4	..	st/nb	10	..	..	o	bc,c
21	30·002	77·2	74·8	..	..	79·0	..	73	89	28·0	Calm	0	..	nb	10	..	..	o	o,ir
22	29·937	75·0	74·2	..	..	78·8	..	74	96	28·2	N.	3	..	nb	10	..	..	o	odRq,ir
23	29·794	80·1	76·1	..	..	78·8	..	74	83	28·9	N.E.	4	..	ci/a-cu/st	8	..	..	c	oqir,bc
24	29·700	76·0	75·2	..	..	79·0	..	75	96	29·2	Calm	0	..	nb	10	..	..	o	c,oqr
25	29·686	80·5	72·9	..	..	79·0	..	70	68	24·9	S.W.	4	..	cu/st-cu	6	..	..	bc	b,bc
26	29·752	80·4	74·0	..	..	79·1	..	70	73	25·3	S.S.E.	3	..	cu	4	..	..	bc	bc
27	29·834	80·1	74·3	..	..	79·6	..	71	75	26·0	E.N.E.	3	..	ci/st/st-cu	7	..	..	c	c,bc
28	29·902	80·0	73·4	..	..	79·2	..	70	72	25·3	E.	3	..	cu	7	..	..	c	bc,c,b
29	29·933	76·4	74·0	..	..	79·0	..	72	89	27·1	E.	3	..	nb	10	..	..	op	b,c,op
30	29·920	80·0	71·8	..	..	80·2	..	68	66	23·3	E.S.E.	3	..	cu	4	..	..	bc	bc,b
31	29·887	82·0	74·0	..	..	79·0	..	70	67	25·1	E.N.E.	4	..	fr-cu	5	..	..	bc	bc
	29·890	79·9	74·7	..	..	80·4	..	72·1	78·2	27·1	..	2·7	..	....	8·2	..	..	..	Means

Extremes for the Month.

Highest Pressure—30·061″ at 8.30 am on 7th.
Lowest Pressure—29·686″ at 3.30 p.m. on 25th.
Highest Temperature in Shade—90° on 8th.
Lowest Temperature in Shade—69° on 17th, 25th and 28th.
Greatest Range—16° on 5th and 28th.
Least Range—6° on 22nd.
Days of Clear Sky—4 Overcast—11 at 8.30 a.m.

Mean Temperature for Month—78·7=Max.+Min÷2.
Greatest Humidity—96% at 3.30 p.m. on 22nd and 24th.
Least Humidity—59% at 3.30 p.m. on 17th.
Most rain in 24 hours—2·32″ on 22nd.
Total Rain for Month—8·17″
Number of days of Rain—18. Thunderstorms—1.
Total Hours Sunshine for Month—143·5.

Disturbances—A small cyclonic depression passed to the South of Fiji, travelling approximately south-east on the 24th and 25th.
Lowest Barometer at Suva, 29·686 at 3.30 p.m. on 25th; wind from E.N.E., N.N.W. and S.W.; strongest force, 5.

JUNE.

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last p.m. Observation.
	"	°	°	°	°		°	°	%	m.b.									
1	30·005	77·0	73·8	83	70	78·7	138	73	86	27·3	Calm	0	79	cu	1	9·4	..	b	b
2	30·045	79·4	73·6	84	71	78·8	140	70	75	25·1	S.S.E.	3	113	cu	3	7·7	0·01	b	b,bc,c
3	30·045	80·0	73·8	83	75	78·4	138	71	74	26·0	E.S.E.	4	192	cu	4	8·8	Trace	bc	c,bc,od
4	30·094	76·0	69·0	81	75	78·0	135	65	69	21·1	E.S.E.	4	306	cu-nb	9	4·3	..	oq	c,oq
5	30·114	77·8	68·7	80	72	77·3	134	64	61	20·2	E.S.E.	4	279	cu	2	7·2	..	b	c,o,bc
6	30·087	77·2	70·0	83	68	77·0	139	66	69	21·9	E.N.E.	2	156	st-cu	1	7·2	..	b	o,c,b
7	29·988	76·6	72·0	86	69	77·4	143	70	79	25·3	Calm	0	79	....	0	8·8	0·94	b	bc,o,b
8	29·935	77·0	73·4	78	73	77·9	133	72	84	26·6	W.N.W.	4	167	cu-nb/nb	7	2·5	..	c	bc,c,oR
9	29·999	72·1	67·0	81	65	76·8	135	64	76	20·4	Calm	0	158	cu	2	9·8	0·02	b	b
10	30·065	71·8	69·2	79	67	76·2	126	68	87	23·5	Calm	0	236	cu/cu-nb	9	3·0	..	o	b,bc,cd
11	30·080	71·4	69·0	82	66	76·0	139	67	88	22·7	Calm	0	58	cu	2	9·6	..	b	b
12	30·082	72·6	69·4	81	65	76·4	134	68	84	23·7	Calm	0	80	cu	2	8·3	..	b	bc,b
13	30·068	75·1	73·7	83	70	76·0	140	73	93	27·5	Calm	0	76	a-cu/cu	7	3·3	..	c	bc,c
14	30·051	75·0	72·0	77	75	76·9	95	71	86	25·5	E.	3	79	nb	10	0·0	0·37	o,ir	o
15	30·058	75·0	73·0	81	71	76·2	144	72	90	26·8	Calm	0	53	cu-nb	10	1·6	0·01	o	od,c
16	30·005	79·0	75·0	88	74	76·9	146	73	83	27·9	Calm	0	99	ci/cu	7	7·9	Trace	c	o,c,b
17	29·977	78·0	75·0	87	72	78·0	146	74	86	28·3	Calm	0	46	st	1	7·5	0·27	bz	o,bc,b
18	29·943	75·2	74·0	79	71	78·0	100	74	94	28·2	E.	3	117	nb	10	0·0	2·28	o,ir	ortlq,c
19	29·987	72·0	71·2	78	69	76·0	119	71	96	25·5	N.E.	2	268	nb	10	0·2	..	o	orqtl
20	30·092	75·2	73·2	82	68	76·1	139	72	91	26·8	W.	3	63	cu/cu-nb	3	8·3	0·01	b	o,bc,b
21	30·074	74·0	70·2	77	73	76·8	98	68	82	23·3	S.S.W.	2	114	nb	10	0·0	0·01	o	od
22	30·045	73·0	70·9	78	70	76·3	108	70	89	25·0	Calm	0	59	nb	10	0·0	0·36	o	od
23	30·081	73·6	70·0	79	70	76·2	133	69	83	23·9	S.E.	2	81	cu/cu-nb	8	7·5	0·01	c	or,c,b
24	30·113	73·8	70·0	81	67	76·0	144	68	82	23·3	S.E.	4	99	cu/nb	8	5·6	0·07	c	bc,b,cd
25	30·118	74·4	71·0	79	72	76·1	115	69	84	23·9	E.	4	156	cu/nb	9	0·2	0·12	o	bc,b,c,
26	30·054	76·0	72·8	79	73	76·0	118	72	85	26·4	E.	2	143	nb	10	0·7	1·23	o	o,ir
27	29·972	76·0	74·2	84	71	76·0	135	73	92	27·8	N.E.	2	165	nb	10	0·8	0·28	op	loqRp
28	29·967	77·0	75·0	78	73	76·8	88	74	91	28·8	S.E.	4	110	nb	10	0·0	2·47	o	or
29	29·966	75·0	74·0	79	73	76·0	119	74	95	28·2	Calm	0	48	nb	10	0·4	0·40	o	o,ir,R
30	29·936	77·8	74·6	84	72	76·8	147	74	86	28·3	N.E.	3	53	ci/a-cu/st	7	6·4	1·05	c	op,bc,b
	30·035	75·5	72·0	81·1	70·7	76·9	128	70·3	84·0	25·3	..	1·8	124·4	....	6·4	4·6	0·33	..	Means

At 3.30 p.m. Standard Time.

1	29·950	81·0	74·0	..	..	79·0	..	71	70	25·6	S.E.	4	..	cu	7	..	..	c	bc,c
2	29·970	80·3	73·0	..	..	80·0	..	69	69	23·9	S.E.	4	..	cu	6	..	..	bc	bc,c,b
3	29·970	78·8	73·0	..	..	78·9	..	70	75	25·1	E.S.E.	4	..	cu/nb	4	..	..	bc,q	c,bc,cd
4	30·019	79·0	68·8	..	..	78·1	..	63	58	19·8	E.S.E.	4	..	cu	7	..	..	c	bc,b,bc
5	30·051	77·9	69·9	..	..	77·8	..	66	66	21·5	E.S.E.	4	..	cu/nb	8	..	..	c	bc,c,
6	30·020	79·0	71·0	..	..	77·4	..	67	66	22·4	E.	4	..	cu	1	..	..	b	b
7	29·847	82·0	73·0	..	..	78·0	..	68	64	23·7	E.N.E.	4	..	cu	2	..	..	b	b
8	29·870	76·0	69·3	..	..	77·9	..	66	70	21·7	S.W.	4	..	cu	2	..	..	b	o,c,b
9	29·937	77·8	68·7	..	..	79·7	..	64	61	20·2	S.S.W.	2	..	cu	1	..	..	b	b
10	30·012	76·0	67·9	..	..	76·9	..	63	65	19·8	S.E.	3	..	cu/cu-nb	8	..	..	c	o,c,bc
11	30·003	78·6	70·2	..	..	77·0	..	66	64	21·7	E.	2	..	cu	2	..	..	b	bc,b
12	30·009	79·8	70·0	..	..	77·0	..	64	60	20·6	E.	3	..	ci/cu	4	..	..	bc	bc,c,o,b
13	29·960	79·7	74·0	..	..	77·0	..	72	76	26·7	E.	4	..	a-cu/cu	7	..	..	c	bc,c
14	30·004	72·4	71·4	..	..	76·4	..	71	95	25·5	N.	3	..	nb	10	..	..	o	o,ir
15	29·967	77·0	73·6	..	..	76·9	..	72	85	26·6	E.N.E.	3	..	st/nb	10	..	..	o	c,or
16	29·929	83·0	77·6	..	..	78·0	..	75	77	29·8	E.	3	..	ci/cu/nb	10	..	..	o	bc,b,c
17	29·903	81·9	76·1	..	..	78·3	..	73	76	28·0	E.	3	..	st	10	..	..	o	bc,c
18	29·897	76·5	75·0	..	..	78·0	..	75	93	29·5	W.	6	..	nb	10	..	..	oqrtl	o,ir
19	29·915	77·0	74·0	..	..	76·5	..	73	86	27·3	N.E.	2	..	nb	10	..	..	o	o,c,b
20	29·997	80·0	74·2	..	..	76·8	..	71	75	26·0	Calm	0	..	cu	1	..	..	b	bc,c,b
21	29·982	76·4	75·0	..	..	76·9	..	74	93	28·5	S.	2		cu-nb	10	..	..	o	o
22	29·952	76·2	70·8	..	..	76·8	..	67	76	23·0	E.S.E.	3	..	cu-nb	10	..	..	o	o
23	30·004	76·4	69·0	..	..	77·0	..	64	67	20·5	S.E.	2	..	cu/cu-nb	4	..	..	bc	bc,b
24	30·038	77·2	71·0	..	..	76·4	..	68	73	23·3	E.	3	..	ci/cu/cu-nb	7	..	..	c	bc,c,b
25	30·040	76·6	71·8	..	..	76·4	..	69	78	24·6	E.S.E.	4	..	cu-nb	8	..	..	o	bc,c,or
26	29·948	76·2	74·8	..	..	76·4	..	74	93	28·5	E.	3	..	nb	8	..	..	o	o,ir
27	29·872	80·2	76·0	..	..	77·0	..	74	82	28·9	N.N.E.	3	..	st-nb	9	..	..	o	bc,c
28	29·903	74·4	73·0	..	..	77·0	..	72	93	26·6	N.E.	2	..	nb	10	..	..	or	o,ir,R
29	29·893	77·8	75·1	..	..	76·4	..	74	87	29·0	E.S.E.	3	..	st/nb	10	..	..	o	op,c
30	29·862	77·6	76·0	..	..	78·0	..	76	93	30·5	Calm	0	..	cu/cu-nb	6	..	..	bc,tf	bc,c,or
	29·957	78·1	72·6	..	..	78·0	..	69·7	76·2	25·0	..	3·0	..	....	6·7	..	..	..	Means

Extremes for the Month.

Highest Pressure—30·118 at 8.30 a.m. on 25th.
Lowest Pressure—29.847 at 3.30 p.m. on 7th.
Highest Temperature in Shade—88° on 16th.
Lowest Temperature in Shade—65° on 9th and 12th.
Greatest Range—17° on 7th.
Least Range—2° on 14th.
Disturbances—Nil.
Mean Temperature for Month—75·9° = Max. + Min. ÷ 2.

Greatest Humidity—96% on 19th at 8.30 a.m.
Least Humidity—58% on 4th at 3.30 p.m.
Total Rain for Month—9·91".
Most Rain in 24 hours—2·47" on 28th.
Number of Days of Rain—18. Thunderstorms—2.
Days of Clear Sky—4. Overcast—13.
Total hours of Sunshine for Month—137·0.

JULY.

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last p.m. Observation.
	"	°	°	°	°		°	°	%	m.b.									
1	29·940	78·5	75·7	83	74	77·8	139	75	87	29·3	N.N.E.	1	56	cu/cu-nb	4	5·7	0·02	bc	or,bc,or
2	29·981	76·5	73·5	80	70	77·8	139	73	86	27·3	Calm	0	93	A-cu	6	4·2	0·44	bc	0qd,bc
3	30·084	76·0	72·6	79	72	77·6	131	71	84	25·7	S.E.	2	215	cu	2	1·4	0·01	b	op,bc,c
4	30·152	75·0	69·8	77	74	76·7	105	67	77	22·8	E.S.E.	4	207	nb	10	0·0	0·05	o	bc,cd
5	30·190	75·0	70·4	79	71	76·0	126	68	78	23·5	E.S.E.	4	209	st-nb	10	0·0	0·04	o	c, bc, or
6	30·181	74·0	71·0	78	72	76·1	114	69	86	24·6	S.E.	4	232	nb	10	0·0	0·08	0p	o,ir,bc
7	30·108	75·0	70·0	80	70	75·9	126	67	78	22·8	E.S.E.	3	193	st-nb	10	2·0	0·05	o	od,bc,c
8	30·073	75·2	70·8	80	73	75·8	113	68	80	23·5	E.	3	234	st/cu-nb	10	0·4	0·02	o	o,ir
9	30·073	74·8	69·0	80	70	75·5	139	66	73	21·5	E.S.E.	4	174	cu/cu-nb	7	7·4	0·05	c	bc,c,op
10	30·004	73·8	71·0	82	69	75·5	135	69	87	24·6	N.E.	3	137	st-nb	8	7·3	..	c	bc,c,R
11	29·931	74·4	71·4	82	70	76·2	136	69	86	24·6	Calm	0	63	cu	1	9·0	0·25	b	b,bc
12	29·991	70·4	68·0	77	69	76·7	131	66	88	21·9	W.S.W.	4	256	nb	10	5·8	0·01	op	op
13	29·994	69·8	66·1	79	63	75·1	137	64	82	20·7	Calm	0	182	cu	1	10·0	..	b	bc,b
14	30·047	70·4	66·6	76	69	75·4	110	63	81	20·0	S.	2	73	cu-nb ..	10	2·2	..	o	bc,o
15	30·065	69·9	65·1	79	65	74·3	135	62	76	18·9	N.N.E.	1	84	cu-nb/nb	9	5·8	0·01	o	b,bc,c
16	30·082	70·0	68·2	80	65	74·1	135	67	91	22·5	N.E.	3	82	cu-nb	9	6·0	..	op	bc,c,op
17	30·057	77·2	72·8	83	70	74·7	135	70	80	25·3	N.E.	3	121	cu	4	10·3	0·07	bc.	b, o, c
18	30·036	77·3	75·3	84	73	75·2	136	74	91	28·8	E.	3	109	cu/nb	8	8·6	Trace	c	bc, c, o
19	30·010	79·0	76·0	83	73	76·0	136	75	86	29·3	E.N.E.	3	101	a-cu/st	9	3·7	0·76	o	b,c
20	30·006	73·6	71·2	76	72	76·4	95	70	88	25·2	E.S.E.	3	133	nb	10	0·0	0·38	od	op,d
21	30·007	71·8	67·0	74	70	75·5	87	64	77	20·4	E.S.E.	4	241	nb	10	0·0	0·05	o	or
22	30·026	71·2	64·0	75	70	74·0	109	59	66	17·2	S.E.	3	153	st-nb	10	0·0	Trace	o	od,c
23	30·029	71·8	67·4	78	66	73·3	136	65	78	21·0	N.	2	184	cu/cu-nb.	5	8·9	..	bc	o,b,c
24	30·039	70·2	67·0	80	63	73·6	135	65	84	21·3	Calm	0	86	....	0	10·3	0·02	b	bc,o,b
25	30·001	74·0	69·6	78	70	74·1	128	67	79	22·6	E.	4	98	a-cu/cu	7	5·3	Trace	c	c,od,bc
26	30·023	73·0	69·0	83	67	74·0	138	67	81	22·4	N.N.E.	1	73	ci/ci-cu	6	9·2	..	bc	b,bc,b
27	30·026	77·0	72·2	84	68	74·8	138	69	79	24·6	E.N.E.	3	..	cu	1	10·6	..	b	bc,c,b
28	29·993	77·8	74·0	86	71	75·8	137	72	83	26·9	N.E.	3	..	a-cu/cu	7	8·5	..	c	bc,o,c
29	30·000	77·0	73·8	88	73	76·0	144	73	86	27·3	Calm	0	..	cu-nb	7	9·6	0·01	c	bc,c
30	30·011	78·0	72·8	84	73	77·4	142	71	77	25·5	E.	1	..	cu/nb	6	8·3	..	bc	op,bc
31	29·986	79·0	75·0	86	74	78·4	141	73	82	27·9	Calm	0	..	ci-cu	4	4·5	1·15	bc	bc,c,b
	30·037	74·4	70·5	80·4	70·0	75·7	128	68·3	81·8	23·9	..	2·3	145·7	....	6·8	5·3	0·11	..	Means

At 3.30 p.m. Standard Time.

1	29·885	78·8	76·0	..	..	78·0	..	75	87	29·3	S.S.W.	3	..	cu/nb	8	..	..	c	c,bc
2	29·941	75·2	74·0	..	..	77·8	..	74	94	28·2	S.S.W.	4	..	nb	10	..	..	o	bc,od
3	30·034	76·4	71·0	..	..	77·9	..	67	76	23·0	S.	3	..	st-nb	10	..	..	o	b,c,o
4	30·100	75·0	69·4	..	..	76·4	..	66	74	22·2	S.E.	3	..	st-nb	10	..	..	o	o
5	30·099	77·0	71·4	..	..	76·4	..	68	76	23·9	S.E.	4	..	st-nb	10	..	..	o	o
6	30·093	76·4	70·0	..	..	76·2	..	66	71	21·7	E.S.E.	4	..	cu/st-nb	8	..	..	c	op,c
7	30·016	77·0	71·0	..	..	76·1	..	68	73	23·3	S.E.	4	..	cu/nb	9	..	..	o	c,o
8	30·005	78·0	71·4	..	..	76·0	..	68	71	23·5	S.E.	3	..	a-cu	8	..	..	c	o
9	29·967	77·2	71·5	..	..	77·0	..	68	75	23·9	S.E.	3	..	st/cu	5	..	..	bc	b,bc
10	29·882	80·0	74·0	..	..	77·0	..	71	74	26·0	E.	3	..	cu	2	..	..	b	b,bc
11	29·844	80·9	74·7	..	..	77·2	..	72	74	27·0	S.S.W.	3	..	cu/cu-nb	7	..	..	c	b,c,bc
12	29·913	75·0	68·0	..	..	76·8	..	64	68	20·3	S.S.W.	4	..	cu/cu-nb	8	..	..	c	op,bc,c
13	29·925	76·0	66·4	..	..	76·0	..	61	58	18·0	S.	3	..	cu	1	..	..	b	b,bc
14	29·971	74·8	64·2	..	..	75?7	..	57	53	16·0	S.	4	..	ci/cu	6	..	..	bc	o,c
15	29·997	76·0	67·2	..	..	75·0	..	60	57	17·4	E.	3	..	a-cu	8	..	..	c	c,bc
16	30·001	76·0	69·8	..	..	74·9	..	67	72	22·4	E.	4	..	cu/nb	8	..	..	c	c,bc
17	29·980	80·4	72·8	..	..	75·3	..	69	68	23·9	N.E.	4	..	cu/cu-nb	3	..	..	b	b,bc
18	29·934	83·2	75·9	..	..	76·2	..	72	70	26·8	N.E.	4	..	cu/cu-nb	5	..	..	bc	bc,c
19	29·906	80·8	77·4	..	..	77·0	..	76	85	30·7	E.	2	..	a-cu/st	8	..	..	c	or,bc
20	29·938	72·8	71·2	..	..	76·2	..	71	92	25·7	S.E.	3	..	nb	10	..	..	o,ir	o,ir
21	29·937	72·4	67·0	..	..	75·2	..	63	74	19·8	S.E.	3	..	nb/st	10	..	..	o	od
22	29·969	73·0	65·1	..	..	74·0	..	60	64	17·5	S.E.	4	..	st/nb	10	..	..	o	o
23	29·962	70·3	67·0	..	..	73·0	..	64	83	20·7	E.S.E.	3	..	st-cu	3	..	..	b	bc,b
24	29·957	78·0	69·8	..	..	74·0	..	66	65	21·5	S.E.	4	..	cu	1	..	..	b	b
25	29·924	77·0	70·2	..	..	74·7	..	66	70	21·9	E.	4	..	cu/cu-nb	5	..	..	bc	bc,c
26	29·908	81·0	72·2	..	..	74·4	..	69	67	24·2	N.E.	4	..	cu	1	..	..	b	bc,b
27	29·890	81·0	73·4	..	..	75·2	..	70	68	24·9	N.N.E.	4	..	fr-cu	1	..	..	b	b
28	29·872	84·0	73·2	..	..	76·1	..	67	58	22·8	N.N.E.	4	..	fr-cu	1	..	..	b	bc,b
29	29·904	84·5	78·0	..	..	77·0	..	76	73	30·4	E.N.E.	3	..	cu-nb	9	..	..	o	b,bc,c
30	29·915	85·6	75·8	..	..	78·2	..	71	62	26·2	N.E.	3	..	cu	1	..	..	b	bc,c
31	29·924	71·5	70·0	..	..	77·4	..	70	92	24·8	W.S.W.	4	..	nb	8	..	..	cp	b,bc,p
	29·955	77·6	71·3	..	..	76·1	..	67·8	72·4	23·5	..	3·5	..	....	6·3	..	..	..	Means

Extremes for the Month.

Highest Pressure—30·190″ at 8.30 a.m. on 5th.
Lowest Pressure—29·844″ at 3.30 p.m. on 11th.
Highest Temperature in Shade—88° on 29th.
Lowest Temperature in Shade—63° on 13th and 24th.
Greatest Range—17° on 24th.
Least Range—3° on 4th.
Disturbances—Nil.
Total hours Sunshine for Month—165·0.

Mean Temperature for Month—75·2° = Max. + Min. ÷ 2.
Greatest Humidity—94% at 3.30 p.m. on 2nd.
Least Humidity—53% at 3.30 p.m. on 14th.
Most Rain in 24 hours—1·15″ on 31st.
Number of Days of Rain—19. Thunderstorms—Nil.
Days of Clear Sky—4. Overcast—13.
Total Rainfall for Month—3·47″.

AUGUST.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last p.m. Observation.
	"	°	°	°	°	°	°	°	%	m.b.									
At 8.30 a.m. Standard Time.																			
1	30·014	72·8	72·0	77	72	78·2	104	71	96	26·4	Calm	0	..	nb	10	0·0	0·08	or	or
2	30·045	73·0	68·0	75	71	77·2	108	65	76	21·2	N.E.	1	..	nb	9	0·0	0·03	o	od
3	30·071	73·8	68·4	79	69	76·0	136	65	75	21·4	E.S.E.	3	..	cu/cu-nb	7	7·2	..	c	bc,od,c
4	30·057	73·4	69·4	81	66	75·9	136	67	81	22·4	Calm	0	..	cu	1	10·6	..	b	b
5	30·037	75·0	68·0	80	69	76·0	141	64	69	20·3	E.S.E.	3	..	a-cu	8	4·3	..	c	bc,c
6	30·089	74·0	69·4	78	72	76·2	122	67	78	22·6	S.E.	4	..	cu-nb/nb	10	1·7	0·01	o	bc,c,o
7	30·026	76·3	71·7	82	72	76·0	135	69	79	24·4	E.	4	..	a-cu/cu/cu-nb	7	7·4	0·01	c	c,bc,o
8	29·965	75·8	74·0	85	74	77·0	135	73	92	27·8	N.N.E.	3	..	st-nb/nb	10	2·0	0·12	o	c,o
9	29·943	77·4	74·0	81	74	77·6	137	72	85	26·6	N.	1	..	ci/cu	4	5·0	0·37	bc	od,l,p
10	29·964	78·4	75·6	84	73	78·0	146	74	87	28·3	N.N.E.	3	..	ci/cu	5	9·8	0·10	bc	c,or,b
11	30·034	78·0	75·2	84	72	78·4	143	74	87	28·3	N.N.E.	3	..	cu	4	10·2	..	bc	bc,or,b
12	30·059	78·0	73·8	86	70	78·7	151	72	81	26·9	Calm	0	..	cu	2	8·4	Trace	b	b
13	30·055	79·0	75·8	86	74	79·2	145	75	86	29·3	N.N.E.	2	..	cu/cu-nb	7	8·6	0·01	c	bc,b
14	30·003	77·2	75·4	86	73	79·2	144	74	92	28·8	Calm	0	..	cu/cu-nb	8	7·9	..	c	c,bc,od
15	29·965	78·4	75·2	84	74	79·8	126	74	86	28·3	N.E.	3	..	st	10	0·5	0·44	o	c,b,o
16	30·053	71·2	68·4	75	69	78·8	112	66	86	22·0	S.E.	4	..	nb	10	0·1	0·04	o	cdq,R,l
17	30·018	74·4	69·4	76	71	77·2	109	66	77	22·0	E.S.E.	4	..	st/nb	10	0·2	0·56	o	o,c
18	29·975	74·8	73·8	80	71	76·8	125	74	95	28·2	E.	3	..	nb	10	3·9	0·26	oir	oir
19	29·978	69·8	69·8	73	69	77·1	86	70	100	25·1	S.	6	..	nb	10	0·0	0·32	orq	op,c,or
20	30·032	71·2	67·2	76	69	76·0	116	65	80	20·8	S.E.	4	231	nb	10	0·0	0·08	o	or
21	30·067	72·0	70·8	77	69	76·0	117	71	94	25·5	E.S.E.	4	172	nb	10	0·2	0·58	od	ord
22	30·030	76·4	74·6	79	72	76·2	137	73	92	27·8	E.	3	165	st-cu/nb	9	0·6	0·32	o	0rp
23	29·990	77·0	75·0	84	74	76·8	143	74	91	28·8	E.N.E.	3	93	cu/nb	8	9·2	0·05	c	0,c,or
24	29·924	75·4	74·2	78	74	77·4	104	74	94	28·2	N.	2	118	nb	10	0·0	2·22	od	bc,od
25	29·983	73·0	71·0	78	71	76·8	139	70	90	25·0	N.W.	2	251	st.	10	3·1	0·28	o	or,Rr
26	30·006	69·6	68·8	75	69	76·8	119	69	96	23·8	Calm	0	166	nb	10	0·0	0·01	oir	oir
27	29·998	72·9	68·7	77	68	76·1	115	67	79	22·4	Calm	0	89	st	10	0·0	0·01	o	co
28	30·060	74·8	70·8	81	68	76·2	140	69	81	24·1	Calm	0	85	cu	4	8·3	..	bc	od,c
29	30·079	74·8	72·2	82	70	77·0	136	71	88	26·2	Calm	0	91	a-cu/st	8	4·2	0·14	c	c,bc,b
30	30·029	78·4	74·6	88	74	77·5	153	72	83	26·9	N.N.E.	3	144	cu/st	5	9·2	..	bc	or,c,b
31	30·026	80·0	74·0	81	71	78·2	143	71	74	26·0	N.N.W.	2	153	ci/cu	3	5·8	3·10	b	bc,b,c
	30·019	75·0	71·9	80·3	71·1	77·2	129	70·3	85·5	25·3	..	2·3	146·5	....	7·7	4·1	0·29	..	Means
At 3.30 p.m. Standard Time.																			
1	29·954	73·0	71·8	..	..	78·0	..	71	94	26·4	Calm	0	..	nb	10	..	..	od	op,d
2	29·983	73·4	67·0	..	..	76·9	..	62	71	19·3	S.S.E.	3	..	st-nb	10	..	..	o	o
3	29·991	77·2	70·0	..	..	76·3	..	66	69	21·9	E.S.E.	3	..	cu	3	..	..	b	bc,b
4	29·973	79·0	75·0	..	..	76·2	..	73	82	27·9	E.N.E.	3	..	cu	1	..	..	b	bc,b
5	29·995	77·2	70·6	..	..	76·4	..	67	71	22·6	S.E.	4	..	cu/cu-nb	8	..	..	c	c.bc
6	30·000	77·0	71·0	..	..	76·4	..	68	73	23·3	E.	4	..	cu-nb	9	..	..	o	c
7	29·936	79·6	73·6	..	..	76·9	..	71	74	26·0	E.N.E.	4	..	cu-nb/nb	9	..	..	o	c,bc
8	29·874	81·0	76·6	..	..	77·5	..	75	82	29·2	Calm	0	..	st	10	..	..	o	o
9	29·880	80·2	75·8	..	..	78·0	..	74	81	28·2	Calm	0	..	cu/cu-nb	4	..	..	bc	o,c
10	29·905	80·8	76·2	..	..	78·3	..	75	80	29·2	E.	4	..	cu/cu-nb	7	..	..	c	c,bc
11	29·958	82·4	74·8	..	..	78·9	..	71	69	25·8	E.N.E.	4	..	cu	1	..	..	b	b,bc
12	29·979	82·0	77·2	..	..	79·0	..	75	80	29·5	E.S.E.	3	..	ci/cu/cu-nb	7	..	..	c	b,bc
13	29·948	82·0	75·0	..	..	79·7	..	72	71	26·5	E.N.E.	4	..	cu/cu-nb	6	..	..	bc	b.bc
14	29·904	82·0	77·2	..	..	80·0	..	75	80	29·5	E.S.E.	4	..	cu	6	..	..	bc	bc,b
15	29·888	81·0	76·9	..	..	79·8	..	75	82	29·9	S.E.	3	..	st	10	..	..	o	c,o
16	29·968	74·2	70·4	..	..	78·2	..	68	82	23·3	S.E.	4	..	st-nb/nb	10	..	..	o	or
17	29·956	73·6	71·8	..	..	77·2	..	71	91	25·9	E.S.E.	4	..	nb	10	..	..	od	c,od
18	29·865	77·2	75·4	..	..	77·0	..	74	92	28·8	E.	4	..	cu/nb	7	..	..	c	c,op
19	29·933	71·0	68·6	..	..	77·0	..	67	88	22·7	S.E.	4	..	nb	10	..	..	o	op
20	29·964	72·7	66·8	..	..	76·0	..	63	72	19·9	S.E.	2	..	st-nb	10	..	..	og	o
21	29·976	75·2	71·5	..	..	76·0	..	70	83	24·8	S.E.	4	..	nb	10	..	..	og	c,og
22	29·945	78·0	75·4	..	..	76·4	..	74	88	29·0	E.S.E.	3	..	cu/nb	9	..	..	o	o,R,c
23	29·911	82·0	72·0	..	..	77·1	..	67	60	22·4	N.N.E.	4	..	cu	2	..	..	b	oR, bc
24	29·861	75·0	74·0	..	..	77·4	..	74	95	28·2	Calm	0	..	nb	10	..	..	or	od,r,r
25	29·897	77·0	71·0	..	..	76·9	..	68	73	23·3	S.	3	..	st	10	..	..	o	c,o
26	29·921	74·0	68·2	..	..	76·8	..	64	73	20·7	S.S.E.	3	..	st-nb	10	..	..	o	oir
27	29·970	74·6	64·0	..	..	76·4	..	57	53	16·0	E.S.E.	2	..	nb	8	..	..	c	o
28	30·008	77·8	70·8	..	..	76·8	..	67	70	22·8	E.S.E.	3	..	cu	4	..	..	bc	b,bc
29	29·970	80·6	72·8	..	..	77·2	..	69	67	24·2	E.N.E.	4	..	a-cu/st	8	..	..	c	bc,c
30	29·932	85·0	77·4	..	..	78·0	..	74	70	28·9	N.E.	4	..	cu	2	..	..	b	bc,b
31	29·990	78·8	75·4	..	..	78·7	..	74	85	28·6	S.S.W.	4	..	st/nb	9	..	..	o	bc,c,o
	29·943	77·9	72·7	..	..	77·5	..	70·0	77·5	25·3	..	3·1	..	....	7·4	..	....	..	Means

Extremes for the Month.

Highest Pressure—30·098″ at 8.30 a.m. on 6th.
Lowest Pressure—29·861″ at 3.30 p.m. on 24th
Highest Temperature in Shade—88° on 30th.
Lowest Temperature in Shade—66° on 4th.
Greatest Range—16° on 12th.
Least Range—4° on 2nd, 19th and 24th.
Disturbances—Nil.
Total Hours of Sunshine for Month—128·4.

Mean Temperature for Month—75·7° = Max. + Min. ÷ 2.
Greatest Humidity—100% on 19th at 8.30 a.m.
Least Humidity—53% on 27th at 3·30 p.m.
Total Rain for Month—9.14″.
Most Rain in 24 hours—3·10″ on 31st.
Number of days Rain—23. Thunderstorms—1.
Days of Clear Sky—1. Overcast—16 at 8.30 a.m.

SEPTEMBER.

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–10).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last Observation.
	"	°	°	°	°	°	°	°	%	m.b.									
1	30·111	76·4	73·0	81	72	76·9	140	71	84	25·7	S.S.E.	3	192	cu/cu-nb	8	4·2	0·01	c	ortl,R
2	30·144	74·2	69·8	78	72	77·3	128	67	79	22·6	S.E.	3	203	st	10	0·8	0·01	o	bc,odc
3	30·108	73·6	68·4	78	70	77·2	125	66	76	22·0	S.E.	3	156	st-nb	9	0·9	0·16	o	c,od,c
4	30·016	76·2	72·4	82	70	77·0	138	70	83	25·0	E.	3	143	st-cu/nb	9	4·5	0·74	o	op,bc
5	29·947	74·2	68·4	77	68	77·2	134	64	73	20·7	W.S.W.	4	318	cu/cu-nb	4	8·8	0·01	bc	obq,bc
6	30·006	72·2	63·4	78	64	76·4	140	57	59	15·7	S.S.W.	4	437	cu	3	10·2	0·02	b	bc,b
7	30·001	71·9	67·7	79	66	76·2	145	66	79	21·6	N.N.W.	1	151	cu/cu-nb	9	4·7	Trace	o	cd,bc,p
8	30·006	75·0	69·2	82	69	76·8	147	66	74	21·5	Calm	0	94	ci	1	9·6	Trace	b	bc,c,b
9	30·023	76·8	72·0	82	69	77·4	141	69	78	24·6	N.	1	123	ci/st-cu	7	4·2	0·88	c	bc,b,c
10	30·037	77·4	75·4	81	74	78·0	137	74	91	28·8	S.E.	3	173	cu-nb	9	1·9	1·07	o	or,d,r
11	30·099	77·2	76·0	82	75	78·0	142	76	94	30·2	E.	6	247	nb	10	2·0	0·99	oRq	op,bc,o
12	30·108	77·0	74·8	81	74	78·4	139	74	90	28·8	E.S.E.	4	162	st-nb/nb	10	0·8	0·36	o	op
13	30·096	74·2	70·0	77	72	78·1	118	68	80	23·3	E.S.E.	5	327	nb	10	0·0	0·06	oq	opq
14	30·071	76·2	69·0	81	69	76·9	152	65	68	21·1	E.	4	285	ci/cu	5	8·3	0·03	bc	o,c,b
15	30·024	77·0	70·0	81	71	77·0	136	66	70	21·9	E.	5	307	cu/cu-nb	5	6·5	..	bc,q	b,c,r,bc
16	30·051	77·4	72·8	82	74	77·0	143	70	80	25·3	E.	3	261	st	10	1·9	..	o	o
17	29·967	78·2	73·8	84	74	77·4	147	71	80	26·2	N.E.	4	243	cu-nb	9	4·3	..	o	c,o,c
18	30·008	78·6	73·0	84	73	78·5	144	71	76	25·7	E.N.E.	3	188	cu	4	10·4	0·06	bc	c,b,bc
19	30·034	75·0	72·6	83	71	78·6	145	71	89	26·2	N.E.	4	185	cu-nb/nb	10	9·9	..	o	bc,od,b
20	30·068	80·0	73·2	83	71	78·8	136	69	71	24·6	E.N.E.	4	163	cu	3	5·4	0·03	b	b,bc
21	30·022	78·0	74·6	82	72	78·4	125	73	85	27·6	E.N.E.	3	108	st	9	0·3	0·13	o	bc,od,c
22	29·976	75·0	73·1	76	73	78·2	99	72	91	26·8	E.	1	98	nb	10	0·0	2·15	od	oR,d
23	29·987	75·2	72·0	84	66	76·0	141	71	85	25·5	N.	2	92	cu/st-nb	8	6·5	..	c	orr,c
24	30·088	79·2	73·2	82	73	77·8	146	70	74	25·1	S.E.	4	119	cu/cu-nb	4	10·0	0·01	bc	b,c,bc
25	30·103	76·4	71·2	82	73	78·8	144	68	77	23·7	E.S.E.	3	113	cu/nb	6	9·1	0·02	bc	c,od,b
26	30·064	74·6	72·2	83	69	79·1	149	71	88	26·2	Calm	0	132	st/cu/nb	9	6·6	0·03	c	b,c,b,cr
27	30·091	79·8	73·4	83	72	79·7	147	70	73	25·3	E.	4	143	cu	3	9·9	..	bz	c,od,b
28	30·154	78·2	72·0	82	75	80·2	141	69	73	24·1	S.E.	5	263	cu/cu-nb	9	6·7	Trace	o	z,bc,c
29	30·165	78·0	72·6	82	74	80·0	141	70	76	24·8	E.S.E.	4	327	cu-nb	10	3·0	0·16	oz	or,c,bc
30	30·103	76·4	73·6	83	73	79·2	145	72	87	26·4	E.	4	325	st/nb	10	4·3	0·20	o	oqir
	30·056	76·3	71·8	81·2	71·3	77·9	138	69·2	79·4	24·6	..	3·2	202·6	..	7·4	5·2	0·24	..	Means

At 3.30 p.m. Standard Time.

1	30·037	76·2	70·0	..	..	77·2	..	67	72	22·4	S.S.E.	4	..	cu/cu-nb	7	..	..	c	bc,c
2	30·086	76·4	69·8	..	..	77·4	..	66	71	21·7	S.S.E.	3	..	sr-cu	9	..	..	o	c,o
3	30·022	76·0	70·0	..	..	77·2	..	67	73	22·4	E.S.E.	4	..	cu/cu-nb	9	..	..	o	c,o
4	29·914	78·4	73·2	..	..	77·4	..	71	77	25·5	E.N.E.	3	..	ci/cu	7	..	..	c	bc,c,bc
5	29·890	75·0	67·0	..	..	77·1	..	62	64	19·0	S.W.	5	..	cu/cu-nb	8	..	..	c	b,bc
6	29·943	76·0	67·0	..	..	76·4	..	61	61	18·6	S.S.E.	4	..	fr-cu	4	..	..	bc	b
7	29·915	76·9	69·8	..	..	76·4	..	66	69	21·9	E.	4	..	cu/cu-nb	9	..	..	o	bc,c,
8	29·920	80·2	68·8	..	..	77·2	..	62	54	18·7	S.E.	4	..	cu	1	..	..	b	bc,b
9	29·920	77·2	75·1	..	..	77·8	..	74	91	28·8	S.E.	4	..	nb	10	..	..	or	bc,c,od
10	29·961	77·2	76·0	..	..	78·0	..	76	94	30·2	E.S.E.	4	..	nb	10	..	..	odtl	tl,op
11	30·047	77·5	75·0	..	..	78·0	..	74	88	29·0	S.E.	4	..	st-nb	5	..	..	bc	oR,bc
12	30·029	77·0	75·0	..	..	78·6	..	74	91	28·8	E.S.E.	4	..	nb	10	..	..	o	op
13	30·029	72·8	67·0	..	..	77·8	..	63	72	19·9	E.S.E.	4	..	st/nb	10	..	..	o	or
14	30·003	78·0	75·0	..	..	77·0	..	74	86	28·3	E.	3	..	ci/cu	5	..	..	bc	bc
15	29·942	77·3	70·2	..	..	77·0	..	66	69	21·9	E.	4	..	ci-cu/cu-nb	7	..	..	c	c,bc
16	29·944	79·0	72·8	..	..	77·2	..	70	73	25·1	E.N.E.	4	..	a-cu/st	10	..	..	o	bc,o,c
17	29·918	80·0	75·0	..	..	78·0	..	73	79	27·4	E.	4	..	st	10	..	..	o	bc,c,o
18	29·933	82·0	74·5	..	..	78·5	..	71	70	25·8	E.S.E.	3	..	ci/cu	3	..	..	b	bc,b
19	29·967	81·2	72·8	..	..	79·0	..	68	66	23·5	N.E.	3	..	fr-cu	5	..	..	bc	c,b,bc
20	29·987	79·2	74·0	..	..	79·0	..	72	78	26·5	E.	3	..	cu/nb	8	..	..	c	bc,c,b
21	29·947	79·0	74·2	..	..	78·8	..	72	79	26·5	E.	4	..	st	10	..	..	o	c,o
22	29·947	67·8	66·8	..	..	77·2	..	66	95	22·2	Calm	0	..	nb	10	..	..	orr	od,rr
23	29·900	81·1	74·1	..	..	76·9	..	71	71	25·6	S.S.E.	3	..	ci-cu/st	5	..	..	bc	o,bc,b
24	30·006	79·0	73·2	..	..	78·2	..	70	75	25·1	S.E.	3	..	cu	4	..	..	bc	bc
25	30·004	80·2	77·4	..	..	79·0	..	76	88	30·3	E./S.	4	..	cu	4	..	..	bc	c,b
26	29·980	80·0	73·0	..	..	79·4	..	69	70	24·6	S.E.	4	..	cu/st	6	..	..	bc,z	z,bc,b
27	30·039	81·0	74·0	..	..	80·1	..	71	70	25·6	S.E.	4	..	cu	5	..	..	bc,z	z,bc,b
28	30·105	78·2	72·8	..	..	80·2	..	70	76	24·8	S.E.	4	..	cu/cu-nb	10	..	..	oz	z,bc,c
29	30·091	78·0	72·8	..	..	80·0	..	71	77	25·5	E.S.E.	4	..	cu-nb	10	..	..	o	c,o
30	29·994	80·2	74·7	..	..	79·5	..	72	76	26·7	E.S.E.	4	..	ci-cu/cu	8	..	..	c	c,bc
	29·981	77·9	72·4	..	..	78·1	..	69·5	75·8	24·7	..	3·6	..	..	7·3	..	..	..	Means

Extremes for the Month.

Highest Pressure—30·165″ at 8.30 a.m. on 29th.
Lowest Pressure—29·890″ at 3.30 p.m. on 5th.
Highest Temperature in Shade—84° on 17th, 18th and 23rd.
Lowest Temperature in Shade—64° on 6th.
Greatest Range—18° on 23rd.
Least Range—3° on 22nd.
Disturbances—Nil.
Total hours of Sunshine for Month—155·7.

Mean Temperature for Month—76·2° = Max. + Min. ÷ 2.
Greatest Humidity—95 per cent. on 22nd at 3.30 p.m.
Least Humidity—54 per cent. on 8th at 3.30 p.m.
Most Rain in 24 hours—2·15″ on 22nd.
Total Rain for Month—7·13″
Number of Days of Rain—21. Thunderstorms—1.
Days of Clear Sky—1. Overcast—17.

OCTOBER.

At 8,30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–10).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last Observation.
	"	°	°	°	°	°	°	°	%	m.b.									
1	29·975	77·0	75·1	84	73	79·8	143	74	91	28·8	Calm	0	178	cu/nb	9	5·8	..	o	bc,o,bo
2	29·924	79·2	75·2	82	72	80·0	147	73	83	27·9	Calm	0	98	cu/st	5	8·6	0·24	bc	b,bc,c
3	29·960	73·0	71·2	77	72	81·0	130	70	91	25·0	Calm	0	173	nb	10	0·0	0·43	oir	oir
4	29·966	75·4	71·0	83	70	79·6	124	68	80	23·5	E.S.E.	4	137	cu/nb	9	1·5	0·22	od	o,ir,c,b
5	30·008	75·8	71·8	78	70	78·6	138	70	82	25·0	E.	4	182	cu/nb	9	1·3	0·07	cd	o,ir,bc
6	29·901	76·2	74·0	79	73	78·8	125	73	90	27·8	N.E.	3	151	nb	10	0·0	1·67	o	oir
7	29·914	74·2	72·4	77	72	77·8	124	71	91	25·9	w/s.	4	213	nb	8	0·4	..	o	bc,lR,d
8	30·014	74·2	67·8	78	67	77·0	154	64	71	20·1	Calm	0	305	cu/cu-nb	7	8·2	..	c	b,bc
9	30·030	76·2	68·2	84	69	78·0	128	63	65	19·8	E.S.E.	2	179	St-cu	9	1·5	0·05	o	bc,c,o
10	30·072	75·4	71·0	81	68	77·2	149	68	80	23·5	E.S.E.	2	102	cu-nb	8	5·0	0·04	c	bc,b,c,
11	30·095	77·0	69·0	81	72	77·9	147	64	66	20·7	S.E.	2	243	cu/cu-nb	8	9·1	..	c	bc,c,or
12	30·103	76·0	69·0	78	68	78·2	125	65	69	21·1	E.	4	149	ci-cu/cu-nb	4	2·4	..	bc	bc,b,c
13	30·107	76·2	71·2	83	69	78·9	149	68	78	23·7	S.E.	2	135	st/nb	10	3·7	0·05	o	c,bc,b,c
14	30·102	79·0	74·0	84	70	78·4	150	72	79	26·5	E.N.E.	3	147	cu-nb	6	11·0	..	bc	o,c,b
15	30·092	79·2	72·4	83	72	79·4	147	68	71	23·7	E.	4	184	cu-nb	4	10·6	..	bc	bc,b
16	30·088	80·0	73·2	84	71	79·8	147	69	71	24·6	E.	3	162	cu	5	10·8	..	bc	b,bc,c
17	30·014	79·2	73·6	85	70	80·8	147	71	76	25·7	E.N.E.	3	149	cu/cu-nb	6	10·5	0·48	bc	b,bc
18	30·031	75·4	73·6	82	73	80·2	147	72	92	26·8	W.	2	161	nb	9	1·2	0·04	o	bc,z,or
19	30·079	76·6	73·4	80	72	79·9	126	73	85	27·3	S.E.	4	192	st/nb	10	0·3	0·15	o	od
20	30·126	75·0	69·2	78	72	79·0	122	66	73	21·5	E.S.E.	4	318	st	10	0·0	Trace	o	oqir
21	30·073	77·0	71·2	81	73	78·0	146	68	74	23·3	E.S.E.	4	234	st	10	0·8	0·09	o	o
22	30·015	77·0	74·8	82	73	78·0	139	74	90	28·8	E.	3	230	nb	10	0·4	0·24	o	od,r
23	29·997	81·0	76·0	86	72	78·5	147	74	79	28·4	N.	3	113	cu/cu-nb	7	6·4	0·01	c	od,c,bc
24	29·976	81·0	75·6	87	72	79·4	157	73	77	27·7	Calm	0	97	fr-cu	1	6·0	0·68	b	c,od,b
25	29·999	78·0	76·0	81	74	80·4	127	75	91	29·8	Calm	0	67	ci/st/nb	10	0·3	0·80	o	c,or
26	30·007	75·8	74·8	81	75	79·8	140	75	95	29·2	S.E.	4	259	nb	10	1·0	0·32	orq	orq, ir,
27	29·974	77·2	73·4	82	74	79·4	140	71	83	26·0	N.E.	4	171	st	10	0·2	0·19	o	o·or
28	29·935	78·0	76·0	83	73	79·8	148	75	91	29·8	E.N.E.	2	108	ci/nb	7	0·8	4·35	c	or,c
29	29·951	79·0	77·0	79	74	78·3	128	76	91	30·8	E.	2	52	ci/cu/nb	8	0·0	4·47	c	or,p,c
30	30·015	77·0	75·4	80	73	78·2	138	75	93	29·5	E.	3	122	nb	10	1·6	0·26	op	o,ir,RR
31	30·000	77·0	75·0	80	75	79·0	119	74	91	28·8	E.S.E.	4	168	nb	10	0·0	3·08	oq	opq
	30·018	77·0	73·0	81·4	71·7	79·0	138	70·7	81·9	25·8	..	2·5	167·1	....	8·0	3·5	0·58	..	Means

At 3.30 p.m. Standard Time.

1	29·819	81·0	76·2	..	..	80·0	..	74	80	28·4	E.S.E.	4	..	st-cu/nb	9	..	..	o	bc,c,o
2	29·826	79·8	75·0	..	..	81·0	..	73	79	27·4	S.S.E.	4	..	ci/cu-nb	7	..	..	c	bc,c
3	29·887	74·0	70·2	..	..	80·8	..	68	82	23·3	S.E.	4	..	nb	10	..	..	o,ir	oir
4	29·912	76·2	71·2	..	..	79·2	..	68	78	23·7	E.S.E.	4	..	cu-nb	8	..	..	c	o,c,bc
5	29·923	76·6	73·2	..	..	79·5	..	72	84	26·6	E.	2	..	nb	10	..	..	o	c,od
6	29·812	76·0	74·8	..	..	78·4	..	75	94	29·2	N.E.	3	..	nb	10	..	..	o	oir, R
7	29·870	75·0	69·0	..	..	77·8	..	66	72	21·5	S.W.	4	..	nb	9	..	..	o	c,o
8	29·951	74·0	66·4	..	..	78·0	..	62	65	18·9	S.E.	3	..	st	10	..	..	o	b,bc,o
9	29·970	76·2	67·0	..	..	78·5	..	61	60	18·6	S.E.	3	..	cu-nb	8	..	..	c	b,bc,c
10	30·020	79·4	71·4	..	..	77·4	..	67	66	22·4	E.S.E.	4	..	cu	6	..	..	bc	bc,b
11	30·046	79·0	70·8	..	..	78·1	..	67	65	22·4	S.E.	3	..	ci/fr-cu	8	..	..	c	bc,c
12	30·015	77·0	70·4	..	..	78·2	..	67	71	22·6	E.	4	..	st-cu	9	..	..	o	bc,o,c
13	30·016	78·8	72·0	..	..	78·0	..	68	70	23·7	S.E.	3	..	st/nb	9	..	..	o	or,bc,c
14	30·006	82·2	75·2	..	..	79·0	..	72	70	26·5	E.S.E.	4	..	cu-nb	3	..	..	b	bc,b
15	30·020	80·4	73·2	..	..	79·8	..	69	70	24·6	E.	4	..	cu	3	..	..	b	o,b,bc
16	29·973	80·8	73·0	..	..	80·3	..	69	67	24·2	E.	4	..	ci/cu-nb	5	..	..	bc	b
17	29·919	82·2	75·2	..	..	80·6	..	72	71	26·5	E.	4	..	fr-cu	1	..	..	b	c,b
18	29·975	79·7	74·1	..	..	80·4	..	71	76	25·7	S.E.	3	..	st/nb	10	..	..	og	c,o
19	30·021	77·8	71·0	..	..	80·0	..	67	70	22·8	E.S.E.	4	..	st/nb	10	..	..	o	c,o
20	30·063	75·4	68·8	..	..	78·9	..	65	71	20·9	S.E.	4	..	st/nb	10	..	..	o	o
21	29·974	77·2	72·0	..	..	78·0	..	69	77	24·6	E.S.E.	3	..	st/nb	10	..	..	o	bc,o
22	29·928	77·0	75·5	..	..	78·0	..	75	93	29·5	E.	1	..	nb	10	..	..	op	op
23	29·942	81·2	76·5	..	..	79·0	..	75	81	29·2	E.N.E.	4	..	ci/cu-nb	8	..	..	c	bc,c
24	29·900	81·4	77·0	..	..	80·4	..	75	82	29·2	E.N.E.	2	..	St/nb	8	..	..	c	b,bc,tl,
25	29·946	78·0	75·2	..	..	80·2	..	74	87	28·3	S.E.	4	..	nb	9	..	..	or	c,or,c
26	29·915	77·4	76·0	..	..	79·8	..	75	94	29·5	E.S.E.	4	..	nb	10	..	..	oir	c,oir
27	29·874	80·0	76·0	..	..	79·8	..	74	83	28·9	N.E.	3	..	nb	10	..	..	or	o
28	29·894	74·2	73·4	..	..	78·4	..	72	96	27·3	N.W.	2	..	nb	10	..	..	or	c,oRtlq
29	29·904	78·6	76·0	..	..	79·0	..	75	88	30·1	E.S.E.	4	..	st/nb	10	..	..	o	or
30	29·938	77·0	75·2	..	..	78·8	..	74	92	28·8	E.N.E.	1	..	nb	10	..	..	op	c,op
31	29·968	74·8	73·8	..	..	78·0	..	74	95	28·2	E.S.E.	4	..	nb	10	..	..	orr	o,r,r/q
	29·943	78·0	73·1	..	..	79·1	..	70·5	78·4	25·6	..	3·4	..	....	8·4	..	..	..	Means

Extremes of the Month.

Highest Pressure—30·126″ at 8.30 a.m. on 20th.
Lowest Pressure—29·812″ at 3.30 p.m. on 6th.
Highest Temperature in Shade—87° on 24th.
Lowest Temperature in Shade—67° on 8th.
Greatest Range—15° on 9th, 17th and 24th.
Least Range—5° on 3rd, 7th, 29th and 31st.
Disturbances—Nil.
Total hours of Sunshine for Month—109·4.

Mean Temperature for Month—76·6° = Max + Min. ÷ 2.
Greatest Humidity—96% on at 3.30 p.m. 28th.
Least Humidity—60% at 3.30 p.m. on 9th.
Total Rainfall for Month—17·93″
Number of Days of Rain—22. Thunderstorms—2.
Most Rain in 24 hours—4·47″ on 29th.
Days of Clear Sky—1. Overcast—17.

NOVEMBER.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last Observation.
	"	°	°	°	°		°	°	%	m.b.									
At 8.30 a.m. Standard Time.																			
1	30·029	77·9	73·1	82	74	77·4	147	71	79	25·5	S.E. .	4	..	cu/nb	7	4·2	0·06	c	oRR,q
2	30·045	78·2	73·6	83	74	78·4	154	71	80	26·2	S.E.	4	..	cu-nb	9	6·9	..	o	op,bc
3	30·073	76·0	71·4	79	74	79·0	121	69	79	24·4	E.S.E.	4	..	st-cu	10	1·2	0·02	o	0
4	30·055	78·0	70·9	80	73	78·0	135	67	70	22·8	E.S.E.	4	..	st	10	1·7	0·03	o	od,c
5	30·009	78·0	74·4	82	74	78·0	150	73	84	27·6	E./S.	4	..	cu-nb	9	2·3	0·01	o	c,op
6	29·973	77·0	72·0	79	74	78·2	114	69	78	24·6	E.S.E.	4	..	nb	10	0·0	1·29	o	oq
7	29·924	76·4	75·0	82	72	77·2	143	74	93	28·5	E.S.E.	3	..	nb	10	2·1	0·90	od	oq,p,d
8	29·853	74·6	73·0	78	74	78·1	129	73	92	27·5	N.F.	4	..	nb	10	·0	0·63	od	op,d
9	29·872	75·0	72·8	84	73	77·4	146	72	90	26·8	N.	4	..	st	10	1·8	0·19	o	odl,Rq
10	29·868	83·2	77·0	88	74	78·2	149	74	75	29·0	N.	4	..	cu	3	5·1	0·55	b	orl,c,bc
11	29·877	83·0	76·4	86	74	80·0	153	74	73	28·3	Calm	0	..	cu	4	9·5	0·02	bc	od,c,b
12	29·909	81·0	77·0	84	72	80·6	145	75	83	29·9	S.	3	..	cu/cu-nb	6	7·2	0·13	bc	cd,bc,b
13	29·908	78·2	75·6	84	75	81·0	150	74	88	29·0	E.S.E.	3	..	st-nb	10	5·0	0·34	o	oRq
14	29·916	82·2	77·4	87	73	81·0	154	75	80	29·5	Calm	0	..	cu	2	6·2	0·53	b	c,oR,b
15	29·952	79·4	76·8	88	73	81·4	150	75	89	30·1	Calm	0	..	cu	3	10·6	0·01	b	oRd,c,b
16	29·895	81·8	76·6	88	75	82·8	153	75	78	29·5	N.E.	2	..	cu	4	6·9	0·08	bc	c,od,b
17	29·878	80·6	77·0	86	74	82·8	146	76	84	30·7	N.E.	1	..	cu-nb	7	3·2	2·27	c	od,c
18	29·889	78·4	75·8	85	72	80·0	149	74	88	29·0	E.	1	..	st-cu	8	2·4	1·75	c	od,Rbc
19	29·896	80·0	76·4	84	72	79·0	147	75	84	29·6	E.S.E.	4	..	cu/st-cu	8	8·4	0·28	c	c,orR
20	29·875	76·0	74·8	81	74	80·5	120	75	94	29·2	E.	4	..	nb	10	0·8	2·24	oqr	c,bc,oR
21	29·890	76·6	75·0	83	74	78·8	148	75	93	29·5	E.N.E.	2	..	st/nb	10	1·2	0·59	o	c,oRR
22	29·880	80·0	75·8	84	76	79·4	143	74	82	28·9	E.	4	..	st	10	1·5	1·58	o	opl,c
23	29·847	78·6	75·0	84	74	79·0	153	74	84	28·6	E.S.E.	4	..	nb	10	3·1	0·41	o	oR
24	29·843	78·8	75·0	84	73	79·6	158	73	83	27·9	S.E.	4	..	st/nb	10	3·3	0·44	oq	oqp,R
25	29·806	73·8	72·0	82	72	80·1	147	71	91	25·9	E.	4	..	nb	10	2·9	0·60	op	c,op
26	29·780	78·8	73·0	83	73	79·8	150	70	75	25·1	S.E.	5	..	ci/cu/cu-nb	6	7·0	0·17	bc	op,tl,bc
27	29·797	79·2	72·0	83	73	80·0	152	68	70	23·7	S.	4	..	st-cu	4	6·3	0·22	bc	c,bc
28	29·846	78·2	69·4	82	68	80·2	146	64	62	20·2	S.	4	..	cu	1	11·6	0·02	b	or,c,b
29	29·901	80·0	73·0	85	69	80·9	149	69	70	24·6	E.	2	..	fr-cu	2	11·7	0·01	b	c,d,b
30	29·942	81·6	75·6	86	72	81·6	147	73	75	28·0	S.E.	3	..	cu	3	11·4	0·01	b	bc,b
	29·908	78·7	74·4	83·5	73·1	79·6	144	72·4	81·5	27·3	..	3·1	..	....	7·2	4·9	0·51	..	Means
At 3.30 p.m. Standard Time.																			
1	29·959	75·8	73·4	..	..	79·1	..	72	89	27·1	S.E.	4	..	nb	10	..	..	op	c,p
2	29·994	78·4	72·8	..	..	79·0	..	70	76	24·8	S.E.	4	..	st/nb	10	..	..	o	o,bc,c
3	29·997	75·0	69·2	..	..	78·9	..	66	73	21·5	E.S.E.	4	..	st-nb	10	..	..	o	c,or
4	29·960	79·0	73·2	..	..	78·2	..	70	75	25·1	S.E.	4	..	ci/st	10	..	..	oz	c,o
5	29·912	77·0	73·0	..	..	78·6	..	71	82	26·0	E/S.	5	..	nb	10	..	..	or	c,bc,o
6	29·893	77·2	72·8	..	..	78·1	..	70	80	25·3	S.E.	4	..	st-nb	10	..	..	oz	o
7	29·832	77·0	74·2	..	..	77·9	..	73	87	27·3	E.N.E.	3	..	nb	10	..	..	op	c,op
8	29·803	76·0	74·2	..	..	78·0	..	73	92	27·8	N.E.	3	..	st.	10	..	..	o	od.
9	29·779	82·0	77·4	..	..	78·0	..	76	81	30·2	N.	3	..	st-cu	9	..	..	o	c,op
10	29·787	82·6	78·0	..	..	79·8	..	77	81	31·3	W.	2	..	st	10	..	..	o	cp,oqt
11	29·809	83·0	78·0	..	..	80·8	..	76	79	30·5	E.	4	..	cu/cu-nb	7	..	..	c	b,c
12	29·847	81·0	77·0	..	..	81·4	..	75	83	29·9	S.E.	4	..	cu/nb	10	..	..	o	c,b,bc
13	29·856	80·0	76·5	..	..	81·0	..	75	85	29·6	S.E.	4	..	st-nb	10	..	..	oz	c,bc
14	29·848	78·0	76·0	..	..	81·6	..	75	91	29·8	N.N.W.	2	..	cu-nb	9	..	..	o	b,bc,or
15	29·857	85·4	79·0	..	..	82·4	..	76	75	30·4	E.S.E.	4	..	cu/cu-nb	4	..	..	bc	b,bc
16	29·823	81·0	77·0	..	..	83·0	..	75	83	29·9	E.	3	..	st	9	..	..	o	b,bc,o
17	29·832	74·2	72·0	..	..	82·4	..	71	89	25·9	W.	3	..	nb	10	..	..	od	bc,oR,d
18	29·825	81·0	77·2	..	..	80·4	..	75	83	29·9	E.N.E.	3	..	st	9	..	..	o	c,o,c
19	29·815	82·0	77·0	..	..	80·0	..	75	79	29·5	E.S.E.	4	..	cu	4	..	..	bc,z	or,bc,z
20	29·824	80·0	76·4	..	..	80·4	..	75	84	29·6	E.S.E.	4	..	cui/c-nb	8	..	..	c	op,c
21	29·818	77·8	75·0	..	..	79·2	..	74	87	28·3	N.E.	3	..	nb	10	..	..	0p	p
22	29·859	75·8	75·0	..	..	79·4	..	75	96	29·2	E.S.E.	4	..	nb	10	..	..	oRq	c,oR,q
23	29·808	82·0	76·0	..	..	80·0	..	73	75	28·0	E.S.E.	5	..	ci/cu/nb	8	..	..	oz	op,c
24	29·774	80·8	76·0	..	..	80·2	..	74	79	28·4	S.E.	5	..	cu/nb	8	..	..	cq	bc,c,q
25	29·744	79·0	75·6	..	..	80·5	..	74	85	28·6	S.E.	5	..	cu/nb	9	..	..	opq	q,c,o
26	29·720	80·0	73·2	..	..	80·0	..	69	71	24·6	S.S.E.	5	..	cu/cu-nb	5	..	..	bc	op,c,bc
27	29·768	74·8	72·6	..	..	80·8	..	72	89	26·8	E.N.E.	2	..	cu-nb/nb	10	..	..	o	bc,b,oR
28	29·802	80·2	71·4	..	..	81·0	..	66	63	21·9	S.E.	4	..	fr-cu	3	..	..	b	b
29	29·852	83·8	74·4	..	..	81·6	..	70	63	24·9	S.E.	4	..	cu/cu-nb	4	..	..	bc	b,bc
30	29·845	85·0	77·4	..	..	82·6	..	74	70	28·9	E.S.E.	4	..	fr-cu	1	..	..	b	b
	29·841	79·5	75·0	..	..	80·1	..	72·9	80·8	27·7	..	3·7	..	....	8·2	..	..	..	Means

Extremes for the Month.

Highest Pressure—30·073 at 8.30 a.m. on 3rd.
Lowest Pressure—29·720″ at 3.30 p.m. on 26th.
Highest Temperature in Shade—88° on 10th, 15th and 16th.
Lowest Temperature in Shade—68° on 28th.
Greatest Range—16° on 29th.
Least Range—4° on 8th.
Mean Temperature for Month—78·3° = Max. + Min. ÷ 2.

Greatest Humidity—96% at 3.30 p.m. on 22nd.
Least Humidity—62% at 8.30 a.m. on 28th.
Most Rain in 24 hours—2·27″ on 17th.
Total Rainfall for Month—15·38″
Number of Days of Rain—29. Thunderstorms—3.
Days of Clear Sky—1. Overcast—15.
Total Hours of Sunshine—145·5.

Disturbances.—(1) Cyclonic disturbance centered approximately 300 miles S.W. of Suva on 9th at 8.30 a.m., apparently moving S.E.; lowest barometer and strongest wind reported by A.M.S. "Ventura," 29·65, S.E. 8.
(2) A disturbance was indicated approximately 400 miles N.N.E. of Fiji on 24th, and appeared to be moving W.S.W., but it recurved and passed S.W. of Samoa on 25th, and S.W. of Rarotonga on 28th; no high winds were reported.

DECEMBER,

At 8.30 a.m. Standard Time.

Date.	Barometer Corrected to 32° F. and M.S.L.	Temperature. Dry.	Wet.	Max.	Min.	In Ground 1 foot.	Max. in Sun.	Humidity. Dew Point.	Relative Humidity Sat. = 100.	Elastic Force of Aqueous Vapour.	Wind. Direction.	Force (0–12).	Miles for Previous 24 hours.	Clouds. Form.	Amount (0–10).	Hours of Sunshine.	Rain in Inches.	Weather. At Time of Observation.	Since last Observation.
	"	°	°	°	°	°	°	°	%	m.b.									
1	29·897	79·4	75·8	87	72	82·5	147	74	84	28·6	s.	2	193	fr-cu	1	10·5	0·01	b	bc,b
2	29·874	81·4	76·0	86	74	83·2	155	73	77	27·7	S.S.W.	1	134	fr-cu	1	9·4	0·01	b	bc,c,b
3	29·866	81·8	76·4	85	74	84·2	146	74	77	28·7	S.S.W.	3	97	fr-cu	1	11·6	2·14	b	bc.b
4	29·911	80·0	74·0	84	72	82·0	155	71	74	26·0	S.E.	4	183	ci/cu	4	7·4	0·03	bc	orRtl,c
5	29·928	78·0	71·4	84	75	82·8	154	68	71	23·5	E.S.E.	4	298	cu-nb	9	8·7	0·07	o	c,or,bc
6	29·956	80·8	73·0	84	75	82·6	150	69	67	24·2	E.	4	275	ci/st	8	6·3	0·01	c	bc,or,c
7	29·930	82·2	78·0	86	78	82·4	151	76	82	31·0	E.S.E.	4	291	cu-nb	8	7·4	1·25	c	oir
8	29·896	83·0	78·2	86	75	82·0	150	76	80	30·5	E.	4	152	cu/cu-nb	7	10·7	0·25	c	c,b,bc
9	29·818	82·8	78·0	86	75	83·0	151	76	80	30·5	E.S.E.	3	163	cu/cu-nb	7	10·0	0·06	c	c,op,bc
10	29·786	81·0	76·2	86	75	83·6	153	74	79	28·4	E.S.E.	3	161	cu-nb	7	8·4	0·03	c	op,c,bc
11	29·788	82·0	76·0	88	75	83·8	158	73	75	28·0	E.S.E.	1	143	cu-nb	4	7·7	0·10	bc	bc,b,cb
12	29·828	82·0	77·8	88	75	84·3	156	76	82	31·0	Calm	0	172	cu	4	9·2	1·98	bc	c,od,l
13	29·872	80·4	77·6	87	76	83·2	151	76	88	30·3	S.S.E.	3	139	cu-nb	8	5·1	0·46	c	od,RR
14	29·895	79·4	77·2	85	77	83·8	150	76	90	30·8	Calm	0	167	st	10	1·4	0·16	o	optl
15	29·917	79·0	77·0	85	75	83·4	151	76	91	30·8	S.S.W.	2	141	cu-nb/nb	9	3·0	1·75	o	c,optl,d
16	29·883	77·2	76·0	87	74	82·8	156	76	94	30·2	N.	2	164	nb	10	2·9	0·27	or	otl,rr
17	29·795	80·2	76·2	84	74	83·0	159	74	83	28·9	S.W.	4	109	cu	4	7·3	2·03	bc	oirtl,c,b
18	29·757	78·6	76·0	83	75	82·0	141	75	88	30·1	S.S.W.	3	156	cu-nb	7	0·8	0·54	c	opp
19	29·772	83·0	78·0	87	73	82·2	159	76	79	30·5	N.N.E.	1	114	cu/cu-nb	6	6·8	2·26	bc	oR,c
20	29·834	82·0	78·2	87	74	83·6	162	76	84	31·0	S.S.W.	1	116	ci/cu	7	4·9	2·37	c	orr,c
21	29·844	76·0	75·4	85	74	82·0	157	75	97	29·9	E.	2	103	nb	10	4·0	0·09	or	orrR,r
22	29·788	83·8	79·0	88	76	83·0	155	77	80	31·6	E.	4	149	cu/cu-nb	6	5·5	0·07	bc	orc.bc
23	29·822	82·0	78·6	86	78	82·2	137	77	86	31·7	E.S.E.	2	201	st/nb	10	7·8	0·01	o	or
24	29·873	85·0	79·8	87	77	83·8	151	78	79	32·8	E./N.	4	128	cu/nb	7	10·2	0·90	c	od,c
25	29·879	85·0	80·0	89	76	84·0	161	78	80	32·8	N.E.	3	165	ci/cu/nb	8	10·5	Trace	c	olp,bc
26	29·804	83·0	78·0	88	76	85·0	159	76	79	30·5	Calm	0	135	cu/ci-st	6	9·8	Trace	bc	l,b,bc
27	29·757	82·0	80·0	89	75	85·0	160	79	91	34·1	S.	2	113	ci/cu	3	9·3	0·32	b	c,bc,b
28	29·797	85·4	79·4	91	77	85·7	156	77	76	31·2	N.E.	4	149	cu	3	7·8	0·03	b	orq,bc
29	29·819	85·6	79·2	97	79	86·0	156	77	75	31·5	N.E.	1	170	ci	1	10·7	..	b	c,o,bc
30	29·808	85·6	80·0	96	79	86·4	155	78	78	33·1	N./E.	3	169	cu/cu-nb	4	11·2	..	bc	bc,b
31	29·826	88·0	79·6	94	78	86·8	155	76	68	30·6	N./E.	3	256	fr-cu	5	8·8	0·19	bc	c,o,b
	29·846	81·8	77·3	87·2	75·4	83·6	153	75·3	81·1	30·0	..	2·5	164·7	....	6·0	7·6	0·56	..	Means

At 3.30 p.m. Standard Time.

1	29·803	85·9	76·1	..	..	83·2	..	71	62	26·2	E.S.E.	4	..	fr-cu	1	..		b	b
2	29·795	85·2	76·4	..	..	84·2	..	72	66	26·7	S.	3	..	ci/st-cu	6	..	..	bc	b,bc
3	29·806	84·0	77·5	..	..	85·0	..	75	73	29·3	S.E.	4	..	cu/cu-nb	4	..	..	bc	bc,b
4	29·851	80·8	73·2	..	..	83·4		70	68	24·9	S.E.	4	..	cu/cu-nb	9	..	..	o	b,bc,c
5	29·879	81·0	71·0	..	..	83·0	..	66	60	21·5	E.S.E.	4	..	fr-cu/cu-nb	4	..	..	bc	c,bc
6	29·907	82·9	76·0	..	..	82·6	..	73	72	27·5	E.S.E.	4	..	cu/cu-nb	8	..	..	c	c,bc,c
7	29·874	81·4	78·0	..	..	82·9	..	76	86	30·7	E.S.E.	4	..	cu-nb/nb	9	..	..	o	c,op,bc
8	29·824	84·0	77·0	..	..	83·0	..	74	72	28·6	S.E.	4	..	fr-cu/cu-nb	3	..	..	b	op,bc
9	29·725	84·0	77·0	..	..	83·9	..	74	72	28·6	E.N.E.	4	..	cu/cu-nb	7	..	..	c	b,bc,c
10	29·725	82·0	76·6	..	..	84·0	..	74	77	28·7	E.	4	..	st-nb	8	..	..	c	b,bc
11	29·734	85·0	79·0	..	..	84·4	..	77	76	31·2	E.S.E.	4	..	cu-nb	3	..	..	b	bc,b,bc
12	29·786	84·0	78·0	..	..	85·0	..	75	76	30·1	S.E.	3	..	st/nb	9	..	..	o	b,c
13	29·819	82·9	78·1	..	..	84·0	..	76	80	30·5	S.E.	2	..	st/nb	9	..	..	o	bc,c
14	29·843	82·9	78·0	..	..	84·0	..	76	79	30·5	E.S.E.	3	..	ci/st	8	..	..	c	or,c
15	29·837	82·0	77·4	..	..	83·8	..	76	81	30·2	E.S.E.	4	..	ci/st-nb	7	..	..	c	cp,bc
16	29·801	78·0	76·0	..	..	83·0	..	75	91	29·8	N./W.	2	..	nb	10	..	..	oirtl	oir,c
17	29·707	80·0	77·0	..	..	84·0	..	76	87	30·3	S.	4	..	cu-nb	8	..	..	c	bc,od
18	29·700	78·0	76·0	..	..	82·6	..	75	91	29·8	S.	4	..	cu-nb	10	..	..	o	c,o
19	29·707	80·0	78·4	..	..	83·0	..	78	93	32·6	E.S.E.	4	..	nb	10	..	..	or	c,ortl
20	29·775	78·0	77·0	..	..	83·2	..	77	95	31·2	N.	2	..	nb	10	..	..	orr	c,orr
21	29·771	82·0	77·2	..	..	82·9	..	75	80	29·5	S.E.	3	..	ci/st	6	..	..	bc	c,bc
22	29·729	82·4	78·0	..	..	83·4	..	76	82	30·2	E.S.E.	4	..	st/nb	10	..	..	o	cp,bc
23	29·783	83·4	78·8	..	..	83·8	..	77	81	31·3	E./N.	2	..	st	10	..	..	o	c,o
24	29·824	85·5	79·8	..	..	84·0	..	78	77	33·1	E.	4	..	ci-cu/st-cu	8	..	..	c	b,bc,c
25	29·836	85·2	79·8	..	..	83·6	..	77	78	32·0	E.N.E.	3	..	ci/cu/nb	6	..	..	bc	c,bc
26	29·716	86·2	80·0	..	..	85·5	..	78	75	32·3	S.	3	..	cu/cu-nb	6	..	..	bc	c,bc
27	29·716	84·2	78·0	..	..	86·0	..	75	75	30·1	N.	4	..	st-nb	10	..	..	o	b,bc,o
28	29·743	85·4	79·6	..	..	86·2	..	77	77	31·2	N.E.	2	..	st	7	..	..	c	bc,or,c
29	29·736	90·8	80·2	..	..	87·0	..	75	61	29·7	N.	4	..	ci/ci-st	4	..	..	bc	b,bc
30	29·734	91·0	81·0		..	87·0	..	77	63	31·7	N.N.W.	4	..	fr-cu	3	..	..	b	bq
31	29·766	88·6	79·9	..	..	87·0	..	77	67	31·8	N.	4	..	cu/cu-nb	6	..	..	c	b,oR,bc
	29·782	83·4	77·6	..	..	84·1	..	75·1	76·5	29·7	..	3·5	..	....	7·1	..	..	..	Means

Extremes for the Month.

Highest Pressure—29·956″ at 8.30 a.m. on 6th.
Lowest Pressure—29·700″ at 3.30 p.m. on 18th.
Highest Temperature in Shade—97° on 29th.
Lowest Temperature in Shade—72° on 1st and 4th.
Greatest Range—18° on 29th.
Least Range—8° on 7th, 14th, 18th, and 23rd.
Mean Temperature for Month—81·3° = Max. + Min. ÷ 2.

Greatest Humidity—97% at 8.30 a.m. on 21st.
Least Humidity—60% at 3.30 p.m. on 5th.
Total Rainfall for Month—17·39″.
Most Rain in 24 hours—2·37 on 20th.
Number of Days of Rain—27. Thunderstorms—7.
Days Clear Sky—4. Overcast—6 at 8.30 a.m.
Total Hours of Sunshine for Month—235·1.

Disturbances.—Cyclone passed to North and West of Vila on December 27–31, moving in a S.W. direction. When to the westward it recurved, moving in a S.E. direction. Lowest barometer and highest wind reported from Vila, 29·215, N. 9 (30th, 9 a.m.).