NORSK METEOROLOGISK ÅRBOK

1945

UTGITT AV

DET NORSKE METEOROLOGISKE INSTITUTT

QC
989
.N8
N6
1945

PRIS KR. 10.00

TRYKT HOS GRØNDAHL & SØN · OSLO 1946

LIBRARY
SEP 8 1952
WEATHER BUREAU

LIBRARY
APR 2000
National Oceanic &
Atmospheric Administration
U.S. Dept. of Commerce

80750

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

INNHOLD

	Side
Forord	IV
Meteorologiske stasjoner, instrumenter og observasjoner	V
Forklaringer til tabellene	VII
Stasjonskart	XI
Symboler	XII
Stasjonsfortegnelse	XIV
Rettelser	XVI
De bearbeidede data fra registreringene av lufttrykk, lufttemperatur, relativ fuktighet, vind og nedbør for 1945 i Oslo (Blindern)	1
Avvikelser i det midlere lufttrykk og middeltemperaturene i 1945 fra normalverdiene for perioden 1901—30	15
Sjøtemperaturen på 10 representative kyststasjoner	15
Daglige observasjoner (Ekstensotabell) i Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) og Tromsø	16
Måneds- og årsoversikter for 138 stasjoner	40
Pentademidler av lufttemperaturene for 36 stasjoner	96

CONTENTS

	Page
Foreword	IV
Meteorological stations, instruments and observations	V
Explanatory notes to the tables	VII
Map of stations	XI
Symbols	XII
List of stations	XIV
Corrigenda	XVI
Data of atmospheric pressure, air temperature, relative humidity, wind and precipitation obtained from recording instruments at Oslo (Blindern)	1
Departures of mean pressures and mean air temperatures for 1945 from the normals for the period 1901—1930	15
Sea surface temperature at 10 representative coastal stations	15
Individual observations (Ekstensotabell) at Oslo (Blindern), Bergen (Fredriksberg), Trondheim (Voll) and Tromsø	16
Monthly and annual summaries for 138 stations	40
Five-day means of the temperatures for 36 stations	96

FORORD

Denne Årbok er en fortsettelse av de tidligere årbøker med titelen «Jahrbuch des Norwegischen Meteorologischen Instituts».

Teksten i denne og de følgende årbøker blir trykt både på norsk og engelsk. Rubrikkhodene i de forskjellige tabeller trykkes bare på norsk, og betydningen på engelsk er gitt i Explanatory notes to the tables.

Oslo, juli 1946.

Th. Hesselberg.

FOREWORD

This Year Book is issued in continuation of the earlier year books entitled «Jahrbuch des Norwegischen Meteorologischen Instituts».

The present and subsequent year books will contain the general text in both the Norwegian and in the English languages. The text in the columns of the various tables is printed in the Norwegian language only, and the meanings are given in the Explanatory notes to the tables.

Oslo, July 1946.

Th. Hesselberg.

med psykrometer. Hva slags fuktighetsinstrument hver enkelt stasjon har, og om psykrometret er aspirert eller ikke fremgår av stasjonsfortegnelsen på side XIV. 22 stasjoner er også utstyrt med termohygrograf. Fuktighetsmålinger foretas bare på de stasjoner som har instrumenthytte, og der er fuktighetsinstrumentet anbrakt i hytta.

Vindens retning og styrke observeres på alle stasjonene, og på de fleste noteres også den maksimale vindstyrke mellom observasjonsterminene. 81 stasjoner er utstyrt med vindfløy eller vaker, på de øvrige stasjoner bedømmes vindretningen etter skjønn. 31 stasjoner er utstyrt med anemometer, på de øvrige bedømmes vindstyrken skjønnsmessig etter Beauforts skala.

Nedbørmengden (smeltevannet når det er snø eller hagl) blir målt på samtlige stasjoner kl. 8 M.E.T. I den årstid nedbøren vesentlig faller som snø, benyttes en snømåler. Både regn- og snømålerne har en samleflate på 225 cm². 49 stasjoner er utstyrt med Nipher vindskjerm, og 6 stasjoner er også forsynt med pluviograf. Når det er snø på bakken, observeres snødybden og snødekket hver dag kl. 8.

Været, skydekket, synsvidden og nedbørslags samt været mellom observasjonsterminene observeres på samtlige stasjoner.

Av registreringene er bare verdiene fra Oslo (Blindern) tatt inn i Årboken.

På grunn av krigen er observasjonsarbeidet blitt avbrutt på flere stasjoner. Dette er særlig tilfelle på de Arktiske stasjoner og på stasjonene i Finnmark. Derfor trykkes bare observasjonene fra 138 stasjoner i Årboken denne gang. Posisjonen av disse stasjoner er avsatt på kartet på side XI, og de nødvendige opplysninger om stasjonene finner en i stasjonsfortegnelsen på side XIV.

Sammenliknet med den forrige Årboken, kan en nevne følgende forandringer: stasjonene Rognan, Loppa, Alta (Elvebakken), Galten, Kistrand, Sværholt, Sletnes Fyr, Tana og Karpbukt er utelatt, og følgende nye stasjoner er tatt inn: Elveseter, Trysil, Hvam, Tveitsund, Indre Matre, Modalen og Bø i Vesterålen.

Med hensyn til de enkelte stasjoner er følgende å bemerke:

Elveseter: Stasjonen, som er trykt i Årbøkene 1937—39, ble satt ut av drift i april 1940, og gjenopprettet og flyttet ca. 400 m mot SSW i august 1942.

wet-bulb thermometers. The type of hygrometer used at each station is indicated in the list of stations on page XIV where it is also stated whether or not the psychrometer is ventilated. 22 stations are also equipped with thermo-hygrographs. Humidity observations are made only at stations equipped with an instrument screen, the humidity instrument being mounted in the screen.

The direction and the force of the wind are observed at all stations, and almost all stations furnish reports of the maximum wind force occurring between the standard times of observations. 81 stations are equipped with a wind vane or a «wind sleeve», the remaining stations estimating the wind direction. 31 stations are equipped with anemographs, and the remaining stations estimate the wind force according to the Beaufort scale.

The amount of precipitation (melted when snow or hail) is measured by all stations at 8 hours M.E.T. During the time of the year when the precipitation is mainly falling as snow, a snowgauge is used. Both the rain gauge and the snowgauge have a collecting surface of 225 sq.cm. 49 stations are equipped with a Nipher wind screen and 6 stations are supplied with a pluviograph. When snow is present on the ground, the depth of the snow and the snow cover is observed daily at 8 hours.

Observations of weather, cloudiness, visibility, type of precipitation and past weather are made by all stations.

Only data obtained from the recording instruments at Oslo (Blindern), are included in the Year Book.

On account of the war, the work of several stations was interrupted. This is particularly true of the Arctic stations and of the stations in Finnmark. For this reason only the observations from 138 stations are included in this Year Book. The locations of the stations are indicated in the map on page XI, and the pertinent information on these stations is given in the list on page XIV.

As compared with the previous Year Book, the following changes may be noted: the stations Rognan, Loppa, Alta (Elvebakken), Galten, Kistrand, Sværholt, Sletnes Fyr, Tana and Karpbukt have been omitted, and the following new stations have been included: Elveseter, Trysil, Hvam, Tveitsund, Indre Matre, Modalen and Bø i Vesterålen.

With regard to the individual stations, the following may be noted:

Elveseter: This station, the observations from which were contained in the Year Books for 1937—39, was discontinued in April 1940, and reopned in August 1942 when it was moved about 400 metres towards SSW.

Gaustatoppen: Stasjonen var ute av drift fra 20 april til 2 oktober 1945.

Kristiansand S.: Stasjonen ble flyttet ca. 240 m mot øst 9 oktober 1945.

Utsira: Den 2 oktober 1945 ble stasjonen flyttet tilbake til fyret.

Hellisøy Fyr: Stasjonen var evakuert fra 8 mars til 22 mai 1945.

Kråkenes Fyr: Stasjonen ble evakuert 12 mars 1945.

Nordli: Stasjonen har vært ute av drift siden 8 mai 1945.

Som følge av krigsoperasjonene i Finnmark ble det ikke tatt observasjoner på stasjonene der i det tidsrom som er angitt nedenfor:

Torsvåg: 15 oktober 1944—1 juni 1945.
Ingøy: 8 november 1944—1 august 1945.
Vardø: 1 august 1944—20 mai 1945.
Ekkerøy: 31 juli 1944—1 mai 1945.
Karasjok: 28 oktober 1944—17 april 1945.
Kautokeino: 30 oktober 1944—1 juli 1945.
Siččajavre: 8 november 1944—1 juni 1945.

Selv om sommertid ($\Delta G = +2^h$) var innført i Norge fra 2 april til 30 september 1945, ble observasjonene tatt kl. 8, 14 og 19 M.E.T.

Gaustatoppen: The station was not operated from 20th April to 2nd October 1945.

Kristiansand S.: The station was moved about 240 metres towards the East on October 9th 1945.

Utsira: On 2nd October the station was moved back to the light house.

Hellisøy Fyr: The station was evacuated between 8th March and 22nd May 1945.

Kråkenes Fyr: The station was evacuated on 12th March 1945.

Nordli: The station has been out of operation since 8th May 1945.

As a result of war operations in Finnmark, observations were not made at the stations there for the period indicated below:

Torsvåg: 15th October 1944—1st June 1945.
Ingøy: 8th November 1944—1st August 1945.
Vardø: 1st August 1944—20th May 1945.
Ekkerøy: 31st July 1944—1st May 1945.
Karasjok: 28th October 1944—17th April 1945.
Kautokeino: 30th October 1944—1st July 1945.
Siččajavre: 8th November 1944—1st June 1945.

Although daylight saving time ($\Delta G = +2$ hours) was introduced in Norway from 2nd April to 30th September 1945, the observations were made at 8, 14 and 19 hours M.E.T.

FORKLARINGER TIL TABELLENE

Tabellene er satt opp i overensstemmelse med de vedtak som ble gjort av den Internasjonale meteorologiske Organisasjon i møtene i Warszawa 1935 og i Salzburg 1937. Interpolerte verdier er angitt ved et ^{x}, de andre symboler som er benyttet er forklart på side XII.

Registreringene i Oslo (Blindern). — Verdiene i tabellene på side 1—14 er tatt ut for hverannen time av registreringene og påført de nødvendige korreksjoner. Vindhastigheten representerer den midlere hastighet i timen forut for det anførte klokkeslett. Verdiene for de øvrige elementer er momentanverdier. Ekstremverdier er trykt med fete typer. Følgende registreringsinstrumenter har vært benyttet:

Sprung-Fuess kvikksølvbarograf.
Fuess termo-hygrograf nr. 18463, M.I.
Robinson skålkorsanemometer og Magneto-anemograf M.I.
Hellmann—Fuess pluviograf nr. 19415.

Ekstensotabellene. — Tabellene på side 16—39 inneholder observasjonene kl. 8, 14 og 19 M.E.T. fra Oslo (Blindern), Bergen (Fredriksberg), Trondheim

EXPLANATORY NOTES TO THE TABLES

The tables are arranged in accordance with the decisions made by the International Meteorological Organisation at the meetings in Warsaw 1935 and Salzburg 1937. Interpolated values are indicated by superscript x, other symbols used are defined on page XIII.

Data obtained from recording instruments at Oslo (Blindern). — The values given in the tables on pp. 1—14 are obtained from the bi-hourly readings of the self recording instruments appropriately corrected. The values for wind speed represent the mean values through a period of one hour prior to the time indicated. The other elements represent instantaneous values. The extreme values are printed in bold face type. The following recording instruments have been used:

Sprung-Fuess mercury barograph.
Fuess thermo-hygrograph No: 18463, M.I.
Robinson cup anemometer and Magneto-anemograph M.I.
Hellmann — Fuess pluviograph No: 19415.

Tables of individual observations. — The tables on pp. 16—39 contain the observations made at 8, 14 and 19 hours M.E.T. at the stations Oslo (Blindern),

(Voll) og Tromsø. Regnet fra venstre til høyre inneholder rubrikkene:

1. *Datum.*
2. *Lufttrykket* (P) i millibar i stasjonens nivå.
3. *Lufttemperaturen* (T) og ekstremtemperaturene (Max og Min) i Celsiusgrader.
4. *Relativ fuktighet* (U) i prosent.
5. *Vindretningen* (D) i skalaen 01—32 og vindstyrken (F) etter Beaufort-skalaen.
6. *Synsvidden* (V) i skalaen 0—9, hvor 9 betyr synsvidde større enn 100 km.
7. *Skydekket* (N) i skalaen 0—10, og været (w) ved observasjonsterminene uttrykt ved symbolene på side XII.
8. *Nedbørhøyden* (R) i mm.
9. *Snødybden* (h_s) i cm.
10. *Værforløpet* (W) i døgnet uttrykt ved symbolene på side XII.

Måneds- og årsoversikter. — Tabellene på side 40—95 inneholder måneds- og årsmidler og summer av de forskjellige elementer. Regnet fra venstre til høyre inneholder rubrikkene:

1. *Måned.*
2. *Lufttrykket i stasjonens nivå* (P_m) og lufttrykket redusert til havets overflate ($P_{o \cdot m}$) eller til nærmeste standard-geopotensial flate. Her er gjort en unntakelse for lufttrykket på Røros og Dombås som er redusert til havet. Siden 1 januar 1944 har Eliassens[1] reduksjonstabeller vært benyttet, og disse tabeller gir verdier som for enkelte stasjoner er litt forskjellige fra dem en fikk av de tabellene som ble brukt tidligere. Lufttrykket på kyststasjonene reduseres (som før 1 januar 1944) på grunnlag av en konstant temperaturavtagen med høyden på 0.6° C pr. 100 m. For innlandsstasjonene Røros, Dombås, Rena, Flisa, Nordli og Karasjok benyttes den samme konstante temperaturgradient, og dessuten tilføyes en temperaturkorreksjon[2]) når lufttemperaturen er under 2° C.

Reduksjonen til havet av lufttrykket på Dalen i Telemark og på Vollen i Slidre utføres i overensstemmelse med Eliassens 4. metode (loc. cit. p.10).

3. *Lufttemperaturen* (i Celsiusgrader). — Månedsmidlene (Dies) er beregnet av formelen[3])

$$M = n - k(n - \overline{\text{Min.}})$$

[1] Arnt Eliassen: On the Correction and Reduction of Barometer Readings. Geof. Publ. Vol XIII No: 11.

[2] Jahrbuch des Norwegischen Meteorologischen Instituts für 1944 S. XI.

Bergen (Fredriksberg), Trondheim (Voll) and Tromsø. The contents of the columns from left to right are as follows:

1. *Date.*
2. *Pressure* (P) in millibars at station level.
3. *The air temperature* (T) and the extreme temperatures (Max and Min) in degrees Centigrade.
4. *Relative humidity* (U) in per cent.
5. *Wind direction* (D) on the scale 01—32 and the wind force (F) according to the Beaufort scale.
6. *Visibility* (V) on the scale 0—9, where 9 signifies visibility in excess of 100 km.
7. *Cloud cover* (N) on the scale 0—10, and the weather (w) at the time of observation represented by the symbols given on page XIII.
8. *Amount of precipitation* (R) in mm.
9. *Depth of snow on the ground* (h_s) in cm.
10. *Sequence of weather phenomena* (W) during the 24 hour period, expressed by the symbols defined on page XIII.

Monthly and annual summaries. — The tables on pp. 40—95 contain monthly and annual means and sums of the different elements. The contents of the columns from left to right, are as follows:

1. *Month.*
2. *Atmospheric pressure at station level* (P_m) and atmospheric pressure reduced to mean sea level ($P_{o \cdot m}$) or to the nearest standard geopotential surface, the latter with the exception that the pressures observed at Röros and Dombås are reduced to the mean sea level. Since January 1st 1944, Eliassen's[1]) reduction tables have been in use, and these tables render results that, for some stations, differ slightly from those obtained from the tables previously used. The pressure observed at coastal stations are reduced (as prior to January 1st 1944) on the assumption of a constant lapse rate of temperature equal to 0.6° C per 100 m elevation. For the inland stations Röros, Dombås, Rena, Flisa, Nordli and Karasjok the same constant lapse rate is used, and, in addition, a temperature correction[2]) is applied when the air temperature is below 2° C.

The reduction to mean sea level of the pressure observations at Dalen in Telemark and Vollen in Slidre is performed according to Eliassen's fourth method (loc. cit. p.10).

3. *Air temperature* (in degrees Centigrade). — The monthly means are computed from the formula[3])

$$M = n - k(n - \overline{\text{Min}})$$

[3] H. Mohn: Mittheilungen aus dem Norwegischen Meteorologischen Institute II. Die Temperatur der Luft. Met. Zeitschr. 1891 S. 253.

[3] B. J. Birkeland: Mittel und Extreme der Lufttemperatur. Geof. Publ. XIV. 1, Oslo 1936 s. 9—10.

hvor n er midlet av observasjonene kl. 8, 14 og 19, k en faktor som varierer med årstiden og fra stasjon til stasjon,[4]) og $\overline{\text{Min}}$ er den midlere minimumstemperatur. Temperaturekstremene gjelder for døgnet regnet fra kl. 19—kl. 19.

4. *Vindfordelingen.* — Vindstyrken er gitt etter Beaufortskalaen. Vindretningen er gitt i skalaen 01—32 og henført til den nærmeste hovedkompassretning, nemlig:

N = 32, NE = 04, E = 08, SE = 12, S = 16,
SW = 20, W = 24, NW = 28

Den første tallkolonne under hver retning gir antall tilfelle med vind fra vedkommende retning, og den annen kolonne gir den midlere vindstyrke.

5. *Relativ fuktighet* (i prosent). — På stasjoner hvor Russeltvedts torsjonshygrometer blir brukt, tas den relative fuktighet ut av tabeller som er beregnet for hvert instrument. Fuktighetene som observeres med psykrometer blir omregnet til relativ fuktighet ved hjelp av Jelineks tabeller når temperaturen er over frysepunktet og ved hjelp av Birkelands[5]) tabeller når temperaturen er under frysepunktet. Den relative fuktighet refererer alltid til metningstrykket over vann.

Månedsmidlet er beregnet av Køppens formel

$$M = q + c(2p - q)$$

hvor q er midlet av morgen- og aftenobservasjonene, p midlet av middagsobservasjonene og c er en faktor som varierer med stedet og tiden[6])

6. *Skydekket* (i skalaen 0—10). — Månedsmidlene beregnes særskilt for morgen-, middag- og kveldsobservasjonene og summen av disse deles med 3.

7. *Nedbøren* (i mm). — Nedbørhøyden blir målt kl. 8, og gjelder for de foregående 24 timer. Månedssummene er gitt på nærmeste hele mm og det samme er også tilfelle med de maksimale nedbørhøyder (Max).

8. *Antall dager med visse fenomener.* — Når det gjelder nedbørmengden, regnes døgnet fra kl. 8 til kl. 8, i forbindelse med andre fenomener regnes det fra kl. 19 til kl. 19.

Som nedbørdager regnes alle dager når nedbørhøyden er 0.1 mm eller mer. Dager med sludd telles opp for seg og tas dessuten med i kolonnene under dager med regn og dager med snø. Likeledes telles også antall dager med yr opp som dager med

[4] Jahrbuch des Norwegischen Institut für 1938, S. VIII und 35.

[5] B. J. Birkeland: Neue Feuchtigkeitstafeln für das Psychrometer unter dem Gefrierpunkt, Christiania, 1907, Vorwort.

where n is the mean of the observations made at 8, 14 and 19 hours, k a factor appropriate for the station and season[4]) and $\overline{\text{Min}}$ is the mean minimum temperature. The extreme temperatures refer to the 24 hour period from 19 to 19 hours.

4. *Wind distribution.* — The wind force is given according to the Beaufort scale. The wind direction is given on the scale 01—32, reduced to the nearest principal compass points, viz.

N = 32, NE = 04, E = 08, SE = 12, S = 16,
SW = 20, W = 24, NW = 28

The first column of figures under each direction gives the number of cases of winds from the direction indicated, and the second column of figures gives the mean wind force.

5. *Relative humidity* (in per cent). — At stations where Russeltvedt's torsionshygrometers are used, the relative humidity is obtained from tables computed for each instrument. Humidities observed by psychrometers are converted to relative humidity by the aid of Jelinek's tables when the temperature is above freezing and by aid of Birkeland's[6]) tables when the temperature is below freezing. Throughout, the relative humidity refers to saturation over water. The monthly means are computed from Køppen's formula

$$M = q + c(2p - q)$$

where q denotes the mean of the morning and the evening observations, p the mean of the midday observations and c is a factor appropriate for the station and the season.[6])

6. *Amount of cloud cover* (on the scale 0—10). — The monthly means are computed separately for the morning, midday and evening observations, and the sum of these is divided by 3.

7. *Amount of precipitation* (in mm). — The amount of precipitation is measured at 8 hours and refers to the preceding 24 hours period. The monthly sums are given to the nearest mm and so are also the maximum amounts (Max).

8. *Number of days with certain phenomena.* — Insofar as the amount of precipitation is concerned, the «day» is reckon'd from 8 to 8 hours, in connection with other elements the «day» refers to the period from 19 to 19 hours.

As a day with precipitation is counted any day on which the amount of precipitation is 0.1 mm or more. Days with sleet are counted separately and are also included in the columns referring to days with rain and snow. Likewise the number of days

[6] Jahrbuch des Norwegischen Meteorologischen Instituts für 1920, S. XI.

regn når nedbørmengden er 0.1 mm eller mer. Til antall dager med yr, hagl, og tordenvær regnes alle dager da slike fenomen er forekommet, uten hensyn til nedbørhøyden. Dessuten skjelnes mellom tåke og tåkedis ettersom den tilhørende synsvidde er mindre eller større enn 1 km. Hvis tåke og tåkedis har forekommet på samme dag, regnes dagen som tåkedag. Som solskinnsdag regnes alle dager da solskinn er forekommet uten hensyn til varigheten. Som klare dager regnes dager på hvilke summen av skydekketallene kl. 8, 14 og 19 er 5 ($^5/_{10}$) eller mindre. På samme vis regnes hver dag når summen av skydekketallene kl. 8, 14 og 19 er 25 ($^{25}/_{10}$) eller mer, som en overskyet dag. Dager med snødekke er dager når $^3/_4$ eller mer av bakken er dekket med snø.

Avvikelser fra normalene. — Tabellene på side 15 gir avvikelsene i det midlere lufttrykk (ΔP) og i middeltemperaturene (ΔT) i 1945 fra middelverdiene for perioden 1901—1930.

Sjøtemperaturen (T_1). — Måneds- og årsmidler for temperaturen i havoverflaten på 10 representative kyststasjoner finnes på side 15.

Pentademidler av lufttemperaturen. — Tabellene på side 96—97 viser temperaturmidlene i perioder på 5 dager for 36 utvalgte stasjoner. Midlene er beregnet av formelen

$$M = n - k(n - \overline{\text{Min}})$$

hvor n er midlet av observasjonene kl. 8, 14 og 19, k en faktor som varierer med årstiden og fra stasjon til stasjon[7]) og $\overline{\text{Min}}$ den midlere minimumstemperatur i 5-dagers perioden.

[7] Jahrbuch des Norwegischen Meteorologischen Instituts für 1943, S. 96—97.

with drizzle is included in the number of days with rain when the amount of precipitation is 0.1 mm or more. As days with drizzle, hail and thunderstorm are reckoned any day on which such phenomena occurred, regardless of the amount of precipitation associated with them. Furthermore, differentiation is made between fog and mist according to whether the associated visibility is lower or higher than 1 km. If fog and mist have occurred on the same day, the day is counted as one of fog. As a day with sunshine is counted any day on which sunshine has occurred, regardless of duration. As clear days are counted days on which the sum of the amount of cloud cover at 8, 14 and 19 hours is 5 (i.e. $^5/_{10}$) or less. Similarly, as an overcast day is taken any day when the sum of the cloud cover at 8, 14 and 19 hours is 25 (i.e. $^{25}/_{10}$) or more. Finally, a day with snow cover is a day on which $^3/_4$ or more of the ground is covered by snow.

Departures from normals. — The tables on p. 15 give the departures of the mean pressures (ΔP) and the mean temperatures (ΔT) for 1945 from the mean values for the period 1901—1930.

Sea surface temperatures (T_1). — Monthly and annual means of the sea surface temperature at 10 representative coastal stations are given on p. 15.

Five-day means of temperature. — The tables on pp. 96—97 give the mean temperature for consequtive periods of 5 days for 36 selected stations. The means are computed from the formula

$$M = n - k(n - \overline{\text{Min}})$$

where n is the mean of the observations at 8, 14 and 19 hours, k a factor appropriate for the station and season[7]) and $\overline{\text{Min}}$ is the mean minimum temperature during the 5-day period.


Stasjonskart
(MAP OF STATIONS)
1945
Ingøy
Vardø
Ekkerøy
Torsvåg
Tromsø
Sommarøy i Senja
Karasjok
Andenes
Gibostad
Kautokeino
Sandsøy i Senja
Dividalen
Sirdajavre
Bø i Vesterålen
Bjørnfjell
Narvik
Eggum
Offersøy
Skrova
Sørvågen
Grøtøy
Røst
Skomværfyr
Helligvær
Bodø
Fauske
Glomfjord
Myken
Tonnes i Helgeland
Ytteren i Rana
Alstahaug
Skålvær
Brønnøysund
Majavatn
Leka
Nordøyan
Nordli
Kjevli i Snåsa
Vallersund
Sula Fyr
Ytterøy
Sulstua
Ørland
Meråker
Trondheim (Voll)
Selbu
Ona
Tingvoll
Berkåk
Molde
Gjermundnes
Sunndal
Røros
Runde
Tafjord
Ørsta
Fokstua
Dombås
Alvdal
Kråkenes Fyr
Nordfjordeid
Opstryn
Engerdal
Ytre Rendal
Elveseter
Brandsøy i Kinn
Kinn
Førde i Sunnfjord
Fanaråken
Vinstra
Lustrafjord
Sanot
Fortun
Fjærland
Trysil
Leikanger
Vollen i Slidre
Lillehammer
Rena
Vangshes
Lærdal
Modalen
Åbjørsbråten
Vang på Hedmark
Ø Toten
Hellisøy Fyr
Myrdal
Flisa
Voss
Stiriå
Nesbyen
Kutjenn
Berdalen
Haugastøl
Geilo
Vingen
Bergen (Fredriksberg)
Ulensvang
Mourset
Dagali
Syfteland
Hvam
Tryvasshøgda
Modum
Oslo (Blindern)
Tridne Matre
Gaustatoppen
Asker
Sørmarka
Svandalsflona
Svene
Sauda
Kongsberg
Eidsberg
Morten
Dalen i Telemark
Gvarv
Røde
Utsira
Brekke Sluse
Skudenes
Vefall i Drangedal
Ferder
Stavanger
Tveitsund
Jomfruland
Klepp
Tonstad
Byglandsfjord
Lyngør
Torungen Fyr
Glåben
Grimstad
Kristiansand S
Lista
Oksøy
Mandal
Longyearbyen
Hopen
Bjørnøya
Jan Mayen
20°W
0°
60°
40°
85°
80°
70°
20°

SYMBOLER

Symboler som forekommer i rubrikkene «Skydekke og vær» og «værforløp» (Ekstensotabellene).

∞ Ølrøyk.
= Tåkedis.
≡ Tåke.
, Yr.
• Regn.
* Snø.
⁂ Sludd.
Kornsnø.
Iskorn.
Isnåler.
Regnbyer.
Snøbyer.
Sluddbyer.
Sprøhagl.
Hagl.
Ishagl.
Kornmo.
Tordenvær.
Snøfokk.
Dugg.
Rim.
Is-slag.
Tåkerim.
Storm (F≥9).
Solskinn.
Halo (værgard).
Krans.
Regnbue.
Nordlys.
n om natten.
a om formiddagen.
p om ettermiddagen.
na etter midnatt (før morgenobservasjonen).
np før midnatt (etter kveldsobservasjonen).
i med avbrytelser.
() blir satt omkring værfenomener som forekommer innen synsvidde (men ikke på selve stasjonen).
0 og 2 som øvre indeks betegner intensitetsgraden, 0 svakt eller lett, 2 sterkt eller tett.

Andre symboler.

P Lufttrykk.
T Lufttemperatur.
T_1 Sjøtemperatur.
U Relativ fuktighet.
D Vindretning.
v Vindhastighet.
F Vindstyrke.
C Vindstille.
V Synsvidde.
R Nedbørhøyde.
N Skydekke.
w Vær.
W Værforløp.
φ Geografisk bredde.
λ Geografisk lengde.
g Tyngdens accelerasjon.
Δ G Forskjellen mellom den benyttede tid og Greenwich tid.
H_s Stasjonens høyde over havet.
H_b Barometerets høyde over havet (overkant av kvikksølvkoppen).
h_t Høyden over marka av termometerkula.
h_a Høyden over marka av vindhastighetsmåleren.
h_d Høyden over marka av vindretningsmåleren (vindfløy, vaker).
h_r Høyden over marka av nedbørmålerens overkant.
Φ Geopotensial.
m som nedre indeks angir midlet av elementet.
— over betegnelsen ($\overline{\text{Max}}$, $\overline{\text{Min}}$) blir benyttet for å angi at det er en middelverdi.
Δ Avvikelse.
Σ Sum.
n Antall observasjoner.
An Årsverdi.
M Månedsverdi.
Dat Datum.
Dies Døgnmiddel.

SYMBOLS

Symbols occurring in the columns «Skydekke og vær» and «Værforløp» of the Ekstensotabell.

∞ Haze.
= Mist.
≡ Fog.
, Drizzle.
• Rain.
* Snow.
⁂ Sleet.
Granular snow.
Grains of ice.
Ice needles.
Shower of rain.
Shower of snow.
Shower of rain and snow (sleet).
Soft hail.
△ Small hail.
▲ Hail.
Distant lightning.
Thunderstorm.
Drifting snow.
Dew.
Hoarfrost.
Glazed frost.
∨ Soft rime.
Gale ($F_x \geqq 9$).
⊙ Sunshine.
⊕ Solar halo.
Solar corona.
Rainbow.
Aurora Borealis.
n in the night.
a in the forenoon.
p in the afternoon.
na after midnight.
np before midnight.
i intermittent.
( ) brackets are used to indicate weather phenomena occurring in the neighbourhood of the station, but not at the station itself.

0 and 2 appearing as superscript indicate the intensity of the weather phenomena, such that 0 = slight or weak, and 2 = heavy or thick.

Further symbols.

P Atmospheric pressure.
T Air temperature.
T^1 Sea surface temperature.
U Relative humidity.
D Wind direction.
v Wind speed.
F Wind force.
C Calm.
V Visibility.
R Amount of precipitation.
N Amount of cloud cover.
w Weather.
W Sequence of weather.
φ Latitude.
λ Longitude.
g Acceleration of gravity.
Δ G Difference between the time used and Greenwich time.
H_s Height of station above mean sea level.
H_b Height of the barometer cistern above mean sea level.
h_t Height above the ground of the thermometer bulb.
h_a Height above the ground of the anemometer.
h_d Height above the ground of the wind vane.
h_r Height above the ground of the collecting surface of the precipitation gauge.
Φ Geopotential.
m as subscript, indicate the mean value of an element.
— (e.g. $\overline{Max}$, $\overline{Min}$) indicates a mean value.
Δ Departures.
Σ Sum.
n Number of observations.
An Annual value.
M Monthly value.
Dat Date.
Dies 24-hour means.

STASJONSFORTEGNELSE

(List of Stations).

Stasjon (Station)	Side (Page)	φ N	λ E Gr.	g	Hs m	Hb m	ht m	ha m	hd m	hr m	Fukt. instrum.[1]	Obs. av max. vindst.	Observasjonstider. Mellem-europ. tid	Observator (Observer)
Åbjørsbråten	42	69° 55′	9° 18′		635		1.8		13.0	1.6		F_x	8 14 19	O. Åbjørsbråten, gårdbruker.
Ås	15, 52, 96	59 40	10 46		95		2.1		7.4	1.7	R	F_x	8 14 19	Halvor Tønseth, kontrollassistent.
Alstahaug	82	65 54	12 33		ca. 8		2.0			1.2	R	F_x	8 14 19	Irgens Kirkhus.
Alvdal	40, 96	62 1	10 48		485		1.8			1.5	R	F_x	8 14 19	Fru Marit Nordrum Søgård.
Andenes	15, 90	69 19	16 7	9.826	5	6.5	1.9	10.9	10.2	1.7	R	F_x	8 14 19	Aron Th. Hanssen, fyrmester.
Asker	48	59 51	10 26		157		1.9			2.0		F_x	8 14 19	Statens Småbrukslærerskole.
Bergen (Fredriksb.)	15, 22, 66	60 24	5 19	9.819	43	44.4	1.8	10.7	10.3	1.3	A,R	F_x	8 14 19	Anton Bakke, vaktmester.
Bergsdal	66	60 32	6 3		540		1.9			2.9		F_x	8 14 19	Fru Martha Bjørlo.
Berkåk	78	62 50	10 1		425		1.8		10.2	1.8	R	F_x	8 14 19	J. Asphaug, kjøpmann.
Bjørnfjell	86	68 26	18 4		514		1.9			2.4		F_x	8 14 19	Hagen Sundsfjord, stasjonsmester.
Bodø	15, 84, 97	67 17	14 28	9.824	33	35.0	1.8	15.0	15.0	1.8	R	F_x	8 14 19	Hans B. Hansen, forsøksassistent.
Brandsøy i Kinn	70, 97	61 37	5 8		10		3.8			2.2		F_x	8 14 19	J. E. Søfteland, planteskolebestyrer.
Brekke Sluse	54	59 9	11 34		114		2.0		8.5	1.5		F_x	8 14 19	Harald Thorsen, slusemester.
Brønnøysund	15, 82, 97	65 28	12 12	9.823	4	5.3	2.0		8.8	1.5	R	F_x	8 14 19	Peter Olsen, kirketjener.
Bø i Vesterålen	88	68 37	14 27		7		1.9			1.8		F_x	8 14 19	Froken Valborg Henriksen.
Byglandsfjord	15, 58, 96	58 40	7 48		207		1.9		10.9	1.7	R	F_x	8 14 19	Ole A. Guldsmedmoen, gårdbruker.
Dagali	15, 50	60 25	8 26		887		2.0		11.2	1.3	R	F_x	8 14 19	Froken Ragnhild Aasberg.
Dalen i Telemark	15, 54	59 27	8 0	9.818	77	79.1	2.0		9.0	1.6	R		8 14 19	Arne Bergland, snekkermester.
Dikemark	48	59 48	10 23		180		2.0	15.3	15.0	2.0	R		8 14 19	Gunnar Aas, gårdsbestyrer.
Dividalen	15, 92	68 47	19 44		202		1.5			1.2		F_x	8 14 19	Joh. Stenvold, forstmann.
Dombås	15, 40, 96	62 4	9 7	9.819	643	647.1	1.9		10	1.9	R	F_x	8 14 19	Sverre Hodneland, telegrafbestyrer.
Eggum	15, 88	68 18	13 41		4		1.7			1.8	R	F_x	8 14 19	Hans Eggvin, lærer.
Eidsberg	52, 96	59 30	11 17		140		1.9		9.1	1.6		F_x	8 14 19	Olav Bakka, gårdbruker.
Ekkerøy	92	70 4	30 6		7		1.7			1.9		F_x	8 14 19	Einar Nielsen, snekker.
Elveseter	42	61 42	8 17		675		1.9			1.6	R	F_x	8 14 19	Olav Lilleødegården, gårdbestyrer.
Engerdal	15, 40	61 41	12 1		479		2.0		15.0	1.8	R	F_x	8 14 19	Fru Gunvor Sletmoen.
Fanaråken	70	61 31	7 54	9.816	2064	2070.3	4.2	9.7	9.7	2.5	A,R	F_x	8 14 19	Observatoriet.
Fauske	84	67 15	15 23		14		1.9			1.9		F_x	8 14 19	Oistein Dragland, telegrafbestyrer.
Ferder	15, 54	59 2	10 32	9.819	6	9.1	2.1	9.0	9.0	1.0	R	F_x	8 14 19	M. Markussen, fyrmester.
Fjærland	68	61 26	6 46		5		1.6		12.0	1.1	R	F_x	8 14 19	Ivar Bøium, gårdbruker.
Flisa	15, 46, 96	60 37	12 1		183		1.9		8.2	1.5	R	F_x	8 14 19	Fru Ingeborg Sorknes.
Fokstua	42	62 7	9 17		952		1.8		6.8	1.5	R	F_x	8 14 19	P. S. Kolstad, telegrafist.
Fortun	70	61 30	7 42	9.820	27	29.6	1.9		6.0	1.3	R	F_x	8 14 19	Arne K. Fortun, poståpner.
Førde i Sunnfjord	70	61 27	5 51		3		1.9		14.0	1.7	R	F_x	8 14 19	Elisa Rydjord, telegrafbestyrerinne.
Gaustatoppen	52	59 51	8 40	9.815	1828	1828.8	2.1			1.3	R	F_x	8 14 19	John Solheim.
Geilo	50	60 32	8 13		795		1.9			2.6		F_x	8 14 19	Dyrgrav, stasjonsbetjent.
Gibostad	90	69 21	18 5		ca. 6		2.0			1.8	R	F_x	8 14 19	Einar Nyberg, landbrukslærer.
Gjermundnes	74	62 37	7 10		51		1.8		5.6	1.4	R	F_x	8 14 19	Finn H. Anfindsen, hagebrukslærer.
Glomfjord	84	66 49	13 59		39		1.6			1.8			8 14 19	Glomfjord kraftverk.
Gläben	60	58 22	7 27		364		1.8		6.0	1.8	R	F_x	8 14 19	Fru Andrea Rosseland.
Grimstad	58	58 20	8 36		7		1.8		5.0	1.4		F_x	8 14 19	Frantz L. Nilsen, telegrafbud.
Grøtøy	86	67 50	14 47		6		2.1			1.5	R	F_x	8 14 19	Alfred Dahl.
Gvarv	15, 54, 96	59 24	9 10		26		1.9		13.8	1.8	R	F_x	8 14 19	Fru Marie Magnussen.
Haugastøl	50	60 31	7 52		990		2.0		7.8	2.4	R	F_x	8 14 19	Fru Inez Hansen.
Hellizvær	84	67 24	13 54		14		2.0			1.7	R	F_x	8 14 19	Harald Pedersen, fisker.
Hellisøy Fyr	15, 66	60 45	4 43		20		1.8	12.3	12.3	1.2	R	F_x	8 14 19	Trygve Selvig, fyrmester.
Horten	52, 96	59 25	10 28		15		1.8			1.8	R	F_x	8 14 19	Fru Inga Gundersen.
Hvam	46	60 6	11 24		162		2.0			1.6	R	F_x	8 14 19	Haakon Boysen, landbrukslærer.
Indre Matre	62	59 51	6 0		24		2.1			1.6		F_x	8 14 19	Arnfinn Matre, telefonbestyrer.
Ingøy	15, 92	71 4	24 9	9.827	4	7.5	1.9	7.8		1.6	R	F_x	8 14 19	Oluf Digre, radiotekniker.
Jomfruland	56	58 52	9 36		15		1.8		22.0	1.7		F_x	8 14 19	Anders Johansen Gjøen, fyrmester.
Karasjok	15, 94	69 28	25 31	9.825	131	132.3	2.1		10.0	1.4		F_x	8 14 19	Fru Anna Næss, poståpner.
Kautokeino	94	69 0	23 2		308		1.9			1.8	R	F_x	8 14 19	Fru Julie Oskal.
Kinn	15, 70	61 34	4 48	9.820	8	8.2	1.8			1.4		F_x	8 14 19	Peder Gjertsen, telefonbestyrer.
Kjevli i Snåsa	80, 97	64 10	12 29		ca. 195		2.0		11.0	1.5		F_x	8 14 19	Sverre Kjøbli, gårdbruker.
Klepp	15, 60, 97	58 48	5 38		14		1.9		12.5	1.6	R	F_x	8 14 19	Sverre Brørs, planteskolebestyrer.
Kongsberg	52	59 40	9 39		170		2.0		6.0	1.7		F_x	8 14 19	Gotfred Lofthus, brannkonstabel.
Kristiansand S.	58, 96	58 10	7 59		22		2.0		15.2	1.7	R	F_x	8 14 19	Rich. Huseby, portner.
Kråkenes Fyr	15, 72	62 2	4 59		39		2.2	6.2	6.0	1.2	R	F_x	8 14 19	Sverre Eriksen, fyrmester.
Kutjern	46	60 34	10 33		493		2.0			1.8	R	F_x	8 14 19	Gudmund Gudmundsen, telegrafist.
Leikanger	68, 97	61 11	6 52		22		2.0			1.8		F_x	8 14 19	Erling Kvale, forsøksleder.
Leka	80	65 6	11 42		ca. 50		2.1			1.7		F_x	8 14 19	Knut Leknes, gårdbruker.
Lillehammer	15, 44, 96	61 6	10 29		226		2.0		10.9	1.4	R	F_x	8 14 19	Thorleif A. Ulsaker, gårdbruker.
Lista	15, 60	58 6	6 34		13		2.1	6.2	5.7	1.6	R	F_x	8 14 19	S. Røsstad, fyrvokter.
Luster Sanat.	68	61 26	7 25		502		2.0			1.9	R	F_x	8 14 19	Arne Skreiberg, gartner.
Lyngør	15, 56	58 38	9 7		2		2.0			1.3	R	F_x	8 14 19	N. C. Nielsen, tollstasjonsbestyrer.

[1]) R: Russeltvedts torsjonshygr., A: Aspirasjons-psykrometer, P: Vanlig psykrometer.

Stasjon (Station)	Side (Page)	φ N	λ E. Gr.	g	H_s m	H_b m	h_t m	h_a m	h_d m	h_r m	Fukt. Instrum.[1])	Obs. av max. vindst.	Observasjonstider. Mellem-europeisk tid.	Observator (Observer)
Lærdal	15, 68	61° 6′	7° 29′	9.819	3	4.0	1.8			1.4	R	F_x	8 14 19	Ove Wangensten, pensjonist.
Majavatn	80	65 13	13 22		350		2.0			1.9		F_x	8 14 19	A. Nilsen Kappfjelli, gårdbruker.
Mandal	58	58 2	7 27		6		2.0		4.4	1.4			8 14 19	Fru Helga Nyvold.
Maurset	64	60 25	7 20		778		2.0		12.7	2.0	R	F_x	8 14 19	Leif Maurseth, gårdbruker.
Meråker	78	63 25	11 46		247		2.0		9.5	1.4	R	F_x	8 14 19	Fru Astrid Olsen.
Modalen	66	60 50	5 56		108		2.0			1.1	R	F_x	8 14 19	Olav Farestveidt, gårdbruker.
Modum	48, 96	59 58	9 58		133		2.0		6.6	1.3	R	F_x	8 14 19	Chr. O. Ruud, agronom.
Molde	74	62 44	7 10		50		1.9		17.3	1.7	R	F_x	8 14 19	Edv. J. Kristensen, kaptein.
Myken	15, 84	66 46	12 29		19		2.0			1.7	R	F_x	8 14 19	Petter Moe, dampskipsekspeditør.
Myrdal	64	60 44	7 7		870		1.9	9.6	7.4	2.6		F_x	8 14 19	Thorvald Johan Finkelsen, telegrafist.
Narvik	86	68 25	17 23		40		1.9		ca.9.6	1.8		F_x	8 14 19	Arne Skindlo, agronom.
Nesbyen	15, 50, 96	60 34	9 6		164		2.0		11	1.7	R	F_x	8 14 19	Frøken Asta Wøllo.
Nordfjordeid	72, 97	61 56	6 6		71		1.8			1.7	R		8 14 19	Fru Pernille N. F. Leivdal.
Nordli	15, 80	64 28	13 36	9.821	401	402.2	1.9		10.1	1.4		F_x	8 14 19	Birger Nordback, telefonbestyrer.
Nordøyan	15, 80	64 48	10 33		33		2.0	14.3	13	1.6	R	F_x	8 14 19	H. Olufsen, fyrmester.
Offersøy	15, 86, 97	68 20	15 38	9.825	16	20.4	2.1		14.1	1.7	R	F_x	8 14 19	Magnus Os, lærer.
Oksøy	15, 58	58 4	8 3	9.818	9	10.2	2.1		8.1	1.8	R	F_x	8 14 19	Torsø, fyrmester.
Ona	15, 74	62 52	6 33	9.821	12	14.6	1.8	6		1.1	R	F_x	8 14 19	Sivert Jonas Viken, poståpner.
Opstryn	15, 72	61 56	7 15		205		1.9			1.8		F_x	8 14 19	Frøken Ingebjørg Skåre.
Oslo (Blindern)	1, 15, 16, 48	59 56	10 44	9.819	94	95.6	2.0	25.2	25.6	1.5	R	F_x	8 14 19	Olsen, Bakken, vaktmestere ved Met. Inst.
Røna	44, 96	61 8	11 22	9.819	225	225.6	1.3		8.8	1.2		F_x	8 14 19	Frøken Martha Alme, Fotograf.
Runde	72, 97	62 24	5 39		22		1.8			1.3		F_x	8 14 19	Frk. Karoline Runde, telefonbestyrerinne.
Røros	15, 40, 96	62 34	11 23	9.819	628	629.8	1.8		14.4	1.9	R	F_x	8 14 19	M. Tyvold, jernbaneekspeditør.
Røst	15, 88	67 30	12 4	9.826	8	10.8	2.0	16.3	15.6	1.6	R	F_x	8 14 19	Nils Cato Olsen, telegrafbestyrer.
Råde (Tomb)	54	59 19	10 49		14		1.9			1.5	R	F_x	8 14 19	Erling Magerøy, landbrukslærer.
Sandsøy i Senja	90	68 57	16 40		17		2.1		8.0	1.8		F_x	8 14 19	A. O. Skogsletten, kjøpmann.
Sauda	15, 62, 97	59 39	6 22		5		1.8			1.5	R	F_x	8 14 19	Oscar Pedersen, vaktsjef.
Selbu	78	63 12	11 7		197		2.0			1.4	R	F_x	8 14 19	Olav Engen, snekker.
Siččajavre	15, 94	68 45	23 33		383		1.4			1.4		F_x	8 14 19	E. E. Øvergård, gårdbruker.
Skomvær Fyr	15, 88	67 25	11 53		13		2.3			1.5		F_x	8 14 19	Alfred Skaar, fyrmester.
Skrova	86	68 9	14 39		11		2.0			1.7	R	F_x	8 14 19	William Zahl, fyrassistent.
Skudenes II	15, 62	59 9	5 15	9.819	7	9.2	2.0		3.0	1.8	R	F_x	8 14 19	Lars Aadnesen, gårdbruker.
Skålvær	82	65 52	12 11		4		1.9			1.7		F_x	8 14 19	Henrik Jensen, kjøpmann.
Sirå	15,64	60 37	7 25		1300		3.2	11.5	10	4.0	R	F_x	8 14 19	Sigurd Bergstrom, banevokter.
Sommarøy i Senja	90	69 38	18 1		2		2.0			1.7		F_x	8 14 19	Konrad Olsen, tilsynsmann.
Stavanger	60	58 57	5 44		85		2.4	10.0	10.0	1.5	R	F_x	8 14 19	Conrad Gilje.
Sula Fyr	15, 76	63 51	8 28	9 822	27	30.0	2.0	5 4	12.2	1.6	R	F_x	8 14 19	Johan Jøstensen, fyrmester.
Sulstua	15, 78	63 40	12 1		233		1.9			1.6		F_x	8 14 19	John R. Brændmo, gårdbruker.
Sunndal	15, 74	62 33	9 7		195		2.0			1.8		F_x	8 14 19	Fru Eli Nisja.
Svandalsflona	62	59 51	6 57		1048		3.1		8.2	3.3	R	F_x	8 14 19	Torjus Svandalsflona, fjellstuecier.
Tjene	15, 50	59 46	9 35		176		1.9		8.5	1.6	R	F_x	8 14 19	Fru Jørgine Hvila.
Ufteland	66, 97	60 14	5 27		53		5.6		7.5	1.2	R	F_x	8 14 19	Wilhelm Jessen, gårdbruker.
Urmarka	46	59 48	10 49		157		2.0		11.6	1.5		F_x	8 14 19	Ludvig Lande, formann.
Urvågen	88	67 54	13 2		20		1.9			1.4		F_x	8 14 19	O. M. Rasmussen, telegrafbud.
Utfjord	72, 97	62 13	7 26	9.821	27	29.6	2.1		14.5	1.4	R	F_x	8 14 19	Joh. Andersen, maskinmester.
Vangvoll	76, 97	62 50	8 19		51		1.8		9.7	1.6	R	F_x	8 14 19	P. Oftedal, maskinmester.
Vinnes i Helgeland	82	66 31	13 1		15		2.9			2.0		F_x	8 14 19	Th. Lundlie, telegrafbestyrer.
Vinstad	15, 60	58 40	6 42		57		2.0		9.5	1.4	R	F_x	8 14 19	Fru Thrine Bjunes.
Vårsvåg	92	70 15	19 30		22		1.9	4.8		1.8	R	F_x	8 14 19	Einar Solem, fyrmester.
Vårungen Fyr	15, 56	58 24	8 48		12		2.0			1.4		F_x	8 14 19	Christen S. Andersen, fyrassistent.
Øksmsø	15, 34, 90, 97	69 39	18 57	9.825	102	114.5	2.8	12.3	20.7	1.7	R	F_x	8 14 19	K. Lukkassen, vaktmester ved Vervarslinga.
Øndheim (Voll)	15, 28, 76, 97	63 25	10 27	9.821	127	133.0	2.0		11.2	1.3	R	F_x	8 14 19	Ole Tuset, agronom.
Øysil	44	61 20	12 15		363		1.9			1.5	R	F_x	8 14 19	Magnus Holt, urmaker.
Øyvasshøgda	48	59 59	10 41		512		2.1		20.3	2.0	R	F_x	8 14 19	Widding-Danielsen, telegraffullmektig.
Åeitsund	56	59 2	8 31		252		2.0			1.5		F_x	8 14 19	Frøken Inger Tveit.
Åensvang	15, 64, 97	60 19	6 40	9.819	15	12.3	2.4		8.5	1.8	R	F_x	8 14 19	Fru Marita Aarhus.
Åira	62	59 18	4 53		55		2.1			1.6	R	F_x	8 14 19	Fridtjov Aspen, fyrmester.
Ålersund	76, 97	63 51	9 44		4		2.0		7.8	1.4		F_x	8 14 19	Kåre Stenstvedt, telefonbestyrer.
Åg på Hedm.	15, 44, 96	60 49	11 11		222		1.9		14.7	1.3	R	F_x	8 14 19	Sigv. Gulbrandsen, bestyrer.
Ågsnes	68	61 10	6 39		53		2.0		5.7	1.8		F_x	8 14 19	Ole Larsen telefonbestyrer.
Ådø	15, 92	70 22	31 6	9.826	10	12.1	2 0	9.2	10.0	1.8	R	F_x	8 14 19	Frøken Ingerid Oien.
Åall i Drangedal	56	59 0	9 13		68		2.0		12.3	1.6	R		8 14 19	Hans Lautangen.
Åger	46	60 13	12 1		175		2.0			1.5	R	F_x	8 14 19	Svein Gillebo, skolebestyrer.
Åstra	15, 42, 96	61 36	9 45		241		2.1			1.6	R		8 14 19	Anton P. Thorsheim, smed.
Åen i Slidre	15, 42, 96	61 6	8 58	9.819	403	404.6	2.0		12.0	1.7	R	F_x	8 14 19	Frøken Olga Breyholtz.
Ås	64	60 38	6 26		62		2.0			1.7	R	F_x	8 14 19	Torstein Seim, vaktmester.
Åe Rendal	40	61 41	11 12		253		1.9		14.5	1.6		F_x	8 14 19	Fru Kjellaug Aasheim, Berget, poståpner.
Åeren i Rana	82, 97	66 21	14 8		20		1.9			1.6	R	F_x	8 14 19	Frk. Othea Hjerpaas, telefonbestyrerinne.
Åerøy	78	63 48	11 13		74		1.9		9.5	1.5	R	F_x	8 14 19	Kristian Henning, gårdbruker.
Åand	76	63 41	9 40		12		1.9		11.1	1.5	R	F_x	8 14 19	Petter Arnet, agent.
Åta	74	62 12	6 7		ca. 40		1.6			1.6	R	F_x	8 14 19	Erik Berg, assistent.
Åtoten	44, 96	60 42	10 53		270		2.0		10.7	1.7			8 14 19	Konrad Finstad, agronom.

R: Russeltvedts torsjonshygr., A: Aspirasjons-psykrometer, P: Vanlig psykrometer.

Rettelser.

I «Jahrbuch des Norwegischen Meteorologischen Instituts für»:

			står:	skal være:
1882.	S. 44	Christiansund, März 28. Barometer –2–	43.1	48.1
1936.	S. 99	Glomfjord, Januar, Niederschlag Σ	7	8
»	» »	» Jahr » »	215	216
1941.	S. 91	Sletnes Fyr, März, Windstärke $F \geq 6$	19	20
»	» »	» Jahr » »	180	181
1944.	S. 61	Svandalsflona, Juli, Niederschlag Σ	121	127
»	» »	» Jahr » »	1536	1542
»	S. 63	Slirå, August, Niederschlag Max	30–13	32–19
»	» »	» Jahr » »	30	32
»	» »	Myrdal, September, Niederschlag Σ	114*	213*
»	» »	» Jahr » »	1758	1857
»	S. 77	Kjevli i Snåsa, Februar, Zahl der Tage mit Schnee	19	20
»	» »	» April » » »	16	17
»	» »	» Jahr » » »	107	109

Corrigenda.

In the «Jahrbuch des Norwegischen Meteorologischen Instituts für»:

			instead of:	read:
1882.	p. 44	Christiansund, März 28. Barometer –2–	43.1	48.1
1936.	p. 99	Glomfjord, Januar, Niederschlag Σ	7	8
»	» »	» Jahr » »	215	216
1941.	p. 91	Sletnes Fyr, März, Windstärke $F \geq 6$	19	20
»	» »	» Jahr » »	180	181
1944.	p. 61	Svandalsflona, Juli, Niederschlag Σ	121	127
»	» »	» Jahr » »	1536	1542
»	p. 63	Slirå, August, Niederschlag Max	30–13	32–19
»	» »	» Jahr » »	30	32
»	» »	Myrdal, September, Niederschlag Σ	114*	213*
»	» »	» Jahr » »	1758	1857
»	p. 77	Kjevli i Snåsa, Februar, Zahl der Tage mit Schnee	19	20
»	» »	» April » » »	16	17
»	» »	» Jahr » » »	107	109

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

1945

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	17.3	18.0	16.9	16.7	16.1	15.2	13.1	11.3	09.5	07.8	05.2	03.8	18.3	03.8	12.58
2	02.7	01.2	99.8	99.1	98.3	97.3	96.5	95.9	94.3	92.8	90.6	88.5	03.8	88.5	96.42
3	86.7	85.3	83.8	82.5	81.3	80.0	79.5	78.3	77.4	76.8	76.5	75.9	88.6	75.9	80.33
4	75.6	75.0	75.1	75.4	76.1	77.6	78.3	79.9	80.4	81.4	82.2	83.2	83.3	75.0	78.35
5	84.5	85.3	86.2	87.6	88.5	89.7	90.3	91.3	92.4	93.1	93.9	94.0	94.0	83.2	89.73
6	94.4	94.5	94.4	94.7	94.8	94.6	93.1	91.3	90.0	88.2	86.6	84.0	95.0	84.0	91.72
7	81.9	80.4	79.1	79.5	80.0	80.7	81.2	82.3	83.6	84.9	86.5	88.0	88.0	78.9	82.34
8	88.7	90.2	91.1	92.4	93.8	94.9	95.5	96.0	97.0	98.0	99.0	99.3	99.3	88.0	94.66
9	99.4	99.5	99.8	00.5	01.8	02.9	02.8	03.7	04.2	04.9	05.3	05.2	05.4	99.3	02.50
10	05.2	05.4	06.5	07.4	08.1	09.1	09.5	09.5	10.3	10.8	11.3	12.6	12.6	05.1	08.81
11	13.5	13.9	14.8	16.5	18.0	19.2	19.7	20.7	21.4	22.3	22.9	23.2	23.2	12.6	18.84
12	23.7	24.2	24.9	26.4	26.9	27.9	27.9	28.2	28.2	28.6	28.4	28.4	**28.7**	23.2	**26.98**
13	28.1	27.7	26.8	26.3	25.7	24.5	23.0	21.4	20.2	18.8	17.6	16.2	28.5	16.2	23.02
14	14.2	12.2	09.5	08.1	06.8	05.4	03.8	03.2	03.3	04.1	04.9	06.4	16.2	03.1	06.82
15	07.2	07.3	07.0	06.4	06.8	06.7	06.5	06.1	06.2	06.0	05.4	04.1	07.5	04.1	06.31
16	02.2	99.6	95.9	93.3	90.0	84.7	79.8	75.7	72.1	67.6	63.2	60.8	04.1	60.8	82.08
17	59.7	59.6	58.7	58.7	60.2	62.6	64.9	67.1	69.2	70.6	72.8	74.3	74.3	**58.5**	64.87
18	75.2	75.5	75.8	76.0	76.2	75.5	74.8	73.9	73.2	71.7	70.3	68.7	76.3	68.7	73.90
19	65.3	63.6	60.5	59.8	60.4	59.6	59.3	59.4	60.1	60.7	61.3	61.5	68.7	59.2	**60.96**
20	62.2	63.2	64.1	66.6	68.9	70.5	71.9	73.4	74.3	75.4	76.6	77.9	77.9	61.5	70.42
21	79.0	80.3	82.2	84.0	85.7	87.3	88.3	90.1	91.6	92.7	94.0	94.9	94.9	77.9	87.51
22	95.9	96.5	97.2	98.1	99.2	99.9	00.4	01.3	02.2	02.8	03.1	03.1	03.1	94.9	99.98
23	03.1	03.1	02.7	02.8	02.9	02.2	01.5	01.3	01.3	01.3	01.3	01.3	03.1	01.3	02.07
24	01.7	02.1	02.6	03.1	03.7	03.5	03.1	02.9	03.1	03.6	04.7	05.6	05.6	01.3	03.31
25	06.9	08.0	08.7	09.7	10.9	11.6	11.7	12.1	12.2	12.1	11.7	10.2	12.3	05.6	10.48
26	09.3	08.9	08.4	08.9	09.8	10.1	10.2	11.1	11.8	12.1	12.7	12.8	12.8	08.3	10.51
27	12.6	12.2	11.9	12.4	13.1	13.1	12.7	13.9	14.8	16.0	16.6	17.1	17.1	11.8	13.87
28	17.7	17.7	18.1	18.6	19.5	19.7	19.1	18.6	18.1	17.5	17.0	15.9	19.7	15.9	18.12
29	14.7	13.2	12.0	11.7	11.3	10.5	09.4	09.0	08.5	08.3	07.9	06.9	15.9	06.9	10.28
30	06.2	05.3	04.3	04.0	03.4	01.7	00.5	99.6	98.4	97.5	96.6	95.8	06.9	95.8	01.11
31	94.5	93.6	92.2	91.7	91.4	90.3	88.7	87.8	87.7	87.6	88.0	88.5	95.8	87.5	90.17
M	97.72	97.50	97.13	97.38	**97.73**	97.69	97.32	97.30	97.32	97.29	97.23	**97.03**	02.61	92.15	97.39

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	88.3	88.1	88.3	87.9	87.7	86.7	85.2	84.6	85.1	85.7	87.0	88.3	88.5	84.6	86.91
2	89.8	90.4	90.8	91.3	91.8	91.4	90.7	89.7	88.5	87.3	86.0	85.1	91.9	85.1	89.40
3	85.1	84.9	86.1	88.2	90.8	93.4	95.6	98.6	01.5	03.7	05.1	06.4	06.4	84.9	94.95
4	06.7	07.4	07.2	07.1	07.2	06.5	05.6	05.0	04.8	04.7	04.7	04.1	07.4	04.1	05.92
5	03.1	02.2	01.7	01.3	00.4	00.1	99.3	98.1	98.2	98.1	97.9	97.9	04.2	97.9	99.86
6	97.5	97.6	97.6	98.5	99.2	99.1	00.3	00.7	01.9	02.2	02.7	02.5	02.7	97.4	99.98
7	02.7	01.3	00.2	98.6	96.4	93.9	90.4	86.6	84.2	82.3	81.5	81.7	03.0	**81.5**	91.65
8	81.8	81.9	82.2	82.2	82.4	83.7	84.0	84.9	85.8	86.3	87.2	87.8	87.8	81.7	**84.18**
9	88.2	88.3	88.8	89.5	90.6	91.5	91.8	92.5	92.8	93.1	93.1	92.8	93.2	87.8	91.08
10	92.5	91.5	91.0	90.8	90.6	90.3	89.7	89.7	89.6	88.9	88.5	88.0	92.9	88.0	90.09
11	87.2	85.8	85.1	84.4	84.6	84.6	85.1	85.7	86.2	86.8	87.3	87.9	87.9	84.4	85.89
12	88.3	88.9	89.5	90.8	91.6	93.0	93.7	94.7	95.8	96.6	97.6	97.4	97.6	87.9	93.16
13	97.3	97.0	96.4	96.2	95.1	94.6	93.4	91.2	90.2	90.0	89.8	89.8	97.5	89.8	93.42
14	90.2	90.3	91.4	92.5	93.8	95.0	95.1	95.5	96.6	97.3	98.3	99.5	99.5	89.8	94.62
15	00.7	01.9	02.9	04.9	07.0	08.9	10.4	12.2	13.8	15.2	15.3	17.4	17.4	99.5	09.22
16	18.2	18.3	18.9	19.7	20.4	21.1	21.3	21.1	21.4	21.9	22.2	22.9	22.9	17.4	20.62
17	22.8	22.4	22.3	22.5	22.8	23.0	23.2	23.2	23.2	23.5	23.9	24.3	24.3	22.2	23.09
18	24.3	23.7	23.9	23.9	24.4	24.5	24.2	24.4	23.7	22.8	22.0	20.5	**24.5**	20.5	**23.52**
19	19.1	18.4	18.4	19.2	20.3	21.0	21.6	21.6	22.2	22.7	22.9	22.3	23.0	18.1	20.81
20	22.1	21.8	20.2	19.5	18.4	17.5	15.8	14.2	13.5	12.6	12.2	12.5	22.5	12.1	16.69
21	12.8	13.7	14.6	16.2	16.9	16.7	15.3	14.2	13.0	11.6	10.8	09.1	17.0	09.1	13.74
22	07.6	06.5	04.4	03.6	03.8	03.9	04.4	04.6	05.8	07.2	08.3	09.8	09.8	03.6	05.92
23	10.9	11.1	11.0	11.2	11.3	10.7	10.2	09.5	09.2	09.2	09.0	09.1	11.6	09.0	10.20
24	09.0	09.1	09.1	09.0	08.7	07.8	06.3	05.0	03.3	00.9	98.1	95.6	09.2	95.6	05.15
25	91.7	89.0	86.0	84.7	83.2	82.7	82.0	81.9	83.2	84.8	85.7	86.9	95.6	81.9	85.15
26	88.1	88.5	89.9	90.9	91.9	93.1	92.4	91.5	91.8	92.7	93.0	93.2	93.5	86.9	91.42
27	94.3	96.3	98.4	00.4	01.0	00.8	99.3	97.7	96.8	96.6	96.6	96.5	01.1	93.2	97.89
28	96.3	96.0	96.2	97.4	98.7	99.1	98.7	97.5	97.4	95.8	92.0	88.8	99.3	88.8	96.16
M	00.59	**00.44**	00.45	00.80	01.11	**01.24**	00.89	00.58	00.70	00.73	00.67	00.65	04.72	96.53	00.74

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	85.3	80.0	75.6	73.9	73.8	74.9	76.1	78.6	79.8	81.1	81.7	82.2	88.8	**73.5**	**78.58**
2	83.3	84.5	87.1	90.7	93.0	95.5	98.9	01.2	03.7	05.6	06.6	08.0	08.0	82.2	96.57
3	08.3	08.0	08.4	08.5	08.4	09.7	10.7	11.4	11.4	11.3	10.7	09.9	11.5	08.0	09.72
4	08.4	07.0	06.0	05.7	05.3	04.8	04.3	04.3	05.3	06.3	06.6	07.1	09.9	04.2	05.92
5	06.6	05.9	05.0	04.7	04.1	03.7	03.1	03.0	03.3	03.7	04.1	04.5	07.1	02.9	04.31
6	04.5	04.5	04.9	05.7	05.8	05.9	05.1	04.9	04.8	05.0	05.3	05.9	06.0	04.3	05.19
7	06.5	07.9	09.0	09.9	10.0	10.0	09.7	09.1	08.5	08.4	08.0	07.3	10.1	05.9	08.69
8	07.3	07.2	07.5	08.2	09.0	10.2	11.2	12.4	14.3	16.0	16.7	17.4	17.4	06.7	11.45
9	17.9	17.4	16.4	15.2	13.5	11.2	09.4	06.7	04.5	03.6	03.2	02.6	**17.9**	02.6	10.13
10	02.1	00.9	00.2	00.2	00.1	00.3	01.0	02.9	05.6	08.9	10.0	11.0	11.0	99.8	03.60
11	12.0	11.8	12.1	12.7	13.1	13.1	13.1	13.0	13.0	13.2	13.2	13.3	13.3	11.0	12.80
12	13.0	12.9	13.0	12.9	12.7	12.2	11.1	09.6	08.8	08.3	07.9	07.1	13.3	07.1	10.79
13	06.2	05.9	05.5	06.6	08.1	09.3	09.5	09.5	09.0	08.6	08.7	08.4	09.6	05.4	07.94
14	07.1	06.1	05.5	04.8	05.2	04.9	04.7	03.3	02.4	01.1	00.4	00.7	08.4	00.3	03.85
15	01.3	01.3	00.8	00.8	00.7	00.1	98.8	96.9	95.6	95.3	95.2	95.5	01.5	95.1	98.52
16	95.2	94.8	94.6	94.6	94.6	94.6	94.2	94.4	94.6	95.3	97.4	98.8	98.8	94.2	95.26
17	99.8	01.2	02.8	04.3	05.9	06.7	07.0	07.3	08.1	09.0	09.8	10.6	10.6	98.8	06.04
18	10.6	10.4	10.5	11.0	11.4	11.5	11.2	10.9	11.0	11.5	11.5	11.5	11.5	10.4	11.08
19	10.9	10.2	09.0	09.4	08.3	07.6	06.5	04.9	03.4	01.8	00.1	98.4	11.5	98.4	05.88
20	95.6	92.0	87.5	83.0	79.5	77.7	77.7	78.6	80.2	81.7	82.3	82.0	98.4	77.5	83.15
21	81.9	82.4	84.3	87.7	91.3	95.0	97.9	99.6	02.1	04.6	06.2	07.4	07.4	81.8	95.03
22	07.7	07.2	06.8	07.0	07.5	08.0	08.3	08.4	08.3	08.7	09.1	09.0	09.2	06.7	08.00
23	12.7	09.8	10.9	11.8	12.6	12.8	12.9	12.9	13.2	14.2	15.1	15.9	15.9	09.0	12.90
24	16.3	16.3	16.3	16.9	16.9	16.8	15.8	14.8	14.1	13.6	13.4	13.1	17.0	13.1	**15.36**
25	12.8	12.3	12.0	11.8	11.8	11.4	10.6	09.6	09.0	08.7	08.6	08.6	13.1	08.6	10.60
26	07.7	07.3	06.9	06.9	06.6	05.8	05.3	04.5	04.5	04.9	05.5	05.9	08.6	04.3	05.98
27	06.2	06.2	06.2	06.5	06.6	06.2	05.1	04.0	03.4	03.1	02.6	02.1	06.8	02.1	04.85
28	01.0	00.2	99.2	98.7	98.2	97.6	96.9	95.8	95.4	95.8	95.6	95.6	02.1	95.4	97.50
29	95.3	94.5	94.3	94.1	93.7	93.3	91.6	90.6	90.0	90.2	90.1	90.0	95.6	90.0	92.31
30	89.5	88.3	87.1	86.4	85.6	84.7	84.3	84.1	84.1	84.9	85.4	85.6	90.0	83.9	85.83
31	85.7	86.1	86.6	87.1	87.5	87.6	87.3	87.1	85.5	84.8	83.2	81.7	87.6	81.7	85.85
M	**03.18**	02.60	**02.32**	02.51	02.61	02.68	02.56	02.40	02.48	02.88	03.04	03.13	07.03	02.10	02.70

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	80.1	77.7	75.7	74.6	73.9	72.1	69.1	67.7	68.5	69.7	69.3	70.6	81.7	**67.4**	**72.42**
2	71.9	73.3	73.6	74.0	73.7	73.5	74.1	75.6	77.8	80.3	81.8	83.0	83.0	70.6	76.05
3	83.7	83.6	84.0	84.3	84.7	84.4	84.1	84.0	84.2	84.4	85.4	85.8	85.8	83.0	84.38
4	85.9	86.1	86.9	88.2	89.5	90.9	91.6	92.7	94.5	96.3	98.2	99.7	99.7	85.8	91.71
5	00.7	01.8	02.9	04.1	05.0	05.5	06.3	06.5	07.1	08.4	09.6	10.3	10.3	99.7	05.68
6	11.4	12.2	13.8	15.1	16.1	16.8	16.8	17.3	17.9	19.2	20.2	21.1	21.1	10.3	16.49
7	21.1	20.9	21.0	21.3	20.9	21.1	18.9	17.6	16.9	17.4	17.0	16.4	**21.3**	16.4	**19.21**
8	15.7	14.1	13.4	13.0	12.4	12.2	12.1	12.1	12.1	12.2	12.3	12.4	16.4	12.0	12.83
9	12.3	12.4	12.1	12.2	11.9	11.0	10.8	10.6	10.2	10.5	10.1	09.3	12.4	09.3	11.11
10	08.3	07.1	07.3	08.5	09.3	09.6	09.1	08.8	08.4	08.1	10.1	08.3	09.7	07.0	08.58
11	08.1	07.5	07.6	07.8	07.4	06.2	04.7	03.8	03.4	04.4	05.1	05.9	08.3	03.2	05.99
12	06.0	05.9	05.8	05.7	05.3	04.3	03.1	01.9	01.7	02.4	02.9	03.3	06.1	01.5	04.02
13	03.4	03.6	04.2	04.3	04.2	03.7	03.4	04.0	05.2	06.9	08.3	10.0	10.0	03.3	05.10
14	10.5	11.7	13.1	14.1	14.4	14.6	14.8	14.9	15.2	15.5	16.1	16.3	16.3	10.0	14.27
15	16.9	16.7	17.1	17.1	17.0	16.4	15.7	14.9	14.8	14.8	14.6	14.6	17.1	14.6	15.88
16	14.2	13.6	13.4	13.0	12.4	11.6	10.5	09.5	08.7	08.8	08.7	08.0	14.6	08.0	11.03
17	07.6	06.6	06.1	05.8	05.5	05.4	05.5	05.3	05.3	06.9	08.2	08.5	08.5	05.3	06.39
18	09.0	09.1	09.0	09.1	08.4	07.8	06.6	05.4	04.2	04.1	03.5	03.1	09.3	03.1	06.61
19	03.2	03.3	03.8	04.4	04.7	04.1	03.8	03.4	03.9	04.2	04.1	03.7	04.7	03.1	03.88
20	03.1	01.8	00.9	99.6	98.2	95.7	93.2	90.9	89.5	89.2	89.1	88.6	03.7	88.6	94.98
21	86.8	84.8	83.0	82.0	80.5	80.1	79.9	79.3	80.4	81.4	82.3	83.5	88.6	79.3	82.00
22	84.9	86.3	88.2	89.5	90.3	91.8	92.4	93.1	94.5	96.0	92.5	98.4	98.4	83.5	91.49
23	99.0	99.4	00.3	01.0	01.2	00.7	00.8	01.0	01.3	01.5	02.0	02.3	02.3	98.4	00.88
24	02.4	02.4	02.3	02.2	01.8	01.8	00.3	99.3	98.8	98.6	98.5	98.6	02.4	98.5	00.58
25	98.5	98.3	98.2	98.2	98.4	98.7	98.4	98.9	98.9	99.4	99.9	00.6	00.6	98.2	98.87
26	00.8	00.6	00.5	00.9	00.5	99.3	98.6	97.9	96.9	96.9	96.6	96.3	00.9	96.3	98.90
27	95.8	95.4	95.1	94.8	94.6	94.2	93.7	93.1	91.9	90.8	89.6	87.7	96.3	87.7	93.06
28	85.7	83.9	82.0	81.7	82.4	83.3	84.1	84.6	85.1	86.2	87.6	89.3	89.3	81.5	84.66
29	90.6	91.2	91.8	92.4	92.4	91.6	90.8	90.2	90.2	89.9	90.5	90.7	92.5	89.3	91.02
30	91.7	92.8	94.5	96.0	97.1	97.5	98.0	98.2	98.4	99.3	99.6	99.8	99.8	90.7	96.91
M	00.31	00.14	00.25	00.50	00.47	00.20	99.71	**99.42**	99.53	00.12	00.46	**00.87**	03.70	96.85	00.17

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

1945

Oslo (Blindern)

$\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$ $H_t = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	99.6	99.7	00.9	01.8	02.3	02.3	02.2	02.9	02.8	02.8	02.3	03.5	03.5	99.6	01.92
2	04.7	05.3	06.1	06.6	06.3	05.9	05.7	04.7	03.7	02.3	00.9	98.6	06.6	98.6	04.23
3	98.0	98.1	99.2	00.2	01.4	01.7	99.7	98.6	97.8	96.0	95.3	92.5	01.9	92.4	98.21
4	91.1	90.9	91.4	92.1	92.8	94.4	95.4	96.2	96.2	96.0	95.7	95.4	96.4	90.5	93.97
5	95.2	94.7	95.0	95.2	95.4	95.1	94.6	94.2	94.1	94.3	94.5	94.8	95.4	94.0	94.76
6	95.0	95.4	95.6	95.6	95.4	95.1	95.0	95.1	95.4	96.1	96.9	98.3	98.3	94.8	95.74
7	99.1	00.0	00.8	01.2	01.6	02.3	02.9	03.4	03.7	04.7	05.6	06.5	06.5	98.3	02.65
8	07.0	07.3	08.0	08.4	08.5	08.9	09.3	09.2	09.2	10.2	11.8	12.8	12.8	06.5	09.22
9	13.7	14.1	14.9	15.1	15.1	14.8	14.3	13.7	12.8	12.0	12.1	11.5	**15.2**	11.5	**13.68**
10	10.6	09.7	09.0	07.9	07.0	06.1	05.5	05.1	04.8	04.6	04.5	04.3	11.5	04.3	06.59
11	03.4	02.4	01.2	00.5	99.7	99.0	98.6	99.3	00.0	01.3	02.4	03.0	04.3	98.4	00.90
12	04.5	05.5	06.4	07.3	07.4	07.4	06.7	06.1	06.1	06.5	06.9	07.5	07.6	03.0	06.52
13	07.4	06.9	06.6	06.2	05.2	03.7	02.6	00.7	98.7	96.5	92.8	88.8	07.8	88.8	01.34
14	85.4	83.1	82.9	84.1	84.7	85.1	85.5	86.0	86.5	87.1	87.8	88.6	88.8	**82.7**	**85.57**
15	89.1	89.3	90.0	91.0	91.0	91.8	92.2	92.8	93.8	94.6	95.5	96.3	96.3	88.6	92.28
16	97.3	97.9	98.8	98.5	98.3	97.8	97.1	96.9	96.3	96.3	95.8	95.5	98.8	95.5	97.21
17	95.4	94.9	95.0	94.3	92.7	90.8	89.7	89.0	88.2	87.9	87.9	88.8	95.5	87.8	91.22
18	89.6	91.3	92.5	93.1	92.9	93.0	92.5	93.2	94.0	95.5	96.5	98.2	98.2	88.8	93.52
19	98.8	99.5	00.4	01.4	01.4	01.9	01.8	02.0	02.6	03.5	04.2	05.3	05.3	98.2	01.90
20	06.1	06.7	07.1	07.0	06.5	06.2	05.7	05.2	04.7	05.1	05.6	05.9	07.3	04.7	05.98
21	06.1	06.0	05.9	05.5	05.1	03.7	02.3	00.9	99.7	99.5	99.4	99.5	06.1	99.4	02.80
22	99.3	98.9	99.3	99.2	98.8	98.0	97.2	96.3	95.7	95.9	97.7	99.1	99.5	95.5	97.95
23	99.8	00.0	00.1	00.2	00.0	99.3	98.7	98.5	98.3	98.5	98.5	00.0	00.2	98.3	99.32
24	99.8	99.6	99.3	98.7	98.2	97.4	97.8	98.7	00.0	00.6	01.4	02.4	02.4	97.0	99.49
25	02.6	02.6	03.2	03.1	02.5	01.6	01.2	00.4	99.9	99.8	00.2	00.4	03.3	99.6	01.46
26	00.5	00.4	00.9	01.1	00.9	00.5	00.2	00.0	99.8	00.1	00.6	01.0	01.1	99.8	00.50
27	01.1	01.2	01.0	01.4	01.4	01.8	01.9	01.7	01.6	01.5	01.5	01.5	02.0	01.0	01.48
28	01.1	00.5	00.0	00.2	99.8	99.9	99.2	99.2	99.0	99.4	99.8	99.9	01.5	98.8	99.83
29	00.3	99.9	00.0	00.2	00.4	99.8	98.9	97.8	97.9	97.4	96.7	96.3	00.7	96.3	98.80
30	95.7	95.0	93.7	92.3	92.4	92.9	93.4	93.6	94.1	94.6	95.7	96.3	96.3	92.2	94.14
31	96.4	96.7	97.0	98.0	98.4	98.5	98.6	98.7	98.8	99.2	00.1	01.0	01.0	96.3	98.45
M	99.80	99.79	00.07	**00.24**	00.11	99.89	99.56	99.36	**99.23**	99.35	99.57	99.79	02.32	96.81	99.73

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	01.3	01.6	02.1	02.9	03.1	03.2	02.9	02.6	03.2	03.4	03.9	04.6	04.6	01.0	02.90
2	04.9	04.9	05.3	05.2	05.3	04.9	04.0	03.3	03.0	02.8	02.8	03.2	05.3	02.7	04.13
3	03.0	02.7	02.2	01.6	00.5	99.5	98.8	98.6	98.1	98.4	98.4	98.0	03.2	98.0	99.98
4	97.2	96.4	95.6	93.5	91.1	88.7	85.7	83.1	80.5	79.1	78.6	79.9	98.0	**78.6**	87.45
5	81.8	84.8	87.9	90.2	92.5	94.4	95.3	96.2	96.7	97.5	98.3	99.4	99.4	79.9	92.92
6	99.8	01.0	01.9	02.6	02.9	02.6	01.9	01.5	01.7	01.0	01.2	00.5	03.1	99.4	01.55
7	99.0	98.0	97.4	97.3	97.1	97.2	96.8	96.1	94.5	92.6	90.9	90.2	00.5	90.2	95.59
8	90.0	89.2	88.5	88.1	88.7	89.6	90.4	91.7	92.2	92.6	93.7	94.3	94.3	87.7	90.75
9	94.6	95.9	97.4	97.7	98.2	98.2	99.5	98.6	98.2	99.3	00.8	01.5	01.5	94.3	98.32
10	01.9	01.8	01.5	00.9	99.9	99.4	98.4	98.2	98.2	99.1	99.8	01.5	02.0	97.9	00.05
11	02.3	03.2	03.6	03.9	04.1	03.7	03.1	02.4	01.2	01.5	01.5	00.9	04.1	00.9	02.62
12	00.2	99.1	98.7	98.0	97.6	96.6	95.8	95.6	95.2	95.2	95.4	94.9	00.9	94.9	96.86
13	94.5	94.1	93.7	93.3	92.5	91.3	90.5	89.4	88.2	87.2	86.7	85.4	94.9	85.4	90.57
14	83.8	82.3	81.5	81.1	80.2	79.3	79.7	81.3	82.8	85.0	86.5	88.0	88.0	79.2	**82.62**
15	88.9	89.7	90.4	91.0	90.2	89.2	88.2	87.3	86.3	83.3	82.9	83.6	91.2	82.8	87.58
16	84.1	83.8	83.9	84.2	84.6	86.9	88.9	90.7	92.2	94.3	95.9	97.4	97.4	83.6	88.91
17	99.0	00.4	01.7	02.4	02.7	03.2	03.7	03.8	03.7	03.3	02.8	02.0	04.0	97.4	02.39
18	02.0	01.1	00.3	99.4	99.2	99.0	99.0	99.1	99.1	99.5	00.3	01.4	02.0	98.9	99.95
19	02.3	03.4	04.9	05.7	06.2	06.6	06.4	06.8	07.2	07.7	08.8	10.0	10.0	01.4	06.33
20	10.5	11.1	11.6	11.7	11.2	10.7	09.7	09.0	08.5	08.3	08.8	09.2	**11.7**	08.3	10.02
21	09.8	10.0	10.4	10.7	10.1	09.8	09.2	08.6	08.2	08.4	09.1	10.1	10.7	08.2	09.53
22	10.3	10.5	10.8	11.1	10.9	10.7	10.0	09.8	09.4	09.2	09.0	09.3	11.2	09.0	**10.08**
23	09.1	09.1	09.5	09.8	10.2	09.6	09.1	09.4	09.1	08.8	09.0	09.1	10.3	08.8	09.32
24	09.0	08.7	08.7	09.0	09.0	08.9	08.4	08.0	07.3	06.9	06.9	06.8	09.3	06.8	08.13
25	06.5	05.7	05.5	05.2	04.9	04.3	03.7	03.0	02.4	01.9	01.3	00.9	06.8	00.9	03.78
26	00.5	00.0	00.3	00.4	00.5	00.0	99.8	99.6	99.1	99.1	99.0	99.1	01.0	99.0	99.78
27	98.9	98.6	98.5	98.8	99.0	98.8	98.8	98.5	97.9	97.5	97.1	96.6	99.1	96.6	98.25
28	96.0	95.5	95.2	94.7	94.4	93.9	93.5	92.9	92.7	92.6	92.6	92.7	96.6	92.4	93.89
29	92.8	92.7	92.8	92.8	92.6	92.0	91.5	91.2	90.6	90.9	91.3	91.4	92.9	90.6	91.88
30	91.3	91.2	90.8	90.3	90.2	89.6	89.0	88.9	88.3	88.0	88.0	87.6	91.4	87.6	89.43
M	98.84	98.88	99.09	**99.12**	98.99	98.73	98.39	98.17	97.86	**97.81**	98.04	98.32	01.51	95.41	98.52

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	87.7	87.2	86.9	86.8	86.6	86.5	86.1	86.1	86.0	86.3	87.3	87.5	87.7	**85.9**	**86.75**
2	87.3	87.4	87.4	87.6	87.6	87.5	87.8	88.3	88.0	89.1	89.9	91.0	91.0	87.2	88.24
3	91.6	92.4	93.7	94.8	95.3	95.4	95.4	95.7	96.1	96.6	97.4	98.4	98.4	91.0	95.23
4	99.0	99.4	00.1	00.4	00.6	00.4	00.2	99.9	00.0	00.2	00.8	01.3	01.3	98.4	00.19
5	01.4	01.3	01.6	01.5	01.2	00.4	00.0	99.4	99.5	99.5	99.8	01.1	01.6	99.1	00.56
6	01.4	01.3	01.2	01.2	00.2	99.8	99.4	99.1	97.9	97.3	97.5	97.2	01.4	97.2	99.46
7	97.5	97.4	98.3	98.9	99.1	99.0	98.7	99.1	99.4	99.9	00.6	01.1	01.1	97.2	99.08
8	01.4	01.6	01.7	02.2	02.2	03.3	03.3	03.5	03.3	03.4	03.8	03.7	04.0	01.1	02.78
9	03.8	03.6	03.7	03.5	03.5	03.2	03.0	03.5	03.2	04.0	04.4	05.0	05.0	03.0	03.70
10	05.0	04.9	04.9	04.5	04.3	03.7	03.2	02.9	02.6	02.6	03.4	04.1	05.1	02.5	03.84
11	04.3	04.4	04.9	05.1	04.9	04.3	03.9	03.6	03.6	04.1	04.8	05.8	05.8	03.4	04.48
12	05.8	06.0	06.4	06.4	06.2	06.1	06.6	05.9	05.4	05.7	06.3	06.8	06.8	05.4	06.13
13	07.0	07.0	07.1	07.6	07.7	07.4	07.0	06.8	06.5	06.7	07.1	07.5	07.8	06.5	07.12
14	07.6	07.6	08.2	08.5	08.3	08.4	08.5	08.5	08.2	08.4	09.5	10.2	10.2	07.5	08.49
15	10.5	10.8	11.4	12.1	12.0	12.0	11.3	10.6	10.8	11.2	11.8	12.3	12.3	10.2	11.40
16	12.5	12.8	13.0	12.7	12.4	12.1	11.5	11.4	10.8	10.6	10.8	10.7	**13.0**	10.6	**11.78**
17	11.0	11.0	11.4	11.8	11.9	11.7	11.4	11.4	10.9	10.7	11.0	11.2	12.0	10.7	11.28
18	11.1	11.3	11.4	11.3	11.5	11.0	10.6	09.8	08.9	09.0	09.2	09.3	11.5	08.8	10.37
19	09.1	08.4	08.7	08.4	07.7	06.2	05.1	04.4	03.6	04.0	04.0	03.8	09.5	03.2	06.12
20	03.7	02.8	01.8	01.7	00.5	99.6	99.0	99.0	97.9	97.2	97.3	97.0	03.8	97.0	99.79
21	96.3	95.7	95.2	95.0	94.6	94.2	93.6	93.5	93.2	93.8	94.7	95.5	97.0	93.2	94.61
22	95.7	95.3	95.4	94.0	93.2	91.3	90.7	90.3	89.7	89.5	90.0	90.7	95.8	89.4	92.15
23	91.0	91.8	92.5	93.5	93.9	94.3	94.4	94.1	94.1	94.2	95.0	95.4	95.4	90.7	93.68
24	95.4	95.0	95.1	94.9	95.1	94.8	94.5	94.9	95.6	96.3	97.7	98.1	98.1	94.5	95.62
25	98.9	98.9	99.6	99.7	99.3	98.8	98.1	97.7	97.4	97.1	97.3	98.1	99.7	97.1	98.41
26	98.0	98.2	98.5	98.7	98.4	98.3	99.1	98.9	98.8	99.2	99.9	00.9	00.9	98.0	98.91
27	01.1	01.5	02.1	02.6	02.1	01.6	00.9	00.9	00.5	00.7	00.8	01.4	02.9	00.4	01.35
28	01.1	00.8	00.3	99.7	98.8	98.6	98.2	97.7	97.4	97.4	97.8	98.1	01.4	97.4	98.82
29	98.1	98.2	98.0	97.8	96.7	95.5	94.0	93.5	92.9	92.8	92.7	92.6	98.3	92.4	95.23
30	92.9	94.2	94.8	94.6	94.2	93.6	93.0	93.0	93.7	94.9	95.1	96.4	96.4	92.4	94.20
31	96.9	97.2	98.2	99.0	99.1	98.4	98.3	98.4	98.5	98.9	99:8	00.9	00.9	96.4	98.63
M	00.78	00.82	01.08	**01.18**	00.94	00.56	00.22	00.06	**99.82**	00.04	00.56	01.07	02.13	98.96	00.59

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	01.2	01.5	01.5	02.2	01.9	01.8	01.8	01.9	02.6	02.8	04.1	05.2	05.2	00.9	02.36
2	05.5	05.6	05.6	05.7	05.2	04.6	03.8	03.3	02.7	02.8	03.6	04.1	05.8	02.6	04.38
3	04.3	04.5	05.3	05.6	05.1	04.8	04.3	04.1	04.2	05.0	05.7	06.4	06.4	04.1	04.94
4	06.8	06.8	07.2	07.6	07.0	06.5	05.5	05.1	04.4	04.2	04.5	04.7	07.6	04.2	05.86
5	04.4	03.7	03.6	03.2	02.4	01.5	00.0	99.3	99.0	98.6	98.5	98.5	04.7	98.5	01.06
6	97.8	97.3	97.4	97.9	97.4	96.7	96.9	97.3	97.0	97.1	97.7	98.5	98.5	96.6	97.42
7	99.2	99.6	00.5	01.3	01.8	02.6	02.6	02.4	02.5	03.1	03.5	04.2	04.2	98.5	01.94
8	04.3	04.4	05.2	05.5	05.3	05.2	04.7	04.4	04.6	04.2	04.9	05.0	05.6	04.2	04.81
9	05.0	04.9	04.5	04.7	04.4	03.2	02.5	01.6	01.3	00.7	00.5	00.6	05.1	00.4	02.82
10	00.4	99.9	99.1	98.6	98.4	97.9	97.0	96.7	96.9	97.5	98.5	99.3	00.6	96.7	98.35
11	99.6	99.8	00.3	00.9	00.9	00.2	99.7	99.2	98.9	99.0	99.5	00.6	01.1	98.8	99.88
12	00.9	01.1	02.0	02.5	02.6	02.1	01.6	01.2	01.3	02.2	03.5	04.4	04.4	00.6	02.12
13	04.8	05.2	05.8	06.1	05.9	05.4	04.0	03.5	03.5	04.0	04.3	04.3	06.2	03.3	04.73
14	03.5	02.9	03.1	02.5	02.1	01.6	00.9	00.5	00.5	01.0	01.2	00.9	04.3	00.3	01.72
15	00.1	99.3	99.0	98.9	99.1	98.7	98.5	98.1	98.0	98.2	98.5	98.7	01.0	98.0	98.76
16	98.2	97.9	98.0	97.7	97.9	97.4	95.8	96.3	95.6	95.5	95.6	95.6	98.7	95.5	96.88
17	95.4	95.1	94.8	94.4	95.6	92.5	91.4	90.9	90.4	90.7	90.8	91.0	95.6	90.4	92.58
18	90.6	90.2	90.0	89.8	89.6	89.4	89.1	88.9	89.1	89.9	90.0	89.6	91.0	88.8	89.68
19	89.2	89.2	89.2	89.6	89.4	89.3	88.9	88.7	88.4	88.6	88.4	88.0	89.6	88.0	88.91
20	87.5	87.2	87.6	87.8	88.6	89.0	88.9	88.5	88.7	89.3	89.5	89.9	89.9	87.2	88.54
21	89.7	89.4	89.4	89.7	89.8	89.2	88.6	89.2	89.5	89.3	89.4	89.4	90.0	88.6	89.38
22	89.2	88.8	88.8	88.8	88.8	88.4	87.8	87.3	87.5	87.4	87.3	87.0	89.4	87.0	88.09
23	86.7	86.3	86.2	86.3	86.2	86.0	85.4	85.2	85.3	85.4	85.7	85.6	87.0	85.1	85.86
24	85.1	84.6	84.0	83.2	82.7	82.3	81.1	78.6	77.3	76.7	77.1	77.6	85.6	**76.6**	80.86
25	78.0	78.1	78.7	79.3	79.6	79.5	79.0	78.9	78.7	79.5	80.4	82.4	82.4	77.6	**79.34**
26	84.6	87.0	90.0	92.2	94.0	95.4	95.9	97.0	98.5	00.3	02.5	04.4	04.4	82.4	95.15
27	05.6	06.4	07.4	08.2	08.1	07.5	06.6	06.5	06.5	06.2	06.1	05.7	**08.4**	04.4	**06.73**
28	05.3	04.4	04.4	04.9	04.9	04.9	04.4	04.3	04.6	05.6	06.5	07.2	07.2	04.3	05.12
29	07.8	07.6	07.8	07.4	07.1	06.3	05.6	04.8	03.2	02.5	01.3	99.7	08.0	99.7	05.09
30	98.1	96.3	95.4	95.5	95.2	95.0	95.1	95.4	95.2	96.4	97.5	98.0	99.7	95.0	96.09
31	98.1	98.0	98.6	98.3	98.1	97.6	97.1	97.0	96.9	97.5	98.5	00.1	00.1	96.8	97.98
M	97.64	97.52	97.75	**97.94**	97.84	97.50	96.95	96.65	**96.54**	96.81	97.26	97.63	99.60	95.33	97.34

Registreringer av lufttrykk P

(Records of atmospheric pressure: P)

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	01.0	02.1	03.0	03.6	03.9	03.6	03.3	03.2	03.2	04.2	05.3	06.4	06.4	00.1	03.57
2	06.7	07.4	08.4	08.8	09.3	09.1	08.9	09.0	09.4	10.6	11.5	12.5	12.5	06.4	09.30
3	13.2	14.0	14.5	15.0	15.4	15.0	14.5	14.3	14.0	14.0	13.9	13.8	15.4	12.5	14.30
4	13.5	12.7	12.4	11.6	10.2	08.4	06.3	05.1	04.4	04.3	04.2	05.0	13.8	04.0	08.18
5	05.8	07.3	08.3	08.5	08.3	07.7	06.7	06.0	05.9	06.9	08.2	09.2	09.2	05.0	07.40
6	09.1	08.5	08.9	08.5	08.5	08.1	07.2	06.7	07.0	08.1	09.1	09.9	09.9	06.7	08.30
7	10.4	10.7	11.2	11.4	11.4	10.6	10.2	09.9	09.8	10.1	10.7	10.8	11.7	09.7	10.60
8	10.8	10.4	10.4	10.5	10.5	10.1	09.0	08.4	08.1	08.5	09.3	09.7	10.9	08.1	09.64
9	09.5	09.4	09.7	10.2	10.5	10.3	09.8	09.5	09.5	10.2	10.7	11.3	11.3	09.3	10.05
10	11.6	11.8	12.5	13.1	13.6	13.7	13.2	13.1	13.9	15.4	16.6	18.0	18.0	11.3	13.88
11	18.2	18.5	19.2	20.0	20.4	20.6	20.1	20.0	19.8	20.0	20.3	20.6	20.6	18.0	19.81
12	20.5	19.9	19.5	19.3	19.0	18.2	17.9	17.3	16.5	16.4	16.3	15.7	20.6	15.7	18.04
13	15.1	14.6	14.1	13.8	13.4	12.3	11.1	09.4	08.3	07.3	05.5	04.1	15.7	04.1	10.75
14	02.4	00.3	98.2	95.6	93.7	91.3	90.3	90.6	90.6	90.6	90.1	90.2	04.1	90.1	93.66
15	90.4	90.4	90.6	90.9	91.0	90.8	90.3	90.0	89.5	89.7	90.1	90.9	91.1	89.5	90.38
16	91.3	91.6	92.4	92.7	93.0	93.4	93.4	92.9	92.9	93.4	93.8	94.5	94.5	90.9	92.94
17	95.1	95.5	96.4	97.2	97.6	97.3	97.1	97.1	97.2	97.4	97.3	97.6	97.6	94.5	96.90
18	97.2	96.7	96.4	96.6	96.7	96.7	96.7	96.7	97.4	98.1	99.1	00.1	00.1	96.4	97.37
19	00.8	00.7	01.5	01.4	02.7	02.5	02.0	01.8	02.4	03.0	03.5	04.0	04.0	00.1	02.20
20	03.2	02.4	01.7	01.0	00.6	00.3	99.9	98.6	98.1	98.2	98.0	97.1	04.0	97.1	99.92
21	96.5	95.5	94.9	95.5	96.0	97.3	97.8	97.8	98.2	98.6	98.9	99.2	99.2	94.9	97.18
22	99.3	99.1	99.2	99.3	99.4	99.5	98.8	98.0	97.0	95.9	93.7	90.8	99.8	90.8	97.50
23	88.8	88.2	88.3	88.7	89.1	89.3	89.6	89.8	90.4	91.2	91.9	92.7	92.7	88.0	89.85
24	93.1	93.7	94.4	95.6	96.1	96.7	97.0	97.8	99.0	00.1	01.2	02.2	02.2	92.7	97.24
25	02.7	03.4	04.4	05.9	07.6	08.2	08.4	08.6	09.0	09.4	10.1	10.5	10.6	02.2	07.35
26	10.5	09.9	09.6	09.2	08.7	08.4	07.0	05.8	04.7	03.7	02.7	01.7	10.5	01.7	06.82
27	00.6	99.6	98.4	97.8	97.7	96.9	96.5	95.9	95.7	95.7	95.4	95.2	01.7	95.2	97.12
28	95.0	94.8	94.8	95.2	95.5	95.9	96.1	96.2	97.1	98.8	00.7	02.1	02.1	94.7	96.85
29	03.0	03.6	04.9	05.2	06.7	07.4	07.2	07.3	08.1	09.1	10.4	11.7	11.7	02.1	07.13
30	12.1	12.0	12.3	12.8	13.2	12.9	12.4	11.8	11.0	11.6	12.5	14.2	14.2	11.0	12.40
M	04.25	04.16	04.35	04.53	04.66	04.42	03.96	03.62	03.60	04.02	04.37	04.72	07.20	01.43	04.22

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	15.3	16.3	17.9	19.3	20.5	21.1	21.3	21.6	22.4	23.6	23.9	24.2	24.2	14.2	20.62
2	24.2	24.0	24.1	24.4	24.2	23.8	23.2	22.4	22.4	23.1	23.0	22.9	24.8	22.3	23.48
3	22.9	22.1	22.0	22.0	21.7	20.8	20.3	19.8	19.4	19.2	18.8	18.3	22.9	18.3	20.61
4	17.8	16.9	15.1	15.6	15.1	14.6	13.7	12.7	12.5	12.7	12.5	12.3	18.3	12.3	14.38
5	12.4	13.6	14.9	16.1	16.1	14.9	12.4	09.7	07.7	05.3	03.9	03.0	16.4	03.0	10.83
6	01.7	01.4	01.3	01.2	00.9	00.9	00.9	01.7	02.9	04.7	06.0	08.1	08.1	00.6	02.54
7	09.4	10.1	11.3	12.1	12.2	11.6	10.6	09.4	08.5	06.3	04.9	03.7	12.4	03.7	09.18
8	01.2	99.6	98.1	97.2	96.5	96.1	95.3	95.3	95.5	96.0	96.0	96.1	03.7	95.1	96.91
9	96.2	96.1	96.5	97.4	97.5	96.7	95.9	94.0	92.4	90.8	89.4	88.3	97.5	88.3	94.27
10	86.2	85.3	85.3	85.4	86.1	87.3	88.5	90.4	92.9	94.8	96.0	97.7	97.7	84.9	89.66
11	99.0	00.0	01.4	03.1	04.2	04.9	05.0	04.9	05.8	06.2	06.7	07.4	07.4	97.7	04.05
12	07.8	07.9	08.2	08.4	07.8	06.7	05.1	03.5	02.3	02.6	03.4	04.8	08.5	02.1	05.71
13	05.4	05.4	05.3	05.4	05.2	04.6	03.2	01.7	00.1	98.9	97.4	95.6	05.8	95.6	02.35
14	95.3	95.3	96.1	97.4	98.3	98.6	98.1	98.6	99.1	98.7	98.9	98.7	99.3	95.3	97.76
15	98.3	97.7	97.4	98.2	99.8	01.0	02.1	03.4	05.1	06.7	07.5	08.0	08.0	97.4	02.10
16	08.1	06.7	07.4	07.8	08.2	07.7	07.1	06.7	06.6	06.6	06.8	07.1	08.2	06.5	07.23
17	06.3	06.7	07.0	08.0	08.7	08.7	07.8	06.8	05.9	05.3	04.9	04.7	08.9	04.7	06.73
18	03.8	02.4	00.8	00.3	00.0	99.5	98.5	98.9	01.1	03.7	05.7	07.0	07.0	98.4	01.81
19	08.0	08.5	09.2	10.1	10.4	10.1	09.2	08.8	09.0	08.9	08.8	08.7	10.4	07.0	09.14
20	08.6	08.0	08.1	08.7	08.9	09.4	09.1	09.2	09.7	10.3	11.6	12.3	12.4	08.0	09.49
21	12.5	12.4	12.3	12.7	12.8	12.5	11.8	11.1	10.9	11.1	10.2	10.2	12.8	10.1	11.71
22	09.5	08.5	07.3	06.7	06.0	05.1	03.3	01.6	01.1	00.3	98.9	97.8	10.2	97.8	03.84
23	96.4	95.1	94.0	93.5	92.9	91.9	91.3	90.6	89.6	88.5	86.2	84.2	97.8	84.2	91.18
24	82.2	80.8	80.3	81.1	81.7	82.2	82.8	83.2	83.4	83.7	83.7	83.5	84.2	80.2	82.38
25	82.8	81.7	81.0	81.0	80.6	80.1	79.2	77.7	77.1	76.3	75.7	74.8	83.5	74.8	79.00
26	73.6	71.0	68.7	67.5	66.6	65.7	65.2	65.5	66.1	66.3	66.7	67.0	74.8	65.2	67.49
27	67.4	68.0	68.7	70.2	71.3	72.3	73.8	75.5	77.6	79.6	81.0	83.3	83.3	67.0	74.06
28	84.9	86.4	88.6	90.0	92.3	93.4	94.3	95.4	97.2	97.8	98.8	99.7	99.7	83.3	93.23
29	00.3	00.6	00.9	01.6	01.7	01.5	01.4	01.7	02.0	02.2	02.6	03.3	03.3	99.7	01.65
30	03.6	04.0	05.0	05.6	06.2	06.6	06.2	06.3	06.0	05.9	05.9	06.3	06.6	03.3	05.63
31	06.2	06.1	06.4	06.9	07.3	08.5	08.5	08.4	08.4	08.0	07.8	07.4	08.9	05.9	07.49
M	01.53	01.25	01.34	01.77	01.99	01.90	01.45	01.18	01.31	01.42	01.41	01.50	05.39	97.64	01.50

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	07.1	05.8	05.4	05.6	06.0	06.8	06.4	06.9	07.8	08.9	10.0	10.9	10.9	05.4	07.30
2	11.2	11.6	12.8	14.0	14.8	15.0	15.1	15.2	16.1	17.4	18.2	19.4	19.4	10.8	15.07
3	20.7	21.4	22.1	22.7	23.4	22.8	21.9	21.7	21.7	21.6	21.7	21.5	23.4	19.4	21.93
4	20.8	21.4	19.9	19.8	19.7	19.3	18.5	17.9	17.5	17.2	17.2	17.0	21.5	17.0	18.85
5	16.7	16.4	16.3	16.8	17.3	17.0	16.9	16.8	17.1	17.0	17.2	16.7	17.3	16.3	16.85
6	16.1	15.2	14.8	14.7	14.2	13.1	12.2	11.5	10.7	10.2	09.8	09.3	16.7	09.3	12.65
7	08.5	07.2	06.7	06.0	04.8	03.0	00.7	97.9	94.4	90.1	86.0	83.3	09.3	83.3	99.05
8	80.8	79.0	79.3	79.6	79.0	78.7	79.6	82.8	85.0	87.4	90.8	94.7	94.7	78.7	83.06
9	98.4	00.9	02.0	05.9	08.3	09.5	10.8	12.9	14.9	16.0	17.6	19.2	19.2	94.7	09.70
10	19.3	19.7	20.4	21.3	21.9	21.4	20.7	20.2	20.0	20.2	19.5	19.6	22.0	19.2	20.35
11	18.5	17.8	16.5	16.4	15.7	14.6	13.1	11.8	10.7	10.1	09.3	08.7	19.6	08.7	13.60
12	07.4	06.5	05.8	06.4	06.9	07.1	06.9	07.2	08.0	09.0	10.2	11.3	11.3	05.8	07.72
13	11.5	11.8	12.6	13.9	14.8	15.1	15.0	15.6	16.4	17.0	18.0	18.7	18.7	11.3	15.03
14	18.9	18.9	18.8	19.5	19.8	20.3	19.7	19.8	20.2	20.2	20.4	20.5	20.7	18.7	19.75
15	20.3	19.7	18.9	19.1	18.5	18.0	17.1	16.6	15.5	16.8	16.8	16.9	20.6	16.4	17.93
16	16.8	16.8	17.1	17.3	17.9	17.9	17.6	17.4	17.8	17.8	17.7	17.6	17.9	16.8	17.48
17	17.3	16.9	16.7	17.1	17.7	18.0	17.9	18.4	18.9	18.8	19.2	19.3	19.3	16.5	18.02
18	19.4	19.7	19.8	20.8	21.0	20.9	21.2	21.3	21.5	21.6	21.7	21.9	21.9	19.3	20.90
19	21.5	21.1	20.6	20.2	20.2	19.4	18.5	18.0	17.5	17.2	16.7	16.7	21.9	16.7	18.97
20	15.7	14.6	13.8	13.4	13.4	13.0	12.3	12.1	11.7	11.9	12.0	12.0	16.7	11.7	12.99
21	11.8	11.8	12.1	13.0	13.8	14.0	12.3	14.7	15.2	16.2	16.9	18.0	18.0	11.8	14.15
22	18.5	18.8	18.9	19.1	19.6	19.5	18.7	18.4	18.0	17.9	17.6	17.5	19.7	17.5	18.54
23	16.9	16.3	15.7	15.7	15.7	15.0	14.2	13.8	13.5	13.3	13.3	13.1	17.5	13.1	14.71
24	12.4	11.8	11.7	11.6	11.7	11.2	10.6	10.3	10.1	10.0	09.8	09.2	13.1	09.2	10.87
25	08.7	07.7	07.1	07.1	07.1	06.6	05.3	04.2	02.6	00.8	98.3	95.1	09.2	95.1	04.22
26	90.5	86.3	84.7	85.7	88.0	89.7	91.2	92.4	93.7	93.8	94.4	95.7	95.7	84.5	90.51
27	97.1	97.9	98.5	98.8	99.2	97.7	95.9	93.4	89.5	85.8	83.9	83.4	99.2	83.4	93.42
28	82.6	82.0	81.4	80.6	80.4	79.5	78.9	78.2	79.8	81.4	80.2	78.9	83.4	78.2	80.32
29	77.0	74.7	74.9	75.0	75.2	75.4	75.4	77.0	79.6	82.3	84.5	86.6	86.6	74.5	78.13
30	88.3	89.9	91.6	93.7	95.6	97.6	99.1	00.2	01.8	02.8	04.1	04.8	04.8	86.6	97.46
M	09.02	08.65	08.56	09.03	09.39	09.24	08.79	08.82	08.94	09.02	09.10	09.25	13.01	05.00	08.98

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	05.4	05.4	05.5	06.1	07.1	07.7	07.8	08.0	08.6	08.6	08.9	08.8	08.9	04.8	07.32
2	08.7	08.0	07.4	06.9	06.8	06.5	05.7	05.1	03.9	03.2	02.3	01.7	08.8	01.7	05.52
3	01.0	99.8	98.9	98.4	98.1	97.4	96.9	97.0	97.2	98.0	98.4	99.5	01.7	96.8	98.38
4	00.0	01.0	02.0	03.2	04.6	05.2	05.7	06.4	06.6	06.6	06.4	06.0	06.7	99.5	04.48
5	04.9	04.0	03.0	02.1	01.4	00.8	00.0	99.9	00.2	01.1	01.9	02.8	06.0	99.8	01.84
6	04.2	05.6	07.4	10.0	11.2	12.9	14.4	15.9	18.1	19.8	21.5	23.0	23.0	02.8	13.67
7	24.1	25.5	26.7	27.9	29.5	30.0	30.2	31.0	31.7	33.1	33.8	34.0	34.2	23.0	29.79
8	33.9	34.0	33.5	33.9	33.9	34.0	33.0	31.7	31.0	30.1	28.7	26.7	34.2	26.7	32.03
9	24.7	22.7	20.8	19.3	17.9	16.1	13.5	11.7	09.7	07.5	05.3	02.2	26.7	02.2	14.28
10	99.9	98.7	98.1	98.2	98.4	98.5	97.9	98.0	97.7	96.8	95.7	94.5	02.2	94.5	97.70
11	93.7	94.2	93.9	93.8	95.0	95.8	95.6	96.6	97.6	98.4	99.0	99.5	99.5	93.6	96.09
12	00.0	00.9	01.6	01.7	01.8	01.5	00.3	98.8	96.4	92.5	87.0	80.5	01.8	80.5	96.92
13	71.7	66.5	66.1	66.8	70.7	73.7	76.6	79.2	81.6	83.4	84.8	86.8	86.8	66.0	75.66
14	88.7	88.7	88.7	89.7	90.7	91.5	91.5	91.4	90.8	90.0	89.5	88.5	91.6	86.8	89.98
15	87.9	87.5	86.8	85.6	84.5	83.5	82.5	82.5	83.8	85.7	87.0	88.6	88.6	82.5	85.50
16	90.0	90.5	91.6	92.0	92.5	92.7	91.8	91.1	90.2	88.9	87.6	86.8	92.7	86.8	90.48
17	86.3	85.4	83.9	84.6	85.0	85.0	84.5	83.7	81.7	81.6	80.0	79.5	86.8	79.5	83.43
18	78.5	78.7	79.2	80.2	81.7	82.3	81.9	81.8	81.7	81.9	81.9	82.2	82.3	78.4	81.00
19	80.9	80.6	80.9	81.3	82.3	82.7	81.9	82.2	81.6	81.5	81.7	81.7	82.7	79.9	81.61
20	81.8	81.8	82.2	83.3	84.4	85.1	86.0	87.0	88.3	89.2	89.9	90.6	90.6	81.7	85.80
21	91.1	91.3	91.8	92.2	93.0	93.0	92.9	93.2	93.1	93.5	93.9	94.3	94.3	90.6	92.78
22	94.7	94.7	95.0	95.2	95.4	95.7	95.3	95.3	95.3	95.6	96.3	96.9	96.9	94.3	95.45
23	96.9	96.9	97.1	98.1	98.7	99.1	99.4	99.8	00.0	00.8	01.6	02.0	02.0	96.7	99.20
24	01.9	01.9	01.9	01.7	01.8	01.6	01.2	00.9	01.0	00.7	00.7	00.5	02.0	00.4	01.32
25	00.0	00.6	00.4	00.5	02.1	02.3	02.4	03.5	04.1	04.9	05.4	05.9	05.9	99.6	02.68
26	06.0	06.3	06.2	06.8	07.3	07.7	07.4	07.5	07.2	07.1	06.7	05.9	07.7	05.9	06.84
27	04.4	03.4	01.7	00.2	98.9	97.7	96.2	95.3	94.3	93.7	92.9	92.9	05.9	92.9	97.63
28	91.9	91.4	90.7	90.4	90.3	89.5	89.1	88.4	88.2	88.0	88.4	89.0	92.9	88.0	89.61
29	89.3	90.1	91.3	92.2	93.3	94.2	94.9	95.9	96.7	97.7	99.9	01.6	01.6	89.0	94.76
30	02.0	02.6	03.9	05.4	06.6	07.7	08.2	09.7	11.0	11.6	12.4	13.1	13.1	01.6	07.85
31	13.4	13.7	14.0	15.0	15.6	16.1	16.3	16.7	17.3	18.0	18.4	19.1	19.1	13.1	16.13
M	98.64	98.46	98.46	98.80	99.37	99.60	99.39	99.53	99.57	99.66	99.61	99.52	03.14	94.83	99.22

Registreringer av lufttemperatur T

(Records of temperature: T)

1945

Oslo (Blindern)

Januar I — $\varphi = 59° 56'$ N — $\lambda = 10° 44'$ E — $g = 9.819$ — $\Delta G = +1^h$ — $H_s = 94$ — $H_b = 95.6$ — $h_t = 2.0$ — $h_s = 25.2$ — $h_d = 25.6$ — $h_r = 1.5$ — Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	- 2.5	- 4.6	- 5.1	- 5.6	- 5.4	- 4.1	- 3.4	- 3.4	- 4.3	- 4.4	- 4.1	- 3.7	- 1.7	- 5.6	- 4.20
2	- 3.4	- 2.7	- 2.6	- 1.8	- 2.6	- 2.6	- 2.9	- 3.0	- 4.4	- 4.4	- 3.5	- 3.2	- 1.5	- 4.5	- 3.10
3	- 4.1	- 5.1	- 6.0	- 6.0	- 6.0	- 5.4	- 4.3	- 4.3	- 4.3	- 5.0	- 4.4	- 4.8	- 3.2	- 6.3	- 4.98
4	- 4.9	- 3.9	- 3.7	- 1.8	- 1.6	- 1.4	- 1.2	- 1.7	- 1.8	- 2.2	- 2.2	- 2.2	- 1.2	- 5.0	- 2.38
5	- 2.7	- 3.0	- 5.5	- 6.8	- 6.6	- 5.0	- 3.4	- 4.2	- 7.2	- 8.0	- 8.7	- 9.9	- 2.2	- 9.9	- 5.92
6	- 9.9	-10.5	-11.1	-11.5	-11.1	- 9.8	- 7.8	- 6.8	- 5.9	- 5.4	- 4.9	- 3.5	- 3.5	-11.1	- 8.18
7	- 1.6	0.4	0.4	0.4	- 0.5	- 1.0	- 1.0	- 3.0	- 5.2	- 5.4	- 7.2	- 7.3	0.4	- 7.3	- 2.58
8	- 6.9	- 6.4	- 6.0	- 4.6	- 4.3	- 3.3	- 2.8	- 2.3	- 2.0	- 1.9	- 1.9	- 1.8	- 1.8	- 7.3	- 3.68
9	- 1.8	- 1.8	- 1.8	- 2.4	- 2.1	- 2.1	- 2.3	- 2.2	- 2.0	- 1.3	- 1.0	- 0.3	- 0.3	- 2.3	- 1.76
10	- 0.4	- 0.3	- 0.1	0.0	0.0	0.0	- 0.1	- 0.1	0.0	- 0.1	- 0.2	- 0.3	0.0	- 0.4	**- 0.13**
11	- 1.7	- 1.7	- 1.7	- 2.0	- 2.0	- 2.1	- 2.2	- 2.2	- 2.2	- 2.3	- 2.3	- 2.4	- 0.3	- 2.4	- 2.07
12	- 2.7	- 2.7	- 2.8	- 2.9	- 2.9	- 2.9	- 2.8	- 2.8	- 3.2	- 3.2	- 3.2	- 3.2	- 2.4	- 3.2	- 2.94
13	- 3.2	- 3.5	- 4.3	- 4.9	- 5.0	- 5.0	- 5.4	- 5.4	- 5.0	- 5.1	- 5.8	- 7.0	- 3.1	- 7.0	- 4.97
14	- 6.9	- 6.8	- 6.2	- 5.6	- 5.3	- 4.7	- 3.5	- 2.8	- 1.7	- 1.3	- 0.8	- 0.3	- 0.3	- 7.1	- 3.83
15	- 2.0	- 3.9	- 7.3	- 8.0	- 8.3	- 6.0	- 2.9	- 2.8	- 7.4	- 8.7	- 9.9	-10.1	- 0.3	-10.1	- 6.44
16	-10.5	-10.1	- 9.7	- 8.5	- 7.8	- 4.8	- 2.5	- 1.8	- 1.3	- 2.2	0.9	0.7	1.0	-10.7	- 4.80
17	1.5	0.7	- 2.1	- 1.4	- 1.7	1.0	1.2	- 0.4	- 1.8	- 2.9	- 3.5	- 4.1	**1.3**	- 4.1	- 1.13
18	- 4.7	- 8.1	-10.1	-11.5	- 9.6	- 8.0	- 6.8	- 9.7	- 9.1	- 8.3	- 7.4	- 7.3	- 4.1	-12.0	- 8.38
19	- 7.1	- 7.0	- 8.1	- 7.9	- 6.8	- 6.0	- 5.0	- 5.0	- 4.2	- 4.2	- 4.5	- 4.6	- 4.2	- 8.1	- 5.87
20	- 4.7	- 5.0	- 5.3	- 5.4	- 4.8	- 5.3	- 5.6	- 5.1	- 4.7	- 4.7	- 4.6	- 4.6	- 4.6	- 5.6	- 4.98
21	- 4.3	- 4.2	- 4.3	- 4.8	- 4.6	- 3.7	- 3.5	- 4.6	- 5.1	- 6.6	- 6.9	- 7.2	- 3.5	- 7.4	- 4.98
22	- 6.8	- 7.3	- 6.6	- 6.6	- 5.7	- 5.7	- 5.0	- 5.0	- 5.4	- 5.6	- 5.6	- 5.6	- 5.6	- 7.3	- 5.91
23	- 4.7	- 4.7	- 4.6	- 4.6	- 4.5	- 4.5	- 4.5	- 5.5	- 6.4	- 6.2	- 6.2	- 5.8	- 4.5	- 6.4	- 5.18
24	- 5.5	- 5.7	- 6.1	- 6.3	- 6.3	- 5.8	- 5.8	- 6.0	- 6.5	- 6.8	- 7.0	- 7.1	- 5.5	- 7.1	- 6.24
25	- 7.8	- 6.9	- 6.8	- 6.5	- 6.7	- 6.3	- 5.6	- 5.4	- 5.1	- 4.4	- 4.4	- 4.4	- 4.4	- 7.9	- 5.87
26	- 4.3	- 4.4	- 4.4	- 4.4	- 4.4	- 4.4	- 4.7	- 5.1	- 5.7	- 5.9	- 5.9	- 5.9	- 4.3	- 5.9	- 4.96
27	- 5.9	- 6.0	- 5.6	- 5.5	- 5.3	- 4.8	- 4.8	- 5.0	- 5.2	- 5.7	- 6.0	- 6.3	- 4.8	- 6.3	- 5.51
28	- 6.8	- 7.0	- 7.0	- 8.1	- 8.1	- 7.5	- 6.9	- 7.7	-10.7	-12.0	-13.5	-13.5	- 6.3	-13.5	- 9.07
29	-13.6	-13.6	-13.1	-13.8	-11.7	- 9.0	- 7.5	- 5.5	- 6.3	- 9.0	- 9.0	- 9.2	- 4.8	**-13.8**	-10.11
30	- 9.8	-11.4	-11.9	-12.7	-10.6	-10.1	- 8.1	- 9.3	-10.6	-11.8	-12.4	-12.1	- 8.8	-12.6	**-10.90**
31	-12.1	-12.1	-11.6	-10.5	-10.1	- 9.5	- 9.2	- 9.1	- 8.6	- 8.3	- 8.3	- 8.2	- 8.2	-12.3	- 9.80
M	- 5.22	- 5.46	- 5.84	**- 5.87**	- 5.56	- 4.83	- 4.20	- 4.43	- 4.95	- 5.27	- 5.31	- 5.32	- 2.99	- 7.44	- 5.19

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	- 9.1	- 8.4	- 9.6	- 9.5	- 8.0	- 7.1	- 6.7	- 6.7	- 6.3	- 6.2	- 6.3	- 6.9	- 6.3	- 9.8	- 7.48	1
2	- 9.3	-10.8	-11.7	-11.6	-10.2	- 8.0	- 7.6	- 7.6	- 7.3	- 7.0	- 6.9	- 6.9	- 6.9	-11.9	- 8.74	2
3	- 6.7	- 5.9	- 6.7	- 6.2	- 5.2	- 3.6	- 3.6	- 4.2	- 6.0	- 7.8	- 9.1	-10.1	- 3.6	-10.1	- 6.31	3
4	-11.0	-12.1	-12.8	-13.8	-12.8	-10.0	- 9.3	- 7.7	- 7.6	- 7.5	- 7.6	- 7.8	- 7.5	**-13.9**	**-10.00**	4
5	- 7.9	- 7.5	- 7.3	- 7.0	- 7.0	- 6.2	- 4.6	- 4.2	- 4.2	- 3.3	- 3.0	- 2.6	- 2.6	- 7.9	- 5.40	5
6	- 2.4	- 2.4	- 2.4	- 2.4	- 2.4	- 1.9	- 1.5	- 1.5	- 1.5	- 1.4	- 1.3	- 1.4	- 1.3	- 2.6	- 1.88	6
7	- 1.5	- 1.5	- 1.2	- 1.0	- 1.0	- 0.1	0.6	1.0	1.3	0.9	0.9	0.7	1.4	- 1.5	- 0.08	7
8	0.6	0.5	0.5	0.4	0.9	1.1	1.5	1.5	1.3	0.0	0.0	- 0.7	1.6	- 0.7	0.63	8
9	- 1.5	- 1.3	- 1.0	0.0	0.3	1.0	1.2	1.2	0.9	0.9	0.9	0.9	1.2	- 2.0	0.29	9
10	1.0	1.0	1.3	1.1	1.2	1.3	1.6	1.3	0.4	0.4	0.5	0.4	1.6	0.4	0.96	10
11	0.5	0.5	0.0	0.0	0.1	0.5	0.5	0.6	0.4	0.4	0.4	0.1	0.6	0.0	0.33	11
12	- 0.6	- 0.8	- 1.2	- 1.4	- 1.4	- 0.9	0.4	- 0.2	0.0	- 4.6	- 4.6	- 4.7	0.5	- 4.7	- 1.67	12
13	- 4.7	- 4.4	- 4.2	- 3.9	- 2.4	- 1.8	- 2.0	- 2.1	- 2.1	- 2.2	- 2.2	- 2.4	- 1.8	- 4.7	- 2.87	13
14	- 2.5	- 2.5	- 2.3	- 2.1	- 1.7	- 1.3	- 0.5	- 0.5	- 1.1	- 1.1	- 1.3	- 1.4	- 0.5	- 2.6	- 1.52	14
15	- 1.5	- 1.5	- 1.6	- 1.8	- 1.2	0.4	0.8	0.8	- 0.2	- 0.3	- 0.3	0.7	0.8	- 1.8	- 0.48	15
16	- 0.9	- 1.0	- 1.0	- 1.4	- 1.3	- 1.1	- 0.7	- 0.7	- 1.1	- 1.9	- 2.1	- 2.5	- 0.6	- 2.5	- 1.31	16
17	- 2.6	- 2.6	- 2.6	- 2.5	- 2.5	- 2.8	- 3.0	- 3.1	- 3.2	- 3.0	- 3.0	- 3.0	- 2.5	- 3.2	- 2.82	17
18	- 3.0	- 3.0	- 3.1	- 2.8	- 2.1	- 1.5	- 1.3	- 0.5	- 0.4	0.0	0.1	0.1	0.1	- 3.1	- 1.46	18
19	0.3	0.4	0.6	0.8	1.5	1.7	1.2	1.0	0.6	0.6	0.5	0.2	1.7	0.1	0.78	19
20	- 0.1	- 0.1	- 0.2	- 0.2	- 0.1	0.4	0.6	0.5	0.3	0.2	0.2	0.2	0.6	- 0.3	0.14	20
21	0.0	0.0	- 1.6	- 2.4	- 1.3	0.9	2.9	2.4	1.0	0.6	- 0.1	0.0	3.0	- 2.4	0.20	21
22	- 0.1	0.4	0.7	1.0	1.1	1.9	2.0	2.8	2.8	0.2	0.0	- 2.2	3.8	- 2.2	0.88	22
23	- 2.0	- 3.8	- 3.2	- 4.5	- 2.0	0.7	2.4	2.1	- 1.4	- 3.0	- 4.5	- 6.3	2.8	- 6.3	- 2.12	23
24	- 7.2	- 7.8	- 7.7	- 8.1	- 4.2	0.3	2.9	2.9	2.2	1.9	1.9	2.0	2.9	- 8.1	- 1.74	24
25	2.1	2.2	2.5	2.4	3.2	4.6	7.0	7.0	5.0	3.4	2.2	- 0.1	7.1	- 0.1	3.46	25
26	- 1.2	- 3.0	- 5.3	- 5.9	- 3.7	- 0.9	2.0	2.3	1.4	1.0	- 0.6	- 0.4	2.3	- 5.9	- 1.19	26
27	- 0.6	3.3	3.3	2.6	4.0	5.8	7.2	6.6	4.6	3.2	2.5	1.5	7.4	- 0.4	3.67	27
28	1.5	1.5	0.1	0.1	4.4	8.9	7.4	9.1	6.9	6.0	5.6	5.5	**9.9**	- 0.4	**4.75**	28
M	- 2.48	- 2.52	- 2.78	**- 2.86**	- 1.92	- 0.63	0.05	**0.15**	- 0.50	- 1.06	- 1.33	- 1.68	0.56	- 3.87	- 1.46	M

Mars III — April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	5.0	5.0	4.8	5.0	6.7	6.3	4.4	3.7	0.2	- 0.4	- 0.4	0.0	6.8	- 0.5	3.36
2	0.4	1.7	3.1	2.7	2.8	4.3	3.0	2.9	2.0	1.1	0.6	- 0.4	4.4	- 0.4	2.02
3	- 1.6	- 1.0	- 1.1	- 0.4	1.9	3.9	5.1	4.7	2.2	1.0	0.2	- 1.8	5.2	- 1.8	1.09
4	- 2.5	- 2.6	- 3.5	- 4.0	- 1.2	1.2	3.5	3.5	2.6	- 0.8	- 1.0	- 2.3	3.9	- 4.0	**- 0.59**
5	- 2.6	- 2.9	- 3.8	- 4.0	- 1.6	0.7	5.4	5.0	3.6	1.6	1.2	1.3	5.8	- 4.2	0.32
6	- 0.2	1.3	1.3	1.5	2.3	3.9	5.0	5.0	3.8	1.5	1.2	1.3	5.5	- 0.3	2.32
7	1.0	0.6	- 0.3	- 0.6	0.7	2.3	3.2	2.8	0.8	- 0.4	- 1.0	- 1.1	3.2	- 1.8	0.67
8	- 1.2	- 1.4	- 1.9	- 2.2	- 0.3	2.0	6.6	7.0	5.0	3.0	2.3	0.4	7.2	- 2.2	1.61
9	- 0.2	- 0.1	- 1.7	- 1.5	0.6	3.0	4.6	4.4	3.7	2.1	2.0	1.8	4.9	- 1.7	1.56
10	1.7	2.3	2.2	2.1	6.3	11.1	12.0	9.7	4.8	3.7	3.5	2.6	12.1	1.7	5.17
11	2.4	2.1	1.7	1.7	2.2	3.7	5.4	6.7	5.1	1.5	0.3	- 0.3	7.1	- 0.3	2.71
12	- 0.6	- 0.9	- 1.6	- 1.6	1.6	4.8	8.3	10.0	7.4	4.0	0.8	- 0.4	10.0	- 1.7	2.65
13	- 1.3	- 1.1	- 0.8	- 0.8	0.9	4.0	9.2	10.9	6.6	3.6	3.1	0.4	10.9	- 1.3	2.89
14	0.3	0.0	- 0.1	0.0	0.5	1.1	3.1	3.1	3.4	2.0	1.7	1.7	3.4	- 0.3	1.40
15	1.9	1.8	1.5	2.4	4.4	6.4	7.9	8.8	7.2	4.8	3.0	1.7	8.8	1.5	4.32
16	1.1	1.0	1.8	2.2	4.0	5.8	6.9	6.9	2.7	1.4	0.2	- 0.2	6.9	- 0.2	2.82
17	- 0.3	- 0.3	- 0.5	0.0	2.2	3.5	4.4	5.0	3.6	- 0.1	- 1.1	- 2.3	5.0	- 2.3	1.18
18	- 2.8	- 3.1	- 5.1	- 2.6	0.0	3.1	4.8	4.7	3.8	- 0.7	- 1.4	- 2.5	4.8	- 5.1	- 0.15
19	- 3.1	- 3.1	- 3.4	- 2.2	- 0.5	0.4	0.9	0.9	0.9	0.8	0.8	1.1	1.1	- 3.6	- 0.54
20	4.4	1.5	2.9	3.4	3.4	2.4	2.4	2.6	3.0	3.9	2.8	2.3	4.1	1.1	2.58
21	3.4	2.2	5.2	6.4	9.0	10.2	10.9	10.6	9.1	2.7	2.6	1.9	11.5	1.9	6.18
22	1.9	2.1	2.1	1.9	3.2	4.5	5.4	5.8	4.8	3.8	2.8	2.5	6.0	1.9	3.40
23	1.8	1.5	1.0	1.5	3.9	9.5	12.7	14.4	12.1	5.5	2.5	1.0	**14.7**	1.0	5.62
24	0.4	0.3	0.5	0.2	0.5	0.9	2.6	3.2	3.8	3.5	3.2	2.6	3.8	0.2	1.81
25	1.9	0.7	0.2	0.3	1.3	2.7	4.4	5.4	4.0	1.8	0.7	0.1	5.4	- 0.1	1.96
26	- 0.6	- 1.1	- 1.0	- 0.9	1.8	5.2	10.0	12.4	12.4	5.3	4.6	3.9	13.0	- 1.1	4.33
27	3.0	2.4	1.5	3.2	7.5	11.0	14.3	13.9	13.1	5.0	2.9	1.7	14.3	1.4	**6.62**
28	1.9	1.2	1.0	2.8	3.4	3.8	7.0	9.0	7.2	5.3	4.5	3.1	9.2	0.6	4.18
29	2.5	2.0	1.0	0.4	0.4	1.4	5.6	7.4	6.8	1.8	0.6	- 0.4	7.8	- 0.4	2.46
30	- 0.7	- 0.6	0.6	1.4	1.8	2.7	4.2	5.9	6.9	3.5	2.6	1.4	7.0	- 1.0	2.48
31	1.5	1.1	0.8	3.0	6.5	7.8	7.8	6.0	5.4	5.1	5.0	5.2	7.9	0.8	4.61
M	0.51	0.41	**0.27**	0.69	2.46	4.31	6.16	**6.53**	5.10	2.48	1.64	0.85	7.15	- 0.72	2.62

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	5.3	5.3	5.2	5.3	6.6	7.6	8.0	8.9	9.8	7.0	6.6	4.5	11.4	4.5	6.68	1
2	3.7	2.5	2.4	2.7	8.9	10.7	11.5	11.7	10.3	7.2	4.3	2.7	12.2	2.3	6.55	2
3	1.9	1.6	0.5	1.8	4.4	8.7	9.9	10.2	8.4	6.2	4.8	4.1	11.3	0.3	5.21	3
4	3.7	3.6	3.6	3.8	4.3	5.0	7.3	7.2	5.6	5.2	4.7	3.8	8.6	3.5	4.82	4
5	3.6	3.5	3.5	3.9	5.2	7.6	8.4	9.0	7.5	3.7	1.8	0.9	9.2	0.9	4.88	5
6	0.6	- 0.1	- 0.3	3.4	7.0	9.5	10.7	10.4	9.9	6.1	4.5	3.5	10.5	- 0.3	5.43	6
7	2.3	0.6	- 0.1	1.2	5.1	7.9	11.5	12.8	12.1	6.6	2.3	1.0	13.3	- 0.1	5.28	7
8	1.0	1.1	2.1	5.6	13.3	14.4	14.4	14.3	13.3	10.8	9.2	6.8	14.5	1.1	8.86	8
9	5.2	5.3	4.2	10.3	13.6	16.3	15.6	15.7	14.7	11.7	8.6	8.4	**16.6**	4.2	**10.80**	9
10	8.1	9.9	9.2	11.0	12.9	13.3	13.4	12.7	9.9	7.6	6.3	5.0	13.4	5.0	9.94	10
11	4.9	3.1	2.6	5.7	7.5	8.8	9.6	10.9	10.0	5.2	4.0	2.5	10.9	2.6	6.23	11
12	1.3	- 0.2	- 1.0	2.3	5.5	7.3	8.8	9.0	6.5	5.4	3.7	3.3	9.0	- 1.0	4.32	12
13	3.0	2.5	1.1	2.1	6.2	8.3	9.4	8.0	6.5	3.9	2.1	1.7	9.4	1.1	4.57	13
14	0.8	0.9	0.5	3.2	5.9	7.9	9.1	10.0	9.8	5.1	2.2	1.4	10.1	0.1	4.73	14
15	0.2	- 0.2	- 0.7	1.5	5.1	9.2	11.2	11.4	9.2	6.2	4.8	3.3	11.9	- 0.7	5.11	15
16	2.9	2.9	3.0	4.0	6.9	10.5	13.1	14.2	12.9	8.9	7.5	6.9	14.3	2.9	7.81	16
17	6.5	6.2	6.4	6.4	6.8	8.2	10.1	13.3	13.7	9.3	6.7	6.0	13.7	6.2	8.30	17
18	5.6	5.7	6.2	7.4	7.4	7.8	8.4	8.8	8.6	7.8	6.7	4.4	8.8	4.2	7.07	18
19	6.3	3.8	4.4	9.9	11.1	14.1	14.3	14.3	12.7	10.6	9.6	8.7	15.7	3.8	9.98	19
20	8.6	7.8	6.9	7.3	8.6	9.2	12.4	11.6	11.7	9.6	7.9	6.6	12.4	6.6	9.02	20
21	5.8	4.9	3.9	7.0	9.9	8.6	9.2	9.7	6.6	6.0	5.5	5.1	10.8	3.4	6.85	21
22	4.7	4.6	3.7	5.2	6.8	7.8	9.9	9.2	8.1	6.9	6.1	5.6	9.9	3.6	6.55	22
23	5.3	5.0	4.4	6.6	7.9	10.5	10.8	10.1	9.7	8.2	6.1	5.1	10.9	4.4	7.48	23
24	3.3	1.4	1.4	4.4	8.1	11.1	11.8	11.3	10.5	10.4	8.8	7.4	11.9	1.1	7.49	24
25	6.2	5.2	4.1	7.0	8.4	9.5	10.0	11.0	9.6	6.4	3.5	4.2	11.5	3.1	7.09	25
26	4.0	4.0	4.0	5.0	7.9	10.1	10.8	11.1	10.3	7.9	6.2	5.8	11.3	4.0	7.26	26
27	4.9	4.1	4.0	5.2	6.7	7.5	5.8	5.2	4.4	4.5	4.8	5.3	7.9	4.0	5.20	27
28	5.9	4.9	3.6	4.3	5.9	7.3	7.7	7.8	7.3	5.6	3.7	2.6	8.9	2.3	5.55	28
29	2.4	0.7	2.1	2.8	4.6	7.7	8.9	8.9	8.6	7.5	6.7	3.9	8.9	0.5	5.40	29
30	3.4	2.1	4.2	5.1	6.0	8.3	8.4	9.5	7.8	6.2	5.6	4.8	9.6	2.1	5.95	30
M	4.05	3.42	**3.17**	5.05	7.48	9.36	10.36	**10.61**	9.53	7.12	5.51	4.51	10.96	2.52	6.68	M

Registreringer av lufttemperatur T

(Records of temperature: T)

1945

Oslo (Blindern)

Mai V — $\varphi = 59° 56' N$ — $\lambda = 10° 44' E$ — $g = 9.819$ — $\Delta G = +1^h$ — $H_s = 94$ — $H_b = 95.6$ — $h_t = 2.0$ — $h_a = 25.2$ — $h_d = 25.6$ — $h_r = 1.5$ — Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	3.9	3.7	3.4	4.0	7.0	8.3	9.3	8.1	9.1	7.5	7.5	4.5	11.4	3.1	6.36	7.6	7.2	7.9	9.8	10.2	13.0	16.1	18.2	17.2	14.4	11.2	10.2	18.2	7.2	11.92	1
2	3.4	3.2	3.3	4.0	6.6	6.1	5.6	5.5	3.4	2.3	4.0	6.0	7.2	2.3	4.45	10.4	10.4	10.4	12.7	14.8	16.3	19.3	21.1	20.1	17.1	15.0	11.2	21.2	10.2	14.90	2
3	6.4	6.4	6.6	6.7	6.2	6.2	7.3	8.3	8.7	9.3	7.9	8.0	9.4	5.8	7.33	9.0	9.4	10.9	12.1	16.2	17.9	17.6	17.5	17.3	15.7	13.3	11.6	18.6	8.3	14.04	3
4	7.5	7.2	7.0	6.9	6.9	6.5	7.1	7.6	7.0	6.9	6.0	5.8	8.0	5.8	6.87	10.7	11.2	11.2	11.2	11.2	11.3	13.2	13.2	12.8	11.5	11.7	10.2	13.3	10.2	11.62	4
5	5.5	5.2	5.1	5.7	7.0	10.5	12.6	13.3	13.3	12.1	6.4	5.0	13.6	5.0	8.48	9.8	9.1	8.5	9.6	9.9	10.5	12.2	12.5	13.9	13.1	9.5	7.4	14.1	7.4	10.50	5
6	3.4	2.2	2.9	8.0	12.0	13.2	15.3	15.2	13.2	11.3	6.2	5.7	15.9	1.9	9.05	6.9	8.1	10.5	11.2	13.1	15.2	16.0	17.5	14.2	11.9	10.2	9.7	17.5	6.9	12.04	6
7	4.3	4.0	5.7	8.6	10.8	11.9	13.2	12.8	14.8	11.4	8.9	8.7	15.3	3.7	9.59	8.9	9.0	9.3	9.6	10.6	12.3	14.7	15.7	13.2	12.7	12.7	13.3	15.9	8.9	11.83	7
8	8.5	8.2	7.8	9.1	11.2	12.1	10.4	13.1	12.8	11.1	7.9	5.6	13.6	5.6	9.82	12.6	12.3	11.7	13.4	13.8	13.8	13.8	13.6	13.6	12.9	11.8	10.9	14.3	10.9	12.85	8
9	5.2	4.9	5.3	6.7	8.4	10.2	11.3	11.8	11.8	11.1	10.0	9.3	12.2	4.8	8.83	9.6	8.2	11.3	14.4	15.8	16.4	12.6	15.0	16.2	15.2	12.0	9.8	17.6	8.2	13.04	9
10	7.6	7.6	6.6	6.2	6.0	6.2	6.8	7.5	8.4	8.4	8.0	8.0	9.3	6.0	7.28	7.0	7.1	10.9	11.4	9.9	10.9	13.2	11.1	13.0	12.3	9.3	8.9	13.8	6.9	10.42	10
11	7.5	7.1	7.7	8.8	11.4	14.6	17.4	17.9	16.2	13.9	11.5	10.2	18.2	7.1	12.02	8.3	6.8	8.8	13.1	14.9*	16.9	17.9	18.5	17.6	13.3	11.6	10.9	18.5	6.8	13.22	11
12	8.2	4.9	7.6	11.8	13.3	14.7	17.3	18.7	16.8	13.7	10.1	7.9	18.7	4.6	12.08	10.0	9.8	10.0	11.4	12.6	14.8	16.5	12.8	13.5	13.3	12.1	11.0	16.5	9.8	12.32	12
13	6.6	6.3	7.5	11.9	14.5	11.7	17.6	18.0	15.9	15.3	15.4	16.3	18.8	5.5	13.08	9.6	10.3	12.7	16.1	17.5	18.3	15.1	17.6	19.2	16.8	12.6	9.5	18.5	9.5	14.52	13
14	14.9	12.7	11.8	11.8	11.2	12.9	14.8	14.6	12.8	11.1	10.5	9.2	17.1	9.2	12.36	9.3	9.3	9.3	10.1	12.6	15.3	15.4	11.4	11.8	11.2	11.0	7.9	15.5	7.9	11.22	14
15	8.2	8.2	8.3	10.1	13.9	16.8	18.2	17.6	16.6	14.7	11.7	10.5	19.1	7.8	12.90	5.9	5.4	10.9	13.3	15.4	16.5	16.5	14.7	9.5	10.1	9.9	8.2	17.0	5.4	11.30	15
16	8.0	5.6	7.6	11.4	12.9	13.4	15.9	13.9	12.9	10.5	9.9	9.9	16.0	5.2	10.99	5.9	4.7	9.1	12.4	14.0	11.1	11.5	9.7	9.9	8.7	7.6	6.9	14.2	**4.6**	**9.29**	16
17	9.5	9.0	9.0	9.3	9.5	9.2	9.2	10.7	12.7	11.3	9.9	8.5	12.7	8.5	9.82	5.6	5.1	8.0	10.4	12.0	13.1	14.7	16.0	15.2	13.0	10.9	9.3	16.5	5.0	11.11	17
18	7.1	7.2	9.2	10.9	12.5	14.0	14.2	13.6	12.7	9.9	8.2	5.9	14.5	5.9	10.45	9.2	7.4	8.3	10.6	12.1	14.2	15.8	16.4	16.2	16.0	14.0	13.4	17.2	7.4	12.80	18
19	5.6	6.4	9.9	11.8	14.1	10.4	16.8	16.5	16.0	13.7	10.7	9.2	16.9	4.9	11.76	11.9	12.7	16.6	18.8	20.6	22.1	25.0	25.2	24.7	22.1	18.7	15.7	25.9	11.9	19.51	19
20	8.1	7.1	8.9	11.8	13.3	15.5	16.9	17.8	17.9	15.1	9.2	8.0	18.6	7.1	12.55	12.8	11.9	15.9	19.8	21.3	23.3	25.1	26.4	26.2	23.9	17.1	15.9	26.5	11.9	19.97	20
21	6.3	4.9	9.3	14.2	16.7	18.7	19.8	20.6	19.8	16.3	11.9	9.9	**20.8**	4.9	14.03	13.1	13.0	17.0	22.0	24.3	26.9	28.5	28.6	28.3	25.0	19.3	15.3	**29.3**	12.6	21.78	21
22	12.3	11.1	11.6	12.9	14.4	15.8	17.1	17.6	16.2	13.6	9.9	8.1	17.8	8.1	13.38	14.2	12.8	17.7	21.6	25.4	27.3	28.6	28.8	27.5	24.8	20.9	16.5	28.9	12.8	**22.18**	22
23	7.1	6.1	6.0	7.7	9.0	11.0	10.9	10.5	10.4	8.8	5.7	5.0	11.2	5.0	8.18	14.1	13.7	18.1	20.8	22.3	25.3	27.1	24.9	23.4	20.9	17.6	15.9	27.2	13.4	20.34	23
24	3.9	4.5	5.3	7.5	8.1	9.0	6.7	6.5	3.9	5.2	3.9	2.3	10.7	2.3	**5.57**	14.9	15.4	15.4	15.5	16.4	17.5	18.8	19.8	19.5	18.3	16.1	15.3	20.0	14.9	16.91	24
25	2.3	1.9	5.2	8.0	11.0	12.5	13.5	14.4	13.8	11.4	8.4	3.0	14.5	1.7	9.78	15.4	15.1	14.6	13.2	12.5	12.6	13.0	13.0	13.7	13.8	13.1	12.9	15.4	12.5	13.58	25
26	0.8	0.5	4.9	8.6	11.1	13.3	13.7	14.1	13.6	11.6	5.6	4.7	14.1	**0.5**	8.54	12.2	12.0	12.9	14.7	16.1	17.7	18.6	17.3	16.7	16.1	14.7	14.4	19.1	12.0	15.28	26
27	3.7	2.5	9.9	12.7	14.7	14.0	13.1	12.0	11.1	9.9	9.1	8.6	14.9	2.5	10.11	13.7	13.7	14.4	15.1	16.1	15.5	13.4	14.4	15.3	15.8	14.1	13.1	16.3	13.1	14.55	27
28	9.5	9.4	10.5	10.7	11.7	11.3	14.5	14.2	14.8	12.6	12.0	11.5	14.9	8.6	11.89	13.4	13.3	15.2	16.9	18.3	19.3	20.6	22.1	19.3	18.6	16.5	15.5	22.5	13.1	17.42	28
29	10.1	10.7	11.5	12.7	13.7	14.9	17.4	18.4	16.2	14.4	14.9	15.0	18.8	10.1	**14.16**	13.2	12.2	15.4	19.6	21.4	23.0	24.7	25.2	24.8	19.3	16.0	13.5	25.2	12.2	19.02	29
30	14.1	13.9	13.7	14.6	13.8	13.4	13.5	16.9	15.8	13.7	11.5	10.7	16.9	10.7	13.79	12.5	12.7	16.1	16.9	18.3	19.3	19.6	18.3	15.9	15.7	14.4	13.7	19.6	12.0	16.20	30
31	10.4	10.1	9.9	10.1	11.4	15.3	17.7	17.7	16.9	15.2	11.8	8.5	18.5	8.5	12.92																
M	7.09	**6.54**	7.71	9.52	11.11	12.05	13.38	**13.72**	13.08	11.43	9.18	8.05	14.83	5.57	10.24	10.59	**10.31**	12.30	14.26	15.65	16.92	17.84	**17.88**	17.32	15.78	13.50	11.93	19.14	9.80	14.52	M

Juli VII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dat
1	13.3	13.3	13.6	15.1	17.3	18.9	18.6	20.8	19.0	16.8	14.8	14.1	20.9	13.3	16.30	14.4	13.1	14.5	16.8	19.6	21.4	22.5	22.4	21.8	19.5	16.9	13.9	23.3	12.7	18.07	1
2	12.8	13.3	14.8	15.6	18.8	20.3	21.0	17.4	19.4	16.1	15.2	14.5	21.0	12.4	16.60	13.0	11.8	13.2	16.0	18.3	22.0	25.0	24.5	26.4	23.4	18.0	15.3	26.8	10.9	18.91	2
3	13.8	13.2	13.7	13.6	14.7	16.7	18.2	17.9	18.0	17.3	14.0	13.1	18.8	13.1	15.35	14.3	12.6	13.6	20.4	23.1	26.4	28.8	29.9	28.4	23.0	17.8	16.3	**30.4**	12.0	21.22	3
4	12.0	12.1	14.2	16.5	20.1	22.2	23.1	23.2	23.1	21.1	17.9	14.0	23.9	12.0	18.29	15.4	14.0	15.8	22.5	24.2	26.3	28.3	28.7	26.9	24.0	19.7	16.6	28.8	13.8	21.87	4
5	13.0	12.8	15.6	20.5	22.1	23.5	24.5	25.4	22.6	21.1	19.0	18.1	25.4	12.6	19.85	14.5	13.9	15.3	17.6	21.6	23.3	25.6	25.8	22.0	21.7	18.9	16.9	26.7	13.8	19.76	5
6	16.4	15.7	16.2	17.3	18.2	19.2	18.1	16.3	17.3	17.4	15.2	15.1	20.0	15.1	16.87	15.6	16.8	18.3	18.3	20.2	22.7	21.4	18.7	17.8	17.7	17.8	17.9	24.0	15.3	18.60	6
7	14.5	14.3	14.4	16.9	18.9	20.2	20.6	19.3	19.0	17.1	16.0	15.3	20.9	14.2	17.21	17.9	17.3	17.2	17.1	16.9	17.6	18.8	20.7	20.7	19.0	17.0	16.9	20.8	16.5	18.09	7
8	15.5	14.6	15.5	17.8	19.9	16.0	16.6	17.3	20.3	18.0	15.5	14.1	20.4	14.1	16.76	16.5	15.9	15.5	17.2	20.2	22.3	24.0	24.2	23.9	20.5	14.0	14.0	24.8	14.0	19.02	8
9	13.2	12.2	15.1	18.4	20.7	23.5	25.4	24.1	24.1	21.3	18.1	14.5	25.4	12.2	19.22	11.5	11.0	12.9	17.7	21.8	24.3	26.5	27.5	26.9	23.8	20.5	20.2	27.9	10.3	20.38	9
10	13.6	13.3	15.3	21.0	24.2	25.2	26.2	25.3	26.4	24.1	18.1	16.2	27.0	13.3	20.74	19.9	20.1	19.9	23.2	24.9	27.0	27.9	27.8	26.8	25.1	23.0	21.5	28.1	19.8	**23.92**	10
11	15.1	14.3	17.3	22.7	26.0	28.1	28.6	27.2	27.9	25.0	20.0	18.4	28.8	14.1	**22.55**	19.5	18.2	19.4	22.1	24.9	26.3	27.7	28.7	27.3	25.1	22.0	21.5	28.7	17.9	23.56	11
12	17.2	17.0	19.5	23.3	24.9	25.2	20.1	23.9	25.4	22.3	20.0	18.2	25.4	17.0	21.42	19.5	18.4	18.1	23.1	25.1	27.3	28.1	28.3	28.6	25.4	22.2	21.3	29.0	17.1	23.78	12
13	18.4	18.4	18.4	18.9	20.2	23.6	25.0	25.1	25.3	20.3	18.0	17.2	25.6	16.6	20.57	20.1	18.4	20.4	22.4	25.1	25.6	27.4	26.8	25.7	22.6	20.8	19.6	27.9	17.8	22.91	13
14	16.9	16.8	16.8	19.9	23.1	24.0	24.5	25.2	24.7	21.4	18.5	17.5	25.2	16.6	20.78	19.1	19.5	18.8	21.3	22.6	23.1	23.8	22.9	22.8	20.5	18.8	17.8	24.3	17.8	20.92	14
15	17.4	17.4	17.1	18.1	19.3	23.8	26.9	29.0	28.1	24.9	19.1	14.9	**29.1**	14.9	21.33	17.8	17.7	16.5	17.5	18.0	20.3	21.1	22.6	20.6	19.6	17.5	16.0	22.8	16.0	18.77	15
16	13.3	11.9	15.4	21.8	26.5	28.2	28.5	28.5	27.8	25.9	22.9	18.5	28.9	11.9	22.43	15.8	15.3	17.3	18.6	17.2	19.0	21.9	21.9	21.9	19.9	19.3	19.1	22.7	15.1	18.93	16
17	18.8	19.0	18.7	21.4	24.1	25.3	25.9	25.1	23.4	20.3	18.1	16.1	26.4	16.1	21.35	18.0	16.2	16.8	20.7	23.4	24.6	26.3	22.7	23.6	22.2	19.9	18.6	26.3	16.2	21.08	17
18	13.9	14.3	16.0	18.4	21.2	24.2	25.0	25.2	25.2	22.2	19.6	16.2	26.3	13.9	20.12	18.3	18.1	18.7	20.3	20.2	22.0	21.0	20.9	19.1	17.3*	16.3	15.9	22.0	15.9	19.01	18
19	14.3	14.2	16.8	20.0	25.1	27.5	29.2	28.0	26.9	22.6	20.3	17.3	29.7	14.2	21.85	15.2	14.2	14.5	15.9	17.0	17.3	19.1	18.1	17.2	16.0	14.4	14.2	19.1	14.2	16.09	19
20	17.4	17.8	18.8	20.2	22.9	20.5	19.9	16.3	17.4	18.3	17.8	16.6	23.4	16.3	18.66	13.3	13.6	14.2	14.6	15.9	17.6	18.5	20.0	18.9	16.9	15.1	14.5	20.0	13.3	16.09	20
21	16.2	15.5	16.1	17.7	18.5	17.9	21.4	21.5	21.9	19.8	17.3	15.3	22.3	15.3	18.26	14.1	14.0	13.9	15.9	17.1	20.1	21.5	17.3	14.5	14.4	12.9	12.2	21.7	12.2	15.66	21
22	12.7	12.1*	14.8*	17.5*	18.8	21.3	18.2	16.3	15.5	15.8	15.2	14.6	21.8	11.6	16.07	12.3	12.3	12.4	13.4	15.2	19.7	20.7	20.0	16.6	15.3	14.3	14.2	20.7	12.2	15.53	22
23	15.0	14.6	17.0	19.9	22.6*	23.2*	23.7	24.7	23.8	22.1	15.9	15.0	25.0	14.6	19.79	14.2	14.3	14.3	15.1	16.8	18.0	20.0	21.4	16.9	14.4	13.3	12.1	21.4	12.1	15.90	23
24	13.4	13.0	15.3	19.5	21.2	22.9	24.1	24.1	22.3	20.8	16.6	14.7	25.2	12.9	18.99	12.2	13.2	13.6	14.6	16.6	16.2	14.5	15.0	15.0	14.5	12.9	11.2	16.7	11.2	14.12	24
25	13.2	14.0	14.1	16.3	18.2	19.3	20.2	21.3	21.5	19.2	16.8	14.4	22.0	13.1	17.38	10.1	9.6	10.7	14.5	14.9	17.1	18.8	19.6	18.6	15.6	12.8	12.0	19.7	9.3	14.52	25
26	12.1	12.3	13.8	16.4	18.4	19.2	13.7	18.2	20.1	16.1	13.0	12.4	20.2	11.6	15.48	11.5	12.1	12.9	16.1	18.4	20.5	21.2	21.9	19.9	16.5	12.7	11.5	22.4	10.7	16.27	26
27	12.3	11.6	13.5	14.9	15.7	17.7	18.3	18.3	18.2	16.8	14.8	13.4	18.4	11.6	15.46	10.4	8.4	6.5	12.0	15.1	17.1	19.5	18.0	16.6	14.8	13.2	11.9	19.5	**6.5**	13.52	27
28	12.5	11.4	12.7	14.0	15.1	18.0	18.6	19.1	18.5	16.6	13.3	12.9	19.7	11.2	**15.22**	12.4	12.2	12.2	13.4	17.0	20.8	23.5	23.5	22.0	18.6	13.7	12.6	23.5	11.4	16.82	28
29	12.3	10.7	14.1	17.2	19.8	21.9	23.8	22.8	20.6	20.5	16.8	15.9	24.5	**10.6**	18.03	10.3	13.5	13.0	12.2	10.4	11.9	11.9	12.9	14.0	13.2	13.1	13.2	14.0	10.2	**12.47**	29
30	15.9	13.9	13.4	15.1	16.4	17.2	18.1	18.4	16.3	12.8	13.3	13.2	18.9	12.8	15.33	13.2	13.1	13.1	14.2	17.0	20.0	21.9	22.7	20.4	17.4	15.3	14.3	22.8	13.1	16.97	30
31	12.9	13.3	14.5	15.4	18.5	20.8	21.8	22.4	22.3	20.4	17.0	15.5	22.5	12.8	17.90	12.4	11.7	11.2	11.7	14.0	15.5	15.3	16.8	16.2	12.8	10.7	11.4	17.3	10.6	13.39	31
M	14.49	**14.14**	15.56	18.11	20.37	21.79	**22.19**	22.18	21.95	19.82	17.04	15.39	23.65	13.61	18.59	14.93	**14.53**	14.99	17.30	19.12	21.07	**22.37**	22.33	21.23	19.06	16.64	15.63	23.36	13.55	18.27	M

Registreringer av lufttemperatur T

(Records of temperature: T)

1945

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ $h_d = 25.6$ $h_r = 1.5$

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	10.8	10.2	9.2	11.5	14.5	16.2	17.0	18.5	18.0	11.5	9.2	10.0	19.2	9.1	13.05
2	9.6	8.5	6.6	11.9	13.6	16.3	18.1	18.6	16.9	12.4	9.5	9.6	18.6	6.4	12.63
3	9.2	9.5	8.2	11.2	15.6	16.8	18.2	19.7	19.8	13.7	10.6	10.2	20.4	8.2	13.56
4	9.6	8.6	10.1	11.0	13.5	18.4	21.8	20.3	18.1	15.3	12.3	11.3	**21.8**	8.6	**14.19**
5	12.5	11.3	10.5	13.6	15.5	17.0	18.5	19.5	17.8	13.2	10.2	8.1	19.6	8.1	13.98
6	5.2	7.1	8.0	12.6	14.3	16.9	18.9	19.6	16.9	13.2	11.3	9.2	19.6	5.1	12.77
7	8.2	6.6	6.7	12.0	16.0	18.4	19.3	19.9	17.8	12.5	10.1	9.1	20.0	6.2	13.05
8	8.2	8.4	7.5	10.9	14.3	17.2	19.2	19.3	17.3	13.3	11.6	11.5	20.3	7.5	13.22
9	10.9	8.9	7.8	9.8	13.6	16.2	18.9	19.1	17.1	14.7	10.7	9.3	19.1	7.8	13.08
10	9.5	8.4	9.3	11.6	15.4	17.4	19.3	19.2	15.1	13.4	11.8	11.8	19.3	8.4	13.60
11	11.2	10.6	9.8	12.3	13.9	15.9	16.3	17.3	15.6	12.1	9.2	7.6	17.3	7.6	12.65
12	6.5	6.5	6.6	8.7	12.8	14.7	15.9	15.3	15.1	14.2	13.9	13.9	16.0	5.8	12.01
13	12.5	12.4	11.4	12.4	14.5	15.8	15.2	15.2	15.3	13.5	13.7	12.8	16.2	11.2	13.81
14	12.3	10.1	10.0	11.4	12.3	12.4	14.8	14.3	13.4	11.6	11.0	11.4	15.0	9.8	12.08
15	10.4	9.4	8.4	10.5	13.5	14.3	16.1	15.6	14.9	13.8	12.7	10.8	16.4	8.4	12.53
16	8.6	7.5	6.8	9.2	12.4	12.7	12.8	13.4	13.6	9.4	8.0	8.0	13.4	6.8	10.20
17	6.5	5.4	4.8	8.7	12.2	15.8	16.3	15.6	15.0	12.2	11.1	11.1	16.3	4.7	11.22
18	11.1	11.1	10.2	10.2	10.7	10.7	10.7	11.7	11.2	10.3	10.2	10.0	11.7	9.8	10.68
19	9.8	9.8	8.7	10.5	11.7	12.6	13.7	13.7	12.1	10.8	10.6	9.8	14.0	8.7	11.15
20	9.6	9.6	9.9	10.2	11.0	11.8	12.4	12.5	12.8	12.2	11.6	11.7	12.9	9.6	11.28
21	11.7	11.4	11.0	11.0	11.9	14.5	15.7	15.4	14.6	12.2	10.4	9.0	17.3	9.0	12.57
22	8.0	6.5	5.6	8.6	12.6	13.6	14.8	14.1	12.6	11.8	11.5	10.7	14.8	5.4	10.87
23	10.5	10.5	10.0	9.7	11.1	12.5	11.9	11.7	10.7	10.2	8.3	7.1	13.1	7.1	10.35
24	6.6	6.7	7.4	7.9	9.2	11.5	12.5	10.6	9.6	9.0	8.3	7.5	12.7	6.1	8.90
25	7.6	7.5	7.0	6.3	7.3	8.1	8.8	8.8	8.2	6.9	6.6	6.1	8.8	6.1	7.43
26	5.4	4.8	3.9	5.7	6.7	7.8	7.8	7.8	7.3	7.2	7.5	6.9	7.9	3.6	6.57
27	6.8	6.6	6.6	6.9	7.9	9.8	9.9	11.3	8.6	5.3	5.2	4.3	11.3	4.2	7.43
28	3.4	3.4	3.3	4.2	9.3	11.1	12.6	12.6	9.1	7.3	7.1	6.1	12.7	3.3	7.46
29	4.6	3.5	2.7	4.8	9.6	11.6	12.7	13.4	10.5	6.6	7.0	5.0	13.6	**2.0**	7.67
30	3.5	3.8	3.5	4.4	6.3	8.2	8.4	8.3	8.3	8.1	7.7	7.6	8.4	3.4	**6.51**
M	8.68	8.15	7.72	9.66	12.11	13.87	14.98	15.14	13.81	11.26	9.96	9.25	15.61	6.93	11.22

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	5.1	4.5	5.0	5.8	7.4	9.8	10.6	10.1	9.1	5.2	3.9	3.3	10.6	3.3	6.73
2	3.4	4.0	3.3	3.7	6.9	9.9	13.2	14.4	12.6	8.0	7.1	5.1	14.6	3.1	7.72
3	6.4	6.4	5.9	6.4	7.9	9.2	10.1	10.6	10.8	11.0	10.7	10.5	11.3	5.7	8.82
4	10.3	9.8	10.3	10.7	11.5	12.3	12.5	12.9	12.4	11.4	10.6	10.3	12.9	9.8	**11.25**
5	9.6	9.9	8.4	7.5	7.6	9.2	8.9	8.5	7.8	5.1	4.3	3.2	10.3	3.2	7.58
6	3.3	3.8	5.3	5.9	8.9	11.1	14.1	14.2	10.6	7.0	5.9	5.5	14.5	2.6	8.05
7	3.5	2.4	1.5	4.0	8.6	9.7	10.8	10.3	8.4	6.8	4.4	4.1	10.9	1.0	6.21
8	3.3	3.0	3.2	2.4	4.5	6.1	9.5	10.5	7.1	5.1	5.1	6.0	10.5	2.1	5.49
9	6.5	6.5	6.5	6.6	8.4	9.8	10.1	10.2	10.3	10.3	10.0	11.3	11.3	6.0	8.88
10	11.5	11.8	10.9	10.2	10.3	11.6	11.8	8.7	6.6	4.7	2.3	0.0	12.9	0.0	8.37
11	- 0.8	- 1.3	- 2.1	- 0.5	3.8	7.1	8.7	7.7	6.3	3.2	2.2	0.7	9.0	- 2.1	2.92
12	0.0	0.2	0.2	1.0	4.2	6.7	7.2	7.2	4.4	3.2	3.6	4.9	7.2	- 0.2	3.57
13	2.3	2.5	2.5	3.1	4.9	6.7	8.0	8.2	6.5	5.5	5.3	4.8	8.3	2.3	5.02
14	5.6	6.5	5.9	6.0	7.6	10.3	11.5	13.0	13.0	13.0	11.6	10.0	13.8	4.7	9.50
15	8.7	8.4	9.8	11.9	14.1	14.6	15.3	13.8	8.6	5.5	5.3	4.5	15.3	4.5	10.04
16	2.8	1.7	1.2	2.4	5.6	9.1	10.9	10.9	4.7	2.9	2.4	1.6	11.3	0.7	4.68
17	1.3	0.6	0.5	0.9	4.8	7.5	11.0	10.6	7.5	6.4	3.8	2.8	11.4	0.0	4.81
18	2.0	2.2	2.4	3.6	7.2	11.7	15.8	15.7	11.6	9.5	6.9	5.6	**15.8**	1.8	7.85
19	3.9	3.6	2.8	3.8	6.2	8.3	8.7	8.6	6.2	4.4	3.9	4.4	9.1	2.8	5.41
20	4.6	4.7	3.3	2.4	4.7	6.9	9.9	8.7	6.6	6.4	5.4	4.5	9.9	2.1	5.68
21	3.9	3.5	3.5	3.3	4.3	5.1	5.9	5.6	1.8	0.3	1.5	2.5	6.2	0.0	3.43
22	2.5	2.7	2.8	3.2	3.5	5.0	6.0	6.0	5.6	4.8	4.9	4.9	6.0	2.5	4.32
23	4.9	4.9	5.2	5.5	6.2	7.2	7.3	7.3	7.8	8.0	7.9	8.0	8.0	4.9	6.68
24	8.1	7.9	7.9	7.8	7.8	8.2	9.6	8.8	8.2	7.1	7.0	6.9	9.6	6.9	7.94
25	6.4	5.4	4.9	5.0	5.3	6.0	6.6	7.1	7.1	8.2	8.3	8.3	8.3	4.9	6.55
26	9.3	9.3	9.4	9.4	9.4	9.7	9.7	8.9	8.9	8.2	7.9	7.8	9.8	7.8	8.99
27	6.9	6.5	5.9	5.8	6.8	8.2	9.3	8.8	6.1	5.5	5.5	5.5	9.3	5.0	6.73
28	4.8	2.6	3.2	4.6	4.7	5.0	5.2	4.8	4.2	3.8	3.8	3.8	5.5	2.1	4.21
29	3.6	3.1	3.1	3.0	3.0	3.0	2.8	2.9	3.2	3.3	3.3	3.3	3.8	2.8	3.13
30	3.3	3.2	2.5	2.5	2.5	2.5	2.4	1.9	1.9	2.2	2.3	2.5	3.3	1.9	**2.48**
31	2.4	2.5	2.8	3.3	3.8	4.4	5.1	5.1	5.3	5.4	5.5	5.7	5.7	2.4	4.28
M	4.85	4.61	4.45	4.88	6.53	8.13	9.31	9.10	7.46	6.21	5.57	5.30	9.88	3.05	6.37

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	6.4	7.5	7.6	8.5	9.0	9.7	11.0	10.8	8.6	7.7	6.8	4.2	**11.0**	4.2	**8.15**
2	2.4	1.4	1.1	0.3	2.4	8.6	8.6	7.3	6.1	5.5	5.2	4.7	8.8	0.3	4.47
3	3.4	1.9	1.5	1.2	2.4	4.0	3.8	3.5	0.9	0.5	1.5	2.0	4.7	0.5	2.22
4	2.0	2.3	2.5	1.9	2.5	3.4	3.5	3.4	1.9	- 0.2	0.7	1.0	3.5	- 0.3	2.08
5	0.3	- 0.6	- 0.7	- 0.6	- 0.2	2.2	2.8	2.6	0.3	0.0	- 0.7	- 1.2	2.9	- 1.2	0.35
6	- 1.4	- 1.8	- 2.1	- 2.0	- 0.6	- 0.2	0.0	- 0.1	- 0.4	- 0.3	- 0.2	- 0.6	0.0	- 2.1	- 0.81
7	- 0.5	- 0.5	- 1.3	- 0.8	- 1.1	- 0.3	- 0.2	0.1	0.7	2.7	3.8	3.6	4.1	- 1.3	0.52
8	3.5	4.7	5.1	4.8	5.0	5.7	5.4	2.1	2.0	1.5	0.6	0.5	5.8	0.5	3.41
9	0.4	- 0.6	- 0.9	- 1.0	- 1.0	- 0.8	- 0.6	- 1.7	- 2.8	- 3.2	- 3.2	- 3.3	0.5	- 3.3	- 1.56
10	- 3.7	- 4.4	- 4.7	- 4.8	- 4.5	- 4.0	- 4.0	- 4.9	- 6.0	- 6.0	- 5.9	- 6.2	- 3.3	- 6.2	- 4.92
11	- 7.0	- 8.1	- 9.2	-10.5	- 8.1	- 5.8	- 4.6	- 4.9	- 6.8	- 7.1	- 7.3	- 7.5	- 3.8	**-10.5**	**- 7.24**
12	- 6.8	- 6.3	- 4.4	- 3.8	- 1.6	0.7	1.4	1.9	4.2	2.2	2.6	4.7	6.0	- 7.5	- 0.43
13	4.5	5.5	5.6	5.7	5.7	5.7	5.7	4.6	3.4	2.1	1.9	1.6	5.7	1.6	4.33
14	1.4	0.9	0.7	0.7	0.6	1.3	1.1	0.7	0.4	0.5	0.5	0.4	1.6	0.4	0.77
15	0.0	- 0.5	- 0.5	- 0.4	- 0.4	0.1	0.4	0.7	1.2	1.2	1.3	1.4	1.4	- 0.5	0.38
16	1.1	1.6	1.8	1.8	2.0	2.3	2.3	2.3	1.9	1.9	2.2	2.0	2.2	1.1	1.93
17	1.9	1.9	1.9	2.0	2.3	2.5	2.3	1.8	0.9	0.5	- 0.1	- 0.6	2.7	- 0.6	1.44
18	- 1.2	- 1.3	- 1.9	- 2.8	- 2.3	- 0.9	- 0.4	- 1.1	- 1.6	- 2.8	- 3.1	- 3.0	- 0.4	- 3.0	- 1.87
19	- 3.6	- 4.3	- 4.2	- 4.3	- 4.3	- 2.2	- 1.2	- 2.5	- 3.4	- 3.8	- 4.4	- 4.4	- 1.2	- 4.4	- 3.55
20	- 4.4	- 4.9	- 4.4	- 5.4	- 4.9	- 4.2	- 3.3	- 3.7	- 4.4	- 4.7	- 5.2	- 6.0	- 3.3	- 6.0	- 4.62
21	- 6.0	- 6.0	- 6.3	- 5.8	- 4.4	- 2.3	- 1.8	- 3.2	- 3.9	- 5.5	- 5.4	- 5.6	- 1.7	- 6.3	- 4.68
22	- 6.0	- 4.9	- 4.7	- 4.5	- 4.4	- 3.8	- 3.4	- 3.3	- 3.0	- 3.2	- 3.4	- 3.5	- 3.0	- 6.5	- 4.01
23	- 3.5	- 4.5	- 6.1	- 6.4	- 7.0	- 6.9	- 6.3	- 6.3	- 7.2	- 7.4	- 7.2	- 6.9	- 3.5	- 7.5	- 6.31
24	- 6.8	- 6.7	- 6.7	- 6.8	- 6.0	- 4.9	- 4.0	- 3.6	- 3.6	- 3.2	- 3.1	- 3.1	- 2.8	- 6.9	- 4.88
25	- 3.1	- 2.6	- 2.5	- 2.2	- 2.3	- 2.3	- 2.4	- 2.6	- 2.6	- 2.6	- 2.4	- 1.9	- 1.9	- 3.5	- 2.46
26	- 1.1	2.8	2.8	1.0	1.2	3.2	2.8	2.5	1.8	0.3	0.6	- 0.7	3.2	- 1.9	1.43
27	0.3	- 0.7	- 0.7	- 3.0	- 3.0	- 0.6	0.3	- 0.3	- 0.7	- 1.1	0.1	- 1.6	0.3	- 3.7	- 0.92
28	- 3.1	- 3.5	- 3.4	- 2.3	- 0.9	4.9	5.5	5.0	5.0	4.8	5.0	4.0	5.8	- 3.8	1.75
29	2.5	0.1	- 0.9	0.0	4.1	5.1	5.5	4.1	4.2	3.3	1.9	1.7	5.8	- 0.9	2.63
30	- 0.8	- 2.5	- 3.6	- 4.7	- 3.5	- 1.1	0.2	- 0.3	- 1.2	- 1.5	- 1.4	- 1.3	1.7	- 4.7	- 1.81
31															
M	- 0.96	- 1.14	- 1.29	- 1.47	- 0.77	0.64	1.01	0.50	- 0.14	- 0.60	- 0.61	- 0.85	1.76	- 2.80	- 0.47

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	- 1.2	- 0.6	- 0.3	- 0.5	- 0.5	0.7	0.8	1.1	1.3	1.8	1.8	2.6	2.6	- 1.3	0.58
2	3.8	4.0	3.8	3.5	3.3	3.0	3.0	3.1	3.6	3.7	3.7	3.7	4.1	2.6	3.52
3	3.1	2.7	2.7	2.8	2.0	2.3	1.7	1.6	1.6	1.6	1.6	1.6	3.7	1.5	2.11
4	1.6	1.6	1.7	1.5	1.6	1.6	1.4	0.8	0.6	0.4	0.5	0.5	1.8	0.2	1.15
5	0.3	0.7	1.6	2.4	2.6	3.0	3.3	3.7	3.2	3.0	3.0	2.1	3.7	0.3	2.41
6	2.0	1.9	1.9	1.8	1.7	1.7	1.0	0.8	0.6	0.1	- 0.5	- 1.0	2.1	- 1.0	1.00
7	- 1.2	- 1.4	- 2.2	- 2.5	- 2.5	- 2.3	- 2.4	- 3.3	- 5.0	- 6.1	- 6.7	- 7.1	- 1.0	- 7.1	- 3.56
8	- 7.5	- 6.7	- 6.8	- 6.1	- 5.3	- 5.2	- 4.7	- 4.8	- 4.5	- 4.5	- 4.1	- 4.4	- 4.1	- 7.5	- 5.38
9	- 4.3	- 3.6	- 3.5	- 2.9	- 2.2	- 0.7	0.3	0.8	1.3	1.8	1.9	2.2	2.2	- 4.5	- 0.74
10	2.7	2.8	1.7	3.4	1.6	0.9	1.6	- 0.6	- 1.3	- 2.5	- 3.6	- 3.3	3.4	- 3.7	0.28
11	- 3.5	- 3.7	- 5.4	- 5.4	- 4.6	- 3.8	- 3.6	- 4.2	- 4.9	- 5.2	- 4.8	- 4.5	- 3.3	- 5.9	- 4.47
12	- 4.4	- 4.4	- 5.2	- 5.2	- 5.7	- 3.7	- 2.9	- 3.8	- 5.4	- 5.8	- 5.1	- 5.1	- 2.9	- 6.0	- 4.72
13	- 4.9	- 4.4	- 4.8	- 4.6	- 4.5	- 3.5	- 2.5	- 3.4	- 3.7	- 1.9	- 3.5	- 1.7	- 1.7	- 6.3	- 3.62
14	- 2.2	- 5.5	- 2.7	- 1.8	- 1.5	- 1.0	- 0.6	- 2.8	- 4.7	- 3.9	- 3.8	- 3.7	- 0.6	- 6.0	- 2.85
15	- 5.7	- 6.9	- 7.5	- 7.3	- 5.8	- 4.0	- 2.3	- 2.3	- 1.8	- 1.5	- 1.7	- 5.7	- 1.3	- 7.6	- 4.36
16	- 7.9	- 9.3	-10.5	-11.5	-12.2	-11.1	-10.6	-12.3	-12.1	- 7.5	- 7.9	- 6.4	- 5.7	-12.3	- 9.94
17	- 6.3	- 6.0	- 5.8	- 4.6	- 4.1	- 4.2	- 4.0	- 3.1	- 2.1	- 1.4	0.5	1.9	1.9	- 6.6	- 3.27
18	2.8	3.8	3.8	3.9	4.7	4.9	4.2	4.2	4.1	4.0	4.0	4.5	**4.9**	1.9	**4.08**
19	4.0	4.0	3.0	2.4	2.2	2.1	2.1	2.2	2.8	2.6	2.3	1.8	4.5	1.8	2.62
20	1.4	1.5	1.2	1.4	1.2	1.9	2.0	1.8	1.4	1.1	0.9	0.8	1.8	0.8	1.38
21	0.8	0.8	0.8	0.6	0.7	0.9	1.2	1.1	1.1	1.2	0.9	1.2	1.2	0.6	0.94
22	1.6	1.9	2.0	2.3	2.1	2.3	1.4	0.6	0.3	0.1	0.9	0.8	2.3	0.0	1.36
23	0.5	- 0.4	- 0.3	- 1.3	- 1.7	- 1.4	- 1.7	- 2.6	- 3.2	- 4.8	- 5.9	- 6.2	0.8	- 6.2	- 2.42
24	- 6.8	- 7.2	- 7.7	- 8.1	- 8.0	- 8.2	- 8.6	- 8.5	- 7.8	- 7.8	- 7.4	- 7.0	- 6.2	- 8.6	- 7.76
25	- 6.6	- 6.7	- 6.6	- 6.3	- 6.2	- 5.9	- 5.8	- 5.5	- 5.2	- 5.2	- 5.2	- 5.2	- 5.2	- 7.0	- 5.87
26	- 4.9	- 4.9	- 4.0	- 4.0	- 3.8	- 3.1	- 2.7	- 2.2	- 2.0	- 2.0	- 2.0	- 2.0	- 2.0	- 5.2	- 3.13
27	- 1.8	- 1.6	- 1.6	- 1.3	- 1.3	- 1.3	- 1.3	- 1.5	- 1.3	- 1.0	- 1.0	- 1.0	- 1.0	- 2.0	- 1.33
28	- 0.8	- 0.8	- 0.8	- 0.7	- 0.7	- 0.1	- 0.6	- 1.0	- 0.5	- 0.6	- 0.5	- 0.4	- 0.1	- 1.0	- 0.62
29	- 0.3	- 0.3	- 0.4	- 1.2	- 1.1	- 0.7	- 0.8	- 1.8	- 2.8	- 4.0	- 6.1	- 9.2	- 0.3	- 9.2	- 2.39
30	-11.4	- 8.9	- 8.3	- 9.2	- 9.9	- 8.0	- 7.0	- 8.4	- 9.5	-10.1	-11.2	-11.4	- 7.0	-11.4	- 9.44
31	-11.8	-12.6	-13.2	-12.4	-12.8	-10.3	- 9.4	-11.5	-13.1	-13.1	-13.9	-14.5	- 9.4	**-14.5**	**-12.38**
M	- 2.22	- 2.26	- 2.37	- 2.29	- 2.28	- 1.72	- 1.53	- 1.99	- 2.23	- 2.17	- 2.35	- 2.45	- 0.35	- 4.23	- 2.16

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1945

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	58	67	73	80	83	82	87	87	84	81	87	92	92	56	80.1
2	95	95	96	94	96	98	99	99	96	95	95	92	00	92	95.8
3	93	94	96	96	97	97	97	97	97	97	91	87	97	87	94.9
4	89	80	85	68	67	75	69	73	68	67	66	53	89	53	71.7
5	46	47	55	61	65	64	62	65	73	79	83	88	88	46	65.7
6	87	89	91	90	91	91	92	93	98	00	00	00	00	87	93.5
7	00	00	00	98	97	92	84	87	88	89	89	89	00	84	92.8
8	90	94	94	91	87	87	88	86	82	82	82	83	94	81	87.2
9	82	82	76	82	84	82	79	79	78	80	80	81	84	76	80.4
10	88	85	83	83	83	81	81	82	78	77	77	78	88	77	81.3
11	85	83	80	81	82	82	82	81	80	82	80	78	86	78	81.3
12	78	78	80	81	81	83	83	83	81	82	84	86	86	78	81.7
13	88	90	94	98	98	99	98	98	99	98	96	95	99	86	95.9
14	96	97	96	96	95	95	94	94	87	79	57	55	97	55	86.8
15	55	55	65	70	79	76	66	57	66	74	80	83	83	55	68.8
16	85	86	91	91	94	98	99	99	98	98	97	93	99	83	94.1
17	84	51	66	67	61	47	42	41	44	45	45	46	93	41	53.2
18	47	55	60	66	59	60	62	71	66	66	67	67	72	46	62.2
19	65	65	96	96	93	83	82	88	88	87	92	88	96	63	85.2
20	85	87	80	80	83	79	81	88	78	78	78	79	90	77	81.3
21	79	79	80	80	79	73	70	77	75	77	77	82	85	70	77.3
22	82	83	81	84	83	74	75	76	86	88	87	87	90	74	82.2
23	88	92	92	88	85	70	69	72	75	75	75	75	93	69	79.7
24	75	74	73	75	75	72	73	73	80	79	80	81	81	72	75.8
25	83	82	80	77	78	80	80	80	78	76	73	76	83	73	78.6
26	77	79	81	81	83	80	80	86	88	90	88	88	90	76	83.4
27	87	87	82	82	84	75	76	77	75	75	77	74	90	73	79.2
28	74	74	78	79	80	79	75	75	81	83	86	87	88	74	79.2
29	88	89	91	91	89	85	81	75	81	91	90	94	94	73	87.1
30	91	92	93	92	92	87	85	85	88	89	91	91	94	84	89.7
31	91	92	92	91	90	93	93	93	89	88	87	85	93	85	90.3
M	81.0	80.7	83.2	83.5	83.6	81.3	80.1	81.2	81.4	82.2	81.8	81.7	90.8	71.7	81.8

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	85	84	87	87	85	83	82	83	75	74	74	69	88	69	80.7
2	76	87	91	92	91	85	85	87	88	88	90	90	92	69	87.5
3	88	85	84	81	77	67	65	64	69	75	87	88	90	64	77.5
4	89	92	90	92	94	87	88	86	88	89	92	94	94	86	90.1
5	95	95	97	99	99	94	89	89	95	95	96	00	00	87	95.2
6	00	00	00	00	99	97	95	95	96	97	98	00	00	94	98.1
7	99	99	00	00	00	00	97	95	90	94	96	98	00	90	97.3
8	98	99	00	00	00	00	99	97	97	98	98	99	00	97	98.8
9	99	99	99	99	99	99	00	00	00	00	00	99	00	99	99.4
10	98	98	97	98	97	98	98	98	99	99	99	95	99	95	97.8
11	83	84	90	92	92	97	98	98	96	95	95	95	99	83	92.9
12	95	95	96	97	86	75	69	78	85	86	86	88	97	69	86.3
13	89	90	90	91	84	88	95	93	95	96	95	93	96	84	91.6
14	89	89	88	90	88	90	88	88	92	95	96	96	97	88	90.8
15	95	95	95	95	92	82	79	79	86	87	89	89	96	79	88.6
16	89	87	86	89	89	90	89	87	92	95	95	98	98	86	90.5
17	95	95	92	88	88	88	89	90	90	91	91	91	99	88	90.7
18	91	92	94	95	95	97	98	97	99	98	98	99	99	91	96.1
19	98	99	00	00	98	94	96	97	98	99	00	00	00	92	98.2
20	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00.0
21	00	00	00	00	99	90	75	83	89	92	95	96	00	75	93.2
22	97	97	98	98	99	98	97	78	73	72	72	80	99	62	88.2
23	76	82	85	87	79	67	65	65	80	82	87	89	89	65	78.7
24	91	93	94	94	86	71	67	76	88	91	94	93	95	67	86.5
25	93	93	92	91	86	75	55	50	50	49	50	60	92	49	70.3
26	65	67	73	69	72	72	59	64	88	93	96	90	94	59	75.7
27	82	63	59	59	59	60	59	66	76	93	97	00	00	57	72.8
28	00	97	98	99	77	63	65	61	69	75	81	86	00	59	80.9
M	91.3	91.3	92.0	92.2	89.6	86.0	83.6	83.7	87.2	89.2	91.0	92.0	96.9	78.7	89.1

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	91	94	96	74	49	48	53	45	47	46	48	47	96	41	61.5
2	51	51	51	59	62	53	62	60	53	51	51	52	78	47	54.7
3	56	52	50	48	43	38	37	36	40	44	50	62	62	36	46.3
4	66	70	75	76	69	64	61	60	62	72	79	89	89	58	70.2
5	88	88	90	92	92	84	49	50	52	59	60	56	93	45	70.2
6	60	55	53	53	51	45	43	42	47	63	64	80	80	41	54.7
7	79	76	72	72	64	55	55	57	63	68	74	77	80	52	67.7
8	77	81	85	87	80	78	54	45	51	55	56	64	87	44	67.8
9	66	69	78	82	73	63	59	65	69	79	83	86	88	59	72.7
10	87	86	88	88	75	53	51	64	83	81	76	83	88	51	76.2
11	85	87	89	88	90	88	81	76	79	92	99	00	00	76	87.8
12	00	00	00	00	88	76	59	55	62	82	91	96	00	55	84.1
13	98	99	00	00	96	81	64	58	68	80	84	91	00	57	84.9
14	93	95	00	00	00	00	85	83	80	85	88	90	00	80	91.6
15	88	89	91	87	84	77	73	71	76	88	97	00	00	71	85.1
16	99	95	86	84	78	68	66	70	83	85	92	87	00	66	82.8
17	87	82	81	69	58	49	52	51	50	67	66	70	89	46	65.2
18	66	70	78	68	63	54	45	42	42	68	70	75	79	42	61.8
19	75	77	83	86	82	90	95	97	99	99	00	00	00	75	90.2
20	00	00	00	99	99	94	95	97	94	83	87	86	00	83	94.5
21	73	83	66	61	56	50	49	49	50	72	75	75	86	49	63.2
22	81	77	76	81	82	81	81	78	80	89	95	95	97	73	83.0
23	98	99	00	00	93	70	63	58	60	76	88	96	00	57	83.4
24	99	00	00	00	00	00	00	00	00	00	00	00	00	96	99.9
25	00	00	00	00	00	98	91	82	86	92	97	99	00	81	95.4
26	99	99	00	00	00	80	68	64	65	82	85	89	00	62	85.9
27	92	96	98	96	75	70	60	55	57	78	89	94	98	54	80.0
28	96	97	99	00	00	00	91	71	83	94	99	98	00	71	94.0
29	97	98	00	00	00	99	82	66	69	85	89	93	00	62	89.8
30	94	96	00	00	00	00	00	95	87	89	93	94	00	87	95.7
31	93	86	85	82	64	58	59	57	89	93	94	97	97	57	79.8
M	85.0	85.4	86.1	84.9	79.6	73.0	67.2	64.5	68.6	77.3	81.3	84.6	93.1	60.5	78.1

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	97	99	00	99	98	92	88	90	56	60	66	84	00	56	85.8
2	88	91	84	84	55	42	41	38	40	51	66	80	92	38	63.3
3	86	89	95	92	83	66	52	53	65	88	94	99	99	50	80.2
4	95	96	97	94	90	86	76	79	89	87	88	89	99	73	88.8
5	94	92	91	87	80	67	65	61	68	87	93	97	97	61	81.8
6	97	97	99	89	61	55	48	46	45	55	61	65	99	45	68.2
7	70	86	87	81	70	57	44	36	40	68	88	91	91	33	68.2
8	93	97	89	75	59	54	53	53	56	63	66	75	97	53	69.4
9	82	83	87	73	57	49	51	49	50	60	75	80	87	49	66.3
10	79	75	79	65	62	25	25	28	37	44	52	59	82	25	52.5
11	59	66	67	54	48	40	43	38	35	50	54	57	67	35	50.9
12	62	72	77	66	56	47	45	45	63	73	82	65	82	45	62.8
13	64	68	75	69	59	42	42	43	46	42	50	55	77	42	54.6
14	59	65	68	60	54	46	42	38	37	54	66	73	74	37	55.2
15	78	79	87	79	68	52	44	43	51	70	81	91	91	41	68.6
16	93	94	99	97	83	70	67	65	71	89	98	00	00	65	85.5
17	00	00	00	00	00	98	86	75	75	88	93	83	00	72	91.5
18	93	97	85	84	88	97	94	87	89	92	97	89	98	76	91.0
19	67	76	74	53	48	37	37	37	39	51	56	57	89	37	52.7
20	59	68	80	81	77	78	71	74	41	42	56	65	81	40	66.0
21	68	72	76	65	54	58	58	54	77	74	72	70	80	53	66.5
22	73	79	91	85	73	70	56	52	55	65	71	70	91	51	70.0
23	69	68	70	65	58	46	46	45	45	59	67	70	70	44	59.0
24	78	85	87	79	60	51	51	58	69	53	57	63	88	51	65.9
25	73	78	85	67	49	45	41	37	48	64	69	67	85	35	60.2
26	69	68	67	63	56	50	47	44	45	65	90	86	90	43	62.5
27	88	95	90	75	75	77	87	94	98	98	98	97	98	73	89.3
28	96	93	95	93	95	90	76	94	91	00	00	00	00	76	93.6
29	98	97	99	93	89	67	61	56	61	66	87	00	00	55	81.2
30	00	92	92	81	82	63	67	70	78	85	89	91	00	63	82.5
M	80.9	83.9	85.7	78.3	69.6	60.6	56.8	56.1	58.7	68.1	76.1	78.9	88.9	52.0	71.1

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1945

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	96	95	00	95	79	74	61	66	63	65	68	95	00	56	79.8
2	93	93	90	88	75	89	83	86	99	00	00	89	00	74	90.4
3	88	95	95	94	94	93	94	87	73	56	66	67	96	53	83.5
4	72	86	94	96	98	99	88	82	86	90	98	00	00	67	90.8
5	00	00	99	94	85	59	47	41	37	42	71	81	00	37	71.3
6	93	95	88	63	48	45	37	46	47	62	86	86	98	35	66.3
7	92	90	84	72	69	61	56	56	54	65	72	79	93	52	70.8
8	82	84	87	81	76	71	78	65	62	62	69	67	87	61	73.7
9	61	67	67	64	61	59	58	61	62	66	65	70	70	57	63.4
10	93	95	00	00	00	97	97	96	91	94	98	99	00	70	96.7
11	99	99	98	93	82	69	50	48	51	54	61	62	00	48	72.2
12	66	85	74	64	55	52	46	42	48	65	76	80	85	39	62.8
13	87	90	91	81	68	66	70	71	78	81	80	78	93	62	78.4
14	92	96	97	73	63	64	51	47	63	83	75	85	96	47	73.9
15	92	96	97	91	74	54	40	38	42	49	59	63	97	37	66.3
16	71	82	81	70	66	68	60	67	72	98	99	98	99	60	77.7
17	97	96	96	98	96	98	99	92	84	97	68	65	00	65	90.5
18	66	62	55	50	45	39	38	36	37	43	50	60	69	36	48.4
19	64	62	55	52	49	47	45	44	45	51	58	62	68	44	52.8
20	63	66	65	55	55	53	50	46	44	50	80	80	82	44	58.9
21	91	95	78	57	55	45	34	34	38	52	69	86	96	34	61.2
22	52	47	53	50	45	41	31	31	32	38	44	52	86	30	43.0
23	56	58	57	55	50	48	47	47	47	52	60	62	62	46	53.3
24	73	71	68	61	56	55	69	66	89	79	78	86	90	53	70.9
25	86	86	73	64	55	48	46	42	39	47	65	90	90	39	61.8
26	96	97	83	67	60	54	48	45	40	49	73	78	98	40	65.8
27	81	83	57	54	54	34	48	53	73	84	95	97	97	34	67.8
28	85	85	79	78	75	92	75	96	89	00	00	99	00	68	87.8
29	00	98	95	92	82	77	69	48	85	96	97	97	00	65	88.0
30	97	97	95	89	95	96	97		77	80	91	94	97	74	90.8
31	95	96	96	96	87	73	58	56	51	65	80	93	97	51	79.7
M	83.2	85.4	82.2	75.4	69.4	65.2	60.3	59.3	61.6	68.2	75.8	80.6	91.8	50.9	72.2

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	95	96	96	97	98	85	71	59	58	69	90	97	98	56	84.3
2	96	96	97	83	79	78	55	44	56	64	79	95	97	43	76.8
3	98	99	97	90	71	51	60	60	63	77	87	89	99	48	78.5
4	96	97	98	96	96	97	93	92	97	98	99	95	99	89	96.2
5	91	78	71	63	64	63	63	60	59	65	85	94	95	52	71.3
6	94	88	58	62	63	62	59	59	70	85	82	95	95	52	73.1
7	98	98	97	99	98	93	79	76	95	97	99	97	99	70	93.8
8	96	93	95	80	76	81	83	87	85	78	87	95	97	73	86.3
9	96	98	81	66	61	55	89	75	54	51	58	73	99	48	71.4
10	86	91	85	81	91	81	75	83	74	75	95	92	99	66	84.1
11	90	95	84	66	53	48	41	41	41	67	82	91	92	37	66.6
12	91	90	87	69	61	58	56	85	78	82	88	93	93	52	78.2
13	94	92	79	59	53	47	69	57	51	36	51	71	94	29	63.3
14	77	79	66	54	46	37	46	66	62	62	69	81	82	37	62.1
15	81	80	59	48	42	40	41	56	95	97	97	89	98	36	68.8
16	88	89	69	51	45	62	61	62	61	62	64	64	91	42	64.8
17	63	62	54	42	36	34	31	27	28	48	65	73	73	26	46.9
18	79	96	90	80	77	66	63	63	77	66	65	67	96	59	74.1
19	72	69	60	48	44	43	38	35	32	39	45	60	74	31	48.8
20	76	81	69	50	44	41	38	36	35	45	68	72	81	33	54.6
21	84	84	74	47	48	37	38	35	34	44	71	85	87	32	56.8
22	83	89	77	64	52	41	33	33	30	46	74	88	91	29	59.2
23	94	92	75	63	58	52	46	32	35	58	80	93	95	30	64.8
24	95	93	95	94	88	84	78	75	77	67	84	93	97	65	85.3
25	78	77	81	91	96	98	96	98	94	94	97	96	98	77	91.3
26	93	92	89	82	69	71	61	76	72	76	80	80	97	60	78.4
27	83	81	81	81	72	81	97	94	87	82	89	89	99	69	84.8
28	84	83	78	71	58	53	48	42	57	55	67	71	90	41	63.9
29	82	90	78	61	55	46	36	36	35	50	66	82	91	33	59.8
30	89	90	83	87	76	71	69	72	75	79	86	90	92	69	80.6
M	87.4	87.9	80.1	70.8	65.7	61.9	60.4	60.5	62.2	67.1	78.3	85.0	92.9	49.5	72.3

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	91	89	88	73	64	62	68	55	60	72	81	92	92	51	74.6
2	96	96	88	79	67	63	48	62	56	79	81	69	98	47	73.6
3	65	63	58	57	57	55	50	50	52	57	73	75	76	49	59.3
4	78	79	73	67	47	45	42	34	41	51	70	84	84	32	59.2
5	88	88	79	50	39	33	29	26	41	49	57	68	90	22	53.9
6	78	79	77	71	69	66	70	87	83	83	89	93	93	62	78.8
7	92	92	91	78	64	54	52	67	73	74	77	81	94	52	74.6
8	81	86	82	74	66	85	81	83	63	84	90	92	93	62	80.6
9	32	94	84	72	57	48	41	49	46	58	80	93	93	41	67.8
10	94	93	87	63	55	45	42	40	31	40	69	74	94	31	61.0
11	76	76	67	56	43	40	40	40	47	60	83	85	85	39	59.4
12	89	88	79	67	62	57	89	68	60	71	82	92	92	53	75.3
13	93	91	89	86	79	66	57	52	58	68	86	91	95	50	76.3
14	91	92	88	75	60	58	58	53	56	68	86	91	92	53	73.0
15	90	89	88	83	76	58	43	36	43	46	59	71	91	35	65.2
16	75	82	68	53	37	40	40	39	43	49	67	82	82	33	56.2
17	85	89	84	62	41	35	34	36	47	57	72	84	94	30	60.5
18	91	89	85	77	60	46	39	32	32	35	61	77	92	30	60.3
19	88	84	71	61	50	45	40	45	51	52	77	91	91	38	62.9
20	89	88	88	82	58	80	82	92	88	91	88	83	94	57	84.0
21	85	84	78	70	67	72	58	56	46	50	60	70	88	45	66.3
22	80	86	87	63	58	48	78	91	89	90	95	89	96	47	79.5
23	81	77	63	52	43	49	39	34	36	42	69	72	93	32	54.6
24	78	81	76	56	45	37	32	31	34	41	63	66	85	29	53.3
25	74	63	65	57	49	43	38	33	32	47	44	50	76	31	49.6
26	63	62	60	55	52	48	75	52	45	71	77	75	82	42	61.3
27	74	74	69	68	62	53	48	48	48	54	62	71	76	47	50.9
28	76	80	79	76	70	57	56	53	55	61	75	74	81	51	67.6
29	78	84	73	63	54	46	36	47	61	53	58	70	84	34	61.0
30	61	53	55	46	43	43	39	36	43	65	60	62	70	35	50.5
31	65	66	65	62	55	46	42	41	38	41	54	61	67	37	53.0
M	81.8	81.8	76.9	66.2	56.4	52.4	51.2	50.6	51.5	60.0	72.7	78.3	87.4	41.8	65.0

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies
1	63	67	63	56	48	43	39	39	39	42	51	63	68	37	51.0
2	70	76	74	63	57	45	36	37	34	46	69	77	81	33	57.0
3	81	87	85	60	52	43	38	33	41	51	70	77	89	32	59.8
4	81	88	81	60	57	52	40	39	35	46	67	84	89	35	60.8
5	92	94	88	82	64	60	51	47	61	63	75	82	95	44	71.6
6	87	83	77	79	77	55	66	86	94	95	93	93	95	49	82.0
7	90	90	89	87	88	84	79	72	68	84	90	95	95	67	84.6
8	91	84	83	77	67	43	38	29	30	44	76	69	95	28	60.9
9	80	81	75	57	39	43	40	38	39	48	62	62	86	35	55.3
10	65	66	69	62	57	44	36	37	42	49	57	62	69	35	53.8
11	72	79	76	66	56	49	43	39	41	48	58	57	81	37	57.0
12	63	68	74	61	53	43	41	39	37	47	60	64	75	36	54.2
13	71	78	70	66	58	54	47	44	52	64	70	75	82	42	62.4
14	79	76	77	73	69	66	62	63	61	68	72	74	79	61	70.0
15	73	75	85	83	84	74	70	64	75	79	87	92	92	64	78.4
16	90	90	82	77	90	79	67	69	69	74	72	74	95	65	77.8
17	78	86	83	70	59	49	43	59	53	60	67	72	88	43	64.9
18	73	69	65	58	55	43	45	45	48	51	56	60	75	41	55.6
19	62	66	65	60	59	61	57	61	65	69	75	85	85	57	65.4
20	94	90	88	85	78	70	63	59	60	71	81	83	95	55	76.8
21	86	89	90	82	80	63	51	67	92	95	96	96	97	47	82.2
22	96	94	93	92	85	60	53	53	77	89	92	92	96	49	81.3
23	89	88	85	81	72	68	57	50	86	89	90	94	94	47	79.0
24	94	92	97	94	73	76	90	92	93	93	94	94	97	68	90.2
25	92	89	75	58	60	55	50	43	47	57	72	75	94	43	64.4
26	76	72	72	46	38	37	34	28	33	44	58	63	81	27	50.0
27	72	84	86	67	53	47	43	47	57	71	83	93	93	43	66.9
28	95	95	97	89	66	50	41	43	57	76	90	79	97	40	73.2
29	73	57	61	64	90	89	95	95	91	93	94	93	96	56	82.9
30	94	95	95	92	76	41	32	34	55	67	57	60	95	32	66.5
31	59	58	59	58	52	45	43	43	44	55	62	59	62	42	53.0
M	80.0	80.8	79.3	71.1	64.9	55.8	51.2	51.4	57.2	65.4	74.0	77.4	87.4	44.8	67.4

Registreringer av relativ fuktighet U

(Records of relative humidity: U)

1945

Oslo (Blindern)

September ~~IX~~ — $\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ · $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ $h_d = 25.6$ $h_r = 1.5$ — Oktober X

Dag	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dag
1	58	63	68	61*	50*	41*	32*	26	28	55	68	63	69	25	51.0	90	92	88	86	79	69	63	66	78	92	96	97	97	62	83.0	1
2	64	70	81	59	55	50	42	37	42	66	78	76	83	37	60.0	97	97	00	99	88	77	61	62	79	93	95	96	00	61	87.0	2
3	75	76	77	71	51	45	45	44	46	72	87	91	91	43	65.0	97	99	98	98	97	95	91	87	87	85	89	88	00	84	92.6	3
4	93	95	95	97	82	67	40	54	62	82	91	88	97	32	78.8	90	90	92	93	84	81	79	82	88	93	95	96	96	79	88.6	4
5	50	46	49	39	32	28	26	24	27	37	53	66	88	23	39.8	98	80	64	57	53	52	54	61	68	83	90	92	98	50	71.0	5
6	81	69	66	46	44	36	31	28	39	50	60	75	82	28	52.0	96	87	73	73	68	55	34	31	44	60	68	60	96	31	62.4	6
7	79	87	88	72	58	41	39	35	42	63	75	82	89	33	63.5	75	81	83	75	60	52	48	52	68	87	95	95	96	48	72.6	7
8	87	86	90	85	76	69	58	49	58	82	89	92	92	41	76.6	97	97	99	00	99	98	76	71	82	88	94	87	00	70	90.6	8
9	95	97	97	95	82	68	43	46	55	67	87	93	97	42	77.0	82	85	83	83	80	83	92	93	88	83	85	82	94	77	84.9	9
10	93	97	95	87	72	63	51	46	65	76	84	86	97	46	76.2	79	76	88	93	72	58	47	52	59	44	55	67	93	43	65.8	10
11	84	84	88	76	68	62	56	50	56	70	88	92	92	48	72.8	76	78	80	74	59	49	31	38	51	67	75	86	86	29	63.6	11
12	95	97	96	91	70	67	60	63	59	74	80	82	97	56	77.8	89	87	84	83	71	68	77	77	88	93	85	75	93	66	81.4	12
13	91	90	91	88	82	73	73	55	60	66	68	78	92	55	76.2	88	87	91	91	92	80	76	75	85	91	90	89	94	73	86.2	13
14	80	84	88	88	90	93	89	83	86	85	94	90	96	73	87.5	90	88	87	87	84	72	70	55	55	46	51	65	92	44	70.8	14
15	89	95	98	91	73	72	68	75	80	87	92	95	98	65	84.6	76	77	68	55	44	41	34	33	54	69	70	72	78	31	57.8	15
16	96	95	97	96	73	75	84	83	82	94	96	95	97	72	88.8	83	88	91	84	74	59	51	46	76	86	88	92	94	45	76.5	16
17	95	98	99	92	74	51	50	54	64	82	80	81	00	48	76.6	94	96	97	97	82	83	59	62	76	85	94	97	99	57	85.2	17
18	87	87	92	94	92	93	93	85	87	90	90	90	94	80	90.0	98	99	98	97	89	67	42	42	52	55	56	63	00	41	71.5	18
19	92	90	88	80	64	61	56	49	55	65	70	82	92	47	71.0	71	75	78	76	67	68	54	58	74	86	88	88	90	53	73.6	19
20	85	92	95	98	97	96	97	96	95	95	95	95	98	82	94.6	88	83	87	92	85	77	62	57	68	68	74	70	93	52	75.9	20
21	95	95	95	95	82	70	56	53	55	67	75	83	95	49	76.8	72	74	75	80	73	68	62	65	79	88	83	82	89	61	75.0	21
22	84	88	91	80	63	54	50	57	68	78	77	91	92	48	73.4	83	81	81	81	81	79	81	81	89	98	97	97	98	79	85.8	22
23	95	95	93	93	80	68	77	75	83	87	93	95	95	66	86.2	97	96	95	93	94	92	95	96	95	96	96	95	98	92	95.0	23
24	95	94	93	92	84	69	65	82	89	86	89	91	95	63	85.8	91	93	91	90	85	83	75	84	88	93	92	88	95	75	87.8	24
25	83	80	82	78	68	66	59	56	61	69	73	75	91	55	70.8	88	92	92	93	92	92	90	91	94	92	95	96	97	88	92.3	25
26	76	77	83	72	70	68	72	74	79	82	87	94	94	67	77.8	92	93	91	93	95	93	90	91	91	91	92	93	96	90	92.0	26
27	97	97	97	96	88	75	74	64	83	92	91	92	97	63	87.2	91	87	83	81	77	71	65	64	80	87	85	83	93	64	79.5	27
28	94	95	96	89	62	55	49	46	62	67	69	77	97	43	71.8	79	87	74	59	56	53	52	57	67	68	69	70	88	52	65.9	28
29	75	76	76	75	60	38	34	34	52	65	61	72	80	33	59.8	71	73	75	79	87	93	94	95	94	97	97	93	97	70	87.3	29
30	79	79	84	85	82	74	77	89	90	93	94	90	95	73	84.5	89	88	88	87	90	90	89	95	95	93	93	92	96	87	90.8	30
																95	96	97	97	94	92	92	95	98	00	99	99	00	92	96.2	31
M	84.7	85.8	87.6	81.9	70.8	62.9	58.2	57.0	63.4	74.8	81.2	85.0	92.4	51.2	74.4	87.2	87.2	86.2	84.7	79.0	73.9	67.3	68.2	77.1	82.4	84.9	85.3	94.7	62.8	80.2	M

November XI — Desember XII

Dag	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	2	4	6	8	10	12	14	16	18	20	22	24	Max	Min	Dies	Dag
1	99	99	98	98	95	89	85	86	93	93	97	94	99	84	93.8	80	81	81	85	87	85	99	99	98	95	96	99	99	78	90.4	1
2	91	95	94	91	91	54	53	57	62	66	67	67	95	48	74.0	99	98	97	97	94	96	97	95	95	94	95	94	99	94	95.9	2
3	74	82	84	85	78	70	69	72	83	88	84	79	89	67	79.0	94	93	92	92	93	90	91	92	92	94	96	96	97	89	92.9	3
4	79	80	82	87	82	80	83	85	90	97	95	96	98	79	86.3	95	95	95	95	95	95	95	91	90	87	88	88	95	87	92.4	4
5	98	97	96	93	92	80	76	80	91	92	94	94	99	76	90.2	92	92	92	89	88	85	85	85	88	93	90	91	93	83	89.2	5
6	95	96	96	97	99	99	99	99	00	00	00	00	00	94	98.3	90	89	85	83	85	84	87	83	80	76	78	77	91	74	83.0	6
7	00	00	00	00	00	00	99	99	99	99	98	98	00	98	99.3	78	75	69	74	77	76	73	75	81	81	80	81	83	68	76.6	7
8	97	84	62	48	48	50	57	65	64	56	57	59	98	47	62.2	80	78	79	76	76	77	90	80	76	79	81	81	83	75	78.6	8
9	60	60	62	63	63	63	60	59	59	61	61	62	64	59	61.0	84	87	87	89	88	83	79	82	75	76	76	77	90	73	81.9	9
10	62	65	67	69	68	68	67	70	75	76	76	79	79	62	70.2	81	81	87	54	56	59	48	55	52	56	61	62	89	48	62.6	10
11	81	89	93	91	87	74	75	77	87	86	88	88	94	73	84.6	68	59	65	61	48	45	42	43	50	50	46	44	72	42	51.8	11
12	86	86	78	78	75	77	74	74	74	84	89	76	89	67	79.2	45	44	49	52	56	52	49	52	61	69	70	95	95	44	57.8	12
13	79	76	75	76	76	74	73	76	79	84	84	83	84	73	77.9	96	92	90	79	78	73	65	60	62	57	63	52	96	51	72.2	13
14	79	79	78	79	80	78	80	75	78	77	78	78	83	75	78.2	60	66	48	45	44	43	45	52	68	71	75	76	76	43	57.8	14
15	78	80	80	81	83	81	84	91	90	89	90	91	93	78	84.8	77	83	90	93	94	90	85	78	80	73	66	77	95	66	82.2	15
16	95	93	91	92	92	90	92	92	94	94	91	93	96	90	92.4	87	88	89	92	89	93*	93*	89*	92*	80*	83*	78*	95	75	87.8	16
17	94	96	97	97	97	94	91	92	96	97	99	00	00	90	95.8	77*	84*	86*	80*	81	87	89	95	97	97	95	96	98	77	88.6	17
18	00	99	99	96	96	91	90	92	98	99	97	96	00	89	96.0	97	97	98	98	98	98	98	97	95	94	93	91	98	90	96.2	18
19	95	95	95	94	94	91	89	91	95	94	95	98	98	89	93.8	90	89	90	93	93	95	95	93	90	91	92	93	96	87	92.0	19
20	98	96	95	94	96	90	87	88	89	88	88	88	98	87	91.4	94	93	95	93	94	93	94	97	97	97	97	97	98	92	95.0	20
21	91	91	91	92	92	87	85	90	91	91	91	90	93	85	90.2	97	97	97	97	97	98	97	97	97	96	95	89	98	89	96.2	21
22	92	95	97	97	97	98	98	97	98	97	95	92	99	90	96.0	87	84	82	79	77	72	75	82	80	82	76	74	89	69	79.2	22
23	92	92	93	93	92	92	95	93	92	93	95	96	96	91	93.2	75	74	74	77	78	74	73	75	76	74	75	76	78	73	75.0	23
24	97	91	95	95	93	88	88	90	91	92	94	96	97	88	92.5	75	76	78	79	75	76	82	82	75	76	79	78	83	75	77.6	24
25	96	97	98	98	97	97	98	99	99	99	00	00	00	95	98.2	76	80	76	80	82	81	76	77	78	73	77	76	82	73	77.6	25
26	00	99	98	90	85	65	60	56	55	60	54	62	00	52	73.6	76	78	81	86	84	84	86	82	79	77	77	86	87	75	81.3	26
27	55	60	59	69	72	68	69	77	94	89	76	83	94	53	72.5	88	84	88	83	83	86	80	80	82	80	82	81	89	79	83.0	27
28	90	93	93	90	81	51	42	46	48	48	41	47	95	40	64.2	80	79	80	79	77	75	76	76	75	73	73	71	81	71	76.2	28
29	63	83	89	89	58	45	42	57	50	51	53	52	90	41	61.0	71	70	70	73	71	67	63	68	70	68	73	77	77	63	70.0	29
30	60	71	77	85	83	75	71	74	79	79	77	77	87	52	75.6	83	80	63	68	73	71	69	70	73	77	76	79	83	62	73.5	30
																80	82	82	87	88	80	86	92	96	97	97	97	97	79	88.6	31
M	85.8	87.3	87.1	86.9	84.7	78.6	77.7	80.0	83.1	84.0	83.4	83.8	93.6	73.7	83.5	82.3	82.2	81.7	80.9	80.6	79.4	79.1	79.8	80.0	80.1	80.6	81.6	89.7	72.4	80.7	M

Registreringer av vind D, v

(Records of wind: D, v)

1945

Oslo (Blindern)

φ = 59° 56′ N   λ = 10° 44′ E   g = 9.819   ΔG = + 1ʰ   Hₛ = 94   H_b = 95.6   hₜ = 2.0   hₐ = 25.2   h_d = 25.6   hᵣ = 1.5

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	32 6.7	25 0.6	05 1.2	03 0.6	03 0.6	03 1.2	19 1.8	19 0.6	22 1.2	25 1.2	32 1.8	32 1.2
2	32 0.6	01 1.2	01 1.8	C1 1.8	02 1.2	03 1.2	10 1.2	03 1.2	30 0.6	03 1.2	01 1.8	32 1.2
3	32 0.6	01 0.6	01 0.5	01 0.6	07 0.6	08 0.6	08 0.6	06 0.6	29 1.2	07 0.6	04 1.8	11 1.8
4	20 1.2	32 3.0	11 1.2	32 4.3	01 5.5	02 3.0	02 4.3	01 4.3	32 6.1	32 6.7	29 1.2	32 1.8
5	30 1.8	02 2.4	31 1.2	03 1.2	09 0.6	05 1.2	06 0.6	16 0.6	05 0.6	04 1.8	03 1.2	04 0.6
6	01 1.2	32 0.6	32 0.6	32 1.8	04 1.2	06 0.6	05 1.2	01 1.2	29 0.6	26 1.2	05 0.6	18 0.6
7	25 1.2	16 2.4	18 2.4	16 1.8	17 1.8	17 0.6	17 1.2	02 1.8	01 1.8	32 1.2	26 1.8	01 1.2
8	02 1.8	02 2.4	02 3.6	05 2.4	05 3.0	03 2.4	05 4.9	04 4.3	03 6.7	04 7.9	02 6.1	32 6.7
9	32 7.9	32 9.1	32 8.5	04 9.7	03 9.1	05 7.3	04 9.7	04 5.5	03 7.3	03 5.5	02 8.5	01 8.5
10	01 9.1	01 10.9	01 7.9	04 9.7	04 11.5	05 9.1	03 6.1	04 6.7	04 11.5	03 8.5	02 8.5	02 8.5
11	32 6.1	01 7.9	32 9.1	06 8.5	03 7.9	05 6.7	04 7.3	05 5.5	01 7.3	02 7.3	02 7.9	32 6.1
12	32 6.1	32 6.7	32 6.7	32 6.1	02 6.7	02 3.6	02 2.4	03 2.4	02 1.8	01 1.2	22 0.6	20 0.6
13	23 1.8	23 1.8	22 2.4	22 2.4	22 1.8	23 3.0	24 2.4	24 1.2	24 0.6	05 1.8	04 1.8	03 0.6
14	00 0.0	08 0.6	00 0.0	03 0.6	03 1.2	02 0.6	03 1.2	05 1.2	07 2.4	06 1.2	04 2.4	01 6.7
15	04 3.6	08 1.2	28 1.2	10 1.8	08 1.2	11 1.8	30 1.8	16 3.6	08 0.6	04 1.2	02 1.8	01 1.2
16	01 1.8	01 1.2	01 1.2	04 1.2	23 1.2	20 1.8	24 3.0	22 1.2	20 1.2	19 2.4	19 4.3	18 2.4
17	22 4.3	20 4.3	22 3.6	20 4.3	15 2.4	23 2.4	25 10.3	25 10.9	25 7.3	25 6.1	21 3.0	23 3.6
18	20 3.6	04 1.2	13 1.2	05 0.6	03 3.0	06 1.8	00 0.0	02 1.8	03 4.3	03 3.0	02 7.9	02 9.1
19	01 10.3	01 12.1	02 14.6	04 16.4	04 12.8	04 12.8	04 11.5	04 10.9	04 10.9	04 9.7	04 10.9	04 13.4
20	02 14.0	03 14.0	04 14.0	04 11.5	32 10.3	04 9.1	05 7.3	04 7.9	10 9.1	07 7.3	04 9.7	02 7.3
21	01 6.1	01 6.7	01 3.0	32 3.0	30 0.6	05 1.2	01 2.4	32 0.6	02 2.4	06 2.4	05 3.0	02 3.6
22	05 1.2	08 0.6	04 1.2	08 0.6	06 3.0	04 3.0	02 1.8	04 1.8	02 2.4	32 0.6	03 1.8	02 3.6
23	03 3.6	02 4.9	03 4.3	04 4.3	02 3.6	02 4.3	02 5.5	01 3.6	02 2.4	02 4.9	02 5.5	02 7.3
24	03 6.7	03 6.7	02 7.3	02 5.5	03 4.9	03 5.5	02 4.9	02 4.9	02 4.9	02 2.4	02 3.0	02 4.9
25	03 3.0	03 4.9	04 5.5	04 7.3	02 6.7	03 5.5	03 7.9	02 6.1	02 4.9	04 8.5	03 7.3	04 9.1
26	03 9.7	02 9.7	02 9.1	04 9.7	04 7.9	05 8.5	04 8.5	04 7.3	04 7.3	04 8.5	04 7.9	04 7.9
27	04 9.1	05 9.1	04 9.7	05 11.5	04 8.5	04 9.1	04 9.7	04 9.1	04 8.5	03 7.3	03 3.6	03 8.5
28	03 7.9	03 7.9	02 6.1	02 6.1	01 5.5	02 4.3	30 3.6	30 3.0	01 3.0	04 2.4	00 0.0	32 1.2
29	00 0.0	04 0.6	28 0.6	32 0.6	22 0.6	20 0.6	20 1.2	30 2.4	03 4.3	14 1.8	30 1.2	24 0.6
30	24 0.6	16 1.2	05 0.6	26 0.6	32 0.6	20 0.6	17 0.6	08 1.8	04 2.4	03 1.8	02 0.6	04 1.8
31	32 0.6	16 0.6	06 0.6	06 2.4	04 3.6	04 2.4	03 4.3	03 5.5	03 4.9	03 6.1	02 4.3	04 1.8
M	4.26	4.42	4.23	4.48	4.16	3.74	4.17	3.85	4.21	3.99	3.93	4.30

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	32 3.6	02 3.6	01 2.4	22 1.8	03 3.6	04 4.3	01 5.5	01 6.1	01 7.9	01 6.7	32 1.8	03 2.4
2	32 0.6	01 1.2	29 0.6	28 1.2	08 1.2	08 0.6	09 2.4	05 3.6	02 5.6	02 7.5	05 7.8	06 9.1
3	04 9.1	05 8.5	06 8.5	07 7.3	02 7.3	02 6.1	03 6.1	03 4.3	30 3.0	03 3.0	08 0.6	01 1.2
4	01 0.6	26 0.6	30 0.6	05 0.6	00 0.0	04 0.6	19 0.6	04 1.8	04 0.6	07 1.2	10 1.2	15 1.2
5	14 0.6	14 1.8	32 1.2	16 1.8	16 0.6	20 1.2	20 1.2	23 1.2	02 3.0	04 2.4	04 0.6	03 0.6
6	12 0.6	12 0.6	07 1.2	08 1.2	11 1.8	17 0.6	16 1.2	16 0.6	16 1.2	16 1.2	15 1.2	18 1.8
7	22 1.2	04 1.8	14 1.8	10 1.8	14 1.8	13 2.4	13 4.3	10 3.6	12 4.9	10 1.2	08 1.2	07 0.6
8	21 0.6	21 0.6	19 1.2	16 1.8	17 1.8	20 2.4	21 1.8	23 1.8	21 1.8	18 1.2	18 1.2	00 0.0
9	20 0.6	03 1.2	03 1.2	04 1.2	16 0.6	18 1.1	17 3.0	18 1.4	18 1.0	03 1.0	02 2.3	02 2.7
10	01 2.5	01 1.4	06 2.2	07 1.7	10 1.2	15 1.8	15 1.8	16 3.0	20 3.0	16 1.2	20 0.6	09 1.8
11	07 2.4	04 4.3	03 5.5	03 4.9	02 4.9	04 1.8	17 1.2	19 3.0	16 1.2	15 2.4	15 2.4	15 1.8
12	16 1.2	16 0.6	00 0.0	17 0.6	02 1.8	32 0.6	09 0.6	02 1.2	02 3.0	01 2.4	03 2.4	10 0.6
13	04 0.6	02 1.2	06 0.6	06 1.8	08 1.2	09 1.8	08 2.4	06 3.0	06 3.0	03 3.0	01 3.0	32 3.5
14	32 3.6	32 3.0	01 3.0	02 0.6	08 1.8	16 1.2	20 1.2	20 1.2	15 1.2	23 1.2	02 1.2	01 1.2
15	02 0.6	02 1.2	06 1.2	07 0.6	02 0.6	02 1.2	04 1.2	02 1.2	22 0.6	21 0.6	21 0.6	00 0.0
16	03 0.6	03 0.6	14 1.2	17 0.6	19 1.2	18 2.4	19 1.8	17 1.2	16 1.2	18 3.0	17 3.0	18 2.4
17	15 2.4	16 2.4	15 3.0	16 2.4	17 2.4	16 2.4	16 2.4	16 1.8	16 1.8	16 1.8	17 1.8	16 2.4
18	15 2.4	15 2.4	16 2.4	16 3.0	16 4.9	17 4.3	15 6.1	17 5.5	17 6.1	17 6.1	17 5.5	16 7.9
19	16 6.1	16 6.1	17 6.7	17 1.2	19 1.2	21 2.4	22 1.2	04 0.6	30 1.2	14 2.5	16 0.9	19 0.9
20	16 0.9	15 1.2	19 1.2	16 3.0	15 2.4	17 2.4	18 1.8	17 0.6	20 0.6	00 0.0	22 1.2	22 0.6
21	23 0.6	14 0.6	14 0.6	15 0.6	13 0.6	20 2.4	17 0.6	18 1.2	16 0.6	16 1.2	00 0.0	00 0.0
22	00 0.0	17 1.2	15 0.6	16 1.2	17 0.6	18 1.2	21 1.2	16 2.4	02 2.4	18 1.8	01 3.0	20 1.2
23	01 1.2	03 1.8	01 0.6	02 1.8	02 1.8	03 0.6	03 1.2	05 0.6	06 1.8	02 0.6	03 1.2	32 1.2
24	04 1.2	02 1.2	03 1.2	05 0.6	00 0.0	17 1.2	22 1.2	16 3.6	17 3.6	17 5.5	15 6.7	15 6.1
25	16 6.1	16 8.5	15 7.3	14 2.4	19 3.0	20 4.9	17 7.3	19 6.1	22 6.7	23 6.7	20 6.1	22 1.8
26	08 3.6	32 1.2	01 1.8	01 1.8	10 0.6	10 0.6	17 2.4	16 9.1	16 5.5	16 2.4	19 0.6	07 1.2
27	23 1.2	25 2.4	24 3.6	22 1.8	18 2.4	18 4.9	15 4.3	14 2.4	20 1.8	16 1.8	16 0.6	28 0.5
28	32 1.2	32 2.4	29 1.2	03 2.4	06 1.2	01 0.6	18 1.2	20 3.0	17 4.9	17 3.0	19 11.5	16 9.1
M	2.00	2.27	2.24	1.87	1.88	2.07	2.40	2.68	2.83	2.59	2.51	2.29

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	14 4.9	16 7.3	19 9.1	24 2.4	24 9.1	27 7.9	32 7.9	28 9.7	26 9.1	27 9.1	24 3.6	25 4.9
2	26 5.5	28 5.5	30 9.7	30 8.5	31 9.7	31 12.1	31 9.7	01 9.7	31 9.1	31 6.7	30 4.9	30 3.0
3	28 1.8	28 7.3	28 3.6	28 3.6	30 11.5	31 9.1	31 7.3	30 4.9	30 3.6	28 3.6	15 1.2	16 0.6
4	19 0.6	26 1.2	27 1.2	27 0.6	32 0.6	20 1.8	19 1.2	26 1.2	32 1.2	32 3.0	32 3.0	24 1.2
5	23 0.6	23 0.6	23 0.6	24 0.6	13 1.2	13 0.6	26 4.9	31 4.3	30 3.6	31 2.4	32 3.6	30 4.3
6	32 3.0	29 4.9	29 6.7	32 3.6	32 2.4	32 3.0	32 4.9	28 4.3	31 3.6	30 2.4	32 4.3	32 5.5
7	32 3.6	32 4.9	32 3.6	32 4.9	05 1.8	32 3.0	16 2.4	18 1.8	23 0.6	02 1.2	02 1.2	32 0.6
8	28 0.6	32 0.6	12 0.6	16 0.6	21 0.6	20 1.2	32 5.5	32 5.5	32 4.3	32 4.3	32 5.5	01 3.6
9	01 2.4	13 1.8	00 0.0	08 0.6	08 0.6	18 1.2	23 0.6	20 1.2	05 1.2	04 0.6	01 1.2	08 3.0
10	05 1.8	04 1.2	08 1.2	08 1.2	09 1.8	28 3.6	32 3.0	04 3.0	01 10.3	32 2.4	32 1.2	32 0.6
11	32 0.6	00 0.0	02 1.2	02 0.6	15 1.2	15 1.2	20 1.2	19 1.2	19 1.2	19 0.6	19 0.6	32 0.6
12	32 1.2	21 0.6	32 0.6	02 0.6	07 0.6	07 0.6	17 1.2	18 1.2	19 1.8	13 1.2	24 1.2	32 1.2
13	31 1.2	31 0.6	31 0.6	31 0.6	23 0.6	20 1.2	18 0.6	18 0.6	17 0.6	21 1.2	32 3.0	32 0.6
14	32 1.2	32 0.6	15 1.2	21 1.2	15 1.2	16 0.6	18 1.2	18 0.6	17 0.6	22 0.6	00 0.0	26 1.2
15	32 2.4	01 1.2	05 1.8	06 1.2	17 0.6	17 1.2	21 0.6	21 1.8	17 1.8	15 0.6	19 1.2	32 1.2
16	01 1.8	01 1.2	03 1.8	17 0.6	06 1.2	19 1.8	17 1.2	20 1.8	32 6.7	01 7.9	32 7.3	32 6.1
17	32 5.5	32 1.2	32 4.9	01 4.3	02 1.8	04 1.8	17 2.4	16 2.4	26 2.4	02 2.4	02 3.0	32 2.4
18	32 1.8	29 0.6	30 0.6	30 0.6	18 0.6	16 1.8	17 1.8	17 2.4	18 1.2	18 0.6	32 2.4	32 1.8
19	32 1.8	32 1.2	01 1.8	12 0.6	16 0.6	05 0.6	15 1.2	18 0.6	18 1.2	19 0.6	19 0.6	19 0.6
20	32 1.2	01 1.8	05 1.8	07 2.4	10 2.4	02 3.0	21 2.4	22 2.4	32 0.6	21 1.8	19 1.8	16 1.8
21	20 2.4	20 2.4	30 4.9	29 4.9	30 6.1	32 6.1	32 8.5	32 5.5	32 1.8	32 1.8	32 2.4	01 1.8
22	32 0.6	11 0.6	16 1.8	16 0.6	16 1.2	16 0.6	16 0.6	00 0.0	03 0.6	04 0.6	18 1.2	32 1.8
23	32 1.2	32 0.6	32 1.8	32 0.6	14 0.6	15 1.2	08 0.6	19 2.4	19 0.6	17 1.2	32 1.2	00 0.0
24	09 0.6	05 1.2	00 0.0	01 0.6	22 0.6	18 1.2	28 0.6	25 1.2	26 1.2	24 1.8	24 1.2	32 1.8
25	32 1.2	32 2.4	32 0.6	32 1.2	05 1.2	11 1.2	13 0.6	12 1.2	17 1.2	00 0.0	19 0.6	19 0.6
26	32 0.6	32 0.6	00 0.0	32 0.6	32 0.6	16 1.2	18 1.2	18 0.6	17 0.6	32 1.2	32 1.2	32 1.2
27	32 0.6	32 0.6	32 0.6	32 0.6	14 0.6	14 0.6	18 0.6	20 1.8	19 1.2	32 1.8	32 1.2	32 0.6
28	00 0.0	00 0.0	32 0.6	05 0.6	15 1.2	18 1.2	19 0.6	21 1.2	14 3.0	17 1.2	17 1.8	17 1.2
29	24 1.2	24 0.6	23 1.2	22 0.6	16 0.6	23 1.2	18 1.2	18 1.2	18 1.8	18 1.2	32 1.2	32 1.2
30	32 0.6	32 0.6	32 2.4	13 0.6	18 0.6	00 0.0	18 1.2	22 1.2	26 1.2	24 1.8	01 1.2	00 0.0
31	01 1.2	24 3.0	24 1.2	16 1.2	18 3.0	18 4.9	15 4.9	15 4.3	16 4.3	15 3.6	14 1.8	14 2.4
M	1.73	1.84	2.18	1.66	2.14	2.47	2.64	2.62	2.65	2.24	2.12	1.85

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	15 1.8	14 3.6	14 4.3	14 3.6	16 3.0	16 5.5	15 6.7	16 4.9	19 6.7	17 3.0	18 3.6	16 2.4
2	17 3.0	12 1.2	22 1.8	02 1.2	12 1.8	32 2.4	24 3.6	23 6.7	24 5:5	23 3.0	21 1.8	15 0.6
3	16 1.2	15 0.6	15 0.6	01 1.8	01 1.2	15 1.8	17 2.4	14 2.4	14 3.0	20 3.0	14 2.4	15 2.4
4	11 2.4	05 1.2	03 1.8	32 1.8	01 2.4	32 3.6	03 3.0	02 2.4	32 1.2	32 1.8	32 4.3	32 3.0
5	32 2.4	32 3.0	32 3.0	32 2.4	03 2.4	01 1.2	16 2.4	19 1.2	22 1.2	32 0.6	32 1.8	32 1.2
6	32 1.8	32 0.6	30 1.2	28 1.2	01 4.3	16 3.0	32 3.6	02 5.5	01 3.0	32 3.0	32 4.9	32 4.9
7	32 0.6	32 0.6	01 1.2	02 1.2	16 1.2	17 1.8	17 1.8	17 2.4	20 2.4	17 1.8	26 1.2	32 0.6
8	05 1.2	30 0.6	12 1.2	19 1.2	25 2.4	24 6.1	24 4.9	21 4.3	24 3.0	25 4.3	24 4.3	26 1.8
9	23 1.8	22 3.0	05 1.2	15 3.6	25 5.5	25 7.9	24 6.1	24 4.3	24 2.4	22 1.2	21 1.2	17 1.2
10	23 1.2	19 2.4	23 2.4	29 2.4	01 4.9	29 6.1	29 5.5	26 5.5	26 6.7	26 4.3	27 3.0	30 6.7
11	01 4.3	04 1.2	06 0.6	29 1.2	32 3.6	30 1.8	02 3.0	28 2.4	32 4.3	32 4.9	32 6.1	32 4.9
12	31 3.6	32 0.6	32 1.2	32 0.6	18 2.4	16 3.6	17 3.0	17 3.6	19 3.0	19 1.8	02 2.4	32 4.3
13	32 4.9	32 4.9	03 1.8	32 0.6	18 1.8	32 4.9	32 4.9	32 6.1	32 6.7	32 3.6	32 2.4	32 4.9
14	32 3.6	32 2.4	32 4.3	32 7.3	32 4.9	32 3.6	32 3.6	32 6.7	32 3.0	32 2.4	32 1.8	32 1.8
15	32 0.6	01 0.6	01 0.6	01 0.6	15 1.2	16 2.4	16 4.3	17 6.1	17 6.1	14 3.6	14 1.8	04 0.6
16	02 0.6	32 1.2	01 1.8	01 1.2	18 0.6	20 2.4	17 3.0	16 3.6	16 3.0	17 2.4	16 1.8	21 1.2
17	26 1.2	27 1.8	19 1.2	20 1.2	21 1.2	15 1.2	17 0.6	18 1.2	18 1.2	01 1.8	32 0.6	32 2.4
18	25 0.6	00 0.0	32 1.2	12 0.6	14 2.4	14 3.0	16 3.0	14 2.4	15 3.0	18 2.4	32 1.2	24 2.4
19	04 1.8	32 1.2	31 1.2	26 2.4	26 3.0	24 6.1	24 6.1	23 7.3	25 6.1	21 3.6	21 1.2	23 3.0
20	19 1.2	14 1.2	16 0.6	18 0.6	18 0.6	13 1.8	15 3.0	16 3.6	26 6.1	27 6.1	26 0.6	22 3.0
21	26 1.8	17 1.8	14 0.6	15 1.8	16 3.0	25 4.9	32 1.8	01 4.3	32 5.5	32 4.3	32 4.3	32 6.7
22	32 5.5	32 7.3	32 6.7	32 8.5	32 14.0	32 11.5	32 13.4	32 8.5	32 7.9	32 6.7	32 4.9	32 5.5
23	32 5.5	32 4.9	32 3.0	32 5.5	32 6.1	32 6.7	32 4.9	32 5.5	32 3.0	32 1.2	32 1.2	32 1.2
24	32 2.4	32 1.2	25 1.2	24 0.6	20 2.4	16 3.6	16 4.3	15 4.3	16 3.0	23 3.6	24 2.4	12 0.6
25	32 0.6	32 1.2	32 1.8	28 1.8	31 3.6	01 3.6	32 3.0	32 4.3	07 0.6	32 1.2	32 3.0	32 5.5
26	32 6.7	32 11.5	32 5.5	02 3.6	07 2.4	16 2.4	18 3.6	14 3.0	14 3.0	15 3.6	15 2.4	13 1.8
27	13 2.4	13 1.8	14 1.8	15 1.8	17 2.4	14 3.0	07 2.4	01 2.4	01 3.0	01 3.6	32 3.6	02 3.6
28	02 3.0	32 3.0	32 5.5	21 3.0	17 1.2	17 2.4	15 2.4	14 3.6	13 4.3	15 4.9	12 3.0	12 0.6
29	04 1.2	32 1.2	32 1.8	01 2.4	03 2.4	01 3.0	02 3.6	02 3.0	02 3.6	03 1.2	14 2.4	22 1.8
30	20 3.6	19 2.4	19 1.2	15 0.6	19 1.2	10 1.2	15 1.8	19 2.4	32 2.4	32 4.3	32 4.9	02 1.2
M	2.42	2.27	2.08	2.21	2.98	3.75	3.86	4.13	3.80	3.11	2.68	2.73

1945

Oslo (Blindern)

Mai V — Juni VI

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	32 1.2	32 3.0	06 2.4	02 1.8	12 1.2	16 1.8	06 3.0	23 3.0	03 0.6	32 1.8	32 4.9	06 7.3
2	05 4.3	32 4.9	01 4.3	04 4.9	04 4.3	04 6.1	04 6.7	01 6.7	32 8.5	32 18.2	32 10.3	01 12.8
3	02 18.2	02 9.1	04 7.3	04 6.7	07 5.5	02 3.6	02 4.3	02 4.9	01 4.9	01 10.3	01 10.3	32 12.8
4	32 14.0	32 13.4	32 10.9	04 9.1	05 7.9	13 2.4	16 3.0	15 3.0	17 1.2	17 0.6	17 0.6	17 0.6
5	17 1.2	17 0.6	11 1.2	16 1.8	20 1.8	12 1.2	18 1.8	16 1.2	24 1.2	23 0.6	32 3.6	32 2.4
6	32 1.2	32 1.2	00 0.0	14 0.6	16 2.4	15 3.0	16 3.0	17 4.3	14 4.9	15 3.6	32 0.6	32 2.4
7	32 1.8	32 3.6	32 1.2	20 1.2	17 1.8	04 1.8	30 1.8	32 3.0	32 4.3	32 3.6	32 4.3	32 3.6
8	32 4.3	32 3.6	01 4.3	04 2.4	04 1.8	32 3.0	02 4.9	02 4.3	02 3.6	02 3.0	32 6.7	32 7.3
9	01 6.1	32 3.6	32 3.0	04 2.4	06 1.2	07 1.2	18 1.8	21 1.2	19 0.6	12 1.2	14 3.0	15 1.8
10	14 1.8	15 6.1	16 4.9	16 3.6	16 3.6	16 3.0	16 2.4	16 3.0	18 1.2	20 1.2	19 2.4	15 1.8
11	14 3.0	17 2.4	17 2.4	18 2.4	17 3.0	15 4.3	24 7.3	22 5.5	22 5.5	23 7.3	24 5.5	24 7.9
12	30 1.2	32 1.2	32 1.8	16 1.2	17 2.4	16 3.0	16 2.4	16 3.6	15 4.3	14 2.4	16 0.6	27 0.6
13	32 1.8	01 1.8	02 1.2	15 0.6	16 1.2	19 1.8	18 3.6	16 4.9	22 3.6	02 1.8	06 3.0	04 3.0
14	18 4.9	14 4.9	15 7.3	16 9.7	17 7.9	20 7.9	16 6.7	18 7.3	17 6.1	17 4.9	20 5.5	18 3.0
15	18 1.8	19 2.4	20 0.6	18 0.6	15 1.8	27 2.4	24 4.3	23 4.3	22 3.6	24 2.4	23 2.4	21 1.8
16	24 1.8	23 1.8	19 0.6	16 2.4	14 4.3	14 5.5	16 6.7	17 7.3	15 4.9	13 4.3	13 3.6	15 3.6
17	15 2.4	12 2.4	13 1.8	16 2.4	14 3.0	16 1.2	20 1.2	16 2.4	19 1.8	20 1.8	25 3.6	27 3.0
18	25 1.8	28 4.9	21 2.4	24 4.9	24 6.7	28 9.1	24 10.3	25 12.8	27 9.1	28 8.5	30 6.1	26 1.8
19	25 3.0	29 1.8	31 3.6	02 8.5	32 9.7	32 6.7	32 5.5	31 7.3	31 5.5	31 4.9	31 5.5	32 6.1
20	32 4.3	31 4.3	02 1.8	32 3.0	05 2.4	20 1.8	16 3.0	06 2.4	04 1.8	05 2.4	05 1.2	32 2.4
21	32 3.0	32 1.2	32 1.2	00 0.0	17 1.8	16 3.0	14 3.0	16 3.0	16 3.6	14 3.0	00 0.0	32 2.4
22	32 7.9	01 8.5	01 8.5	04 7.3	02 6.7	01 6.1	02 4.3	03 4.9	02 5.5	01 6.1	01 10.9	01 9.7
23	01 6.7	01 5.5	01 7.3	04 6.7	02 6.1	02 4.3	10 3.6	02 4.3	01 4.9	32 5.5	01 7.3	32 1.8
24	00 0.0	32 1.2	31 1.8	04 3.6	01 4.3	01 4.9	06 6.7	32 6.1	01 9.1	32 4.3	32 6.1	32 4.3
25	32 4.3	32 3.6	32 4.3	02 3.6	02 1.8	18 3.0	22 9.1	19 3.0	18 3.6	17 5.5	15 2.4	02 0.6
26	01 2.4	32 2.4	32 1.8	20 1.2	19 2.4	20 3.0	20 5.5	18 5.5	18 3.6	18 2.4	24 0.6	32 3.0
27	32 2.4	32 1.8	32 4.3	12 4.3	17 1.8	12 4.9	10 4.9	15 4.3	16 3.6	20 1.2	20 1.8	32 3.0
28	32 3.0	01 3.6	02 6.7	32 4.3	01 3.6	32 4.3	04 2.4	16 2.4	17 0.6	18 1.8	32 0.6	32 1.2
29	32 1.8	32 1.8	32 3.0	04 2.4	04 1.8	09 2.4	16 2.4	11 1.2	14 2.4	01 1.2	02 3.0	03 3.6
30	10 2.4	05 3.0	01 3.6	04 5.5	06 3.0	12 4.3	16 4.3	16 1.8	14 3.0	15 3.0	12 2.4	14 2.4
31	14 1.8	11 1.2	12 0.6	12 1.2	09 1.2	14 2.4	16 3.6	14 6.1	13 4.9	13 3.6	03 1.2	32 1.8
M	3.74	3.57	3.42	3.56	3.50	3.66	4.31	4.35	3.94	3.95	3.87	3.86

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	32 2.4	32 2.4	03 0.6	16 1.2	15 1.8	21 1.2	19 2.4	15 2.4	15 3.6	16 3.6	15 1.8	15 0.6	1
2	10 1.2	09 0.6	01 1.8	12 1.2	17 2.4	14 1.8	16 1.8	19 2.4	15 3.6	14 3.6	16 1.8	11 0.6	2
3	32 1.8	15 1.2	15 1.8	19 1.8	17 1.8	16 5.5	14 8.5	16 7.9	15 5.5	13 3.0	11 3.6	10 1.2	3
4	12 2.4	14 2.4	15 3.0	11 2.4	12 3.6	12 3.6	14 4.9	13 6.1	13 3.0	13 4.3	19 3.6	24 1.8	4
5	20 2.4	28 1.8	32 5.5	32 3.6	32 1.8	06 1.8	19 1.2	18 3.0	15 1.8	17 1.2	18 0.6	18 1.2	5
6	32 2.4	32 3.6	32 4.3	32 5.5	03 4.3	05 2.4	07 2.4	16 3.0	17 4.9	15 2.4	14 3.0	15 1.2	6
7	32 3.6	32 4.3	01 4.3	01 2.4	32 1.8	18 1.2	13 2.4	14 3.0	14 4.3	07 3.0	15 1.8	16 3.0	7
8	14 4.3	13 5.5	14 4.9	18 5.5	16 7.9	15 7.3	15 7.9	15 9.5*	16 6.8*	16 5.8*	15 4.5*	12 3.5*	8
9	17 2.5*	16 0.8*	16 0.6*	16 4.8*	17 5.5	16 5.5	21 5.7	14 1.8	19 4.3	21 5.5	23 4.3	19 2.4	9
10	20 0.6	20 1.8	16 3.6	17 3.0	18 1.8	22 0.6	15 3.0	19 3.0	21 1.8	22 2.4	22 1.2	01 1.8	10
11	32 4.3	05 1.2	13 0.6	18 0.6	16 1.8	16 3.6	16 3.0	19 3.0	15 4.3	14 4.9	13 4.3	13 3.0	11
12	13 3.6	10 1.8	13 3.0	14 3.0	12 1.8	14 2.4	12 3.0	15 4.9	19 1.2	26 1.2	32 2.4	32 2.4	12
13	32 1.8	32 1.8	17 1.2	01 3.0	01 3.6	01 3.0	06 2.4	06 1.8	16 2.4	25 5.5	19 1.8	24 1.8	13
14	18 1.2	21 1.2	23 4.3	23 5.5	23 6.1	20 4.9	32 4.9	28 5.5	32 3.0	30 6.7	22 1.8	24 1.8	14
15	24 1.8	20 3.0	22 3.0	24 3.0	25 4.3	19 5.5	17 6.1	17 6.1	14 6.7	19 2.4	20 1.8	23 4.3	15
16	01 0.6	25 2.4	24 0.6	22 2.4	20 2.4	32 8.5	32 9.1	32 7.9	32 6.7	32 4.3	29 3.0	30 4.3	16
17	20 2.4	31 2.4	29 1.2	24 3.0	25 4.3	26 3.0	26 3.6	15 3.6	15 3.6	15 4.9	13 2.4	04 2.4	17
18	21 3.6	20 1.8	19 4.3	20 4.3	18 3.6	18 4.9	17 4.9	18 3.6	20 3.0	28 1.8	24 3.6	25 1.2	18
19	31 2.4	30 0.6	09 1.8	31 2.4	23 3.6	26 4.3	24 3.6	23 4.9	25 4.9	27 4.3	32 4.3	32 1.2	19
20	05 1.8	01 1.8	29 0.6	02 4.3	06 3.0	10 2.4	22 2.4	20 3.0	18 1.8	18 1.2	18 0.6	32 2.4	20
21	32 1.2	32 1.8	12 1.2	04 2.4	08 3.0	09 1.8	21 2.4	19 3.0	20 3.0	19 1.8	16 1.2	16 1.2	21
22	32 2.4	32 1.8	01 0.6	17 1.2	18 1.8	18 3.0	20 3.6	19 4.3	19 5.5	18 2.4	15 1.2	17 1.2	22
23	00 0.0	32 1.2	02 0.6	03 4.9	04 4.9	06 1.8	21 3.6	16 5.5	15 4.3	16 3.0	15 3.0	17 1.8	23
24	11 1.8	11 1.2	15 1.8	12 1.8	12 1.8	03 0.6	27 2.4	25 1.8	21 0.6	17 1.8	25 0.6	26 0.6	24
25	28 1.8	12 1.2	09 2.4	09 3.6	05 3.0	05 3.0	05 2.4	05 2.4	05 2.4	05 2.4	05 4.3	05 1.2	25
26	05 4.9	02 7.3	03 3.6	04 6.1	03 6.1	03 7.3	05 5.5	01 1.8	02 4.3	01 3.6	32 4.9	01 4.9	26
27	32 3.0	32 6.1	01 4.9	32 4.9	03 2.4	03 3.0	05 6.1	01 1.8	02 1.8	02 1.2	32 1.2	32 1.8	27
28	01 3.0	01 3.0	01 4.9	03 7.3	05 6.1	04 5.5	07 4.3	07 3.0	08 3.0	01 3.6	32 3.0	01 3.0	28
29	02 1.2	01 1.2	00 0.0	13 1.2	18 1.8	18 2.4	10 2.4	21 3.0	21 3.0	07 5.5	32 1.8	32 3.0	29
30	32 3.0	32 3.6	11 0.6	18 1.8	17 3.0	17 4.3	16 4.9	16 6.1	15 4.9	16 4.3	17 3.6	16 3.0	30
M	2.31	2.36	2.39	3.27	3.37	3.54	4.06	3.97	3.67	3.38	2.57	2.12	M

Juli VII — August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	14 2.4	14 1.8	14 1.2	15 1.2	14 0.6	02 1.8	18 4.3	16 2.4	19 4.3	32 3.0	18 1.2	32 1.2
2	04 1.8	03 0.6	04 3.0	04 3.0	05 3.0	05 4.3	09 4.9	17 4.3	20 1.8	02 1.8	32 3.0	01 7.3
3	01 7.9	01 9.1	01 9.1	01 7.9	05 4.9	08 3.6	02 3.6	02 4.3	32 3.6	07 1.8	01 3.0	01 3.0
4	01 3.6	01 3.0	03 2.4	03 1.8	18 1.2	17 2.4	16 3.0	18 2.4	18 3.0	17 3.0	18 1.2	18 1.8
5	01 2.4	32 1.8	32 1.2	11 1.2	08 3.0	05 4.9	07 4.9	08 3.6	07 5.5	32 2.4	01 4.3	13 3.0
6	17 0.6	06 1.8	06 1.8	03 2.4	07 3.0	11 2.4	19 1.8	19 1.8	21 1.2	03 1.2	04 3.0	05 0.6
7	06 1.2	13 1.8	14 2.4	06 1.8	06 3.0	08 3.6	07 4.3	08 3.6	32 2.4	02 3.6	01 3.6	04 3.0
8	02 1.8	01 3.6	32 2.4	01 1.2	02 3.0	05 4.3	32 1.8	21 2.4	19 1.2	07 1.8	02 2.4	32 1.2
9	32 1.2	01 0.6	00 0.0	15 0.6	17 1.2	20 3.0	18 3.0	17 2.4	18 3.0	17 2.4	18 1.2	18 0.6
10	18 1.8	02 2.4	02 0.6	09 1.2	07 1.2	20 3.0	22 3.0	20 4.3	21 3.6	18 1.2	14 0.6	01 1.8
11	32 1.8	01 1.8	03 1.8	00 0.0	16 1.8	09 1.8	09 3.0	09 1.8	19 3.6	19 2.4	00 0.0	32 2.4
12	32 1.8	32 1.8	02 1.2	08 1.8	16 2.4	14 3.6	22 2.4	17 1.8	19 2.4	15 3.6	14 3.0	13 1.2
13	13 1.8	14 2.4	18 2.4	20 0.6	20 1.8	17 1.8	16 3.0	17 4.3	19 3.6	15 3.6	18 1.8	16 1.8
14	15 1.8	18 1.2	18 0.6	18 1.2	18 2.4	18 3.0	19 3.6	19 3.0	19 3.6	17 2.4	15 3.6	13 1.8
15	14 1.2	16 0.6	08 1.2	17 1.2	17 1.8	20 2.4	16 1.2	20 2.4	20 3.0	20 2.4	20 0.6	30 1.2
16	04 2.4	32 0.6	02 1.2	20 1.2	19 1.2	20 3.0	19 5.5	17 5.5	17 4.9	16 2.4	14 1.8	32 2.4
17	13 1.8	14 3.0	14 2.4	17 1.8	16 4.3	16 4.3	16 4.9	16 5.5	16 5.5	16 4.9	16 3.0	12 1.8
18	04 2.4	04 2.4	04 1.8	04 0.6	24 1.8	21 2.4	21 3.6	21 3.6	21 2.4	21 2.4	21 1.8	04 1.8
19	04 1.2	04 2.4	04 1.2	00 0.0	20 1.2	21 1.2	17 3.0	13 3.0	12 1.8	04 3.6	03 1.2	01 1.8
20	32 1.8	01 2.4	06 1.8	13 2.4	12 4.3	08 2.4	13 3.6	32 1.2	01 1.2	13 1.8	14 3.6	15 3.6
21	14 2.4	15 3.6	14 2.4	16 3.6	17 4.3	21 4.3	18 4.3	16 6.7	18 6.7	20 6.1	25 2.4	19 3.0
22	24 1.8	01 0.6	00 0.0	16 0.6	12 1.2	19 1.8	18 2.4	20 1.8	32 3.0	32 2.4	32 0.6	32 0.6
23	01 4.3	32 4.9	32 5.5	32 3.6	32 4.9	26 4.3	31 3.6	27 4.9	27 4.3	30 1.8	32 2.4	02 1.8
24	29 0.6	32 2.4	01 1.8	00 0.0	29 4.9	24 4.3	25 6.1	01 4.9	01 4.3	01 1.8	01 2.4	01 2.4
25	05 1.2	05 3.0	05 1.2	05 2.4	05 2.4	18 2.4	20 2.4	20 4.3	20 3.6	20 3.0	28 4.9	28 2.4
26	04 1.2	12 1.2	08 1.8	16 1.2	17 2.4	18 1.2	28 5.5	05 1.2	30 1.8	32 1.2	32 3.0	32 4.9
27	32 6.1	32 6.1	01 5.5	03 4.9	02 6.1	02 4.9	03 5.5	01 5.5	02 5.5	02 4.9	32 4.9	02 3.6
28	32 5.5	32 6.7	01 4.9	02 6.7	01 6.7	02 6.7	03 5.5	02 4.3	03 3.6	32 3.0	32 3.0	32 4.3
29	32 3.6	32 3.6	32 3.6	17 0.6	15 1.8	16 3.6	18 4.3	17 4.9	14 4.3	31 3.6	32 1.2	32 1.2
30	32 7.9	31 5.5	31 4.9	31 7.9	31 8.5	31 7.9	31 7.3	31 9.1	31 7.9	31 10.3	31 10.9	31 9.7
31	32 8.5	32 9.1	32 9.1	32 7.9	32 6.7*	31 5.5	02 6.1	02 6.7	01 6.1	32 4.9	32 4.9	32 5.5
M	2.77	2.96	2.59	2.34	3.13	3.42	3.92	3.80	3.64	3.05	2.73	2.67

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Dat
1	01 7.3	32 5.5	32 6.7	32 7.3	01 3.6	30 4.9	31 4.3	02 4.9	02 4.9	01 4.9	01 7.9	30 1.8	1
2	32 1.8	32 1.8	32 3.0	16 0.6	20 1.2	16 1.2	18 2.4	18 1.8	19 1.8	20 2.4	19 1.2	32 1.2	2
3	01 1.8	01 1.2	08 0.6	16 1.2	19 1.8	15 1.8	17 2.4	14 2.4	19 1.8	13 1.8	02 0.6	00 0.0	3
4	02 1.2	25 1.2	00 0.0	07 1.8	17 1.8	19 3.0	20 3.0	18 3.6	15 3.6	15 2.4	15 0.6	15 1.2	4
5	00 0.0	00 0.0	20 0.6	15 1.2	15 0.6	17 1.8	19 3.0	15 3.0	07 4.3	15 1.2	01 2.4	32 3.0	5
6	02 2.4	32 4.3	02 4.3	01 3.6	02 3.6	03 7.0	05 8.0	02 4.5	32 3.0	32 3.6	06 1.8	06 1.2	6
7	06 1.2	02 1.8	05 2.4	05 3.0	05 4.3	06 3.6	06 1.8	32 1.8	12 0.6	19 1.2	17 1.2	15 1.2	7
8	15 1.2	13 0.6	14 1.2	14 0.6	17 1.2	17 2.4	17 2.4	17 3.0	18 3.0	18 2.4	17 0.6	02 3.0	8
9	32 1.2	32 1.8	32 1.2	32 0.6	16 1.2	26 1.2	19 2.4	21 1.2	04 1.8	04 3.0	04 3.0	04 3.6	9
10	04 3.6	04 4.3	04 1.8	04 6.1	03 6.1	05 5.5	05 5.5	04 4.9	07 3.6	05 2.4	03 3.6	01 2.4	10
11	32 4.3	32 4.3	01 3.6	03 6.1	03 4.9	02 4.9	04 4.9	04 4.3	03 4.3	06 1.8	32 3.0	32 3.0	11
12	32 3.6	32 3.0	01 0.6	02 5.5	03 4.3	06 6.7	03 6.1	03 4.3	01 4.3	32 3.0	32 2.4	32 4.3	12
13	32 3.0	01 2.4	24 5.5	03 4.9	04 4.9	04 6.1	04 5.5	04 4.9	04 4.3	04 4.9	04 6.1	04 6.1	13
14	04 6.1	04 6.7	04 8.5	04 8.5	03 9.1	03 9.1	03 9.1	03 7.9	03 7.9	04 6.1	04 5.5	01 6.7	14
15	32 4.3	01 7.3	01 8.5	01 7.3	01 6.1	01 4.3	01 3.6	04 3.6	04 2.4	02 1.8	01 2.4	02 2.4	15
16	32 3.0	02 3.0	05 3.6	01 5.5	01 2.4	01 4.9	01 3.6	03 3.6	32 1.8	01 3.6	03 3.6	05 3.0	16
17	32 2.4	01 1.2	03 1.8	04 1.8	03 3.0	04 4.3	04 3.6	02 3.6	03 3.0	01 3.0	32 4.3	32 3.6	17
18	32 5.5	32 6.1	01 5.5	32 7.9	01 6.1	32 9.1	03 7.3	04 7.3	03 8.5	01 6.7	01 6.1	32 6.1	18
19	32 3.6	32 5.5	32 4.9	32 3.0	02 6.1	01 5.5	02 5.5	03 4.3	02 4.9	32 3.0	31 3.6	01 2.4	19
20	32 1.8	32 4.3	32 3.0	32 4.3	01 6.1	03 4.3	03 4.3	01 2.4	04 3.0	05 0.6	32 1.8	32 1.8	20
21	32 1.8	02 1.8	02 1.8	11 1.2	16 1.8	17 3.0	14 3.6	03 3.6	03 3.0	00 0.0	01 1.8	01 1.8	21
22	01 2.4	01 2.4	02 2.4	02 1.8	11 0.6	17 1.8	13 1.8	32 2.4	32 3.0	32 0.6	32 2.4	01 4.3	22
23	01 4.9	04 4.9	04 6.7	04 5.5	03 3.6	03 4.9	07 3.6	31 1.8	32 1.2	01 1.8	01 2.4	01 2.4	23
24	32 2.4	01 2.4	06 1.8	06 1.8	14 4.3	15 5.5	15 4.3	15 4.3	15 3.6	19 2.4	18 1.8	21 0.6	24
25	20 0.6	21 1.2	21 4.3	19 4.3	18 6.1	17 5.5	16 6.7	19 7.3	18 5.5	19 2.4	04 0.6	05 0.6	25
26	02 0.6	32 1.2	32 1.8	01 1.2	31 6.1	29 5.5	31 3.6	29 3.0	32 3.6	32 3.6	32 3.6	32 2.4	26
27	32 3.6	02 2.4	32 1.2	14 1.8	16 1.8	17 3.0	16 3.0	15 3.6	15 4.3	14 3.0	14 1.2	01 1.2	27
28	00 0.0	13 1.2	15 0.6	18 1.2	17 1.2	18 2.4	16 4.9	15 4.3	13 3.6	15 1.8	32 1.8	32 3.6	28
29	07 1.2	01 3.6	01 7.9	02 6.1	01 4.9	01 4.9	02 2.4	00 0.0	32 0.6	32 1.2	32 0.6	32 1.8	29
30	32 1.2	32 1.2	32 0.6	26 0.6	16 1.8	28 3.0	26 3.0	17 2.4	19 3.0	17 2.4	01 6.7	01 8.5	30
31	01 9.1	01 8.5	32 5.5	01 4.3	03 6.7	03 5.7	04 5.5	03 4.3	03 3.6	32 2.4	32 2.4	32 4.9	31
M	2.81	3.13	3.29	3.57	3.78	4.45	4.23	3.69	3.48	2.53	2.81	2.91	M

Registreringer av vind D, v

(Records of wind: D, v)

1945

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ $h_d = 25.6$ $h_r = 1.5$

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	32 7.3	01 2.4	11 1.8	02 2.4	32 2.4	28 2.4	01 3.6	32 2.4	17 1.8	16 1.2	32 1.8	32 4.9
2	01 3.0	32 1.8	32 1.8	04 1.8	15 1.8	15 1.8	17 3.0	15 2.4	18 1.2	03 1.2	02 2.4	01 3.0
3	01 1.8	01 1.8	02 1.2	14 1.2	14 1.8	18 2.4	18 1.2	16 1.2	18 1.2	00 0.0	18 0.6	32 2.4
4	32 2.4	32 1.2	32 0.6	32 0.6	22 0.6	18 1.8	16 1.8	15 7.3	15 6.1	15 3.6	16 0.6	02 2.4
5	32 3.0	32 3.6	02 3.0	01 4.3	01 5.5	32 6.1	32 5.5	04 4.9	04 4.3	32 3.6	04 3.0	04 2.4
6	04 1.8	04 1.8	32 3.0	12 1.2	16 2.4	14 3.0	15 3.0	16 3.0	06 2.4	13 1.2	32 2.4	01 1.8
7	32 2.4	32 0.6	32 0.6	32 0.6	17 1.8	15 3.0	15 3.0	16 1.8	06 1.8	02 1.8	01 1.8	32 2.4
8	32 2.4	32 2.4	32 2.4	06 0.6	06 1.2	15 2.4	16 1.8	18 2.4	15 1.8	03 1.2	03 1.2	02 1.2
9	02 1.2	02 1.2	00 0.0	02 1.8	16 1.2	17 1.8	17 2.4	18 2.4	20 1.8	16 1.2	02 1.8	01 1.8
10	32 3.0	32 1.2	01 2.4	02 1.8	02 2.4	14 2.4	12 3.0	08 3.6	06 2.4	02 1.8	02 1.2	03 1.2
11	01 1.2	01 1.8	02 0.6	14 2.4	16 2.4	17 2.4	17 2.4	18 2.4	18 1.8	15 1.2	06 1.2	01 1.8
12	01 1.8	32 0.6	02 1.2	01 0.6*	18 1.2*	18 4.0*	16 7.6*	15 6.7	17 7.3	17 5.5	18 4.9	18 4.3
13	17 3.0	15 1.8	15 2.4	16 1.8	15 3.6	16 5.5	16 5.5	16 4.9	16 4.9	16 1.8	09 2.4	12 3.6
14	16 3.6	12 3.0	08 4.3	08 3.0	11 3.6	12 4.9	17 5.5	17 6.1	16 3.6	16 4.3	16 1.8	15 3.6
15	17 3.0	16 1.2	03 0.6	09 0.6	19 2.4	19 5.5	19 4.3	16 4.3	18 5.5	17 3.0	16 1.8	16 0.6
16	20 1.2	22 1.8	27 0.6	27 0.6	19 0.6	22 1.8	17 1.8	22 1.2	23 1.2	02 1.2	02 1.8	01 2.4
17	01 1.2	06 0.6	06 0.6	00 0.0	23 1.2	19 1.2	19 1.8	20 1.8	23 1.8	00 0.0	03 1.8	02 1.8
18	01 2.4	01 3.0	04 2.4	04 3.6	04 3.6	03 3.0	05 3.0	04 4.3	04 3.6	04 3.0	04 2.4	04 1.8
19	04 1.2	04 2.4	04 1.8	04 3.6	11 3.0	05 3.6	09 4.3	09 3.0	05 2.4	04 3.0	04 2.4	03 3.6
20	03 3.6	02 3.6	04 4.3	06 2.4	03 1.8	03 1.8	18 1.8	23 1.2	23 2.4	24 1.2	24 0.6	25 0.6
21	25 1.2	00 0.0	19 1.2	23 1.2	25 2.4	19 4.9	17 3.6	20 3.0	21 4.9	22 2.4	17 1.2	00 0.0
22	22 1.8	06 1.2	04 1.2	05 1.8	17 1.2	20 1.8	15 3.0	16 3.6	15 3.0	07 2.4	08 3.0	07 4.9
23	16 4.9	15 0.6	12 1.8	15 1.8	18 2.4	16 3.0	16 6.1	16 3.0	16 3.0	06 1.2	04 1.2	03 1.8
24	02 1.8	01 2.4	08 2.4	06 2.4	03 3.0	08 2.4	07 3.6	03 4.3	04 3.6	03 4.9	01 5.5	01 6.7
25	01 4.9	02 5.5	03 4.9	04 6.1	04 6.1	04 5.5	05 4.9	03 4.9	04 1.2	03 2.4	03 3.0	01 2.4
26	01 2.4	32 3.0	01 3.0	05 2.4	10 0.6	20 1.8	21 2.4	17 2.4	19 3.0	18 3.0	16 3.6	15 3.0
27	15 2.4	14 1.2	14 1.2	00 0.0	00 0.0	17 0.6	11 2.4	14 1.8	26 1.8	02 1.2	02 3.0	01 2.4
28	03 1.2	01 1.2	09 0.6	12 1.2	15 1.8	21 2.4	05 2.4	20 1.8	28 2.4	03 3.6	32 4.3	32 1.8
29	32 2.4	01 4.3	10 1.2	11 0.6	18 1.8	01 3.6	30 3.0	25 3.6	32 3.0	02 3.0	01 4.3	28 0.6
30	01 1.8	32 3.0	02 1.2	00 0.0	03 0.6	15 1.8	18 2.4	17 3.0	18 3.0	09 1.2	02 2.4	32 1.8
M	2.51	2.01	1.81	1.75	2.15	2.95	3.34	3.29	2.94	2.21	2.31	2.43

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	32 2.4	01 1.2	01 3.0	16 1.8	17 0.6	20 1.8	11 1.8	12 1.2	20 0.6	04 1.2	04 1.2	04 1.8
2	04 2.4	04 1.8	04 1.8	04 1.2	12 0.6	17 1.2	20 0.6	19 0.6	21 0.6	09 1.2	00 0.0	03 1.2
3	02 0.6	03 1.2	01 1.8	04 1.2	02 0.6	00 0.0	32 0.6	28 1.2	28 0.6	18 2.4	17 2.4	17 2.4
4	20 3.0	22 1.8	23 0.6	23 1.2	19 3.6	20 3.6	20 3.6	19 3.6	20 1.8	20 0.6	20 0.6	00 0.0
5	02 1.8	32 0.6	32 6.1	04 6.7	05 4.9	06 1.2	20 1.8	19 2.4	18 3.0	18 0.6	32 3.0	02 1.8
6	31 2.4	11 1.2	32 1.2	04 2.4	18 0.6	24 1.8	01 8.5	32 6.1	32 2.4	04 3.6	32 4.3	04 3.0
7	31 2.4	32 1.8	02 1.8	01 1.2	07 1.2	18 3.0	19 4.3	17 3.6	17 3.6	16 0.6	08 0.6	02 1.8
8	01 1.8	01 1.8	07 1.8	04 1.8	04 0.6	00 0.0	17 1.2	17 1.2	18 0.6	07 0.6	04 1.2	17 1.2
9	13 1.2	04 1.2	08 1.2	07 0.6	08 0.6	08 0.6	12 1.2	17 1.8	16 1.8	18 3.0	18 2.4	16 4.3
10	18 4.9	18 5.5	19 4.3	20 2.4	32 1.2	28 1.8	01 4.9	03 7.3	02 2.4	03 4.3	00 0.0	08 1.2
11	02 0.6	31 1.2	32 0.6	02 1.2	15 0.6	17 1.8	22 4.9	19 3.6	26 1.2	24 1.2	08 2.4	04 1.8
12	02 1.8	01 1.2	03 2.4	05 1.2	05 0.6	20 1.2	21 1.8	22 1.2	24 0.6	04 1.8	05 1.2	04 3.0
13	01 1.8	32 1.8	04 1.2	04 0.6	00 0.0	00 0.0	00 0.0	00 0.0	21 0.6	00 0.0	04 1.8	03 1.2
14	01 2.4	27 2.4	04 1.8	04 1.8	02 0.6	08 0.6	05 0.6	17 2.4	27 2.4	27 4.9	17 1.8	22 1.2
15	28 0.6	00 0.0	30 0.6	28 3.6	30 3.6	32 5.5	01 4.9	04 3.6	03 3.0	04 1.8	02 2.4	02 3.0
16	32 0.6	26 1.2	01 1.8	01 1.2	08 1.2	17 1.2	19 1.2	19 0.6	01 1.2	02 0.6	01 1.2	24 0.6
17	03 0.6	02 0.6	04 0.6	03 0.6	03 0.6	19 0.6	20 1.2	20 1.2	20 1.2	20 0.6	04 0.6	04 0.6
18	04 1.2	04 1.2	04 1.2	04 1.2	04 0.6	17 0.6	26 4.3	29 3.6	02 4.3	20 5.5	02 1.8	20 1.2
19	26 0.6	01 1.2	32 1.8	02 1.8	02 1.2	19 2.4	16 3.6	17 3.0	09 1.8	04 1.8	02 2.4	01 1.8
20	02 3.0	01 3.0	03 1.2	02 0.6	18 0.6	20 0.6	13 1.2	08 3.0	04 2.4	06 1.8	09 1.2	15 1.2
21	07 1.2	09 1.2	11 1.2	09 1.2	15 3.0	16 2.4	16 1.8	15 1.2	16 1.2	02 2.4	02 2.4	02 1.2
22	01 1.8	02 1.8	01 3.0	05 2.4	03 2.4	05 2.4	04 2.4	07 3.0	06 2.4	04 2.4	04 2.4	02 2.4
23	02 1.8	02 3.0	02 2.4	04 1.8	32 1.8	04 1.2	00 0.0	21 0.2	26 1.2	20 1.2	20 1.2	01 3.6
24	32 5.5	32 4.9	01 6.7	32 4.9	01 4.9	02 1.8	04 1.2	19 2.0*	20 0.6*	20 1.2*	20 0.6*	03 3.5*
25	02 4.2*	01 6.0*	01 8.5*	02 4.8*	02 5.5*	01 4.3	03 4.3	02 5.5	03 3.6	05 3.6	08 1.8	03 2.4
26	05 2.4	05 4.9	06 5.5	07 5.5	09 2.4	10 4.9	09 2.4	15 3.6	11 1.8	07 1.2	02 1.2	02 2.4
27	01 5.5	01 2.4	32 4.3	02 1.8	01 1.8	02 4.3	32 2.4	30 1.8	32 1.2	07 1.2	05 1.2	05 1.2
28	32 1.2	32 0.6	02 1.8	03 5.5	04 3.6	03 4.3	04 3.0	03 2.4	04 0.6	02 1.8	01 1.8	04 2.4
29	03 3.6	02 4.3	02 3.6	03 4.9	02 3.6	03 3.0	32 3.6	01 3.0	01 1.8	32 0.6	26 1.2	04 3.0
30	32 3.6	01 4.3	01 5.5	01 4.9	01 5.5	02 4.3	03 4.9	02 4.9	01 4.3	01 3.6	32 3.6	32 1.8
31	32 2.4	01 0.6	02 0.6	03 0.6	04 0.6	04 0.6	02 1.2	00 0.0	02 0.6	02 1.2	02 1.2	02 0.6
M	2.24	2.13	2.58	2.34	1.91	2.03	2.56	2.57	1.79	1.89	1.65	1.90

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	28 0.6	24 1.2	20 2.4	20 0.6	18 3.0	20 3.0	18 1.8	20 1.2	20 1.2	01 1.2	01 1.8	31 1.2
2	30 0.6	29 0.6	25 1.2	01 0.6	09 0.6	05 3.6	03 7.9	03 6.7	01 3.6	02 6.1	01 7.3	01 4.3
3	32 3.6	32 4.3	01 3.6	01 3.6	05 3.0	04 3.0	01 3.6	02 3.0	01 3.0	01 3.0	01 3.0	01 4.3
4	01 2.4	32 3.0	02 1.2	02 1.8	03 1.2	10 1.8	08 1.2	12 1.2	12 0.6	04 0.6	04 1.2	00 0.0
5	04 1.2	04 2.4	04 1.2	04 2.4	32 0.6	32 1.8	21 1.2	20 0.6	20 0.6	02 1.8	02 0.6	00 0.0
6	32 0.6	32 0.6	01 0.6	00 0.0	02 0.6	02 0.6	25 1.2	25 1.2	27 2.4	27 1.2	26 0.6	03 1.2
7	01 1.2	01 1.2	02 1.8	03 0.6	02 1.2	00 0.0	00 0.0	19 0.6	05 1.8	22 2.4	20 3.0	24 1.2
8	01 0.6	28 4.3	31 6.1	30 7.9	30 7.9	31 10.3	32 9.7	32 8.5	02 13.4	01 15.2	01 15.8	03 13.4
9	32 9.1	32 9.7	02 17.0	01 9.1	02 7.9	02 9.7	03 9.1	03 10.3	01 11.5	01 9.1	01 9.1	32 7.3
10	32 7.3	32 7.3	32 7.3	02 4.3	01 4.9	01 4.9	32 4.9	02 4.9	32 3.0	01 2.4	03 3.6	05 2.4
11	02 1.2	32 3.0	02 3.6	01 1.8	04 3.0	00 0.0	00 0.0	12 0.6	04 1.2	04 0.6	00 0.0	00 0.0
12	02 0.6	00 0.0	03 0.6	29 1.2	21 1.2	23 1.2	23 0.6	00 0.0	01 2.4	22 1.2	03 1.2	32 4.3
13	32 2.4	32 3.6	01 6.7	03 5.5	03 2.4	03 3.6	03 5.5	03 4.3	03 4.3	03 3.0	03 2.4	03 3.0
14	02 2.4	05 2.4	32 3.6	04 1.8	01 3.6	04 2.4	01 3.0	03 3.6	32 3.0	32 2.4	01 3.6	32 2.4
15	32 3.0	32 3.6	32 3.6	03 4.3	02 5.5	03 4.3	01 4.3	02 4.9	02 7.9	01 7.9	01 7.9	01 8.5
16	32 7.9	32 6.7	32 6.7	01 7.3	01 6.1	01 6.1	02 7.3	01 6.7	01 6.1	01 6.1	01 6.1	02 4.9
17	01 3.6	32 3.6	02 3.0	01 2.4	02 1.8	26 2.4	01 1.8	23 3.0	19 1.8	20 1.2	24 1.2	32 1.2
18	24 1.2	04 1.8	04 1.2	04 1.2	03 0.6	03 0.6	00 0.0	02 0.6	03 0.6	02 0.6	02 1.2	02 0.6
19	00 0.0	02 0.6	02 0.6	04 0.6	03 0.6	00 0.0	02 0.6	00 0.0	09 1.2	08 1.2	08 1.2	08 1.8
20	22 0.6	32 2.4	01 2.4	03 3.6	01 3.0	32 2.4	01 1.2	03 2.4	01 1.2	03 1.2	00 0.0	03 1.2
21	02 0.6	17 0.6	26 0.6	26 0.6	00 0.0	00 0.0	00 0.0	25 0.6	01 1.8	00 0.0	02 1.8	02 0.6
22	06 0.6	05 1.2	32 1.8	02 1.8	02 0.6	00 0.0	02 1.2	31 0.6	29 0.6	18 1.2	10 0.6	07 0.6
23	07 1.2	03 1.8	02 3.6	01 2.4	02 3.0	32 2.4	02 1.8	02 1.8	03 3.6	02 3.6	03 3.0	03 2.4
24	02 3.0	01 2.4	02 2.4	03 1.8	04 1.8	04 1.2	00 0.0	04 0.6	04 1.2	04 0.6	03 0.6	31 0.6
25	03 1.2	04 1.8	04 1.8	04 0.6	00 0.0	25 0.6	25 1.2	24 0.6	24 1.2	25 1.2	00 0.0	09 0.6
26	32 1.2	21 3.6	23 1.8	23 1.2	01 2.4	28 4.9	30 2.4	26 4.3	25 4.3	22 2.4	01 2.4	12 1.2
27	27 4.3	02 1.8	02 1.8	32 1.2	22 0.6	17 1.2	24 0.6	22 3.0	21 1.8	20 1.8	20 3.0	08 1.2
28	26 1.2	07 1.2	00 0.0	18 2.4	22 1.8	26 1.8	25 3.6	26 9.1	26 5.5	27 6.7	29 7.9	16 2.4
29	17 1.2	16 0.6	03 1.8	04 0.6	25 4.9	26 5.5	24 8.5	25 6.1	27 7.3	28 5.5	28 1.8	32 1.8
30	04 1.2	02 1.8	04 1.8	02 1.2	29 1.8	14 0.6	08 0.6	06 0.6	04 0.6	04 0.6	02 1.8	02 1.2
M	2.19	2.64	3.06	2.48	2.52	2.66	2.83	3.05	3.29	3.07	3.12	2.53

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24
1	02 1.8	01 1.2	03 1.2	04 1.2	03 1.8	02 1.8	04 2.4	03 2.4	02 3.0	02 3.6	02 3.6	03 3.0
2	12 1.8	13 2.4	13 3.6	11 4.9	13 4.3	19 1.2	13 1.2	10 2.4	13 4.3	12 3.0	12 3.0	15 3.6
3	09 3.0	08 3.6	08 2.4	07 3.6	05 2.4	05 3.6	02 3.6	03 0.6	02 0.6	02 0.6	02 0.6	03 0.6
4	02 0.6	02 0.6	28 0.6	24 0.6	26 0.6	00 0.0	26 0.6	01 2.4	01 3.6	02 4.3	32 2.4	01 2.4
5	02 3.0	02 3.0	03 3.0	07 3.0	04 1.8	07 3.0	09 3.6	10 4.3	07 3.0	09 2.4	06 2.4	07 3.6
6	02 3.0	01 3.0	03 4.3	03 3.6	04 2.4	03 3.0	05 2.4	02 3.0	03 3.0	05 2.4	04 2.4	04 2.4
7	04 3.0	05 3.6	02 1.8	06 3.0	06 2.4	06 2.4	14 2.4	04 2.4	02 3.0	01 3.0	02 3.0	02 3.6
8	01 3.6	02 3.6	01 1.8	04 2.4	04 1.8	08 0.6	07 0.6	06 1.2	08 1.2	07 0.6	16 3.0	20 2.4
9	18 1.2	15 1.2	18 0.6	18 1.8	17 1.8	18 3.0	19 7.9	19 5.5	18 3.0	00 0.0	17 6.1	17 4.3
10	17 4.9	16 3.0	12 1.2	24 5.5	25 3.6	25 3.0	24 3.6	24 1.2	26 3.6	23 3.6	24 2.4	22 2.4
11	32 2.4	32 4.3	28 3.6	26 3.6	28 4.9	28 6.7	26 6.7	28 6.7	28 5.5	29 6.1	30 5.5	28 6.1
12	29 7.9	29 6.1	32 3.0	30 2.4	29 1.2	03 1.8	24 1.8	25 1.8	27 0.6	26 1.8	06 1.2	11 0.6
13	03 1.8	01 5.5	02 6.1	02 4.9	02 7.3	01 7.3	01 7.3	01 5.5	05 4.3	29 4.3	29 1.8	29 7.3
14	31 4.3	26 1.2	28 5.5	28 6.1	29 7.9	26 6.1	26 4.3	26 1.8	26 0.6	04 1.2	03 1.8	25 1.2
15	01 1.8	01 1.8	04 0.6	05 1.8	04 0.6	04 1.2	03 2.4	03 5.5	02 1.8	02 3.0	04 4.3	29 0.6
16	09 1.2	02 2.4	06 1.2	04 1.8	03 1.2	00 0.0	20 1.2	03 1.2	00 0.0	16 3.6	03 2.4	02 4.3
17	02 4.9	01 6.1	02 9.1	05 3.6	06 3.6	05 3.6	04 3.0	04 3.0	05 3.6	04 4.3	05 5.5	09 3.0
18	10 4.3	13 3.6	14 2.4	14 1.8	15 3.0	16 1.8	12 1.8	11 1.8	10 1.8	06 1.8	08 3.0	05 2.4
19	02 4.3	05 2.4	08 3.6	04 2.4	04 1.8	04 2.4	03 3.0	04 4.9	04 5.5	04 6.1	05 3.6	04 3.0
20	02 1.8	04 1.8	32 2.4	03 2.4	02 1.2	01 1.8	02 0.6	18 1.2	02 0.6	01 1.8	03 0.6	00 0.0
21	00 0.0	00 0.0	01 1.2	02 0.6	02 1.2	02 0.6	00 0.0	02 0.6	02 1.2	04 0.6	02 1.8	02 4.3
22	01 3.6	01 2.4	01 1.8	01 4.9	01 5.5	01 1.8	32 1.2	02 3.0	02 3.0	02 2.4	03 1.8	03 3.0
23	01 4.9	02 4.9	04 4.9	07 3.6	07 2.4	04 4.3	05 3.6	06 4.3	05 4.3	05 6.1	04 6.1	03 6.7
24	01 8.5	01 7.3	04 6.1	04 7.9	03 7.3	03 7.9	02 7.9	03 9.1	03 9.7	02 11.5	03 9.1	02 10.3
25	01 11.5	03 7.9	01 11.5	01 12.1	03 7.3	03 8.5	04 9.1	03 7.9	03 6.7	02 7.3	02 6.1	02 6.1
26	01 6.1	01 4.9	02 3.6	01 3.0	01 3.6	02 3.6	03 2.4	01 3.6	01 4.3	02 4.3	02 5.5	02 3.6
27	01 5.5	32 4.9	01 4.9	02 4.3	02 4.9	02 4.9	02 5.5	01 4.3	01 4.9	02 4.9	02 4.9	03 3.0
28	01 5.5	01 5.5	03 4.9	04 3.0	04 3.6	02 5.5	03 4.9	02 6.1	02 6.1	02 4.9	02 4.9	01 6.1
29	32 3.6	01 4.9	01 4.9	01 7.3	02 6.1	03 6.1	01 6.7	09 0.6	01 4.9	01 4.3	00 0.0	32 1.2
30	03 0.6	32 2.4	03 3.6	09 1.2	29 1.2	26 0.6	26 0.6	10 0.6	18 1.2	01 1.2	24 1.2	24 0.6
31	24 0.6	00 0.0	00 0.0	00 0.0	23 0.6	06 0.6	06 0.6	00 0.0	00 0.0	05 0.6	05 0.6	04 0.6
M	3.58	3.40	3.40	3.49	3.20	3.18	3.32	3.19	3.19	3.41	3.25	3.30

Registreringer av nedbør R

(Records of precipitation: R)

1945

Oslo (Blindern) $\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$ $H_t = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Januar I

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	–	–	–	–	0.0	0.1	–	–	–	–	0.1	0.5
4	–	–	–	–	–	–	0.1	–	0.1	–	–	–	0.2	0.5
8	–	–	–	–	0.1	–	–	–	0.1	–	–	–	0.2	0.5
9	0.2	0.2	0.1	0.2	0.2	0.0	0.0	–	–	–	–	–	0.9	1.5
10	0.4	–	–	–	0.0	0.1	0.1	–	–	–	–	–	0.6	0.5
11	0.4	0.1	–	–	–	–	–	–	–	–	–	–	0.5	1.5
16	–	–	–	–	1.3	1.7	0.3	0.1	–	0.2	–	–	3.6	6.5
18	–	–	–	–	–	–	–	–	–	–	0.1	–	0.1	0.5
19	–	–	1.6	1.4	0.3	0.1	0.6	0.6	0.1	0.4	0.8	1.0	6.9	10.5
20	0.1	0.1	–	0.1	0.2	0.4	0.5	0.2	0.1	–	–	–	1.7	5.5
21	–	–	–	–	0.1	–	–	–	–	–	–	–	0.1	0.5
23	–	0.2	–	–	–	–	–	–	–	–	–	–	0.2	0.5
24	–	0.0	–	–	–	–	–	–	–	–	–	–	0.0	0.5
25	–	–	–	0.1	0.1	–	–	–	–	–	–	–	0.2	0.5
26	–	–	–	0.1	0.2	–	–	0.6	0.6	0.2	0.2	0.2	2.1	4.5
27	0.2	0.1	–	–	–	–	–	–	–	–	–	–	0.3	1.0
31	–	–	–	–	–	0.7	1.3	0.9	0.2	–	–	–	3.1	6.0
	1.3	0.7	1.7	1.9	2.5	3.0	2.9	2.5	1.2	0.8	1.1	1.2	20.8	41.5

Februar II

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	0.1	–	–	–	–	–	–	–	0.1	0.1	0.3	1.0
2	–	–	–	–	–	–	–	–	–	–	0.3	0.9	1.2	3.5
3	0.6	0.3	0.1	–	–	–	–	–	–	–	–	–	1.0	3.5
5	–	–	–	–	–	–	–	–	–	0.1	–	0.1	0.2	1.0
6	–	0.1	–	–	–	–	–	–	–	–	0.1	0.1	0.3	1.0
7	–	0.4	0.2	0.1	0.5	2.3	0.4	0.4	0.8	0.8	1.0	1.0	7.9	11.5
8	0.2	0.3	0.2	0.7	0.2	0.3	–	–	–	–	–	–	1.9	6.5
9	–	–	–	–	–	–	–	–	–	0.2	0.1	0.1	0.4	2.0
10	0.0	0.2	0.1	0.4	–	0.5	0.4	–	–	–	–	–	1.6	3.5
11	–	–	–	0.1	0.6	0.8	0.3	–	–	–	–	–	1.7	5.0
13	–	–	–	–	–	–	1.1	0.3	0.9	2.0	1.8	0.5	6.6	10.0
14	–	–	–	0.1	–	–	–	–	0.2	2.6	0.9	0.5	4.3	6.0
16	–	–	–	–	–	–	–	–	–	–	–	0.0	0.0	0.5
17	–	–	–	–	–	0.3	0.4	0.5	–	–	–	–	1.2	2.0
18	–	–	–	–	0.0	0.4	0.6	0.2	0.2	–	–	–	1.4	3.0
19	–	0.7	0.2	0.2	–	–	–	–	–	–	–	–	1.1	2.5
20	–	–	–	–	–	–	0.8	2.8	3.5	3.6	0.8	0.5	12.0	9.5
21	0.1	–	–	0.1	–	–	–	–	–	–	–	–	0.2	0.5
	0.9	2.0	0.9	1.6	1.3	4.6	4.0	4.2	5.6	9.3	5.1	3.8	43.3	72.5

Mars III

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
13	0.2	0.3	–	–	–	–	–	–	–	–	–	–	0.5	1.0
16	–	–	–	–	–	–	–	–	0.7	0.2	0.4	0.2	1.5	3.5
19	–	–	–	–	–	–	0.3	1.1	0.5	0.5	–	–	2.4	4.5
20	0.4	1.4	0.8	1.6	1.1	1.2	4.0	–	–	–	–	–	10.5	9.5
30	–	–	–	0.4	1.7	1.2	0.1	–	–	–	–	–	3.4	4.5
	0.6	1.7	0.8	2.0	2.8	2.4	4.4	1.1	1.2	0.7	0.4	0.2	18.3	23.0

April IV

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	0.2	3.3	0.4	0.1	–	–	–	–	–	–	–	–	4.0	3.5
3	–	0.1	–	–	–	–	–	–	–	–	–	–	0.1	0.5
4	–	–	–	–	–	–	–	–	0.4	–	–	–	0.4	0.5
5	–	0.1	–	–	–	–	–	–	–	–	–	–	0.1	0.5
9	–	–	–	–	0.1	–	–	–	–	–	–	–	0.1	0.5
10	–	–	–	–	0.1	–	–	–	–	–	–	–	0.1	0.5
11	–	–	–	–	–	0.1	–	–	–	–	–	–	0.1	0.5
13	–	–	–	–	–	–	–	–	0.1	–	–	–	0.1	0.5
16	–	–	0.0	0.2	–	–	–	–	–	–	–	–	0.2	0.5
17	–	1.1	–	–	–	–	–	–	–	–	–	0.1	1.2	1.5
20	–	–	–	–	–	–	–	–	0.1	–	–	–	0.1	0.5
21	–	–	–	–	–	–	–	–	0.4	–	–	–	0.4	0.5
22	–	–	0.8	–	–	–	–	–	–	–	–	–	0.8	1.5
26	–	0.1	–	–	–	–	–	–	–	–	–	–	0.1	0.5
27	–	–	–	–	–	–	0.3	2.0	2.1	2.4	2.7	2.4	11.9	10.0
28	0.9	5.6	3.6	0.1	–	–	–	–	–	–	0.1	–	10.3	6.0
29	0.1	0.0	0.1	–	–	–	–	–	–	–	0.5	3.7	4.4	3.5
30	0.6	0.3	0.2	–	–	–	–	–	–	–	–	–	1.1	2.5
	1.8	10.5	5.2	0.4	0.2	0.1	0.3	2.0	3.1	2.4	3.3	6.2	35.5	34.0

Mai V

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	–	–	0.1	0.1	–	0.3	–	0.1	–	–	–	0.6	1.2	1.0
2	0.2	–	–	–	–	–	0.2	–	3.6	8.8	5.8	0.9	19.5	7.0
3	1.2	7.1	4.0	5.0	5.5	5.9	4.0	1.9	1.2	0.4	0.3	0.8	37.3	20.0
4	0.2	3.0	0.2	0.4	–	0.9	0.3	–	–	–	0.1	0.6	5.7	7.0
8	0.1	–	–	–	–	–	0.1	–	–	–	–	–	0.2	0.5
10	0.9	0.7	2.2	5.3	1.1	–	–	–	–	–	–	–	10.2	7.0
11	0.1	–	0.1	0.1	–	–	–	–	–	–	–	–	0.3	0.5
14	0.5	–	–	–	–	–	–	–	–	–	–	–	0.5	0.5
16	–	–	–	–	–	–	–	–	1.3	–	–	–	1.3	2.0
17	–	–	–	0.2	1.1	1.6	1.2	–	–	–	–	–	4.1	4.5
24	–	–	–	–	–	–	0.1	–	–	–	–	–	0.1	0.5
27	–	–	–	–	–	–	0.1	–	–	–	–	0.3	0.4	0.5
28	–	–	–	–	0.5	0.3	0.2	0.2	–	0.2	1.6	0.1	3.1	5.0
29	–	0.1	0.0	0.0	–	–	–	–	0.5	1.0	0.2	5.7	7.5	3.5
30	0.2	0.2	1.4	0.4	2.1	2.8	3.4	–	–	–	–	–	10.5	5.0
31	–	–	0.1	0.1	–	–	–	–	–	–	–	–	0.2	0.5
	3.4	11.1	8.1	11.6	10.3	11.8	9.6	2.2	5.3	11.7	8.0	9.0	102.1	65.0

Juni VI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
4	–	0.4	1.7	2.9	1.9	2.2	2.3	–	0.8	1.2	0.0	–	13.4	8.0
5	–	0.1	0.3	–	–	–	–	–	–	–	–	–	0.4	0.5
6	–	–	–	–	–	–	–	–	–	–	–	0.6	0.6	0.5
7	3.1	2.5	0.4	0.6	–	–	–	–	0.1	1.3	2.1	0.5	10.6	9.5
8	0.1	–	–	0.5	–	–	–	0.3	–	0.1	0.0	0.7	1.7	4.5
9	–	–	0.1	–	–	–	2.3	–	–	–	–	–	2.4	0.5
10	–	–	–	–	–	1.8	–	0.2	–	–	–	–	2.0	1.5
13	–	–	–	–	–	–	1.0	–	–	–	–	–	1.0	1.0
14	–	–	–	–	–	–	–	0.0	0.3	–	–	–	0.3	0.5
15	–	–	–	–	–	–	–	–	1.1	1.9	0.1	–	3.1	2.5
16	–	–	–	–	–	0.9	–	–	–	–	–	–	0.9	0.5
18	0.0	0.4	0.2	–	0.1	0.1	–	–	–	–	–	–	0.8	2.0
25	–	0.0	–	0.1	1.6	2.3	2.1	2.7	0.1	0.2	0.3	1.2	10.6	9.0
26	0.7	0.5	0.0	0.1	–	–	–	–	–	–	–	–	1.3	2.0
27	–	–	–	–	–	0.7	3.5	1.2	–	–	–	–	5.4	4.5
	3.9	3.9	2.7	4.2	3.6	8.0	11.2	4.4	2.4	4.7	2.5	3.0	54.5	47.0

Registreringer av nedbør R

(Records of precipitation: R)

1945

Oslo (Blindern) $\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Juli VII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
2	-	-	0.2	-	-	-	-	-	-	0.1	-	-	0.3	0.5
4	-	-	-	-	-	-	-	-	-	0.1	-	-	0.1	0.5
6	-	-	-	-	-	-	0.1	1.1	-	-	-	-	1.2	2.0
7	-	-	0.2	-	-	-	-	2.6	0.3	-	-	-	3.1	1.0
8	-	-	-	-	-	0.1	0.7	0.2	-	-	-	-	1.0	2.0
12	-	-	-	-	-	-	1.4	-	-	-	-	-	1.4	1.0
20	-	-	-	-	-	0.6	0.2	3.0	0.2	0.4	-	-	4.4	3.0
21	-	-	-	-	-	0.2	0.2	-	-	-	-	-	0.4	1.0
22	-	-	-	-	-	0.1	0.4	0.6	1.0	-	-	-	2.1	3.0
26	-	-	-	-	-	-	1.1	-	-	0.4	-	-	1.5	1.0
	-	-	0.4	-	-	1.0	4.1	7.5	1.5	1.0	-	-	15.5	15.0

August VIII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
3	-	-	-	-	-	-	-	-	-	0.2	-	-	0.2	0.5
5	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1	0.5
6	-	-	-	-	0.2	-	-	-	2.0	1.1	1.3	-	4.6	4.0
10	-	-	-	-	-	-	-	-	-	0.2	-	-	0.2	0.5
16	-	-	-	-	10.8	0.2	0.1	0.7	-	-	-	-	11.8	2.0
21	-	-	-	-	-	-	-	-	2.9	0.8	-	-	3.7	2.0
22	-	-	-	-	-	-	-	-	-	0.6	0.5	0.8	1.9	3.0
23	-	-	-	-	-	-	-	-	3.1	-	-	-	3.1	1.0
24	-	-	-	-	-	0.2	0.6	0.9	0.3	1.1	-	-	3.1	3.0
28	-	-	-	-	-	-	0.1	-	-	-	-	-	0.1	0.5
29	-	-	-	-	-	-	0.7	-	-	-	-	-	0.7	1.0
30	0.0	0.8	0.6	-	-	-	-	-	-	-	-	-	1.4	2.0
	0.0	0.8	0.6	-	11.0	0.5	1.5	1.6	8.3	4.0	1.8	0.8	30.9	20.0

September IX

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
10	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1	0.5
12	-	-	-	-	-	-	-	-	-	0.1	-	-	0.1	0.5
13	-	-	-	-	-	-	0.1	-	-	-	-	0.8	0.9	0.5
14	0.4	3.3	0.3	-	-	-	-	-	-	-	0.8	0.1	4.9	3.0
16	-	-	-	-	-	-	0.4	-	-	-	-	-	0.4	1.0
18	0.2	0.2	0.4	0.5	0.4	1.7	1.8	-	-	-	-	-	5.2	8.5
20	0.1	0.6	1.0	1.5	1.3	0.7	0.8	7.3	0.8	-	-	0.2	14.3	12.0
21	-	0.4	-	-	-	-	-	-	-	-	-	-	0.4	1.0
22	-	-	-	-	-	-	-	-	-	-	-	2.4	2.4	1.5
23	11.2	0.7	-	-	-	-	-	-	-	-	-	-	11.9	3.5
24	-	-	-	-	-	-	-	0.1	0.4	-	-	0.2	0.7	1.0
26	0.0	0.7	0.1	-	-	-	-	-	-	-	-	-	0.8	1.5
30	-	-	-	-	-	-	-	0.7	-	-	-	-	0.7	1.5
	11.9	5.9	1.8	2.0	1.7	2.4	3.1	8.2	1.2	0.1	0.8	3.7	42.8	36.0

Oktober X

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
4	-	-	-	-	-	-	-	-	-	0.4	-	0.6	1.0	2.0
5	-	0.2	-	-	-	-	-	-	-	-	-	-	0.2	0.5
9	-	-	-	-	-	0.3	0.8	1.0	0.2	-	-	-	2.3	3.0
10	-	-	0.5	-	-	-	-	-	-	-	-	-	0.5	0.5
22	-	-	-	-	-	-	-	0.1	1.2	1.1	0.5	0.1	3.0	3.5
23	0.2	0.4	0.4	0.2	0.5	-	-	-	-	-	-	0.5	2.2	2.5
24	2.9	3.0	1.2	0.1	-	-	-	-	-	-	-	-	7.2	3.5
25	-	1.7	1.4	0.1	0.1	0.2	1.1	-	1.6	2.4	2.2	1.9	12.7	9.5
26	0.7	0.5	2.0	1.1	6.8	5.6	2.0	-	-	-	-	-	18.7	10.5
29	-	-	-	-	0.1	2.2	1.3	2.0	1.3	0.5	-	-	7.4	8.0
30	-	0.4	0.5	0.5	0.2	0.2	0.2	0.1	0.4	0.7	0.0	-	3.2	4.0
31	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.5
	3.8	6.2	6.0	2.0	7.7	8.5	5.4	3.2	4.7	5.1	2.8	3.2	58.6	48.0

November XI

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
7	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.5
8	0.2	0.1	-	-	-	-	-	-	-	-	-	-	0.3	0.5
15	-	-	-	-	-	-	-	-	-	0.2	-	-	0.2	0.5
16	0.2	0.1	-	0.5	0.3	-	0.1	0.4	1.1	0.8	6.0	1.9	11.4	9.0
17	0.9	1.8	0.6	0.6	-	-	-	-	-	-	-	-	3.9	4.0
27	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.2	0.5
28	-	-	0.1	-	-	-	-	-	-	-	-	-	0.1	0.5
	1.3	2.0	0.7	1.1	0.3	-	0.1	0.5	1.2	1.0	6.0	2.0	16.2	15.5

Desember XII

Dat	2	4	6	8	10	12	14	16	18	20	22	24	Σ	Varighet i timer
1	-	-	-	-	-	-	-	0.2	0.2	0.1	-	-	0.5	0.5
2	0.5	0.3	0.1	0.1	-	0.2	0.3	0.3	-	0.2	-	0.9	2.9	3.5
3	0.8	-	-	0.2	0.9	1.7	3.9	2.3	0.7	-	-	-	10.5	9.5
5	1.0	0.2	-	0.4	-	-	-	-	-	-	-	-	1.6	3.5
6	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1	0.5
9	-	-	-	-	-	-	0.1	0.2	-	-	-	-	0.3	1.0
12	-	-	-	-	-	-	-	-	-	-	-	1.7	1.7	2.0
13	6.3	4.3	0.7	0.9	-	-	-	-	-	-	-	-	12.2	8.0
15	-	-	-	-	-	-	-	0.0	-	-	-	-	0.0	0.5
17	-	0.1	0.3	0.1	-	0.1	0.2	0.7	1.4	2.0	1.5	1.3	7.7	10.5
18	1.6	2.2	0.6	0.2	-	-	0.2	0.4	0.7	2.4	1.5	0.1	9.9	12.5
19	0.3	-	-	1.0	-	-	0.3	-	-	-	0.8	1.0	3.4	4.5
20	1.3	0.9	0.9	0.4	0.7	0.3	0.3	-	-	0.1	-	-	4.9	10.5
21	-	-	-	-	-	-	-	-	-	0.1	1.9	1.5	3.5	4.0
22	0.3	0.1	-	0.1	-	-	-	-	-	-	-	-	0.5	2.0
23	-	-	-	-	0.2	0.1	-	-	-	-	-	-	0.3	1.0
24	-	-	-	-	-	-	0.5	0.4	-	-	0.3	-	1.2	2.0
25	0.2	0.1	0.3	0.2	0.4	1.2	0.4	0.4	0.4	-	-	-	3.6	4.5
26	-	-	-	0.1	0.0	0.2	0.4	-	-	-	-	-	0.7	3.5
27	-	-	-	-	-	-	0.4	-	-	-	-	-	0.4	1.5
	12.3	8.2	2.9	3.7	2.2	3.8	7.0	5.0	3.4	4.9	6.0	6.5	65.9	85.5

Avvikelse i lufttrykksmidlene 1945 fra de tilsvarende midler i perioden 1901—1930, ΔP

(Departures of the mean atmospheric pressures for 1945 from the corresponding mean atmospheric pressures for the period 1901—1930: ΔP)

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Dombås	62° 4'	9° 7'	-0.2	-0.7	3.6	0.4	-2.8	-1.9	1.3	0.8	2.2	1.1	10.7	1.2	1.3
Oslo (Blindern)	59 56	10 44	-2.0	0.5	2.9	0.1	-3.0	-1.6	1.3	-0.5	2.6	0.6	10.6	1.1	1.1
Ferder	59 2	10 32	-2.5	1.0	3.3	0.6	-2.8	-1.0	1.3	-1.1	2.5	0.7	10.4	0.6	1.1
Oksøy	58 4	8 3	-2.9	1.0	5.0	2.0	-3.2	-0.7	1.0	-1.4	1.8	1.2	10.1	0.3	1.2
Skudenes II	59 9	5 15	-1.1	-0.6	6.9	2.4	-4.2	-1.9	0.8	-1.0	1.1	2.2	10.6	-0.2	1.2
Ullensvang	60 19	6 40	-0.3	-1.1	5.6	1.7	-3.8	-1.6	1.3	-0.7	1.8	2.2	11.0	0.5	1.4
Bergen (Fredriksberg)	60 24	5 19	0.2	-0.9	7.1	2.6	-3.7	-1.8	1.3	-0.1	1.6	2.9	10.8	0.7	1.8
Lærdal	61 6	7 29	0.5	-1.5	4.6	1.2	-3.5	-1.8	1.0	-0.4	1.5	1.6	10.9	0.4	1.2
Kinn	61 34	4 48	1.2	-2.0	6.3	1.7	-3.4	-1.7	1.9	0.6	1.8	2.8	11.1	0.8	1.7
Ona	62 52	6 33	1.4	-2.7	4.8	0.8	-3.5	-2.3	1.4	0.9	2.2	2.2	11.0	1.4	1.4
Trondheim (Voll)	63 25	10 27	2.1	-1.2	3.2	0.6	-2.3	-2.7	0.9	0.9	2.8	1.0	10.7	1.3	1.5
Brønnøysund	65 28	12 12	2.5	-1.6	1.3	-0.7	-2.2	-2.2	1.5	0.3	3.4	-0.4	9.4	0.8	1.0
Røst	67 30	12 4	3.9	-2.2	0.8	-1.3	-1.3	-1.1	1.7	0.0	4.2	-1.0	8.6	0.6	1.0
Tromsø	69 39	18 57	4.2	-0.8	-0.3	-2.1	-0.9	0.0	2.3	-0.1	5.4	-2.9	8.6	2.0	1.3
Vardø	70 22	31 6									5.9	-6.8	4.1	4.3	
Karasjok	69 28	25 31					-1.9	0.1	3.6	-0.3	6.5	-4.7	6.7	3.9	

Avvikelse i lufttemperaturmidlene 1945 fra de tilsvarende midler i perioden 1901—1930, ΔT

(Departures of the mean temperatures for 1945 from the corresponding mean temperatures for the period 1901—1930: ΔT)

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Røros	62° 34'	11° 23'	-3.2	1.9	3.7	2.0	0.3	1.3	2.4	3.1	0.1	0.9	0.7	1.7	1.2
Engerdal	61 41	12 1	-1.3	2.3	4.3	2.8	0.0	0.7	1.6	2.9	0.2	1.2	-0.5	1.9	1.4
Dombås	62 4	9 7	-4.1	1.1	4.4	1.9	0.1	0.5	2.0	2.8	0.7	1.3	-0.5	0.5	0.9
Vinstra	61 36	9 45	-3.0	1.3	3.8	1.9	0.0	0.6	2.2	2.8	0.7	1.3	-1.4	1.7	1.0
Vollen i Slidre	61 6	8 58	-1.3	0.6	5.2	2.6	0.3	0.4	1.6	2.7	0.1	2.0	0.0	2.1	1.3
Lillehammer	61 6	10 29	-1.7	1.5	2.9	1.6	-0.1	0.1	1.6	3.0	0.8	0.1	-1.4	1.7	0.8
Vang på Hedmark	60 49	11 11	-0.9	2.6	3.1	1.8	-0.2	-0.1	1.1	2.8	0.1	0.0	-2.1	1.3	0.8
Flisa	60 37	12 1	-0.9	2.7	3.0	2.1	0.4	0.2	1.5	3.1	0.1	2.1	-1.8	0.7	1.1
Oslo (Blindern)	59 56	10 44	-0.6	2.2	3.7	2.4	0.1	0.4	1.6	3.4	0.6	1.6	-0.1	1.3	1.4
Nesbyen	60 34	9 6	-1.6	1.2	4.5	2.7	0.0	0.4	1.6	2.9	0.7	2.3	-1.9	3.1	1.3
Dagali	60 25	8 26	-3.4	0.9	4.3	1.7	-0.1	0.4	1.9	3.1	0.7	2.2	1.1	-0.1	1.1
Svene	59 46	9 35	-2.4	2.1	4.2	2.5	0.4	0.2	1.7	2.7	0.8	1.9	-0.8	2.1	1.3
Ås	59 40	10 46	-1.9	1.4	3.2	2.1	0.2	0.5	1.4	3.4	0.1	0.8	-0.5	0.4	0.9
Ferder	59 2	10 32	-1.1	0.7	2.6	2.2	0.1	0.0	1.4	2.3	0.6	1.9	0.0	0.5	0.9
Gvarv	59 24	9 10	-2.6	0.3	3.1	1.7	-0.1	0.6	1.2	2.9	0.5	1.9	1.4	1.7	1.1
Dalen i Telemark	59 27	8 0	-1.5	1.0	4.4	2.4	-0.5	-0.6	0.7	3.5	0.9	2.7	0.9	1.3	1.3
Lyngør	58 38	9 7	-2.5	0.8	3.5	2.1	-0.4	0.3	1.2	2.5	0.2	1.9	0.2	0.4	0.9
Byglandsfjord	58 40	7 48	-3.3	0.2	3.1	1.9	-0.5	-0.5	0.0	3.3	0.3	2.0	1.0	0.7	0.7
Oksøy	58 4	8 3	-2.3	0.6	2.9	2.2	0.0	-0.2	1.4	2.7	1.1	2.3	0.7	0.0	1.0
Lista	58 6	6 34	-2.1	1.0	3.2	1.1	0.8	0.4	1.7	2.4	1.1	2.3	1.0	0.1	1.1
Tonstad	58 40	6 42	-3.5	1.1	3.4	1.4	0.7	-0.3	1.2	3.5	0.8	2.8	1.7	0.9	1.2
Klepp	58 48	5 38	-4.0	1.6	2.8	1.0	1.3	0.7	2.1	2.4	1.0	2.1	1.2	0.5	1.0
Sauda	59 39	6 22	-5.1	1.3	3.1	1.3	1.1	0.1	1.9	3.9	1.1	2.1	0.8	0.3	1.0
Skudenes II	59 9	5 15	-3.2	0.9	2.2	1.3	1.5	0.7	2.2	2.4	0.7	1.9	1.3	0.4	1.0
Ullensvang	60 19	6 40	-3.4	1.3	2.5	0.9	0.4	-0.9	1.5	3.3	0.5	1.3	0.2	-0.4	0.6
Sliri	60 37	7 25	-4.2	1.4	3.1	0.7	-0.7	-0.3	1.2	3.4	0.4	1.7	1.7	-0.5	0.7
Bergen (Fredriksberg)	60 24	5 19	-3.1	1.9	2.6	0.7	1.3	0.4	2.0	3.0	1.0	1.9	1.3	0.4	1.1
Lærdal	61 6	7 29	-5.3	1.5	2.1	0.4	0.3	-0.6	1.5	2.7	0.9	1.4	-0.9	1.2	0.4
Kinn	61 34	4 48	-2.2	1.5	2.3	0.6	0.6	0.2	0.9	0.9	0.9	1.9	1.8	0.6	0.9
Opstryn	61 56	7 13	-3.9	1.8	1.7	0.9	0.3	0.4	1.8	2.9	1.4	1.6	-0.1	-0.4	0.7
Ona	62 52	6 33	-2.9	0.8	1.5	0.7	0.5	0.3	1.2	1.0	0.4	0.8	1.5	-0.1	0.4
Sunndal	62 33	9 7	-5.7	1.2	2.5	0.9	0.2	0.7	1.5	2.0	0.8	0.5	1.0	-0.7	0.4
Sula Fyr	63 51	8 28	-2.4	1.0	2.0	1.0	0.8	0.2	1.7	1.3	0.5	0.3	2.1	0.2	0.8
Trondheim (Voll)	63 25	10 27	-4.4	1.2	2.9	1.3	0.5	1.3	1.8	2.0	0.4	0.8	1.6	0.2	0.8
Sulstua	63 40	12 1	-4.1	1.9	3.6	1.6	0.0	0.7	2.1	2.3	0.0	1.0	2.6	-0.1	1.0
Nordli	64 28	13 36	-3.5	2.5	2.6	0.7									
Nordsjan	64 48	10 33	-2.7	0.8	1.6	0.8	0.4	0.0	0.9	0.7	-0.1	-0.1	2.3	-0.1	0.3
Brønnøysund	65 28	12 12	-2.8	1.4	1.4	0.8	0.9	0.1	1.0	1.1	-0.1	-0.5	2.1	0.1	0.5
Myken	66 46	12 29	-1.4	1.3	1.4	-1.1	0.3	0.0	0.8	0.4	0.3	-0.8	2.0	0.8	0.6
Bodø	67 17	14 28	-2.3	1.9	1.3	1.5	0.8	0.6	1.8	1.3	0.2	-1.2	2.3	0.2	0.8
Offersøy	68 20	15 38	-1.3	1.6	0.9	1.8	0.8	0.7	1.9	0.9	0.2	-1.8	1.7	0.1	0.6
Skomvær Fyr	67 25	11 53	-1.3	1.2	1.0	1.1	0.6	0.5	1.3	0.4	0.1	-1.0	1.5	0.3	0.5
Eggum	68 18	13 41	-1.5	1.7	1.9	1.4	0.4	-0.1	0.6	0.4	0.5	-0.8	1.9	0.7	0.7
Andenes	69 19	16 7	-1.0	1.2	1.0	1.6	0.2	-0.7	1.0	0.9	0.6	-0.7	1.5	0.5	0.5
Tromsø	69 39	18 57	-1.2	1.5	0.5	1.5	0.6	-0.1	1.7	0.9	0.6	-1.7	0.9	-0.1	0.4
Dividalen	68 47	19 44	-1.4	3.4	0.7	3.0	0.1	-0.4	1.8	2.1	0.1	-1.7	3.7	0.7	1.1
Ingøy	71 4	24 9									0.4	-1.1	-0.2	-1.2	
Vardø	70 22	31 6							0.5	2.3	0.5	-1.3	-0.8	-2.0	
Karasjok	69 28	25 31					0.0	-0.8	1.5	3.0	-0.1	-4.1	0.6	-2.2	
Sittajavre	68 45	23 33						-1.1	1.4	2.8	-0.2	-2.9	1.8	-2.7	

Sjøtemperatur (Sea surface temperature) T_1

Station	φ	λ	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	An
Ferder	59° 2'	10° 32'	2.5	0.6	2.9	6.5	10.1	14.9	19.5	18.4	15.6	11.7	8.2	5.2	9.7
Torungen Fyr	58 24	8 48	2.7	1.2	3.8	6.6	10.0	13.6	18.2	18.2	15.7	12.4	8.6	5.7	9.7
Hellisøy Fyr	60 45	4 43	4.8	4.1				11.5	14.4	14.2	13.1	12.1	10.3	7.9	
Kråkenes Fyr	62 2	4 59	5.2	4.1											
Ona	62 52	6 33	4.1	3.8	4.8	6.1	7.7	10.7	14.2	14.1	11.9	10.8	9.1	6.5	8.6
Sula Fyr	63 51	8 28	2.9	3.5	4.9	6.0	8.5	11.0	14.4	14.2	11.4	9.7	7.9	5.4	8.3
Nordsjan	64 48	10 33	2.8	2.9	3.6	5.1	7.5	10.1	13.9	14.2	11.1	8.3	7.3	5.6	7.7
Myken	66 46	12 29	4.3	3.5	3.7	5.3	6.8	9.2	12.9	13.5	10.5	8.2	7.8	6.4	7.7
Skomvær Fyr	67 25	11 53	3.6	4.0	3.9	4.9	6.8	8.8	10.9	11.4	9.5	7.1	6.3	5.1	6.9
Andenes	69 19	16 7	2.0	1.1	1.9	4.0	5.9	8.5	11.1	12.2	9.5	5.9	4.4	2.4	5.7

Ekstensotabell

1945

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$

Januar I

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_s = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	16.7	12.8	08.6	- 5.6	- 3.4	- 4.6	- 0.4	- 5.9	79	85	82	00 0	20 1	00 0	7	10 =°	9 =°	9 =°		0	=° n, ≠ =° a, =° p
2	99.3	96.8	94.0	- 1.8	- 2.9	- 4.4	- 0.9	- 4.7	94	97	97	00 0	00 0	00 0	0	10 =≡	10 ≡	5 =	0.2	0	=≡ n, =≡ ≡≡ a, = ≡≡ p
3	82.9	79.6	77.1	- 6.0	- 4.3	- 4.8	- 2.1	- 7.2	97	97	97	00 0	00 0	00 0	2	10 ≡°	10 ≡	10 ≡		0	≡° ∼ n, ≡ a,p
4	75.7	78.5	80.8	- 1.8	- 1.2	- 1.8	- 0.7	- 5.9	71	70	68	32 2	32 2	32 3	8	10 =≡	10 ∼	0 =°		0	=≡ = n, ∼ ≠° a,p, =° p
5	87.5	90.1	92.5	- 6.8	- 3.4	- 7.7	- 0.8	- 8.0	61	52	75	00 0	00 0	00 0	3	0 =≡	0 ≡°	0 =	0.1	0	=≡ =° n, ≡° =≡ ⊙ a, =.≡° ⊙ p
6	94.7	92.8	89.1	-11.5	- 7.8	- 5.5	- 5.5	-12.4	89	91	96	00 0	00 0	00 0	3	2 =≡	10 ≡°	10 ≡≡		0	=≡ =° n, ≡° =≡ ≠° a, ≡≡ p
7	79.8	81.5	84.5	0.4	- 1.0	- 5.4	1.3	- 6.2	98	89	91	00 0	00 0	32 1	6	10 =°	1 =°	2 =°	0.0	0	=° ≡ n, =° ⊙ a,p
8	92.4	95.4	97.4	- 4.6	- 2.8	- 2.0	- 1.8	- 7.8	93	90	84	04 1	04 2	02 4	7	10 =	7 =°	10 =°		0	=° = n, =° ⊙° a, + =° p
9	00.4	02.7	04.8	- 2.4	- 2.3	- 1.4	- 1.1	- 2.7	83	81	82	03 5	04 4	02 4	7	10 +°	10 +°	10 +°	0.9	0	+° =° = n, +° =° a,p
10	07.4	09.3	10.5	0.0	- 0.1	0.0	0.2	- 1.4	85	83	80	03 4	04 3	04 4	8	9 +°	9 ≠°	10 +°	0.8	0	+° =° n,a, ≠° a, ≠° =° p
11	16.1	19.4	21.6	- 2.0	- 2.2	- 2.3	0.2	- 2.5	82	83	82	03 4	04 3	04 3	8	10 =°	10 =°	10 =°	0.9	0	+° =° n, =° a,p
12	26.0	27.5	**27.9**	- 2.9	- 2.8	- 3.2	- 1.8	- 3.5	82	83	82	02 3	02 2	02 1	5	10 =°	10 +°	10 =°		0	=° n, +° =° = a, =° +° p
13	25.9	22.5	19.5	- 4.9	- 5.4	- 5.0	- 2.9	- 5.6	95	97	97	24 1	24 1	00 0	3	10 =≡	10 ≡°	9 =≡	0.0	0	=° =≡ n, =≡ ≡° a,p
14	08.1	04.0	03.9	- 5.6	- 3.5	- 1.2	- 0.9	- 7.8	95	95	83	01 1	03 1	00 0	3	10 ≡°	9 ≡°	1 =°		0	∨ ≡° =≡ n, ∨ ≡° ≡ a, =° ≡°(≡) p
15	06.5	06.5	06.2	- 8.0	- 2.9	- 7.8	0.7	- 8.7	71	63	67	13 1	30 1	31 1	3	0 =≡	1 ≡°	0 =		0	=≡ =° n, ≡° ⊙° a,p, = p
16	93.5	79.9	69.9*	- 8.5	- 2.5	- 2.2	- 0.8	-12.5	95	00	95	00 0	24 1	22 2	4	10 +°	10 =≡	10 =≡	0.0	0	≡° n, =° * ≡° a, =≡ p
17	**59.9**	65.5	69.8	- 1.4	1.2	- 2.8	**2.3**	- 3.6	68	**43**	46	21 2	26 4	26 3	9	10 ∼	2 =°	0 ∼	3.5	8	∼ n, =° ⊙ a,p
18	76.0	74.9	72.5	-11.5	- 6.8	- 8.6	- 2.2	-12.9	66	51	62	04 1	00 0	06 2	3	3 =°	0 ≡°	6 =		6	=° ∼ n, ≡° =° ⊖ a, = ≡° p
19	60.5	60.2	61.0	- 7.9	- 5.0	- 4.2	- 4.0	- 9.8	98	83	81	32 7	32 4	32 5	5	10 *	10 *	10 *	5.2	0	=≡ + * \ n, = * a, =≡ * p
20	67.0	71.9	74.7	- 5.4	- 5.6	- 4.8	- 4.0	- 6.1	81	84	79	32 5	02 3	02 4	4	10 *	10 *	10 =	8.0	0	= * n, =≡ * a, = * p
21	93.8	88.1	91.7	- 4.8	- 3.5	- 6.4	- 2.9	- 7.4	81	70	78	32 1	32 1	04 1	8	8 ∼	8 ∼	8 =°	1.7	0	∼ n, ∼ ⊙° a, = ∼ ⊙° p
22	98.0	00.2	02.3	- 6.6	- 5.0	- 5.7	- 4.9	- 8.5	83	75	81	00 0	02 1	00 0	7	10 +°	10 =°	10 =	0.1	0	+° = =° n,a, +° = p
23	02.7	01.4	01.2	- 4.6	- 4.5	- 7.3	- 4.1	- 8.1	82	71	78	04 2	03 2	04 1	7	10 =	2 =°	4 =°	0.4	1	+° = n, +° =° ⊙ a, =° ⊙ p
24	03.2	03.0	03.2	- 6.3	- 5.8	- 6.9	- 5.0	- 7.5	78	76	79	03 3	02 2	04 1	7	10 +°	10 +°	10 =°	0.1	0	+° =° n,a,p
25	09.7	11.5	11.9	- 6.6	- 5.6	- 4.6	- 4.6	- 9.6	78	80	79	04 3	02 3	04 4	7	9 =°	10 ≠°	9 =°	0.2	0	+° = n, ≠° =° a,p
26	08.8	10.2	11.9	- 4.4	- 4.7	- 5.7	- 3.9	- 6.0	81	79	83	04 5	05 4	04 3	6	10 +°	10 =°	10 +°	0.3	0	+° = =° n, +° ≠° =° a,p
27	12.3	12.7	15.2	- 5.5	- 4.8	- 5.6	- 4.5	- 6.4	76	77	74	04 4	05 4	04 4	6	10 +°	10 +°	10 +°	2.9	0	+° = =° n, +° = a, +° =° p
28	18.6	18.9	17.8	- 8.1	- 6.9	-11.8	- 5.3	-11.8	74	69	76	02 3	32 3	04 1	8	10 +°	10 +°	0 ∼	0.2	0	+° =° n, +° =° ∼ a, +° (=) ∼ ⊙° p
29	11.5	09.3	08.3	-13.8	- 7.5	- 8.2	- 3.2	**-16.7**	84	75	79	20 1	00 0	00 0	2	10 =°	10 ≡	0 =	0.0	0	=° n, ≡ =° a, = ≡ ⊙° p
30	04.0	00.7	98.6	-12.7	- 8.1	-11.7	- 7.0	-13.7	86	80	82	00 0	00 0	00 0	2	2 =°	2 ≡	0 =		0	=° n, ≡ ⊙° a, = ≡ ⊙° p
31	92.0	89.0	88.2	-10.5	- 9.2	- 8.4	- 8.4	-14.4	85	86	83	04 2	04 2	04 2	4	10 =	10 *	10 *		0	= n, = * a, =≡ * p
M	97.4	97.3	97.3	- 5.9	- 4.2	- 5.2	- 2.5	- 7.9	83	80	81	2.0	1.7	1.7	5.2	8.5	7.7	6.5	26	0	

Februar II

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F			Synsvidde V	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19	14	8	14	19			
1	88.2	84.5	85.2	- 9.5	- 6.7	- 6.2	- 6.0	-10.8	82	77	77	24 1	32 3	31 3	8	10 =°	10 ∼	10 =	4.1	4	=° +° n, ∼ a, = ∼ ≠° p
2	91.4	91.0	88.2	-11.6	- 7.6	- 7.0	- 5.4	-12.7	86	80	82	00 0	10 1	02 3	5	10 =°	10 =	10 ∼	0.2	3	=° n, = a,p
3	88.6	95.9	01.6	- 6.2	- 3.6	- 7.0	- 3.1	- 7.5	77	66	74	02 4	02 3	02 1	8	10 ∼	7 ∼	0 ∼	2.5	2	∼ =° ≠ n, ∼ ⊙° a,p
4	06.7	05.6	04.8	-13.6	- 9.3	- 7.5	- 6.5	**-14.2**	86	83	83	00 0	00 0	00 0	3	3 ∼	10 ≡°	10 ≡°		2	∼ =° n, ≡° ∼ ⊙° a, ≡° p
5	01.2	99.4	98.2	- 7.0	- 4.6	- 3.5	- 3.2	- 8.5	98	84	88	00 0	20 1	03 1	4	10 =≡	10 =≡	0 =≡		2	=° =≡ n, =≡ =° ⊙ a, =≡ ≡° p
6	98.4	00.6	01.8	- 2.4	- 1.5	- 1.4	- 1.2	- 3.5	97	95	95	00 0	00 0	00 0	3	10 ≡°	10 ≡°	10 ≡°	0.6	2	· ≡° n, ≡° a,p
7	98.6	90.5	83.3	- 1.0	0.6	1.2	1.5	- 1.9	98	97	94	10 1	14 2	12 2	4	10 △°	10 ‡	10 ‡	1.0	2	=° △° ·° n, * ‡ =≡ a, ‡ =≡ p
8	**82.3**	84.1	85.9	0.4	1.5	0.8	1.8	0.2	98	98	99	16 1	19 1	00 0	4	10 *≡	10 =≡	3 ≡°	9.8	6	≡ ‡ *≡ n,a, =≡ a, =≡ ≡° p
9	89.6	91.6	92.9	0.0	1.2	0.9	1.4	- 2.6	98	99	99	00 0	17 1	00 0	1	10 ≡≡	10 ≡≡	10 ·	0.5	5	≡° ≡≡ n, ≡≡ a, ≡≡ ≡ · p
10	90.7	89.8	89.3	1.1	1.6	0.4	1.8	0.4	98	98	98	07 1	16 1	00 0	3	10 ‡°	10 ≡°	10 ≡°	1.1	5	≡ · ·° n, ≡° ‡° · a, ≡° ·° p
11	84.8	85.4	86.9	0.0	0.5	0.4	0.8	- 0.4	91	97	95	03 2	19 1	16 2	1	10 *	10 ·°	10 =°	1.5	5	≡° ·° * n, ≡≡ * ‡ ·° a, ≡≡ ·° =°p
12	90.7	94.0	96.2	- 1.4	0.4	- 4.1	1.0	- 4.1	95	69	84	00 0	00 0	02 2	7	10 =≡	3 =≡	0 =	1.7	5	=≡ n, =≡ ⊙ =≡ a, = ∼ ⊙ p
13	96.2	93.5	90.5	- 3.9	- 2.0	- 2.1	- 1.2	- 5.6	89	92	92	04 1	08 2	04 2	4	10 =°	10 *	10 *		5	=° = n, =≡ * a, = * p
14	92.8	95.3	96.8	- 2.1	- 0.5	- 1.1	- 0.2	- 2.6	91	88	91	00 0	00 0	00 0	5	10 =	10 =	10 *	7.5	16	= * n, = ≠° a, =≡ * p
15	05.0	10.3	14.3	- 1.8	0.8	- 0.3	1.4	- 1.9	93	79	86	00 0	02 1	00 0	6	10 =	10 =°	10 =	4.9	22	= * n, = =° a, = p
16	19.6	20.9	21.5	- 1.4	- 0.7	- 1.6	0.1	- 2.6	89	88	92	00 0	20 1	16 1	5	10 =	10 =	10 =		19	= n,a,p
17	22.3	23.1	23.3	- 2.5	- 3.0	- 3.0	- 1.6	- 4.1	89	90	91	16 2	15 2	16 2	4	10 *°	10 *	10 *	0.0	19	=≡ *° n, =≡ * * △ a, =≡ * p
18	23.5	**24.0**	23.5	- 2.8	- 1.3	- 0.1	- 0.1	- 4.0	92	94	95	16 2	16 3	16 3	4	10 =	10 *	10 =≡	1.8	19	= n, =≡ * a,p
19	19.1	21.5	22.7	0.8	1.2	0.6	1.5	- 0.4	97	94	96	17 2	26 1	00 0	4	10 =≡	10 =≡	10 ≡	2.6	16	=≡ △ n, =≡ a, ≡ =≡ p
20	19.7	16.0	13.3	- 0.2	0.6	0.2	0.8	- 0.3	97	98	98	16 2	16 1	00 0	1	10 ≡°	10 ‡	10 *≡	0.3	16	≡° ≡ · n, ≡° · =≡ ‡ a, =≡ ‡ *≡ p
21	16.4	15.4	12.6	- 2.4	2.9	0.7	3.4	- 2.4	98	80	90	32 1	00 0	16 1	5	2 ≡°	7 =	8 ≡°	13.2	22	≡ *≡ n, ≡° = ⊙ a,p
22	04.1	04.7	06.9	1.0	2.0	0.7	5.1	- 0.9	97	97	79	16 1	00 0	32 1	1	10 ≡≡	0 =≡	0 =°		21	=° =≡ n, =≡ ⊙° a, =≡ =° ⊙ p
23	11.5	10.1	09.1	- 4.5	2.4	- 2.5	3.3	- 4.7	85	66	80	00 0	03 1	00 0	6	8 =°	9 =≡	3 =		18	=° =° ⊙ n, =≡ ⊙ a, = =≡ ⊙ p
24	09.1	06.4	01.9	- 8.1	2.9	1.9	3.8	- 8.6	91	66	88	04 1	00 0	16 3	5	6 =	10 =	10 ∼		17	= ⊙ n,a, = p
25	84.8	**82.3**	84.0	2.4	7.0	4.0	7.8	1.9	90	**51**	**51**	13 2	16 3	24 4	9	9 =°	1 =°	1		15	= =° ⊙ n, =≡ =° ⊙ a, =° ⊙ p
26	90.8	92.3	92.1	- 5.9	2.0	1.0	4.6	- 6.1	68	58	89	02 1	14 1	16 2	8	1 =°	10 ∼	9 =≡		12	=° ∼ n,a, ⊙ a, =° ∼ p
27	00.1	99.0	96.5	2.6	7.2	3.8	7.7	- 1.9	57	57	84	00 0	18 2	16 1	9	1 =°	6 =°	9 ∼		12	=° ⊙ n,a,p
28	97.1	98.5	97.5	0.1	7.4	6.7	**10.0**	- 2.2	97	65	68	02 2	00 0	23 2	5	8 ·°	9 =	9 ∼		12	=≡ ⊙° n, = ⊙° a, ∼ ⊙° p
M	00.8	00.9	01.7	- 2.9	0.0	- 0.9	1.0	- 4.0	90	82	87	1.0	1.1	1.3	4.7	8.5	8.6	7.6	53	11	

Ekstensotabell

1945

Oslo (Blindern)

$\varphi = 59° 56'$ N $\lambda = 10° 44'$ E $g = 9.819$ $\Delta G = +1^h$

Mars III

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8		14		19		Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	74.1	76.3	79.9	5.0	4.4	- 0.1	10.6	- 0.4	72	51	46	24	4	32	3	28	6	9	2 =°	9 =°	1 =		10	=° ⊙ n, =° ⊙ ‡° ‡° a, = =° ⊙ p
2	90.3	98.3	04.4	2.7	3.0	1.6	5.2	- 1.3	56	58	52	31	5	31	5	32	5	8	8 =°	8 *	1 =	0.0	8	=° ‡° n, ⊙ = ‡ * a,p
3	08.2	10.5	10.9	- 0.4	5.1	1.5	5.6	- 3.4	49	38	42	31	1	31	3	30	2	9	1 =°	3 =°	10 =°	0.0	8	= ⊙ n, =° ⊙ a, =° =° ⊙ p
4	05.3	03.9	05.8	- 4.0	3.5	0.4	4.1	- 4.7	72	60	65	00	0	16	1	32	1	7	8 =°	4 =	7 =°		7	=° n, = ⊙ a,p
5	04.7	03.0	03.7	- 4.0	5.4	2.6	5.7	- 5.2	88	49	54	00	0	26	3	32	1	9	10 =	9	8 =°		6	=° = n, = ⊙ a, =° ⊙ p
6	05.5	05.1	04.8	1.5	5.0	3.1	5.4	- 1.4	53	45	49	32	2	28	2	31	1	9	9 =°	4 =°	7 =°		6	=° = ⊙ n, =° ⊙ a,p
7	09.9	09.9	08.5	- 0.6	3.2	- 0.1	3.6	- 2.5	68	54	62	01	1	16	2	03	1	9	6 =°	6 =°	8 =°		5	(=) =° n, =° ⊙ a, =° =° ⊙ p
8	08.4	11.4	15.5	- 2.2	6.6	3.2	7.1	- 2.5	82	55	52	00	0	32	3	31	2	8	10 =°	9 =°	1 =°	0.0	5	△ =° n, =° ⊙ a, =° =° ⊙ p
9	15.4	09.6	04.1	- 1.5	4.6	2.2	4.6	- 2.4	78	58	71	00	0	00	0	00	0	8	10 =°	10 =°	5 =		3	=° =° n, =° ⊙° a, =° = p
10	00.2	01.0	07.3	2.1	12.0	4.0	12.0	0.9	85	51	78	01	1	32	1	01	2	9	3 =°	10	10 =		3	= =° ⊙° n, =° ⊙° a, = ⊙° p
11	12.6	13.2	13.0	1.7	5.4	2.7	7.6	1.2	84	78	82	00	0	00	0	00	0	8	10 •°	10 =°	2 =	0.0	0	•° =° = n, •° =° ⊙ a, = =° ⊙ p
12	12.9	11.1	08.9	- 1.6	8.3	5.6	10.1	- 3.1	97	58	63	00	0	00	0	18	1	7	4 =°	1 =°	2 =°	0.0	0	=° ⊙ n, =° =° ⊙ a, =° ⊙ p
13	06.8	09.5	08.9	- 0.8	9.2	4.9	10.6	- 2.5	97	63	69	30	1	00	0	20	1	5	2 =°	8 =	3 =°	0.6	0	= ⊙° ‡ = n, = ⊙° a, =° = ⊙° p
14	04.9	05.7	01.7	0.0	3.1	2.2	5.3	- 1.1	97	89	84	24	1	00	0	04	1	5	10 ≡°	10 =	2 =°		0	≡° n, = ≡ a, =° = p
15	00.6	98.8	95.3	• 2.4	7.9	6.0	8.9	0.5	84	72	81	04	1	00	0	00	0	6	10 =°	10 =°	10 =°		0	=° n, =° a,p
16	94.5	94.5	94.9	2.2	6.9	3.6	7.1	- 0.4	86	65	75	00	0	00	0	04	3	5	10 =°	10 =	10 •°		0	=° n, = a, = • ‡ p
17	04.3	07.0	08.5	0.0	4.4	0.9	5.1	- 1.9	68	52	59	02	3	18	1	26	2	8	3 =	1 =	2 =	1.6	1	= ⊙ * n, = ⊙ a,p
18	11.0	11.2	11.5	- 2.6	4.8	1.1	5.3	- 6.2	68	48	52	00	0	20	1	00	0	8	2 =	0 =	1 =		0	= ⊙ n, a,p
19	09.4	06.5	02.6	- 2.2	0.9	0.8	1.3	- 4.8	82	91	96	00	0	00	0	00	0	3	10 =	10 *	10 ‡°		0	= = n, ≡° * a,p, ‡ p
20	83.2	78.1	81.3	3.4	2.4	4.0	4.0	0.5	99	98	91	08	1	20	1	27	1	3	10 •°	9 •	7 =°	7.3	0	‡ • =° n, • =° ≡° a, ≡° • =° p
21	87.7	97.7	03.1	6.4	10.9	5.1	11.2	0.9	61	48	60	29	2	32	3	32	1	9	7(=)	2 =°	10 =	6.3	0	(=) =° n, =° ⊙ (=) a, =° = ⊙ p
22	06.6	08.1	08.5	1.9	5.4	4.8	7.1	1.5	78	78	81	00	0	00	0	00	0	6	10 =°	10 =°	10 ≡°		0	= =° n, =° ≡° a,p
23	11.6	12.9	13.8	1.5	12.7	8.0	14.4	0.4	99	62	67	00	0	00	0	04	1	3	1 ≡	2 ≡°	1 =°		0	≡ ≡° = ⊙ n, ≡° ≡ ⊙ a, ≡° =° ⊙ p
24	16.8	15.8	13.9	0.2	2.6	3.6	8.2	- 0.5	00	00	00	00	0	00	0	00	0	4	10 ≡°	10 =°	10 ≡°	0.1	0	=° ≡° • n, ≡° ≡ =° a, =° ≡° •° p
25	12.0	10.6	09.0	0.3	4.4	2.8	6.1	- 0.6	00	95	90	30	1	08	1	00	0	4	10 ≡°	8 =°	0 ≡°	0.2	0	≡° ≡° = •° n, ≡° =° ⊙ a,p
26	06.6	05.1	04.7	- 0.9	10.0	6.2	13.0	- 2.7	99	68	74	00	0	00	0	00	0	3	0 ≡°	0 ≡°	2 ≡°		0	= ⊙ = n, ≡° ⊙ a, = ≡° ⊙ p
27	06.5	05.2	03.5	3.2	14.3	7.4	15.1	0.5	93	55	68	00	0	24	1	04	1	6	0 =°	0 =°	1 =		0	= ⊙ =° n, =° ⊙ a,p
28	98.5	97.0	95.5	2.8	7.0	6.2	9.3	0.3	97	93	86	00	0	00	0	16	1	6	10 =	4 =°	10 =		0	= n, =° ⊙° ≡° a, = =° ⊙ p
29	94.1	91.8	90.1	0.4	5.6	4.8	7.6	0.4	98	88	75	00	0	20	1	00	0	6	10 ≡	7 =°	0 =°		0	≡ n, =° ⊙ ≡ a, =° ⊙ p
30	86.5	84.5	84.6	1.4	4.2	5.2	7.3	- 1.9	99	99	91	00	0	18	1	22	1	4	10 •	10 =°	8 =°	0.5	0	≡ • n, =° ≡ • a, =° ⊙ p
31	87.1	87.4	85.4	3.0	7.8	5.2	7.9	- 0.4	85	58	91	00	0	16	3	15	1	8	3 =°	10 =	10 =°	3.0	0	=° ⊙ = n, = ⊙ a, = •° =°' ⊙° p
M	02.5	02.6	02.7	0.7	6.2	3.5	7.6	- 1.4	83	67	71	0.8		1.2		1.2		6.5	6.7	6.6	5.5	20	2	

April IV

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8		14		19		Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	74.8	69.3	69.4	5.3	8.0	8.2	11.2	4.6	98	91	57	14	2	15	4	21	3	7	10 =	10 =°	6 =°	3.7	0	• =° = n, = =° a, =° =° p
2	74.1	74.3	79.2	2.7	11.5	8.2	12.2	0.8	83	41	45	00	0	24	2	24	2	9	4 =°	4 =°	1		0	(=) n,a, =° ⊙ n,a,p
3	84.1	83.9	84.5	1.8	9.9	7.2	11.3	- 0.2	89	53	79	00	0	20	1	13	2	9	8 =	7 =°	8 =°		0	= ⊙ n, =° = ⊙ a,p
4	87.9	91.2	94.9	3.8	7.3	5.4	8.5	3.1	92	76	85	01	1	02	1	32	1	8	10 =°	8 =°	9 =°		0	=° n, =° ⊙ a,p, ‡° 16°
5	03.6	06.0	07.3	3.9	8.4	6.0	9.2	2.7	86	65	72	01	1	18	1	00	0	8	10 =°	8 =°	4 =°	0.4	0	• =° n, =° ⊙ a,p
6	14.9	16.8	18.6	3.4	10.7	7.4	10.9	- 1.5	88	46	48	16	1	32	3	31	1	8	1 =°	2 =°	0 =°		0	=° =° ⊙ n, =° ⊙ a,p, =° p
7	21.3	19.0	17.1	1.2	11.5	8.9	12.8	- 1.6	78	47	48	00	0	16	1	16	1	9	9 =	3 =°	2 =°		0	= =° ⊙ n,a, =° ⊙ p
8	13.2	12.1	12.1	5.6	14.4	12.0	15.0	- 0.2	75	53	58	00	0	24	3	21	1	9	9 =	10	9		0	= =° ⊙ n, = ⊙ a, ⊙ p
9	12.1	10.9	10.4	10.3	15.6	13.2	16.8	4.6	70	51	52	00	0	26	4	27	2	9	1 =°	6 =°	7 =°			=° ⊙ n, = =° ⊙ a,p
10	08.3	09.0	08.0	11.0	13.4	8.9	13.6	7.1	66	23	36	28	2	31	3	28	2	8	5 =	1 =	1 =°			= ⊙° n, = ⊙ a, =° ⊙ p
11	07.7	04.7	03.7	5.7	9.6	7.3	10.9	0.4	53	41	35	00	0	09	1	32	1	9	1 =	1 =°	2 =°			= ⊙ n, =° ⊙ a,p
12	05.5	03.1	01.8	2.3	8.8	5.6	9.4	- 3.1	63	43	61	00	0	14	2	18	1	9	0 =	6 =°	9 =			= ⊙ n, =° ⊙ a,p
13	04.1	03.5	05.9	2.1	9.4	5.1	9.5	- 0.3	66	41	41	02	2	32	2	32	2	9	8 =	8 =°	3 =°			= n, =° ⊙ a,p
14	14.0	14.9	15.3	3.2	9.1	7.8	10.0	- 1.1	57	41	38	32	2	32	2	32	1	9	0	3	0			= ⊙ n, ⊙ a,p
15	17.1	15.5	14.9	1.6	11.2	7.4	11.7	- 2.8	74	43	56	00	0	16	2	16	2	9	9 =°	3 =°	10 =			=° ⊙ n, =° ⊙ a,p
16	13.0	10.5	08.9	4.0	13.1	10.9	14.2	2.0	92	63	75	00	0	17	2	16	1	7	10 =°	7 =°	10 =°	0.2		•° =° =° n, =° =° ⊙ a, =° ⊙ p
17	05.7	05.5	05.9	6.4	10.1	10.9	13.9	6.1	99	91	83	00	0	00	0	19	1	4	10 •°	10 =°	5 =°	1.0		≡ • • =° n, ≡ •° =° a, =° =° ⊙ p
18	09.0	06.6	04.4	7.4	8.4	8.2	11.0	5.5	84	94	91	12	1	15	1	19	1	7	10 =°	10 =°	10 =°	0.0		=° n, =° •° a, =° p
19	04.1	03.8	03.8	9.9	14.3	11.2	15.7	2.9	53	36	45	26	3	24	3	24	2	9	5	6	9 =°	0.0		=° ⊙ n, ⊙ a, =° ⊙ p
20	99.5	93.2	89.7	7.3	12.4	10.6	12.4	6.3	77	68	42	16	1	15	2	28	3	9	9 =°	9 =°	5	0.0		•° = ⊙ n, =° ⊙ a,p, ‡° 16
21	82.0	80.3	80.8	7.0	9.2	6.4	10.8	1.2	63	58	72	15	1	26	2	32	3	9	4 =	9	9 =°	0.0		=° ⊙ n, ‡° = ⊙ a, ‡ =° ⊙ p
22	89.5	92.4	95.5	5.2	9.9	7.4	9.9	3.4	82	54	56	32	5	32	5	01	4	9	10 ‡°	6 =°	10 =°	0.9		‡ =° ⊙ n, ‡ = ⊙ a, =° ⊙ p
23	01.0	00.8	01.4	6.6	10.8	9.2	10.9	3.4	63	46	47	32	2	32	3	00	0	9	10 =°	9 =°	9 =°	0.0		= n, =° ⊙ a,p
24	02.2	00.2	98.5	4.4	11.8	10.6	12.2	- 0.4	75	52	57	00	0	16	2	24	1	8	8 =	10 =	10 =°			= = ⊙ n, = ⊙° a, =° p
25	98.2	98.7	99.0	7.0	10.0	8.7	11.6	2.6	64	41	48	28	2	32	1	00	0	9	8 =°	8 =°	6 =			= ⊙ n, =° ⊙ a,p, = p
26	00.9	98.6	96.9	5.0	10.8	9.1	11.4	1.4	60	47	49	04	2	22	2	16	2	8	9 =	9 =	9 =			= n, = ⊙° a,p
27	94.7	93.9	91.4	5.2	5.8	4.4	9.4	3.2	72	83	92	16	1	14	1	32	2	7	10 =	10 •	10 •	0.1		= ‡° n, =° • a, =° • p
28	81.9	84.2	85.8	4.3	7.7	6.2	9.2	3.0	92	76	90	00	0	18	2	15	2	8	10 •°	10 =	10 =°	23.3		=° • •° n, = •° a, =° •° p
29	92.1	90.5	89.9	2.8	8.9	8.0	9.2	0.1	89	55	60	02	2	02	3	10	2	8	10 =°	9 =	10 =	0.0		=° •° n, = ⊙° a,p
30	95.7	97.6	98.6	5.1	8.4	6.8	9.4	1.9	89	66	78	15	1	08	1	32	2	9	10 =°	9(‡)	9(‡)	5.4		‡ = ⊙ n, (‡) =° ⊙ a, ‡ △° =° ⊙ p
M	00.4	99.7	99.8	5.0	10.3	8.2	11.5	1.8	76	56	60	1.1		2.1		1.6		8.3	7.3	7.0	6.7	35	0	

Ekstensotabell

1945

Oslo (Blindern)

φ = 59° 56′ N λ = 10° 44′ E g = 9.819 ΔG = + 1^h

Mai V

H_s = 94 H_b = 95.6 h_t = 2.0 h_s = 25.2 h_d = 25.6 h_r = 1.5

Datum	Lufttrykk P 8	P 14	P 19	Lufttemperatur T 8	T 14	T 19	Max	Min	Relativ fuktighet U 8	U 14	U 19	Vindens retning og styrke D,F 8	D,F 14	D,F 19	Synsvidde V 14	Skydekke og vær N,w 8	N,w 14	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	01.5	01.9	02.5	4.0	9.3	8.6	10.7	2.7	91	59	56	00 0	06 2	03 1	8	10 =°	7 ∆°	10 ∞°	0.2		▽ =° ∞° ⊙° n, ▽° ∆ =° ⊙ a,p
2	06.5	05.6	02.4	4.0	5.6	2.4	8.5	2.2	84	79	92	03 2	05 3	32 5	8	9 =°	10 =°	10 •^{2}	1.2		▽ =° ⊙ n,a, ∆ a, • =° p
3	00.2	99.5	96.8	6.7	7.3	9.2	9.2	1.8	90	90	63	05 3	02 2	01 3	5	10 •^{2}	10 •	10 •°	37.5		•^{2} n, = •^{2} • a, =° • •° p
4	91.9	95.3	95.9	6.9	7.1	7.0	9.3	6.2	89	85	84	04 4	16 2	00 0	8	10 •	10 ∞	10 =°	24.9		• , n,a, ∞ ⊙ a, =° •° p
5	95.0	94.6	94.2	5.7	12.6	12.7	14.3	4.8	91	43	41	17 1	18 1	00 0	8	10 =	3 ∞	4 ∞°	2.7		▽ • = =° n, = ∞ ⊙ a, ∞° ⊙ p
6	95.4	95.0	95.5	8.0	15.3	12.3	15.8	1.8	68	35	46	00 0	16 1	16 1	9	0 =	1 ∞°	2 ∞°			= ∞° ⊙ n,a, ∞° ⊙ p
7	00.5	02.4	03.9	8.6	13.2	13.0	15.5	3.0	69	52	49	20 1	00 0	32 2	8	5 ∞^{2}	9 ∞	4 ∞			∞^{2} ⊙ ∞ n, ∞ ⊙ a,p
8	08.2	09.1	09.4	9.1	10.4	12.2	14.0	7.5	74	75	56	04 2	02 3	04 2	8	10 ∞	8 ∞	2 ∞			∞ ⊙° n,a, ∞ ⊙ p
9	**14.9**	14.3	12.2	6.7	11.3	11.6	12.9	4.5	57	52	57	04 1	18 1	00 0	8	10 ∞	10 ∞	10 ∞			∞ n,a,p
10	07.4	06.8	04.5	6.2	6.8	8.5	12.3	6.6	95	94	91	16 2	16 1	00 0	6	10 •	10 ,	10 ∞^{2}	10.0		= • n, =° , • a, ∞^{2} , = p
11	00.5	98.7	00.5	8.8	17.4	15.3	18.8	8.3	98	50	51	18 1	24 3	24 4	9	10 =°	10 ∞°	9 ∞°	1.8		=° ▽° n, ∞° ⊙ a,p
12	07.2	06.8	06.4	11.8	17.3	15.5	19.3	5.5	61	45	52	15 1	16 1	17 2	8	2 ∞	2 ∞°	0 ∞°			∞ ⊙ n, ∞° ⊙ a,p
13	06.1	02.5	97.7	11.9	17.6	15.3	18.6	5.5	77	60	74	00 0	18 1	00 0	8	9 ∞	9 ∞	10 ∞			∞ ⊙ n,a,p, ▽° p
14	**84.2**	85.7	87.1	11.8	14.8	11.9	16.5	11.3	69	50	72	17 4	17 4	14 3	9	9 ∞°	7	7 ∞°	1.0		R ▽ 1, ∞ n, ∞° ⊙ a,p
15	90.9	92.3	94.0	10.1	18.2	16.1	18.6	7.8	88	40	37	00 0	23 2	23 1	9	8 =°	4	7	0.0		=° ∞ ▽° ⊙ n, =° ⊙ a, ⊙ p
16	98.4	97.1	96.6	11.4	15.9	11.0	16.1	6.0	65	56	85	16 1	16 3	13 2	8	4	9 ∞	10 •			⊙ n, ∞ ⊙ a, • ∞ ⊙ p
17	94.4	90.1	88.5	9.3	9.2	12.4	12.4	8.7	96	97	84	15 1	20 1	19 1	6	10	10 =°	3 =°	2.2		• =° n, •^{2} =° a, =° ⊙ p
18	93.0	92.7	94.6	10.9	14.2	11.9	14.4	6.4	50	36	36	24 3	24 4	27 4	9	4	5	2	4.1		=° ⊙ n, ⊙ a,p
19	01.2	01.5	02.8	11.8	16.8	15.3	17.3	4.5	49	42	43	02 4	01 3	01 2	9	1	3	1 ∞°			⊙ n,a,p, ∞° p
20	06.7	05.7	04.8	11.8	16.9	17.2	18.4	6.9	53	48	42	01 1	16 1	05 1	9	2	3 ∞°	1 ∞°			⊙ ∞° n,a,p
21	05.4	02.3	99.6	14.2	19.8	17.7	**20.8**	4.4	55	**23**	41	00 0	14 1	14 2	9	0	2	2			⊙ n,a,p
22	99.2	97.3	95.8	12.9	17.1	14.9	18.1	8.3	56	**23**	25	04 3	02 2	02 2	9	1	7 ∞	9 ∞°			⊙ n, ∞ ⊙ a, ∞° ⊙ p
23	99.9	98.8	98.5	7.7	10.9	10.4	15.2	5.5	48	40	41	04 2	10 2	04 2	9	4 ∞°	7 ∞°	7 ∞°			∞° ∞ ⊙ n, ∞° ⊙ a,p
24	98.7	97.8	00.2	7.5	6.7	5.3	10.9	3.2	54	57	61	04 2	06 2	02 2	8	9 ∞°	9 ∞	6 ∞°			∞° ⊙ n, ∞ ▽ ⊙° a, ∞ ⊙ ∆° ▽ p
25	02.9	01.2	99.7	8.0	13.5	12.8	14.8	1.5	60	42	35	02 2	22 2	20 2	9	3	4	2	0.1		∞° ⊙ n, ⊙ a,p
26	01.0	00.3	00.1	8.6	13.7	12.1	14.3	**0.5**	62	43	41	20 1	20 3	20 2	9	3	8	4			∞° ⊙ n, ⊙ a,p
27	01.2	01.8	01.5	12.7	13.1	10.1	15.2	1.9	48	41	72	12 2	10 2	24 1	9	3	9 ∞°	10 ∞			⊙ n, ∞° ⊙ a, ∞ ▽° p
28	00.3	99.3	99.5	10.7	14.5	13.2	14.8	8.4•	71	71	84	32 2	04 1	00 0	8	10 =°	10(▽)	10 •	0.3		•° ∞ =° n, ▽ =° a, • =° p
29	00.5	99.0	97.8	12.7	17.4	14.7	18.9	10.3	91	67	87	05 1	17 1	00 0	8	10 =°	10 =°	10 =°	3.9		• =° n, =° ⊙° a, • =° p
30	92.7	93.7	94.5	14.6	13.3	15.4	16.5	13.1	87	94	72	05 3	16 2	16 2	5	10 =°	10 =	3 =°	12.1		• =° ⊙ n, = ▽ a, =° ⊙ p
31	98.0	98.5	98.8	10.1	17.7	16.1	18.1	9.9	95	57	60	13 1	15 1	14 2	7	10 =^{2}	3 =°	1 =°	7.1		,° =° ≡° n, =° =^{2} ⊙ a, =° ⊙ p
M	00.1	99.6	99.2	9.5	12.9	12.3	15.2	5.8	72	56	59	1.6	1.9	1.6	8.1	6.6	7.1	6.0	109		

Juni VI

Datum	P 8	P 14	P 19	T 8	T 14	T 19	Max	Min	U 8	U 14	U 19	D,F 8	D,F 14	D,F 19	V 14	N,w 8	N,w 14	N,w 19	R	h_s	W
1	02.8	02.9	03.1	9.8	16.1	15.7	18.4	6.9	94	69	65	16 1	19 1	16 1	8	10 ≡°	7 =°	0 =°			≡° =° ⊙ n, = ≡° ⊙ a, =° ⊙ p
2	05.3	04.2	02.9	12.7	19.3	17.8	21.0	9.6	81	55	58	13 1	18 1	14 2	9	2 =°	9 =°	3 ∞°			=° ⊙ n,a,p
3	01.4	99.0	98.2	12.1	17.6	16.2	18.5	8.5	89	58	63	18 1	14 5	13 2	8	10 =°	5 =°	5 ∞°			∞ =° ⊙ n, =° ⊙ a, ∞° =° ⊙ p
4	93.7	85.2	80.1	11.2	13.2	12.4	16.4	10.4	96	92	94	10 2	16 3	16 2	6	10 •	10 ▽	10 ▽	5.7		= • n,a, ▽ a,p, =° p
5	90.3	95.2	96.9	9.6	12.2	13.2	14.3	8.3	64	61	60	32 2	22 1	18 1	8	10 ∞	9 ∞	2 ∞	9.9		∞° =° ▽ n, ∞ a, ∞ ⊙ p
6	02.4	02.0	01.3	11.2	16.0	12.4	17.7	6.1	59	58	69	02 2	12 1	18 2	8	9 ∞	9 ∞	10 ∞			∞ ⊙ n,a, ∞ ⊙° p
7	97.3	96.9	92.0	9.6	14.7	12.6	15.9	8.6	95	81	91	02 1	12 1	10 2	8	10 •	8 ∞	10 •	7.9		= • n, ∞ = ⊙ • a, ∞ = ⊙ ▽ p
8	88.5	90.4	91.9	13.4	13.8	13.6	16.1	9.6	89	81	80	18 3	14 4	14 2	7	8 ∞	10 ▽	9 ∞^{2}	5.7		∞ = ▽ n, ∞^{2} ▽ a,p
9	97.7	99.5	98.7	14.4	12.6	16.6	18.4	8.1	68	85	48	16 2	24 1	23 2	8	3 ∞°	9 ∞	3 ∞°	1.8		∞° ∞^{2} ⊙ ▽ n, ∞ ⊙ ▽^{2} a, ∞° ⊙ p
10	01.0	98.5	98.5	11.4	13.2	13.6	16.9	6.9	78	74	63	16 2	14 2	18 1	7	10 ∞	9 ▽	5 ∞°	2.4		∞ =° ⊙ ▽° n, ∞^{2} ⊙ ▽ a, ∞° ⊙ ▽ p
11	04.0	03.3	01.6	13.1	17.9	15.5	18.5	6.5	65	48	49	00 0	15 1	15 2	9	1 =°	4 ∞°	7 ∞°	2.7		▽ ∞° =° ⊙ n, ∞° ⊙ a,p
12	98.3	96.2	95.6	11.4	16.5	13.4	17.5	8.8	75	57	78	15 1	15 2	00 0	9	10 ∞°	9 ∞°	10 ∞°			∞° ⊙ n,a,p, =° p
13	93.7	91.0	88.2	16.1	15.1	18.2	18.8	9.0	61	71	38	03 2	06 2	25 2	9	4 ∞°	8(▽)	6 ∞°			∞° =° ⊙ n, ∞° ⊙ a, ▽^{2} 13^{30}, ▽ ∞° ⊙ p
14	81.7	**80.1**	84.1	10.1	15.4	11.6	18.2	9.1	58	48	60	24 3	32 2	32 3	9	4	8 ▽	9(▽)	1.3		▽ ∞° ⊙ n,a,p
15	90.9	88.5	84.5	13.3	16.5	9.8	17.1	5.5	52	45	94	19 1	18 2	14 2	9	3	9 ∞°	10 •	0.7		∞° ⊙ n,a,p, • =° p
16	84.3	89.1	93.4	12.4	11.5	9.6	14.4	**4.1**	57	59	62	24 1	32 4	32 3	9	7 ∞°	9(▽)	8 ∞°	3.7		• =° ∞° ⊙ n, ▽ ∞° ⊙ a,p
17	02.2	03.7	03.2	10.4	14.7	14.5	16.9	4.8	49	36	38	25 2	24 1	15 2	9	1	5	8 ∞°	1.0		∞° ⊙ n, ⊙ a, ∞° ⊙ p
18	99.2	99.0	99.0	10.6	15.8	16.2	17.4	7.8	84	53	76	16 2	14 2	18 2	8	10 ∞	10 ∞	10 ∞	0.5		∞^{2} ▽° n, ∞ a, ∞ ▽° p
19	05.8	99.3	07.2	18.8	25.0	23.8	25.9	11.6	54	43	38	27 2	28 2	24 2	9	3 ∞°	4	3	0.0		∞° ⊙ n, ⊙ a,p
20	**11.4**	09.8	08.4	19.8	25.1	25.4	26.9	11.8	52	41	38	02 2	24 1	22 1	9	6 ∞°	2	2			∞° ⊙ n, ⊙ a,p
21	10.8	09.5	08.6	22.0	28.5	26.6	29.1	12.9	51	40	40	04 1	24 2	22 1	9	1 ∞	3 ∞°	1 ∞°			∞ ⊙ n, ∞° ⊙ a,p
22	11.3	10.4	09.8	21.6	28.6	26.6	**29.5**	13.4	63	36	**33**	00 0	22 2	21 2	9	0 =°	3	1 ∞°			=° ∞° ⊙ n, =° ⊙ a, ∞ ⊙ p
23	10.3	09.7	09.3	20.8	27.1	22.3	27.7	13.6	63	49	45	02 3	22 2	16 2	9	1 ∞°	2 ∞°	3 ∞°			∞° ⊙ n,a,p
24	09.4	08.9	07.4	15.5	18.8	19.2	22.5	14.6	93	78	70	14 1	24 1	20 1	8	10 =	10 ∞	9 ∞			= ∞ n,a, ∞ ⊙° p
25	05.6	04.1	02.3	13.2	13.0	13.8	19.4	12.6	86	93	92	02 1	07 2	02 1	6	10 •	10 •	10 R°	0.1		⊙ • ∞ n, • =° a,p, R° p
26	00.5	99.9	99.3	14.7	18.6	17.0	18.5	12.3	85	64	68	32 3	03 3	32 1	8	8 =°	9 R°	8 ∞°	13.2		▽ ∩ =° R°n, ▽ =°⊙ a, ▽°R° ∞° ⊙ p
27	98.9	99.0	98.0	15.1	13.4	15.9	17.1	13.4	79	92	83	03 2	32 2	02 1	7	10 ∞	10 ▽	9 =°	0.1		∞ ⊙ n, ▽ ∞ ⊙ a, ▽ =° ⊙ p
28	95.1	93.9	92.8	16.9	20.6	19.8	22.7	12.8	72	53	55	02 3	07 1	02 1	9	9 ⊕	9 ∞°	8(▽)	6.0		∞ =° ⊕ ⊙ n, ⊕ ∞ ⊙ a, ▽° ∞° ⊙ p
29	93.0	91.6	91.2	19.6	24.7	22.8	25.4	11.6	62	36	42	15 1	16 1	30 2	9	1 ∞°	5 ∞°	5(▽)	0.1		∞° ⊙ n,a,p
30	90.7	89.4	88.5	16.9	19.6	15.3	23.0	12.5	83	68	72	18 1	17 2	14 2	8	6 ∞	7 =°	7 ∞			(▽) ∞ ⊙ n, =° ∞° ⊙ a, ∞ =° ⊙ p
M	99.2	98.3	97.9	14.3	17.8	16.7	20.0	9.7	72	61	62	1.6	1.9	1.7	8.3	6.2	7.4	6.4	63		

Ekstensotabell

1945

Oslo (Blindern)

$\varphi = 59° 56' N$ $\lambda = 10° 44' E$ $g = 9.819$ $\Delta G = +1^h$ $H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Juli VII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	87.2	86.6	86.5	15.1	18.6	17.2	20.5	13.4	72	68	63	16 1	17 2	16 2	9	9 ∞°	6 ∞°	9 ▽°			∞° ⊙ n,a,p, ▽° a,p, (▽) p
2	87.6	87.9	89.1	15.6	21.0	16.0	21.3	12.2	78	55	79	02 2	12 3	02 1	8	10 ∞	9 ∞	10 K	0.0		∞ ⊙° ▽ n, ∞ ⊙ a, ∞^{2} ⊙ ▽° K p
3	94.6	95.1	96.1	13.6	18.2	18.0	19.4	12.9	62	56	57	02 3	02 2	06 2	9	10 ∞°	9 ∞	5 ∞°	0.1		∞ ▽° K n, ∞° ⊙ a,p, ▽° p
4	00.4	00.3	00.0	16.5	23.1	21.8	24.0	11.8	69	47	51	10 1	16 2	17 2	9	8 ∞	7 ∞°	9 ∞°	0.0		∞ ⊙ n, ∞° ⊙ a,p
5	01.2	00.0	99.4	20.5	24.5	21.6	25.8	12.7	57	37	48	12 1	08 2	08 1	9	2 ∞	4 ∞°	9 ∞			∞ ⊙ n, ∞° ⊙ a, ∞ ⊙ p
6	01.1	99.7	97.7	17.3	18.1	18.0	21.9	15.7	72	70	82	03 1	00 0	00 0	7	9 ∞°	10 •	9 ∞			∞° ⊙ n, ∞^{2} ⊙ • a, ∞ • ⊙ p
7	98.9	98.8	99.8	16.9	20.6	17.7	21.5	14.5	83	59	75	07 1	09 2	30 1	7	9 ∞	7 ≡°	9(▽)	1.5		∞ ⊙ ▽° n, ∞ ≡° ⊙ a, K ▽^{2} ≡° ⊙ p
8	02.2	03.4	03.5	17.8	16.6	20.2	20.6	14.7	74	83	67	32 1	32 1	00 0	8	10 ∞°	9 ≡°	5 ▽	3.2		∞°≡°(▽)⊙n, K ▽∞° ⊙° a, ▽ K ∞° p
9	03.6	03.2	03.8	18.4	25.4	22.9	25.4	12.1	76	49	57	00 0	17 2	17 1	9	1 ≡	5 ∞°	2 ∞°	1.5		▽ ⌒ ≡ ∞ ⊙ n, ≡ ⌂ ⊙ a, ∞° ⊙ p
10	04.7	03.3	02.5	21.0	26.2	26.1	26.7	13.6	68	50	40	08 1	20 1	18 1	8	1 ≡°	3 ∞	3 ∞			≡° ∞° ⊙ n, ∞ ⊙ a,p
11	05.3	04.3	04.0	22.7	28.6	26.5	29.0	14.5	59	45	55	08 1	08 1	18 1	8	3 ≡°	6 ∞	2 ∞°			≡° ∞ ⊙ n, ≡° ∞° ⊙ a, ∞° ⊙ p
12	06.5	07.0	05.9	23.3	20.1	23.6	26.5	17.1	70	87	66	06 1	22 1	17 2	8	8 ≡°	9 ▽°	4 ≡°			≡° ∞° ⊙ n, K ▽ ≡° ⊙ a, ▽° ≡° ⊙ p
13	07.6	07.4	06.8	18.9	25.0	21.9	25.5	17.8	91	63	67	16 1	16 2	16 1	7	10 ≡°	4 ≡°	2 ≡°	1.3		≡° ⊙ n,a,p
14	08.6	09.0	08.4	19.9	24.5	23.6	25.4	17.1	80	63	63	00 0	16 1	16 1	7	1 ≡°	1 ≡°	1 ≡°			≡° ⊙ n,a,p
15	12.2	11.6	11.2	18.1	26.9	26.0	29.0	16.7	85	50	49	16 1	16 1	17 1	8	10 ≡°	2 ≡°	7 ≡°			≡° ⊙ n,a,p
16	12.0	12.0	11.2	21.8	28.5	27.2	29.5	12.7	58	46	48	00 0	18 2	17 2	8	0 ≡°	1 ≡°	0 ∞			≡° ⊙ n,a,p, ∞ p
17	12.1	11.8	11.2	21.4	25.9	22.6	27.2	18.0	68	40	52	15 1	16 3	16 3	8	4 ∞°	4 ≡°	4 ≡°			∞° ⊙ n,a, ≡° a, ≡° ⊙ p
18	11.6	11.1	09.4	18.4	25.0	24.2	26.0	14.1	80	47	40	00 0	19 2	18 1	9	7 ≡°	5 ∞°	6			≡° ⊙ n, ∞° ⊙ a,p
19	08.7	05.4	03.5	20.0	29.2	26.8	29.9	14.2	66	46	54	00 0	17 1	08 1	8	7 ≡°	5 ∞	6 K°			≡° ⊙ n, ≡° ∞° ⊙ a, ▽ K° ≡° ⊙ p
20	01.7	99.3	97.7	20,2	19.9	17.9	26.8	16.6	84	83	89	08 2	12 1	02 1	6	10 ≡°	10 ≡°	10 ≡°	0.0		(▽) n, K ≡° ⊙ n,a, ▽ a, ▽ ≡° ⊙° p
21	95.2	93.8	93.6	17.7	21.4	20.6	22.4	15.6	71	63	53	17 2	18 2	20 3	9	7 ≡°	7(▽)	6 ∞°	5.0		≡° ⊙ n, ▽ ≡° ∞° ⊙ a, ▽ ∞° ⊙ p
22	94.2	91.0	89.6	17.5	18.2	15.8	21.9	11.7	70	76	87	16 1	19 1	32 1	8	9 ∞°	10(▽)	10 •°	0.3		∞° ⊙ n, ▽ ≡^ ∞ ⊙ a, • ≡° p
23	93.4	94.4	94.2	19.9	23.7	23.6	25.0	14.6	58	45	42	32 3	32 2	31 2	9	4 ∞°	7 ∞°	3 ∞°	2.2		•° ∞° ≡° ⊙ n, ▽° ∞° ⊙ a, ∞° ⊙ p
24	95.0	94.8	96.0	19.5	24.1	22.1	25.4	12.8	59	38	41	18 2	25 3	32 1	9	4 ∞°	5	4	0.0		∞° ⊙ n,a, ⊙ p
25	99.4	98.2	97.3	16.3	20.2	19.9	22.4	13.4	58	43	42	32 1	14 2	18 1	9	6	4	6			⊙ n,a,p
26	98.3	98.9	98.7	16.4	13.7	16.2	20.6	11.7	57	72	71	00 0	02 2	00 0	9	6	9 ▽	8 ∞°			∞° ⊙ n,a, ▽^{2} 13^{50}, ∞° ⊙ ▽ p
27	02.3	00.8	00.2	14.9	18.3	17.7	19.2	11.2	68	53	53	02 2	06 3	04 2	9	9 ∞°	9 ∞°	5 ∞°	1.8		∞° ⊙ n,a,p
28	98.5	98.3	97.5	14.0	18.6	17.8	20.4	11.0	75	58	58	02 4	03 3	04 1	8	9 ∞	9 ∞	8 ∞°			∞ ⊙° n,a, ∞° ⊙ p
29	97.6	94.2	92.9	17.2	23.8	20.8	24.5	10.6	63	41	59	18 1	18 2	00 0	9	1	9 ∞°	9 ∞°			⊙ n, ∞° ⊙ a,p, ▽° p
30	94.2	93.2	94.2	15.1	18.1	15.8	21.4	12.2	49	42	47	30 5	32 4	02 5	9	3	10 ∞°	10 •°	0.0		⊙ n, ∞° ⊙ ▽° a, ∞° ▽° p
31	98.6	98.3	98.5	15.4	21.8	21.8	23.0	12.7	61	46	42	32 4	32 2	32 1	9	9 ∞°	9 ∞°	4 ∞°	0.0		∞° ▽° ⊙° n, ∞° ⊙ a,p
M	01.1	00.4	00.0	18.1	22.2	21.0	24.1	13.9	69	56	58	1.4	1.9	1.4	8.3	6.3	6.3	6.0	17		

August VIII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	01.7	01.8	02.5	16.8	22.5	21.2	23.5	12.8	57	43	42	32 2	32 2	02 2	9	3	4	8			⊙ n,a,p
2	05.6	03.8	02.7	16.0	25.0	25.9	26.9	10.8	60	42	40	00 0	18 1	20 1	9	9 ∞°	4	3			∞° ⊙ n, ⊙ a,p
3	05.4	04.6	04.9	20.4	28.9	24.3	30.3	12.1	63	42	49	17 1	32 1	14 2	9	5 ∞	3 ∞°	8			∞ ⊙ n,a, ⊙ p
4	07.5	06.0	04.7	22.5	28.3	25.3	28.6	14.3	62	46	43	08 1	20 2	16 1	9	8 ∞	4 ∞°	3 ∞°			∞ ⊙ n, ∞° ⊙ a,p
5	03.3	00.2	98.9	17.6	25.6	22.1	26.7	13.7	84	56	61	00 0	18 2	18 1	9	9 ∞^{2}	8 ∞°	9 ∞°			∞^{2} n, ∞° ⊙ a,p
6	97.9	97.2	97.2	18.3	21.4	17.9	24.6	15.2	80	67	94	02 2	04 3	02 2	8	9 ∞	10 ∞	10 •			∞ n, ∞ ▽ a, ∞^{2} • p
7	01.2	02.6	03.8	17.1	18.8	19.5	20.9	16.6	91	84	80	04 2	10 1	12 1	7	10 ≡	10 ∞^{2}	10 ∞^{2}	5.3		≡ ▽ n, ∞ ≡ ▽° a, ∞^{2} ▽° p
8	05.4	04.8	04.4	17.2	24.0	22.3	24.6	15.3	82	43	41	00 0	21 1	18 2	8	7 ≡°	3 ∞	3 ∞°	0.0		≡° ⊙° n, ∞ ⊙ a, ∞° ⊙ p
9	04.6	02.4	00.7	17.7	26.5	25.6	27.7	15.3	61	45	46	00 0	00 0	02 1	7	6 ≡°	4 ∞^{2}	3 ∞			≡° ⊙ n, ∞^{2} ⊙ a, ∞ ⊙ p
10	98.5	97.0	97.0	23.2	27.9	26.5	28.4	19.6	62	41	47	32 2	08 3	08 2	8	2 ∞	8 ∞	9 ∞			∞ ⊙ n,a,p
11	00.7	99.6	98.8	22.1	27.7	26.4	28.5	17.8	66	48	47	08 2	04 2	01 1	8	2 ∞	6 ∞	7 ∞°			∞ ⊙ n,a, ∞° ⊙ p
12	02.2	01.5	01.4	23.1	28.1	26.8	29.0	16.9	62	46	45	03 2	06 2	02 1	9	1 ∞°	6 ∞°	3 ∞°			∞° ⊙ n,a,p
13	06.4	04.3	03.9	22.4	27.4	23.2	27.8	17.6	65	51	60	03 2	04 2	03 2	9	1 ∞	7 ∞°	4 ≡°			∞° ⊙ n,a, ▽° ≡° ∞° ⊙ p
14	02.8	01.2	00.9	21.3	23.8	21.7	24.5	19.0	72	63	63	03 4	03 4	04 3	8	7 ∞	7 ≡°	4 ∞°	0.0		≡° ∞ ⊙ n, ▽° ∞ ≡° ⊙ a, ≡° ∞° ⊙ p
15	99.1	98.8	98.2	17.5	21.1	20.6	22.8	16.6	82	74	74	02 3	32 2	01 1	8	10 ∞°	6 ∞	6 ∞	0.0		▽° ∞° ⊙ n, ∞° ∞ ⊙ a, (▽) ∞° ⊙ p
16	97.9	97.2	95.8	18.6	21.9	21.0	22.6	15.6	79	72	72	01 3	32 2	01 1	8	9(▽)	10 ≡°	10 ≡°			∞ ⊙ n, ▽^{2} 9, ≡° ⊙ a,p
17	94.6	91.8	90.9	20.7	26.3	23.2	26.3	16.1	74	49	58	04 1	04 2	03 2	8	7 ≡°	7(▽)	5 ∞°	12.0		≡° ⊙ n,a, (▽) a, ▽° ∞° ≡° ⊙ p
18	90.2	89.5	89.8	20.3	21.0	18.1	23.2	18.0	61	50	53	01 4	02 4	03 3	9	2	2	9	0.0		∞° ⊙ n,a, ⊙ p
19	89.8	89.3	88.8	15.9	19.1	16.9	19.4	14.7	63	61	64	32 2	02 3	03 2	9	8	9	7(▽)			⊙ n,a,p, ▽° p
20	87.8	88.8	88.8	14.6	18.5	18.2	20.2	13.2	87	65	64	02 2	05 2	04 1	8	10 ∞	9 ∞	10 ∞	0.2		∞ ▽ n, ∞ ⊙ a,p
21	89.5	88.7	89.2	15.9	21.5	14.5	21.8	13.7	83	56	93	16 1	18 2	10 1	8	10 ∞^{2}	8 ∞	9 ∞^{2}			∞^{2} n, ∞ ⊙ a, ∞^{2} • ⊙ p
22	88.9	88.0	87.6	13.4	20.7	15.8	20.9	11.5	95	57	78	03 1	14 1	16 1	8	10 ≡	9 ∞	10 •°	4.1		≡ , n, ∞ ⊙ a, ≡° ⊙ p
23	86.4	85.7	85.4	15.1	20.0	15.8	21.5	13.9	86	62	87	02 2	08 2	02 1	8	9 ≡°	8 ∞	3 ∞°	1.8		≡° • n, ∞ ⊙ a, ∞° ⊙ p, ▽^{2} 17^{00}
24	83.2	81.3	77.0	14.6	14.5	15.0	16.8	11.8	97	92	59	08 1	18 2	18 2	5	9 ≡	10 ▽	10 ▽	3.7		≡ , n, ≡ ▽ ⊙ a, ≡ ▽ p
25	79.1	79.2	79.3	14.5	18.8	17.5	19.8	8.8	66	55	55	22 2	16 3	18 2	9	6 ∞°	7 ∞°	3 ∞°	3.7		∞ ▽° ⊙ n, ∞° ⊙ a,p
26	92.8	94.5	98.7	16.1	21.2	17.9	22.7	9.8	52	40	38	03 3	26 1	02 2	9	2 ∞°	6 ∞°	6 ∞°			∞° ⊙ n,a,p
27	08.1	06.7	06.3	12.0	19.5	15.8	19.6	6.8	68	49	61	00 0	16 1	14 2	9	1 ≡°	7 ∞°	9 ∞°			∞° ≡° ⊙ n,a, ∞° ⊙ p
28	04.8	04.7	05.2	13.4	23.5	20.2	23.7	11.1	95	47	67	16 1	16 2	16 1	8	8 ≡	4 ∞	5 ≡°			⌂ ≡ ∞ ⊙° n, ∞ ⊙ a,p, ≡° p
29	07.5	05.9	02.8	12.2	11.9	13.8	20.3	10.2	66	95	95	03 3	03 1	02 1	4	10(•)	10 ,	10 ≡^{2}	0.0		•° ≡° n, •^{2} , ≡ a, , ≡^{2} p
30	95.5	95.5	95.8	14.2	21.9	19.4	22.6	13.3	97	41	63	00 0	24 2	14 1	9	7 ≡^{2}	4 ∞°	6 ≡°	3.0		• ≡^{2} ⊙ n, ∞° ≡^{2} ⊙ a, ≡° ∞° ⊙ p
31	98.3	97.5	97.4	11.7	16.3	15.0	19.3	10.9	60	49	50	02 4	04 3	02 1	9	9	2 ∞°	1 ∞°			≡° ⊙ n, ∞° ⊙ a,p
M	98.0	97.1	96.7	17.3	22.4	20.2	23.7	14.0	74	56	62	1.7	2.0	1.5	8.2	6.6	6.5	6.5	34		

Ekstensotabell

1945

Oslo (Blindern)

$\varphi = 59° 56'N$ $\lambda = 10° 44'E$ $g = 9.819$ $\Delta G = +1^h$

September IX

$H_t = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F				Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19		14	8	14	19			
1	03.6	03.4	03.6	11.5	17.0	16.2	19.1	8.2	57	37	40	32 2	04 2	20 1		9	2 =°	3	1 =°			=° ⊙ n,a,p
2	08.7	09.1	09.8	11.9	18.1	15.2	18.9	5.8	63	48	53	02 1	16 1	00 0		9	0 =°	2 =°	6 =°			=° ⊙ n,a,p
3	15.3	14.7	14.1	11.2	18.2	17.9	20.3	7.7	69	50	54	16 1	22 1	00 0		9	8 =	8 =°	7 =°			=° = ⊙ n, ● 12, =° ⊙ a,p
4	11.9	06.8	04.4	11.0	21.8	16.5	22.0	8.4	98	51	72	00 0	16 2	16 2		8	10 •°	1 =	2 =	0.0		= =° •° n, =° •° = ⊙ a, =° ⊙ p
5	08.9	07.1	06.5	13.6	18.5	15.5	19.4	10.6	47	32	35	01 3	32 3	01 3		9	1	1	1	0.0		=° ⊙ n, ⊙ a,p
6	09.0	07.4	07.6	12.6	18.9	16.4	19.6	5.1	54	40	46	16 1	15 1	01 1		9	4 =°	4	7 =°			(=) =° ⊙ n, =° ⊙ a,p
7	11.7	10.7	10.2	12.0	19.3	16.4	20.9	6.6	72	43	49	00 0	15 1	03 1		9	7 =	4	1 =°			= =° ⊙ n, = ⊙ a, =° p
8	10.7	10.4	08.7	10.9	19.2	16.3	20.4	7.7	82	59	64	00 0	16 1	16 1		8	9 =°	4 =°	4 =°			= =° ⊙ n, =° ⊙ a,p, =° p
9	10.5	10.1	10.2	9.8	18.9	16.0	19.1	7.7	96	49	63	00 0	18 2	00 0		9	10 =°	3 =°	8 =°			=° =° ⊙ n, =° =° ⊙ a, =° =° ⊙ p
10	13.2	13.2	15.0	11.6	19.3	14.8	19.5	8.2	87	55	71	03 2	12 2	04 1		8	2 =°	4 =	3 =			=° ⊙ n, = ⊙ a,p
11	20.0	20.3	20.0	12.3	16.3	14.2	17.1	10.5	78	60	61	14 1	18 1	18 1		8	10 ∞	10 =	3 =			= ⊙° n,a, = p
12	19.6	18.3	16.8	8.7	15.9	14.4	16.4	5.2	91	61	67	00 0	16 3	18 4		8	9 =°	10 =	10 =			=° ⊥ ⊙° n, = ⊙° a, = p
13	14.1	11.5	08.0	12.4	15.2	14.8	16.3	11.0	88	74	63	16 2	16 2	16 1		8	9 =	10 =	9 =			= ⊙° n,a, = ⊙ p
14	95.8	90.6	90.7	11.4	14.8	13.0	15.3	9.7	85	91	79	12 2	14 2	16 2		6	10 ⸱°	10 =°	10 ⸱	0.7		= ⸱ n, =° ⸱ a, = ⸱ p
15	90.7	90.4	89.7	10.5	16.1	14.3	16.2	8.4	93	71	84	18 1	20 2	18 2		7	4 =°	10 =°	10 =°	5.5		=° ⊙ ⸱ n, =° a,p
16	92.4	93.0	93.0	9.2	12.8	10.8	14.3	6.7	95	84	89	24 1	16 1	32 1		8	9 =	10 =	3 =°			= ⊥ ⊙° n, = ⸱ a, = p
17	97.0	97.3	97.6	8.7	16.3	13.8	16.3	4.2	93	56	77	00 0	20 2	00 0		9	2 =	9 =°	9 =°	0.6		⊥ =° • ⊙ n, ⊥ = = ⊙ a, =° ⊙ p
18	96.6	96.8	97.6	10.2	10.7	10.9	13.8	9.7	92	92	88	02 1	04 1	03 1		7	10 •°	10 •°	9 =°	1.5		=° •° n, =° • =° a, •° =° ⊙° p
19	01.5	02.1	02.8	10.5	13.7	11.4	14.5	8.1	84	62	62	05 2	09 2	04 1		8	5 =°	10 =°	10 =°	4.2		•° =° ⊙ n, =° ⊙ a,p
20	01.1	00.0	98.1	10.2	12.4	12.8	13.3	9.6	96	97	98	06 1	07 1	00 0		3	10 •	10 •	7 ≡°	4.0		=° =° • ⸱ n, =° •⸱ ≡° a, ≡° •°⊙ p
21	95.8	97.9	98.7	11.0	16.7	13.1	17.2	11.0	98	63	66	00 0	17 1	18 1		9	10 •	6 =°	10	12.3		• ≡ ≡° =° n, • =° =° ⊙ a, =° ⊙ p
22	99.3	98.9	96.8	8.6	14.8	12.2	14.9	5.2	85	56	72	06 1	16 2	13 1		9	1 =°	9 =°	10 =°	0.1		=° ⊙ n,≡,p, =° p
23	89.0	89.8	91.0	9.7	11.9	10.5	13.3	9.6	96	78	86	14 1	16 3	16 1		8	9 =°	9 =°	9 =°	15.1		•≡ =° n, ⸱° =° ⊙ a, =° ⊙ p
24	95.5	97.0	99.6	7.9	12.5	9.4	12.8	5.7	95	69	88	06 2	06 2	04 2		7	10 =	9 =°	10 =	0.0		= ⊥ n, = ⊙ a, = ⸱ ⊙° p
25	06.4	08.1	09.0	6.3	8.8	7.2	9.7	6.2	83	63	71	02 3	02 2	32 1		8	10 =	10 =	10 =°	1.3		= ⸱ n, = a,p
26	09.3	06.9	04.4	5.7	7.8	7.1	8.2	3.6	77	74	81	06 1	20 1	18 2		8	8 =°	10 ⸱°	10 =			=° =° ⊙ n, = ⸱° a, = = ⸱° p
27	97.7	96.6	95.9	6.9	9.9	6.4	11.5	6.4	97	79	89	00 0	10 1	04 1		7	10 =	7 =°	7 =°	1.1		= ⸱ n, = = ⸱ ⊙ a, =° ⊙ p
28	95.4	96.0	97.4	4.2	12.6	7.7	14.1	2.7	94	54	68	00 0	00 0	00 0		8	4 =°	7 ⸱°	4 =°	0.2		=° = ⸱° ⊙ n, = ⸱ ⊙ a, = ⊙ p
29	06.0	07.2	08.5	4.8	12.7	7.5	13.5	1.5	75	42	58	00 0	32 1	32 1		9	3 =°	3 =°	5 =°	0.0		= ⊥° n, =° ⊙ a,p, = p
30	12.8	12.4	11.4	4.4	8.4	8.2	8.9	2.7	83	76	88	00 0	16 1	17 1		6	10 =	10 •	10 =			= =° n, =° • a, =° •° p
M	04.6	04.1	03.9	9.7	15.0	12.7	15.9	7.1	83	62	69	1.0	1.6	1.1		7.9	6.9	7.1	6.8	47		

Oktober X

Datum	Lufttrykk P			Lufttemperatur T					Relativ fuktighet U			Vindens retning og styrke D,F				Synsvidde v	Skydekke og vær N,w			Nedbør R	Snødybde h_s	Værforløp W
	8	14	19	8	14	19	Max	Min	8	14	19	8	14	19		14	8	14	19			
1	19.5	21.6	23.4	5.8	10.6	6.3	11.1	3.9	87	66	86	00 0	12 1	03 1		8	9 =	10 =°	7 =°	0.8		⊥ = ⊙ n, = ⊙ a, =° ⊙ p
2	24.7	23.6	23.1	3.7	13.2	9.1	14.5	2.7	98	68	87	00 0	00 0	08 1		7	5 ≡°	3 =°	3 =°			≡° =° ⊙° n, ≡° =° ⊙ a, =° ⊙ p
3	22.4	20.7	19.7	6.4	10.1	11.3	11.3	5.7	99	99	91	02 1	00 0	16 2		5	10 ≡	10 =	10 =°	0.1		•° ≡° n, ≡ = a, = =° p
4	15.8	13.9	13.0	10.7	12.5	11.9	12.7	9.8	95	84	90	20 1	20 2	00 0		8	10 =°	10 =°	10 •			=° n,a,p, • 17⁰⁰
5	16.4	12.7	06.9	7.5	8.9	7.1	11.9	7.1	63	59	76	03 3	19 1	00 0		8	7 =	10 =°	8 =°	1.2		• ⊙ = n, =° ⊙ a, =° ⊙° p
6	01.3	01.1	03.7	5.9	14.1	8.0	14.2	2.6	76	42	56	04 1	32 5	02 2		9	4 =°	4 =°	0			(=) =° =° ⊙ n, (≡) =° ⊙ a, =° ⊙p
7	12.1	10.8	07.8	4.0	10.8	7.8	10.9	0.6	77	53	75	04 1	18 2	16 1		9	0(=)	6 =°	9 =°			⊥ (=) ⊙ n, (=) =° ⊙ a, =° ⊙ p
8	97.4	95.8	95.8	2.4	9.6	5.8	10.9	1.6	99	87	88	06 1	00 0	00 0		4	10 ≡°	7 =°	2 =°			≡° =° n, =° ≡° ⊙ a, =° ⊙ p
9	97.1	95.9	91.7	6.6	10.1	11.2	11.2	4.7	86	90	87	00 0	00 0	16 2		4	10 =°	10 •	4 =			=° =° n, =° • a, = • p
10	85.5	88.7	93.5	10.2	11.8	5.9	12.3	5.7	91	53	52	24 1	32 2	02 2		8	10 =°	10 =	2 =°	3.8		= • n, = =° a, = p
11	02.7	04.6	05.8	− 0.5	8.7	5.2	9.1	− 2.3	76	40	57	02 1	23 2	00 0		8	4 =°	2 =	5 =			⊥ =° n, = ⊙ a,p, = p
12	08.0	04.7	02.1	1.0	7.2	3.4	7.5	− 0.7	84	78	88	06 1	00 0	04 1		5	10 =°	10 ⸱°	2 =°			=° ⊙° ⊥ n, = ⸱° a, =° ⊙ ⸱° p
13	05.3	03.2	99.2	3.1	8.0	6.0	8.2	1.6	89	79	87	00 0	00 0	00 0		5	10 =	10 =	10 =	0.0		= (≡) n,a, = p
14	97.6	98.1	98.7	6.0	11.5	13.0	13.7	4.0	87	71	54	02 1	00 0	28 3		5	10 =	10 =	10 =°			= = n, = (≡) a, =° ⊙° p
15	98.2	02.0	05.9	11.9	15.3	6.6	15.3	6.6	59	41	61	29 2	03 3	08 1		9	7	1 =°	2 =°			=° n, =° ⊙ a,p
16	07.6	07.3	06.6	2.4	10.9	3.5	11.2	0.1	84	55	79	00 0	00 0	03 1		7	2 =°	1 =°	0 =°			(=) =° ⊙ n, =° = ⊙ a, =° ⊙ p
17	07.9	07.9	05.7	0.9	11.0	6.6	11.2	− 0.4	94	63	79	00 0	21 1	00 0		6	1 =°	10 =°	10 =°			⊥ =° ⊙ n, ≡ ⊥ =° ⊙ a, =° ⊙ p
18	00.3	98.6	02.6	3.6	15.8	11.6	15.8	1.7	97	49	54	04 1	26 2	03 2		8	9 ⊥	7 =°	7 =			⊥ (=) = n, (=) =° ⊙ a, = =° ⊙ p
19	09.7	09.4	09.0	3.8	8.7	4.6	11.6	2.6	75	58	81	04 1	16 2	00 0		8	9 =°	1 =	10 =°			(=) =° n, (=) = ⊙ a, =° = ⊙ p
20	08.7	09.2	10.1	2.4	9.9	6.6	9.9	1.9	89	61	57	04 1	10 1	03 1		5	6 =	6 =	7 =			=° = ⊙ n, =° = ⊙ a, (=) = ⊙ p
21	12.7	12.0	11.3	3.3	5.0	0.0	6.6	− 0.2	78	64	84	09 1	16 1	00 0		9	10 =°	9 =°	0 =°			(=) =° n, =° a,p
22	06.6	03.4	00.9	3.2	6.0	4.9	6.2	− 0.4	81	81	92	04 1	06 1	04 1		7	10 =°	10 =°	10 •			=° n, =° =° ⸱° a, =° • p
23	93.6	91.4	89.2	5.5	7.3	7.9	8.2	4.6	97	97	98	04 1	00 0	00 0		2	10 =°	10 ≡	10 ≡	4.1		=° • n, ≡ ⸱ a, ≡ p
24	81.2	83.0	82.8	7.8	9.6	7.5	9.6	7.5	96	82	91	01 2	00 0	00 0		7	10 •	10 =°	10 =	9.1		≡ = • • n, = • =° ⊙ a, = =° p
25	80.8	79.4	76.6	5.0	6.6	7.4	7.7	4.7	95	94	95	03 2	03 1	04 1		5	10 •°	10 •°	10 •	3.6		= • n, = •° a, = • p
26	67.7	65.5	66.3	9.4	9.7	8.5	10.0	7.2	95	95	95	07 2	10 2	00 0		6	10 •	10 =°	10 =	16.8		= • n,a, = p
27	70.2	73.6	78.4	5.8	9.3	5.4	9.4	5.2	89	70	86	31 1	02 2	00 0		8	10 =°	7 =	10 =°	15.9		=° = •° n, =° ⸱ = ⊙ a, =° ⊙ p
28	89.8	93.9	97.0	4.6	5.2	3.8	6.0	1.7	64	59	70	02 3	02 1	02 1		8	9 =	10 =	10 =	0.0		= = n, = a, = = p
29	00.9	01.0	01.4	3.0	2.8	3.2	4.9	2.7	79	93	94	02 2	32 2	02 1		5	10 ⸱°	10 •°	10 •	0.0		=° ⸱° n, = •° a, = • p
30	05.4	05.9	05.5	2.5	2.4	2.1	3.7	1.7	90	91	95	32 2	02 2	02 2		6	10 =°	10 ⸱°	10 •°	8.9		= • n, = ⸱ ⸱° a, = •° p
31	06.7	08.2	07.8	3.3	5.1	5.3	5.2	1.7	96	94	97	00 0	00 0	00 0		4	10 =°	10 =°	10 ⸱°	2.4		=° ⸱° ⸱°(≡) n, =° (≡) a, =° ⸱° p
M	01.7	01.5	01.3	4.9	9.3	6.7	10.1	3.1	86	72	80	1.1	1.2	0.8		6.5	8.1	7.9	7.0	67		

Ekstensotabell

1945

Oslo (Blindern)

$\varphi = 59^\circ\ 56'$ N $\lambda = 10^\circ\ 44'$ E $g = 9.819$ $\Delta G = +1^h$

November XI

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	05.4	06.3	08.4	8.5	11.0	8.4	11.1	5.1	99	91	95	00 0	16 1	00 0	5	10 ⸗	10 =	10 =	0.5		⸗ ≡ •° n, = (≡) a,p
2	13.7	15.0	16.4	0.3	8.6	5.5	9.0	- 0.4	96	58	67	00 0	02 3	02 2	7	3 ⸗	3 ⸗	0 ⸗°			= = ⸗ n, ⸗ ⊙ a, ⸗° ⸗ ⊙ p
3	22.5	23.1	21.8	1.2	3.8	0.6	5.7	0.3	83	71	82	02 2	02 2	02 2	7	7 -	9 ⸗	3 ⸗			- n, ⸗ 8, - ⊙° a, ⸗ ⊙ p
4	19.8	18.6	17.5	1.9	3.5	0.3	3.6	- 0.3	84	83	91	00 0	08 1	00 0	7	9 ⸗	10 ⸗	0 ⸗°			⸗ n, ⸗ ⊙° a, = ⸗ p
5	16.7	17.0	17.0	- 0.6	2.8	0.3	3.2	- 1.4	95	82	90	00 0	00 0	02 1	4	9 =	2 ⸗	0 ⸗°			=(≡)°n, ⸗ (≡) ⊙° a, = ⊙° (≡) p
6	14.6	12.3	10.4	- 2.0	0.0	- 0.4	0.4	- 2.7	95	97	99	00 0	00 0	00 0	2	10 ⸗	10 ≡	10 ≡			⸗ (≡) ⸗ n, ≡ a,p
7	05.9	00.5	92.1	- 0.8	- 0.2	2.3	2.3	- 1.9	00	00	00	00 0	00 0	24 1	0	10 ⸗	10 ⸗	10 ⸗			⸗ V n, ⸗ a, ⸗° ⸗ • p
8	79.5	79.7	85.9	4.8	5.4	1.6	6.1	0.6	57	61	63	32 3	32 7	32 7	8	3 ⸗°	8 -	9 ⸗°	0.9		- ⸗° ⸗° n, - ⸗° a, ⸗° - ⸗ p
9	05.6	10.6	15.4	- 1.0	- 0.6	- 3.2	1.9	- 3.4	66	64	64	32 4	02 4	02 4	8	10 -	10 -	8 ⸗	0.0		- n,a, ⸗ p
10	21.1	20.8	20.4	- 4.8	- 4.0	- 6.0	- 3.0	- 7.1	70	69	77	32 3	32 2	32 1	8	10 -	9 -	10 ⸗°			- n,a, ⸗° - p
11	16.2	12.8	10.2	-10.5	- 4.6	- 6.9	- 3.9	-11.8	90	77	84	02 1	00 0	00 0	3	3 ⸗	0 ⸗°	0 ⸗°			⸗ ⸗° n, ⸗° ⸗ ⊙° a, ⸗° ⸗° ⊙° p
12	06.6	06.9	08.7	- 3.8	1.4	2.8	6.2	- 8.5	80	78	80	00 0	00 0	00 0	3	8 ⸗°	10 ⸗°	2 =			⸗° ⸗ ⸗ n, ⸗° a, ⸗° = ⸗° p
13	13.9	15.2	16.8	5.7	5.7	2.5	5.9	1.7	79	77	83	03 3	03 3	02 1	8	9 ⸗°	10 -	2 ⸗°	0.0		= ⸗° n, (=) ⸗° - a, (=) ⸗° - p
14	19.7	19.9	20.6	0.7	1.1	0.5	2.5	0.1	80	81	80	04 1	32 2	32 1	7	10 ⸗°	10 ⸗°	10 ⸗°			⸗° ⸗° n, ⸗° a,p
15	19.3	17.5	17.1	- 0.4	0.4	1.3	1.3	- 1.0	81	84	89	03 2	01 3	01 4	6	10 ⸗°	10 ⸗°	10 ⸗°			⸗° n,a,p, ⸗ p
16	17.6	17.9	18.0	1.8	2.3	1.9	2.3	0.6	93	93	94	01 4	01 4	01 3	6	10 •°	10 •	10 •°	1.0		• ⸗° n,a,p, ⸗ p
17	17.5	18.3	19.0	2.0	2.3	0.7	2.4	0.4	97	94	97	01 2	02 1	00 0	5	10 =	10 =	10 =	17.0		⸗ • ⸗° = ' n, ⸗° = ⊙ a, = ⊙° p
18	21.0	21.5	21.7	- 2.8	- 0.4	- 2.3	0.7	- 3.5	99	95	98	04 1	00 0	00 0	3	5 ⸗°	0 ⸗°	10 ⸗°			(≡) ≡ = n, ≡ ⸗° ⊙ a, ⸗° ⸗° ⊙ p
19	20.2	18.8	17.4	- 4.3	- 1.2	- 3.5	- 1.0	- 5.0	97	95	97	00 0	00 0	00 0	2	4 V°	6 V°	10 V°			⸗° V° n, ≡ ⊙° V° a, ⸗° ⊙° V°p
20	13.5	12.5	12.0	- 5.4	- 3.3	- 4.7	- 2.8	- 5.4	97	92	93	02 1	00 0	00 0	5	10 ⸗	10 ⸗	10 =			⸗ (≡) ⸗ n, = (≡) ⸗ a, = p
21	12.7	14.4	15.9	- 5.8	- 1.8	- 4.8	- 1.3	- 6.2	95	91	95	00 0	00 0	00 0	3	1 ⸗	0 ⸗°	0 ⸗°			⸗ = n, ≡ ⊙° a, ⸗ ⸗° ⊙° p
22	19.3	19.1	18.1	- 4.5	- 3.4	- 3.0	- 2.8	- 6.2	98	98	98	00 0	00 0	22 1	3	10 ⸗	10 •	10 ⸗			⸗ ⸗ n, ⸗° • a, ⸗ (≡) • p
23	15.9	14.5	13.6	- 6.4	- 6.3	- 7.5	- 2.3	- 7.5	96	97	96	02 1	02 1	02 1	4	10 ⸗	10 ⸗	10 ⸗	0.0		⸗ (≡) ⸗ n, ⸗ (≡) a,p
24	12.0	11.0	10.2	- 6.8	- 4.0	- 3.3	- 3.1	- 7.5	97	93	95	03 1	00 0	00 0	4	10 ⸗	10 ⸗	10 ⸗			= ⸗ n, ⸗ (≡) a,p
25	07.3	05.6	01.9	- 2.2	- 2.4	- 2.6	- 1.7	- 2.7	98	98	99	00 0	00 0	00 0	2	10 ⸗	10 ≡	10 ≡			⸗° ⸗ n, ≡ a,p
26	86.0	91.4	93.6	1.0	2.8	0.6	4.1	- 2.6	98	67	66	23 1	28 1	24 2	8	3 ⸗°	5 ⸗°	0 ⸗°	0.1		* ⸗° ≡ n, ⸗° ⸗° ⊙ a, ⸗° ⊙ p
27	99.0	96.2	87.5	- 3.0	0.3	- 0.7	1.7	- 3.2	70	71	91	00 0	00 0	18 1	4	9 ⸗	10 ⸗°	0 =			⸗° ⸗ n, ⸗° ⸗° ⊙ a, ⸗ *° p
28	81.0	79.5	81.0	- 2.3	5.5	5.0	6.1	- 4.0	90	49	53	01 1	25 3	27 4	8	1 ⸗°	1 ⸗°	0 ⸗°	0.2	0	= (=) ⸗° n, (=) ⸗° ⊙ a, ⸗° ⊙ p
29	75.1	75.5	80.9	0.0	5.5	4.1	6.2	- 1.1	88	48	54	00 0	24 5	28 4	9	2 =	2 ⸗°	0		0	= ⸗° n, = ⸗° ⊙ a, ⸗° ⊙ p
30	93.4	98.8	02.1	- 4.7	0.2	- 0.9	4.6	- 4.7	82	72	76	01 1	00 0	00 0	4	1 ⸗°	8 ⸗°	10 =		0	⸗° (=) n, ⸗° ⸗° ⊙ a, ⸗° = p
M	09.1	09.0	09.0	- 1.5	1.0	- 0.4	2.2	- 3.0	88	81	85	1.1	1.4	1.3	5.1	7.2	7.4	6.1	20	0	

Desember XII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	06.1	07.7	08.4	- 0.5	0.8	1.6	1.6	- 2.1	83	95	98	00 0	03 1	03 1	3	8 =	10 •°	10 •°	0.0	0	*°(=)=n, (≡)≡•° a,=°•°≡⸗ p,- 19
2	06.8	05.7	03.6	3.5	3.0	3.7	4.7	1.5	99	99	98	12 2	14 1	11 2	3	10 •°	10 •	10 •	1.7		•° • ~ ⸗° n, • ⸗° a,p, • p
3	98.0	96.9	97.6	2.8	1.7	1.6	4.0	1.2	97	97	98	06 2	02 2	02 1	5	10 •°	10 ⸗	10 =	3.7		= •° n, = • ⸗ a, = ⸗ p
4	03.1	05.7	06.5	1.5	1.4	0.6	2.1	0.6	99	99	96	00 0	00 0	02 2	3	10 =	10 •	10 =	10.3		= ⸗° n, ≡ • = a, = • ⸗° p
5	01.9	00.1	00.7	2.4	3.3	3.0	4.0	- 0.1	95	91	95	08 2	10 2	08 2	5	10 =	10 =	10 ⸗°	1.9	0	= ⸗ n, = ⸗° a,p
6	09.5	14.3	19.1	1.8	1.0	0.3	3.2	0.2	90	91	85	02 2	08 1	04 1	5	10 ⸗°	10 *	10 ⸗°	0.0		⸗° = n, = *° a,p
7	28.0	29.3	32.7	- 2.5	- 2.4	- 5.6	1.0	- 5.7	79	78	83	08 2	00 0	02 2	7	10 ⸗°	9 ⸗°	1 ⸗°	0.1		⸗° n, ⸗ ⸗° ⊙ a, ⸗° ⸗ ⊙° p
8	34.2	33.2	30.6	- 6.1	- 4.7	- 4.5	- 4.5	- 7.8	81	83	82	04 1	04 1	00 0	4	10 ⸗°	10 ⸗°	10 =	0.0		⸗° n, ⸗° (≡) a, = (≡) p
9	19.3	13.4	08.2	- 2.9	0.3	1.7	1.9	- 4.7	90	80	80	16 1	20 3	18 3	5	10 =	10 *	10 =			= n, = * a,p
10	98.0	97.9	97.4	3.4	1.6	- 2.1	4.0	- 2.6	64	56	60	24 3	23 1	24 2	8	8 -	1 ⸗°	1 -	0.3	0	= - n, - = ⸗° ⊙ a,p
11	94.1	95.9	98.0	- 5.4	- 3.6	- 5.1	- 2.0	- 6.6	64	52	57	26 2	27 3	28 3	9	1 ⸗°	1 ⸗°	0		0	⸗° - n, ⸗° ⊙ a,p
12	01.6	00.4	94.8	- 5.2	- 2.9	- 6.0	- 2.5	- 6.8	58	55	67	30 2	00 0	00 0	8	0 ⸗°	10 ⸗°	10 ⸗		0	⸗° (=) n,a, ⸗° ⊙ a, ⸗° ⸗ ⊙° p
13	87.1	76.6	82.9	- 4.6	- 2.5	- 6.3	- 2.5	- 6.8	87	70	72	02 4	01 3	32 1	9	10 •°	8	0 ⸗°	15.0	14	* ⸗° ⸗° n, *° ⸗° ⊙ a, ⸗° p
14	90.0	91.6	90.7	- 1.8	- 0.6	- 4.7	- 0.6	- 6.8	54	53	74	28 4	26 3	00 0	8	4	8 ⸗°	10 ⸗	0.0	11	⸗° ⸗ n, = ⊙ a, ⸗ ⸗° ⊙ p
15	85.7	82.6	84.6	- 7.3	- 2.3	- 1.4	- 1.3	- 7.8	92	88	86	00 0	02 1	32 1	5	7 ⸗°	9 =	10 ⸗°		10	⸗ ⸗° n, ⸗° = ⸗° ⊙ a, ⸗° (=) ⊙ p
16	92.9	91.7	88.3	-11.5	-10.6	-10.5	- 1.0	-12.8	91	90	89	00 0	00 0	02 2	1	0 ⸗	0 ⸗	4 ⸗	0.0	11	⸗° ⸗ (=) ⸗ n, - ⸗° ⸗ ⊙° a, ⸗ -p
17	84.2	84.4	82.2	- 4.6	- 4.0	- 1.8	- 1.8	-10.7	81	89	97	04 2	04 2	05 2	5	10 *°	10 *°	10 *	0.6	12	= * n, = *° a, = * p
18	79.6	81.7	81.6	3.9	4.2	4.0	4.8	- 1.8	99	99	96	16 1	10 1	08 1	3	10 •°	10 •°	10 •	12.5	9	⸗° ⸗ * • n, ⸗° •° a, ⸗° • p
19	81.0	82.0	81.5	2.4	2.1	2.7	4.8	1.6	93	96	91	04 1	02 2	04 2	4	10 •°	10 ⸗	10 •°	7.6	3	⸗ • n, ⸗ (≡) ⸗° a, ⸗ •° (≡) p
20	82.9	86.2	88.5	1.4	2.0	1.1	3.0	1.0	94	94	97	04 1	00 0	00 0	5	10 ⸗	10 =	10 =	5.9	1	= ⸗ ⸗ n, = ⸗ a, ≡ p
21	91.9	92.7	93.0	0.6	1.2	1.1	1.8	0.2	98	98	97	00 0	00 0	00 0	3	10 ⸗°	10 ⸗°	10 ⸗°	1.9	0	⸗° n, ⸗° ⸗° a, = ⸗° p
22	94.9	95.4	95.5	2.3	1.4	0.0	2.9	0.0	78	75	83	02 3	32 1	02 1	8	10 ⸗°	6 -	10 ⸗°	4.8	1	⸗° ⸗ ⸗ n, - ⸗° ⊙ a, = - p
23	97.7	99.2	00.0	- 1.3	- 1.7	- 3.5	1.1	- 3.5	78	73	77	06 2	04 2	04 2	7	10 ⸗°	10 ⸗°	10 ⸗°		1	⸗° ⸗° n, ⸗° ⸗° a, = ⸗° ⸗° p
24	01.6	01.3	00.7	- 8.1	- 8.6	- 7.8	- 3.0	- 8.9	80	81	77	02 4	02 4	01 6	4	10 *	10 *	10 ⸗°	0.3	2	* ⸗° ⸗° n, * ⸗° a, * ⸗° p
25	01.2	02.3	04.1	- 6.3	- 5.8	- 5.2	- 5.1	- 7.9	80	78	77	01 6	03 4	01 3	6	10 *	10 *°	10 ⸗°	1.7	1	* ⸗° n, * ⸗° a,p
26	06.7	07.4	07.2	- 4.0	- 2.7	- 2.0	- 2.0	- 5.6	89	89	83	01 1	03 1	03 2	5	10 *	10 *°	10 ⸗°	3.6	2	⸗° * n, * *° = a, *° ⸗° p
27	00.1	96.5	94.7	- 1.3	- 1.3	- 1.0	- 0.9	- 2.3	89	90	84	02 2	02 3	02 2	5	10 ⸗°	10 *°	10(=)	0.7	3	⸗ = n, * ⸗° a, (=) *° ⸗° p
28	90.7	89.5	88.6	- 0.7	- 0.6	- 0.2	0.0	- 1.8	85	81	80	04 1	04 2	04 2	8	10 ⸗°	9 ⸗°	8 -	0.4	3	⸗° n, (=) ⸗° a,p, - p
29	92.3	95.2	97.4	- 1.2	- 0.8	- 3.5	0.1	- 3.8	78	67	73	02 4	02 3	01 2	8	10 *°	6 ⸗°	0(=)	0.0	3	(=) - *° n,a, ⊙ a, (=) - ⊙ p
30	05.4	08.2	11.2	- 9.2	- 7.0	-10.1	- 3.0	-11.9	72	72	78	00 0	00 0	00 0	3	1 ⸗°	0 ⸗°	0 ⸗°	0.0	2	(=) ⸗° n, = ⸗° ⸗° ⊙° a, ⸗° ⊙° p
31	14.6	16.0	17.2	-12.4	- 9.4	-13.3	- 9.0	-13.3	87	78	89	00 0	00 0	00 0	3	1 ⸗°	0 ⸗°	0 ⸗°		2	⸗° n, ⸗° ⸗° ⊙° a, ⸗° ⸗° p
M	98.8	99.4	99.6	- 2.3	- 1.5	- 2.4	0.2	- 4.4	84	82	84	1.8	1.5	1.5	5.3	8.1	8.0	7.5	73	3	

Ekstensotabell

1945

Bergen (Fredriksberg)

$\varphi = 60° 24' N$ $\lambda = 5° 19' E$ $g = 9.819$ $\Delta G = +1^h$

Januar I

$H_s = 43$ $H_b = 44.4$ $h_c = 1.8$ $h_a = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	21.6	18.6	15.4	- 0.3	1.7	6.4	6.4	- 3.2	98	94	00	12 4	12 6	17 3	4	10 *	10 •	10 •	0.3	4	‡ • = a, • = p
2	08.9	06.3	00.9	5.4	4.5	2.0	**7.5**	2.0	92	90	93	32 1	24 1	00 0	7	10 =°	10 ‡°	10 ‡	31.4		= • n, ‡ △ =° a, ‡ ‡° =° p
3	90.1	89.0	87.2	2.3	0.3	- 1.7	4.8	- 1.7	86	98	96	28 2	00 0	00 0	6	9 ∽	9 ♦	0 ∽°	19.1		♦ ‡ △ n,a, ∽ a, ♦ △ ∽° p
4	88.7	91.1	95.1	- 3.1	1.0	0.9	1.3	- 3.7	71	75	69	30 3	32 3	32 3	9	9 ∽°	9	0	3.7	3	♦° ∽° n, ∽° ⊙° a
5	99.4	01.0	01.6	- 2.3	- 0.5	- 1.6	1.1	- 3.0	92	96	98	32 1	00 0	32 3	4	9 =²	9 ♦	1 =°		2	=² ∽ n, ♦ =² a, ♦ = p
6	96.3	95.3	90.3	0.3	2.7	1.2	3.7	- 1.6	90	89	96	14 4	19 2	16 2	8	9 ♦°	9 ♦°	10 ♦°	0.2	2	♦° ∽ =° n, ♦ ♦ ♦ =° ∽ a, ♦ ♦ ∽ p
7	88.1	84.5	90.5	0.1	1.2	0.9	1.8	- 0.9	89	89	71	28 1	18 4	16 2	8	9 =°	9 ♦	10 ∽°	13.2	5	♦ ♦ * ∽ n, ♦ ♦ △ =° a, ♦ ∽° p
8	96.3	99.1	02.4	- 0.7	0.9	- 0.1	1.2	- 1.3	91	87	91	00 0	00 0	00 0	7	9 =	7 =°	9 =°	4.0	8	= ∽ n, ♦° = ⊙° a, =° ⊙° p
9	07.0	08.6	10.4	- 1.5	- 1.5	- 2.8	- 0.1	- 4.5	81	77	88	24 1	00 0	00 0	4	1 =°	5 =²	0 =°	0.0	8	=° n, = ⊙° a, =² p
10	11.0	13.4	15.1	1.3	2.6	1.0	2.9	- 4.0	64	64	89	32 1	30 1	00 0	9	3 ∽	9 ∽°	1 =²		7	=° n, ∽ ⊙° a, ∽° p
11	19.9	23.8	25.9	- 1.0	0.5	- 1.9	1.9	- 2.0	89	88	96	00 0	00 0	00 0	4	4 =²	1 =²	0 =²		7	∽² = n, =² ⊙° a, =² p
12	29.3	30.8	31.9	- 4.2	- 1.8	- 2.6	- 1.7	- 5.0	91	82	88	00 0	00 0	00 0	3	0 =²	1 =°	0 =²		6	=² ∽° n, =² n, =° =² p
13	**33.9**	32.9	31.1	- 1.1	1.9	1.7	2.2	- 4.1	91	87	94	14 2	16 2	16 2	7	1 =	10 =°	10 ‡°		6	=² n, = a, ‡° =° ∽° p
14	19.4	17.9	17.6	2.3	3.6	2.2	4.4	1.6	00	92	72	13 4	32 1	01 3	9	10 •	7 ∽°	6 ∽°	5.3	0	‡° • ∽° n, • =° ∽° ⊙ a, ♦ ⊙° ∽° p
15	18.0	16.4	14.3	- 1.8	- 0.6	- 2.6	2.5	- 2.6	86	94	78	00 0	00 0	14 2	4	8 =°	9 =	1 ∽	1.5	0	♦° ∽° =° n, ♦° = ⊙° a,p ∽ 19
16	91.9	84.7	75.5	- 0.7	4.9	3.7	5.6	- 3.0	98	89	87	16 6	20 3	24 4	7	10 *	10(•)	10 •	6.0	8	* ∽ ∽ n, ‡ * • ∽ a, ∽ • p
17	76.4	83.2	85.4	1.3	- 1.7	- 2.8	4.2	- 3.2	78	90	94	31 5	01 4	32 3	8	9(♦)	4 ∽°	9 ♦	14.2	2	♦ △ • ∽ n, ♦° ⊙° ∽ a, ♦ ∽° ⊙° p
18	82.5	79.4	75.3	- 4.4	- 1.9	- 4.6	- 0.4	- 5.2	91	87	45	14 2	00 0	24 1	8	10 ♦	3	1 ∽°	6.3	15	♦ * n, * ⊙ a, ⊙ p
19	**71.6**	72.3	72.7	- 3.3	- 2.5	- 3.9	- 0.5	- 4.5	45	**34**	53	01 4	01 2	30 1	9	9 ∽°	9 ∽°	9 ⊕	0.1	8	∽° n, ∽ ⊙° a, ∽° ⊙° ⊕ p
20	77.4	79.5	82.3	- 2.8	- 1.8	- 4.3	- 1.8	- 4.4	54	54	60	01 3	29 1	10 1	9	9 ∽°	10 ∽°	1 =°		7	⊕° ∽° n, ∽° ⊙° a,p
21	89.2	93.5	97.1	- 5.1	- 1.4	- 5.3	- 1.4	- 6.4	70	73	72	00 0	00 0	00 0	4	3 =°	1 =²	0 =²		7	=° n, =° ⊙ a, =² p
22	02.5	04.6	05.6	- 5.9	- 2.2	- 4.3	- 2.2	- 7.1	80	67	80	00 0	00 0	00 0	2	3 =²	8 ≡	4 ≡		6	=² n, =² ⊙ a, ≡ ⊙° ⊕° p
23	06.7	06.8	07.4	- 5.6	- 1.5	- 5.9	- 1.5	- 6.2	76	62	73	00 0	00 0	00 0	4	1 =²	5 =²	1 =²		6	≡ ⊕° =² n, =² ⊙° a,p
24	09.0	09.2	09.1	- 7.9	- 2.4	- 6.6	- 2.4	- **8.3**	81	55	77	00 0	00 0	15 1	5	0 =°	6 =	0 =		5	=° ⊙ a, = ⊙° p
25	13.4	15.2	15.8	- 4.2	- 1.9	- 4.7	- 1.9	- 7.0	67	50	67	00 0	00 0	00 0	7	9 =°	9 =°	9 =°		4	= n, =° ⊙ a, =° ⊙° ⊕° p
26	12.8	12.5	13.8	- 2.1	-.1.2	- 1.4	- 0.7	- 5.5	50	55	51	01 2	06 4	26 2	9	10 ∽°	10 ∽°	10 ∽°		4	=° ⊕° ∽ n, ∽° a,p
27	13.3	14.5	16.6	- 2.3	- 1.4	- 1.1	- 0.5	- 2.5	55	49	50	07 5	09 4	05 2	9	10 *°	10 ∽°	10 ∽°	0.0	4	*° ∽° n,a,p
28	22.9	25.1	25.4	- 4.5	- 0.8	- 4.3	0.4	- 5.0	60	55	76	16 1	14 1	15 1	6	2 =°	1 =°	1 =°	0.0	3	∽° n, =° a, =° ⊙ p
29	21.1	18.3	16.3	- 5.8	- 1.8	- 2.7	- 1.5	- 6.6	88	86	90	24 1	00 0	00 0	4	3 =	9 =²	10 =		2	=° ∽° n, = ⊙ a, =² ⊙° p
30	07.9	03.4	98.6	- 5.3	- 1.6	- 0.9	- 0.6	- 6.3	84	85	47	00 0	00 0	26 1	5	9 =²	9 =	7 =°		2	= ∽ n, =² a, = p
31	89.7	90.8	92.7	- 1.8	- 0.8	- 3.2	0.0	- 3.4	77	61	66	17 1	02 1	32 1	9	10 *°	1 ∽°	0 ∽°	0.0	2	*° =° n, *° ∽ a, ∽° ⊙ p
M	03.8	03.9	03.8	- 2.1	- 0.1	- 1.6	1.1	- 3.8	80	76	78	1.7	1.3	1.2	6.4	6.7	7.1	4.8	105	5	

Februar II

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde > 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	91.6	91.1	92.8	- 5.5	- 2.6	- 4.4	- 2.1	- **7.0**	79	56	65	00 0	00 0	16 1	5	10 =	10 =	0 =°	0.0	2	= ∽° n, ⊙° ⊕ = a,p
2	91.6	86.0	86.3	- 0.8	- 0.5	- 0.7	- 0.1	- 5.9	65	94	98	14 1	00 0	00 0	2	10 =°	10 *°	10 *	0.0	2	*° =° n, * = ∽ a, * ∽ p
3	99.2	07.0	11.0	- 1.3	1.1	- 1.1	1.3	- 1.9	83	85	94	02 2	02 1	16 1	9	1 ∽°	4 ∽°	0 ∽°	5.1	8	* ∽° n, ∽° ⊙ a,p
4	03.4	00.4	02.7	0.2	2.4	0.9	3.0	- 3.5	48	**44**	85	14 4	18 4	15 5	8	9 ∽°	10 ∽	10 ∽°		7	∽° n,a, ‡ * ∽° p
5	04.4	02.2	98.8	1.3	1.6	0.7	2.4	- 0.5	85	78	86	10 4	18 2	10 1	8	10 ∽	10 ∽	10 ∽²	0.6	5	∽° n, ∽ ⊙° a, ∽ p
6	00.3	01.8	02.7	3.7	3.7	3.4	3.9	0.7	85	90	93	15 4	15 4	16 4	7	10 =°	10 •°	9 ♦	1.0	0	• ∽² n, • ∽ =° a, ♦ • ∽ p
7	88.7	82.8	**81.8**	3.8	4.3	4.5	5.4	2.6	80	85	84	15 3	17 4	15 5	7	10 •	10 •	10 ♦°	8.9	0	♦ • ∽ n, • ∽ a, ♦ • ∽ p
8	87.1	90.5	92.0	6.0	5.8	4.6	6.1	3.4	87	85	92	20 3	22 4	20 3	6	10(♦)	9(♦)	10 =°	21.2	0	♦ • =° ∽° n, ♦ =° a, =° (♦) p
9	91.5	92.5	94.0	4.9	9.3	4.9	9.3	3.5	67	52	71	15 3	16 1	16 1	8	10 =°	3 ∽	10 ∽°	9.0	0	=° n, =° ∽ ⊙ a, ∽ ⊙ p
10	91.4	87.1	84.6	3.8	5.8	4.8	6.1	3.5	78	52	71	16 3	15 2	07 2	8	9 ∽	10(•)	10 •°	0.6		•° ♦° ∽° n, •° ∽ p
11	89.2	90.7	91.7	0.8	2.9	1.6	5.6	0.8	00	83	82	14 3	15 3	14 3	8	10 ‡	9 ∽	1 ∽°	5.4	0	‡ • ∽° n, ‡ ∽ ⊙° a, ∽ ⊙ p
12	97.0	99.8	99.6	- 0.1	2.6	1.1	3.0	- 0.7	71	62	69	16 2	14 2	14 1	8	0 =°	9 ∽	1 ∽	0.4		∽° ∽ n, =° ⊙ ∽ a, ∽ ⊙° p
13	91.3	87.7	89.2	1.3	2.3	2.5	2.9	- 1.1	53	79	82	12 1	17 4	16 5	3	10 =°	10 ‡	10 ‡			∽ n, ‡ * =° a, ‡ p
14	90.7	94.8	00.3	3.7	3.5	4.7	5.1	1.0	98	98	87	16 4	16 4	26 2	6	10 •°	10(•)	10 ∽	19.6		‡ • n, ∽² • a,p
15	13.0	17.2	18.4	3.3	5.5	3.8	5.6	3.2	92	79	87	24 1	16 1	00 0	7	10 =°	9 =°	6 =°	6.5		♦° ∽ n, =° ⊙° a,p
16	19.7	19.6	19.0	4.9	6.3	6.2	6.9	1.6	55	53	56	15 3	18 5	17 4	9	10 ∽	10 ∽°	10 ∽°			=° n, ∽ a, ∽° p
17	22.1	21.8	20.9	3.0	4.8	5.5	7.0	2.9	95	73	65	16 3	17 3	17 4	8	10 •	10 ∽	10 ∽	3.1		• • ∽ =° ∽° n, •° •° =° ∽ a, ∽ p
18	18.5	20.5	19.9	6.0	6.5	6.6	7.8	4.7	93	99	96	17 5	17 4	17 5	4	10 •°	10 •²	10 •°	1.0		• • ∽ n, • • a, •° •² p
19	25.8	**26.9**	24.5	6.2	7.4	8.0	8.1	5.4	00	96	64	14 2	14 3	14 4	6	10 •°	10 =°	10 ∽	15.8		• • n, ≡ = •° a, =° p
20	17.2	17.3	20.7	7.6	4.9	5.4	**9.6**	4.9	94	00	99	16 5	14 3	30 1	5	10 •	10 •	9 =°	10.2		• ∽ n,a, =° • p
21	23.4	18.4	15.5	4.1	4.1	4.5	5.7	3.6	95	92	96	16 4	16 6	16 6	6	9 =²	10 •	10 •²	26.5		♦° =° n, ♦° = a, • ∽ p
22	13.1	15.2	17.4	6.4	6.3	4.1	7.0	4.0	88	72	85	20 4	22 3	26 2	8	8 ∽	8 ∽	5 ∽	54.4		•² ∽ n, ∽ ⊙° a, ∽ ⊙ p
23	16.6	16.2	15.6	3.2	4.5	3.1	5.9	1.2	74	90	95	18 3	16 4	17 3	7	9 ∽	9(♦)	9 ∽²	1.2		♦ △ ∽ ∽° n, ♦ ♦ △ ∽ a, ♦ ♦ ∽² p
24	12.7	09.2	02.1	4.3	5.2	4.7	5.5	2.6	93	87	89	18 4	16 6	17 7	7	10 •	10 ∽²	10 ∽²	5.7		• ∽² n,a, •° ∽² p
25	90.9	91.1	94.4	2.9	3.6	3.0	6.1	1.9	93	88	67	16 3	24 3	26 5	6	9 ∽	9 △	2 ∽°	39.5		♦ •² ∽² n, △ ♦ ∽ ⊙° a, ‡ ♦ △ ∽ p
26	94.3	97.1	00.5	1.5	5.6	4.8	5.8	- 0.4	85	89	86	16 4	18 2	20 2	8	10 *°	9(♦)	2 ∽	4.5	0	* ∽° n, ♦ *° △ ∽° a, △° ∽ p
27	09.2	07.2	06.7	5.3	5.5	5.7	6.2	3.1	91	00	00	24 3	18 4	16 3	4	10 ∽²	10 •	10 •	3.4		♦ ∽ n, =° • a, ≡° • • ∽° p
28	09.0	09.8	03.1	6.8	6.8	7.1	7.9	5.7	00	98	87	24 2	18 3	18 4	4	10 •	10 •	9 ♦	16.6		≡° • • n, ≡° • a, • ♦ • = p
29																					
M	03.7	03.6	03.8	3.1	4.3	3.6	5.2	1.4	83	81	83	3.0	3.0	3.0	6.5	9.1	9.2	7.6	260	1	

Ekstensotabell

1945

Bergen (Fredriksberg)

$\varphi = 60° 24' N$ $\lambda = 5° 19' E$ $g = 9.819$ $\Delta G = +1^h$

Mars III

$H_s = 43$ $H_b = 44.4$ $h_c = 1.8$ $h_s = 10.7$ $h_d = 10.3$ $h_r = 1.3$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	89.6	96.0	98.7	1.3	0.2	- 0.2	6.8	- 0.9	96	92	89	28 3	30 4	32 4	9	9 ⸸	8(⸸)	9 ⸸	12.3	3	⸸ ⸸ ⸸ n, △ ⸸ =° ⊙° a, △ ⸸ =° ⊙° p
2	12.8	18.7	21.6	1.4	0.9	0.2	3.4	- 0.6	89	73	65	32 5	32 4	32 4	4	9(⸸)	8 △	4 =°	9.7	2	△ ⸸ ⸸ \ n, △ ⊙ ⸸ =° a, △ = p
3	25.3	26.0	22.7	- 0.2	1.8	0.9	2.4	- 1.0	83	76	77	01 3	32 2	16 2	9	1	9 =°	10 =°	0.9	2	⸸ =° n, =° ⊙ a, =° ⊙° p
4	13.9	15.0	15.8	0.9	2.8	2.8	3.4	- 0.9	96	93	89	30 1	32 4	32 3	6	10 ⸸°	10 ⸸°	3 =°	1.7	0	⸸ * =° n, ⸸° =° a,p
5	16.1	15.6	14.9	1.5	3.8	2.9	4.2	1.3	96	75	83	01 2	31 2	02 2	9	9 =	9 =°	9 =°	1.4	0	⸸ =° n, = a, =° p
6	16.2	16.9	16.6	0.2	3.9	3.3	5.0	0.0	90	77	87	31 2	32 2	00 0	9	8 =°	9 =°	9 =		0	=° ⌣° n, =° ⊙ a, =° p
7	18.0	18.4	16.6	0.8	4.0	1.8	4.3	0.2	00	92	98	00 0	28 1	13 3	8	10 ≡°	10 =	10 •	0.7		⸸ ⸸ ≡° = n, ≡° = = ⊙° a, =°⊙°= p
8	19.8	24.3	**27.0**	2.5	5.4	3.0	5.7	1.0	00	62	72	28 2	32 3	30 1	9	9 =°	9 =°	1 =°	4.3		• ⸸ =° n, =° =° ⊙ a, =° ⊙ p
9	25.1	23.9	21.9	1.9	3.3	5.6	5.7	1.0	98	00	00	14 3	15 2	30 1	3	10 •°	10 •	10 •	0.5		⸸ • =° n, ≡° • , = a, ≡° , • p
10	18.1	18.4	20.2	5.9	6.1	5.5	6.4	5.2	00	00	00	29 3	32 1	31 3	2	10 ,	10 ,	10 ,	10.0		≡° , • n, =° ≡ , a, ≡ , p
11	24.8	25.8	25.4	5.3	7.5	6.4	7.8	5.1	00	94	96	30 1	28 1	30 2	7	8(⸸)	9 =°	10 =°	4.4		⸸ , • ≡ =° n, ⸸° ⊙° =° a, =° ⊙°p
12	22.5	20.2	17.3	5.2	8.4	7.2	9.0	4.5	00	69	79	14 1	20 3	16 4	9	10 ≡	9 =°	7 =°	0.3		•° ≡ =° n, ≡ = ⊙° a, = ⊙ p
13	18.5	20.7	19.6	5.2	9.7	4.2	9.7	4.2	00	70	92	00 0	28 1	28 1	9	10 ,°	6 =	4 =°	2.6		• , ≡ n, , = a, = ⊙ p
14	16.4	13.7	12.4	2.5	4.8	6.1	6.4	2.2	96	97	00	12 3	16 4	15 3	6	9 ,°	10 •	10 •	0.0		=° n, • ,° =° a, = • p
15	09.6	06.8	06.2	5.8	4.9	5.1	7.0	4.7	00	00	00	16 3	20 4	19 3	3	10 •	10 ,	10 ,°	29.7		• = n, • , =°a, , • = p
16	02.7	01.5	01.2	5.7	6.2	6.2	6.9	5.1	00	99	99	15 2	20 2	20 2	6	10 •°	10 •°	10 •°	7.9		•° , = n, • , =° a, • =° p
17	08.6	12.8	14.5	3.4	6.1	4.3	6.8	2.9	98	86	57	28 1	16 1	30 1	8	4 =°	4 =	0 =°	20.1		• =° n, =° ⊙° a, =° ⊙ p
18	18.9	16.9	14.6	0.0	7.0	5.6	7.6	- 0.6	93	61	62	00 0	19 3	16 3	9	9 =°	5 =°	9 =°			=° ⌣° n, =° ⊙° a, =° ⊙ p
19	08.4	06.5	02.6	4.2	4.7	6.5	6.8	3.1	87	79	87	15 4	15 4	15 4	4	10 •	10 •	10 =°	9.8		=° • n, = • a, =° • p
20	**86.4**	90.8	93.2	6.2	7.3	6.9	8.0	5.8	97	89	90	27 2	26 4	27 4	8	10 •	9 =	10(⸸)	23.6		=° • n, ⸸ • = a, = ⸸° p
21	04.6	10.5	12.3	6.0	7.7	6.5	8.3	5.4	94	89	78	31 4	28 2	16 3	7	9(⸸)	9 =°	10 =	8.7		⸸ = n, ⸸° ⊙° =° a, =° ⊙° p
22	13.1	15.0	16.3	7.3	7.7	7.7	8.0	5.5	91	91	94	16 4	17 5	17 4	5	10 •	10 =	10 =	20.5		= • n, • , =° = a, = p
23	18.5	19.8	20.0	9.5	13.7	12.2	13.9	7.5	79	59	64	16 5	14 4	14 3	7	8 =°	1 =°	0 =°	8.0		= =° n, =° ⊙ a,p
24	18.9	17.9	15.1	5.0	13.9	14.6	15.8	4.1	92	57	39	00 0	26 1	14 3	8	0 =°	0 =	0 =			=° =° = ⊙ n, = ⊙ a,p
25	12.5	10.2	08.8	9.1	19.8	16.0	**19.8**	8.5	66	**25**	35	24 1	14 3	14 3	8	0 =	1 =	4 =			= n, = ⊙ a,p
26	09.8	10.9	11.4	9.7	9.8	9.0	16.0	8.8	79	75	83	16 2	15 3	16 2	7	9 =°	10 =°	9 =°			= ⊙° n, =° ⊙° a,p
27	12.4	10.6	08.9	5.0	8.6	7.3	9.6	5.0	00	87	79	00 0	16 1	13 3	3	10 ≡	8 ≡°	9 =			≡ =° ⊙° ⌢ n, ≡ ⊙° a, =° ⊙ = p
28	05.5	05.2	04.0	4.9	8.0	6.6	8.1	4.8	96	78	80	14 4	16 2	18 2	8	10 •°	9 =	9 =	3.0		• , = ⊙° n, •° , = ⊙ a, ⸸° ⊙°= p
29	99.6	97.6	95.4	5.6	10.7	8.4	11.2	4.7	61	48	61	00 0	26 1	12 2	9	10 =°	1	10 =°	0.2		= n, =° ⊙ a, ⊙ p
30	89.5	91.8	92.2	6.0	8.2	6.2	8.7	5.9	94	78	84	15 3	18 5	18 3	9	10 •°	8 =°	9(⸸)	11.0		• =° n, •° = ⊙ a, ⸸° ⊙ =° p
31	92.6	90.0	86.8	4.7	5.1	7.2	7.5	3.1	90	94	96	13 4	1 5	15 3	4	10 =	10 •°	10 •	4.0		⸸ • =° n, • , =° = a, • , =° p
M	11.2	11.9	11.4	4.3	6.8	6.0	8.1	3.4	92	80	81	2.2	2.7	2.6	6.8	8.4	7.8	7.6	195	0	

April IV

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	76.8	**75.3**	76.9	8.0	8.0	6.7	8.7	6.4	90	82	90	16 5	18 4	26 2	7	10(⸸)	9(⸸)	9(⸸)	42.3		⸸ • =° n, ⸸ • =° = a, ⸸ = p,⊙°19
2	81.0	83.9	86.8	5.5	6.0	6.5	8.1	5.2	96	87	87	00 0	16 4	20 4	8	7 =	9(⸸)	9(⸸)	11.8		⸸° ⊙° = n,a, △° ⸸ = p
3	89.0	90.2	90.8	4.2	7.2	4.4	7.5	3.4	92	68	90	13 3	16 4	16 2	9	9(⸸)	9 =°	9 =°	3.9		△ ⸸ =° = n, ⸸ ⊙°=°=°a,⸸ =° ⊙° p
4	94.5	98.2	01.4	4.7	11.2	8.0	11.2	2.9	81	56	65	30 1	28 2	00 0	9	7 =°	1	6 ⸸°	2.1		=° ⊙ ⸸ ⌢ n, =° ⊙ a, ⸸° ⊙ =° p
5	08.9	11.4	14.3	2.3	8.9	7.1	9.9	1.6	00	59	71	06 1	32 1	08 2	9	9 ≡	9 =°	7(⸸)	0.2		⸸ ≡ =° =° ⊙ n,≡ =°⊙ a,△°⸸ =° ⊙ p
6	22.2	25.2	27.0	2.9	10.8	9.9	12.9	1.6	93	55	52	16 1	30 3	28 3	9	0 =°	1	0	2.5		=° ⊙ =° ⌣ n, =° ⊙ a, ⊙ p
7	**30.2**	29.7	29.1	4.9	10.7	7.5	11.5	1.3	76	49	70	00 0	18 3	14 3	9	0 ≡°	0	9 =	0.0		≡° =° ⌣ ⊙ n, ⊙ a,p
8	25.7	25.1	24.6	4.8	6.3	7.0	7.5	3.7	98	00	00	12 3	14 3	12 1	3	10 •°	10 •	10 =	2.8		= n, •° = a, , • = p
9	25.2	24.8	23.4	7.3	8.1	7.6	8.1	6.8	00	98	00	14 1	16 2	12 2	3	10 ≡	10 ,°	10 •	8.8		, n, ≡ ,° a, • , ≡° = p
10	23.1	23.1	21.4	5.8	7.7	6.1	8.9	5.2	75	69	68	32 1	30 3	32 3	9	5 =	6 =°	1 =°	8.0		• , = = ⊙ ⌢ n, = ⊙ a, =° ⊙ p
11	17.6	15.0	13.2	3.2	7.4	6.1	8.5	1.6	71	39	43	32 2	32 4	32 3	9	1 =°	0	1			=° ⊙ ⌢ ⌣ n, =° ⊙ a, ⊙ p
12	11.3	10.5	09.3	3.0	9.5	6.0	10.0	**0.8**	64	43	67	00 0	20 2	18 2	9	6 =°	8	10 =			⊙ ⌢ ⌣° n, =° ⊙ a, ⊙ p
13	08.6	10.7	12.8	4.3	10.7	8.2	10.7	2.9	79	51	41	14 1	26 1	02 3	9	9 =°	7	3			= ⌢ ⊙ n, =° ⊙ a, ⊙ p
14	19.9	21.9	21.2	4.1	9.1	6.6	9.6	1.4	63	46	65	00 0	18 4	18 2	9	0 =°	1	7 =°			=° ⊙ ⌢ ⌣° n, =° ⊙ a, ⊙ p
15	18.3	18.8	18.4	8.0	8.3	7.9	8.4	4.7	**35**	57	72	16 5	16 5	15 4	9	9	10 =°	10 =			=° n,⊙° =° •° a, =° •° p
16	17.0	15.3	12.4	10.5	13.8	11.8	**14.8**	7.6	90	80	94	15 4	16 4	15 5	5	10 =°	10 =°	9 ⸸	0.0		= •° n, =° a, ⸸ =° p
17	14.0	14.5	13.8	6.9	10.9	11.0	13.8	6.6	00	90	87	00 0	26 1	00 0	5	10 =°	9 =	9 =°	9.6		=° =° ⸸ • , K n, =° •° ⊙ a, = ⊙ p
18	13.4	16.3	16.6	8.6	9.1	8.4	12.1	6.8	96	93	96	16 4	26 2	26 2	6	10 •°	10 =°	9 =	3.1		⸸ • ≡ =° n, = •° ⸸ a, =° ⸸ p
19	17.7	18.5	17.1	6.8	9.5	8.0	10.8	5.7	91	82	85	00 0	26 3	26 2	7	9 =°	9 =°	10(⸸)	9.8		= ⸸ n, =° =° ⸸° ⊙° a, =° ⊙° p
20	05.6	05.1	01.9	7.7	8.6	6.6	9.4	5.7	00	71	84	15 4	26 4	15 3	9	9 •°	9 =°	9(⸸)	6.5		=° ⸸• , = n, = •° ,⸸ = ⊙° a, =°⊙° ⸸ p
21	92.6	91.5	92.3	4.1	7.3	4.8	8.5	3.0	92	77	90	32 1	24 3	26 2	8	9(⸸)	10 ⸸	1 =°	18.0		⸸ •° = n, ⸸ = ⊙ a, ⸸² = ⊙ p
22	01.0	02.4	04.2	7.3	10.2	8.6	11.5	3.8	68	54	70	32 2	32 4	30 4	9	0	9 =°	2 =°	5.7		=° ⊙ n, ⊙ a, =° ⊙° p
23	09.8	10.5	11.3	5.6	10.9	7.2	10.9	3.3	85	76	89	20 2	26 3	28 2	9	0 =	9	9 =°			= ⊙ n,a, ⊙ p
24	09.9	10.6	09.6	5.8	6.6	4.4	7.7	4.3	97	80	97	00 0	32 1	26 1	8	10 •°	10 •°	10 •	2.3		=° • n, = •° ⊙° a, =° ⊙° • p
25	08.7	09.0	07.7	3.4	5.0	6.0	6.6	2.0	97	92	84	12 2	00 0	20 1	6	9 ⸸°	9 ⸸	9(⸸)	6.2		= • ⸸ n, =° ⸸ ⊙° a, = ⸸ ⊙° p
26	05.3	03.7	01.9	5.1	7.1	6.0	8.4	2.7	83	77	88	14 2	18 5	17 3	9	9 =°	10 =°	9 =°	6.3		⸸ ⊙° =° n, =° ⊙° a,p
27	97.5	98.0	97.3	4.1	3.7	5.3	6.3	2.3	90	93	77	14 4	12 3	30 1	7	10 =	10 =	10(⸸)	1.3		=° ⊙° ⸸ ⌢ n, = • ⊙° a, = ⊙° ⸸° p
28	90.6	91.1	90.9	4.4	6.0	6.1	7.0	3.0	80	66	72	00 0	18 4	16 4	9	9 =°	10 =°	5 =°	6.7		⸸° ⊙° = n, △° ⸸ =° a, △² =° ⊙° p
29	96.5	98.0	98.9	4.4	5.2	6.2	7.7	2.8	93	86	67	14 5	14 4	18 3	7	9 ⸸	9 △	6 =°	8.8		⸸ ⊙° =° n,△ ⸸ =° ⊙° a,△ ⸸ = ⊙° p
30	03.7	03.7	05.1	5.0	11.1	7.4	11.3	1.8	86	66	76	30 1	28 1	28 1	9	9 =°	9(⸸)	1 =°	5.2		=° ⊙° n, ⸸° = ⊙ a, △ ⸸ =° ⊙ p
M	07.9	08.4	08.4	5.4	8.5	7.1	9.6	3.7	85	71	78	1.8	2.9	2.3	7.8	7.2	7.7	7.0	172		

Ekstensotabell

1945

Bergen (Fredriksberg)

φ = 60° 24′ N   λ = 5° 19′ E   g = 9.819   ΔG = + 1h

Mai V

H_s = 43 H_b = 44.4 h_t = 1.8 h_a = 10.7 h_d = 10.3 h_r = 1.3

Datum	Lufttrykk P 8	P 14	P 19	Lufttemperatur T 8	T 14	T 19	Max	Min	Relativ fuktighet U 8	U 14	U 19	Vindens retning og styrke D,F 8	D,F 14	D,F 19	Synsvidde V 14	Skydekke og vær N,w 8	N,w 14	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	05.2	05.6	08.4	7.5	8.6	5.4	11.5	5.4	69	65	89	00 0	18 4	12 2	9	9 ∞°	9(∇)	9 ∞	1.7		∇° ∞° ⊙° n,a,p
2	07.9	08.8	08.5	8.2	11.4	10.1	12.0	4.0	50	46	49	07 3	09 4	03 1	9	9 ∞°	1 ∞°	10 ∞°	0.6		∞° ⊙ n,a,p
3	00.2	06.0	05.9	11.1	9.8	8.0	11.9	7.4	60	65	78	07 3	14 3	30 2	9	9	9 ∞°	10 •°			∞° ⊙° n, • ∞° ⊙ a,p
4	94.7	95.9	01.4	11.1	11.5	7.8	14.6	6.0	92	89	99	01 3	18 4	16 4	9	9 ∞°	9 ∞°	9 ∞°	4.4		• ∞ ⊙° n, ∞° ⊙° a, ∇° ⊙ ∞° p
5	01.0	01.2	01.1	6.6	10.2	10.7	11.2	4.6	77	65	72	32 1	30 3	30 3	9	9 ∞	1 ∞°	1 ∞°	0.3		∞° ⊙ n, ∞ ⊙ a,p
6	02.6	03.2	04.6	6.6	13.7	10.4	14.4	**3.6**	76	52	56	00 0	26 3	30 3	9	0 ∞	1	9			∞° ⊙ ⌂ n, ∞ ⊙ a, ⊙ p
7	10.5	13.2	14.2	7.2	9.5	8.3	10.9	6.8	87	80	67	27 1	26 2	32 2	9	10 ∞°	10 ∞°	3 ∞°			⊙ n, • ∞° a, ⊙ ∞° p
8	**16.7**	**16.7**	15.9	7.6	11.9	10.4	12.4	4.8	72	64	73	02 2	26 2	26 1	9	7 ∞°	9 ⊕	1 ∞°	0.5		∞° ⊙ ⌂ n, ∞° ⊙ a,p, ⊕ p
9	15.5	13.9	11.6	9.1	14.1	13.5	14.6	5.9	86	51	56	00 0	12 3	18 3	9	10 =°	10 ∞°	10 •			∞° ⊙ =° ⌂ n, •° ∞ =° a, • ∞ p
10	07.8	09.5	08.5	11.5	13.3	11.7	13.9	9.0	82	82	89	17 4	17 3	16 4	9	10 ∞	9 ∞°	8 =°	6.6		• ∞ n, ∞ ⊙ a,p, =° p
11	08.1	10.9	13.2	9.0	8.9	8.0	12.1	8.0	00	00	00	17 4	24 3	24 2	5	10 •	10 =	10 =°	6.5		• =° ⊙ n, = , a, ∇ = p
12	16.3	15.7	13.6	8.3	13.6	13.3	13.6	7.0	86	68	70	00 0	14 2	14 2	8	9 ∞	5 ∞	10 ∞	1.3		= , n, ∞ a, ∞ ⊙ p
13	09.0	04.2	92.1	16.1	20.3	17.0	**21.7**	11.9	72	63	72	14 5	14 4	14 4	9	8 ∞	5 ∞	9 R			∞ n, ∞ ⊙° a, R ∇ ⊙° ∞ p, = 19
14	**89.8**	92.1	93.8	7.9	9.5	8.2	17.0	7.9	98	76	99	14 4	17 5	15 5	8	9 ∇°	9 ∞	10 •	15.1		R ∇² = n, ∇° = ∞ ⊙ a, • ∞ ⊙° p
15	00.1	02.9	02.8	9.7	9.2	10.0	10.8	7.9	88	84	82	19 1	14 4	15 4	7	9 ∞²	9 ∇	10 ∞°	5.7		∇ • ∞² ⊙ n, ∇ ∞° ⊙ a, • ∇ ∞ ⊙ p
16	03.2	00.7	99.8	9.8	10.9	9.2	12.7	8.6	91	89	99	15 4	16 5	17 4	6	10 =°	10 =°	9 =°	2.4		∇ • ∞° n, =° •° a, =° •² ⊙ p
17	98.0	97.9	00.5	8.7	10.0	8.6	10.9	8.0	96	87	87	00 0	28 1	26 3	9	10 •	10 ∞°	9 ∞°	16.3		∇°• ⊙°∞° n, • =° ∞° ⊙ a, ∇ ∞° ⊙° p
18	08.5	10.5	11.4	6.2	6.6	6.5	8.8	5.4	86	83	90	29 3	28 3	28 3	7	10 ∞²	9 ∇°	9 ∞°	6.9		∇ • ∞° n, ∇° ∞² ⊙° a,p
19	12.5	10.6	10.0	8.6	14.1	12.9	14.9	5.2	73	61	66	32 3	29 3	29 3	9	3	0	0	0.7		∇° ⊙ ∞° ⌂ n, ⊙ a,p
20	11.5	12.6	10.5	11.6	18.0	16.5	18.9	6.3	62	35	38	00 0	30 2	30 1	9	0 ∞°	1	0			⊙ ⌂ n, ∞° ⊙ a, ⊙ p
21	10.1	08.4	05.4	12.9	19.5	17.2	20.3	8.3	55	35	40	00 0	28 3	31 2	9	0	1	1			⊙ ⌂ n, ⊙ a,p
22	03.3	02.7	01.3	13.5	19.5	17.1	19.9	9.1	60	47	46	00 0	26 2	25 1	9	0 ∞	1 ∞°	9			∞ ⌂ ⊙ n, ∞ ⊙ a,p
23	01.6	02.7	03.6	13.4	16.2	13.8	17.7	8.4	38	**33**	54	32 3	01 3	32 3	9	3	1	1			⊙ ⌂ n, ⊙ a,p
24	04.1	02.6	01.7	9.9	14.4	13.3	15.3	7.2	83	45	53	00 0	30 2	31 2	9	2 ∞°	3	1			⊙ ⌂ n, ∞° ⊙ a, ⊙ p
25	07.2	06.8	05.8	9.5	11.8	9.2	13.4	7.3	**33**	37	66	14 3	17 4	18 2	9	7	8	9 ∞°			⊙ ⌂ n, ⊙ a,p
26	02.4	02.4	02.2	10.6	14.4	14.5	16.2	6.4	46	46	40	06 1	26 1	30 1	9	9 ∞°	9 ∞°	4 ∞°			∞° ⊙ ⌂ n, ∞° ⊙° a,p
27	04.3	03.8	02.0	11.1	14.9	14.3	17.3	7.9	54	41	43	00 0	16 2	18 1	9	9 ∞°	5	9			∞° ⊙° ⌂ n, ∞° ⊙ a, ⊙ p
28	01.7	02.9	04.3	12.2	16.0	13.0	16.9	11.0	68	51	75	18 2	18 3	00 0	9	9 •°	5	9 =°	0.3		∞ •° n, ∇° •° ∞ ⊙ a, ⊙ =° p
29	03.6	98.6	96.7	10.4	11.3	16.4	16.4	9.2	99	93	68	00 0	31 2	15 2	6	10 •	10 •	10 ∞	3.6		=° • ⌂ ⊙° n, =° • a,p
30	98.8	00.8	02.2	9.4	11.7	11.1	16.9	9.2	99	86	85	14 2	17 2	18 1	6	10 ∞	9 =°	8 =°	17.0		∇ • ∞ n, ∞ =° ⊙° a, =° ⊙° p
31	05.0	04.9	05.8	10.7	13.9	12.6	16.0	8.7	74	66	86	14 2	18 2	17 1	7	4 ∞	10 •°	9 =°			=° ∞ ⊙ n, ∞ ⊙ •° a, ∞° •° =° ⊙ p
M	05.2	05.4	05.1	9.9	12.9	11.6	14.7	7.3	75	64	71	1.7	2.9	2.3	8.3	7.2	6.4	7.0	90		

Juni VI

Datum	P 8	P 14	P 19	T 8	T 14	T 19	Max	Min	U 8	U 14	U 19	D,F 8	D,F 14	D,F 19	V 14	N,w 8	N,w 14	N,w 19	R	h_s	W
1	06.5	07.6	08.6	14.5	15.2	14.5	17.6	9.1	61	65	84	13 1	16 2	14 1	8	4 ∞°	9 ∞	9 ∇	0.1		=° ⊙° ∞° ⌂ n, ∞° ⊙ a, ∇ ∞ ⊙° p
2	10.5	10.4	10.4	11.8	14.9	12.5	16.8	9.9	96	82	93	00 0	26 2	12 2	7	9 =°	9 ∇°	10 •°	3.9		⌂ n, ∞ =° ∇ ⊙° n,a, ∞ ∇ • p
3	07.8	06.9	05.1	12.4	12.0	12.4	14.4	10.1	82	84	85	14 2	18 4	17 3	6	9 ∞°	9 =°	9 ⊕	1.6		•° ∇° ⌂ ⊙ ∞ n, ∇ ∞ ⊙ =° a, =° ∞ ⊙ p
4	94.1	91.0	**90.7**	11.3	12.1	11.1	12.7	10.0	98	99	97	13 2	26 1	28 1	5	10 •	10 •°	10 •°	9.1		• ⊕ ⊙ ∞ ⌂ n, • =° ∞² a, • =° ∞ p
5	99.5	04.9	07.7	9.8	12.3	10.4	13.0	8.1	71	69	72	32 3	27 3	29 2	9	4	4	1	3.3		∇ • ∞° ⊙ ⌂ n, ⊙ a,p
6	07.4	04.2	01.2	9.8	15.9	11.6	16.2	5.0	73	46	88	32 1	15 3	00 0	9	4 ∞	9 ∞°	10 •			∞ ⊙ ⌂ n, ∞ ⊙ a, ∞° ⊙° • p
7	00.8	98.0	91.4	11.3	17.2	12.4	17.4	10.7	98	64	95	15 4	15 2	15 3	8	10 ,°	9 ∞	10 •	9.4		• , =° ∞ n, ∞ ,° =° ⊙° a, ∞ ⊙° p
8	91.7	95.2	98.0	10.8	11.3	11.0	13.7	9.9	99	98	00	16 4	17 3	20 1	5	10 ∇°	10 =	10 =°	31.5		∇² • = R n, ∇° =° a, ∇ = p
9	03.7	07.3	07.5	10.6	11.9	10.8	12.8	9.6	99	83	83	20 3	22 3	15 4	8	10 ∞	9 ∞	10 ∞°	7.8		∇ • =° n, ∇ ⊙° ∞ a, ∇ ∞ ⊙° p
10	05.0	08.2	10.0	9.8	11.0	11.8	12.3	9.0	95	87	83	12 2	14 2	26 2	9	9 ∞	9 ∞°	8 ∞°	6.2		R ∇ ⌂ ∞ n, ∇ ⊙° ∞ a, ∇° ⊙ ∞° p
11	12.0	11.0	07.5	9.6	12.4	11.6	13.7	7.9	94	68	79	12 3	17 4	14 4	9	9 ∞°	9 ∞°	9 ⊕	3.7		∇ ∞° ⌂ ⊙ n, ∞° ∇ ⊙° a, ⊕ ∞° ⊙° p
12	00.3	01.7	03.2	9.7	12.5	11.2	13.8	8.8	94	88	92	14 3	31 2	30 2	7	10 •	10 •°	10(∇)	3.3		⊕ ∞° ⊙° n, ∞ • a, ∇ •° ∞ p
13	07.1	03.2	98.8	9.2	8.9	10.0	11.7	6.7	72	88	00	31 2	15 4	24 1	5	1	10 •	10 •	3.0		∇° ∞° ⌂ ⊙ n, • ⊙ a, • p
14	92.0	94.6	98.9	7.3	10.0	10.8	11.7	5.9	98	91	82	30 1	32 1	30 4	9	9 ∇°	9(∇)	7 ∞°	13.0		• ∇ ∞ ⌂ n, ∇ ∞° ⊙° a, ∇° ∞° ⊙ p
15	99.7	93.2	92.6	8.4	7.2	8.5	11.0	6.6	76	96	92	16 4	14 4	17 2	7	10 ∞°	10 •°	8(∇)	9.6		∇ ⊙ ⌂ ∞° n, ∞ • a, ∇ •° ∞ p
16	97.1	04.5	08.4	7.4	8.2	5.6	9.3	5.6	96	77	94	30 1	30 4	31 4	9	9 ∇	9 ∞°	9 ∇	19.2		∇ ∞ n, ∇° ∞° a, ∇ Δ° ∞° ⊙ p
17	12.6	13.3	10.7	7.3	10.8	8.9	11.5	**4.3**	80	65	89	16 1	18 4	15 4	9	6	9	10 •	1.8		∇ ⊙° ∞° ⌂ n, (∇) ⊙ a, • ⊙ p
18	06.9	07.3	07.1	10.7	11.4	11.2	11.7	7.2	95	93	00	17 3	18 3	15 2	7	10 =°	10 •	10 •	13.2		∇ • ⌂ =° n, ∇ =° • a, • , =° p
19	15.1	**19.2**	18.8	11.4	12.5	15.3	15.6	10.6	00	00	90	12 3	13 2	00 0	4	10 =°	10 ,°	7 =°	9.5		• , =° n, =° ,° a, ,° = ⊙° p
20	16.6	15.3	14.6	14.2	22.9	20.4	23.6	10.4	87	61	64	00 0	00 0	31 1	9	1 =°	1	1 ∞°	0.2		= ⊙ ∞² n, =° ⊙ a, ⊙ p
21	13.3	14.0	13.0	17.3	26.1	24.4	27.4	12.0	77	50	51	00 0	29 1	30 2	9	1(=)	3	4			∞° ⊙ ⌂ n, ⊙ a,p
22	15.5	15.5	16.7	19.5	28.5	22.7	**28.6**	13.6	65	**45**	63	00 0	15 2	26 2	9	1 ∞°	1	1			⊙ ⌂ n, ∞° ⊙ a, ⊙ p
23	16.2	16.8	16.4	20.6	21.3	18.3	24.8	15.1	71	81	85	00 0	18 2	18 2	8	1 ∞°	9 ∞	9 ∞			⊙ ∞° ⌂ n, ∞ ⊙° a,p
24	14.5	13.8	14.2	15.1	18.0	14.6	20.2	13.8	00	81	97	14 1	18 4	19 1	8	9 =°	9 ∞	10 ∞²	2.0		∇ ∞ ⊙° ⌂ =° n, =° ⊙ ∞ a, ∇ ⊙° ∞ p
25	15.6	16.0	15.4	11.8	12.5	12.0	15.0	11.1	94	82	88	28 3	29 3	29 3	9	10 ∞°	9 ∞°	9 ∞°	2.1		∇ • ∞² ⌂ n, ∞° ⊙° a,p
26	12.5	10.2	07.5	12.2	14.4	14.4	15.2	10.5	89	83	88	32 3	31 2	30 2	9	9 ∞°	9 ∞°	9 ∞°	0.2		∇ ⊙° ⌂ n, ∞ ⊙ a, ∞° ⊙° p
27	03.9	04.0	03.2	14.3	18.2	19.5	20.7	12.7	94	74	70	00 0	00 0	00 0	9	9 =°	9 ∞°	9 ∇°	0.1		∇°•° ∞°⌂ ⊙ n, ∇° =°⊙° ∞°a, ∇ ∞°⊙° p
28	02.0	01.0	00.2	15.1	18.6	16.6	19.8	12.4	87	79	81	26 1	26 2	28 1	9	7	10 ⊕	9 ∞°	0.3		∇ =° ⊙ ∞° ⌂ n, ∞° ⊙ a, ∇° ⊕ ⊙° p
29	00.3	00.6	00.5	14.6	18.9	15.8	19.6	12.7	98	83	88	00 0	26 1	26 1	9	7 ∞	1	9	0.1		∞° ⊙ ⌂ n, ∞° ⊙ a, ⊙ p
30	96.7	95.7	94.3	13.3	14.7	14.3	16.1	12.1	99	94	97	00 0	26 1	26 1	8	10 ∞²	10 ∞	9 ∞			∞ ⊙ = ⌂ n, ∞ a,p
M	05.9	06.2	05.8	12.0	14.7	13.5	16.3	9.7	88	78	86	1.7	2.4	1.9	7.9	7.3	8.1	8.2	154		

Ekstensotabell

1945

Bergen (Fredriksberg)

φ = 60° 24′N λ = 5° 19′E g = 9.819 ΔG = + 1ʰ

Juli VII

H_s = 43 H_b = 44.4 h_t = 1.8 h_a = 10.7 h_d = 10.3 h_r = 1.3

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	92.2	**92.1**	92.7	14.0	17.5	14.8	19.4	12.5	90	82	99	00 0	30 3	30 2	9	9 ∞⁰	9	7 ∞⁰			∞ ⌒⁰ n, ∞⁰ ⊙ a, ∞⁰ ⊙ ▽̇ p
2	94.9	95.8	96.1	14.0	19.3	18.1	21.8	12.8	99	67	77	28 1	25 2	29 1	9	9 =	6 ∞⁰	1	4.8		≡ ⌒ ∞⁰ ⊙ ▽̇ n, ∞ = ⊙ a, ∞⁰ ⊙ p
3	01.7	03.9	05.0	12.1	16.3	13.5	18.1	10.3	85	73	93	32 2	26 2	30 2	9	9 ∞⁰	4	3			∞⁰ ⊙ ⌒⁰ n, ∞⁰ ⊙ a, ⊙ p
4	06.5	06.8	07.1	11.9	17.4	16.4	18.0	**8.5**	86	76	76	00 0	20 3	16 2	9	9 ∞	9 ∞⁰	9 ∞⁰			∞ ⊙⁰ ⌒ n, •⁰ ∞ ⊙⁰ a, p
5	06.7	06.1	05.5	15.8	21.5	20.4	23.2	12.5	80	71	73	10 1	19 3	30 2	9	1 =⁰	1	1 ∞⁰	0.0		=⁰ ∞⁰ ⊙⁰ ⌒ n, =⁰ ⊙ a, ⊙ p
6	04.9	04.2	04.0	17.2	24.6	19.5	25.0	14.7	84	69	80	00 0	24 2	26 2	9	9 ∞²	9	9 ∞⁰			= ∞⁰ ⊙ ⌒ n, ∞² ⊙ a, ∞ ⊙ p
7	03.2	04.2	06.3	15.7	19.1	16.9	20.2	14.9	97	87	93	00 0	26 2	30 2	7	9 =⁰	8 ∞²	9 ∞²	0.6		=⁰ ∞ ⊙ ⌒ • n, =⁰ ⊙ a, ∞² ⊙ ▽̇ p
8	09.1	10.5	11.9	15.2	19.3	15.1	19.4	13.8	98	87	97	26 1	26 2	00 0	9	10 ∞	9 ∞⁰	10 ∞⁰	0.2		∞² ⊙⁰ ⌒ n, ∞ ⊙⁰ a, ∞⁰ ⊙⁰ ▽̇⁰ p
9	12.7	12.3	11.3	15.0	18.2	18.4	19.7	13.6	96	82	85	31 2	29 2	30 2	9	9 ∞⁰	9	1	0.0		∞⁰ ⌒⁰ n, ∞⁰ a, ⊙⁰ p
10	10.3	10.1	09.8	13.1	20.8	20.6	22.3	11.9	00	60	56	00 0	17 3	17 2	9	10 ≡⁰	7	1			≡ = ⊙ ⌒ n, ≡ = ⊙ a, ⊙ p
11	10.3	10.3	09.3	17.3	25.8	24.6	26.7	13.6	83	63	57	00 0	25 2	30 2	9	0 =⁰	1	6			=⁰ ⊙ ⌒ n, =⁰ ⊙ a, ⊙ p
12	11.3	13.8	12.5	20.0	16.2	19.4	24.6	16.2	77	00	91	00 0	00 0	30 1	6	9 ▽̇⁰	10 ▽̇	10 ∞⁰	0.0		=⁰ ⊙ ⌒ n, ▽̇ R =⁰ ∞ a, ▽̇ ∞ ⊙ p
13	17.6	17.9	18.2	15.5	18.2	16.9	19.8	15.0	98	85	89	27 1	26 2	26 2	9	9 ∞	9 ∞⁰	9 ∞⁰	9.9		▽̇ ∞⁰ = ⌒ n, ∞ ⊙ a, ∞⁰ p
14	16.7	15.8	14.6	14.6	21.3	20.4	22.4	12.9	93	76	71	29 1	30 3	30 3	9	1 ∞	8 ∞⁰	7			∞⁰ ⊙ ⌒ n, ∞ ⊙ a, ∞⁰ ⊙ p
15	15.4	15.4	14.9	19.9	26.8	25.7	27.8	16.3	82	64	59	00 0	17 2	25 1	9	8 ∞⁰	8 ∞⁰	8 ∞⁰			⊙ ∞ ⌒ n, ∞⁰ =⁰ ⊙⁰ a, ∞⁰ ⊙ p
16	13.1	12.0	13.7	20.8	30.3	20.6	**30.5**	17.3	81	**47**	83	00 0	14 5	15 3	9	1 =⁰	1 ∞⁰	9 ∞²			∞⁰ ⊙ =⁰ ⌒ n, ∞⁰ ⊙ a, p
17	15.5	19.8	**21.4**	17.2	13.9	15.2	21.0	14.1	79	97	92	16 5	16 3	26 1	9	9 ∞	8 ▽̇	9 ∞			∞² n, ∞ ▽̇ a, p
18	19.5	16.5	15.0	14.1	20.3	19.1	21.9	11.4	94	78	84	30 2	29 2	25 2	9	9 ∞⁰	9 ⊕	0	1.4		∞ ⌒² ⊙ n, ∞ ⊙ a, ⊕² ⊙ p
19	12.2	10.6	06.6	18.0	24.0	21.3	25.0	14.1	87	75	80	17 2	30 2	30 3	9	9 ∞⁰	9 ∞⁰	10 ∞⁰			=⁰ ∞ ⊙ ⌒ n, ∞⁰ ⊙ a, p
20	03.8	03.1	02.0	17.4	20.8	16.1	21.7	16.1	95	73	00	20 2	15 3	14 1	8	10 ∞²	10 ∞	9 •	6.8		▽̇ • R ⊙ ∞ n, ▽̇⁰ ⊙⁰ ∞² a, • ∞ ⊙⁰ p
21	99.1	01.1	02.6	16.4	15.8	15.7	17.9	14.8	91	97	92	16 3	18 3	16 2	6	9 ▽̇⁰	9 ▽̇	9(▽̇)	13.6		• ∞ ⌒ n, ▽̇ ∞ a, p
22	99.8	99.1	00.5	15.6	17.7	16.6	19.7	13.8	88	89	91	14 1	00 0	30 3	9	9 ∞	9 ∞	9 ∞⁰	3.4		▽̇ ∞ ⌒ n, ▽̇ ∞ a, ▽̇⁰ ∞⁰ p
23	05.3	05.6	04.2	14.0	15.1	13.9	16.9	13.8	00	00	00	26 1	18 1	15 3	8	10 ∞	10(▽̇)	10 ʼ⁰	2.7		▽̇ ∞⁰ ⌒ n, ∞ ▽̇ a, ▽̇ • ʼ ∞ p
24	07.8	09.5	09.8	12.0	14.3	13.9	16.1	11.3	98	91	90	26 1	25 3	00 0	9	10 ∞	9 ∞⁰	9 ∞⁰	11.0		ʼ • =⁰ n, ∞ ▽̇ a, ∞⁰ ▽̇ p
25	08.7	08.3	08.3	11.7	12.6	12.3	14.4	10.2	89	86	90	12 3	18 3	27 1	9	9 ∞	10 ∞	9 ∞⁰	6.8		▽̇ ∞⁰ ⌒ n, ∞ ▽̇ a, ∞⁰ ▽̇ p
26	07.7	07.9	07.4	12.7	16.8	16.6	18.8	10.5	75	62	61	00 0	25 1	29 2	9	9 ∞	6	1	5.5		▽̇⁰ ∞⁰ ⌒ n, ∞ ⊙ a, ⊙ p
27	06.3	06.0	05.8	13.4	19.8	18.7	21.1	10.7	80	54	52	00 0	26 1	32 2	9	3 =⁰	9	1			⌒² = ⊙ n, ∞ a, ⊙ p
28	05.8	05.4	05.8	13.9	20.4	17.6	21.7	11.7	88	58	61	00 0	30 3	30 3	9	0 =⁰	6	1			⊙ =⁰ ⌒ n, =⁰ ⊙ a, ⊙ p
29	07.2	07.1	06.2	13.4	14.6	13.7	17.6	12.2	83	81	94	26 2	00 0	29 2	8	9 ∞⁰	10(•)	10 ʼ			⊙ ∞ ⌒ n, ∞⁰ a, • ʼ ∞ p
30	08.9	08.2	08.2	10.8	15.5	14.2	15.9	10.8	85	60	66	32 3	01 4	32 4	9	9(▽̇)	3	1	2.0		ʼ • ▽̇ ∞ ⌒ n, ▽̇ ∞⁰ ⊙ a, ⊙ p
31	08.5	08.7	08.4	16.0	19.2	16.0	20.3	10.0	59	55	95	30 1	30 3	29 2	9	0	1	9	0.3		⊙ =⁰ ⌒ n, ⊙ a, p
M	07.8	08.0	07.9	15.1	19.1	17.5	20.9	13.0	88	76	82	1.1	2.3	1.9	8.6	7.3	7.3	6.4	69		

August VIII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	10.0	11.0	12.2	14.5	20.5	16.5	20.8	11.8	71	54	69	32 2	29 3	30 3	9	1	9	8			⊙ ⌒⁰ n, ⊙ a, p
2	14.7	16.1	16.2	14.2	15.6	15.6	18.9	12.1	82	75	80	30 2	30 1	30 2	9	2	10 ∞⁰	9 ∞⁰			⊙ =⁰ ⌒ n, ⊙ ∞⁰ a, p
3	16.6	**16.7**	16.0	14.5	18.6	17.8	20.1	12.7	91	84	87	28 1	26 1	28 1	9	9 ∞⁰	9 ∞⁰	2 ∞⁰	0.5		• ʼ = ⌒ n, ∞ a, p
4	12.5	11.5	11.4	14.9	23.0	17.0	23.3	14.1	96	70	83	00 0	28 1	16 3	9	10 ≡	1	2			⊙ ∞⁰ ≡ = ⌒ n, ≡ ∞ ⊙ a, ⊙ p
5	09.7	07.6	05.2	14.0	18.4	17.6	19.2	13.7	97	77	82	16 1	30 1	26 1	7	10 =²	9 =⁰	9 =⁰	0.0		≡ ʼ = ⊙ ⌒² n, =⁰ a, = p
6	01.4	01.9	02.8	15.3	20.4	18.0	20.7	14.6	96	77	82	00 0	00 0	24 1	7	9 ▽̇	7 ▽̇⁰	8 •	4.1		▽̇ =⁰ ⌒ n, =⁰ ▽̇ a, p
7	03.9	07.9	10.8	18.1	17.0	13.8	22.7	13.8	82	86	95	00 0	18 3	16 1	7	5 =	8 ʼ	8 •	0.0		= n, ⊙ 8, =⁰ ʼ a, ▽̇ • ʼ = p
8	12.9	13.9	12.8	14.0	17.8	18.5	20.0	12.9	96	76	63	00 0	26 2	26 1	9	8 =	1	0	4.0		▽̇ • = n, = ⊙ a, ⊙ p
9	11.3	09.9	09.2	13.6	21.2	19.2	22.1	11.7	87	64	64	00 0	30 3	28 3	9	0 =⁰	2	0			=⁰ ⊙ n, ⊙ a, p
10	04.8	04.2	03.9	15.2	23.2	20.3	24.4	13.8	91	71	79	00 0	32 1	26 2	9	2 =⁰	3	3			=⁰ ⌒ ⊙⁰ n, =⁰ ⊙ a, ⊙ p
11	06.9	08.2	07.6	15.9	20.6	20.3	22.4	14.9	98	76	75	00 0	28 1	28 1	7	4 ≡⁰	1 ∞	0 ∞⁰			≡⁰ ⊙ ⌒ n, ≡⁰ = ⊙ ∞ a, ⊙ p
12	08.7	09.5	08.8	15.8	26.0	23.5	26.3	14.4	99	63	65	00 0	28 1	28 1	9	0 ≡⁰	1	0			≡ ⊙ ∞⁰ n, ≡⁰ ⊙ a, ⊙ p
13	10.8	11.0	10.5	19.3	27.1	23.8	**28.0**	16.9	90	54	65	00 0	28 1	28 2	9	0 =⁰	1	4			⊙ =⁰ ⌒ n, =⁰ ⊙ a, ⊙ p
14	08.3	06.3	04.9	17.4	24.7	25.2	26.1	15.8	96	85	53	00 0	30 1	26 1	9	4 =⁰	4	1			⊙ =⁰ ⌒ n, =⁰ ⊙ a, ⊙ p
15	04.4	03.2	02.4	17.9	25.8	23.8	26.7	15.7	91	57	53	00 0	26 3	26 3	9	1 =⁰	2	0			⊙ =⁰ ⌒ n, =⁰ ⊙ a, ⊙ p
16	03.0	02.7	01.9	19.4	22.4	21.6	24.7	17.8	80	69	64	18 1	28 2	28 3	9	2	3	4			⊙ n, a, p
17	01.0	99.9	98.9	17.6	25.0	20.3	25.5	15.8	90	61	75	00 0	27 1	27 1	9	0 =⁰	1 ∞⁰	0 ∞⁰			=⁰ ⊙ n, =⁰ ∞⁰ ⊙ a, ∞⁰ ⊙ p
18	98.2	96.7	95.6	16.5	22.0	18.0	22.7	15.2	92	**50**	57	26 1	31 4	31 3	9	1	1	0			⊙ =² ∞⁰ ⌒ n, (=) ⊙ a, ⊙ p
19	95.7	95.4	94.7	14.4	21.1	19.3	22.1	11.9	76	61	62	30 1	26 2	26 1	9	1	1	1			⊙ ⌒ n, ⊙ a, p
20	94.8	94.9	94.9	14.7	20.7	19.2	21.9	12.5	89	64	63	00 0	27 2	26 1	9	3 =⁰	2 ∞⁰	1			⊙ =⁰ ⌒ n, =⁰ ∞⁰ ⊙ a, ∞⁰ ⊙ p
21	95.5	95.1	95.4	14.6	18.4	14.8	19.6	13.4	84	75	77	13 2	19 4	19 3	9	9 =⁰	2	9			⊙ = ⌒ n, =⁰ ∞ ⊙ a, ⊙ p
22	94.2	93.2	93.4	13.6	20.2	17.2	20.7	11.7	86	54	65	00 0	30 3	30 2	9	5 =⁰	1	1			⊙ = ⌒ n, =⁰ ⊙ a, ⊙ p
23	95.2	95.4	95.9	12.6	17.5	12.5	17.9	10.8	81	58	70	30 2	31 2	30 2	9	1	1	9			⊙ = ⌒ n, ⊙ a, p
24	85.1	**82.4**	84.8	12.4	14.9	12.9	15.2	11.2	88	93	96	14 5	16 3	00 0	7	10 •	10(•)	10(▽̇)	3.5		• ∞ ⌒ n, • ∞ a, ∞ • ▽̇ p
25	85.6	86.5	88.7	12.6	15.6	13.1	16.2	12.1	95	78	95	14 1	26 2	00 0	8	9(▽̇)	9 ▽̇	9 ▽̇	21.1		▽̇ ∞⁰ n, ▽̇ ∞⁰ a, ∞⁰ ▽̇ p
26	05.0	10.3	12.6	13.1	14.4	12.6	16.5	11.9	81	57	77	32 3	31 3	28 2	9	5 ∞⁰	9	4	5.0		▽̇ ⌒⁰ ∞⁰ n, ∞⁰ a, ⊙ p
27	15.0	14.2	12.2	12.3	16.4	15.2	19.5	11.9	75	60	70	10 2	17 4	16 4	9	8 ∞⁰	9	9 ∞⁰			∞⁰ ⊙ n, ∞⁰ a, p
28	12.7	15.5	14.3	12.0	16.7	15.1	17.1	11.5	98	67	69	30 1	30 3	27 1	9	10 •	7	1	10.4		• ʼ ⌒ n, • ʼ ∞ a, ⊙ p
29	09.4	07.4	04.5	14.9	17.9	15.8	18.0	11.7	81	62	82	18 2	16 4	18 3	7	10 ∞⁰	7 ∞²	10 ▽̇	0.4		⊙ ∞ ⌒⁰ n, ∞ a, ▽̇ ∞² p
30	06.1	07.5	06.9	11.8	14.2	12.6	15.9	10.9	88	67	76	32 3	32 3	32 3	9	9 ∞⁰	6	9	9.3		▽̇ • ∞² n, ∞⁰ • a
31	06.9	07.3	08.4	10.6	14.0	11.8	14.5	**9.2**	74	58	74	32 2	30 4	01 4	9	1	1	1	0.1		∞⁰ ⌒ n, ⊙ a, p
M	04.5	04.6	04.5	14.8	19.8	17.5	21.0	13.2	88	67	73	1.0	2.2	1.9	8.6	4.8	4.1	4.3	58		

Ekstensotabell

1945

Bergen (Fredriksberg)

φ = 60° 24′ N λ = 5° 19′ E g = 9.819 ΔG = + 1h

September IX

H_s = 43 H_b = 44.4 h_t = 1.8 h_a = 10.7 h_d = 10.3 h_r = 1.3

Datum	Lufttrykk P 8	P 14	P 19	Lufttemperatur T 8	T 14	T 19	Max	Min	Relativ fuktighet U 8	U 14	U 19	Vindens retning og styrke D,F 8	D,F 14	D,F 19	Synsvidde V 14	Skydekke og vær N,w 8	N,w 14	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	11.3	12.2	13.2	9.2	15.6	12.4	16.0	7.5	76	51	69	29 1	29 2	29 2	9	0	1	0			⊙ ▲ n, ⊙ a,p
2	17.9	19.7	20.3	10.3	14.7	12.3	14.8	8.1	85	66	74	30 1	27 2	30 2	9	9 ∞°	9	9			∞° ⊙° ▲ n, ⊙° a,p
3	21.0	20.9	20.3	11.4	20.1	15.4	**20.1**	9.6	93	62	80	24 1	26 1	28 1	7	9 ∞	9 ⊕°	8 ∞			∞ ⊙ ▲ n, ⊙ a, ∞^2 ⊕ ⊙ p
4	17.7	17.3	17.5	12.7	13.0	11.0	15.6	10.0	88	95	93	12 3	14 2	31 3	4	1 =°	10 •	9 ∩			= ∞ ⊙ ▲^2 n, ▽̇ • =° ∞ a, ▽̇ ∞ p, ⊙ 19
5	19.5	17.7	17.3	10.0	14.4	11.6	15.0	8.3	47	72	75	02 2	32 4	32 4	9	1	1	1	2.8		▽̇° ∞ ⊙ ▲ ∩ n, ⊙ a,p
6	17.3	18.0	18.2	10.2	15.2	12.5	15.9	8.0	72	65	78	32 2	30 3	32 3	9	9(=)	7	1			= ⊙° ▲ n, ⊙ a,p
7	19.1	18.9	19.1	11.4	17.3	13.5	17.3	10.1	81	66	82	30 2	24 3	25 2	9	1(=)	1	1			=° ⊙° ▲ n, ⊙ a,p
8	18.7	17.9	16.2	11.2	14.3	12.8	15.6	10.6	95	64	80	00 0	28 1	31 2	9	9 =	9 ∞°	5			= ▲^2 n, =° ∞ ⊙° a, ∞° ⊙ p
9	15.1	16.1	16.2	9.4	17.1	14.1	17.8	7.8	98	63	80	00 0	18 3	00 0	9	8 =°	1	1			= ⊙ ▲ n, =° ⊙ a, ⊙ p
10	17.6	18.1	18.8	10.5	19.4	15.9	19.6	9.5	96	53	74	00 0	16 3	12 1	9	1 =^2	• 8 ∞°	1 ∞°			=^2 ⊙ ▲ n, = ∞ ⊙ a, ∞° ⊙ p
11	21.5	**21.7**	20.9	15.5	18.9	16.5	19.4	11.9	57	45	49	14 4	16 5	16 5	9	10 ∞°	9 ∞°	9 ∞°			∞° ⊙° n,a,p
12	15.9	17.6	16.1	15.5	13.0	14.2	16.5	12.6	60	96	87	16 7	16 5	16 5	5	10 ∞°	10 •	10 •°			∞° n, • ∞° a, • p
13	10.6	07.0	04.2	15.9	18.7	16.7	18.8	13.1	51	**41**	45	16 6	16 6	16 5	9	9 ∞°	9 ∞°	4 ∞°	13.9		▽̇ •° ∞° n, ▽̇° • ∞ ⊙° a, ∞° ⊙ p
14	91.8	92.4	91.8	13.3	13.9	11.5	16.7	11.3	75	84	91	15 4	15 4	15 4	7	10 •°	9 ∞	10 •°	2.7		∞° • n, ▽̇ • ∞ a,p
15	90.8	93.2	95.2	12.3	13.6	12.7	13.8	11.0	94	86	92	14 4	18 5	17 4	8	10 ▽̇	10 ∞	9 ∞	23.5		▽̇ • ∞° n, ▽̇ ∞° a, ▽̇ ∞ p
16	97.7	99.7	00.9	12.2	14.6	13.1	15.5	9.9	90	76	87	14 2	22 2	00 0	9	9 ∞°	9 ∞°	2(▽̇)	21.9		Ʀ ▽̇ ∞ n, ▽̇ ⊙ ∞ a, ▽̇° ∞° p
17	03.7	04.0	02.8	9.5	14.3	13.1	15.0	8.1	00	79	82	00 0	00 0	16 1	7	9 =	9 ∞^2	10 •	0.5		= ∞° ▲^2 n, = ∞ ⊙° a, •° ∞ ⊙ p
18	99.4	00.6	01.4	11.3	12.6	12.8	13.2	11.0	99	00	00	00 0	00 0	00 0	1	10 •	10 ,	10 =	6.7		= ∞ • ▲ n, = ≡ , • a, = ≡ , p
19	02.0	02.0	01.9	11.8	17.6	12.6	17.8	11.1	99	65	93	00 0	00 0	26 1	7	9 =°	9 =°	10 •	6.1		= , ▲^2 n, =° ⊙° a, • = ∞ p
20	98.6	06.3	05.4	13.7	15.2	11.5	15.2	10.8	81	71	82	15 4	28 1	26 1	9	10 •	2 ∞°	1 ∞°	6.1		= • ▲ n, ∞ • ⊙ a, ∞° ⊙ p
21	99.0	03.7	06.7	10.9	12.4	11.5	12.7	8.6	87	89	87	14 4	20 2	16 3	6	9 ▽̇°	9 ▽̇	10 ∞^2	6.3		• ▽̇° ∞° ▲° n, ▽̇ ∞° ⊙ a,p
22	02.7	96.6	92.9	11.5	14.8	11.6	15.5	10.3	76	51	76	14 3	12 3	14 5	9	9 ∞	10 ∞°	9 •	11.7		▽̇ ∞^2 ▲ n, ∞ ⊙ a, • ∞ p
23	**89.1**	92.0	94.5	10.7	12.3	11.5	14.2	10.0	82	77	78	14 4	16 3	14 1	8	9(▽̇)	9(▽̇)	9 ∞°	8.8		Ʀ • ▽̇ ∞°▲ n, ▽̇ ⊙ ∞° a, ∞° (▽̇) ⊙ p
24	00.0	03.4	05.7	9.5	11.1	11 0	11.7	8.7	98	94	83	14 2	31 1	00 0	6	10 •	10 •	9 ∞	5.0		▽̇ • =° ▲ ∞° n, ▽̇° • =° ⊙°a, ∞ • p
25	10.5	12.5	13.3	9.4	14.9	11.8	15.4	8.7	98	64	78	00 0	00 0	00 0	7	9 =	4 ∞^2	1 ∞	0.7		= •° ∞ ▲ n, = ∞ ⊙ a, ▽̇ ⊙ ∞^2 ∩ p
26	12.7	10.6	09.0	9.5	10.5	8.5	11.8	8.4	96	75	93	16 2	14 2	18 3	7	9 ▽̇	10 ∞^2	10 •	1.7		▽̇ ∞ ▲ n, ▽̇ ∞^2 a, ▽̇ • ∞ p
27	05.5	04.9	04.8	8.2	12.1	8.6	13.0	7.8	98	74	00	13 2	28 2	00 0	9	9 ▽̇	7 ∞^2	9 ▽̇°	11.2		▽̇ • ▲ n, ▽̇ ⊙ ∞ a, ▽̇ ∞° ⊙ p
28	05.3	07.5	09.3	6.1	11.4	8.8	11.7	**5.1**	99	70	83	00 0	30 3	32 2	9	1 =^2	2	1	3.9		▽̇° = ∞° ▲^2 n, =^2 ∞ ⊙ a, ▽̇ ⊙ p
29	15.6	17.8	18.3	6.3	11.4	9.2	11.7	5.3	96	65	89	00 0	00 0	14 2	8	9 =	9 ∞	9 ∞	0.3		= ▲ n, ▽̇° = ∞ ⊙ a, •° ∞ p
30	16.6	17.5	20.8	9.2	11.9	10.5	12.4	8.6	00	00	91	10 1	24 1	32 2	4	10 •	10 ,	9 ∞°	2.9		• ∞ ▲ n, • , = ∞ a, , = ∞° ⊙° p
M	08.8	09.6	09.8	11.0	14.5	12.3	15.3	9.4	86	72	82	2.0	2.3	2.1	7.6	7.6	7.4	6.2	137		

Oktober X

Datum	P 8	P 14	P 19	T 8	T 14	T 19	Max	Min	U 8	U 14	U 19	D,F 8	D,F 14	D,F 19	V 14	N,w 8	N,w 14	N,w 19	R	h_s	W
1	26.3	28.9	30.1	7.1	11.3	10.7	11.5	6.8	00	80	84	00 0	00 0	13 2	7	9 =^2	10 =°	9 ∞	8.9		= ∞ ▲^2 n, •° ⊙° =° a, •° =° p
2	32.3	**32.5**	31.8	11.6	13.6	12.0	13.9	10.3	99	93	96	14 1	00 0	00 0	5	10 =°	10 =	9 =	0.7		•° ,° ∞ = ▲^2 n, =° •° a, = p
3	29.2	27.5	26.1	10.6	13.0	11.9	13.4	10.4	00	89	97	00 0	00 0	30 0	6	9 =^2	9 =°	8 =°	0.2		= ▲^2 n, =^2 ⊙° a, =° ⊙° p, ▲° 19
4	22.8	23.0	23.3	11.2	11.4	11.2	12.1	9.0	92	98	00	11 2	14 2	16 2	6	10(•)	10 •°	10 •	0.1		=° ▲ •° n, • ,° =° a, =° • p
5	23.2	22.3	21.5	10.4	13.9	9.6	13.1	9.5	99	76	82	30 1	29 2	30 3	9	9 ∞	9 ∞°	9 ∞°	5.2		• ▲ ∞ n, ∞ ⊙ a, ∞ ⊙° p
6	15.4	15.5	15.6	9.7	10.9	9.4	11.3	9.0	84	74	80	32 3	30 4	32 4	9	9	2 ∞°	1	2.0		∞° • n, ∞° ⊙° a, ∞° ⊙ p
7	19.7	19.5	17.5	5.6	11.3	9.5	11.9	5.5	00	73	88	20 1	00 0	18 2	9	1 ∞°	9 ∞°	9 ▽̇°	0.1		∞ ▲^2 n, ∞° ⊙ a, ∞° ⊙° ▽̇ p
8	07.3	06.8	07.3	9.0	10.0	11.2	11.4	8.2	89	96	97	00 0	13 3	00 0	6	9 •°	10 ▽̇	9 ▽̇	2.0		▽̇° • ▲ ∞° n, •° ▽̇ ∞ a, ▽̇ ∞ p
9	03.7	00.4	96.9	10.7	11.8	11.5	11.9	10.0	00	96	98	14 2	17 3	16 3	5	10 ▽̇	10 ▽̇	10 •	22.2		▽̇ • n,a,p
10	96.5	00.6	04.5	8.4	8.6	5.8	11.9	5.7	91	**55**	61	32 3	31 4	32 4	9	9	1	1	32.7		▽̇ • n, ⊙ a,p
11	12.2	14.6	15.9	2.8	6.4	6.2	7.7	**2.6**	93	78	99	00 0	17 3	18 1	6	9 ∞^2	9 ▽̇	9 ▽̇°	0.0		▽̇° ∞ n, ▽̇° ⊙ ∞ a, ▽̇ ∞ =° p
12	15.6	14.9	15.0	6.8	10.4	9.1	10.8	5.4	98	95	93	10 3	28 3	30 1	7	9 ▽̇	9 ▽̇	10 ∞°	9.1		▽̇ = ▲ n, ▽̇ ⊙° a, ▽̇° ∞° p
13	15.2	14.4	13.6	8.2	10.8	9.8	11.0	7.8	87	99	00	13 2	00 0	28 1	7	10 =°	9(▽̇)	10(•)	5.3		•° ∞° n, ▽̇ =° a, ▽̇ • , ∞ p
14	12.6	13.7	13.9	10.7	11.0	10.0	11.3	9.1	89	90	98	30 4	28 2	30 2	6	10 •°	10(•)	9	8.7		∞ • n, •° ,° =° a, •° ,° p
15	12.2	14.7	16.0	10.0	10.0	9.2	10.6	9.0	92	87	81	29 2	30 2	32 1	8	9 ▽̇	9 ∞	9 ∞°	4.4		▽̇ • n, ▽̇ ∞ a, ∞° p
16	16.0	16.7	15.8	7.7	9.8	9.1	9.9	7.7	94	80	93	00 0	00 0	15 2	8	9 =°	10 ∞	9 •°	0.8		•° ∞° = n, =° ⊙° ∞ a, ∞ •° p
17	17.3	17.3	17.3	8.6	9.8	9.4	11.1	7.9	95	95	00	20 1	14 3	11 2	5	9 ∞°	9 ,	10 ,	0.7		▽̇ •° ▲ ∞ n, ,° ∞^2 ⊙° a, , p
18	14.6	13.8	13.8	10.4	11.7	9.8	11.9	9.3	00	87	98	26 1	27 2	30 1	8	10 ∞	9 ∞	9 ∞°	3.7		, • n, ∞ a, ∞ ▽̇ p
19	16.8	17.6	15.9	5.2	9.3	8.8	10.3	4.8	00	74	86	00 0	30 1	14 2	7	8 =^2	9 ∞^2	5 ∞°	0.5		= ▽̇° ∞^2 ▲^2 n, =^2 ∞° ⊙ a, ∞ ⊙ p
20	14.5	13.3	12.5	8.2	11.5	8.7	11.9	7.8	93	78	93	00 0	00 0	17 1	7	9 =^2	9 ∞^2	1 ∞°			= ∞ n, =° ∞ ⊙ a, ∞^2 ⊙° p
21	11.2	10.6	09.5	11.6	12.2	9.9	**13.2**	8.0	62	71	82	14 3	27 1	00 0	9	9	7 ∞°	9 ∞°			∞° n, ∞° ⊙ a,p
22	98.6	96.6	97.6	15.8	12.4	11.5	**16.5**	8.2	57	87	91	14 4	16 4	16 3	7	9	10 •°	10 •			∞° n, • ∞° a, • ∞ p
23	93.8	93.5	91.5	10.3	11.0	10.0	11.8	9.9	89	97	87	13 1	17 4	14 3	6	10 ▽̇°	9(▽̇)	1 ∞	10.4		▽̇ • ∞ n, =° ▽̇ a, =° ▽̇ ∞ p
24	87.9	88.1	86.0	6.0	10.8	7.6	10.9	5.6	96	75	93	18 2	00 0	24 1	6	1 =	7 =	1 =°	6.5		∞ = ▲° n, = ⊙ a,p
25	80.5	77.0	75.8	11.6	13.8	10.3	14.2	7.2	69	56	81	13 3	12 2	14 3	8	9 ∞°	9 ∞°	10 •	3.1		▽̇ = ▲ n, ∞° ⊙ a, ∞° • p
26	**69.8**	70.7	71.7	9.2	10.8	8.8	12.9	8.6	92	83	96	13 2	31 1	00 0	7	9 =	9 ▽̇°	10 •	6.0		▽̇ • = n, ▽̇° = a, ▽̇ • = p
27	77.4	81.9	85.6	4.8	9.1	7.2	9.9	4.7	00	96	96	00 0	23 1	00 0	9	1 =	1 ∞°	0 ∞°	1.3		• = ▲^2 n, = ∞ ⊙ a, ∞° ⊙ p
28	94.5	97.9	99.7	3.4	3.8	4.2	7.6	3.2	00	00	00	00 0	00 0	00 0	0	10 ≡	10 ≡	10 ≡	0.1		≡ ▲° ⌣^2 ∞° n, ≡ a,p
29	03.1	04.9	05.0	6.2	6.4	6.2	6.7	4.1	00	00	00	00 0	00 0	00 0	3	10 •	10 •	9 =	2.4		≡ • n,a, ≡° = •° p
30	04.9	04.4	04.6	7.0	12.9	12.6	13.3	5.8	00	72	62	16 1	16 3	15 3	8	5 =^2	3 ∞°	10 ∞°	5.4		≡° = • ▲^2 n, ∞° ⊙ a, ∞° ⊙ p
31	08.7	08.9	08.4	11.1	12.0	12.6	12.9	10.5	93	86	80	15 4	16 5	16 5	7	10 ∞^2	9 ∞^2	10 ∞	0.5		∞° • n, ∞^2 ▽̇ a, ∞^2 p
M	08.2	08.5	06.4	8.7	10.7	9.5	11.6	7.5	92	84	90	1.5	1.8	1.7	6.8	8.4	8.3	7.6	143		

1945

Bergen (Fredriksberg)

φ = 60° 24' N λ = 5° 19' E g = 9.819 ΔG = + 1ʰ

November XI

H_s = 43 H_b = 44.4 h_t = 1.8 h_a = 10.7 h_d = 10.3 h_r = 1.3

Datum	Lufttrykk P 8	P 14	P 19	Lufttemperatur T 8	T 14	T 19	Max	Min	Relativ fuktighet U 8	U 14	U 19	Vindens retning og styrke D,F 8	D,F 14	D,F 19	Synsvidde V 14	Skydekke og vær N,w 8	N,w 14	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	11.3	15.2	16.7	10.0	13.1	8.2	13.1	8.4	00	83	99	29 1	26 1	00 0	7	10 =²	1 ∞	0 =⁰	16.5		∞ = • n, ∞ =² ⊙ a, ∞⁰ ⊙ p
2	16.1	17.2	18.8	4.8	11.8	7.1	11.8	4.3	87	60	78	17 2	00 0	00 0	4	1 ∞⁰	0 =²	0 =	0.1		=² ⌒² ∞⁰ n, =² ⌒ ⊙ a, ∞⁰ ⊙ =⁰ p
3	21.5	21.9	21.5	3.9	11.0	5.7	11.0	3.4	77	**54**	76	00 0	00 0	00 0	5	1 =²	1 =	1 =⁰			=² ∞ ⌣ n, =² ⊙ a, = ⊙ p
4	20.7	21.3	21.4	6.1	8.2	8.2	8.5	4.3	75	79	85	00 0	00 0	00 0	4	9 =⁰	10 =²	10 =⁰			= ⌣ n, = a, =² •⁰ p
5	21.7	22.1	22.7	7.8	9.4	8.8	9.9	7.5	94	88	95	24 1	30 1	31 1	7	9 =⁰	9 =⁰	9 =⁰	0.0		=⁰ ⌒⁰ n, =⁰ ⊙ a, = ⊙ p
6	21.6	20.5	19.6	8.9	9.9	10.1	10.6	8.5	98	99	00	00 0	20 1	00 0	6	10 =⁰	10 ṿ	10 ∞	2.0		= • n, a, ṿ a, = ṿ⁰ ∞ p
7	12.9	04.8	96.1	9.8	10.0	10.5	10.7	9.2	96	96	00	18 3	18 5	18 3	6	10 ṿ	10 •	10 •	2.3		= ∞ ⌒ ṿ n, ∞ ṿ • a, • ṿ p
8	94.3	96.6	99.0	5.8	5.7	5.1	10.7	3.8	82	74	74	32 4	32 4	32 3	9	8 ∞⁰	1	0	25.7		• ṿ △ ∞ n, ∞⁰ ⊙ ṿ a, ⊙ p, ⌒⁰ 19
9	07.2	12.1	15.3	7.0	10.5	4.4	10.5	4.4	57	62	79	29 3	00 0	16 1	4	0	0 =²	0 ∞²	0.7		⌒ n, =² ⊙ a, = ⊙ ∞ p
10	22.8	23.5	22.3	1.9	6.1	1.9	6.1	0.8	91	59	84	00 0	17 1	20 1	4	9 =⁰	0 =²	0 =⁰			∞ = ⌣ n, = ⊙ ⌣ a, =⁰ ⊙ p
11	19.6	17.0	15.5	- 0.5	5.6	0.4	5.6	**- 1.0**	76	62	80	16 1	00 0	00 0	4	0 ∞	0 =²	0 =⁰			∞ ⌣ n, = ∞ ⊙ a, = ⊙ p
12	13.0	12.2	13.6	- 0.6	6.4	2.8	6.4	**- 1.0**	82	62	74	00 0	00 0	00 0	5	0 =²	0 =	1 =			=² ⌣ n, = ⊙ a, p
13	17.8	18.7	19.9	2.7	5.5	4.7	5.7	1.7	91	83	92	00 0	00 0	00 0	2	9 =²	9 ≡	9 =			=² ⌣ n, = ≡ a, p
14	22.3	22.3	22.0	3.9	7.1	3.8	7.1	3.1	90	83	00	14 2	00 0	00 0	4	1 =	4 =²	2 ≡			= ⌣⁰ n, = ⊙ a, p, ⌒ p
15	22.8	20.2	19.0	4.0	4.9	4.8	6.6	3.4	00	92	98	26 1	22 1	00 0	4	9 =	10 =²	10 •			≡ = ∞² ~ n, =² ⌒ a, =² • p
16	19.2	19.4	19.6	4.4	4.9	5.1	5.3	4.2	00	00	00	00 0	00 0	00 0	4	10 =⁰	10 •	10 •	3.0		=⁰ • ⌒ n, =⁰ ⌒ ⊙ a, =² ≡ • ' p
17	20.8	22.3	21.9	6.2	7.8	8.2	8.8	5.1	99	90	93	13 4	14 4	17 4	7	9 ṿ	10 ∞	9 ∞⁰	10.9		≡ ' ⌒ = ṿ n, ∞ ṿ a, p
18	**27.6**	**27.6**	26.7	4.7	7.8	4.1	8.3	4.1	98	89	95	00 0	00 0	14 1	6	1 ∞	1 =	9 ∞²	4.1		∞⁰ ṿ⁰ ⌒² n, ∞ = ⊙ a, = ⊙ p
19	25.0	23.2	21.3	2.2	6.2	2.8	6.2	1.8	98	79	91	00 0	22 1	22 1	6	0 =⁰	0 =⁰	0 =²	0.1		= ⌣ ⌒ ~⁰ n, ∞⁰ ⊙ a, = ⊙ p
20	17.7	17.1	16.3	4.0	4.7	2.8	5.0	1.6	93	90	96	12 1	23 1	00 0	6	9 =⁰	9 =⁰	0 =⁰			= ⌣ ~⁰ n, =⁰ ⊙ a, =⁰ p
21	17.8	19.8	21.5	0.8	4.9	1.4	4.9	0.4	98	79	91	00 0	00 0	00 0	3	0 =	0 ≡⁰	0 =²			= ⌣² n, = ≡⁰ ⊙ ⌣ a, ≡⁰ =² ⊙ p
22	23.2	23.3	22.6	5.3	5.9	5.6	6.1	1.1	68	74	77	14 3	15 4	14 2	8	10 ∞⁰	9 ∞⁰	10 ∞⁰			∞ =² n, ∞⁰ a, p
23	19.4	17.9	16.9	5.8	6.2	5.6	6.8	5.5	81	82	85	14 3	15 3	14 4	7	10 ∞⁰	10 =⁰	10 ∞			∞⁰ n, ∞⁰ =⁰ a, ∞ p
24	14.3	14.5	14.0	5.1	5.3	5.2	5.9	4.8	77	77	77	14 3	15 4	16 4	8	10 ∞⁰	10 ∞⁰	10 ∞⁰			∞ n, ∞⁰ •⁰ a, ∞⁰ p
25	13.1	10.4	04.0	4.2	6.1	7.8	7.9	3.9	97	97	98	15 4	15 4	15 5	6	10 •⁰	10 •	10 •	0.8		∞⁰ •⁰ n, ∞⁰ • a, • p
26	02.1	06.3	08.3	3.6	4.3	3.3	8.6	2.6	83	76	80	32 5	32 4	32 4	9	9	4	7 ♁	33.8		• ṿ n, ⊙ ♁ a, p
27	09.7	01.1	95.0	0.9	1.1	7.9	8.7	0.8	98	00	96	12 2	16 6	28 2	4	9 ∞⁰	10 ⁑	9	1.0		♁ △ ∞ n, ∞⁰ ⁑ a, ⁑ ṿ p
28	92.9	94.0	92.9	4.7	7.0	5.9	8.1	3.8	90	69	90	30 4	30 5	00 0	8	10(ṿ)	8(ṿ)	10 •	23.9		∞⁰ • ṿ △ ⌒ n, ∞⁰ ⊙ ṿ △ a, ∞⁰ ṿ △ • p
29	**86.9**	90.1	94.3	3.4	4.8	3.3	8.7	2.7	72	90	97	26 4	26 4	26 1	8	9 ∞⁰	9 ∞	9 ∞⁰	7.8		• ṿ △ ∞⁰ n, ∞⁰ ṿ △ a, p
30	03.0	05.9	05.3	1.8	4.2	3.5	4.5	1.7	94	85	93	12 3	14 2	14 4	7	9 ∞⁰	10 •⁰	9 •⁰	2.9		∞⁰ △ ♁ n, ∞⁰ •⁰ a, p
M	14.1	13.8	13.7	4.5	6.9	5.3	7.9	3.5	88	80	89	1.8	1.9	1.4	5.7	6.7	5.8	5.8	136		

Desember XII

Datum	Lufttrykk P 8	P 14	P 19	Lufttemperatur T 8	T 14	T 19	Max	Min	Relativ fuktighet U 8	U 14	U 19	Vindens retning og styrke D,F 8	D,F 14	D,F 19	Synsvidde V 14	Skydekke og vær N,w 8	N,w 14	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	07.3	07.8	07.1	6.9	7.8	8.6	8.9	3.5	99	96	88	14 2	15 4	16 5	7	9 ,⁰	10 ,⁰	10 ∞	5.1		∞⁰ • , n, a, • ∞ p
2	99.5	96.8	96.5	11.0	11.3	9.8	**12.8**	8.2	81	77	84	15 5	16 4	16 4	7	9 ṿ⁰	10 •	10 •⁰	3.4		∞ ṿ n, ṿ⁰ • a, • p
3	97.2	98.5	00.2	7.2	6.8	6.6	11.5	5.0	80	90	86	14 1	14 4	14 4	7	10 ∞⁰	9 ∞²	3 ṿ⁰	12.5		• ṿ n, ∞ ṿ ⊙⁰ a, ∞² ⊙ ṿ p
4	09.2	10.1	08.7	4.0	6.0	3.4	6.9	3.4	95	84	85	15 2	12 2	13 1	7	4 ∞	5 ∞²	0 ∞²	12.4		ṿ • ∞ n, ṿ⁰ ∞ ⊙ a, ∞ ⊙ p
5	98.6	97.3	98.6	6.8	6.3	5.8	7.9	3.3	64	68	61	16 4	16 6	16 6	7	8	10 •⁰	9	0.2		∞² n, •⁰ ⊙⁰ a, •⁰ p
6	13.3	18.1	21.5	3.6	4.9	3.1	6.0	2.8	80	81	74	15 1	00 0	20 1	4	7 ∞²	9 =²	0 =	0.0		∞² n, ∞ ⊙ a, = ⊙⁰ p
7	28.3	31.0	33.5	3.1	2.5	0.0	3.4	0.0	66	60	59	14 2	16 4	16 3	8	9 ∞	9 ∞	8 ∞			= n, ∞ ⊙ a, ∞ p
8	**34.3**	32.8	29.7	- 0.6	0.7	1.1	1.2	- 1.1	59	61	62	16 5	16 5	16 6	8	1	9 ∞⁰	10 ∞⁰			∞ n, ∞⁰ a, p
9	19.7	14.2	11.0	0.5	2.9	7.6	7.6	0.5	00	96	92	16 6	16 6	20 3	6	10 ⁑	10 •	7 ∞	5.5		∞⁰ ⁑ n, ⁑ • a, • ṿ p
10	11.7	12.3	10.0	2.8	1.1	- 0.1	7.8	- 0.1	76	89	98	30 4	32 4	32 2	7	9	9 ♁	10 *	20.6		∞ ṿ ♁ △ n, ♁ a, * ♁ p
11	08.5	10.2	12.8	- 2.8	- 2.0	- 2.4	0.0	- 3.7	83	85	98	32 4	01 5	32 4	9	9 ♁	7(♁)	9 ♁	5.3	5	* ♁ n, ♁ ⊙ a, ♁ p
12	14.2	10.7	99.4	- 3.6	- 1.9	- 1.6	- 0.9	**- 4.7**	92	87	96	14 2	13 3	13 5	7	6 ∞	10 *⁰	10 *	2.5	6	* ♁ ∞ n, ∞ *⁰ a, * p
13	79.3	90.9	96.8	2.7	2.6	1.9	5.2	- 1.6	98	79	85	32 4	32 4	32 4	9	9 ṿ	2	4	19.3	0	* ♁ ṿ n, ṿ⁰ ⊙ a, ♁⁰ p
14	04.0	03.5	98.5	0.3	1.3	4.0	4.8	- 0.7	98	96	85	32 4	32 2	26 3	6	5 ♁	10 *⁰	10 ṿ	2.1	3	♁ n, * ♁ a, *⁰ ♁ ṿ p
15	94.3	93.3	96.0	2.7	2.4	0.8	4.4	0.8	98	94	94	10 1	32 3	32 3	7	10 •⁰	9 ṿ⁰	4	15.7	0	♁ • ṿ n, • ṿ a, ṿ⁰ p
16	98.4	94.4	89.3	- 3.2	- 2.3	- 2.2	1.1	- 3.8	88	66	84	00 0	13 2	00 0	6	1 ∞⁰	9 ∞²	10 =²	2.9	1	♁ ∞⁰ n, ∞² ⊙⁰ a, = p
17	83.8	80.2	**71.9**	- 0.4	0.6	5.8	5.9	- 2.8	97	00	90	00 0	00 0	15 5	3	10 =²	10 ⁑	10 •	1.8	2	=² * n, =² ⁑ a, p, • p
18	76.7	77.1	77.2	8.4	9.9	10.1	10.2	5.4	91	69	65	17 5	17 4	16 4	8	9 ∞	9 ∞⁰	9 ∞⁰	15.4		• ṿ n, ∞ ⊙⁰ a, ∞⁰ p
19	78.9	78.0	77.5	9.4	10.2	8.4	10.9	8.4	66	**54**	78	14 3	09 4	10 2	8	10 •⁰	9 ∞	10 •	0.0		∞⁰ •² n, •⁰ ∞ ⊙ a, ∞ • p
20	84.4	90.6	94.3	8.5	7.2	6.0	10.0	6.0	71	94	97	16 3	16 2	18 2	5	10 •⁰	6 =	9 ∞²	1.0		• ṿ n, a, = ṿ⁰ ∞² p
21	99.6	01.1	01.8	4.8	6.4	3.8	6.5	3.5	92	88	00	14 1	18 1	00 0	6	9 ∞²	9 =⁰	9 =	4.9		∞² • n, ∞² =⁰ ⊙⁰ a, = p
22	00.6	00.5	99.2	0.8	1.5	1.6	4.4	0.4	00	94	93	00 0	00 0	22 1	3	0 =²	1 ≡⁰	0 =²			=² ⌣ n, a, ≡⁰ = ⌣ p
23	98.8	00.3	99.7	- 0.2	1.6	- 0.4	1.6	- 0.7	89	85	89	00 0	00 0	00 0	3	0 ∞²	1 =²	0 =²	0.1		∞² ⌣² n, =² ⌣ a, p
24	95.6	95.9	94.6	1.0	2.1	2.6	2.6	- 1.6	62	59	70	12 2	18 2	24 2	7	1 ∞	9 ∞²	10 ∞⁰	0.1		=² ⌣ n, ∞ a, p
25	95.3	99.6	02.7	4.9	4.0	2.2	5.3	2.1	59	70	75	24 2	26 2	00 0	8	10 ∞⁰	9 ∞	1 ∞			∞⁰ n, a, ∞ ⌒ p
26	08.1	10.1	09.2	2.2	3.2	1.2	3.5	1.2	84	73	85	00 0	12 2	12 1	5	10 ∞	9 =	0 =⁰			∞ ⌒⁰ n, ∞ = a, ∞ =⁰ p
27	00.8	96.6	94.5	0.2	3.6	3.8	3.9	0.0	96	64	73	00 0	00 0	00 0	5	4 =⁰	8 =	10 =			=⁰ ⌣ n, ∞ ⌣ a, = p
28	92.8	92.8	92.6	2.8	2.6	2.2	3.9	2.0	96	96	00	22 2	00 0	00 0	6	10 •⁰	10 ∞	10 •	1.2		= • n, • ∞ a, p
29	98.6	01.5	04.1	0.5	0.9	- 0.6	2.5	- 0.7	88	79	91	00 0	14 2	00 0	4	9 =⁰	0 =²	0 =²	6.0		• =⁰ ⌣ n, =² ⌣ a, =² p
30	10.5	13.9	16.9	- 3.2	- 0.8	- 1.6	- 0.6	- 3.3	88	84	83	00 0	00 0	14 2	3	0 ∞⁰	3 =²	9 =⁰	0.1		= ⌣ n, ∞⁰ =² ⌣ a, =² ⌣ p
31	20.3	21.6	22.5	- 0.3	1.4	- 1.6	1.4	- 2.2	68	63	68	14 1	00 0	00 0	6	9 ∞	1 ∞²	1 ∞⁰			= ⌣ n, ∞² ⊙ a, ∞⁰ ⊙ p
M	02.0	02.6	02.2	2.6	3.4	2.9	5.2	1.0	84	80	84	2.1	2.5	2.4	6.2	7.0	7.5	6.5	138	1	

Ekstensotabell

Trondheim (Voll)

1945

$\varphi = 63° 25' N$ $\lambda = 10° 27' E$ $g = 9.821$ $\Delta G = +1^h$

Januar I

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	91.3	93.9	92.3	- 2.5	1.4	1.8	2.3	- 5.7	90	89	91	20 3	18 5	24 3	5	10(*)	10 •	10 •	2.6	20	* n, a, • p
2	88.8	86.6	83.7	1.2	- 0.4	0.4	2.2	- 0.4	90	94	89	20 2	20 3	24 5	7	7(*)	5 ∞	8 *	14.0	15	• * n, ↓ a,p
3	74.3	75.3	76.5	- 0.7	- 1.1	- 2.4	0.8	- 2.4	93	92	92	20 3	18 1	20 1	6	10 *°	5 ∞	4 ∞	7.2	22	* n, ∞ a, *° p
4	80.6	83.1	84.3	- 2.5	- 4.0	- 8.0	2.8	- 8.2	96	73	81	04 2	04 3	00 0	9	6	2	0	2.0	22	* n
5	83.6	83.0	85.3	- 9.0	- 5.6	- 4.0	- 4.0	- 9.7	90	91	94	04 2	00 0	24 2	5	10	0 *	10 *		22	∞ n, ↓ a, * = V° p
6	80.3	78.1	76.3	- 3.8	- 5.9	- 3.0	- 2.0	- 6.7	78	76	68	20 1	00 0	04 2	8	3 ∞	10	1	5.3	25	* +° n, ∞ a, *° p
7	77.5	79.8	79.5	- 5.4	- 7.7	- 8.0	- 2.4	- 8.2	85	85	89	04 4	08 2	16 1	8	10 *°	7 ∞	4 ∞	0.5	25	*° n, a, ↓ p
8	87.2	92.5	97.7	- 9.7	- 9.2	- 6.5	- 5.4	-10.7	89	82	74	04 1	15 1	06 3	8	2 ∞	0 ∞°	0	1.9	25	*° n, ∞ ⊙ a
9	02.3	02.8	04.9	- 8.6	- 9.0	- 8.0	- 4.7	- 9.8	86	84	78	04 1	14 1	06 2	7	6 ∞	2 ∞	0 ∞		25	∞ n, ∞ ⊙ a, ∞ p
10	06.8	05.9	07.5	- 5.0	- 2.2	- 6.0	- 2.0	- 8.7	81	75	82	06 1	11 2	06 2	7	1 ∞	1 ∞°	0 ∞		25	∞ ∞ n, ∞ ⊙ a, ∞ p
11	12.0	13.4	17.3	- 7.3	- 8.8	-10.0	- 5.1	-10.2	81	80	85	00 0	18 1	08 1	6	1 ∞	0 ∞°	0 ∞		25	∞ n, ∞ ⊙ a, ∞ p
12	19.4	**19.5**	19.3	-13.0	-11.1	-10.1	- 8.4	-14.7	86	86	84	04 1	22 1	04 2	6	0 ∞	3 ∞	2 ∞		25	∞ ∞ n, ∞ (=) a,p
13	12.5	09.4	08.0	- 8.0	3.6	3.8	4.6	-10.6	82	65	85	22 3	18 4	24 4	6	9 ∞	10 ∞	10 ∞		25	∞ n, a,p, •° p
14	97.7	99.7	00.7	2.0	- 1.1	- 3.6	**4.9**	- 3.6	89	82	89	22 5	24 5	28 4	4	9 •°	10 *	4 *	8.9	10	• n, * a,p
15	00.4	99.6	97.7	- 4.0	- 3.6	- 4.0	- 2.4	- 5.2	80	92	91	28 4	24 2	24 3	4	9(*)	10 ↓	9 *	8.9	15	* + n, ↓ a,p
16	75.8	60.5	54.5	- 3.8	1.0	- 0.3	1.0	- 4.4	69	84	94	20 4	19 5	24 4	7	10	10 ↓	10 *	4.9	18	* + n, ↓ a,p
17	**43.2**	50.5	59.8	0.3	- 1.5	- 2.7	0.6	- 2.8	84	94	89	26 7	24 3	26 6	6	10 *	10 *	10 *	7.1	20	* + n, a,p, < p
18	65.7	67.0	67.1	- 4.7	- 5.6	- 8.6	0.3	- 8.7	87	94	91	20 4	18 2	18 2	9	10 *	9 *	0	13.6	35	* + n, * a
19	67.7	68.1	66.8	-18.0	-15.0	-14.0	- 8.4	-19.0	78	89	89	20 2	18 1	20 2	6	1	10 ∞	10 ∞	0.1	35	∞ n, ∞ a,p
20	69.9	71.6	73.4	-18.0	-14.5	-17.0	-13.8	-18.7	89	90	89	18 1	19 1	18 1	5	1 ∞	3 ∞°	2 ∞		35	∞ n, ∞° a,p
21	81.3	84.1	86.5	-14.2	-11.1	-11.7	-10.7	**-19.8**	92	93	90	16 1	00 0	00 0	7	10 ∞	5 ∞	2 ∞		35	∞ ∞ n, ∞ a,p
22	93.4	95.9	98.9	-12.0	- 9.3	- 9.0	- 8.8	-14.1	87	85	84	00 0	00 0	00 0	8	0 ∞	3 ∞	1 ∞		35	∞ n, a, ∞° p
23	99.6	99.7	99.5	- 9.0	- 7.7	- 7.5	- 7.4	-11.5	85	81	74	00 0	00 0	08 3	7	7 ∞	7 ∞	1 ∞		35	∞ n, a,p
24	99.9	02.0	99.7	- 7.8	- 7.4	- 6.9	- 6.9	-10.1	69	68	72	10 4	08 3	08 2	8	5 ∞	7 ∞	10 ∞		30	+ n, ∞ a,p
25	02.2	07.5	09.8	- 6.8	- 6.5	- 8.3	- 6.4	- 9.2	68	**63**	69	12 4	18 2	00 0	8	7 ∞	0 ∞	0 ∞		30	∞ n, ∞ ⊙ a, ∞ p
26	10.3	10.7	11.6	- 7.0	- 6.8	- 8.2	- 6.4	- 9.7	74	64	68	06 1	08 3	08 1	8	7 ∞	5 ∞	3 ∞		30	∞ + n, ∞ a,p
27	11.3	13.1	14.3	- 7.1	- 8.0	- 9.7	- 6.4	- 9.7	66	64	65	14 3	08 1	00 0	9	4 ∞	3 ∞°	4 ∞		30	∞ n, ∞° a, ∞ p
28	12.5	11.3	12.1	-14.2	-11.5	-10.8	- 9.4	-14.4	73	68	70	00 0	00 0	16 1	8	1 ∞	8 ∞	9 ∞		30	∞ ⊕ n, ∞ ⊙ a, ∞ p
29	07.3	06.9	05.3	- 8.4	- 5.7	- 5.5	- 3.7	-10.8	92	93	93	18 1	00 0	10 1	4	10 ∞	9 =	10 •°	1.6	33	∞ * n, = a, = • p
30	98.9	94.6	92.3	- 9.5	- 9.4	-12.3	- 4.4	-12.3	93	90	89	00 0	16 1	00 0	7	1 ∞	1 ∞	0 ∞	0.1	33	= • n, ∞ ⊙ a, ∞ p
31	83.3	82.2	83.6	-17.6	-14.2	-13.8	-11.4	-18.3	89	79	79	00 0	16 1	16 1	8	2 ∞	4 ∞°	0 ∞		33	∞ a,p
M	91.8	91.9	92.5	- 7.7	- 6.5	- 7.0	- 4.0	-10.0	84	82	83	2.1	1.7	1.9	6.8	5.8	5.5	4.3	79	27	

Februar II

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	84.4	83.9	83.9	-11.7	-12.2	-14.6	-11.5	-16.8	81	78	78	18 1	18 1	00 0	4	7 ∞	2 ∞	0 ∞		30	∞ n, ∞° a, ∞ p
2	83.5	83.3	80.5	-18.7	-12.7	-12.0	-10.3	**-19.3**	78	67	74	00 0	16 1	00 0	9	2 ∞	8 ∞	3 ∞		30	∞ n, a,p
3	88.4	93.3	97.8	-10.0	- 8.6	- 4.5	- 4.5	-12.0	92	87	89	00 0	16 1	18 1	8	4 ∞	8 ∞	4 ∞		30	∞ n, a,p, • p
4	95.4	91.6	87.8	- 8.1	- 1.8	0.6	0.6	- 8.6	78	53	52	00 0	16 3	18 5	3	4 ∞	10 ∞	10	0.0	30	∞ n, + p
5	84.2	87.7	89.0	1.4	4.3	3.0	5.4	- 0.2	86	78	89	15 6	24 3	16 1	7	10 *	9 •	10 ∞	0.5	25	* + n, ∞ (*) a, ∞ p
6	87.7	91.5	93.0	0.1	- 0.9	- 0.5	3.5	- 0.6	69	69	78	00 0	20 2	20 1	7	7 ∞°	7 ∞	10 ∞	0.0	15	∞ n, a,p, *° p
7	88.1	79.7	74.4	- 4.7	2.0	2.2	2.9	- 5.6	76	64	67	12 1	16 3	16 5	8	1 ∞°	10 ∞°	9 ∞	0.0	15	∞ n, ∞° a, ∞ p
8	72.4	73.0	77.0	0.0	- 0.3	0.9	3.0	- 1.5	96	94	93	00 0	14 1	24 3	3	10 *	5 *°	10 *	3.3	30	* n, = ∞ ⊙ a, * ≡ p
9	81.9	84.0	84.8	- 0.1	0.8	- 1.6	1.5	- 1.6	90	89	72	18 1	00 0	18 3	5	7 ∞	9 ∞	0 ∞	1.4	30	∞ ≡ + n, ∞° a, ∞ = p
10	83.9	83.2	79.5	- 7.7	- 2.8	- 1.6	- 0.9	- 7.9	84	80	84	00 0	06 2	16 1	9	2 ∞	2	2 ∞		30	∞ n,p
11	78.3	79.5	80.1	0.8	1.6	0.6	2.7	- 1.7	64	61	68	18 6	16 4	14 3	7	3 ∞	2 ∞	6 ∞		30	∞ n,a,p
12	84.4	88.7	90.3	- 4.8	- 1.6	- 1.8	0.6	- 5.1	70	79	89	00 0	22 1	00 0	5	6 ∞	10 *°	10 ∞		30	∞ n, *° a,p
13	88.4	84.0	80.7	- 1.4	0.8	- 0.3	0.8	- 4.3	74	59	62	10 1	20 5	18 5	9	1 ∞°	1	2 ∞	0.1	30	∞ n, ⊙ a
14	81.7	84.5	87.0	0.0	1.5	0.5	1.7	- 0.8	63	60	64	16 4	16 6	14 2	8	7 ∞	1 ∞°	2 ∞		30	∞ n, ∞° a,p
15	98.7	04.9	07.5	- 1.7	0.8	- 0.3	1.2	- 1.7	74	75	89	18 1	17 1	00 0	4	9 ∞°	9 •°	10 ∞	0.0	25	∞ Δ° n, ∞° a, ∞ •° p
16	09.3	09.9	09.7	- 3.2	0.2	- 2.3	0.9	- 3.6	79	66	69	16 1	08 2	08 2	8	3 ∞	3 ∞°	1 ∞	0.0	25	∞ = n, ∞° a,p
17	09.9	11.2	11.3	- 0.7	0.3	- 1.8	1.1	- 5.4	76	84	89	20 1	06 2	00 0	6	8 ∞	8 ∞	1 ∞		25	∞ ∞ n, ∞ a, ∞ = p, ∞ 19
18	04.4	01.0	03.4	3.0	6.6	6.1	7.0	- 3.7	64	63	65	18 3	20 5	20 6	9	10 ∞°	10 ∞°	10 ∞		25	∞ ∞ n, • p
19	11.3	**14.2**	13.2	4.1	3.6	2.7	6.1	2.2	90	94	95	20 1	24 1	16 1	2	10(•)	10 ≡°	3 ∞	3.7	15	• n, ≡° a, ∞ p
20	03.8	01.3	03.8	3.2	4.3	3.1	5.6	0.5	79	82	94	14 1	16 1	20 1	5	10 •°	10 •	10 •	0.5	10	∞ n, • a,p
21	08.0	02.2	97.8	1.9	2.9	2.0	3.5	0.6	84	68	80	20 3	00 0	24 1	8	2 ∞	10 ∞	9 ∞	12.3	8	• n, ∞° a, ↓ p
22	89.4	91.1	95.9	4.3	4.5	8.0	**7.5**	0.8	89	67	93	22 5	23 7	24 5	5	7	3 ↓	10 *°	3.2	10	↓ n, (•) a, ↓ p
23	99.9	00.1	98.0	- 0.2	1.9	0.8	2.6	- 0.6	89	78	68	18 3	18 2	18 1	8	9(•)	2 ↓°	2 ∞°	2.6	10	* n, ∞° ⊙ a, ∞° p
24	92.3	86.5	79.9	3.3	6.2	5.9	6.6	- 1.2	58	53	**52**	16 5	18 6	18 7	9	9	9	9	0.0	10	∞ n
25	69.8	**69.0**	70.3	1.5	1.3	- 2.0	6.0	- 2.6	89	77	95	18 3	20 5	24 5	9	7	8 ↓	10 *°	2.3	8	↓ n, ↓ a, * p
26	80.6	76.2	77.5	- 5.5	- 1.7	0.0	0.3	- 5.9	94	62	96	18 3	20 5	24 4	5	3(*)	8 ↓	10 *	4.9	8	* + n, (*) a, * p
27	86.2	89.2	88.2	1.3	1.3	- 0.6	1.9	- 1.2	62	71	96	24 7	24 3	24 2	4	10 *	10 ↓	10 *	10.0	12	* n, (*) a, * p
28	90.0	92.0	83.9	2.3	2.4	0.3	3.5	- 0.6	79	82	96	24 3	20 1	00 0	3	10(*)	10(•)	10 *	9.6	25	* n, • a, * p
M	90.6	90.6	90.2	- 1.9	0.1	- 0.6	1.7	- 4.0	79	73	80	2.1	2.6	2.3	6.5	6.4	6.9	6.5	54	22	

Ekstensotabell

1945

Trondheim (Voll)

$\varphi = 63^\circ\ 25'$ N $\lambda = 10^\circ\ 27'$ E $g = 9.821$ $\Delta G = +1^h$

Mars III

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	54.2	69.7	74.2	1.6	− 0.3	0.9	2.1	− 0.8	95	89	71	22 3	26 7	24 6	1	10 •	10 *²	9 *	17.1	20	⁝ n, *² a,p
2	91.5	98.8	02.1	0.4	1.0	− 2.1	1.7	− 2.2	90	74	90	28 4	24 5	26 3	4	8(♦)	5 *	5 ♦	4.4	20	♦² n,a,p
3	04.6	05.8	04.4	1.0	0.8	− 1.0	2.0	− 3.4	89	90	89	25 4	24 5	26 3	4	9	6(♦)	6 *	6.7	25	♦ n, ♦² a, ♦ p
4	99.5	00.9	01.5	− 1.5	1.5	− 0.8	3.9	− 1.7	95	84	90	20 2	24 1	24 2	6	10 •²	8 *°	10 *	7.1	25	* n, = 8, *° a, ♦° p
5	96.8	98.3	99.7	0.5	1.7	0.1	4.0	− 1.6	95	79	94	24 3	24 3	24 3	4	9 ▲²	4 ♦	10 *²	7.0	30	▲² n, ♦² a,p
6	00.6	00.0	02.0	− 0.2	1.8	− 0.8	3.5	− 0.8	95	90	94	18 1	24 1	00 0	5	10 *²	9 ♦	8(♦)	5.5	30	* n, ♦ ⊙ a, ♦ p
7	05.2	04.8	02.8	− 1.7	1.2	− 1.4	2.1	− 1.9	92	81	95	20 2	20 1	00 0	6	9(*)	8 ∞	10 ∞	3.0	30	*° n, *° a, ∞ p
8	04.4	09.3	11.4	2.4	3.4	0.5	3.9	− 1.6	79	78	91	24 2	24 2	20 1	7	10 ♦	6(♦)	8 ∞	5.0	35	♦ n, ∞ ♦ a,p
9	01.2	98.5	97.8	1.7	3.8	3.7	4.5	− 0.2	95	95	94	20 5	23 4	22 4	3	10 •	10 •	10 •	6.7	20	⁝ n, • a,p
10	98.2	00.3	02.0	0.3	0.4	0.1	4.0	0.1	95	94	96	06 2	06 2	04 1	1	10 *²	10 *²	10 *	64.9	20	• * n, *² a, * ≡ p
11	06.2	06.9	07.4	4.0	4.4	3.7	4.5	0.1	95	94	95	18 4	18 3	16 2	4	10 •	10 •	10 ∞	22.3	15	• n,a, • p
12	06.1	04.7	01.5	3.2	3.9	3.5	4.1	2.8	95	90	82	18 3	20 2	18 2	6	10 ⁝	10 ∞	10 ∞	4.8	10	⁝ n, ∞ a,p
13	04.4	06.1	04.5	2.8	3.2	2.0	4.7	2.0	84	68	73	24 4	22 3	20 4	6	10 ⁝	9(⁝)	4 ∞	1.5	10	⁝ n, ∞ a,p
14	97.2	95.3	91.4	1.7	3.3	1.5	3.5	1.3	87	86	96	20 5	22 3	18 2	5	10 ♦	10 •°	10 ⁝	0.1	10	•° n, ∞° a, • p
15	96.1	92.5	87.4	0.1	− 0.5	− 0.4	1.6	− 0.6	82	94	95	20 1	04 2	04 2	3	9 ∞	10 *²	10 *²	8.3	10	⁝ n, *² a,p
16	91.2	93.2	93.9	− 2.0	2.0	− 3.0	4.6	− 3.0	89	74	82	24 1	18 1	00 0	8	5 ∞	4 ∞°	1 ∞	24.6	30	*² n, ⊙ 8, ∞ a, ∞ ⊙ p
17	99.6	02.0	03.0	− 2.9	0.5	− 1.0	2.5	− 5.7	89	89	92	18 3	24 2	20 2	5	8 ♦	6(♦)	5 ♦	1.1	35	♦ n, ∞ 8, ♦ a,p
18	05.7	06.1	04.9	− 1.1	2.1	0.1	4.5	− 2.5	93	81	79	24 1	20 1	18 1	7	10 *	7 ∞	9	12.4	45	*² n, ♦ ∞° ⊙ a, ⊙ p
19	95.7	93.6	91.5	− 1.2	2.9	3.1	3.5	− 4.7	81	72	82	18 1	23 1	17 1	3	10 ∞	10 ∞	10 ∞	0.6	45	∞ n, ∞² ⁝ a, ∞² • p
20	74.3	71.3	72.6	2.4	3.5	3.2	5.5	0.3	77	86	93	24 1	20 2	18 3	4	10 ∞²	10 •	10 ⁝	1.2	35	∞ n, •° a, ⁝ p
21	86.7	95.9	98.1	3.0	3.5	2.0	3.5	2.0	87	76	87	24 3	24 2	16 1	7	9 ∞	9 ∞	7 ∞	2.9	25	•° n, ∞ ⊙ ⁝° a, ∞ p
22	94.3	96.0	96.4	4.3	6.4	6.2	6.6	1.3	94	90	90	18 4	18 3	20 4	4	10 •	10(⁝)	8 ∞	1.8	20	• n, ∞ ⁝ a, ⁝ p
23	02.2	03.2	05.0	6.0	11.0	10.0	11.3	4.9	93	68	59	18 4	20 3	18 1	6	10 ∞	1 ∞	0 ∞	2.0	10	⁝ n, ∞ ⊙ a,p
24	06.0	05.9	05.6	6.1	11.3	6.7	12.0	4.3	68	66	72	20 1	00 0	00 0	3	0 ∞	0 ∞²	0 ∞		10	∞ n, ∞² ⊙ a, ∞ ⊙ p
25	04.6	02.4	00.6	2.3	6.6	6.1	7.8	0.3	88	79	78	02 1	02 1	30 1	6	0 ∞	0 ∞	0 ∞°		8	∞ n, ∞ ⊙ a,p
26	98.6	96.4	98.6	2.0	7.0	6.3	8.3	− 0.1	78	64	68	04 1	04 1	18 1	8	0 ∞	0 ∞	6 ∞		8	∞ n, ∞ ⊙ a,p
27	02.1	99.5	96.1	1.5	6.0	5.5	7.6	0.8	89	77	78	00 0	04 1	00 0	6	1 ∞²	6 ∞	4 ∞		8	∞ n, ∞ ⊙ a,p
28	90.0	89.3	88.0	1.9	5.6	4.8	6.7	0.7	93	81	78	18 1	08 1	18 1	6	5 ∞²	4 ∞	8 ∞		8	∞ n, ∞ ⊙ a,p, ⁝° p
29	86.6	87.1	86.2	2.3	4.0	2.3	4.8	2.3	89	69	75	24 2	24 3	20 1	8	8(⁝)	7 ∞²	5 ∞°	1.1	6	⁝ n, ∞ ⊙ a, ∞ p
30	75.6	75.6	77.0	1.0	3.8	3.6	5.4	− 2.7	86	73	89	00 0	20 2	20 1	7	2	10 •°	6 ∞		6	⊙ a, • 13 − a, ∞ ⁝ p
31	77.7	77.7	74.0	0.0	7.4	5.4	8.1	− 1.2	89	65	62	20 3	24 1	20 1	7	9 ∞	4 ∞	4	0.6	6	∞ n, ∞ ⊙ a,p
M	95.4	96.4	96.2	1.3	3.7	2.3	4.9	− 0.4	88	80	84	2.3	2.2	1.7	5.2	7.8	6.9	6.9	213	20	

April IV

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	62.0	57.1	59.1	4.9	10.8	4.8	11.3	3.5	81	63	94	20 2	20 3	23 1	9	10 •°	7	10 •	0.2	4	•° n, ⁝ a, ⊙ 14, • p
2	67.5	69.3	71.9	4.4	7.5	4.5	8.4	2.6	80	64	87	20 2	04 2	10 1	9	2 ∞°	7	7 ∞°	7.0		⁝ n, ∞ ⊙ a, ∞° ⊙ p
3	76.3	78.8	80.0	1.5	7.7	4.6	7.7	0.3	89	64	68	20 1	04 1	06 1	9	9 ∞²	4	2 ∞			∞ n, ⊙ a,p
4	86.2	89.6	91.9	0.5	7.0	6.5	8.4	− 0.8	84	68	73	20 1	04 1	00 0	9	6 ∞	0	0 ∞°			∞ n, ∞ ⊙ a,p
5	98.2	00.8	04.2	0.6	7.6	4.5	7.6	− 1.3	81	73	75	20 2	32 2	28 2	7	0 ∞	1 ∞	8			∞ n, ∞ ⊙ a,p
6	13.0	15.6	17.2	2.5	5.8	4.2	6.0	1.4	89	69	82	20 2	24 3	24 1	7	4 ∞²	10 ♦	9(⁝)	0.0		♦° n, ⊙ 8, ∞ a, ∞ ⁝° p
7	15.4	13.4	09.3	0.2	9.5	8.2	10.6	− 0.1	89	53	52	20 3	20 3	20 3	9	4 ∞	2	10 ∞²	0.1		∞ n, ⊙ a,p
8	05.4	06.2	04.8	4.8	6.8	6.2	8.4	4.3	92	78	94	20 4	24 3	18 2	4	10 ∞	10 ⁝	10 •	2.0		• n, ⊙ 8, • a, ∞ 14, • p
9	05.8	04.5	01.0	6.3	7.0	7.3	7.5	5.5	87	94	93	23 2	20 4	24 4	4	10 •°	10 •	10(•)	5.4		• • n, • a, ⁝ p
10	03.4	02.7	00.9	4.1	4.3	1.3	7.4	1.3	70	65	82	24 5	26 5	26 5	5	9 △	10 △	10 △²	5.7		• △ n, △² a, △ p
11	01.1	00.9	00.3	0.4	0.3	0.4	1.7	− 0.7	79	89	84	24 5	24 4	24 4	2	7 ♦	10 ⁝²	8 ♦	7.2	3	△ n, ∞ 8, ♦ a,p
12	98.9	99.2	98.5	− 0.7	0.4	1.5	3.2	− 0.7	94	89	68	24 2	26 3	22 2	7	7(♦)	10 ♦	5(♦)	3.6	5	♦ n,a,p
13	00.5	02.8	04.4	0.7	4.2	0.3	5.1	− 0.7	85	59	63	20 1	06 1	30 1	9	5 ∞	2	3	1.8	5	* n, ⊙ a,p
14	11.1	12.2	11.7	0.4	5.9	4.2	5.9	0.3	84	60	65	18 1	30 1	08 1	9	1 ∞	2	0		3	∞ n, ⊙ a,p
15	09.3	07.2	05.9	0.0	6.8	7.5	8.5	− 2.8	76	67	61	16 1	06 2	16 1	9	0 ∞°	0	5 ∞			∞ n, ⊙ a,p
16	04.7	02.8	01.0	4.8	6.3	5.4	7.5	2.3	72	68	93	00 0	06 1	24 1	6	9 ∞	10 ∞	10 ∞			∞ n, ∞ •° a,p
17	01.5	02.8	03.1	6.0	9.6	9.3	9.9	4.5	96	89	86	00 0	00 0	00 0	4	10 ≡²	10 •	9 ∞	3.3		• ≡² n, • ≡ a, = Φ p
18	98.9	99.3	98.3	6.7	7.8	7.6	9.4	4.3	82	92	95	23 1	18 3	22 2	6	10 ∞	10(≡)	8 ∞	0.7		∞ ⁝° n, ⁝ (≡) a, ∞ ⁝ p
19	94.5	96.2	97.0	4.3	4.4	3.8	7.6	3.8	93	94	96	18 5	24 3	20 4	5	10 •	10 •	10 •	9.3		• n, • • a, (≡) 14, • • p
20	88.6	87.9	84.6	4.5	7.0	6.1	8.7	3.8	94	85	78	00 0	24 2	12 1	9	10 •	7	6 ∞²	23.8		• n,a
21	79.6	81.2	84.5	3.2	2.2	4.6	6.3	1.3	93	95	89	00 0	04 2	08 3	3	10 ∞	10 •	10 •°	3.9		∞ n, • a,p
22	92.9	94.7	96.4	4.0	6.7	6.3	7.5	2.5	84	72	70	30 1	30 2	28 1	9	10	10	6	3.1		
23	98.8	98.6	97.9	4.5	6.1	6.0	7.5	2.8	89	81	76	24 1	24 1	26 1	6	10 ∞	7(⁝)	6			∞ n,a
24	94.3	95.2	96.0	3.4	6.3	4.4	7.4	2.3	89	69	72	18 3	24 4	24 3	6	10(⁝)	6(⁝)	3(⁝)	1.1		⁝ n,a, ⊙ ∞ a,p
25	94.8	96.3	97.5	1.5	5.6	2.7	6.1	0.6	95	74	78	04 3	28 3	24 2	6	10 ▲	9 *	8(♦)	0.8		▲ n, * a, ♦° ∞ p
26	95.6	93.1	90.7	2.3	6.6	6.3	8.4	− 2.0	73	66	56	04 2	06 4	16 4	9	2 ∞	2	7	0.4		∞ n, ⊙ a,p
27	87.9	86.7	85.7	6.3	8.8	7.2	8.9	3.7	65	59	59	16 3	16 4	16 3	7	9	9 ∞	10 ∞²			∞ a, ∞° p
28	81.1	76.8	77.9	4.8	8.6	8.6	10.1	4.3	93	68	66	08 1	16 4	16 4	9	10 ∞	6	3	0.5		∞² •° n, ⊙ a,p
29	85.4	87.4	88.3	6.2	9.5	8.2	9.5	3.3	72	52	55	00 0	08 1	08 1	9	2	3	8	0.7		⊙ a, ⊙ Φ p
30	91.7	35.8	96.6	4.0	7.0	6.0	8.4	3.6	90	78	85	18 2	24 2	00 0	7	10 ∞	7 •°	10 ∞²	2.0		∞ • n, ∞ •° a,p
M	94.8	95.2	95.3	3.2	6.5	5.3	7.7	1.8	85	73	76	1.9	2.5	2.0	7.0	7.2	6.7	7.0	83	1	

Ekstensotabell
1945

Trondheim (Voll)

φ = 63° 25' N   λ = 10° 27' E   g = 9.821   ΔG = + 1ʰ

Mai V

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = h_d = 11.2 h_r = 1.3

Datum	Lufttrykk P 8	P 14	P 19	Lufttemperatur T 8	T 14	T 19	Max	Min	Relativ fuktighet U 8	U 14	U 19	Vindens retning og styrke D,F 8	D,F 14	D,F 19	Synsvidde V 14	Skydekke og vær N,w 8	N,w 14	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	94.9	97.9	99.6	4.5	8.8	9.1	9.8	3.4	94	74	54	20 1	14 5	16 3	7	10(≡)	5(▽̇)	0 ∞	8.7		∞ ⊙ n, •° a, ∞ ⊙ p
2	04.9	04.6	04.6	6.6	10.2	10.2	14.0	2.5	73	56	50	02 3	12 4	14 1	7	5 ∞	8 ∞	7 ∞	0.1		∞ n, ∞ ⊙ a,p
3	03.1	02.2	01.3	9.3	13.8	12.6	13.8	5.2	72	58	51	04 4	08 6	04 2	7	4 ∞	1 ∞	3 ∞			∞ n, ∞ ⊙ a,p
4	96.8	94.5	94.0	7.2	11.3	12.7	14.1	4.5	68	58	52	04 2	04 3	10 1	8	7 ∞	4 ∞	6 ∞			∞° n, ∞ ⊙ a,p
5	90.9	90.4	90.5	9.6	10.0	8.0	12.7	5.9	63	62	76	04 4	12 3	00 0	7	3 ∞°	10 •	10 •°			⊙ 8, ∞ •° a, •° p
6	91.8	93.0	94.3	4.3	5.8	5.0	8.1	4.0	95	92	84	18 4	24 2	24 2	7	10 •°	5 •	10 ≡	8.8		• n, (≡) 8, • a, •° p
7	98.4	01.2	03.0	4.4	7.5	5.7	7.5	3.3	90	75	73	18 3	26 3	26 2	7	10(≡)	10 ∞	7 ∞	2.1		(≡) • n, ∞ •° a, ∞ p
8	07.9	09.0	**09.2**	3.2	5.6	5.4	5.9	2.5	68	60	62	03 1	24 2	26 1	9	10 ∞°	10	8	0.1		∞ △° n, ⊙ 19
9	07.4	05.0	03.0	5.4	12.7	12.4	13.3	**- 0.8**	61	50	47	12 3	16 3	16 2	9	0	7	4 ∞°			⊙ ⦶ a, ∞ ⊙ p
10	94.5	93.6	94.3	10.1	11.2	10.5	14.0	6.4	72	73	90	12 2	08 1	00 0	7	9 ∞°	9 ∞°	6 ∞	0.0		∞ •° n, ∞ a, ∞ ⊙ ▽̇² p
11	86.1	90.3	96.2	10.5	9.0	5.0	11.7	4.9	76	86	94	18 2	24 3	24 4	4	10 •°	10 ∞	10 ∞	5.3		•° n, ∞ 8, •° a, (≡) 14, •p, (≡)19
12	04.2	03.7	02.5	3.8	8.5	8.0	9.5	2.2	87	70	73	24 2	28 3	28 2	7	7(≡)	6 ∞	2 ∞	5.4		▽̇ n, ⊙ 8, ⁑ a, ∞ ⊙ p
13	99.3	94.7	89.2	5.7	9.0	11.3	12.0	5.2	96	92	82	00 0	04 2	24 1	6	10 •	10 ∞	10 ∞	1.8		• n, ≡ 8, • (≡) a, ∞ ⊙ p
14	**72.2**	76.9	77.8	13.4	7.2	8.2	14.2	6.7	74	91	80	16 3	08 3	10 2	5	9 ∞°	10 •	6	1.2		• n, •² a, ∞ • p
15	87.2	90.2	90.7	7.0	9.5	9.3	10.0	5.6	88	68	62	18 2	02 3	04 2	6	10(•)	6 ∞	10 ∞	16.7		• n, ∞ 8, ▽̇° a, ⊙ 14, ∞ p
16	90.1	88.8	86.7	9.7	13.3	13.2	15.3	4.3	72	62	62	14 1	26 2	04 2	9	3 ∞°	9	4 ∞°	0.0		∞ n, ⊙ a, ∞ •° p, ⊙ 19
17	87.9	84.7	84.3	8.7	10.0	7.1	13.4	7.1	76	78	90	08 1	04 3	16 1	7	10 ∞°	7 ∞²	10(▽̇)	0.0		∞ n, ∞ ⊙ ▽̇° a, ∞ ▽̇ p
18	84.1	86.1	92.4	2.4	4.7	6.2	7.4	2.3	94	94	85	18 3	24 4	24 4	5	10 •	9 •	9(▽̇)	5.1		⁑ n, (≡) 8, ⁑ a, ∞ ▽̇ p
19	01.1	03.3	03.8	6.3	8.7	8.0	9.4	5.6	82	73	73	26 4	28 2	30 2	9	10 ∞°	10	9 ∞°	5.3		∞ ▽̇° n, ∞ ▽̇ a
20	04.6	04.6	04.3	7.2	9.1	9.9	10.8	4.2	80	66	64	30 2	02 1	30 1	9	8(▽̇)	4	2	0.2		⊙ p
21	03.5	02.1	00.6	6.4	11.0	9.4	12.1	2.9	68	63	69	02 2	18 1	04 3	9	8 ∞ᵘ	1	1			∞ n, ⊙ a,p
22	01.5	99.6	99.4	5.0	7.0	5.2	9.5	3.3	68	62	62	08 2	02 1	02 3	8	9 ∞°	7 ∞°	9			∞ n, ∞ᵘ ⊙ a, ∞ ⊙ p
23	99.1	98.7	96.5	3.9	5.3	4.4	5.4	2.9	66	73	77	02 2	24 2	28 2	5	10 ∞°	10(▽̇)	10 ∞°			∞ n, ∞ ▽̇° a, ∞° p
24	97.0	98.0	96.1	4.8	7.8	8.4	8.6	3.2	76	55	45	04 2	06 4	14 3	9	7 ∞	3	0	0.0		∞ n, △° a, ∞ ⊙ p
25	97.5	95.2	93.3	8.1	12.0	10.8	13.2	0.4	56	48	52	14 2	04 3	30 3	9	1	3	1 ∞°	0.0		⊙ n,a, ∞ ⊙ p
26	96.5	95.7	95.8	7.4	13.3	11.7	13.9	1.2	65	**41**	46	02 2	32 2	30 1	9	4 ∞°	0	5			∞ ⊙ n, ⊙ a,p
27	98.1	97.5	97.0	8.5	14.4	11.6	14.4	2.0	76	55	59	32 1	04 2	26 3	7	5 ∞²	2 ∞°	1 ∞°			∞ ⊙ n,a,p
28	97.3	94.7	93.7	7.6	14.4	16.2	16.4	3.9	76	63	54	03 2	06 3	06 2	9	3 ∞°	3	4 ∞°			∞ ⊙ n, ⊙ a, ∞ ⊙ p
29	94.6	93.3	91.5	14.8	17.4	17.8	**19.0**	10.2	66	58	58	06 1	04 2	10 4	5	2 ∞	9 ∞	7 ∞			∞ ⊙ n, ∞² ⊙ a, ∞ ⊙ p
30	89.0	88.1	92.1	15.0	16.3	9.2	17.8	9.2	74	72	93	16 3	16 2	20 2	4	10 ∞	10 ▽̇²	10 •	0.0		∞ •° n, ∞ ▽̇° a, ≡ 14, • p
31	93.7	94.0	94.4	11.5	14.5	14.0	15.1	7.2	61	68	68	24 1	02 3	02 1	5	6 ∞	9 ∞	4 ∞	3.2		∞ ⊙ n,a,p
M	96.0	95.9	95.9	7.5	10.3	9.6	12.0	4.2	76	68	67	2.2	2.7	2.0	7.1	7.1	6.7	6.0	64		

Juni VI

Datum	P 8	P 14	P 19	T 8	T 14	T 19	Max	Min	U 8	U 14	U 19	D,F 8	D,F 14	D,F 19	V 14	N,w 8	N,w 14	N,w 19	R	h_s	W
1	98.2	97.1	96.8	12.0	17.8	19.5	19.8	7.7	74	60	55	04 2	04 2	06 1	5	0 ∞²	7 ∞	8 ∞			∞ ⊙ n,a,p
2	00.4	99.0	97.8	15.8	20.6	20.2	21.9	11.2	70	55	52	00 0	04 1	06 1	6	0 ∞	3 ∞	2 ∞			∞ ⊙ n,a,p
3	94.9	93.9	94.0	14.9	11.0	9.5	20.4	9.5	73	92	95	06 1	28 3	24 1	5	9 ∞°	10 ≡	10 •°			∞ n, ▽̇ a, • p, (≡) 19
4	90.8	86.8	83.6	7.8	8.4	6.3	9.7	6.3	85	82	87	06 1	06 4	06 5	6	10 ∞	10 •	10 •°	13.3		∞° ▽̇ n, ∞ a, •° p
5	89.1	92.1	93.5	4.1	6.5	5.4	7.4	3.3	79	71	90	24 3	24 6	24 3	7	9(▽̇)	10(▽̇)	9 ▽̇	6.9		⁑ n,a, ▽̇ p
6	01.1	98.9	94.7	6.2	10.4	10.9	12.3	**2.2**	67	54	57	08 2	06 3	04 4	9	3	0	1	2.0		• n, ⊙ a,p
7	89.2	89.0	87.4	11.4	13.2	13.7	14.7	8.2	65	72	73	18 3	04 3	06 1	9	10	10	7 ∞°			▽̇° a,p
8	77.1	80.5	84.1	15.2	11.8	10.8	15.3	10.6	64	76	77	18 5	20 4	24 3	8	9 ∞	8 ∞°	10(▽̇)	0.2		∞ ▽̇° n, ∞° a, ∞ p
9	92.0	92.0	93.4	9.7	13.0	9.4	14.1	8.2	94	76	92	18 2	06 3	08 1	9	9 ∞	7 ∞	10 •	3.5		• ≡ n, (≡)8, ∞ •° a, ℸ ▽̇ 17–18
10	92.8	93.3	95.3	10.9	11.5	10.7	14.3	6.0	85	70	68	02 3	26 3	24 2	7	4 ∞	9 ∞°	8 ∞°	11.8		▽̇ n, ∞° ⊙ a, ∞° p
11	98.8	99.1	96.9	11.2	12.3	12.0	12.4	6.2	76	72	69	20 3	26 2	04 2	7	9(▽̇)	5(▽̇)	3	0.0		▽̇° n,a, ⊙ p
12	90.0	88.1	90.7	13.2	17.6	12.0	18.1	7.2	66	50	75	18 1	18 3	22 3	9	8	10	9 ℸ	0.0		⊙ n,a,p, (▽̇) 19
13	94.6	90.7	86.5	6.9	9.2	10.1	12.0	5.5	86	73	74	24 2	06 2	02 3	7	10 ∞	8 ∞°	1 ∞°	2.4		∞° ▽̇ n, ∞ c, ∞ ⊙ p
14	**76.2**	77.5	80.4	7.8	6.9	6.5	10.1	6.5	86	92	94	24 3	24 4	24 6	4	10 ∞	10 •	10 •			∞ n, ∞ •° a, • p
15	83.1	82.3	79.6	7.1	10.6	9.0	10.6	4.7	84	71	71	25 5	30 4	06 2	7	5 ∞	5 ∞°	10 ∞°	13.4		▽̇ n, ∞° ⊙ a,p
16	81.4	85.8	91.3	6.9	8.7	7.2	9.3	6.2	78	71	75	30 2	28 3	26 3	7	10 ∞°	9 ∞°	9(▽̇)	0.7		∞ ▽̇ n, ∞ a,p
17	95.9	97.5	96.3	6.7	6.0	8.5	9.3	3.2	85	90	72	24 4	25 2	00 0	4	3 ▽̇	10 ▽̇	4 ∞	0.7		∞ ▽̇ n, ▽̇ a,p
18	87.7	91.4	93.3	11.3	11.0	10.8	12.5	5.2	68	82	75	23 1	27 2	26 3	6	5 ∞	10	10 ∞	1.9		∞ ⊙ n, ▽̇ a,p
19	99.1	01.4	04.4	12.1	12.2	11.7	12.6	8.2	79	89	95	18 2	19 2	23 2	4	9 ≡°	10 •	10 •	2.6		≡° ▽̇ n, ≡° a, ≡ • p
20	**08.6**	08.3	07.1	11.0	13.4	13.4	14.3	10.0	94	73	70	00 0	03 2	03 2	6	10 •	10 ≡°	1 ∞	4.8		≡ • n,a, ∞ ⊙ p
21	05.7	04.1	03.5	12.7	19.6	21.9	22.6	8.4	78	66	52	07 2	05 2	07 1	8	0 ∞°	0 ∞°	0 ∞°			∞ ⊙ n,a, ∞° ⊙ p
22	04.9	04.1	03.8	17.6	25.8	24.6	**26.5**	12.2	66	**46**	47	04 1	06 1	00 0	8	0 ∞°	0 ∞°	0 ∞			∞ ⊙ n,a,p
23	04.2	03.1	01.8	18.4	24.6	23.7	26.2	14.1	70	**46**	57	03 1	03 2	00 0	7	0 ∞	0 ∞	0 ∞			∞ ⊙ n,a,p
24	02.5	99.6	97.6	17.6	26.2	24.9	**26.5**	14.1	74	**46**	47	07 3	09 4	08 2	8	0 ∞	0 ∞	0 ∞°			∞ ⊙ n, ∞° ⊙ a,p
25	01.9	03.0	03.8	14.4	11.5	11.0	24.9	11.0	94	95	93	04 1	24 3	24 3	4	10 ∞²	10 ∞	10 ∞			∞ n, ∞ • a, • p, (≡) 19
26	02.3	01.7	00.7	11.0	13.8	11.7	14.4	10.3	92	78	85	24 2	26 2	24 1	9	10 ∞	9	10(•)	1.6		∞ ▽̇° n, ∞ a,p
27	98.6	97.0	94.4	11.1	15.4	15.5	18.1	10.2	92	82	79	04 1	02 2	06 2	7	10 ∞	2 ∞°	2 ∞	0.4		∞ ▽̇ n, ∞ ⊙ a,p, ▽̇° p
28	93.2	91.5	88.9	16.7	21.7	22.0	23.5	12.0	70	57	54	32 1	32 1	32 1	7	0 ∞²	2 ∞°	4 ∞²	0.0		∞ ⊙ n,a,p
29	89.7	88.6	86.2	18.1	23.4	21.7	24.3	14.2	76	58	56	02 1	02 2	24 2	6	0 ∞²	3 ∞	6 ∞			∞ ⊙ n,a,p
30	87.0	85.2	85.1	16.6	19.2	15.5	21.7	12.3	72	62	69	20 1	28 2	24 1	7	6 ∞	4 ∞	6 ∞			∞ n, ∞ ⊙ a,p
M	94.4	94.1	93.8	11.9	14.4	13.7	16.7	8.5	78	70	72	2.0	2.6	2.0	6.8	5.9	6.4	6.0	66		

Trondheim (Voll)

φ = 63° 25′N λ = 10° 27′E g = 9.821 ΔG = + 1ʰ

Juli VII

H_s = 127 H_b = 133.0 h_t = 2.0 h_a = h_d = 11.2 h_r = 1.3

Datum	Lufttrykk P 8	P 14	P 19	Lufttemperatur T 8	T 14	T 19	T Max	T Min	Relativ fuktighet U 8	U 14	U 19	Vindens retning og styrke D,F 8		D,F 14		D,F 19		Synsvidde V 14	Skydekke og vær N,w 8	N,w 14	N,w 19	Nedbør R	Snødybde h_s	Værforløp W
1	85.7	84.9	84.1	10.8	16.8	16.8	18.6	9.2	82	56	62	02	3	04	3	26	2	9	6	1	3			⊙ n,a,p
2	98.9	90.4	91.4	9.5	13.6	11.1	16.8	9.2	82	64	71	24	1	24	3	22	3	8	9 ∞°	8 ∞°	9 ∞°	0.0		∞ •° n, ∞° ⊙ a, ∞° p
3	93.7	94.1	94.9	9.7	14.8	12.5	15.0	7.6	82	61	64	20	1	32	1	30	2	9	8 •°	3	8	0.0		∞ •° n, ∞° a, ⊙ p
4	95.1	95.0	95.7	11.7	18.0	16.4	18.0	5.4	78	57	63	24	1	02	3	24	2	9	3	3	10			⊙ n,a,p
5	96.4	95.3	93.4	16.4	21.5	22.2	23.4	11.4	56	58	61	04	3	06	2	00	0	9	6	1	6 ∞°			⊙ n,a,p, ∞° p
6	96.5	94.7	92.9	19.0	24.2	24.3	25.5	16.0	70	58	58	06	2	04	3	04	3	7	7 ∞°	1 ∞°	1 ∞			∞ ⊙ n, ∞° ⊙ a, ∞ ⊙ p
7	93.4	92.2	93.3	18.5	25.6	23.8	26.4	15.6	92	63	50	02	1	04	1	18	2	7	9 ∞	3 ∞°	1	2.8		∞ • n, ∞ ⊙ a, ⊙ p
8	98.8	98.4	00.0	18.4	20.9	15.6	23.8	14.0	75	66	89	00	0	04	1	18	3	7	3 ∞	4 ∞	10 ∞			∞ ⊙ n,a, ∞ p, R ▽ 17^{00}–18^{10}
9	01.0	02.6	03.9	13.3	14.3	13.4	15.7	13.0	94	91	92	00	0	27	2	24	1	6	10 ∞	10 ∞	10 ∞	6.2		▽ n, (≡) 8, ∞ •° a, ∞ (≡) p
10	02.2	99.5	98.7	14.0	17.6	18.1	19.4	11.2	90	84	81	00	0	06	2	32	1	7	6 ∞	4 ∞	1 ∞	0.2		∞ n, ∞ ⊙ a,p
11	01.3	00.8	00.6	17.3	23.6	23.3	25.2	13.2	86	56	56	03	2	06	3	06	2	8	0 ∞	0 ∞°	0 ∞			∞ ⊙ n,a,p
12	02.8	99.8	97.9	20.4	26.6	25.0	27.4	15.3	71	56	58	02	1	02	1	04	1	7	0 ∞°	2 ∞°	6 R			∞° ⊙ n,a,p, ▽ 19^{10}–19^{30}
13	04.3	05.5	06.1	16.2	16.9	14.8	25.4	14.7	93	85	82	20	1	24	2	30	1	6	10 ∞	10 ∞	10 ∞	2.6		∞ n,a,p
14	06.7	07.6	07.5	13.0	16.0	14.8	17.2	11.6	94	84	78	24	1	26	1	24	1	7	10 ∞	8 ∞	5 ∞			∞ n,a, ∞ ⊙ p
15	07.5	07.0	05.9	15.8	21.4	22.5	24.2	10.2	80	68	59	04	2	08	2	04	1	8	0 ∞°	4 ∞°	3 ∞			∞ ⊙ n, ∞° ⊙ a, ∞ ⊙ p
16	05.8	03.1	01.4	22.8	29.6	31.3	**32.9**	16.6	68	54	**46**	00	0	02	1	18	2	6	0 ∞^2	0 ∞	0 ∞			∞ ⊙ n,a,p
17	03.7	02.0	07.5	21.2	26.2	17.5	31.3	17.3	68	62	76	26	2	02	2	24	2	5	0 ∞	1 ∞	10 ∞			∞ ⊙ n,a, ∞ p
18	**11.2**	10.5	08.1	13.5	16.8	17.3	18.4	13.4	89	72	74	24	1	06	1	28	1	7	10(•)	8 ∞	3 ∞°			∞ n,a, ∞ ⊙ p
19	02.4	99.6	96.6	17.4	24.2	24.6	26.5	12.7	81	63	56	02	2	06	2	25	1	9	1 ∞	3	3 ∞			∞ ⊙ n,a,p
20	93.2	91.2	88.1	23.7	25.4	22.2	27.8	15.3	64	56	73	17	1	03	2	00	0	6	1 ∞	8 ∞^2	7 ∞^2	2.0		∞ ⊙ n, ∞^2 ⊙ a,p, ▽ p
21	86.4	86.6	86.9	17.2	15.6	14.8	22.5	14.7	94	94	94	00	0	17	1	00	0	5	10 ∞	10 •	10 •	1.7		∞ ⊙ • (≡) n, • (≡) a,p
22	88.7	88.0	87.3	14.2	18.5	17.1	19.2	12.7	95	70	70	00	0	01	1	26	2	5	10 •	5 ≡°	8 ∞	38.3		• (≡) n, ⊙ ≡° a, ∞ ⊙ p
23	90.0	90.6	90.8	15.4	16.6	16.1	18.6	11.9	81	76	74	26	1	28	1	26	1	7	4 ∞^2	10 ∞	2 ∞	0.1		∞ ⊙ n,a,p
24	88.5	91.0	94.2	12.1	14.0	12.9	16.1	10.1	97	96	75	18	2	30	0	25	2	7	10 ▽	10 ∞°	6 ≡°	1.9		∞ ⊙ ▽ n, ∞° ▽ a, ▽ ≡° p
25	94.6	93.8	93.1	12.4	15.0	13.8	15.5	7.0	76	65	69	00	0	03	2	03	3	7	3 ∞	2 ∞°	5	4.3		∞ ⊙ n,a, ⊙ p
26	94.6	94.6	95.7	10.4	13.2	11.8	14.1	8.9	93	96	91	25	1	26	3	00	0	4	10 ▽	10 ▽	10	0.2		▽ a,p
27	98.5	97.0	95.5	12.2	15.5	15.2	16.0	8.2	85	68	63	02	2	02	3	03	1	8	3 ∞°	2	1 ∞°	5.3		▽ ∞° ⊙ n, ∞° ⊙ a,p
28	94.9	94.0	93.4	14.9	18.2	16.8	19.3	8.4	73	62	64	02	2	03	2	29	1	8	1 ∞°	1 ∞°	2 ∞°			∞° ⊙ n,a, ∞ ⊙ p
29	92.0	90.2	90.5	11.2	12.3	11.0	16.8	9.2	91	94	89	18	2	18	2	23	3	6	10 •	10 •	5 ∞°			∞ ⊙ n, • a, • ∞ ⊙ p
30	94.0	96.1	97.7	9.5	12.7	11.0	13.8	8.3	88	80	86	26	1	27	2	30	2	7	9(▽)	9 ∞	10 ∞°	10.2		▽ n, ▽ ∞ ⊙° a, ∞ ▽ ⊙ p
31	00.2	00.3	00.7	10.4	13.7	12.7	14.7	10.0	95	82	77	00	0	26	2	00	0	8	10(≡)	10(≡)	10	3.4		• (≡) n,a, (≡) p
M	97.2	96.7	96.6	14.9	18.7	17.4	20.8	11.7	83	71	71		1.2		1.8		1.5	7.1	5.8	5.2	5.6	79		

August VIII

Datum	P 8	P 14	P 19	T 8	T 14	T 19	T Max	T Min	U 8	U 14	U 19	D,F 8		D,F 14		D,F 19		V 14	N,w 8	N,w 14	N,w 19	R	h_s	W
1	02.3	03.0	03.4	11.7	13.2	13.0	14.4	9.8	82	86	77	00	0	26	2	26	1	8	9	9(▽)	9 ∞°	0.2		∞° p
2	01.0	00.7	01.4	11.6	18.6	15.5	18.9	9.2	92	72	84	00	0	02	3	00	0	7	10 •	1 ∞	10 ≡°	0.0		∞° • n, , ∞ ⊙ a, ∞ ⊙ ≡° p
3	02.2	03.4	04.1	16.2	15.8	15.5	16.4	14.2	86	94	94	00	0	00	0	06	1	5	10(≡)	10 •	10 •	0.0		, ≡ n,a,p
4	98.1	99.3	98.6	15.7	20.6	20.2	22.3	14.1	94	77	76	03	1	03	2	00	0	8	9 ≡°	9 ∞°	5 ∞°	1.2		• ≡° ⊙ (≡) n, ≡ ∞° ⊙ a, ∞ ⊙ p
5	98.8	98.8	98.8	15.2	16.6	15.6	20.6	14.2	94	88	87	00	0	26	1	00	0	5	10 $\equiv^2$	10 ≡	10 ≡	1.2		∞ ⊙ ≡ • n, ≡ a,p
6	96.4	95.3	95.5	15.0	19.9	19.4	21.7	13.8	94	80	82	02	1	32	2	00	0	8	10 $\equiv^2$	4 ∞	10 ∞	1.7		≡ R ▽ n, ≡ ∞ ⊙ a, ∞ ⊙ •° p
7	95.6	94.8	96.4	21.5	24.1	21.2	**26.6**	15.1	69	56	73	19	1	18	1	26	1	7	2 ∞	4 ∞	5 ∞	0.1		∞ ⊙ n,a,p
8	01.4	02.4	02.9	15.2	17.4	15.4	22.3	14.0	92	87	87	08	1	00	0	31	1	6	10 ≡°	10 ≡°	10 ≡°	1.8		∞ ⊙ ▽ ≡° n, ≡° (≡) a, ≡° p
9	00.8	00.5	99.7	14.4	18.6	18.1	20.1	13.1	93	72	74	04	1	06	1	00	0	8	10 ≡	3	1 ∞°			≡ n, ≡° a, ≡° ⊙ p
10	97.1	94.8	94.4	15.4	23.2	22.1	24.2	11.5	91	68	63	00	0	06	1	00	0	8	2 ≡°	2 ∞°	1 ∞°			∞° $\equiv^2$ n, ≡ ∞ ⊙ a, ∞ ⊙ p
11	97.0	98.2	98.9	18.2	21.8	19.2	22.7	15.0	86	77	76	00	0	32	1	16	1	8	7 ≡	3 ≡	3 ≡			∞ ≡ n,a, ▽ R a, ∞ ≡ ⊙ p
12	02.8	02.9	02.7	14.2	16.4	17.2	19.4	11.8	92	84	96	00	0	04	1	04	1	7	10 ≡	7 ≡	0	2.5		∞ ≡ ⊙ n, ∞ ≡ a, ∞ ≡ ⊙ p
13	03.7	02.2	00.9	16.6	23.6	26.0	26.0	12.1	86	72	**52**	04	1	04	2	12	2	7	0	1 ∞	0			∞ ⊙ n,a,p
14	02.1	99.4	97.7	21.2	25.4	23.2	26.0	16.5	69	**52**	**52**	12	2	12	3	12	3	9	0 ∞	2 ∞	0 ∞			∞ ⊙ n,a,p
15	96.1	95.2	94.3	20.4	21.0	18.1	23.9	15.3	68	69	80	12	1	11	2	12	2	9	1 ∞	7	3			⊙ n,a,p
16	93.7	90.5	92.0	19.0	24.0	21.1	25.2	14.0	81	64	64	04	1	04	1	00	0	9	2 ∞	2	2			∞ ⊙ n, ⊙ a,p
17	91.9	91.0	91.6	18.0	19.2	16.1	22.7	13.0	81	76	91	16	2	32	3	28	2	9	1 ∞	6	9 ∞			∞ ⊙ n, ∞ ⊙° a, ∞ ⊙ • p
18	93.2	91.9	91.1	11.1	13.6	12.8	16.4	10.4	81	87	88	28	2	26	2	28	2	7	10 ∞	10 ≡°	9 ≡°	12.2		∞ ≡ • n, ∞ ≡ a, ≡° , p
19	88.7	86.1	87.9	12.4	14.9	13.4	15.6	11.3	91	80	80	24	2	24	2	24	1	7	9 ≡°	8 ≡°	4 ≡	0.7		≡° ▽ n, ≡° a, ≡ ∞ ⊙ p
20	86.8	86.6	85.2	12.0	14.9	14.0	15.2	10.6	88	77	82	20	1	28	1	00	0	8	10 ≡°	10	10			≡° n,a
21	86.2	86.4	86.7	12.8	13.6	12.8	14.4	10.5	88	90	87	20	1	04	1	21	1	8	7 ≡°	5	9 ≡°			≡° n, ≡° ▽ a, ⊙ 14, ≡° ▽ p
22	85.5	85.6	85.8	11.1	13.0	11.8	14.0	10.5	85	73	79	00	0	04	2	32	1	9	10	8	10	1.1		≡° , n
23	86.0	84.9	84.3	11.2	14.5	12.2	15.3	8.2	86	68	77	20	1	03	1	00	0	8	2	9	9			⊙ a
24	79.5	72.0	70.2	9.4	16.7	16.8	19.5	6.6	92	72	62	23	1	02	3	18	3	8	2 ∞	2 ∞°	8			∞ ⊙ (≡) n,a, ∞ ⊙ p
25	**69.9**	73.5	75.1	11.2	12.7	12.6	16.8	11.1	95	90	90	19	3	19	1	20	1	7	10 •	10(•)	10 ▽	0.7		⊙° • n, • a,p
26	89.5	94.4	97.9	8.9	11.9	9.9	12.8	8.8	93	77	80	25	2	26	4	27	4	7	4 ≡	9(▽)	8 ▽	1.0		▽ ⊙ ≡ (≡) ▲ n, ≡ ⊙ (≡) a, ≡° ▽ p
27	03.6	02.0	99.0	9.8	12.0	11.2	12.0	9.1	85	77	90	21	3	01	1	00	0	9	9(▽)	9	10 •	0.8		▽ n, , a, • p
28	94.3	00.9	**05.1**	11.8	11.7	8.9	13.2	8.9	94	76	93	22	3	25	4	23	3	6	9 ▽	10 ▽	9 ▽	1.7		• ▽ n, ▽ ⌒ a, ▽ p
29	03.3	98.5	94.8	8.6	11.6	11.5	11.8	**5.9**	86	77	89	14	2	04	2	00	0	7	9 ≡°	10 ≡°	9 ≡°	2.4		▽ ▲ ≡° n, ▲ ≡° a, ≡° p
30	90.0	93.5	96.6	10.4	12.1	9.5	13.5	9.1	94	89	86	22	2	25	4	26	3	5	8(▽)	8 ▽	7(▽)	1.2		≡° ▽ R (≡) n, ▽ ≡° a,p, ⌒ p
31	96.1	95.7	96.0	7.6	10.2	8.4	11.4	6.8	93	78	90	21	2	27	2	23	1	7	9 ▽	10 ▽	9(▽)	1.7		▽ (≡) n, ▽ a, ▽ ⊙ p
M	94.6	94.3	94.5	13.8	16.9	15.6	18.6	11.4	87	77	80		1.2		1.8		1.1	7.5	6.8	6.7	6.7	32		

Ekstensotabell

1945

Trondheim (Voll)

$\varphi = 63^\circ\ 25'$ N $\lambda = 10^\circ\ 27'$ E $g = 9.821$ $\Delta G = +1^h$

September IX

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	99.6	01.1	02.3	7.6	10.0	8.3	11.5	6.6	94	87	92	20 4	20 1	26 1	8	9(⸸)	5(⸸)	9 ⸸	5.7		⸸ n, ⸸ ⊙ =° a,p
2	05.4	07.1	07.9	7.6	12.3	10.2	12.3	6.6	94	68	76	22 3	27 1	29 1	8	9 =°	9 =°	10(⸸)	4.2		⸸ ⊙° =° n, =° ⊙ =° a, ⊙ =° p
3	09.7	10.1	08.8	10.0	15.4	13.2	15.5	8.6	92	73	89	00 0	22 1	00 0	6	10 =°	10 =°	9 =°	0.2		=° =° ⌒ n, =° ⊙° a,p
4	02.0	98.9	02.4	9.4	13.4	9.2	14.2	7.7	94	89	87	18 1	19 1	22 2	5	1 =	10 •	5(⸸)			= ⊙ ⌒ (≡) n, = ⊙ • (≡) a, = • p
5	05.1	05.9	06.8	7.3	8.2	8.2	9.7	6.8	93	89	87	26 3	27 3	27 2	5	9 ⸸	9(⸸)	7(⸸)	4.5		= • ⸸ n, ⸸ a,p, ⌒ ⊙ p
6	04.8	05.0	05.0	8.1	9.4	9.6	9.9	6.6	93	93	95	19 3	19 1	00 0	5	10 =	10(•)	10 •	3.4		⸸ ⊙ = n, = • a, • p
7	07.6	08.3	08.1	9.8	12.1	9.7	12.2	8.3	93	92	91	18 1	00 0	00 0	7	10 =°	9 =°	1 =	1.1		• =°(≡)n, =° • =° ⊙°(≡)a,= ⊙(≡) p
8	07.6	07.1	07.4	9.6	12.0	9.9	12.3	6.9	95	79	84	00 0	00 0	00 0	7	9 =°	9 =°	9 ,	0.8		= ⊙ =° ⌒ n, ⌒ =° =° a, =° , =° p
9	07.7	07.6	07.5	7.6	12.3	9.8	12.4	6.1	96	68	76	00 0	01 2	04 2	8	9 =°	2 =	1 =°	0.1		, =° ⌒ n, =° ⌒ = ⊙ a, = ⊙ p
10	09.0	09.0	08.7	6.6	13.2	12.1	14.5	3.2	92	72	77	00 0	02 3	00 0	8	1 =	1 =°	1 =°			= ⊙ ⌒ ⌣ n, = ⊙ a, =° ⊙ p
11	**11.6**	10.9	09.3	8.9	13.6	12.9	15.2	6.1	95	73	76	00 0	02 2	00 0	8	1 =	7 =	1 =			= ⊙ ⌒ n, = ⊙ a,p
12	02.8	02.0	03.1	14.3	17.0	15.8	17.0	9.7	63	63	70	10 5	18 5	18 4	7	8 =	10 =°	9 =°			= ⊙ n,a, =° p
13	01.2	97.7	94.7	15.3	**20.1**	16.1	**20.1**	11.9	76	**53**	**53**	17 1	18 5	17 6	8	5 =	1 =	1	0.3		= n, = ⊙ a,p
14	88.8	84.7	81.7	14.1	13.5	14.0	16.3	12.6	64	66	71	17 6	17 4	17 3	7	3	10 ⸸	6(⸸)			⊙ n, ⊙ ⸸ a, (⸸) p
15	80.0	**79.0**	79.4	10.4	13.8	13.5	15.6	9.2	93	76	70	00 0	05 2	18 2	8	9 ⸸	8 =°	10 =°	0.0		⌒ = n, = ⊙ a, =° ⊙ , p
16	83.4	85.7	87.7	8.5	13.4	11.1	14.4	6.9	94	73	82	19 2	24 2	25 1	7	10 •	9 =°	9(⸸)	0.6		= • n, • =° ⊙ a, =° ⊙ (⸸) p
17	92.4	93.9	94.7	9.2	12.0	9.6	12.6	8.7	94	77	92	21 2	26 2	16 1	8	8(⸸)	9(⸸)	10 =°	1.0		⸸ (≡) n, =° (⸸) a, =° ⸸ p
18	95.4	95.6	95.9	6.8	9.4	7.2	9.7	4.7	76	72	80	11 2	06 3	00 0	8	2 =°	4 =°	4	0.2		=° ⌒ n, =° ⊙ a, =° ⊙ p
19	98.1	95.9	95.0	0.5	12.0	11.9	14.4	**- 0.2**	97	73	59	18 2	04 4	15 3	9	0 ≡	0	1			≡ ⊙° ⌣ n, ≡ ⊙ a, ⊙ p
20	92.9	89.8	93.6	11.5	12.0	9.9	12.6	9.9	62	73	89	18 5	17 6	22 2	6	9 =°	10 ⸸	9(⸸)	1.5		⸸ =° n, ⸸ a, (⸸) p
21	91.8	91.9	92.9	5.6	11.6	8.8	11.6	3.6	95	79	81	09 1	02 2	00 0	8	2 ⌒	1 =	1	0.8		(⸸) ⊙ ⌒ = n, = ⊙ a,p
22	95.2	93.5	90.0	5.9	10.1	11.6	14.1	3.7	96	80	69	00 0	06 3	14 5	7	9(•)	1 =	5			= (≡)(•)⌒ ⌒ n,= = ⊙ a, = ⊙ p
23	85.9	83.8	86.8	7.0	10.4	8.6	11.6	6.9	92	69	70	06 1	10 5	10 3	8	10 •	9 =°	10(⸸)	4.1		• n, • =° a, =° (⸸) p
24	91.7	94.8	97.0	4.8	7.2	5.7	11.0	4.5	88	87	94	07 2	05 3	08 2	8	10	10(⸸)	10 •	1.9		⸸ n, (⸸) a, • p
25	04.6	07.1	08.2	4.4	6.4	5.4	6.6	3.7	85	74	77	06 2	07 3	05 1	7	10 =	10 =	9	2.8		• = n, = a,p
26	02.9	98.6	96.0	4.3	10.6	7.6	10.6	1.2	73	61	88	00 0	01 1	12 1	9	0 ⌣	8	5			⌣ ⊙ n, ⊙ a,p
27	91.7	91.1	90.8	5.0	7.8	6.8	7.9	4.2	91	88	94	19 1	22 2	19 2	7	10 •	10(•)	10(⸸)	0.2		⌒ • n, • (≡) a,p
28	90.9	93.8	95.1	5.1	5.6	5.0	6.9	5.0	96	80	88	18 1	28 2	19 2	7	10 •	9 ⸸	9(⸸)	4.0		• n, • ⸸ a, =° (⸸) p
29	00.3	03.2	05.3	5.5	7.7	6.3	7.7	4.3	94	89	91	28 2	29 2	28 2	6	9(⸸)	9(⸸)	9 ⸸	7.1		⸸ (≡) n, ⸸ =° ⊙ a,p
30	04.1	02.6	06.3	3.6	7.1	7.2	7.6	1.9	94	94	95	00 0	00 0	25 1	3	9 =°	10 •	10 ⸸	4.2		=° ⸸ (≡) n, =° (≡) • a, • ⸸ p
M	98.8	98.5	99.0	7.8	11.3	9.8	12.3	6.2	88	77	81	1.7	2.4	1.6	7.1	7.0	7.3	6.7	49		

Oktober X

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	13.2	14.2	14.7	6.4	12.0	10.0	12.2	6.1	94	69	78	20 2	22 1	20 1	6	10(⸸)	5 =	9 =	6.9		⸸ = (≡) n, (≡) = ⊙ a, = ⊙ p
2	15.8	16.9	**17.9**	10.4	10.2	12.4	13.1	9.1	88	91	84	21 3	19 1	24 1	6	9 =	10 =	10 =	0.2		= ⸸ n,a, = p
3	15.5	13.6	12.3	7.9	12.4	11.2	12.6	7.9	95	88	86	23 1	23 1	00 0	6	1 =	9 =	10 =	0.9		= ⌒ n,a, = • p
4	06.6	04.8	08.2	10.2	12.2	8.4	**13.5**	**8.4**	95	87	93	18 1	22 3	27 2	5	10 •	10(⸸)	10 •	5.9		= • n, =° ⸸ ⊙ a, = ⸸ • p
5	11.4	04.0	98.8	4.0	6.0	7.0	8.6	3.9	89	80	89	19 3	19 4	23 5	6	10 =	10 =	5 =	4.4		= • n, = ⸸ a,p
6	98.2	90.7	03.7	5.6	6.8	5.4	7.6	5.1	91	90	84	29 4	28 3	24 2	6	8(⸸)	5(⸸)	9 =	3.1		= ⸸ n, = ⸸ ⊙ ⌒ a, = ⸸ ⊙ p
7	04.6	01.7	99.1	4.8	7.1	8.0	8.0	3.5	90	89	81	20 3	23 2	23 3	6	10 =	10(•)	10 =	2.5		= ⸸ n,a, = p
8	90.4	88.6	86.9	7.5	9.0	8.0	9.2	6.9	93	89	94	17 2	22 3	24 2	5	10(•)	10 •	10 •	1.0		= • n,a,p
9	90.9	85.7	80.5	5.1	6.6	5.5	8.3	5.0	94	94	95	19 1	07 1	00 0	4	8 =	10 •	10 •	10.8		= • n,a,p
10	81.8	86.8	88.5	2.6	2.6	0.6	6.4	0.5	94	75	90	26 2	26 4	22 2	8	10 •	5 ⸸	4 =	11.6		• = (≡) n, ⸸ = (≡) ⸸ ⊙ a,⸸ ⊙ = p
11	95.0	98.0	00.5	0.1	0.8	- 0.4	0.9	- 0.5	94	95	94	20 2	20 2	16 1	8	9 ⸸	9 =	7	11.2		= ⸸ n,a,p
12	99.6	93.0	99.1	1.6	3.7	4.0	4.9	- 1.9	92	94	88	20 5	22 4	26 4	5	10 •	10 •	9 ⸸	0.1		⸸ = n, • = a, ⸸ = • p
13	97.8	93.6	89.9	3.4	4.6	8.0	8.4	2.6	95	94	91	20 2	20 2	26 5	5	10 •	10 •	10 •	12.7		⸸ = n, • = a,p
14	92.5	94.1	93.8	6.6	6.0	6.6	8.6	6.0	93	94	93	27 3	25 2	25 3	4	10 •	10 •	10 •	30.0		• = n,a,p
15	94.7	99.3	01.1	6.2	6.6	5.2	7.9	5.1	93	90	91	26 5	25 3	24 2	5	10 •	9 ⸸	5 =	15.4		• = n, ⸸ = a,p
16	01.3	00.7	99.9	5.0	7.0	6.6	7.2	4.4	94	89	95	23 2	24 3	24 2	6	10(⸸)	10 =	9 =	3.4		= ⸸ (≡) n, = (≡) a, = ⸸ (≡) p
17	01.8	97.6	96.5	4.4	7.4	9.0	9.4	4.3	95	94	91	19 3	22 5	26 5	4	10(•)	10 •	9 =	6.6		= • (≡) n,a, = • ⸸ p
18	95.0	98.5	00.6	6.4	5.5	4.0	9.2	3.4	82	86	93	25 5	27 2	26 2	4	6 =	6(⸸)	3 =°	1.2		= ⸸ n, = ⸸ ⊙ ⌒ a,p
19	03.4	04.5	03.7	3.2	5.6	4.4	6.1	3.0	94	92	94	18 3	23 2	24 2	5	4(⸸)	9(⸸)	10 =	2.8		= ⸸ n, = ⸸ ⊙ a, = (⸸) p
20	05.8	05.8	04.8	2.8	3.1	0.8	4.9	0.8	94	79	84	00 0	07 2	00 0	7	10 =	2 =	2 =°	5.4		• = n, • = ⊙ a, = ⊙ p
21	03.6	02.4	01.8	- 1.6	3.2	1.2	3.3	- 1.9	93	84	92	00 0	04 1	00 0	8	0 =	0 =°	0 =°			= ⌣ n, = ⊙ a, =° ⊙ p
22	94.6	89.5	86.1	1.1	9.2	9.4	9.8	- 0.8	86	**67**	69	12 2	15 3	17 5	9	1 =°	2	5			=° ⌣ n,a, ⊙ a,p
23	84.0	82.2	80.3	6.7	7.2	6.1	9.6	6.0	80	91	94	00 0	00 0	00 0	4	9 =°	9 ,	9 =	0.4		• =° n, =° , a, = p
24	77.3	77.7	79.9	6.4	6.8	4.8	7.2	4.8	90	92	87	24 1	26 2	01 2	6	10 =	9 =	10 =	0.2		= , (≡) n, = a, = ⸸ p
25	79.0	75.8	73.3	- 0.8	1.8	3.6	4.9	- 1.1	89	81	76	07 3	07 3	12 5	6	1 =°	10 *	8 =°	0.3		= = ⌣ n, = ⌣ =° * a, =° p
26	69.0	68.0	**66.9**	4.2	6.2	3.6	6.4	3.0	70	68	78	10 4	10 2	06 1	8	1	9 =°	7 =°	0.0		=° n, =° a,p
27	67.5	72.5	76.0	2.4	2.0	3.0	4.2	1.7	80	96	88	07 3	22 1	02 2	3	9 =°	10 •	10 •			=° =° n, =° • a,p
28	85.5	89.2	91.3	0.4	2.8	1.4	3.2	0.2	95	86	85	19 1	18 1	18 3	7	8 =°	1 =	3 =°	2.3		⸸ =° (≡) n, =° (≡) =° ⊙ a, =° ⊙ p
29	96.3	97.2	99.1	- 3.0	- 0.2	- 1.4	1.4	- 3.2	85	84	86	21 1	00 0	19 1	7	9 =°	10 =°	1 =°	0.3		= * =° n, =° a,p
30	01.4	98.4	96.4	- 3.9	2.1	1.2	2.1	- **4.3**	91	68	77	07 1	08 2	00 0	9	1 =°	1 ⌣	10 =°			=° =° ⌣ n, =° ⌣ ⊙ a, =° ⊙ p
31	97.2	99.3	95.1	3.5	5.2	3.1	6.0	1.0	85	84	92	19 2	00 0	02 1	5	9 =	10 =	10 =			= n,a,p
M	95.8	95.3	95.0	3.9	5.9	5.2	7.3	2.9	90	86	88	2.3	2.1	2.1	5.9	7.5	7.7	7.5	140		

Ekstensotabell

1945

Trondheim (Voll)

$\varphi = 63° 25'$ N $\lambda = 10° 27'$ E $g = 9.821$ $\Delta G = +1^h$

November XI

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	95.4	97.2	99.1	6.4	8.8	8.3	9.5	3.0	94	79	75	18 1	23 3	22 6	5	10 •	2 ⊸	3	2.1		• n, ⸸ p
2	10.0	12.7	14.2	4.7	6.0	3.0	8.4	3.0	94	89	85	26 2	18 1	02 2	7	9(≡)	9 ⊸	0	0.7		⸸ n, ⊸ a
3	11.1	12.2	12.8	0.6	2.9	2.0	4.5	− 0.6	78	75	74	14 1	16 1	16 2	6	9	6 ⊸	0 ⊸			⊸ ⊙ a, ⊸ p
4	12.3	11.7	11.7	− 1.0	1.7	− 1.2	2.0	− 1.3	85	82	89	00 0	00 0	00 0	5	1 ⊸	0 ⊸	0 ⊸			⊸ n, ⊸ ⊙ a, ⊸ p
5	13.5	12.1	11.4	− 1.9	0.3	− 0.9	0.5	− 3.0	95	95	97	18 1	06 2	00 0	3	10 ≡	9 =	10 =			⊸ ⌣ n, = a, ≡ᵃ p
6	05.8	02.8	00.4	4.1	7.0	7.7	7.7	− 0.9	95	91	94	18 2	20 5	20 2	6	10(≡)	7(≡)	10(≡)	1.4		⸸ n, • a,p
7	94.7	84.5	78.1	7.0	8.7	8.2	9.5	7.0	91	72	76	18 4	20 3	22 4	7	10(≡)	10 ⊸	10 =	10.7		• n, ⊸ •° a, ⸸ p
8	80.2	88.4	94.6	2.3	− 0.2	− 1.2	8.5	− 1.2	94	78	76	18 1	04 2	08 2	9	10 •	3	1	0.9		• n, ⊙ ⌒ p
9	06.3	08.9	10.0	− 4.2	− 2.0	− 4.4	− 1.2	− 5.3	72	59	60	08 2	18 1	14 3	9	0	0	0			⊙ 14
10	12.4	13.2	12.6	− 6.7	− 2.0	− 1.9	− 1.8	− 7.3	62	58	64	18 1	00 0	16 1	6	3 ⊸	10 ⊸	10 ⊸			⊸ a,p
11	09.2	06.9	05.6	0.6	3.0	3.0	3.5	− 2.0	68	75	79	20 2	20 2	22 2	4	10 ⊸	10(≡)	10 ⊸	0.2		⸸ n, ⊸ a, (≡) p
12	03.8	05.5	06.2	2.3	3.1	2.3	3.7	1.9	93	92	94	18 1	12 1	00 0	4	10 =	10 =	10 =			= n,a,p
13	08.1	08.9	09.7	0.5	1.0	1.0	2.6	0.5	96	96	97	20 2	00 0	00 0	0	10 ≡ᵃ	10 ≡ᵃ	10 ≡ᵃ			≡ᵃ n,a,p
14	12.1	13.1	13.6	− 0.6	− 0.6	− 1.2	1.0	− 1.2	97	97	97	00 0	00 0	22 1	1	10 ≡ᵃ	10 ≡ᵃ	10 ≡ᵃ	0.2		≡ᵃ n,a,p
15	13.0	12.6	11.6	− 1.4	− 1.4	− 2.4	− 0.9	− 2.4	94	95	95	06 2	08 1	00 0	4	10(≡)	10(≡)	4 =			≡ n, (≡) a, = p
16	09.6	09.4	09.4	4.7	5.0	4.8	6.2	− 2.4	73	74	75	08 3	12 1	16 1	7	9	4 ⊸	6 ⊸			⊸ a, ⊙ 14, ⊸ p
17	07.7	08.6	08.1	4.9	3.5	2.0	5.5	2.0	68	72	94	16 3	20 1	22 1	9	10 ⊸	6	10 •	0.8		⸸ n, ⊸ a, • 10ᵐ − p
18	13.2	14.9	16.2	4.5	4.6	3.3	5.1	2.0	94	94	93	20 2	22 2	16 3	4	8 ⊸	7(≡)	4	13.0		• n, ⊸ a, ⸸ p
19	14.4	13.2	11.2	− 0.1	0.7	1.6	3.5	− 0.1	90	89	93	20 3	22 1	20 1	5	10 ⊸	10 ⊸	5 ⊸	1.2		⊸ n,a,p, •° p
20	08.2	07.4	06.9	− 1.0	0.1	0.4	1.6	− 1.2	89	87	86	22 2	20 3	22 3	5	7 ⊸	10 ⊸	7 ⊸	0.1		⊸ n,a,p
21	07.2	08.9	09.6	− 0.2	− 0.4	− 2.6	1.1	− 2.6	94	94	94	20 1	20 1	00 0	5	6 ⊸	1 ⊸	0 ⊸	0.0		⊸ ⸸° n, ⊸ ⊙ a, ⊸ p
22	10.3	09.8	08.7	− 2.8	− 0.4	1.3	1.3	− 5.1	89	80	80	18 2	20 1	20 3	5	8 ⊸	10 ⊸	10 ⊸			⊸ ⌣ n, ⊸ a,p
23	06.1	05.4	04.2	1.8	2.5	2.6	2.8	1.0	86	86	87	20 1	22 3	22 2	5	10 ⊸	10 ⸸°	10 ⊸			⊸ n,a,p, ⸸° p
24	01.8	00.8	99.7	1.4	0.6	1.0	2.6	0.4	89	82	82	20 2	16 1	00 0	6	9 ⊸	5 ⊸	4 ⊸	0.0		⊸ n,a, ⊙ 14, ⊸ p
25	94.6	92.0	86.0	2.2	4.0	4.0	5.1	1.0	78	71	76	16 1	20 3	00 0	5	10 •°	10(•)	10 ⊸	1.5		•° ∿ n, •° 8 − 12, ⊸ p
26	80.6	81.4	86.6	1.6	2.8	2.2	6.0	1.4	89	89	89	22 3	24 5	24 6	3	10 △	9 ⸗	10(•)	3.8		• △ n, △ a, ⸗ p
27	90.7	81.5	73.2	− 0.9	0.4	1.5	2.2	− 1.1	94	78	93	20 2	18 4	18 4	4	6(*)	10 *°	5 •	12.8	6	* n, ⸸ a, * p
28	57.5	62.4	68.7	0.3	1.4	2.2	3.1	0.3	95	94	92	18 4	20 6	22 4	3	10 *	10 ⸗ᵃ	10 •	14.6	12	• △ < n, ⸗ a,p
29	63.1	69.2	75.7	1.1	1.4	0.3	2.6	0.3	92	91	95	18 4	26 3	26 1	9	10(•)	9	5 ⊸	26.1	16	• n, * a, ⊸ p
30	85.6	90.5	95.0	0.1	0.0	− 0.4	0.5	− 0.6	91	90	91	24 4	18 3	20 3	4	10 ⸸	7 ⸸	2	3.0	12	⸸ n,a, ⸸° p
M	01.6	01.5	01.7	1.0	2.1	1.6	3.6	− 0.5	87	84	86	2.0	2.0	1.9	5.2	8.5	7.5	6.3	93	2	

Desember XII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde v 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	96.0	98.4	99.1	0.0	1.6	1.7	2.2	− 1.9	85	89	78	04 1	08 1	08 2	6	10 ⊸	10 ⊸	4 ⊸	0.5	12	⊸ n, ⊸ •° a, ⊸ p
2	92.7	89.5	88.8	5.0	6.2	6.5	7.1	− 0.5	76	68	66	16 2	17 7	17 7	9	10 ⊸	8	10	1.0	10	• n
3	86.7	88.5	88.2	5.7	5.6	4.1	6.7	4.1	68	68	68	16 7	18 2	16 3	9	8	8	1 ⊸ᵃ		1	⊸ a
4	96.0	98.3	01.2	2.8	0.5	− 1.2	4.7	− 1.2	84	86	85	16 2	18 2	18 1	6	2 ⊸	0 ⊸	0 ⊸			⊸ n,a, ⊙ 14, ⊸ p
5	93.1	91.7	92.6	0.6	3.7	3.3	4.1	− 1.5	68	68	68	16 3	18 5	18 6	7	0 ⊸	1 ⊸	0 ⊸			⊸ n,a, ⊙ 14, ⊸ p
6	00.5	07.1	09.8	3.0	0.9	0.8	3.7	0.7	66	68	72	18 4	20 4	20 1	6	1 ⊸	3 ⊸	10(*)			⊸ n,a,p
7	17.2	16.8	19.5	0.4	− 0.2	− 3.2	1.3	− 3.2	72	67	68	16 2	16 2	16 1	8	0 ⊸	2 ⊸ᵃ	0 ⊸	0.0		*° ⊸ n, ⊸ ⊙ a, ⊸ p
8	16.9	13.2	09.2	− 1.7	− 1.1	− 0.8	− 0.1	− 3.7	53	48	49	16 2	18 5	18 6	7	0 ⊸	4 ⊸	0 ⊸			⊸ n,a,p
9	99.7	93.5	86.3	0.2	3.0	4.2	4.3	− 0.8	91	68	62	18 6	20 3	22 5	8	10 *°	10	10 •°	0.8	5	* n, *° a, •° p
10	88.2	89.7	87.8	− 2.0	− 4.1	− 5.4	4.4	− 5.5	89	85	89	24 6	24 6	26 6	3	9 *	10 *	9 *	6.6	10	* n,a,p
11	85.9	89.5	91.3	− 5.4	− 5.2	− 4.4	− 1.3	− 6.7	87	91	91	22 5	24 5	26 3	1	9 *	10 *ᵃ	10 *	13.0	15	* n,a,p
12	94.3	91.6	88.4	− 3.3	− 2.0	− 3.1	− 1.7	− 4.5	85	90	93	24 2	18 2	24 1	4	4 *	10 *	10(*)	2.6	15	* n,a,p
13	71.4	76.4	78.5	− 4.0	− 3.5	− 1.4	− 1.4	− 5.9	89	90	90	02 2	26 4	26 3	5	3 ⊸	7(*)	10(*)	4.0	15	+ n, ⸸ a, * p
14	83.1	81.7	81.4	− 3.0	− 3.0	− 2.5	− 0.5	− 3.5	91	90	86	24 6	20 4	24 3	4	10 *°	10 *	9(*)	1.4	15	+ n,* a, ⸸ p
15	78.0	79.6	78.5	− 3.6	− 3.2	− 3.4	− 1.8	− 4.6	93	87	89	26 2	20 5	22 2	4	3(*)	10(*)	8(*)	2.3	18	* n, ⸸ a,p
16	81.0	81.7	79.9	− 2.9	− 2.3	− 3.2	− 1.3	− 3.7	95	94	87	20 4	17 2	18 2	5	10 *	4 ⸸	2 ⊸	14.7	30	* n, ⸸ a,p
17	76.2	77.3	73.5	− 4.0	− 5.4	− 3.0	− 3.0	−11.0	73	73	74	18 3	12 2	16 4	9	3 ⊸	5	10 +	7.2	40	⊸ n
18	68.2	73.1	73.1	3.6	6.0	7.1	7.2	− 3.1	72	68	69	16 7	18 2	12 4	9	4 ⊸	9	10	0.4	30	* n
19	74.5	73.7	74.7	5.5	5.3	4.3	7.7	4.3	74	69	70	16 1	18 2	16 1	8	10 ⊸	8 ⊸	0	0.7	20	• n, ⊸ a
20	74.9	78.7	81.8	4.3	4.1	2.6	5.7	2.6	75	73	90	00 0	28 1	20 1	7	9 ⊸ᵃ	10 ⊸ᵃ	10		20	⊸° n,a, •° p
21	87.7	90.2	91.1	1.5	1.6	1.3	2.7	1.1	95	94	96	16 1	00 0	00 0	3	6 ⊸	10 •ᵃ	10(≡)	1.6	15	• n, • a,p
22	92.1	92.1	92.9	− 0.4	− 2.8	− 2.5	1.7	− 2.9	97	96	95	16 1	20 1	00 0	1	10 ≡ᵃ	3 ≡ᵃ	0 ⊸	1.0	15	≡ • n, ≡ᵃ a, ≡ p
23	93.0	94.2	95.6	− 7.0	− 7.1	− 7.8	− 2.3	− 7.9	89	87	80	04 1	08 3	04 2	9	0 ⊸	0	0		15	⊸ ∿ n, ⊙ a
24	95.6	98.1	95.5	− 7.5	−10.0	− 9.0	− 4.8	−10.5	69	66	59	02 2	10 2	08 3	9	0	0	2		15	⌒ n
25	93.4	94.4	95.2	− 6.4	− 5.0	− 5.8	− 4.3	− 9.1	65	66	59	16 2	14 2	08 2	9	0	0	0		15	
26	99.9	01.1	00.5	− 7.9	− 8.2	− 8.7	− 5.5	− 8.9	72	90	92	04 1	08 1	00 0	8	0	0 ⊸ᵃ	0 ⊸		15	⌒ ⌣ n, ⊸° ⊙ a, ⊸° p
27	95.5	91.8	89.9	− 8.8	− 8.4	− 5.7	− 5.3	− 9.9	93	94	94	00 0	04 1	04 1	5	0 ⊸	5 ⊸	1 ⊸		15	⊸ ⌒ ⌣ n, ⊸ a,p
28	86.5	86.6	87.2	− 3.8	− 2.8	− 3.4	− 2.1	− 5.7	85	80	80	06 1	05 2	04 2	6	2 ⊸	7 ⊸	0		15	⊸ n,a
29	92.6	95.2	97.5	− 8.5	− 8.0	− 7.3	− 3.2	− 9.0	90	90	93	02 1	18 2	18 2	4	0	6	9 ⊸		15	⊸ p
30	05.2	05.7	07.8	−10.2	− 6.9	− 7.2	− 5.8	−10.7	89	90	90	04 2	16 1	00 0	5	10	7 ⊸	0 ⊸		15	⊸ a,p
31	10.4	10.5	12.1	−10.3	−10.0	−11.1	− 7.2	−11.9	89	84	85	04 2	18 2	04 1	6	3	0 ⊸	0 ⊸		15	⊸ ⊙ a, ⊸ p
M	91.1	92.0	91.7	− 2.2	− 2.0	− 2.1	0.4	− 4.4	81	80	80	2.6	2.7	2.4	6.1	4.7	5.7	4.7	58	14	

Ekstensotabell

1945

Tromsø

$\varphi = 69° 39' N$ $\lambda = 18° 57' E$ $g = 9.825$ $\Delta G = +1^h$

Januar I

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	91.0	75.5	77.2	- 1.7	- 1.7	0.2	0.2	- 3.8	77	94	98	17 5	18 7	20 2	6	10	10 ♦	10 ♦	10.4	65	♦ n,a,p
2	75.2	76.9	78.3	0.5	- 0.3	- 1.7	0.8	- 2.4	88	94	86	18 4	20 2	18 2	5	10	10 ♦	6	5.5	67	♦ n, ♦° a, ♦ p
3	80.7	82.7	83.7	- 4.7	- 4.4	- 4.8	- 1.7	- 5.6	89	87	86	00 0	18 1	18 2	9	9	9	9	7.7	70	*° n, ♦° a, ⌒° 19
4	87.9	88.9	88.8	- 3.9	- 4.0	- 4.4	- 3.9	- 6.1	90	92	82	18 2	18 2	19 2	9	2	8	2	0.3	70	*° ⌒° n, ⌒ 19
5	87.5	87.7	87.3	- 6.1	- 7.3	- 9.1	- 4.3	- 9.3	65	75	78	18 4	18 2	18 2	9	1	6	1		64	⌒ 19
6	86.5	86.8	87.2	- 9.3	- 9.3	- 9.6	- 8.8	-10.8	83	86	89	18 1	00 0	00 0	9	4	2	3		64	◡° p
7	91.2	94.4	96.7	- 6.5	- 6.1	- 7.2	- 6.1	- 9.9	89	79	73	20 1	32 1	04 1	9	1 ◡	1 ◡	1 ◡		64	◡ n,a,p
8	99.7	01.1	03.1	- 6.6	- 6.0	- 4.0	- 4.0	- 8.3	74	82	77	04 1	04 1	18 1	9	3	9	10 *°		64	◡° ⌒ n, *° p
9	10.2	11.7	12.6	- 5.8	- 6.6	- 7.0	- 3.9	- 7.8	88	91	92	18 2	18 2	19 2	9	3	4	1	1.1	64	* n
10	12.5	10.4	12.1	- 7.3	- 7.0	- 7.7	- 7.0	- 8.2	83	76	77	18 2	18 3	18 3	9	2	2	1		64	◡° ⌒ n, ⌒° p
11	07.8	07.1	07.5	- 3.0	- 0.8	0.2	0.2	- 8.2	71	85	91	18 5	18 4	18 4	9	10	10	10 *°		60	*° p
12	10.8	05.4	98.3	0.8	2.1	2.2	2.4	- 0.7	90	76	84	18 4	18 5	18 6	9	10	10	10 ♦°	4.5	65	* n, ♦° p
13	84.5	75.5	77.1	3.3	3.5	2.0	5.1	1.8	89	82	71	18 5	22 6	25 6	6	10 •	10 ♦	10 ♦°	7.0	45	• n, ♦° a, ♦ p
14	79.6	74.6	79.1	- 3.7	- 1.6	- 3.8	2.0	- 4.9	68	84	86	22 4	30 6	01 4	6	10 ♦	10 +	10 ♦°	14.1	40	* ♦ △ n, + * △ a, ♦ p
15	85.0	86.3	85.1	- 6.1	- 6.1	- 6.2	- 3.8	- 7.4	77	85	80	02 4	03 3	18 2	7	10 *	10 ♦	8	14.5	60	♦° n, ♦ a,p
16	75.7	68.6	59.8	- 6.1	- 6.3	- 7.5	- 5.3	- 8.4	87	55	59	17 3	18 3	04 1	9	10 ♦	8	4	12.6	75	♦ n, ♦° a
17	49.9	48.7	48.8	- 7.7	- 6.7	- 5.4	- 5.4	- 9.4	64	87	89	06 2	32 2	19 2	6	5	10 ♦°	10	0.6	70	♦° a, * p
18	50.5	53.4	55.4	- 4.9	- 3.0	- 3.4	- 3.0	- 6.0	63	59	62	17 5	20 4	19 4	8	10 *	9	7	6.5	72	* n,a
19	57.6	62.5	67.4	- 3.6	- 2.3	- 0.8	- 0.7	- 4.4	88	86	61	17 5	18 5	18 5	5	10 *	10 *	6	2.2	68	*° n, * a, *° p
20	74.4	76.2	77.9	- 3.1	- 6.3	- 5.5	- 0.8	- 6.9	31	62	59	16 1	28 2	16 2	9	7	9	2	2.0	66	
21	84.0	91.1	94.8	- 3.2	- 2.2	- 3.2	- 2.0	- 6.6	63	50	55	08 1	18 4	18 5	9	6	7	1		66	⊙ a
22	02.3	03.8	05.9	- 3.1	- 3.9	- 4.2	- 2.6	- 4.7	47	63	60	03 1	18 3	18 4	9	9	2	2		64	
23	09.5	10.5	11.9	- 5.5	- 6.8	- 3.5	- 3.4	- 7.0	57	74	35	20 2	03 2	18 2	9	3	7	3		63	
24	14.7	16.3	17.2	- 3.9	- 4.1	- 5.1	- 2.2	- 5.7	44	45	42	20 3	18 3	18 2	9	4	9	4		62	
25	16.9	18.4	18.2	- 2.8	- 2.2	- 3.4	- 2.2	- 5.3	58	50	46	17 5	17 4	15 2	9	6	7	4		60	
26	17.5	17.3	17.3	- 5.6	- 6.5	- 7.2	- 3.4	- 7.3	61	64	70	20 2	20 2	18 3	9	1	4	4		60	⌒ 19
27	15.8	15.7	14.6	- 4.7	- 4.5	- 4.4	- 4.4	- 7.7	66	69	62	18 4	20 3	20 4	9	9	6	6		60	
28	11.8	11.5	11.5	- 3.3	- 3.0	- 2.3	- 2.3	- 4.8	67	89	86	20 3	20 3	18 2	6	2	8 ♦	9		60	♦ a,p
29	06.9	04.3	04.1	- 2.7	- 2.6	- 3.4	- 2.3	- 3.6	72	73	90	18 5	21 3	18 2	8	10	10 ♦°	10 *	5.5	66	* n, ♦° a, * p
30	00.8	97.7	94.9	- 4.4	- 6.0	- 6.8	- 3.2	- 7.6	78	82	92	18 3	20 2	00 0	9	4	2	1	4.0	74	*° n, ⌒ 19
31	95.3	81.8	78.1	- 8.1	- 7.0	- 5.9	- 5.9	- 8.6	85	78	70	19 4	18 4	20 4	9	2	6	3		72	
M	92.4	91.7	92.0	- 4.3	- 4.2	- 4.3	- 2.6	- 6.3	73	76	74	3.0	3.0	2.7	8.1	6.2	7.3	5.4	99	64	

Februar II

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	80.5	83.9	84.5	- 5.4	- 6.6	- 6.5	- 4.2	- 7.1	79	81	76	02 4	04 4	04 3	6	10 *°	10 *	6	2.3	72	* n, *° a,p
2	84.7	85.9	86.6	- 8.0	- 7.5	- 7.9	- 6.4	- 9.3	63	67	82	17 4	17 4	19 3	9	1	7	10 *°	0.5	72	⌒ n, *° a,p
3	88.9	87.4	85.2	- 7.5	- 5.6	- 3.6	- 3.6	- 8.5	75	47	56	19 3	17 4	18 5	9	5	5	10	3.2	75	* n
4	81.0	86.1	89.9	- 1.8	- 3.9	- 4.0	- 1.2	- 5.2	94	75	65	20 3	26 4	22 3	6	10(♦)	10 ♦	10	4.0	85	+ ♦° * n, ♦ a,p
5	88.8	90.4	95.0	- 4.9	- 5.8	- 6.5	- 4.0	- 7.1	77	88	84	04 1	00 0	04 2	9	10	4	2	1.5	83	⌒ n
6	98.0	99.0	99.0	- 8.4	- 7.4	- 7.1	- 5.4	- 9.1	82	78	65	28 1	02 1	02 2	9	1	1	0		83	◡° n, ⊙ a
7	97.0	94.7	92.0	- 7.9	- 7.1	- 6.0	- 5.4	- 9.5	66	68	63	02 1	06 2	16 1	9	4	7	3		80	⌒ n, ⌒° 19
8	89.9	88.4	86.8	- 2.8	- 2.8	- 3.3	- 1.7	- 6.4	65	60	71	25 1	17 5	18 5	9	4	8	10		80	
9	83.9	84.2	84.3	- 3.0	- 2.7	- 2.2	- 2.2	- 4.9	71	68	64	17 5	18 4	18 4	8	10	10	8	0.0	76	*° n
10	85.9	87.0	87.1	- 2.3	- 3.0	- 3.7	- 2.1	- 4.5	68	71	83	00 0	00 0	19 1	9	10	4	2		75	
11	86.2	86.0	85.7	- 3.8	- 3.4	- 3.2	- 2.9	- 4.9	92	84	80	00 0	03 2	00 0	9	1	3	5	0.5	77	*° n, ⊙ a, ⌒ p
12	88.2	90.9	93.1	- 1.6	- 1.8	- 3.2	- 1.1	- 3.8	71	75	75	31 1	31 1	32 1	9	8	5	0		74	⌒ 19
13	95.7	95.9	94.3	- 5.8	- 5.1	- 5.8	- 3.2	- 7.0	90	89	88	00 0	00 0	32 1	9	1	0	0		74	⌒ n, ⊙ 14, ◡° p
14	94.4	96.2	98.2	- 2.7	- 0.9	- 1.1	- 0.7	- 6.7	61	63	54	14 2	19 3	17 3	9	10	2	1		74	⊙ 14
15	03.0	07.1	09.8	- 2.5	- 2.7	- 4.1	- 1.1	- 4.4	58	60	70	19 3	19 3	19 3	9	4	5	0		74	⊙ a, ⌒ 19
16	14.6	14.7	14.2	- 6.2	- 5.8	- 6.2	- 4.1	- 6.6	80	70	67	18 2	18 2	24 2	9	7	9	4		73	⊙ a
17	10.8	09.2	09.4	- 4.1	- 2.3	- 2.1	- 2.1	- 6.7	52	55	55	18 4	18 5	18 5	9	6	7	10		71	⌒ n, ⊙ 14
18	06.0	95.8	89.6	- 0.1	0.7	2.3	2.3	- 2.5	71	82	70	19 3	18 5	18 5	9	7	8	7		71	⊙ a, ♦° p
19	98.0	05.8	08.2	4.0	2.7	2.9	7.1	1.7	56	73	73	20 4	19 4	20 4	9	10	9	9	0.5	65	•° n, *° p
20	02.7	98.7	96.4	4.4	5.4	5.0	6.4	2.5	58	56	72	18 5	18 4	20 3	9	9	10	10 •°	0.1	62	•° a,p
21	97.1	95.3	94.3	2.7	3.6	2.9	5.2	2.1	72	66	80	21 4	17 4	18 3	9	10	9	10 •°	1.3	60	•° n, ♦° a
22	76.0	69.6	63.7	2.6	4.6	3.0	5.5	1.6	55	64	72	18 5	16 5	16 6	9	10	4	10 ♦°	0.2	56	•° n, ⊙ ♦° (≡) a, ♦° p
23	83.9	86.2	89.4	- 0.4	1.0	- 2.0	3.0	- 2.0	81	87	88	24 5	18 6	18 2	7	10 ♦°	10 ♦°	7	6.9	54	♦ * ♦ n, ♦° * a, ♦ p
24	82.8	78.1	73.3	2.5	3.6	3.3	3.9	- 2.6	59	53	61	16 5	18 6	17 5	9	6	10	9	4.1	60	♦° n, ⊙ a
25	61.0	63.1	58.7	1.4	2.2	1.2	5.3	- 0.1	65	51	63	18 5	18 4	17 4	9	9(•)	9	3 ⊕		57	*° a, ⊕ p
26	66.3	72.7	70.9	- 2.1	- 3.1	- 4.0	1.2	- 4.0	51	73	48	17 3	19 2	17 2	9	6	6	10	0.7	56	♦ n, ⊙ ♦ * a, ♦° p
27	69.7	75.7	75.9	- 3.2	- 3.0	- 3.2	- 1.7	- 4.5	93	83	63	19 1	17 2	18 5	9	10 *°	10	7	4.4	60	*° n, ♦ a
28	74.1	74.3	75.9	- 1.9	- 2.0	- 1.0	- 1.0	- 4.5	82	90	96	17 5	18 5	20 5	3	10 *	10 *°	10	3.5	64	♦ n, *° ♦° a, ♦ p
M	88.9	89.4	88.9	- 2.5	- 2.1	- 2.4	- 0.5	- 4.4	71	71	71	2.9	3.2	3.1	8.5	7.1	6.9	6.2	34	70	

Ekstensotabell

1945

Tromsø

$\varphi = 69° 39' N$ $\lambda = 18° 57' E$ $g = 9.825$ $\Delta G = +1^h$

Mars III

$H_t = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_s = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	74.3	76.2	81.0	- 3.3	- 2.1	- 2.9	- 0.5	- 4.0	69	63	63	19 2	00 0	17 3	9	6	9	10	6.0	74	⊙ a
2	90.7	93.7	95.8	- 5.8	- 4.4	- 5.7	- 2.9	- 6.2	56	56	59	18 3	19 2	19 2	9	10	10	8		74	⊙ a
3	00.5	01.2	01.3	- 5.5	- 3.2	- 6.7	- 3.2	- 7.9	76	72	69	19 3	19 1	00 0	9	10	6	2		74	⊙ *° a, ⌒ p
4	00.9	99.7	97.9	- 7.2	- 4.5	- 2.8	- 1.8	- 9.3	91	91	76	21 2	19 2	02 3	7	7 ⌣	7 ♦°	4	0.2	72	♦° ⌣ n, ♦² ⊙ ⌣ a, ♦ ⊙ p
5	96.9	98.5	99.7	- 8.4	- 8.0	- 8.7	- 2.8	-10.2	40	41	53	12 2	17 3	17 3	9	1	1	1	1.2	75	⊙ n,a,p
6	00.8	01.8	04.1	- 8.3	- 6.2	- 6.5	- 5.7	- 9.5	54	48	61	17 3	15 3	16 1	9	1	8	7		75	⊙ a
7	08.8	07.9	07.4	- 7.8	- 4.5	- 5.8	- 3.7	- 9.5	63	44	44	00 0	20 3	17 2	9	0	0	0		73	⊙ a,p
8	02.0	02.3	01.8	- 5.8	- 3.1	- 3.5	- 3.0	- 7.5	49	49	69	18 4	20 4	18 5	8	1	10	9		73	⊙ 8, Φ a, *° p
9	89.1	89.8	90.5	- 0.4	- 1.7	- 2.3	0.9	- 3.8	96	86	90	19 2	19 1	19 2	6	10 *	9 *°	10 *	2.0	73	* n, ♦° ⊙ a, ♦ ⊙ p
10	98.5	00.2	98.7	- 3.9	- 2.1	- 1.9	- 1.9	- 5.4	86	78	65	19 2	21 3	19 5	9	6	9 Φ	10	4.8	79	* ⊙ n, Φ ⊙ a, ♦° p
11	90.8	96.8	98.2	1.5	- 0.1	0.1	2.6	- 2.1	92	63	65	22 4	24 3	24 3	7	9(♦)	10 △	10	1.1	75	♦ n, △ ♦ a, ♦ p
12	95.6	92.5	89.4	- 0.4	0.4	1.8	2.0	- 0.6	96	93	93	22 2	18 3	18 3	6	10 *°	10 *°	10 •	1.9	77	*° n,a, ♦° • p
13	78.4	87.1	86.7	1.4	0.7	- 0.2	2.7	- 0.7	95	88	96	18 3	25 1	18 2	7	10 ‡	10 *°	10 *	12.2	72	•² n, ♦² a, ♦² * p
14	82.6	85.5	85.6	- 3.0	- 3.1	- 4.1	- 0.2	- 4.7	78	82	90	22 3	27 2	23 2	7	10 ♦°	9 ♦°	10 ♦	14.6	84	♦ n, ♦° ⊙ a, ♦ p
15	86.4	87.5	87.5	- 4.0	- 2.4	- 2.7	- 2.0	- 5.4	88	70	68	18 3	18 3	18 3	8	7	8	10	8.8	90	♦ ⊙ n, ♦° ⊙ a, ♦° p
16	88.4	90.1	90.8	- 5.0	- 3.1	- 4.2	- 2.0	- 6.4	65	67	60	00 0	18 2	18 3	9	8	9	9	0.6	90	♦° n, ⊙ a
17	95.0	96.1	97.5	- 7.2	- 4.8	- 6.6	- 4.1	- 8.9	73	66	64	18 2	18 3	07 2	9	1	4	1		88	⊙ n,a,p
18	04.1	04.4	03.6	- 8.5	- 4.8	- 4.1	- 4.1	- 9.7	78	66	67	19 2	19 2	18 4	9	0 ⌣	1	8(*)		88	⊙ ⌣ n, ⊙ a,p
19	94.7	87.0	80.3	- 2.0	- 3.2	- 0.5	- 0.5	- 4.1	65	87	94	18 4	18 5	17 5	3	10	10 *	10 *		85	⊙ n, * 12-a,p
20	78.5	80.2	81.2	0.6	- 2.0	- 3.8	0.6	- 3.8	93	84	90	12 1	04 5	04 5	6	9	10 *°	10 *°	8.9	95	* n, *° ⊙ a, *° p
21	98.8	93.8	97.1	- 5.8	- 3.9	- 5.7	- 3.3	- 6.7	66	48	85	01 3	24 2	30 1	9	10(*)	8	10 *°	0.6	95	*° n, ⊙ a, *° p
22	98.7	94.7	90.8	- 5.6	- 3.7	- 5.2	- 2.4	- 7.5	78	47	48	18 2	00 0	17 2	9	9	8	8	2.2	95	*° ⊙ n, ⊙ a
23	88.5	94.8	94.8	0.0	3.2	2.6	4.5	- 5.9	89	88	86	17 4	19 1	19 3	8	10 *°	10 •→	10	1.1	95	*° n, *° •° a, •° p
24	87.3	90.9	96.4	4.8	4.3	2.8	7.2	1.6	83	88	84	19 5	24 4	04 2	7	10 •°	10 •°	10	17.3	85	•² n, •° a,p
25	01.1	01.9	02.0	- 0.1	- 2.3	- 2.8	2.8	- 3.3	95	94	91	32 1	02 3	04 5	3	10 *°	10 *	10 *°	2.3	87	* ♦ n, = 8, * a,p
26	01.5	00.5	98.9	- 2.6	- 0.4	0.6	0.6	- 3.9	83	82	84	30 1	17 3	18 5	9	10	10	10	6.8	80	* n
27	91.8	92.4	92.8	7.5	3.5	2.6	7.8	0.0	58	88	90	18 5	19 5	18 4	6	9 =→	10 •	10 •		76	⊙ i n, • a,p
28	90.5	87.6	84.5	4.8	6.4	4.4	7.4	2.2	73	62	67	18 3	18 2	00 0	8	9	7 =°	8 =°	6.1	72	• n, ⊙ a, ⊙ =° p
29	75.9	76.3	77.1	2.2	3.5	0.9	4.5	0.6	82	74	90	00 0	18 1	28 4	9	8 =	10 =°	8 ♦		72	♦ 17-p
30	76.0	75.3	74.2	- 0.1	1.6	1.4	1.8	- 0.8	95	74	70	18 4	19 5	18 3	8	10 *	10 *°	10	1.9	75	* n, *° a, ♦° p
31	74.8	75.9	76.9	0.6	2.0	0.4	2.5	- 0.8	64	68	70	04 2	00 0	04 1	8	10	10 =	10	1.0	74	♦° n, = a
M	91.4	92.3	92.4	- 2.5	- 1.5	- 2.2	0.1	- 4.7	76	71	74	2.5	2.5	2.8	7.7	7.5	8.2	8.2	102	80	

April IV

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	76.0	73.4	70.4	- 1.2	2.2	- 1.5	2.7	- 3.5	75	53	55	00 0	28 1	03 1	9	4 =°	1	1		76	⊙ n,a,p
2	69.6	71.2	73.5	0.1	2.3	0.3	3.8	- 2.8	58	60	75	30 1	18 3	18 3	9	7	7 =°	10(*)		70	⊙ n, ⊙ =° a, ⊙ p
3	77.3	79.9	83.2	- 0.3	0.4	- 0.5	0.7	- 1.3	94	93	91	00 0	04 2	04 4	6	10 *	10 *°	10(*)	2.3	70	* n,a, *° p
4	91.8	93.8	94.7	- 0.8	1.9	- 0.3	2.2	- 3.4	64	61	84	05 1	20 2	18 1	9	1	8	10 *°	3.7	75	*° ⊙ n, ⊙ a, ♦° ⊙ p
5	96.6	98.9	00.6	- 1.5	- 2.0	- 2.6	- 0.3	- 2.6	84	81	84	28 3	26 1	18 1	6	10 *°	10 *°	10 *°	4.2	78	* n,a, *° p
6	03.6	03.2	04.5	- 2.2	- 1.2	0.1	0.9	- 3.5	91	97	87	00 0	18 2	12 1	1	10 *°	10 ♦²	10(*)	10.8	94	* n, ♦² a, * p
7	04.1	00.8	93.5	3.3	2.9	2.1	4.5	- 0.9	78	84	91	22 2	18 4	18 5	8	10 •°	10 •°	10 •	13.6	100	* •° n, •° a, • p
8	87.6	87.0	88.3	0.9	3.2	3.5	4.9	0.5	93	81	74	18 4	25 5	20 3	6	10 ♦	10 △	10(♦)	7.8	86	• ♦ ♦ △ n, ♦ ♦ △ a,p
9	82.7	85.7	84.0	2.7	2.1	1.3	4.1	1.2	76	76	72	24 6	26 4	25 5	6	10 ♦°	10 ♦°	10 ♦°	17.2	76	♦² ♦° n, *° ♦° a, ♦° p
10	84.5	84.0	82.6	- 0.5	- 0.6	- 1.0	1.5	- 1.2	75	90	97	32 3	18 2	22 1	6	10 ♦°	10 *	10 ♦²	9.1	82	♦ n, *° ⊙ i a, ♦² p
11	86.2	87.3	86.6	- 2.6	- 0.7	- 1.4	- 0.4	- 4.3	73	78	99	28 2	18 2	18 2	4	10 *°	10 ♦	10 ♦°	12.7	100	♦² n, ♦ ⊙ a, * p
12	90.7	94.6	97.0	- 2.0	0.4	- 1.4	0.5	- 5.0	75	61	46	04 2	04 2	04 2	9	2	2	3	4.6	105	* ⊙ n, ⊙ a,p
13	00.6	02.6	03.0	- 2.0	0.9	0.0	1.8	- 4.1	91	82	69	18 2	00 0	30 2	7	9 *°	8 ♦°	10(*)	0.1	100	*° n, ♦° ⊙ a, ♦° p
14	04.8	03.3	05.8	- 0.3	1.8	1.3	2.0	- 1.4	93	84	73	18 2	28 5	30 2	4	10 *	10 ♦	10 =	6.5	106	* n,a, ♦ p
15	08.9	09.8	09.6	0.8	1.8	1.3	2.5	- 0.1	91	90	93	23 1	24 1	18 2	8	10(♦)	10 △	10 ♦	5.6	105	♦ n, ♦ ♦ △ a, ♦° ♦° p
16	07.3	05.8	03.8	2.7	4.8	4.3	6.4	0.7	82	60	58	18 1	06 1	00 0	9	4	1 =°	2	0.4	100	♦ ⊙ n, ⊙ =° a, ⊙ p
17	98.3	99.0	98.9	4.6	2.9	3.4	4.6	1.1	57	85	82	17 3	17 4	18 4	7	8	10 •°	9		94	⊙ n, • a,p
18	98.0	95.8	93.4	4.6	5.7	4.1	6.9	3.1	81	79	91	18 4	18 3	18 3	8	9	10 •°	10 •°	4.0	85	• n, •° ⊙ a, •° p
19	92.5	93.4	94.1	4.2	6.2	4.6	6.6	2.5	90	79	82	06 1	06 1	05 2	8	9(≡)	10 =°	9	3.5	79	•° n, =° a, ♦° 13, =° p
20	92.7	90.7	88.5	4.6	7.4	5.1	8.2	2.6	81	67	64	00 0	00 0	18 2	8	7 =°	5 =	9	0.2	75	=° ⊙ n, ⊙ = a, ⊙ p
21	89.1	90.6	91.8	5.2	5.0	5.1	5.9	3.7	67	61	63	00 0	18 3	18 3	9	6 =°	8	7 =°		68	⊙ =° n, ⊙ a, ⊙ =° p
22	95.1	96.8	97.4	3.6	4.3	3.0	5.1	0.5	79	82	91	19 1	16 2	17 5	9	10(•)	9	10 ♦°		65	♦ a, ♦° p
23	96.9	96.6	95.9	2.9	4.1	1.6	4.1	1.2	82	72	93	18 3	18 2	02 2	8	9	10(•)	10 ♦°	1.0	65	♦ n, ♦° a, ♦° ♦ p
24	94.2	94.4	94.7	1.0	- 0.2	- 0.2	2.4	- 0.4	95	97	84	18 2	04 2	02 3	2	10 *	10 ♦²	10 ♦°	2.5	65	* n, ♦² a, ♦ p
25	96.3	97.4	98.2	- 1.4	- 0.6	- 2.1	0.1	- 2.5	69	61	84	32 3	32 3	04 2	8	10 ♦°	6(*)	9 ♦°	4.3	65	♦ n, ⊙ ♦° =° a, ♦° ⊙ p
26	98.6	98.0	96.8	- 1.9	- 0.1	0.0	0.9	- 5.8	73	52	51	18 3	18 4	18 3	9	3	7	7	0.2	65	♦° ⊙ n, ⊙ a,p
27	95.1	96.3	97.2	0.4	3.8	2.3	4.0	- 1.9	46	40	49	18 4	18 3	18 2	9	9 =°	6 =°	2		65	⊙ =° n, ⊙ = a, ⊙ p
28	96.5	96.4	94.6	1.3	5.1	5.6	6.0	- 1.3	79	63	58	25 1	28 2	16 3	8	10 *°	7 =°	10 =°	0.1	64	*° n, ⊙ =° *° a, =° p
29	89.5	91.6	94.1	5.2	7.3	7.8	8.6	1.8	76	64	63	18 4	18 4	21 2	9	9 ♦°	7	8 =°	0.1	57	♦° n, ⊙ ♦° a, ⊙ =° p, • 22-np
30	96.0	95.4	00.6	6.9	10.9	5.4	11.8	3.6	75	55	91	04 2	18 5	24 2	8	5 =	5 =	10 =°	1.0	50	⊙ = n, ⊙ = a, •° =° p
M	93.4	93.8	93.9	1.3	2.7	1.7	3.8	- 0.8	78	73	77	2.0	2.5	2.4	7.2	8.0	7.9	8.5	116	80	

Ekstensotabell

1945

Tromsø

$\varphi = 69° 39' N$ $\lambda = 18° 57' E$ $g = 9.825$ $\Delta G = +1^h$

Mai V

$H_a = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	08.4	08.3	08.2	5.1	6.4	5.1	7.2	2.7	85	78	85	04 1	03 2	04 2	6	9 •°	3 =°	8 =	0.4	35	•° ≡ = n, ⊙ = •° a, ⊙° 19
2	09.7	11.6	12.7	8.4	6.6	4.0	9.8	3.8	66	79	93	18 1	02 3	04 3	6	8 ∽	6 =°	10 =	0.0	35	⊙ ∽ n, ⊙ = a,p
3	13.5	13.5	12.4	3.4	3.8	2.7	4.2	2.5	87	81	75	03 2	03 2	03 3	8	10 =°	10 =°	10		30	= n, =° a,p
4	08.2	05.6	03.8	2.5	4.3	2.6	4.4	1.1	81	69	81	04 1	29 1	04 2	8	9 =°	9 =°	8		25	⊙ = a
5	00.5	08.9	98.7	1.8	3.0	2.0	3.0	0.7	79	67	73	05 2	04 2	04 2	8	10(•)	9 =°	10 =°	0.1	21	•° =° n, ⊙ =° a, =° p
6	99.9	00.8	01.7	1.0	2.1	− 0.6	3.1	− 0.6	81	61	88	03 2	04 3	32 3	9	9	8 ♦°	8 ♦	0.0	20	♦° n, ⊙ a, ♦° ⊙ p
7	03.3	04.4	04.3	0.1	1.2	1.0	2.3	− 2.4	66	52	49	03 1	03 2	21 2	9	7 =°	3 =°	9 •°	0.1	20	♦° =° ⊙ n, ⊙ =° a, ⊙ p
8	05.7	08.1	08.9	− 0.9	2.5	0.4	3.2	− 2.5	87	73	72	25 2	30 2	28 2	8	9 ♦	8(•)	8(•)	4.3	27	♦ n, ♦² a, ♦ p
9	11.1	11.4	09.5	0.8	1.6	1.4	3.4	− 1.4	82	79	69	04 2	20 2	18 2	8	10 ♦°	9 ♦°	9	4.1	32	♦ n, ⊙ ♦ Δ° a, ⊙ ♦ p
10	00.0	95.3	93.4	2.0	4.5	4.3	5.9	− 1.8	57	48	52	00 0	02 2	04 1	9	9	9 ∽	10	0.3	28	⊙ p
11	80.5	78.5	77.1	5.8	7.7	5.9	8.2	2.7	90	79	93	18 4	20 3	20 3	8	10 •	10 •°	10 •	4.0	17	• n, •° a,p
12	82.4	85.2	92.0	1.2	2.5	2.9	5.9	− 0.3	84	82	67	18 5	25 5	28 5	4	10 ♦²	10 Δ	10 ♦°	6.0	14	♦ n, ♦² Δ a, ♦² p
13	99.9	02.6	02.6	2.3	3.8	3.6	4.5	0.8	58	58	57	30 3	29 3	04 2	9	8	6 ∽	1	13.0	10	♦ n, ⊙ a
14	93.1	87.6	85.7	5.0	5.3	5.1	6.8	− 0.4	38	52	61	12 2	18 4	18 5	8	5	3 ∽	7 ∽		10	⊙ n, ⊙ ∽ a,p
15	87.1	89.3	91.9	5.0	9.6	7.9	10.1	2.7	78	54	63	05 2	18 3	18 2	9	9 =°	7 =°	10		4	=° n, ⊙ =° a, ⊙ p
16	94.3	94.6	93.7	7.2	10.8	9.8	11.3	4.3	75	52	58	18 2	20 1	04 2	9	10 =°	2	1		0	=° n, ⊙ ♀° a, ⊙ p
17	88.7	86.2	85.0	7.7	12.0	10.5	12.6	4.2	70	52	54	24 1	30 1	02 2	9	7	5 =°	6	0.0	0	⊙ n, ⊕ =° a, ⊙ p
18	83.3	85.3	88.7	7.9	10.0	8.4	11.5	5.5	73	66	78	05 2	28 2	26 2	9	9 ⊕	8 =°	8		0	⊕ n, ⊙ =° ♀° a
19	96.0	98.8	01.1	4.6	5.4	3.6	8.5	3.2	90	90	82	27 2	00 0	03 2	8	10 •°	10 •°	9 •°	0.0		•° a,p
20	03.7	04.2	04.3	4.0	5.0	2.9	5.4	1.9	64	78	67	16 2	25 2	28 3	9	10	8	9	0.8		⊙ 14, ♀° p
21	01.1	99.5	99.0	0.8	1.7	− 0.6	2.9	− 1.2	82	76	90	19 3	26 2	26 1	6	10 •°	9 ♦°	10(♦)	2.6	2	* n, ♦² a, ♦ p
22	00.4	00.2	00.3	0.2	1.7	2.2	2.2	− 2.2	93	90	70	00 0	28 2	01 2	6	10 ♦²	9 ♦°	9(♦)	7.2	5	♦² n, ♦ a, ♦° p
23	99.9	00.0	00.9	1.6	3.0	3.2	4.3	0.1	82	81	78	31 4	04 2	04 3	6	9(♦)	10 ♦°	4	4.1	5	♦° n, =° ♦° a, ♦° p
24	03.4	03.0	02.3	4.2	6.2	3.6	6.6	0.1	63	52	64	20 1	28 2	02 2	9	2	8 =°	10	0.2	0	⊙ n, ⊙ ∽° a, ⊙ p
25	00.5	00.5	00.4	3.1	4.3	3.8	4.8	0.7	84	58	63	03 1	04 3	03 2	9	10 ♦°	9 =°	9	0.0		•° n, ⊙ ♦° 10°, ⊙° p
26	00.2	00.8	00.8	4.0	4.6	4.4	5.5	2.5	87	82	67	25 2	01 3	02 2	7	9 =°	10 ♀°	9	1.4		•° n, ♀° a,p
27	00.2	00.1	99.4	3.0	3.8	4.2	5.4	1.9	96	84	87	18 2	26 3	24 1	8	10(•)	10 •	10 ∽	1.7		• ♀° n, • a, • ♦ p
28	02.4	03.3	03.4	2.2	4.3	5.1	5.6	0.2	87	39	58	17 1	21 2	24 2	8	9(♦)	8(♀)	3 ⊕	6.4	0	♦ Δ° n, ♦° ⊙° a, ♦° ⊙ p
29	01.3	01.4	01.9	4.9	6.0	5.3	6.2	1.5	64	78	67	20 2	24 2	02 2	8	10(♦)	9(♀)	6(♀)	0.1	0	♀° ⊙ p
30	02.2	00.6	99.0	5.8	7.2	9.4	9.7	1.4	58	58	40	06 2	02 3	01 2	9	3	1	6	0.2	0	⊙ n,a,p
31	97.1	98.8	98.8	11.2	11.6	6.5	12.3	6.1	54	58	90	20 4	18 5	18 3	9	7	7 =°	10 •°		0	⊙ n, ⊙ ∽° a, • p
M	99.3	99.3	99.4	3.7	5.2	4.2	6.3	1.2	76	68	71	1.9	2.4	2.3	7.9	8.6	7.5	8.0	57	11	

Juni VI

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	02.0	04.4	05.5	7.2	9.0	8.4	9.2	5.7	91	85	81	18 2	18 3	27 1	7	10(•)	9(•)	9(•)	1.8	0	• n, •° a, ♀° p, = 19
2	07.0	07.2	06.0	5.3	4.7	5.3	8.4	4.3	94	88	73	28 2	04 2	03 2	6	10 •	10 •°	9(≡)	1.1	0	• =° n, •° a
3	01.5	98.9	99.2	4.3	4.8	4.0	6.3	2.4	73	76	64	03 2	01 3	28 2	9	10(♀)	8(•)	9(•)	0.0		♀° n, ⊙ a
4	94.7	92.1	90.1	3.3	3.3	2.7	4.9	0.5	64	66	66	02 3	04 3	06 2	7	9 ♦°	7(♦)	10(♦)	0.0		♦ n,a
5	84.2	85.6	90.0	2.4	3.1	2.8	4.4	− 0.7	84	75	67	21 2	01 5	28 4	6	8(♦)	9 ♦°	8(•)	4.1	2	♦° n, ♦ Δ ⊙ a, ♦ p
6	96.2	98.3	99.3	0.6	2.3	3.8	4.2	− 0.8	94	94	73	16 2	24 2	27 2	6	10 ♦	10 ♦	7(♦)	5.9	2	♦² n, ♦ a,p
7	98.7	98.0	97.0	3.1	3.5	3.4	4.3	0.2	75	81	75	22 3	05 2	02 2	7	8 ♦°	9(♦)	10(♦)	4.6		♦ ⊙ n, ♦° ⊙° a, ♦ ⊙° p
8	91.2	87.0	85.1	4.2	6.7	5.9	7.4	0.8	61	58	57	04 4	04 4	04 4	9	3	7	10(≡)	0.2		♦° n, ⊕ a, ⊙ p
9	88.9	92.8	95.4	4.9	6.4	5.0	6.6	3.6	85	69	79	04 3	06 3	04 3	8	10	10 =°	10(≡)	0.1		•° n,a
10	97.6	98.0	97.4	6.2	9.3	8.8	10.3	3.9	73	64	70	02 2	01 2	29 2	9	9	9	8	0.0		⊙ a,p
11	97.2	97.8	98.1	10.5	10.0	9.7	12.8	6.1	63	72	75	22 1	27 2	01 2	8	7	10 •°	8 =			⊙ n, ⊙ ♀ a, ♀° ⊙° p
12	97.6	95.7	93.6	12.1	15.8	14.4	16.2	6.7	64	43	45	17 2	17 2	16 2	9	2	5 =°	8 =°	0.2		♀° ⊙ n, ⊙ ∽° a,p
13	92.0	94.5	94.7	9.8	7.7	8.1	14.4	6.5	87	82	78	17 3	05 3	04 2	7	10 •°	10 =°	10 =°	0.0		•° n,a
14	85.7	81.3	78.2	10.8	13.7	12.1	14.3	5.8	72	58	60	18 2	04 2	10 2	8	10 ∽	9 =°	9	4.8		♀ 11–12
15	76.9	78.9	81.0	12.2	14.9	8.7	16.1	8.6	72	51	94	20 4	17 3	26 2	9	8(•)	8 =°	10 •°	0.0		⊙ ∽° a, • ⊙ p, (≡) 19
16	85.0	87.2	88.7	5.6	6.9	5.4	8.9	5.2	97	90	91	18 1	06 2	04 2	6	10 •°	10 •°	10 •°	7.8		• • = n, •° = a, •° •° p, (≡) 19
17	90.5	93.3	95.2	6.2	6.3	4.5	6.8	4.4	91	87	91	00 0	32 1	26 2	7	10 •°	10 •	10 •	3.7		•° • n,a, • p
18	94.4	94.4	94.4	8.0	10.4	10.5	10.6	3.9	67	57	52	18 1	02 2	04 2	9	6	7 =°	1	9.2		• ⊙ n, ⊙ ∽° a, ⊙ p
19	98.3	01.1	02.6	11.6	13.2	12.6	15.6	6.4	57	54	57	28 1	26 3	28 2	9	1	3 =°	2 =°			⊙ n, ⊙ ∽° a,p
20	06.5	09.3	10.6	7.0	8.6	7.4	12.6	6.6	94	73	75	28 3	26 2	26 2	8	10 •	8(•)	9(•)	0.7		• n, ♀° a,p, ⊙° p
21	13.3	14.6	15.2	7.0	7.8	7.2	8.5	5.6	85	82	82	16 2	28 2	04 2	8	9 •°	10(≡)	10(≡)	2.7		•° n, ♀° a,p
22	16.6	16.6	16.7	6.8	9.5	8.7	10.0	5.7	78	61	64	04 2	02 4	04 4	9	10(≡)	2	1	0.7		⊙ a,p
23	15.1	14.0	13.8	8.4	12.2	11.4	14.2	4.9	75	55	58	21 2	04 2	03 2	9	1 =°	4 =°	9 =°			⊙ =° n, = ⊙ a, =° ⊙ p
24	12.6	11.3	10.0	14.5	17.5	15.5	18.1	7.7	52	43	36	02 1	28 2	31 2	9	1	1	1			⊙ n,a,p
25	07.0	05.2	04.0	13.3	15.5	10.6	16.0	9.9	58	61	79	04 2	04 3	31 3	9	1 =°	1 =°	1 =°			⊙ =° n,a,p
26	04.4	04.3	04.0	8.6	11.9	11.9	12.9	6.1	87	72	67	03 3	02 3	02 3	9	8(≡)	1 =°	1 =°			⊙ =° a,p
27	03.1	01.5	99.3	9.6	12.9	12.4	14.3	5.9	81	73	54	31 1	28 3	27 3	9	3 =°	1 =°	4 =°			⊙ n,a,p
28	96.4	96.5	95.7	9.5	8.9	7.6	12.6	7.0	90	79	82	27 1	04 2	04 2	8	9 =	9(≡)	10(≡)			• a
29	94.1	93.1	91.7	7.0	9.5	8.7	10.5	5.6	64	58	64	04 2	04 3	02 2	9	5(≡)	7 ⊕	9 =°	0.0		⊙ =° a, ⊙ p
30	89.0	88.7	87.9	7.0	6.9	6.0	8.7	5.1	73	72	72	04 2	26 2	20 2	8	10(≡)	9(•)	9(♀)	0.1		♀° n,a
M	97.5	98.1	98.0	7.6	9.1	8.2	10.7	4.8	77	69	70	2.0	2.6	2.3	8.0	7.3	7.1	7.4	48	0	

Ekstensotabell

1945

Tromsø

$\varphi = 69° 39' N$ $\lambda = 18° 57' E$ $g = 9.825$ $\Delta G = +1^h$

Juli VII

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_s = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_n	Værforløp W
1	89.3	90.7	90.5	4.6	6.2	7.5	8.9	2.5	90	83	73	17 2	28 2	27 2	8	9 •°	9(ṿ)	8(ṿ)	7.1		• ṿ n, ṿ a, ṿ° p
2	83.1	85.3	88.0	7.1	5.6	3.2	7.6	3.2	84	84	94	20 3	20 2	17 1	7	10 ṿ	9(•)	9 ṿ°	2.4		ṿ° n, ṿ a, ṿ° p
3	91.7	92.8	94.0	4.2	5.1	4.5	6.1	2.2	93	84	88	16 3	22 2	27 3	7	10(ṿ)	10 ṿ°	10 ṿ°	9.9		ṿ° n, ṿ° a, •° a
4	98.2	99.7	99.4	7.8	10.8	11.5	12.6	4.1	70	60	54	17 3	19 3	04 2	9	8(•)	7 ⊕	6	1.5		•° n, ⊙ ṿ° a, ⊕ p
5	96.8	98.0	97.7	12.4	12.9	12.9	13.1	7.5	57	72	79	20 3	21 2	00 0	8	10	10 ṿ°	10(•)	0.0		ṿ a, ṿ° p
6	97.6	99.6	01.0	14.1	16.6	15.0	18.0	12.0	87	76	82	21 1	28 2	04 2	9	10	8 =°	7 =°	1.2		ṿ n, ṿ° a
7	04.3	04.5	03.9	10.2	13.2	12.6	15.0	9.1	84	63	73	02 4	03 5	03 4	8	10(≡)	1 =	1 =°	0.0		⊙ = a, ⊙ p
8	03.8	03.7	03.8	15.7	23.0	21.1	23.0	8.8	68	54	61	02 1	11 3	18 3	8	1 =	3 =	5 =			= ⊙ n,a,p
9	04.9	04.8	04.0	20.4	21.0	19.4	22.9	17.3	71	66	72	20 2	26 2	02 1	9	1 =°	4 =°	1 =			=° ⊙ n,a, = ⊙ p
10	06.3	07.2	06.4	10.1	10.0	9.8	19.4	9.8	96	96	94	26 1	31 1	32 1	8	10 •	10	9 ṿ	0.0		• n,a, ṿ p
11	03.7	04.3	05.7	12.9	19.4	18.2	20.4	9.4	84	73	76	31 2	30 1	32 1	9	1 =	4 =	2 =	1.5		ṿ ⊙ = n, ⊙ = a,p
12	08.7	08.6	07.9	12.0	15.8	13.3	18.2	11.3	92	85	83	28 2	04 2	03 2	9	9 =	1(≡)	0(≡)			⊙ = n,a, ⊙ (≡) p
13	04.0	02.3	04.1	11.6	17.8	14.3	21.4	9.2	93	77	90	02 1	02 1	32 2	9	8(≡)	4	10 •			≡ ⊙ n, ⊙ a, R • ⊙ p
14	05.8	06.2	06.7	10.8	16.7	12.0	17.1	10.1	91	66	87	26 1	17 3	28 1	9	10 =°	8	8 =°	10.2		ṿ n,a
15	08.2	12.0	12.9	10.9	9.8	10.5	13.1	9.4	91	88	76	19 3	28 3	01 2	8	10(•)	10(•)	3	2.7		ṿ n,a, ⊙ p
16	12.8	10.5	08.0	12.1	17.1	18.7	18.7	7.0	72	57	57	31 1	04 2	00 0	9	1	5	3	0.3		⊙ n,a,p
17	05.3	04.4	03.1	18.1	21.5	17.0	23.0	12.7	67	55	67	20 1	30 1	02 1	8	0 =	0 =	0 =			⊙ n, = ⊙ a,p
18	05.3	05.5	06.5	16.4	17.0	13.3	17.5	9.7	73	62	78	18 4	18 4	19 3	9	4 =	3	7	0.0		⊙ ṿ = n, ⊙ a, ⊙ i p
19	08.4	07.5	05.9	12.5	15.4	14.4	16.9	10.1	69	62	74	18 2	28 2	26 2	8	3	9 •°	5			⊙ n, •° ⊙ i p
20	00.7	97.9	95.6	15.2	18.5	17.5	20.1	10.4	73	58	60	03 1	03 2	04 1	9	2 =°	5 =°	5 =°	0.0		⊙ =° n,a,p
21	94.2	93.3	91.6	15.0	18.0	13.9	18.8	12.6	78	68	73	02 2	32 4	31 4	9	1 =°	0 =°	2 =			⊙ n, ⊙ =° a, ⊙ = p
22	90.0	89.8	90.0	12.7	17.6	15.6	17.6	9.6	84	69	73	01 1	04 3	02 4	9	2 =°	1 =	1 =			=° ⊙ n, ⊙ = a,p
23	92.3	92.8	93.1	12.5	17.1	15.9	17.4	10.7	87	71	70	25 1	02 3	30 2	9	9 =	2	8 =°			⊙ n,a, ⊙° =° p
24	94.7	95.1	95.7	15.1	17.2	17.2	18.3	11.3	73	55	50	04 1	04 3	30 2	9	1 =°	1 =°	1			⊙ =° n, = ⊙ a, ⊙ p
25	98.7	99.6	99.7	13.6	16.4	16.2	17.4	10.8	61	51	50	18 3	17 3	17 2	9	0	0	1			⊙ n,a,p
26	02.0	01.3	00.5	13.4	16.4	16.0	16.9	10.1	63	52	51	19 2	30 1	01 2	9	0	0	0			⊙ n,a,p
27	01.9	01.8	02.1	14.1	17.7	17.0	18.9	9.7	63	52	60	19 3	24 2	01 1	9	1	1	1			⊙ n,a,p
28	01.2	99.5	97.8	13.7	17.6	13.4	17.9	9.8	81	70	80	00 0	27 2	02 1	9	7 =°	7	10(•)			⊙ n,a, ⊙° =° p
29	91.8	90.0	90.6	15.3	17.2	12.4	18.2	10.5	75	56	76	01 1	16 1	03 2	9	7	10	8	2.6		ṿ ⊙ n, ⊙ a, ⊙° ṿ° p
30	94.0	96.3	97.8	12.8	18.4	14.5	18.5	10.7	79	59	73	25 1	00 0	03 1	9	9 •°	8 =°	8 =°	0.3		ṿ n, ⊙ ṿ° a, ⊙ =° p
31	99.5	99.4	99.4	12.4	13.6	12.0	15.4	11.2	90	83	81	26 2	27 3	32 2	9	7 =°	4	8 =°	0.0		⊙ =° a,p
M	00.0	00.1	00.1	12.6	15.5	13.9	17.0	9.4	79	68	73	1.9	2.3	1.8	8.6	5.5	5.0	5.1	40		

August VIII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_n	Værforløp W
1	99.0	99.2	99.1	11.4	11.2	11.0	12.7	9.1	88	92	90	28 1	20 2	19 3	9	10(≡)	10	10 •	0.4		•° n,a, • p, = 19
2	94.9	91.9	91.1	12.2	12.4	13.0	13.7	10.2	76	90	91	17 4	18 4	17 4	7	10 •°	10 •°	10 •°	0.8		ṿ° n, •° =° a, • p, = 19
3	96.0	98.3	99.8	11.8	11.2	11.1	13.3	10.7	96	92	96	22 1	26 2	26 1	6	10 •°	10 ṿ	10 •°	6.7		• n, (≡) 8, •° a,p, (≡) 19
4	02.5	04.3	03.9	12.0	14.2	13.4	16.2	9.6	72	69	72	21 4	26 2	02 2	9	9(•)	8 =°	9 =°	5.5		• n, ṿ° a, ⊙ 14
5	99.7	98.8	99.9	15.6	23.6	15.4	23.9	10.8	69	43	88	19 2	20 2	06 3	9	4 =°	7 =°	8 =°	0.0		⊙ n, ⊙ =° a,p
6	02.2	03.9	04.5	11.6	14.2	12.6	16.2	11.3	91	73	78	02 2	31 1	02 2	9	10(≡)	6	1 =°			⊙ a,p
7	02.1	00.3	99.2	11.5	15.0	15.1	15.8	8.6	88	84	84	00 0	01 2	21 2	9	7 =°	7	9 R			⊙ n, ⊙ i a, ⊙ p, (ṿ) 19
8	95.3	98.1	99.4	16.8	12.6	13.9	20.6	12.3	85	91	84	18 2	26 4	00 0	8	6 =°	8(ṿ)	9 =°	2.0		ṿ R n, ⊙ 8, ṿ a, =° p
9	00.7	00.6	01.1	12.2	15.0	14.2	15.9	11.4	94	69	63	19 2	20 3	19 2	8	10 •°	10 •°	8 =°	1.1		• n, = 8, •° a
10	01.9	01.7	00.1	15.0	16.8	15.6	17.9	13.1	69	70	70	19 2	32 2	00 0	9	9 =°	3	2 =°	0.6		=° n, ⊙ a,p
11	98.6	01.1	01.8	14.2	14.1	12.4	15.9	10.3	81	82	90	28 2	04 2	00 0	8	6 =	6 =	5 =°			⊙ n, ⊙ =° a, ⊙ =° p
12	05.9	08.9	10.5	11.3	11.6	10.7	12.8	9.6	91	88	84	00 0	05 2	03 2	8	10(≡)	9(≡)	8(≡)	0.2		ṿ° n, ⊙ a, ⊙° p
13	11.0	09.3	08.0	10.4	15.8	13.6	15.9	8.2	84	67	75	04 2	04 2	04 1	9	4 =°	3 =°	5			⊙ n, ⊙ =° a, ⊙ p
14	06.4	05.6	04.9	15.9	24.9	21.4	25.1	10.3	73	52	61	00 0	16 2	05 2	8	4 =	2 =	1 =			⊙ n, ⊙ = a,p
15	02.8	02.2	01.6	18.7	21.1	18.8	21.7	15.3	75	67	72	19 2	31 2	04 2	8	2 =°	3 =°	1 =°			⊙ =° = n, ⊙ =° a,p
16	00.4	99.6	99.0	11.0	14.5	12.5	18.8	9.6	00	76	66	00 0	02 3	02 4	8	10 =°	3(≡)	3 =°	0.1		ṿ° =° n, ≡ ⊙ a, ⊙ =° p
17	98.9	98.3	98.5	9.4	9.4	8.6	12.5	8.1	76	79	87	03 4	03 4	04 4	7	9(≡)	10(•)	10(•)			(≡) n, (≡) (•) a, •° p, (≡) 19
18	99.6	99.6	99.3	9.5	11.4	10.4	11.7	7.7	73	64	64	04 4	04 4	04 4	9	7 =°	8 =°	9 =°	0.1		⊙ n, =° 8, ⊙ =° a,p
19	97.9	96.3	94.6	10.0	13.5	11.0	13.5	7.1	73	58	70	20 1	16 2	19 2	9	9	9	9			
20	91.4	89.6	87.9	11.4	13.4	12.8	13.9	8.6	73	64	73	04 2	05 1	03 1	9	7	10	10			⊙° n
21	85.9	85.9	86.3	10.5	13.4	11.0	13.5	9.3	93	75	88	17 2	22 2	04 2	8	10(≡)	8(≡)	10(•)	2.9		• n, ⊙ a, (•) p
22	85.8	86.3	86.5	9.5	9.8	9.9	11.1	7.5	94	84	79	00 0	28 2	28 2	7	10 •	10(•)	10(≡)	7.0		• n,a, (≡) p
23	85.9	86.0	85.7	10.3	12.0	11.0	13.1	8.6	84	66	66	18 2	24 2	00 0	9	8	10 =°	9	1.4		⊙° =° a,p
24	82.8	80.5	78.8	9.5	13.1	10.9	13.9	6.6	81	58	70	12 1	04 3	04 3	9	1 =°	7 =°	10 •			⊙ =° n,a,p
25	77.3	77.1	77.1	9.6	11.9	11.4	12.6	7.6	91	76	79	00 0	05 2	01 2	7	10(≡)	5 =	8 =	6.3		• n, ⊙ = a,p
26	80.5	84.8	88.6	9.9	9.2	8.7	11.6	8.6	93	93	85	03 2	31 3	31 2	5	10(•)	10 •°	10(•)	4.2		• n, (≡) 8, •° = a, (≡)14, •°= p
27	95.6	98.4	99.2	8.1	8.7	7.6	10.3	7.1	90	87	75	00 0	29 3	28 2	7	10(•)	10 ṿ	8 ṿ°	2.8		• n, (≡) 8, •° a, (≡) 14, ṿ° p
28	91.2	86.8	85.0	7.2	7.5	8.6	9.3	5.1	81	87	84	00 0	00 0	04 2	7	10 =°	10 •°	9 •°	1.2		•° =° ⊙° n, • a, = 14, •° p
29	00.1	02.4	02.8	6.0	8.2	6.6	9.2	5.7	93	72	84	23 2	31 2	04 2	7	9(•)	9(ṿ)	9 ṿ°	8.0		• n, ṿ° ⊙° a,p
30	96.9	93.9	92.2	6.4	9.6	8.0	9.9	3.9	82	72	91	00 0	02 1	00 0	8	8 =°	10(•)	10 •	1.7		ṿ° ⊙ =° n, ⊙ =° a, •° p
31	91.3	92.6	93.9	6.9	7.8	6.7	8.2	5.8	91	91	91	00 0	28 2	02 3	7	10 •°	10 •°	10 •°	2.0		• n, =° •° a,p
M	96.1	96.2	96.1	11.2	13.1	11.9	14.5	8.9	84	75	79	1.5	2.3	2.0	8.0	8.0	7.8	7.7	55		

Ekstensotabell

1945

Tromsø

φ = 69° 39′N λ = 18° 57′E g = 9.825 ΔG = + 1ʰ

September IX

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	97.0	98.6	00.3	8.5	10.2	9.1	10.4	6.2	63	75	79	02 4	03 3	02 3	8	9 =°	9 =°	9(≡)	2.8		•° n, ▽° a
2	04.2	04.7	06.0	8.8	9.6	8.3	9.8	5.6	85	75	87	00 0	28 2	02 2	8	9 =°	10 =°	8(≡)	0.1		=° n, =° a,p
3	08.3	05.8	01.8	8.1	11.2	10.5	11.6	6.8	90	61	66	19 3	16 3	17 3	9	9(≡)	8	10 •°			(≡) (▽°) n, ⊙ a
4	95.5	91.8	86.4	11.7	12.8	12.5	13.7	8.8	91	79	81	10 4	18 3	18 4	8	10(•)	9 =	9(▽)	7.9		• n, ⊙ i •° a, • p
5	92.1	95.5	98.6	7.7	8.6	7.2	12.6	6.4	93	81	93	19 2	26 2	26 2	7	10 •	9 ▽	10 ▽	8.6		• n, ▽ a, ▽ ⊙° i p
6	00.9	99.4	98.4	7.2	9.2	8.5	10.0	5.5	87	69	81	17 2	18 3	20 2	9	9(•)	9	10 •°	7.0		▽ n, ▽° ⊙° i a
7	05.8	08.2	09.2	7.6	8.5	7.5	9.6	6.6	84	88	94	26 2	26 2	27 2	7	9(•)	10 •°	10 •°	1.6		• n, •° a,p
8	08.4	07.6	06.8	7.9	9.8	8.9	10.3	6.7	91	67	72	20 2	19 2	19 2	9	2	10 ∞°	10	0.8		•° n, ∞° ⊙ a, ▽ 22
9	07.8	08.4	09.1	8.8	10.0	8.0	10.3	7.6	81	75	93	18 3	19 2	20 2	9	9	10 ▽°	10	0.0		▽° a, ▽ p
10	12.8	13.1	12.9	7.0	9.9	7.2	10.3	5.6	84	84	69	21 2	27 2	00 0	8	8 =	7 =°	10 =°	1.3		•° = n, ⊙ a, ⊙ =° p
11	10.4	11.0	10.9	9.6	10.8	11.3	11.4	5.9	72	75	76	19 3	19 2	19 3	9	9	10 •°	10 •°			•° a
12	02.4	98.9	94.9	13.1	12.4	13.0	13.8	10.4	60	63	75	19 3	20 4	20 4	9	10	10 =°	10 •°	0.0		=° n, ⊙° 8, ▽° a, ▽ p
13	00.0	02.1	01.7	10.8	13.2	10.4	13.5	8.9	78	58	72	20 3	21 2	19 3	8	8(•)	7 =°	10	4.3		• n, ⊙ =° a,p
14	95.3	90.4	89.0	11.2	**18.8**	15.9	**18.8**	9.1	82	51	**43**	00 0	00 0	16 5	9	1 =°	1 ∞	9 ∞°			⊙ =° n, ⊙ ∞° a,p
15	85.6	83.6	**83.1**	12.3	12.8	11.4	15.9	9.8	67	69	72	20 2	17 4	17 3	8	7	9(▽)	10			⊙ ∞° n, ⊙ ▽° a
16	83.6	84.1	84.2	9.9	13.2	11.2	14.3	8.0	89	65	74	24 1	00 0	20 1	9	6	9	10	1.4		⊙ ▽ n, ⊙ a
17	86.4	88.5	90.6	9.6	10.0	7.4	11.3	7.2	94	93	91	00 0	00 0	26 3	7	10 =°	9 =	9(≡)	3.1		▽ n, (≡) 8, ▽ a, ▽ p
18	94.2	97.7	00.2	7.6	6.4	4.4	7.6	4.2	88	87	82	22 2	32 3	01 3	6	10 •°	10 •	9 ▽	4.4		•° n, = ▽ a,p
19	04.0	05.7	06.5	2.8	4.2	1.7	4.8	1.6	90	72	90	00 0	02 3	00 0	7	8(▽)	8(▽)	7(▽)	6.3		•° n, ▽° a,p
20	05.9	02.8	99.8	2.1	5.5	3.3	5.8	- 0.9	75	51	58	04 2	06 1	04 2	9	1	1 =°	2	0.8		•° ⌣ n, ⊙ =° a, ⊙ p
21	94.6	94.6	95.6	4.6	9.0	6.6	9.2	1.1	72	60	72	00 0	19 3	17 2	9	2 =°	5 =°	10			=° ⌣ n, ⊙ =° a, ⊙ p
22	98.5	99.6	00.6	5.0	7.2	5.3	7.3	3.3	90	70	66	00 0	04 1	00 0	9	9 ▽°	9 =°	8 =°	0.0		⊙° =° ▽° a, =° p
23	00.9	01.0	01.5	2.6	6.2	3.1	6.5	0.5	66	55	75	00 0	22 1	19 1	9	1 =°	1 =°	1	0.0		⊙ =° ⌣ n, ⊙ =° a, ⊙ p
24	05.6	07.1	09.2	2.5	7.0	4.2	7.0	0.5	78	58	67	00 0	00 0	00 0	9	1 =°	1 =°	1			⊙ ⌣ n, ⊙ =° a, ⊙ p
25	14.1	**14.6**	14.2	2.1	6.0	2.9	6.1	0.1	87	60	72	00 0	00 0	27 2	9	0	1 =°	3			⊙ =° a, ⊙ p
26	10.5	07.2	05.1	1.6	4.9	1.9	4.9	- 0.5	79	61	72	00 0	06 1	02 1	9	0 =°	1 =°	0			⊙ ⌣ n, ⊙ =° a, ⊙ p
27	99.7	98.0	96.5	0.4	3.3	0.6	4.1	**- 1.1**	91	58	70	00 0	00 0	03 2	9	2 =°	7 =°	1			⌣ n, ⊙ =° a,p
28	94.0	93.2	93.5	0.5	3.4	3.6	3.8	**- 1.1**	84	88	94	00 0	18 1	02 2	7	10	10(▽)	10 •			⌣ n, ▽° a, • p
29	00.9	04.8	07.3	4.7	7.3	4.0	7.3	3.0	78	67	79	03 2	20 1	00 0	9	8 =°	2 =°	1	1.5		•° n, ⊙ =° a, ⊙ p
30	07.5	06.8	07.9	4.7	7.5	4.9	7.5	2.2	70	60	67	16 3	15 4	16 4	9	1	1	1			⊙ n,a,p
M	00.9	00.8	00.7	6.7	9.0	7.2	9.6	4.6	81	69	76	1.5	1.8	2.1	8.4	6.3	6.8	7.3	52		

Oktober X

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	**09.9**	07.5	03.4	5.4	7.2	5.9	7.8	4.5	63	**60**	85	19 4	18 5	18 6	9	10(▽)	10	10 •			• p
2	97.7	02.2	04.2	10.4	9.3	7.3	**10.4**	5.2	94	94	78	19 5	26 4	18 3	5	10 •	9 •°	9	13.3		•² n, • a, •° p
3	98.4	00.3	01.1	9.4	6.2	4.9	9.4	4.7	97	96	93	18 2	26 2	00 0	5	10 •	10 •	10 •	25.0		•² n,a,p
4	98.0	99.3	01.8	0.9	1.2	0.9	5.0	0.4	96	94	75	00 0	00 0	25 4	6	10 •*	10 •*	10 ◊	33.6		•² n, ◊ a, ◊° p
5	99.5	87.7	83.3	1.2	2.4	2.7	2.8	- 0.5	88	76	85	18 5	17 5	18 4	5	10 ◊	10 ◊	10 •°	9.8		◊ n,a, ◊° p
6	92.6	95.6	96.3	2.6	0.6	0.3	2.8	0.1	61	96	97	32 3	00 0	18 2	8	9 =°	8 ≡°	10 ◊°	4.9		• n, ◊ a,p
7	95.1	88.6	82.4	0.7	1.9	3.2	3.2	- 0.7	91	88	88	18 2	18 4	16 5	7	10(◊)	10 ◊	10 ▽	12.2	5	◊ n, ◊° a, ▽ p
8	77.5	82.0	84.5	3.6	2.4	1.0	5.1	0.5	90	87	90	18 3	06 4	04 3	8	9 ▽°	10(▽)	10(•)	12.2		• n, ▽ a,p
9	88.2	88.3	87.1	- 1.2	- 0.3	- 0.5	1.1	- 2.1	82	93	90	00 0	18 4	16 3	6	2	8(◊)	9 *°	4.6	0	◊ n,a, ◊° p
10	84.5	84.2	83.2	- 2.1	- 1.1	- 1.0	0.2	- 2.9	94	88	97	00 0	17 2	17 3	8	2	7 ◊	10 ◊°	14.5	14	* n, ◊ a,p
11	90.3	93.2	94.8	- 1.1	1.3	- 1.3	1.5	- 2.4	81	84	96	00 0	27 1	00 0	8	7 ◊°	10(◊)	8(*)	2.3	15	◊° n,a,p
12	90.0	88.0	88.4	0.4	1.9	0.2	1.9	- 2.9	76	**60**	91	18 4	17 4	18 3	9	9	9	10 ◊	3.1	15	◊° n, ⊙° a, ◊ p
13	92.0	91.4	90.0	0.1	1.0	0.6	1.0	- 1.7	88	81	85	19 3	18 3	17 3	7	10 *	10 *°	10	4.2	23	◊ n,a, ◊° p
14	91.3	92.3	92.7	- 1.0	- 0.4	- 2.1	0.7	- 2.8	85	65	81	32 2	00 0	20 2	9	7	3	8	1.3	23	* n
15	92.1	93.9	92.1	- 1.1	0.5	- 0.3	0.5	- 2.1	99	93	99	18 4	00 0	00 0	6	9 *	10 *°	10 *	3.0	24	* n, *° a, * p, = 19
16	88.9	88.1	92.2	- 0.9	- 0.8	- 1.5	0.4	- 1.6	96	90	93	00 0	30 4	00 0	3	10 *	10 ◊	9(*)	15.1	35	* n, =° 8, ◊ a,p ⌣ 19
17	95.4	94.9	93.1	- 2.0	- 0.8	- 3.4	- 0.3	- 3.5	93	90	88	18 2	19 2	00 0	7	8 ◊°	9(◊)	5	18.9	45	◊ n,a,p
18	94.0	96.9	97.7	- 4.2	- 2.8	- 3.1	- 2.8	- 5.2	94	85	84	19 1	18 2	18 3	9	8	4	10(*)	2.1	45	*° n, ⊙° a, ⊙ p
19	94.5	96.9	99.0	- 2.3	- 1.8	- 3.0	- 0.5	- 3.4	84	79	96	26 2	26 2	04 2	6	9(◊)	8 ◊	9(◊)	4.1	52	◊ n,a,p
20	05.9	08.5	09.0	- 2.0	- 1.1	- 1.1	- 0.8	- 4.3	88	78	84	20 3	18 3	17 2	8	7(◊)	8(*)	10	6.8	53	◊ n, ◊° a
21	06.3	04.7	03.4	- 1.2	- 0.7	0.3	0.3	- 1.9	87	96	97	19 4	18 5	18 4	4	10 *°	10 *	10 *°	1.0	50	◊ n, * a, *° p
22	98.7	95.4	92.6	2.4	3.6	3.6	3.8	0.1	81	75	78	18 3	18 3	18 3	9	6	6	2	2.9	45	◊ n, ⊙° a
23	81.3	78.8	75.0	4.6	**4.6**	6.0	6.1	2.1	66	78	76	18 5	20 3	18 4	8	10	10(*)	10		37	•° a,p
24	**61.9**	69.6	72.0	5.0	0.1	- 0.1	6.7	- 0.3	90	99	91	18 2	29 1	32 4	3	10 •	10 ◊	10 *	3.1	10	• n, ◊ a,p
25	77.5	79.4	80.6	- 0.8	- 2.0	- 2.0	0.1	- 2.7	69	90	93	26 4	20 2	31 2	8	8 ◊°	7(*)	8 ◊	15.4	24	◊ n,a,p
26	82.2	81.6	80.2	- 1.8	- 2.0	- 3.5	- 1.9	- 3.8	84	76	78	18 3	18 3	15 3	9	10 ◊	6	1	6.8	30	◊ n, ⊙° ◊° a
27	77.6	77.4	79.7	- 5.3	- 3.9	- 4.4	- 3.5	**- 5.7**	81	75	87	18 2	18 2	18 2	9	7	8(◊)	10 *°	0.0	30	⊙ a, *° p
28	80.7	82.3	82.7	- 3.1	- 2.8	- 3.0	- 2.6	- 4.8	98	93	98	19 3	18 4	16 3	6	9 ◊	7 ◊	10 ◊²	3.3	32	◊ n,a, ◊² p
29	84.7	89.4	97.0	- 1.8	- 0.9	- 1.6	- 0.2	- 3.0	87	67	85	19 4	21 3	25 4	6	10 ◊°	9 ◊°	10 ◊	14.9	45	◊ n,a,p
30	96.2	99.5	02.1	- 1.8	- 1.5	- 3.2	- 0.9	- 3.4	82	79	90	20 2	17 2	20 2	7	9(*)	10 ◊°	3(◊)	7.2	49	◊ n,a, ◊° p
31	99.5	96.2	95.2	- 1.7	- 3.2	- 2.5	- 1.6	- 3.6	76	79	78	10 1	21 1	00 0	9	9 =°	8 =°	10 =°	4.2	50	◊° n, =° ⊙° a, =° p
M	91.0	91.4	91.5	0.4	0.6	0.0	1.8	- 1.5	85	83	88	2.5	2.6	2.5	7.0	8.5	8.5	8.7	250	24	

Ekstensotabell

1945

Tromsø

φ = 69° 39′ N λ = 18° 57′ E g = 9.825 ΔG = + 1ʰ

November XI

H_s = 102 H_b = 114.5 h_t = 2.8 h_a = 12.3 h_d = 20.7 h_r = 1.7

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	82.8	80.9	78.5	3.8	5.0	3.9	5.5	- 2.8	87	81	87	18 2	19 2	18 1	6	10 •	10 •	9 •°	6.2	42	• n,a,p
2	02.1	09.0	12.5	- 0.8	0.8	0.1	4.0	- 1.8	78	76	76	01 2	29 3	24 2	7	10 *	9 ↯	8 ↯°	7.3	25	• * n, ↯ a,p
3	15.5	12.4	10.4	- 0.1	0.3	- 0.2	0.6	- 1.3	87	75	88	18 2	17 2	16 3	9	10(*)	9	10 ↯°	4.2	27	↯° n,p
4	05.6	03.3	08.2	3.6	3.0	- 1.0	3.6	- 1.4	93	87	72	22 4	28 4	28 4	4	10 •°	10 ‡°	10	3.3	25	• n, • ‡ a
5	09.1	05.2	00.2	- 0.4	0.2	0.7	0.7	- 2.9	69	97	97	25 2	19 3	19 4	4	10(*)	10 *	10 *	6.0	25	*° n, * a, ↯ p
6	94.4	96.0	98.9	1.1	- 0.4	- 1.7	2.9	- 1.9	93	78	76	04 3	05 3	04 2	8	10 *°	9(↯)	1	26.0	26	•‡ n, ↯° a
7	01.9	97.8	93.7	- 4.4	- 1.3	- 2.2	- 1.3	- 5.4	72	43	43	00 0	14 4	14 4	9	0	1	0	0.3	26	*° n, ⌒ 19
8	96.0	01.2	04.5	- 2.6	- 4.0	- 3.4	- 2.2	- 4.4	39	55	51	14 4	18 4	16 4	9	1	1	0		26	⊙ a, ⌒ p
9	09.3	10.1	07.0	- 5.7	- 4.6	- 2.9	- 2.7	-16.2	64	67	60	18 4	18 4	18 5	9	0	10	10		26	⌒ n, ⊙ a
10	00.5	00.2	02.8	3.2	2.2	0.6	3.2	- 3.1	55	91	99	18 5	18 4	02 2	6	10(*)	10 •	10 ↯°		26	• a, ‡ p
11	96.3	95.1	98.1	0.2	0.0	0.2	0.2	- 0.4	99	99	97	00 0	00 0	00 0	3	10 *°	10 *	10 *°	19.8	30	‡ * n, * a, * ≡° p
12	06.0	09.7	10.5	- 1.4	- 3.1	- 3.4	0.2	- 4.8	75	61	70	05 3	04 1	00 0	8	9 *°	3 =°	10	8.6	43	*° n, =° 8, ⊙° a
13	07.2	08.1	08.8	1.4	2.4	3.8	3.8	- 3.8	73	91	81	18 5	19 5	18 4	8	10(*)	10 •°	10 =°		42	•° a,p
14	09.2	08.6	07.5	4.6	2.9	4.4	4.9	2.9	74	85	93	18 5	18 5	17 5	7	10(•)	10 •	10 •°	0.6	26	•° n,a,p
15	11.7	15.1	17.2	4.4	2.2	2.3	6.2	1.7	94	97	96	01 3	04 2	00 0	7	10 •°	10 =	10 •°	7.2	18	• n, •° a,p
16	17.1	14.7	13.0	3.0	0.0	1.4	3.4	- 0.6	99	99	85	00 0	00 0	19 2	9	3	4	0	2.3	16	•° n, ≡ •° a, ⌒ 19
17	06.8	04.0	01.6	2.4	3.7	3.3	4.0	1.1	75	76	85	17 4	18 3	17 2	8	10	10(•)	10	0.1	16	⌒° n,(•) a, •° p
18	02.4	05.3	00.6	0.5	- 0.9	1.1	4.1	- 2.3	70	70	73	28 4	20 3	20 5	7	10(*)	10 *°	10 *°	2.4	26	↯° n, ↯ a, ↯° p
19	91.8	99.4	99.4	5.4	2.6	2.4	6.3	0.9	60	64	54	24 6	26 5	24 3	7	9(*)	10 ↯°	9(*)	4.4	14	• n, ↯ a, ↯° p
20	00.3	04.0	03.8	- 1.1	- 1.0	- 1.6	2.6	- 2.2	88	87	91	01 1	00 0	19 2	7	9(*)	10 ↯°	10 *°	3.8	16	↯ n, ↯° a, ↯ p
21	05.1	05.9	06.3	- 0.8	0.2	0.9	0.9	- 1.9	93	90	88	18 2	19 1	19 2	7	10 *°	10(*)	10 *°	9.0	20	↯ n, ↯° a, *° p
22	98.6	93.5	95.0	2.0	2.6	- 2.0	2.6	- 2.0	91	91	99	20 5	18 4	02 3	6	10 •°	10 •	10 *	5.8	20	• n, •‡ a, *‡ p
23	05.1	07.1	07.4	- 4.2	- 3.8	- 4.9	- 1.9	- 5.2	82	67	61	02 2	06 3	06 1	7	9(*)	10(*)	10 =°	19.7	30	↯° n,a
24	00.9	97.7	94.0	- 4.3	- 4.4	- 3.6	- 3.6	- 5.9	60	85	96	00 0	00 0	00 0	6	10 =°	10 *°	10 *	0.1	20	*° a, * p
25	82.8	78.3	75.6	3.9	3.8	3.6	4.8	- 3.7	85	84	88	16 3	18 4	17 4	4	10 •°	10 •°	10	14.9	15	• n,a,p
26	73.5	74.7	76.1	3.0	2.9	0.8	3.7	0.7	75	82	90	18 3	17 2	17 1	9	10	10	7	5.3	14	• n
27	84.8	82.3	77.4	- 1.7	- 3.4	- 5.1	0.9	- 5.4	82	68	63	04 3	06 2	04 2	8	10(*)	9(*)	2	4.0	20	* n, (*) a
28	67.7	68.8	70.2	- 5.1	- 5.2	- 5.5	- 4.9	- 7.3	63	63	66	08 1	04 1	02 2	8	9 =°	8 =°	6 =°		20	=° a,p
29	76.3	79.2	82.6	- 4.1	- 4.8	- 4.6	- 3.9	- 6.1	52	46	45	00 0	01 1	04 2	9	10 =°	10	6		20	=° n,a, ⌒‡ 19
30	91.3	96.6	99.7	- 6.8	- 7.8	- 8.1	- 4.4	- 8.9	48	73	64	08 2	00 0	00 0	9	1	1	1		20	⌒° n
M	98.4	98.8	98.7	0.0	- 0.3	- 0.7	1.5	- 2.8	76	78	78	2.7	2.5	2.4	7.2	8.3	8.5	7.6	161	24	

Desember XII

Datum	Lufttrykk P 8	14	19	Lufttemperatur T 8	14	19	Max	Min	Relativ fuktighet U 8	14	19	Vindens retning og styrke D,F 8	14	19	Synsvidde V 14	Skydekke og vær N,w 8	14	19	Nedbør R	Snødybde h_s	Værforløp W
1	07.3	07.1	01.2	- 8.2	- 5.8	- 0.2	- 0.2	- 9.4	72	63	33	00 0	00 0	17 4	9	4	7	8		20	
2	97.0	94.8	92.6	- 0.6	0.5	0.6	0.6	- 4.2	82	72	64	17 3	19 4	14 4	9	10	3	1	1.0	20	↯ n
3	90.6	90.6	91.5	1.8	1.2	3.5	3.5	- 0.1	73	78	76	20 4	18 2	20 4	9	9	8	10		20	
4	93.1	95.5	98.0	3.7	3.6	3.8	3.8	2.3	75	82	76	20 3	18 4	18 4	9	10 =°	10	10 •°	0.2	20	•° n,a ⌒° p
5	01.2	00.2	98.8	0.8	1.2	2.1	4.2	- 1.0	90	61	60	04 2	19 2	18 5	9	1	0	0	0.3	18	•° n
6	01.4	03.6	07.5	2.6	3.1	3.1	3.2	1.6	63	58	66	18 5	18 5	18 4	9	2	8	10 *°		16	
7	15.6	16.4	15.6	0.7	0.6	1.4	3.1	0.1	88	70	64	18 2	17 3	18 5	9	10(*)	8	6	1.7	17	* n, ↯° a
8	06.0	01.0	96.1	4.2	3.5	3.7	4.2	1.0	60	61	76	17 6	18 5	18 6	9	10	10(↯)	10	0.1	16	
9	84.2	81.1	73.3	4.4	2.7	4.2	4.7	2.5	69	88	64	18 6	18 5	18 6	7	10	10 •°	8 ⌒°	0.7	15	•° n, ⌒° a,p
10	63.0	67.7	70.5	- 1.3	- 3.0	- 3.1	4.2	- 3.6	99	91	85	18 4	02 3	01 4	7	10 *	9(*)	10 *°	4.2	15	* n,a, ↯° p
11	74.3	76.7	79.5	- 4.1	- 4.2	- 4.6	- 3.1	- 5.6	79	78	94	18 3	18 4	16 3	6	8	10 *°	8(*)	4.4	17	↯° n,a,p
12	82.3	81.9	78.4	- 3.2	- 2.6	- 3.7	- 2.6	- 4.9	94	81	75	32 2	01 3	01 4	6	10 *°	10 *°	8	9.5	26	* n,a, *° p, ⌒° 19
13	69.6	72.3	68.8	- 5.4	- 7.8	- 7.4	- 2.5	- 9.0	70	52	91	14 3	06 1	17 4	9	10 ↯°	7	10 *	1.2	28	↯° n, *° p
14	70.7	71.5	73.3	- 7.8	-11.9	-13.6	- 6.2	-14.2	84	66	64	24 1	03 2	03 2	9	10 *°	6	2	1.6	32	↯° n,a
15	74.1	75.8	78.7	-13.7	- 8.9	- 6.7	- 6.7	-14.7	66	49	46	18 2	18 3	18 4	9	2	7	9	0.2	30	
16	87.5	90.5	91.9	- 7.7	- 7.5	- 8.4	- 6.6	- 8.7	57	58	60	16 3	17 2	16 2	9	2	1	3		30	
17	94.8	97.3	98.2	- 7.3	- 8.3	- 8.6	- 5.9	- 9.6	58	54	54	18 1	08 1	06 2	9	4	4	2		22	
18	93.5	88.3	86.2	- 7.6	- 3.8	- 7.5	- 3.8	- 9.4	60	64	93	16 5	16 3	18 5	6	8	10 *°	10 *°		20	*° a,p
19	87.4	96.5	84.8	- 5.7	- 5.3	- 4.2	- 4.1	- 8.0	81	75	78	04 2	00 0	02 1	9	1	2	1	0.5	20	*° n
20	85.3	86.8	88.3	- 4.3	- 3.5	- 2.3	- 2.3	- 5.1	81	79	69	06 1	05 2	18 4	9	1	9	8		20	⌒ ⌒° n
21	92.1	94.4	95.3	- 3.9	- 4.4	- 4.3	- 2.3	- 4.7	87	79	79	18 4	18 4	18 5	7	10 *°	10(*)	10(*)	0.1	20	* n, *° a
22	96.2	97.0	98.3	- 3.8	- 3.8	- 3.6	- 3.3	- 5.1	72	70	70	18 4	18 3	18 4	8	7	10 ⌒°	10 =	0.1	20	*° n, ⌒° a, =° p
23	00.8	02.3	02.4	- 4.1	- 4.8	- 5.4	- 3.6	- 5.6	70	69	76	18 4	18 4	18 4	9	10	10	10		20	=° n
24	01.6	01.0	99.4	- 6.1	- 6.8	- 6.0	- 5.4	- 7.0	87	90	94	18 2	18 3	18 3	8	10 *°	9(*)	10(*)	0.3	20	*° n, ↯° a,p
25	95.6	95.1	95.1	- 1.7	- 1.8	- 2.2	- 1.6	- 6.3	93	99	99	18 4	18 4	18 4	5	10 ↯	10 ↯	10	0.4	20	↯° n, ↯ a,p
26	99.2	02.0	02.3	- 1.3	- 2.8	- 2.2	- 1.2	- 3.9	91	93	93	18 2	22 2	18 2	8	10 *°	6(*)	10 *°	2.2	26	*° n, (*) a, * p
27	97.4	97.5	96.6	- 1.1	- 2.4	- 3.2	- 1.1	- 3.3	73	94	93	20 4	00 0	00 0	6	10 *°	10 *°	7 *°	1.8	30	* n,a, *° p, ⌒ 19
28	94.7	95.6	96.0	- 4.4	- 5.0	- 6.5	- 3.2	- 6.9	91	94	94	18 1	18 2	20 2	9	7	9	2	2.5	30	*° ⌒ n, ⌒ 19
29	95.4	95.6	95.2	- 5.1	- 4.4	- 3.6	- 3.6	- 6.9	90	94	94	18 5	18 4	18 3	5	6(*)	10 *	10 *	0.2	30	↯° ⌒ n, * a,p
30	98.8	00.7	00.7	- 1.4	- 2.1	- 1.2	- 1.2	- 4.2	96	94	88	18 1	18 2	18 4	8	9 ↯	10	8(↯)	4.2	35	↯ n,a,p
31	99.2	03.1	05.2	0.1	- 3.3	- 3.5	0.2	- 3.6	97	91	91	31 2	00 0	00 0	5	10 *	10(*)	10(*)	6.1	40	* n,a, *° p
M	91.9	92.6	92.2	- 3.0	- 3.2	- 2.9	- 1.3	- 5.1	79	76	76	2.9	2.6	3.5	7.9	7.5	7.8	7.5	44	23	

1945

Røros

φ = 62° 34′ N λ = 11° 23′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	932.4	1010.2	-14.1	-12.6	-13.9	-13.7		-19.4	1.5	14	-33.9	19	4	2.4	3	1.8	6	1.3	7s	1.4	4s	1.4	2	1.2	6	2.8	12	2.6	48
II	33.3	10.4	- 9.0	- 5.4	- 6.5	- 7.5		-12.1	2.5	22	-37.0	2	3s	1.0	0	-	3	1.5	18s	2.5	3s	3.4	4s	2.3	9	2.4	3	1.5	39
III	36.8	13.4	- 3.8	- 1.5	- 1.1	- 2.7		- 6.7	8.7	23	-19.2	17	7	2.0	0	-	2s	1.0	3	1.2	1s	1.0	8s	1.5	3s	2.7	39	2.6	28
IV	36.0	11.9	- 0.9	3.5	2.2	0.5		- 2.8	7.7	16	-13.1	15	16s	2.0	5s	1.2	5s	2.7	2s	2.4	5s	2.8	1s	3.0	3	1.3	29	2.4	21
V	37.2	12.3	4.6	8.0	7.1	4.6		0.1	15.1	28	- 7.9	9	23s	2.1	7s	2.1	13	1.7	10	2.8	7s	2.4	5s	2.8	1	2.0	17	2.2	8
VI	36.6	10.1	9.6	13.9	12.5	9.8		4.2	26.5	22	- 1.1	5	21	2.2	3s	1.7	11	1.7	6	2.2	6s	2.5	4s	2.2	3s	1.7	16	2.6	18
VII	39.8	12.4	13.2	18.1	17.0	13.8		8.0	29.9	16	0.7	28	28	2.0	8	1.3	7	1.9	2s	2.6	4	3.5	11	2.5	3	1.3	12s	2.3	17
VIII	37.3	10.0	11.7	16.9	14.8	12.7		8.2	25.3	4	0.1	29	21	1.7	1	2.0	7s	1.7	11s	1.8	4	2.0	2	3.0	1	1.0	21	2.5	24
IX	41.0	16.0	4.2	9.3	6.8	5.7		2.1	15.3	11	- 4.9	19	14	2.1	2s	1.4	8	1.9	11s	2.4	8	2.6	6	1.9	2	1.0	13	2.5	25
X	37.2	13.2	- 0.2	3.4	1.7	1.1		- 1.5	14.7	2	-15.0	30	8	2.4	1	1.0	5s	2.5	4s	1.7	3	1.8	10	1.4	6s	2.3	13s	2.6	41
XI	43.1	20.6	- 5.9	- 3.6	- 4.6	- 4.9		- 8.1	4.8	1	-19.0	10	7s	1.3	2	2.0	3s	2.1	4s	1.3	3	1.5	6	1.9	9s	1.9	7	3.0	47
XII	33.7	10.8	- 7.3	- 6.7	- 7.9	- 7.4		-11.6	2.0	2	-27.9	17	5	2.0	1	1.0	9s	2.1	16s	3.2	5s	2.2	4s	2.0	5	1.3	14	2.6	32
1945	937.0	1012.6	0.2	3.6	2.3	1.0		- 3.3	29.9		-37.0		159	2.0	35	1.6	82	1.9	98s	2.3	56s	2.4	66	2.1	53	2.0	197	2.5	348

Alvdal

φ = 62° 1′ N λ = 10° 48′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			-13.9	-12.2	-14.3	-13.7		-19.3	1.8	14	-31.2	28	14	2.6	0	-	22	2.0	0	-	0	-	0	-	21	1.7	1	1.0	35
II			- 8.7	- 4.0	- 5.5	- 6.6		-11.3	6.4	22	-36.4	2	4s	2.1	0	-	5o	2.4	0	-	0	-	0	-	11	2.0	0s	1.0	18
III			- 2.3	4.0	0.9	0.1		- 5.2	13.1	23	-12.5	19	25	3.6	0	-	24	2.0	0	-	3	1.0	0	-	21	1.8	0	-	20
IV			1.7	6.8	4.7	2.8		- 2.1	13.6	9	- 9.4	15	22	2.9	1	3.0	21	1.9	0	-	6	1.8	0	-	18s	2.1	3s	4.3	18
V			6.3	10.3	9.2	6.3		0.7	18.3	21	- 7.8	9	17	3.2	0	-	34	1.7	0	-	5	2.4	0	-	23s	1.6	0s	3.0	13
VI			11.3	15.8	14.6	11.3		4.7	29.5	22	- 1.5	6	22	2.3	0	-	23	1.8	0	-	6	1.5	0	-	28	1.6	0	-	11
VII			15.2	20.2	18.4	15.1		8.0	29.5	16	0.8	28	21	2.2	0	-	25	1.2	1	1.0	6	1.7	0	-	19	1.0	2	2.5	19
VIII			13.1	18.8	16.2	13.7		7.9	27.1	4	- 2.0	31	17	2.0	0	-	21	1.3	0	-	5	1.6	0	-	22	1.4	1	6.0	27
IX			5.5	11.4	9.0	7.2		2.4	21.5	4	- 2.7	19	11	2.6	0	-	36	1.8	0	-	3	2.3	0	-	13	1.8	2	1.0	25
X			0.2	4.7	2.0	1.5		- 2.4	12.1	2	-13.7	30	12	3.0	0	-	26	1.9	0	-	2	1.0	0	-	8	1.8	0	-	45
XI			- 7.1	- 4.9	- 6.2	- 6.4		-10.5	6.4	1	-22.8	10	8	2.2	0	-	23	2.0	0	-	3	2.0	0	-	2	2.0	0	-	54
XII			- 7.2	- 6.7	- 7.8	- 7.3		-11.4	2.6	19	-28.6	17	6s	2.5	0	-	37s	2.3	3s	3.9	2	2.5	0	-	11	1.4	1s	1.7	31
1945			1.2	5.4	3.4	2.0		- 3.2	29.5		-36.4		180	2.7	1	3.0	342s	1.9	4s	3.0	41	1.8	0	-	198	1.6	12	2.8	315

Engerdal

φ = 61° 41′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			-10.6	- 8.6	-10.3	-10.0		-14.7	- 1.9	14	-29.3	31	52	1.7	0	-	0	-	4	1.8	16	1.8	1	4.5	0	-	18	1.4	2
II			- 7.4	- 4.0	- 5.0	- 5.9		- 9.9	4.4	28	-29.7	2	11s	1.4	0	-	0	-	5s	2.5	56	1.8	1	3.0	0s	3.0	9s	1.5	0
III			- 3.7	3.6	- 0.1	- 0.9		- 6.0	11.6	23	-15.1	17	31s	2.3	0	-	0	-	2	1.2	32	1.5	6	1.4	6	1.4	12s	1.4	3
IV			1.6	5.9	3.3	2.0		- 3.0	10.7	9	-10.5	15	37	2.1	2	1.5	0	-	3s	1.9	27s	1.7	0s	3.0	0s	3.0	18	1.5	1
V			5.3	9.0	7.4	5.1		0.1	16.8	21	- 6.2	9	29	1.9	0	-	0	-	5	2.1	49	1.7	0	-	0	-	7	2.0	3
VI			10.8	15.1	14.0	10.9		4.6	27.4	22	- 2.4	6	22s	1.6	0	-	0	-	9	1.8	40	1.7	0	-	1s	1.3	12	1.5	5
VII			14.1	19.7	18.1	14.6		7.7	29.1	16	0.6	4	32s	1.9	0	-	0	-	12s	1.5	35s	1.5	0	-	0	-	8s	1.6	4
VIII			13.1	17.9	16.5	13.7		8.4	25.4	11	- 0.3	29	29s	1.8	0	-	0	-	5	1.1	33	1.3	0	-	0	-	19s	1.5	6
IX			6.0	10.1	8.2	6.8		2.4	19.6	4	- 3.0	19	25	1.5	0	-	0	-	10s	1.7	31s	2.1	0	-	0	-	16	1.2	7
X			1.0	4.9	3.1	2.3		- 1.1	11.8	3	-10.7	29	39s	1.5	0	-	0	-	2s	2.2	32s	1.8	0	-	0	-	9s	1.4	9
XI			- 6.1	- 2.9	- 5.2	- 5.0		- 9.2	7.0	1	-21.2	10	51s	1.3	2	1.5	1s	2.0	9s	1.3	16	1.5	0	-	0	-	7s	1.3	2
XII			- 6.7	- 5.9	- 6.5	- 6.5		- 9.8	1.3	19	-24.6	17	34	1.7	4	2.5	1	1.0	11	2.5	25	2.1	0	-	0	-	17	1.2	1
1945			1.4	5.4	3.6	2.3		- 2.5	29.1		-29.7		395s	1.7	8	2.0	2s	1.6	80	1.8	394	1.7	8s	2.1	8s	1.6	155	1.4	43

Ytre Rendal

φ = 61° 41′ N λ = 11° 12′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			-10.1	- 8.0	- 9.0	- 9.2		-12.7	- 1.4	10	-24.1	28	17	1.3	17	1.3	0	-	1	1.5	7	1.6	3	2.3	0	-	0	-	48
II			- 7.2	- 3.1	- 4.5	- 5.3		- 8.9	5.4	25	-26.7	2	2	1.0	2	1.0	0	-	0s	2.0	24	1.4	3s	1.6	0	-	0	-	52
III			- 2.6	3.4	0.2	- 0.5		- 4.6	10.4	23	-12.0	17	9s	1.8	9s	1.8	0	-	0s	3.0	5	1.4	0s	1.0	0	-	0	-	68
IV			2.2	7.7	4.3	3.1		- 1.3	13.8	9	- 7.2	15	17s	1.3	17s	1.3	0	-	0	-	12	1.2	0	-	0	-	0	-	43
V			6.8	10.4	8.7	6.8		2.3	18.9	21	- 3.9	9	15	1.4	17	1.4	0	-	1	1.0	24s	1.3	4s	1.3	0	-	0	-	31
VI			12.3	15.9	14.0	11.9		6.2	26.3	22	- 0.7	6	14	1.4	14	1.4	0	-	3	1.3	28	1.2	7	1.5	0	-	0	-	24
VII			16.8	21.5	18.1	16.4		10.2	29.3	16	4.0	4	15s	1.3	21	1.6	0s	1.0	0	-	31s	1.2	7s	1.5	0	-	0	-	17
VIII			14.6	20.7	16.4	15.3		10.1	28.6	11	0.8	27	37	1.3	0	-	0	-	6	1.4	20	1.4	0	-	0	-	0	-	30
IX			7.4	13.0	8.9	8.4		3.6	22.5	4	- 1.6	30	13s	1.2	13s	1.2	0	-	0s	3.0	26	1.5	6s	1.9	0	-	0	-	30
X			1.4	5.8	3.1	2.7		- 0.8	11.2	4	- 7.2	29	12	1.3	12	1.3	0	-	2	1.2	18s	1.3	3s	1.6	0	-	0	-	45
XI			- 5.5	- 2.9	- 4.9	- 4.7		- 7.9	7.2	1	-18.1	10	12	1.2	15	1.3	1	1.0	3s	1.1	14s	1.1	0	-	0	-	0	-	44
XII			- 5.7	- 4.9	- 5.9	- 5.7		- 8.6	2.4	19	-22.8	31	4s	1.0	12s	1.1	1	1.0	10s	1.7	17s	1.5	0	-	0	-	0	-	47
1945			2.5	6.6	4.1	3.3		- 1.0	29.3		-26.7		169s	1.3	151	1.4	2s	1.0	28s	1.5	228s	1.3	36	1.6	0	-	0	-	479

Dombås

φ = 62° 4′ N λ = 9° 7′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I	930.6	1010.3	-13.0	-10.5	-12.1	-12.2	- 8.0	-15.7	5.1	14	-23.5	19	8	1.0	0	-	0	-	0	-	8s	2.2	1s	2.3	2	1.0	7	3.1	66
II	31.1	09.9	- 7.5	- 4.2	- 4.9	- 6.0	- 2.2	- 9.7	6.9	28	-25.9	2	0	-	0	-	1	3.0	1	2.0	35	3.1	9	3.6	0	-	0	-	38
III	35.8	14.0	- 1.4	2.9	0.9	0.1	4.7	- 3.3	12.3	23	-14.1	17	12	2.2	6	2.2	0	-	1s	2.0	17s	1.3	0	-	3	1.7	4	3.0	49
IV	34.2	11.7	1.3	5.4	3.6	2.3	7.0	- 1.1	12.7	17	- 7.7	13	21	1.5	1	2.0	0	-	0	-	28	1.8	0	-	1	2.0	0	-	39
V	34.6	11.1	5.6	9.1	7.6	5.7	10.8	1.3	18.1	21	- 3.6	9	11s	1.4	0s	1.0	3	1.7	1	3.0	37	1.8	0	-	3	1.7	0	-	37
VI	34.3	09.4	10.3	14.7	12.9	10.4	16.6	4.9	28.3	23	- 0.4	17	7	1.7	1	2.0	0	-	1	2.0	39	1.5	0	-	0	-	0	-	42
VII	37.3	11.6	13.5	19.1	16.8	14.5	20.3	9.3	28.5	15	4.4	30	1s	1.7	0	-	0	-	0s	2.0	54	1.8	3s	2.7	0	-	3s	1.9	30
VIII	34.9	09.3	11.9	18.2	15.3	13.2	19.4	8.6	26.9	12	- 0.3	31	8s	1.9	0	-	1	1.0	0	-	30	1.8	0	-	0	-	4s	1.3	49
IX	38.7	15.2	5.4	10.7	8.4	7.1	11.9	3.4	20.1	3	- 1.9	30	5	1.6	1	1.0	0	-	0s	4.0	36s	2.3	3	2.8	1	1.0	5	1.2	38
X	35.8	13.4	0.9	4.3	3.3	2.4	6.0	- 0.2	15.0	2	- 7.9	29	9s	1.8	3	1.7	3	1.7	1	3.0	11s	1.8	0s	3.0	1	2.0	6s	1.8	57
XI	41.9	21.4	- 5.8	- 3.6	- 4.8	- 4.9	- 1.8	- 7.8	7.9	1	-15.6	10	6	2.5	1	1.0	1	1.0	3	2.3	10	2.3	1	3.0	0	-	0	-	68
XII	31.4	10.3	- 6.8	- 6.4	- 7.0	- 6.8	- 4.2	-10.0	2.2	2	-23.0	31	3s	2.1	1	2.0	1	3.0	7s	3.0	22s	3.6	2	3.0	1	3.0	8s	2.3	46
1945	935.0	1012.3	1.2	5.0	3.3	2.2	6.7	- 1.7	28.5		-25.9		93s	1.7	14s	1.8	10	1.8	17	2.7	329s	2.1	20s	3.1	12	1.7	39	2.1	559

Årsoversikter

Annual Summaries)

1945

Røros

H_s = 628 H_b = 629.8 h_t = 1.8 h_n = h_d = 14.4 h_r = 1.9

Måned	Midlere relativ fuktighet U_m 8	14	19	Dag	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dato	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	89	89	89	89	8.1	8.7	7.0	30	6	17	31		26		25	7	0	2	1	0	1	25	1	0	0	0	0	0	10	5	5	0	18	31
II	90	82	86	87	8.8	8.0	7.7	24	10	28	28		13		13	7	1	1	0	0	1	13	0	0	0	0	0	0	2	5	9	1	18	28
III	92	79	84	87	8.0	7.4	7.4	97	18	2	29		6		23	16	3	2	0	0	7	21	1	0	0	0	0	0	1	2	15	3	18	31
IV	89	73	77	84	8.7	6.9	7.5	50	16	19	21		2		17	10	1	0	0	0	11	11	2	1	0	0	0	0	0	2	16	1	17	30
V	76	62	64	73	7.7	7.4	7.4	29	11	15	11		0		11	5	1	0	0	0	7	7	1	0	0	0	0	0	0	1	22	2	19	10
VI	73	57	63	74	7.0	7.6	7.6	83	19	5	2		0		18	12	2	0	0	0	18	4	1	0	0	1	0	2	0	3	26	3	17	0
VII	80	59	63	75	7.7	7.7	7.1	43	11	1	0		0		14	8	1	0	0	0	14	0	0	1	0	1	0	1	1	6	19	0	16	0
VIII	88	65	77	85	8.8	7.7	7.5	59	19	25	0		0		16	8	2	1	0	0	16	0	0	4	0	0	0	1	0	6	20	0	18	0
IX	93	74	84	86	9.4	7.9	7.9	34	5	23	8		0		18	14	0	1	0	0	18	5	5	2	0	0	0	0	0	10	16	0	21	0
X	94	83	89	90	9.2	9.0	8.5	30	5	1	16		2		23	9	0	1	0	0	16	13	3	5	0	0	0	0	0	6	8	0	28	9
XI	94	90	92	92	8.9	7.7	7.8	27	8	29	29		9		12	5	0	0	0	0	4	10	1	0	0	0	0	0	4	5	11	1	21	24
XII	90	89	90	90	8.9	9.1	8.2	60	15	12	30		15		19	9	2	3	0	0	3	19	2	0	0	0	0	0	1	7	2	0	23	31
1945	87	75	80	84	8.4	7.9	7.6	566	19		205		73		209	110	13	11	1	0	116	128	17	13	0	2	0	4	19	58	169	11	234	194

Alvdal

H_s = 485 H_b = h_t = 1.8 h_n = h_d = h_r = 1.5

Måned	8	14	19	Dag	8	14	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	81	78	81	81	7.9	7.7	6.9	18	4	26	31		28		14	6	0	5	0	0	0	14	0	0	0	0	0	0	0	2	5	3	16	31
II	83	73	79	80	8.0	8.0	7.6	17	7	8	28		8		11	5	0	12	0	0	0	11	0	0	0	0	0	0	1	3	7	1	16	28
III	81	57	67	72	8.2	7.5	5.8	28	7	11	29		3		15	7	0	12	2	0	3	14	0	0	0	0	0	0	0	2	16	2	16	31
IV	71	51	54	64	7.0	6.6	6.8	29	11	28	19		0		10	6	1	7	0	0	9	5	3	0	0	1	0	0	0	0	21	2	12	16
V	66	51	52	62	7.5	7.4	7.1	46	9	14	14		0		13	10	0	5	0	0	12	6	4	0	0	1	0	0	0	0	19	1	16	2
VI	64	50	51	61	5.7	7.2	7.2	72	26	5	4		0		16	12	2	4	0	0	16	0	0	0	0	0	0	4	0	1	24	4	11	0
VII	67	47	51	62	5.9	7.4	6.4	47	14	2	0		0		12	8	1	3	0	0	12	0	0	0	0	0	0	2	0	2	25	1	8	0
VIII	79	56	67	75	6.6	7.5	6.8	85	28	12	2		0		14	11	3	3	0	0	14	0	0	0	0	0	0	1	0	3	26	1	12	0
IX	88	65	76	79	8.5	7.6	7.0	42	8	23	6		0		9	8	0	5	0	0	9	0	0	0	0	0	0	0	0	4	16	0	16	0
X	91	73	86	86	8.0	8.4	7.1	24	9	27	25		3		9	5	0	5	0	0	7	4	2	0	0	0	0	0	0	5	14	0	14	2
XI	90	85	89	89	7.3	7.0	4.9	7	3	29	29		14		5	3	0	3	0	0	0	5	0	0	0	0	0	0	1	4	10	5	13	23
XII	86	85	87	87	8.1	8.0	6.9	65	12	19	30		16		20	11	2	9	0	0	5	17	0	0	0	0	0	0	1	0	0	4	19	31
1945	79	64	70	75	7.4	7.5	6.7	480	28		217		72		148	92	9	73	2	0	87	76	9	0	0	2	0	7	3	26	183	24	169	164

Engerdal

H_s = 479 H_b = h_t = 2.0 h_n = h_d = 15.0 h_r = 1.8

Måned	8	14	19	Dag	8	14	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	82	78	85	82	7.8	7.6	6.8	18	3	7	31		24		18	7	0	4	0	0	0	18	0	0	0	0	0	0	0	1	8	1	17	31
II	86	80	84	84	7.9	7.8	7.3	38	11	8	28		9		18	8	1	2	0	0	1	17	0	0	0	1	0	0	0	0	13	0	15	28
III	83	64	68	74	6.6	6.5	5.4	24	10	21	30		5		16	6	1	3	1	0	6	16	4	0	0	0	0	0	0	0	16	4	11	31
IV	73	57	59	67	5.4	5.4	5.2	37	14	28	25		1		13	8	1	0	0	0	10	10	7	0	0	0	0	0	0	1	26	5	8	28
V	71	57	59	67	6.5	6.5	5.7	41	12	14	14		0		16	7	1	0	0	0	15	3	2	0	0	1	0	1	0	0	27	1	13	0
VI	70	54	52	65	4.9	5.7	5.4	83	32	5	2		0		16	14	2	1	0	0	16	0	0	0	0	0	0	2	0	0	23	4	6	0
VII	71	51	47	62	5.4	5.2	4.6	44	11	20	0		0		13	10	1	1	0	0	13	0	0	0	0	0	0	2	0	0	27	4	2	0
VIII	75	56	57	67	5.9	5.9	5.2	48	18	25	1		0		10	7	1	3	0	0	10	0	0	0	0	0	0	2	0	0	26	0	7	0
IX	78	66	72	74	6.2	6.3	6.1	33	9	23	8		0		13	7	0	2	0	0	13	1	1	0	0	0	0	0	0	0	22	0	9	0
X	84	71	77	79	7.4	7.9	6.5	31	10	26	18		1		14	7	1	1	0	0	14	5	5	0	0	0	0	0	0	0	18	0	12	6
XI	87	81	85	85	6.6	5.9	5.0	20	6	17	29		12		10	6	0	2	0	0	3	9	2	0	0	0	0	0	0	3	14	5	9	25
XII	84	81	84	84	7.9	7.8	7.9	62	19	18	30		12		24	9	1	3	0	0	5	24	3	0	0	0	0	0	0	0	8	1	19	31
1945	79	66	69	74	6.5	6.5	5.9	479	32		216		64		181	96	10	22	1	0	106	103	24	0	0	2	0	7	0	5	228	25	128	180

Ytre Rendal

H_s = 253 H_b = h_t = 1.9 h_n = h_d = 14.5 h_r = 1.6

Måned	8	14	19	Dag	8	14	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I					7.6	7.2	6.1	8	2	17	31		16		15	3	0	1	0	0	0	15	0	0	0	0	0	0	0	0	11	4	15	31
II					8.1	7.9	7.4	28	7	8	28		9		18	7	0	0	0	0	0	18	0	0	0	0	0	0	2	1	13	1	16	28
III					6.9	6.1	3.9	19	10	21	30		2		13	4	1	2	0	0	3	12	0	0	0	0	0	0	2	1	25	5	7	31
IV					5.7	5.6	5.8	24	13	28	17		0		13	4	1	0	0	0	10	3	1	0	0	1	0	0	1	2	27	4	7	5
V					6.8	6.5	5.6	34	9	5	9		0		14	9	0	0	0	0	14	1	1	0	0	0	0	0	1	0	29	2	11	0
VI					4.4	6.3	5.9	83	31	4	1		0		18	14	1	0	0	0	18	0	0	0	0	1	0	2	1	0	29	4	6	0
VII					3.9	4.6	4.6	33	11	22	0		0		16	8	1	0	0	0	16	0	0	0	0	0	0	3	0	0	31	9	4	0
VIII					4.9	5.1	4.5	36	13	25	0		0		13	6	1	0	0	0	13	0	0	0	0	0	0	2	0	1	29	5	6	0
IX					6.4	6.0	6.1	24	9	15	5		0		10	4	0	0	0	0	10	0	0	0	0	0	0	0	0	1	26	3	10	0
X					6.9	7.0	6.3	17	6	30	19		0		12	3	0	0	0	0	9	5	2	0	0	0	0	0	0	8	20	1	12	2
XI					7.5	5.7	4.7	13	7	17	28		8		7	4	0	0	0	0	1	6	0	0	0	0	0	0	0	4	18	5	8	14
XII					8.8	8.0	7.4	54	11	18	26		12		25	10	1	0	0	0	10	23	7	2	0	0	0	0	0	0	9	2	20	31
1945					6.5	6.3	5.7	373	31		194		47		174	76	6	3	0	0	104	83	11	2	0	2	0	7	7	18	267	45	122	142

Dombås

H_s = 643 H_b = 647.1 h_t = 1.9 h_n = h_d = 10 h_r = 1.9

Måned	8	14	19	Dag	8	14	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	89	82	86	87	7.3	6.6	5.6	30	9	18	31	27	24	0	9	6	0	1	0	0	0	9	0	0	0	0	0	0	0	0	8	3	10	31
II	89	82	85	86	7.6	7.9	7.2	28	13	28	28	19	11	0	13	5	1	1	0	0	0	13	0	0	0	0	0	0	0	0	11	1	17	28
III	85	68	72	77	7.6	6.6	6.0	47	26	2	24	5	1	0	8	7	1	1	1	0	2	8	0	0	0	0	0	0	0	0	16	3	12	31
IV	79	60	63	71	6.6	6.5	6.8	12	3	2	18	0	0	0	6	5	0	0	0	0	2	6	1	0	0	0	0	0	0	1	21	3	11	14
V	74	60	60	69	7.0	7.0	6.2	39	13	14	10	0	0	0	13	10	1	0	0	0	13	4	2	2	0	0	0	1	0	3	19	3	14	0
VI	74	56	59	71	5.7	6.9	7.1	32	15	5	1	0	0	4	8	4	1	0	0	0	8	0	0	3	0	0	0	2	0	2	20	4	11	0
VII	78	52	58	73	6.3	5.7	6.8	44	15	26	0	0	0	6	9	7	1	0	0	0	9	0	0	1	0	0	0	0	0	0	25	2	10	0
VIII	84	56	68	78	6.5	6.1	6.7	55	25	6	1	0	0	4	10	8	1	0	0	0	9	1	0	0	0	0	0	2	0	4	21	1	9	0
IX	90	67	74	80	7.5	7.5	7.6	30	17	23	3	0	0	0	7	5	1	0	0	0	7	0	0	0	0	0	0	0	0	2	17	1	13	0
X	90	78	82	85	8.2	8.6	8.2	19	6	15	14	2	0	0	7	6	0	0	0	0	6	2	1	1	0	0	0	0	0	4	8	0	19	5
XI	93	88	89	91	6.7	7.4	6.6	39	22	29	29	19	9	0	7	7	1	0	0	0	2	6	0	0	0	0	0	0	0	12	7	3	13	6
XII	89	87	88	89	8.0	8.1	7.7	64	17	12	31	25	15	0	15	11	2	2	0	0	3	15	2	0	0	0	0	0	0	2	2	2	23	31
1945	84	70	74	80	7.1	7.1	6.9	439	26		190	97	60	14	112	81	10	5	1	0	61	64	6	7	0	0	0	5	0	30	175	26	162	146

1945

Fokstua

φ = 62° 7′ N λ = 9° 17′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-13.7	-12.0	-13.9	-13.7		-19.7	0.8	13	-30.0	30	4.5	1.8	15	2.2	7.5	1.6	3.5	3.1	8	3.8	9.5	4.7	4	2.8	6	4.2	35
II			- 9.1	- 5.9	- 7.7	- 8.2		-13.4	2.0	28	-29.6	1	1	1.0	5.5	1.2	0.5	1.0	9	4.5	14	4.8	21	4.1	2	4.8	0	-	31
III			- 3.5	- 0.5	- 2.0	- 2.7		- 6.4	7.5	24	-20.4	17	5.5	4.8	0.5	2.0	4	1.5	2.5	1.6	10.5	3.3	28	3.0	19.5	3.2	8.5	3.6	14
IV			- 1.7	2.2	0.3	- 1.0		- 5.0	8.1	16	-13.8	15	1	1.0	13	2.6	4	1.2	6	3.2	15	3.0	19.5	2.7	17.5	3.3	4	2.4	10
V			3.6	6.6	4.8	3.1		- 1.9	13.6	21	- 9.0	9	2	3.2	7.5	3.4	10.5	3.1	13.5	3.5	10	3.0	19	2.6	23	2.2	4.5	2.7	3
VI			8.8	11.7	10.1	7.9		2.1	23.8	22	- 3.2	17	2	1.5	12	1.7	7	1.7	8	2.7	12	2.8	18	2.4	19	3.0	6	3.5	6
VII			12.2	16.0	14.2	11.9		6.1	24.5	16	- 0.7	4	3	3.0	17.5	2.6	5	2.5	11.5	3.3	14.5	3.0	25	2.6	8.5	2.4	3	2.7	5
VIII			10.7	15.1	12.9	10.7		5.2	22.6	13	- 6.6	31	4.5	2.0	13	1.9	5.5	1.9	12.5	1.9	17	2.4	18	2.1	7.5	2.2	3	2.7	12
IX			3.8	8.3	5.6	4.4		- 0.8	15.5	3	- 7.9	2	0.5	1.0	7.5	1.9	4	1.0	6.5	2.8	19.5	3.7	25.5	2.3	12.5	2.7	1	1.0	13
X			- 1.2	2.8	1.0	0.3		- 3.4	12.3	3	-13.8	29	3	2.7	6	2.0	2	2.0	4.5	1.9	10	2.4	32	2.4	16.5	2.5	3	4.0	16
XI			- 6.4	- 2.4	- 5.6	- 5.1		- 9.3	4.3	1	-24.4	10	3.5	1.6	11.5	1.7	3	1.0	3.5	1.3	11	2.8	20.5	2.6	5	3.3	1	2.5	31
XII			- 8.0	- 8.2	- 9.4	- 8.6		-13.4	0.9	19	-25.4	30	1	4.0	8	2.2	3.5	1.4	7.5	3.9	19.5	5.0	15	3.2	8.5	2.1	6	3.2	24
1945			- 0.4	2.8	0.9	- 0.1		- 5.0	24.5		-30.0		31.5	2.7	117	2.2	56.5	1.9	88.5	3.0	161	3.4	251	2.8	143.5	2.7	46	3.2	200

Elveseter

φ = 61° 42′ N λ = 8° 17′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			-13.8	-12.6	-14.0	-13.9		-18.3	2.3	13	-26.7	22	3	2.3	3	2.7	0	-	0	-	5	1.8	61	1.8	7	2.2	0	-	14
II			- 6.8	- 4.3	- 5.8	- 6.1		-10.1	5.9	28	-26.5	2	1	1.5	5	1.1	0	-	0	-	5	3.0	28	2.4	10	3.6	0	-	35
III			- 1.0	3.2	0.7	0.2		- 3.2	9.3	24	-14.7	18	7	1.9	3	1.5	0	-	0	-	18	2.2	27	2.2	20	3.0	1	3.5	17
IV			0.1	5.3	2.9	1.6		- 2.1	10.3	17	- 9.6	13	13	2.3	8	1.8	0	-	0.5	3.0	14.5	2.1	17.5	2.6	14.5	3.6	0	-	22
V			5.1	9.3	7.4	5.4		0.9	16.0	21	- 5.4	25	21.5	2.3	17.5	1.6	0	-	0	-	11	1.9	27.5	2.1	9	3.6	0.5	4.0	6
VI			9.6	13.9	11.5	9.6		4.2	26.3	23	- 1.8	6	9.5	1.5	24.5	1.8	0	-	0	-	9	1.7	24.5	1.7	13	2.5	1.5	2.7	8
VII			12.7	18.4	15.9	13.3		7.2	27.9	16	2.2	31	9	1.9	24	1.6	1	2.0	0	-	9	1.7	12.5	2.0	17	2.7	1.5	2.7	19
VIII			9.5	17.8	15.9	12.2		6.7	24.5	4	0.6	31	10	2.2	23	1.8	0	-	0	-	18	2.1	13.5	1.5	6	1.9	1.5	2.0	21
IX			3.3	10.3	8.1	6.0		2.0	16.4	13	- 2.8	2	12	1.7	24	1.8	0	-	0	-	15	1.5	14.5	1.3	8	1.3	0.5	1.0	16
X			1.5	5.2	3.2	2.7		- 0.2	13.1	2	- 9.6	30	4	2.0	8	1.6	0	-	0	-	14	1.6	24	1.9	16	3.1	2	3.2	25
XI			- 5.2	- 3.5	- 4.3	- 4.5		- 7.3	8.3	1	-15.7	22	1	3.0	2	1.5	0	-	0	-	8	1.1	45.5	1.7	13	2.0	0.5	1.0	20
XII			- 8.8	- 8.0	- 8.6	- 8.7		-12.3	3.4	9	-23.9	31	0	-	2	1.0	0	-	0	-	4	2.5	27	1.4	14	2.0	0	-	46
1945			0.5	4.6	2.7	1.5		- 2.7	27.9		-26.7		91	2.0	144	1.7	1	2.0	0.5	3.0	130.5	1.9	322.5	1.9	147.5	2.7	9	2.7	249

Vinstra

φ = 61° 36′ N λ = 9° 45′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			-13.2	-10.9	-12.2	-12.6		-16.0	2.6	14	-24.9	28	7.5	2.5	3.5	1.9	0.5	3.0	1	1.0	1	2.0	2	3.0	13	3.7	32.5	3.0	32
II			- 8.5	- 3.3	- 5.7	- 6.4		-10.4	6.5	22	-27.4	2	3	2.2	1	2.0	9.5	3.3	8.5	2.9	2	2.0	1.5	1.3	6	3.2	10.5	2.8	42
III			- 1.1	5.3	2.1	1.1		- 3.4	10.5	27	-10.4	18	5	4.2	2	3.0	6	2.7	2.5	2.8	1.5	3.3	0	-	13	3.7	21	4.6	42
IV			3.0	10.1	7.1	4.7		- 0.6	17.4	17	- 6.6	14	2	3.0	5	3.8	4.5	3.2	9.5	3.3	2	2.5	2	3.0	15.5	3.8	14.5	4.0	35
V			7.1	13.5	12.1	8.3		2.3	22.1	21	- 2.9	25	3	3.2	0	-	15.5	3.1	17.5	3.1	4	2.0	0	-	9	2.9	16	3.9	28
VI			12.1	17.8	17.1	13.3		7.3	30.3	22	0.9	6	3	4.3	5	2.6	10	3.4	12	3.3	0	-	1.5	2.7	16	3.8	15.5	3.5	27
VII			14.8	23.1	20.8	17.2		11.1	31.5	15	5.7	29	1	3.0	6.5	2.8	13.5	2.9	11	3.3	4.5	4.0	0	-	18	3.0	10.5	3.5	28
VIII			12.7	21.4	19.5	15.7		9.9	29.4	4	2.9	27	1	1.0	7.5	2.8	5.5	2.9	9	3.5	2	3.2	3.5	2.3	17	3.1	16.5	3.2	31
IX			5.9	13.7	11.2	8.7		4.0	22.2	4	- 1.7	29	4	1.9	2	2.5	9	3.7	9	3.7	3	3.7	1	2.0	10	2.9	8	3.6	44
X			1.5	7.1	4.6	3.7		0.2	14.1	18	- 5.1	12	3	5.0	4	2.5	4	3.5	5	2.8	2	2.5	1	2.0	11	3.1	11	4.8	52
XI			- 6.3	- 3.8	- 5.6	- 5.5		- 8.4	5.2	1	-17.6	25	8	1.9	3	2.3	4	2.0	2.5	2.4	0.5	2.0	1	5.0	5.5	2.3	16.5	2.6	49
XII			- 6.1	- 5.5	- 6.5	- 6.1		- 9.3	2.0	2	-23.8	17	6	3.2	1	3.0	9	1.8	7	3.0	0	-	0	-	12	2.8	15	3.0	43
1945			1.8	7.4	5.4	3.5		- 1.1	31.5		-27.4		46.5	2.9	40.5	2.7	91	3.0	94.5	3.2	22.5	2.9	13.5	2.6	146	3.3	187.5	3.5	453

Vollen i Slidre

φ = 61° 6′ N λ = 8° 58′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I	960.0	1010.6	-11.8	- 9.0	-10.7	-10.9		-15.2	4.3	14	-26.0	29	9	1.2	7.5	1.1	0	-	4.5	1.7	0.5	1.0	0	-	0	-	19.5	3.8	52
II	62.0	12.5	- 9.7	- 4.9	- 7.2	- 7.8		-11.7	6.5	28	-28.3	2	0.5	1.0	5.5	1.0	1.5	1.0	7.5	2.5	3.5	1.4	0.5	2.0	0	-	10	3.0	55
III	64.9	14.4	- 1.5	5.4	2.3	1.0		- 3.5	11.1	22	-14.3	18	7.5	2.3	4	2.2	1	1.5	5	1.2	1	1.5	1.5	2.0	0.5	2.0	35.5	3.6	37
IV	62.7	11.7	2.0	8.9	5.8	4.0		- 0.9	15.9	16	- 8.0	12	4	1.9	3	1.8	0	-	10	1.8	1.5	2.3	1.5	2.7	0	-	45	3.0	25
V	62.6	10.9	6.4	12.6	10.7	7.5		1.9	20.3	21	- 4.0	25	2	1.5	3	1.7	0	-	16.5	1.7	6.5	2.5	2	2.0	1	2.0	37	2.5	25
VI	61.8	09.2	11.0	17.7	15.2	12.1		6.0	30.1	23	- 0.1	6	6	2.0	3.5	1.4	0.5	3.0	10	1.8	5.5	1.9	12	2.1	0	-	26.5	3.4	26
VII	64.5	11.5	14.1	21.2	19.0	15.7		9.6	30.3	15	4.6	29	4	1.9	5	1.9	0	-	9.5	1.2	4.5	1.3	10	2.0	0	-	18	3.2	42
VIII	61.8	08.8	12.4	20.8	17.5	14.6		8.7	27.5	4	2.3	29	3	2.3	5	1.2	0.5	1.0	8.5	1.8	6	1.3	6.5	1.2	0	-	17.5	2.7	46
IX	66.8	15.3	5.7	12.8	10.0	7.9		3.3	21.7	4	- 3.0	29	4.5	1.0	2	1.0	1	1.0	15.5	2.0	7.5	2.9	5	2.1	0.5	1.0	12	2.1	42
X	64.0	13.0	3.2	7.0	5.3	4.6		1.8	15.1	2	- 4.0	19	3	2.5	5	2.0	0.5	2.0	7.5	1.3	0.5	2.0	1	1.0	3	4.5	27.5	3.8	45
XI	71.2	21.7	- 3.6	- 2.0	- 2.8	- 3.0		- 5.2	6.7	7	-10.8	25	5.5	2.4	6	1.2	0.5	1.0	12	1.3	1.5	2.3	1.5	1.0	0.5	1.0	12.5	3.9	50
XII	61.2	11.5	- 6.6	- 5.9	- 6.9	- 6.6		- 8.8	1.5	2	-28.2	31	1.5	2.0	4.5	1.0	1	1.0	11	1.5	2	2.0	0	-	0	-	14	2.9	59
1945	963.6	1012.6	1.8	7.0	4.8	3.3		- 1.2	30.3		-28.3		50.5	1.9	54	1.4	6.5	1.3	117.5	1.7	40.5	2.0	41.5	1.9	5.5	3.2	275	3.2	504

Åbjørsbråten

φ = 60° 55′ N λ = 9° 18′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			-10.2	- 8.6	- 9.8	- 9.9		-14.5	0.9	13	-23.9	28	1	1.0	6.5	1.5	2.5	1.0	0	-	0	-	5.5	1.5	22	1.2	4.5	1.3	51
II			- 7.9	- 3.7	- 5.8	- 6.4		-10.6	8.7	28	-25.3	1	0	-	2	1.0	2	1.0	0	-	2	1.0	6.5	1.8	21	1.3	1.5	1.0	49
III			- 0.6	4.3	0.4	0.3		- 4.3	10.7	24	-15.3	18	2.5	1.4	2	1.5	0	-	1	2.0	1	2.5	10	1.2	17	1.9	7.5	1.5	52
IV			1.5	6.2	3.4	2.3		- 2.1	13.2	16	- 8.9	12	2	1.5	4.5	1.3	2.5	1.2	2.5	1.0	1.5	1.0	8	1.4	19.5	1.4	4.5	1.0	45
V			5.1	10.1	7.8	5.6		0.7	17.0	21	- 4.3	6	7	1.0	2.5	1.0	3	1.3	5	1.4	4.5	1.0	2	1.2	11	1.5	6	1.8	52
VI			10.2	14.7	12.2	10.4		5.2	25.6	22	- 0.5	17	3	1.3	9.5	1.4	7	1.4	4.5	1.3	5	1.5	9.5	1.7	9.5	1.3	2	1.0	40
VII			13.6	18.3	15.8	13.7		8.0	25.5	16	3.0	29	5.5	1.5	4.5	1.0	1.5	1.7	8	1.2	12	1.5	3	1.7	4	1.0	1.5	1.0	53
VIII			12.3	17.8	14.6	12.8		7.4	24.5	13	0.2	29	9.5	1.5	3	1.0	3	1.0	3	2.0	1	1.0	5.5	1.3	10.5	1.1	6.5	1.2	51
IX			5.3	11.0	7.5	6.4		1.5	20.8	4	- 2.8	29	1	1.0	1	1.0	1.5	2.0	4.5	1.1	1	1.0	6.5	1.5	9.5	1.1	6	1.0	59
X			2.3	5.9	3.2	3.1		- 0.3	15.1	3	- 5.8	11	0	-	0	-	0	-	0	-	1.5	2.0	9	1.4	12.5	1.3	5	1.0	65
XI			- 6.0	- 2.3	- 4.7	- 4.6		- 8.4	5.3	7	-16.9	10	2	1.0	0	-	0	-	0	-	0	-	9.5	1.0	15	1.0	1.5	1.0	62
XII			- 7.1	- 6.2	- 6.8	- 6.9		- 9.7	0.7	2	-22.4	31	0	-	1	1.0	1	1.0	0	-	0	-	2	1.2	11	1.1	1	1.0	77
1945			1.5	5.6	3.2	2.2		- 2.3	25.6		-25.3		33.5	1.3	36.5	1.3	24	1.3	28.5	1.3	29.5	1.4	77	1.4	162.5	1.3	47.5	1.2	656

Årsoversikter

Annual Summaries)

1945

H_s = 952 H_b = h_t = 1.8 h_a = h_d = 6.8 h_r = 1.5

Fokstua

Måned	Midlere relativ fuktighet U_m 8	14	19	Diøgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr	Sprøhagl #	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ▣
I					6.4	6.3	5.3	24	9	18	31		28		11	6	0	5	1	0	0	11	0	0	0	0	0	0	1	2	14	3	7	31
II					7.5	7.5	7.0	38	9	28	28		18		12	8	0	14	3	0	0	12	0	0	0	0	0	0	2	3	12	1	14	28
III					7.6	7.2	7.2	28	8	2	29		5		12	6	0	9	2	0	4	11	3	0	0	0	0	0	1	0	19	2	16	31
IV					6.5	6.7	7.1	14	4	2	25		6		10	5	0	2	0	0	4	9	2	0	0	0	0	0	0	0	25	3	11	27
V					6.9	7.1	6.1	48	17	14	24		0		14	11	1	5	0	0	12	10	8	1	0	0	0	1	0	0	21	3	16	1
VI					6.3	7.4	7.2	38	9	5	9		0		10	9	0	2	0	0	10	1	0	1	0	0	0	3	0	0	22	4	12	0
VII					6.7	6.6	7.0	50	13	26	2		0		13	13	1	2	0	0	13	0	0	1	0	0	0	0	0	2	26	2	9	0
VIII					6.4	6.8	6.5	43	16	6	3		0		10	6	1	1	0	0	10	0	0	0	0	0	0	3	0	2	28	0	9	0
IX					7.3	7.5	7.2	29	13	23	19		0		9	3	2	5	0	0	9	4	3	0	0	1	0	0	0	2	19	1	15	0
X					8.0	8.5	8.3	19	5	10	24		2		13	7	0	3	0	0	9	7	1	3	0	0	0	0	0	3	16	0	19	0
XI					6.8	6.6	5.5	29	15	29	30		17		9	5	1	1	0	0	2	8	0	0	0	0	0	0	0	3	15	2	11	5
XII					8.3	7.6	7.4	47	7	18	31		24		20	12	0	11	2	1	2	19	0	0	0	0	0	0	0	4	5	2	20	31
1945					7.1	7.2	6.8	407	17		255		100		143	93	6	60	8	1	75	92	17	6	0	1	0	7	4	21	222	23	159	154

H_s = 675 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

Elveseter

I	81	80	83	82	6.0	5.8	5.5	20	7	17	31		25		10	4	0	3	0	0	0	10	0	0	0	0	0	0	17	0	0	4	9	31
II	86	82	85	85	9.1	8.8	7.8	64	20	19	27		15		19	12	1	4	2	0	3	18	1	0	0	0	0	0	22	2	3	0	20	28
III	79	63	72	74	7.5	6.7	7.3	28	7	1	21		2		16	6	0	5	1	0	6	13	3	0	0	0	0	0	10	0	17	5	17	31
IV	78	55	62	71	6.2	6.5	6.9	30	8	1	17		0		17	7	0	4	1	0	11	10	4	0	0	0	0	0	7	0	22	3	11	14
V	70	54	57	66	6.7	6.5	6.2	44	12	14	12		0		16	12	1	5	0	0	15	5	2	0	0	0	0	1	8	0	20	6	17	2
VI	71	54	63	72	6.8	6.2	7.1	41	13	26	1		0		17	11	1	1	0	0	17	0	0	0	0	0	0	1	6	0	21	4	15	0
VII	79	50	61	76	6.2	6.3	7.3	25	7	27	0		0		18	6	0	2	0	0	18	0	0	0	0	0	0	0	4	0	25	4	13	0
VIII	92	51	59	74	6.8	5.9	6.9	15	3	7	0		0		14	7	0	1	0	0	14	0	0	0	0	0	0	0	6	0	25	1	7	0
IX	93	62	74	81	7.6	6.6	6.8	17	4	25	9		0		16	6	0	1	0	0	16	1	1	0	0	0	0	0	12	0	15	3	15	0
X	84	69	77	80	8.0	8.1	8.0	21	8	10	17		0		14	6	0	5	0	0	8	8	2	0	0	0	0	0	12	0	7	0	18	3
XI	89	84	86	87	6.8	7.0	5.5	23	7	8	29		9		9	6	0	2	0	0	3	6	0	0	0	0	0	0	9	0	3	4	12	14
XII	89	87	88	88	8.4	8.2	7.5	45	14	18	31		18		20	10	1	2	0	0	1	20	1	0	0	0	0	0	23	0	0	2	21	31
1945	83	66	72	78	7.2	6.9	6.9	373	20		195		69		186	93	4	35	4	0	112	91	14	0	0	0	0	2	136	2	158	36	175	154

H_s = 241 H_b = h_t = 2.1 h_a = h_d = h_r = 1.6

Vinstra

I	84	78	81	82	6.9	7.2	5.2	6	2	17	31		29		9	2	0	1	0	0	0	9	0	0	0	0	0	0	0	0	7	3	8	31
II	88	80	86	86	7.8	7.9	6.6	20	9	8	27		13		13	6	0	3	0	0	0	13	0	0	0	0	0	0	1	0	16	1	15	28
III	86	58	67	74	6.4	5.9	5.1	13	4	21	28		1		11	5	0	7	2	0	3	9	1	0	0	0	0	0	0	2	27	6	8	23
IV	73	47	50	62	6.5	6.1	6.2	13	7	28	15		0		7	4	0	2	1	0	7	1	1	0	0	2	0	0	0	1	28	3	8	0
V	71	48	50	65	7.0	7.0	6.1	41	12	14	5		0		13	9	2	1	0	0	12	2	1	0	0	2	0	1	0	2	28	3	13	0
VI	68	52	50	62	5.4	6.7	6.4	38	21	5	0		0		16	8	1	1	0	0	16	0	0	0	0	0	0	2	0	0	26	5	8	0
VII	77	46	54	71	5.8	5.5	5.7	54	18	1	0		0		14	9	1	1	0	0	14	0	0	0	0	0	0	4	0	0	31	3	7	0
VIII	83	49	57	71	6.0	6.0	6.3	24	8	7	0		0		13	7	0	1	0	0	13	0	0	0	0	0	0	3	0	0	30	2	10	0
IX	90	58	65	75	6.5	6.7	6.6	25	7	24	4		0		12	5	0	1	0	0	12	0	0	0	0	0	0	0	0	1	21	4	13	0
X	89	66	78	80	7.9	8.0	7.0	23	6	26	16		0		10	6	0	4	2	0	8	4	2	0	0	0	0	0	0	3	22	0	15	3
XI	88	82	88	87	7.4	6.8	3.8	5	2	17	29		9		5	3	0	1	0	0	3	5	2	0	0	1	0	0	0	3	14	2	9	15
XII	88	84	86	86	8.3	7.7	7.6	62	15	18	29		13		21	12	2	0	0	0	6	18	2	0	0	0	0	0	0	1	1	4	20	31
1945	82	62	68	75	6.8	6.8	6.0	324	21		184		65		144	76	6	23	5	0	94	61	9	0	0	5	0	10	1	13	251	36	134	131

H_s = 403 H_b = 404.6 h_t = 2.0 h_a = h_d = 12.0 h_r = 1.7

Vollen i Slidre

I	83	76	80	80	6.6	6.8	5.8	8	3	17	31		24		13	2	0	2	1	0	0	13	0	0	0	0	0	0	0	0	19	4	12	31
II	90	81	89	88	8.0	7.6	7.0	43	16	8	27		13		18	9	1	4	0	0	1	18	0	0	0	0	0	0	0	4	17	0	14	26
III	81	54	63	70	6.4	5.4	5.0	17	7	21	24		2		8	4	0	5	3	0	2	8	1	0	0	0	0	0	0	1	28	4	5	20
IV	76	46	52	64	6.1	5.6	6.3	15	7	28	18		0		12	4	0	2	1	0	11	6	5	0	1	1	0	0	0	1	26	5	10	0
V	73	48	50	65	6.9	6.3	5.0	103	20	30	8		0		15	10	6	1	0	0	15	4	3	0	0	3	0	1	0	0	26	4	11	0
VI	71	46	52	68	5.8	6.2	6.4	81	35	26	1		0		16	11	2	2	0	0	16	0	0	0	0	0	0	3	0	0	27	1	8	0
VII	79	46	53	72	5.7	5.9	5.2	49	10	20	0		0		16	10	1	0	0	0	16	0	0	0	0	1	0	5	3	1	31	2	3	0
VIII	87	48	59	74	6.0	5.3	5.7	54	20	7	0		0		13	11	1	0	0	0	13	0	0	0	0	0	0	2	2	2	29	1	6	0
IX	91	58	68	76	7.1	6.8	6.2	54	11	23	5		0		15	11	1	1	0	0	15	0	0	0	0	0	0	0	1	4	23	2	9	0
X	83	70	72	76	7.5	7.2	6.5	45	16	27	14		0		12	7	2	5	2	0	11	6	5	3	0	0	0	0	4	1	22	1	14	4
XI	87	83	84	85	9.0	7.6	6.2	14	11	17	27		4		7	3	1	4	1	0	2	5	1	2	0	0	0	0	2	13	13	0	15	14
XII	86	84	86	86	7.8	8.0	7.3	100	21	18	31		11		23	15	3	1	0	0	4	23	4	0	0	0	0	0	1	3	8	2	20	31
1945	82	62	67	75	6.9	6.6	6.0	583	35		186		54		168	97	18	27	8	0	106	83	19	5	1	5	0	11	13	30	269	26	127	128

H_s = 635 H_b = h_t = 1.8 h_a = h_d = 13.0 h_r = 1.6

Åbjørsbråten

I					6.8	5.7	5.8	13	3	17	31		24		12	6	0	0	0	0	0	12	0	0	0	0	0	0	22	2	10	5	12	31
II					6.9	6.2	5.7	41	16	8	27		12		15	7	1	0	0	0	0	15	0	0	0	0	0	0	17	9	11	2	11	28
III					4.6	3.8	4.4	16	7	21	27		2		4	3	0	0	0	0	1	4	0	0	0	0	0	0	9	1	24	9	4	31
IV					5.5	5.1	4.7	22	10	28	22		0		11	5	1	0	0	0	7	7	2	1	0	0	0	0	8	1	24	7	6	13
V					6.8	5.0	5.0	96	19	14	15		0		13	10	5	0	0	0	12	6	3	0	0	0	0	1	2	5	24	6	9	0
VI					5.1	5.8	5.6	90	40	26	2		0		15	10	2	0	0	0	14	1	0	0	0	0	0	2	0	1	22	5	8	0
VII					5.2	4.8	4.5	28	9	1	0		0		12	7	0	0	0	0	12	0	0	0	0	0	0	3	0	5	30	4	3	0
VIII					5.3	4.7	4.3	47	21	7	0		0		12	7	1	0	0	0	12	0	0	0	0	0	0	1	0	5	29	2	3	0
IX					5.5	5.6	5.4	37	14	23	8		0		13	8	0	0	0	0	13	0	0	0	0	0	0	0	0	6	19	10	12	0
X					6.7	6.7	5.9	48	12	27	19		0		9	7	2	0	0	0	5	7	3	0	0	0	0	0	0	9	16	3	12	7
XI					4.7	4.3	3.6	14	10	17	29		12		5	2	1	0	0	0	2	4	1	1	0	0	0	0	0	7	19	11	6	30
XII					8.0	6.7	7.1	68	13	18	31		15		21	14	2	0	0	0	0	21	0	0	0	0	0	0	0	9	9	4	18	31
1945					5.9	5.4	5.2	520	40		211		65		142	86	15	0	0	0	78	77	9	2	0	0	0	7	58	60	237	68	104	171

1945

Lillehammer

φ = 61° 6′ N λ = 10° 29′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-10.4	- 8.8	- 9.9	-10.1		-13.2	- 1.5	17	-21.8	28	31 1.8	21 1.7	1 1.0	6 1.0	0₅ 2.0	1₅ 1.3	0 -	15 2.4	17
II			- 6.5	- 3.6	- 4.8	- 5.4		- 8.2	6.8	27	-22.8	2	3₅ 1.1	7₅ 1.1	4 1.2	17 1.5	2 1.0	9 2.0	2 3.0	5 1.1	34
III			- 1.9	3.7	1.2	0.1		- 3.5	10.3	13	- 9.0	18	4 1.4	9 1.3	1 1.0	3₅ 1.3	4 1.5	10₅ 1.2	3 3.0	19 3.7	39
IV			2.8	8.5	6.3	4.1		- 0.6	16.0	17	- 5.9	15	6 2.2	14₅ 2.4	4 1.9	8₅ 2.5	9₅ 1.3	11₅ 1.4	7₅ 2.5	16₅ 3.1	12
V			7.7	12.5	11.7	8.3		3.1	20.3	21	- 3.1	25	2₅ 1.8	16₅ 3.1	1 4.0	12₅ 2.5	18₅ 2.3	11 1.9	1₅ 4.0	18₅ 2.5	11
VI			12.9	17.7	16.6	13.3		7.2	28.7	22	- 0.2	17	8₅ 2.9	2 1.8	0 -	10 2.4	17₅ 2.1	19 1.8	2₅ 2.4	19₅ 2.8	11
VII			16.1	21.1	20.3	17.0		11.4	28.9	16	5.8	29	7 2.6	4 1.6	2 2.0	11 2.6	12₅ 2.6	18₅ 2.2	8 1.6	13 2.9	17
VIII			14.6	21.0	18.6	16.0		10.5	28.1	3	2.4	27	9₅ 2.6	14 2.7	2 1.0	6 2.9	7 2.4	15₅ 2.2	1₅ 1.7	10₅ 2.4	27
IX			7.6	13.6	10.9	9.2		4.5	23.6	4	- 1.7	29	4 1.8	5 1.2	3 1.0	14 2.4	18 2.3	10₅ 2.0	3₅ 1.9	13 3.1	19
X			1.3	6.5	3.6	3.1		- 0.2	12.4	18	- 4.6	11	2₅ 2.4	21 1.2	4 1.0	8₅ 1.0	4₅ 1.0	8 1.4	3 1.0	9₅ 2.6	32
XI			- 5.3	- 2.9	- 4.3	- 4.4		- 7.0	5.2	1	-16.8	25	13₅ 2.0	21 1.7	6 1.0	10 1.2	5 1.0	0 -	0 -	10₅ 1.8	24
XII			- 5.3	- 4.6	- 5.4	- 5.3		- 7.9	2.5	2	-19.3	31	5 1.9	12 1.4	4 1.8	13 2.5	7 1.1	3 1.0	0 -	7 2.0	42
1945			2.8	7.1	5.4	3.8		- 0.3	28.9		-22.8		97 2.1	147₅ 1.8	32 1.4	120 2.0	106 2.0	118 1.8	32₅ 2.2	157 2.7	285

Rena

φ = 61° 8′ N λ = 11° 22′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	982.5	1011.1	-11.5	- 8.9	-10.8	-10.8		-14.9	- 2.1	17	-26.5	29	29 1.3	4 1.4	0 -	0 -	1 1.5	3 1.5	0 -	0 -	56
II	84.2	12.5	- 7.5	- 2.7	- 3.9	- 5.2		- 8.6	8.0	27	-28.3	4	3 1.0	2 1.0	0 -	0 -	11 1.4	6 1.3	0 -	0 -	62
III	86.2	14.3	- 3.3	4.8	1.0	- 0.2		- 5.1	14.7	23	-15.7	18	13₅ 1.9	2 1.0	0 -	0₅ 1.0	10₅ 1.1	3 1.7	0 -	1₅ 1.7	62
IV	84.1	11.8	2.4	9.3	5.9	3.9		- 1.9	15.7	17	- 8.4	15	31 1.3	2 1.0	0 -	1 1.0	8 1.1	5 1.2	0 -	0 -	43
V	84.3	11.5	7.7	13.2	11.3	8.5		2.7	22.2	21	- 4.8	25	21 1.5	2 1.2	0 -	1₅ 1.0	19₅ 1.2	9 1.7	1 2.0	3 1.7	36
VI	82.9	09.5	13.2	17.9	15.9	13.2		6.8	30.6	22	0.7	6	8 1.6	16 1.2	2 1.0	2 1.0	22 1.1	12 1.4	1 2.0	0 -	27
VII	85.6	12.0	15.9	22.9	20.3	17.2		10.6	30.4	16	3.7	29	13 1.8	12₅ 1.2	3₅ 1.0	7 1.0	16 1.3	3 1.2	0 -	2 1.0	36
VIII	82.8	09.2	14.2	21.5	19.0	16.0		10.0	30.0	3	0.1	27	14 1.4	25 1.0	2₅ 1.0	4 1.0	9 1.0	4₅ 1.2	0 -	0 -	34
IX	88.7	16.0	6.3	13.8	10.4	8.5		3.0	23.0	4	- 3.8	29	8₅ 1.0	14₅ 1.0	2 1.0	1₅ 1.0	11₅ 1.4	9₅ 1.3	1₅ 1.0	0 -	41
X	86.1	13.9	0.2	6.3	3.1	2.6		- 1.1	11.8	15	- 7.1	11	11₅ 1.2	6 1.4	0 -	0₅ 1.0	6 1.4	12 1.0	1₅ 1.0	1₅ 1.0	54
XI	93.6	22.3	- 7.4	- 4.1	- 6.5	- 6.3		- 9.7	8.2	1	-18.6	30	8₅ 1.5	4₅ 1.6	0 -	0 -	2 1.0	10 1.0	2 1.0	3 1.3	60
XII	83.9	12.4	- 7.0	- 6.1	- 7.6	- 7.1		-10.9	1.8	19	-26.5	31	7 1.0	11 1.1	0 -	0 -	2 1.2	15 1.3	1 1.5	2 1.0	55
1945	985.4	1013.0	1.9	7.3	4.8	3.4		- 1.6	30.6		-28.3		168 1.4	101₅ 1.1	10 1.0	18 1.0	118₅ 1.2	92 1.3	8 1.3	13 1.3	566

Trysil

φ = 61° 20′ N λ = 12° 15′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-11.7	- 8.4	-10.5	-10.5		-15.0	- 2.8	17	-25.8	29	2₅ 1.6	0 -	1 3.0	18 1.4	2 1.0	0 -	5₅ 2.7	54 1.9	10
II			- 8.2	- 3.1	- 4.4	- 5.7		-10.0	4.6	27	-27.4	4	0₅ 1.0	0 -	3 3.2	39 2.2	5 2.5	2 1.0	6 3.3	14₅ 2.0	14
III			- 3.9	4.4	0.8	- 0.6		- 6.1	13.2	24	-14.1	19	2₅ 1.0	0₅ 1.0	1 2.0	22 1.6	1 1.0	0₅ 6.0	4 3.5	32₅ 3.3	29
IV			1.4	6.9	4.4	2.6		- 2.2	11.8	8	- 8.5	15	3₅ 2.1	1 1.0	2₅ 1.8	22₅ 1.8	2 2.5	0₅ 4.0	9 2.1	37 3.3	12
V			6.7	10.9	9.9	7.4		2.7	18.5	21	- 4.6	9	2₅ 1.4	0 -	0 -	19 2.8	13₅ 2.1	1₅ 1.0	19 2.9	28₅ 3.4	9
VI			11.7	16.0	15.3	11.9		5.6	27.5	22	- 0.7	6	0₅ 2.0	0 -	0₅ 3.0	23₅ 2.1	19 2.3	6 2.3	10₅ 2.6	25 3.6	5
VII			15.3	20.5	18.9	15.5		9.4	28.9	15	3.2	29	2 1.5	0 -	1 3.0	20₅ 2.3	18₅ 2.5	2₅ 1.2	14 2.2	23₅ 3.4	11
VIII			13.9	19.0	17.4	14.9		9.5	26.7	12	0.9	29	1₅ 3.3	4 1.5	1₅ 2.3	20₅ 2.4	4 2.0	1 2.0	17 2.0	26₅ 3.2	17
IX			6.0	11.8	9.0	7.6		3.1	20.6	4	- 2.9	30	7₅ 2.4	7 1.6	4₅ 1.6	29 2.8	4₅ 2.8	0₅ 3.0	12 1.8	17 3.4	8
X			0.6	5.7	3.0	2.4		- 1.3	13.2	3	- 7.8	12	5 1.8	3 1.7	9 1.7	26₅ 2.0	4₅ 2.1	0 -	7 1.4	23 2.2	15
XI			- 7.2	- 4.1	- 5.9	- 6.0		- 9.9	6.7	1	-19.4	30	4 1.4	0 -	1 1.5	26₅ 1.6	8 1.3	1₅ 1.7	3₅ 1.9	38₅ 2.5	7
XII			- 7.2	- 6.0	- 7.1	- 7.0		-10.8	0.7	18	-27.1	17	5 2.4	2 1.0	2 2.0	29 2.1	7 1.6	0 -	4 1.6	31 2.7	13
1945			1.4	6.1	4.2	2.7		- 2.1	28.9		-27.4		37 1.9	17₅ 1.5	27 2.0	296 2.1	89 2.1	16 2.0	111₅ 2.3	351 2.8	150

Vang på Hedmark

φ = 60° 49′ N λ = 11° 11′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 8.4	- 7.0	- 8.6	- 8.3		-11.8	- 0.8	17	-22.7	29	10 3.6	20 2.9	2₅ 2.1	4₅ 1.3	2 2.5	6 2.0	4₅ 1.4	11 2.4	12
II			- 5.2	- 2.0	- 3.1	- 3.9		- 7.3	6.4	27	-21.9	2	2₅ 1.8	16 1.4	20 1.9	10₅ 2.5	4₅ 2.4	4₅ 2.2	6₅ 1.8	7₅ 1.3	12
III			- 1.5	3.8	1.6	0.5		- 3.3	9.4	24	-12.4	18	10₅ 2.1	13 2.4	11₅ 2.2	8₅ 1.2	4 1.5	4 1.4	10₅ 2.0	18 2.9	13
IV			3.1	8.6	6.7	4.6		0.3	12.7	16	- 3.9	15	3₅ 4.3	12₅ 1.9	13 2.0	13 1.9	8 2.1	10 2.2	11₅ 2.9	11₅ 3.9	7
V			7.5	11.9	11.1	8.3		3.7	19.1	21	- 2.7	25	1 6.0	16 2.9	17 2.4	14₅ 1.9	10₅ 2.0	13₅ 1.2	12₅ 2.0	8 2.6	0
VI			12.4	16.5	15.8	13.0		8.1	28.0	22	3.3	15	2₅ 3.2	8₅ 2.1	14₅ 2.2	15₅ 1.7	9 1.6	10₅ 1.4	19₅ 1.8	8 2.0	2
VII			15.7	21.1	19.2	16.7		11.7	29.0	16	5.9	29	3 2.3	12 2.0	23 2.0	11₅ 1.6	8 1.7	12₅ 1.5	15 1.6	4 2.0	4
VIII			14.7	20.5	18.5	16.2		11.4	27.5	4	3.0	29	1₅ 2.7	12 2.0	20₅ 1.5	10₅ 1.5	4₅ 1.3	10 1.4	11 1.4	14 1.6	9
IX			7.6	13.2	11.1	9.2		4.9	22.4	4	- 1.6	26	7₅ 1.5	15₅ 1.6	17 1.6	14₅ 1.6	6 1.7	4₅ 1.4	8₅ 1.2	9₅ 2.1	7
X			2.1	6.7	4.2	3.7		0.4	13.1	15	- 4.7	12	5 1.6	17 1.7	9₅ 1.8	10₅ 1.5	8₅ 1.2	2₅ 1.6	4 1.2	7 1.3	29
XI			- 5.0	- 2.8	- 4.2	- 4.3		- 7.0	9.7	1	-14.9	11	10 1.7	9 1.1	3₅ 1.1	5₅ 1.4	1 1.0	1₅ 1.0	2₅ 1.0	7 1.3	50
XII			- 4.9	- 4.3	- 5.3	- 4.9		- 7.7	2.7	18	-21.6	31	9₅ 1.2	21 1.2	11₅ 1.2	5 1.0	3 1.3	0₅ 1.0	3 1.0	6₅ 1.5	33
1945			3.2	7.2	5.6	4.2		0.3	29.0		-22.7		66₅ 2.3	172₅ 2.0	184 1.9	124 1.7	69 1.7	80 1.6	109 1.8	112 2.2	178

Ø. Toten

φ = 60° 42′ N λ = 10° 53′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 7.9	- 6.7	- 7.5	- 7.7		-10.8	0.0	16	-19.6	29	10 3.6	10₅ 4.1	3₅ 4.3	2 1.5	8₅ 2.2	11 4.1	12₅ 3.2	35 3.2	0
II			- 4.6	- 2.2	- 2.4	- 3.5		- 6.0	6.6	27	-19.5	2	3₅ 2.6	0₅ 1.0	8 2.8	8 2.2	13₅ 2.6	15₅ 3.0	11₅ 2.7	23₅ 2.5	0
III			- 0.3	4.2	2.3	1.3		- 2.1	10.0	25	- 7.6	18	8₅ 3.6	6 1.2	4 2.2	3 1.0	9 1.6	19 2.0	7 2.6	30₅ 2.7	6
IV			3.8	8.6	6.6	4.9		1.2	13.2	19	- 3.6	15	17₅ 3.5	16₅ 1.9	8 2.1	3 2.5	4₅ 2.1	11 2.5	5 2.6	24₅ 3.0	0
V			8.1	11.9	11.3	8.6		4.1	21.6	21	- 1.7	25	10₅ 2.7	22₅ 1.9	11₅ 2.0	3₅ 2.3	11₅ 3.0	10 3.2	7₅ 2.9	16 3.0	0
VI			13.2	15.7	15.9	13.4		8.6	28.4	22	3.0	17	5₅ 1.7	14₅ 1.5	15 1.8	5₅ 2.1	12₅ 2.2	11 3.0	8 2.9	18 2.6	0
VII			16.4	21.1	19.7	17.2		12.3	28.6	16	7.2	4	10 2.8	18 1.8	15 1.5	4₅ 1.9	9 2.1	10 1.5	3 1.5	18₅ 2.4	5
VIII			15.3	20.6	18.6	16.4		11.6	26.9	3	6.4	29	9₅ 2.7	16₅ 1.8	8₅ 1.7	7₅ 1.1	5 2.1	9 2.6	6 1.5	27 1.9	4
IX			8.6	13.5	10.8	9.7		5.2	22.0	4	- 0.3	29	9₅ 1.7	15 1.9	7 2.0	6 2.0	12 2.7	14₅ 2.3	4₅ 1.3	18₅ 1.8	3
X			3.2	7.1	4.7	4.4		1.5	12.6	2	- 2.8	11	8 2.0	15₅ 1.5	1 1.0	6 1.2	13₅ 1.4	20 2.0	8 1.7	20 1.8	1
XI			- 3.4	- 1.8	- 3.1	- 3.0		- 5.4	9.1	1	-12.9	11	4 3.8	9₅ 2.3	2₅ 1.8	1₅ 1.7	5 1.4	25 1.7	16 2.1	23₅ 1.8	3
XII			- 4.4	- 4.0	- 4.4	- 4.4		- 6.6	3.1	18	-17.1	31	4 2.9	11 2.0	9₅ 1.5	15 1.7	8₅ 1.6	6₅ 2.5	14 1.8	24₅ 2.2	0
1945			4.0	7.4	6.0	4.8		1.1	28.6		-19.6		100₅ 2.9	156 1.9	93₅ 2.0	65₅ 1.8	112₅ 2.1	162₅ 2.4	103 2.3	279₅ 2.4	22

1945

Lillehammer

H_s = 226 H_b = h_t = 2.0 h_a = h_d = 10.9 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I	82	81	82	82	7.4	6.5	6.0	11	3	7	31		24		13	3	0	4	0	0	0	13	0	0	0	0	0	0	1	0	15	4	12	31
II	92	95	89	90	7.8	7.9	7.4	55	15	8	27		10		15	9	2	2	0	0	1	15	0	0	0	0	0	0	2	5	13	0	16	28
III	85	62	72	76	6.2	6.1	5.6	23	13	21	30		0		12	3	1	3	1	1	2	10	0	0	0	2	0	0	2	3	25	3	9	31
IV	75	52	55	66	5.5	5.8	5.0	23	16	28	16		0		9	3	1	3	0	0	9	2	1	0	0	0	0	0	0	0	29	5	7	8
V	71	52	51	64	6.1	5.8	4.6	43	19	5	6		0		13	6	1	3	0	0	12	1	0	0	1	0	0	1	0	1	27	7	5	0
VI	68	52	55	65	4.6	6.2	5.9	60	20	5	1		0		17	11	2	0	0	0	17	0	0	0	0	0	0	7	0	1	26	4	7	0
VII	74	54	55	67	4.4	5.1	4.7	48	13	3	0		0		15	9	1	2	2	0	15	0	0	1	0	1	0	7	0	0	31	7	4	0
VIII	78	52	60	70	5.2	5.4	5.4	37	14	25	0		0		10	6	2	0	0	0	10	0	0	1	0	0	0	4	1	0	27	3	7	0
IX	86	62	70	76	6.3	6.3	6.4	52	15	23	2		0		14	8	1	0	0	0	13	0	0	0	0	0	0	0	1	1	20	3	12	0
X	93	74	84	86	6.8	6.9	6.0	59	25	27	17		0		11	7	2	1	0	0	9	4	0	4	0	0	0	0	4	3	18	3	13	4
XI	90	85	88	88	5.1	4.6	4.4	19	16	17	29		8		4	2	1	1	0	0	2	3	0	3	0	0	0	0	2	3	21	10	6	14
XII	91	90	92	91	7.9	7.9	7.6	93	23	18	28		12		25	15	3	0	0	0	9	23	4	4	0	0	0	0	1	3	8	2	21	31
1945	82	67	71	77	6.1	6.2	5.8	523	25		187		54		158	82	17	19	3	1	99	71	5	13	1	3	0	19	14	20	260	51	119	147

Rena

H_s = 225 H_b = 225.6 h_t = 1.3 h_a = h_d = 8.8 h_r = 1.2

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I					8.8	7.8	7.8	29	7	11	31		25		13	11	0	0	0	0	0	13	0	0	0	0	0	0	0	3	9	2	22	
II					8.2	8.2	7.7	56	25	8	27		8		10	8	2	0	0	0	2	10	0	0	0	0	0	0	6	6	12	1	19	
III					7.1	6.2	5.5	22	14	21	30		2		6	4	1	0	0	0	1	6	1	0	0	0	0	0	2	7	23	5	11	
IV					6.5	6.5	6.5	38	27	28	19		0		10	5	1	0	0	0	9	1	1	0	0	1	0	0	0	2	24	3	13	
V					7.2	6.6	5.8	43	19	5	9		0		11	7	1	0	0	0	10	0	0	1	0	1	0	1	0	1	25	3	12	
VI					5.2	6.3	6.4	91	46	5	0		0		15	13	2	0	0	0	15	0	0	0	0	0	0	3	0	2	28	4	7	
VII					5.0	5.6	5.4	50	17	3	0		0		14	10	1	0	0	0	14	0	0	0	0	0	0	5	0	4	31	7	6	
VIII					5.1	5.4	5.1	37	9	6	0		0		10	6	0	0	0	0	10	0	0	1	0	0	0	1	0	6	28	4	8	
IX					5.6	6.0	6.3	37	13	23	10		0		9	6	2	0	0	0	9	0	0	1	0	0	0	0	1	6	22	6	11	
X					7.5	7.9	6.3	49	18	27	21		0		10	6	2	0	0	0	8	3	1	1	0	0	0	0	2	8	17	2	14	
XI					7.1	6.2	5.5	15	9	17	29		16		5	3	0	0	0	0	1	4	0	0	0	0	0	0	1	12	15	5	14	
XII					7.9	7.6	7.2	87	28	18	29		17		18	15	2	0	0	0	6	16	2	0	0	0	0	0	1	8	6	2	19	
1945					6.8	6.2	5.8	554	46		205		68		131	94	14	0	0	0	85	53	5	4	0	2	0	10	13	65	240	44	156	

Trysil

H_s = 363 H_b = h_t = 1.9 h_a = h_d = h_r = 1.5

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I	86	84	87	86	8.7	7.5	7.5	26	5	7	31		25		17	7	0	1	1	0	0	17	0	0	0	0	0	0	22	1	12	1	19	31
II	92	79	85	88	7.8	8.1	7.7	37	13	8	27		10		13	8	1	2	0	0	0	12	0	0	0	0	0	0	17	4	10	0	18	28
III	89	58	72	77	6.6	5.9	5.3	18	12	21	30		5		12	3	1	5	0	0	4	11	2	0	0	0	0	0	7	2	27	4	8	31
IV	76	50	62	70	5.5	6.6	5.6	38	21	28	20		0		10	5	1	3	0	0	10	4	4	0	0	0	0	0	7	0	26	5	10	13
V	69	52	55	66	7.2	7.4	5.9	62	13	5	6		0		17	13	2	8	0	0	16	2	1	0	0	1	0	1	7	0	26	1	13	0
VI	65	50	54	64	5.4	7.2	6.3	84	34	5	1		0		15	9	3	4	0	0	15	0	0	0	0	0	0	3	4	1	27	2	8	0
VII	71	47	58	70	4.5	6.6	5.6	47	9	23	0		0		14	10	0	1	0	0	14	0	0	0	0	0	0	2	1	1	29	5	5	0
VIII	78	56	64	73	5.3	6.1	5.1	62	15	25	0		0		17	11	3	1	0	0	17	0	0	0	0	0	0	3	6	0	29	2	9	0
IX	85	60	76	77	6.6	6.9	6.1	44	19	23	5		0		11	6	2	2	0	0	11	0	0	0	0	0	0	0	5	2	24	1	10	0
X	91	71	86	85	7.0	7.8	6.7	41	15	27	21		0		15	6	1	2	0	0	9	5	2	0	0	0	0	0	11	0	15	1	12	4
XI	90	84	88	88	6.7	5.9	5.6	13	6	17	29		15		6	3	0	2	0	0	1	5	0	1	0	0	0	0	11	7	17	7	9	14
XII	86	84	87	86	8.2	8.0	7.8	65	21	18	28		16		20	12	2	2	0	0	3	20	1	2	0	0	0	0	19	3	9	2	20	31
1945	82	65	73	78	6.6	7.0	6.3	537	34		198		71		167	93	16	33	1	0	100	76	10	3	0	1	0	9	117	21	252	31	141	152

Vang på Hedmark

H_s = 222 H_b = h_t = 1.9 h_a = h_d = 14.7 h_r = 1.3

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I	77	76	77	77	9.0	8.2	7.4	17	11	23	31		17		14	3	1	2	0	0	0	14	0	0	0	0	0	0	13	10	11	2	20	31
II	85	76	80	82	8.4	8.7	7.6	36	10	21	27		8		14	7	1	0	0	0	0	13	0	0	0	0	0	0	10	12	10	0	13	28
III	77	60	63	69	6.3	6.4	5.7	21	13	21	27		1		7	3	1	2	0	0	5	5	1	3	0	0	0	0	10	6	23	5	11	31
IV	71	49	51	62	6.6	6.5	6.1	33	16	27	11		0		8	6	1	2	0	0	8	0	0	0	0	0	0	0	12	1	24	3	12	7
V	69	48	48	62	6.1	6.3	4.7	50	17	5	3		0		11	10	1	4	0	0	10	0	0	0	0	2	0	0	7	0	28	5	7	0
VI	66	51	53	64	4.1	6.0	5.8	72	22	5	0		0		16	13	3	1	0	0	16	0	0	0	0	0	0	5	3	2	28	5	5	0
VII	72	46	54	67	5.4	5.2	5.2	33	9	7	0		0		11	6	0	1	0	0	11	0	0	0	0	0	0	5	1	2	31	4	6	0
VIII	73	59	55	64	5.5	5.1	5.7	30	8	20	0		0		13	5	0	0	0	0	13	0	0	0	0	0	0	3	6	3	30	1	4	0
IX	80	56	63	69	5.6	6.4	6.3	33	11	23	3		0		10	8	2	0	0	0	10	0	0	0	0	0	0	0	5	4	27	1	5	0
X	84	69	76	78	7.0	7.7	5.6	42	14	27	11		0		8	8	1	2	0	0	7	1	0	0	0	0	0	0	13	6	18	1	12	1
XI	86	83	84	85	7.1	6.9	5.9	15	12	17	29		8		5	2	1	2	0	0	3	3	0	3	0	0	0	0	15	10	11	5	14	14
XII	83	81	84	83	7.9	7.8	7.5	45	11	4	28		9		20	14	1	0	0	0	8	17	5	3	0	0	0	0	24	1	9	3	19	31
1945	77	63	66	72	6.6	6.8	6.1	427	22		170		43		137	85	13	16	0	0	91	53	6	9	0	2	0	13	119	57	250	35	133	143

Ø. Toten

H_s = 270 H_b = h_t = 2.0 h_a = h_d = 10.7 h_r = 1.7

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snedekke
I					8.5	7.3	7.3	18	6	20	31		15		14	6	0	6	1	0	0	14	0	0	0	0	0	0	13	6	7	3	19	31
II					8.1	8.1	7.3	25	11	21	27		5		15	7	1	2	0	0	0	15	0	0	0	0	0	0	6	8	11	0	18	28
III					6.5	6.4	5.9	14	10	21	25		0		9	2	0	3	2	0	6	5	1	2	0	0	0	0	3	5	25	3	10	31
IV					6.5	6.1	5.9	24	15	28	7		0		8	3	1	2	0	0	8	2	2	2	0	2	0	0	3	2	26	2	9	4
V					6.4	6.3	4.9	45	19	5	1		0		12	8	1	4	0	0	12	0	0	1	0	1	0	1	8	1	26	2	6	0
VI					4.9	6.3	6.3	79	26	26	0		0		13	9	2	2	0	0	13	0	0	0	0	2	0	4	3	1	27	4	8	0
VII					4.7	4.9	5.6	23	5	21	0		0		15	9	0	1	0	0	15	0	0	1	0	1	0	4	1	0	31	3	2	0
VIII					6.3	5.6	5.5	31	9	7	0		0		10	8	0	0	0	0	10	0	0	0	0	0	0	2	7	0	28	0	10	0
IX					5.9	6.0	6.1	25	7	23	1		0		10	8	0	0	0	0	10	0	0	2	0	0	0	0	0	1	22	1	9	0
X					7.0	6.9	5.9	50	15	30	7		0		10	8	2	0	0	0	9	3	2	3	0	0	0	0	3	6	15	1	13	0
XI					7.9	6.4	6.4	16	14	17	28		4		5	2	1	1	0	0	3	3	0	3	0	1	0	0	4	12	10	2	12	14
XII					8.2	7.7	8.4	46	9	18	29		7		24	12	0	2	0	0	5	21	1	4	0	0	0	0	15	1	9	2	20	31
1945					6.7	6.5	6.3	396	26		156		31		145	82	8	23	3	0	91	63	6	14	0	7	0	11	66	43	237	23	136	139

1945

Kutjern

φ = 60° 34′ N λ = 10° 33′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dtes	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 9.6	- 7.3	- 9.8	- 9.4	- 5.7	-13.9	0.3	2	-23.5	29	29 3.1	28₅ 3.1	0₅ 3.0	0 -	17₅ 2.9	7₅ 2.5	5₅ 2.8	2₅ 1.8	2
II			- 5.6	- 2.5	- 4.4	- 4.8	- 1.6	- 8.7	9.8	28	-23.7	2	9₅ 2.2	4₅ 1.9	1₅ 2.0	9₅ 1.8	46₅ 3.1	7 3.6	1 3.5	3₅ 1.6	1
III			- 1.0	5.0	0.3	0.3	6.4	- 4.8	13.0	23	-14.2	18	10₅ 3.4	5 2.3	1₅ 1.3	4 1.4	45 2.4	7₅ 2.8	6₅ 1.9	12 3.7	1
IV			2.8	7.3	4.1	2.9	8.4	- 2.0	14.6	17	- 8.9	14	19 3.2	14₅ 2.9	2₅ 2.2	2₅ 2.6	31 2.9	3₅ 2.4	5 3.0	12 2.8	0
V			7.0	10.2	9.2	6.7	12.0	1.4	20.0	21	- 6.0	25	17₅ 3.3	20 3.1	8 2.4	1₅ 3.7	33 3.6	5 3.2	3₅ 2.6	4₅ 3.8	0
VI			12.1	15.3	14.1	11.4	17.6	5.1	26.7	22	- 2.7	17	17 2.4	14 2.4	3₅ 3.0	2₅ 3.0	33₅ 3.4	5₅ 2.6	5₅ 1.9	7₅ 2.4	1
VII			15.3	19.5	17.9	15.3	21.4	8.9	27.4	16	3.0	27	14 3.1	20₅ 2.5	3₅ 2.1	2 2.5	28 2.6	11 2.3	4 1.5	9 2.8	1
VIII			14.1	18.6	16.0	14.2	20.2	8.7	26.2	4	0.0	27	32₅ 2.1	19₅ 2.7	3₅ 1.6	0₅ 1.0	24 2.3	1 1.0	3₅ 3.3	8₅ 1.9	0
IX			7.0	11.6	8.6	7.6	12.8	2.4	20.9	4	- 3.9	30	18₅ 1.9	10₅ 2.0	4₅ 2.1	1₅ 2.0	40 2.9	3 1.7	2 3.0	9 2.2	1
X			1.3	6.2	2.6	2.6	7.1	- 1.2	12.9	18	- 6.2	19	21 2.5	11 2.4	1₅ 2.0	4 1.1	48₅ 2.4	2 2.0	0₅ 1.0	3₅ 3.3	1
XI			- 5.8	- 2.0	- 5.2	- 4.7	- 0.8	- 8.8	7.6	1	-18.9	24	27 2.1	20₅ 2.7	0 -	0 -	29 2.5	3₅ 2.1	4₅ 2.0	2₅ 2.6	3
XII			- 6.3	- 5.3	- 6.9	- 6.5	- 3.2	- 9.8	3.7	18	-22.2	31	38 2.3	21 2.5	4₅ 2.3	0 -	13 3.2	6 2.1	6₅ 2.6	3 3.7	1
1945			2.6	6.4	3.9	3.0	7.9	- 1.9	27.4		-23.7		253₅ 2.6	189₅ 2.7	35 2.2	28 2.0	389 2.8	62₅ 2.6	48 2.5	77₅ 2.7	12

Flisa

φ = 60° 37′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	8	14	19	Dtes	$\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 9.6	- 7.2	- 8.7	- 8.7	- 5.1	-12.5	2.3	17	-28.3	30	18₅ 1.8	11 2.1	3₅ 1.0	5₅ 1.5	5₅ 2.3	0 -	2₅ 1.4	13₅ 2.2	33
II			- 5.4	- 1.5	- 2.5	- 3.6	- 0.2	- 7.6	7.7	24	-26.2	4	3 1.8	2 1.0	0 -	8₅ 1.9	24 2.7	5 2.0	1 1.0	3₅ 2.3	37
III			- 1.8	4.7	1.2	0.6	5.8	- 3.9	13.5	27	-13.1	18	12₅ 3.4	7 1.2	2₅ 1.6	2 1.5	11 1.4	6₅ 1.4	3₅ 2.1	16 2.6	35
IV			3.2	9.0	5.8	4.5	10.1	- 0.1	16.1	17	- 6.2	15	18 2.3	8 1.8	1₅ 1.0	6 2.2	13 2.0	4 1.4	6 2.1	16₅ 2.3	17
V			8.5	12.6	11.5	8.8	14.6	3.2	21.8	21	- 3.2	25	13 2.7	8₅ 3.0	2 1.8	6₅ 1.8	17 2.2	7 2.6	5₅ 2.5	13₅ 2.4	20
VI			13.3	17.3	16.3	13.3	19.5	7.0	29.6	22	1.8	17	0₅ 5.0	5 2.2	2 2.0	20₅ 2.2	16₅ 2.6	5₅ 2.0	3₅ 1.7	10₅ 2.4	26
VII			16.8	21.6	19.3	16.8	23.3	10.4	30.2	16	4.2	27	8 2.8	4 2.4	2₅ 2.2	13 1.7	15₅ 1.8	3 2.2	2 2.5	9 3.3	36
VIII			15.5	20.9	17.8	16.2	22.3	10.6	28.1	12	0.2	27	7 1.9	5₅ 2.3	2 3.0	11 2.3	6 2.2	3 2.0	0₅ 1.0	12 1.9	46
IX			7.7	13.1	9.7	8.9	14.3	3.8	21.6	4	- 3.1	30	6 2.2	1 2.0	1₅ 1.7	11 2.0	12 2.3	0₅ 2.0	1 1.5	13 1.9	44
X			1.3	6.7	3.8	5.6	7.6	- 0.6	12.0	15	- 6.5	12	5 2.4	0 -	0 -	7 1.5	4₅ 1.7	0₅ 2.0	1 2.0	13 2.2	62
XI			- 5.2	- 2.5	- 4.2	- 4.3	- 0.4	- 7.4	10.7	1	-18.1	11	7₅ 2.3	0 -	1 1.0	0₅ 3.0	1₅ 1.7	0 -	0 -	12₅ 3.3	67
XII			- 6.0	- 4.9	- 5.9	- 5.8	- 2.6	- 9.6	2.8	2	-26.0	31	12 1.8	5 1.4	3₅ 1.0	0₅ 1.0	2₅ 2.2	0 -	1 1.0	12₅ 2.2	56
1945			3.2	7.5	5.3	4.4	9.1	- 0.6	30.2		-28.3		111 2.3	54 2.1	22 1.6	92 1.9	129 2.2	35 1.9	27₅ 2.0	145₅ 2.4	479

Vinger

φ = 60° 13′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	8	14	19	Dtes	$\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 8.0	- 6.3	- 8.0	- 7.6		-11.0	0.7	16	-26.2	30	22 1.7	15₅ 2.5	1 4.0	1 1.5	2₅ 2.0	5 1.2	15 2.1	28 1.8	3
II			- 4.4	- 1.2	- 2.3	- 3.0		- 6.0	6.6	27	-23.3	4	6₅ 1.6	5 1.8	9₅ 1.4	21 2.2	11₅ 2.0	14 2.7	8 2.1	8₅ 1.2	0
III			- 0.8	4.9	1.9	1.1		- 3.5	11.1	23	-12.6	18	13₅ 2.5	3₅ 1.6	1 2.0	1₅ 2.0	6₅ 1.4	15 1.6	24 1.6	24 2.9	4
IV			3.7	8.3	6.1	4.4		- 0.5	15.9	9	- 6.7	15	15 2.3	12 1.8	2 1.5	3₅ 1.8	7 2.4	12 1.8	17₅ 2.2	17 2.3	4
V			8.4	12.8	11.2	8.7		3.2	19.9	21	- 2.9	25	9 3.0	13 2.3	10 2.7	6 2.8	10₅ 2.9	15 3.0	14 2.3	8₅ 3.7	7
VI			13.3	17.1	15.9	13.3		7.6	28.1	22	3.1	6	8 2.1	17 2.1	4₅ 2.4	10₅ 3.4	11₅ 2.5	16 3.2	13 3.0	5₅ 3.9	4
VII			16.8	21.3	19.4	16.9		10.5	28.5	16	5.7	27	12 2.8	9₅ 2.4	4 1.8	9₅ 2.3	20₅ 2.1	16₅ 1.8	8 2.0	13 2.8	0
VIII			15.3	20.5	17.9	16.1		10.9	27.0	12	2.1	27	22₅ 2.1	18 2.3	7₅ 2.3	6 2.3	13₅ 1.6	6 1.5	6₅ 2.3	9 3.1	4
IX			7.8	13.1	9.6	8.9		4.2	20.8	4	- 2.7	30	13 2.0	18₅ 1.6	4₅ 1.7	8 3.4	8 2.1	12₅ 2.4	6 2.3	9₅ 1.7	10
X			2.2	7.3	4.7	4.1		0.2	12.6	4	- 5.5	12	16 1.2	3₅ 2.1	3 2.5	5 1.8	6₅ 1.5	8₅ 1.8	12₅ 1.8	31 1.1	7
XI			- 3.8	- 1.8	- 2.9	- 3.1		- 5.7	9.4	1	-15.7	11	30₅ 1.5	10 3.2	0 -	0 -	5₅ 1.2	1 2.0	10₅ 2.6	17₅ 2.1	15
XII			- 5.6	- 3.1	- 4.7	- 4.7		- 8.3	9.3	24	-22.2	17	13₅ 1.6	8 1.9	6₅ 1.9	8 2.4	9 1.7	3 2.5	10 1.8	16 2.1	19
1945			3.7	7.7	5.7	4.6		0.1	28.5		-26.2		181₅ 2.0	133₅ 2.2	53₅ 2.1	80 2.5	112₅ 2.0	124₅ 2.2	145 2.2	187₅ 2.2	77

Hvam

φ = 60° 6′ N λ = 11° 24′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	8	14	19	Dtes	$\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 8.1	- 5.8	- 7.6	- 7.5		-10.9	0.8	7	-25.0	30	16₅ 2.1	27₅ 2.7	1 1.0	0 -	2₅ 5.0	5₅ 2.6	4 2.5	2 1.5	34
II			- 4.8	- 0.6	- 1.8	- 2.9		- 6.1	8.4	28	-23.1	4	4₅ 2.1	1₅ 2.3	6 1.0	7 1.7	26₅ 3.2	1₅ 2.7	0 -	0 -	37
III			- 1.3	5.8	2.2	1.3		- 3.4	14.9	23	-12.1	18	8₅ 1.8	0 -	0 -	1 1.0	13₅ 1.7	3₅ 1.6	1 1.0	11₅ 3.5	54
IV			4.0	9.6	7.2	5.1		- 0.4	17.3	9	- 6.2	15	17₅ 2.2	6 1.2	1₅ 1.0	0 -	12₅ 3.0	4₅ 2.1	7 2.0	9 2.3	32
V			9.1	13.0	11.7	9.0		2.8	20.0	21	- 3.9	25	17 2.4	16 1.9	0 -	9₅ 2.1	21 2.4	4₅ 2.1	1 1.0	9 4.0	15
VI			13.9	17.8	16.3	13.5		6.7	27.7	22	1.3	17	8₅ 3.4	3₅ 1.7	3 2.2	6 1.9	36₅ 2.4	9 3.8	2 2.5	2₅ 1.8	19
VII			17.2	21.8	19.8	16.9		9.6	28.8	16	3.9	31	19 2.6	5 1.8	0 -	6 1.5	25 1.6	3₅ 1.6	1₅ 2.0	5 1.9	28
VIII			16.1	21.0	18.9	16.4		9.9	27.5	3	- 1.1	27	9 2.1	16₅ 2.6	3 1.7	0 -	14₅ 1.6	4 3.5	1₅ 2.0	9₅ 2.1	35
IX			7.6	14.2	10.8	9.3		3.4	21.1	4	- 4.3	29	20 1.2	8 1.6	4₅ 1.4	2₅ 1.8	13 2.2	12 2.1	2 2.0	3 1.5	25
X			1.8	8.1	4.9	4.1		- 0.1	13.3	15	- 7.0	11	19 1.8	12 1.7	8₅ 1.5	0 -	4 1.8	8 1.8	3 2.0	3₅ 1.6	35
XI			- 2.8	- 0.6	- 2.1	- 2.1		- 4.4	10.8	1	-12.5	11									
XII			- 5.2	- 3.6	- 4.8	- 4.7		- 8.0	4.2	18	-23.1	31									
1945			4.0	8.6	6.3	4.9		- 0.1	28.8		-25.0										

Sørmarka

φ = 59° 49′ N λ = 10° 49′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	8	14	19	Dtes	$\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 7.1	- 4.4	- 6.4	- 6.3	- 3.4	- 9.9	2.1	17	-22.0	29	9₅ 1.5	28 2.8	8₅ 2.3	0 -	10₅ 1.5	2₅ 1.8	2 3.5	0 -	32
II			- 3.7	0.1	- 1.4	- 2.2	0.9	- 5.2	11.2	28	-19.2	4	2 1.2	5₅ 2.1	4₅ 2.0	10₅ 1.3	30 1.7	6 1.7	3₅ 3.1	0 -	22
III			- 0.3	6.7	3.1	2.3	7.9	- 2.5	15.3	23	- 8.3	18	7₅ 2.5	7 1.6	0₅ 1.0	2 1.5	22₅ 1.2	9₅ 1.3	6₅ 1.6	1₅ 1.7	36
IV			4.4	9.8	7.2	5.3	11.1	0.0	15.2	19	- 6.5	12	7₅ 1.9	12₅ 2.0	2₅ 1.0	1₅ 1.0	19 1.8	16₅ 1.5	11 1.8	4₅ 1.6	15
V			9.2	13.1	11.6	9.3	14.2	3.9	20.5	21	- 1.8	26	11 2.0	15 2.2	7 2.4	3 1.3	25 1.7	15₅ 1.5	6₅ 1.2	1 5.0	9
VI			14.0	17.2	15.8	13.6	19.0	7.8	27.5	22	1.4	6	8 2.4	8 1.6	3 2.5	5 1.8	28₅ 1.8	24₅ 1.7	4₅ 1.8	2₅ 1.8	6
VII			17.4	21.0	19.7	17.2	22.8	11.4	28.2	16	8.2	5	7 2.0	21₅ 2.3	4₅ 1.3	5 1.8	28 1.5	14₅ 1.5	2₅ 1.4	1 3.0	9
VIII			16.9	21.5	19.2	17.2	22.8	11.7	29.5	3	3.8	27	11₅ 1.0	28₅ 2.3	7₅ 2.6	3₅ 2.3	13 1.3	13₅ 1.4	4 1.1	0₅ 1.0	11
IX			9.1	14.5	11.1	9.9	15.4	4.6	21.9	4	- 2.8	29	7₅ 1.3	10 1.6	4₅ 2.0	1₅ 2.0	24₅ 1.4	15 1.7	1 2.0	0 -	26
X			3.9	9.1	5.9	5.5	10.0	1.2	15.5	2	- 4.9	12	11₅ 1.3	11₅ 1.6	5₅ 1.1	3₅ 1.9	17 1.3	7₅ 1.2	1 1.0	0₅ 1.0	35
XI			- 1.5	0.8	- 1.0	- 1.5	- 1.8	- 3.7	10.6	1	-10.0	12	13₅ 1.6	24 2.3	2 2.0	0 -	12 1.6	3₅ 2.0	2₅ 4.4	1₅ 1.0	31
XII			- 3.3	- 2.4	- 3.3	- 3.2	- 0.4	- 5.9	4.3	19	-16.8	16	14 1.7	23₅ 1.7	15₅ 1.9	5 2.4	4₅ 2.8	3 1.7	1₅ 1.7	2 2.5	24
1945			4.9	8.9	6.8	5.6	9.9	1.1	29.5		-22.0		110₅ 1.8	195 2.1	65₅ 2.0	40₅ 1.7	234₅ 1.6	131₅ 1.6	46₅ 2.1	15 2.0	296

1945

H_s = 493 H_b = h_t = 2.0 h_a = h_d = h_r = 1.8

Kutjern

Måned	Midlere relativ fuktighet U_m 8	14	19	Dies	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0,1	≥ 1,0	≥ 10,0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Regn ●	Snø *	Sludd	Yr 9	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	88	85	87	87	8.4	7.0	6.8	46	13	20	31	30	19	0	17	10	1	14	3	0	0	17	0	0	0	0	0	0	0	4	2	18	4	17	31
II	91	84	88	89	8.5	8.3	7.2	46	13	8	28	19	9	0	16	8	1	8	3	0	0	16	0	0	0	0	0	0	0	1	13	15	0	16	28
III	82	57	73	75	5.3	5.9	5.4	22	11	21	30	1	2	0	7	5	1	7	3	2	0	7	0	0	0	0	0	0	0	0	4	29	7	10	31
IV	73	54	61	68	6.5	6.2	5.9	24	13	28	18	0	0	0	10	5	1	16	2	0	8	6	1	2	0	3	0	0	2	3	3	29	3	11	19
V	70	59	58	66	6.1	6.3	5.6	80	19	3	12	0	0	0	15	14	2	13	5	0	13	5	1	0	0	2	1	1	5	2	29	2	9	3
VI	66	58	59	64	5.0	6.8	6.5	103	39	26	2	0	0	3	15	13	2	14	0	0	15	0	0	0	0	2	0	5	2	2	28	3	9	0
VII	68	51	57	66	5.2	5.8	5.2	29	6	2.	0	0	0	8	16	10	0	5	2	0	16	0	0	0	0	0	0	6	1	1	31	4	5	0
VIII	76	59	64	71	6.3	6.5	5.8	39	11	25	0	0	0	6	13	8	1	4	0	0	13	0	0	1	0	0	0	1	1	10	30	1	9	0
IX	84	64	75	78	6.5	6.8	6.5	34	9	23	5	0	0	0	12	8	0	4	2	0	12	0	0	2	0	0	0	0	2	6	25	3	12	0
X	91	71	84	84	7.7	7.5	6.1	50	17	27	19	2	0	0	13	7	1	4	0	0	11	5	0	7	0	0	0	0	0	9	22	0	14	2
XI	91	85	90	89	6.6	6.2	4.1	19	15	17	29	17	12	0	5	3	1	3	1	0	2	3	0	2	0	0	0	0	1	11	17	6	8	14
XII	91	89	91	91	8.0	7.8	8.2	82	16	18	31	20	14	0	23	14	2	4	2	0	9	23	4	7	0	0	0	0	6	8	9	3	22	31
1945	81	68	74	77	6.7	6.8	6.1	574	39		205	89	56	17	162	105	13	96	23	2	99	82	6	21	0	7	1	13	25	71	282	36	142	159

H_s = 183 H_b = h_t = 1.9 h_a = h_d = 8.2 h_r = 1.5

Flisa

I	89	86	88	88	8.1	7.5	7.7	25	5	20	31	28	17	0	15	6	0	0	0	0	0	15	0	0	0	0	0	0	2	2	8	3	19	31
II	93	84	88	89	8.0	8.3	7.5	31	10	21	27	13	8	0	10	8	1	1	0	0	1	10	0	0	0	0	0	0	6	1	10	0	17	28
III	89	64	75	80	6.8	6.4	5.2	21	13	21	27	0	2	0	6	4	1	5	1	1	5	3	2	3	0	0	0	0	0	5	14	6	10	31
IV	81	56	62	72	6.2	6.3	5.7	24	18	28	14	0	0	0	7	3	1	1	0	0	7	0	0	2	0	0	0	0	4	0	16	5	11	0
V	71	53	55	66	6.7	6.9	6.0	45	12	5	8	0	0	0	13	9	1	8	0	0	13	0	0	3	0	0	0	1	4	2	24	1	7	0
VI	71	57	61	70	5.3	6.7	6.3	82	27	5	0	0	0	5	16	13	2	5	0	0	16	0	0	1	0	0	0	7	3	0	25	4	7	0
VII	76	53	64	75	5.4	5.5	6.1	64	25	9	0	0	0	12	9	7	2	1	0	0	9	0	0	0	0	0	0	7	4	0	27	2	4	0
VIII	82	58	72	79	6.2	5.5	5.7	62	16	20	0	0	0	10	11	9	2	0	0	0	11	0	0	2	0	0	0	3	4	3	23	1	8	0
IX	88	67	82	78	6.3	7.1	7.2	33	11	23	5	0	0	0	9	6	1	0	0	0	9	0	0	1	0	0	0	0	6	3	18	0	11	0
X	93	78	87	88	7.5	7.6	6.6	41	8	26	19	1	0	0	9	7	0	2	0	0	9	1	1	3	0	0	0	0	6	5	11	1	13	0
XI	92	89	90	92	7.6	7.1	6.2	15	11	17	28	11	9	0	5	3	1	2	0	0	4	3	1	2	0	0	0	0	5	8	6	2	13	0
XII	91	90	92	91	7.6	7.8	7.6	55	18	18	27	18	14	0	18	9	2	0	0	0	8	14	1	4	0	0	0	0	11	0	5	3	18	0
1945	85	70	76	81	6.8	6.9	6.5	498	27		186	71	50	27	128	84	14	25	1	1	92	46	5	21	0	0	0	18	55	29	187	28	138	90

H_s = 175 H_b = h_t = 2.0 h_a = h_d = h_r = 1.5

Vinger

I	88	86	89	87	7.6	7.3	6.9	44	10	7	31		13		18	10	1	0	0	0	1	18	1	0	0	1	0	0	25	5	9	4	17	31
II	92	83	88	89	7.9	7.9	7.4	30	11	21	26		6		14	7	1	1	0	0	1	13	0	0	0	0	0	0	21	3	11	1	17	28
III	86	64	74	78	6.0	5.6	4.5	24	14	21	28		1		7	4	1	4	2	1	4	6	2	0	0	0	0	0	16	6	27	2	7	27
IV	81	56	64	74	6.2	6.0	4.4	30	22	28	17		0		8	3	1	0	0	0	8	0	0	0	0	0	0	0	23	0	23	4	10	0
V	73	55	58	70	5.7	6.2	5.4	68	12	5	6		0		14	12	1	5	2	0	14	1	1	0	1	1	0	1	15	3	27	2	8	0
VI	72	58	64	73	4.6	5.9	5.2	158	33	25	0		0		14	12	5	9	0	0	14	0	0	0	0	0	0	3	24	3	27	6	5	0
VII	75	54	65	75	5.3	4.9	4.3	40	14	21	0		0		12	7	1	3	0	0	12	0	0	1	0	0	0	8	22	5	31	6	3	0
VIII	82	60	71	78	5.8	4.8	4.5	55	12	25	0		0		13	10	2	1	0	0	13	0	0	0	0	0	0	1	20	5	29	4	4	0
IX	89	66	82	83	5.5	6.3	5.9	34	10	21	4		0		13	7	0	0	0	0	13	0	0	1	0	0	0	0	17	10	26	4	8	0
X	93	72	84	85	6.7	7.1	5.8	55	15	27	14		0		13	9	2	3	0	0	13	1	1	2	0	0	0	0	23	8	20	2	14	0
XI	90	85	87	88	7.0	6.3	5.8	20	14	17	29		10		9	3	1	2	1	0	5	6	2	3	0	0	0	0	14	15	15	3	11	9
XII	90	87	88	89	8.0	8.5	7.4	50	9	4	27		13		19	13	0	0	0	0	7	16	4	8	0	0	0	0	20	8	12	1	18	19
1945	84	69	76	81	6.4	6.4	5.6	608	33		182		43		154	97	16	28	5	1	105	61	11	15	1	2	0	13	240	71	257	39	122	114

H_s = 162 H_b = h_t = 2.0 h_a = h_d = h_r = 1.6

Hvam

I	87	85	88	87	8.3	7.0	7.0	37	13	20	31		12		15	8	1	5	1	0	0	15	0	0	0	0	0	0	23	1	12	4	18	27
II	92	81	88	88	7.2	7.2	6.9	48	17	21	25		6		13	9	1	2	1	0	4	13	0	0	0	0	0	0	15	5	10	2	16	28
III	88	65	76	80	5.7	5.0	4.0	20	8	21	28		1		7	4	0	3	1	1	6	5	5	0	0	0	0	0	15	7	24	7	7	22
IV	81	56	60	71	5.3	5.7	3.7	30	21	28	17		0		12	3	1	1	0	0	12	1	1	0	0	0	0	0	10	2	26	10	7	0
V	72	56	59	68	5.1	5.5	4.9	79	23	3	8		0		18	12	1	3	0	0	18	2	1	2	0	1	0	1	13	3	27	7	7	0
VI	71	57	63	71	3.9	5.2	4.2	77	22	26	0		0		16	11	3	7	2	0	16	0	0	0	0	0	0	5	14	1	27	11	6	0
VII	72	54	61	70	4.5	4.8	3.2	43	12	21	0		0		13	10	1	1	1	0	13	0	0	0	0	0	0	8	17	2	31	8	2	0
VIII	78	58	69	72	4.8	4.5	4.0	37	8	6	1		0		12	7	0	1	0	0	12	0	0	1	0	0	0	3	12	3	30	9	3	0
IX	91	63	76	81	6.3	6.1	5.5	36	11	21	6		0		11	8	2	0	0	0	11	0	0	4	0	0	0	0	11	8	25	4	9	0
X	94	73	84	86	7.0	7.4	5.7	51	16	27	14		0		10	9	2	0	0	0	10	0	0	3	0	0	0	0	16	5	21	3	12	0
XI	91	84	88	88	7.1*	6.5*	5.9*	23	19	17	27		3		7	3	1	1	0	0	5	3	1	2	0	0	0	0	12*	14*	15*	4*	12*	14
XII	89	86	88	88	8.2*	8.6*	7.8*	67	12	13	24		9		23	14	2				9	19	5	1	0	0	0	0	17*	5*	12*	1*	20*	29
1945	84	68	75	79	6.1	6.1	5.2	548	23		181		31		157	98	15				116	58	17	13	0	1	0	17	175	56	260	70	119	120

H_s = 157 H_b = h_t = 2.0 h_a = h_d = 11.6 h_r = 1.5

Sørmarka

I					8.2	7.5	6.6	26	7	20	31	27	12	0	16	8	0	4	0	0	2	15	0	3	0	0	0	0	3	3	9	4	18	31
II					8.1	8.5	6.8	54	13	21	24	11	5	0	15	10	2	1	0	0	8	11	1	7	0	0	0	0	3	9	12	1	17	28
III					6.0	5.3	4.5	21	8	21	23	0	0	0	8	4	0	2	0	0	8	2	2	3	0	0	0	0	3	7	23	8	8	24
IV					7.2	5.9	6.1	42	25	28	13	0	0	0	10	5	1	2	0	0	10	0	0	2	0	0	0	0	3	3	25	4	13	0
V					5.8	5.9	5.2	107	27	3	4	0	0	0	13	13	3	6	1	0	12	0	0	2	0	3	0	2	0	3	23	7	12	0
VI					5.1	6.6	5.3	82	14	26	0	0	0	4	17	14	2	0	0	0	17	0	0	0	0	1	0	3	0	1	27	6	9	0
VII					5.1	5.5	4.1	36	9	21	0	0	0	9	11	9	0	1	0	0	11	0	0	0	0	0	0	6	0	0	30	4	4	0
VIII					5.2	4.5	4.8	34	10	22	0	0	0	10	10	6	0	1	0	0	10	0	0	2	0	0	0	2	1	4	28	4	6	0
IX					5.8	6.7	5.3	58	15	23	3	0	0	0	11	7	2	0	0	0	11	0	0	1	0	0	0	0	3	5	23	1	8	0
X					7.1	7.1	6.8	70	23	26	13	0	0	0	13	10	3	0	0	0	13	0	0	6	0	0	0	0	1	7	18	4	17	0
XI					6.8	7.0	6.0	20	17	17	26	10	0	0	10	2	1	2	0	0	8	0	0	5	0	0	0	0	2	12	10	6	15	0
XII					7.8	7.6	7.6	76	15	18	25	15	7	0	19	14	2	2	0	0	9	15	4	4	0	0	0	0	3	5	9	3	18	18
1945					6.5	6.5	5.8	626	27		162	63	24	23	153	102	16	21	1	0	119	43	7	35	0	4	0	13	22	59	237	52	145	101

1945

Tryvasshøgda

φ = 59° 59′ N λ = 10° 41′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 7.1	- 6.2	- 7.1	- 7.0		- 8.8	1.2	2	-14.7	28	15	2.2	32₅	3.6	10₅	3.3	0	-	6	2.0	15	2.3	5₅	2.0	4₅	3.3	4
II			- 4.3	- 2.3	- 3.4	- 3.6		- 5.4	7.2	28	-12.6	1	5	3.2	2	2.5	4₅	2.4	7	2.1	33	2.1	18	2.6	5	2.9	0₅	2.0	9
III			0.9	4.5	1.2	1.6		- 1.4	11.2	23	- 5.4	4	10₅	3.0	5	2.3	0	-	4	1.8	13	1.5	34	2.1	12	2.2	14₅	3.2	0
IV			3.0	6.9	4.3	3.7		0.6	13.6	17	- 3.3	14	9	2.2	11	3.2	10	1.6	4	1.9	13	2.6	21₅	2.2	13₅	2.3	7	2.1	1
V			6.8	10.0	8.3	7.1		3.6	15.8	21	- 1.3	25	5₅	2.7	15₅	2.8	13	3.2	11	2.4	25₅	2.4	11	2.7	7₅	3.1	3	4.3	1
VI			11.7	14.3	12.7	11.6		8.2	25.1	22	1.2	17	1₅	3.7	11₅	2.9	10	2.0	11	2.7	26₅	2.6	15₅	2.5	4	2.1	9	2.6	1
VII			15.4	18.7	15.8	15.6		11.7	25.6	16	8.1	28	5	3.6	11	2.9	19	2.2	8₅	2.0	24₅	1.9	10	2.1	1₅	2.0	6₅	3.6	7
VIII			14.6	13.7	16.5	15.4		12.0	25.5	3	7.0	25	11₅	2.7	21₅	2.8	22	2.4	9	1.9	13₅	2.3	12	2.1	2	2.8	0₅	4.0	1
IX			7.8	11.5	9.1	8.7		6.0	18.4	4	0.3	29	7₅	2.6	7₅	2.2	16₅	1.7	10₅	3.2	26	2.5	15₅	2.4	0	-	4₅	2.4	2
X			4.3	6.7	4.7	4.8		2.5	18.3	2	- 2.4	11	10	2.2	10	2.4	10	1.9	10	3.0	11	2.0	22₅	2.2	11	2.4	5₅	2.5	3
XI			- 1.9	- 0.1	- 1.5	- 1.4		- 3.5	7.4	1	-11.6	11	12	3.1	29	3.0	7	2.1	3	1.0	3₅	2.0	12₅	2.9	13	2.6	7	2.4	3
XII			- 4.8	- 4.2	- 4.6	- 4.6		- 6.3	2.1	18	-12.1	24	9	2.8	18₅	2.6	20	2.0	12₅	1.9	11	2.1	6	2.1	6	2.6	5	3.2	5
1945			3.9	6.5	4.8	4.3		1.6	25.6		-14.7		101₅	2.7	17₅	2.9	142₅	2.2	90₅	2.3	206₅	2.2	193₅	2.3	81	2.5	67₅	2.9	37

Oslo (Blindern)

φ = 59° 56′ N λ = 10° 44′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	997.4	1009.6	- 5.9	- 4.2	- 5.2	- 5.3	- 2.5	- 7.9	2.3	17	-16.7	29	19	2.7	36	2.8	0₅	2.0	1	1.0	0	-	3₅	1.4	4₅	1.7	1₅	2.7	27
II	1000.8	12.9	- 2.9	0.0	- 0.9	- 1.7	1.0	- 4.0	10.0	28	-14.2	4	8	2.1	10	1.6	3	1.3	4	1.6	21₅	1.8	4₅	1.1	3₅	2.1	0₅	1.0	29
III	02.6	14.5	0.7	6.2	3.5	2.7	7.6	- 1.4	15.1	27	- 6.2	18	20	2.2	6₅	1.5	2	1.0	0	-	6₅	1.5	6	1.0	4₅	2.0	6₅	2.4	41
IV	00.0	11.7	5.0	10.3	8.2	6.3	11.5	1.8	16.8	9	- 3.1	12	23	2.2	3	2.0	2₅	1.2	4	1.6	20	1.6	7	1.4	8	2.3	6₅	2.4	16
V	999.6	11.2	9.5	12.9	12.3	10.0	15.2	5.8	20.8	21	0.5	26	10₅	2.5	20₅	2.1	2	2.0	6	1.8	23	1.7	9₅	1.5	7₅	2.5	1	4.0	13
VI	98.5	09.9	14.3	17.8	16.7	14.5	20.0	9.7	29.5	22	4.1	16	13	2.2	9	1.8	3₅	1.7	9₅	2.0	25	1.8	11	1.4	13₅	1.6	2₅	2.0	3
VII	1000.5	11.7	18.1	22.2	21.0	18.6	24.1	13.9	29.6	19	10.6	29	17₅	2.1	10	2.1	11	1.4	4	1.6	28	1.6	9	1.6	1₅	2.3	1	3.0	11
VIII	997.3	08.5	17.3	22.4	20.2	18.4	23.7	14.0	30.3	3	6.8	27	18₅	2.0	30	2.2	7₅	1.7	4	1.2	15	1.5	8	1.6	2₅	1.6	0₅	1.0	7
IX	1004.2	15.8	9.7	15.0	12.7	11.2	15.9	7.1	22.0	4	1.5	29	11	1.8	14₅	1.4	5	1.4	5	1.5	26₅	1.5	8₅	1.6	1₅	1.0	0	-	18
X	01.5	13.3	4.9	9.3	6.7	6.4	10.1	3.1	15.8	18	- 2.3	11	12₅	2.0	26	1.4	6₅	1.2	2	1.2	5₅	1.6	4₅	1.3	2₅	1.6	2₅	2.4	31
XI	09.0	21.2	- 1.5	1.0	- 0.4	- 0.6	2.2	- 3.0	11.1	1	-11.8	11	24₅	2.7	13₅	1.8	1	1.0	0	-	1₅	1.0	1	1.0	5₅	2.3	3	3.0	40
XII	999.2	11.3	- 2.3	- 1.5	- 2.4	- 2.3	0.2	- 4.4	4.8	18	-13.3	31	18₅	2.5	29	1.9	7	1.6	3₅	1.7	3	1.3	1₅	3.0	4	2.1	4₅	3.0	22
1945	1000.9	1012.6	5.6	9.3	7.7	6.5	10.8	2.9	30.3		-16.7		19⁶	2.3	208	2.0	51₅	1.5	43	1.7	175₅	1.6	74	1.4	59	2.0	30	2.6	258

Asker

φ = 59° 51′ N λ = 10° 26′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 5.8	- 4.5	- 5.5	- 5.6	- 2.7	- 8.5	3.4	2	-14.1	16	34₅	2.6	4	1.5	2	2.0	5	1.2	6	1.7	5	1.0	2	1.5	29₅	1.4	5
II			- 3.7	- 0.6	- 1.7	- 2.4	0.3	- 5.1	10.4	28	-16.6	4	18	2.2	0	-	5	2.4	16	1.5	20	1.4	3	1.0	2	2.5	8	1.6	12
III			1.8	6.2	3.1	2.8	7.4	- 1.5	13.7	23	- 6.9	19	23	2.4	3	1.3	0	-	9	1.7	14	1.6	5	1.8	14	1.9	14	2.7	11
IV			5.2	9.2	7.1	5.7	10.5	1.3	13.9	9	- 3.0	15	31	2.9	8	2.6	3	1.3	8	1.9	3	1.7	6	1.8	10	2.7	13	2.2	8
V			9.3	13.0	12.0	9.8	14.6	5.4	20.6	21	0.4	26	6	2.3	0	-	15	1.2	6	2.1	3	1.3	4	1.0	4	1.8	31	2.0	24
VI			14.3	17.7	16.3	14.5	19.9	10.3	29.4	23	6.2	6	9	2.1	4₅	1.7	7₅	1.4	14₅	1.3	20₅	1.3	7₅	1.5	6	1.2	18₅	1.6	2
VII			17.6	21.7	20.5	18.2	23.7	13.6	29.2	16	9.6	27	11	2.6	6	1.2	11₅	1.3	9	1.3	6	2.0	1	1.0	1	1.0	27₅	1.8	20
VIII			16.8	21.1	19.3	17.5	22.5	13.2	28.9	4	6.3	27	22₅	1.8	6	1.3	11₅	1.1	13	1.2	0₅	2.0	1	1.0	4₅	1.6	30	1.4	4
IX			9.5	14.0	11.8	10.6	15.7	7.0	22.9	4	3.0	26	21₅	1.6	0	-	5	1.8	19₅	1.4	5₅	1.5	0	-	2	1.2	23₅	1.4	13
X			5.7	8.8	6.5	6.4	10.1	3.2	15.5	18	- 0.8	22	26₅	1.8	6	1.0	5₅	1.4	6₅	1.1	1	2.0	0	-	0	-	23₅	1.5	24
XI			- 0.8	0.7	- 0.6	- 0.5	1.7	- 2.9	11.3	1	-11.0	11	37	2.1	4	1.4	1	1.0	1	1.0	0	-	0	-	1₅	3.0	16₅	2.0	29
XII			- 2.4	- 1.9	- 2.6	- 2.5	- 0.1	- 5.3	4.3	18	-14.6	17	29₅	1.6	0	-	3	1.0	6	1.3	0	-	2	1.0	1	1.0	19₅	1.4	32
1945			5.6	8.8	7.2	6.2	1.0	2.6	29.4		-16.6		269₅	2.2	41₅	1.5	70	1.4	113₅	1.4	79₅	1.5	34₅	1.1	48	1.9	254₅	1.8	184

Dikemark

φ = 59° 48′ N λ = 10° 23′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 6.8	- 5.0	- 7.2	- 6.8	- 2.8	-12.1	5.3	14	-23.7	31	2₅	1.0	5	1.2	12	1.0	0	-	2₅	1.0	2₅	1.0	20₅	1.2	11	1.1	37
II			- 5.2	- 0.4	- 2.6	- 3.4	0.2	- 7.7	11.6	28	-26.1	4	0₅	1.0	1₅	1.3	13₅	1.0	3	1.3	6₅	1.3	7	1.8	9₅	1.1	5₅	1.0	37
III			- 0.5	5.7	1.2	1.1	7.3	- 3.6	13.8	23	-11.0	18	3	2.0	1₅	1.0	9₅	1.0	7	1.0	1₅	1.0	3	1.0	14₅	1.3	28	1.4	25
IV			4.5	9.3	6.7	5.2	11.2	0.4	15.4	8	- 5.0	15	5	1.1	1	1.0	14₅	1.0	4	1.5	8	1.5	7₅	1.1	15	1.4	24	1.1	11
V			9.1	12.8	11.3	9.2	14.3	4.1	20.6	21	- 2.8	26	1₅	1.0	10	1.2	25	1.1	4₅	1.2	15	1.1	5	1.3	10₅	1.8	7₅	1.7	14
VI			13.6	17.2	15.3	13.5	19.0	8.3	28.6	22	3.4	6	3	2.0	3₅	1.0	23₅	1.1	11₅	1.3	15₅	1.5	8	1.3	9	1.0	7	1.6	9
VII			17.3	20.6	19.3	17.1	22.5	11.6	27.7	16	6.9	27	1₅	1.0	5	1.2	28	1.0	9₅	1.1	11	1.0	4₅	1.2	1	2.0	11₅	1.8	21
VIII			16.4	21.0	18.5	16.7	22.7	11.6	28.0	3	4.1	27	6	1.1	9	1.1	15	1.1	8	1.1	8	1.1	6	1.5	0₅	1.0	10₅	1.2	30
IX			9.1	14.0	11.0	10.0	14.9	5.4	23.5	4	0.4	29	1	1.5	2	1.0	9₅	1.0	8₅	1.6	14	1.3	8	1.2	3	1.0	8	1.1	36
X			4.4	9.0	5.7	5.6	9.7	1.7	14.6	18	- 2.9	22	1₅	1.0	1₅	1.0	9	1.0	0₅	1.0	4₅	1.0	4₅	1.2	8₅	1.1	8	1.1	55
XI			- 2.0	0.7	- 1.7	- 2.0	0.8	- 4.2	10.8	1	-13.7	11	1	1.0	4₅	1.2	9	1.0	0	-	0	-	2	1.0	11	1.8	14₅	1.4	48
XII			- 3.5	- 2.9	- 3.2	- 3.4	- 0.7	- 6.2	4.6	18	-21.1	16	5₅	1.4	2	1.0	20	1.0	1	1.5	3	1.2	3	1.0	15	1.2	8₅	1.1	35
1945			4.7	8.5	6.2	5.2	9.9	0.8	28.6		-26.1		32	1.3	46₅	1.1	188₅	1.0	57₅	1.3	89₅	1.3	61	1.3	118	1.3	144	1.3	358

Modum

φ = 59° 58′ N λ = 9° 58′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 7.9	- 4.9	- 6.6	- 6.8		-10.2	2.5	14	-21.1	29	29₅	1.0	0₅	2.0	14₅	1.6	0	-	1₅	1.0	5	1.1	24	1.2	18	1.3	0
II			- 4.4	- 1.3	- 2.2	- 3.1		- 6.2	11.5	28	-19.1	4	3	1.0	0	-	0	-	0	-	16₅	1.3	18	1.5	30	1.1	15₅	1.0	1
III			0.8	6.5	3.4	2.6		- 2.2	15.2	23	- 9.0	18	4	1.2	0₅	3.0	6₅	1.2	0₅	1.0	21₅	1.2	21	1.2	27₅	1.3	9₅	1.3	2
IV			4.6	10.4	7.8	5.9		0.9	15.0	9	- 6.0	12	3₅	1.6	2	2.7	7₅	2.0	0₅	2.0	17	1.4	23₅	1.3	22₅	1.4	12₅	1.3	1
V			8.5	13.4	11.6	9.2		3.9	20.5	21	- 2.7	25	4₅	1.7	6	1.6	19	1.7	5	1.6	28	1.2	17	1.4	11₅	1.3	2	1.7	0
VI			14.2	17.9	15.8	13.8		8.3	28.5	23	2.5	6	3	1.3	1₅	1.3	8	1.5	15	1.7	37₅	1.3	11	1.2	8₅	1.3	5₅	1.0	0
VII			17.2	22.5	20.1	17.6		11.8	29.9	19	6.3	26	7₅	2.0	6	1.7	9	1.3	9	1.1	40₅	1.2	12₅	1.4	4	1.2	4₅	1.2	0
VIII			16.3	23.3	19.5	17.5		11.7	31.0	4	3.9	27	8₅	1.4	9₅	2.0	25₅	1.5	8	1.2	20	1.1	12₅	1.2	7₅	1.1	1₅	1.0	0
IX			8.9	15.6	12.6	10.8		5.6	25.3	4	0.8	30	11	1.1	2₅	1.4	3	1.2	6	1.5	28	1.3	18₅	1.5	14	1.3	7	1.1	0
X			4.4	9.7	6.9	6.3		2.6	16.6	14	- 3.0	11	8₅	1.2	3	1.3	2	1.2	2	1.0	19₅	1.1	16₅	1.2	26	1.1	15₅	1.3	0
XI			- 2.7	1.1	- 1.6	- 1.5		- 4.7	12.9	1	-12.8	11	26	1.4	9	1.6	4₅	1.0	6₅	1.0	4	1.1	12	1.1	12₅	1.3	15₅	1.0	0
XII			- 3.8	- 1.9	- 2.8	- 3.0		- 5.3	5.0	19	-19.7	31	14₅	1.1	3	1.5	10₅	1.3	10₅	1.4	11	1.0	15	1.3	13₅	1.2	15	1.1	0
1945			4.7	9.4	7.0	5.8		1.4	31.0		-21.1		123₅	1.3	43₅	1.7	110	1.5	63	1.4	245	1.2	182₅	1.3	201₅	1.2	122	1.2	4

1945

Tryvasshøgda

$H_s = 512$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 20.3$ $h_r = 2.0$

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Døgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9														
I	84	83	84	84	7.5	7.3	6.0	31	7	20	31		10		20	8	0	8	0	0	0	20	0	0	0	0	0	0	15	9	9	4	17	31
II	88	85	90	88	8.0	7.7	7.7	61	12	8	27		4		16	11	3	4	0	0	0	15	0	0	0	0	0	0	4	21	13	0	15	28
III	77	62	74	73	5.3	5.5	3.8	23	9	20	19		0		8	4	0	3	0	0	6	6	4	2	2	0	0	0	4	7	26	7	5	31
IV	76	58	65	71	6.8	5.9	5.4	44	27	28	10		0		10	5	1	0	0	0	10	5	6	5	0	1	0	0	1	8	26	6	11	16
V	72	58	64	72	6.3	6.5	5.3	106	24	4	2		0		15	13	4	7	0	0	13	4	2	3	0	3	0	1	0	12	25	7	11	0
VI	72	62	67	73	5.2	7.0	5.7	84	24	5	0		0		16	10	2	3	0	0	16	0	0	2	0	1	0	3	1	9	23	4	8	0
VII	72	57	63	70	5.3	5.8	4.7	29	9	21	0		0		10	8	0	2	1	0	10	0	0	0	0	0	0	7	0	8	30	4	5	0
VIII	78	59	66	73	5.7	4.8	5.4	43	17	7	0		0		12	8	1	1	0	0	12	0	0	4	0	0	0	0	4	9	27	3	5	0
IX	81	65	76	77	6.2	6.5	5.8	68	23	23	0		0		14	9	2	0	0	0	14	0	0	5	0	0	0	0	1	13	20	5	10	0
X	81	72	80	79	7.3	7.2	6.6	56	27	26	7		0		11	9	2	2	0	0	11	1	1	7	0	0	0	0	2	12	16	5	16	0
XI	85	79	84	83	5.8	5.9	3.4	31	26	17	27		2		9	2	1	5	1	0	4	4	0	5	0	0	0	0	2	12	17	8	6	14
XII	87	86	87	87	7.7	7.7	7.8	105	21	18	30		5		23	16	4	4	0	0	6	22	3	5	0	0	0	0	7	13	10	3	18	31
1945	79	69	75	78	6.4	6.5	5.6	681	27		153		21		164	103	20	39	2	0	102	77	16	38	2	5	0	11	41	133	242	56	127	151

Oslo (Blindern)

$H_s = 94$ $H_b = 95.6$ $h_t = 2.0$ $h_a = 25.2$ $h_d = 25.6$ $h_r = 1.5$

Måned	U_m 8	14	19	Døgn	N_m 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	80	81	81	8.5	7.7	6.5	26	8	20	31	26	7	0	16	5	0	3	1	1	0	16	0	0	0	0	0	0	15	12	11	3	18	23
II	90	82	87	88	8.5	8.6	7.6	53	13	21	25	10	3	0	16	12	1	0	0	0	9	13	5	6	2	0	0	0	12	12	12	0	17	28
III	83	67	71	76	6.7	6.6	5.5	20	7	20	21	0	0	0	8	4	0	3	1	0	8	2	2	2	2	0	0	0	11	11	24	4	9	11
IV	76	56	60	68	7.3	7.0	6.7	35	23	28	9	0	0	0	8	4	1	1	0	0	8	0	0	4	0	0	0	0	11	1	26	3	14	0
V	72	56	59	69	6.6	7.1	6.0	109	38	3	0	0	0	0	15	12	4	2	0	0	15	0	0	4	0	4	0	1	10	0	27	4	10	0
VI	72	61	62	70	6.2	7.4	6.4	63	13	26	0	0	0	6	17	12	1	0	0	0	17	0	0	0	0	0	0	2	7	1	27	2	11	0
VII	69	56	58	66	6.3	6.3	6.0	17	5	21	0	0	0	14	9	7	0	0	0	0	9	0	0	0	0	0	0	7	4	0	31	2	6	0
VIII	74	56	62	69	6.6	6.5	6.5	34	12	17	0	0	0	10	8	7	1	0	0	0	8	0	0	3	0	0	0	0	9	0	28	0	9	0
IX	83	62	69	74	6.9	7.1	6.8	47	15	23	0	0	0	0	12	8	2	0	0	0	12	0	0	4	0	0	0	0	13	3	27	1	12	0
X	86	72	80	81	8.1	7.9	7.0	67	17	26	5	0	0	0	11	9	2	0	0	0	11	0	0	6	0	0	0	0	16	7	17	1	15	0
XI	88	81	85	86	7.2	7.4	6.1	20	17	17	23	9	1	0	6	2	1	1	1	0	4	3	1	4	0	0	0	0	12	13	14	4	14	0
XII	84	82	84	83	8.1	8.0	7.5	73	15	13	23	14	4	0	18	12	3	1	0	0	9	15	4	4	0	0	0	0	15	10	12	4	20	14
1945	80	68	72	76	7.2	7.3	6.6	564	38		137	59	15	30	144	94	16	11	3	1	110	49	12	37	4	4	0	10	135	70	256	28	155	76

Asker

$H_s = 157$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 2.0$

Måned	U_m 8	14	19	Døgn	N_m 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.4	6.8	5.8	15	6	20	31	23	11	0	14	4	0	0	0	0	0	14	0	1	0	0	0	0	2	12	5	3	16	31
II					8.0	7.5	7.0	73	21	8	27	13	5	0	14	9	3	0	0	0	2	13	0	2	0	0	0	0	5	17	4	2	16	28
III					6.0	4.8	4.0	18	11	20	23	0	0	0	4	3	1	0	0	0	4	2	1	1	0	0	0	0	8	11	18	6	4	31
IV					5.6	4.8	4.2	34	27	28	10	0	0	0	6	4	1	0	0	0	6	0	0	1	0	1	0	0	4	9	21	4	3	4
V					4.6	4.4	4.2	73	19	3	0	0	0	0	12	8	2	0	0	0	12	0	0	1	0	0	0	1	1	9	23	8	6	0
VI					5.2	6.3	4.6	73	25	5	0	0	0	5	16	10	3	0	0	0	16	0	0	0	0	0	0	2	3	1	28	7	6	0
VII					5.2	4.5	4.0	22	6	8	0	0	0	12	8	8	0	1	0	0	8	0	0	0	0	0	0	5	0	2	29	6	4	0
VIII					5.7	5.2	3.7	37	8	22	0	0	0	8	12	11	0	1	0	0	12	0	0	4	0	0	0	0	0	5	25	5	4	0
IX					6.6	5.6	6.0	56	18	23	0	0	0	0	10	7	2	0	0	0	11	0	0	0	0	0	0	0	0	10	23	3	8	0
X					7.4	6.3	6.1	94	31	26	3	0	0	0	9	9	3	0	0	0	9	0	0	4	0	0	0	0	5	10	12	4	14	0
XI					6.1	6.8	5.0	18	18	7	23	9	1	0	2	1	1	2	0	0	1	1	1	1	0	0	0	0	0	15	9	5	13	0
XII					7.4	7.3	7.7	103	19	18	25	17	4	0	17	14	4	0	0	0	10	11	3	3	0	0	0	0	2	10	7	4	20	19
1945					6.3	5.9	5.2	616	31		142	62	21	25	124	88	20	4	0	0	91	41	5	18	0	1	0	8	30	111	204	57	114	113

Dikemark

$H_s = 180$ $H_b =$ $h_t = 2.0$ $h_a = 15.3$ $h_d = 15.0$ $h_r = 2.0$

Måned	U_m 8	14	19	Døgn	N_m 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	82	84	84	7.6	7.4	6.3	38	17	20	31	24	17	0	13	9	1	0	0	0	0	13	0	0	0	0	0	0	7	0	7	4	17	
II	89	83	90	88	7.1	7.4	6.9	67	15	8	28	13	11	0	13	10	2	0	0	0	1	13	1	0	0	0	1	0	11	6	13	2	15	
III	84	64	77	79	5.6	4.7	4.2	24	10	20	27	0	1	0	5	4	1	0	0	0	5	2	1	0	0	0	0	0	3	8	22	7	5	
IV	77	57	63	70	5.4	5.2	4.7	40	24	28	13	0	0	0	8	5	1	0	0	0	8	0	0	2	0	1	0	0	2	2	24	7	7	
V	70	56	62	69	4.9	5.3	4.4	89	26	3	5	0	0	0	13	10	4	0	0	0	13	1	1	1	0	1	0	0	1	0	25	8	7	
VI	71	60	65	72	5.0	5.2	4.6	73	19	5	0	0	0	4	15	12	1	0	0	0	15	0	0	1	0	0	0	1	3	2	23	8	8	
VII	71	58	62	69	4.5	4.6	3.5	46	10	13	0	0	0	9	11	10	1	0	0	0	11	0	0	1	0	0	0	4	0	0	27	9	2	
VIII	75	57	68	73	4.9	3.9	3.5	33	7	7	0	0	0	10	13	10	0	0	0	0	13	0	0	1	0	0	0	0	0	3	24	10	6	
IX	87	62	76	78	5.3	5.5	5.3	53	17	23	0	0	0	0	11	7	1	0	0	0	11	0	0	1	0	0	0	0	0	5	21	6	5	
X	89	70	84	83	7.0	6.5	6.8	72	25	26	7	0	0	0	10	9	3	0	0	0	10	0	0	3	0	0	0	0	0	4	11	5	14	
XI	87	79	86	85	6.2	6.8	6.0	25	17	17	26	9	1	0	5	3	1	0	0	0	5	2	2	1	0	0	0	0	1	8	9	6	11	
XII	86	84	85	85	7.5	7.3	7.9	101	16	18	25	17	6	0	20	14	2	0	0	0	5	18	2	4	0	0	0	0	0	5	3	4	19	
1945	81	67	75	78	5.9	5.8	5.3	661	26		162	63	36	23	137	103	18	0	0	0	97	49	7	15	0	2	1	5	28	43	209	76	116	

Modum

$H_s = 133$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 6.6$ $h_r = 1.3$

Måned	U_m 8	14	19	Døgn	N_m 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	76	79	80	7.6	6.1	7.6	38	10	20	31		14		11	8	1	0	0	0	0	11	0	0	0	0	0	0	0	5	18	3	15	31
II	88	78	81	83	8.2	7.9	7.3	45	11	8	25		6		13	8	2	0	0	0	3	10	0	3	0	0	0	0	1	11	14	0	17	28
III	78	59	66	70	6.0	4.9	4.1	17	6	21	22		0		7	3	0	0	0	0	4	5	1	4	0	0	0	0	0	6	29	6	4	31
IV	75	47	54	65	6.1	5.4	5.9	19	12	28	10		0		8	3	0	0	0	0	8	0	0	3	0	0	0	0	0	2	26	4	9	0
V	70	50	58	68	6.1	5.5	4.7	138	57	3	4		0		14	8	3	0	0	0	13	2	0	2	0	0	0	0	1	1	27	6	9	0
VI	67	54	62	69	5.0	5.5	5.8	74	15	26	0		0		18	12	2	0	0	0	17	0	0	1	0	2	0	8	2	1	26	5	6	0
VII	68	50	55	65	4.5	5.0	4.0	44	22	13	0		0		10	4	2	0	0	0	10	0	0	0	0	0	0	5	0	2	31	4	5	0
VIII	73	49	60	68	5.5	4.5	4.5	32	11	7	0		0		14	9	1	0	0	0	14	0	0	0	0	0	0	4	0	2	29	2	7	0
IX	83	56	66	72	5.6	5.9	5.9	44	9	19	0		0		11	9	0	0	0	0	11	0	0	7	0	0	0	0	0	5	24	6	8	0
X	88	69	77	79	8.3	6.1	7.1	53	16	26	6		0		10	8	2	0	0	0	10	2	2	3	0	0	0	0	0	6	19	3	15	0
XI	86	82	84	84	7.4	6.1	6.2	14	8	17	28		3		6	3	0	0	0	0	5	2	0	4	0	0	0	0	0	10	13	3	13	14
XII	85	83	84	84	8.5	8.3	8.5	63	17	18	25		4		18	13	1	0	0	0	6	14	1	2	0	0	0	0	0	11	8	1	23	21
1945	79	63	69	74	6.6	5.9	6.0	581	57		151		27		140	88	14	0	0	0	101	46	4	29	0	2	0	17	4	62	264	43	131	125

1945

Nesbyen

φ = 60° 34′ N λ = 9° 6′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-12.0	-10.1	-11.2	-11.6		-15.9	5.6	14	-25.5	29	5	1.5	9	1.6	3	1.3	3	1.3	2	2.5	5	1.8	4	3.0	26	2.4	35
II			- 8.4	- 3.9	-.5.3	- 6.5		-10.9	10.8	28	-26.6	2	1	1.0	11	2.2	2	1.0	7	1.9	3	1.1	7	1.8	2	2.2	23	1.7	26
III			- 1.2	7.1	3.7	1.9		- 3.4	13.6	23	-12.0	6	2	2.0	7	1.6	4	1.1	7	1.7	4	1.3	9	2.3	15	2.4	22	2.4	21
IV			3.4	10.9	7.5	5.4		- 0.1	17.6	17	- 6.4	12	13	3.5	15	2.1	3	1.7	13	3.0	2	3.4	10	2.7	4	2.4	23	2.8	4
V			7.5	13.6	11.1	8.3		2.6	21.5	21	- 3.2	25	4	3.8	9	1.7	8	1.8	18	2.7	8	3.5	12	2.7	8	2.4	13	2.6	12
VI			12.8	18.7	16.2	13.3		7.1	29.7	22	0.9	17	9	3.9	6	2.2	0	2.0	17	3.0	4	3.0	13	3.1	6	2.0	13	2.6	19
VII			16.5	22.5	19.9	17.0		10.5	30.3	15	4.5	27	4	2.7	7	1.9	3	1.7	14	2.7	9	2.3	10	2.1	5	1.8	21	2.1	17
VIII			13.8	21.7	18.7	15.8		10.0	29.7	4	2.8	29	6	3.2	11	2.1	2	1.0	11	2.1	7	1.9	4	1.5	6	1.9	19	1.5	25
IX			6.3	14.7	11.0	9.0		4.0	24.8	4	- 2.8	29	2	2.6	10	1.7	4	1.2	11	2.6	3	2.8	13	2.1	4	1.6	12	1.9	30
X			2.8	8.4	5.4	4.8		1.0	15.0	6	- 4.6	11	0	-	2	1.0	3	2.1	8	2.1	4	1.6	8	1.6	28	1.8	5	2.4	33
XI			- 7.4	- 4.0	- 5.9	- 6.1		- 9.1	6.6	8	-19.9	23	0	-	4	1.9	3	1.3	1	1.0	3	1.0	6	1.2	6	1.5	20	2.0	46
XII			- 6.7	- 5.4	- 6.4	- 6.4		-10.1	3.4	2	-27.9	31	6	1.6	1	1.3	1	1.3	1	1.0	1	1.7	2	1.4	7	1.5	21	2.3	50
1945			2.3	7.9	5.4	3.7		- 1.2	30.3		-27.9		55	2.9	94	1.9	39	1.5	114	2.5	54	2.3	101	2.2	97	2.0	222	2.2	318

Geilo

φ = 60° 32′ N λ = 8° 13′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-10.3	- 8.4	-10.4	-10.1		-14.1	2.0	14	-23.8	22	1	5.0	0	-	20	2.6	2	4.5	0	-	2	5.0	21	3.9	6	2.6	40
II			- 6.7	- 3.3	- 5.5	- 5.7		- 9.6	4.8	28	-23.5	1	0	-	0	-	3	2.0	1	1.0	0	-	5	2.4	31	4.3	2	2.0	41
III			- 0.9	2.4	0.6	0.3		- 3.0	8.5	25	-13.8	18	0	-	0	-	0	-	0	-	0	-	2	2.5	49	3.2	14	4.0	27
IV			1.6	4.8	2.4	1.7		- 1.8	10.0	16	- 8.2	12	0	-	0	-	8	2.4	4	2.0	0	-	4	3.2	56	2.9	8	2.9	10
V			4.6	7.3	6.4	4.6		0.7	14.0	22	- 6.2	25	0	-	0	-	12	2.5	8	2.2	3	2.7	6	2.8	45	2.8	8	2.2	11
VI			9.7	13.0	11.4	9.4		4.5	24.2	23	- 0.9	6	1	3.5	1	2.0	9	2.2	5	1.8	0	-	2	2.8	42	2.7	3	3.4	26
VII			13.5	17.4	15.8	13.3		7.5	26.4	15	2.1	25	2	3.5	1	2.0	14	1.6	7	1.9	7	2.0	7	2.7	11	2.6	3	3.4	40
VIII			12.1	17.5	15.3	12.9		7.3	23.8	3	0.6	27	3	4.0	3	2.3	18	1.5	9	1.8	0	-	4	2.5	19	2.4	1	3.0	36
IX			4.5	10.6	8.8	6.6		1.8	20.1	3	- 1.1	1	3	2.3	0	-	9	1.6	1	5.0	4	2.3	1	2.0	38	2.3	1	4.0	33
X			2.3	6.3	3.9	3.7		0.8	12.2	2	- 3.2	11	0	3.0	0	-	11	1.5	0	-	0	-	1	2.0	37	2.2	8	2.4	35
XI			- 1.0	- 0.6	- 2.8	- 1.9		- 6.2	7.7	1	-12.5	22	0	-	0	-	6	1.7	3	2.7	1	3.0	1	4.0	30	2.9	1	1.7	47
XII			- 7.5	- 6.1	- 7.0	- 7.1		- 9.7	0.8	21	-21.8	31	0	-	0	-	16	2.2	1	2.0	1	4.0	1	6.0	22	3.0	0	6.0	51
1945			1.8	5.1	3.2	2.3		- 1.8	26.4		-23.8		10	3.4	5	2.2	126	2.0	41	2.2	16	2.4	36	2.9	404	2.9	59	3.0	397

Haugastøl

φ = 60° 31′ N λ = 7° 52′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-11.9	-11.0	-12.2	-12.1		-16.8	- 0.1	1	-28.5	22	4	2.1	6	2.6	9	3.5	2	3.0	0	1.0	5	4.6	17	2.4	19	2.6	29
II			- 7.9	- 5.4	- 6.7	- 7.2		-11.6	2.3	28	-29.7	13	1	1.7	1	1.0	2	2.6	6	1.9	1	3.0	9	3.5	16	3.5	9	2.8	37
III			- 3.0	- 0.1	- 1.7	- 2.3		- 5.5	6.0	27	-12.7	1	2	2.5	0	-	0	1.0	2	1.8	6	2.8	14	3.4	12	2.9	37	3.5	18
IV			- 1.0	2.0	- 0.2	- 0.9		- 4.9	7.6	16	-13.8	6	4	1.7	2	3.0	2	2.0	3	1.7	1	1.7	7	3.0	15	2.8	25	3.0	28
V			2.2	5.8	3.6	2.1		- 2.5	14.0	21	- 9.8	6	1	1.0	1	3.0	11	3.1	14	3.0	3	1.0	10	2.0	27	2.1	5	1.8	18
VI			7.4	10.7	8 6	7.2		3.0	23.0	23	- 1.9	6	0	1.0	0	-	0	2.0	14	1.7	4	2.5	12	2.4	30	2.6	18	2.3	10
VII			11.6	15.2	13.7	11.7		7.1	25.8	15	2.9	26	2	2.4	1	3.3	0	2.0	20	1.9	4	2.4	7	1.9	19	2.1	26	2.7	11
VIII			11.4	15.8	13.6	11.8		6.8	24.0	4	2.4	29	1	1.0	1	1.0	3	1.2	28	1.5	1	1.7	5	1.8	22	2.3	8	2.1	22
IX			5.3	9.1	7.1	6.2		2.5	18.1	3	- 0.4	1	3	2.0	2	1.0	5	2.0	21	1.7	4	1.0	8	1.1	18	1.8	20	2.4	6
X			2.4	4.6	3.0	2.9		0.5	11.6	3	- 3.6	11	4	1.4	1	1.0	3	1.7	11	1.7	2	1.0	7	1.5	28	2.5	2	2.9	11
XI			- 4.5	- 2.2	- 3.5	- 3.1		- 6.8	4.8	1	-16.0	21	3	1.3	1	2.0	2	2.6	4	3.0	0	-	3	2.5	19	2.3	20	3.7	36
XII			- 8.4	- 7.5	- 8.6	- 8.5		-12.4	1.6	18	-28.8	31	4	3.9	1	2.0	3	2.7	24	1.5	0	3.0	8	4.8	15	3.1	6	2.5	30
1945			0.3	3.1	1.4	0.6		- 3.4	25.8		-29.7		31	2.0	19	2.2	44	2.6	153	2.0	29	2.0	99	2.7	241	2.5	221	2.9	256

Dagali

φ = 60° 25′ N λ = 8° 26′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-10.8	- 9.5	-10.8	-10.7		-14.2	- 1.2	1	-23.0	19	0	-	0	-	14	1.2	1	1.0	0	-	2	1.0	49	1.8	6	1.6	20
II			- 7.0	- 3.6	- 5.2	- 5.8		- 9.4	3.6	28	-23.3	13	0	-	0	-	9	1.2	1	1.0	0	-	7	1.4	41	2.0	3	1.9	22
III			- 1.9	1.6	- 0.5	- 1.0		- 3.8	9.8	25	-12.2	18	0	-	0	-	1	1.0	0	-	0	-	9	1.9	73	1.7	2	2.0	8
IV			0.1	3.6	1.3	0.6		- 2.8	9.2	16	- 9.0	14	0	-	0	-	0	-	4	1.5	1	3.0	9	1.6	67	1.5	0	-	8
V			3.4	6.5	5.5	3.6		- 0.1	13.2	22	- 6.4	25	0	-	0	-	5	1.5	23	1.4	3	1.4	21	1.4	36	1.5	0	-	3
VI			9.0	12.2	10.6	8.7		4.2	22.7	22	- 1.6	17	0	-	0	-	3	1.0	18	1.3	0	-	14	1.4	39	1.5	0	-	15
VII			12.9	16.4	14.9	12.8		8.0	25.1	15	2.7	26	0	-	0	-	3	1.0	15	1.3	8	1.2	19	1.0	36	1.5	1	1.0	11
VIII			11.6	16.7	14.5	12.4		7.4	23.1	4	1.4	29	0	-	0	-	11	1.1	20	1.2	4	1.0	8	1.3	36	1.3	0	1.0	13
IX			4.8	10.4	7.5	6.4		2.3	19.0	3	- 1.4	1	0	-	0	-	7	1.2	9	1.6	1	1.3	14	1.4	37	1.2	0	-	20
X			2.2	6.4	3.1	3.4		0.7	14.0	2	- 4.4	11	0	-	0	-	4	1.5	3	1.0	0	1.0	11	1.2	55	1.5	0	2.0	18
XI			- 4.0	- 1.0	- 2.2	- 2.7		- 5.7	6.2	1	-13.5	10	0	-	0	-	3	1.0	2	1.0	0	-	5	1.6	52	1.5	0	-	27
XII			- 6.7	- 6.0	- 7.2	- 6.8		-10.1	1.6	2	-20.1	31	0	-	0	-	15	1.1	6	1.0	0	1.0	2	1.5	37	1.4	1	1.0	30
1945			1.1	4.5	2.6	1.7		- 2.0	25.1		-23.3		0	-	0	-	76	1.2	103	1.3	19	1.3	124	1.4	562	1.5	15	1.6	195

Svene

φ = 59° 46′ N λ = 9° 35′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-10.7	- 7.2	- 9.7	- 9.8		-14.9	5.6	2	-27.8	29	37	2.2	0	-	0	-	4	1.2	4	1.6	0	2.0	6	1.4	31	1.9	9
II			- 6.3	- 0.9	- 3.3	- 4.2		- 8.8	13.1	28	-26.4	4	13	1.6	1	1.5	0	-	12	1.4	16	1.7	2	2.5	3	1.2	21	1.4	16
III			- 1.1	8.0	2.1	1.8		- 3.8	14.5	23	-11.4	6	20	2.6	0	-	0	-	10	1.4	18	1.3	1	1.0	1	2.0	25	1.7	17
IV			3.8	10.3	7.3	5.1		- 0.9	16.8	17	- 7.1	12	23	2.0	2	1.5	0	-	6	1.6	7	1.5	0	-	1	2.0	32	2.1	17
V			8.3	12.9	11.5	8.5		2.4	19.8	21	- 4.2	26	25	1.9	3	1.5	4	1.6	19	1.7	13	1.6	0	-	0	1.0	21	1.7	5
VI			13.5	17.2	16.2	13.1		6.9	26.5	22	- 0.3	17	14	1.7	1	1.0	2	1.2	28	1.9	20	1.9	1	1.0	0	3.0	17	2.1	4
VII			16.9	21.0	20.5	17.0		10.6	27.8	15	3.8	26	18	2.0	4	1.3	5	1.1	17	1.6	19	1.5	0	-	0	-	19	2.1	9
VIII			14.6	21.4	18.5	16.0		10.2	29.3	4	1.9	27	40	1.6	2	1.8	2	1.2	15	1.4	11	1.9	0	-	0	-	19	1.8	3
IX			7.5	14.9	11.0	9.4		4.1	23.4	4	0.9	29	21	1.4	2	1.2	5	1.2	14	1.8	16	2.2	0	-	1	1.0	18	1.3	11
X			2.9	9.8	5.3	5.2		1.2	17.8	2	- 4.5	11	27	1.2	3	1.0	4	1.0	11	1.6	7	2.0	0	-	3	2.2	25	1.6	11
XI			- 4.4	- 0.2	- 2.4	- 3.1		- 6.5	12.8	1	-15.7	11	31	2.1	0	-	2	1.0	1	1.7	2	1.4	0	-	6	1.9	46	1.6	0
XII			- 4.4	- 3.4	- 4.5	- 4.3		- 7.1	2.8	2	-23.8	31	32	1.6	1	1.5	1	2.0	8	2.0	6	1.4	0	1.0	2	2.5	37	1.5	5
1945			3.4	8.6	6.0	4.6		0.6	29.3		-27.8		304	1.8	20	1.4	27	1.2	148	1.6	142	1.7	5	1.6	25	1.6	315	1.7	107

Årsoversikter

(Annual Summaries)

1945

Nesbyen

H_s = 164 H_b = h_t = 2.0 h_a = h_d = 11 h_r = 1.7

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	86	88	87	7.5	7.0	7.0	9	3	7	31		25		13	2	0	1	0	0	1	13	0	0	0	0	0	0	7	0	7	3	16	31
II	92	84	88	89	8.7	7.9	6.8	30	12	8	26		16		16	7	1	2	0	0	2	15	1	0	0	0	0	0	8	6	13	0	17	28
III	87	58	67	75	5.3	5.2	5.0	9	5	21	26		1		8	3	0	2	0	0	4	7	2	0	0	0	0	0	0	1	27	8	7	17
IV	78	49	54	66	6.6	5.5	5.7	14	6	29	16		0		8	3	0	2	0	0	8	1	1	1	0	0	0	0	2	1	26	5	11	0
V	76	50	56	70	6.3	6.3	5.6	131	50	4	6		0		12	8	6	3	0	0	12	1	1	2	0	2	0	1	6	1	23	5	11	0
VI	72	52	57	70	6.0	6.4	6.5	81	26	26	0		0		14	9	3	1	0	0	14	0	0	1	0	0	0	1	4	0	26	3	8	0
VII	72	50	55	60	4.7	6.4	5.7	29	7	3	0		0		11	8	0	2	0	0	11	0	0	0	0	0	0	4	0	0	31	4	3	0
VIII	82	54	60	72	6.6	6.0	5.9	49	21	7	0		0		15	8	1	0	0	0	15	0	0	0	0	0	0	1	2	3	30	2	7	0
IX	91	61	72	79	6.3	6.6	6.6	43	9	15	4		0		13	9	0	0	0	0	13	0	0	0	0	0	0	0	9	4	21	4	15	0
X	90	71	81	83	7.8	7.4	6.7	34	9	30	10		0		10	7	0	1	0	0	10	1	1	2	0	0	0	0	8	3	20	3	17	1
XI	92	86	90	90	6.4	6.0	4.2	12	8	17	29		12		6	4	0	1	0	0	1	5	0	1	0	0	0	0	5	2	9	6	9	14
XII	88	85	88	88	7.7	8.5	7.5	51	14	18	30		13		21	10	1	0	0	0	5	18	1	0	0	0	0	0	11	6	0	2	18	28
1945	84	66	71	77	6.7	6.6	6.1	492	50		178		67		147	78	12	15	0	0	96	61	7	7	0	2	0	7	62	27	233	45	139	119

Geilo

H_s = 795 H_b = h_t = 1.9 h_a = h_d = h_r = 2.6

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.7	6.5	5.8	25	5	20	31		24		13	7	0	9	3	0	0	12	0	0	0	0	0	0	2	0	7	5	13	31
II					7.6	6.8	6.2	55	14	8	27		12		20	13	1	10	3	0	3	18	3	0	0	1	0	0	2	0	9	1	11	28
III					5.0	4.8	4.6	20	10	1	21		1		7	4	0	12	2	0	3	7	2	1	0	0	0	0	1	0	21	6	5	31
IV					5.0	5.3	5.6	13	3	2	21		0		8	5	0	5	1	0	3	7	2	0	0	0	0	0	0	0	21	5	8	11
V					5.6	4.9	5.1	99	35	4	11		0		13	10	4	5	0	0	13	5	5	0	0	2	0	1	1	0	22	5	6	6
VI					5.7	5.9	6.4	92	17	27	1		0		16	12	4	4	0	0	16	0	0	0	0	1	0	2	1	0	21	3	9	0
VII					4.7	5.4	4.8	29	12	3	0		0		8	7	1	2	0	0	8	0	0	0	0	0	0	1	0	0	29	3	4	0
VIII					5.5	5.4	4.5	38	16	7	0		0		14	6	2	1	0	0	14	0	0	0	0	0	0	0	3	0	23	3	7	0
IX					5.7	5.8	6.0	48	9	18	4		0		15	12	0	1	0	0	15	2	2	2	0	0	0	0	5	2	17	4	9	0
X					6.9	6.0	6.4	48	10	30	15		0		9	7	0	2	1	0	7	6	4	1	0	0	0	0	4	5	17	1	9	7
XI					6.8	5.0	4.4	29	11	17	28		7		6	5	1	2	0	0	3	5	1	3	0	0	0	0	1	2	15	6	9	22
XII					7.4	7.5	7.2	54	13	18	31		14		21	15	1	4	3	0	1	21	0	2	0	0	0	0	9	2	6	3	18	31
1945					6.0	5.8	5.6	550	35		190		58		150	103	14	57	13	0	86	83	19	9	0	4	0	4	29	11	208	45	108	167

Haugastøl

H_s = 990 H_b = h_t = 2.0 h_a = h_d = 7.8 h_r = 2.4

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	81	82	82	6.5	6.5	6.2	33	5	7	31		25		15	9	0	4	1	0	0	15	0	0	0	0	0	0	14	4	17	3	10	31
II	87	84	85	85	8.8	8.0	8.1	71	16	28	28		11		21	16	1	3	0	0	5	21	2	2	1	0	0	0	12	4	13	1	19	28
III	81	74	77	79	6.5	6.0	7.4	30	11	20	29		3		9	5	1	7	5	2	2	8	0	3	0	0	0	0	2	4	26	3	10	31
IV	72	64	71	72	6.4	5.9	6.5	24	9	1	29		5		13	4	0	2	0	0	6	11	3	4	0	0	0	0	0	0	26	3	10	30
V	74	64	67	72	6.0	5.5	6.0	85	24	4	21		0		13	11	2	2	1	0	10	7	2	0	0	0	0	1	1	3	27	5	9	8
VI	71	58	67	73	6.0	6.2	6.9	91	16	27	3		0		16	13	2	1	0	0	15	2	2	0	0	0	0	1	0	0	27	3	10	0
VII	69	50	58	67	5.2	5.8	6.2	23	7	8	0		0		11	6	0	0	0	0	11	0	0	0	0	0	0	0	0	0	31	1	6	0
VIII	76	54	60	68	5.8	5.3	5.4	60	19	7	0		0		9	8	2	0	0	0	9	0	0	1	0	0	0	1	2	0	29	1	5	0
IX	79	61	70	73	6.6	6.2	7.0	63	11	23	1		0		15	15	1	0	0	0	15	4	2	0	0	0	0	0	6	0	26	3	12	0
X	79	71	76	76	7.5	7.0	6.9	50	13	10	15		0		11	8	2	5	1	0	7	8	7	1	0	0	0	0	4	2	20	0	12	3
XI	82	75	78	79	7.6	5.7	4.8	43	13	17	28		8		11	7	2	3	0	0	4	8	0	2	0	0	0	0	7	4	21	2	8	15
XII	85	84	85	85	7.5	7.5	7.3	59	9	18	31		18		15	13	0	3	1	1	5	15	3	4	0	0	0	0	12	2	8	3	18	31
1945	78	68	73	76	6.7	6.3	6.6	632	24		216		70		159	115	13	30	9	3	89	99	21	17	1	0	0	3	60	23	271	28	129	177

Dagali

H_s = 887 H_b = h_t = 2.0 h_a = h_d = 11.2 h_r = 1.3

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	80	83	82	6.5	6.1	6.5	26	7	4	31		25		20	6	0	0	0	0	0	20	0	0	0	0	0	0	6	0	17	5	12	31
II	86	80	85	85	7.8	7.2	6.6	29	6	8	27		9		22	10	0	2	0	0	3	21	1	0	0	0	0	0	5	0	19	1	12	28
III	80	69	76	77	5.7	4.9	5.8	9	2	21	25		1		9	4	0	1	0	0	1	9	0	0	0	0	0	0	1	0	28	6	10	31
IV	75	61	70	73	5.4	5.2	5.4	15	4	28	23		1		9	6	0	0	0	0	4	7	1	0	0	0	0	0	0	0	28	5	7	30
V	75	65	67	73	5.8	5.2	5.5	100	44	4	17		0		15	9	3	0	0	0	9	6	0	0	0	0	0	1	1	0	26	8	11	10
VI	75	59	65	74	5.7	6.4	6.8	89	24	27	3		0		15	10	3	0	0	0	15	0	0	0	0	1	0	2	0	1	25	3	11	0
VII	73	56	61	70	4.8	6.1	5.8	44	18	9	0		0		12	6	2	0	0	0	12	0	0	0	0	0	0	3	0	0	30	3	5	0
VIII	84	59	64	75	5.5	5.9	4.3	32	9	25	0		0		13	9	0	0	0	0	13	0	0	0	0	0	0	3	0	5	29	3	6	0
IX	85	61	69	75	6.0	6.3	6.6	35	9	18	6		0		16	9	0	0	0	0	15	1	0	0	0	0	0	0	2	3	24	3	11	0
X	85	69	80	80	7.6	6.8	6.3	40	9	27	16		0		10	6	0	0	0	0	5	6	0	0	0	0	0	0	1	4	22	2	14	7
XI	84	77	80	81	5.8	5.7	5.0	17	7	17	26		4		9	3	0	0	0	0	2	7	0	0	0	0	0	0	0	1	22	5	11	30
XII	87	85	86	86	7.6	7.6	7.2	39	9	18	31		13		25	14	0	0	0	0	1	25	1	0	0	0	0	0	1	0	11	4	19	31
1945	81	68	74	78	6.2	6.1	6.0	475	44		205		53		175	92	8	3	0	0	80	102	3	0	0	1	0	9	17	14	281	48	129	198

Svene

H_s = 176 H_b = h_t = 1.9 h_a = h_d = 8.5 h_r = 1.6

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	84	85	86	7.2	7.4	7.1	46	12	20	31		19		15	9	1	2	0	0	0	15	0	0	0	0	0	0	1	0	12	3	16	31
II	90	77	85	86	7.3	7.6	7.0	43	9	8	26		11		14	9	0	0	0	0	4	13	0	4	0	0	0	0	3	12	13	1	14	28
III	85	50	74	76	6.0	4.7	5.1	17	7	20	29		1		7	3	0	4	0	0	4	4	0	2	0	0	0	0	1	5	23	5	7	31
IV	72	44	54	64	6.8	6.4	6.0	15	12	28	17		0		7	2	1	1	0	0	7	1	1	0	0	1	0	0	1	3	30	3	12	8
V	68	49	55	65	5.8	6.9	6.0	172	60	4	9		0		14	12	3	2	1	0	13	5	2	2	0	1	0	1	2	6	27	4	9	0
VI	66	54	59	66	5.8	6.9	6.0	100	22	5	1		0		18	13	4	0	0	0	18	0	0	2	0	1	0	3	3	2	28	3	8	0
VII	67	50	53	62	5.2	6.8	4.9	27	9	21	0		0		7	6	0	2	0	0	7	0	0	0	0	0	0	5	0	5	31	4	7	0
VIII	77	51	65	72	6.7	6.0	5.6	43	20	8	0		0		12	9	1	0	0	0	12	0	0	1	0	0	0	5	2	6	26	1	8	0
IX	88	54	74	85	6.8	7.2	6.7	53	11	23	2		0		12	7	1	2	0	0	12	0	0	4	0	0	0	0	1	19	23	2	15	0
X	94	64	84	84	8.1	7.2	6.8	74	27	26	10		0		14	9	2	1	0	0	14	2	2	8	0	0	0	0	1	15	17	0	16	0
XI	88	75	84	84	6.4	6.3	5.4	20	15	17	28		9		5	3	1	2	0	0	4	3	2	2	0	0	0	0	0	5	20	7	13	14
XII	86	83	87	86	7.5	8.3	8.1	67	12	18	26		6		23	12	2	1	0	0	5	20	1	5	0	0	0	0	6	12	6	3	19	27
1945	81	61	72	76	6.6	6.8	6.2	677	60		179		46		148	94	16	17	1	0	100	63	8	30	0	3	0	14	21	90	256	36	144	139

80750

1945

Kongsberg

φ = 59° 40′ N λ = 9° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 9.1	- 6.5	- 8.2	- 8.3	- 4.5	-11.8	2.8	17	-21.7	29	39 1.7	2s 2.6	0 -	0 -	2s 1.0	1 1.5	3 2.8	38 2.2	7
II			- 5.4	- 1.1	- 2.6	- 3.5	- 0.2	- 6.6	11.8	28	-18.9	4	9s 1.5	0 -	0 -	4 1.0	27s 1.4	9s 2.1	4s 2.0	17 1.8	12
III			0.0	7.5	4.3	2.9	8.5	- 1.7	15.9	23	- 7.0	6	12s 1.2	0s 1.0	0 -	0s 1.0	28s 1.3	4 1.4	8s 2.5	27s 2.3	11
IV			4.0	11.5	8.9	6.5	12.1	1.9	19.3	17	- 3.1	12	17s 1.5	2s 2.2	1 2.5	3 1.5	16 1.5	2s 2.2	7s 2.3	31 2.1	9
V			9.1	14.3	12.2	10.0	15.1	5.0	21.0	21	- 0.5	26	15 1.8	5 2.0	4 2.0	7 2.0	30s 2.0	6 2.2	4s 2.9	17 2.3	4
VI			13.9	19.0	16.0	15.3	19.9	12.8	29.7	22	4.5	17	5 2.0	2s 2.0	1 2.0	7s 2.2	29 2.3	6 2.9	10s 2.6	23s 2.4	5
VII			17.1	22.3	19.9	17.9	23.3	13.0	28.8	19	7.9	26	7s 2.1	3s 2.7	7 2.1	7s 2.2	25s 1.9	4s 3.4	4s 2.8	19 2.3	14
VIII			15.4	22.4	19.6	17.3	23.2	12.4	29.6	3	6.3	27	22 2.0	6s 2.5	6 2.0	1s 2.0	15s 2.3	6 2.7	2s 2.6	21 2.5	12
IX			7.4	15.4	11.6	10.2	15.6	6.1	23.2	4	0.5	29	17s 1.3	3s 1.6	1 1.0	2s 1.6	22 2.1	8s 2.4	2s 2.0	11s 1.3	21
X			4.0	9.7	6.2	6.0	10.1	2.9	17.4	2	- 2.1	11	17s 1.3	2s 1.6	2 1.5	1s 1.7	16 1.3	8 1.8	4 3.2	22s 2.2	19
XI			- 3.2	- 0.9	- 1.9	- 2.3	1.3	- 4.8	10.7	1	-13.7	11	40 1.5	5s 1.8	1 1.0	0s 1.0	8s 1.2	2s 2.8	7 3.5	13 2.9	12
XII			- 3.6	- 2.6	- 3.7	- 3.4	- 1.0	- 5.3	4.0	2	-17.6	31	25 1.9	7s 1.7	6s 1.3	3s 2.1	6s 1.8	5s 1.4	0s 4.0	21 1.9	17
1945			4.1	9.2	6.9	5.7	10.3	2.0	29.7		-21.7		228 1.6	42 2.0	29s 1.8	39 1.9	228 1.8	64 2.2	59s 2.7	262 2.2	143

Gaustatoppen

φ = 59° 51′ N λ = 8° 40′ E g = 9.815 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			-14.8	-13.8	-14.3	-14.5		-16.3	- 4.4	12	-21.1	28	10s 4.5	29 5.3	12 4.8	1 3.0	1 2.5	3 3.7	15s 4.5	19 4.7	2
II			- 9.5	- 9.0	- 9.3	- 9.6		-11.4	- 2.4	28	-17.0	2	3s 5.0	5 3.9	1s 4.0	0 -	2 4.0	7 5.0	34 4.4	28 4.7	3
III			- 6.1	- 4.7	- 5.7	- 5.9		- 8.1	1.8	23	-16.0	2	11 4.5	2s 4.0	0 -	0 -	1 1.0	6 4.0	36 4.5	36s 5.0	0
IV																					
V																					
VI																					
VII																					
VIII																					
IX																					
X			- 1.6	- 0.6	- 1.5	- 1.6		- 3.5	9.3	3	-10.7	11	6 2.8	0 -	0 -	2 2.5	2 4.2	3s 3.6	46s 3.2	30 3.4	3
XI			- 5.5	- 4.9	- 4.9	- 5.4		- 7.7	2.0	1	-13.9	9	4s 4.7	17 3.5	11 3.5	3s 3.6	2s 3.0	5 3.8	39 4.0	5s 4.5	2
XII			-10.9	-10.8	-10.7	-10.9		-12.5	- 3.3	18	-19.9	12	11 3.4	11s 3.0	7s 4.3	3s 2.4	10 3.4	19 4.3	29s 4.6	1 6.0	0

Horten

φ = 59° 25′ N λ = 10° 28′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 4.2	- 3.1	- 3.6	- 3.8		- 5.8	3.0	2	-13.1	29	22 3.5	22s 4.8	1 4.0	3 1.7	2 2.0	12 2.2	16s 2.4	13 2.5	1
II			- 2.0	0.8	- 0.4	- 0.8		- 3.0	10.6	28	-11.5	4	8 2.6	2 2.8	2s 1.8	14s 2.5	24 2.5	11 2.1	8 2.1	13 2.2	1
III			1.7	6.5	3.9	3.3		0.0	12.0	21	- 4.4	5	18 2.6	2 1.5	0 -	6s 2.1	20 1.8	12s 2.0	10 2.0	23 2.5	1
IV			6.3	10.9	8.1	7.1		3.3	17.8	8	- 1.2	15	17 2.9	9 2.4	1s 2.7	9s 2.7	21 2.5	6s 2.7	7 3.4	18s 3.4	0
V			9.8	13.7	12.3	10.2		6.0	19.3	11	0.1	26	24 2.4	12 2.7	4 3.0	16s 2.8	16 3.0	7s 2.9	7s 3.2	5s 2.9	0
VI			14.8	17.9	16.3	14.8		10.8	28.1	22	6.0	6	11 2.5	8s 2.6	2s 2.6	20 2.8	22 3.2	16 2.8	3 3.8	7 2.6	0
VII			18.3	21.5	20.0	18.3		14.1	27.8	16	10.4	1	20 2.6	14 2.8	4s 2.1	22s 2.6	16s 2.5	3 2.2	2 2.8	9s 2.6	1
VIII			17.6	21.8	19.7	18.1		13.8	27.9	12	7.7	27	31s 2.6	15 3.5	4 2.8	10 1.2	13 2.7	7 4.1	6s 2.0	5 2.3	1
IX			11.1	14.9	12.1	11.6		7.8	21.3	4	2.4	29	13 2.7	11s 2.5	5 2.2	15 2.2	23 2.3	13s 1.9	5 2.0	3 2.3	1
X			6.8	9.9	7.4	7.5		4.6	16.0	14	0.4	11	14 2.6	12 2.9	0s 2.0	12 2.0	18s 2.0	19s 2.4	4 2.0	6s 2.7	6
XI			1.0	2.3	1.4	1.4		- 0.2	11.8	1	- 5.7	11	29s 3.1	8 3.3	1 2.5	3s 3.3	4 2.6	8s 2.9	9 2.8	24s 2.5	2
XII			- 0.8	- 0.3	- 0.9	- 0.8		- 2.5	5.2	18	- 9.8	31	21 3.0	18 3.5	8 2.1	9 2.5	2 2.5	3s 2.4	16s 2.9	12 2.5	3
1945			6.7	9.7	8.0	7.2		4.1	28.1		-13.1		229 2.8	134s 3.3	34s 2.4	142 2.4	182 2.5	120s 2.5	95 2.6	140s 2.6	17

Ås

φ = 59° 40′ N λ = 10° 46′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 6.5	- 4.3	- 6.0	- 5.9		- 9.1	1.4	17	-20.8	29	26s 2.0	15s 3.3	6 1.4	3s 1.3	9 2.5	3s 2.6	1 1.0	17 2.2	11
II			- 3.9	0.3	- 1.3	- 2.1		- 5.1	9.7	28	-20.2	4	3s 1.9	4 1.8	2s 1.2	20 1.8	24s 2.2	10s 2.5	4 1.5	5 1.6	10
III			0.0	6.8	3.0	2.5		- 2.0	15.2	23	- 7.3	18	11s 2.2	3s 2.1	3 1.0	15 1.4	19 1.9	9s 1.7	5s 1.6	14 1.7	12
IV			4.8	10.5	7.6	6.0		1.2	16.5	10	- 3.6	15	12 2.3	6s 2.5	3s 1.6	6s 1.2	24s 2.3	5 2.4	15 2.5	15 2.2	2
V			9.4	13.3	12.2	9.7		4.6	19.2	21	- 0.5	25	8s 2.3	10 2.2	7s 1.9	8s 1.9	28s 2.6	11 3.3	8 2.9	11 2.7	0
VI			14.2	17.8	16.3	14.3		9.3	28.1	22	3.5	6	3 3.0	7 2.1	5 1.9	9 3.0	32 3.1	15 2.8	7 1.6	10 2.1	2
VII			17.7	21.7	20.4	17.8		12.1	28.2	16	7.4	27	6s 2.8	12s 2.8	5s 2.7	10s 2.2	15s 2.2	10 2.3	13s 1.7	16 2.1	3
VIII			16.7	22.1	19.9	17.7		12.3	27.8	3	4.3	27	17 2.1	14s 2.5	13 1.8	9s 1.2	13 2.6	3s 1.7	4 1.5	12s 1.6	6
IX			8.8	15.1	11.7	10.4		5.5	21.6	3	- 0.7	29	9s 1.3	7 1.1	5s 1.6	16s 2.0	20 2.3	6s 1.8	9s 1.5	9s 1.7	6
X			3.9	9.7	6.4	6.0		2.1	15.6	15	- 3.5	12	7s 1.7	6s 2.0	8s 1.5	11 1.9	14s 2.4	3s 1.6	6 1.6	8s 1.5	27
XI			- 1.4	1.2	- 0.5	- 0.5		- 3.0	11.2	1	- 8.6	11	20 2.1	9 1.8	2s 1.0	4 2.0	4 2.0	2 1.0	5s 1.6	21 1.2	22
XII			- 3.2	- 1.8	- 3.1	- 2.9		- 5.4	4.6	17	-17.0	16	15s 1.7	10 2.1	9 1.9	6 2.2	5s 1.9	2s 3.0	8s 1.8	18 1.5	18
1945			5.0	9.4	7.2	6.1		1.9	28.2		-20.8		141 2.0	106 2.3	71s 1.7	120 1.8	210 2.4	82s 2.4	87s 1.9	157s 1.9	119

Eidsberg

φ = 59° 30′ N λ = 11° 17′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 6.3	- 4.3	- 5.1	- 5.5		- 8.6	2.7	2	-19.2	30	37 2.2	20 2.5	0 -	7s 2.1	27 2.2	0s 2.0	0 -	1 4.0	0
II			- 2.9	- 0.1	- 1.3	- 1.9		- 4.9	9.0	28	-18.4	4	12 2.0	3 3.0	1 2.0	9 2.2	56s 2.2	0s 2.0	0 -	0 -	2
III			0.6	6.2	2.1	2.2		- 1.8	16.0	23	- 6.6	5	42 2.3	1 4.0	0 -	6s 1.8	29 2.1	1s 2.0	0s 3.0	9s 2.5	3
IV			4.7	9.5	6.4	5.4		0.8	16.6	9	- 4.7	12	25 2.6	3 3.0	0 -	7 2.0	32 2.4	4 2.2	0 -	19 2.6	0
V			8.7	13.3	10.2	8.9		4.2	20.2	21	- 0.7	7	26s 2.5	2s 3.0	0 -	13 2.5	38 2.7	2 2.2	0 -	11 2.9	0
VI			14.2	17.3	14.8	13.5		8.6	27.4	22	1.2	17	5 2.4	0 -	0 -	3 2.5	74s 2.6	1s 3.0	0 -	4 1.5	2
VII			16.8	21.4	20.0	17.2		11.4	28.9	16	6.3	26	27 2.3	5s 2.5	4 2.0	7 2.2	34s 2.2	4s 2.3	0s 4.0	10 2.4	0
VIII			16.4	21.6	19.0	17.3		12.3	28.4	3	4.4	27	37s 2.1	6 3.3	0s 2.0	11s 2.3	25 2.2	2 2.8	0 -	8s 1.8	2
IX			8.5	14.1	11.2	10.0		5.6	19.3	8	- 1.2	30	22 1.9	3 2.3	0 -	17 2.1	24 2.4	1 5.0	0 -	15 1.8	8
X			5.2	9.6	6.1	6.3		2.4	15.3	2	- 3.7	12	28 2.0	0 -	0 -	11 1.9	44s 2.1	1s 2.0	0 -	6 1.5	2
XI			- 1.1	0.6	0.0	- 0.5		- 2.5	10.2	1	- 8.4	11	46s 2.2	1 2.0	0 -	11 2.2	13 2.0	0 -	0 -	4s 2.7	14
XII			- 3.3	- 2.3	- 3.0	- 3.1		- 5.3	3.4	2	-15.2	16	34s 2.3	15s 2.4	2 1.5	26 2.3	5 2.6	0 -	0 -	8 2.5	2
1945			5.1	8.9	6.7	5.8		1.8	28.9		-19.2		343 2.2	60s 2.6	7s 1.9	129s 2.2	40s 2.3	19 2.5	1 3.5	96s 2.3	35

Årsoversikter

(Annual Summaries)

1945

Kongsberg

$H_s = 170$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 6.0$ $h_r = 1.7$

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.4	7.7	6.5	56	15	20	31	26	18	0	15	11	1	2	0	0	0	15	0	0	0	0	0	0	10	4	13	2	15	31
II					7.8	8.4	7.0	51	10	8	24	14	7	0	16	9	1	0	0	0	2	16	1	0	0	0	0	0	5	15	15	0	16	28
III					6.8	5.6	5.0	18	6	21	24	0	0	0	5	5	0	2	0	0	5	3	2	0	0	0	0	0	6	5	26	1	5	31
IV					6.2	6.0	5.8	23	12	28	8	0	0	0	7	4	1	1	0	0	7	0	0	0	0	1	0	0	3	3	26	3	9	4
V					6.1	6.4	5.9	170	63	4	1	0	0	0	16	14	4	0	0	0	16	1	1	0	0	1	0	1	2	7	28	2	11	0
VI					6.5	6.2	6.0	88	21	5	0	0	0	5	19	13	2	0	0	0	19	0	0	0	0	0	0	2	6	6	29	0	10	0
VII					4.9	5.9	4.9	35	8	13	0	0	0	11	9	8	0	2	0	0	9	0	0	0	0	0	0	4	3	1	31	3	5	0
VIII					5.7	6.2	5.5	54	23	8	0	0	0	9	10	8	2	0	0	0	10	0	0	0	0	0	0	1	4	6	29	0	7	0
IX					6.1	7.2	6.0	51	13	23	0	0	0	0	13	9	1	0	0	0	13	0	0	0	0	0	0	0	8	5	24	2	8	0
X					7.3	7.1	6.3	73	32	26	4	0	0	0	11	10	1	0	0	0	11	0	0	0	0	0	0	0	4	12	23	0	12	0
XI					6.1	6.6	4.3	21	16	17	28	7	6	0	6	3	1	3	0	0	4	4	2	0	0	2	0	0	12	2	21	4	9	17
XII					7.7	8.5	7.7	75	11	18	26	13	4	0	23	15	1	0	0	0	11	19	7	0	0	0	0	0	12	12	9	3	21	31
1945					6.6	6.8	5.9	715	63		146	60	35	25	150	109	15	10	0	0	107	58	13	0	0	4	0	8	75	78	274	20	128	142

Gaustatoppen

$H_s = 1828$ $H_b = 1828.8$ $h_t = 2.1$ $h_a =$ $h_d =$ $h_r = 1.3$

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.0	7.7	6.1	429	122	4	31		28		28	22	8	18	10	6	0	26	0	0	0	0	0	0	0	27	15	3	14	31
II					8.3	8.2	8.1	159	22	5	28		17		26	23	6	17	7	2	0	26	0	0	0	0	0	0	0	27	9	1	18	28
III					7.3	6.3	7.3	172	42	3	31		10		22	16	5	16	8	5	0	22	0	0	1	0	0	0	2	26	18	2	15	31
IV																																		
V																																		
VI																																		
VII																																		
VIII																																		
IX																																		
X	86	86	88	87	7.8	7.3	7.8	41	12	30	28		1		12	9	1	3	0	0	7	9	0	6	0	0	0	0	0	22	23	1	16	8
XI					6.1	6.3	5.1	22	6	17	30		8		10	5	0	6	2	0	1	9	0	0	0	0	0	0	1	17	24	5	7	30
XII	92	92	92	92	8.1	8.1	8.2	205	43	18	31		20		25	24	8	13	1	0	0	25	0	0	0	0	0	0	0	27	13	3	20	31
1945																																		

Horten

$H_s = 15$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	80	80	81	7.8	7.6	5.9	41	21	20	31		4		19	7	1	11	0	0	0	19	0	0	0	0	0	0	6	1	13	4	17	26
II	90	81	87	87	7.2	7.8	7.1	74	17	8	21		1		13	9	3	2	0	0	6	11	1	6	0	0	0	0	10	7	13	0	15	28
III	82	65	72	75	7.0	5.5	4.6	28	14	20	13		0		8	4	1	2	1	0	8	1	0	5	0	0	0	0	5	11	28	4	7	22
IV	73	53	61	67	7.1	5.9	5.2	30	23	28	4		0		12	2	1	6	0	0	12	0	0	1	0	0	0	0	7	2	29	4	10	0
V	73	56	61	71	6.0	5.9	5.2	77	23	4	0		0		18	13	2	5	1	0	18	0	0	2	0	0	0	2	6	0	28	7	8	0
VI	71	60	64	71	5.8	6.0	6.0	73	18	5	0		0		19	12	3	1	0	0	17	0	0	3	0	2	1	7	5	0	27	5	7	0
VII	70	58	63	68	5.6	5.3	4.7	59	25	9	0		0		11	5	3	2	0	0	11	0	0	0	0	0	0	4	0	1	31	3	4	0
VIII	75	57	67	72	5.6	4.8	4.4	45	12	17	0		0		12	8	1	4	0	0	12	0	0	0	0	0	0	1	2	1	30	3	4	0
IX	83	61	77	78	6.4	6.3	6.0	95	17	23	0		0		16	10	4	1	0	0	14	0	0	2	0	0	0	2	2	1	27	4	11	0
X	85	70	81	80	7.9	7.2	6.3	76	29	26	0		0		12	9	2	3	0	0	11	0	0	3	0	0	0	0	6	1	23	0	12	0
XI	84	80	82	82	7.5	7.3	7.1	26	18	17	14		0		7	3	1	7	4	2	6	2	0	1	0	0	0	0	4	10	22	2	16	0
XII	84	82	83	83	8.0	8.5	7.4	113	20	18	23		0		21	16	4	5	1	1	11	15	3	6	0	0	0	0	10	3	7	3	21	14
1945	79	67	73	76	6.8	6.5	5.8	737	29		106		5		168	98	26	49	6	3	125	48	4	29	0	2	1	16	63	38	278	39	132	90

Ås

$H_s = 95$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 7.4$ $h_r = 1.7$

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	88	85	87	87	7.5	7.6	6.6	26	14	20	31		10		17	4	1	0	0	0	1	17	0	0	0	0	0	0	12	8	14	5	16	21
II	91	85	88	89	7.2	7.8	7.1	46	10	21	26		5		15	10	1	1	0	0	4	11	0	4	0	0	0	0	9	12	13	0	16	28
III	86	67	76	79	6.0	5.5	4.5	25	12	21	24		0		11	4	1	2	0	0	11	2	1	4	1	0	0	0	3	11	27	7	6	14
IV	81	62	63	72	6.5	5.9	5.1	39	27	28	10		0		11	4	1	1	0	0	8	2	0	3	0	0	0	1	7	4	29	4	6	0
V	75	60	62	71	5.4	5.7	4.7	96	22	4	3		0		15	14	3	4	0	0	15	0	0	1	0	1	0	1	6	2	28	7	7	0
VI	76	64	68	75	5.2	5.8	5.9	90	23	26	0		0		18	13	3	0	0	0	18	0	0	2	0	1	0	2	3	4	30	5	7	0
VII	74	60	62	70	4.7	4.9	4.4	41	13	20	0		0		10	9	1	4	0	0	10	0	0	0	0	0	0	7	2	3	31	4	0	0
VIII	81	57	65	74	5.4	3.9	4.3	38	10	7	0		0		11	6	1	0	0	0	11	0	0	2	0	0	0	1	8	4	30	5	4	0
IX	86	65	76	79	5.0	6.0	5.0	61	17	23	1		0		12	7	3	0	0	0	12	0	0	2	0	0	0	0	10	4	28	4	7	0
X	93	72	84	85	6.7	6.6	5.7	75	30	26	8		0		11	9	3	0	0	0	11	0	0	2	0	0	0	0	5	5	22	3	11	0
XI	90	83	87	88	6.8	6.4	6.5	20	18	17	25		0		6	2	1	2	0	0	6	0	0	4	0	0	0	0	5	15	17	5	14	0
XII	92	87	82	90	7.3	7.1	6.6	84	20	18	25		4		18	14	2	1	0	0	8	13	0	8	0	0	0	0	10	10	13	4	17	18
1945	84	71	75	80	6.1	6.1	5.5	641	30		153		19		155	96	21	15	0	0	115	45	1	32	0	3	0	12	80	82	282	53	111	81

Eidsberg

$H_s = 140$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 9.1$ $h_r = 1.6$

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					8.2	8.0	7.5	38	11	20	31		11		16	8	2	0	0	0	2	16	0	1	0	0	0	0	3	1	10	2	20	25
II					8.4	7.5	7.7	33	9	8	25		4		9	6	0	1	0	0	2	8	0	0	0	0	0	0	7	5	13	0	16	28
III					6.8	5.9	4.8	15	5	1	22		0		9	5	0	2	0	0	8	3	0	0	0	0	0	0	4	4	25	4	7	0
IV					6.9	6.3	5.6	21	17	28	10		0		11	2	1	0	0	0	11	0	0	0	0	0	0	1	3	4	24	5	12	0
V					6.4	6.3	5.7	97	32	4	5		0		17	12	2	1	0	0	16	0	0	0	0	2	0	3	6	3	23	7	12	0
VI					6.0	6.4	5.6	85	27	5	0		0		14	13	2	0	0	0	14	0	0	0	0	4	0	6	7	0	24	4	9	0
VII					4.5	5.3	4.0	64	25	21	0		0		14	10	1	2	0	0	14	0	0	0	0	0	0	5	4	0	31	6	2	0
VIII					4.9	5.8	4.8	91	29	23	0		0		10	9	4	0	0	0	10	0	0	0	0	0	0	1	3	2	29	4	6	0
IX					5.8	6.2	6.2	80	18	21	2		0		14	11	4	0	0	0	14	0	0	0	0	0	0	1	6	2	22	3	9	0
X					7.4	6.8	6.4	64	24	26	7		0		10	9	1	0	0	0	10	0	0	1	0	0	0	0	7	1	17	4	16	0
XI					7.4	8.0	6.6	28	20	17	25		0		7	3	1	1	0	0	6	3	2	0	0	0	0	0	3	11	10	4	19	0
XII					7.9	8.1	6.9	55	15	18	24		6		21	10	1	0	0	0	8	14	0	0	0	0	0	0	2	6	9	2	19	15
1945					6.7	6.7	6.0	671	32		151		21		152	98	19	7	0	0	115	44	2	2	0	6	0	17	55	39	237	45	147	68

1945

Råde (Tomb)

φ = 59° 19′ N λ = 10° 49′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 5.6	- 2.9	- 4.5	- 4.7		- 8.4	4.2	2	-21.7	30	9s	3.3	29s	3.4	6s	3.6	0	-	8s	2.4	12s	3.3	0	-	1s	2.0	25
II			- 2.9	0.7	- 0.5	- 1.3		- 4.2	8.5	28	-20.8	4	4	2.5	11	2.0	6	1.3	4	1.2	25	2.9	6s	2.3	2s	1.8	0	-	25
III			1.4	6.5	4.3	3.3		- 0.7	14.6	27	- 5.0	4	3	1.0	4s	1.9	7	1.1	0s	3.0	18	2.0	17	2.9	6	3.1	6	3.0	31
IV			5.8	10.2	7.9	6.6		2.6	17.3	8	- 4.5	12	3	4.0	6s	3.2	1s	1.7	0s	2.0	11s	2.6	19s	2.5	18s	3.5	9	2.7	20
V			9.5	13.0	11.7	9.5		4.7	18.8	21	- 1.0	25	12	2.5	2	2.5	9	3.0	2	1.0	18s	2.8	23s	2.6	4s	3.0	2s	2.8	19
VI			14.8	17.0	16.1	14.3		10.1	26.0	21	5.0	6	0s	1.0	6	2.2	7s	2.0	2s	2.0	20s	2.5	31	2.1	14	1.9	0	-	8
VII			18.3	20.5	19.9	17.7		12.5	27.0	19	7.6	29	6	3.8	6s	2.1	10s	2.2	3	2.3	16	2.4	30	2.3	4s	1.9	5s	3.1	11
VIII			17.4	21.5	19.2	17.6		12.6	27.1	12	5.3	27	9s	3.2	16s	2.7	11s	3.0	1	2.5	19s	1.7	13	1.5	3	1.5	9	1.7	10
IX			10.5	14.9	12.5	11.2		6.6	19.2	7	- 0.1	29	2s	2.0	2s	1.6	9s	1.9	0	-	12s	2.2	28s	2.1	4	1.9	6s	1.5	24
X			5.3	10.2	7.5	7.0		2.8	15.8	14	- 3.7	17	6s	1.6	4s	1.4	11	1.1	0s	1.0	14s	2.2	17s	2.0	0s	1.0	4	1.2	34
XI			0.1	2.3	0.8	1.2		- 2.0	11.2	1	- 7.3	11	3s	1.3	9	1.4	8	1.1	0	-	9s	1.5	13s	1.6	1	6.0	34s	2.1	11
XII			- 1.5	- 0.8	- 1.7	- 1.5		- 4.2	4.9	18	-15.7	16	3	2.2	14s	1.8	29s	1.9	1	2.5	6s	1.8	11s	1.7	0	-	4	1.4	23
1945			6.1	9.4	7.8	6.7		2.7	27.1		-21.7		63	2.7	113	2.5	117s	2.0	15	1.8	181s	2.3	223	2.3	58s	2.6	82s	2.1	241

Brekke Sluse

φ = 59° 9′ N λ = 11° 34′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 6.0	- 3.7	- 5.0	- 5.1		- 8.4	4.4	2	-22.7	29	3	1.0	42	1.4	11	1.3	2	1.0	0	-	13	1.8	0	-	8	1.4	14
II			- 3.3	0.3	- 1.6	- 1.9		- 4.8	8.2	28	-22.9	4	0	-	12	1.2	4	1.0	8	1.0	0	-	23	1.4	3	3.3	6	1.8	28
III			0.1	6.0	2.7	2.0		- 2.5	15.0	25	- 7.2	5	0	-	25	1.1	0	-	0	-	0	-	24	1.2	17	1.9	14	2.0	13
IV			3.8	8.7	7.1	4.8		0.0	15.0	19	- 6.7	12	0	-	22	1.2	2	1.0	0	-	0	-	35	1.3	14	1.3	5	1.0	12
V			9.2	13.6	9.9	8.7		3.2	19.8	13	- 2.0	26	11	1.3	19	1.1	7	1.0	15	1.0	0	-	21	1.5	3	1.0	13	1.3	4
VI			14.2	17.0	15.3	13.5		8.7	27.0	22	3.0	17	0	-	0	-	11	1.3	2	1.0	0	-	45	1.4	19	1.4	6	1.7	7
VII			17.4	20.8	20.2	17.5		12.0	28.4	16	8.0	26	5	1.6	3	1.0	9	1.0	39	1.1	2	1.5	16	1.2	13	1.2	0	-	6
VIII			16.0	20.7	18.8	17.0		12.9	27.4	4	5.0	27	3	1.0	15	1.7	20	1.3	22	1.1	0	-	6	1.2	15	1.5	6	1.3	6
IX			8.3	13.5	11.2	9.8		5.8	17.6	7	0.0	29	4	1.2	14	1.1	0	-	21	1.2	4	1.0	18	1.3	8	1.2	2	1.0	19
X			5.1	9.2	5.4	6.0		2.5	13.0	9	- 2.2	17	5	1.0	26	1.0	4	1.0	2	1.0	1	1.0	24	1.2	0	-	11	1.2	20
XI			0.9	2.2	1.2	1.2		- 0.9	10.2	1	- 9.7	12	5	1.8	40	1.4	9	1.0	5	1.2	0	-	9	1.8	1	3.0	6	1.8	15
XII			- 2.8	- 2.0	- 2.7	- 2.6		- 4.9	3.6	4	-18.1	31	7	1.4	19	1.7	23	1.3	16	1.2	0	-	3	1.0	0	-	5	1.2	20
1945			5.2	8.9	6.9	5.9		2.0	28.4		-22.9		43	1.3	237	1.3	100	1.2	132	1.1	7	1.1	237	1.4	93	1.5	82	1.5	164

Ferder

φ = 59° 2′ N λ = 10° 32′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1007.7	1008.8	- 1.7	- 0.9	- 0.9	- 1.3	0.8	- 3.1	6.7	2	- 9.2	29	24	3.3	28s	4.2	7	3.1	0	-	1	4.5	9s	4.2	15s	3.7	3s	2.4	4
II	12.1	13.2	- 0.3	0.4	0.5	0.0	1.5	- 1.2	6.6	28	- 6.4	1	7s	2.7	4	3.0	7	2.1	12	2.0	14s	2.9	27	4.3	2s	2.4	1s	1.0	8
III	13.8	14.9	2.7	4.3	4.1	3.3	5.7	1.7	10.5	10	- 0.9	12	16	2.9	3s	2.4	1	2.0	0	-	10s	2.6	29s	3.6	9s	2.9	8	4.0	15
IV	11.1	12.2	5.8	8.0	7.5	6.5	9.0	4.8	14.2	8	1.8	6	17s	2.9	4s	2.9	2s	1.8	0s	3.0	8s	2.9	29	3.2	10	2.6	6s	2.5	11
V	10.5	11.6	8.9	11.1	10.5	9.5	12.4	7.9	15.7	21	2.8	2	19	3.4	13s	3.1	4	3.4	5	3.7	8	2.8	27	4.3	6s	3.9	1	7.0	9
VI	09.6	10.7	13.3	15.6	14.9	13.9	16.7	12.2	23.2	21	8.7	17	7	2.9	5s	2.4	3	2.7	3	3.2	16s	3.0	36s	3.9	5s	3.6	4	4.0	9
VII	11.0	12.1	17.5	19.7	19.3	18.1	21.1	16.1	25.7	16	13.1	28	13s	3.7	17	3.4	4s	2.0	2s	2.6	12s	1.9	25	3.4	6	2.9	3	2.5	9
VIII	07.2	08.3	17.1	19.5	19.1	18.0	20.6	16.2	24.9	11	12.7	31	35	3.4	8s	4.2	6	2.9	0s	3.0	8s	2.8	23	3.7	3s	1.9	1	1.5	7
IX	14.8	15.9	12.6	14.4	14.2	13.2	15.3	11.8	18.0	7	7.0	26	13	2.7	11	4.5	3s	4.3	4	5.1	10	4.1	33s	4.0	4s	3.1	1s	3.7	9
X	12.1	13.2	9.7	10.4	10.8	10.0	12.2	8.5	15.8	14	5.2	21	19	3.2	13s	3.0	5s	2.0	4	4.0	8	3.3	20	4.8	11s	3.6	6s	2.5	5
XI	19.4	20.5	3.7	4.1	4.3	3.8	5.8	2.4	11.0	1	- 3.0	11	26	4.1	29	4.1	1	4.0	0	-	0	-	13s	3.4	10	3.8	5s	3.3	5
XII	09.3	10.5	1.4	1.6	1.5	1.4	3.5	- 0.1	9.3	4	- 5.9	31	24	4.2	19	3.9	8s	3.2	9s	3.5	7s	3.0	5s	3.7	8s	3.5	7s	4.3	3
1945	1011.6	1012.7	7.6	9.0	8.8	8.0	11.2	6.4	25.7		- 9.2		221s	3.4	157s	3.7	53s	2.8	41	3.2	105s	2.9	279	3.9	93s	3.3	49s	3.3	94

Gvarv

φ = 59° 24′ N λ = 9° 10′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 8.7	- 5.2	- 7.2	- 7.4		-11.5	1.8	14	-22.8	29	9s	2.7	5s	2.1	0	-	0	-	1s	1.0	0s	1.0	6	2.5	16	2.6	54
II			- 5.6	- 0.1	- 2.6	- 3.6		- 8.8	12.2	28	-22.8	4	0	-	1	2.0	0	-	1	1.0	11s	1.9	0s	2.0	4	2.0	2	2.5	64
III			- 0.5	7.3	4.3	2.6		- 3.0	16.3	23	-10.0	6	2s	5.0	2	2.0	1	1.0	0s	1.0	7	1.3	1s	1.0	2s	2.4	15	2.3	61
IV			4.4	12.3	9.2	6.1		- 0.9	21.0	17	- 5.8	12	6s	2.5	1	1.0	0	-	1	1.5	15	1.7	5	1.4	3s	2.7	18	2.0	40
V			8.5	14.5	12.6	9.2		2.4	21.8	21	- 3.8	26	1	2.0	8	1.9	2	1.5	2s	1.2	29s	1.6	2	1.0	12s	2.3	4s	2.1	31
VI			14.0	19.1	16.9	14.3		8.4	27.8	24	3.0	11	1s	1.3	4	2.5	0s	1.0	3	2.2	37	2.1	5s	1.8	12	2.3	9s	2.5	17
VII			17.2	23.3	20.8	17.6		9.9	28.7	16	4.8	29	1s	3.0	3	2.0	0	-	0s	1.0	38s	1.6	1	3.0	7	2.1	9s	1.7	32
VIII			14.7	23.2	20.4	17.1		10.2	30.8	3	2.9	27	3	1.3	12s	1.4	5	1.2	1s	2.0	26	1.1	1s	1.0	2	1.0	5s	1.2	36
IX			7.1	16.0	13.3	10.3		4.5	22.7	5	- 1.8	29	0	-	0	-	0	-	2	1.5	25	1.5	4s	1.6	2s	1.4	0	-	56
X			3.6	11.4	6.7	6.4		2.1	16.6	6	- 4.1	19	0s	1.0	0s	1.0	0s	1.0	0s	2.0	7	1.5	3s	1.3	1	2.0	8s	1.9	71
XI			1.7	2.1	- 0.1	0.8		- 3.6	11.8	1	-12.8	11	3	3.3	5	1.3	4	1.8	1	4.0	3s	1.4	0s	2.0	3s	1.1	10s	2.6	59
XII			- 3.0	- 1.7	- 2.7	- 2.6		- 4.8	5.8	3	-21.0	31	1	3.0	6	1.7	2s	3.2	1s	1.7	7s	2.0	2s	1.8	2	1.5	8	2.5	62
1945			4.4	10.2	7.6	5.9		0.4	30.8		-22.8		30	2.7	48s	1.7	15s	1.7	15	1.8	209	1.6	28s	1.5	58s	2.1	107	2.2	583

Dalen i Telemark

φ = 59° 27′ N λ = 8° 0′ E g = 9.818 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1000.9	1010.8	- 6.7	- 5.6	- 5.9	- 6.3		- 8.8	7.5	14	-15.8	29	1	2.0	0	-	5s	1.5	0s	3.0	0	-	0	-	40	1.7	26	2.0	20
II	03.3	13.2	- 4.8	- 1.7	- 2.4	- 3.4		- 6.1	10.1	28	-15.0	4	0s	2.0	0s	1.0	6	1.8	4s	2.0	0	-	1	1.0	17s	1.8	15	1.7	39
III	06.0	15.8	1.7	7.4	5.2	4.1		0.4	13.7	23	- 4.0	6	0	-	0	-	6	1.1	4	1.1	1	1.0	0	-	43	2.6	24	2.4	15
IV	02.9	12.6	4.3	10.5	9.2	6.7		2.5	16.9	17	- 1.7	12	0	-	0	-	9s	1.5	5s	1.5	0	-	0	-	43	2.7	25	2.7	7
V	01.7	11.3	7.2	12.3	12.7	9.1		4.9	19.9	22	0.5	25	0	-	0	-	12	1.8	8	1.8	0	-	2	1.5	32	2.1	19	2.0	20
VI	00.7	10.2	12.0	16.7	16.0	13.2		9.2	25.8	22	3.8	17	1	3.0	0	-	18s	1.6	4s	1.9	0	-	4	2.0	17s	2.1	23s	2.7	21
VII	02.5	11.8	16.1	20.5	20.3	17.3		12.8	27.8	15	9.2	26	0	-	1	1.0	28	1.6	7	2.1	2	1.0	0	-	13s	3.0	12s	2.6	29
VIII	999.0	08.3	15.8	21.0	20.9	17.5		12.5	29.3	3	7.1	27	0	-	1	1.0	22s	1.6	7s	1.8	0	-	0	-	16s	1.8	16s	1.6	29
IX	05.7	15.3	9.1	14.0	13.1	11.0		7.4	21.4	4	2.0	29	0	-	0	-	16s	1.8	8s	1.8	0	-	0	-	11	1.7	12	1.8	42
X	03.8	13.5	6.1	9.8	7.8	7.4		4.6	15.6	18	0.5	11	0	-	0	-	6s	1.5	5s	1.5	0	-	2	1.0	30s	2.3	22s	1.9	26
XI	11.9	21.8	- 0.1	0.8	0.4	0.2		- 1.7	8.9	1	- 7.6	22	0	-	0	-	8s	1.2	1s	1.7	1	1.0	0	-	39s	1.6	24s	1.8	15
XII	01.5	11.4	- 2.6	2.3	- 2.2	- 2.5		- 3.9	4.1	10	-14.6	31	0	-	0	-	6	1.8	4	2.0	0	-	0	-	23s	1.7	18s	1.8	41
1945	1003.3	1013.0	4.8	8.6	7.9	6.2		2.8	29.3		-15.8		2s	2.4	2s	1.0	145s	1.6	61	1.8	4	1.0	9	1.6	327s	2.1	239	2.1	304

1945

Råde (Tomb)

$H_s = 14$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.5$

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	87	83	87	86	7.7	7.5	6.9	20	9	20	30		10		14	5	0	1	0	0	0	14	0	0	0	0	0	0	11	1	16	3	17	19
II	94	84	92	91	7.8	7.5	6.6	54	19	8	20		4		12	8	2	1	0	0	7	8	2	3	0	0	0	0	23	0	12	1	15	27
III	88	70	76	80	5.3	4.8	3.8	36	14	20	19		0		9	4	2	2	0	0	9	1	1	1	0	0	0	0	11	4	28	6	5	0
IV	81	65	73	78	5.8	5.6	5.4	35	22	28	6		0		11	6	1	3	0	0	11	0	0	0	0	0	0	0	6	5	28	5	8	0
V	74	61	66	73	4.9	5.5	4.8	80	20	4	4		0		16	14	3	3	0	0	16	1	1	0	0	0	0	1	3	1	29	9	6	0
VI	75	66	71	76	5.0	5.1	4.7	61	18	5	0		0		14	11	1	0	0	0	14	0	0	0	0	2	0	3	0	2	26	8	7	0
VII	71	63	66	70	4.0	4.4	3.9	48	15	23	0		0		8	7	2	3	0	0	8	0	0	0	0	0	0	6	0	2	31	9	4	0
VIII	79	60	68	75	4.9	4.2	3.9	54	18	17	0		0		11	7	2	2	0	0	11	0	0	0	0	0	0	2	5	0	30	6	4	0
IX	87	67	78	80	4.6	6.0	4.8	78	19	21	1		0		12	10	3	0	0	0	12	0	0	0	0	0	0	2	0	5	27	7	7	0
X	93	72	85	85	6.6	6.6	5.5	60	24	26	5		0		9	9	1	1	0	0	9	0	0	0	0	0	0	0	5	6	23	3	11	0
XI	88	84	87	87	6.5	6.8	5.3	29	23	17	24		0		5	3	1	3	2	1	4	1	0	0	0	0	0	0	2	12	6	8	14	0
XII	88	84	88	87	8.1	8.0	7.4	84	27	18	24		5		16	14	1	0	0	0	10	8	1	1	0	0	0	0	12	2	4	3	21	12
1945	84	72	78	81	5.9	6.0	5.2	639	27		133		19		137	98	19	19	2	1	111	33	5	5	0	2	0	14	78	40	260	68	119	58

Brekke Sluse

$H_s = 114$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 8.5$ $h_r = 1.5$

I					7.6	7.7	7.2	48	9	17	31		11		18	13	0	0	0	0	3	16	1	2	0	3	0	0	20	1	9	3	18	27
II					7.9	8.0	7.7	53	14	8	21		3		13	11	1	0	0	0	6	10	3	2	0	0	0	0	16	5	16	0	16	28
III					6.3	5.5	5.7	24	11	21	23		0		9	6	1	1	0	0	8	0	0	0	0	1	0	0	5	5	27	5	8	10
IV					7.0	6.7	5.7	32	13	28	11		0		11	3	1	0	0	0	11	0	0	0	0	0	0	0	7	4	22	2	7	0
V					6.3	6.6	6.6	134	36	4	4		0		18	17	3	0	0	0	18	1	1	0	0	0	0	3	5	1	25	5	18	0
VI					5.1	6.5	5.3	77	26	5	0		0		15	14	1	0	0	0	15	0	0	0	0	1	0	2	3	1	22	5	10	0
VII					3.7	4.5	4.4	69	22	23	0		0		10	10	2	0	0	0	10	0	0	0	0	0	0	3	0	2	28	9	6	0
VIII					6.3	5.5	5.3	44	14	8	0		0		10	8	2	0	0	0	10	0	0	0	0	0	0	2	3	0	22	5	10	0
IX					5.7	6.6	6.3	87	16	24	0		0		12	12	3	0	0	0	11	0	0	0	0	1	0	0	4	5	18	5	12	0
X					7.8	7.7	6.1	60	21	26	4		0		11	11	1	0	0	0	11	0	0	0	0	0	0	0	4	1	15	1	16	0
XI					7.9	8.2	7.6	28	14	17	14		0		12	7	1	1	0	0	10	5	3	5	0	0	0	0	8	9	10	2	18	0
XII					7.3	7.7	7.2	65	13	4	25		5		22	15	1	0	0	0	10	14	2	2	0	0	0	0	12	4	10	4	17	14
1945					6.6	6.8	6.3	721	36		133		19		161	127	17	2	0	0	123	46	9	11	0	6	0	10	87	38	224	46	156	79

Ferder

$H_s = 6$ $H_b = 9.1$ $h_t = 2.1$ $h_a = 9.0$ $h_d = 9.0$ $h_r = 1.0$

I	86	86	84	85	8.1	8.1	7.4	48	21	20	26	13	0	0	14	8	1	14	0	0	1	14	0	0	0	0	0	0	2	1	5	1	19	
II	94	92	92	93	7.8	8.2	7.5	84	24	8	18	8	0	0	13	12	4	8	2	0	8	9	2	9	0	0	0	0	2	13	10	0	15	
III	88	83	84	86	7.5	6.0	5.8	22	11	20	7	0	0	0	8	7	1	8	1	1	8	0	0	5	0	0	0	0	4	9	22	1	8	
IV	83	76	79	81	7.3	6.1	6.5	40	24	28	0	0	0	0	9	6	1	3	0	0	9	0	0	1	0	0	0	0	3	4	22	4	12	
V	83	77	81	84	5.4	6.3	5.9	79	22	4	0	0	0	0	15	15	2	13	0	0	15	1	1	0	0	0	0	1	3	0	26	6	11	
VI	86	78	82	86	5.8	5.7	5.9	60	15	5	0	0	0	0	10	9	2	13	1	0	10	0	0	0	0	2	0	2	3	1	25	3	8	
VII	80	76	79	80	4.7	5.2	5.1	61	35	23	0	0	0	2	5	5	2	7	2	1	5	0	0	0	0	0	0	3	0	0	28	7	6	
VIII	86	79	83	85	6.7	5.1	5.5	46	16	21	0	0	0	0	8	7	2	9	1	0	8	0	0	0	0	0	0	1	0	1	28	2	5	
IX	85	78	79	82	6.8	6.3	7.2	110	21	18	0	0	0	0	11	10	6	15	1	0	11	0	0	0	0	0	0	0	1	0	22	2	13	
X	87	81	83	84	7.9	7.3	6.5	58	19	26	0	0	0	0	8	6	2	15	1	0	8	0	0	3	0	0	0	0	0	0	18	0	15	
XI	89	87	87	88	8.0	7.7	6.2	22	18	17	4	1	0	0	4	4	1	8	1	1	4	1	1	5	0	0	0	0	3	5	11	1	15	
XII	86	85	85	85	8.2	8.7	8.2	99	19	18	17	4	0	0	16	15	3	10	1	0	13	8	5	4	0	0	0	0	0	4	5	3	23	
1945	86	82	83	85	7.0	6.7	6.5	729	35		72	26	0	2	121	104	27	123	11	3	100	33	9	27	0	2	0	7	21	38	222	30	150	

Gvarv

$H_s = 26$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 13.8$ $h_r = 1.8$

I	85	81	81	83	7.2	7.3	5.5	13	4	20	31		17		12	3	0	3	0	0	0	12	0	0	0	0	0	0	0	2	14	3	11	28
II	92	83	87	88	8.1	8.2	7.4	55	13	8	25		10		13	10	3	0	0	0	4	13	2	1	0	0	0	0	0	4	14	0	15	28
III	89	62	69	76	6.8	5.6	4.3	7	4	21	29		0		5	3	0	1	0	0	5	3	2	0	0	0	0	0	0	3	21	9	11	14
IV	82	48	54	48	7.6	6.3	5.9	14	10	28	18		0		5	3	1	0	0	0	5	0	0	0	0	0	0	0	0	2	29	3	12	0
V	76	52	55	70	5.9	7.1	6.2	105	30	4	7		0		14	12	4	1	0	0	14	2	2	0	0	1	0	1	2	0	26	6	13	0
VI	76	58	64	75	6.0	7.1	6.9	96	22	5	0		0		15	11	2	0	0	0	15	0	0	0	0	0	0	1	1	2	28	2	12	0
VII	76	54	60	71	5.5	6.8	5.3	40	16	8	0		0		10	8	1	0	0	0	10	0	0	0	0	0	0	4	0	1	28	4	10	0
VIII	86	54	64	75	5.5	6.2	6.3	92	39	8	0		0		11	8	3	0	0	0	10	0	0	0	0	1	0	1	0	4	26	1	9	0
IX	94	63	73	80	7.2	6.4	7.6	89	25	23	1		0		10	8	3	0	0	0	10	0	0	0	0	0	0	0	0	4	20	3	14	0
X	94	71	80	84	7.9	7.7	7.4	70	35	26	0		0		11	10	1	0	0	0	11	0	0	1	0	0	0	0	4	8	19	2	18	0
XI	89	80	86	86	6.0	5.8	5.3	15	12	17	24		3		3	2	0	2	0	0	3	1	0	1	0	0	0	0	1	8	13	4	10	0
XII	88	84	87	87	7.7	8.2	7.6	106	21	19	26		4		16	13	5	0	0	0	8	10	1	2	0	0	0	0	1	7	4	3	18	27
1945	86	66	72	77	6.8	6.9	6.3	702	39		161		34		125	91	23	7	0	0	95	41	7	5	0	2	0	7	13	45	242	40	153	97

Dalen i Telemark

$H_s = 77$ $H_b = 79.1$ $h_t = 2.0$ $h_a =$ $h_d = 9.0$ $h_r = 1.6$

I	75	71	72	73	6.1	6.1	5.0	18	6	17	31		11		6	6	0	0	0	0	1	6	0	0	0	0	0	0	0	0	0	5	11	31
II	86	81	86	85	7.1	8.0	7.2	64	17	8	26		7		16	14	1	1	0	0	3	13	0	0	0	0	0	0	4	1	8	1	13	28
III	77	53	62	67	5.9	5.5	5.2	21	10	20	13		0		6	4	1	2	0	0	4	4	1	0	0	0	0	0	0	0	22	8	10	16
IV	72	43	44	58	5.3	5.6	4.6	2	1	2	4		0		2	1	0	1	0	0	2	0	0	0	0	0	0	0	0	0	26	6	6	0
V	79	55	53	69	5.9	6.3	5.7	121	35	4	0		0		13	13	3	0	0	0	13	1	1	1	0	0	0	1	2	0	19	8	10	0
VI	75	54	54	69	5.6	6.5	6.7	113	35	25	0		0		13	13	5	0	0	0	13	0	0	0	0	0	0	3	0	0	20	2	11	0
VII	71	54	56	66	4.7	5.6	5.7	65	36	21	0		0		7	7	2	0	0	0	7	0	0	0	0	0	0	2	0	0	29	5	7	0
VIII	76	56	55	65	4.8	5.3	5.3	54	21	7	0		0		9	6	2	0	0	0	9	0	0	0	0	0	0	2	0	0	27	4	7	0
IX	83	68	72	76	6.7	6.4	6.6	72	17	23	0		0		10	10	3	0	0	0	10	0	0	0	0	0	0	0	0	0	20	4	13	0
X	83	72	77	79	7.6	6.5	5.9	59	16	26	0		0		10	10	1	2	0	0	10	0	0	2	0	0	0	0	2	1	12	3	12	0
XI	84	82	83	83	4.7	4.5	4.9	29	12	17	22		0		6	5	1	1	0	0	6	3	3	0	0	0	0	0	1	0	6	7	7	15
XII	81	82	82	82	7.0	7.4	7.2	109	24	19	26		2		17	15	4	0	0	0	5	12	0	1	0	0	0	0	3	0	0	4	19	30
1945	78	64	66	73	6.0	6.1	5.8	727	36		122		20		115	104	23	7	0	0	83	39	5	4	0	0	0	8	12	2	189	57	126	120

1945

Vefall i Drangedal

φ = 59° 0′ N λ = 9° 13′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 8.5	- 5.3	- 7.5	- 7.5	- 3.1	-12.5	8.1	2	-27.5	29	26	2.9	10	4.5	0	-	0	-	2	1.5	5	1.1	3	1.4	12	2.3	34
II			- 3.5	0.8	- 0.9	- 1.8	1.7	- 5.9	12.4	28	-25.9	4	8	2.0	0	-	2	2.2	7	2.4	14	2.0	5	3.9	7	2.6	8	3.2	31
III			0.2	8.9	4.3	3.4	9.8	- 2.1	16.9	23	- 8.0	7	3	1.3	2	1.0	0	-	5	2.0	5	2.0	8	2.2	16	2.5	25	3.6	27
IV			4.7	11.1	8.3	6.2	12.3	0.6	19.5	17	- 6.3	12	10	3.1	6	2.7	0	2.0	7	2.6	13	2.5	7	2.3	7	3.4	19	3.1	19
V			9.3	13.4	11.9	9.3	14.7	3.5	20.9	30	- 2.4	26	12	2.2	12	2.8	4	3.2	12	2.9	14	2.4	15	3.0	5	3.2	9	3.8	7
VI			15.1	17.5	16.2	14.1	19.1	8.7	26.0	22	2.4	6	6	1.9	2	1.5	1	3.0	15	3.1	20	2.1	13	2.8	10	3.7	14	3.3	7
VII			18.0	21.6	20.3	17.7	23.2	11.4	27.5	16	6.0	26	10	2.2	5	2.9	3	2.6	17	2.9	23	2.0	7	2.6	3	2.4	15	3.2	7
VIII			17.0	21.8	19.6	17.5	23.1	11.3	29.4	12	5.1	27	22	2.0	7	2.6	5	2.9	14	2.6	12	1.8	9	1.6	6	2.5	11	2.2	5
IX			8.8	15.2	12.2	10.6	15.8	6.0	22.0	4	- 1.2	29	6	1.7	6	1.5	3	2.3	12	2.5	26	2.3	17	1.7	2	2.0	3	2.0	13
X			5.8	11.5	7.8	7.7	12.0	3.5	17.7	18	- 2.4	11	9	2.1	0	3.0	2	2.5	12	1.8	19	1.4	10	1.4	8	1.7	15	2.5	16
XI			0.3	3.4	1.7	1.5	4.4	- 1.1	12.5	1	-11.2	11	20	2.8	6	3.7	1	3.0	0	-	10	1.5	16	1.2	3	1.8	16	2.8	16
XII			- 2.0	- 0.5	- 1.8	- 1.6	0.9	- 4.0	7.1	3	-21.4	31	19	2.7	11	3.1	2	3.5	4	2.3	7	1.7	7	1.8	5	1.5	13	2.1	22
1945			5.4	10.0	7.7	6.4	11.1	1.6	29.4		-27.5		153	2.4	70	2.9	26	2.8	107	2.6	168	2.0	124	2.1	79	2.6	162	2.9	204

Jomfruland

φ = 58° 52′ N λ = 9° 36′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 3.4	- 2.1	- 2.7	- 2.9		- 5.1	5.7	2	-13.2	29	29	2.3	21	4.6	1	6.3	0	-	2	3.2	9	2.6	16	1.5	10	2.0	2
II			- 1.2	1.1	0.3	- 0.2		- 2.5	8.9	28	-11.7	4	13	1.3	13	1.9	10	1.6	5	2.8	10	2.9	19	2.7	6	2.7	4	1.3	2
III			2.2	7.0	4.9	4.0		0.8	13.9	21	- 3.9	9	9	1.7	3	2.6	6	1.2	3	1.1	11	2.4	23	2.7	13	2.9	15	3.6	8
IV			5.7	10.1	7.7	6.8		3.6	17.6	9	- 0.6	14	13	1.8	5	1.9	6	1.0	5	1.2	18	2.0	19	2.9	12	2.4	6	2.4	5
V			9.8	12.7	11.2	9.8		6.2	19.0	22	2.8	2	2	1.2	16	2.0	16	2.0	5	1.2	23	2.4	14	3.5	5	3.5	2	3.5	7
VI			14.7	16.8	15.8	14.4		10.9	23.8	21	4.7	17	6	1.4	4	1.7	7	1.3	5	1.8	35	2.2	15	3.2	9	3.0	7	2.9	0
VII			18.4	21.7	20.1	18.4		13.7	26.5	16	8.3	10	9	2.1	16	2.2	13	2.0	6	1.2	21	1.6	11	2.3	7	3.1	7	2.3	1
VIII			17.7	21.4	19.0	18.2		14.4	28.2	12	8.2	22	15	2.1	16	2.4	11	1.7	5	1.2	18	2.1	15	2.6	5	1.4	5	1.1	1
IX			11.2	15.5	13.1	12.5		9.7	19.4	7	4.9	29	8	1.2	15	2.4	2	1.0	9	2.6	23	2.4	19	2.4	11	1.9	2	1.0	1
X			8.1	11.4	9.4	9.2		6.9	16.2	15	3.0	11	8	1.8	14	2.1	5	2.2	11	2.1	11	1.8	19	2.6	7	2.1	12	1.9	5
XI			2.6	4.1	3.3	3.1		1.3	11.2	1	- 5.1	11	18	1.8	38	3.0	1	2.0	0	-	1	1.0	7	2.6	8	2.3	10	3.1	6
XII			0.3	0.7	0.6	0.4		- 1.6	7.2	3	-11.1	31	15	2.0	30	3.5	4	2.1	4	4.2	10	3.6	6	2.9	6	6.2	14	2.4	3
1945			7.0	12.0	8.6	7.8		4.9	28.2		-13.2		148	1.2	195	2.8	84	1.8	60	2.0	185	2.3	179	2.7	106	2.4	96	2.4	41

Lyngør

φ = 58° 38′ N λ = 9° 7′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 3.2	- 1.5	- 2.5	- 2.6		- 4.8	6.7	2	-14.0	29	23	2.2	30	4.4	6	4.8	0	-	0	-	4	2.8	16	2.6	8	2.4	4
II			- 0.6	1.7	0.8	0.3		- 1.8	10.7	28	-10.3	4	8	1.3	13	2.3	10	2.8	3	4.1	8	2.9	11	3.0	17	2.8	3	2.9	9
III			3.3	7.4	5.6	4.8		1.7	14.1	10	- 1.8	8	11	2.8	8	2.2	4	2.0	2	2.0	4	1.6	22	2.7	19	2.3	11	4.2	8
IV			6.2	10.3	8.5	7.3		3.8	18.7	9	0.8	6	11	2.5	10	3.4	7	2.2	2	2.0	5	2.0	27	2.7	11	2.2	10	3.0	5
V			8.1	12.3	11.3	9.6		6.6	19.6	11	2.2	2	2	2.5	11	3.3	22	3.0	4	1.9	8	1.6	26	3.1	9	3.7	6	3.5	3
VI			14.3	16.7	15.7	14.4		11.1	23.6	22	6.1	17	1	1.0	5	2.1	10	1.9	2	1.2	7	2.1	38	3.2	14	4.2	10	4.0	2
VII			17.7	20.8	19.8	18.1		14.4	25.0	16	11.0	25	13	2.7	12	3.0	19	2.4	6	1.5	9	1.9	19	3.1	7	3.6	7	3.5	0
VIII			16.9	20.8	19.2	18.1		15.1	26.6	12	11.6	8	7	3.1	14	3.2	22	2.3	4	1.4	5	1.7	22	3.1	10	2.9	2	3.0	5
IX			11.6	15.1	13.2	12.6		10.0	19.0	7	4.8	29	7	2.1	10	3.1	9	2.6	6	3.2	10	3.2	23	3.1	15	2.9	1	1.0	6
X			8.7	11.9	10.0	9.7		7.1	17.0	15	2.9	11	7	2.6	12	3.3	8	3.0	7	4.4	5	2.5	18	3.3	15	3.2	13	2.7	7
XI			3.0	4.6	3.8	3.6		1.9	11.4	1	- 4.2	11	11	3.3	37	3.9	6	3.6	0	-	0	2.0	6	3.5	10	2.4	10	4.4	8
XII			1.4	1.3	0.8	1.1		- 1.0	7.6	3	- 9.2	31	12	2.6	30	4.0	9	4.2	3	4.0	7	3.9	6	4.4	8	3.5	9	3.3	7
1945			7.3	10.1	8.8	8.1		5.3	26.6		-14.0		115	2.5	195	3.5	135	2.8	41	2.7	71	2.4	225	3.1	154	3.0	92	3.4	64

Torungen Fyr

φ = 58° 24′ N λ = 8° 48′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 2.3	- 0.8	- 1.8	- 1.8		- 4.2	6.7	2	-13.4	29	22	3.3	26	4.8	5	6.6	2	5.6	0	-	10	3.1	12	2.9	14	2.2	0
II			0.0	1.6	1.0	0.6		- 1.3	9.8	28	- 8.7	4	9	2.2	11	2.9	12	2.9	10	3.1	7	2.1	15	3.1	10	4.5	6	2.2	2
III			3.1	6.3	4.9	4.4		1.9	12.1	21	- 1.3	6	8	2.6	11	2.6	4	1.8	3	2.0	4	1.4	24	2.5	22	2.8	15	3.6	1
IV			5.7	9.0	8.0	6.7		3.8	16.6	10	0.5	6	8	2.5	11	2.6	6	2.1	3	2.1	7	2.4	31	2.6	8	2.7	9	2.4	5
V			9.1	10.9	10.8	9.4		6.6	18.4	11	2.6	2	1	2.0	22	3.3	14	3.4	8	2.4	8	2.5	21	3.4	8	3.7	4	2.9	4
VI			13.4	15.3	14.5	13.5		10.9	21.0	25	6.8	6	1	1.3	6	2.5	10	2.2	1	2.0	9	2.6	36	3.4	15	3.5	7	3.6	3
VII			17.2	19.2	18.9	17.5		14.7	22.3	29	11.7	26	6	2.5	19	3.1	13	2.6	4	1.9	9	2.2	19	3.1	11	3.5	9	4.0	0
VIII			17.0	19.0	18.7	17.5		15.2	25.1	12	11.6	27	5	2.4	23	3.6	16	2.4	5	2.0	6	2.4	23	3.4	9	2.9	4	2.4	0
IX			12.4	14.8	14.0	13.1		10.5	17.6	3	5.4	29	9	2.4	9	2.9	8	3.6	11	2.9	11	3.1	27	3.3	8	2.9	5	2.1	0
X			9.7	11.9	10.8	10.4		8.3	16.8	15	3.7	11	10	2.7	10	3.7	7	3.6	11	3.1	7	2.8	20	3.3	15	2.8	12	3.0	0
XI			3.8	5.2	4.7	4.4		2.8	11.2	1	- 3.5	11	20	3.2	38	4.4	2	4.2	0	-	0	3.0	5	3.7	11	3.2	12	3.3	0
XII			1.3	1.8	1.7	1.5		- 0.1	8.4	1	- 8.5	31	13	2.7	26	4.5	9	4.3	8	3.9	9	3.5	8	3.6	8	3.1	11	3.3	0
1945			7.5	9.5	8.8	8.1		5.8	25.1		-13.4		116	2.8	214	3.7	109	3.1	68	2.9	78	2.6	240	3.2	141	3.2	112	3.0	15

Tveitsund

φ = 59° 2′ N λ = 8° 31′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 6.1	- 3.8	- 6.7	- 5.8		-10.4	5.6	16	-21.8	29	14	1.5	13	1.2	7	1.7	0	-	2	2.0	5	1.6	0	-	22	1.9	29
II			- 4.2	- 0.1	- 2.0	- 2.7		- 6.9	9.0	27	-19.7	4	2	1.2	3	1.0	13	1.3	4	1.4	9	1.9	7	1.5	0	-	17	2.2	28
III			0.7	7.9	2.8	2.9		- 1.9	13.3	23	- 8.8	6	9	1.5	1	1.0	19	1.1	0	-	3	1.7	14	1.3	1	1.7	22	2.3	23
IV			5.2	10.8	7.6	6.1		0.3	19.4	17	- 6.2	12	6	1.3	0	-	9	1.0	1	1.0	5	1.6	11	1.5	2	3.0	37	1.7	18
V			7.6	12.5	10.9	8.3		2.7	19.5	22	- 2.4	25	4	1.8	1	1.7	15	1.8	2	1.5	6	1.6	13	1.5	7	1.4	28	1.5	15
VI			12.9	17.1	14.9	13.1		7.8	25.9	22	1.9	6	1	2.3	0	3.0	7	1.5	3	1.7	11	2.2	29	1.5	5	1.9	21	2.3	10
VII			16.5	20.3	19.0	16.4		10.3	27.4	14	6.5	29	4	2.2	2	1.5	6	1.5	4	1.1	7	2.1	14	1.6	3	1.5	18	2.2	34
VIII			16.1	21.0	18.3	16.4		10.2	27.3	4	4.6	27	1	2.0	0	-	11	1.3	4	2.4	11	1.3	19	1.2	5	1.1	7	1.2	32
IX			9.0	14.3	11.4	10.2		5.6	21.5	4	- 1.1	29	1	1.0	3	1.4	21	1.3	1	1.7	16	1.6	11	1.6	0	-	3	1.7	33
X			6.2	11.2	7.5	7.6		3.9	17.1	22	- 2.1	7	5	1.5	2	1.0	15	1.3	6	1.5	9	1.0	9	1.5	0	1.0	23	1.9	22
XI			0.8	2.9	1.4	1.4		- 1.1	11.9	1	-11.1	11	8	2.1	3	1.0	16	1.2	1	1.0	1	2.0	5	1.5	2	1.8	29	2.6	25
XII			- 1.8	- 1.4	- 1.7	- 1.7		- 3.7	5.0	2	-16.5	31	13	1.7	8	1.0	16	1.4	2	1.5	7	1.5	4	1.2	0	-	27	1.5	14
1945			5.2	9.4	7.0	6.0		1.4	27.4		-21.8		72	1.7	38	1.2	158	1.3	29	1.6	89	1.7	143	1.5	27	1.6	255	2.0	281

1945

Vefall i Drangedal

$H_s = 68$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 12.3$ $h_r = 1.6$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0,1	≥ 1,0	≥ 10,0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n: Regn ●	Snø *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ▣
I	89	85	87	87	6.8	6.6	5.5	38	9	20	31	22	18	0	16	7	0	3	0	0	0	16	0	0	0	0	0	0	1	1	13	4	11	31
II	91	79	86	87	6.9	6.9	7.3	73	16	8	21	11	8	0	16	13	4	6	0	0	4	16	3	1	0	0	0	0	5	7	13	1	14	28
III	87	54	70	75	6.1	4.5	3.6	19	14	20	26	0	0	0	5	3	1	6	2	0	5	2	1	0	0	0	0	1	3	21	5	4	16
IV	81	51	59	70	5.8	5.7	4.4	17	11	28	12	0	0	0	9	4	1	9	1	1	9	1	1	1	0	2	0	0	1	2	27	4	6	0
V	66	51	54	63	5.7	5.8	5.4	127	37	4	6	0	0	0	18	12	5	10	1	0	18	1	1	0	0	1	0	1	3	1	25	7	9	0
VI					5.1	5.4	4.9	72	16	5	0	0	0	2	16	10	3	9	0	0	16	0	0	0	0	1	0	3	1	2	27	4	5	0
VII					4.8	5.2	3.5	46	19	9	0	0	0	10	11	7	2	5	0	0	10	0	0	0	0	1	0	5	0	2	27	5	3	0
VIII					5.4	5.6	4.6	52	11	22	0	0	0	10	16	11	1	7	1	0	16	0	0	0	0	0	0	5	0	3	31	2	4	0
IX	88	58	76	77	6.8	6.3	5.5	81	18	23	1	0	0	0	16	11	4	6	0	0	16	0	0	2	0	0	0	1	2	5	24	2	10	0
X	86	62	78	78	7.5	6.0	6.2	98	43	26	5	0	0	0	14	10	2	7	0	0	14	0	0	2	0	0	0	0	1	4	26	2	14	0
XI	83	72	80	80	5.4	5.6	6.5	29	14	17	15	2	1	0	13	2	2	5	2	0	11	5	2	1	0	0	0	0	0	8	21	6	10	1
XII	82	78	82	81	7.6	7.7	7.6	136	19	3	23	9	3	0	19	15	6	5	0	0	10	14	1	0	0	1	0	0	4	1	7	3	19	21
1945					6.2	5.9	5.4	788	43		140	44	30	22	169	105	31	78	7	1	129	55	9	7	0	6	0	15	19	39	262	45	109	97

Jomfruland

$H_s = 15$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d = 22$ $h_r = 1.7$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0,1	≥ 1,0	≥ 10,0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n: Regn ●	Snø *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ▣
I					7.8	7.2	6.2	36	10	20	29		2		9	7	1	6	0	0	0	9	0	0	0	0	0	0	1	8	6	14	24
II					8.1	6.9	6.8	70	19	8	23		1		13	11	1	0	0	0	8	8	3	4	0	0	0	0	0	8	9	0	15	25
III					6.7	5.9	5.4	23	14	20	13		0		5	4	1	4	1	0	5	0	0	0	0	0	0	0	1	5	22	5	8	0
IV					6.1	6.0	6.1	23	17	28	2		0		5	4	1	1	0	0	5	0	0	1	0	0	0	0	2	5	21	4	8	0
V					5.5	6.0	5.2	109	28	4	0		0		18	15	3	5	0	0	18	0	0	0	0	0	0	2	2	0	23	10	9	0
VI					6.0	5.9	5.5	38	12	8	0		0		13	7	2	4	0	0	13	0	0	1	0	1	0	2	1	3	26	5	8	0
VII					5.4	4.8	4.3	35	18	23	0		0		8	6	1	0	0	0	8	0	0	0	0	0	0	3	0	2	28	5	3	0
VIII					5.0	5.4	5.6	41	27	23	0		0		11	8	1	0	0	0	11	0	0	1	0	0	0	3	1	2	26	3	4	0
IX					6.7	6.1	6.4	82	21	19	0		0		10	8	4	1	0	0	10	0	0	1	0	0	0	2	1	0	18	3	11	0
X					7.5	6.7	6.6	85	21	26	0		0		12	9	4	1	0	0	12	0	0	5	0	0	0	0	2	1	14	2	17	0
XI					7.6	7.5	6.7	29	19	17	9		0		8	4	1	3	1	0	8	2	0	9	0	0	0	0	4	3	4	2	16	0
XII					8.0	8.1	7.4	116	26	3	22		1		17	15	5	4	0	0	11	9	0	6	0	0	0	0	6	2	3	4	19	8
1945					6.7	6.4	6.0	687	28		98		4		129	98	25	29	2	0	109	28	3	28	0	1	0	12	20	32	202	49	132	57

Lyngør

$H_s = 2$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.3$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0,1	≥ 1,0	≥ 10,0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n: Regn ●	Snø *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ▣
I	79	78	78	79	7.8	7.5	6.0	45	10	27	29		1		11	10	1	5	0	0	2	11	2	1	0	0	0	0	0	1	17	4	13	
II	89	82	87	87	7.8	7.6	7.5	72	21	8	20		1		15	11	2	1	0	0	8	10	4	5	0	0	0	0	2	6	12	1	16	
III	77	62	65	69	7.1	5.7	5.7	25	17	20	8		0		6	3	1	5	0	0	6	0	0	3	0	0	0	0	5	3	25	5	13	
IV	67	52	53	60	6.7	6.3	5.4	12	8	28	0		0		3	2	0	0	0	0	3	0	0	2	0	1	0	0	2	2	26	4	11	
V	66	56	56	59	6.1	5.5	4.9	146	23	2	0		0		18	14	7	2	0	0	18	0	0	2	0	1	0	1	1	1	28	10	11	
VI	64	52	54	62	5.5	5.4	5.3	67	16	7	0		0		8	8	4	4	0	0	8	0	0	3	0	2	0	0	0	3	27	6	6	
VII	73	61	63	69	5.2	4.8	4.0	50	30	23	0		0		8	7	1	0	0	0	8	0	0	1	0	0	0	2	0	2	29	7	4	
VIII	80	72	76	78	5.3	4.9	6.1	46	20	16	0		0		8	5	2	3	0	0	8	0	0	4	0	0	0	5	0	3	30	3	6	
IX	86	72	83	83	6.6	6.2	6.3	68	16	19	0		0		10	8	3	4	0	0	10	0	0	2	0	0	0	3	0	0	19	4	15	
X	86	73	84	83	7.9	6.7	6.8	82	29	23	0		0		11	9	3	6	0	0	11	0	0	4	0	0	0	0	2	1	15	5	20	
XI	84	79	83	83	6.6	7.6	7.0	15	9	17	6		0		11	3	0	8	1	0	11	2	1	5	0	0	0	0	1	2	13	3	14	
XII	83	81	83	82	7.6	8.1	7.6	114	20	19	21		0		16	15	3	10	0	0	10	7	0	6	0	0	0	0	2	1	8	4	20	
1945	78	68	72	74	6.7	6.4	6.0	742	30		84		2		125	95	27	48	1	0	103	30	7	38	0	4	0	11	15	25	249	56	149	

Torungen Fyr

$H_s = 12$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.4$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0,1	≥ 1,0	≥ 10,0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n: Regn ●	Snø *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ▣
I					7.9	7.1	5.5	47	10	10	28		1		12	10	0	13	4	2	3	11	2	0	0	0	0	0	12	1	19	4	12	20
II					7.6	7.1	7.4	80	21	8	16		0		16	13	3	3	0	0	9	12	4	5	0	0	0	0	15	9	16	1	15	18
III					5.9	4.6	4.3	30	22	20	9		0		7	3	1	4	2	0	7	0	0	4	0	0	0	0	8	8	29	7	5	0
IV					6.2	4.8	4.6	12	5	28	0		0		8	3	0	1	0	0	7	0	0	2	0	1	0	0	3	3	27	7	6	0
V					5.8	5.4	4.9	121	22	30	0		0		15	14	5	5	0	0	15	1	1	1	0	3	0	1	5	4	30	10	11	0
VI					4.4	4.5	4.8	57	17	7	0		0		11	6	3	7	0	0	11	0	0	2	0	0	0	1	2	4	30	6	2	0
VII					4.4	3.6	3.7	56	38	23	0		0		9	8	1	2	0	0	9	0	0	0	0	0	0	4	8	2	29	10	3	0
VIII					4.7	4.8	4.9	31	18	19	0		0		13	7	1	4	0	0	13	0	0	2	0	0	0	3	6	3	28	3	2	0
IX					5.9	5.6	5.4	56	19	24	0		0		12	10	1	5	1	0	12	0	0	0	0	0	0	1	7	0	23	6	11	0
X					7.4	6.2	6.1	104	47	23	0		0		14	9	3	5	0	0	14	0	0	3	0	0	0	0	9	1	25	4	12	0
XI					6.8	7.7	7.4	27	12	17	4		0		12	5	1	13	2	0	11	2	2	2	0	0	0	0	10	3	15	5	13	0
XII					7.5	7.9	7.4	112	23	3	17		0		18	15	4	13	1	0	11	10	3	0	1	0	0	1	12	1	13	4	19	10
1945					6.2	5.8	5.5	733	47		74		1		147	103	23	75	10	2	122	36	12	21	1	4	0	11	97	39	284	67	111	48

Tveitsund

$H_s = 252$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.5$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0,1	≥ 1,0	≥ 10,0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n: Regn ●	Snø *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ▣
I	83	75	82	81	6.7	6.8	4.5	32	7	11	31		16		15	9	0	1	0	0	0	15	0	0	0	0	0	0	10	6	14	4	10	
II	90	76	84	85	7.6	7.5	7.4	59	15	8	23		8		17	13	1	3	0	0	7	14	3	3	0	0	0	0	7	11	15	1	15	
III	84	54	72	75	5.9	4.8	3.9	15	12	20	24		0		9	1	1	2	0	0	6	6	1	0	0	0	0	0	4	5	27	7	4	
IV	74	50	53	63	4.8	5.7	4.7	6	2	28	14		0		5	3	0	0	0	0	5	0	0	0	0	0	0	0	5	1	30	5	4	
V	74	54	57	69	5.7	6.0	6.3	144	32	4	8		0		19	11	7	0	0	0	19	4	3	0	0	1	0	2	17	5	30	4	10	
VI	71	54	60	70	5.0	6.3	6.0	67	21	7	0		0		15	8	3	0	0	0	15	0	0	0	0	0	0	4	22	3	29	3	7	
VII	72	55	59	67	4.7	5.7	5.0	79	22	21	0		0		13	9	3	1	0	0	13	0	0	0	0	0	0	3	16	2	31	5	5	
VIII	77	55	68	72	4.6	5.4	5.8	77	31	7	0		0		14	9	2	0	0	0	14	0	0	0	0	0	0	3	12	4	31	2	5	
IX	90	61	76	80	6.5	7.0	6.9	91	24	18	1		0		14	9	4	0	0	0	14	0	0	2	0	0	0	0	10	7	28	2	15	
X	88	66	81	81	8.5	6.6	6.3	86	35	26	5		0		13	11	2	1	0	0	13	0	0	4	0	0	0	0	6	3	22	0	15	
XI	82	74	82	80	6.4	6.7	5.9	35	17	17	19		1		10	6	1	4	0	0	8	6	3	3	0	1	0	0	2	9	16	5	12	
XII	83	81	82	82	7.9	8.4	7.6	113	35	19	25		3		20	11	4	0	0	0	9	15	1	4	0	0	0	0	7	9	9	2	20	
1945	81	63	71	75	6.2	6.4	5.9	804	35		150		28		164	100	28	12	0	0	123	60	11	16	0	2	0	12	118	65	282	40	122	

1945

Grimstad

$\varphi = 58° 20'$ N $\lambda = 8° 36'$ E $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-3.1	-0.9	-2.4	-2.3		-5.0	6.4	2	-15.4	29	15 2.7	42 4.3	4 4.9	0 -	0 -	8 3.4	12 3.3	8 2.3	3
II			-0.5	1.9	0.9	0.5		-1.7	10.4	28	-11.5	4	11 1.6	20 3.3	10 3.0	3 3.6	3 3.0	11 3.5	14 3.7	7 1.5	2
III			3.3	7.6	5.4	4.8		1.7	14.0	21	-1.6	8	7 2.1	13 3.0	6 3.2	1 3.0	1 3.0	18 3.0	28 3.2	13 3.4	4
IV			6.5	10.2	8.6	7.3		3.7	19.7	10	-0.2	6	0 2.0	19 3.1	4 3.2	2 3.0	5 2.7	24 2.9	20 3.1	13 3.5	0
V			9.9	12.0	11.3	9.9		6.1	20.0	11	2.1	24	2 2.0	23 3.8	16 3.4	6 2.9	1 3.7	24 3.7	11 4.4	5 3.4	2
VI			14.3	16.3	15.1	13.8		10.0	22.5	25	4.9	6	2 1.0	9 3.5	7 2.9	0 -	2 3.5	40 3.9	22 4.1	7 3.9	1
VII			17.9	20.1	18.8	17.5		13.5	24.0	16	10.1	26	4 2.6	24 3.3	12 3.2	1 3.3	5 2.9	23 3.5	14 3.5	8 3.8	0
VIII			17.5	20.2	19.0	18.2		14.1	25.8	12	9.8	8	4 2.0	34 3.6	6 3.3	2 3.0	5 3.0	21 3.4	14 2.6	2 3.0	2
IX			11.9	15.1	13.1	12.6		9.4	18.2	3	4.9	30	5 1.5	19 3.4	5 3.3	9 3.8	6 3.4	19 3.1	16 2.8	6 2.0	2
X			9.0	12.1	10.0	9.9		7.2	17.8	14	2.1	11	8 1.9	20 2.9	6 4.0	4 2.9	1 3.0	21 3.4	17 2.9	10 3.3	4
XI			3.3	4.9	4.1	3.9		1.9	11.6	1	-4.3	11	9 2.6	50 3.8	0 -	0 -	6 3.7	11 3.7	9 3.3	4
XII			0.5	1.5	1.0	0.9		-0.7	7.0	2	-9.9	31	14 2.3	38 3.9	6 4.0	5 3.9	5 3.2	5 3.7	13 3.3	5 2.8	0
1945			7.5	10.1	8.7	8.1		5.0	25.8		-15.4		84 2.2	315 3.6	84 3.4	36 3.4	36 3.1	222 3.4	196 3.4	96 3.1	24

Byglandsfjord

$\varphi = 58° 40'$ N $\lambda = 7° 48'$ E $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-5.9	-4.4	-5.5	-5.5		-9.3	5.4	2	-19.6	29	7 3.0	1 4.0	0 -	4 1.1	13 1.1	1 1.3	26 2.0	40 2.4	0
II			-3.1	-0.3	-1.2	-2.0		-5.4	8.6	28	-15.9	4	14 1.1	1 1.0	0 -	6 1.8	25 1.7	2 1.0	13 1.3	22 1.6	0
III			0.4	6.4	4.0	2.7		-1.8	11.6	23	-7.0	7	12 1.7	1 4.0	2 2.0	3 1.3	9 1.5	2 1.2	22 1.9	40 2.2	0
IV			4.2	9.8	7.1	5.4		-0.1	17.0	17	-4.3	27	15 1.7	2 1.0	1 1.0	7 1.3	16 1.3	0 -	11 2.0	36 2.3	0
V			7.5	12.2	11.0	8.2		2.4	19.5	22	-3.4	24	10 2.0	1 2.3	5 1.4	9 2.4	27 1.9	0 2.0	8 1.9	30 2.1	0
VI			12.3	16.6	14.4	12.3		6.6	26.3	23	0.9	6	13 1.8	0 2.0	1 1.3	7 1.8	35 2.2	0 2.0	9 2.6	23 2.6	0
VII			15.7	20.3	18.8	16.0		9.3	27.8	15	3.7	26	19 1.8	2 1.2	0 -	5 1.5	28 1.9	0 2.0	13 1.6	24 2.2	0
VIII			15.5	21.5	18.5	16.7		10.9	28.2	4	3.9	8	22 1.7	4 1.8	2 1.0	6 1.6	31 1.6	1 1.3	6 1.8	19 2.1	0
IX			8.7	14.6	11.7	10.2		4.6	21.6	3	-4.1	30	6 1.5	0 -	2 1.5	6 1.2	47 1.6	0 1.0	9 1.5	18 1.7	0
X			6.4	10.6	8.2	7.7		3.9	15.8	3	-3.8	11	8 1.9	2 1.5	2 1.0	7 1.3	22 1.3	1 1.0	25 1.6	24 2.2	0
XI			1.6	3.2	2.4	2.1		-0.3	10.2	1	-12.8	11	8 2.6	1 2.0	1 1.7	3 1.5	16 1.2	1 1.0	24 1.7	34 2.3	0
XII			-1.2	-0.6	-1.1	-1.1		-3.5	5.2	15	-13.9	30	6 1.6	1 2.3	0 4.0	4 1.5	21 1.2	1 1.3	24 1.8	33 2.0	0
1945			5.2	9.2	7.4	6.1		1.4	28.2		-19.6		144 1.8	18 1.9	18 1.4	69 1.6	292 1.6	12 1.3	193 1.8	346 2.2	0

Kristiansand S.

$\varphi = 58° 10'$ N $\lambda = 7° 59'$ E $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-3.9	-1.5	-3.0	-3.0	0.2	-6.3	9.0	2	-20.4	29	22 2.5	26 4.4	5 3.1	0 4.0	1 1.0	1 1.7	3 2.0	19 1.6	14
II			-0.8	2.1	0.8	0.3	2.9	-2.6	9.6	28	-15.9	4	12 1.5	6 2.8	15 1.9	4 2.2	5 2.0	1 3.0	2 2.5	18 1.8	21
III			2.9	9.2	5.4	5.1	10.2	1.1	16.7	23	-2.3	9	3 2.7	6 1.8	4 1.9	7 1.6	5 1.2	2 1.5	6 1.0	41 2.7	18
IV			6.0	11.6	8.8	7.4	12.7	2.6	20.6	17	-1.6	7	3 2.2	7 2.0	8 1.8	10 2.1	5 2.5	4 3.2	5 2.8	36 2.6	11
V			9.9	13.1	11.3	9.9	14.9	5.3	21.3	12	0.0	24	5 2.6	10 3.0	20 3.0	11 2.4	15 2.6	6 2.2	5 2.6	18 3.3	1
VI			14.3	17.0	14.9	13.8	18.5	9.3	26.0	19	4.1	6	5 3.0	6 2.1	9 2.4	14 2.3	15 2.9	9 3.7	1 1.0	23 4.4	7
VII			17.6	21.0	19.0	17.3	22.2	11.9	27.0	13	7.3	26	3 2.5	9 2.7	8 2.2	21 2.6	4 2.2	4 1.9	7 2.0	25 3.5	11
VIII			17.4	20.8	18.5	17.6	22.0	12.9	27.8	12	7.3	27	12 2.2	14 3.0	8 2.3	15 2.4	7 2.4	2 1.0	8 1.2	14 2.2	12
IX			11.0	15.9	12.2	12.1	16.6	8.0	20.5	8	2.3	29	5 2.7	6 3.3	7 1.4	19 2.9	9 2.4	1 1.0	3 1.0	14 1.7	25
X			8.3	12.3	9.5	9.5	13.2	6.2	18.0	2	0.4	7	8 1.2	9 1.9	8 1.9	8 1.8	5 1.7	9 1.5	9 1.9	27 2.6	7
XI			3.1	5.0	4.2	3.9	6.4	1.8	12.9	1	-3.9	11	23 2.6	21 3.6	0 4.0	3 1.3	0 -	6 1.8	7 3.2	18 2.6	10
XII			0.4	1.1	0.7	0.6	3.1	-1.5	7.9	3	-13.3	31	20 2.2	14 4.4	8 2.8	11 3.2	4 1.8	3 2.6	6 1.8	17 2.8	8
1945			7.2	10.6	8.5	7.9	11.9	4.1	27.8		-20.4		122 2.3	136 3.3	102 2.3	125 2.4	78 2.3	50 2.3	63 2.0	272 2.7	145

Oksøy

$\varphi = 58° 4'$ N $\lambda = 8° 3'$ E $g = 9.818$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	1007.7	1009.0	-1.8	-0.6	-0.9	-1.3	1.3	-3.7	8.2	2	-12.1	29	23 2.5	31 4.6	12 5.5	0 6.0	0 -	2 4.0	16 3.2	7 3.9	0
II	12.3	13.6	0.5	1.5	1.5	1.0	2.8	-0.8	8.9	28	-8.9	4	6 1.5	9 3.2	18 3.1	12 3.4	2 3.4	10 2.8	21 2.8	3 2.3	0
III	15.5	16.8	3.3	5.8	5.2	4.4	7.2	2.3	10.8	10	-0.8	6	11 2.4	6 2.4	11 2.5	2 1.8	4 1.1	15 2.7	24 3.3	14 3.9	4
IV	12.6	13.9	5.8	8.5	8.2	6.8	10.1	4.2	16.0	17	0.5	6	9 2.2	6 2.8	7 2.7	4 2.1	7 1.9	16 2.8	30 3.2	8 3.5	1
V	10.3	11.6	9.0	10.7	10.4	9.3	12.0	7.0	15.1	2	1.2	3	2 1.4	13 3.7	25 3.7	10 3.2	1 2.0	18 3.6	18 3.5	2 4.6	2
VI	10.8	12.0	13.0	14.6	13.6	12.9	15.6	10.6	20.7	22	5.7	6	2 1.0	2 2.8	14 3.0	5 1.6	3 2.9	31 3.5	19 3.8	11 5.2	2
VII	11.4	12.6	16.9	19.0	18.3	17.2	20.3	14.6	23.9	16	12.0	26	4 2.2	8 2.9	17 3.0	4 2.6	4 1.5	23 2.8	18 3.6	10 3.7	3
VIII	07.5	08.7	17.1	19.1	18.7	17.7	20.6	15.4	25.3	13	11.2	27	6 1.5	19 2.8	15 2.6	0 3.0	5 1.9	21 2.3	16 3.0	7 2.0	1
IX	14.7	15.9	12.5	15.0	14.1	13.4	15.9	11.1	19.8	4	7.2	29	9 1.7	11 2.8	9 4.1	11 2.7	10 2.9	18 3.1	14 2.6	4 2.7	1
X	12.5	13.8	9.9	12.0	11.2	10.7	12.8	9.0	16.1	6	5.3	11	13 2.4	7 3.8	14 3.2	4 4.0	6 2.3	12 2.9	21 3.0	13 3.4	2
XI	19.3	20.6	4.9	5.8	5.4	5.2	7.1	3.7	12.0	1	-2.0	11	12 2.1	41 4.3	8 3.8	2 1.5	1 2.3	6 3.0	7 3.3	12 4.5	0
XII	08.7	10.0	2.0	2.2	2.2	2.0	4.2	0.4	8.7	3	-8.6	31	15 2.4	24 3.9	16 5.1	8 4.8	6 4.1	1 5.0	12 2.5	7 3.5	1
1945	1012.0	1013.2	7.8	9.5	9.0	8.3	10.8	6.2	25.3		-12.1		114 2.2	180 3.7	169 3.5	65 3.1	52 2.5	175 3.0	218 3.2	102 3.7	17

Mandal

$\varphi = 58° 2'$ N $\lambda = 7° 27'$ E $g =$ $\Delta G = +1^h$

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-3.0	-1.6	-2.1	-2.4		-5.5	7.6	2	-16.6	30	0 -	28 2.4	21 3.0	0 3.0	0 -	0 1.0	13 1.9	4 1.7	25
II			0.1	2.1	1.2	0.8		-1.8	8.0	27	-16.0	4	1 1.0	25 1.6	7 1.5	0 3.0	4 1.5	3 1.3	15 1.4	2 1.2	25
III			3.9	8.2	5.3	5.3		1.6	13.8	11	-2.9	6	1 2.0	6 1.7	4 1.3	1 1.3	4 1.1	5 1.2	24 2.0	13 2.0	33
IV			5.5	10.0	7.5	6.6		2.7	17.3	10	-2.2	8	2 1.0	8 1.4	4 1.2	0 1.0	4 1.4	8 1.5	23 2.2	7 2.0	32
V			9.1	12.2	10.4	9.4		5.6	17.7	22	0.5	24	0 -	16 2.0	25 2.3	1 2.7	6 1.3	13 1.4	14 1.8	3 2.4	12
VI			13.5	15.6	13.6	13.0		9.5	23.2	21	4.0	6	0 -	5 1.5	9 1.8	3 1.1	11 1.5	21 1.8	27 2.2	7 2.8	5
VII			17.0	20.4	17.9	16.8		12.0	25.1	15	8.9	29	0 3.0	8 3.3	9 2.1	6 2.8	11 1.5	14 1.9	23 2.4	5 4.5	14
VIII			17.1	20.3	18.0	17.3		13.0	24.3	3	8.0	8	0 2.0	24 1.7	9 2.2	4 1.7	4 1.2	15 1.7	19 1.2	2 2.0	14
IX			11.0	16.1	12.6	12.4		8.5	18.2	3	3.1	4	1 1.0	11 1.8	11 1.7	4 2.0	6 1.6	13 1.6	13 1.8	2 1.0	28
X			8.4	12.1	10.1	9.7		5.9	15.1	6	2.0	20	0 1.0	19 1.6	7 1.4	2 2.0	4 1.5	9 1.6	14 1.4	5 1.8	32
XI			3.2	5.6	4.8	4.3		1.8	11.4	1	-3.2	11	0 -	41 1.9	2 3.5	0 -	1 1.0	4 2.2	5 1.9	6 1.9	31
XII			0.6	1.6	1.6	1.2		-1.1	7.8	18	-12.0	31	1 1.0	32 2.4	6 3.2	0 2.0	6 1.3	4 1.8	7 1.2	4 1.4	31
1945			7.2	10.2	8.4	7.9		4.4	25.1		-16.6		8 1.3	225 2.0	117 2.2	25 1.9	62 1.4	112 1.6	201 1.9	62 2.2	282

Årsoversikter

Annual Summaries)

1945

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
	8	14	19	Døgn	8	14	19	Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	✱	✱●	❜	✱	△	▲	⚡	=	≡	⊙	◔	●	⊡
Grimstad — H_s = 7, H_b =, h_t = 1.8, h_a =, h_d = 5.0, h_r = 1.4																																		
I					7.5	7.0	5.2	88	18	11	30		1		16	11	4	13	2	0	4	16	2	0	0	0	0	0	0	0	17	4	12	23
II					8.1	7.6	7.6	100	28	8	18		1		20	13	5	6	1	0	11	13	4	0	0	0	0	0	0	6	12	0	16	24
III					6.3	4.7	4.6	37	24	20	9		0		7	5	1	7	1	0	7	0	0	0	0	0	0	0	0	1	29	7	8	0
IV					6.7	5.6	5.1	11	3	4	2		0		6	5	0	8	0	0	6	0	0	0	0	1	0	0	0	2	26	4	9	0
V					6.0	5.7	5.6	131	23	30	0		0		21	16	5	10	0	0	21	0	0	0	0	0	0	2	0	1	25	7	11	0
VI					5.2	5.4	5.2	79	23	5	0		0		13	7	4	14	0	0	13	0	0	0	0	0	0	1	0	0	27	4	6	0
VII					4.8	5.0	3.7	68	31	23	0		0		11	8	1	5	0	0	11	0	0	0	0	0	0	1	0	0	29	8	3	0
VIII					5.6	5.1	5.8	44	19	19	0		0		9	7	1	5	0	0	9	0	0	2	0	0	0	2	0	2	29	5	6	0
IX					6.1	6.0	5.9	76	19	24	0		0		15	9	3	8	1	0	15	0	0	0	0	1	0	3	0	0	21	5	9	0
X					7.8	6.7	6.4	133	64	23	0		0		12	9	4	5	0	0	12	0	0	1	0	0	0	0	0	2	18	3	16	0
XI					6.8	7.8	7.9	27	10	17	4		0		12	6	0	8	0	0	12	1	1	1	0	0	0	0	0	0	13	3	16	0
XII					7.5	8.2	7.4	161	28	3	20		0		20	17	6	8	0	0	12	11	2	0	0	0	0	0	1	1	11	4	20	9
1945					6.5	6.2	5.9	955	64		83		2		162	113	34	97	5	0	133	41	9	4	0	2	0	9	1	15	257	54	132	56
Byglandsfjord — H_s = 207, H_b =, h_t = 1.9, h_a =, h_d = 10.9, h_r = 1.7																																		
I	76	72	72	74	7.3	7.0	5.2	31	7	17	31		15		17	9	0	3	0	0	4	15	1	0	0	0	0	0	0	0	24	1	8	31
II	88	80	86	86	8.7	8.3	8.1	81	15	8	25		7		22	16	1	1	0	0	10	17	3	3	0	0	0	0	1	4	14	0	18	28
III	84	60	69	74	6.7	4.7	6.2	32	14	20	23		0		10	5	1	3	2	0	8	5	1	1	0	0	0	0	2	0	30	3	8	16
IV	78	50	58	68	7.1	6.5	6.0	19	11	2	19		0		9	3	1	0	0	0	9	1	0	3	0	2	0	0	2	0	28	1	9	0
V	79	57	61	73	6.6	6.6	6.1	162	25	30	11		0		17	16	6	0	0	0	17	4	3	0	0	0	0	1	1	0	30	3	12	0
VI	73	57	66	74	6.3	6.8	6.4	95	16	4	0		0		18	13	4	1	0	0	18	0	0	1	0	0	0	2	0	1	29	1	9	0
VII	75	56	62	71	5.5	6.8	5.6	71	28	21	0		0		13	12	1	0	0	0	13	0	0	0	0	0	0	4	0	0	31	3	9	0
VIII	81	54	67	74	5.5	6.7	6.3	40	14	26	0		0		12	8	1	0	0	0	12	0	0	0	0	0	0	3	0	1	31	1	11	0
IX	89	63	78	81	7.3	7.5	7.2	92	25	23	3		0		13	11	2	0	0	0	13	0	0	1	0	0	0	1	2	2	26	1	17	0
X	89	71	78	81	8.5	7.0	7.6	86	27	26	3		0		12	9	2	1	0	0	12	0	0	4	0	0	0	0	1	1	22	0	20	0
XI	81	78	79	80	7.6	7.0	7.1	44	17	29	14		1		13	6	1	1	0	0	12	4	2	5	0	0	0	0	2	3	15	1	15	0
XII	81	80	81	81	7.4	8.1	8.0	135	31	19	25		2		21	14	5	2	0	0	12	13	3	5	0	0	0	0	3	2	11	3	18	22
1945	81	65	71	76	7.0	6.9	6.6	888	31		154		25		177	122	25	12	2	0	140	59	13	23	0	2	0	11	14	14	292	18	154	97
Kristiansand S. — H_s = 22, H_b =, h_t = 2.0, h_a =, h_d = 15.2, h_r = 1.7																																		
I	81	78	80	80	7.6	7.3	5.7	64	11	26	29	17	4	0	14	10	1	8	2	0	4	14	2	0	0	0	0	0	1	0	15	4	16	25
II	92	86	91	90	8.6	8.0	7.9	158	32	8	18	5	3	0	22	17	6	3	1	0	13	14	4	0	0	0	0	0	0	7	14	0	17	28
III	80	60	69	72	6.7	4.9	4.8	45	33	20	12	0	0	0	10	5	1	6	3	1	9	3	1	0	0	0	0	0	1	1	27	6	7	8
IV	78	56	57	67	6.9	6.0	5.8	21	10	1	8	0	0	0	12	4	0	6	0	0	12	0	0	0	0	0	0	1	3	0	29	4	10	0
V	77	66	66	73	6.6	6.5	6.0	190	42	28	1	0	0	0	19	16	7	5	1	0	19	0	0	0	0	2	0	2	0	0	24	5	13	0
VI	74	63	66	73	6.0	6.1	6.0	99	24	7	0	0	0	2	15	9	4	14	4	2	15	0	0	0	0	0	0	1	1	0	28	2	7	0
VII	74	61	64	71	4.9	5.2	4.1	72	28	23	0	0	0	4	8	6	3	2	0	0	8	0	0	0	0	1	0	4	0	0	31	6	4	0
VIII	79	65	75	77	5.8	5.5	6.1	57	13	7	0	0	0	4	11	9	2	5	1	0	11	0	0	0	0	0	0	1	0	0	27	3	7	0
IX	84	65	81	80	6.2	6.2	6.3	81	25	23	0	0	0	0	13	10	3	6	0	0	13	0	0	0	0	0	0	1	1	1	26	3	9	0
X	84	68	82	80	7.8	7.3	7.0	159	70	23	0	0	0	0	18	11	4	3	0	0	18	0	0	3	0	0	0	0	1	1	21	2	17	0
XI	80	73	78	78	7.4	7.3	7.4	29	6	17	8	0	0	0	20	8	0	5	0	0	20	1	1	1	0	0	0	0	5	2	13	4	17	0
XII	78	75	78	78	7.6	7.9	7.3	139	30	19	18	4	2	0	24	13	5	4	0	0	14	12	0	2	0	1	0	0	1	7	15	3	16	6
1945	80	68	74	77	6.8	6.5	6.2	1114	70		94	26	9	10	186	118	36	67	12	3	156	44	8	6	0	4	0	10	14	19	270	42	140	67
Oksøy — H_s = 9, H_b = 10.2, h_t = 2.1, h_a =, h_d = 8.1, h_r = 1.8																																		
I	81	80	78	80	7.5	7.1	6.5	45	15	11	29	14	1	0	14	8	1	13	4	2	6	13	4	1	0	0	0	0	1	0	15	3	14	20
II	91	91	91	91	8.0	8.3	8.4	111	22	8	14	2	0	0	19	13	4	4	0	0	13	10	3	9	0	0	0	0	3	13	13	0	19	17
III	86	76	78	81	5.8	5.1	4.9	39	25	20	4	0	0	0	9	5	1	4	2	0	7	2	0	1	0	0	0	0	4	9	26	5	4	0
IV	83	72	69	76	6.1	6.1	5.2	19	10	1	0	0	0	0	9	4	0	1	0	0	9	0	0	1	0	0	0	0	5	4	27	3	7	0
V	84	76	79	82	6.4	5.9	5.5	141	23	10	0	0	0	0	16	15	5	4	0	0	16	0	0	0	0	0	0	1	3	3	21	6	12	0
VI	80	76	80	81	5.0	5.7	5.8	59	19	7	0	0	0	0	12	8	3	9	0	0	12	0	0	1	0	0	0	1	6	3	27	1	6	0
VII	78	72	75	77	4.5	4.8	4.2	51	19	21	0	0	0	0	8	6	2	1	0	0	8	0	0	0	0	0	0	2	2	2	29	6	3	0
VIII	79	73	77	78	5.5	5.4	5.4	64	16	23	0	0	0	3	12	8	3	2	0	0	12	0	0	1	0	0	0	2	1	1	26	3	8	0
IX	85	73	81	81	6.3	6.2	5.9	62	12	20	0	0	0	0	12	8	3	3	0	0	12	0	0	3	0	1	0	4	1	0	23	2	9	0
X	86	77	85	84	7.6	7.1	6.5	92	32	23	0	0	0	0	15	7	3	7	0	0	15	0	0	5	0	0	0	0	2	2	17	1	15	0
XI	82	78	83	82	7.6	8.0	7.9	30	8	17	2	0	0	0	15	9	0	12	0	0	15	0	0	5	0	0	0	0	0	1	12	2	19	0
XII	83	80	82	82	6.6	7.3	6.4	103	24	28	10	2	0	0	21	11	4	11	2	1	16	10	4	4	0	0	0	0	3	3	9	3	14	0
1945	83	77	80	81	6.4	6.4	6.0	816	32		59	18	1	3	162	102	29	71	8	3	141	35	11	31	0	1	0	10	31	41	245	35	130	37
Mandal — H_s = 6, H_b =, h_t = 2.0, h_a =, h_d = 4.4, h_r = 1.4																																		
I					7.5	6.7	4.7	80	15	31	29		4		12	10	3	2	0	0	6	9	0	3	0	0	0	0		1	12	5	12	
II					8.5	7.8	7.0	175	36	11	16		3		20	18	6	0	0	0	16	8	5	7	0	0	0	0		6	8	0	13	
III					6.1	4.5	4.1	59	31	20	11		0		9	8	1	0	0	0	8	1	0	4	0	0	0	0		8	24	8	8	
IV					5.5	4.3	3.9	23	16	1	5		0		9	4	1	0	0	0	9	0	0	4	0	0	0	0		5	25	9	5	
V					6.7	5.6	4.7	204	40	28	0		0		17	15	9	0	0	0	17	0	0	1	0	0	0	2		2	23	7	10	
VI					5.5	6.2	6.4	104	25	4	0		0		13	11	4	0	0	0	13	0	0	2	0	0	0	1		5	25	3	8	
VII					4.5	4.6	3.8	55	16	23	0		0		6	6	3	0	0	0	6	0	0	0	0	0	0	1		2	31	7	6	
VIII					4.3	4.8	5.3	52	10	7	0		0		12	9	0	0	0	0	12	0	0	0	0	0	0	1		5	27	7	6	
IX					5.5	6.0	4.6	74	13	14	0		0		14	12	2	0	0	0	13	0	0	3	0	0	0	1		1	22	7	9	
X					8.1	7.4	5.9	154	75	23	0		0		12	7	5	0	0	0	12	0	0	4	0	0	0	1		2	14	3	16	
XI					6.7	6.6	7.2	43	16	29	4		0		12	8	1	0	0	0	12	1	1	7	0	0	0	0		3	11	6	17	
XII					7.5	7.7	7.3	117	26	3	18		1		22	17	3	0	0	0	18	9	4	2	0	0	0	1		5	6	3	15	
1945					6.4	6.0	5.4	1140	75		83		8		158	125	38	2	0	0	142	28	10	37	0	0	0	8		45	228	65	125	

1945

Glåben

φ = 58° 22′ N λ = 7° 27′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 5.4	- 3.1	- 5.1	- 4.8		- 9.5	5.3	2	-14.1	30	13 1.5	32 4.4	12s 3.1	0 -	0s 3.0	6 2.5	20 2.9	9 1.7	0
II			- 1.8	0.0	- 1.0	- 1.2		- 4.2	5.9	27	-13.2	1	4 1.5	12s 2.9	27s 2.3	1 1.0	2 3.5	14s 2.8	14 3.1	6s 1.8	2
III			2.0	5.7	3.4	3.2		- 0.1	14.5	27	- 5.8	6	11s 3.0	12s 1.6	14s 2.8	0 -	4s 2.2	17s 2.6	21s 2.8	21 3.2	0
IV			4.5	8.6	5.9	5.1		0.8	16.3	17	- 4.4	14	10s 2.6	10 2.2	9s 1.7	0 -	6 2.2	21 2.6	10s 3.3	22s 2.9	0
V			7.7	10.5	9.2	7.6		2.8	17.3	12	- 1.4	24	6s 2.1	18 3.0	19 3.0	5s 2.5	16 2.5	17s 2.7	8 3.9	2s 4.2	0
VI			11.5	13.8	12.3	11.0		6.9	22.1	22	0.7	6	2 2.5	8 2.2	8 2.7	7s 2.5	15 2.6	19s 2.9	15 3.0	15 3.4	0
VII			15.6	18.3	16.8	15.1		9.5	24.4	14	4.6	2	3 2.3	15 2.8	15 2.3	3s 2.0	16s 2.7	11 2.6	12 2.8	17 3.2	0
VIII			15.5	19.4	17.0	15.6		10.6	24.2	12	3.3	27	3 1.2	21s 2.9	17s 2.1	3 2.3	12s 2.2	19s 2.5	10 2.2	6 2.0	0
IX			9.4	12.9	10.6	10.1		5.6	19.5	3	1.3	26	4s 1.9	10s 2.3	12s 2.1	11s 2.1	16 2.1	18s 1.8	8 1.9	8s 1.6	0
X			6.7	9.7	7.7	7.5		4.2	16.7	2	- 2.2	11	2s 1.0	12s 2.5	11s 2.6	2 1.8	8s 2.5	13 2.5	22s 2.6	19s 2.5	1
XI			1.3	2.9	2.0	1.9		- 0.3	9.4	1	- 9.4	11	2s 2.2	36s 3.1	17s 2.0	0 -	1s 1.7	8s 2.2	9 2.6	13s 3.4	1
XII			- 2.0	- 0.5	- 1.7	- 1.5		- 3.9	4.8	18	-14.2	31	5 1.6	32 3.1	18s 2.9	4 2.0	4 1.4	5 2.6	10s 2.3	12 2.2	2
1945			5.4	8.2	6.4	5.8		1.9	24.4		-14.2		68 2.1	221 3.0	173s 2.5	38 2.2	103 2.4	171s 2.5	161 2.8	153 2.8	6

Lista

φ = 58° 6′ N λ = 6° 34′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 1.4	- 0.1	- 0.6	- 0.8	1.6	- 2.7	7.8	2	- 9.0	28	6 1.9	46 3.8	7 4.5	1s 4.3	3 4.3	2s 6.0	4s 6.0	19s 5.0	3
II			1.4	2.2	1.7	1.7	3.0	0.7	6.5	31	- 5.6	1	2 1.5	2s 4.2	34 4.6	5s 2.1	4s 3.9	5s 5.4	11 4.6	11 3.8	8
III			4.6	6.3	5.2	5.1	7.2	3.3	15.6	25	- 0.8	1	1s 2.7	3 2.7	12 3.6	4 3.0	3 4.0	2 4.0	10 4.0	49s 5.2	8
IV			5.7	7.2	6.2	5.9	8.0	4.1	12.4	22	- 1.4	7	4 2.0	3 2.0	8 2.9	12 3.0	9 3.7	2 4.0	11 3.5	3s 4.5	6
V			9.4	11.1	10.5	9.5	12.5	6.9	18.6	13	2.6	6	4 2.0	9 4.4	22s 4.2	13s 3.4	13 4.1	3 3.7	13 3.9	9 4.9	6
VI			12.1	13.1	12.6	12.0	14.2	10.3	23.0	21	6.4	17	1 2.0	1 1.0	11 3.8	13 3.0	11 4.2	5 5.4	13s 4.2	31s 4.9	3
VII			16.2	17.5	16.6	16.0	18.5	13.6	24.9	15	10.1	2	6s 1.8	2s 2.0	4 3.6	9 3.2	9 2.9	5 3.4	9 2.8	42 4.5	6
VIII			16.9	18.3	17.2	16.8	19.5	14.3	26.2	10	10.3	8	2 3.0	10 3.1	4 3.5	4 3.8	11s 3.0	3s 3.6	10 4.3	39 4.4	9
IX			12.8	14.8	13.8	13.3	15.5	10.7	18.9	3	7.2	26	2 4.0	1s 2.0	10s 3.9	12 4.2	12s 4.1	13 4.8	9 4.4	23s 4.7	6
X			10.2	11.9	11.1	10.9	12.6	9.1	15.4	5	4.9	7	2s 2.8	0 -	21s 4.9	2s 3.8	6 4.2	7 4.0	9 3.8	39s 5.3	5
XI			5.4	6.6	5.6	5.7	7.8	3.8	12.0	1	- 4.6	11	14 3.2	15 3.9	26s 3.5	2 4.0	6 3.2	3s 4.7	4 6.5	15 6.0	4
XII			2.2	3.0	2.8	2.6	4.8	0.9	9.0	1	- 7.8	31	2s 2.8	14s 4.7	32s 4.5	5 5.4	7 5.0	4 4.2	3 6.0	14s 5.9	10
1945			8.0	9.3	8.6	8.2	10.4	6.2	26.2		- 9.0		48 2.5	108 3.8	193s 4.2	84 3.4	95s 3.8	56 4.5	107 4.2	329 4.9	74

Tonstad

φ = 58° 40′ N λ = 6° 42′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 5.1	- 2.7	- 4.0	- 4.1		- 8.1	5.9	2	-16.3	29	44 2.2	14 3.5	0 -	0 -	3 3.0	0 -	1 3.0	0 -	31
II			- 0.8	1.9	0.8	0.2		- 2.9	8.1	31	-13.5	2	10 1.0	1 1.0	0 -	1 3.0	11 1.8	0 -	15 2.3	0 -	46
III			2.7	7.4	5.4	4.5		0.8	16.1	27	- 4.5	6	22 3.3	2 6.5	0 -	0 -	12 3.3	0 -	7 3.7	1 2.0	49
IV			4.5	9.8	7.7	6.1		1.4	16.9	17	- 2.5	7	22 2.8	0 -	2 2.0	0 -	8 2.9	0s 5.0	13s 3.1	2 3.0	42
V			8.9	12.9	11.0	9.3		4.3	21.9	22	- 0.4	5	20 2.3	1 3.0	5 4.0	0 -	32 2.7	3 4.0	7 3.3	0 -	25
VI			11.3	15.0	14.7	12.2		8.2	25.6	22	0.2	6	13 3.2	0 -	0 -	0 -	35 2.6	3 3.7	10 2.6	2 4.0	27
VII			14.7	20.4	19.2	16.2		10.8	28.9	15	6.2	4	20 2.2	0 -	3 4.0	0 -	31 2.4	0s 2.0	7s 2.9	4 3.8	27
VIII			13.9	22.1	20.4	17.1		11.2	29.1	12	4.4	27	27 2.1	6 3.0	0 -	1 3.0	28 2.8	1 4.0	3 2.3	1 2.0	26
IX			8.7	15.1	13.6	11.4		6.9	20.7	3	0.8	29	24 1.7	0 -	2 3.0	2 3.5	14 2.1	4 2.1	13 2.0	1 2.0	30
X			7.7	11.8	9.1	9.0		6.0	16.1	5	- 0.1	11	22 1.7	6 2.5	1 3.0	0 -	10 1.6	0 -	7 2.1	8 3.2	39
XI			3.4	5.4	3.9	3.9		1.4	10.7	2	- 6.5	11	26 1.9	11 2.5	1 2.0	0 -	2 1.0	0 -	11 2.2	3 2.3	35
XII			0.0	1.4	0.7	0.6		- 2.0	7.3	2	-12.5	31	18 1.4	12 3.8	6 2.2	0 -	6 2.2	1 3.0	2 1.5	3 2.0	45
1945			5.8	10.0	8.5	7.2		4.0	29.1		-16.3		268 2.2	53 3.2	20 3.0	4 3.2	192 2.5	13 3.2	97 2.6	25 3.0	423

Klepp

φ = 58° 48′ N λ = 5° 38′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 2.9	- 1.0	- 2.9	- 2.5		- 5.9	6.8	2	-12.1	29	6 2.6	9s 1.5	9s 1.5	40 1.4	1 1.0	6s 1.7	5 1.9	9s 2.9	6
II			2.3	3.7	2.6	2.7		0.2	7.0	27	-10.3	1	1 2.0	1 3.0	1 3.0	44s 2.7	7s 1.3	18 2.1	7s 2.1	1s 1.7	2
III			4.6	7.2	5.6	5.4		3.1	17.3	25	- 2.1	2	17 3.1	1 1.0	0s 1.0	15 1.9	5 1.1	25s 1.5	8s 2.9	13s 2.8	7
IV			6.0	8.8	6.6	6.3		3.3	13.4	16	- 0.8	7	12s 2.1	2 2.0	1 1.0	13s 1.9	5 1.3	26s 1.8	11 2.4	17s 1.6	1
V			10.4	12.7	11.3	10.3		6.1	21.4	13	0.2	8	1s 2.0	3s 2.0	2s 1.8	26 2.5	7s 1.9	25 2.0	12 1.5	14 2.4	1
VI			12.9	14.3	12.8	12.3		9.5	25.9	21	5.7	17	5 2.6	1s 1.3	0s 2.0	12s 2.2	9 2.0	33 2.1	7s 2.5	20 3.0	1
VII			16.0	18.1	17.1	15.9		12.2	27.5	15	6.7	4	12 2.8	3 1.8	1s 1.0	6 1.9	5 2.3	20 1.8	10 2.4	32s 2.2	3
VIII			15.8	18.6	16.6	16.0		12.3	25.0	14	8.1	8	7s 2.5	1s 1.3	1 1.0	5 1.4	2s 1.2	16 1.5	8 2.0	41s 2.3	10
IX			11.9	14.7	12.6	12.4		9.0	18.2	3	4.1	9	6s 2.5	2s 1.2	4 1.2	20 3.0	2 1.0	20 1.5	8s 1.7	18s 2.1	8
X			9.0	11.8	10.2	10.0		7.5	15.0	2	2.3	27	10s 2.3	2 1.5	1s 1.3	26s 2.3	3 1.3	8 1.5	6 1.3	27s 1.9	8
XI			4.3	6.6	5.3	5.2		2.7	11.8	1	- 3.8	12	6 3.1	2s 1.0	3s 1.0	42 1.1	6s 1.0	11 1.6	4s 3.0	7 4.1	7
XII			2.3	3.1	2.4	2.5		0.1	8.8	2	- 5.8	31	7 5.1	0 -	5s 3.2	59s 2.2	7s 1.1	4s 1.9	0 -	8 3.6	1
1945			7.7	9.9	8.4	8.0		5.0	27.5		-12.1		92s 2.8	30 1.6	32 1.7	310s 2.1	61s 1.5	214 1.8	88s 2.1	211 2.4	55

Stavanger

φ = 58° 57′ N λ = 5° 44′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N	NE	E	SE	S	SW	W	NW	C
I			- 1.5	- 0.4	- 1.1	- 1.1	1.1	- 3.4	7.0	2	-10.1	24	8 2.2	17 2.4	27s 2.4	5s 3.5	7s 3.7	4 3.1	3 4.0	10s 3.6	10
II			2.7	3.7	2.9	2.9	4.8	1.1	9.9	25	- 4.3	1	1 4.0	1s 2.5	4 3.2	21s 4.2	19 3.7	16s 4.0	10s 4.7	2 3.5	8
III			4.5	6.7	5.1	5.1	7.9	3.1	18.2	25	- 2.1	1	11 3.0	4 1.8	2s 2.0	8s 2.2	11s 2.7	18 2.8	8 3.4	26s 4.2	3
IV			6.5*	8.2*	7.0*	6.6*	10.0*	3.1*	14.6*	16*	- 1.6*	7*	20* 3.0*	4* 2.5*	1* 2.0*	5* 3.4*	17* 3.2*	14s* 2.8*	11s* 2.8*	16* 3.2*	1*
V			9.9	12.6	10.8	10.2	14.3	6.9	21.6	13	2.9	3	10s 3.3	6 1.3	11s 3.3	13 3.5	15 4.0	16s 3.7	7s 3.1	12 3.2	1
VI			12.4	13.8	12.4	12.0	15.2	9.4	25.8	22	4.0	6	0 -	2 3.0	1 1.0	6s 2.8	11 3.9	22s 3.1	15s 2.5	25s 3.5	6
VII			15.9	18.4	16.5	15.8	19.6	12.5	28.4	16	7.3	4	5s 3.9	9 1.4	4s 1.6	3s 1.4	6 3.8	7 3.6	10 2.9	39s 3.2	8
VIII			16.1	19.4	16.5	16.4	20.4	13.3	27.3	13	9.8	31	9s 3.0	13 1.6	1s 1.0	1 3.0	5s 2.5	9 2.9	11s 3.1	36 3.4	6
IX			12.4	14.5	12.3	12.6	15.5	9.7	19.4	3	6.8	28	9s 2.8	6s 2.1	3s 1.0	16 3.8	13s 3.6	11 3.0	8 2.4	20 2.8	2
X			9.4	11.3	10.0	9.9	12.1	8.1	14.9	2	4.1	11	10s 2.5	7s 2.0	3 1.7	10s 3.4	9s 2.9	8 2.9	0 -	34 3.0	10
XI			5.8	6.7	6.1	6.1	8.2	4.4	12.4	1	0.6	11	8 3.6	15s 1.9	10 1.8	13 2.9	15 3.2	14s 2.8	3s 4.7	5s 5.2	5
XII			2.9	3.6	2.8	3.0	5.5	0.8	11.3	2	- 4.2	31	6s 6.2	5s 4.2	14s 2.4	34 3.7	19s 4.1	3 4.5	2s 4.0	3s 7.0	4
1945			8.1	9.9	8.4	8.3	11.2	5.8	28.4		-10.1		100 3.3	91s 2.1	84s 2.3	138 3.5	150 3.5	144s 3.2	91s 3.2	231 3.4	64

Årsoversikter

Annual Summaries)

1945

Gjåben

H_s = 364 H_b = h_t = 1.8 h_a = h_d = 6.0 h_r = 1.8

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær R	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ▦
I	80	75	76	77	7.8	7.6	5.7	61	10	20	31		15		20	15	0	13	4	3	3	19	0	2	0	0	0	0	1	2	15	3	14	
II	89	87	91	89	8.7	8.6	7.7	127	27	8	25		4		23	19	3	4	0	0	13	17	2	8	0	0	0	0	1	13	10	0	18	
III	81	67	76	77	6.8	5.4	5.6	43	19	20	14		0		11	6	1	6	2	0	7	6	1	4	0	0	0	0	2	9	20	5	10	
IV	76	57	66	71	6.6	6.9	5.9	28	13	1	11		0		12	6	1	4	0	0	10	4	2	3	0	1	0	0	1	2	26	2	9	
V	77	66	67	74	7.0	7.2	5.7	191	34	3	6		0		21	15	7	3	0	0	21	4	3	1	1	1	0	2	3	3	25	2	12	
VI	77	66	72	77	6.5	7.4	6.9	99	24	4	0		0		16	13	4	4	0	0	16	0	0	6	0	0	0	2	3	2	24	0	9	
VII	71	62	65	69	5.9	7.3	5.3	72	26	21	0		0		11	10	2	4	0	0	11	0	0	1	0	0	0	6	2	1	30	2	7	
VIII	76	62	72	74	5.5	6.5	6.5	54	16	26	0		0		13	9	1	3	0	0	13	0	0	4	0	0	0	3	9	1	28	3	9	
IX	87	69	79	81	7.4	7.5	7.1	121	32	23	0		0		16	12	3	1	0	0	16	0	0	2	0	0	0	1	6	5	20	0	17	
X	86	74	82	82	8.5	7.2	6.9	127	36	23	2		0		16	9	4	2	0	0	16	0	0	9	0	0	0	0	3	6	19	2	18	
XI	85	78	82	82	6.6	6.8	7.0	51	15	29	20		0		19	10	1	6	0	0	19	7	6	10	0	0	0	0	1	7	13	7	17	
XII	83	81	84	83	7.4	8.2	7.7	155	40	3	27		2		24	15	5	6	2	0	13	16	0	4	1	1	1	1	4	5	8	3	18	
1945	81	70	76	78	7.1	7.2	6.5	1129	40		136		21		202	139	32	56	8	3	158	73	14	54	2	3	1	15	36	56	238	29	158	

Lista

H_s = 13 H_b = h_t = 2.1 h_a = 6.2 h_d = 5.7 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær R	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ▦
I	76	74	75	75	7.2	7.6	6.8	33	13	17	24	13	0	0	13	9	1	15	8	1	8	9	1	2	0	0	0	0	5	0	21	2	13	11
II	92	93	93	93	9.4	8.5	8.3	100	31	8	10	3	0	0	24	18	2	11	3	0	17	12	5	3	0	0	0	0	11	5	14	0	21	12
III	86	78	84	84	7.4	6.3	7.2	41	21	20	4	0	0	0	12	9	1	12	5	4	11	2	0	4	0	0	0	0	5	13	22	2	15	0
IV	83	78	84	83	6.8	6.1	6.7	33	17	1	1	0	0	0	12	4	1	11	1	0	12	0	0	4	0	0	0	0	5	9	24	0	10	0
V	80	75	76	79	7.0	6.7	6.4	126	21	17	0	0	0	0	18	14	6	10	0	0	18	0	0	1	0	2	0	1	6	3	26	3	12	0
VI	84	83	84	85	7.1	7.6	7.7	105	20	7	0	0	0	0	15	13	5	9	5	2	16	0	0	3	0	0	0	2	5	5	25	0	11	0
VII	78	78	82	80	4.9	6.4	5.5	45	14	28	0	0	0	0	10	10	0	10	1	0	10	0	0	1	0	0	0	2	0	0	27	3	8	0
VIII	81	78	82	81	5.4	6.2	6.5	69	26	7	0	0	0	3	7	5	2	14	5	1	7	0	0	1	0	0	0	2	1	1	30	3	8	0
IX	82	75	81	81	6.6	6.2	6.1	66	16	23	0	0	0	0	15	10	1	19	4	1	15	0	0	0	0	0	0	3	4	0	22	6	10	0
X	85	83	85	85	8.1	7.6	8.0	110	43	23	0	0	0	0	19	13	3	19	5	1	19	0	0	2	0	0	0	0	5	0	19	1	18	0
XI	81	76	80	80	7.1	7.5	7.7	38	15	29	4	0	0	0	14	6	1	11	6	4	14	0	0	5	0	2	0	0	0	3	12	4	17	0
XII	79	77	79	78	6.9	7.6	7.3	103	24	3	13	1	0	0	21	16	3	22	6	4	18	6	3	0	0	0	0	0	2	2	17	2	16	2
1945	82	79	82	82	7.0	7.0	7.0	869	43		56	17	0	3	181	127	26	163	49	18	165	29	9	26	0	4	0	10	49	41	259	26	159	25

Tonstad

H_s = 57 H_b = h_t = 2.0 h_a = h_d = 9.5 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær R	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ▦
I	75	69	73	73	7.1	7.1	5.9	69	23	17	28		10		10	7	3	4	0	0	3	9	1	0	0	0	0	0	0	1	21	4	15	28
II	91	80	87	87	9.6	9.1	8.7	153	30	8	21		3		20	18	4	0	0	0	14	11	3	3	0	0	0	0	3	4	7	0	22	28
III	86	67	72	77	7.5	6.7	6.8	95	35	21	12		0		11	8	4	4	2	2	10	3	1	1	0	0	0	0	1	2	18	3	13	7
IV	82	58	68	74	7.4	6.7	6.8	95	29	1	11		0		16	11	3	1	0	0	16	1	1	1	0	0	0	0	0	2	23	1	12	0
V	74	58	64	72	6.4	6.9	6.6	140	23	17	4		0		18	15	6	3	0	0	18	2	2	0	0	0	0	1	0	0	23	4	12	0
VI	84	68	69	80	8.0	8.1	8.0	184	37	5	0		0		19	17	7	1	0	0	19	0	0	2	0	0	0	2	0	1	22	0	16	0
VII	80	60	64	74	6.6	7.2	6.9	96	28	22	0		0		13	8	3	1	0	0	13	0	0	0	0	0	0	2	1	1	25	3	13	0
VIII	87	55	63	75	5.0	6.5	6.8	96	28	26	0		0		8	8	3	0	0	0	8	0	0	0	0	0	0	0	0	0	29	2	8	0
IX	94	65	72	80	6.7	7.3	7.0	188	28	23	0		0		15	15	8	0	0	0	15	0	0	2	0	0	2	0	0	0	22	2	15	0
X	88	72	81	84	8.3	7.7	7.4	106	33	26	1		0		15	12	3	1	0	0	15	0	0	3	0	0	0	0	0	0	16	2	17	0
XI	82	74	82	80	7.8	7.5	7.0	122	40	29	7		0		12	10	4	1	0	0	12	0	0	7	0	0	0	0	0	1	13	4	18	0
XII	82	77	80	80	7.6	7.9	7.4	128	26	18	23		2		18	12	5	0	0	0	15	6	2	2	0	0	0	0	0	0	11	4	20	3
1945	84	67	73	78	7.3	7.4	7.1	1470	40		107		15		175	141	53	16	2	2	158	32	10	21	0	0	0	7	5	12	230	29	181	66

Klepp

H_s = 14 H_b = h_t = 1.9 h_a = h_d = 12.5 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær R	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ▦
I	80	74	78	78	5.9	4.9	4.7	67	19	17	30		3		12	11	3	3	1	0	7	8	2	3	0	1	0	0	15	4	19	6	6	24
II	86	84	87	86	8.6	7.8	7.6	98	16	8	8		1		23	16	3	4	1	0	19	5	0	1	0	3	0	0	17	7	13	1	17	9
III	90	79	86	87	7.7	6.4	7.1	52	19	20	5		0		24	13	1	4	2	0	22	4	2	11	0	0	0	0	14	13	21	3	12	0
IV	85	73	83	83	6.3	4.3	6.3	65	18	1	2		0		19	9	3	0	0	0	19	2	1	6	0	1	0	1	7	12	25	3	8	0
V	77	69	73	76	6.3	5.1	5.5	80	16	17	0		0		16	13	2	0	0	0	16	0	0	1	0	0	0	1	17	3	30	6	8	0
VI	81	77	84	84	6.4	6.5	7.7	134	22	18	0		0		23	15	5	3	2	0	23	0	0	4	0	1	0	2	16	11	26	2	9	0
VII	79	74	77	79	6.2	5.5	4.8	38	10	21	0		0		14	10	0	1	0	0	14	0	0	1	0	0	0	0	22	1	29	5	8	0
VIII	86	74	80	82	6.1	4.4	5.4	66	20	25	0		0		11	8	2	1	0	0	11	0	0	4	0	0	0	0	23	7	29	3	5	0
IX	87	71	81	82	6.1	5.2	6.9	87	15	20	0		0		17	15	2	2	0	0	17	0	0	1	0	0	0	2	16	10	25	5	11	0
X	89	79	85	86	7.2	6.0	8.0	85	25	26	0		0		26	16	2	3	1	0	26	0	0	10	0	0	0	1	23	6	26	0	13	0
XI	86	80	84	84	7.3	7.1	7.5	67	18	8	4		0		23	13	1	3	1	0	23	1	1	6	0	2	0	0	14	9	14	3	18	0
XII	82	79	82	81	7.2	7.1	6.8	72	12	13	15		0		21	14	2	5	1	1	15	8	0	1	0	1	0	1	13	8	10	3	15	4
1945	84	76	82	82	6.8	5.9	6.5	911	25		64		4		229	153	26	29	9	1	212	28	6	49	0	9	0	8	197	91	267	40	130	37

Stavanger

H_s = 85 H_b = h_t = 2.4 h_a = 10.0 h_d = 10.0 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær R	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ▦
I	74	69	70	72	6.8	5.8	4.5	50	14	3	30	13	1	0	12	8	3	8	1	1	7	9	3	2	0	3	0	0	24	4	23	6	6	23
II	83	81	85	83	9.0	8.2	7.6	83	15	8	9	1	0	0	19	13	3	10	2	2	15	6	2	1	0	1	0	0	24	2	15	1	20	7
III	89	79	85	86	8.3	6.7	7.8	50	19	20	5	0	0	0	22	12	1	6	2	2	20	4	2	7	0	2	0	0	16	10	25	2	16	2
IV	91*	67*	77*	83*	6.3*	5.3*	6.5*	60*	17*	1*	1*	0*	0*	0*	18*	10*	2*	2*	1*	0*	18*	1*	1*	6*	0*	1*	0*	1*	6*	10*	18*	2*	10*	0*
V	73	61	70	73	5.7	6.1	5.4	66	16	17	0	0	0	0	14	12	3	3	0	0	14	0	0	0	0	1	0	1	4	6	31	6	9	0
VI	80	74	79	82	6.6	7.2	7.3	135	21	18	0	0	0	2	24	18	6	2	2	0	24	0	0	5	0	0	0	1	7	4	25	0	7	0
VII	77	68	75	78	6.1	5.1	4.9	57	25	13	0	0	0	3	12	9	1	1	0	0	12	0	0	3	0	0	0	1	6	0	29	2	6	0
VIII	81	67	76	78	5.6	4.6	4.8	40	15	25	0	0	0	7	11	5	1	2	0	0	11	0	0	4	0	0	0	0	10	5	27	2	6	0
IX	78	65	76	75	6.2	5.8	5.8	70	9	20	0	0	0	0	21	13	0	2	1	1	17	0	0	2	0	0	0	3	10	0	21	4	8	0
X	83	76	81	81	7.0	6.3	5.6	87	29	26	0	0	0	0	25	14	2	1	0	0	25	0	0	12	0	0	0	0	15	3	26	0	7	0
XI	76	71	75	75	6.6	6.3	6.7	64	15	30	0	0	0	0	18	8	3	7	2	0	18	0	0	4	0	0	0	0	10	6	12	2	10	0
XII	73	70	73	72	6.5	6.6	5.7	59	13	13	14	1	0	0	22	12	1	12	3	1	17	9	0	4	0	1	0	0	9	3	11	3	10	5
1945	80	71	77	78	6.7	6.2	6.0	821	29		59	15	1	12	218	134	26	56	14	7	198	29	8	50	0	9	0	7	141	53	263	30	115	37

1945

Sauda

φ = 59° 39′ N λ = 6° 22′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	NE	E	SE	S	SW	W	NW	C
I			- 7.0	- 4.6	- 6.2	- 6.2	- 1.8	-10.5	5.5	17	-19.1	29	1 1.0	4 2.0	11 1.9	2 2.0	0 -	3 2.7	3 1.7	1 3.0	68
II			- 0.5	1.9	0.5	0.3	3.1	- 3.1	8.2	28	-16.8	4	0 -	0 -	6 1.3	2 2.5	0 -	15 2.7	1 1.0	0 -	60
III			2.1	6.6	4.9	4.0	8.3	0.8	17.4	25	- 4.6	6	3 1.7	0 -	0 -	0 -	0 -	3 2.0	3 4.7	6 3.0	78
IV			4.2	9.5	8.1	6.2	10.9	2.0	15.8	17	- 2.4	14	3 1.7	4 2.5	7 1.9	0 -	0 -	11 2.0	8 2.1	5 1.4	52
V			9.3	13.8	12.5	10.3	15.6	5.4	23.0	22	0.9	6	3 2.3	8 2.8	12 2.3	1 3.0	0 -	15 2.8	7 2.9	3 2.0	44
VI			11.5	15.7	14.1	12.4	17.3	8.5	29.1	22	1.7	6	0 -	0 -	1 1.0	0 -	1 2.0	14 2.1	19 2.1	1 2.0	54
VII			15.3	20.4	19.1	16.5	22.3	11.5	30.6	16	6.3	31	4 2.0	2 2.0	0 -	3 2.0	6 2.7	24₅ 1.4	15₅ 1.5	1 2.0	37
VIII			15.0	21.1	20.5	17.3	23.4	12.1	30.1	13	6.7	27	3 1.0	5 1.8	1 1.0	0 -	1 1.0	25₅ 1.8	13₅ 1.9	2 1.5	42
IX			8.7	15.0	12.8	11.3	16.2	7.3	21.3	3	1.8	29	4 1.0	7 2.0	6 1.2	0 -	3 1.7	14 1.7	9 1.3	4 2.2	43
X			6.6	10.7	8.4	8.2	11.7	5.2	15.2	2	- 0.1	11	6 1.2	1 1.0	9 1.3	0 -	3 1.0	6 2.2	5 1.6	1 3.0	62
XI			2.0	4.0	2.6	2.7	5.1	0.4	11.9	8	- 5.6	11	2 3.0	2 2.0	8 1.4	0 -	0 -	7 2.9	4 2.5	6 2.4	61
XII			- 0.4	0.4	0.0	- 0.1	3.3	- 3.1	10.8	20	-11.9	31	8 1.5	10 2.5	6₅ 2.1	2₅ 3.0	0 -	5 2.6	3 3.3	2 2.0	56
1945			5.6	9.5	8.1	6.9	11.3	3.0	30.6		-19.1		37 1.6	43 2.3	67₅ 1.7	10₅ 2.4	14 1.9	14₃ 2.1	91 2.0	32 2.3	657

Skudesnes II.

φ = 59° 9′ N λ = 5° 15′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	NE	E	SE	S	SW	W	NW	C
I	1008.0	1009.2	- 1.0	0.3	- 0.9	- 0.7		- 3.6	6.5	1	- 7.8	29	13₅ 3.3	13₅ 3.7	32₅ 3.3	6 4.8	0₅ 4.0	6 4.8	5₅ 5.0	6₅ 5.6	9
II	09.3	10.5	2.7	3.6	2.7	2.8		1.1	6.1	27	- 7.7	2	2 3.5	2 3.5	1 2.0	20₅ 5.1	29₅ 4.5	10 4.3	15 4.5	2 2.5	2
III	16.4	17.5	4.5	6.2	5.1	5.0		3.3	11.9	25	- 0.5	3	15₅ 5.0	4 2.7	3₅ 3.0	8₅ 3.1	15 3.4	17 3.2	8₅ 4.2	21 5.0	0
IV	12.7	13.9	6.1	8.0	6.6	6.4		4.2	9.4	18	1.8	14	13₅ 4.7	5 3.4	1 3.0	5 3.2	16 3.9	19₅ 3.5	12 3.8	18 4.4	0
V	09.4	10.5	9.8	11.9	10.4	10.0		7.3	19.4	22	3.8	2	12 4.5	5 4.4	12 4.6	10₅ 4.8	23 4.5	13 4.7	3₅ 5.1	14 5.2	0
VI	10.5	11.6	12.3	13.3	12.3	11.9		9.8	20.2	21	5.1	6	4₅ 5.9	0 -	3₅ 2.9	8 4.3	16₅ 4.4	21 4.3	12 4.9	24₅ 5.6	0
VII	12.0	13.1	15.8	17.4	16.6	15.7		13.0	24.0	15	7.5	4	13₅ 4.7	2 3.5	3₅ 4.3	8₅ 2.8	10₅ 4.0	8₅ 4.5	11₅ 3.2	35 4.7	0
VIII	08.3	09.4	16.0	18.1	16.2	16.1		13.6	26.0	14	10.3	27	29₅ 4.6	6 2.8	3 2.0	1₅ 1.3	10₅ 2.7	10 3.0	7 4.3	24₅ 4.6	1
IX	13.8	15.0	12.7	14.2	12.7	12.7		10.5	18.2	10	6.8	28	17₅ 4.4	3₅ 1.8	7 2.3	10 5.4	12 5.3	12 4.0	9 3.9	14 4.3	5
X	12.6	13.7	10.1	11.5	10.7	10.6		8.7	14.6	2	3.6	11	18 4.4	6 3.2	5 3.4	21₅ 4.1	8₅ 4.5	4₅ 5.0	2₅ 2.8	23 3.9	4
XI	18.8	20.0	6.5	7.6	6.6	6.7		4.9	12.4	1	0.0	12	8₅ 4.9	11 2.0	9 2.5	17 3.8	13 4.8	7₅ 4.4	1₅ 6.0	11₅ 5.0	11
XII	06.6	07.8	3.7	4.5	3.9	3.9		2.0	9.3	2	- 4.5	12	7 5.7	4 3.6	11₅ 3.7	33 4.6	20₅ 4.8	3 3.7	1 7.0	8 6.0	5
1945	1011.5	1012.7	8.3	9.7	8.6	8.4		6.2	26.0		- 7.8		15₅ 4.6	62 3.1	92₅ 3.3	150 4.3	175₅ 4.3	132 4.0	89 4.2	202 4.8	37

Utsira

φ = 59° 18′ N λ = 4° 53′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	NE	E	SE	S	SW	W	NW	C
I			0.4	1.0	0.4	0.5	2.4	- 2.0	7.9	2	- 6.6	29	22₅ 4.6	11 3.1	21₅ 3.0	14₅ 2.7	7 3.6	2 2.8	5₅ 3.8	7 4.5	2
II			3.3	3.9	3.4	3.3	4.8	1.5	6.9	15	- 6.7	2	6 4.2	1 3.0	3 5.3	24₅ 5.1	28 4.8	5₅ 3.3	10 3.6	5 4.3	1
III			4.8	6.0	5.4	5.2	7.1	3.6	14.9	25	- 0.3	1	31 4.2	0 -	1₅ 1.7	10 3.8	19 3.5	11₅ 3.1	4 4.8	15 3.6	1
IV			5.8	7.2	6.3	6.0	7.9	4.2	10.0	9	1.6	14	19 3.3	2 1.0	1₅ 1.3	9₅ 2.9	19₅ 3.4	10 3.3	8₅ 2.6	18 3.0	2
V			9.1	10.7	9.8	9.3	11.9	7.1	18.1	21	2.7	5	25₅ 3.1	7₅ 2.5	11 2.3	13 4.3	24 3.9	3₅ 3.4	6 2.7	2₅ 5.4	0
VI			11.4	12.7	11.9	11.4	13.9	9.8	23.9	22	5.2	17	18₅ 3.6	2₅ 1.2	3 2.3	10 3.4	26 3.1	9₅ 2.4	9 3.1	11₅ 4.7	0
VII			15.1	16.6	16.1	15.3	17.9	13.4	25.8	16	9.8	4	35₅ 3.5	3 4.0	4 1.5	8₅ 3.1	13₅ 2.5	2 2.5	9 2.3	14₅ 2.6	3
VIII			15.0	16.6	16.0	15.4	17.8	13.5	22.5	13	8.9	27	54 3.5	3 1.7	1₅ 1.7	5₅ 2.2	8₅ 2.9	2₅ 2.4	8₅ 3.3	8₅ 2.4	1
IX			12.3	13.9	13.3	12.8	14.8	11.0	17.3	10	8.3	4	25 3.3	2 1.0	4₅ 3.6	13₅ 5.0	10 4.6	11₅ 3.1	8 3.4	13₅ 2.4	2
X			10.3	11.2	10.7	10.5	12.1	9.3	17.2	2	4.1	11	19₅ 3.8	1 3.0	2 2.8	16 3.5	13₅ 3.6	7 3.2	14₅ 3.2	18₅ 3.4	1
XI			6.7	7.5	7.2	7.0	8.9	5.3	12.4	1	2.1	11	6₅ 4.5	6₅ 1.8	9 1.3	19₅ 2.2	15 4.0	10 3.8	10 4.8	10₅ 5.4	3
XII			3.8	4.2	3.9	3.9	6.0	2.0	9.4	2	- 2.4	12	7 7.3	1 2.0	7 4.0	37₅ 3.8	20₅ 4.9	8 3.7	4 3.6	5 5.0	3
1945			8.2	9.3	8.7	8.4	10.5	6.6	25.8		- 6.7		270 3.8	40₅ 2.4	69₅ 2.7	182 3.7	204₅ 3.8	83 3.2	97 3.4	129₅ 3.6	19

Indre Matre

φ = 59° 51′ N λ = 6° 0′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	NE	E	SE	S	SW	W	NW	C
I			- 2.3	- 1.2	- 1.5	- 1.9		- 4.7	5.8	16	- 9.5	29	0 -	22 2.5	13 2.9	1 2.0	0₅ 2.0	4₅ 3.1	0 -	0 -	52
II			2.4	4.2	2.6	2.8		0.2	9.4	18	- 8.4	4	0₅ 5.0	3 2.0	4 6.2	0 -	10₅ 2.7	13₅ 3.3	2 5.5	0₅ 5.0	50
III			4.1	6.4	5.5	4.9		2.6	18.2	25	- 1.7	1	0 -	7 2.7	16 3.8	1 4.0	4 1.1	6 3.9	1 1.0	0 -	58
IV			5.2	8.6	7.2	6.3		3.7	11.4	23	0.8	5	1 1.0	3 1.7	11 2.2	2 1.0	6 2.3	12 3.2	2 3.5	0 -	53
V			10.0	13.4	11.8	10.5		6.8	20.8	22	3.0	8	0 -	2 2.0	11 2.3	8 2.4	16₅ 2.5	14₅ 2.7	0 -	0 -	41
VI			11.8	14.8	12.7	12.0		8.8	28.2	22	4.1	17	5₅ 1.1	1 2.0	2₅ 1.8	2₅ 2.2	5 1.6	13 2.5	0 -	4₅ 1.6	56
VII			15.4	19.1	16.1	15.5		11.4	30.0	16	7.2	4	3₅ 3.9	2₅ 4.6	2 2.0	0 -	7₅ 2.0	9₅ 2.2	1 2.0	0 -	67
VIII			16.4	20.3	17.3	16.8		12.4	26.8	13	7.5	27	1 3.0	7 2.9	2 1.0	2 1.0	3₅ 1.9	4₅ 1.7	0 -	2 2.0	71
IX			10.3	14.1	11.7	11.3		8.2	19.0	11	4.7	29	1 2.0	5 1.2	4₅ 3.7	1₅ 1.7	13 2.8	3 2.8	0 -	0 -	62
X			8.1	10.9	9.3	9.1		7.0	14.5	22	2.3	11	1 4.0	6 3.7	10 3.4	0 -	5₅ 1.5	1 2.0	1₅ 1.3	0 -	68
XI			4.2	5.6	4.6	4.7		3.0	11.8	1	- 1.5	11	0 -	7 6.3	3 4.7	0₅ 8.0	7 2.5	1₅ 5.0	0 -	0 -	71
XII			2.4	3.1	2.9	2.7		0.5	11.0	2	- 4.8	12	0 -	7 2.3	20 4.0	1 3.0	11 3.9	2 4.2	0 -	0 -	52
1945			7.3	9.9	8.4	7.9		5.0	30.0		- 9.5		13₅ 2.4	72₅ 2.9	99 3.3	19₅ 2.3	90 2.5	8₅ 2.9	7₅ 3.1	7 1.9	701

Svandalsflona

φ = 59° 51′ N λ = 6° 57′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD.F_m N	NE	E	SE	S	SW	W	NW	C
I			-10.0	- 8.5	- 9.6	- 9.6		-12.9	- 1.6	12	-16.7	28	7₅ 3.1	2 3.5	12 4.3	30 4.3	0 -	1 1.0	14₅ 3.7	14 3.4	12
II			- 5.0	- 3.8	- 4.9	- 4.9		- 7.4	2.2	21	-15.5	1	2₅ 1.4	0 -	7 3.3	35 3.8	1 2.0	1 2.0	22₅ 4.3	8 3.6	7
III			- 2.0	- 0.3	- 1.7	- 1.7		- 4.0	5.5	25	- 9.8	6	1 2.0	1 2.0	1 2.0	14 2.8	1 2.0	4 2.8	32 3.3	21 4.5	18
IV			- 0.6	1.7	- 0.3	- 0.7		- 3.9	6.8	17	- 7.6	6	2 2.5	0 -	4 2.5	17 2.6	0 -	4₅ 2.8	25 3.2	14₅ 3.4	23
V			2.0	3.9	3.1	2.1		- 0.3	9.6	21	- 4.7	25	0 -	0 -	2 2.0	47 4.2	0 -	2 3.5	19 2.9	3 3.8	20
VI			5.9	8.0	7.0	5.9		3.1	18.8	23	- 2.5	17	0 -	0 -	4 2.5	30 3.4	4 3.2	5 2.8	30₅ 3.3	12₅ 3.1	4
VII			10.5	13.8	12.6	11.1		7.7	23.0	15	3.5	25	0 -	0 -	0 -	38 3.2	7 2.3	3 3.0	32 3.1	6 3.3	7
VIII			11.7	15.3	14.0	12.5		9.1	22.0	4	2.5	27	0 -	1 2.0	3 2.7	33₅ 3.0	3₅ 2.3	1 2.5	34 2.7	4 2.6	13
IX			5.3	7.6	6.7	5.8		3.1	15.2	3	- 1.5	29	0 -	0 -	1 3.0	32 3.6	3 3.0	1 3.0	34 2.6	5 1.9	14
X			2.4	4.7	3.2	3.0		1.0	11.0	2	- 4.3	11	2 2.5	0 -	0 -	30₅ 3.4	1₅ 2.3	2 3.0	31₅ 3.0	5₅ 3.5	20
XI			- 1.9	- 0.2	- 1.2	- 1.3		- 3.2	5.4	2	- 8.0	10	2 1.5	0 -	3 2.0	22₅ 3.2	0₅ 2.0	2 3.2	19₅ 3.3	7₅ 3.8	22
XII			- 5.9	- 4.9	- 5.6	- 5.6		- 8.1	5.0	1	-15.0	12	3 2.3	0 -	10 4.6	38₅ 4.2	2₅ 2.8	0 -	15 3.8	8 3.9	16
1945			2.3	3.1	1.9	1.4		- 1.3	23.0		-16.7		20 2.4	4 2.8	47 3.5	379 3.6	24 2.6	26₅ 2.8	30₅ 3.2	10₅ 3.6	176

1945

Sauda

$H_s = 5$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d =$ $h_r = 1.5$

Måned	Midlere relativ fuktighet U_m 8	14	19	Diøgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	82	81	82	82	5.3	6.3	3.7	127	29	2	31	22	17	0	11	10	4	0	0	0	5	11	2	0	3	1	0	0	3	5	14	9	7	31
II	92	84	88	89	9.6	9.4	8.6	305	64	25	16	4	4	0	23	22	10	0	0	0	19	10	3	7	3	3	0	0	11	10	5	1	24	28
III	91	72	76	82	8.5	7.8	7.3	189	44	21	11	0	0	0	20	15	6	3	0	0	17	3	0	6	1	0	0	1	6	4	22	3	20	9
IV	86	60	63	75	6.3	5.9	7.0	157	44	1	6	0	0	0	18	16	4	0	0	0	18	2	2	4	0	2	0	1	4	2	21	5	14	0
V	74	55	59	69	6.4	6.9	7.2	104	27	14	0	0	0	0	16	9	4	1	0	0	16	0	0	0	0	1	0	1	2	0	26	6	17	0
VI	85	65	74	83	7.7	8.3	8.7	216	42	10	0	0	0	2	21	17	10	0	0	0	21	0	0	3	0	0	0	2	4	0	23	1	21	0
VII	82	59	65	76	6.2	6.5	6.5	89	19	21	0	0	0	6	14	12	4	0	0	0	14	0	0	3	0	0	0	1	6	1	28	3	14	0
VIII	87	60	61	74	4.9	5.2	5.7	81	34	25	0	0	0	9	9	8	3	0	0	0	9	0	0	2	0	0	0	2	2	2	28	3	7	0
IX	94	66	78	83	6.4	7.1	7.9	196	58	16	0	0	0	0	19	17	4	0	0	0	19	0	0	6	0	0	0	0	5	1	20	1	14	0
X	95	77	86	88	7.5	7.3	7.1	112	22	23	1	0	0	0	19	15	2	0	0	0	19	0	0	9	0	0	0	0	6	1	20	1	16	0
XI	89	84	89	88	6.1	6.0	6.5	171	37	28	12	1	0	0	14	11	5	2	0	0	14	1	0	7	0	1	0	1	5	4	13	6	16	0
XII	82	79	79	80	5.6	7.1	6.5	149	32	18	22	4	3	0	15	14	4	1	0	0	13	7	3	4	0	0	0	0	7	3	9	4	15	22
1945	87	70	75	81	6.7	7.0	6.9	1896	64		99	31	24	17	199	166	60	7	0	0	184	34	10	51	7	8	0	9	61	33	229	43	185	90

Skudesnes II.

$H_s = 7$ $H_b = 9.2$ $h_t = 2.0$ $h_a =$ $h_d = 3.0$ $h_r = 1.8$

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	77	72	73	75	6.4	6.1	4.3	62	10	2	29		0		13	9	1	11	1	1	9	9	4	4	0	1	0	0	4	1	15	4	7	4
II	88	86	89	88	9.4	8.0	7.2	99	16	8	5		0		20	17	4	17	3	0	16	6	2	2	0	0	0	0	6	3	9	0	17	8
III	90	82	88	88	7.9	7.1	8.3	52	14	20	1		0		23	13	1	9	2	2	23	4	4	11	0	0	0	1	6	9	22	0	15	0
IV	84	79	84	84	7.0	5.1	6.4	55	16	1	0		0		16	11	1	13	0	0	16	0	0	9	0	2	0	0	8	7	25	1	9	0
V	78	71	76	78	6.6	6.2	5.7	56	14	17	0		0		15	12	1	11	1	0	15	0	0	8	0	0	0	1	0	4	29	6	12	0
VI	83	83	85	84	6.9	7.0	7.5	104	17	7	0		0		18	14	4	13	2	0	18	0	0	8	0	2	0	2	3	6	27	2	9	0
VII	79	74	77	79	5.4	5.1	4.5	58	25	13	0		0		12	7	2	12	0	0	12	0	0	3	0	0	0	2	0	0	31	4	6	0
VIII	83	73	78	80	6.1	4.9	5.3	55	16	25	0		0		9	5	3	11	0	0	9	0	0	3	0	0	0	0	4	4	31	0	7	0
IX	83	74	83	82	6.3	6.0	6.3	135	25	13	0		0		18	14	5	18	2	0	18	0	0	1	0	0	0	3	2	1	25	1	9	0
X	86	84	84	85	8.3	7.8	7.8	86	29	26	0		0		20	11	2	14	0	0	20	0	0	11	0	0	0	0	3	2	24	0	15	0
XI	81	77	81	80	7.9	6.8	6.9	70	16	8	0		0		14	10	1	10	4	0	14	0	0	3	0	2	0	0	3	0	19	2	18	0
XII	80	76	80	79	8.2	8.1	8.4	113	21	3	7		0		21	18	5	17	4	1	19	7	3	0	0	0	0	1	14	0	10	0	19	2
1945	83	78	82	82	7.2	6.5	6.6	945	29		42		0		199	141	30	156	19	4	189	26	13	63	0	7	0	10	53	37	267	20	143	14

Utsira

$H_s = 55$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d =$ $h_r = 1.6$

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	83	79	77	80	6.6	7.5	5.1	59	10	17	25	6	0	0	16	9	1	11	2	1	10	11	3	1	0	4	0	0	5	0	16	3	9	8
II	91	89	91	91	9.4	8.4	7.9	96	16	8	6	0	0	0	21	16	3	17	6	2	16	8	1	2	0	3	0	0	16	4	12	0	18	7
III	91	87	89	90	8.0	7.8	7.8	49	12	20	1	0	0	0	23	17	1	9	5	1	22	4	1	7	0	2	0	0	8	10	18	1	19	0
IV	90	84	86	88	6.9	5.8	7.2	55	12	1	0	0	0	0	15	11	1	3	0	0	15	0	0	5	0	0	0	1	3	6	24	1	10	0
V	84	78	82	84	6.6	6.8	6.3	59	16	30	0	0	0	0	14	12	1	8	1	0	14	0	0	2	0	0	0	2	9	1	26	3	12	0
VI	79	75	79	80	8.1	7.9	8.3	93	21	8	0	0	0	0	16	14	5	6	0	0	16	0	0	1	0	0	0	3	2	10	23	0	14	0
VII	73	70	71	73	6.9	6.2	6.3	39	22	13	0	0	0	1	11	8	1	4	1	0	11	0	0	1	0	0	0	1	8	0	28	0	12	0
VIII	79	72	73	76	7.3	5.6	5.9	37	10	24	0	0	0	0	14	5	1	7	1	0	14	0	0	3	0	0	0	0	5	8	30	2	9	0
IX	80	71	73	76	7.8	7.8	7.1	169	42	15	0	0	0	0	21	16	6	11	2	0	21	0	0	2	0	1	0	2	6	2	22	0	17	0
X	80	75	78	78	8.7	8.5	8.4	86	25	26	0	0	0	0	25	18	2	9	0	0	25	0	0	7	0	0	0	0	14	1	15	0	20	0
XI	71	71	75	73	6.8	6.9	7.4	85	14	29	0	0	0	0	19	15	4	8	5	0	19	1	0	2	0	3	0	1	11	4	15	4	14	0
XII	76	74	77	76	7.2	7.5	7.7	145	26	6	6	0	0	0	24	19	6	16	5	2	21	10	4	1	0	3	0	0	12	1	14	1	13	0
1945	81	77	79	80	7.5	7.2	7.1	972	42		38	6	0	1	219	160	32	109	28	6	204	34	9	34	0	16	0	10	99	47	243	15	167	15

Indre Matre

$H_s = 24$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d =$ $h_r = 1.6$

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I					5.8	6.3	4.4	188	60	2	30		0		12	11	4	4	1	0	6	11	5	2	0	0	0	0	1	1	6	5	7	29
II					8.6	8.6	7.8	417	137	28	10		0		22	21	8	9	1	0	19	8	5	0	0	3	0	0	6	1	2	1	21	16
III					8.1	7.5	7.0	273	52	21	7		0		22	16	11	4	2	2	20	4	2	7	0	0	0	0	3	3	6	2	16	5
IV					6.6	6.7	6.6	244	85	1	0		0		20	15	7	2	0	0	20	1	1	2	0	0	0	2	3	3	11	5	12	0
V					6.3	6.9	6.7	144	43	14	0		0		15	12	5	5	0	0	15	0	0	0	0	0	0	2	0	0	16	5	14	0
VI					7.4	8.0	8.4	260	31	14	0		0		23	18	9	1	0	0	23	0	0	1	0	0	0	1	4	1	13	2	16	0
VII					6.4	5.8	5.9	135	33	22	0		0		18	12	5	3	0	0	18	0	0	6	0	0	0	3	2	1	20	2	9	0
VIII					5.4	5.1	4.8	143	73	25	0		0		10	8	4	1	0	0	10	0	0	2	0	0	0	1	0	1	25	4	5	0
IX					6.6	7.0	6.7	234	69	15	0		0		19	16	8	4	0	0	19	0	0	3	0	0	0	0	1	0	13	3	12	0
X					7.8	7.9	7.5	184	81	10	0		0		23	18	3	2	1	0	23	0	0	8	0	0	0	0	2	1	7	0	17	0
XI					5.8	5.9	6.2	228	66	8	4		0		12	11	5	5	3	1	12	3	2	6	0	0	0	0	2	0	9	7	15	0
XII					5.8	6.7	6.6	140	28	13	14		0		13	11	6	12	3	2	11	7	5	4	0	0	0	0	1	0	0	7	14	0
1945					6.7	6.9	6.6	2590	137		65		0		209	169	75	52	11	5	196	34	20	41	0	3	0	9	25	12	128	43	158	50

Svandalsflona

$H_s = 1048$ $H_b =$ $h_t = 3.1$ $h_a =$ $h_d = 8.2$ $h_r = 3.3$

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	76	75	74	75	5.9	6.9	5.0	106	25	2	31		24		14	9	5	10	2	2	0	14	0	0	0	0	0	0	1	1	14	7	11	31
II	89	86	87	88	8.8	8.8	8.0	175	48	28	28		6		24	16	6	11	0	0	4	24	2	1	0	0	0	0	0	0	2	1	20	28
III	86	81	84	85	7.9	8.0	8.1	103	22	2	26		0		18	13	3	6	1	1	5	16	1	4	0	0	0	0	0	6	9	2	17	31
IV	76	70	75	76	6.6	6.2	6.6	102	26	2	28		0		15	11	3	1	0	0	8	11	0	4	0	0	0	1	0	3	16	7	13	30
V	77	72	73	76	7.1	6.8	7.5	105	21	14	15		0		17	13	3	12	1	0	14	9	4	0	0	0	0	0	0	1	13	5	21	31
VI	79	72	78	81	7.4	7.9	8.2	216	32	8	4		0		20	17	7	2	0	0	17	7	3	1	0	0	0	0	0	6	12	1	20	19
VII	73	63	68	72	6.0	6.8	6.9	66	21	21	0		0		16	9	2	3	1	1	16	0	0	2	0	0	0	0	2	1	20	1	12	0
VIII	76	60	62	69	5.7	6.1	5.5	95	46	25	0		0		10	7	3	0	0	0	10	0	0	1	0	0	0	3	0	1	21	2	4	0
IX	80	71	76	77	6.4	7.3	7.3	151	36	16	2		0		18	16	5	5	0	0	17	3	0	1	0	0	0	0	4	0	13	2	13	0
X	84	76	82	82	8.1	8.0	7.8	95	31	10	11		0		18	11	3	4	1	0	16	5	0	1	0	0	0	0	2	1	10	0	17	1
XI	78	74	76	77	6.5	6.4	6.1	116	29	28	23		0		14	11	4	5	0	0	7	9	0	0	0	1	0	0	1	1	11	7	15	14
XII	81	78	80	80	7.6	7.5	6.5	79	19	13	31		10		22	12	2	12	0	0	2	22	1	0	0	0	0	0	2	1	5	3	17	31
1945	80	73	76	78	7.0	7.2	7.0	1409	48		199		40		206	145	46	71	6	4	116	120	11	15	0	1	0	4	12	22	146	39	180	216

1945

Maurset

φ = 60° 25′ N λ = 7° 20′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-10.0	- 8.9	-10.0	- 9.9		-13.7	- 1.2	2	-21.6	22	2s 1.8	4 1.2	30 2.6	12 3.0	1s 2.0	2s 2.0	16 2.4	5s 3.2	19
II			- 4.3	- 2.7	- 3.7	- 4.0		- 7.1	4.2	19	-19.8	1	0s 1.0	3 2.3	18s 2.3	14 3.3	4s 1.4	8s 2.4	17s 2.2	5s 4.1	12
III			- 0.6	0.5	- 0.6	- 0.6		- 2.8	7.9	26	-10.8	9	1 4.0	3s 2.3	8s 1.1	10 1.9	0 -	9 2.0	33 2.3	13 3.4	15
IV			- 0.4	2.4	0.4	- 0.1		- 3.3	6.0	16	-10.4	12	2 1.2	5 1.4	19 1.2	8 1.2	1s 1.0	6s 2.3	22 2.1	8 2.8	18
V			4.0	6.8	4.8	4.0		0.6	15.9	21	- 5.7	6	1s 3.3	9 2.9	22s 2.6	10s 3.5	5 1.6	4s 2.7	22 2.9	13 2.3	5
VI			8.7	11.1	9.6	8.4		4.7	23.0	22	- 0.2	6	5s 1.2	7 1.3	19 1.9	6s 2.6	2 1.0	6s 1.9	30s 1.6	10 1.7	3
VII			13.4	16.0	13.5	12.6		8.2	27.1	15	1.0	31	3 1.7	7s 1.7	23 1.7	3s 2.1	3s 2.1	5 2.9	23 2.6	15s 1.8	9
VIII			13.6	16.9	13.5	13.0		7.9	23.9	12	3.8	31	5s 2.0	6s 2.8	15s 3.3	7 1.9	5 3.0	9s 2.4	22 1.9	11 2.1	11
IX			6.6	9.9	7.6	7.0		2.8	15.4	11	- 1.5	1	2 1.0	6s 1.5	24s 1.8	9 2.6	9 1.7	2 3.0	22 2.0	7 2.1	8
X			4.1	6.3	5.3	4.7		2.1	10.2	3	- 3.5	7	1 4.0	1 1.0	26 2.6	9s 2.4	0s 1.0	2 3.5	40s 1.8	10s 1.7	2
XI			- 2.0	0.4	- 1.0	- 1.2		- 3.9	7.8	1	-12.4	22	3 2.3	6s 1.7	28s 2.1	11 2.1	2 1.0	1 3.0	19s 2.1	7s 3.7	11
XII			- 5.4	- 4.3	- 5.4	- 5.2		- 8.4	3.4	18	-20.3	31	2 1.5	5 2.1	34 3.7	19 3.4	1 3.0	2s 1.4	12s 3.0	8 5.2	9
1945			2.3	4.5	2.8	2.4		- 1.1	27.1		-21.6		29s 1.9	64s 1.9	269 2.4	120 2.6	35s 1.8	59s 2.4	280s 2.2	114s 2.7	122

Ullensvang

φ = 60° 19′ N λ = 6° 40′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	1008.7	1010.3	- 3.6	- 2.3	- 3.1	- 3.2		- 6.1	4.5	14	-11.3	19	0 -	0 -	0s 2.0	89 2.3	0s 2.0	0 -	0 -	3 4.3	0
II	08.8	10.3	1.0	2.5	1.6	1.4		- 1.6	10.6	28	- 9.5	4	0 -	0s 2.0	8 1.1	45s 1.6	10 3.8	6 3.8	0s 3.0	0s 3.0	13
III	15.1	16.7	3.4	6.2	4.9	4.3		1.8	13.5	26	- 2.9	13	7 1.6	6s 1.7	7 1.9	19s 1.5	11s 1.7	2s 1.4	0s 4.0	25s 1.8	13
IV	11.9	13.4	5.1	8.8	7.8	6.2		2.7	12.2	23	- 1.0	4	8s 2.3	2 2.0	2 1.2	32 1.2	5 1.9	11s 2.0	1s 1.7	22s 1.7	5
V	09.1	10.6	9.7	13.4	11.9	10.1		5.7	20.1	22	1.6	6	6 2.0	2s 1.8	3s 1.4	28s 1.9	10 2.2	6s 2.2	1 2.0	32 2.2	3
VI	09.5	11.0	11.9	15.6	13.6	12.2		8.3	27.0	21	2.4	6	3s 1.3	3 1.2	0s 1.0	40s 1.2	12s 1.3	9s 1.1	0 -	20s 1.4	0
VII	11.2	12.7	16.0	20.2	19.1	16.8		12.6	30.0	16	8.8	27	5 1.8	0s 2.0	0 -	50s 1.4	11 1.6	1s 1.0	0 -	24s 1.6	0
VIII	07.5	09.0	16.1	20.8	18.6	17.2		13.0	26.4	13	9.6	27	7s 1.8	4s 1.2	1s 1.0	51s 1.4	6 1.2	0 -	0 -	14 1.9	8
IX	13.7	15.2	9.6	14.1	11.8	11.0		7.6	20.2	13	4.0	29	8s 2.3	0 -	2 1.8	28s 1.7	22s 2.0	14 2.0	1 2.0	5s 1.4	8
X	12.4	13.9	7.2	9.8	7.8	7.9		5.4	13.9	15	1.9	21	14 2.1	0 -	4 1.1	40 1.6	25s 1.5	4s 3.1	2 1.0	3 1.3	0
XI	19.2	20.7	2.5	4.2	2.8	3.0		0.8	11.0	1	- 4.4	12	9 2.1	1 1.0	8 1.8	35 1.5	23 1.3	14 1.3	0 -	0 -	0
XII	07.8	09.4	0.4	1.1	0.6	0.6		- 1.7	8.9	19	- 8.5	31	6 2.3	0 -	7s 2.5	46 2.1	10 1.8	14s 1.7	0 -	1 1.0	8
1945	1011.2	1012.8	6.6	9.5	8.1	7.3		4.0	30.0		-11.3		7s 2.0	20s 1.5	44s 1.6	506s 1.7	147s 1.8	84s 1.9	6s 1.8	152 1.8	58

Slirå

φ = 60° 37′ N λ = 7° 23′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-12.7	-12.2	-12.9	-12.8		-15.6	- 4.1	16	-20.8	24	6 1.8	2s 2.0	28 3.4	1 2.0	0 -	1 4.0	26 4.3	4s 1.7	24
II			- 7.3	- 6.4	- 6.9	- 7.2		- 9.7	0.8	18	-19.3	2	2s 2.0	2s 2.2	30 4.2	2 4.0	1s 3.0	3s 4.3	20s 4.9	14s 4.9	7
III			- 4.5	- 3.4	- 4.1	- 4.4		- 6.7	4.2	25	-12.8	2	5s 2.3	0s 3.0	8s 3.0	12 2.0	1 2.0	0s 4.0	42 4.8	22 4.0	1
IV			- 3.9	- 1.9	- 3.0	- 3.7		- 6.5	3.8	16	-12.1	14	7s 2.5	2s 0.8	13s 2.4	3s 2.4	2s 2.6	3 2.3	32 4.4	18s 3.5	7
V			- 0.7	1.1	0.7	- 0.4		- 2.7	9.8	21	- 7.7	6	2s 2.2	3 1.2	31 4.0	11s 3.7	3s 2.4	2s 3.4	23 3.7	9 2.8	7
VI			3.5	5.7	5.0	3.8		1.4	15.9	23	- 5.2	17	5s 1.7	2s 1.6	22s 2.8	4 2.8	4s 1.9	1s 3.7	26 4.1	13s 3.1	10
VII			7.8	11.1	10.1	8.5		5.3	18.7	15	0.9	30	4s 2.2	1s 2.0	16s 2.4	16 2.6	6 2.5	1s 1.0	25 3.0	19 2.6	3
VIII			9.0	12.3	11.3	9.8		6.6	18.7	12	1.4	27	7s 2.3	4 1.8	29 2.6	5s 3.0	4 2.8	4 2.1	26s 3.2	9s 3.1	3
IX			2.6	5.6	4.3	3.6		1.3	13.5	3	- 3.0	29	2s 2.0	0 -	18 3.4	12s 3.3	5s 2.7	4s 3.7	32 3.5	9 3.4	6
X			0.1	1.4	0.6	0.4		- 1.5	9.2	3	- 6.6	11	1 2.5	0s 2.0	17s 3.4	3s 2.9	1 2.0	1s 2.0	38s 4.5	22s 3.4	7
XI			- 3.9	- 3.3	- 3.8	- 3.9		- 6.0	2.7	1	-13.8	10	3 1.7	4 2.2	23 2.4	9s 2.5	1 2.5	1s 4.0	27 4.4	11 3.3	10
XII			- 8.4	- 8.3	- 8.9	- 8.6		-11.1	- 1.1	18	-16.9	12	3 1.7	6s 4.6	39s 3.8	5 3.8	1 3.5	1 4.5	17 4.8	8 3.8	12
1945			- 1.5	0.1	- 0.6	- 1.2		- 3.8	18.7		-20.8		51 2.1	30 2.4	277 3.3	86 2.9	31s 2.5	26 3.2	335s 4.1	161 3.4	97

Myrdal

φ = 60° 44′ N λ = 7° 7′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 9.7	- 8.8	-10.0	- 9.8		-12.9	2.3	14	-19.3	24	6 4.5	2 3.5	1 5.0	2 3.0	46s 2.4	1s 2.3	3s 2.1	1s 2.3	29
II			- 3.9	- 2.5	- 3.6	- 3.6		- 6.5	4.7	19	-17.8	1	1 1.0	0 -	0 -	7 3.0	56s 4.3	3s 5.4	0 -	0 -	16
III			- 0.6	1.9	- 0.4	- 0.4		- 3.1	9.2	27	-10.8	18	10s 3.0	3s 2.0	3 2.3	4s 3.6	48s 2.6	1 2.0	4 1.5	2 2.0	16
IV			- 0.6	3.7	0.3	0.2		- 3.2	8.1	17	-10.0	12	6 2.8	1 2.0	3 2.7	6s 3.8	58 2.7	3s 2.6	3 1.7	1 1.0	8
V			3.2	6.7	4.0	3.5		0.7	12.4	21	- 4.0	6	1s 1.7	0 -	0 -	5s 2.5	57 3.2	2s 2.6	5 3.8	0s 1.0	21
VI			8.5*	12.2*	9.9*	8.8*		5.3*	20.0*	22*	- 1.4*	6	3* 0.7	7* 1.8	13* 2.2	4* 2.0	4* 1.6	16* 2.3	24* 2.9	7* 2.6	12*
VII			11.5	15.9	13.5	11.9		7.6	23.6	15	2.0	31	14s 1.6	1s 1.7	4s 2.4	6s 3.0	37s 2.2	4 2.0	4s 2.1	2 1.0	18
VIII			10.7	16.0	13.4	12.2		8.4	23.5	12	2.4	27	13s 1.6	0s 1.0	4s 1.9	6s 2.6	28s 1.9	1s 1.0	6s 1.9	2s 1.2	29
IX			4.8	9.2	6.9	6.3		3.6	15.1	3	- 1.3	29	3s 1.3	0s 1.0	1 1.0	3s 2.6	38 3.1	3s 1.3	0 -	0 -	40
X			2.7	5.2	3.7	3.5		1.0	9.0	5	- 3.8	11	3 1.7	6s 3.2	1 3.5	8s 2.4	22s 2.3	1 2.0	5 1.6	0s 1.0	45
XI			- 1.6	- 0.3	- 1.1	- 1.2		- 3.3	6.6	1	- 9.0	10	3 3.7	4s 4.3	1 6.0	1s 3.3	17s 1.9	0 -	0 -	0s 1.0	62
XII			- 4.8	- 4.7	- 5.2	- 5.0		- 7.7	3.7	18	-14.9	31	3 3.3	8 3.6	1 6.0	1s 3.0	57 3.2	4s 2.8	0 -	0 -	18
1945			1.7	4.5	2.6	2.2		- 0.8	23.6		-19.3		68s 2.3	35 2.9	33 2.6	57s 2.9	471s 2.9	42s 2.5	55s 2.5	17s 1.9	314

Voss

φ = 60° 38′ N λ = 6° 26′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-12.1	- 9.8	-10.8	-11.2		-15.0	2.7	16	-26.0	22	2s 1.0	31s 1.4	21 1.4	0 -	0s 1.0	16s 1.8	11 1.2	0 -	10
II			- 1.7	1.2	0.0	- 0.6		- 3.8	7.3	28	-22.9	4	2s 2.6	29 2.7	14s 1.6	0 -	0 -	15s 2.4	14s 1.8	0 -	8
III			1.6	5.9	4.6	3.3		0.6	13.5	25	- 3.7	18	1 3.0	16 1.8	12 2.0	0 -	1 3.0	28s 2.0	22s 2.3	1 2.0	11
IV			3.8	8.8	7.1	5.5		1.4	13.8	17	- 4.0	12	2 2.0	25s 1.8	10s 1.6	0 -	2s 1.8	21s 1.6	22 1.8	1 2.0	5
V			9.4	13.9	12.3	10.0		4.7	21.1	22	- 0.8	6	0s 4.0	27 2.9	15s 3.3	0 -	1s 2.7	24 1.8	12s 2.6	0 -	12
VI			11.8	17.3	15.2	13.0		8.3	28.7	22	1.9	6	0 -	12s 2.7	3s 2.4	3 2.0	4s 1.9	30s 1.6	21s 2.6	1s 3.0	15
VII			15.5	21.6	19.7	16.9		11.6	31.2	16	3.6	31	0 -	9s 1.6	0s 1.0	3 3.0	4s 1.9	35s 1.7	24 2.2	2 2.2	14
VIII			14.6	22.1	20.0	16.9		10.9	29.2	11	3.8	31	0s 3.0	22 1.7	16s 1.7	4s 1.9	3s 2.6	19s 1.8	11s 2.2	1 2.0	14
IX			8.3	14.3	12.4	10.6		6.1	21.3	3	0.2	29	1 2.0	23 2.3	15 1.7	3s 1.3	2 1.8	20 1.7	12 1.5	2s 1.6	11
X			5.5	8.7	7.2	6.7		4.3	14.6	5	- 1.2	21	1 3.5	26 2.0	13 1.7	2 2.2	2 1.5	13 1.9	18s 2.0	2s 2.8	15
XI			- 0.5	1.9	0.3	0.4		- 1.8	10.1	1	- 9.8	22	1 1.5	30 1.5	26 1.8	0 -	1 1.0	15 2.0	5s 3.1	0s 4.0	11
XII			- 2.7	- 1.7	- 2.3	- 2.3		- 5.4	9.4	2	-18.0	31	0s 1.0	33s 2.2	34s 2.1	1s 2.7	2s 2.4	9s 2.1	4s 2.1	0s 3.0	6
1945			4.5	8.7	7.1	5.8		1.8	31.2		-26.0		12s 2.2	285s 2.0	182s 1.9	17s 2.1	25s 2.0	249 1.8	180 2.1	12s 2.4	130

1945

Maurset

H_s = 778 H_b = h_t = 2.0 h_a = h_d = 12.7 h_r = 2.0

Måned	Midlere relativ fuktighet U_m 8	14	19	Diøgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≧ 0,1	≧ 1,0	≧ 10,0	Vindstyrke F ≧ 6	≧ 8	≧ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ⊞
I	80	78	78	79	7.2	7.1	6.5	104	37	3	31		22		13	9	4	6	0	0	0	13	0	0	0	0	0	0	21	1	13	3	11	31
II	81	80	80	81	8.5	8.5	8.2	98	32	28	27		7		18	13	3	7	0	0	6	17	1	4	0	0	0	0	15	4	9	2	21	28
III	83	79	82	82	8.0	7.8	7.8	108	30	1	21		1		20	16	3	3	2	0	10	18	7	7	0	0	0	0	10	12	18	1	18	31
IV	77	71	75	76	6.4	6.3	6.4	79	17	9	22		2		14	11	3	1	0	0	11	12	9	9	0	0	0	0	11	3	20	3	13	30
V	75	68	72	75	6.8	6.0	6.5	65	11	14	11		0		17	10	1	10	2	2	15	9	6	7	0	2	0	2	12	0	24	4	12	9
VI	76	68	75	78	7.1	7.7	7.7	135	32	25	1		0		19	19	3	0	0	0	19	3	1	13	0	0	0	1	16	1	19	2	18	0
VII	67	61	68	69	6.0	5.8	6.4	46	12	21	0		0		14	12	1	0	0	0	14	0	0	11	0	0	0	1	8	3	26	1	9	0
VIII	70	60	66	68	5.1	5.4	5.5	34	11	24	0		0		8	6	1	2	0	0	8	0	0	7	0	0	0	0	5	1	28	3	6	0
IX	77	75	78	78	6.8	7.3	7.6	65	12	18	1		0		16	13	1	1	0	0	16	0	0	3	0	0	0	0	8	1	15	2	16	0
X	82	79	82	82	7.6	7.9	8.6	104	20	15	3		0		20	16	3	0	0	0	18	4	1	14	0	0	0	0	10	6	17	0	18	2
XI	78	74	76	74	6.6	6.8	6.5	77	24	28	26		1		10	8	3	3	0	0	5	8	0	2	0	0	0	0	9	2	13	6	15	3
XII	81	76	75	77	7.6	7.3	7.1	49	12	15	29		11		13	12	1	9	3	3	3	11	1	4	0	0	0	0	11	4	6	3	17	31
1945	77	72	76	77	7.0	7.0	7.1	964	37		172		44		182	145	27	42	7	5	125	95	26	81	0	2	0	4	136	38	208	30	174	165

Ullensvang

H_s = 15 H_b = 12.3 h_t = 2.4 h_a = h_d = 8.5 h_r = 1.8

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	≧ 0,1	≧ 1,0	≧ 10,0	≧ 6	≧ 8	≧ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ⊞
I	82	74	76	78	6.0	6.4	4.1	105	38	2	31		3		9	8	3	4	2	0	6	9	3	1	0	0	0	0	6	2	13	6	8	31
II	88	82	87	86	8.7	8.7	8.2	213	50	28	14		0		20	16	9	4	0	0	17	8	1	3	0	0	0	0	7	0	4	2	20	22
III	88	77	82	84	8.1	7.7	7.6	160	40	1	5		0		17	13	6	2	0	0	16	4	1	3	0	0	0	0	2	0	7	2	17	1
IV	85	67	70	78	6.5	5.7	5.3	105	24	1	3		0		17	13	3	0	0	0	17	0	0	5	0	0	0	0	1	0	15	7	12	0
V	76	61	67	74	6.7	5.5	6.3	87	19	14	0		0		13	12	4	3	0	0	13	0	0	2	0	0	0	1	2	0	24	7	13	0
VI	88	74	81	88	6.9	6.9	7.2	106	14	14	0		0		20	17	5	0	0	0	20	0	0	5	0	0	0	1	3	0	15	4	12	0
VII	84	68	76	82	5.9	5.7	5.4	35	11	21	0		0		8	7	1	0	0	0	8	0	0	0	0	0	0	1	0	0	22	2	5	0
VIII	85	63	72	79	4.4	5.1	4.7	45	31	25	0		0		7	4	1	0	0	0	7	0	0	1	0	0	0	0	2	0	25	3	3	0
IX	91	71	84	85	6.4	6.8	7.3	70	31	16	0		0		14	10	3	1	0	0	14	0	0	4	0	0	0	0	4	0	16	3	11	0
X	89	78	86	86	7.4	6.9	8.0	72	31	10	0		0		12	10	3	0	0	0	12	0	0	4	0	0	0	0	4	0	11	0	14	0
XI	81	76	81	80	6.6	5.9	6.4	108	26	29	8		0		10	10	4	2	0	0	10	1	0	4	0	0	0	0	5	0	12	5	13	0
XII	78	72	73	75	6.7	6.5	6.5	74	19	18	20		0		16	9	5	8	1	1	8	3	0	2	1	0	0	0	3	0	4	4	15	14
1945	85	72	78	81	6.7	6.5	6.4	1180	50		81		3		163	129	47	24	3	1	148	25	5	34	1	0	0	3	39	2	168	45	144	68

Slirå

H_s = 1300 H_b = h_t = 3.2 h_a = 11.5 h_d = 10.0 h_r = 4.0

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	≧ 0,1	≧ 1,0	≧ 10,0	≧ 6	≧ 8	≧ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ⊞
I	88	88	88	88	7.3	7.2	5.6	27	6	3	31		28		14	5	0	10	1	0	0	14	0	0	0	0	0	0	14	7	13	3	12	31
II	92	91	93	92	6.9	7.4	6.2	49	10	28	28		10		24	15	1	14	5	4	1	24	0	1	0	1	0	0	23	2	3	4	14	28
III	90	90	91	91	7.8	8.4	8.1	39	13	1	31		8		23	9	1	14	4	1	5	23	2	5	0	1	0	0	11	14	8	2	19	31
IV	86	85	86	86	6.9	6.8	6.7	39	8	2	29		5		21	11	0	10	1	0	10	18	3	6	0	0	0	0	9	11	15	6	17	30
V	88	82	84	87	6.6	6.3	7.1	71	21	14	27		0		16	12	2	10	2	0	9	12	3	2	0	2	0	1	7	10	14	4	17	31
VI	88	79	82	87	7.4	7.4	7.5	112	35	26	10		0		21	16	4	2	0	0	20	15	15	3	0	0	0	2	4	9	17	2	15	30
VII	84	70	76	82	6.5	7.4	7.0	71	11	21	0		0		17	13	2	1	0	0	17	0	0	6	0	1	0	1	0	10	25	0	10	3
VIII	86	69	74	80	5.9	6.9	6.2	86	33	25	0		0		14	16	2	1	0	0	14	0	0	3	0	0	0	1	6	1	26	1	11	0
IX	88	78	86	86	7.3	7.5	8.2	104	29	16	9		0		19	15	3	3	0	0	19	11	11	4	0	0	0	0	0	8	18	2	16	5
X	90	86	90	89	9.0	8.4	8.4	92	51	10	24		0		22	12	1	9	0	0	15	13	5	11	1	0	1	0	9	12	12	0	20	15
XI	83	82	83	83	6.8	7.1	5.6	40	11	8	29		1		14	10	1	5	2	1	5	11	2	3	0	0	0	0	8	9	14	5	13	28
XII	92	91	92	92	8.5	8.3	7.8	40	6	3	31		19		25	10	0	9	1	1	0	25	0	0	0	0	0	0	19	5	8	2	22	31
1945	88	83	85	87	7.2	7.4	7.0	770	51		249		71		230	144	17	88	16	7	115	166	41	44	1	5	1	5	110	98	173	31	186	263

Myrdal

H_s = 870 H_b = h_t = 1.9 h_a = 9.6 h_d = 7.4 h_r = 2.6

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	≧ 0,1	≧ 1,0	≧ 10,0	≧ 6	≧ 8	≧ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ⊞
I					6.1	5.9	4.5	107	31	2	31		24		15	12	4	10	2	2	0	15	0	0	0	0	0	0	0	0	10	7	9	31
II					9.1	8.8	8.7	243	58	28	25		7		24	21	8	18	6	3	5	22	3	0	0	0	0	0	0	0	4	1	24	28
III					8.1	7.4	7.5	197	81	1	20		1		24	16	5	12	3	2	13	22	8	0	0	0	0	0	0	0	13	3	20	31
IV					6.7	6.5	6.5	148	32	2	23		0		17	13	6	7	0	0	13	11	6	0	0	0	0	0	0	0	16	5	14	30
V					6.0	5.9	6.1	156	32	14	9		0		17	16	6	10	2	0	15	6	2	0	0	0	0	1	0	0	17	8	14	11
VI					6.8*	6.6*	6.4*	99*	27*	26	3*		0*		20*	14*	2*	2*	0*	0*	20*	2*	0*	0*	0*	0*	0*	1*	3*	5*	22*	4*	11*	8*
VII					5.4	5.7	6.0	54	11	21	0		0		16	12	1	3	0	0	16	0	0	0	0	0	0	1	2*	1*	20	6	7	0
VIII					4.7	4.9	4.0	79	32	25	0		0		12	10	2	1	0	0	12	0	0	0	0	0	0	0	0	0	20	8	6	0
IX					5.9	6.4	6.9	132	42	16	1		0		18	15	3	5	1	1	18	1	0	0	0	0	0	0	0	0	17	3	11	0
X					7.7	7.4	7.1	164	78	10	13		0		21	15	3	3	0	0	18	5	2	0	0	1	0	0	0	1	19	2	16	0
XI					6.6	6.4	5.2	159	49	8	25		0		13	11	6	5	4	1	5	10	1	0	0	0	0	0	0	1	11	8	12	14
XII					7.7	7.1	5.8	103	20	3	27		11		20	17	3	15	6	0	5	20	5	0	0	0	0	0	0	0	0	3	17	31
1945					6.7	6.6	6.2	1641	81		177		43		217	172	49	91	24	9	140	114	27	0	0	1	0	3	5	8	160	59	161	184

Voss

H_s = 62 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	≧ 0,1	≧ 1,0	≧ 10,0	≧ 6	≧ 8	≧ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Overskyet ●	Snødekke ⊞
I	87	84	85	86	5.6	6.3	4.3	100	32	2	31		23		14	10	4	1	0	0	5	14	1	0	0	0	0	0	2	0	14	6	9	31
II	87	80	84	85	8.4	8.4	7.8	117	16	28	13		5		22	16	5	1	0	0	16	15	2	0	0	1	0	0	2	4	10	2	19	25
III	89	72	75	81	7.4	6.7	7.2	119	31	1	13		0		21	14	4	3	0	0	16	12	0	0	0	0	0	0	4	5	22	2	15	5
IV	83	58	65	74	6.2	6.0	6.2	100	15	1	11		0		19	15	6	0	0	0	19	1	0	5	0	0	0	1	1	4	25	6	12	0
V	73	50	55	67	6.4	5.6	5.9	73	23	14	1		0		16	12	1	5	0	0	16	0	0	0	0	1	0	2	1	1	28	7	13	0
VI	81	56	68	81	6.1	5.6	7.1	83	19	10	0		0		20	13	2	1	0	0	20	0	0	2	0	0	0	1	2	1	26	4	10	0
VII	79	52	62	74	5.9	5.8	5.6	40	9	8	0		0		10	10	0	1	0	0	10	0	0	0	0	0	0	2	0	0	29	3	8	0
VIII	84	53	60	72	5.1	4.6	4.1	51	26	25	0		0		11	6	2	0	0	0	11	0	0	1	0	0	0	1	0	5	29	7	5	0
IX	90	67	74	80	7.0	7.1	6.8	79	21	13	0		0		18	14	2	0	0	0	18	0	0	0	0	0	0	0	1	8	21	2	13	0
X	91	80	86	87	8.4	7.1	6.9	74	22	10	3		0		22	13	2	1	0	0	22	0	0	7	0	0	0	0	3	5	14	1	18	0
XI	90	86	88	88	5.2	5.8	5.7	116	29	28	17		0		13	10	5	4	0	0	12	4	0	0	0	1	0	0	2	6	14	8	10	2
XII	84	80	81	82	6.8	6.1	5.6	65	15	13	27		6		17	9	2	3	0	0	10	11	0	0	0	0	0	0	0	4	10	5	10	23
1945	85	68	74	80	6.5	6.3	6.1	1017	32		116		34		203	142	35	20	0	0	175	57	3	15	0	3	0	7	18	43	142	53	142	86

1945

Bergsdal

φ = 60° 32′ N λ = 6° 3′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets n.v. $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-11.7	- 9.1	-10.6	-10.8		-15.7	2.6	14	-25.4	24	9 1.0	16 1.6	13 2.8	4s 2.7	0s 1.0	5s 4.2	8s 4.4	3 4.0	33
II			- 2.5	- 0.3	- 1.8	- 1.9		- 5.9	5.4	18	-21.8	2	4 1.2	3 1.0	12 1.9	6s 1.8	7 2.6	4s 4.9	20 4.0	4 4.5	23
III			- 0.1	2.7	1.1	0.8		- 1.8	8.7	25	-10.6	6	4s 1.0	7s 1.4	4 1.2	6 2.0	0 -	6 2.5	26s 2.7	7s 2.7	31
IV			0.7	4.7	2.9	1.8		- 2.0	11.4	16	- 9.7	12	6s 1.8	16s 1.8	7s 1.9	0s 3.0	1 2.0	1 3.0	21s 2.6	13s 2.3	22
V			6.1	9.5	7.9	6.4		1.8	17.4	22	- 4.5	6	1s 1.0	4s 3.0	18s 2.8	18s 2.7	6 2.8	9 2.7	18s 2.4	3s 3.9	13
VI			9.8	12.4	11.1	9.5		5.0	24.0	21	- 1.5	6	8 2.4	0 -	3s 2.0	16s 2.6	5s 2.8	10 2.7	12s 2.6	14 2.8	20
VII			13.4	16.8	15.5	13.4		7.9	26.4	15	- 0.3	31	6s 2.6	0 -	4 1.9	15 2.3	1s 3.7	9 2.4	21 2.4	16 2.4	20
VIII			12.6	17.9	15.9	13.6		7.2	26.2	12	0.2	31	6 2.2	9 2.8	2s 1.6	5s 2.5	0 -	7s 1.7	12 2.6	23s 2.7	27
IX			6.2	10.9	8.9	7.8		3.2	18.3	3	- 3.5	29	3 2.0	0 -	6s 3.7	11s 2.2	4 2.2	10 3.0	17s 2.5	8s 2.0	29
X			3.9	7.4	5.2	5.1		2.0	11.2	2	- 4.2	11	3 2.5	1 4.0	4s 3.7	4s 3.2	0s 1.0	15s 2.9	7 2.9	9 3.4	48
XI			- 1.2	1.7	- 0.3	- 0.1		- 2.8	7.9	1	- 8.8	11	2s 2.8	1 2.0	3 2.0	4 2.8	0s 2.0	8s 3.5	8s 2.4	7 3.2	55
XII			- 4.7	- 3.4	- 4.7	- 4.4		- 8.1	6.2	2	-20.3	30	3s 2.7	1s 1.0	5s 2.6	13 3.2	6s 2.7	4 2.6	9 3.2	3 3.0	47
1945			2.7	5.9	4.3	3.4		- 0.8	26.4		-25.4		58 1.9	60 1.9	84s 2.5	106 2.6	33 2.6	90s 2.9	182s 2.8	112s 2.8	368

Bergen (Fredriksberg)

φ = 60° 24′ N λ = 5° 19′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets n.v. $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	1003.8	1009.5	- 2.1	- 0.1	- 1.6	- 1.4	1.1	- 3.8	7.5	2	- 8.3	24	18 2.4	2 2.2	3 3.8	6 3.3	13s 2.2	2 3.0	6 1.6	5s 1.5	37
II	03.7	09.2	3.1	4.3	3.6	3.5	5.2	1.4	9.6	20	- 7.0	1	1s 1.3	1 1.5	2 2.2	7 2.4	49s 3.5	9s 3.3	6s 2.6	2 2.5	5
III	11.5	17.0	4.3	6.8	6.0	5.4	8.1	3.4	19.8	25	- 1.0	3	20 2.7	0s 2.0	0 -	9s 3.1	30 3.1	7s 2.9	2s 1.6	16 1.8	7
IV	08.2	13.7	5.4	8.5	7.1	6.4	9.6	3.7	14.8	16	0.8	12	13s 2.2	1 2.0	1s 1.7	10 2.6	25 3.5	8 2.8	6s 2.2	13s 2.0	11
V	05.2	10.6	9.9	12.8	11.6	10.5	14.7	7.3	21.7	13	3.6	6	14s 2.3	2 1.2	3s 3.0	7s 3.0	26 3.3	5s 2.2	6s 2.0	15s 2.3	12
VI	05.9	11.3	12.0	14.7	13.5	12.4	16.3	9.7	28.6	22	4.3	17	12s 2.2	0 -	0 -	10s 2.2	24s 2.9	6s 2.5	6s 1.5	16s 1.9	13
VII	07.9	13.2	15.1	19.1	17.5	16.2	20.9	13.0	30.5	16	8.5	4	15 2.5	0 -	0s 1.0	3 2.3	15 2.7	4s 2.6	13 1.7	25 1.8	17
VIII	04.5	09.8	14.8	19.8	17.5	16.5	21.0	13.2	28.0	13	9.2	31	19s 2.5	0 -	0s 2.0	2s 2.4	10 2.8	4 2.9	7s 1.5	32 1.7	17
IX	09.4	14.8	11.0	14.5	12.3	12.1	15.3	9.4	20.1	3	5.1	28	12 2.5	0s 2.0	0s 1.0	10s 2.6	25s 3.9	3 2.8	6 1.6	12 1.6	20
X	08.4	13.8	8.7	10.7	9.5	9.4	11.6	7.5	16.5	22	2.6	11	11s 2.6	0 -	0s 3.0	14 2.3	21 2.9	3s 1.3	2s 1.0	12 1.9	28
XI	13.9	19.4	4.5	6.9	5.3	5.4	7.9	3.5	13.1	1	- 1.0	11	8s 3.5	0 -	0 -	9 2.7	19s 3.2	5 1.8	6 1.5	7 2.4	35
XII	02.3	07.8	2.6	3.4	2.9	2.9	5.2	1.0	12.8	2	- 4.7	12	12s 3.6	0 -	2 2.8	14s 2.2	30 3.8	4s 1.8	4 2.0	1s 3.0	24
1945	1007.1	1012.5	7.4	10.1	8.8	8.3	11.4	5.8	30.5		- 8.3		159 2.6	7 1.8	14 2.7	104 2.5	289s 3.3	63s 2.6	73s 1.8	158s 1.9	226

Syfteland

φ = 60° 14′ N λ = 5° 27′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets n.v. $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 5.4	- 2.4	- 5.1	- 4.5		- 8.9	4.0	16	-16.8	29	17s 2.8	25 2.2	7s 2.1	0 -	8 3.4	3 2.7	0 -	0 -	32
II			1.7	3.7	1.9	2.0		- 1.5	7.2	28	-16.7	2	4 1.9	6 2.2	4 3.2	2 3.2	46 2.8	9 2.8	0 -	0 -	13
III			3.1	6.7	4.8	4.5		1.5	18.2	25	- 4.2	3	18 3.5	2s 2.0	2s 2.0	2 2.5	27s 2.5	11 2.7	0 -	0s 4.0	29
IV			4.9	8.6	6.6	5.8		1.8	13.0	16	- 4.3	12	22s 3.1	4s 1.9	0 -	2 3.5	29 2.8	5 2.5	6s 3.6	3s 2.9	17
V			10.1	12.8	10.9	9.8		4.6	20.4	22	- 0.8	2	14 2.8	8 2.6	5s 3.3	2 3.0	32 2.8	6s 2.7	8 2.9	2 3.2	15
VI			12.6	15.3	13.4	12.3		8.0	26.8	22	1.2	6	20s 3.3	5 2.7	3s 2.0	1 2.0	28 2.5	7s 2.7	12 2.7	1s 3.0	11
VII			15.8	19.2	17.2	15.7		10.4	29.4	16	4.6	31	31 3.1	9s 2.5	7 2.1	2 2.0	17 2.6	3 2.7	15 2.5	1s 3.3	7
VIII			15.7	20.1	16.7	16.0		10.5	27.2	13	5.6	27	42 3.2	9s 2.5	3 2.7	1 2.5	15 2.4	4 2.8	8 2.8	1s 3.7	9
IX			10.3	14.5	10.9	11.0		6.5	20.6	3	- 0.8	29	18 2.8	7s 2.1	1 3.0	3 4.2	25 3.0	6 2.2	4 1.8	1s 2.7	24
X			7.5	10.8	8.3	8.5		5.1	14.2	3	- 0.8	11	17s 2.6	4 2.4	6 3.0	0 -	16 2.4	5 2.5	0 -	0s 2.0	44
XI			1.7	4.8	2.5	2.8		0.0	11.4	1	- 6.8	11	12 2.8	7 1.9	1 1.0	0 -	17s 3.0	3s 2.9	1 2.0	1 4.5	47
XII			0.4	1.5	1.1	0.9		- 1.7	10.8	2	- 9.6	30	9 3.2	11 2.4	12 2.7	3s 4.6	19 3.8	5 2.6	0 -	0s 4.0	33
1945			6.5	9.6	7.4	7.1		3.0	29.4		-16.8		226 3.0	99s 2.3	53 2.6	18s 3.3	280 2.8	68s 2.6	54s 2.7	14 3.2	281

Hellisøy Fyr

φ = 60° 45′ N λ = 4° 43′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets n.v. $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 0.5	0.4	- 0.3	- 0.2	1.7	- 2.3	8.1	1	- 4.7	29	12 3.4	10s 2.3	33 2.7	5s 3.8	6s 4.3	6 3.8	5s 3.3	7 5.8	7
II			3.1	3.6	3.6	3.3	4.8	1.8	7.5	20	- 4.9	1	1s 2.7	1s 1.7	8s 3.0	33s 4.6	20 5.0	9s 4.1	6 3.2	2s 2.8	1
III																					
IV																					
V																					
VI			11.5	12.5	12.1	11.4	13.9	9.8	24.9	22	6.6	17	10 3.1	1 1.0	5s 1.4	6s 2.6	19 2.4	5s 2.0	4s 1.2	17 3.3	21
VII			14.7	15.8	15.6	14.8	17.5	12.9	24.4	16	8.9	4	18 3.9	1 1.0	2s 1.6	10s 2.1	11s 2.0	8s 1.7	9 1.4	18 2.8	14
VIII			14.5	16.0	15.1	14.6	17.4	12.7	23.7	14	9.8	24	29 3.3	0s 1.0	1s 1.3	5s 2.5	7s 2.7	6 2.0	1s 1.3	22s 2.4	19
IX			11.5	13.4	12.4	12.2	14.4	10.4	17.2	13	7.6	28	24s 2.1	1s 1.0	6 2.2	19 4.6	6 2.5	9s 1.8	1s 1.7	4 2.1	18
X			9.5	10.5	10.1	9.8	11.5	8.4	13.4	2	2.9	11	11s 2.4	3s 1.1	8 1.8	19 2.2	6s 3.7	8 2.4	7 2.2	15s 3.1	14
XI			6.3	7.2	6.7	6.6	8.6	4.9	12.4	1	0.7	12	7s 3.5	1s 1.0	15 1.4	14s 3.4	7s 4.7	3s 3.3	8s 3.7	6 5.6	26
XII			3.8	4.0	3.9	3.8	5.6	2.1	11.6	2	- 2.5	11	3s 5.4	4 2.6	29s 2.4	28s 4.4	5 4.2	1 4.0	1 5.0	9s 4.9	11

Modalen

φ = 60° 50′ N λ = 5° 56′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets n.v. $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I																					
II			- 0.3	1.5	0.7	0.3		- 2.7	7.1	28	-15.7	2	0s 4.0	7 1.7	28 1.5	3s 1.9	2 2.0	2 2.8	3s 2.0	2 2.2	4
III			1.5	4.9	3.4	2.8		0.0	13.8	25	- 3.7	6	0 -	8s 1.9	22 1.4	8 1.3	3s 1.6	7 1.8	30 1.8	4 1.9	10
IV			3.0	7.6	7.1	5.0		1.5	14.0	23	- 1.9	11	0s 2.0	5s 1.8	31s 1.7	8s 1.6	5 1.7	4s 1.6	31 1.9	0s 1.0	3
V			7.9	12.3	11.9	9.3		4.7	19.4	22	1.1	26	2s 3.2	8s 2.6	42s 2.1	4 2.2	2 2.0	3 1.7	23 2.2	4s 2.4	3
VI			10.1	15.6	13.9	11.7		7.6	26.9	22	1.6	17	1 2.5	11 1.8	25 1.8	3 1.5	1 3.0	1 1.0	40 2.6	3 3.2	5
VII			12.7	19.8	18.0	15.2		10.6	30.7	16	4.5	31	1 2.5	5s 2.1	35 1.6	1 2.0	0s 2.0	1 2.0	43 2.4	2 1.2	4
VIII			12.9	20.5	18.4	15.8		11.2	27.7	13	4.5	31	0 -	3 1.7	39s 1.9	4 1.9	0s 3.0	1s 1.7	38 2.1	0s 2.0	6
IX			8.4	13.8	11.7	10.5		6.6	20.6	3	0.7	29	3s 3.9	4s 1.8	40s 1.3	4s 1.4	1s 1.0	0s 1.0	23s 1.9	0s 3.0	11
X			6.3	8.6	7.3	7.0		4.3	13.5	3	- 0.4	11	0s 2.0	5 1.7	47 1.6	3s 1.7	0 -	1 1.0	28s 2.1	0s 4.0	7
XI			1.7	2.5	1.6	1.7		- 0.2	9.2	1	- 5.1	21	0s 2.0	2 2.0	51s 1.5	2 1.2	0s 2.0	1 1.0	24s 2.1	2 1.2	6
XII			- 0.7	- 0.3	- 0.3	- 0.5		- 3.0	8.7	19	-12.1	30	2 2.5	5 3.6	57 1.9	4 1.6	1 2.0	0 -	13s 2.4	4s 3.8	6

1945

H_s = 540 H_b = h_t = 1.9 h_a = h_d = h_r = 2.9

Bergsdal

Måned	Midlere relativ fuktighet Um 8	14	19	Diøgn	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dato	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.5	6.7	4.4	118	40	2	31		23		16	9	4	14	3	1	2	16	2	0	2	0	0	0	1	0	3	5	9	31
II					9.0	8.7	8.2	279	33	22	24		6		24	22	9	9	5	1	10	22	5	0	5	1	0	1	0	0	1	2	21	28
III					8.3	7.1	8.1	225	65	1	16		1		25	16	6	6	3	1	16	16	5	3	2	0	0	0	1	2	12	2	20	31
IV					6.4	6.4	6.0	189	56	1	17		0		21	14	5	3	0	0	14	14	4	2	0	0	0	1	0	2	16	5	13	30
V					6.8	6.5	7.1	165	50	14	12		0		19	14	5	6	0	0	18	2	0	0	0	1	0	1	0	0	15	6	16	6
VI					7.1	7.8	8.2	178	34	10	1		0		21	19	7	1	0	0	21	2	2	1	0	0	0	1	0	1	15	3	19	0
VII					6.4	6.9	6.0	90	25	9	1		0		17	13	2	0	0	0	17	0	0	2	0	1	0	3	1	2	24	3	11	0
VIII					5.0	5.5	5.2	118	55	25	0		0		12	9	3	0	0	0	12	0	0	0	0	0	0	3	2	7	26	6	6	0
IX					7.3	8.5	7.6	208	62	16	3		0		20	18	5	1	0	0	20	0	0	0	0	1	0	0	2	7	17	1	17	0
X					8.3	8.1	7.9	177	78	10	9		0		24	19	5	0	0	0	24	2	2	0	0	1	0	0	4	1	16	2	20	0
XI					6.8	6.2	6.3	206	58	8	22		0		14	12	7	3	0	0	11	7	2	0	0	1	0	0	1	2	14	6	14	5
XII					6.8	6.9	6.4	130	26	18	27		11		18	18	6	5	0	0	9	14	1	0	0	1	0	0	0	0	3	5	16	31
1945					7.0	7.1	6.8	2083	78		163		41		231	183	64	48	11	3	174	95	23	8	9	7	0	10	12	24	162	46	182	156

H_s = 43 H_b = 44.4 h_t = 1.8 h_a = 10.7 h_d = 10.3 h_r = 1.3

Bergen (Fredriksberg)

I	80	76	78	78	6.7	7.1	4.8	105	31	2	29	14	0	0	13	10	4	6	0	0	8	13	7	2	0	4	0	0	16	3	19	4	11	29
II	83	81	83	83	9.1	9.2	7.6	260	54	22	8	2	0	0	23	20	8	8	1	0	22	9	8	5	0	4	0	0	7	3	9	1	20	8
III	92	80	81	86	8.4	7.8	7.6	195	30	15	5	0	0	0	24	19	7	9	1	1	23	7	6	11	0	2	0	0	7	7	20	2	20	3
IV	85	71	78	82	7.2	7.7	7.0	172	42	1	0	0	0	0	22	21	3	6	0	0	22	0	0	6	0	4	0	1	9	4	26	2	16	0
V	75	64	70	74	7.2	6.4	7.0	90	17	30	0	0	0	0	17	12	3	6	0	0	17	0	0	1	0	1	0	2	8	0	26	4	13	0
VI	88	78	86	90	7.3	8.1	8.2	154	32	8	0	0	0	2	25	19	4	2	0	0	25	0	0	4	0	1	0	2	7	0	28	2	21	0
VII	88	76	82	86	7.3	7.3	6.4	69	14	21	0	0	0	3	14	11	2	2	0	0	14	0	0	2	0	0	0	2	6	2	25	1	16	0
VIII	88	67	73	80	4.8	4.1	4.3	58	21	25	0	0	0	5	10	7	2	0	0	0	10	0	0	5	0	0	0	0	11	4	27	9	5	0
IX	86	72	82	82	7.6	7.4	6.2	137	24	15	0	0	0	0	19	16	5	7	0	0	19	0	0	1	0	0	0	2	10	1	25	4	17	0
X	92	84	90	90	8.4	8.3	7.6	143	33	10	0	0	0	0	27	18	3	1	0	0	26	0	0	7	0	0	0	0	14	3	17	1	22	0
XI	88	80	89	88	6.7	5.8	5.8	136	34	26	2	0	0	0	16	12	5	6	0	0	14	3	3	1	0	5	0	0	14	6	17	7	16	0
XII	84	80	84	83	7.0	7.5	6.5	138	21	10	13	2	0	0	22	18	6	11	0	0	14	10	5	2	0	1	0	0	10	1	12	2	15	7
1945	86	76	81	84	7.3	7.2	6.6	1657	54		57	18	0	10	232	183	52	64	2	1	214	42	29	47	0	22	0	9	119	34	251	39	192	47

H_s = 53 H_b = h_t = 5.6 h_a = h_d = 7.5 h_r = 1.2

Syfteland

I	79	74	78	78	6.2	7.0	5.1	127	48	2	30		10		13	11	5	3	0	0	6	10	2	0	0	1	0	1	12	2	15	4	9	29
II	86	81	86	85	9.0	9.2	7.7	212	29	21	13		4		22	19	7	0	0	0	17	6	0	4	0	4	0	0	16	9	5	1	21	17
III	91	78	83	86	8.7	7.9	8.1	230	32	15	10		0		25	22	10	2	1	0	21	7	2	4	0	0	0	0	9	15	13	2	19	8
IV	84	67	74	79	6.9	7.3	6.6	160	40	1	10		0		21	20	4	0	0	0	21	3	2	3	0	2	0	0	12	10	16	3	14	0
V	70	58	66	70	7.0	6.6	6.6	103	26	14	2		0		17	14	3	1	0	0	17	0	0	2	0	2	0	2	17	2	19	5	15	0
VI	79	68	77	82	7.7	8.1	8.2	169	19	8	0		0		22	18	7	2	0	0	22	0	0	2	0	1	0	2	15	6	14	3	21	0
VII	77	63	70	75	6.7	6.5	5.4	81	15	21	0		0		15	11	4	0	0	0	15	0	0	1	0	0	0	3	12	7	24	3	11	0
VIII	82	61	70	76	5.3	4.8	4.5	71	27	25	0		0		7	7	3	0	0	0	7	0	0	1	0	0	0	0	8	7	27	7	7	0
IX	83	65	81	79	7.0	6.9	6.5	149	44	15	1		0		18	15	4	2	0	0	18	0	0	0	0	1	0	1	8	10	19	3	12	0
X	88	77	85	85	8.0	8.1	7.8	146	33	10	2		0		22	18	4	0	0	0	22	0	0	3	0	0	0	0	14	10	13	2	20	0
XI	86	79	87	86	6.1	5.7	5.6	150	37	28	15		0		14	12	5	0	0	0	12	2	1	2	0	4	0	0	11	6	17	8	12	1
XII	83	77	79	80	6.6	6.5	6.8	148	22	13	19		0		21	15	7	2	0	0	16	11	3	1	0	1	0	0	16	5	12	4	12	12
1945	82	71	78	80	7.1	7.0	6.6	1746	48		102		14		217	182	63	12	1	0	194	39	10	23	0	15	0	9	150	89	194	45	173	67

H_s = 20 H_b = h_t = 1.8 h_a = 12.3 h_d = 12.3 h_r = 1.2

Hellisøy Fyr

I	74	69	71	72	6.8	7.2	5.9	77	14	2	28	12	0	0	14	11	3	9	2	1	12	11	8	2	0	2	0	0	0	0	19	4	13	
II	85	84	85	85	9.0	9.5	8.6	149	31	22	4	2	0	0	24	19	6	15	6	1	23	7	6	6	0	1	0	0	8	0	8	0	21	
III																																		
IV																																		
V																																		
VI	80	77	80	81	7.5	8.2	8.1	91	16	8	0	0	0	0	19	14	3	4	0	0	19	0	0	0	2	0	0	0	1	7	18	3	20	
VII	78	74	75	76	6.6	6.1	6.2	32	8	20	0	0	0	0	12	10	0	7	0	0	12	0	0	2	0	0	0	2	1	1	28	3	12	
VIII	83	75	78	80	5.3	5.3	5.5	24	14	25	0	0	0	0	11	4	1	5	0	0	11	0	0	4	0	0	0	0	2	5	26	6	7	
IX	80	72	76	77	7.9	7.3	7.2	137	26	24	0	0	0	0	19	17	6	6	2	1	19	0	0	0	0	1	0	1	0	1	24	1	17	
X	83	80	82	82	8.9	8.8	8.2	75	11	23	0	0	0	0	24	18	1	4	0	0	24	0	0	3	0	0	0	0	2	0	16	1	22	
XI	77	75	78	77	6.9	7.0	6.0	92	15	1	0	0	0	0	15	15	5	10	3	3	15	2	1	1	1	1	0	1	0	1	15	4	13	
XII	76	76	77	77	7.2	7.9	7.8	132	19	18	6	0	0	0	21	17	4	15	6	3	19	9	7	0	0	2	0	0	0	0	14	1	18	

H_s = 108 H_b = h_t = 2.0 h_a = h_d = h_r = 1.1

Modalen

I																																		
II	77	74	78	77	9.0	9.2	8.6	328	46	22	14		4		24	21	12	1	0	0	19	17	6	7	0	2	1	1	17	4	2	2	25	28
III	90	74	80	84	8.5	7.9	8.0	300	63	1	13		0		25	22	11	5	4	3	19	12	6	10	0	1	0	0	20	4	12	2	21	23
IV	85	63	66	75	6.1	6.5	6.6	239	54	1	10		0		21	19	8	0	0	0	21	0	0	10	0	0	0	0	14	1	15	7	14	0
V	75	54	57	69	6.5	6.1	6.3	165	29	14	0		0		17	15	8	0	0	0	17	0	0	2	0	0	0	1	5	0	18	8	17	0
VI	85	62	71	83	6.8	7.6	7.8	191	28	8	0		0		21	20	7	2	0	0	21	0	0	5	0	0	0	1	14	0	14	3	17	0
VII	89	59	68	82	5.6	5.8	5.3	86	25	22	0		0		16	13	1	2	0	0	16	0	0	2	0	0	0	1	9	0	23	5	9	0
VIII	92	58	68	80	5.1	5.3	4.5	95	56	25	0		0		13	7	3	0	0	0	13	0	0	0	0	0	0	1	6	3	25	5	8	0
IX	93	65	79	83	7.2	7.5	7.2	162	36	13	0		0		20	17	5	0	0	0	20	0	0	1	0	0	0	0	7	2	14	3	16	0
X	92	80	88	88	8.5	7.6	7.5	172	58	10	1		0		20	16	4	0	0	0	20	0	0	9	0	0	0	0	12	5	10	3	20	0
XI	86	86	90	88	6.4	6.1	5.3	244	57	26	14		0		15	12	8	1	0	0	14	5	4	2	0	2	0	0	10	0	0	8	13	5
XII	82	79	78	80	7.1	6.3	6.1	143	26	10	24		2		16	15	5	5	1	0	8	11	2	0	0	0	0	0	8	2	0	5	13	29

1945

Vangsnes

φ = 61° 10′ N λ = 6° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 2.8	- 2.1	- 2.5	- 2.6		- 4.2	4.2	14	- 8.0	24	7	2.4	0	-	57	2.9	0	-	0	-	1	2.0	14	2.9	0	-	14
II			1.3	2.0	1.9	1.5		- 0.3	7.0	28	- 7.0	1	4	1.2	0	-	41	2.6	1	4.0	0	-	10	3.9	6	4.8	0	-	22
III			3.3	4.8	4.3	3.7		1.6	9.5	28	- 2.0	4	13	2.9	0	-	16	1.9	0	-	0	-	6	3.2	27	3.1	0	-	31
IV			4.8	7.8	6.7	5.7		3.3	11.4	22	- 0.9	12	6	2.3	1	3.0	16	1.9	0	-	0	-	11	3.4	19	3.1	2	1.0	35
V			9.3	12.3	11.7	10.1		7.1	19.4	22	3.1	6	1	2.0	0	-	33	3.1	0	-	0	-	8	2.6	13	2.9	0	-	38
VI			12.1	15.1	14.2	12.7		9.8	24.4	22	5.0	17	7	3.1	0	-	11	2.1	0	-	0	-	5	1.4	27	3.0	0	-	40
VII			16.6	19.4	18.5	17.0		13.5	28.2	16	8.0	31	3	3.7	0	-	7	1.6	0	-	0	-	4	3.0	43	2.8	1	2.0	35
VIII			16.3	19.4	18.0	16.9		13.8	25.8	12	10.0	31	1	2.0	0	-	13	1.8	0	-	0	-	2	2.5	45	2.8	0	-	32
IX			10.5	12.8	11.7	11.2		9.0	17.6	13	6.1	29	1	3.0	0	-	20	2.8	2	4.0	0	-	0	-	22	2.8	0	-	45
X			7.3	8.7	8.1	7.8		6.2	12.2	5	3.2	11	7	3.1	0	-	28	3.0	3	5.0	0	-	0	-	27	3.8	2	3.0	26
XI			3.3	3.9	3.4	3.4		1.9	10.4	1	- 1.3	22	3	4.3	0	-	61	3.3	0	-	0	-	0	-	15	4.1	2	3.0	9
XII			1.8	2.1	1.9	1.8		- 0.2	9.4	2	- 5.7	31	5	3.4	0	-	68	4.0	0	-	0	-	0	-	7	3.9	7	3.9	6
1945			7.0	8.8	8.2	7.4		5.1	28.2		- 8.0		58	2.9	1	3.0	371	3.0	6	4.5	0	-	47	3.0	265	3.1	14	3.1	333

Fjærland

φ = 61° 26′ N λ = 6° 46′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 9.3	- 7.2	- 9.3	- 8.8	- 5.4	-12.9	.4.4	14	-22.4	22	5s	1.5	8	1.0	4s	1.2	0	-	0	-	3	1.7	2	1.5	2	2.5	68
II			- 1.6	0.2	- 0.8	- 1.0	1.7	- 4.2	7.2	22	-21.4	2	0	-	1	1.0	0	-	0	-	0	-	3	3.3	9	2.4	1	4.0	6	1.8	64
III			0.7	3.7	1.0	1.5	4.8	- 0.9	9.0	25	- 7.5	18	0	-	0	-	0	-	0	-	0	-	2	2.0	0	-	8	4.1	83
IV			2.0	7.5	5.3	4.1	8.4	0.1	12.0	23	- 5.6	12	7	2.3	6	1.0	3	1.0	0	-	1	2.0	4	2.0	3	2.3	8	3.1	58
V			8.7	13.0	11.6	9.6	14.7	4.3	20.9	22	- 1.1	6	5	2.1	4	1.4	6	1.3	2	2.5	8	1.8	6	2.0	0	-	4	1.0	58
VI			11.7	15.6	14.2	12.3	17.5	7.3	28.2	23	0.2	6	0s	1.0	9s	1.3	1	1.0	0s	1.0	13	1.8	9	1.2	1s	1.0	8	1.4	47
VII			15.3	20.8	18.0	16.5	22.7	11.2	31.2	16	3.3	31	1s	2.3	4s	1.2	5	1.6	0	-	16	1.3	16	1.4	1	3.0	7	2.6	42
VIII			12.2	20.6	16.7	15.1	21.6	9.3	28.0	11	3.1	9	2s	1.8	2s	2.2	5	1.0	1	1.0	8	1.2	2	1.0	0	-	13	2.5	59
IX			7.6	13.4	10.4	9.8	14.2	5.7	20.0	13	1.2	2	0	-	1	1.5	3	1.8	0	-	6	2.2	2	1.0	1	1.0	1	3.0	76
X			4.7	8.2	5.9	5.9	8.8	2.7	12.9	3	- 1.8	11	3	2.7	0	-	0	-	0	-	3	1.0	3	1.0	4	1.8	6	2.8	74
XI			- 0.5	1.8	0.0	0.2	2.5	- 2.1	9.5	1	- 8.2	12	3	1.7	6	1.0	0	-	0	-	0	-	6	3.2	1	2.0	0	-	74
XII			- 2.1	- 1.3	- 2.1	- 1.9	1.5	- 4.8	11.1	19	-15.5	31	4s	1.2	11	1.3	14	2.0	0s	2.0	1	2.0	1	3.0	0	-	10	2.2	51
1945			4.1	8.0	5.9	5.3	9.4	1.3	31.2		-22.4		32s	1.9	53s	1.2	41s	1.5	4	1.9	59	1.7	63	1.8	14s	2.0	73	2.5	754

Lærdal

φ = 61° 6′ N λ = 7° 29′ E g = 9.819 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1010.2	1010.8	- 6.8	- 5.4	- 6.0	- 6.4		- 9.6	4.8	14	-17.1	24	0	-	0	-	4	1.2	12	1.7	0	-	2	2.0	10	2.0	0	-	65
II	09.3	09.8	- 0.2	1.7	1.2	0.6		- 2.5	9.6	28	-16.3	2	0	-	0	-	6	1.0	18	3.7	0	-	18	1.3	25	1.6	3	1.0	14
III	15.2	15.7	2.7	4.9	4.1	3.5		1.2	9.8	11	- 3.1	18	0	-	0	-	0s	5.0	0s	5.0	0	-	4	1.5	10	1.5	20	1.6	58
IV	12.4	12.8	4.7	9.0	7.4	6.1		2.9	11.4	22	- 2.1	12	1	1.0	2	2.0	0	-	3	1.0	0	-	3	1.0	21	1.3	30	1.3	30
V	10.4	10.8	10.3	13.5	12.6	10.7		6.8	19.6	22	1.4	6	0	-	14	2.4	2	1.0	22	2.1	1	1.0	8	1.1	17	1.5	18	1.9	11
VI	10.1	10.6	13.1	15.7	15.1	13.1		9.2	24.5	23	2.9	6	0	-	5	1.0	7	1.3	15	1.1	0	-	8	1.5	14	1.4	26	1.4	15
VII	11.6	12.0	17.3	20.5	19.8	17.6		13.1	30.0	16	6.7	31	0	-	6	1.2	2	1.0	16	1.4	0	-	0	-	20	1.2	18	1.7	31
VIII	08.5	09.0	16.1	20.6	19.2	17.1		12.5	26.0	12	7.8	29	8	1.2	7	1.3	0	-	9	1.2	2	1.0	12	1.0	3	1.0	13	1.5	39
IX	14.3	14.8	9.6	13.8	12.1	10.9		7.5	19.5	13	4.2	2	15	1.0	5	1.0	4	3.0	8	4.2	0	-	10	1.3	14	1.3	7	1.6	27
X	13.1	13.6	6.6	8.5	7.4	7.1		4.6	13.8	15	- 1.8	25	0	-	1	1.0	0	-	6	2.5	2	2.5	6	1.0	9	1.6	23	1.6	46
XI	20.2	20.7	0.8	1.6	0.8	0.9		- 1.5	8.8	16	- 8.7	12	0	-	6	2.5	3	2.0	5	1.0	1	2.0	5	1.8	5	1.6	12	3.1	53
XII	08.9	09.4	0.9	1.5	0.9	1.0		- 1.8	11.4	18	-12.9	31	0	-	3	3.0	8	3.0	25	2.9	2	1.0	2	1.0	1	6.0	10	3.6	42
1945	1012.0	1012.6	6.3	8.8	7.9	6.8		3.5	30.0		-17.1		24	1.1	49	1.8	36s	1.9	139s	2.3	8	1.5	78	1.3	149	1.5	180	1.8	431

Leikanger

φ = 61° 11′ N λ = 6° 52′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 3.8	- 2.6	- 3.8	- 3.6		- 5.6	4.5	14	-10.8	22	4	1.5	12s	2.0	10	1.3	29	1.5	17	1.6	2s	2.0	3s	2.4	13s	2.0	1
II			1.2	2.5	1.6	1.6		- 0.6	7.5	28	-10.1	2	0	-	3	1.7	10	1.8	27s	1.4	21s	1.3	8	2.4	7s	3.0	4s	2.7	2
III			3.5	5.9	4.6	4.3		2.3	9.8	22	- 2.3	1	5	1.4	7	1.0	3s	1.0	9	1.2	6	1.5	10s	1.9	13	2.3	23	1.9	16
IV			4.9	8.5	7.5	6.2		3.7	12.0	17	- 0.3	12	2	1.8	5	1.3	4	1.1	19s	1.2	14s	1.3	10	1.4	17	2.0	17	2.0	1
V			9.2	13.1	12.8	10.5		7.1	19.3	22	2.9	6	0	-	0	-	0s	2.0	20s	2.0	33s	1.5	21s	1.6	14s	2.3	2s	4.0	0
VI			12.5	16.0	15.3	13.4		10.1	24.3	22	4.8	17	0s	1.0	0s	1.0	0s	1.0	14s	1.2	26	1.3	23	1.5	15	2.1	8	2.6	2
VII			16.2	20.9	19.6	17.4		13.3	31.0	16	7.8	31	2s	2.0	0s	1.0	2	1.0	9s	1.2	24	1.5	24s	1.7	15	2.2	14	2.1	1
VIII			15.2	20.8	18.9	17.0		13.1	27.7	14	8.0	31	1	1.5	1s	1.7	4s	1.3	23	1.3	13	1.3	20s	1.5	22s	2.0	7	1.7	0
IX			9.9	14.2	11.8	11.2		8.3	19.9	13	3.0	29	4	1.8	3s	1.6	6	1.0	19	1.4	23	1.5	16s	1.4	7s	1.9	9s	1.8	1
X			7.0	9.3	7.6	7.7		5.7	12.9	5	1.6	11	7	1.5	4s	1.2	0s	1.0	13	1.5	28	1.4	9	2.7	9	2.9	13	2.4	9
XI			2.3	4.1	2.5	2.8		0.8	12.2	1	- 3.9	22	1	1.5	14s	1.0	14	1.1	14	1.1	24	1.4	3	2.0	12	2.5	5s	2.3	2
XII			1.0	1.7	1.0	1.1		- 1.2	10.7	18	- 7.8	31	2	2.8	2s	1.2	10	1.8	33s	1.5	25s	1.5	3	1.7	2s	2.4	14	2.4	0
1945			6.6	9.5	8.3	7.5		4.8	31.0		-10.8		29	1.7	55	1.4	65s	1.3	232	1.4	256	1.4	152	1.7	139	2.3	131s	2.2	35

Luster Sanat.

φ = 61° 26′ N λ = 7° 25′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 7.6	- 6.2	- 7.4	- 7.2		- 9.1	0.2	14	-13.5	24	4	1.0	8	1.1	3	1.7	0s	1.0	1	2.0	3	1.2	42	1.3	25s	1.6	6
II			- 2.6	- 1.2	- 1.5	- 2.0		- 3.8	4.0	19	-13.2	1	2	1.0	2s	1.4	2s	1.0	1	1.0	5	1.6	13	2.0	29	1.5	22	1.2	7
III			0.5	2.6	1.2	1.0		- 0.8	9.0	25	- 5.6	18	10	1.2	9s	1.3	11s	1.0	1	1.0	5	1.1	10s	1.3	28	1.9	13s	1.4	4
IV			2.2	4.9	3.2	2.7		0.4	7.8	18	- 3.8	12	8s	1.3	5	1.4	11	1.0	7s	1.0	6s	1.0	13s	1.9	27s	1.8	8s	1.5	2
V			6.9	9.3	7.8	6.9		4.1	15.6	21	0.9	6	4	1.4	9	1.3	28	1.4	6	1.3	7s	1.9	5	2.1	23s	1.8	7	1.3	3
VI			10.0	13.3	11.8	10.6		7.5	24.6	23	1.8	17	6	1.4	11	1.2	15s	1.1	8	1.0	11s	1.5	8s	1.8	16s	1.3	10	1.4	3
VII			14.5	18.1	16.0	15.0		11.6	28.0	16	6.0	26	2	2.0	4	1.0	17s	1.1	12s	1.0	16	1.2	10	1.4	12s	1.6	7s	1.3	11
VIII			14.5	18.3	16.1	15.2		11.9	25.9	13	6.6	31	6	1.2	5s	1.4	26	1.1	3s	1.1	10	1.4	8	1.2	24s	1.2	5s	1.2	4
IX			8.0	11.1	9.1	8.7		6.3	17.8	13	2.0	29	6	1.2	1s	1.0	23	1.2	6s	1.1	7s	1.1	6s	1.4	28s	1.2	5s	1.0	5
X			4.1	6.0	5.0	4.7		3.0	10.4	14	- 1.4	11	13s	1.2	6	1.1	5s	1.2	3	1.0	2	1.5	5s	1.3	42	1.1	12s	1.4	2
XI			0.1	1.6	0.7	0.7		- 0.9	9.0	1	- 5.1	22	4	1.8	1s	1.0	1s	1.0	1s	1.0	0s	1.0	5s	1.3	66s	1.2	9	1.2	0
XII			- 2.8	- 2.1	- 2.8	- 2.7		- 4.8	5.4	18	-11.4	31	4s	1.0	5s	1.2	7	1.3	1	1.0	0	-	4	1.0	47	1.1	24	1.2	0
1945			4.0	6.3	4.9	4.5		2.1	28.0		-13.5		70s	1.3	69	1.2	153	1.2	52	1.1	72s	1.4	93	1.6	387s	1.4	150s	1.3	47

1945

Vangsnes

$H_s = 53$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 5.7$ $h_r = 1.8$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	71	67	69	70	5.9	5.3	4.9	91	30	2	30		0		9	8	4	0	0	0	4	8	0	0	0	0	0	0	14	0	9	7	10	31
II	79	77	80	79	9.3	8.9	8.8	109	20	22	10		0		19	16	5	2	0	0	14	7	0	2	0	0	0	0	7	1	3	0	24	20
III	81	74	77	78	8.1	7.1	7.7	88	16	15	7		0		15	14	3	1	0	0	13	4	0	1	0	0	0	0	21	4	9	3	19	6
IV	75	65	67	72	6.5	5.5	6.2	92	27	1	1		0		14	13	2	0	0	0	14	0	0	1	0	0	0	0	17	3	18	4	12	0
V	70	57	61	67	5.3	5.2	5.9	79	22	14	0		0		14	12	1	0	0	0	14	0	0	0	0	0	0	0	13	0	21	8	12	0
VI	78	66	68	75	6.7	6.1	6.2	131	30	26	0		0		17	16	5	1	0	0	17	0	0	0	0	0	0	1	20	0	21	4	10	0
VII	72	61	64	70	5.5	4.6	4.6	25	5	22	0		0		8	8	0	0	0	0	8	0	0	1	0	0	0	0	15	1	26	4	5	0
VIII	76	62	67	72	5.1	4.8	4.0	44	26	25	0		0		6	6	1	0	0	0	6	0	0	1	0	0	0	1	12	1	25	7	5	0
IX	81	71	74	77	6.9	6.6	6.7	58	18	16	0		0		14	11	2	0	0	0	14	0	0	1	0	0	0	0	21	0	15	2	10	0
X	82	78	82	81	7.0	7.0	6.7	70	32	10	0		0		14	10	2	2	0	0	14	0	0	1	0	0	0	0	14	0	8	3	14	0
XI	74	74	77	75	5.8	5.8	5.3	99	19	29	3		0		10	9	6	4	0	0	10	2	1	1	0	0	0	0	8	0	6	7	11	0
XII	72	68	69	70	6.9	5.8	5.5	42	16	13	17		0		12	7	1	7	0	0	9	5	0	1	0	0	0	0	9	0	2	5	10	9
1945	76	68	71	74	6.6	6.1	6.0	928	32		68		0		152	130	32	17	0	0	137	26	1	10	0	0	0	2	171	10	163	54	142	66

Fjærland

$H_s = 5$ $H_b =$ $h_t = 1.6$ $h_a =$ $h_d = 12.0$ $h_r = 1.1$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	92	88	90	91	6.9	6.6	5.8	152	41	2	31	24	20	0	12	11	4	0	0	0	2	12	1	0	0	0	0	0	2	0	9	6	14	31
II	93	92	93	93	8.8	9.6	8.6	228	33	25	17	5	5	0	20	17	8	1	0	0	15	12	4	6	0	0	0	0	12	0	2	1	23	28
III	96	86	92	92	8.9	8.2	5.1	229	53	1	16	0	0	0	22	18	8	2	0	0	15	11	3	6	0	0	0	1	4	1	6	3	23	31
IV	89	67	74	80	7.5	7.4	7.7	160	30	2	10	0	0	0	18	14	6	0	0	0	18	0	0	5	0	0	0	0	4	1	11	3	19	11
V	76	52	56	67	6.5	6.9	6.6	110	28	14	2	0	0	0	14	12	3	0	0	0	14	0	0	6	0	0	0	1	3	1	12	7	18	0
VI	82	63	70	78	5.9	6.6	6.5	112	21	26	0	0	0	3	18	14	4	0	0	0	18	0	0	7	0	0	0	1	5	3	17	5	13	0
VII	82	56	67	75	6.5	6.7	5.7	57	11	24	0	0	0	8	13	10	1	0	0	0	13	0	0	2	0	0	0	1	0	1	24	2	9	0
VIII	92	58	71	78	5.5	5.6	5.0	58	28	25	0	0	0	8	12	7	1	0	0	0	12	0	0	4	0	0	0	1	3	1	20	7	9	0
IX	97	71	84	86	8.3	8.3	8.1	101	36	16	0	0	0	0	18	13	4	0	0	0	18	0	0	3	0	0	0	0	5	2	9	2	21	0
X	93	82	88	89	8.3	8.8	8.5	112	51	10	8	0	0	0	22	14	2	0	0	0	22	0	0	2	0	0	0	0	6	7	1	1	21	0
XI	94	90	91	92	7.0	7.3	6.9	161	35	26	23	3	0	0	14	13	6	0	0	0	14	2	1	1	0	0	0	0	2	1	7	5	17	4
XII	86	82	82	84	8.4	7.9	7.6	83	20	10	26	12	3	0	16	14	2	1	0	0	10	11	3	1	0	0	0	0	10	0	6	5	23	25
1945	89	74	80	84	7.4	7.5	6.8	1563	53		133	44	28	19	199	157	49	4	0	0	171	48	12	43	0	0	0	5	56	18	124	47	210	130

Lærdal

$H_s = 3$ $H_b = 4.0$ $h_t = 1.8$ $h_a =$ $h_d =$ $h_r = 1.4$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	74	69	71	72	6.5	5.7	4.5	50	15	2	31		15		9	6	2	1	1	0	4	7	1	0	0	0	0	0	0	0	0	6	10	31
II	75	70	72	73	9.0	8.9	8.8	53	17	28	14		4		13	9	2	8	4	0	10	6	2	0	0	0	0	0	0	0	0	1	24	22
III	79	72	76	77	7.5	7.7	7.6	43	14	1	12		0		15	9	1	4	1	0	13	3	1	1	0	0	0	0	0	0	0	4	20	5
IV	74	56	60	68	6.8	6.9	6.7	32	7	2	6		0		16	12	0	0	0	0	16	0	0	1	0	0	0	0	0	0	19	4	14	0
V	65	52	52	60	6.1	6.0	6.4	61	15	3	0		0		15	11	2	4	2	0	15	0	0	0	0	0	0	1	0	0	26	8	14	0
VI	72	60	61	69	6.4	6.3	8.0	93	38	26	0		0		20	14	2	0	0	0	20	0	0	0	0	0	0	2	0	0	20	4	14	0
VII	70	56	58	66	5.9	5.5	5.4	32	6	24	0		0		14	11	0	1	0	0	14	0	0	0	0	0	0	0	0	0	29	5	7	0
VIII	76	57	60	68	5.0	5.9	5.1	20	9	25	0		0		11	6	0	0	0	0	11	0	0	1	0	0	0	0	0	0	22	7	7	0
IX	79	65	70	73	7.3	6.8	7.9	22	3	22	0		0		16	12	0	4	3	0	16	0	0	0	0	0	0	0	0	0	9	2	17	0
X	81	74	77	78	8.2	8.8	8.2	29	9	10	2		0		14	7	0	2	1	0	14	0	0	0	0	0	0	0	0	0	0	2	23	0
XI	78	78	81	79	7.2	6.4	5.0	51	14	29	17		0		12	7	2	2	1	0	12	2	1	0	0	0	0	0	0	0	0	7	14	2
XII	66	64	66	66	7.5	7.4	6.2	13	7	13	19		1		8	3	0	6	3	0	7	4	2	0	0	1	0	0	0	0	0	4	16	5
1945	74	64	67	71	7.0	6.9	6.6	499	38		101		20		163	107	11	32	16	0	152	22	7	3	0	1	0	3	0	0	125	54	180	65

Leikanger

$H_s = 22$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I					5.4	5.7	4.5	111	47	2	31		2		12	7	4	1	0	0	4	11	1	0	0	0	0	0	0	0	10	5	10	31
II					9.6	9.4	8.5	135	48	28	12		0		19	14	4	0	0	0	15	8	4	2	0	0	0	0	3	2	5	0	25	27
III					7.8	7.4	7.1	112	24	1	7		0		19	13	4	1	0	0	14	8	2	2	0	0	0	0	0	0	15	3	19	11
IV					6.7	6.2	6.2	79	18	1	1		0		16	14	2	0	0	0	16	0	0	0	0	0	0	0	1	0	22	4	13	0
V					5.9	6.2	5.7	75	16	14	0		0		15	11	3	3	0	0	15	0	0	0	0	0	0	1	0	0	23	6	12	0
VI					7.2	6.7	6.2	102	24	26	0		0		19	16	3	0	0	0	19	0	0	0	0	0	0	1	0	0	23	3	11	0
VII					6.0	5.5	4.3	48	12	25	0		0		13	9	1	0	0	0	13	0	0	0	0	0	0	0	0	0	29	5	7	0
VIII					5.3	5.1	4.7	50	24	25	0		0		8	7	2	0	0	0	8	0	0	0	0	0	0	1	0	0	28	7	6	0
IX					7.4	7.0	5.9	51	12	16	0		0		16	11	1	0	0	0	16	0	0	0	0	0	0	0	0	0	19	3	13	0
X					6.5	7.3	7.0	79	39	10	0		0		17	11	2	0	0	0	17	0	0	0	0	0	0	0	0	0	19	2	15	0
XI					6.8	7.1	5.5	114	30	28	10		0		12	10	4	0	0	0	12	3	3	0	0	0	0	0	0	0	14	4	12	1
XII					7.4	6.4	6.0	50	14	13	19		0		13	11	1	0	0	0	10	7	3	0	0	0	0	0	0	0	5	5	13	12
1945					6.8	6.7	6.0	1006	48		80		2		179	134	31	5	0	0	159	37	13	4	0	0	0	3	4	2	212	47	156	82

Luster Sanat.

$H_s = 502$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.9$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snedekke ⊞
I	77	73	74	76	6.7	6.6	4.9	98	28	2	31		14		12	8	4	0	0	0	0	12	0	0	0	0	0	0	14	17	15	4	10	31
II	87	85	87	87	9.6	9.5	9.3	195	36	28	25		3		21	15	7	0	0	0	6	18	2	0	0	0	0	0	5	23	3	0	26	28
III	84	75	79	80	8.8	7.9	8.2	149	65	1	15		0		20	14	4	0	0	0	12	15	5	1	0	0	0	0	8	22	19	2	21	31
IV	75	64	68	72	6.8	6.7	6.9	90	28	2	11		0		15	13	2	0	0	0	14	6	3	1	0	1	0	0	9	16	24	3	15	15
V	73	62	62	69	7.1	6.9	6.5	104	31	14	0		0		15	14	2	0	0	0	15	2	2	0	0	0	0	1	18	12	26	5	16	0
VI	80	66	68	77	7.5	7.0	7.6	129	38	25	0		0		16	15	4	0	0	0	16	0	0	4	0	0	0	2	10	16	24	3	15	0
VII	82	61	67	77	6.6	6.3	6.2	28	9	21	0		0		11	9	0	0	0	0	11	0	0	2	0	0	0	0	13	7	30	2	8	0
VIII	81	60	66	74	6.3	6.0	6.1	34	15	25	0		0		10	7	1	0	0	0	10	0	0	0	0	0	0	0	22	7	31	1	7	0
IX	88	73	78	82	7.8	7.8	8.0	62	14	16	0		0		15	12	1	0	0	0	15	0	0	3	0	0	0	0	16	14	23	1	19	0
X	87	82	84	84	8.1	8.0	6.8	60	32	10	2		0		17	10	1	0	0	0	16	3	1	7	0	0	0	0	14	17	16	1	17	0
XI	78	77	76	77	7.0	7.2	5.8	101	23	28	17		0		11	10	4	0	0	0	7	7	3	1	0	0	0	0	19	11	16	3	14	3
XII	78	77	77	78	8.1	8.0	6.0	62	18	10	27		1		15	12	2	0	0	0	5	10	1	0	0	0	0	0	13	18	5	4	17	31
1945	81	71	74	78	7.5	7.3	6.9	1112	65		128		18		178	139	32	0	0	0	127	73	17	19	0	1	0	3	161	180	232	29	185	139

1945

Fortun

φ = 61° 30′ N λ = 7° 42′ E g = 9.820 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	1007.3	1011.2	-10.1	- 8.9	- 9.8	- 9.9		-13.4	1.8	14	-22.1	24	19 1.3	16 1.1	5 1.0	6 1.2	3 1.0	13 1.0	5 1.0	24 1.7	0
II	06.3	10.1	- 3.3	0.5	- 1.7	- 1.9		- 5.3	4.4	25	-21.9	2	8 1.1	18 1.5	8 1.0	10 1.8	10 1.4	13 1.0	10 1.2	4 1.8	0
III	12.1	15.8	0.2	4.3	2.0	1.6		- 1.4	9.7	27	- 6.4	18	15 1.3	19 1.5	3 1.0	10 1.1	21 1.3	11 1.1	5 1.0	8 1.6	0
IV	09.2	12.9	3.3	8.8	6.7	5.2		1.4	11.3	17	- 3.1	12	13 2.0	10 1.2	9 1.1	10 1.4	24 1.7	13 1.7	2 1.4	7 2.2	0
V	07.4	11.0	7.8	13.3	11.0	9.0		4.3	19.8	21	- 0.3	6	14 2.6	10 1.7	9 1.1	16 1.3	18 1.4	9 1.8	6 1.8	8 2.1	1
VI	06.7	10.2	11.1	16.9	13.9	12.0		6.7	27.8	22	1.1	6	6 1.8	7 1.5	12 1.1	10 1.3	27 1.7	15 1.3	5 1.8	6 1.5	0
VII	08.4	11.9	14.1	21.6	18.1	15.8		10.1	31.6	16	5.9	27	5 1.4	11 1.0	5 1.1	5 1.8	29 1.6	26 1.5	4 1.6	7 1.1	0
VIII	05.3	08.8	12.8	21.6	16.9	15.3		10.1	27.8	12	5.4	31	10 1.5	12 1.1	6 1.0	7 1.3	26 1.6	20 1.6	6 1.2	3 1.0	2
IX	11.2	14.8	7.7	13.9	10.2	9.6		5.6	20.2	13	2.0	2	8 1.1	12 1.1	5 1.0	12 1.2	22 1.4	14 1.3	8 1.8	6 2.1	1
X	09.9	13.6	4.2	7.8	5.2	5.3		2.4	13.8	6	- 1.7	22	10 1.1	7 1.0	6 1.0	9 1.1	19 1.2	23 1.0	8 1.2	9 1.2	0
XI	17.1	20.9	- 1.7	- 0.3	- 1.1	- 1.2		- 3.0	6.0	1	- 8.8	22	12 1.1	10 1.3	9 1.0	14 1.2	19 1.0	6 1.0	4 1.0	11 1.2	2
XII	06.1	09.9	- 3.2	- 2.1	- 3.3	- 3.0		- 5.7	6.5	18	-14.7	31	20 1.4	10 1.1	2 1.0	8 1.0	15 1.1	13 1.2	5 1.2	18 1.5	0
1945	1008.9	1012.6	3.6	8.1	5.7	4.8		1.0	31.6		-22.1		143 1.5	147 1.3	80 1.0	119 1.3	235 1.4	178 1.3	71 1.3	114 1.6	6

Fanaråken x)

φ = 61° 31′ N λ = 7° 54′ E g = 9.816 ΔG = + 1h

I	772.5	776.1	-14.4	-13.4	-14.4	-14.3	-11.6	-16.4	- 4.7	12	-20.8	27	12 3.4	1 1.0	11 3.2	16 2.9	0 2.0	7 4.6	21 6.7	3 5.0	19
II	75.4	78.9	-10.1	- 9.0	- 9.7	- 9.8	- 7.3	-12.0	- 0.7	18	-18.0	26	1 3.3	1 4.0	0 6.0	10 4.5	6 4.5	19 5.6	28 5.6	2 5.8	13
III	81.7	85.3	- 7.7	- 6.7	- 7.9	- 7.5	- 5.1	- 9.8	1.8	25	-17.1	1	8 4.6	0 -	0 -	2 3.5	6 2.9	12 4.8	29 5.3	27 4.6	8
IV	80.5	84.0	- 7.1	- 6.1	- 7.3	- 7.1	- 4.8	- 9.2	0.1	17	-14.0	11	3 3.5	1 2.5	0 2.0	5 3.5	8 3.2	7 4.7	26 6.5	16 4.8	22
V	82.3	85.8	- 4.2	- 2.8	- 3.8	- 4.1	- 1.7	- 6.3	2.7	22	-11.7	25	1 4.0	2 2.0	8 4.5	21 5.1	6 4.6	15 4.7	10 4.7	5 4.1	23
VI	85.0	88.4	0.0	0.7	0.6	0.0	2.4	- 2.1	12.1	23	-10.5	17	6 2.9	1 2.0	7 3.1	18 3.1	14 2.3	15 3.5	13 3.7	6 4.5	7
VII	89.6	93.0	4.0	5.8	5.3	4.4	7.5	1.9	15.0	15	- 5.1	30	8 2.1	1 4.0	8 3.2	19 3.6	20 2.7	12 2.7	16 3.3	5 3.0	1
VIII	87.3	90.7	3.8	5.7	5.1	4.3	7.1	2.2	13.8	12	- 4.7	27	9 2.0	4 2.9	8 2.5	13 2.8	12 2.1	11 2.3	26 3.0	5 2.3	3
IX	87.3	90.7	- 2.2	- 0.2	- 1.5	- 1.7	1.0	- 3.8	6.9	3	- 9.0	29	6 2.1	7 1.9	12 2.6	19 3.3	8 3.2	7 3.1	11 2.9	14 2.9	4
X	83.4	86.8	- 3.9	- 2.9	- 3.9	- 3.7	- 1.4	- 5.8	7.3	3	-12.9	11	11 3.1	1 1.0	3 3.7	5 4.4	5 3.0	7 3.5	28 5.2	29 4.3	3
XI	86.8	90.3	- 5.4	- 4.4	- 5.5	- 5.1	- 2.7	- 7.2	4.3	2	-14.0	27	8 2.9	1 3.0	12 2.6	2 2.0	6 3.5	13 4.5	20 5.7	9 3.0	17
XII	74.9	78.4	-11.1	-10.8	-11.0	-11.1	- 9.0	-13.0	- 4.1	20	-20.9	11	5 3.2	5 1.9	17 3.3	21 3.5	10 3.2	8 4.2	9 4.8	15 4.8	1
1945	782.2	785.7	- 4.9	- 3.7	- 4.5	- 4.6	- 2.1	- 6.8	15.0		-20.9		80 3.0	29 2.3	90 3.1	154 3.6	106 3.0	136 4.1	239 5.0	138 4.2	121

Førde i Sunnfjord

φ = 61° 27′ N λ = 5° 51′ E g = ΔG = + 1h

I			- 9.4	- 7.6	- 9.0	- 8.9		-12.9	3.7	16	-20.5	24	1 2.3	0 -	5 1.9	0 -	0 -	0 -	3 2.5	6 3.3	27
II			- 1.1	1.0	0.8	- 0.1		- 3.3	6.5	28	-19.9	1	0 3.0	3 3.0	4 2.4	1 4.0	0 -	1 4.5	5 4.5	3 4.5	28
III			2.2	5.5	3.7	3.4		0.4	15.7	25	- 6.3	3	0 4.0	2 1.4	36 1.7	2 1.0	0 -	0 3.0	11 2.9	5 4.0	35
IV			2.6	9.0	7.9	5.5		1.4	14.9	1	- 4.0	12	0 -	1 2.0	28 1.7	7 1.9	0 -	5 2.2	16 1.8	11 1.5	22
V			8.4	13.5	12.6	10.0		3.9	20.9	22	- 0.9	6	0 -	6 3.5	54 2.6	1 1.0	2 3.5	0 -	17 2.6	3 2.7	10
VI			11.5	16.0	14.1	12.4		8.2	27.6	21	0.9	6	3 2.5	2 1.8	38 1.8	0 -	0 -	1 3.5	22 2.6	11 2.8	12
VII			14.5	19.6	18.3	15.9		11.0	31.4	16	3.5	31	7 2.9	2 1.8	18 1.6	1 3.0	0 2.0	2 2.4	20 2.5	24 2.7	17
VIII			13.5	20.4	18.6	15.9		10.7	29.9	13	3.6	31	10 2.8	0 -	28 1.6	1 2.0	0 -	2 3.0	19 2.6	21 2.4	12
IX			8.4	14.0	11.9	10.6		6.4	20.1	10	- 1.4	29	5 1.9	0 -	33 1.9	1 5.0	0 2.0	2 1.2	5 1.2	10 2.2	33
X			5.7	8.7	7.2	6.8		3.7	14.1	3	- 2.7	28	2 2.5	3 2.3	28 1.9	1 1.0	0 -	3 2.7	6 1.8	3 2.0	47
XI			0.6	2.2	1.4	1.3		- 0.8	10.5	1	- 6.4	21	0 -	0 -	45 1.7	0 -	0 -	0 -	9 3.4	3 3.5	33
XII			- 1.3	- 0.1	- 0.8	- 0.8		- 4.2	10.3	2	-13.7	31	0 -	0 -	57 2.2	0 -	0 7.0	3 3.0	0 -	10 2.3	22
1945			4.6	8.5	7.2	6.0		2.0	31.4		-20.5		29 2.6	20 2.5	463 2.0	15 2.1	3 3.6	21 2.6	133 2.6	111 2.6	298

Kinn

φ = 61° 34′ N λ = 4° 48′ E g = 9.820 ΔG = + 1h

I	1008.4	1009.4	- 0.4	0.1	- 0.1	0.0		- 2.2	7.6	1	- 5.5	25	7 4.7	18 4.2	36 2.5	9 3.6	8 5.5	7 4.3	2 5.2	3 7.5	1
II	06.5	07.5	3.3	3.7	3.8	3.4		1.3	7.8	19	- 4.6	1	0 4.0	2 2.5	11 3.3	22 4.6	27 6.0	12 5.0	8 4.7	0 4.0	0
III	15.1	16.1	4.6	5.6	5.4	5.0		3.0	15.6	25	- 1.7	1	34 4.6	1 2.3	2 2.5	8 3.4	32 4.2	8 3.4	2 4.4	4 4.6	0
IV	12.0	13.0	5.2	7.0	6.0	5.8		4.3	10.4	16	0.6	29	17 3.2	11 4.7	5 2.9	5 2.6	21 4.7	16 4.0	8 3.1	5 2.4	0
V	10.1	11.1	9.2	10.4	9.6	9.0		6.6	16.0	22	3.3	6	22 2.8	17 4.9	8 2.9	5 3.4	22 4.6	9 4.6	1 5.0	6 3.2	0
VI	10.5	11.5	11.4	12.8	12.2	11.5		9.5	23.6	22	4.6	17	29 3.0	12 4.0	2 3.5	3 2.7	17 3.8	17 3.9	3 2.3	4 3.3	0
VII	12.9	13.9	14.6	15.7	15.1	14.5		12.6	29.5	16	8.2	5	34 4.2	9 5.8	3 3.3	4 2.3	12 3.1	19 3.1	6 3.1	3 2.3	0
VIII	09.5	10.5	14.0	15.4	14.7	14.2		12.6	23.4	13	9.3	23	39 3.7	17 5.4	1 3.3	5 3.2	14 3.1	7 2.3	1 2.5	7 2.9	0
IX	13.7	14.7	11.4	13.2	12.0	11.8		9.6	18.0	19	6.3	29	21 3.0	9 4.2	7 3.1	19 2.8	19 4.5	8 4.1	1 3.0	5 2.6	0
X	12.5	13.5	9.1	10.2	9.8	9.5		7.7	13.0	2	3.0	11	13 4.4	10 4.7	11 2.6	20 3.2	17 3.8	5 4.5	4 4.3	11 4.1	0
XI	18.3	19.4	6.0	6.9	6.2	6.3		4.5	11.3	1	1.5	12	11 3.5	9 1.6	13 1.5	23 2.6	14 4.9	7 5.0	4 3.6	7 5.5	0
XII	06.5	07.5	3.7	3.9	3.6	3.6		1.7	10.5	2	- 2.9	11	10 7.3	5 4.5	30 2.5	18 3.8	24 5.9	0 4.0	1 4.3	2 5.8	0
1945	1011.3	1012.3	7.7	8.7	8.2	7.9		5.9	29.5		- 5.5		239 3.9	124 4.4	130 2.6	144 3.3	229 4.6	119 3.9	45 3.8	61 3.8	1

Brandsøy i Kinn

φ = 61° 37′ N λ = 5° 8′ E g = ΔG = + 1h

I			- 2.9	- 1.3	- 2.6	- 2.4		- 5.2	6.4	1	- 9.2	22	2 4.5	1 2.0	35 2.6	1 3.0	0 2.0	4 3.2	5 3.8	5 5.8	39
II			2.6	3.8	3.2	3.0		0.7	7.8	19	- 9.2	1	0 -	0 -	31 3.8	5 3.8	13 4.7	11 4.0	10 4.8	4 5.8	9
III			4.0	6.0	4.8	4.6		2.5	13.8	25	- 2.0	3	2 6.8	1 2.7	23 2.4	1 2.0	6 4.5	12 3.4	11 2.7	3 7.1	32
IV			5.6	8.0	6.7	6.1		2.9	12.6	16	- 1.8	12	6 5.0	2 2.8	16 2.7	1 4.0	5 3.8	17 3.5	24 3.5	3 4.3	15
V			9.9	12.4	11.1	9.9		5.8	19.2	22	0.8	6	5 5.0	3 3.0	23 2.9	6 3.3	6 3.8	12 3.6	16 2.8	5 5.6	16
VI			12.7	14.6	13.6	12.6		9.5	25.3	22	4.0	6	5 5.4	0 -	15 2.6	4 2.6	2 3.2	13 3.3	23 2.8	10 4.7	17
VII			15.7	18.0	16.9	15.8		12.2	29.5	16	8.0	4	4 4.5	2 5.5	3 2.3	4 2.0	1 4.0	5 2.4	31 2.9	11 4.0	32
VIII			15.8	18.6	16.7	16.1		12.7	25.8	14	8.1	31	19 4.5	0 -	3 3.0	6 2.3	0 -	4 2.5	20 2.4	12 3.0	29
IX			10.8	13.7	11.6	11.4		8.3	18.6	11	2.4	29	0 -	2 4.0	12 3.4	7 3.6	5 4.2	12 3.4	15 3.0	4 2.8	32
X			7.8	9.7	8.6	8.5		5.9	13.0	3	1.1	11	7 4.6	0 -	21 2.8	9 2.5	4 3.4	8 3.2	13 3.8	4 4.2	26
XI			3.4	5.5	3.9	4.2		2.0	11.4	1	- 2.3	21	0 -	0 -	13 3.1	3 4.0	5 5.0	8 4.2	4 4.8	8 5.5	49
XII			2.0	2.8	2.1	2.2		- 0.2	11.0	2	- 6.3	31	0 -	0 6.0	26 3.2	11 4.1	13 5.7	3 2.0	6 5.2	10 5.5	23
1945			7.3	9.3	8.0	7.7		4.8	29.5		- 9.2		50 4.8	12 3.5	224 3.0	59 3.2	62 4.5	109 3.4	178 3.2	79 4.6	319

x) Fanaråken: Lufttrykk red. til 2000 gdm.

Årsoversikter

Annual Summaries)

1945

Fortun

$H_s = 27$ $H_b = 29.6$ $h_t = 1.9$ $h_a =$ $h_d = 6.0$ $h_r = 1.3$

Måned	Midlere relativ fuktighet U_m 8	14	19	Dies	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Iskagl ▲	Torden-vær R	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	90	88	89	89	6.6	5.6	4.7	40	18	2	31		23		9	6	2	3	0	0	1	8	1	0	0	1	0	0	0	0	0	0	6	10	31
II	94	88	90	92	9.3	9.5	8.4	89	18	28	24		5		18	12	3	1	0	0	11	11	1	1	0	0	0	0	1	0	1	0	22	28
III	94	76	84	87	8.0	7.5	7.1	78	37	1	21		0		16	13	1	1	0	0	10	8	0	1	0	0	0	0	0	0	9	3	18	28
IV	82	57	62	72	6.7	7.0	7.2	44	9	1	10		0		16	11	0	0	0	0	16	0	0	0	1	0	0	0	0	0	14	4	16	0
V	79	52	59	74	6.8	6.5	6.6	81	26	14	2		0		16	12	2	2	0	0	16	0	0	2	0	0	0	1	0	0	12	6	17	0
VI	84	59	68	83	6.9	6.2	7.4	73	20	25	0		0		13	12	3	1	0	0	13	0	0	4	0	0	0	1	0	0	13	5	16	0
VII	89	55	68	84	6.0	5.8	6.0	29	11	21	0		0		13	9	1	2	0	0	13	0	0	2	0	0	0	1	0	0	11	2	6	0
VIII	95	55	73	85	4.9	5.6	4.8	18	8	25	0		0		8	4	0	0	0	0	8	0	0	0	0	0	0	0	0	0	13	7	9	0
IX	95	64	83	86	7.2	7.1	6.9	29	7	16	0		0		16	10	0	2	0	0	16	0	0	0	0	0	0	0	0	0	9	2	15	0
X	94	84	90	90	7.8	8.1	7.5	46	24	10	8		0		17	10	1	0	0	0	17	0	0	5	0	0	0	0	0	2	7	1	19	0
XI	94	92	93	94	6.8	6.2	5.2	74	20	28	24		0		10	9	3	0	0	0	10	4	0	0	0	0	0	0	0	0	0	5	11	3
XII	88	84	88	87	7.2	7.2	6.2	34	7	13	27		5		15	9	0	1	0	0	8	8	0	2	0	0	0	0	0	0	0	4	15	31
1945	90	71	79	85	7.0	6.9	6.5	635	37		147		33		167	117	16	13	0	0	139	39	2	17	1	1	0	3	1	2	89	45	174	121

Fanaråken

$H_s = 2064$ $H_b = 2070.3$ $h_t = 4.2$ $h_a = 9.7$ $h_d = 9.7$ $h_r = 2.5$

Måned	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Iskagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	90	90	89	90	6.6	6.4	5.5	91	25	2	31	31	30	0	16	11	4	18	7	5	0	16	0	0	0	0	0	0	0	20	11	7	14	31
II	93	92	93	92	9.5	9.5	7.9	149	41	28	28	28	21	0	22	16	4	24	12	6	0	22	0	0	0	0	0	0	0	27	4	0	20	28
III	93	89	89	91	8.3	7.9	8.0	140	39	1	31	29	14	0	24	20	5	24	12	6	0	24	0	0	0	0	0	0	1	27	10	4	22	31
IV	86	86	87	87	7.0	7.0	7.4	72	9	20	30	28	7	0	21	17	0	21	11	8	0	21	0	0	0	0	0	0	0	22	16	3	15	30
V	86	86	86	86	6.8	6.9	6.6	118	20	19	31	24	2	0	19	13	7	17	11	7	3	19	1	0	0	0	0	0	0	23	13	6	19	31
VI	85	84	84	86	7.1	6.9	7.9	72	18	25	20	12	1	0	19	15	2	15	5	1	5	18	2	1	4	0	0	2	0	21	11	4	17	30
VII	76	70	73	76	8.1	7.9	7.9	55	8	22	9	0	0	0	15	12	0	8	1	0	12	6	3	8	0	0	0	0	0	24	25	1	20	11
VIII	78	72	74	77	6.4	7.8	7.9	43	8	25	10	2	0	0	15	9	0	5	2	0	14	4	3	8	0	0	0	1	0	23	28	1	14	0
IX	82	79	81	83	7.9	8.7	8.5	54	8	17	30	11	0	0	19	14	0	9	1	0	4	16	1	5	0	0	0	0	0	27	17	1	20	15
X	86	82	83	84	8.6	9.0	8.1	41	10	10	30	22	2	0	18	10	0	21	10	6	4	13	2	3	0	0	0	0	0	28	13	2	22	31
XI	70	65	73	69	7.1	7.5	6.6	27	9	27	30	20	9	0	10	8	0	14	6	4	1	7	1	0	0	0	0	0	0	16	16	2	15	30
XII	85	83	83	84	8.1	8.0	7.4	56	11	3	31	31	23	0	21	14	1	18	10	7	0	21	0	0	0	0	0	0	0	27	6	4	20	31
1945	84	82	83	84	7.6	7.8	7.5	918	41		311	238	109	0	219	159	23	194	88	50	43	187	13	25	4	0	0	3	1	285	170	35	218	299

Førde i Sunnfjord

$H_s = 3$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 14.0$ $h_r = 1.7$

Måned	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Iskagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	93	89	91	91	5.6	6.3	4.6	135	32	2	30		21		15	12	5	3	0	0	6	15	4	0	0	0	0	0	8	1	0	8	11	31
II	88	87	88	88	9.3	10.0	9.1	250	56	25	11		5		19	18	8	8	2	0	17	7	2	2	0	3	0	1	8	1	1	1	25	28
III	93	79	85	87	8.7	8.3	7.9	287	87	1	12		0		24	21	9	2	1	0	19	10	4	1	0	0	0	0	10	3	9	3	24	12
IV	93	65	69	82	6.8	6.5	6.0	222	42	2	10		0		19	18	8	0	0	0	19	1	0	4	0	0	0	0	10	4	17	4	13	0
V	78	56	58	71	6.5	3.0	6.5	119	22	11	3		0		14	13	4	6	1	0	14	0	0	2	0	0	0	0	2	1	19	7	17	0
VI	87	67	76	86	6.9	7.7	7.6	155	26	10	0		0		20	18	7	1	1	1	20	0	0	5	0	0	0	2	11	1	15	2	18	0
VII	88	67	70	82	6.5	6.4	5.9	78	15	23	0		0		13	12	3	3	1	1	13	0	0	1	0	0	0	1	2	2	21	4	10	0
VIII	93	63	69	81	5.5	5.1	4.5	58	24	25	0		0		8	7	2	3	0	0	8	0	0	1	0	0	0	0	4	2	22	7	7	0
IX	95	72	80	85	7.8	8.0	7.2	132	72	16	1		0		13	13	2	0	0	0	13	0	0	4	0	0	0	0	5	8	10	1	17	0
X	94	84	90	91	8.2	8.4	7.4	140	65	10	9		0		18	14	3	2	0	0	18	0	0	4	0	0	0	0	10	7	4	1	18	0
XI	93	91	91	92	7.5	7.0	6.7	242	55	26	16		0		14	13	8	4	3	1	13	4	2	2	0	0	0	1	1	4	0	5	17	3
XII	86	83	84	85	6.6	6.5	6.2	105	26	10	23		5		15	14	2	5	2	0	10	11	2	0	0	0	0	0	5	2	0	5	13	25
1945	90	75	79	85	7.2	6.9	6.6	1924	87		115		31		192	173	61	37	11	3	170	48	14	26	0	3	0	5	76	36	118	48	190	99

Kinn

$H_s = 8$ $H_b = 8.2$ $h_t = 1.8$ $h_a =$ $h_d =$ $h_r = 1.4$

Måned	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Iskagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I					6.9	6.9	5.9	102	22	2	28		0		17	12	4	12	4	1	9	16	7	2	1	3	0	0	0	0	23	0	11	
II					9.5	9.2	8.9	220	34	25	9		0		24	22	8	16	8	3	23	11	9	8	0	0	0	0	0	0	9	0	24	
III					8.7	8.2	8.0	218	26	15	3		0		24	22	8	12	2	2	23	7	5	11	0	1	0	0	0	0	18	1	22	
IV					7.1	6.9	6.9	152	20	20	0		0		21	21	4	7	2	0	21	0	0	4	0	1	0	0	0	0	22	3	12	
V					7.1	6.9	7.1	83	20	30	0		0		16	12	2	11	2	0	16	0	0	1	0	0	0	1	0	0	24	3	16	
VI					7.3	7.7	7.6	135	18	16	0		0		19	17	6	9	2	0	19	0	0	0	0	0	0	0	0	3	21	0	17	
VII					6.7	6.1	6.1	83	17	21	0		0		12	11	3	8	5	0	12	0	0	0	0	0	0	0	0	1	28	0	11	
VIII					6.1	4.8	4.9	65	32	30	0		0		8	6	2	10	3	0	8	0	0	3	0	0	0	0	0	4	27	3	8	
IX					7.8	7.0	7.4	155	22	16	0		0		17	17	8	8	2	0	17	0	0	0	0	0	0	0	0	0	21	0	17	
X					8.8	8.7	8.5	174	32	1	0		0		22	21	7	11	1	0	22	1	0	0	0	0	0	0	0	0	12	0	22	
XI					6.8	6.7	6.1	156	28	26	0		0		15	15	7	13	7	1	15	3	3	0	0	4	0	2	0	0	16	4	14	
XII					7.2	7.2	7.1	189	35	3	11		0		20	19	6	13	5	4	18	9	7	1	0	2	0	0	0	0	12	3	16	
1945					7.5	7.2	7.0	1732	35		51		0		215	195	65	130	43	11	203	47	32	30	1	11	0	3	0	8	233	17	190	

Brandsøy i Kinn

$H_s = 10$ $H_b =$ $h_t = 3.8$ $h_a =$ $h_d =$ $h_r = 2.2$

Måned	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Sne	Sludd	Yr	Sprøhagl	Hagl	Iskagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I					6.5	6.5	5.8	144	47	2	29		0		17	14	5	3	0	0	4	15	2	0	0	0	0	0	16	0	24	4	11	31
II					9.5	9.4	9.2	267	46	22	8		0		24	22	8	10	1	0	21	8	3	0	0	3	0	1	26	0	12	0	26	10
III					8.6	8.1	8.2	347	64	15	6		0		25	24	9	5	2	0	22	8	5	1	0	0	0	0	26	2	19	1	23	6
IV					7.2	6.8	7.1	266	59	1	3		0		21	19	7	3	0	0	21	1	1	0	0	0	0	1	17	1	25	2	15	0
V					6.6	6.9	7.0	97	14	14	0		0		17	12	3	5	0	0	17	0	0	0	0	0	0	0	15	0	23	5	16	0
VI					6.8	7.1	7.8	199	23	13	0		0		21	19	12	2	0	0	21	0	0	0	0	0	0	1	21	0	23	4	14	0
VII					7.0	6.5	6.2	100	19	24	0		0		14	12	3	1	0	0	14	0	0	0	0	0	0	1	16	0	23	1	9	0
VIII					6.3	5.3	5.1	94	36	25	0		0		9	5	3	2	0	0	9	0	0	1	0	0	0	0	11	0	26	4	8	0
IX					8.1	7.3	7.6	123	20	15	0		0		16	13	5	4	0	0	16	0	0	0	0	0	0	0	19	0	24	3	19	0
X					8.6	8.6	8.4	209	34	10	0		0		23	19	8	2	0	0	23	0	0	0	0	0	0	0	26	0	14	0	22	0
XI					7.1	6.6	6.2	206	33	28	8		0		15	15	8	5	2	0	14	1	1	0	0	3	0	0	16	0	18	5	15	0
XII					7.3	7.6	6.8	100	13	10	18		0		17	14	2	11	2	0	11	9	3	0	0	1	0	0	18	0	17	2	18	8
1945					7.5	7.2	7.1	2152	64		72		0		219	188	73	53	7	0	193	42	15	2	0	7	0	4	227	3	248	31	196	55

1945

Nordfjordeid

φ = 61° 56′ N λ = 6° 6′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 6.8	- 5.5	- 6.6	- 6.4		- 9.4	3.0	2	-14.9	30	4	1.0	32	1.2	15	1.9	3	3.7	1	2.0	2	1.5	20	2.0	14	1.7	2
II			- 0.2	2.4	0.6	0.6		- 2.5	8.1	18	-16.5	1	8	1.8	13	1.2	5	4.2	8	4.2	1	4.0	10	1.2	29	3.4	8	3.2	2
III			2.7	6.7	3.3	3.2		0.3	14.2	26	- 3.6	3	4	2.0	15	1.1	2	4.5	1	4.0	3	2.0	19	1.4	39	1.7	8	1.8	2
IV			4.2	8.6	5.9	5.3		1.7	14.1	14	- 2.0	7	3	2.3	30	1.7	3	2.0	0	-	2	2.5	7	1.9	30	2.2	13	2.5	2
V			7.9	13.5	9.7	9.1		4.3	19.2	21	0.4	6	2	1.0	18	1.6	20	3.0	1	4.0	1	1.0	16	1.2	27	1.7	1	3.0	7
VI			11.2	15.9	13.9	12.3		7.7	27.1	22	1.9	17	10	1.7	19	1.5	4	2.5	0	-	2	2.5	10	1.0	30	1.5	8	2.6	7
VII			14.2	19.4	18.1	15.9		11.3	30.8	16	7.0	31	2	1.5	25	1.4	10	1.7	0	-	0	-	8	1.5	27	1.6	8	2.5	13
VIII			13.0	18.4	17.9	15.5		11.9	27.3	13	6.8	31	3	1.3	20	1.5	23	2.6	2	3.5	4	1.8	6	1.2	22	1.8	6	3.2	7
IX			8.3	12.8	12.0	10.5		7.0	20.2	13	0.9	29	9	1.1	24	1.0	13	2.7	0	-	1	1.0	5	1.0	29	1.6	4	1.0	5
X			5.6	8.0	6.9	6.5		4.3	13.9	3	- 0.5	28	13	1.0	27	1.2	6	3.2	0	-	0	-	1	1.0	35	1.2	6	1.0	5
XI			1.3	2.9	1.7	1.9		- 0.3	10.3	1	- 4.9	21	16	1.1	27	1.1	2	3.0	1	1.0	0	-	0	-	30	1.6	9	1.2	5
XII			- 0.6	0.6	- 0.1	- 0.1		- 2.8	11.9	2	-11.0	31	9	1.2	32	1.2	13	3.2	7	2.3	1	3.0	4	4.0	21	1.8	6	1.8	0
1945			5.1	8.6	6.9	6.2		2.8	30.8		-16.5		83	1.3	282	1.3	116	2.7	23	3.3	16	2.1	88	1.4	339	1.8	91	2.1	57

Opstryn

φ = 61° 56′ N λ = 7° 13′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 4.2	- 4.4	- 4.7	- 4.5		- 6.8	4.8	10	-10.9	19	0	-	3	2.3	17	1.9	7.5	1.3	4.5	1.4	0	-	3.5	2.1	2.5	2.6	55
II			0.9	2.0	1.4	1.1		- 1.8	7.8	20	-13.5	2	0	-	0	-	1.5	1.0	14	1.9	14.5	2.2	6	1.8	6.5	2.5	0.5	4.0	41
III			2.2	4.2	2.2	2.5		0.2	12.7	25	- 4.6	1	0	-	0	-	1	1.0	2	2.0	2.5	2.0	4	1.5	6	1.2	1.5	1.0	76
IV			4.1	7.4	5.8	5.0		2.2	13.0	16	- 0.5	13	0	-	0	-	13	1.6	16	1.4	0.5	1.0	5	1.3	17	1.4	2.5	1.4	36
V			9.0	11.4	10.0	9.0		5.7	17.9	13	1.5	6	0	-	1.5	2.3	27	2.2	20.5	1.7	1	3.0	9	1.6	9	2.1	4	1.9	21
VI			12.4	15.9	13.1	12.4		8.6	27.9	23	2.4	17	0	-	1.5	3.3	21	2.5	3.5	1.6	1.5	2.7	2	2.2	7.5	2.1	4	1.8	49
VII			16.5	20.3	16.8	16.3		11.6	31.4	16	6.2	31	0	-	0	-	13	1.8	5	1.3	5.5	1.8	6	2.4	8.5	2.6	1	2.0	54
VIII			14.3	19.7	16.4	15.6		12.0	28.2	13	6.8	31	0	-	3.5	2.0	10.5	1.8	5	1.2	12	1.3	5	1.7	3	2.2	2	1.2	52
IX			9.7	13.0	11.3	10.6		7.4	20.3	13	4.2	29	0	-	2	1.2	8.5	1.8	4.5	2.4	7.5	2.3	6.5	1.9	5.5	1.9	1.5	2.0	54
X			6.7	8.0	7.3	7.1		5.1	10.8	31	0.2	11	0	-	1	1.0	9.5	2.3	6	2.2	5.5	2.9	6	2.3	5.5	1.8	2.5	1.6	57
XI			1.6	2.1	1.5	1.6		- 0.4	10.1	1	- 6.0	22	0.5	1.0	4.5	1.3	8.5	2.5	2.5	1.8	0	-	2	2.5	3.5	2.3	0.5	2.0	68
XII			- 0.3	- 0.3	0.3	- 0.2		- 1.8	10.0	18	- 8.9	31	0	-	7	2.9	21.5	2.1	6	1.9	5	2.3	2	2.5	3	3.2	2.5	3.2	46
1945			6.1	8.3	6.8	6.4		3.5	31.4		-13.5		0.5	1.0	24	2.2	152	2.1	92.5	1.7	60	3.5	53.5	2.1	78.5	2.0	25	1.9	609

Kråkenes Fyr

φ = 62° 2′ N λ = 4° 59′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			0.1	0.3	0.1	0.1	1.8	- 1.5	7.4	1	- 3.9	26	4	4.1	9.5	4.1	16	2.1	12	2.3	33	3.7	7.5	5.3	4	5.4	7	6.6	0
II			3.7	3.9	4.1	3.8	5.4	2.2	10.2	20	- 3.0	1	2	4.0	2	4.0	1	4.0	5.5	3.2	53.5	5.1	16	6.7	2.5	8.0	1	3.0	0
III																													
IV																													
V																													
VI																													
VII																													
VIII																													
IX																													
X																													
XI																													
XII																													

Tafjord

φ = 62° 13′ N λ = 7° 26′ E g = 9.821 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1006.1	1009.8	- 2.9	- 2.1	- 3.2	- 2.8		- 5.5	4.4	16	-11.8	19	2	3.0	0	-	10.5	3.2	43	3.9	0.5	3.0	3.5	3.1	1.5	2.0	4	5.0	28
II	03.6	07.3	2.4	4.1	3.3	3.0		0.1	13.6	18	-11.3	1	0	-	0	-	9	3.6	37.5	4.2	8.5	3.5	0	-	0	-	7	2.9	22
III	11.3	15.0	3.6	6.3	4.4	4.4		1.5	15.2	25	- 2.3	17	10.5	2.6	0	-	6.5	3.5	8.5	3.8	4	1.6	0	-	4	1.8	10.5	3.1	49
IV	08.7	12.3	5.6	9.5	8.1	6.9		3.8	15.8	16	- 0.7	13	23	2.7	1	3.0	6	3.0	13.5	3.4	4.5	3.0	1	3.0	0.5	3.0	11.5	2.9	29
V	07.6	11.2	8.9	13.5	11.6	10.1		6.3	19.6	29	2.3	20	22	2.3	0	-	3.5	4.1	21.5	4.0	12.5	3.3	0.5	4.0	3	2.0	14	2.6	16
VI	07.1	10.6	11.0	15.9	14.5	12.5		8.9	28.2	21	2.6	17	19	2.4	0	-	0	-	5.5	2.6	5.5	2.5	0	-	0	-	7	2.6	53
VII	09.4	13.0	14.1	19.7	17.5	15.9		12.5	33.8	16	7.5	3	20	2.4	0	-	0	-	3	3.3	1	1.0	0	-	0	-	14	2.4	55
VIII	06.8	10.3	14.4	18.6	16.5	15.6		12.9	26.6	7	8.2	31	21	2.7	13	2.8	2	2.0	4	3.1	2	1.8	1	1.0	2	2.0	5	3.2	43
IX	11.2	14.8	10.5	14.0	11.9	11.5		8.5	23.2	13	4.2	26	19	2.8	2	3.5	1	3.0	12	4.2	9	4.1	1	4.0	0	-	2	4.0	44
X	09.7	13.3	7.2	8.7	7.8	7.6		5.2	14.8	31	- 0.8	29	8	3.3	0	-	5	4.6	19	4.0	1	2.0	0	-	1	4.0	10	3.8	49
XI	16.0	19.6	2.1	3.7	3.0	2.8		0.7	12.4	1	- 3.8	22	0	-	3	2.3	0	-	18.5	3.4	3.5	2.9	3	3.3	2	3.5	2	3.5	58
XII	04.6	08.3	2.3	2.5	2.0	2.2		- 0.4	12.2	2	- 8.3	31	4	3.5	2	1.5	5.5	3.9	43	4.0	5.5	3.5	8	4.4	1	4.0	9	4.6	15
1945	1008.5	1012.1	6.6	9.5	8.1	7.5		4.5	33.8		-11.8		148.5	2.1	21	2.7	49	3.5	229	3.9	57.5	3.1	18	3.7	15	2.4	96	3.2	461

Runde

φ = 62° 24′ N λ = 5° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 0.9	0.2	- 1.1	- 0.7		- 2.5	5.7	1	- 5.4	19	2.5	3.0	4.5	3.0	15.5	1.8	13.5	1.5	10.5	2.7	13.5	4.5	4	2.6	10	5.2	19
II			3.6	4.2	3.8	3.7		1.7	9.4	20	- 4.9	1	0	-	0	-	3	2.3	10	2.8	16	3.4	34.5	4.7	9.5	4.0	2	1.2	9
III			5.2	6.2	5.4	5.4		3.4	15.9	25	- 1.6	1	3	4.5	6.5	3.6	3	1.8	4	2.6	6.5	2.8	30.5	3.9	20.5	2.7	10	4.6	9
IV			6.0	7.3	6.1	6.0		4.2	11.3	16	0.9	13	0.5	3.0	11.5	4.1	18.5	2.9	4	1.8	7	2.4	32	3.9	9	3.6	4.5	3.0	3
V			8.5	10.1	8.8	8.4		6.2	17.6	13	3.4	2	1.5	2.3	34	5.0	12.5	2.7	4	1.2	4	3.5	19.5	3.4	7.5	2.6	3	6.0	7
VI			11.3	13.1	11.4	11.1		9.0	21.9	21	4.1	17	5.5	3.3	21.5	3.7	13	1.5	2.5	1.4	3.5	2.4	22.5	2.9	7	2.7	3.5	4.0	11
VII			14.4	16.1	14.2	14.3		12.3	24.3	16	8.7	4	6	2.8	15	4.1	25	1.9	0.5	2.0	0	-	11.5	2.5	15	3.0	2	3.8	18
VIII			13.8	15.4	14.0	13.9		12.2	23.3	15	8.3	23	2	1.5	25.5	3.6	25.5	2.3	0.5	2.0	2	2.8	11	2.6	9	2.8	4.5	2.7	13
IX			11.7	12.7	11.5	11.6		9.6	18.9	13	6.5	29	0	-	9.5	4.1	20	2.5	9	1.8	8.5	3.1	16.5	2.4	13.5	2.0	3	2.3	10
X			8.3	9.7	9.2	9.0		7.3	14.9	2	2.8	11	4.5	4.7	9	4.1	14	2.6	7.5	2.1	5.5	3.3	29	3.9	11	3.9	8.5	2.9	4
XI			5.6	7.1	5.9	6.1		4.2	10.6	1	1.4	27	2	4.0	4	3.5	13	1.6	5.5	2.1	7	3.5	15.5	3.9	7.5	3.3	13.5	5.4	22
XII			2.9	3.3	2.9	2.9		1.1	11.7	2	- 4.9	11	3	8.5	4	3.4	9	2.4	15	2.6	20.5	3.4	14.5	4.2	6	2.2	10	6.4	11
1945			7.5	8.8	7.7	7.6		5.7	24.3		- 5.4		30.5	3.9	145	4.1	172	2.2	76	2.0	91	3.1	250.5	3.7	119.5	2.9	74.5	4.5	136

1945

Nordfjordeid

H_s = 71 H_b = h_t = 1.8 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Tordenvær	Tåkedis =	Tåke ≡	Solskinn	Klarvær	Overskyet	Snødekke
I	83	84	84	84	5.9	5.8	4.0	159	30	3	30		16		13	13	7	0	0	0	5	12	2	0	0	0	0	0	1	0	0	11	10	31
II	84	83	84	84	8.4	8.8	8.4	206	66	25	12		5		16	15	6	4	0	0	13	8	2	0	0	1	0	0	0	1	2	2	20	28
III	86	83	84	84	8.8	8.0	7.7	301	53	16	10		0		20	20	9	0	0	0	15	8	0	0	0	0	0	0	0	5	10	3	23	22
IV	76	74	75	75	6.4	6.7	6.7	195	26	9	8		0		20	16	5	0	0	0	20	1	0	0	0	0	0	0	0	1	9	6	16	0
V	77	62	65	71	6.5	6.4	6.6	100	23	18	0		0		12	12	4	1	0	0	12	0	0	0	0	0	0	0	0	0	20	8	16	0
VI	85	70	72	80	7.3	7.2	8.0	111	18	25	0		0		17	17	2	0	0	0	17	0	0	0	0	0	0	2	0	2	19	4	19	0
VII	88	66	70	80	7.0	7.3	6.3	95	16	24	0		0		14	13	3	0	0	0	14	0	0	0	0	0	0	1	0	2	25	4	11	0
VIII	92	70	71	80	7.9	5.8	5.8	60	22	25	0		0		10	9	2	0	0	0	10	0	0	0	0	0	0	1	0	1	27	4	14	0
IX	89	74	77	81	7.1	8.3	7.1	81	20	16	0		0		18	15	2	0	0	0	18	0	0	1	0	0	0	0	0	0	21	3	14	0
X	91	85	87	88	8.7	9.4	8.2	124	26	10	1		0		18	16	4	0	0	0	18	2	2	4	0	0	0	0	0	5	3	1	24	0
XI	88	87	88	88	7.5	7.5	5.5	157	33	8	17		0		12	12	6	0	0	0	12	5	5	0	0	1	0	0	0	5	7	6	15	4
XII	81	79	79	80	5.6	7.1	5.7	150	25	13	20		1		12	12	8	2	0	0	5	9	0	0	0	0	0	0	0	0	0	7	13	25
1945	85	76	78	81	7.3	7.4	6.7	1739	66		98		22		182	170	58	7	0	0	159	45	12	5	0	2	0	4	1	22	143	59	195	111

Opstryn

H_s = 205 H_b = h_t = 1.9 h_a = h_d = h_r = 1.8

Måned	U_m 8	14	19	Døgn	N_m 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.1	5.3	5.7	86	26	2	31		4		12	10	4	0	0	0	5	11	3	0	0	0	0	0	7	4	0	6	10	31
II					8.6	8.2	7.6	83	23	28	13		3		11	10	2	4	0	0	8	7	1	1	0	2	0	0	15	4	0	0	16	28
III					8.6	7.8	7.6	237	59	1	14		0		20	18	8	1	0	0	11	13	1	2	0	0	0	0	11	7	9	1	21	26
IV					7.1	7.2	7.6	53	9	8	3		0		17	13	0	0	0	0	16	2	0	0	0	3	0	0	9	7	12	3	17	0
V					6.1	7.0	7.1	64	12	11	0		0		15	6	4	3	0	0	15	2	2	2	0	0	0	0	7	2	17	3	13	0
VI					6.3	6.4	7.5	64	15	25	0		0		21	13	2	0	0	0	21	0	0	0	0	0	0	0	11	4	23	4	13	0
VII					5.8	5.6	6.7	60	10	23	0		0		15	10	0	0	0	0	15	0	0	1	0	0	0	0	13	1	26	3	8	0
VIII					6.5	5.3	6.5	25	8	25	0		0		12	8	0	0	0	0	10	0	0	2	0	0	0	1	11	3	25	2	6	0
IX					7.0	6.5	7.0	45	12	16	0		0		17	10	1	2	0	0	17	0	0	2	0	0	0	0	8	1	23	1	10	0
X					7.4	7.7	7.4	106	47	10	0		0		20	10	2	1	0	0	20	2	0	0	0	1	0	0	9	6	5	1	16	0
XI					5.4	6.3	5.5	135	20	8	17		0		13	10	7	0	0	0	11	6	1	1	0	1	0	0	4	8	0	5	10	5
XII					5.9	6.4	5.4	54	10	14	23		0		11	6	1	1	0	0	4	8	0	0	0	0	0	0	6	3	0	5	9	30
1945					6.7	6.6	6.8	1012	59		101		7		184	124	31	12	0	0	153	51	8	11	0	7	0	1	111	50	140	34	149	120

Kråkenes Fyr

H_s = 39 H_b = h_t = 2.2 h_a = 6.2 h_d = 6.0 h_r = 1.2

Måned	U_m 8	14	19	Døgn	N_m 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	86	85	86	86	6.5	6.8	6.2	62	8	8	26	10	0	0	16	13	0	10	5	3	10	13	5	0	0	5	0	0	0	0	17	4	15	
II	91	92	92	92	9.1	9.4	8.7	131	20	15	7	1	0	0	20	17	5	15	9	6	19	6	4	0	0	1	0	0	0	0	7	0	24	
III																																		
IV																																		
V																																		
VI																																		
VII																																		
VIII																																		
IX																																		
X																																		
XI																																		
XII																																		

Tafjord

H_s = 27 H_b = 29.6 h_t = 2.1 h_a = h_d = 14.5 h_r = 1.4

Måned	U_m 8	14	19	Døgn	N_m 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	59	56	59	59	5.4	5.1	4.9	83	19	17	30		4		16	10	4	7	0	0	5	15	4	0	0	0	0	0	0	0	0	12	12	31
II	58	56	57	57	9.4	8.9	6.5	65	26	28	8		1		11	7	1	11	0	0	9	8	6	0	0	0	0	0	1	0	1	0	18	22
III	76	56	74	74	8.2	8.0	8.0	184	53	10	10		0		21	17	4	2	0	0	19	10	6	1	0	0	0	0	3	3	9	3	22	19
IV	66	50	53	60	7.4	7.2	7.5	44	13	20	2		0		16	9	1	3	0	0	15	2	0	1	0	0	0	0	0	0	21	3	17	0
V	63	47	49	59	6.5	6.6	6.4	68	21	19	0		0		14	9	3	4	0	0	14	0	0	1	0	0	0	0	0	1	19	4	14	0
VI	77	57	60	73	7.0	6.7	7.8	65	25	25	0		0		14	10	2	0	0	0	14	0	0	0	0	0	0	1	0	0	18	5	17	0
VII	85	59	67	80	7.1	5.6	6.3	81	21	24	0		0		17	10	2	0	0	0	17	0	0	0	0	0	0	0	2	0	28	3	10	0
VIII	83	62	74	79	7.6	6.3	6.5	34	8	6	0		0		17	9	0	1	0	0	17	0	0	3	0	0	0	1	1	2	25	2	14	0
IX	78	61	72	73	7.4	7.4	8.4	22	8	25	0		0		18	6	0	5	0	0	17	0	0	2	0	0	0	0	1	2	15	1	16	0
X	75	71	77	75	8.6	8.7	7.7	114	27	10	1		0		20	14	7	4	0	0	20	2	0	2	0	0	0	0	2	0	5	2	20	0
XI	77	71	74	75	6.4	7.1	5.0	134	33	29	15		0		13	9	7	2	0	0	12	6	6	0	0	0	0	0	5	0	1	6	13	4
XII	54	53	55	55	5.4	5.8	5.3	62	22	15	19		0		8	8	2	14	0	0	1	8	0	0	0	0	0	0	0	0	0	9	13	17
1945	71	59	64	68	7.2	7.0	6.7	956	53		85		5		185	118	33	53	0	0	160	51	22	10	0	0	0	2	15	8	142	50	186	93

Runde

H_s = 22 H_b = h_t = 1.8 h_a = h_d = h_r = 1.3

Måned	U_m 8	14	19	Døgn	N_m 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.4	5.6	4.9	71	9	2	28		0		17	14	0	8	2	1	6	13	2	0	0	7	0	0	0	0	15	8	10	
II					8.6	9.1	7.6	86	16	25	7		0		20	16	1	10	5	3	16	6	0	0	0	3	0	0	0	0	5	0	19	
III					8.4	8.4	8.1	110	16	16	4		0		23	19	3	8	2	2	20	6	2	6	0	5	0	0	0	0	10	3	23	
IV					7.0	7.1	7.0	87	15	2	0		0		22	16	2	4	0	0	22	0	0	6	0	1	0	0	0	0	22	4	17	
V					6.4	6.3	7.2	49	11	11	0		0		16	13	1	14	2	0	16	0	0	1	0	0	0	0	0	0	19	6	15	
VI					7.6	6.4	7.8	114	21	8	0		0		19	15	4	2	1	0	19	0	0	4	0	1	0	1	0	4	19	2	17	
VII					7.1	6.1	7.1	95	14	13	0		0		16	12	4	3	0	0	16	0	0	3	0	0	0	1	2	1	26	2	12	
VIII					8.1	6.8	7.1	51	15	30	0		0		13	9	1	5	0	0	13	0	0	7	0	0	0	0	0	0	19	1	15	
IX					7.1	7.3	7.3	90	16	16	0		0		19	15	2	5	0	0	19	0	0	1	0	0	0	0	0	0	15	2	15	
X					8.4	8.8	7.8	139	54	10	0		0		24	18	2	8	0	0	24	0	0	3	0	1	0	0	0	0	7	2	21	
XI					6.2	6.7	4.8	110	20	7	0		0		15	13	5	8	2	0	13	0	0	0	0	5	0	1	0	0	15	6	12	
XII					4.9	6.2	4.9	60	8	13	13		0		15	12	0	9	7	4	9	8	2	0	0	5	0	0	0	0	15	8	10	
1945					7.1	7.1	6.8	1060	54		52		0		219	171	25	84	21	10	193	33	6	31	0	28	0	3	2	5	187	44	186	

1945

Ørsta

φ = 62° 12′ N λ = 6° 7′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-5.6	-4.5	-5.9	-5.5		-9.1	4.4	14	-15.5	20	28₅	2.0	2₅	1.8	6	1.7	0	-	0	-	3	3.7	15	3.6	12	2.4	26
II			1.7	3.2	2.0	2.0		-1.3	9.3	18	-14.4	1	3	1.7	4	1.5	7₅	2.0	3₅	2.0	11	1.6	13	3.4	17	2.7	0	-	25
III			3.5	6.5	4.2	4.3		1.4	16.4	25	-4.7	17	1	2.0	6	1.8	10	1.9	5	2.6	3	2.0	7	2.4	15	3.1	1	5.0	45
IV			5.5	8.7	7.0	6.1		2.3	16.3	16	-3.1	13	3	2.2	11	2.0	5	2.2	0	-	0	-	16₅	2.3	23₅	2.4	22	2.6	9
V			9.4	13.1	11.0	9.6		4.1	19.9	29	0.1	24	17	2.6	5	2.2	14	2.1	2	2.0	4	2.0	14	1.9	15	2.5	4	3.5	18
VI			12.3	15.8	13.8	12.5		8.3	24.6	21	1.9	17	4₅	3.2	4₅	1.9	2	2.0	1	2.0	12	2.1	24₅	2.4	16₅	1.8	3	2.3	22
VII			15.5	18.9	16.8	15.6		11.2	30.0	16	5.5	31	2	3.0	1	1.0	7	2.4	0	-	4	1.8	15	2.3	17₅	2.7	1₅	1.7	45
VIII			14.3	18.2	15.9	15.0		11.4	24.3	14	5.8	29	3₅	3.6	7	2.4	3	1.3	1	1.0	2	1.5	15	2.1	20	2.6	3₅	2.4	38
IX			9.6	13.3	10.8	10.5		7.2	19.9	13	2.3	29	4	1.5	2	1.0	6	1.7	4	2.0	14	1.8	11	2.0	21	1.6	1	1.0	27
X			5.9	8.4	7.0	6.9		4.1	15.6	2	-2.2	30	4	2.5	11	1.4	3	1.3	0	-	10	2.1	16	2.2	26₅	2.3	8₅	2.2	14
XI			1.8	3.7	2.4	2.5		0.3	10.3	1	-4.1	21	9	1.8	22	1.5	1₅	2.7	3₅	2.0	8	2.1	5	2.2	15	3.6	3	1.7	23
XII			-0.8	0.2	-0.6	-0.5		-3.3	11.0	2	-11.9	17	22	1.7	15	2.1	7	3.0	6₅	2.6	3₅	2.3	11	2.5	7	2.6	10	3.3	11
1945			6.1	8.8	7.0	6.6		3.0	30.0		-15.5		101₅	2.1	91	1.8	72	2.1	26₅	2.2	71₅	1.9	151	2.4	209	2.6	69₅	2.6	303

Ona

φ = 62° 52′ N λ = 6° 33′ E g = 9.821 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1005.8	1007.6	0.1	0.5	0.0	0.1	1.8	-1.5	7.0	1	-4.3	19	2₅	3.8	2₅	4.4	10₅	3.1	23₅	2.8	16	2.8	15₅	5.6	7	7.3	11₅	6.6	4
II	03.0	04.8	3.5	4.0	3.6	3.6	5.3	1.7	9.6	20	-4.1	1	0	-	0₅	1.0	3	2.8	16	2.5	21₅	2.8	25₅	5.4	14₅	6.0	1	5.5	2
III	11.7	13.5	4.5	5.2	4.8	4.6	6.7	3.1	14.2	25	-1.3	1	4	3.4	4₅	3.9	4₅	2.4	5	1.7	9₅	2.3	25₅	4.3	21₅	4.3	17₅	4.7	1
IV	09.8	11.6	5.4	6.6	6.0	5.6	7.6	4.1	13.5	16	1.4	19	15₅	3.0	10	3.2	4₅	2.3	3	2.2	5₅	3.6	12₅	5.0	20₅	4.8	18₅	3.7	0
V	09.4	11.2	7.6	8.5	8.3	7.7	10.2	6.4	15.8	9	3.6	24	4₅	3.1	31₅	4.3	19	4.8	2	2.5	2	2.2	9	3.9	16	3.7	7	4.1	2
VI	09.2	11.0	10.1	11.1	10.6	10.1	11.9	8.9	15.2	22	5.0	6	9₅	2.9	25	3.9	4₅	4.1	0	-	4	1.8	9	3.2	19₅	4.1	13₅	2.9	5
VII	11.9	13.7	13.5	14.5	13.8	13.5	15.3	12.2	19.9	16	9.0	30	15	2.9	26	3.1	8₅	3.1	1	1.0	1₅	1.3	6₅	2.3	23	3.3	6₅	2.9	5
VIII	09.0	10.8	13.7	14.1	13.9	13.6	15.4	12.5	21.4	14	9.7	31	13₅	3.0	28₅	4.2	8₅	3.2	1	2.5	3₅	2.0	4₅	4.1	16	4.2	11₅	2.8	6
IX	12.4	14.1	11.3	12.0	11.3	11.3	13.0	9.9	17.9	12	7.7	29	6₅	3.0	19	4.0	11₅	3.3	5₅	2.5	6₅	3.0	9	3.6	21₅	4.0	9₅	3.3	1
X	10.2	12.0	8.6	9.3	9.2	8.9	10.5	7.3	15.2	2	2.5	11	9	4.3	7₅	3.9	9	3.1	6₅	2.8	8₅	1.9	17₅	5.4	23	5.6	12	4.9	0
XI	16.0	17.8	6.5	7.1	6.8	6.7	8.2	5.3	12.4	1	1.5	27	4₅	3.6	6₅	3.5	10	2.7	6₅	1.8	18₅	2.4	23₅	5.0	12	5.0	7₅	6.5	1
XII	04.6	06.4	3.7	4.0	3.7	3.7	5.6	1.9	12.5	3	-5.0	11	4	4.9	5₅	4.9	7	3.1	19	3.2	22	3.0	15₅	4.2	4	6.5	13	6.2	3
1945	1009.4	1011.2	7.4	8.1	7.7	7.4	9.3	6.0	21.4		-5.0		88₅	3.3	167	3.9	100₅	3.4	89	2.6	119	2.6	173₅	4.6	198₅	4.6	129	4.3	30

Molde

φ = 62° 44′ N λ = 7° 10′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-4.7	-3.2	-5.0	-4.4	-1.2	-7.8	6.9	13	-14.7	21	0	-	43₅	1.2	23₅	1.2	0	-	0₅	3.0	19	2.4	6₅	2.6	0	-	0
II			0.3	3.2	1.4	1.3	5.0	-1.9	12.1	18	-13.9	1	0	-	20	1.1	38₅	1.1	0₅	1.0	0₅	1.0	22	2.5	2₅	4.0	0	-	0
III			3.4	5.7	4.2	4.1	7.3	1.6	17.1	23	-3.7	17	0	-	9	1.2	27₅	1.3	0₅	2.0	0₅	1.0	48₅	1.9	7	3.1	0	-	0
IV			5.1	8.3	6.8	5.7	10.0	2.3	14.0	17	-3.1	13	0	-	12	1.0	39₅	1.3	1₅	1.0	0	-	29	2.1	8	2.6	0	-	0
V			8.9	11.8	10.8	9.9	14.5	4.7	20.5	28	0.0	9	0	-	19	1.5	51₅	1.3	0₅	2.0	0₅	1.0	20	2.1	1₅	3.3	0	-	0
VI			11.8	15.4	14.0	12.2	17.9	8.3	27.9	21	3.1	17	1	1.0	11₅	1.5	39₅	1.3	2	1.0	1	1.5	27₅	2.2	6₅	2.8	1	3.0	0
VII			14.0	18.5	18.0	15.5	20.9	11.9	30.3	16	6.9	4	3₅	1.9	17₅	1.8	22	1.6	0₅	2.0	4₅	1.4	34₅	1.8	4	3.6	6₅	2.1	0
VIII			13.3	17.1	17.1	14.8	19.3	11.8	28.1	14	6.1	23	2	1.0	21	1.3	25	1.2	1₅	1.7	2	1.0	33	1.6	6₅	2.2	2	1.5	0
IX			8.5	12.8	12.0	10.5	14.3	7.3	22.1	13	3.1	29	0	-	27	1.3	27	1.4	1	1.5	1₅	1.3	28	1.6	4₅	2.3	1	2.0	0
X			5.9	8.5	7.2	7.0	9.8	4.4	16.3	2	-1.9	30	0	-	19	2.1	27	2.0	3	1.7	1	1.0	40	2.3	3	2.5	0	-	0
XI			2.2	4.7	2.7	3.1	5.9	0.7	13.1	1	-3.5	21	0	-	24	3.2	35	3.1	0	-	0₅	5.0	20₅	4.0	8	4.6	2	4.5	0
XII			-0.5	0.0	-0.8	-0.5	2.2	-2.9	11.7	2	-10.7	31	0	-	39	3.2	35	3.3	0	-	1	4.5	5	4.3	9	4.7	4	5.5	0
1945			5.7	8.6	7.4	6.6	10.5	3.4	30.3		-14.7		6₅	1.5	262₅	1.8	391	1.7	11	1.5	13₅	1.8	327	2.2	67	3.3	16₅	3.2	0

Gjermundnes

φ = 62° 37′ N λ = 7° 10′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-4.0	-3.2	-4.5	-4.0	-1.6	-6.6	7.4	14	-12.1	20	0₅	1.0	0₅	1.0	35	1.1	11₅	1.2	15	2.8	15₅	4.0	4	4.5	1	1.0	10
II			1.3	3.5	1.6	1.8	5.0	-1.2	12.2	18	-11.7	2	0	-	0	-	25	1.4	9	1.1	27₅	2.0	20₅	4.8	1	6.0	0	-	1
III			3.6	5.7	4.5	4.3	6.6	1.7	16.0	23	-2.1	17	1	1.0	6	2.0	7₅	1.7	2₅	1.8	14	1.8	41	2.5	7	3.6	4	5.5	10
IV			5.4	7.8	6.6	5.7	8.7	2.5	13.2	17	-3.1	13	3₅	1.4	10	1.6	9	1.8	1	1.0	4	2.2	25	2.8	7₅	2.2	12	1.8	18
V			8.6	11.0	10.5	8.8	12.9	5.3	19.0	29	1.0	9	8	2.5	23	2.2	15	2.2	2	1.5	2₅	2.4	9	2.5	8₅	2.2	19	1.9	6
VI			11.5	14.0	12.8	11.7	15.0	8.8	25.5	21	3.0	6	4	2.0	8	2.4	7	1.9	1	1.0	0	-	6	2.0	15₅	1.8	41₅	1.9	7
VII			14.8	17.0	15.5	14.8	18.8	12.1	28.1	16	7.1	30	4₅	1.7	3₅	1.9	12	1.8	1₅	2.0	3₅	1.0	9₅	1.4	12	2.0	34₅	2.1	12
VIII			14.5	16.5	15.3	14.6	17.6	12.2	25.6	14	6.7	31	8	1.5	5	2.7	3	2.0	0	-	0	-	12	2.4	19₅	2.1	35₅	1.9	10
IX			9.6	12.5	10.6	10.4	13.1	7.7	20.1	12	3.7	26	3₅	1.4	5₅	2.9	8	2.2	1	2.0	1₅	1.0	23	2.3	22₅	1.8	9	1.7	16
X			5.9	8.2	7.1	6.9	9.0	4.4	16.4	2	-1.1	30	0	-	1	2.0	16₅	1.5	1₅	1.3	7₅	1.4	38₅	2.8	14₅	2.5	5₅	3.2	8
XI			2.3	4.2	3.0	3.1	5.2	0.8	13.6	1	-3.4	21	0	-	4	2.2	7	1.6	7	1.4	13	1.4	42₅	2.1	11₅	3.0	3	5.7	2
XII			0.2	0.7	0.3	0.3	2.4	-1.9	11.6	2	-9.2	31	2	3.2	3	1.5	31	1.6	10	1.6	6₅	1.8	16₅	2.4	10	2.9	10	3.2	4
1945			6.1	8.2	6.9	6.5	9.4	3.8	28.1		-12.1		35	1.9	69₅	2.2	176	1.6	48	1.4	95	1.9	259	2.7	133₅	2.4	175	2.2	104

Sunndal

φ = 62° 39′ N λ = 9° 7′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-9.8	-8.1	-9.3	-9.2		-12.4	8.8	13	-19.8	19	3₅	1.3	0	-	9	1.3	12	1.6	4	2.0	5	2.4	4	1.8	2₅	1.0	53
II			-3.0	0.8	-1.0	-1.5		-5.4	11.0	18	-19.8	1	0	-	0	-	1₅	2.3	2₅	1.8	5	2.5	9	1.7	5	2.4	2	2.0	59
III			1.4	4.5	1.4	1.9		-1.2	11.5	23	-8.1	17	0	-	0	-	0	-	0	-	2₅	2.4	3₅	3.1	4	2.2	3	2.0	80
IV			3.6	7.8	4.4	4.1		0.1	13.3	17	-4.6	15	2₅	1.2	0₅	2.0	6	1.2	5	1.3	3	1.5	10₅	2.0	5₅	1.7	15	1.6	42
V			8.6	12.3	9.5	8.3		3.7	18.3	29	-1.8	9	1	1.0	1₅	2.0	10	1.5	7₅	2.0	4₅	1.9	10₅	2.0	10	1.7	9	1.4	39
VI			12.1	15.4	13.1	11.8		7.2	27.7	22	2.4	5	1₅	1.3	0	-	2₅	1.2	1₅	1.3	1	1.0	12₅	1.3	7₅	1.7	10₅	1.6	53
VII			15.2	19.4	15.7	15.3		11.1	32.0	16	5.2	4	0	-	0	-	1₅	1.7	3	1.5	8₅	1.3	8	1.8	11₅	1.4	7₅	1.3	53
VIII			13.8	17.9	14.6	14.3		11.3	28.1	13	5.0	31	0	-	0	-	2	1.2	3	1.3	7	1.2	6	1.0	9₅	1.9	8₅	1.4	57
IX			7.9	13.2	9.5	9.3		5.6	20.3	13	0.1	26	0	-	0	-	4₅	1.1	10₅	1.2	7	1.4	8₅	1.1	12₅	1.4	6	1.7	41
X			3.3	6.4	4.9	4.5		1.6	14.9	2	-4.8	29	0	-	0	-	2₅	1.2	7	1.1	5₅	1.1	7	1.0	8₅	1.5	3₅	1.9	59
XI			-0.6	0.8	0.5	0.1		-2.1	10.0	7	-7.8	22	0	-	3	1.0	21	1.5	14	1.4	5₅	1.5	7₅	1.4	5	2.0	0	-	34
XII			-3.8	-2.9	-4.2	-3.7		-6.7	8.5	2	-16.4	31	0	-	0	-	10	1.4	16	1.5	10₅	1.9	3₅	1.4	2₅	1.4	3₅	1.9	47
1945			4.1	7.3	4.9	4.6		1.1	32.0		-19.8		8₅	1.2	5	1.4	70₅	1.4	82	1.5	64	1.6	91₅	1.6	85₅	1.7	71	1.5	617

1945

Ørsta

$H_s = 40$ $H_b =$ $h_t = 1.6$ $h_a =$ $h_d =$ $h_r = 1.6$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	75	71	72	73	6.5	5.8	4.9	181	32	3	30		16		16	14	9	4	2	0	6	14	2	0	0	2	0	2	15	0	4	8	11	31
II	71	67	72	71	8.9	8.8	7.5	157	33	28	9		2		17	14	5	6	3	1	14	6	1	0	1	3	0	1	17	0	8	1	18	28
III	81	71	77	78	8.8	8.6	8.4	376	63	10	9		0		25	20	14	2	2	0	20	11	4	0	0	0	0	0	17	2	12	2	23	18
IV	78	62	68	73	7.0	7.5	7.7	180	23	9	7		0		20	17	7	3	0	0	20	1	0	1	0	0	0	0	13	0	19	3	19	0
V	69	55	60	67	6.5	6.5	7.0	131	29	19	0		0		18	13	4	1	1	0	18	0	0	0	0	0	0	0	9	0	23	5	17	0
VI	79	66	75	81	7.1	6.6	8.2	141	36	25	0		0		22	17	5	0	0	0	22	0	1	2	0	0	0	2	14	2	21	3	18	0
VII	80	68	72	78	7.1	7.3	6.3	92	18	30	0		0		13	12	4	2	0	0	13	0	0	4	0	0	0	1	9	8	24	3	14	0
VIII	84	69	77	81	8.0	6.6	7.3	59	16	25	0		0		7	7	3	2	0	0	7	0	0	2	0	0	0	0	11	5	25	1	14	0
IX	85	72	79	80	7.9	7.4	7.1	127	31	16	0		0		20	15	5	0	0	0	20	0	0	4	0	0	0	0	10	6	13	1	15	0
X	87	82	85	85	9.0	9.2	8.0	235	74	10	3		0		23	15	8	1	0	0	23	2	2	4	0	1	0	0	20	0	6	2	24	0
XI	82	79	82	82	6.6	7.0	5.5	220	43	7	16		0		15	13	8	3	2	1	15	4	3	0	0	4	0	3	11	0	11	5	11	3
XII	72	71	73	72	6.1	7.2	4.9	129	34	13	21		3		13	12	5	5	2	1	6	9	1	0	0	0	0	0	10	0	0	8	13	24
1945	79	69	74	77	7.5	7.4	6.9	2028	74		94		21		209	169	77	29	12	3	184	47	14	17	1	10	0	9	156	23	166	42	197	104

Ona

$H_s = 12$ $H_b = 14.6$ $h_t = 1.8$ $h_a = 6$ $h_d =$ $h_r = 1.1$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	66	67	66	66	5.5	5.5	5.4	92	20	17	26	9	0	0	16	16	2	11	6	3	8	13	5	0	0	1	0	0	0	0	13	7	7	28
II	76	77	80	78	8.1	7.9	7.4	58	10	28	6	2	0	0	18	16	0	13	7	4	17	6	5	1	0	2	0	2	0	0	5	0	16	7
III	82	78	81	81	8.3	7.9	7.9	131	27	1	3	0	0	0	24	19	4	15	2	2	20	9	5	3	0	1	0	0	0	1	2	2	21	2
IV	82	75	84	83	7.3	6.0	6.9	82	21	21	0	0	0	0	22	16	1	14	1	0	20	3	0	4	0	0	0	0	0	2	3	3	10	0
V	79	77	77	78	7.0	6.4	6.2	45	9	11	0	0	0	0	16	14	0	15	4	0	16	0	0	2	0	0	0	0	0	0	16	4	11	0
VI	89	85	88	90	7.3	6.3	6.8	49	9	25	0	0	0	0	14	11	0	11	2	0	14	0	0	3	0	0	0	0	1	5	13	4	15	0
VII	88	84	86	88	7.0	6.0	6.9	85	40	21	0	0	0	0	12	10	3	4	0	0	12	0	0	4	0	0	0	1	0	4	18	2	10	0
VIII	90	88	88	89	7.0	7.2	7.0	50	9	30	0	0	0	0	11	10	0	6	2	0	11	0	0	8	0	0	0	0	0	4	13	2	14	0
IX	84	82	86	85	6.8	7.0	7.1	68	19	24	0	0	0	0	15	10	2	8	0	0	15	0	0	2	0	0	0	0	0	0	14	1	14	0
X	85	86	85	85	8.2	8.5	7.9	137	52	10	0	0	0	0	23	18	3	18	6	0	23	1	1	6	0	1	0	0	0	0	1	1	21	0
XI	83	84	85	84	6.9	6.9	6.7	84	19	8	0	0	0	0	14	11	4	12	5	2	14	1	1	0	0	6	0	0	0	0	7	4	15	0
XII	78	80	78	78	5.0	5.7	5.2	47	8	10	10	0	0	0	12	11	0	10	5	4	6	9	2	0	0	2	0	1	0	0	5	8	6	6
1945	82	80	82	82	7.0	6.8	6.8	928	52		45	11	0	0	197	162	19	137	40	15	176	42	19	33	0	13	0	4	1	16	110	38	160	43

Molde

$H_s = 50$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 17.3$ $h_r = 1.7$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	77	74	77	77	6.3	5.8	6.0	114	18	3	31	20	10	0	15	14	4	5	1	0	4	13	1	0	0	0	0	0	0	0	17	5	11	31
II	77	73	76	76	7.7	8.0	7.2	81	20	28	16	3	3	0	15	12	3	4	0	0	10	9	4	0	0	0	0	0	0	0	14	0	13	27
III	85	73	80	81	8.2	7.7	7.6	254	59	9	8	0	0	0	22	21	9	9	3	2	16	11	4	0	0	0	0	0	0	0	8	2	20	10
IV	81	65	68	75	7.3	6.7	6.8	75	13	10	8	0	0	0	15	15	2	0	0	0	14	2	0	1	0	0	0	0	1	0	18	2	12	0
V	71	59	60	67	5.5	5.9	6.0	60	18	11	0	0	0	0	8	8	3	1	0	0	8	0	0	0	0	0	0	0	0	0	23	4	8	0
VI	82	68	70	78	6.7	5.8	7.0	73	16	15	0	0	0	4	12	9	3	2	0	0	12	0	0	0	0	0	0	0	1	18	3	13	0
VII	87	68	68	80	7.2	6.9	7.1	93	23	21	0	0	0	8	10	10	4	7	0	0	10	0	0	0	0	0	0	0	1	22	0	11	0
VIII	90	73	73	82	7.8	6.8	6.9	53	13	26	0	0	0	4	12	10	1	1	0	0	12	0	0	0	0	0	0	0	2	0	21	0	13	0
IX	91	76	75	82	7.3	7.5	7.3	106	15	28	0	0	0	0	14	14	5	3	0	0	14	0	0	2	0	0	0	0	2	0	20	0	16	0
X	88	79	84	85	7.6	7.9	8.0	241	73	10	2	0	0	0	18	18	8	7	0	0	18	2	2	0	0	0	0	0	0	0	7	1	19	0
XI	84	76	80	82	6.3	6.7	6.2	128	39	8	11	0	0	0	13	12	4	7	2	0	12	7	6	0	0	0	0	1	0	0	12	3	13	0
XII	76	74	75	75	5.3	5.6	5.4	121	28	13	22	10	1	0	10	10	4	8	2	0	3	9	1	0	0	0	0	1	0	0	16	8	11	21
1945	82	72	74	78	6.9	6.8	6.8	1399	73		98	33	14	16	164	153	50	54	8	2	133	53	18	3	0	0	0	2	5	2	196	28	160	89

Gjermundnes

$H_s = 51$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d = 5.6$ $h_r = 1.4$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	75	76	77	76	5.4	5.3	4.8	115	18	3	30	21	6	0	16	13	3	7	1	1	7	14	5	0	0	3	0	1	3	3	16	11	11	30
II	78	73	76	76	7.5	7.6	6.2	70	20	26	14	3	2	0	15	9	2	8	3	0	14	7	5	3	0	1	0	0	9	0	10	2	10	23
III	82	73	78	79	8.3	8.0	7.5	177	44	10	7	0	0	0	24	14	7	4	3	1	22	11	7	8	0	3	0	0	19	4	18	4	21	8
IV	79	68	74	77	7.3	7.0	7.4	47	7	19	6	0	0	0	21	13	0	0	0	0	21	4	3	3	0	1	0	0	14	0	19	3	18	0
V	73	62	64	70	6.5	5.6	6.2	63	11	12	0	0	0	0	15	10	2	0	0	0	15	0	0	0	0	0	0	0	8	0	26	6	11	0
VI	81	72	76	76	6.3	6.1	7.0	91	22	25	0	0	0	1	20	13	3	0	0	0	20	0	0	5	0	1	0	0	10	1	21	5	16	0
VII	83	73	77	82	6.6	5.9	6.4	117	28	21	0	0	0	3	15	13	4	0	0	0	15	0	0	6	0	0	0	0	6	4	25	4	11	0
VIII	86	78	82	84	7.5	6.7	7.0	72	21	26	0	0	0	2	20	11	2	1	0	0	20	0	0	7	0	0	0	0	15	2	24	4	15	0
IX	88	77	80	83	7.1	6.8	7.0	76	14	16	0	0	0	0	20	14	2	1	0	0	19	0	0	4	0	0	0	0	9	1	23	0	14	0
X	86	80	83	84	6.9	8.1	7.5	160	52	10	2	0	0	0	22	17	7	4	0	0	21	2	2	3	0	0	0	0	10	2	13	2	16	0
XI	85	80	84	84	5.5	6.5	5.3	126	36	8	11	2	0	0	14	11	7	3	0	0	14	6	5	1	0	3	0	1	7	0	12	6	10	1
XII	77	75	76	76	5.2	5.3	4.0	94	20	15	21	10	0	0	10	8	6	3	0	0	3	9	1	1	0	1	0	0	6	2	0	11	8	22
1945	81	74	77	79	6.7	6.6	6.4	1208	52		91	36	8	6	212	146	45	31	7	2	191	53	28	41	0	13	0	2	116	19	207	58	161	84

Sunndal

$H_s = 195$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	Midlere relativ fuktighet Um 8	14	19	Diss	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Sne *	Sludd	Yr 9	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis ≡	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I					5.6	5.3	3.9	93	26	15	31		22		13	11	3	1	0	0	3	11	0	0	0	0	0	0	9	0	3	6	6	31
II					5.8	6.2	5.1	44	30	28	25		4		10	5	1	2	0	0	4	8	2	0	0	0	0	0	9	0	16	1	5	28
III					8.1	7.4	6.4	224	80	10	19		0		19	15	6	1	1	1	12	12	4	1	0	0	0	0	19	0	17	3	15	31
IV					6.5	6.9	6.9	47	16	20	12		0		17	9	1	0	0	0	15	3	1	0	0	0	0	0	13	0	20	1	11	17
V					6.5	6.4	6.8	45	16	19	2		0		10	7	1	0	0	0	10	1	1	0	0	1	0	1	9	2	23	2	12	0
VI					5.6	6.7	6.9	61	12	25	0		0		14	8	3	0	0	0	14	0	0	0	0	0	0	4	7	0	22	5	13	0
VII					6.5	6.5	7.5	60	23	22	0		0		18	12	2	0	0	0	18	0	0	1	0	0	0	1	10	1	25	1	12	0
VIII					7.5	6.8	7.1	48	13	8	0		0		19	9	2	0	0	0	19	0	0	2	0	0	0	2	12	1	21	0	14	0
IX					6.1	5.9	7.1	22	9	25	0		0		13	5	0	0	0	0	13	0	0	0	0	0	0	0	8	2	16	3	9	0
X					6.5	7.7	6.7	82	18	11	10		0		20	12	3	0	0	0	20	2	1	0	0	0	0	0	13	0	8	2	12	3
XI					6.1	5.7	4.2	77	24	27	21		0		8	7	4	0	0	0	8	6	4	1	0	0	0	0	7	1	11	5	3	5
XII					6.0	6.1	3.8	163	52	15	27		10		10	9	4	0	0	0	3	8	1	0	0	0	0	0	9	0	0	7	10	31
1945					6.4	6.5	6.0	966	80		147		36		171	109	30	4	1	1	139	51	14	5	0	1	0	8	125	7	182	34	122	146

1945

Tingvoll

φ = 62° 50′ N λ = 8° 19′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 7.2	- 5.8	- 7.1	- 6.9		-10.5	5.8	13	-18.1	21	5	1.1	10s	1.1	9s	1.7	7	2.9	6	3.2	11	2.6	6s	4.5	3s	2.4	34
II			- 1.0	3.0	0.3	0.4		- 3.9	12.3	18	-16.8	2	0s	3.0	4s	1.4	8	1.4	13s	3.8	10	3.5	11	3.3	3	3.7	4s	1.2	29
III			1.4	5.5	3.1	2.8		- 0.3	16.0	23	- 6.9	17	2	2.2	3s	1.3	5	1.2	2	2.0	8s	2.0	23	2.5	3s	2.9	9s	3.1	36
IV			3.9	8.8	6.6	5.2		1.0	14.5	1	- 4.8	15	4s	1.9	6	1.7	11	1.2	6	2.0	7s	1.7	22	2.8	13s	3.0	3s	2.1	16
V			9.0	13.2	11.7	9.4		4.1	18.9	13	- 1.6	9	7	3.0	8	3.2	8	2.6	10	3.6	12	2.9	20	2.5	7s	2.3	8s	2.1	12
VI			12.3	16.6	15.3	12.9		7.6	29.1	22	2.8	5	8s	2.6	6s	2.2	2	1.0	1s	1.0	6	2.3	22	2.0	21s	2.1	11	2.1	11
VII			15.5	20.3	18.1	16.1		11.2	32.6	16	4.9	4	12	2.5	12	2.7	1s	2.3	2	1.8	4	1.5	12s	2.2	20	2.4	14	1.8	15
VIII			13.8	18.6	16.9	15.0		11.1	28.2	14	6.1	29	6s	2.2	6s	2.1	3	1.5	3	1.8	3s	2.1	14s	2.1	15s	1.8	11s	1.9	29
IX			8.6	13.9	10.8	10.2		6.2	22.9	13	0.0	26	3	2.0	3s	1.0	6	1.4	7s	3.5	13	3.2	18s	1.9	8s	1.8	4	1.6	26
X			4.2	7.6	6.3	5.8		2.9	16.0	2	- 4.1	30	1	2.5	4s	1.6	8	1.6	4	1.4	11	2.2	26	2.7	7s	2.5	2	2.0	29
XI			- 0.1	2.1	0.7	0.8		- 1.7	11.6	7	- 7.2	20	0s	1.0	0s	1.0	6	1.7	2s	1.0	9	2.2	17	2.9	5	2.6	2s	2.6	47
XII			- 0.8	- 0.2	- 1.1	- 0.8		- 4.2	10.6	2	-13.0	31	1s	1.7	2s	1.2	6s	1.5	16s	4.5	16s	4.2	7s	2.7	9	4.7	2	4.5	31
1945			5.0	8.6	6.8	5.9		2.0	32.6		-18.1		52	2.3	68s	1.9	74s	1.6	75s	3.2	107	2.8	205	2.5	121	2.6	76s	2.2	315

Sula Fyr

φ = 63° 51′ N λ = 8° 28′ E g = 9.822 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1003.7	1007.5	- 0.7	- 0.6	- 0.8	- 0.8		- 2.4	6.0	1	- 5.7	24	7	4.6	6	3.3	2s	1.4	40	3.1	5	2.4	9	3.3	12	5.5	8s	5.9	3
II	01.0	04.8	2.4	2.9	2.9	2.6		0.9	7.3	24	- 5.9	1	0	-	0	-	6s	2.9	21	2.7	14	2.3	21	4.3	18s	5.4	0	-	3
III	08.6	12.3	3.8	4.6	4.1	4.0		2.4	10.6	25	- 1.0	2	12s	5.6	1s	1.0	1	2.0	10	2.1	3s	1.7	16s	4.1	29	4.5	17	4.7	2
IV	07.3	11.0	4.9	5.9	5.6	5.1		3.8	10.4	29	1.1	12	6s	3.4	14s	2.7	10	2.4	4	2.2	6	2.4	17	4.6	20	5.1	8	3.8	4
V	08.6	12.2	7.3	8.2	7.9	7.2		5.5	15.0	16	2.3	8	5s	3.5	22s	3.3	13s	4.2	17s	4.2	4	1.9	6	3.5	18s	4.2	3s	2.9	2
VI	07.5	11.2	9.5	10.4	9.9	9.5		8.4	14.3	24	4.1	6	5	3.3	34	3.2	4	4.2	2s	1.2	3s	1.7	8	3.5	21	3.6	4	4.0	8
VII	10.0	13.6	13.1	14.4	13.3	13.2		11.9	21.8	7	8.4	3	11s	3.1	29s	3.1	4	2.8	4	1.8	0	-	11s	2.2	18s	3.1	2	3.8	12
VIII	07.2	10.9	13.2	14.1	13.5	13.2		12.0	22.0	15	8.6	26	13s	4.0	24	3.3	4	2.8	7	2.9	5	1.8	5s	4.4	16s	4.3	9s	3.2	8
IX	10.6	14.3	9.7	11.2	10.5	10.3		9.0	16.0	13	6.1	26	5s	3.5	13s	3.0	10	3.4	18s	2.6	3s	3.6	8s	3.5	16	3.9	10s	3.6	4
X	07.6	11.3	7.2	7.7	7.4	7.3		6.0	12.7	2	1.7	3	8s	4.4	6	3.3	13s	4.5	8	2.6	3	1.5	5s	3.4	34	5.5	14s	4.8	0
XI	13.1	16.8	5.7	6.3	5.9	5.9		4.2	9.6	1	- 0.2	9	4	3.9	8	1.9	12	3.4	6	1.5	6s	4.0	10s	5.3	29	4.6	9	5.8	5
XII	02.6	06.4	2.3	2.5	2.3	2.4		0.7	8.3	2	- 5.1	11	5s	7.2	2	2.0	18s	3.9	21	3.0	12	3.0	16s	3.4	5s	6.2	11	6.6	1
1945	1007.3	1011.0	6.5	7.3	6.9	6.7		5.2	22.0		- 5.9		85	4.3	161s	3.1	99s	3.5	159s	2.9	66	2.5	135s	3.9	238s	4.6	97s	4.7	52

Vallersund

φ = 63° 51′ N λ = 9° 44′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 3.3	- 2.6	- 2.9	- 3.0		- 5.4	5.0	1	-11.0	31	3	5.3	1	2.0	7s	2.0	52	2.5	5	3.5	9s	4.9	6	4.8	9	4.9	0
II			1.1	2.2	1.9	1.5		- 0.9	8.1	20	-10.7	1	0	-	0	-	0s	2.0	45	3.2	10	2.8	17s	3.4	7	5.4	3	6.3	1
III			3.4	4.8	3.9	3.7		1.5	14.6	26	- 2.8	7	10	4.0	6	1.9	8	1.4	7s	1.7	6	1.9	21	2.8	15	4.3	17s	3.8	2
IV			5.0	7.0	6.0	5.4		3.0	11.0	15	- 0.9	5	4	2.6	10s	2.8	7s	1.5	16	2.2	4s	2.3	7s	3.0	18s	4.0	18s	4.5	3
V			8.4	9.8	9.3	8.2		5.4	19.2	29	2.1	9	5	3.0	31	3.4	11	3.1	17	2.9	2s	2.6	8	2.9	8s	3.4	8	3.1	2
VI			11.1	12.3	11.5	10.6		7.8	26.4	24	2.4	6	8	1.9	31	2.7	5s	2.1	4s	2.9	0	-	9s	2.8	17s	2.9	12	3.7	2
VII			15.0	16.6	15.1	14.5		11.3	26.5	7	5.3	4	12s	2.5	32	2.3	3	1.3	6s	1.6	1	1.5	8s	2.1	10s	2.9	13	1.8	6
VIII			14.0	16.1	14.7	14.1		11.9	26.6	7	7.9	24	10	2.6	21	2.5	4	2.8	14	2.1	2s	2.0	8s	3.2	12	3.7	16	3.2	5
IX			9.9	12.3	10.6	10.4		7.9	21.0	13	2.8	19	4	2.6	10s	2.8	11	2.0	23	3.3	7	3.4	8s	2.9	8	4.0	11	3.8	7
X			6.3	7.4	6.8	6.6		4.6	12.4	3	- 0.8	30	3	5.0	5	4.2	7s	1.4	21s	2.4	2s	1.8	17s	4.3	10	6.2	25	5.0	1
XI			4.4	5.0	4.5	4.5		2.3	9.6	1	- 3.4	9	1s	3.0	0s	3.0	5s	2.1	23	2.0	10s	2.8	25s	3.1	7	5.9	12s	5.1	4
XII			0.6	0.7	0.5	0.5		- 1.6	8.2	19	- 8.7	24	4s	6.1	1	3.0	11s	3.5	49s	3.5	9s	4.0	5	4.1	0s	6.0	11s	7.1	0
1945			6.3	7.6	6.8	6.4		4.0	26.6		-11.0		65s	3.2	149s	2.8	82s	2.3	279s	2.8	61	2.9	146s	3.3	120s	4.1	157	4.3	33

Ørland

φ = 63° 41′ N λ = 9° 40′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 2.9	- 2.6	- 2.8	- 2.9		- 5.0	4.4	13	-10.6	27	3	3.7	1s	1.7	1	4.5	45s	4.7	17	4.6	4	4.1	11	4.3	8	5.0	2
II			0.8	1.7	1.7	1.3		- 0.4	6.6	22	- 9.6	2	0	-	0	-	0s	4.0	35	4.8	23s	4.6	16	3.6	6	5.2	3	5.0	0
III			2.7	4.5	3.6	3.3		1.2	11.5	24	- 3.6	7	4	5.1	0s	1.0	2s	4.0	12	4.0	12	3.2	7s	2.5	22s	3.8	25	4.3	7
IV			4.7	6.9	5.9	5.2		2.9	10.4	4	- 0.9	12	10	3.1	4	3.0	5	2.8	14s	3.5	11	3.6	6s	3.4	17s	4.1	19s	4.1	2
V			8.0	10.8	9.4	8.4		5.2	19.0	29	1.8	9	18	3.5	10s	3.4	6	3.8	22	3.3	8s	3.8	4s	2.3	9s	2.9	12	3.4	2
VI			11.3	14.4	12.8	11.6		8.0	26.6	22	1.7	6	10	3.8	7s	3.3	4	3.2	12s	3.0	6	3.2	8s	2.8	14	3.6	23s	3.8	4
VII			15.1	18.3	16.2	15.1		11.1	28.3	16	5.2	4	22s	3.4	6	3.0	3	1.3	13s	2.7	5s	2.9	10	2.6	11	3.6	19s	3.2	2
VIII			13.8	16.7	14.7	14.1		11.4	24.0	14	6.9	23	14s	3.0	6s	2.5	2	4.2	15s	3.3	5s	3.5	8s	2.4	13s	3.1	24	3.2	3
IX			9.4	11.7	10.3	10.0		7.7	18.0	13	3.1	26	2	2.5	5s	2.5	7	4.3	21s	4.3	17	3.9	5	2.8	14	3.4	15	3.5	3
X			6.0	7.3	6.5	6.4		4.2	13.4	2	- 1.4	31	7	3.2	4s	2.9	13	3.7	12s	3.5	3s	2.9	10	3.0	20	4.5	22s	4.7	0
XI			4.1	4.4	4.3	4.2		2.4	10.0	1	- 1.8	9	2s	4.8	0s	2.0	2s	4.2	26	4.1	20	4.0	12s	3.2	15	4.0	9	5.1	2
XII			0.5	0.5	0.6	0.4		- 1.4	8.0	2	- 6.2	24	4	6.9	1	3.5	6	4.2	35	5.1	28s	5.1	3	4.3	6	4.3	9s	6.3	0
1945			6.1	7.9	6.9	6.4		3.9	28.3		-10.6		97s	3.6	48	2.9	52s	3.6	265s	4.1	158	4.1	96	3.1	160	3.8	190s	4.1	27

Trondheim (Voll)

φ = 63° 25′ N λ = 10° 27′ E g = 9.821 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	992.1	1009.1	- 7.7	- 6.5	- 7.0	- 7.2	- 4.0	-10.0	4.8	14	-19.9	21	0	-	11s	2.0	11s	2.0	4	2.6	13s	1.4	19	2.4	11s	3.7	3	4.8	19
II	90.5	07.1	- 1.9	0.1	- 0.6	- 1.1	1.7	- 4.0	7.4	22	-19.4	2	0	-	1	2.0	3s	1.9	3s	1.4	26s	2.8	21s	3.0	13	3.6	0	-	15
III	96.0	12.5	1.3	3.7	2.3	2.1	4.9	- 0.4	12.0	24	- 5.7	17	1s	1.0	8	1.4	2	1.5	0	-	12	2.0	31	2.3	27s	2.7	3	3.7	8
IV	95.1	11.5	3.2	6.5	5.3	4.3	7.7	1.8	11.3	1	- 2.8	15	3	1.5	8s	1.8	8	1.5	1s	1.0	11	2.9	18	2.5	24	2.6	7	2.2	9
V	95.9	12.1	7.5	10.3	9.6	7.8	12.0	4.2	19.0	29	- 0.8	9	9s	1.9	23	2.4	8s	2.5	8	2.7	12	2.7	5s	2.1	14	2.5	9s	2.2	3
VI	94.1	10.0	11.9	14.4	13.7	12.1	16.7	8.5	26.5	22	2.2	6	6	1.8	23	2.0	13s	2.1	0	-	3	2.7	7s	2.6	24	2.8	8	2.5	5
VII	96.8	12.6	14.9	18.7	17.4	15.6	20.8	11.7	32.9	16	5.4	4	10	1.6	24s	2.0	4s	2.0	0	-	4	1.9	6s	1.7	17s	1.7	12	1.5	14
VIII	94.5	10.3	13.8	16.9	15.6	14.3	18.6	11.4	26.6	7	5.9	29	7s	1.7	16	1.4	2s	1.0	7s	2.1	3s	1.7	12	1.6	13s	2.2	9s	2.1	21
IX	98.8	14.9	7.8	11.3	9.8	9.0	12.3	6.2	20.1	13	- 0.2	19	3s	1.9	8s	2.4	7s	2.5	4	3.0	13	3.5	17	2.2	7	1.7	9s	1.9	20
X	95.4	11.8	3.9	5.9	5.2	4.8	7.3	2.9	13.5	4	- 4.3	30	2	1.8	3s	2.0	8	2.1	2s	3.2	6	2.5	23s	2.2	26s	2.6	9	3.2	12
XI	1001.6	18.3	1.0	2.1	1.6	1.5	3.6	- 0.5	9.5	1	- 7.3	10	0s	2.0	2s	2.0	5	2.0	3	1.3	16s	1.9	35	2.4	12	3.2	1s	2.0	14
XII	991.6	08.4	- 2.2	- 2.0	- 2.1	- 2.2	0.4	- 4.4	7.7	19	-11.9	31	1s	1.7	13	1.5	7	1.9	3	2.7	29	3.0	18	3.1	11	4.0	3s	2.9	7
1945	995.2	1011.6	4.5	6.8	5.9	5.1	8.5	2.3	32.9		-19.9		45	1.7	143	1.9	81s	2.0	37	2.3	150	2.5	214s	2.4	201s	2.7	75s	2.4	147

1945

Tingvoll

$H_s = 51$ $H_b =$ $h_t = 1.8$ $h_a =$ $h_d = 9.7$ $h_r = 1.6$

Måned	Midlere relativ fuktighet U_m 8	14	19	Dies	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Sne *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ▣
I	88	85	88	87	5.9	5.8	4.9	163	35	3	30		20		14	13	7	7	2	0	5	13	1	0	2	4	0	0	4	1	6	8	9	31
II	86	72	82	83	8.1	8.0	6.4	95	30	28	24		4		18	11	4	11	8	0	13	9	3	0	0	2	0	0	3	2	5	1	12	28
III	94	76	82	87	8.3	8.2	7.6	258	65	10	18		0		26	20	7	5	1	1	18	14	2	1	1	4	0	0	11	3	9	3	20	23
IV	89	66	73	82	7.3	6.8	7.1	93	16	20	13		0		22	19	3	5	0	0	20	7	1	0	0	3	0	0	5	4	14	1	13	4
V	74	58	58	68	6.9	6.4	5.7	94	14	19	2		0		17	13	5	2	0	0	17	0	0	1	0	0	0	0	4	0	20	3	10	0
VI	81	66	70	80	6.6	6.1	7.0	129	19	16	0		0		19	14	5	1	0	0	19	0	0	4	0	0	0	4	8	1	15	4	16	0
VII	85	64	70	81	6.6	6.2	6.8	132	38	22	0		0		18	12	4	0	0	0	18	0	0	4	0	0	0	2	5	2	20	3	12	0
VIII	93	70	78	86	7.8	6.4	6.8	39	7	26	0		0		15	9	0	1	0	0	15	0	0	3	0	0	0	0	2	3	14	3	14	0
IX	90	68	82	84	7.3	6.8	6.9	55	9	5	0		0		23	14	0	5	2	0	23	0	0	1	0	0	0	0	0	4	15	2	12	0
X	94	83	88	90	8.2	8.5	8.6	148	33	10	6		0		24	19	5	4	0	0	24	1	2	3	0	0	0	0	12	0	4	1	22	1
XI	95	90	92	94	7.4	6.6	6.5	111	18	27	21		0		12	9	6	5	1	0	11	5	4	1	0	5	0	1	2	3	9	4	13	5
XII	80	78	80	80	5.6	5.9	4.5	119	27	15	24		4		13	9	6	17	8	3	5	9	0	0	1	4	0	0	2	3	0	11	11	24
1945	87	73	79	84	7.2	6.8	6.6	1436	65		138		28		221	162	52	63	22	4	188	58	13	18	4	22	0	7	58	26	131	44	164	116

Sula Fyr

$H_s = 27$ $H_b = 30.0$ $h_t = 2.0$ $h_a = 5.4$ $h_d = 12.2$ $h_r = 1.6$

I					6.1	6.9	6.3	77	21	14	25		0		17	13	2	8	2	1	9	15	5	1	0	6	0	0	0	0	14	15	12	
II	79	78	81	80	8.4	8.5	7.9	86	17	5	6		0		19	15	2	10	3	0	16	5	2	0	0	5	0	1	2	1	1	1	19	
III	84	80	85	84	8.6	8.3	8.1	118	33	1	5		0		22	18	3	15	1	1	20	10	5	6	0	2	0	0	2	4	9	2	22	
IV	85	79	79	83	8.2	7.5	7.6	50	13	20	0		0		21	15	1	8	0	0	18	2	0	5	0	2	0	0	2	0	5	0	19	
V	79	74	73	77	7.8	7.5	6.3	40	11	15	0		0		15	9	1	8	0	0	15	0	0	4	0	0	0	0	0	0	22	1	13	
VI	85	81	83	85	7.0	6.6	6.9	31	7	20	0		0		14	8	0	6	0	0	14	0	0	4	0	0	0	0	0	3	12	6	17	
VII	84	80	79	82	7.8	7.0	6.5	35	7	21	0		0		14	8	0	1	0	0	14	0	0	3	0	0	0	0	1	5	17	2	15	
VIII	86	81	84	84	7.7	7.3	6.9	55	13	30	0		0		16	10	2	3	1	0	16	0	0	6	0	0	0	0	2	4	19	4	18	
IX	85	80	81	83	7.4	7.4	7.1	37	9	16	0		0		19	12	0	4	0	0	19	0	0	2	0	0	0	0	0	0	17	1	16	
X	82	82	81	82	8.0	8.6	8.4	81	14	10	0		0		28	19	1	18	1	0	28	1	0	3	0	2	0	0	1	0	2	1	19	
XI	83	83	82	82	8.7	8.5	8.2	116	39	26	1		0		18	14	4	9	3	1	18	2	2	0	0	1	0	0	1	0	4	1	20	
XII	76	78	78	77	6.0	7.4	6.2	27	6	23	16		0		15	9	0	11	5	1	7	8	0	1	0	7	0	0	0	0	0	4	14	
1945					7.6	7.6	7.2	753	39		53		0		218	150	16	101	16	4	194	43	14	35	0	25	0	1	11	17	122	38	204	

Vallersund

$H_s = 4$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d = 7.8$ $h_r = 1.4$

I					5.2	5.5	4.9	48	11	17	30		1		14	10	1	7	3	1	6	12	3	0	0	3	0	0	0	0	0	3	6	28
II					6.4	7.8	6.8	40	7	26	15		1		18	9	0	10	3	1	15	10	4	1	0	2	0	1	0	0	0	1	11	7
III					7.9	6.9	7.6	147	31	11	8		0		25	21	3	11	1	1	19	13	5	1	0	3	0	0	0	0	5	2	16	8
IV					6.9	6.5	6.7	60	13	20	1		0		20	14	1	7	2	0	17	5	0	4	0	2	0	0	2	0	13	1	13	0
V					6.8	6.7	5.7	55	18	15	0		0		16	11	1	5	0	0	16	0	0	0	0	1	0	0	0	0	16	2	11	0
VI					7.0	6.0	5.4	37	10	26	0		0		16	11	1	4	0	0	16	0	0	6	0	0	0	0	1	2	16	6	10	0
VII					6.4	5.0	5.2	40	12	30	0		0		13	7	1	2	0	0	13	0	0	2	0	0	0	0	1	2	21	6	9	0
VIII					7.4	6.8	7.1	32	6	18	0		0		19	11	0	6	1	0	19	0	0	7	0	0	0	2	0	3	9	3	13	0
IX					7.3	7.5	6.9	36	4	5	0		0		20	12	0	4	0	0	20	0	0	2	0	0	0	0	0	0	10	1	16	0
X					7.9	8.0	8.1	129	23	14	1		0		27	23	2	13	4	0	27	0	0	0	0	5	0	0	0	0	0	1	20	0
XI					7.6	7.7	7.3	105	18	29	5		0		19	14	5	6	3	1	19	3	3	2	0	2	0	1	1	0	1	1	17	0
XII					5.0	6.1	5.2	44	14	10	21		0		15	9	1	19	4	4	8	9	2	0	0	8	0	0	0	0	0	6	8	9
1945					6.8	6.7	6.4	773	31		81		2		222	152	16	94	21	8	195	52	17	25	0	26	0	4	5	7	91	33	150	52

Ørland

$H_s = 12$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d = 11.1$ $h_r = 1.5$

I	82	80	82	82	6.6	6.7	5.8	76	16	18	30		1		14	14	3	11	2	1	4	13	2	0	0	2	0	0	1	0	13	6	12	
II	79	77	80	79	7.8	8.4	7.4	47	9	26	10		0		17	12	0	9	2	0	14	8	3	0	0	2	0	0	3	0	5	1	18	
III	87	81	84	85	8.6	8.2	8.5	211	50	11	11		0		25	21	6	6	3	1	17	13	4	5	0	1	0	0	4	0	6	2	23	
IV	84	75	79	82	7.7	7.8	7.8	85	25	20	1		0		22	17	1	2	0	0	19	4	1	5	0	1	0	0	4	1	17	1	18	
V	76	66	67	73	7.5	6.9	6.5	63	22	15	0		0		16	11	1	3	0	0	16	0	0	2	0	2	0	0	0	0	21	0	11	
VI	91	68	75	82	6.9	6.1	6.6	43	7	20	0		0		16	12	0	6	0	0	16	0	0	4	0	0	0	0	0	2	19	6	15	
VII	82	69	73	80	6.6	5.7	6.0	73	19	30	0		0		11	9	2	1	0	0	11	0	0	5	0	0	0	0	1	0	22	4	12	
VIII	87	78	84	86	7.5	7.2	7.2	54	8	18	0		0		19	15	0	2	0	0	19	0	0	9	0	0	0	0	2	1	18	4	16	
IX	86	77	83	84	7.6	7.7	7.2	65	14	28	0		0		17	12	2	7	0	0	17	0	0	6	0	0	0	0	0	0	15	2	17	
X	85	82	85	84	8.0	8.7	8.5	171	28	14	3		0		26	23	4	12	0	0	26	2	1	7	0	4	0	0	0	0	2	1	21	
XI	85	83	84	84	8.6	8.4	8.0	128	24	7	3		0		18	14	7	7	3	1	18	3	3	1	0	1	0	1	2	0	4	1	21	
XII	78	80	79	79	5.5	6.4	5.5	84	22	16	19		0		14	10	3	18	6	2	5	11	0	0	0	0	0	0	0	0	6	8	12	
1945	83	76	80	82	7.4	7.4	7.1	1100	50		77		1		215	170	29	84	16	5	182	54	14	44	0	13	0	1	17	4	148	36	196	

Trondheim (Voll)

$H_s = 127$ $H_b = 133.0$ $h_t = 2.0$ $h_a =$ $h_d = 11.2$ $h_r = 1.3$

I	84	82	83	83	5.8	5.5	4.3	79	14	2	31	22	13	0	15	12	2	7	1	0	3	13	0	2	0	0	0	0	1	0	7	6	6	31
II	79	73	80	79	6.4	6.9	6.5	54	12	21	24	4	3	0	13	10	2	15	3	0	6	10	1	3	2	1	0	0	1	3	3	1	10	28
III	88	80	84	86	7.8	6.9	6.9	213	65	10	17	0	0	0	25	22	5	4	1	0	15	17	4	5	6	0	0	0	1	1	14	2	15	24
IV	85	73	76	81	7.2	6.7	7.0	83	24	20	8	0	0	0	21	14	1	3	0	0	18	5	0	5	0	2	0	0	0	1	17	2	14	4
V	76	68	67	73	7.1	6.7	6.0	64	17	15	1	0	0	0	14	11	1	4	0	0	14	2	2	2	0	2	0	0	2	1	25	1	13	0
VI	79	70	72	77	5.9	6.4	6.0	66	13	15	0	0	0	3	15	11	3	4	0	0	15	2	2	2	0	0	0	2	3	0	20	6	13	0
VII	83	71	71	79	5.8	5.2	5.6	79	38	22	0	0	0	9	14	11	2	0	0	0	14	0	0	1	0	0	0	3	2	0	25	3	9	0
VIII	87	77	80	84	6.8	6.7	6.7	32	12	18	0	0	0	4	17	12	1	1	0	0	17	0	0	4	0	0	0	3	9	6	23	3	12	0
IX	86	77	81	84	7.0	7.3	6.7	49	7	29	1	0	0	0	21	13	0	3	0	0	21	0	0	2	0	0	0	0	7	1	22	3	17	0
X	90	86	88	88	7.5	7.7	7.5	140	30	14	7	0	0	0	25	18	6	3	0	0	24	4	3	1	0	0	0	0	24	0	11	1	16	0
XI	87	84	86	86	8.5	7.5	6.2	93	26	29	17	3	0	0	17	11	5	5	0	0	16	4	2	3	2	2	0	0	1	4	7	2	14	4
XII	81	80	80	80	4.7	5.7	4.7	58	15	16	26	17	4	0	15	11	2	12	3	0	5	12	0	2	1	0	0	0	0	1	6	9	6	25
1945	84	77	79	82	6.7	6.6	6.2	1010	65		132	46	20	16	212	156	30	61	8	0	168	69	14	32	11	7	0	8	51	18	180	39	145	116

1945

Selbu

φ = 63° 12′ N λ = 11° 7′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 8.8	- 7.4	- 8.5	- 8.3		-13.1	4.1	13	-23.2	20	2s 1.2	7s 1.8	32 2.1	21 2.1	5 2.6	0s 2.0	2 3.0	16s 2.8	6
II			- 2.3	0.4	- 1.0	- 1.3		- 4.7	6.7	20*	-22.5	2	1s 1.0	2 1.0	23s 2.0	30s 2.7	14s 3.2	0s 4.0	3 2.8	6s 2.8	2
III			0.8	3.7	1.5	1.6		- 1.4	11.9	24	- 8.7	17	8 1.9	4s 1.7	14 1.7	17s 1.7	5 1.4	0s 4.0	6 2.0	33s 2.3	4
IV			2.6	6.5	4.5	3.6		0.3	11.5	15	- 5.3	15	5s 2.1	0 -	12s 1.8	22s 2.5	10 3.0	0s 2.0	3 2.8	35 2.6	1
V			7.2	10.8	9.3	7.3		2.6	18.5	28	- 2.1	25	2 2.8	0 -	4 2.5	26s 3.0	21s 2.4	0 -	6s 1.9	32s 2.6	0
VI			11.8	15.7	14.1	12.1		7.3	27.5	22	0.4	6	9s 3.5	2 3.5	3s 1.9	16 2.7	15s 2.4	1 2.0	11 2.7	30s 3.2	1
VII			15.6	20.1	18.4	15.8		10.3	33.4	16	4.6	26	5s 2.9	0 -	6s 1.8	14s 2.3	19 2.5	1 2.0	6s 2.8	38 2.8	2
VIII			14.1	18.2	16.3	14.5		10.3	27.5	10	4.2	24	3s 2.4	0s 1.0	6 2.1	17 2.2	15 1.9	2s 2.8	7 2.1	35s 2.6	6
IX			7.6	12.2	9.7	8.9		5.5	22.1	4	- 1.7	26	4 2.5	1 3.0	10 2.3	24s 2.8	21 2.3	2s 2.0	3 3.0	19 2.4	5
X			3.3	6.0	4.7	4.4		2.1	12.6	4	- 6.1	30	6 2.6	0s 2.0	13s 1.6	28 1.9	7s 1.3	0 -	3s 2.3	30 2.7	4
XI			0.0	1.6	0.6	0.5		- 1.9	9.8	1	-10.1	10	5s 1.1	4 1.6	27s 1.7	17 2.0	13s 1.4	2 1.0	2s 1.8	12 2.5	6
XII			- 2.9	- 2.4	- 2.7	- 2.8		- 5.7	6.8	18	-13.0	29	1s 1.3	2 1.0	23s 2.0	33s 3.4	12 3.8	1 3.0	1s 5.0	15 2.6	3
1945			4.1	7.1	5.6	4.7		1.0	33.4		-23.2		55 2.3	24 1.8	176s 1.9	268s 2.5	159s 2.4	12 2.2	55s 2.5	304 2.7	40

Berkåk

φ = 62° 50′ N λ = 10° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-11.0	- 7.4	-10.1	- 9.8		-16.5	6.5	13	-27.6	19	1s 2.0	11s 1.2	1s 1.0	9s 2.1	24 2.1	3s 2.4	7s 4.1	1 3.0	33
II			- 4.8	- 1.1	- 2.7	- 3.4		- 7.9	7.2	19	-22.0	4	1 2.0	1 1.0	1 1.0	7s 2.1	38s 2.4	11s 2.7	1s 2.0	0 -	22
III			0.0	3.5	0.5	0.7		- 3.1	13.6	23	-10.8	17	9 2.3	4s 1.8	2s 1.8	8s 2.1	6s 2.2	11 2.2	21s 2.5	11s 2.4	18
IV			1.5	6.0	3.0	2.3		- 1.7	11.2	16	-11.9	15	6s 1.8	7 2.0	1s 2.7	8 1.6	13 2.3	11 2.1	19 2.1	10 2.6	14
V			6.2	10.0	8.2	6.1		1.1	16.8	29	- 5.2	9	12s 2.4	18s 2.3	3s 2.0	5 1.9	17s 2.6	11 2.2	12s 2.3	4s 2.1	8
VI			10.5	14.9	13.1	10.9		5.8	27.4	22	0.4	5	12 2.0	16s 2.4	2 2.5	3 1.7	15 2.0	10 2.0	16 2.3	3s 2.1	12
VII			13.8	18.8	16.2	14.3		8.8	31.2	16	1.2	4	8s 2.2	17s 2.5	3 2.0	2s 2.0	11 2.2	8 2.4	19s 2.4	3 2.8	20
VIII			12.1	16.7	14.9	13.0		8.9	25.8	13	1.2	29	10 1.6	7s 1.8	1 1.5	2s 2.2	12 2.2	10s 2.0	14 2.0	8s 2.4	27
IX			5.7	11.1	8.1	7.3		3.5	18.2	13	- 3.6	19	5s 1.8	13s 2.3	0 -	7 2.5	21 2.5	12 2.7	11 2.2	6 2.8	14
X			1.4	5.4	3.5	3.1		0.4	15.2	2	- 9.8	30	5 2.4	9s 1.3	2 1.5	11 2.0	13s 2.3	11s 2.3	19 2.3	4s 3.3	17
XI			- 1.8	0.7	- 1.0	- 0.9		- 4.2	7.8	7	- 9.6	10	3s 1.7	6 1.9	2s 1.8	17 2.2	24 2.3	9 2.2	6s 3.1	0s 4.0	21
XII			- 5.0	- 4.6	- 5.5	- 5.1		- 9.5	4.8	2	-19.8	17	1 3.0	1 3.0	0s 2.0	7s 2.7	40 3.0	14 2.8	4 3.8	7 3.0	18
1945			2.4	6.2	4.0	3.2		- 1.2	31.2		-27.6		76 2.1	114 2.1	21 1.9	89 2.1	236 2.4	123 2.4	152 2.4	60 2.6	224

Meråker

φ = 63° 25′ N λ = 11° 46′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 9.2	- 7.6	- 8.9	- 8.7		-12.7	3.1	13	-21.9	21	2 2.0	0 -	1 2.0	54 2.6	3 3.0	0 -	12 4.0	2 2.8	19
II			- 3.1	- 0.1	- 2.0	- 2.0		- 5.9	6.9	20	-21.6	1	0 -	0 -	0 -	20 2.7	32 4.5	1 7.0	13 3.8	0 -	18
III			0.2	3.8	1.4	1.4		- 1.9	12.9	26	-10.3	19	3s 2.0	0 -	0 -	20s 2.5	9s 3.0	0 -	31 2.8	9s 3.2	19
IV			2.7	5.8	3.9	3.2		- 0.3	10.5	15	- 5.5	26	6 2.2	2 1.5	0 -	24 2.7	13s 2.7	0s 3.0	20 2.8	14 2.9	10
V			6.5	10.2	8.7	6.9		2.4	16.9	28	- 3.4	25	6s 2.3	0 -	3 2.8	18 3.1	16 3.3	2 3.0	21s 2.8	22 2.5	4
VI			11.3	14.8	13.9	11.6		6.9	27.3	22	- 0.6	6	4s 2.4	0 -	0s 2.0	10s 2.8	7s 3.4	0s 5.0	34s 2.8	24 2.8	8
VII			15.0	19.3	17.8	15.7		11.0	31.6	16	6.1	3	3s 1.7	0 -	1 2.5	18s 2.6	10s 2.9	0 -	30s 2.5	18 2.7	11
VIII			13.0	17.2	15.2	13 6		9.7	27.5	13	1.6	24	6s 2.3	0 -	3 2.0	10s 3.1	7s 3.0	2 2.0	17s 3.1	27 2.6	19
IX			6.6	10.8	8.5	7.4		2.1	18.9	11	- 4.4	19	6s 2.5	1 2.0	1 2.0	22 3.1	12s 3.4	3s 3.0	13 2.5	14s 2.8	16
X			2.8	5.2	4.1	3.5		- 0.5	11.9	2	- 7.6	30	5 2.0	0 -	1 2.0	29s 2.4	7s 2.7	4 2.0	22s 2.9	9s 2.9	14
XI			- 0.3	1.5	0.0	0.2		- 3.8	9.9	1	-12.7	10	1s 2.0	0 -	2 3.0	23 2.4	5 2.9	1 3.0	15 3.1	13s 3.1	29
XII			- 4.1	- 3.6	- 4.0	- 4.0		- 7.9	5.3	2	-21.4	24	2 3.2	0 -	1 3.0	42 3.2	17 3.7	0 -	1s 2.7	14s 3.3	15
1945			3.4	6.4	4.9	4.1		- 0.1	31.6		-21.9		47s 2.2	3 1.7	13s 2.4	292s 2.8	141s 3.5	14s 2.9	232 2.9	168s 2.8	182

Sulstua

φ = 63° 40′ N λ = 12° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			-10.2	- 9.0	-10.4	-10.1		-15.8	3.8	13	-29.5	21	0 -	0 -	20s 2.1	9s 2.2	1s 3.0	3s 3.3	9 2.5	1 2.5	48
II			- 5.3	- 1.2	- 3.3	- 3.7		- 7.7	8.7	20	-29.8	2	0 -	0 -	12 2.5	23s 2.7	2s 3.2	6s 3.0	7s 3.2	0 -	32
III			- 0.7	3.6	0.5	0.6		- 3.8	13.7	24	-15.3	19	0 -	0 -	4 2.1	6 1.9	3 1.3	17 2.8	18 2.6	0 -	45
IV			2.0	5.6	3.5	2.5		- 1.9	11.2	15	-12.3	15	0 -	0s 1.0	3s 1.9	15s 2.4	0s 1.0	15 2.3	14 2.3	5 2.9	36
V			6.2	9.8	8.9	6.2		0.2	17.1	31	- 6.6	25	0 -	0 -	4 2.4	24 2.4	4 2.4	12s 2.2	15s 2.1	6 2.2	27
VI			11.5	14.7	13.8	11.0		4.8	27.5	22	- 1.0	18	0 -	0 -	1s 2.7	15s 2.4	8s 1.7	15 2.1	10s 3.0	5 3.4	34
VII			15.2	19.2	18.1	15.1		8.7	32.5	16	- 0.7	4	0 -	0 -	0 -	14s 2.5	8 2.0	14 1.8	11s 2.4	1 2.0	44
VIII			13.0	16.9	15.5	13.6		9.4	26.0	13	1.9	24	0 -	0 -	0 -	17s 2.5	5 2.7	13s 2.2	16 2.5	0 -	41
IX			6.2	10.7	7.9	7.3		3.1	19.5	13	- 4.6	19	0 -	0 -	9s 2.9	16s 3.0	3 2.7	8s 2.2	9s 2.7	0 -	43
X			2.5	4.9	3.1	3.1		- 0.5	12.9	3	-13.0	12	0s 2.0	1s 2.0	15s 2.4	6 2.1	7 2.5	22s 2.6	18 3.0	2 2.0	20
XI			- 0.1	1.4	- 0.3	0.2		- 2.6	8.7	1	-10.6	10	0 -	1s 2.3	17 2.6	11 1.7	4s 2.2	17s 2.1	8 2.6	0s 3.0	30
XII			- 4.9	- 4.5	- 5.5	- 5.1		- 9.2	5.9	2	-22.3	24	0s 3.0	5s 3.4	20 3.1	22 2.8	7s 2.9	5 2.9	8 2.7	4s 3.3	20
1945			3.0	6.0	4.3	3.4		- 1.3	32.5		-29.8		1 2.5	9 2.8	107s 2.5	181s 2.5	55 2.3	150s 2.4	145s 2.6	25 2.8	420

Ytterøy

φ = 63° 48′ N λ = 11° 13′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dles	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 5.4	- 5.2	- 5.0	- 5.3		- 7.3	4.3	13	-13.0	21	11s 2.6	17 2.4	33 2.9	4 3.1	3 3.0	13s 2.7	4s 4.2	5s 3.4	1
II			- 1.4	0.3	- 0.1	- 0.6		- 2.6	6.2	24	-14.2	2	8s 1.3	7 1.9	23s 2.2	6 3.3	12s 2.3	21 3.4	1s 3.7	0 -	4
III			0.7	3.3	2.6	1.9		- 0.4	10.2	24	- 3.8	19	11s 2.1	10s 1.1	4s 2.2	2 1.8	8 2.2	27s 2.9	16s 2.9	6s 2.9	6
IV			3.5	6.0	5.6	4.3		1.7	9.3	29	- 2.1	15	9s 2.0	15 1.8	4 1.6	6 2.6	7s 2.6	23s 2.9	11s 4.2	9 2.0	4
V			7.3	10.4	9.6	7.9		4.4	18.4	29	- 0.2	9	18s 2.9	13 2.5	18 2.4	3s 2.3	7s 2.0	13 3.0	6s 3.6	13 2.7	0
VI			12.1	15.2	14.9	12.7		8.9	27.1	22	3.5	5	20s 2.5	10s 3.2	4s 2.1	4 2.8	7s 2.5	14s 3.1	20 3.6	8s 2.7	0
VII			14.9	18.9	19.0	16.3		12.5	34.4	16	6.4	4	30s 2.3	16 2.0	6 2.2	2 2.2	11s 2.0	13 2.1	7s 3.3	4s 3.0	2
VIII			13.9	17.0	16.1	14.7		11.9	25.0	7	4.8	29	12s 1.7	10 2.0	10 2.7	1s 2.3	6 2.8	26s 2.7	14s 3.1	12 2.4	0
IX			8.4	11.2	9.9	9.3		7.0	19.0	13	3.0	19	16 1.9	14 ·2.2	15s 2.5	3s 1.9	5s 3.2	20 3.2	6s 3.8	7 2.9	2
X			4.4	5.7	5.2	4.9		3.3	13.0	2	- 1.2	25	10 1.8	5s 2.1	10 3.3	3 2.0	7 2.2	32 3.1	15 2.8	6s 2.0	4
XI			2.1	2.6	2.3	2.2		0.3	9.0	1	- 5.2	10	5 1.8	7s 2.3	12s 2.7	1s 1.7	14s 2.4	30 2.9	3 3.7	3 3.5	13
XII			- 1.8	- 1.6	- 1.7	- 1.8		- 3.8	6.8	2	-13.0	24	10 1.8	5s 3.8	24 3.3	10s 2.6	16s 3.4	7s 2.8	7 4.2	7 3.3	5
1945			4.9	7.0	6.5	5.5		3.0	34.4		-14.2		164 2.2	131s 2.2	165s 2.7	47s 2.5	107 2.6	242 3.0	114 3.4	82s 2.7	41

1945

Selbu

H_s = 197 H_b = h_t = 2.0 h_a = h_d = h_r = 1.4

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T: Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R: R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F: F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	82	80	83	83	6.6	6.7	5.3	70	17	2	31		23		14	11	2	3	0	0	3	13	2	0	0	1	0	0	1	0	5	5	13	31
II	76	66	77	75	7.5	6.7	7.0	36	11	28	21		4		14	8	1	8	0	0	6	9	1	1	0	1	0	0	0	0	5	1	12	28
III	87	77	83	84	8.2	7.9	8.0	208	59	10	18		0		25	20	5	1	0	0	19	16	7	1	0	2	0	0	0	0	10	3	21	31
IV	81	66	72	78	8.1	7.5	7.9	91	18	20	10		0		21	15	3	1	0	0	17	8	3	1	0	2	0	0	0	1	11	1	18	13
V	73	55	59	69	7.9	7.4	7.1	57	14	15	5		0		16	8	2	1	0	0	15	1	0	0	0	1	0	0	0	0	21	2	18	0
VI	73	59	65	73	6.7	6.7	7.1	127	37	10	0		0		19	14	4	2	0	0	19	0	0	3	0	0	0	4	0	0	16	5	16	0
VII	79	59	62	74	7.1	6.8	6.3	85	46	22	0		0		20	9	2	0	0	0	20	0	0	2	0	0	0	1	1	0	21	3	12	0
VIII	86	69	76	82	7.7	7.6	8.0	69	15	25	0		0		21	12	1	0	0	0	21	0	0	5	0	0	0	1	0	0	17	3	20	0
IX	85	68	78	80	7.5	7.7	7.6	64	12	30	2		0		18	15	1	4	0	0	18	0	0	1	0	0	0	0	0	1	12	3	18	0
X	90	84	88	88	8.4	8.5	8.7	165	24	11	9		0		25	19	5	0	0	0	23	4	2	2	0	0	0	0	0	0	6	1	22	5
XI	88	83	86	87	7.7	7.0	7.9	63	17	27	21		1		20	13	1	0	0	0	17	7	4	5	0	0	0	0	0	4	5	3	16	5
XII	82	78	79	80	6.3	7.0	5.8	61	10	12	27		6		13	9	1	9	2	1	3	10	0	1	0	1	0	0	0	1	0	7	14	31
1945	82	70	76	79	7.5	7.3	7.2	1096	59		144		34		226	153	28	29	2	1	181	68	19	22	0	8	0	6	2	7	129	37	200	144

Berkåk

H_s = 425 H_b = h_t = 1.8 h_a = h_d = 10.2 h_r = 1.8

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	85	79	84	84	6.4	6.3	4.8	58	11	3	31		25		13	10	2	2	0	0	2	13	2	0	0	0	0	0	0	0	14	5	11	31
II	79	67	78	77	7.1	6.7	6.0	48	27	28	28		8		12	7	1	1	0	0	2	11	0	0	0	0	0	0	0	0	15	0	11	28
III	84	70	84	82	8.1	7.4	7.6	150	30	10	24		2		19	16	4	2	1	0	7	16	4	0	0	0	0	0	10	0	14	2	20	31
IV	79	59	73	77	7.7	7.0	6.9	44	12	20	18		1		16	12	1	0	0	0	10	8	2	0	0	0	0	0	3	0	18	2	15	28
V	71	55	62	70	7.1	7.0	7.1	40	10	15	9		0		11	8	1	0	0	0	9	4	2	0	0	0	0	0	2	3	21	3	12	0
VI	75	59	66	75	6.7	6.9	7.4	69	10	16	0		0		18	12	2	0	0	0	18	2	2	0	0	0	0	5	4	0	23	3	12	0
VII	77	59	68	77	6.6	7.1	7.5	71	31	22	0		0		17	11	2	0	0	0	17	0	0	2	0	0	0	0	1	2	22	2	15	0
VIII	88	66	78	85	7.5	7.4	7.5	99	34	12	0		0		22	13	2	0	0	0	22	0	0	5	0	0	0	4	3	4	21	2	15	0
IX	90	68	81	83	7.3	7.6	7.4	36	8	25	5		0		16	12	0	1	0	0	16	0	0	1	0	0	0	0	0	0	17	3	16	0
X	91	78	86	86	8.0	8.4	8.1	75	11	15	11		0		21	16	1	1	0	0	20	7	6	2	0	0	0	0	7	0	12	2	19	3
XI	83	74	82	82	6.1	6.5	6.2	55	16	27	26		0		12	6	2	0	0	0	6	7	0	0	0	0	0	0	4	1	11	5	12	4
XII	83	81	82	82	5.9	6.6	5.9	109	29	15	27		14		10	10	5	5	0	0	1	9	0	0	0	0	0	0	0	0	0	6	10	31
1945	82	68	77	80	7.0	7.1	6.8	854	34		179		50		187	133	23	12	1	0	130	77	18	10	0	0	0	9	34	10	188	35	168	156

Meråker

H_s = 247 H_b = h_t = 2.0 h_a = h_d = 9.5 h_r = 1.4

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	79	74	79	78	6.1	6.6	5.0	59	10	2	31		22		14	9	0	6	0	0	4	13	1	0	0	0	0	0	3	0	16	4	7	31
II	74	64	73	72	6.2	7.5	7.0	34	10	28	24		5		12	9	0	14	1	0	5	9	0	0	0	0	0	0	1	2	15	3	11	28
III	83	71	80	81	7.9	8.0	7.6	194	29	11	21		1		27	26	6	6	0	0	16	22	9	0	0	0	0	0	9	2	14	3	19	29
IV	78	67	75	78	7.9	7.5	7.6	101	13	2	15		0		21	16	5	2	0	0	15	8	0	0	0	0	0	0	4	2	18	1	16	6
V	68	55	62	69	7.3	7.2	7.1	46	11	19	6		0		14	11	1	0	0	0	14	1	1	0	0	0	0	0	7	3	18	0	12	0
VI	68	59	63	69	6.5	7.1	7.0	87	21	15	1		0		19	16	3	5	1	0	19	0	0	0	0	0	0	1	10	1	21	4	14	0
VII	73	58	62	70	7.3	7.3	7.0	40	15	22	0		0		11	9	1	1	0	0	11	0	0	2	0	0	0	0	9	3	21	1	14	0
VIII	82	66	73	79	7.9	8.0	7.5	67	23	18	0		0		22	15	1	0	0	0	22	0	0	3	0	0	0	2	12	3	18	2	17	0
IX	81	69	74	76	7.4	7.3	7.9	59	10	28	9		0		18	13	0	4	0	0	18	0	0	2	0	0	0	0	14	1	14	3	18	0
X	89	79	86	86	8.6	8.4	8.4	144	39	14	16		0		24	20	4	4	0	0	20	5	1	4	0	0	0	0	11	4	4	1	24	0
XI	90	82	88	88	7.6	7.3	7.1	99	20	7	25		2		20	15	4	4	0	0	15	11	1	1	0	0	0	0	4	10	7	4	16	5
XII	78	77	79	79	6.3	6.7	6.6	60	12	11	29		12		11	11	2	11	1	1	2	10	0	0	0	0	0	0	1	1	3	6	13	31
1945	79	68	74	77	7.2	7.4	7.2	990	39		177		42		213	170	27	57	3	1	161	79	13	12	0	0	0	3	85	32	169	32	191	130

Sulstua

H_s = 233 H_b = h_t = 1.9 h_a = h_d = h_r = 1.6

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.9	6.5	6.1	49	10	14	31		22		12	9	2	0	0	0	2	12	0	0	0	0	0	0	2	0	8	4	13	31
II					7.2	7.0	6.2	31	8	27	27		8		11	9	0	0	0	0	4	9	0	0	0	0	0	0	0	3	16	2	13	28
III					7.5	7.8	7.7	160	31	10	25		2		22	21	5	0	0	0	11	18	1	0	0	1	0	0	0	3	10	3	18	31
IV					8.1	7.3	7.8	99	15	2	19		2		19	16	2	0	0	0	13	12	3	0	0	1	0	0	3	5	16	2	20	23
V					7.6	6.5	6.3	69	16	19	13		0		15	11	2	0	0	0	14	4	2	0	0	1	0	0	3	1	19	4	16	0
VI					6.4	7.0	6.5	74	26	15	1		0		18	12	2	0	0	0	18	0	0	0	0	1	0	3	0	8	15	5	14	0
VII					5.6	6.6	6.1	76	36	22	1		0		11	9	2	0	0	0	11	0	0	0	0	0	0	1	4	8	21	6	12	0
VIII					7.1	7.2	7.4	88	21	18	0		0		20	17	1	0	0	0	20	0	0	1	0	0	0	1	6	13	16	3	17	0
IX					7.0	7.1	7.8	74	16	6	7		0		15	12	1	1	0	0	15	0	0	0	0	0	0	0	7	12	14	3	14	0
X					8.5	8.4	8.4	185	35	14	13		2		26	21	7	2	0	0	21	7	3	5	0	0	0	0	4	4	8	1	23	7
XI					8.4	7.9	7.4	100	18	7	22		1		23	14	4	1	0	0	15	12	4	2	0	1	0	1	0	5	7	2	17	10
XII					6.6	6.6	6.0	49	9	12	28		12		16	11	0	8	0	0	4	13	1	0	0	0	0	0	1	1	0	6	13	31
1945					7.3	7.2	7.0	1055	36		187		49		208	162	28	12	0	0	148	87	14	8	0	5	0	6	30	63	150	41	190	161

Ytterøy

H_s = 74 H_b = h_t = 1.9 h_a = h_d = 9.5 h_r = 1.5

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	82	82	83	6.0	6.3	5.2	50	20	2	30		8		12	10	1	8	0	0	3	11	1	0	0	1	0	0	0	1	15	4	7	31
II	84	78	80	82	6.4	7.9	6.4	57	10	21	20		3		12	10	0	7	2	1	7	8	2	0	0	0	0	0	0	4	11	4	12	28
III	89	81	83	85	7.3	7.3	6.8	141	17	1	21		0		23	19	6	6	1	0	12	16	3	0	0	1	0	0	0	5	15	3	13	22
IV	84	73	71	78	7.0	7.2	7.4	75	14	12	8		0		19	13	2	5	0	0	17	5	2	1	0	1	0	0	1	0	19	3	16	3
V	76	63	61	70	7.2	7.1	6.7	42	17	15	1		0		16	10	1	2	0	0	16	0	0	0	0	0	0	0	0	0	24	0	15	0
VI	74	64	65	72	5.6	5.9	5.9	70	30	26	0		0		18	11	2	5	1	0	18	0	0	0	0	0	0	1	1	0	29	8	12	0
VII	82	64	60	72	6.4	6.2	5.8	63	29	22	0		0		13	7	2	3	0	0	13	0	0	1	0	0	0	1	1	1	24	9	12	0
VIII	86	73	72	80	7.1	7.4	7.2	67	33	18	0		0		19	10	1	2	0	0	19	0	0	0	0	0	0	0	0	0	21	3	18	0
IX	86	73	77	81	7.4	7.1	7.6	28	4	8	0		0		17	9	0	4	0	0	17	0	0	1	0	0	0	0	1	3	25	0	18	0
X	87	82	85	85	8.2	8.0	7.0	71	14	14	5		0		26	16	1	3	0	0	25	3	1	3	0	0	0	0	1	0	10	1	19	0
XI	87	84	85	86	8.3	7.2	7.2	73	14	28	13		0		18	12	2	4	0	0	16	6	3	1	0	0	0	0	2	3	13	1	15	3
XII	90	79	79	80	5.2	6.8	4.9	66	15	10	26		2		15	13	1	11	2	1	4	12	0	0	0	0	0	0	0	1	8	9	11	29
1945	83	75	75	80	6.8	7.0	6.5	803	33		124		13		208	140	19	60	6	2	167	61	12	7	0	3	0	2	7	18	214	45	168	116

1945

Kjevli i Snåsa

φ = 64° 10′ N λ = 12° 29′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 9.6	- 8.8	-10.4	- 9.8		-15.9	3.3	13	-32.8	21	0.5	2.0	19	2.5	21	2.8	3.5	3.3	3	2.5	1	4.0	17.5	2.7	6.5	2.0	21
II			- 4.8	- 0.7	- 2.8	- 3.1		- 6.7	5.8	19	-34.0	2	1	2.5	12	2.9	26	3.2	3.5	2.7	3	2.7	2.5	2.4	17.5	2.6	10.5	2.1	8
III			- 1.0	3.1	0.3	0.3		- 3.9	12.7	26	-15.6	19	1	1.5	18.5	1.6	5.5	1.9	0.5	1.0	3	2.3	7	2.5	39.5	2.5	11	1.7	7
IV			1.6	5.5	3.4	2.5		- 1.5	12.6	15	-10.6	15	1.5	1.7	18	2.0	8	3.3	3	2.8	2.5	2.0	7.5	2.9	29	3.1	4.5	2.3	16
V			7.2	10.0	9.0	7.0		2.0	17.7	29	- 5.7	9	2.5	2.4	12.5	1.9	23.5	2.2	5	3.1	5.5	2.5	7.5	2.1	27.5	2.3	9	2.7	0
VI			11.7	15.1	13.9	11.6		6.0	27.1	22	- 1.5	6	3	1.7	6.5	1.8	9	2.3	4	2.6	6	2.4	10	2.4	34.5	2.9	11	2.3	6
VII			15.5	19.0	18.2	15.4		9.0	33.4	16	- 1.9	4	1.5	1.7	12	1.9	11.5	2.2	1	2.0	5.5	2.6	9	2.3	29	2.4	11.5	2.2	12
VIII			13.4	17.3	15.6	13.9		9.9	26.8	13	3.8	22	0	-	4	1.9	20.5	2.1	6.5	2.6	1	4.0	7	1.9	36	2.6	12	2.3	6
IX			7.2	10.8	8.1	7.8		3.7	21.1	13	- 4.1	22	2.5	2.0	9.5	3.0	21	3.0	7	3.1	5	3.7	5	3.2	25.5	2.7	5.5	2.0	9
X			2.7	4.6	3.1	3.2		0.7	11.7	2	- 8.0	30	0.5	2.0	12.5	2.3	9.5	2.8	2	2.5	1	3.0	17.5	2.7	34	2.5	10	2.4	6
XI			0.7	1.8	0.8	0.9		- 1.5	7.0	1	- 7.8	10	1.5	1.3	9.5	2.4	15	2.7	0.5	2.0	0	-	4	1.6	41.5	2.4	10	1.8	8
XII			- 5.0	- 4.3	- 4.5	- 4.7		- 8.8	4.6	2	-19.5	30	0.5	1.0	25.5	2.8	28.5	3.2	6.5	4.4	1	2.0	2	2.0	26	2.3	0	-	3
1945			3.3	6.1	4.6	3.8		- 0.6	33.4		-34.0		16	1.8	159.5	2.3	199	2.8	43	3.0	36.5	2.7	80	2.5	357.5	2.6	101.5	2.0	102

Nordli

φ = 64° 28′ N λ = 13° 36′ E g = 9.821 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	T_m 8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I	959.6	1010.0	-12.2	-11.8	-12.6	-12.4		-17.3	0.5	13	-33.5	31	0	-	15	3.6	19	2.6	0	-	0	-	1	2.0	15.5	2.9	0.5	2.0	42
II	59.4	09.2	- 6.8	- 5.0	- 6.1	- 6.3		- 9.9	2.3	25	-35.0	1	0	-	3	2.7	28	2.6	4	2.5	1	1.0	3	2.5	15	3.0	1	3.0	29
III	61.9	11.5	- 3.8	1.1	- 2.8	- 2.5		- 8.6	9.9	26	-30.2	8	0	-	0	-	6	2.0	1	2.0	0	-	1	2.0	46	2.5	0	-	39
IV	61.9	11.1	0.6	3.6	0.6	0.3		- 5.1	8.7	4	-16.8	14	0	-	0	-	15.5	3.1	1.5	2.3	0	-	7	1.7	31	3.1	1	3.0	34
V																													
VI																													
VII																													
VIII																													
IX																													
X																													
XI																													
XII																													

Nordøyan

φ = 64° 48′ N λ = 10° 33′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	T_m 8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 1.8	- 1.7	- 1.6	- 1.7	0.1	- 3.1	6.1	1	- 6.7	26	2	4.5	2.5	3.2	13.5	4.7	40.5	4.8	7.5	4.3	9.5	6.2	7.5	5.5	10	4.6	0
II			1.4	1.7	1.8	1.5	3.1	0.0	6.5	18	- 6.5	1	0	-	0	-	4.5	5.1	27.5	5.0	24.5	4.3	15.5	6.0	8	6.4	4	4.5	0
III			3.0	3.6	3.1	3.0	4.8	1.3	9.5	26	- 1.8	18	8	4.8	3	2.3	6	3.2	8	3.9	4.5	3.2	25	4.3	14	4.5	23.5	4.2	1
IV			4.3	5.3	5.0	4.6	6.3	3.2	9.2	29	- 0.6	11	10	3.0	9.5	2.6	10.5	3.7	9	4.3	4	4.1	19	4.5	11.5	4.4	15.5	4.3	1
V			7.0	8.3	7.5	7.1	9.6	5.5	16.1	29	2.5	8	18.5	3.7	18	3.7	17.5	3.8	9	3.4	4.5	3.0	8	3.9	7.5	4.3	9	3.1	1
VI			9.7	10.7	10.1	9.6	12.4	7.7	21.3	24	3.0	5	15	3.0	23	3.4	5.5	3.3	5	3.9	1	2.0	14	3.2	8.5	3.6	13	4.1	5
VII			13.1	14.8	14.3	13.5	16.8	11.5	25.7	16	7.3	4	15.5	2.6	20	3.5	9.5	3.1	4.5	2.9	1	4.0	16	3.3	10.5	3.2	16	2.7	0
VIII			13.2	14.4	13.6	13.3	15.7	11.9	24.0	7	7.6	31	10	3.8	15.5	3.5	9	3.4	7.5	3.5	3	2.2	13	4.3	10	3.5	24	3.3	1
IX			9.6	10.7	10.2	9.9	11.8	8.5	16.9	13	5.0	26	4.5	3.0	4.5	2.9	17	4.0	18.5	4.3	4	4.8	12	4.7	8	4.3	20.5	3.4	1
X			6.2	6.6	6.1	6.2	7.8	4.2	11.8	3	1.0	30	8.5	3.8	1.5	2.0	11.5	4.6	11.5	4.4	6	3.3	14	5.1	18	5.1	21	4.4	1
XI			5.4	5.6	5.7	5.5	7.0	3.9	9.6	1	- 1.8	10	1.5	2.7	2	1.8	9	4.0	12	4.1	8	4.2	17	4.9	25.5	4.9	14	4.5	1
XII			1.2	1.3	1.2	1.2	2.9	- 0.7	7.8	3	- 8.4	24	2.5	4.8	2	3.8	15	4.5	30	5.8	16	5.4	8	5.3	6.5	5.8	13	6.4	0
1945			6.0	6.8	6.4	6.1	8.2	4.5	25.7		- 8.4		96	3.4	101.5	3.7	128.5	4.0	183	4.6	84	4.2	171	4.6	135.5	4.6	183.5	4.0	12

Leka

φ = 65° 6′ N λ = 11° 42′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	T_m 8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 4.2	- 3.8	- 4.5	- 4.3		- 7.5	5.2	13	-13.5	31	6.5	5.8	1.5	2.3	2	2.5	35	2.8	15.5	2.4	18	3.9	2.5	5.2	4	4.6	8
II			0.2	1.0	0.6	0.5		- 1.8	5.0	24	-13.1	1	0	-	0	-	0	-	28	2.9	22.5	3.1	21	4.6	3	5.8	4.5	6.6	5
III			2.2	3.6	2.2	2.4		- 0.5	15.4	26	- 7.4	17	16.5	3.4	0	-	0	-	5.5	2.1	4.5	3.0	31	3.7	11.5	3.9	19	3.3	5
IV			4.2	5.4	4.6	4.2		2.1	8.2	18	- 2.6	15	22	2.9	3	2.0	2	2.2	12	3.3	1	3.5	23	3.5	6.5	4.8	16.5	4.4	4
V			8.3	9.5	8.1	7.6		4.4	18.0	30	- 0.7	25	30	3.3	16	2.8	3	2.3	19.5	2.5	2.5	2.2	8.5	2.8	2.5	4.4	8	3.1	3
VI			10.8	12.1	10.9	10.4		7.6	24.4	24	3.1	5	31.5	3.0	14	2.4	2	1.5	7	2.6	5	2.0	9	2.8	7.5	3.4	12	2.2	2
VII			13.9	15.7	14.8	13.8		10.6	25.9	20	6.0	3	26	2.5	15	2.6	1.5	2.0	6	2.0	1	5.0	10	2.6	4	2.2	19.5	2.0	10
VIII			13.7	15.2	14.2	13.7		11.6	23.5	7	6.8	22	22.5	2.6	13	2.0	1	2.0	8	2.4	0.5	2.0	15.5	3.6	6	4.2	13.5	3.0	13
IX			9.3	11.2	8.8	9.2		6.0	20.1	13	- 0.2	26	16	3.1	6	2.3	3	2.2	19	3.2	8.5	3.2	14	3.2	3	4.0	7.5	2.8	13
X			4.6	5.9	4.7	4.9		2.5	11.4	2	- 4.7	31	19	3.9	2	1.8	1	2.5	15.5	1.9	1	3.0	30	3.7	9	4.0	11.5	3.7	4
XI			4.0	4.6	4.0	4.1		1.8	8.8	1	- 3.4	9	4.5	4.2	0	-	0.5	2.0	11	2.8	4	3.9	34	2.9	15.5	3.7	10.5	3.7	10
XII			- 1.1	- 1.0	- 1.1	- 1.1		- 3.2	6.3	3	-10.4	26	4	6.8	0	-	0.5	2.0	32	3.9	13.5	3.8	19	3.5	0	-	10	6.7	14
1945			5.5	6.6	5.6	5.4		2.8	25.9		-13.5		198.5	3.2	70.5	2.4	16.5	2.2	198.5	2.9	79.5	3.1	233	3.5	71	4.0	136.5	3.5	91

Majavatn

φ = 65° 13′ N λ = 13° 22′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	T_m 8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			-10.3	- 9.8	-11.1	-10.5		-14.0	- 1.4	13	-24.9	30	8	2.5	12	2.5	3.5	2.0	31	3.8	7	3.6	1.5	1.7	5.5	3.9	8.5	3.0	16
II			- 4.8	- 2.9	- 3.9	- 4.1		- 6.8	4.1	19	-22.8	1	1.5	1.7	0	-	4	2.5	32	4.5	24	4.2	3	3.5	8.5	4.2	5	3.7	6
III			- 3.0	0.5	- 1.4	- 1.7		- 5.2	10.7	26	-14.8	8	7.5	2.3	3.5	2.0	3	1.3	6.5	2.9	9.5	3.0	14	2.8	9.5	2.6	12.5	4.0	27
IV			- 0.3	3.1	2.2	0.9		- 2.1	6.7	22	-11.7	14	5	3.3	0.5	1.0	1	1.0	9	3.6	23	3.7	3	3.0	13.5	2.9	20	3.1	15
V			4.3	7.4	7.0	5.0		1.3	13.4	30	- 3.8	9	10.5	3.7	1.5	1.0	0	-	11	4.3	10	3.1	5.5	3.1	12	2.6	23.5	3.1	19
VI			9.4	13.1	12.7	10.2		5.5	23.6	23	- 2.2	6	8	3.1	0.5	3.0	2.5	2.2	8	3.7	5.5	3.6	7	3.1	24	3.2	20.5	3.3	14
VII			13.9	17.4	17.1	14.7		10.7	30.1	16	2.4	4	13.5	2.2	0.5	1.0	1	1.0	5.5	3.5	14.5	3.0	4.5	2.6	13	2.4	27.5	2.4	13
VIII			12.3	15.7	14.8	13.3		10.3	25.2	13	5.2	31	7	2.1	0	-	0	-	9	2.7	13	3.0	4.5	3.3	14	3.0	25.5	2.3	20
IX			5.7	9.1	7.8	6.9		4.2	17.7	13	- 0.2	19	4.5	2.2	2.5	1.5	1.5	1.3	25	3.9	19	3.4	2	4.5	5	2.3	19.5	2.2	11
X			0.7	2.5	1.3	1.3		- 1.1	11.2	2	- 7.8	30	9	2.5	1.5	1.0	4	1.2	17	2.6	24	3.2	1	2.0	4	3.2	13.5	2.6	19
XI			- 0.4	0.4	- 0.3	0.0		- 2.2	5.5	1	-10.0	9	6.5	2.2	1	2.0	4.5	1.9	11	3.3	18.5	3.6	7.5	2.9	8.5	3.3	8.5	2.6	24
XII			- 7.0	- 6.8	- 6.8	- 7.0		- 9.9	3.5	3	-24.0	30	7.5	1.6	1.5	1.3	4	1.0	37.5	4.5	17	3.4	4	2.5	2	5.8	7.5	4.6	12
1945			1.7	4.1	3.3	3.2		- 0.8	30.1		-24.9		88.5	2.5	25	2.0	29	1.6	202.5	3.8	185	3.5	57.5	2.9	119.5	3.1	192	2.9	196

1945

Kjevli i Snåsa

H_s = 195 H_b = h_t = 2.0 h_a = h_d = 11.0 h_r = 1.5

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.2	5.8	5.8	67	15	14	31		17		16	10	3	0	0	0	2	16	0	0	0	0	0	0	11	0	11	5	13	31
II					6.1	6.7	6.4	57	11	27	24		5		14	10	1	2	0	0	7	11	1	0	0	0	0	0	7	1	19	2	10	28
III					7.1	7.4	7.3	118	17	10	25		2		24	18	2	0	0	0	13	21	5	0	0	0	0	0	20	1	14	3	16	31
IV					7.4	7.3	7.5	87	11	11	15		1		23	18	1	1	0	0	19	10	5	0	0	0	0	0	18	1	18	4	18	13
V					6.0	5.6	5.7	56	19	15	8		0		15	9	2	1	0	0	14	1	1	0	0	1	0	0	12	0	22	7	13	0
VI					5.4	6.2	5.9	48	21	15	3		0		19	12	1	0	0	0	19	0	0	0	0	0	0	4	13	0	24	5	8	0
VII					6.4	6.4	4.9	65	10	26	1		0		13	10	2	1	1	1	13	0	0	1	0	0	0	1	6	1	22	6	10	0
VIII					6.9	6.7	7.2	60	11	27	0		0		19	14	1	1	0	0	19	0	0	2	0	0	0	2	17	0	17	3	14	0
IX					6.3	6.8	6.9	37	7	1	5		0		20	10	0	2	0	0	20	0	0	0	0	0	0	0	15	3	19	5	15	0
X					8.1	7.9	8.0	155	20	15	12		0		26	23	5	0	0	0	26	8	8	0	0	0	0	0	24	0	13	2	21	7
XI					8.0	7.8	8.4	95	18	29	17		0		22	13	3	0	0	0	19	10	4	2	0	0	0	0	21	4	8	2	21	5
XII					6.0	6.6	6.2	96	21	15	29		11		14	12	4	4	0	0	3	12	0	0	0	0	0	0	16	0	0	8	15	31
1945					6.7	6.8	6.7	941	21		170		36		225	159	25	12	1	1	174	89	24	5	0	1	0	7	180	11	187	52	174	146

Nordli

H_s = 401 H_b = 402.2 h_t = 1.9 h_a = h_d = 10.1 h_r = 1.4

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					7.9	7.7	6.4	65	13	18	31		22		15	12	2	4	0	0	1	15	0	0	0	0	0	0	0	1	3	3	16	31
II					8.2	7.5	8.7	59	9	28	28		7		17	11	0	3	0	0	2	17	1	1	0	0	0	0	0	0	5	1	18	28
III					6.7	6.6	7.1	103	19	11	30		10		24	18	3	0	0	0	7	21	1	0	0	0	0	0	0	1	13	3	15	31
IV					7.5	8.0	7.7	88	11	2	24		5		23	16	3	6	1	1	13	14	0	0	0	0	0	0	0	0	8	4	22	30
V																																		
VI																																		
VII																																		
VIII																																		
IX																																		
X																																		
XI																																		
XII																																		

Nordøyan

H_s = 33 H_b = h_t = 2.0 h_a = 14.3 h_d = 13 h_r = 1.6

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	72	73	72	73	5.4	6.5	4.7	44	11	17	27	17	0	0	15	11	1	18	6	3	6	13	4	1	0	6	0	0	3	0	12	6	9	27
II	72	71	72	72	6.3	8.1	8.0	66	15	19	12	2	0	0	17	11	3	20	8	6	11	9	3	4	1	3	0	1	6	1	12	2	12	10
III	81	78	81	81	8.3	7.0	7.8	75	19	1	12	0	0	0	26	19	1	16	3	0	21	18	13	2	3	5	0	0	6	4	19	1	15	14
IV	76	75	77	77	8.1	6.8	8.0	52	10	25	1	0	0	0	22	12	0	10	1	0	19	6	2	6	0	2	0	1	2	1	21	1	16	0
V	71	66	70	69	7.0	6.4	6.4	32	13	15	0	0	0	0	9	6	2	4	0	0	9	0	0	2	0	0	0	0	2	0	29	5	12	0
VI	79	75	77	79	7.2	7.0	5.8	20	7	15	0	0	0	0	12	7	0	4	0	0	12	0	0	5	0	0	0	0	2	5	26	6	12	0
VII	78	73	73	76	7.4	5.8	6.4	42	16	30	0	0	0	1	12	7	2	6	0	0	12	0	0	3	0	0	0	0	0	4	28	3	13	0
VIII	78	74	76	77	8.4	7.2	8.0	57	10	28	0	0	0	0	16	13	1	2	1	1	16	0	0	7	0	0	0	0	4	2	22	2	19	0
IX	76	73	74	75	8.0	6.8	7.2	41	9	19	0	0	0	0	15	10	0	9	3	0	15	0	0	3	0	0	0	0	2	0	21	1	16	0
X	80	82	82	81	8.8	8.5	7.7	69	8	14	0	0	0	0	28	20	0	15	1	0	28	8	8	11	0	1	0	0	5	0	9	1	23	0
XI	81	82	82	82	8.8	8.0	7.4	60	15	26	2	1	0	0	24	15	2	14	4	2	24	5	4	6	0	0	0	0	6	2	7	2	18	0
XII	76	77	76	76	6.1	7.1	6.1	35	7	14	18	5	0	0	16	8	0	21	8	3	8	12	3	3	0	8	0	0	4	0	12	6	14	7
1945	77	75	76	76	7.5	7.1	7.0	593	19		72	25	0	1	212	139	12	139	35	15	181	71	37	53	4	25	0	2	42	19	218	36	179	58

Leka

H_s = 50 H_b = h_t = 2.1 h_a = h_d = h_r = 1.7

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.3	5.7	5.5	78	17	14	31		9		13	10	4	11	6	2	3	12	2	0	0	4	0	1	1	0	19	4	10	
II					6.9	7.4	7.0	111	29	19	22		1		13	12	4	10	4	2	11	9	5	1	0	3	0	1	1	0	20	2	9	
III					7.8	7.1	7.6	166	20	11	17		0		25	23	9	13	4	1	15	18	5	1	0	3	0	0	8	1	20	0	16	
IV					8.2	7.8	7.6	125	17	9	6		0		23	15	4	8	6	2	21	5	3	4	0	3	0	0	3	0	24	1	17	
V					6.9	6.5	6.1	57	16	15	1		0		14	8	2	2	1	1	13	3	0	0	0	4	0	0	0	0	31	4	11	
VI					7.1	6.7	6.2	79	42	15	0		0		11	10	2	2	0	0	11	1	1	5	0	0	0	0	4	1	29	4	12	
VII					6.9	6.8	7.2	90	30	26	0		0		11	7	4	3	0	0	11	0	0	2	0	0	0	2	2	4	27	2	14	
VIII					8.6	7.7	7.9	97	25	3	0		0		21	15	4	3	1	1	21	0	0	7	0	0	0	2	7	2	26	2	18	
IX					7.1	7.0	7.5	86	28	17	1		0		18	11	3	5	2	0	18	0	0	0	0	0	0	0	4	0	29	2	16	
X					8.4	7.9	8.0	256	26	4	11		0		27	25	10	11	3	0	27	9	8	2	0	0	0	0	9	0	15	0	22	
XI					8.8	8.3	8.3	181	40	26	8		0		24	20	5	9	2	2	23	5	4	4	0	0	0	0	8	1	8	2	24	
XII					6.6	6.8	6.9	63	11	15	23		4		18	13	1	13	6	4	6	14	2	2	0	2	0	1	1	0	14	5	15	
1945					7.4	7.1	7.2	1389	42		120		14		218	170	52	90	35	15	180	76	30	28	0	19	0	7	48	9	262	28	185	

Majavatn

H_s = 350 H_b = h_t = 2.0 h_a = h_d = h_r = 1.9

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.7	6.5	5.8	48	9	2	31		22		14	10	0	9	1	0	1	14	1	0	0	0	0	0	1	0	18	6	16	31
II					9.1	7.8	7.9	63	17	19	28		4		15	11	1	12	3	0	7	16	6	0	0	1	0	0	0	0	14	0	16	28
III					7.9	7.5	8.0	101	18	23	24		6		25	20	2	2	0	0	7	24	5	0	0	0	0	0	0	2	18	0	18	31
IV					8.5	8.3	7.7	117	18	8	19		1		23	15	6	5	1	0	17	19	12	1	0	0	0	0	0	2	17	2	21	30
V					6.2	5.5	5.4	43	12	11	9		0		11	9	1	2	0	0	11	4	4	0	0	0	0	0	1	0	26	7	11	15
VI					5.7	6.0	6.3	32	8	14	2		0		15	7	0	0	0	0	15	2	2	0	0	0	0	2	0	0	26	6	14	0
VII					6.6	6.7	6.8	87	23	10	0		0		15	8	4	0	0	0	15	0	0	0	0	0	0	2	1	0	22	2	13	0
VIII					8.5	7.6	7.4	63	11	28	0		0		21	13	1	1	0	0	21	0	0	0	0	0	0	3	1	2	21	2	19	0
IX					8.1	6.9	7.5	50	11	17	2		0		15	8	1	4	0	0	15	1	1	2	0	0	0	0	0	4	18	1	15	0
X					8.4	8.0	8.1	114	22	6	17		0		27	20	2	1	0	0	20	17	9	0	0	0	0	0	1	2	12	2	21	14
XI					8.9	9.0	8.0	97	23	23	21		1		22	14	3	5	1	0	15	13	4	1	0	0	0	0	0	5	7	1	20	4
XII					7.6	8.2	7.1	59	12	15	29		14		18	11	1	14	2	1	2	18	2	0	0	0	0	0	0	2	12	4	18	31
1945					7.7	7.3	7.2	874	23		182		48		222	146	22	55	8	1	146	128	46	4	0	1	0	7	5	19	211	33	202	184

1945

Brønnøysund

φ = 65° 28′ N λ = 12° 12′ E g = 9.823 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{a,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1006.9	1007.6	- 3.1	- 2.3	- 2.8	- 2.7	- 0.6	- 5.1	5.9	13	- 9.2	31	5	4.1	7	1.6	32	1.4	18	2.7	7	3.1	5	4.3	5	3.4	3	4.0	9
II	04.4	05.0	0.8	1.7	1.6	1.2	3.3	- 1.2	9.0	20	- 9.6	3	0	2.0	2	1.8	19	1.7	13	2.7	19	2.6	10	4.4	6	5.4	4	4.2	9
III	08.9	09.6	1.8	3.6	2.2	2.2	4.8	- 0.1	14.7	26	- 5.0	19	13	3.1	3	2.6	9	1.2	12	1.5	22	2.6	10	3.2	6	2.2	4	2.9	11
IV	09.2	09.8	4.4	5.4	5.1	4.5	6.7	2.5	10.5	29	- 2.9	13	21	2.4	7	1.9	9	1.9	7	3.0	16	2.3	12	3.3	5	3.4	7	3.2	3
V	11.6	12.2	8.1	9.2	8.8	7.9	11.0	5.2	18.6	30	0.1	9	35	3.0	13	2.4	10	1.9	6	3.0	9	1.9	8	2.8	4	2.6	3	2.9	2
VI	09.8	10.4	10.0	11.7	11.0	10.1	13.3	7.7	24.7	24	1.8	5	45	2.8	6	3.1	4	2.1	3	2.3	4	2.9	10	2.4	11	1.9	5	2.4	0
VII	12.6	13.3	14.5	15.2	14.8	14.0	17.5	11.5	27.9	17	4.6	4	34	2.7	18	1.7	2	1.2	2	1.0	8	2.1	7	2.1	9	2.2	6	2.0	5
VIII	09.0	09.7	13.8	15.2	14.7	14.0	16.7	12.1	25.2	7	7.8	31	36	2.5	11	1.9	4	1.6	3	2.0	11	1.7	12	2.9	4	2.7	5	2.4	5
IX	13.8	14.5	9.3	11.2	9.9	9.6	12.4	7.3	19.6	13	3.2	26	18	2.8	11	2.8	15	1.7	14	2.4	11	3.1	6	2.1	5	2.6	1	3.3	6
X	08.7	09.4	4.7	5.9	5.1	5.1	7.3	3.3	11.9	4	- 1.2	30	18	3.5	10	1.4	12	1.4	6	1.7	12	2.5	16	3.5	5	2.9	5	2.1	7
XI	14.6	15.3	4.1	4.8	4.1	4.3	6.3	2.5	10.4	1	- 2.6	9	4	3.4	4	1.2	12	1.6	10	2.6	18	2.6	14	3.1	11	3.4	3	3.5	12
XII	05.8	06.5	0.0	0.3	0.2	0.3	1.9	- 1.9	7.7	3	- 7.2	26	3	4.8	5	1.6	15	2.0	24	3.1	23	3.4	4	4.0	3	6.3	8	4.7	7
1945	1009.6	1010.3	5.7	6.8	6.2	5.9	8.4	3.6	27.9		- 9.6		235	2.9	100	2.0	148	1.6	120	2.5	161	2.6	117	3.2	78	3.0	57	3.1	76

Alstahaug

φ = 65° 54′ N λ = 12° 33′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{a,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 3.9	- 3.4	- 3.7	- 3.7		- 6.0	5.2	13	-11.0	30	6	5.4	5	4.8	43	4.4	15	4.5	5	3.0	6	3.7	4	3.6	7	3.6	0
II			0.1	0.8	0.7	0.3		- 2.5	6.0	22	-10.9	1	0	4.0	11	3.6	31	3.8	6	3.8	3	2.3	15	4.6	7	5.2	8	4.2	2
III			1.4	2.6	2.0	1.7		- 1.0	10.5	26	- 6.2	8	9	4.0	14	3.3	17	3.6	1	3.7	0	-	17	3.3	14	2.6	16	2.8	3
IV			4.2	5.5	4.8	4.5		2.0	9.8	29	- 3.0	13	7	2.7	12	2.1	21	3.3	5	3.6	1	1.0	20	3.7	5	3.3	16	3.7	2
V			8.1	10.3	8.6	7.9		4.6	18.0	29	1.2	9	20	3.1	20	2.0	22	3.0	8	3.7	0	-	3	3.3	3	3.3	9	3.6	6
VI			10.6	13.2	12.0	10.7		7.1	24.0	24	2.7	5	21	3.1	24	1.9	8	3.3	3	3.5	0	-	5	3.1	12	3.0	10	3.1	6
VII			15.1	17.2	16.3	15.2		11.9	29.0	16	5.1	4	6	2.5	20	2.2	18	2.1	2	2.8	1	1.3	13	2.2	10	1.8	10	2.4	11
VIII			13.8	16.4	15.3	14.2		11.2	26.3	7	7.1	31	9	3.4	13	2.5	24	2.3	2	2.2	0	-	7	3.4	7	3.1	18	3.2	11
IX			9.0	11.3	9.7	9.5		6.9	17.4	13	3.3	27	11	2.6	12	2.8	18	3.4	10	3.8	1	5.0	14	3.6	2	2.8	10	3.3	10
X			4.2	4.9	4.0	4.3		1.8	11.0	2	- 1.6	29	20	3.2	10	2.3	11	4.7	4	3.9	0	2.0	14	4.1	6	3.7	23	3.1	3
XI			3.6	4.0	3.6	3.6		1.0	8.7	1	- 4.5	9	5	3.4	10	2.4	21	4.0	8	4.8	2	2.8	19	4.3	12	3.0	7	2.0	4
XII			- 0.9	- 0.5	- 1.3	- 1.0		- 4.2	7.5	3	-16.9	18	4	4.5	3	3.0	34	4.5	17	5.1	10	3.3	8	4.6	4	4.1	11	6.8	1
1945			5.4	6.9	6.0	5.6		2.7	29.0		-16.9		121	3.3	154	2.5	270	3.6	84	4.2	25	2.9	144	3.7	89	3.1	147	3.5	59

Skålvær

φ = 65° 52′ N λ = 12° 11′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{a,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 2.4	- 1.7	- 2.0	- 2.0		- 4.0	5.3	13	- 7.6	27	4	4.8	1	2.7	46	3.5	12	3.0	8	3.5	10	4.3	5	3.8	6	3.7	0
II			0.9	1.5	1.2	1.1		- 0.6	6.8	22	- 5.6	1	0	-	0	-	20	2.9	20	3.0	16	3.5	17	4.2	6	4.2	3	4.0	0
III			1.7	3.0	2.2	2.1		0.3	9.0	26	- 4.5	8	9	3.4	4	3.3	18	2.3	6	2.2	13	2.5	20	2.5	10	2.0	10	2.6	0
IV			4.2	5.9	5.0	4.6		2.5	9.0	29	- 1.4	12	14	2.9	11	2.0	13	2.7	8	2.8	13	2.4	12	3.5	7	3.0	11	2.9	0
V			7.5	8.6	7.8	7.3		5.0	15.5	30	1.4	8	35	3.7	14	2.1	10	2.5	6	2.5	6	2.9	7	3.2	5	2.1	5	2.5	2
VI			10.2	11.6	10.3	10.0		7.7	21.5	24	2.2	6	35	3.3	9	2.6	5	2.4	5	1.8	2	1.6	10	2.7	12	2.1	11	1.8	0
VII			14.0	15.6	14.4	14.0		11.6	23.4	20	6.2	3	24	2.8	14	2.0	10	1.8	8	1.7	9	1.7	9	2.5	6	1.5	9	1.9	3
VIII			13.3	14.9	13.9	13.4		11.3	23.7	14	8.4	31	23	3.1	14	2.2	8	2.4	4	1.9	10	2.2	14	2.7	10	2.3	8	3.1	0
IX			9.2	10.7	9.6	9.4		7.6	15.1	11	4.3	29	13	3.1	10	1.4	24	2.8	11	2.6	8	2.7	13	3.7	2	1.5	6	2.5	1
X			4.8	5.7	5.3	5.2		3.4	11.0	2	- 0.8	30	19	3.6	6	2.3	18	3.1	4	2.9	4	2.8	19	2.9	10	2.8	10	2.8	0
XI			4.2	4.8	4.3	4.3		2.5	8.7	1	- 2.2	9	2	3.8	2	2.0	27	3.0	7	3.4	9	3.8	25	2.9	12	2.8	5	2.4	0
XII			0.1	0.5	0.3	0.3		- 1.4	6.8	3	- 6.0	17	3	4.7	3	2.3	32	3.4	13	3.3	20	4.0	5	5.3	3	4.5	12	4.9	0
1945			5.6	6.8	6.0	5.8		3.8	23.7		- 7.6		182	3.6	91	2.2	233	2.8	107	2.7	122	3.0	164	3.2	90	2.6	99	2.9	6

Ytteren i Rana

φ = 66° 21′ N λ = 14° 8′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{a,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 9.6	- 8.5	- 9.3	- 9.2		-13.4	5.4	13	-23.4	30	33	1.3	9	2.7	12	4.7	4	4.4	1	4.0	6	3.5	6	2.0	13	2.6	7
II			- 4.5	- 1.7	- 3.1	- 3.3		- 7.0	4.5	22	-21.2	1	18	1.2	4	3.0	4	4.7	5	5.1	2	3.5	8	3.6	8	2.4	18	2.0	15
III			- 2.9	1.2	- 0.6	- 1.3		- 5.7	9.0	24	-18.5	2	24	1.6	5	1.8	4	2.1	2	1.2	4	1.6	5	2.4	6	2.0	30	1.9	11
IV			2.4	5.0	3.0	2.7		- 0.9	11.0	29	-11.7	13	23	2.0	8	2.8	3	4.3	4	4.1	8	1.9	8	2.5	7	2.7	13	2.7	14
V			7.4	10.0	8.2	6.9		1.7	17.7	30	- 1.9	9	23	2.3	8	2.9	2	3.8	2	1.6	12	2.0	3	2.3	11	2.8	21	3.1	8
VI			11.7	15.0	13.4	11.6		5.9	25.3	24	- 1.7	5	13	2.7	2	2.4	2	2.0	5	2.0	23	1.6	12	2.9	4	2.9	23	2.9	4
VII			15.8	18.7	17.0	15.7		10.8	28.7	16	- 0.1	4	6	1.4	4	2.2	3	2.2	9	1.8	35	1.4	7	2.3	4	1.6	8	2.8	16
VIII			13.8	16.9	15.5	14.2		10.6	27.5	13	5.1	23	20	1.7	4	2.8	2	3.2	1	2.3	21	1.4	14	1.9	6	2.1	3	1.7	20
IX			6.9	10.9	7.6	7.7		3.5	16.0	14	- 3.3	30	15	1.1	2	2.0	3	3.6	8	3.5	14	1.2	5	1.6	7	2.8	11	2.1	22
X			0.6	3.2	1.0	1.3		- 2.1	11.5	3	- 9.8	28	16	1.3	2	2.6	1	1.0	2	1.2	9	2.2	13	2.4	4	2.2	20	2.3	24
XI			0.2	1.1	0.4	0.6		- 2.5	6.8	23	-13.2	10	17	1.3	4	3.9	7	3.3	2	4.4	9	1.7	12	2.2	6	2.0	15	1.6	15
XII			- 6.6	- 6.5	- 6.3	- 6.6		-10.0	3.8	6	-23.4	27	24	1.5	7	2.6	10	5.1	7	4.8	7	1.3	7	1.9	8	3.0	11	2.4	10
1945			2.9	5.4	3.9	3.4		- 0.8	28.7		-23.4		234	1.6	63	2.9	56	3.9	54	3.2	148	1.6	102	2.5	81	2.4	190	2.4	166

Tonnes i Helgeland

φ = 66° 31′ N λ = 13° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{a,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 2.3	- 2.0	- 2.3	- 2.2		- 4.2	6.2	13	- 8.3	30	4	6.0	2	4.5	34	3.7	24	3.6	4	3.3	7	5.6	2	4.6	5	4.8	9
II			1.0	1.7	1.2	1.2		- 0.8	6.8	20	- 6.0	3	0	-	0	-	22	3.6	16	3.5	21	4.1	13	5.4	7	5.4	1	4.5	3
III			1.5	3.3	2.1	2.0		- 0.2	12.9	26	- 4.8	8	8	2.9	8	3.1	9	3.4	8	2.6	16	2.8	19	3.4	4	3.1	9	2.7	11
IV			4.8	5.6	4.7	4.6		2.5	10.0	29	- 2.5	13	17	3.5	6	2.9	8	3.0	9	3.3	16	2.4	9	3.4	7	3.3	6	3.6	9
V			7.8	9.0	7.8	7.4		4.9	18.2	30	0.5	8	35	3.4	12	2.4	8	2.4	11	3.2	8	4.1	1	3.0	1	1.0	6	2.8	10
VI			10.9	12.1	10.9	10.4		7.4	22.6	24	2.5	5	32	3.0	19	3.1	3	2.9	0	2.0	4	1.8	11	2.0	1	1.3	6	1.9	11
VII			15.4	16.1	15.3	14.7		11.9	26.5	17	4.4	4	29	2.4	6	2.7	7	2.6	1	2.0	5	2.4	15	2.7	3	1.6	6	1.7	20
VIII			14.1	15.5	14.2	13.9		11.7	25.1	14	7.3	31	24	2.7	13	2.9	3	3.0	4	2.0	7	3.4	13	3.6	5	1.4	5	3.7	17
IX			9.4	10.8	9.4	9.5		7.5	17.8	13	3.4	26	8	2.0	7	1.9	14	2.1	12	2.9	9	2.9	9	2.6	1	1.3	7	2.5	21
X			4.2	5.0	4.4	4.3		2.2	11.0	2	- 2.5	29	19	3.9	7	2.7	11	2.4	2	3.0	3	2.9	21	4.2	5	2.4	7	3.4	16
XI			3.9	4.2	3.8	4.0		2.0	8.8	1	- 4.0	30	5	2.3	2	1.8	12	4.2	13	3.9	5	3.0	20	3.9	8	3.7	4	2.6	18
XII			0.1	0.3	0.2	0.2		- 2.5	7.2	3	- 8.0	18	6	3.8	2	2.0	21	3.5	26	4.9	9	3.2	10	4.5	5	5.4	6	5.5	6
1945			5.9	6.8	6.0	5.8		3.5	26.5		- 8.3		188	3.1	85	2.7	156	3.2	129	3.6	111	3.1	151	3.7	53	3.3	70	3.2	151

Årsoversikter

Annual Summaries)

1945

Brønnøysund

$H_s = 4$ $H_b = 5.3$ $h_t = 2.0$ $h_a =$ $h_d = 8.8$ $h_r = 1.5$

Måned	Midlere relativ fuktighet U_m 8	14	19	Diøgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Snø *	Sludd	Yr	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke
I	72	69	70	71	4.9	5.9	5.0	56	11	14	29	20	0	0	11	10	2	7	0	0	4	10	4	1	0	6	0	0	3	0	19	8	7	27
II	74	69	70	72	6.8	7.9	6.9	81	19	19	19	3	0	0	16	11	4	8	3	1	9	9	2	0	0	4	0	0	9	0	17	1	10	10
III	84	79	85	84	7.6	7.7	8.0	156	18	11	17	0	0	0	28	21	5	3	0	0	19	20	11	4	0	3	0	0	12	1	22	0	16	16
IV	76	75	80	78	8.1	7.8	7.9	102	15	8	6	0	0	0	23	17	4	2	0	0	22	6	5	5	0	3	0	0	4	0	25	1	21	0
V	72	70	73	73	6.3	5.7	5.7	46	13	11	0	0	0	0	13	9	1	0	0	0	13	1	1	0	0	2	0	0	5	0	30	5	11	0
VI	81	77	80	82	6.9	6.3	5.8	52	20	15	0	0	0	0	14	9	2	0	0	0	14	1	1	7	0	1	0	0	7	2	29	4	13	0
VII	79	78	81	80	7.2	6.8	7.3	61	20	10	0	0	0	2	11	7	2	1	0	0	11	0	0	3	0	0	0	1	2	4	24	3	17	0
VIII	88	85	85	87	8.0	7.2	7.3	88	18	3	0	0	0	2	16	10	4	1	1	0	16	0	0	6	0	0	0	1	5	2	27	3	18	0
IX	80	71	77	77	7.1	7.0	6.5	80	20	17	0	0	0	0	16	12	2	3	0	0	16	0	0	0	0	0	0	0	4	0	26	1	14	0
X	86	81	82	84	7.3	7.8	7.0	229	37	4	7	0	0	0	27	23	10	2	0	0	27	8	8	4	0	8	0	0	6	1	15	1	15	0
XI	84	82	87	86	7.9	8.0	7.8	158	33	26	6	0	0	0	21	18	6	5	1	0	20	4	3	2	1	2	0	0	8	1	9	2	18	1
XII	74	74	76	75	5.6	6.3	6.5	83	16	1	22	9	0	0	20	15	2	8	3	1	9	15	4	0	0	3	0	0	0	0	13	6	10	10
1945	79	76	79	79	7.0	7.0	6.8	1192	37		106	32	0	4	216	162	44	40	8	2	180	74	39	32	1	32	0	2	65	11	256	35	170	64

Alstahaug

$H_s = 8$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.2$

I	76	73	74	75	4.5	4.5	4.5	57	19	13	31		2		11	9	2	10	6	2	4	10	2	0	0	4	0	0	0	6	14	10	8	30
II	75	73	77	76	6.2	6.8	6.8	68	19	21	21		1		11	11	3	9	3	2	9	6	3	0	0	1	0	0	17	0	14	3	11	11
III	84	80	84	83	7.3	6.7	8.0	146	27	11	19		0		27	20	5	10	0	0	17	18	5	0	0	1	0	0	14	9	16	2	17	21
IV	79	75	77	78	6.4	6.6	6.4	109	16	8	6		0		23	16	5	7	1	0	17	9	2	3	1	0	0	0	8	7	19	4	9	4
V	67	61	62	66	4.8	4.5	5.0	75	21	11	0		0		9	7	3	5	0	0	9	0	0	1	0	1	0	0	11	0	24	12	7	0
VI	69	61	68	72	5.9	5.4	4.6	62	14	15	0		0		13	8	3	3	0	0	13	0	0	3	0	1	0	0	10	10	25	7	7	0
VII	72	68	71	73	6.8	6.2	5.1	67	31	30	0		0		11	6	3	1	0	0	11	0	0	2	0	0	0	1	14	1	23	6	12	0
VIII	84	75	76	80	7.6	6.5	6.7	108	24	28	0		0		17	13	3	2	0	0	17	0	0	6	0	0	0	0	11	5	20	0	14	0
IX	75	66	72	72	5.7	5.8	5.8	98	20	5	0		0		16	12	3	4	0	0	16	0	0	1	0	0	0	0	15	0	25	5	8	0
X	82	81	84	83	8.1	7.5	8.1	385	81	3	10		0		26	25	10	11	1	0	23	7	4	1	0	0	0	0	19	5	14	2	21	6
XI	83	78	84	83	7.7	8.2	8.2	148	30	18	7		0		23	19	6	8	1	0	21	6	3	2	0	0	0	0	20	4	6	1	17	5
XII	76	76	79	77	5.7	6.0	6.5	72	13	11	24		3		18	13	3	9	3	1	7	13	0	0	0	1	0	1	17	0	0	8	12	24
1945	77	72	76	76	6.4	6.2	6.3	1395	81		118		6		205	159	49	79	15	5	164	69	19	19	1	9	0	2	156	47	200	60	143	101

Skålvær

$H_s = 4$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.7$

I					5.8	5.9	5.5	50	8	13	29		0		12	12	0	9	0	0	5	11	4	0	0	2	0	0	0	0	7	7	8	20
II					7.1	8.4	8.4	73	21	25	16		0		13	9	3	3	1	0	10	6	1	0	0	2	0	0	2	0	9	0	17	10
III					8.2	7.8	8.6	87	14	23	15		0		24	18	1	3	0	0	17	16	6	1	0	0	0	0	4	0	16	0	19	15
IV					8.1	8.0	8.0	80	11	17	3		0		22	18	2	3	0	0	18	6	1	4	0	0	0	0	5	0	19	2	19	2
V					6.0	5.9	6.2	50	10	11	0		0		11	7	1	1	0	0	11	1	0	3	0	0	0	0	5	0	23	5	13	0
VI					7.0	6.7	6.2	41	15	15	0		0		11	6	1	1	0	0	11	1	0	3	0	0	0	0	1	3	18	4	15	0
VII					7.4	7.2	7.5	48	21	10	0		0		9	7	1	0	0	0	9	0	0	6	0	0	0	1	0	5	16	3	17	0
VIII					7.9	7.4	7.8	67	16	28	0		0		15	12	2	1	1	1	15	0	0	9	0	0	0	0	8	0	20	2	17	0
IX					7.2	6.9	7.4	72	17	15	0		0		16	10	2	2	0	0	16	0	0	3	0	0	0	0	0	0	13	2	16	0
X					8.5	8.3	8.5	166	16	14	1		0		26	21	9	3	0	0	23	9	0	2	0	0	0	0	6	0	7	0	23	2
XI					8.5	8.4	8.5	107	19	8	5		0		22	18	3	6	1	0	21	5	4	8	0	0	0	0	4	0	5	1	22	2
XII					6.3	7.4	7.4	75	15	10	22		0		18	12	2	13	2	0	9	12	1	0	0	1	0	1	3	0	7	7	20	13
1945					7.3	7.4	7.5	916	21		91		0		199	150	27	45	5	1	165	67	17	39	0	5	0	2	38	8	160	33	206	64

Ytteren i Rana

$H_s = 20$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.6$

I					5.1	5.5	5.0	120	31	13	31		20		12	9	3	7	0	0	4	12	3	0	0	0	0	0	0	0	9	8	8	31
II					7.2	7.0	7.1	119	27	19	24		9		13	12	6	6	0	0	9	12	4	1	0	0	0	0	2	0	14	2	13	28
III					7.7	7.2	8.2	166	27	14	25		9		23	18	6	3	0	0	9	20	5	1	0	0	0	0	1	2	19	0	17	31
IV					6.9	7.6	7.5	101	18	8	12		1		20	14	5	4	0	0	16	7	1	4	0	1	0	0	1	2	21	1	15	29
V					5.5	5.3	5.5	60	23	11	8		0		9	8	1	3	0	0	9	1	1	0	0	0	0	0	0	0	24	6	8	0
VI					5.4	5.7	5.3	38	9	15	2		0		11	9	0	1	0	0	11	0	0	1	0	0	0	0	0	0	21	9	10	0
VII					6.2	6.5	6.3	82	21	10	0		0		14	8	4	1	0	0	14	0	0	1	0	0	0	4	1	1	24	6	12	0
VIII	79	71	73	77	7.4	7.3	6.8	63	14	29	0		0		17	11	3	1	0	0	17	0	0	6	0	0	0	0	2	0	23	1	16	0
IX	85	66	76	79	6.4	6.2	5.9	77	35	17	7		0		14	8	2	1	0	0	14	0	0	3	0	0	0	0	2	1	25	3	10	0
X	87	79	86	85	7.5	7.3	6.3	226	33	8	22		0		24	16	10	2	0	0	18	15	7	4	0	0	0	0	1	0	16	1	13	15
XI	86	86	84	85	8.0	8.1	7.4	152	25	25	22		3		21	15	7	3	0	0	17	9	2	0	0	0	0	0	2	1	5	1	20	8
XII	81	80	81	81	5.9	7.3	6.1	106	25	11	29		13		14	11	5	6	1	0	2	13	1	0	0	0	0	0	0	0	0	6	15	31
1945					6.6	6.8	6.4	1310	35		182		55		192	139	52	38	1	0	140	89	24	21	0	1	0	4	12	7	201	44	157	173

Tonnes i Helgeland

$H_s = 15$ $H_b =$ $h_t = 2.9$ $h_a =$ $h_d =$ $h_r = 2.0$

I					4.5	5.3	4.3	48	14	13	30		0		11	9	2	11	1	0	4	10	2	0	0	1	0	1	0	0	18	10	5	24
II					7.7	7.7	6.4	58	10	21	16		0		13	11	1	12	2	1	9	8	1	0	0	1	0	0	2	0	12	1	13	6
III					8.2	7.6	8.2	90	12	23	19		0		23	18	2	5	1	0	12	16	3	4	0	0	0	1	7	0	19	1	17	16
IV					7.9	7.8	8.4	89	10	7	5		0		24	17	3	5	0	0	20	8	3	3	1	0	0	0	5	0	21	0	19	2
V					5.7	5.9	5.6	37	12	12	0		0		11	8	1	0	0	0	10	2	0	3	1	0	0	0	2	0	26	7	10	0
VI					6.3	6.1	5.7	49	9	16	0		0		13	12	0	2	0	0	13	0	0	5	0	1	0	0	2	0	24	8	12	0
VII					7.5	6.9	7.2	81	16	23	0		0		13	8	4	2	0	0	13	0	0	5	0	0	0	1	5	3	22	3	15	0
VIII					7.9	7.0	7.3	81	27	3	0		0		22	12	4	3	1	0	22	0	0	4	0	0	0	1	2	0	25	2	16	0
IX					6.9	6.6	7.6	104	22	5	0		0		18	13	3	3	0	0	18	0	0	3	0	0	0	0	4	0	23	3	15	0
X					8.2	8.1	7.7	279	56	3	5		0		25	24	7	7	0	0	19	10	2	2	0	1	0	0	10	0	11	0	17	3
XI					8.1	7.7	8.1	123	14	24	7		0		23	19	5	5	3	0	22	4	3	1	0	0	0	0	13	1	9	2	18	0
XII					5.6	7.5	6.6	71	26	11	22		0		16	10	1	15	6	2	5	13	1	0	0	0	0	1	1	0	8	5	14	11
1945					7.0	7.0	6.9	1110	56		104		0		212	161	33	70	14	3	176	71	15	30	2	4	0	5	53	4	218	42	171	62

1945

Myken

φ = 66° 46′ N λ = 12° 29′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 0.7	- 0.3	- 0.5	- 0.5		- 1.9	6.7	13	- 4.3	27	3.5	7.0	5	3.0	10.5	4.9	26.5	3.2	16.5	3.2	10	4.6	6	5.6	8	6.4	7
II			1.7	2.0	1.8	1.7		0.2	6.3	22	- 3.9	1	0	-	3	1.7	8	4.4	19.5	2.9	21.5	4.5	19	5.5	8.5	5.9	4.5	4.1	0
III			2.3	3.0	2.5	2.4		0.8	9.0	26	- 3.2	8	4.5	2.9	10	4.2	1	6.0	5	2.4	19	2.3	17.5	1.7	12	3.1	17	3.4	7
IV			4.2	4.9	4.5	4.3		3.0	8.5	29	- 1.0	12	4	2.2	15.5	1.9	8.5	3.0	5.5	3.0	14.5	2.0	10	2.4	8.5	2.6	17.5	3.3	6
V			6.2	6.8	6.4	6.1		4.7	11.9	30	0.7	8	9	2.6	42.5	3.0	8	2.5	5.5	3.1	7	2.0	4.5	2.4	1.5	2.0	7	2.1	8
VI			9.1	9.7	9.2	8.9		7.6	18.1	25	2.7	5	12	1.8	38	2.7	2	1.5	0.5	2.0	5	1.7	7.5	1.0	5.5	1.7	7.5	1.4	12
VII			12.9	13.6	13.2	12.8		11.3	20.8	20	6.3	3	10	1.6	28.5	1.7	2.5	1.0	0.5	1.0	8.5	1.6	12.5	2.3	9	1.4	6.5	1.1	15
VIII			12.8	13.9	13.1	12.8		11.3	22.1	14	7.3	29	6.5	2.4	29	2.4	4	1.2	2	2.0	10.5	2.4	12.5	2.2	9.5	2.8	8	2.4	11
IX			9.4	10.2	9.5	9.5		8.7	15.8	14	3.8	26	4	3.8	14.5	2.3	10	3.0	9	2.6	19	2.9	11.5	2.4	2	1.5	8	3.0	12
X			4.8	5.3	5.2	5.0		3.3	11.0	2	- 0.6	29	13	3.9	19.5	2.5	3	1.2	5	2.4	6.5	3.9	15	3.5	11	3.0	14	2.8	6
XI			4.8	4.9	5.0	4.9		3.5	8.9	1	- 0.6	30	5.5	2.6	6.5	1.7	4	2.2	20	3.8	5	2.8	19.5	3.2	16	4.2	5.5	2.5	8
XII			1.7	1.8	1.6	1.7		- 0.1	7.7	3	- 5.8	18	5.5	6.4	7.5	2.7	7	5.1	23.5	5.0	21.5	3.9	8	5.6	5.5	4.5	8.5	7.3	6
1945			5.8	6.3	6.0	5.8		4.4	22.1		- 5.8		77.5	3.0	219.5	2.6	68.5	3.3	122.5	2.5	154.5	3.0	147.5	3.2	95	3.4	112	3.4	98

Glomfjord

φ = 66° 49′ N λ = 13° 59′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 3.3	- 2.9	- 3.0	- 3.1		- 5.4	5.6	13	- 9.3	30	6	1.7	2	1.0	27	1.3	24	3.7	2	5.0	6	3.3	8	3.0	5	4.0	13
II			0.1	1.3	0.5	0.5		- 2.0	8.3	18	- 9.2	3	0	-	0	-	9	1.3	17	2.8	9	4.3	14	2.6	4	1.5	6	3.5	25
III			1.0	2.4	1.7	1.4		- 1.6	11.1	24	- 6.8	16	11	1.9	2	2.5	9	1.7	3	1.3	9	1.3	9	3.0	11	2.1	7	2.9	32
IV			3.4	5.8	4.2	3.9		1.2	10.3	19	- 6.5	13	6	1.2	6	1.5	11	1.5	9	2.6	3	1.0	6	3.0	7	2.0	13	3.5	29
V			6.6	8.7	7.2	6.7		3.7	17.9	30	- 0.8	9	24	1.3	3	1.3	6	1.7	18	2.7	6	1.2	1	4.0	4	2.0	1	3.0	30
VI			10.3	12.3	11.3	10.3		6.8	23.3	23	0.6	5	10	1.2	0	-	4	1.0	5	1.6	1	3.0	2	1.5	9	1.6	6	1.5	53
VII			14.4	15.8	15.3	14.4		11.6	24.2	16	4.1	3	2	1.0	1	2.0	5	1.2	9	1.3	4	1.0	9	1.4	17	1.2	0	-	46
VIII			13.1	15.2	14.1	13.4		11.0	23.5	7	6.5	30	1	2.0	1	1.0	5	1.4	2	2.0	4	2.2	4	3.0	13	1.9	2	1.5	61
IX			14.9	14.0	8.6	11.5		6.4	16.7	14	0.9	27	3	1.0	1	1.0	5	2.0	13	2.9	7	1.4	2	2.0	5	2.6	3	1.3	51
X			3.5	3.9	3.2	3.3		0.7	12.0	2	- 4.0	26	6	1.0	1	1.0	4	1.5	1	1.0	8	1.4	9	1.8	15	2.1	9	2.1	40
XI			3.1	3.5	3.2	3.3		1.0	8.3	1	- 4.8	30	1	1.0	4	1.0	0	-	15	2.5	2	3.0	25	2.0	6	2.5	3	2.0	34
XII			- 0.4	- 0.5	- 0.6	- 0.5		- 3.2	8.7	3	- 9.8	28	2	1.0	14	1.5	3	3.8	18	2.6	5	2.2	7	1.7	3	1.3	11	2.5	30
1945			5.6	6.6	5.5	5.4		2.5	24.2		- 9.8		72	1.3	35	1.4	88	1.5	134	2.7	60	2.1	94	2.3	102	1.9	66	2.7	444

Helligvær

φ = 67° 24′ N λ = 13° 54′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 1.4	- 1.0	- 1.3	- 1.2		- 3.2	6.0	13	- 7.5	24	4.5	5.3	1	4.0	24	3.8	24	3.9	5.5	2.7	17.5	4.7	7	5.1	5.5	4.4	4
II			0.9	1.6	1.1	1.1		- 1.0	6.6	20	- 5.0	3	0	-	1	1.0	20.5	4.0	23	3.5	2.5	3.4	22	5.5	8.5	5.5	5.5	4.9	1
III			1.4	2.2	1.7	1.6		- 0.3	7.9	28	- 3.7	8	8	3.9	2	3.0	8	3.0	13	3.3	3	2.2	24.5	4.1	12.5	3.7	18	4.1	4
IV			3.7	4.8	3.8	2.9		2.0	8.1	19	- 1.4	12	8	3.8	9	2.3	9.5	3.7	16.5	3.5	7	3.1	10.5	4.0	11	3.1	13.5	3.9	5
V			6.3	7.1	6.3	6.0		4.0	12.0	30	0.9	8	26.5	2.8	27	3.7	6.5	2.5	9.5	3.8	1.5	1.0	4.5	3.2	9	2.2	7.5	2.7	1
VI			9.7	10.5	9.8	9.3		7.1	19.3	25	1.9	5	22.5	3.0	29.5	3.0	3	2.7	4	1.8	1	2.0	9	2.6	6.5	2.6	7.5	2.2	7
VII			13.8	15.0	13.9	13.5		11.2	23.8	20	5.6	3	15.5	2.4	19.5	2.2	4	1.5	3.5	1.6	3	2.3	16.5	3.4	18	2.2	6	2.2	7
VIII			13.1	14.2	13.1	13.0		11.2	23.5	14	7.7	30	13.5	3.3	18.5	2.9	8	3.1	2	3.2	2.5	3.2	18.5	3.6	12	3.1	10	2.8	8
IX			9.0	10.1	8.9	9.0		7.3	15.0	14	3.6	28	8.5	4.1	11	2.3	11.5	4.0	12.5	2.9	5	2.4	19	3.8	6	2.7	3.5	2.9	13
X			3.9	4.7	4.4	4.2		2.2	10.6	2	- 2.7	28	20	3.5	8	2.9	6.5	2.4	6	3.3	5.5	2.8	19.5	4.7	7.5	3.0	12	3.5	8
XI			4.3	4.2	4.9	4.2		1.6	8.2	1	-13.0	8	7	2.6	4.5	2.3	6	2.7	18	4.9	3.5	4.9	25	3.9	14	5.5	7	3.9	5
XII			0.8	0.9	0.7	0.8		- 1.7	6.6	3	-12.7	17	9.5	4.9	2.5	2.2	19.5	3.6	28.5	4.9	2.5	2.6	16	4.4	2	2.2	8.5	3.4	4
1945			5.5	6.2	5.5	5.4		3.4	23.8		-13.0		143.5	3.3	133.5	2.9	127	3.4	160.5	3.8	42.5	2.8	202.5	4.1	114	3.5	104.5	3.5	67

Bodø

φ = 67° 17′ N λ = 14° 28′ E g = 9.824 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1003.2	1007.7	- 3.9	- 3.6	- 3.6	- 3.7		- 5.4	5.4	13	- 9.0	5	0	-	1	3.0	42.5	3.8	25	3.7	2.5	3.6	12.5	4.7	6	5.3	3.5	5.0	0
II	00.0	04.4	- 0.4	0.2	- 0.1	- 0.2		- 2.2	5.5	17	- 7.8	3	0	-	4	3.3	24	4.1	23	3.7	6	3.7	23	4.5	4	5.1	0	-	0
III	03.9	08.3	- 0.2	1.4	0.1	0.1		- 2.5	9.4	26	- 9.3	3	3	3.7	1	3.0	22	3.4	19.5	2.6	4.5	2.0	26	3.3	10.5	4.1	2.5	2.4	4
IV	04.8	09.2	3.6	5.2	3.7	3.7		1.4	10.0	19	- 4.9	13	6	3.0	0.5	3.0	12.5	3.7	23	3.2	1	1.5	20.5	2.9	17.5	3.5	5	3.0	4
V	08.4	12.7	7.1	8.6	7.3	6.8		3.4	17.9	30	- 2.7	9	9.5	4.0	3.5	3.9	8	3.2	17	3.1	3	2.3	19.5	2.4	9.5	3.1	22	3.6	1
VI	06.6	10.9	10.7	12.0	11.1	10.2		6.5	23.9	24	0.6	5	8.5	3.8	3	3.5	6	3.0	5	3.5	4	2.2	31	2.5	16	2.3	15.5	3.5	1
VII	09.5	13.7	15.1	16.4	15.3	14.5		10.8	28.8	7	2.6	4	3.5	2.3	5	2.9	10	2.8	11.5	2.4	10	2.0	37.5	2.4	10.5	2.3	3	2.7	2
VIII	05.3	09.6	13.7	15.3	13.9	13.5		10.7	25.8	7	5.3	23	1.5	4.0	3	2.8	13.5	3.2	12.5	2.4	5	1.8	23	2.7	19.5	2.4	9	2.6	6
IX	10.6	14.9	8.2	10.5	7.9	8.4		5.7	16.0	11	- 1.1	28	2	2.5	0	-	18.5	2.7	32.5	2.4	7.5	2.6	11.5	2.7	9	2.9	4	2.8	5
X	03.6	08.0	2.5	3.6	2.7	2.7		0.2	11.1	2	- 5.0	28	4	2.6	4.5	2.6	16.5	3.5	14	2.9	3.5	2.6	20	3.6	20	3.0	8.5	3.8	2
XI	09.7	14.1	2.7	2.8	2.6	2.7		0.7	8.6	1	- 4.8	30	2	2.0	2.5	2.6	16.5	4.6	16	3.9	6	2.2	22.5	4.6	12.5	3.7	5	2.9	7
XII	02.1	06.6	- 1.6	- 1.3	- 1.6	- 1.5		- 4.0	6.4	3	- 9.0	14	2.5	3.8	0	-	46.5	4.0	21	4.0	5	3.6	7.5	3.3	6	3.4	4.5	4.3	0
1945	1005.6	1010.0	4.8	5.9	4.9	4.8		2.1	28.8		- 9.3		42.5	3.3	28	3.1	236.5	3.7	220	3.2	58	2.5	254.5	3.2	141	3.2	82.5	3.4	32

Fauske

φ = 67° 15′ N λ = 15° 23′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 6.6	- 5.5	- 5.5	- 5.9		- 9.3	4.7	13	-18.1	6	9	1.9	13	2.3	14.5	3.9	12	3.5	7	2.9	7	4.3	5.5	2.8	9	2.8	16
II			- 0.8	- 0.2	- 0.7	- 0.7		- 3.2	6.4	21	-10.9	6	0	-	1	4.0	10	3.6	30	3.8	26	3.4	9	3.3	3.5	5.1	2.5	4.8	2
III			- 1.1	1.3	- 1.0	- 0.7		- 3.3	8.3	24	-12.1	3	5	2.2	4	2.4	10.5	3.1	21.5	3.1	12	2.9	8	3.8	8.5	2.9	4.5	2.8	19
IV			3.3	5.3	3.7	3.5		0.8	11.8	30	-11.1	13	0.5	3.0	0	-	13	2.9	25	3.5	15	3.7	10	3.6	9.5	3.4	7	3.7	10
V			7.7	9.6	7.9	7.4		3.6	15.0	30	- 0.9	8	8	2.8	0.5	1.0	10	3.0	19	3.4	14.5	3.1	11	2.7	11	3.2	4	3.8	15
VI			11.0	13.8	12.1	11.1		7.1	23.5	25	0.5	5	2.5	3.4	3	3.7	11.5	2.9	9	2.8	19	2.7	13	3.0	15.5	3.0	3.5	3.9	13
VII			16.0	18.0	16.2	15.7		11.8	29.2	7	3.1	3	0.5	3.0	1.5	2.3	5.5	2.8	11	2.7	14.5	2.1	19.5	2.4	16.5	2.9	2	2.8	22
VIII			13.6	15.9	14.3	13.8		10.8	24.5	7	5.3	28	2.5	1.8	3.5	3.0	4	3.2	15.5	2.8	29	3.0	11.5	2.6	4	2.2	4	3.8	19
IX			8.3	10.5	8.4	8.5		5.4	16.3	14	- 2.7	28	0	-	5	2.6	17	3.7	10.5	4.2	15	3.0	3	3.7	4.5	2.7	4	2.9	31
X			1.1	2.8	1.7	1.7		- 1.1	10.8	2	- 9.0	26	5	2.1	1	5.0	7.5	3.5	5	3.3	7.5	3.6	6	3.2	5	2.8	4	2.4	52
XI			1.5	2.0	1.5	1.7		- 0.6	7.1	19	- 4.9	30	0	-	5.5	4.4	19	3.9	7.5	3.4	6	3.3	8	2.9	6	2.6	1	2.5	37
XII			- 2.6	- 2.1	- 2.6	- 2.4		- 5.5	6.2	3	-15.9	29	0.5	2.0	3.5	3.1	14.5	4.1	20	4.9	18	3.2	4.5	5.1	3.5	2.9	1.5	4.0	27
1945			4.3	6.0	4.7	4.5		1.4	29.2		-18.1		33.5	2.3	41.5	3.0	137	3.6	186	3.6	183.5	3.1	110.5	3.1	93	3.1	47	3.3	263

1945

Myken

$H_s = 19$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.7$

Måned	Midlere relativ fuktighet Um 8	14	19	Diøgn	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n: Regn ●	Snø *	Sludd #	Yr 9	Sprøhagl ✱	Hagl △	Ishagl ▲	Torden-vær ⚡	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ▣
I	66	68	66	66	5.2	5.7	4.9	65	26	13	29		0		11	10	2	16	8	3	4	10	3	0	0	7	0	0	1	0	19	6	7	8
II	68	72	72	70	7.1	8.0	7.9	79	15	25	9		0		18	14	2	20	10	6	11	10	3	0	0	7	0	1	5	1	17	1	16	3
III	76	75	78	77	7.8	7.3	8.5	72	11	23	16		0		25	14	2	17	3	0	13	17	2	1	0	9	0	1	2	7	20	0	16	9
IV	74	71	74	75	7.2	7.6	7.3	84	11	8	1		0		24	17	1	11	1	0	20	7	2	3	0	4	0	0	0	5	20	0	14	0
V	70	66	68	70	6.3	5.9	5.7	31	6	1	0		0		13	8	0	4	0	0	12	2	0	4	0	3	0	0	4	3	28	5	10	0
VI	73	69	72	75	6.0	6.0	6.2	28	8	9	0		0		11	6	0	3	0	0	11	0	0	1	0	3	0	0	1	6	27	5	11	0
VII	77	74	76	78	7.1	7.0	6.5	47	15	10	0		0		14	8	2	2	0	0	14	0	0	2	0	0	0	0	3	9	23	3	13	0
VIII	80	74	75	78	7.5	6.4	6.9	66	20	3	0		0		15	9	2	5	1	1	15	0	0	3	0	0	0	0	2	4	27	3	13	0
IX	68	64	69	68	6.3	6.1	7.4	76	11	5	0		0		19	10	1	8	0	0	19	0	0	1	0	1	0	0	1	2	25	1	9	0
X	68	70	68	68	8.2	7.8	8.1	151	23	4	2		0		26	19	7	18	4	0	23	11	7	0	0	9	0	0	3	3	17	1	19	1
XI	72	72	72	72	8.6	8.5	8.7	133	19	11	5		0		24	21	5	13	5	3	23	5	3	1	0	5	0	0	3	0	8	0	21	0
XII	67	66	65	66	7.5	8.0	7.6	62	14	9	18		0		22	15	1	18	12	8	11	16	3	0	0	5	0	0	0	0	4	3	17	4
1945	72	70	71	72	7.1	7.0	7.2	894	26		80		0		222	151	25	135	44	21	176	78	23	16	0	53	0	2	25	40	235	28	166	25

Glomfjord

$H_s = 39$ $H_b =$ $h_t = 1.6$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd #	Yr 9	Sprøhagl ✱	Hagl △	Ishagl ▲	Torden-vær ⚡	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ▣
I					3.9	6.3	4.9	106	32	14	29		0		11	9	5	8	5	0	5	9	1	0	0	3	0	1	0	0	0	8	12	
II					7.6	7.9	7.9	124	21	24	21		0		15	13	6	6	2	0	9	10	2	0	0	1	0	0	0	0	6	3	18	
III					8.9	8.6	9.2	162	23	23	18		0		23	19	5	2	0	0	11	14	2	1	0	2	0	0	0	0	19	1	25	
IV					8.2	8.5	8.7	112	21	12	7		0		20	17	5	3	0	0	12	10	2	0	0	1	0	0	0	0	16	1	21	
V					7.1	7.2	7.6	69	13	12	1		0		14	13	2	3	1	0	10	5	1	1	0	1	0	0	0	3	21	4	16	
VI					6.2	6.3	6.0	47	11	1	0		0		14	11	1	0	0	0	12	2	0	0	0	1	0	0	0	4	22	8	16	
VII					7.0	6.3	7.0	77	35	23	0		0		16	10	2	0	0	0	16	0	0	0	0	0	0	0	0	9	26	3	17	
VIII					7.9	7.8	7.7	120	39	29	0		0		19	14	4	1	1	0	19	0	0	1	0	0	0	0	0	4	14	3	20	
IX					6.9	6.6	8.2	120	39	5	0		0		13	12	5	0	0	0	13	1	1	0	0	0	0	0	0	0	17	4	18	
X					8.7	8.9	8.1	400	64	3	13		0		25	25	12	0	0	0	19	13	5	0	0	0	0	0	0	0	4	1	22	
XI					9.1	8.2	7.3	284	37	24	9		0		22	19	10	2	0	0	22	3	2	2	0	1	0	0	0	2	0	1	20	
XII					7.1	7.9	6.9	173	31	11	21		0		15	11	7	2	1	0	6	12	1	0	0	0	0	1	0	0	0	4	16	
1945					7.4	7.5	7.5	1794	64		119		0		207	173	64	27	10	0	154	79	17	5	0	10	0	2	0	22	145	41	221	

Helligvær

$H_s = 14$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.7$

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd #	Yr 9	Sprøhagl ✱	Hagl △	Ishagl ▲	Torden-vær ⚡	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ▣
I	76	73	72	74	5.5	5.2	4.5	76	23	13	29		0		12	11	2	14	4	3	4	10	1	0	2	0	0	0	1	0	12	6	6	17
II	75	76	80	77	7.4	6.7	7.6	111	40	10	19		0		16	15	1	16	6	2	11	11	3	0	0	0	0	1	0	0	16	1	14	9
III	82	83	86	84	7.5	6.5	7.2	72	11	20	18		0		23	19	2	11	1	1	11	16	2	2	0	0	0	0	5	0	17	0	13	17
IV	82	79	83	84	6.0	7.2	7.2	66	16	17	4		0		20	14	1	7	0	0	20	6	5	1	0	0	0	0	4	0	20	2	11	2
V	78	74	76	79	5.2	4.8	5.0	39	9	8	0		0		13	6	0	5	1	0	12	2	2	1	0	1	0	0	1	0	26	8	7	0
VI	78	74	76	79	4.6	4.4	5.0	33	21	1	0		0		10	5	1	1	0	0	10	0	0	1	0	0	0	0	0	3	26	10	6	0
VII	84	76	82	85	6.1	5.5	5.0	46	16	10	0		0		16	6	2	2	0	0	16	0	0	2	0	0	0	0	4	4	28	8	10	0
VIII	85	81	86	86	7.1	6.2	6.3	67	14	3	0		0		20	12	3	6	2	2	20	0	0	2	0	0	0	0	5	0	26	4	9	0
IX	79	76	80	79	6.2	5.5	6.5	56	9	4	0		0		21	13	0	5	0	0	20	0	0	2	0	0	0	0	3	0	23	3	8	0
X	81	79	81	81	7.8	7.0	6.9	199	53	4	4		0		27	22	5	12	0	0	21	12	2	1	1	0	0	0	6	0	12	1	13	3
XI	80	80	82	81	7.8	8.0	8.0	96	11	24	7		0		22	15	2	14	4	1	22	3	1	0	0	0	0	0	12	0	5	1	17	0
XII	77	76	76	76	5.8	7.4	6.3	69	18	10	19		1		17	14	3	14	5	4	8	13	0	0	0	0	0	0	5	0	1	5	9	8
1945	80	77	80	80	6.4	6.2	6.3	930	53		100		1		217	152	22	107	23	13	175	73	16	12	3	1	0	1	46	7	212	49	123	56

Bodø

$H_s = 33$ $H_b = 35.0$ $h_t = 1.8$ $h_a = 15.0$ $h_d = 15.0$ $h_r = 1.8$

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd #	Yr 9	Sprøhagl ✱	Hagl △	Ishagl ▲	Torden-vær ⚡	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ▣
I	72	70	71	71	4.9	5.3	4.0	46	11	14	30		0		12	9	2	13	2	1	4	10	0	0	2	0	0	1	0	0	11	10	7	28
II	73	71	76	74	6.8	6.9	6.5	109	26	10	21		0		15	14	3	17	4	1	10	11	4	0	1	0	0	0	0	0	19	3	12	23
III	84	81	86	85	8.2	7.7	7.9	124	21	23	19		0		24	22	4	8	2	0	13	18	5	0	3	0	0	0	0	0	21	0	18	24
IV	79	72	80	81	7.1	7.8	8.0	73	17	17	10		0		20	11	2	7	0	0	14	11	4	0	1	0	0	0	0	0	24	0	17	4
V	72	66	70	73	6.1	5.3	6.0	51	12	10	4		0		12	7	2	2	0	0	10	3	0	0	1	0	0	0	0	0	28	4	9	0
VI	74	69	72	76	4.8	5.2	5.7	43	13	16	0		0		14	9	2	2	1	1	12	1	0	0	1	0	0	0	0	0	28	9	8	0
VII	77	72	77	79	6.2	5.6	6.6	51	15	30	0		0		15	5	3	2	0	0	15	0	0	0	0	0	0	0	1	1	27	5	11	0
VIII	83	78	84	84	7.5	6.9	7.0	90	29	3	0		0		21	12	2	2	0	0	21	0	0	3	0	0	0	0	2	0	25	4	16	0
IX	80	69	81	80	6.0	6.3	6.8	71	18	4	2		0		16	11	2	1	0	0	16	0	0	2	0	0	0	0	1	0	25	5	13	0
X	82	80	83	82	7.7	8.2	7.2	304	74	8	15		0		27	21	8	8	0	0	15	14	1	1	0	0	0	0	0	0	14	1	18	14
XI	81	80	80	81	8.4	8.5	8.7	162	22	11	9		0		22	17	7	10	0	0	21	4	1	3	2	0	0	0	1	0	6	1	22	5
XII	71	72	72	72	5.9	6.9	6.2	48	9	10	24		0		15	12	0	11	1	0	4	12	0	0	3	0	0	1	0	0	0	5	12	28
1945	77	73	78	78	6.6	6.7	6.7	1172	74		134		0		213	150	37	83	10	3	155	84	15	9	14	0	0	2	5	1	228	47	163	126

Fauske

$H_s = 14$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.9$

Måned	8	14	19	Diøgn	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd #	Yr 9	Sprøhagl ✱	Hagl △	Ishagl ▲	Torden-vær ⚡	Tåkedis =	Tåke ≡	Solskinn ⊙	Klarvær ◔	Over-skyet ◕	Snødekke ▣
I					5.2	5.8	4.9	79	17	2	30		14		11	9	3	8	0	0	3	10	2	0	0	0	0	0	1	0	5	8	7	
II					7.7	6.8	7.5	47	8	28	17		1		12	9	0	12	1	0	8	10	3	0	0	2	0	0	7	0	15	1	14	
III					9.1	8.7	8.9	127	15	9	23		2		23	17	6	4	0	0	13	18	6	1	0	0	0	0	11	0	12	0	26	
IV					7.5	8.6	8.4	78	16	8	9		1		19	11	2	9	0	0	12	10	2	1	0	1	0	0	3	0	16	1	22	
V					6.5	6.7	6.8	34	10	12	3		0		12	7	0	3	1	0	10	2	0	0	0	1	0	0	4	0	22	4	14	
VI					6.0	6.0	5.9	62	16	1	0		0		13	10	3	0	0	0	13	1	1	2	0	0	0	0	7	1	20	7	15	
VII					6.5	6.8	6.4	45	12	14	0		0		10	6	2	0	0	0	10	0	0	2	0	0	0	0	2	1	22	2	12	
VIII					8.3	7.8	7.3	78	19	29	0		0		16	11	4	3	2	1	16	0	0	6	0	0	0	1	8	0	14	1	20	
IX					5.7	7.3	7.5	55	12	4	5		0		18	11	1	5	0	0	17	1	0	7	0	0	0	0	4	0	22	3	15	
X					8.1	8.1	7.3	294	72	28	17		0		22	19	6	1	0	0	14	14	6	2	0	0	0	0	5	3	12	1	18	
XI					7.8	8.2	8.6	169	22	6	15		0		23	16	8	4	0	0	22	9	4	6	0	0	0	0	6	2	6	1	21	
XII					5.4	6.8	6.2	43	11	14	23		6		16	10	1	8	1	1	5	14	3	1	0	0	0	0	0	0	0	3	9	
1945					7.0	7.3	7.1	1111	72		142		24		195	136	36	57	5	2	143	89	27	28	0	4	0	1	58	7	166	32	193	

1945

Grøtøy

φ = 67° 50′ N λ = 14° 47′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 1.6	- 1.5	- 1.6	- 1.6		- 3.6	5.4	13	- 6.2	28	1.5	4.7	17.5	2.3	24.5	2.2	9.5	2.9	17	3.2	8	5.8	7.5	4.6	7.5	5.3	0
II			0.5	1.2	0.7	0.7		- 1.4	6.3	20	- 5.4	3	0.5	2.0	15	2.5	10	2.4	17	3.8	10	4.0	16.5	5.7	10.5	4.5	1.5	4.5	3
III			1.0	2.0	1.2	1.2		- 0.7	8.9	26	- 4.2	17	1.5	4.3	12	2.9	8.5	2.8	3.5	3.3	21	3.2	23	4.0	8	4.1	7.5	5.1	8
IV			4.0	5.1	4.2	4.0		1.8	10.1	29	- 1.6	13	9	2.1	14.5	2.8	3.5	1.9	7.5	3.4	15.5	2.7	14	3.4	8	3.8	14	3.3	4
V			6.6	7.4	7.0	6.4		3.9	16.4	30	- 0.2	8	24.5	2.7	25.5	3.8	6.5	3.4	7.5	3.5	7	2.0	5.5	3.3	9	2.8	6.5	2.8	1
VI			9.5	10.8	10.6	9.5		6.8	19.8	24	1.0	5	23.5	2.3	26.5	3.4	4	4.1	1	3.0	8	2.2	8	2.5	5	2.8	12	2.5	2
VII			14.5	15.7	14.7	14.3		11.9	24.6	8	5.3	3	11.5	2.2	17.5	2.4	6.5	2.7	1	1.0	12.5	2.6	21	3.2	8.5	2.5	9.5	1.9	5
VIII			13.4	14.3	14.0	13.4		11.5	23.7	14	7.1	28	12	2.1	24	2.6	5	3.8	3	2.7	13	2.4	17.5	3.1	6.5	2.8	8	3.4	4
IX			9.2	10.3	9.5	9.3		7.3	16.7	14	2.6	28	5.5	3.0	16.5	2.5	7	1.4	15	2.5	16.5	2.5	11	4.0	3	3.2	6.5	3.3	9
X			3.4	4.0	3.7	3.6		1.8	10.4	2	- 1.2	26	14	4.1	16.5	2.9	8	2.6	1	1.0	10	2.8	14	4.9	13.5	3.6	13	3.9	3
XI			3.8	4.0	3.6	3.8		1.8	7.7	1	- 2.9	30	5	2.9	9	3.7	6	1.8	14	3.9	12.5	2.8	20.5	5.0	11	4.2	8	3.4	4
XII			0.4	0.7	0.6	0.6		- 1.5	8.0	3	- 6.4	18	4.5	5.0	8.5	2.6	16.5	2.4	23.5	3.9	17.5	3.0	11.5	4.1	2	2.5	6	5.2	3
1945			5.4	6.2	5.7	5.4		3.3	24.6		- 6.4		113	2.8	203	2.9	106	2.5	103.5	3.4	160.5	2.8	170.5	4.1	92.5	3.6	100	3.5	46

Bjørnfjell

φ = 68° 26′ N λ = 18° 4′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-13.0	-12.9	-12.9	-12.9		-16.8	1.1	13	-25.5	27	0	-	1	1.0	56.5	2.5	4.5	4.1	1.5	4.3	8.5	2.9	15	4.0	0	-	6
II			- 9.1	- 8.1	- 9.2	- 9.0		-13.1	2.4	22	-28.1	3	0	-	2.5	2.8	48.5	3.2	3	3.8	0.5	5.0	3	2.7	18.5	2.9	0	-	8
III			- 8.6	- 6.8	- 7.2	- 8.0		-11.6	2.6	24	-22.6	8	0	-	3	2.3	45	2.4	2	1.2	1	1.0	7.5	2.9	24.5	2.8	3	4.0	7
IV			- 2.4	- 1.1	- 1.7	- 2.2		- 4.3	5.4	30	-13.1	27	0	-	1	3.5	41	1.9	2	2.2	0	-	14	2.3	32	3.2	0	-	0
V			0.5	2.6	1.5	0.8		- 1.8	8.0	2	- 6.2	10	0	-	2.5	2.0	39.5	1.7	0	-	0	-	17	1.8	25.5	2.7	0.5	1.0	8
VI			6.6	8.8	8.0	6.8		3.1	20.8	25	- 4.3	5	0	-	3	2.5	20	2.7	1	3.0	0	-	45	2.2	17	2.6	0	-	4
VII			12.5	15.3	13.8	12.8		8.8	26.3	17	0.3	1	0	-	3.5	3.1	32.5	3.0	0	-	0	-	18	1.8	34	2.8	0	-	5
VIII			9.9	12.3	11.2	10.2		7.2	22.0	14	1.0	30	0	-	0.5	3.0	40.5	2.6	0	-	0	-	11.5	2.1	34.5	2.4	0	-	6
IX			3.6	5.8	4.2	4.0		1.6	15.7	14	- 5.3	28	0	-	3	2.8	37	2.5	4	3.8	0	-	8.5	1.9	27.5	2.3	0	-	10
X			- 3.5	- 2.9	- 3.6	- 3.5		- 5.8	8.0	2	-15.2	27	0.5	2.0	3	1.7	16.5	2.6	0	-	0	-	15	3.3	42	2.9	0	-	16
XI			- 3.8	- 3.8	- 3.9	- 3.8		- 6.6	2.8	1	-17.0	9	0	-	11.5	3.1	22.5	2.4	4	4.5	0	-	22	2.9	23	3.4	0	-	7
XII			- 9.9	- 8.8	- 9.6	- 9.4		-13.5	1.8	9	-28.2	15	0	-	3.5	4.6	54.5	3.0	1	1.0	0	-	3	3.3	26	2.2	0	-	15
1945			- 1.4	0.0	- 0.8	- 1.2		- 4.4	26.3		-28.2		0.5	2.0	38	2.9	454	2.6	21.5	3.4	3	3.3	17.5	2.4	319.5	2.8	3.5	3.6	82

Narvik

φ = 68° 25′ N λ = 17° 23′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 5.3	- 5.1	- 5.3	- 5.2		- 8.4	6.4	13	-12.6	27	0	-	1	2.0	0	-	16	3.2	22	2.1	41.5	2.2	11.5	4.3	1	3.0	0
II			- 2.7	- 1.4	- 2.3	- 2.2		- 5.7	7.1	22	-13.8	2	0	-	0.5	5.5	7.5	3.0	29	3.9	8	3.1	20	2.1	12	3.5	1	4.5	6
III			- 1.9	0.0	- 1.5	- 1.5		- 4.6	8.2	28	-13.8	8	0.5	4.0	4.5	3.1	1	2.0	23.5	2.4	12.5	2.0	28.5	2.1	22	3.5	0.5	5.0	0
IV			2.6	4.2	3.0	2.6		- 0.3	11.6	30	- 7.0	13	7.5	2.7	4.5	2.6	0	-	15	2.7	5.5	2.2	24	2.4	32	4.0	1.5	5.0	0
V			5.4	7.1	6.2	5.4		2.1	14.3	30	- 1.8	8	11	3.4	26.5	3.2	1.5	2.3	13	1.9	1	2.0	10.5	2.7	22.5	3.6	7	2.6	0
VI			9.7	11.9	11.1	9.8		6.0	23.0	25	- 0.5	5	11.5	3.6	12.5	2.7	0	-	12	2.8	1.5	4.7	10	3.0	31	3.2	11.5	3.1	0
VII			15.0	17.3	16.0	15.0		10.7	25.9	17	3.8	2	8.5	2.3	18	2.9	3.5	2.0	8	2.4	1.5	2.3	16.5	3.1	26.5	3.7	7.5	2.8	3
VIII			12.8	14.9	13.8	13.0		10.3	24.3	14	3.8	30	4.5	2.4	16	3.0	0.5	4.0	11	2.1	2	2.2	27	2.5	30	3.6	2	2.8	0
IX			7.4	9.7	7.7	7.8		4.9	18.4	14	- 1.2	28	1	3.0	4.5	3.2	5.5	2.3	23	2.7	9.5	2.7	26	2.4	19	2.8	1.5	3.3	0
X			1.3	1.8	0.9	1.1		- 1.0	12.6	3	- 7.7	27	2	3.5	4	3.0	0	-	11	2.4	12.5	2.2	29	2.4	34	3.9	0.5	2.0	0
XI			1.3	1.3	1.0	1.2		- 1.5	7.8	1	- 8.8	9	1.5	3.3	4.5	2.4	0	-	22	3.5	10	2.2	27	2.3	22	4.1	3	3.5	0
XII			- 2.9	- 2.7	- 2.7	- 2.8		- 5.7	5.8	6	-14.6	15	1	5.0	3.5	3.0	2.5	2.2	23.5	3.9	19	2.7	31	2.2	12.5	3.5	0	-	0
1945			3.6	4.9	4.0	3.7		0.6	25.9		-14.6		49	3.1	100	3.0	22	2.5	207	3.0	105	2.4	291	2.4	275	3.6	37	3.1	9

Offersøy

φ = 68° 20′ N λ = 15° 38′ E g = 9.825 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1004.6	1007.1	- 3.0	- 2.6	- 3.0	- 2.9		- 5.4	5.0	13	- 8.3	27	0	-	29.5	1.7	12.5	2.8	8	2.8	10.5	2.5	9	4.8	11	3.3	2.5	1.8	10
II	01.2	03.8	- 0.9	- 0.3	- 0.6	- 0.8		- 2.8	5.2	22	- 9.8	3	0	-	25	2.0	10	3.2	4.5	3.1	12.5	3.1	17	3.9	6.5	3.9	0.5	4.0	8
III	04.6	07.2	- 0.8	0.5	- 0.7	- 0.6		- 2.8	8.3	28	- 7.4	22	0.5	3.0	22	2.3	6.5	3.2	0	-	4	1.5	9.5	3.6	21.5	2.5	4	1.8	25
IV	06.0	08.5	3.2	4.7	3.2	3.2		0.7	9.4	29	- 5.1	13	1	2.0	17.5	2.1	21	2.9	3	3.3	1.5	1.7	16.5	3.3	19.5	2.3	3	1.7	7
V	10.7	13.2	6.2	8.0	6.3	6.0		2.7	14.3	30	- 2.2	8	3.5	3.3	28	2.8	21.5	3.0	3.5	2.3	2	1.5	7.5	2.9	12	2.1	12	2.2	3
VI	08.7	11.2	9.5	12.2	11.1	9.8		6.2	22.8	25	- 0.5	6	1	3.0	17.5	2.9	28.5	2.4	2.5	1.4	0.5	2.0	14.5	2.4	14	2.1	6.5	2.1	5
VII	11.0	13.5	14.4	16.9	15.5	14.6		10.7	28.9	17	2.8	3	0	-	13	3.0	19	2.5	2	1.2	0	-	25.5	2.7	22.5	2.6	3	1.0	8
VIII	06.6	09.1	13.1	15.3	13.7	13.2		10.4	26.9	14	5.3	30	1.5	3.7	20.5	2.7	15	2.4	2	1.0	0	-	22	3.1	18	1.8	1	3.0	13
IX	11.8	14.3	8.3	10.3	8.1	8.4		5.8	17.6	14	0.2	28	1.5	1.7	23	2.5	9	2.4	4.5	3.0	2.5	1.4	14.5	3.1	11	2.3	6	2.3	18
X	04.0	06.6	1.5	2.9	1.7	1.8		- 0.4	10.4	2	- 5.1	28	1	1.0	17.5	1.7	4.5	1.7	1	2.0	3	1.8	18	3.9	20.5	1.7	3.5	2.6	24
XI	10.4	12.9	2.1	2.1	2.2	2.1		0.2	7.1	19	- 4.9	30	2	1.5	13	2.5	8.5	3.2	7	4.6	4.5	2.3	23.5	3.7	16.5	2.2	3	1.7	12
XII	03.5	06.0	- 1.3	- 1.6	- 1.7	- 1.5		- 3.7	5.2	3	- 9.9	15	1	1.5	27	2.1	12.5	3.5	10.5	4.0	5.5	2.3	7	5.1	9	1.7	1.5	1.3	19
1945	1006.9	1009.4	4.4	5.7	4.6	4.4		1.8	28.9		- 9.9		13	2.4	253.5	2.3	168.5	2.7	48.5	3.1	46.5	2.3	184.5	3.4	182	2.3	46.5	2.0	152

Skrova

φ = 68° 9′ N λ = 14° 39′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			- 1.0	- 1.0	- 0.8	- 0.9		- 2.5	5.2	13	- 5.5	16	2.5	5.0	31.5	2.6	16	3.3	5.5	2.9	4.5	3.2	18	5.1	8	5.4	7	4.9	0
II			0.4	0.9	0.6	0.5		- 0.7	5.7	21	- 4.7	3	0.5	1.0	9.5	3.6	28.5	3.5	4	2.0	7.5	4.5	20.5	5.8	7	3.9	6.5	3.3	0
III			0.5	1.0	0.7	0.5		- 0.9	6.6	28	- 4.8	16	8	2.9	7	2.1	19.5	2.9	9	1.9	0.5	4.0	18.5	3.9	8.5	3.1	14	3.3	8
IV			3.1	3.8	3.5	3.2		1.7	8.8	29	- 1.8	13	5.5	2.4	14.5	2.8	20.5	2.7	1.5	1.3	4.5	1.3	10.5	3.1	15.5	3.3	14.5	2.9	3
V			5.4	6.3	5.9	5.5		3.9	11.2	30	0.3	22	14	2.4	21.5	3.2	25	1.9	1	1.5	0	-	5.5	2.9	8	2.8	11	2.9	7
VI			8.9	10.7	10.7	9.5		7.2	20.1	24	0.6	5	16	2.3	16	2.6	21.5	3.0	1.5	1.0	3.5	1.6	9.5	2.1	8	1.9	5	1.8	9
VII			14.2	15.3	14.8	14.2		11.8	23.5	17	5.9	1	4.5	1.4	19.5	2.4	16	2.0	2	1.2	1	1.0	23	2.5	10	1.4	6	2.2	11
VIII			13.0	14.3	13.7	13.3		11.7	23.5	14	8.1	29	8	1.6	17.5	2.5	15	3.0	1	2.0	0.5	1.0	21	2.3	7	2.4	11	2.3	12
IX			9.1	9.7	9.4	9.0		7.7	16.3	14	2.5	28	8	2.3	12	3.3	21.5	2.3	6	1.3	4	2.2	18.5	3.5	3.5	1.9	6.5	2.8	10
X			3.3	3.8	3.5	3.4		1.7	10.4	2	- 1.5	28	12	2.5	9	2.7	11	3.4	2	2.2	2	3.3	17.5	4.1	10.5	3.1	17	2.9	12
XI			3.5	3.5	3.6	3.5		1.8	7.3	1	- 3.2	30	5.5	3.4	1.5	5.3	26	3.8	5	3.1	3	2.8	28	4.9	11.5	3.6	8.5	3.0	1
XII			0.6	0.5	0.3	0.5		- 1.3	6.5	3	- 7.5	15	4	3.6	4.5	3.2	35.5	4.2	12	3.9	2	4.2	15	5.8	9.5	2.7	8.5	3.2	2
1945			5.1	5.7	5.5	5.2		3.5	23.5		- 7.5		88.5	2.5	164	2.8	256	3.1	50.5	2.5	33	2.9	205.5	4.0	107	3.0	115.5	3.0	75

1945

Grøtøy

H_s = 6 H_b = h_t = 2.1 h_a = h_d = h_r = 1.5

Måned	Midlere relativ fuktighet U_m 8	14	19	Dies	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dat	Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Antall dager n Regn ●	Snø *	Sludd	Yr 9	Sprehagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	76	73	73	74	5.6	6.1	5.7	65	34	13	29		0		13	8	2	10	1	0	5	12	2	0	0	1	0	0	4	0	10	5	7	29
II	76	74	78	77	7.3	7.7	7.3	114	22	10	21		0		17	15	2	12	2	2	13	12	8	0	0	0	0	0	2	0	9	1	13	24
III	81	80	83	82	8.1	7.7	7.3	84	15	24	20		0		29	15	3	9	0	0	17	20	7	7	0	0	0	0	3	2	5	0	14	18
IV	79	74	76	78	7.3	7.5	7.2	51	9	8	6		0		25	12	0	5	0	0	22	10	4	0	0	0	0	0	1	0	15	0	13	4
V	71	69	70	71	5.7	5.6	6.1	42	18	12	1		0		13	6	1	4	0	0	11	2	0	1	0	0	0	0	1	0	21	2	10	0
VI	75	71	71	75	5.5	5.0	5.2	52	20	16	0		0		12	6	2	0	0	0	12	0	0	0	0	0	0	0	1	2	27	7	7	0
VII	77	75	77	78	6.3	5.6	5.8	32	15	10	0		0		14	7	1	0	0	0	14	0	0	0	0	0	0	0	1	2	25	2	3	0
VIII	79	78	78	79	6.8	6.6	5.8	65	26	3	0		0		16	9	2	6	0	0	16	0	0	0	0	0	0	0	1	0	20	3	10	0
IX	73	69	74	73	5.9	6.4	6.5	75	17	5	0		0		18	13	4	3	0	0	18	0	0	0	0	0	0	0	1	0	18	1	12	0
X	78	77	80	79	7.2	7.1	6.8	160	44	4	9		0		26	13	5	11	0	0	26	14	14	0	0	0	0	0	2	0	9	0	13	3
XI	75	76	77	76	8.0	8.3	8.1	125	24	11	8		0		24	16	5	11	2	0	23	6	5	0	0	0	0	0	1	1	2	0	19	3
XII	74	72	73	74	6.5	7.4	6.7	52	26	10	21		0		19	12	1	12	3	0	11	14	4	0	0	1	0	1	0	0	0	0	11	22
1945	76	74	76	76	6.7	6.8	6.5	917	44		115		0		226	132	28	83	8	2	188	90	44	8	0	2	0	1	18	7	161	21	132	103

Bjørnfjell

H_s = 514 H_b = h_t = 1.9 h_a = h_d = h_r = 2.4

I					5.8	5.5	5.2	59	14	2	31		27		10	9	2	6	0	0	2	10	2	0	0	0	0	0	0	1	0	9	11	31
II					6.8	7.4	6.4	38	13	5	28		17		14	9	1	6	0	0	0	14	0	0	0	0	0	0	0	0	3	4	12	28
III					7.2	7.5	7.7	144	35	25	30		17		22	19	6	5	0	0	8	19	4	1	0	0	0	0	2	2	8	2	18	31
IV					8.4	8.0	8.4	90	12	9	29		3		17	16	3	7	1	0	5	15	2	2	0	0	0	0	1	1	9	1	21	30
V					8.2	6.8	7.4	17	4	22	25		0		12	5	0	1	0	0	8	8	1	5	0	0	0	0	1	4	13	2	16	31
VI					6.8	6.4	6.1	30	7	7	5		0		13	6	0	0	0	0	9	4	0	7	0	0	0	0	0	5	20	5	11	19
VII					6.3	5.7	6.1	32	10	14	0		0		9	7	0	0	0	0	9	1	1	0	0	0	0	0	1	1	24	4	12	0
VIII					7.5	7.8	7.6	105	25	29	0		0		22	16	3	0	0	0	22	0	0	6	0	0	0	2	3	4	15	2	16	0
IX					7.2	7.3	7.2	80	13	5	12		0		18	13	3	2	0	0	17	2	1	12	0	0	0	0	2	3	9	5	18	0
X					7.6	8.3	7.0	157	45	4	29		6		25	18	3	4	0	0	6	21	0	0	0	0	0	0	3	0	2	1	17	26
XI					9.1	8.4	7.0	138	21	6	27		8		24	20	5	8	0	0	12	19	7	1	0	0	0	0	2	2	0	1	20	30
XII					7.2	7.1	5.5	28	5	14	30		19		15	11	0	2	0	0	0	15	0	0	0	0	0	0	0	0	0	2	10	31
1945					7.3	7.2	6.8	916	45		246		97		201	149	26	41	1	0	98	128	18	34	0	0	0	2	15	23	103	38	182	257

Narvik

H_s = 40 H_b = h_t = 1.9 h_a = h_d = 9.6 h_r = 1.8

I					5.4	6.2	5.1	32	8	15	30		10		11	9	0	6	0	0	2	10	0	0	3	0	0	0	1	0	0	9	11	31
II					7.5	7.3	7.0	61	15	5	24		5		15	11	2	6	1	0	6	11	0	0	0	0	0	0	0	0	3	4	17	28
III					8.0	6.8	8.9	117	34	25	24		5		24	15	2	2	0	0	10	20	6	0	2	0	0	0	4	0	18	1	20	31
IV					8.1	8.3	8.6	66	10	10	13		0		20	17	1	4	0	0	13	15	1	0	5	0	0	0	1	0	17	2	22	19
V					7.6	7.5	7.5	21	8	12	4		0		14	6	0	2	0	0	10	6	0	1	1	0	0	0	2	0	31	1	18	1
VI					6.8	6.2	6.1	37	8	16	1		0		16	10	0	3	0	0	14	3	0	3	0	0	0	0	1	0	27	6	9	0
VII					6.1	5.3	6.3	27	6	4	0		0		11	9	0	2	0	0	11	0	0	0	0	0	0	1	1	0	30	5	12	0
VIII					7.5	7.9	7.6	70	17	27	0		0		20	10	4	2	0	0	20	0	0	1	0	0	0	2	1	0	21	1	18	0
IX					6.4	6.5	7.6	67	16	5	4		0		18	11	1	1	0	0	19	1	1	3	0	0	0	0	2	0	24	4	14	0
X					7.8	8.3	7.6	126	45	4	19		0		22	16	4	4	0	0	12	19	2	0	7	0	0	0	2	0	6	2	19	21
XI					8.4	8.4	7.1	115	18	2	20		0		24	17	5	3	0	0	19	15	0	0	2	0	0	0	0	0	0	3	20	10
XII					6.7	6.9	6.0	28	6	12	28		7		19	7	0	3	0	0	2	18	0	0	0	0	0	0	0	0	0	3	14	30
1945					7.2	7.1	7.1	767	45		167		27		214	138	19	38	1	0	138	118	10	8	20	0	0	3	15	0	177	41	194	171

Offersøy

H_s = 16 H_b = 20.4 h_t = 2.1 h_a = h_d = 14.1 h_r = 1.7

I	75	73	75	75	7.0	7.1	6.6	89	23	13	29		0		13	13	3	3	3	0	4	12	3	0	0	0	0	0	1	0	4	6	19	30
II	75	71	77	76	7.7	9.1	8.4	95	23	21	23		0		16	14	1	6	2	0	9	11	1	1	0	2	0	0	0	0	9	1	19	26
III	84	79	83	83	8.5	9.0	8.7	150	25	20	21		0		28	19	6	5	0	0	13	24	8	3	0	0	0	0	1	1	12	0	24	25
IV	77	70	76	78	9.1	7.6	8.3	114	34	18	12		0		19	13	2	4	0	0	16	13	8	1	0	0	0	0	0	1	17	0	19	8
V	65	58	65	68	7.0	6.8	7.0	43	21	12	5		0		12	6	2	0	0	0	12	2	2	1	0	0	0	0	0	0	22	0	15	0
VI	70	62	62	70	7.0	5.8	5.5	44	18	16	2		0		13	7	2	0	0	0	12	2	1	3	0	0	0	0	0	1	23	5	10	0
VII	76	66	71	76	7.3	6.3	6.1	23	7	10	0		0		12	6	0	1	0	0	12	0	0	4	0	0	0	0	2	1	24	3	11	0
VIII	79	71	79	80	7.5	7.7	7.3	65	21	3	0		0		14	7	2	0	0	0	14	0	0	2	0	0	0	0	0	1	16	3	17	0
IX	81	70	81	80	7.6	7.3	7.8	87	16	4	0		0		17	10	4	3	1	0	17	0	0	1	0	0	0	0	0	0	17	2	18	0
X	83	81	86	84	7.5	7.4	7.8	124	29	4	20		0		22	17	4	5	0	0	13	14	5	1	0	0	0	0	0	0	12	1	14	14
XI	81	81	81	81	9.0	8.8	8.0	117	13	6	13		0		24	19	6	11	0	0	19	10	2	3	1	0	0	0	0	0	5	1	22	6
XII	79	78	81	80	8.0	7.4	6.9	59	13	10	24		0		19	14	1	9	1	0	6	17	1	0	0	0	0	0	0	0	0	2	16	26
1945	77	72	76	78	7.8	7.5	7.4	1010	34		149		0		209	145	33	47	7	0	147	105	31	20	1	2	0	0	4	5	161	24	204	135

Skrova

H_s = 11 H_b = h_t = 2.0 h_a = h_d = h_r = 1.7

I	81	81	79	80	6.8	7.6	6.0	36	8	2	29		0		14	11	0	10	4	2	4	12	2	0	0	2	0	0	0	0	2	4	14	26
II	83	83	85	84	7.1	9.1	8.5	87	18	21	19		0		16	14	3	13	4	2	10	12	6	1	0	0	0	0	5	0	6	1	19	21
III	87	85	87	87	9.1	8.8	8.8	64	12	13	21		0		26	13	2	5	0	0	14	20	3	3	0	0	0	0	5	2	13	0	25	20
IV	85	82	82	84	8.3	8.3	7.9	57	12	18	7		0		16	11	1	5	0	0	12	8	3	0	0	0	0	0	4	1	17	0	17	8
V	80	76	77	80	6.8	6.8	6.4	32	9	11	0		0		10	7	0	2	0	0	7	3	0	0	0	0	0	0	1	1	22	5	16	0
VI	81	75	73	79	6.7	5.8	5.4	29	17	1	0		0		6	6	1	2	0	0	6	0	0	2	0	0	0	0	1	1	27	7	11	0
VII	89	85	87	89	7.0	6.5	6.2	20	7	10	0		0		11	5	0	1	0	0	11	0	0	5	0	0	0	0	3	3	24	4	12	0
VIII	95	91	92	94	7.7	7.7	7.1	58	26	29	0		0		12	5	2	5	0	0	12	0	0	2	0	0	0	0	2	2	22	3	16	0
IX	90	89	89	90	7.3	7.4	7.5	70	19	4	0		0		15	12	2	5	0	0	15	0	0	8	0	0	0	0	6	0	17	1	14	0
X	79	79	81	80	8.2	7.8	7.6	60	9	4	9		0		22	13	0	13	1	0	18	11	4	5	0	0	0	0	6	0	14	0	18	12
XI	74	73	73	74	9.0	9.4	8.3	77	10	12	7		0		24	15	1	17	2	0	20	7	1	2	0	0	0	0	6	0	4	0	22	3
XII	74	72	73	74	7.5	7.9	6.2	34	10	7	20		0		16	8	0	17	4	2	8	13	4	0	1	0	0	0	4	0	0	1	12	23
1945	83	81	82	83	7.6	7.8	7.2	624	26		112		0		188	120	12	95	15	6	137	86	23	28	1	2	0	0	43	10	168	26	196	113

1945

Sørvågen

φ = 67° 54′ N λ = 13° 2′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 0.8	- 0.5	- 0.5	- 0.6		- 2.4	6.2	13	- 6.1	15	4 3.9	21 1.9	17 3.2	14₅ 4.7	0₅ 3.0	5₅ 4.8	12₅ 4.8	11 3.7	7
II			1.2	1.3	0.9	1.0		- 1.2	5.7	20	- 5.9	2	1 3.5	7₅ 3.1	15₅ 2.7	13 3.2	5 3.9	12₅ 5.7	16 4.6	8₅ 3.6	5
III			1.0	2.0	1.6	1.3		- 0.5	8.3	24	- 5.0	16	5₅ 1.9	12₅ 2.7	10 2.0	1 3.5	2₅ 2.8	14₅ 3.7	13₅ 3.3	19₅ 2.9	14
IV			2.9	4.5	3.7	3.4		1.7	7.5	27	- 2.3	11	6₅ 2.8	8₅ 2.6	19 2.3	1₅ 2.7	4₅ 1.9	10 3.6	9₅ 3.7	14₅ 3.5	16
V			5.5	6.8	6.1	5.6		3.8	11.1	30	- 0.1	9	13₅ 2.5	28₅ 2.7	18 1.9	3₅ 2.9	2 2.5	5 3.0	0₅ 5.0	8 2.6	14
VI			9.0	10.6	9.9	9.1		6.8	19.4	25	1.5	6	13₅ 2.7	26₅ 2.3	12₅ 2.1	0 -	0 -	6₅ 1.9	7₅ 2.3	5₅ 2.0	18
VII			13.5	14.7	14.2	13.4		10.7	23.0	17	4.9	3	0₅ 1.0	6₅ 2.1	21₅ 1.6	1₅ 1.0	1₅ 3.0	14 2.9	12₅ 2.6	3 2.3	32
VIII			12.7	13.2	12.6	12.4		10.8	20.0	14	6.0	30	18 3.9	12 3.3	6 2.6	4 2.4	10 3.2	16 3.8	10 3.7	11 3.7	6
IX			8.6*	9.7*	8.9*	8.8*		7.0*	15.2*	14*	3.0*	28*	8₅* 4.0*	8* 3.6*	14* 2.8*	8* 2.4*	19* 3.8*	16* 3.5*	5₅* 2.9*	7* 4.4*	4*
X			3.3	4.2	3.8	3.7		1.9	11.6	2	- 1.3	28	15₅ 2.2	6 2.2	5₅ 2.9	2 2.2	5 2.8	13₅ 4.0	11₅ 3.8	23 2.9	11
XI			3.9	4.0	4.0	4.0		2.4	8.5	1	- 1.4	30	2₅ 2.0	5₅ 2.4	6₅ 3.7	10₅ 4.9	2₅ 3.0	14₅ 4.5	19 3.6	11 3.6	18
XII			0.9	1.0	0.8	0.9		- 0.4	6.7	3	- 5.5	15	8 2.4	8 1.9	14 3.4	13 4.6	10₅ 4.1	8₅ 5.2	10₅ 2.8	15₅ 3.3	5
1945			5.1	6.0	5.5	5.2		3.4	23.0		- 6.1		97 2.9	150₅ 2.5	159₅ 2.5	72₅ 3.8	63 3.4	136₅ 3.9	128₅ 3.6	137₅ 3.2	150

Røst

φ = 67° 30′ N λ = 12° 4′ E g = 9.826 ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I	1004.7	1006.0	0.4	0.3	0.1	0.3	2.1	- 1.5	7.5	13	- 5.4	19	3 5.7	6₅ 2.5	23 3.6	10₅ 4.4	10₅ 3.7	13 5.2	12₅ 5.8	9 5.9	5
II	00.5	01.9	1.7	2.1	2.0	1.8	3.8	0.3	9.5	22	- 5.2	4	3 4.0	3₅ 3.6	18 4.0	5₅ 4.2	23₅ 5.4	18 5.8	11₅ 6.0	1 1.0	0
III	05.8	07.1	2.1	2.8	2.6	2.3	4.2	0.3	7.8	24	- 2.6	16	9 3.9	7 2.9	1₅ 3.0	4₅ 3.4	12 4.8	20₅ 4.5	16₅ 4.3	20 4.4	2
IV	07.0	08.4	3.9	4.4	3.9	3.8	5.3	2.3	7.3	29	- 4.8	11	17₅ 4.3	6 3.7	6 4.6	3₅ 2.7	15 3.3	14₅ 4.2	11₅ 4.6	16 4.4	0
V	11.5	12.8	5.7	6.3	5.7	5.5	7.0	4.1	10.7	31	1.0	6	39₅ 4.9	6₅ 4.8	7 3.6	4 2.8	9₅ 4.1	5 3.3	6₅ 2.9	15 3.8	0
VI	09.7	11.0	8.1	9.0	8.3	8.0	10.2	6.3	18.1	25	1.4	5	41 4.5	9 4.0	5₅ 2.3	4 2.8	4₅ 3.6	4₅ 3.6	10 3.1	11₅ 3.4	0
VII	11.8	13.1	11.9	12.3	11.8	11.6	13.4	10.1	18.3	17	6.1	3	20 4.1	5 3.9	11 2.9	4 2.8	9 3.8	13₅ 4.0	15 2.6	15₅ 3.0	0
VIII	07.9	09.2	11.7	12.4	11.6	11.5	13.5	10.3	19.7	14	6.2	18	27 4.6	5₅ 2.9	7₅ 2.1	2₅ 2.4	10 3.1	17 4.2	8 4.4	14₅ 4.1	1
IX	12.4	13.7	9.0	9.7	9.2	9.1	10.6	8.0	13.8	14	4.6	28	10₅ 4.3	8 3.0	15 3.1	5 2.2	18₅ 3.9	17₅ 3.4	6 2.9	8₅ 4.1	1
X	05.9	07.3	4.4	5.0	4.8	4.6	6.5	2.8	12.6	2	- 0.8	28	15₅ 4.3	5 4.2	3 2.3	1 4.0	11 4.3	13₅ 5.3	10 5.0	31 4.7	3
XI	11.4	12.8	4.8	4.8	4.7	4.8	6.7	3.2	9.1	1	- 1.0	30	6 3.8	5₅ 3.4	8₅ 4.0	7₅ 3.5	9 4.1	24 4.8	20₅ 4.7	9 4.2	0
XII	03.0	04.3	2.6	2.3	2.2	2.4	4.1	0.6	8.8	3	- 3.2	16	9₅ 3.9	1 4.5	15 4.0	7₅ 5.1	19₅ 5.8	14 4.7	5₅ 4.2	19 5.1	2
1945	1007.6	1009.0	5.5	6.0	5.6	5.5	7.3	3.9	19.7		- 5.4		201₅ 4.4	68₅ 3.5	121 3.5	59₅ 3.6	152 4.4	175 4.5	133₅ 4.3	170 4.3	14

Skomvær Fyr

φ = 67° 25′ N λ = 11° 53′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			0.2	0.4	0.3	0.3		- 1.8	6.6	13	- 5.2	15	3 3.2	5₅ 2.8	26 2.8	14 2.9	10 2.4	15 4.8	8₅ 4.4	8 5.6	3
II			1.8	2.4	2.0	2.0		0.3	6.8	18	- 4.4	26	1₅ 2.0	1₅ 3.0	11₅ 2.7	13₅ 2.7	23 3.5	18 4.9	13 4.8	2 4.0	0
III			2.1	2.8	2.3	2.2		0.5	6.4	27	- 3.0	15	6 3.2	11 2.2	6 1.9	5₅ 2.5	9₅ 3.9	21₅ 3.1	16₅ 3.6	17 3.9	0
IV			3.9	4.4	3.9	3.9		2.5	7.0	29	- 0.8	12	12₅ 3.1	13 3.2	7₅ 3.6	8₅ 1.4	15₅ 2.7	10 3.3	12₅ 3.0	10₅ 4.0	0
V			6.1	6.3	5.8	5.7		4.2	11.2	31	0.8	8	17 3.3	31 3.5	9₅ 2.8	6 2.8	6₅ 2.8	8 1.9	4 3.8	9 2.8	2
VI			8.7	8.0	8.8	8.3		6.5	16.1	24	1.8	6	18₅ 2.8	31 2.8	7 2.1	4₅ 2.0	5 2.0	7₅ 1.7	9 1.7	7₅ 2.1	0
VII			12.6	12.6	12.0	11.9		10.1	17.5	18	5.6	3	11₅ 2.2	18 2.2	11 1.8	3₅ 1.3	7 2.4	18 2.4	10₅ 1.6	10₅ 1.4	3
VIII			11.9	12.4	11.5	11.5		10.2	18.9	14	6.8	28	12₅ 3.1	23 2.9	5₅ 1.5	5₅ 1.3	8 1.9	16₅ 2.9	8₅ 2.0	12₅ 3.0	1
IX			9.1	9.8	8.8	8.9		7.5	12.2	11	4.3	30	9₅ 3.3	5₅ 3.5	21₅ 2.2	9 1.6	14 2.8	15₅ 3.0	6₅ 2.3	7₅ 4.5	1
X			4.5	5.1	4.7	4.7		2.4	11.0	2	- 0.6	28	16₅ 3.3	12 3.5	7 2.5	4 2.5	8 3.2	11 4.3	15₅ 3.2	19 3.5	0
XI			4.7	4.9	4.7	4.8		2.8	7.8	10	- 1.2	30	8₅ 2.8	3₅ 1.9	11₅ 2.8	7₅ 2.7	8 2.8	22₅ 4.0	20₅ 3.4	8 3.2	0
XII			2.3	2.1	2.1	2.2		0.5	7.4	3	- 4.7	11	12₅ 3.8	8₅ 2.9	12 2.7	10₅ 4.8	20₅ 4.8	14₅ 4.0	4₅ 2.4	10 4.0	0
1945			5.7	6.0	5.6	5.5		3.8	18.9		- 5.2		129₅ 3.1	163₅ 2.9	136 2.5	92 2.5	135 3.2	178 3.5	129₅ 3.1	121₅ 3.5	10

Eggum

φ = 68° 18′ N λ = 13° 41′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 1.1	- 1.4	- 1.6	- 1.4	0.5	- 4.5	7.7	13	- 8.3	5	3 3.3	4₅ 3.7	8 2.8	28₅ 2.8	15₅ 3.6	4 5.4	15 4.8	6₅ 6.0	8
II			0.4	1.0	0.7	0.6	2.6	- 1.7	8.0	19	- 7.4	6	4 2.0	3₅ 3.1	6₅ 2.7	15₅ 3.4	22 4.3	13₅ 5.3	12₅ 5.5	2₅ 6.0	4
III			1.3	1.8	1.9	1.4	4.1	- 0.9	11.1	27	- 5.5	7	12₅ 3.2	2₅ 3.2	3 3.3	10 3.8	11₅ 4.1	12 5.3	19 4.2	14₅ 4.6	8
IV			3.6	4.3	3.7	3.6	5.5	1.8	10.5	29	- 1.2	11	4 2.8	14₅ 3.6	6₅ 3.4	7₅ 3.5	18 3.6	10₅ 3.9	11₅ 4.5	12₅ 4.8	5
V			5.4	6.2	5.6	5.3	7.5	3.5	13.8	31	0.4	8	13 3.5	35₅ 3.5	6 3.5	0₅ 5.0	16₅ 3.8	2 2.5	9 4.0	4₅ 4.3	6
VI			8.1	9.2	8.8	8.1	11.0	6.1	17.6	24	0.6	5	6 2.6	37 3.6	13₅ 2.5	0₅ 2.0	5₅ 2.8	4₅ 2.7	12₅ 3.1	6₅ 2.8	4
VII			12.3	13.3	12.4	12.1	15.1	9.7	24.4	17	5.0	3	13 3.4	7 2.9	6 2.6	3 3.0	7₅ 3.6	14 3.5	20 3.0	2₅ 2.8	20
VIII			12.4	12.7	12.3	12.0	14.4	10.2	24.3	14	4.0	30	10 3.2	19 3.7	4₅ 3.2	4₅ 2.5	11 3.3	14₅ 3.4	11 3.0	7₅ 3.3	11
IX			8.7	9.4	8.8	8.7	10.8	6.6	16.7	14	1.4	26	6₅ 3.8	8₅ 4.1	13₅ 2.6	10₅ 2.6	19 3.8	15 3.6	5 2.9	6 4.8	6
X			3.2	3.7	3.8	3.5	5.7	1.6	13.7	3	- 2.7	26	15 4.4	8₅ 3.1	7 3.1	3 3.5	16₅ 3.0	9₅ 5.4	15 5.0	12₅ 4.9	6
XI			3.8	3.6	3.6	3.7	5.7	1.6	9.3	1	- 3.6	30	5 4.8	2 4.0	9₅ 3.2	17 3.3	8 4.2	25 4.4*	17 4.3	5₅ 4.6	1
XII			1.1	0.9	0.4	0.8	2.6	- 1.6	8.8	3	- 7.8	16	13 3.7	8₅ 3.5	4₅ 3.1	19 3.8	24 4.4	9 4.2	3 3.3	7 6.0	5
1945			4.9	5.4	5.0	4.9	7.1	2.7	24.4		- 8.3		105 3.4	151 3.5	88₅ 2.9	119₅ 3.2	175 3.8	133₅ 4.2	150₅ 4.1	88 4.6	84

Bø i Vesterålen

φ = 68° 37′ N λ = 14° 27′ E g = ΔG = + 1ʰ

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I			- 3.1	- 2.1	- 2.2	- 2.5		- 5.2	4.8	13	-10.1	27	3 3.8	4 2.5	3 3.3	15₅ 2.6	41 3.0	8 3.8	8 5.1	9₅ 4.4	1
II			- 0.8	- 0.1	- 0.3	- 0.5		- 2.6	6.4	20	-11.0	3	0₅ 4.0	6₅ 2.2	5 4.5	7 2.5	41 3.6	11 4.2	8 3.9	3 3.2	2
III			- 0.4	1.3	0.8	0.3		- 2.2	7.5	28	- 7.2	16	3 2.2	0 -	4 2.1	5₅ 1.7	40₅ 2.4	7₅ 3.2	13₅ 3.1	16 3.2	3
IV			3.0	4.6	3.9	3.4		1.0	10.0	29	- 3.2	13	2 2.5	7 2.9	3 3.3	5 2.9	24 2.6	9₅ 2.8	13₅ 3.0	22 3.0	4
V			5.3	7.1	6.3	5.5		2.4	12.6	30	- 1.6	7	16₅ 3.2	0₅ 3.0	11₅ 3.0	0₅ 1.0	22 2.4	2₅ 2.0	19₅ 2.4	20 3.3	0
VI			8.7	10.6	10.3	9.0		5.5	20.0	24	- 1.8	5	9 3.6	4₅ 3.8	2₅ 3.6	4 2.9	13 2.1	7₅ 2.1	32 2.0	17₅ 2.7	0
VII			13.6	15.5	14.1	13.5		9.9	25.9	8	5.0	1	0 -	1 3.0	0₅ 2.0	2 2.2	17₅ 2.2	14₅ 2.3	26 1.8	25₅ 2.1	6
VIII			12.5	13.6	12.7	12.2		9.2	25.0	14	5.3	30	3₅ 3.7	3 2.3	2₅ 2.0	7 1.8	15 2.5	17₅ 2.6	19₅ 2.1	21 2.4	4
IX			8.2	10.0	7.9	8.2		5.3	14.9	14	- 1.8	28	4₅ 2.2	2₅ 1.8	9 3.4	9 2.2	34 2.6	7₅ 2.8	9 2.4	12₅ 2.8	2
X			1.8	3.2	2.3	2.2		- 0.4	10.2	3	- 6.0	27	7 2.0	5₅ 2.2	3₅ 2.1	7 1.9	28 3.4	4₅ 3.0	8 3.1	27₅ 3.8	2
XI			3.0	3.2	2.6	2.9		0.4	7.4	1	- 4.8	28	6₅ 1.7	5₅ 1.7	2 3.3	11₅ 3.5	38 2.8	7₅ 3.8	7₅ 3.1	11₅ 3.1	0
XII			- 0.7	- 0.5	- 0.7	- 0.6		- 2.8	6.2	3	-10.0	15	13 3.0	5 2.2	2 2.0	7₅ 2.9	42 3.3	5 4.5	7 3.1	11₅ 3.3	0
1945			4.3	5.5	4.8	4.5		1.7	25.9		-11.0		68₅ 2.9	45 2.4	48₅ 3.1	81₅ 2.5	356 2.9	102₅ 3.1	171₅ 2.6	197₅ 3.0	24

1945

Sørvågen

$H_s = 20$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.4$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ♀	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I					7.4	7.6	7.0	122	38	13	28		0		17	15	4	10	1	1	5	16	3	0	0	1	0	0	0	0	0	1	14	31
II					8.4	8.6	8.4	126	14	21	22		0		17	16	4	10	5	1	11	14	6	1	0	0	0	0	1	0	4	0	21	25
III					8.3	8.5	8.2	180	35	13	18		0		24	22	4	5	0	0	11	19	4	1	0	0	0	0	2	1	4	0	20	24
IV					8.6	8.7	8.2	185	30	17	5		0		16	15	6	5	0	0	13	6	3	1	0	0	0	0	0	3	8	0	21	7
V					6.5	6.1	5.5	47	21	12	1		0		9	6	2	2	0	0	7	4	2	1	0	0	0	0	0	1	17	4	12	0
VI					5.6	5.4	5.2	4	2	18	0		0		4	2	0	1	0	0	4	0	0	1	0	0	0	0	1	1	23	10	9	0
VII					7.1	6.0	5.2	72	19	30	0		0		10	10	2	0	0	0	10	0	0	5	0	0	0	0	1	2	19	4	10	0
VIII					7.6	7.5	7.2	60	20	28	0		0		17	7	2	3	0	0	17	0	0	0	0	0	0	0	0	1	15	3	17	0
IX					7.2*	7.2*	7.3*	76*	16*	5*	0*		0*		20*	12*	2*	5*	0*	0*	20*	0*	0*	0*	0*	0*	0*	0*	1*	0*	12*	2*	15*	0*
X					8.5	7.6	8.3	296	51	2	5		0		27	26	8	6	0	0	19	16	5	0	0	0	0	0	0	0	2	0	18	15
XI					8.8	9.0	9.0	310	54	23	9		0		23	20	11	8	1	0	22	6	3	0	0	0	0	0	0	0	1	0	24	6
XII					7.9	8.3	8.1	106	16	15	19		0		17	17	2	12	2	0	9	11	2	0	0	0	0	0	1	0	0	0	19	25
1945					7.7	7.5	7.3	1584	54		107		0		201	168	47	67	9	2	148	92	28	10	0	1	0	0	7	9	105	24	200	133

Røst

$H_s = 8$ $H_b = 10.8$ $h_t = 2.0$ $h_a = 16.3$ $h_d = 15.6$ $h_r = 1.6$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ♀	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	77	81	76	77	7.1	7.1	6.0	51	8	2	24	5	0	0	19	12	0	15	8	4	7	15	0	0	0	1	0	0	7	0	1	1	7	
II	78	80	84	81	7.9	7.9	7.5	135	46	25	8	1	0	0	20	16	3	14	6	5	13	15	8	0	0	0	0	0	9	0	7	0	13	
III	85	84	82	84	8.3	7.6	6.8	75	12	11	18	0	0	0	25	17	1	17	3	2	12	17	3	0	0	0	0	0	10	1	14	0	14	
IV	82	79	82	82	7.5	8.3	8.3	70	14	18	2	0	0	0	25	13	2	8	0	0	23	7	4	0	0	0	0	0	4	2	20	0	17	
V	79	75	78	80	7.6	6.7	6.3	22	5	11	0	0	0	0	14	7	0	11	0	0	13	2	1	1	1	1	0	0	3	2	23	2	11	
VI	79	75	78	81	6.8	6.5	5.9	15	7	15	0	0	0	0	10	3	0	8	0	0	10	1	1	2	0	0	0	0	2	4	23	3	11	
VII	86	84	86	87	7.9	6.9	7.0	43	11	30	0	0	0	0	14	8	1	5	0	0	14	0	0	1	0	0	0	0	4	8	19	3	15	
VIII	86	83	86	87	7.6	7.3	6.9	60	20	28	0	0	0	0	18	7	2	7	1	1	18	0	0	0	0	0	0	0	1	1	19	2	17	
IX	82	78	82	82	7.3	7.2	7.7	77	15	5	0	0	0	0	20	12	2	7	0	0	20	0	0	0	0	0	0	0	2	0	19	1	14	
X	80	78	80	80	8.1	7.7	6.7	113	17	18	1	0	0	0	27	22	4	20	2	0	20	16	6	0	0	1	0	0	3	0	14	1	15	
XI	83	83	86	84	8.2	8.5	8.2	100	16	18	2	0	0	0	24	17	3	17	1	0	24	5	4	1	0	0	0	0	3	0	4	0	18	
XII	78	80	81	79	7.5	8.0	6.9	91	16	9	13	0	0	0	23	20	2	20	5	3	14	12	3	0	0	1	0	0	0	0	0	0	12	
1945	81	80	82	82	7.6	7.5	7.0	852	46		68	6	0	0	239	154	20	149	26	15	188	90	30	5	1	4	0	0	48	18	163	13	164	

Skomvær Fyr

$H_s = 13$ $H_b =$ $h_t = 2.3$ $h_a =$ $h_d =$ $h_r = 1.5$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ♀	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I					7.3	7.3	6.7	48	17	17	26		0		19	10	1	8	4	2	6	15	0	2	0	1	0	1	3	0	18	0	9	13
II					7.3	7.9	8.0	43	10	10	9		0		18	13	0	14	5	3	13	13	7	1	0	8	0	0	6	3	18	0	12	8
III					8.5	7.8	7.6	52	8	9	15		0		27	15	0	8	0	0	17	18	7	2	0	4	0	0	3	8	25	0	16	13
IV					7.5	7.8	8.2	61	18	17	4		0		23	13	2	5	2	1	21	9	7	8	0	3	0	0	14	8	26	0	17	2
V					6.9	6.7	6.0	18	4	12	0		0		15	5	0	5	0	0	14	5	4	1	0	2	0	0	21	4	29	1	10	0
VI					7.7	6.5	6.9	13	5	15	0		0		14	4	0	2	0	0	14	3	3	5	0	2	0	0	5	8	27	0	12	0
VII					7.4	7.4	7.2	49	15	30	0		0		17	9	2	0	0	0	17	0	0	9	0	0	0	0	14	15	28	1	15	0
VIII					8.1	7.4	7.1	56	17	28	0		0		25	11	0	4	0	0	25	0	0	4	0	0	0	0	22	9	27	0	14	0
IX					7.2	6.8	7.7	60	11	5	0		0		20	12	1	4	1	0	20	0	0	7	0	0	0	0	19	4	25	0	11	0
X					8.2	7.9	6.9	77	10	4	4		0		29	17	1	7	0	0	25	16	13	4	0	8	0	0	20	6	17	0	14	4
XI					8.6	8.5	8.2	82	10	8	3		0		26	18	1	10	0	0	24	7	5	8	0	1	0	1	22	4	6	0	19	2
XII					7.7	8.4	7.1	81	15	11	16		0		25	20	1	17	5	4	15	14	4	2	0	2	0	1	17	1	7	0	13	15
1945					7.7	7.5	7.3	640	18		77		0		258	147	9	84	17	10	211	100	50	53	0	31	0	3	156	70	253	2	152	57

Eggum

$H_s = 4$ $H_b =$ $h_t = 1.7$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ♀	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I	75	76	76	75	5.8	6.6	6.0	78	22	13	29	15	0	0	16	13	2	9	1	0	1	15	0	0	0	0	0	0	0	0	0	5	11	28
II	80	79	81	80	7.2	8.2	7.3	224	77	25	20	5	0	0	18	14	5	13	2	0	11	15	7	0	0	1	0	0	0	0	0	1	15	23
III	81	80	83	82	8.4	8.4	8.7	111	25	13	19	2	0	0	28	23	3	14	0	0	17	23	7	1	0	1	0	0	0	0	2	0	20	19
IV	83	80	83	84	8.8	8.0	7.7	62	15	8	5	0	0	0	21	16	1	7	0	0	17	12	8	0	0	3	0	0	0	0	9	0	20	0
V	81	80	79	80	7.6	7.1	6.4	27	13	11	0	0	0	0	15	6	1	4	0	0	15	5	3	1	0	1	0	0	0	1	5	4	15	1
VI	83	82	82	83	7.2	6.5	6.3	24	8	1	0	0	0	0	12	7	0	2	0	0	12	1	0	0	0	0	0	0	0	0	11	5	16	0
VII	90	87	87	90	6.4	6.4	6.6	37	10	30	0	0	0	0	17	10	1	2	0	0	17	0	0	6	0	0	0	0	0	2	7	4	12	0
VIII	87	86	89	88	7.6	7.8	7.4	88	46	29	0	0	0	0	20	8	2	4	0	0	20	0	0	1	0	0	0	0	0	1	6	3	16	0
IX	87	83	85	86	7.2	7.2	6.9	76	18	5	0	0	0	0	20	12	2	4	0	0	20	0	0	0	0	0	0	1	0	0	6	3	16	0
X	85	87	85	85	8.1	8.1	8.0	154	29	4	9	0	0	0	29	21	4	11	0	0	22	16	6	0	0	0	0	0	1	0	5	0	17	11
XI	82	82	82	82	8.8	9.0	8.2	149	22	12	7	1	0	0	26	17	7	9	0	0	21	10	1	0	0	0	0	0	0	0	0	2	23	0
XII	78	79	80	79	6.5	8.9	6.0	111	30	9	21	5	0	0	26	17	3	11	1	0	15	17	4	0	0	0	0	0	0	0	0	2	9	23
1945	83	82	83	83	7.5	7.7	7.1	1141	77		110	28	0	0	248	164	31	90	4	0	188	114	36	9	0	6	0	1	1	4	51	29	191	105

Bø i Vesterålen

$H_s = 7$ $H_b =$ $h_t = 1.9$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	Midlere relativ fuktighet Um 8	14	19	Dies	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dat	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0.1	R ≥ 1.0	R ≥ 10.0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø *	Sludd	Yr ♀	Sprøhagl *	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn ⊙	Klarvær ◔	Over-skyet ●	Snødekke ⊞
I					6.2	7.3	6.5	62	12	13	29		1		14	11	1	4	0	0	6	13	3	0	0	0	2	0	0	0	4	4	14	
II					7.7	8.1	7.5	88	11	27	20		2		17	16	1	8	2	0	12	10	4	0	1	0	1	0	0	0	6	3	18	
III					8.9	7.9	9.0	143	18	20	20		0		28	23	5	2	1	0	14	22	6	2	0	0	0	0	3	2	10	0	20	
IV					8.2	7.6	7.9	69	16	8	6		0		23	15	1	3	0	0	17	10	2	1	0	3	0	0	0	0	17	1	15	
V					7.3	6.6	6.4	42	12	11	4		0		14	7	2	1	0	0	11	5	0	3	0	0	1	0	0	2	20	5	15	
VI					7.0	5.8	5.5	41	12	1	2		0		10	8	1	0	0	0	10	3	2	1	0	1	0	0	0	1	28	6	10	
VII					6.1	5.3	5.0	34	6	6	0		0		12	9	0	1	0	0	12	0	0	4	0	0	1	0	0	4	20	5	10	
VIII					7.3	7.1	7.5	54	18	3	0		0		12	9	2	2	0	0	12	0	0	2	0	0	0	0	0	2	17	3	17	
IX					7.1	7.6	6.9	100	27	4	1		0		18	11	2	2	1	0	18	0	0	3	0	0	0	0	0	0	16	3	16	
X					8.3	8.0	8.5	151	40	2	18		0		27	21	4	5	2	0	18	17	1	3	0	0	2	0	0	0	6	1	20	
XI					8.8	9.3	8.5	142	27	6	12		0		24	16	4	5	0	0	20	8	0	2	0	0	0	0	0	0	3	1	23	
XII					8.0	8.6	6.8	61	11	10	20		0		19	15	1	6	3	1	9	14	2	0	0	0	0	0	0	0	0	2	20	
1945					7.6	7.4	7.2	987	40		132		3		218	161	24	39	9	1	159	102	20	21	1	4	7	0	3	11	147	34	199	

1945

Andenes

φ = 69° 19′ N λ = 16° 7′ E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I	1004.9	1005.7	- 2.2	- 1.7	- 2.0	- 2.0	0.3	- 4.7	7.6	13	- 8.9	6	3.5	5.1	4.5	3.6	1.5	3.7	11.5	2.9	30	3.0	25	3.9	7.5	4.9	6.5	5.5	3
II	01.3	02.1	- 0.5	- 0.6	- 0.5	- 0.6	1.4	- 3.2	7.4	19	- 9.4	3	2.5	5.0	3.5	4.0	3	3.7	21	3.0	31	4.0	14	4.6	5	5.9	2	2.8	2
III	05.0	05.8	- 0.6	0.5	0.2	- 0.1	2.2	- 2.5	7.8	27	- 7.9	16	6.5	2.5	3.5	4.1	0.5	3.0	20	2.9	22.5	3.1	16.5	4.0	15	4.1	7.5	4.1	1
IV	06.5	07.8	2.9	3.8	3.2	2.9	4.9	1.1	11.0	29	- 3.2	26	10	3.2	10.5	3.5	5	2.8	8.5	2.5	16.5	2.8	10	4.0	15	4.7	12.5	3.8	2
V	12.6	13.4	5.0	5.4	4.7	4.6	6.4	3.1	12.3	17	- 0.2	8	13.5	2.9	30.5	3.3	2.5	3.2	7	2.8	5	2.8	3.5	3.0	20	3.2	11	2.8	0
VI	11.1	11.9	7.1	7.7	7.4	7.0	8.9	5.7	12.2	24	0.7	5	14.5	2.9	36.5	3.3	2.5	2.8	3.5	2.3	0.5	2.0	4.5	2.2	23	3.1	4	2.6	1
VII	12.6	13.4	11.8	12.2	12.0	11.5	14.2	9.5	22.9	8	3.6	3	13	1.9	21.5	3.1	6.5	1.7	8	2.6	2.5	1.8	3.5	3.6	27	3.5	9	2.6	2
VIII	08.7	09.5	11.9	12.4	11.7	11.6	13.7	9.9	22.9	14	4.8	28	7.5	2.5	22	3.8	8.5	1.9	5.5	2.4	4	2.0	8	3.4	26	2.9	7.5	2.4	4
IX	13.3	14.1	8.1	9.4	8.3	8.3	10.2	6.4	18.4	14	1.4	26	7.5	3.7	7.5	3.7	15.5	2.3	13	2.3	14.5	2.6	15.5	3.1	9.5	2.7	5	3.6	2
X	04.7	05.5	2.8	3.1	3.0	2.9	4.9	0.8	12.3	2	- 3.2	27	12	3.6	8.5	2.9	1.5	2.7	3	2.3	14	3.9	17	3.6	10.5	3.9	26.5	4.2	0
XI	11.2	12.0	2.5	2.5	2.2	2.4	4.5	0.4	8.4	1	- 3.6	30	7.5	4.4	9	3.8	14	3.5	5	3.6	9	3.2	24	4.3	13	4.4	8.5	4.2	0
XII	04.3	05.1	- 0.3	- 0.5	- 0.4	- 0.4	1.6	- 2.6	6.3	9	- 9.8	15	6	4.2	6.5	4.0	6.5	4.2	21.5	3.9	21	3.7	15	3.7	7	3.2	9.5	3.5	0
1945	1008.0	1008.9	4.0	4.5	4.2	4.0	6.1	2.0	22.9		- 9.8		104	3.2	164	3.5	67.5	2.8	127.5	2.9	170.5	3.3	156.5	3.8	178.5	3.6	109.5	3.6	17

Sandsøy i Senja

φ = 68° 57′ N λ = 16° 40′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 2.4	- 2.2	- 2.5	- 2.4		- 4.3	5.7	13	- 7.7	7	1.5	8.3	3.5	3.3	6.5	1.9	20.5	2.9	45.5	4.4	4	5.0	4.5	5.6	6	6.9	1
II			- 0.5	0.2	- 0.6	- 0.4		- 2.2	5.8	20	- 7.2	3	0	-	1	3.0	10	2.4	15	3.4	45	5.0	3	5.8	6.5	4.1	3.5	4.7	0
III			- 0.7	0.8	0.1	- 0.2		- 2.2	6.6	24	- 6.5	5	3	4.0	5.5	3.3	6	3.0	9.5	4.3	36.5	4.1	3	2.5	7.5	4.7	11	5.0	11
IV			2.7	4.2	2.8	2.8		0.8	9.7	29	- 2.9	13	3.5	3.9	2.5	3.8	7	3.0	9	3.2	18.5	3.9	2	3.5	16.5	4.0	19	4.0	12
V			5.0	6.3	5.2	4.9		2.4	12.7	17	- 1.7	12	26.5	3.3	6.5	4.0	2	5.5	6	2.8	8	3.4	2	4.0	7	4.1	19	4.3	16
VI			8.0	9.1	8.4	7.9		5.7	16.3	12	0.2	6	29	3.4	5.5	2.5	3	3.0	3	1.3	6.5	2.5	1	1.0	5	4.0	27	3.4	10
VII			13.3	15.6	13.8	13.4		10.2	26.3	8	3.0	3	22.5	2.2	1	1.0	3	2.3	7.5	1.5	17.5	3.8	0	-	2.5	3.6	23	3.0	16
VIII			12.9*	14.3*	12.8*	12.6*		9.6*	25.0*	14*	4.0*	30*	17*	3.4*	6*	2.4*	2*	1.8*	4*	2.2*	14*	2.6*	17*	2.8*	10*	1.0*	16*	2.8*	7*
IX			7.9	10.0	8.0	8.2		6.2	14.8	14	0.5	28	9.5	4.1	4	4.2	10.5	2.6	6	2.7	29	3.7	3	3.3	2	2.0	11	3.7	15
X			2.3	2.9	2.3	2.4		0.5	11.6	2	- 4.6	27	5.5	4.4	1	1.0	7	1.4	6	2.7	32	4.3	3	4.3	6.5	3.5	24	5.1	8
XI			2.3	2.1	2.0	2.1		0.2	7.4	15	- 5.6	30	3	6.0	6	2.8	5.5	3.4	13	4.1	31.5	4.6	4	4.6	9.5	3.9	12.5	4.7	5
XII			- 0.7	- 0.8	- 0.8	- 0.8		- 2.3	5.2	6	-11.6	14	6	4.8	2	4.0	5	2.8	19.5	4.1	42	4.6	6.5	5.5	3.5	3.6	6.5	4.4	2
1945			4.2	5.2	4.3	4.2		2.0	26.3		-11.6		127	3.5	44.5	3.2	67.5	2.6	119	3.2	326	4.2	48.5	3.9	81	3.7	178.5	4.1	103

Gibostad

φ = 69° 21′ N λ = 18° 5′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 5.3	- 4.5	- 5.1	- 5.0		- 8.0	4.9	13	-14.2	6	4.5	2.1	1	1.0	8.5	2.8	14	2.3	18.5	2.1	24.5	3.7	7.5	3.2	5.5	3.6	9
II			- 3.1	- 2.4	- 2.6	- 2.8		- 5.6	6.5	18	-13.8	3	5.5	1.1	2.5	1.2	7.5	3.3	14	2.8	11	4.4	18	3.2	9.5	3.0	4	1.6	12
III			- 2.6	- 0.7	- 1.7	- 2.0		- 4.5	6.7	28	-11.6	8	10.5	1.7	2	2.0	6	2.2	3.5	1.7	17	2.3	20.5	2.0	14	2.7	10.5	1.9	9
IV			2.3	4.0	2.4	2.3		- 0.4	13.6	30	- 7.8	13	12	2.1	6.5	1.7	10	3.2	6.5	3.2	2	2.2	23	2.6	11	3.1	13	2.6	6
V			4.8	6.3	5.0	4.8		2.3	13.1	31	- 1.6	23	31.5	2.4	7.5	2.0	6.5	2.0	3	5.0	6	1.7	10.5	2.6	4.5	2.7	22.5	2.5	1
VI			8.7	9.6	8.7	8.3		5.7	16.8	24	- 0.4	5	46.5	3.1	7	2.6	3	2.0	4.5	3.1	5	2.2	8.5	2.4	4.5	2.7	10	2.6	1
VII			13.9	15.9	14.3	13.8		9.9	24.4	8	2.7	3	37	3.1	7	2.1	3.5	2.9	3	2.5	6	1.6	16	3.8	5.5	3.1	10	3.2	5
VIII			12.5	14.2	12.0	12.2		9.3	25.0	14	2.1	30	30.5	3.0	10	2.6	1	1.5	1.5	2.7	12	2.7	16.5	3.0	0	-	11.5	3.1	10
IX			7.2	9.6	7.7	7.7		4.7	20.7	14	- 2.3	27	10	2.1	7.5	1.8	6	3.2	11	2.5	8	2.0	22.5	2.9	9.5	1.9	7.5	1.9	8
X			0.9	1.3	0.9	0.8		- 1.1	10.7	2	- 8.4	27	8.5	2.8	2.5	1.6	1	2.0	12.5	2.2	8	3.0	29	3.4	15	2.3	12.5	1.9	4
XI			0.5	0.4	0.0	0.3		- 2.3	6.1	19	- 7.9	30	13	2.3	5	2.5	6	3.7	9	4.2	4.5	2.8	26	3.5	11	3.4	8.5	2.8	7
XII			- 2.9	- 2.9	- 2.7	- 2.8		- 5.1	5.0	6	-16.4	15	5	3.2	2.5	2.0	7.5	4.1	13	3.5	30	2.6	18	3.4	10	2.8	4	2.0	3
1945			3.1	4.2	3.2	3.1		0.4	25.0		-16.4		214.5	2.7	61	2.1	66.5	3.0	95.5	2.9	128	2.5	233	3.2	102	2.8	119.5	2.5	75

Sommarøy i Senja

φ = 69° 39′ N λ = 18° 1′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I			- 2.2	- 1.8	- 2.1	- 2.0		- 3.8	5.5	13	- 6.5	6	5	4.5	1	1.5	0.5	1.0	10	3.5	6.5	3.4	2.5	4.6	1.5	5.0	6.5	4.2	1
II			- 0.6	- 0.3	- 0.3	- 0.5		- 2.4	5.8	20	- 7.5	2	0.5	2.0	5	1.8	3	1.3	15.5	4.6	47	3.6	7	4.9	3	5.7	2	4.0	1
III			- 0.8	- 0.3	- 0.3	- 0.7		- 2.4	7.1	24	- 7.6	5	4	2.8	5.5	2.1	1.5	2.3	8.5	4.1	50.5	3.1	5	3.0	8.5	3.4	8.5	3.4	1
IV			2.5	3.4	2.9	2.5		0.4	8.6	29	- 3.5	13	10	2.6	5	1.5	1	3.5	16	3.7	25.5	3.0	1.5	2.7	13	2.8	11	3.8	7
V			4.4	5.6	4.7	4.4		2.2	11.9	17	- 1.5	8	32.5	2.5	5.5	2.0	3	2.0	5	4.8	15.5	2.1	2.5	1.4	11	2.5	14	2.6	4
VI			7.7	8.5	7.9	7.5		5.5	13.4	14	- 0.5	6	47.5	2.2	3.5	1.9	3.5	1.4	1.5	4.3	3	2.0	3	1.0	15.5	1.9	7.5	2.0	5
VII			12.7	13.8	13.2	12.5		9.7	22.4	8	3.3	3	34	1.4	7.5	1.4	1	2.0	7.5	3.1	10.5	2.4	11	1.7	9	3.2	7.5	1.7	5
VIII			11.9	12.9	12.0	11.8		9.7	20.7	14	5.3	30	28	1.8	4.5	1.2	0.5	2.0	4.5	1.8	16.5	2.6	7	1.6	10.5	2.3	10.5	2.0	11
IX			8.0	9.6	7.9	8.2		6.1	18.1	14	0.7	28	11.5	2.5	6	1.4	3	2.2	13.5	3.7	33.5	2.6	2	1.5	5.5	2.1	4	2.9	11
X			2.3	2.3	2.2	2.2		0.4	10.1	2	- 2.7	18	10.5	4.2	2.5	2.2	0.5	1.0	1.5	4.7	41.5	3.3	4	2.2	14	3.7	15.5	3.9	3
XI			1.5	1.5	1.4	1.5		- 0.5	6.2	19	- 5.3	30	10.5	3.1	3.5	2.4	4.5	1.9	11	4.5	37.5	3.2	6	3.9	5.5	3.7	10.5	3.4	1
XII			- 1.1	- 1.0	- 1.2	- 1.1		- 3.1	5.0	8	-11.8	15	7.5	4.2	0.5	4.0	1	3.0	14.5	4.7	59	3.8	1	4.0	1.5	2.0	7	2.1	1
1945			3.9	4.5	4.0	3.9		1.8	22.4		-11.8		201.5	2.4	50	1.8	23	1.9	109	4.0	405	3.2	52.5	2.7	98.5	2.9	104.5	2.0	51

Tromsø

φ = 69° 39′ N λ = 18° 57′ E g = 9.825 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	8	14	19	Dies	Max	Min	Max	Dat	Min	Dat	N		NE		E		SE		S		SW		W		NW		C
I	992.0	1006.5	- 4.3	- 4.2	- 4.3	- 4.3	- 2.6	- 6.3	5.1	13	-10.8	6	4	3.0	8	1.6	1.5	1.3	0	-	30	3.3	42	3.0	2	5.5	1.5	5.3	4
II	89.1	03.5	- 2.5	- 2.1	- 2.4	- 2.4	- 0.5	- 4.4	7.1	19	- 9.5	7	6	1.3	7.5	2.3	0.5	2.0	0.5	2.0	28.5	4.1	28.5	3.6	4	2.9	1.5	2.0	7
III	92.0	06.4	- 2.5	- 1.5	- 2.2	- 2.4	0.1	- 4.7	7.8	27	-10.2	5	4	2.0	7	3.3	1	2.0	2	1.5	24	3.1	36.5	2.9	7.5	2.6	3	2.3	8
IV	93.7	07.9	1.3	2.7	1.7	1.4	3.8	- 0.8	11.8	30	- 5.8	26	5.5	2.5	13.5	1.9	1.5	1.0	1	1.0	22	2.9	22	2.6	9	2.8	7.5	2.4	8
V	99.3	13.6	3.7	5.2	4.2	3.8	6.3	1.2	12.6	17	- 2.5	8	10.5	2.4	32	2.0	0.5	2.0	1	2.0	8	2.8	16	2.6	10	2.1	12	2.4	3
VI	98.0	12.0	7.6	9.1	8.2	7.6	10.7	4.8	18.1	24	- 0.8	6	12.5	2.4	34	2.5	2	2.2	0.5	2.0	9.5	2.2	7.5	2.2	5	2.0	18	2.1	1
VII	1000.1	13.8	12.6	15.5	13.9	13.1	17.0	9.4	25.0	8	2.2	3	21.5	1.8	20	2.1	0	-	1	3.0	10.5	2.5	15	2.5	6	1.5	15	2.0	4
VIII	996.2	09.9	11.2	13.1	11.9	11.5	14.5	8.9	25.1	14	3.5	30	11.5	2.1	28	2.5	0.5	3.0	1	1.0	6.5	2.8	15.5	2.2	5	2.0	9	2.0	16
IX	1000.8	14.8	6.7	9.0	7.2	7.2	9.6	4.6	18.8	14	- 1.1	27	5	2.7	10	2.0	1.5	2.0	0.5	4.0	12.5	3.2	26.5	2.4	4.5	1.8	6.5	2.1	23
X	991.3	05.6	0.4	0.6	0.0	0.2	1.8	- 1.5	10.4	2	- 5.7	27	4.5	2.9	2.5	2.8	1	2.5	0.5	1.0	28.5	3.3	31.5	3.0	4.5	3.3	5	2.2	15
XI	98.6	13.1	0.0	- 0.3	- 0.7	- 0.3	1.5	- 2.8	6.3	19	- 8.9	30	6	1.9	13.5	2.2	3.5	1.7	1.5	4.0	20.5	3.4	20.5	3.4	5	3.5	4.5	3.9	15
XII	92.3	06.7	- 3.0	- 3.2	- 2.9	- 3.0	- 1.3	- 5.1	4.7	9	-14.7	15	6	2.8	7.5	1.9	2.5	1.2	1	3.5	36	3.6	31.5	3.6	1.5	1.3	0	-	7
1945	995.3	1009.5	2.6	3.7	2.9	2.7	5.1	0.3	25.1		-14.7		97	2.2	183.5	2.2	16	1.8	10.5	2.3	236.5	3.3	293	2.9	64	2.5	85.5	2.3	111

1945

Andenes

$H_s = 5$ $H_b = 6.5$ $h_t = 1.9$ $h_a = 10.9$ $h_d = 10.2$ $h_r = 1.7$

Måned	Midlere relativ fuktighet U_m 8	14	19	Døgn	Midlere skydekke N_m 8	14	19	Nedbør R Σ	Max	Dato	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	Vindstyrke F F ≥ 6	F ≥ 8	F ≥ 9	Regn ●	Snø ✱	Sludd	Yr	Sprøhagl	Hagl △	Ishagl ▲	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
I	76	77	78	77	6.9	7.6	6.7	64	15	13	29	18	0	0	17	14	1	10	4	1	4	16	3	0	0	3	0	0	0	0	3	3	14	30
II	77	75	76	76	7.2	7.8	6.7	36	7	22	23	9	0	0	15	14	0	12	3	2	6	13	5	0	0	0	0	0	0	0	13	2	13	24
III	83	80	82	82	8.3	8.8	9.1	136	24	28	20	7	0	0	25	19	3	13	3	2	14	20	8	4	0	4	0	0	0	0	17	0	22	23
IV	80	78	78	80	8.5	8.4	8.3	63	12	9	9	0	0	0	23	15	1	8	2	0	20	12	9	1	0	3	0	0	0	0	14	1	20	5
V	72	74	77	75	8.2	7.5	8.0	36	8	12	1	0	0	0	16	10	0	3	0	0	12	8	4	2	0	1	0	0	1	1	19	1	18	0
VI	82	77	79	84	7.5	7.3	6.9	26	9	16	0	0	0	0	12	5	0	1	0	0	12	4	4	3	0	1	0	0	1	1	24	2	13	0
VII	84	80	82	84	6.4	5.4	5.7	33	7	6	0	0	0	0	12	8	0	3	0	0	12	0	0	3	0	1	0	0	2	5	26	4	9	0
VIII	81	80	82	82	8.5	8.1	8.2	48	14	29	0	0	0	0	16	9	1	4	0	0	16	0	0	1	0	0	0	0	0	2	20	1	20	0
IX	76	68	78	76	7.2	6.6	7.6	61	18	4	0	0	0	0	15	10	2	2	0	0	15	0	0	1	0	0	0	0	0	0	17	3	18	0
X	77	74	78	77	8.6	8.5	8.7	167	34	4	15	0	0	0	27	24	4	14	1	0	17	22	12	0	0	5	0	0	0	0	5	0	18	14
XI	75	76	76	75	8.8	8.7	7.8	129	26	25	10	2	0	0	22	15	5	12	4	1	19	11	6	0	0	2	0	0	0	0	2	1	22	7
XII	77	76	75	76	7.4	8.2	7.7	67	15	10	25	6	0	0	24	18	1	9	1	0	8	20	2	0	0	0	0	0	0	0	0	2	20	26
1945	78	76	78	79	7.8	7.7	7.6	866	34		132	42	0	0	224	161	18	91	18	6	155	126	53	15	0	20	0	0	4	9	160	20	207	129

Sandsøy i Senja

$H_s = 17$ $H_b =$ $h_t = 2.1$ $h_a =$ $h_d = 8.0$ $h_r = 1.8$

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					6.5	6.6	5.3	64	16	14	29		0		13	12	2	13	6	5	5	12	4	0	0	0	0	0	0	0	6	6	10	31
II					7.9	7.5	7.4	27	7	23	22		0		13	7	0	16	4	0	7	9	3	0	0	0	0	0	0	0	9	1	16	25
III					8.0	8.2	8.8	95	27	24	21		0		22	14	3	13	3	0	10	18	5	2	0	2	0	1	1	0	11	2	23	24
IV					9.3	8.0	8.5	55	12	9	10		0		21	14	1	9	2	0	17	14	8	2	0	2	0	0	0	0	13	1	23	11
V					8.5	8.1	7.6	12	3	13	4		0		8	6	0	7	1	0	5	6	3	1	0	1	0	0	0	1	17	0	20	1
VI					7.7	6.8	6.2	13	6	1	0		0		7	3	0	4	0	0	7	2	2	6	0	0	0	0	0	1	17	4	16	0
VII					6.7	5.3	6.4	4	1	1	0		0		6	2	0	7	1	0	6	0	0	3	0	0	0	0	0	4	22	4	11	0
VIII					7.9x	7.8x	7.8x	70x	14	29	0x		0x		13x	10x	2x	2x	0x	0x	13x	0x	0x	0x	0x	0x	0x	0x	0x	2x	17x	3x	17x	0x
IX					6.5	6.8	7.0	41	13	5	0		0		13	9	1	7	0	0	13	0	0	2	0	0	0	0	0	0	14	4	14	0
X					8.7	7.5	8.3	123	38	4	14		0		24	21	2	14	4	0	15	16	8	2	0	3	0	0	0	0	5	0	17	14
XI					9.3	8.3	8.2	91	21	6	12		0		20	14	4	18	7	1	17	7	3	2	1	1	0	0	0	1	4	0	23	6
XII					7.5	7.6	6.8	36	7	12	24		2		15	8	0	16	1	1	6	13	4	0	0	0	0	0	0	0	0	4	14	26
1945					7.9	7.4	7.4	631	38		136		2		175	120	15	126	29	7	122	97	40	20	1	9	0	1	1	9	135	29	204	138

Gibostad

$H_s = 6$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.8$

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	83	79	80	82	6.4	7.3	5.0	109	25	14	29		13		19	13	4	6	0	0	6	16	5	1	3	0	0	0	0	0	1	4	10	31
II	76	75	78	77	7.1	7.7	6.2	47	11	23	23		8		17	8	2	7	0	0	6	11	2	1	2	0	0	1	0	1	18	2	13	28
III	82	75	80	81	8.1	8.8	8.1	128	22	24	23		7		23	17	5	2	0	0	11	22	6	0	2	0	0	0	0	3	23	1	23	31
IV	80	71	78	80	7.6	7.5	8.4	108	22	9	15		0		21	13	4	4	0	0	12	17	7	0	5	0	0	0	0	0	21	2	19	26
V	76	68	72	78	7.9	7.3	7.7	47	15	13	2		0		11	9	1	2	0	0	7	8	3	1	8	1	0	0	0	0	26	1	16	3
VI	76	70	71	76	7.0	6.6	7.0	38	14	16	1		0		17	7	1	0	0	0	15	4	2	6	2	0	0	0	1	0	29	3	16	1
VII	77	68	72	77	5.9	5.6	5.0	22	7	3	0		0		10	6	0	1	0	0	10	0	0	1	0	0	0	0	1	2	29	7	12	0
VIII	81	75	83	83	8.5	8.4	8.2	77	18	26	0		0		15	11	3	0	0	0	15	0	0	6	0	0	0	1	2	1	17	0	23	0
IX	85	69	77	80	6.5	5.8	7.0	45	10	18	5		0		14	10	0	0	0	0	14	0	0	2	2	0	0	0	0	2	24	7	17	0
X	88	85	87	87	8.4	8.5	8.1	204	38	4	19		0		28	24	6	2	0	0	15	24	10	0	6	0	0	0	0	0	19	1	19	23
XI	78	82	81	80	8.5	8.0	7.5	161	30	6	23		0		23	19	5	5	0	0	20	17	10	0	5	0	0	0	1	1	5	3	21	21
XII	81	77	77	79	7.5	7.4	7.3	52	13	12	27		3		19	11	1	8	1	0	5	17	2	0	1	0	0	0	0	1	0	2	17	22
1945	80	75	78	80	7.4	7.5	7.1	1038	38		167		31		217	148	32	37	1	0	136	136	47	18	36	1	0	2	5	11	212	33	206	186

Sommarøy i Senja

$H_s = 2$ $H_b =$ $h_t = 2.0$ $h_a =$ $h_d =$ $h_r = 1.7$

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I					5.2	5.9	4.1	62	9	29	29		0		15	12	0	0	0	0	0	15	4	0	1	2	0	1	0	0	6	9	7	31
II					5.6	5.7	5.3	20	3	28	23		0		15	8	0	13	3	0	7	11	1	0	0	2	0	0	0	0	15	4	5	28
III					6.5	7.7	7.0	79	13	13	23		0		20	12	4	8	1	0	12	19	9	0	2	4	0	0	0	0	19	2	12	31
IV					7.4	7.4	7.6	56	11	9	13		0		21	15	1	8	0	0	13	16	8	0	0	0	0	0	0	0	21	3	17	28
V					7.5	6.5	7.0	31	6	12	4		0		18	8	0	3	0	0	12	8	0	3	0	4	0	0	0	0	25	2	15	3
VI					6.2	6.0	6.6	28	8	16	1		0		14	6	0	2	0	0	12	4	1	3	0	2	0	0	0	0	27	5	15	1
VII					4.7	4.8	4.8	43	15	4	0		0		12	7	2	1	0	0	12	1	1	3	0	2	0	0	0	4	29	11	8	0
VIII					7.4	7.6	7.2	61	13	27	0		0		19	12	2	1	0	0	20	0	0	3	0	0	0	2	0	1	25	3	16	0
IX					5.3	5.9	6.3	40	9	5	0		0		17	11	0	4	0	0	17	0	0	1	0	2	0	0	0	0	28	7	9	0
X					7.6	7.9	7.7	190	43	4	17		0		29	27	2	13	0	0	15	26	11	0	8	1	0	0	0	0	11	0	14	24
XI					7.7	7.4	6.8	104	21	6	19		0		20	16	4	15	2	0	19	13	7	0	1	2	0	0	0	0	6	4	17	20
XII					6.3	6.6	6.9	35	6	12	24		2		19	10	0	15	2	1	4	18	1	0	0	0	0	0	0	0	0	4	13	31
1945					6.4	6.6	6.4	749	43		153		2		219	144	15	83	8	1	144	133	43	13	12	21	0	3	0	5	212	54	148	197

Tromsø

$H_s = 102$ $H_b = 114.5$ $h_t = 2.8$ $h_a = 12.3$ $h_d = 20.7$ $h_r = 1.7$

Måned	U 8	14	19	Døgn	N 8	14	19	R Σ	Max	Dato	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I	73	76	74	73	6.2	7.3	5.4	98	14	15	30	25	1	0	16	14	4	6	0	0	2	15	0	0	1	2	0	0	0	0	1	2	12	31
II	71	71	71	71	7.1	6.9	6.2	34	7	23	24	19	0	0	15	9	0	12	1	0	4	12	0	0	2	0	0	0	0	0	11	2	10	28
III	76	71	74	75	7.5	8.2	8.2	102	17	24	27	17	1	0	21	18	3	2	0	0	7	20	2	0	1	1	0	0	1	0	21	2	22	31
IV	78	73	77	79	8.0	7.9	8.5	116	17	9	18	2	0	0	24	18	4	2	0	0	11	19	4	0	1	3	0	0	0	0	17	0	19	30
V	76	68	71	76	8.6	7.5	8.0	57	13	13	9	0	0	0	19	11	1	0	0	0	10	14	3	0	0	3	0	0	2	1	22	0	19	11
VI	77	69	70	77	7.3	7.1	7.4	48	9	18	2	0	0	0	16	10	0	0	0	0	12	4	0	5	0	1	0	0	1	0	18	2	19	2
VII	79	68	73	79	5.5	5.0	5.1	40	10	14	0	0	0	0	11	9	1	0	0	0	11	0	0	0	0	0	0	1	0	2	25	7	9	0
VIII	84	75	79	82	8.0	7.8	7.7	55	8	29	0	0	0	1	20	14	0	0	0	0	20	0	0	0	0	0	0	2	4	1	21	0	18	0
IX	81	69	76	78	6.3	6.8	7.3	52	9	5	4	0	0	0	15	12	0	0	0	0	15	0	0	0	0	0	0	0	1	0	21	6	18	0
X	85	83	88	86	8.5	8.5	8.7	250	34	4	23	10	0	0	28	28	10	2	0	0	10	25	4	0	0	0	0	0	0	1	6	0	22	23
XI	76	78	78	77	8.3	8.5	7.6	161	26	6	25	8	0	0	23	19	4	1	0	0	16	16	3	0	0	0	0	0	0	2	3	3	21	30
XII	79	76	76	78	7.5	7.8	7.5	44	10	12	26	21	2	0	23	12	0	5	0	0	4	20	0	0	0	0	0	0	0	0	0	2	19	31
1945	78	73	76	78	7.4	7.4	7.3	1057	34		188	102	4	1	231	174	27	30	1	0	122	145	16	5	5	10	0	3	9	7	166	26	208	217

1945

Dividalen

φ = 68° 47′ N λ = 19° 44′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I			-11.8	-11.3	-11.3	-11.5		-15.3	7.4	13	-22.6	6	0	-	0	-	2	2.5	26.5	2.4	0.5	3.0	1	5.0	7	2.3	0	-	56
II			- 5.5	- 5.5	- 6.2	- 5.9		-10.5	3.6	19	-22.5	3	0	-	0	-	0	-	41	2.1	0	-	0	-	7	1.9	0	-	36
III			- 4.9	- 4.3	- 6.2	- 6.0		-11.8	6.8	28	-25.6	4	0	-	0	-	0	-	28	2.2	0	-	5	1.0	19	2.0	1	4.0	40
IV			1.6	3.2	1.2	1.2		- 2.2	9.7	19	-16.4	13	0	-	0	-	0	-	35	1.4	4	3.0	1	3.0	34	2.3	0	-	16
V			4.1	6.0	3.8	3.7		0.4	14.2	2	- 4.3	8	0	-	0	-	0	-	27.5	2.2	3.5	1.3	1	2.0	47	2.3	2	3.0	12
VI		•	9.5	12.0	9.2	8.9		4.2	22.7	25	- 3.2	5	0	-	0	-	1	2.5	15	1.3	0.5	2.0	0.5	2.0	65	1.6	1	1.0	7
VII			16.2	19.4	15.2	15.1		8.5	30.6	17	- 1.1	4	0	-	0	-	0	-	46.5	1.8	5.5	1.6	1.5	1.3	23.5	1.7	0	-	16
VIII			13.0	16.9	12.3	12.8		8.0	26.6	5	- 1.2	28	0	-	0	-	0	-	52	1.6	0	-	1	2.0	26	1.7	0	-	14
IX			6.3	8.1	5.4	5.8		1.8	16.4	4	- 7.3	25	0	-	0	-	0	-	36	1.8	0	-	0	-	36.5	1.8	0.5	2.0	17
X			- 2.3	- 1.5	- 3.6	- 2.9		- 7.3	12.2	2	-18.4	27	0.5	2.0	0	-	0	-	7.5	2.1	0.5	1.0	0	-	36.5	1.9	4	2.1	44
XI			- 2.6	- 2.2	- 3.2	- 2.8		- 6.4	6.4	1	-18.2	30	0	-	0	-	0	-	32.5	2.2	0.5	2.0	0	-	25	2.6	0	-	32
XII			- 8.8	- 8.2	- 8.6	- 8.5		-12.7	5.1	8	-24.8	15	0	-	0	-	0	-	57	3.1	0	-	0	-	5	3.0	0	-	31
1945			1.2	2.7	0.7	0.8		- 3.6	30.6		-25.6		0.5	2.0	0	-	3	2.5	404.5	2.1	15	2.0	11	1.8	331.5	2.0	8.5	2.4	321

Torsvåg

φ = 70° 15′ N λ = 19° 30′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I																													
II																													
III																													
IV																													
V																													
VI																													
VII																													
VIII			10.9	11.8	11.6	11.0		9.3	20.2	14	5.3	30	4	1.6	26	2.3	4.5	3.1	4	3.8	11	1.5	11.5	2.5	11	2.7	8	2.5	13
IX			7.4	8.8	8.3	7.9		6.3	15.1	14	1.6	27	2.5	4.0	12.5	3.1	19	2.3	8	3.1	20	2.5	6.5	3.1	9.5	3.4	6	3.6	6
X			2.6	2.8	2.4	2.5		0.4	10.5	2	- 2.8	28	6.5	4.2	9.5	3.3	2	2.0	4.5	2.7	19	3.0	12.5	3.2	15.5	4.2	23.5	4.4	0
XI			1.3	1.4	1.2	1.3		- 1.3	7.7	14	- 4.7	30	4	4.6	9.5	3.6	9	3.1	6	3.3	17	2.5	11.5	4.2	17	4.4	14	4.1	2
XII			- 0.7	- 0.6	- 0.5	- 0.6		- 2.8	5.9	2	-11.4	15	2.5	4.2	5	4.5	10	3.6	19	3.7	33.5	3.6	5	4.2	6.5	3.4	10.5	3.1	1

Ingøy

φ = 71° 4′ N λ = 24° 9′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I																													
II																													
III																													
IV																													
V																													
VI																													
VII																													
VIII																													
IX			6.9	7.8	7.1	7.1		5.6	14.4	14	- 0.2	20	8.5	4.1	19	3.4	12	3.3	4.5	3.6	16.5	3.1	15	3.9	9	4.3	3.5	3.3	2
X			1.5	1.7	1.2	1.4		- 0.5	9.0	2	- 2.6	17	19	4.4	13	3.8	1.5	3.0	2	3.0	13.5	3.3	12	4.0	15.5	3.4	16.5	4.6	2
XI			- 0.8	- 0.4	- 0.5	0.0		- 2.9	6.6	14	- 7.5	23	16	5.0	13.5	3.7	7.5	5.0	10.5	4.4	12	3.5	12	5.5	3.5	7.9	14	5.6	1
XII			- 2.7	- 2.4	- 2.3	- 2.5		- 5.0	5.0	9	-17.9	15	7.5	4.9	4.5	4.3	1	4.0	23	5.4	28	4.2	11.5	4.0	9	4.2	6.5	4.4	2

Vardø

φ = 70° 22′ N λ = 31° 6′ E g = 9.826 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I																													
II																													
III																													
IV																													
V																													
VI			5.2	6.2	5.5	5.2		3.2	12.3	16	- 0.3	4	12	2.2	6	2.2	11.5	1.5	14	2.0	4.5	1.8	0	-	10.5	3.1	22.5	4.6	9
VII			10.2	10.7	9.2	9.4		6.7	21.1	10	2.9	1	9	1.9	8.5	1.8	12.5	1.7	21.5	1.9	11.5	1.8	1	4.0	5.5	2.0	17.5	3.1	6
VIII			11.4	12.4	11.3	11.2		8.5	21.4	15	4.1	1	11	3.4	7.5	2.8	6	3.2	15.5	2.7	11.5	3.0	4	3.9	6.5	3.3	19	3.0	12
IX	1013.4	1014.9	7.1	7.7	7.0	7.0		4.9	13.5	13	- 0.3	20	27.5	3.7	15	4.4	5.5	3.3	3.5	3.7	16.5	3.2	6	3.3	4.5	2.8	9.5	4.2	2
X	999.6	01.1	- 0.1	1.5	0.0	0.4		- 1.8	7.5	2	- 6.1	29	15.5	4.7	3.5	4.4	1	2.0	0	-	7	4.9	14	5.6	18	4.3	33	4.1	1
XI	1007.6	09.2	- 2.5	- 2.1	- 2.6	- 2.4		- 5.1	3.7	14	-10.3	9	21	6.6	10.5	4.2	6.5	3.7	1.5	6.0	4.5	4.4	16.5	5.8	18.5	3.9	11	6.3	0
XII	08.8	10.4	- 5.4	- 5.8	- 5.7	- 5.6		- 8.2	1.5	3	-18.2	25	2.5	4.8	0.5	6.0	1.5	5.0	7	4.9	34	4.8	39.5	5.3	5	3.7	3	3.5	0

Ekkerøy

φ = 70° 4′ N λ = 30° 6′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{o,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T $\overline{Max}$	$\overline{Min}$	Max	Dat	Min	Dat	Vindfordeling nD, F_m N		NE		E		SE		S		SW		W		NW		C
I																													
II																													
III																													
IV																													
V			2.6	3.8	2.3	2.4		0.1	8.1	17	- 6.0	8	6	3.8	20	4.5	24	3.5	11	3.1	4	3.0	9	2.7	9	3.0	0	-	10
VI			6.2	8.1	6.7	6.5		4.4	16.1	19	0.0	5	4	4.5	6.5	4.2	44.5	3.5	6	2.2	5	2.2	5.5	2.7	15.5	4.5	0	-	3
VII			11.5	13.1	10.8	11.0		8.0	24.1	10	4.0	1	0	-	0	-	53	2.9	0	-	6.5	2.3	15.5	2.2	5	3.4	0	-	13
VIII			12.3	13.8	12.4	12.1		9.1	22.1	8	2.9	30	0	-	9.5	2.6	34.5	3.1	7	2.3	5.5	1.6	15.5	2.5	6	4.5	1	2.0	14
IX			6.3	8.3	7.1	6.8		4.6	13.5	12	- 2.0	20	0.5	2.0	19.5	3.9	17.5	4.0	4	2.5	5	1.8	17	3.4	7.5	3.3	4	4.0	15
X			- 0.8	- 0.1	- 1.0	- 0.7		- 3.1	8.3	2	- 6.9	16	2	5.5	5	5.0	1	2.0	0	-	0	-	25	4.2	46.5	3.0	10.5	3.6	2
XI			- 3.2	- 3.2	- 3.0	- 3.1		- 6.2	3.9	14	-12.9	9	10	3.4	2	3.8	12.5	4.0	3	3.7	0	-	22	4.3	24	3.8	12.5	3.8	4
XII			- 6.4	- 6.4	- 6.5	- 6.4		- 8.7	1.9	3	-18.9	25	3	3.5	1	3.0	2.5	3.8	14.5	2.9	11	2.5	51	4.6	5	3.0	4	2.6	1

1945

Dividalen

H_s = 202 H_b = h_t = 1.5 h_a = h_d = h_r = 1.2

Måned	Midlere relativ fuktighet U_m				Midlere skydekke N_m			Nedbør R			Antall dager n: Lufttemperatur T				Nedbør R			Vindstyrke F			Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Torden-vær	Tåkedis	Tåke	Solskinn	Klarvær	Over-skyet	Snødekke
	8	14	19	Dies	8	14	19	Σ	Max	Dat	Min < 0°	Max < 0°	Min < -10°	Max > 25°	R ≥ 0,1	R ≥ 1,0	R ≥ 10,0	F ≥ 6	F ≥ 8	F ≥ 9	●	*	⚹	⚲	*	△	▲	R	=	≡	⊙	◔	●	▣
I					5.7	4.8	3.8	19	6	15	31		26		13	4	0	0	0	0	2	13	0	0	0	0	0	0	0	0	0	11	10	31
II					7.4	6.5	6.0	16	11	4	28		15		12	2	1	0	0	0	0	12	0	0	0	0	0	0	0	0	0	4	15	28
III					6.1	6.1	5.3	60	17	24	29		15		14	5	4	0	0	0	5	14	3	2	0	0	0	0	0	0	3	8	15	31
IV					8.7	8.7	8.1	22	9	9	24		1		15	5	0	1	0	0	2	15	2	0	0	0	0	0	0	0	2	2	23	30
V					8.1	7.9	7.4	11	6	19	16		0		10	2	0	0	0	0	7	6	3	1	0	0	0	0	0	1	8	3	21	2
VI					7.1	7.1	7.0	38	10	17	4		0		12	6	1	0	0	0	7	4	0	4	0	0	0	0	0	0	13	5	16	1
VII					5.3	5.7	5.7	11	6	14	2		0		7	2	0	0	0	0	7	0	0	0	0	0	0	1	0	0	20	6	8	0
VIII					7.1	7.4	6.8	54	12	17	2		0		15	12	1	0	0	0	15	0	0	4	0	0	0	1	0	0	0	2	16	0
IX					6.1	7.6	7.3	7	3	1	15		0		10	3	0	0	0	0	9	1	0	4	0	0	0	0	0	1	5	4	14	0
X					7.6	7.4	7.7	45	14	9	28		10		24	10	1	0	0	0	10	21	5	3	0	0	0	0	0	2	0	3	17	25
XI					8.5	8.9	8.2	32	9	6	28		8		20	6	0	0	0	0	11	18	5	2	0	0	0	0	0	0	0	1	23	30
XII					7.9	6.7	6.9	10	4	13	31		21		14	3	0	1	0	0	1	14	1	0	0	0	0	0	0	0	0	3	18	31
1945					7.1	7.1	6.7	325	17		238		96		166	60	8	2	0	0	76	118	19	20	0	0	0	2	0	4	51	52	196	209

Torsvåg

H_s = 22 H_b = h_t = 1.9 h_a = 4.8 h_d = h_r = 1.8

I																																		
II																																		
III																																		
IV																																		
V																																		
VI																																		
VII																																		
VIII	84	83	81	82	7.9	8.3	7.6	56	21	8	0		0		20	14	1	2	0	0	20	0	0	9	0	0	1	2	3	2	21	1	17	0
IX	81	75	75	78	7.4	7.0	7.0	47	9	10	0		0		18	13	0	2	0	0	18	3	3	5	0	1	0	0	2	0	23	3	16	0
X	80	81	80	80	8.9	9.3	9.3	157	19	4	16		0		29	26	4	14	5	3	14	25	9	2	3	11	0	0	7	0	12	0	25	18
XI	76	77	77	77	7.7	7.9	7.8	115	18	25	25		0		21	15	4	14	4	4	18	15	9	4	0	2	0	0	8	0	6	2	19	20
XII	71	71	71	71	7.3	7.0	8.0	41	9	12	24		2		17	11	0	13	5	0	3	15	1	1	0	0	0	0	1	1	0	1	14	27

Ingøy

H_s = 4 H_b = h_t = 1.9 h_a = 7.8 h_d = h_r = 1.6

I																																		
II																																		
III																																		
IV																																		
V																																		
VI																																		
VII																																		
VIII																																		
IX	89	84	86	87	8.2	8.0	7.7	44	16	5	1		0		19	11	1	9	0	0	19	1	1	2	0	0	0	0	0	0	14	1	16	
X	87	85	85	86	8.0	8.5	7.4	107	14	22	20		0		28	22	2	15	2	1	10	23	5	0	0	2	0	0	0	0	4	0	14	
XI	85	84	86	86	8.2	8.4	8.0	150	18	26	27		0		24	22	8	21	9	5	12	20	5	0	0	2	1	0	0	0	0	2	20	
XII	86	86	83	84	6.6	6.6	6.1	23	6	29	26		3		14	7	0	22	2	0	2	14	1	0	0	0	0	0	0	0	0	2	8	

Vardø

H_s = 10 H_b = 12.1 h_t = 2.0 h_a = 9.2 h_d = 10.0 h_r = 1.8

I																																		
II																																		
III																																		
IV																																		
V																																		
VI					7.6	7.4	7.5	27	6	15	3		0		12	10	0	7	0	0	11	4	3	3	0	0	0	0	4	7	20	1	13	
VII					6.6	5.7	6.4	49	25	15	0		0		11	7	1	0	0	0	11	0	0	8	0	0	1	0	1	10	26	2	8	
VIII					7.6	7.4	7.4	21	6	4	0		0		13	6	0	4	0	0	13	0	0	9	0	0	0	1	2	11	21	0	14	
IX					8.5	8.4	8.0	56	11	20	2		0		21	13	1	7	0	0	20	3	1	5	0	4	0	0	0	1	16	0	16	
X	85	84	85	85	7.7	8.1	6.8	93	12	7	25		0		28	19	1	17	4	0	6	25	1	2	1	5	0	0	0	0	18	0	11	
XI	81	84	84	83	8.9	8.2	7.6	55	11	28	29		1		26	16	1	25	8	6	7	24	2	0	0	5	0	0	0	0	2	0	16	
XII	86	87	85	85	7.8	7.2	6.9	53	14	30	30		7		14	11	1	22	9	4	0	14	0	0	0	0	0	0	0	4	0	0	12	

Ekkerøy

H_s = 7 H_b = h_t = 1.7 h_a = h_d = h_r = 1.9

I																																		
II																																		
III																																		
IV																																		
V					8.4	7.6	8.7	20	5	23	18		0		8	6	0	3	1	0	6	2	1	0	0	0	0	0	0	2	20	0	21	0
VI					8.0	7.3	7.2	35	14	16	0		0		8	8	1	4	0	0	8	1	1	2	0	0	0	0	0	0	28	1	14	0
VII					6.0	5.5	5.7	47	15	15	0		0		8	7	2	1	0	0	8	0	0	2	0	0	0	2	0	1	25	4	6	0
VIII					6.1	6.3	7.1	24	6	4	0		0		9	8	0	2	0	0	9	0	0	4	0	0	0	2	0	3	26	2	8	0
IX					8.5	7.9	8.0	20	6	29	5		0		8	5	0	5	0	0	8	3	3	6	0	0	0	0	0	1	18	1	19	0
X					7.6	7.3	6.5	16	7	8	25		0		14	4	0	9	1	0	3	13	1	1	0	1	0	0	0	0	19	1	13	24
XI					8.2	8.2	7.6	39	9	26	29		3		15	10	0	11	2	1	3	14	1	0	0	2	0	0	0	1	3	0	15	30
XII					8.0	8.3	7.3	20	4	13	30		11		14	9	0	10	2	0	0	14	0	0	0	0	0	0	0	4	0	0	17	31

1945

Karasjok

φ = 69° 28′ N λ = 25° 31′ E g = 9.825 ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I																					
II																					
III																					
IV																					
V	996.2	1012.6	2.9	5.7	4.0	3.2		- 0.4	13.2	2	- 6.5	8	12 2.9	8 2.5	10.5 1.8	7.5 1.9	11.5 1.9	5.5 2.2	15 2.7	15 3.0	8
VI	95.4	11.3	8.4	11.3	10.0	8.7		4.6	19.2	24	- 1.9	6	16.5 2.5	22 1.9	8.5 1.2	4 2.5	3.5 1.3	2 2.0	10 2.7	4.5 2.2	19
VII	98.8	14.6	14.1	18.9	17.0	14.7		7.5	27.0	13	- 0.2	1	8.5 2.6	8 2.0	20 1.4	5.5 1.2	3 1.0	3 1.8	18 2.1	3 2.5	24
VIII	94.3	10.0	13.8	17.6	14.0	13.6		7.8	28.3	7	2.2	13	9.5 1.9	7.5 1.5	3.5 1.6	0 -	1.5 1.7	7 2.1	13.5 1.7	10.5 1.8	40
IX	99.5	15.8	5.0	8.8	5.2	5.5		1.3	19.0	4	- 9.2	24	15 1.7	4 1.5	6 1.2	1.5 1.7	2.5 1.4	4 2.6	12 1.4	5 1.9	40
X	88.1	04.8	- 7.5	- 2.8	- 6.8	- 6.2		-11.8	8.8	2	-25.8	29	2 1.5	0 -	0 -	0 -	0 -	3 1.8	24 1.8	1 2.5	63
XI	96.4	13.2	- 8.2	- 9.1	- 9.5	- 9.0		-15.0	4.2	14	-37.1	30	1.5 2.0	0.5 1.0	3.5 1.3	0 -	0 -	0 -	30 2.4	2.5 2.8	52
XII	94.7	11.7	-15.4	-14.9	-15.9	-15.4		-21.6	2.2	3	-36.8	1	1.5 2.7	2.5 1.6	15 1.3	1 1.0	2 3.0	12 2.9	11 2.2	0 -	48

Kautokeino

φ = 69° 0′ N λ = 23° 2′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I																					
II																					
III																					
IV																					
V																					
VI																					
VII			13.4	18.2	16.6	15.0			26.9	13			11.5 2.6	8 2.8	0 -	6 2.4	27 2.1	9 2.8	10.5 2.9	10 2.3	11
VIII			11.8	15.5	13.8	12.8			25.2	7			14 2.4	13.5 2.5	2.5 3.0	2.5 2.6	22.5 2.8	10.5 2.4	9 2.1	7.5 2.8	11
IX			3.5	7.5	5.3	4.4			16.9	4			5 2.2	12.5 2.2	1 1.0	3 3.7	21.5 2.7	2.5 2.4	4.5 2.6	13 3.1	27
X			- 6.2	- 2.8	- 6.0	- 6.1			11.6	3			4 1.1	1.5 1.3	0.5 1.0	2 1.0	28.5 2.2	16 2.5	12 2.7	9.5 2.3	19
XI			- 7.2	- 7.2	- 7.7	- 7.5		-12.7	4.0	14	-35.5	30	6.5 1.8	4 1.1	0 -	2 3.0	36 2.0	11 2.2	6.5 2.3	13 2.6	11
XII			-15.1	-15.3	-15.8	-15.4		-20.4	0.5	3	-37.1	1	5.5 1.6	5 1.5	2.5 1.4	6 1.9	47 2.6	5 3.2	0.5 1.0	2.5 3.4	19

Siččajavre

φ = 68° 45′ N λ = 23° 33′ E g = ΔG = + 1h

Måned	Midlere lufttrykk P_m	Midlere lufttrykk i havets nivå $P_{0,m}$	Midlere lufttemperatur T_m 8	14	19	Dies	Lufttemperatur T Max	Min	Max	Dat	Min	Dat	Vindfordeling nD, F_m N	NE	E	SE	S	SW	W	NW	C
I																					
II																					
III																					
IV																					
V																					
VI			8.2	10.4	7.5	7.3		2.7	20.0	25	- 3.1	6	19.5 2.5	21 2.4	17.5 2.7	7 3.1	5 3.2	0 -	4 3.3	8 2.9	8
VII			16.0	17.9	14.6	14.0		8.3	27.9	17	- 0.6	3	6 2.7	4 2.2	33.5 2.5	5 2.3	17.5 2.4	13 2.5	5 2.4	3 3.0	6
VIII			14.1	15.9	12.8	12.6		6.8	26.1	7	- 2.6	30	7 2.4	19 2.5	12 2.3	2 2.0	19.5 2.5	18.5 2.5	4 1.5	5 1.8	6
IX			4.5	7.2	3.6	4.2		0.0	15.8	14	-10.9	24	18 2.2	18 2.6	8 1.9	6 2.7	17.5 2.4	2.5 2.2	1 1.0	6 1.7	13
X			- 6.6	- 3.3	- 6.9	- 6.2		-11.9	11.2	3	-23.3	18	4 1.8	7 1.6	0 -	4 1.0	20 2.0	13 2.2	16 2.1	12 1.7	17
XI			- 7.7	- 8.3	- 9.4	- 8.5		-14.0	1.5	15	-30.2	9	12 2.2	5 2.7	9 2.4	7 2.0	23.5 2.0	4.5 2.3	14 2.2	9 2.3	8
XII			-15.9	-15.6	-15.7	-15.7		-19.7	- 0.2	3	-35.3	1	3.5 3.1	3.5 1.7	18.5 2.4	5.5 2.4	41.5 2.8	4.5 3.0	0 -	3 2.0	13

1945

H_s = 131 H_b = 132.3 h_t = 2.1 h_n = h_d = 10.0 h_r = 1.4

Karasjok

Måned	Midlere relativ fuktighet Um 8	14	19	Døgn	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dag	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I																																		
II																																		
III																																		
IV																																		
V					7.5	6.8	7.2	23	10	14	15		0		12	3	1	2	0	0	3	10	0	0	0	2	0	0	0	0	21	1	11	4
VI					7.3	7.8	7.0	30	10	16	4		0		9	8	0	1	0	0	8	1	0	0	0	2	0	0	1	0	23	0	12	0
VII					5.9	5.5	5.6	24	13	15	1		0		9	4	1	1	0	0	9	0	0	0	0	0	0	2	2	1	31	3	5	0
VIII					6.3	7.2	6.7	42	5	27	0		0		15	11	0	1	0	0	15	0	0	0	0	0	0	2	3	6	24	2	13	0
IX					8.2	7.7	8.0	24	9	1	11		0		12	5	0	0	0	0	11	3	1	2	0	0	0	0	2	5	15	0	19	0
X					6.5	6.5	5.7	13	3	13	28		17		13	5	0	0	0	0	4	9	0	0	0	0	0	0	0	2	22	3	11	20
XI					8.1	7.2	6.2	27	6	25	30		19		12	10	0	1	0	0	2	11	0	0	0	0	0	0	4	4	1	2	14	30
XII					7.9	8.5	6.6	13	3	22	30		25		10	5	0	1	0	0	1	9	0	1	0	0	0	0	2	4	0	2	17	31

H_s = 308 H_b = h_t = 1.9 h_n = h_d = h_r = 1.8

Kautokeino

Måned	Midlere relativ fuktighet Um 8	14	19	Døgn	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dag	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I																																		
II																																		
III																																		
IV																																		
V																																		
VI																																		
VII					6.5	5.4	5.6	83	46	21					6	4	2	0	0	0	6	0	0	1	0	0	0	3	0	0	29	2	6	0
VIII					6.6	6.6	6.3	43	15	17					12	8	1	0	0	0	12	0	0	2	0	0	0	1	0	2	23	3	10	0
IX					8.1	6.5	7.1	14	4	1					15	6	0	1	0	0	12	3	2	7	0	2	0	0	0	4	21	0	13	0
X					5.3	5.7	5.5	12	7	2					9	4	0	1	0	0	2	8	0	2	0	0	0	0	1	0	21	3	8	26
XI					8.3	7.6	7.0	16	3	29	30		19		15	7	0	0	0	0	0	15	0	0	0	0	0	0	0	3	5	1	18	30
XII					8.1	8.4	7.4	21	5	14	31		26		11	6	0	1	1	0	0	11	0	0	0	0	0	0	0	1	0	0	19	31

H_s = 383 H_b = h_t = 1.4 h_n = h_d = h_r = 1.4

Siččajavre

Måned	Midlere relativ fuktighet Um 8	14	19	Døgn	Midlere skydekke Nm 8	14	19	Nedbør R Σ	Max	Dag	Antall dager n: Lufttemperatur T Min < 0°	Max < 0°	Min < -10°	Max > 25°	Nedbør R ≥ 0.1	≥ 1.0	≥ 10.0	Vindstyrke F ≥ 6	≥ 8	≥ 9	Regn	Snø	Sludd	Yr	Sprøhagl	Hagl	Ishagl	Tordenvær	Tåkedis	Tåke	Solskinn	Klarvær	Overskyet	Snødekke
I																																		
II																																		
III																																		
IV																																		
V																																		
VI					6.9	6.0	5.8	38	6	1	7		0		12	10	0	3	1	0	11	4	3	0	0	0	0	0	0	0	18	2	8	3
VII					4.9	4.3	4.6	28	13	14	1		0		6	4	2	3	0	0	6	0	0	1	0	1	0	3	0	0	27	4	2	0
VIII					6.0	6.5	6.3	80	20	22	2		0		13	10	3	0	0	0	13	0	0	3	0	0	0	4	0	2	17	4	11	0
IX					7.7	7.1	7.2	32	13	1	15		2		10	7	1	0	0	0	8	4	2	3	0	0	0	0	0	0	9	1	15	0
X					5.6	5.8	5.3	14	10	2	29		21		7	3	0	0	0	0	2	5	0	0	0	0	0	0	0	1	16	3	6	26
XI					7.6	6.3	6.2	12	6	11	30		20		11	5	0	3	0	0	0	11	0	0	0	0	0	0	0	0	9	1	12	30
XII					7.3	7.9	7.4	20	5	19	31		27		11	7	0	8	0	0	1	11	0	1	0	0	0	0	0	0	0	2	17	31

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1945

Pentade	Røros	Alvdal	Dombås	Vinstra	Vollen i Slidre	Lillehammer	Rena	Vang på Hedmark	Østre Toten	Flisa	Modum	Nesbyen	Horten	Ås	Eidsberg	Gvarv	Byglandsfjord	Kristiansand S.
1.I - 5.I	- 8.2	- 8.4	- 6.3	- 8.9	- 5.0	- 7.6	- 8.7	- 6.1	- 5.5	- 7.4	- 3.1	- 8.9	- 1.0	- 3.4	- 2.5	- 5.0	- 2.8	0.6
6.I - 10.I	-10.3	-10.7	-11.9	-12.0	-12.4	- 9.6	- 8.3	- 6.1	- 6.3	- 5.3	- 5.9	-13.4	- 2.7	- 3.4	- 3.2	- 7.1	- 4.7	- 1.9
11.I - 15.I	-11.6	-11.8	- 8.6	- 9.7	- 4.8	-10.4	-11.7	- 8.2	- 7.3	- 8.6	- 5.2	- 7.4	- 3.0	- 5.2	- 3.4	- 6.0	- 2.7	- 1.2
16.I - 20.I	-15.4	-14.6	-12.5	-11.5	- 9.9	- 7.8	- 8.3	- 6.7	- 6.2	- 6.7	- 6.0	- 9.7	- 4.0	- 5.3	- 4.5	- 6.0	- 5.9	- 3.2
21.I - 25.I	-16.9	-18.2	-18.2	-15.3	-15.0	-12.2	-11.1	-10.0	- 9.6	- 8.2	- 8.7	-13.6	- 5.2	- 6.8	- 7.4	- 9.9	- 8.6	- 5.4
26.I - 30.I	-17.5	-17.6	-13.9	-15.5	-16.5	-12.4	-15.1	-11.5	- 9.9	-14.2	-10.6	-15.7	- 6.6	-10.2	-10.4	-10.2	- 8.2	- 7.1
31.I - 4.II	-24.6	-21.9	-16.7	-18.6	-20.1	-15.6	-17.9	-13.9	-13.0	-15.4	-12.5	-18.3	- 6.9	-10.3	-10.4	- 9.7	- 8.5	- 5.3
5.II - 9.II	- 6.4	- 5.8	- 6.8	- 6.3	- 9.4	- 5.4	- 5.3	- 4.2	- 4.4	- 3.0	- 3.7	- 7.3	- 0.7	- 1.1	- 1.4	- 3.3	- 0.9	1.2
10.II - 14.II	- 5.1	- 5.2	- 5.3	- 4.8	- 7.1	- 3.5	- 2.5	- 2.2	- 2.5	- 1.5	- 3.5	- 7.2	- 1.7	- 2.2	- 1.7	- 5.2	- 3.2	- 0.8
15.II - 19.II	- 4.3	- 3.9	- 4.4	- 3.4	- 6.4	- 3.0	- 2.2	- 2.6	- 1.9	- 2.5	- 2.3	- 4.6	- 0.8	- 1.8	- 2.0	- 3.0	- 2.8	0.4
20.II - 24.II	- 3.5	- 2.0	- 1.9	- 4.4	- 3.5	- 4.3	- 3.6	- 2.3	- 1.3	- 2.6	- 1.3	- 3.3	1.2	- 0.2	0.4	- 3.3	0.4	2.0
25.II - 1.III	- 3.9	- 2.5	- 2.9	- 2.3	- 0.8	- 1.2	- 1.0	0.2	1.6	1.0	4.3	1.3	3.3	2.4	2.3	3.2	3.0	4.2
2.III - 6.III	- 4.5	- 3.1	- 4.0	- 0.7	- 3.1	- 1.7	- 1.6	- 0.8	- 0.3	- 1.7	0.0	- 1.2	1.1	0.2	- 0.4	- 0.5	- 0.7	2.4
7.III - 11.III	- 1.1	0.6	0.3	2.4	2.2	1.0	0.1	0.9	1.4	0.1	3.5	2.4	3.7	1.8	1.5	2.2	2.8	4.6
12.III - 16.III	- 1.8	0.8	1.3	2.1	3.9	1.2	0.5	1.1	3.0	1.9	4.7	3.9	3.7	3.1	3.6	3.0	3.6	6.4
17.III - 21.III	- 3.9	- 2.3	- 1.9	- 1.4	- 2.0	- 2.0	- 2.7	- 0.9	- 0.2	- 1.0	0.4	- 0.1	3.0	1.2	0.9	2.1	2.1	4.4
22.III - 26.III	0.6	2.4	4.0	2.1	3.6	1.1	1.7	1.7	2.3	1.9	3.1	4.1	3.8	3.9	3.4	4.5	4.9	7.6
27.III - 31.III	- 0.4	2.0	1.9	2.0	2.2	0.6	0.7	0.7	1.6	1.6	2.8	3.1	4.5	4.1	4.1	3.5	3.9	5.8
1.IV - 5.IV	- 0.5	1.8	2.2	4.0	3.2	3.7	3.4	4.1	4.3	3.4	5.0	3.7	6.3	5.6	4.9	5.3	3.8	6.1
6.IV - 10.IV	1.4	4.6	3.1	5.8	5.3	4.1	4.3	5.2	6.2	5.0	8.1	7.2	8.9	7.5	6.9	7.2	6.5	8.7
11.IV - 15.IV	- 2.2	0.7	- 0.9	2.4	0.6	1.5	1.9	2.4	2.7	2.4	2.8	2.4	5.5	4.0	2.9	4.3	3.9	4.8
16.IV - 20.IV	2.7	5.7	5.9	8.0	7.3	6.9	6.0	7.2	7.7	7.0	9.0	9.1	8.7	8.2	7.2	9.2	8.0	10.5
21.IV - 25.IV	0.2	2.4	1.8	4.5	4.3	4.6	4.2	4.9	5.3	5.0	5.5	5.2	8.1	6.4	5.5	6.6	6.0	8.6
26.IV - 30.IV	2.1	2.5	1.9	4.0	3.0	3.9	3.6	4.1	4.0	4.4	5.0	4.8	5.9	5.0	5.0	5.0	4.4	5.9
1.V - 5.V	4.0	4.8	3.8	5.6	3.9	5.7	5.5	5.3	4.5	5.7	5.1	4.5	7.0	5.6	5.4	5.6	3.9	6.2
6.V - 10.V	2.3	3.7	4.2	6.8	6.6	6.0	5.4	6.1	6.9	5.6	8.0	7.4	9.2	8.5	7.9	7.8	7.9	10.0
11.V - 15.V	5.4	8.2	6.9	9.3	9.7	10.2	10.4	10.3	11.2	11.1	12.2	10.7	12.4	11.4	10.8	12.2	10.8	12.5
16.V - 20.V	4.6	6.2	5.2	8.8	8.0	9.0	9.8	9.2	9.5	10.0	9.7	8.7	11.5	11.0	10.1	10.6	9.1	10.9
21.V - 25.V	2.5	4.8	5.0	8.0	7.3	7.8	8.0	7.6	8.1	8.1	8.8	8.4	10.1	9.4	8.5	9.1	7.9	9.0
26.V - 30.V	8.0	9.1	8.6	10.7	8.9	10.5	10.8	10.5	10.8	11.6	9.9	9.8	10.8	11.1	10.1	9.2	9.3	10.7
31.V - 4.VI	10.0	11.0	9.7	11.8	10.7	12.6	12.8	12.4	12.8	12.9	12.3	11.6	13.3	13.0	12.3	12.7	10.3	11.9
5.VI - 9.VI	6.9	9.2	7.6	10.7	10.0	10.7	10.8	10.5	10.9	10.9	11.8	11.4	12.8	12.0	11.5	12.8	10.2	11.7
10.VI - 14.VI	7.2	7.9	7.2	10.7	9.8	10.2	9.9	10.2	10.8	10.0	11.6	11.3	12.8	12.0	11.4	12.2	9.6	11.8
15.VI - 19.VI	5.7	7.7	6.5	9.9	9.1	10.2	10.6	10.1	10.7	10.7	12.5	10.9	13.7	12.5	11.4	13.1	10.7	12.5
20.VI - 24.VI	15.8	17.8	18.5	19.9	18.6	19.6	18.8	18.9	19.5	19.0	19.7	19.0	19.5	19.8	19.4	18.9	18.0	18.1
25.VI - 29.VI	12.6	14.1	12.8	15.6	13.5	15.3	15.2	14.5	14.8	15.4	14.7	14.6	16.4	15.7	14.7	15.5	14.2	15.7
30.VI - 4.VII	10.9	11.9	11.1	14.5	13.5	14.6	14.2	14.6	14.8	14.6	15.3	15.7	16.2	15.5	14.6	16.4	13.9	15.2
5.VII - 9.VII	16.1	17.0	16.1	17.9	16.2	17.3	17.4	17.0	17.3	16.8	17.1	17.1	17.7	17.5	17.1	17.2	15.6	17.5
10.VII - 14.VII	17.5	19.2	18.3	20.1	18.5	20.7	20.7	20.2	20.7	21.0	20.3	19.3	20.6	20.4	20.0	19.2	19.1	19.3
15.VII - 19.VII	19.2	20.0	19.2	21.5	19.6	21.3	21.3	20.7	21.4	20.9	20.8	20.9	20.4	20.4	20.5	19.7	18.4	19.0
20.VII - 24.VII	13.1	13.7	13.8	16.4	15.2	15.8	16.5	15.7	16.1	15.7	17.5	16.7	18.4	17.6	17.0	17.8	14.9	17.2
25.VII - 29.VII	8.4	10.9	10.4	13.6	12.0	13.5	13.6	13.6	14.0	13.5	15.1	12.7	16.6	15.7	14.5	15.2	13.6	15.2
30.VII - 3.VIII	10.6	12.4	12.3	15.9	15.1	15.9	15.7	15.5	16.0	15.8	18.1	16.9	18.6	17.6	16.9	18.6	17.5	18.1
4.VIII - 8.VIII	16.8	17.6	16.4	18.4	17.2	18.6	18.0	19.0	18.6	18.6	19.4	18.7	18.8	18.5	18.3	18.7	17.2	16.6
9.VIII - 13.VIII	16.8	17.3	17.4	18.9	17.0	19.7	19.2	19.6	20.3	19.8	20.9	18.2	21.0	21.4	21.2	20.2	20.0	21.4
14.VIII - 18.VIII	14.1	15.1	15.4	17.5	16.8	17.6	17.7	17.4	17.6	17.2	18.5	17.8	20.0	19.2	18.9	18.8	18.4	19.5
19.VIII - 23.VIII	10.8	11.9	11.3	13.5	12.2	13.6	13.9	13.7	13.8	14.2	15.5	13.2	16.5	15.8	15.0	14.6	14.7	16.2
24.VIII - 28.VIII	9.1	10.3	9.1	12.0	11.5	12.4	13.4	13.4	13.8	13.2	15.1	12.4	15.5	14.9	14.0	13.7	13.1	15.1
29.VIII - 2.IX	6.1	7.7	7.2	9.8	9.3	10.4	10.4	10.9	11.1	10.8	12.9	10.8	14.1	13.1	13.0	13.4	13.7	14.2
3.IX - 7.IX	7.4	9.5	9.1	11.7	10.3	11.9	11.2	12.0	12.3	11.5	13.5	11.7	14.4	12.9	11.9	12.2	11.9	13.2
8.IX - 12.IX	7.9	8.6	9.0	10.3	9.9	10.8	10.3	10.9	10.8	9.6	12.2	11.4	13.2	11.6	10.9	10.5	11.0	13.2
13.IX - 17.IX	8.2	9.4	8.9	9.8	9.3	10.9	10.2	10.4	10.9	10.6	11.5	9.3	12.4	11.7	11.5	11.2	11.4	13.6
18.IX - 22.IX	4.4	6.3	6.9	8.8	7.6	8.5	7.8	9.1	9.5	9.1	10.8	8.7	11.9	10.9	10.6	11.0	10.6	12.7
23.IX - 27.IX	2.3	4.6	4.3	6.8	5.6	6.5	6.1	6.4	6.9	5.9	7.9	7.0	8.4	7.3	7.6	8.4	7.6	9.4
28.IX - 2.X	3.7	3.5	3.7	4.2	4.4	4.4	3.2	5.1	5.6	4.4	6.4	4.1	7.6	6.2	5.8	6.7	6.5	9.5
3.X - 7.X	4.0	4.6	5.1	6.3	7.2	6.1	5.2	6.3	6.7	6.2	7.6	6.6	9.1	7.6	7.6	8.3	9.0	10.2
8.X - 12.X	0.3	1.4	1.7	2.4	5.8	2.4	2.2	3.5	4.8	2.6	7.0	4.6	7.9	5.7	6.1	7.0	7.5	10.0
13.X - 17.X	2.9	3.2	4.3	6.2	7.0	3.4	2.6	4.0	6.1	2.6	7.7	6.6	8.3	6.1	6.7	5.4	8.7	10.0
18.X - 22.X	0.8	0.9	1.9	2.0	3.4	2.2	1.9	2.4	3.1	1.8	5.7	4.3	6.7	5.0	5.3	6.0	7.0	8.7
23.X - 27.X	0.8	1.2	1.5	3.2	1.9	2.9	2.9	3.8	3.7	4.5	6.2	3.9	7.2	7.0	7.7	7.0	7.8	10.2
28.X - 1.XI	- 3.9	- 2.9	- 0.9	1.0	0.8	1.1	0.6	1.6	1.8	2.2	3.8	1.6	5.9	4.3	5.1	4.9	6.2	7.8
2.XI - 6.XI	- 4.4	- 5.8	- 3.4	- 3.7	- 2.1	- 1.7	- 4.1	- 2.7	- 1.5	- 3.3	0.6	- 3.9	3.2	0.7	0.2	0.5	4.3	5.9
7.XI - 11.XI	- 6.3	- 7.6	- 5.0	- 4.9	- 2.4	- 4.3	- 6.6	- 4.8	- 4.1	- 5.5	- 2.4	- 4.2	0.3	- 1.7	- 1.8	- 0.7	1.1	2.4
12.XI - 16.XI	- 2.8	- 2.9	- 2.5	- 2.4	- 1.3	- 0.8	- 2.4	- 1.3	- 0.5	- 1.6	- 0.2	- 2.3	2.7	0.3	0.9	1.5	3.3	3.9
17.XI - 21.XI	- 5.2	- 7.2	- 7.6	- 6.8	- 5.4	- 5.2	- 8.1	- 6.0	- 5.6	- 6.2	- 4.0	-10.6	- 0.4	- 1.9	- 2.3	- 2.2	0.3	2.4
22.XI - 26.XI	- 8.4	- 9.8	- 9.2	-11.4	- 6.8	-11.3	- 9.3	- 7.8	- 6.8	- 6.9	- 4.9	-12.6	- 1.5	- 2.4	- 1.6	- 2.7	0.9	3.1
27.XI - 1.XII	- 4.2	- 7.0	- 3.7	- 5.5	- 0.6	- 4.7	- 9.4	- 4.7	- 1.5	- 5.2	0.5	- 4.1	2.7	0.2	0.5	0.4	1.3	4.2
2.XII - 6.XII	- 2.7	- 1.8	- 2.4	- 1.6	- 1.6	- 0.1	- 0.6	0.3	0.2	0.5	1.7	- 1.8	3.0	1.8	1.7	2.1	2.6	4.1
7.XII - 11.XII	- 8.1	- 6.5	- 7.3	- 7.0	- 8.0	- 5.6	- 7.9	- 6.5	- 5.6	- 7.5	- 1.8	- 6.5	- 1.0	- 2.7	- 4.0	- 1.7	- 1.7	1.0
12.XII - 16.XII	- 8.5	-·9.9	- 8.2	- 8.3	- 6.2	- 9.3	-11.7	- 8.0	- 6.7	-11.4	- 5.5	- 8.9	- 2.4	- 7.3	- 7.1	- 6.6	- 1.9	0.7
17.XII - 21.XII	- 2.6	- 1.9	- 1.7	- 2.5	- 3.5	- 2.2	- 2.5	- 1.0	- 0.9	- 1.2	- 0.4	- 3.1	1.2	0.5	0.8	- 0.5	0.6	2.8
22.XII - 26.XII	-12.1	-10.3	- 8.8	- 6.7	- 7.1	- 5.8	- 7.4	- 6.1	- 6.2	- 5.8	- 4.5	- 5.2	- 2.6	- 4.2	- 4.5	- 2.4	- 2.3	- 1.4
27.XII - 31.XII	-11.3	-14.4	-12.6	-11.3	-14.4	- 9.3	-12.3	- 8.3	- 7.4	-10.0	- 7.5	-13.3	- 3.6	- 6.0	- 6.2	- 7.1	- 4.4	- 3.9

Pentademidler av lufttemperaturen

(Five-day means of temperature)

1945

Pentade	Klepp	Sauda	Ullensvang	Syfteland	Leikanger	Brandsøy i Kinn	Nordfjordeid	Tafjord	Runde	Tingvoll	Vallersund	Trondheim (Voll)	Kjevli i Snåsa	Brønnøysund	Ytteren i Rana	Bodø	Offersøy	Tromsø
1.I - 5.I	0.9	- 3.0	- 1.0	- 1.3	- 0.7	1.0	- 1.7	- 1.2	1.9	- 0.8	0.0	- 2.5	- 9.9	- 1.0	- 7.3	- 3.0	- 2.6	- 3.6
6.I - 10.I	- 1.1	- 3.5	- 0.5	- 2.0	- 2.1	- 1.6	- 5.8	- 0.9	- 0.5	- 8.3	- 2.9	- 6.6	- 5.3	- 2.3	- 9.5	- 4.3	- 4.7	- 7.1
11.I - 15.I	- 2.0	- 5.5	- 1.4	- 4.9	- 1.5	- 1.4	- 4.1	- 0.9	1.0	- 4.5	- 0.7	- 5.2	- 9.2	0.0	- 4.7	- 0.5	- 0.3	- 1.1
16.I - 20.I	- 2.3	- 4.7	- 3.7	- 4.3	- 2.9	- 3.4	- 6.2	- 5.0	- 2.1	- 7.8	- 3.4	- 8.3	-13.4	- 3.1	- 7.9	- 3.5	- 2.9	- 4.8
21.I - 25.I	- 4.9	-13.0	- 7.6	- 8.2	- 7.7	- 5.1	-10.9	- 5.3	- 2.2	-11.2	- 5.2	- 9.2	- 6.8	- 3.5	- 5.6	- 3.9	- 2.4	- 3.8
26.I - 30.I	- 5.0	- 8.0	- 5.2	- 6.3	- 5.2	- 3.4	- 8.7	- 3.4	- 1.8	- 6.9	- 4.9	- 9.1	-13.3	- 6.4	-18.4	- 6.9	- 4.1	- 4.5
31.I - 4.II	- 2.1	- 6.1	- 4.7	- 4.6	- 5.2	- 2.3	-10.3	- 4.5	- 1.2	- 9.3	- 5.5	-11.0	-16.3	- 4.2	-13.0	- 3.4	- 4.1	- 6.0
5.II - 9.II	3.2	0.8	1.7	2.9	3.0	3.6	3.1	5.1	4.7	0.7	2.5	0.2	- 0.8	1.6	- 3.7	- 2.0	- 2.4	- 5.2
10.II - 14.II	1.7	- 0.1	0.0	1.2	1.5	2.1	- 0.1	2.8	2.9	1.6	1.2	- 1.4	- 2.7	1.7	- 3.0	0.5	- 0.4	- 3.2
15.II - 19.II	3.5	1.3	2.5	3.8	2.6	5.3	4.3	5.4	6.1	2.2	3.1	0.8	- 0.4	1.8	- 3.1	- 0.2	- 0.1	- 1.7
20.II - 24.II	4.2	2.3	3.8	4.1	3.9	4.6	3.1	6.6	5.2	3.8	4.6	2.8	- 1.6	4.2	1.8	3.4	3.1	2.6
25.II - 1.III	4.2	2.8	3.9	4.6	1.7	2.9	1.2	0.4	2.7	0.5	1.3	- 0.1	- 1.1	0.1	- 1.8	- 1.0	- 1.4	- 1.9
2.III - 6.III	2.1	1.1	1.7	0.5	- 0.4	1.4	- 0.1	0.1	1.8	0.3	0.9	- 0.1	- 3.2	- 0.4	- 6.7	- 4.5	- 3.8	- 6.3
7.III - 11.III	4.7	3.1	4.0	3.3	1.5	3.9	2.6	1.2	4.6	3.2	3.1	1.4	- 0.7	0.7	- 2.9	- 1.5	- 1.8	- 3.1
12.III - 16.III	5.7	3.6	4.4	4.7	0.6	4.5	3.0	0.6	4.5	2.6	2.8	1.3	0.6	1.7	- 0.1	- 0.4	- 1.6	- 2.1
17.III - 21.III	5.1	4.4	4.8	4.4	1.4	4.4	4.4	1.2	5.0	2.1	2.6	0.8	- 1.0	0.9	- 2.7	- 0.5	- 1.2	- 4.4
22.III - 26.III	10.1	6.7	6.3	8.8	0.8	8.6	7.2	1.4	11.0	5.7	8.3	6.0	3.5	6.8	2.7	4.0	2.0	- 0.8
27.III - 31.III	8.6	5.7	5.8	5.7	0.5	6.0	6.0	- 0.4	5.9	3.5	5.0	3.1	2.7	4.9	2.0	3.8	2.9	2.4
1.IV - 5.IV	6.3	5.8	5.9	5.8	5.7	5.9	5.2	7.4	5.8	5.4	5.2	4.4	1.9	4.6	2.7	3.2	1.6	- 0.6
6.IV - 10.IV	6.0	5.8	5.1	5.7	6.6	6.0	5.8	6.5	6.8	6.4	5.2	4.7	3.0	4.5	3.0	3.3	2.3	0.8
11.IV - 15.IV	6.1	5.5	4.6	4.4	4.3	5.1	4.7	4.6	4.7	2.1	3.7	1.5	- 0.1	1.8	- 0.5	1.3	1.1	- 0.6
16.IV - 20.IV	7.5	8.0	8.3	8.5	7.4	8.1	6.7	9.3	8.5	7.3	7.1	5.6	3.8	6.2	2.9	5.6	5.2	4.1
21.IV - 25.IV	6.3	6.5	6.9	5.3	6.8	5.9	4.6	6.7	4.9	4.5	4.8	3.9	2.8	4.7	3.7	4.0	4.1	1.8
26.IV - 30.IV	5.1	5.9	6.1	4.9	6.2	5.3	5.1	7.1	5.3	5.8	6.5	5.7	3.9	5.4	3.9	4.9	4.6	3.2
1.V - 5.V	6.5	7.9	8.7	7.4	9.2	8.6	8.3	9.9	8.1	9.6	10.2	8.3	8.2	9.9	8.8	9.8	7.1	3.8
6.V - 10.V	9.6	9.9	9.4	8.5	9.2	9.6	7.5	9.1	7.8	8.0	7.1	6.3	5.3	3.1	5.0	4.3	3.6	0.8
11.V - 15.V	11.8	10.6	10.3	10.5	9.9	9.3	8.8	11.0	9.1	9.6	7.8	7.5	6.1	6.8	5.1	5.8	5.1	4.2
16.V - 20.V	10.1	9.2	9.1	9.3	9.1	8.8	8.4	8.7	7.6	8.3	7.7	7.4	6.6	7.9	7.4	7.6	7.8	6.6
21.V - 25.V	12.0	11.9	10.8	11.6	11.7	11.4	9.8	8.7	7.7	8.5	6.4	6.1	5.2	6.1	5.3	4.6	4.3	2.0
26.V - 30.V	11.2	11.6	11.8	10.6	13.0	11.7	10.8	12.7	10.0	12.0	9.9	11.1	10.0	10.5	9.3	8.4	7.6	4.3
31.V - 4.VI	12.4	11.9	12.1	11.8	12.8	12.1	11.7	11.8	11.2	12.7	10.4	12.2	12.0	9.2	10.8	8.8	8.2	5.6
5.VI - 9.VI	11.0	10.4	9.4	10.8	11.5	10.6	10.7	11.4	9.4	10.2	8.6	9.2	7.7	8.0	7.9	6.5	5.8	3.2
10.VI - 14.VI	10.1	9.9	10.4	9.6	10.8	9.6	9.5	10.3	9.0	9.9	9.6	9.5	9.3	9.6	10.2	10.2	10.0	9.6
15.VI - 19.VI	10.3	9.6	10.1	9.2	9.9	8.9	8.2	9.4	8.8	8.7	8.5	8.3	6.7	7.9	8.3	8.0	8.4	8.5
20.VI - 24.VI	16.9	17.4	17.6	17.2	18.8	18.3	18.6	17.5	16.3	19.5	14.6	17.6	16.1	14.2	16.1	13.8	12.7	9.1
25.VI - 29.VI	13.3	13.4	13.5	14.4	15.8	15.3	14.6	14.0	12.3	15.6	11.9	14.8	16.2	11.6	15.8	13.5	14.4	9.7
30.VI - 4.VII	13.1	14.6	15.5	14.2	16.7	14.4	13.5	13.3	10.5	13.5	10.6	12.8	12.2	9.9	10.1	8.6	7.9	5.9
5.VII - 9.VII	15.7	16.6	17.7	16.4	18.5	16.0	16.9	17.3	15.2	18.4	15.2	17.9	19.0	15.7	18.5	17.5	17.0	15.0
10.VII - 14.VII	17.9	18.5	19.1	17.4	19.0	17.4	17.7	17.4	14.5	18.1	14.8	17.1	17.0	12.8	16.1	13.7	14.2	12.9
15.VII - 19.VII	18.9	19.6	20.1	18.2	20.0	18.7	19.6	19.2	17.9	19.9	17.6	19.4	20.2	16.2	18.8	16.2	15.1	14.0
20.VII - 24.VII	15.7	15.8	15.6	15.5	16.5	15.5	15.9	16.4	15.0	16.2	15.9	15.9	15.0	16.2	16.9	17.0	16.6	14.9
25.VII - 29.VII	14.4	14.3	14.2	13.3	14.6	13.8	13.2	13.4	12.9	13.1	13.0	12.2	10.7	13.4	13.5	13.9	15.1	14.4
30.VII - 3.VIII	14.1	16.4	16.1	14.4	16.0	14.2	14.3	14.0	13.4	15.4	12.6	12.6	11.4	12.2	12.9	12.5	13.7	12.2
4.VIII - 8.VIII	15.0	17.6	17.9	15.8	17.5	17.2	16.6	17.1	15.1	17.5	15.6	17.1	17.9	16.0	17.2	15.5	14.6	13.7
9.VIII - 13.VIII	18.6	20.7	19.1	19.4	19.4	18.5	19.0	17.4	15.2	18.1	15.9	17.2	11.7	14.7	16.8	15.3	15.4	12.9
14.VIII - 18.VIII	18.6	20.7	20.2	19.8	20.9	20.3	19.3	19.1	17.3	18.2	18.0	17.5	16.9	18.3	18.0	18.2	17.3	13.6
19.VIII - 23.VIII	15.4	17.1	16.9	14.3	16.0	15.1	14.3	14.3	11.9	12.9	12.3	12.2	11.1	12.4	11.9	11.4	11.8	10.7
24.VIII - 28.VIII	14.4	12.7	13.4	13.1	13.2	12.7	11.7	12.8	11.6	11.5	11.8	10.9	10.3	11.5	10.7	10.8	11.0	9.0
29.VIII - 2.IX	13.1	12.8	13.3	11.6	12.4	11.2	9.9	10.7	10.6	9.1	10.3	9.3	8.5	9.9	9.2	8.7	8.6	7.5
3.IX - 7.IX	12.6	12.2	12.2	11.4	11.5	11.8	11.4	11.1	11.6	10.7	10.9	9.6	8.7	10.3	9.0	9.4	9.1	8.9
8.IX - 12.IX	13.3	12.7	12.5	12.3	12.9	13.4	12.8	13.2	13.9	12.1	12.3	10.5	9.7	10.7	8.3	10.6	10.3	9.5
13.IX - 17.IX	14.1	12.5	11.9	12.7	12.6	12.8	12.8	14.8	13.0	13.3	13.0	12.4	11.4	12.7	11.1	11.9	11.7	11.4
18.IX - 22.IX	12.7	11.4	10.5	11.5	11.3	11.5	10.3	11.3	11.9	10.0	10.2	8.2	7.1	9.1	7.0	7.3	7.0	4.7
23.IX - 27.IX	10.7	9.3	9.3	9.5	9.3	10.0	8.4	9.7	9.4	8.2	7.4	6.4	4.4	7.2	4.9	5.2	5.6	2.9
28.IX - 2.X	10.9	8.5	8.3	8.4	8.4	9.3	7.9	8.2	10.6	8.0	9.0	7.3	5.8	7.8	4.7	5.7	6.6	5.4
3.X - 7.X	10.2	9.2	9.7	9.5	9.3	10.1	9.2	8.9	10.6	8.2	9.0	7.6	6.7	7.7	6.3	6.2	5.3	2.4
8.X - 12.X	9.2	7.8	7.2	7.7	6.8	7.0	5.3	5.4	7.6	5.0	5.4	3.6	2.5	4.4	2.0	2.6	2.1	- 0.1
13.X - 17.X	10.4	9.2	9.5	8.9	9.2	8.7	7.2	7.5	8.8	7.5	8.0	6.0	4.3	5.2	0.9	1.5	0.9	- 0.9
18.X - 22.X	9.8	7.2	7.4	8.9	7.6	8.7	6.1	7.7	9.4	4.8	6.2	3.6	2.2	4.2	- 1.5	1.1	0.2	- 1.0
23.X - 27.X	9.4	7.7	6.6	7.1	6.9	8.4	6.0	8.8	8.3	5.4	5.3	4.2	2.2	4.1	- 0.5	1.1	0.5	- 0.5
28.X - 1.XI	10.6	7.5	6.7	7.9	6.2	7.6	5.3	7.1	7.4	2.7	4.7	2.1	- 0.5	3.8	- 1.0	2.5	0.0	- 1.1
2.XI - 6.XI	7.7	4.8	4.8	5.1	4.3	5.9	3.0	4.3	8.0	1.8	5.7	2.1	2.4	5.0	0.4	3.2	2.5	0.4
7.XI - 11.XI	4.1	3.4	3.4	2.3	2.7	4.0	1.4	3.1	6.1	1.1	3.5	0.6	- 1.3	3.0	- 2.4	0.9	1.8	- 1.6
12.XI - 16.XI	4.0	2.3	2.3	1.3	2.4	3.0	0.0	1.6	5.6	- 0.2	3.5	1.0	0.0	4.5	1.7	4.0	3.4	1.7
17.XI - 21.XI	3.9	0.0	1.1	0.6	1.3	2.1	0.6	1.1	5.2	- 1.2	4.6	1.3	1.9	5.0	1.8	4.4	3.1	1.1
22.XI - 26.XI	4.6	1.6	2.0	3.9	1.7	5.1	2.8	3.9	6.2	0.5	5.3	1.5	2.0	6.0	3.2	3.7	2.8	- 0.3
27.XI - 1.XII	6.0	2.6	3.1	3.1	2.5	4.0	2.1	2.2	4.9	1.5	3.3	0.6	- 1.2	0.4	- 3.4	- 2.1	- 3.1	- 5.1
2.XII - 6.XII	4.4	2.8	3.8	4.5	5.0	6.2	5.7	7.6	6.8	5.5	4.9	3.1	0.7	4.9	1.3	3.6	3.1	2.1
7.XII - 11.XII	1.5	- 0.9	0.2	0.2	- 1.0	1.5	- 0.3	1.1	1.6	0.3	0.0	- 1.8	- 4.7	0.8	- 3.0	0.9	0.7	0.3
12.XII - 16.XII	1.7	- 1.7	- 0.5	- 1.6	- 0.3	0.0	- 1.9	- 1.3	0.5	- 2.0	0.1	- 3.0	- 5.9	- 1.0	- 5.5	- 2.8	- 5.4	- 7.8
17.XII - 21.XII	5.7	2.5	2.6	5.4	4.2	5.4	3.0	6.0	5.5	3.1	3.9	2.2	- 0.2	2.3	- 2.3	- 2.1	- 2.7	- 5.4
22.XII - 26.XII	0.4	- 0.2	- 0.1	- 1.4	0.5	0.4	- 2.3	0.4	2.1	- 3.3	- 3.5	- 6.4	-10.1	- 3.0	-15.2	- 4.5	- 2.0	- 3.8
27.XII - 31.XII	0.2	- 3.7	- 2.9	- 3.2	- 1.8	- 1.1	- 5.6	- 1.8	0.7	- 8.7	- 2.6	- 7.5	- 8.2	- 3.2	-15.4	- 4.3	- 2.4	- 3.1