37 1

The China Coast Meteorological Register issued daily in 1901 from The Hong Kong Observatory

LIBRARY
APR 10 1902
Weather Bureau.

LIBRARY
NOAA

QC
990
.E18
C56
1901

LIBRARY
WEATHER BUREAU
No.
23093

N. B. The barometric observations made at some of the China Treaty ports, and printed in this Register are, from various causes, defective.

JCP

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

1508 LIBRARY ★ APR 10 1902 ★ Weather Bureau.

LIBRARY W. B. BUREAU No. 23093

CHINA COAST METEOROLOGICAL REGISTER.

31st DECEMBER, 1900, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.10	..	..	N	2	..
Kochi,	"	30.03	..	..	SE	2	..
Nagasaki,	"	30.11	..	..	N	2	..
Kagoshima,	"	30.11	..	..	NW	6	..
Taihoku,	1 p.	30.14	..	..	E	6	..
Taichu,	"	30.07	..	..	N	4	..
Tainan,	"	30.07	..	..	N	4	..
Koshun,	"	30.10	..	..	..	0	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.31	45	84	N	3	cv
Sharp Peak,	"	30.15	58	88	E	2	o
Amoy,	"	30.10	68	79	SE	4	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.09	72	71	N	1	b
Hongkong,	4 p.	30.09	67	82	ESE	1	o
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.07	..	..	ENE	4	..
Macao,	"	30.07	67	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	88	72	SW	1	c
Malate,	3 p.	..	..	..	SW	1	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.82	81	..	E	2	b
Cebu,	"	29.85	83	..	NE	3	b
Cape S. James,	"	..	..	..	NE	4	c

1st JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.20	..	..	..	0	..
Taichu,	"		..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.		..	..	..	..	..
Sharp Peak,	"	30.25	57	84	ENE	3	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	30.21	66	..	ENE	3	o
Canton,	"	30.18	66	89	NE	1	o
Hongkong,	10 a.	30.20	66	85	E	2	o
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.19	..	..	ENE	4	..
Macao,	"	30.19	70	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	82	77	WNW	2	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	2	o
Iloilo,	"	29.94	81	..	NW	4	o
Cebu,	"	29.93	83	..	NE	2	c
Cape S. James,	7 a.	..	..	..	NNE	3	c

On the 1st at 11.45 a. The barometer has risen slightly on the China coast. Pressure is highest over NE China, and gradients are slight to moderate with moderate to fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 1st January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.07	..	..	SE	1	c
Tokio,	"		..	..	.	.	..
Kochi,	"	30.17	..	..	S	2	..
Nagasaki,	"	30.19	..	..	NW	4	..
Kagoshima,	"	30.15	..	..	NW	6	..
Taihoku,	1 p.	30.22	..	..	E	6	..
Taichu,	"	30.12	..	..	.	0	..
Tainan,	"	30.14	..	..	N	6	..
Koshun,	"	30.15	..	..	N	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.34	46	77	N	3	c
Sharp Peak,	"	30.20	68	38	E	2	c
Amoy,	"	30.11	68	70	NNE	2	c
Swatow,	"	30.10	68	..	ESE	4	c
Canton,	"	30.09	67	74	NE	1	b
Hongkong,	4 p.	30.10	66	77	ESE	2	c
Victoria Peak,	"	.	..	..	E	3	..
Gap Rock,	"	30.08	..	..	ENE	4	..
Macao,	"	30.09	68	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	88	59	SE	1	c
Malate,	3 p.	..	..	..	W	2	b
Bacoled,	"	..	..	..	N	4	b
Iloilo,	"	29.84	80	..	E	2	b
Cebu,	"	29.84	84	..	NE	3	b
Cape S. James,	"	..	..	..	NNE	5	c

2nd JANUARY, 1901, A. M.

Wladivostock,	7 a.	30.21	50	97	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..		..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.23	..	..	E	6	..
Taichu,	"	30.11	..	..	..	0	..
Tainan,	"	30.15	..	..	N	2	..
Koshun,	"	30.15	..	..	NE	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.36	51	79	SE	3	bv
Sharp Peak,	"	30.27	60	76	N	2	c
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"			..	.		..
Hongkong,	10 a.	30.16	65	77	ENE	5	c
Victoria Peak,	"	..	..	..	E	6	..
Gap Rock,	"	30.14	..	..	ENE	5	..
Macao,	"	30.16	60	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	84	71	.	0	b
Malate,	9 a.	..	..	..	..	0	b
Bacoled,	"	.	..	..	N	4	b
Iloilo,	"	29.93	80	..	E	2	c
Cebu,	"	29.91	83	..	NE	4	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 2nd at 11.55 a. The barometer is inclined to fall on the China coast. Pressure is highest between the E. coast of China and W. Japan. Gradients slight to moderate with fresh monsoon in S. China and the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 2nd January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

2nd JANUARY, 1901, P. M.

STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.		..	..	..	.	..
Tokio,	,,	30.18	..	..	N	4	..
Kochi,	,,	30.23	..	..	SE	2	..
Nagasaki,	,,	30.17	..	..	NW	4	..
Kagoshima,	,,	30.17	..	..	E	4	..
Taihoku,	1 p.	30.17	..	..	E	8	..
Taichu,	,,	30.11	..	..		0	..
Tainan,	,,	30.12	..	..	SW	4	..
Koshun,	,,	30.15	..	..	E	2	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	30.18	54	80	SE	3	o
Sharp Peak,	,,	30.18	62	77	E	1	b
Amoy,	,,	30.12	65	73	SW	3	o
Swatow,	,,	30.09	71	..	ENE	3	cd
Canton,	,,	30.09	72	77	SE	1	o
Hongkong,	4 p.	30.08	66	76	E	4	o
Victoria Peak,	,,	.	..	..	E	5	..
Gap Rock,	,,	30.05	..	..	ENE	5	..
Macao,	,,	30.07	69	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	82	70	ESE	1	c
Malate,	3 p.	..	..	..	ESE	3	c
Bacolod,	,,	..	..	..	NE	4	b
Iloilo,	,,	29.82	86	..	N	5	o
Cebu,	,,	29.80	83	..	NE	3	o
Cape S. James,	,,	..	..	..	NE	6	c

3rd JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.14	..	..	E	4	..
Taichu,	,,	30.11	..	..	..	0	..
Tainan,	,,	30.12	..	..	N	2	..
Koshun,	,,	30.12	..	..	NE	6	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.13	57	87	S	5	cv
Sharp Peak,	,,	30.17	63	78	NW	1	o
Amoy,	,,	30.14	64	78	SW	4	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,			..	..	.	..
Hongkong,	10 a.	30.13	69	69	E	3	c
Victoria Peak,	,,	.	..	..	E	6	..
Gap Rock,	,,	30.10	..	..	ENE	5	..
Macao,	,,	30.14	70	..	NNE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	81	76	..	0	o
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	,,	.	..	..	NNE	5	b
Iloilo,	,,	29.92	80	..	NW	3	b
Cebu,	,,	29.94	83	..	NE	4	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 3rd at 11.55 a. The barometer has fallen on the China coast, owing to the existence of a depression over N. China. Gradients slight with variable winds in S. China, and moderate monsoon in the N. part of the China Sea. Forecast—moderate E winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 3rd January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

3rd JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.30	23	..	N	5	c
Tokio,	,,	30.26	..	..	..	0	..
Kochi,	,,	30.27	..	..	SE	4	..
Nagasaki,	,,	30.23	..	..	SE	6	..
Kagoshima,	,,	30.23	..	..	E	2	..
Taihoku,	1 p.	30.11	..	..	SE	6	..
Taichu,	,,	30.11	..	..	W	4	..
Tainan,	,,	30.12	..	..	N	4	..
Koshun,	,,	30.16	..	..	N	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	30.01	59	88	S	5	cv
Sharp Peak,	,,	30.04	69	77	..	0	c
Amoy,	,,	30.06	70	70	SE	4	c
Swatow,	,,	29.99	70	..	ESE	2	cd
Canton,	,,	30.02	77	77	S	3	o
Hongkong,	4 p.	30.02	68	74	E	3	o
Victoria Peak,	,,	..	..	..	ESE	4	..
Gap Rock,	,,	29.98	..	..	ENE	4	..
Macao,	,,	30.04	72	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	64	E	2	c
Malate,	3 p.	..	..	..	E	2	c
Bacolod,	,,	..	..	..	N	4	b
Iloilo,	,,	29.87	84	..	E	3	b
Cebu,	,,	29.85	84	..	NE	4	c
Cape S. James,	,,	..	..	..	NE	4	c

4th JANUARY, 1901, A. M.

Wladivostock,	7 a.	30.37	8	72	N	4	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.08	..	..	..	0	..
Taichu,	,,	30.04	..	..	..	0	..
Tainan,	,,	30.05	..	..	..	0	..
Koshun,	,,	30.05	..	..	NE	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.10	43	92	NNW	4	omp
Sharp Peak,	,,	30.00	65	86	..	0	o
Amoy,	,,	30.03	65	84	NE	1	cm
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.03	70	85	E	2	o
Hongkong,	10 a.	30.04	71	77	ESE	1	o
Victoria Peak,	,,	..	..	..	ESE	3	..
Gap Rock,	,,	30.03	..	..	ENE	3	..
Macao,	,,	30.04	70	..	S	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	81	76	NE	1	b
Malate,	9 a.	..	..	..	N	2	o
Bacolod,	,,	..	..	..	N	4	r
Iloilo,	,,	29.90	81	..	E	2	c
Cebu,	,,	29.90	83	..	NE	2	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 4th at 11.55 a. The barometer has fallen in S. China, and is rising in N. China. The depression is moving Eastwards between the E. coast of China and W. Japan. The monsoon will probably freshen in S. China during the next 24 hours. Forecast:—NE winds, freshening; fair at first, drizzling rain or mist later.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Friday 4th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	30.18	..	..	..	0	..
Kochi,	"	30.03	..	..	W	2	..
Nagasaki,	"	29.87	..	..	SW	8	..
Kagoshima,	"	29.95	..	..	S	4	..
Taihoku,	1 p.	30.02	..	..	NW	2	..
Taichu,	"	.	..	..	..	..	..
Tainan,	"	29.99	..	..	W	2	..
Koshun,	"	30.02	..	..	E	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.09	41	100	NW	6	cm
Sharp Peak,	"	29.90	66	84	N	1	o
Amoy,	"	29.94	71	71	SE	3	c
Swatow,	"	29.94	71	..	..	0	o
Canton,	"	29.91	75	90	..	0	r
Hongkong,	4 p.	29.93	73	76	..	0	c
Victoria Peak,	"	.	..	..	SSW	2	..
Gap Rock,	"	29.93	..	..	E	2	..
Macao,	"	29.93	77	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	58	SE	2	b
Malate,	3 p.	..	..	..	SE	3	b
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.82	84	..	N	2	o
Cebu,	"	29.84	84	..	NE	2	b
Cape S. James,	"	..	..	..	ENE	4	c

5th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	.	.	..	..
Taihoku,	5 a.	30.03	..	..	SE	2	..
Taichu,	"	29.99	..	..	NE	4	..
Tainan,	"	29.97	..	..	N	4	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	30.07	58	85	E	4	o
Amoy,	"	.	..	..	..	..	.
Swatow,	"	..	..	..	..	..	..
Canton,	"	.	..	.	.	..	.
Hongkong,	10 a.	30.04	67	91	WNW	1	of
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.02	..	..	NNW	3	..
Macao,	"	30.05	68	..	NW	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.96	81	76	WNW	1	b
Malate,	9 a.	.	..	..	NNE	1	b
Bacolod,	"		..	..	NE	2	b
Iloilo,	"	29.92	80	..	NW	3	b
Cebu,	"	29.93	85	..	NE	2	b
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 5th at 12.5p. The barometer is rising on the China coast. The depression has probably reached E. Japan, and pressure is highest over N. China. Fresh monsoon in S. China, increasing monsoon in the N. part of the China Sea. Forecast:—moderate to fresh N and NE winds; some drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 5th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

5th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.11	20	..	N	5	o
Tokio,	"	29.94	..	..	NW	6	..
Kochi,	"	29.78	..	..	..	0	..
Nagasaki,	"	29.72	..	..	N	2	..
Kagoshima,	"	29.75	..	..	W	6	..
Taihoku,	1 p.	29.94	..	..	E	6	..
Taichu,	"	29.94	..	..	N	4	..
Tainan,	"	29.95	..	..	NW	6	..
Koshun,	"	29.97	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.16	39	82	NW	6	c
Sharp Peak,	"	30.03	58	81	NNE	3	o
Amoy,	"	29.99	64	84	NE	5	od
Swatow,	"	29.97	68	..	E	3	odr
Canton,	"	29.97	62	89	N	1	o
Hongkong,	4 p.	29.95	67	86	W	1	o
Victoria Peak,	"	..	..	..	SE	0	..
Gap Rock,	"	29.93	..	..	NNW	2	..
Macao,	"	29.94	72	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	86	65	NW	1	b
Malate,	3 p.	..	..	..	W	2	b
Bacolod,	"	..	..	..	NW	4	b
Iloilo,	"	29.81	80	..	E	1	b
Cebu,	"	29.82	85	..	NE	3	c
Cape S. James,	"	..	..	..	NE	3	c

6th JANUARY, 1901, A. M.

Wladivostock,	7 a.	29.13	12	72	N	5	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.05	..	..	E	2	..
Taichu,	"	30.03	..	..	..	0	..
Tainan,	"	30.04	..	..	N	4	..
Koshun,	"	30.02	..	..	..	0	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.28	36	90	NNW	4	c
Sharp Peak,	"	30.14	59	67	N	2	o
Amoy,	"	30.07	58	88	NE	3	od
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.07	66	93		0	od
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.05	..	..	N	4	..
Macao,	"	30.08	65	..	NW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	81	76	NW	1	b
Malate,	9 a.	..	..	..	W	1	b
Bacolod,	"	..	..	..	NW	2	b
Iloilo,	"	29.91	80	..	E	1	b
Cebu,	"	29.91	84	..	NE	4	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 6th at 11.50 a. The barometer continues rising on the China coast, and falling in the Sea of Japan. The depression appears to be still lying over the latter area. High pressure over N. China. Fresh monsoon on the China coast. Forecast:—moderate or fresh N and NE winds; dull, drizzling rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 6th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.78	..	..	NW	6	..
Kochi,	,,	29.76	..	..	W	4	..
Nagasaki,	,,	29.91	..	..	NW	8	..
Kagoshima,	,,	29.91	..	..	NW	6	..
Taihoku,	1 p.	30.14	..	..	E	4	..
Taichu,	,,	30.04	..	..	NE	2	..
Tainan,	,,	30.03	..	..	N	6	..
Koshun,	,,	30.04	..	..	NE	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	30.23	38	72	NNW	4	cv
Sharp Peak,	,,	30.11	55	77	E	2	o
Amoy,	,,	30.03	59	88	NE	3	od
Swatow,	,,	..	..	..	.	..	..
Canton,	,,	30.02	56	94	N	1	r
Hongkong,	4 p.	29.98	64	89	E	1	o
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	29.97	..	..	NNE	4	..
Macao,	,,	30.01	63	..	NW	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	86	65	SW	1	b
Malate,	3 p.	..	..	..	.	0	b
Bacolod,	,,	..	..	..	NE	3	b
Iloilo,	,,	29.82	86	..	N	4	b
Cebu,	,,	29.81	84	..	NE	3	b
Cape S. James,	,,	..	..	..	..	.	..

7th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.13	..	..	E	6	..
Taichu,	,,	30.05	..	..	N	4	..
Tainan,	,,	30.04	..	..	.	0	..
Koshun,	,,	30.05	..	..	NE	6	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.31	42	66	NNE	3	cv
Sharp Peak,	,,	30.21	54	80	NE	3	o
Amoy,	,,	30.13	56	87	NE	4	o
Swatow,	,,	.	..	..	..		..
Canton,	,,	30.14	56	94		0	..
Hongkong,	10 a.	30.10	64	8	ENE	5	o
Victoria Peak,	,,		..	..	ESE	4	..
Gap Rock,	,,	30.08	..	..	ENE	4	..
Macao,	,,	30.10	63	..	NW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	70	S	1	b
Malate,	9 a.	..	..	..		0	b
Bacolod,	,,	.	..	..	NNE	2	b
Iloilo,	,,	29.94	79	..	NW	3	b
Cebu,	,,	29.95	84	..	NE	2	b
Cape S. James,	7 a.	..	..	..	ENE	4	c

On the 7th at 11.55a. The barometer has risen slightly on the China coast. Pressure is high over N. China with slight to moderate gradients and fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh NE winds; some drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 7th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

7th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.74	..	..	NE	4	..
Kochi,	,,		..	..		..	..
Nagasaki,	,,	30.03	..	..	N	6	..
Kagoshima,	,,	30.03	..	..	NE	6	..
Taihoku,	1 p.	30.16	..	..	E	6	..
Taichu,	,,	30.04	..	..	N	2	..
Tainan,	,,	30.07	..	..	N	4	..
Koshun,	,,	30.07	..	..	NE	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	30.26	42	83	N	1	cv
Sharp Peak,	,,	30.15	55	74	E	1	o
Amoy,	,,	30.08	60	76	NE	..	o
Swatow,	,,	29.98	62	..	ENE	3	c
Canton,	,,	30.07	59	65	NE	1	o
Hongkong,	4 p.	30.03	63	58	ENE	4	o
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	30.01	..	..	ENE	5	..
Macao,	,,	30.03	.	..	NW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	82	70	NNE	1	o
Malate,	3 p.	..	..	..	N	2	c
Bacolod,	,,	..	..	..	NE	2	b
Iloilo,	,,	29.84	84	..	E	2	b
Cebu,	,,	29.85	83	..	NE	4	b
Cape S. James,	,,	..	..	..	ENE	3	c

8th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.14	..	..	..	0	..
Taichu,	,,	30.06	..	..	..	0	..
Tainan,	,,	30.08	..	..	N	4	..
Koshun,	,,	30.06	..	..	N	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.32	43	75	N	3	cv
Sharp Peak,	,,	30.22	54	80	NW	1	o
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	30.16	61	..	ENE	1	o
Canton,	,,	30.16	59	88	NW	1	o
Hongkong,	10 a.	30.13	64	82	E	1	o
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	30.10	..	..	NE	5	..
Macao,	,,	30.11	64	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	70	SW	1	c
Malate,	9 a.	..	..	..	.	0	b
Bacolod,	,,	.	..	..	NE	2	b
Iloilo,	,,	29.95	79	..	E	1	b
Cebu,	,,	29.94	83	..	NE	3	b
Cape S. James,	7 a.	..	..	..	NE	3	o

On the 8th at 11.55a. Barometric changes are slight. Pressure remains high over N. China with slight to moderate gradients and fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh or moderate NE winds; some drizzling rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 8th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	N	4	..
Kochi,	"	29.91	..	..	S	2	..
Nagasaki,	"	30.03	..	..	N	4	..
Kagoshima,	"	30.03	..	..	N	4	..
Taihoku,	1 p.	30.15	..	..	E	4	..
Taichu,	"	30.05	..	..	.	0	..
Tainan,	"	30.07	..	..	N	6	..
Koshun,	"	30.05	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.30	44	76	N	3	cv
Sharp Peak,	"	30.15	54	74	E	4	o
Amoy,	"	30.10	62	77	NE	5	o
Swatow,	"	30.09	63	..	E	2	o
Canton,	"	30.09	60	82	NNW	.	o
Hongkong,	4 p.	30.08	64	79		0	o
Victoria Peak,	"	..	..	..	NE	1	..
Gap Rock,	"	30.05	..	..	NE	4	..
Macao,	"	30.08	63	..	NNE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.84	86	65	SW	1	b
Malate,	3 p.	..	..	..	WSW	1	b
Bacolod,	"	..	..	..	NNW	3	b
Iloilo,	"	29.83	85	..	NE	2	b
Cebu,	"	29.85	82	..	NE	4	b
Cape S. James,	"	..	..	..	ENE	3	c

9th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.24	..	..	..	0	..
Taichu,	"	30.14	..	..	N	2	..
Tainan,	"	30.13	..	..	N	6	..
Koshun,	"	30.10	..	..	NE	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.33	40	82	NW	2	cv
Sharp Peak,	"	30.25	52	73	E	3	o
Amoy,	"	.	..	..	..	.	.
Swatow,	"	30.21	61	..	ENE	3	o
Canton,	..	30.21	55	87	N	1	o
Hongkong,	10 a.	30.16	63	75	ENE	5	o
Victoria Peak,	"	.	..	..	E	5	..
Gap Rock,	"	30.12	..	..	ENE	5	..
Macao,	"	30.16	63	..	NNW	1	o
Haiphong,	7 a.	..	..	..	.	.	..
Manila,	10 a.	30.00	82	70	SW	1	c
Malate,	9 a.	..	..	..		0	b
Bacolod,	"	.	..	..	NW	2	b
Iloilo,	"	29.96	79	..	NW	1	b
Cebu,	"	29.97	83	..	NE	2	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 9th at 11.55a. The barometer has risen slightly in S. China and over the Phillipines. Pressure remains high over N. China with slight to moderate gradients and fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh NE winds; fair

F. G. FIGG,
Acting Director.

Hongkong Observatory. Wednesday 9th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	NE	4	..
Kochi,	"	30.03	..	..	N	6	..
Nagasaki,	"	30.07	..	..	W	2	..
Kagoshima,	"	30.07	..	..	N	4	..
Taihoku,	1 p.	30.18	..	..	E	6	..
Taichu,	"	30.09	..	..	.	0	..
Tainan,	"	30.10	..	..	W	4	..
Koshun,	"	30.10	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.27	43	75	NW	2	cv
Sharp Peak,	"	30.17	57	75	N	1	c
Amoy,	"	30.11	63	67	NE	4	c
Swatow,	"	30.12	65	..	E	3	b
Canton,	"	30.07	60	71	E	1	o
Hongkong,	4 p.	30.08	63	77	ENE	3	o
Victoria Peak,	"	..	..	..	E	4	..
Cap Rock,	"	30.03	..	..	ENE	5	..
Macao,	"	30.05	65	..	N	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	65	SE	2	c
Malate,	3 p.	..	..	..	W	1	.
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.87	80	..	N	1	c
Cebu,	"	29.88	83	..	NE	3	b
Cape S. James,	"	..	..	..	NE	2	c

10th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.21	..	..	..	0	..
Taichu,	"	30.16	..	..	..	0	..
Tainan,	"	30.15	..	..	N	4	..
Koshun,	"	30.15	..	..	.	0	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.37	41	83	N	4	cv
Sharp Peak,	"	30.24	57	81	..	0	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	.	.	..	.	.	..
Canton,	"	30.13	57	94	N	1	o
Hongkong,	10 a.	30.13	63	80	E	4	o
Victoria Peak,	"	.	..	..	ESE	7	..
Cap Rock,	"	30.09	..	..	ENE	5	..
Macao,	"	30.15	66	..	E	1	o
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	30.04	81	69	WNW	2	b
Malate,	9 a.	..	..	..	N	1	b
Bacolod,	"	.	..	..	NW	2	b
Iloilo,	"	30.00	79	..	E	1	b
Cebu,	"	30.00	82	..	SW	1	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 10th at 12.10p. The barometer has risen slightly in N. China, fallen a little in S. China. Pressure remains high over N. China. Gradients moderate with strong monsoon on the coast, slight with moderate monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; cloudy, misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Thursday 10th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Windivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.98	..	..	S	4	..
Kochi,	,,	30.03	..	..	SW	2	..
Nagasaki,	,,	30.11	..	..	N	6	..
Kagoshima,	,,	30.11	..	..	NW	6	..
Taihoku,	1 p.	30.20	..	..	..	0	..
Taichu,	,,	30.12	..	..	N	6	..
Tainan,	,,	30.11	..	..	N	4	..
Koshun,	,,	30.12	..	..	E	2	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	30.04	40	74	N	4	cv
Sharp Peak,	,,	30.17	54	87	ENE	4	o
Amoy,	,,	30.15	63	83	NE	1	c
Swatow,	,,	30.10	67	..	E	2	c
Canton,	,,	30.06	58	88	N	2	og
Hongkong,	4 p.	30.05	64	80	E	4	o
Victoria Peak,	,,	.	..	..	ESE	5	..
Gap Rock,	,,	30.02	..	..	E	5	..
Macao,	,,	30.04	68	..	E	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.92	86	58	NW	1	b
Malate,	3 p.	..	..	..	W	1	b
Bacoled,	,,	..	..	..	NW	3	b
Iloilo,	,,	29.89	85	..	N	1	b
Cebu,	,,	29.94	78	..	NE	1	c
Cape S. James,	,,	..	..	..	NE	3	c

11th JANUARY, 1901, A. M.

Windivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.14	..	..	..	0	..
Taichu,	,,	30.14	..	..	..	0	..
Tainan,	,,	30.11	..	..	.	0	..
Koshun,	,,	30.11	..	..	NE	2	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.37	41	92	NNE	4	cvd
Sharp Peak,	,,	30.16	53	86	E	1	or
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	.	..	..	.		..
Canton,	,,	30.17	53	93	N	1	or
Hongkong,	10 a.	30.34	63	92	E	1	od
Victoria Peak,	,,	.	..	..	E	4	..
Gap Rock,	,,	30.09	..	..	N	5	..
Macao,	,,	30.14	59	..	NW	1	o
Haiphong,	7 a.	.	..	..		..	..
Manila,	10 a.	30.04	82	70	NW	1	c
Malate,	9 a.	..	..	..	NNW	1	b
Bacoled,	,,	.	..	..	N	2	b
Iloilo,	,,	30.02	79	..	NW	1	b
Cebu,	,,	30.02	83	..		0	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 11th at 12.5p. The barometer has fallen about the North of Formosa, and is little changed lsewhere. Pressure remains high over N. China, and is low, probably, to the NE of Formosa. Strong monsoon on the coast, moderate monsoon in the N. part of the China Sea.

Forecast:—fresh NE to N winds; some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 11th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	N	4	..
Kochi,	"	30.11	..	..	NE	2	..
Nagasaki,	"	30.19	..	..	..	0	..
Kagoshima,	"	30.15	..	..	N	4	..
Taihoku,	1 p.	30.18	..	..	..	0	..
Taichu,	"	30.07	..	..	N	4	..
Tainan,	"	30.08	..	..	NW	4	..
Koshun,	"	30.08	..	..	E	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.32	43	75	NNE	4	cv
Sharp Peak,	"	30.15	53	86	ENE	4	or
Amoy,	"	30.10	60	67	ENE	2	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.06	58	88	N	1	o
Hongkong,	4 p.	30.03	63	90	E	4	o
Victoria Peak,	"	..	..	..	ESE	6	..
Gap Rock,	"	29.99	..	..	ENE	5	..
Macao,	"	30.02	66	..	NW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	71	..	0	c
Malate,	3 p.	..	..	..	W	2	b
Bacolod,	"	..	..	..	NW	2	b
Iloilo,	"	29.92	75	..	E	1	b
Cebu,	"	29.93	84	..	NE	2	b
Cape S. James,	"	..	..	..	NE	2	c

12th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.12	..	..	..	0	..
Taichu,	"	30.12	..	..	..	0	..
Tainan,	"	30.11	..	..	N	4	..
Koshun,	"	30.08	..	..		0	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.41	43	75	NE	.	cv
Sharp Peak,	"	30.27	57	75	E	1	od
Amoy,	"	.	..	..	..	..	..
Swatow,	"	.		..			..
Canton,	"	30.19	54	94	NE	2	od
Hongkong,	10 a.	30.17	63	87	E	2	o
Victoria Peak,	"	.	..	..	E	3	..
Gap Rock,	"	30.15	..	..	NNE	5	..
Macao,	"	30.15	60	..	NNW	1	o
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	30.04	82	77	SW	1	c
Malate,	9 a.	..	..	..	..	0	
Bacolod,	"	.	..	..	..	0	b
Iloilo,	"	30.05	80	..	..	0	b
Cebu,	"	30.05	83	..	..	0	b
Cape S. James,	7 a.	..	..	..	.	..	..

On the 12th at 11.55a. The barometer has risen slightly on the China coast. Pressure is high over the NE coast of China and W. Japan. Gradients moderate with strong monsoon on the coast, slight with moderate monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; some drizzling rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 12th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.22	..	..	NW	6	..
Kochi,	,,	30.23	..	..	SE	4	..
Nagasaki,	,,	30.27	..	..	N	4	..
Kagoshima,	,,	30.23	..	..	..	0	..
Taihoku,	1 p.	30.22	..	..	..	0	..
Taichu,	,,	30.11	..	..	N	6	..
Tainan,	,,	30.11	..	..	N	6	..
Koshun,	,,	30.11	..	..	N	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	30.16	47	77	NE	5	cv
Sharp Peak,	,,	30.23	54	90	NE	3	o
Amoy,	,,	30.14	60	88	NE	3	c
Swatow,	,,	30.10	65		NE	2	b
Canton,	,,	30.12	56	87	NE	2	o
Hongkong,	4 p.	30.08	63	83	E	4	o
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	30.06	..	..	ENE	5	..
Macao,	,,	30.06	64	..	NW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	86	71	WSW	1	b
Malate,	3 p.	..	..	..	W	1	b
Bacolod,	,,	..	..	..	N	4	b
Iloilo,	,,	29.94	86	..	NE	2	b
Cebu,	,,	29.95	85	..	NE	2	b
Cape S. James,	,,	..	..	..	ESE	2	c

13th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.15	..	..	E	6	..
Taichu,	,,	30.13	..	..	S	2	..
Tainan,	,,	30.14	..	..	N	4	..
Koshun,	,,	30.13	..	..	NE	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.30	48	93	E	3	cv
Sharp Peak,	,,	30.24	54	96	NW	1	or
Amoy,	,,	30.19	58	94	W	1	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..			..	..
Hongkong,	10 a.	30.24	63	85	N	1	o
Victoria Peak,	,,		..	..	E	2	..
Gap Rock,	,,	30.21	..	..	NE	5	..
Macao,	,,	30.24	60	..	NW	1	o
Haiphong,	7 a.	..	..	..		..	..
Manila,	10 a.	30.08	84	64	ENE	1	b
Malate,	9 a.	..	..	..		0	b
Bacolod,	,,	..	..	..	NNW	2	b
Iloilo,	,,	30.05	80	..	NW	1	b
Cebu,	,,	30.04	84	..	NE	3	c
Cape S. James,	7 a.	..	..	..	ENE	2	c

On the 13th at 12.5p. The barometer has fallen on the E. coast of China, risen on the S. coast. Pressure is highest between the NE coast of China and Japan. Gradients slight with moderate monsoon on the coast, and in the N. part of the China coast. Forecast:— fresh or moderate NE to N winds; some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 13th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.17	32	..	SW	2	b
Tokio,	,,	30.33	..	..	NE	4	..
Kochi,	,,	30.27	..	..	SE	2	..
Nagasaki,	,,	30.19	..	..	SE	2	..
Kagoshima,	,,	30.23	..	..	E	6	..
Taihoku,	1 p.	30.27	..	..	NW	4	..
Taichu,	,,	30.15	..	..	NW	4	..
Tainan,	,,	30.14	..	..	N	6	..
Koshun,	,,	30.15	..	..	N	6	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	30.17	46	92	N	2	..
Sharp Peak,	,,	30.14	78	91	.	0	o
Amoy,	,,	30.17	69	85	NNW	2	c
Swatow,	,,	30.16	65	.	ENE	2	o
Canton,	,,	..	..	..	.	.	..
Hongkong,	4 p.	30.15	64	84	WNW	1	o
Victoria Peak,	,,	..	..	..	NW	1	..
Cap Rock,	,,	30.13	..	..	ENE	4	..
Macao,	,,	30.15	66	..	NNW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.09	88	66	NW	1	b
Malate,	6 p.	..	..	..	W	2	b
Bacolod,	,,	..	..	..	NW	2	b
Iloilo,	,,	29.96	86	..	E	1	c
Cebu,	,,	29.97	84	..	NE	2	b
Cape S. James,	,,	..	..	..	..	.	..

14th JANUARY, 1901, A. M.

Wladivostock,	7 a.	30.11	21	99	..	0	or
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	.	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.27	..	..	..	0	..
Taichu,	,,	30.18	..	..	.	0	..
Tainan,	,,	30.19	..	..	E	4	..
Koshun,	,,	30.22	..	..	NE	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.26	44	92	NNW	3	cm
Sharp Peak,	,,	30.30	55	87	NE	2	o
Amoy,	,,	30.22	60	88	NE	2	o
Swatow,	,,	.	..	..	.		..
Canton,	,,	30.22	61	88	E	1	c
Hongkong,	10 a.	30.25	66	75	ENE	1	o
Victoria Peak,	,,	.	..	..	E	3	..
Cap Rock,	,,	30.23	..	..	ENE	4	..
Macao,	,,	30.27	65	..	NE	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.12	81	..	W	1	b
Malate,	9 a.	..	..	..	.	0	b
Bacolod,	,,	.	..	..	N	2	b
Iloilo,	,,	30.08	81	..	E	1	c
Cebu,	,,	30.08	85	..	NE	2	b
Cape S. James,	7 a.	..	..	..	.	..	..

On the 14th at 11.55a. The barometer has risen on the E. coast of China, fallen in the Sea of Japan. Pressure is highest over N. China with slight gradients and moderate monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Monday 14th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	,,	30.22	..	..	NW	4	..
Kochi,	,,	30.15	..	..	W	2	..
Nagasaki,	,,	30.15	..	..	N	4	..
Kagoshima	,,	30.11	..	..	..	0	..
Taihoku,	1 p.	30.24	..	..	E	8	..
Taichu,	,,	30.16	..	..	..	0	..
Tainan,	,,	30.18	..	..	N	2	..
Koshun,	,,	30.21	..	..	NE	6	..
Pescadores,	,,	..	..	.	..	..	..
Gutzlaff,	3 p.	30.10	47	85	..	0	..
Sharp Peak,	,,	30.21	57	87	ENE	3	o
Amoy,	,,	30.16	64	78	NE	2	c
Swatow,	,,	30.17	67	.	E	3	c
Canton,	,,	..	..	..	.	.	..
Hongkong,	4 p.	30.13	65	82	E	4	o
Victoria Peak,	,,	..	..	..	E	5	..
Cap Rock,	,,	30.11	..	..	ENE	5	..
Macao,	,,	30.13	66	..	E	1	c
Haiphong,	1 p.	.		..	..	..	..
Manila,	4 p.	29.96	86	65	..	2	b
Malate,	3 p.	..	.	..	S	2	b
Bacoled,	,,	..	..	..	NE	3	b
Iloilo,	,,	29.96	85	..	N	4	c
Cebu,	,,	29.96	85	..	NE	2	f
Cape S. James,	,,	..	..	..	NE	4	

15th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.29	..	..	..	0	..
Taichu,	,,	30.24	..	..	.	0	..
Tainan,	,,	30.23	..	..	N	2	..
Koshun,	,,	.	..	..	NE	2	..
Pescadores	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	..		..	.	.	..
Sharp Peak,	,,	30.29	56	94	W	1	o
Amoy,	,,	..	..	..	.	.	..
Swatow,	,,	.		.	.		..
Canton,	,,	30.21	64	89	SE	1	o
Hongkong	10 a.	30.21	67	76	ENE	5	o
Victoria Peak,	,,	.	..	..	ESE	6	..
Cap Rock,	,,	30.18	.	..	ENE	5	..
Macao	,,	30.22	68	.	SSE	1	o
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	30.12	84	64	..	0	b
Malate,	9 a.	..	.	..	.	0	b
Bacoled,	,,		..	..	N	4	b
Iloilo,	,,	30.06	86	..	NW	2	c
Cebu,	,,	30.08	83	..	NE	2	o
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 15th at 11.55a. The barometer has fallen slightly in S. China. Pressure appears to be highest between the E. coast of China and W. Japan. Gradients slight with moderate monsoon in S. China and the N. part of the China Sea. Forecast:—fresh or moderate E winds; cloudy, misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 15th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	30.18	..	..	NW	2	..
Kochi,	"	30.15	..	..	E	2	..
Nagasaki,	"	30.23	..	..	SE	4	..
Kagoshima,	"	30.23	..	..	N	6	..
Taihoku,	1 p.	30.24	..	..	W	4	..
Taichu,	"	30.18	..	..	N	4	..
Tainan,	"	30.20	..	..	NW	6	..
Koshun,	"	30.23	..	..	E	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.23	55	56	SW	1	cv
Sharp Peak,	"	30.18	62	88	E	1	b
Amoy,	"	30.14	67	74	SE	4	b
Swatow,	"	..	..	.	.	..	.
Canton,	"	30.12	70	90	S	1	o
Hongkong,	4 p.	30.11	66	78	ENE	5	o
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock,	"	30.08	..	..	ENE	4	..
Macao,	"	30.11	67	..	ESE	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	84	58	SE	2	b
Malate,	3 p.	..	..	..	SE	4	b
Bacoled,	"	..	..	..	NW	2	b
Iloilo,	"	29.96	85	..	E	2	c
Cebu,	"	29.97	84	..	NE	4	b
Cape S. James,	"	..	..	..	E	4	c

16th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.21	..	..	..	0	..
Taichu,	"	30.20	..	..	..	0	..
Tainan,	"	30.18	..	..	.	0	..
Koshun,	"	30.19	..	..	E	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	.	..	..	.	..
Sharp Peak,	"	30.19	61	88	..	0	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	.	.	..	..	.	..
Canton,	"	30.14	70	90	SE	1	c
Hongkong,	10 a.	30.16	69	81	ESE	4	o
Victoria Peak,	"	..	..	..	SE	5	..
Gap Rock,	"	30.16	..	..	E	3	..
Macao,	"	30.15	74	..	SE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.12	82	63	E	1	b
Malate,	9 a.	..	..	..	NE	1	b
Bacoled,	"	.	..	..	N	2	b
Iloilo,	"	30.06	80	..	E	1	c
Cebu,	"	30.06	84	..	NE	4	o
Cape S. James,	7 a.	..	..	..	ENE	3	c

On the 16th at 12.5p. The barometer has fallen on the China coast. Probably a depression lies over N. China, and the highest pressure covers the neighbourhood of the Loochoos. Gradients slight for E and SE winds in S. China and the N. part of the China Sea.

Forecast:—moderate or light E winds; fair, but some mist or fog.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Wednesday 16th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	.	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.16	..	..	NW	2	..
Taichu,	"	30.13	..	..	..	0	..
Tainan,	"	30.15	..	..	W	2	..
Koshun,	"	30.17	..	..	E	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.		..	..	..	..	..
Sharp Peak,	"	30.06	65	89	E	1	b
Amoy,	"	30.08	69	75	SE	2	c
Swatow,	"	30.04	68		ESE	1	o
Canton,	"	30.03	77	82	SE	2	c
Hongkong,	4 p.	30.05	69	87	E	3	c
Victoria Peak,	..	..	..	..	S	6	..
Cap Rock,	"	30.04	..	..	E	3	..
Macao,	"	30.05	74	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	86	47	SE	3	b
Malate,	3 p.	..	..	..	SE	3	b
Bacoled,	"	..	..	..	NE	4	c
Iloilo,	"	29.92	85	..	NW	4	c
Cebu,	"	29.95	85	..	NE	2	b
Cape S. James,	"	..	..	..	NE	5	c

17th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.18	..	..	..	0	..
Taichu,	"	30.15	..	..	.	0	..
Tainan,	"	30.14	..	..	E	2	..
Koshun,	"	30.13	..	..	NE	2	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	.	..	..	..	..
Sharp Peak,	"	30.15	60	88	E	5	o
Amoy,	"	30.11	66	95	SW	2	b
Swatow,	"	..	.	..	..	.	..
Canton,	"	..	..	..	..	.	.
Hongkong,	10 a.	30.18	68	96	E	2	of
Victoria Peak,	"	..	..	..	S	1	..
Cap Rock,	"	30.17	..	..	E	2	..
Macao,	"	30.18	70	..	SE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.08	81	76	NE	1	b
Malate	9 a.	..	..	..	N	1	b
Bacoled,	"	.	..	..	NE	3	b
Iloilo,	"	30.02	80	..	NW	4	b
Cebu,	"	30.04	84	..	NE	3	b
Cape S. James,	7 a.	..	..	..	NE	3	o

On the 17th at 12.10p. Barometric changes are slight in the South, but probably pressure is increasing in N. China and the monsoon is likely to freshen in S. China.
Forecast:—E to NE winds, freshening; fair at first, drizzling rain later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 17th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	,,	.	..	..	.	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.20	..	..	S	2	..
Taichu,	,,	30.17	..	..	..	0	..
Tainan,	,,	30.15	..	..	E	7	..
Koshun,	,,	30.15	..	..	S	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	..		..	..	..	..
Sharp Peak,	,,	30.29	57	78	ENE	7	o
Amoy,	,,	30.08	70	85	SE	4	bf
Swatow,	,,	30.06	79	.	SW	2	c
Canton,	,,	..	..	..	..	.	..
Hongkong,	4 p.	30.08	74	73	NW	1	c
Victoria Peak,	,,	..	..	..	WNW	1	..
Gap Rock,	,,	30.07	..	..	E	2	..
Macao,	,,	30.08	75	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	86	52	ENE	2	c
Malate,	3 p.	..	..	..	SW	2	b
Bacoled,	,,	..	..	..	NW	2	b
Iloilo,	,,	29.92	81	..	E	1	..
Cebu,	,,	29.94	84	..	NE	1	b
Cape S. James,	,,	..	..	..	NE	3	c

18th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	.
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	.
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.41	..	..	E	8	..
Taichu,	,,	30.39	..	..	N	4	..
Tainan,	,,	30.22	..	..	N	6	..
Koshun,	,,	30.17	..	..	NE	10	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	..	.	..	..		..
Sharp Peak,	,,	30.47	50	72	E	5	o
Amoy,	,,	30.32	55	80	NE	5	o
Swatow,	..	.	.	..	..	.	..
Canton,	..	..	..	..			
Hongkong,	10 a.	30.22	61	70	ENE	4	o
Victoria Peak,	,,	.	..	..	E	4	..
Gap Rock,	..	30.30	..	..	NE	5	..
Macao,	..	30.24	59	..	NE	2	o
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	30.12	82	63	NW	1	b
Malate,	9 a.	..	.	..	N	1	b
Bacoled,	,,	.	..	.	N	3	b
Iloilo,	,,	30.02	78	..	E	1	c
Cebu,	,,	30.04	83	..	NE	4	b
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 18th at 12.5p. The barometer has risen rapidly in S. China, an anticyclone being central, apparently, over N. China. Gradients rather steep with very strong monsoon on the coast, and increasing monsoon in the N. part of the China Sea. Forecast:—strong or fresh NE winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 18th January 1901.

CHINA COAST METEOROLOGICAL REGISTER

18th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	.	..	..	.	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.44	..	..	E	8	..
Taichu,	"	30.24	..	..	N	6	..
Tainan,	"	30.27	..	..	NE	6	..
Koshun,	"	30.25	..	..	NE	6	..
Pescadores,	"	..	..	..	.	..	..
Gutzlaff,	3 p.			..	..	.	
Sharp Peak,	"	30.39	50	72	E	6	o
Amoy,	"	30.26	61	66	ENE	5	c
Swatow,	"	30.19	62		NE	4	o
Canton,	"	30.28	56	75	NE	1	o
Hongkong,	4 p.	30.22	60	72	NE	3	o
Victoria Peak,	"	.	..	..	E	6	..
Cap Rock,	"	30.20	..	..	ENE	5	..
Macao,	"	30.24	58	..	NNW	1	o
Haiphong,	1 p.	.	..	..	..	..	..
Manila,	4 p.	30.00	82	51	ENE	2	b
Malate,	3 p.	..	..	..	NE	2	b
Tacoloc,	"	..	..	..	NE	5	b
Iloilo,	"	29.91	85	..	N	4	b
Cebu,	"	29.93	84	..	NE	3	o
Cape S. James,	"	..	..	..	NE	4	c

19th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..		..	..
Taihoku,	5 a.	30.38	..	..	E	8	..
Taichu,	"	30.26	..	..	.	0	..
Tainan,	"	30.27	..	..	NE	4	..
Koshun,	"	30.25	..	..	NE	10	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	.	..	..	.	..
Sharp Peak,	"	30.44	51	79	W	1	o
Amoy,	"	30.30	57	81	NE	4	c
Swatow,	"	30.20	63	..	E	4	c
Canton,	"	30.29	53	86	NW	1	b
Hongkong,	10 a.	30.28	61	74	ENE	4	o
Victoria Peak,	"	..	..	..	E	5	..
Cap Rock,	"	30.24	..	..	ENE	6	..
Macao,	"	30.27	61	..	NE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.12	79	61	NE	1	c
Malate,	9 a.	..	.	..	N	1	c
Tacoloc,	"	.	..	..	NNE	5	o
Iloilo,	"	30.00	79	..	NW	3	o
Cebu,	"	30.05	84	..	NE	3	c
Cape S. James,	7 a.	..	..	..	NNE	2	c

On the 19th at 11.55a. The barometer has fallen slightly on the China coast. The high pressure area still lies over China, and gradients continue steep with very strong northerly winds along the coasts of S. China. **Forecast:—strong NE winds; fair.**

F. G. FIGG,
Acting Director.

Hongkong Observatory. Saturday 19th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.26	..	..	E	8	..
Taichu,	"	30.18	..	..	..	0	..
Tainan,	"	30.17	..	..	W	2	..
Koshun,	"	30.18	..	..	E	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	"	30.28	53	86	WNW	3	o
Amoy,	"	30.20	67	64	NE	5	c
Swatow,	"	30.13	65		E	3	b
Canton,	"	30.13	68	60	..	0	o
Hongkong,	4 p.	30.13	62	77	ENE	4	o
Victoria Peak,	"	..	..	..	E	6	..
Gap Rock,	"	30.10	..	..	ENE	6	..
Macao,	"	30.13	65	..	ENE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.93	84	40	E	2	b
Malate,	3 p.	..	..	..	ESE	3	b
Bacolod,	"	..	..	..	NW	4	b
Iloilo,	"	29.92	83	..	E	1	o
Cebu,	"	29.94	83	..	NE	3	o
Cape S. James,	"	..	..	..	NE	5	c

20th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.12	..	..	SW	2	..
Taichu,	"	30.10	..	..	..	0	..
Tainan,	"	30.17	..	..	N	2	..
Koshun,	"	30.18	..	..	NE	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	30.16	58	84	W	1	o
Amoy,	"	30.15	60	88	NE	1	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.13	65	88	ESE	4	c
Victoria Peak,	"	..	..	..	SE	7	..
Gap Rock,	"	30.10	..	..	ENE	4	..
Macao,	"	30.13	68	..	SSE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.08	82	63	NE	1	b
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	N	2	..
Iloilo,	"	30.01	79	..	E	1	c
Cebu,	"	30.02	88	..	NE	3	b
Cape S. James,	7 a.	..	..	..	ENE	2	c

On the 20th at 11.55a. The barometer has fallen quickly in S. China, particularly about the North of the Formosa Channel. Probably a depression is lying over the E. coast of China. Gradients slight with light winds in S China and the N. part of the China Sea.

Forecast:—E winds, moderate or light; fair, but some mist or fog at night.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 20th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	.	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.14	..	..	NW	4	..
Taichu,	"	30.15	..	..	N	2	..
Tainan,	"	30.13	..	..	W	4	..
Koshun,	"	30.16	..	..	E	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.		..	..	..	..	..
Sharp Peak,	"	30.05	61	91	E	1	o
Amoy,	"	30.11	61	81	NE	2	o
Swatow,	"	30.05	66		ESE	1	og
Canton,	"	30.06	64	79	NE	1	o
Hongkong,	4 p.	30.04	67	89	E	3	o
Victoria Peak,	"	..	..	..	S	3	..
Gap Rock,	"	30.02	..	..	E	4	..
Macao,	"	30.02	71	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	84	58	E	2	c
Malate,	3 p.	..	..	..	NE	3	c
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.95	84	..	NW	4	b
Cebu,	"	29.94	83	..	NE	3	c
Cape S. James,	"	..	..	..	..	..	..

21st JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.15	..	..	..	0	..
Taichu,	"	30.13	..	..	..	0	..
Tainan,	"	30.14	..	..	E	4	..
Koshun,	"	30.16	..	..	..	0	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..		..
Sharp Peak,	"	30.10	62	94	..	0	bf
Amoy,	"			..	..	.	.
Swatow,	"	30.15	66	..	W	1	of
Canton,	"	30.13	67	100		0	f
Hongkong,	10 a.	30.15	72	80	ENE	1	b
Victoria Peak,	"	.	..	..	S	1	..
Gap Rock,	"	30.14	..	..	E	3	..
Macao,	"	30.14	75	..	S	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.08	86	58	.	0	b
Malate,	9 a.	..	..	..	N	2	b
Bacolod,	"	.	..	..	NE	3	o
Iloilo,	"	29.99	78	..	..	0	or
Cebu,	"	30.00	81	..	NE	2	o
Cape S. James,	7 a.	..	..	..	ENE	4	c

On the 21st at 11.55a. Barometric changes are slight. Probably the depression in the North is moving Eastwards over Japan, and the monsoon is likely to freshen in S. China.

Forecast:—NE winds, probably freshening; fair, but fog or mist at night.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 21st January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.13	..	..	NW	2	..
Taichu,	,,	30.10	..	..	W	4	..
Tainan,	,,	30.13	..	..	SW	6	..
Koshun,	,,	30.15	..	..	E	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	.	..	..	..	..	..
Sharp Peak,	,,	30.06	60	88	E	5	o
Amoy,	,,	30.04	67	89	SE	3	c
Swatow,	,,	..	..		..	..	..
Canton,	,,	30.03	76	82	..	0	..
Hongkong,	4 p.	30.06	71	82	E	1	b
Victoria Peak,	,,	..	..	..	SW	1	..
Gap Rock,	,,	30.05	..	..	E	4	..
Macao,	,,	30.07	76	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	84	64	NE	1	c
Malate,	3 p.	..	..	..	SSE	1	c
Bacolod,	,,	..	..	..	NE	4	b
Iloilo,	,,	29.93	84	..	E	2	b
Cebu,	,,	29.93	84	..	NE	4	c
Cape S. James,	,,	..	..	..	ENE	4	o

22nd JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.25	..	..	E	8	..
Taichu,	,,	30.17	..	..	NE	2	..
Tainan,	,,	30.17	..	..	N	4	..
Koshun,	,,	30.18	..	..	..	0	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	..	.	..	..	..	..
Sharp Peak,	,,	30.30	57	84	WNW	2	od
Amoy,	,,	30.18	60	88	NE	4	o
Swatow,	,,	..		..	.	..	..
Canton,	,,	30.16	67	95		0	o
Hongkong,	10 a.	30.19	70	79	ESE	1	c
Victoria Peak,	,,	.	..	..	SE	2	..
Gap Rock,	,,	30.17	..	..	ENE	2	..
Macao,	,,	30.17	74	..	NE	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	30.08	82	57	NNE	1	b
Malate,	9 a.	..	..	..		0	b
Bacoled,	,,	.	..	..	N	3	b
Iloilo,	,,	30.01	80	..	E	3	c
Cebu,	,,	30.01	81	..	NE	2	o
Cape S. James,	7 a.	..	..	..	.	..	..

On the 22nd at 11.55a. The barometer has risen in S. China, particularly about the North of the Formosa Channel. Pressure is probably high over N. China. Strong monsoon on the coasts of S. China, and increasing monsoon in the N. part of the China Sea.

Forecast:—fresh NE winds; drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Tuesday 22nd January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.25	..	..	E	8	..
Taichu,	"	30.08	..	..	N	4	..
Tainan,	"	30.16	..	..	N	6	..
Koshun,	"	30.16	..	..	E	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	.	..	..	..	..	..
Sharp Peak,	"	30.23	58	81	E	1	o
Amoy,	"	30.16	64	78	NE	4	o
Swatow,	"	30.14	69	..	E	3	c
Canton,	"	30.09	78	74	W	1	c
Hongkong,	4 p.	30.13	66	82	E	3	o
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	30.08	..	..	ENE	4	..
Macao,	"	30.11	72	..	SSE	1	..
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	86	47	E	1	b
Malate,	3 p.	..	..	..	E	3	b
Bacolod,	"	..	..	..	ENE	4	c
Iloilo,	"	29.93	84	..	N	2	o
Cebu,	"	29.95	82	..	NE	2	c
Cape S. James,	"	..	..	..	ENE	4	c

23rd JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.21	..	..	..	0	..
Taichu,	"	30.18	..	..	NE	2	..
Tainan,	"	30.19	..	..	N	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	.	..	..		..
Sharp Peak,	"	30.22	58	94	.	0	o
Amoy,	"	30.18	63	83	S	2	c
Swatow,	"	30.20	66	..	E	1	c
Canton,	"	30.17	69	90	E	2	c
Hongkong,	10 a.	30.18	67	83	ESE	3	c
Victoria Peak,	"	.	..	..	ESE	3	..
Gap Rock,	"	30.17	..	..	ENE	5	..
Macao,	"	30.18	71	..	E	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.08	79	84		0	o
Malate,	9 a.	..	..	..	SE	1	o
Bacolod,	"	.	..	..	NE	3	o
Iloilo,	"	29.99	78	..	NW	4	c
Cebu,	"	30.07	82	..	NE	3	o
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 23rd at 11.55a. Pressure appears to be giving way again in the North, and gradients have decreased in S. China. Moderate to light monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate or light E winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 23rd January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.15	..	..	W	2	..
Taichu,	,,	30.11	..	..	N	2	..
Tainan,	,,	30.15	..	..	N	4	..
Koshun,	,,	30.15	..	..	SE	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	.	..	..	..	..	..
Sharp Peak,	,,	30.08	61	91	..	0	b
Amoy,	,,	30.03	65	84	SE	4	c
Swatow,	,,	30.04	68	.	E	3	o
Canton,	,,	30.07	77	77	SW	1	c
Hongkong,	4 p.	30.06	69	76	E	3	b
Victoria Peak,	,,	..	..	..	S	1	..
Gap Rock,	,,	30.05	..	..	ENE	4	..
Macao,	,,	30.07	72	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	84	52	E	1	c
Malate,	3 p.	..	..	..	NE	3	b
Bacolod,	,,	..	..	..	NW	1	c
Iloilo,	,,	29.92	84	..	E	3	
Cebu,	,,	29.93	82	..	NE	2	c
Cape S. James,	,,	..	..	..	NE	4	c

24th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	.	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	.	.	..		..	.
Amoy,	,,	30.13	63	89	NE	4	o
Swatow,	,,	30.16	66	..	NE	1	..
Canton,	,,	30.19	59	88	N	2	o
Hongkong,	10 a.	30.16	70	83	..	0	o
Victoria Peak,	,,	.	..	..	E	1	..
Cap Rock,	,,	30.15	..	..	N	3	..
Macao,	,,	30.16	72	..	NW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	79	69	W	1	c
Malate,	9 a.	..	..	..	N	2	b
Bacolod,	,,	.	..	..	NE	2	b
Iloilo,	,,	30.00	79	..	E	1	c
Cebu,	,,	29.99	82	..	NE	2	o
Cape S. James,	7 a.	..	..	..	E	2	c

On the 24th at 12.15p. Pressure has probably increased over the North of China, and the monsoon is likely to freshen on the coasts of S. China. Forecast:—N to NE winds, freshening; changeable, probably some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 24th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.18	..	..	NW	6	..
Taichu,	"	30.11	..	..	N	4	..
Tainan,	"	30.11	..	..	N	4	..
Koshun,	"	30.11	..	..	E	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	"	30.18	58	94	E	2	o
Amoy,	"	30.12	65	84	ENE	3	o
Swatow,	"	30.11	69	.	E	3	c
Canton,	"	30.15	61	77	N	2	g
Hongkong,	4 p.	30.09	67	80	W	2	o
Victoria Peak,	"	..	..	..	NW	3	..
Gap Rock,	"	30.07	..	..	NNW	5	..
Macao,	"	30.10	67	..	NW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	84	57	E	1	..
Malate,	3 p.	..	..	..	NW	3	c
Bacoled,	"	..	..	..	NE	5	b
Iloilo,	"	29.88	84	..	N	4	
Cebu,	"	29.91	83	..	NE	2	b
Cape S. James,	"	..	..	..	ENE	3	c

25th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"		..	..	..	.	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	.	..	..		..
Sharp Peak,	"	30.29	54	96	E	3	o
Amoy,	"	30.22	78	81	NE	5	o
Swatow,	"	30.16	64	..	E	4	o
Canton,	"		.	..	.		.
Hongkong,	10 a.	30.21	64	71	E	3	o
Victoria Peak,	"	.	..	..	E	3	..
Gap Rock,	"	30.20	..	..	ENE	4	..
Macao	"	30.23	64	..	NW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	81	69	N	1	c
Malate,	9 a.	..	..	..	N	1	b
Bacoled,	"		..	..	NE	2	b
Iloilo,	"	29.97	79	..	NW	3	b
Cebu,	"	29.99	84	..	NE	3	b
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 25th at 11.55a. Pressure appears to be high over N. China, and the barometer has risen in S. China. Gradients moderate with fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh *NE* winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 25th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.24	..	..	E	8	..
Taichu,	,,	30.12	..	..	N	6	..
Tainan,	,,	30.14	..	..	NW	6	..
Koshun,	,,	30.13	..	..	NE	6	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	.	..	..	..	..	..
Sharp Peak,	,,	30.25	55	100	N	1	o
Amoy,	,,	30.16	67	74	NE	4	b
Swatow,	,,	30.14	70	.	E	2	c
Canton,	,,	30.15	58	70	N	1	o
Hongkong,	4 p.	30.13	64	77	ENE	3	o
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	30.10	..	..	ENE	5	..
Macao,	,,	30.14	66	..	N	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	82	57	ESE	1	c
Malate,	3 p.	..	..	..	SE	3	o
Bacolod,	,,	..	..	..	NW	4	b
Iloilo,	,,	29.90	84	..	E	2	b
Cebu,	,,	29.92	83	..	NE	4	c
Cape S. James,	,,	..	..	..	NE	6	o

26th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	.	..	..	..	.	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	.	..	.	.	.	.
Amoy,	,,	30.27	62	83	N	2	o
Swatow,	,,	30.30	64	..	ENE	1	o
Canton,	,,	30.32	56	87	N	2	o
Hongkong,	10 a.	30.27	67	68	ENE	1	o
Victoria Peak,	,,	.	..	..	E	3	..
Gap Rock,	,,	30.25	..	..	ENE	5	..
Macao,	,,	30.28	66	..	NW	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	30.08	81	69	NW	1	b
Malate,	9 a.	..	..	..	N	2	b
Bacolod,	,,	.	..	..	.	3	b
Iloilo,	,,	30.05	80	..	E	2	c
Cebu,	,,	30.04	82	..	NE	2	o
Cape S. James,	7 a.	..	..	..	NE	6	b

On the 26th at 11.55a. The barometer has risen in S. China. Pressure remains high, apparently, over N. China with moderate gradients and fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh to moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 26th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.14	..	..	NW	2	..
Kochi,	"	30.11	..	..	..	0	..
Nagasaki,	"	30.23	..	..	N	4	..
Kagoshima,	"	30.15	..	..	N	6	..
Taihoku,	1 p.	30.30	..	..	E	4	..
Taichu,	"	30.17	..	..	N	6	..
Tainan,	"	30.20	..	..	N	6	..
Koshun,	"	30.18	..	..	NE	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.48	89	91	N	4	cv
Sharp Peak,	"	.		..	..	..	..
Amoy,	"	30.21	65	84	NE	3	..
Swatow,	"	30.23	65	.	SE	2	o
Canton,	"	30.24	62	77	N	1	c
Hongkong,	4 p.	30.19	67	72	E	2	o
Victoria Peak,	"	..	..	..	NE	1	..
Gap Rock,	"	30.18	..	..	ENE	3	..
Macao,	"	30.19	70	..	NW	1	..
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	79	84	E	1	o
Malate,	3 p.	..	..	..	ESE	3	ep
Bacolod,	"	..	..	..	NNE	5	b
Iloilo,	"	29.94	86	..	N	3	b
Cebu,	"	29.96	83	..	NE	5	b
Cape S. James,	"	..	..	..	NE	6	c

27th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	.	..	..	..	.	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	.	..
Sharp Peak,	"	30.41	49	37	NE	3	o
Amoy,	"	30.30	57	81	NE	3	o
Swatow,	"	30.35	60	..	NE	4	o
Canton,	"	30.38	56	81	NE	1	o
Hongkong,	10 a.	30.32	65	71	E	1	o
Victoria Peak,	"	.	..	..	E	3	..
Gap Rock,	"	30.29	..	..	ENE	4	..
Macao,	"	30.33	63	..	NNW	1	o
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	30.12	81	62	NW	1	c
Malate,	9 a.	..	..	..	NW	2	b
Bacolod,	"	.	..	..	NE	5	b
Iloilo,	"	30.04	79	..	NW	3	c
Cebu,	"	30.06	83	..	NE	2	o
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 27th at 12.15p. The barometer continues to rise in S. China. The high pressure area remains central, apparently, over N. China. Fresh monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 27th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	N	4	..
Kochi,	"	30.19	..	..	W	2	..
Nagasaki,	"	30.31	..	..	N	4	..
Kagoshima,	"	30.27	..	..	NW	8	..
Taihoku,	1 p.	30.33	..	..	E	8	..
Taichu,	"	30.19	..	..	N	4	..
Tainan,	"	30.21	..	..	N	4	..
Koshun,	"	30.22	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.47	39	82	N	2	c
Sharp Peak,	"	30.32	52	100	N	1	o
Amoy,	"	30.23	62	77	NE	3	..
Swatow,	"	30.25	63	.	E	3	o
Canton,	"	30.21	65	73	N	1	c
Hongkong,	4 p.	30.19	65	77	E	3	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.18	..	..	ENE	5	..
Macao,	"	30.20	70	..	ENE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.04	84	52	E	2	b
Malate,	3 p.	..	..	..	E	3	c
Bacoled,	"	..	..	..	N	2	b
Iloilo,	"	29.96	84	..	E	3	b
Cebu,	"	29.96	82	..	NE	4	c
Cape S. James,	"	..	..	..	..	.	.

28th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	.	..	..	..	.	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.47	41	92	NE	3	cv
Sharp Peak,	"	30.36	54	96	.	0	o
Amoy,	"	30.25	60	88	WNW	1	o
Swatow,	"	30.23	64	..	NE	1	c
Canton,	"	..	..	.	..	.	..
Hongkong,	10 a.	30.24	66	71	E	3	b
Victoria Peak,	"	.	..	..	E	6	..
Gap Rock,	"	30.24	..	..	ENE	5	..
Macao,	"	30.24	72	..	N	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.08	79	69	..	0	o
Malate,	9 a.	..	..	..	N	2	c
Bacoled,	"	.	..	..	N	4	b
Iloilo,	"	30.04	78	..	E	2	b
Cebu,	"	30.04	82	..	NE	4	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 28th at 12.5p. The barometer is falling on the China coast. The high pressure area remains central over NE China, and gradients continue moderate with fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 28th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.22	..	..	N	4	..
Kochi,	"	30.19	..	..	SE	2	..
Nagasaki,	"	30.31	..	..	..	0	..
Kagoshima,	"	30.27	..	..	N	4	..
Taihoku,	1 p.	30.25	..	..	NW	6	..
Taichu,	"	30.18	..	..	N	5	..
Tainan,	"	30.20	..	..	N	6	..
Koshun,	"	30.21	..	..	NE	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.35	43	92	NE	3	cv
Sharp Peak,	"	30.22	57	100	E	1	o
Amoy,	"	30.16	68	79	SE	3	b
Swatow,	"	30.17	68	.	E	2	c
Canton,	"	30.14	73	76	SW	1	b
Hongkong,	4 p.	30.13	66	75	E	3	o
Victoria Peak,	"	..	..	..	ESE	4	..
Cap Rock,	"	30.11	..	..	ENE	5	..
Macao,	"	30.13	71	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	82	70	..	0	o
Malate,	3 p.	..	..	..	SW	1	c
Bacoled,	"	..	..	..	N	3	c
Iloilo,	"	29.92	84	..	NW	4	c
Cebu,	"	29.95	81	..	NE	1	c
Cape S. James,	"	..	..	..	NNE	2	c

29th JANUARY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	5 a.	30.12	..	..	SE	2	..
Taichu,	"	30.11	..	..	.	0	..
Tainan,	"	30.11	..	..	N	2	..
Koshun,	"	30.12	..	..	NE	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	.		..		..
Sharp Peak,	"	30.05	61	100	E	1	c
Amoy,	"	30.09	61	88	SW	3	c
Swatow,	"	30.12	66	..	W	2	c
Canton,	"	..	..	.	..	.	..
Hongkong,	10 a.	30.10	68	81	SE	1	o
Victoria Peak,	"	.	..	..	SSE	1	..
Cap Rock,	"	30.10	..	..	NE	4	..
Macao,	"	30.08	74	..	SSE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.00	82	63	NE	1	c
Malate,	9 a.	..	..	..	ESE	1	b
Bacoled,	"	.	..	..	NNE	3	b
Iloilo,	"	29.95	78	..	N	4	b
Cebu,	"	29.98	82	..	NE	2	b
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 29th at 11.55a. The barometer has fallen quickly in S China, probably owing to the existence of a depression in N China. Gradients slight in S. China and the N. part of the China Sea. Forecast:—varying winds, moderate to light; fair, fog or mist at night.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 29th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.04	..	..	NW	6	..
Taichu,	"	29.99	..	..	W	6	..
Tainan,	"	30.01	..	..	W	4	..
Koshun,	"	30.02	..	..	SE	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.20	42	100	NNE	5	omd
Sharp Peak,	"	29.98	60	91	E	4	o
Amoy,	"	30.00	68	79	SE	4	b
Swatow,	"	29.95	74	.	SE	2	c
Canton,	"	30.00	70	85	NE	2	o
Hongkong,	4 p.	29.97	70	80	ENE	2	c
Victoria Peak,	"	..	..	..	NW	1	..
Gap Rock,	"	29.98	..	..	NE	3	..
Macao,	"	29.97	75	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	57	ESE	2	o
Malate,	3 p.	..	..	..	S	3	c
Bacolod,	"	..	..	..	NW	4	b
Iloilo,	"	29.85	83	..	E	2	c
Cebu,	"	29.84	83	..	NE	2	b
Cape S. James,	"	..	..	..	NE	4	c

30th JANUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	5 a.	30.18	..	..	E	4	..
Taichu,	"	30.05	..	..	N	6	..
Tainan,	"	30.05	..	..	N	6	..
Koshun,	"	30.02	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.24	40	91	N	2	cv
Sharp Peak,	"	30.25	51	63	NNE	5	o
Amoy,	"	30.14	57	81	NNE	6	o
Swatow,	"	.	.	..	..	..	..
Canton,	"	..	..	.	..	.	..
Hongkong,	10 a.	30.13	63	70	ENE	2	o
Victoria Peak,	"	.	..	..	E	4	..
Gap Rock,	"	30.10	..	..	NE	5	..
Macao,	"	30.13	65	..	NNW	2	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.96	79	76	NW	1	c
Malate,	9 a.	..	..	..	S	2	b
Bacolod,	"	.	..	..	NW	3	b
Iloilo,	"	29.90	77	..	E	1	c
Cebu,	"	29.90	80	..	NE	1	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 30th at 12.5p. The barometer has risen on the China coast. The depression is probably crossing Japan, and pressure is highest over N China Gradients moderate with strong monsoon on the coasts of S. China. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 30th January 1901.

CHINA COAST METEOROLOGICAL REGISTER.

30th JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	NW	6	..
Kochi,	"	30.11	..	..	N	4	..
Nagasaki,	"	30.11	..	..	NE	6	..
Kagoshima,	"	30.11	..	..	E	4	..
Taihoku,	1 p.	30.20	..	..	E	8	..
Taichu,	"	30.01	..	..	N	6	..
Tainan,	"	30.05	..	..	N	8	..
Koshun,	"	30.05	..	..	NE	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.30	42	83	N	3	cv
Sharp Peak,	"	30.16	54	84	E	4	o
Amoy,	"	30.06	62	77	ENE	5	c
Swatow,	"	30.06	65	.	E	3	c
Canton,	"	30.03	61	71	NNE	1	o
Hongkong,	4 p.	30.02	64	79	E	4	o
Victoria Peak,	"	..	..	..	NE	5	..
Gap Rock,	"	29.99	..	..	ENE	5	..
Macao,	"	30.02	68	..	NE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	82	70	NW	1	o
Malate,	3 p.	..	..	..	NW	2	..
Bacoled,	"	..	..	..	NE	3	c
Iloilo,	"	29.80	84	..	N	4	o
Cebu,	"	29.79	84	..	NE	1	o
Cape S. James,	"	..	..	..	NE	3	c

31st JANUARY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	.	..	..	..	.	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.25	44	84	N	3	cv
Sharp Peak,	"	.	..	..	..	..	..
Amoy,	"	30.15	59	82	WNW	2	c
Swatow,	"	30.20	64	..	NE	2	b
Canton,	"	..	..	.	..	.	..
Hongkong,	10 a.	30.16	66	77	E	3	b
Victoria Peak,	"	.	..	..	E	2	..
Gap Rock,	"	30.14	..	..	ENE	5	..
Macao,	"	30.16	71	..	S	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.96	81	62	N	3	cv
Malate,	9 a.	..	..	..	SW	1	c
Bacoled,	"	.	..	..	N	3	b
Iloilo,	"	29.89	79	..	NW	2	o
Cebu,	"	29.85	78	..	NE	2	or
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 31st at 12.5p. Barometric changes are slight. Pressure is highest over N. China, and gradients continue moderate with fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 31st January 1901.

CHINA COAST METEOROLOGICAL REGISTER

31st JANUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.14	..	..	N	4	..
Kochi,	"	30.11	..	..	SE	2	..
Nagasaki,	"	30.15	..	..	N	2	..
Kagoshima,	"	30.11	..	..	E	4	..
Taihoku,	1 p.	30.17	..	..	NE	6	..
Taichu,	"	30.09	..	..	N	4	..
Tainan,	"	30.11	..	..	N	6	..
Koshun,	"	30.11	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.32	41	92	N	..	omd
Sharp Peak,	"	30.17	54	87	E	1	o
Amoy,	"	30.10	64	78	SE	5	c
Swatow,	"	30.12	67	.	E	3	c
Canton,	"	30.09	74	68	N	1	b
Hongkong,	4 p.	30.07	67	79	E	4	b
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.04	..	..	ENE	5	..
Macao,	"	30.07	72	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	47	E	1	c
Malate,	3 p.	..	..	..	NE	2	b
Bacoled,	"	..	..	..	NW	..	q
Iloilo,	"	29.74	79	..	NE	2	c
Cebu,	"	29.71	81	..	NE	5	c
Cape S. James,	"	..	..	..	NE	3	c

1st FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.39	..	..	E	6	..
Taichu,	"	30.18	..	..	NE	4	..
Tainan,	"	30.16	..	..	N	6	..
Koshun,	"	30.13	..	..	NE	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.58	55	80	NNW	7	cv
Sharp Peak,	"	30.39	49	71	NE	6	o
Amoy,	"	30.28	55	80	NE	8	o
Swatow,	"	..	..	..	..	.	..
Canton,	"	30.34	52	79	N	2	o
Hongkong,	10 a.	30.27	58	63	N	2	o
Victoria Peak,	"	.	..	..	NE	2	..
Gap Rock,	"	30.26	..	..	NE	5	..
Macao,	"	30.28	58	..	NNW	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.92	81	62	NE	1	o
Malate,	9 a.	..	..	..	NW	2	o
Bacoled,	"	.	..	..	N	2	b
Iloilo,	"	29.86	79	..	E	1	c
Cebu,	"	29.88	83	..	NE	4	c
Cape S. James,	7 a.	..	..	..	.	..	.

On the 1st at 12.5p. An anticyclone is central over China, and the barometer has risen quickly the coast. Pressure is relatively low in the S. part of the China Sea. Gradients steep with heavy monso on the coast, and in the N. part of the China Sea. Forecast:—strong to fresh N winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 1st February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku,	1 p.	30.36	..	..	E	8	..
Taichu,	"	30.12	..	..	N	6	..
Tainan,	"	30.15	..	..	N	6	..
Koshun,	"	30.13	..	..	NE	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	.		..	..	..	..
Sharp Peak,	"	30.29	50	65	E	4	o
Amoy,	"	30.22	58	76	NE	6	o
Swatow,	"	30.18	63	.	NE	2	o
Canton,	"	30.27	56	69	N	2	o
Hongkong,	4 p.	30.19	63	50	..	0	o
Victoria Peak,	"	..	..	..	N	3	..
Gap Rock,	"	30.19	..	..	NNE	5	..
Macao	"	30.21	61	..	NNW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	82	57	E	2	o
Malate,	5 p.	..	..	..	N	3	o
Baccolod,	"	..	..	..	N	3	c
Iloilo,	"	29.82	85	..	N	3	c
Cebu,	"	29.80	89	..	NE	4	c
Cape S. James,	"	..	..	..	ENE	3	o

2nd FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku,	5 a.	30.51	..	..	E	4	..
Taichu,	"	30.27	..	..	N	4	..
Tainan,	"	30.28	..	..	N	8	..
Koshun,	"	30.22	..	..	NE	8	..
Pescadores	"	..	..	..	..	..	..
Gutzlaff	9 a.	30.09	29	..	NNW	7	c
Sharp Peak,	"	30.53	43	59	NNE	6	o
Amoy,	"	30.41	49	71	NE	7	o
Swatow,	"	30.35	58	..	NE	3	c
Canton	"	..	..	..	..	.	..
Hongkong	10 a.	30.38	52	60	N	2	o
Victoria Peak,	"	.	..	..	NNE	3	..
Gap Rock,	"	30.35	..	..	N	4	..
Macao	"	30.40	53	..	NNE	2	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.00	81	69	..	0	o
Malate,	9 a.	..	..	..	E	1	c
Baccolod,	"	.	..	..	N	2	b
Iloilo,	"	29.91	81	..	N	2	c
Cebu,	"	29.93	81	..	SW	3	c
Cape S. James,	7 a.	..	..	..	..	..	.

On the 2nd at 11.55 a. The barometer has risen generally. The anticyclone remains central over China, and pressure is relatively low over the South of the China Sea. Gradients continue steep with heavy monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh N to NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 2nd February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

2nd FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.03	-5	..	N	7	s
Tokio,	"	29.63	..	..	NW	8	..
Kochi,	"	30.03	..	..	NW	10	..
Nagasaki,	"	30.27	..	..	NW	8	..
Kagoshima,	"	30.19	..	..	NW	8	..
Taihoku,	1 p.	30.49	..	..	E	6	..
Taichu,	"	30.25	..	..	N	6	..
Tainan,	"	30.25	..	..	NE	6	..
Koshun,	"	30.25	..	..	E	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.06	28	76	NW	8	cv
Sharp Peak,	"	30.46	45	64	N	3	o
Amoy,	"	30.31	55	62	NE	5	o
Swatow,	"	30.30	58		NE	3	o
Canton,	"	30.35	52	60	NE	3	o
Hongkong,	4 p.	30.28	55	50	N	2	o
Victoria Peak,	"	..	..	..	N	3	..
Gap Rock,	"	30.25	..	..	N	5	..
Macao,	"	30.29	55	..	N	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	81	69	E	1	o
Malate,	3 p.	..	..	..	SE	2	o
Bacolod,	"	..	..	..	NW	2	c
Iloilo,	"	29.81	84	..	E	1	c
Cebu,	"	29.82	82	..	NE	2	
Cape S. James,	"	..	..	..	SE	2	c

3rd FEBRUARY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.81	-8	65	NW	4	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.51	..	..	E	4	..
Taichu,	"	30.29	..	..	N	6	..
Tainan,	"	30.25	..	..	N	6	..
Koshun,	"	30.25	..	..	NE	10	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff	9 a.	..	..	..	..	..	..
Sharp Peak,	"	30.54	41	53	NNE	6	o
Amoy,	"	30.48	45	68	NNE	5	o
Swatow,	"	30.40	53	.	N	3	o
Canton,	"	30.48	40	76	N	..	o
Hongkong,	10 a.	30.43	45	53	NNE	2	q
Victoria Peak,	"	.	..	..	NNE	4	..
Gap Rock,	"	30.39	..	..	N	6	..
Macao,	"	30.45	44	..	N	2	o
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	29.96	81	62	WNW	1	o
Malate,	9 a.	..	..	..	N	2	o
Bacolod,	"	.	..	..	N	2	b
Iloilo,	"	29.93	78	..	E	2	o
Cebu,	"	29.93	81	..	NE	2	o
Cape S. James,	7 a.	..	..	..	NNE	2	o

On the 3rd at 12 p. barometric changes are slight. The anticyclone remains central over China, and pressure is relatively low in the South of the China Sea. Gradients continue steep with heavy monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh N winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 3rd February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

3rd FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	29.75	..	..	N	2	..
Kochi,	"	30.15	..	..	W	6	..
Nagasaki,	"	30.31	..	..	NW	8	..
Kagoshima,	"	30.27	..	..	N	6	..
Taihoku,	1 p.	30.44	..	..	E	4	..
Taichu,	"	30.26	..	..	N	4	..
Tainan,	"	30.28	..	..	N	6	..
Koshun,	"	30.14	..	..	NE	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.59	30	58	NNW	6	c
Sharp Peak,	"	30.46	42	54	N	2	o
Amoy,	"	30.37	53	57	NNE	1	o
Swatow,	"	30.36	50		N	3	o
Canton,	"	30.41	44	53	N	1	o
Hongkong,	4 p.	30.33	46	40	N	3	o
Victoria Peak,	"	.	..	..	N	6	..
Gap Rock,	"	30.29	..	..	NNE	5	..
Macao,	"	30.35	45	..	NNW	2	o
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.84	82	57	N	2	o
Malate,	3 p.	..	..	..	SE	1	b
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.81	83	..	E	2	c
Cebu,	"	29.82	82	..	NE	4	b
Cape S. James,	"	..	..	..	..	.	

4th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.44	..	..	S	2	..
Taichu,	"	30.29	..	..	N	2	..
Tainan,	"	30.29	..	..	N	6	..
Koshun,	"	30.26	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.57	28	76	NW	6	cv
Sharp Peak,	"	30.48	40	43	NNE	4	o
Amoy,	"	30.39	47	70	NE	4	o
Swatow,	"	..	..	..	.	.	..
Canton,	"	30.55	49	55	N	2	o
Hongkong,	10 a.	30.46	41	41	N	2	o
Victoria Peak,	"		..	..	N	6	..
Gap Rock,	"	30.42	..	..	N	5	..
Macao,	"	30.49	44	..	NNW	2	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.90	82	63	..	0	o
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	.	..	..	N	1	b
Iloilo,	"	29.93	80	..	E	1	c
Cebu,	"	29.92	83	..	NE	3	b
Cape S. James,	7 a.	..	..	..	NNE	1	o

On the 4th at 11.55a. The barometer has fallen slightly in the North, risen a little in the South. The anticyclone remains central over China, and pressure is relatively low over the South of the China Sea. Gradients moderate with steady monsoon on the coast, steep with heavy monsoon in the N. part of the China Sea. Forecast:—fresh N winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 4th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	NE	2	..
Kochi,	"	30.15	..	..	S	2	..
Nagasaki,	"	30.27	..	..	N	6	..
Kagoshima,	"	30.23	..	..	NE	6	..
Taihoku,	1 p.	30.42	..	..	S	2	..
Taichu,	"	30.31	..	..	N	2	..
Tainan,	"	30.28	..	..	N	6	..
Koshun,	"	30.23	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.53	31	90	NNW	5	cv
Sharp Peak,	"	30.43	43	70	WNW	1	o
Amoy,	"	30.23	49	64	NE	3	b
Swatow,	"	30.37	48		NNW	2	o
Canton,	"	30.43	42	75	NE	2	c
Hongkong,	4 p.	30.37	43	30	N	2	o
Victoria Peak,	"	..	..	..	N	5	..
Cap Rock,	"	30.34	..	..	NNW	6	..
Macao,	"	30.39	44	..	NNW	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	82	70	S	1	o
Malate,	3 p.	..	..	..	SE	2	c
Baccoled,	"	..	..	..	NW	2	b
Iloilo,	"	29.82	85	..	E	1	b
Cebu,	"	29.83	84	..	NE	2	b
Cape S. James,	"	..	..	..	E	1	f

5th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..	..
Taihoku,	5 a.	30.51	..	..	..	0	..
Taichu,	"	30.37	..	..	N	6	..
Tainan,	"	30.34	..	..	N	10	..
Koshun,	"	30.29	..	..	NE	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.54	30	88	NW	5	bm
Sharp Peak,	"	30.49	41	83	E	2	b
Amoy,	"	30.43	43	59	N	5	b
Swatow,	"	30.46	49	.	N	3	o
Canton,	"	30.52	42	50	N	1	b
Hongkong,	10 a.	30.44	44	23	N	4	b
Victoria Peak,	"	..	..	..	N	6	..
Cap Rock,	"	30.42	..	..	N	5	..
Macao,	"	30.48	46	..	NNE	2	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	81	76	SSW	1	o
Malate,	9 a.	..	..	..	SE	2	c
Baccoled,	"	.	..	..	..	2	b
Iloilo,	"	29.98	80	..	E	1	c
Cebu,	"	29.98	83	..	NE	3	c
Cape S. James,	7 a.	..	..	..	NNE	1	o

On the 5th at 12.5p. Barometric changes are slight. The anticyclone remains central over China, and pressure is relatively low over the South of the China Sea. Gradients moderate with strong monsoon on the coast, steep with heavy monsoon in the N. part of the China Sea. Forecast:—fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 5th February, 1901.

CHINA COAST METEOROLOGICAL REGISTER.

5th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.13	24	..	NW	1	b
Tokio,	"	30.10	..	..	S	4	..
Kochi,	"	30.15	..	..	W	2	..
Nagasaki,	"	30.27	..	..	N	8	..
Kagoshima,	"	30.23	..	..	NW	6	..
Taihoku,	1 p.	30.52	..	..	N	2	..
Taichu,	"	30.31	..	..	N	6	..
Tainan,	"	30.31	..	..	N	8	..
Koshun,	"	30.27	..	..	N	6	..
Pescadores,	"	..	..	..	.	..	..
Gutzlaff,	3 p.	30.49	34	51	NNW	4	bm
Sharp Peak,	"	30.41	45	48	E	4	o
Amoy,	"	30.32	54	55	NNE	3	b
Swatow,	"	30.36	55		E	3	b
Canton,	"	30.38	55	39	N	2	b
Hongkong,	4 p.	30.32	54	17	N	1	b
Victoria Peak,	"	.	.	.	NNE	1	..
Gap Rock,	"	30.31	..	..	ENE	4	..
Macao,	"	30.34	55	..	NNW	2	b
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.96	79	84	NNW	1	c
Malate,	3 p.	..	..	..	N	2	b
Bacoled,	"	..	..	..	N	2	b
Iloilo,	"	29.58	85	..	E	1	c
Cebu,	"	29.86	84	..	N	3	b
Cape S. James,	"	.	..	..	E	2	c

6th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	30.23	11	70	N	2	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.45	..	..	..	0	..
Taichu,	"	30.34	..	..	.	0	..
Tainan,	"	30.35	..	..	N	4	..
Koshun,	"	30.32	..	..	N	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.47	36	10	W	4	cv
Sharp Peak,	"	30.50	43	56	W	2	o
Amoy,	"	30.43	45	76	N	3	o
Swatow,	"	30.51	51	.	N	1	b
Canton,	"	30.55	46	54	N	1	o
Hongkong,	10 a.	30.50	49	27	NNE	1	o
Victoria Peak,	"		..	..	NE	1	...
Gap Rock,	"	30.47	..	..	N	4	..
Macao,	"	30.52	48	..	N	2	o
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.08	76	69	NNE	2	o
Malate,	9 a.	..	..	..	N	1	o
Bacoled,	"	.	..	..	NNE	2	o
Iloilo,	"	30.01	80	..	E	1	c
Cebu,	"	29.97	84	..	N	2	b
Cape S. James,	7 a.	.	..	..	NNE	1	c

On the 6th at 12.6p. The barometer has risen slightly in the South, fallen a little in N. China. The anticyclone remains central over China, and pressure is still relatively low over the South of the China Sea. Gradients moderate on the coast, steep with heavy monsoon in the N. part of the China Sea. Forecast:—moderate N winds; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 6th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	"	30.14	..	..	NW	4	..
Kochi,	"	30.19	..	..	SW	2	..
Nagasaki,	"	30.19	..	..	SE	6	..
Kagoshima,	"	30.15	..	..	SE	4	..
Taihoku,	1 p.	30.44	..	..	N	2	..
Taichu,	"	30.35	..	..	N	6	..
Tainan,	"	30.31	..	..	N	4	..
Koshun,	"	30.31	..	..	N	4	..
Pescadores,	"	..	..	..	.	..	..
Gutzlaff,	3 p.	30.37	39	55	WNW	7	bm
Sharp Peak,	"	30.38	49	57	E	1	o
Amoy,	"	30.36	51	49	SW	2	o
Swatow,	"	30.38	57		E	2	b
Canton,	"	30.42	59	33	NE	2	b
Hongkong,	4 p.	30.34	57	15	NNE	1	b
Victoria Peak,	"	.	..	.	NNE	2	..
Cap Rock,	"	30.33	..	..	N	4	..
Macao,	"	30.36	57	..	N	2	b
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.96	84	64		0	c
Malate,	3 p.	..	..	..	SE	1	c
Bacoled,	"	..	..	..	N	3	b
Iloilo,	"	29.91	85	..	E	1	c
Cebu,	"	29.90	85	..	NE	2	..
Cape S. James,	"	.	..	..	E	1	c

7th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	.	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.44	..	..	..	0	..
Taichu,	"	30.34	..	..	.	0	..
Tainan,	"	30.29	..	..	N	6	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.45	31	90	NW	3	bm
Sharp Peak,	"	30.43	52	49	WNW	1	b
Amoy,	"	30.37	48	63	NNE	3	b
Swatow,	"	30.37	53	.	N	2	b
Canton,	"	30.40	50	51	N	1	b
Hongkong,	10 a.	30.35	57	17	..	0	b
Victoria Peak,	"	.	..	..	ENE	2	..
Cap Rock,	"	30.33	..	..	NE	4	..
Macao,	"	30.37	57	..	NNE	1	b
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.04	81	69	NE	1	o
Malate,	9 a.	..	..	..	N	2	c
Bacoled,	"	.	..	..	N	3	b
Iloilo,	"	29.96	81	..	E	1	c
Cebu,	"	29.94	84	..	N	4	b
Cape S. James,	7 a.	..	..	..	NNE	1	b

On the 7th at 11.55a. The barometer has fallen generally, particularly in S. China. The anticyclone still covers China, and probably a shallow depression lies in the Sea of Japan. Gradients slight to moderate on the China coast, rather steep with strong monsoon in the N. part of the China Sea.

Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 7th February 1901

CHINA COAST METEOROLOGICAL REGI

7th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.59	..	..	W	4	..
Kochi,	"	29.91	..	..	W	8	..
Nagasaki,	"	30.11	..	..	NW	8	..
Kagoshima,	"	30.11	..	..	N	8	..
Taihoku,	1 p.	30.84	..	..	NE	8	..
Taichu,	"	30.18	..	..	N	4	..
Tainan,	"	30.22	..	..	N	2	..
Koshun,	"	30.21	..	..	NE	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.28	40	100	NW	2	[illegible]
Sharp Peak,	"	30.30	51	86	E	3	o
Amoy,	"	30.23	58	58	ENE	4	b
Swatow,	"	30.24	59	.	E	3	b
Canton,	"	30.21	67	41	SW	1	b
Hongkong,	4 p.	30.19	67	83	E	4	b
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	30.18	..	..	ENE	4	.
Macao,	"	30.20	62	..	SSE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	71	WSW	1	o
Malate,	3 p.	..	..	..	SE	1	b
Bacoled,	"	..	..	..	NE	3	c
Iloilo,	"	29.85	85	..	E	3	o
Cebu,	"	29.83	85	..	N	5	c
Cape S. James,	"	..	..	..	..	..	..

8th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	.	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	.
Tainan,	"	.	..	..	..		
Koshun,	"	..	..	..	..	.	.
Pescadores,	"	..	..	..	..	..	
Gutzlaff,	9 a.	30.25	40	91	S	4	[illegible]
Sharp Peak,	"	30.24	47	55	W	2	[illegible]
Amoy,	"	30.22	51	72	NNE	2	[illegible]
Swatow,	"	30.22	55	.	NE	2	[illegible]
Canton,	"	30.20	52	66	..	0	[illegible]
Hongkong,	10 a.	30.18	58	47	[illegible]	2	[illegible]
Victoria Peak,	"	..	..	..	E	4	
Cap Rock,	"	30.15	..	..	ENE	5	
Macao,	"	30.18	60	..	NNW	[illegible]	[illegible]
Haiphong,	7 a.	.	..	..	..		.
Manila,	10 a.	30.00	81	69	NE	1	o
Malate,	9 a.	..	..	..	N	1	b
Bacoled,	"	.	..	..	NE	1	o
Iloilo,	"	29.92	80	..	NW	1	o
Cebu,	"	29.90	82	..	N	5	o
Cape S. James,	7 a.	..	..	..	NNE	2	f

On the 8th at 11.56a. The barometer has fallen rapidly on the China coast, probably owing to the existence of a depression in N. China. Moderate to light monsoon in S. China, fresh monsoon in the N. part of the China Sea. Forecast:—moderate NE and E winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 8th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	"	29.90	..	..	N	8	..
Kochi, ...	"	30.19	..	..	S	4	..
Nagasaki, ...	"	30.19	..	..	W	8	..
Kagoshima.....	"	30.15	..	..	N	4	..
Taihoku, ...	1 p.	30.14	..	..	E	4	..
Taichu, ...	"	30.12	..	..	..	0	..
Tainan, ...	"	30.11	..	..	NW	6	..
Koshun, ...	"	30.12	..	..	E	6	..
Pescadores, ..	"	..	..	..	..	..	..
Gutzlaff, ...	3 p.	30.14	45	68	S	3	c
Sharp Peak, ..	"	30.13	54	71	E	1	o
Amoy, ...	"	30.14	54	68	W	4	o
Swatow, ...	"	30.12	59	.	N	2	o
Canton, ...	"	30.07	60	55	NE	1	o
Hongkong, ...	4 p.	30.06	60	55	E	3	o
Victoria Peak.	"	..	..	..	E	1	..
Cap Rock, ..	"	30.04	..	..	ENE	4	..
Macao.....	"	30.06	61	..	N	1	o
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.88	82	70		0	c
Malate, ...	3 p.	..	..	..	W	2	..
Bacoled, ...	"	..	..	..	NW	2	b
Iloilo, ...	"	29.82	86	..	E	1	c
Cebu, ...	"	29.81	83	..	NE	3	o
Cape S. James,	"	..	..	..	NNE	2	f

9th FEBRUARY, 1901, A. M.

Wladivostock,..	7 a.	..	..	.	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	30.14	..	..	..	0	..
Taichu, ...	"	30.05	..	..	N	2	..
Tainan, ...	"	30.07	..	..	N	4	..
Koshun, ...	"	30.16	..	..	NE	4	..
Pescadores....	"	30.09	..	..	NE	6	..
Gutzlaff, ...	9 a.	30.24	78	81	N	4	cm
Sharp Peak, ..	"	30.12	53	73	W	2	o
Amoy, ...	"	30.13	52	93	SW	2	or
Swatow, ...	"	30.10	58	.	NE	1	or
Canton, ...	"	30.13	57	63	N	1	o
Hongkong, ...	10 a.	30.11	61	56		0	o
Victoria Peak,	"	.	..	..	N	1	..
Cap Rock, ...	"	30.10	..	..	N	2	..
Macao	"	30.12	60	..	NNW	1	o
Haiphong, ...	7 a.	.	..	..	.	.	..
Manila, ...	10 a.	29.92	82	70	W	1	b
Malate, ...	9 a.	..	..	..	NW	1	b
Bacoled, ...	"	.	..	..	NW	1	b
Iloilo, ...	"	29.91	82	..	E	1	c
Cebu, ...	"	29.90	88	..		0	o
Cape S. James,	7 a.	..	..	..	NNE	1	c

On the 9th at 12.5p. The barometer has risen in N. China, fallen in the South. The depression is probably moving into the Sea of Japan. Pressure is highest over N. China. Increasing monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate or fresh N winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 9th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	NW	6	..
Kochi,	"	30.03	..	..	S	4	..
Nagasaki,	"	30.03	..	..	SE	10	..
Kagoshima,	"	30.03	..	..	SE	4	..
Taihoku,	1 p.	30.07	..	..	..	0	..
Taichu,	"	29.99	..	..	NE	4	..
Tainan,	"	30.00	..	..	N	6	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.		..	.	..	..	..
Sharp Peak,	"	30.07	50		E	4	or
Amoy,	"	30.06	55	87	NNW	2	od
Swatow,	"	29.97	58	.	E	3	o
Canton,	"	30.03	63	47	NE	1	o
Hongkong,	4 p.	30.00	64	53	SW	1	o
Victoria Peak,	"	.	..	..	NW	2	..
Gap Rock,	"	29.99	..	..	NNW	4	..
Macao,	"	30.01	67	..	NNW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.76	88	65	SW	1	b
Malate,	3 p.	..	..	..	W	2	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.80	87	..	NW	2	b
Cebu,	"	29.76	85	..	SW	2	b
Cape S. James,	"	..	..	..	NNE	2	c

10th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	.	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.14	..	..	E	4	..
Taichu,	"	30.05	..	..	N	4	..
Tainan,	"	29.98	..	..	N	6	..
Koshun,	"	29.94	..	..	NE	6	..
Pescadores,	"	30.04	..	..	NE	10	..
Gutzlaff,	9 a.	30.95	76	80	N	4	cv
Sharp Peak,	"	30.14	45	.	NNE	5	o
Amoy,	"	30.10	49	50	NNE	..	o
Swatow,	"	30.13	62	.	ENE	3	o
Canton,	"	30.10	54	74	N	1	d
Hongkong,	10 a.	30.11	55	61	NNW	1	od
Victoria Peak,	"	.	..	..	NE	1	..
Gap Rock,	"	30.08	..	..	NE	4	..
Macao,	"	30.12	56	..	N	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.88	81	62	NNW	2	c
Malate,	9 a.	..	..	..	N	4	b
Bacolod,	"	.	..	..	SW	2	b
Iloilo,	"	29.87	84	..	E	1	o
Cebu,	"	29.82	87	..	SW	2	b
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 10th at 11.55a. The barometer has risen in N. China, fallen in Formosa and the Phillipines. Pressure is high over N. China, and low over the Pacific to the E. of Luzon. Gradients moderate with strong monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh or strong N winds; some rain.

F. G. FIGG,
First Assistant

Hongkong Observatory. Sunday 10th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	E	2	..
Kochi,	"	29.83	..	..	W	2	..
Nagasaki,	"	30.03	..	..	N	4	..
Kagoshima,	"	29.95	..	..	N	4	..
Taihoku,	1 p.	30.09	..	..	E	6	..
Taichu,	"	29.15	..	..	N	6	..
Tainan,	"	29.96	..	..	N	6	..
Koshun,	"	29.94	..	..	NE	8	..
Pescadores,	"	30.05	..	..	NE	10	..
Gutzlaff,	3 p.	30.31	34	90	N	4	cv
Sharp Peak,	"	30.13	46	54	NNE	5	o
Amoy,	"	30.05	52	79	NNE	2	o
Swatow,	"	30.04	59	.	E	1	o
Canton,	"	30.07	52	86	N	1	d
Hongkong,	4 p.	30.04	56	82	NNE	1	od
Victoria Peak,	"	..	..	..	NNE	3	..
Cap Rock,	"	30.01	..	..	N	5	..
Macao,	"	30.05	52	..	N	1	cd
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.73	84	64	WSW	2	b
Malate,	3 p.	..	..	..	SW	4	b
Bacoled,	"	..	..	..	SW	2	b
Iloilo,	"	29.75	86	..	E	1	c
Cebu,	"	29.74	84	..	N	4	c
Cape S. James,	"	..	..	..	..	..	..

11th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	.	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	.	..	..	..	..	..
Taichu,	"	..	..	..	.	..	..
Tainan,	"	..	..	..	.	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	.	..
Gutzlaff,	9 a.	30.45	29	77	N	5	bv
Sharp Peak,	"	30.26	42	66	N	3	o
Amoy,	"	30.20	47	77	NE	4	o
Swatow,	"	..	..	.		..	..
Canton,	"	30.25	51	59	NNE	1	o
Hongkong,	10 a.	30.22	53	87	NE	3	o
Victoria Peak,	"	.	..	..	NNE	6	..
Cap Rock,	"	30.20	..	..	N	5	..
Macao,	"	30.24	52	..	NNE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	77	61	NNW	2	b
Malate,	9 a.	..	..	..	N	3	b
Bacoled,	"	.	..	..	SW	2	b
Iloilo,	"	29.90	81	..	.	0	p
Cebu,	"	29.89	84	..	SW	2	b
Cape S. James,	7 a.	..	..	..	E	2	o

On the 11th at 12.5p. The barometer has risen on the China coast and over the Phillipines. A high pressure area covers China, and pressure is relatively low over the Pacific. Very strong monsoon on the coast, and in the N. part of the China Sea Forecast:—strong or fresh N winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Monday 11th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.71	..	..	NW	4	..
Kochi,	,,	.	..	..		..	..
Nagasaki,	,,	29.95	..	..	N	8	..
Kagoshima,	,,	29.91	..	..	N	8	..
Taihoku,	1 p.	30.24	..	..	.	0	..
Taichu,	,,	30.12	..	..	N	8	..
Tainan,	,,	30.12	..	..	N	10	..
Koshun,	,,	30.07	..	..	NE	2	..
Pescadores,	,,	30.17	..	..	NE	10	..
Gutzlaff,	3 p.	30.52	29	100	NNW	6	cm
Sharp Peak,	,,	30.19	46	57	ENE	4	b
Amoy,	,,	30.15	54	74	E	4	c
Swatow,	,,	30.18	58		E	3	c
Canton,	,,	30.18	58	42	N	2	c
Hongkong,	4 p.	30.15	56	23	NNE	1	o
Victoria Peak,	,,	.	..	.	N	4	..
Gap Rock,	,,	30.12	..	..	NNE	5	..
Macao,	,,	30.16	54	..	NNW	2	c
Laiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.84	81	62	WSW	2	b
Malate,	5 p.	..	..	..	SW	3	b
Bacoled,	,,	..	..	..		0	b
Iloilo,	,,	29.81	86	..	NW	1	c
Cebu,	,,	29.81	85	..	N	2	b
Cape S. James,	,,	.	..	..	E	3	f

12th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	.	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	.	..	..
Taihoku,	5 a.	30.36	..	..	NW	6	..
Taichu,	,,	30.34	..	..	.	0	..
Tainan,	,,	30.37	..	..	N	8	..
Koshun,	,,	30.19	..	..	N	2	..
Pescadores,	,,	..	..	..	..	.	..
Gutzlaff,	9 a.	30.39	21	57	NW	8	fm
Sharp Peak,	,,	30.41	44	45	W	3	b
Amoy,	,,	30.36	45	46	NW	4	b
Swatow,	,,	..	..	.	.	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.42	49	23	NNE	4	b
Victoria Peak,	,,		..	..	NNE	4	..
Gap Rock,	,,	30.36	..	..	NNE	6	..
Macao,	,,	30.43	52	..	N	2	c
Laiphong,	7 a.	.	.	..	.	.	..
Manila,	10 a.	30.08	77	92	NW	3	b
Malate,	9 a.	..	.	..	NNW	4	b
Bacoled,	,,	.	..	..	NNW	1	o
Iloilo,	,,	30.03	78	..	E	1	c
Cebu,	,,	29.95	82	..	N	3	b
Cape S. James,	7 a.	.	..	..	NE	5	f

On the 12th at 12.5 p. The barometer has fallen slightly in the North, risen considerably in the South. The anticyclone still covers China, and pressure is low over Japan. Gradients rather steep generally, with strong to heavy monsoon on the coast, and in the N. part of the China Sea.

Forecast:—fresh N winds; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 12th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.67	21	..	NNE	3	c
Tokio,	"	29.47	..	..	NE	4	..
Kochi,	"	29.72	..	..	NW	6	..
Nagasaki,	"	29.87	..	..	N	8	..
Kagoshima,	"	29.91	..	..	NE	4	..
Taihoku,	1 p.	30.42	..	..	N	4	..
Taichu,	"	30.30	..	..	N	6	..
Tainan,	"	30.17	..	..	N	10	..
Koshun,	"	30.23	..	..	N	8	..
Pescadores,	"	30.35	..	..	NE	8	..
Gutzlaff,	3 p.	30.32	31	100	NW	7	cm
Sharp Peak,	"	30.32	46	49	E	2	b
Amoy,	"	30.33	54	55	NE	4	b
Swatow,	"	30.16	57	.	N	3	c
Canton,	"	30.34	55	44	N	1	b
Hongkong,	4 p.	30.32	53	27	NNE	3	b
Victoria Peak,	"	.	..	..	N	2	..
Gap Rock,	"	30.31	..	..	N	4	..
Macao,	"	30.23	55	..	NNW	1	b
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.96	84	35	NNW	1	b
Malate,	3 p.	..	..	..	NW	2	b
Bacoled,	"	..	..	..	N	3	b
Iloilo,	"	29.93	83	..	N	1	c
Cebu,	"	29.12	83	..	N	2	b
Cape S. James,	"	.	..	..	E	3	c

13th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	29.31	24	92	NW	1	s
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	.	..	..	..	..	..
Koshun,	"	..	..	..	.	..	..
Pescadores,	"	..	..	..	..	.	..
Gutzlaff,	9 a.	30.35	50	77	NW	7	lm
Sharp Peak,	"	..	..	..	..	.	..
Amoy,	"	30.26	46	69	NW	2	c
Swatow,	"	30.25	54	.	N	2	b
Canton,	"	30.46	48	43	N	1	o
Hongkong,	10 a.	30.42	50	50	N	1	o
Victoria Peak,	"	.	..	..	N	3	..
Gap Rock,	"	30.39	..	..	NNE	5	..
Macao,	"	30.44	51	..	N	1	o
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.12	75	60	NW	2	b
Malate,	9 a.	.	..	..	N	3	b
Bacoled,	"	.	..	..	NNW	2	b
Iloilo,	"	30.05	77	..	E	1	c
Cebu,	"	30.04	82	..	N	3	b
Cape S. James,	7 a.	.	..	..	NE	4	c

On the 13th at 12.5p. The barometer has fallen in the extreme North, and is little changed elsewhere. The anticyclone still covers China, and a depression lies in the Sea of Japan Gradients continue rather steep, particularly in the North. Very strong monsoon in the N. part of the China Sea.

Forecast:—fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory. Wednesday 13th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.47	..	..	SW	6	..
Kochi,	"	29.76	..	..	W	6	..
Nagasaki,	"	29.87	..	..	NW	8	..
Kagoshima,	"	29.87	..	..	N	6	..
Taihoku,	1 p.	30.36	..	..	NW	6	..
Taichu,	"	30.30	..	..	N	6	..
Tainan,	"	30.29	..	..	N	8	..
Koshun,	"	30.27	..	..	N	4	..
Pescadores,	"	30.26	..	..	NE	10	..
Gutzlaff,	3 p.	30.33	75	44	NNW	5	bv
Sharp Peak,	"	30.23	47	48	E	2	b
Amoy,	"	30.30	53	61	SSE	3	b
Swatow,	"	30.22	58	.	E	2	c
Canton,	"	30.33	57	36	NNE	1	b
Hongkong,	4 p.	30.29	57	12	NNE	2	b
Victoria Peak,	"	..	..	..	NNE	1	..
Gap Rock,	"	30.28	..	..	N	5	..
Macao,	"	30.31	58	..	NNW	2	b
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	30.04	82	57	SW	1	c
Malate,	3 p.	..	..	..	SW	2	b
Bacoled,	"	..	..	..	NE	2	c
Iloilo,	"	29.95	81	..	E	2	c
Cebu,	"	29.93	83	..	N	3	b
Cape S. James,	"	..	..	..	E	7	i

14th FEBRUARY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	.	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.42	..	..	..	0	..
Taichu,	"	30.31	..	..	.	0	..
Tainan,	"	30.21	..	..	N	4	..
Koshun,	"	30.28	..	..	NE	6	..
Pescadores,	"	30.23	.	..	NE	8	..
Gutzlaff,	9 a.	30.39	72	79	NW	4	c
Sharp Peak,	"	30.45	47	70	NW	1	b
Amoy,	"	30.34	47	77	NE	1	b
Swatow,	"	.	..	.	..	.	..
Canton,	"	30.40	50	81	..	0	o
Hongkong,	10 a.	30.39	65	84	E	1	o
Victoria Peak,	"	.	..	..	N	4	..
Gap Rock,	"	30.36	..	..	ENE	4	..
Macao,	"	30.40	58	..	NNW	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.16	79	61	NNE	1	c
Malate,	9 a.	..	.	..	NNW	3	b
Bacoled,	"	.	..	..	NE	2	r
Iloilo,	"	30.05	77	..	E	2	o
Cebu,	"	30.04	80	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	7	c

On the 14th at 12 p. Barometric changes are slight. The entire coast still covers China, and the depression probably remains in the N. part of the Sea of Japan. Gradients are decreasing. Fresh to strong monsoon on the coast, and in the N. part of the China Sea. Forecast.—moderate N to NE winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory. Thursday 14th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.33	29	..	NW	3	o
Tokio,	"	29.51	..	..	SW	6	..
Kochi,	"	29.83	..	..	W	8	..
Nagasaki,	"	29.95	..	..	NW	10	..
Kagoshima,	"	30.03	..	..	NW	6	..
Taihoku,	1 p.	30.32	..	..	NE	6	..
Taichu,	"	30.31	..	..	..	0	..
Tainan,	"	30.16	..	..	NW	4	..
Koshun,	"	30.18	..	..	NE	6	..
Pescadores,	"	30.33	..	..	NE	8	..
Gutzlaff,	3 p.	30.30	43	51	W	4	cv
Sharp Peak,	"	30.28	50	58	E	2	o
Amoy,	"	30.27	55	68	NE	3	c
Swatow,	"	30.20	58		E	3	c
Canton,	"	30.28	58	48	N	1	b
Hongkong,	4 p.	30.24	57	48	E	3	o
Victoria Peak,	"	.	..	..	N	1	..
Gap Rock,	"	30.22	..	..	ENE	4	..
Macao,	"	30.25	59	..	NE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	30.00	86	58	SW	1	c
Malate,	3 p.	..	..	..	W	2	b
Bacoled,	"	..	..	..	N	2	b
Iloilo,	"	29.96	80	..	E	1	o
Cebu,	"	29.98	82	..	N	4	o
Cape S. James,	"	..	..	..	ENE	6	f

15th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	29.62	25	72	N	4	s
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	.	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	.	..	..	..	..	..
Gutzlaff,	9 a.	30.33	54	79	NW	3	cd
Sharp Peak,	"	30.31	51	63	..	0	o
Amoy,	"	30.31	51	86	N	1	o
Swatow,	"	30.29	56	.	NE	2	o
Canton,	"	30.35	51	49	NE	1	o
Hongkong,	10 a.	30.32	58	53	N	1	o
Victoria Peak,	"	.	..	..	NNE	2	..
Gap Rock,	"	30.30	..	..	NE	4	..
Macao,	"	30.24	56	..	NNW	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	30.12	81	69	WSW	2	b
Malate,	9 a.	.	.	..	W	2	b
Bacoled,	"	.	..	..	N	2	r
Iloilo,	"	30.07	76	..	E	1	or
Cebu,	"	30.08	81	..	NE	4	c
Cape S. James,	7 a.	.	..	..	NE	4	b

On the 13th at 11.00 a. The barometer has risen in the extreme North, fallen in S. China. The high pressure area still covers China, and the depression in the Sea of Japan seems to be slowly moving away to the NE. Moderate monsoon on the coast, strong monsoon in the N. part of the China Sea.

Forecast:—moderate or fresh N winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 15th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.43	..	..	N	4	..
Kochi,	"	29.75	..	..	W	4	..
Nagasaki,	"	29.95	..	..	N	8	..
Kagoshima,	"	29.95	..	..	NW	8	..
Taihoku,	1 p.	30.35	..	..	..	0	..
Taichu,	"	30.27	..	..	N	2	..
Tainan,	"	30.27	..	..	N	6	..
Koshun,	"	30.23	..	..	N	6	..
Pescadores,	"	30.31	..	..	NE	8	..
Gutzlaff,	3 p.	30.32	39	55	N	4	bm
Sharp Peak,	"	30.26	52	60	SE	3	o
Amoy,	"	30.22	54	80	SW	2	or
Swatow,	"	30.16	56		NW	2	o
Canton,	"	30.19	53	67	NE	1	o
Hongkong,	4 p.	30.25	58	27	N	1	o
Victoria Peak,	"	..	..	..	N	2	..
Gap Rock,	"	30.22	..	..	NNE	4	..
Macao,	"	30.28	56	..	NNW	1	o
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	30.00	86	65	W	1	..
Malate,	3 p.	..	..	..	W	1	b
Bacoled,	"	..	..	..	NE	2	p
Iloilo,	"	29.97	80	..	E	2	cr
Cebu,	"	29.97	81	..	N	4	c
Cape S. James,	"	..	..	..	NE	4	f

16th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.32	..	..	..	0	..
Taichu,	"	30.25	..	..		0	..
Tainan,	"	30.27	..	..	N	4	..
Koshun,	"	30.23	..	..	NE	2	..
Pescadores,	"	30.28	.	.	NE	8	..
Gutzlaff,	9 a.	30.37	31	89	NW	3	bm
Sharp Peak,	"	30.34	53	70	NNW	1	b
Amoy,	"	30.27	55	74	NE	2	c
Swatow,	"	.	..	.	..	.	..
Canton,	"	.	..	..		.	
Hongkong,	10 a.	30.31	57	40	NE	1	o
Victoria Peak,	"	.	..	..	ENE	3	..
Gap Rock,	"	30.28	..	..	ENE	4	..
Macao,	"	30.32	56	..	NNW	1	o
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.12	81	69	W	1	c
Malate,	9 a.	..	..	..	W	1	b
Bacoled,	"	.	..	..	..	0	b
Iloilo,	"	30.04	79	..	E	2	
Cebu,	"	30.07	82	..	NE	2	o
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 16th at 11.55 a. Barometric changes are slight. The high pressure area still covers China, and pressure probably remains low over E. Japan. Moderate to fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 16th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.78	..	..	S	2	..
Kochi,	,,	29.91	..	..	W	6	..
Nagasaki,	,,	29.99	..	..	NW	6	..
Kagoshima,	,,	29.99	..	..	NW	6	..
Taihoku,	1 p.	30.31	..	..	E	8	..
Taichu,	,,	30.21	..	..	W	2	..
Tainan,	,,	30.22	..	..	W	4	..
Koshun,	,,	30.23	..	..	NE	6	..
Pescadores,	,,	30.27	..	..	NE	8	..
Gutzlaff,	3 p.	30.33	56	54	NNW	5	cv
Sharp Peak,	,,	30.25	54	90	E	2	c
Amoy,	,,	30.21	60	76	SE	3	b
Swatow,	,,	.	.	.	..	.	..
Canton,	,,	30.26	58	58	NE	1	o
Hongkong,	4 p.	30.22	66	39	.	0	o
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock,	,,	30.20	..	..	NE	4	..
Macao,	,,	30.22	60	..	NNW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	86	65	WNW	1	c
Malate,	3 p.	..	..	..	WNW	2	b
Bacolod,	,,	..	..	..	NW	2	b
Iloilo,	,,	29.99	85	..	E	2	c
Cebu,	,,	29.99	83	..	NE	4	b
Cape S. James,	,,	..	..	..	NE	4	b

17th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.38	..	..	E	4	..
Taichu,	,,	30.29	..	..	..	0	..
Tainan,	,,	30.29	..	..	N	4	..
Koshun,	,,	30.28	..	..	..	0	..
Pescadores,	,,	30.30	..	..	NE	6	..
Gutzlaff,	9 a.	30.48	23	79	NW	3	bm
Sharp Peak,	,,	30.41	49	68	NNE	3	o
Amoy,	,,	30.32	54	87	NNE	1	c
Swatow,	,,	.	..	.	..	..	..
Canton,	..	.	..	..		.	
Hongkong,	10 a.	30.37	58	41	N	1	o
Victoria Peak,	,,	.	..	..	NNE	2	..
Gap Rock,	,,	30.33	..	..	NE	5	..
Macao,	,,	30.37	55	..	NW	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.16	81	76	W	1	b
Malate,	9 a.	..	..	..	NW	2	b
Bacolod,	,,	.	..	..	NW	2	b
Iloilo,	,,	30.10	79	..	E	1	c
Cebu,	,,	30.12	82	..	NE	2	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 17th at 12.5p. The barometer has risen generally. The high pressure area still covers China, and gradients are slight to moderate with fresh to strong monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh N to NE winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory. Sunday 17th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.07	23	..	N	6	b
Tokio,	"	29.75	..	..	N	4	..
Kochi,	"	29.91	..	..	W	6	..
Nagasaki,	"	30.11	..	..	N	6	..
Kagoshima,	"	30.07	..	..	N	8	..
Taihoku,	1 p.	30.42	..	..	E	6	..
Taichu,	"	30.28	..	..	N	4	..
Tainan,	"	30.28	..	..	NW	4	..
Koshun,	"	30.29	..	..	NE	6	..
Pescadores,	"	30.34	..	..	NE	6	..
Gutzlaff,	3 p.	30.47	37	72	N	3	bv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	30.29	58	76	ENE	2	c
Swatow,	"	30.30	59	..	ENE	1	..
Canton,	"	30.28	59	48	N	..	..
Hongkong,	4 p.	30.27	57	58	N	1	o
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	30.24	..	..	NE	4	..
Macao,	"	30.29	52	..	NW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	88	60	ESE	1	c
Malate,	3 p.	..	..	..	SW	2	b
Bacolod,	"	..	..	..	N	4	b
Iloilo,	"	30.00	86	..	..	0	b
Cebu,	"	30.01	83	..	N	4	b
Cape S. James,	"	..	..	..	..	..	..

18th FEBRUARY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.11	17	82	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.44	..	..	E	6	..
Taichu,	"	30.35	..	..	..	0	..
Tainan,	"	30.35	..	..	N	4	..
Koshun,	"	30.33	..	..	NE	6	..
Pescadores,	"	30.38	..	..	NE	6	..
Gutzlaff,	9 a.	30.51	34	79	NNW	1	bm
Sharp Peak,	"	30.47	51	55	NNE	3	b
Amoy,	"	30.38	53	73	NNE	2	c
Swatow,	"	30.42	58	.	NE	4	o
Canton,	"	30.44	54	74	N	1	o
Hongkong,	10 a.	30.40	56	70	..	0	o
Victoria Peak,	"	..	..	..	ENE	3	..
Gap Rock,	"	30.37	..	..	ENE	5	..
Macao,	"	30.41	54	..	N	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.16	81	76	W	1	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	30.11	79	..	NE	1	b
Cebu,	"	30.12	83	..	N	3	b
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 18th at 11.55a. The barometer has risen slightly on the China coast. The high pressure area still lies over China, and gradients are slight to moderate. Moderate monsoon on the coast, strong monsoon in the N. part of the China Sea. Forecast:—moderate N. to NE winds; dull, drizzling rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 18th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	NW	6	..
Kochi,	"	30.27	..	..	N	2	..
Nagasaki,	"	30.27	..	..	NW	4	..
Kagoshima,	"	30.27	..	..	NW	4	..
Taihoku,	1 p.	30.43	..	..	E	6	..
Taichu,	"	30.33	..	..	N	4	..
Tainan,	"	30.33	..	..	N	6	..
Koshun,	"	30 33	..	..	NE	6	..
Pescadores,	"	30.37	..	..	NE	10	..
Gutzlaff,	3 p.	30.44	45	53	WNW	1	bv
Sharp Peak,	"	30.38	52	60	E	3	b
Amoy,	"	30.30	55	80	E	3	c
Swatow,	"	30.32	58	..	E	2	o
Canton,	"	30.29	60	39	E	1	o
Hongkong,	4 p.	30.29	55	74	E	2	o
Victoria Peak,	"	..	..	..	E	6	..
Gap Rock,	"	30.25	..	..	ENE	5	..
Macao,	"	30.29	55	..	N	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.04	86	65	..	0	c
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NW	3	b
Iloilo,	"	30.02	85	..	E	2	b
Cebu,	"	30.02	83	..	NE	4	b
Cape S. James,	"	..	..	..	NE	5	c

19th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	30.30	53	80	..	0	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.29	58	83	E	3	o
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	30 27	..	..	ENE	4	..
Macao,	"	30.30	57	..	NNW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.12	79	84	WSW	1	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NW	2	b
Iloilo,	"	30.07	80	..	E	1	c
Cebu,	"	30.07	83	..	NE	2	b
Cape S. James,	7 a.	..	..	..	NNE	3	c

On the 19th at 12.5p. The barometer is falling over China. The high pressure area has extended over Japan. Moderate monsoon over the N. part of the China Sea. Forecast:—moderate NE to E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 19th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	.
Tokio,	"	29.94	..	..	N	2	..
Kochi,	"	29.99	..	..	SW	6	..
Nagasaki,	"	30.11	..	..	W	8	..
Kagoshima,	"	30.11	..	..	N	4	..
Taihoku,	1 p.	30.30	..	..	E	8	..
Taichu,	"	30.22	..	..	N	2	..
Tainan,	"	30.23	..	..	NW	4	..
Koshun,	"	30.22	..	..	NE	4	..
Pescadores,	"	30.26	..	..	NE	6	..
Gutzlaff,	3 p.	30.31	45	53	ENE	1	cv
Sharp Peak,	"	30.24	55	68	ESE	3	o
Amoy,	"	30.20	58	70	ENE	2	o
Swatow,	"	..	.	..	..	..	..
Canton,	"	30.17	60	76	..	0	d
Hongkong,	4 p.	30.14	59	71	E	4	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.13	..	..	ENE	4	..
Macao,	"	30.11	61	..	NE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	79	92	SW	1	c
Malate,	3 p.	..	..	..	..	0	or
Bacoled,	"	..	..	..	NNE	3	c
Iloilo,	"	29.93	85	..	N	3	c
Cebu,	"	29.98	83	..	N	3	c
Cape S. James,	"	..	..	..	E	4	c

20th FEBRUARY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.12	..	..	S	2	..
Taichu,	"	30.09	..	..	..	0	..
Tainan,	"	30.10	..	..	E	2	..
Koshun,	"	30.12	..	..	NE	2	..
Pescadores,	"	30.11	..	..	NE	4	..
Gutzlaff,	9 a.	30.26	38	81	N	1	cv
Sharp Peak,	"	30.12	62	76	WNW	2	og
Amoy,	"	30.13	66	81	NE	1	or
Swatow,	"		..	.		..	..
Canton,	"	30.09	54	94	NW	1	or
Hongkong,	10 a.	30.08	59	82	E	3	o
Victoria Peak,	"	.	..	..	SE	6	..
Gap Rock,	"	30.06	..	..	ENE	4	..
Macao,	"	30.07	59	..	NNW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	.	.	..	..	..	..
Malate,	9 a.	..	..	..	SE	2	c
Bacoled,	"	.	..	..	NW	2	b
Iloilo,	"	29.98	80	..	NE	2	b
Cebu,	"	29.99	79	..	E	2	o
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 20th at 12.5p. The barometer has fallen generally, particularly over China. A depression appears to exist in the North, and gradients are slight with light monsoon in S. China and the N. part of the China Sea. Forecast:—moderate or light E winds; mist or drizzling rain.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 20th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	.
Tokio,	"	29.82	..	..	S	4	..
Kochi,	"	29.91	..	..	S	2	..
Nagasaki,	"	29.99	..	..	N	4	..
Kagoshima,	"	29.99	..	..	SW	8	..
Taihoku,	1 p.	30.01	..	..	.	0	..
Taichu,	"	29.97	..	..	N	4	..
Tainan,	"	29.91	..	..	NW	4	..
Koshun,	"	29.92	..	..	S	4	..
Pescadores,	"	29.95	..	..	NE	6	..
Gutzlaff,	3 p.	30.18	42	58	NNW	4	cm
Sharp Peak,	"	30.03	56	81	..	0	rf
Amoy,	"	30.00	57	81	NE	1	r
Swatow,	"	29.98	59	..	NNE	1	o
Canton,	"	30.00	54	94	NE	1	od
Hongkong,	4 p.	29.96	58	97	..	0	od
Victoria Peak,	"	.	..	.	NW	5	..
Gap Rock,	"	29.93	..	..	NNW	4	..
Macao,	"	29.96	56	..	NNW	1	o
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	82	70	ESE	2	c
Malate,	3 p.	..	..	..	SSE	2	c
Bacoled,	"	..	..	..	NW	2	b
Iloilo,	"	29.88	85	..	E	1	c
Cebu,	"	29.91	82	..	NE	3	b
Cape S. James,	"	.	..	..	E	2	b

21st FEBRUARY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.18	..	..	..	0	..
Taichu,	"	29.95	..	..	N	6	..
Tainan,	"	29.96	..	..	N	4	..
Koshun,	"	29.88	..	..	N	8	..
Pescadores,	"	30.02	..	..	NE	8	..
Gutzlaff,	9 a.	30.45	82	79	N	6	..
Sharp Peak,	"	30.30	48	67	ENE	6	o
Amoy,	"	30.22	70	86	NE	3	c
Swatow,	"	.	..	.	.	..	..
Canton,	"	.	.	..	..	..	..
Hongkong,	10 a.	30.23	54	56	NNE	3	o
Victoria Peak,	"	.	.	..	NNE	6	..
Gap Rock,	"	30.20	..	..	NE	4	..
Macao,	"	30.24	55	..	N	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	30.10	81	76	WNW	2	b
Malate,	9 a.	.	..	..	SE	2	b
Bacoled,	"	.	..	..	NW	2	b
Iloilo,	"	29.98	80	..	E	1	b
Cebu,	"	29.99	83	..	NE	3	b
Cape S. James,	7 a.	.	..	..	E	1	c

On the 21st at 12.5p. The barometer has risen rapidly on the China coast, and pressure is again high over China. The depression is probably passing away over E. Japan, and pressure remains low, also, in the Pacific to the E. of Formosa. Gradients are rather steep with very strong monsoon on the China coast, and increasing monsoon in the N. part of the China Sea Forecast:—fresh to strong N winds; cloudy, dull.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 21st February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.04	27	..	N	4	b
Tokio,	"	29.74	..	..	N	4	..
Kochi,	"	29.83	..	..	E	2	..
Nagasaki,	"	29.95	..	..	NW	8	..
Kagoshima	"	29.95	..	..	NW	8	..
Taihoku,	1 p.	30.33	..	..	NE	6	..
Taichu,	"	30.09	..	..	N	4	..
Tainan,	"	30.17	..	..	N	6	..
Koshun,	"	30.13	..	..	E	8	..
Pescadores,	"	30.22	..	..	NE	10	..
Gutzlaff,	3 p.	30.42	35	70	N	6	cv
Sharp Peak,	"	30.27	52	59	E	4	b
Amoy,	"	30.18	55	80	NE	4	..
Swatow,	"	30.17	58	..	E	1	c
Canton,	"	..	.	.	.	..	..
Hongkong,	4 p.	30.16	59	50	E	2	o
Victoria Peak,	"	..	..	..	ENE	3	..
Gap Rock,	"	30.14	..	..	ENE	3	..
Macao	"	30.17	57	..	NE	1	o
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	84	64	W	2	b
Malate,	3 p.	..	..	..	W	2	b
Bacoled,	"	..	..	..	NNW	3	b
Iloilo,	"	29.88	86	..	E	1	b
Cebu,	"	29.86	83	..	N	3	b
Cape S. James,	"	..	..	..	E	1	c

22nd FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	30.15	18	64	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"		..	..	..	.	..
Pescadores	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	.	.	..
Sharp Peak,	"	30.42	47	66	NNE	2	c
Amoy,	"	30.34	49	64	NE	3	b
Swatow,	"	.	..	.	.	..	..
Canton,	"		.	..	..	..	..
Hongkong	10 a.	30.24	57	82	NNE	1	b
Victoria Peak,	"	.	..	..	NNE	3	..
Gap Rock,	"	30.32	..	..	ENE	5	..
Macao	"	30.35	59	..	NE	1	b
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.04	82	70	..	0	c
Malate,	9 a.	..	.	..		0	c
Bacoled,	"	.	..	..	NW	4	b
Iloilo,	"	29.97	80	..	E	1	b
Cebu,	"	29.96	82	..	N	..	b
Cape S. James,	7 a.	..	..	..	NE	3	o

On the 22nd at 12.5p. The barometer continues to rise on the China coast. An area of high pressure covers China, and gradients are moderate with fresh monsoon on the coast, and strong monsoon in the N. Part of the China Sea Forecast:—moderate N to NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 22nd February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	NE	8	..
Kochi,	"	30.03	..	..	N	6	..
Nagasaki,	"	30.11	..	..	NW	4	..
Kagoshima,	"	30.07	..	..	N	4	..
Taihoku,	1 p.	30.30	..	..	NE	4	..
Taichu,	"	30.16	..	..	N	6	..
Tainan,	"	30.14	..	..	N	6	..
Koshun,	"	30.14	..	..	NE	6	..
Pescadores,	"	30.22	..	..	NE	10	..
Gutzlaff,	3 p.	30.43	40	91	NW	5	bv
Sharp Peak,	"	30.26	47	53	E	5	b
Amoy,	"	30.25	56	69	NE	4	b
Swatow,	"	30.22	59	..	E	3	b
Canton,	"	30.26	67	37	E	1	b
Hongkong,	4 p.	30.22	61	37	ESE	2	b
Victoria Peak,	"	..	..	..	ENE	1	..
Gap Rock,	"	30.22	..	..	E	4	..
Macao,	"	30.25	66	..	N	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	59	SSW	1	c
Malate,	3 p.	..	..	..	SW	2	o
Bacolod,	"	..	..	..	NW	2	b
Iloilo,	"	29.88	85	..	E	2	b
Cebu,	"	29.89	83	..	N	4	b
Cape S. James,	"	..	..	..	ENE	3	c

23rd FEBRUARY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"	.	..	..	..	.	..
Pescadores,	"	..	..	..	.	..	..
Gutzlaff,	9 a.	30.49	35	53	NW	3	cv
Sharp Peak,	"	30.44	50	65	NNW	2	c
Amoy,	"	30.35	48	63	NNE	4	c
Swatow,	"	.	..	.	.	..	..
Canton,	"	30.34	55	62	E	1	c
Hongkong,	10 a.	30.33	56	57	ENE	5	o
Victoria Peak,	"	.	..	..	ESE	5	..
Gap Rock,	"	30.31	..	..	ENE	5	..
Macao,	"	30.23	60	..	E	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	82	57	S	1	c
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	"	.	..	..	.	0	r
Iloilo,	"	29.99	80	..	E	1	c
Cebu,	"	29.99	83	..	NE	2	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 23rd at 12.5p. Barometric changes are slight. The high pressure area still covers China, and gradients continue moderate with fresh monsoon on the coast, and strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 23rd February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	N	4	..
Kochi,	"	30.19	..	..	N	6	..
Nagasaki,	"	30.27	..	..	N	4	..
Kagoshima,	"	30.23	..	..	N	6	..
Taihoku,	1 p.	30.34	..	..	NE	8	..
Taichu,	"	30.22	..	..	S	2	..
Tainan,	"	30.25	..	..	W	4	..
Koshun,	"	30.27	..	..	NE	8	..
Pescadores,	"	30.31	..	..	NE	8	..
Gutzlaff,	3 p.	30.44	49	73	NNW	2	cv
Sharp Peak,	"	30.33	48	63	NE	4	b
Amoy,	"	30.26	58	64	NE	5	c
Swatow,	"	30.22	59	..	E	4	b
Canton,	"	30.24	61	55	W	1	o
Hongkong,	4 p.	30.23	56	51	E	4	o
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	30.21	..	..	E	5	..
Macao,	"	30.23	59	..	ESE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	81	56	E	2	c
Malate,	3 p.	..	..	..		0	c
Bacolod,	"	..	..	..	NNE	6	c
Iloilo,	"	29.89	79	..	NE	2	r
Cebu,	"	29.92	80	..	N	5	cd
Cape S. James,	"	..	..	..	ENE	6	cm

24th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.28	..	..	..	0	..
Taichu,	"	30.25	..	..	..	0	..
Tainan,	"	30.26	..	..	N	4	..
Koshun,	"	30.25	..	..	NE	2	..
Pescadores,	"	30.29	..	..	NE	8	..
Gutzlaff,	9 a.	30.32	38	81	W	1	cv
Sharp Peak,	"	30.31	54	55	NNE	1	b
Amoy,	"	30.26	52	79	WSW	1	c
Swatow,	"		..		..		.
Canton,	"	30.32	56	57	N	1	o
Hongkong,	10 a.	30.31	61	33		0	o
Victoria Peak,	"	..	..	..	N	2	..
Gap Rock,	"	30.29	..	..	NNE	4	..
Macao,	"	30.32	60	..	NNW	1	c
Haiphong,	7 a.	..	..	..		..	..
Manila,	10 a.	30.04	79	69	WNW	1	o
Malate,	9 a.	..	..	..	WNW	1	b
Bacolod,	"	..	..	..	..	3	c
Iloilo,	"	29.98	78	..	E	2	c
Cebu,	"	29.98	81	..	N	4	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 24th at 11.55a. The barometer has fallen quickly in the North, and is little changed in the South. Pressure is high over S. China, and low, probably, over Manchuria. Gradients slight on the China coast, moderate with strong monsoon in the N. part of the China Sea.

Forecast:—moderate N winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 24th February 1901

CHINA COAST METEOROLOGICAL REGISTER.

24th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.06	29	..	SE	2	..
Tokio,	,,	30.18	..	..	S	6	..
Kochi,	,,	30.19	..	..	SE	4	..
Nagasaki,	,,	30.15	..	..	SW	6	..
Kagoshima,	,,	30.15	..	..	E	2	..
Taihoku,	1 p.	30.16	..	..	NW	2	..
Taichu,	,,	30.10	..	..	N	6	..
Tainan,	,,	30.09	..	..	N	4	..
Koshun,	,,	30.08	..	..	N	4	..
Pescadores,	,,	30.16	..	..	NE	8	..
Gutzlaff,	3 p.	30.23	47	41	WNW	5	cm
Sharp Peak,	,,	30.20	54	68	E	2	b
Amoy,	,,	30.19	59	76	ESE	2	b
Swatow,	,,	30.18	63	..	ESE	2	b
Canton,	,,	30.26	60	44	N	1	o
Hongkong,	4 p.	30.21	59	26	N	2	o
Victoria Peak,	,,	..	..	..	NNW	3	..
Gap Rock,	,,	30.19	..	..	N	4	..
Macao,	,,	30.23	59	..	NNW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	84	64	S	2	b
Malate,	3 p.	..	..	..	SW	3	b
Bacoled,	,,	..	..	..	N	2	b
Iloilo,	,,	29.89	83	..	E	1	c
Cebu,	,,	29.91	82	..	NE	4	c
Cape S. James,	,,	..	..	..	..	..	..

25th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	29.71	20	99	..	0	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.24	..	..	..	0	..
Taichu,	,,	30.11	..	..	..	0	..
Tainan,	,,	30.11	..	..	N	4	..
Koshun,	,,	30.07	..	..	N	4	..
Pescadores,	,,	30.17	..	..	NE	6	..
Gutzlaff,	9 a.	30.35	38	63	NW	4	bm
Sharp Peak,	,,	30.38	55	68	NNW	2	b
Amoy,	,,	30.28	52	73	NNE	2	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.38	55	62	N	1	b
Hongkong,	10 a.	30.32	60	18	N	2	b
Victoria Peak,	,,	..	..	..	NNE	5	..
Gap Rock,	,,	30.31	..	..	NE	5	..
Macao,	,,	30.24	61	..	N	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	79	76	WSW	1	c
Malate,	9 a.	..	..	..	..	0	c
Bacoled,	,,	..	..	..	N	2	b
Iloilo,	,,	29.98	78	..	E	2	c
Cebu,	,,	30.02	82	..	NE	3	b
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 25th at 11.55a. The barometer has risen on the China coast, fallen in the extreme North. High pressure covers China, and the depression has moved into the Sea of Japan. Gradients moderate with fresh monsoon on the coast, and strong monsoon in the N. part of the China Sea.

Forecast:—moderate N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 25th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.68	37	..	NW	3	b
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	.	..	..	..	..	..
Nagasaki,	,,	..	..	..	.	..	..
Kagoshima,	,,	..	..	..	..	.	..
Taihoku,	1 p.	30.25	..	..	NE	6	..
Taichu,	,,	30.18	..	..	N	6	..
Tainan,	,,	30.20	..	..	N	8	..
Koshun,	,,	30.21	..	..	E	8	..
Pescadores,	,,	30.28	..	..	NE	10	..
Gutzlaff,	3 p.	30.31	49	85	WNW	1	bm
Sharp Peak,	,,	30.26	53	45	E	6	b
Amoy,	,,	30.20	54	27	E	2	b
Swatow,	,,	30.22	65	..	N	4	b
Canton,	,,	30.25	70	36	E	1	b
Hongkong,	4 p.	30.20	62	31	ESE	2	b
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock,	,,	30.21	..	..	E	4	..
Macao,	,,	30.21	69	..	ENE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	82	63	SSW	1	c
Malate,	3 p.	..	..	..	..	0	c
Bacoled,	,,	..	..	..	N	3	b
Iloilo,	,,	29.91	84	..	NE	2	b
Cebu,	,,	29.87	82	..	N	3	b
Cape S. James,	,,	..	..	..	NE	5	c

26th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	29.92	14	62	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.25	..	..	E	6	..
Taichu,	,,	30.20	..	..	..	0	..
Tainan,	,,	30.21	..	..	N	4	..
Koshun,	,,	30.20	..	..	NE	6	..
Pescadores,	,,	30.21	..	..	NE	8	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	30.26	54	55	E	1	b
Amoy,	,,	30.23	52	73	.	0	lm
Swatow,	,,		..	.	.	..	.
Canton,	,,	30.24	55	68	E	1	b
Hongkong,	10 a.	30.23	61	60	E	1	b
Victoria Peak,	,,	.	..	..	ESE	2	..
Gap Rock,	,,	30.21	..	..	E	4	..
Macao,	,,	30.23	65	..	SE	1	b
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.04	79	69	N	1	c
Malate,	9 a.	..	..	..	NNE	1	c
Bacoled,	,,	.	..	..	NE	2	b
Iloilo,	,,	29.96	79	..	NE	2	c
Cebu,	,,	29.98	81	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 26th at 12.10p. The barometer has fallen in S. China, risen in the extreme North. Gradients are slight with moderate or light monsoon on the coast, and fresh monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 26th February 1901

CHINA COAST METEOROLOGICAL REGISTER.

26th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	,,	29.82	..	..	NW	4	..
Kochi, ...	,,	29.99	..	..	W	4	..
Nagasaki, ...	,,	30.11	..	..	NW	6	..
Kagoshima,....	,,	30.11	..	..	W	8	..
Taihoku, ...	1 p.	30.18	..	..	NE	4	..
Taichu, ...	,,	30.17	..	..	NW	2	..
Tainan, ...	,,	30.16	..	..	NE	2	..
Koshun, ...	,,	30.16	..	..	E	4	..
Pescadores, ..	,,	30.21	..	..	NE	8	..
Gutzlaff, ...	3 p.	30.16	51	46	S	3	bm
Sharp Peak, ..	,,	30.14	57	58	E	3	b
Amoy, ...	,,	30.13	61	66	SE	3	bm
Swatow, ...	,,	30.06	62	..	E	3	b
Canton, ...	,,	30.09	72	58	W	1	b
Hongkong, ...	4 p.	30.10	62	55	E	3	b
Victoria Peak,	,,	..	..	..	SSW	1	..
Gap Rock, . ..	,,	30.10	..	..	E	3	..
Macao,... ...	,,	30.11	66	..	ESE	1	b
Haiphong, ...	1 p.	..	.	..	..	..	..
Manila, ...	4 p.	29.92	84	57	E	1	c
Malate, ...	3 p.	..	..	..	NE	2	c
Bacolod, ...	,,	..	..	..	NW	2	b
Iloilo, ...	,,	29.87	83	..	E	1	c
Cebu, ...	,,	29.90	81	..	NE	4	b
Cape S. James,	,,	..	..	..	NE	3	c

27th FEBRUARY, 1901, A. M.

Wladivostock,..	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima,....	,,	..	..	..	.	..	..
Taihoku, ...	5 a.	30.19	..	..	..	0	..
Taichu, ...	,,	30.15	..	..	..	0	..
Tainan, ...	,,	30.16	..	..	N	4	..
Koshun, ...	,,	30.15	..	..	N	2	..
Pescadores....	,,	30.18	.	.	NE	6	..
Gutzlaff, ...	9 a.	30.17	45	68	SSW	3	cm
Sharp Peak, ..	,,	30.17	57	58	..	0	c
Amoy,..	,,	30.16	63	67	SW	3	cm
Swatow, ...	,,	.	..	.	.	..	.
Canton, ...	,,	.	.	.	.	.	..
Hongkong....	10 a.	30.17	64	57	ESE	2	b
Victoria Peak,	,,		..	..	E	1	..
Gap Rock, ...	,,	30.15	..	..	ENE	3	..
Macao..... ..	,,	30.16	66	..	NE	1	c
Haiphong.	7 a.	.	..	..	.	.	..
Manila, ...	10 a.	30.00	77	75	ENE	1	o
Malate, ...	9 a.	..	.	..	NE	2	o
Bacolod, ...	,,		..	..	NW	2	b
Iloilo, ...	,,	29.97	79	..	E	1	c
Cebu, ...	,,	29.99	82	..	NE	3	c
Cape S. James,	7 a.	..	..	..	.	.	..

On the 27th at 12.10 p. The barometer has fallen on the China coast, probably owing to the existence of a depression over N. China. Gradients are slight with light variable winds on the coast, and moderate monsoon in the N. part of the China Sea. Forecast:—moderate or light E winds; fine.

F. G. FIGG,
Asst. Assistant.

Hongkong Observatory, Wednesday 27th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	.	..
Tokio,	"	30.10	..	..	S	4	..
Kochi,	"	30.15	..	..	SE	4	..
Nagasaki,	"	30.11	..	..	SW	6	..
Kagoshima,	"	30.15	..	..	SE	4	..
Taihoku,	1 p.	30.16	..	..	NW	4	..
Taichu,	"	30.18	..	..	..	0	..
Tainan,	"	30.14	..	..	NW	6	..
Koshun,	"	30.14	..	..	N	4	..
Pescadores,	"	30.20	..	..	NE	6	..
Gutzlaff,	3 p.	30.13	54	49	WNW	2	bm
Sharp Peak,	"	30.08	57	69	E	2	b
Amoy,	"	30.08	59	65	SE	3	c
Swatow,	"	30.08	65	..	E	3	b
Canton,	"	30.06	73	..	E	1	o
Hongkong,	4 p.	30.05	64	46	E	n	o
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	30.06	..	..	ENE	3	..
Macao,	"	30.06	69	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	81	76	N	1	o
Malate,	3 p.	..	..	..	..	0	p
Bacoled,	"	..	..	..	NNE	3	b
Iloilo,	"	29.85	75	..	E	1	b
Cebu,	"	29.85	82	..	N	3	b
Cape S. James,	"	..	..	..	NE	4	f

28th FEBRUARY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.25	..	..	NE	2	..
Taichu,	"	30.16	..	..	..	0	..
Tainan,	"	30.17	..	..	N	2	..
Koshun,	"	30.15	..	..	N	4	..
Pescadores,	"	30.23	..	..	NE	10	..
Gutzlaff,	9 a.	30.53	37	62	NE	4	cv
Sharp Peak,	"	30.57	52	73	NNE	5	o
Amoy,	..	..	.	..	..	..	..
Swatow,	"	.	..	.	.	..	.
Canton,	"	.	.		.	..	..
Hongkong,	10 a.	30.27	58	70	ESE	1	od
Victoria Peak,	"	.	..	..		..	..
Gap Rock,	"	30.23	..	..	NE	3	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	..	..	..	...	..	.
Malate,	9 a.	..	..	..	W	1	c
Bacoled,	"		..	..	NE	4	b
Iloilo,	"	29.93	80	..	NE	2	c
Cebu,	"	29.97	83	..	E	2	b
Cape S. James,	7 a.	.	..	..	NE	4	c

On the 28th at 11.50a. The barometer has risen on the China coast, rapidly in the North. The depression has probably passed into the Sea of Japan, and a high pressure area seems to be central over N China. Gradients steep with very strong monsoon setting down the coast, and over the N. part of the China Sea. Forecast:—strong NE winds; drizzling rain at first, improving later.

Telegraphic communication between the Observatory and Hongkong is interrupted

F. G. FIGG,
Acting Assistant.

Hongkong Observatory, Thursday 28th February 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th FEBRUARY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	SW	4	..
Kochi,	"	30.11	..	..	W	8	..
Nagasaki,	"	30.35	..	..	NW	8	..
Kagoshima,	"	30.27	..	..	NW	6	..
Taihoku,	1 p.	30.24	..	..	E	4	..
Taichu,	"	30.09	..	..	N	4	..
Tainan,	"	30.06	..	..	N	8	..
Koshun,	"	30.05	..	..	NE	8	..
Pescadores,	"	30.14	..	..	NE	10	..
Gutzlaff,	3 p.	30.46	40	48	NE	4	c
Sharp Peak,	"	30.35	49	68	NE	7	o
Amoy,	"	30.23	55	74	NE	4	or
Swatow,	"	30.20	57	..	NE	4	of
Canton,	"	30.15	69	61	E	1	b
Hongkong,	4 p.	30.16	59	68	E	6	b
Victoria Peak,	"	..	..	..	E	7	..
Gap Rock,	"	30.14	..	..	ENE	5	..
Macao,	"	30.16	65	..	NNE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	84	52	E	2	o
Malate,	3 p.	..	..	..	S	3	c
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.89	74	..	E	3	b
Cebu,	"	29.89	83	..	NE	4	b
Cape S. James,	"	..	..	..	NE	4	c

1st MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.25	..	..	E	6	..
Taichu,	"	30.11	..	..	NE	2	..
Tainan,	"	30.12	..	..	N	4	..
Koshun,	"	30.11	..	..	NE	8	..
Pescadores,	"	30.15	..	..	NE	8	..
Gutzlaff,	9 a.	30.52	41	74	E	3	cv
Sharp Peak,	"	30.39	51	66	NNW	2	o
Amoy,	"	30.20	54	80	NNW	1	c
Swatow,	"	30.28	58	.	N	2	c
Canton,	"	30.33	58	81	.	0	c
Hongkong,	10 a.	30.32	57	71	ENE	5	a
Victoria Peak,	"	.	..	..	E	7	..
Gap Rock,	"	30.27	..	..	ENE	6	..
Macao,	"	30.30	62	..	E	2	b
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	30.04	81	62	WNW	2	b
Malate,	9 a.	..	..	..	N	1	d
Bacolod,	"	.	..	..	NW	2	b
Iloilo,	"	29.98	79	..	NE	2	c
Cebu,	"	29.98	82	..	NE	2	e
Cape S. James,	7 a.	..	..	..	NE	2	e

On the 1st at 12.10p. Barometric changes are slight. The high pressure area appears to be spreading Eastwards over Japan. Gradients moderate with decreasing monsoon on the coast, and very strong monsoon in the N. part of the China Sea. Forecast:—strong to fresh NE winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 1st March 1901

CHINA COAST METEOROLOGICAL REGISTER.

1st MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	.	..
Tokio,	"	30.18	..	..	NW	4	..
Kochi,	"	30.31	..	..	NW	4	..
Nagasaki,	"	30.42	..	..	W	6	..
Kagoshima,	"	30.35	..	..	NW	6	..
Taihoku,	1 p.	30.26	..	..	E	8	..
Taichu,	"	30.19	..	..	N	0	..
Tainan,	"	30.22	..	..	.	0	..
Koshun,	"	30.22	..	..	NE	8	..
Pescadores,	"	30.26	..	.	..	0	..
Gutzlaff,	3 p.	30.43	46	77	E	4	cv
Sharp Peak,	"	30.29	55	62	NNW	3	o
Amoy,	"	30.20	65	68	NE	3	c
Swatow,	"	30.14	62	..	E	3	b
Canton,	"	30.17	72	67	SW	1	b
Hongkong,	4 p.	30.21	59	73	E	4	c
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	30.17	..	..	E	5	..
Macao,	"	30.20	65	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	47	E	2	..
Malate,	3 p.	..	..	..	W	2	c
Bacolod,	"	..	..	..	ENE	6	b
Iloilo,	"	29.88	85	..	E	2	c
Cebu,	"	29.86	85	..	N	3	b
Cape S. James,	"	..	..	..	ENE	5	c

2nd MARCH, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	5 a.	30.28	..	..	S	2	..
Taichu,	"	30.24	..	..	N	2	..
Tainan,	"	30.24	..	..	N	6	..
Koshun,	"	30.19	..	..	..	0	..
Pescadores,	"	30.26	..	..	NE	8	..
Gutzlaff,	9 a.	30.49	41	74	NE	3	cv
Sharp Peak,	"	30.35	53	73	NNE	2	o
Amoy,	"	30.30	57	81	NE	2	b
Swatow,	"	30.21	62		N	1	b
Canton,	"	30.29	61	82	E	1	c
Hongkong,	10 a.	30.29	61	72	E	3	c
Victoria Peak,	"	.	..	..	E	5	..
Gap Rock,	"	30.28	..	..	E	5	..
Macao,	"	30.29	65	..	ESE	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	30.04	79	69	WNW	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	.	..	..	NNE	3	p
Iloilo,	"	29.97	80	..	E	2	c
Cebu,	"	29.93	83	..	N	2	c
Cape S. James,	7 a.	..	..	..	..		..

On the 2nd at 11.40a. Barometric changes are slight. The high pressure area appears to be central over the NE. coast of China, and gradients continue moderate with fresh monsoon on the coast, and strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 2nd March 1901

CHINA COAST METEOROLOGICAL REGISTER.

2nd MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.16	30	..	N	1	b
Tokio,	"	30.14	..	..	NW	2	..
Kochi,	"	30.19	..	..	SW	4	..
Nagasaki,	"	30.31	..	..	W	8	..
Kagoshima,	"	30.31	..	..	NW	6	..
Taihoku,	1 p.	30.21	..	..	NE	6	..
Taichu,	"	30.18	..	..	N	6	..
Tainan,	"	30.07	..	..	N	6	..
Koshun,	"	30.03	..	..	N	6	..
Pescadores,	"	30.15	..	..	NE	10	..
Gutzlaff,	3 p.	30.51	41	83	N	4	cv
Sharp Peak,	"	30.30	51	79	E	5	o
Amoy,	"	30.21	64	73	ENE	4	c
Swatow,	"	30.13	65	..	E	2	c
Canton,	"	30.19	73	67	N	1	b
Hongkong,	4 p.	30.19	63	70	E	1	b
Victoria Peak,	"	..	..	..	N	1	..
Gap Rock,	"	30.18	..	..	E	4	..
Macao,	"	30.20	67	..	SSE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	82	63	..	0	o
Malate,	3 p.	..	..	..	..	0	o
Bacoled,	"	..	..	..	NW	2	c
Iloilo,	"	29.86	85	..	E	1	c
Cebu,	"	29.84	87	..	N	3	c
Cape S. James,	"	..	..	..	NE	5	c

3rd MARCH, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.13	21	60	N	1	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.49	..	..	E	4	..
Taichu,	"	30.14	..	..	N	6	..
Tainan,	"	30.24	..	..	N	8	..
Koshun,	"	30.22	..	..	NE	4	..
Pescadores,	"	30.25	..	..	NE	10	..
Gutzlaff,	9 a.	30.56	33	90	NNW	3	o
Sharp Peak,	"	30.49	48	75	E	4	o
Amoy,	"	30.35	53	67	NE	3	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.34	59	61	NE	2	o
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	30.31	..	..	ENE	4	..
Macao	"	30.35	65	..	ENE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	81	69	SW	1	c
Malate,	9 a.	..	..	..	W	2	o
Bacoled,	"	..	..	..	NW	4	orq
Iloilo,	"	29.94	80	..	NE	1	o
Cebu,	"	29.92	83	..	NE	5	o
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 3rd at 12.10p. The barometer has risen on the China coast. The high pressure area remains central over N. China, and gradients continue moderate with fresh monsoon on the coast, and strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; some drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 3rd March 1901

CHINA COAST METEOROLOGICAL REGISTER.

3rd MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.75	..	..	..	0	..
Kochi,	"	30.03	..	..	W	4	..
Nagasaki,	"	30.23	..	..	NW	6	..
Kagoshima,	"	30.19	..	..	NW	8	..
Taihoku,	1 p.	30.42	..	..	NE	6	..
Taichu,	"	30.21	..	..	N	6	..
Tainan,	"	30.24	..	..	N	4	..
Koshun,	"	30.24	..	..	NE	8	..
Pescadores,	"	30.31	..	.	NE	10	..
Gutzlaff,	3 p.	30.50	38	81	N	2	bv
Sharp Peak,	"	30.36	50	72	E	3	b
Amoy,	"	30.24	62	72	NNE	3	c
Swatow,	"	30.19	63	..	N	4	b
Canton,	"	30.23	70	66	S	1	c
Hongkong,	4 p.	30.23	60	73	ESE	4	b
Victoria Peak,	"	..	..	..	E	1	..
Cap Rock,	"	30.23	..	..	E	5	..
Macao,	"	30.23	65	..	ENE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	86	65	WNW	1	c
Malate,	3 p.	..	..	..	W	1	c
Bacoled,	"	..	..	..	NE	6	b
Iloilo,	"	29.84	83	..	NE	2	c
Cebu,	"	29.81	86	..	N	3	c
Cape S. James,	"	..	..	..	..	..	..

4th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	5 a.	30.48	..	..	NE	6	..
Taichu,	"	30.37	..	..	N	2	..
Tainan,	"	30.28	..	..	N	4	..
Koshun,	"	30.27	..	..	NE	10	..
Pescadores,	"	30.32	..	..	NE	10	..
Gutzlaff,	9 a.	30.52	40	56	E	1	bv
Sharp Peak,	"	30.46	47	63	ENE	4	o
Amoy,	"	30.37	51	79	NE	7	b
Swatow,	"	..	.	.	..	..	.
Canton,	"	..	..	..	..	.	..
Hongkong,	10 a.	30.34	57	61	ENE	5	o
Victoria Peak,	"	.	..	..	ESE	5	..
Cap Rock,	"	30.32	..	..	E	6	..
Macao,	"	30.33	62	..	ESE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.04	81	69	S	1	c
Malate,	9 a.	..	..	..	S	2	o
Bacoled,	"	.	..	..	NE	4	p
Iloilo,	"	29.93	79	..	E	2	c
Cebu,	"	29.91	82	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 4th at 12.5p. Barometric changes are slight. The high pressure area is probably spreading Eastwards over Japan. Gradients continue moderate with fresh monsoon on the coast, and strong monsoon over the N. part of the China Sea. Forecast:—fresh NE to E winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 4th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

4th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	NW	8	..
Kochi,	"	30.11	..	..	N	8	..
Nagasaki,	"	30.31	..	..	N	6	..
Kagoshima,	"	30.27	..	..	NW	4	..
Taihoku,	1 p.	30.39	..	..	E	8	..
Taichu,	"	30.24	..	..	N	4	..
Tainan,	"	30.25	..	..	W	4	..
Koshun,	"	30.26	..	..	NE	10	..
Pescadores,	"	30.31	..	..	NE	10	..
Gutzlaff,	3 p.	30.46	43	59	..	..	cv
Sharp Peak,	"	30.35	48	59	E	5	c
Amoy,	"	30.25	59	59	ENE	5	c
Swatow,	"	30.19	60	..	E	5	b
Canton,	"	30.20	69	75	S	1	o
Hongkong,	4 p.	30.23	57	59	ENE	5	b
Victoria Peak,	"	..	..	..	E	7	..
Gap Rock,	"	30.20	..	..	E	6	..
Macao,	"	30.24	62	..	ESE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	81	56	NE	1	c
Malate,	3 p.	..	..	..	E	2	o
Bacolod,	"	..	..	..	N	6	c
Iloilo,	"	29.85	83	..	E	1	o
Cebu,	"	29.84	85	..	NE	5	c
Cape S. James,	"	..	..	..	NE	3	c

5th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.28	..	..	E	4	..
Taichu,	"	30.25	..	..	..	0	..
Tainan,	"	30.25	..	..	N	2	..
Koshun,	"	30.26	..	..	NE	6	..
Pescadores,	"	30.26	..	..	NE	8	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	30.30	52	56	WNW	2	o
Amoy,	"	30.24	59	70	WSW	3	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.25	58	53	ENE	6	b
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	30.23	..	..	ENE	6	..
Macao,	"	30.24	64	..	SSE	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.08	81	56	WSW	1	c
Malate,	9 a.	..	..	..	N	1	b
Bacolod,	"		..	..	N	6	b
Iloilo,	"	29.98	78	..	NE	5	c
Cebu,	"	29.98	81	..	NE	5	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 5th at 12.10p. The barometer has fallen on the China coast, probably owing to the existence of a low pressure area in the North. Decreasing monsoon in the N. part of the China Sea.
Forecast:—E winds, decreasing; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 5th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

5th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.98	24	..	SE	1	b
Tokio,	"	30.07	..	..	S	4	..
Kochi,	"	30.19	..	..	W	2	..
Nagasaki,	"	30.27	..	..	W	6	..
Kagoshima,	"	30.27	..	..	W	6	..
Taihoku,	1 p.	30.12	..	..	E	2	..
Taichu,	"	30.11	..	..	NW	4	..
Tainan,	"	30.12	..	..	W	6	..
Koshun,	"	30.11	..	..	E	6	..
Pescadores,	"	30.16	..	..	NE	6	..
Gutzlaff,	3 p.	30.23	51	66	SSE	4	bv
Sharp Peak,	"	30.17	57	66	E	1	b
Amoy,	"	30.18	60	71	SE	4	b
Swatow,	"	30.09	62	..	ESE	2	c
Canton,	"	30.15	71	71	SW	1	b
Hongkong,	4 p.	30.12	61	60	E	3	b
Victoria Peak,	"	..	..	..	SE	2	..
Gap Rock,	"	30.09	..	..	E	5	..
Macao,	"	30.13	65	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	81	56	E	1	c
Malate,	3 p.	..	..	..	ENE	3	b
Bacolod,	"	..	..	..	NE	6	c
Iloilo,	"	29.88	81	..	NE	4	c
Cebu,	"	29.86	83	..	N	5	c
Cape S. James,	"	..	..	..	NE	3	c

6th MARCH, 1901, A. M.

Wladivostock,	7 a.	30.02	27	62	N	1	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.15	..	..	..	0	..
Taichu,	"	30.09	..	..	N	2	..
Tainan,	"	30.05	..	..	NE	4	..
Koshun,	"	30.07	..	..	N	2	..
Pescadores,	"	30.12	..	..	NE	4	..
Gutzlaff,	9 a.	30.14	47	100	WNW	2	cm
Sharp Peak,	"	30.14	55	78	..	0	c
Amoy,	"	30.15	55	87	W	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.18	65	75	ESE	1	c
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.15	..	..	ENE	4	..
Macao,	"	30.17	71	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	77	68	WNW	2	b
Malate,	9 a.	..	..	..	W	1	b
Bacolod,	"	..	..	..	NNE	4	c
Iloilo,	"	29.95	79	..	NE	2	c
Cebu,	"	29.92	83	..	N	5	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 6th at 11.55a. The barometer has fallen on the China coast. The low pressure area seems to be moving into the Sea of Japan. Gradients slight with light variable winds on the coast, and moderate monsoon in the N. part of the China Sea. Forecast:—varying winds, moderate to light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 6th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

6th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.96	37	..	N	1	b
Tokio,	"	29.96	..	..	S	4	..
Kochi,	"	30.07	..	..	..	0	..
Nagasaki,	"	29.99	..	..	SE	10	..
Kagoshima,	"	30.07	..	..	S	4	..
Taihoku,	1 p.	30.16	..	..	..	0	..
Taichu,	"	30.12	..	..	NE	2	..
Tainan,	"	30.13	..	..	NW	4	..
Koshun,	"	30.14	..	..	E	6	..
Pescadores,	"	30.18	..	..	NE	4	..
Gutzlaff,	3 p.	30.11	44	92	NNW	4	rd
Sharp Peak,	"	30.00	68	74	SE	4	b
Amoy,	"	30.06	68	74	SE	4	c
Swatow,	"	29.96	69	..	E	2	c
Canton,	"	30.07	77	69	S	2	..
Hongkong,	4 p.	30.05	68	71	E	2	b
Victoria Peak,	"	..	..	..	S	..	..
Gap Rock,	"	30.07	..	..	ENE	3	..
Macao,	"	30.05	74	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	53	NW	1	c
Malate,	3 p.	..	..	..	N	2	c
Bacolod,	"	..	..	..	N	2	..
Iloilo,	"	29.86	83	..	NE	2	c
Cebu,	"	29.86	85	..	N	4	c
Cape S. James,	"	..	..	..	NE	3	c

7th MARCH, 1901, A. M.

Wladivostock,	7 a.	30.09	20	60	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.16	..	..	..	0	..
Taichu,	"	30.12	..	..	..	0	..
Tainan,	"	30.11	..	..	NE	2	..
Koshun,	"	30.11	..	..	NE	2	..
Pescadores,	"	30.14	..	..	NE	2	..
Gutzlaff,	9 a.	30.32	40	100	NNE	3	f
Sharp Peak,	"	30.24	52	97	ENE	5	o
Amoy,	"	30.13	59	82	NE	4	c
Swatow,	"	30.14	66		NE	1	b
Canton,	"	30.15	69	75	N	1	b
Hongkong,	10 a.	30.14	69	66	..	0	b
Victoria Peak,	"	..	..	..	ENE	1	..
Gap Rock,	"	30.15	..	..	NNE	1	..
Macao,	"	30.15	77	..	NW	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	81	62	WNW	2	b
Malate,	9 a.	..	..	..	N	2	b
Bacolod,	"		..	..	NW	4	c
Iloilo,	"	29.94	79	..	NE	1	o
Cebu,	"	29.95	84	..	N	3	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 7th at 11.55a. The depression is probably crossing Japan, and the barometer has risen quickly and is again high in N. China. Freshening monsoon in S. China, and the N. part of the China Sea. Forecast:—NE. winds, freshening; changeable.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 7th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

7th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.90	..	..	NE	6	..
Kochi,	,,	29.99	..	..	NW	8	..
Nagasaki,	,,	30.11	..	..	NW	4	..
Kagoshima,	,,	30.07	..	..	NW	6	..
Taihoku,	1 p.	30.23	..	..	E	2	..
Taichu,	,,	30.13	..	..	N	6	..
Tainan,	,,	30.11	..	..	NW	6	..
Koshun,	,,	30.13	..	..	NW	2	..
Pescadores,	,,	30.17	..	..	NE	8	..
Gutzlaff,	3 p.	30.32	46	84	N	1	bm
Sharp Peak,	,,	30.22	51	79	E	4	o
Amoy,	,,	30.12	62	77	NE	5	c
Swatow,	,,	30.02	66	..	E	5	b
Canton,	,,	30.07	78	65	N	2	b
Hongkong,	4 p.	30.06	70	69	NW	1	b
Victoria Peak,	,,	..	..	..	ENE	1	..
Gap Rock,	,,	30.08	..	..	..	0	..
Macao,	,,	30.06	77	..	SSE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	58	SE	3	b
Malate,	3 p.	..	..	..	ESE	3	b
Bacolod,	,,	..	..	..	NNE	3	c
Iloilo,	,,	29.88	83	..	E	2	..
Cebu,	,,	29.86	84	..	N	3	c
Cape S. James,	,,	..	..	..	NE	3	c

8th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..	..
Taihoku,	5 a.	30.24	..	..	E	6	..
Taichu,	,,	30.18	..	..	N	2	..
Tainan,	,,	30.18	..	..	N	4	..
Koshun,	,,	30.23	..	..	NE	6	..
Pescadores,	..	30.19	..	..	NE	8	..
Gutzlaff,	9 a.	30.33	44	84	SSE	3	lm
Sharp Peak,	,,	30.29	54	65	NW	1	o
Amoy,	,,	30.22	57	81	NNE	1	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.21	66	84	..	2	o
Hongkong,	10 a.	30.24	63	57	ENE	4	b
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock,	,,	30.21	..	..	ENE	5	..
Macao,	,,	30.25	60	..	E	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	81	69	W	1	c
Malate,	9 a.	..	..	..	SW	1	b
Bacolod,	,,	..	..	..	NNE	2	cp
Iloilo,	,,	29.98	80	..	E	2	c
Cebu,	,,	30.01	84	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	6	c

On the 8th at 11.50a. The barometer has risen in S. China, and is inclined to fall again in the North. Pressure is highest between the E. coast of China and W. Japan. Gradients slight in the North, moderate with fresh monsoon over the N. part of the China Sea. Forecast:—fresh to moderate E winds; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 8th March 1.01

CHINA COAST METEOROLOGICAL REGISTER.

8th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.91	36	..	S	5	o
Tokio,	"	30.26	..	..	S	4	..
Kochi,	"	30.27	..	..	SE	4	..
Nagasaki,	"	30.27	..	..	W	6	..
Kagoshima,	"	30.23	..	..	S	4	..
Taihoku,	1 p.	30.21	..	..	E	8	..
Taichu,	"	30.20	..	..	N	2	..
Tainan,	"	30.17	..	..	NE	4	..
Koshun,	"	30.19	..	..	N	6	..
Pescadores,	"	30.18	..	..	NE	8	..
Gutzlaff,	3 p.	30.21	49	71	SSE	4	bv
Sharp Peak,	"	30.18	56	78	E	1	b
Amoy,	"	30.14	62	77	SE	4	b
Swatow,	"	30.07	65	..	E	3	c
Canton,	"	30.12	78	70	SW	2	b
Hongkong,	4 p.	30.13	65	59	E	3	b
Victoria Peak,	"	..	..	..	SE	2	..
Gap Rock,	"	30.11	..	..	ENE	5	..
Macao,	"	30.13	66	..	SSE	1	o
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.92	90	55	E	2	c
Malate,	3 p.	..	..	..	ESE	2	b
Bacoled,	"	..	..	..	N	2	b
Iloilo,	"	29.89	85	..	E	1	b
Cebu,	"	29.86	85	..	N	2	c
Cape S. James,	"	..	..	..	NE	7	c

9th MARCH, 1901, A. M.

Wladivostock,	7 a.	29.90	32	69	NW	3	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..	..
Taihoku,	5 a.	30.08	..	..	..	0	..
Taichu,	"	30.04	..	..	..	0	..
Tainan,	"	30.03	..	..	NE	2	..
Koshun,	"	30.03	..	..	N	2	..
Pescadores,	"	30.05	.	.	NE	2	..
Gutzlaff,	9 a.	30.11	48	78	SSE	3	cm
Sharp Peak,	"	30.11	58	79	..	0	b
Amoy,	"	30.12	59	88	SE	1	c
Swatow,	"	30.13	64		SE	1	c
Canton,	"	30.13	69	80	S	2	o
Hongkong,	10 a.	30.14	66	75	ESE	2	b
Victoria Peak,	"		..	..	SSE	2	..
Gap Rock,	"	30.14	..	..	NE	4	..
Macao,	"	30.14	71	..	SE	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.00	82	70	WNW	2	b
Malate,	9 a.	..	..	..	W	1	b
Bacoled,	"		..	..	NW	2	b
Iloilo,	"	29.98	81	..	E	1	c
Cebu,	"	29.96	81	..	N	1	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 9th at 12.5p. The barometer has fallen on the China coast owing to a depression in the North. Gradients slight with light variable winds on the coast, and light monsoon in the N. part of the China Sea. Forecast:—E or varying winds, moderate to light; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 9th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

9th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.88	41	..	N	4	c
Tokio,	,,	29.98	..	..	S	2	..
Kochi,	,,	30.07	..	..	S	2	..
Nagasaki,	,,	30.15	..	..	W	6	..
Kagoshima,	,,	30.11	..	..	SE	2	..
Taihoku,	1 p.	30.07	..	..	SW	2	..
Taichu,	,,	30.05	..	..	W	2	..
Tainan,	,,	30.08	..	..	N	2	..
Koshun,	,,	30.03	..	..	E	4	..
Pescadores,	,,	30.09	..	..	NE	2	..
Gutzlaff,	3 p.	29.98	52	79	SE	4	cv
Sharp Peak,	,,	29.97	61	77	E	1	b
Amoy,	,,	30.03	64	84	SE	4	b
Swatow,	,,	30.02	70	..	E	3	c
Canton,	,,	30.01	80	74	S	2	c
Hongkong,	4 p.	30.01	68	67	E	1	b
Victoria Peak,	,,	..	..	..	S	1	..
Gap Rock,	,,	30.03	..	..	ENE	3	..
Macao,	,,	30.04	72	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	88	66	W	1	c
Malate,	3 p.	..	..	..	SW	1	o
Bacolod,	,,	..	..	..	NNE	3	b
Iloilo,	,,	29.87	86	..	E	1	c
Cebu,	,,	29.86	83	..	N	2	o
Cape S. James,	,,	..	..	..	NE	6	c

10th MARCH, 1901, A. M.

Wladivostock,	7 a.	30.08	23	38	..	0	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	.	..	..
Taihoku,	5 a.	29.99	..	..	SE	4	..
Taichu,	,,	29.99	..	..	..	0	..
Tainan,	,,	30.02	..	..	NE	.	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	30.04	..	..	..	0	..
Gutzlaff,	9 a.	29.99	43	92	N	7	cmd
Sharp Peak,	,,	29.89	65	78	..	0	b
Amoy,	,,	29.98	65	89	..	0	c
Swatow,	,,	..	..	.			..
Canton,	,,	30.03	69	90		0	c
Hongkong,	10 a.	30.04	72	73	WSW	1	o
Victoria Peak,	,,		..	..	WNW	1	..
Gap Rock,	,,	30.03	..	..	NNW	2	..
Macao,	,,	30.05	68	..	SSE	1	o
Haiphong,	7 a.	.	..	..		.	..
Manila,	10 a.	30.04	81	76	NW	1	c
Malate,	9 a.	..	.	..	..	0	o
Bacolod,	,,	.	..	..	N	2	b
Iloilo,	,,	29.95	83	..	NW	2	b
Cebu,	,,	29.95	84	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 10th at 12.5p. The barometer has fallen on the China coast. The depression seems to have passed over the E. coast of China, and to be moving towards W. Japan. The monsoon will probably freshen in the Formosa Channel and along the S. coast of China during the next 24 hours.

Forecast:—N to NE winds, freshening; changeable.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 10th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

10th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.01	33	..	N	1	o
Tokio,	,,	29.86	..	..	S	4	..
Kochi,	,,	29.75	..	..		0	..
Nagasaki,	,,	29.60	..	..	W	10	..
Kagoshima,	,,	29.64	..	..	SW	10	..
Taihoku,	1 p.	29.87	..	..	W	4	..
Taichu,	,,	29.96	..	..	S	2	..
Tainan,	,,	29.98	..	..	W	4	..
Koshun,	,,	29.97	..	..	W	4	..
Pescadores,	,,	29.99	..	..	W	4	..
Gutzlaff,	3 p.	30.11	40	100	N	7	..
Sharp Peak,	,,	29.82	68	72	S	2	o
Amoy,	,,	29.92	70	85	SE	2	c
Swatow,	,,	29.84	79	..	SW	1	b
Canton,	,,	29.91	86	65	N	1	b
Hongkong,	4 p.	29.89	76	62	W	1	b
Victoria Peak,	,,	..	..	..	NW	3	..
Gap Rock,	,,	29.92	..	..	SSW	3	..
Macao,	,,	29.91	79	..	SW	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	81	85	..	0	c
Malate,	3 p.	..	..	..	..	0	c
Bacoled,	,,	..	..	..	NW	2	b
Iloilo,	,,	29.89	86	..	NE	1	b
Cebu,	,,	29.86	86	..	N	2	b
Cape S. James,	,,	..	..	..	..	..	

11th MARCH, 1901, A. M.

Wladivostock,	7 a.	29.93	21	50	NW	1	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.13	..	..	E	6	..
Taichu,	,,	29.98	..	..	N	4	..
Tainan,	,,	29.95	..	..	N	6	..
Koshun,	,,	29.95	..	..	NE	8	..
Pescadores,	,,	30.01	..	..	NE	10	..
Gutzlaff,	9 a.	30.35	37	81	NNW	4	bv
Sharp Peak,	,,	30.24	51	83	E	3	o
Amoy,	,,	30.15	58	81	NE	5	o
Swatow,	,,		..				..
Canton,	,,	30.12	64	73	N	2	b
Hongkong,	10 a.	30.13	65	73	ESE	4	b
Victoria Peak,	,,		..	..	E	3	..
Gap Rock,	,,	30.12	..	..	E	4	..
Macao,	,,	30.14	72	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	82	77	WNW	2	c
Malate,	9 a.	.	.	..	NW	2	b
Bacoled,	,,		..	..	NW	2	c
Iloilo,	,,	29.98	84	..	E	1	c
Cebu,	,,	29.96	84	..	..	0	..
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 11th at 12.5p. The barometer has risen on the China coast, particularly in the North. Pressure is high over N. China, and the depression has probably reached E. Japan. Gradients moderate with strong monsoon on the coast, and increasing monsoon over the N. part of the China Sea.

Forecast:—fresh NE winds; fair

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 11th March 1.01

CHINA COAST METEOROLOGICAL REGISTER.

11th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.55	..	..	N	8	..
Kochi,	"	29.87	..	..	N	6	..
Nagasaki,	"	29.99	..	..	N	6	..
Kagoshima,	"	29.95	..	..	NW	8	..
Taihoku,	1 p.	30.20	..	..	E	6	..
Taichu,	"	30.04	..	..	N	6	..
Tainan,	"	30.07	..	..	N	4	..
Koshun,	"	30.09	..	..	E	8	..
Pescadores,	"	30.13	..	..	NE	10	..
Gutslaff,	3 p.	30.31	45	46	NNE	3	bv
Sharp Peak,	"	30.20	63	70	E	4	o
Amoy,	"	30.10	65	73	ENE	6	b
Swatow,	"	30.02	66	..	E	..	c
Canton,	"	30.07	77	65	W	2	b
Hongkong,	4 p.	30.07	64	78	E	3	o
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.05	..	..	E	4	..
Macao,	"	30.08	68	..	ESE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	90	60	SE	1	c
Malate,	3 p.	..	..	..	S	1	c
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.86	88	..	N	3	b
Cebu,	"	29.86	84	..	N	4	b
Cape S. James,	"	..	..	..	NE	3	r

12th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	29.90	..	..	S	6	..
Kochi,	"	30.03	.	..	N	6	..
Nagasaki,	"	30.15	..	..	N	8	..
Kagoshima,	"	30.15	..	..	NW	6	..
Taihoku,	5 a.	30.25	..	..	E	4	..
Taichu,	"	30.06	..	..	N	2	..
Tainan,	"	30.09	..	..	N	4	..
Koshun,	"	30.10	..	..	NE	8	..
Pescadores,	"	30.19	.	.	NE	10	..
Gutzlaff,	9 a.	30.41	42	66	NNE	5	cv
Sharp Peak,	"	30.34	53	..	NE	1	o
Amoy,	"	30.24	58	76	NE	1	o
Swatow,	"	30.20	60		NE	3	c
Canton,	"	30.20	68	79	E	1	o
Hongkong,	10 a.	30.23	61	62	E	4	o
Victoria Peak,	"		..	..	E	7	..
Gap Rock,	"	30.20	..	..	ENE	6	..
Macao,	"	30.24	63	..	E	1	o
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.00	88	59	SE	1	c
Malate,	9 a.	..	.	..		0	n
Bacolod,	"	.	..	..	NNE	4	b
Iloilo,	"	29.98	82	..	E	1	c
Cebu,	"	29.97	82	..	N	2	c
Cape S. James,	7 a.	.	..	..	NE	5	c

On the 12th at 11.55a. The barometer has risen on the China coast, and over Japan. High pressure covers China, and the depression has passed to the E. of Japan. Gradients moderate with fresh to strong monsoon on the coast, and in the N. part of the China Sea.

Forecast:—strong or fresh NE winds; probably some rain.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 12th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

12th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	SW	6	..
Kochi,	"	29.99	..	..	W	8	..
Nagasaki,	"	30.15	..	..	NW	8	..
Kagoshima,	"	30.11	..	..	NW	8	..
Taihoku,	1 p.	30.31	..	..	NE	4	..
Taichu,	"	30.17	..	..	N	2	..
Tainan,	"	30.19	..	..	NE	2	..
Koshun,	"	30.23	..	..	NE	6	..
Pescadores,	"	30.22	..	..	NE	10	..
Gutzlaff,	3 p.	30.42	42	58	N	4	cv
Sharp Peak,	"	30.32	53	61	NE	8	c
Amoy,	"	30.19	64	63	ENE	5	c
Swatow,	"	30.10	65	..	E	3	c
Canton,	"	30.20	66	68	N	2	c
Hongkong,	4 p.	30.20	61	66	E	2	c
Victoria Peak,	"	..	..	..	NE	5	..
Gap Rock,	"	30.16	..	..	ENE	5	..
Macao,	"	30.20	65	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	60	ENE	1	c
Malate,	3 p.	..	..	..	S	2	c
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.88	86	..	E	2	b
Cebu,	"	29.94	84	..	N	5	c
Cape S. James,	"	..	..	..	ENE	5	c

13th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.36	..	..	E	6	..
Taichu,	"	30.23	..	..	..	0	..
Tainan,	"	30.24	..	..	N	2	..
Koshun,	"	30.26	..	..	NE	8	..
Pescadores,	"	30.25	..	..	NE	8	..
Gutzlaff,	9 a.	30.46	42	58	S	3	bv
Sharp Peak,	"	30.38	56	60	S	1	b
Amoy,	"	30.27	57	87	NNE	3	c
Swatow,	"	30.20	60	..	NE	3	c
Canton,	"	30.31	55	94	N	1	r
Hongkong,	10 a.	30.28	60	50	ENE	5	c
Victoria Peak,	"		..	..	E	4	..
Gap Rock,	"	30.25	..	..	E	6	..
Macao,	"	30.29	62	..	ENE	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.04	88	66	S	1	c
Malate,	9 a.	..	..	..	SW	2	c
Bacolod,	"		..	..	NW	.	h
Iloilo,	"	29.90	80	..	N	3	b
Cebu,	"	29.98	84	..	N	4	b
Cape S. James,	7 a.	..	..	..	NE	6	c

On the 13th at 12.5p. The barometer has risen on the China coast. Pressure remains high over S. China and the Pacific towards the Loochoos. Gradients moderate with fresh to strong monsoon on the S. and SE coasts of China and the N. part of the China Sea.

Forecast:—strong or fresh NE winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 13th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

13th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.00	18	..	NW	5	c
Tokio,	"	29.86	..	..	SW	6	..
Kochi,	"	30.23	..	..	NW	4	..
Nagasaki,	"	30.35	..	..	W	8	..
Kagoshima,	"	30.35	..	..	NW	8	..
Taihoku,	1 p.	30.33	..	..	E	8	..
Taichu,	"	30.16	..	..	S	4	..
Tainan,	"	30.25	..	..	W	4	..
Koshun,	"	30.25	..	..	E	8	..
Pescadores,	"	30.26	..	..	NE	6	..
Gutzlaff,	3 p.	30.38	46	62	SSE	4	bv
Sharp Peak,	"	30.29	54	70	ENE	4	o
Amoy,	"	30.21	65	89	ENE	5	c
Swatow,	"	30.11	61	..	ENE	4	c
Canton,	"	30.21	57	94	N	2	r
Hongkong,	4 p.	30.16	60	54	ENE	4	o
Victoria Peak,	"	..	..	..	E	6	..
Gap Rock,	"	30.12	..	..	E	6	..
Macao,	"	30.16	62	..	NNE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	53	E	4	c
Malate,	3 p.	..	..	..	E	4	c
Bacolod,	"	..	..	..	NNE	6	b
Iloilo,	"	29.91	85	..	NE	2	b
Cebu,	"	29.90	84	..	N	3	o
Cape S. James,	"	..	..	..	NE	6	c

14th MARCH, 1901, A. M.

Wladivostock,	7 a.	30.15	11	80	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.20	..	..	E	2	..
Taichu,	"	30.16	..	..	N	2	..
Tainan,	"	30.19	..	..	N	4	..
Koshun,	"	30.27	..	..	W	6	..
Pescadores,	"	30.18	..	..	NE	6	..
Gutzlaff,	9 a.	30.26	46	84	S	4	cv
Sharp Peak,	"	30.22	56	81	..	0	o
Amoy,	"	30.17	59	88	..	0	od
Swatow,	"	30.14	60	..	NNE	2	o
Canton,	"	30.18	59	94	E	1	o
Hongkong,	10 a.	30.19	62	73	E	4	o
Victoria Peak,	"	..	..	..	ESE	..	..
Gap Rock,	"	30.16	..	..	ENE	6	..
Macao,	"	30.18	64	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	82	70	SW	1	c
Malate,	9 a.	..	..	..	SW	1	b
Bacolod,	"	..	..	..	NE	4	b
Iloilo,	"	29.98	80	..	NE	2	..
Cebu,	"	29.98	82	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	4	b

On the 14th at 11.55a. The barometer has fallen on the China coast, probably owing to the existence of a depression over N. China. Pressure is highest over W. Japan. Gradients slight with variable winds on the coast, and decreasing monsoon in the N. part of the China Sea.

Forecast:—E winds, decreasing; dull, some rain.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 14th March 1901

CHINA COAST METEOROLOGICAL REGISTER

14th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.26	..	..	S	6	..
Kochi,	"	30.31	..	..	S	2	..
Nagasaki,	"	30.34	..	..	S	2	..
Kagoshima,	"	30.34	..	..	SE	2	..
Taihoku,	1 p.	30.16	..	..	..	0	..
Taichu,	"	30.15	..	..	N	4	..
Tainan,	"	30.15	..	..	W	4	..
Koshun,	"	30.15	..	..	E	6	..
Pescadores,	"	30.18	..	..	NW	4	..
Gutzlaff,	3 p.	30.24	47	93	SE	2	fd
Sharp Peak,	"	30.12	57	52	..	0	o
Amoy,	"	30.13	60	82	SW	3	o
Swatow,	"	30.01	63	..	N	1	o
Canton,	"	30.10	60	94	N	1	o
Hongkong,	4 p.	30.08	64	78	E	3	o
Victoria Peak,	"	..	..	..	SE	5	..
Gap Rock,	"	30.08	..	..	E	4	..
Macao,	"	30.08	66	..	NNE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	88	54	E	2	c
Malate,	3 p.	..	..	..	E	3	c
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.90	86	..	N	3	b
Cebu,	"	29.87	84	..	N	5	b
Cape S. James,	"	..	..	..	NE	4	c

15th MARCH, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.22	..	..	..	0	..
Taichu,	"	30.16	..	..	..	0	..
Tainan,	"	30.14	..	..	N	2	..
Koshun,	"	30.13	..	..	NW	4	..
Pescadores,	"	30.16	..	..	N	2	..
Gutzlaff,	9 a.	30.32	46	92	N	1	f
Sharp Peak,	"	30.25	56	94	..	0	of
Amoy,	"	30.17	60	94	..	0	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.17	65	88	E	2	o
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	30.16	..	..	NE	3	..
Macao,	"	30.18	70	..	NNW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	82	70	WNW	1	c
Malate,	9 a.	..	..	..	NW	2	b
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	30.02	81	..	E	1	b
Cebu,	"	29.96	84	..	N	3	b
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 15th at 12.5p. The barometer is rising in N. China, the low pressure area having passed Eastwards towards the Sea of Japan. The monsoon will probably freshen in S. China and the N. part of the China Sea. Forecast:—NE winds, freshening; changeable, some drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 15th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

15th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.97	43	..	N	1	b
Tokio,	"	30.10	..	..	S	4	..
Kochi,	"	30.19	..	..	..	0	..
Nagasaki,	"	30.11	..	..	SE	6	..
Kagoshima,	"	30.11	..	..	NE	6	..
Taihoku,	1 p.	30.24	..	..	E	6	..
Taichu,	"	30.14	..	..	N	6	..
Tainan,	"	30.14	..	..	NW	6	..
Koshun,	"	30.16	..	..	NE	4	..
Pescadores,	"	30.19	..	..	N	10	..
Gutzlaff,	3 p.	30.28	45	92	N	2	cm
Sharp Peak,	"	30.19	58	84	E	5	od
Amoy,	"	30.14	63	78	NE	3	o
Swatow,	"	30.02	65	..	E	3	o
Canton,	"	30.09	72	46	N	1	o
Hongkong,	4 p.	30.08	65	89	SE	2	o
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.07	..	..	NE	3	..
Macao,	"	30.08	70	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	90	48	SE	2	b
Malate,	3 p.	..	..	..	ESE	3	b
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.89	86	..	NE	2	b
Cebu,	"	29.88	86	..	N	3	b
Cape S. James,	"	..	..	..	NE	4	c

16th MARCH, 1901, A. M.

Wladivostock,	7 a.	30.04	23	69	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	.	..
Taihoku,	5 a.	30.22	..	..	E	4	..
Taichu,	"	30.11	..	..	N	6	..
Tainan,	"	30.11	..	..	N	6	..
Koshun,	"	30.09	..	..	NE	4	..
Pescadores,	"	30.16	.	..	NE	8	..
Gutzlaff,	9 a.	30.36	43	75	NNE	2	cv
Sharp Peak,	"	30.29	54	87	..	0	o
Amoy,	"	30.19	58	88	ENE	2	o
Swatow,	"	.	..	..	.	..	..
Canton,	"	.			..	..	..
Hongkong,	10 a.	30.17	63	67	E	5	o
Victoria Peak,	"		..	..	E	3	..
Gap Rock,	"	30.15	..	..	ENE	4	..
Macao,	"	30.17	66	.	SE	1	o
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.04	81	76	NW	1	c
Malate,	9 a.	..	..	..	WNW	2	c
Bacolod,	"		..	..	NNE	2	b
Iloilo,	"	29.99	81	..	NW	2	b
Cebu,	"	29.97	83	..	N	2	c
Cape S. James,	7 a.	..	..	..	ENE	2	b

On the 16th at 11.55a. Barometric changes are slight. Pressure is high over N. China, and the depression is probably moving Eastwards over Japan. Gradients slight to moderate with fresh monsoon in S. China and the N. part of the China sea. Forecast—fresh or moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 16th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	"	29.82	..	..	NW	4	..
Kochi,	"	29.95	..	..	N	6	..
Nagasaki,	"	30.11	..	..	N	6	..
Kagoshima,	"	30.07	..	..	NW	6	..
Taihoku,	1 p.	30.15	..	..	SE	6	..
Taichu,	"	30.03	..	..	N	2	..
Tainan,	"	30.09	..	..	N	6	..
Koshun,	"	30.06	..	..	NE	6	..
Pescadores,	"	30.09	..	..	NE	10	..
Gutzlaff,	3 p.	30.32	48	71	NNE	1	cv
Sharp Peak,	"	30.21	53	80	NE	5	o
Amoy,	"	30.15	60	82	NE	2	o
Swatow,	"	30.12	65	..	E	3	c
Canton,	"	30.12	63	89	NE	1	or
Hongkong,	4 p.	30.09	64	60	E	4	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.09	..	..	ENE	4	..
Macao,	"	30.11	66	..	SE	1	o
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	90	44	SE	2	c
Malate,	3 p.	..	..	..	S	3	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.89	87	..	NE	1	c
Cebu,	"	29.93	85	..	N	3	c
Cape S. James,	"	..	..	..	ENE	4	c

17th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	.	..	..
Taihoku,	5 a.	30.12	..	..	E	6	..
Taichu,	"	30.03	..	..	N	2	..
Tainan,	"	30.01	..	..	N	6	..
Koshun,	"	30.00	..	..	NE	4	..
Pescadores,	"	30.03	..	..	NE	10	..
Gutzlaff,	9 a.	30.33	46	84	ENE	1	cm
Sharp Peak,	"	30.27	55	68	N	2	o
Amoy,	"	30.20	57	81	NE	3	o
Swatow,	"		..	..	.	.	
Canton,	"	30.18	60	94	..	0	b
Hongkong,	10 a.	30.21	59	90	E	2	o
Victoria Peak,	"		..	..	E	4	..
Gap Rock,	"	30.18	..	..	ENE	4	..
Macao,	"	30.20	61	..	SE	1	o
Haiphong,	7 a.	.	..	..		.	..
Manila,	10 a.	30.00	82	63	WNW	1	b
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	"		..	..	N	3	b
Iloilo,	"	29.97	81	..	E	2	b
Cebu,	"	29.94	84	..	N	3	b
Cape S. James,	7 a.	..	..	..	NE	6	c

On the 17th at 12.5p. Barometric changes are slight. Pressure is highest over the NE coast of China, and gradients are slight to moderate with fresh monsoon in S. China and the N. part of the China Sea. Forecast:—fresh or moderate NE winds; cloudy, some rain.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 17th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	N	6	..
Kochi,	"	30.15	..	..	N	10	..
Nagasaki,	"	30.23	..	..	E	2	..
Kagoshima,	"	30.19	..	..	NW	4	..
Taihoku,	1 p.	30.22	..	..	E	4	..
Taichu,	"	30.13	..	..	N	4	..
Tainan,	"	30.13	..	..	N	4	..
Koshun,	"	30.12	..	..	NE	8	..
Pescadores,	"	30.16	..	..	NE	10	..
Gutzlaff,	3 p.	30.32	50	20	ENE	2	bv
Sharp Peak,	"	30.18	57	78	E	4	c
Amoy,	"	30.12	66	64	E	3	c
Swatow,	"	30.16	62	..	ESE	2	o
Canton,	"	30.13	67	84	..	0	o
Hongkong,	4 p.	30.11	61	69	E	4	o
Victoria Peak,	"	..	..	..	E	4	..
Cap Rock,	"	30.09	..	..	ENE	4	..
Macao,	"	30.11	64	..	ESE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	58	SE	3	c
Malate,	3 p.	..	..	..	SE	4	b
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.85	86	..	NE	3	b
Cebu,	"	29.86	85	..	N	4	o
Cape S. James,	"	..	..	..	..	..	..

18th MARCH, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.18	..	..	E	6	..
Taichu,	"	30.09	..	..		0	..
Tainan,	"	30.12	..	..	N	2	..
Koshun,	"	30.12	..	..	NE	2	..
Pescadores,	"	30.17	..	..	NE	6	..
Gutzlaff,	9 a.	30.35	49	85	ESE	2	bv
Sharp Peak,	"	30.26	55	74	NW	3	o
Amoy,	"	30.19	60	88	SW	1	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.18	63	94	S	1	o
Hongkong,	10 a.	30.18	62	69	ENE	5	o
Victoria Peak,	"		..	..	E	7	..
Cap Rock,	"	30.17	..	..	ENE	5	..
Macao,	"	30.18	64	..	ENE	2	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	84	64	ENE	1	b
Malate,	9 a.	..	..	..	E	1	b
Bacolod,	"		..	..	NE	4	b
Iloilo,	"	29.99	81	..	E	2	c
Cebu,	"	29.97	84	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 18th at 12.5p. Barometric changes are slight. Pressure remains high over the E. coast of China with slight to moderate gradients and moderate to fresh monsoon in S. China, and the N. part of the China Sea. *Forecast:—fresh to moderate E winds; fair.*

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 18th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.18	..	..	NW	4	..
Kochi,	"	30.27	..	..	SE	4	..
Nagasaki,	"	30.31	..	..	W	6	..
Kagoshima,	"	30.27	..	..	SE	4	..
Taihoku,	1 p.	30.21	..	..	E	6	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	30.17	..	..	E	4	..
Pescadores,	"	30.20	..	..	NE	8	..
Gutzlaff,	3 p.	30.32	54	68	ESE	2	bv
Sharp Peak,	"	30.23	54	77	NW	2	o
Amoy,	"	30.17	63	78	NE	2	o
Swatow,	"	30.07	64	..	NE	3	o
Canton,	"	30.16	64	95	S	1	or
Hongkong,	4 p.	30.12	62	81	E	2	od
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	30.12	63	..	ENE	1	cr
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	88	59	SE	4	b
Malate,	3 p.	..	..	..	S	4	b
Bacolod,	"	..	..	..	NE	3	c
Iloilo,	"	29.89	87	..	E	2	b
Cebu,	"	29.85	85	..	N	3	b
Cape S. James,	"	..	..	..	NE	4	c

19th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.24	..	..	E	6	..
Taichu,	"	30.15	..	..	N	2	..
Tainan,	"	30.17	..	..	N	4	..
Koshun,	"	30.13	..	..	NE	8	..
Pescadores,	"	30.18	..	..	NE	6	..
Gutzlaff,	9 a.	30.39	49	78	SE	4	bv
Sharp Peak,	"	30.31	55	90	NNW	3	o
Amoy,	"	30.22	61	88	NE	1	od
Swatow,	"	.	..	..	..	..	.
Canton,	"	30.25	64	95	..	0	o
Hongkong,	10 a.	30.23	63	75	ENE	4	o
Victoria Peak,	"	..	..	..	E	7	..
Gap Rock,	"		..	..	..	..	..
Macao,	"	30.24	66	..	ENE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	88	47	E	1	c
Malate,	9 a.	..	..	..	E	3	b
Bacolod,	"	.	..	..	NE	2	b
Iloilo,	"	30.03	82	..	N	2	b
Cebu,	"	29.97	84	..	NE	..	c
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 19th at 12.5p. The barometer has risen slightly on the China coast. Pressure is highest between the E. coast of China and W. Japan, and gradients continue slight to moderate with fresh monsoon in S. China, and the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 19th March 1901

CHINA COAST METEOROLOGICAL REGISTER.

19th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.26	..	..	S	4	..
Kochi,	"	30.31	..	..	S	4	..
Nagasaki,	"	30.39	..	..	SW	6	..
Kagoshima,	"	30.35	..	..	S	4	..
Taihoku,	1 p.	30.26	..	..	E	6	..
Taichu,	"	30.20	..	..	..	0	..
Tainan,	"	30.20	..	..	N	6	..
Koshun,	"	30.21	..	..	NE	6	..
Pescadores,	"	30.22	..	..	NE	8	..
Gutzlaff,	3 p.	30.25	54	80	SE	4	bv
Sharp Peak,	"	30.24	56	87	W	2	og
Amoy,	"	30.16	73	72	NE	3	c
Swatow,	"	30.06	68	..	E	3	o
Canton,	"	30.16	68	90	..	0	o
Hongkong,	4 p.	30.14	63	79	ESE	1	o
Victoria Peak,	"	.	..	..	E	1	..
Gap Rock,	"	30.14	..	..	ENE	4	..
Macao,	"	30.14	68	..	E	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.92	90	53	SSE	3	c
Malate,	3 p.	..	..	..	SE	4	b
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.93	87	..	E	2	b
Cebu,	"	29.90	84	..	N	3	b
Cape S. James,	"	..	..	..	ENE	6	c

20th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.22	..	..	E	8	..
Taichu,	"	30.14	..	..	..	0	..
Tainan,	"	30.19	..	..	N	4	..
Koshun,	"	30.20	..	..	NE	4	..
Pescadores,	"	30.21	..	..	NE	6	..
Gutzlaff,	9 a.	30.27	51	86	SE	3	cv
Sharp Peak,	"		..	.	..	..	..
Amoy,	"	30.22	65	84	NNW	1	b
Swatow,	"	30.26	65	..	W	1	o
Canton,	"	30.30	67	95	..	0	o
Hongkong,	10 a.	30.25	70	66	E	2	b
Victoria Peak,	"	.	..	..	E	4	..
Gap Rock,	"	30.25	..	..	ENE	4	..
Macao,	"	30.27	71	..	ENE	1	b
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.08	82	70	WNW	1	c
Malate,	9 a.	..	.	..	W	2	c
Bacolod,	"	.	..	..	NNE	2	b
Iloilo,	"	30.02	81	..	E	2	c
Cebu,	"	30.00	83	..	N	4	b
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 20th at 12.5p. The barometer has fallen slightly on the E. coast of China, risen a little on the S. coast. Pressure is highest in the neighbourhood of W. Japan. Gradients slight on the China coast, moderate with fresh monsoon in the N. part of the China Sea.
Forecast:—moderate or light NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 20th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.12	38	..	S	3	or
Tokio,	"	30.34	..	..	S	6	..
Kochi,	"	30.35	..	..	SE	4	..
Nagasaki,	"	30.35	..	..	SW	4	..
Kagoshima,	"	30.27	..	..	E	6	..
Taihoku,	1 p.	30.21	..	..	SE	6	..
Taichu,	"	30.17	..	..	NW	2	..
Tainan,	"	30.20	..	..	NW	4	..
Koshun,	"	30.27	..	..	E	6	..
Pescadores,	"	30.24	..	..	NE	6	..
Gutzlaff,	3 p.	30.31	53	86	SE	4	cv
Sharp Peak,	"	30.24	60	85	WNW	1	b
Amoy,	"	30.16	69	80	SE	5	b
Swatow,	"	30.16	69	..	E	3	f
Canton,	"	30.22	69	88	NW	1	o
Hongkong,	4 p.	30.17	70	66	E	2	o
Victoria Peak,	"	..	..	..	NW	1	..
Gap Rock,	"	30.16	..	..	ENE	3	..
Macao,	"	30.18	73	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	88	54	SE	3	c
Malate,	3 p.	..	..	..	SE	3	b
Bacoled,	"	..	..	..	..	3	b
Iloilo,	"	29.94	86	..	N	2	h
Cebu,	"	29.89	84	..	N	4	h
Cape S. James,	"	..	..	..	ENE	5	c

21st MARCH, 1901, A. M.

Wladivostock,	7 a.	30.01	37	69	..	0	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.23	..	..	..	0	..
Taichu,	"	30.21	..	..	..	0	..
Tainan,	"	30.21	..	..	N	4	..
Koshun,	"	30.24	..	..	..	0	..
Pescadores,	"	30.24	..	..	NE	6	..
Gutzlaff,	9 a.	30.39	47	100	NE	4	omd
Sharp Peak,	"	30.27	60	85	NW	2	o
Amoy,	"	30.22	64	89	S	2	c
Swatow,	"	30.25	67	..	SE	1	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.23	70	67	ENE	3	c
Victoria Peak,	"	.	..	..	E	6	..
Gap Rock,	"	30.22	..	..	ENE	4	..
Macao,	"	30.24	74	..	SSE	1	b
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	30.08	84	53	E	2	b
Malate,	9 a.	..	..	..	SE	2	b
Bacoled,	"	.	..	..	NE	3	b
Iloilo,	"	30.04	81	..	E	2	b
Cebu,	"	30.03	84	..	N	4	o
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 21st at 11.55a. The barometer has risen moderately over the NE coast of China, fallen slightly in S. China. Pressure is high over N. China, low in the NE part of the Sea of Japan. Gradients slight to moderate with fresh monsoon on the coast, and in the N. part of the China Sea.

Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 21st March 1901

CHINA COAST METEOROLOGICAL REGISTER.

21st MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.14	..	..	SW	6	..
Kochi,	"	30.19	..	..	SE	4	..
Nagasaki,	"	30.27	..	..	W	6	..
Kagoshima,	"	30.27	..	..	W	6	..
Taihoku,	1 p.	30.18	..	..	..	0	..
Taichu,	"	30.18	..	..	NW	2	..
Tainan,	"	30.20	..	..	W	6	..
Koshun,	"	30.22	..	..	E	6	..
Pescadores,	"	30.23	..	..	NE	6	..
Gutzlaff,	3 p.	30.36	47	100	NE	4	omd
Sharp Peak,	"	..	..	..	..	.	.
Amoy,	"	30.14	69	80	SE	5	c
Swatow,	"	30.12	70	..	E	3	c
Canton,	"	30.13	79	78	SW	1	c
Hongkong,	4 p.	30.12	69	77	E	2	o
Victoria Peak,	"	.	..	..	E	4	..
Cap Rock,	"	30.11	..	..	ENE	3	..
Macao,	"	30.13	73	..	SSE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.96	88	42	ESE	3	b
Malate,	3 p.	..	..	..	ESE	2	b
Bacoled,	"	..	..	..	NE	3	c
Iloilo,	"	29.93	85	..	E	3	c
Cebu,	"	29.92	85	..	N	3	o
Cape S. James,	"	..	..	..	NE	5	c

22nd MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.17	..	..	..	0	..
Taichu,	"	30.16	..	..	..	0	..
Tainan,	"	30.16	..	..	N	2	..
Koshun,	"	30.16	..	..	..	0	..
Pescadores,	"	30.18	..	..	NE	4	..
Gutzlaff,	9 a.	30.33	44	92	ENE	6	omd
Sharp Peak,	"	30.17	56	87	E	3	f
Amoy,	"	30.14	62	89	SE	2	o
Swatow,	"	.	.	..	.		..
Canton,	"	30.16	71	90	..	0	o
Hongkong,	10 a.	30.14	67	85	ENE	3	o
Victoria Peak,	"	.	..	..	E	4	..
Cap Rock,	"	30.13	..	..	E	3	..
Macao,	"	30.15	70	..	ENE	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	30.04	82	63	NW	1	c
Malate,	9 a.	..	..	..	NW	2	c
Bacoled,	"	.	..	..	NE	5	o
Iloilo,	"	30.00	86	..	N	2	..
Cebu,	"	29.97	84	..	N	3	o
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 22nd at 11.50a. The barometer has fallen on the China coast. Pressure is highest between the E. coast of China and W. Japan. Gradients moderate to slight. Fresh to moderate monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate or fresh E winds; some drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 22nd March 1901

CHINA COAST METEOROLOGICAL REGISTER.

22nd MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.93	42	..	S	1	b
Tokio,	"	29.98	..	..	E	4	..
Kochi,	"	30.15	..	..	S	2	..
Nagasaki,	"	30.23	..	..	SW	2	..
Kagoshima,	"	30.23	..	..	NW	2	..
Taihoku,	1 p.	30.13	..	..	NW	4	..
Taichu,	"	30.11	..	..	W	4	..
Tainan,	"	30.10	..	..	W	6	..
Koshun,	"	30.13	..	..	SE	6	..
Pescadores,	"	30.14	..	..	NE	6	..
Gutzlaff,	3 p.	30.26	43	92	ENE	.	omr
Sharp Peak,	"	30.10	55	87	E	2	od
Amoy,	"	30.07	62	89	SE	3	..
Swatow,	"	29.96	70	..	E	3	b
Canton,	"	30.05	71	90	..	0	og
Hongkong,	4 p.	30.02	67	88	ESE	3	o
Victoria Peak,	"	..	..	..	SSE	2	..
Gap Rock,	"	30.00	..	..	ENE	3	..
Macao,	"	30.02	72	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	88	47	E	2	c
Malate,	3 p.	..	..	..	SE	2	b
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.89	85	..	E	1	c
Cebu,	"	29.90	84	..	NE	4	o
Cape S. James,	"	..	..	..	NE	3	c

23rd MARCH, 1901, A. M.

Wladivostock,	7 a.	29.93	34	87	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	.	..	..
Taihoku,	5 a.	30.12	..	..	NW	2	..
Taichu,	"	30.07	..	..	NW	2	..
Tainan,	"	.	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	.	..	..	.	..
Gutzlaff,	9 a.	30.24	45	92	N	4	omp
Sharp Peak,	"	30.16	53	93	E	2	o
Amoy,	"	30.09	60	88	ENE	1	or
Swatow,	"	30.11	65	..	SE	1	od
Canton,	"	30.16	63	89	N	1	o
Hongkong,	10 a.	30.11	67	97	W	1	od
Victoria Peak,	"	..	..	..	WNW	3	..
Gap Rock,	"	30.11	..	..	NNW	4	..
Macao,	"	30.13	67	..	NW	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	30.04	82	63	WNW	2	b
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	"		..	..	N	3	b
Iloilo,	"	29.99	81	..	E	2	c
Cebu,	"	30.00	85	..	NE	3	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 23rd at 12.5p. The barometer has fallen on the China coast. Pressure is highest over N. China, and probably a depression lies near SW. Japan. Gradients slight with moderate monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate or fresh N winds; dull, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 23rd March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.83	47	..	SE	3	b
Tokio,	"	30.10	..	..	E	2	..
Kochi,	"	30.07	..	..	..	0	..
Nagasaki,	"	29.99	..	..	N	2	..
Kagoshima,	"	29.91	..	..	NE	8	..
Taihoku,	1 p.	30.09	..	..	NW	6	..
Taichu,	"	30.05	..	..	N	4	..
Tainan,	"	30.03	..	..	N	6	..
Koshun,	"	30.06	..	..	NW	6	..
Pescadores,	"	30.08	..	.	NE	6	..
Gutzlaff,	3 p.	30.18	48	85	N	2	cm
Sharp Peak,	"	30.08	55	90	E	1	o
Amoy,	"	30.04	62	83	SE	3	o
Swatow,	"	30.03	68	..	NW	2	o
Canton,	"	30.09	69	75	NE	2	c
Hongkong,	4 p.	30.04	68	88	..	0	o
Victoria Peak,	"	..	..	..	NNW	1	..
Gap Rock,	"	30.04	..	..	NNW	4	..
Macao,	"	30.04	73	..	NNW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	90	48	SE	2	b
Molate,	3 p.	..	..	..	SE	3	b
Bacolod,	"	..	..	..	NNE	5	c
Iloilo,	"	29.88	85	..	..	.	..
Cebu,	"	29.87	84	..	N	3	c
Cape S. James,	"	..	..	..	ENE	3	c

24th MARCH, 1901, A. M.

Wladivostock,	7 a.	29.79	36	55	N	4	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	.	..
Taihoku,	5 a.	30.18	..	..	..	0	..
Taichu,	"	30.09	..	..	N	2	..
Tainan,	"	30.08	..	..	N	4	..
Koshun,	"	30.07	..	..	NE	4	..
Pescadores,	"	30.17	.	..	NE	8	..
Gutzlaff,	9 a.	30.16	47	93	SW	3	bv
Sharp Peak,	"	30.19	54	87	ENE	3	o
Amoy,	"	30.09	60	82	NE	2	c
Swatow,	"	..	.	..	..	..	..
Canton,	"	.		..		.	
Hongkong,	10 a.	30.17	68	53	E	1	b
Victoria Peak,	"		..	..	E	1	..
Gap Rock,	"	30.17	..	..	NNE	2	..
Macao,	"	30.18	69	..	NNE	1	b
Haiphong,	7 a.	.	..	..		.	..
Manila,	10 a.	30.00	84	64	W	1	b
Molate,	9 a.	..	..	..	WSW	2	b
Bacolod,	"		..	..	NE	3	c
Iloilo,	"	29.98	81	..	..	1	c
Cebu,	"	29.97	82	..	N	3	o
Cape S. James,	7 a.	..	..	..	ENE	3	c

On the 24th at 12.5p. The barometer has fallen in N. China and the Sea of Japan, risen in S. China. The depression seems to be moving NE in the Sea of Japan. Gradients slight with moderate monsoon in S. China and the N. part of the China Sea. Forecast:—moderate or light NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 24th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	"	29.78	..	..	NW	6	..
Kochi, ...	"	29.87	..	..	..	0	..
Nagasaki, ...	"	29.95	..	..	W	6	..
Kagoshima.....	"	29.95	..	..	N	6	..
Taiboku, ...	1 p.	30.19	..	..	N	6	..
Taichu, ...	"	30.08	..	..	N	6	..
Tainan, ...	"	30.09	..	..	N	6	..
Koshun, ...	"	30.09	..	..	NE	6	..
Pescadores, . .	"	30.15	..	.	NE	8	..
Gutzlaff, ...	3 p.	30.10	56	75	WSW	4	bv
Sharp Peak, ..	"	30.11	57	81	E	2	b
Amoy, ...	"	30.07	60	88	SE	1	c
Swatow, ...	"	30.07	68	..	NW	2	c
Canton, ...	"	30.10	78	58	..	0	b
Hongkong, ...	4 p.	30.07	65	67	E	2	b
Victoria Peak,	"	.	..	..	NW	1	..
Gap Rock, . ..	"	30.09	..	..	NNE	3	..
Macao.....	"	30.08	72	..	E	1	c
Haiphong, ...	1 p.	.	.	..	..	..	..
Manila, ...	4 p.	29.88	90	60	SW	1	b
Malate, ...	3 p.	..	..	..	W	2	b
Bacolod, ...	"	..	..	..	N	3	c
Iloilo, ...	"	29.87	85	..	NE	2	o
Cebu, ...	"	29.86	84	..	NE	3	o
Cape S. James,	"	..	..	..	..	..	..

25th MARCH, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	7 a.	.	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi.	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	..	..	..	.	.	..
Taiboku, ...	5 a.	30.19	..	..	E	6	..
Taichu, ...	"	30.12	..	..	..	0	..
Tainan, ...	"	30.13	..	..	N	2	..
Koshun, ...	"	30.13	..	..	NE	4	..
Pescadores ...	"	30.15	..	..	NE	8	..
Gutzlaff.	9 a.	30.23	55	50	NE	1	bm
Sharp Peak. ..	"	30.22	60	71	..	0	b
Amoy,..... ..	"	30.16	59	88	W	1	bm
Swatow, ...	"	30.10	66	..	NNE	2	b
Canton.	"	30.18	67	84		1	b
Hongkong. ...	10 a.	30.16	68	58	E	3	b
Victoria Peak,	"		..	..	..	..	..
Gap Rock.	"	30.16	..	..	E	4	..
Macao..... ..	"	30.16	70	..	ESE	1	b
Haiphong, ...	7 a.	.	..	..		.	..
Manila.	10 a.	30.00	82	70	W	1	b
Malate.	9 a.	.	.	..	W	2	b
Bacolod, ...	"		..	..	NE	2	b
Iloilo, ...	"	29.96	81	..	NW	3	o
Cebu, ...	"	29.95	85	..	NE	2	o
Cape S. James,	7 a.	...	..	..	NE	5	c

On the 25th at 11.55a. The barometer has risen on the E. coast of China, and is little changed in the South. Pressure is highest between the E. coast of China and W. Japan, and gradients are slight with light winds on the coast, and moderate monsoon in the N. part of the China Sea.
Forecast:—light or moderate E winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 25th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.66	58	..	NW	2	..
Tokio,	"	29.98	..	..	S	6	..
Kochi,	"	30.11	..	..	SE	4	..
Nagasaki,	"	30.11	..	..	W	6	..
Kagoshima,	"	30.11	..	..	SW	2	..
Taihoku,	1 p.	30.15	..	..	E	6	..
Taichu,	"	30.08	..	..	W	2	..
Tainan,	"	30.11	..	..	W	6	..
Koshun,	"	30.13	..	..	E	6	..
Pescadores,	"	30.15	..	..	N	8	..
Gutzlaff,	3 p.	30.19	59	58	ESE	2	cm
Sharp Peak,	"	30.12	66	52	NE	2	b
Amoy,	"	30.09	70	61	ENE	2	b
Swatow,	"	29.96	69	..	E	4	b
Canton,	"	30.06	79	61	S	2	b
Hongkong,	4 p.	30.04	67	62	SE	3	b
Victoria Peak,	"	..	..	..	ESE	3	..
Gap Rock,	"	30.04	..	..	E	3	..
Macao,	"	30.05	73	..	SSE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	91	49	..	0	c
Malate,	3 p.	..	..	..	E	3	c
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.86	81	..	E	1	c
Cebu,	"	29.86	84	..	N	2	c
Cape S. James,	"	..	..	..	ENE	4	c

26th MARCH, 1901, A. M.

Wladivostock,	7 a.	30.04	39	52	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.11	..	..	S	2	..
Taichu,	"	30.09	..	..	..	0	..
Tainan,	"	30.09	..	..	N	2	..
Koshun,	"	30.12	..	..	E	6	..
Pescadores,	"	30.09	..	..	NE	2	..
Gutzlaff,	9 a.	30.14	50	100	SE	4	cm
Sharp Peak,	"	30.09	62	64	W	1	c
Amoy,	"	30.07	62	77	WSW	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.10	67	84	..	0	c
Hongkong,	10 a.	30.08	70	72	E	2	c
Victoria Peak,	"		..	..	SSE	5	..
Gap Rock,	"	30.08	..	..	E	3	..
Macao,	"	30.09	72	..	S	1	c
Haiphong,	7 a.	..	..	..		..	..
Manila,	10 a.	29.96	88	66	WSW	1	c
Malate,	9 a.	..	..	..	W	1	c
Bacolod,	"		..	..	NNW	2	b
Iloilo,	"	29.97	84	..	E	4	c
Cebu,	"	29.95	84	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 26th at 11.55a. The *barometer has fallen on the China coast, risen* in the Sea of Japan. Pressure is highest over Japan, and probably a depression is forming over Central China. Gradients slight with light variable winds on the coast, and light monsoon in the N. part of the China Sea. Forecast:—E and varying winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 26th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	S	4	..
Kochi,	"	30.07	..	..	SE	2	..
Nagasaki,	"	30.11	..	..	W	6	..
Kagoshima,	"	30.11	..	..	NW	6	..
Taihoku,	1 p.	30.06	..	..	W	8	..
Taichu,	"	30.05	..	..	NW	4	..
Tainan,	"	30.05	..	..	W	6	..
Koshun,	"	30.06	..	..	E	6	..
Pescadores,	"	30.09	..	..	N	6	..
Gutzlaff,	3 p.	30.12	51	100	SSE	4	cm
Sharp Peak,	"	30.00	63	72	..	0	og
Amoy,	"	30.00	70	65	SE	5	c
Swatow,	"	29.88	70	..	E	3	b
Canton,	"	29.98	77	82	S	1	c
Hongkong,	4 p.	29.95	69	83	E	2	o
Victoria Peak,	"	..	..	..	SSE	2	..
Gap Rock,	"	29.95	..	..	E	3	..
Macao,	"	29.96	73	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	90	60	ESE	1	o
Malate,	3 p.	..	..	..	SW	2	cd
Bacolod,	"	..	..	..	N	2	c
Iloilo,	"	29.86	82	..	N	2	o
Cebu,	"	29.86	84	..	N	4	c
Cape S. James,	"	..	..	..	NE	2	c

27th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	.	.	..
Taihoku,	5 a.	30.05	..	..	SW	2	..
Taichu,	"	30.03	..	..	..	0	..
Tainan,	"	30.03	..	..	E	2	..
Koshun,	"	30.04	..	..	NE	2	..
Pescadores,	"	30.05	..	..	..	0	..
Gutzlaff,	9 a.	30.07	51	93	SE	5	cm
Sharp Peak,	"	30.03	61	94	..	0	o
Amoy,	"	30.02	65	84	..	0	cm
Swatow,	"	29.96	70	..	E	2	c
Canton,	"		..		..	..	..
Hongkong,	10 a.	30.03	71	88	E	1	c
Victoria Peak,	"	.	..	..	SSE	2	..
Gap Rock,	"	30.01	..	..	E	3	..
Macao,	"	30.04	73	..	SSE	1	c
Haiphong,	7 a.	.	..	..		..	..
Manila,	10 a.	29.96	84	77	W	1	c
Malate,	9 a.	..	..	..	SW	1	c
Bacolod,	"		..	..	NE	2	b
Iloilo,	"	29.99	84	..	N	1	c
Cebu,	"	29.94	84	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 27th at 11.55a. The barometer continues to fall on the China coast. Pressure is highest over the Pacific to the S. of Japan, and a low pressure area appears to be lying over Central China. Gradients gentle with light variable winds in S. China and the N. part of the China Sea.

Forecast:—E or varying winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 27th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.85	42	..	SE	5	or
Tokio,	"	30.14	..	..	S	4	..
Kochi,	"	30.11	..	..	SE	4	..
Nagasaki,	"	30.07	..	..	W	6	..
Kagoshima,	"	30.07	..	..	S	4	..
Taihoku,	1 p.	30.02	..	..	W	2	..
Taichu,	"	30.00	..	..	W	2	..
Tainan,	"	29.99	..	..	W	4	..
Koshun,	"	30.01	..	..	SW	4	..
Pescadores,	"	30.02	..	..	NW	2	..
Gutzlaff,	3 p.	30.01	51	93	ESE	4	f
Sharp Peak,	"	29.93	65	84	..	0	b
Amoy,	"	29.94	74	76	SE	4	c
Swatow,	"	29.82	72	..	E	2	o
Canton,	"	29.95	78	86	S	1	c
Hongkong,	4 p.	29.92	72	85	E	1	c
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	29.93	..	..	.	0	..
Macao,	"	29.92	75	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.84	88	72	SW	2	b
Malate,	3 p.	..	..	..	SW	1	b
Bacolod,	"	..	..	..	S	2	r
Iloilo,	"	29.86	85	..	E	2	c
Cebu,	"	29.86	85	..	N	2	c
Cape S. James,	"	..	..	..	E	2	c

28th MARCH, 1901, A. M.

Wladivostock,	7 a.	29.87	36	90	WSW	4	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.00	..	..	S	2	..
Taichu,	"	29.97	..	..	..	0	..
Tainan,	"	29.98	..	..	..	0	..
Koshun,	"	30.00	..	..	..	0	..
Pescadores,	"	29.99	..	..	SW	2	..
Gutzlaff,	9 a.	30.10	49	100	N	2	of
Sharp Peak,	"	29.99	62	85	..	0	o
Amoy,	"	29.98	69	85	..	0	om
Swatow,	"	..	..	..	.	.	.
Canton,	"	30.02	71	95	.	.	.
Hongkong,	10 a.	30.00	72	84	..	.	.
Victoria Peak,	"	.	..	..	..	0	.
Gap Rock,	"	30.00	..	..	NW	1	.
Macao,	"	30.01	71	..	WSW	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.96	88	66	W	1	b
Malate,	9 a.	..	..	..	WNW	1	b
Bacolod,	"		..	..	NW	2	b
Iloilo,	"	29.98	84	..	NW	1	b
Cebu,	"	29.97	84	..	N	2	c
Cape S. James.	7 a.	..	..	..	ESE	1	c

On the 28th at 12.5p. The barometer is inclined to rise on the China coast, the depression having passed to the Sea of Japan. Gradients gentle with light variable winds and foggy weather on the coast, and in the N. part of the China Sea. Forecast:—varying winds, light; fair, but some fog or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 28th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.94	41	..	N	4	o
Tokio,	"	30.18	..	..	S	4	..
Kochi,	"	30.07	..	..	SE	4	..
Nagasaki,	"	29.99	..	..	SE	4	..
Kagoshima,	"	29.99	..	..	SE	6	..
Taihoku,	1 p.	29.99	..	..	N	4	..
Taichu,	"	29.96	..	..	N	2	..
Tainan,	"	29.97	..	..	NW	6	..
Koshun,	"	29.97	..	..	N	6	..
Pescadores,	"	29.99	..	..	N	4	..
Gutzlaff,	3 p.	30.05	52	100	NNE	2	b
Sharp Peak,	"	29.96	61	85	E	3	o
Amoy,	"	29.93	66	89	SE	3	om
Swatow,	"	29.85	71	..	..	0	r
Canton,	"	29.95	75	90	..	0	..
Hongkong,	4 p.	29.92	75	72	W	1	o
Victoria Peak,	"	..	..	..	S	1	..
Cap Rock,	"	29.92	..	..	NE	2	..
Macao,	"	29.94	73	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	93	56	SE	2	b
Malate,	3 p.	..	..	..	S	2	o
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.86	87	..	.	0	o
Cebu,	"	29.85	85	..	N	4	b
Cape S. James,	"	..	..	..	SSE	1	c

29th MARCH, 1901, A. M.

Wladivostock,	7 a.	30.08	30	39	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.11	..	..	E	4	..
Taichu,	"	30.03	..	..	..	0	..
Tainan,	"	30.03	..	..	N	4	..
Koshun,	"	30.03	..	..	N	2	..
Pescadores,	"	30.05	..	..	NE	6	..
Gutzlaff,	9 a.	30.33	45	76	N	6	o
Sharp Peak,	"	30.22	57	87	NE	3	od
Amoy,	"	30.10	62	80	NE	7	o
Swatow,	"	..	..	..	..	.	..
Canton,	"	30.13	70	85	.	0	og
Hongkong,	10 a.	30.07	73	77	.	0	o
Victoria Peak,	"	.	..	..	ENE	2	..
Cap Rock,	"	30.07	..	..	NNE	1	..
Macao,	"	30.08	76	..	NNE	1	c
Haiphong,	7 a.	.	..	..		..	..
Manila,	10 a.	30.06	86	71	NNW	1	c
Malate,	9 a.	..	.	..	N	3	c
Bacolod,	"		..	..	NE	2	b
Iloilo,	"	29.98	86	..	E	1	c
Cebu,	"	29.97	86	..		0	c
Cape S. James,	7 a.	..	..	..	E	2	c

On the 29th at 11.40 a. The barometer has risen on the China coast, particularly in the North. The depression is probably crossing Japan, and pressure is high over N. China. Strong monsoon on the coast, and increasing monsoon in the N. part of the China Sea.

Forecast:—NE. winds, freshening to strong breezes; dull, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 29th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	S	8	..
Kochi,	"	29.83	..	..	..	0	..
Nagasaki,	"	29.95	..	..	N	8	..
Kagoshima	"	29.87	..	..	NW	6	..
Taihoku,	1 p.	30.23	..	..	N	6	..
Taichu,	"	30.05	..	..	N	6	..
Tainan,	"	30.06	..	..	N	6	..
Koshun,	"	30.05	..	..	NE	6	..
Pescadores,	"	30.11	..	..	NE	10	..
Gutzlaff,	3 p.	30.32	46	69	N	5	cm
Sharp Peak,	"	30.18	57	78	ENE	5	o
Amoy,	"	30.11	64	84	NE	7	o
Swatow,	"	30.01	64	..	ENE	4	r
Canton,	"	30.08	66	95	N	1	r
Hongkong,	4 p.	30.09	66	82	ENE	1	od
Victoria Peak,	"	..	..	..	NE	4	..
Gap Rock,	"	30.05	..	..	NNW	4	..
Macao	"	30.07	69	..	N	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	90	66	SW	1	o
Malate,	3 p.	..	..	..	SSE	2	c
Bacolod,	"	..	..	..	SSE	2	d
Iloilo,	"		..	..	..	..	..
Cebu,	"	29.88	86	..	N	4	c
Cape S. James,	"	..	..	..	E	3	c

30th MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	.	.	..
Taihoku,	5 a.	30.26	..	..	E	4	..
Taichu,	"	30.13	..	..	NE	4	..
Tainan,	"	30.15	..	..	N	4	..
Koshun,	"		..	..	..	.	..
Pescadores,	"	30.18	..	.	NE	10	..
Gutzlaff,	9 a.	30.26	44	68	NNE	3	bv
Sharp Peak,	"	30.30	53	73	E	4	o
Amoy	"	30.23	69	85	NE	3	c
Swatow,	"	..	..	..	..	.	..
Canton,	"	..	..	..	.	..	..
Hongkong,	10 a.	30.22	64	79	E	3	o
Victoria Peak,	"		..	..	E	2	..
Gap Rock,	"	30.21	..	..	E	5	..
Macao	"	30.24	69	..	ENE	1	o
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	30.06	88	59	..	0	c
Malate,	9 a.	.	.	..	SW	1	b
Bacolod,	"		..	..	NNW	3	b
Iloilo,	"	29.98	83	..	E	1	c
Cebu,	"	29.96	85	..	N	3	c
Cape S. James,	7 a.	..	..	..	E	3	c

On the 30th at 12.5p. The barometer has risen in S. China. High pressure covers the China coast, and the depression has probably passed to the E. of Japan. Fresh to moderate monsoon on the coast, strong monsoon in the N. part of the China Sea. Forecast:—fresh to moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 30th March 1901.

CHINA COAST METEOROLOGICAL REGISTER.

30th MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.94	..	..	N	6	..
Kochi,	,,	29.99	..	..	NE	4	..
Nagasaki,	,,	30.11	..	..	NW	8	..
Kagoshima,	,,	30.03	..	..	N	6	..
Taihoku,	1 p.	30.27	..	..	NE	6	..
Taichu,	,,	30.13	..	..	N	6	..
Tainan,	,,	30.13	..	..	N	6	..
Koshun,	,,	30.15	..	..	NE	6	..
Pescadores,	,,	30.19	..	..	NE	10	..
Gutzlaff,	3 p.	30.31	50	58	NNE	2	bv
Sharp Peak,	,,	30.23	56	65	E	3	o
Amoy,	,,	30.13	66	68	E	5	c
Swatow,	,,	30.09	60	..	E	3	c
Canton,	,,	30.14	73	72	..	0	o
Hongkong,	4 p.	30.12	66	71	SE	2	o
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock,	,,	30.11	..	..	E	5	..
Macao,	,,	30.13	69	..	ESE	5	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	88	59	E	3	c
Malate,	3 p.	..	..	..	S	3	b
Bacolod,	,,	..	..	..	N	2	b
Iloilo,	,,	29.86	89	..	E	1	c
Cebu,	,,	29.88	85	..	N	3	b
Cape S. James,	,,	..	..	..	E	4	c

31st MARCH, 1901, A. M.

Wladivostock,	7 a.	..	..	..	.	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	.	.	..
Taihoku,	5 a.	30.27	..	..	E	4	..
Taichu,	,,	30.18	..	..	..	6	..
Tainan,	,,	30.18	..	..	N	4	..
Koshun,	,,	30.17	..	..	NE	6	..
Pescadores,	,,	30.20	..	.	NE	6	..
Gutzlaff,	9 a.	30.40	48	71	ENE	2	bv
Sharp Peak,	,,	30.34	58	67	N	2	b
Amoy,	,,	30.23	59	76	N	1	c
Swatow,	,,	30.21	63	..	NE	3	b
Canton,	,,	30.23	70	85	N	2	b
Hongkong,	10 a.	30.23	67	75	ESE	2	c
Victoria Peak,	,,		..	..	E	2	..
Gap Rock,	,,	30.22	..	..	E	4	..
Macao,	,,	30.23	70	..	SE	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.00	86	65	WSW	2	c
Malate,	9 a.	..	..	..	N	2	c
Pacolod,	,,	.	..	..	N	2	b
Iloilo,	,,	29.98	83	..	N	1	b
Cebu,	,,	29.97	75	..	N	3	c
Cape S. James,	7 a.	..	..	..	NNE	2	o

On the 31st at 11.55a. Barometric changes are slight. Pressure remains high over China, and gradients are slight to moderate with moderate monsoon on the coast, and fresh monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 31st March 1901

CHINA COAST METEOROLOGICAL REGISTER.

31st MARCH, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.18	..	..	S	4	...
Kochi,	"	30.15	..	..	S	2	..
Nagasaki,	"	30.23	..	..	N	6	..
Kagoshima,	"	30.19	..	..	W	4	..
Taihoku,	1 p.	30.28	..	..	E	6	..
Taichu,	"	30.17	..	..	N	6	..
Tainan,	"	30.18	..	..	W	6	..
Koshun,	"	30.20	..	..	E	8	..
Pescadores,	"	30.24	..	..	NE	10	..
Gutzlaff,	3 p.	30.41	52	53	NNE	2	bv
Sharp Peak,	"	30.30	56	69	E	3	o
Amoy,	"	30.16	69	85	ENE	1	c
Swatow,	"	30.12	66	..	E	5	b
Canton,	"	30.14	73	72	N	1	b
Hongkong,	4 p.	30.15	67	66	ESE	3	c
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.13	..	..	ENE	4	..
Macao,	"	30.16	71	..	SE	1	o
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.88	84	71	SE	2	b
Malate,	3 p.	..	..	..	SSE	2	c
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.88	90	..	E	1	c
Cebu,	"	29.91	86	..	N	3	b
Cape S. James,	"	..	..	..	..	..	..

1st APRIL, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	.	..
Taihoku,	5 a.	30.30	..	..	E	6	..
Taichu,	"	30.20	..	..	..	0	..
Tainan,	"	30.20	..	..	E	2	..
Koshun,	"	30.20	..	..	NE	8	..
Pescadores,	"	30.20	.	..	NE	10	..
Gutzlaff,	9 a.	30.34	49	71	SSE	4	bv
Sharp Peak,	"	30.33	58	70	WNW	1	b
Amoy,	"	30.24	62	72	NNE	2	c
Swatow,	"	30.16	63	..	ENE	3	o
Canton,	"	30.13	68	74	S	1	o
Hongkong,	10 a.	30.22	63	76	E	5	cd
Victoria Peak,	"	.	..	..	E	4	..
Gap Rock,	"	30.20	..	..	E	4	..
Macao,	"	30.24	66	..	E	1	o
Haiphong,	7 a.	.	.	..	.	.	..
Manila,	10 a.	30.00	86	65	..	0	c
Malate,	9 a.	.	.	..	SE	1	c
Bacolod,	"		..	..	NE	2	b
Iloilo,	"	29.97	84	..	E	2	b
Cebu,	"	30.00	85	..	N	4	b
Cape S. James,	7 a.	.	..	..	NE	3	c

On the 1st at 12.5p. The barometer has fallen in the North and remains steady in the South. Pressure is highest between the E. coast of China and W. Japan. Gradients slight to moderate with moderate to fresh monsoon in S. China and the N. part of the China Sea.

Forecast:—fresh to moderate E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 1st April 1901

CHINA COAST METEOROLOGICAL REGISTER.

1st APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.22	..	..	E	2	..
Kochi,	,,	30.34	..	..	S	2	..
Nagasaki,	,,	30.31	..	..	W	6	..
Kagoshima,	,,	30.31	..	..	SE	4	..
Taihoku,	1 p.	30.25	..	..	E	8	..
Taichu,	,,	30.15	..	..	NW	4	..
Tainan,	,,	30.19	..	..	W	6	..
Koshun,	,,	30.22	..	..	E	6	..
Pescadores,	,,	30.20	..	..	NE	10	..
Gutzlaff,	3 p.	30.22	54	74	SSE	5	bv
Sharp Peak,	,,	30.22	61	71	E	1	b
Amoy,	,,	30.14	70	66	ENE	4	c
Swatow,	,,	30.08	64	..	E	3	o
Canton,	,,	30.17	71	71	S	1	o
Hongkong,	4 p.	30.13	65	62	E	4	o
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	30.13	..	..	E	5	..
Macao,	,,	30.13	69	..	NE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	58	ENE	2	c
Malate,	3 p.	..	..	..	SSE	4	c
Bacolod,	,,	..	..	..	NE	2	b
Iloilo,	,,	29.84	88	..	N	4	b
Cebu,	,,	29.90	84	..	N	4	o
Cape S. James,	,,	..	..	..	NE	6	c

2nd APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	29.99	56	75	S	6	cm
Sharp Peak,	,,	30.10	62	77	W	1	c
Amoy,	,,	30.11	63	78	SW	1	lm
Swatow,	,,	30.14	59	..	N	1	o
Canton,	,,	30.14	66	89	N	1	g
Hongkong,	10 a.	30.11	68	63	E	2	o
Victoria Peak,	,,	..	..	..	ESE	6	..
Gap Rock,	,,	30.09	..	..	E	4	..
Macao,	,,	30.11	72	..	ENE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	84	77	NW	1	c
Malate,	9 a.	..	..	..	S	2	c
Bacolod,	,,		..	..	NE	2	b
Iloilo,	,,	29.99	84	..	E	2	c
Cebu,	,,	30.01	84	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 2nd at 12.5p. The barometer has fallen quickly over China, owing to a depression which appears to be advancing towards the E. coast from the Westward. Gradients slight in S. China and the N. part of the China Sea. Forecast:—E to N winds, moderate; probably some rain.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 2nd April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

2nd APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.04	39	..	SE	5	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	30.35	..	..	SE	2	..
Nagasaki,	"	30.19	..	..	S	8	..
Kagoshima,	"	30.27	..	..	SE	6	..
Taihoku,	1 p.	30.14	..	..	N	4	..
Taichu,	"	30.11	..	..	..	0	..
Tainan,	"	30.10	..	..	N	2	..
Koshun,	"	30.12	..	..	E	4	..
Pescadores,	"	30.12	..	..	NE	4	..
Gutzlaff,	3 p.	29.95	58	81	SSW	5	cm
Sharp Peak,	"	30.01	62	83	SE	1	o
Amoy,	"	30.02	65	84	SW	2	or
Swatow,	"	.	..	..	..	..	..
Canton,	"	.	..		.	..	..
Hongkong,	4 p.	29.99	67	79	ESE	3	o
Victoria Peak,	"	.	..	..	SE	2	..
Gap Rock,	"	29.98	..	..	E	4	..
Macao,	"	30.00	72	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	90	48	E	1	c
Malate,	3 p.	..	..	..	E	3	b
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.88	88	..	E	2	o
Cebu,	"	29.90	85	..	N	3	b
Cape S. James,	"	..	..	..	NE	4	c

3rd APRIL, 1901, A. M.

Wladivostock,	7 a.	29.94	39	49	SE	7	or
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	.	..
Taihoku,	5 a.	30.11	..	..	S	2	..
Taichu,	"	30.04	..	..	N	4	..
Tainan,	"	30.03	..	..	E	4	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	30.08	.	..	NE	8	..
Gutzlaff,	9 a.	30.10	51	40	NW	3	cf
Sharp Peak,	"	30.06	65	89	..	0	o
Amoy,	"	30.05	64	95	SW	1	c
Swatow,	"	..	..	..	.	.	..
Canton,	"	.	..	..	..	.	..
Hongkong,	10 a.	30.10	71	64	SE	1	o
Victoria Peak,	"	.	..	..	ESE	1	..
Gap Rock,	"	30.10	..	..	NNE	3	..
Macao,	"	30.12	70	..	NNW	1	o
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.04	82	63	W	1	c
Malate,	9 a.	..	..	..	SW	1	c
Bacolod,	"	.	..	..	NW	1	b
Iloilo,	"	29.98	84	..	NW	1	b
Cebu,	"	29.97	85	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 3rd at 11.55a. The barometer is rising on the China coast, falling over Japan. The depression is moving into the Sea of Japan. Freshening monsoon on the China coast, and in the N. part of the China Sea. Forecast:—N to NE winds, moderate to fresh; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 3rd April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

3rd APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.92	42	..	SE	7	or
Tokio,	"	30.41	..	..	S	4	..
Kochi,	"	30.27	..	..	SE	4	..
Nagasaki,	"	30.03	..	..	S	10	..
Kagoshima,	"	30.15	..	..	S	8	..
Taihoku,	1 p.	30.11	..	..	NE	4	..
Taichu,	"	30.06	..	..	..	0	..
Tainan,	"	30.06	..	..	NE	2	..
Koshun,	"	..	..	..	.	.	..
Pescadores,	"	30.08	..	..	NE	6	..
Gutzlaff,	3 p.	30.12	59	54	NW	1	cf
Sharp Peak,	"	30.07	62	67	NE	3	f
Amoy,	"	30.03	71	80	SE	2	cm
Swatow,	"		..	..	..	..	..
Canton,	"	30.06	77	77	S	1	b
Hongkong,	4 p.	30.05	71	54	ESE	2	b
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.05	..	..	ENE	3	..
Macao,	"	30.06	73	..	ESE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.92	90	60	WNW	1	c
Malate,	3 p.	..	..	..	N	2	c
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.89	89	..	E	2	b
Cebu,	"	29.93	86	..	N	2	b
Cape S. James,	"	..	..	..	NE	5	c

4th APRIL, 1901, A. M.

Wladivostock,	7 a.	29.71	34	99	..	0	f
Tokio,	10 a.	30.02	..	..	S	6	..
Kochi,	"	29.95	..	..	SW	2	..
Nagasaki,	"	30.11	..	..	NW	6	..
Kagoshima,	"	30.07	..	..	NW	4	..
Taihoku,	5 a.	30.16	..	..	E	4	..
Taichu,	"	30.10	..	..	N	2	..
Tainan,	"	30.09	..	..	N	2	..
Koshun,	"	.	..	..	..	.	..
Pescadores,	"	30.11	..	..	NE	6	..
Gutzlaff,	9 a.	30.27	53	54	ESE	2	cf
Sharp Peak,	"	30.22	60	65	NNE	2	f
Amoy,	"	30.13	63	83	ENE	3	bf
Swatow,	"	..	.	..	.	.	..
Canton,	"	30.14	71	80	..	0	b
Hongkong,	10 a.	30.13	70	64	ENE	3	b
Victoria Peak,	"	.	..	..	E	5	..
Gap Rock,	"	30.12	..	..	E	3	..
Macao,	"	30.14	75	..	SSE	1	b
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.00	90	55	E	1	c
Malate,	9 a.	..	.	..	E	3	b
Bacolod,	"	.	..	..	NE	..	b
Iloilo,	"	29.99	84	..	E	2	c
Cebu,	"	29.99	85	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 4th at 11.55a. The barometer has risen on the China coast, fallen in Japan. The depression is proceeding NE in the Sea of Japan, and pressure is highest over the NE coast of China. Gradients slight to moderate with moderate to fresh monsoon in S. China and the N. part of the China Sea. Forecast:—fresh or moderate E winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 4th April 1901.

CHINA COAST METEOROLOGICAL REGISTER

4th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	6	..
Kochi,	"	29.87	..	..	SE	4	..
Nagasaki,	"	30.07	..	..	W	3	..
Kagoshima,	"	30.03	..	..	W	6	..
Taihoku,	1 p.	30.15	..	..	NE	8	..
Taichu,	"	30.09	..	..	N	2	..
Tainan,	"	30.12	..	..	NW	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	30.13	..	..	NE	6	..
Gutzlaff,	3 p.	30.23	61	45	ESE	2	bf
Sharp Peak,	"	✓ 30.13	63	94	NE	2	f
Amoy,	"	✓ 30.08	73	67	NE	2	bf
Swatow,	"	✓ 30.09	70	..	SE	3	bm
Canton,	"	30.05	84	64	S	1	b
Hongkong,	4 p.	30.05	69	72	E	4	b
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	30.05	..	..	E	4	..
Macao,	"	30.06	74	..	S	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	90	48	E	2	..
Malate,	3 p.	..	..	..	SE	5	c
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.91	88	..	N	2	b
Cebu,	"	29.90	85	..	N	3	c
Cape S. James,	"	..	..	..	NE	5	c

5th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.12	..	..	E	2	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.09	..	..	E	2	..
Koshun,	"	30.10	..	..	NE	4	..
Pescadores,	"	30.11	..	..	NE	6	..
Cutzlaff,	9 a.	30.17	53	80	SE	4	bm
Sharp Peak,	"	30.14	62	97	NNE	2	f
Amoy,	"	30.09	66	84	WNW	1	of
Swatow,	"	..	..	..	.	.	..
Canton,	"	30.06	71	85	SE	1	o
Hongkong,	10 a.	30.08	68	82	E	3	o
Victoria Peak,	"	..	..	..	ESE	6	..
Gap Rock,	"	30.08	..	..	E	4	..
Macao,	"	30.10	71	..	ESE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	86	65	NNW	1	o
Malate,	9 a.	..	..	..	NE	1	c
Bacolod,	"	.	..	..	NNE	4	b
Iloilo,	"	29.99	84	..	E	1	c
Cebu,	"	29.98	82	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	3	c

One the 5th. at 11.55a. The barometer is falling over China. Pressure is highest between the E. coast of China and W. Japan. Gradients slight with moderate to light E winds in S. China and the part of the China Sea. Forecast:—moderate to light E winds; fair, but some fog or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 5th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

5th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	S	4	..
Kochi,	"	29.99	..	..	S	2	..
Nagasaki,	"	30.03	..	..	SW	4	..
Kagoshima,	"	30.03	..	..	S	2	..
Taihoku,	1 p.	30.08	..	..	SE	4	..
Taichu,	"	30.04	..	..	W	2	..
Tainan,	"	30.06	..	..	NW	4	..
Koshun,	"	30.07	..	..	E	6	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	3 p.	30.09	57	69	SE	5	cm
Sharp Peak,	"	30.01	65	78	E	1	f
Amoy,	"	30.01	66	89	SE	2	of
Swatow,	"	30.00	69	..	W	1	om
Canton,	"	29.97	79	78	E	1	b
Hongkong,	4 p.	29.99	68	85	E	3	o
Victoria Peak,	"	..	..	..	SSE	1	..
Gap Rock,	"	30.02	..	..	E	4	..
Macao,	"	29.99	71	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	90	48	E	1	c
Malate,	3 p.	..	..	..	SE	2	c
Bacoled,	"	..	..	..	NE	3	b
Iloilo,	"	29.89	88	..	E	2	b
Cebu,	"	29.93	85	..	N	3	c
Cape S. James,	"	..	..	..	NE	4	c

6th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.03	..	..	NE	2	..
Taichu,	"	30.01	..	..	SW	2	..
Tainan,	"	29.98	..	..	NE	4	..
Koshun,	"	29.96	..	..	..	0	..
Pescadores,	"	30.02	..	..	NE	4	..
Gutzlaff,	9 a.	30.07	51	86	ESE	4	cm
Sharp Peak,	"	29.96	64	89	..	0	f
Amoy,	"	29.98	66	95	W	1	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.94	71	95	S	1	o
Hongkong,	10 a.	29.94	69	92	E	2	of
Victoria Peak,	"	..	..	..	SSE	4	..
Gap Rock,	"	29.92	..	..	ESE	4	..
Macao,	"	29.93	70	..	SSE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	88	59	WSW	1	c
Malate,	9 a.	..	..	..	W	2	b
Bacoled,	"	..	..	..	NE	3	b
Iloilo,	"	29.94	82	..	NW	2	c
Cebu,	"	29.96	85	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	4	c

One the 6th. at 12.5p. The barometer has fallen generally. Pressure is lowest over S. China, and highest between the E coast of China and Japan. Gradients slight with variable winds in S. China and the N. part of the China Sea. Forecast:— SE winds, moderate or light; showery, foggy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 6th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.90	..	..	S	4	..
Kochi,	,,	29.95	..	..	S	4	..
Nagasaki,	,,	29.95	..	..	W	4	..
Kagoshima,	,,	29.95	..	..	W	4	..
Taihoku,	1 p.	29.98	..	..	..	0	..
Taichu,	,,	29.89	..	..	E	2	..
Tainan,	,,	29.92	..	..	W	4	..
Koshun,	,,	29.93	..	..	E	2	..
Pescadores,	,,	29.92	..	..	NE	4	..
Gutzlaff,	3 p.	30.06	50	93	NE	4	omr
Sharp Peak,	,,	29.86	67	89	..	0	f
Amoy,	,,	29.90	68	95	NW	1	or
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.80	68	100	E	1	o
Hongkong,	4 p.	29.80	70	95	E	1	o
Victoria Peak,	,,	..	..	..	SSE	6	..
Cap Rock,	,,	29.84	..	..	SE	2	..
Macao,	,,	29.81	71	..	SSE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	90	48	SE	4	b
Malate,	3 p.	..	..	..	SE	4	b
Baroled,	,,	..	..	..	E	4	b
Iloilo,	,,	29.84	89	..	E	1	b
Cebu,	,,	29.84	85	..	N	2	b
Cape S. James,	,,	..	..	..	NE	2	c

7th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.94	..	..	..	0	..
Taichu,	,,	29.94	..	..	..	0	..
Tainan,	,,	29.91	..	..	NW	2	..
Koshun,	,,	29.94	..	..	N	4	..
Pescadores,	,,	29.94	..	..	S	4	..
Gutzlaff,	9 a.	30.18	50	58	NE	4	bv
Sharp Peak,	,,	30.04	58	88	E	4	o
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	29.94	69	97	E	1	o
Victoria Peak,	,,	..	..	..	..	..	..
Cap Rock,	,,	29.94	..	..	SE	3	..
Macao,	,,	29.93	70	..	SSE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	84	71	WNW	1	b
Malate,	9 a.	..	..	..	NW	3	b
Baroled,	,,	..	..	..	N	2	b
Iloilo,	,,	29.92	84	..	E	..	c
Cebu,	,,	29.93	85	..	N	3	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 7th at 12.15p. The barometer has risen in the North, and is little changed in the South. Pressure is highest over the NE coast of China, lowest over the South coast. Gradients slight to moderate. Freshening monsoon on the coast, variable winds in the N. part of the China Sea. Forecast:— NE winds, freshening; unsettled, raing.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 7th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

7th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	E	4	..
Kochi,	"	29.91	..	..	SE	4	..
Nagasaki,	"	29.96	..	..	W	6	..
Kagoshima,	"	29.95	..	..	NW	4	..
Taihoku,	1 p.	30.07	..	..	E	2	..
Taichu,	"	29.99	..	..	N	6	..
Tainan,	"	29.99	..	..	NW	4	..
Koshun,	"	29.97	..	..	NW	8	..
Pescadores,	"	30.04	..	..	NE	8	..
Gutzlaff,	3 p.	30.19	53	67	NE	3	bv
Sharp Peak,	"	30.05	58	64	E	4	o
Amoy,	"	29.98	64	89	NE	1	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.87	68	97	E	1	od
Victoria Peak,	"	..	..	..	SSE	5	..
Gap Rock,	"	29.84	..	..	ESE	3	..
Macao,	"	29.86	70	..	NE	1	or
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	91	46	SE	2	b
Malate,	3 p.	..	..	..	S	2	b
Bacoled,	"	..	..	..	N	2	b
Iloilo,	"	29.85	90	..	N	2	b
Cebu,	"	29.88	86	..	N	4	b
Cape S. James,	"	..	..	..	E	1	c

8th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.10	..	..	E	6	..
Taichu,	"	30.04	..	..	..	0	..
Tainan,	"	30.03	..	..	.	6	..
Koshun,	"	30.04	..	..	NE	6	..
Pescadores,	"	30.06	..	..	NE	8	.
Gutzlaff,	9 a.	30.24	49	71	NE	2	bv
Sharp Peak,	"	30.11	57	67	ENE	1	o
Amoy,	"	30.07	60	82	NNE	1	or
Swatow,	"	..	..	..	.	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.94	63	94	ENE	6	[illegible]
Victoria Peak,	"	.	..	..	..	..	.
Cap Rock,	"	29.94	..	..	E	6	.
Macao	"	29.94	66	..	ESE	2	or
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.96	88	66	W	2	o
Malate,	9 a.	..	..	..	S	2	c
Bacoled,	"	.	..	..	NE	2	b
Iloilo,	"	29.94	85	..	E	1	c
Cebu,	"	29.89	84	..	N	3	c
Cape S. James,	7 a.	..	..	..	E	1	c

On the 8th. at 11.55a. The barometer has risen on the China coast, except in the South. Pressure is high over the NE coast of China and relatively low along the S. coast. Gradients rather steep over the S. coast of China, slight elsewhere. Forecast:— strong NE winds, probably decreasing, unsettled, rainy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 8th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.10	..	..	NW	2	..
Kochi,	"	29.99	..	..	SW	2	..
Nagasaki,	"	30.03	..	..	SW	6	..
Kagoshima,	"	29.99	..	..	SW	4	..
Taihoku,	1 p.	30.08	..	..	E	6	..
Taichu,	"	29.98	..	..	E	2	..
Tainan,	"	30.01	..	..	N	4	..
Koshun,	"	30.00	..	..	NE	4	..
Pescadores,	"	30.03	..	..	NE	4	..
Gutzlaff,	3 p.	30.15	55	56	ENE	1	bv
Sharp Peak,	"	30.04	57	75	ENE	4	o
Amoy,	"	30.01	61	88	NE	1	od
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.91	67	100	S	1	r
Hongkong,	4 p.	29.89	64	91	ENE	4	od
Victoria Peak,	"	..	..	..	SSE	5	..
Gap Rock,	"	29.86	..	..	E	4	..
Macao,	"	29.86	67	..	E	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	90	48	SE	4	b
Malate,	3 p.	..	..	..	SE	4	b
Bacolod,	"	..	..	..	NNE	4	b
Iloilo,	"	29.85	88	..	E	1	b
Cebu,	"	29.84	86	..	N	3	c
Cape S. James,	"	..	..	..	SE	2	c

9th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.98	..	..	..	0	..
Taichu,	"	29.91	..	..	N	2	..
Tainan,	"	29.94	..	..	N	2	..
Koshun,	"	29.94	..	..	E	4	..
Pescadores,	"	29.97	..	..	NE	6	..
Gutzlaff,	9 a.	30.06	46	92	SE	2	cmd
Sharp Peak,	"	29.98	56	84	..	0	o
Amoy,	"	29.97	60	94	..	0	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.95	68	95	..	0	d
Hongkong,	10 a.	29.95	66	95	E	3	o
Victoria Peak,	"	..	..	..	S	3	..
Gap Rock,	"	29.95	..	..	E	3	..
Macao,	"	29.95	69	..	SSE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	88	54	..	0	b
Malate,	9 a.	..	..	..	SE	1	b
Bacolod,	"	..	..	..	NE	1	b
Iloilo,	"	29.93	84	..	N	3	c
Cebu,	"	29.92	85	..	N	3	c
Cape S. James,	7 a.	..	..	..	E	1	c

On the 9th, at 11.40 a. The barometer has fallen considerably in the North, probably owing to the existence of a depression over Central China. Gradients slight generally. Forecast:— E and SE winds, moderate to light; some drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 9th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	29.86	43	..	SSW	5	f
Tokio, ...	"	30.14	..	..	E	2	..
Kochi, ...	"	30.03	..	..	..	0	..
Nagasaki, ...	"	29.95	..	..	W	4	..
Kagoshima.....	"	30.03	..	..	SE	4	..
Taihoku, ...	1 p.	29.96	..	..	NW	4	..
Taichu, ...	"	29.94	..	..	..	0	..
Tainan, ...	"	29.94	..	..	N	2	..
Koshun, ...	"	29.93	..	..	NW	4	..
Pescadores, ..	"	29.96	..	..	NE	10	..
Gutzlaff, ...	3 p.	29.98	52	79	NE	2	o
Sharp Peak, ..	"	29.88	58	84	E	2	c
Amoy, ...	"	29.90	66	89	SE	3	c
Swatow, ...	"	..	..	..	..	..	..
Canton, ...	"	29.89	70	95	..	0	d
Hongkong, ...	4 p.	29.85	66	98	E	3	od
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock, ...	"	29.85	..	..	E	3	..
Macao,.....	"	29.85	70	..	NNE	1	od
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.80	91	45	SSE	2	b
Malate, ...	3 p.	..	..	..	S	2	b
Bacolod, ...	"	..	..	..	N	2	b
Iloilo, ...	"	29.84	90	..	E	1	b
Cebu, ...	"	29.86	85	..	N	4	b
Cape S. James,	"	..	..	..	SSE	1	

10th APRIL, 1901, A. M.

Wladivostock,..	7 a.	29.83	36	69	N	4	o
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	..	..	..	..	..	..
Taichu, ...	"	..	..	..	..	..	..
Tainan, ...	"	..	..	..	..	..	..
Koshun, ...	"	..	..	..	..	..	..
Pescadores.....	"	..	..	..	..	..	..
Gutzlaff, ...	9 a.	30.08	53	93	W	2	bv
Sharp Peak, ..	"	30.04	56	91	E	1	o
Amoy,..... ..	"	29.97	62	89	NE	3	o
Swatow, ...	"	..	..	..	.	.	..
Canton, ...	"	29.97	69	95	N	1	o
Hongkong,.....	10 a.	29.96	68	97	E	3	od
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock, ...	"	29.94	..	..	ENE	4	..
Macao..... ..	"	29.95	70	..	NNE	1	o
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	29.96	86	71	W	2	b
Malate, ...	9 a.	..	..	..	W	2	b
Bacolod, ...	"	.	..	..	N	2	b
Iloilo, ...	"	29.94	86	..	E	1	c
Cebu, ...	"	29.94	85	..	N	2	b
Cape S. James,	7 a.	..	..	..	ENE	1	c

One the 10th. at 12.5p The barometer has risen slightly on the E. coast of China, fallen in the extreme North. The depression seems to have moved into the Sea of Japan. Gradients slight on the China coast and in the N. part of the China Sea. Forecast:— moderate NE winds; drizzling rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory. Wednesday 10th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.88	35	..	N	3	o
Tokio,	"	29.94	..	..	S	..	..
Kochi,	"	29.76	..	..	E	4	..
Nagasaki,	"	29.79	..	..	N	6	..
Kagoshima,	"	29.72	..	..	N	6	..
Taihoku,	1 p.	30.09	..	..	E	6	..
Taichu,	"	29.89	..	..	NE	4	..
Tainan,	"	29.87	..	..	NW	4	..
Koshun,	"	29.86	..	..	E	4	..
Pescadores,	"	29.91	..	..	NE	8	..
Gutzlaff,	3 p.	30.08	62	72	W	1	cm
Sharp Peak,	"	30.05	58	88	E	2	o
Amoy,	"	30.00	63	83	NE	4	o
Swatow,	"	29.93	65	..	NW	2	om
Canton,	"	29.95	66	95	E	1	or
Hongkong,	4 p.	29.90	67	95	E	3	o
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	29.89	..	..	ENE	3	..
Macao,	"	29.91	68	..	NNW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	91	46	WNW	1	b
Malate,	3 p.	..	..	..	WNW	1	b
Bacoled,	"	..	..	..	SE	2	b
Iloilo,	"	29.84	91	..	NE	3	b
Cebu,	"	29.84	86	..	N	4	b
Cape S. James,	"	..	..	..	S	1	c

11th APRIL, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.00	32	39	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	.	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	5 a.	30.13	..	..	SE	6	..
Taichu,	"	29.90	..	..	..	0	..
Tainan,	"	29.91	..	..	N	2	..
Koshun,	"	29.89	..	..	NE	6	..
Pescadores,	"	29.94	..	..	NE	6	..
Gutzlaff,	9 a.	30.25	48	78	NE	3	bv
Sharp Peak,	"	30.13	57	100	E	4	o
Amoy,	"	30.07	63	83	WSW	1	c
Swatow,	"	..	..	..	.	.	..
Canton,	"	30.06	67	89	E	1	o
Hongkong,	10 a.	30.05	66	00	E	5	o
Victoria Peak,	"	.	..	..	E	7	..
Cap Rock,	"	30.02	..	..	ENE	5	..
Macao,	"	30.07	67	..	E	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.96	84	77	WNW	1	o
Malate,	9 a.	..	..	..	W	1	b
Bacoled,	"	.	..	..	NW	2	b
Iloilo,	"	29.95	86	..	E	1	c
Cebu,	"	29.94	86	..	N	2	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 11th, at 12.5p. The barometer has risen on the China coast, and pressure is high over NE China. The depression has probably reached SE Japan. Gradients moderate with fresh monsoon off the China coast. Forecast:— fresh NE winds; dull, some rain.

F. G. FIGG,

First Assistant.

Hongkong Observatory, Thursday 11th April 1901.

CHINA COAST METEOROLOGICAL REGISTER,

11th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	NW	8	..
Kochi,	"	29.99	..	..	N	6	..
Nagasaki,	"	30.03	..	..	N	8	..
Kagoshima,	"	29.99	..	..	S	4	..
Taihoku,	1 p.	30.11	..	..	E	4	..
Taichu,	"	30.03	..	..	S	2	..
Tainan,	"	30.05	..	..	N	2	..
Koshun,	"	30.07	..	..	NE	6	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	3 p.	30.20	55	56	ENE	3	bv
Sharp Peak,	"	30.09	58	76	E	6	o
Amoy,	"	30.01	70	75	NE	3	c
Swatow,	"	29.97	67	..	E	3	o
Canton,	"	29.99	69	90	S	1	o
Hongkong,	4 p.	29.97	67	67	ENE	4	o
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	29.96	..	..	ENE	5	..
Macao,	"	29.96	67	..	ENE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	84	71	..	1	o
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.85	89	..	E	2	c
Cebu,	"	29.88	86	..	N	3	b
Cape S. James,	"	..	..	..	ESE	1	c

12th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	.	..
Gutzlaff,	9 a.	30.11	52	86	SE	5	cm
Sharp Peak,	"	30.08	60	97	NW	1	o
Amoy,	"	30.04	63	89	SE	2	c
Swatow,	"	..	..	..	..	.	..
Canton,	"	..	..	..	..	.	.
Hongkong,	10 a.	29.99	66	96	E	3	odt
Victoria Peak,	"	..	..	..	SE	4	..
Gap Rock,	"	29.98	..	..	E	4	..
Macao	"	30.01	62	..	E	1	o
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	29.96	86	65	WNW	1	b
Malate,	9 a.	..	..	..	E	2	b
Bacolod,	"	.	..	..	NE	4	c
Iloilo,	"	29.96	83	..	NW	4	c
Cebu,	"	29.90	83	..	N	4	cd
Cape S. James,	7 a.	..	..	..	ENE	3	c

One the 12th. at 12.5p. The barometer has fallen over China. Pressure is highest over W. Japan, and a low area is probably forming over Central China. Gradients slight in S. China and the N. part of the China Sea. Forecast:—moderate or light E to SE winds; weather probably improving.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 12th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.22	..	..	E	4	..
Kochi,	"	30.15	..	..	SE	2	..
Nagasaki,	"	30.11	..	..	SW	4	..
Kagoshima	"	30.11	..	..	SE	2	..
Taihoku,	1 p.	30.02	..	..	..	0	..
Taichu,	"	30.00	..	..	W	2	..
Tainan,	"	30.00	..	..	W	2	..
Koshun,	"	30.04	..	..	E	6	..
Pescadores,	"	30.04	..	..	NE	4	..
Gutzlaff,	3 p.	30.06	53	86	SSE	4	cmd
Sharp Peak,	"	30.00	62	83	E	1	o
Amoy,	"	29.99	66	84	SE	5	om
Swatow,	"	29.92	65	..	E	2	or
Canton,	"	..	.	.	..	..	..
Hongkong,	4 p.	29.93	68	92	E	3	o
Victoria Peak,	"	..	..	..	SE	3	..
Gap Rock,	"	29.92	..	..	E	4	..
Macao	"	29.91	70	..	ESE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	90	55	SE	4	b
Malate,	3 p.	..	..	..	SE	3	b
Bacolod,	"	..	..	..	NNE	3	c
Iloilo,	"	29.87	87	..	E	1	o
Cebu,	"	29.83	84	..	N	4	c
Cape S. James,	"	..	..	..	E	3	c

13th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	..	..	..	..	.	..	..
Taihoku,	5 a.	30.03	..	..	SW	2	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	30.05	..	..	..	0	..
Koshun,	"	29.99	..	..	..	0	..
Pescadores	"	30.03	..	..	NE	4	..
Gutzlaff,	9 a.	29.97	76	94	SW	3	f
Sharp Peak,	"	29.97	62	94	.	0	f
Amoy,	"	29.99	66	89	WSW	1	o
Swatow,	"	..	..	..	.	.	..
Canton,	"	..	..	..	..	..	..
Hongkong	10 a.	30.02	69	93	E	2	cf
Victoria Peak,	"	.	..	..	SSE	1	..
Gap Rock,	"	30.00	..	..	E	3	..
Macao	"	30.03	72	..	SSW	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.96	86	65	WNW	1	b
Malate,	9 a.	..	..	..	WNW	1	b
Bacolod,	"	.	..	..	NNW	2	b
Iloilo,	"	29.94	83	..	E	1	c
Cebu,	"	29.95	84	..	N	1	c
Cape S. James,	7 a.	..	..	..	..	..	..

One the 13th. at 11.50a. The barometer has fallen considerably on the E. coast of China, risen slightly on the S. coast. The depression seems to be moving Eastwards over the NE coast of China. Gradients gentle with light variable winds and foggy weather on the coast, and in the N. part of the China Sea. Forecast:—varying winds, light; fair, foggy at night.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 13th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.99	40	..	SE	7	f
Tokio,	,,	30.26	..	..	S	2	..
Kochi,	,,	30.19	..	..	W	2	..
Nagasaki,	,,	30.07	..	..	S	2	..
Kagoshima,	,,	30.11	..	..	S	4	..
Taihoku,	1 p.	29.99	..	..	W	2	..
Taichu,	,,	29.97	..	..	W	2	..
Tainan,	,,	29.99	..	..	W	4	..
Koshun,	,,	30.00	..	..	E	6	..
Pescadores,	,,	30.03	..	..	E	4	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	,,	29.85	69	85	S	2	b
Amoy,	,,	29.91	74	86	SE	3	c
Swatow,	,,	29.85	65	..	E	2	or
Canton,	,,	29.90	81	87	S	1	b
Hongkong,	4 p.	29.90	70	92	E	2	c
Victoria Peak,	,,	..	..	..	SSE	1	..
Gap Rock,	,,	29.89	..	..	E	3	..
Macao,	,,	29.91	74	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	90	55	SE	2	o
Malate,	3 p.	..	..	..	E	3	c
Bacoled,	,,	..	..	..	N	2	b
Iloilo,	,,	29.83	89	..	N	3	b
Cebu,	,,	29.84	85	..	N	3	.
Cape S. James,	,,	..	..	..	E	3	c

14th APRIL, 1901, A. M.

Wladivostock,	7 a.	30.09	39	94	SE	3	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.95	..	..	SE	2	..
Taichu,	,,	29.91	..	..	..	0	..
Tainan,	,,	29.94	..	..	.	0	..
Koshun,	,,	29.97	..	..	NE	4	..
Pescadores,	,,	29.94	..	..	W	2	..
Gutzlaff,	9 a.	29.97	54	94	NE	1	cm
Sharp Peak,	,,	29.89	65	92	ESE	1	f
Amoy,	,,	29.88	69	95	..	0	cf
Swatow,	,,	29.93	71	..	..	0	cg
Canton,	,,	29.95	72	100	S	1	o
Hongkong,	10 a.	29.92	73	92	ENE	1	o
Victoria Peak,	,,	.	..	..	S	3	..
Gap Rock,	,,	29.92	..	..	ESE	2	..
Macao,	,,	29.92	72	..	SW	1	ofg
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	90	55	E	1	b
Malate,	9 a.	..	..	..	S	3	b
Bacoled,	,,	.	..	..	NE	2	b
Iloilo,	,,	29.91	85	..	E	2	c
Cebu,	,,	29.86	85	..	N	3	b
Cape S. James,	7 a.	..	..	..	ENE	2	c

On the 14th. at 12.5p. The barometer has fallen generally, except over the NE coast of China. The depression has probably reached the neighbourhood of W. Japan. Gradients slight with variable winds on the China coast, and in the N. part of the China Sea. Forecast:—varying winds, light; fair, but fog or mist at night.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 14th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.10	41	..	S	5	o
Tokio,	"	30.30	..	..	S	4	..
Kochi,	"	30.15	..	..	SE	2	..
Nagasaki,	"	29.95	..	..	E	4	..
Kagoshima,	"	29.99	..	..	E	4	..
Taihoku,	1 p.	29.91	..	..	NW	2	..
Taichu,	"	29.88	..	..	NW	4	..
Tainan,	"	29.91	..	..	S	4	..
Koshun,	"	29.92	..	..	S	6	..
Pescadores,	"	29.93	..	..	W	4	..
Gutzlaff,	3 p.	29.91	53	93	NE	3	om
Sharp Peak,	"	29.78	66	89	NE	1	f
Amoy,	"	29.82	78	82	S	4	c
Swatow,	"	29.77	76	..	E	1	c
Canton,	"	29.84	80	91	SE	1	o
Hongkong,	4 p.	29.82	76	82	..	0	o
Victoria Peak,	"	..	..	..	SSW	2	..
Cap Rock,	"	29.81	..	..	ESE	1	..
Macao,	"	29.82	77	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	91	49	SSE	3	b
Malate,	3 p.	..	..	..	SSE	3	b
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.85	89	..	E	1	b
Cebu,	"	29.81	86	..	N	4	b
Cape S. James,	"	..	..	..	..	..	

15th APRIL, 1901, A. M.

Wladivostock,	7 a.	30.00	38	59	..	0	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.91	..	..	S	2	..
Taichu,	"	29.88	..	..	..	0	..
Tainan,	"	29.94	..	..	E	2	..
Koshun,	"	29.92	..	..	N	2	..
Pescadores,	"	29.90	..	..	SW	2	..
Gutzlaff,	9 a.	29.49	53	100	NNW	4	cm
Sharp Peak,	"	29.32	65	95	..	0	f
Amoy,	"	29.40	71	95	E	1	cm
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.94	74	100	..	0	o
Hongkong,	10 a.	29.96	75	87		0	of
Victoria Peak,	"	..	..	..	SW	1	..
Cap Rock,	"	29.96	..	..	ESE	1	..
Macao,	"	29.98	75	..	S	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	86	65	WNW	1	c
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.85	85	..	NW	2	c
Cebu,	"	29.89	85	..	N	2	c
Cape S. James,	7 a.	..	..	..	E	3	c

One the 15th. at 11.50a The barometer is rising on the China coast, falling over the Sea of Japan. The depression probably still lies near W. Japan. Gradients slight with variable winds on the China coast, and in the N. part of the China Sea. Forecast:—varying winds, light or moderate; unsettled, probably some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 15th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	30.22	..	..	S	2	..
Kochi,	"	29.95	..	..	SE	6	..
Nagasaki,	"	29.60	..	..	S	10	..
Kagoshima,	"	29.68	..	..	SW	4	..
Taihoku,	1 p.	29.98	..	..	N	4	..
Taichu,	"	29.94	..	..	N	4	..
Tainan,	"	29.94	..	..	NW	6	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	29.96	..	..	NW	4	..
Gutzlaff,	3 p.	30.02	57	87	NNW	4	cv
Sharp Peak,	"	29.93	66	84	E	3	o
Amoy,	"	29.88	73	86	SE	3	c
Swatow,	"	29.94	79	..	S	3	b
Canton,	"	29.87	81	78	..	0	b
Hongkong,	4 p.	29.86	78	76	..	0	o
Victoria Peak,	"	..	..	..	N	1	..
Gap Rock,	"	29.86	..	..	SE	2	..
Macao,	"	29.87	79	..	ESE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	..	..	..	..	..	..
Malate,	3 p.	..	..	..	E	4	b
Bacolod,	"	..	..	..	NE	2	c
Iloilo,	"	29.82	89	..	E	2	o
Cebu,	"	29.84	85	..	N	2	c
Cape S. James,	"	..	..	..	ESE	3	c

16th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.07	..	..	E	8	..
Taichu,	"	30.10	..	..	..	0	..
Tainan,	"	29.99	..	..	..	0	..
Koshun,	"	29.92	..	..	E	6	..
Pescadores,	"	..	..	..	..	.	..
Gutzlaff,	9 a.	30.17	55	74	N	2	bv
Sharp Peak,	"	30.13	63	83	NW	1	o
Amoy,	"	30.02	68	90	NE	4	cm
Swatow,	"	30.08	71	..	E	4	o
Canton,	"	30.03	75	90	S	1	b
Hongkong,	10 a.	30.02	73	85	ENE	4	o
Victoria Peak,	"	.	..	..	ESE	4	..
Gap Rock,	"	29.97	..	..	E	4	..
Macao,	"	30.02	75	..	E	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.96	86	71	NW	2	c
Malate,	9 a.	..	.	..	E	2	o
Bacolod,	"	.	..	..	..	0	b
Iloilo,	"	29.94	85	..	E	2	c
Cebu,	"	29.92	84	..	N	2	c
Cape S. James,	7 a.	..	..	..	ENE	3	c

One the 16th. at 11.55a. The barometer has risen on the China coast, particularly in the North, where pressure is again high. The depression is probably crossing Japan. Gradients slight to moderate with moderate to fresh monsoon on the coast, and increasing monsoon in the N. part of the China Sea. Forecast:—moderate or fresh NE winds; drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 16th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	29.74	..	..	N	6	..
Kochi,	"	29.75	..	..	N	8	..
Nagasaki,	"	29.95	..	..	N	8	..
Kagoshima,	"	29.91	..	..	N	8	..
Taihoku,	1 p.	30.12	..	..	E	10	..
Taichu,	"	30.01	..	..	NW	4	..
Tainan,	"	30.03	..	..	NW	4	..
Koshun,	"	30.04	..	..	N	6	..
Pescadores,	"	30.06	..	..	NE	10	..
Gutzlaff,	3 p.	30.13	59	76	N	1	c
Sharp Peak,	"	30.08	65	78	E	2	o
Amoy,	"	29.98	72	81	ENE	4	c
Swatow,	"	29.95	75	..	ENE	..	c
Canton,	"	29.96	76	95	NW	2	r
Hongkong,	4 p.	30.00	70	92	E	3	o
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	29.98	..	..	E	4	..
Macao,	"	29.97	74	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	91	49	SE	3	b
Malate,	3 p.	..	..	..	SE	4	b
Bacolod,	"	..	..	..	NNE	2	b
Iloilo,	"	29.82	89	..	N	3	b
Cebu,	"	29.82	87	..	N	3	b
Cape S. James,	"	..	..	..	ENE	3	c

17th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.93	..	..	E	4	..
Taichu,	"	29.97	..	..	..	0	..
Tainan,	"	29.98	..	..	NE	2	..
Koshun,	"	30.00	..	..	NE	2	..
Pescadores,	"	30.01	..	..	NE	2	..
Gutzlaff,	9 a.	30.08	55	87	SE	4	cm
Sharp Peak,	"	30.05	63	83	NNE	1	o
Amoy,	"	29.99	67	89	WNW	1	o
Swatow,	"	30.00	71	..	ENE	3	o
Canton,	"	29.96	74	81	S	1	b
Hongkong,	10 a.	30.00	70	85	E	3	o
Victoria Peak,	"	.	..	..	SE	5	..
Gap Rock,	"	29.97	..	..	E	4	..
Macao,	"	29.99	73	..	ESE	2	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.92	84	71	WNW	2	b
Malate,	9 a.	..	..	..	SSW	1	b
Bacolod,	"	.	..	..	ENE	4	b
Iloilo,	"	29.90	85	..	E	2	c
Cebu,	"	29.92	85	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	4	c

One the 17th. at 11.25a. The barometer is falling over China. Pressure is highest between the E. coast of China and W. Japan, and the depression has probably passed to the E. of Japan. Gradients slight for E and SE winds on the China coast, and in the N. part of the China Sea.

Forecast:—E winds, moderate or light; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 17th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.74	..	..	N	6	..
Kochi,	,,	29.91	..	..	S	4	..
Nagasaki,	,,	29.99	..	..	NW	4	..
Kagoshima,	,,	29.95	..	..	SE	2	..
Taihoku,	1 p.	30.01	..	..	NE	2	..
Taichu,	,,	29.97	..	..	.	0	..
Tainan,	,,	29.95	..	..	NW	6	..
Koshun,	,,	29.97	..	..	E	4	..
Pescadores,	,,	30.01	..	..	NE	6	..
Gutzlaff,	3 p.	30.00	58	88	SSE	4	cm
Sharp Peak,	,,	29.95	64	78	..	0	o
Amoy,	,,	29.93	69	80	SE	5	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.82	78	86	S	2	o
Hongkong,	4 p.	29.85	71	85	E	3	o
Victoria Peak,	,,	..	..	..	SE	7	..
Gap Rock,	,,	29.83	..	..	E	4	..
Macao,	,,	29.83	75	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	90	55	SE	3	c
Malate,	3 p.	..	..	..	E	2	c
Bacolod,	,,	..	..	..	NE	2	b
Iloilo,	,,	29.79	89	..	E	2	b
Cebu,	,,	29.86	85	..	N	3	c
Cape S. James,	,,	..	..	..	ENE	4	c

18th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	..	0	..
Taichu,	,,	29.92	..	..	..	0	..
Tainan,	,,	29.89	..	..	NE	2	..
Koshun,	,,	29.89	..	..	E	4	..
Pescadores,	,,	29.79	..	..	NE	4	..
Gutzlaff,	9 a.	29.77	56	100	SE	6	f
Sharp Peak,	,,	29.83	63	92	E	1	o
Amoy,	,,	29.87	67	89	SE	1	of
Swatow,	,,	29.86	71	..	E	1	o
Canton,	,,	29.87	75	95	S	1	o
Hongkong,	10 a.	29.85	71	96	E	2	of
Victoria Peak,	,,	.	..	..	SSW	5	..
Gap Rock,	,,	29.84	..	..	SSE	3	..
Macao,	,,	29.84	73	..	SSE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	88	59	SE	3	b
Malate,	9 a.	..	..	..	E	2	b
Bacolod,	,,	.	..	..	N	2	b
Iloilo,	,,	29.89	85	..	NW	2	b
Cebu,	,,	29.89	86	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	3	c

One the 18th. at 12.5p. The barometer has fallen generally, particularly on the China coast. depression is advancing Eastwards over Central China. Gradients slight for SE and S winds on the China coast, and in the N. part of the China Sea. Forecast:—moderate S winds; fair to showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 18th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	.
Tokio,	"	29.94	..	..	N	6	..
Kochi,	"	29.99	..	..	SE	4	..
Nagasaki,	"	29.95	..	..	SW	4	..
Kagoshima,	"	29.95	..	..	S	4	..
Taihoku,	1 p.	29.83	..	..	N	4	..
Taichu,	"	29.82	..	..	.	0	..
Tainan,	"	29.85	..	..	N	8	..
Koshun,	"	29.88	..	..	SE	2	..
Pescadores,	"	29.80	..	..	SE	4	..
Gutzlaff,	3 p.	29.68	62	94	S	3	cv
Sharp Peak,	"	29.78	68	90	..	0	b
Amoy,	"	29.78	72	85	SE	3	c
Swatow,	"	29.70	75	..	E	2	om
Canton,	"	29.76	80	87	S	1	o
Hongkong,	4 p.	29.73	76	87	E	1	o
Victoria Peak,	"	..	..	..	SW	6	..
Cap Rock,	"	29.72	..	..	ESE	3	..
Macao,	"	29.72	78	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	91	45	SE	2	c
Malate,	3 p.	..	..	..	SE	3	b
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.78	90	..	E	2	c
Cebu,	"	29.79	86	..	N	4	c
Cape S. James,	"	..	..	..	E	3	c

19th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.81	..	..	SW	2	..
Taichu,	"	29.74	..	..	S	4	..
Tainan,	"	29.84	..	..	E	2	..
Koshun,	"	29.82	..	..	NW	6	..
Pescadores,	"	29.82	..	..	S	4	..
Gutzlaff,	9 a.	29.77	55	94	NW	5	o
Sharp Peak,	"	29.72	70	95	S	1	o
Amoy,	"	29.78	72	90	S	1	f
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.79	79	82	S	1	o
Victoria Peak,	"	.	..	..	S	5	..
Cap Rock,	"	29.79	..	..	SE	3	..
Macao	"	29.77	82	..	SSE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	88	66	W	1	b
Malate,	9 a.	..	..	..	SW	1	b
Bacolod,	"	.	..	..	NE	4	b
Iloilo,	"	29.89	86	..	E	2	..
Cebu,	"	29.89	82	..	N	2	od
Cape S. James,	7 a.	..	..	..	..	..	..

On the 19th, at 12.5p. The barometer is inclined to rise on the China coast The depression seems to have passed over the coast near the mouth of the Yangtze, and to be now moving towards W. Japan. The wind will probably freshen from NE in the Formosa Channel during the next 24 hours.

Forecast:—variable winds, moderate; unsettled, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 19th April 1901

CHINA COAST METEOROLOGICAL REGISTER.

19th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	S	4	..
Kochi,	"	29.95	..	..	N	3	..
Nagasaki,	"	29.60	..	..	SE	10	..
Kagoshima	"	29.68	..	..	E	8	..
Taihoku,	1 p.	29.76	..	..	SW	8	..
Taichu,	"	29.81	..	..	W	6	..
Tainan,	"	29.85	..	..	SW	6	..
Koshun,	"	29.86	..	..	W	8	..
Pescadores,	"	29.85	..	..	S	6	..
Gutzlaff,	3 p.	29.77	56	94	WNW	..	cd
Sharp Peak,	"	29.70	73	85	WSW	1	o
Amoy,	"	29.75	72	95	SE	4	..
Swatow,	"	29.70	75	..	WSW	3	or
Canton,	"	29.72	74	95	S	1	d
Hongkong,	4 p.	29.73	76	93	E	1	o
Victoria Peak,	"	..	..	..	S	6	..
Gap Rock,	"	29.71	..	..	ESE	3	..
Macao,	"	29.70	80	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	93	50	SE	2	b
Malate,	3 p.	..	..	..	E	2	b
Bacolod,	"	..	..	..	NE	2	c
Iloilo,	"	29.78	88	..	N	3	o
Cebu,	"	29.84	84	..	N	2	cd
Cape S. James,	"	..	..	..	ESE	1	c

20th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku,	5 a.	29.87	..	..	S	2	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.89	..	..	..	0	..
Koshun,	"	29.90	..	..	N	6	..
Pescadores,	"	29.88	..	..	S	2	..
Gutzlaff,	9 a.	29.94	54	100	N	4	f
Sharp Peak,	"	29.88	63	89	NNE	3	o
Amoy,	"	29.83	71	95	..	0	of
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.87	79	83	SW	1	o
Victoria Peak,	"	..	..	..	S	5	..
Gap Rock,	"	29.85	..	..	S	4	..
Macao	"	29.85	73	..	SSE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	90	66	WSW	1	b
Malate,	9 a.	..	..	..	W	1	c
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.91	85	..	E	1	o
Cebu,	"	29.92	85	..	N	2	c
Cape S. James,	7 a.	..	..	..	SE	1	c

One the 20th. at 12.5p. The barometer has risen on the China coast. The depression is probably moving Eastwards over Japan, and pressure is highest over the NE coast of China. Gradients slight with moderate NE winds on the China coast. Forecast:—S to E winds, moderate; unsettled, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 20th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.86	..	..	SE	2	..
Kochi,	,,	29.79	..	..	SW	2	..
Nagasaki,	,,	29.79	..	..	NW	4	..
Kagoshima,	,,	29.79	..	..	SW	2	..
Taihoku,	1 p.	29.87	..	..	SW	2	..
Taichu,	,,	29.87	..	..	SW	4	..
Tainan,	,,	29.91	..	..	W	4	..
Koshun,	,,	29.92	..	..	NW	6	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	29.91	56	94	NE	1	cmd
Sharp Peak,	,,	29.83	63	89	E	1	fr
Amoy,	,,	29.80	73	95	SW	2	r
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	4 p.	29.77	80	80	S	1	o
Victoria Peak,	,,	..	..	..	SSW	6	..
Cap Rock,	,,	29.76	..	..	SSE	3	..
Macao,	,,	29.75	80	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	93	46	SE	1	b
Malate,	3 p.	..	..	..	SE	4	b
Bacolod,	,,	..	..	..	NNW	6	b
Iloilo,	,,	29.77	90	..	E	1	c
Cebu,	,,	29.76	85	..	N	2	c
Cape S. James,	,,	..	..	..	SE	1	c

21st APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	29.94	57	100	E	2	f
Sharp Peak,	,,	29.88	64	92	SE	1	o
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	29.86	79	87	S	1	o
Victoria Peak,	,,	..	..	..	SSW	6	..
Cap Rock,	,,	29.87	..	..	S	3	..
Macao,	,,	29.85	81	..	S	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	90	44	E	1	c
Malate,	9 a.	..	..	..	SSE	2	b
Bacolod,	,,	..	..	..	NNE	4	b
Iloilo,	,,	29.92	86	..	N	2	b
Cebu,	,,	29.89	85	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 21st at 12.5p. The barometer is inclined to fall again on the China coast. Pressure is probably low over Central China. Gradients continue slight for SE and S winds on the coast, and in the N. part of the China Sea. Forecast:—moderate S winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 21st April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	29.86	..	..	S	4	..
Kochi,	"	29.87	..	..	..	0	..
Nagasaki,	"	29.79	..	..	NW	2	..
Kagoshima,	"	29.79	..	..	SE	2	..
Taihoku,	1 p.	29.88	..	..	W	4	..
Taichu,	"	29.88	..	..	S	2	..
Tainan,	"	29.91	..	..	W	6	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.91	..	..	S	2	..
Gutzlaff,	3 p.	29.91	59	82	E	2	of
Sharp Peak,	"	29.79	65	84	E	1	o
Amoy,	"	29.81	70	95	SE	1	or
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.79	79	90	S	1	o
Victoria Peak,	"	..	..	..	S	5	..
Gap Rock,	"	..	..	..	..	.	..
Macao,	"	29.77	88	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	91	45	SE	3	b
Malate,	3 p.	..	..	..	E	3	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.85	89	..	E	1	b
Cebu,	"	29.86	85	..	N	3	c
Cape S. James,	"	..	..	..	..	.	..

22nd APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.91	..	..	..	0	..
Taichu,	"	29.90	..	..	SE	2	..
Tainan,	"	29.93	..	..	SE	2	..
Koshun,	"	.	..	..	..	.	..
Pescadores,	"	29.92	..	..	S	6	..
Gutzlaff,	9 a.	29.98	55	100	E	2	cv
Sharp Peak,	"	29.92	65	92	SW	1	od
Amoy,	"	29.87	74	95	SE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..			..
Hongkong,	10 a.	29.92	80	85	SW	2	op
Victoria Peak,	"	..	..	..	SSW	5	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.89	80	..	SW	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.92	88	59	W	1	b
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	"	.	..	..	NE	2	b
Iloilo,	"	29.93	86	..	E	2	b
Cebu,	"	29.92	85	..	N	2	c
Cape S. James,	7 a.	..	..	..	..	..	..

One the 22nd at 11.55a. The barometer has risen slightly on the China coast. Pressure remains low over Central China, and gradients continue slight for SE and S winds on the coast, and in the N. part of the China Sea. Forecast:—moderate S winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 22nd April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	29.90	..	..	S	4	..
Kochi,	"	29.87	..	..	S	2	..
Nagasaki,	"	29.87	..	..	SW	6	..
Kagoshima,	"	29.87	..	..	S	2	..
Taihoku,	1 p.	29.93	..	..	W	4	..
Taichu,	"	29.90	..	..	W	6	..
Tainan,	"	29.95	..	..	W	6	..
Koshun,	"	29.94	..	..	NW	4	..
Pescadores,	"	29.94	..	..	S	6	..
Gutzlaff,	3 p.	29.97	57	81	NE	.	cv
Sharp Peak,	"	29.84	64	89	NE	3	f
Amoy,	"	29.83	76	91	SE	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.80	85	83	S	1	b
Hongkong,	4 p.	29.81	81	78	SW	3	o
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	29.82	..	..	S	3	..
Macao,	"	29.80	82	..	SW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.80	93	58	SE	2	c
Malate,	3 p.	..	..	..	E	2	c
Bacoled,	"	..	..	..	NW	6	o
Iloilo,	"	29.84	87	..	N	2	o
Cebu,	"	29.84	85	..	N	3	c
Cape S. James,	"	..	..	..	SSE	2	c

23rd APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.92	..	..	S	2	..
Taichu,	"	29.93	..	..	..	0	..
Tainan,	"	29.94	..	..	E	2	..
Koshun,	"	29.94	..	..	N	2	..
Pescadores,	"	29.93	..	..	S	2	..
Gutzlaff,	9 a.	29.98	56	94	E	3	cv
Sharp Peak,	"	29.89	64	95	.	0	or
Amoy,	"	29.87	76	91	S	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	.	.	.	..
Hongkong,	10 a.	29.89	80	82	SSW	1	o
Victoria Peak,	"	.	..	..	SSW	5	..
Gap Rock,	"	29.89	..	..	SSE	3	..
Macao,	"	29.87	85	..	SSW	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.92	80	60	SSE	2	b
Malate,	9 a.	..	..	..	SSE	2	b
Bacoled,	"	.	..	..	NNW	2	o
Iloilo,	"	29.91	84	..	E	2	o
Cebu,	"	29.91	84	..	N	4	c
Cape S. James,	7 a.	..	..	..	E	3	c

One the 22nd at 12 p. Barometric changes are unimportant. Pressure remains low over Central China, and gradients continue slight for S E and S winds on the coast, and in the N. part of the China Sea. Forecast:—moderate S winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 23rd April 1901

CHINA COAST METEOROLOGICAL REGISTER.

23rd APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	29.89	65	..	NW	2	b
Tokio, ...	"	29.91	..	..	N	4	..
Kochi, ...	"	29.87	..	..	E	2	..
Nagasaki, ...	"	29.83	..	..	SW	4	..
Kagoshima,....	"	29.83	..	..	SW	4	..
Taihoku, ...	1 p.	29.99	..	..	SW	6	..
Taichu, ...	"	29.87	..	..	SW	4	..
Tainan, ...	"	29.91	..	..	W	4	..
Koshun, ...	"		..	..	..	..	..
Pescadores, ..	"	29.92	..	..	SW	6	..
Gutzlaff, ...	3 p.	29.92	54	100	ESE	3	omd
Sharp Peak, ..	"	29.79	63	92	E	2	o
Amoy, ...	"	29.78	80	82	S	6	c
Swatow, ...	"	29.75	82	..	S	4	b
Canton, ...	"	29.75	85	83	S	2	b
Hongkong, ...	4 p.	29.78	81	76	S	2	o
Victoria Peak,	"	..	..	..	SSW	5	..
Gap Rock, ...	"	29.79	..	..	S	3	..
Macao.....	"	29.77	82	..	SW	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.76	93	64	SE	3	c
Malate, ...	3 p.	..	..	..	..	3	b
Bacolod, ...	"	..	..	..	NE	2	b
Iloilo, ...	"	29.81	98	..	E	2	o
Cebu, ...	"	29.82	85	..	N	3	c
Cape S. James,	"	...	..	..	SE	3	c

24th APRIL, 1901, A. M.

Wladivostock,..	7 a.	30.02	44	78	SE	1	b
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	29.81	..	..	..	0	..
Taichu, ...	"	29.85	..	..	SE	2	..
Tainan, ...	"	29.86	..	..	SE	2	..
Koshun, ...	"	.	..	..	.	.	..
Pescadores.....	"	..	..	..	..	..	..
Gutzlaff.	9 a.	29.73	57	94	SE	5	f
Sharp Peak. ..	"		..	..	.	..	..
Amoy,..... ..	"	29.79	76	91	S	1	c
Swatow, ...	"	..	..	..	..	..	..
Canton.	"	..	..	.	..	.	..
Hongkong,....	10 a.	29.83	81	76	SW	1	o
Victoria Peak,	"	.	..	..	S	8	..
Gap Rock.	"	29.84	..	..	SSW	4	..
Macao..... ..	"	29.81	84	..	SSW	1	c
Haiphong.	7 a.	.	..	..	.	..	..
Manila, ...	10 a.	29.88	86	58	W	2	c
Malate, ...	9 a.	..	..	..	E	2	b
Bacolod, ...	"	.	..	..	NE	2	b
Iloilo, ...	"	29.88	85	..	SW	2	c
Cebu, ...	"	29.92	85	..	N	2	c
Cape S. James,	7 a.	..	..	..	E	3	c

One the 24th at 11.50 a. The barometer has fallen rapidly on the E. coast, owing to a depression which seems to be moving Eastwards in Central China. Gradients slight to moderate for S winds on the coast, and in the N. part of the China Sea. Forecast:—moderate to fresh S to SW winds; squally, probably some showers.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 24th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	E	4	..
Kochi,	"	29.72	..	..	SE	2	..
Nagasaki,	"	29.64	..	..	W	8	..
Kagoshima	"	29.68	..	..	NW	6	..
Taihoku,	1 p.	29.91	..	..	NW	4	..
Taichu,	"	29.86	..	..	NW	2	..
Tainan,	"	29.82	..	..	W	4	..
Koshun,	"	29.88	..	..	NW	6	..
Pescadores,	"	29.90	..	..	SW	2	..
Gutzlaff,	3 p.	29.90	64	84	NNW	3	cv
Sharp Peak,	"	29.83	76	81	..	0	o
Amoy,	"	29.83	80	82	SE	3	c
Swatow,	"	29.82	81	..	W	1	o
Canton,	"	29.80	80	82	S	2	or
Hongkong,	4 p.	29.81	74	90	SE	1	od
Victoria Peak,	"	..	..	..	SE	3	..
Cap Rock,	"	29.82	..	..	E	2	..
Macao,	"	29.81	65	..	SE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	93	56	W	1	c
Malate,	3 p.	..	..	..	SW	1	b
Bacoled,	"	..	..	..	NNE	2	o
Iloilo,	"	29.82	87	..	..	0	c
Cebu,	"	29.78	86	..	N	3	b
Cape S. James,	"	..	..	..	SE	1	c

5th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	29.93	58	81	SE	3	cv
Sharp Peak,	"	29.88	73	86	N	1	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.88	76	95	E	1	b
Hongkong,	10 a.	29.85	76	87	ESE	1	o
Victoria Peak,	"	..	..	..	SE	1	..
Cap Rock,	"	29.83	..	..	..	0	..
Macao	"	29.85	77	..	NE	1	cd
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	90	60	WSW	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacoled,	"	..	..	..	NNW	2	o
Iloilo,	"	29.86	85	..	E	1	o
Cebu,	"	29.85	84	..	N	1	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 5th at 12.10p. The barometer has risen slightly on the E. coast of China, fallen a little on the S. coast and over the Philippines. The depression in the North is moving Eastwards over Japan. Gradients slight for E winds on the China coast. Forecast:—light or moderate E winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 5th May 1901

CHINA COAST METEOROLOGICAL REGISTER.

5th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.00	51	..	W	2	c
Tokio,	,,	29.86	..	..	N	4	..
Kochi,	,,	29.68	..	..	S	2	..
Nagasaki,	,,	29.76	..	..	N	4	..
Kagoshima,	,,	29.72	..	..	N	6	..
Taihoku,	1 p.	29.91	..	..	E	4	..
Taichu,	,,	29.87	..	..	..	0	..
Tainan,	,,	29.88	..	..	N	2	..
Koshun,	,,	29.88	..	..	NE	2	..
Pescadores,	,,	29.89	..	..	NE	4	..
Gutzlaff,	3 p.	29.86	59	82	SSE	3	o
Sharp Peak,	,,	29.85	72	85	NE	1	..
Amoy,	,,	29.84	79	78	SE	2	o
Swatow,	,,	29.83	77	..	ESE	3	o
Canton,	,,	29.82	79	91	SE	1	or
Hongkong,	4 p.	29.76	76	91	E	2	od
Victoria Peak,	,,	..	..	..	ESE	1	..
Gap Rock,	,,	29.75	..	..	ENE	1	..
Macao,	,,	29.77	77	..	..	0	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.73	95	51	W	1	b
Malate,	3 p.	..	..	..	W	2	b
Bacolod,	,,	..	..	..	NE	2	r
Iloilo,	,,	29.80	85	..	S	3	o
Cebu,	,,	29.80	85	..	SW	..	c
Cape S. James,	,,	..	..	..	..	..	..

6th MAY, 1901, A. M.

Wladivostock,	7 a.	30.09	44	80	WNW	1	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.91	..	..	..	0	..
Taichu,	,,	29.92	..	..	..	0	..
Tainan,	,,	29.89	..	..	NE	2	..
Koshun,	,,	29.90	..	..	E	2	..
Pescadores,	,,	29.89	..	..	NE	2	..
Gutzlaff,	9 a.	29.89	60	94	SSE	5	f
Sharp Peak,	,,	29.88	72	85	..	0	o
Amoy,	,,	29.87	74	90	SSE	1	o
Swatow,	,,	29.80	76	..	NE	2	o
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	29.82	79	84	ESE	1	o
Victoria Peak,	,,	..	..	..	SE	4	..
Gap Rock,	,,	29.83	..	..	ESE	3	..
Macao,	,,	29.81	80	..	SE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	90	66	WSW	1	b
Malate,	9 a.	..	..	..	E	2	c
Bacolod,	,,	..	..	..	NNW	2	b
Iloilo,	,,	29.89	84	..	..	0	c
Cebu,	,,	29.87	85	..	..	0	o
Cape S. James,	7 a.	..	..	..	SW	4	or

On the 6th at 11.55a. Barometric changes are unimportant. Pressure is highest between the E. coast of China and the Sea of Japan, lowest over the middle part of the China Sea. Gradients slight for SE and E winds on the coast, and in the N. part of the China Sea. Forecast:—light or moderate E and SE winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 6th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	E	4	..
Kochi,	"	29.87	..	..	.	0	..
Nagasaki,	"	29.87	..	..	N	6	..
Kagoshima,	"	29.87	..	..	S	4	..
Taihoku,	1 p.	29.92	..	..		0	..
Taichu,	"	29.91	..	..	N	2	..
Tainan,	"	29.88	..	..	W	4	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.90	..	..	NE	4	..
Gutzlaff,	3 p.	..			..		..
Sharp Peak,	"	29.85	72	93	..	0	or
Amoy,	"	29.87	76	86	SE	4	o
Swatow,	"	..	..	..	..		..
Canton,	"	29.82	77	95	S	1	r
Hongkong,	4 p.	29.78	78	83	SSE	2	opq
Victoria Peak,	"	..	..	..	S	6	..
Gap Rock,	"	29.77	..	..	SE	3	..
Macao,	"	29.80	75	..	NW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	91	67	SW	3	c
Malate,	3 p.	..	..	..	S	2	b
Bacolod,	"	..	..	..	SE	2	d
Iloilo,	"	29.85	85	..	E	1	o
Cebu,	"	29.83	85	..	SW	1	c
Cape S. James,	"	..	..	..	SW	4	o

7th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.95	..	..	..	0	..
Taichu,	"	29.92	..	..	..	0	..
Tainan,	"	29.92	..	..	E	2	..
Koshun,	"	29.94	..	..	E	4	..
Pescadores,	"	29.98	..	..	..	0	..
Gutzlaff,	9 a.	29.91	62	94	SE	4	cf
Sharp Peak,	"	29.90	72	93	..	0	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	.	..	..	..	..	..
Canton,	"	29.82	78	91	SE	2	or
Hongkong,	10 a.	29.87	80	87	SSE	2	o
Victoria Peak,	"	..	..	..	S	7	..
Gap Rock,	"	29.87	..	..	SE	4	..
Macao,	"	29.86	83	..	S	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	90	60	ESE	1	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	.	..	..	..	0	or
Iloilo,	"	29.95	83	..	E	1	c
Cebu,	"	29.93	84	..	SE	3	c
Cape S. James,	7 a.	..	..	..	SW	3	c

On the 7th at 12.5p. The barometer has risen slightly on the China coast and over the Phillipines. Pressure is highest in the neighbourhood of W. Japan, lowest over SW China. Gradients slight for SE winds on the China coast. Forecast:—moderate SE winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 7th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

7th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	NE	2	..
Kochi,	"	29.91	..	..	N	4	..
Nagasaki,	"	29.99	..	..	NE	6	..
Kagoshima,	"	29.91	..	..	SE	4	..
Taihoku,	1 p.	29.95	..	..	..	0	..
Taichu,	"	29.92	..	..	.	0	..
Tainan,	"	29.93	..	..	SW	6	..
Koshun,	"	29.96	..	..	E	4	..
Pescadores,	"	29.94	..	..	S	6	..
Gutzlaff,	3 p.	29.95	62	94	ESE	5	f
Sharp Peak,	"	29.85	74	90	ESE	1	c
Amoy,	"	29.87	78	95	SE	4	..
Swatow,	"	..	..	..	..	.	..
Canton,	"	29.78	77	95	..	0	r
Hongkong,	4 p.	29.78	77	91	SSW	3	opq
Victoria Peak,	"	..	..	..	S	6	..
Gap Rock,	"	29.81	..	..	S	4	..
Macao,	"	29.77	82	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	95	57	SSW	2	c
Malate,	3 p.	..	..	..	W	2	b
Bacoled,	"	..	..	..	NNE	2	b
Iloilo,	"	29.84	88	..	..	0	b
Cebu,	"	29.82	86	..	N	3	b
Cape S. James,	"	..	..	..	SW	3	c

8th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	.	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"		..	..	..	..	..
Gutzlaff,	9 a.	29.96	85	100	ESE	7	cm
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..		..	..
Hongkong,	10 a.	29.87	73	96	E	1	odt
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	..	..	..	.	..	..
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	.	.
Malate,	9 a.	..	..	..	W	2	b
Bacoled,	"	.	..	..	..	0	c
Iloilo,	"	29.97	84	..	..	0	c
Cebu,	"	.	..	..	.	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 8th at 12.15p. The barometer has risen slightly on the E. coast of China, and remains steady on the S. coast. Pressure is relatively low over the S and SE coasts of China, with unsettled weather on the China coast generally. Forecast:—variable winds, moderate; squally, thunder storms.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 8th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	N	4	..
Kochi,	"	29.99	..	..	SW	4	..
Nagasaki,	"	29.95	..	..	SE	6	..
Kagoshima,	"	29.99	..	..	SE	4	..
Taihoku,	1 p.	29.91	..	..	SW	2	..
Taichu,	"	29.88	..	..	W	4	..
Tainan,	"	29.91	..	..	W	6	..
Koshun,	"	29.94	..	..	S	4	..
Pescadores,	"	29.91	..	..	SE	4	..
Gutzlaff,	3 p.	29.90	59	94	ESE	7	om
Sharp Peak,	"	29.75	79	82	S	2	o
Amoy,	"	29.86	76	91	SE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.77	81	91	SE	2	b
Hongkong,	4 p.	29.78	75	90	ESE	3	c
Victoria Peak,	"	..	..	..	SSW	7	..
Gap Rock,	"	29.77	..	..	NE	3	..
Macao,	"	29.77	80	..	SSW	1	cr
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	91	67	WSW	2	c
Malate,	3 p.	..	..	..	SSW	1	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.84	88	..	SW	.	c
Cebu,	"	29.81	87	..	SE	2	..
Cape S. James,	"	..	..	..	SW	3	c

9th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	.	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	.	..	..	..	..	..
Gutzloff,	9 a.	29.82	67	100	N	4	cm
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	29.82	76	91	SW	2	c
Swatow,	"		..	..	..	..	..
Canton,	"	29.78	79	91	E	1	or
Hongkong,	10 a.	29.82	81	87	SSW	1	ot
Victoria Peak,	"	..	..	..	SSW	6	..
Gap Rock,	"	29.83	..	..	SSW	4	..
Macao,	"	29 82	81	..	SSW	1	or
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	90	66	WSW	1	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.95	84	..	.	0	c
Cebu,	"	29.92	86	..	SE	2	..
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 9th at 12.10p. The barometer has fallen in the North, probably owing to the existence of a depression between the E. coast of China and W. Japan. The weather continues unsettled on the China coast generally, with NE winds in the North and SW winds in the South.
Forecast:— moderate SW winds; squally, thunder showers.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 9th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.04	42	..	SW	2	o
Tokio,	"	29.98	..	..	S	4	..
Kochi,	"	29.91	..	..	..	0	..
Nagasaki,	"	29.72	..	..	E	8	..
Kagoshima	"	29.72	..	..	E	8	..
Taihoku,	1 p.	29.79	..	..	W	6	..
Taichu,	"	29.83	..	..	SW	2	..
Tainan,	"	29.86	..	..	W	4	..
Koshun,	"	29.88	..	..	NW	6	..
Pescadores,	"	29.87	..	..	S	6	..
Gutzlaff,	3 p.	29.82	57	94	NNE	5	cm
Sharp Peak,	"	29.66	80	62	SSE	3	o
Amoy,	"	29.72	84	79	S	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.72	83	80	SSW	1	o
Victoria Peak,	"	..	..	..	SSW	7	..
Gap Rock,	"	29.72	..	..	SW	3	..
Macao,	"	29.70	88	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	90	60	WSW	3	c
Malate,	3 p.	..	..	..	W	3	b
Bacolod,	"	..	..	..	S	2	c
Iloilo,	"	29.88	87	..	SW	2	c
Cebu,	"	29.83	87	..	SW	2	c
Cape S. James,	"	..	..	..	SW	1	c

10th MAY, 1901, A. M.

Wladivostock,	7 a.	29.93	42	82	SW	5	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku,	5 a.	29.74	..	..	S	2	..
Taichu,	"	29.75	..	..	..	0	..
Tainan,	"	29.77	..	..	E	4	..
Koshun,	"	29.79	..	..	N	4	..
Pescadores	"	29.77	..	..	SW	2	..
Gutzlaff,	9 a.	29.92	54	94	NNE	4	cv
Sharp Peak,	"	29.83	68	85	ENE	5	od
Amoy,	"	29.77	78	82	SW	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong	10 a.	29.83	78	82	NW	1	o
Victoria Peak,	"	..	..	..	NNW	1	..
Gap Rock,	"	29.83	..	..	NNE	2	..
Macao	"	29.83	82	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	88	78	WSW	1	c
Malate,	9 a.	..	..	..	W	2	o
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.90	85	..		0	b
Cebu,	"	29.94	87	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 10th at 12.10p. The barometer has risen on the E. coast of China, fallen in Formosa. The depression in the North is probably moving Eastwards in Japan Pressure is also relatively low in the neighbourhood of Formosa. The winds will probably freshen from NE in the Formosa Channel. Forecast:—N to NE winds, moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 10th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.93	47	..	W	2	o
Tokio,	,,	29.63	..	..	NW	4	..
Kochi,	,,	29.52	..	..	SE	2	..
Nagasaki,	,,	29.60	..	..	SE	2	..
Kagoshima,	,,	29.56	..	..	NW	6	..
Taihoku,	1 p.	29.86	..	..	E	4	..
Taichu,	,,	29.80	..	..	W	4	..
Tainan,	,,	29.82	..	..	W	4	..
Koshun,	,,	29.85	..	..	N	6	..
Pescadores,	,,	29.86	..	..	N	4	..
Gutzlaff,	3 p.	29.91	58	81	N	3	cv
Sharp Peak,	,,	29.84	69	77	E	3	o
Amoy,	,,	29.80	74	86	NE	5	c
Swatow,	,,	..	..	..	..		..
Canton,	,,	29.83	76	82	E	2	c
Hongkong,	4 p.	29.76	80	75	WNW	1	o
Victoria Peak,	,,	..	..	..	NW	1	..
Gap Rock,	,,	29.76	..	..	N	3	..
Macao,	,,	29.77	80	..	NE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	90	72	WSW	3	c
Malate,	4 p.	..	..	..	SW	4	b
Incoled,	,,	..	..	..	SW	2	o
Iloilo,	,,	29.81	88	..	W	2	c
Cebu,	,,	29.79	88	..	SE	2	b
Cape S. James,	,,	..	..	..	SW	2	c

11th MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.89	40	86	WSW	1	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	.	..	..	..	.	..
Taihoku,	5 a.	29.95	..	..	E	4	..
Taichu,	,,	29.86	..	..	..	0	..
Tainan,	,,	29.87	..	..	..	0	..
Koshun,	,,	29.89	..	..		0	..
Pescadores,	,,	29.90	..	..	N	4	..
Gutzlaff,	7 a.	29.95	62	77	WNW	2	lv
Sharp Peak,	,,	29.94	66	84	ENE	1	cd
Amoy,	,,	29.90	69	95	NE	2	or
Swatow,	,,	.	..	..	..	..	..
Canton,	,,	..	.	..	..	..	..
Hongkong,	10 a.	29.89	72	91	NNE	1	cd
Victoria Peak,	,,	.	..	..	..	0	..
Gap Rock,	,,	29.88	..	..	NNE	3	..
Macao,	,,	29.91	70	..	NNW	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	80	72	W	..	c
Malate,	4 a.	.	..	..	S	1	b
Incoled,	,,	.	..	..	NW	2	b
Iloilo,	,,	29.92	85	..	SW	1	c
Cebu,	,,	29.89	80	..	SW	1	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 11th at 12.10 p. The barometer has risen in S. China. The depression in the North has probably reached S.E. Japan, and pressure is highest over the E. coast of China. Gradients slight for NE winds in S. China. Forecast.—moderate N.E. winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 11th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.88	48	..	W	3	c
Tokio,	"	29.63	..	..	NW	6	..
Kochi,	"	29.68	..	..	N	6	..
Nagasaki,	"	29.76	..	..	N	6	..
Kagoshima,	"	29.76	..	..	N	8	..
Taihoku,	1 p.	29.99	..	..	E	6	..
Taichu,	"	29.93	..	..	N	2	..
Tainan,	"	29.89	..	..	W	4	..
Koshun,	"	29.92	..	..	E	6	..
Pescadores,	"	29.93	..	.	NE	6	..
Gutzlaff,	3 p.	29.94	68	74	N	2	c
Sharp Peak,	"	29.95	69	90	ENE	1	od
Amoy,	"	29.91	72	90	NE	1	r
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.85	75	79	..	0	o
Victoria Peak,	"	.	..	..	NE	1	..
Gap Rock,	"	29.85	..	..	NNE	3	..
Macao,	"	29.86	73	..	NNW	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	90	66	WSW	3	o
Malate,	3 p.	..	..	..	W	..	o
Encoled,	"	..	..	..	..	0	b
Iloilo,	"	29.82	90	..	SW	2	b
Cebu,	"	29.84	87	..	SW	2	b
Cape S. James,	"	..	..	..	SW	1	c

12th MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.84	43	67	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	.	..
Taihoku,	5 a.	30.11	..	..	E	6	..
Taichu,	"	29.98	..	..	N	4	..
Tainan,	"	29.99	..	..	NE	4	..
Koshun,	"	30.00	..	..		0	..
Pescadores,	"	30.01	..	..	N	8	..
Gutzlaff,	9 a.	30.15	58	70	N	3	c
Sharp Peak,	"	30.08	69	85	E	2	o
Amoy,	"	30.01	68	90	..	0	o
Swatow,	"	.	..	..	..	..	..
Canton,	"	..	.	..	..	..	..
Hongkong,	10 a.	30.04	67	85	NNE	1	od
Victoria Peak,	"	..	..	..	NE	5	..
Gap Rock,	"	30.02	..	..	N	5	..
Macao,	"	30.06	66	..	NNW	1	cr
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.96	86	71	..	0	c
Malate,	9 a.	..	..	..	W	2	o
Encoled,	"	.	..	..	..	0	b
Iloilo,	"	30.00	87	..	..	0	c
Cebu,	"	29.96	88	..	SW	2	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 12th at 12.10p. The barometer has risen generally, particularly on the China coast. Pressure is high over China, and gradients are slight to moderate for NE winds on the coast, and in the N. part of the China Sea. Forecast:—moderate N to NE winds; rainy at first, probably improving later.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 12th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	29.75	..	..	NE	4	..
Kochi,	"	29.87	..	..	..	0	..
Nagasaki,	"	29.91	..	..	NW	8	..
Kagoshima,	"	29.91	..	..	NW	10	..
Taihoku,	1 p.	30.18	..	..	E	4	..
Taichu,	"	30.04	..	..	..	0	..
Tainan,	"	30.02	..	..	N	6	..
Koshun,	"	30.02	..	..	NE	8	..
Pescadores,	"	30.07	..	.	NE	10	..
Gutzlaff,	3 p.	30.20	63	62	N	2	bv
Sharp Peak,	"	30.07	70	80	E	3	c
Amoy,	"	29.99	76	90	WSW	2	od
Swatow,	"	..	..	..	..		..
Canton,	"	30.04	70	85	..	0	o
Hongkong,	4 p.	30.03	65	95	..	0	od
Victoria Peak,	"	.	..	..	NE	2	..
Gap Rock,	"	29.99	..	..	NE	5	..
Macao,	"	30.03	71	..	N	1	or
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	3 p.	29.88	88	72	..	0	c
Malate,	3 p.	..	..	..	..	0	o
Lucoled,	"		..	..	S	2	r
Iloilo,	"	29.85	93	..	SW	1	c
Cebu,	"	29.85	88	..	N	4	b
Cape S. James,	"	..	..	..	..	..	..

13th MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	.	..
Taihoku,	6 a.	30.14	..	..	E	6	..
Taichu,	"	30.12	..	..	..	0	..
Tainan,	"	30.03	..	..		0	
Koshun,	"	30.03	..	..	NE	6	..
Pescadores,	"	30.07	..	..	NE	8	..
Gutzlaff,	9 a.	30.21	62	77	WSW	1	bv
Sharp Peak,	"	30.16	68	70	NNE	2	c
Amoy,	"	30.09	69	75	NE	3	c
Swatow,	"	.	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.07	72	71	ENE	3	o
Victoria Peak,	"	.	..	..	E	5	..
Gap Rock,	"	30.06	..	..	ENE	5	..
Macao,	"	30.08	75	..	NNW	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.92	88	72	WNW	1	c
Malate,	9 a.	..	..	..	W	1	c
Lucoled,	"	.	..	..	..	0	b
Iloilo,	"	29.96	88	..	N	1	b
Cebu,	"	29.93	88	..	SE	1	c
Cape S. James,	7 a.	..	..	..	SW	1	or

On the 13th at 11.45a. The barometer has risen slightly on the China coast, fallen a little in the Phillipines. Pressure remains high over China with slight to moderate gradients for NE winds in the coast, and in the N. part of the China Sea. Forecast:—fresh NE winds; dull, cloudy.

F. G. FIGG,
First Assistant.

Hongkong Observatory. Monday 13th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	,,	29.86	..	..	S	4	..
Kochi,	,,	29.95	..	..	SW	2	..
Nagasaki,	,,	30.03	..	..	W	6	..
Kagoshima,	,,	29.99	..	..	NW	6	..
Taihoku,	1 p.	30.14	..	..	E	6	..
Taichu,	,,	30.12	..	..	..	0	..
Tainan,	,,	30.13	..	..	N	4	..
Koshun,	,,	30.13	..	..	NE	6	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	30.16	70	61	SSW	1	bv
Sharp Peak,	,,	30.09	67	69	ESE	4	o
Amoy,	,,	30.01	75	68	NE	3	c
Swatow,	,,	..	..	..	..	.	..
Canton,	,,	29.99	73		E	1	b
Hongkong,	4 p.	29.96	78	72	E	4	o
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	29.94	..	..	ENE	5	..
Macao,	,,	29.96	74	..	ENE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	90	60	SE	2	c
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NW	2	b
Iloilo,	,,	29.87	92	..	E	1	o
Cebu,	,,	29.86	85	..	N	2	
Cape S. James,	,,	..	..	..	E	1	orlt

14th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,		..	..	..	.	..
Taihoku,	5 a.	30.04	..	..	E	6	..
Taichu,	,,	29.99	..	..	..	0	..
Tainan,	,,	30.00	..	..	E	2	..
Koshun,	,,	29.9[illegible]	..	..	NE	6	..
Pescadores,	,,	30.00	..	..	NE	6	..
Gutzlaff,	9 a.	30.10	63	67	S	3	cv
Sharp Peak,	,,	30.06	68	74	NW	1	o
Amoy,	,,	30.01	70	75	N	2	c
Swatow,	,,	.	..	..	..	..	..
Canton,	,,	..		..	..	..	..
Hongkong,	10 a.	30.00	72	81	ENE	4	o
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock,	,,	29.98	..	..	E	4	..
Macao,	,,	29.98	74	..	ENE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	88	72	NW	1	c
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	,,	..	..	..	N	2	b
Iloilo,	,,	29.91	93	..	NE	1	c
Cebu,	,,	29.95	86	..	N	3	b
Cape S. James,	7 a.	..	..	..	E	1	c

On the 14th at 11.55a. The barometer is falling on the China coast. Pressure is highest between the E. coast of China and W. Japan, and gradients are moderate to slight for SE and E winds on the China coast. Forecast:—fresh to moderate E winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory. Tuesday 14th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	SW	4	..
Kochi,	"	30.15	..	..	S	2	..
Nagasaki,	"	30.07	..	..	W	6	..
Kagoshima,	"	30.11	..	..	SE	4	..
Taihoku,	1 p.	29.99	..	..	N	2	..
Taichu,	"	29.95	..	..	N	4	..
Tainan,	"	29.95	..	..	W	4	..
Koshun,	"	29.96	..	..	NE	6	..
Pescadores,	"	29.99	..	..	NE	6	..
Gutzlaff,	8 p.	30.00	63	78	SSE	5	cd
Sharp Peak,	"	29.96	70	75	E	2	o
Amoy,	"	29.98	74	76	NE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.88	78	86	SE	1	c
Hongkong,	4 p.	29.88	78	81	ENE	4	o
Victoria Peak,	"	..	..	..	E	6	..
Gap Rock,	"	29.86	..	..	E	4	..
Macao,	"	29.88	75	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	86	71	NE	1	o
Malate,	8 p.	..	..	..	SE	1	c
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.81	92	..	E	2	c
Cebu,	"	29.80	86	..	N	5	c
Cape S. James,	"	..	..	..	S	1	c

15th MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"		..	..	..	..	..
Taihoku,	5 a.	29.96	..	..	..	0	..
Taichu,	"	29.97	..	..	..	0	..
Tainan,	"	29.94	..	..	N	4	..
Koshun,	"	29.93	..	..	N	2	..
Pescadores,	"	29.96	..	..	NE	6	..
Gutzlaff,	9 a.	29.98	63	83	SSE	3	cm
Sharp Peak,	"	29.93	71	85	NE	1	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.93	74	87	ENE	2	o
Victoria Peak,	"	..	..	..	ESE	5	..
Gap Rock,	"	29.90	..	..	E	4	..
Macao,	"	29.90	76	..	ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	71	WNW	2	c
Malate,	9 a.	..	..	..	SW	1	c
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.90	86	..	NE	1	o
Cebu,	"	29.84	84	..	SW	2	cd
Cape S. James,	7 a.	..	..	..	..	..	..

On the 15th at 11.55a. The barometer has fallen on the China coast and in the Phillipines. Pressure appears to be now low over N. China, and highest over Japan. Gradients slight for SE and E winds on the coast, and in the N. part of the China Sea. Forecast:—moderate or light E winds; cloudy, misty.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 15th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.18	..	..	S	6	..
Kochi,	"	30.15	..	..	SE	6	..
Nagasaki,	"	30.03	..	..	SE	4	..
Kagoshima,	"	30.11	..	..	S	4	..
Taihoku,	1 p.	29.95	..	..	NW	4	..
Taichu,	"	29.91	..	..	N	4	..
Tainan,	"	29.90	..	..	N	6	..
Koshun,	"	29.91	..	..	NE	6	..
Pescadores,	"	29.94	..	..	N	4	..
Gutzlaff,	3 p.	29.93	69	70	SSE	3	bv
Sharp Peak,	"	29.84	74	81	E	1	b
Amoy,	"	29.88	78	78	SE	4	c
Swatow,	"	29.84	75	..	W	2	o
Canton,	"	29.81	83	88	SE	1	b
Hongkong,	4 p.	29.83	74	92	E	2	o
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	29.83	..	..	E	4	..
Macao,	"	29.83	75	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	78	..	0	c
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NE	2	c
Iloilo,	"	29.80	86	..	NW	2	[illegible]
Cebu,	"	29.81	84	..	SW	2	d
Cape S. James,	"	..	..	..	E	1	f

16th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.95	..	..	..	0	..
Taichu,	"	29.92	..	..	..	0	..
Tainan,	"	29.91	..	..	..	0	..
Koshun,	"	29.93	..	..	NE	2	..
Pescadores,	"	29.94	..	..	N	6	..
Gutzlaff,	9 a.	29.97	63	94	SSE	4	f
Sharp Peak,	"	29.95	73	81	NW	1	o
Amoy,	"	29.93	75	86	NE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.92	78	89	E	2	o
Victoria Peak,	"	..	..	..	SSE	1	..
Gap Rock,	"	29.91	..	..	E	2	..
Macao,	"	29.90	82	..	ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	82	85	NE	1	o
Malate,	9 a.	..	..	..	N	2	o
Bacolod,	"	..	..	..	S	2	b
Iloilo,	"	29.88	85	..	SW	3	o
Cebu,	"	29.84	83	..	SW	1	o
Cape S. James,	7 a.	..	..	..	..	0	c

On the 16th at 11.50a. Barometric changes are slight. Pressure is high over Japan, and gradients are slight for SE and E winds on the China coast, and in the N. part of the China Sea.

Forecast:—E and varying winds, light; probably some thunder showers.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 16th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.83	50	..	SE	4	f
Tokio,	"	30.10	..	..	N	8	..
Kochi,	"	30.03	..	..	SE	2	..
Nagasaki,	"	29.99	..	..	SE	2	..
Kagoshima,	"	30.03	..	..	SE	4	..
Taihoku,	1 p.	29.93	..	..	E	6	..
Taichu,	"	29.90	..	..	W	2	..
Tainan,	"	29.92	..	..	NW	4	..
Koslun,	"	29.95	..	..	NW	4	..
Pescadores,	"	29.96	..	..	N	6	..
Gutzlaff,	3 p.	29.89	65	95	SSE	4	opg
Sharp Peak,	"	29.89	74	86	E	1	o
Amoy,	"	29.89	79	82	SE	5	c
Swatow,	"	29.77	76	..	E	3	o
Canton,	"	29.82	82	79	S	1	b
Hongkong,	4 p.	29.82	77	91	E	3	o
Victoria Peak,	"	..	..	..	SSW	1	..
Gap Rock,	"	29.82	..	..	E	3	..
Macao,	"	29.81	82	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	79	100	..	0	or
Malate,	3 p.	..	..	..	SW	1	or
Bacolod,	"	..	..	..	SW	1	c
Iloilo,	"	29.81	85	..	N	1	o
Cebu,	"	29.79	89	..	SW	2	c
Cape S. James,	"	..	..	..	SE	1	o

17th MAY, 1901, A. M.

Wladivostock,	7 a.	29.70	47	99	S	3	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.92	..	..	..	0	..
Taichu,	"	29.89	..	..	..	0	..
Tainan,	"	29.88	..	..	..	0	..
Koslun,	"	29.91	..	..	..	0	..
Pescadores,	"	29.91	..	..	N	4	..
Gutzlaff,	9 a.	29.95	65	95	NW	4	cr
Sharp Peak,	"	29.86	77	79	..	0	b
Amoy,	"	29.87	76	91	SE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.87	82	87	S	1	b
Hongkong,	10 a.	29.88	80	77	ENE	2	c
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	29.85	..	..	E	3	..
Macao,	"	29.86	87	..	ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	88	66	ESE	2	o
Malate,	9 a.	..	..	..	E	2	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.89	86	..	SW	1	c
Cebu,	"	29.89	83	..	..	0	c
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 17th at 12.20p. The barometer has fallen slightly on the China coast. A depression seems to be moving Eastwards in Manchuria, and pressure is highest over the E. coast of China. Gradients slight for NE and E winds on the coast and in the N. part of the China Sea.

Forecast:—moderate E winds; fair to showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 17th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.02	..	..	S	6	..
Kochi,	,,	29.95	..	..	S	2	..
Nagasaki,	,,	29.79	..	..	S	10	..
Kagoshima,	,,	29.91	..	..	S	4	..
Taihoku,	1 p.	29.90	..	..	NW	6	..
Taichu,	,,	29.87	..	..	N	4	..
Tainan,	,,	29.88	..	..	W	4	..
Koshun,	,,	29.88	..	..	SE	6	..
Pescadores,	,,	29.86	..	..	NE	4	..
Gutzlaff,	3 p.	30.01	64	78	N	5	c
Sharp Peak,	,,	29.88	77	86	ESE	1	o
Amoy,	,,	29.82	80	82	SE	4	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.78	86	76	S	2	c
Hongkong,	4 p.	29.76	78	85	E	2	o
Victoria Peak,	,,	.	..	..	SE	2	..
Gap Rock,	,,	29.75	..	..	E	3	..
Macao,	,,	29.76	82	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	71	SSE	2	o
Malate,	3 p.	..	..	..	E	1	o
Bacoled,	,,	..	..	..	NE	2	b
Iloilo,	,,	29.78	88	..	S	2	..
Cebu,	,,	29.75	86	..	N	4	c
Cape S. James,	,,	..	..	..	SW	1	c

18th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	.	..	..	..	.	..
Taihoku,	5 a.	29.96	..	..	E	6	..
Taichu,	,,	29.85	..	..	..	0	..
Tainan,	,,	29.85	..	..	E	2	..
Koshun,	,,	29.86	..	..	E	2	..
Pescadores,	,,	29.87	..	..	NE	8	..
Gutzlaff,	9 a.	30.11	60	55	NE	3	cv
Sharp Peak,	,,	29.99	69	65	NNE	4	o
Amoy,	,,	29.90	72	76	NE	7	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	.	..	.	..	.	..
Hongkong,	10 a.	29.86	78	85	E	5	o
Victoria Peak,	,,	.	..	..	ESE	6	..
Gap Rock,	,,	29.86	..	..	E	3	..
Macao,	,,	29.85	72	..	E	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.84	86	71	SE	1	c
Malate,	9 a.	..	..	..	E	2	o
Bacoled,	,,	.	..	..	..	0	b
Iloilo,	,,	29.91	85	..	..	0	cr
Cebu,	,,	29.91	85	..	N	2	c
Cape S. James,	7 a.	..	..	..	SW	3	c

On the 18th at 11.45a. The barometer has risen considerably on the E. coast of China, and is little changed elsewhere. A high pressure area lies over the NE. coast of China, and a trough of low pressure appears to be lying across the middle part of the China Sea. Gradients moderate with strong NE winds on the coast and increasing NE winds in the N. part of the China Sea.

Forecast:—fresh to strong NE winds; unsettled, rainy.

F. G. FIGG,
First Assistant

Hongkong Observatory. Saturday 18th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	S	8	..
Kochi,	"	29.79	..	..	N	2	..
Nagasaki,	"	29.91	..	..	N	6	..
Kagoshima,	"	29.91	..	..	NW	4	..
Taihoku,	1 p.	29.97	..	..	NE	8	..
Taichu,	"	29.85	..	..	N	6	..
Tainan,	"	29.90	..	..	N	8	..
Koshun,	"	29.91	..	..	E	6	..
Pescadores,	"	29.92	..	..	NE	10	..
Gutzlaff,	3 p.	30.04	69	61	NE	2	cv
Sharp Peak,	"	30.00	68	56	E	4	o
Amoy,	"	29.87	77	61	NE	8	c
Swatow,	"	29.78	77	..	E	5	o
Canton,	"	29.76	83	78	S	2	b
Hongkong,	4 p.	29.80	74	86	E	5	o
Victoria Peak,	"	..	..	..	ESE	6	..
Cap Rock,	"	..	..	..	..	..	..
Macao,	"	29.78	81	..	ESE	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	79	92	NW	1	c
Malate,	3 p.	..	..	..	ESE	3	c
Bacolod,	"	..	..	..	NNW	2	b
Iloilo,	"	29.80	87	..	SW	2	c
Cebu,	"	29.79	87	..	N	3	b
Cape S. James,	"	..	..	..	SW	5	..

19th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.98	..	..	E	6	..
Taichu,	"	29.90	..	..	..	0	..
Tainan,	"	29.90	..	..	N	4	..
Koshun,	"	29.93	..	..	E	4	..
Pescadores,	"	29.92	..	..	NE	8	..
Gutzlaff,	9 a.	30.09	64	63	SE	2	bv
Sharp Peak,	"	30.01	68	76	NNW	2	o
Amoy,	"	29.94	74	76	NE	2	c
Swatow,	"	29.94	72	..	ENE	3	or
Canton,	"	29.89	79	82	E	1	b
Hongkong,	10 a.	29.90	76	73	E	3	c
Victoria Peak,	"	..	..	..	E	5	..
Cap Rock,	"		..	..			..
Macao,	"	29.89	79	..	ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	88	96	ESE	1	c
Malate,	9 a.	..	..	..	SE	1	c
Bacolod,	"	..	..	..	NW	1	b
Iloilo,	"	29.91	86	..	..	..	b
Cebu,	"	29.91	86	..	SW	1	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 19th at 12.10p. The barometer has risen in S. China and Luzon. Pressure is high between the E. coast of China and W. Japan, and low probably over the W. part of the China Sea. Gradients slight to moderate with fresh E. winds on the coast, and strong NE and E winds in the N. part of the China Sea. Forecast:—strong to fresh E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 19th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.82	56	..	N	4	c
Tokio,	"	29.71	..	..	NW	4	..
Kochi,	"	29.87	..	..	SE	2	..
Nagasaki,	"	29.99	..	..	SW	4	..
Kagoshima,	"	29.95	..	..	W	4	..
Taihoku,	1 p.	29.96	..	..	E	6	..
Taichu,	"	29.93	..	..	NW	2	..
Tainan,	"	29.95	..	..	NE	4	..
Koshun,	"	29.94	..	..	E	2	..
Pescadores,	"	29.98	..	..	NE	8	..
Gutzlaff,	3 p.	30.05	66	68	SSE	2	bv
Sharp Peak,	"	29.98	70	77	NE	1	o
Amoy,	"	29.92	76	60	NE	3	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.83	87	72	E	1	b
Hongkong,	4 p.	29.83	78	73	ESE	2	b
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.82	82	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	93	57	SE	2	c
Malate,	3 p.	..	..	..	W	2	b
Lacoled,	"	..	..	..	N	2	b
Iloilo,	"	29.82	90	..	E	1	c
Cebu,	"	29.88	86	..	N	4	..
Cape S. James,	"	..	..	..	..	..	..

20th MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.88	49	62	..	0	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.88	..	..	..	0	..
Taichu,	"	29.83	..	..	..	0	..
Tainan,	"	29.83	..	..	..	0	..
Koelun,	"	29.83	..	..	E	6	..
Pescadores,	"	29.85	..	..	NE	6	..
Gutzlaff,	9 a.	29.92	68	85	S	5	cv
Sharp Peak,	"	29.86	73	50	NW	2	o
Amoy,	"	29.87	76	86	SW	3	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.88	81	76	ESE	1	b
Victoria Peak,	"	..	..	..	N	1	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.88	84	..	ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	71	WNW	1	c
Malate,	9 a.	..	..	..	E	2	b
Lacoled,	"	..	..	..	..	0	b
Iloilo,	"	29.89	86	..	..	0	c
Cebu,	"	29.89	85	..	N	3	c
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 20th at 12.10p.: The barometer has fallen on the China coast, particularly in the North. depression appears to be moving Eastwards over N. China. Gradients slight with light variable winds in S. China. **Forecast**:—varying winds, light; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 20th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.71	..	..		0	..
Kochi,	"	29.87	..	..	SW	4	..
Nagasaki,	"	29.95	..	..	SW	6	..
Kagoshima,	"	29.95	..	..	W	6	..
Taihoku,	1 p.	29.81	..	..	E	6	..
Taichu,	"	29.76	..	..		0	..
Tainan,	"	29.75	..	..	N	6	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.79	..	..	NE	10	..
Gutzlaff,	3 p.	29.84	79	85	SSE	4	bm
Sharp Peak,	"	29.79	77	84	N	2	o
Amoy,	"	29.78	82	83	SE	6	c
Swatow,	"	29.78	84	..	..	3	b
Canton,	"	29.79	90	70	S	2	b
Hongkong,	4 p.	29.79	83	63	..	0	b
Victoria Peak,	"	..	..	..	S	2	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.80	85	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	93	63	W	2	c
Malate,	3 p.	..	..	..	SW	2	b
Bacoled,	"	..	..	..	NW	2	c
Iloilo,	"	29.85	..	..	..	0	b
Cebu,	"	29.79	87	..	N	2	b
Cape S. James,	"	..	..	..	SW	1	c

21st MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	29.82	..	..	S	4	..
Kochi,	"	29.91	..	..	..	0	..
Nagasaki,	"	29.83	..	..	SE	6	..
Kagoshima,	"	29.91	..	..	S	2	..
Taihoku,	5 a.	29.82	..	..	S	2	..
Taichu,	"	29.84	..	..	..	0	..
Tainan,	"	29.86	..	..	..	0	..
Koshun,	"	..	..	..		..	..
Pescadores,	"	29.88	..	..	N	4	..
Gutzlaff,	9 a.	..	..	..	..	..	
Sharp Peak,	"	29.78	77	82	..	0	o
Amoy,	"	29.81	78	86	SSW	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"				..	..	..
Hongkong,	10 a.	29.85	84	72		0	b
Victoria Peak,	"	..	..	..	NW	1	..
Gap Rock,	"		..	..		..	..
Macao,	"	29.85	87	..	SSW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	65	WNW	1	b
Malate,	9 a.	..	..	..	SW	1	c
Bacoled,	"		..	..	..	0	b
Iloilo,	"	29.90	87	..	E	1	c
Cebu,	"	29.88	87	..	N	2	c
Cape S. James,	7 a.	..	..	..	..	.	..

On the 21st at 12.5p. The barometer has fallen in S. China and W. Japan. The depression is moving Eastwards between the E. coast of China and W. Japan. Gradients slight with light variable winds on the China coast. Forecast:—SW winds, light; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 21st May 1901

CHINA COAST METEOROLOGICAL REGISTER.

21st MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	..	29.75	..	..	S	6	..
Kochi,	,,	29.87	..	..	S	2	..
Nagasaki,	,,	29.83	..	..	SE	6	..
Kagoshima,	,,	29.87	..	..	S	4	..
Taihoku,	1 p.	29.82	..	..	W	6	..
Taichu,	,,	29.82	..	..	SW	2	..
Tainan,	,,	29.86	..	..	W	2	..
Koshun,	,,		..	..	..	..	..
Pescadores,	,,	29.83	..	..	SW	4	..
Gutzlaff,	3 p.	29.90	62	94	N	4	cv
Sharp Peak,	,,	29.73	79	87	ESE	2	b
Amoy,	,,	29.76	84	79	SE	6	c
Swatow,	,,	29.74	87	..	S	4	c
Canton,	,,	29.78	95	65	..	0	b
Hongkong,	4 p.	29.79	84	72	SW	1	b
Victoria Peak,	,,	..	..	..	SW	4	..
Cap Rock,	,,	..	..	..	..	..	..
Macao,	,,	29.79	88	..	SW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	66		0	c
Malate,	3 p.	..	..	..	N	2	c
Pacoled,	,,	..	..	..	NE	2	c
Iloilo,	,,	29.81	81	..	N	2	c
Cebu,	,,	29.81	86	..	N	3	b
Cape S. James,	,,	..	..	..	SW	1	c

22nd MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	,,	.	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	W	2	..
Taichu,	,,	29.88	..	..	..	0	..
Tainan,	,,	29.88	..	..	E	2	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	29.88	..	..	S	2	..
Gutzlaff,	9 a.	30.03	61	77	N	4	cv
Sharp Peak,	,,	29.92	71	85	E	2	od
Amoy,	,,	29.87	79	91	NE	3	o
Swatow,	,,	..	..	..	..	.	..
Canton,	,,	.	.		..	..	..
Hongkong,	10 a.	29.89	84	75	WNW	1	b
Victoria Peak,	,,	..	..	..	SW	2	..
Cap Rock,	,,	.	..	..	..	.	..
Macao,	,,	29.88	86	..	..	0	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	78	NW	1	b
Malate,	9 a.	..	..	..	W	2	b
Pacoled,	,,	..	..	..	..	0	b
Iloilo,	,,	29.89	86	..	..	0	b
Cebu,	,,	29.91	86	..	..	0	c
Cape S. James,	7 a.	..	..	..	SW	1	..

On the 22nd at 12.15p. The barometer has risen on the China coast, particularly in the North. The depression in the North is probably moving Eastwards to the S. of Japan, and pressure is high over N. China. Gradients slight for NE winds on the China coast.

Forecast:—varying winds, SW to E, light to moderate; fine at first, changeable later.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 22nd May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	"	29.82	..	..	S	2	..
Kochi,	"	29.75	..	..	..	0	..
Nagasaki,	"	29.79	..	..	..	0	..
Kagoshima,	"	29.79	..	..	NW	4	..
Taihoku,	1 p.	29.94	..	..	E	6	..
Taichu,	"	29.88	..	..	W	2	..
Tainan,	"	29.89	..	..	W	4	..
Koshun,	"		..	..	..	..	..
Pescadores,	"	29.92	..	.	SE	2	..
Gutzlaff,	3 p.	30.00	66	68	N	2	bv
Sharp Peak,	"	29.90	71	83	ENE	3	c
Amoy,	"	29.85	83	79	ENE	4	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.80	94	68	W	1	b
Hongkong,	4 p.	29.81	86	67	W	1	o
Victoria Peak,	"	..	..	..	SW	2	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.81	89	..	S	1	c
Hoiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	66	NE	1	c
Malate,	3 p.	..	..	..	NW	2	c
Incoloid,	"	..	..	..	NNW	3	b
Hoilo,	"	29.81	91	..	E	1	b
Cebu,	"	29.81	86	..	N	3	c
Cape S. James,	"	..	..	..	SW	1	c

23rd MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	29.94	..	..	E	4	..
Taichu,	"	29.89	..	..	..	0	..
Tainan,	"	29.90	..	..	..	0	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.92	..	..	NE	4	..
Gutzlaff,	9 a.	29.95	64	78	SE	2	cv
Sharp Peak,	"	29.91	72	85	..	0	o
Amoy,	"	29.89	76	86	NE	1	c
Swatow,	"	..	..	..	..	.	..
Canton,	"	.			..	..	..
Hongkong,	10 a.	29.91	80	88	E	1	o
Victoria Peak,	"	..	..	..	SW	1	..
Gap Rock,	"		..	..		.	..
Macao,	"	29.88	80	..	WSW	1	c
Hoiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	86	71	NW	1	b
Malate,	9 a.	..	..	..	NW	1	b
Incoloid,	"	.	..	..	..	0	b
Hoilo,	"	29.90	87	..	..	0	c
Cebu,	"	29.90	86	..	N	2	c
Cape S. James,	7 a.	..	..	..	..	.	..

On the 22nd at 12.10p. The barometer has fallen on the E. coast of China. Pressure is highest between the E. coast of China and W. Japan, and gradients are gentle with light variable winds in S. China and the N. part of the China Sea. Forecast:—variable winds, light; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 23rd May 1901

CHINA COAST METEOROLOGICAL REGISTER.

23rd MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.70	50	..	SE	3	f
Tokio,	"	29.90	..	..	SE	4	..
Kochi,	"	29.79	..	..	SW	2	..
Nagasaki,	"	29.79	..	..	SW	4	..
Kagoshima,	"	29.79	..	..	SE	2	..
Taihoku,	1 p.	29.91	..	..	E	4	..
Taichu,	"	29.88	..	..	..	0	..
Tainan,	"	29.89	..	..	S	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.92	..	..	NE	6	..
Gutzlaff,	3 p.	29.95	69	70	ESE	3	cv
Sharp Peak,	"	29.84	75	90	ESE	2	b
Amoy,	"	29.86	80	82	SE	4	b
Swatow,	"	29.74	80	..	E	3	c
Canton,	"	29.79	94	68	SW	1	b
Hongkong,	4 p.	29.82	81	86	E	2	c
Victoria Peak,	"	..	..	..	SSW	1	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.81	82	..	SSE	2	e
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	91	49	SE	2	e
Malate,	3 p.	..	..	..	E	2	b
Bacoloed,	"	..	..	..	N	3	b
Hoilo,	"	29.83	92	..	SE	1	.
Cebu,	"	29.81	86	..	N	3	b
Cape S. James,	"	..	..	..	..	0	c

24th MAY, 1901, A. M.

Wladivostock,	7 a.	29.60	49	97	..	0	f
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	..	0	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.89	..	..	..	0	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.85	..	..	W	4	..
Gutzlaff,	9 a.	29.97	59	94	ENE	3	omr
Sharp Peak,	"	29.83	75	90	..	0	o
Amoy,	"	29.85	80	87	S	1	bm
Swatow,	"	..	..	..			..
Canton,	"	29.85	87	84	SW	1	c
Hongkong,	10 a.	29.87	83	79	W	1	o
Victoria Peak,	"	..	..	..	SSW	2	..
Gap Rock,	"		..	..		.	..
Macao,	"	29.85	88	..	..	0	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.88	90	72	WSW	1	b
Malate,	9 a.	..	..	..		0	b
Bacoloed,	"	.	..	..	NW	2	b
Hoilo,	"	29.90	87	..	E	1	c
Cebu,	"	29.89	86	..	N	2	b
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 24th at 12.15p. The barometer has fallen slightly in S. China. A depression lies in the North part of the Sea of Japan, and pressuae is also relatively low about the Formosa Channel. Gradients slight generally with variable winds on the China coast, and moderate S. winds in the N. part of the China Sea. Forecast:—light SW winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 24th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.51	..	..	S	4	..
Kochi,	"	29.60	..	..	SE	4	..
Nagasaki,	"	29.72	..	..	W	6	..
Kagoshima,	"	29.72	..	..	W	6	..
Taihoku,	1 p.	29.88	..	..	NW	2	..
Taichu,	"	29.88	..	..	SW	2	..
Tainan,	"	29.86	..	..	W	2	..
Kosiun,	"	.	..	..	..	..	..
Fusandores,	"	29.89	..	..	..	0	..
Catzlaff,	3 p.	29.75	58	94	NE	3	cv
Sharp Peak,	"	29.73	78	89	E	3	c
Amoy,	"	29.78	84	83	SE	5	c
Swatow,	"	29.77	86	..	SW	3	b
Canton,	"	29.75	95	68	SW	2	b
Hongkong,	4 p.	29.77	85	70	SW	1	c
Victoria Peak,	"	.	..	..	SSW	5	..
Gap Rock,	"	29.76	..	..	WSW	3	..
Macao,	"	29.78	90	..	SW	1	e
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	84	71	ENE	1	o
Malate,	3 p.	..	..	..	N	1	e
Encoled,	"	..	..	..	N	2	b
Iloilo,	"	29.80	92	..	NE	1	c
Cebu,	"	29.79	88	..	N	3	b
Cape S. James,	"	..	..	..	..	0	c

25th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	.	.	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	7 a.	29.88	..	..	..	0	..
Taichu,	"	29.85	..	..	..	0	..
Tainan,	"	29.86	..	..	NW	2	..
Koshun,	"	29.86	..	..	..	0	..
Fusandores,	"	29.87	..	..	..	0	..
Catzlaff,	9 a.	29.16	62	89	E	2	cv
Sharp Peak,	"	29.84	87	90	E	4	o
Amoy,	"	29.80	80	91	NE	2	cm
Swatow,	"	..	..	..	.	.	..
Canton,	"		..	..	..	.	..
Hongkong,	10 a.	29.85	86	70	WSW	1	c
Victoria Peak,	"		..	..	SW	4	..
Gap Rock,	"	29.84	..	..	WSW	4	..
Macao,	"	29.83	90	..	SW	1	e
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.84	90	66	W	1	b
Malate,	9 a.	.	.	..	SW	1	c
Encoled,	"	.	..	..	..	0	b
Iloilo,	"	29.89	86	..	.	0	o
Cebu,	"	29.88	86	..		0	c
Cape S. James,	7 a.	.	..	..	SW	1	e

On the 25th at 11.40a. Barometric changes are slight. Pressure is highest over the NE. coast of China, and relatively low over the SE. coast. Gradients slight for E winds on the E. coast, and for SW winds on the coast and in the N. part of the China Sea. Forecast.—Moderate or light SW winds; fine at first, showery later.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 25th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.63	..	..	S	6	..
Kochi,	"	29.68	..	..	W	2	..
Nagasaki,	"	29.75	..	..	W	6	..
Kagoshima,	"	29.75	..	..	W	4	..
Taihoku,	1 p.	29.86	..	..	W	4	..
Taichu,	"	29.84	..	..	NW	4	..
Tainan,	"	29.85	..	..	W	4	..
Koshun,	"	29.86	..	..	N	4	..
Pescadores,	"	29.86	..	..	SW	4	..
Gutzlaff,	3 p.	29.95	67	69	SSW	1	cv
Sharp Peak,	"	29.82	70	85	E	7	o
Amoy,	"	29.79	81	83	NE	5	om
Swatow,	"	29.72	87	..	S	3	c
Canton,	"	29.72	95	68	SE	1	b
Hongkong,	4 p.	29.76	85	74	S	1	o
Victoria Peak,	"	.	..	..	SW	5	..
Gap Rock,	"	29.76	..	..	WSW	4	..
Macao,	"	29.75	90	..	SW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	82	48	NE	1	c
Malate,	3 p.	..	..	..	..	0	o
Bacoled,	"	..	..	..	..	0	b
Iloilo,	"	29.81	85	..	.	0	o
Cebu,	"	29.83	87	..	N	3	c
Cape S. James,	"	..	..	..	SW	1	c

26th MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	E	6	..
Taichu,	"	29.86	..	..	..	0	..
Tainan,	"	29.85	..	..	E	2	..
Koshun,	"	..	..	..	..		..
Pescadores,	"	29.86	..	..	N	6	..
Gutzlaff,	9 a.	30.02	63	89	W	2	cvd
Sharp Peak,	"	29.92	68	90	NE	1	o
Amoy,	"	..	..	..	.		..
Swatow,	"	29.92	78	..	E	3	o
Canton,	"	29.87	76	95	NE	2	r
Hongkong,	10 a.	29.87	86	72	WSW	1	o
Victoria Peak,	"		.	..	SW	4	..
Gap Rock,	"	29.86	..	..	W	4	..
Macao,	"	29.85	88	..	SW	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.88	90	72	W	1	c
Malate,	9 a.	..	..	..	E	2	c
Bacoled,	"	.	..	..	NW	2	b
Iloilo,	"	29.89	91	..	E	1	c
Cebu,	"	29.87	84	..		0	.
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 26th at 11.50a. The barometer has risen slightly on the China coast. Pressure is highest over the E. coast of China, and relatively low along the S. coast. Gradients slight for E. winds over the SE coast and Formosa Channel, and for SW winds in the N. part of the China Sea.

Forecast:—varying winds, moderate; squally, thunder showers.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 26th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.67	..	..	S	6	..
Kochi,	"	29.75	..	..	SE	4	..
Nagasaki,	"	29.83	..	..	W	8	..
Kagoshima,	"	29.83	..	..	W	4	..
Taihoku,	1 p.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..		..	..
Gutzlaff,	3 p.	29.97	66	79	W	1	cv
Sharp Peak,	"	..	..	..	..	..	.
Amoy,	"	29.86	80	82	NE	1	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.83	83	83	ESE	2	c
Hongkong,	4 p.	29.78	83	77	E	1	o
Victoria Peak,	"	..	..	..	NNE	1	..
Gap Rock,	"	29.78	..	..	W	2	..
Macao,	"	29.79	85	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	71	SSE	1	c
Malate,	3 p.	..	..	..	NE	1	o
Bacolod,	"	..	..	..	NNE	2	h
Iloilo,	"	29.84	91	..	E	2	c
Cebu,	"	29.82	86	..	N	2	c
Cape S. James,	"	..	..	..	..	..	..

27th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.97	..	..	E	6	.
Taichu,	"	29.93	..	..	..	0	..
Tainan,	"	29.92	..	..	NE	4	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.94	..	..	NE	6	..
Gutzlaff,	9 a.	30.04	63	94	SSE	3	cv
Sharp Peak,	"	..	.	..	..	..	.
Amoy,	"	29.93	75	81	ENE	2	c
Swatow,	"	..	..	..	..	..	.
Canton,	"	..	..	..	..		..
Hongkong,	10 a.	29.96	77	93	E	1	od
Victoria Peak,	"	.	..	..	SE	2	..
Gap Rock,	"	29.93	..	..	ESE	2	..
Macao,	"	29.93	80	..	E	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	86	78	NW	1	c
Malate,	9 a.	..	..	..	WNW	1	o
Bacolod,	"		..	..	..	6	h
Iloilo,	"	29.94	87	..	E	1	c
Cebu,	"	29.92	86	..	N	1	c
Cape S. James,	7 a.	..	..	..	..	0	orlt

On the 27th at 12.10p The barometer has risen is S. China and the Phillipines. Pressure is highest over the E. coast of China, and gradients are slight for E winds on the coast, and for S. winds in the N. part of the China Sea. Forecast:—moderate E winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 27th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th MAY, 1901; P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	NW	2	..
Kochi,	"	29.95	..	..	SW	2	..
Nagasaki,	"	29.99	..	..	SW	2	..
Kagoshima,	"	29.99	..	..	SE	2	..
Taihoku,	1 p.	29.98	..	..	E	6	..
Taichu,	"	29.97	..	..	W	2	..
Tainan,	"	29.95	..	..	NW	4	..
Koshun,	"	29.96	..	..	..	0	..
Pescadores,	"	29.98	..	..	NE	6	..
Gutzlaff,	3 p.	30.07	69	70	NE	1	cv
Sharp Peak,	"	29.99	67	84	NNE	3	o
Amoy,	"	29.90	79	78	ENE	3	c
Swatow,	"	29.82	78	..	E	4	c
Canton,	"	29.87	92	70	S	2	b
Lorgkong,	4 p.	29.88	80	85	E	3	od
Victoria Peak,	"	.	..	..	ESE	1	..
Gap Rock,	"	29.86	..	..	ESE	3	..
Macao,	"	29.86	87	..	ESE	2	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.80	90	60	..	0	ct
Malate,	3 p.	..	..	..	W	2	c
Baccloc,	"	..	..	..	NE	2	b
Iloilo,	"	29.85	90	..	SW	2	.
Cebu,	"	29.86	87	..	N	3	b
Cape S. James,	"	..	..	..	SE	1	c

28th MAY, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	..	.	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.04	..	..	E	6	..
Taichu,	"	30.00	..	..	N	2	..
Tainan,	"	29.97	..	..	N	2	..
Koshun,	"	29.95	..	..	NE	2	..
Pescadores,	"	29.98	..	..	N	8	..
Gutzlaff,	9 a.	30.16	66	64	SSE	1	cv
Sharp Peak,	"	30.07	69	82		0	o
Amoy,	"	30.00	74	81	NE	2	o
Swatow,	"	30.03	75	..	E	3	od
Canton,	"	..	.	..	..	.	..
Lorgkong,	10 a.	30.02	80	80	E	2	o
Victoria Peak,	"	.	..	..	ESE	2	..
Gap Rock,	"	29.99	..	..	ESE	3	..
Macao,	"	30.02	84	..	E	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.96	86	78	WNW	1	c
Malate,	9 a.	..	..	..	E	2	o
Baccloc,	"	.	..	..	NW	2	b
Iloilo,	"	29.96	87	..	..	0	b
Cebu,	"	29.94	86	..	.	0	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 28th at 12.10p. The barometer has risen on the China coast. Pressure is high over the E. coast of China, and gradients are slight for E winds on the coast, and in the N. part of the China Sea. **Forecast:**—moderate E winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 28th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.69	68	..	NE	1	c
Tokio,	"	29.99	..	..	S	6	..
Kochi,	"	30.03	..	..	SE	2	..
Nagasaki,	"	30.03	..	..	W	4	..
Kagoshima,	"	30.03	..	..	SE	2	..
Taihoku,	1 p.	30.07	..	..	E	8	..
Taichu,	"	29.99	..	..	N	4	..
Tainan,	"	29.98	..	..	N	4	..
Koshun,	"	30.00	..	..	..	0	..
Pescadores,	"	30.05	..	..	NE	6	..
Gutzlaff,	3 p.	30.12	74	63	SE	1	bv
Sharp Peak,	"	30.02	70	70	E	4	o
Amoy,	"	29.99	78	78	ENE	2	c
Swatow,	"	29.87	78	..	E	4	c
Canton,	"	29.96	85	83	E	1	c
Hongkong,	4 p.	29.93	79	83	E	2	o
Victoria Peak,	"	.	..	..	E	1	..
Cap Rock,	"	29.92	..	..	E	3	..
Macao,	"	29.95	83	..	SE	1	c
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.84	86	71	..	0	c
Malate,	3 p.	..	..	..	NNW	..	o
Iscoled,	"	..	..	..	NW	2	r
Iloilo,	"	29.85	92	..	E	2	c
Cebu,	"	29.84	88	..	N	3	c
Cape S. James,	"	..	..	..	E	1	c

29th MAY, 1901, A. M.

Wladivostock,	7 a.	29.85	57	60	..	0	c
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.03	..	..	E	6	..
Taichu,	"	29.98	..	..	S	2	..
Tainan,	"	30.00	..	..	N	2	..
Koshun,	"	29.98	..	..	..	0	..
Pescadores,	"	30.03	..	..	NE	4	..
Gutzlaff,	9 a.	30.10	70	80	ESE	3	cv
Sharp Peak,	"	30.03	70	68	.	0	o
Amoy,	"	30.01	74	72	N	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	.	..	..	.	..
Hongkong,	10 a.	30.03	80	79	E	2	o
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	29.99	..	..	E	3	..
Macao,	"	30.00	83	..	E	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.92	88	72	WNW	1	c
Malate,	9 a.	..	..	..	NW	1	b
Iscoled,	"	.	.	..	NNE	1	b
Iloilo,	"	29.93	85	..	NE	1	c
Cebu,	"	29.89	87	..	N	3	c
Cape S. James,	7 a.	..	..	..	SE	1	c

On the 29th at 11.50a. The barometer is falling on the China coast and over the Phillipines. Pressure is highest between the E. coast of China and W. Japan, and gradients continue slight for E. winds on the coast and in the N. part of the China Sea. Forecast:—moderate E. winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 29th May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.96	..	..	S	6	..
Kochi,	"	29.99	..	..	S	2	..
Nagasaki,	"	30.03	..	..	W	4	..
Kagoshima,	"	29.99	..	..	SE	2	..
Taihoku,	1 p.	30.01	..	..	E	6	..
Taichu,	"	29.95	..	..	N	4	..
Tainan,	"	29.95	..	..	NW	6	..
Koshun,	"	29.97	..	..	.	0	..
Pescadores,	"	29.99	..	.	NE	4	..
Gutzlaff,	3 p.	30.07	74	76	ESE	3	cv
Sharp Peak,	"	29.96	70	73	NNE	3	o
Amoy,	"	29.92	80	70	SE	4	c
Swatow,	"	29.89	80	..	E	4	b
Canton,	"	29.90	87	80	SE	1	c
Hongkong,	4 p.	29.87	78	81	ESE	2	o
Victoria Peak,	"	.	..	..	E	4	..
Cap Rock,	"	29.88	..	..	E	3	..
Macao,	"	29.88	83	..	SSE	1	c
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.80	84	77	ENE	1	c
Malate,	3 p.	..	..	..	E	1	o
Incoled,	"	..	..	..	NE	2	b
Iloilo,	"	29.80	91	..	..	0	..
Cebu,	"	29.79	87	..	NE	4	c
Cape S. James,	"	.	..	..	..	0	c

30th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	..	.	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.98	..	..	..	0	..
Taichu,	"	29.94	..	..	..	0	..
Tainan,	"	29.94	..	..	..	0	..
Koshun,	"	29.95	..	..	..	0	..
Pescadores,	"	29.95	..	..	NE	4	..
Gutzlaff,	9 a.	30.04	68	79	NE	1	cv
Sharp Peak,	"	29.97	69	85		0	c
Amoy,	"	29.92	75	81	E	1	c
Swatow,	"	.	..	..	..	..	.
Canton,	"	.	.	..	..	.	..
Hongkong,	10 a.	29.94	80	78	ESE	2	o
Victoria Peak,	"	.	..	..	E	1	..
Cap Rock,	"	29.93	..	..	E	3	..
Macao,	"	29.93	83	..	E	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.88	90	66	..	0	c
Malate,	9 a.	..	..	..	E	2	b
Incoled,	"	.	..	..	NW	2	b
Iloilo,	"	29.87	87	..	NE	1	c
Cebu,	"	29.85	86	..	N	3	b
Cape S. James,	7 a.	..	..	..	.	0	c

On the 30th at 11.55a. The barometer has fallen on the China coast and over the Phillipines. Pressure remains high over the E coast of China, and slightly low over the S. Phillipines. Gradients slight for E winds on the coast and in the N. part of the China Sea.

Forecast:—E winds, moderate or light; fair to showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 30th May 1901

CHINA COAST METEOROLOGICAL REGISTER.

30th MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.96	..	..	E	4	..
Kochi,	"	29.95	..	..	SE	2	..
Nagasaki,	"	29.91	..	..	SW	2	..
Kagoshima,	"	29.95	..	..	..	0	..
Taihoku,	1 p.	30.01	..	..	E	6	..
Taichu,	"	29.89	..	..	N	4	..
Tainan,	"	29.90	..	..	NW	6	..
Koslun,	"	29.93	..	..	N	2	..
Pescadores,	"	29.95	..	..	N	6	..
Gutzlaff,	3 p.	30.04	74	72	NE	..	bv
Sharp Peak,	"	29.83	69	85	E	5	o
Amoy,	"	29.88	78	82	SE	2	o
Swatow,	"	29.76	79	..	E	3	c
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.82	79	78	ESE	2	o
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	29.83	..	..	E	3	..
Macao,	"	29.83	83	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.73	93	61	S	1	c
Malate,	3 p.	..	..	..	SW	1	c
Bacolod,	"	..	..	..	N	1	b
Iloilo,	"	29.77	92	..	NE	1	c
Cebu,	"	29.74	87	..	N	2	c
Cape S. James,	"	..	..	..	..	0	c

31st MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.95	..	..	E	2	..
Taichu,	"	29.89	..	..	..	0	..
Tainan,	"	29.89	..	..	N	2	..
Koslun,	"	29.90	..	..	..	0	..
Pescadores,	"	29.91	..	..	N	8	..
Gutzlaff,	9 a.	29.94	68	79	SE	1	cv
Sharp Peak,	"	29.95	72	81	E	1	o
Amoy,	"	29.92	76	82	NNE	2	c
Swatow,	"	.	..	..	..	..	..
Canton,	"	..	..	..	..	.	..
Hongkong,	10 a.	29.87	78	83	E	3	o
Victoria Peak,	"	.	..	..	ESE	4	..
Gap Rock,	"	29.86	..	..	ESE	3	..
Macao,	"	29.87	79	..	ESE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	88	72	W	1	b
Malate,	9 a.	..	..	..	WSW	2	b
Bacolod,	"	.	..	..	..	0	b
Iloilo,	"	29.85	87	..	..	0	c
Cebu,	"	29.82	85	..	S	1	o
Cape S. James,	7 a.	..	..	..	.	..	..

On the 31st at 11.45a. The barometer has fallen on the China coast. Pressure is high between the E. coast of China and W. Japan, and still slightly low over the S. Phillipines. Gradients slight for E winds on the China coast. Forecast:—moderate E winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 31st May 1901

CHINA COAST METEOROLOGICAL REGISTER.

31st MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.82	61	..	S	4	c
Tokio,	"	29.90	..	..	S	4	..
Kochi,	"	29.95	..	..	SE	4	..
Nagasaki,	"	29.95	..	..	SW	4	..
Kagoshima,	"	29.95	..	..	SE	2	..
Taihoku,	1 p.	29.90	..	..	NE	8	..
Taichu,	"	29.87	..	..	W	6	..
Tainan,	"	29.83	..	..	N	2	..
Koshun,	"	29.88	..	..	NE	4	..
Pescadores,	"	29.86	..	..	NE	8	..
Gutzlaff,	3 p.	29.99	69	80	SE	2	cv
Sharp Peak,	"	29.89	71	83	NNE	3	o
Amoy,	"	29.88	78	82	ENE	2	od
Swatow,	"	29.82	78	..	ENE	3	o
Canton,	"	29.77	80	91	S	2	or
Hongkong,	4 p.	29.78	77	89	ENE	2	od
Victoria Peak,	"	.	..	..	E	2	..
Gap Rock,	"	29.77	..	..	ESE	3	..
Macao,	"	29.77	79	..	ESE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.73	93	57	W	1	c
Malate,	3 p.	..	..	..	W	2	o
Bacoled,	"	..	..	..	SW	2	b
Iloilo,	"	29.77	91	..	W	2	c
Cebu,	"	29.72	87	..	SW	2	c
Cape S. James,	"	..	..	..	..	0	o

1st JUNE, 1901, A. M.

Wladivostock,	7 a.	29.82	54	95	SE	3	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.81	..	..	SE	2	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.82	..	..	NE	2	..
Koshun,	"	29.82	..	..	..	0	..
Pescadores,	"	29.83	..	..	NE	2	..
Gutzlaff,	9 a.	29.90	65	100	SE	5	cmd
Sharp Peak,	"	29.84	70	95	..	0	r
Amoy,	"	29.83	76	86	W	2	c
Swatow,	"	29.80	77	..	NNE	1	o
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.78	79	82	ENE	2	od
Victoria Peak,	"	.	..	..	E	4	..
Gap Rock,	"	29.78	..	..	ENE	3	..
Macao,	"	29.81	80	..	ENE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.80	88	72	WNW	1	b
Malate,	9 a.	..	..	..	W	2	b
Bacoled,	"	.	..	..	SW	2	o
Iloilo,	"	29.87	86	..	NW	3	o
Cebu,	"	29.83	87	..	SW	2	c
Cape S. James,	7 a.	..	..	..	.	..	..

*On the 1st at 12.25p. The barometer has fallen on the China coast and in Luzon. Pressure is highest between the E. coast of China and W. Japan, and there are indications of a depression in the Pacific to the E. of Luzon. Forecast:—moderate NE to N winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory. Saturday 1st June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	S	8	..
Kochi,	"	30.11	..	..	..	0	..
Nagasaki,	"	29.95	..	..	SE	8	..
Kagoshima,	"	29.99	..	..	E	6	..
Taihoku,	1 p.	29.86	..	..	NW	6	..
Taichu,	"	29.80	..	..	N	6	..
Tainan,	"	29.81	..	..	NW	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.85	..	..	NE	6	..
Gutzlaff,	3 p.	29.86	67	95	ENE	2	ct
Sharp Peak,	..	29.80	71	85	..	..	..
Amoy,	"	29.81	79	82	SSE	2	o
Swatow,	"	29.73	80	..	E	2	c
Canton,	"	29.76	85	79	..	0	..
Hongkong,	4 p.	29.73	78	86	..	0	o
Victoria Peak,	"	.	..	..	NE	1	..
Gap Rock,	"	29.73	..	..	NNE	3	..
Macao,	"	29.77	81	..	N	1	o
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.73	91	67	WSW	2	b
Molate,	3 p.	..	..	..	SW	4	b
Incoked,	"	..	..	..	SW	2	c
Iloilo,	"	29.77	88	..	SE	3	o
Cebu,	"	29.75	84	..	S	2	c
Cape S. James,	"	..	..	..	SE	1	c

2nd JUNE, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	.	.	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	..	0	..
Taichu,	"	29.77	..	..	..	0	..
Tainan,	"	29.77	..	..	N	4	..
Koshun,	"	29.76	..	..	..	0	..
Pescadores,	"	29.77	..	..	NE	6	..
Gutzlaff,	9 a.	29.88	68	100	N	4	cmp
Sharp Peak,	"	29.79	75	86	NE	1	b
Amoy,	"	29.79	76	86	NNE	1	c
Swatow,	"	.	.	..	.	.	..
Canton,	"	29.81	84	79	SE	1	b
Haiphong,	10 a.	29.80	81	74	E	1	bv
Victoria Peak,	"		..	..	E	1	..
Gap Rock,	"	29.79	..	..	NE	3	..
Macao,	"	29.81	83	..	ENE	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.80	90	72	SW	1	b
Molate,	9 a.	.	.	..	SW	1	b
Incoked,	"	.	..	..	S	1	o
Iloilo,	"	29.81	86	..	NW	1	.
Cebu,	"	29.86	87	..	S	2	c
Cape S. James,	7 a.	.	..	..	SW	1	c

On the 2nd at 11.45a. The barometer has fallen slightly on the China coast, except in the South, risen a little in the S. Phillipines. A depression is probably situated near SW. Japan, and a low pressure trough seems to be lying across the middle part of the China Sea and extending Eastwards over the Pacific. Gradients slight for NE winds on the China coast. Forecast:— moderate NE winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 2nd June 1901

CHINA COAST METEOROLOGICAL REGISTER.

2nd JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.02	..	..	S	4	..
Kochi,	,,	29.72	..	..	W	2	..
Nagasaki,	,,	29.56	..	..	W	4	..
Kagoshima,	,,	29.60	..	..	SE	4	..
Taihoku,	1 p.	29.80	..	..	NW	4	..
Taichu,	,,	29.73	..	..	N	6	..
Tainan,	,,	29.74	..	..	N	6	..
Koshun,	,,	29.78	..	..	W	2	..
Pescadores,	,,	29.79	..	..	N	8	..
Gutzlaff,	3 p.	29.89	66	84	NNE	3	cv
Sharp Peak,	,,	29.74	75	84	E	1	b
Amoy,	,,	29.76	81	78	SSE	2	c
Swatow,	,,	29.72	83	..	E	3	b
Canton,	,,	29.76	88	92	..	0	.
Hongkong,	4 p.	29.73	82	69	ESE	2	b
Victoria Peak,	,,	.	..	..	..	0	..
Gap Rock,	,,	29.72	..	..	ENE	3	..
Macao,	,,	29.73	86	..	SSE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.73	88	72	WSW	3	c
Malate,	3 p.	..	..	..	W	4	b
Bacolod,	,,	..	..	..	SW	2	b
Iloilo,	,,	29.81	85	..	NW	2	c
Cebu,	,,	29.78	87	..	SW	3	c
Cape S. James,	,,	..	..	..	..	.	..

3rd JUNE, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.89	..	..	SE	2	..
Taichu,	,,	29.80	..	..	..	0	..
Tainan,	,,	29.78	..	..	SE	2	..
Koshun,	,,	29.80	..	..	NE	6	..
Pescadores,	,,	29.81	..	..	NE	8	..
Gutzlaff,	9 a.	29.91	69	75	N	3	bm
Sharp Peak,	,,	29.87	72	73	E	2	o
Amoy,	,,	29.85	77	82	NE	2	c
Swatow,	,,	.	..	..	..	.	..
Canton,	,,	29.79	85	79	SW	2	b
Hongkong,	10 a.	29.79	80	71	E	4	c
Victoria Peak,	,,	.	..	..	E	5	..
Gap Rock,	,,	29.77	..	..	E	4	..
Macao,	,,	29.79	85	..	E	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.80	84	77	WSW	1	c
Malate,	9 a.	..	..	..	W	4	o
Bacolod,	,,	.	..	..	S	2	b
Iloilo,	,,	29.84	84	..	SE	2	o
Cebu,	,,	29.83	88	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 3rd at 11.50a. The barometer has risen on the E. and SE. coasts of China. The depression in the North is probably moving NE across Japan, and the low pressure trough, probably in about 17° Lat., still lies across the China Sea and Eastwards to the Pacific. Pressure is high over the NE coast of China. Gradients slight to moderate for NE winds on the China coast.
Forecast:—fresh NE winds; fair to showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 3rd June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	S	4	..
Kochi,	"	30.03	..	..	SE	2	..
Nagasaki,	"	29.87	..	..	E	4	..
Kagoshima,	"	29.91	..	..	SE	8	..
Taihoku,	1 p.	29.77	..	..	S	4	..
Taichu,	"	29.83	..	..	SW	4	..
Tainan,	"	29.89	..	..	NW	2	..
Koshun,	"	29.88	..	..	S	6	..
Pescadores,	"	.	..	..	..	..	..
Gutzlaff,	3 p.	29.66	62	94	SSE	1	f
Sharp Peak,	"	29.74	75	90	S	3	c
Amoy,	"	29.74	82	83	S	6	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	.	.	..
Hongkong,	4 p.	29.70	82	79	SW	2	o
Victoria Peak,	"	..	..	..	S	7	..
Gap Rock,	"	29.73	..	..	SSW	4	..
Macao,	"	29.68	85	..	SW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	93	46	SSE	3	b
Malate,	3 p.	..	..	..	E	3	b
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.80	90	..	E	1	b
Cebu,	"	29.80	85	..	N	3	c
Cape S. James,	"	..	..	..	SE	3	c

25th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.79	..	..	S	2	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.86	..	..	E	2	..
Koshun,	"	29.86	..	..	S	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	29.77	59	94	NW	5	o
Sharp Peak,	"	29.74	74	95	..	0	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.78	83	87	.	0	c
Hongkong,	10 a.	29.81	80	82	WSW	1	o
Victoria Peak,	"	.	..	..	SSW	7	..
Gap Rock,	"	29.81	..	..	SW	3	..
Macao,	"	29.81	84	..	SW	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.88	90	65	ESE	2	b
Malate,	9 a.	..	..	..	SE	1	b
Bacolod,	"	.	..	..	NNW	2	b
Iloilo,	"	29.87	85	..	E	2	b
Cebu,	"	29.89	85	..	N	2	b
Cape S. James,	7 a.	..	..	..	..	.	..

One the 25th at 12.5p. The barometer is rising over China. The depression has passed over the E. coast, and is now advancing towards W. Japan. The wind will probably freshen from NE in the Formosa Channel during the next 24 hours. Forecast:—SW and varying winds, moderate; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 25th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.18	..	..	S	4	..
Kochi,	"	30.07	..	..	SE	4	..
Nagasaki,	"	29.68	..	..	SE	10	..
Kagoshima,	"	29.79	..	..	E	10	..
Taihoku,	1 p.	29.75	..	..	W	6	..
Taichu,	"	29.80	..	..	SW	6	..
Tainan,	"	29.86	..	..	W	6	..
Koshun,	"	29.86	..	..	W	8	..
Pescadores,	"	29.85	..	..	S	6	..
Gutzlaff,	3 p.	29.80	59	88	NW	5	cv
Sharp Peak,	"	29.70	75	95		0	f
Amoy,	"	29.71	78	91	SE	2	or
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.73	87	84	..	0	..
Hongkong,	4 p.	29.75	81	83	SSW	1	o
Victoria Peak,	"	..	..	..	SSW	6	..
Cap Rock,	"	29.75	..	..	SW	3	..
Macao,	"	29.74	83	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	93	46	SSE	3	b
Malate,	3 p.	..	..	..	E	3	b
Bacoled,	"	..	..	..	N	2	b
Iloilo,	"	29.76	90	..	N	2	b
Cebu,	"	29.80	86	..	N	2	b
Cape S. James,	"	..	..	..	SW	1	c

26th APRIL, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.91	..	..	E	6	..
Taichu,	"	29.92	..	..	NE	8	..
Tainan,	"	29.92	..	..	..	0	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.92	..	..	S	4	..
Gutzlaff,	9 a.	30.04	58	88	NW	4	cm
Sharp Peak,	"	29.92	68	85	W	1	o
Amoy,	"	29.96	72	85	NE	3	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.02	72	81	N	1	o
Hongkong,	10 a.	29.97	78	83	..	0	o
Victoria Peak,	"	..	..	..	E	1	..
Cap Rock,	"	29.96	..	..	NE	3	..
Macao,	"	29.98	72	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	88	59	W	1	b
Malate,	9 a.	..	..	..	E	1	b
Bacoled,	"	..	..	..	N	2	b
Iloilo,	"	29.92	86	..	N	3	b
Cebu,	"	29.92	86	..	N	2	b
Cape S. James,	7 a.	..	..	..	ESE	2	c

One the 26th at 12.5p. The barometer has risen considerably on the China coast, fallen in Japan. The depression is moving Erstwards in Japan, and pressure is highest over N. China. Gradients slight for NE winds on the China coast. Forecast;—moderate NE winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory. Friday 26th April 1901

CHINA COAST METEOROLOGICAL REGISTER.

26th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.30	..	..	E	4	..
Kochi,	"	29.91	..	..	SE	6	..
Nagasaki,	"	29.83	..	..	SW	6	..
Kagoshima,	"	29.83	..	..	NW	6	..
Taihoku,	1 p.	30.07	..	..	E	8	..
Taichu,	"	29.96	..	..	NW	2	..
Tainan,	"	29.98	..	..	W	4	..
Koshun,	"	30.01	..	..	SE	0	..
Pescadores,	"	30.00	..	..	NE	6	..
Gutzlaff,	3 p.	30.07	59	82	N	2	cm
Sharp Peak,	"	30.02	70	75	E	2	o
Amoy,	"	29.92	75	86	ESE	3	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.92	77	77	N	1	o
Hongkong,	4 p.	29.90	72	96	ENE	3	od
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock,	"	29.88	..	..	E	3	..
Macao,	"	29.92	75	..	ESE	1	or
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	91	49	SE	3	c
Malate,	3 p.	..	..	..	SE	4	b
Bacolod,	"	..	..	..	NNE	6	b
Iloilo,	"	29.84	90	..	E	1	b
Cebu,	"	29.85	86	..	N	3	..
Cape S. James,	"	..	..	..	ENE	1	c

27th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	.	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	.	..
Cutzlaff,	9 a.	..	..	..	.	..	..
Sharp Peak,	"	30.09	68	85	NNW	1	o
Amoy,	"	..	..	.	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	.	.	.	.	..	.
Hongkong,	10 a.	30.04	72	91	ENE	2	od
Victoria Peak,	"	.	..	..	ESE	5	..
Gap Rock,	"	30.01	..	..	ESE	3	..
Macao,	"	30.03	77	..	E	1	c
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	30.00	86	65	SW	1	c
Malate,	9 a.	..	..	..	SW	1	c
Bacolod,	"	.	..	..	NNW	4	b
Iloilo,	"	29.94	85	..	E	2	o
Cebu,	"	29.94	85	..	N	4	c
Cape S. James,	7 a.	..	..	..	NE	1	c

One the 27th at 12.5p. The barometer has risen in S. China and the Phillipines. Pressure is probably highest over the E. coast of China, and gradients are slight for E winds on the S. coast. Forecast:—moderate E winds; drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 27th April 1901

CHINA COAST METEOROLOGICAL REGISTER.

27th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	E	4	..
Kochi,	"	29.91	..	..	SE	4	..
Nagasaki,	"	29.99	..	..	W	6	..
Kagoshima,	"	29.95	..	..	NW	6	..
Taihoku,	1 p.	30.07	..	..	..	0	..
Taichu,	"	30.03	..	..	..	0	..
Tainan,	"	30.02	..	..	W	4	..
Koshun,	"	30.03	..	..	E	6	..
Pescadores,	"	30.05	..	..	NE	6	..
Gutzlaff,	3 p.	30.06	62	83	SE	3	cm
Sharp Peak,	"	30.01	67	87	ENE	1	o
Amoy,	"	29.97	74	86	SE	3	c
Swatow,	"	29.92	76	..	E	3	b
Canton,	"	29.97	75	95	..	0	d
Hongkong,	4 p.	29.94	75	90	E	2	o
Victoria Peak,	"	..	..	..	SE	3	..
Gap Rock,	"	29.92	..	..	ESE	4	..
Macao,	"	29.94	79	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	91	49	ESE	1	c
Malate,	3 p.	..	..	..	E	4	c
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.84	90	..	N	3	b
Cebu,	"	29.81	86	..	N	4	b
Cape S. James,	"	..	..	..	E	5	c

28th APRIL, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	29.99	61	88	SSE	1	bm
Sharp Peak,	"	29.98	67	89	..	0	o
Amoy,	"	29.93	71	95	SE	1	c
Swatow,	"	30.00	75	..	SE	1	o
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.99	76	87	E	2	c
Victoria Peak,	"	..	..	..	SE	3	..
Gap Rock,	"	29.97	..	..	SSE	3	..
Macao,	"	29.99	79	..	ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	77	92	NE	2	or
Malate,	9 a.	..	..	..	N	3	o
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.93	86	..	N	2	b
Cebu,	"	29.97	85	..	N	3	b
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 28th at 11.50a. The barometer is falling on the China coast, and probably another depression is forming over Central China. Gradients slight for SE winds on the coast, and in the N. part of the China Sea. Forecast:—moderate or light SE to S winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observotory. Sunday 28th April 1901

CHINA COAST METEOROLOGICAL REGISTER.

28th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.71	57	..	S	3	b
Tokio,	"	29.14	..	..	S	4	..
Kochi,	"	29.15	..	..	..	0	..
Nagasaki,	"	29.45	..	..	W	4	..
Kagoshima,	"	29.96	..	..	S	4	..
Taihoku,	1 p.	29.99	..	..	N	2	..
Taichu,	"	29.92	..	..	NW	6	..
Tainan,	"	29.95	..	..	W	6	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.97	..	..	SW	4	..
Gutzlaff,	3 p.	29.95	63	89	SSE	1	cm
Sharp Peak,	"	29.92	68	87	NE	1	or
Amoy,	"	29.87	75	90	SE	1	or
Swatow,	"	29.93	79	..	SSE	2	c
Canton,	"	29.93	77	95	..	0	r
Hongkong,	4 p.	29.89	77	86	E	2	c
Victoria Peak,	"	..	..	..	SW	1	..
Gap Rock,	"	29.90	..	..	SSE	2	..
Macao,	"	29.89	80	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	81	92	..	0	c
Malate,	3 p.	..	..	..	S	1	c
Bacoled,	"	..	..	..	NNE	3	b
Iloilo,	"	29.88	90	..	E	1	c
Cebu,	"	29.83	86	..	N	4	c
Cape S. James,	"	..	..	..	..	..	..

29th APRIL, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.69	45	99	..	0	or
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	.	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	.	..	.	.	..	..
Amoy,	"	29.98	73	90	SW	1	cm
Swatow,	"	30.01	76	..	NNE	2	b
Canton,	"	30.03	75	90	..	0	c
Hongkong,	10 a.	30.01	77	85	E	1	o
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	30.01	..	..	SSE	1	..
Macao,	"	30.02	71	..	N	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	90	60	SSW	1	c
Malate,	9 a.	..	..	..	..	0	c
Bacoled,	"	.	..	..	N	4	b
Iloilo,	"	29.95	86	..	E	1	c
Cebu,	"	29.94	86	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 29th at 12.10 p. Barometric changes in the South are slight. A depression lies in the Sea of Japan. Gradients gentle with light variable winds in S. China and the N. part of the China Sea. Forecast:—varying winds, light; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 29th April 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.86	..	..	S	2	..
Kochi,	,,	29.87	..	..	S	4	..
Nagasaki,	,,	29.91	..	..	SW	6	..
Kagoshima,	,,	29.91	..	..	NW	6	..
Taihoku,	1 p.	30.06	..	..	E	4	..
Taichu,	,,	30.00	..	..	N	6	..
Tainan,	,,	30.01	..	..	NW	6	..
Koshun,	,,	30.02	..	..	NE	4	..
Pescadores,	,,	30.04	..	..	NE	4	..
Gutzlaff,	3 p.	30.05	71	80	W	2	bm
Sharp Peak,	,,	30.01	71	88	E	3	c
Amoy,	,,	29.93	74	90	SE	3	c
Swatow,	,,	29.92	78	..	E	4	b
Canton,	,,	29.95	81	87	..	0	c
Hongkong,	4 p.	29.93	76	90	E	1	o
Victoria Peak,	,,	..	..	..	SW	1	..
Gap Rock,	,,	29.94	..	..	SSE	1	..
Macao,	,,	29.93	81	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	90	60	NNW	1	c
Malate,	3 p.	..	..	..	E	2	c
Bacoled,	,,	..	..	..	N	2	b
Iloilo,	,,	29.85	81	..	N	4	b
Cebu,	,,	29.86	86	..	N	4	b
Cape S. James,	,,	..	..	..	NE	5	c

30th APRIL, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.05	..	..	E	4	..
Taichu,	,,	30.01	..	..	..	0	..
Tainan,	,,	30.02	..	..	..	0	..
Koshun,	,,	30.03	..	..	N	4	..
Pescadores,	,,	30.07	..	..	NE	4	..
Gutzlaff,	9 a.	30.07	61	77	SSE	3	bv
Sharp Peak,	,,	30.05	68	85	E	1	o
Amoy,	,,	30.01	71	90	..	0	cm
Swatow,	,,	30.07	75	..	E	1	o
Canton,	,,	30.05	79	70	SE	2	c
Hongkong,	10 a.	30.03	78	82	E	1	c
Victoria Peak,	,,	..	..	..	SE	2	..
Gap Rock,	,,	30.03	..	..	SE	3	..
Macao,	,,	30.02	82	..	SSE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	86	65	NNW	1	b
Malate,	9 a.	..	..	..	W	2	b
Bacoled,	,,	..	..	..	N	2	b
Iloilo,	,,	29.98	85	..	..	0	c
Cebu,	,,	29.92	86	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 30th at 11.5 a. Barometric changes are slight. Pressure is highest between the E. coast of China and W. Japan, and gradients continue gentle for E and SE winds on the coast and in the N. part of the China Sea. Forecast—E and SE winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 30th April 1901.

CHINA-COAST METEOROLOGICAL REGISTER.

30th APRIL, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	S	4	..
Kochi,	"	30.03	..	..	S	2	..
Nagasaki,	"	30.03	..	..	W	4	..
Kagoshima,	"	30.03	..	..	..	0	..
Taihoku,	1 p.	30.01	..	..	W	4	..
Taichu,	"	30.00	..	..	NW	2	..
Tainan,	"	30.00	..	..	W	4	..
Koshun,	"	30.02	..	..	SE	4	..
Pescadores,	"	30.02	..	..	N	4	..
Gutzlaff,	3 p.	30.04	60	88	SSE	4	cv
Sharp Peak,	"	29.96	70	95	E	2	o
Amoy,	"	29.96	74	86	SE	3	c
Swatow,	"	29.87	77	..	E	3	c
Canton,	"	29.91	84	79	SE	2	c
Hongkong,	4 p.	29.92	78	83	E	2	c
Victoria Peak,	"	..	..	..	S	1	..
Cap Rock,	"	29.92	..	..	S	3	..
Macao,	"	29.93	81	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	91	..	SE	2	c
Malate,	3 p.	..	..	..	SE	4	b
Bacoled,	"	..	..	..	N	2	c
Iloilo,	"	29.88	91	..	E	2	o
Cebu,	"	29.86	88	..	N	3	b
Cape S. James,	"	..	..	..	NE	4	f

1st MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	.	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..		.	..
Gutzlaff,	9 a.	29.92	57	100	SE	7	fd
Sharp Peak,	"	..	..	..	..	.	..
Amoy,	"	29.88	74	90	SSE	1	c
Swatow,	"	29.97	79	..	SW	1	c
Canton,	"	30.00	81	83	SSE	2	b
Hongkong,	10 a.	29.96	81	72	S	2	o
Victoria Peak,	"	.	..	..	S	4	..
Cap Rock,	"	29.96	..	..	S	3	..
Macao,	"	29.96	83	..	S	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.00	88	66	WSW	1	c
Malate,	9 a.	..	..	..	SW	1	c
Bacoled,	"	.	..	..	NW	2	b
Iloilo,	"	29.99	86	..	N	2	..
Cebu,	"	29.97	86	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 1st at 12.20p. The barometer has fallen on the China coast owing to a depression which seems to be moving Eastwards along the Yangtze valley. Gradients slight to moderate for S winds on the China coast. Forecast:—moderate to fresh S and SW winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory. Wednesday 1st May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.69	55	..	..	3	o
Tokio,	"	29.98	..	..	S	8	..
Kochi,	"	30.07	..	..	SE	2	..
Nagasaki,	"	30.03	..	..	SE	6	..
Kagoshima,	"	30.07	..	..	..	0	..
Taihoku,	1 p.	29.91	..	..	SW	4	..
Taichu,	"	29.91	..	..	W	6	..
Tainan,	"	29.95	..	..	SW	6	..
Koshun,	"	29.96	..	..	NW	6	..
Pescadores,	"	29.96	..	..	S	6	..
Gutzlaff,	3 p.	29.88	57	94	SE	6	om
Sharp Peak,	"	29.75	80	74	S	3	c
Amoy,	"	29.83	81	83	SE	3	c
Swatow,	"	29.75	83	..	S	3	b
Canton,	"	29.89	87	80	S	3	c
Hongkong,	4 p.	29.86	81	74	SW	1	o
Victoria Peak,	"	..	..	..	S	6	..
Gap Rock,	"	29.86	..	..	S	3	..
Macao,	"	29.85	84	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	91	62	ESE	2	c
Malate,	3 p.	..	..	..	E	2	c
Bacolod,	"	..	..	..	NNE	3	c
Iloilo,	"	29.89	91	..	E	1	c
Cebu,	"	29.91	84	..	N	4	c
Cape S. James,	"	..	..	..	NE	2	c

2nd MAY, 1901, A. M.

Wladivostock,	7 a.	29.78	54	43	NW	3	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	.	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	.	..	..	..	..	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	..	..	..	.	.	..
Gutzlaff,	9 a.	29.97	58	94	ESE	3	f
Sharp Peak,	"	..		..	..	.	..
Amoy,	"	29.88	78	86	..	0	b
Swatow,	"	.	.	..	.	..	..
Canton,	"	29.90	80	96	SE	1	b
Hongkong,	10 a.	29.94	82	78	SW	1	o
Victoria Peak,	"	.	..	..	SSW	7	..
Gap Rock,	"	29.94	..	..	SW	3	..
Macao	"	29.93	85	..	SW	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.96	88	66	WNW	1	c
Malate,	9 a.	..	..	..	N	2	b
Bacolod,	"	.	..	..	NNE	2	b
Iloilo,	"	29.97	85	..	E	1	o
Cebu,	"	29.96	85	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 2nd at 12.10 p. The barometer has risen slightly in the North, fallen a little in the South. A depression lies in the NE part of the Sea of Japan, and pressure is relatively low over SE China. Gradients slight for SE and S winds on the China coast. Forecast:—moderate S winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 2nd May 1901.

CHINA COAST METEOROLOGICAL REGISTER.

2nd MAY, 1901, P. M.

Station.	Hours.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.84	63	..	NW	2	b
Tokio,	"	30.02	..	..	S	6	..
Kochi,	"	29.83	..	..	NE	2	..
Nagasaki,	"	29.95	..	..	SW	6	..
Kagoshima,	"	29.95	..	..	E	6	..
Taihoku,	1 p.	29.92	..	..	NW	2	..
Taichu,	"	29.93	..	..	S	6	..
Tainan,	"	29.96	..	..	W	4	..
Koshun,	"	29.95	..	..	N	8	..
Pescadores,	"	29.96	..	..	W	6	..
Gutzlaff,	3 p.	29.93	60	94	ESE	4	f
Sharp Peak,	"	29.78	75	88	E	1	f
Amoy,	"	29.81	84	79	SE	3	c
Swatow,	"	29.80	85	..	S	3	..
Canton,	"	29.78	89	80	S	1	b
Hongkong,	4 p.	29.82	84	69	SW	1	o
Victoria Peak,	"	..	..	..	S	6	..
Gap Rock,	"	29.83	..	..	SW	3	..
Macao,	"	29.81	87	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	95	57	..	0	cd
Malate,	3 p.	..	..	..	SW	1	c
Bacolod,	"	..	..	..	NE	1	c
Iloilo,	"	29.84	89	..	E	1	c
Cebu,	"	29.86	85	..	N	3	c
Cape S. James,	"	..	..	..	NE	1	c

3rd MAY, 1901, A. M.

Wladivostock,	7 a.	30.06	51	72	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	29.83	59	94	S	3	f
Sharp Peak,	"	29.86	72	93	..	0	o
Amoy,	"	29.88	78	86	W	3	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.92	78	90	..	0	o
Victoria Peak,	"	..	..	..	SW	7	..
Gap Rock,	"	29.92	..	..	WSW	3	..
Macao	"	29.92	82	..	SW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	88	66	WSW	1	b
Malate,	9 a.	..	..	..		0	b
Bacolod,	"	..	..	..	N	4	b
Iloilo,	"	29.94	75	..	E	1	c
Cebu,	"	29.91	83	..	SW	..	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 3rd at 12.10p. The barometer has risen over the Sea of Japan, fallen on the E. coast of China. A depression is advancing towards the latter area from the Westward. Gradients slight for S and SW winds in S. China. Forecast:—moderate SW winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 3rd May 1901

CHINA COAST METEOROLOGICAL REGISTER.

3rd MAY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	S	6	..
Kochi,	"	29.99	..	..	SW	2	..
Nagasaki,	"	29.87	..	..	E	4	..
Kagoshima,	"	29.91	..	..	E	8	..
Taihoku,	1 p.	29.90	..	..	W	8	..
Taichu,	"	29.94	..	..	SW	6	..
Tainan,	"	29.95	..	..	W	6	..
Koshun,	"	29.93	..	..	N	8	..
Pescadores,	"	29.96	..	..	SW	6	..
Gutzlaff,	3 p.	29.80	61	94	W	2	cm
Sharp Peak,	"	29.80	78	84	S	1	o
Amoy,	"	29.82	82	75	W	2	c
Swatow,	"	29.84	81	..	W	2	b
Canton,	"	29.80	90	70	..	0	b
Hongkong,	4 p.	29.82	85	64	SW	2	cv
Victoria Peak,	"	..	..	..	SW	4	..
Gap Rock,	"	29.83	..	..	SW	2	..
Macao,	"	29.81	79	..	NW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	93	50	SE	2	c
Malate,	3 p.	..	..	..	E	2	b
Incoloid,	"	..	..	..	..	0	r
Iloilo,	"	29.86	86	..	NE	1	cr
Cebu,	"	29.84	85	..	SW	2	
Cape S. James,	"	..	..	..	SE	1	c

4th MAY, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.86	..	..	..	0	..
Taichu,	"	29.85	..	..	..	0	..
Tainan,	"	29.86	..	..	E	2	..
Koshun,	"	29.85	..	..	NE	6	..
Pescadores,	"	29.86	..	..	SW	6	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	29.85	77	95	W	1	o
Amoy,	"	29.86	78	86	..	0	o
Swatow,	"	29.87	79	..	W	1	og
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.90	75	90	WNW	1	od
Victoria Peak,	"	..	..	..	W	1	..
Gap Rock,	"	29.88	..	..	N	1	..
Macao,	"	29.88	80	..	ENE	1	or
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	58	W	1	b
Malate,	9 a.	..	..	..	E	2	b
Incoloid,	"	..	..	..	NNE	2	b
Iloilo,	"	29.88	83	..		0	o
Cebu,	"	29.89	85	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 4th at 12.10p. The barometer has fallen slightly in S. China and the Phillipines. The depression in the North has probably approached W. Japan. Gradients continue slight with light variable winds in S. China and the N. part of the China Sea. Forecast:—varying winds, light; rainy.

F. G. FIGG,
First Assistant

Hongkong Observatory, Saturday 4th May 1901

CHINA COAST METEOROLOGICAL REGISTER.

3rd JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock,	2 p.	29.99	60	..	W	2	b
Tokio,	"	29.74	..	..	N	4	..
Kochi,	"	29.56	..	..	W	2	..
Nagasaki,	"	29.52	..	..	N	2	..
Kagoshima,	"	29.52	..	..	SW	2	..
Taihoku,	1 p.	29.88	..	..	E	6	..
Taichu,	"	29.78	..	..	N	6	..
Tainan,	"	29.81	..	..	W	4	..
Koshun,	"	29.84	..	..	S	6	..
Pescadores,	"	29.84	..	..	E	8	..
Gutzlaff,	3 p.	29.91	68	70	NNE	1	cm
Sharp Peak,	"	29.83	73	76	E	3	b
Amoy,	"	29.80	82	71	E	4	c
Swatow,	"	29.76	80	..	E	5	c
Canton,	"	29.74	92	64	SE	2	b
Hongkong,	4 p.	29.75	79	75	E	4	c
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	29.73	..	..	E	4	..
Macao,	"	29.75	89	..	E	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.73	84	85	WSW	2	o
Malate,	3 p.	..	..	..	..	..	o
Bacoled,	"	..	..	..	SSE	2	c
Iloilo,	"	29.78	88	..	NE	2	c
Cebu,	"	29.77	89	..	SW	2	c
Cape S. James,	"	..	..	..	SW	4	c

4th JUNE, 1901, A. M.

Wladivostock,	7 a.	30.04	39	98	SSW	3	o
Tokio,	10 a.	29.90	..	..	NW	4	..
Kochi,	"	29.79	..	..	SE	2	..
Nagasaki,	"	29.83	..	..	N	6	..
Kagoshima,	"	29.79	..	..	E	4	..
Taihoku,	5 a.	29.91	..	..	E	6	..
Taichu,	"	29.85	..	..	..	0	..
Tainan,	"	29.85	..	..	..	0	..
Koshun,	"	29.88	..	..	NE	6	..
Pescadores,	"	29.87	..	..	NE	6	..
Gutzlaff,	9 a.	29.97	68	79	S	1	lm
Sharp Peak,	"	29.90	74	72	..	0	b
Amoy,	"	..	..	..	..	..	..
Swatow,	"	29.87	78	..	NE	4	c
Canton,	"	29.81	84	68	SE	1	b
Hongkong,	10 a.	29.82	75	87	E	4	cd
Victoria Peak,	"		..	..	E	5	
Gap Rock,	"	29.79	..	..	ENE	3	
Macao,	"	29.81	80	..	E	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	SW	1	b
Bacoled,	"	..	..	..	S	1	c
Iloilo,	"	29.87	84	..	..	0	c
Cebu,	"	29.90	..	..	SW	2	o
Cape S. James,	7 a.	..	..	..	..	..	..

On the 4th at 11.55a. The barometer has risen slightly at all stations. Pressure is [illegible] NE coast of China, and the low pressure trough appears to be still lying across the N part of the China Sea. Gradients slight to moderate for E and NE winds on the China coast.

Forecasts—fresh E winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 4th June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	N	4	..
Kochi,	"	29.83	..	..	SE	2	..
Nagasaki,	"	29.79	..	..	N	6	..
Kagoshima,	"	29.79	..	..	E	4	..
Taihoku,	1 p.	29.90	..	..	NE	6	..
Taichu,	"	29.85	..	..	W	2	..
Tainan,	"	29.86	..	..	W	4	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	29.89	..	..	N	6	..
Gutzlaff,	3 p.	29.96	71	76	SE	3	cv
Sharp Peak,	"	29.87	75	74	ENE	2	b
Amoy,	"	29.85	84	60	E	2	c
Swatow,	"	29.80	80	..	E	5	b
Canton,	"	29.81	80	87	E	2	od
Hongkong,	4 p.	29.75	78	79	ENE	4	o
Victoria Peak,	"	.	..	..	E	5	..
Gap Rock,	"	29.73	..	..	ENE	5	..
Macao,	"	29.76	89	..	E	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	88	72	WSW	3	c
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	.	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	.
Cape S. James,	"	..	..	..	SW	2	c

5th JUNE, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	-	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.89	..	..	E	4	..
Taichu,	"	29.85	..	..	..	0	..
Tainan,	"	29.85	..	..	E	2	..
Koshun,	"	29.89	..	..	E	4	..
Pescadores,	"	29.86	..	..	N	6	..
Gutzlaff,	9 a.	29.19	66	92	SE	5	cv
Sharp Peak,	"	29.89	75	77	WNW	1	c
Amoy,	"	29.89	76	77	NE	2	c
Swatow,	"	..	.	..	..	.	..
Canton,	"	..	..	.	.	.	..
Hongkong,	10 a.	29.77	76	93	E	5	odq
Victoria Peak,	"	.	..	..	E	6	..
Gap Rock,	"	29.75	..	..	E	5	..
Macao,	"	29.76	81	..	ENE	2	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	W	2	c
Bacolod,	"	.	..	..	..	0	b
Iloilo,	"	29.88	85	..	.	0	c
Cebu,	"	29.88	86	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 5th at 12.5p. The barometer has fallen slightly on the S. coast of China, and is little changed elsewhere. Pressure is high over the E. coast of China, and the low pressure trough, in which a small depression may be forming to the SW of Hongkong, is still lying in the N. part of the China Sea. Gradients slight to moderate for E winds on the China coast.

Forecast:—fresh or strong E winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 5th June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

5th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	S	4	..
Kochi,	"	29.99	..	..	SE	2	..
Nagasaki,	"	29.87	..	..	SW	4	..
Kagoshima,	"	29.91	..	..	E	6	..
Taihoku,	1 p.	29.87	..	..	N	0	..
Taichu,	"	29.84	..	..	NW	4	..
Tainan,	"	29.87	..	..	W	6	..
Koshun,	"	29.90	..	..	E	4	..
Pescadores,	"	29.89	..	..	NE	6	..
Gutzlaff,	3 p.	29.90	66	84	SE	4	cv
Sharp Peak,	"	29.84	70	79	E	2	o
Amoy,	"	29.85	84	68	ESE	3	c
Swatow,	"	29.78	78	..	NE	2	o
Canton,	"	29.75	84	79	E	1	c
Hongkong,	4 p.	29.79	78	88	ENE	4	oq
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	29.68	..	..	E	5	..
Macao,	"	29.71	83	..	E	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	78	WSW	3	c
Malate,	3 p.	..	..	..	SW	3	c
Bacolod,	"	..	..	..	.	0	..
Iloilo,	"	29.83	87	..	W	2	c
Cebu,	"	29.79	88	..	SW	1	c
Cape S. James,	"	..	..	..	SW	3	o

6th JUNE, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.80	..	..	S	2	..
Taichu,	"	29.79	..	..	..	0	..
Tainan,	"	29.79	..	..	..	0	..
Koshun,	"	29.79	..	..	..	0	..
Pescadores,	"	29.79	..	..	NE	4	..
Gutzlaff,	9 a.	29.77	66	100	SSE	4	omr
Sharp Peak,	"	29.74	76	82	..	0	o
Amoy,	"	29.78	79	82	..	0	o
Swatow,	"	29.73	76	..	NE	2	or
Canton,	"	29.74	83	83	E	1	c
Hongkong,	10 a.	29.71	80	87	NE	2	o
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	29.69	..	..	NE	3	..
Macao,	"	29.71	86	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	86	72	WSW	1	c
Malate,	9 a.	..	..	..	SW	4	or
Bacolod,	"	.	..	..	S	1	b
Iloilo,	"	29.87	84	..	..	0	b
Cebu,	"	29.87	87	..	S	2	b
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 6th at 11.45a. The barometer has fallen considerably on the E. coast of China, and moderately on the S. coast. A depression has appeared over Central China, and the low pressure trough seems to be still lying across the N. part of the China Sea. Forecast:—NE and varying winds, moderate; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 6th June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	6	..
Kochi,	"	29.79	..	..	E	2	..
Nagasaki,	"	29.79	..	..	W	4	..
Kagoshima,	"	29.79	..	..	SW	2	..
Taihoku,	1 p.	29.77	..	..	N	6	..
Taichu,	"	29.74	..	..	NW	4	..
Tainan,	"	29.76	..	..	S	4	..
Koshun,	"	..	..	..	.	.	..
Pescadores,	"	29.78	..	..	S	4	..
Gutzlaff,	3 p.	29.73	68	95	SW	4	omd
Sharp Peak,	"	..	..	.	.	..	..
Amoy,	"	29.73	80	82	SE	2	o
Swatow,	"	29.64	80	..	NE	2	o
Canton,	"	29.63	88	80	S	1	c
Hongkong,	4 p.	29.61	82	82	E	2	c
Victoria Peak,	"	.	..	..	E	1	..
Gap Rock,	"	29.61	..	..	NE	2	..
Macao,	"	29.60	87	..	E	1	c
Haiphong,	1 p.	.	..	..	..	..	..
Manila,	4 p.	29.76	86	71	WSW	3	c
Malate,	5 p.	..	..	..	W	4	o
Bacoled,	"	..	..	..	S	2	b
Iloilo,	"	29.81	86	..	NW	2	c
Cebu,	"	29.80	87	..	SW	2	o
Cape S. James,	"	..	..	..	SW	3	cr

7th JUNE, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.76	..	..	..	0	..
Taichu,	"	29.72	..	..	.	0	..
Tainan,	"	29.70	..	..	SE	4	..
Koshun,	"	29.75	..	..	S	2	..
Pescadores,	"	29.79	..	..	S	6	..
Gutzlaff,	9 a.	29.88	65	84	NNE	3	cv
Sharp Peak,	"	29.73	73	88	E	5	rd
Amoy,	"	29.70	80	87	..	0	c
Swatow,	"	29.68	83	..	N	2	b
Canton,	"	29.70	80	91	..	0	o
Hongkong,	10 a.	29.70	80	90	WNW	1	o
Victoria Peak,	"	.	..	..	W	2	..
Gap Rock,	"	29.70	..	..	WNW	2	..
Macao,	"	29.70	85	..	NW	1	o
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.84	81	92	WSW	3	..
Malate,	9 a.	..	..	..	W	4	or
Bacoled,	"	.	..	..	..	0	b
Iloilo,	"	29.87	84	..	..	0	b
Cebu,	"	29.87	85	..	.	0	c
Cape S. James,	7 a.	..	..	..	SW	2	o

On the 7th at 12.10p. The barometer has risen on the E. coast of China, fallen slightly on the SE. coast. The depression in the North has probably moved into the Sea of Japan, and a shallow area of low pressure is lying over the S. part of the Formosa Channel. Forecast:—variable winds, moderate; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 7th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

7th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.55	..	..	S	6	..
Kochi,	"	29.56	..	..	.	0	..
Nagasaki,	"	29.60	..	..	W	4	..
Kagoshima,	"	29.60	..	..	NW	4	..
Taihoku,	1 p.	29.78	..	..	E	6	..
Taichu,	"	29.66	..	..	N	6	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	.	.	..
Pescadores,	"	29.71	..	.	E	6	..
Gutzlaff,	3 p.	29.89	66	73	NNE	3	cv
Sharp Peak,	"	29.75	71	85	E	5	od
Amoy,	"	29.68	80	78	NE	6	oq
Swatow,	"	29.64	81	..	E	3	c
Canton,	"	29.64	90	70	NW	1	b
Hongkong,	4 p.	29.63	84	75	W	2	ot
Victoria Peak,	"	.	..	..	NW	1	..
Gap Rock,	"	29.62	..	..	NW	2	..
Macao,	"	29.65	82	..	NW	1	cr
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	71	WSW	2	b
Malate,	3 p.	..	..	..	SW	4	c
Bacoled,	"	..	..	..	S	2	b
Iloilo,	"	29.80	88	..	SE	3	o
Cebu,	"	29.81	86	..	SW	1	c
Cape S. James,	"	..	..	..	SW	2	c

8th JUNE, 1901, A. M.

Wladivostock,	7 a.	..	..	..	.	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	.	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.75	..	..	E	6	..
Taichu,	"	29.61	..	..	N	6	..
Tainan,	"	29.61	..	..	N	8	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.68	..	..	N	10	..
Gutzlaff,	9 a.	29.88	69	80	NNE	1	bv
Sharp Peak,	"	29.77	73	79	E	4	c
Amoy,	"	29.77	75	..	NE	2	..
Swatow,	"	29.77	77	..	E	1	o
Canton,	"	29.77	82	71	NNE	1	c
Hongkong,	10 a.	29.77	81	78	E	3	o
Victoria Peak,	"	.	..	..	E	2	..
Gap Rock,	"	29.76	..	..	E	4	..
Macao,	"	29.77	84	..	ESE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.80	86	78	SSW	2	c
Malate,	9 a.	..	..	..	S	2	c
Bacoled,	"	.	..	..	SSW	1	b
Iloilo,	"	29.87	86	..	S	1	c
Cebu,	"	29.87	88	..	SW	1	b
Cape S. James,	7 a.	..	..	..	.	..	..

On the 8th at 11.55a. The barometer has risen in S. China, fallen in Formosa and Luzon. Pressure is highest over the NE coast of China, and the low pressure area seems to be lying to the E. of Formosa. Gradients slight to moderate for NE winds on the China coast. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 8th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

8th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.59	..	..	S	6	..
Kochi,	,,	29.68	..	..	N	2	..
Nagasaki,	,,	29.72	..	..	W	4	..
Kagoshima,	,,	29.72	..	..	SE	2	..
Taihoku,	1 p.	29.79	..	..	E	4	..
Taichu,	,,	29.72	..	..	N	6	..
Tainan,	,,	29.72	..	..	N	8	..
Koshun,	,,	29.76	..	..	NW	4	..
Pescadores,	,,	29.78	..	..	N	8	..
Gutzlaff,	3 p.	29.88	79	74	NNE	1	bv
Sharp Peak,	,,	29.77	73	69	E	4	b
Amoy,	,,	29.74	81	71	E	3	c
Swatow,	,,	29.73	78	..	E	3	b
Canton,	,,	29.72	91	51	N	2	c
Hongkong,	4 p.	29.72	78	83	E	3	o
Victoria Peak,	,,	..	..	..	SE	1	..
Gap Rock,	,,	29.71	..	..	E	4	..
Macao,	,,	29.73	85	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	82	77	WSW	2	c
Malate,	3 p.	..	..	..	W	4	o
Becoled,	,,	..	..	..	S	2	c
Iloilo,	,,	29.81	88	..	S	3	c
Cebu,	,,	29.80	89	..	SW	2	c
Cape S. James,	,,	..	..	..	NW	2	o

9th JUNE, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	.	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	.	..
Nagasaki,	,,	.	..	..	..	..	..
Kagoshima,	,,	.	..	..	..	..	..
Taihoku,	5 a.	29.81	..	..	..	0	..
Taichu,	,,	29.81	..	..	.	0	..
Tainan,	,,	29.81	..	..	..	0	..
Koshun,	,,	29.82	..	..	N	2	..
Pescadores,	,,	29.84	..	..	NE	6	..
Gutzlaff,	9 a.	29.93	72	81	NNE	1	lm
Sharp Peak,	,,	29.88	75		..	0	b
Amoy,	,,	29.87	78	78	N	1	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	29.84	78	73	E	3	o
Victoria Peak,	,,	.	..	..	E	3	..
Gap Rock,	,,	29.83	..	..	ENE	4	..
Macao,	,,	29.83	82	..	E	2	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.84	86	78	S	1	c
Malate,	9 a.	..	..	..	SW	2	c
Becoled,	,,	.	..	..	S	1	b
Iloilo,	,,	29.92	85	..	..	0	b
Cebu,	,,	29.91	87	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 9th at 12 20p. The barometer has risen generally. Pressure is highest over the E. coast of China. Gradients slight for E winds on the China coast and in the N. part of the China Sea, and for SW winds over the S. part of the China Sea. Forecast:—moderate E winds; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 9th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

9th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.58	77	..	NE	1	c
Tokio,	"	29.71	..	..	N	2	..
Kochi,	"	29.72	..	..	SE	2	..
Nagasaki,	"	29.75	..	..	SW	6	..
Kagoshima,	"	29.75	..	..	S	2	..
Taihoku,	1 p.	29.89	..	..	E	6	..
Taichu,	"	29.81	..	..	N	4	..
Tainan,	"	29.83	..	..	W	4	..
Koshun,	"	29.86	..	..	N	4	..
Fosendoros,	"	29.87	..	..	N	8	..
Gutzlaff,	3 p.	29.92	75	77	NNE	1	bm
Sharp Peak,	"	29.81	74	76	E	2	b
Amoy,	"	29.81	84	72	NNE	2	c
Swatow,	"	29.77	80	..	SE	3	b
Canton,	"	29.75	88	80	S	1	c
Hongkong,	4 p.	29.77	79	64	ESE	3	b
Victoria Peak,	"	.	..	..	ESE	2	..
Gap Rock,	"	29.76	..	..	E	4	..
Macao,	"	29.76	85	..	ESE	1	c
Haiphong,	1 p.	.	..	..	..	..	..
Manila,	4 p.	29.76	88	72	WSW	2	c
Malate,	3 p.	..	..	..	SW	3	c
Iscoled,	"	..	..	..	SW	2	b
Iloilo,	"	29.82	80	..	NW	2	b
Cebu,	"	29.80	89	..	SW	3	b
Cape S. James,	"	.	..	..	SW	8	or

10th JUNE, 1901, A. M.

Wladivostock,	7 a.	29.75	64	73	.	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	.	..	..	.	..
Nagasaki,	"	.	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.85	..	..	E	4	..
Taichu,	"	29.84	..	..	W	..	..
Tainan,	"	29.83	..	..	N	4	..
Koshun,	"	29.84	..	..	..	0	..
Fosendoros,	"	29.85	..	..	N	10	..
Gutzlaff,	9 a.	29.93	68	90	SSE	2	cv
Sharp Peak,	"	29.83	75	72	E	1	b
Amoy,	"	29.83	77	73	NE	2	b
Swatow,	"	.	..	..	..	..	..
Canton,	"	29.82	86	68	S	2	o
Hongkong,	10 a.	29.80	81	50	E	3	c
Victoria Peak,	"	.	..	..	E	3	..
Gap Rock,	"	29.78	..	..	ENE	4	..
Macao,	"	29.80	85	..	ESE	1	c
Haiphong,	7 a.	.	..	..	.	..	..
Manila,	10 a.	29.80	80	66	SSW	1	c
Malate,	9 a.	.	..	..		0	b
Iscoled,	"	.	..	..	SW	1	b
Iloilo,	"	29.90	84	..	W	2	b
Cebu,	"	29.90	88	..	SW	2	c
Cape S. James,	7 a.	.	..	..	..	.	..

On the 10th at 11.45a. The barometer has risen in the Sea of Japan, fallen slightly on the China coast. Pressure is highest between the E. coast of China and W. Japan, and a low pressure trough is probably lying across the N. part of the China Sea. Gradients slight for E winds on the coast, moderate for NE winds in the N. part of China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 10th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

10th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.68	..	..	S	2	..
Kochi,	"	29.75	..	..	SE	2	..
Nagasaki,	"	29.79	..	..	W	2	..
Kagoshima,	"	29.79	..	..	W	6	..
Taihoku,	1 p.	29.79	..	..	E	6	..
Taichu,	"	29.74	..	..	N	4	..
Tainan,	"	29.77	..	..	W	6	..
Koshun,	"		..	..	..	..	..
Pescadores,	"	29.79	..	..	NE	8	..
Gutzlaff,	3 p.	29.85	75	72	SE	3	cv
Sharp Peak,	"	29.76	75	77	ENE	3	..
Amoy,	"	29.76	86	61	NE	2	c
Swatow,	"		..	..	..	..	..
Canton,	"	29.69	93	81	S	1	b
Hongkong,	4 p.	29.67	81	56	ESE	1	c
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	29.67	..	..	ENE	4	..
Macao,	"	29.68	87	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	84	77	SW	2	o
Malate,	3 p.	..	..	..	W	6	o
Bacoled,	"	..	..	..	SW	2	b
Iloilo,	"	29.82	89	..	S	1	c
Cebu,	"	29.81	88	..	SW	2	c
Cape S. James,	"	..	..	..	..	..	..

11th JUNE, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	29.90	..	..	NW	2	..
Kochi,	"	29.83	..	..	E	2	..
Nagasaki,	"	29.79	..	..	SE	2	..
Kagoshima,	"	29.83	..	..	SE	2	..
Taihoku,	5 a.	29.75	..	..	E	2	..
Taichu,	"	29.71	..	..	..	0	..
Tainan,	"	29.70	..	..	..	0	..
Koshun,	"	29.72	..	..	SE	4	..
Pescadores,	"	29.71	..	..	E	4	..
Gutzlaff,	9 a.	29.80	69	90	SE	4	cv
Sharp Peak,	"	29.71	76	77		0	o
Amoy,	"	29.72	80	78	NE	2	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.67	82	67	ESE	1	o
Victoria Peak,	"	..	..	..	E	2	..
Cap Rock,	"	29.68	..	..	ENE	3	..
Macao	"	29.66	89	..	W	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.76	88	72	SW	2	c
Malate,	9 a.	..	..	..	W	4	..
Bacoled,	"	..	..	..	SE	2	b
Iloilo,	"	29.86	85	..	W	1	c
Cebu,	"	29.86	88	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 11th at 12.5p. The barometer has fallen generally, particularly on the China coast. Pressure is highest over Japan, and the low pressure trough extends across the N. part of the China Sea and the Pacific towards the Loochoos. Gradients slight for NE winds in S. China, moderate for SW winds over the middle part of the China Sea. Forecast:—*varying winds, moderate; fair.*

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 11th June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.59	59	..	S	1	o
Tokio,	,,	29.90	..	..	SE	4	..
Kochi,	,,	29.79	..	..		0	..
Nagasaki,	,,	29.75	..	..	SW	4	..
Kagoshima,	,,	29.75	..	..	S	4	..
Taihoku,	1 p.	29.73	..	..	E	4	..
Taichu,	,,	29.63	..	..	NW	4	..
Tainan,	,,	29.65	..	..	SW	6	..
Koshun,	,,	29.71	..	..	SE	4	..
Pescadores,	,,	29.68	..	..	E	6	..
Gutzlaff,	3 p.	29.73	73	86	SSE	4	o
Sharp Peak,	,,	29.64	76	86	E	4	o
Amoy,	,,	29.66	84	75	ENE	3	c
Swatow,	,,	29.55	80	..	NE	3	o
Canton,	,,	29.59	92	64	SW	1	b
Hongkong,	4 p.	29.58	80	77	E	1	o
Victoria Peak,	,,	.	..	..	S	1	..
Cap Rock,	,,	29.59	..	..	NE	2	..
Macao,	,,	29.58	88	..	S	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.72	81	85	WSW	3	c
Malate,	3 p.	..	..	..	SW	4	c
Bacolod,	,,	..	..	..	SW	2	b
Iloilo,	,,	29.77	88	..	W	3	o
Cebu,	,,	29.78	90	..	SW	3	c
Cape S. James,	,,	..	..	..	SW	2	c

12th JUNE 1901, A. M.

Wladivostock,	7 a.	29.56	61	87	SW	1	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.62	..	..	E	4	..
Taichu,	,,	29.58	..	..	..	0	..
Tainan,	,,	.	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	.	..
Cutzlaff,	9 a.	29.67	70	90	SE	4	cm
Sharp Peak,	,,	29.58	79	74		0	o
Amoy,	,,	29.62	79	87	WSW	2	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.61	93	58	S	1	o
Hongkong,	10 a.	29.64	83	75	WSW	1	o
Victoria Peak,	,,	..	..	..	SW	1	..
Cap Rock,	,,	29.64	..	..	S	2	..
Macao,	,,	29.63	88	..	SW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.76	86	78	SW	2	o
Malate,	9 a.	..	..	..	..	..	.
Bacolod,	,,	..	..	..	S	1	b
Iloilo,	,,	29.84	84	..	S	1	c
Cebu,	,,	29.84	90	..	SW	2	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 12th at 12.5p. The barometer has fallen considerably on the E and SE coasts of China. Pressure is in defect generally, with a depression over the North of the Sea of Japan, and another area of low pressure lying over the SE coast of China and Formosa. Gradients slight for SW winds in S. China. Forecast:—moderate SW winds; fair to unsettled.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 12th June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.57	74	..	SE	1	b
Tokio,	..	29.86	..	..	SW	6	..
Kochi,	,,	29.83	..	..	SE	4	..
Nagasaki,	,,	29.68	..	..	E	6	..
Kagoshima,	,,	29.72	..	..	E	6	..
Taihoku,	1 p.	29.58	..	..	E	4	..
Taichu,	,,	29.53	..	..	N	6	..
Tainan,	,,	29.55	..	..	N	6	..
Koshun,	,,	29.57	..	..	N	6	..
Pescadores,	,,	29.59	..	..	N	6	..
Gutzlaff,	3 p.	29.66	72	90	SE	2	o
Sharp Peak,	..	29.55	79	80	ENE	3	o
Amoy,	,,	29.58	83	75	SE	6	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.57	89	77	S	1	c
Hongkong,	4 p.	29.56	85	70	S	1	o
Victoria Peak,	,,	..	..	..	SW	3	..
Gap Rock,	,,	29.58	..	..	S	2	..
Macao,	,,	29.55	88	..	SSE	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	79	92	WNW	2	or
Malate,	3 p.	..	..	..	NW	3	or
Pacoled,	,,	..	..	..	S	2	b
Iloilo,	,,	29.80	88	..	W	2	c
Cebu,	,,	29.77	89	..	SW	2	b
Cape S. James,	,,	..	..	..	..	..	..

13th JUNE 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.65	53	99	SW	3	o
Tokio,	10 a.	29.90	..	..	S	2	..
Kochi,	,,	29.75	..	..	.	0	..
Nagasaki,	,,	29.64	..	..	NE	6	..
Kagoshima,	,,	29.64	..	..	NE	6	..
Taihoku,	5 a.	29.64	..	..	NW	4	..
Taichu,	,,	29.66	..	..	..	0	..
Tainan,	,,	29.68	..	..	..	0	..
Koshun,	,,	29.67	..	..	N	4	..
Pescadores,	,,	29.67	..	..	SW	2	..
Gutzlaff,	9 a.	29.69	71	95	ESE	2	cm
Sharp Peak,	,,	29.63	77	91	..	0	o
Amoy,	,,	29.65	80	91	NNE	1	om
Swatow,	,,	29.64	84	..	SW	1	b
Canton,	,,	29.65	84	91	S	..	c
Hongkong,	10 a.	29.66	87	77	W	1	o
Victoria Peak,	,,	..	..	..	WSW	2	..
Gap Rock,	,,	29.68	..	..	SW	2	..
Macao	,,	29.65	88	..	SW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	79	92	..	0	od
Malate,	9 a.	..	..	..	E	1	od
Pacoled,	,,	..	..	..	S	2	b
Iloilo,	,,	29.87	83	..	W	2	c
Cebu,	,,	29.87	88	..	SW	2	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 13th at 12.5p. The barometer has risen slightly on the China coast, fallen in W. Japan. A depression is lying near the Loochoos. Gradients slight with variable winds on the China coast, and SW winds in the N. part of the China Sea. Forecast:—SW and varying winds, light or moderate; probably some thunder showers.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 13th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

13th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	S	4	..
Kochi,	"	29.72	..	..		0	..
Nagasaki,	"	29.60	..	..	N	4	..
Kagoshima,	"	29.00	..	..	SW	2	..
Taihoku,	1 p.	29.70	..	..	W	4	..
Taichu,	"	29.70	..	..	S	4	..
Tainan,	"	29.72	..	..	W	4	..
Koshun,	"	29.75	..	..	N	4	..
Pescadores,	"	29.72	..	..	S	6	..
Gutzlaff,	3 p.	29.70	73	90	E	2	cm
Sharp Peak,	"	29.59	79	91		0	or
Amoy,	"	29.65	84	83	SSE	3	c
Swatow,	"	29.58	83	..	S	3	or
Canton,	"	29.58	96	72	E	2	b
Hongkong,	4 p.	29.60	86	78	S	2	c
Victoria Peak,	"	.	..	..	S	3	..
Gap Rock,	"	29.61	..	..	SW	3	..
Macao,	"	29.59	89	..	S	1	c
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.76	82	85	NW	1	o
Malate,	3 p.	..	..	..	WNW	2	o
Bacolod,	"	..	..	..	NW	1	b
Iloilo,	"	29.79	80	..	SE	2	or
Cebu,	"	29.78	89	..	SW	2	.
Cape S. James,	"	..	..	..	SW	3	c

14th JUNE 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	.	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.77	..	..	.	0	..
Taichu,	"	29.78	..	..	SE	2	..
Tainan,	"	29.80	..	..	SE	2	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.78	..	..	SW	4	..
Gutzlaff,	9 a.	29.86	71	95	..	0	cv
Sharp Peak,	"	29.73	77	91	ESE	1	cg
Amoy,	"	29.74	83	87	S	2	um
Swatow,	"	.	.	..	..	.	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.76	85	79	W	1	o
Victoria Peak,	"	.	..	..	S	1	..
Gap Rock,	"	29.76	..	..	S	2	..
Macao,	"	29.75	89	..	SSE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	88	72	..	0	c
Malate,	9 a.	..	..	..	S	1	b
Bacolod,	"	.	..	..	SW	1	b
Iloilo,	"	29.94	84	..	W	1	c
Cebu,	"	29.92	84	..	SW	1	od
Cape S. James,	7 a.	..	..	..	..	..	..

On the 14th at 11.45a. The barometer has risen moderately on the China coast and over the Philippines. The depression is probably moving Eastwards in Japan. Gradients slight for S to SE winds on the China coast, and in the N. part of the China Sea.

Forecast:—light or moderate SE winds; probably some thunder showers.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 14th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

14th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Windivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.71	..	..	NE	6	..
Fochi,	"	29.72	..	..	W	2	..
Nagasaki,	"	29.72	..	..	SW	4	..
Kagoshima,	"	29.72	..	..	NW	4	..
Taihoku,	1 p.	29.80	..	..	SE	4	..
Taichu,	"	29.82	..	..	W	4	..
Tainan,	"	29.82	..	..	S	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.83	..	..	SW	4	..
Gutzlaff,	8 p.	29.87	72	85	NNE	3	cv
Sharp Peak,	"	29.77	76	91	ENE	3	or
Amoy,	"	29.75	82	87	WSW	2	c
Swatow,	"	29.68	84	..	S	3	c
Canton,	"	29.71	85	91	.	0	b
Hongkong,	4 p.	29.71	87	70	S	2	c
Victoria Peak,	"	.	..	..	SSE	1	..
Gap Rock,	"	29.70	..	..	SE	2	..
Macao,	"	29.70	89	..	S	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.84	82	85	NW	1	c
Malate,	3 p.	..	..	..	W	3	o
Iloilo,	"	..	..	..	N	2	b
Cebu,	"	29.84	89	..	W	2	c
Cape S. James,	"	29.83	87	..	SW	1	c
	"	..	..	..	SW	2	c

15th JUNE 1901, A. M.

Windivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Fochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	.	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.88	..	..	E	4	..
Taichu,	"	29.86	..	..	..	0	..
Tainan,	"	29.87	..	..	..	0	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.86	..	..	N	4	..
Gutzlaff,	9 a.	29.88	71	85	NNE	1	cv
Sharp Peak,	"	29.89	77	86	NE	1	o
Amoy,	"	29.87	76	86	W	1	cd
Swatow,	"	.	.	..	..	.	..
Canton,	"	..	..		..	..	..
Hongkong,	10 a.	29.81	84	82	ESE	3	o
Victoria Peak,	"	.	..	..	SE	3	..
Gap Rock,	"	29.80	..	..	ESE	3	..
Macao,	"	29.79	83	..	SSW	1	od
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	84	85	W	1	b
Malate,	9 a.	..	..	..	SW	1	b
Iloilo,	"	.	..	..	..	0	b
Cebu,	"	29.91	84	..	..	0	c
Cape S. James,	"	29.92	86	..	..	0	c
	7 a.	..	..	..	SW	2	c

On the 15th at 11.55a. The barometer has risen on the China coast, particularly in the North. Pressure is high over the E. coast of China and relatively low over the N. part of the China Sea. Gradients slight to moderate for E winds on the China coast, and for SW winds over middle part of the China Sea. **Forecast:**— moderate or fresh SE to E winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Saturday 15th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

15th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.54	72	..	N	2	b
Tokio,	"	29.51	..	..	NE	2	..
Kochi,	"	29.68	..	..	..	0	..
Nagasaki,	"	29.75	..	..	NW	6	..
Kagoshima,	"	29.75	..	..	NW	6	..
Taihoku,	1 p.	29.94	..	..	E	2	..
Taichu,	"	29.85	..	..	SW	2	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	29.92	75	72	N	1	c
Sharp Peak,	"	29.85	76	86	ENE	1	o
Amoy,	"	29.85	81	78	E	3	..
Swatow,	"	29.76	80	..	E	5	c
Canton,	"	29.75	84	87	E	2	o
Hongkong,	4 p.	29.73	80	91	E	1	o
Victoria Peak,	"	..	..	..	SE	4	..
Gap Rock,	"	29.72	..	..	ESE	3	..
Macao,	"	29.72	85	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	72	SW	2	c
Malate,	3 p.	..	..	..	SW	2	c
Bacolod,	"	..	..	..	SE	1	c
Iloilo,	"	29.86	85	..	W	1	c
Cebu,	"	29.85	84	..	..	0	c
Cape S. James,	"	..	..	..	SW	1	c

16th JUNE 1901, A. M.

Wladivostock,	7 a.	29.60	59	72	N	2	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	.	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.92	..	..	E		..
Taichu,	"	29.87	..	..	.	0	..
Tainan,	"	29.87	..	..	SE	2	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	.	..	..	..	.	..
Gutzlaff,	9 a.	29.78	73	86	S	4	cv
Sharp Peak,	"	29.82	77	88	..	0	o
Amoy,	"	29.82	77	91	NE	1	omd
Swatow,	"	..		..	..	.	..
Canton,	"	..	..		..	..	..
Hongkong,	10 a.	29.79	84	77	S	1	o
Victoria Peak,	"		..	..	S	5	..
Gap Rock,	"	29.79	..	..	S	4	..
Macao,	"	29.79	87	..	SW	2	o
Haiphong,	7 a.	..	..	..		..	..
Manila,	10 a.	29.88	88	72	SW	1	b
Malate,	9 a.	..	..	..	SW	2	b
Bacolod,	"	.	..	..	..	0	b
Iloilo,	"	29.92	83	..	..	0	b
Cebu,	"	29.92	86	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 16th at 12.5p. The barometer has fallen quickly on the E. coast of China, probably owing to the existence of a depression over Central China. Gradients slight for SE and S winds on the China coast. Forecast—moderate S winds, squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 16th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

16th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.64	71	..	N	4	c
Tokio,	,,	29.59	..	..	S	8	..
Kochi,	,,	29.72	..	..	SE	2	..
Nagasaki,	,,	29.75	..	..	SW	4	..
Kagoshima,	,,	29.75	..	..	NW	4	..
Taihoku,	1 p.	29.84	..	..	E	2	..
Taichu,	,,	29.88	..	..	SW	6	..
Tainan,	,,	29.91	..	..	E	4	..
Koshun,	,,	29.89	..	..	NW	4	..
Pescadores,	,,	29.88	..	..	E	6	..
Gutzlaff,	3 p.	29.71	72	90	SSE	3	sm
Sharp Peak,	,,	29.72	79	89	ESE	3	o
Amoy,	,,	29.78	78	91	..	0	o
Swatow,	,,	..		..			..
Canton,	,,	29.71	89	77	SW	2	c
Hongkong,	4 p.	29.69	84	82	SW	2	op
Victoria Peak,	,,	..	..	..	S	6	..
Cap Rock,	,,	29.70	..	..	SSW	4	..
Macao,	,,	29.68	86	..	SW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	90	72	WSW	2	b
Malate,	3 p.	..	..	..	SW	2	b
Bacoled,	,,	..	..	..	..	0	b
Iloilo,	,,	29.81	86	..	SE	1	o
Cebu,	,,	29.82	86	..	SW	2	c
Cape S. James,	,,	..	..	..	..	..	.

17th JUNE 1901, A. M.

Wladivostock,	7 a.	29.68	52	99	S	4	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	.	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.76	..	..	..	6	..
Taichu,	,,	29.77	..	..	.	0	..
Tainan,	,,	29.81	..	..	SE	4	..
Koshun,	,,	29.84	..	..	W	2	..
Pescadores,	,,	29.78	..	..	S	6	..
Gutzlaff,	9 a.	29.63	71	100	SSW	2	fr
Sharp Peak,	,,	29.64	80	85	S	4	o
Amoy,	,,	29.73	80	91	S	5	c
Swatow,	,,		..	..	..		..
Canton,	,,	29.70	85	96	S	2	c
Hongkong,	10 a.	29.71	84	80	S	3	oq
Victoria Peak,	,,		..	..	SSW	5	..
Cap Rock,	,,	29.74	..	..	SSW	5	..
Macao,	,,	..	..	..	..	.	..
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	88	72	SW	1	b
Malate,	9 a.	..	..	..	SW	1	c
Bacoled,	,,	.	..	..	..	2	b
Iloilo,	,,	29.90	86	..	..	0	c
Cebu,	,,	29.88	87	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	.

On the 17th at 12.5p. The barometer continues to fall over China, particularly on the E coast. The depression over Central China seems to be moving Eastwards. Gradients slight to moderate with fresh S. monsoon on the coast, and in the N. part of the China Sea.

Forecast:—fresh or strong SW winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Monday 17th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

17th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.59	..	..	S	4	..
Kochi,	"	29.68	..	..	E	2	..
Nagasaki,	"	29.64	..	..	W	4	..
Kagoshima,	"	29.64	..	..	SW	2	..
Taihoku,	1 p.	29.72	..	..	W	2	..
Taichu,	"	29.75	..	..	SW	8	..
Tainan,	"	29.81	..	..	S	6	..
Koslun,	"	29.84	..	..	NW	4	..
Pescadores,	"	29.80	..	..	S	6	..
Gutzlaff,	3 p.	29.60	70	100	SE	2	ofd
Sharp Peak,	"	29.60	81	83	S	6	o
Amoy,	"	29.70	81	91	SW	5	or
Swatow,	"	..	..	..	.		..
Canton,	"	29.61	87	88	SW	2	o
Hongkong,	4 p.	29.65	85	78	SW	3	oq
Victoria Peak,	"	.	..	..	S	7	..
Gap Rock,	"	29.64	..	..	SW	5	..
Macao,	"	29.63	85	..	SSW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	90	66	WSW	3	c
Malate,	3 p.	..	..	..	SW	2	b
Bacoled,	"	..	..	..	SE	2	or
Iloilo,	"	29.83	86	..	W	2	o
Cebu,	"	29.84	86	..	SW	2	o
Cape S. James,	"	..	..	..	..	..	..

18th JUNE 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.73	..	..	W	2	..
Taichu,	"	29.76	..	..	S	4	..
Tainan,	"	29.80	..	..	SE	4	..
Koslun,	"	29.84	..	..	S	4	..
Pescadores,	"	29.79	..	..	S	8	..
Gutzlaff,	9 a.	29.66	70	100	E	3	f
Sharp Peak,	"	29.63	81	87	S	4	..
Amoy,	"	.	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	
Hongkong,	10 a.	29.73	83	82	SW	4	oq
Victoria Peak,	"	.	..	..	S	7	..
Gap Rock,	"	29.74	..	..	SW	5	..
Macao	"	29.71	85	..	SW	2	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	86	78	WSW	1	c
Malate,	9 a.	..	..	..	SW	2	c
Bacoled,	"	.	..	..	SW	2	b
Iloilo,	"	29.93	83	..	..	0	o
Cebu,	"	29.94	85	..	SW	1	b
Cape S. James,	7 a.	..	..	..	..	..	.

On the 18th at 11.55a. Barometric changes are slight. The depression over SE China, will probably pass to the South of Shanghai moving Eastwards. Gradients moderate with strong S. monsoon in S. China and the N. part of the China Sea. Forecast:—strong to fresh SW winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 18th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

18th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.67	..	..	E	4	..
Kochi,	"	29.68	..	..	SE	4	..
Nagasaki,	"	29.60	..	..	SW	4	..
Kagoshima,	"	29.63	..	..	E	6	..
Taihoku,	1 p.	29.71	..	..	SW	6	..
Taichu,	"	29.80	..	..	S	4	..
Tainan,	"	29.84	..	..	S	6	..
Koshun,	"	29.86	..	..	W	6	..
Pescadores,	"	29.81	..	..	S	8	..
Gutzlaff,	3 p.	29.65	70	95	ESE	3	om
Sharp Peak,	"	29.57	81	87	S	6	o
Amoy,	"	29.67	83	87	S	6	o
Swatow,	"	29.56	82	..	SW	3	or
Canton,	"	29.63	90	81	S	2	c
Hongkong,	4 p.	29.66	85	79	SW	4	oq
Victoria Peak,	"	..	..	..	S	7	..
Gap Rock,	"	29.67	..	..	SW	5	..
Macao,	"	29.65	86	..	SW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	84	77	SW	3	c
Malate,	3 p.	..	..	..	SW	3	od
Bacolod,	"	..	..	..	..	0	or
Iloilo,	"	29.89	85	..	W	1	o
Cebu,	"	29.87	88	..	SW	2	c
Cape S. James,	"	..	..	..	SW	1	c

19th JUNE 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	.	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.73	..	..	..	0	..
Taichu,	"	29.81	..	..	S	4	..
Tainan,	"	29.83	..	..	S	4	..
Koshun,	"	29.84	..	..	W	6	..
Pescadores,	"	29.80	..	..	S	6	..
Gutzlaff,	9 a.	29.69	69	95	NE	3	f
Sharp Peak,	"	29.65	80	91	S	3	o
Amoy,	"	29.70	82	91	SW	4	or
Swatow,	"	..	.	..	..	.	..
Canton,	"	..	..	..	..	..	
Hongkong,	10 a.	29.73	84	79	SW	4	opq
Victoria Peak,	"	.	..	..	S	8	..
Gap Rock,	"	29.75	..	..	SW	5	..
Macao,	"	29.72	87	..	SW	2	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.92	88	72	SSW	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	.	..	..	SW	2	b
Iloilo,	"	29.94	84	..	NW	1	c
Cebu,	"	29.96	86	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 19th at 12.15p. Barometric changes are unimportant. The depression still lies over the E. coast of China. Gradients continue moderate with strong S. monsoon in S. China and the N. part of the China Sea. Forecast:—strong to fresh SW winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 19th June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	S	4	..
Kochi,	"	29.83	..	..	S	2	..
Nagasaki,	"	29.64	..	..	SE	4	..
Kagoshima,	"	29.68	..	..	E	8	..
Taihoku,	1 p.	29.75	..	..	W	4	..
Taichu,	"	29.81	..	..	S	6	..
Tainan,	"	29.86	..	..	SW	6	..
Koshun,	"	29.87	..	..	NE	6	..
Pescadores,	"	29.83	..	..	S	6	..
Gutzlaff,	3 p.	29.68	72	90	ENE	2	f
Sharp Peak,	"	29.64	80	91	S	3	or
Amoy,	"	29.69	84	87	S	5	c
Swatow,	"	.	..	..	..	..	..
Canton,	"	..	..		..	..	..
Hongkong,	4 p.	29.68	85	78	SW	3	o
Victoria Peak,	"	.	..	..	S	7	..
Gap Rock,	"	29.67	..	..	SSW	5	..
Macao,	"	29.66	88	..	SSW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	88	72	WSW	3	c
Malate,	3 p.	..	..	..	SW	4	c
Iscoled,	"	..	..	..	SW	2	c
Iloilo,	"	29.87	88	..	SW	1	c
Cebu,	"	29.87	88	..	SW	2	c
Cape S. James,	"	..	..	..	SW	3	c

20th JUNE 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.79	..	..	SW	2	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.85	..	..	S	4	..
Koshun,	"	29.89	..	..	SW	4	..
Pescadores,	"	29.84	..	..	S	6	..
Gutzlaff,	9 a.	29.62	73	95	SSE	2	f
Sharp Peak,	"	29.66	81	87	S	5	o
Amoy,	"	29.70	83	87	SW	4	c
Swatow,	"	.	.	..	..	..	..
Canton,	"	..	..	..	..	..	
Hongkong,	10 a.	29.74	85	79	SW	4	oq
Victoria Peak,	"		..	..	S	8	..
Gap Rock,	"	29.75	..	..	SSW	5	..
Macao,	"	29.73	85	..	SW	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.92	80	60	SW	1	b
Malate,	9 a.	..	..	..	..	0	b
Iscoled,	"	.	..	..		0	b
Iloilo,	"	29.94	83	..	..	0	c
Cebu,	"	29.96	85	..	SW	1	c
Cape S. James,	7 a.	..	..	..	.	..	..

On the 20th at 12.10p. The barometer has fallen on the E. coast of China, and is little changed elsewhere. The depression still lies over the E. coast. Gradients moderate with strong S. monsoon in S. China and the N. part of the China Sea. Forecast:—strong to fresh SW. winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 20th June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.61	70	..	..	0	o
Tokio,	"	29.71	..	..	S	6	..
Fushi,	"	29.79	..	..	S	4	..
Nagasaki,	"	29.64	..	..	SE	4	..
Kagoshima,	"	29.68	..	..	SE	4	..
Taihoku,	1 p.	29.78	..	..	SW	6	..
Taichu,	"	29.83	..	..	S	8	..
Tainan,	"	29.87	..	..	S	6	..
Koshun,	"	29.88	..	..	NW	6	..
Pescadores,	"	29.84	..	..	S	8	..
Gutzlaff,	3 p.	29.59	78	65	SSW	2	cv
Sharp Peak,	"	29.66	82	89	S	3	o
Amoy,	"	29.69	84	87	SW	5	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.68	84	78	S	3	c
Victoria Peak,	"	..	..	..	S	6	..
Gap Rock,	"	29.68	..	..	SSW	5	..
Macao,	"	29.65	89	..	SSW	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	88	72	WSW	2	b
Malate,	3 p.	..	..	..	SW	4	c
Incoled,	"	..	..	..	..	0	o
Iloilo,	"	29.86	86	..	..	0	c
Cebu,	"	29.86	86	..	N	3	c
Cape S. James,	"	..	..	..	SW	2	c

21st JUNE 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.62	58	87	SE	2	o
Tokio,	10 a.	..	..	..	..	..	..
Fushi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	29.77	..	..	S	2	..
Taichu,	"	29.80	..	..	SW	2	..
Tainan,	"	29.83	..	..	SE	4	..
Koshun,	"	29.86	..	..	W	4	..
Pescadores,	"	29.81	..	..	S	6	..
Gutzlaff,	9 a.	29.52	74	100	SW	5	cmd
Sharp Peak,	"	29.66	82	85	S	4	c
Amoy,	"	29.72	84	83	SSW	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.75	85	79	S	2	o
Victoria Peak,	"	..	..	..	S	7	..
Gap Rock,	"	29.76	..	..	SSW	4	..
Macao,	"	29.72	88	..	SSW	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	80	60	ESE	1	b
Malate,	9 a.	..	..	..	SE	1	b
Incoled,	"	..	..	..	N	2	b
Iloilo,	"	29.90	84	..	..	0	b
Cebu,	"	29.91	85	..	N	2	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 21st at 12.10p. The barometer has fallen on the E. coast of China. The depression appears to be leaving the coast and moving into the Yellow Sea. Gradients moderate with strong to moderate S. monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh SW winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 21st June 1901

CHINA COAST METEOROLOGICAL REGISTER.

21st JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.67	..	..	S	2	..
Kochi,	"	29.60	..	..	W	2	..
Nagasaki,	"	29.52	..	..	SW	10	..
Kagoshima,	"	29.60	..	..	W	8	..
Taihoku,	1 p.	29.75	..	..	SW	6	..
Taichu,	"	29.82	..	..	SW	6	..
Tainan,	"	29.87	..	..	SW	6	..
Koshun,	"	29.89	..	..	NW	4	..
Pescadores,	"	29.85	..	.	S	8	..
Cutzinff,	3 p.	29.56	74	100	WSW	5	omd
Sharp Peak,	"	29.63	84	83	S	4	o
Amoy,	"	29.69	86	84	S	5	c
Swatow,	"	.	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.71	84	81	S	1	o
Victoria Peak,	"	.	..	..	S	6	..
Gap Rock,	"	29.70	..	..	SSW	5	..
Macao,	"	29.68	86	..	SSW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.80	91	70	WSW	1	c
Malate,	3 p.	..	..	..	ESE	1	b
Iscolod,	"	..	..	..	N	2	o
Iloilo,	"	29.83	88	..	E	1	c
Cebu,	"	29.84	87	..	N	2	c
Cape S. James,	"	..	..	..	NW	3	[illegible]

22nd JUNE 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.82	..	..	SE	2	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.88	..	..	SE	4	..
Koshun,	"	29.91	..	..	N	2	..
Pescadores,	"	29.87	..	.	S	6	..
Cutzinff,	9 a.	29.67	74	95	WSW	4	cv
Sharp Peak,	"	29.71	83	83	SSW	3	c
Amoy,	"	..	..	..	..	.	..
Swatow,	"	..	.	..	..	..	..
Canton,	"	..	..	.	.	..	..
Hongkong,	10 a.	29.81	85	75	SW	2	o
Victoria Peak,	"	.	..	..	S	2	..
Gap Rock,	"	29.81	..	..	SSW	4	..
Macao,	"	29.80	89	..	SW	2	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	90	66	E	1	c
Malate,	9 a.	..	..	..	E	1	b
Iscolod,	"	.	..	..	NW	2	b
Iloilo,	"	29.92	86	..	E	2	b
Cebu,	"	29.92	86	..	N	3	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 22nd at 12.5p. The barometer has risen on the China coast, the depression having moved slowly away towards the Sea of Japan. Gradients moderate to slight with fresh to moderate S. monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate SW winds; squally, showery.

F. G. FIGG.
First Assistant

Hongkong Observatory, Saturday 22nd June 1901

CHINA COAST METEOROLOGICAL REGISTER.

22nd JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.51	..	..	N	6	..
Kochi,	"	29.60	..	..	E	2	..
Nagasaki,	"	29.60	..	..	SW	8	..
Kagoshima,	"	29.68	..	..	SW	4	..
Taihoku,	1 p.	29.85	..	..	W	4	..
Taichu,	"	29.87	..	..	S	6	..
Tainan,	"	29.92	..	..	S	4	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.90	..	.	S	6	..
Gutzlaff,	3 p.	29.69	77	86	SW	4	cv
Sharp Peak,	"	29.70	84	85	S	4	o
Amoy,	"	29.76	86	80	SSE	5	b
Swatow,	"		..	..	..	..	..
Canton,	"	29.76	84	91	.	0	o
Hongkong,	4 p.	29.78	85	76	SW	1	o
Victoria Peak,	"	.	..	..	SSW	6	..
Cap Rock,	"	29.77	..	..	SSW	4	..
Macao,	"	29.76	91	..	SW	2	o
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.80	93	50	SE	2	b
Malate,	3 p.	..	..	..	ESE	2	b
Bacoled,	"	..	..	..	NE	2	b
Iloilo,	"	29.81	90	..	SE	2	b
Cebu,	"	29.83	86	..	N	3	b
Cape S. James,	"	..	..	..	SW	2	c

23rd JUNE 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.94	..	..	..	0	..
Taichu,	"	29.94	..	..	..	0	..
Tainan,	"	29.95	..	..	SE	2	..
Koshun,	"	29.98	..	..		0	..
Pescadores,	"	29.94	..	..	S	4	..
Gutzlaff,	9 a.	..	..			.	..
Sharp Peak,	"	29.82	83	85	S	2	o
Amoy,	"	29.86	83	87	SW	1	c
Swatow,	"	..	.	..	..	..	..
Canton,	"	..	..	..	..	..	.
Hongkong,	10 a.	29.89	86	72	S	3	oq
Victoria Peak,	"	.	..	..	S	5	..
Cap Rock,	"	29.89	..	..	SSW	4	..
Macao,	"	29.88	83	..	S	2	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	88	86	NW	1	b
Malate,	9 a.	..	..	..	..	0	c
Bacoled,	"		..	..	S	2	b
Iloilo,	"	29.90	75	..	E	2	c
Cebu,	"	29.90	84	..	N	3	b
Cape S. James,	7 a.	..	..	..	SW	1	b

On the 23rd at 12.15p. The barometer has risen in S. China. The depression in the North has probably reached E. Japan. Pressure is high over the N. part of China Sea. Gradients slight for S. and SW in S. China. Forecast—moderate S winds; fair, squally.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 23rd June 1901

CHINA COAST METEOROLOGICAL REGISTER.

23rd JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.71	..	..	..	0	..
Kochi,	"	29.75	..	..	SE	4	..
Nagasaki,	"	29.75	..	..	S	6	..
Kagoshima,	"	29.83	..	..	S	4	..
Taihoku,	1 p.	29.83	..	..	W	4	..
Taichu,	"	29.83	..	..	SW	6	..
Tainan,	"	29.86	..	..	SW	4	..
Koshun,	"	.	..	..	..	.	..
Pescadores,	"	29.87	..	..	S	4	..
Gutzlaff,	3 p.	29.79	74	81	SSW	2	o
Sharp Peak,	"	29.79	86	81	SSE	3	o
Amoy,	"	29.84	88	84	S	3	c
Swatow,	"	29.84	87	..	S	3	c
Canton,	"	29.83	86	88	SW	2	ort
Hongkong,	4 p.	29.87	85	76	S	3	o
Victoria Peak,	"	.	..	..	S	6	..
Cap Rock,	"	29.84	..	..	SSW	4	..
Macao,	"	29.84	89	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.86	91	61	..	0	..
Malate,	3 p.	..	..	..	..	0	c
Pacolod,	"	..	..	..	NE	2	c
Iloilo,	"	29.81	89	..	E	2	o
Cebu,	"	29.81	82	..	N	2	o
Cape S. James,	"	..	..	..	..	..	..

24th JUNE 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.96	..	..	..	0	..
Taichu,	"	29.96	..	..	..	0	..
Tainan,	"	29.97	..	..	E	2	..
Koshun,	"	29.99	..	..		0	..
Pescadores,	"	29.97	..	..	S	2	..
Gutzlaff,	9 a.	..	..			.	..
Sharp Peak,	"	29.85	82	83	S	3	o
Amoy,	"	29.89	83	87	SW	..	c
Swatow,	"	..		..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.95	86	71	SW	1	o
Victoria Peak,	"		..	..	SSW	3	..
Cap Rock,	"	29.95	..	..	SSW	2	..
Macao,	"	.	..	..	..	.	..
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	.	.
Malate,	9 a.	..	..	..	..	0	o
Pacolod,	"		..	..	..	0	b
Iloilo,	"	29.92	84	..	..	0	c
Cebu,	"	29.92	84	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 24th at 12.10p. The barometer has risen in S. China. Pressure remains high over the S. coast and N. part of the China, and gradients continue slight for S winds in S China.
Forecast:—moderate or light S winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Monday 24th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

24th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	S	4	..
Kochi,	"	29.83	..	..	S	2	..
Nagasaki,	"	29.87	..	..	W	4	..
Kagoshima,	"	29.91	..	..	NW	4	..
Taihoku,	1 p.	29.99	..	..	NW	6	..
Taichu,	"	29.97	..	..	W	6	..
Tainan,	"	30.00	..	..	SW	6	..
Koslun,	"	30.03	..	..	SE	4	..
Pescadores,	"	30.03	..	..	..	6	..
Gutzlaff,	3 p.	29.93	68	100	SE	4	omd
Sharp Peak,	"	29.84	84	83	ESE	5	o
Amoy,	"	29.87	84	76	SSE	4	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.87	94	68	S	2	b
Hongkong,	4 p.	29.88	84	74	S	2	o
Victoria Peak,	"	.	..	..	S	2	..
Gap Rock,	"	29.88	..	..	SSW	3	..
Macao,	"	29.87	90	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	77	..	E	1	or
Malate,	3 p.	...	..	..	..	0	or
Bacoled,	"	..	..	..	SW	2	o
Iloilo,	"	29.88	88	..	W	1	c
Cebu,	"	29.85	87	..		0	c
Cape S. James,	"	..	..	..	E	2	c

25th JUNE 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.92	..	..	..	0	..
Taichu,	"	29.90	..	..	..	0	..
Tainan,	"	29.89	..	..	SE	2	..
Koslun,	"	29.93	..	..	SE	4	..
Pescadores,	"	29.91	..	..	S	6	..
Gutzlaff,	9 a.	29.82	69	100	E	7	omr
Sharp Peak,	"	29.81	81	74	S	3	o
Amoy,	"	29.87	83	83	SW	1	c
Swatow,	"	.	.	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.89	84	66	S	1	o
Victoria Peak,	"	.	..	..	S	1	..
Gap Rock,	"	29.89	..	..	SSE	2	..
Macao,	"	29.88	90	..	SW	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.92	86	78	E	1	c
Malate,	9 a.	..	..	..	..	0	c
Bacoled,	"	.	..	..	N	2	b
Iloilo,	"	29.94	85	..	NE	1	c
Cebu,	"	29.94	88	..	N	2	c
Cape S. James,	7 a.	..	..	..	NW	2	c

On the 25th at 12.10p. The barometer has fallen on the China coast owing to the existence of a shallow area of low pressure over the E. coast. Gradients slight for SW winds in S. China, moderate for E winds over the E. coast. Forecast:—SW and varying winds, light or moderate; fair at first, probably thunder showers later.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 25th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

25th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	SW	4	..
Kochi,	"	29.95	..	..	..	0	..
Nagasaki,	"	29.91	..	..	..	0	..
Kagoshima,	"	29.95	..	..	S	2	..
Taihoku,	1 p.	29.88	..	..	W	4	..
Taichu,	"	29.88	..	..	S	4	..
Tainan,	"	29.88	..	..	S	8	..
Koshun,	"	29.94	..	..	S	4	..
Pescadores,	"	29.93	..	..	S	6	..
Gutzlaff,	3 p.	29.72	71	95	NNW	3	cmd
Sharp Peak,	"	29.79	83	83	ESE	2	o
Amoy,	"	29.82	83	87	S	4	c
Swatow,	"	29.77	85	..	S	3	b
Canton,	"	29.79	90	77	SW	2	b
Hongkong,	4 p.	29.78	84	72	..	0	o
Victoria Peak,	"	.	..	..	S	2	..
Gap Rock,	"	29.79	..	..	SE	1	..
Macao,	"	29.80	88	..	SW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.84	88	59	ESE	2	o
Malate,	3 p.	..	..	..	NE	1	c
Tacoled,	"	..	..	..	SE	2	c
Iloilo,	"	29.88	90	..	.	1	c
Cebu,	"	29.83	87	..	N	2	b
Cape S. James,	"	..	..	..	SE	2	c

26th JUNE 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	.	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.86	..	..	SE	2	..
Taichu,	"	29.85	..	..	..	0	..
Tainan,	"	29.84	..	..	SE	2	..
Koshun,	"	29.89	..	..	.	0	..
Pescadores,	"	29.84	..	..	S	4	..
Gutzlaff,	9 a.	29.87	69	95	N	2	cv
Sharp Peak,	"	29.78	80	89	.	0	o
Amoy,	"	29.77	83	87	S	4	c
Swatow,	"		.	.	..	.	..
Canton,	"	29.76	83	87	W	1	b
Hongkong,	10 a.	29.74	83	73	W	1	o
Victoria Peak,	"		..	..	W	5	..
Gap Rock,	"	29.75	..	..	W	4	..
Macao,	"	29.75	88	..	WSW	1	o
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.88	88	72	W	1	c
Malate,	9 a.	..	.	..	.	0	b
Tacoled,	"	.	..	..	NW	2	b
Iloilo,	"	29.90	85	..	E	1	b
Cebu,	"	29.89	86	..	N	1	c
Cape S. James,	7 a.	..	..	..	..	.	..

On the 26th at 12.10p. The barometer has risen slightly on the E. coast of China, fallen considerably on the S. coast. The depression in the North has probably approached W. Japan. Pressure is also relatively low over the S. coast of China. Forecast:—SW and varying winds, moderate; squally, probably some thunder showers.

F. G. FIGG.
First Assistant

Hongkong Observatory, Wednesday 26th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

26th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.89	57	..	SW	2	o
Tokio,	"	29.94	..	..	S	4	..
Kochi,	"	29.91	..	..	S	2	..
Nagasaki,	"	29.83	..	..	SW	10	..
Kagoshima,	"	29.91	..	..	NW	6	..
Taikoku,	1 p.	29.81	..	..	N	4	..
Taichu,	"	29.72	..	..	SW	6	..
Tainan,	"	29.74	..	..	S	8	..
Koshun,	"	29.79	..	..	SE	2	..
Pescadores,	"	29.72	..	..	S	6	..
Gutzlaff,	3 p.	29.84	71	90	NNE	2	ev
Sharp Peak,	"	29.77	79	82	SSW	2	er
Amoy,	"	29.75	82	83	SE	5	o
Swatow,	"	..	..	..	.	..	..
Canton,	"	29.73	89	77	S	1	..
Hongkong,	4 p.	29.72	86	64	WSW	3	e
Victoria Peak,	"	.	..	..	SW	6	..
Gap Rock,	"	29.72	..	..	WSW	5	..
Macao,	"	29.72	88	..	SW	1	e
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.80	90	66	..	0	c
Malate,	3 p.	..	..	..	NW	1	c
Incoled,	"	..	..	..	N	2	b
Iloilo,	"	29.79	90	..	SE	1	b
Cebu,	"	29.80	87	..	N	4	b
Cape S. James,	"	..	..	..	SW	1	b

27th JUNE 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.89	54	97	..	0	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	.	..
Kagoshima,	..	.	..	..	..	..	..
Taikoku,	5 a.	29.81	..	..	SW	2	..
Taichu,	"	29.79	..	..	..	0	..
Tainan,	"	29.86	..	..	SE	4	..
Koshun,	"	29.87	..	..	SE	2	..
Pescadores,	"	29.83	..	..	S	8	..
Gutzlaff,	9 a.	29.79	71	95	S	4	emp
Sharp Peak,	"	29.74	80	85	..	0	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	.	..	..	..	..
Canton,	"	..	..	..	.	.	..
Hongkong,	10 a.	29.80	85	74	SW	3	eq
Victoria Peak,	"	.	..	..	S	8	..
Gap Rock,	"	29.80	..	..	SW	5	..
Macao,	"	29.81	89	..	SSW	2	e
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.78	88	66	ESE	1	c
Malate,	9 a.	..	..	..	E	1	b
Incoled,	"	.	..	..	NE	2	b
Iloilo,	"	29.91	85	..	..	0	o
Cebu,	"	29.88	87	..	SW	1	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 27th at 11.55a. The barometer has risen on the S. coast of China, fallen on the E. coast. Pressure is low over Central China, and gradients are slight to moderate for S winds on the coast, and in the N. part of the China Sea. Forecast:—fresh SW winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Thursday 27th June 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.85	61	..	S	2	c
Tokio,	"	29.86	..	..	SW	4	..
Kochi,	"	29.95	..	..	S	2	..
Nagasaki,	"	29.91	..	..	S	4	..
Kagoshima,	"	29.95	..	..	S	4	..
Taihoku,	1 p.	29.87	..	..	NE	2	..
Taichu,	"	29.85	..	..	SW	4	..
Tainan,	"	29.87	..	..	SW	4	..
Koshun,	"	29.90	..	..	NE	4	..
Pescadores,	"	29.88	..	..	S	6	..
Gutzlaff,	8 p.	29.77	78	86	SE	2	c
Sharp Peak,	"	29.75	78	78	WNW	3	ogt
Amoy,	"	29.76	85	83	SSE	4	c
Swatow,	"	..	..	..	.	..	.
Canton,	"	29.70	91	77	S	2	c
Hongkong,	4 p.	29.73	83	78		0	op
Victoria Peak,	"	.	..	..	S	4	..
Cap Rock,	"	29.73	..	..	SSW	4	..
Macao,	"	29.73	89	..	SW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.84	82	85	ESE	1	c
Malate,	3 p.	..	..	..		0	c
Lucoled,	"	..	..	..	NW	2	c
Iloilo,	"	29.82	86	..	..	0	c
Cebu,	"	29.81	88	..	N	3	c
Cape S. James,	"	..	..	..	SW	3	c

28th JUNE 1901, A. M.

Wladivostock,	7 a.	29.87	65	94	..	0	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	.	..
Kagoshima,	"	.	..	..	..	.	..
Taihoku,	5 a.	29.90	..	..	SW	2	..
Taichu,	"	29.90	..	..	..	0	..
Tainan,	"	29.90	..	..	..	0	..
Koshun,	"	29.91	..	..	..	0	..
Pescadores,	"	29.91	..	.	SE	2	..
Gutzlaff,	9 a.	29.83	74	95	SE	3	c
Sharp Peak,	"	29.82	81	89	.	0	o
Amoy,	"	29.81	83	87	SSE	3	c
Swatow,	"	.	.	.	..	.	..
Canton,	"	29.80	85	87	S	2	b
Hongkong,	10 a.	29.82	85	73	SW	2	cq
Victoria Peak,	"	.	..	..	S	6	..
Cap Rock,	"	29.81	..	..	SSW	4	..
Macao	"	29.80	89	..	SSW	2	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.88	86	71	WNW	1	b
Malate,	9 a.	..	..	..	W	2	b
Lucoled,	"	.	..	..	N	2	b
Iloilo,	"	29.90	84	..	E	1	c
Cebu,	"	29.87	85	..	N	1	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 28th at 12.10p. The barometer has risen slightly on the China coast. Pressure is highest over the Pacific to the S. Japan, lowest over Central China. Gradients slight for S winds on the coast, and in the N. part of the China Sea. Forecast:—moderate S winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 28th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

28th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.85	65	..	W	1	c
Tokio,	"	29.90	..	..	S	6	..
Kochi,	"	29.83	..	..	SW	4	..
Nagasaki,	"	29.87	..	..	W	4	..
Kagoshima,	"	29.91	..	..	W	2	..
Taihoku,	1 p.	29.89	..	..	NW	2	..
Taichu,	"	29.87	..	..	W	2	..
Tainan,	"	29.90	..	..	S	4	..
Koshun,	"	29.91	..	..	SE	2	..
Pescadores,	"	29.90	..	..	S	6	..
Gutzlaff,	3 p.	29.78	81	83	SSE	2	cv
Sharp Peak,	"	29.75	84	83	S	3	o
Amoy,	"	29.78	84	83	S	4	c
Swatow,	"	29.75	84	..	S	3	b
Canton,	"	29.74	90	81	S	2	b
Hongkong,	4 p.	29.76	84	79	S	2	op
Victoria Peak,	"	..	..	..	S	6	..
Gap Rock,	"	29.76	..	..	SSW	5	..
Macao,	"	29.75	87	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	71	SSW	2	c
Malate,	3 p.	..	..	..	..	0	c
Bacoled,	"	..	..	..	NE	2	o
Iloilo,	"	29.80	89	..	..	0	b
Cebu,	"	29.80	86	..	N	4	
Cape S. James,	"	..	..	..	SW	1	c

28th JUNE 1901, A. M.

Wladivostock,	7 a.	29.88	65	99	..	0	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..	..
Taihoku,	6 a.	29.90	..	..	..	0	..
Taichu,	"	29.88	..	..	..	0	..
Tainan,	"	29.88	..	..	SE	2	..
Koshun,	"	29.90	..	..	..	0	..
Pescadores,	..	29.88	..	..	SW	4	..
Gutzlaff,	9 a.	29.78	74	95	S	3	cv
Sharp Peak,	"	29.80	81	83	SSW	1	o
Amoy,	"	29.81	82	83	SSW	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.82	85	76	S	3	cq
Victoria Peak,	"	..	..	..	SSW	5	..
Gap Rock,	"	29.82	..	..	SSW	4	..
Macao,	"	29.81	87	..	SSW	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	86	71	W	1	c
Malate,	9 a.	..	..	..	E	2	o
Bacoled,	"	..	..	..	NE	2	o
Iloilo,	"	29.84	83	..	E	1	o
Cebu,	"	29.83	83	..	N	1	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 29th at 12.10p. The barometer has fallen over the Phillipines, and is little changed elsewhere. Pressure is highest over the Pacific to the S of Japan, lowest over Central China. Gradients slight for S. winds on the China coast. Forecast:—moderate S winds; squally, showery.

F. G. FIGG.
First Assistant

Hongkong Observatory, Saturday 29th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

29th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	,,	29.74	..	..	SW	4	..
Kochi,	,,	29.95	..	..	..	0	..
Nagasaki,	,,	29.83	..	..	SE	8	..
Kagoshima,	,,	29.87	..	..	N	6	..
Taihoku,	1 p.	29.89	..	..	..	0	..
Taichu,	,,	29.91	..	..	SE	2	..
Tainan,	,,	29.92	..	..	SW	6	..
Koshun,	,,	29.87	..	..	W	4	..
Pescadores,	,,	..	..	.	.	.	..
Gutzlaff,	3 p.	29.75	76	91	SSW	3	cv
Sharp Peak,	,,	29.73	84	83	E	3	o
Amoy,	,,	29.76	87	80	SE	5	c
Swatow,	,,	29.74	84	..	S	3	b
Canton,	,,	29.74	87	84	SE	2	c
Hongkong,	4 p.	29.76	84	77	SW	2	o
Victoria Peak,	,,	.	..	..	S	5	..
Cap Rock,	,,	29.76	..	..	SSW	4	..
Macao,	,,	29.75	89	..	SW	1	c
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.72	88	66	SW	1	c
Malate,	3 p.	..	..	..	WNW	1	c
Tacoled,	,,	..	..	..	NW	2	b
Iloilo,	,,	29.77	87	..	..	0	c
Cebu,	,,	29.76	86	..	SW	1	c
Cape S. James,	,,	..	..	..	SW	1	c

30th JUNE 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	.	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	.	..	..	..	..	..
Taihoku,	5 a.	29.84	..	..	SE	2	..
Taichu,	,,	29.83	..	..	..	0	..
Tainan,	,,	29.85	..	..	E	2	..
Koshun,	,,	29.86	..	..	..	0	..
Pescadores,	,,	29.87	..	.	SE	2	..
Gutzlaff,	9 a.	29.72	75	95	NW	4	cv
Sharp Peak,	,,	29.74	82	87	.	0	o
Amoy,	,,	29.81	83	83	SW	1	c
Swatow,	,,	.		..	..	.	..
Canton,	,,	29.81	85		SW	1	b
Hongkong,	10 a.	29.82	86	73	SW	1	o
Victoria Peak,	,,		..	..	SSW	4	..
Cap Rock,	,,	29.82	..	..	SSW	3	..
Macao,	,,	29.80	89	..	SW	..	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	86	65	WNW	1	c
Malate,	9 a.	..	..	..	W	1	c
Tacoled,	,,		..	..	..	0	b
Iloilo,	,,	29.86	84	..	..	0	b
Cebu,	,,	29.86	84	..		0	c
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 30th at 12 5p. The barometer has fallen over the E. coast of China, and remains steady in the South. Probably a shallow depression lies between the E. coast of China and W. Japan. Gradients slight for S and SW winds in S. China. Forecast—moderate or light SW winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 30th June 1901

CHINA COAST METEOROLOGICAL REGISTER.

30th JUNE, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.84	61	..	S	2	o
Tokio,	"	29.82	..	..	E	4	..
Kochi,	"	29.72	..	..	..	0	..
Nagasaki,	"	29.60	..	..		0	..
Kagoshima,	"	29.72	..	..	S	8	..
Taihoku,	1 p.	29.84	..	..	W	6	..
Taichu,	"	29.83	..	..	N	2	..
Tainan,	"	29.84	..	..	W	6	..
Koshun,	"	29.86	..	..	SE	4	..
Pescadores,	"	29.89	..	.	SW	4	..
Gutzlaff,	3 p.	29.73	74	90	NNE	2	cv
Sharp Peak,	"	29.66	84	85	S	1	o
Amoy,	"	29.73	89	77	S	3	c
Swatow,	"	..	..	..	..	.	..
Canton,	"	29.73	88	84	..	..	..
Hongkong,	4 p.	29.74	85	70	S	1	o
Victoria Peak,	"	.	..	..	S	4	..
Gap Rock,	"	29.74	..	..	SW	3	..
Macao,	"	29.73	91	..	SW	1	e
Lamplong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.76	90	66	..	0	c
Mariate,	3 p.	..	..	..	E	1	o
Lucoled,	"	..	..	..	SW	2	c
Iloilo,	"	29.78	88	..	SE	2	e
Cebu,	"	29.77	86	..	SW	2	b
Cape S. James,	"	.	..	..	..	.	

1st JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.78	54	95	SE	1	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	.	..	..	..		..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	6 a.	29.75	..	..	..	0	..
Taichu,	"	29.76	..	..	..	0	..
Tainan,	"	29.76	..	..	SE	2	..
Koshun,	"	29.77	..	..	..	0	..
Pescadores,	"	29.76	..	..	S	2	..
Gutzlaff,	9 a.	29.75	71	85	ENE	4	cv
Sharp Peak,	"	29.62	82	87	..	0	o
Amoy,	"	29.68	83	87	SW	2	c
Swatow,	"	.		.	..	.	..
Canton,	"	..	..			..	..
Hongkong,	10 a.	29.76	86	68	WSW	2	o
Victoria Peak,	"			..	SW	3	..
Gap Rock,	"	29.76	..	..	WSW	3	..
Macao,	"	29.75	90	..	SW	1	c
Lamplong,	7 a.			..		.	..
Manila,	10 a.	29.80	86	71	SW	1	b
Mariate,	9 a.	.	.	..	W	1	b
Lucoled,	"	.	..	..	S	2	b
Iloilo,	"	29.85	84	..	NW	.	c
Cebu,	"	29.84	86	..	SW	1	c
Cape S. James,	7 a.	.	..	..	.	0	c

On the 1st at 12.10p. The barometer has fallen in S. China. The depression in the North is probably moving Eastwards in Japan, and another area of low pressure is lying over the China coast to the N. of the Formosa Channel. Gradients slight to moderate for SW winds in S. China.
Forecast:— moderate to fresh SW winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Monday 1st July 1901

CHINA COAST METEOROLOGICAL REGISTER.

1st JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.63	..	..	NW	2	..
Kochi,	,,	29.64	..	..	SE	4	..
Nagasaki,	,,	29.64	..	..	N	2	..
Kagoshima,	,,	29.64	..	..	S	2	..
Taihoku,	1 p.	29.69	..	..	W	4	..
Taichu,	,,	29.71	..	..	SW	6	..
Tainan,	,,	29.75	..	..	W	4	..
Koshun,	,,	29.74	..	..	NW	6	..
Pescadores,	,,	29.75	..	..	S	6	..
Gutzlaff,	3 p.	29.72	72	85	NE	3	cv
Sharp Peak,	,,	29.61	79	91	E	1	or
Amoy,	,,	29.64	80	80	SE	4	c
Swatow,	,,	29.56	91	..	SW	3	c
Canton,	,,	29.66	95	68	W	1	b
Hongkong,	4 p.	29.65	87	55	SW	3	c
Victoria Peak,	,,	.	..	..	SSW	6	..
Gap Rock,	,,	29.66	..	..	WSW	4	..
Macao,	,,	29.64	90	..	SSW	1	c
Haiphong,	1 p.	.	..	..	.	..	..
Manila,	4 p.	29.72	88	72	WSW	2	c
Malate,	3 p.	..	..	..	SW	3	c
Bacolod,	,,	..	..	..	NW	3	or
Iloilo,	,,	29.78	84	..	..	0	o
Cebu,	,,	29.80	86	..	SW	1	c
Cape S. James,	,,	.	..	..	SW	1	c

2nd JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	.	..	..
Nagasaki,	,,	.	..	..	..	.	..
Kagoshima,	,,	.	..	..	..	..	..
Taihoku,	5 a.	29.65	..	..	..	0	..
Taichu,	,,	29.72	..	..	S	2	..
Tainan,	,,	29.71	..	..	SE	2	..
Koshun,	,,	29.71	..	..	NW	6	..
Pescadores,	,,	29.71	..	..	S	6	..
Gutzlaff,	9 a.	29.75	72	81	NE	3	c
Sharp Peak,	,,	29.61	76	86	NNE	4	or
Amoy,	,,	29.63	82	87	..	0	o
Swatow,	,,	.	.	..	..	.	.
Canton,	,,	29.66	89	77	S	2	b
Hongkong,	10 a.	29.67	85	76	WSW	3	cq
Victoria Peak,	,,	..	..	..	SSW	7	..
Gap Rock,	,,	29.67	..	..	SW	5	..
Macao,	,,	29.65	89	..	SW	2	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.80	88	72	WSW	1	c
Malate,	9 a.	..	.	..	.	0	c
Bacolod,	,,	.	..	..	..	2	b
Iloilo,	,,	29.87	83	..	.	0	
Cebu,	,,	29.83	86	..	S	1	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 2nd at 12.5p. The barometer has fallen in S. China. A shallow area of low pressure lies over the SE coast and Formosa Channel. Gradients slight to moderate for NE winds on the E. coast of China, and for SW winds over the S. coast and N. part of the China Sea.

Forecast:—fresh SW winds; squally, probably becoming unsettled.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 2nd July 1901

CHINA COAST METEOROLOGICAL REGISTER.

2nd JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.78	..	..	N	2	..
Kochi,	,,	29.72	..	..	..	0	..
Nagasaki,	,,	29.60	..	..	SE	6	..
Kagoshima,	,,	29.64	..	..	E	6	..
Taihoku,	1 p.	29.68	..	..		0	..
Taichu,	,,	29.68	..	..	S	4	..
Tainan,	,,	29.72	..	..	W	6	..
Koshun,	,,	29.73	..	..	W	6	..
Pescadores,	,,	29.71	..	.	SW	6	..
Gutzlaff,	3 p.	29.72	72	81	ENE	2	cv
Sharp Peak,	..	29.59	75	86	NW	2	r
Amoy,	,,	29.60	83	87	WNW	3	o
Swatow,	,,	29.58	88	..	SW	3	b
Canton,	,,	29.54	92	74	W	2	o
Hongkong,	4 p.	29.59	85	75	SW	3	oq
Victoria Peak,	,,	..	..	..	SSW	7	..
Cap Rock,	,,	29.59	..	..	WSW	6	..
Macao,	,,	29.59	90	..	SW	2	c
Lamphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.72	84	85	WNW	1	c
Malate,	3 p.	..	..	..	W	3	o
Tacoled,	,,	..	..	..	SW	2	b
Iloilo,	,,	29.76	88	..	SW	2	c
Cebu,	,,	29.76	86	..	SW	2	c
Cape S. James,	,,	..	..	..	..	0	c

3rd JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	.	..	..	..	..	..
Tokio,	10 a.	29.59	..	..	..	0	..
Kochi,	,,	29.75	..	..	.	0	..
Nagasaki,	,,	29.68	..	..	SW	6	..
Kagoshima,	..	29.75	..	..	S	4	..
Taihoku,	5 a.	29.67	..	..	SW	2	..
Taichu,	..	29.68	..	..	SE	4	..
Tainan,	,,	29.71	..	..	SE	2	..
Koshun,	..	29.72	..	..	N	4	..
Pescadores,	..	29.68	..	..	S	8	..
Gutzlaff,	9 a.	..	..		..	..	..
Sharp Peak,	,,	29.68	73	90	..	0	cd
Amoy,	..	29.64	80	91	..	0	dr
Swatow,	,,	..	.	..	..	.	..
Canton,	..	..	..	..		..	.
Hongkong,	10 a.	29.67	82	91	WSW	2	o
Victoria Peak,	,,		..	..	SW	7	..
Cap Rock,	,,	29.66	..	..	SW	5	..
Macao	,,	29.66	82	..	SW	1	o
Lamphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.84	88	72	.	0	c
Malate,	9 a.	..	..	..	..	..	.
Tacoled,	,,	..	..	..	..	.	..
Iloilo,	,,	..	..	..	..	.	..
Cebu,	,,	..	..	..		..	..
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 3rd at 12.10p. The barometer is inclined to rise in S. China where, however, pressure is still in defect. Gradients slight to moderate for S and SW winds in S. China and the N. part of the China Sea. Forecast:—fresh to moderate SW winds; squally, rainy.

F. G. FIGG.
First Assistant

Hongkong Observatory, Wednesday 3rd July 1901

CHINA COAST METEOROLOGICAL REGISTER.

3rd JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	.
Tokio,	"	29.86	..	..	N	2	..
Kochi,	"	29.79	..	..	SE	4	..
Nagasaki,	"	29.72	..	..	W	4	..
Kagoshima,	"	29.75	..	..	SE	6	..
Taihoku,	1 p.	29.75	..	..	N	2	..
Taichu,	"	29.78	..	..	..	0	..
Tainan,	"	29.75	..	..	SE	2	..
Koshun,	"	29.76	..	..	SW	8	..
Pescadores,	"	29.75	..	..	SW	4	..
Gutzlaff,	3 p.	29.82	73	76	NE	3	cm
Sharp Peak,	"	29.69	77	82	E	3	o
Amoy,	"	29.67	78	91	NE	3	od
Swatow,	"	29.65	83	..	W	1	c
Canton,	"	29.67	77	100	NW	1	or
Hongkong,	4 p.	29.67	80	93	W	1	or
Victoria Peak,	"	.	..	..	WSW	4	..
Cap Rock,	"	29.67	..	..	WSW	3	..
Macao,	"	29.67	82	..	WSW	1	cr
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	78	W	2	c
Malate,	3 p.	..	..	..	SW	1	c
Bacolod,	"	..	..	..	SE	2	c
Iloilo,	"	29.81	85	..		0	o
Cebu,	"	29.82	82	..	N	2	od
Cape S. James,	"	..	..	..	SW	2	c

4th JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.81	..	..	..	0	..
Taichu,	"	29.75	..	..	N	2	..
Tainan,	"	29.76	..	..	SE	2	..
Koshun,	"	29.81	..	..	..	0	..
Pescadores,	"	29.74	..	..	..	0	..
Gutzlaff,	9 a.	29.86	73	81	ENE	3	o
Sharp Peak,	"	29.77	78	78	E	1	b
Amoy,	"	29.76	77	91	NNE	2	c
Swatow,	"	.		..	..	..	..
Canton,	"	..	..	..	.	..	..
Hongkong,	10 a.	29.75	79	75	..	0	od
Victoria Peak,	"		.	..		0	..
Cap Rock,	"	29.73	..	..	NNE	2	..
Macao,	"	29.74	81	..	NW	2	od
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	86	78	.	0	o
Malate,	9 a.	..	..	..	.	0	o
Bacolod,	"	.	..	..	S	2	c
Iloilo,	"	29.87	82	..	..	0	or
Cebu,	"	29.87	81	..	N	1	od
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 4th at 12.10p. The barometer has risen generally. Pressure is highest over the NE coast of China, and relatively low over the S. coast. Gradients slight for NE and E winds on the China coast, and for SW winds in the N. part of the China Sea.

Forecast:—varying and E winds, light or moderate; weather improving.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 4th July 1901

CHINA COAST METEOROLOGICAL REGISTER.

4th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	NE	4	..
Kochi,	"	29.91	..	..	S	2	..
Nagasaki,	"	29.83	..	..	S	4	..
Kagoshima,	"	29.87	..	..	SE	2	..
Taihoku,	1 p.	29.84	..	..	NW	2	..
Taichu,	"	29.82	..	..	..	0	..
Tainan,	"	29.83	..	..	E	6	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.83	..	..	NE	2	..
Gutzlaff,	3 p.	..	.	..	..	..	..
Sharp Peak,	"	29.79	78	80	E	.	o
Amoy,	"	29.76	82	79	NE	3	o
Swatow,	"	29.74	81	..	ENE	3	c
Canton,	"	29.70	83	87	W	1	b
Hongkong,	4 p.	29.69	83	77	SE	1	o
Victoria Peak,	"	.	..	..	N	1	..
Gap Rock,	"	29.69	..	..	NE	3	..
Macao,	"	29.70	85	..	E	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.80	75	91	E	1	od
Malate,	3 p.	..	..	..	W	3	or
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	29.79	83	..	.	0	c
Cebu,	"	29.83	81	..	N	1	od
Cape S. James,	"	..	..	..	SW	2	or

5th JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	.
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..		.	..	..
Sharp Peak,	"	29.80	80	78		0	o
Amoy,	"	29.77	86	65	ENE	2	c
Swatow,	"	29.76	.	..	ESE	2	c
Canton,	"	29.77	81	96	E	1	b
Hongkong,	10 a.	29.76	82	80	E	3	o
Victoria Peak,	"	.	..	..	E	2	..
Gap Rock,	"	29.74	..	..	ESE	1	..
Macao,	"	29.74	83	..	NE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	86	78	WSW	1	c
Malate,	9 a.	..	..	..	W	2	c
Bacolod,	"		..	..	..	0	b
Iloilo,	"	29.86	83	..	..	0	c
Cebu,	"	29.86	83	..	N	1	c
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 5th at 12.15p. Barometric changes are slight. Pressure is highest over the NE coast of China, and relatively low off the S. coast. Gradients slight for NE and E winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:—moderate or fresh E winds; squally, showery.

F. G. FIGG.
First Assistant

Hongkong Observatory, Friday 5th July 1901

CHINA COAST METEOROLOGICAL REGISTER.

5th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	NE	2	..
Kochi,	"	29.83	..	..	SE	2	..
Nagasaki,	"	29.79	..	..	SE	6	..
Kagoshima,	"	29.87	..	..	SE	2	..
Taihoku,	1 p.	29.83	..	..	NE	6	..
Taichu,	"	29.80	..	..	..	0	..
Tainan,	"	29.84	..	..	SE	2	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	29.83	79	79	SE	1	ev
Sharp Peak,	"	29.77	80	80	E	3	o
Amoy,	"	29.75	85	..	NE	2	c
Swatow,	"	29.73	82	..	E	4	c
Canton,	"	29.67	92	74	E	1	b
Hongkong,	4 p.	29.70	80	78	ESE	3	o
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	29.69	..	..	E	3	..
Macao,	"	29.69	87	..	ESE	1	ct
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.76	84	77	..	0	o
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NW	2	c
Iloilo,	"	29.77	87	..		0	o
Cebu,	"	29.76	85	..	N	2	c
Cape S. James,	"	..	..	..	SW	2	c

6th JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.82	..	..	..	0	..
Taichu,	"	29.79	..	..	E	2	..
Tainan,	"	29.80	..	..	E	2	..
Koshun,	"		..	..	..	..	..
Pescadores,	"	29.82	..	..	SE	2	..
Gutzlaff,	9 a.	29.80	78	86	SE	2	cv
Sharp Peak,	"	29.75	81	87	..	..	..
Amoy,	"	.		..	..	..	..
Swatow,	"			..	..	..	..
Canton,	"	29.71	85	87	SE	1	b
Hongkong,	10 a.	29.72	81	85	NW	1	o
Victoria Peak,	"		..	..	S	2	..
Gap Rock,	"	29.71	..	..	SSE	5	..
Macao,	"	29.70	80	..	WSW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	86	71	ESE	1	c
Malate,	9 a.	..	..	..	.	0	c
Bacolod,	"	.	..	..	..	0	b
Iloilo,	"	29.81	83	..	..	0	..
Cebu,	"	29.82	85	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 6th at 12.10p. The barometer has fallen over the China coast and the Phillipines. Pressure is highest in the Pacific in the neighbourhood of the Loochoos, lowest over S. China. Gradients slight for SE and S winds on the China coast. Forecast:—moderate S winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Saturday 6th July 1901

CHINA COAST METEOROLOGICAL REGISTER.

6th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	29.83	60	..	SW	2	o
Tokio, ...	,,	29.67	..	..	N	4	..
Kochi, ...	,,	29.68	..	..	E	2	..
Nagasaki, ...	,,	29.72	..	..	W	6	..
Kagoshima.....	,,	29.75	..	..	W	2	..
Taihoku, ...	1 p.	29.79	..	..	NW	4	..
Taichu, ...	,,	29.77	..	..	SW	2	..
Tainan, ...	,,	29.79	..	..	S	4	..
Koshun, ...	,,	29.84	..	..	SE	2	..
Pescadores, ..	,,	29.80	..	..	S	6	..
Gutzlaff, ...	3 p.	29.76	78	78	SE	2	ev
Sharp Peak, ..	,,	29.68	80	91	ESE	1	o
Amoy, ...	,,	29.71	84	83	SE	4	c
Swatow, ...	,,	29.70	85	..	S	4	c
Canton, ...	,,	29.66	86	84	SE	2	o
Hongkong, ...	4 p.	29.66	83	76	S	1	o
Victoria Peak,	,,	..	..	..	SSE	3	..
Gap Rock, ..	,,	29.64	..	..	SSW	5	..
Macao....	,,	29.64	82	..	SW	1	o
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.73	88	72	E	1	c
Malate, ...	3 p.	..	..	..	W	2	o
Bacolod, ...	,,	..	..	..	SE	2	c
Iloilo, ...	,,	29.74	86	..	NW	2	o
Cebu, ...	,,	29.74	86	..	SW	2	c
Cape S. James,	,,	..	..	..	SW	4	or

7th JULY 1901, A. M.

Wladivostock,..	7 a.	29.86	61	72	..	0	o
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	.	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima.....	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	29.80	..	..	S	4	..
Taichu, ...	,,	29.78	..	..	SE	2	..
Tainan, ...	,,	29.80	..	..	SE	2	..
Koshun, ...	,,	29.82	..	..	..	0	..
Pescadores,....	,,	29.79	..	..	S	2	..
Gutzlaff, ...	9 a.	29.67	75	100	SE	4	fd
Sharp Peak, ..	,,	29.67	81	83	SSE	1	o
Amoy, ...	,,	29.74	82	87	S	3	c
Swatow, ...	,,			..	..	.	..
Canton, ...	,,	29.69	83	87	SSE	1	c
Hongkong, ...	10 a.	29.73	80	84	SSW*	2	opq
Victoria Peak,	,,		..	..	S	5	..
Gap Rock, ...	,,	29.73	..	..	SSE	4	..
Macao..... ..	,,	29.70	86	..	S	2	cp
Haiphong, ...	7 a.	.	..	..	..	.	..
Manila, .. .	10 a.	29.80	88	66	ESE	1	c
Malate, ...	9 a.	..	..	..	E	1	c
Bacolod, ...	,,		..	..	.	2	c
Iloilo, ...	,,	29.85	82	..	NW	3	o
Cebu, ...	,,	29.84	86	..	SW	2	b
Cape S. James,	7 a.	..	..	..	NW	1	o

On the 7th at 12.10p. The barometer has fallen moderately on the E. coast of China, probably owing to the existence of a depression over Central China. Gradients continue slight for SE and S winds on the China coast. Forecast—moderate S winds; squally, showery.

F. G. FIGG.
First Assistant

Hongkong Observatory, Sunday 7th July 1901

CHINA COAST METEOROLOGICAL REGISTER.

7th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		..	..	..	..	..
Tokio,	,,	29.74	..	..	NE	4	..
Kochi,	,,	29.68	..	..	S	2	..
Nagasaki,	,,	29.72	..	..	W	2	..
Kagoshima,	,,	29.72	..	..	SE	2	..
Taihoku,	1 p.	29.77	..	..	NW	2	..
Taichu,	,,	29.76	..	..	S	2	..
Tainan,	,,	29.79	..	..	S	4	..
Koshun,	,,	29.81	..	..	S	4	..
Pescadores,	,,	29.80	..	.	S	6	..
Cutzlaff,	3 p.	29.60	76	95	S	5	cm
Sharp Peak,	,,	29.63	84		S	2	o
Amoy,	,,	29.70	87	76	S	4	c
Swatow,	,,	29.70	86	.	S	4	b
Canton,	,,	29.68	90	77	SW	2	c
Hongkong,	4 p.	29.68	85	74	S	2	o
Victoria Peak,	,,	.	..	..	SSW	3	..
Cap Rock,	,,	29.66	..	..	SSW	3	..
Macao,	,,	29.66	85	..	S	1	c
Haiphong,	1 p.	.	.	..	..	..	..
Manila,	4 p.	29.76	82	85	S	1	ot
Malate,	3 p.	..	..	..	SSE	2	or
Lacoled,	,,	..	..	..	SW	2	o
Iloilo,	,,	29.78	85	..	SE	1	o
Cebu,	,,	29.75	86	..	SW	2	b
Cape S. James,	,,	..	..	..	..	.	

8th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	..	0	..
Taichu,	,,	29.84	..	..	..	0	..
Tainan,	,,	29.84	..	..	SE	2	..
Koshun,	,,	29.84	..	..	..	0	..
Pescadores,	,,	29.85	..	..	S	4	..
Cutzlaff,	9 a.	29.74	74	86	NW	4	o
Sharp Peak,	,,	29.73	83	83	SSE	1	o
Amoy,	,,	29.77	82	91	..	0	c
Swatow,	,,	29.73	83	..	S	2	o
Canton,	,,	..	..	.		.	..
Hongkong,	10 a.	29.79	81	85	S	1	op
Victoria Peak,	,,	.	..	..	S	3	..
Cap Rock,	,,	29.78	..	..	S	4	..
Macao,	,,	29.76	86	..	SW	3	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.84	84	77	W	1	cv
Malate,	9 a.	..	..	..	S	1	c
Lacoled,	,,	.	..	..	S	2	c
Iloilo,	,,	29.86	83	..	..	0	o
Cebu,	,,	29.87	85	..	S	1	o
Cape S. James,	7 a.	..	..	..	..	..	..

On the 8th at 12.15p. The barometer has risen on the China coast. Probably the depression in the North is approaching W. Japan. Gradients slight for S winds in S. China.
Forecast:—moderate S winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Monday 8th July 1901

CHINA COAST METEOROLOGICAL REGISTER.

8th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.82	..	..	NE	4	..
Kochi,	,,	29.64	..	..	..	0	..
Nagasaki,	,,	29.56	..	..	W	8	..
Kagoshima,	,,	29.60	..	..	NW	8	..
Taihoku,	1 p.	29.83	..	..	NW	2	..
Taichu,	,,	29.82	..	..	SW	2	..
Tainan,	,,	29.83	..	..	SW	4	..
Koshun,	,,	29.88	..	..	NW	2	..
Pescadores,	,,	29.84	..	..	S	6	..
Gutzlaff,	3 p.	29.80	74	86	NNE	4	cv
Sharp Peak,	,,	29.70	85	81	SSE	3	o
Amoy,	,,	29.76	86	80	SSE	4	c
Swatow,	,,	29.70	85	..	S	3	b
Canton,	,,	29.75	89	80	S	1	c
Hongkong,	4 p.	29.75	85	73	SSW	1	o
Victoria Peak,	,,	.	..	..	S	3	..
Gap Rock,	,,	29.75	..	..	SSW	3	..
Macao,	,,	29.74	81	..	S	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.80	84	77	WSW	3	o
Malate,	3 p.	..	..	..	W	3	o
Lacoloc,	,,	..	..	..	..	0	o
Iloilo,	,,	29.84	85	..	W	1	o
Cebu,	,,	29.84	84	..	N	2	o
Cape S. James,	,,	..	..	..	SW	2	c

9th JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	.
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	.	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	..	0	..
Taichu,	,,	29.87	..	..	..	0	..
Tainan,	,,	29.88	..	..	E	2	..
Koshun,	,,	29.92	..	..	..	0	..
Pescadores,	,,	29.88	..	.	..	0	..
Gutzlaff,	9 a.	29.87	74	86	ESE	3	cr
Sharp Peak,	,,	29.78	84	83	..	0	c
Amoy,	,,	29.81	82	87	SW	1	c
Swatow,	,,	29.79	88	..	SE	2	c
Canton,	,,	29.81	85	87	S	2	c
Hongkong,	10 a.	29.81	85	66	SSE	2	o
Victoria Peak,	,,		..	..	S	3	..
Gap Rock,	,,	29.81	..	..	SSE	3	..
Macao,	,,	29.79	88	..	S	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.88	86	71	SSW	1	c
Malate,	9 a.	..	..	..		0	c
Lacoloc,	,,		..	..	..	0	b
Iloilo,	,,	29.92	82	..	..	0	c
Cebu,	,,	29.95	74	..	S	1	c
Cape S. James,	7 a.	..	..	..	..	..	

On the 9th at 11.45a. The barometer has risen on the China coast, and in the South. The depression has probably reached E. Japan. Pressure is highest over the Pacific in the neighbourhood of the Loochoos. Gradients slight for SE winds on the China coast. Forecast:—moderate SE winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 9th July 1901

CHINA COAST METEOROLOGICAL REGISTER.

9th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.77	63	..	S	3	o
Tokio,	"	29.78	..	..	NE	4	..
Kochi,	"	29.79	..	..	SE	2	..
Nagasaki,	"	29.83	..	..	SW	4	..
Kagoshima,	"	29.83	..	..	SW	4	..
Taihoku,	1 p.	29.87	..	..	NW	6	..
Taichu,	"	29.88	..	..	W	2	..
Tainan,	"	29.83	..	..	S	8	..
Koshun,	"	29.88	..	..	SE	6	..
Pescadores,	"	29.88	..	..	S	4	..
Gutzlaff,	3 p.	29.88	72	95	ESE	4	cvr
Sharp Peak,	"	29.73	84	83	ESE	5	c
Amoy,	"	29.80	88	76	SE	4	c
Swatow,	"	29.75	86	..	E	3	b
Canton,	"	29.74	89	88	SE	2	c
Hongkong,	4 p.	29.75	83	83	E	2	o
Victoria Peak,	"	..	..	..	SSE	2	..
Gap Rock,	"	29.75	..	..	SSE	3	..
Macao,	"	29.77	89	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	65	WSW	2	c
Malate,	3 p.	..	..	..	SSW	1	b
Lucoled,	"	..	..	..	NW	2	c
Iloilo,	"	29.83	86	..	SE	1	o
Cebu,	"	29.82	86	..	N	3	o
Cape S. James,	"	..	..	..	SW	2	1

10th JULY 1901, A. M.

Wladivostock,	7 a.	29.85	56	99	SE	5	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.86	..	..	SE	2	..
Taichu,	"	29.79	..	..	..	0	..
Tainan,	"	29.83	..	..	S	6	..
Koshun,	"	29.89	..	..	SE	4	..
Pescadores,	"	29.83	..	..	SE	8	..
Gutzlaff,	9 a.	29.79	76	86	WSW	1	cv
Sharp Peak,	"	29.77	84	75	SW	4	c
Amoy,	"	29.79	83	87	SE	3	c
Swatow,	"	..	..	..	..	.	..
Canton,	..	29.75	80	96	E	2	or
Hongkong,	10 a.	29.74	84	78		0	o
Victoria Peak,	"	.	..	..	SSW	1	..
Gap Rock,	"	29.74	..	..	SSW	1	..
Macao,	"	29.78	87	..	SW	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	88	72	..	6	b
Malate,	9 a.	..	..	..	S	1	c
Lucoled,	"	.	..	..	..	0	c
Iloilo,	"	29.92	82	..	..	0	o
Cebu,	"	29.92	83	..	..	0	o
Cape S. James,	7 a.	..	..	..	..	..	..

On the 10th at 12.10p. The barometer has fallen on the China coast. Pressure is highest over the Pacific in the neighbourhood of the Loochoos, and lowest over China. Gradients slight for S and SE winds on the coast, and in the N. part of the China Sea. Forecast:—moderate SE winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 10th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	..	0	..
Kochi,	"	29.91	..	..	..	0	..
Nagasaki,	"	29.79	..	..	SE	10	..
Kagoshima,	"	29.87	..	..	SW	2	..
Taihoku,	1 p.	29.84	..	..	NE	4	..
Taichu,	"	29.83	..	..	W	4	..
Tainan,	"	29.85	..	..	S	8	..
Koshun,	"	29.86	..	..	SE	4	..
Pescadores,	"	29.85	..	..	S	8	..
Gutzlaff,	3 p.	29.77	79	91	ESE	3	cv
Sharp Peak,	"	29.72	86	74	S	3	c
Amoy,	"	29.75	85	87	SE	6	c
Swatow,	"	29.66	84	..	S	4	c
Canton,	"	29.69	89	84	SE	1	b
Hongkong,	4 p.	29.68	87	69	S	2	o
Victoria Peak,	"	..	..	..	SSE	2	..
Gap Rock,	"	29.67	..	..	SSW	3	..
Macao,	"	29.65	88	..	S	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	78	SW	1	c
Malate,	3 p.	..	..	..	W	4	ot
Facolod,	"	..	..	..	..	0	c
Iloilo,	"	29.81	85	..	NW	1	o
Cebu,	"	29.81	83	..	NW	1	o
Cape S. James,	"	..	..	..	ESE	3	c

11th JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	N	2	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.83	..	..	S	4	..
Koshun,	"	29.87	..	..	..	0	..
Pescadores,	"	29.81	..	..	S	6	..
Gutzlaff,	9 a.	29.63	76	96	S	5	cmp
Sharp Peak,	"	29.72	84	83	S	2	c
Amoy,	"	29.74	83	87	S	4	c
Swatow,	"	29.71	83	..	SSW	1	cpr
Canton,	"	29.72	81	96	S	1	or
Hongkong,	10 a.	29.74	83	80	SW	1	o
Victoria Peak,	"	..	..	..	SSW	7	..
Gap Rock,	"	29.73	..	..	SSW	5	..
Macao,	"	29.75	86	..	SSW	1	cq
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	86	78	NW	1	c
Malate,	9 a.	..	..	..	..	0	o
Facolod,	"	..	..	..	..	0	b
Iloilo,	"	29.89	82	..	..	0	o
Cebu,	"	29.87	85	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 11th at 11.45. The barometer has fallen on the E. coast of China, probably owing to the existence of a low pressure area over Shantung. Gradients slight to moderate with fresh S. monsoon on the China coast, and in the N. part of the China Sea. Forecast:—fresh S winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 11th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.74	61	..	S	5	o
Tokio,	"	29.90	..	..	E	2	..
Kochi,	"	29.83	..	..	..	0	..
Nagasaki,	"	29.72	..	..	SW	10	..
Kagoshima,	"	29.83	..	..	SW	6	..
Taihoku,	1 p.	29.82	..	..	E	2	..
Taichu,	"	29.81	..	..	SW	4	..
Tainan,	"	29.84	..	..	S	8	..
Koshun,	"	29.86	..	..	SE	4	..
Pescadores,	"	29.84	..	..	S	8	..
Gutzlaff,	3 p.	29.67	75	95	SW	5	omr
Sharp Peak,	"	29.70	82	77	S	3	o
Amoy,	"	29.76	85	79	SSE	6	c
Swatow,	"	29.69	85	..	S	4	b
Canton,	"	29.66	86	88	S	1	or
Hongkong,	4 p.	29.60	84	74	SSW	1	o
Victoria Peak,	"	.	..	..	S	4	..
Gap Rock,	"	29.67	..	..	SSW	5	..
Macao,	"	29.68	87	..	SW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	78	SW	1	od
Malate,	3 p.	..	..	..	SW	1	o
Iscoled,	"	..	..	..	SW	2	o
Iloilo,	"	29.76	85	..	NW	2	o
Cebu,	"	29.81	85	..	SW	1	c
Cape S. James,	"	..	..	..	SW	5	or

12th JULY 1901, A. M.

Wladivostock,	7 a.	29.61	57	99	..	0	or
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.86	..	..	..	0	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.82	..	..	E	2	..
Koshun,	"	29.85	..	..	SE	2	..
Pescadores,	"	29.85	..	..	S	2	..
Gutzlaff,	9 a.	29.79	76	86	S	1	cv
Sharp Peak,	"	29.79	83	83	..	0	o
Amoy,	"	29.77	82	91	S	1	c
Swatow,	"	29.81	84	..	S	1	o
Canton,	"	29.75	86	88	SE	2	c
Hongkong,	10 a.	29.75	85	74	SSE	1	o
Victoria Peak,	"	.	..	..	S	5	..
Gap Rock,	"	29.75	..	..	S	4	..
Macao,	"	29.74	86	..	S	2	c
Haiphong,	7 a.	.	..	.	..	.	..
Manila,	10 a.	29.88	82	85	ESE	1	o
Malate,	9 a.	..	..	..	.	0	o
Iscoled,	"	.	..	.	S	2	o
Iloilo,	"	29.87	82	..	..	0	c
Cebu,	"	29.89	83	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SW	4	c

On the 12th at 12.10 p. The barometer has risen on the E. coast of China. The depression in the orth seems to have moved into the Sea of Japan. Gradients slight for S and SE winds in S. China ıd the N. part of the China Sea. Forecast:—moderate SE winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 12th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.59	..	..	NW	2	..
Kochi,	"	29.75	..	..	..	0	..
Nagasaki,	"	29.75	..	..	SW	4	..
Kagoshima,	"	29.75	..	..	NW	4	..
Taihoku,	1 p.	29.86	..	..	NW	6	..
Taichu,	"	29.83	..	..	W	2	..
Tainan,	"	29.83	..	..	SW	6	..
Koshun,	"	29.88	..	..	SE	4	..
Pescadores,	"	29.86	..	..	W	4	..
Gutzlaff,	3 p.	29.79	77	91	WSW	1	cv
Sharp Peak,	"	29.75	83	83	SSE	4	o
Amoy,	"	29.76	86	80	SE	4	c
Swatow,	"	29.75	86	..	S	4	b
Canton,	"	29.70	90	81	S	1	c
Hongkong,	4 p.	29.70	86	71	SSE	2	o
Victoria Peak,	"	..	..	..	SSE	4	..
Gap Rock,	"	29.70	..	..	SSE	4	..
Macao,	"	29.70	89	..	S	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	79	92	SSW	1	od
Malate,	3 p.	..	..	..	E	1	or
Lucoled,	"	..	..	..	..	0	c
Iloilo,	"	29.84	85	..	W	1	o
Cebu,	"	29.83	85	..	SW	1	c
Cape S. James,	"	..	..	..	SW	1	c

13th JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.85	..	..	..	0	..
Taichu,	"	29.84	..	..	..	0	..
Tainan,	"	29.87	..	..	SE	2	..
Koshun,	"	29.87	..	..	SE	4	..
Pescadores,	"	.	..	..	..	..	..
Gutzlaff,	9 a.	29.80	77	91	S	3	cv
Sharp Peak,	"	29.81	84	83	..	0	b
Amoy,	"	..	.	..	..	.	..
Swatow,	"		..	..	.	..	..
Canton,	"	29.79	86	88	E	2	b
Haiphong,	10 a.	29.78	84	78	SE	1	o
Victoria Peak,	"	.	..	..	SSE	2	..
Gap Rock,	"	29.78	..	..	SSE	3	..
Macao,	"	29.79	87	..	S	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.82	84	77	ESE	1	c
Malate,	9 a.	..	..	..	..	0	o
Lucoled,	"	.	..	..	.	0	b
Iloilo,	"	29.94	82	..	..	0	or
Cebu,	"	29.93	85	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	4	c

On the 12th at 12.10 p. The barometer has risen slightly in S. China and the Phillipines. Pressure is highest over the Pacific to the E. of the Loochoos, and gradients are slight for S and SE winds on the China coast and in the N. part of the China Sea. Forecast:—moderate SE winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Saturday 13th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	29.85	..	..	NE	4	..
Taichu,	"	29.82	..	..	N	4	..
Tainan,	"	29.85	..	..	W	6	..
Koshun,	"	29.91	..	..	SE	4	..
Pescadores,	"	29.86	..	..	S	4	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	"	29.73	85	81	ESE	3	c
Amoy,	"	..	..	..	..	..	..
Swatow,	"	29.71	85	..	E	3	c
Canton,	"	29.68	89	80	SSE	2	b
Hongkong,	4 p.	29.69	83	81	E	3	o
Victoria Peak,	"	..	..	..	SE	1	..
Cap Rock,	"	29.68	..	..	ESE	3	..
Macao,	"	29.70	86	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	81	92	..	0	c
Malate,	3 p.	..	..	..	..	0	o
Iacoled,	"	..	..	..	SW	2	c
Iloilo,	"	29.86	88	..	SE	2	or
Cebu,	"	29.88	86	..	SW	1	c
Cape S. James,	"	..	..	..	SW	5	c

14th JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.91	..	..	..	0	..
Taichu,	"	29.89	..	..	..	0	..
Tainan,	"	29.91	..	..	SE	4	..
Koshun,	"	29.93	..	..	SE	4	..
Pescadores,	"	29.90	..	..	SE	6	..
Gutzlaff,	9 a.	29.75	80	87	SSW	3	cv
Sharp Peak,	"	29.81	84	75	S	2	c
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.77	85	83	SE	1	or
Hongkong,	10 a.	29.78	83	80	S	1	o
Victoria Peak,	"	..	..	..	S	4	..
Cap Rock,	"	29.76	..	..	SSE	5	..
Macao,	"	29.77	85	..	SSE	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	86	71	ESE	1	c
Malate,	9 a.	..	..	..	..	0	c
Iacoled,	"	..	..	..	..	0	b
Iloilo,	"	29.92	82	..	..	0	o
Cebu,	"	29.93	83	..	N	1	b
Cape S. James,	7 a.	..	..	..	SW	4	o

On the 14th at 12.10 p. Barometric changes are slight. Pressure is highest over the Pacific to the E. of the Loochoos, and gradients continue slight for S and SE winds on the China coast, and in the N. part of the China Sea. Forecast—moderate SE winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 14th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.57	65	..	S	2	f
Tokio,	"	29.67	..	..	E	4	..
Kochi,	"	29.72	..	..	SW	10	..
Nagasaki,	"	29.68	..	..		0	..
Kagoshima,	"	29.75	..	..	SW	8	..
Taihoku,	1 p.	29.99	..	..	NW	8	..
Taichu,	"	29.89	..	..	SW	6	..
Tainan,	"	29.90	..	..	S	8	..
Koshun,	"	29.94	..	..	SE	4	..
Pescadores,	"	29.92	..	..	S	8	..
Gutzlaff,	3 p.	29.72	83	87	S	3	cv
Sharp Peak,	"	29.76	87	69	S	4	c
Amoy,	"	29.81	87	84	SSE	2	c
Swatow,	"	29.72	86	..	S	4	b
Canton,	"	29.72	84	91	S	4	or
Hongkong,	4 p.	29.74	82	81	SSE	3	o
Victoria Peak,	"	.	..	..	S	5	..
Gap Rock,	"	29.71	..	..	S	5	..
Macao,	"	29.73	85	..	SSE	2	cpq
Pakhoi,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.80	88	66	SE	2	o
Malate,	3 p.	..	..	..	E	2	b
Lucoled,	"	..	..	..	NE	2	o
Iloilo,	"	29.85	84	..	..	0	o
Cebu,	"	29.85	85	..	N	2	c
Cape S. James,	"	.	..	..	..	..	..

15th JULY 1901, A. M.

Wladivostock,	7 a.	29.55	61	99	SE	4	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.94	..	..	S	..	..
Taichu,	"	29.93	..	..	..	0	..
Tainan,	"	29.94	..	..	SE	2	..
Koshun,	"	29.97	..	..	..	0	..
Pescadores,	"	29.93	..	..	S	4	..
Gutzlaff,	9 a.	29.76	77	91	NE	2	..
Sharp Peak,	"	29.83	85	72	S	2	c
Amoy,	"			..	..	.	..
Swatow,	"	29.80	84	.	S	3	b
Canton,	"	29.81	85	87	SE	2	b
Hongkong,	10 a.	29.83	84	75	S	2	o
Victoria Peak,	"		..	..	SSW	5	..
Gap Rock,	"	29.82	..	..	S	5	..
Macao,	"	29.81	85	..	S	1	cpq
Pakhoi,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.92	88	72	S	1	c
Malate,	9 a.	.	..	..	E	1	o
Lucoled,	"	.	..	..	NE	2	b
Iloilo,	"	29.95	86	..	..	0	c
Cebu,	"	29.89	86	..		0	c
Cape S. James,	7 a.	.	..	..	SW	2	o

On the 15th at 12.10 p. The barometer has risen slightly on the China coast. A depression is moving Eastwards in the Sea of Japan, and pressure remains high over the Pacific to the E. of the Loochoos. Gradients slight for S and SE. winds in S. China and the N. part of the China Sea.

Forecast:—moderate SE. winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Monday 15th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	29.55	66	..	SE	5	o
Tokio, ...	,,	29.71	..	..	NE	2	..
Kochi, ...	,,	29.56	..	..	NW	..	..
Nagasaki, ...	,,	29.64	..	..	W	8	..
Kagoshima....	,,	29.72	..	..	W	8	..
Taihoku	1 p.	29.91	..	..	W	2	..
Taichu.	,,	29.91	..	..	SW	4	..
Tainan, ...	,,	29.92	..	..	W	2	..
Koshun.	,,	29.96	..	..	SE	2	..
Pescadores. ...	,,	29.94	..	.	S	6	..
Cutzlaff.	3 p.	29.77	77	95	NE	2	cv
Sharp Peak. ..	,,	29.78	87	76	ESE	4	c
Amoy.	,,	29.84	88	76	SE	4	c
Swatow.	,,	29.73	86	.	SSE	4	b
Canton.	,,	29.78	86	88	SE	3	r
Hongkong, ...	4 p.	29.79	84	75	SSE	3	o
Victoria Peak,	,,	.	.	..	S	5	..
Cap Rock, . ..	,,	29.78	..	..	S	5	..
Macao	,,	29.77	85	..	S	1	c
Haiphong.	1 p.	.	.	..	..	..	..
Manila, ...	4 p.	29.88	84	77	NNE	3	o
Malate, ...	5 p.	.	..	..	WSW	1	c
Bacolod, ...	,,	..	..	..	..	0	o
Iloilo, ...	,,	29.86	86	..	SE	3	o
Cebu.	,,	29.84	94	..	N	2	b
Cape S. James,	,,	.	..	..	SW	5	f

16th JULY 1901, A. M.

Wladivostock ..	7 a.	29.64	61	96	..	0	o
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima....	,,	..	..	..	..	..	..
Taihoku	5 a.	29.97	..	..	SE	2	..
Taichu.	,,	29.92	..	..	..	0	..
Tainan, ...	,,	29.94	..	..	E	2	..
Koshun, ...	,,	29.96	..	..	..	0	..
Pescadores....	,,	29.94	..	..	S	4	..
Cutzlaff.	9 a.	29.81	75	100	E	2	f
Sharp Peak. ..	,,	29.84	85	76	..	0	b
Amoy, ...	,,	29.87	83	87	SW	2	c
Swatow, ...	,,	.		.	..	.	..
Canton.	,,	29.86	85	96	E	1	b
Hongkong....	10 a.	29.89	80	81	SSE	2	o
Victoria Peak,	,,	.	..	..	S	7	..
Cap Rock. ...	,,	29.86	..	..	S	5	..
Macao	,,	29.87	71	..	S	2	or
Haiphong, ...	7 a.	.	..	..	..	..	..
Manila.	10 a.	29.92	86	71	S	1	c
Malate, ...	9 a.	..	..	..	S	1	b
Bacolod, ...	,,	.	..	..	..	0	b
Iloilo, ...	,,	29.93	83	..	..	0	c
Cebu, ...	,,	29.95	81	..	N	3	od
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 16th at 12.10p. The barometer has risen slightly on the China coast. The depression in the North has probably reached E. Japan. Pressure remains high over the Pacific to the E. of the Loochoos. Gradients slight for S and SE winds on the China coast, and in the N. part of the China Sea. Forecast:—moderate SE winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday 16th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	E	4	..
Kochi,	"	29.75	..	..	SE	2	..
Nagasaki,	"	29.72	..	..	SE	2	..
Kagoshima,	"	29.75	..	..	SE	2	..
Taihoku,	1 p.	29.94	..	..	W	4	..
Taichu,	"	29.93	..	..	W	4	..
Tainan,	"	29.89	..	..	S	6	..
Kosiun,	"	29.19	..	..	SW	4	..
Pescadores,	"	29.17	..	..	S	4	..
Gutzlaff,	3 p.	29.78	77	91	ENE	3	cv
Sharp Peak,	"	29.78	86	76	SE	4	o
Amoy,	"	29.84	85	83	SE	1	c
Swatow,	"	29.82	87	..	S	3	c
Canton,	"	29.84	85	91	E	2	or
Hongkong,	4 p.	29.83	85	76	S	1	o
Victoria Peak,	"	.	..	..	S	4	..
Gap Rock,	"	29.82	..	..	S	4	..
Macao,	"	29.82	88	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	71	67	WNW	1	c
Malate,	5 p.	..	..	..	W	2	b
Iloilo,	"	..	..	..	N	2	c
Iloilo,	"	29.85	87	..	E	1	c
Cebu,	"	29.84	85	..	N	3	b
Cape S. James,	"	..	..	..	SW	1	c

17th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.88	..	..	..	0	..
Taichu,	"	29.89	..	..	..	0	..
Tainan,	"	29.79	..	..	SE	2	..
Kosiun,	"	29.92	..	..	..	0	..
Pescadores,	"	29.89	..	..	S	6	..
Gutzlaff,	9 a.	29.82	74	93	NE	3	cvp
Sharp Peak,	"	29.80	86	76	SSW	1	b
Amoy,	"	29.85	82	87	SW	1	c
Swatow,	"	.	.	.	.	.	..
Canton,	"	29.86	85	96	SE	1	b
Hongkong,	10 a.	29.87	84	77	SSW	2	o
Victoria Peak,	"	.	..	..	SSW	5	..
Gap Rock,	"	29.87	..	..	SSW	4	..
Macao,	"	29.84	84	..	SW	1	cqp
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.92	88	72	ESE	1	c
Malate,	9 a.	..	..	..	.	0	b
Iloilo,	"	.	..	..	NW	3	b
Iloilo,	"	29.99	83	..	..	0	c
Cebu,	"	29.91	89	..	N	1	c
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 17th at 11.45 a. The barometer has fallen slightly over the SE coast of China and Formosa. Pressure is relatively low over the coast to the N. of the Formosa Channel. Gradients slight for S and SW winds in S. China. Forecast:—moderate S winds; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 17th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.71	..	..	W	2	..
Kochi,	"	29.72	..	..	..	0	..
Nagasaki,	"	29.72	..	..	SW	2	..
Kagoshima,	"	29.75	..	..	..	0	..
Taihoku,	1 p.	29.89	..	..	W	6	..
Taichu,	"	29.90	..	..	W	4	..
Tainan,	"	29.93	..	..	W	4	..
Koshun,	"	29.94	..	..	N	4	..
Pescadores,	"	29.94	..	..	SW	4	..
Gutzlaff,	3 p.	29.80	73	100	NW	3	ovd
Sharp Peak,	"	29.73	87	74	SE	4	c
Amoy,	"	29.79	86	84	SE	6	c
Swatow,	"	29.78	86	..	S	3	c
Canton,	"	29.80	90	81	S	2	c
Hongkong,	4 p.	29.81	84	74	SSW	2	o
Victoria Peak,	"	..	..	..	S	4	..
Gap Rock,	"	29.82	..	..	SSW	4	..
Macao,	"	29.80	87	..	SW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	66	NE	2	c
Malate,	3 p.	..	..	..	NNE	1	c
Incoloid,	"	..	..	..	N	2	c
Iloilo,	"	29.83	88	..	..	0	c
Cebu,	"	29.77	85	..	N	3	c
Cape S. James,	"	..	..	..	SW	1	c

18th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	29.74	..	..	S	4	..
Kochi,	"	29.79	..	..	..	0	..
Nagasaki,	"	29.79	..	..	..	0	..
Kagoshima,	"	29.79	..	..	..	0	..
Taihoku,	5 a.	29.88	..	..	..	0	..
Taichu,	"	29.89	..	..	..	0	..
Tainan,	"	29.90	..	..	E	2	..
Koshun,	"	29.88	..	..	..	0	..
Pescadores,	"	29.90	..	..	SE	4	..
Gutzlaff,	9 a.	29.86	75	93	SE	2	cv
Sharp Peak,	"	29.77	85	77	SSW	1	c
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.85	83	80	SW	2	o
Victoria Peak,	"	..	..	..	SSW	4	..
Gap Rock,	"	29.85	..	..	SW	4	..
Macao,	"	29.84	87	..	SW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	84	71	NNW	1	c
Malate,	9 a.	..	..	..	..	0	c
Incoloid,	"	..	..	..	NW	2	o
Iloilo,	"	29.86	82	..	..	0	c
Cebu,	"	29.89	82	..	N	1	c
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 18th at 12.10p. The barometer has fallen slightly over the China coast and Phillipines. Pressure is highest over the N. part of the China Sea, and gradients continue slight with moderate S. monsoon on the China coast. Forecast:—moderate SW winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday, 18th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.67	..	..	S	6	..
Kochi,	"	29.83	..	..	..	0	..
Nagasaki,	"	29.75	..	..	SE	4	..
Kagoshima,	"	29.79	..	..	S	2	..
Taihoku,	1 p.	29.87	..	..	W	6	..
Taichu,	"	29.87	..	..	W	4	..
Tainan,	"	29.90	..	..	W	4	..
Koshun,	"	29.92	..	..	NE	4	..
Pescadores,	"	29.91	..	..	SW	6	..
Gutzlaff,	3 p.	29.78	74	95	SE	2	omd
Sharp Peak,	"	29.73	87	74	ESE	4	c
Amoy,	"	29.77	89	77	SSE	4	c
Swatow,	"	29.74	87	..	S	3	c
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.79	85	72	SSW	1	c
Victoria Peak,	"	..	..	..	S	5	..
Gap Rock,	"	29.78	..	..	SSW	4	..
Macao,	"	29.77	89	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	91	61	NW	1	c
Malate,	3 p.	..	..	..	W	2	c
Lacoled,	"	..	..	..	NE	2	r
Iloilo,	"	29.84	84	..	..	0	c
Cebu,	"	29.82	86	..	SW	2	c
Cape S. James,	"	..	..	..	SW	1	c

19th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.89	..	..	..	0	..
Taichu,	"	29.89	..	..	SE	2	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	29.93	..	..	..	0	..
Pescadores,	"	29.92	..	..	SW	4	..
Gutzlaff,	9 a.	29.79	78	95	S	2	cv
Sharp Peak,	"	29.77	86	78	..	0	b
Amoy,	"	29.81	83	87	SSW	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.85	84	75	S	2	o
Victoria Peak,	"	..	..	..	S	4	..
Gap Rock,	"	29.85	..	..	SSW	4	..
Macao,	"	29.83	86	..	SSW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	90	60	SSW	1	c
Malate,	9 a.	..	..	..	W	2	b
Lacoled,	"	..	..	..	S	2	b
Iloilo,	"	29.91	79	..	ESE	2	cr
Cebu,	"	29.89	86	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 19th at 12.10 p. Barometric changes are slight. Pressure remains high over the N. part of the China Sea, and gradients continue slight with moderate S. monsoon on the China coast.

Forecast:—moderate S winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday, 19th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	29.63	76	..	..	0	b
Tokio, ...	,,	29.78	..	..	S	4	..
Kochi, ...	,,	29.83	..	..	SW	2	..
Nagasaki, ...	,,	29.79	..	..	S	4	..
Kagoshima.....	,,	29.87	..	..	..	0	..
Taihoku, ...	1 p.	29.84	..	..	NW	2	..
Taichu, ...	,,	29.84	..	..	W	6	..
Tainan, ...	,,	29.91	..	..	W	4	..
Koshun, ...	,,	29.92	..	..	SE	2	..
Pescadores, ..	,,	29.92	..	..	S	4	..
Gutzlaff, ...	3 p.	29.79	80	91	SW	3	cv
Sharp Peak, ..	,,	29.76	86	76	SE	5	c
Amoy, ...	,,	29.78	91	74	SE	4	c
Swatow, ...	,,	29.77	89	..	SSW	3	c
Canton, ...	,,	29.81	90	73	SW	3	b
Hongkong, ...	4 p.	29.81	84	75	SW	1	op
Victoria Peak,	,,	..	..	..	S	2	..
Gap Rock, ..	,,	29.81	..	..	SSW	4	..
Macao.....	,,	29.81	89	..	SSW	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.80	84	77	NNE	2	ot
Malate, ...	3 p.	..	..	..	W	2	o
Lucoled, ...	,,	..	..	..	SE	2	o
Iloilo, ...	,,	29.82	81	..	SE	3	o
Cebu, ...	,,	29.83	84	..	SW	2	c
Cape S. James,	,,	..	..	..	SW	1	c

20th JULY 1901, A. M.

Wladivostock,..	7 a.	29.72	65	95	..	0	o
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	.	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima.....	,,		..	..	..	..	..
Taihoku, ...	5 a.	29.94	..	..	S	2	..
Taichu, ...	,,	29.96	..	..	..	0	..
Tainan, ...	,,	29.92	..	..	E	2	..
Koshun, ...	,,	29.94	..	..	..	0	..
Pescadores.....	,,	29.92	..	..	S	2	..
Gutzlaff, ...	9 a.		..	..	..	..	..
Sharp Peak, ..	,,	29.81	87	76	..	0	b
Amoy, ...	,,	..	..	..	..	..	..
Swatow, ...	,,	29.83	84	..	S	2	c
Canton, ...	,,	29.85	88	80	SW	1	b
Hongkong, ...	10 a.	29.89	85	73	.	0	o
Victoria Peak,	,,		..	..	S	3	..
Gap Rock, ...	,,	29.88	..	..	SSW	2	..
Macao.....	,,	29.87	88	..	SW	1	c
Haiphong, ...	7 a.	..	..	..	..	.	..
Manila, ...	10 a.	29.88	84	85	S	1	o
Malate, ...	9 a.	..	..	..	..	0	o
Lucoled, ...	,,		..	..	SW	2	or
Iloilo, ...	,,	29.89	86	..	SE	2	o
Cebu, ...	,,	29.88	86	..	SW	1	o
Cape S. James,	7 a.	..	..	..	..	..	..

On the 20th at 12.10 p. The barometer has risen slightly in S. China. Pressure remains high over the N. part of the China Sea, and gradients continue slight with moderate S. monsoon on the China coast. Forecast:—moderate S winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Saturday, 20th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	S	4	..
Kochi,	"	29.83	..	..		0	..
Nagasaki,	"	29.79	..	..	W	6	..
Kagoshima,	"	29.83	..	..	SW	4	..
Taihoku,	1 p.	29.89	..	..	NW	6	..
Taichu,	"	29.89	..	..	W	4	..
Tainan,	"	29.91	..	..	W	6	..
Koshun,	"	29.91	..	..	SE	4	..
Pescadores,	"	29.92	..	.	SW	4	..
Gutzlaff,	3 p.	29.82	79	95	S	2	cv
Sharp Peak,	"	..		..	..	..	..
Amoy,	"	29.74	90	88	SE	3	c
Swatow,	"	29.79	87	..	S	2	c
Canton,	"	29.84	93	71	S	1	b
Hongkong,	4 p.	29.84	84	75	S	2	o
Victoria Peak,	"	..	..	..	SSW	3	..
Gap Rock,	"	29.84	..	..	SSW	3	..
Macao,	"	29.84	89	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	84	77	SSW	1	o
Malate,	3 p.	..	..	..	..	0	..
Baguio,	"	..	..	..	SW	2	o
Iloilo,	"	29.82	..	..	SW	4	o
Cebu,	"	29.82	..	..	SW	2	c
Cape S. James,	"	..	..	..	NW	2	c

21st JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"		..	..	..	..	..
Taihoku,	5 a.	29.89	..	..	S	2	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.87	..	..	E	2	..
Koshun,	"	29.89	..	..	E	2	..
Pescadores,	"	29.89	..	..		0	..
Gutzlaff,	9 a.	29.84	81	91	NW	1	cv
Sharp Peak,	"	29.81	84	83	..	0	o
Amoy,	"	29.83	85	87	SSE	1	c
Swatow,	"	..	..	.	..	.	.
Canton,	"	.	..	..			..
Hongkong,	10 a.	29.88	84	74	W	1	b
Victoria Peak,	"		..	..	NW	1	..
Gap Rock,	"	29.87	..	..	SSW	2	..
Macao,	"	29.89	88	..	S	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.76	79	92	NW	1	o
Malate,	9 a.	.	..	..	E	2	o
Baguio,	"		..	..	S	2	o
Iloilo,	"	29.86	82	..	W	3	c
Cebu,	"	29.83	83	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 21st at 12.10p. The barometer has fallen over Formosa and the Phillipines. A depression exists in the Pacific to the E. of Luzon. Pressure is high over S. China. Variable winds on the China coast, and N. winds in the N. part of the China Sea. Forecast—W to NW winds, light or moderate; fine.

F. G. FIGG.

First Assistant

Hongkong Observatory, Sunday, 21st July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	29.74	70	..	S	3	o
Tokio, ...	"	29.76	..	..	SE	4	..
Kochi, ...	"	29.72	..	..	..	0	..
Nagasaki, ...	"	29.72	..	..	SW	4	..
Kagoshima....	"	29.76	..	..	W	2	..
Tacheku.	1 p.	29.86	..	..	NW	6	..
Taichu, ...	"	29.83	..	..	..	0	..
Taiwan, ...	"	29.85	..	..	NW	6	..
Koshun, ...	"	29.88	..	..	E	4	..
Pescadores. ..	"	29.84	..	..	W	2	..
Gutzlaff, ...	3 p.	29.83	86	83	NNE	1	cv
Sharp Peak, ..	"	29.77	85	81	ESE	1	p
Amoy	"	29.81	79	88	SSE	2	c
Swatow, ...	"	29.79	89	..	S	3	c
Canton, ...	"	29.82	94	71	W	1	b
Hongkong,....	4 p.	29.78	88	60	W	1	b
Victoria Peak,	"	.	..	..	SSW	1	..
Cap Beck, ...	"	29.78	..	..	..	0	..
Mono	"	29.81	91	..	SSE	1	c
Haiphong.	1 p.	.	.	..	.	..	..
Manila, ...	4 p.	29.69	81	85	SSW	1	o
Malate, ...	3 p.	..	..	..	SSW	1	o
Lucolod, ...	"	..	..	..	SW	6	p
Hoilo.	"	29.75	80	..	S	4	cr
Cebu	"	29.78	82	..	SW	2	cd
[illegible]	"	.	..	..	..	..	..

22nd JULY 1901, A. M.

Wladivostock...	7 a.	29.82	63	99	S	2	f
Tokio.	10 a.	..	..	..	..	..	..
Kochi.	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	.	..	..	..	..	..
Tacheku.	6 a.	29.83	..	..	SW	2	..
Taichu.	"	29.80	..	..	..	0	..
Taiwan, ...	"	29.80	..	..	..	0	..
Koshun, ...	"	29.82	..	..	E	2	..
Pescadores....	"	29.83	..	..	..	0	..
Gutzlaff.	9 a.	29.87	88	95	E	2	cm
Sharp Peak. ..	"	29.81	82	89	E	1	o
Amoy..	"	29.79	85	91	NNE	1	b
Swatow.	"	29.79	86	.	SW	1	c
Canton.	"	29.80	78	80	NW	1	b
Haiphong....	10 a.	29.78	86	64	ESE	1	b
Victoria Peak,	"	.	..	..	ESE	1	..
Cap Beck. ...	"	29.78	..	..	N	2	..
Mono	"	29.78	90	..	NE	1	c
Haiphong. ...	7 a.	.	..	..	..	.	..
Manila, ...	10 a.	29.78	84	77	ESE	1	c
Malate, ...	9 a.	.	.	..		.	b
Lucolod.	"	.	..	..	SW	4	cr
Iloilo.	"	29.78	81	..	NW	4	o
Cebu	"	29.79	83	..	SW	3	o
[illegible]	7 a	.	..	..	SW	2	o

On the 20th at 11.00 a. The barometer has fallen over S. China and the Philippines. The depression [illegible] trough-like [illegible] lying in about 14° Lat., and extending over the E. part of the China [illegible] Pacific to the [illegible] of Luzon. Gradients slight for NE winds on the coast and in the N. part of the China Sea. Forecast:—light or moderate NE winds; fine.

F. G. FLOGG,
First Assistant

Hongkong Observatory, Monday, 22nd July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	E	4	..
Kochi,	"	29.83	..	..	SE	2	..
Nagasaki,	"	29.79	..	..	SE	6	..
Kagoshima,	"	29.79	..	..	E	2	..
Taihoku,	1 p.	29.82	..	..	NW	6	..
Taichu,	"	29.80	..	..	NW	4	..
Tainan,	"	29.80	..	..	N	4	..
Koshun,	"	29.83	..	..	E	4	..
Pescadores,	"	29.84	..	..	N	6	..
Gutzlaff,	3 p.	29.85	83	87	ESE	3	cv
Sharp Peak,	"	29.76	88	81	E	1	b
Amoy,	"	29.76	90	73	SE	4	c
Swatow,	"	29.75	89	..	SE	5	b
Canton,	"	29.74	99	57	E	1	b
Hongkong,	4 p.	29.70	87	64	E	2	b
Victoria Peak,	"	.	..	..	E	2	..
Gap Rock,	"	29.68	..	..	ENE	4	..
Macao,	"	29.71	84	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.65	84	77	NW	1	ot
Malate,	3 p.	..	..	..	SW	1	o
Bacolod,	"	..	..	..	S	2	o
Iloilo,	"	29.71	.	..	SE	3	or
Cebu,	"	29.74	85	..	SW	2	c
Cape S. James,	"	..	..	..	SW	1	c

23rd JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	S	4	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.81	..	..	N	2	..
Koshun,	"	29.82	..	..	..	0	..
Pescadores,	"	29.84	..	..	N	4	..
Gutzlaff,	9 a.	29.88	81	91	SE	3	cm
Sharp Peak,	"	29.81	84	81	NNE	1	o
Amoy,	"	29.81	84	83	..	0	c
Swatow,	"	29.81	86	.	N	1	b
Canton,	"	29.81	90	73	E	2	b
Hongkong,	10 a.	29.78	86	69	E	4	b
Victoria Peak,	"	.	..	..	E	4	..
Gap Rock,	"	29.75	..	..	E	5	..
Macao,	"	29.81	90	..	NE	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.76	88	66	SW	1	c
Malate,	9 a.	.	..	..	ESE	1	c
Bacolod,	"	.	..	..	SW	2	b
Iloilo,	"	29.78	80	..	..	0	o
Cebu,	"	29.81	83	..	SW	..	o
Cape S. James,	7 a.	.	..	..	..	.	..

On the 23rd at 11.45a. Barometric changes are slight. Probably the depression has become circular in the China Sea to the SSE of Hongkong in about 16° Lat. Gradients slight for E winds on the China coast, moderate with strong NE winds in the N. part of the China Sea.

Forecast:—fresh to strong NE winds; fair at first, squally with rain later.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday, 23rd July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.75	67	..	S	2	f
Tokio,	"	29.94	..	..	S	4	..
Kochi,	"	29.91	..	..	SE	2	..
Nagasaki,	"	29.83	..	..	W	4	..
Kagoshima,	"	29.87	..	..	SE	4	..
Taihoku,	1 p.	29.82	..	..	SE	6	..
Taichu,	"	29.79	..	..	SW	2	..
Tainan,	"	29.81	..	..	NW	6	..
Koshun,	"	29.85	..	..	SE	4	..
Pescadores,	"	29.84	..	..	N	4	..
Gutzlaff,	3 p.	29.84	84	.83	SSE	3	cv
Sharp Peak,	"	29.77	82	85	E	5	c
Amoy,	"	29.75	91	77	SE	3	c
Swatow,	"	29.72	88	..	E	3	b
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.72	84	75	E	4	op
Victoria Peak,	"	.	..	..	E	5	..
Gap Rock,	"	29.70	..	..	E	5	..
Macao,	"	29.73	86	..	ESE	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.69	86	71	S	1	o
Malate,	5 p.	..	..	..	SW	2	c
Lacoed,	"	..	..	..	SW	3	c
Iloilo,	"	29.76	83	..	NW	3	o
Cebu,	"	29.76	86	..	SW	2	b
Cape S. James,	"	..	..	..	SW	1	c

24th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.83	65	99	S	4	f
Tokio,	10 a.	29.90	..	..	S	2	..
Kochi,	"	29.91	..	..	.	0	..
Nagasaki,	"	29.83	..	..	SE	4	..
Kagoshima,	"	29.87	..	..	..	0	..
Taihoku,	5 a.	29.80	..	..	E	2	..
Taichu,	"	29.79	..	..	..	0	..
Tainan,	"	29.81	..	..	E	2	..
Koshun,	"	29.84	..	..	E	2	..
Pescadores,	"	29.81	..	..	..	0	..
Gutzlaff,	9 a.	29.80	81	91	S	4	cv
Sharp Peak,	"	29.79	83	83	WNW	1	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	.	..	..
Canton,	"	29.81	88	76	.	0	c
Hongkong,	10 a.	29.80	86	68	ENE	2	c
Victoria Peak,	"		..	..	ENE	3	..
Gap Rock,	"	29.78	.	..	E	4	..
Macao,	"	29.79	88	..	ENE	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.80	84	77	WSW	2	o
Malate,	9 a.	.	.	..	SW	3	o
Lacoed,	"		..	..	S	1	..
Iloilo,	"	29.88	..	..	.	.	c
Cebu,	"	29.88	86	..	SW	2	c
Cape S. James,	7 a.	.	.	..	..		..

On the 24th at 12.10p. The barometer has fallen in the North, risen over the Phillipines. A depression lies over NE China and the low pressure trough still lies in the N. part of the China Sea. Gradients slight on the China coast, moderate with fresh NE winds in the N. part of the China Sea.

Forecast:—moderate E winds; fair.

The Timeball at Kowloon Point is out of order and cannot be dropped. A new ball, now under construction, will be ready in the course of a few days. Chronometers may, in the meantime, be compared at the Observatory, if desired.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday, 24th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.56	66	..	S	4	f
Tokio,	"	29.86	..	..	S	4	..
Kochi,	"	29.87	..	..	SE	2	..
Nagasaki,	"	29.83	..	..	SW	6	..
Kagoshima,	"	29.83	..	..	S	4	..
Taihoku,	1 p.	29.84	..	..	NW	4	..
Taichu,	"	29.80	..	..	SW	2	..
Tainan,	"	29.81	..	..	NW	6	..
Koshun,	"	29.85	..	..	E	2	..
Pescadores,	"	29.84	..	..	N	2	..
Gutzlaff,	3 p.	29.77	85	83	S	3	er
Sharp Peak,	"	29.73	84	83	E	2	b
Amoy,	"	29.76	88	76	SE	5	c
Swatow,	"	29.69	87	..	E	4	c
Canton,	"	29.74	89	57	E	1	b
Hongkong,	4 p.	29.72	85	68	ESE	2	b
Victoria Peak,	"	.	..	..	E	3	..
Gap Rock,	"	29.71	..	..	E	4	..
Macao,	"	29.73	92	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	82	86	S	2	c
Malate,	3 p.	..	..	..	W	3	c
Encoled,	"	..	..	..	S	2	c
Heilo,	"	29.82	83	..	SE	2	c
Cebu,	"	29.81	86	..	SW	3	c
Cape S. James,	"	..	..	..	SW	4	c

25th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.43	65	99	SE	3	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	8 a.	29.80	..	..	..	0	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.79	..	..	E	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.81	..	..	NW	2	..
Gutzlaff,	9 a.	29.70	81	87	S	4	cr
Sharp Peak,	"	29.73	85	79	..	0	b
Amoy,	"	29.77	86	87	SW	2	c
Swatow,	"	..	.	.	..	..	..
Canton,	"	29.75	89	77	E	2	b
Hongkong,	10 a.	29.75	85	76	ESE	2	c
Victoria Peak,	"		..	..	E	1	..
Gap Rock,	"	29.74	..	..	E	3	..
Macao	"	29.75	92	..	NE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	84	77	SSW	2	c
Malate,	9 a.	..	..	..	W	4	c
Encoled,	"	.	..	..	S	2	b
Heilo,	"	29.88	82	..	SW	1	b
Cebu,	"	29.86	87	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 24th at 11.55a. The barometer has fallen on the China coast. The depression in the North is moving into the Sea of Japan. Pressure is also relatively low over the NW part of the China Sea. Gradients slight for S winds in S. China. Forecast:—moderate E to SE winds; showery, squally.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday, 25th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	.	..
Tokio,	"	29.74	..	..	S	6	..
Kochi,	"	29.75	..	..	SE	2	..
Nagasaki,	"	29.72	..	..	NW	8	..
Kagoshima,	"	29.79	..	..	SE	2	..
Taihoku,	1 p.	29.78	..	..	N	2	..
Taichu,	"	29.93	..	..	NW	4	..
Tainan,	"	29.79	..	..	W	4	..
Koshun,	"	29.82	..	..	SW	2	..
Pescadores,	"	29.81	..	..	SW	2	..
Gutzlaff,	8 p.	29.68	85	83	SSW	3	cv
Sharp Peak,	"	29.65	85	79	ESE	4	c
Amoy,	"	29.74	89	84	SE	6	c
Swatow,	"	29.64	86	..	E	3	c
Canton,	"	29.64	85	62	SSW	2	b
Hongkong,	4 p.	29.66	83	78	ESE	2	o
Victoria Peak,	"	.	..	..	ESE	3	..
Gap Rock,	"	29.65	..	..	ESE	3	..
Macao,	"	29.67	88	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	65	WSW	3	c
Malate,	2 p.	..	..	..	SW	3	b
Iloilo,	"	..	..	..	WSW	2	b
Iloilo,	"	29.79	86	..	W	1	c
Cebu,	"	29.79	87	..	SW	2	c
Cape S. James,	"	..	..	..	SW	5	c

26th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	29.77	..	..	SW	2	..
Taichu,	"	29.76	..	..	..	0	..
Tainan,	"	29.77	..	..	SE	4	..
Koshun,	"	29.80	..	..	SE	2	..
Pescadores,	"	29.78	..	..	S	2	..
Gutzlaff,	8 a.	29.68	83	87	S	2	cv
Sharp Peak,	"	29.67	86	76	S	1	b
Amoy,	"	29.74	84	83	SW	1	c
Swatow,	"	..	.	.	.	..	..
Canton,	"	29.69	88	76	E	2	b
Hongkong,	10 a.	29.70	80	91	SE	2	cp
Victoria Peak,	"	.	..	..	ESE	3	..
Gap Rock,	"	29.69	..	..	ESE	3	..
Macao,	"	29.68	87	..	ESE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.80	88	72	SSW	1	b
Malate,	9 a.	.	..	..	S	1	b
Iloilo,	"	.	..	..	..	1	b
Iloilo,	"	29.80	88	..	..	0	b
Cebu,	"	29.85	86	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 26th at 12.5 p. The barometer has fallen on the China coast. Pressure remains low in the North, and gradients continue slight to S and SE winds on the coast and in the N part of the China Sea. Forecast:—moderate SE to S winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 26th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	.	..
Tokio,	"	29.62	..	..	S	6	..
Kochi,	"	29.72	..	..	SE	2	..
Nagasaki,	"	29.64	..	..	SW	8	..
Kagoshima,	"	29.72	..	..	S	4	..
Taihoku,	1 p.	29.75	..	..	N	4	..
Taichu,	"	29.74	..	..	SW	6	..
Tainan,	"	29.77	..	..	S	6	..
Koshun,	"	29.82	..	..	S	4	..
Pescadores,	"	29.77	..	.	S	6	..
Gutzlaff,	3 p.	29.63	84	91	E	2	cv
Sharp Peak,	"	29.59	89	73	S	4	c
Amoy,	"	29.70	88	84	SE	4	a
Swatow,	"	29.62	87	..	SE	3	b
Canton,	"	29.64	89	77	SE	2	b
Hongkong,	4 p.	29.64	79	82	ENE	2	o
Victoria Peak,	"	.	..	..	SE	4	..
Gap Rock,	"	29.61	..	..	E	2	..
Macao,	"	29.63	88	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	88	72	WSW	3	c
Balate,	3 p.	..	..	..	W	4	c
Lacolod,	"	..	..	..	SW	2	o
Iloilo,	"	29.76	86	..	SE	.	o
Cebu,	"	29.75	87	..	SW	1	c
Cape S. James,	"	..	..	..	SW	1	f

27th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.81	..	..	..	0	..
Taichu,	"	29.77	..	..	..	0	..
Tainan,	"	29.80	..	..	SE	4	..
Koshun,	"	29.84	..	..	..	0	..
Pescadores,	"	29.78	..	..	S	6	..
Gutzlaff,	9 a.	29.71	83	87	S	3	cv
Sharp Peak,	"	29.75	85	74	SSW	1	o
Amoy,	"	29.76	85	91	SE	..	c
Swatow,	"	29.74	85	..	S	1	o
Canton,	"	.	..	..	..	.	..
Hongkong,	10 a.	29.74	86	73	S	1	o
Victoria Peak,	"	.	..	..	SSE	3	..
Gap Rock,	"	29.74	..	..	SSE	4	..
Macao,	"	29.72	86	..	S	1	cp
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	88	..	S	1	..
Balate,	9 a.	..	..	..	W	2	c
Lacolod,	"	.	..	..	S	2	o
Iloilo,	"	29.88	83	..	..	0	o
Cebu,	"	29.91	82	..	..	0	o
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 27th at 11.00a. The barometer has risen on the China coast. Pressure is lowest over the interior of China and highest over the Pacific to the E. of the Loochoos. Gradients slight for S and SE winds on the coast and in the N. part of the China Sea. Forecast—moderate SE winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 27th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th JULY, 1901; P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	..	..	..	..	.	..
Tokio,	,,	29.74	..	..	S	4	..
Kochi,	,,	29.83	..	..	SE	2	..
Nagasaki,	,,	29.75	..	..	SW	8	..
Kagoshima,	,,	29.79	..	..	S	2	..
Taihoku,	1 p.	29.82	..	..	NE	2	..
Taichu,	,,	29.80	..	..	SW	4	..
Tainan,	,,	29.83	..	..	SW	6	..
Koslun,	,,	29.89	..	..	S	4	..
Pescadores,	,,	29.84	..	..	S	6	..
Gutzlaff,	3 p.	29.72	86	84	S	1	bv
Sharp Peak,	,,	29.71	88	..	SE	3	..
Amoy,	,,	29.74	88	88	SE	6	c
Swatow,	,,	29.68	87	..	S	4	c
Canton,	,,	29.69	87	84	W	2	b
Hongkong,	4 p.	29.70	86	72	S	1	c
Victoria Peak,	,,	..	..	..	SSE	2	..
Cap Rock,	,,	29.69	..	..	SE	3	..
Macao,	,,	29.68	89	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	71	WSW	2	c
Balate,	7 p.	..	..	..	SW	1	c
Ercoled,	,,	..	..	..	..	0	o
Iloilo,	,,	29.79	83	..	..	0	o
Cebu,	,,	29.82	79	..	..	0	cd
Cape S. James,	,,	..	..	..	..	0	c

28th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	.	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.89	..	..	S	2	..
Taichu,	,,	29.89	..	..	..	0	..
Tainan,	,,	29.89	..	..	SE	2	..
Koslun,	,,	29.91	..	..	..	0	..
Pescadores,	,,	29.90	..	..	S	4	..
Gutzlaff,	9 a.		..		..	..	..
Sharp Peak,	,,	29.81	86	76	..	0	c
Amoy,	,,	29.82	83	87	SW	1	c
Swatow,	,,		..	..	..		..
Canton,	,,	29.82	85	91	SE	1	c
Hongkong,	10 a.	29.84	84	74	SSE	2	op
Victoria Peak,	,,		..	..	SSE	3	..
Cap Rock,	,,	29.84	..	..	SSW	3	..
Macao,	,,	29.83	85	..	SSW	1	cp
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	82	85	NW	1	o
Balate,	9 a.	..	..	..	N	1	o
Ercoled,	,,	..	..	..	W	2	b
Iloilo,	,,	29.91	82	..	..	0	c
Cebu,	,,	29.91	82	..	..	0	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 28th at 11.00 a. The barometer has risen generally. Pressure is highest over the Pacific to the E. of the Loochoos, lowest over the interior of China. Gradients slight for S and SE winds on the coast and in the N part of the China Sea. Forecast:—moderate SE winds; showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday, 28th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	4	..
Kochi,	"	29.87	..	..	S	2	..
Nagasaki,	"	29.83	..	..	SW	8	..
Kagoshima,	"	29.91	..	..	..	0	..
Taihoku,	1 p.	29.88	..	..	..	6	..
Taichu,	"	29.88	..	..	S	2	..
Tainan,	"	29.91	..	..	W	6	..
Koshun,	"	29.93	..	..	SE	4	..
Lasacdones,	"	29.91	..	..	S	4	..
Cutzlaff,	2 p.	29.81	75	15	SW	..	crv
Sharp Peak,	"	29.76	78	75	SSW	4	b
Amoy,	"	29.79	89	80	SE	4	o
Swatow,	"	29.78	87	..	S	4	b
Canton,	"	29.78	87	84	SE	1	o
Hongkong,	4 p.	29.80	86	70	S	1	o
Victoria Peak,	"	..	..	..	S	3	..
Gap Rock,	"	29.80	..	..	SSW	2	..
Macao,	"	29.79	87	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	3 p.	29.84	84	77	SSW	1	cd
Malate,	2 p.	..	..	..	W	2	o
Iscoled,	"	..	..	..	W	2	b
Iloilo,	"	29.83	83	..	SE	2	o
Cebu,	"	29.83	85	..	SW	2	c
Cape S. James,	"	..	..	..	..	..	..

29th JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.92	..	..	SW	2	..
Taichu,	"	29.88	..	..	..	0	..
Tainan,	"	29.89	..	..	..	0	..
Koshun,	"	29.94	..	..	..	0	..
Lasacdones,	"	29.89	..	..	..	0	..
Cutzlaff,	6 a.	29.85	79	91	S	3	cv
Sharp Peak,	"	29.82	84	79	..	0	o
Amoy,	"	29.83	86	91	SW	1	b
Swatow,	"	29.79	86	..	E	2	b
Canton,	"	29.83	87	84	E	1	b
Hongkong,	9 a.	29.86	85	71	SSE	1	o
Victoria Peak,	"	..	..	..	SSE	1	..
Gap Rock,	"	29.86	..	..	SSE	2	..
Macao,	"	29.83	89	..	SSW	1	cp
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	84	77	SW	1	c
Malate,	9 a.	..	..	..	W	1	c
Iscoled,	"	..	..	..	S	2	b
Iloilo,	"	29.87	82	..	SE	1	b
Cebu,	"	29.89	86	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 28th at 11 a.m. Barometric changes are slight. Pressure is highest over the N. part of the China Sea and the Pacific towards the Loochoos, lowest over the interior of China. Gradients slight for S and SE winds on the coast and in the N. part of the China Sea. Forecast.—Light SE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 29th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	29.89	..	..	NW	4	..
Teichu,	"	29.86	..	..	NW	4	..
Tainan,	"	29.88	..	..	W	6	..
Koshun,	"	29.89	..	..	E	4	..
Pescadores,	"	29.90	..	..	SW	2	..
Cuttle f,	3 p.	29.83	83	83	W	2	cv
Stony Peak,	"	29.77	84	87	ENE	2	c
Amoy,	"	29.80	90	77	SE	3	c
Swatow,	"	29.78	88	..	S	3	c
Canton,	"	29.79	91	77	SE	2	b
Hongkong,	4 p.	29.79	86	77	ESE	1	o
Victoria Peak,	"	.	..	..	SSE	2	..
Gap Rock,	"	29.78	..	..	SSE	2	..
Macao,	"	29.79	89	..	ESE	1	c
Faiplerg,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	84	71	WSW	2	c
Mulate,	3 p.	..	..	..	SW	2	c
Iloilo,	"	..	..	..	SW	2	b
Iloilo,	"	29.81	85	..	W	2	c
Cebu,	"	29.82	86	..	SW	3	c
Cape St. James,	"	..	..	..	SW	1	c

30th JULY 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	.	.	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..	..
Taihoku,	5 a.	29.87	..	..	..	0	..
Teichu,	"	29.85	..	..	..	0	..
Tainan,	"	29.85	..	..	.	0	..
Koshun,	"	29.86	..	..	..	0	..
Pescadores,	"	29.87	..	.	.	0	..
Cuttle f,	9 a.	29.85	75	100	NW	3	cmpr
Stony Peak,	"	29.78	84	83	..	0	c
Amoy,	"	.	.	..	.	.	.
Swatow,	"	29.77	85	..	N	1	b
Canton,	"	29.81	83	87	SE	2	b
Hongkong,	10 a.	29.81	86	72	E	1	o
Victoria Peak,	"	.	..	..	NE	1	..
Gap Rock,	"	29.82	..	..	ESE	2	..
Macao,	"	29.81	89	..	E	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	84	..	.	0	c
Mulate,	9 a.	..	..	..	SW	1	b
Iloilo,	"	.	..	..	SW	1	o
Iloilo,	"	29.87	84	..	..	0	c
Cebu,	"	29.87	87	..	SW	2	c
Cape St. James,	7 a.	..	..	..	..	0	c

On the 30th at 10.30 p. Barometric changes are slight. Pressure is highest over the Pacific to the E. of the Archipelago and gradients continue slight for S and SW winds in S. China and the N. part of the China Sea. Forecast.—light SE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 30th July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

30th JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.86	..	..	S	8	..
Kochi,	,,	29.87	..	..	SE	4	..
Nagasaki,	,,	29.87	..	..	SE	4	..
Kagoshima,	,,	29.87	..	..	NW	6	..
Taihoku,	1 p.	29.83	..	..	N	2	..
Taichu,	,,	29.79	..	..	NW	6	..
Tainan,	,,	29.81	..	..	W	6	..
Koshun,	,,	29.85	..	..	E	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	29.81	80	91	SE	1	cv
Sharp Peak,	,,	29.74	84	83	E	2	o
Amoy,	,,	29.76	90	81	SW	4	c
Swatow,	,,	29.72	87	..	E	3	c
Canton,	,,	29.75	16	62	S	2	b
Hongkong,	4 p.	29.73	86	66	S	1	o
Victoria Peak,	,,	..	..	..	S	2	..
Cap Rock,	,,	29.72	..	..	SE	1	..
Macao,	,,	29.73	89	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	84	77	WSW	2	c
Malate,	2 p.	..	..	..	W	4	o
Bacolod,	,,	..	..	..	SW	2	c
Iloilo,	,,	29.79	86	..	SE	2	c
Cebu,	,,	29.77	88	..	SW	2	c
Cape S. James,	,,	..	..	..	SW	4	c

31st JULY 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	.	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	SW	2	..
Taichu,	,,	29.81	..	..	..	0	..
Tainan,	,,	29.81	..	..	E	2	..
Koshun,	,,	29.84	..	..	..	0	..
Pescadores,	,,	29.81	..	..	NE	2	..
Gutzlaff,	9 a.	29.83	80	87	S	4	c
Sharp Peak,	,,	29.78	82	83	..	0	o
Amoy,	,,		..	..		..	.
Swatow,	,,	29.79	84	.	E	1	b
Canton,	,,	29.77	87	80	E	1	b
Hongkong,	10 a.	29.79	83	83	E	1	opt
Victoria Peak,	,,		..	..	SE	1	..
Cap Rock,	,,	29.78	..	..	SSE	2	..
Macao,	,,	29.81	89	..	SE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	86	71	WNW	1	c
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	,,	..	..	..	S	2	b
Iloilo,	,,	29.87	83	..	SE	2	b
Cebu,	,,	29.86	84	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 31st at 12.10p. The barometer has fallen slightly on the China coast. Pressure is highest over Japan, and gradients continue slight with light S and SE winds on the China coast and in the N. part of the China Sea. Forecast:—light SE winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 31st July 1901.

CHINA COAST METEOROLOGICAL REGISTER.

31st JULY, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	S	8	..
Kochi,	"	29.91	..	..	.	0	..
Nagasaki,	"	29.83	..	..	W	4	..
Kagoshima,	"	29.87	..	..	E	2	..
Taihoku,	1 p.	29.81	..	..	N	6	..
Taichu,	"	29.77	..	..	N	6	..
Tainan,	"	29.71	..	..	N	6	..
Koshun,	"	29.81	..	..	NE	2	..
Pescadores,	"	29.81	..	..	NW	4	..
Gutzlaff,	3 p.	29.80	81	91	SSE	4	cv
Sharp Peak,	"	29.73	84	81	E	1	o
Amoy,	"	29.75	86	88	SW	1	c
Swatow,	"	29.69	85	..	E	3	b
Canton,	"	29.72	89	84	..	0	b
Hongkong,	4 p.	29.71	86	70	S	1	o
Victoria Peak,	"	..	..	..	S	2	..
Gap Rock,	"	29.70	..	..	S	2	..
Macao,	"	29.72	88	..	S	1	cp
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	84	77	WSW	3	c
Malate,	3 p.	..	..	..	SW	4	c
Bacolod,	"	..	..	..	SW	3	c
Iloilo,	"	29.81	83	..	S	3	o
Cebu,	"	29.79	85	..	SW	1	c
Cape S. James,	"	..	..	..	SW	3	c

1st AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	.	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.74	..	..	S	2	.
Taichu,	"	29.75	..	..	..	0	..
Tainan,	"	29.74	..	..	..	0	..
Koshun,	"	29.71	..	..	N	6	..
Pescadores,	"	29.75	..	..	NW	2	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	29.72	85	79	..	0	o
Amoy,	"	29.73	84	87	WSW	1	c
Swatow,	"	29.72	84	..	NE	1	b
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.75	85	76	ESE	1	o
Victoria Peak,	"		..	..	S	1	..
Gap Rock,	"	29.75	..	..	SE	2	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	82	85	W	1	o
Malate,	9 a.	..	..	..	W	2	c
Bacolod,	"		..	..	SE	2	o
Iloilo,	"	29.87	82	..	W	2	c
Cebu,	"	29.86	84	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 1st at 11.50 a. The barometer has fallen in S. China and Formosa. A depression lies in the Pacific, probably to the S. of the Loochoos. Gradients continue slight in S. China and the N. part of the China Sea. Forecast:—W winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 1st August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	"	29.94	..	..	S	4	..
Fochi.	"	29.99	..	..	SE	2	..
Nagasaki. ...	"	29.83	..	..	NE	4	..
Kagoshima....	"	29.87	..	..	E	8	..
Taikoku.	1 p.	29.72	..	..	NW	6	..
Taichu.	"	29.68	..	..	NW	6	..
Tainan, ...	"	29.68	..	..	NW	8	..
Keelung, ...	"	29.69	..	..	N	6	..
Lescadores, . .	"	29.75	..	..	N	6	..
Cutzlaff	3 p.	29.81	84	87	ESE	3	bm
Sharp Peak, ..	"	29.65	84	85	NE	5	o
Amoy	"	29.68	88	80	SE	4	c
Swatow. .. .	"	29.59	89	..	S	1	c
Canton.	"	29.66	97	62	W	2	b
Hongkong,...	4 p.	29.64	88	65	W	1	c
Victoria Peak.	"	.	..	..	SW	4	..
Gap Rock. . ..	"	29.62	..	..	SSW	1	..
Macao	"	29.64	92	..	SW	1	c
Haiphong. ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.76	81	85	W	2	od
Malate, ...	3 p.	..	..	..	W	1	or
Lucoted, ...	"	..	..	..	S	2	c
Iloilo, ...	"	29.80	84	..	SE	2	c
Cebu, ...	"	29.79	87	..	SW	2	c
Cape S. James,	"	..	..	..	SW	1	c

2nd AUGUST 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock...	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Fochi	"	.	..	..	..	..	..
Nagasaki. ...	"	..	..	..	..	..	..
Kagoshima,....	"	..	..	..	..	..	..
Taikoku.	5 a.	..	..	..	..	..	..
Taichu.	"	..	..	..	..	..	..
Tainan.	"	..	..	..	..	..	..
Keelung, ...	"	..	..	..	..	..	..
Lescadores....	"	..	..	..	..	..	..
Cutzlaff. ...	9 a.	29.72	80	91	ENE	5	bm
Sharp Peak, ..	"	29.46	86	65	NNW	3	o
Amoy,..... ..	"	29.57	83	87	WSW	3	b
Swatow.	"	29.54	84	.	NW	2	c
Canton.	"	29.63	90	77	W	1	b
Hongkong....	10 a.	29.60	85	72	W	1	b
Victoria Peak,	"	.	..	..	WSW	5	..
Gap Rock. ...	"	29.60	..	..	WNW	4	..
Macao..... ..	"	29.62	10	..	WSW	1	c
Haiphong, ...	7 a.	.	..	..	..	.	..
Manila, ...	10 a.	29.76	79	92	WSW	5	or
Malate, ...	9 a.	..	..	..	W	6	o
Lucoted, ...	"	.	..	..	SE	2	c
Iloilo.	"	29.89	89	..	SE	.	o
Cebu, ...	"	29.85	85	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 2nd at 11.30 a. The barometer has fallen rapidly on the China coast. The typhoon centre appears to be now lying near the coast of Northern Formosa and moving WNW. It will probably enter the China coast to the North of Foochow. Fresh to strong W and SW winds in the N. part of the China sea and S. part of the Formosa Channel. Forecast:—W to SW winds, moderate to fresh; fine at first unsettled later.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 2nd August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

2nd AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	,,	29.98	..	..	S	6	..
Kochi,	,,	30.08	..	..	SE	2	..
Nagasaki,	,,	29.87	..	..	SE	8	..
Kagoshima,	,,	29.91	..	..	SE	8	..
Taihoku,	1 p.	29.19	..	..	NW	10	..
Taichu,	,,	29.32	..	..	NW	8	..
Tainan,	,,	29.40	..	..	NW	10	..
Koshun,	,,	29.83	..	..	NW	10	..
Pescadores,	,,	29.45	..	..	NW	8	..
Gutzlaff,	3 p.	..	..	..	..	..	.
Sharp Peak,	,,	29.27	91	52	NNW	3	c
Amoy,	,,	29.43	94	74	W	4	c
Swatow,	,,	29.46	92	..	W	3	c
Canton,	,,	29.52	19	60	W	1	b
Hongkong,	4 p.	29.49	91	58	WSW	2	c
Victoria Peak,	,,	.	..	..	SSW	3	..
Gap Rock,	,,	29.60	..	..	WSW	3	..
Macao,	,,	29.51	94	..	SW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.72	90	92	SSW	..	o
Malate,	3 p.	..	..	..	SW	4	orq
Pacolod,	,,	..	..	..	SW	2	rq
Iloilo,	,,	29.83	81	..	W	2	o
Cebu,	,,	29.80	85	..	SW	2	o
Cape S. James,	,,	.	..	..	SW	2	c

3rd AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,		..	..	..	..	..
Gutzlaff,	9 a.	29.56	79	95	ESE	10	cmp
Sharp Peak,	,,	28.98	80	78	SSW	10	qr
Amoy,	,,	29.22	86	96	SW	7	cq
Swatow,	,,	29.38	87	.	W	4	b
Canton,	,,	..	.	.		..	
Hongkong,	10 a.	29.44	88	69	W	3	o
Victoria Peak,	,,			..	W	3	..
Gap Rock,	,,	29.46	..	..	WSW	6	..
Macao,	,,	29.44	93	..	WSW	2	c
Haiphong,	7 a.	.	.	.	..	.	..
Manila,	10 a.	29.76	84	77	S	1	c
Malate,	9 a.	..	..	..	SSW	1	c
Pacolod,	,,	.	..	..	S	1	b
Iloilo,	,,	29.89	82	..	SW	1	o
Cebu,	,,	29.87	86	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	3	c

On the 3rd at 11.10a The typhoon centre entered the coast this morning at 8 o'clock, just to the North of Foochow. Strong cyclonic winds and gales are blowing along the China coast between Shanghai and Hong Kong, and strong SW winds in the N. part of the China Sea.

Forecast:—strong SW winds; squally, probably some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 3rd August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

3rd AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.98	..	..	S	6	..
Kochi,	,,	30.03	..	..	SE	2	..
Nagasaki,	,,	29.91	..	..	SE	6	..
Kagoshima,	,,	29.95	..	..	S	8	..
Taihoku,	1 p.	29.30	..	..	..	0	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	29.55	80	91	SE	10	cm
Sharp Peak,	,,	28.97	80	89	SSE	7	e
Amoy,	,,	29.24	82	100	SSW	7	or
Swatow,	,,	29.27	88	..	SW	3	o
Canton,	,,	29.36	101	55	NW	2	b
Hongkong,	4 p.	29.35	88	77	SW	4	oq
Victoria Peak,	,,	.	..	..	S	6	..
Gap Rock,	,,	29.36	..	..	WSW	6	..
Macao,	,,	29.35	95	..	WSW	2	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.72	88	66	SW	1	o
Malate,	3 p.	..	..	..	W	4	o
Bacolod,	,,	..	..	..	SW	2	b
Iloilo,	,,	29.82	85	..	SE	2	b
Cebu,	,,	29.79	88	..	SW	2	b
Cape S. James,	,,	..	..	..	S	4	o

4th AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	.	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.52	..	..	W	2	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.		..		..		..
Sharp Peak,	,,	29.42	80	78	SSE	4	o
Amoy,	,,	29.44	79	91	SW	5	or
Swatow,	,,	..	.	.	.	..	.
Canton,	,,	..	..	.	..	..	.
Hongkong,	10 a.	29.46	82	82	SW	4	oq
Victoria Peak,	,,		.	..		..	..
Gap Rock,	,,	29.49	.	..	WSW	5	..
Macao,	,,	29.44	85	..	SW	3	..
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.80	88	66	SSE	1	c
Malate,	9 a.	..	..	..	S	2	c
Bacolod,	,,	.	..	..	S	2	b
Iloilo,	,,	29.88	82	..	SE	1	b
Cebu,	,,	29.88	86	..	SW	..	b
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 4th at 12.10p. The typhoon which is probably filling up slowly, seems to be lying to the S. of Kiukiang and moving WNW. Strong cyclonic winds and gales continue to prevail on the China coast, and strong SW winds in the N. part of the China Sea. Forecast:—strong SW winds; squally, thunder storms.

Telegraphic communication between the Observatory and Hongkong has been interrupted since 8.10 am.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 4th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	S	4	..
Kochi,	"	29.99	..	..	NE	2	..
Nagasaki,	"	29.91	..	..	SE	4	..
Kagoshima,	"	29.95	..	..	SE	4	..
Taihoku,	1 p.	29.69	..	..	N	2	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	29.59	79	87	SSE	9	cm
Sharp Peak,	"	29.45	80	87	SSE	3	o
Amoy,	"	29.46	79	91	S	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.43	82	83	SW	4	oq
Victoria Peak,	"	..	..	..		..	..
Gap Rock,	"	29.43	..	..	WSW	6	..
Macao,	"	29.46	85	..	SW	3	oq
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	82	77	WSW	3	c
Malate,	3 p.	..	..	..	SW	4	c
Bacolod,	"	..	..	..	SW	1	c
Iloilo,	"	29.81	85	..	SW	1	c
Cebu,	"	29.78	87	..	SW	1	c
Cape S. James,	"	..	..	..	..	..	

5th AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.64	..	..	NW	2	..
Taichu,	"	29.62	..	..	S	2	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	29.60	79	91	SSE	8	cm
Sharp Peak,	"	29.53	78	91	SSW	2	od
Amoy,	"	29.55	78	91	SSW	3	omd
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.60	76	92	S	1	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.60	..	..	SW	3	..
Macao,	"	29.60	76	..	SW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	86	73	SSW	1	b
Malate,	9 a.	..	..	..	SW	1	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.89	88	..	..	0	o
Cebu,	"	29.90	81	..	SW	1	o
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 5th at 12.10p. The barometer has risen moderately in S. China and is inclined to fall on the E. coast. Probably the depression has crossed the Yangtze in the neighbourhood of Kiukiang, and may now recurve over Shantung. Fresh SW winds in S. China and strong monsoon in the N. part of the China Sea. Forecast:—fresh to moderate SW winds; squally, thundershowers.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 5th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

5th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	29.64	..	..	E	4	..
Taichu,	"	29.65	..	..	S	4	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	29.63	78	86	SSE	7	cm
Sharp Peak,	"	29.49	78	93	SW	6	r
Amoy,	"	29.48	82	91	S	4	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.57	88	80	SW	2	c
Hongkong,	4 p.	29.55	77	87	WSW	2	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.55	..	..	WSW	3	..
Macao,	"	29.55	80	..	WSW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	84	77	SW	3	o
Malate,	3 p.	..	..	..	W	4	o
Tacolod,	"	..	..	..	S	2	r
Iloilo,	"	29.80	84	..	ESE	1	o
Cebu,	"	29.81	84	..	SW	2	o
Cape S. James,	"	..	..	..	..	..	..

6th AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	29.76	79	91	SSE	..	cmp
Sharp Peak,	"	29.63	78	91	..	0	o
Amoy,	"	29.60	79	91	SE	2	cm
Swatow,	"	29.61	80	..	SE	1	b
Canton,	"	29.66	85	83	W	1	b
Hongkong,	10 a.	29.64	83	77	W	1	b
Victoria Peak,	"	..	..	..	NW	3	..
Gap Rock,	"	29.65	..	..	NW	1	..
Macao,	"	29.66	88	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	86	71	SSW	1	c
Malate,	9 a.	..	..	..	W	2	o
Tacolod,	"	..	..	..	S	2	o
Iloilo,	"	29.87	81	..	SE	1	o
Cebu,	"	29.86	84	..	..	0	o
Cape S. James,	7 a.	..	..	..	SW	2	o

On the 6th at 11 55a. The barometer has risen on the China coast, particularly at the mouth of the Yangtze. Probably the depression over Central China has almost filled up. Gradients moderate for SE to SW winds on the coast and in the N. part of the China Sea. Forecast:—moderate SW winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 6th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	E	2	..
Kochi,	"	29.81	..	..	SE	2	..
Nagasaki,	"	29.87	..	..	SW	4	..
Kagoshima,	"	29.91	..	..	S	2	..
Taihoku,	1 p.	29.66	..	..	NW	2	..
Taichu,	"	29.64	..	..	..	0	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	29.81	77	91	SSE	5	cm
Sharp Peak,	..	29.59	80	87	NE	2	o
Amoy,	"	29.59	81	91	SSE	5	c
Swatow,	"	29.65	86	..	S	3	c
Canton,	"	29.54	92	57	N	1	b
Hongkong,	4 p.	29.56	86	63	WSW	1	c
Victoria Peak,	"	..	..	..	WSW	4	..
Gap Rock,	"	29.59	..	..	SW	2	..
Macao,	"	29.60	89	..	..	0	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	82	85	WSW	..	o
Balate,	3 p.	..	..	..	SW	1	c
Paceloc,	"	..	..	..	W	2	c
Iloilo,	"	29.79	85	..	W	1	o
Cebu,	"	29.77	85	..	..	0	c
Cape S. James,	"	..	..	..	SW	4	..

7th AUGUST 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.74	..	..	.	0	..
Taichu,	"	29.70	..	..	NE	2	..
Tainan,	"	29.70	..	..	SE	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.68	..	..	S	4	..
Gutzlaff,	9 a.	..	..	..	.	..	..
Sharp Peak,	"	29.68	78	89	E	1	o
Amoy,	"	29.66	80	91	SSE	2	c
Swatow,	"	.	..	.	..	..	.
Canton,	"	29.66	87	84	.	0	b
Hongkong,	10 a.	29.64	84	73	NW	1	o
Victoria Peak,	"	.	..	..	..	0	..
Gap Rock,	"	29.64	..	..	W	2	..
Macao,	"	29.64	87	..	SW	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.80	82	92	.	0	o
Balate,	9 a.	..	..	..	..	0	c
Paceloc,	"	.	..	..	S	1	b
Iloilo,	"	29.84	81	..	NW	2	c
Cebu,	"	29.85	83	..	..	0	o
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 7th at 12.5p. The barometer has risen on the E. coast of China, and is little changed elsewhere. Pressure remains low over S. China and gradients are moderate for E. and SE. winds on the coast, and for SW winds in the N. part of the China Sea.

Forecast:—varying and E winds, light to moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 7th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

7th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.96	70	..	S	3	o
Tokio,	"	29.90	..	..	E	2	..
Kochi,	"	29.88	..	..	S	4	..
Nagasaki,	"	29.83	..	..	SW	4	..
Kagoshima,	"	29.87	..	..	SE	2	..
Taihoku,	1 p.	29.72	..	..	SW	4	..
Taichu,	"	29.68	..	..	..	0	..
Tainan,	"	29.70	..	..	S	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.71	..	..	E	4	..
Gutzlaff,	3 p.	29.85	81	87	SE	5	cm
Sharp Peak,	"	29.66	80	89	E	2	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	29.58	83	..	E	3	c
Canton,	"	29.57	94	71	..	0	b
Hongkong,	4 p.	29.58	85	75	E	1	o
Victoria Peak,	"	.	..	..	ESE	1	..
Gap Rock,	"	29.59	..	..	WSW	2	..
Macao,	"	29.57	89	..	S	1	e
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	82	85	WSW	4	c
Malate,	3 p.	..	..	..	W	4	c
Baseiod,	"	..	..	..	SW	2	b
Iloilo,	"	29.78	82	..	SE	2	o
Cebu,	"	29.77	85	..	SW	1	o
Cape S. James,	"	..	..	..	W	8	or

8th AUGUST 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.82	69	80	S	2	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.75	..	..	E	4	..
Taichu,	"	29.70	..	..	..	0	..
Tainan,	"	29.70	..	..	SE	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.74	..	..	NE	2	..
Gutzlaff,	9 a.	29.84	81	87	SE	2	lv
Sharp Peak,	"	29.78	79	91	NE	2	cr
Amoy,	"	29.71	80	91	ENE	1	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.69	87	84	E	1	b
Hongkong,	10 a.	29.70	81	78	E	1	o
Victoria Peak,	"	.	..	..	E	1	..
Gap Rock,	"	29.68	..	..	ESE	2	..
Macao,	"	29.70	87	..	E	1	cp
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.80	84	77	SSW	2	c
Malate,	9 a.	..	..	..	W	2	c
Baseiod,	"	.	..	..	.	0	b
Iloilo,	"	29.82	80	..	SE	1	c
Cebu,	"	29.77	84	..		0	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 8th at 12 p. The barometer has risen on the China coast, fallen in the South. Pressure is high over the E. coast of China, and through the area of low pressure partially extends over the N. part of the China Sea and the Pacific to the Eastward. Gradients moderate to slight for E winds on the China coast, and for SW winds over the middle part of the China Sea.

Forecast:—moderate E winds; fair to showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 8th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	N	4	..
Kochi,	"	29.87	..	..	SE	2	..
Nagasaki,	"	29.83	..	..	SW	4	..
Kagoshima,	"	29.88	..	..	SE	4	..
Taihoku,	1 p.	29.75	..	..	E	8	..
Taichu,	"	29.68	..	..	.	0	..
Tainan,	"	29.70	..	..	S	4	..
Koshun,	"	..	..	..	.	..	..
Pescadores,	"	29.71	..	..	E	4	..
Gutzlaff,	3 p.	29.91	84	83	ESE	3	cv
Sharp Peak,	"	29.72	80	87	NNE	5	o
Amoy,	"	29.67	86	..	SSE	3	..
Swatow,	"	29.66	81	..	E	4	or
Canton,	"	29.61	88	66	E	2	b
Hongkong,	4 p.	29.63	79	86	E	3	o
Victoria Peak,	"	.	..	..	ESE	1	..
Gap Rock,	"	29.63	..	..	ESE	2	..
Macao,	"	29.66	88	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	82	85	WSW	3	o
Molate,	3 p.	..	..	..	SW	2	o
Bacolod,	"	..	..	..	W	1	c
Iloilo,	"	29.80	83	..	W	1	c
Cebu,	"	29.70	84	..	..	0	o
Cape S. James,	"	..	..	..	SW	2	c

9th AUGUST 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	.	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	.	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	.	..
Gutzlaff,	9 a.	29.85	79	91	ESE	2	cv
Sharp Peak,	"	..	..	.	..	..	.
Amoy,	"	29.78	80	91	NE	3	c
Swatow,	"	29.76	82	.	N	1	c
Canton,	"	29.76	85	79	E	1	b
Hongkong,	10 a.	29.76	81	78	ESE	1	o
Victoria Peak,	"	.	..	..	E	1	..
Gap Rock,	"	29.75	..	..	ENE	3	..
Macao,	"	29.74	87	..	ENE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	82	85	NNW	1	b
Molate,	8 a.	.	..	..	SW	3	o
Bacolod,	"	.	..	..	S	2	o
Iloilo,	"	29.92	81	..	W	2	or
Cebu,	"	29.90	87	..	SW	2	c
Cape S. James,	7 a.	.	..	..	SW	1	o

On the 9th at 12.5 p. The barometer has risen over S. China and the Phillipines. Pressure remains high over the E. coast of China, and relatively low across the N. part of the China Sea. Gradients moderate for E. winds on the coast, and for SW. winds over the middle part of the China Sea.

Forecast:—moderate E. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 9th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.86	..	..	N	2	..
Kochi,	,,	29.87	..	..	S	0	..
Nagasaki,	,,	29.83	..	..	W	6	..
Kagoshima,	,,	29.83	..	..	S	4	..
Taihoku,	1 p.	29.84	..	..	NW	2	..
Taichu,	,,	29.80	..	..	NW	6	..
Tainan,	,,	29.82	..	..	S	6	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	29.82	..	..	SE	6	..
Gutzlaff,	3 p.	29.91	83	87	SE	2	cv
Sharp Peak,	,,	29.77	79	87	NNE	3	o
Amoy,	,,	29.75	82	87	ENE	2	or
Swatow,	,,	29.69	83	..	E	3	c
Canton,	,,	29.68	90	73	..	0	c
Hongkong,	4 p.	29.69	81	80	E	3	c
Victoria Peak,	,,	.	..	..	ESE	1	..
Gap Rock,	,,	29.68	..	..	ENE	3	..
Macao,	,,	29.70	88	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	77	92	WSW	3	od
Malate,	3 p.	..	..	..	SW	6	c
Baguio,	,,	..	..	..	W	2	c
Iloilo,	,,	29.83	83	..	W	2	o
Cebu,	,,	29.81	87	..	SW	2	c
Cape S. James,	,,	..	..	..	SW	3	c

10th AUGUST 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.86	..	..	SE	2	..
Taichu,	,,	29.82	..	..	..	0	..
Tainan,	,,	29.82	..	..	..	0	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	29.82	..	..	SE	4	..
Gutzlaff,	9 a.	..	..	..	..	.	..
Sharp Peak,	,,	29.82	80	87	..	0	o
Amoy,	,,	29.81	80	91	NE	1	cd
Swatow,	,,	29.81	81	..	E	2	c
Canton,	,,	..	..	.	..	.	..
Hongkong,	10 a.	29.76	83	81	E	1	c
Victoria Peak,	,,	.	..	..	E	2	..
Gap Rock,	,,	29.75	..	..	NNE	2	..
Macao,	,,	29.76	84	..	ENE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	84	77	..	0	o
Malate,	9 a.	.	..	..	..	0	o
Baguio,	,,	.	..	..	S	2	b
Iloilo,	,,	29.91	82	..		0	c
Cebu,	,,	29.91	86	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 10th at 12 5p. Barometric changes are slight. Pressure remains high over the E. coast of China, and relatively low across the N. part of the China Sea. Gradients moderate to slight for E winds on the coast, and for SW winds over the middle part of the China Sea.

Forecast:—moderate E winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 10th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	SE	2	..
Kochi,	"	29.79	..	..	SE	4	..
Nagasaki,	"	29.83	..	..	W	6	..
Kagoshima,	"	29.83	..	..	W	4	..
Taihoku,	1 p.	29.84	..	..	NW	2	..
Taichu,	"	29.82	..	..	N	4	..
Tainan,	"	29.85	..	..	W	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.86	..	..	NE	2	..
Gutzlaff,	3 p.	29.88	85	83	SSE	3	cv
Sharp Peak,	"	29.76	82	85	ENE	2	c
Amoy,	"	29.79	80	91	ESE	2	od
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.71	94	68	W	1	c
Hongkong,	4 p.	29.70	81	87	E	2	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	29.68	..	..	ENE	2	..
Macao,	"	29.70	88	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	82	85	WSW	2	o
Malate,	3 p.	..	..	..	WSW	2	o
Bacolod,	"	..	..	..	S	1	c
Iloilo,	"	29.86	85	..	SW	1	c
Cebu,	"	29.85	86	..	N	2	c
Cape S. James,	"	..	..	..	SW	2	c

11th AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..		..	..
Gutzlaff,	9 a.	29.85	76	95	SSE	5	cv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	29.80	80	87	NNE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.71	85	79	SE	1	o
Hongkong,	10 a.	29.70	78	89	E	1	op
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	29.69	..	..	ENE	3	..
Macao,	"	29.70	86	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	84	77	WSW	2	c
Malate,	9 a.	..	..	..	SSW	2	o
Bacolod,	"	..	..	..	S	1	c
Iloilo,	"	29.91	83	..	W	1	c
Cebu,	"	29.91	84	..	SW	1	c
Cape S. James,	7 a.	..	..	..	..	..	

On the 11th at 12.10 p. The barometer has fallen over the China coast and Luzon. Pressure is highest over the Pacific in the neighbourhood of the Loochoos, lowest in a trough-like area of low pressure lying across the N. part of the China Sea. Gradients moderate to slight for E winds in S. China, and for SW winds over the middle part of the China Sea. Forecast:—moderate E winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 11th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.66	67	..	S	5	o
Tokio,	,,	29.86	..	..	NW	2	..
Kochi,	,,	29.83	..	..	SE	2	..
Nagasaki,	,,	29.83	..	..	W	6	..
Kagoshima,	,,	29.91	..	..	W	4	..
Taihoku,	1 p.	29.76	..	..	E	6	..
Taichu,	,,	29.74	..	..	NW	4	..
Tainan,	,,	29.74	..	..	NW	4	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	29.78	..	..	N	4	..
Cutzlaff,	3 p.	29.80	79	87	SSE	5	cv
Sharp Peak,	,,	29.68	83	83	E	1	o
Amoy,	,,	29.71	82	68	SE	2	o
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	4 p.	29.60	81	84	E	2	o
Victoria Peak,	,,	..	..	..	E	3	..
Cap Rock,	,,	29.59	..	..	E	3	..
Macao,	,,	29.60	87	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	79	92	WSW	2	or
Malate,	3 p.	..	..	..	W	2	or
Facolod,	,,	..	..	..	SW	2	b
Iloilo,	,,	29.80	84	..	SW	1	o
Cebu,	,,	29.80	86	..	SW	2	c
Cape S. James,	,,	..	..	..	..	..	

12th AUGUST 1901, A. M.

Wladivostock,	7 a.	29.67	64	99	SE	6	or
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.70	..	..	E	4	..
Taichu,	,,	29.67	..	..	..	0	..
Tainan,	,,	29.68	..	..	NW	4	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	29.70	..	..	NW	4	..
Cutzlaff,	9 a.	29.86	80	91	S	4	cv
Sharp Peak,	,,	29.70	82	91	ESE	3	o
Amoy,	,,	29.67	80	91	WSW	2	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.63	83	87	E	1	c
Hongkong,	10 a.	29.63	79	91	ENE	3	op
Victoria Peak,	,,	..	..	..	ESE	5	..
Cap Rock,	,,	29.62	..	..	SE	2	..
Macao,	,,	29.62	81	..	NE	1	op
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	79	92	SE	1	od
Malate,	9 a.	..	..	..	..	0	or
Facolod,	,,	..	..	..	S	2	b
Iloilo,	,,	29.89	81	..		0	o
Cebu,	,,	29.91	84	..	SW	2	or
Cape S. James,	7 a.	..	..	..	WSW	2	c

On the 12th at 11 55a. The barometer has fallen over S. China. A depression appears to be moving into the N. part of the Sea of Japan from the Westward, and the low pressure trough is lying off the S. coast of China. Gradients moderate for E winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:—moderate E winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 12th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.65	70	..	SE	6	o
Tokio,	,,	29.90	..	..	S	6	..
Kochi,	,,	29.99	..	..	..	0	..
Nagasaki,	,,	29.95	..	..	S	4	..
Kagoshima,	,,	29.99	..	..	SE	4	..
Taihoku,	1 p.	29.69	..	..	E	8	..
Taichu,	,,	29.63	..	..	SW	2	..
Tainan,	,,	29.68	..	..	W	4	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	,,	29.63	82	87	ENE	6	o
Amoy,	,,	29.60	86	84	SE	4	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.56	84	83	E	2	o
Hongkong,	4 p.	29.56	80	85	E	2	o
Victoria Peak,	,,	..	..	..	ESE	2	..
Gap Rock,	,,	29.54	..	..	ESE	3	..
Macao,	,,	29.58	81	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	84	77	W	1	c
Malate,	3 p.	..	..	..	..	1	c
Bacoled,	,,	..	..	..	SW	1	c
Iloilo,	,,	29.84	82	..	W	2	o
Cebu,	,,	29.79	84	..	SW	2	c
Cape S. James,	,,	..	..	..	SW	5	[illegible]

13th AUGUST 1901, A. M.

Wladivostock,	7 a.	29.55	69	99	SE	4	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,				..	..	..
Amoy,	,,	29.72	80	91	SE	5	opq
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.65	81	91	E	2	o
Hongkong,	10 a.	29.67	79	87	ENE	1	o
Victoria Peak,	,,	..	..	..	SSE	2	..
Gap Rock,	,,	29.66	..	..	SSE	2	..
Macao	,,	29.65	80	..	ESE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	84	77	ENE	1	o
Malate,	9 a.	..	..	..	SW	1	c
Bacoled,	,,	..	..	..	SW	1	o
Iloilo,	,,	29.91	82	..		0	b
Cebu,	,,	29.91	85	..	SW	1	o
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 13th at 11.55a. The barometer has risen slightly on the China coast, fallen in the extreme North. The depression in the North is still lying over Manchuria, and pressure remains low over the NW part of the China Sea. Gradients moderate for SE winds on the China coast.

Forecast:—moderate SE winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 13th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	S	2	..
Kochi,	"	29.99	..	..	SE	..	..
Nagasaki,	"	30.03	..	..	W	6	..
Kagoshima,	"	30.03	..	..	S	4	..
Taihoku,	1 p.	29.88	..	..	E	6	..
Taichu,	"	29.83	..	..	W	2	..
Tainan,	"	29.83	..	..	SE	8	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.84	..	..	SE	8	..
Gutzlaff,	3 p.	29.85	82	96	S	6	cv
Sharp Peak,	"	29.80	80	85	SW	2	r
Amoy,	"	29.76	80	91	SE	4	c
Swatow,	"	29.66	80	..	SSE	..	or
Canton,	"	29.61	87	76	E	2	c
Hongkong,	4 p.	29.60	79	92	E	1	o
Victoria Peak,	"	..	..	..	SSE	2	..
Cap Rock,	"	29.59	..	..	SSE	3	..
Macao,	"	29.59	86	..	SSE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	81	92	ESE	1	cd
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	SW	2	o
Iloilo,	"	29.82	84	..	SE	1	o
Cebu,	"	29.84	80	..	..	0	or
Cape S. James,	"	..	..	..	SW	3	c

14th AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	29.90	80	91	SE	..	cv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	29.83	81	96	SE	4	cm
Swatow,	"	29.79	80	..	SE	2	od
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.75	78	93	S	3	cpq
Victoria Peak,	"	..	..	..	SSE	3	..
Cap Rock,	"	29.72	..	..	SSE	5	..
Macao,	"	29.75	77	..	S	1	op
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	84	77	SSW	1	f
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	S	2	o
Iloilo,	"	29.91	80	..	SE	..	cq
Cebu,	"	29.93	78	..	SW	1	or
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 14th at 12 5p. The barometer has risen on the China coast. Pressure is high over the Pacific in the neighbourhood of the Loochoos, and relatively low over SW China and the NW part of the China Sea. Gradients moderate for SE and S winds on the coast and in the N. part of the China Sea.

Forecast:—fresh to moderate SE winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 14th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.86	..	..	S	4	..
Kochi,	,,	29.95	..	..	SE	2	..
Nagasaki,	,,	29.99	..	..	W	6	..
Kagoshima,	,,	29.99	..	..	W	4	..
Taihoku,	1 p.	29.90	..	..	E	8	..
Taichu,	,,	29.87	..	..	W	2	..
Tainan,	,,	29.87	..	..	NW	4	..
Koshun,	,,	29.93	..	..	E	4	..
Pescadores,	,,	29.90	..	..	E	4	..
Gutzlaff,	3 p.	29.90	80	78	S	4	cv
Sharp Peak,	,,	29.84	82	87	NE	2	o
Amoy,	,,	29.81	81	91	E	4	or
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.68	79	95	E	1	or
Hongkong,	4 p.	29.71	77	92	E	1	od
Victoria Peak,	,,	..	..	..	S	6	..
Cap Rock,	,,	29.69	..	..	S	4	..
Macao,	,,	29.67	82	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	79	92	ESE	1	o
Malate,	3 p.	..	..	..	..	0	o
Iscoled,	,,	..	..	..	SW	1	p
Iloilo,	,,	29.84	78	..	..	0	or
Cebu,	,,	29.85	83	..	SW	1	c
Cape S. James,	,,	..	..	..	SW	2	o

15th AUGUST 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.94	..	..	S	2	..
Taichu,	,,	29.88	..	..	NE	2	..
Tainan,	,,	29.87	..	..	.	0	..
Koshun,	,,	29.90	..	..	SE	4	..
Pescadores,	,,	29.90	..	..	NE	4	..
Gutzlaff,	9 a.	29.90	82	87	S	4	cv
Sharp Peak,	,,	29.86	81	83	..	0	o
Amoy,	,,	29.83	79	91	SW	4	o
Swatow,	,,	..	..	.	..	.	..
Canton,	,,	29.81	80	96	E	1	o
Hongkong,	10 a.	29.81	80	82	SE	2	op
Victoria Peak,	,,	..	..	..	SE	4	..
Cap Rock,	,,	29.80	..	..	SSE	3	..
Macao,	,,	29.80	79	..	E	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	80	71	SE	1	c
Malate,	9 a.	..	..	..	S	1	c
Iscoled,	,,	.	..	..	..	0	c
Iloilo,	,,	29.93	89	..	..	0	c
Cebu,	,,	29.92	84	..	SW	2	o
Cape S. James,	7 a.	..	..	..	SW	3	c

On the 15th at 11.55a. The barometer has risen over the S. coast of China. Pressure remains high over the Pacific in the neighbourhood of the Loochoos, and gradients are moderate to slight for S and SE winds on the China coast and in the N. part of the China Sea. **Forecast:—moderate SE winds; squally, showery.**

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 15th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	6	..
Kochi,	"	29.87	..	..	SE	2	..
Nagasaki,	"	29.91	..	..	SW	6	..
Kagoshima,	"	29.95	..	..	NW	6	..
Taihoku,	1 p.	29.84	..	..	S	6	..
Taichu,	"	29.85	..	..	..	0	..
Tainan,	"	29.88	..	..	NW	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.89	..	..	N	4	..
Gutzlaff,	3 p.	29.83	81	87	S	4	cm
Sharp Peak,	"	29.82	83	87	..	0	o
Amoy,	"	29.81	82	91	SE	3	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.77	82	91	E	1	r
Hongkong,	4 p.	29.74	78	91	E	3	op
Victoria Peak,	"	..	..	..	E	4	..
Cape Rock,	"	29.73	..	..	E	2	..
Manila,	"	29.74	83	..	ENE	1	c
Iloilo,	1 p.	..	..	..	..	..	..
Cebu,	4 p.	29.80	82	85	..	0	o
Malate,	3 p.	..	..	..	W	2	o
Bacolod,	"	..	..	..	W	2	c
Iloilo,	"	29.84	84	..	..	0	o
Cebu,	"	29.84	81	..	N	2	c
Cape S. James,	"	..	..	..	..	.	..

16th AUGUST 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.91	..	..	S	2	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.89	..	..	E	2	..
Koshun,	"	29.91	..	..	.	0	..
Pescadores,	"	29.90	..	..	N	2	..
Gutzlaff,	9 a.	..	..	..	..	..	.
Sharp Peak,	"	29.85	84	81	..	0	b
Amoy,	.	29.84	81	87	SE	1	c
Swatow,	"	..	..	..	..	..	.
Canton,	"	29.78	83	83	E	2	b
Hongkong,	10 a.	29.78	80	85	E	4	oq
Victoria Peak,	"	.	..	..	ESE	5	..
Cape Rock,	"	29.76	..	..	E	5	..
Manila,	"	29.80	84	..	E	1	c
Hongkong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	82	85	SSE	1	o
Malate,	9 a.	..	.	..	..	0	o
Bacolod,	"	.	..	..	SW	2	b
Iloilo,	"	29.89	81	..	..	..	oq
Cebu,	"	29.89	86	..	..	0	b
Cape S. James,	7 a.	..	..	..	SW	3	c

On the 16th at 12 5p The barometer has fallen slightly on the S. coast of China. Pressure is high over the Pacific near the Loochoos, and low, apparently, over the NW part of the China Sea in the neighbourhood of Hainan. Gradients slight to moderate for E and SE winds in S. China.

Forecast:—fresh E and SE winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 16th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	S	6	..
Kochi,	"	29.83	..	..	SE	2	..
Nagasaki,	"	29.87	..	..	SW	8	..
Kagoshima,	"	29.91	..	..	W	6	..
Taihoku,	1 p.	29.88	..	..	NW	4	..
Taichu,	"	29.84	..	..	N	6	..
Tainan,	"	29.86	..	..	NW	2	..
Koshun,	"	29.91	..	..	SE	4	..
Pescadores,	"	29.88	..	..	NE	4	..
Gutzlaff,	3 p.	29.84	83	83	S	4	cv
Sharp Peak,	"	29.82	83	85	E	4	c
Amoy,	"	29.82	86	88	SE	4	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.75	87	76	SE	2	b
Hongkong,	4 p.	29.76	80	84	ENE	4	cq
Victoria Peak,	"	..	..	..	ESE	6	..
Cap Rock,	"	29.73	..	..	ESE	4	..
Macao,	"	29.74	84	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	77	92	..	0	cd
Malate,	8 p.	..	..	..	S	2	orlt
Tacoled,	"	..	..	..	S	2	o
Iloilo,	"	29.78	84	..	E	1	c
Cebu,	"	29.80	83	..	SW	1	c
Cape S. James,	"	..	..	..	SW	3	c

17th AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	..	0	..
Taichu,	"	29.89	..	..	W	0	..
Tainan,	"	29.88	..	..	E	2	..
Koshun,	"	29.89	..	..	..	0	..
Pescadores,	"	29.89	..	..	NW	2	..
Gutzlaff,	9 a.	29.86	81	83	S	4	cv
Sharp Peak,	"	29.87	82	77	..	0	b
Amoy,	"	29.84	80	91	SW	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.82	84	75	E	2	b
Hongkong,	10 a.	29.79	83	70	E	4	cq
Victoria Peak,	"	..	..	..	ESE	7	..
Cap Rock,	"	29.76	..	..	ESE	5	..
Macao	"	29.79	85	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	82	85	W	1	o
Malate,	9 a.	..	..	..	..	0	o
Tacoled,	"	..	..	..	SW	2	b
Iloilo,	"	29.89	83	..	..	0	o
Cebu,	"	29.88	85	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 17th at 11.30a. Barometric changes are slight. Pressure is highest over the Pacific in the neighbourhood of the Loochoos, and there are indications of the formation of a depression in the China Sea to the SSW of Hongkong. Gradients slight in the North, rather steep for E winds along the S. coast of China. Forecast:—strong E winds; rainsqualls.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 17th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	S	6	..
Kochi,	"	29.87	..	..	SE	4	..
Nagasaki,	"	29.87	..	..	SW	6	..
Kagoshima,	"	29.91	..	..	NW	4	..
Taihoku,	1 p.	29.87	..	..	NW	2	..
Taichu,	"	29.85	..	..	NW	2	..
Tainan,	"	29.87	..	..	N	4	..
Koshun,	"	29.92	..	..	E	4	..
Pescadores,	"	29.98	..	..	N	4	..
Gutzlaff,	3 p.	29.81	81	83	S	3	cv
Sharp Peak,	"	29.81	82	85	E	..	..
Amoy,	"	29.80	86	..	SE	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.74	93	58	E	2	c
Hongkong,	4 p.	29.73	78	81	ENE	4	oq
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	29.70	..	..	E	6	..
Macao,	"	29.73	82	..	E	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	82	77	W	1	o
Malate,	3 p.	..	..	..	W	2	o
Bacolod,	"	..	..	..	W	2	c
Iloilo,	"	29.84	83	..	SE	..	cq
Cebu,	"	29.81	84	..	SW	1	c
Cape S. James,	"	..	..	..	SW	3	c

18th AUGUST 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.88	..	..	S	4	..
Taichu,	"	29.86	..	..	..	0	..
Tainan,	"	29.85	..	..	..	0	..
Koshun,	"	29.88	..	..	..	0	..
Pescadores,	"	29.85	..	..	.	0	..
Gutzlaff,	9 a.	29.79	79	91	SSW	4	cv
Sharp Peak,	"	29.82	84	83	..	0	b
Amoy,	"	29.81	84	75	SSE	1	c
Swatow,	"	..	.	..	.	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.72	81	83	E	4	cq
Victoria Peak,	"	.	..	..	ESE	7	..
Gap Rock,	"	29.69	..	..	ESE	5	..
Macao,	"	29.70	80	..	E	1	cpq
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.82	82	85	SSW	1	..
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	"	.	..	..	S	2	o
Iloilo,	"	29.92	82	..	W	2	b
Cebu,	"	29.89	84	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 18th at 11.55a. A slight to moderate decrease of pressure has taken place on the China coast generally. The depression appears to be situated to the SW of Hongkong in about 19° to 20° Lat. and to be moving slowly NW. Gradients slight in the North, steep with strong winds to gales over the NW part of the China Sea. Forecast:—strong SE winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 18th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	S	6	..
Kochi,	"	29.87	..	..	S	2	..
Nagasaki,	"	29.79	..	..	W	6	..
Kagoshima,	"	29.83	..	..	SW	4	..
Taihoku,	1 p.	29.89	..	..	E	4	..
Taichu,	"	29.81	..	..	NW	4	..
Tainan,	"	29.85	..	..	W	4	..
Koshun,	"	29.89	..	..	E	4	..
Pescadores,	"	29.87	..	..	NE	2	..
Gutzlaff,	3 p.	29.78	76	95	SW	2	cd
Sharp Peak,	"	29.75	86	60	SE	1	c
Amoy,	"	29.79	88	51	SSE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.66	78	90	ESE	3	o
Victoria Peak,	"	..	..	..	ESE	5	..
Gap Rock,	"	29.68	..	..	SE	5	..
Macao,	"	29.64	80	..	SE	1	eq
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	81	85	SW	2	c
Malate,	3 p.	..	..	..	SSW	3	c
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	29.83	84	..	..	0	r
Cebu,	"	29.82	86	..	SW	..	c
Cape S. James,	"	..	..	..	..	..	..

19th AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.85	..	..	S	2	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.78	..	..	SE	2	..
Koshun,	"	29.84	..	..	SE	2	..
Pescadores,	"	29.82	..	..	..	0	..
Gutzlaff,	9 a.	29.82	79	91	NE	1	cv
Sharp Peak,	"	29.77	85	74	..	0	b
Amoy,	"	29.78	82	96	NE	1	c
Swatow,	"	29.77	79	..	E	2	b
Canton,	"	29.70	84	83	E	2	b
Hongkong,	10 a.	29.71	81	85	E	2	o
Victoria Peak,	"	..	..	..	SSE	4	..
Gap Rock,	"	29.69	..	..	SSE	3	..
Macao	"	29.69	84	..	SSE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	84	77	SSE	1	o
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	S	2	o
Iloilo,	"	29.86	82	..	SE	1	o
Cebu,	"	29.86	82	..	..	0	o
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 19th at 12.5p. The barometer has risen slightly on the E. coast of China, fallen a little over Formosa and the Phillipines. Pressure is highest over the Pacific near the Loochoos, lowest over SW China. Gradients slight to moderate for SE winds in S. China. Forecast:—moderate SE winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 19th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	8	..
Kochi,	"	29.75	..	..	SE	2	..
Nagasaki,	"	29.72	..	..	SW	6	..
Kagoshima,	"	29.75	..	..	W	2	..
Taihoku,	1 p.	29.82	..	..	NW	2	..
Taichu,	"	29.78	..	..	N	4	..
Tainan,	"	29.80	..	..	S	8	..
Koshun,	"	29.86	..	..	SE	2	..
Pescadores,	"	29.81	..	..	S	4	..
Gutzlaff,	3 p.	29.80	80	82	NE	2	ev
Sharp Peak,	"	29.70	84	77	E	4	..
Amoy,	"	29.74	84	83	SE	4	c
Swatow,	"	29.71	83	..	E	3	c
Canton,	"	29.66	83	87	E	2	b
Hongkong,	4 p.	29.66	80	91	E	2	o
Victoria Peak,	"	..	..	..	SE	3	..
Gap Rock,	"	29.65	..	..	SE	2	..
Macao,	"	29.64	84	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	81	85	WSW	3	o
Malate,	3 p.	..	..	..	W	4	e
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	29.77	84	..	W	2	o
Cebu,	"	29.76	84	..	SW	1	o
Cape S. James,	"	..	..	..	SW	4	e

20th AUGUST 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	..	0	..
Taichu,	"	29.80	..	..	..	0	..
Tainan,	"	29.79	..	..	..	0	..
Koshun,	"	29.81	..	..	SE	2	..
Pescadores,	"	29.83	..	..	SE	2	..
Gutzlaff,	9 a.	29.86	78	86	NE	3	o
Sharp Peak,	"	29.78	84	79	..	0	o
Amoy,	"	29.77	82	87	SE	1	c
Swatow,	"	29.79	80	..	ESE	..	o
Canton,	"	29.75	83	..	E	1	c
Hongkong,	10 a.	29.76	80	87	..	0	o
Victoria Peak,	"	.	..	..	S	1	..
Gap Rock,	"	29.75	..	..	..	0	..
Macao,	"	29.76	85	..	SSE	1	cpq
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	84	77	..	0	o
Malate,	9 a.	..	..	..	W	2	c
Bacolod,	"	.	..	..	S	2	o
Iloilo,	"	29.78	82	..	NW	2	o
Cebu,	"	29.82	81	..	..	0	o
Cape S. James,	7 a.	..	..	..	SW	3	c

On the 20th at 12.10p. The barometer has risen slightly on the China coast, fallen a little over the Phillipines. Pressure is highest over the NE coast of China, and gradients are slight for E winds on the China coast. Forecast:—E winds, light; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 20th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.70	82	..	SW	1	b
Tokio,	"	29.82	..	..	S	6	..
Kochi,	"	29.83	..	..	N	4	..
Nagasaki,	"	29.75	..	..	W	4	..
Kagoshima,	"	29.79	..	..	S	2	..
Taihoku,	1 p.	29.79	..	..	NW	4	..
Taichu,	"	29.77	..	..	NW	4	..
Tainan,	"	29.79	..	..	W	4	..
Koshun,	"	29.82	..	..	..	0	..
Pescadores,	"	29.82	..	..	W	2	..
Gutzlaff,	3 p.	29.84	80	78	ENE	3	cv
Sharp Peak,	"	29.72	83	81	ESE	3	c
Amoy,	"	29.73	85	87	SE	4	..
Swatow,	"	29.70	88	..	E	3	b
Canton,	"	29.69	91	74	S	1	c
Hongkong,	4 p.	29.69	81	84	E	1	o
Victoria Peak,	"	..	..	..	SSE	1	..
Cap Rock,	"	29.68	..	..	E	2	..
Macao,	"	29.71	86	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	82	85	WSW	2	c
Malate,	3 p.	..	..	..	S	1	..
Pacoled,	"	..	..	..	..	0	p
Iloilo,	"	29.76	81	..	..	0	[illegible]
Cebu,	"	29.76	84	..	SW	1	cd
Cape S. James,	"	..	..	..	NW	6	m

21st AUGUST 1901, A. M.

Wladivostock,	7 a.	29.83	68	94	S	2	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.80	..	..	E	2	..
Taichu,	"	29.77	..	..	..	0	..
Tainan,	"	29.81	..	..	E	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.86	..	..	..	0	..
Gutzlaff,	9 a.	29.88	80	82	ENE	3	cv
Sharp Peak,	"	29.78	84	79	NE	2	c
Amoy,	"	29.76	82	83	SE	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.80	81	86	..	0	o
Victoria Peak,	"	..	..	..	E	1	..
Cap Rock,	"	29.78	..	..	E	2	..
Macao,	"	29.79	86	..	SSE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	81	77	SSE	1	c
Malate,	9 a.	..	..	..	..	0	o
Pacoled,	"	..	..	..	S	2	o
Iloilo,	"	29.87	82	..	SE	4	oq
Cebu,	"	29.86	83	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 21st at 11.55a. Barometric changes are slight. Pressure is highest over the NE coast of China, and gradients continue slight for E winds on the coast, and for S winds over the middle part of the China Sea. Forecast:—E winds, light; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 21st August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	S	8	..
Kochi,	"	29.91	..	..	SE	2	..
Nagasaki,	"	29.87	..	..	SE	8	..
Kagoshima,	"	29.91	..	..	SW	2	..
Taihoku,	1 p.	29.79	..	..	E	4	..
Taichu,	"	29.77	..	..	NW	4	..
Tainan,	"	29.79	..	..	NW	4	..
Koshun,	"	29.82	..	..	E	4	..
Pescadores,	"	29.81	..	..	N	6	..
Gutzlaff,	3 p.	29.85	83	83	ENE	3	cv
Sharp Peak,	"	29.75	84	81	NNE	3	c
Amoy,	"	29.74	87	84	SE	4	c
Swatow,	"	29.75	85	..	S	2	c
Canton,	"	29.70	87	80	S	2	p
Hongkong,	4 p.	29.73	82	85	E	1	o
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	29.71	..	..	ENE	2	..
Macao,	"	29.72	85	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	82	85	WSW	2	o
Malate,	3 p.	..	..	..	W	4	o
Bacoled,	"	..	..	..	S	2	c
Iloilo,	"	29.82	82	..	W	2	o
Cebu,	"	29.80	86	..	SW	2	c
Cape S. James,	"	..	..	..	SW	3	c

22nd AUGUST, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	S	2	..
Taichu,	"	29.77	..	..	..	0	..
Tainan,	"	29.77	..	..	E	2	..
Koshun,	"	29.80	..	..	.	0	..
Pescadores,	"	29.79	..	..	N	2	..
Gutzlaff,	9 a.	29.88	81	87	SE	2	lv
Sharp Peak,	"	29.79	84	79	.	0	b
Amoy,	"	29.78	83	75	NNE	1	c
Swatow,	"	..	..	.	.	.	..
Canton,	"	29.81	85	88	SE	1	b
Hongkong,	10 a.	29.81	81	85	E	1	cp
Victoria Peak,	"	.	..	..	SSE	3	..
Gap Rock,	"	29.79	..	..	E	2	..
Macao,	"	29.82	89	..	ESE	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.76	82	77	S	1	c
Malate,	9 a.	.	..	..	W	2	o
Bacoled,	"	.	..	..	S	2	b
Iloilo,	"	29.84	80	..	W	2	or
Cebu,	"	29.85	83	..	SW	2	o
Cape S. James,	7 a.	..	..	..	WSW	3	o

On the 22nd at 11.55a. The barometer has fallen slightly over the Philippines. Pressure is low apparently, over the Pacific to the NE of Luzon, and high to the E. of Japan. Gradients slight for E winds on the China coast, and for SW winds over the middle part of China Sea. Forecast:—E or varying winds, light; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 22nd August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.77	75	..	S	2	c
Tokio,	"	29.94	..	..	S	4	..
Kochi,	"	29.83	..	..	W	4	..
Nagasaki,	"	29.88	..	..	W	4	..
Kagoshima,	"	29.83	..	..	SE	2	..
Taihoku,	1 p.	29.75	..	..	E	8	..
Taichu,	"	29.69	..	..	SW	2	..
Tainan,	"	29.71	..	..	SW	4	..
Koshun,	"	.	..	..	.	..	..
Pescadores,	"	29.74	..	..	N	6	..
Gutzlaff,	3 p.	29.86	83	83	SE	3	cv
Sharp Peak,	"	29.77	83	79	E	4	c
Amoy,	"	29.74	90	77	NE	4	b
Swatow,	"	29.78	85	..	ESE	3	o
Canton,	"	.	..	..	..	..	..
Hongkong,	4 p.	29.74	83	73	SE	1	o
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	29.74	..	..	SSW	1	..
Macao,	"	29.75	85	..	SSE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.69	81	85	WSW	3	c
Malate,	3 p.	..	..	..	S	2	c
Bacolod,	"	..	..	..	WSW	4	p
Iloilo,	"	29.81	80	..	SE	4	cq
Cebu,	"	29.78	87	..	SW	3	c
Cape S. James,	"	..	..	..	SW	4	c

23rd AUGUST, 1901, A. M.

Wladivostock,	7 a.	29.76	68	90	.	0	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.71	..	..	SW	2	..
Taichu,	"	29.67	..	..	..	0	..
Tainan,	"	29.67	..	..	SE	2	..
Koshun,	"	29.67	..	..	.	0	..
Pescadores,	"	29.49	..	..	N	4	..
Gutzlaff,	9 a.	29.84	83	87	SE	3	bv
Sharp Peak,	"	29.72	82	76	.	0	c
Amoy,	"	29.73	82	83	NW	1	c
Swatow,	"	29.74	83	.	E	3	c
Canton,	"	.	..	..	..	.	..
Hongkong,	10 a.	29.77	84	70	.	0	o
Victoria Peak,	"		..	..	NE	1	..
Gap Rock,	"	29.76	..	..	ESE	2	..
Macao,	"	29.76	86	..	S	..	c
Haiphong,	7 a.	.	..	..	.	.	.
Manila,	10 a.	29.72	79	92	SSW	3	cd
Malate,	9 a.	.	..	..	SSW	3	crq
Bacolod,	"	.	..	..	S	3	o
Iloilo,	"	29.82	82	..	SW	4	cq
Cebu,	"	29.81	88	..	SW	3	o
Cape S. James,	7 a.	..	..	..	SW	4	b

On the 23rd at 11.5a. The barometer has fallen slightly on the China coast and over the Philippines. A depression appears to be lying in the Pacific to the South of the Loochoos. Gradients slight for NE to NW winds on the China coast. Forecast:—varying or NW winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 23rd August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	..	4	..
Kochi,	"	29.75	..	..	SE	4	..
Nagasaki,	"	29.75	..	..	W	4	..
Kagoshima,	"	29.79	..	..	SE	2	..
Taihoku,	1 p.	29.64	..	..	N	6	..
Taichu,	"	29.60	..	..	N	4	..
Tainan,	"	29.63	..	..	NW	6	..
Koshun,	"	29.67	..	..	W	2	..
Pescadores,	"	29.66	..	..	N	8	..
Gutzlaff,	3 p.	29.81	83	87	ESE	3	bv
Sharp Peak,	"	29.65	83	75	NE	4	o
Amoy,	"	29.66	88	69	SE	4	c
Swatow,	"	29.62	86	..	SE	3	b
Canton,	"	29.69	93	64	W	..	b
Hongkong,	4 p.	29.65	84	66	SE	1	b
Victoria Peak,	"	..	..	..	SW	1	..
Cap Rock,	"	29.65	..	..	ENE	1	..
Macao,	"	29.64	90	..	SSE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.65	82	77	WSW	3	c
Malate,	3 p.	..	..	..	WSW	5	c
Tacoled,	"	..	..	..	SW	2	o
Iloilo,	"	29.74	80	..	W	4	cr
Cebu,	"	29.73	86	..	SW	..	c
Cape S. James,	"	..	..	..	SW	2	o

24th AUGUST, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.52	..	..	NW	6	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	29.52	..	..	..	0	..
Koshun,	"	29.54	..	..	..	0	..
Pescadores,	"	29.57	..	..	NW	6	..
Gutzlaff,	9 a.	29.76	84	87	ESE	3	cm
Sharp Peak,	"	29.44	85	61	WSW	3	o
Amoy,	"	29.60	81	83	SW	5	c
Swatow,	"	29.60	84	.	W	1	b
Canton,	"	29.65	86	80	W	1	b
Hongkong,	10 a.	29.66	85	76	W	1	o
Victoria Peak,	"	.	..	..	WSW	2	..
Cap Rock,	"	29.66	..	..	W	3	..
Macao,	"	29.66	90	..	SW	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.73	84	..	S	1	b
Malate,	9 a.	..	..	..	SW	2	o
Tacoled,	"	.	..	..	S	2	o
Iloilo,	"	29.78	82	..	SW	2	o
Cebu,	"	29.78	85	..	SW	2	b
Cape S. James,	7 a.	..	..	..	W	4	o

On the 24th at 11.27 a. The barometer has fallen quickly on the China coast. The typhoon is situated to the NNE of Formosa and is probably moving towards WNW. Strong W and SW winds in the Formosa Channel. Forecast.—W and SW winds, moderate to fresh; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 24th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	..	0	..
Kochi,	"	29.75	..	..	SE	2	..
Nagasaki,	"	29.75	..	..	W	4	..
Kagoshima	"	29.79	..	..	..	0	..
Taihoku,	1 p.	29.57	..	..	SW	4	..
Taichu,	"	29.57	..	..	SW	4	..
Tainan,	"	29.59	..	..	W	6	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	29.58	..	..	SW	6	..
Gutzlaff,	3 p.	29.75	85	83	SE	4	cv
Sharp Peak,	"	29.48	85	81	SSE	3	a
Amoy,	"	29.55	92	77	SW	5	c
Swatow,	"	29.57	89	..	S	3	b
Canton,	"	29.59	92	74	W	2	b
Hongkong,	4 p.	29.66	88	68	W	1	c
Victoria Peak,	"	.	..	..	NW	4	..
Cap Rock,	"	29.57	..	..	W	3	..
Macao	"	29.58	83	..	NW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.65	86	78	WSW	3	c
Malate,	5 p.	..	..	..	SW	3	c
Lucolod,	"	..	..	..	S	6	oq
Iloilo,	"	29.72	79	..	SE	3	oq
Cebu,	"	29.72	84	..	SW	4	cd
Cape S. James,	"	..	..	..	SW	2	c

25th AUGUST, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"	.	..	..	..	..	..
Pescadores	"	..	..	..	..	..	..
Gutzlaff,	9 a.	29.86	84	87	SE	2	cm
Sharp Peak,	"	29.76	85	83	E	1	o
Amoy,	"	29.71	85	16	SE	2	c
Swatow,	"	.	..	.		.	..
Canton,	"	29.76	88	84	E	1	c
Hongkong	10 a.	29.74	88	73	..	0	o
Victoria Peak,	"	.	..	..	E	1	..
Cap Rock,	"	29.74	..	..	SW	2	..
Macao	"	29.72	92	..	..	0	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.80	84	85	S	1	o
Malate,	9 a.	..	..	..	SW	1	c
Lucolod,	"	.	..	..	S	2	b
Iloilo,	"	29.86	80	..	SE	4	orq
Cebu,	"	29.85	85	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 25th at 12.5p. The barometer has risen generally, particularly about the N. part of the Formosa Channel. The depression entered the coast yesterday evening to the N. of Foochow, and it appears to have rapidly filled up. Gradients slight for E. and SE winds on the China coast, and for SW winds in the N. part of the China Sea. Forecast:—varying and E winds, light or moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 25th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.48	79	..	W	1	..
Tokio,	"	29.78	..	..	S	6	..
Kochi,	"	29.79	..	..	SE	2	..
Nagasaki,	"	29.79	..	..	SW	4	..
Kagoshima,	"	29.79	..	..	..	0	..
Taihoku,	1 p.	29.78	..	..	NW	4	..
Taichu,	"	29.74	..	..	N	2	..
Tainan,	"	29.74	..	..	W	6	..
Koshun,	"	29.76	..	..	E	4	..
Pescadores,	"	29.76	..	..	N	4	..
Gutzlaff,	3 p.	..	..	..	..	.	..
Sharp Peak,	"	29.74	85	76	E	2	b
Amoy,	"	29.72	89	66	ESE	3	c
Swatow,	"	29.69	87	..	SE	3	b
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.70	87	71	SSE	1	o
Victoria Peak,	"	..	..	..	S	2	..
Gap Rock,	"	29.71	..	..	SSW	2	..
Macao,	"	29.69	92	..	S	1	c
Hoiheng,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	78	WSW	4	c
Malate,	5 p.	..	..	..	SW	3	c
Pacoled,	"	..	..	..	SW	2	q
Iloilo,	"	29.81	80	..	SW	2	r
Cebu,	"	29.79	83	..	SW	2	c
Cape S. James,	"	..	..	..	..	..	..

26th AUGUST, 1901, A. M.

Wladivostock,	7 a.	29.60	68	86	NW	2	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.82	..	..	..	0	..
Taichu,	"	29.77	..	..	..	0	..
Tainan,	"	29.80	..	..	..	0	..
Koshun,	"	29.81	..	..	.	0	..
Pescadores,	"	29.81	..	..	NW	2	..
Gutzlaff,	7 a.	29.91	86	80	S	1	cv
Sharp Peak,	"	29.83	85	83	..	0	o
Amoy,	"	29.83	85	87	N	1	c
Swatow,	"	.	..	..	..	.	..
Canton,	"	..		..	..	..	..
Hongkong,	10 a.	29.84	85	71	NE	1	ot
Victoria Peak,	"		..	..	NE	4	..
Gap Rock,	"	29.84	..	..	NE	3	..
Macao,	"	29.84	87	..	NE	1	c
Hoiheng,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.88	89	78	S	1	c
Malate,	9 a.	..	..	..	W	1	c
Pacoled,	"	.	..	..	S	2	b
Iloilo,	"	29.94	80	..	..	0	o
Cebu,	"	29.92	86	..	SW	2	c
Cape S. James,	7 a.	..	..	..	WSW	3	c

On the 26th at 11 45a. The barometer has risen at all stations. Pressure is normal generally, except low in the N. part of the Sea of Japan, and gradients are slight for NE winds in S. China, and for SW winds over the middle part of the China Sea. Forecast:—NE winds, light or moderate; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 26th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		..	..	..	..	..
Tokio,	"	29.74	..	..	S	6	..
Kochi,	"	29.79	..	..	SE	2	..
Nagasaki,	"	29.75	..	..	SW	4	..
Kagoshima,	"	29.75	..	..	SE	2	..
Taihoku,	1 p.	29.82	..	..	NW	4	..
Taichu,	"	29.80	..	..	NW	4	..
Tainan,	"	29.81	..	..	NW	4	..
Koshun,	"	29.83	..	..	SE	2	..
Pescadores,	"	29.84	..	..	N	6	..
Gutzlaff,	3 p.	29.87	80	91	NE	5	cv
Sharp Peak,	"	29.81	75	81	E	3	o
Amoy,	"	29.79	91	74	SE	3	c
Swatow,	"	29.77	86	..	E	3	b
Canton,	"	29.80	93	71	..	0	b
Hongkong,	4 p.	29.77	81	84	SSE	1	o
Victoria Peak,	"	..	..	..	SSE	3	..
Cap Rock,	"	29.76	..	..	WNW	2	..
Macao,	"	29.78	89	..	ENE	1	cdt
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	71	WSW	3	c
Malate,	3 p.	..	..	..	WSW	2	c
Iacolod,	"	..	..	..	WSW	2	b
Iloilo,	"	29.84	84	..	SE	1	lq
Cebu,	"	29.82	87	..	SW	2	c
Cape S. James,	"	..	..	..	SW	3	o

27th AUGUST, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	..	0	..
Taichu,	"	29.82	..	..	..	0	..
Tainan,	"	29.82	..	..	NW	4	..
Koshun,	"	29.83	..	..	.	0	..
Pescadores,	"	29.84	..	..	N	2	..
Gutzlaff,	9 a.	29.96	80	82	NE	3	cv
Sharp Peak,	"	29.81	85	83	..	6	o
Amoy,	"	29.83	84	83	SW	2	c
Swatow,	"	29.78	82	.	W	1	b
Canton,	"	29.87	87	80	..	0	b
Hongkong,	10 a.	29.87	84	77	E	1	o
Victoria Peak,	"	.	..	..	E	1	..
Cap Rock,	"	29.86	..	..	..	0	..
Macao,	"	29.85	88	..	SE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.92	86	78	WSW	.	c
Malate,	9 a.	..	..	..	..	0	c
Iacolod,	"	.	..	..	S	1	o
Iloilo,	"	29.94	82	..	..	0	o
Cebu,	"	29.93	83	..	WSW	1	c
Cape S. James,	7 a.	..	..	..	SW	4	c

On the 27th at 11.00 a. The barometer has fallen slightly in the North, risen a little in the South. Pressure remains near the normal at all stations, with slight gradients for NE winds over the E. coast of China, and for SW winds over the China Sea. Forecast.—variable winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 27th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.67	..	..	SE	4	..
Kochi,	"	29.72	..	..	S	2	..
Nagasaki,	"	29.72	..	..	W	4	..
Kagoshima,	"	29.72	..	..	W	4	..
Taihoku,	1 p.	29.79	..	..	W	4	..
Taichu,	"	29.77	..	..	NW	4	..
Tainan,	"	29.79	..	..	W	4	..
Koshun,	"	..	..	..		..	..
Pescadores,	"	29.81	..	..	W	4	..
Gutzlaff,	3 p.	29.87	82	60	NNE	3	cv
Sharp Peak,	"	29.74	86	84	E	3	b
Amoy,	"	29.76	91	70	SW	4	c
Swatow,	"	29.73	90	..	SW	1	b
Canton,	"	29.79	91	77	N	1	b
Hongkong,	4 p.	29.77	85	72	..	0	o
Victoria Peak,	"	..	..	..	SW	1	..
Gap Rock,	"	29.77	..	..	SSE	1	..
Macao,	"	29.78	90	..	S	1	e
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	78	WNW	2	o
Malate,	3 p.	..	..	..	SW	3	e
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	29.85	86	..	W	2	o
Cebu,	"	29.81	86	..	SW	3	b
Cape S. James,	"	..	..	..	SW	3	c

28th AUGUST, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.75	..	..	W	2	..
Taichu,	"	29.75	..	..	..	0	..
Tainan,	"	29.75	..	..	..	0	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.75	..	..	S	2	..
Gutzlaff,	9 a.	29.89	79	66	NNE	3	cv
Sharp Peak,	"	29.78	81	83	NE	4	or
Amoy,	"	29.76	84	87	SW	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.81	86	76	WSW	1	o
Victoria Peak,	"	..	..	..	NW	1	..
Gap Rock,	"	29.78	..	..	WNW	1	..
Macao,	"	29.80	92	..	WNW	1	e
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	78	WNW	1	b
Malate,	9 a.	..	..	..	W	1	c
Bacolod,	"	..	..	..	S	2	r
Iloilo,	"	29.90	81	..	SW	1	c
Cebu,	"	29.88	85	..	..	0	c
Cape S. James,	7 a.	..	..	..	SW	2	o

On the 28th at 11.55a. The barometer has fallen over S. China and the Phillipines. Pressure is highest over the NE coast of China and low, apparently, over the Pacific to the E. of the Loochoos. Gradients slight for NE winds over the E. coast of China, and for SW and W winds in the N. part of the China Sea. Forecast:—W and SW winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 28th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	NE	4	..
Kochi,	"	29.72	..	..	S	2	..
Nagasaki,	"	29.68	..	..	SW	2	..
Kagoshima,	"	29.72	..	..	S	4	..
Taihoku,	1 p.	29.80	..	..	NW	2	..
Taichu,	"	29.76	..	..	N	2	..
Tainan,	"	29.74	..	..	NW	4	..
Koshun,	"	29.74	..	..	N	4	..
Pescadores,	"	29.76	..	..	S	4	..
Gutzlaff,	8 p.	29.90	81	71	NNE	..	cv
Sharp Peak,	"	29.80	81	78	E	4	o
Amoy,	"	29.74	84	83	N	4	r
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.73	86	65	W	1	b
Hongkong,	4 p.	29.73	87	70	WNW	1	o
Victoria Peak,	"	..	..	..	SW	1	..
Gap Rock,	"	29.74	..	..	WNW	3	..
Macao	"	29.73	84	..	SW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	88	71	WSW	3	c
Malate,	8 p.	..	..	..	SW	3	b
Lucoled,	"	..	..	..	SSW	2	c
Iloilo,	"	29.82	84	..	SE	2	oq
Cebu,	"	29.81	86	..	SW	2	b
Cape S. James,	"	..	..	..	SW	1	c

29th AUGUST, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	29.82	..	..	E	2	..
Taichu,	"	29.76	..	..	..	0	..
Tainan,	"	29.73	..	..	..	0	..
Koshun,	"	29.76	..	..	S	2	..
Pescadores,	"	29.76	..	..	NE	6	..
Gutzlaff,	9 a.	29.86	77	65	NNE	4	cv
Sharp Peak,	"	29.86	81	72	NNE	3	c
Amoy,	"	29.83	80	74	NNE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.85	81	85	ENE	3	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	29.84	..	..	S	2	..
Macao	"	29.84	83	..	E	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	81	85	SW	1	o
Malate,	9 a.	..	..	..	SW	3	orq
Lucoled,	"	..	..	..	S	1	b
Iloilo,	"	29.90	81	..	SW	2	b
Cebu,	"	29.87	87	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	2	o

On the 29th at 11.55a. The barometer has risen slightly on the China coast. Pressure is high over the NE coast of China, and relatively low in the neighbourhood of Formosa. Gradients slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea.

Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 29th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	NW	4	..
Kochi,	"	29.83	..	..	SW	2	..
Nagasaki,	"	29.79	..	..	SW	4	..
Kagoshima,	"	29.79	..	..	SW	4	..
Taihoku,	1 p.	29.81	..	..	NE	6	..
Taichu,	"	29.71	..	..	NW	2	..
Tainan,	"	29.75	..	..	NW	4	..
Koshun,	"	29.74	..	..	E	6	..
Pescadores,	"	29.78	..	..	NE	8	..
Gutzlaff,	3 p.	29.96	79	82	N	2	cv
Sharp Peak,	"	29.83	81	72	E	7	c
Amoy,	"	29.80	88	62	NE	4	c
Swatow,	"	29.77	83	..	SE	3	c
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.80	81	70	E	4	o
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	29.77	..	..	E	3	..
Macao,	"	29.78	84	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	82	85	SW	2	o
Malate,	3 p.	..	..	..	SW	2	o
Iloilo,	"	..	..	..	S	2	b
Cebu,	"	29.84	85	..	SW	2	c
Cape S. James,	"	29.82	88	..	SW	2	b
	"	..	..	..	SW	2	c

30th AUGUST, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	SE	2	..
Taichu,	"	29.78	..	..	..	0	..
Tainan,	"	29.74	..	..	SE	2	..
Koshun,	"	29.75	..	..	NE	2	..
Pescadores,	"	29.75	..	..	NE	2	..
Gutzlaff,	9 a.	29.96	77	73	N	3	cv
Sharp Peak,	"	29.87	82	73	NE	4	c
Amoy,	"	29.86	80	78	NNE	1	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.86	84	83	E	1	b
Hongkong,	10 a.	29.88	83	73	E	1	o
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	29.87	..	..	E	3	..
Macao,	"	29.87	87	..	E	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	84	77	WSW	3	c
Malate,	9 a.	..	..	..	SW	2	o
Iloilo,	"	..	..	..	S	2	b
Cebu,	"	29.95	83	..	W	1	b
Cape S. James,	7 a.	29.91	87	..	SW	2	b
		..	..	..	SW	1	o

On the 20th at 11.55a. Barometric charges are slight. Pressure remains high over N. China, and relatively low in the neighbourhood of Formosa. Gradients slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 30th August 1901.

CHINA COAST METEOROLOGICAL REGISTER.

30th AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	E	6	..
Kochi,	"	29.91	..	..	S	2	..
Nagasaki,	"	29.83	..	..	W	4	..
Kagoshima,	"	29.83	..	..	SE	..	..
Taihoku,	1 p.	29.83	..	..	E	6	..
Taichu,	"	29.75	..	..	NW	4	..
Tainan,	"	29.76	..	..	SW	4	..
Koslun,	"	29.77	..	..	NE	6	..
Pescadores,	"	29.79	..	..	E	8	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	"	29.84	80	91	E	6	c
Amoy,	"	29.81	89	69	ENE	4	c
Swatow,	"	29.79	83	..	E	4	b
Canton,	"	29.82	87	80	S	1	b
Hongkong,	4 p.	29.80	82	70	E	2	c
Victoria Peak,	"	..	..	..	SSE	1	..
Gap Rock,	"	29.79	..	..	E	3	..
Macao,	"	29.81	88	..	SE	1	c
Paglong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	81	92	WNW	2	c
Malate,	4 p.	..	..	..	SW	5	o
Lacoled,	"	..	..	..	W	4	b
Iloilo,	"	29.84	85	..	SE	1	b
Cebu,	"	29.85	87	..	SW	2	c
Cape St. James,	"	..	..	..	SW	2	c

31st AUGUST, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	8 a.	29.84	..	..	S	4	..
Taichu,	"	29.76	..	..	..	0	..
Tainan,	"	29.77	..	..	NE	2	..
Koslun,	"	29.77	..	..	..	0	..
Pescadores,	"	29.79	..	..	E	6	..
Gutzlaff,	9 a.	29.86	77	91	NNW	4	cvp
Sharp Peak,	"	29.87	80	72	E	1	b
Amoy,	"	29.85	81	87	NW	2	c
Swatow,	"	29.82	83	.	NE	1	c
Canton,	"	29.89	82	91	..	0	c
Hongkong,	10 a.	29.90	84	00	ESE	1	o
Victoria Peak,	"	.	..	..	ENE	1	..
Gap Rock,	"	29.89	.	..	NNE	2	..
Macao,	"	29.88	81	..	SE	1	c
Paglong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.88	81	85	W	2	o
Malate,	9 a.	.	.	..	SSW	3	orq
Lacoled,	"	.	..	..	SW	2	o
Iloilo,	"	29.87	74	..	SE	..	b
Cebu,	"	29.86	79	..	SW	3	b
Cape St. James,	7 a.	..	..	..	SW	1	o

On the 31st at 11.0 a. Barometric changes are slight. Pressure remains high over China, and a shallow area of low pressure seems to extend between Formosa and W. Japan. Gradients slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea.

Forecast:—N or varying winds, light; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 31st August 1901.

CHINA COAST METEOROLOGICAL REGISTER

31st AUGUST, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		..	..	..	..	..
Tokio,	"	29.98	..	..	NE	4	..
Kochi,	"	29.91	..	..	SW	2	..
Nagasaki,	"	29.79	..	..	N	2	..
Kagoshima,	"	29.79	..	..	SE	4	..
Taihoku,	1 p.	29.84	..	..	E	4	..
Taichu,	"	29.72	..	..	N	6	..
Tainan,	"	29.76	..	..	NW	4	..
Koshun,	"	29.78	..	..	E	6	..
Pescadores,	"	29.80	..	..	N	6	..
Gutzlaff,	3 p.	29.91	80	78	N	4	cv
Sharp Peak,	"	29.80	81	74	E	6	b
Amoy,	"	29.80	87	80	SE	4	c
Swatow,	"	29.78	85	..	SE	3	b
Canton,	"	29.81	92	74	..	0	b
Hongkong,	4 p.	29.80	87	58	W	1	b
Victoria Peak,	"	.	..	..	SW	1	..
Gap Rock,	"	29.82	..	..	..	0	..
Macao,	"	29.81	90	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	79	84	W	3	od
Malate,	3 p.	..	..	..	SSW	4	o
Pacoled,	"	..	..	..	SW	2	b
Iloilo,	"	29.88	86	..	W	2	c
Cebu,	"	29.84	87	..	SW	2	c
Cape S. James,	"	..	..	..	SW	2	c

1st SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.79	..	..	E	4	..
Taichu,	"	29.72	..	..	..	0	..
Tainan,	"	29.71	..	..	E	2	..
Koshun,	"	29.74	..	..	E	4	..
Pescadores,	"	29.80	..	..	NE	4	..
Gutzlaff,	9 a.	29.91	77	73	NNE	5	cv
Sharp Peak,	"	29.82	82	75	..	0	b
Amoy,	"	29.81	82	79	NW	1	c
Swatow,	"	.	.	.	..	..	..
Canton,	"	29.81	83	83	SE	..	o
Hongkong,	10 a.	29.82	81	85	WNW	2	op
Victoria Peak,	"	.	..	..	WNW	2	..
Gap Rock,	"	29.82	..	..	WNW	2	..
Macao,	"	29.84	83	..	NNW	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.80	81	92	WNW	1	od
Malate,	9 a.	..	..	..	SW	3	o
Pacoled,	"	.	..	..	S	2	b
Iloilo,	"	29.89	84	..	SW	1	c
Cebu,	"	29.87	86	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 1st at 11.55a. The barometer has fallen generally. Pressure remains high over NE Ch and there are indications of the formation of a depression in the Pacific, probably to the East of Balingtang Channel. Gradients slight for NE winds on the China coast, and for W and NW wind the N part of the China Sea. Forecast:—W or varying winds, light; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 1st September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.89	76	..	W	1	c
Tokio,	"	29.86	..	..	N	2	..
Kochi,	"	29.72	..	..	SW	2	..
Nagasaki,	"	29.64	..	..	NE	6	..
Kagoshima,	"	29.68	..	..	E	4	..
Taihoku,	1 p.	29.75	..	..	E	4	..
Taichu,	"	29.68	..	..	N	6	..
Tainan,	"	29.69	..	..	N	6	..
Koshun,	"	29.70	..	..	E	4	..
Pescadores,	"	29.74	..	..	NE	8	..
Catzlaff,	3 p.	29.87	79	70	N	4	cv
Chay Park,	"	29.76	82	67	W	3	b
Amoy,	"	29.75	88	76	SE	3	c
Swatow,	"	29.78	84	..	E	4	c
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.73	80	89	..	0	o
Victoria Peak,	"	..	..	..	SW	1	..
Cap Rock,	"	29.71	..	..	SSE	1	..
Macao	"	29.73	84	..	NNW	1	od
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	81	92	WSW	4	o
Malate,	3 p.	..	..	..	SW	5	o
Bacolod,	"	..	..	..	SW	4	c
Iloilo,	"	29.82	84	..	..	0	or
Cebu,	"	29.79	..	..	SW	4	..
Cape S. James,	"	.	..	..	..	..	..

2nd SEPTEMBER, 1901, A. M.

Wladivostock,	7 a.	29.87	68	88	..	0	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi	"	.	..	..	..	..	..
Nagasaki	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku	5 a.	.	..	..	..	.	..
Taichu	"	..	..	..	..	..	..
Tainan	"	.	..	..	..	.	..
Koshun	"	..	..	..	..	.	..
Pescadores	"	..	..	..	..	..	..
Catzlaff	8 a.	29.88	77	69	N	4	cv
Chay Park	"	29.80	82	71	E	2	b
Amoy	"	29.78	81	83	NE	1	c
Swatow	"	.		..		.	..
Canton	"	29.76	83	87		0	b
Hongkong	10 a.	29.79	80	85	E	3	o
Victoria Peak	"		..	..	E	2	..
Cap Rock	"	29.78	..	..	ENE	2	..
Macao	"	29.79	82	..	S	1	o
Haiphong	7 a.	.	..	..	..	.	..
Manila	10 a.	29.76	81	85	W	2	c
Malate	9 a.	.	.	..	SW	5	o
Bacolod	"	.	..	..	SW	2	o
Iloilo	"	29.86	82	..	SE	3	c9
Cebu	"	29.85	85	..	SW	3	c
Cape S. James	7 a.	.	.	.	SW	2	o

On the 2nd at 12 Mn. The barometer has fallen slightly over the China coast and Philippines. Pressure is highest over NE China, and low over the Pacific in an area extending from the Luzon coast to Japan. Gradients continue slight for NE winds on the China coast, and for NW and W winds in the S part of the China Sea. Forecast:—NE winds, light to moderate; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 2nd September 1901.

CHINA COAST METEOROLOGICAL REGISTER

2nd SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.89	76	..	S	1	b
Tokio,	"	29.82	..	..	NW	4	..
Kochi,	"	29.72	..	..	[illegible]	[illegible]	..
Nagasaki,	"	29.68	..	..	S	6	..
Kagoshima,	"	29.68	..	..	[illegible]	[illegible]	..
Taihoku,	1 p.	29.77	..	..	NE	[illegible]	..
Taichu,	"	29.67	..	..	N	6	..
Tainan,	"	29.70	..	..	SW	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.74	..	..	NE	6	..
Gutzlaff,	3 p.	29.86	80	70	NE	4	cv
Sharp Peak,	"	29.76	81	72	ENE	5	b
Amoy,	"	29.76	86	84	SE	4	c
Swatow,	"	29.72	83	..	E	3	c
Canton,	"	29.74	85	79	SE	2	c
Hongkong,	4 p.	29.77	76	91	NE	1	o
Victoria Peak,	"	..	..	..	SE	3	..
Gap Rock,	"	29.75	..	..	E	3	..
Macao,	"	29.77	81	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	82	85	WNW	3	c
Malate,	3 p.	..	..	..	SW	2	o
Bacolod,	"	..	..	..	SW	2	b
Iloilo,	"	29.79	83	..	NW	2	c
Cebu,	"	29.76	85	..	..	0	c
Cape S. James,	"	..	..	..	SW	2	c

3rd SEPTEMBER 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.85	67	76	..	0	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	9 a.	29.82	..	..	..	0	..
Taichu,	"	29.74	..	..	..	0	..
Tainan,	"	29.73	..	..	SE	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.77	..	..	N	4	..
Gutzlaff,	9 a.	29.91	77	78	NNE	3	cv
Sharp Peak,	"	29.85	82	75	..	[illegible]	..
Amoy,	"	29.85	81	83	ENE	..	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.84	84	79	E	1	b
Hongkong,	10 a.	29.85	83	68	E	..	b
Victoria Peak,	"	..	..	..	ESE	3	..
Gap Rock,	"	29.84	..	..	E	3	..
Macao,	"	29.86	87	..	ESE	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	86	78	SW	2	c
Malate,	9 a.	..	..	..	SW	2	c
Bacolod,	"	..	..	..	S	..	cp
Iloilo,	"	29.91	81	..	W	2	o
Cebu,	"	29.89	85	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	4	o

On the 3rd at 12 Sp. The barometer has risen slightly over the China coast and Philippines. Pressure remains high over N. China, and low in the Pacific in an area extending over the Loochoos and W. Japan. Gradients slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 3rd September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

3rd SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"		..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	.	..
Taihoku,	1 p.	29.80	..	..	NE	4	..
Taichu,	"	29.73	..	..	N	8	..
Tainan,	"	29.76	..	..	NW	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.78	..	..	NE	8	..
Gutzlaff,	3 p.	29.88	79	70	NNE	3	cv
Sharp Peak,	"	29.79	81	73	E	5	b
Amoy,	"	29.79	87	80	SE	4	c
Swatow,	"	..	..	..	..	..	..
Canton,	"		..	..	.	.	..
Hongkong,	4 p.	29.77	82	74	ESE	2	b
Victoria Peak,	"	.	..	..	ESE	2	..
Gap Rock,	"	29.77	..	..	E	3	..
Mirs Bay,	"	29.78	85	..	E	1	s
Pagoda,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	84	77	WSW	3	c
Malate,	2 p.	..	..	..	SW	4	s
Tacoled,	"	..	..	..	SW	3	oq
Iloilo,	"	29.82	89	..	SE	3	oq
Cebu,	"	29.81	86	..	SW	3	c
Cape S. James,	"	..	..	..	SW	5	c

4th SEPTEMBER 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.80	..	..	..	0	..
Taichu,	"	29.76	..	..	..	0	..
Tainan,	"	29.77	..	..	NE	2	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.80	..	..	N	4	..
Gutzlaff,	9 a.	29.89	77	82	NNE	3	cv
Sharp Peak,	"	29.83	81	71	..	0	b
Amoy,	"	29.81	80	82	N	3	c
Swatow,	"	29.82	82	.	..	0	c
Canton,	"	29.84	84	83	E	2	b
Hongkong,	10 a.	29.84	84	72	E	1	c
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	29.83	..	..	E	2	..
Mirs Bay,	"	29.84	88	..	ESE	1	c
Pagoda,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.80	81	92	WSW	3	cd
Malate,	9 a.	..	..	..	SW	4	oq
Tacoled,	"	.	..	..	SW	1	b
Iloilo,	"	29.89	81	..	SE	2	o
Cebu,	"	29.87	88	..	SW	3	b
Cape S. James,	7 a.	..	..	..	SW	3	c

On the 4th at 11.55a. Barometric charges are slight. Pressure remains high over N. China, and low in the Pacific in an area extending over the Loochoos and W. Japan. Gradients slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast.—N. or varying winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 4th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	W	2	..
Kochi,	"	29.79	..	..	SE	4	..
Nagasaki,	"	29.68	..	..	SW	4	..
Kagoshima,	"	29.72	..	..	SE	2	..
Taihoku,	1 p.	29.78	..	..	E	4	..
Taichu,	"	29.71	..	..	N	2	..
Tainan,	"	29.73	..	..	N	6	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.79	..	..	N	4	..
Gutzlaff,	3 p.	29.86	80	74	NNE	2	cv
Sharp Peak,	"	29.78	81	76	E	1	b
Amoy,	"	29.80	85	79	SE	4	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.80	90	66	..	0	b
Hongkong,	4 p.	29.77	82	76	E	1	o
Victoria Peak,	"	..	..	..	SE	1	..
Gap Rock,	"	29.77	..	..	E	3	..
Macao,	"	29.78	86	..	SSE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	81	85	WSW	1	od
Malate,	3 p.	..	..	..	SSW	4	o
Tacoled,	"	..	..	..	SW	2	b
Iloilo,	"	29.83	85	..	W	2	b
Cebu,	"	29.79	88	..	SW	3	b
Cape S. James,	"	..	..	..	SW	3	c

5th SEPTEMBER 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.81	..	..	S	2	..
Taichu,	"	29.73	..	..	..	0	..
Tainan,	"	29.73	..	..	N	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.76	..	..	N	2	..
Gutzlaff,	7 a.	29.89	77	73	NNW	3	c
Sharp Peak,	"	29.83	81	78	..	0	b
Amoy,	"	29.84	80	82	NNE	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.83	85	79	..	0	b
Hongkong,	10 a.	29.84	85	73	ESE	1	c
Victoria Peak,	"	..	..	..	ENE	1	..
Gap Rock,	"	29.84	..	..	ENE	2	..
Macao,	"	29.86	89	..	..	0	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	81	85	SSW	1	o
Malate,	9 a.	..	..	..	SW	1	o
Tacoled,	"	..	..	..	S	2	or
Iloilo,	"	29.89	82	..	W	2	o
Cebu,	"	29.89	88	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 5th at 12.5 p. Barometric changes are slight. Pressure remains high over N. China, and low in the Pacific in an area lying over the Loochoos and W. Japan. Gradients slight for N winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:—light N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 5th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

5th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	E	2	..
Kochi,	"	29.75	..	..	..	0	..
Nagasaki,	"	29.72	..	..	W	4	..
Kagoshima,	"	29.79	..	..	NW	4	..
Taihoku,	1 p.	29.80	..	..	NE	2	..
Taichu,	"	29.71	..	..	N	6	..
Tainan,	"	29.74	..	..	N	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.78	..	..	NE	8	..
Gutzlaff,	3 p.	29.86	82	63	N	2	cv
Sharp Peak,	"	29.79	82	71	E	2	o
Amoy,	"	29.80	84	72	SE	4	c
Swatow,	"	29.81	85	..	E	3	c
Canton,	"	29.77	87	69	..	0	c
Hongkong,	4 p.	29.77	83	77	E	1	o
Victoria Peak,	"	.	..	..	NE	1	..
Gap Rock,	"	29.77	..	..	E	2	..
Macao,	"	29.79	87	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	81	92	WSW	2	o
Malate,	3 p.	..	..	..	SW	4	o
Ercoled,	"	..	..	..	SW	2	p
Hoilo,	"	29.84	82	..	..	0	o
Cebu,	"	29.82	84	..	..	0	c
Cape S. James,	"	..	..	..	SW	2	c

6th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.83	..	..	S	4	..
Taichu,	"	29.78	..	..	N	2	..
Tainan,	"	29.74	..	..	N	4	..
Koshun,	"	.	..	..	..	.	..
Pescadores,	"	29.78	..	..	NE	6	..
Gutzlaff,	9 a.	29.90	86	70	NW	1	cv
Sharp Peak,	"	29.86	82	87	..	0	b
Amoy,	"	29.86	80	78	..	0	b
Swatow,	"	29.86	83	.	NNE	1	c
Canton,	"	29.88	85	72	E	2	c
Hongkong,	10 a.	29.89	84	67	ESE	1	o
Victoria Peak,	"	.	..	..	E	1	..
Gap Rock,	"	29.88	..	..	NW	3	..
Macao,	"	29.88	87	..	SE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	79	92	..	0	cd
Malate,	9 a.	..	..	..	..	0	cd
Ercoled,	"	.	..	..	S	2	b
Hoilo,	"	29.88	84	..	SE	2	cq
Cebu,	"	29.92	88	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 6th at 11 55 a. The barometer has risen slightly over S. China and the Phillipines. Pressure is highest over China, lowest in the Pacific between the Loochoos and Japan. Gradients slight for NE winds on the China coast, and in the N. part of the China Sea. Forecast.—light NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 6th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	E	6	..
Kochi,	"	29.75	..	..	E	2	..
Nagasaki,	"	29.75	..	..	W	6	..
Kagoshima,	"	29.79	..	..	SW	2	..
Taihoku,	1 p.	29.86	..	..	..	0	..
Taichu,	"	29.74	..	..	N	8	..
Tainan,	"	29.78	..	..	N	6	..
Koshun,	"	29.78	..	..	SW	4	..
Pescadores,	"	29.81	..	..	N	8	..
Gutzlaff,	3 p.	29.89	82	71	N	1	cv
Sharp Peak,	"	29.82	82	67	E	2	c
Amoy,	"	29.83	86	72	SE	4	c
Swatow,	"	29.85	80	..	ESE	3	b
Canton,	"	29.85	90	73	SW	1	b
Hongkong,	4 p.	29.83	82	67	E	1	o
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	29.85	..	..	..	0	..
Macao,	"	29.84	88	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	79	..	WSW	3	o
Malate,	3 p.	..	..	..	SW	3	o
Bacolod,	"	..	..	..	SW	2	b
Iloilo,	"	29.85	86	..	W	2	c
Cebu,	"	29.83	87	..	SW	2	b
Cape S. James,	"	..	..	..	SW	3	o

7th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.87	..	..	SE	2	..
Taichu,	"	29.80	..	..	..	0	..
Tainan,	"	29.80	..	..	N	4	..
Koshun,	"	.	..	..	.	.	..
Pescadores,	"	29.83	..	..	NW	6	..
Gutzlaff,	9 a.	29.92	79	66	NW	3	bv
Sharp Peak,	"	29.88	81	71	..	0	b
Amoy,	"	29.90	81	78	WSW	1	b
Swatow,	"	..	..	.	..	..	..
Canton,	"		..	.		.	..
Hongkong,	10 a.	29.93	84	68	SW	1	c
Victoria Peak,	"	.	..	..	SW	1	..
Gap Rock,	"	29.92	..	..	..	0	..
Macao,	"	29.94	91	..	S	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.88	79	92	NW	1	o
Malate,	9 a.	..	..	..	NW	1	or
Bacolod,	"		..	..	S	2	b
Iloilo,	"	29.94	82	..	W	1	b
Cebu,	"	29.91	88	..	SW	1	..
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 7th at 11.55 a. The barometer has risen slightly on the China coast. Pressure is highest over China, lowest in the Pacific between the Loochoos and Japan. Gradients gentle for NE to NW winds on the China coast and in the N. part of the China Sea. Forecast:—NW or varying winds, light; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 7th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

7th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.63	..	..	E	6	..
Kochi,	,,	29.64	..	..	SE	4	..
Nagasaki,	,,	29.68	..	..	W	8	..
Kagoshima,	,,	29.64	..	..	NW	6	..
Taihoku,	1 p.	29.84	..	..	NW	4	..
Taichu,	,,	29.74	..	..	N	6	..
Tainan,	,,	29.77	..	..	N	6	..
Koshun,	,,	29.82	..	..	E	4	..
Pescadores,	,,	29.80	..	..	N	8	..
Gutzlaff,	3 p.	29.87	80	58	NNW	4	bv
Sharp Peak,	..	29.80	84	62	E	2	b
Amoy,	,,	29.85	88	79	SE	4	c
Swatow,	,,	29.77	86	..	ESE	3	.
Canton,	,,	29.83	95	62	W	1	b
Hongkong,	4 p.	29.82	87	63	S	1	b
Victoria Peak,	,,	.	..	..	SSW	2	..
Cap Rock,	,,	29.82	..	..	..	0	..
Macao,	,,	29.81	91	..	SSE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.80	81	85	..	2	c
Malate,	3 p.	..	..	..	SSW	3	c
Pacoled,	,,	..	..	..	SW	2	c
Iloilo,	,,	29.82	86	..	SE	2	lq
Cebu,	,,	29.82	88	..	SW	2	b
Cape S. James,	,,	.	..	..	SW	2	c

8th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	6 a.	29.86	..	..	SE	4	..
Taichu,	,,	29.79	..	..	..	0	..
Tainan,	,,	29.79	..	..	E	2	..
Koshun,	,,	29.81	..	..	NE	2	..
Pescadores,	,,	29.80	..	..	N	8	..
Gutzlaff,	9 a.	29.89	75	72	NW	4	cv
Sharp Peak,	,,	29.86	84	65	..	0	b
Amoy,	,,	29.87	80	78	..	0	b
Swatow,	,,	29.86	83	.	..	0	b
Canton,	,,	.	.	.	.	.	..
Hongkong,	10 a.	29.89	87	62	SW	1	b
Victoria Peak,	..		..	..	SSW	4	..
Cap Rock,	,,	29.90	..	..	SW	3	..
Macao,	,,	29.87	90	..	S	1	c
Haiphong,	7 a.	.	.	..	..	.	..
Manila,	10 a.	29.88	81	92	..	0	o
Malate,	9 a.	.	.	..		0	..
Pacoled,	,,	.	..	..	SW	2	b
Iloilo,	,,	29.93	88	..	SE	3	lq
Cebu,	,,	29.90	89	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	2	o

On the 8th at 11.55a. The barometer has fallen slightly on the China coast. Pressure is highest over China and the W. part of the China Sea, lowest in a depression lying over Japan. Gradients slight with light variable winds in S. China and the N. part of the China Sea. Forecast—Wind varying winds, light; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 8th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.35	..	..	S	6	..
Kochi,	"	29.52	..	..	S	2	..
Nagasaki,	"	29.64	..	..	W	6	..
Kagoshima,	"	29.64	..	..	NW	6	..
Taihoku,	1 p.	29.84	..	..	E	4	..
Taichu,	"	29.76	..	..	NW	4	..
Tainan,	"	29.78	..	..	N	4	..
Koshun,	"	29.79	..	..	SW	2	..
Pescadores,	"	29.81	..	..	N	6	..
Cutzlaff,	3 p.	29.84	79	51	N	5	cv
Sharp Peak,	"	29.78	82	63	ESE	2	b
Amoy,	"	29.80	88	56	SE	3	b
Swatow,	"	..	..	..	.	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.78	87	58	..	0	b
Victoria Peak,	"	.	..	..	SSW	3	..
Cap Rock,	"	29.79	..	..	SW	3	..
Macao,	"	29.78	90	..	SW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	78	SW	2	c
Maiate,	1 p.	..	..	..	SSW	2	c
Iacoled,	"	..	..	..	S	2	c
Iloilo,	"	29.84	82	..	W	2	c
Cebu,	"	29.78	88	..	SW	3	b
Cape S. James,	"	..	..	..	..	..	..

9th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.85	..	..	S	2	..
Taichu,	"	29.79	..	..	..	0	..
Tainan,	"	29.79	..	..	N	2	..
Koshun,	"	29.80	..	..	..	0	..
Pescadores,	"	29.76	..	..	N	2	..
Cutzlaff,	9 a.	29.93	75	68	NNW	3	c
Sharp Peak,	"	29.86	79	78	..	0	c
Amoy,	"	29.86	83	79	NE	2	b
Swatow,	"	.	..	.	..	.	..
Canton,	"	29.84	86	80	SW	1	c
Hongkong,	10 a.	29.86	85	65	SSW	2	c
Victoria Peak,	"	.	..	..	SSW	2	..
Cap Rock,	"	29.85	..	..	SW	3	..
Macao,	"	29.88	89	..	SW	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.84	84	71	WNW	1	c
Maiate,	9 a.	..	..	..	NW	1	c
Iacoled,	"	.	..	..	S	2	c
Iloilo,	"	29.92	82	..	NW	2	c
Cebu,	"	29.90	86	..	..	0	b
Cape S. James,	7 a.	..	..	..	SW	2	c

On the 9th at 11.30 a. The barometer has risen slightly on the E. coast of China, fallen a little on the S. coast. Pressure is highest over N. China, and the depression lying over Japan yesterday, has probably moved into the Pacific. Gradients slight for NE winds over the E. coast and Formosa Channel, and for W winds in the N. part of the China Sea. Forecast:—W and varying winds, light to moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 9th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	..	..	..	..	..	..
Tokio, ...	"	29.63	..	..	S	4	..
Kochi, ...	"	29.72	..	..	SE	4	..
Nagasaki. ...	"	29.75	..	..	W	4	..
Kagoshima....	"	29.75	..	..	W	4	..
Tailoku.	1 p.	29.86	..	..	E	6	..
Taichu, ...	"	29.77	..	..	W	4	..
Tainan, ...	"	29.80	..	..	W	6	..
Koslun, ...	"	29.82	..	..	NE	2	..
Pescadores, ..	"	29.82	..	..	N	6	..
Cutsluff.	3 p.	29.91	79	67	N	4	cv
Sharp Peak, ..	"	29.84	77	77	NE	5	o
Amoy.	"	29.83	85	61	ENE	3	o
Swatow, ...	"	29.83	80	..	ENE	2	or
Canton, ...	"	.	..	..	..	..	..
Hongkong,....	4 p.	29.80	84	75	SW	2	op
Victoria Peak,	"	.	..	..	S	4	..
Gap Rock, . ..	"	29.79	..	..	SW	3	..
Macao	"	29.80	85	..	NNW	1	o
Haiphong.	1 p.	..	.	..	..	..	..
Manila, ...	4 p.	29.76	86	71	WSW	3	c
Malate, ...	3 p.	..	..	..	SW	2	c
Iloilo.	"	..	..	..	S	2	c
Iloilo, ...	"	29.83	80	..	S	2	cq
Cebu, ...	"	29.81	86	..	SW	3	c
Cape S. James,	"	..	..	..	SW	2	c

10th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi.	"	..	..	..	..	..	..
Nagasaki.	"	..	..	..	..	..	..
Kagoshima....	"	..	..	..	..	..	..
Tailoku.	8 a.	29.89	..	..	S	2	..
Taichu.	"	29.82	..	..	..	0	..
Tainan.	"	29.84	..	..	SE	2	..
Koslun, ...	"	29.83	..	..	..	0	..
Pescadores ...	"	29.82	..	..	NE	8	..
Cutsluff	9 a.	29.19	75	72	NNW	2	cv
Sharp Peak ..	"	29.18	75	88	NE	1	or
Amoy	"	29.89	79	74	N	2	c
Swatow.	"	.	..	.	..		..
Canton.	"	29.87	78	82	N	1	o
Hongkong....	10 a.	29.88	83	73	..	0	o
Victoria Peak.	"	.	..	..	NE	1	..
Gap Rock. ...	"	29.87	..	..	SW	3	..
Macao	"	29.88	84	..	NNE	1	c
Haiphong. ...	7 a.	.	..	..	.	.	..
Manila.	10 a.	29.84	84	71	WNW	1	c
Malate.	9 a.	..	..	..	.	0	c
Iloilo.	"	.	..	..	S	2	c
Iloilo.	"	29.91	83	..	S	2	lq
Cebu, ...	"	29.89	88	..	SW	2	c
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 10th at 11 a.m. The barometer has risen slightly on the China coast. Pressure is high over N. China, and relatively low over the Indo-China and the Loochoos. Gradients slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:— light to moderate NE winds; probably some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 10th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	S	4	..
Kochi,	"	29.79	..	..	S	2	..
Nagasaki,	"	29.79	..	..	W	6	..
Kagoshima,	"	29.79	..	..	W	4	..
Taihoku,	1 p.	29.88	..	..	NE	6	..
Taichu,	"	29.76	..	..	NW	6	..
Tainan,	"	29.78	..	..	SW	6	..
Koshun,	"	29.80	..	..	E	6	..
Pescadores,	"	29.83	..	..	NE	8	..
Gutzlaff,	3 p.	29.96	78	54	NNW	4	bv
Sharp Peak,	"	29.88	78	78	..	0	o
Amoy,	"	29.86	81	74	NE	2	o
Swatow,	"	.	..	..	..	..	..
Canton,	"	29.83	88	62	W	1	c
Hongkong,	4 p.	29.82	81	79	E	3	o
Victoria Peak,	"	.	..	..	E	2	..
Gap Rock,	"	29.81	..	..	ENE	3	..
Macao,	"	29.82	86	..	NNE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.76	86	71	SW	2	c
Malate,	3 p.	..	..	..	SW	2	c
Bacolod,	"	..	..	..	S	2	o
Iloilo,	"	29.81	84	..	SW	2	c
Cebu,	"	29.81	85	..	SW	3	[illegible]
Cape S. James,	"	..	..	..	SW	2	[illegible]

11th SEPTEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	29.89	..	..	SE	2	..
Taichu,	"	29.78	..	..	..	0	..
Tainan,	"	29.77	..	..	SE	2	..
Koshun,	"	29.80	..	..	N	4	..
Pescadores,	"	29.79	..	..	NE	8	..
Gutzlaff,	9 a.	30.01	74	68	NNW	3	cv
Sharp Peak,	"	29.92	77	71	N	2	o
Amoy,	"	29.91	78	70	NNE	2	b
Swatow,	"	.	..	.	..	.	..
Canton,	"	..			..	..	..
Hongkong,	10 a.	29.91	81	74	E	2	o
Victoria Peak,	"	.	..	..	E	3	..
Gap Rock,	"	29.88	.	..	E	4	..
Macao,	"	29.91	78	..	ENE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	84	77	WSW	2	c
Malate,	9 a.	..	..	..	SW	2	b
Bacolod,	"	.	..	..	S	..	op
Iloilo,	"	29.94	82	..	W	2	o
Cebu,	"	29.89	87	..	SW	2	b
Cape S. James,	7 a.	..	..	..	NW	2	o

On the 11th at 11.55 a. Barometric change was slight. Pressure remains high over N. China, and relatively low in the Pacific to the East of the Philippines. Gales are continue slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:—moderate NE winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 11th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	S	4	..
Kochi,	"	29.83	..	..	SW	4	..
Nagasaki,	"	29.83	..	..	W	4	..
Kagoshima,	"	29.83	..	..	SE	2	..
Taihoku,	1 p.	29.89	..	..	E	4	..
Taichu,	"	29.78	..	..	N	6	..
Tainan,	"	29.78	..	..	N	4	..
Koshun,	"	29.80	..	..	NE	2	..
Pescadores,	"	29.82	..	..	NE	10	..
Gutzlaff,	3 p.	29.96	77	61	N	4	cv
Sharp Peak,	"	29.87	78	65	E	5	b
Amoy,	"	29.85	86	55	NE	3	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.84	81	62	E	3	o
Victoria Peak,	"	..	..	..	ESE	2	..
Cap Rock,	"	29.83	..	..	E	3	..
Macao,	"	29.85	81	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	84	77	WSW	2	c
Malate,	3 p.	..	..	..	SW	3	c
Bacolod,	"	..	..	..	S	2	op
Iloilo,	"	29.82	81	..	SE	2	c
Cebu,	"	29.82	86	..	SW	2	c
Cape S. James,	"	..	..	..	NW	2	c

12th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.88	..	..	..	0	..
Taichu,	"	29.80	..	..	..	0	..
Tainan,	"	29.78	..	..	E	2	..
Koshun,	"	29.79	..	..	..	0	..
Pescadores,	"	29.82	..	..	NE	8	..
Gutzlaff,	9 a.	30.01	75	68	N	4	cv
Sharp Peak,	"	29.92	78	67	NE	2	c
Amoy,	"	29.90	79	66	NE	3	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.93	80	76	E	2	op
Victoria Peak,	"	..	..	..	SSW	1	..
Cap Rock,	"	29.93	..	..	ENE	4	..
Macao,	"	29.93	80	..	E	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	86	71	WSW	7	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	S	2	c
Iloilo,	"	29.90	80	..	S	3	or
Cebu,	"	29.90	89	..	SW	3	b
Cape S. James,	7 a.	..	..	..	SW	3	o

On the 12th at 11.50a. Barometric changes are slight. Pressure remains high over China, and relatively low in the Pacific to the SE of the Loochoos. Gradients continue slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:—moderate or light NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 12th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	29.97	74	..	..	0	c
Tokio, ...	"	29.78	..	..	NE	2	..
Kochi, ...	"	29.83	..	..	..	0	..
Nagasaki, ...	"	29.83	..	..	W	6	..
Kagoshima.....	"	29.83	..	..	SE	2	..
Taihoku, ...	1 p.	29.87	..	..	NE	4	..
Taichu, ...	"	29.76	..	..	N	6	..
Tainan, ...	"	29.78	..	..	W	2	..
Koshun, ...	"	29.80	..	..	NE	2	..
Pescadores, . .	"	.	..	..	..	..	..
Gutzlaff, ...	3 p.	29.94	78	65	NNE	3	cv
Sharp Peak, ..	"	29.89	79	68	E	5	b
Amoy, ...	"	29.85	87	62	NE	2	b
Swatow, ...	"	29.81	82	..	E	4	e c
Canton, ...	"	.	..	..	..	..	..
Hongkong, ...	4 p.	29.84	81	76	..	0	o
Victoria Peak,	"	.	..	..	SW	1	..
Gap Rock, . ..	"	29.83	..	..	E	2	..
Macao,...	"	29.84	87	..	SSE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.76	86	78	SW	2	c
Malate, ...	3 p.	..	..	..	SW	2	c
Bacolod, ...	"	..	..	..	SW	2	b
Iloilo, ...	"	29.85	81	..	W	1	..
Cebu, ...	"	29.82	88	..	SW	2	c
Cape S. James,	"	..	..	..	SW	2	or

13th SEPTEMBER, 1901, A. M.

Wladivostock, ..	7 a.	30.02	62	87	..	0	f
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima,....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	29.86	..	..	SE	2	..
Taichu, ...	"	29.77	..	..	N	2	..
Tainan, ...	"	29.78	..	..	N	2	..
Koshun, ...	"	29.75	..	..	..	0	..
Pescadores,....	"	29.81	..	..	NE	10	..
Gutzlaff, ...	9 a.	29.98	75	81	NNE	3	ov
Sharp Peak, ..	"	29.91	78	70	NNE	3	o
Amoy, ...	"	29.90	79	70	NE	1	a
Swatow, ...	"	29.90	83	83	SW	1	b
Canton, ...	"	..			..	..	..
Hongkong, ...	10 a.	29.92	84	68	ESE	1	c
Victoria Peak,	"	.	..	..	E	1	..
Gap Rock, ...	"	29.92	..	..	E	2	..
Macao,..... ..	"	29.93	83	..	SSW	1	o
Haiphong, ...	7 a.	.	..	..	..	..	..
Manila, ...	10 a.	29.84	86	78	WNW	1	c
Malate, ...	9 a.	..	..	..	..	0	c
Bacolod, ...	"	.	..	..	S	2	b
Iloilo, ...	"	29.90	83	..	SW	1	b
Cebu, ...	"	29.89	87	..	SW	1	b
Cape S. James,	7 a.	..	..	..	SW	2	b

On the 13th at 11.55a. Barometric changes are slight. Pressure remains high over China, and relatively low in the Pacific to the S.E. of the Loochoos. Gradients continue slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea. Forecast:—light NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 13th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		..	..	..	..	..
Tokio,	"	29.74	..	..	E	4	..
Kochi,	"	29.75	..	..	SE	2	..
Nagasaki,	"	29.79	..	..	E	4	..
Kagoshima,	"	29.79	..	..	SE	4	..
Taihoku,	1 p.	29.85	..	..	NE	2	..
Taichu,	"	29.76	..	..	N	6	..
Tainan,	"	29.76	..	..	N	6	..
Koshun,	"	29.77	..	..	E	2	..
Pescadores,	"	29.82	..	..	NE	10	..
Gutzlaff,	3 p.	29.84	77	65	N	5	cv
Sharp Peak,	"	29.86	78	65	E	4	b
Amoy,	"	29.85	86	61	E	4	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.84	91	87	..	0	b
Hongkong,	4 p.	29.83	82	69	SE	1	b
Victoria Peak,	"	..	..	..	SSE	1	..
Gap Rock,	"	29.83	..	..	E	2	..
Macao,	"	29.83	86	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	78	SW	2	c
Malate,	3 p.	..	..	..	SW	3	c
Iscoled,	"	..	..	..	SW	2	c
Iloilo,	"	29.83	75	..	S	3	bq
Cebu,	"	29.80	88	..	SW	3	c
Cape S. James,	"	..	..	..	SW	1	o

14th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.86	..	..	..	0	..
Taichu,	"	29.71	..	..	..	0	..
Tainan,	"	29.76	..	..	N	2	..
Koshun,	"	29.76	..	..	N	4	..
Pescadores,	"	29.79	..	..	NE	8	..
Gutzlaff,	9 a.	29.87	74	81	NE	5	cv
Sharp Peak,	"	29.87	78	59	NNW	1	b
Amoy,	"	29.88	79	74	N	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.89	83	70	..	0	c
Victoria Peak,	"	..	..	..	N	1	..
Gap Rock,	"	29.89	..	..	N	1	..
Macao	"	29.87	88	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	86	78	SW	2	c
Malate,	9 a.	..	..	..	SW	1	o
Iscoled,	"	..	..	..	S	2	op
Iloilo,	"	29.86	80	..	SE	3	cq
Cebu,	"	29.85	89	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 14th at 11.45a. The barometer has fallen slightly at all stations. Pressure remains high over China, and low in the Pacific to the SE of the Loochoos. Gradients continue slight for NE winds on the China coast, and for SW winds over the middle part of the China Sea. **Forecast:**—light NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 14th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		..	..	.	..	..
Tokio,	,,	29.71	..	..	N	2	..
Kochi,	,,	29.79	..	..	N	6	..
Nagasaki,	,,	29.79	..	..	N	6	..
Kagoshima,	,,	29.75	..	..	S	2	..
Taihoku,	1 p.	29.85	..	..	N	6	..
Taichu,	,,	29.74	..	..	N	8	..
Tainan,	,,	29.76	..	..	N	6	..
Koshun,	,,	29.78	..	..	E	4	..
Pescadores,	,,	29.81	..	..	NE	8	..
Gutzlaff,	3 p.	30.00	76	69	NNE	4	cv
Sharp Peak,	,,	29.84	80	64	ENE	4	c
Amoy,	,,	29.81	87	52	ENE	4	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.84	91	70	NW	1	b
Hongkong,	4 p.	29.83	83	71	S	1	b
Victoria Peak,	,,	..	..	..	..	0	..
Gap Rock,	,,	29.84	..	..	..	0	..
Macao,	,,	29.83	94	..	N	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	88	72	WSW	2	b
Malate,	3 p.	..	..	..	SW	3	c
Pacoied,	,,	..	..	..	S	2	c
Iloilo,	,,	29.80	83	..	NW	2	c
Cebu,	,,	29.78	84	..	SW	2	cv
Cape S. James,	,,	..	..	..	SW	1	c

15th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	.	..	..	..	..	..
Tokio,	10 a.	29.82	..	..	N	4	..
Kochi,	,,	29.87	..	..	N	4	..
Nagasaki,	,,	29.91	..	..	NE	6	..
Kagoshima,	,,	29.91	..	..	E	2	..
Taihoku,	5 a.	29.88	..	..	..	0	..
Taichu,	,,	29.78	..	..	E	2	..
Tainan,	,,	29.77	..	..	NE	2	..
Koshun,	,,	29.78	..	..	.	0	..
Pescadores,	,,	29.80	..	..	NE	8	..
Gutzlaff,	9 a.	30.07	75	68	NE	4	cv
Sharp Peak,	,,	..	79	60	NNE	4	b
Amoy,	,,	29.87	86	51	NNE	2	c
Swatow,	,,	.	..	..	..	.	..
Canton,	,,	29.97	82	67	E	1	b
Hongkong,	10 a.	29.92	83	69	ESE	1	c
Victoria Peak,	,,		..	..	E	1	..
Gap Rock,	,,	29.91	..	..	ENE	2	..
Macao,	,,	29.92	86	..	ENE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.80	84	77	WSW	2	c
Malate,	9 a.	..	..	..	..	..	..
Pacoied,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 15th at 11.55a. The barometer has risen moderately in the North, and slightly over the S. coast of China. Pressure remains high over China, and low in the Pacific to the SE of the Loochoos. Gradients slight to moderate for NE winds on the China coast, and in the N. part of the China Sea.

Forecast:—light to moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 15th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	N	4	..
Kochi,	"	29.83	..	..	N	6	..
Nagasaki,	"	29.83	..	..	N	4	..
Kagoshima,	"	29.83	..	..	NE	2	..
Taihoku,	1 p.	29.91	..	..	N	6	..
Taichu,	"	29.75	..	..	N	6	..
Tainan,	"	29.76	..	..	SW	2	..
Koshun,	"	29.80	..	..	NE	4	..
Pescadores,	"	29.82	..	..	N	10	..
Gutzlaff,	3 p.	30.03	76	60	NNE	4	cv
Sharp Peak,	"	29.87	79	66	ESE	4	b
Amoy,	"	29.82	86	58	ENE	3	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.88	93	46	NE	1	b
Hongkong,	4 p.	29.84	83	65	SE	1	b
Victoria Peak,	"	..	..	..	SE	1	..
Gap Rock,	"	29.84	..	..	E	3	..
Macao,	"	29.85	88	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	84	77	WSW	2	ot
Malate,	3 p.	..	..	..	SW	3	c
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	29.77	83	..	SW	2	or
Cebu,	"	29.75	88	..	SW	3	c
Cape S. James,	"	..	..	..	..	..	..

16th SEPTEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.88	..	..	SW	2	..
Taichu,	"	29.78	..	..	..	0	..
Tainan,	"	29.77	..	..	N	6	..
Koshun,	"	29.78	..	..	NE	2	..
Pescadores,	"	29.82	..	..	N	10	..
Gutzlaff,	9 a.	29.96	75	76	NE	5	cv
Sharp Peak,	"	29.92	77	57	NNW	3	b
Amoy,	"	29.10	78	61	NNE	3	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.91	81	71	E	1	o
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	29.91	..	..	ENE	3	..
Macao,	"	29.91	88	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.76	86	78	NW	1	c
Malate,	9 a.	..	..	..	WNW	1	b
Bacolod,	"	..	..	..	S	2	o
Iloilo,	"	29.84	82	..	SE	2	o
Cebu,	"	29.83	89	..	SW	2	b
Cape S. James,	7 a.	..	..	..	WNW	1	o

On the 16th at 11.45a. Barometric changes are slight. Pressure remains high over China, and low in the Pacific to the S. of the Loochoos, where a depression is probably forming. Gradients slight to moderate for NE winds on the China coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 16th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Windivostock,	2 p.	29.91	74	..	N	2	c
Tokio,	"	29.94	..	..	S	4	..
Kochi,	"	29.95	..	..	N	2	..
Nagasaki,	"	29.95	..	..	NE	6	..
Kagoshima,	"	29.91	..	..	E	4	..
Taihoku,	1 p.	29.87	..	..	NE	6	..
Taichu,	"	29.76	..	..	N	4	..
Tainan,	"	29.74	..	..	N	6	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.80	..	..	NE	10	..
Gutzlaff,	3 p.	30.03	75	72	NNE	4	bv
Sharp Peak,	"	29.89	79	63	NNE	3	b
Amoy,	"	29.85	87	45	NE	5	c
Swatow,	"	29.77	82	..	E	4	b
Canton,	"	29.84	93	67	N	3	b
Hongkong,	4 p.	29.83	82	65	S	1	c
Victoria Peak,	"	..	..	..	WSW	1	..
Gap Rock,	"	29.83	..	..	E	3	..
Macao,	"	29.83	88	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.69	86	78	S	1	c
Malate,	3 p.	..	..	..	W	2	o
Tacoled,	"	..	..	..	SW	2	b
Iloilo,	"	29.82	85	..	W	3	c
Cebu,	"	29.76	86	..	SW	2	c
Cape S. James,	"	..	..	..	W	1	c

17th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Windivostock,	7 a.	30.09	59	60	N	1	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	29.78	..	..	S	2	..
Taichu,	"	29.71	..	..	N	2	..
Tainan,	"	29.71	..	..	N	2	..
Koshun,	"	29.70	..	..	..	0	..
Pescadores,	"	29.76	..	..	NE	10	..
Gutzlaff,	9 a.	30.06	75	77	NE	5	cm
Sharp Peak,	"	29.85	78	58	N	3	o
Amoy,	"	29.89	77	69	WSW	3	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.94	80	74	N	2	b
Hongkong,	10 a.	29.91	82	69	NNE	2	b
Victoria Peak,	"	..	..	..	NNE	4	..
Gap Rock,	"	29.91	..	..	N	4	..
Macao,	"	29.94	87	..	N	2	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	88	72	SSW	1	c
Malate,	9 a.	..	..	..	..	..	..
Tacoled,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 17th at 12 4p. The barometer has fallen moderately over Formosa. The depression in the Pacific to the S. of the Loochoos is probably becoming deeper. Pressure remains high over China. Gradients moderate with fresh to strong N and NE. winds along the China coast. Forecast:—moderate or fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 17th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	S	4	..
Kochi,	"	30.13	..	..	SE	2	..
Nagasaki,	"	29.19	..	..	E	4	..
Kagoshima,	"	29.19	..	..	SE	6	..
Taihoku,	1 p.	29.07	..	..	N	6	..
Taichu,	"	29.06	..	..	N	8	..
Tainan,	"	29.06	..	..	N	8	..
Koshun,	"	29.02	..	..	NW	4	..
Pescadores,	"	29.74	..	..	N	10	..
Gutzlaff,	3 p.	30.04	74	86	NE	6	cm
Sharp Peak,	"	29.77	80	66	NNW	3	o
Amoy,	"	29.81	88	56	NW	1	c
Swatow,	"	..	86	..	W	3	b
Canton,	"	29.85	90	41	N	2	b
Hongkong,	4 p.	29.81	86	34	N	1	b
Victoria Peak,	"	.	..	..	N	1	..
Cap Rock,	"	29.83	..	..	NNW	3	..
Macao,	"	29.80	81	..	NNW	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	71	WSW	2	e
Malate,	3 p.	..	..	..	SW	3	c
Iscoled,	"	..	..	..	SW	2	c
Heilo,	"	29.83	81	..	SE	2	o
Celu,	"	29.80	88	..	SW	2	c
Cape S. James,	"	..	..	..	SW	1	c

18th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	29.07	..	..	SW	6	..
Taichu,	"	29.09	..	..	N	4	..
Tainan,	"	29.08	..	..	N	6	..
Koshun,	"	29.06	..	..	N	4	..
Pescadores,	"	29.71	..	..	N	8	..
Gutzlaff,	9 a.	30.00	72	85	ENE	7	cd
Sharp Peak,	"	29.94	81	57	W	4	o
Amoy,	"	29.80	81	67	WSW	6	c
Swatow,	"	.	..	..	..	.	..
Canton,	"	29.92	81	52	N	2	b
Hongkong,	10 a.	29.87	86	46	NNE	1	c
Victoria Peak,	"	.	..	..	NE	2	..
Cap Rock,	"	29.89	..	..	NNW	4	..
Macao,	"	29.87	88	..	N	1	b
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.84	86	78	WSW	1	b
Malate,	9 a.	..	..	..	SW	1	b
Iscoled,	"	.	..	..	SSW	1	b
Heilo,	"	29.91	82	..	S	1	c
Celu,	"	29.91	88	..	SW	3	b
Cape S. James,	7 a.	..	..	..	ESE	..	c

On the 18th at 11.27a. The barometer has fallen quickly on the SE coast of China, risen slightly over the Philippines. The small depression, advancing towards WNW, lies now to the North of the Formosa Channel. NE gales prevail over the E coast of China, and strong W winds in the Formosa Channel. Forecast:—fresh or moderate NW winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 18th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		..	..	..	..	..
Tokio,	,,	30.06	..	..	S	4	..
Kochi,	,,	30.03	..	..	W	2	..
Nagasaki,	,,	29.99	..	..	SE	2	..
Kagoshima,	,,	30.03	..	..	E	4	..
Taihoku,	1 p.	29.69	..	..	W	8	..
Taichu,	,,	29.70	..	..	S	2	..
Tainan,	,,	29.72	..	..	NW	6	..
Koshun,	,,	29.71	..	..	NW	6	..
Pescadores,	,,	29.78	..	..	W	6	..
Gutzlaff,	3 p.	29.96	71	95	NE	8	omd
Sharp Peak,	,,	29.59	85	56	W	3	o
Amoy,	,,	29.64	90	60	WSW	4	c
Swatow,	,,	..	90	..	WNW	4	b
Canton,	,,	29.84	92	43	NW	2	o
Hongkong,	4 p.	29.79	86	55	WNW	2	b
Victoria Peak,	,,	..	..	..	NW	4	..
Cap Rock,	,,	29.81	..	..	NNW	4	..
Macao,	,,	29.81	93	..	NW	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	78	WSW	3	b
Malate,	3 p.	..	..	..	W	2	b
Lucolod,	,,	..	..	..	SW	2	c
Iloilo,	,,	29.85	83	..	SW	1	o
Cebu,	,,	29.83	88	..	SW	3	b
Cape S. James,	,,	..	..	..	SW	1	c

19th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.77	..	..	..	0	..
Taichu,	,,	29.77	..	..		0	..
Tainan,	,,	29.78	..	..	E	2	..
Koshun,	,,	29.78	..	..	NW	4	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	29.92	72	95	NE	9	or
Sharp Peak,	,,	29.77	83	67	W-W	1	c
Amoy,	,,	29.81	81	74	SW	3	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.91	82	63	N	3	b
Hongkong,	10 a.	29.89	86	46	W	1	b
Victoria Peak,	,,	..	..	..	S	1	..
Cap Rock,	,,	29.90	..	..	NNW	3	..
Macao,	,,	29.91	90	..	NNW	2	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	SW	2	c
Lucolod,	,,	..	..	..	S	2	b
Iloilo,	,,	29.96	83	..	SE	1	c
Cebu,	,,	29.91	87	..	SW	2	b
Cape S. James,	7 a.	..	..	..	WNW	1	o

On the 19th at 11.25a. The barometer has fallen considerably at the mouth of the Yangtze, risen about the Formosa Channel. The depression has moved up the E. coast of China, and lies now to the SSE of Gutzlaff. It will probably recurve to the NE. Bad weather over the E. coast of China, fine weather south of Foochow. Forecast:—moderate NW winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 19th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th SEPTEMBER, 1901, P.M.

Station.	Hours.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock..	2 p.	..	..	..	..	..	..
Tokio.... ...	..	..	..	..	..	..	..
Kobe.... ...	..	..	..	..	..	..	..
Nagasaki ...	..	.	..	..	..	..	..
Kagoshima....	..	..	..	..	.	..	..
Taihoku	1 p.	29.81	..	..	W	6	..
Taichu	..	29.78	..	..	W	4	..
Tainan.	..	29.79	..	..	W	4	..
Koshun.	..	29.80	.	..	NW	6	..
Pescadores. ..	..	29.82	..	.	W	2	..
Cutzaff.	3 p.	29.81	72	95	NNE	7	sv
Sharp Peak. ..	..	29.75	85	70	..	0	o
Amoy.	..	29.79	89	59	SE	3	e
Swatow. .. .	..	.	.	.	..	..	..
Canton.	..	29.82	93	86	NW	2	b
Hongkong. ..	4 p.	29.81	85	62	WSW	1	b
Victoria Peak.	..		.	.	WNW	2	..
Cap Rock ..	..	29.82	.	..	NNW	3	..
Macao	.	29.85	95	..	NW	1	b
Haiphong ...	1 p.	.		..	..	..	..
Manila.	4 p.	29.80	88	72	W	2	e
Malate.	3 p.	.	..	..	SW	2	b
Bacolod.	..	.	.	..	SW	2	c
Iloilo.	..	29.84	86	..	SE	3	[illegible]
Cebu	..	29.82	88	..	SW	1	b
Cape S. James,	..	..	..	..	..	0	e

20th SEPTEMBER, 1901, A.M.

Vladivostock,	7 a.	..	..	..	..	..	..
Tokio.	10 a.	29.82	..	..	S	4	..
Kobe	..	29.83	.	..	E	4	..
Nagasaki, ...	..	29.84	..	..	SW	8	..
Kagoshima.. ..	..	29.72	..	..	S	4	..
Taihoku	5 a.	29.85	..	..	..	0	.
Taichu.	..	29.84	..	..	E	..	..
Tainan.	..	29.83	..	..	SE	2	..
Koshun.	..	.	..	..	.	..	..
Pescadores....	..	29.88	.	.	..	0	..
Cutzaff	9 a.	29.93	71	95	NW	5	cp
Sharp Peak. ..	..	29.88	86	68	..	0	b
Amoy. .. .	..	29.88	81	78	SW	1	o
Swatow.	..	.		..	..	.	..
Canton.	..	29.91	85	61	N	1	b
Hongkong....	10 a.	29.91	86	66		0	b
Victoria Peak,	..	.	..	..	N	1	..
Cap Rock. ...	..	29.91	..	..	N	2	..
Macao	..	29.90	90	..	E	1	b
Haiphong.	7 a.	.	..	.	..	..	..
Manila.	10 a.	29.92	88	72	..	0	c
Malate.	9 a.	..	..	..	SW	1	b
Bacolod.	..	.	..	..	SW	1	o
Iloilo.	..	29.94	83	..		0	b
Cebu.	..	29.91	87	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SSE	1	c

On the 20th at 11.45a. The barometer has risen moderately on the E. coast of China, fallen quickly over Japan. The depression is moving NE and approaching Korea Straits. Gradients moderate to slight for N and NE. winds on the China coast. Forecast:—light or moderate N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 20th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	E	6	..
Kochi,	"	29.75	..	..	SE	2	..
Nagasaki,	"	29.04	..	..	W	6	..
Kagoshima,	"	29.08	..	..	SW	6	..
Taihoku,	1 p.	29.89	..	..	E	6	..
Tsichu,	"	29.81	..	..	N	4	..
Tainan,	"	29.85	..	..	W	4	..
Koshun,	"	29.86	..	..	..	0	..
Ferondores,	"	29.87	..	..	NW	4	..
Chinkiang,	3 p.	29.92	89	56	N	3	bv
Hongkong,	"	29.86	83	71	E	2	c
Amoy,	"	29.84	86	68	SE	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.84	94	47	N	1	b
Hongkong,	4 p.	29.82	87	68	S	1	b
Victoria Peak,	"	..	..	..	SSE	1	..
Cap Peak,	"	29.83	..	..	NNW	1	..
Mirs,	"	29.82	93	..	E	1	b
Bangkok,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	72	SSW	2	c
Malate,	4 p.	..	..	..	W	2	c
Iscoled,	"	..	..	..	S	2	c
Iloilo,	"	29.84	85	..	W	1	c
Cebu,	"	29.83	87	..	SW	2	c
Cape S. James,	"	..	..	..	SSE	1	c

21st SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	29.96	..	..	NE	4	..
Tsichu,	"	29.93	..	..	..	0	..
Tainan,	"	29.99	..	..	..	0	..
Koshun,	"	29.93	..	..	E	8	..
Ferondores,	"	29.92	..	..	NE	2	..
Chinkiang,	9 a.	30.07	73	90	NW	2	..
Hongkong,	"	30.02	79	76	..	0	o
Amoy,	"	30.00	79	81	NNE	4	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.97	80	..	E	2	b
Hongkong,	10 a.	29.98	87	63	SE	1	c
Victoria Peak,	"	..	..	..	E	1	..
Cap Peak,	"	29.98	..	..	..	0	..
Mirs,	"	29.91	90	..	SSE	1	c
Bangkok,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	86	72	NW	1	..
Malate,	9 a.	..	..	..	W	2	c
Iscoled,	"	..	..	..	S	2	b
Iloilo,	"	29.95	84	..	..	0	c
Cebu,	"	29.92	86	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 21st at 11.50a. The barometer has risen moderately on the China coast. Pressure is high over China, and the depression is moving NE in the Sea of Japan. Gradients slight for NE winds on the China coast. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 21st September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.63	..	..	NW	4	..
Kochi,	,,	29.68	..	..	NE	4	..
Nagasaki,	,,	29.79	..	..	..	6	..
Kagoshima,	,,	29.79	..	..	NW	6	..
Taihoku,	1 p.	29.94	..	..	E	6	..
Taichu,	,,	29.90	..	..	NW	2	..
Tainan,	,,	29.93	..	..	W	6	..
Koshun,	,,	29.94	..	..	E	4	..
Pescadores,	,,	29.94	..	..	NE	6	..
Gutzlaff,	3 p.	30.03	78	70	NNE	2	bv
Sharp Peak,	,,	29.97	80	74	E	3	o
Amoy,	,,	29.97	80	74	NW	2	o
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.91	85	87	..	0	cp
Hongkong,	4 p.	29.90	84	69	E	2	b
Victoria Peak,	,,	..	..	..	SSE	1	..
Gap Rock,	,,	29.91	..	..	ESE	2	..
Macao,	,,	29.91	89	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	71	WSW	1	o
Malate,	3 p.	..	..	..	W	1	c
Bacolod,	,,	..	..	..	..	0	r
Iloilo,	,,	29.88	85	..	SE	1	c
Cebu,	,,	29.85	88	..	SW	1	c
Cape S. James,	,,	..	..	..	SW	1	o

22nd SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.97	..	..	..	0	..
Taichu,	,,	29.95	..	..	..	0	..
Tainan,	,,	29.95	..	..	E	2	..
Koshun,	,,	29.97	..	..	NE	2	..
Pescadores,	,,	..	..	..	NE	6	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	30.06	80	74	NNW	1	b
Amoy,	,,	30.02	78	82	NNE	1	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.05	79	87	E	2	o
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	30.02	..	..	ENE	4	..
Macao,	,,	30.04	83	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	84	77	WSW	1	b
Malate,	9 a.	..	..	..	SW	1	c
Bacolod,	,,	..	..	..	..	0	..
Iloilo,	,,	29.98	82	..	..	0	b
Cebu,	,,	29.98	86	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 22nd at 12.5p. The barometer has risen slightly over the China coast and Phillipines. Pressure remains high over China, and gradients continue slight for NE winds on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 22nd September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"		..	..	..	..	..
Taihoku,	1 p.	30.01	..	..	NE	4	..
Taichu,	"	29.94	..	..	W	2	..
Tainan,	"	29.98	..	..	W	4	..
Koshun,	"	29.98	..	..	SE	6	..
Pescadores,	"	30.00	..	..	NE	6	..
Gutzlaff,	3 p.	30.07	74	68	NNE	2	cv
Sharp Peak,	"	30.05	79	72	E	2	b
Amoy,	"	29.97	86	65	SE	3	c
Swatow,	"	..	..	..		..	
Canton,	"	29.97	80	87	S	1	c
Hongkong,	4 p.	29.97	81	78	ESE	2	c
Victoria Peak,	"	..	..	..	ESE	2	..
Cap Rock,	"	29.97	..	..	E	3	..
Macao,	"	29.97	86	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	78	..	0	c
Malate,	3 p.	..	..	..	W	1	c
Bacolod,	"	..	..	..	S	2	c
Iloilo,	"	29.90	84	..	W	1	c
Cebu,	"	29.86	85	..	SW	2	c
Cape S. James,	"	..	..	..	..		..

23rd SEPTEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..		..
Taihoku,	5 a.	30.10	..	..	S	4	
Taichu,	"	29.96	..	..	..	0	..
Tainan,	"	29.96	..	..	E	2	..
Koshun,	"	29.98	..	..	..	0	..
Pescadores,	"	29.97	..	..	NE	4	..
Gutzlaff,	9 a.	30.09	76	69	E	1	cv
Sharp Peak,	"	30.03	80	74	..	0	b
Amoy,	"	30.03	78	82	NE	1	c
Swatow,	"	..	..	..	..		..
Canton,	"	30.03	82	83	E	1	b
Hongkong,	10 a.	30.03	83	72	E	3	b
Victoria Peak,	"		..	..	E	2	..
Cap Rock,	"	30.02	..	..	E	3	..
Macao,	"	30.04	87	..	SE	1	c
Haiphong,	7 a.		..	..	..	..	..
Manila,	10 a.	29.16	86	71	NW	1	c
Malate,	9 a.	..	..	..	W	2	o
Bacolod,	"		..	..	..	0	b
Iloilo,	"	29.98	82	..	..	0	o
Cebu,	"	29.94	84	..	..	0	b
Cape S. James,	7 a.	..	..	..	..	0	c

On the 23rd at 11.40a. Barometric changes are slight. Pressure remains high over China, and gradients continue slight for NE winds on the coast and in the N. part of the China Sea. Forecast:—moderate or light NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 23rd September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.84	70	..	SE	2	c
Tokio,	,,	30.06	..	..	S	4	..
Kochi,	,,	30.03	..	..	SW	2	..
Nagasaki,	,,	29.95	..	..	SE	4	..
Kagoshima,	,,	29.96	..	..	E	6	..
Taihoku,	1 p.	29.96	..	..	E	4	..
Taichu,	,,	29.92	..	..	N	2	..
Tainan,	,,	29.99	..	..	W	4	..
Koshun,	,,	29.97	..	..	E	4	..
Pescadores,	,,	29.96	..	..	N	6	..
Gutzlaff,	8 p.	30.02	80	58	SE	2	bv
Sharp Peak,	,,	29.93	80	70	E	4	b
Amoy,	,,	29.94	84	68	SE	4	c
Swatow,	,,	..	.	..	..	..	..
Canton,	,,	29.92	94	61	S	2	b
Hongkong,	4 p.	29.92	81	74	E	3	b
Victoria Peak,	,,	.	..	..	ESE	1	..
Cap Rock,	,,	29.92	..	..	E	3	..
Macao,	,,	29.93	87	..	SSE	1	c
Faiplong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	78	..	0	c
Balate,	3 p.	..	..	..	..	0	c
Lacolod,	,,	..	..	..	NW	2	c
Iloilo,	,,	29.84	85	..	..	0	o
Cebu,	,,	29.82	83	..	SW	1	c
Cape S. James,	,,	..	..	..	SW	1	c

24th SEPTEMBER, 1901, A. M.

Wladivostock,	7 a.	29.81	59	93	NE	2	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.96	..	..	..	0	..
Taichu,	,,	29.93	..	..	..	0	..
Tainan,	,,	29.93	..	..	E	2	..
Koshun,	,,	29.94	..	..	E	4	..
Pescadores,	,,	29.95	..	..	..	0	..
Gutzlaff,	9 a.	30.01	76	78	SSE	1	cv
Sharp Peak,	,,	29.97	81	70	..	0	b
Amoy,	,,	29.98	80	78	NE	2	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	29.99	84	72	E	1	b
Victoria Peak,	,,	.	..	..	S	1	..
Cap Rock,	,,	29.98	..	..	E	1	..
Macao,	,,	30.00	87	..	E	1	c
Faiplong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.92	86	71	SW	1	c
Balate,	9 a.	..	..	.	S	1	b
Lacolod,	,,	.	..	..	S	1	o
Iloilo,	,,	29.92	81	..	..	0	o
Cebu,	,,	29.91	86	..	SW	1	b
Cape S. James,	7 a.	..	..	..	WNW	1	c

On the 24th at 12.5p. The barometer has fallen slightly over the China coast and Phillipines. Pressure is high over the interior of China, and low in the N. part of the Sea of Japan. Gradients gentle with light variable and NE. winds on the China coast, and in the N. part of the China Sea. Forecast—NE or varying winds, light; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 24th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.94	..	..	S	8	..
Kochi,	,,	29.87	..	..	E	2	..
Nagasaki,	,,	29.87	..	..	SW	4	..
Kagoshima,	,,	29.95	..	..	..	0	..
Taihoku,	1 p.	29.93	..	..	E	2	..
Taichu,	,,	29.87	..	..	N	2	..
Tainan,	,,	29.91	..	..	W	6	..
Koshun,	,,	29.91	..	..	NE	4	..
Pescadores,	,,	29.94	..	..	NW	4	..
Gutzlaff,	3 p.	29.95	82	67	SE	1	cv
Sharp Peak,	,,	29.89	80	74	E	1	b
Amoy,	,,	29.91	85	58	SE	5	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.88	94	61	SW	1	b
Hongkong,	4 p.	29.87	84	69	SSE	1	c
Victoria Peak,	,,	..	..	..	N	2	..
Gap Rock,	,,	29.85	..	..	ESE	2	..
Macao,	,,	29.87	86	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	90	66	SW	1	c
Malate,	3 p.	..	..	..	W	2	b
Bacolod,	,,	..	..	..	SW	2	c
Iloilo,	,,	29.81	83	..	W	2	..
Cebu,	,,	29.80	83	..	..	0	cp
Cape S. James,	,,	..	..	..	WNW	1	c

25th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.91	..	..	..	0	..
Taichu,	,,	29.85	..	..	..	0	..
Tainan,	,,	29.86	..	..	E	2	..
Koshun,	,,	29.86	..	..	..	0	..
Pescadores,	,,	29.84	..	..	N	4	..
Gutzlaff,	9 a.	30.02	74	76	N	1	cv
Sharp Peak,	,,	29.92	82	73	..	0	b
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.94	84	83	W	..	b
Hongkong,	10 a.	29.94	84	68	W	1	c
Victoria Peak,	,,		..	..	N	1	..
Cap Rock,	,,	29.93	..	..	SSE	1	..
Macao,	,,	29.94	88	..	SW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	71	SW	1	c
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	,,	..	..	..	S	2	c
Iloilo,	,,	29.89	81	..	..	0	c
Cebu,	,,	29.87	83	..	SW	1	c
Cape S. James,	7 a.	..	..	..	WNW	1	c

On the 25th at 12 5p The barometer continues to fall over S. China and the Phillipines. Pressure is high over the interior of China, and relatively low over the Pacific to the S. of the Loochoos. Gradients slight for N and NE. winds on the China coast. **Forecast—varying or N winds, light to moderate; fine.**

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 25th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.67	..	..	S	6	..
Kochi,	"	29.76	..	..	W	2	..
Nagasaki,	"	29.83	..	..	NW	6	..
Kagoshima,	"	29.83	..	..	NW	6	..
Taihoku,	1 p.	29.88	..	..	NE	8	..
Taichu,	"	29.83	..	..	N	2	..
Tainan,	"	29.85	..	..	NW	6	..
Koshun,	"	29.86	..	..	E	4	..
Pescadores,	"	29.89	..	..	NE	6	..
Gutzlaff,	3 p.	30.02	69	56	NNE	5	cv
Sharp Peak,	"	29.88	80	76	E	3	b
Amoy,	"	29.87	85	64	SE	4	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.83	85	64	S	2	c
Victoria Peak,	"	..	..	..	SSW	3	..
Gap Rock,	"	29.84	..	..	S	1	..
Macao,	"	29.83	88	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	88	72	WSW	3	c
Malate,	3 p.	..	..	..	SW	2	c
Bacoled,	"	..	..	..	SW	1	c
Iloilo,	"	29.80	84	..	SE	2	o
Cebu,	"	29.79	84	..	SW	1	c
Cape S. James,	"	..	..	..	WNW	1	c

26th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	E	6	..
Taichu,	"	29.84	..	..	..	0	..
Tainan,	"	29.81	..	..	E	4	..
Koshun,	"	29.84	..	..	..	0	..
Pescadores,	"	29.82	..	..	NE	6	..
Gutzlaff,	9 a.	30.14	69	56	NE	5	cv
Sharp Peak,	"	29.97	79	76	NE	4	o
Amoy,	"	29.93	80	66	NNE	4	c
Swatow,	"	29.96	80	..	NE	..	c
Canton,	"	29.96	84	79	N	1	c
Hongkong,	10 a.	29.96	83	75	E	2	o
Victoria Peak,	"	..	..	..	NE	1	..
Gap Rock,	"	29.96	..	..	SSE	2	..
Macao,	"	29.96	85	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.98	84	85	..	0	o
Malate,	9 a.	..	..	..	..	0	op
Bacoled,	"	..	..	..	S	2	c
Iloilo,	"	29.94	81	..	SE	1	o
Cebu,	"	29.91	83	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 26th at 11.55a. The barometer has risen slightly on the China coast, and over the Southern Phillipines. Pressure is high over N. China, and relatively low to the E or SE of Formosa. Gradients moderate for NE winds on the China coast. Forecast—moderate to fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 26th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.90	..	..	..	0	..
Kochi,	,,	29.99	..	..	..	0	..
Nagasaki,	,,	29.99	..	..	SE	2	..
Kagoshima,	,,	30.03	..	..	N	2	..
Taihoku,	1 p.	29.93	..	..	E	8	..
Taichu,	,,	29.79	..	..	SW	2	..
Tainan,	,,	29.78	..	..	W	6	..
Koshun,	,,	29.82	..	..	NE	2	..
Pescadores,	,,	29.88	..	..	NE	10	..
Gutzlaff,	3 p.	30.11	71	65	NE	4	cv
Sharp Peak,	,,	29.98	79	74	E	7	o
Amoy,	,,	29.90	85	64	NE	3	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.86	84	83	W	1	c
Hongkong,	4 p.	29.88	81	64	ESE	2	b
Victoria Peak,	,,	..	..	..	ESE	2	..
Gap Rock,	,,	..	..	..	..	..	..
Macao,	,,	29.88	86	..	S	2	c
Bayborg,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	82	92	SSW	1	o
Malate,	3 p.	..	..	..	SW	1	o
Baccolod,	,,	..	..	..	S	2	..
Iloilo,	,,	29.84	83	..	W	2	o
Cebu,	,,	29.81	85	..	SW	2	..
Cape S. James,	,,	..	..	..	SW	1	c

27th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	30.22	..	..	N	4	..
Kochi,	,,	30.11	..	..	..	0	..
Nagasaki,	,,	30.11	..	..	E	4	..
Kagoshima,	,,	30.15	..	..	N	4	..
Taihoku,	8 a.	29.89	..	..	E	4	..
Taichu,	,,	29.78	..	..	..	0	..
Tainan,	,,	29.78	..	..	NE	2	..
Koshun,	,,	29.81	..	..	..	0	..
Pescadores,	,,	29.81	..	..	NE	10	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	29.97	76	77	N	3	o
Amoy,	,,	31.02	79	74	NNW	1	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.99	83	83	SW	1	b
Hongkong,	10 a.	29.97	81	83	..	0	c
Victoria Peak,	,,	..	..	..	NNE	1	..
Gap Rock,	,,	..	..	..	..	..	..
Macao,	,,	29.97	81	..	SE	1	o
Bayborg,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	86	71	WNW	2	c
Malate,	9 a.	..	..	..	E	1	b
Baccolod,	,,	..	..	..	S	2	b
Iloilo,	,,	29.96	81	..	W	1	c
Cebu,	,,	29.94	85	..	..	0	c
Cape S. James,	7 a.	..	..	..	ESE	1	c

On the 27th at 12 p. The barometer has risen over Japan, and is little changed elsewhere. Pressure is high over N. China and Japan, and relatively low in the neighbourhood of S. Formosa. Gradients moderate for N. and NE. winds on the China coast. Forecast—N winds, light to moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 27th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.01	68	..	SW	2	b
Tokio,	,,	30.18	..	..	N	4	..
Kochi,	,,	30.11	..	..	..	0	..
Nagasaki,	,,	30.07	..	..	SE	2	..
Kagoshima,	,,	30.07	..	..	NE	6	..
Taihoku,	1 p.	29.86	..	..	NE	8	..
Taichu,	,,	29.75	..	..	S	4	..
Tainan,	,,	29.79	..	..	W	4	..
Koslun,	,,	29.81.	..	..	SE	2	..
Pescadores,	,,	29.83	..	..	N	10	..
Gutzlaff,	3 p.	30.15	64	89	NE	3	omd
Sharp Peak,	,,	29.90	77	79	NNE	1	o
Amoy,	,,	29.85	91	51	E	3	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.87	89	66	NW	1	c
Hongkong,	4 p.	29.85	84	70	W	1	b
Victoria Peak,	,,	..	..	..	SW	1	..
Cap Rock,	,,	..	..	..	..	..	..
Macao,	,,	29.85	86	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	90	66	..	0	c
Malate,	3 p.	..	..	..	SE	1	c
Bacoled,	,,	..	..	..	SW	1	o
Iloilo,	,,	29.86	83	..	SE	1	o
Cebu,	,,	29.84	89	..	SW	1	c
Cape S. James,	,,	..	..	..	SW	1	c

28th SEPTEMBER, 1901, A. M.

Wladivostock,	7 a.	30.02	54	99	SE	5	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.88	..	..	..	6	..
Taichu,	,,	29.82	..	..	..	0	..
Tainan,	,,	29.83	..	..	N	4	..
Koslun,	,,	29.82	..	..	..	0	..
Pescadores,	,,	29.88	..	..	NE	6	..
Gutzlaff,	9 a.	30.15	67	95	E	4	cd
Sharp Peak,	,,	29.96	77	75	NW	2	o
Amoy,	,,	29.95	80	70	NNW	2	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	29.97	84	72	N	2	b
Hongkong,	10 a.	29.96	83	80	E	2	o
Victoria Peak,	,,	..	..	..	E	3	..
Cap Rock,	,,	..	..	..	..	..	..
Macao,	,,	29.96	89	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	88	78	E	1	c
Malate,	9 a.	..	..	..	SE	1	b
Bacoled,	,,	..	..	..	W	2	b
Iloilo,	,,	29.93	83	..	..	0	c
Cebu,	,,	29.92	85	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 28th at 12.5p. Barometric changes are slight. Pressure remains high over N. China and Japan, and relatively low in the neighbourhood of Formosa. Gradients moderate to slight for N and NE winds on the China coast. Forecast—light or moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 28th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.10	..	..	N	2	..
Kochi,	,,	30.03	..	..	SW	2	..
Nagasaki,	,,	30.07	..	..	NE	4	..
Kagoshima,	,,	30.07	..	..	NE	4	..
Taihoku,	1 p.	29.88	..	..	NW	2	..
Taichu,	,,	29.80	..	..	N	8	..
Tainan,	,,	29.82	..	..	NW	6	..
Koshun,	,,	29.83	..	..	SE	4	..
Pescadores,	,,	29.87	..	..	N	8	..
Gutzlaff,	3 p.	30.17	71	85	ENE	4	ev
Sharp Peak,	,,	29.99	77	75	NNE	3	o
Amoy,	,,	29.86	88	59	ENE	3	c
Swatow,	,,	29.85	84	..	E	3	c
Canton,	,,	29.90	90	60	N	2	b
Hongkong,	4 p.	29.87	84	75	W	1	c
Victoria Peak,	,,	..	..	..	WNW	1	..
Gap Rock,	,,	29.87	..	..	E	1	..
Macao,	,,	29.87	89	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	78	W	1	o
Malate,	3 p.	..	..	..	SSW	2	c
Bacolod,	,,	..	..	..	SW	2	b
Iloilo,	,,	29.85	82	..	W	2	[illegible]
Cebu,	,,	29.82	87	..	..	0	b
Cape S. James,	,,	..	..	..	SW	1	c

29th SEPTEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.98	..	..	E	6	..
Taichu,	,,	29.84	..	..	N	4	..
Tainan,	,,	29.85	..	..	NE	2	..
Koshun,	,,	29.84	..	..	N	2	..
Pescadores,	,,	29.89	..	..	NE	10	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	30.09	72	78	N	4	o
Amoy,	,,	29.99	80	66	NE	6	c
Swatow,	,,	29.99	80	..	NE	2	b
Canton,	,,	30.02	81	62	NE	1	b
Hongkong,	10 a.	30.01	80	62	NE	1	o
Victoria Peak,	,,	..	..	..	ENE	3	..
Gap Rock,	,,	29.99	..	..	ENE	3	..
Macao,	,,	30.02	86	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	90	72	SE	1	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	..	6	b
Iloilo,	,,	29.93	81	..	..	0	c
Cebu,	,,	29.91	84	..	..	0	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 29th at 12.5p. The barometer has risen on the China coast. Pressure is high over China, and relatively low to the E. of Formosa. Gradients moderate for NE winds on the China coast. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 29th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	30.02	..	..	NW	4	..
Kochi,	"	30.07	..	..	N	6	..
Nagasaki,	"	30.07	..	..	NE	6	..
Kagoshima	"	30.07	..	..	E	2	..
Taihoku,	1 p.	30.05	..	..	E	6	..
Taichu,	"	29.87	..	..	N	8	..
Tainan,	"	29.85	..	..	N	4	..
Koshun,	"	29.87	..	..	NE	8	..
Pescadores,	"	29.94	..	..	N	10	..
Gutzlaff,	3 p.	30.10	74	63	NNE	4	cv
Sharp Peak,	"	30.04	75	68	NE	5	o
Amoy,	"	29.97	84	57	NE	4	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.96	80	71	E	3	o
Victoria Peak,	"	.	..	..	ESE	1	..
Gap Rock,	"	29.96	..	..	ENE	4	..
Macao	"	29.97	87	..	NNW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	72	..	0	c
Malate,	3 p.	..	..	..	SE	1	c
Bacolod,	"	..	..	..	W	1	c
Iloilo,	"	29.83	84	..	SE	1	c
Cebu,	"	29.82	89	..	SW	1	b
Cape S. James,	"	..	..	..	..	..	.

30th SEPTEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima	"	..	..	..	..	..	..
Taihoku,	5 a.	30.04	..	..	E	4	..
Taichu,	"	29.91	..	..	..	0	..
Tainan,	"	29.90	..	..	N	2	..
Koshun,	"	29.88	..	..	NE	8	..
Pescadores,	"	29.95	..	..	N	6	..
Gutzlaff,	9 a.	30.23	72	54	NE	4	cv
Sharp Peak,	"	30.09	75	64	NNW	2	c
Amoy,	"	30.03	77	61	NE	2	c
Swatow,	"		..	.	..	..	..
Canton,	"	30.06	75	77	N	2	o
Hongkong,	10 a.	30.02	79	64	NE	2	o
Victoria Peak,	"	..	..	..	ENE	4	..
Gap Rock,	"	30.00	..	..	ENE	5	..
Macao	"	30.03	83	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	90	71	.	0	c
Malate,	9 a.	..	..	..	WNW	1	b
Bacolod,	"	.	..	..	..	6	c
Iloilo,	"	29.93	81	..	..	0	o
Cebu,	"	29.90	84	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 30th at 11.55a. The barometer has risen slightly over Formosa. Pressure remains high over China, and gradients are moderate with fresh NE monsoon on the coast, and in the N. part of the China Sea. Forecast—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 30th September 1901.

CHINA COAST METEOROLOGICAL REGISTER.

30th SEPTEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.97	57	..	SE	2	or
Tokio,	,,	30.10	..	..	S	2	..
Kochi,	,,	30.11	..	..	S	2	..
Nagasaki,	,,	30.11	..	..	E	4	..
Kagoshima,	,,	30.07	..	..	E	4	..
Taihoku,	1 p.	30.03	..	..	E	2	..
Taichu,	,,	29.87	..	..	N	4	..
Tainan,	,,	29.89	..	..	NW	6	..
Koshun,	,,	29.90	..	..	E	6	..
Pescadores,	,,	29.95	..	..	NE	10	..
Gutzlaff,	3 p.	30.20	74	55	NE	4	cv
Sharp Peak,	,,	30.03	76	67	NE	6	o
Amoy,	,,	29.97	84	54	ENE	6	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.00	82	71	N	1	o
Hongkong,	4 p.	29.96	80	63	E	2	o
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	29.94	..	..	ENE	4	..
Macao,	,,	29.96	84	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	82	92	..	0	o
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	N	2	b
Iloilo,	,,	29.81	81	..	NW	1	o
Cebu,	,,	29.81	82	..	..	0	c
Cape S. James,	,,	..	..	..	SW	1	c

1st OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.14	46	71	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.98	..	..	S	2	..
Taichu,	,,	29.89	..	..	..	0	..
Tainan,	,,	29.89	..	..	E	4	..
Koshun,	,,	29.91	..	..	E	2	..
Pescadores,	,,	29.96	..	..	NE	10	..
Gutzlaff,	9 a.	30.17	71	66	NE	4	bv
Sharp Peak,	,,	..	..	..	..	..	..
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.00	83	60	E	1	c
Hongkong,	10 a.	30.00	81	57	E	3	c
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	29.98	..	..	ENE	5	..
Macao,	,,	..	82	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	81	85	NNW	1	c
Malate,	9 a.	..	..	..	W	1	o
Bacolod,	,,	..	..	..	..	0	o
Iloilo,	,,	29.88	81	..	..	0	o
Cebu,	,,	29.82	81	..	..	0	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 1st at 12.15p. The barometer has fallen slightly over the China coast and Phillipines. Pressure is high over China, and low, apparently, over the Pacific to the E. of the Phillipines. Gradients moderate with fresh monsoon on the China coast, and in the N. part of the China Sea.

Forecast—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 1st October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st OCTOBER, 1901, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.10	63	..	NE	1	b
Tokio,	,,	30.14	..	..	S	2	..
Kochi,	,,	30.11	..	..	..	0	..
Nagasaki,	,,	30.07	..	..	SE	4	..
Kagoshima,	,,	30.07	..	..	SE	6	..
Taihoku,	1 p.	29.97	..	..	E	2	..
Taichu,	,,	29.85	..	..	N	4	..
Tainan,	,,	29.89	..	..	NE	8	..
Koshun,	,,	29.87	..	..	N	2	..
Pescadores,	,,	29.88	..	..	NW	4	..
Gutzlaff,	3 p.	30.13	78	76	NE	3	cv
Sharp Peak,	,,	29.98	76	64	ENE	5	o
Amoy,	,,	29.96	87	49	NE	5	c
Swatow,	,,	29.91	82	..	E	4	b
Canton,	,,	29.89	87	53	S	1	b
Hongkong,	4 p.	29.90	81	62	E	2	c
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	29.90	..	..	ENE	4	..
Macao,	,,	29.90	85	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	84	77	..	0	o
Malate,	3 p.	..	..	..	SW	1	o
Bacolod,	,,	..	..	..	W	2	c
Iloilo,	,,	29.74	82	..	SE	2	oq
Cebu,	,,	29.75	81	..	SW	1	o
Cape S. James,	,,	..	..	..	SW	2	c

2nd OCTOBER, 1901, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.03	55	87	SE	2	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	NE	4	..
Taichu,	,,	29.86	..	..	..	0	..
Tainan,	,,	29.86	..	..	..	0	..
Koshun,	,,	29.86	..	..	SE	4	..
Pescadores,	,,	29.88	..	..	NE	6	..
Gutzlaff,	7 a.	30.13	75	77	E	3	cv
Sharp Peak,	,,	29.97	74	84	N	2	o
Amoy,	,,	29.96	78	74	WNW	2	c
Swatow,	,,	29.96	80	..	N	1	c
Canton,	,,	29.97	81	76	SE	1	b
Hongkong,	10 a.	29.96	81	68	E	1	o
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	29.94	..	..	ENE	4	..
Macao,	,,	29.96	86	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.69	77	97	NW	1	cr
Malate,	9 a.	..	..	..	NNW	1	cr
Bacolod,	,,	..	..	..	SW	1	cr
Iloilo,	,,	29.84	78	..	SE	3	o
Cebu,	,,	29.82	82	..	S	4	o
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 2nd at 11.15a. The barometer has fallen over the China coast and Philippines. Pressure remains high over China, and there is a depression in the Pacific to the E. of S. Luzon. Gradients moderate with fresh monsoon on the China coast, and strong monsoon in the N. part of the China Sea. Forecast—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 2nd October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

2nd OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.10	..	..	..	0	..
Kochi,	"	30.07	..	..	S	2	..
Nagasaki,	"	30.07	..	..	SE	4	..
Kagoshima,	"	30.07	..	..	SE	6	..
Taihoku,	1 p.	29.81	..	..	E	6	..
Taichu,	"	29.80	..	..	W	2	..
Tainan,	"	29.82	..	..	W	6	..
Koshun,	"	29.83	..	..	E	6	..
Pescadores,	"	29.87	..	..	NE	6	..
Gutzlaff,	3 p.	30.06	78	78	SE	4	cv
Sharp Peak,	"	29.89	76	84	NW	2	o
Amoy,	"	29.89	87	58	NE	4	c
Swatow,	"	29.87	84	..	ENE	3	c
Canton,	"	29.85	10	47	S	1	b
Hongkong,	4 p.	29.85	81	67	ESE	2	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	29.85	..	..	ENE	3	..
Macao,	"	..	88	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.57	81	92	WNW	2	cd
Malate,	3 p.	..	..	..	NW	4	cr
Pacoled,	"	..	..	..	SW	..	q
Iloilo,	"	29.72	79	..	W	2	cr
Cebu,	"	29.76	81	..	SW	2	or
Cape S. James,	"	..	..	..	SW	1	c

3rd OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.82	..	..	E	4	..
Taichu,	"	29.79	..	..	..	0	..
Tainan,	"	29.80	..	..	..	0	..
Koshun,	"	29.84	..	..	SE	10	..
Pescadores,	"	29.87	..	..	W	6	..
Gutzlaff,	9 a.	29.97	75	95	SE	5	cm
Sharp Peak,	"	29.85	78	86	..	0	o
Amoy,	"	29.88	77	86	SW	2	c
Swatow,	"	29.86	82	..	..	0	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.86	86	48	N	1	b
Victoria Peak,	"	..	..	..	NE	2	..
Gap Rock,	"	29.86	..	..	NNE	2	..
Macao,	"	29.86	90	..	NNW	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.05	75	100	SSE	3	cq
Malate,	9 a.	..	..	..	SW	3	cr
Pacoled,	"	..	..	..	S	3	c
Iloilo,	"	29.86	81	..		0	o
Cebu,	"	29.89	85	..	SW	3	c
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 2nd at 4.30p. The typhoon is approaching the E coast of Central Luzon, and probably moving WNW.

On the 3rd at 11.30a.* The barometer has fallen moderately on the China coast, risen slightly in the S. Phillipines. The typhoon appears to be now lying over the W. coast of Luzon in about 16° Lat. Probably it is moving towards NW at present, but there are indications of recurvature. A second depression is situated over China to the NW of Foochow. Moderate variable winds on the China coast, and strong N and NE winds to gales in the NE part of the China Sea. Forecast—N winds, moderate or fresh; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 3rd October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

3rd OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.14	..	..	S	2	..
Kochi,	,,	30.07	..	..	SE	2	..
Nagasaki,	,,	29.99	..	..	NW	2	..
Kagoshima,	,,	29.99	..	..	E	4	..
Taihoku,	1 p.	29.76	..	..	E	4	..
Taichu,	,,	29.74	..	..	N	2	..
Tainan,	,,	29.74	..	..	N	4	..
Koshun,	,,	29.77	..	..	E	6	..
Pescadores,	,,	29.77	..	..	N	6	..
Gutzlaff,	3 p.	29.87	74	95	SSW	4	omd
Sharp Peak,	,,	29.74	80	85	E	2	b
Amoy,	,,	29.78	86	68	SE	4	c
Swatow,	,,	29.75	85	..	E	3	b
Canton,	,,	29.79	92	40	NW	1	b
Hongkong,	4 p.	29.76	85	59	W	1	c
Victoria Peak,	,,	.	..	..	W	1	..
Cap Rock,	,,	29.76	..	..	NW	1	..
Macao,	,,	29.76	83	..	W	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.69	75	92	S	2	or
Malate,	3 p.	..	..	..	SE	1	cr
Bacoled,	,,	..	..	..	S	1	o
Iloilo,	,,	29.79	83	..	SE	1	o
Cebu,	,,	29.80	86	..	SW	1	c
Cape S. James,	,,	..	..	..	SW	2	c

4th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	.	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.73	..	..	..	0	..
Taichu,	,,	29.69	..	..	..	0	..
Tainan,	,,	29.65	..	..	N	4	..
Koshun,	,,	29.62	..	..	SE	8	..
Pescadores	,,	..	..	..	..	.	..
Gutzlaff,	9 a.	29.86	72	90	N	3	cv
Sharp Peak,	,,	29.82	78	91	NNE	2	o
Amoy,	,,	29.78	80	78	WSW	1	c
Swatow,	,,	.	.	..	..	..	..
Canton,	,,	29.81	83	57	N	2	b
Hongkong,	10 a.	29.80	87	42	NNE	1	c
Victoria Peak,	,,	.	..	..	N	3	..
Cap Rock,	,,	29.79	..	..	NNW	4	..
Macao	,,	..	..	..	..	..	..
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.80	82	85	S	1	cd
Malate,	9 a.	..	..	.	SW	2	o
Bacoled,	,,	.	..	..	SSE	2	o
Iloilo,	,,	29.90	87	..	SE	2	o
Cebu,	,,	29.91	85	..	SW	1	c
Cape S. James,	7 a.	..	..	..	..	0	o

On the 3rd at 4.15p. Red Drum hoisted.

On the 4th at 10.45a. The barometer has fallen over S. China and Formosa, risen in Luzon. The typhoon centre lies to the W. of Formosa. It is moving Northwards at present, and will most probably recurve to the N.E. Forecast—moderate to fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 4th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	..	0	..
Kochi,	"	29.91	..	..	..	0	..
Nagasaki,	"	29.83	..	..	SE	6	..
Kagoshima,	"	29.91	..	..	..	0	..
Taihoku,	1 p.	29.71	..	..	E	8	..
Taichu,	"	29.53	..	..	N	6	..
Tainan,	"	29.54	..	..	N	10	..
Koshun,	"	29.46	..	..	NE	8	..
Pescadores,	"	29.59	..	..	NE	10	..
Gutzlaff,	3 p.	29.97	72	90	NNE	5	og
Sharp Peak,	"	29.75	79	76	NE	6	o
Amoy,	"	29.67	84	47	N	3	c
Swatow,	"	29.65	92	..	NW	3	c
Canton,	"	.	..	..	..	..	..
Hongkong,	4 p.	29.70	90	36	N	3	b
Victoria Peak,	"	.	..	..	NW	5	..
Gap Rock,	"	29.70	..	..	NNW	4	..
Macao,	"	29.73	92	..	NW	2	b
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.76	81	92	..	0	o
Malate,	3 p.	..	..	..	SSW	3	o
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	29.85	85	..	NW	2	c
Cebu,	"	29.80	87	..	SW	2	c
Cape S. James,	"	..	..	..	SW	2	c

5th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	.	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.58	..	..	N	6	..
Taichu,	"	29.54	..	..	N	8	..
Tainan,	"	29.58	..	..	N	10	..
Koshun,	"	..	..	..	N	10	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	.	.	..	.
Sharp Peak,	"	29.81	73	45	WNW	2	o
Amoy,	"	29.81	80	74	NE	1	c
Swatow,	"	29.82	83	..	NNW	2	b
Canton,	"	..	.	..	..	..	..
Hongkong,	10 a.	29.86	83	38	N	3	b
Victoria Peak,	"	.	..	..	N	5	..
Gap Rock,	"	29.86	..	..	NNE	4	..
Macao,	"	29.89	86	..	N	3	b
Haiphong,	7 a.	.	..	.	..	.	..
Manila,	10 a.	29.88	86	78	SW	1	c
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	S	2	b
Iloilo,	"	29.91	83	..	SW	1	c
Cebu,	"	29.90	83	..	..	0	c
Cape S. James,	7 a.	..	..	..	WNW	2	or

On the 5th at 10.10a. Red Drum lowered.

At 11.25a. The barometer is now rising on the S. coast of China, and over S. Formosa. The typhoon centre, recurving towards NE, passed near S. Cape, Formosa last evening, and now lies to the E. of that island. Gradients rather steep for N winds on the China coast. Forecast— fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 5th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

5th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	6	..
Kochi,	"	29.91	..	..	..	0	..
Nagasaki,	"	29.87	..	..	E	2	..
Kagoshima,	"	29.87	..	..	..	0	..
Taihoku,	1 p.	29.68	..	..	NW	10	..
Taichu,	"	29.70	..	..	N	8	..
Tainan,	"	29.73	..	..	N	10	..
Koshun,	"	29.60	..	..	N	10	..
Pescadores,	"	29.78	..	..	NE	8	..
Gutzlaff,	3 p.	29.94	71	76	N	5	cm
Sharp Peak,	"	29.73	78	68	NE	2	o
Amoy,	"	29.78	87	62	S	2	c
Swatow,	"	29.76	81	..	W	1	b
Canton,	"	29.82	87	34	NE	1	..
Hongkong,	4 p.	29.76	85	38	..	0	b
Victoria Peak,	"	.	..	..	NW	2	..
Gap Rock,	"	29.76	..	..	NNW	5	..
Macao,	"	29.79	88	..	NW	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	82	85	NW	2	o
Malate,	3 p.	..	..	..	NW	2	c
Bacolod,	"	..	..	..	WSW	1	c
Iloilo,	"	29.82	85	..	SE	1	o
Cebu,	"	29.80	87	..	SW	1	b
Cape S. James,	"	..	..	..	WNW	1	c

6th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.82	..	..	SW	2	..
Taichu,	"	29.80	..	..	..	0	..
Tainan,	"	29.78	..	..	N	4	..
Koshun,	"	29.76	..	..	NW	2	..
Pescadores,	"	29.82	..	..	NE	4	..
Gutzlaff,	9 a.	29.87	70	95	N	7	cm
Sharp Peak,	"	29.88	76	53	W	1	b
Amoy,	"	29.88	75	72	SW	1	b
Swatow,	"	29.94	79	..	N	1	b
Canton,	"	..	78	50	NE	1	b
Hongkong,	10 a.	29.90	83	43	N	1	b
Victoria Peak,	"	..	..	..	NNE	1	..
Gap Rock,	"	29.89	..	..	NNE	2	..
Macao,	"	29.91	85	..	NNW	1	b
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	84	85	..	0	c
Malate,	9 a.	..	..	..	SW	1	b
Bacolod,	"	.	..	..	SW	1	b
Iloilo,	"	29.91	84	..	..	0	c
Cebu,	"	29.89	87	..	SW	1	b
Cape S. James,	7 a.	..	..	..	N	4	o

On the 6th at 11.50a. The barometer has fallen over the E. coast of China, risen in S. China. The typhoon is probably approaching SW Japan. Gradients slight for N winds in S. China.
Forecast:—light or moderate N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 6th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..		..	..
Tokio,	"	29.98	..	..	N	2	..
Kochi,	"	29.87	..	..	..	0	..
Nagasaki,	"	29.75	..	..	NE	8	..
Kagoshima,	"	29.72	..	..	E	8	..
Taihoku,	1 p.	29.87	..	..	W	4	..
Taichu,	"	29.85	..	..	NW	6	..
Tainan,	"	29.83	..	..	NW	4	..
Koshun,	"	29.80	..	..	N	6	..
Pescadores,	"	29.81	..	..	NW	6	..
Gutzlaff,	3 p.	29.85	72	81	NNE	7	cv
Sharp Peak,	"	29.81	78	91	E	2	b
Amoy,	"	29.80	83	60	SE	3	b
Swatow,	"	29.83	84	..	ESE	1	c
Canton,	"		..	..	..	..	..
Hongkong,	4 p.	29.81	82	60	E	1	b
Victoria Peak,	"	..	..	..	WSW	1	..
Cap Rock,	"	29.80	..	..	NNE	2	..
Macao,	"	29.81	88	..	NNW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	78	SW	1	c
Malate,	3 p.	..	..	..	SW	2	c
Lacoled,	"	..	..	..	..	0	b
Iloilo,	"	29.83	86	..	W	1	c
Cebu,	"	29.81	85	..	SW	2	c
Cape S. James,	"	..	..	..	..	..	..

7th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	29.89	..	..	E	2	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"	29.89	..	..	..	0	..
Pescadores,	"	29.90	..	..	NE	4	..
Gutzlaff,	9 a.	29.98	70	85	NW	4	cm
Sharp Peak,	"	29.98	79	63	..	0	b
Amoy,	"	29.97	76	77	NW	1	b
Swatow,	"	29.98	80	..	NE	1	c
Canton,	"	..	.	..	..	..	..
Hongkong,	10 a.	29.96	78	79	NE	2	cp
Victoria Peak,	"	.	..	..	E	1	..
Cap Rock,	"	29.94	..	..	ESE	3	..
Macao,	"	.	85	..	N	1	cp
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	88	72	SE	1	c
Malate,	9 a.	..	..	..	SE	2	b
Lacoled,	"	.	..	..	..	0	b
Iloilo,	"	29.95	83	..	..	0	c
Cebu,	"	29.93	84	..	.	0	b
Cape S. James,	7 a.	..	..	..	W	1	c

On the 7th at 11.50a. The barometer has risen on the China coast. The typhoon is probably moving NE over W. Japan. Gradients slight for N and NE winds on the China coast.
Forecast—moderate NE winds; fine

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 7th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

7th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	..	0	..
Kochi,	"	29.72	..	..	E	6	..
Nagasaki,	"	29.28	..	..	NE	10	..
Kagoshima,	"	29.28	..	..	S	10	..
Taihoku,	1 p.	29.13	..	..	NE	2	..
Taichu,	"	29.12	..	..	N	4	..
Tainan,	"	29.13	..	..	NW	6	..
Koshun,	"	29.14	..	..		0	..
Pescadores,	"	29.16	..	..	NE	6	..
Gutzlaff,	3 p.	29.97	78	76	N	4	o
Sharp Peak,	"	29.93	78	65	E	2	b
Amoy,	"	29.92	82	63	SE	4	c
Swatow,	"	29.91	83	..	E	3	b
Canton,	"	29.91	89	70	E	1	b
Hongkong,	4 p.	29.92	80	68	ESE	3	b
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock,	"	29.90	..	..	E	4	..
Macao,	"	29.93	84	..	E	1	cp
Haiphong,	3 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	90	66	SE	1	..
Malate,	3 p.	..	..	..	SE	..	c
Bacolod,	"	..	..	..	NW	2	b
Iloilo,	"	29.84	87	..	SE	.	c
Cebu,	"	29.83	86	..	N	2	c
Cape S. James,	"	..	..	..	..	0	cr

8th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	6 a.	29.99	..	..	..	0	..
Taichu,	"	29.95	..	..	..	0	..
Tainan,	"	29.96	..	..	E	2	..
Koshun,	"	29.97	..	..	..	0	..
Pescadores,	"	29.97	..	..	NE	4	..
Gutzlaff,	9 a.	30.05	68	10	NW	2	cv
Sharp Peak,	"	..	..	.	..	..	
Amoy,	"	30.00	75	77	WNW	1	b
Swatow,	"	30.04	80		N	1	b
Canton,	"	30.01	83	75	E	2	b
Hongkong,	10 a.	30.02	82	65	ENE	2	b
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	30.01	..	..	E	4	..
Macao,	"	30.02	87	..	ENE	3	c
Haiphong,	7 a.	.	..	.	..	.	.
Manila,	10 a.	29.96	86	71	NW	1	c
Malate,	9 a.	..	..	..	W	1	b
Bacolod,	"	.	..	..	NW	..	c
Iloilo,	"	29.97	85	..	SE	1	b
Cebu,	"	29.95	85	..	.	0	c
Cape S. James,	7 a.	..	..	..	..	0	cm

On the 8th at 11.50 a. The barometer has risen over the China coast and Philippines. Pressure is highest over China, and the typhoon is probably moving NE over Central Japan. Gradients slight for N and NE winds on the China coast. Forecast—moderate NE winds; fine

F. G. FIGG.
First Assistant.

Hongkong Observatory, Tuesday, 8th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.87	..	..	NW	6	..
Kochi,	"	29.40	..	..	NE	6	..
Nagasaki,	"	29.72	..	..	N	8	..
Kagoshima,	"	29.68	..	..	NW	8	..
Taihoku,	1 p.	29.99	..	..	E	2	..
Taichu,	"	29.96	..	..	W	2	..
Tainan,	"	29.96	..	..	NW	4	..
Koshun,	"	29.97	..	..	NE	4	..
Pescadores,	"	29.95	..	..	NE	6	..
Gutzlaff,	3 p.	29.99	74	68	N	2	ov
Sharp Peak,	"	29.93	77	73	E	3	b
Amoy,	"	29.95	82	67	SE	5	c
Swatow,	"	29.90	83	..	E	3	b
Canton,	"	29.94	83	78	SE	1	b
Hongkong,	4 p.	29.97	81	73	E	3	o
Victoria Peak,	"	.	..	..	SE	2	..
Cap Rock,	"	29.95	..	..	E	3	..
Macao,	"	29.98	85	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	88	66	NW	1	..
Malate,	3 p.	..	..	..	SW	2	c
Bacolod,	"	..	..	..	NW	2	r
Iloilo,	"	29.87	87	..	..	0	c
Cebu,	"	29.85	85	..	N	2	b
Cape S. James,	"	..	..	..	SE	1	o

9th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.01	..	..	S	4	..
Taichu,	"	29.96	..	..	..	0	..
Tainan,	"	29.96	..	..	NE	2	..
Koshun,	"	29.97	..	..	N	4	..
Pescadores,	"	29.97	..	..	NE	2	..
Gutzlaff,	9 a.	30.05	72	85	SSE	1	cpv
Sharp Peak,	"	30.01	78	78	..	0	o
Amoy,	"	30.01	76	86	W	2	c
Swatow,	"	.	..	..	.	.	..
Canton,	"	30.00	83	83	SE	2	b
Hongkong,	10 a.	30.01	83	69	E	1	c
Victoria Peak,	"	.	[illegible]	..	SE	1	..
Cap Rock,	"	29.99	..	..	ESE	2	..
Macao,	"	30.01	82	..	NW	1	cp
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	30.00	88	66	..	0	c
Malate,	9 a.	..	..	.	SE	2	b
Bacolod,	"	.	..	..	N	2	c
Iloilo,	"	30.00	82	..	.	0	c
Cebu,	"	30.00	80	..	N	3	or
Cape S. James,	7 a.	..	..	..	SE	1	c

On the 9th at 11.47 a. The barometer has risen slightly over the Philippines, and is inclined to fall on the China coast. The typhoon has probably advanced to the SE. coast of Japan. Pressure appears to be low also over N. China. Gradients gentle with light variable winds on the China coast.

Forecast—SE or varying winds, light; mostly fine, but probably some showers.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 9th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.43	..	..	NW	4	..
Kochi,	"	29.76	..	..	NE	6	..
Nagasaki,	"	29.87	..	..	N	4	..
Kagoshima,	"	29.87	..	..	N	4	..
Taihoku,	1 p.	29.96	..	..	NE	2	..
Taichu,	"	29.94	..	..	NW	4	..
Tainan,	"	29.96	..	..	W	4	..
Koshun,	"	29.96	..	..	..	0	..
Pescadores,	"	29.96	..	..	N	4	..
Gutzlaff,	3 p.	30.00	76	73	S	1	cv
Sharp Peak,	"	29.91	77	77	E	2	b
Amoy,	"	29.90	84	68	SE	5	c
Swatow,	"	29.93	85	..	S	3	c
Canton,	"	29.88	90	70	SE	2	b
Hongkong,	4 p.	29.92	78	93	.	0	or
Victoria Peak,	"	.	..	..	SSE	2	..
Cap Rock,	"	29.90	..	..	SW	3	..
Macao,	"	29.90	84	..	SSE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	2 p.	29.88	90	60	..	0	c
Malate,	3 p.	..	..	..	SSW	1	b
Jacoled,	"	..	..	..	NNW	2	c
Iloilo,	"	29.88	86	..	..	0	c
Cebu,	"	29.86	83	..	.	0	b
Cape S. James,	"	..	..	..	SE	1	o

10th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.98	..	..	S	2	..
Taichu,	"	29.96	..	..	..	0	..
Tainan,	"	29.95	..	..	E	2	..
Koshun,	"	29.95	..	..	..	0	..
Pescadores,	"	29.95	..	..	..	0	..
Gutzlaff,	9 a.	30.02	69	95	SSE	4	Um
Sharp Peak,	"	29.97	77	84	E	1	o
Amoy,	"	29.98	81	83	..	0	c
Swatow,	"	29.98	80	..	..	0	o
Canton,	"	.	..	..	..	..	..
Hongkong,	10 a.	29.98	84	76	SSW	1	o
Victoria Peak,	"	.	..	..	SSW	3	..
Cap Rock,	"	29.99	..	..	SW	3	..
Macao,	"	29.99	90	..	SW	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.00	84	71	..	0	c
Malate,	9 a.	..	..	..	W	1	b
Jacoled,	"	.	..	..	NNE	1	c
Iloilo,	"	29.98	84	..	.	0	b
Cebu,	"	29.97	84	..	N	1	c
Cape S. James,	7 a.	..	..	..	SW	5	c

On the 10th at 12 5p. The barometer has fallen slightly on the China coast. Pressure is low over N. China, and highest over the N. part of the China Sea and the Pacific towards the Loochoos. Gradients slight for SE and S winds on the China coast. Forecast—lighter moderate S winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 10th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.84	67	..	SE	3	c
Tokio,	"	29.86	..	..	NW	6	..
Kochi,	"	29.95	..	..	SW	2	..
Nagasaki,	"	29.95	..	..	SE	6	..
Kagoshima,	"	29.95	..	..	SE	2	..
Taihoku,	1 p.	29.91	..	..	W	2	..
Taichu,	"	29.91	..	..	W	2	..
Tainan,	"	29.93	..	..	SW	4	..
Koshun,	"	29.95	..	..	E	2	..
Pescadores,	"	29.95	..	..	SW	4	..
Gutzlaff,	3 p.	29.86	70	95	S	3	omd
Sharp Peak,	"	29.86	79	87	E	2	o
Amoy,	"	29.88	84	72	SSE	5	c
Swatow,	"	29.84	86	..	S	3	c
Canton,	"	29.84	91	70	SE	3	b
Hongkong,	4 p.	29.87	85	73	SSW	2	c
Victoria Peak,	"	..	..	..	SSW	3	..
Gap Rock,	"	29.86	..	..	SSW	3	..
Macao,	"	29.86	85	..	SW	2	cp
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	90	66	..	0	c
Malate,	3 p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.88	86	..	E	1	c
Cebu,	"	29.86	85	..	N	2	c
Cape S. James,	"	..	..	..	SW	2	c

11th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	29.90	62	70	S	1	o
Tokio,	10 a.	30.14	..	..	N	2	..
Kochi,	"	30.07	..	..	E	2	..
Nagasaki,	"	29.99	..	..	SE	6	..
Kagoshima,	"	30.03	..	..	E	4	..
Taihoku,	5 a.	29.97	..	..	SW	2	..
Taichu,	"	29.92	..	..	..	0	..
Tainan,	"	29.93	..	..	E	2	..
Koshun,	"	29.97	..	..	..	0	..
Pescadores,	"	29.93	..	..	S	2	..
Gutzlaff,	9 a.	29.98	72	95	SE	4	ov
Sharp Peak,	"	29.91	79	89	..	0	o
Amoy,	"	29.93	81	91	W	1	c
Swatow,	"	29.91	84	..	WSW	2	b
Canton,	"	29.95	84	83	S	1	b
Hongkong,	10 a.	29.98	85	68	SW	1	c
Victoria Peak,	"	..	..	..	SSW	4	..
Gap Rock,	"	29.96	..	..	SSW	3	..
Macao,	"	29.98	83	..	SW	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	88	72	SW	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NNE	2	b
Iloilo,	"	29.95	83	..	..	0	c
Cebu,	"	29.92	85	..	..	0	b
Cape S. James,	7 a.	..	..	..	S	2	c

On the 11th at 11.55a. The barometer has risen considerably in SE Japan, fallen slightly elsewhere. Pressure is low over the interior of China, and highest over the Pacific to the S. of Japan. Gradients slight for SE and S winds on the China coast. Forecast—moderate SW winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 11th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	S	4	..
Kochi,	"	30.17	..	..	S	2	..
Nagasaki,	"	29.95	..	..	W	2	..
Kagoshima,	"	29.99	..	..	E	4	..
Taihoku,	1 p.	29.89	..	..	S	2	..
Taichu,	"	29.88	..	..	W	6	..
Tainan,	"	29.91	..	..	W	4	..
Koshun,	"	29.92	..	..	..	0	..
Pescadores,	"	29.92	..	..	S	4	..
Gutzlaff,	4 p.	29.88	74	85	SSE	4	cm
Sharp Peak,	"	29.80	83	81	SSE	4	c
Amoy,	"	29.85	86	76	SE	5	c
Swatow,	"	29.82	88	..	S	3	c
Canton,	"	29.82	91	70	SE	2	b
Hongkong,	4 p.	29.86	84	65	SW	2	c
Victoria Peak,	"	..	..	..	SSW	4	..
Cap Rock,	"	29.86	..	..	SW	3	..
Macao,	"	29.86	86	..	SW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	91	66	..	0	b
Malate,	2 p.	..	..	..	SW	1	b
Fucoled,	"	..	..	..	NE	2	c
Iloilo,	"	29.83	86	..	N	1	c
Cebu,	"	29.82	86	..	N	3	c
Cape S. James,	"	..	..	..	W	1	c

12th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.85	..	..	..	0	..
Taichu,	"	29.85	..	..	..	0	..
Tainan,	"	29.90	..	..	..	0	..
Koshun,	"	29.89	..	..	..	0	..
Pescadores,	"	29.89	..	..	S	4	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	29.84	83	85	..	0	c
Amoy,	"	29.88	81	87	SW	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	29.91	84	83	W	1	c
Hongkong,	10 a.	29.94	85	76	SW	1	c
Victoria Peak,	"	..	..	..	SSW	3	..
Cap Rock,	"	29.93	..	..	SW	3	..
Macao,	"	29.93	89	..	SW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	71	WNW	1	b
Malate,	9 a.	..	..	..	W	1	b
Fucoled,	"	..	..	..	NE	3	c
Iloilo,	"	29.86	83	..	..	0	c
Cebu,	"	29.86	84	..	N	3	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 12th at 12 p. The barometer continues to fall over the China coast and Phillipines. A depression appears to be lying over N. China, and pressure is low also, over the Pacific to the E. of the Southern Phillipines. Gradients slight for SW winds in S. China. Forecast—moderate SW winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 12th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.10	..	..	S	4	..
Kochi,	"	29.95	..	..	E	2	..
Nagasaki,	"	29.83	..	..	S	6	..
Kagoshima,	"	29.87	..	..	SE	2	..
Taihoku,	1 p.	29.85	..	..	W	2	..
Taichu,	"	29.85	..	..	W	4	..
Tainan,	"	29.87	..	..	W	2	..
Koshun,	"	29.87	..	..	N	2	..
Pescadores,	"	29.88	..	..	SW	4	..
Gutzlaff,	3 p.	29.86	70	95	NW	4	omd
Sharp Peak,	"	29.74	84	81	E	4	b
Amoy,	"	29.79	88	69	SE	4	c
Swatow,	"	29.79	89	..	WSW	1	c
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.83	85	73	WSW	1	b
Victoria Peak,	"	..	..	..	SW	2	..
Gap Rock,	"	29.83	..	..	SW	3	..
Macao,	"	29.83	89	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	82	85	..	0	b
Malate,	3 p.	..	..	..	SE	..	c
Bacolod,	"	..	..	..	NE	2	..
Iloilo,	"	29.74	85	..	..	0	o
Cebu,	"	29.73	85	..	N	3	c
Cape S. James,	"	..	..	..	..	0	c

13th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	.	..	..	..	..	..
Tokio,	10 a.	29.90	..	..	S	4	..
Kochi,	"	29.91	..	..	..	0	..
Nagasaki,	"	29.91	..	..	SW	4	..
Kagoshima,	"	29.95	..	..	SW	4	..
Taihoku,	5 a.	29.93	..	..	..	0	..
Taichu,	"	29.90	..	..	..	0	..
Tainan,	"	29.90	..	..	NE	2	..
Koshun,	"	29.90	..	..	N	2	..
Pescadores,	"	29.91	..	..	.	0	..
Gutzlaff,	9 a.	30.08	69	90	NW	3	cm
Sharp Peak,	"	29.98	77	84	NNE	3	o
Amoy,	"	29.93	82	83	NE	2	c
Swatow,	"	29.94	84	.	SE	1	o
Canton,	"	29.96	84	79	S	1	o
Hongkong,	10 a.	29.96	85	74	W	1	b
Victoria Peak,	"	.	..	..	WNW	2	..
Gap Rock,	"	29.95	..	..	WNW	3	..
Macao,	"	..	92	..	SW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	84	77	S	1	c
Malate,	9 a.	..	..	.	.	0	o
Bacolod,	"	.	..	..	NE	2	b
Iloilo,	"	29.85	82	..	..	0	o
Cebu,	"	29.83	84	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 13th at 12.20p. The barometer has risen on the China coast, particularly in the North; fallen over Japan. The depression in the North has moved into the Sea of Japan, and pressure remains low in the neighbourhood of the Southern Phillipines. Gradients slight for N and NE winds on the China coast, and in the N. part of the China Sea. Forecast:—NW to NE winds, moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 13th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.82	..	..	NW	2	..
Kochi,	,,	29.87	..	..	S	2	..
Nagasaki,	,,	29.87	..	..	W	4	..
Kagoshima,	,,	29.91	..	..	SW	2	..
Taihoku,	1 p.	29.93	..	..	NW	4	..
Taichu,	,,	29.90	..	..	NW	2	..
Tainan,	,,	29.90	..	..	NW	4	..
Koshun,	,,	29.90	..	..	NE	2	..
Pescadores,	,,	29.93	..	..	W	2	..
Gutzlaff,	3 p.	29.95	72	85	NNW	1	cv
Sharp Peak,	,,	29.95	78	80	E	4	o
Amoy,	,,	29.91	85	76	ENE	3	c
Swatow,	,,	29.89	86	..	SE	3	c
Canton,	,,	29.87	95	68	W	1	b
Hongkong,	4 p.	29.86	87	70	W	1	b
Victoria Peak,	,,	..	..	..	SW	1	..
Gap Rock,	,,	29.87	..	..	..	0	..
Macao,	,,	29.87	90	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	82	77	N	1	c
Malate,	3 p.	..	..	..	NNW	1	c
Bacolod,	,,	..	..	..	..	0	c
Iloilo,	,,	29.74	85	..	N	2	cq
Cebu,	,,	29.72	85	..	S	1	c
Cape S. James,	,,	..	..	..	..	..	..

14th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.24	69	65	N	4	cm
Sharp Peak,	,,	..	..	..	..	..	..
Amoy,	,,	30.00	80	78	NE	2	c
Swatow,	,,	30.06	72	..	E	4	og
Canton,	,,	30.02	78	86	E	1	o
Hongkong,	10 a.	30.02	77	93	SE	2	odt
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	30.00	..	..	E	3	..
Macao,	,,	30.01	85	..	E	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	77	100	WNW	1	or
Malate,	9 a.	..	..	..	W	1	or
Bacolod,	,,	..	..	..	SW	1	cp
Iloilo,	,,	29.84	80	..	N	2	o
Cebu,	,,	29.84	82	..	SW	2	o
Cape S. James,	7 a.	..	..	..	..	0	c

On the 14th at 11.55a. The barometer has risen moderately on the China coast. Pressure is high over N. China, and the depression in the Pacific appears to be now lying to the E. of Luzon. Gradients moderate with fresh monsoon on the China coast, and in the N. part of the China Sea.
Forecast—moderate to fresh NE winds; showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 14th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	N	..	..
Kochi,	"	29.87	..	..	.	0	..
Nagasaki,	"	29.99	..	..	N	4	..
Kagoshima,	"	29.99	..	..	NW	6	..
Taihoku,	1 p.	29.99	..	..	NE	8	..
Taichu,	"	29.88	..	..	NW	2	..
Tainan,	"	29.91	..	..	SW	4	..
Koshun,	"	29.93	..	..	NE	6	..
Pescadores,	"	29.93	..	..	NE	10	..
Gutzlaff,	3 p.	30.22	68	65	N	4	cm
Sharp Peak,	"	30.03	75	77	NE	6	o
Amoy,	"	29.94	87	65	ENE	6	c
Swatow,	"	29.90	84	..	ESE	4	b
Canton,	"	29.96	85	68	N	1	c
Hongkong,	4 p.	29.93	81	79	E	2	o
Victoria Peak,	"	.	..	..	E	2	..
Gap Rock,	"	29.91	..	..	E	4	..
Macao,	"	29.94	82	..	N	1	orlt
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.67	77	..	WNW	4	od
Malate,	5 p.	..	..	..	W	4	or
Bacolod,	"	..	..	..	S	2	o
Iloilo,	"	29.76	81	..	SW	3	o
Cebu,	"	29.76	83	..	SW	2	c
Cape S. James,	"	..	..	..	SW	1	c

15th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.99	..	..	E	8	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.88	..	..	E	2	..
Koshun,	"	29.87	..	..	NE	8	..
Pescadores,	"	29.90	..	..	NE	8	..
Gutzlaff,	9 a.	30.23	66	94	NE	3	cv
Sharp Peak,	"	30.06	74	74	N	4	o
Amoy,	"	30.01	79	74	NE	4	c
Swatow,	"	..	..	..	.	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.97	80	67	ENE	3	o
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	29.94	..	..	ENE	5	..
Macao,	"	29.97	81	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	81	85	..	0	o
Malate,	9 a.	..	..	..	E	1	o
Bacolod,	"	.	..	..	S	2	b
Iloilo,	"	29.87	83	..	..	0	c
Cebu,	"	29.87	85	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 14th at 4.20p. Typhoon approaching East coast of Central Luzon, apparently moving WNW at present.

On the 15th at 11.0a. Red South Cone hoisted. The barometer is rising in the Phillipines, falling over S. China. The typhoon has moved in to the China Sea, and seems to be now lying off the W. coast of Luzon in about 16° Lat.. It is probably moving towards WNW. at present. Pressure remains high over N. China. Strong NE winds to gales off the coasts of S. China, and in the N. part of the China Sea. Forecast—NE winds, probably increasing to a gale; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 15th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	NE	2	..
Kochi,	"	29.99	..	..	S	2	..
Nagasaki,	"	30.03	..	..	N	4	..
Kagoshima,	"	29.99	..	..	E	2	..
Taihoku,	1 p.	29.93	..	..	E	10	..
Taichu,	"	29.78	..	..	N	2	..
Tainan,	"	29.84	..	..	W	6	..
Koshun,	"	29.86	..	..	E	8	..
Pescadores,	"	29.86	..	..	NE	10	..
Gutzlaff,	3 p.	30.19	66	64	NE	4	cv
Sharp Peak,	"	29.97	75	58	NW	4	o
Amoy,	"	29.90	88	63	NNE	6	c
Swatow,	"	29.87	82	..	ESE	7	o
Canton,	"	29.86	85	64	N	2	b
Hongkong,	4 p.	29.88	82	68	E	3	o
Victoria Peak,	"	..	..	..	ENE	3	..
Gap Rock,	"	29.81	..	..	ENE	5	..
Macao,	"	29.83	85	..	NNW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	79	92	..	0	o
Malate,	3 p.	..	..	..	S	1	oq
Bacolod,	"	..	..	..	W	2	o
Iloilo,	"	29.81	84	..	N	3	cq
Cebu,	"	29.80	86	..	SW	1	c
Cape S. James,	"	..	..	..	SW	2	or

16th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	29.90	..	..	E	6	..
Taichu,	"	29.83	..	..	..	0	..
Tainan,	"	29.88	..	..	..	0	..
Koshun,	"	29.87	..	..	..	0	..
Pescadores,	"	29.86	..	..	NE	6	..
Gutzlaff,	9 a.	30.27	62	77	NE	5	cm
Sharp Peak,	"	30.14	67	66	WNW	4	o
Amoy,	"	29.96	77	73	NE	3	o
Swatow,	"	..	..	..	.	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.89	79	66	N	2	oq
Victoria Peak,	"		..	..	NNE	5	..
Gap Rock,	"	29.84	..	..	NE	6	..
Macao,	"	29.89	80	..	N	3	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	84	77	..	0	c
Malate,	9 a.	..	..	.	..	0	b
Bacolod,	"		..	..	W	2	b
Iloilo,	"	29.90	83	..	..	0	b
Cebu,	"	29.88	86	..	SW	1	o
Cape S. James,	7 a.	..	..	..	..	0	o

On the 15th at 4.35p. Black South Cone hoisted.

On the 16th at 11.25a. The barometer has fallen moderately over the S. coast of China, risen slightly in the Phillipines. The typhoon seems to be situated to the SSE of Hongkong in about 18° to 19° Lat., and to be moving, at present, towards NW. Bad weather in the N. part of the China Sea. Forecast—NE winds, probably a gale; squally, with rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 16th October 1901.

CHINA COAST METEOROLOGICAL REGISTER

16th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.11	52	..	NW	3	b
Tokio,	"	30.03	..	..	N	2	..
Kochi,	"	30.07	..	..	N	2	..
Nagasaki,	"	30.11	..	..	NE	2	..
Kagoshima,	"	30.03	..	..	NE	2	..
Taihoku,	1 p.	29.94	..	..	E	8	..
Taichu,	"	29.82	..	..	N	4	..
Tainan,	"	29.85	..	..	S	2	..
Koshun,	"	29.85	..	..	E	4	..
Pescadores,	"	29.88	..	..	NE	10	..
Gutzlaff,	3 p.	.	..	..	..	..	..
Sharp Peak,	"	30.02	60	80	ENE	7	og
Amoy,	"	29.98	77	69	NE	7	o
Swatow,	"	..	.	..	..	..	..
Canton,	"	29.87	80	68	N	2	b
Hongkong,	4 p.	29.81	78	65	N	3	oq
Victoria Peak,	"	..	..	..	NNE	4	..
Cap Rock,	"	29.77	..	..	ENE	7	..
Macao,	"	29.81	78	..	NNE	3	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	81	56	..	0	c
Malate,	3 p.	..	..	..	W	2	c
Bacolod,	"	..	..	..	W	2	b
Iloilo,	"	29.78	86	..	W	1	c
Cebu,	"	29.76	85	..	N	1	c
Cape S. James,	"	..	..	..	..	0	c

17th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	30.36	37	55	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.10	..	..	E	6	..
Taichu,	"	29.95	..	..	N	2	..
Tainan,	"	29.91	..	..	N	4	..
Koshun,	"	29.88	..	..	NE	8	..
Pescadores,	"	29.94	..	..	NE	10	..
Gutzlaff,	9 a.	30.37	64	48	NNE	6	cv
Sharp Peak,	"	30.21	68	90	NNE	4	o
Amoy,	"	30.10	72	62	NE	5	o
Swatow,	"	..	..	..	.	..	..
Canton,	"	..	..	.	..	.	..
Hongkong,	10 a.	29.99	74	69	NE	3	eq
Victoria Peak,	"	.	..	..	NE	7	..
Cap Rock,	"	29.94	..	..	ENE	7	..
Macao,	"	..	73	..	N	3	oq
Haiphong,	7 a.	.	..	.	.	.	.
Manila,	10 a.	29.92	82	77	WNW	2	c
Malate,	9 a.	..	..	.	W	2	c
Bacolod,	"		..	..	N	2	b
Iloilo,	"	29.93	83	..	E	1	c
Cebu,	"	29.91	84	..	..	0	b
Cape S. James,	7 a.	..	..	..	SW	2	o

On the 16th at 7.30pm. The typhoon seems to have passed to the South of Hongkong moving Westwards towards S. Hainan.

On the 17th at 5.25a. Black South Cone lowered. At 11.50a. The barometer has risen considerably on the China coast, and slightly in the Phillipines. The typhoon has probably passed into the S. part of the Gulf of Tongking. A high pressure area is central over N. China, and gradients are steep generally with heavy monsoon along the coast, and in the N. part of the China Sea.

Forecast—strong NE winds; squally, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 17th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	"	30.26	..	..	NW	2	..
Kochi,	"	30.15	..	..		0	..
Nagasaki,	"	30.15	..	..	N	6	..
Kagoshima,	"	30.15	..	..	NE	4	..
Taihoku,	1 p.	30.16	..	..	E	4	..
Taichu,	"	29.94	..	..	N	8	..
Tainan,	"	29.96	..	..	N	6	..
Koshun,	"	29.94	..	..	E	8	..
Pescadores,	"	29.97	..	.	NE	10	..
Gutzlaff,	3 p.	30.35	65	49	N	5	cv
Sharp Peak,	"	30.17	68	72	NNE	5	o
Amoy,	"	30.06	76	61	NE	7	o
Swatow,	"	30.01	76	..	NE	5	o
Canton,	"	29.98	78	65	N	2	c
Lyeemun,	4 p.	29.94	75	68	NE	4	cq
Victoria Peak,	"	.	..	..	NE	7	..
Cape Bock,	"	29.90	..	..	ENE	7	..
Macao,	"	..	75	..	NNE	3	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	71	..	0	c
Malate,	3 p.	..	..	..	.	0	c
Bacolod,	"	..	..	..	WSW	3	o
Iloilo,	"	29.82	82	..	..	0	.
Cebu,	"	29.81	86	..	..	0	c
Cape S. James,	"	..	..	..	SW	3	o

18th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.11	..	..	E	4	..
Taichu,	"	29.94	..	..	N	6	..
Tainan,	"	29.94	..	..	N	4	..
Koshun,	"	29.92	..	..	N	8	..
Pescadores,	"	29.97	..	..	NE	10	..
Gutzlaff,	9 a.	30.27	65	58	NNE	5	cv
Sharp Peak,	"	30.20	67	60	N	4	c
Amoy,	"	30.11	71	66	NNE	6	c
Swatow,	"	..	..	.	.	.	..
Canton,	"	30.10	71	71	NE	2	od
Lyeemun,	10 a.	30.06	73	66	NE	3	o
Victoria Peak,	"	..	..	..	ENE	5	..
Cape Bock,	"	30.03	..	..	ENE	7	..
Macao,	"	30.08	72	..	NE	1	o
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	86	71	WNW	1	b
Malate,	9 a.	.	..	..	NW	1	b
Bacolod,	"	.	..	..	..	0	b
Iloilo,	"	29.91	83	..	..	0	c
Cebu,	"	29.88	86	..	SW	1	c
Cape S. James,	7 a.	..	..	..	NW	3	o

On the 18th at 11.50a The barometer has risen on the S. coast of China, fallen over the E. coast and Phillipines. The high pressure area still lies over N. China, and pressure is again in defect over the Pacific to the E. of Luzon. Probably the typhoon has moved up the Gulf of Tongking. Gradients continue rather steep with very strong monsoon on the coast, and in the N. part of the China Sea.

Forecast—NE winds, decreasing; squally, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 18th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	29.52	59	..	S	3	b
Tokio,	"	30.22	..	..	NW	6	..
Kochi,	"	30.13	..	..	..	0	..
Nagasaki,	"	30.03	..	..	NE	6	..
Kagoshima,	"	29.95	..	..	E	4	..
Taihoku,	1 p.	30.11	..	..	E	6	..
Taichu,	"	29.91	..	..	N	6	..
Tainan,	"	29.92	..	..	NW	4	..
Koshun,	"	29.95	..	..	E	8	..
Pescadores,	"	29.98	..	..	NE	10	..
Gutzlaff,	2 p.	30.24	66	64	NNE	3	cv
Sharp Peak,	"	30.11	69	79	NE	5	b
Amoy,	"	30.02	80	88	NNE	5	c
Swatow,	"	30.02	76	..	E	4	b
Canton,	"	30.02	76	60	N	3	o
Pakhoi,	4 p.	29.97	75	60	NE	3	o
Victoria Peak,	"	.	..	..	E	4	..
Cape Peak,	"	29.95	..	..	ENE	6	..
Macao	"	29.98	73	..	N	1	o
Haiphong,	1 p.	.	..	..	..	..	..
Manila,	4 p.	29.80	88	72	W	2	ot
Malate,	2 p.	..	..	..	SW	1	c
Iloilo,	"	..	..	..	..	..	cilt
Iloilo,	"	29.81	84	..	W	1	o
Cebu,	"	29.82	87	..	..	0	c
Cape S. James,	"	..	..	..	SW	1	c

19th OCTOBER, 1901, A. M.

Vladivostock,	7 a.	30.11	47	95	..	0	c
Tokio,	10 a.	29.86	..	..	NW	8	..
Kochi,	"	29.87	.	..	N	6	.
Nagasaki,	"	29.95	..	..	NE	4	.
Kagoshima,	"	29.95	..	..	E	4	..
Taihoku,	8 a.	30.02	..	..	S	2	..
Taichu,	"	29.90	..	..	.	0	.
Tainan,	"	29.90	..	..	NE	2	..
Koshun,	"	29.93	..	.	NE	2	..
Pescadores,	"	29.98	..	..	NE	6	..
Gutzlaff,	8 a.	30.30	66	78	NNE	3	cv
Sharp Peak,	"	30.09	69	67	WNW	1	o
Amoy,	"	30.04	70	70	N	3	b
Swatow,	"	..	..	..	.	.	..
Canton,	"	..	..	..	.	.	..
Pakhoi,	10 a.	30.02	76	66	NE	1	o
Victoria Peak,	"	.	..	..	E	3	..
Cape Peak,	"	29.99	..	..	ENE	4	..
Macao	"	30.02	76	..	NE	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.84	81	85	..	0	o
Malate,	6 a.	.	..	.	..	0	o
Iloilo,	"	.	..	..	..	0	c
Iloilo,	"	29.84	81	..	..	0	c
Cebu,	"	29.88	78	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 18th at 12.0p. The barometer has fallen generally, particularly in Japan. A depression, lying to the E. of the Loochoos yesterday, has moved Northwards towards the SE coast of Japan. Pressure remains in defect to the E. of the Philippines, and high over N. China. Fresh northerly on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 19th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.74	..	..	N	8	..
Kochi,	"	29.83	..	..	N	6	..
Nagasaki,	"	29.91	..	..	N	6	..
Kagoshima,	"	29.87	..	..	E	2	..
Taihoku,	1 p.	30.00	..	..	E	4	..
Taichu,	"	29.85	..	..	N	4	..
Tainan,	"	29.88	..	..	NW	4	..
Koshun,	"	29.87	..	..	E	8	..
Pescadores,	"	29.92	..	..	NE	10	..
Gutzlaff,	8 p.	30.12	67	60	N	2	cv
Sharp Peak,	"	29.99	71	68	NE	4	b
Amoy,	"	29.96	80	58	E	3	c
Swatow,	"	29.15	78	..	E	4	b
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.91	74	63	ESE	3	b
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	29.91	..	..	ENE	4	..
Macao,	"	29.91	73	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	82	77	..	0	o
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NW	4	cp
Iloilo,	"	29.73	82	..	..	0	o
Cebu,	"	29.72	84	..	SW	2	c
Cape S. James,	"	..	..	..	W	1	c

20th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.01	..	..	S	2	..
Taichu,	"	29.89	..	..	..	0	..
Tainan,	"	29.88	..	..	NE	2	..
Koshun,	"	29.90	..	..	E	2	..
Pescadores,	"	29.94	..	..	NE	10	..
Gutzlaff,	9 a.	30.15	65	63	N	3	cv
Sharp Peak,	"	30.05	71	59	NE	3	c
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.98	77	57	E	4	b
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	29.95	..	..	ENE	5	..
Macao,	"	..	80	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	82	60	NW	1	c
Malate,	9 a.	..	..	..	SW	1	c
Bacolod,	"	..	..	..	..	..	c
Iloilo,	"	29.82	82	..	..	0	o
Cebu,	"	29.81	83	..	..	0	o
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 20th at 12.5p. The barometer has fallen slightly at all stations. The depression still lies in the Pacific to the E. of the Phillipines. Pressure is highest over N. China. Gradients moderate to slight with fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 20th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	"	29.82	..	..	E	2	..
Kochi,	"	29.91	..	..	N	6	..
Nagasaki,	"	29.95	..	..	N	6	..
Kagoshima,	"	29.91	..	..	E	2	..
Taihoku,	1 p.	29.96	..	..	NE	8	..
Taichu,	"	29.83	..	..	N	4	..
Tainan,	"	29.85	..	..	W	4	..
Koshun,	"	29.87	..	..	E	6	..
Pescadores,	"	29.90	..	.	NE	8	..
Gutzlaff,	3 p.	30.13	65	68	NNE	3	cv
Sharp Peak,	"	29.99	70	66	NE	4	b
Amoy,	"	29.97	78	65	NE	4	b
Swatow,	"	29.94	77	..	E	5	b
Canton,	"	.	..	..	..	..	..
Hongkong,	4 p.	29.92	75	61	ENE	4	b
Victoria Peak,	"	.	..	..	ESE	4	..
Cap Rock,	"	29.90	..	..	ENE	5	..
Macao,	"	29.91	80	..	SSE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.72	88	59	..	0	c
Malate,	8 p.	..	..	..	W	1	b
Bacolod,	"	..	..	..	N	2	o
Iloilo,	"	29.73	83	..	NW	2	o
Cebu,	"	29.74	80	..	..	0	cd
Cape S. James,	"	..	..	..	..	..	..

21st OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	30.18	..	..	N	2	..
Kochi,	"	30.19	..	..	N	4	..
Nagasaki,	"	30.19	..	..	NE	4	..
Kagoshima,	"	30.15	..	..	E	6	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.23	67	64	ENE	3	o
Sharp Peak,	"	30.10	70	66	W	2	b
Amoy,	"	30.07	72	67	NE	3	c
Swatow,	"	..	..	..	.	..	..
Canton,	"	30.04	75	81	E	2	b
Hongkong,	10 a.	30.05	76	57	E	4	b
Victoria Peak,	"	..	..	..	ESE	3	..
Cap Rock,	"	30.04	..	..	ENE	5	..
Macao,	"	30.06	81	..	E	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	82	77	WSW	1	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	.	..	..	S	3	c
Iloilo,	"	29.86	81	..	..	0	..
Cebu,	"	29.84	83	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 21st at 12.5p. The barometer has risen at all stations. Pressure is high between the NE coast of China and the Sea of Japan, and still low over the Pacific to the E. of the Phillipines. Gradients slight to moderate with fresh monsoon on the coast, and in the N. part of the China Sea.
Forecast— moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 21st October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.14	..	..	..	0	..
Kochi,	,,	30.11	..	..	N	6	..
Nagasaki,	,,	30.15	..	..	NE	4	..
Kagoshima,	,,	30.11	..	..	E	6	..
Taihoku,	1 p.	30.04	..	..	E	6	..
Taichu,	,,	29.91	..	..	N	2	..
Tainan,	,,	29.98	..	..	W	4	..
Koshun,	,,	29.92	..	..	E	6	..
Pescadores,	,,	29.96	..	..	NE	10	..
Gutzlaff,	3 p.	30.19	69	70	ENE	3	cv
Sharp Peak,	,,	30.14	73	67	NNE	3	b
Amoy,	,,	29.19	83	49	ENE	3	c
Swatow,	,,	29.19	78	..	E	4	b
Canton,	,,	29.96	83	71	W	1	b
Hongkong,	4 p.	29.97	76	64	ESE	4	b
Victoria Peak,	,,	..	..	..	E	1	..
Cap Rock,	,,	29.96	..	..	E	4	..
Macao,	,,	29.97	80	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	86	71	W	1	c
Malate,	5 p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	SSW	4	o
Iloilo,	,,	29.79	82	..	NW	3	o
Cebu,	,,	29.78	85	..	SW	2	c
Cape S. James,	,,	..	..	..	..	0	c

22nd OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	6 a.	30.04	..	..	E	4	..
Taichu,	,,	29.94	..	..	..	0	..
Tainan,	,,	29.94	..	..	E	2	..
Koshun,	,,	29.95	..	..	N	4	..
Pescadores,	,,	29.96	..	..	NE	10	..
Gutzlaff,	9 a.	30.23	69	85	E	3	cu
Sharp Peak,	,,	30.12	72	71	NW	2	b
Amoy,	,,	30.06	75	60	NE	2	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.09	78	78	E	1	b
Hongkong,	10 a.	30.08	77	58	ENE	3	b
Victoria Peak,	,,	..	..	..	E	2	..
Cap Rock,	,,	30.07	..	..	ENE	4	..
Macao,	,,	30.08	82	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	81	92	..	0	o
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	S	2	o
Iloilo,	,,	29.86	82	..	W	2	c
Cebu,	,,	29.86	85	..	SW	1	b
Cape S. James,	7 a.	..	..	..	..	0	c

On the 22nd at 11.28a. The barometer has risen slightly on the China coast. Pressure remains high between the NE coast of China and the Sea of Japan, and low over the Pacific to the E. of the Philippines. Fresh monsoon on the China coast, strong monsoon in the N. part of the China Sea.
Forecast—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 22nd October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.14	59	..	SW	5	..
Tokio,	,,	30.37	..	..	NE	2	..
Kochi,	,,	30.21	..	..	..	0	..
Nagasaki,	,,	30.19	..	..	NE	2	..
Kagoshima,	,,	30.19	..	..	E	8	..
Taihoku,	1 p.	29.49	..	..	NE	6	..
Taichu,	,,	29.89	..	..	NW	2	..
Tainan,	,,	29.91	..	..	N	4	..
Koshun,	,,	29.91	..	..	E	4	..
Pescadores,	,,	29.46	..	..	NE	8	..
Gutzlaff,	3 p.	30.16	70	90	NE	1	cm
Sharp Peak,	,,	30.08	74	83	E	2	b
Amoy,	,,	29.99	86	74	NE	3	c
Swatow,	,,	29.97	79	..	SE	2	b
Canton,	,,	29.98	86	72	W	2	b
Hongkong,	4 p.	29.98	77	68	E	1	c
Victoria Peak,	,,	.	..	..	NW	1	..
Cap Rock,	,,	30.00	..	..	E	3	..
Macao,	,,	29.98	81	..	S	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	82	77	W	1	o
Malate,	3 p.	..	..	..	W	2	o
Bacoled,	,,	..	..	..	SW	2	b
Iloilo,	,,	29.76	84	..	NW	2	.
Cebu,	,,	29.75	83	..	SW	1	c
Cape S. James,	,,	..	..	..	..	0	c

23rd OCTOBER, 1901, A. M.

Wladivostock,	7 a.	29.87	56	82	W	1	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	6 a.	29.97	..	..	E	6	..
Taichu,	,,	29.88	..	..	..	0	..
Tainan,	,,	29.89	..	..	N	2	..
Koshun,	,,	29.90	..	..	E	8	..
Pescadores,	,,	29.90	..	..	NE	6	..
Gutzlaff,	9 a.	30.18	68	95	N	1	f
Sharp Peak,	,,	30.06	74	72	WNW	1	o
Amoy,	,,	30.02	75	68	WNW	1	c
Swatow,	,,	..	..	..	.	..	..
Canton,	,,	.	.	.	..	..	..
Hongkong,	10 a.	30.02	80	61	..	0	b
Victoria Peak,	,,	.	..	..	N	1	..
Cap Rock,	,,	30.01	..	..	NE	3	..
Macao,	,,	30.04	80	..	NE	1	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.72	75	100	SSE	3	or
Malate,	9 a.	..	..	..	E	3	or
Bacoled,	,,	.	..	..	S	2	..
Iloilo,	,,	29.86	83	..	NW	2	c
Cebu,	,,	29.83	85	..	SW	2	b
Cape S. James,	7 a.	..	..	..	SW	1	o

On the 23rd at 11.40a. The barometer has fallen considerably in Luzon, and slightly on the China coast. The depression, lying to the E. of the Phillipines during the past few days, has crossed Luzon and lies now off the coast to the NW of Manila. It appears to be moving Westwards at present. Increasing monsoon on the China coast, and strong N and NE winds to gales in the NE. part of the China Sea. Forecast—N winds, moderate to fresh; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 23rd October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	30.22	..	..	SW	6	..
Kochi,	"	30.19	..	..	SE	2	..
Nagasaki,	"	30.07	..	..	SE	4	..
Kagoshima,	"	30.11	..	..	SE	8	..
Taihoku,	1 p.	29.43	..	..	E	8	..
Taichu,	"	29.81	..	..	..	0	..
Tainan,	"	29.84	..	..	W	4	..
Koshun,	"	29.84	..	..	NE	6	..
Pescadores,	"	29.87	..	.	NE	8	..
Gutzlaff,	3 p.	30.09	70	85	N	3	cv
Sharp Peak,	"	29.95	74	76	NE	3	o
Amoy,	"	29.91	87	85	ENE	3	b
Swatow,	"	29.91	81	..	E	3	c
Canton,	"	29.89	89	63	..	0	b
Hongkong,	4 p.	29.89	81	61	S	1	c
Victoria Peak,	"	.	..	..	S	1	..
Gap Rock,	"	29.90	..	..	NNE	2	..
Macao,	"	29.89	86	..	NW	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.69	79	84	SSE	3	cq
Malate,	8 p.	..	..	..	SE	1	cr
Bacoled,	"	..	..	..	SSW	2	.
Iloilo,	"	29.76	84	..	W	3	.
Cebu,	"	29.76	83	..	SW	3	o
Cape S. James,	"	..	..	..	..	0	c

24th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	8 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	.	..	..	.	..
Koshun,	"	..	..	.	..	.	..
Pescadores,	"	..	.	.	.	..	..
Gutzlaff,	9 a.	30.24	66	68	NNE	5	o
Sharp Peak,	"	30.06	73	81	NNE	3	o
Amoy,	"	30.01	76	69	ENE	3	b
Swatow,	"	..	.			.	..
Canton,	"	29.87	79	74	NE	2	b
Hongkong,	10 a.	29.90	81	68	NNE	1	c
Victoria Peak,	"	.	..	..	NNE	4	..
Gap Rock,	"	29.90	.	..	NNE	4	..
Macao,	"	29.88	83	..	N	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.84	84	85	..	6	c
Malate,	9 a.	.	..	..	.	0	b
Bacoled,	"	.	.	..	SSE	2	cp
Iloilo,	"	29.88	80	..	W	5	cr
Cebu,	"	29.85	84	..	SW	2	o
Cape S. James,	7 a.	.	..	..	..	0	c

On the 24th at 11.50 a. The barometer has fallen on the S. coast of China, risen on the E. coast and in Luzon. The depression seems to be now lying between the W. coast of Luzon and the Paracels, and moving Westwards. Pressure is high over N. China. Strong monsoon on the China coast, and strong N and NE winds to gales in the N part of the China Sea. **Forecast—NE winds, moderate to strong; fair.**

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 24th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	6	..
Kochi,	"	29.91	..	..	SE	2	..
Nagasaki,	"	29.91	..	..	N	6	..
Kagoshima,	"	29.87	..	..	..	0	..
Taihoku,	1 p.	29.98	..	..	NE	4	..
Taichu,	"	29.79	..	..	N	6	..
Tainan,	"	29.83	..	..	W	4	..
Koshun,	"	29.83	..	..	NE	8	..
Pescadores,	"	29.89	..	..	NE	10	..
Gutzlaff,	3 p.	30.18	62	89	NNE	5	cv
Sharp Peak,	"	29.99	78	74	E	4	b
Amoy,	"	29.94	82	60	NE	5	c
Swatow,	"	29.86	80	..	E	6	c
Canton,	"	29.88	86	68	NE	2	b
Hongkong,	4 p.	29.87	77	76	E	4	c
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	29.85	..	..	E	4	..
Macao,	"	..	87	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	86	78	WSW	1	c
Malate,	3 p.	..	..	..	SW	2	c
Bacolod,	"	..	..	..	S	2	p
Iloilo,	"	29.76	82	..	NW	2	c
Cebu,	"	29.75	83	..	SW	2	cd
Cape S. James,	"	..	..	..	SW	1	c

25th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	30.06	..	..	NE	4	..
Kochi,	"	29.99	..	..	N	2	..
Nagasaki,	"	30.03	..	..	N	6	..
Kagoshima,	"	29.99	..	..	E	4	..
Taihoku	5 a.	30.05	..	..	E	4	..
Taichu,	"	29.87	..	..	N	2	..
Tainan,	"	29.88	..	..	N	4	..
Koshun,	"	29.86	..	..	NE	4	..
Pescadores,	"	29.91	..	..	NE	8	..
Gutzlaff,	7 a.	30.25	64	77	NNE	5	cv
Sharp Peak,	"	30.11	72	69	ENE	4	c
Amoy,	"	30.04	73	63	NNE	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.01	75	81	NE	1	c
Hongkong,	10 a.	30.00	76	71	ENE	1	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	29.98	..	..	ENE	6	..
Macao,	"	30.01	81	..	NE	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	84	85	..	0	c
Malate,	9 a.	..	..	..	W	2	o
Bacolod,	"	..	..	..	S	2	c
Iloilo,	"	29.90	84	..	NW	1	c
Cebu,	"	29.87	84	..	..	0	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 24th at 11.00 a. The barometer has risen slightly over the China coast and Philippines. The depression is probably moving Westwards in the neighbourhood of the Paracels. Pressure remains high over N. China. Strong monsoon on the China coast, and strong NE winds to gales in the N part of the China Sea. Forecast—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 25th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.16	56	..	NW	1	b
Tokio,	"	30.06	..	..	N	4	..
Kochi,	"	29.99	..	..	N	6	..
Nagasaki,	"	29.99	..	..	N	6	..
Kagoshima,	"	29.95	..	..	SE	2	..
Taihoku,	1 p.	30.04	..	..	E	6	..
Taichu,	"	29.82	..	..	NW	6	..
Tainan,	"	29.84	..	..	N	4	..
Koshun,	"	29.87	..	..	NE	6	..
Pescadores,	"	29.89	..	..	NE	4	..
Gutzlaff,	3 p.	30.20	64	68	N	3	cv
Sharp Peak,	"	30.01	70	68	NE	7	b
Amoy,	"	29.97	80	48	NE	6	c
Swatow,	"	29.91	78	..	E	6	c
Canton,	"	29.88	80	75	..	0	b
Hongkong,	4 p.	29.91	75	71	E	3	c
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	29.88	..	..	E	6	..
Macao,	"	29.90	79	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	84	77	WSW	1	c
Malate,	8 p.	..	..	..	SW	3	c
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	29.82	85	..	W	1	c
Cebu,	"	29.80	86	..	..	0	c
Cape S. James,	"	..	..	..	..	0	c

26th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.11	37	87	SE	1	f
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	8 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.22	64	68	N	3	cv
Sharp Peak,	"	30.13	69	65	NNW	1	c
Amoy,	"	30.06	72	62	NE	5	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.08	76	77	NE	2	b
Hongkong,	10 a.	30.06	74	72	ENE	2	c
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.04	..	..	E	5	..
Macao,	"	30.07	70	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	84	77	WNW	1	c
Malate,	8 a.	..	..	..	SE	1	c
Bacolod,	"	..	..	..	S	2	c
Iloilo,	"	29.94	83	..	W	1	b
Cebu,	"	29.92	85	..	SW	1	c
Cape S. James,	7 a.	..	..	..	SW	3	c

On the 26th at 12.5p. The barometer has risen slightly over S. China and the Philippines. The depression has probably approached the Northern coast of Annam. Pressure remains high over N. China. Fresh monsoon on the China coast, strong monsoon in the N part of the China Sea. Forecast—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 26th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	.	..	..	..	..
Tokio,	"	30.22	..	..	N	4	..
Kochi,	"	30.11	..	..	E	2	..
Nagasaki,	"	30.03	..	..	W	2	..
Kagoshima,	"	30.03	..	..	E	6	..
Taihoku,	1 p.	30.01	..	..	NE	4	..
Taichu,	"	29.84	..	..	N	8	..
Tainan,	"	29.85	..	..	N	4	..
Koshun,	"	29.87	..	..	NE	2	..
Pescadores,	"	29.92	..	.	NE	10	..
Gutzlaff,	3 p.	30.20	65	63	N	3	cv
Sharp Peak,	"	30.01	69	68	E	4	b
Amoy,	"	30.00	71	80	E	4	c
Swatow,	"	29.97	78	..	E	3	c
Canton,	"	30.02	82	75	N	3	c
Hongkong,	4 p.	29.98	77	67	..	0	c
Victoria Peak,	"	..	..	..	NNE	1	..
Gap Rock,	"	29.98	..	..	E	2	..
Macao,	"	29.99	82	..	NNW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	71	W	4	c
Malate,	8 p.	..	..	..	SW	2	b
Bacolod,	"	..	..	..	SW	2	b
Iloilo,	"	29.83	86	..	NW	2	c
Cebu,	"	29.83	86	..	SW	2	c
Cape S. James,	"	..	..	..	SW	3	c

27th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	.	..
Taihoku,	5 a.	30.07	..	..	..	0	..
Taichu,	"	29.88	..	..	N	6	..
Tainan,	"	29.88	..	..	N	6	..
Koshun,	"	29.86	..	..	..	0	..
Pescadores,	"	29.94	..	..	NE	10	..
Gutzlaff,	9 a.	30.21	58	88	NNW	5	bm
Sharp Peak,	"	30.08	70	61	NNE	2	b
Amoy,	"	30.03	73	63	N	2	c
Swatow,	"	30.06	74	.	NNW	3	b
Canton,	"	30.14	75	60	N	2	b
Hongkong,	10 a.	30.07	73	60	N	1	b
Victoria Peak,	"	.	..	..	N	3	..
Gap Rock,	"	30.05	..	..	NNE	4	..
Macao,	"	30.11	75	..	NNE	3	c
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	86	58	NW	1	c
Malate,	9 a.	..	..	..	E	2	b
Bacolod,	"	.	..	..	S	2	b
Iloilo,	"	29.93	84	..	NW	2	b
Cebu,	"	29.91	86	..	SW	1	b
Cape S. James,	7 a.	..	..	..	..	0	c

On the 27th at 12.5p. Barometric changes are slight. Pressure remains high over the interior of China, and an area of low pressure appears to be lying in the Pacific to the S. of the Loochoos. Strong northerly winds on the China coast, and in the N. part of the China Sea. Forecast:—fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 27th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.92	43	..	W	1	b
Tokio,	"	30.10	..	..	..	0	..
Kochi,	"	29.99	..	..	SW	2	..
Nagasaki,	"	29.87	..	..	N	6	..
Kagoshima,	"	29.83	..	..	NE	8	..
Taihoku,	1 p.	29.98	..	..	N	4	..
Taichu,	"	29.79	..	..	N	8	..
Tainan,	"	29.81	..	..	N	8	..
Koshun,	"	29.80	..	..		0	..
Pescadores,	"	29.88	..	..	NE	10	..
Gutzlaff,	3 p.	30.15	62	60	N	5	c
Sharp Peak,	"	29.94	71	62	E	3	b
Amoy,	"	29.98	77	42	N	3	b
Swatow,	"	29.92	78	..	WNW	3	b
Canton,	"	29.97	83	60	N	1	b
Hongkong,	4 p.	29.91	77	44	N	2	b
Victoria Peak,	"	..	..	..	NNW	3	..
Cap Rock,	"	29.91	..	..	NNW	5	..
Mscao,	"	29.95	79	..	NNW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	88	66	..	0	c
Malate,	8 p.	..	..	..	..	0	c
Bacoled,	"	..	..	..	S	2	c
Iloilo,	"	29.84	85	..	W	3	c
Cebu,	"	29.81	86	..	SW	3	b
Cape S. James,	"	..	..	..	..	..	..

28th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.97	39	91	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.13	63	62	NNE	3	cr
Sharp Peak,	"	30.06	69	49	NNE	1	b
Amoy,	"	30.01	69	65	NE	3	c
Swatow,	"	..	..	..		..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.02	73	46	W	1	b
Victoria Peak,	"	..	..	..	NNE	1	..
Cap Rock,	"	30.03	..	..	NNE	2	..
Mscao,	"	30.04	75	..	NNW	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	82	70	N	1	c
Malate,	9 a.	..	..	..	NW	1	c
Bacoled,	"	..	..	..	SSW	2	b
Iloilo,	"	29.93	83	..	W	2	c
Cebu,	"	29.90	87	..	SW	1	c
Cape S. James,	7 a.	..	..	..	..	0	o

On the 28th at 11.57 a. The barometer has fallen slightly on the China coast. The depression is probably lying in the neighbourhood of the Loochoos. Pressure remains high over the interior of China. Fresh to strong monsoon on the coast and in the N. part of the China Sea.

Forecast—fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 28th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.96	55	..	S	1	b
Tokio,	,,	29.86	..	..	N	4	..
Kochi,	,,	29.95	..	..	NE	2	..
Nagasaki,	,,	29.95	..	..	N	4	..
Kagoshima,	,,	29.91	..	..	E	4	..
Taihoku,	1 p.	29.94	..	..	N	6	..
Taichu,	,,	29.81	..	..	N	6	..
Tainan,	,,	29.82	..	..	N	4	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	29.90	..	..	NE	10	..
Gutzlaff,	3 p.	30.07	65	73	N	2	bv
Sharp Peak,	,,	29.95	69	56	E	2	b
Amoy,	,,	29.94	78	54	E	2	c
Swatow,	,,	29.93	76	..	E	3	c
Canton,	,,	..	..	..	..	..	..
Hongkong,	4 p.	29.90	74	49	W	1	o
Victoria Peak,	,,	..	..	..	WNW	1	..
Gap Rock,	,,	29.90	..	..	NNE	2	..
Macao,	,,	29.90	80	..	NNW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	84	71	WSW	1	b
Malate,	3 p.	..	..	..	SW	2	b
Bacolod,	,,	..	..	..	SW	2	..
Iloilo,	,,	29.82	83	..	NW	2	,
Cebu,	,,	29.84	83	..	SW	2	or
Cape S. James,	,,	..	..	..	SW	1	or

29th OCTOBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.92	51	92	SE	4	o
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	.	..
Taihoku,	5 a.	29.99	..	..	..	0	..
Taichu,	,,	29.91	..	..	..	0	..
Tainan,	,,	29.91	..	..	N	2	..
Koshun,	,,	29.91	..	..	NE	2	..
Pescadores,	,,	29.93	..	..	NE	6	..
Gutzlaff,	9 a.	30.22	62	94	NNW	2	bm
Sharp Peak,	,,	30.08	70	59	..	0	b
Amoy,	,,	30.05	65	84	WSW	3	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.05	70	80	E	1	b
Hongkong,	10 a.	30.05	75	62	ESE	1	b
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock,	,,	30.05	..	..	E	3	..
Macao,	,,	30.06	79	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	84	71	NW	1	c
Malate,	9 a.	..	..	..	W	2	b
Bacolod,	,,	..	..	..	..	0	o
Iloilo,	,,	29.95	81	..	..	0	o
Cebu,	,,	29.93	82	..	..	0	od
Cape S. James,	7 a.	..	..	..	SW	1	om

On the 29th at 11.55a. The barometer has risen slightly over the China coast and Phillipines. The depression lying near the Loochoos yesterday, is probably moving NE towards the S. coast of Japan. Pressure remains high over the interior of China. Fresh to moderate monsoon on the coast and in the N. part of the China Sea. Forecast—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 29th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	29.95	..	..	N	4	..
Nagasaki,	,,	29.87	..	..	NE	8	..
Kagoshima,	,,	29.83	..	..	NE	2	..
Taihoku,	1 p.	30.00	..	..	E	2	..
Taichu,	,,	29.91	..	..	N	4	..
Tainan,	,,	29.92	..	..	N	4	..
Koshun,	,,	29.94	..	..	NE	4	..
Pescadores,	,,	29.97	..	..	NE	8	..
Gutzlaff,	3 p.	30.06	68	79	NNW	1	bv
Sharp Peak,	,,	30.01	71	62	E	1	b
Amoy,	,,	29.98	78	46	NE	3	b
Swatow,	,,	29.97	76	..	E	3	c
Canton,	,,	..	..	..	..	..	..
Hongkong,	4 p.	29.96	77	49	E	3	b
Victoria Peak,	,,	..	..	..	E	1	..
Cap Rock,	,,	29.95	..	..	E	2	..
Macao,	,,	29.97	79	..	SSE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	86	58	W	1	b
Malate,	3 p.	..	..	..	SW	1	b
Bacolod,	,,	..	..	..	.	0	o
Iloilo,	,,	29.86	84	..	..	0	o
Cebu,	,,	29.84	85	..	SE	2	c
Cape S. James,	,,	..	..	..	SW	1	c

30th OCTOBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	.	..
Taihoku,	5 a.	30.05	..	..	E	2	..
Taichu,	,,	29.99	..	..	.	0	..
Tainan,	,,	30.00	..	..	N	2	..
Koshun,	,,	..	..	..	.	..	..
Pescadores,	,,	29.96	..	..	NE	6	..
Gutzlaff,	9 a.	30.18	66	95	S	2	bm
Sharp Peak,	,,	30.14	68	72	W	1	b
Amoy,	,,	30.11	68	74	NW	3	b
Swatow,	,,	.	..	.	..	..	..
Canton,	,,	30.13	74	86	NE	1	b
Hongkong,	10 a.	30.13	74	55	E	2	o
Victoria Peak,	,,	..	..	..	NNE	1	..
Cap Rock,	,,	30.09	..	..	NE	3	..
Macao,	,,	30.12	78	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	85	..	0	o
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	,,	.	..	..	NNW	1	o
Iloilo,	,,	29.95	83	..	..	0	b
Cebu,	,,	29.93	83	..	..	0	b
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 30th at 11.40a. The barometer has risen on the China coast. The depression is probably moving NE off the S. coast of Japan. Pressure remains high over the interior of China. Moderate to fresh monsoon on the coast and in the N. part of the China Sea. Forecast—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 30th October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

30th OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.91	40	..	NW	4	b
Tokio,	,,	29.78	..	..	NW	6	..
Kochi,	,,	29.87	..	..	S	2	..
Nagasaki,	,,	29.99	..	..	W	6	..
Kagoshima,	,,	29.95	..	..	NW	6	..
Taihoku,	1 p.	30.04	..	..	E	8	..
Taichu,	,,	29.95	..	..	W	2	..
Tainan,	,,	30.02	..	..	NW	6	..
Koshun,	,,	30.02	..	..	NE	6	..
Pescadores,	,,	30.06	..	..	NE	6	..
Gutzlaff,	3 p.	30.18	68	79	ENE	2	cv
Sharp Peak,	,,	30.07	73	72	E	2	b
Amoy,	,,	30.06	78	61	NE	2	b
Swatow,	,,	30.04	76	..	E	3	b
Canton,	,,	30.03	84	72	SE	1	b
Hongkong,	4 p.	30.02	75	63	E	3	b
Victoria Peak,	,,	..	..	..	..	0	..
Gap Rock,	,,	30.02	..	..	E	3	..
Macao,	,,	30.02	..	..	SE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	82	77	NNE	1	c
Malate,	3 p.	..	..	..	E	2	o
Bacolod,	,,	..	..	..	S	2	o
Iloilo,	,,	29.84	86	..	NW	1	o
Cebu,	,,	29.84	85	..	N	2	b
Cape S. James,	,,	..	..	..	NE	2	c

31st OCTOBER, 1901, A. M.

Wladivostock,	7 a.	30.25	26	44	N	5	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	.	..
Taihoku,	5 a.	30.17	..	..	E	6	..
Taichu,	,,	30.06	..	..	..	0	..
Tainan,	,,	30.05	..	..	E	2	..
Koshun,	,,	30.08	..	..	NE	2	..
Pescadores,	,,	30.06	..	..	..	0	..
Gutzlaff,	9 a.	30.44	61	91	NE	5	cm
Sharp Peak,	,,	30.28	71	66	NNE	3	c
Amoy,	,,	30.18	72	67	NNE	4	c
Swatow,	,,	30.22	73	.	NNE	1	c
Canton,	,,	30.15	76	91	E	2	b
Hongkong,	10 a.	30.18	75	58	E	4	bq
Victoria Peak,	,,	.	..	..	ESE	7	..
Gap Rock,	,,	30.17	..	..	E	5	..
Macao,	,,	30.19	79	..	E	2	b
Haiphong,	7 a.	..	..	..	..	.	..
Manila,	10 a.	29.96	82	77	..	0	c
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	,,	.	..	..	NE	2	b
Iloilo,	,,	29.93	83	..	NE	1	c
Cebu,	,,	29.93	83	..	..	0	c
Cape S. James,	7 a.	..	..	..	NE	3	or

On the 31st at 12.5p. The barometer has risen on the China coast, particularly in the North. A high pressure area covers China, and gradients are moderate with strong monsoon on the coast, and in the N. part of the China Sea. Forecast—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 31st October 1901.

CHINA COAST METEOROLOGICAL REGISTER.

31st OCTOBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	NW	6	..
Kochi,	"	30.07	..	..	S	2	..
Nagasaki,	"	30.19	..	..	N	6	..
Kagoshima,	"	30.15	..	..	N	4	..
Taihoku,	1 p.	30.19	..	..	E	8	..
Taichu,	"	30.04	..	..	SW	2	..
Tainan,	"	30.08	..	..	W	4	..
Koshun,	"	30.06	..	..	NE	8	..
Pescadores,	"	30.16	..	..	NE	8	..
Cutzieff,	3 p.	30.20	50	70	NNE	5	cv
Sharp Peak,	"	30.21	70	73	NNE	5	o
Amoy,	"	30.12	81	59	NE	4	c
Swatow,	"	30.12	77	..	E	6	b
Canton,	"	30.10	83	75	E	2	b
Hongkong,	4 p.	30.10	74	66	E	5	cq
Victoria Peak,	"	.	..	..	E	5	..
Gap Rock,	"	30.09	..	..	ENE	6	..
Macao,	"	..	78	..	E	4	bq
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	84	64	NNE	1	c
Malate,	3 p.	..	..	..	..	0	[illegible]
Pacoled,	"	..	..	..	N	2	[illegible]
Iloilo,	"	29.86	87	..	E	2	b
Cebu,	"	29.84	85	..	SE	1	b
Cape S. James,	"	.	..	..	NE	2	c

1st NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	.	..
Taihoku,	5 a.	29.53	..	..	E	6	..
Taichu,	"	30.06	..	..	.	0	..
Tainan,	"	30.12	..	..	NE	2	..
Koshun,	"	30.10	..	..	E	8	..
Pescadores,	"	30.18	.	.	NE	8	..
Cutzieff,	9 a.	30.54	54	94	N	5	cm
Sharp Peak,	"	30.32	68	69	NW	1	o
Amoy,	"	30.24	71	71	NNE	6	b
Swatow,	"	30.27	74	..	N	2	c
Canton,	..	.	.	..	..	.	..
Hongkong,	10 a.	30.26	74	51	N	1	b
Victoria Peak,	"	.	..	..	NNE	3	..
Gap Rock,	"	30.25	..	..	NNE	8	..
Macao,	"	30.30	76	..	NNE	1	c
Haiphong,	7 a.	.	..	..	..	.	..
Manila,	10 a.	29.96	86	65	NE	1	b
Malate,	9 a.	..	..	..	NE	1	b
Pacoled,	"	.	..	..	NE	1	o
Iloilo,	"	29.96	83	..	E	1	o
Cebu,	"	29.92	84	..	..	0	b
Cape S. James,	7 a.	.	..	..	NE	2	c

On the 1st at 11.45a. The barometer has risen on the China coast. The high pressure area remains central over N. China, and very strong monsoon prevails along the coast, and in the N. part of the China Sea. Forecast—fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 1st November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	"	30.24	..	..	N	4	..
Kochi,	"	30.11	..	..	S	2	..
Nagasaki,	"	30.19	..	..	W	4	..
Kagoshima,	"	30.19	..	..	NW	4	..
Taihoku,	1 p.	30.23	..	..	NE	8	..
Taichu,	"	30.07	..	..	N	6	..
Tainan,	"	30.09	..	..	NW	6	..
Koshun,	"	30.11	..	..	NE	6	..
Pescadores,	"	30.14	..	..	NE	10	..
Gutzlaff,	3 p.	30.40	53	96	N	5	cmp
Sharp Peak,	"	30.26	69	72	E	4	c
Amoy,	"	30.17	78	58	ENE	6	c
Swatow,	"	30.16	76	..	E	3	c
Canton,	"	.	..	..	.	..	..
Hongkong,	4 p.	30.16	76	45	N	1	b
Victoria Peak,	"	.	..	..	N	4	..
Gap Rock,	"	30.16	..	..	NE	4	..
Macao,	"	30.18	76	..	NNW	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	65	NE	1	c
Malate,	3 p.	..	..	..	W	2	c
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.85	85	..	..	0	c
Cebu,	"	29.81	85	..	N	1	c
Cape S. James,	"	..	..	..	NE	1	c

2nd NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	.	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	.	..
Taihoku,	5 a.	30.26	..	..	E	2	..
Taichu,	"	30.13	..	..	..	0	..
Tainan,	"	30.12	..	..	N	2	..
Koshun,	"	30.12	..	..	N	6	..
Pescadores,	"	30.15	..	..	NE	8	..
Gutzlaff,	9 a.	30.49	47	85	NNW	4	cv
Sharp Peak,	"	30.34	66	73	NNE	.	c
Amoy,	"	30.24	69	70	NE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	.	..	..	.	.	..
Hongkong,	10 a.	30.28	68	50	N	1	b
Victoria Peak,	"	..	..	..	N	1	..
Gap Rock,	"	30.27	..	..	NNE	4	..
Macao,	"	30.29	68	..	NNW	3	b
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	29.96	75	92	..	0	od
Malate,	9 a.	..	..	..	..	0	od
Bacolod,	"	.	..	..	N	2	b
Iloilo,	"	29.93	83	..	NE	1	c
Cebu,	"	29.91	85	..	..	0	b
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 2nd at 12.5p. Barometric changes are slight. The high pressure area remains central over N. China, and gradients are moderate with fresh monsoon on the coast, and very strong monsoon in the N. part of the China Sea. Forecast—moderate N. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 2nd November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

2nd NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Windivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	SE	2	..
Kochi,	"	30.15	..	..	SW	2	..
Nagasaki,	"	30.27	..	..	N	6	..
Kagoshima,	"	30.27	..	..	NE	4	..
Taihoku,	1 p.	30.22	..	..	E	6	..
Taichu,	"	30.04	..	..	N	8	..
Tainan,	"	30.09	..	..	W	4	..
Koshun,	"	30.14	..	..	NE	8	..
Pescadores,	"	30.08	..	..	..	4	..
Gutzlaff,	3 p.	30.46	52	53	N	3	cv
Sharp Peak,	"	30.26	66	68	E	4	o
Amoy,	"	30.18	75	56	NE	4	c
Swatow,	"	30.18	74	..	NE	3	c
Canton,	"	30.21	72	81	E	1	b
Hongkong,	4 p.	30.16	72	52	..	0	b
Victoria Peak,	"	..	..	..	NNW	1	..
Gap Rock,	"	30.14	..	..	ENE	4	..
Macao,	"	30.18	74	..	NNW	3	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	79	84	N	1	c
Malate,	3 p.	..	..	..	..	0	o
Bacoled,	"	..	..	..	NE	6	o
Iloilo,	"	29.83	85	..	E	1	o
Cebu,	"	29.81	86	..	N	4	b
Cape S. James,	"	.	..	..	NE	5	c

3rd NOVEMBER, 1901, A. M.

Windivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	.	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.51	62	51	E	3	cv
Sharp Peak,	"	30.36	63	64	N	3	o
Amoy,	"	30.25	68	70	NE	1	c
Swatow,	"	30.28	70	..	N	1	c
Canton,	"	.	..	..	.	..	..
Hongkong,	10 a.	30.27	72	52	ENE	2	b
Victoria Peak,	"	..	..	..	ENE	4	..
Gap Rock,	"	30.25	..	..	ENE	6	..
Macao,	"	30.29	74	..	NNE	1	b
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.96	84	71	W	1	b
Malate,	9 a.	..	..	..	NE	1	b
Bacoled,	"	.	..	..	NNE	2	o
Iloilo,	"	29.94	82	..	E	1	cr
Cebu,	"	29.91	83	..	N	1	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 3rd at 12.5p. Barometric changes are slight. The high pressure area remains central over N. ina, and fresh monsoon prevails along the coast, and very strong monsoon in the N. part of the China a. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 3rd November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

3rd NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.20	..	..	E	4	..
Kochi,	"	30.31	..	..	SE	2	..
Nagasaki,	"	30.24	..	..	N	6	..
Kagoshima,	"	30.31	..	..	SE	2	..
Taihoku,	1 p.	30.24	..	..	E	8	..
Taichu,	"	30.06	..	..	W	2	..
Tainan,	"	30.08	..	..	W	4	..
Koshun,	"	30.08	.	..	NE	8	..
Pescadores,	"	30.14	.	.	NE	10	..
Gutzlaff,	3 p.	30.49	61	71	NE	2	bv
Sharp Peak,	"	30.56	66	78	E	4	o
Amoy,	"	30.21	74	63	NE	2	c
Swatow,	"	30.28	76	..	E	4	c
Canton,	"	30.16	77	82	ENE	3	c
Hongkong,	4 p.	30.15	73	55	E	2	b
Victoria Peak,	"	.	..	..	E	1	..
Cap Rock,	"	30.14	..	..	ENE	5	..
Macao,	"	30.15	78	..	N	1	b
Haiphong,	1 p.	.	.	..	..	..	.
Manila,	4 p.	29.88	79	92	.	0	c
Malate,	3 p.	..	..	..	E	1	c
Bacolod,	"	.	..	..	N	4	c
Iloilo,	"	29.81	84	..	NE	2	cr
Cebu,	"	29.78	84	..	N	2	c
Cape S. James,	"	.	..	..	..	..	..

4th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	.	..	..	..	..	..
Tokio,	10 a.	30.49	..	..	N	4	..
Kochi,	"	30.39	..	..	..	0	..
Nagasaki,	"	30.39	..	..	..	0	..
Kagoshima,	"	30.30	..	..	SE	2	..
Taihoku,	5 a.	30.27	..	..	E	6	..
Taichu,	"	30.13	..	..	..	0	..
Tainan,	"	30.13	..	..	..	0	..
Koshun,	"	30.12	..	..	E	8	..
Pescadores,	"	30.17	..	..	NE	8	..
Gutzlaff,	9 a.	..	.	..	.	.	..
Sharp Peak,	"	30.34	66	66	NE	2	o
Amoy,	"	30.27	70	70	NNE	4	b
Swatow,	"	30.30	72	..	NE	2	c
Canton,	"	30.29	71	80	N	2	b
Hongkong,	10 a.	30.25	72	56	E	3	b
Victoria Peak,	"	..	..	..	E	5	..
Cap Rock,	"	30.25	..	..	ENE	5	..
Macao,	"	30.28	75	..	NE	1	b
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	30.00	79	92	..	0	o
Malate,	9 a.	..	..	..	W	1	o
Bacolod,	"	.	..	..	NNW	2	b
Iloilo,	"	29.95	87	..	..	0	..
Cebu,	"	29.94	84	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 4th at 12.5p. Barometric changes are unimportant. The anticyclone still lies over China and Japan, and gradients continue moderate with fresh monsoon along the China coast, and very strong monsoon over the N. part of the China Sea. Forecast—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 4th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	,,	30.37	..	..	N	2	..
Kochi,	,,	30.31	..	..	SE	2	..
Nagasaki,	,,	30.19	..	..	E	4	..
Kagoshima,	,,	30.23	..	..	E	2	..
Taihoku,	1 p.	30.23	..	..	E	8	..
Taichu,	,,	30.08	..	..	N	4	..
Tainan,	,,	30.11	..	..	NW	4	..
Koshun,	,,	30.10	..	..	E	8	..
Pescadores,	,,	30.15	..	.	NE	10	..
Gutzlaff,	3 p.	30.28	61	60	NE	2	bv
Sharp Peak,	,,	30.25	67	74	E	4	b
Amoy,	,,	30.17	77	56	NE	4	b
Swatow,	,,	30.16	76	..	E	4	c
Canton,	,,	30.14	80	87	N	1	b
Hongkong,	4 p.	30.15	72	65	E	2	o
Victoria Peak,	,,	.	..	..	E	2	..
Cap Rock,	,,	30.15	..	..	ENE	4	..
Macao,	,,	30.16	77	..	ESE	1	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.92	81	76	.	0	.
Malate,	3 p.	.	..	..	.	0	.
Bacoled,	,,	..	..	..	NE	2	o
Iloilo,	,,	29.85	83	..	E	1	o
Cebu,	,,	29.85	84	..	N	3	c
Cape S. James,	,,	.	..	..	NE	1	c

5th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	.	..	..	..	..	..
Tokio,	10 a.	.	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	.	..	..	..	..	..
Kagoshima,	,,	.	..	..	..	..	..
Taihoku,	5 a.	30.18	..	..	E	4	..
Taichu,	,,	30.10	..	..	..	0	..
Tainan,	,,	30.11	..	..	N	2	..
Koshun,	,,	30.10	..	..	NE	6	..
Pescadores,	,,	30.13	..	..	NE	10	..
Gutzlaff,	9 a.	30.22	59	70	NNE	1	cv
Sharp Peak,	,,	30.24	67	66	WNW	1	..
Amoy,	,,	30.19	70	66	N	3	c
Swatow,	,,	30.21	71	..	NE	2	c
Canton,	,,	.	..	..	.	.	..
Hongkong,	10 a.	30.19	72	63	E	2	o
Victoria Peak,	,,	..	..	..	E	5	..
Cap Rock,	,,	30.18	..	..	ENE	4	..
Macao,	,,	..	77	..	E	1	c
Haiphong,	7 a.	.	..	..	..	.	.
Manila,	10 a.	29.96	77	92	NNE	1	od
Malate,	9 a.	..	..	..	..	0	cr
Bacoled,	,,	.	..	..	..	0	b
Iloilo,	,,	29.94	82	..	E	1	c
Cebu,	,,	29.91	84	..	N	1	c
Cape S. James,	7 a.	..	..	..	NE	2	..

On the 5th at 11.55a. The Barometer has fallen on the China coast, particularly in the North. Pressure remains high over China, and gradients are slight to moderate with fresh to moderate monsoon on the coast, and strong monsoon in the N. part of the China Sea. Forecast—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 5th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

5th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	.	..	..
Tokio,	"	30.26	..	..	NW	4	..
Kochi,	"	30.07	..	..	.	0	..
Nagasaki,	"	30.11	..	..	NW	2	..
Kagoshima,	"	30.11	..	..	SW	2	..
Taihoku,	1 p.	30.11	..	..	E	8	..
Taichu,	"	30.02	..	..	N	4	..
Tainan,	"	30.05	..	..	W	4	..
Koshun,	"	30.06	..	..	NE	6	..
Pescadores,	"	30.06	..	.	NE	8	..
Gutzlaff,	3 p.	30.23	61	60	NE	2	cv
Sharp Peak,	"	30.12	68	70	E	3	c
Amoy,	"	30.10	76	..	NE	2	c
Swatow,	"	30.16	74	..	E	4	c
Canton,	"	30.07	82	87	N	1	b
Hongkong,	4 p.	30.07	72	67	E	2	c
Victoria Peak,	"	..	..	..	NNE	1	..
Cap Rock,	"	30.07	..	..	E	3	..
Macao,	"	30.07	79	..	ESE	2	c
Haiphong,	1 p.	..	.	..	..	..	..
Manila,	4 p.	29.88	81	92	.	0	o
Malate,	3 p.	..	..	..	E	1	
Bacolod,	"	..	..	..	..	0	c
Iloilo,	"	29.84	84	..	..	0	cr
Cebu,	"	29.80	85	..	..	0	c
Cape S. James,	"	.	..	..	NE	3	c

6th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	.	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	.	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5 a.	30.19	..	..	NE	4	..
Taichu,	"	30.06	..	..	..	0	..
Tainan,	"	30.06	..	..	N	2	..
Koshun,	"	30.08	..	..	..	0	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	9 a.	.	..	..	..	.	..
Sharp Peak,	"	30.19	70	65	.	0	b
Amoy,	"	30.17	69	80	WNW	2	c
Swatow,	"	30.18	73	..	N	1	c
Canton,	"	30.18	75	77	N	2	b
Hongkong,	10 a.	30.16	75	56	E	2	b
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	30.15	..	..	ENE	4	..
Macao,	"	30.18	80	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	77	92	..	0	o
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	"	.	..	..	NE	2	c
Iloilo,	"	29.91	81	..	..	0	c
Cebu,	"	29.90	83	..	..	0	c
Cape S. James,	7 a.	..	..	..	NE	4	o

On the 6th at 12.5p.. The barometer has fallen slightly in S. China. Pressure remains high over the interior of China, and gradients are slight to moderate with moderate monsoon on the coast, and strong monsoon in the N. part of the China Sea. Forecast—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 6th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	..	..	..	..	..	..
Tokio, ...	,,	29.98	..	..	N	2	..
Kochi, ...	,,	29.99	.	..	SW	2	..
Nagasaki, ...	,,	30.07	..	..	SE	6	..
Kagoshima.....	,,	30.07	..	..	..	0	..
Taihoku, ...	1 p.	30.07	..	..	NE	8	..
Taichu, ...	,,	29.98	..	..	N	2	..
Tainan, ...	,,	30.02	..	..	W	4	..
Koshun, ...	,,	30.03	..	..	E	6	..
Pescadores, ..	,,	30.05	..	..	NE	10	..
Gutzlaff, ...	3 p.	.	..	.	..	..	..
Sharp Peak, ..	,,	30.09	76	75	E	2	b
Amoy, ...	,,	30.07	79	54	ENE	2	b
Swatow, .. .	,,	30.07	75	..	E	2	b
Canton, ...	,,	30.05	83	87	N	1	b
Hongkong, ...	4 p.	30.05	77	69	W	1	b
Victoria Peak,	,,	.	..	..	SSW	1	..
Gap Rock, ...	,,	30.05	..	..	ENE	3	..
Macao....	,,	30.06	80	..	ESE	1	b
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.80	81	85	N	1	o
Malate, ...	3 p.	..	..	..	.	0	o
Bacolod, ...	,,	..	..	..	N	4	o
Iloilo, ...	,,	29.81	82	..	..	0	o
Cebu, ...	,,	29.79	83	..	..	0	o
Cape Salinas,	,,	.	..	..	NE	3	c

7th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	7 a.	29.93	40	99	..	0	c
Tokio, ...	10 a.	.	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	.	..	..	..	..	..
Kagoshima.....	,,	.	..	..	..	..	..
Taihoku, ...	5 a.	30.09	..	..	..	0	..
Taichu, ...	,,	30.02	..	..	..	0	..
Tainan, ...	,,	30.02	..	..	N	4	..
Koshun, ...	,,	29.96	..	..	NE	8	..
Pescadores ...	,,	30.05	..	..	NE	8	..
Gutzlaff, ...	9 a.	30.24	58	70	NW	2	fm
Sharp Peak, ..	,,	30.17	70	73	WNW	1	b
Amoy,..	,,	30.11	69	80	NW	1	b
Swatow, ...	,,	30.13	72	..	N	1	b
Canton, ...	,,	.	..	..	.	..	..
Hongkong....	10 a.	30.11	76	53	ESE	1	b
Victoria Peak,	,,	..	..	..	ENE	1	..
Gap Rock, ...	,,	30.11	..	..	NNE	3	..
Macao	,,	30.12	79	..	NE	1	b
Haiphong, ...	7 a.	.	..	..	..	..	..
Manila, ...	10 a.	29.84	81	85	..	0	o
Malate, ...	9 a.	..	..	.	..	0	c
Bacolod, ...	,,	.	..	..	..	0	o
Iloilo, ...	,,	29.91	80	..	..	0	or
Cebu, ...	,,	29.90	83	..	..	0	od
Cape Salinas,	7 a.	..	..	..	NE	3	m

On the 7th at 11.55a. The barometer has fallen slightly on the China coast and in Luzon. Pressure is highest over the interior of China, and low, apparently, over the Pacific to the E. of Luzon. Moderate monsoon on the China coast, strong monsoon in the N. part of the China Sea. forecast—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 7th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

7th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	NW	4	..
Kochi,	"	29.99	..	..	NE	2	..
Nagasaki,	"	30.07	..	..	W	6	..
Kagoshima,	"	30.07	..	..	N	6	..
Taihoku,	1 p.	30.09	..	..	E	8	..
Taichu,	"	29.94	..	..	NW	6	..
Tainan,	"	29.96	..	..	N	4	..
Koshun,	"	29.99	..	..	NE	6	..
Pescadores,	"	30.03	..	..	NE	10	..
Gutzlaff,	3 p.	30.21	67	60	WNW	1	bm
Sharp Peak,	"	30.11	69	73	E	4	b
Amoy,	"	30.06	79	58	NE	3	b
Swatow,	"	30.06	75	..	E	3	b
Canton,	"	30.02	80	87	N	1	b
Hongkong,	4 p.	30.01	76	59	E	2	b
Victoria Peak,	"	..	..	..	SE	1	..
Gap Rock,	"	30.01	..	..	E	3	..
Macao,	"	30.02	83	..	ENE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	81	85	SW	1	..
Malate,	3 p.	..	..	..	SSE	3	o
Bacolod,	"	..	..	..	SE	2	o
Iloilo,	"	29.81	81	..	NW	3	r
Cebu,	"	29.81	85	..	SW	2	b
Cape S. James,	"	..	..	..	NE	3	c

8th NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	30.02	..	..	W	2	..
Kochi,	"	30.19	..	..	N	2	..
Nagasaki,	"	30.19	..	..	..	0	..
Kagoshima,	"	30.19	..	..	N	2	..
Taihoku,	5 a.	30.08	..	..	E	6	..
Taichu,	"	29.98	..	..	..	0	..
Tainan,	"	29.99	..	..	E	2	..
Koshun,	"	29.97	..	..	NE	6	..
Pescadores,	"	30.02	..	..	NE	10	..
Gutzlaff,	9 a.	30.28	62	72	S	1	bm
Sharp Peak,	"	30.17	67	64	WNW	2	b
Amoy,	"	30.12	69	61	NE	2	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.13	75	86	N	2	b
Hongkong,	10 a.	30.10	76	65	SE	1	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.10	..	..	E	4	..
Macao,	"	30.11	79	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	79	92	SE	1	o
Malate,	9 a.	..	..	..	SE	2	o
Bacolod,	"	..	..	..	S	2	b
Iloilo,	"	29.94	82	..	NE	1	o
Cebu,	"	29.92	85	..	..	0	b
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 8th at 12.5p. Barometric changes are slight. Pressure is highest over China, and a shallow area of low pressure appears to be lying in the neighbourhood of the W. coast of Luzon. Moderate monsoon on the China coast, very strong monsoon over the NE. part of the China Sea. Forecast—moderate NE. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 8th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	N	2	..
Kochi,	"	30.07	..	..	..	0	..
Nagasaki,	"	30.15	..	..	N	4	..
Kagoshima,	"	30.11	..	..	E	4	..
Taihoku,	1 p.	30.05	..	..	E	8	..
Taichu,	"	29.94	..	..	W	2	..
Tainan,	"	30.03	..	..	W	4	..
Koshun,	"	29.96	..	..	NE	6	..
Pescadores,	"	30.00	..	..	NE	10	..
Gutzlaff,	3 p.	30.24	65	63	SSW	1	bm
Sharp Peak,	"	30.10	69	68	E	5	b
Amoy,	"	30.04	79	54	E	4	b
Swatow,	"	30.03	75	..	E	5	c
Canton,	"	..	..	..	..	.	..
Hongkong,	4 p.	30.00	73	61	E	2	o
Victoria Peak,	"	..	..	..	S	1	..
Cap Rock,	"	29.99	..	..	E	4	..
Macao,	"	29.99	83	..	NNW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	79	92	SE	1	or
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	W	1	o
Iloilo,	"	29.84	84	..	..	0	c
Cebu,	"	29.82	85	..	..	0	c
Cape S. James,	"	..	..	..	..	0	c

9th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.04	..	..	E	6	..
Taichu,	"	29.91	..	..	..	0	..
Tainan,	"	29.93	..	..	N	2	..
Koshun,	"	29.88	..	..	NE	10	..
Pescadores,	"	29.97	..	..	NE	10	..
Gutzlaff,	9 a.	30.26	65	73	NW	2	bm
Sharp Peak,	"	30.13	68	62	NNW	2	c
Amoy,	"	..	68	65	N	2	b
Swatow,	"	..	..	..	..	.	..
Canton,	"	30.07	73	72	N	3	b
Hongkong,	10 a.	30.06	75	40	NE	1	b
Victoria Peak,	"	..	..	..	E	1	..
Cap Rock,	"	30.05	..	..	NNE	4	..
Macao,	"	30.06	78	..	NNE	1	b
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.88	84	77	SE	1	o
Malate,	9 a.	..	..	.	ESE	1	.
Bacolod,	"	.	..	..	NW	1	b
Iloilo,	"	29.91	83	..	..	0	b
Cebu,	"	29.89	84	..	..	0	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 9th at 12.5p. The barometer has fallen slightly over the China coast and Formosa. Pressure is highest over China, and low about the NW. coast of Luzon. Fresh monsoon on the China coast, very strong monsoon over the NE. part of the China Sea. Forecast—moderate or fresh N. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 9th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	"	30.18	..	..	NE	4	..
Kochi, ...	"	30.15	..	..	SW	2	..
Nagasaki, ...	"	30.18	..	..	N	4	..
Kagoshima.....	"	30.16	..	..	SE	2	..
Taihoku, ...	1 p.	30.02	..	..	E	8	..
Taichu, ...	"	29.85	..	..	..	0	..
Tainan, ...	"	29.89	..	..	..	0	..
Koshun, ...	"	29.87	..	..	NE	10	..
Pescadores, ..	"	29.91	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.20	68	65	ESE	3	bv
Sharp Peak, ..	"	30.15	69	73	E	4	..
Amoy, ...	"	30.00	80	62	NE	3	b
Swatow, ...	"	30.00	75	..	ESE	3	c
Canton, ...	"	29.96	83	49	NE	1	b
Hongkong, ...	4 p.	29.96	72	57	E	3	b
Victoria Peak,	"	..	..	..	NE	1	..
Cap Rock, ..	"	29.96	..	..	E	3	..
Macao....	"	29.95	80	..	SE	1	b
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.80	81	85	..	0	c
Malate, ...	3 p.	..	..	..	SW	1	o
Pacolod, ...	"	..	..	..	SE	2	o
Iloilo, ...	"	29.81	85	..	NW	1	c
Cebu, ...	"	29.82	86	..	N	0	b
Cape S. James,	"	..	..	..	..	0	c

10th NOVEMBER, 1901, A. M.

Wladivostock,..	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima,....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	29.95	..	..	E	6	..
Taichu, ...	"	.	..	..	..	0	..
Tainan, ...	"	29.86	..	..	..	0	..
Koshun, ...	"	29.88	..	..	NE	6	..
Pescadores,....	"	29.91	..	..	NE	8	..
Gutzlaff, ...	9 a.	30.22	65	89	E	3	cv
Sharp Peak, ..	"	30.14	68	74	NNW	2	o
Amoy,..... ..	"	..	79	51	..	0	b
Swatow, ...	"	30.06	73	..	N	2	c
Canton, ...	"	30.09	71	85	NW	2	b
Hongkong,...	10 a.	30.06	76	41	N	2	b
Victoria Peak,	"	..	..	..	NE	2	..
Cap Rock, ...	"	30.06	..	..	N	2	..
Macao,..... ..	"	30.09	80	..	NNW	1	b
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	29.92	84	77	ESE	1	c
Malate, ...	9 a.	..	..	..	..	0	c
Pacolod, ...	"	.	..	..	N	2	b
Iloilo, ...	"	29.91	82	..	..	0	c
Cebu, ...	"	29.92	85	..	N	2	b
Cape S. James,	7 a.	..	..	..	..	0	c

On the 10th at 12.30p. The barometer has fallen slightly in Formosa, risen a little in Luzon. Pressure is highest over China, and low in the neighbourhood of S. Formosa. Fresh monsoon on the China coast and in the N. part of the China Sea. Forecast—moderate or fresh N. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 10th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.26	..	..	S	2	..
Kochi,	,,	30.15	..	..	..	0	..
Nagasaki,	,,	30.15	..	..	W	4	..
Kagoshima,	,,	30.15	..	..	SE	2	..
Taihoku,	1 p.	29.92	..	..	E	8	..
Taichu,	,,	29.89	..	..	..	0	..
Tainan,	,,	29.93	..	..	NW	4	..
Koshun,	,,	29.92	..	..	E	6	..
Pescadores,	,,	29.97	..	..	NE	10	..
Gutzlaff,	3 p.	30.14	71	76	SE	2	bv
Sharp Peak,	,,	30.02	69	77	NNW	2	og
Amoy,	,,	29.94	78	65	NE	2	c
Swatow,	,,	29.94	77	..	E	3	c
Canton,	,,	..	..	..	..	..	..
Hongkong,	4 p.	29.94	78	51	W	1	b
Victoria Peak,	,,	..	..	..	..	0	..
Gap Rock,	,,	29.94	..	..	N	2	..
Macao,	,,	29.95	74	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	88	72	..	0	c
Malate,	3 p.	..	..	..	..	0	c
Bacoled,	,,	..	..	..	N	2	c
Iloilo,	,,	29.84	87	..	NE	1	c
Cebu,	,,	29.82	86	..	N	4	b
Cape S. James,	,,	..	..	..	..	..	..

11th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.01	..	..	E	4	..
Taichu,	,,	29.99	..	..	N	2	..
Tainan,	,,	29.93	..	..	N	4	..
Koshun,	,,	29.92	..	..	..	0	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.26	58	88	NW	3	bm
Sharp Peak,	,,	30.19	71	68	NNW	2	c
Amoy,	,,	30.09	72	76	N	1	c
Swatow,	,,	30.10	73	..	..	0	b
Canton,	,,	30.13	71	71	N	1	b
Hongkong,	10 a.	30.10	77	30	N	1	c
Victoria Peak,	,,	..	..	..	N	2	..
Gap Rock,	,,	30.09	..	..	NNE	3	..
Macao,	,,	30.12	79	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	77	WNW	1	b
Malate,	9 a.	..	..	..	..	0	c
Pacolod,	,,	..	..	...	NE	2	b
Iloilo,	,,	29.91	83	..	E	2	b
Cebu,	,,	29.93	86	..	N	3	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 11th at 12.5p. The barometer has risen over the China coast and Phillipines. Pressure is high over China and relatively low in the neighbourhood of S. Formosa. Fresh monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate to fresh N. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 11th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.06	41	..	N	2	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.07	..	..	NE	6	..
Taichu,	"	29.89	..	..	N	6	..
Tainan,	"	29.92	..	..	W	4	..
Koshun,	"	29.92	..	..	NE	6	..
Pescadores,	"	29.99	..	..	NE	..	..
Gutzlaff,	3 p.	30.28	63	89	N	5	cm
Sharp Peak,	"	30.10	71	66	E	5	o
Amoy,	"	30.02	82	52	E	3	c
Swatow,	"	30.05	78	..	E	2	c
Canton,	"	30.07	81	52	N	3	b
Hongkong,	4 p.	30.05	77	49	W	1	o
Victoria Peak,	"	.	..	..	S	1	..
Gap Rock,	"	30.04	..	..	ENE	2	..
Macao,	"	30.05	81	..	N	..	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	80	66	..	0	c
Malate,	3 p.	..	..	..	N	2	..
Bacolod,	"	..	..	..	NE	2	..
Iloilo,	"	29.88	87	..	NE	1	b
Cebu,	"	29.81	85	..	N	2	b
Cape S. James,	"	..	..	..	NE	2	c

12th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.31	32	42	N	6	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.37	..	..	E	6	..
Taichu,	"	30.00	..	..	..	0	..
Tainan,	"	30.01	..	..	N	2	..
Koshun,	"	29.99	..	..	NE	10	..
Pescadores,	"	30.02	..	..	NE	10	..
Gutzlaff,	9 a.	30.45	59	59	NE	3	bv
Sharp Peak,	"	30.27	65	78	NNE	2	o
Amoy,	"	30.18	70	70	NNE	5	c
Swatow,	"	30.21	70	..	E	2	or
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.16	71	65	E	3	o
Victoria Peak,	"	..	..	..	N	5	..
Gap Rock,	"	30.14	..	..	E	6	..
Macao,	"	30.17	71	..	NNW	1	or
Haiphong,	7 a.	.	..	..	..	..	..
Manila,	10 a.	29.96	84	77	W	1	b
Malate,	9 a.	..	..	..	E	2	b
Bacolod,	"	.	..	..	NE	4	b
Iloilo,	"	29.92	84	..	NE	2	c
Cebu,	"	29.93	77	..	N	4	b
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 12th at 12.10 p. The barometer has risen quickly on the China coast, particularly in the North. A high pressure area is centralized over N. China, and pressure is rather steep with very strong monsoon along the coast, and in the N. part of the China Sea. Forecast.—Strong NE. winds; dull, some light rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 12th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.16	..	..	E	8	..
Taichu,	,,	29.99	..	..	SW	2	..
Tainan,	,,	30.03	..	..	SW	4	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	30.06	..	..	NE	10	..
Gutzlaff,	3 p.	30.42	59	59	NE	4	o
Sharp Peak,	,,	30.19	67	69	NE	7	o
Amoy,	,,	30.14	75	64	N	4	od
Swatow,	,,	30.14	71	..	N	1	or
Canton,	,,	30.12	78	54	SE	2	c
Hongkong,	4 p.	30.10	66	82	ENE	3	or
Victoria Peak,	,,	..	..	..	NNE	7	..
Cap Rock,	,,	30.09	..	..	ENE	7	..
Macao,	,,	30.11	72	..	NNE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	88	59	NE	1	b
Malate,	3 p.	..	..	..	..	0	c
Bacolod,	,,	..	..	..	NNE	6	b
Iloilo,	,,	29.83	87	..	E	3	b
Cebu,	,,	29.83	84	..	N	4	c
Cape S. James,	,,	..	..	..	NE	5	o

13th NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.20	..	..	E	6	..
Taichu,	,,	30.08	..	..	..	0	..
Tainan,	,,	30.10	..	..	N	2	..
Koshun,	,,	30.12	..	..	NE	4	..
Pescadores,	,,	30.12	..	..	NE	10	..
Gutzlaff,	9 a.	30.41	59	70	NE	4	cv
Sharp Peak,	,,	30.26	64	78	WNW	3	o
Amoy,	,,	30.21	67	84	W	3	c
Swatow,	,,	30.24	68	..	N	1	..
Canton,	,,	30.24	70	75	E	1	b
Hongkong,	10 a.	30.23	72	69	ENE	1	o
Victoria Peak,	,,	..	..	..	E	3	..
Cap Rock,	,,	30.21	..	..	ENE	6	..
Macao,	,,	30.23	73	..	NE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	86	71	S	1	b
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	,,	..	..	..	NNE	6	c
Iloilo,	,,	29.95	82	..	..	4	o
Cebu,	,,	29.95	81	..	..	0	o
Cape S. James,	7 a.	..	..	..	..	0	c

On the 13th at 11.55a. The barometer has risen in the South, fallen in the North. The high pressure area remains central over N. China, and gradients are moderate with strong monsoon along the coast, and in the N. part of the China Sea. Forecast:—fresh NE. winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 13th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	..	..	..	..	..	..
Taichu,	"	30.04	..	..	..	0	..
Tainan,	"	30.07	..	..	W	4	..
Koshun,	"	30.06	..	..	NE	8	..
Pescadores,	"	30.08	..	..	NE	4	..
Gutzlaff,	3 p.	30.18	60	71	NE	5	cv
Sharp Peak,	"	30.18	68	74	NE	3	c
Amoy,	"	30.13	74	76	NE	2	c
Swatow,	"	30.14	72	..	NE	2	o
Canton,	"	30.13	79	61	E	1	b
Hongkong,	4 p.	30.10	73	69	ESE	2	c
Victoria Peak,	"	..	..	..	ENE	1	..
Gap Rock,	"	30.10	..	..	E	4	..
Macao,	"	..	76	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	75	91	..	0	c
Malate,	3 p.	..	..	..	..	0	od
Iscoled,	"	..	..	..	NNW	2	o
Iloilo,	"	29.88	79	..	..	0	o
Cebu,	"	29.90	83	..	..	0	c
Cape S. James,	"	..	..	..	NE	2	c

14th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.17	..	..	E	6	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.07	..	..	E	2	..
Koshun,	"	30.08	..	..	E	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.40	58	64	NNE	4	cv
Sharp Peak,	"	30.25	68	67	ENE	4	o
Amoy,	"	30.19	68	78	NE	3	b
Swatow,	"	30.12	71	..	ENE	1	cd
Canton,	"	30.23	73	58	NE	3	b
Hongkong,	10 a.	30.18	75	54	..	0	o
Victoria Peak,	"	..	..	..	NE	3	..
Gap Rock,	"	30.19	..	..	ENE	3	..
Macao,	"	30.20	78	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	84	71	N	2	c
Malate,	9 a.	..	..	..	E	1	o
Iscoled,	"	..	..	..	NE	4	b
Iloilo,	"	29.91	82	..	NE	2	c
Cebu,	"	29.90	85	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 14th at 11.50a. The barometer has fallen slightly over the China coast and Phillipines. The high pressure area remains central over N. China, and pressure is in defect in the neighbourhood of the S. Phillipines. Strong monsoon on the China coast and in the N. part of the China Sea. Forecast:—fresh NE. winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 14th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.20	24	..	NE	1	b
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	.	.	..
Taihoku,	1 p.	30.14	..	..	E	6	..
Taichu,	,,	30.01	..	..	N	4	..
Tainan,	,,	30.02	..	..	NW	4	..
Koshun,	,,	30.00	..	..	NE	2	..
Pescadores,	,,	30.08	..	..	NE	10	..
Gutzlaff,	3 p.	30.25	69	65	NNE	4	cv
Sharp Peak,	,,	30.19	66	76	NE	5	o
Amoy,	,,	30.09	71	47	NE	4	c
Swatow,	,,	30.10	74	..	E	3	c
Canton,	,,	30.11	80	85	NE	1	b
Hongkong,	4 p.	30.08	72	67	ESE	2	o
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	30.07	..	..	E	3	..
Macao,	,,	30.08	78	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	86	60	..	0	..
Malate,	3 p.	..	..	..	..	0	c
Bacoled,	,,	..	..	..	NE	6	c
Iloilo,	,,	29.82	86	..	E	1	b
Cebu,	,,	29.80	86	..	N	2	b
Cape S. James,	,,	..	..	..	NE	3	o

15th NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	30.06	25	49	NE	2	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.13	..	..	..	0	..
Taichu,	,,	30.03	..	..	N	2	..
Tainan,	,,	30.08	..	..	N	4	..
Koshun,	,,	30.04	..	..	NE	2	..
Pescadores,	,,	30.07	..	..	NE	8	..
Gutzlaff,	9 a.	..	..	..	..	.	..
Sharp Peak,	,,	30.18	68	72	NNE	3	o
Amoy,	,,	30.16	67	79	NE	.	c
Swatow,	,,	30.18	71	..	N	1	b
Canton,	,,	.	.	..	..	.	..
Hongkong,	10 a.	30.16	72	53	N	1	b
Victoria Peak,	,,	..	..	..	NE	2	..
Gap Rock,	,,	30.16	..	..	NE	4	..
Macao,	..	30.18	73	..	N	1	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.92	84	77	WNW	1	b
Malate,	9 a.	..	..	.	..	0	b
Bacoled,	,,	.	..	..	NE	2	c
Iloilo,	,,	29.88	79	..	..	0	o
Cebu,	,,	29.89	84	..	N	2	..
Cape S. James,	7 a.	..	..	..	..	0	o

On the 15th at 11.50a. The barometer has fallen in the North. Pressure remains high over the interior of China, and low in the neighbourhood of the S. Phillipines. Fresh monsoon on the China coast, strong monsoon in the N. part of the China Sea. Forecast:—moderate N. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 15th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	.	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	.	..
Taihoku,	1 p.	30.12	..	..	E	6	..
Taichu,	"	29.98	..	..	N	6	..
Tainan,	"	30.00	..	..	N	4	..
Koshun,	"	29.89	..	..	NE	4	..
Pescadores,	"	30.06	..	..	NE	8	..
Gutzlaff,	3 p.	30.27	56	57	N	2	cv
Sharp Peak,	"	30.07	63	69	E	5	b
Amoy,	"	30.09	73	63	ENE	3	c
Swatow,	"	30.11	72	..	E	3	c
Canton,	"	30.12	73	51	N	2	b
Hongkong,	4 p.	30.08	73	55	S	2	b
Victoria Peak,	"	..	..	..	NE	1	..
Gap Rock,	"	30.08	..	..	NNW	3	..
Macao,	"	30.07	75	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	84	77	ENE	1	c
Malate,	3 p.	..	..	..	E	1	c
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.80	85	..	..	0	c
Cebu,	"	29.76	85	..	N	3	b
Cape S. James,	"	..	..	..	NE	5	o

16th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.15	..	..	S	2	..
Taichu,	"	30.05	..	..	N	4	..
Tainan,	"	30.05	..	..	N	8	..
Koshun,	"	30.02	..	..	NE	8	..
Pescadores,	"	30.08	..	..	NE	8	..
Gutzlaff,	9 a.	30.28	60	58	NW	2	lm
Sharp Peak,	"	30.22	64	58	ENE	2	b
Amoy,	"	30.17	65	73	NE	3	b
Swatow,	"	..	.	..	..	.	..
Canton,	"	30.21	68	49	N	2	b
Hongkong,	10 a.	30.17	70	53	SE	1	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.17	..	..	E	3	..
Macao,	"	30.20	73	..	N	2	b
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	29.92	84	77	NNW	1	c
Malate,	9 a.	..	..	.	..	0	c
Bacolod,	"	.	..	..	NE	2	o
Iloilo,	"	29.91	80	..	..	0	o
Cebu,	"	29.90	83	..	.	0	o
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 16th at 11.55a. Barometric changes are slight. Pressure remains high over the interior of China, and relatively low in the neighbourhood of the S. Phillipines.. Fresh monsoon on the China coast, strong monsoon in the N. part of the China Sea. Forecast:—moderate N. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 16th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.14	..	..	E	6	..
Taichu,	"	30.10	..	..	N	6	..
Tainan,	"	30.02	..	..	N	6	..
Koshun,	"	30.03	..	..	E	8	..
Pescadores,	"	30.10	..	..	NE	8	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	"	30.15	64	58	NE	4	b
Amoy,	"	30.10	72	58	E	3	b
Swatow,	"	30.10	71	..	E	3	b
Canton,	"	30.08	74	55	NW	1	..
Hongkong,	4 p.	30.08	69	72	E	3	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.07	..	..	ENE	3	..
Macao,	"	30.09	74	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	77	92	WNW	1	o
Malate,	3 p.	..	..	..	N	1	or
Bacolod,	"	..	..	..	..	0	r
Iloilo,	"	29.82	82	..	..	0	o
Cebu,	"	29.81	81	..	N	3	..
Cape S. James,	"	..	..	..	NE	3	c

17th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.28	59	65	SSW	2	b
Sharp Peak,	"	30.23	63	64	N	2	b
Amoy,	"	30.24	63	72	NNE	1	b
Swatow,	"	30.20	66	..	NNE	2	b
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.18	70	54	E	3	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.15	..	..	ENE	4	..
Macao,	"	30.17	72	..	ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	
Manila,	10 a.	29.92	86	71	..	0	c
Malate,	9 a.	..	..	..	SE	1	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.94	82	..	S	1	c
Cebu,	"	29.93	84	..	..	0	c
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 17th at 12.30p. The barometer has risen slightly over the Phillipines, and is inclined to fall on the China coast. Pressure is low apparently, in N. China, and highest over S. China. Moderate monsoon on the coast of S. China and strong monsoon in the N. part of the China Sea.
Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 17th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.09	..	..	E	8	..
Taichu,	"	30.03	..	..	NW	4	..
Tainan,	"	30.06	..	..	W	6	A-
Koshun,	"	30.05	..	..	NE	8	..
Pescadores,	"	30.08	..	..	NW	8	..
Gutzlaff,	3 p.	30.21	68	57	SE	2	bv
Sharp Peak,	"	30.09	66	68	NNE	2	b
Amoy,	"	30.11	72	67	NE	1	b
Swatow,	"	30.09	71	..	ESE	2	b
Canton,	"	30.05	76	53	E	1	b
Hongkong,	4 p.	30.06	69	63	ESE	4	o
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.05	..	..	E	4	..
Macao,	"	30.06	73	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.98	86	71	E	1	o
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	N	0	b
Iloilo,	"	29.84	75	..	NW	1	c
Cebu,	"	29.81	74	..	N	2	b
Cape S. James,	"	..	..	..	..	..	..

18th NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.11	..	..	..	0	..
Taichu,	"	30.07	..	..	.	0	..
Tainan,	"	30.07	..	..	N	2	..
Koshun,	"	30.06	..	..	NE	4	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	8 a.	30.14	68	78	S	4	cv
Sharp Peak,	"	30.14	66	66	W	1	..
Amoy,	"	30.12	68	68	SW	3	c
Swatow,	"	.	.	..	.	.	..
Canton,	"	30.11	72	71	E	1	..
Hongkong,	10 a.	30.12	72	62	ESE	3	b
Victoria Peak,	"	.	..	..	ESE	1	..
Gap Rock,	"	30.14	..	..	ENE	4	..
Macao,	"	30.15	77	..	ENE	1	b
Haiphong,	7 a.	.	..	.	.	.	..
Manila,	10 a.	29.96	79	52	ESE	1	c
Malate,	8 a.	..	..	.	..	0	c
Bacolod,	"	.	..	..	.	0	b
Iloilo,	"	29.94	83	..	NW	2	c
Cebu,	"	29.92	84	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 18th at 11.55a. The barometer has fallen on the China coast owing to the existence of a depression over N. China. Gradients slight with the monsoon interrupted in the North, and moderate monsoon in the N. part of the China Sea. Forecast—moderate to light E. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 18th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.05	..	..	..	0	..
Taichu,	,,	30.02	..	..	N	4	..
Tainan,	,,	30.03	..	..	N	6	..
Koshun,	,,	30.03	..	..	E	6	..
Pescadores,	,,	30.07	..	..	NE	6	..
Gutzlaff,	3 p.	30.10	62	72	WNW	3	cv
Sharp Peak,	,,	30.04	67	79	..	0	o
Amoy,	,,	30.03	73	67	SE	3	b
Swatow,	,,	30.04	73	..	E	3	c
Canton,	,,	30.05	80	66	..	0	..
Hongkong,	4 p.	30.03	73	72	ENE	1	b
Victoria Peak,	,,	..	..	..	..	0	..
Gap Rock,	,,	30.02	..	..	E	3	..
Macao,	,,	30.03	75	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	82	85	N	1	c
Malate,	3 p.	..	..	..	NW	1	c
Bacolod,	,,	..	..	..	NNE	2	o
Iloilo,	,,	29.84	84	..	N	1	c
Cebu,	,,	29.82	84	..	N	3	c
Cape S. James,	,,	..	..	..	NE	3	o

19th NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.17	..	..	NE	2	..
Taichu,	,,	30.12	..	..	N	4	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	30.10	..	..	..	0	..
Pescadores,	,,	30.16	..	..	NE	10	..
Gutzlaff,	9 a.	30.43	44	66	NW	6	cv
Sharp Peak,	,,	30.25	65	68	NNE	4	o
Amoy,	,,	30.16	60	78	SE	3	o
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.23	65	68	N	3	o
Hongkong,	10 a.	30.16	73	72	NNE	1	o
Victoria Peak,	,,	..	..	..	NNE	5	..
Gap Rock,	,,	30.14	..	..	N	4	..
Macao,	,,	30.18	74	..	N	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	7 a.	29.88	79	92	N	1	o
Malate,	9 a.	..	..	..	N	1	cd
Bacolod,	,,	..	..	..	NE	3	b
Iloilo,	,,	29.88	81	..	NE	2	o
Cebu,	,,	29.87	83	..	N	3	o
Cape S. James,	7 a.	..	..	..	..	0	o

On the 19th at 11.55a. The barometer has risen on the China coast, particularly in the North, fallen over the Phillipines. An area of high pressure now covers China, the depression having moved into the Sea of Japan. Pressure is low also, to the SE. of the Phillipines. Strong monsoon on the China coast, and heavy monsoon in the N. part of the China Sea. Forecast—strong N. winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 19th November 1901.

CHINA COAST METEOROLOGICAL REGISTER

19th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.25	..	..	NE	6	..
Taichu,	"	30.03	..	..	N	8	..
Tainan,	"	30.04	..	..	N	8	..
Koshun,	"	30.01	..	..	NE	10	..
Pescadores,	"	30.10	..	..	NE	10	..
Gutzlaff,	3 p.	30.40	44	47	NNW	6	cv
Sharp Peak,	"	30.25	86	62	E	8	o
Amoy,	"	30.15	86	70	NE	..	o
Swatow,	"	30.15	96	..	N	3	o
Canton,	"	30.17	68	42	N	3	o
Hongkong,	4 p.	30.11	69	47	N	3	cq
Victoria Peak,	"	..	..	..	NNE	4	..
Gap Rock,	"	30.10	..	..	NNE	4	..
Macao,	"	30.13	72	..	NNE	3	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	84	85	..	0	o
Malate,	3 p.	..	..	..	N	1	o
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.77	85	..	NE	3	o
Cebu,	"	..	83	..	N	0	c
Cape S. James,	"	..	..	..	NE	1	o

20th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.26	..	..	E	4	..
Taichu,	"	30.10	..	..	N	4	..
Tainan,	"	30.10	..	..	N	4	..
Koshun,	"	30.13	..	..	NE	10	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.38	46	47	NW	3	cm
Sharp Peak,	"	30.20	60	55	ENE	3	o
Amoy,	"	30.23	62	72	NE	4	b
Swatow,	"	30.25	65	..	N	2	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.23	73	52	N	1	b
Victoria Peak,	"	..	..	..	ENE	2	..
Gap Rock,	"	30.21	..	..	NE	4	..
Macao,	"	30.25	86	..	NNE	3	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	86	71	ESE	1	s
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.91	83	..	..	0	..
Cebu,	"	29.91	83	..	N	1	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 20th at 11.00a. The barometer has risen in S. China. The high pressure area still lies over China, and the depression is passing from E. Japan to the Pacific. Pressure remains relatively low over the Philippines. Fresh monsoon on the China coast, and heavy monsoon in the N. part of the China Sea. Forecast—moderate NE. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 20th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Vladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Fushi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.17	..	..	E	6	..
Taichu,	"	30.16	..	..	N	2	..
Tainan,	"	30.15	..	..	W	2	..
Koshun,	"	30.07	..	..	NE	8	..
Pescadores,	"	30.11	..	..	NE	10	..
Gutzlaff,	3 p.	30.29	73	42	NNW	2	cm
Sharp Peak,	"	30.19	60	55	E	5	c
Amoy,	"	30.11	69	47	ENE	4	b
Swatow,	"	30.14	69	..	E	4	b
Canton,	"	30.12	70	44	NE	1	b
Hongkong,	4 p.	30.10	67	49	E	3	b
Victoria Peak,	"	..	..	..	E	1	..
Cap Rock,	"	30.09	..	..	ENE	4	..
Macao,	"	30.11	71	..	NE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	84	77	ENE	1	c
Malate,	3 p.	..	..	..	SE	1	c
Ilocolo,	"	..	..	..	..	0	c
Iloilo,	"	29.81	87	..	E	1	c
Cebu,	"	29.82	84	..	N	2	c
Cape S. James,	"	..	..	..	NE	1	c

21st NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Vladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Fushi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	7 a.	30.14	..	..	E	6	..
Taichu,	"	30.19	..	..	..	0	..
Tainan,	"	30.18	..	..	N	2	..
Koshun,	"	30.06	..	..	NE	6	..
Pescadores,	"	.	..	..	..	.	..
Gutzlaff,	9 a.	30.31	54	55	SW	2	b
Sharp Peak,	"	30.28	58	64	W	2	c
Amoy,	"	30.17	61	66	NW	4	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.20	69	50	E	1	c
Victoria Peak,	"	..	..	..	E	2	..
Cap Rock,	"	30.18	..	..	NE	4	..
Macao,	"	30.20	70	..	ENE	1	c
Haiphong,	7 a.	.	..	..	..	..	.
Manila,	7 a.	29.86	84	77	..	0	c
Malate,	9 a.	..	..	..	NNE	1	c
Ilocolo,	"	.	..	..	N	1	c
Iloilo,	"	29.84	83	..	NE	2	c
Cebu,	"	29.82	85	..	N	1	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 21st at 11.50a.m. The barometer has fallen on the China coast, rising over the Philippines. Pressure is high over Central China, and low over N. China. Gradients slight on the China coast with the monsoon interrupted in the North, moderate with strengthening in the N. part of the China Sea. Forecast—moderate N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 21st November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	29.58	24	..	..	0	c
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.13	..	..	E	4	..
Taichu,	"	30.03	..	..	NW	4	..
Tainan,	"	30.05	..	..	N	4	..
Koshun,	"	30.05	..	..	NE	6	..
Pescadores,	"	30.09	..	..	NE	8	..
Gutzlaff,	3 p.	30.23	60	49	WSW	2	bv
Sharp Peak,	"	30.17	63	67	E	3	o
Amoy,	"	30.11	73	58	NE	2	e
Swatow,	"	30.14	70	..	SE	3	b
Canton,	"	30.12	74	43	N	..	b
Hongkong,	4 p.	30.09	70	48	ESE	1	o
Victoria Peak,	"	..	..	..	E	1	..
Cape Rock,	"	30.09	..	..	E	3	..
Macao,	"	30.10	74	..	NE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	78	NE	1	c
Malate,	9 p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.84	85	..	..	0	..
Cebu,	"	29.85	86	..	N	..	b
Cape S. James,	"	..	..	..	NE	1	o

22nd NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock	7 a.	29.94	18	68	N	1	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.12	..	..	E	2	..
Taichu,	"	30.09	..	..	..	0	..
Tainan,	"	30.10	..	..	N	4	..
Koshun,	"	30.07	..	..	NE	6	..
Pescadores,	"	30.12	..	..	NE	6	..
Gutzlaff,	9 a.	30.30	55	68	NW	2	cm
Sharp Peak,	"	30.24	63	62	W	1	o
Amoy,	"	30.20	62	89	WSW	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.19	73	59	SE	1	b
Victoria Peak,	"	..	..	..	NNE	3	..
Cape Rock,	"	30.19	..	..	ENE	3	..
Macao,	"	30.23	75	..	NE	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	84	71	W	1	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.95	82	..	NW	..	c
Cebu,	"	29.94	84	..	N	3	..
Cape S. James,	7 a.	..	..	..	WNW	4	or

On the 22nd at 10 p. Barometric changes are slight. Pressure is high over Central China, and low over the China Sea about the S. coast of Annam. Gradients slight on the China coast, moderate with strong monsoon in the N. part of the China Sea.

Forecast—moderate to fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 22nd November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.15	..	..	E	6	..
Taichu,	"	30.06	..	..	NW	6	..
Tainan,	"	30.07	..	..	N	6	..
Koshun,	"	30.07	..	..	NE	4	..
Pescadores,	"	30.13	..	..	NE	6	..
Gutzlaff,	3 p.	30.27	59	65	WSW	..	cm
Sharp Peak,	"	30.18	65	73	E	4	b
Amoy,	"	30.11	74	55	NE	3	c
Swatow,	"	30.11	71	..	E	3	b
Canton,	"	30.14	75	37	N	2	b
Hongkong,	4 p.	30.08	72	62	E	1	b
Victoria Peak,	"	..	..	..	NNE	4	..
Cap Rock,	"	30.09	..	..	E	2	..
Macao,	"	30.11	77	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	78	..	0	o
Mulate,	3 p.	..	..	..	..	0	..
Bacolod,	"	..	..	..	SE	1	b
Iloilo,	"	29.85	87	..	SE	1	b
Cebu,	"	29.85	85	..	N	3	c
Cape S. James,	"	..	..	..	WNW	1	o

23rd NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.21	..	..	E	6	..
Taichu,	"	30.09	..	..	N	4	..
Tainan,	"	30.08	..	..	N	4	..
Koshun,	"	30.07	..	..	NE	4	..
Pescadores,	"	30.12	..	..	NE	10	..
Gutzlaff,	9 a.	30.30	51	86	NW	2	lv
Sharp Peak,	"	30.30	65	60	..	0	b
Amoy,	"	30.32	65	58	NNE	2	lm
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.23	74	27	N	1	c
Victoria Peak,	"	..	..	..	ENE	3	..
Cap Rock,	"	30.22	..	..	NE	4	..
Macao,	"	30.24	73	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	84	77	..	0	o
Mulate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.90	83	..	NE	1	c
Cebu,	"	29.94	86	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	3	o

On the 23rd at 11.45a. The barometer has risen slightly on the China coast. Pressure remains high over Central China. Gradients slight with moderate monsoon on the coast, moderate with strong monsoon in the N part of the China Sea.

Forecast—moderate N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 23rd November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.21	..	..	E	6	..
Taichu,	"	30.08	..	..	N	6	..
Tainan,	"	30.07	..	..	N	4	..
Koshun,	"	30.07	..	..	NE	8	..
Pescadores,	"	30.09	..	..	NE	10	..
Gutzlaff,	3 p.	30.30	66	51	NNW	1	b
Sharp Peak,	"	30.20	65	68	E	4	b
Amoy,	"	30.13	73	43	NE	4	b
Swatow,	"	30.13	72	..	E	4	b
Canton,	"	30.13	79	33	NE	1	b
Hongkong,	4 p.	30.11	71	46	E	3	b
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	30.13	..	..	E	4	..
Macao,	"	30.12	79	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	83	..	0	c
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	N	4	b
Iloilo,	"	29.84	87	..	..	0	b
Cebu,	"	29.85	86	..	N	2	b
Cape S. James,	"	..	..	..	NE	5	c

24th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.26	..	..	E	2	..
Taichu,	"	30.11	..	..	.	0	..
Tainan,	"	30.12	..	..	N	4	..
Koshun,	"	30.10	..	..	NE	8	..
Pescadores,	"	30.14	..	..	NE	8	..
Gutzlaff,	9 a.	30.36	70	79	NW	5	1m
Sharp Peak,	"	30.23	62	61	W	1	b
Amoy,	"	30.24	63	67	NNE	3	1m
Swatow,	"	..	..	..	.	.	..
Canton,	"	30.31	67	50	N	1	c
Hongkong,	10 a.	30.25	72	27	NNE	1	o
Victoria Peak,	"	.	..	..	ENE	3	..
Gap Rock,	"	30.24	..	..	NE	4	..
Macao,	"	30.28	71	..	N	1	o
Haiphong,	7 a.	.	..	..	.	.	
Manila,	10 a.	29.96	86	71	WSW	1	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	.	..	..	NE	4	b
Iloilo,	"	29.94	83	..	..	0	c
Cebu,	"	29.93	86	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 24th at 11.55a. The barometer has risen on the China coast. Pressure remains high over Central China, and gradients are slight to moderate with fresh monsoon on the coast and strong monsoon in the N. part of the China Sea.

Forecast—moderate to fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 24th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	29.76	31	..	N	4	c
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.27	..	..	NE	6	..
Taichu,	"	30.12	..	..	N	6	..
Tainan,	"	30.07	..	..	N	2	..
Koshun,	"	30.13	..	..	NE	8	..
Pescadores,	"	30.15	..	..	NE	10	..
Gutzlaff,	3 p.	30.24	54	61	N	3	b
Sharp Peak,	"	30.25	64	46	E	3	b
Amoy,	"	30.17	73	..	ENE	4	b
Swatow,	"	30.18	71	..	SE	3	c
Canton,	"	30.11	78	82	NE	1	b
Hongkong,	4 p.	30.16	73	89	..	0	b
Victoria Peak,	"	..	..	..	NE	1	..
Cap Rock,	"	30.15	..	..	ENE	3	..
Macao,	"	30.16	76	..	N	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	71	ENE	1	c
Malate,	3 p.	..	..	..	NW	1	b
Lacoled,	"	..	..	..	NNE	2	b
Iloilo,	"	29.84	87	..	..	0	b
Cebu,	"	29.85	86	..	N	3	b
Cape S. James,	"	..	..	..	..	..	..

25th NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	30.04	17	67	NE	2	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..	..
Taihoku,	6 a.	30.25	..	..	NE	2	..
Taichu,	"	30.14	..	..	..	0	..
Tainan,	"	30.13	..	..	N	2	..
Koshun,	"	30.13	..	..	NE	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.36	51	52	N	1	bv
Sharp Peak,	"	30.32	63	61	NW	1	b
Amoy,	"	30.25	63	57	N	4	b
Swatow,	"	30.28	64	..	NNE	2	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.26	68	52	E	4	b
Victoria Peak,	"	..	..	..	E	4	..
Cap Rock,	"	30.24	..	..	ENE	5	..
Macao,	..	30.26	73	..	ENE	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	77	92	..	0	o
Malate,	9 a.	..	..	..	NW	1	c
Lacoled,	"	..	..	..	NE	3	o
Iloilo,	"	29.94	81	..	NE	..	o
Cebu,	"	29.93	85	..	N	3	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 25th at 11.40 a. Barometric changes are slight. Pressure remains high over China, and gradients are slight to moderate with moderate monsoon on the coast, and strong monsoon in the N. part of the China Sea.

Forecast:—moderate NE. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 25th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.23	..	..	E	6	..
Taichu,	"	30.11	..	..	..	0	..
Tainan,	"	30.15	..	..	W	6	..
Koshun,	"	30.16	..	..	NE	6	..
Pescadores,	"	30.16	..	..	NE	8	..
Gutzlaff,	3 p.	30.27	54	43	NW	..	cv
Sharp Peak,	"	30.23	64	58	E	3	b
Amoy,	"	30.18	72	42	E	3	b
Swatow,	"	30.17	68	..	E	5	b
Canton,	"	30.15	76	73	SSW	1	b
Hongkong,	4 p.	30.14	68	69	E	3	b
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	30.13	..	..	E	5	..
Macao,	"	30.15	73	..	SSE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	81	76	N	2	o
Malate,	3 p.	..	..	..	..	0	o
Iscoled,	"	..	..	..	NE	6	b
Iloilo,	"	29.85	85	..	NW	2	.
Cebu,	"	..	..	..	..	0	c
Cape S. James,	"	..	..	..	NE	5	o

26th NOVEMBER, 1901. A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.12	..	..	E	4	..
Taichu,	"	30.08	..	..	..	0	..
Tainan,	"	30.07	..	..	E	2	..
Koshun,	"	30.10	..	..	E	2	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.20	57	69	SW	2	cv
Sharp Peak,	"	30.21	61	55	W	1	c
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.21	66	84	E	1	b
Hongkong,	10 a.	30.20	69	65	E	3	c
Victoria Peak,	"	..	..	..	ESE	2	..
Cap Rock,	"	30.17	..	..	E	4	..
Macao,	"	30.20	75	..	SSE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	70	NE	1	c
Malate,	9 a.	..	..	..	..	0	b
Iscoled,	"	..	..	..	NE	2	b
Iloilo,	"	29.93	81	..	NE	2	c
Cebu,	"	29.91	83	..	N	4	b
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 26th at 12.10p. The barometer has fallen on the China coast owing to a depression in the North. Gradients slight on the China coast with the monsoon interrupted in the North, moderate with strong monsoon in the North part of the China Sea.

Forecast:—moderate E. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 26th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	29.84	33	..	E	3	c
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.09	..	..	NW	2	..
Taichu,	"	30.06	..	..	SW	2	..
Tainan,	"	30.08	..	..	N	4	..
Koshun,	"	30.08	..	..	NE	4	..
Pescadores,	"	30.11	..	..	NE	4	..
Gutzlaff,	3 p.	30.15	60	71	W	2	o
Sharp Peak,	"	30.10	65	60	E	..	o
Amoy,	"	30.10	68	60	SE	3	b
Swatow,	"	30.09	69	..	E	3	c
Canton,	"	30.09	75	56	..	0	b
Hongkong,	4 p.	30.07	68	70	E	1	c
Victoria Peak,	"	..	..	..	NE	1	..
Cap Rock,	"	30.06	..	..	E	3	..
Macao,	"	30.08	72	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	82	77	..	0	c
Malate,	3 p.	..	..	..	SW	1	c
Pacoled,	"	..	..	..	N	3	b
Iloilo,	"	29.85	86	..	E	2	b
Cebu,	"	29.82	87	..	N	3	b
Cape S. James,	"	..	..	..	SSE	2	o

27th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	29.54	30	60	N	1	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.05	..	..	..	0	..
Taichu,	"	29.99	..	..	..	0	..
Tainan,	"	30.02	..	..	NE	2	..
Koshun,	"	30.01	..	..	..	0	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.17	64	68	NNW	3	cm
Sharp Peak,	"	30.12	63	65	..	0	o
Amoy,	"	30.10	62	85	NW	1	b
Swatow,	"	30.12	65	..	..	0	lm
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.10	71	64	E	1	b
Victoria Peak,	"	..	..	..	ENE	1	..
Cap Rock,	"	30.09	..	..	ENE	2	..
Macao,	"	30.10	75	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	82	77	NW	1	b
Malate,	9 a.	..	..	..	NW	1	b
Pacoled,	"	..	..	..	NE	2	b
Iloilo,	"	29.91	83	..	ENE	3	o
Cebu,	"	29.92	84	..	N	1	o
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 27th at 12.10 p. The barometer has fallen on the China coast. The depression to the North, has moved Eastwards into the Sea of Japan. Freshening monsoon on the China coast. Forecast:—E to N winds, freshening; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 27th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	29.57	30	..	NW	4	o
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.02	..	..	NE	6	..
Taichu,	"	29.97	..	..	..	0	..
Tainan,	"	30.00	..	..	W	4	..
Koshun,	"	29.99	..	..	E	4	..
Pescadores,	"	30.02	..	..	SE	6	..
Gutzlaff,	3 p.	30.17	58	64	N	4	cm
Sharp Peak,	"	30.07	65	60	NNE	3	o
Amoy,	"	30.04	68	65	SE	1	o
Swatow,	"	30.04	71	..	E	3	c
Canton,	"	29.98	77	57	NW	1	b
Hongkong,	4 p.	30.01	70	72	E	2	c
Victoria Peak,	"	..	..	..	E	1	..
Cap Rock,	"	29.99	..	..	E	2	..
Macao,	"	30.00	77	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	86	71	SE	1	c
Malate,	3 p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	2	c
Iloilo,	"	29.80	85	..	NW	2	c
Cebu,	"	29.80	83	..	..	0	c
Cape S. James,	"	..	..	..	NE	1	c

28th NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	29.74	16	85	N	6	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.16	..	..	S	4	..
Taichu,	"	30.02	..	..	N	4	..
Tainan,	"	30.02	..	..	N	2	..
Koshun,	"	30.00	..	..	NE	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.33	49	64	N	..	cm
Sharp Peak,	"	30.22	61	55	NNE	5	o
Amoy,	"	30.14	61	71	NE	4	od
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.12	69	53	E	5	c
Victoria Peak,	"	..	..	..	E	6	..
Cap Rock,	"	30.08	..	..	E	5	..
Macao,	"	30.13	74	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	84	71	SW	2	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 28th at 12.5p. The barometer has risen quickly on the E. coast, and pressure is again high over N. China. The depression is moving away to the Pacific over NE Japan. Gradients moderate with strong monsoon on the China coast, and in the N. part of the China Sea.
Forecast:—Strong NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 28th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	29.71	23	..	N	6	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.14	..	..	E	4	..
Taichu,	"	29.99	..	..	N	4	..
Tainan,	"	29.99	..	..	N	2	..
Koshun,	"	30.02	..	..	NE	8	..
Pescadores,	"	30.04	..	..	NE	10	..
Gutzlaff,	3 p.	30.28	51	52	N	3	cv
Sharp Peak,	"	30.16	56	81	NNE	3	o
Amoy,	"	30.12	65	68	NE	3	or
Swatow,	"	30.08	68	..	E	5	o
Canton,	"	30.04	74	55	E	2	c
Hongkong,	4 p.	30.04	68	62	ENE	4	c
Victoria Peak,	"	..	..	..	ESE	4	..
Cap Rock,	"	30.01	..	..	E	5	..
Mocao,	"	30.04	71	..	E	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	84	77	..	0	o
Malate,	3 p.	..	..	..	SW	1	b
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	2	o

29th NOVEMBER, 1901, A. M.

Wladivostock,	7 a.	29.73	18	43	NE	2	c
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.08	..	..	E	4	..
Taichu,	"	30.02	..	..	..	0	..
Tainan,	"	30.08	..	..	N	2	..
Koshun,	"	30.00	..	..	NE	6	..
Pescadores,	"	30.03	..	..	NE	10	..
Gutzlaff,	9 a.	30.20	53	67	N	1	cv
Sharp Peak,	"	30.16	57	69	W	1	o
Amoy,	"	30.13	61	82	NNW	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.13	65	80	E	2	og
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	30.09	..	..	E	4	..
Mocao,	"	30.12	68	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	84	72	NW	1	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 29th at 11.55a. The barometer has fallen quickly on the E. coast, probably owing to the existence of another depression over N. China. Gradients slight with the monsoon interrupted in the North, and fresh monsoon in the N. part of the China Sea.

Forecast:—E to N winds, moderate; dull, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 29th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.08	..	..	E	2	..
Taichu,	"	30.02	..	..	..	0	..
Tainan,	"	30.04	..	..	N	6	..
Koshun,	"	30.00	..	..	NW	2	..
Pescadores,	"	30.04	..	..	NE	4	..
Gutzlaff,	3 p.	30.13	59	59	S	1	lm
Sharp Peak,	"	30.08	60	65	..	0	o
Amoy,	"	30.08	64	73	SE	1	o
Swatow,	"	30.04	65	..	NE	2	o
Canton,	"	30.04	64	84	..	0	od
Hongkong,	4 p.	30.05	65	74	E	1	o
Victoria Peak,	"	..	..	..	ENE	1	..
Gap Rock,	"	30.03	..	..	E	3	..
Macao,	"	30.04	66	..	NNE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	84	77	NW	1	c
Malate,	3 p.	..	..	..	..	0	o
Iscoled,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	1	o

30th NOVEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.08	..	..	..	0	..
Taichu,	"	30.03	..	..	..	0	..
Tainan,	"	30.05	..	..	N	2	..
Koshun,	"	30.02	..	..	..	0	..
Pescadores,	"	30.06	..	..	NE	4	..
Gutzlaff,	9 a.	30.21	57	87	S	1	lv
Sharp Peak,	"	30.16	60	73	W	1	o
Amoy,	"	30.13	62	83	NW	1	or
Swatow,	"	30.15	64	..	E	1	cm
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.13	63	91	E	2	od
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	30.10	..	..	ENE	4	..
Macao,	"	30.14	65	..	NNE	1	or
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.10	82	77	ENE	1	..
Malate,	9 a.	..	..	..	..	0	c
Iscoled,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 30th at 12.5p. The barometer has risen over the Phillipines, and is little changed elsewhere. The depression is still lying over NE China. Gradients slight with the monsoon interrupted in the North, and moderate monsoon in the South. Forecast:—moderate NE winds; dull, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 30th November 1901.

CHINA COAST METEOROLOGICAL REGISTER.

30th NOVEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.07	..	..	..	0	..
Taichu,	"	30.03	..	..	N	2	..
Tainan,	"	30.02	..	..	N	2	..
Koshun,	"	30.03	..	..	E	4	..
Pescadores,	"	30.06	..	..	NE	8	..
Gutzlaff,	3 p.	30.17	63	62	S	1	bv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	30.08	65	73	NE	1	c
Swatow,	"	30.08	67	..	N	2	o
Canton,	"	30.06	65	95	..	0	or
Hongkong,	4 p.	30.03	65	84	E	3	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.01	..	..	E	5	..
Macao,	"	30.05	66	..	NE	1	od
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	64	ENE	1	c
Malate,	3 p.	..	..	..	SE	2	b
Lacoled,	"	..	..	..	..	..	..
Heilo,	"	..	..	..	..	..	..
Celu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	2	o

1st DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.10	..	..	NW	2	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.07	..	..	NE	2	..
Koshun,	"	30.06	..	..	..	0	..
Pescadores,	"	30.08	..	..	NE	4	..
Gutzlaff,	9 a.	30.17	60	94	SW	2	cv
Sharp Peak,	"	30.12	66	71	..	0	b
Amoy,	"	30.13	64	89	..	0	c
Swatow,	"	30.17	68	..	N	1	o
Canton,	"	30.12	67	95	NE	1	o
Hongkong,	10 a.	30.12	70	88	E	3	o
Victoria Peak,	"	..	..	..	ESE	3	..
Gap Rock,	"	30.10	..	..	ENE	4	..
Macao,	"	30.12	71	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	84	71	WNW	1	c
Malate,	9 a.	..	..	..	W	1	b
Lacoled,	"	..	..	..	..	..	..
Heilo,	"	..	..	..	..	..	..
Celu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 1st at 11.55a. Barometric changes are slight. The depression is still lying in the North, and gradients continue slight with interruption of the monsoon in the North, and moderate monsoon in the South. Forecast:—moderate to light NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 1st December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

1st DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	29.92	..	..	N	4	..
Taichu,	"	29.99	..	..	N	6	..
Tainan,	"	29.99	..	..	NW	2	..
Koslun,	"	30.01	..	..	SE	6	..
Pescadores,	"	29.98	..	..	N	6	..
Cutzlaff,	3 p.	30.11	57	75	NW	6	cm
Sharp Peak,	"	30.02	67	79	E	1	o
Amoy,	"	30.01	72	90	SE	2	b
Swatow,	"	30.06	72	..	E	1	c
Canton,	"	30.08	74	76	NE	1	o
Hongkong,	4 p.	30.07	70	80	W	1	o
Victoria Peak,	"	..	..	..	NW	1	..
Gap Rock,	"	30.05	..	..	NE	2	..
Macao,	"	30.07	73	..	NW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	71	..	0	c
Malate,	3 p.	..	..	..	..	0	o
Lucolod,	"	..	..	..	..	.	..
Heilo,	"	..	..	..	..	..	.
Cebu,	"	..	..	..	..	.	.
Cape S. James,	"	..	..	..	..	..	..

2nd DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koslun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Cutzlaff,	9 a.	30.34	55	75	NW	8	lm
Sharp Peak,	"	30.40	61	47	NW	2	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	.	..	..
Hongkong,	10 a.	30.30	57	48	NNE	2	o
Victoria Peak,	"	..	..	..	N	6	..
Gap Rock,	"	30.27	..	..	NNE	7	..
Macao	"	..	..	..	..	..	..
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	.	..	..	..	..	..
Malate,	9 a.	..	..	..	..	0	o
Lucolod,	"	..	..	..	..	..	..
Heilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	.	..
Cape S. James,	7 a.	..	..	..	NE	6	c

On the 2nd at 12.1 p. The barometer has risen very rapidly on the China coast, the low area having passed towards Japan. A high pressure area now covers China, and gradients are steep with heavy monsoon on the coast and in the N. part of the China Sea. Forecast:—strong N. winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 2nd December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

2nd DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.38	..	..	NE	6	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	30.13	..	..	N	8	..
Koshun,	,,	30.10	..	..	NE	10	..
Pescadores,	,,	30.18	..	..	NE	10	..
Gutzlaff,	3 p.	30.49	59	78	N	7	cv
Sharp Peak,	,,	30.25	62	..	ENE	6	c
Amoy,	,,	30.22	65	58	NE	3	c
Swatow,	,,	30.25	58	..	N	4	o
Canton,	,,	30.26	59	48	NE	3	c
Hongkong,	4 p.	30.23	58	46	N	2	o
Victoria Peak,	,,	..	..	..	N	4	..
Cap Rock,	,,	30.21	..	..	NNE	5	..
Macao,	,,	30.25	58	..	N	4	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	81	76	ENE	1	o
Malate,	3 p.	..	..	..	N	1	c
Pacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	NE	6	c

3rd DECEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.41	..	..	NE	4	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	30.20	..	..	NE	10	..
Pescadores,	,,	30.20	..	..	NE	10	..
Gutzlaff,	9 a.	30.40	53	..	NW	6	bv
Sharp Peak,	,,	30.49	55	44	NW	2	b
Amoy,	,,	30.29	54	61	NE	4	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.43	56	35	N	2	b
Victoria Peak,	,,	..	..	..	NE	3	..
Cap Rock,	,,	30.41	..	..	NNE	5	..
Macao,	,,	30.46	55	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	79	84	NNE	3	o
Malate,	9 a.	..	..	..	NE	2	o
Pacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 3rd at 12.9 p. The barometer has risen on the China coast. The anticyclone remains central over China. Gradients moderate with strong monsoon on the coast, steep with very heavy monsoon in the N. part of the China Sea. Forecast—fresh N winds, fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 3rd December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

3rd DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.42	..	..	NE	6	..
Taichu,	"	30.23	..	..	N	6	..
Tainan,	"	30.23	..	..	N	4	..
Koshun,	"	30.34	..	..	E	10	..
Pescadores,	"	30.27	..	..	NE	10	..
Gutzlaff,	3 p.	30.55	59	82	NNW	5	cv
Sharp Peak,	"	30.44	55	50	E	7	b
Amoy,	"	30.32	62	56	NE	4	b
Swatow,	"	30.25	61	..	E	3	b
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	30.32	60	26	NNE	2	b
Victoria Peak,	"	..	..	..	NNE	2	..
Cap Rock,	"	30.29	..	..	NNE	4	..
Macao,	"	30.31	60	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	79	76	NE	2	o
Malate,	3 p.	..	..	..	..	0	o
Lacoloc,	"	..	..	..	..	.	..
Iloilo,	"	..	..	..	..	..	.
Cebu,	"	..	..	..	..	.	.
Cape S. James,	"	..	..	..	..	0	o

4th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	.	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.41	..	..	N	2	..
Taichu,	"	30.24	..	..	N	4	..
Tainan,	"	30.27	..	..	N	4	..
Koshun,	"	30.24	..	..	NE	10	..
Pescadores,	"	..	..	..	..	.	..
Gutzlaff,	9 a.	30.56	58	54	NW	5	bv
Sharp Peak,	"	30.51	55	62	WNW	1	b
Amoy,	"	30.42	54	68	NE	4	b
Swatow,	"	30.47	56	..	N	3	b
Canton,	"	..	..	..	.	..	..
Hongkong,	10 a.	30.48	57	16	N	4	lq
Victoria Peak,	"	..	..	..	NNE	7	..
Cap Rock,	"	30.44	..	..	NNE	6	..
Macao,	"	30.50	57	..	N	3	b
Haiphong,	7 a.	..	..	..	..	.	—
Manila,	10 a.	29.92	79	76	N	4	..
Malate,	9 a.	..	..	..	..	0	o
Lacoloc,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	.	.	..
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 4th at 11.55a. Barometric changes are slight. The anticyclone remains central over China, and gradients continue moderate to steep with strong monsoon on the coast, and very heavy monsoon in the N. part of the China Sea Forecast:—fresh N. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 4th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

4th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	"	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima,....	"	..	..	..	..	..	..
Taihoku, ...	1 p.	30.44	..	..	NE	6	..
Taichu, ...	"	30.22	..	..	NE	8	..
Tainan, ...	"	30.25	..	..	NE	8	..
Koshun, ...	"	30.24	..	..	NE	8	..
Pescadores, ..	"	30.29	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.44	48	28	NW	5	bv
Sharp Peak, ..	"	..	..	..	..	..	..
Amoy, ...	"	30.31	65	49	NE	4	b
Swatow, ...	"	30.30	64	..	N	3	c
Canton, ...	"	30.40	62	36	N	3	b
Hongkong, ...	4 p.	30.34	62	18	N	1	b
Victoria Peak,	"	..	..	..	N	5	..
Cap Rock, ..	"	30.31	..	..	NNE	5	..
Macao,.....	"	30.36	63	..	NNW	3	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.84	79	69	NNE	4	o
Malate, ...	3 p.	..	..	..	N	3	o
Bacolod, ...	"	..	..	..	..	..	..
Iloilo, ...	"	..	..	..	..	..	..
Cebu, ...	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	1	o

5th DECEMBER, 1901, A. M.

Wladivostock,..	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima,....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	..	..	..	..	..	..
Taichu, ...	"	..	..	..	..	..	..
Tainan, ...	"	..	..	..	..	..	..
Koshun, ...	"	..	..	..	..	..	..
Pescadores,....	"	..	..	..	..	..	..
Gutzlaff, ...	9 a.	30.34	47	77	W	4	bv
Sharp Peak, ..	"	30.27	56	51	W	2	b
Amoy, ...	"	30.32	53	48	N	4	b
Swatow, ...	"	..	..	..	..	..	..
Canton, ...	"	..	..	..	..	..	..
Hongkong....	10 a.	30.35	57	20	N	4	bq
Victoria Peak,	"	..	..	..	..	..	..
Cap Rock.	"	..	..	..	..	..	..
Macao.....	"	..	..	..	..	..	..
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	..	..	..	..	..	..
Malate.	9 a.	..	..	..	N	2	o
Bacolod, ...	"	..	..	..	..	..	..
Iloilo, ...	"	..	..	..	..	..	..
Cebu, ...	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 5th at 12.5p. The barometer has fallen on the China coast, particularly in the North. Pressure remains high over China, and low in the Sea of Japan. Strong monsoon over S. China, and heavy monsoon in the N. part of the China Sea. Forecast:—fresh N. winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 5th December 1901.

CHINA COAST METEOROLOGICAL REGISTER

5th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.28	..	..	NE	6	..
Taichu,	"	30.15	..	..	.	0	..
Tainan,	"	30.17	..	..	W	4	..
Koshun,	"	30.15	..	..	NE	6	..
Pescadores,	"	30.19	..	..	NE	8	..
Gutzlaff,	3 p.	30.28	51	46	W	4	bv
Sharp Peak,	"	30.28	58	56	E	2	b
Amoy,	"	30.21	61	60	NW	3	b
Swatow,	"	30.21	60	..	SE	3	b
Canton,	"	30.21	63	33	N	2	b
Hongkong,	4 p.	30.21	63	15	NW	1	b
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	30.20	..	..	NNE	3	..
Macao,	"	30.23	64	..	N	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	75	75	N	2	od
Malate,	3 p.	..	..	..	N	2	or
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	1	o

6th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	.	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.27	50	65	W	3	bm
Sharp Peak,	"	30.25	58	53	W	1	b
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	.	..	..	..	..
Canton,	"	.	..	..	.	..	..
Hongkong,	10 a.	30.23	63	22	N	1	b
Victoria Peak,	"	.	..	..	NE	3	..
Gap Rock,	"	..	..	..	..		..
Macao,	"	..	..	..	..	..	..
Haiphong,	7 a.	..	..	..	.	.	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	N	2	er
Bacolod,	"	..	..	..	.	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	.	..	..
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 6th at 12.25p. The barometer has fallen on the China coast. Pressure remains low in the N. part of the Sea of Japan, and high over the interior of China. Gradients slight on the China coast, moderate with strong monsoon in the N. part of the China Sea. Forecast:—moderate N. winds; fine. Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 6th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

6th DECEMBER, 1901, P. M.

STATION.	Hour.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.17	..	..	NE	8	..
Taichu,	"	30.09	..	..	N	2	..
Tainan,	"	30.09	..	..	N	4	..
Koshun,	"	30.07	..	..	NE	2	..
Pescadores,	"	30.11	..	..	NE	8	..
Gutzlaff,	3 p.	30.29	52	58	N	3	bm
Sharp Peak,	"	30.22	60	55	E	3	b
Amoy,	"	30.16	63	47	SE	3	b
Swatow,	"	30.16	62	..	E	3	c
Canton,	"	30.15	70	28	NE	1	b
Hongkong,	4 p.	30.12	64	35	E	1	b
Victoria Peak,	"	..	..	..	E	..	..
Gap Rock,	"	30.13	..	..	E	2	..
Macao,	"	30.14	68	..	N	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	72	91	NNW	2	c
Malate,	3 p.	..	..	..	NW	2	or
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	1	c

7th DECEMBER, 1901, A. M.

STATION.	Hour.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	30.36	59	59	NW	2	b
Amoy,	"	30.24	58	58	NNE	5	b
Swatow,	"	30.27	58	..	W	1	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.25	64	27	SE	1	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.24	..	..	E	3	..
Macao,	"	30.25	66	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	
Manila,	10 a.	29.80	73	92	NNW	1	od
Malate,	9 a.	..	..	..	NNW	1	or
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 7th at 11.55a. The barometer has risen on the China coast, fallen in Luzon. Pressure remains high over the interior of China, and there is a depression in the Pacific to the E. of Luzon. Strong monsoon on the China coast, and heavy monsoon over the NE part of the China Sea. Forecast:—fresh NE winds; fine.

Telegraphic communication between the Observatory and Hongkong remains interrupted.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 7th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

7th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.20	..	..	NE	8	..
Taichu,	"	30.02	..	..	SW	2	..
Tainan,	"	30.06	..	..	W	4	..
Koshun,	"	30.04	..	..	NE	10	..
Pescadores,	"	30.08	..	..	NE	10	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	"	30.25	62	72	N	6	og
Amoy,	"	30.17	69	59	NE	5	b
Swatow,	"	30.15	65	..	NE	3	c
Canton,	"	30.15	70	48	N	1	b
Hongkong,	4 p.	30.14	73	42	E	2	b
Victoria Peak,	"	..	..	..	E	7	..
Gap Rock,	"	30.14	..	..	ENE	4	..
Macao,	"	30.16	67	..	ESE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	73	100	NNW	2	od
Malate,	3 p.	..	..	..	N	2	r
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	2	o

8th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.19	..	..	E	8	..
Taichu,	"	30.04	..	..	..	0	..
Tainan,	"	30.05	..	..	N	2	..
Koshun,	"	30.04	..	..	NE	8	..
Pescadores,	"	30.06	..	..	NE	8	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	30.28	61	69	NNW.	3	og
Amoy,	"	30.19	63	67	NNE	4	p
Swatow,	"	30.21	62	..	N	1	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.19	68	27	..	0	c
Victoria Peak,	"	..	..	..	NNE	3	..
Gap Rock,	"	30.17	..	..	NE	4	..
Macao,	"	30.20	64	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	81	85	..	0	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 8th at 12.20p. The barometer fallen in S. China. Pressure remains high over the interior of China, and the depression is still lying in the neighbourhood of S. Luzon. Fresh monsoon in S. China, and heavy monsoon in the N. part of the China Sea. Forecast:— moderate or fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 8th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

8th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.15	..	..	E	8	..
Taichu,	,,	30.01	..	..	NW	2	..
Tainan,	,,	30.05	..	..	N	6	..
Koshun,	,,	30.04	..	..	NE	6	..
Pescadores,	,,	30.08	..	..	NE	10	..
Gutzlaff,	3 p.	..	..	..	..	.	..
Sharp Peak,	,,	30.21	62	43	NNE	2	o
Amoy,	,,	30.12	71	66	NE	3	c
Swatow,	,,	30.14	68	..	E	2	b
Canton,	,,	30.10	71	42	N	1	b
Hongkong,	4 p.	30.09	67	55	E	2	b
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock,	,,	30.08	..	..	E	4	..
Macao,	,,	30.08	73	..	NNW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	79	61	SW	1	od
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	..	..	..

9th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.15	..	..	E	6	..
Taichu,	,,	29.98	..	..	N	4	..
Tainan,	,,	30.00	..	..	N	4	..
Koshun,	,,	29.96	..	..	NE	8	..
Pescadores,	,,	30.03	..	..	NE	10	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	30.24	64	63	WNW	1	c
Amoy,	,,	30.11	69	76	NW	1	o
Swatow,	,,	30.15	62	..	N	2	b
Canton,	,,	30.17	62	61	N	1	b
Hongkong,	10 a.	30.15	67	41	N	2	c
Victoria Peak,	,,	.	..	..	NNE	6	..
Gap Rock,	,,	30.13	..	..	NNE	4	..
Macao,	,,	30.18	69	..	N	1	c
Haiphong,	7 a.	..	..	..	..	.	..
Manila,	10 a.	29.80	84	77	ESE	2	c
Malate,	9 a.	..	..	..	E	3	b
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	.	.	..
Cape S. James,	7 a.	..	..	..	NW	2	c

On the 9th at 11.55a. The barometer has fallen in S. China. Pressure remains high over the interior of China, and the depression is probably lying in the China Sea to the SW of Luzon. Fresh monsoon on the China coast, heavy monsoon in the N. part of the China Sea. Forecast:—fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 9th December, 1901.

CHINA COAST METEOROLOGICAL REGISTER.

9th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	30.24	19	..	NW	5	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.11	..	..	E	6	..
Taichu,	"	29.97	..	..	N	6	..
Tainan,	"	29.96	..	..	N	6	..
Koshun,	"	29.97	..	..	NE	6	..
Pescadores,	"	30.03	..	..	NE	10	..
Gutzlaff,	3 p.	30.28	67	75	E	1	..
Sharp Peak,	"	30.12	65	68	ENE	3	o
Amoy,	"	30.08	68	60	ENE	1	o
Swatow,	"	30.08	68	..	SE	3	o
Canton,	"	30.06	75	37	NE	2	b
Hongkong,	4 p.	30.04	70	58	W	1	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.07	..	..	NNE	3	..
Macao,	"	30.03	74	..	N	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	84	77	..	0	c
Malate,	3 p.	..	..	..	..	0	c
Bacoled,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	WNW	2	c

10th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	30.10	11	54	NE	2	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.14	..	..	E	4	..
Taichu,	"	29.98	..	..	..	0	..
Tainan,	"	29.99	..	..	N	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.29	60	86	NW	2	lm
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	30.15	64	53	NE	4	b
Swatow,	"	30.15	67	..	N	1	c
Canton,	"	30.17	66	49	N	1	c
Hongkong,	10 a.	30.14	73	81	E	1	c
Victoria Peak,	"	..	..	..	N	2	..
Gap Rock,	"	30.12	..	..	NE	3	..
Macao,	"	30.15	71	..	N	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	82	77	WSW	1	c
Malate,	9 a.	..	..	..	..	0	..
Bacoled,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	WNW	1	c

On the 10th at 12.15p. The barometer has risen over Luzon where, however, pressure is still low. Pressure remains high over Central China. Strong northerly winds on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 10th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

10th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.14	..	..	SE	4	..
Taichu,	,,	30.12	..	..	N	6	..
Tainan,	,,	29.97	..	..	N	4	..
Koshun,	,,	30.03	..	..	NE	10	..
Pescadores,	,,	30.08	..	..	NE	10	..
Gutzlaff,	3 p.	30.16	52	86	N	2	lm
Sharp Peak,	,,	30.07	63	62	E	7	b
Amoy,	,,	30.08	73	81	NE	4	b
Swatow,	,,	30.06	70	..	E	..	c
Canton,	,,	30.07	76	84	N	2	b
Hongkong,	4 p.	30.06	68	49	E	1	c
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock,	,,	30.05	..	..	E	2	..
Macao,	,,	30.06	75	..	N	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	82	85	NNE	1	o
Malate,	3 p.	..	..	..	N	1	c
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	WNW	1	c

11th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9 a.	30.34	53	73	NE	3	cv
Sharp Peak,	,,	..	..	..	..	..	..
Amoy,	,,	30.14	62	67	NE	3	..
Swatow,	,,	30.15	58	..	N	1	bm
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.12	67	50	SE	1	o
Victoria Peak,	,,	..	..	..	NNE	4	..
Gap Rock,	,,	30.10	..	..	NE	4	..
Macao,	,,	30.11	71	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.84	79	92	W	1	c
Malate,	9 a.	..	..	..	W	1	b
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	WNW	2	o

On the 11th at 12.10p. The barometer has fallen slightly over the China coast and Luzon. Pressure is high over the NE coast of China, and still low over Luzon. Fresh monsoon on the China coast, strong monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 11th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

11th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	30.20	20	..	NE	2	b
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	29.97	..	..	E	8	..
Taichu,	,,	29.93	..	..	..	0	..
Tainan,	,,	29.95	..	..	N	6	..
Koshun,	,,	29.96	..	..	NE	6	..
Pescadores,	,,	30.00	..	..	NE	10	..
Gutzlaff,	3 p.	30.29	73	61	NE	3	cv
Sharp Peak,	,,	30.12	63	67	E	7	c
Amoy,	,,	30.10	68	66	N	3	o
Swatow,	,,	30.06	63	..	E	..	o
Canton,	,,	30.02	76	..	N	1	b
Hongkong,	4 p.	30.02	68	62	W	1	o
Victoria Peak,	,,	..	..	..	S	1	..
Cap Rock,	,,	30.02	..	..	NNW	2	..
Macao,	,,	30.02	73	..	NNW	2	c
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.76	86	80	..	0	c
Malate,	3 p.	..	..	..	..	0	c
Bacoled,	,,	..	..	..	..	..	.
Iloilo,	,,	..	..	..	..	..	.
Cebu,	,,	..	..	..	..	.	..
Cape S. James,	,,	..	..	..	WNW	1	c

12th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	30.25	6	50	NE	3	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.10	..	..	E	4	..
Taichu,	,,	29.95	..	..	N	4	..
Tainan,	,,	29.94	..	..	NE	2	..
Koshun,	,,	29.95	..	..	E	2	..
Pescadores,	,,	29.96	..	..	NE	10	..
Gutzlaff,	9 a.	30.23	51	59	NE	2	cv
Sharp Peak,	,,	30.20	63	62	NNE	3	o
Amoy,	,,	..		..	.	.	..
Swatow,	,,	30.13	66	..	N	1	cm
Canton,	,,	.	..	.	..	.	..
Hongkong,	10 a.	30.14	66	75	E	1	o
Victoria Peak,	,,	.	..	..	E	2	..
Cap Rock,	,,	30.12	.	..	ENE	3	..
Macao,	,,	30.14	70	.	NE	2	c
Haiphong,	7 a.	.	..	..	.	.	.
Manila,	10 a.	29.84	82	77	..	0	c
Malate,	9 a.	..	..	..	..	0	c
Bacoled,	,,	.	..	..	.	0	o
Iloilo,	,,	29.83	80	..	..	0	o
Cebu,	,,	29.85	84	..	.	0	b
Cape S. James,	7 a.	..	..	..	NW	3	o

On the 12th at 12.5p. Barometric changes are slight. Pressure remains high over NE China, and low over the Philippine Archipelago. Fresh monsoon on the China coast, strong monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 12th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

12th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	30.24	19	..	NE	1	b
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.08	..	..	E	6	..
Taichu,	,,	29.98	..	..	NW	8	..
Tainan,	,,	29.95	..	..	N	6	..
Koshun,	,,	29.94	..	..	NE	4	..
Pescadores,	,,	30.04	..	..	NE	10	..
Gutzlaff,	3 p.	30.27	63	61	N	2	cv
Sharp Peak,	,,	30.10	62	69	E	5	b
Amoy,	,,	30.07	68	60	E	2	c
Swatow,	,,	30.04	69	..	E	3	c
Canton,	,,	30.01	75	48	N	1	b
Hongkong,	4 p.	30.01	67	74	W	1	c
Victoria Peak,	,,	..	..	..	ENE	1	..
Cap Rock,	,,	30.01	..	..	E	4	..
Macao,	,,	30.02	74	..	ENE	1	b
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.76	86	78	SW	1	..
Malate,	3 p.	..	..	..	W	1	b
Bacolod,	,,	..	..	..	NNW	1	c
Iloilo,	,,	29.74	84	..	NE	2	cr
Cebu,	,,	29.73	85	..	N	0	c
Cape S. James,	,,	..	..	..	WNW	2	c

13th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	30.09	17	96	S	1	s
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.11	..	..	E	4	..
Taichu,	,,	29.98	..	..	N	2	..
Tainan,	,,	29.97	..	..	N	6	..
Koshun,	,,	29.93	..	..	NE	8	..
Pescadores,	,,	30.00	..	..	NE	10	..
Gutzlaff,	9 a.	30.30	54	68	E	3	bv
Sharp Peak,	,,	30.21	61	66	W	1	b
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	.	..
Hongkong,	10 a.	30.13	64	74	E	2	o
Victoria Peak,	,,	.	..	..	SE	4	..
Cap Rock,	,,	30.11	..	..	E	4	..
Macao,	,,	30.13	67	..	ENE	1	c
Haiphong,	7 a.	.	..	..	.	.	.
Manila,	10 a.	29.88	79	84	E	1	c
Malate,	9 a.	..	..	..	E	1	c
Bacolod,	,,	.	..	..	..	0	c
Iloilo,	,,	29.86	80	..	..	0	b
Cebu,	,,	29.84	84	..	.	0	o
Cape S. James,	7 a.	..	..	..	NW	1	c

On the 13th at 12.10 p. The barometer has fallen in the North, probably owing to the existence of a depression over Manchuria. Pressure remains low over the Phillipines. Gradients slight with moderate monsoon on the China coast, moderate with strong monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 13th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

13th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.08	..	..	SE	8	..
Taichu,	,,	29.94	..	..	..	0	..
Tairan,	,,	29.97	..	..	W	2	..
Koshun,	,,	29.99	..	..	E	8	..
Pescadores,	,,	30.01	..	..	NE	10	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	,,	30.11	65	61	NE	5	b
Amoy,	,,	30.07	70	73	ENE	4	b
Swatow,	,,	30.06	68	..	E	4	b
Canton,	,,	30.04	71	67	SE	1	b
Hongkong,	4 p.	30.06	73	67	E	4	b
Victoria Peak,	,,	..	..	..	ESE	4	..
Cap Rock,	,,	30.03	..	..	E	4	..
Macao,	,,	30.05	67	..	E	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	84	71	N	1	c
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	..	0	o
Iloilo,	,,	29.79	79	..	..	1	c
Cebu,	,,	29.77	87	..	..	1	c
Cape S. James,	,,	..	..	..	NW	2	c

14th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.08	..	..	E	4	..
Taichu,	,,	30.06	..	..	..	0	..
Tairan,	,,	30.06	..	..	NE	2	..
Koshun,	,,	30.06	..	..	NE	6	..
Pescadores,	,,	30.09	..	..	NE	6	..
Gutzlaff,	9 a.	30.12	57	69	SSE	2	bv
Sharp Peak,	,,	30.10	65	63	W	1	b
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	30.18	65	..	N	1	cm
Canton,	,,	30.17	64	78	N	1	o
Hongkong,	10 a.	30.17	67	66	E	2	o
Victoria Peak,	,,	..	..	..	E	4	..
Cap Rock,	,,	30.15	..	..	ENE	4	..
Macao,	,,	30.19	70	..	NW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	57	..	0	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	NE	6	o
Iloilo,	,,	29.92	79	..	E	2	c
Cebu,	,,	29.91	82	..	..	0	c
Cape S. James,	7 a.	..	..	..	NNW	2	o

On the 14th at 11.55 a. The barometer has fallen in the North, risen in the South. The depression appears to be still lying over Manchuria. Gradients slight on the China coast with the monsoon interrupted in the North. Fresh monsoon in the N. part of the China Sea.

Forecast.—E to N winds, moderate; probably some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 14th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

14th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.08	..	..	E	2	..
Taichu,	,,	30.02	..	..	.	0	..
Tainan,	,,	30.06	..	..	NW	6	..
Koshun,	,,	30.06	..	..	NE	4	..
Pescadores,	,,	30.09	..	.	NE	6	..
Gutzlaff,	3 p.	30.19	60	60	WSW	1	bv
Sharp Peak,	,,	30.10	67	64	ESE	1	b
Amoy,	,,	30.09	69	65	SE	3	b
Swatow,	,,	30.09	69	..	ESE	2	c
Canton,	,,	30.05	74	59	NW	2	b
Hongkong,	4 p.	30.07	68	72	W	1	o
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock,	,,	30.06	..	..	N	2	..
Macao,	,,	30.08	72	..	ENE	1	c
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.88	81	50	E	1	b
Malate,	3 p.	..	..	..	..	2	b
Bacolod,	,,	..	..	..	NE	3	b
Iloilo,	,,	29.81	81	..	NE	2	c
Cebu,	,,	29.84	82	..	N	1	c
Cape S. James,	,,	..	..	..	NNW	3	c

15th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.06	..	..	E	4	..
Taichu,	,,	30.09	..	..	..	0	..
Tainan,	,,	30.08	..	..	E	2	..
Koshun,	,,	30.06	..	..	NE	2	..
Pescadores,	,,	30.08	..	..	NE	4	..
Gutzlaff,	9 a.	30.30	50	93	NNW	4	cm
Sharp Peak,	,,	30.20	64	73	NE	3	c
Amoy,	,,	30.16	60	44	W	2	b
Swatow,	,,	30.18	64	..	N	1	cf
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.18	69	60	E	1	o
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	30.16	..	..	ENE	4	..
Macao,	,,	30.18	71	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 15th at 11.55a. The barometer has risen on the E. coast of China, the depression having moved Eastwards towards the Sea of Japan. Freshening monsoon on the China coast and in the N. part of the China Sea. *Forecast:—moderate to fresh NE winds; fair.*

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 15th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

15th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Fushi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.13	..	..	E	6	..
Taichu,	"	30.04	..	..	.	0	..
Tainan,	"	30.04	..	..	W	6	..
Koshun,	"	30.05	..	..	NE	6	..
Pescadores,	"	30.04	..	.	S	4	..
Gutzlaff,	3 p.	30.25	53	86	N	4	cv
Sharp Peak,	"	30.12	64	73	E	5	b
Amoy,	"	30.09	60	82	E	2	b
Swatow,	"	30.08	60	.	ESE	3	c
Canton,	"	30.11	71	57	N	1	c
Hongkong,	4 p.	30.08	68	69	E	3	c
Victoria Peak,	"	.	..	..	NE	2	..
Gap Rock,	"	30.08	..	..	ENE	3	..
Mencao,	"	30.09	71	..	SSE	1	c
Haiphong,	1 p.	..	..	..	.	.	..
Manila,	4 p.	29.92	77	61	NE	1	c
Malate,	3 p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	..	.
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	..	..	.

16th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Fushi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.16	..	..	SE	2	..
Taichu,	"	30.06	..	..	N	4	..
Tainan,	"	30.06	..	..	N	4	..
Koshun,	"	30.09	..	..	NE	4	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	9 a.	30.28	48	100	NNW	1	f
Sharp Peak,	"	30.21	61	71	NE	2	o
Amoy,	"	30.16	61	82	NW	1	c
Swatow,	"	30.20	64	.	N	1	b
Canton,	"	30.20	63	62	N	1	b
Hongkong,	10 a.	30.19	66	73	E	2	c
Victoria Peak,	"	.	..	..	E	2	..
Gap Rock,	"	30.16	.	..	E	4	..
Mencao,	"	30.20	71	.	SW	1	c
Haiphong,	7 a.	.	..	.	..	.	
Manila,	10 a.	30.00	75	75	.	0	c
Malate,	9 a.	..	..	.	..	0	o
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 16th at 11.50a. Barometric changes are unimportant. Pressure is highest over China, and low in the Sea of Japan. Gradients slight with moderate monsoon on the China coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 16th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

16th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.15	..	..	E	4	..
Taichu,	"	30.01	..	..	N	6	..
Tainan,	"	30.03	..	..	NW	6	..
Koshun,	"	30.02	..	..	NE	8	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	3 p.	30.28	58	61	N	3	bm
Sharp Peak,	"	30.16	63	72	E	3	b
Amoy,	"	30.12	69	56	E	2	b
Swatow,	"	30.13	68	..	E	3	c
Canton,	"	30.11	73	46	N	1	b
Hongkong,	4 p.	30.12	66	73	E	1	b
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	30.10	..	..	E	3	..
Macao,	"	30.12	73	..	ENE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	81	69	..	0	c
Malate,	3 p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	1	b

17th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.32	..	..	E	6	..
Taichu,	"	30.06	..	..	N	4	..
Tainan,	"	30.10	..	..	N	4	..
Koshun,	"	30.09	..	..	NE	8	..
Pescadores,	"	30.13	..	..	NE	10	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	30.40	56	69	ENE	6	o
Amoy,	"	30.29	60	65	N	3	o
Swatow,	"	30.31	60	..	N	2	o
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.28	65	53	E	2	b
Victoria Peak,	"		..	..	ESE	3	..
Gap Rock,	"	30.25	..	..	ENE	4	..
Macao,	"	30.28	61	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 17th at 12.10 p. The barometer has risen considerably on the China coast. Pressure is higher China, and gradients are moderate with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 17th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

17th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	30.28	13	..	N	3	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.34	..	..	E	6	..
Taichu,	"	30.13	..	..	N	4	..
Tainan,	"	30.14	..	..	N	4	..
Koshun,	"	30.16	..	..	NE	10	..
Pescadores,	"	30.18	..	..	NE	10	..
Gutzlaff,	3 p.	30.48	45	84	NNE	3	cv
Sharp Peak,	"	30.26	58	61	NNE	6	o
Amoy,	"	30.26	60	60	NE	6	o
Swatow,	"	30.26	61	..	ENE	4	oq
Canton,	"	30.20	70	53	NW	1	b
Hongkong,	4 p.	30.21	64	65	E	4	o
Victoria Peak,	"	..	..	..	ENE	4	..
Cap Rock,	"	30.19	..	..	ENE	5	..
Macao,	"	30.20	68	..	E	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	79	55	E	2	b
Malate,	3 p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	NE	1	b

18th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	30.30	—18	95	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.25	..	..	E	6	..
Taichu,	"	30.15	..	..	NE	2	..
Tainan,	"	30.17	..	..	NE	2	..
Koshun,	"	30.18	..	..	NE	8	..
Pescadores,	"	30.19	..	..	NE	6	..
Gutzlaff,	9 a.	30.40	48	71	SSE	2	bv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	30.26	59	65	N	2	c
Swatow,	"	30.30	61	..	N	3	c
Canton,	"	30.26	63	67	E	1	c
Hongkong,	10 a.	30.25	64	65	E	3	o
Victoria Peak,	"	..	..	..	E	5	..
Cap Rock,	"	30.21	..	..	ENE	5	..
Macao,	"	30.27	68	..	NE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.04	72	..	E	1	c
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	0	c

On the 18th at 12.5p. The barometer has fallen over China, risen in Japan. The high pressure area has moved Eastwards and is now central over W. Japan. Gradients moderate to slight, with decreasing monsoon on the China coast and in the N. part of the China Sea. Forecast:—fresh to moderate E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 18th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

18th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2 p.	30.28	12	..	..	0	c
Tokio, ...	,,	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima.....	,,	..	..	..	..	..	..
Taihoku, ...	1 p.	30.17	..	..	E	6	..
Taichu, ...	,,	30.13	..	..	N	2	..
Tainan, ...	,,	30.13	..	..	N	4	..
Koshun, ...	,,	30.15	..	..	NE	8	..
Pescadores, ..	,,	30.17	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.25	54	62	S	4	bv
Sharp Peak, ..	,,	30.22	60	65	NE	1	o
Amoy, ...	,,	30.17	67	60	NE	2	c
Swatow, ...	,,	30.17	65	..	ESE	..	c
Canton, ...	,,	30.13	69	56	E	2	o
Hongkong, ...	4 p.	30.14	64	68	E	2	o
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock, ...	,,	30.12	..	..	ENE	4	..
Macao.....	,,	..	66	..	E	1	o
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.96	79	69	..	0	o
Malate, ...	3 p.	..	..	..	E	2	..
Bacolod, ...	,,	..	..	..	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu, ...	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	NE	1	b

19th DECEMBER, 1901, A. M.

Wladivostock, ..	7 a.	30.02	1	98	NE	7	s
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	30.13	..	..	SW	2	..
Taichu, ...	,,	30.17	..	..	..	0	..
Tainan, ...	,,	30.14	..	..	N	4	..
Koshun, ...	,,	30.13	..	..	NE	6	..
Pescadores, ...	,,	30.17	..	..	NE	8	..
Gutzlaff, ...	9 a.	30.29	48	63	NNW	6	cm
Sharp Peak, ..	,,	30.24	60	65	W	1	c
Amoy, ...	,,	30.21	60	82	..	0	cd
Swatow, ...	,,	30.26	62	..	NNE	2	o
Canton, ...	,,	30.22	61	94	N	1	or
Hongkong, ...	10 a.	30.22	61	88	N	1	od
Victoria Peak,	,,	..	..	..	NE	5	..
Gap Rock, ...	,,	30.18	..	..	NE	4	..
Macao.....	,,	30.21	61	..	NNE	2	o
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.04	81	62	..	0	b
Malate, ...	9 a.	..	..	..	..	0	b
Bacolod, ...	,,	..	..	..	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu, ...	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 19th at 12.5 p. The barometer is rising over China, falling in Japan. A depression has left the N. coast of China and moved into the Sea of Japan. Freshening monsoon in S. China and the N. part of the China Sea. Forecast.—moderate to fresh N. winds; rainy at first, improving later.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 19th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

19th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.18	..	..	NW	6	..
Taichu,	"	30.00	..	..	N	2	..
Tainan,	"	30.08	..	..	N	6	..
Koshun,	"	30.09	..	..	N	4	..
Pescadores,	"	30.14	..	..	NW	6	..
Gutzlaff,	3 p.	30.33	44	27	NNW	6	bm
Sharp Peak,	"	30.15	58	76	N	1	o
Amoy,	"	30.14	64	68	SE	1	c
Swatow,	"	30.10	65	..	NE	2	o
Canton,	"	30.11	66	84	N	1	o
Hongkong,	4 p.	30.09	62	85	NE	3	od
Victoria Peak,	"	..	..	..	ENE	2	..
Gap Rock,	"	30.07	..	..	ENE	4	..
Macao,	"	30.10	62	..	NNE	1	or
Haiphong,	1 p.	..	..	..	.	.	..
Manila,	4 p.	29.92	82	63	E	3	b
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	.	..
Cebu,	"	..	..	..	..	.	.
Cape S. James,	"	..	..	..	NE	2	c

20th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.23	..	..	E	6	..
Taichu,	"	30.03	..	..	..	0	..
Tainan,	"	30.06	..	..	N	4	..
Koshun,	"	30.03	..	..	NE	10	..
Pescadores,	"	30.08	..	..	NE	8	..
Gutzlaff,	9 a.	30.45	40	65	N	4	ev
Sharp Peak,	"	30.30	53	73	NE	5	od
Amoy,	"	30.20	58	81	NE	5	od
Swatow,	"	30.17	63	..	NE	5	o
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.14	62	72	E	4	o
Victoria Peak,	"	..	..	..	E	7	..
Gap Rock,	"	30.11	..	..	ENE	5	..
Macao,	"	30.18	60	..	N	1	od
Haiphong,	7 a.	..	..	..	..	.	
Manila,	10 a.	30.00	81	85	..	0	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 20th at 12.5p. The barometer has risen on the E. coast of China, fallen on the S. coast. The depression in the North is moving Eastward in the Sea of Japan. Pressure is high over N. China and relatively low off the S. coast of China. Gradients rather steep with very strong monsoon in the Formosa Channel and along the S. coast of China.—*Forecast*:—strong NE winds; squally, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 20th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

20th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force	Weather
Wladivostock,	2 p.	29.84	4	..	NE	5	b
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.14	..	..	E	6	..
Taichu,	,,	30.10	..	..	N	4	..
Tainan,	,,	30.01	..	..	NW	6	..
Koshun,	,,	29.49	..	..	E	10	..
Pescadores,	,,	30.07	..	..	NE	10	..
Gutzlaff,	3 p.	30.31	41	66	NNE	3	bv
Sharp Peak,	,,	30.20	57	76	NNE	5	cv
Amoy,	,,	30.11	58	81	NE	3	cr
Swatow,	,,	30.07	61	..	NE	4	c
Canton,	,,	.	.	..	..	..	..
Hongkong,	4 p.	30.02	58	88	NE	2	od
Victoria Peak,	,,	..	..	..	ENE	6	..
Cap Rock,	,,	29.98	..	..	ENE	6	..
Macao,	,,	30.03	50	..	N	1	cd
Haiphong,	1 p.	..	..	..	.	.	..
Manila,	4 p.	29.88	82	57	E	2	b
Malate,	5 p.	..	..	..	E	2	b
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	.	..
Cebu,	,,	..	..	..	..	.	.
Cape S. James,	,,	..	..	..	E	3	c

21st DECEMBER, 1901, A. M.

Wladivostock,	7 a.	30.03	—4	72	NE	2	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.09	..	..	E	2	..
Taichu,	,,	30.02	..	..	N	6	..
Tainan,	,,	30.00	..	..	N	6	..
Koshun,	,,	29.95	..	..	E	6	..
Pescadores,	,,	30.05	..	..	NE	10	..
Gutzlaff,	9 a.	30.33	50	58	E	2	cv
Sharp Peak,	,,	30.20	53	83	W	2	o
Amoy,	,,	30.15	57	81	NNE	4	or
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	.	.	.	..	..	..
Hongkong,	10 a.	30.15	62	85	N	1	od
Victoria Peak,	,,	.	..	..	NE	2	..
Cap Rock,	,,	30.13	..	..	NE	2	..
Macao,	,,	30.14	60	..	NW	2	or
Haiphong,	7 a.	..	..	..	.	.	
Manila,	10 a.	30.04	79	53	NW	1	b
Malate,	9 a.	..	..	..	.	0	b
Bacolod,	,,	..	..	..	NE	3	b
Iloilo,	,,	29.95	78	..	NE	2	b
Cebu,	,,	29.96	82	..	N	4	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 21st at 12.10 p. The barometer has fallen again on the E. coast of China, risen over the Sea of Japan. Probably another depression lies over N. China, and the highest pressure over W. Japan. Decreasing pressure in S. China and the N. part of the China Sea. Forecast.—moderate NE winds; drizzling rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 21st December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

21st DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	30.01	12	..	..	0	b
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.11	..	..	E	4	..
Taichu,	,,	29.99	..	..	W	2	..
Tainan,	,,	29.99	..	..	N	6	..
Koshun,	,,	29.99	..	..	E	8	..
Pescadores,	,,	30.03	..	..	NE	8	..
Gutzlaff,	3 p.	30.27	50	65	E	3	bv
Sharp Peak,	,,	30.12	56	78	NW	3	cg
Amoy,	,,	30.08	62	77	NE	2	c
Swatow,	,,	30.09	64	..	E	3	c
Canton,	,,	30.08	63	83	..	0	c
Hongkong,	4 p.	30.07	61	85	E	2	c
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	30.05	..	..	ENE	3	..
Macao,	,,	30.08	62	..	N	1	..
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.92	86	58	SSW	1	b
Malate,	3 p.	..	..	..	.	0	b
Bacolod,	,,	..	..	..	NE	6	r
Iloilo,	,,	29.89	83	..	E	1	c
Cebu,	,,	29.89	82	..	..	..	.
Cape S. James,	,,	..	..	..	NE	3	c

22nd DECEMBER, 1901, A. M.

Wladivostock	7 a.	30.24	..	63	NE	3	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.10	..	..	E	6	.
Taichu,	,,	30.05	..	..	..	0	..
Tainan,	,,	30.05	..	..	NE	2	..
Koshun,	,,	30.06	..	..	NE	6	..
Pescadores,	,,	30.09	..	..	NE	8	..
Gutzlaff,	9 a.	30.37	52	73	ESE	4	cv
Sharp Peak,	,,	30.24	56	78	WNW	3	r
Amoy,	,,	30.19	60	82	N	1	c
Swatow,	,,	30.17	65	..	.	0	c
Canton,	..	30.23	62	89	E	1	c
Hongkong,	10 a.	30.20	66	73	E	1	c
Victoria Peak,	,,	..	..	..	E	3	.
Gap Rock,	,,	30.18	.	..	ENE	3	..
Macao,	..	30.21	68	.	NW	1	c
Haiphong,	7 a.	..	..	..			
Manila,	10 a.	30.00	81	62	SSE	1	b
Malate,	9 a.	..	..	..	.	0	b
Bacolod,	,,	..	..	..	NE	6	b
Iloilo,	,,	30.00	80	..	NE	2	b
Cebu,	,,	29.97	83	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 22nd 12.5p. The barometer has risen slightly on the China coast. Pressure is highest over Japan, and gradients are slight to moderate. Moderate to fresh monsoon in S. China and the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 22nd December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

22nd DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2 p.	30.22	13	..	NE	2	b
Tokio, ...	,,	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	,,	..	..	..	..	..	..
Taihoku, ...	1 p.	30.08	..	..	N	4	..
Taichu, ...	,,	30.01	..	..	N	6	..
Tainan, ...	,,	30.02	..	..	N	6	..
Koshun, ...	,,	30.02	..	..	NE	6	..
Pescadores, ..	,,	30.07	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.25	56	69	SE	4	bv
Sharp Peak, ..	,,	30.16	57	81	NNW	2	o
Amoy, ...	,,	30.09	67	74	NE	1	c
Swatow, ...	,,	30.10	67	..	E	3	c
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	4 p.	30.08	66	68	E	1	c
Victoria Peak,	,,	..	..	..	NNE	1	c
Gap Rock, ..	,,	30.06	..	..	E	2	..
Macao, ...	,,	30.09	62	..	ENE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.92	82	63	WSW	1	o
Malate, ...	3 p.	..	..	..	..	0	c
Bacolod, ...	,,	..	..	..	NE	4	c
Iloilo, ...	,,	29.88	82	..	NE	1	c
Cebu, ...	,,	29.88	85	..	N	3	c
Cape S. James,	,,	..	..	..	..	..	..

23rd DECEMBER, 1901, A. M.

Wladivostock, ..	7 a.	30.23	2	66	NE	1	b
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	..	..	..	..	..	..
Taichu, ...	,,	..	..	..	..	..	..
Tainan, ...	,,	..	..	..	..	..	..
Koshun, ...	,,	..	..	..	..	..	..
Pescadores, ...	,,	..	..	..	..	..	..
Gutzlaff, ...	9 a.	30.29	55	87	SE	2	cp
Sharp Peak, ..	,,	30.17	57	81	WNW	3	d
Amoy, ...	,,	30.11	60	88	N	1	..
Swatow, ...	,,	..	..	..	..	..	..
Canton, ...	,,	30.18	63	83	E	1	b
Hongkong, ...	10 a.	30.17	67	64	E	1	b
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock, ...	,,	30.15	..	..	E	3	..
Macao, ...	,,	30.17	69	..	SSE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.04	81	69	..	0	c
Malate, ...	9 a.	..	..	..	..	0	b
Bacolod, ...	,,	..	..	..	N	3	b
Iloilo, ...	,,	29.95	81	..	NE	1	c
Cebu, ...	,,	29.98	83	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 23rd at 11.[illegible] a. The barometer has fallen slightly on the China coast. Pressure is low over N. China, and highest over Japan. Gradients slight with moderate to light monsoon in S. China, and the N. part of the China Sea. Forecast.—NE winds, light or moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 23rd December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

23rd DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.07	..	..	E	2	..
Taichu,	,,	30.00	..	..	S	2	..
Tainan,	,,	30.01	..	..	N	6	..
Koshun,	,,	30.02	..	..	NW	4	..
Pescadores,	,,	30.05	..	..	NE	8	..
Gutzlaff,	3 p.	30.22	79	76	ESE	2	bv
Sharp Peak,	,,	30.10	60	85	NNW	2	cd
Amoy,	,,	30.06	68	70	NE	2	c
Swatow,	,,	30.14	68	..	ESE	1	c
Canton,	,,	30.05	70	66	NW	1	b
Hongkong,	4 p.	30.03	65	70	E	3	b
Victoria Peak,	,,	..	..	..	ESE	1	..
Gap Rock,	,,	30.03	..	..	E	3	..
Macao,	,,	30.04	68	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	65	SE	1	b
Malate,	3 p.	..	..	..	.	0	b
Bacolod,	,,	..	..	..	NE	4	c
Iloilo,	,,	29.88	85	..	E	1	c
Cebu,	,,	29.86	84	..	N	2	b
Cape S. James,	,,	..	..	..	NE	3	c

24th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.03	..	..	E	2	..
Taichu,	,,	29.99	..	..	N	4	..
Tainan,	,,	30.00	..	..	N	4	..
Koshun,	,,	29.99	..	..	..	0	..
Pescadores,	,,	30.03	..	..	NE	8	..
Gutzlaff,	9 a.	30.14	55	87	SE	2	cv
Sharp Peak,	,,	30.07	61	66	W	1	b
Amoy,	,,	30.07	60	88	NW	1	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	.	.	..	.	..	..
Hongkong,	10 a.	30.10	64	75	E	3	c
Victoria Peak,	,,	.	..	..	E	4	..
Gap Rock,	,,	30.07	..	..	ENE	4	..
Macao,	,,	30.09	68	..	ESE	1	c
Haiphong,	7 a.	.	..	..	.	.	
Manila,	10 a.	29.96	81	85	WSW	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	,,	.	..	..	N	2	b
Iloilo,	,,	29.94	81	..	NE	1	b
Cebu,	,,	29.95	83	..	N	2	..
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 24th at 12.5 p. The barometer has fallen on the China coast owing to the existence of a depression over N. China. Pressure is highest over Japan. Gradients slight with light variable winds on the China coast, and moderate monsoon in the N. part of the China Sea. Forecast.—E to N winds, light or moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 24th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

24th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	29.96	..	..	NW	2	..
Taichu,	,,	29.91	..	..	N	4	..
Tainan,	,,	29.94	..	..	N	2	..
Koshun,	,,	29.95	..	..	NW	6	..
Pescadores,	,,	29.98	..	..	NE	6	..
Gutzlaff,	3 p.	30.05	58	81	WNW	2	bv
Sharp Peak,	,,	29.96	64	65	..	0	b
Amoy,	,,	29.99	68	65	NE	3	b
Swatow,	,,	29.96	68	..	ESE	1	c
Canton,	,,	29.97	70	53	E	2	o
Hongkong,	4 p.	29.97	65	69	E	2	c
Victoria Peak,	,,	..	..	..	SE	2	..
Gap Rock,	,,	29.95	..	..	ENE	3	..
Macao,	,,	29.99	68	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	84	64	ESE	1	c
Malate,	3 p.	..	..	..	SE	3	b
Bacolod,	,,	..	..	..	NNE	4	c
Iloilo,	,,	29.82	85	..	E	1	b
Cebu,	,,	29.83	84	..	N	3	c
Cape S. James,	,,	..	..	..	NE	3	c

25th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	29.96	..	..	NW	2	..
Taichu,	,,	29.92	..	..	..	0	..
Tainan,	,,	29.93	..	..	N	4	..
Koshun,	,,	29.92	..	..	..	0	..
Pescadores,	,,	29.95	..	..	NE	6	..
Gutzlaff,	9 a.	30.09	50	93	NNE	5	ond
Sharp Peak,	,,	30.02	66	79	ENE	3	o
Amoy,	,,	29.99	60	82	NNE	2	c
Swatow,	,,	30.05	65	..	NE	1	c
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.03	66	73	E	1	c
Victoria Peak,	,,	..	..	..	N	4	..
Gap Rock,	,,	30.02	..	..	ENE	2	..
Macao,	,,	30.03	71	..	SSE	1	b
Haiphong,	7 a.	..	..	..	..	..	
Manila,	10 a.	29.92	81	85	WSW	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	N	2	b
Iloilo,	,,	29.90	81	..	NE	1	b
Cebu,	,,	29.89	85	..	N	3	b
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 25th at 12.5p. The barometer has fallen generally. Probably two areas of low pressure exist, one moving into the Sea of Japan from the NE coast of China, and the other lying near the Loochoos. The monsoon will probably freshen in S. China and the N. part of the China Sea. Forecast:—N winds, probably freshening; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 25th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

25th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	30.02	13	..	N	4	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	29.91	..	..	N	2	..
Taichu,	"	29.88	..	..	.	0	..
Tainan,	"	29.91	..	..	W	4	..
Koshun,	"	29.89	..	..	E	4	..
Pescadores,	"	29.95	..	..	NE	6	..
Gutzlaff,	3 p.	30.09	47	70	N	6	op
Sharp Peak,	"	29.91	61	77	E	1	o
Amoy,	"	29.97	60	94	NW	2	c
Swatow,	"	29.96	69	..	E	3	c
Canton,	"	29.89	73	76	NE	2	c
Hongkong,	4 p.	29.93	67	79	E	1	b
Victoria Peak,	"	..	..	..	SW	1	..
Cap Rock,	"	29.92	..	..	E	1	..
Macao,	"	29.92	71	..	SSE	1	c
Haiphong,	1 p.	..	..	..	.	.	..
Manila,	4 p.	29.84	88	66	W	1	b
Malate,	3 p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	4	b
Iloilo,	"	29.81	85	..	E	1	c
Cebu,	"	29.81	85	..	N	2	..
Cape S. James,	"	..	..	..	..	..	..

26th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	30.10	—11	93	N	6	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.21	..	..	SE	2	..
Taichu,	"	30.13	..	..	N	6	..
Tainan,	"	30.02	..	..	N	6	..
Koshun,	"	30.03	..	..	.	0	..
Pescadores,	"	30.07	..	..	NE	10	..
Gutzlaff,	9 a.	30.46	39	74	NNW	5	cm
Sharp Peak,	"	30.31	52	63	NNE	5	o
Amoy,	"	30.17	54	74	NE	6	o
Swatow,	"	.	..	..	.	..	..
Canton,	"	.	.	..	.	.	..
Hongkong,	10 a.	30.18	61	68	NE	3	o
Victoria Peak,	"	.	..	..	1	5	..
Cap Rock,	"	30.15	.	..	ENE	4	..
Macao,	"	30.20	60	.	NW	1	o
Haiphong,	7 a.	.	..	.	.	.	..
Manila,	10 a.	30.00	81	85	SW	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	.	..	..	N	3	b
Iloilo,	"	29.94	81	..	NE	2	b
Cebu,	"	29.96	82	..	N	2	..
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 26th at 11.35a. The barometer has risen rapidly on the China coast. The low pressure area is moving Eastwards over Japan, and a high pressure area lies over N. China. Gradients rather steep with very strong monsoon on the coast and in the N. part of the China Sea. Forecast:—strong NE winds; cloudy, dull.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 26th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

26th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock...	2 p.	30.07	1	..	N	5	b
Tokio, ...	"	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	..	..	..	..	..	..
Taihoku, ...	1 p.	30.21	..	..	E	8	..
Taichu, ...	"	30.06	..	..	N	6	..
Tainan, ...	"	30.06	..	..	N	2	..
Koshun, ...	"	30.05	..	..	NE	10	..
Pescadores, ...	"	30.11	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.44	59	64	N	5	cv
Sharp Peak, ..	"	30.25	63	70	N	4	cr
Amoy.....	"	30.36	59	70	NE	3	o
Swatow, ...	"	30.17	62	..	ENE	5	c
Canton, ...	"	30.19	76	71	N	2	o
Hongkong, ...	4 p.	30.12	78	79	E	3	od
Victoria Peak,	"	.	..	..	E	4	..
Cap Rock, ...	"	30.19	..	..	ENE	5	..
Macao.....	"	30.10	76	..	N	1	o
Haiphong.	1 p.	..	..	..	..	.	..
Manila, ...	4 p.	29.88	86	58	SE	2	b
Malate, ...	4 p.	..	..	..	E	3	c
Tacoloc, ...	"	..	..	..	N	4	c
Iloilo, ...	"	29.86	85	..	E	1	c
Cebu, ...	"	29.87	85	..	N	1	b
Cape S. James,	"	..	..	..	NE	2	c

27th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock...	7 a.	30.11	—14	60	N	3	b
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	30.25	..	..	..	0	..
Taichu, ...	"	30.14	..	..	N	6	..
Tainan, ...	"	30.14	..	..	N	4	..
Koshun, ...	"	30.11	..	..	.	0	..
Pescadores,.....	"	30.15	..	..	NE	10	..
Gutzlaff, ...	9 a.	30.45	55	71	N	4	cv
Sharp Peak, ..	"	30.34	52	66	NE	3	o
Amoy,.....	"	30.24	55	87	ENE	2	cr
Swatow, ...	"	30.26	61	..	N	2	o
Canton, ...	"	30.28	49	78	N	1	o
Hongkong.....	10 a.	30.24	59	68	E	2	o
Victoria Peak,	"	.	..	..	E	3	..
Cap Rock, ...	"	30.22	..	..	ENE	4	..
Macao,.....	"	30.25	68	..	NW	2	c
Haiphong.	7 a.	.	..	..	..	.	..
Manila, ...	10 a.	30.04	84	64	..	0	b
Malate, ...	9 a.	..	..	..	..	0	b
Tacoloc, ...	"	.	..	..	NNE	6	o
Iloilo, ...	"	29.47	80	..	NE	2	b
Cebu, ...	"	29.46	84	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 27th at 12.0 p. The rise of the barometer in South China and over the China Sea has continued, but the barometer is beginning to fall in the North. Gradients continue steep with strong northerly along the China coast, and in the N. part of the China Sea. *Forecast.*—moderate ENE winds; cloudy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 27th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

27th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	20.16	..	..	E	6	..
Taichu,	"	20.09	..	..	N	2	..
Tainan,	"	20.08	..	..	N	4	..
Koshun,	"	20.07	..	..	NE	8	..
Pescadores,	"	20.13	..	..	NE	8	..
Gutzlaff,	3 p.	20.25	79	75	N	2	Lv
Sharp Peak,	"	20.21	81	75	WNW	2	o
Amoy,	"	20.16	59	70	NE	3	o
Swatow,	"	20.16	62	..	NE	2	o
Canton,	"	20.14	53	76	N	1	o
Hongkong,	4 p.	20.13	79	76	NE	3	o
Victoria Peak,	"	..	..	..	E	4	..
Cap Rock,	"	20.10	..	..	ENE	4	..
Macao,	"	20.13	61	..	NNE	2	o
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.92	88	66	..	0	b
Malate,	3 p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	6	c
Iloilo,	"	29.88	73	..	E	3	c
Cebu,	"	29.86	84	..	N	2	b
Cape S. James,	"	..	..	..	NE	4	a

28th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..	..
Taihoku,	5 a.	20.11	..	..	E	2	..
Taichu,	"	20.10	..	..	.	0	..
Tainan,	"	20.16	..	..	N	4	..
Koshun,	"	20.16	..	..	S	6	..
Pescadores,	"	20.09	.	.	NE	6	..
Gutzlaff,	9 a.	20.28	77	62	N	4	Lv
Sharp Peak,	"	20.20	82	79	E	4	d
Amoy,	"	20.14	78	81	SE	1	o
Swatow,	"	20.19	65	..	E	1	b
Canton,	"	20.14	53	86	NE	3	f
Hongkong,	10 a.	20.14	68	78	E	3	o
Victoria Peak,	"	.	..	..	SE	3	..
Cap Rock,	"	20.11	.	.	ENE	4	..
Macao,	"	20.14	61	.	NNW	1	..
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	29.96	81	76	W	1	o
Malate,	9 a.	..	..	..	.	0	b
Bacolod,	"	.	..	..	N	3	b
Iloilo,	"	29.91	81	..	NW	1	c
Cebu,	"	29.92	84	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 28th at 11.26a. The barometer is falling in China. Gradients are decreasing and the monsoon moderating. Forecast.—moderate ESE or varying winds; cloudy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 28th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

28th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock,	2 p.	29.84	3	..	N	2	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.08	..	..	NE	4	..
Taichu,	"	30.00	..	..	N	6	..
Tainan,	"	30.04	..	..	NW	2	..
Koshun,	"	30.05	..	..	NW	4	..
Pescadores,	"	30.12	..	..	NE	8	..
Gutzlaff,	3 p.	30.24	58	63	N	5	ov
Sharp Peak,	"	30.16	52	83	NNE	3	o
Amoy,	"	30.10	60	76	NE	1	b
Swatow,	"	30.11	63	..	E	3	c
Canton,	"	30.07	55	87	N	2	c
Hongkong,	4 p.	30.06	62	83	NE	4	od
Victoria Peak,	"	..	..	..	ESE	3	..
Cap Rock,	"	30.03	..	..	ENE	4	..
Macao,	"	30.06	67	..	ENE	1	o
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.88	82	85	..	0	o
Malate,	3 p.	..	..	..	..	c	c
Pacolod,	"	..	..	..	NNW	4	c
Iloilo,	"	29.82	85	..	E	1	b
Cebu,	"	29.82	85	..	N	3	b
Cape S. James,	"	..	..	..	NE	5	c

29th DECEMBER, 1901, A. M.

Wladivostock,	7 a.	30.02	—7	65	N	8	b
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.25	..	..	E	4	..
Taichu,	"	30.11	..	..	N	4	..
Tainan,	"	30.11	..	..	N	4	..
Koshun,	"	30.10	..	..	NW	4	..
Pescadores,	"	30.14	..	..	NE	10	..
Gutzlaff,	9 a.	30.53	33	90	N	5	ov
Sharp Peak,	"	30.38	51	72	NE	4	o
Amoy,	"	30.27	55	..	NE	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.24	61	79	ENE	5	o
Victoria Peak,	"	..	..	..	E	7	..
Cap Rock,	"	30.21	..	..	ENE	5	..
Macao,	"	30.25	57	..	NW	2	od
Haiphong,	7 a.	..	..	..	..	.	..
Manila,	10 a.	30.00	82	70	NE	1	b
Malate,	9 a.	..	..	..	..	0	b
Pacolod,	"	..	..	..	NNE	3	o
Iloilo,	"	29.92	81	..	NE	2	o
Cebu,	"	29.95	82	..	N	2	o
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 29th at 12.45p. The barometer has risen generally and gradients are increasing for NE winds.
Forecast:—fresh NE winds; cloudy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 29th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

29th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	N	4	..
Kochi,	"	30.31	..	..	N	6	..
Nagasaki,	"	30.11	..	..	SW	2	..
Kagoshima,	"	30.23	..	..	N	8	..
Taihoku,	1 p.	30.21	..	..	E	8	..
Taichu,	"	30.11	..	..	N	6	..
Tainan,	"	30.11	..	..	N	6	..
Koslun,	"	30.16	..	..	NE	6	..
Lesardores,	"	30.16	..	..	NE	10	..
Gutzlaff,	3 p.	30.46	57	81	NNW	5	cv
Sharp Peak,	"	30.31	48	74	NE	3	o
Amoy,	"	30.22	49	70	NE	2	..
Swatow,	"	30.28	63	..	E	3	c
Canton,	"	30.25	50	43	N	2	o
Lungkong,	4 p.	30.19	61	78	ENE	3	o
Victoria Peak,	"	..	..	..	E	2	..
Cap Rock,	"	30.15	..	..	ENE	4	..
Macao,	"	30.19	54	..	NNW	2	o
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.92	86	53	E	2	b
Malate,	3 p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.84	85	..	E	2	..
Cebu,	"	29.86	84	..	N	2	..
Cape S. James,	"	..	..	..	..	..	c

30th DECEMBER, 1901, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.20	..	..	N	4	..
Taichu,	"	30.19	..	..	.	0	..
Tainan,	"	30.20	..	..	N	4	..
Koslun,	"	30.18	..	..	N	2	..
Lesardores,	"	30.21	..	..	NE	8	..
Gutzlaff,	9 a.	30.53	56	70	N	4	cv
Sharp Peak,	"	30.41	51	79	W	1	o
Amoy,	"	30.31	55	74	NE	3	o
Swatow,	"	..	..	..	.	..	..
Canton,	"	30.40	49	87	N	1	c
Lungkong,	10 a.	30.35½	58	61	N	1	o
Victoria Peak,	"	.	..	..	NNW	3	..
Cap Rock,	"	30.32	..	..	NNE	3	..
Macao,	"	..	55	..	NNW	2	c
Haiphong,	7 a.	.	..	..	.	.	..
Manila,	10 a.	30.00	82	70	ENE	1	b
Malate,	9 a.	..	..	..	.	0	c
Bacolod,	"	.	..	..	NE	3	b
Iloilo,	"	29.94	82	..	NE	2	c
Cebu,	"	29.92	82	..	N	2	c
Cape S. James,	7½ a.	..	..	..	NE	2	c

On the 29th at 12.45p. The barometer has risen generally and gradients are increasing for NE winds. Forecast:—fresh NE winds; cloudy.

On the 30th at 11.50a. The barometer has risen in Southern China, and in Formosa. Strong monsoon in the China Sea. Forecast;—Moderate Northerly winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 30th December 1901.

CHINA COAST METEOROLOGICAL REGISTER.

30th DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.98	..	..	..	0	..
Kochi,	,,	30.34	..	..	N	4	..
Nagasaki,	,,	30.23	..	..	W	..	..
Kagoshima,	,,	30.21	..	..	NW	6	..
Taihoku,	1 p.	30.25	..	..	E	8	..
Taichu,	,,	30.16	..	..	N	6	..
Tainan,	,,	30.14	..	..	N	6	..
Koshun,	,,	30.14	..	..	NW	4	..
Pescadores,	,,	30.21	..	..	NE	10	..
Gutzlaff,	3 p.	30.47	57	62	N	8	cv
Sharp Peak,	,,	30.22	53	77	WNW	1	cg
Amoy,	,,	30.27	63	62	NE	8	c
Swatow,	,,	30.26	62	..	..	8	o
Canton,	,,	30.26	58	53	N	2	b
Hongkong,	4 p.	30.20	62	51	SE	1	c
Victoria Peak,	,,	..	..	..	E	2	..
Cap Rock,	,,	30.20	..	..	ENE	8	..
Macao,	,,	30.23	62	..	NNW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	86	47	NE	1	b
Malate,	3 p.	..	..	..	N	[illegible]	[illegible]
Bacolod,	,,	..	..	..	NNE	4	[illegible]
Iloilo,	,,	29.84	84	..	NE	2	c
Cebu,	,,	29.85	85	..	N	8	c
Cape S. James,	,,	..	..	..	NE	5	o

31st DECEMBER, 1901, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.29	..	..	E	6	..
Taichu,	,,	30.14	..	..	..	6	..
Tainan,	,,	30.14	..	..	N	4	..
Koshun,	,,	30.11	..	..	NE	8	..
Pescadores,	,,	30.17	..	..	NE	8	..
Gutzlaff,	9 a.	30.47	57	72	N	2	bv
Sharp Peak,	,,	30.35	52	67	WNW	2	o
Amoy,	,,	30.26	57	75	NE	2	o
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.25	60	65	N	2	b
Hongkong,	10 a.	30.31	57	63	W	1	b
Victoria Peak,	,,	..	..	..	E	4	..
Cap Rock,	,,	30.29	..	..	NE	4	..
Macao,	,,	30.32	57	..	NW	2	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	82	63	W	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	NNE	6	c
Iloilo,	,,	29.92	69	..	NE	2	cs
Cebu,	,,	29.93	80	..	N	2	o
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 31st at 11.2 a. The barometer has fallen over China. Gradients for N. winds are decreasing.
Forecast.—Light variable breezes and clear weather.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 31st December 1901.

Waste

CHINA COAST METEOROLOGICAL REGISTER.

31st DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.06	..	..	SE	2	..
Kochi,	,,	30.24	..	..	N	6	..
Nagasaki,	,,	30.28	..	..	W	4	..
Kagoshima,	,,	30.31	..	..	N	4	..
Taihoku,	1 p.	30.20	..	..	E	..	..
Taichu,	,,	30.05	..	..	..	0	..
Tainan,	,,	30.18	..	..	N	4	..
Koshun,	,,	30.07	..	..	NE	8	..
Pescadores,	,,	30.15	..	..	NE	8	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	,,	30.24	54	80	NW	8	cr
Amoy,	,,	30.18	62	88	NE	3	c
Swatow,	,,	30.21	63	..	SE	3	c
Canton,	,,	30.23	59	48	N	2	b
Hongkong,	4 p.	30.19	61	51	W	2	b
Victoria Peak,	,,	..	..	..	NW	3	..
Gap Rock,	,,	30.18	..	..	NNW	3	..
Macao,	,,	30.22	64	..	NNW	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	52	E	3	c
Malate,	3 p.	..	..	..	NE	[illegible]	c
Bacolod,	,,	..	..	..	NE	[illegible]	c
Iloilo,	,,	29.80	83	..	NE	[illegible]	c
Cebu,	,,	29.81	85	..	N	[illegible]	b
Cape S. James,	,,	..	..	..	..	0	c

1st JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.24	..	..	E	0	..
Taichu,	,,	30.18	..	..	N	4	..
Tainan,	,,	30.14	..	..	NE	4	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	30.17	..	..	NE	10	..
Gutzlaff,	9 a.	30.40	56	66	N	..	bv
Sharp Peak,	,,	30.34	54	71	N	2	..
Amoy,	,,	30.25	57	61	NE	1	c
Swatow,	,,	30.30	..	..	N	2	b
Canton,	,,	30.40	61	72	N	1	b
Hongkong,	10 a.	30.31	57	63	N	1	b
Victoria Peak,	,,	..	..	..	S	3	..
Gap Rock,	,,	30.29	..	..	NNW	5	..
Macao,	,,	30.34	55	..	NNW	3	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.01	81	76	NNE	1	o
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NE	3	b
Iloilo,	,,	29.91	81	..	E	1	c
Cebu,	,,	29.90	80	..	..	0	cr
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 1st at 12p.m. Barometrical changes are slight since yesterday. Pressure is still high over the interior of China. Fresh N. winds in the Formosa Channel and N. part of the China Sea. Forecast:—gentle northerly breezes; cold, clear weather.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 1st January 1902.