Hong Kong. Meteorological Observatory

CHINA COAST METEOROLOGICAL REGISTER.

1908.

LIBRARY
NOAA
U.S. Department of Commerce

N.B.—The Barometric Observations at some of the China treaty ports are, from various causes, frequently in error.

LIBRARY
WEATHER BUREAU
No. 31161

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER. 1907, P.M.								1st JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.53	750.1	...	...	W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate, ...	,,	30.05	763.2	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	30.18	766.6	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	30.23	767.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	30.27	768.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	30.23	767.9	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	30.16	766.1	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	30.13	765.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima, ...	,,	30.09	764.3	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.20	767.1	...	...	E	2	...	,,	...	...	...	...	...	...	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	30.63	778.0	25	...	N N W	4	c
Weihaiwei, ...	,,	30.46	773.7	22	...	W N W	4	o	9 a.	30.69	779.6	24	...	N	3	b
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.36	771.1	43	100	N E	4	or	,,	30.73	780.5	36	80	N E	4	c
Shanghai, ...	,,	30.21	767.3	51	79	N E	1	om	9 a.	30.60	777.2	36	80	N W	3	c
Gutzlaff, ...	,,	30.17	766.3	50	93	E N E	3	omd	,,	30.52	775.2	40	65	N N W	5	om
Sharp Peak, ...	,,	30.08	764.0	63	85	N	1	o	,,	30.35	770.9	56	91	N E	5	od
Amoy, ...	,,	30.04	763.0	66	79	S E	1	c	6 a.	...	...	61	82	N E	2	c
Swatow, ...	,,	30.02	762.5	67	79	E	2	b	,,	30.17	766.3	61	88	S E	1	o
Taihoku, ...	1 p.	30.00	762.1	..	...	E	6	...	5 a.	30.20	767.0	...	...	...	0	...
Taichu, ...	,,	30.03	762.7	...	...	S E	4	...	,,	30.15	765.9	...	...	...	0	...
Tainan, ...	,,	30.06	763.5	...	...	N	2	...	,,	30.12	765.1	...	...	N	6	...
Koshun, ...	,,	30.05	763.3	...	...	N	6	...	,,	30.08	764.1	...	...	...	0	...
Pescadores, ...	,,	30.09	764.3	...	...	N	8	...	,,	30.14	765.5	...	...	N	8	...
Canton, ...	3 p.	30.06	763.5	70	80	...	0	c	9 a.	30.33	770.4	54	87	N E	2	or
Hongkong, ...	4 p.	30.06	763.5	63	81	E	4	b	10 a.	30.30	769.6	60	61	N	3	o
Victoria Peak, ...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	N N E	3	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao.	,,	30.05	763.2	65	...	S E	1	c	,,	30.31	769.9	60	...	N	2	o
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.98	761.5	73	...	S S E	4	o	8 a.	30.22	767.5	64	...	E N E	6	o
Tourane, ...	,,	29.99	761.8	75	...	S E	2	b	,,	30.17	766.3	73	...	W	1	c
Cape St. James, .	,,	29.83	757.7	82	...	N E.	1	c	,,	29.97	761.2	77	...	N E	1	c
Aparri, ...	2 p.	29.96	761.0	70	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.88	759	82	77	...	0	o	10 a.	30.04	763	82	70	...	0	b
Legaspi, ...	2 p.	29.87	758.7	82	...	E	1	c	6 a.	29.94	760.4	77	...	N	1	c
Jacolod, ...	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	N	1	c
Iloilo, ...	,,	29.79	756.6	85	...	N E	2	c	,,	29.93	760.2	82	...	N E	1	c
Cebu, ...	,,	29.83	757.7	85	...	N	1	b	,,	29.98	761.5	82	...	...	0	o
Labuan, ...	,,	29.79	756.6	83	...	...	...	...	,,	29.89	759.2	79	...	...	...	...

On the 1st at 12.10 p.—The barometer has risen generally, particularly over China.

An anticyclonic area of considerable intensity lies now over China to the North of the Yangtze, and gradients are rather steep along the coast.

Hard monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, strong; fair.
2.—Formosa Channel, ...	N.E. gale.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 1st January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JANUARY, 1908, P.M.								2nd JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	W	4	...
Hakodate, ...	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	W	8	...
Tokio, ...	,,	...	...	...	...	...	...	...	,,	30.10	764.6	...	...	N W	4	...
Kochi, ...	,,	30.07	763.8	...	...	N W	4	...	,,	30.31	769.8	...	...	S W	4	...
Nagasaki, ...	,,	30.19	766.8	...	...	N	6	...	,,	30.35	770.8	...	...	N	4	...
Kagoshima, ...	,,	30.15	765.9	...	...	N W	6	...	,,	30.31	769.9	...	...	N	6	...
Oshima, ...	,,	30.12	765.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6	...
Naha, ...	,,	30.13	765.2	...	...	N	8	...	,,	30.26	768.2	...	...	N	8	...
Ishigakijima, ...	,,	30.17	766.3	...	...	N	8	...	,,	30.29	769.3	...	...	N	6	...
Bonin Is.	,,	30.04	763.1	...	...	S	4	...	,,	29.89	759.1	...	...	S	4	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.58	776.7	26	...	N W	1	b	9 a.	30.52	775.2	26	...	W	3	o
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.62	777.7	56	80	N W	...	o	9 a.	30.63	778.0	34	79	N N W	2	b
Gutzlaff, ...	,,	30.48	774.2	40	74	N N W	5	om	,,	30.54	775.7	40	61	N	3	cv
Sharp Peak, ...	,,	30.34	770.6	55	80	N N E	5	o	,,	30.48	774.2	50	75	N N E	3	c
Amoy, ...	,,	...	...	55	80	N E	5	c	6 a.	30.34	770.6	51	79	N E	2	b
Swatow, ...	,,	30.21	767.3	59	94	N E	2	o	,,	30.31	769.9	51	93	N	2	b
Taihoku, ...	1 p.	30.36	771.1	.	...	E	4	...	5 a.	30.38	771.6	...	...	E	2	...
Taichu, ...	,,	30.17	766.2	...	...	N	6	...	,,	30.24	768.1	...	...	N	4	...
Tainan, ...	,,	30.14	765.6	...	...	N	8	...	,,	30.24	768.1	...	...	N	4	...
Koshun	,,	30.13	765.2	...	...	N E	8	...	,,	30.19	766.9	...	...	N E	10	...
Pescadores, ...	,,	30.22	767.6	...	...	N	10	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.28	769.1	58	76	N	2	o	9 a.	...	...	49	78	N	1	b
Hongkong, ...	4 p.	30.22	767.6	62	58	N	1	o	10 a.	30.38	771.6	55	70	E	1	o
Victoria Peak, ...	,,	...	...	...	...	N N W	3	...	,,	...	...	...	...	...	0	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.24	768.1	62	...	N	3	c	,,	30.39	771.9	56	...	N	2	o
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.21	767.4	63	...	N N E	5	o	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	30.10	764.6	73	...	N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James, .	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	30.00	761.9	82	...	N E	1	b	6 a.	30.10	764.6	72	...	N E	2	d
Manila, ...	4 p.	29.92	760	86	53	E	1	c	10 a.	30.04	763	79	76	W N W	1	c
Legaspi, ...	2 p.	29.93	760.1	82	...	N E	1	o	6 a.	29.98	761.4	77	...	N E	1	o
Bacolod, ...	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N N E	3	c
Iloilo, ...	,,	29.87	758.7	83	...	N E	4	or	,,	29.95	760.7	81	...	N E	2	c
Cebu, ...	,,	29.90	759.4	82	...	...	0	o	,,	29.97	761.2	84	...	N	1	b
Labuan, ...	,,	29.82	757.4	81	...	...	...	...	,,	29.96	761.0	82	...	...	...	...

On the 2nd at 11.55 a.—The barometer has risen over Japan and S. China, and fallen on the N.E. coast of China.

The anticyclonic area is still lying over the Yangtze, and pressure is relatively low to the E. of Japan, and over the S. part of the China Sea.

Very strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh; fine.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 2nd January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.81	757.1	...	...	S W	2	...
Hakodate,	,,	29.93	760.2	...	...	N W	8	...	,,	29.93	760.2	...	...	W	6	...
Tokio,	,,	30.02	762.6	...	...	N W	4	...	,,	30.06	763.6	...	...	N W	6	...
Kochi,	,,	30.19	766.8	...	...	S W	2	...	,,	30.23	767.8	...	...	S W	4	...
Nagasaki,	,,	30.31	769.8	...	...	N W	6	...	,,	30.35	770.8	...	...	...	0	...
Kagoshima,	,,	30.27	768.9	...	...	N W	6	...	,,	30.31	769.9	...	...	N	2	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.24	768.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	4	...
Ishigakijima,	,,	30.29	769.3	...	...	N	6	...	,,	30.25	768.3	...	...	N	2	...
Bonin Is.	,,	29.93	760.1	...	...	N	4	...	,,	30.12	765.1	...	...	N	4	...
Chefoo,	3 p.	30.47	773.9	34	100	N W	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.44	773.2	29	...	W	5	ovr	9 a.	30.53	776.4	28	...	N	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.64	778.2	36	90	N E	1	c
Kiukiang,	,,	30.61	777.5	39	64	N E	1	o	,,	30.58	776.7	35	90	...	0	b
Shanghai,	,,	30.53	775.4	39	46	N N W	1	c	9 a.	30.54	775.7	33	90	N W	1	c
Gutzlaff,	,,	30.55	776.9	36	72	N	2	ov	,,	30.49	774.4	37	71	N N E	2	ov
Sharp Peak,	,,	30.37	771.4	53	73	E N E	3	o	,,	30.42	772.6	51	79	N	1	og
Amoy	,,	30.26	768.6	60	76	N E	3	c	6 a.	30.27	768.8	55	80	N E	1	c
Swatow,	,,	30.28	769.1	58	76	E	2	o	,,	...	...	...	...	...	....	...
Taihoku,	1 p.	30.34	770.6	.	...	E	6	...	5 a.	30.30	769.6	...	...	E	4	...
Taichu,	,,	30.21	767.4	...	...	N	4	...	,,	30.24	768.0	...	...	N E	2	...
Tainan,	,,	30.22	767.7	...	...	N	4	...	,,	30.18	766.6	...	...	N	2	...
Koshun	,,	30.21	767.3	...	...	N E	10	...	,,	30.29	767.9	...	...	N E	8	...
Pescadores,	,,	30.26	768.7	...	...	N	10	...	,,	30.25	768.4	...	...	N	8	...
Canton,	3 p.	30.32	770.1	60	65	N N W	2	b	9 a.	30.42	771.	51	79	N N W	1	b
Hongkong,	4 p.	30.28	769.1	58	63	N	1	o	10 a.	30.[illegible]	771	66	56	N E	1	b
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.23	767.8	59	...	N	2	c	,,	30.37	771.4	57	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.28	769.2	57	...	N N E	1	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	30.15	765.7	72	...	E N E	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.2	75	...	N N E	2	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.10	764.5	73	...	N E	2	d	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	84	68	E	3	c	10 a.	30.04	763	81	70	N N E	0	c
Legaspi,	2 p.	29.95	760.7	82	...	E	1	o	6 a.	29.98	761.5	77	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N	2	c
Iloilo,	,,	29.87	758.7	84	...	N E	2	b	,,	29.93	760.2	80	...	N E	1	b
Cebu,	,,	29.88	758.9	83	...	N	2	b	,,	29.98	761.5	81	...	N	3	o
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.92	759.9	80	...	...	...	...

On the 3rd at 11.50 a.—The anticyclonic area is still lying over China, but pressure is inclined to give way along the coast.

Pressure is relatively low to the N. of Japan, and over the S. part of the China Sea.

Fresh monsoon may be expected in the Formosa Channel and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 3rd January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JANUARY, 1908, P.M.								4th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.81	757.1	...	...	N W	4	...	6 a.	29.93	760.1	...	...	N E	2	...
Hakodate, ...	,,	29.89	759.2	...	...	N W	6	...	,,	30.05	763.2	...	...	...	0	...
Tokio, ...	,,	30.02	762.6	...	...	S	4	...	,,	30.14	765.6	...	...	W	2	...
Kochi, ...	,,	30.15	765.8	...	...	S W	2	...	,,	30.21	769.8	...	...	S W	4	...
Nagasaki, ...	,,	30.27	768.8	...	...	...	4	...	,,	30.39	771.8	...	...	N	4	...
Kagoshima, ...	,,	30.23	767.9	...	...	N W	6	...	,,	30.35	770.9	...	...	N	2	...
Oshima,.....	,,	30.24	768.1	...	...	N	4	...	,,	30.32	770.1	...	...	N	2	...
Naha,.....	,,	30.24	768.2	...	...	N	6	...	,,	30.32	770.2	...	...	N	6	...
Ishigakijima, ...	,,	30.25	768.3	...	...	N E	6	...	,,	30.33	770.3	...	...	N E	6	...
Bonin Is.....	,,	30.12	765.1	...	...	N	4	...	,,	30.20	767.1	...	...	N	2	...
Chefoo,.....	3 p.	30.50	774.7	33	100	N E	1	b	6 a.	30.51	774.9	24	100	...	0	b
Weihaiwei,.....	,,	30.50	774.7	31	...	W N W	1	b	9 a.	30.57	776.5	27	...	W N W	1	b
Hankow, ...	,,	30.61	777.5	46	92	N E	1	b	6 a.	30.69	779.5	36	61	N E	1	b
Kiukiang,.....	,,	30.56	776.2	46	69	N E	2	b	,,	30.59	777.0	32	90	N E	2	b
Shanghai, ...	,,	30.48	774.2	41	57	N W	1	b	9 a.	30.62	777.7	35	70	N W	1	b
Gutzlaff, ...	,,	30.44	773.2	44	60	N N W	2	bm	,,	30.56	776.2	45	68	N N W	2	bm
Sharp Peak,.....	,,	30.33	770.4	53	80	N E	3	og	,,	30.51	774.9	52	79	N E	4	b
Amoy,.....	,,	30.24	768.1	62	77	N E	1	c	6 a.	30.32	770.1	53	80	N E	1	b
Swatow, ...	,,	30.21	767.3	65	...	E	3	c	,,	30.38	771.6	57	86	N	2	b
Taihoku,.....	1 p.	30.31	770.0	.	...	E	6	...	5 a.	30.39	772.0	...	...	E	4	...
Taichu, ...	,,	30.22	767.7	...	...	N	6	...	,,	30.29	769.3	...	...	N	2	...
Tainan,.....	,,	30.21	767.3	...	...	N	2	...	,,	30.27	768.9	...	...	N	4	...
Kosbun.....	,,	30.19	766.8	...	...	N E	6	...	,,	30.24	768.0	...	...	N E	8	...
Pescadores, ...	,,	30.25	768.4	...	...	N W	8	...	,,	30.30	769.5	...	...	N	10	...
Canton,.....	3 p.	30.28	769.1	61	71	N W	2	b	9 a.	30.45	773.4	52	73	N	1	b
Hongkong, ...	4 p.	30.24	768.1	62	61	W	1	b	10 a.	30.41	772.4	61	58	E N E	2	c
Victoria Peak,...	,,	...	...	...	...	N E	5	...	,,	...	...	...	...	E N E	2	...
Gap Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.24	768.1	60	...	N	2	c	,,	30.38	771.6	61	...	N	2	c
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.28	769.2	57	...	N	2	or	8 a.	30.40	772.2	57	...	E N E	4	c
Tourane, ...	,,	30.17	766.4	66	...	N E	4	o	,,	30.29	769.5	68	...	E	1	o
Cape St. James,.	,,	29.93	760.1	82	...	N N E	3	c	,,	29.95	760.7	73	...	N	3	o
Aparri, ...	2 p.	30.09	764.3	77	...	E	2	o	6 a.	30.18	766.5	70	...	S	0	o
Manila, ...	4 p.	29.96	761	75	91	...	0	o	10 a.	30.12	765	79	69	...	0	b
Legaspi, ...	2 p.	29.95	760.7	82	...	E	2	b	6 a.	30.06	763.6	75	...	N E	1	b
Bacolod,.....	3 p.	...	...	...	...	N N W	1	o	9 a.	...	...	...	...	N E	4	c
Iloilo,.....	,,	29.87	758.7	84	...	N E	1	c	,,	30.01	762.2	79	...	N E	2	c
Cebu,.....	,,	29.92	759.9	82	...	N	1	b	,,	30.04	763.0	83	...	N	2	b
Labuan, ...	,,	29.85	758.2	85	...	...	...	...	,,	29.97	761.2	83	...	...	...	...

On the 4th at 11.40 a.—The barometer has risen at all stations.

The anticyclonic area covering China and neighbouring Seas, is still central over the Yangtze.

Gradients are moderate, and fresh monsoon may be expected in the Formosa Channel and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fine.
2.—Formosa Channel,.....	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 4th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th JANUARY, 1908, P.M.								5th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro, ...	,,	...	...	...	...	...	...	...	6 a.	30.20	767.1	...	...	W	4	...
kodate, ...	,,	30.13	765.2	...	...	W	6	...	,,	30.32	770.2	...	...	N	2	...
kio, ...	,,	30.14	765.6	...	...	N W	2	...	,,	30.38	771.6	...	...	N W	6	...
chi, ...	,,	30.27	768.8	...	...	N	...	...	,,	30.47	773.8	...	...	S W	4	...
gasaki, ...	,,	30.39	771.8	...	...	N	6	...	,,	30.50	774.8	...	...	E	2	...
goshima, ...	,,	30.35	770.9	...	...	W	6	...	,,	30.47	773.9	...	...	N	4	...
hima, ...	,,	30.36	771.1	...	...	N	6	...	,,	30.44	773.1	...	...	N	4	...
aba, ...	,,	30.32	770.2	...	...	N	6	...	,,	30.40	772.2	...	...	N E	4	...
higakijima, ...	,,	30.33	770.3	...	...	N E	6	...	,,	30.37	771.3	...	...	N E	6	...
onin Is.....	,,	30.16	766.1	...	...	E	2	...	,,	30.28	769.1	...	...	N E	2	...
hefoo, ...	3 p.	30.50	774.7	35	70	...	0	b	6 a.	30.49	774.4	26	...	...	0	b
Veihaiwei,.....	,,	30.50	774.7	35	...	W	1	b	9 a.	30.52	775.2	32	...	W	1	b
ankow, ...	,,	30.61	777.5	50	65	S E	1	b	6 a.	30.58	776.7	38	81	N E	1	b
iukiang,.....	,,	...	...	49	64	N E	2	b	,,	30.51	774.9	36	100	N E	1	b
hanghai, ...	,,	30.52	775.2	45	46	...	0	c	9 a.	30.51	774.9	43	92	N	1	b
utzlaff, ...	,,	30.48	774.2	49	64	N N W	2	cv	,,	30.47	773.9	51	66	S E	2	bv
harp Peak,.....	,,	30.40	772.1	55	80	E N E	4	c	,,	30.44	773.2	53	93	W N W	2	c
moy, ...	,,	30.34	770.6	62	72	E N E	2	b	6 a.	30.36	771.1	56	81	N N E	1	o
watow, ...	,,	30.27	768.8	62	89	E	2	b	,,	30.39	771.9	50	93	N	2	b
aiboku,.....	1 p.	30.38	771.7	.	...	E	8	...	5 a.	30.39	771.9	...	...	E	6	...
aichu, ...	,,	30.27	768.9	...	...	N	6	...	,,	30.32	770.1	...	...	...	0	...
ainan,.....	,,	30.28	769.1	...	...	N	4	...	,,	30.31	769.8	...	...	N	4	...
oshun.....	,,	30.25	768.3	...	...	N E	8	...	,,	30.27	768.8	...	...	N E	10	...
escadores, ...	,,	30.31	769.9	...	...	N	10	...	,,	30.32	770.2	...	...	N	8	...
anton,.....	3 p.	30.32	770.1	63	67	W	1	b	9 a.	30.33	770.4	55	87	...	0	b
ongkong, ...	4 p.	30.30	769.6	60	60	S E	2	b	10 a.	30.37	771.4	61	58	E S E	2	o
ictoria Peak,...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	3	...
ap Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao, ...	,,	30.30	769.6	61	...	E	1	c	,,	30.35	770.9	62	...	E S E	1	c
oihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	30.28	769.2	64	...	N	5	o	8 a.	30.33	770.4	59	...	N N E	3	o
ourane, ...	,,	30.21	767.3	68	...	N E	3	o	,,	30.26	768.7	70	...	...	0	o
ape St. James,.	,,	...	...	...	...	...	...	...	,,	30.01	762.2	75	...	N N E	2	c
parri, ...	2 p.	30.17	766.3	73	...	S	0	b	6 a.	30.20	767.1	68	...	S E	0	o
anila, ...	4 p.	30.08	764	77	75	...	0	c	10 a.	30.16	766	79	69	W N W	1	c
egaspi, ...	2 p.	30.03	762.8	75	...	E	2	o	6 a.	30.06	763.4	75	...	N	1	o
acolod, ...	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N N E	4	c
oilo, ...	,,	29.97	761.2	83	...	N E	4	c	,,	30.01	762.2	77	...	N E	4	c
bu, ...	,,	29.98	761.5	84	...	N	3	b	,,	30.05	763.2	82	...	N	3	c
buan, ...	,,	29.87	758.7	87	...	...	...	...	,,	29.96	761.0	83	...	...	...	...

On the 5th at 11.40 a.—The barometer has fallen over China, and risen in Japan.

The anticyclone has spread Eastwards over Japan, the central area now being situated between the Lower Yangtze and W. Japan.

Gradients have decreased, and moderate monsoon may be expected in the Formosa Channel and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. and E. winds, moderate or fresh ; fair.
Formosa Channel,.....	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 5th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th JANUARY, 1908, P.M.								6th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.24	768.1	...	...	N W	6	...	6 a.	30.36	771.1	...	...	...	0	...
Hakodate, ...	,,	30.32	770.2	...	...	N W	6	...	,,	30.44	773.2	...	...	N W	2	...
Tokio, ...	,,	30.34	770.6	...	...	N W	4	...	,,	30.46	773.6	...	...	N W	4	...
Kochi, ...	,,	30.39	771.8	...	...	S	2	...	,,	30.47	773.8	...	...	S W	4	...
Nagasaki, ...	,,	30.46	773.8	...	...	W	4	...	,,	30.47	773.8	...	...	N E	2	...
Kagoshima, ...	,,	30.43	772.9	...	...	N	4	...	,,	30.43	772.9	...	...	N E	2	...
Oshima, ...	,,	30.40	772.1	...	...	N E	2	...	,,	30.36	771.1	...	...	...	0	...
Naha, ...	,,	30.36	771.2	...	...	N E	4	...	,,	30.32	770.2	...	...	...	0	...
Ishigakijima, ...	,,	30.29	769.3	...	...	E	6	...	,,	30.29	769.3	...	...	S	2	...
Bonin Is.	,,	30.28	769.1	...	...	N	4	...	,,	30.36	771.1	...	...	N	2	...
Chefoo, ...	3 p.	30.49	774.4	37	81	N W	3	o	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.47	773.9	35	...	W	1	ovr	9 a.	30.62	777.7	...	...	N W	5	o
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.46	773.7	48	56	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.40	772.1	62	53	S E	1	c	9 a.	30.48	774.2	44	92	N N E	1	om
Gutzlaff, ...	,,	30.39	771.9	56	67	S E	2	cv	,,	30.45	773.4	46	100	E N E	3	omd
Sharp Peak, ...	,,	30.33	770.4	57	87	N E	3	o	,,	30.38	771.6	58	94	N	1	c
Amoy	,,	30.26	768.6	64	68	N E	1	b	6 a.	30.24	768.1	57	94	...	0	b
Swatow, ...	,,	30.26	768.6	65	100	S E	2	c	,,	30.22	767.6	59	83	W S W	2	o
Taihoku, ...	1 p.	30.28	769.0	.	...	E	6	...	5 a.	30.29	769.3	...	...	...	0	...
Taichu, ...	,,	30.27	768.9	...	...	N	4	...	,,	30.27	768.9	...	...	...	0	...
Tainan, ...	,,	30.27	768.8	...	...	N	4	...	,,	30.26	768.5	...	...	N	4	...
Koshun	,,	30.26	768.6	...	...	E	6	...	,,	30.23	767.7	...	...	E	6	...
Pescadores, ...	,,	30.28	769.2	...	...	N	8	...	,,	30.27	768.8	...	...	N	8	...
Canton, ...	3 p.	30.23	767.8	67	69	N E	1	c	9 a.	30.38	771.6	66	83	N	1	b
Hongkong, ...	4 p.	30.24	768.1	61	60	E	3	o	10 a.	30.35	770.9	65	69	E	2	c
Victoria Peak, ...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	2	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	...	...	63	...	N E	1	c	,,	30.33	770.4	66	...	N	2	c
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.24	768.0	64	...	N	1	c	8 a.	30.35	770.9	61	...	N N E	2	o
Tourane, ...	,,	30.15	765.9	70	...	N	2	o	,,	30.25	768.3	70	...	N	2	o
Cape St. James, .	,,	29.92	760.0	79	...	N E	3	c	,,	30.01	762.2	77	...	N E	2	c
Aparri, ...	2 p.	30.14	765.6	75	...	E	0	o	6 a.	30.19	766.7	66	...	S	0	b
Manila, ...	4 p.	30.04	763	81	62	E	1	...	10 a.	30.12	765	77	75	W N W	1	b
Legaspi, ...	2 p.	30.06	763.4	81	...	E	2	b	6 a.	30.09	764.3	75	...	N E	1	b
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan, ...	,,	29.88	759.2	86	...	...	...	...	,,	29.98	761.5	82	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen moderately over N. China and E. Japan and fallen slightly at the stations around the Eastern Sea.

The anticyclonic area covers China and Japan, pressure being highest over N. China.

Gradients are slight to moderate. Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and N. winds, fresh; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 6th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th JANUARY. 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Memuro, ...	,,	30.44	773.1	...	...	N W	6	...	6 a.	30.44	773.1	...	...	S W	2	...
Hakodate, ...	,,	30.48	774.2	...	...	N W	2	...	,,	30.48	774.2	...	...	N	2	...
Tokio, ...	,,	30.42	772.6	...	...	N W	3	...	,,	30.38	771.6	...	...	N W	4	...
Kochi, ...	,,	30.39	771.8	...	...	...	0	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki, ...	,,	30.39	771.8	...	...	N	2	...	,,	30.35	770.8	...	...	..	0	...
Kagoshima, ...	,,	30.39	771.9	...	...	N	4	...	,,	30.35	770.9	...	...	N	6	...
Naha, ...	,,	30.28	769.1	...	...	S	4	...	,,	30.32	770.1	...	...	N	4	...
Ishigakijima, ...	,,	30.28	769.2	...	...	S E	2	...	,,	30.25	768.2	...	...	...	0	...
Bonin Is.	,,	30.25	768.3	...	...	E	2	...	,,	30.25	768.3	...	...	N	4	...
Chefoo, ...	3 p.	30.36	771.1	...	...	N	2	...	,,	30.32	770.1	...	...	N E	2	...
Weihaiwei, ...	,,	30.66	778.7	...	...	N W	5	o	6 a.	30.65	778.5	21	86	N W	6	o
Hankow, ...	,,	30.63	778.0	22	...	N W	5	o	9 a.	30.66	778.7	15	...	N W	5	o
Kiukiang, ...	,,	29.76	781.3	48	56	N N E	1	c	6 a.	30.81	782.6	30	67	N	2	b
Shanghai, ...	,,	30.67	779.0	45	68	N E	2	o	,,	30.77	781.5	36	80	E	4	c
Hutzlaff, ...	,,	30.54	775.7	43	83	N	2	o	9 a.	30.73	780.5	32	...	N W	2	b
Sharp Peak, ...	,,	30.45	773.4	44	92	N	5	om	,,	30.64	778.2	38	63	N N W	4	cv
Amoy, ...	,,	30.31	769.9	58	76	E N E	5	c	,,	30.51	774.9	54	94	N N W	2	c
Swatow, ...	,,	30.22	767.6	63	89	S W	1	o	6 a.	30.33	770.4	56	81	N E	3	c
Naiboku, ...	,,	30.20	767.1	70	75	E	1	b	,,	30.34	770.6	57	87	N	2	c
Taichu, ...	1 p.	30.27	768.8	.	...	N E	2	...	5 a.	30.41	772.4	...	...	S E	2	...
Tainan, ...	,,	30.19	766.7	...	...	N	6	...	,,	30.29	769.4	...	...	N	4	...
Koshun	,,	30.21	767.3	...	...	N	6	...	,,	30.26	768.5	...	...	N	6	...
Pescadores, ...	,,	30.21	767.3	...	...	N	6	...	,,	30.23	767.9	...	...	N E	6	...
Canton, ...	,,	30.26	768.6	...	...	N	8	...	,,	30.31	769.8	...	...	N	10	...
Hongkong.	3 p.	30.30	769.6	66	84	N N W	2	c	9 a.	30.54	775.7	53	73	N	1	c
Victoria Peak, ...	4 p.	30.24	768.1	70	53	N	2	o	10 a.	30.44	773.2	58	58	N N E	2	o
Cap Rock, ...	,,	...	...	...	...	N N E	0	...	,,	...	...	...	...	N	3	...
Macao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	30.23	767.8	67	...	N	3	c	,,	30.43	772.9	59	...	N	3	o
Makhoi, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Phulien, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tourane, ...	4 p.	30.27	768.9	66	...	S S E	2	o	8 a.	...	...	...	...	...	...	...
Cape St. James, .	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Sparri, ...	,,	29.94	760.4	79	...	E N E	3	c	,,	...	...	...	...	...	...	...
Manila, ...	2 p.	30.12	765.0	79	...	E	1	b	6 a.	30.17	766.2	66	...	S W	0	b
Legaspi, ...	4 p.	30.04	763	81	62	S E	1	c	10 a.	30.16	766	79	69	W S W	1	b
Jacolod, ...	2 p.	30.04	763.0	82	...	N E	1	b	6 a.	30.10	764.5	75	...	N	1	b
Iloilo, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Cebu, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Sabuan, ...	,,	29.87	758.7	86	...	...	...	...	,,	29.98	761.5	83	...	...	...	...

On the 7th at 11.55 a.—The barometer has risen over China, and fallen over S. Japan and the Loochoos.

The anticyclone, which is of considerable intensity, is central over the continent to the North of Yangtze, and pressure is relatively low to the S. of the Loochoos.

Gradients are rather steep, and hard monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	N. winds, strong; fine.
—Formosa Channel, ...	N.E. winds, strong to a gale.
—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
—South coast of China between Hongkong and Hainan,...	N. winds, strong to a gale.

F. G. FIGG,
Director.

Hongko ng Observatory, Tuesday, 7th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th JANUARY, 1908, P.M.								8th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.36	771.1	...	...	S W	4	...	6 a.	30.20	767.1	...	...	S E	4	...
Hakodate, ...	,,	30.28	769.2	...	...	N E	4	...	,,	30.01	762.2	...	...	N E	6	...
Tokio, ...	,,	30.26	768.6	...	...	N W	4	...	,,	29.95	760.6	...	...	N W	2	...
Kochi, ...	,,	30.19	766.8	...	...	S W	4	...	,,	30.23	767.8	...	...	W	4	...
Nagasaki, ...	,,	30.35	770.8	...	...	N W	10	...	,,	30.39	771.8	...	...	N	6	...
Kagoshima, ...	,,	30.31	769.9	...	...	N W	6	...	,,	30.39	771.9	...	...	N W	6	...
Oshima, ...	,,	30.28	769.1	...	...	N	8	...	,,	30.36	771.1	...	...	N	8	...
Naha, ...	,,	30.28	769.2	...	...	N	10	...	,,	30.36	771.2	...	...	N E	8	...
Ishigakijima, ...	,,	30.29	769.3	...	...	N	8	...	,,	30.37	771.3	...	...	N E	6	...
Bonin Is.	,,	30.20	767.1	...	...	S E	2	...	,,	30.16	766.1	...	...	S W	2	...
Chefoo, ...	3 p.	30.66	778.7	24	100	N W	8	o	6 a.	30.58	776.7	23	100	N W	3	o
Weihaiwei, ...	,,	30.62	777.7	19	...	W N W	5	o	9 a.	...	...	...	...	...	...	...
Hankow, ...	,,	29.81	782.6	42	50	N E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.74	780.8	40	48	N E	2	b	,,	30.71	780.0	30	77	N E	2	b
Shanghai, ...	,,	30.66	778.7	33	...	N W	3	o	9 a.	30.70	779.8	32	...	N W	1	c
Gutzlaff, ...	,,	30.59	777.0	36	70	N	4	ov	,,	30.64	778.2	35	70	N W	3	cm
Sharp Peak, ...	,,	30.44	773.2	55	74	E N E	4	c	,,	30.55	776.9	94	78	N N E	5	c
Amoy, ...	,,	30.34	770.6	58	58	N E	2	c	6 a.	30.40	772.1	50	86	N E	3	c
Swatow, ...	,,	30.30	769.6	61	82	E	2	o	,,	30.41	772.4	52	86	N	2	c
Taihoku, ...	1 p.	30.43	773.0	.	...	E	4	...	5 a.	30.46	773.6	...	...	E	4	...
Taichu, ...	,,	30.24	768.2	...	...	N	6	...	,,	30.34	770.7	...	...	N	4	...
Tainan, ...	,,	30.29	769.4	...	...	N	6	...	,,	30.34	770.6	...	...	N	6	...
Koshun	,,	30.26	768.6	...	...	N	6	...	,,	30.27	768.9	...	...	N E	10	...
Pescadores, ...	,,	30.33	770.3	...	...	N	10	...	,,	30.36	771.2	...	...	N	10	...
Canton, ...	3 p.	30.50	774.7	63	47	N N W	2	b	9 a.	30.55	775.9	48	71	N	1	b
Hongkong, ...	4 p.	30.35	770.9	63	43	N N E	1	b	10 a.	30.48	774.2	57	56	E	2	c
Victoria Peak, ...	,,	...	...	...	...	N	4	...	,,	...	...	...	...	...	...	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.35	770.9	62	...	N	3	c	,,	30.44	773.2	59	...	N	3	c
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.36	771.1	66	...	S S W	1	o	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	30.30	769.5	68	...	N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James, ..	,,	29.94	760.4	79	...	N E	6	b	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	30.15	765.7	79	...	N E	1	b	6 a.	30.21	767.2	68	...	S	1	d
Manila, ...	4 p.	30.04	763	81	62	...	0	b	10 a.	30.16	766	77	68	...	0	b
Legaspi, ...	2 p.	30.03	762.7	82	...	N E	1	b	6 a.	30.06	763.5	75	...	N	1	c
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu, ...	,,	29.95	760.7	84	...	N	1	b	,,	30.07	763.8	81	...	N	3	c
Labuan, ...	,,	29.91	759.7	86	...	...	...	...	,,	30.00	762.9	81	...	...	...	...

On the 8th at 11.55 a.—The barometer has fallen considerably in E. Japan, and risen slightly over the Loochoos.

A depression, which appears to be moving towards N.E., is situated over E. Nippon.

The anticyclonic area is still central over the continent to the North of the Yangtze,

Gradients continue rather steep and hard monsoon may still be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh; fine.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 8th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th JANUARY. 1908, P.M.								9th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	N E	4	...	6 a.	30.01	762.1	...	...	W	4	...
Hakodate,	,,	29.93	760.2	...	...	N	2	...	,,	30.17	766.2	...	...	N W	8	...
Tokio,	,,	29.87	758.6	...	...	S	2	...	,,	29.26	768.6	...	...	N W	4	...
Kochi,	,,	30.23	767.8	...	...	N W	6	...	,,	30.50	774.8	...	...	S W	4	...
Nagasaki,	,,	30.43	772.8	...	...	N W	10	...	,,	30.47	773.8	...	...	N	2	...
Kagoshima,	,,	30.39	771.9	...	...	N	8	...	,,	30.55	775.9	...	...	N W	2	...
Ishima,	,,	30.40	772.1	...	...	N	6	...	,,	30.48	774.1	...	...	S	2	...
Naha,	,,	30.40	772.2	...	...	N	8	...	,,	30.44	773.2	...	...	N E	4	...
Ishigakijima,	,,	30.37	771.3	...	...	N E	6	...	,,	30.41	772.3	...	...	N E	8	...
Bonin Is.	,,	30.08	764.1	...	...	E	2	...	,,	30.28	769.1	...	...	N	4	...
Chefoo,	3 p.	30.54	775.7	...	...	N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.56	776.2	29	...	W	2	b	9 a.	30.54	775.7	26	...	W	0	mur
Tankow,	,,	30.67	779.0	44	60	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.65	778.5	42	58	N E	1	b	,,	30.58	776.7	28	88	N E	1	b
Shanghai,	,,	30.62	777.7	38	54	...	0	c	9 a.	30.58	776.7	38	72	S E	1	b
Dutzlaff,	,,	30.58	776.7	42	66	N W	2	cv	,,	30.54	775.7	47	70	N N E	1	bv
Sharp Peak,	,,	30.47	773.9	51	79	E N E	5	c	,,	30.49	774.4	53	93	N N E	4	c
Amoy	,,	...	...	...	...	...	...	...	6 a.	30.37	771.4	54	87	N E	1	c
Swatow,	,,	30.35	770.9	58	70	E	1	o	,,	30.50	774.7	...	...	N	2	c
Taihoku,	1 p.	30.44	773.2	.	...	E	6	...	5 a.	30.43	772.8	...	...	E	6	...
Taichu,	,,	30.32	770.2	...	...	N	6	...	,,	30.35	770.8	...	...	...	0	...
Tainan,	,,	...	...	...	...	N	4	...	,,	30.33	770.4	...	...	N	2	...
Koshun	,,	30.29	769.4	...	...	N E	10	...	,,	30.29	769.4	...	...	N E	10	...
Pescadores,	,,	30.37	771.4	...	...	N	10	...	,,	30.34	770.6	...	...	N	10	...
Canton,	3 p.	30.42	772.6	59	48	N	1	b	9 a.	30.50	774.7	50	72	...	0	b
Hongkong,	4 p.	30.37	771.4	59	61	E S E	2	c	10 a.	30.46	773.7	57	58	E	2	b
Victoria Peak,	,,	...	...	...	...	E	0	...	,,	...	...	...	...	E N E	3	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.38	771.6	59	...	N E	2	c	,,	30.45	773.4	59	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.34	770.7	64	...	S S E	2	c	8 a.	30.41	772.5	75	...	N E	4	c
Tourane,	,,	30.26	768.6	68	...	N E	4	or	,,	30.33	770.3	70	...	S E	2	o
Cape St. James,	,,	30.00	762.0	79	...	E N E	5	c	,,	30.08	764.0	77	...	N E	4	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	30.04	763	82	63	W	1	c	10 a.	30.16	766	81	62	E	0	c
Legaspi,	2 p.	30.02	762.5	77	...	N E	6	o	6 a.	30.06	763.6	77	...	W	2	o
Iloilo,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Sabuan,	,,	29.96	761.0	85	...	N	3	b	,,	30.06	763.5	79	...	N	1	od
	,,	29.93	760.2	84	...	...	...	...	,,	30.01	762.2	83	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen in Japan, the depression having moved away over the Pacific.

The anticyclonic area now covers China and Japan, but pressure is giving way over North China and gradients have decreased along the coast.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
—Formosa Channel,	N.E. winds, strong.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 9th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JANUARY, 1908, P.M.								10th JANUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	N W	8	...	6 a.	30.36	771.1	...	...	...	0	...
Hakodate,	,,	30.28	769.2	...	...	W	10	...	,,	30.44	773.2	...	...	N W	2	...
Tokio,	,,	30.38	771.6	...	...	N W	6	...	,,	30.50	774.6	...	...	N W	4	...
Kochi,	,,	30.46	773.8	...	...	S E	2	...	,,	30.54	775.8	...	...	S W	6	...
Nagasaki,	,,	30.50	774.8	...	...	S E	4	...	,,	30.54	775.8	...	...	S E	2	...
Kagoshima,	,,	30.51	774.9	...	...	E	2	...	,,	30.55	776.9	...	...	N E	2	...
Oshima,	,,	30.48	774.1	...	...	N	6	...	,,	30.52	775.1	...	...	S	4	...
Naha,	,,	30.44	773.2	...	...	N	4	...	,,	30.44	773.2	...	...	N E	2	...
Ishigakijima,	,,	30.37	771.3	...	...	E	8	...	,,	30.41	772.3	...	...	N E	3	...
Bonin Is.	,,	30.32	770.1	...	...	N	4	...	,,	30.40	772.1	...	...	N	4	...
Chefoo,	3 p.	30.50	774.7	36	70	N E	1	b	6 a.	30.50	774.7	22	100	...	0	b
Weihaiwei,	,,	30.51	774.9	34	...	N W	1	o	9 a.	30.42	772.6	31	...	N E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.47	773.9	43	83	E	1	o
Kiukiang,	,,	30.52	775.2	51	51	N E	1	b	,,	30.48	774.2	37	91	...	0	b
Shanghai,	,,	30.48	774.2	50	58	S E	2	b	9 a.	30.50	774.7	46	84	S E	2	c
Gutzlaff,	,,	30.47	773.9	50	72	S S W	1	bv	,,	30.48	774.2	52	79	S S E	2	cv
Sharp Peak,	,,	30.41	772.4	55	87	N N E	2	o	,,	30.44	773.2	56	94	N N W	3	or
Amoy,	,,	30.33	770.4	57	75	N E	2	b	6 a.	30.36	771.1	58	88	...	0	c
Swatow,	,,	30.32	770.1	62	77	E S E	2	c	,,	30.31	769.9	57	87	N N E	1	c
Taihoku,	1 p.	30.35	771.0	..	...	E	8	...	5 a.	30.34	770.5	...	...	E	6	...
Taichu,	,,	30.30	769.5	...	...	S W	2	...	,,	30.33	770.4	...	...	...	0	...
Tainan,	,,	30.31	769.9	...	...	N	4	...	,,	30.35	770.9	...	...	N	2	...
Koshun	,,	30.30	769.5	...	...	N E	10	...	,,	30.30	769.5	...	...	N E	8	...
Pescadores,	,,	30.33	770.4	...	...	N	10	...	,,	30.34	770.5	...	...	N	6	...
Canton,	3 p.	30.35	770.9	63	78	N	1	b	9 a.	30.44	773.2	57	81	...	0	c
Hongkong,	4 p.	30.32	770.1	62	55	E	1	o	10 a.	30.39	771.9	63	62	E	3	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	5	...
Gap Rock,	,,	30.30	769.6	...	...	E	4	...	,,	30.34	770.6	...	...	N E	5	...
Macao,	,,	30.33	770.4	62	...	N E	1	c	,,	30.39	771.9	60	...	N	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.29	769.4	63	...	S E	2	c	8 a.	30.36	771.0	59	...	E N E	3	c
Tourane,	,,	30.24	768.0	73	..		2	c	,,	30.29	769.4	64	...	...	0	o
Cape St. James,	,,	30.00	761.9	81	...	E N E	4	c	,,	30.04	763.1	73	...	N E	3	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	30.08	764	81	70	...	0	o	10 a.	30.20	767	81	62	...	0	c
Legaspi,	2 p.	30.06	763.6	79	...	E	1	o	6 a.	30.10	764.5	75	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.96	761.0	83	...	N	2	o	,,	...	...	...	...	...	...	...
Labuan,	,,	29.92	759.9	85	...	...	...	...	,,	29.98	761.5	82	...	...	...	...

On the 10th at 11.55 a.—The barometer has fallen over China, and risen in Japan.

The anticyclone still covers China and Japan and adjacent seas, pressure being highest over W. Japan.

Gradients are slight, and moderate to fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 10th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Yemuro,	,,	30.16	766.1	...	...	S	4	...	6 a.	30.04	763.1	...	...	S W	4	...
Hakodate,	,,	30.24	768.2	...	...	N	2	...	,,	30.17	766.2	...	...	W	8	...
Tokio,	,,	30.34	770.6	...	...	S	2	...	,,	30.38	771.6	...	...	N W	4	...
Kochi,	,,	30.43	772.8	...	...	W	4	...	,,	30.43	772.8	...	...	S W	4	...
Nagasaki,	,,	30.50	774.8	...	...	S E	4	...	,,	30.35	770.8	...	...	S E	8	...
Kagoshima,	,,	30.51	774.9	...	...	N W	2	...	,,	30.43	772.9	...	...	N E	2	...
Oshima,	,,	30.48	774.1	...	...	N	4	...	,,	30.40	772.1	...	...	S	2	...
Naha,	,,	30.44	773.2	...	...	N E	4	...	,,	30.36	771.2	...	...	...	0	...
Ishigakijima,	,,	30.41	772.3	...	...	E	6	...	,,	30.33	770.3	...	...	S E	4	...
Bonin Is.	,,	30.36	771.1	...	...	N	2	...	,,	30.36	771.1	...	...	N	2	...
Chefoo,	3 p.	30.38	771.6	36	100	...	0	o	6 a.	30.30	769.6	30	100	...	0	b
Weihaiwei,	,,	30.34	770.6	39	...	E	1	o	9 a.	30.35	770.9	31	...	W	2	b
Hankow,	,,	30.50	774.7	52	66	N N E	1	o	6 a.	30.43	772.9	47	85	E	1	o
Kiukiang,	,,	30.43	772.9	53	61	E	1	b	,,	30.42	772.6	45	46	...	0	c
Shanghai,	,,	30.37	771.4	57	63	S S E	2	b	9 a.	30.40	772.1	45	76	N N E	1	om
Gutzlaff,	,,	30.33	770.4	53	80	S S E	2	cv	,,	30.35	770.9	47	93	N E	2	om
Sharp Peak,	,,	30.34	770.6	59	88	N	2	o	,,	30.34	770.6	64	95	...	0	c
Amoy,	,,	30.28	769.1	64	73	N N E	1	c	6 a.	30.25	768.3	58	81	...	0	b
Swatow,	,,	30.28	769.1	67	79	E S E	3	b	,,	30.28	769.1	54	87	N	2	c
Taihoku,	1 p.	30.31	769.9	..	...	E	6	...	5 a.	30.29	769.3	...	...	W	2	...
Taichu,	,,	30.31	769.8	...	...	N	2	...	,,	30.30	769.6	...	...	...	0	...
Tainan,	,,	30.31	769.8	...	...	W	6	...	,,	30.30	769.7	...	...	N	2	...
Koshun,	,,	30.32	770.0	...	...	N	6	...	,,	30.30	769.6	...	...	N	2	...
Pescadores,	,,	30.32	770.1	...	...	N	6	...	,,	30.30	769.5	...	...	N	2	...
Canton,	3 p.	30.34	770.6	61	88	N	1	o	9 a.	30.37	771.4	61	88	N	1	c
Hongkong,	4 p.	30.28	769.1	66	61	E	1	o	10 a.	30.34	770.6	65	72	E	3	b
Victoria Peak,	,,	...	...	...	...	E N E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	30.25	768.3	...	...	N E	5	...	,,	30.31	769.9	...	...	E N E	5	...
Macao,	,,	30.29	769.3	62	...	N	3	o	,,	30.33	770.4	66	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.26	768.4	68	...	S E	2	o	8 a.	30.33	770.3	61	...	N	3	b
Tourane,	,,	30.21	767.4	70	...	...	0	c	,,	30.28	769.0	68	...	N E	4	c
Cape St. James,	,,	29.96	761.1	81	...	E	2	c	,,	30.02	762.5	75	...	N N E	2	c
Aparri,	2 p.	30.21	767.4	77	...	N E	1	o	6 a.	30.20	767.0	70	...	E	1	b
Manila,	4 p.	30.08	764	79	61	N	3	o	10 a.	30.12	765	79	69	N N E	0	o
Legaspi,	2 p.	30.02	762.4	79	...	N E	1	o	6 a.	30.02	762.5	77	...	N E	1	o
Iloilo,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Cebu,	,,	29.93	760.2	84	...	N	1	b	,,	...	...	...	...	...	...	...
Labuan,	,,	29.88	758.9	86	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

On the 11th at 11.50 a.—The barometer has fallen generally, particularly over N. China and Japan.

Pressure is highest in a band lying over Central China and S. Japan. It is low to the N. of Japan, where a depression probably exists.

Gradients continue slight on the China coast, and light or moderate monsoon may be expected in the Formosa Channel and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
—Formosa Channel,	N.E. winds, light or moderate.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 11th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th JANUARY, 1908, P.M.								12th JANUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.08	764.1	...	...	N	6	...	6 a.	30.08	764.1	...	...	...	0	...
Hakodate,	,,	30.17	766.2	...	...	W	6	...	,,	30.09	764.2	...	...	...	0	...
Tokio,	,,	30.22	767.6	...	...	N	2	...	,,	30.26	768.6	...	...	...	0	...
Kochi,	,,	30.35	770.8	...	...	S W	2	...	,,	30.27	768.8	...	...	S W	4	...
Nagasaki,	,,	30.27	768.8	...	...	N W	2	...	,,	30.23	767.8	...	...	S	4	...
Kagoshima,	,,	30.31	769.9	...	...	...	0	...	,,	30.27	768.9	...	...	...	0	...
Oshima,	,,	30.32	770.1	...	...	S	4	...	,,	30.28	769.1	...	...	S	4	...
Naha,	,,	30.32	770.2	...	...	E	4	...	,,	30.25	768.2	...	...	...	0	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	4	...	,,	30.21	767.3	...	...	S E	6	...
Bonin Is.	,,	30.32	770.1	...	...	N	2	...	,,	30.32	770.1	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.04	763.0	37	81	...	0	b
Weihaiwei,	,,	30.20	767.1	38	...	W	1	b	9 a.	30.04	763.0	36	...	W	0	f
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.13	765.3	51	93	E	1	o
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.24	768.1	54	55	S E	1	om	9 a.	30.13	765.3	48	100	S	1	of
Gutzlaff,	,,	30.26	768.6	49	85	N E	1	om	,,	30.12	765.0	52	100	S	3	f
Sharp Peak,	,,	30.22	767.6	65	95	E	1	b	,,	30.20	767.1	66	100	N	0	b
Amoy	,,	30.22	767.6	67	89	S E	2	b	6 a.	30.19	766.8	61	88	...	0	b
Swatow,	,,	30.17	766.3	70	75	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.26	768.6	..	...	N W	4	...	5 a.	30.17	766.3	...	...	E	2	...
Taichu,	,,	30.26	768.7	...	...	N W	2	...	,,	30.19	766.7	...	...	...	0	...
Tainan,	,,	30.24	768.2	...	...	N	2	...	,,	30.20	767.1	...	...	...	0	...
Koshun	,,	30.25	768.3	...	...	E	6	...	,,	30.15	765.8	...	...	E	6	...
Pescadores,	,,	30.28	769.2	...	...	N	6	...	,,	30.21	767.2	...	...	N	2	...
Canton,	3 p.	30.22	767.6	72	62	E	1	b	9 a.	30.22	767.6	62	83	...	0	b
Hongkong,	4 p.	30.19	766.8	68	54	E	2	c	10 a.	30.21	767.3	67	62	E	3	b
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E S E	3	...
Gap Rock,	,,	30.17	766.3	...	...	E N E	4	...	,,	30.18	766.6	...	...	E N E	4	...
Macao,	,,	30.14	765.5	66	...	E S E	1	c	,,	30.20	767.1	69	...	E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.16	766.0	73	...	S S W	1	b	8 a.	...	...	..	...	...	...	...
Tourane,	,,	30.14	765.6	72	...	W N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.92	759.9	81	...	N N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.14	765.6	77	...	E	1	d	6 a.	30.16	766.0	64	...	E	0	b
Manila,	4 p.	30.00	762	84	62	E	1	c	10 a.	30.04	763	81	70	N E	1	c
Legaspi,	2 p.	29.98	761.4	77	...	N E	1	o	6 a.	29.98	761.5	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.89	759.2	83	...	N	2	o	,,	...	...	...	...	...	...	...
Labuan,	,,	29.87	758.7	85	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 12th at 11.50 a.—Pressure continues to give way at all stations, the decrease being very considerable over N. China. Probably a depression exists over S. Manchuria.

The highest pressure is now situated over the Pacific to the S. of Japan,

Gradients continue slight over China, and the monsoon is temporarily interrupted along the coast. Light to moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate or light; fine.
2.—Formosa Channel,	E. to S.E. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 12th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th JANUARY, 1908, P.M.								13th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
emuro, ...	,,	29.93	760.1	...	...	E	2	...	6 a.	29.61	752.1	...	...	S W	6	...
akodate, ...	,,	29.85	758.2	...	...	S W	4	...	,,	29.69	754.2	...	...	S W	6	...
okio, ...	,,	30.10	764.6	...	...	S	2	...	,,	29.95	760.6	...	...	...	0	...
ochi, ...	,,	30.19	766.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2	...
agasaki, ...	,,	30.15	765.8	...	...	W	4	...	,,	30.07	763.8	...	...	S W	6	...
agoshima, ...	,,	30.19	766.9	...	...	...	0	...	,,	30.12	764.9	...	...	S	2	...
shima, ...	,,	30.24	768.1	...	...	S	4	...	,,	...	...	...	...	...	...	...
aha, ...	,,	30.20	767.2	...	...	S E	2	...	,,	30.17	766.2	...	...	...	0	...
higakijima, ...	,,	30.17	766.3	...	...	S E	6	...	,,	30.09	764.3	...	...	S E	6	...
onin Is.....	,,	30.28	769.1	...	...	E	2	...	,,	30.28	769.1	...	...	...	0	...
hefoo.....	3 p.	29.96	761.0	50	65	N	1	b	6 a.	30.19	766.8	30	88	N W	5	b
eihaiwei,.....	,,	29.93	760.2	40	...	W	0	b	9 a.	30.32	770.1	26	...	E	2	ovr
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.12	765.0	54	80	N E	2	o
iukiang.....	,,	30.05	763.2	66	73	W	1	o	,,	30.02	762.5	56	100	...	0	o
hanghai, ...	,,	29.99	761.7	63	72	S	...	o	9 a.	30.05	763.2	55	94	N E	1	ov
utzlaff, ...	,,	29.99	761.7	58	88	S	2	ov	,,	30.02	762.5	58	88	S S W	1	ovr
harp Peak,.....	,,	30.09	764.3	66	95	S S E	2	b	,,	30.14	765.5	59	100	S	1	c
moy.....	,,	30.10	764.5	63	94	S	4	f	6 a.	30.05	763.2	52	86	S W	1	f
watow, ...	,,	30.10	764.5	67	74	E	2	b	,,	30.03	762.7	58	94	S E	1	c
aihoku.....	1 p.	30.13	765.3	.	...	W	2	...	5 a.	30.11	764.7	...	...	...	0	...
aichu, ...	,,	30.14	765.6	...	...	W	2	...	,,	30.13	765.3	...	...	...	0	...
ainan,.....	,,	30.15	765.8	...	...	N	6	...	,,	30.11	764.8	...	...	N E	2	...
oshun.....	,,	30.13	765.3	...	...	N	4	...	,,	30.07	763.7	...	...	E	4	...
escadores, ...	,,	30.19	766.7	...	...	N	2	...	,,	30.10	764.4	...	...	N	4	...
anton.....	3 p.	30.05	763.2	70	95	W	1	b	9 a.	30.14	765.5	64	93	...	0	o
ongkong, ...	4 p.	30.08	764.0	65	72	E	3	c	10 a.	30.15	765.8	66	94	E	1	of
ictoria Peak,...	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S S E	1	...
ap Rock,.....	,,	30.06	763.5	...	...	E N E	3	...	,,	30.12	765.0	...	...	E N E	3	...
acao, ...	,,	30.08	764.0	66	...	S E	1	c	,,	30.15	765.8	66	...	S E	1	o
oihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,.....	4 p.	30.01	762.3	68	...	S E	4	c	8 a.	30.08	763.9	66	...	S S E	2	o
urane, ...	,,	30.05	763.2	75	...	...	0	b	,,	30.10	764.6	70	...	...	0	c
pe St. James,.	,,	29.91	759.8	82	...	E N E	2	c	,,	29.97	761.2	75	...	N E	2	c
arri, ...	2 p.	30.03	762.8	79	...	E	1	o	6 a.	30.08	763.9	72	...	S E	0	d
anila, ...	4 p.	29.92	760	86	53	E	1	c	10 a.	30.04	763	75	92	E N E	1	o
gaspi, ...	2 p.	29.93	760.1	84	...	E	1	b	6 a.	29.97	761.2	77	...	N E	1	c
colod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
bilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
bu, ...	,,	29.87	758.7	85	...	S	1	b	,,	...	...	...	...	...	...	...
buan, ...	,,	29.82	757.4	86	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 13th at 11.55 a.—The barometer has fallen rapidly over N.E. Japan owing to the depression which is moving Eastwards to the North of Hokkaido.

Pressure has increased on the N.E. coast of China, and decreased in S. China. It continues relatively high over the Pacific to the S. of Japan.

Light to moderate variable winds may be expected in the Formosa Channel, and light monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. or variable winds, light to moderate; cloudy, misty.
Formosa Channel, ...	Variable winds, light to moderate.
South coast of China between Hongkong and Lamocks,...	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 13th January, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.45	748.1	...	...	W	2	...	6 a.	29.81	757.1	...	...	N	2	...
Hakodate,	,,	29.73	755.2	...	...	W	8	...	,,	30.01	762.2	...	...	N W	6	...
Tokio,	,,	29.71	754.6	...	...	S W	8	...	,,	29.95	760.6	...	...	N	2	...
Kochi,	,,	29.99	761.8	...	...	E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.99	761.8	...	...	W	8	...	,,	30.07	763.8	...	...	N	4	...
Kagoshima,	,,	30.04	762.9	...	...	S W	6	...	,,	30.04	762.9	...	...	N W	4	...
Oshima,	,,	30.08	764.1	...	...	S	6	...	,,	30.03	764.1	...	...	S W	2	...
Naha,	,,	30.09	764.2	...	...	S	4	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	S	4	...	,,	30.09	764.3	...	...	N W	2	...
Bonin Is.	,,	30.16	766.1	...	...	S E	4	...	,,	30.12	765.1	...	...	N	2	...
Chefoo,	3 p.	30.34	770.6	30	88	N	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.33	770.4	29	...	N	2	b	9 a.	30.49	774.4	26	...	E N E	3	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.12	765.0	53	93	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.08	764.0	49	100	N N W	3	omv	9 a.	30.34	770.6	43	75	N E	2	od
Gutzlaff,	,,	29.99	761.7	51	93	N N E	4	f	,,	30.25	768.3	47	77	N E	4	om
Sharp Peak,	,,	30.01	762.2	64	100	...	0	b	,,	30.20	767.1	69	88	N E	4	c
Amoy,	,,	30.03	762.7	64	84	S	3	b	6 a.	30.05	763.2	62	94	...	0	b
Swatow,	,,	29.99	761.7	78	74	...	0	b	,,	30.04	763.0	64	95	...	0	dh
Taihoku,	1 p.	30.06	763.6	..	...	...	0	...	5 a.	30.11	764.8	...	...	S	2	...
Taichu,	,,	30.06	763.5	...	...	W	2	...	,,	30.14	765.6	...	...	N E	2	...
Tainan,	,,	30.07	763.8	...	...	W	4	...	,,	30.09	764.3	...	...	N	2	...
Koshun,	,,	30.06	763.5	...	...	E	6	...	,,	30.06	763.5	...	...	...	0	...
Pescadores,	,,	30.09	764.3	...	...	N W	4	...	,,	30.08	764.0	...	...	E	4	...
Canton,	3 p.	30.03	762.7	75	68	...	0	b	9 a.	30.16	766.0	67	89	...	0	o
Hongkong,	4 p.	30.02	762.5	67	88	E	2	c	10 a.	30.15	765.8	69	84	S E	1	o
Victoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S S E	1	...
Gap Rock,	,,	30.00	762.0	...	...	E N E	3	...	,,	30.12	765.0	...	...	E N E	2	...
Macao,	,,	30.03	762.7	68	...	S E	1	c	,,	30.13	765.3	67	...	N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	760.9	70	...	S E	5	c	8 a.	30.07	763.8	66	...	E S E	2	c
Tourane,	,,	29.98	761.6	75	...	...	0	c	,,	30.08	763.9	70	...	...	0	b
Cape St. James,	,,	29.87	758.7	82	...	N E	1	c	,,	29.97	761.2	75	...	N E	3	c
Aparri,	2 p.	30.00	762.0	82	...	E	1	b	6 a.	30.04	762.9	72	...	S E	0	o
Manila,	4 p.	29.92	760	82	77	N W	1	c	10 a.	30.00	762	81	76	N	1	c
Legaspi,	2 p.	29.91	759.8	86	...	E	1	b	6 a.	29.96	760.9	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.88	758.9	82	...	N	1	c	,,	...	...	...	...	...	...	...
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.86	758.4	82	...	...	...	...

On the 14th at 11.55 a.—The depression has moved into the Pacific to the N.E. Japan.

The barometer has risen considerably and is again high over N. China.

Gradients are steeper, and the monsoon is expected to freshen in the Formosa Channel, and the N. part of the China Sea during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening; cloudy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 14th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th JANUARY, 1908, P.M.								15th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro, ...	,,	29.89	759.1	...	...	N W	6	...	6 a.	30.12	765.1	...	...	N	2	...
kodate, ...	,,	39.09	764.2	...	...	W	8	...	,,	30.14	765.2	...	...	...	0	...
io, ...	,,	30.02	762.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N W	2	...
chi, ...	,,	29.99	761.8	...	...	N	4	...	,,	29.99	761.8	...	...	...	0	...
gasaki, ...	,,	30.07	763.8	...	...	N	2	...	,,	29.99	761.8	...	...	...	0	...
goshima, ...	,,	30.04	762.9	...	...	W	2	...	,,	30.00	761.9	...	...	N W	2	...
hima, ...	,,	30.08	764.1	...	...	N	2	...	,,	30.04	763.1	...	...	...	0	...
ha, ...	,,	30.09	764.2	...	...	W	2	...	,,	30.05	763.2	...	...	...	0	...
igakijima, ...	,,	30.09	764.3	...	...	S E	6	...	,,	30.05	763.3	...	...	N	2	...
min Is.....	,,	30.04	763.1	...	...	S	4	...	,,	30.04	763.1	...	...	...	0	...
efoo, ...	3 p.	29.41	772.4	23	100	N E	3	o	6 a.	...	...	...	...	...	...	...
eihaiwei, ...	,,	30.38	771.6	...	...	N E	2	o	9 a.	...	...	26	...	W	3	o
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.43	774.2	32	90	N W	2	o
iukiang, ...	,,	30.25	768.3	40	100	N E	3	or	,,	30.41	772.4	36	90	N E	4	o
anghai, ...	,,	30.19	766.8	43	83	N E	2	om	9 a.	30.32	770.1	39	82	N N W	2	o
utzlaff, ...	,,	30.16	766.0	47	77	N E	3	om	,,	30.29	769.3	42	83	N	3	ov
arp Peak, ...	,,	30.15	765.8	60	82	N E	4	o	,,	30.22	767.6	60	94	N E	1	c
moy.....	,,	30.07	763.8	68	85	S	3	b	6 a.	30.06	763.5	59	88	...	0	c
watow, ...	,,	30.03	762.7	67	89	E	2	o	,,	30.04	763.0	59	94	E S E	1	dh
aihoku.....	1 p.	30.08	764.1	..	...	N E	6	...	5 a.	30.09	764.2	...	...	...	0	...
aichu, ...	,,	30.06	763.5	...	...	N W	4	...	,,	30.09	764.3	...	...	...	0	...
ainan, ...	,,	30.08	764.0	...	...	N W	6	...	,,	30.07	763.7	...	...	N	4	...
oshun.....	,,	30.04	763.1	...	...	E	6	...	,,	30.05	763.2	...	...	...	0	...
escadores, ...	,,	30.11	764.8	...	...	N	8	...	,,	30.08	764.0	...	...	N	6	...
anton, ...	3 p.	30.05	763.2	75	64	S E	1	b	9 a.	30.13	765.3	66	95	...	0	c
ongkong, ...	4 p.	30.04	763.0	71	83	E	2	c	10 a.	30.15	765.8	68	84	E	2	o
ictoria Peak,...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	S E	1	...
p Rock, ...	,,	30.04	763.0	...	...	N E	2	...	,,	30.12	765.0	...	...	E N E	3	...
acao, ...	,,	30.03	762.7	70	...	E S E	1	c	,,	30.12	765.0	67	...	E S E	1	of
oihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	30.01	762.3	73	...	S S E	3	c	8 a.	30.10	764.6	66	...	E S E	1	o
urane, ...	,,	29.99	761.7	75	...	S E	2	c	,,	30.10	764.5	68	...	N W	1	o
pe St. James,.	,,	29.84	757.9	84	...	...	2	c	,,	29.93	760.2	75	...	W S W	2	c
arri, ...	2 p.	29.99	761.7	81	...	E	1	o	6 a.	30.02	762.4	72	...	S	0	b
nila, ...	4 p.	29.92	760	84	64	N N W	1	c	10 a.	30.00	762	79	69	...	0	b
gaspi, ...	2 p.	29.91	759.6	82	...	S	1	c	6 a.	29.95	760.8	75	...	N E	1	b
colod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
bu, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
buan, ...	,,	29.77	756.1	88	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 15th at 11.45 a.—The barometer has risen moderately over E. Japan and Central China, and fallen lightly over S.W. Japan and the Loochoos.

An area of high pressure lies over China to the North of the Upper Yangtze, and a shallow depression is situated over S.W. Japan.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. to N. winds, moderate to fresh ; cloudy, misty.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 15th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JANUARY, 1908, P.M.								16th JANUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.04	763.1	...	...	...	0	...	6 a.	29.77	756.1	...	...	S E	8	...
Hakodate,	,,	29.93	760.2	...	...	N	2	...	,,	29.65	753.2	...	...	N	6	...
Tokio,	,,	29.94	760.6	...	...	N W	4	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	...	0	...	,,	29.99	761.8	...	...	W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N W	8	...	,,	30.15	765.8	...	...	N	4	...
Kagoshima,	,,	29.96	760.9	...	...	N W	4	...	,,	30.12	764.9	...	...	N	4	...
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	30.08	764.1	...	...	N	4	...
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	30.09	764.2	...	...	N E	6	...
Ishigakijima,	,,	30.01	762.3	...	...	W	4	...	,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	29.96	761.1	...	...	S	6	...	,,	29.97	766.1	...	...	S E	2	...
Chefoo,	3 p.	30.24	768.1	32	100	W N W	4	o	6 a.	30.25	768.3	25	74	E N E	2	s
Weihaiwei,	,,	30.25	768.3	28	...	N	3	s	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.39	771.9	36	90	S E	2	b
Kiukiang,	,,	30.37	771.4	39	82	N W	3	o	,,	30.34	770.6	31	100	...	0	b
Shanghai,	,,	30.27	768.8	40	74	N N W	3	o	9 a.	30.35	770.9	37	71	...	0	o
Gutzlaff,	,,	30.25	768.3	41	74	N N W	3	ov	,,	30.33	770.4	40	78	N	1	om
Sharp Peak,	,,	30.10	764.5	57	81	N E	5	dh	,,	30.25	768.3	54	30	N E	4	o
Amoy,	,,	30.04	763.0	61	88	S E	3	o	6 a.	30.11	764.8	56	87	E N E	2	o
Swatow,	,,	29.97	761.2	69	85	...	0	c	,,	30.06	763.5	58	88	EN E	2	o
Taiboku,	1 p.	30.09	764.3	..	...	N W	2	...	5 a.	30.13	765.4	...	...	E	4	...
Taichu,	,,	30.04	763.0	...	...	N	4	...	,,	30.07	763.8	...	...	...	0	...
Tainan,	,,	30.05	763.3	...	...	N	6	...	,,	30.07	763.8	...	...	N	4	...
Koshun	,,	30.02	762.6	...	...	S	4	...	,,	30.03	762.8	...	...	N E	6	...
Pescadores,	,,	30.06	763.4	...	...	N W	8	...	,,	30.08	764.1	...	...	N E	8	...
Canton,	3 p.	30.05	763.2	75	68	S	1	c	9 a.	...	...	55	87	N W	1	or
Hongkong,	4 p.	30.06	763.2	66	85	E	1	o	10 a.	30.18	766.6	63	88	E	3	o
Victoria Peak,	,,	...	...	...	...	S S W	0	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.03	762.7	...	...	E N E	3	...	,,	30.15	765.8	...	...	N E	2	...
Macao,	,,	30.04	763.0	67	...	S E	1	c	,,	30.17	766.3	63	...	N N W	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.04	762.9	70	...	S E	3	c	8 a.	30.12	765.1	64	...	S S E	2	o
Tourane,	,,	30.00	761.9	77	...	N E	1	b	,,	30.09	764.3	70	...	...	0	or
Cape St. James,	,,	29.83	757.7	82	...	E N E	2	c	,,	29.90	759.4	75	...	N E	3	o
Aparri,	2 p.	29.95	760.8	82	...	N E	1	b	6 a.	30.01	762.3	68	...	S	0	b
Manila,	4 p.	29.88	759	84	58	S S E	2	b	10 a.	30.00	762	75	84	N W	0	b
Legaspi,	2 p.	29.87	758.6	86	...	E	1	b	6 a.	29.90	759.5	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.97	761.2	81	...	...	...	...

On the 16th at 12.05 p.—The barometer has fallen quickly in E. Japan owing to the depression which is moving to the N.E. off S. Hokkaido.

Pressure has increased moderately to slightly over W. Japan and S. China respectively. It is highest over the Lower Yangtze.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; drizzling rain or mist.
2.—Formosa Channel,	N.E. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 16th January, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
adivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
nuro, ...	,,	29.65	753.1	...	...	S E	8	...	6 a.	...	...	...	...	W	10	...
kodate, ...	,,	29.73	755.2	...	...	N W	10	...	,,	30.05	763.2	...	...	W	8	...
io, ...	,,	29.83	757.6	...	...	S	2	...	,,	30.06	763.6	...	...	...	0	...
chi, ...	,,	30.03	762.8	...	...	N	6	...	,,	30.27	768.8	...	...	S W	4	...
gasaki, ...	,,	30.19	766.8	...	...	N	6	...	,,	30.27	768.8	...	...	S E	4	...
goshima, ...	,,	30.11	764.9	...	...	N W	6	...	,,	30.27	768.9	...	...	N	2	...
hima, ...	,,	...	...	...	...	...	...	...	,,	30.24	768.1	...	...	N E	2	...
ha, ...	,,	...	...	...	...	...	...	...	,,	30.17	766.2	...	...	N E	6	...
igakijima, ...	,,	30.09	764.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	6	...
nin Is.....	,,	29.96	761.1	...	...	S W	4	...	,,	30.08	764.1	...	...	N W	2	...
efoo, ...	3 p.	30.39	771.9	22	100	E N E	4	s	6 a.	...	...	24	100	S E	4	o
eihaiwei, ...	,,	30.38	771.6	20	...	N E	3	s	9 a.	30.26	768.6	20	...	N E	3	s
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	30.32	770.1	39	100	E	1	b
ukiang, ...	,,	30.23	769.1	49	71	N E	0	b	,,	30.31	769.9	34	100	...	0	b
anghai, ...	,,	30.27	768.8	43	59	S S E	1	...	9 a.	30.25	768.3	42	66	S E	...	o
tzlaff, ...	,,	30.21	767.3	48	71	N	1	cv	,,	30.29	769.3	45	84	N N E	1	ov
arp Peak, ...	,,	30.18	766.6	54	80	N E	4	c	,,	30.24	768.1	55	94	N	2	c
ncy.....	,,	30.11	764.8	60	88	E	3	o	6 a.	30.10	764.5	57	87	...	0	o
watow, ...	,,	30.08	764.0	60	82	E	2	o	,,	30.06	763.5	57	94	E	1	o
ihoku, ...	1 p.	30.13	765.2	..	...	E	6	...	5 a.	30.12	765.0	...	...	E	6	...
ichu, ...	,,	30.08	764.1	...	...	N	6	...	,,	30.10	764.5	...	...	...	0	...
inan, ...	,,	30.07	763.7	...	...	N	4	...	,,	30.09	764.3	...	...	N	4	...
shun.....	,,	30.09	764.3	...	...	N E	6	...	,,	30.07	763.7	...	...	N	4	...
scadores, ...	,,	30.11	764.9	...	...	N	8	...	,,	30.09	764.3	...	...	N W	8	...
nton, ...	3 p.	30.14	765.5	59	82	N	1	o	9 a.	...	...	...	...	...	...	...
ngkong, ...	4 p.	30.09	764.3	63	81	E	3	o	10 a.	30.20	767.1	63	80	E	2	o
ctoria Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	2	...
p Rock, ...	,,	30.05	763.2	...	...	E N E	4	...	,,	30.18	766.6	...	...	E N E	4	...
cao, ...	,,	30.09	764.3	63	...	N	1	odf	,,	30.21	767.3	61	...	N	2	of
ihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	30.06	763.6	64	...	W S W	2	o	8 a.	30.15	765.9	59	...	N N E	2	or
rane, ...	,,	30.02	762.5	77	...	...	0	o	,,	30.11	764.8	70	...	...	0	or
e St. James,.	,,	29.83	757.7	81	...	N E	4	c	,,	29.94	760.4	77	...	N E	4	o
rri, ...	2 p.	29.97	761.3	81	...	N E	1	c	6 a.	30.04	762.9	72	...	E	1	d
nila, ...	4 p.	29.88	759	84	64	...	0	o	10 a.	30.00	762	81	69	N	1	o
aspi, ...	2 p.	29.88	759.0	82	...	N E	1	o	6 a.	29.93	760.2	72	...	...	0	c
olod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
lo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
u, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
uan, ...	,,	29.79	756.6	83	...	...	...	...	,,	29.96	761.0	82	...	...	...	...

On the 17th at 11.55 a.—The barometer has risen considerably over Japan the depression lying over Hokkaido yesterday, having moved into the Pacific.

Pressure has given way over the Yangtze. It is highest between N. China and the Sea of Japan.

Moderate to fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate; fair.
Formosa Channel, ...	N.E. winds, moderate to fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 17th January, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th JANUARY, 1908, P.M.								18th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.93	760.1	...	...	N W	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.09	764.2	...	...	W	8	...	,,	30.17	766.2	...	...	N	2	...
Tokio,	,,	30.10	764.6	...	...	S	4	...	,,	30.22	767.6	...	...	N W	3	...
Kochi,	,,	30.23	767.8	...	...	S	2	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	S E	6	...	,,	30.19	766.8	...	...	S E	4	...
Kagoshima,	,,	30.23	767.9	...	...	E	2	...	,,	30.19	766.9	...	...	N E	2	...
Oshima,	,,	30.20	767.1	...	...	N	2	...	,,	30.12	765.1	...	...	S	3	...
Naha,	,,	30.20	767.2	...	...	E	6	...	,,	30.09	764.2	...	...	N E	6	...
Ishigakijima,	,,	30.05	763.3	...	...	E	8	...	,,	30.01	762.3	...	...	N E	6	...
Bonin Is.	,,	30.12	765.1	...	...	N E	4	...	,,	30.20	767.1	...	...	E	4	...
Chefoo,	3 p.	30.07	763.8	34	100	S S E	1	o	6 a.	30.05	763.2	30	88	...	0	o
Weihaiwei,	,,	30.08	764.0	30	...	S E	2	o	9 a.	30.07	763.8	31	...	W N W	1	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.13	765.3	41	92	E S E	2	b
Kiukiang,	,,	30.23	767.8	47	85	...	0	o	,,	30.14	765.5	43	92	...	0	o
Shanghai,	,,	30.13	765.3	53	67	S	2	c	9 a.	30.08	764.0	45	100	S W	1	b
Gutzlaff,	,,	30.15	765.8	54	74	S	1	bv	,,	30.03	764.0	51	86	S W	2	bn
Sharp Peak,	,,	30.14	765.5	73	76	...	0	or	,,	30.14	765.5	59	100	...	0	c
Amoy,	,,	30.12	765.0	64	78	S E	3	c	6 a.	30.12	765.0	58	88	...	0	b
Swatow,	,,	30.07	763.8	67	79	S S E	1	c	,,	...	...	...	...	...	...	...
Taihoku	1 p.	30.09	764.3	..	...	E	6	...	5 a.	30.10	764.4	...	...	...	0	...
Taichu,	,,	30.00	762.0	...	...	N W	2	...	,,	30.09	764.3	...	...	E	2	...
Tainan,	,,	30.09	764.3	...	...	N	6	...	,,	30.09	764.3	...	...	N	4	...
Koshun	,,	30.06	763.4	...	...	N W	4	...	,,	30.05	763.2	...	...	...	0	...
Pescadores,	,,	30.11	764.9	...	...	N	8	...	,,	30.09	764.2	...	...	N	6	...
Canton,	3 p.	30.12	765.0	61	88	...	0	o	9 a.	30.14	765.5	61	94	...	0	b
Hongkong,	4 p.	30.11	764.8	63	77	E	3	c	10 a.	30.14	765.5	66	72	E	2	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.08	764.0	...	...	E	4	...	,,	30.10	764.5	...	...	E N E	3	...
Macao,	,,	30.12	765.0	65	...	N E	1	o	,,	30.14	765.5	66	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.9	61	...	N N E	2	or	8 a.	30.08	764.1	63	...	N N E	2	or
Tourane,	,,	30.00	762.1	77	...	S	1	c	,,	30.07	763.7	72	...	...	0	c
Cape St. James,	,,	29.87	758.7	81	...	N E	4	c	,,	29.91	759.6	77	...	N E	4	c
Aparri,	2 p.	29.98	761.4	81	...	E	1	b	6 a.	30.00	762.0	73	...	E	1	d
Manila,	4 p.	29.88	759	86	65	...	0	c	10 a.	29.96	761	82	70	N W	1	c
Legaspi,	2 p.	29.87	758.8	84	...	N E	1	o	6 a.	29.92	760.0	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.89	759.2	80	...	...	...	...

On the 18th at 11.50 a.—The barometer has risen moderately in E. Japan, and fallen considerably over N. China. A depression appears to be moving Eastwards over S. Manchuria, and pressure is now highest over S. Japan, The monsoon is temporarily interrupted in the North. Light or moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate to light; fair.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 18th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
adivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro, ...	,,	30.00	762.1	...	...	W	4	...	6 a.	...	...	...	...	...	..	...
kodate, ...	,,	30.09	764.2	...	...	N	2	...	,,	...	...	...	...	...	...	...
kio, ...	,,	30.02	762.6	...	...	S	4	...	,,	...	...	...	...	...	...	...
chi, ...	,,	30.11	764.8	...	...	E	2	...	,,	...	...	...	...	...	...	...
gasaki, ...	,,	30.07	763.8	...	...	S	4	...	,,	...	...	...	...	...	...	...
goshima, ...	,,	30.07	763.9	...	...	...	0	...	,,	...	...	...	...	...	...	...
hima, ...	,,	30.04	763.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
ha, ...	,,	30.05	763.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
igakijima, ...	,,	30.01	762.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
nin Is.....	,,	30.12	765.1	...	...	E	4	...	,,	...	...	...	...	...	...	...
efoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	30.04	763.0	27	88	N W	2	o
eihaiwei,.....	,,	30.00	762.0	33	...	E N E	1	o	9 a.	...	...	...	...	...	...	...
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	29.95	760.7	49	93	E	1	b
iukiang,.....	,,	30.05	763.2	57	75	S W	1	c	,,	...	...	47	100	...	0	b
anghai, ...	,,	29.97	761.2	63	57	S S W	1	b	9 a.	29.96	761.0	54	87	S	1	b
atzlaff, ...	,,	30.00	762.0	58	70	S W	1	bm	,,	29.93	761.5	58	81	S	2	bm
arp Peak,.....	,,	30.03	762.7	...	...	...	0	...	,,	30.05	763.2	60	100	N	1	b
noy.....	,,	30.00	762.0	65	73	...	0	b	6 a.	30.04	763.0	61	82	S W	1	c
atow, ...	,,	29.98	761.5	69	75	...	0	b	,,	30.01	762.2	58	94	...	0	c
iboku.....	1 p.	30.04	762.9	..	...	N W	4	...	5 a.	30.02	762.5	...	...	W	2	...
ichu, ...	,,	30.02	762.6	...	...	N	4	...	,,	30.04	763.0	...	...	...	0	...
inan,.....	,,	30.04	762.9	...	...	N	4	...	,,	30.02	762.6	...	...	N E	...	...
oshun.....	,,	30.02	762.5	...	...	N W	6	...	,,	30.01	762.1	...	...	...	0	...
scadores, ...	,,	30.06	763.5	...	...	N	6	...	,,	30.02	762.5	...	...	...	0	...
nton,.....	3 p.	30.05	763.2	68	74	...	0	o	9 a.	30.04	763.0	63	94	E	1	c
ngkong, ...	4 p.	30.04	763.0	66	72	E	3	c	10 a.	30.07	763.8	67	78	E	2	b
ctoria Peak,...	,,	...	...	...	...	W	1	...	,,	...	...	...	...	S S E	...	...
p Rock,.....	,,	30.02	762.5	...	...	E N E	4	...	,,	30.05	763.2	...	...	E N E	2	...
cao, ...	,,	30.04	763.0	66	...	S E	1	c	,,	...	...	63	...	S E	1	c
ihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,.....	4 p.	30.00	762.0	63	...	N W	1	or	8 a.	30.03	762.7	63	...	E	1	or
rane, ...	,,	29.97	761.3	75	...	E	2	c	,,	30.03	762.8	73	...	...	0	o
e St. James,.	,,	29.83	757.8	82	...	E S E	3	c	,,	29.91	759.7	77	...	E N E	3	c
rri, ...	2 p.	29.94	760.4	81	...	N	1	o	6 a.	29.96	760.9	73	...	E	1	c
nila, ...	4 p.	29.88	759	81	76	...	0	o	10 a.	29.96	761	82	70	E	1	c
aspi, ...	2 p.	29.88	758.9	82	...	N E	1	b	6 a.	29.94	760.4	77	...	...	0	b
olod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
lo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
u, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
uan, ...	,,	29.77	756.1	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 19th at 12.05 p.—The barometer has fallen over S. Japan and China.

The depression in the North, has apparently moved into the N. part of the Sea of Japan. A new depression ppears to be developing over the Yangtze Valley.

Gradients are gentle and light variable winds may be expected in the Formosa Channel, and light monsoon over e China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	Variable winds, light; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 19th January, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JANUARY, 1908, P.M.								20th JANUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.32	770.2	31	...	N	8	o	7 a.	30.28	769.2	28	50	N	6	b
Nemuro,	,,	30.12	765.1	...	...	N	4	...	6 a.	30.01	762.1	...	...	N E	2	...
Hakodate,	,,	30.05	763.2	...	...	N	2	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	N E	2	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.99	761.8	...	...	S E	4	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	S W	6	...	,,	29.98	758.8	...	...	W	6	...
Kagoshima,	,,	30.04	762.9	...	...	S E	2	...	,,	29.92	759.9	...	...	...	0	...
Oshima,	,,	30.04	763.1	...	...	N	4	...	,,	29.97	761.1	...	...	S	4	...
Naha,	,,	30.01	762.2	...	...	S	2	...	,,	30.01	762.2	...	...	S	2	...
Ishigakijima,	,,	30.01	762.3	...	...	S	4	...	,,	30.01	762.3	...	...	...	0	...
Bonin Is.	,,	30.04	763.1	...	...	E	2	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	3 p.	30.04	763.0	...	...	N	4	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.04	763.0	24	...	N W	4	o	9 a.	30.31	769.9	15	...	N W	5	o
Hankow,	,,	29.92	759.9	52	79	N E	3	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.83	757.7	37	100	S W	3	b	,,	30.15	765.8	36	100	W	4	o
Shanghai,	,,	29.85	758.2	72	50	S	2	b	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.90	759.4	60	82	S S W	2	cm	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.94	760.5	61	100	S E	1	f	,,	30.07	763.8	62	100	...	0	c
Amoy,	,,	29.98	761.5	65	84	S S E	3	b	6 a.	30.00	762.0	63	89	...	0	b
Swatow,	,,	29.92	759.9	71	95	...	0	b	,,	29.96	761.0	60	94	S E	1	c
Taihoku,	1 p.	...	...	...	...	W	2	...	5 a.	30.04	763.0	...	...	...	0	...
Taichu,	,,	29.98	761.4	...	...	S	2	...	,,	30.05	763.2	...	...	...	0	...
Tainan,	,,	30.00	761.9	...	...	S	4	...	,,	30.00	762.0	...	...	N	4	...
Koshun,	,,	29.98	761.4	...	...	S W	2	...	,,	30.00	762.0	...	...	...	0	...
Pescadores,	,,	30.00	762.1	...	...	E	4	...	,,	30.02	762.5	...	...	N W	2	...
Canton,	3 p.	30.03	762.7	69	80	E	1	b	9 a.	30.13	765.3	65	89	...	0	c
Hongkong,	4 p.	29.97	761.2	72	60	W	1	c	10 a.	30.12	765.0	69	76	W S W	1	o
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	29.96	761.0	...	...	E N E	2	...	,,	30.12	765.0	...	...	N N E	2	...
Macao,	,,	29.97	761.2	67	...	S E	1	c	,,	30.12	765.0	70	...	E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.92	760.0	72	...	S S E	2	c	8 a.	30.06	763.5	66	...	E N E	2	c
Tourane,	,,	29.93	760.1	79	...	S E	2	c	,,	30.04	763.0	73	...	...	0	c
Cape St. James,	,,	29.84	757.9	79	...	N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.91	759.7	82	...	E	1	b	6 a.	29.99	761.7	72	...	S	1	b
Manila,	4 p.	29.84	758	86	59	S E	3	c	10 a.	30.04	763	82	63	N W	0	c
Legaspi,	2 p.	29.89	759.1	84	...	N E	1	b	6 a.	29.96	760.9	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.96	761.0	78	...	...	...	...

On the 20th at 12.10 p.—The barometer has risen over China, particularly in the North. It has fallen over Japan.

The depression is moving Eastwards in the S. part of the Sea of Japan, and a high pressure area now lies over China to the North of the Yangtze.

Strong monsoon is expected to set in again in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, light to fresh or strong; fair, colder.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 20th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
nuro, ...	,,	29.93	760.1	...	...	N	2	...	6 a.	29.77	756.1	...	...	N	8	...
kodate, ...	,,	29.85	758.2	...	...	N	2	...	,,	29.81	757.2	...	...	N W	6	...
io, ...	,,	29.63	752.6	...	...	N W	2	...	,,	29.75	755.6	...	...	N W	10	...
chi, ...	,,	29.76	755.8	...	...	E	2	...	,,	29.99	761.8	...	...	N W	4	...
gasaki, ...	,,	29.87	758.8	...	...	N W	10	...	,,	30.27	768.8	...	...	N	6	...
goshima, ...	,,	29.92	759.9	...	...	N W	8	...	,,	30.19	766.9	...	...	N W	6	...
hima, ...	,,	29.96	761.1	...	...	N W	4	...	,,	30.20	767.1	...	...	N	8	...
ha, ...	,,	30.01	762.2	...	...	S W	4	...	,,	30.21	767.2	...	...	N	8	...
igakijima, ...	,,	30.01	762.3	...	...	...	0	...	,,	30.25	768.3	...	...	N	6	...
nin Is.	,,	29.96	761.1	...	...	S E	2	...	,,	99.97	761.1	...	...	E	4	...
efoo, ...	3 p.	30.40	772.1	18	84	N W	6	c	6 a.	30.56	776.2	21	86	N W	3	o
eihaiwei, ...	,,	30.42	772.6	16	...	N W	3	o	9 a.	30.66	778.7	18	...	N W	1	ovs
nkow, ...	,,	30.51	774.9	46	54	N	2	o	6 a.	30.65	778.5	36	90	N	1	o
ukiang, ...	,,	30.47	773.9	41	83	N W	1	b	,,	30.64	778.2	34	79	N E	4	b
anghai, ...	,,	30.38	771.6	35	70	N N W	4	o	9 a.	30.65	778.5	34	...	N N W	2	o
tzlaff, ...	,,	...	...	38	81	N W	6	om	,,	30.58	776.7	37	62	N	4	ov
arp Peak, ...	,,	30.10	764.5	60	76	N N E	5	dh	,,	30.46	773.7	53	67	E N E	6	c
noy, ...	,,	30.01	762.2	67	84	S E	2	c	6 a.	30.24	768.1	58	76	N E	5	o
atow, ...	,,	29.95	760.7	74	86	E	1	c	,,	...	...	59	94	E S E	4	o
iboku, ...	1 p.	30.06	763.4	.	...	N	6	...	5 a.	30.34	770.5	...	...	E	6	...
ichu, ...	,,	30.03	762.8	...	...	S W	2	...	,,	30.15	765.9	...	...	N	4	...
inan, ...	,,	30.04	762.9	...	...	N W	2	...	,,	30.15	765.2	...	...	N E	6	...
shun	,,	30.02	762.4	...	...	N W	4	...	,,	30.10	764.5	...	...	N E	10	...
scadores, ...	,,	30.03	762.8	...	...	...	0	...	,,	30.17	766.2	...	...	N E	10	...
nton, ...	3 p.	30.06	763.5	73	72	N W	1	c	9 a.	30.30	769.6	60	76	N W	2	o
ngkong, ...	4 p.	30.06	763.2	71	70	W	1	o	10 a.	30.28	769.1	62	87	E	5	o
ctoria Peak, ...	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E S E	6	...
p Rock, ...	,,	30.02	762.5	...	...	...	0	...	,,	30.22	767.6	...	...	E N E	6	...
cao, ...	,,	30.05	763.2	72	...	S E	1	o	,,	30.29	769.3	65	...	E N E	2	o
ihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	30.00	762.1	73	...	S E	4	b	8 a.	30.19	766.3	66	...	...	2	c
rane, ...	,,	29.97	761.2	72	...	N E	1	or	,,	30.12	765.0	72	...	...	0	c
e St. James, .	,,	29.89	759.3	81	...	E N E	2	c	,,	30.00	762.0	79	...	N E	2	c
rri, ...	2 p.	29.96	761.0	84	...	N E	1	b	6 a.	30.08	763.9	73	...	S	0	o
nila, ...	4 p.	29.92	760	86	59	E S E	0	c	10 a.	30.08	764	84	64	E S E	1	c
aspi, ...	2 p.	29.91	759.7	82	...	E	1	b	6 a.	29.98	761.5	77	...	N E	1	c
olod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
lo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
u, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
uan, ...	,,	29.87	758.7	82	...	...	...	...	,,	29.95	760.7	80	...	...	...	...

On the 21st at 11.55 a.—The depression is moving into the Pacific to the E. of Japan.

The barometer has risen elsewhere, particularly over China and W. Japan.

The anticyclonic area remains over China to the North of the Yangtze, and gradients are rather steep over S. hina.

Hard monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, strong; dull, misty.
Formosa Channel, ...	N.E. gale.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 21st January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JANUARY, 1908, P.M.								22nd JANUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.81	757.1	...	...	N	4	...	6 a.	29.93	760.1	...	...	N W	8	...
Hakodate, ...	,,	29.85	758.2	...	...	W	8	...	,,	30.01	762.2	...	...	W	6	...
Tokio, ...	,,	29.91	759.6	...	...	N W	8	...	,,	30.14	765.6	...	...	N W	6	...
Kochi, ...	,,	30.11	764.8	...	...	N	4	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki, ...	,,	30.31	769.8	...	...	N	8	...	,,	30.03	762.8	...	...	N E	2	...
Kagoshima, ...	,,	30.23	767.9	...	...	N W	6	...	,,	30.39	771.9	...	...	N	2	...
Oshima, ...	,,	30.28	769.1	...	...	N	8	...	,,	30.32	770.1	...	...	...	...	...
Naha, ...	,,	30.28	769.2	...	...	N	8	...	,,	30.32	770.2	...	...	N E	4	...
Ishigakijima, ...	,,	30.29	769.3	...	...	N E	6	...	,,	30.29	769.3	...	...	N E	6	...
Bonin Is.	,,	29.96	761.1	...	...	N W	4	...	,,	30.12	765.1	...	...	N E	4	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.62	777.7	22	...	N W	1	ovr	9 a.	30.68	779.3	21	...	W	1	h
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.50	774.7	42	58	E	5	b	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.66	778.7	46	48	N	2	c	9 a.	30.61	777.5	37	62	N	2	o
Gutzlaff, ...	,,	30.53	775.4	40	56	N	4	ov	,,	30.49	774.4	39	73	N N E	3	ov
Sharp Peak, ...	,,	30.40	772.1	52	66	E N E	5	c	,,	30.45	773.4	50	80	N N E	4	c
Amoy, ...	,,	30.29	769.3	58	70	N E	4	o	6 a.	30.31	769.9	56	87	N E	1	o
Swatow, ...	,,	30.21	767.3	58	70	E	3	o	,,	...	...	...	...	...	...	...
Taihoku, ...	1 p.	30.38	771.6	.	...	E	6	...	5 a.	30.34	770.7	...	...	E	6	...
Taichu, ...	,,	30.20	767.1	...	...	N	6	...	,,	30.21	767.3	...	...	...	0	...
Tainan, ...	,,	30.19	766.9	...	...	N	6	...	,,	30.21	767.4	...	...	N	2	...
Koshun	,,	30.17	766.2	...	...	N E	10	...	,,	30.20	767.0	...	...	N E	10	...
Pescadores, ...	,,	30.23	767.9	...	...	N	10	...	,,	30.23	767.9	...	...	N	10	...
Canton, ...	3 p.	30.24	768.1	62	67	N W	1	o	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	30.21	767.3	62	82	E	3	o	10 a.	30.33	770.4	60	82	E	1	o
Victoria Peak, ...	,,	...	...	...	...	E N E	5	...	,,	...	...	...	...	E N E	1	...
Gap Rock, ...	,,	30.16	766.0	...	...	E N E	6	...	,,	30.29	769.3	...	...	E N E	4	...
Macao, ...	,,	30.23	767.8	64	...	N	2	o	,,	30.36	771.1	62	...	N	2	o
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.12	765.0	72	...	E S E	5	c	8 a.	30.27	768.3	64	...	E	5	o
Tourane, ...	,,	30.07	763.8	81	...	N E	1	c	,,	30.18	766.5	72	...	N E	1	o
Cape St. James, .	,,	29.91	759.7	84	...	N E	1	c	,,	30.00	762.0	79	...	N E	1	c
Aparri, ...	2 p.	30.08	764.1	79	...	E	1	o	6 a.	30.10	764.5	72	...	E	1	o
Manila, ...	4 p.	29.96	761	82	57	E	1	c	10 a.	30.04	763	82	57	E	1	o
Legaspi, ...	2 p.	29.98	761.6	79	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan, ...	,,	29.86	758.4	84	...	...	...	...	,,	29.93	760.2	82	...	...	...	...

On the 22nd at 11.55 a.—The barometer has fallen slightly over Central China, and risen considerably to slightly over Japan and S. China respectively,

The anticyclonic area still lies over China to the North of the Yangtze, but gradients are less steep along the coast.

Strong mousoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh to moderate; cloudy, some drizzling [rain.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 22nd January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JANUARY, 1908, P.M.								23rd JANUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro,.....	,,	29.96	761.1	...	...	N W	8	...	6 a.	30.12	765.1	...	...	W	4	...
odate,.....	,,	30.09	764.2	...	...	N W	6	...	,,	30.21	767.2	...	...	N	2	...
io,.....	,,	30.14	765.6	...	...	N W	8	...	,,	30.30	769.6	...	...	N W	4	...
hi,.....	,,	30.31	769.8	...	...	N W	6	...	,,	30.35	770.8	...	...	W	2	...
asaki,.....	,,	30.39	771.8	...	...	N	6	...	,,	30.43	772.8	...	...	N E	2	...
oshima,.....	,,	30.35	770.9	...	...	N	4	...	,,	30.39	771.9	...	...	N	4	...
ima,.....	,,	30.32	770.1	...	...	N	6	...	,,	30.32	770.1	...	...	S	2	...
a,.....	,,	30.28	769.2	...	...	N E	4	...	,,	30.23	769.2	...	...	...	0	...
gakijima,....	,,	30.29	769.3	...	...	N E	6	...	,,	30.25	768.3	...	...	N E	6	...
in Is.....	,,	30.13	765.2	...	...	S W	4	...	,,	30.20	767.1	...	...	N	2	...
foo,.....	3 p.	30.60	777.2	30	100	...	0	b	6 a.	30.56	776.2	25	100	S E	1	c
ihaiwei,.....	,,	30.62	777.7	27	...	S E	1	b	9 a.	30.54	775.7	27	...	W N W	1	ovr
kow,.....	,,	...	...	...	...	...	...	...	6 a.	30.64	778.2	35	90	N W	1	c
kiang,.....	,,	...	...	...	...	...	...	...	,,	30.59	777.0	36	90	N E	1	o
nghai,.....	,,	30.52	775.2	39	55	N N E	2	o	9 a.	30.53	775.4	42	66	N E	1	o
zlaff,.....	,,	30.46	773.7	42	75	N N E	3	ov	,,	30.50	774.7	43	75	N E	3	ov
rp Peak,.....	,,	30.36	771.1	54	87	N E	2	c	,,	30.38	771.6	54	87	E N E	3	c
oy,.....	,,	30.28	769.1	60	76	N E	2	o	6 a.	30.25	768.3	58	81	N E	1	o
tow,.....	,,	30.24	768.1	56	87	E	2	or	,,	30.32	770.1	54	94	N E	2	c
hoku.....	1 p.	30.31	769.8	..	...	E	8	...	5 a.	30.27	768.8	...	...	E	6	...
chu,.....	,,	30.21	767.4	...	...	S	2	...	,,	30.21	767.2	...	...	W	2	...
nan,.....	,,	30.22	767.7	...	...	N	2	...	,,	30.19	766.7	...	...	N	4	...
hun.....	,,	30.19	766.7	...	...	N E	8	...	,,	30.17	766.3	...	...	N E	6	...
cadores,.....	,,	30.21	767.4	...	...	N W	8	...	,,	30.21	767.4	...	...	N	8	...
ton,.....	3 p.	30.27	768.8	59	83	N N W	1	c	9 a.	30.33	770.4	55	81	N	1	o
gkong,.....	4 p.	30.25	768.3	61	77	E	1	o	10 a.	30.29	769.3	61	77	E	1	od
toria Peak,...	,,	...	...	...	...	N	2	...	,,	...	...	...	...	E N E	3	...
Rock,.....	,,	30.22	767.6	...	...	N E	4	...	,,	30.25	768.3	...	...	N E	4	...
ao,.....	,,	30.26	768.6	62	...	N	2	o	,,	30.31	769.9	61	...	N	2	o
how,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,.....	4 p.	30.19	766.9	66	...	E S E	3	c	8 a.	30.24	768.1	63	...	E N E	3	o
rane,.....	,,	30.13	765.2	72	...	N E	3	o	,,	30.14	765.6	70	...	N W	1	or
St. James,.	,,	...	...	...	...	...	...	...	,,	29.99	761.7	75	...	S E	1	o
rri,.....	2 p.	30.07	763.8	81	...	E	0	o	6 a.	30.11	764.7	70	...	N E	2	d
ila,.....	4 p.	30.00	762	81	61	E S E	1	o	10 a.	30.04	763	81	70	E N E	0	c
spi,.....	2 p.	29.97	761.3	84	...	E	1	b	6 a.	30.01	762.3	75	...	N	1	b
lod,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
o,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ian,.....	,,	29.90	759.4	85	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 23rd at 11.55 a.—The barometer has risen moderately in E. Japan and fallen slightly over China.

The anticyclonic area remains over China to the North of the Yangtze, and gradients are slight to moderate ng the coast.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate; cloudy, some drizzling rain.
Formosa Channel, ...	N.E. winds, fresh or strong.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 23rd January, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JANUARY, 1908, P.M.								24th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	S	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.13	765.2	...	...	W	6	...	,,	30.09	764.2	...	...	N W	6	...
Tokio,	,,	30.22	767.6	...	...	...	0	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	S	4	...	,,	30.39	771.8	...	...	S W	2	...
Nagasaki,	,,	30.39	771.8	...	...	N	4	...	,,	30.43	772.8	...	...	N E	2	...
Kagoshima,	,,	30.35	770.9	...	...	N W	6	...	,,	30.39	771.9	...	...	N E	6	...
Oshima,	,,	30.32	770.1	...	...	S W	2	...	,,	30.32	770.1	...	...	...	0	...
Naha,	,,	30.28	769.2	...	...	N E	4	...	,,	30.23	769.2	...	...	...	0	...
Ishigakijima,	,,	30.21	767.3	...	...	E	6	...	,,	30.21	767.3	...	...	E	6	...
Bonin Is.	,,	30.20	767.1	...	...	N E	2	...	,,	30.24	768.1	...	...	N W	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.48	774.2	33	...	W	1	b	9 a.	30.40	772.1	...	...	S E	...	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.44	773.2	42	83	S E	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.43	772.9	45	68	E N E	2	o	9 a.	30.30	769.6	49	78	S	2	o
Gutzlaff,	,,	30.40	772.1	45	68	N E	2	ov	,,	30.29	769.3	49	85	S S E	2	ov
Sharp Peak,	,,	30.32	770.1	67	87	E N E	2	c	,,	30.26	768.6	56	94	N	3	c
Amoy,	,,	30.22	767.6	63	78	N N E	1	o	6 a.	30.20	767.1	61	88	E S E	1	o
Swatow,	,,	30.16	766.0	63	78	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.26	768.6	..	...	E	6	...	5 a.	30.16	766.0	...	...	...	0	...
Taichu,	,,	30.19	766.7	...	...	N	4	...	,,	30.17	766.4	...	...	...	0	...
Tainan,	,,	30.20	767.2	...	...	N	6	...	,,	30.15	765.9	...	...	N	4	...
Koshun	,,	30.17	766.3	...	...	E	4	...	,,	30.12	765.0	...	...	E	8	...
Pescadores,	,,	30.22	767.7	...	...	N	8	...	,,	30.22	767.6	...	...	N	6	...
Canton,	3 p.	30.20	767.1	63	67	...	2	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.17	766.3	62	77	E	2	o	10 a.	30.24	768.1	61	96	...	0	od
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E N E	5	...
Gap Rock,	,,	30.13	765.3	...	...	N E	4	...	,,	30.19	766.8	...	...	E N E	4	...
Macao,	,,	30.18	766.6	62	...	N	2	od	,,	30.24	768.1	61	...	N	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.6	70	...	S	2	c	8 a.	30.19	766.7	63	...	N N E	1	o
Tourane,	,,	30.07	763.7	72	...	N E	3	or	,,	30.12	765.1	70	...	...	0	o
Cape St. James,	,,	29.87	758.6	79	...	E	1	o	,,	29.93	760.2	75	...	N E	2	o
Aparri,	2 p.	30.08	764.1	77	...	N	0	d	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.96	761	81	76	N W	1	o	10 a.	30.04	763	79	76	S E	3	d
Legaspi,	2 p.	29.96	769.0	84	...	N E	1	b	6 a.	99.99	761.8	79	...	E	1	b
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	,,	29.83	757.7	84	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 24th at 11.55 a.—The barometer has fallen over China, particularly in the North.

A shallow depression appears to be moving Eastwards over the Lower Yangtze, and pressure is now highest over S.W. Japan.

Moderate E. winds may be expected in the Formosa Channel, and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; dull, rainy.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 24th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
divostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro,.....	,,	30.00	762.1	...	...	N	4	...	6 a.	30.12	765.1	...	...	N	2	...
odat ,.....	,,	30.09	764.2	...	...	W	8	...	,,	30.13	765.2	...	...	N W	2	...
io, ...	,,	30.14	765.6	...	...	N W	6	...	,,	30.18	766.6	...	...	N W	2	...
hi, ...	,,	30.27	768.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	2	...
asaki, ...	,,	30.31	769.8	...	...	N	2	...	,,	30.19	766.8	...	...	E	2	...
oshima, ...	,,	30.27	768.9	...	...	S	2	...	,,	30.15	765.9	...	...	N E	2	...
ima,.....	,,	30.24	768.1	...	...	S E	2	...	,,	30.16	766.1	...	...	S	4	...
a,.....	,,	30.20	767.2	...	...	S E	4	...	,,	30.17	766.2	...	...	...	0	...
gakijima, ...	,,	30.17	766.8	...	...	S E	6	...	,,	30.09	764.3	...	...	N	2	...
in Is.....	,,	30.20	767.1	...	...	N E	4	...	,,	30.20	767.1	...	...	...	0	...
foo,.....	3 p.	...	...	...	...	...	...	...	6 a.	30.35	770.9	31	100	N W	3	o
ibaiwei,.....	,,	30.28	769.1	32	...	S E	1	o	9 a.	...	...	...	...	...	...	...
kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,.....	,,	30.38	771.6	45	84	N E	2	o	,,	30.38	771.6	40	91	N E	2	o
nghai, ...	,,	30.24	768.1	48	78	W N W	2	o	9 a.	30.36	771.1	38	72	N N W	2	o
zlaff, ...	,,	...	...	50	86	S W	1	ov	,,	30.33	770.4	41	83	N N W	2	oin
rp Peak,.....	,,	30.16	766.0	58	94	N	1	c	,,	30.23	767.8	58	88	E N E	1	c
oy.....	,,	30.17	766.3	62	83	S W	1	or	6 a.	30.14	765.5	60	94	...	0	o
tow,.....	,,	30.11	764.8	61	94	N	2	or	,,	...	...	...	...	N N E	1	o
hoku.....	1 p.	30.15	765.8	.	...	W	4	...	5 a.	30.11	764.7	...	...	E	4	...
chu, ...	,,	30.17	766.2	...	...	N W	2	...	,,	30.08	764.0	...	...	W	2	...
an,.....	,,	30.15	765.8	...	...	N	4	...	,,	30.07	763.8	...	...	E	4	...
hun.....	,,	30.11	764.8	...	...	N	4	...	,,	30.08	763.9	...	...	N	4	...
cadores, ...	,,	30.13	766.6	...	...	N	6	...	,,	30.06	763.4	...	...	N	6	...
ton,.....	3 p.	30.11	764.8	59	94	E	1	or	9 a.	30.20	767.1	58	94	...	0	b
gkong, ...	4 p.	30.12	765.0	63	92	E	3	od	10 a.	30.20	767.1	63	82	E S E	3	o
toria Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	5	...
Rock,.....	,,	30.09	764.3	...	...	E N E	5	...	,,	30.15	765.8	...	...	E N E	4	...
ao, ...	,,	30.15	765.8	62	...	E	2	od	,,	30.18	766.6	66	...	N E	1	c
how,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,.....	4 p.	30.07	763.8	66	...	S E	4	o	8 a.	30.13	765.2	64	...	E	2	o
rane, ...	,,	30.02	762.5	73	...	N E	2	c	,,	30.12	765.0	72	...	...	0	or
St. James,.	,,	29.83	757.6	82	...	E	2	c	,,	29.95	760.7	77	...	N E	2	c
rri, ...	2 p.	30.01	762.3	79	...	S	1	o	6 a.	30.02	762.6	70	...	S	1	b
ila, ...	4 p.	29.92	760	81	70	N E	1	c	10 a.	30.04	763	79	76	S E	1	o
spi,.....	2 p.	29.92	760.0	79	...	N E	2	o	6 a.	29.94	760.4	75	...	N	1	c
lod,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
o, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
an, ...	,,	29.79	756.6	86	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 25th at 11.35 a.—The barometer has fallen considerably over W. Japan and the Loochoos, and risen htly on the E. coast of China.

The shallow depression is moving Eastwards off the coast of S.W. Japan, and pressure is now highest over na to the N. of the Yangtze.

The monsoon will freshen again in the Formosa Channel, and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 25th January, 1908.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JANUARY, 1908, P.M.								26th JANUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	N	2	...	6 a.	30.16	766.1	...	...	N	2	...
Hakodate,	,,	30.05	763.2	...	...	N W	6	...	,,	30.13	765.2	...	...	N	2	...
Tokio,	,,	30.06	763.6	...	...	S E	4	...	,,	30.06	763.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N	4	...	,,	30.19	766.8	...	...	N E	2	...
Kagoshima,	,,	30.07	763.9	...	...	...	0	...	,,	30.15	765.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	30.09	764.2	...	...	S E	2	...	,,	30.09	764.2	...	...	N	4	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N	2	...
Bonin Is.	,,	30.16	766.1	...	...	N W	2	...	,,	30.12	765.1	...	...	S W	4	...
Chefoo,	3 p.	30.41	772.4	30	100	N N W	3	o	6 a.	30.49	774.4	30	100	N N W	3	o
Weihaiwei,	,,	30.38	771.6	29	...	N W	1	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.44	773.2	38	100	N	1	or	6 a.	30.58	776.7	36	90	N W	1	o
Kiukiang,	,,	30.31	769.9	41	92	S E	3	o	,,	30.44	773.2	37	91	N E	2	o
Shanghai,	,,	30.30	769.6	40	91	N	1	o	9 a.	30.41	772.4	37	91	N E	3	r
Gutzlaff,	,,	30.26	768.6	41	92	N N W	3	om	,,	30.35	770.9	41	92	N N E	5	om
Sharp Peak,	,,	30.16	766.0	58	81	N E	2	c	,,	30.23	767.8	57	94	...	0	dh
Amoy,	,,	30.11	764.8	64	89	N E	1	c	6 a.	30.17	766.3	59	88	N E	3	c
Swatow,	,,	30.07	763.8	68	85	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.11	764.7	..	...	E	6	...	5 a.	30.13	765.3	...	...	E	2	...
Taichu,	,,	30.06	763.6	...	...	N	2	...	,,	30.11	764.8	...	...	N	2	...
Tainan,	,,	30.07	763.9	...	...	N	4	...	,,	30.11	764.7	...	...	N	2	...
Koshun	,,	30.04	763.0	...	...	N	8	...	,,	30.07	763.8	...	...	N	2	...
Pescadores,	,,	30.09	764.2	...	...	N	8	...	,,	30.11	764.7	...	...	N	6	...
Canton,	3 p.	30.09	764.3	71	66	...	0	b	9 a.	30.17	766.3	63	89	N E	1	c
Hongkong,	4 p.	30.07	763.8	67	66	E	2	o	10 a.	30.21	767.3	65	76	E	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	30.04	763.0	...	...	E N E	4	...	,,	30.16	766.0	...	...	E N E	5	...
Macao,	,,	30.10	764.5	66	...	E	1	o	,,	30.23	767.8	58	...	E	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.01	762.2	72	...	S E	3	b	8 a.	30.12	765.0	64	...	E N E	3	o
Tourane,	,,	30.01	762.2	77	...	E	2	c	,,	30.11	764.7	72	...	...	0	o
Cape St. James,	,,	29.87	758.6	82	...	E S E	2	c	,,	29.92	760.0	79	...	N E	2	c
Aparri,	2 p.	29.98	761.5	86	...	N E	1	b	6 a.	30.04	762.9	72	...	S	0	o
Manila,	4 p.	29.92	760	77	92	...	0	d	10 a.	30.00	762	81	76	W S W	1	c
Legaspi,	2 p.	29.93	760.2	79	...	N	1	o	6 a.	29.95	760.7	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 26th at 11.10 a.—The barometer has fallen slightly in S.E. Japan, and risen moderately over N. China. The shallow depression appears to be moving Eastwards off the S.E. coast of Japan. Pressure is again high over N. China.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 26th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	27th JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
divostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro, ...	,,	30.16	766.1	...	...	N	4	...	6 a.	30.20	767.1	...	...	S W	2	...
odate, ...	,,	30.13	765.2	...	...	N	2	...	,,	30.21	767.2	...	...	...	0	...
io, ...	,,	30.02	762.6	...	...	N	4	...	,,	30.18	766.6	...	...	N W	2	...
hi, ...	,,	30.07	763.8	...	...	N	4	...	,,	30.23	767.8	...	...	N	2	...
asaki, ...	,,	30.15	765.8	...	...	N	4	...	,,	30.27	768.8	...	...	...	0	...
oshima, ...	,,	30.11	764.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N	4	...
ima, ...	,,	30.08	764.1	...	...	S E	2	...	,,	30.16	766.1	...	...	N	4	...
a, ...	,,	30.05	763.2	...	...	N	4	...	,,	30.13	765.2	...	...	N E	2	...
igakijima, ...	,,	30.05	763.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N W	6	...
in Is.	,,	30.04	763.1	...	...	S W	6	...	,,	30.04	763.1	...	...	N	4	...
foo, ...	3 p.	30.56	776.2	26	100	N N W	2	b	6 a.	30.56	776.2	18	100	S E	1	b
ihaiwei, ...	,,	30.53	775.4	20	...	N W	2	b	9 a.	30.47	773.9	22	...	W N W	2	o
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang, ...	,,	30.50	774.7	39	82	N E	2	b	,,	30.48	774.2	36	100	E	2	o
nghai, ...	,,	30.41	772.4	39	91	N	3	or	9 a.	30.46	773.7	37	81	N	1	c
tzlaff, ...	,,	30.35	770.9	43	83	N N E	5	om	,,	30.41	772.4	43	67	N	3	ov
rp Peak, ...	,,	30.17	766.3	57	75	N E	5	c	,,	30.34	770.6	54	87	N E	2	dh
oy.	,,	30.14	765.5	65	89	S W	2	b	6 a.	30.23	767.8	58	81	N E	1	c
atow, ...	,,	30.04	763.0	66	95	N E	1	b	,,	30.20	767.1	55	94	N E	2	o
hoku.	1 p.	30.13	765.3	,,	...	N W	2	...	5 a.	30.23	767.7	...	...	E	4	...
chu, ...	,,	30.11	764.8	...	...	N	6	...	,,	30.16	766.0	...	...	N	2	...
nan, ...	,,	30.09	764.2	...	...	N W	4	...	,,	30.15	765.8	...	...	N	4	...
shun.	,,	30.06	763.5	...	...	S W	4	...	,,	30.10	764.4	...	...	N E	10	...
cadores, ...	,,	30.13	765.2	...	...	N	8	...	,,	30.17	766.2	...	...	N	10	...
iton, ...	3 p.	30.06	763.5	69	80	N E	2	o	9 a.	...	...	...	...	...	...	...
ngkong, ...	4 p.	30.10	764.5	64	80	E	2	b	10 a.	30.24	768.1	62	82	E	5	c
toria Peak, ...	,,	...	...	...	...	N	0	...	,,	...	...	...	...	E	7	...
) Rock, ...	,,	30.06	763.5	...	...	E N E	4	...	,,	30.18	766.6	...	...	E N E	7	...
ao, ...	,,	30.14	765.5	66	...	S E	1	c	,,	30.29	769.3	65	...	N E	1	o
how, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien, ...	4 p.	30.06	763.6	70	...	E N E	1	or	8 a.	30.18	766.5	64	...	N	3	o
rane, ...	,,	30.02	762.4	77	...	S E	2	c	,,	30.13	765.3	70	...	...	0	or
e St. James, ..	,,	...	...	81	...	N E	3	c	,,	29.93	760.2	77	...	N E	2	b
rri, ...	2 p.	29.98	761.5	81	...	N E	1	b	6 a.	30.06	763.6	75	...	N E	1	o
ila, ...	4 p.	29.88	759	86	65	S	0	c	10 a.	30.00	762	79	84	S	0	o
aspi, ...	2 p.	29.90	759.4	79	...	N E	1	o	6 a.	29.96	761.0	70	...	N	1	o
olod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
io, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
a, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
an, ...	,,	29.79	756.6	86	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 27th at 11.25 a.—The barometer has risen slightly to moderately over S. China, the Loochoos and Japan. The area of high pressure remains over N. China, and gradients are slight to moderate along the coast. Fresh to strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh to strong; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th January, 1908.

rinted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th JANUARY, 1908, P.M.								28th JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S W	4	...	6 a.	30.08	764.1	...	...	...	0	...
Hakodate,	,,	30.17	766.2	...	...	N W	6	...	,,	29.97	761.2	...	...	...	4	...
Tokio,	,,	30.18	766.6	...	...	N E	2	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	S	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	N	4	...	,,	30.27	768.8	...	...	N W	2	...
Kagoshima,	,,	30.19	766.9	...	...	S W	2	...	,,	30.23	767.9	...	...	N	6	...
Oshima,	,,	30.16	766.1	...	...	N W	2	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	30.17	766.2	...	...	N	4	...	,,	30.21	767.2	...	...	N	4	...
Ishigakijima,	,,	30.17	766.3	...	...	N	4	...	,,	30.21	767.3	...	...	N E	4	...
Bonin Is.	,,	30.04	763.1	...	...	...	0	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	3 p.	30.46	773.7	30	100	N W	3	o	6 a.	30.61	777.5	20	100	N W	2	b
Weihaiwei,	,,	30.43	772.9	28	...	N W	...	o	9 a.	30.61	777.5	25	...	N N E	1	b
Hankow,	,,	30.60	777.2	39	91	N W	1	o	6 a.	30.64	778.2	38	91	E	1	or
Kinkiang,	,,	30.47	773.9	37	100	S S E	2	o	,,	30.51	774.9	37	91	N E	4	c
Shanghai,	,,	30.39	771.9	40	65	N	1	o	9 a.	30.51	774.9	40	74	N	1	o
Gutzlaff,	,,	30.37	771.4	40	82	N	3	ov	,,	30.46	773.7	44	76	N	3	cm
Sharp Peak,	,,	30.24	768.1	57	81	E N E	4	b	,,	30.43	772.9	54	80	E N E	4	c
Amoy,	,,	30.18	766.6	63	72	S E	3	c	6 a.	30.25	768.3	57	87	N E	1	c
Swatow,	,,	30.13	765.3	64	73	E	2	b	,,	30.21	767.3	56	94	N E	1	c
Taihoku,	1 p.	30.19	766.8	..	...	E	6	...	5 a.	30.24	768.1	...	...	E	4	...
Taichu,	,,	30.15	765.8	...	...	N	6	...	,,	30.19	766.9	...	...	N	4	...
Tainan,	,,	30.16	766.0	...	...	N E	6	...	,,	30.21	767.3	...	...	N	2	...
Koshun	,,	30.11	764.9	...	...	N E	8	...	,,	30.14	765.6	...	...	N E	6	...
Pescadores,	,,	30.20	767.0	...	...	N E	8	...	,,	30.21	767.3	...	...	N	10	...
Canton,	3 p.	30.20	767.1	60	82	N	1	o	9 a.	30.32	770.1	55	87	N N W	2	o
Hongkong,	4 p.	30.17	766.3	62	79	E	2	o	10 a.	30.29	769.3	63	79	E	2	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	30.13	765.3	...	...	E N E	5	...	,,	30.25	768.3	...	...	E N E	5	...
Macao,	,,	30.21	767.3	64	...	N W	2	o	,,	30.29	769.3	65	...	N N E	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.09	764.2	64	...	E N E	3	or	8 a.	30.16	766.1	61	...	E N E	5	or
Tourane,	,,	30.05	763.3	77	...	S E	2	c	,,	30.14	765.6	72	...	E	1	o
Cape St. James,	,,	29.85	753.1	84	...	E	2	c	,,	29.95	760.8	75	...	N E	2	c
Aparri,	2 p.	30.02	762.5	81	...	E	0	o	6 a.	30.07	763.7	73	...	N E	2	o
Manila,	4 p.	29.88	759	84	58	E	1	c	10 a.	30.04	763	84	58	E	1	c
Legaspi,	2 p.	29.91	759.6	79	...	N E	1	o	6 a.	29.96	761.0	75	...	N	1	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	,,	29.77	756.1	88	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 28th at 11.55 a.—The barometer has fallen moderately in E. Japan, and risen slightly over China.

The anticyclonic area still lies over China to the North of the Yangtze, and pressure is relatively low over E. Japan and over the S. part of the China Sea.

Strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 28th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TATION.	28TH JANUARY, 1908, P.M.								29TH JANUARY, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro, ...	,,	30.00	762.1	...	...	N	4	...	6 a.	30.08	764.1	...	...	...	0	...
date, ...	,,	29.97	761.2	...	...	...	0	...	,,	30.17	766.2	...	...	N W	6	...
o, ...	,,	29.91	759.6	...	...	N W	8	...	,,	30.22	767.6	...	...	N W	6	...
i.	,,	30.15	765.8	...	...	N W	6	...	,,	30.31	769.8	...	...	S W	2	...
saki, ...	,,	30.23	767.8	...	...	N	6	...	,,	30.35	770.8	...	...	N E	6	...
oshima, ...	,,	30.19	766.9	...	...	N W	4	...	,,	30.31	769.9	...	...	N E	2	...
ma, ...	,,	30.20	767.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6	...
a.....	,,	30.20	767.2	...	...	N E	6	...	,,	30.25	768.2	...	...	N	2	...
akijima, ...	,,	30.25	768.3	...	...	E	4	...	,,	30.25	768.3	...	...	N E	4	...
Is.....	,,	30.00	762.1	...	...	...	...	...	,,	30.08	764.1	...	...	N	4	...
o,.....	3 p.	30.56	776.2	29	100	N	3	b	6 a.	30.46	773.7	20	100	S W	1	b
siwei,.....	,,	30.54	775.7	26	...	N	2	b	9 a.	...	...	...	...	N W	1	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	30.49	774.4	29	88	N W	1	o
ang,.....	,,	30.53	775.4	37	91	N E	2	o	,,	30.51	774.9	37	100	N E	3	o
ghai, ...	,,	30.41	772.4	41	66	N E	2	o	9 a.	30.40	772.1	42	66	E N E	2	o
vlaff, ...	,,	30.42	772.6	42	83	N	3	om	,,	30.37	771.4	46	84	E N E	2	ov
p Peak,.....	,,	30.32	770.1	54	80	N E	4	dh	,,	30.33	770.4	53	86	N N E	2	c
y.....	,,	...	...	65	73	N E	1	o	6 a.	...	...	59	82	N E	1	b
tow,.....	,,	30.18	766.6	65	84	E	2	c	,,	30.18	766.6	55	94	N E	2	b
oka.....	1 p.	30.25	768.4	..	...	E	8	...	5 a.	30.25	768.2	...	...	E	6	...
hu, ...	,,	30.17	766.3	...	...	N W	4	...	,,	30.17	766.2	...	...	...	0	...
an,.....	,,	30.16	766.1	...	...	N W	6	...	,,	30.17	766.2	...	...	N	4	...
rm.....	,,	30.15	765.7	...	...	N E	8	...	,,	30.14	765.6	...	...	N E	6	...
adores, ...	,,	30.21	767.3	...	...	N	8	...	,,	30.19	766.7	...	...	N	8	...
on,.....	3 p.	30.18	766.6	69	61	N W	1	b	9 a.	30.21	767.3	60	82	N	1	o
gkong, ...	4 p.	30.16	766.0	64	74	E	3	b	10 a.	30.20	767.1	63	77	E	3	o
oria Peak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6	...
Rock,.....	,,	30.13	765.3	...	...	E N E	5	...	,,	30.15	765.8	...	...	E N E	6	...
o, ...	,,	30.19	766.8	63	...	E S E	1	o	,,	30.19	766.8	62	...	N N E	2	o
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien,.....	4 p.	30.07	763.7	63	...	E N E	7	o	8 a.	30.05	763.3	63	...	E N E	7	or
ane, ...	,,	30.04	763.0	77	...	E	1	c	,,	30.08	763.9	73	...	...	0	o
St. James,.	,,	29.87	753.6	82	...	E	2	c	,,	29.89	759.3	79	...	N E	3	c
ri, ...	2 p.	30.06	763.6	79	...	N E	2	o	6 a.	...	...	...	...	...	...	...
la, ...	4 p.	29.92	760	82	57	E	1	o	10 a.	30.04	763	79	76	N N E	3	od
spi, ...	2 p.	29.93	760.3	73	...	N E	1	o	6 a.	30.00	761.9	77	...	N E	1	o
lod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 29th at 11.50 a.—The barometer has risen considerably in E. Japan, and fallen moderately over China.
Pressure is highest over N. China and the Yellow Sea. It is relatively low over Tongking.
Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N.E. to E. winds, strong; probably some rain.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 29th January, 1908.

nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JANUARY, 1908, P.M.								30th JANUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,.....	,,	29.96	761.1	...	...	...	0	...	6 a.	30.08	764.1	...	...	N E	4	...
Hakodate,.....	,,	30.09	764.2	...	...	W	8	...	,,	30.13	765.2	...	...	W	4	...
Tokio, ...	,,	30.22	767.6	...	...	N	2	...	,,	30.22	767.6	...	...	N W	2	...
Kochi, ...	,,	30.23	767.8	...	...	S	4	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki, ...	,,	30.27	768.8	...	...	N	4	...	,,	30.15	765.8	...	...	S E	6	...
Kagoshima, ...	,,	30.23	767.9	...	...	S E	4	...	,,	30.15	765.9	...	...	E	2	...
Oshima,.....	,,	30.24	768.1	...	...	N E	4	...	,,	30.16	766.1	...	...	S	2	...
Naha,.....	,,	30.20	767.2	...	...	N E	2	...	,,	30.13	765.2	...	...	E	2	...
Ishigakijima,....	,,	30.21	767.5	...	...	N E	6	...	,,	30.05	763.3	...	...	S E	6	...
Bonin Is.....	,,	30.08	764.1	...	...	N	2	...	,,	30.20	767.1	...	...	...	0	...
Chefoo,.....	3 p.	30.33	770.4	32	100	S	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,.....	,,	30.33	770.4	31	...	S E	0	o	9 a.	...	...	...	...	S E	0	o
Hankow, ...	,,	...	...	40	100	E	1	or	6 a.	...	...	...	...	...	...	...
Kiukiang,.....	,,	30.27	768.8	40	91	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.25	768.3	46	69	S E	2	o	9 a.	29.97	761.2	48	100	S E	1	om
Gutzlaff, ...	,,	30.26	768.6	46	...	E S E	2	ov	,,	29.96	761.0	51	100	S S E	2	fr
Sharp Peak,.....	,,	30.20	767.1	55	87	N	3	c	,,	22.93	760.2	57	94	N	1	or
Amoy,.....	,,	...	...	66	79	N E	1	c	6 a.	29.93	760.2	61	94	E N E	1	or
Swatow,.....	,,	30.05	763.2	62	77	E N E	3	o	,,	...	...	...	...	...	...	...
Taihoku.....	1 p.	30.16	766.0	..	...	E	8	...	5 a.	29.93	760.3	...	...	E	2	...
Taichu, ...	,,	30.09	764.2	...	...	W	2	...	,,	29.95	760.8	...	...	...	0	...
Tainan,.....	,,	30.13	765.4	...	...	S W	4	...	,,	29.94	760.4	...	...	N	4	...
Koshun.....	,,	30.14	765.5	...	...	E	6	...	,,	29.97	761.2	...	...	E	8	...
Pescadores, ...	,,	30.16	766.0	...	...	N	8	...	,,	29.91	759.8	...	...	N	4	...
Canton,.....	3 p.	30.08	764.0	60	83	N	1	or	9 a.	29.95	760.7	58	94		0	o
Hongkong, ...	4 p.	30.03	762.7	61	86	E	3	o	10 a.	29.95	760.7	64	89	W	1	op
Victoria Peak,...	,,	...	...	...	...	E	7	...	,,	...	...	...	...	W	4	...
Gap Rock,.....	,,	29.99	761.7	...	...	E N E	5	...	,,	29.93	760.2	...	...	N N E	3	...
Macao,.....	,,	30.05	763.2	63	...	E	2	o	,,	29.99	761.7	62	...	N	1	od
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.92	759.9	57	...	E N E	6	or	8 a.	29.96	761.0	61	...	N	1	c
Tourane, ...	,,	29.90	759.5	77	...	S E	2	c	,,	39.91	759.8	73	...	...	0	o
Cape St. James,.	,,	29.80	757.0	82	...	E	3	c	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	30.06	763.5	75	...	E	1	o	6 a.	29.98	761.5	70	...	S E	1	d
Manila, ...	4 p.	29.92	760	77	75	E	1	o	10 a.	29.92	760	84	66	E	0	c
Legaspi,.....	2 p.	29.93	760.2	75	...	E	1	o	6 a.	29.93	760.2	75	...	...	0	o
Bacolod,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan, ...	,,	29.77	756.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 30th at 11.55 a.—The barometer has fallen generally, except in E. Japan, the fall being a rapid one over China, particularly on the E. coast.

A depression, very much elongated in a N. and S. direction, is lying over the E. coast of China and the Formosa Channel. It will probably move to the N.E. over the Eastern Sea.

The wind will probably freshen considerably from the Northward in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.winds, probably freshening; squally, rainy.
2.—Formosa Channel, ...	Variable to N. winds, moderate to strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 30th January, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	30th JANUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	31st JANUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	30.08	764.1	...	...	S E	2	...	6 a.	29.89	759.1	...	...	...	0	...
te,.....	,,	30.01	762.2	...	...	N	4	...	,,	29.85	758.2	...	...	N W	4	...
.....	,,	30.10	764.6	...	...	N	2	...	,,	29.83	757.6	...	...	...	0	...
.....	,,	30.07	763.8	...	...	S W	2	...	,,	29.60	751.8	...	...	S W	2	...
.....	,,	29.99	761.8	...	...	S E	8	...	,,	29.60	751.8	...	...	W	10	...
...a, ...	,,	30.04	762.9	...	...	...	0	...	,,	29.64	752.9	...	...	W	8	...
.....	,,	29.96	761.1	...	...	S	6	...	,,	29.77	756.1	...	...	S	4	...
.....	,,	29.97	761.2	...	...	S E	4	...	,,	29.81	757.2	...	...	N W	2	...
...ma,....	,,	29.97	761.3	...	...	...	0	...	,,	29.86	758.3	...	...	N W	2	...
.....	,,	30.08	764.1	...	...	...	0	...	,,	30.00	762.1	...	...	S W	4	...
.....	3 p.	30.07	763.8	34	100	N N E	1	o	6 a.	30.07	763.8	29	100	N W	5	s
...woi,.....	,,	30.07	763.8	29	...	N E	1	o	9 a.	...	...	...	...	...	...	...
w.	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng.....	,,	29.97	761.2	41	100	W	1	or	,,	...	...	...	...	...	...	...
ai	,,	29.74	755.4	50	100	N W	1	omd	9 a.	30.11	764.8	40	74	N N W	4	o
.....	,,	29.74	755.4	52	100	S E	2	fd	,,	30.06	763.5	39	82	N N W	6	ov
Peak,.....	,,	29.83	757.7	58	94	N	1	or	,,	30.02	762.5	62	94	W	1	b
.....	,,	29.92	759.9	63	72	S E	1	or	6 a.	29.95	760.7	62	89	N E	1	o
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
u.....	1 p.	30.05	763.2	..	...	W	8	...	5 a.	29.91	759.6	...	...	N W	4	...
.....	,,	29.99	761.7	...	...	N E	6	...	,,	29.91	759.8	...	...	...	0	...
.....	,,	29.91	759.8	...	...	N	4	...	,,	29.89	759.3	...	...	N	2	...
.....	,,	29.91	759.7	...	...	E	6	...	,,	...	...	...	...	...	...	...
ores, ...	,,	29.91	759.7	...	...	N	6	...	,,	29.90	759.5	...	...	N	2	...
.....	3 p.	29.87	758.7	63	39	...	0	c	9 a.	29.99	761.7	61	94	E	1	o
ong, ...	4 p.	29.86	758.4	64	91	...	0	o	10 a.	29.99	761.7	64	96	E S E	1	of
a Peak,...	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S E	1	...
ock,.....	,,	29.84	757.9	...	...	N N E	3	...	,,	29.96	761.0	...	...	N E	3	...
.....	,,	29.91	759.7	64	...	E	2	o	,,	29.97	761.2	65	...	N	1	of
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.83	757.8	68	...	S E	2	c	8 a.	29.92	760.0	64	...	S E	1	o
e, ...	,,	29.82	757.5	79	...	N E	1	c	,,	39.93	760.3	75	...	...	0	b
James,.	,,	29.77	756.1	82	...	E	2	c	,,	29.83	757.7	82	...	E	0	c
.....	2 p.	29.88	759.0	81	...	S E	1	o	6 a.	29.92	760.0	73	...	S W	0	o
.....	4 p.	29.80	757	84	64	S E	3	b	10 a.	29.92	760	84	64	S S W	1	b
.....	2 p.	29.85	758.1	82	...	E	1	c	6 a.	29.91	759.6	75	...	...	0	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.72	754.9	89	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

...the 31st at 11.55 a.—The barometer has fallen rapidly over Japan and the Loochoos owing to the depression ...s now moving to the N.E. over W. Japan.

...assure has increased quickly on the E. coast of China. It is highest over Central China.

...rong monsoon will probably set in again in the Formosa Channel and the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...hong and Neighbourhood, ...	N.E. winds, freshening; cloudy, misty.
...sa Channel, ...	Same as No. 1.
...h coast of China between Hongkong and Lamocks,..	Same as No. 1.
...coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Friday, 31st January, 1908.

...by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st JANUARY, 1908, P.M.								1st FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,.....	,,	29.81	757.1	...	...	N	6	...	6 a.	29.85	758.1	...	...	N	6	...
Hakodate,.....	,,	29.69	754.2	...	...	N E	2	...	,,	29.89	759.2	...	...	N	6	...
Tokio, ...	,,	29.39	746.6	...	...	N W	4	...	,,	29.87	758.6	...	...	...	0	...
Kochi, ...	,,	29.40	746.8	...	...	W	6	...	,,	30.07	763.8	...	...	N W	2	...
Nagasaki, ...	,,	29.72	754.8	...	...	N	8	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima, ...	,,	29.64	752.9	...	...	N W	8	...	,,	30.08	763.9	...	...	N	4	...
Oshima,.....	,,	29.89	759.1	...	...	W	4	...	,,	30.04	763.1	...	...	N	6	...
Naha,.....	,,	29.85	758.2	...	...	N	8	...	,,	30.09	764.2	...	...	N E	2	...
Ishigakijima,....	,,	29.97	761.3	...	...	N	8	...	,,	30.05	763.3	...	...	N E	6	...
Bonin Is.....	,,	29.89	759.1	...	...	S	6	...	,,	29.89	759.1	...	...	W	4	...
Chefoo,.....	3 p.	30.16	766.0	29	100	N	4	b	6 a.	30.28	769.1	24	100	...	0	o
Weihaiwei,.....	,,	30.12	765.0	28	...	N W	3	ovr	9 a.	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.17	766.3	39	73	N N W	3	o	9 a.	30.17	766.3	54	74	N E	1	...
Gutzlaff, ...	,,	30.11	764.8	40	82	N N W	4	ov	,,	30.17	766.3	42	83	N	2	on
Sharp Peak,.....	,,	30.00	762.0	60	71	E N E	6	b	,,	30.09	764.3	53	80	N	4	or
Amoy,.....	,,	29.94	760.5	65	84	N E	1	c	6 a.	29.94	760.5	57	94	N E	1	c
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku.....	1 p.	30.02	762.4	..	...	E	6	...	5 a.	30.03	762.8	...	...	E	6	...
Taichu, ...	,,	29.93	760.1	...	...	N	6	...	,,	29.96	761.0	...	...	...	0	...
Tainan,.....	,,	29.93	760.2	...	...	N	6	...	,,	29.95	760.8	...	...	N	2	...
Koshun.....	,,	29.91	759.6	...	...	N	2	...	,,	29.95	760.8	...	...	N E	8	...
Pescadores, ...	,,	29.94	760.6	...	...	N	2	...	,,	29.96	760.9	...	...	N	8	...
Canton,.....	3 p.	29.89	759.2	67	84	N E	1	o	9 a.	...	...	68	70	N E	2	o
Hongkong, ...	4 p.	29.90	759.4	65	86	E	2	o	10 a.	29.95	760.7	60	87	E	6	o
Victoria Peak,...	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	E	5	...
Gap Rock,.....	,,	29.85	758.2	...	...	E	4	...	,,	29.90	759.4	...	...	E	5	...
Macao,.....	,,	29.93	760.2	64	...	E S E	1	of	,,	29.95	760.7	63	...	S E	3	ol
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.80	757.0	70	...	S E	3	c	8 a.	29.91	759.7	68	...	S	2	o
Tourane, ...	,,	29.81	757.2	79	...	S	1	c	,,	29.96	760.9	75	...	...	0	o
Cape St. James,.	,,	29.78	756.3	82	...	E N E	1	c	,,	29.88	758.8	...	...	E	...	...
Aparri, ...	2 p.	29.90	759.5	81	...	N	1	b	6 a.	29.94	760.4	73	...	E	1	o
Manila, ...	4 p.	29.80	757	86	53	S E	2	b	10 a.	29.96	761	82	63	...	0	b
Legaspi,.....	2 p.	29.84	758.0	84	...	E	1	b	6 a.	29.89	759.3	75	...	N E	1	b
Bacolod,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan, ...	,,	29.75	755.6	86	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 1st at 11.55 a.—The barometer has risen quickly over S. Japan and the Loochoos, the depression having moved into the Pacific to the E. of Japan.

Pressure has increased slightly over the China coast except in the South, where it is inclined to give way. It is considerably below the normal over the whole of the coast.

The highest pressure is over N. China, and the lowest over Tongking and the S. coast of China.

Strong N.E. and E. winds and unsettled weather may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, strong to a moderate gale; squally, sh
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 1st February, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st FEBRUARY, 1908, P.M.								2nd FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
iro,.....	,,	29.89	759.1	...	...	N	4	...	6 a.	29.89	759.1	...	...	N	6	...
odate,.....	,,	29.93	760.2	...	...	N W	6	...	,,	30.01	762.2	...	...	...	0	...
,.....	,,	29.98	761.6	...	...	N W	4	...	,,	30.02	762.6	...	...	N W	4	...
,.....	,,	30.07	763.8	...	...	W	2	...	,,	30.03	762.8	...	...	S W	2	...
saki,.....	,,	30.07	763.8	...	...	S E	6	...	,,	30.03	762.8	...	...	...	0	...
oshima,.....	,,	30.07	763.9	...	...	S E	2	...	,,	30.00	761.9	...	...	N E	4	...
ma,.....	,,	30.04	763.1	...	...	N E	4	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	E	2	...	,,	29.93	760.2	...	...	N	2	...
akijima,....	,,	29.97	761.3	...	...	E	6	...	,,	29.89	759.3	...	...	N	6	...
Is.....	,,	29.96	761.1	...	...	N E	4	...	,,	30.01	762.1	...	...	N E	2	...
co,.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,.....	,,	30.21	767.3	30	...	N W	2	o	9 a.	30.29	769.3	24	...	N E	3	b
kow,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nghai,.....	,,	30.05	763.2	45	68	E	3	o	9 a.	30.16	766.0	41	92	N	2	or
siaff,.....	,,	30.05	763.2	46	77	E N E	3	om	,,	30.13	765.3	43	92	N	5	om
g Peak,.....	,,	29.96	761.0	56	94	N	1	or	,,	30.02	762.5	57	100	...	0	b
cy,.....	,,	...	...	56	100	E N E	3	o	6 a.	30.00	762.0	59	88	N E	1	c
tow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
noku,.....	1 p.	29.94	760.5	.	...	E	4	...	5 a.	29.94	760.5	...	...	W	6	...
chu,.....	,,	29.91	759.6	...	...	N E	4	...	,,	29.92	759.9	...	...	N	2	...
nan,.....	,,	29.89	759.2	...	...	N W	4	...	,,	29.87	758.7	...	...	N	4	...
hm.....	,,	29.89	759.1	...	...	E	8	...	,,	29.85	758.2	...	...	...	0	...
adores,.....	,,	29.92	760.0	...	...	N	8	...	,,	29.91	759.7	...	...	N	6	...
ton,.....	3 p.	...	...	65	95	N E	1	o	9 a.	...	...	...	...	...	...	...
gkong,.....	4 p.	29.86	758.4	60	92	E	4	o	10 a.	29.99	761.7	63	85	E	1	o
oria Peak,...	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	1	...
Rock,.....	,,	29.83	757.7	...	...	E N E	5	...	,,	29.96	761.0	...	...	N E	3	...
ao,.....	,,	29.88	758.9	63	...	S E	1	of	,,	29.99	761.7	61	...	N	2	of
ow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,.....	4 p.	29.78	756.3	79	...	S S E	2	b	8 a.	29.92	760.0	64	...	E N E	3	o
ane,.....	,,	29.83	757.7	82	...	S E	1	b	,,	29.89	759.3	73	...	...	0	b
St. James,.	,,	29.82	757.5	84	...	E S E	1	c	,,	29.88	758.8	79	...	S E	1	c
,.....	2 p.	29.86	758.4	82	...	E	1	b	6 a.	29.88	758.9	72	...	W	1	b
lu,.....	4 p.	29.80	757	86	53	E	1	b	10 a.	29.92	760	79	76	S W	1	b
pi,.....	2 p.	29.84	757.9	86	...	E	1	b	6 a.	29.82	757.5	70	...	...	0	b
od,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n,.....	,,	29.76	755.9	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 2nd at 11.55 a.—The barometer has risen slightly on the S. coast of China, and fallen moderately over mosa, the Loochoos and S.W. Japan.

Pressure is highest over N. China, and an area of low pressure appears to be developing over the Pacific to the f the Loochoos.

Fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. winds, moderate or fresh; cloudy, drizzling rain
rmosa Channel, ...	N.E. winds, fresh. [or mist.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 2nd February, 1908.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd February, 1908, P.M.								3rd February, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.85	758.1	...	...	W	4	...	6 a.	29.77	756.1	...	...	N	6	...
Hakodate, ...	,,	29.89	759.2	...	...	N	2	...	,,	29.85	758.2	...	...	N	4	...
Tokio, ...	,,	29.87	758.6	...	...	...	0	...	,,	29.79	756.6	...	...	N W	2	...
Kochi, ...	,,	29.95	760.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki, ...	,,	29.99	761.8	...	...	E	6	...	,,	30.07	763.8	...	...	N E	2	...
Kagoshima, ...	,,	29.92	759.9	...	...	N	4	...	,,	30.04	762.9	...	...	N W	2	...
Oshima, ...	,,	29.77	756.1	...	...	S	2	...	,,	29.93	760.1	...	...	N	8	...
Naha, ...	,,	29.77	756.2	...	...	S	4	...	,,	29.93	760.2	...	...	N E	4	...
Ishigakijima, ...	,,	29.89	759.3	...	...	N	8	...	,,	29.97	761.3	...	...	N	6	...
Bonin Is.	,,	29.89	759.1	...	...	S E	2	...	,,	29.73	755.1	...	...	N	4	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	30.41	772.4	22	100	N W	4	b
Weihaiwei, ...	,,	30.36	771.1	24	...	N	3	b	9 a.	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.42	772.6	30	100	N W	1	o
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	30.29	769.3	37	100	N E	3	o
Shanghai, ...	,,	30.19	766.8	43	75	N	3	o	9 a.	30.35	770.9	36	90	N N W	2	o
Gutzlaff, ...	,,	30.12	765.0	45	76	N	5	cm	,,	30.29	769.3	39	82	N	4	cm
Sharp Peak, ...	,,	30.00	762.0	57	81	N E	4	c	,,	30.18	766.6	52	73	N E	5	cr
Amoy, ...	,,	30.00	762.0	62	100	N E	3	b	6 a.	30.12	765.0	56	87	N E	4	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	1 p.	30.01	762.2	...	...	N W	2	...	5 a.	30.05	763.2	...	...	E	4	...
Taichu, ...	,,	29.91	759.7	...	...	N	6	...	,,	29.93	760.2	...	...	N E	2	...
Tainan, ...	,,	29.90	759.5	...	...	N	6	...	,,	29.95	760.6	...	...	N	4	...
Koshun	,,	29.87	758.8	...	...	E	6	...	,,	29.92	760.0	...	...	N E	10	...
Pescadores, ...	,,	29.93	760.3	...	...	N	10	...	,,	29.98	761.5	...	...	N	10	...
Canton, ...	3 p.	29.94	760.5	62	77	N E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	29.91	759.7	64	75	E	1	o	10 a.	30.04	760.3	60	77	E	4	o
Victoria Peak, ...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	6	...
Gap Rock, ...	,,	29.88	758.9	...	...	N E	4	...	,,	30.00	762.0	...	...	E N E	5	...
Macao, ...	,,	29.94	760.5	62	...	N	2	o	,,	...	...	...	...	...	...	...
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.83	757.6	68	...	S E	2	b	8 a.	29.94	760.5	63	...	E N E	3	o
Tourane, ...	,,	29.85	758.3	64	...	E S E	3	c	,,	29.93	760.1	72	...	...	0	b
Cape St. James, .	,,	29.76	755.8	86	...	S E	1	c	,,	29.83	757.7	79	...	S E	1	c
Aparri, ...	2 p.	29.83	757.7	81	...	N E	1	b	6 a.	...	...	...	...	...	!	b
Manila, ...	4 p.	29.76	756	84	64	S W	2	b	10 a.	29.92	760	79	76	W S W	1	b
Legaspi, ...	2 p.	29.80	756.8	88	...	E	1	b	6 a.	29.84	758.0	75	...	N E	1	b
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan, ...	,,	29.74	755.4	85	...	...	...	...	,,	29.79	756.6	82	...	...	...	...

On the 3rd at 11.45 a.—The barometer has fallen over E. Japan and the Bonins owing to the depression which is moving away over the Pacific to the S.E. of Japan.

The barometer has risen over China, particularly on the E. coast. An area of high pressure lies now over the continent to the North of the Yangtze. Pressure is relatively low over the China Sea.

Gradients are rather steep and very strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong to a moderate gale; dull, probably [some rain.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Haiman,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 3rd February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	3RD FEBRUARY, 1908, P.M.								4TH FEBRUARY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	29.73	755.1	...	...	N	6	...	6 a.	29.81	757.1	...	...	N W	2	...
ate,.....	,,	29.81	757.2	...	...	W	6	...	,,	29.93	760.2	...	...	N W	4	...
.....	,,	29.79	756.6	...	...	N W	2	...	,,	30.02	762.6	...	...	N	2	...
.....	,,	29.91	759.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	4	...
ki, ...	,,	30.07	763.8	...	...	N	8	...	,,	30.11	764.8	...	...	N E	2	...
hima, ...	,,	30.00	761.9	...	...	S W	4	...	,,	30.08	763.9	...	...	N	4	...
a,.....	,,	29.96	761.1	...	...	N	6	...	,,	30.04	763.1	...	...	S	4	...
.....	,,	29.93	760.2	...	...	N E	8	...	,,	30.01	762.2	...	...	N E	2	...
kijima,....	,,	29.97	761.3	...	...	N	4	...	,,	29.97	761.3	...	...	N E	6	...
Is.....	,,	29.73	755.1	...	...	N W	2	...	,,	29.89	759.1	...	...	N	2	...
,.....	3 p.	30.41	772.4	24	100	W	2	b	6 a.	30.41	772.4	21	100	N E	4	b
aiwei,.....	,,	30.51	774.9	21	...	N W	2	b	9 a.	30.35	770.9	20	...	N W	1	o
ow, ...	,,	...	...	...	...	...	...	...	6 a.	30.52	775.2	33	90	W	1	o
iang,.....	,,	30.30	769.6	40	82	N E	2	o	,,	30.39	771.9	...	...	N E	3	o
ghai, ...	,,	30.28	769.1	38	72	N	2	o	9 a.	30.34	770.6	34	90	N	2	o
uff, ...	,,	30.23	767.8	41	74	N	4	om	,,	30.29	769.3	38	31	N	4	ov
Peak,.....	,,	30.09	764.3	53	80	E N E	4	c	,,	30.19	766.8	50	86	N N E	1	or
y.....	,,	30.04	763.0	59	88	N E	2	o	6 a.	30.05	763.2	52	87	N	4	or
ow,.....	,,	...	...	...	...	...	...	...	,,	30.03	762.7	50	80	N E	3	c
oxu,.....	1 p.	30.05	763.3	..	...	E	4	...	5 a.	30.05	763.3	...	...	E	4	...
u, ...	,,	29.96	760.9	...	...	N	4	...	,,	30.00	761.9	...	...	...	0	...
an,.....	,,	29.96	760.9	...	...	N	6	...	,,	29.98	761.4	...	...	N	4	...
un.....	,,	29.95	760.7	...	...	N E	10	...	,,	29.97	761.2	...	...	N E	8	...
dores, ...	,,	30.00	761.9	...	...	N	10	...	,,	30.01	762.2	...	...	N	8	...
en,.....	3 p.	30.00	762.0	56	81	N E	1	o	9 a.	30.18	766.6	50	93	N	2	o
kong, ...	4 p.	29.95	760.7	60	76	E N E	5	o	10 a.	30.12	765.0	57	81	N N E	1	o
ia Peak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	...	...
Rock,.....	,,	29.89	759.2	...	...	E N E	5	...	,,	30.09	764.3	...	...	E N E	5	...
,.....	,,	29.96	761.0	61	...	N	1	of	,,	30.14	765.5	57	...	N	2	o
ow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien,.....	4 p.	29.85	758.3	64	...	E N E	2	c	8 a.	30.06	763.4	59	...	N E	2	o
ne, ...	,,	29.83	757.7	79	...	N W	1	b	,,	29.99	761.6	72	...	N W	0	c
St. James,.	,,	29.74	755.4	84	...	S E	2	c	,,	29.84	757.9	79	...	N E	2	c
l,.....	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	70	...	S	1	b
a, ...	4 p.	29.76	756	88	54	E S E	1	b	10 a.	29.92	760	81	79	W S W	1	b
pi, ...	2 p.	29.81	757.2	82	...	E	1	o	6 a.	29.84	757.8	77	...	N E	1	c
od,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	,,	29.72	754.9	86	...	...	...	...	,,	29.80	756.9	83	...	...	...	...

On the 4th at 12.05 p.—The barometer has risen moderately over Japan and the S. coast of China.

The area of high pressure still lies over the continent to the North of the Yangtze, and pressure is relatively over the S. part of the China Sea.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	N. to N.E. winds, fresh or moderate; cloudy, drizzling
ormosa Channel, ...	N.E. winds, fresh or strong. [rain or mist.
outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 4th February, 1908.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th FEBRUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th FEBRUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.85	758.1	...	...	S	2	...	6 a.	29.85	758.1	...	...	...	0	
Hakodate,	,,	29.93	760.2	...	...	W	6	...	,,	29.85	758.2	...	...	S W	6	
Tokio,	,,	29.98	761.6	...	...	N W	4	...	,,	29.91	759.6	...	...	N W	2	
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	29.88	758.8	...	...	W	2	
Nagasaki,	,,	30.07	763.8	...	...	N	4	...	,,	29.99	761.8	...	...	N W	4	
Kagoshima,	,,	30.04	762.9	...	...	N W	2	...	,,	29.96	760.9	...	...	N	2	
Oshima,	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	N	6	
Naha,	,,	29.97	761.2	...	...	N	4	...	,,	30.05	763.2	...	...	N	10	
Ishigakijima,	,,	29.97	761.3	...	...	N E	4	...	,,	30.09	764.3	...	...	N E	6	
Bonin Is.	,,	29.89	759.1	...	...	E	2	...	,,	29.93	760.1	...	...	...	0	
Chefoo,	3 p.	30.35	770.9	21	86	S W	1	o	6 a.	30.21	767.3	20	100	W	6	c
Weihaiwei,	,,	30.25	768.3	22	...	W N W	1	o	9 a.	...	...	...	...	...	...	
Hankow,	,,	30.54	775.7	36	80	N	2	o	6 a.	30.67	779.0	32	79	N W	1	b
Kiukiang,	,,	30.41	772.4	37	81	N W	3	o	,,	...	...	34	90	W	2	c
Shanghai,	,,	30.28	769.1	37	71	N N W	3	o	9 a.	30.41	772.4	33	90	N W	4	c
Gutzlaff,	,,	30.25	768.3	39	73	N N W	4	ov	,,	30.34	770.6	34	79	N W	5	c
Sharp Peak,	,,	30.13	765.3	51	86	N E	2	o	,,	30.30	769.6	51	79	N E	5	c
Amoy,	,,	30.03	762.7	58	88	N	4	c	6 a.	30.22	767.6	54	87	N N E	1	c
Swatow,	,,	30.07	763.8	53	81	N E	2	c	,,	...	...	...	...	...	...	
Taihoku,	1 p.	30.06	763.5	..	...	E	6	...	5 a.	30.23	767.8	...	...	E	4	
Taichu,	,,	29.99	761.8	...	...	N	6	...	,,	30.10	764.6	...	...	N	8	
Tainan,	,,	29.99	761.7	...	...	N	6	...	,,	30.08	764.0	...	...	W	6	
Koshun	,,	29.96	761.1	...	...	N	6	...	,,	30.05	763.3	...	...	N E	6	
Pescadores,	,,	30.03	762.7	...	...	N	8	...	,,	30.13	765.3	...	...	N	10	
Canton,	3 p.	30.09	764.3	53	80	N	2	o	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	30.07	763.8	58	76	N N E	1	o	10 a.	30.27	768.8	55	60	N	1	c
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N	3	
Gap Rock,	,,	30.03	762.7	...	...	N N E	4	...	,,	30.23	767.8	...	...	N N E	4	
Macao,	,,	30.09	764.3	57	...	N	2	o	,,	30.30	769.6	53	...	N	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.05	763.3	57	...	N E	2	o	8 a.	...	...	...	...	...	...	
Tourane,	,,	29.97	761.3	79	...	N E	1	b	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.79	756.7	83	...	E S E	4	b	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.87	758.8	81	...	N E	1	b	6 a.	29.99	761.8	73	...	N	1	c
Manila,	4 p.	29.80	757	86	59	W N W	1	b	10 a.	30.00	762	77	84	N W	2	b
Legaspi,	2 p.	29.85	758.1	86	...	E	1	b	6 a.	29.92	760.0	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Labuan,	,,	29.75	756.6	84	...	...	...	...	,,	29.91	759.7	80	...	...	...	

On the 5th at 11.55 a.—The barometer has fallen in Japan, and risen over China and in the South.

The anticyclonic area still lies over the continent to the North of the Upper Yangtze, and an area of low pressure appears to be situated over the N. part of the Sea of Japan.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 5th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	5TH FEBRUARY, 1908, P.M.								6TH FEBRUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
tock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.73	755.1	...	...	...	0	...	6 a.	29.41	747.1	...	...	N	8	...
.....	,,	29.65	753.2	...	...	N	4	...	,,	29.30	744.2	...	...	N E	8	...
.....	,,	29.63	752.6	...	...	N E	2	...	,,	29.47	748.6	...	...	N W	2	...
.....	,,	29.76	755.8	...	...	S W	6	...	,,	29.84	757.8	...	...	S W	2	...
.....	,,	29.91	759.8	...	...	N W	8	...	,,	29.95	760.8	...	...	N W	3	...
na, ...	,,	29.92	759.9	...	...	N W	8	...	,,	29.96	760.9	...	...	N	4	...
.....	,,	30.00	762.1	...	...	N	8	...	,,	30.12	765.1	...	...	N	8	...
ima, ...	,,	30.05	763.2	...	...	N	8	...	,,	30.21	767.2	...	...	N W	10	...
.....	,,	30.13	765.3	...	...	N	6	...	,,	30.25	768.3	...	...	N	6	...
.....	,,	29.81	757.1	...	...	S	4	...	,,	29.77	756.1	...	...	N W	6	...
.....	3 p.	30.20	767.1	19	100	W N W	6	o	6 a.	...	...	...	...	...	...	...
ei, ...	,,	30.20	767.1	17	...	W N W	4	o	9 a.	30.28	769.1	16	...	N	3	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
g, ...	,,	30.50	774.7	46	47	W	2	b	,,	30.63	778.0	32	79	W	2	b
i, ...	,,	30.35	770.9	36	61	N W	5	c	9 a.	30.54	775.7	27	...	W N W	4	b
.....	,,	30.28	769.1	36	80	N W	6	om	,,	30.48	774.2	...	...	N W	6	cm
eak, ...	,,	30.24	768.1	52	79	E N E	4	c	,,	30.42	772.6	52	86	W N W	3	b
.....	,,	30.22	767.6	57	81	N E	1	c	6 a.	30.37	771.4	51	86	N E	1	b
.....	,,	30.17	766.3	56	69	N	2	o	,,	30.29	769.3	47	70	N	2	o
.....	1 p.	30.26	768.6	...	...	S	2	...	5 a.	30.36	771.1	...	...	...	0	...
.....	,,	30.14	765.5	...	...	N	6	...	,,	30.23	767.9	...	...	N	2	...
.....	,,	30.12	765.1	...	...	N	8	...	,,	30.22	767.5	...	...	N	6	...
.....	,,	30.09	764.2	...	...	N E	8	...	,,	30.19	766.8	...	...	N E	10	...
res, ...	,,	30.16	766.0	...	...	N	10	...	,,	30.25	768.2	...	...	N	8	...
.....	3 p.	30.26	768.6	56	69	N	2	c	9 a.	30.44	773.2	47	64	N	2	c
ng, ...	4 p.	30.21	767.3	59	56	N N E	2	o	10 a.	30.38	771.6	54	52	N	1	o
Peak,...	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N E	4	...
ck,.....	,,	30.16	766.0	...	...	N	4	...	,,	30.34	770.6	...	...	N E	4	...
.....	,,	30.24	768.1	57	...	N	3	o	,,	30.38	771.6	54	...	N	3	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.24	768.2	55	...	N N E	2	o	8 a.	30.38	771.6	52	...	N E	2	o
.....	,,	30.10	764.6	73	...	N W	3	o	,,	30.25	768.4	66	...	N W	2	o
James,.	,,	29.87	758.6	82	...	N E	3	c	,,	29.97	761.2	73	...	N E	2	o
.....	2 p.	...	...	...	...	...	...	...	6 a.	30.11	764.7	72	...	E	1	d
.....	4 p.	29.88	759	88	60	S S E	1	c	10 a.	30.04	763	82	57	N E	1	c
.....	2 p.	29.88	758.9	86	...	E	1	b	6 a.	29.98	761.4	77	...	N	1	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.79	756.6	84	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

the 6th at 11.55 a.—The barometer has fallen rapidly over Japan owing to the depression which is moving e Pacific to the South of Hokkaido.

he anticyclonic area is still over the continent to the North of the Upper Yangtze, and pressure has increased tely on the China coast and in the South.

rong monsoon may be expected in the Formosa Channel, and N. and N.E. gales over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N. winds, moderate; fine.
nosa Channel, ...	N.E. winds, strong.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 6th February, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th FEBRUARY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th FEBRUARY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.30	744.1	...	...	N	8	...	6 a.	29.65	753.1	...	...	N	6
Hakodate,	,,	29.34	745.2	...	...	N W	8	...	,,	29.73	755.2	...	...	N	4
Tokio,	,,	29.51	749.6	...	...	N W	6	...	,,	29.91	759.6	...	...	N W	4
Kochi,	,,	29.83	757.8	...	...	W	6	...	,,	30.15	765.8	...	...	W	6
Nagasaki,	,,	30.03	762.8	...	...	N	8	...	,,	30.27	768.8	...	...	N	6
Kagoshima,	,,	30.00	761.9	...	...	N	8	...	,,	30.23	767.9	...	...	N	6
Oshima,	,,	30.12	765.1	...	...	N	8	...	,,	30.24	768.1	...	...	N W	8
Naha,	,,	30.20	767.2	...	...	N W	10	...	,,	30.28	769.2	...	...	N	8
Ishigakijima,	,,	30.33	770.5	...	...	N	10	...	,,	30.33	770.3	...	...	N	4
Bonin Is.	,,	29.65	753.1	...	...	S E	6	...	,,	30.01	762.1	...	...	N	6
Chefoo,	3 p.	30.42	772.6	20	18	N W	6	c	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.41	772.4	17	...	W	3	o	9 a.	30.44	773.2	17	...	W	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.60	777.2	44	45	S	2	b	,,	30.51	774.9	32	79	N E	2
Shanghai,	,,	30.50	774.7	33	...	N W	4	b	9 a.	30.50	774.7	31	...	N W	2
Gutzlaff,	,,	30.41	772.4	34	90	N W	6	cm	,,	30.48	774.2	35	80	N N W	2
Sharp Peak,	,,	30.35	770.9	54	94	E N E	2	b	,,	30.41	772.4	49	85	N	3
Amoy,	,,	30.33	770.4	57	87	E	1	b	6 a.	30.37	771.4	54	87	N E	3
Swatow,	,,	30.25	768.3	59	54	E S E	2	b	,,	30.30	769.6	47	70	N E	3
Taiboku,	1 p.	30.38	771.7	..	...	E	6	...	5 a.	30.38	771.7	...	...	E	4
Taichu,	,,	30.24	768.1	...	...	N	6	...	,,	30.26	768.7	...	...	...	0
Tainan,	,,	30.23	767.8	...	...	N	6	...	,,	30.26	768.5	...	...	N	6
Koshun	,,	30.22	767.5	...	...	N E	8	...	,,	30.22	767.5	...	...	N E	10
Pescadores,	,,	30.28	769.1	...	...	N	10	...	,,	30.28	769.0	...	...	N	10
Canton,	3 p.	30.31	769.9	61	50	N	1	b	9 a.	30.33	770.4	55	39	N	1
Hongkong,	4 p.	30.28	769.1	58	42	E	2	b	10 a.	30.29	769.3	56	70	E	5
Victoria Peak,	,,	...	...	...	...	E N E	2	...	,,	...	...	...	...	E	7
Gap Rock,	,,	30.25	768.3	...	...	N E	5	...	,,	30.25	768.3	...	...	E N E	5
Macao,	,,	30.30	769.6	58	...	N	2	o	,,	30.30	769.6	56	...	N E	2
Bolhow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	30.26	768.5	57	...	S W	1	o	8 a.	30.26	768.7	54	...	N N E	2
Tourane,	,,	30.19	766.9	68	...	N	4	o	,,	30.21	767.3	66	...	...	0
Cape St. James,	,,	29.92	760.0	82	...	E N E	2	c	,,	30.01	762.2	77	...	N E	2
Aparri,	2 p.	30.10	764.6	70	...	N E	1	p	6 a.	30.19	766.9	64	...	N E	2
Manila,	4 p.	29.96	761	84	56	E	...	o	10 a.	30.08	764	79	69	N E	1
Legaspi,	2 p.	29.97	761.2	86	...	N E	1	b	6 a.	30.10	764.4	75	...	N	1
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan,	,,	29.82	757.4	83	...	...	...	...	,,	29.92	759.9	81	...	...	...

On the 7th at 11.50 a.—The depression is moving away over the Pacific to the N.E. of Japan.

The barometer has risen over Japan and the N.E. coast of China, and fallen in S. China.

The high pressure area still lies over the Yangtze.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 7th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	7TH FEBRUARY, 1908, P.M.								8TH FEBRUARY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.73	755.1	...	...	N	4	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.77	756.2	...	...	W	6	...	,,	30.01	762.2	...	...	N	4	...
.....	,,	29.94	760.6	...	...	N W	6	...	,,	30.14	765.6	...	...	N W	4	...
.....	,,	30.15	765.8	...	...	S E	4	...	,,	30.23	767.8	...	...	E	2	...
.....	,,	30.27	768.8	...	...	N	4	...	,,	30.27	768.8	...	...	...	0	...
a, ...	,,	30.27	768.9	...	...	N	6	...	,,	30.27	768.9	...	...	N	2	...
.....	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	S	2	...
.....	,,	30.28	769.2	...	...	N E	4	...	,,	30.28	769.2	...	...	...	0	...
ma,....	,,	30.29	769.3	...	...	N E	4	...	,,	30.25	768.3	...	...	E	4	...
.....	,,	30.04	763.1	...	...	N W	4	...	,,	30.20	767.1	...	...	...	0	...
.....	3 p.	30.31	769.9	26	100	S W	1	c	6 a.	30.33	770.4	23	100	S W	1	b
ei,.....	,,	30.31	769.9	24	...	W	2	b	9 a.	30.47	773.9	24	...	W N W	2	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.38	771.6	36	61	S E	2	o	,,	30.38	771.6	35	90	...	0	o
.....	,,	30.34	770.6	38	63	E	1	c	9 a.	30.35	770.9	37	91	N E	1	om
.....	,,	30.37	771.4	39	64	W N W	1	cm	,,	30.34	770.6	39	82	E S E	2	cv
ak,.....	,,	30.29	769.3	52	86	E N E	4	c	,,	30.27	768.8	51	100	N N W	1	c
.....	,,	30.29	769.3	57	75	N E	2	c	6 a.	30.26	768.6	54	87	N E	1	c
.....	,,	30.18	766.6	55	62	E N E	2	o	,,	30.18	766.6	53	80	N E	3	o
.....	1 p.	30.28	769.0	..	...	E	8	...	5 a.	30.21	767.4	...	...	...	0	...
.....	,,	30.22	767.5	...	...	...	0	...	,,	30.21	767.3	...	...	...	0	...
.....	,,	30.22	767.5	...	...	N	2	...	,,	30.18	766.6	...	...	N	4	...
.....	,,	30.21	767.3	...	...	N E	8	...	,,	30.18	766.5	...	...	N E	2	...
s, ...	,,	30.26	768.5	...	...	N	8	...	,,	30.21	767.4	...	...	N	6	...
.....	3 p.	30.20	767.1	57	63	N E	1	o	9 a.	30.17	766.3	53	80	N W	1	o
g, ...	4 p.	30.16	766.0	56	68	E N E	5	o	10 a.	30.21	767.3	61	70	E	4	o
Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	4	...
k,.....	,,	30.13	765.3	...	...	E N E	6	...	,,	30.18	766.6	...	...	E	5	...
.....	,,	30.20	767.1	59	...	N	1	o	,,	30.21	767.3	61	...	E	1	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.10	764.6	61	...	N E	0	o	8 a.	30.14	766.5	57	...	E N E	2	or
.....	,,	30.08	764.1	75	...	N W	5	c	,,	30.12	765.0	70	...	...	0	c
ames,.	,,	29.88	758.9	84	...	E N E	3	c	,,	29.98	761.4	72	...	N E	2	c
.....	2 p.	30.12	765.1	72	...	N E	2	o	6 a.	30.13	765.2	66	...	S	1	b
.....	4 p.	29.96	761	81	63	N N E	0	o	10 a.	30.08	764	75	75	N E	1	o
.....	2 p.	29.99	761.8	79	...	E	2	o	6 a.	30.02	762.6	75	...	N E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.82	757.4	84	...	...	...	...	,,	29.96	761.0	82	...	...	...	...

he 8th at 11.55 a.—The barometer has risen in Japan, and fallen over China.

sure is now highest over the Yellow Sea, and probably a depression is developing over the Yangtze valley.

sh to moderate monsoon may be expected in the Formosa Channel and the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
kong and Neighbourhood, ...	N.E. to E. winds, fresh to moderate; fair.
sea Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 8th February, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th FEBRUARY, 1908, P.M.								9th FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.85	758.1	...	...	N E	4	...	6 a.	29.73	755.1	...	...	N W	2	
Hakodate,	,,	29.93	760.2	...	...	W	6	...	,,	29.81	757.2	...	...	N	8	
Tokio,	,,	29.98	761.6	...	...	S E	4	...	,,	29.91	759.6	...	...	...	0	
Kochi,	,,	30.11	764.8	...	...	W	4	...	,,	30.11	764.8	...	...	S W	4	
Nagasaki,	,,	30.23	767.8	...	...	N	4	...	,,	30.23	767.8	...	...	N W	4	
Kagoshima,	,,	30.19	766.9	...	...	N W	4	...	,,	30.19	766.9	...	...	N	2	
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.20	767.1	...	...	N	4	
Naha,	,,	30.20	767.2	...	...	W	2	...	,,	30.17	766.2	...	...	N	2	
Ishigakijima,	,,	30.17	766.3	...	...	S	6	...	,,	30.13	765.3	...	...	N	2	
Bonin Is.	,,	30.16	766.1	...	...	N W	2	...	,,	30.08	764.1	...	...	N W	2	
Chefoo,	3 p.	30.39	771.9	24	100	N N E	5	b	6 a.	30.42	772.6	16	100	S W	3	
Weihaiwei,	,,	30.32	770.1	28	...	W	2	ovr	9 a.	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.52	775.2	33	90	N W	1	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.33	770.4	33	90	...	0	
Shanghai,	,,	30.32	770.1	39	73	N	1	om	9 a.	30.44	773.2	35	70	N W	1	
Gutzlaff,	,,	30.30	769.6	40	82	N N W	1	ov	,,	30.41	772.4	41	83	N N W	3	
Sharp Peak,	,,	30.17	766.3	54	94	N E	1	c	,,	30.31	769.9	52	79	N E	5	
Amoy	,,	30.17	766.3	58	76	N E	1	c	6 a.	30.26	768.6	55	80	N E	3	
Swatow,	,,	30.12	765.0	62	72	E	1	o	,,	...	...	...	...	...	...	
Taihoku,	1 p.	30.16	766.1	..	...	N W	4	...	5 a.	30.21	767.3	...	...	...	0	
Taichu,	,,	30.14	765.6	...	...	N W	4	...	,,	30.12	765.1	...	...	...	0	
Tainan,	,,	...	...	...	...	W	4	...	,,	30.17	766.4	...	...	N	6	
Koshun	,,	30.13	765.4	...	...	E	6	...	,,	30.13	765.4	...	...	...	0	
Pescadores,	,,	30.20	767.0	...	...	N	6	...	,,	...	...	...	...	...	...	
Canton,	3 p.	30.16	766.0	57	81	N W	1	o	9 a.	30.25	768.3	53	86	N W	3	
Hongkong,	4 p.	30.14	765.5	61	73	E N E	2	o	10 a.	30.22	767.6	61	76	E N E	2	
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	4	
Gap Rock,	,,	30.09	764.3	...	...	E N E	4	...	,,	30.18	766.6	...	...	N E	4	
Macao,	,,	30.18	766.6	63	...	N	1	o	,,	30.21	767.3	59	...	N	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.09	764.3	63	...	N W	1	o	8 a.	30.18	766.5	59	...	E N E	2	
Tourane,	,,	30.04	762.9	77	...	N E	1	c	,,	30.14	765.6	72	...	...	0	
Cape St. James,	,,	29.86	758.5	84	...	E	2	c	,,	29.94	760.4	73	...	N E	3	
Aparri,	2 p.	30.07	763.9	72	...	S W	0	d	6 a.	30.08	764.0	68	...	S	1	
Manila,	4 p.	29.96	761	81	62	E S E	1	o	10 a.	...	...	...	...	...	...	
Legaspi,	2 p.	30.00	762.1	82	...	N E	2	o	6 a.	30.01	762.2	75	...	N	1	
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	...	...	...	...	...	...	

On the 9th at 12.05 p.—The barometer has risen slightly over China, and fallen moderately over Japan and Loochoos.

Pressure is high over China to the North of the Yangtze, and low to the N.E. of Japan.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; dull, misty.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 9th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	9TH FEBRUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10TH FEBRUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	29.65	753.1	...	...	...	0	...	6 a.	29.73	755.1	...	...	W	4	...
te,.....	,,	29.81	757.2	...	...	W	6	...	,,	29.93	760.2	...	...	W	8	...
.....	,,	29.79	756.6	...	...	S	4	...	,,	30.06	763.6	...	...	N W	2	...
.....	,,	...	...	...	...	S W	4	...	,,	30.23	767.8	...	...	S W	2	...
i, ...	,,	30.23	767.8	...	...	N	6	...	,,	30.31	769.8	...	...	N E	2	...
ima, ...	,,	30.15	765.9	...	...	N W	6	...	,,	30.31	769.9	...	...	E	4	...
.....	,,	30.16	766.1	...	...	N	6	...	,,	30.24	768.1	...	...	W	2	...
.....	,,	30.17	766.2	...	...	N E	6	...	,,	30.21	767.2	...	...	...	0	...
ijima, ...	,,	30.13	765.5	...	...	N E	6	...	,,	30.13	769.3	...	...	E	4	...
s.....	,,	30.00	762.1	...	...	S	6	...	,,	30.12	765.1	...	...	N E	4	...
.....	3 p.	30.41	772.4	27	100	W	1	b	6 a.	...	...	...	...	...	...	...
wei,.....	,,	...	...	...	...	...	...	...	9 a.	30.50	774.7	24	...	W	1	b
v, ...	,,	30.53	775.4	46	54	E N E	2	b	6 a.	30.44	773.2	38	91	N E	1	b
ng,.....	,,	30.38	770.4	45	68	N E	2	b	,,	30.35	770.9	39	91	...	0	o
ai, ...	,,	30.28	769.1	44	53	E N E	1	c	9 a.	30.37	771.4	39	100	E N E	1	omd
, ...	,,	30.33	770.4	43	75	N	2	cv	,,	30.37	770.9	41	100	E	2	om
eak,.....	,,	30.24	768.1	52	79	N E	5	c	,,	30.25	768.3	54	100	N	1	c
.....	,,	30.22	767.6	58	81	N N E	1	c	6 a.	30.22	767.6	56	87	S W	1	b
.....	,,	30.14	765.5	62	83	E S E	3	c	,,	30.15	765.3	55	87	N E	2	o
.....	1 p.	30.18	766.6	.	...	E	6	...	5 a.	30.17	766.2	...	...	E	2	...
.....	,,	30.13	765.3	...	...	N	4	...	,,	30.15	765.9	...	...	N E	2	...
.....	,,	30.12	765.1	...	...	N W	4	...	,,	30.15	765.9	...	...	N	4	...
.....	,,	30.12	765.0	...	...	N E	6	...	,,	30.12	764.9	...	...	S W	2	...
res, ...	,,	30.17	766.4	...	...	N	8	...	,,	30.17	766.4	...	...	N	6	...
.....	3 p.	30.17	766.3	60	71	S W	1	o	9 a.	...	...	...	...	...	...	...
ng, ...	4 p.	30.13	765.3	61	79	E N E	3	o	10 a.	30.22	767.6	63	74	E	2	o
Peak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	4	...
ck,.....	,,	30.09	764.3	65	...	E N E	5	...	,,	30.17	766.3	...	...	E N E	5	...
.....	,,	30.13	765.3	62	...	N E	1	o	,,	30.20	767.1	65	...	N E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.08	764.1	61	...	E	2	o	8 a.	30.12	765.0	61	...	E N E	3	o
.....	,,	30.02	762.5	79	...	E	1	c	,,	30.08	764.1	75	...	...	0	c
James,.	,,	29.83	757.6	81	...	E N E	2	c	,,	29.93	760.2	75	...	N N E	2	o
.....	2 p.	30.04	762.9	79	...	N E	1	b	6 a.	30.05	763.3	68	...	S W	1	b
.....	4 p.	29.96	761	79	61	E S E	1	o	10 a.	30.04	763	79	61	E N E	...	o
.....	2 p.	29.95	760.7	82	...	N	1	o	6 a.	29.97	761.2	72	...	N	1	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.1	85	...	...	...	...	,,	29.84	757.9	83	...	...	...	...

the 10th at 11.55 a.—The barometer has risen moderately in Japan, and fallen slightly over China.
essure is highest over N. China and the Yellow Sea, and lowest to the N.E. of Japan.
radients are slight to moderate, and fresh to moderate monsoon may be expected in the Formosa Channel and ina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.E. and E. winds, fresh to moderate; cloudy, misty.
osa Channel, ...	Same as No. 1.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 10th February, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th FEBRUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th FEBRUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	29.81	757.1	...	...	W	4
Hakodate, ...	,,	29.97	761.2	...	...	W	8	...	,,	29.97	761.2	...	...	W	4
Tokio, ...	,,	30.06	763.6	...	...	N E	2	...	,,	30.10	764.6	...	...	N W	2
Kochi, ...	,,	30.19	766.8	...	...	S W	2	...	,,	30.31	769.8	...	...	S	2
Nagasaki, ...	,,	30.31	769.8	...	...	N	2	...	,,	30.39	771.8	...	...	...	0
Kagoshima, ...	,,	30.27	768.9	...	...	N W	6	...	,,	30.35	770.9	...	...	N	2
Oshima, ...	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	...	0
Naha, ...	,,	30.20	767.2	...	...	E	2	...	,,	30.21	767.2	...	...	...	0
Ishigakijima, ...	,,	30.17	766.3	...	...	S E	6	...	,,	30.17	766.3	...	...	S E	4
Bonin Is.	,,	30.12	765.1	...	...	E	...	...	,,	30.20	767.1	...	...	...	0
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	30.54	775.7	20	100	W	1
Weihaiwei, ...	,,	30.49	774.4	26	...	N W	2	b	9 a.	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.61	777.5	37	91	N E	2
Kiukiang, ...	,,	30.38	771.6	45	76	N E	2	o	,,	30.56	776.2	38	91	N E	2
Shanghai, ...	,,	...	...	...	...	...	...	...	9 a.	30.55	775.9	40	74	N N E	...
Gutzlaff, ...	,,	30.35	770.9	41	92	E N E	3	om	,,	30.50	774.7	41	83	N N E	3
Sharp Peak, ...	,,	30.20	767.1	56	94	E	3	c	,,	30.31	769.9	54	60	N E	6
Amoy	,,	30.16	766.0	63	72	S E	3	b	6 a.	30.22	767.6	60	82	...	0
Swatow, ...	,,	30.12	765.0	64	73	E S E	2	b	,,	30.08	764.0	56	94	N E	1
Taihoku, ...	1 p.	30.15	765.9	.	...	N W	4	...	5 a.	30.19	766.8	...	...	E	6
Taichu, ...	,,	30.15	765.7	...	...	N	6	...	,,	30.15	765.9	...	...	E	2
Tainan, ...	,,	30.15	765.8	...	...	N	4	...	,,	30.14	765.5	...	...	N	4
Koshun	,,	30.11	764.7	...	...	N E	6	...	,,	30.11	764.8	...	...	E	6
Pescadores, ...	,,	30.17	766.3	...	...	N	6	...	,,	30.16	766.0	...	...	N	8
Canton, ...	3 p.	30.12	765.0	67	79	...	0	o	9 a.	30.21	767.3	62	83	N	1
Hongkong, ...	4 p.	30.12	765.0	63	75	E	2	o	10 a.	30.19	766.8	63	82	E S E	1
Victoria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E N E	3
Gap Rock, ...	,,	30.07	763.8	...	...	E N E	5	...	,,	30.15	765.8	...	...	N E	5
Macao, ...	,,	30.11	764.8	65	...	E S E	2	c	,,	30.18	766.6	67	...	N E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	30.04	762.9	66	...	E	2	c	8 a.	30.10	764.5	64	...	E	5
Tourane, ...	,,	30.02	762.5	77	...	N E	2	c	,,	30.07	763.8	72	...	...	0
Cape St. James, .	,,	29.83	757.6	81	...	N E	3	c	,,	29.86	758.5	77	...	E	4
Aparri, ...	2 p.	30.01	762.2	77	...	N E	1	o	6 a.	30.04	763.0	70	...	S	1
Manila, ...	4 p.	29.92	760	82	57	E N E	1	c	10 a.	30.04	763	79	76	...	0
Legaspi, ...	2 p.	29.91	759.8	84	...	N	1	c	6 a.	29.93	760.1	77	...	E	2
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan, ...	,,	29.78	756.4	82	...	...	...	...	,,	29.80	756.9	83	...	...	...

On the 11th at 11.55 a.—The barometer has risen moderately over N. China and Japan.

An area of high pressure lies over China to the North of the Yangtze, and pressure is relatively low over China Sea.

The monsoon is expected to freshen considerably in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening to strong breezes; fair to d
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 11th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	11TH FEBRUARY, 1908, P.M.								12TH FEBRUARY, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.73	756.1	...	...	W	2	...	6 a.	29.77	756.1	...	...	N W	4	...
.....	,,	29.93	760.2	...	...	W	6	...	,,	29.93	760.2	...	...	N	6	...
.....	,,	30.02	762.6	...	...	N W	2	...	,,	30.06	763.6	...	...	N W	4	...
.....	,,	30.19	766.8	...	...	W	2	...	,,	30.27	768.8	...	...	S W	2	...
.....	,,	30.35	770.8	...	...	W	6	...	,,	30.35	770.8	...	...	...	0	...
a, ...	,,	30.31	769.9	...	...	N	6	...	,,	30.35	770.9	...	...	N	4	...
.....	,,	30.23	769.1	...	...	N	2	...	,,	30.28	769.1	...	...	N E	2	...
.....	,,	30.20	767.2	...	...	S	2	...	,,	30.21	767.2	...	...	N E	6	...
ma, ...	,,	30.17	766.5	...	...	S E	6	...	,,	30.17	766.3	...	...	S E	4	...
.....	,,	30.12	765.1	...	...	N	4	...	,,	30.16	766.1	...	...	N W	4	...
.....	3 p.	30.54	775.7	29	100	N W	4	b	6 a.	...	...	21	100	S W	1	b
i,.....	,,	30.54	775.7	27	...	N W	2	b	9 a.	30.57	776.5	25	...	N W	1	b
.....	,,	30.52	775.2	41	83	N E	1	o	6 a.	30.58	776.7	35	90	N	1	or
.....	,,	30.48	774.2	38	100	N E	3	or	,,	30.55	775.9	34	100	N E	2	b
.....	,,	30.49	774.4	40	65	N E	2	vom	9 a.	30.57	776.5	34	79	N	2	o
.....	,,	30.45	773.4	40	82	N N E	3	ov	,,	30.51	774.9	36	99	N	4	omd
ak, ...	,,	30.26	768.6	55	74	E N E	6	c	,,	30.36	771.1	52	86	N	2	o
.....	,,	30.19	766.8	65	73	E N E	3	o	6 a.	30.26	768.6	58	81	N E	1	or
.....	,,	30.07	763.8	64	78	E	3	o	,,	30.06	763.5	55	94	N E	2	c
.....	1 p.	30.20	767.2	..	...	E	6	...	5 a.	30.19	766.8	...	...	E	4	...
.....	,,	30.09	764.4	...	...	N	6	...	,,	30.13	765.4	...	...	N	2	...
.....	,,	30.10	764.5	...	...	N	4	...	,,	30.15	765.7	...	...	N	2	...
.....	,,	30.11	764.9	...	...	E	8	...	,,	30.12	765.0	...	...	E	6	...
ss, ...	,,	30.20	767.1	...	...	N	10	...	,,	30.19	766.7	...	...	N	10	...
.....	3 p.	30.12	765.0	65	84	N	2	o	9 a.	...	...	...	...	...	...	...
g, ...	4 p.	30.09	764.3	63	85	E	3	op	10 a.	30.21	767.3	62	82	E N E	2	o
Peak,...	,,	...	...	...	...	N	6	...	,,	...	...	...	...	E	5	...
s,.....	,,	30.05	763.2	...	...	E N E	5	...	,,	30.17	766.3	...	...	E N E	6	...
.....	,,	30.10	764.5	65	...	N N E	2	o	,,	30.22	767.6	62	...	N	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.02	762.6	66	...	E	5	o	8 a.	30.12	765.0	63	...	E N E	5	c
.....	,,	29.96	761.1	79	...	N E	1	c	,,	30.10	764.5	70	...	...	0	o
lames,.	,,	29.80	756.8	79	...	E N E	4	c	,,	29.89	759.3	79	...	N E	4	c
.....	2 p.	30.04	762.9	77	...	S	1	d	6 a.	30.09	764.2	70	...	S	1	c
.....	4 p.	29.92	760	82	57	...	1	o	10 a.	30.04	763	82	57	N N E	1	b
.....	2 p.	29.93	760.2	82	...	E	1	o	6 a.	29.97	761.2	77	...	N E	1	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.72	754.9	85	...	...	...	...	,,	...	...	...	...	...	...	...

the 12th at 11.40 a.—Barometric changes are unimportant.

high pressure area is still Central over the continent to the North of the Yangtze, and pressure continues low over the N. part of the China Sea.

y strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
kong and Neighbourhood, ...	N.E. winds, strong; drizzling rain or mist.
osa Channel, ...	N.E. winds, strong to a gale.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ongkong Observatory, Wednesday, 12th February, 1908.

l by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th February, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	13th February, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.81	757.1	...	...	N W	6	...	6 a.	29.97	761.1	...	...	W	4
Hakodate, ...	,,	29.97	761.2	...	...	N	6	...	,,	30.09	764.2	...	...	...	0
Tokio, ...	,,	30.02	762.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N	4
Kochi, ...	,,	30.19	766.8	...	...	S E	4	...	,,	30.23	767.8	...	...	S W	2
Nagasaki, ...	,,	30.31	769.8	...	...	N	4	...	,,	30.31	769.8	...	...	...	0
Kagoshima, ...	,,	30.23	767.9	...	...	...	0	...	,,	30.27	768.9	...	...	N	6
Oshima, ...	,,	30.28	769.1	...	...	N	2	...	,,	30.24	768.1	...	...	N W	4
Naha, ...	,,	30.17	766.2	...	...	E	4	...	,,	30.17	766.2	...	...	N E	4
Ishigakijima, ...	,,	30.17	766.3	...	...	S	6	...	,,	30.13	765.3	...	...	N E	6
Bonin Is.	,,	30.08	764.1	...	...	N W	4	...	,,	30.12	765.1	...	...	N W	2
Chefoo, ...	3 p.	30.51	774.9	30	100	N W	1	b	6 a.	30.47	773.9	22	100	W	1
Weihaiwei, ...	,,	30.49	774.4	27	...	N W	3	b	9 a.	30.50	774.7	28	...	N W	1
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.58	776.7	34	100	N	1
Kiukiang, ...	,,	30.51	774.9	36	90	N E	4	o	,,	30.46	773.7	34	100	N E	4
Shanghai, ...	,,	30.48	774.2	38	63	N	2	o	9 a.	30.48	774.2	36	61	N W	1
Gutzlaff, ...	,,	30.44	773.2	37	81	N	4	ov	,,	30.44	773.2	36	99	N N W	3
Sharp Peak, ...	,,	30.27	768.8	53	73	E N E	6	c	,,	30.35	770.9	50	76	N N E	5
Amoy, ...	,,	30.29	769.3	59	82	E N E	1	or	6 a.	30.27	768.8	56	81	N E	1
Swatow, ...	,,	30.13	765.3	61	82	E	4	o	,,	30.07	763.8	55	87	N E	2
Taihoku, ...	1 p.	30.25	768.3	.	...	E	6	...	5 a.	30.23	767.9	...	...	E	6
Taichu, ...	,,	30.13	765.4	...	...	N	6	...	,,	30.13	765.4	...	...	N	4
Tainan, ...	,,	30.15	765.9	...	...	N	4	...	,,	30.13	765.3	...	...	N	4
Koshun, ...	,,	30.10	764.6	...	...	E	4	...	,,	30.11	764.8	...	...	N E	4
Pescadores, ...	,,	30.20	767.0	...	...	N	10	...	,,	30.15	765.9	...	...	N	10
Canton, ...	3 p.	30.18	766.6	56	94	N W	3	o	9 a.	30.25	768.3	52	93	N N W	1
Hongkong, ...	4 p.	30.13	765.3	60	89	E	2	o	10 a.	30.21	767.3	62	84	E N E	3
Victoria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	5
Gap Rock, ...	,,	30.07	763.8	...	...	E N E	6	...	,,	30.17	766.3	...	...	E N E	5
Macao, ...	,,	30.13	765.3	63	...	N	2	o	,,	30.21	767.3	59	...	N W	2
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	30.04	763.0	64	...	E N E	6	o	8 a.	30.15	765.8	61	...	E S E	3
Tourane, ...	,,	29.99	761.8	75	...	S	2	c	,,	30.09	764.2	73	...	...	0
Cape St. James, .	,,	29.79	756.6	81	...	E	4	c	,,	29.88	758.9	79	...	N E	4
Aparri, ...	2 p.	30.02	762.5	81	...	N E	1	b	6 a.	30.05	763.3	70	...	S W	0
Manila, ...	4 p.	29.92	760	86	47	E	1	c	10 a.	30.00	762	79	69	W	1
Legaspi, ...	2 p.	29.94	760.4	81	...	N	1	o	6 a.	29.96	761.0	75	...	N	1
Bacolod, ...	3 p.	...	...	...	...	N N W	4	o	9 a.	...	...	...	...	E N E	4
Iloilo, ...	,,	29.87	758.7	84	...	N E	3	o	,,	29.93	760.2	79	...	N E	1
Cebu, ...	,,	29.87	758.7	83	...	N	2	b	,,	29.95	760.7	81	...	N	1
Labuan, ...	,,	29.76	755.9	87	...	...	...	...	,,	29.84	757.9	81	...	...	...

On the 13th at 11.55 a.—The barometer has risen moderately in N.E. Japan, and fallen slightly over N. China and S.W. Japan.

The area of high pressure remains over the continent to the North of the Yangtze, and pressure is still relatively low over the N. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong to fresh ; drizzling rain or mist.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 13th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ion.	13th FEBRUARY, 1908, P.M.								14th FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.96	761.1	...	...	N W	6	...	6 a.	30.08	764.1	...	...	S	2	...
e, ...	,,	30.09	764.2	...	...	N	4	...	,,	30.17	766.2	...	...	N	2	...
.....	,,	30.06	763.6	...	...	N W	6	...	,,	30.26	768.6	...	...	N W	4	...
.....	,,	30.19	766.8	...	...	N	6	...	,,	30.23	767.8	...	...	W	2	...
i, ...	,,	30.27	768.8	...	...	N	6	...	,,	30.19	766.8	...	...	N E	2	...
na, ...	,,	30.23	767.9	...	...	E	2	...	,,	30.23	767.9	...	...	E	2	...
.....	,,	30.24	768.1	...	...	N	6	...	,,	30.16	766.1	...	...	...	0	...
.....	,,	30.17	766.2	...	...	N E	6	...	,,	30.13	765.2	...	...	...	0	...
ima, ...	,,	30.13	765.3	...	...	N E	8	...	,,	30.09	764.3	...	...	E	6	...
.....	,,	30.08	764.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	2	...
.....	3 p.	30.42	772.6	32	90	N W	1	c	6 a.	30.32	770.1	29	100	S	1	b
ei, ...	,,	30.42	772.6	30	...	N W	1	b	9 a.	30.33	770.4	32	...	N W	1	b
, ...	,,	30.53	775.4	37	100	N W	1	or	6 a.	30.53	775.4	35	90	N N E	1	o
g, ...	,,	30.44	773.2	35	90	N E	2	or	,,	30.45	773.4	33	100	...	0	o
i, ...	,,	30.33	770.4	36	80	N	1	os	9 a.	30.39	771.9	36	80	N	1	om
.....	,,	30.35	770.9	38	91	N N W	2	omd	,,	30.35	770.9	37	91	N	2	om
ak, ...	,,	30.24	768.1	52	86	E	3	c	,,	30.24	768.1	52	86	E	1	o
.....	,,	30.20	767.1	61	71	N E	1	o	6 a.	30.20	767.1	57	81	N E	1	o
.....	,,	30.11	764.8	61	82	E S E	2	o	,,	30.11	764.8	56	87	S E	1	c
.....	1 p.	30.19	766.9	..	...	E	8	...	5 a.	30.14	765.6	...	...	E	6	...
.....	,,	30.12	765.0	...	...	N	6	...	,,	30.11	764.7	...	...	N	2	...
.....	,,	30.15	765.8	...	...	N W	4	...	,,	30.09	764.2	...	...	N	4	...
.....	,,	30.09	764.2	...	...	N E	8	...	,,	30.06	763.5	...	...	...	0	...
es, ...	,,	30.17	766.3	...	...	N	10	...	,,	30.12	765.0	...	...	N	8	...
.....	3 p.	30.18	766.6	57	97	N W	2	o	9 a.	30.18	766.6	51	93	N W	1	or
ng, ...	4 p.	30.12	765.0	61	81	E	2	o	10 a.	30.16	765.0	65	78	E	1	c
Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
k, ...	,,	30.09	764.3	...	...	N E	5	...	,,	30.13	765.3	...	...	E N E	4	...
.....	,,	30.13	765.3	61	...	N	1	o	,,	30.17	766.3	59	...	N W	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.06	763.6	61	...	E N E	4	o	8 a.	30.14	765.5	55	...	N N E	2	or
.....	,,	30.00	761.9	79	...	N E	1	c	,,	30.05	763.2	72	...	...	0	o
James, .	,,	29.79	756.6	81	...	N E	5	c	,,	29.84	757.9	79	...	N E	5	c
.....	2 p.	30.00	762.1	79	...	E	1	o	6 a.	30.01	762.3	72	...	S W	1	o
.....	4 p.	29.88	759	84	64	W S W	1	o	10 a.	29.96	761	82	70	N W	1	b
.....	2 p.	29.91	759.8	81	...	N E	1	o	6 a.	29.91	759.6	77	...	N E	1	o
.....	3 p.	...	...	...	...	N	3	o	9 a.	...	...	...	...	E N E	3	o
.....	,,	29.83	757.7	86	...	N E	2	c	,,	29.89	759.2	82	...	N E	3	c
.....	,,	29.86	758.4	81	...	...	0	o	,,	29.90	759.4	82	...	N	1	c
.....	,,	29.76	755.9	85	...	...	...	...	,,	29.80	756.9	82	...	...	...	...

the 14th at 11.35 a.—The barometer has risen in E. Japan, and fallen elsewhere, particularly in N. China. essure is still highest over China to the North of the Yangtze, and probably a low area has appeared over ria.

esh to moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.E. winds, moderate; fair.
osa Channel, ...	N.E. winds, fresh to moderate.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Friday, 14th February, 1908.

d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th FEBRUARY, 1908, P.M.								15th FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro, ...	,,	30.00	762.1	...	...	S W	6	...	6 a.	29.81	757.1	...	...	S W	4	
Hakodate, ...	,,	30.05	763.2	...	...	S W	4	...	,,	29.89	759.2	...	...	N W	2	
Tokio, ...	,,	30.18	766.6	...	...	E	2	...	,,	29.99	761.6	...	...	N W	2	
Kochi, ...	,,	30.15	765.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	2	
Nagasaki, ...	,,	30.11	764.8	...	...	...	0	...	,,	30.15	765.8	...	...	...	0	
Kagoshima, ...	,,	30.11	764.9	...	...	N E	2	...	,,	30.12	764.9	...	...	N	2	
Oshima, ...	,,	30.08	764.1	...	...	N W	2	...	,,	30.08	764.1	...	...	N W	2	
Naha, ...	,,	30.09	764.2	...	...	S	2	...	,,	30.09	764.2	...	...	N	4	
Ishigakijima, ...	,,	30.05	763.3	...	...	S E	6	...	,,	30.09	764.3	...	...	N E	6	
Bonin Is.	,,	30.12	765.1	...	...	E	2	...	,,	30.08	764.1	...	...	S	4	
Chefoo, ...	3 p.	30.28	769.1	36	90	N W	1	b	6 a.	...	...	...	...	...	...	
Weihaiwei, ...	,,	30.27	768.8	24	...	N W	1	b	9 a.	30.37	771.4	28	...	N N W	1	
Hankow, ...	,,	30.47	773.9	48	43	S E	1	o	6 a.	...	...	...	...	...	...	
Kiukiang, ...	,,	30.40	772.1	38	81	N E	1	o	,,	30.40	772.1	36	90	...	0	
Shanghai, ...	,,	30.31	769.9	39	64	N N W	2	o	9 a.	30.35	770.9	41	66	N N W	1	
Gutzlaff, ...	,,	30.30	769.6	37	81	N N W	2	ov	,,	30.34	770.6	44	76	N	1	
Sharp Peak, ...	,,	30.18	766.6	53	80	N E	4	c	,,	30.24	768.1	52	79	N N E	4	
Amoy	,,	30.12	765.0	64	72	N E	1	c	6 a.	30.16	766.0	58	81	E N E	1	
Swatow, ...	,,	30.04	763.0	63	83	...	2	c	,,	30.06	763.5	56	94	N E	1	
Taiboku, ...	1 p.	30.11	764.9	..	...	E	6	...	5 a.	...	...	...	...	...	...	
Taichu, ...	,,	30.05	763.2	...	...	N	6	...	,,	...	...	...	...	...	...	
Tainan, ...	,,	30.06	763.6	...	...	N	4	...	,,	...	...	...	...	...	...	
Koshun	,,	30.02	762.6	...	...	E	6	...	,,	...	...	...	...	...	...	
Pescadores, ...	,,	30.09	764.4	...	...	N	10	...	,,	...	...	...	...	...	...	
Canton, ...	3 p.	30.13	765.3	55	80	N W	3	o	9 a.	...	...	...	...	...	...	
Hongkong, ...	4 p.	30.06	763.5	65	72	W	1	c	10 a.	30.16	766.0	60	84	W N W	1	
Victoria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N N E	2	
Gap Rock, ...	,,	30.04	763.0	...	...	N	5	...	,,	30.14	765.5	...	...	N N E	3	
Macao, ...	,,	30.09	764.3	57	...	W N W	3	o	,,	30.17	766.3	56	...	N W	2	
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	30.07	763.9	54	...	N	2	or	8 a.	30.15	765.7	54	...	N N E	1	
Tourane, ...	,,	29.94	760.4	79	...	N E	2	c	,,	30.05	763.1	72	...	N W	2	
Cape St. James, .	,,	29.77	756.1	82	...	E	4	c	,,	29.86	758.3	77	...	N E	3	
Aparri, ...	2 p.	29.94	760.4	82	...	E	1	c	6 a.	29.98	761.4	72	...	S	1	
Manila, ...	4 p.	29.84	758	84	64	N E	1	o	10 a.	29.96	761	77	93	...	0	
Legaspi, ...	2 p.	29.88	759.0	87	...	N	1	o	6 a.	29.91	759.6	75	...	E	1	
Bacolod, ...	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N N E	3	
Iloilo, ...	,,	29.79	756.6	87	...	N E	2	c	,,	29.89	759.2	72	...	N E	2	
Cebu, ...	,,	29.81	757.2	85	...	N	2	b	,,	29.91	759.7	80	...	...	0	
Labuan, ...	,,	29.71	754.6	89	...	...	...	...	,,	29.82	757.4	83	...	...	...	

On the 15th at 12.05 p.—The barometer has fallen considerably over E. Japan owing to a depression which moving Eastwards to the N. of Hokkaido.

Pressure has increased slightly on the N.E. coast of China. It is still highest over the Yangtze Valley.

Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, moderate; cloudy misty.
2.—Formosa Channel, ...	N.E. moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 15th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	15TH FEBRUARY, 1908, P.M.								16TH FEBRUARY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
tock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.73	755.1	...	...	...	0	...	6 a.	29.69	754.1	...	...	S W	2	...
,.....	,,	29.85	758.2	...	...	W	8	...	,,	29.77	756.2	...	...	N W	6	...
.....	,,	29.91	759.6	...	...	S	4	...	,,	29.83	757.6	...	...	N W	4	...
.....	,,	29.99	761.8	...	...	S	2	...	,,	30.03	762.8	...	...	S W	4	...
, ...	,,	30.11	764.8	...	...	N W	4	...	,,	30.15	765.8	...	...	N W	2	...
ıa, ...	,,	30.07	763.9	...	...	N W	6	...	,,	30.12	764.9	...	...	N	4	...
.....	,,	30.08	764.1	...	...	N	2	...	,,	30.12	765.1	...	...	N	6	...
.....	,,	30.09	764.2	...	...	N E	4	...	,,	30.09	764.2	...	...	N	6	...
ima,....	,,	30.09	764.3	...	...	N E	8	...	,,	30.09	764.3	...	...	N E	6	...
.....	,,	30.00	762.1	...	...	S W	8	...	,,	30.01	762.1	...	...	E	2	...
.....	3 p.	30.34	770.6	34	90	N	1	b	6 a.	30.49	774.4	26	100	N	2	b
ei,.....	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	30.41	773.7	44	84	W	2	o	6 a.	30.54	775.7	40	91	S E	1	c
,.....	,,	30.39	771.9	40	82	N E	1	o	,,	30.41	772.4	37	91	...	0	o
, ...	,,	30.28	769.1	43	51	N	2	o	9 a.	30.42	772.6	41	66	N E	2	om
.....	,,	30.28	769.1	42	75	N N W	2	ov	,,	30.40	772.1	42	75	N N E	3	cv
ak,.....	,,	30.17	766.3	52	86	N N E	3	ov	,,	30.23	767.8	49	71	N N E	6	or
.....	,,	30.12	765.0	62	77	S E	1	c	6 a.	30.21	767.3	55	30	N N E	1	o
.....	,,	30.05	763.2	64	68	E	1	or	,,	30.03	762.7	53	86	N E	1	c
.....	1 p.	30.10	764.6	..	...	E	8	...	5 a.	30.15	765.8	...	...	E	6	...
.....	,,	30.01	762.3	...	...	N	6	...	,,	30.04	762.9	...	...	N	4	...
.....	,,	30.02	762.6	...	...	N W	6	...	,,	30.02	762.6	...	...	N	6	...
.....	,,	30.01	762.2	...	...	N E	8	...	,,	30.02	762.4	...	...	N E	8	...
ss, ...	,,	30.07	763.9	...	...	N	10	...	,,	30.05	763.5	...	...	N	10	...
.....	3 p.	30.13	765.3	51	93	N	1	or	9 a.	30.17	766.3	48	85	N	2	or
g, ...	4 p.	30.05	763.2	62	71	N	1	o	10 a.	30.10	764.5	55	91	W	1	od
Peak,...	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N E	1	...
k,.....	,,	30.02	762.5	...	...	N	4	...	,,	30.07	763.8	...	...	N	4	...
.....	,,	30.08	764.0	57	...	N W	2	o	,,	30.12	765.0	53	...	N W	3	od
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.06	763.5	54	...	N N E	2	or	8 a.	30.15	765.9	52	...	N N E	2	o
.....	,,	29.95	760.7	72	...	N	4	o	,,	30.02	762.4	72	...	N W	2	c
James,.	,,	29.76	756.0	84	...	E	3	c	,,	29.84	757.8	79	...	N E	3	c
.....	2 p.	29.93	760.2	81	...	E	1	o	6 a.	29.96	761.0	73	...	S	0	b
.....	4 p.	29.88	759	79	69	E	1	o	10 a.	29.96	761	79	84	N W	0	c
.....	2 p.	29.86	758.5	81	...	E	1	o	6 a.	29.91	759.8	77	...	N E	1	c
.....	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	W N W	2	c
.....	,,	29.79	756.6	84	...	N E	2	o	,,	29.89	759.2	82	...	N E	2	b
.....	,,	29.83	757.7	81	...	N	1	o	,,	29.92	759.9	81	...	N	1	c
.....	,,	29.72	754.9	84	...	...	...	...	,,	...	...	...	...	...	...	...

the 16th at 11.55 a.—The barometer has risen slightly in N. China, and fallen moderately to slightly over E. nd the S. coast of China respectively.
high pressure area lies over N. China, and pressure is relatively low off the S. coast of China and to the South iosa.
e depression noted yesterday is still shown to the N.E. of Japan.
e monsoon will probably freshen considerably in the Formosa Channel and the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N. to N.E. winds, moderate to strong; rain at first, probably improving later.
iosa Channel, ...	N.E. winds, strong to a gale.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
n coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Sunday, 16th February, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th FEBRUARY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th FEBRUARY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.49	749.1	...	...	W	2	...	6 a.	29.77	756.1	...	...	N W	8
Hakodate,.....	,,	29.73	755.2	...	...	W	8	...	,,	29.93	760.2	...	...	N W	4
Tokio, ...	,,	29.75	755.6	...	...	S	4	...	,,	29.99	761.6	...	...	N W	6
Kochi, ...	,,	29.99	761.8	...	...	E	4	...	,,	30.15	765.8	...	...	N	4
Nagasaki, ...	,,	30.15	765.8	...	...	N	6	...	,,	30.19	766.8	...	...	N E	4
Kagoshima, ...	,,	30.11	764.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N	6
Oshima,.....	,,	30.12	765.1	...	...	N	6	...	,,	30.04	763.1	...	...	N	10
Naha,.....	,,	30.09	764.2	...	...	N E	6	...	,,	29.93	760.2	...	...	N E	8
Ishigakijima,....	,,	30.01	762.5	...	...	N E	8	...	,,	29.89	759.3	...	...	N	8
Bonin Is.....	,,	29.96	761.1	...	...	S	6	...	,,	29.97	761.1	...	...	...	0
Chefoo,.....	3 p.	30.59	777.0	28	100	N N E	3	b	6 a.	30.50	774.7	23	100	N W	4
Weihaiwei,.....	,,	30.50	774.7	25	...	N W	1	b	9 a.	...	...	...	...	...	...
Hankow, ...	,,	30.43	772.9	44	84	N E	1	o	6 a.	30.58	776.7	36	100	N W	2
Kiukiang,.....	,,	30.37	771.4	40	91	N E	4	or	,,	30.54	775.7	39	91	N E	3
Shanghai, ...	,,	30.35	770.9	41	66	N E	2	o	9 a.	30.43	772.9	40	65	N	1
Gutzlaff, ...	,,	30.33	770.4	42	75	N N E	3	ov	,,	30.38	771.6	41	66	N	4
Sharp Peak,.....	,,	30.14	765.6	47	70	W N W	5	or	,,	30.28	769.1	47	70	N N E	5
Amoy.....	,,	30.11	764.8	56	87	N N E	1	o	6 a.	30.17	766.3	55	30	N E	4
Swatow, ...	,,	29.85	758.2	53	93	E	1	or	,,	30.17	766.3	49	85	N E	2
Taiboku.....	1 p.	30.07	763.8	.	...	E	6	...	5 a.	30.10	764.6	...	...	...	0
Taichu, ...	,,	29.98	761.5	...	...	N	8	...	,,	30.06	763.4	...	...	W	4
Tainan,.....	,,	29.95	760.8	...	...	N	6	...	,,	30.04	763.0	...	...	N	8
Koshun.....	,,	29.91	759.6	...	...	N E	10	...	,,	29.95	760.7	...	...	N	8
Pescadores, ...	,,	29.98	761.5	...	...	N	10	...	,,	30.07	763.8	...	...	N	10
Canton,.....	3 p.	30.10	764.5	48	93	N	2	o	9 a.	30.27	768.8	48	78	N N W	2
Hongkong, ...	4 p.	30.00	762.0	54	93	N W	1	od	10 a.	30.22	767.6	53	59	N	1
Victoria Peak,...	,,	...	...	...	...	N W	6	...	,,	...	...	...	...	N W	2
Gap Rock,.....	,,	29.95	760.7	...	...	N	6	...	,,	30.18	766.6	...	...	N	5
Macao, ...	,,	30.08	764.0	53	...	N	3	od	,,	30.23	767.8	54	...	N	4
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	30.09	764.3	55	...	S E	0	o	8 a.	30.22	767.6	52	...	N N E	4
Tourane, ...	,,	29.95	760.8	72	...	N	5	c	,,	30.11	764.8	81	...	N W	1
Cape St. James,.	,,	29.74	755.5	84	...	E N E	3	c	,,	29.80	756.8	79	...	N E	3
Aparri, ...	2 p.	29.86	753.5	84	...	N E	1	b	6 a.	29.88	759.0	73	...	S W	1
Manila, ...	4 p.	29.80	757	88	59	E	1	b	10 a.	29.92	760	81	76	W S W	2
Legaspi, ...	2 p.	29.85	758.3	84	...	E	1	c	6 a.	29.86	758.5	77	...	N E	1
Bacolod,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	N N E	2
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	29.87	758.7	81	...	N E	2
Cebu,.....	,,	...	...	...	...	...	...	...	,,	29.89	759.2	83	...	...	0
Labuan, ...	,,	29.72	754.9	85	...	...	...	...	,,	29.84	757.9	78	...	...	...

On the 17th at 11.55 a.—The barometer has risen moderately over E. Japan and S. China, and fallen consi ably over the S. Loochoos.

A depression has developed over the Pacific to the S.E. of Meiaco Sima. It is probably moving towards N.E The high pressure area still lies over the continent to the North of the Yangtze.

Gradients are rather steep, and N. and N.E. gales may be expected in the Formosa Channel and the N. p the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, strong to fresh ; fine.
2.—Formosa Channel, ...	N. to N.E. gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	N. gale,

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 17th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	17TH FEBRUARY, 1908, P.M.								18TH FEBRUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.81	757.1	...	...	S E	2	...	6 a.	29.85	758.1	...	...	W	2	...
.....	,,	29.85	758.2	...	...	W	6	...	,,	29.93	760.2	...	...	N	2	...
.....	,,	30.02	762.6	...	...	N	2	...	,,	30.02	762.6	...	...	N	2	...
.....	,,	30.07	763.8	...	...	N	4	...	,,	30.11	764.8	...	...	...	0	...
.....	,,	30.15	765.8	...	...	N	6	...	,,	30.19	766.8	...	...	N W	4	...
.....	,,	30.11	764.9	...	...	N W	6	...	,,	30.19	766.9	...	...	N	4	...
.....	,,	30.08	764.1	...	...	N E	6	...	,,	30.12	765.1	...	...	N	6	...
.....	,,	30.01	762.2	...	...	N E	10	...	,,	30.09	764.2	...	...	N E	6	...
na,....	,,	30.01	762.5	...	...	N E	8	...	,,	30.13	765.3	...	...	N	4	...
.....	,,	29.89	759.1	...	...	S	4	...	,,	29.93	760.1	...	...	N E	2	...
.....	3 p.	30.41	772.4	30	88	N W	4	c	6 a.	30.36	771.1	23	100	S W	1	b
.....	,,	30.37	771.4	28	...	W	2	b	9 a.	30.35	770.9	27	...	W	2	b
.....	,,	30.63	778.0	43	59	N	2	o	6 a.	30.69	779.5	32	79	N E	1	b
.....	,,	30.53	775.4	42	75	N E	1	o	,,	30.60	777.2	31	78	S W	1	b
.....	,,	30.38	771.6	41	74	N E	2	c	9 a.	30.43	772.9	32	90	W N W	2	c
.....	,,	30.37	771.4	42	58	N	4	cv	,,	30.40	772.1	34	69	N W	5	cu
k,.....	,,	30.26	768.6	49	73	E N E	4	c	,,	30.35	770.9	49	85	N W	3	c
.....	,,	30.19	766.8	56	69	N E	3	c	6 a.	30.32	770.1	53	67	N E	3	b
.....	,,	30.16	766.0	52	79	N N W	2	o	,,	30.28	769.1	44	68	N	2	b
.....	1 p.	30.15	765.9	..	...	E	6	...	5 a.	30.28	769.1	...	...	E	6	...
.....	,,	29.99	761.7	...	...	N	6	...	,,	30.21	767.2	...	...	N	6	...
.....	,,	30.00	761.9	...	...	N W	6	...	,,	30.19	766.9	...	...	N	8	...
.....	,,	29.98	761.5	...	...	N E	8	...	,,	30.14	765.5	...	...	...	0	...
.....	,,	30.03	762.7	...	...	N	10	...	,,	30.23	767.8	...	...	N	10	...
.....	3 p.	30.23	767.8	57	63	N W	2	b	9 a.	30.44	773.2	46	77	N N W	1	b
.....	4 p.	30.18	766.6	55	54	N N E	3	c	10 a.	30.34	770.6	51	41	N N E	4	b
eak,...	,,	...	...	...	...	N	4	...	,,	...	...	...	...	N N E	6	...
.....	,,	30.13	765.3	...	...	N	5	...	,,	30.31	769.9	...	...	N N E	6	...
.....	,,	30.18	766.6	56	...	N	3	c	,,	30.35	770.9	54	...	N	4	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.17	766.2	64	...	N N W	2	b	8 a.	30.42	772.6	54	...	N E	4	b
.....	,,	30.09	764.4	64	...	N W	6	o	,,	...	...	...	...	...	...	..
ames,.	,,	29.77	756.1	81	...	E N E	3	c	,,	29.86	758.4	77	...	N E	2	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	29.91	759.7	73	...	N	1	c
.....	4 p.	29.80	757	88	65	W	1	c	10 a.	29.96	761	79	76	W N W	1	o
.....	2 p.	29.85	758.2	84	...	E	1	c	6 a.	29.90	759.4	72	...	...	0	b
.....	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	E N E	4	c
.....	,,	29.80	756.9	83	...	N E	1	b	,,	29.89	759.2	82	...	N E	3	c
.....	,,	29.81	757.2	85	...	N	1	c	,,	29.89	759.2	84	...	N	1	c
.....	,,	29.74	755.4	84	...	...	...	...	,,	29.84	757.9	83	...	...	...	...

he 18th at 12.05 p.—The barometer has risen considerably over S. China and the Loochoos, and fallen y on the N.E. coast of China.
depression in the Pacific has moved towards E.N.E. to the neighbourhood of the Loochoos.
anticyclonic area is lying over the Yangtze Valley.
dients continue rather steep in the South, and strong N. and N.E. winds to gales will continue to prevail in osa Channel and the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. winds, strong; fine.
sa Channel, ...	N. winds, strong to a gale.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ngkong Observatory, Tuesday, 18th February, 1908.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th FEBRUARY, 1908, P.M.								19th FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.93	760.1	...	...	N	4	...	6 a.	30.01	762.1	...	...	S	2	
Hakodate,	,,	29.93	760.2	...	...	N W	6	...	,,	30.09	764.2	...	...	...	0	
Tokio,	,,	29.94	760.6	...	...	N W	4	...	,,	30.22	767.6	...	...	N W	2	
Kochi,	,,	30.11	764.8	...	...	S E	2	...	,,	30.15	765.8	...	...	S W	2	
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.27	768.8	...	...	N	2	
Kagoshima,	,,	30.11	764.9	...	...	W	4	...	,,	30.19	766.9	...	...	N	4	
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.12	765.1	...	...	N	4	
Naha,	,,	30.09	764.2	...	...	N	6	...	,,	30.13	765.2	...	...	N W	8	
Ishigakijima,	,,	30.13	765.3	...	...	N	6	...	,,	30.21	767.3	...	...	N	10	
Bonin Is.	,,	29.93	760.1	...	...	N	4	...	,,	30.04	763.1	...	...	N	4	
Chefoo,	3 p.	30.29	769.3	37	100	W	2	b	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.30	769.6	33	...	W	1	b	9 a.	30.35	770.9	35	...	W	1	
Hankow,	,,	30.73	780.5	42	42	N E	1	b	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.57	776.5	43	59	N W	1	b	,,	...	...	...	...	...	...	
Shanghai,	,,	30.41	772.4	36	70	N N W	2	o	9 a.	30.50	774.7	35	69	W N W	2	
Gutzlaff,	,,	...	...	34	90	N W	4	oms	,,	30.45	773.4	37	62	N W	2	
Sharp Peak,	,,	30.29	769.3	51	79	N E	4	b	,,	30.37	771.4	49	78	N	4	
Amoy,	,,	30.26	768.6	54	55	N W	3	b	6 a.	30.34	770.6	45	53	N E	3	
Swatow,	,,	30.18	766.6	57	36	N	3	b	,,	30.29	769.3	40	74	N	1	
Taihoku,	1 p.	30.29	769.4	..	...	N	6	...	5 a.	30.34	770.5	...	...	W	2	
Taichu,	,,	29.19	766.7	...	...	N	8	...	,,	30.19	766.8	...	...	N	4	
Tainan,	,,	30.17	766.3	...	...	N	10	...	,,	30.17	766.2	...	...	N	6	
Koshun	,,	30.11	764.7	...	...	N	6	...	,,	30.13	765.2	...	...	N E	10	
Pescadores,	,,	30.23	767.9	...	...	N	10	...	,,	30.22	767.5	...	...	N	10	
Canton,	3 p.	30.29	769.3	58	70	N W	2	b	9 a.	30.36	771.1	43	75	N N W	2	
Hongkong,	4 p.	30.21	767.3	56	39	N	1	b	10 a.	30.32	770.1	50	39	N E	2	
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	E N E	2	
Gap Rock,	,,	30.19	766.8	...	...	N	5	...	,,	30.26	768.6	...	...	E N E	4	
Macao,	,,	30.23	767.8	56	...	N	2	b	,,	30.31	769.9	54	...	N	...	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.21	767.4	59	...	S S E	3	b	8 a.	30.28	769.2	52	...	N E	5	
Tourane,	,,	30.15	765.9	63	...	N W	3	o	,,	30.20	767.1	61	...	...	0	
Cape St. James,	,,	29.80	756.8	79	...	N E	3	c	,,	29.89	759.1	75	...	N E	3	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.84	758	82	70	S E	1	o	10 a.	29.96	761	79	69	S	1	
Legaspi,	2 p.	29.85	758.3	79	...	N E	1	o	6 a.	29.89	759.2	73	...	N E	1	
Bacolod,	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	E N E	4	
Iloilo,	,,	29.79	756.6	86	...	N E	1	c	,,	29.89	759.2	81	...	N E	1	
Cebu,	,,	29.79	756.6	84	...	N	3	b	,,	29.90	759.4	84	...	N	2	
Labuan,	,,	29.74	755.4	84	...	...	...	...	,,	29.87	758.7	75	...	...	...	

On the 19th at 11.55 a.—The barometer has risen moderately over Japan, and fallen slightly in S. China.

The anticyclonic area still lies over the Yangtze Valley and pressure is relatively low over the S. part of China Sea.

Strong monsoon may be expected in the Formosa Channel, and strong N.E. winds to gales over the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 19th February, 1908.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	19TH FEBRUARY, 1908, P.M.								20TH FEBRUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.04	763.1	...	...	E	4	...	6 a.	30.24	769.1	...	...	...	0	...
.....	,,	30.09	764.2	...	...	W	8	...	,,	30.32	770.2	...	...	N W	2	...
.....	,,	30.10	764.6	...	...	E	2	...	,,	30.34	770.6	...	...	N W	2	...
.....	,,	30.11	764.8	...	...	N E	4	...	,,	30.27	768.8	...	...	S W	4	...
.....	,,	30.19	766.8	...	...	N	6	...	,,	30.31	769.8	...	...	E	4	...
.....	,,	30.19	766.9	...	...	..	0	...	,,	30.27	768.9	...	...	N E	2	...
.....	,,	30.16	766.1	...	...	N	8	...	,,	30.20	767.1	...	...	S	2	...
.....	,,	30.17	766.2	...	...	N	8	...	,,	30.17	766.2	...	...	N E	4	...
na,....	,,	30.17	766.3	...	...	N	6	...	,,	30.17	766.3	...	...	N E	4	...
.....	,,	29.96	761.1	...	...	E	6	...	,,	...	...	...	...	E	4	...
.....	3 p.	30.33	770.4	40	65	E	1	b	6 a.	30.34	770.6	28	100	...	0	b
,.....	,,	30.32	770.1	41	...	W	1	b	9 a.	30.36	770.9	36	...	N E	1	b
.....	,,	30.47	773.9	47	48	S E	1	b	6 a.	30.42	772.6	39	82	E N E	1	b
.....	,,	30.40	772.1	48	56	N W	1	b	,,	30.37	771.4	32	100	...	0	b
.....	,,	30.39	771.9	44	45	N N W	1	c	9 a.	30.42	772.6	40	74	S E	1	b
.....	,,	30.38	771.6	42	58	N	2	cm	,,	30.40	772.1	42	83	N N W	1	bm
k,.....	,,	30.29	769.3	51	86	E N E	3	c	,,	30.29	769.3	50	86	N N E	3	c
.....	,,	30.26	768.6	55	62	N E	3	b	6 a.	30.26	768.6	54	63	N E	3	c
.....	,,	30.18	766.6	54	49	E N E	3	c	,,	...	...	...	...	...	...	...
.....	1 p.	30.27	768.8	..	...	E	6	...	5 a.	30.20	767.1	...	...	E	6	...
.....	,,	29.09	764.4	...	...	N	6	...	,,	30.13	765.4	...	...	N W	2	...
.....	,,	30.12	765.1	...	...	N	4	...	,,	30.13	765.3	...	...	N	2	...
.....	,,	30.11	764.8	...	...	N E	8	...	,,	30.12	764.9	...	...	N E	10	...
,.....	,,	30.19	766.7	...	...	N	10	...	,,	30.15	765.7	...	...	N	8	...
.....	3 p.	30.21	767.3	57	69	N W	1	b	9 a.	...	...	...	...	...	...	...
.....	4 p.	30.17	766.3	55	34	S E	2	b	10 a.	30.23	767.8	54	54	E N E	1	o
eak,...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	3	...
.....	,,	30.16	766.0	...	...	N E	5	...	,,	30.20	767.1	...	...	E N E	5	...
.....	,,	30.19	766.8	55	...	N	2	b	,,	30.22	767.6	54	...	N N E	1	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.10	764.6	59	...	E	2	o	8 a.	30.15	765.5	52	...	N E	3	or
.....	,,	...	...	...	...	...	...	...	,,	30.12	765.0	64	...	...	0	o
ames,.	,,	29.84	757.9	77	...	N E	4	o	,,	29.89	759.1	75	...	N E	4	o
.....	2 p.	29.96	761.0	72	...	E	2	o	6 a.	30.05	763.2	66	...	N E	1	d
.....	4 p.	29.84	758	81	69	N W	3	o	10 a.	29.96	761	81	62	S W	1	c
.....	2 p.	29.86	758.4	75	...	N	1	o	6 a.	29.89	759.1	75	...	N	1	c
.....	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	E N E	4	c
.....	,,	29.79	756.6	86	...	N E	3	b	,,	29.87	758.7	81	...	N E	3	b
.....	,,	29.79	756.6	84	...	N	2	c	,,	29.88	758.9	84	...	N	1	c
.....	,,	29.76	755.9	84	...	...	...	...	,,	29.82	757.4	82	...	...	...	...

he 20th at 11.50 a.—The barometer has risen over Japan, and fallen over China.
sure is highest over the Lower Yangtze, and lowest over the S. part of the China Sea.
dients are slight to moderate.
h monsoon may be expected in the Formosa Channel and over the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. to E. winds, fresh; dull, probably some rain.
sa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Thursday, 20th February, 1908.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th FEBRUARY, 1908, P.M.								21st FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.20	767.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	S W	3	
Hakodate, ...	,,	30.20	767.2	...	...	W	2	...	,,	30.17	766.2	...	...	...	0	
Tokio, ...	,,	30.30	769.6	...	...	N E	4	...	,,	30.30	769.6	...	...	N W	2	
Kochi, ...	,,	30.23	767.8	...	...	S E	2	...	,,	30.27	768.8	...	...	S W	4	
Nagasaki, ...	,,	30.23	767.8	...	...	N W	4	...	,,	30.23	767.8	...	...	E	2	
Kagoshima, ...	,,	30.23	767.9	...	...	S E	4	...	,,	30.23	767.9	...	...	N E	2	
Oshima, ...	,,	30.16	766.1	...	...	N	4	...	,,	30.16	766.1	...	...	S	2	
Naha, ...	,,	30.13	765.2	...	...	N	6	...	,,	30.13	765.2	...	...	E	2	
Ishigakijima, ...	,,	30.13	765.3	...	...	N E	4	...	,,	30.09	764.3	...	...	N E	4	
Bonin Is.	,,	29.77	756.1	...	...	S E	6	...	,,	29.97	761.1	...	...	N	2	
Chefoo, ...	3 p.	...	...	...	...	..	...	...	6 a.	30.23	767.8	45	84	S W	1	
Weihaiwei, ...	,,	30.28	769.1	44	...	E	1	ovr	9 a.	30.26	768.6	34	...	W	2	
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.37	771.4	41	83	N W	1	
Kiukiang, ...	,,	30.32	770.1	50	58	N W	1	b	,,	30.29	769.3	44	68	...	0	
Shanghai, ...	,,	30.30	769.6	48	49	S E	1	b	9 a.	30.25	768.3	41	83	...	0	
Gutzlaff, ...	,,	30.31	769.9	47	63	N	1	bv	,,	30.25	768.3	44	76	E N E	2	
Sharp Peak, ...	,,	30.20	767.1	53	73	E	5	b	,,	30.19	766.8	52	93	N	1	
Amoy, ...	,,	30.19	766.8	60	65	N E	1	c	6 a.	30.18	766.6	54	87	S	1	
Swatow, ...	,,	30.12	765.0	53	73	N N W	2	or	,,	30.18	766.6	50	100	...	0	
Taihoku.....	1 p.	30.14	765.5	..	...	E	6	...	5 a.	30.08	764.1	...	...	E	4	
Taichu, ...	,,	30.11	764.7	...	...	N	4	...	,,	30.11	764.7	...	...	...	0	
Tainan, ...	,,	30.12	765.0	...	...	N	6	...	,,	30.10	764.5	...	...	N	4	
Koshun.....	,,	30.09	764.2	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	4	
Pescadores, ...	,,	30.15	765.9	...	...	N	8	...	,,	30.11	764.8	...	...	N	8	
Canton, ...	3 p.	30.16	766.0	53	67	N N W	1	o	9 a.	30.25	768.3	47	93	N N W	1	
Hongkong, ...	4 p.	30.12	765.0	53	65	E N E	1	od	10 a.	30.19	766.8	53	72	N	1	
Victoria Peak, ...	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	N	2	
Gap Rock, ...	,,	30.07	763.8	...	...	E N E	5	...	,,	30.15	765.8	...	...	N N E	4	
Macao, ...	,,	30.12	765.0	54	...	N	1	o	,,	30.20	767.1	53	...	N	2	
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	30.06	763.6	52	...	E N E	4	or	8 a.	30.23	767.7	50	...	N N E	2	
Tourane, ...	,,	29.96	760.9	73	...	E	2	b	,,	30.08	764.1	66	...	...	0	
Cape St. James,.	,,	29.77	756.1	81	...	E N E	3	f	,,	...	...	...	...	...	...	
Aparri, ...	2 p.	29.96	761.1	72	...	N E	1	o	6 a.	30.02	76.24	68	...	N E	1	
Manila, ...	4 p.	29.80	757	84	58	E	1	c	10 a.	29.84	758	82	63	N N E	1	
Legaspi, ...	2 p.	29.84	758.0	79	...	N	1	o	6 a.	29.85	758.1	75	...	N	1	
Bacolod, ...	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N N E	3	
Iloilo, ...	,,	29.79	756.6	86	...	N E	2	o	,,	29.85	758.2	73	...	N E	1	
Cebu, ...	,,	29.79	756.6	83	...	N	1	o	,,	29.86	758.4	83	...	...	0	
Labuan, ...	,,	29.71	754.6	85	...	...	...	...	,,	29.81	757.2	84	...	...	...	

On the 21st at 11.55 a.—The barometer has fallen generally, particularly in the North.

Pressure appears to be low over Manchuria. It is highest over the Upper Yangtze in the West, and over Japan in the East.

Gradients are slight along the China coast, and moderate monsoon may be expected in the Formosa Channel; fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N winds, moderate; cloudy, probably some rain.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 21st February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	21st FEBRUARY, 1908, P.M.								22nd FEBRUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.96	761.1	...	...	S	2	...	6 a.	29.97	761.1	...	...	S	4	...
.....	,,	30.13	765.2	...	...	S W	8	...	,,	29.97	761.2	...	...	...	0	...
.....	,,	30.18	766.6	...	...	S	4	...	,,	30.10	764.6	...	...	N W	2	...
.....	,,	30.15	765.8	...	...	W	2	...	,,	29.99	761.8	...	...	S W	2	...
.....	,,	30.11	764.8	...	...	S E	6	...	,,	30.07	763.8	...	...	...	0	...
., ...	,,	30.11	764.9	...	...	E	4	...	,,	30.04	762.9	...	...	N	3	...
.....	,,	30.04	763.1	...	...	S E	6	...	,,	30.04	763.1	...	...	N	4	...
.....	,,	30.05	763.2	...	...	E	4	...	,,	30.05	763.2	...	...	...	0	...
na,....	,,	30.05	763.3	...	...	E	6	...	,,	30.05	763.3	...	...	N	2	...
.....	,,	29.96	761.1	...	...	N	4	...	,,	30.01	762.1	...	...	...	0	...
.....	3 p.	30.19	766.8	32	79	N	3	o	6 a.	...	...	...	...	...	...	...
.....	,,	30.26	768.6	32	...	N	3	o	9 a.	30.42	772.6	26	...	N	3	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.29	769.3	55	50	N W	2	b	,,	...	...	...	...	...	...	...
.....	,,	30.19	766.8	49	57	N W	1	o	9 a.	30.32	770.1	43	75	N N E	1	c
.....	,,	30.19	766.8	54	84	W N W	1	ov	,,	30.30	769.6	43	83	N	3	bv
k,.....	,,	30.12	765.0	53	80	E	4	c	,,	30.21	767.3	53	86	N	1	c
.....	,,	30.13	765.3	58	76	S E	1	o	6 a.	30.17	766.3	56	80	N E	1	o
.....	,,	30.05	763.2	59	82	E S E	1	c	,,	30.11	764.8	54	87	N E	2	o
.....	1 p.	30.09	764.3	...	...	...	0	...	5 a.	30.12	765.2	...	...	E	4	...
.....	,,	30.07	763.8	...	...	N	6	...	,,	30.05	763.3	...	...	N	2	...
.....	,,	30.04	763.0	...	...	N	6	...	,,	30.05	763.3	...	...	N	4	...
.....	,,	30.02	762.6	...	...	N E	4	...	,,	30.02	762.6	...	...	N E	6	...
., ...	,,	30.10	764.5	...	...	N	8	...	,,	30.07	763.8	...	...	N	10	...
.....	3 p.	30.12	765.0	52	86	N N W	1	or	9 a.	30.20	767.1	51	93	N N W	1	o
., ...	4 p.	30.06	763.5	58	74	W	1	o	10 a.	30.17	766.3	56	90	E S E	1	od
eak,...	,,	...	...	...	...	N	2	...	,,	...	...	...	...	E	4	...
.....	,,	30.07	763.8	...	...	N N E	3	...	,,	30.13	765.3	...	...	N	4	...
.....	,,	30.05	763.2	56	...	N N W	1	o	,,	30.17	766.3	55	...	N	1	of
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.11	764.8	54	...	N N W	2	o	8 a.	30.19	766.8	54	...	N N W	3	or
.....	,,	29.99	761.8	72	...	N	1	c	,,	30.10	764.4	66	...	N W	2	o
ames,.	,,	29.81	757.1	82	...	N E	3	c	,,	29.85	758.2	73	...	N N E	2	c
.....	2 p.	29.94	760.6	77	...	N E	1	b	6 a.	29.98	7614.	72	...	N E	1	o
.....	4 p.	29.80	757	82	57	N E	1	o	10 a.	...	...	...	...	...	...	...
.....	2 p.	29.81	757.1	81	...	N E	1	c	6 a.	29.81	757.2	75	...	...	0	o
.....	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N E	2	o
.....	,,	29.75	755.6	88	...	N E	2	c	,,	29.81	757.2	82	...	N E	2	c
.....	,,	29.75	755.6	85	...	N	2	c	,,	29.82	757.4	85	...	N	1	o
.....	,,	29.70	754.4	86	...	...	...	...	,,	29.81	757.2	78	...	...	...	...

he 22nd at 11.30 a.—The barometer has risen moderately in N. China, and fallen considerably over Japan. pression is moving Eastwards in the N. part of the Sea of Japan, and pressure is again high over N. China. barometer has fallen slightly at the Southern stations, and pressure is now low over the S. part of the China he S. Philippines.
monsoon is expected to freshen in the Formosa Channel and the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N winds, moderate to fresh; rain at first, probably im-
sa Channel, ...	N.E. winds, fresh. [proving later.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 22nd February, 1908.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd FEBRUARY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd FEBRUARY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.96	761.1	...	...	S	2	...	6 a.	29.77	756.1	...	...	N	6
Hakodate, ...	,,	29.89	759.2	...	...	N	6	...	,,	29.97	761.2	...	...	N W	6
Tokio, ...	,,	29.83	757.6	...	...	S E	4	...	,,	29.91	759.6	...	...	N W	6
Kochi, ...	,,	29.91	759.8	...	...	S	2	...	,,	30.07	763.8	...	...	W	2
Nagasaki, ...	,,	30.03	762.8	...	...	N	6	...	,,	30.11	764.8	...	...	...	0
Kagoshima, ...	,,	30.00	761.9	...	...	N W	8	...	,,	30.12	764.9	...	...	N W	4
Oshima, ...	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.1	...	...	...	0
Naha, ...	,,	30.05	763.2	...	...	N	8	...	,,	30.09	764.2	...	...	N E	2
Ishigakijima, ...	,,	30.05	763.3	...	...	N	6	...	,,	30.09	764.3	...	...	N E	4
Bonin Is.	,,	29.89	759.1	...	...	E	4	...	,,	29.93	760.1	...	...	N W	4
Chefoo, ...	3 p.	30.38	771.6	27	88	N	4	b	6 a.	30.39	771.9	25	100	N	4
Weihaiwei, ...	,,	30.35	770.9	27	...	N W	3	b	9 a.	30.38	771.6	23	...	N N E	4
Hankow, ...	,,	30.40	772.1	54	68	N E	1	c	6 a.	30.39	771.9	42	92	N W	1
Kiukiang, ...	,,	30.31	769.9	55	50	N E	3	b	,,	30.33	770.4	42	83	...	0
Shanghai, ...	,,	30.27	768.8	48	56	N	...	...	9 a.	30.32	770.1	39	64	N	1
Gutzlaff, ...	,,	30.26	768.6	46	69	N	3	bm	,,	30.30	769.6	42	66	N	3
Sharp Peak, ...	,,	30.16	766.0	53	80	N E	5	o	,,	30.22	767.6	51	93	N N W	1
Amoy, ...	,,	30.14	765.5	58	58	N E	1	o	6 a.	30.21	767.3	55	68	N	1
Swatow, ...	,,	30.09	764.3	57	81	N	1	o	,,	30.14	765.5	53	80	...	0
Taihoku	1 p.	30.12	765.0	..	...	E	6	...	5 a.	30.14	765.5	...	...	E	4
Taichu, ...	,,	30.05	763.3	...	...	N	4	...	,,	30.08	764.0	...	...	N E	2
Tainan, ...	,,	30.01	762.3	...	...	N	6	...	,,	30.05	763.2	...	...	N	4
Koshun	,,	29.98	761.5	...	...	N	8	...	,,	30.01	762.2	...	...	N E	8
Pescadores, ...	,,	30.07	763.7	...	...	N	8	...	,,	30.06	763.6	...	...	N	10
Canton, ...	3 p.	30.10	764.5	57	81	N N W	1	o	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	30.05	763.2	58	79	E	1	od	10 a.	30.18	766.6	58	84	N N E	1
Victoria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2
Gap Rock, ...	,,	30.02	762.5	...	...	E N E	5	...	,,	30.13	765.3	...	...	E N E	4
Macao, ...	,,	30.06	763.5	57	...	N	1	od	,,	30.17	766.3	57	...	N	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	30.02	762.5	63	...	S	1	o	8 a.	30.17	766.2	57	...	N E	2
Tourane, ...	,,	29.98	761.4	68	...	N	4	o	,,	30.08	763.9	66	...	N W	2
Cape St. James, .	,,	29.78	756.4	79	...	N E	3	o	,,	29.86	758.4	73	...	N E	3
Aparri, ...	2 p.	29.91	759.7	77	...	N E	1	o	6 a.	29.96	760.9	70	...	S W	1
Manila, ...	4 p.	29.76	756	73	63	N E	1	o	10 a.	29.92	760	81	70	W S W	1
Legaspi, ...	2 p.	29.80	757.0	73	...	N	2	o	6 a.	29.84	757.9	75	...	N E	1
Bacolod, ...	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N E	1
Iloilo, ...	,,	29.72	754.9	88	...	N E	3	c	,,	29.81	757.2	80	...	N E	2
Cebu, ...	,,	29.70	754.4	84	...	N	3	b	,,	29.84	757.9	80	...	N	1
Labuan, ...	,,	29.71	754.6	81	...	...	...	...	,,	...	...	...	...	...	...

On the 23rd at 11.35 a.—The depression has moved into the Pacific to the E. of Japan.
Pressure has increased slightly in W. Japan, and is little changed elsewhere.
The highest pressure is over N. China. It remains moderately below the normal over the S. part of the China Sea and the S. Philippines.
Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	NE. winds, moderate; fair.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 23rd February, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	23rd FEBRUARY, 1908, P.M.								24th FEBRUARY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.77	756.1	...	...	N	6	...	6 a.	30.01	762.1	...	...	...	0	...
.....	,,	29.97	761.2	...	...	W	8	...	,,	30.05	763.2	...	...	N	2	...
.....	,,	29.98	761.6	...	...	N W	2	...	,,	29.99	761.6	...	...	N W	4	...
.....	,,	29.99	761.8	...	...	S	4	...	,,	29.95	760.8	...	...	W	2	...
.....	,,	30.07	763.8	...	...	W	6	...	,,	30.11	764.8	...	...	N W	8	...
.....	,,	30.04	762.9	...	...	N	6	...	,,	30.08	763.9	...	...	N W	6	...
.....	,,	30.04	763.1	...	...	N	2	...	,,	30.12	765.1	...	...	N W	8	...
.....	,,	30.05	763.2	...	...	N	2	...	,,	30.17	766.2	...	...	N	8	...
na, ...	,,	30.05	763.3	...	...	N E	4	...	,,	30.17	766.3	...	...	N	6	...
.....	,,	29.93	760.1	...	...	S	2	...	,,	30.01	762.1	...	...	S E	6	...
.....	3 p.	30.41	772.4	26	100	N W	5	b	6 a.	30.41	772.4	22	100	N W	3	b
.....	,,	30.36	771.1	24	...	N	3	b	9 a.	30.55	775.9	25	...	N W	1	b
.....	,,	30.34	770.6	49	71	N N W	1	o	6 a.	30.48	774.2	43	83	E	1	o
.....	,,	30.31	769.9	48	78	N E	2	o	,,	30.44	773.2	42	75	N E	4	o
.....	,,	30.28	769.1	45	39	N	1	b	9 a.	30.50	774.7	38	63	N	1	c
.....	,,	30.28	769.1	42	66	N	3	bv	,,	30.46	773.7	39	64	N	3	om
k,.....	,,	30.15	765.8	53	80	E N E	4	c	,,	30.38	771.6	51	79	N E	4	o
.....	,,	30.13	765.3	61	71	E S E	1	c	6 a.	30.25	768.3	57	69	N E	1	c
.....	,,	30.04	763.8	62	77	N E	2	c	,,	30.14	765.5	53	73	N E	2	c
.....	1 p.	30.09	764.4	..	...	E	6	...	5 a.	30.21	767.4	...	...	E	6	...
.....	,,	30.05	763.3	...	...	N W	2	...	,,	30.09	764.2	...	...	N	4	...
.....	,,	30.03	762.8	...	...	N	6	...	,,	30.08	763.9	...	...	N	4	...
.....	,,	...	...	...	...	...	...	...	,,	30.06	763.5	...	...	N E	10	...
, ...	,,	30.07	763.8	...	...	N	8	...	,,	30.11	764.8	...	...	N	10	...
.....	3 p.	30.10	764.5	61	71	N E	2	o	9 a.	30.23	767.8	57	81	N	1	o
, ...	4 p.	30.07	763.8	61	72	E	2	c	10 a.	30.23	767.8	59	75	E	3	o
eak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	3	...
.....	,,	30.05	763.2	...	...	E N E	4	...	,,	30.22	767.6	...	...	E N E	5	...
.....	,,	30.07	763.8	62	...	N E	1	c	,,	30.22	767.6	60	...	N N E	1	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.07	763.8	61	...	S S E	2	o	8 a.	30.16	766.0	55	...	N E	4	o
.....	,,	29.99	761.8	70	...	N	4	c	,,	30.10	764.5	68	...	...	0	o
imes,.	,,	29.81	757.2	79	...	N E	2	c	,,	29.91	759.6	75	...	N N E	2	c
.....	2 p.	29.90	759.5	77	...	E	1	o	6 a.	29.98	761.4	72	...	S E	1	o
.....	4 p.	29.76	756	73	63	E N E	1	c	10 a.	29.92	760	82	70	S	1	o
.....	2 p.	29.79	756.7	79	...	N	1	o	6 a.	29.84	758.0	77	...	N E	1	b
.....	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	E N E	3	c
.....	,,	29.75	755.6	83	...	N E	1	c	,,	29.85	758.2	81	...	N E	2	b
.....	,,	29.76	75.59	82	...	N	2	c	,,	29.88	758.9	79	...	N	2	od
.....	,,	29.71	754.6	85	...	...	...	...	,,	29.86	758.4	80	...	...	...	...

he 24th at 11.50 a.—The barometer has risen over China, particularly in the North. A slight fall has taken Japan.

nticyclonic area lies over N. China, and pressure is relatively low to the S. of Japan, and over the S.E. part ina Sea.

dients are steeper, and strong monsoon may be expected in the Formosa Channel and the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	NE. winds, fresh; fair.
sa Channel, ...	N.E. winds, strong.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Monday, 24th February, 1908.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th February, 1908, P.M.								25th February, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.00	762.1	...	...	W	4	...	6 a.	29.97	761.1	...	...	W	2	
Hakodate,	,,	30.01	762.2	...	...	N W	4	...	,,	30.05	763.2	...	...	N	2	
Tokio,	,,	29.87	758.6	...	...	N	4	...	,,	30.18	766.6	...	...	N	2	
Kochi,	,,	29.99	761.8	...	...	N W	4	...	,,	30.31	769.8	...	...	W	2	
Nagasaki,	,,	30.19	766.8	...	...	N	8	...	,,	30.31	769.8	...	...	E	2	
Kagoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.31	769.9	...	...	N	4	
Oshima,	,,	30.20	767.1	...	...	N	8	...	,,	30.28	769.1	...	...	N	2	
Naha,	,,	30.20	767.2	...	...	N	8	...	,,	30.25	768.2	...	...	E	2	
Ishigakijima,	,,	30.21	767.3	...	...	N E	8	...	,,	30.25	768.3	...	...	N E	4	
Bonin Is.	,,	29.93	760.1	...	...	S	8	...	,,	30.08	764.1	...	...	N W	4	
Chefoo,	3 p.	30.48	774.2	30	100	W N W	3	b	6 a.	30.39	771.9	23	100	W	1	
Weihaiwei,	,,	30.43	772.9	30	...	W	1	b	9 a.	30.37	771.4	29	...	W N W	1	
Hankow,	,,	30.52	775.2	43	75	N	2	or	6 a.	30.43	772.9	39	91	N E	1	
Kiukiang,	,,	30.47	773.9	46	62	N E	4	o	,,	30.39	771.9	40	82	...	0	
Shanghai,	,,	30.44	773.2	42	50	N N E	1	c	9 a.	30.39	771.9	38	72	S S E	1	
Gutzlaff,	,,	30.43	772.9	43	51	N	3	cv	,,	30.39	771.9	39	67	E N E	1	
Sharp Peak,	,,	30.30	769.6	53	80	N E	4	c	,,	30.32	770.1	50	93	N	3	
Amoy,	,,	30.23	767.8	61	45	N E	1	c	6 a.	30.28	769.1	56	93	N N E	3	
Swatow,	,,	30.12	765.0	62	61	E	3	b	,,	...	...	...	...	...	...	
Taihoku,	1 p.	30.28	769.2	..	...	E	6	...	5 a.	30.24	768.1	...	...	E	6	
Taichu,	,,	30.11	764.8	...	...	N	8	...	,,	30.15	765.9	...	...	..	0	
Tainan,	,,	30.11	764.9	...	...	N	6	...	,,	30.16	766.0	...	...	N	2	
Koshun	,,	30.10	764.5	...	...	N E	10	...	,,	30.15	765.8	...	...	N E	10	
Pescadores,	,,	30.10	764.6	...	...	N	8	...	,,	30.17	766.4	...	...	N	8	
Canton,	3 p.	30.15	765.8	65	68	...	0	o	9 a.	30.25	768.3	59	94	N	1	
Hongkong,	4 p.	30.15	765.8	59	69	E	3	o	10 a.	30.24	768.1	61	69	S E	4	
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	4	
Gap Rock,	,,	30.10	764.5	...	...	E N E	6	...	,,	30.19	766.8	...	...	E	5	
Macao,	,,	30.14	765.5	62	...	S E	1	c	,,	30.19	766.8	64	...	E S E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.07	763.8	59	...	E N E	4	o	8 a.	30.17	766.4	57	...	N E	5	
Tourane,	,,	30.02	762.5	72	...	...	0	o	,,	30.12	764.9	70	...	...	0	
Cape St. James,	,,	29.82	757.3	82	...	E N E	2	c	,,	29.89	759.1	75	...	N N E	2	
Aparri,	2 p.	29.98	761.4	79	...	N E	1	p	6 a.	30.03	762.8	72	...	N E	2	
Manila,	4 p.	29.84	758	81	76	W S W	1	o	10 a.	29.92	760	84	64	N E	1	
Legaspi,	2 p.	29.83	757.6	82	...	E	1	o	6 a.	29.87	758.7	75	...	N E	1	
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N N E	3	
Iloilo,	,,	29.77	756.1	87	...	N E	2	b	,,	29.85	758.2	82	...	N E	3	
Cebu,	,,	29.78	756.4	84	...	N	2	b	,,	29.88	758.9	81	...	N	1	
Labuan,	,,	29.75	755.6	84	...	...	...	...	,,	29.80	756.9	78	...	...	...	

On the 25th at 11.50 a.—The barometer has fallen over China, and risen over Japan and the Loochoos.
The low area lying to the South of Japan yesterday has moved away Eastwards.
Pressure is highest over Shantung and the Yellow Sea. It is still relatively low over the S. part of the China Sea.
Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE. to E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 25th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	25TH FEBRUARY, 1908, P.M.								26TH FEBRUARY, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.93	760.1	...	...	W	2	...	6 a.	29.93	760.1	...	...	W	4	...
.....	,,	30.01	762.2	...	...	N W	4	...	,,	30.05	763.2	...	...	W	6	...
.....	,,	30.14	765.6	...	...	N E	4	...	,,	30.06	763.6	...	...	N W	2	...
.....	,,	30.19	766.8	...	...	S	2	...	,,	30.27	768.8	...	...	S W	4	...
.....	,,	30.27	768.8	...	...	N W	4	...	,,	30.31	769.8	...	...	...	0	...
a, ...	,,	30.23	767.9	...	...	E	2	...	,,	30.31	769.9	...	...	N	2	...
.....	,,	30.24	768.1	...	...	N	2	...	,,	30.28	769.1	...	...	N	4	...
.....	,,	30.20	767.2	...	...	N	4	...	,,	30.25	768.2	...	...	N E	2	...
ma,....	,,	30.17	766.3	...	...	N E	2	...	,,	30.21	767.3	...	...	N E	4	...
.....	,,	30.08	764.1	...	...	N	4	...	,,	30.12	765.1	...	...	N	2	...
.....	3 p.	30.30	769.6	39	64	S	3	o	6 a.	30.38	771.6	34	90	S	3	b
i,.....	,,	30.32	770.1	34	...	E	1	o	9 a.	30.39	771.9	33	...	E	1	ovr
.....	,,	30.40	772.1	52	66	S E	1	o	6 a.	30.32	770.1	46	92	E	1	c
.....	,,	30.31	769.9	50	65	N E	1	c	,,	30.29	769.3	46	92	...	0	o
.....	,,	30.28	769.1	48	56	S S E	2	c	9 a.	30.35	770.9	47	77	E S E	3	c
.....	,,	30.29	769.3	47	63	S E	2	bv	,,	30.36	771.1	47	77	S E	3	bv
k, ...	,,	30.23	767.8	56	87	N N E	3	c	,,	30.28	769.1	54	94	N	1	c
.....	,,	30.13	765.3	64	68	N E	1	c	6 a.	30.21	767.3	57	69	N	2	c
.....	,,	30.10	764.5	60	78	E	2	c	,,	...	...	51	93	N	2	b
.....	1 p.	30.17	766.2	..	...	N E	3	...	5 a.	30.18	766.5	...	...	E	5	...
.....	,,	30.12	765.0	...	...	N	6	...	,,	30.14	765.5	...	...	..	0	...
.....	,,	30.11	764.9	...	...	N W	6	...	,,	30.11	764.8	...	...	N	2	...
.....	,,	30.12	765.0	...	...	N E	8	...	,,	30.10	764.4	...	...	E	8	...
s, ...	,,	30.16	766.0	...	...	N	8	...	,,	30.13	765.2	...	...	N	8	...
.....	3 p.	30.13	765.3	72	67	N	1	c	9 a.	30.20	767.1	60	82	E	1	o
;	4 p.	30.14	765.5	60	71	E	3	b	10 a.	30.18	766.6	65	60	E	4	b
eak,...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	1	...
.....	,,	30.12	765.0	...	...	E N E	4	...	,,	30.16	766.0	...	...	E N E	5	...
.....	,,	30.15	765.8	65	...	S E	1	c	,,	30.20	767.1	64	...	S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.11	764.8	59	...	N E	2	o	8 a.	30.14	765.5	59	...	E S E	1	o
.....	,,	30.08	764.1	75	...	E	2	c	,,	30.08	764.0	70	...	...	0	c
ames,.	,,	29.81	757.2	82	...	E S E	2	c	,,	29.85	758.1	75	...	N N W	2	c
.....	2 p.	29.98	761.5	75	...	N E	1	o	6 a.	30.01	762.2	72	...	N E	1	d
.....	4 p.	29.84	758	86	53	E S E	2	o	10 a.	29.92	760	81	75	E N E	0	c
.....	2 p.	29.83	757.8	79	...	N E	1	c	6 a.	29.88	758.8	79	...	N E	1	o
.....	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	4	o
.....	,,	29.77	756.1	86	...	N E	3	b	,,	29.85	758.2	80	...	N E	3	c
.....	,,	29.79	756.6	85	...	N	2	b	,,	29.87	758.7	80	...	N	1	o
.....	,,	29.71	754.6	83	...	...	...	...	,,	29.79	756.6	80	...	...	...	...

the 26th at 11.55 a.—The barometer continues to fall over China.
ssure is highest over the Yellow Sea, and a depression is probably developing over the Yangtze valley.
sh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
kong and Neighbourhood, ...	E. winds, fresh; fair.
osa Channel, ...	N.E. winds, fresh.
coast of China between Hongkong and Lamocks,..	Same as No. 2.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Wednesday, 26th February, 1908.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th FEBRUARY, 1908, P.M.								27th FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,.....	,,	29.96	761.1	...	...	N W	6	...	6 a.	30.20	767.1	...	...	W	2	
Hakodate,.....	,,	30.13	765.2	...	...	N	6	...	,,	30.25	768.2	...	...	S W	6	
Tokio, ...	,,	30.14	765.6	...	...	S W	8	...	,,	30.38	771.6	...	...	N W	2	
Kochi, ...	,,	30.23	767.8	...	...	W	4	...	,,	30.39	771.8	...	...	S W	2	
Nagasaki, ...	,,	30.31	769.8	...	...	S E	6	...	,,	30.35	770.8	...	...	S E	2	
Kagoshima, ...	,,	30.27	768.9	...	...	S E	2	...	,,	30.35	770.9	...	...	N E	2	
Oshima,.....	,,	30.28	769.1	...	...	N	6	...	,,	30.28	769.1	...	...	...	0	
Naha,.....	,,	30.24	768.2	...	...	N E	6	...	,,	30.21	767.2	...	...	...	0	
Ishigakijima,....	,,	30.17	766.3	...	...	E	6	...	,,	30.17	766.3	...	...	S E	6	
Bonin Is.....	,,	30.12	765.1	...	...	E	4	...	,,	30.28	769.1	...	...	N	4	
Chefoo,.....	3 p.	30.23	767.8	46	54	S E	3	b	6 a.	30.35	770.9	34	100	S	1	
Weihaiwei,.....	,,	30.28	769.1	41	...	S E	3	b	9 a.	30.24	768.1	36	...	S E	1	
Hankow, ...	,,	30.24	768.1	58	70	E	1	o	6 a.	30.10	764.5	53	93	N	1	
Kiukiang,.....	,,	30.19	766.8	59	59	...	0	c	,,	30.07	763.8	51	100	...	0	
Shanghai, ...	,,	30.23	767.8	49	64	S E	3	o	9 a.	30.14	765.5	54	80	S S E	3	
Gutzlaff, ...	,,	30.27	768.8	46	84	S E	3	ov	,,	30.16	766.0	49	93	S E	4	
Sharp Peak,.....	,,	30.20	767.1	56	94	N	1	c	,,	30.14	765.5	58	88	N	3	
Amoy,.....	,,	30.14	765.5	67	74	N E	1	c	6 a.	30.16	766.0	61	88	...	0	
Swatow, ...	,,	30.06	763.5	66	79	E S E	2	c	,,	30.11	764.8	59	100	N E	2	
Taihoku,.....	1 p.	30.13	765.3	...	...	E	8	...	5 a.	30.09	764.3	...	...	E	6	
Taichu, ...	,,	30.09	764.2	...	...	W	4	...	,,	30.10	764.5	...	...	..	0	
Tainan,.....	,,	30.11	764.7	...	...	S W	2	...	,,	30.10	764.4	...	...	N	2	
Koshun.....	,,	30.10	764.6	...	...	N E	8	...	,,	30.07	763.7	...	...	E	6	
Pescadores, ...	,,	30.13	765.2	...	...	N	10	...	,,	30.11	764.7	...	...	N	6	
Canton,.....	3 p.	30.14	765.5	70	70	...	0	o	9 a.	30.12	765.0	64	84	...	0	
Hongkong, ...	4 p.	30.09	764.3	62	73	E	4	o	10 a.	30.10	764.5	63	83	E	3	
Victoria Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	6	
Gap Rock,.....	,,	30.06	763.5	...	...	E	6	...	,,	...	...	...	...	E N E	6	
Macao, ...	,,	30.10	764.5	64	...	S E	1	c	,,	30.11	764.8	65	...	E	1	
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,.....	4 p.	30.03	762.7	...	...	S E	4	b	8 a.	30.05	763.5	...	...	E	...	
Tourane, ...	,,	30.02	762.4	75	...	N E	1	c	,,	30.05	763.4	70	...	N W	1	
Cape St. James,.	,,	29.75	755.6	82	...	W S W	2	c	,,	29.85	758.1	75	...	W S W	2	
Aparri, ...	2 p.	29.97	761.2	75	...	N E	2	d	6 a.	30.01	762.3	72	...	E	1	
Manila, ...	4 p.	29.84	758	84	58	E S E	1	c	10 a.	29.96	761	88	47	E	3	
Legaspi,.....	2 p.	29.85	758.2	84	...	N E	1	c	6 a.	29.90	759.5	79	...	N E	1	
Bacolod,.....	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	E N E	2	
Iloilo,.....	,,	29.79	756.6	85	...	N E	2	o	,,	29.87	758.7	81	...	N E	1	
Cebu,.....	,,	29.80	756.9	81	...	N	1	o	,,	29.89	759.2	79	...	...	0	
Labuan, ...	,,	29.68	753.9	85	...	...	...	...	,,	29.81	757.2	79	...	...	...	

On the 27th at 11.35 a.—The barometer has fallen over China, particularly on the E. coast. It has risen considerably in E. Japan.

A depression is moving Eastwards over the Yangtze valley, and an area of high pressure lies now over S. Japan. Moderate E. to S.E. winds may be expected in the Formosa Channel and fresh to moderate monsoon over the part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh to moderate; showery, misty.
2.—Formosa Channel, ...	E. to S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 27th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	27TH FEBRUARY, 1908, P.M.								28TH FEBRUARY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
tock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.16	766.1	...	...	S W	6	...	6 a.	30.20	767.1	...	...	...	0	...
.....	,,	30.20	767.2	...	...	W	6	...	,,	30.21	767.2	...	...	N	4	...
.....	,,	30.30	769.6	...	...	S E	4	...	,,	30.26	768.6	...	...	N W	4	...
.....	,,	30.31	769.8	...	...	S E	2	...	,,	30.23	767.8	...	...	S W	2	...
.....	,,	30.27	768.8	...	...	S W	4	...	,,	30.15	765.8	...	...	S E	8	...
na, ...	,,	30.27	768.9	...	...	S E	2	...	,,	30.19	766.9	...	...	...	0	...
.....	,,	30.20	767.1	...	...	S E	4	...	,,	30.16	766.1	...	...	S E	4	...
.....	,,	30.17	766.2	...	...	E	6	...	,,	30.09	764.2	...	...	S E	2	...
lma, ...	,,	30.13	765.3	...	...	S E	6	...	,,	30.05	763.3	...	...	S E	6	...
.....	,,	30.28	769.1	...	...	N E	2	...	,,	30.28	769.1	...	...	E	2	...
.....	3 p.	30.08	764.0	41	92	S E	3	o	6 a.	30.09	764.3	33	100	S E	3	o
ei,.....	,,	30.13	765.3	38	...	E	1	o	9 a.	30.08	764.0	36	...	E N E	3	o
.....	,,	30.09	764.3	56	94	S E	1	o	6 a.	30.14	765.5	51	93	N E	2	o
.....	,,	30.01	762.2	55	94	...	0	o	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.0	66	64	S S E	3	b	9 a.	29.98	761.5	69	88	S	1	c
.....	,,	30.01	762.2	53	86	S E	4	bm	,,	29.97	761.2	55	100	S	4	f
ak,.....	,,	30.04	763.0	62	100	...	0	c	,,	30.04	763.0	61	100	...	0	f
.....	,,	30.09	764.3	62	94	...	0	or	C a.	30.08	764.0	62	77	N E	1	or
.....	,,	29.96	761.0	65	89	E N E	1	o	,,	29.96	761.0	70	95	N W	1	or
.....	1 p.	30.02	762.5	..	...	E	6	...	5 a.	30.02	762.5	...	...	...	0	...
.....	,,	30.05	763.3	...	...	N E	2	...	,,	30.04	763.0	...	...	..	0	...
.....	,,	30.04	763.1	...	...	N	4	...	,,	30.02	762.5	...	...	N	4	...
.....	,,	30.03	762.7	...	...	E	6	...	,,	30.00	762.1	...	...	E	2	...
es, ...	,,	30.07	763.8	...	...	N	8	...	,,	30.02	762.6	...	...	N	4	...
.....	3 p.	29.99	761.7	69	80	...	0	c	9 a.	29.98	761.5	69	95	...	0	f
g, ...	4 p.	29.99	761.7	62	87	E	3	o	10 a.	30.04	763.0	63	94	E	4	od
Peak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	4	...
k,.....	,,	29.96	761.0	...	...	E N E	5	...	,,	30.01	762.2	...	...	E	5	...
.....	,,	30.00	762.0	66	...	E S E	1	odf	,,	30.04	763.0	63	...	S E	1	odf
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.93	760.1	72	...	S	2	o	8 a.	29.98	761.5	64	...	E S E	3	or
.....	,,	29.93	760.2	79	...	S E	1	c	,,	29.99	761.8	70	...	...	0	o
Iames,.	,,	29.75	755.6	82	...	N E	4	o	,,	29.84	757.9	77	...	N E	3	c
.....	2 p.	29.93	760.2	79	...	E	1	o	6 a.	29.99	761.6	70	...	S E	1	b
.....	4 p.	29.84	758	88	47	E S E	1	b	10 a.	29.96	761	84	58	N E	0	c
.....	2 p.	29.83	757.7	84	...	E	1	c	6 a.	29.89	759.3	77	...	N E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	N E	3	o
.....	,,	...	...	...	...	...	...	...	,,	29.85	758.2	80	...	N E	2	c
.....	,,	...	...	...	...	...	...	...	,,	29.88	758.9	80	...	N	1	o
.....	,,	29.75	755.6	86	...	...	...	...	,,	29.81	757.2	79	...	...	...	...

the 28th at 11.40 a.—The barometer has fallen over China, particularly in the North. Pressure has also ay quickly in Japan.

depression is now moving Eastwards over the Lower Yangtze, and approaching the neighbourhood of ai. The highest pressure lies over the Pacific to the E. of Japan.

derate E. to S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
kong and Neighbourhood, ...	E. to S.E. winds, moderate; showery, misty.
osa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Friday, 28th February, 1908.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th FEBRUARY, 1908, P.M.								29th FEBRUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.24	768.1	...	...	N	6	...	6 a.	30.44	773.1	...	...	N	6	
Hakodate,	,,	30.24	768.2	...	...	N	6	...	,,	30.44	773.2	...	...			
Tokio,	,,	30.18	766.6	...	...	S E	4	...	,,	30.26	768.6	...	...			
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	29.99	761.8	...	...	...	...	0
Nagasaki,	,,	29.99	761.8	...	...	S	10	...	,,	29.88	758.8	...	...	N	4	
Kagoshima,	,,	30.07	763.9	...	...	S	6	...	,,	29.88	758.9	...	...	N	4	
Oshima,	,,	30.08	764.1	...	...	S	6	...	,,	29.93	760.1	...	...	...	0	
Naha	,,	30.05	763.2	...	...	S E	4	...	,,	29.93	760.2	...	...	S	2	
Ishigakijima,	,,	30.01	762.3	...	...	S E	6	...	,,	29.93	760.3	...	...	S E	4	
Bonin Is.	,,	30.24	768.1	...	...	E	2	...	,,	30.12	765.1	...	...	N W	2	
Chefoo,	3 p.	30.06	763.5	38	81	N	1	o	6 a.	30.09	764.3	32	90	W	2	
Weihaiwei,	,,	30.01	762.2	38	...	N N E	3	o	9 a.	30.14	765.5	33	...	N W	3	
Hankow,	,,	30.15	765.8	50	79	N	1	o	6 a.	30.25	768.3	46	92	N	1	
Kiukiang	,,	30.01	762.2	53	93	...	0	or	,,	30.14	765.5	48	100	N E	1	
Shanghai,	,,	29.90	759.4	68	70	N N W	2	o	9 a.	30.11	764.8	44	92	N N W	2	
Gutzlaff,	,,	29.90	759.4	56	100	W S W	1	f	,,	30.05	763.2	44	100	N	3	
Sharp Peak,	,,	29.92	759.9	64	100	...	0	f	,,	29.96	760.7	61	94	N E	1	
Amoy,	,,	29.99	761.7	65	95	...	0	o	6 a.	29.94	760.5	65	95	S S E	1	
Swatow,	,,	29.88	758.9	67	95	N E	0	o	,,	29.89	759.2	62	89	N W	1	
Taihoku,	1 p.	29.96	760.9	...	...	...	0	...	5 a.	29.90	759.5	...	...	...	0	
Taichu,	,,	29.95	760.8	...	...	N E	4	...	,,	29.92	760.0	...	...	...	0	
Tainan,	,,	29.96	761.1	...	...	W	4	...	,,	29.92	760.0	...	...	N	2	
Koshun	,,	29.96	761.1	...	...	E	6	...	,,	29.91	759.7	...	...	E	2	
Pescadores,	,,	29.98	761.4	...	...	N W	4	...	,,	29.88	759.0	...	...	...	0	
Canton,	3 p.	29.90	759.4	70	85	...	0	or	9 a.	29.99	761.7	68	95	...	0	
Hongkong,	4 p.	29.90	759.4	64	94	E	3	o	10 a.	29.98	761.5	67	93	E	1	
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	W	1	
Gap Rock,	,,	29.88	758.9	...	...	E	4	...	,,	29.96	761.0	...	...	N E	2	
Macao,	,,	29.91	759.7	65	...	S E	1	of	,,	29.99	761.7	67	...	S E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.83	757.8	70	...	S S E	2	o	8 a.	29.94	760.5	66	...	N E	2	
Tourane,	,,	29.86	758.5	79	...	S E	1	b	,,	29.93	760.1	72	...	...	0	
Cape St. James,	,,	29.72	754.8	81	...	E S E	5	c	,,	29.81	757.1	81	...	N E	4	
Aparri,	2 p.	29.89	759.3	82	...	N E	1	b	6 a.	29.90	759.4	72	...	S	1	
Manila,	4 p.	29.80	757	88	42	E	2	b	10 a.	29.92	760	81	70	S W	1	
Legaspi,	2 p.	29.84	758.0	84	...	E	1	c	6 a.	29.85	758.1	77	...	N E	1	
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	E N E	3	
Iloilo,	,,	29.77	756.1	86	...	N E	2	c	,,	29.85	758.2	80	...	N E	1	
Cebu,	,,	29.78	756.4	84	...	N	1	o	,,	29.86	758.4	80	...	N	1	
Labuan,	,,	29.80	756.9	85	...	...	...	...	,,	29.80	756.9	82	...	...	...	

On the 29th at 11.55 a.—The barometer has fallen considerably over W. Japan and the Loochoos, and is moderately in Central and N. China.

The depression, which continues to move Eastwards, lies now off the coast of S.W. Japan. Pressure over Northern Japan.

The monsoon is expected to set in again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate or fresh; cloudy, misty
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, 29th February, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	29TH FEBRUARY, 1908, P.M.								1ST MARCH, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
tock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
	,,	30.44	773.1	...	...	N	6	...	6 a.	30.28	769.1	...	...	S W	2	...
	,,	30.32	770.2	...	...	E	10	...	,,	30.09	764.2	...	...	E	10	...
	,,	30.22	767.6	...	...	N W	4	...	,,	30.02	762.6	...	...	N	6	...
.....	,,	29.83	757.8	...	...	...	0	...	,,	29.88	758.8	...	...	..	0	...
i, ...	,,	29.83	757.8	...	...	N W	4	...	,,	29.95	760.8	...	...	N W	2	...
na, ...	,,	29.84	757.9	...	...	W	4	...	,,	29.92	759.9	...	...	N W	6	...
.....	,,	29.89	759.1	...	...	S W	2	...	,,	29.89	759.1	...	...	N	6	...
.....	,,	29.89	759.2	...	...	S	4	...	,,	29.89	759.2	...	...	N	6	...
jima, ...	,,	29.89	759.3	...	...	S	4	...	,,	29.89	759.3	...	...	N	2	...
.....	,,	30.08	764.1	...	...	S E	4	...	,,	29.93	760.1	...	...	S	6	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ei,.....	,,	30.05	763.2	38	...	N W	2	o	9 a.	30.30	769.6	30	...	N N E	3	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.15	765.8	50	86	N E	3	b	,,	...	...	45	100	N E	4	or
.....	,,	30.08	764.0	46	84	N	4	om	9 a.	30.24	768.1	44	68	N N E	2	o
.....	,,	30.06	763.5	43	92	N	5	om	,,	30.15	765.8	44	76	N	4	om
ak,.....	,,	29.94	760.5	58	88	N N E	4	f	,,	30.09	764.3	56	81	N E	4	o
.....	,,	29.89	759.2	69	85	S E	1	b	6 a.	30.02	762.5	63	83	...	0	c
.....	,,	29.79	756.6	77	82	S S W	2	b	,,	29.91	759.7	60	94	N E	2	c
.....	1 p.	29.91	759.7	..	...	N	4	...	5 a.	29.98	761.5	...	...	E	4	...
.....	,,	29.90	759.4	...	...	W	4	...	,,	29.96	760.6	...	...	N	2	...
.....	,,	29.89	759.1	...	...	S W	6	...	,,	29.93	760.3	...	...	N	6	...
.....	,,	29.88	758.9	...	...	S W	6	...	,,	29.90	759.5	...	...	..	0	...
es, ...	,,	29.89	759.3	...	...	N	6	...	,,	29.93	760.3	...	...	N	10	...
.....	3 p.	29.86	758.4	79	66	S	1	c	9 a.	30.09	764.3	73	81	E S E	1	c
g, ...	4 p.	29.85	758.2	75	67	W	1	b	10 a.	30.02	762.5	62	88	E	3	o
Peak,...	,,	...	...	...	...	W	1	...	,,	...	...	...	...	E	6	...
k,.....	,,	29.85	758.2	...	...	N	2	...	,,	29.99	761.7	...	...	E N E	4	...
.....	,,	29.89	759.2	69	...	E S E	1	of	,,	30.01	762.2	63	...	E S E	2	cf
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.83	757.7	72	...	S E	3	c	8 a.	29.94	760.5	68	...	E N E	1	o
.....	,,	29.84	758.0	81	...	S E	1	b	,,	29.92	759.9	73	...	...	0	o
James,.	,,	29.75	755.6	81	...	E N E	4	c	,,	29.82	757.4	79	...	N E	4	o
.....	2 p.	29.85	758.3	84	...	N E	1	b	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	88	54	S E	3	c	10 a.	29.92	760	81	62	S S W	1	c
.....	2 p.	29.82	757.3	79	...	N	1	o	6 a.	29.84	75.78	75	...	N E	1	o
.....	3 p.	...	...	...	...	N	4	o	9 a.	...	...	...	...	N E	3	o
.....	,,	29.75	755.6	81	...	N E	4	o	,,	29.83	757.7	80	...	N E	2	c
.....	,,	29.76	755.9	83	...	N	1	c	,,	29.86	758.4	82	...	N	2	o
.....	,,	29.72	754.9	84	...	...	...	...	,,	...	...	...	...	...	...	...

... 1st at 11.55 ... e barometer has risen over China and fallen over E. J pan and the Bonins.

... depressio ... twards to the S. of Japan, and pressure is highest over N. China.

resh monsoon m ... be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N.E. winds, fresh; fa r, misty.
mosa Channel, ...	Same as No. 1.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. H. HIGG.
Director.

Hongkong Observatory, Sunday, 1st March, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st MARCH, 1908, P.M.								2nd MARCH, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.12	765.1	...	...	...	...	...	6 a.	29.53	750.1	...	...	E	8	
Hakodate,	,,	29.93	760.2	...	...	E	6	...	,,	29.58	751.2	...	...	N	2	
Tokio,	,,	29.83	757.6	...	...	N W	4	...	,,	29.63	752.6	...	...	...	0	
Kochi,	,,	29.80	756.8	...	...	S E	4	...	,,	29.80	756.8	...	...	...	0	
Nagasaki,	,,	29.91	759.8	...	...	N W	4	...	,,	29.99	761.8	...	...	N W	2	
Kagoshima,	,,	29.84	757.9	...	...	N W	2	...	,,	29.92	759.9	...	...	N W	4	
Oshima,	,,	29.89	759.1	...	...	N	6	...	,,	29.93	760.1	...	...	N W	4	
Naha,	,,	29.93	760.2	...	...	N	6	...	,,	29.97	761.2	...	...	N	4	
Ishigakijima,	,,	29.97	761.3	...	...	N	4	...	,,	30.01	762.3	...	...	N	2	
Bonin Is.	,,	29.81	757.1	...	...	S	6	...	,,	29.81	757.1	...	...	N W	2	
Chefoo,	3 p.	30.32	770.1	30	100	N N W	5	c	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.29	769.3	27	...	N	2	o	9 a.	30.35	770.9	25	...	N N E	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.30	769.6	39	91	N E	5	or	,,	...	...	...	...	...	...	
Shanghai,	,,	30.21	767.3	40	82	N	4	r	9 a.	30.25	768.3	38	71	N E	1	
Gutzlaff,	,,	30.15	768.8	43	75	N	4	om	,,	30.21	767.3	40	65	N	4	
Sharp Peak,	,,	30.05	763.2	55	80	N E	4	c	,,	30.15	765.8	53	80	N E	4	
Amoy,	,,	30.02	762.5	66	79	S E	2	b	6 a.	30.09	764.3	61	83	S S E	1	
Swatow,	,,	29.94	760.5	62	89	E S E	2	c	,,	29.94	760.5	56	87	N E	2	
Taihoku,	1 p.	30.00	762.0	...	...	E	6	...	5 a.	30.04	762.9	...	...	E	4	
Taichu,	,,	29.93	760.3	...	...	N	4	...	,,	30.01	762.2	...	...	N	2	
Tainan,	,,	29.93	760.1	...	...	N	4	...	,,	30.01	762.1	...	...	N	4	
Koshun,	,,	29.93	760.2	...	...	N E	6	...	,,	29.97	761.1	...	...	N E	4	
Pescadores,	,,	29.97	761.2	...	...	N	6	...	,,	30.00	761.9	...	...	N	8	
Canton,	3 p.	29.90	759.4	78	65	S E	1	b	9 a.	30.00	762.0	63	84	E	2	
Hongkong,	4 p.	29.94	760.5	62	84	E	4	c	10 a.	30.02	762.5	61	81	E	4	
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	
Gap Rock,	,,	29.91	759.7	...	...	E N E	4	...	,,	29.99	761.7	...	...	E N E	5	
Macao,	,,	29.95	760.7	66	...	S E	2	of	,,	30.02	762.5	64	...	S E	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.85	758.1	75	...	S S E	3	c	8 a.	...	...	...	...	...	...	
Tourane,	,,	29.86	758.5	77	...	S E	2	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.75	755.7	84	...	E N E	3	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.93	760.2	70	...	N W	0	
Manila,	4 p.	29.80	757	90	56	E S E	1	c	10 a.	29.92	760	84	64	N	1	
Legaspi,	2 p.	29.83	757.7	84	...	E	2	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N N E	3	
Iloilo,	,,	29.77	756.1	85	...	N E	3	o	,,	29.85	758.2	81	...	N E	2	
Cebu,	,,	29.79	756.6	84	...	N	2	b	,,	29.86	758.4	83	...	N	2	
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.82	757.4	84	...	...	...	

On the 2nd at 11.50 a.—The barometer has fallen rapidly in E. Japan owing to the depression which is moving away over the Pacific to the South of Hokkaido.

Pressure has increased slightly in N. China and S.W. Japan. It is highest over N. China.

Gradients are slight to moderate, and fresh monsoon may be expected in the Formosa Channel and the Yellow Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair, misty.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 2nd March, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	2ND MARCH, 1908, P.M.								3RD MARCH, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.45	748.1	...	...	N W	4	...	6 a.	29.77	756.1	...	...	N W	8	...
e,.....	,,	29.61	752.2	...	...	S W	8	...	,,	29.97	761.2	...	...	N W	4	...
.....	,,	29.67	753.6	...	...	N W	2	...	,,	30.02	762.6	...	...	N W	6	...
.....	,,	29.87	758.8	...	...	N	6	...	,,	29.99	761.8	...	...	...	0	...
i, ...	,,	29.95	760.8	...	...	N	6	...	,,	29.95	760.8	...	...	N E	4	...
na, ...	,,	29.96	760.9	...	...	N W	6	...	,,	29.96	760.9	...	...	N E	2	...
.....	,,	29.96	761.1	...	...	N	6	...	,,	29.97	761.1	...	...	S	2	...
.....	,,	29.97	761.2	...	...	N W	6	...	,,	29.97	761.2	...	...	...	0	...
jima,....	,,	30.01	762.3	...	...	N E	6	...	,,	29.97	761.3	...	...	E	4	...
.....	,,	29.81	757.1	...	...	N E	2	...	,,	29.89	759.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	30.19	766.8	28	100	N N E	1	c
ei,.....	,,	30.27	768.8	28	...	N E	1	c	9 a.	30.17	766.3	29	...	N W	1	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
g,.....	,,	30.05	763.2	37	91	N E	4	o	,,	30.09	764.3	36	100	N E	3	or
i, ...	,,	30.11	764.8	41	66	N E	2	o	9 a.	30.05	763.2	39	91	N E	3	omr
.....	,,	30.10	764.5	41	66	N N E	3	om	,,	29.98	761.5	43	92	E N E	3	omd
ak,.....	,,	30.05	763.2	54	86	N N E	4	c	,,	29.92	759.9	55	94	W N W	1	c
.....	,,	30.02	762.5	60	76	N E	1	o	6 a.	30.01	762.2	60	82	N E	1	o
.....	,,	29.94	760.5	61	88	E	3	c	,,	29.90	759.4	57	87	N E	2	c
.....	1 p.	30.01	762.2	..	...	E	6	...	5 a.	29.98	761.4	...	...	S E	2	...
.....	,,	29.96	761.1	...	...	N W	2	...	,,	29.96	761.0	...	...	...	0	...
.....	,,	29.96	760.9	...	...	N	6	...	,,	29.94	760.4	...	...	N	2	...
.....	,,	29.96	761.0	...	...	E	6	...	,,	29.94	760.4	...	...	N	2	...
es, ...	,,	30.00	762.0	...	...	N	8	...	,,	29.95	760.6	...	...	N	6	...
.....	3 p.	29.88	758.9	71	76	S E	2	o	9 a.	29.90	759.4	65	95	E	1	o
g, ...	4 p.	29.91	759.7	69	92	E	4	od	10 a.	29.93	760.2	60	93	E	4	o
Peak,...	,,	...	...	...	...	S E	6	...	,,	...	...	...	...	S E	2	...
k,.....	,,	29.87	758.7	...	...	E N E	4	...	,,	29.89	759.2	...	...	E	4	...
.....	,,	29.90	759.4	64	...	S E	2	of	,,	29.92	759.9	62	...	S E	2	of
.....	3 p.	29.79	756.6	80	70	S E	4	c	9 a.	...	...	...	...	...	...	...
.....	,,	29.87	758.7	80	78	S	1	b	,,	...	...	...	...	...	...	...
.....	4 p.	29.76	756.0	68	...	S E	6	or	8 a.	29.82	757.4	68	...	S S E	4	or
.....	,,	29.84	758.0	79	...	S E	2	c	,,	29.86	758.4	75	...	...	0	b
James,.	,,	29.77	756.1	82	...	E N E	3	c	,,	...	...	...	...	...	...	...
.....	2 p.	29.91	759.6	82	...	N E	1	o	6 a.	29.91	759.7	70	...	S E	1	b
.....	4 p.	29.80	757	88	54	E S E	3	o	10 a.	29.92	760	86	53	E S E	2	c
.....	2 p.	29.84	758.0	86	...	N E	1	c	6 a.	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N E	4	o
.....	,,	29.77	756.1	86	...	N E	3	c	,,	29.86	758.4	81	...	N E	4	b
.....	,,	29.80	756.9	86	...	N	2	c	,,	29.90	759.4	84	...	N	2	b
.....	,,	29.73	755.1	87	...	...	...	...	,,	29.82	757.4	82	...	...	...	...

the 3rd at 11.55 a.—The barometer has risen quickly in E. Japan, and fallen over China, particularly on the t.

depression, which will probably cross the Eastern Sea, has developed over China to the South of the Lower se, and pressure is low also over Tongking. The highest pressure lies over N. China.
oderate variable winds may be expected in the Formosa Channel, and moderate S.E. winds over the N. part China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S.E. or variable winds, moderate; misty, probably
nosa Channel, ...	Variable winds, moderate. [some rain.
h coast of China between Hongkong and Lamocks,..	Same as No. 2.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Tuesday, 3rd March, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd March, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	4th March, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	N W	8	...	6 a.	30.20	767.1	...	...	N W	2
Hakodate,	,,	30.05	763.2	...	...	N W	6	...	,,	30.25	768.2	...	...	...	0
Tokio,	,,	30.06	763.6	...	...	E	2	...	,,	30.10	764.6	...	...	N W	4
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.88	758.8	...	...	S W	4
Nagasaki,	,,	29.91	759.8	...	...	N E	4	...	,,	29.80	756.8	...	...	N	4
Kagoshima,	,,	29.92	759.9	...	...	N E	4	...	,,	29.76	755.9	...	...	N E	6
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.73	755.1	...	...	N W	2
Naha,	,,	29.89	759.2	...	...	S W	2	...	,,	29.77	756.2	...	...	S	4
Ishigakijima,	,,	29.85	758.5	...	...	S	8	...	,,	29.82	757.3	...	...	N	6
Bonin Is.	,,	29.85	758.1	...	...	S W	2	...	,,	29.89	759.1	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.10	764.5	29	...	N	2	o	9 a.	30.08	764.0	29	...	N W	1
Hankow,	,,	30.29	769.3	38	91	N	1	o	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.13	765.3	37	91	N E	4	o	,,	30.22	767.6	35	100	...	0
Shanghai,	,,	29.97	761.2	40	91	N	3	or	9 a.	30.10	764.5	36	80	N W	4
Gutzlaff,	,,	29.93	760.2	43	100	N	3	omd	,,	30.05	763.2	40	82	N W	4
Sharp Peak,	,,	29.75	755.6	59	100	...	0	c	,,	29.97	761.2	53	80	E N E	5
Amoy,	,,	29.86	758.4	58	88	N E	2	c	9 a.	29.91	759.7	60	88	N N E	1
Swatow,	,,	...	...	63	83	W	1	c	,,	29.74	755.4	62	94	...	0
Taihoku	1 p.	29.85	758.2	.	...	N	2	...	5 a.	29.90	759.5	...	...	E	2
Taichu,	,,	29.88	758.9	...	...	S W	2	...	,,	29.87	758.6	...	...	N	4
Tainan,	,,	29.86	758.4	...	...	S	8	...	,,	29.84	757.8	...	...	W	2
Koshun	,,	29.88	758.9	...	...	S E	6	...	,,	29.91	759.6	...	...	W	6
Pescadores,	,,	29.88	759.0	...	...	N W	4	...	,,	29.85	758.1	...	...	N	4
Canton,	3 p.	29.77	756.1	70	90	E	1	o	9 a.	29.91	759.7	54	94	N W	1
Hongkong,	4 p.	29.79	756.6	60	93	E	5	o	10 a.	29.84	757.9	63	78	N W	2
Victoria Peak,	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S	8
Gap Rock,	,,	29.76	755.9	...	...	E	4	...	,,	29.82	757.4	...	...	S S E	2
Macao,	,,	29.79	756.6	63	...	S E	1	of	,,	29.86	758.4	63	...	N W	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	8 a.	29.78	756.5	70	...	E N E	3
Tourane,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	79	...	...	0
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	79	...	N N E	2
Aparri,	2 p.	29.82	757.5	88	...	W	1	b	6 a.	29.89	759.2	73	...	N W	1
Manila,	4 p.	29.80	757	88	47	E S E	3	c	10 a.	29.92	760	86	59	S W	1
Legaspi,	2 p.	29.85	758.1	86	...	N E	1	o	6 a.	29.89	759.2	70	...	...	0
Bacolod,	3 p.	...	...	...	...	N N E	4	op	9 a.	...	...	...	...	E N E	2
Iloilo,	,,	29.79	756.6	86	...	N E	1	c	,,	29.87	758.7	82	...	N E	1
Cebu,	,,	29.82	757.4	85	...	N	1	b	,,	29.90	759.4	84	...	N	1
Labuan,	,,	29.74	755.4	88	...	...	...	...	,,	29.84	757.4	82	...	...	...

On the 4th at 11.55 a.—The barometer has fallen considerably over S.W. Japan and the Loochoos, owing to depression which is now moving Eastwards to the South of Kiusiu.

Pressure has increased considerably to moderately over N.E. Japan and Central China respectively. It has slightly on the S. coast of China, a low pressure trough remaining off the coast.

Pressure is high over N.E. Japan and Central China.

Gradients are rather steep and strong monsoon is expected to set in again in the Formosa Channel and the part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, strong; rainy.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 4th March, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	4TH MARCH, 1908, P.M.								5TH MARCH, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.28	769.1	...	...	N E	2	...	6 a.	30.20	767.1	...	...	N E	4	...
.....	,,	30.20	767.2	...	...	E	6	...	,,	29.97	761.2	...	...	E	8	...
.....	,,	30.02	762.6	...	...	N W	6	...	,,	29.51	749.6	...	...	N W	6	...
.....	,,	29.68	753.8	...	...	...	0	...	,,	29.40	746.8	...	...	N	2	...
.....	,,	29.72	754.8	...	...	S	2	...	,,	29.91	759.8	...	...	N	2	...
a, ...	,,	29.72	754.9	...	...	E	4	...	,,	29.84	757.9	...	...	N	6	...
.....	,,	29.77	756.1	...	...	N W	4	...	,,	29.89	759.1	...	...	N	8	...
.....	,,	29.81	757.2	...	...	N W	6	...	,,	29.85	758.2	...	...	N	6	...
na, ...	,,	29.82	757.5	...	...	N E	6	...	,,	29.93	760.3	...	...	N E	2	...
.....	,,	29.85	758.1	...	...	S	4	...	,,	29.77	756.1	...	...	S	6	...
.....	3 p.	30.08	764.0	32	100	N W	4	c	6 a.	...	...	...	...	...	...	...
.....	,,	30.05	763.2	30	...	W	3	o	9 a.	30.17	766.3	32	...	W	1	b
.....	,,	30.23	767.8	42	66	N E	1	b	6 a.	...	...	...	...	...	...	...
.....	,,	30.16	766.0	41	83	N E	1	c	,,	30.11	764.8	37	81	N E	3	o
.....	,,	...	...	...	...	...	...	...	9 a.	30.17	766.3	37	81	W N W	1	o
.....	,,	30.02	762.5	39	73	N W	5	ov	,,	30.13	765.3	41	74	N	3	ov
k, ...	,,	29.94	760.5	53	73	N N E	5	or	,,	30.05	763.2	51	79	N E	4	o
.....	,,	29.88	758.9	56	63	N E	2	or	6 a.	29.98	761.5	55	87	N E	1	o
.....	,,	29.73	755.1	57	100	N E	1	or	,,	29.86	758.4	52	79	N E	5	or
.....	1 p.	29.92	759.9	...	...	E	4	...	5 a.	29.94	760.4	...	...	E	6	...
.....	,,	29.83	757.8	...	...	N	6	...	,,	29.85	758.2	...	...	W	2	...
.....	,,	29.80	757.0	...	...	S W	2	...	,,	29.80	757.0	...	...	N E	4	...
.....	,,	29.82	757.3	...	...	S W	2	...	,,	29.86	758.5	...	...	N E	6	...
, ...	,,	29.85	758.1	...	...	N	8	...	,,	29.86	758.6	...	...	N	10	...
.....	3 p.	29.84	757.9	57	75	N	2	o	9 a.	29.90	759.4	52	93	N N W	1	or
, ...	4 p.	29.76	755.9	63	88	W S W	2	o	10 a.	29.83	757.7	57	92	E	7	or
eak,...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E S E	9	...
.....	,,	29.73	755.1	...	...	N N W	5	...	,,	29.79	756.6	...	...	E	6	...
.....	,,	29.79	756.6	61	...	N	1	odf	,,	29.85	758.2	60	...	N N W	1	odf
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.64	752.8	68	...	E S E	6	o	8 a.	29.78	756.4	64	...	E N E	4	o
.....	,,	29.70	754.3	84	...	S E	2	b	,,	29.76	756.9	79	...	...	0	b
mes,.	,,	29.74	755.3	86	...	E S E	1	b	,,	29.83	757.7	81	...	S W	1	b
.....	2 p.	29.81	757.1	84	...	N E	1	b	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.76	756	93	37	S E	...	b	10 a.	...	...	...	...	...	...	...
.....	2 p.	29.83	757.6	82	...	E	1	o	6 a.	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	N N W	4	o	9 a.	...	...	...	...	...	...	...
.....	,,	29.77	756.1	86	...	N E	2	c	,,	...	...	...	...	...	...	...
.....	,,	29.80	756.9	85	...	N	2	b	,,	...	...	...	...	...	...	...
.....	,,	29.79	756.6	87	...	...	...	...	,,	29.78	756.4	83	...	...	...	...

he 5th at 11.45 a.—The barometer has fallen rapidly in S.E. Japan owing to the depression which is moving towards over that area.

sure has increased moderately over S.W. Japan, the Loochoos and the E. coast of China; and fallen moderer Central China. It remains low over the S. coast of China and the N.W. part of the China Sea.

dients are rather steep over the Formosa Channel and the Northern shores of the China Sea, where N.E. and strong to a gale, will continue to prevail,

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. and E. winds, strong to a gale; squally, rainy.
a Channel, ...	N.E. winds, strong to a gale.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Thursday, 5th March, 1908.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	5th MARCH, 1908, P.M.								6th MARCH, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Hakodate, ...	,,	29.85	758.2	...	...	N	4	...	,,	29.85	758.2	...	...	W		
Tokio, ...	,,	29.55	750.6	...	...	S W	8	...	,,	29.99	761.6	...	...	N W		
Kochi, ...	,,	29.91	759.8	...	...	N	6	...	,,	30.07	763.8	...	...	S W		
Nagasaki, ...	,,	29.99	761.8	...	...	N	6	...	,,	30.11	764.8	...	...	E		
Kagoshima, ...	,,	29.96	760.9	...	...	N W	8	...	,,	30.08	763.9	...	...	E		
Oshima, ...	,,	29.89	759.1	...	...	N	6	...	,,	29.97	761.1	...	...	...		
Naha, ...	,,	29.89	759.2	...	...	N	6	...	,,	29.89	759.2	...	...	E		
Ishigakijima, ...	,,	29.93	760.3	...	...	N E	6	...	,,	29.86	758.3	...	...	E		
Bonin Is.....	,,	29.73	755.1	...	...	S W	6	...	,,	29.89	759.1	...	...	N E		
Chefoo, ...	3 p.	30.13	765.3	38	72	E	2	b	6 a.	30.18	766.6	30	100	...		
Weihaiwei, ...	,,	30.13	765.3	39	...	E	...	b	9 a.	30.24	768.1	33	...	W N W		
Hankow, ...	,,	30.18	766.6	41	83	N E	1	o	6 a.	...	...	...	..	...		
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	30.10	764.5	37	100	...		
Shanghai, ...	,,	30.07	763.8	42	66	N E	2	o	9 a.	30.08	764.0	41	100	N N E		
Gutzlaff, ...	,,	30.05	763.2	43	75	N N E	3	ov	,,	30.04	763.0	42	100	N		
Sharp Peak, ...	,,	29.94	760.5	51	79	E	2	o	,,	29.90	759.4	52	93	N		
Amoy, ...	,,	29.89	759.2	54	87	N E	1	or	6 a.	29.88	758.9	53	88	N E		
Swatow, ...	,,	29.77	756.1	52	86	E N E	3	or	,,	29.80	756.9	54	94	S E		
Taihoku.....	1 p.	29.89	759.2	..	...	E	6	...	5 a.	29.80	757.0	...	...	...		
Taichu, ...	,,	29.81	757.1	...	...	N W	8	...	,,	29.81	757.1	...	...	N		
Tainan, ...	,,	29.83	757.6	...	...	N	4	...	,,	29.80	756.9	...	...	N		
Koshun.....	,,	29.83	757.7	...	...	E	6	...	,,	29.78	755.8	...	...	...		
Pescadores, ...	,,	29.84	758.0	...	...	N	8	...	,,	29.80	756.8	...	...	N		
Canton, ...	3 p.	29.78	756.4	54	87	N	1	o	9 a.	29.95	760.7	54	79	N N W		
Hongkong, ...	4 p.	29.73	755.1	57	95	E	4	odq	10 a.	29.87	758.7	58	88	N		
Victoria Peak,...	,,	...	...	...	...	E	6	...	,,	...	...	...	...	N		
Gap Rock, ...	,,	29.69	754.1	...	...	E N E	6	...	,,	29.86	758.4	...	...	N		
Macao, ...	,,	29.75	755.6	60	...	N N E	1	odf	,,	29.86	758.4	55	...	N		
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...		
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		
Phulien, ...	4 p.	29.64	752.9	68	...	S E	3	c	8 a.	29.87	758.7	59	...	N E		
Tourane, ...	,,	29.68	753.8	84	...	S E	1	b	,,	29.77	756.2	...	...	N W		
Cape St. James,.	,,	29.72	754.9	84	...	S	2	c	,,	29.78	756.3	79	...	S		
Aparri, ...	2 p.	29.77	756.2	86	...	N E	1	b	6 a.	29.82	757.4	73	...	W		
Manila, ...	4 p.	29.76	756	88	47	S E	4	b	10 a.	29.88	759	84	58	E S E		
Legaspi, ...	2 p.	29.82	757.3	84	...	E	1	b	6 a.	29.85	758.1	70	...	...		
Bacolod, ...	3 p.	...	...	...	...	N N E	4	...	9 a.	...	...	...	...	N		
Iloilo, ...	,,	29.75	755.6	88	...	N E	1	o	,,	29.83	757.7	81	...	N E		
Cebu, ...	,,	29.77	756.1	84	...	N	2	b	,,	29.87	758.7	84	...	...		
Labuan, ...	,,	29.71	754.6	88	...	...	...	...	,,	29.79	756.6	82	...	...		

On the 6th at 11.55 a.—The barometer has risen in Japan, the depression having moved away over the Pa
The barometer has risen slightly over Tongking and in Hongkong, and fallen moderately over Formosa a
E. coast of China.

An area of low pressure has developed to the South of Formosa. It will probably move towards N.E. Pr
is highest over N. China.

Fresh to strong N. and N.E. winds may be expected in the Formosa Channel and the N. part of the Chin

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh; dull, some rain.
2.—Formosa Channel, ...	N. to N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 6th March, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	6TH MARCH, 1908, P.M.								7TH MARCH, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.77	756.1	...	...	N W	10	...	6 a.	30.24	768.1	...	...	W	2	...
.....	,,	30.05	763.2	...	...	W	8	...	,,	29.89	759.2	...	...	N	10	...
.....	,,	30.10	764.6	...	...	N	6	...	,,	30.26	768.6	...	...	N W	4	...
.....	,,	30.07	763.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	6	...
.....	,,	30.03	762.8	...	...	N E	6	...	,,	29.84	757.8	...	...	N	4	...
, ...	,,	30.04	762.9	...	...	N E	8	...	,,	29.72	754.9	...	...	E	10	...
.....	,,	29.85	758.1	...	...	S ¾E	4	...	,,	29.65	753.1	...	...	S	2	...
.....	,,	29.77	756.2	...	...	S E	4	...	,,	29.73	755.2	...	...	...	0	...
na,....	,,	29.70	754.3	...	...	N E	4	...	,,	29.78	756.3	...	...	N	8	...
.....	,,	29.93	760.1	...	...	N E	2	...	,,	29.93	760.1	...	...	E	4	...
.....	3 p.	30.22	767.6	36	80	N	2	o	6 a.	30.39	771.9	23	100	N	6	b
.....	,,	30.19	766.8	34	...	N W	1	o	9 a.	30.44	773.2	19	...	N W	5	b
.....	,,	30.28	769.1	41	83	N	3	o	6 a.	30.49	774.4	36	90	W	1	c
.....	,,	30.18	766.6	39	100	N E	2	o	,,	30.31	769.9	37	100	N W	2	b
.....	,,	30.00	762.0	44	92	N	2	or	9 a.	30.26	768.6	46	82	N	4	omd
.....	,,	29.95	760.7	45	92	N	3	f	,,	30.17	763.3	40	100	N	7	omd
,.....	,,	29.83	757.7	53	93	N	1	c	,,	30.06	763.5	53	93	N N W	1	c
.....	,,	29.83	757.7	53	88	S E	1	o	6 a.	29.92	759.9	57	81	N E	1	o
.....	,,	29.76	755.9	57	87	N	1	or	,,	30.00	762.0	47	85	W	2	b
.....	1 p.	29.80	756.9	...	...	W	4	...	5 a.	29.97	761.2	...	...	N W	6	...
.....	,,	29.80	757.0	...	...	N	4	...	,,	29.92	760.0	...	...	N	6	...
.....	,,	29.75	755.7	...	...	N E	4	...	,,	29.88	758.9	...	...	N	6	...
.....	,,	29.74	755.4	...	...	N W	4	...	,,	29.84	757.8	...	...	N	6	...
.....	,,	29.79	756.6	...	...	N	8	...	,,	29.91	759.8	...	...	N	10	...
.....	3 p.	29.88	758.9	57	63	N N W	3	o	9 a.	...	...	...	...	...	...	...
.....	4 p.	29.81	757.2	57	80	...	0	o	10 a.	30.10	764.5	55	44	N	2	b
ak,...	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	N N E	3	...
.....	,,	29.77	756.1	...	...	N N W	5	...	,,	30.08	764.0	...	...	N N E	4	...
.....	,,	29.83	757.7	58	...	N N W	3	o	,,	30.11	764.8	54	...	N	4	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.81	757.1	66	...	E S E	1	c	8 a.	...	...	...	...	...	...	...
.....	,,	29.70	754.5	75	...	N W	6	c	,,	...	...	...	...	...	...	...
mes,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.72	755	86	58	W S W	1	b	10 a.	...	...	...	...	...	...	...
.....	2 p.	29.80	756.9	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	1	o
.....	,,	29.75	755.6	88	...	N E	2	b	,,	29.85	758.2	81	...	N E	1	c
.....	,,	29.77	756.1	85	...	N	2	b	,,	29.88	758.9	85	...	...	0	c
.....	,,	29.74	755.4	89	...	...	...	...	,,	29.80	756.9	85	...	...	...	...

he 7th at 11.40 a.—The barometer has fallen quickly over S.W. Japan and the Loochoos, and risen consider-
China.

depression is near the Northern Loochoos, and is moving towards N.E. A high pressure area lies over China
rth of the Yangtze.

ients are rather steep along the China coast, and strong N. winds to gales will prevail over the Eastern Sea,
osa Channel and the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. winds, fresh or strong; fine.
a Channel, ...	N. winds, strong to a gale.
oast of China between Hongkong and Lamocks,..	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

kong Observatory, Saturday, 7th March, 1908.

Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th MARCH, 1908, P.M.								8th MARCH, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro,.....	,,	30.32	770.1	...	...	S	4	...	6 a.	30.01	762.1	...	...	E	
Hakodate,.....	,,	30.20	767.2	...	...	E	6	...	,,	29.65	753.2	...	...	E	
Tokio, ...	,,	29.98	761.6	...	...	N W	6	...	,,	29.28	743.6	...	...	N W	
Kochi, ...	,,	29.40	746.8	...	...	S W	2	...	,,	29.80	756.8	...	...	S W	
Nagasaki, ...	,,	29.76	755.8	...	...	N	6	...	,,	30.03	762.8	...	...	N W	
Kagoshima, ...	,,	29.60	751.9	...	...	N W	8	...	,,	30.00	761.9	...	...	N W	
Oshima,.....	,,	29.73	755.1	...	...	N	8	...	,,	30.04	763.1	...	...	N	
Naha,.....	,,	29.77	756.2	...	...	N W	8	...	,,	30.13	765.2	...	...	N	
Ishigakijima,....	,,	29.89	759.3	...	...	N	6	...	,,	30.13	765.3	...	...	N	
Bonin Is.....	,,	29.77	756.1	...	...	S	6	...	,,	29.77	756.1	...	...	S	
Chefoo,.....	3 p.	30.39	771.9	24	87	N W	6	c	6 a.	30.43	772.9	24	100	N	
Weihaiwei,.....	,,	30.39	771.9	22	...	N	4	b	9 a.	30.52	775.2	18	...	N	
Hankow, ...	,,	30.52	775.2	43	75	N N E	2	c	6 a.	30.54	775.7	35	100	N E	
Kiukiang,.....	,,	30.40	772.1	43	75	N E	4	c	,,	30.41	772.4	35	90	N W	
Shanghai, ...	,,	30.27	768.8	38	63	N	5	o	9 a.	30.49	774.4	33	...	N N W	
Gutzlaff, ...	,,	30.18	766.6	39	73	N	7	om	,,	30.44	773.2	34	79	N	
Sharp Peak,.....	,,	30.09	764.3	55	80	E N E	4	c	,,	30.31	769.9	50	72	N E	
Amoy.....	,,	30.04	763.0	58	70	N E	1	c	6 a.	30.06	763.5	57	69	N	
Swatow,.....	,,	30.01	762.2	60	60	W N W	2	c	,,	30.15	765.8	49	85	N E	
Taihoku.....	1 p.	30.07	763.9	..	...	N W	4	...	5 a.	30.23	767.8	...	...	E	
Taichu, ...	,,	29.94	760.4	...	...	N	6	...	,,	30.07	763.8	...	...	N	
Tainan,.....	,,	29.93	760.3	...	...	N	8	...	,,	30.07	763.7	...	...	N	
Koshun.....	,,	29.90	759.5	...	...	N E	6	...	,,	30.04	762.9	...	...	N E	
Pescadores, ...	,,	29.99	761.8	...	...	N	10	...	,,	30.12	765.0	...	...	N	
Canton,.....	3 p.	30.09	764.3	58	53	W	2	b	9 a.	30.25	768.3	48	78	N	
Hongkong, ...	4 p.	30.03	762.7	57	48	N N E	2	b	10 a.	30.20	767.1	55	67	N E	
Victoria Peak,...	,,	...	...	...	...	N	2	...	,,	...	...	...	...	E	
Gap Rock,.....	,,	30.01	762.2	...	...	N N E	3	...	,,	30.16	766.0	...	...	E N E	
Macao, ...	,,	30.04	763.0	58	...	N N E	3	c	,,	30.20	767.1	55	...	N	
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,.....	4 p.	30.00	762.0	63	...	S S E	2	b	8 a.	30.17	766.2	54	...	N E	
Tourane, ...	,,	29.96	761.0	70	...	N W	3	o	,,	30.10	764.4	66	...	..	
Cape St. James,.	,,	29.74	755.4	84	...	E N E	2	c	,,	29.88	758.9	77	...	N E	
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Manila, ...	4 p.	29.76	756	86	58	S W	2	b	10 a.	...	...	...	...	...	
Legaspi, ...	2 p.	29.83	757.7	86	...	N E	1	b	6 a.	...	...	...	...	...	
Bacolod, ...	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	...	
Iloilo, ...	,,	29.79	756.6	89	...	N E	2	c	,,	...	...	...	...	...	
Cebu, ...	,,	29.81	757.2	85	...	N E	...	c	,,	...	...	...	...	...	
Labuan, ...	,,	29.73	755.1	87	...	...	...	...	,,	...	...	...	...	...	

On the 8th at 11.55 a.—The barometer has fallen very rapidly over E. Japan owing to the depression moving to the N.E. over the S.E. coast.

Pressure has increased quickly over S.W. Japan and the Loochoos, and a further rise has taken place over The area of high pressure remains over China to the North of the Yangtze.

Gradients continue rather steep and strong monsoon will continue to prevail along the coast and China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong; fair, cloudy.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 8th March, 1908.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	8TH MARCH, 1908, P.M.								9TH MARCH, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.50	749.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
.....	,,	29.43	747.6	...	...	N W	8	...	,,	29.99	761.6	...	...	N W	6	...
.....	,,	29.95	760.8	...	...	N W	6	...	,,	30.31	769.8	...	...	N W	4	...
.....	,,	30.11	764.8	...	...	N	8	...	,,	30.31	769.8	...	...	N E	4	...
.....	,,	30.07	763.9	...	...	N	6	...	,,	30.31	769.9	...	...	N	6	...
.....	,,	30.12	765.1	...	...	N	8	...	,,	30.24	768.1	...	...	N	6	...
.....	,,	30.13	752.2	...	...	N	6	...	,,	30.21	767.2	...	...	N E	4	...
a,....	,,	30.17	766.5	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	2	...
.....	,,	29.77	756.1	...	...	N E	6	...	,,	30.01	762.1	...	...	W	6	...
.....	3 p.	30.61	777.5	28	100	N W	4	b	6 a.	30.44	773.2	28	100	...	0	b
.....	,,	30.44	773.2	20	...	N	3	o	9 a.	30.46	773.7	27	...	N N W	1	o
.....	,,	30.52	775.2	35	53	N E	2	o	6 a.	30.54	775.7	33	90	N W	2	o
.....	,,	...	...	38	71	N E	6	o	,,	30.47	773.9	33	90	...	2	o
.....	,,	30.42	772.6	36	45	N	2	o	9 a.	30.46	773.7	35	80	N W	1	o
.....	,,	30.37	771.4	37	62	N	3	om	,,	30.43	772.9	39	73	N	1	ov
.....	,,	30.26	768.6	46	63	N N E	6	c	,,	30.33	770.4	48	85	N	2	c
.....	,,	30.05	763.2	56	75	N	4	c	6 a.	30.27	768.8	56	81	N E	2	c
.....	,,	30.06	763.5	55	74	N E	2	c	,,	30.16	766.0	49	71	N E	2	b
.....	1 p.	30.23	767.8	...	...	E	6	...	5 a.	30.24	768.1	...	...	E	6	...
.....	,,	30.09	764.4	...	...	N	4	...	,,	30.17	766.3	...	...	...	0	...
.....	,,	30.09	764.2	...	...	N W	4	...	,,	30.16	766.1	...	...	N	4	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.14	765.5	...	...	N	8	...	,,	30.17	766.4	...	...	N	10	...
.....	3 p.	30.15	765.8	56	63	N	1	o	9 a.	30.26	768.6	50	86	N N W	1	o
.....	4 p.	30.08	764.0	55	69	E N E	5	o	10 a.	30.21	767.3	54	72	E	4	o
ak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6	...
.....	,,	30.05	763.2	...	...	E N E	6	...	,,	30.19	768.8	...	...	E N E	6	...
.....	,,	30.10	764.5	56	...	N	2	o	,,	30.21	767.3	55	...	E N E	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.01	762.3	57	...	E	2	o	8 a.	30.21	767.2	52	...	N	2	or
.....	,,	29.97	761.3	70	...	N W	4	o	,,	30.09	764.3	68	...	...	0	o
nes,.	,,	29.80	756.9	79	...	N E	5	c	,,	29.89	759.1	81	...	N E	4	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	90	55	S E	1	b	10 a.	29.96	761	82	63	E N E	1	o
.....	2 p.	29.86	758.5	86	...	E	1	...	6 a.	29.93	760.2	73	...	E	1	o
.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N	2	c
.....	,,	29.79	756.6	87	...	N E	2	c	,,	29.89	759.2	82	...	N	2	c
.....	,,	29.82	757.4	85	...	N	...	g	,,	29.92	759.9	83	...	N	2	c
.....	,,	29.79	756.6	83	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

he 9th at 11.55 a.—The barometer has risen quickly over Japan, the depression having moved away over .

igh pressure area remains over China to the North of the Yangtze, but gradients are somewhat easier along

g monsoon will continue to prevail in the Formosa Channel and the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	N.E. winds, strong; dull, probably some rain.
Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks,..	Same as No. 1.
cast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Monday, 9th March, 1908.

Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th MARCH, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th MARCH, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	W	
Hakodate,	,,	...	...	...	...	...	...	...	,,	30.13	765.2	...	...	N W	
Tokio,	,,	30.02	762.6	...	...	N W	6	...	,,	30.22	767.6	...	...	N W	
Kochi,	,,	30.23	767.8	...	...	N W	4	...	,,	30.19	766.8	...	...	S W	
Nagasaki,	,,	30.27	768.8	...	...	E	4	...	,,	30.11	764.8	...	...	S E	
Kagoshima,	,,	30.23	767.9	...	...	S	2	...	,,	30.15	765.9	...	...	E	
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.12	765.1	...	...	S E	
Naha,	,,	30.17	766.2	...	...	N E	6	...	,,	30.09	764.2	...	...	W	
Ishigakijima,	,,	30.13	765.3	...	...	E	6	...	,,	30.05	763.3	...	...	S E	
Bonin Is.	,,	30.00	762.1	...	...	N	4	...	,,	30.12	765.1	...	...	...	
Chefoo,	3 p.	...	...	...	...	...	..	...	6 a.	30.16	766.0	30	100	...	
Weihaiwei,	,,	30.35	770.9	30	...	W	1	o	9 a.	30.13	765.3	26	...	W N W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.55	775.9	33	90	S W	
Kiukiang,	,,	30.42	772.6	36	70	N E	2	or	,,	30.58	776.7	33	90	N W	
Shanghai,	,,	30.32	770.1	38	72	N N E	1	om	9 a.	30.36	771.1	36	70	W	
Gutzlaff,	,,	30.31	769.9	40	65	N N E	2	ov	,,	30.33	770.4	37	71	N W	
Sharp Peak,	,,	30.21	767.3	49	85	N	3	o	,,	30.38	771.6	49	85	N E	
Amoy,	,,	30.18	766.6	58	70	N E	3	o	6 a.	30.22	767.6	57	81	...	
Swatow,	,,	30.09	764.3	55	74	N E	2	o	...	...	...	...	...	...	
Taiboku	1 p.	30.16	766.1	.	...	E	6	...	5 a.	30.19	766.9	...	...	...	
Taichu,	,,	30.10	764.6	...	...	N	4	...	,,	30.12	765.0	...	...	N	
Tainan,	,,	30.11	764.7	...	...	N	6	...	,,	30.10	764.5	...	...	N	
Koshun	,,	30.07	763.9	...	...	N E	8	...	,,	...	...	...	...	...	
Pescadores,	,,	30.16	766.0	...	...	N	10	...	,,	30.15	765.7	...	...	N	
Canton,	3 p.	30.18	766.6	49	93	N N W	2	or	9 a.	..	...	...	...	...	
Hongkong,	4 p.	30.11	764.8	55	78	N	1	o	10 a.	30.28	769.1	51	68	W N W	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N	
Gap Rock,	,,	30.08	764.0	...	...	N E	5	...	,,	30.24	768.1	...	...	N N W	
Macao,	,,	30.12	765.0	54	...	N	2	odf	,,	30.29	769.3	50	...	N	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	30.10	764.5	55	...	N N E	1	or	8 a.	30.35	770.8	54	...	N N E	
Tourane,	,,	29.96	761.0	72	...	N W	6	c	,,	30.18	766.5	68	...	N W	
Cape St. James,	,,	29.81	757.1	82	...	N E	4	c	,,	29.92	760.0	77	...	N E	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.00	762.0	70	...	S	
Manila,	4 p.	29.84	758	86	53	N E	1	c	10 a.	29.96	761	81	62	N N E	
Legaspi,	2 p.	29.85	758.3	86	...	E	1	b	6 a.	29.89	759.3	75	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.79	756.6	88	...	N E	2	b	,,	29.89	759.2	81	...	N E	
Cebu,	,,	29.82	757.4	85	...	N	1	b	,,	29.91	759.7	85	...	...	
Labuan,	,,	29.77	756.1	85	...	...	...	...	,,	29.87	758.7	81	...	...	

On the 10th at 11.55 a.—The barometer has risen over E. Japan and S.W. China, and fallen over N. S.W. Japan and the Loochoos.

A depression is moving Eastwards over S. Manchuria, and a second area of low pressure has developed of Formosa.

The high pressure area remains over the Upper Yangtze.

Strong N. winds will prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh; dull, cloudy.
2.—Formosa Channel, ...	N. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 10th March, 1908.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	10TH MARCH, 1908, P.M.								11TH MARCH, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.00	762.1	...	...	S W	4	...	6 a.	30.08	764.1	...	...	E	4	...
.....	,,	30.05	763.2	...	...	N	4	...	,,	29.85	758.2	...	...	N W	6	...
.....	,,	30.10	764.6	...	...	N W	4	...	,,	29.67	753.6	...	...	N W	6	...
.....	,,	29.99	761.8	...	...	...	0	...	,,	29.99	761.8	...	...	W	2	...
.....	,,	29.99	761.8	...	...	N	6	...	,,	30.19	766.8	...	...	N W	6	...
.....	,,	30.00	761.9	...	...	...	0	...	,,	30.15	765.9	...	...	N W	6	...
.....	,,	30.00	762.1	...	...	N W	4	...	,,	...	...	...	...	N	6	...
.....	,,	30.01	762.2	...	...	N W	4	...	,,	30.21	767.2	...	...	N	8	...
.....	,,	30.09	764.3	...	...	N	6	...	,,	30.25	768.3	...	...	N	6	...
.....	,,	30.04	763.1	...	...	E	2	...	,,	30.01	762.1	...	...	S W	4	...
.....	3 p.	30.12	765.0	35	100	N W	8	b	6 a.	30.31	769.9	36	100	...	0	b
.....	,,	30.14	765.5	31	...	W N W	4	ovr	9 a.	30.41	772.4	31	...	N W	1	b
.....	,,	30.57	776.5	48	71	N E	2	b	6 a.	30.55	775.9	40	74	N E	2	c
.....	,,	30.41	772.4	48	93	S W	2	b	,,	30.52	775.2	34	90	...	0	c
.....	,,	30.27	768.8	45	53	W N W	5	c	9 a.	30.51	774.9	39	55	N N W	1	cm
.....	,,	30.26	768.6	43	67	N W	4	cm	,,	30.46	773.7	41	57	N N W	2	cm
.....	,,	30.21	767.3	51	86	N N E	3	c	,,	30.41	772.4	50	72	N E	4	f
.....	,,	30.19	766.8	55	87	N E	1	c	6 a.	30.31	769.9	54	68	N	2	b
.....	,,	30.10	764.5	55	62	N	3	c	,,	30.25	768.3	45	84	N	2	b
.....	1 p.	30.21	767.4	...	...	N W	4	...	5 a.	30.31	769.8	...	...	E	6	...
.....	,,	30.11	764.9	...	...	N	8	...	,,	30.15	765.7	...	...	N	2	...
.....	,,	30.09	764.2	...	...	N	8	...	,,	30.16	766.1	...	...	N	6	...
.....	,,	30.03	762.7	...	...	N E	6	...	,,	30.12	764.9	...	...	N E	10	...
.....	,,	30.15	765.8	...	...	N	10	...	,,	30.18	766.5	...	...	N	10	...
.....	3 p.	30.23	767.8	53	61	N N W	3	c	9 a.	30.38	771.6	49	64	N N W	1	b
.....	4 p.	30.16	766.0	52	58	N	1	c	10 a.	30.35	770.9	54	50	E	3	c
.....	,,	...	...	...	...	N	6	...	,,	...	...	...	...	E N E	4	...
.....	,,	30.14	765.5	...	...	N	5	...	,,	30.31	769.9	...	...	E N E	4	...
.....	,,	30.17	766.3	53	...	N	3	c	,,	30.34	770.6	52	...	N	3	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.16	766.0	66	...	S W	2	b	8 a.	30.34	770.7	54	...	N E	4	c
.....	,,	30.11	764.9	64	...	N W	6	c	,,	30.25	768.2	64	...	N W	1	c
es,.	,,	29.82	757.4	81	...	N E	4	c	,,	29.97	761.2	75	...	N E	3	c
.....	2 p.	29.93	760.3	79	...	N E	1	b	6 a.	30.04	763.1	72	...	N E	2	c
.....	4 p.	29.84	758	84	64	S E	1	c	10 a.	30.00	762	81	62	N N E	1	c
.....	2 p.	29.85	758.2	84	...	E	1	b	6 a.	29.93	760.3	75	...	N E	1	c
.....	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N N E	2	c
.....	,,	29.79	756.6	87	...	N E	3	c	,,	29.93	760.2	81	...	N E	2	c
.....	,,	29.81	757.2	85	...	N	1	b	,,	29.95	760.7	85	...	...	0	c
.....	,,	29.77	756.1	85	...	...	...	...	,,	29.96	761.0	82	...	...	...	...

11th at 11.50 a.—The barometer has fallen quickly in E. Japan owing to the depression, which is moving off the S.E. coast.

has increased elsewhere, particularly over the N.E. coast of China. The high pressure area remains to the North of the Yangtze.

trong monsoon may be expected in the Formosa Channel and the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	N.E. winds, fresh; fair.
Channel, ...	N.E. winds, strong.
ast of China between Hongkong and Lamocks,..	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ong Observatory, Wednesday, 11th March, 1908.

Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th March, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th March, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	N E	8	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.62	752.2	...	...	W	10
Tokio,	,,	29.67	753.6	...	...	S	2	...	,,	29.99	761.6	...	...	N W	2
Kochi,	,,	29.99	761.8	...	...	W	8	...	,,	30.23	767.8	...	...	S W	2
Nagasaki,	,,	30.23	767.8	...	...	N W	8	...	,,	30.35	770.8	...	...	N W	6
Kagoshima,	,,	30.19	766.9	...	...	N W	8	...	,,	30.31	769.9	...	...	N	4
Oshima,	,,	30.24	768.1	...	...	N	8	...	,,	30.32	770.1	...	...	N	6
Naha,	,,	30.24	768.2	...	...	N	2	...	,,	30.32	770.2	...	...	N E	2
Ishigakijima,	,,	30.25	768.5	...	...	N E	6	...	,,	30.29	769.3	...	...	N	4
Bonin Is.	,,	29.93	760.1	...	...	S	6	...	,,	30.04	763.1	...	...	N	4
Chefoo	3 p.	30.38	771.6	38	63	E	3	b	6 a.	30.40	772.1	29	88	...	...
Weihaiwei,	,,	30.36	771.1	37	...	W	1	b	9 a.	30.49	774.4	34	...	N E	1
Hankow,	,,	30.46	773.7	50	65	N E	1	o	6 a.	30.54	775.7	38	91	N E	1
Kiukiang	,,	30.60	774.7	51	46	N E	1	b	,,	30.51	774.9	34	90	...	...
Shanghai,	,,	30.43	772.9	46	83	N	1	cm	9 a.	30.50	774.7	44	53	S E	1
Gutzlaff,	,,	30.42	772.6	43	51	N	2	om	,,	30.48	774.2	45	61	E N E	1
Sharp Peak,	,,	30.34	770.6	52	73	N N E	5	f	,,	30.44	773.2	48	71	N N E	4
Amoy	,,	30.30	769.6	59	65	N E	3	b	6 a.	30.37	771.4	54	68	N N E	2
Swatow,	,,	30.22	767.6	58	70	E S E	2	b	,,	30.27	768.8	45	84	...	...
Taihoku	1 p.	30.32	770.1	...	...	E	6	...	5 a.	30.34	770.7	...	...	E	6
Taichu,	,,	30.20	767.2	...	...	N	2	...	,,	30.24	768.1	...	...	N	2
Tainan,	,,	30.20	767.1	...	...	N	2	...	,,	30.24	768.0	...	...	N	2
Koshun	,,	30.17	766.3	...	...	N E	10	...	,,	30.21	767.2	...	...	N E	8
Pescadores,	,,	30.22	767.7	...	...	N	10	...	,,	30.26	768.7	...	...	N	8
Canton,	3 p.	30.26	768.6	63	38	N N W	1	b	9 a.	30.37	771.4	55	62	N N W	1
Hongkong,	4 p.	30.24	768.1	56	55	E S E	1	o	10 a.	30.35	770.9	58	58	E	1
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	E	4
Gap Rock,	,,	30.21	767.3	...	...	E N E	4	...	,,	30.33	770.4	...	...	E N E	4
Macao,	,,	30.25	768.3	54	...	N N E	2	o	,,	30.34	770.6	59	...	N E	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	30.20	767.1	...	...	S S E	4	c	8 a.	30.36	771.2	57	...	...	...
Tourane,	,,	30.14	765.6	66	...	N W	5	o	,,	30.31	769.9	64	...	N W	1
Cape St. James,	,,	29.89	759.1	81	...	N E	3	c	,,	29.97	761.2	75	...	N E	4
Aparri,	2 p.	30.07	763.7	75	...	N E	2	d	6 a.	30.14	765.5	68	...	N E	2
Manila,	4 p.	29.92	760	82	70	S	1	o	10 a.	30.04	763	81	70	N	1
Legaspi,	2 p.	29.91	759.7	84	...	N E	1	b	6 a.	29.99	761.6	77	...	N E	1
Bacolod,	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	N E	4
Iloilo,	,,	29.83	757.7	88	...	N E	1	c	,,	29.93	760.2	81	...	N E	1
Cebu,	,,	29.87	758.7	85	...	N	1	b	,,	29.98	761.5	85	...	N	1
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.95	760.7	78	...	...	...

On the 12th at 11.55 a.—The depression is still shown over the Pacific to the N.E. of Japan.

The barometer has risen considerably over S. Japan, and a slight to moderate rise has taken place over Formosa and the Philippines.

The high pressure area is spreading Eastwards over Japan.

Gradients are easier in the Formosa Channel, but continue rather steep over the China Sea where very strong monsoon will continue to prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 12th March, 1908.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

12TH MARCH, 1908, P.M.									13TH MARCH, 1908, A.M.								
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.45	748.1	...	...	S W	6	...	6 a.	29.38	746.1	...	...	W	8	...
.....	,,	29.77	756.2	...	...	N W	8	...	,,	29.85	758.2	...	...	W	4	...
.....	,,	29.98	761.6	...	...	N W	6	...	,,	30.06	763.6	...	...	N W	2	...
.....	,,	30.11	764.8	...	...	W	6	...	,,	30.19	766.8	...	...	W	2	...
.....	,,	30.31	769.8	...	...	N	8	...	,,	30.31	769.8	...	...	N W	8	...
.....	,,	30.27	768.9	...	...	N W	8	...	,,	30.27	768.9	...	...	N W	4	...
.....	,,	30.32	770.1	...	...	S	2	...	,,	30.32	770.1	...	...	N	6	...
.....	,,	30.28	769.2	...	...	N	6	...	,,	30.32	770.2	...	...	N E	2	...
,....	,,	30.25	768.3	...	...	N E	6	...	,,	30.25	768.3	...	...	N E	4	...
.....	,,	30.04	763.1	...	...	E	4	...	,,	30.08	764.1	...	...	N W	4	...
.....	3 p.	30.49	774.4	35	62	N E	3	b	6 a.	30.47	773.9	28	88	...	0	b
.....	,,	30.46	773.7	35	...	N W	2	b	9 a.	30.47	773.9	34	...	S W	1	b
.....	,,	30.51	774.9	54	43	N E	1	b	6 a.	30.49	774.4	44	84	N E	1	b
.....	,,	30.38	771.6	56	40	S E	2	b	,,	30.49	774.4	40	91	...	0	c
.....	,,	30.43	772.9	51	22	S S E	1	c	9 a.	...	...	...	...	...	...	...
.....	,,	30.45	773.4	48	71	N E	1	cm	,,	30.47	773.9	46	69	E N E	1	bm
....	,,	30.33	770.4	53	73	E N E	5	dh	,,	30.38	771.6	52	86	N	2	c
....	,,	30.34	770.6	61	66	N E	1	c	6 a.	30.33	770.4	56	75	N E	1	b
....	,,	30.20	767.1	61	66	E S E	2	b	,,	30.23	767.8	52	79	...	0	c
....	1 p.	30.31	770.0	..	...	E	6	...	5 a.	30.29	769.3	...	...	E	6	...
....	,,	30.24	768.0	...	...	N	2	...	,,	30.21	767.2	...	...	...	0	...
....	,,	30.22	767.6	...	...	N	4	...	,,	30.20	767.1	...	...	N	4	...
....	,,	30.18	766.5	...	...	N E	S	...	,,	30.17	766.3	...	...	N E	8	...
....	,,	30.28	769.0	...	...	N	10	...	,,	30.23	767.7	...	...	N	8	...
....	3 p.	30.23	767.8	68	42	S	1	b	9 a.	30.34	770.6	57	75	N N E	1	b
....	4 p.	30.23	767.8	57	66	E	3	b	10 a.	30.31	769.9	62	58	..	0	b
k,...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N N E	1	...
....	,,	30.21	767.3	...	...	E N E	4	...	,,	30.27	768.8	...	...	N E	4	...
....	,,	30.24	768.1	62	...	E S E	1	b	,,	30.31	769.9	62	...	N E	1	b
....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
....	4 p.	30.19	766.9	66	...	S S E	1	c	8 a.	30.31	769.9	59	...	E N E	2	o
....	,,	30.17	766.2	70	...	N W	4	o	,,	30.25	768.2	...	...	N W	1	c
s,.	,,	29.91	759.6	84	...	N E	2	c	,,	29.97	761.3	73	...	N E	3	b
....	2 p.	30.07	763.9	75	...	N E	2	c	6 a.	30.00	761.9	73	...	N E	0	o
....	4 p.	29.92	760	84	58	E S E	3	o	10 a.	30.04	763	79	76	W N W	1	o
....	2 p.	29.94	760.6	75	...	E	1	o	6 a.	29.98	761.4	73	...	N E	1	...
....	3 p.	...	...	...	...	N N W	4	o	9 a.	...	...	...	...	N N E	1	o
....	,,	29.87	758.7	86	...	N E	2	o	,,	29.93	760.2	81	...	N E	2	o
....	,,	29.87	758.7	85	...	N E	...	b	,,	29.95	760.7	83	...	...	0	c
....	,,	29.84	757.9	84	...	...	...	...	,,	29.93	760.2	79	...	...	...	...

13th at 11.55 a.—The depression still lies over the Pacific to the N.E. of Japan.

h pressure area remains over the Continent to the North of the Yangtze, but pressure is inclined to give ne coast.

te monsoon may be expected in the Formosa Channel, and fresh to strong monsoon over the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	N.E. winds, moderate; fine.
Channel, ...	Same as No. 1.
st of China between Hongkong and Lamocks,..	Same as No. 1.
st of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ong Observatory, Friday, 13th March, 1908.

oronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th MARCH, 1908, P.M.								14th MARCH, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro,	,,	29.77	756.1	...	...	S	6	...	6 a.	29.85	758.1	...	...	W	
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	...	...	...	
Tokio,	,,	29.94	760.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N W	
Kochi,	,,	30.11	764.8	...	...	W	4	...	,,	30.23	767.8	...	...	S W	
Nagasaki,	,,	30.27	768.8	...	...	W	8	...	,,	30.31	769.8	...	...	N	
Kagoshima,	,,	30.23	767.9	...	...	N W	8	...	,,	30.31	769.9	...	...	N	
Oshima,	,,	30.28	769.1	...	...	N	6	...	,,	30.23	769.1	...	...	N	
Naha,	,,	30.28	769.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	
Ishigakijima,	,,	30.21	767.3	...	...	E	8	...	,,	30.21	767.3	...	...	E	
Bonin Is.	,,	29.96	761.1	...	...	N W	4	...	,,	30.04	763.1	...	...	N	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.30	769.6	27	100	...	
Weihaiwei,	,,	30.35	770.9	42	...	E	1	b	9 a.	30.34	770.6	39	...	E	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.33	770.4	47	85	N E	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.32	770.1	45	84	...	
Shanghai,	,,	30.41	772.4	53	31	E	1	b	9 a.	30.41	772.4	46	62	S E	
Gutzlaff,	,,	30.42	772.6	49	50	N E	1	bm	,,	30.41	772.4	44	76	E S E	
Sharp Peak,	,,	30.28	769.1	55	74	E N E	5	c	,,	30.28	769.1	53	80	N	
Amoy	,,	30.24	768.1	63	57	N E	3	o	6 a.	30.26	768.6	58	70	...	
Swatow,	,,	30.16	766.0	58	76	E	2	o	,,	...	...	...	...	...	
Taiboku	1 p.	30.24	768.2	..	...	E	6	...	5 a.	30.18	766.6	...	...	E	
Taichu,	,,	30.18	766.6	...	...	N	4	...	,,	30.10	764.5	...	...	...	
Tainan,	,,	30.17	766.3	...	...	N	6	...	,,	30.12	765.0	...	...	N	
Koshun	,,	30.15	765.8	...	...	N E	6	...	,,	30.10	764.5	...	...	E	
Pescadores,	,,	30.21	767.4	...	...	N	10	...	,,	30.16	766.0	...	...	N	
Canton,	3 p.	30.17	766.3	71	45	W	1	b	9 a.	30.22	767.6	59	76	...	
Hongkong,	4 p.	30.15	765.8	60	51	E	3	b	10 a.	30.21	767.3	59	69	E	
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	
Gap Rock,	,,	30.14	765.5	...	...	N E	2	...	,,	30.17	766.3	...	...	E N E	
Macao,	,,	30.20	767.1	66	...	E S E	1	b	,,	30.22	767.6	63	...	E S E	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	30.13	765.2	68	...	S S E	2	b	8 a.	30.17	766.3	61	...	E	
Tourane,	,,	30.11	764.8	70	...	N W	4	c	,,	30.15	765.7	66	...	..	
Cape St. James,	,,	29.86	758.5	82	...	N E	2	c	,,	29.93	760.3	73	...	N N E	
Aparri,	2 p.	30.06	763.5	72	...	E	1	d	6 a.	30.05	763.3	68	...	S	
Manila,	4 p.	29.92	760	81	70	E S E	1	o	10 a.	30.00	762	82	70	S S E	
Legaspi,	2 p.	29.93	760.3	77	...	N E	1	o	6 a.	29.97	761.1	75	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.85	758.2	83	...	N E	2	or	,,	29.93	760.2	78	...	N E	
Cebu,	,,	29.86	758.4	84	...	N E	2	b	,,	29.98	761.5	78	...	...	
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.89	759.2	83	...	...	

On the 14th at 11.55 a.—The barometer has risen in E. Japan, and fallen over China.
Pressure is now highest over the Yellow Sea, and probably a low pressure area is developing over Western
Gradients are moderate and fresh to strong monsoon may be expected in the Formosa Channel and the

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. ot E. winds, fresh or strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 14th March, 1908.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

14TH MARCH, 1908, P.M.								15TH MARCH, 1908, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,,	29.93	760.1	...	...	N	2	...	6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	30.13	765.2	...	...	N	2	...
,,	30.06	763.6	...	...	N W	6	...	,,	30.30	769.6	...	...	W	2	...
,,	30.23	767.8	...	...	N	6	...	,,	30.35	770.8	...	...	S W	2	...
,,	30.31	769.8	...	...	N	6	...	,,	30.39	771.8	...	...	...	0	...
,,	30.27	768.9	...	...	N E	6	...	,,	30.35	770.9	...	...	N E	2	...
,,	30.32	770.1	...	...	N	6	...	,,	30.32	770.1	...	...	S	2	...
,,	30.24	768.2	...	...	E	4	...	,,	30.25	768.2	...	...	E	2	...
,,	30.21	767.3	...	...	E	8	...	,,	30.13	765.3	...	...	E	8	...
,,	30.04	763.1	...	...	N W	4	...	,,	30.24	768.1	...	...	N	2	...
3 p.	30.20	767.1	60	76	S W	3	b	6 a.	30.12	765.0	47	85	...	0	b
,,	30.20	767.1	51	...	S	1	b	9 a.	30.15	765.8	49	...	S S W	4	b
,,	30.29	769.3	59	48	N E	1	o	6 a.	30.27	768.8	51	86	S W	1	o
,,	30.31	769.9	53	80	...	0	b	,,	30.22	767.6	48	93	...	0	o
,,	30.30	769.6	50	58	S E	2	o	9 a.	30.25	768.3	50	86	S E	3	o
,,	30.34	770.6	46	77	S E	2	ov	,,	30.27	768.8	46	92	S E	3	om
,,	30.24	768.1	52	79	N N E	4	o	,,	30.19	766.8	54	94	N	1	o
,,	30.19	766.8	61	71	N E	1	o	6 a.	30.10	764.5	60	76	...	0	o
,,	30.07	763.8	63	67	E	1	c	,,	30.10	764.5	54	87	...	0	o
1 p.	30.14	765.6	.	...	E	6	...	5 a.	30.12	764.9	...	...	...	0	...
,,	30.09	764.3	...	...	W	2	...	,,	30.11	764.8	...	...	N	4	...
,,	30.11	764.7	...	...	N W	6	...	,,	30.10	764.5	...	...	N	6	...
,,	30.10	764.6	...	...	N E	8	...	,,	30.08	764.0	...	...	N	2	...
,,	30.15	765.9	...	...	N	10	...	,,	30.13	765.4	...	...	N	8	...
3 p.	30.09	764.3	70	53	S E	1	b	9 a.	30.20	767.1	59	88	E	1	c
4 p.	30.08	764.0	69	70	E	3	b	10 a.	30.17	766.3	61	75	E	2	b
,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	1	...
,,	30.07	763.8	...	...	E N E	4	...	,,	30.17	766.3	...	...	E	4	...
,,	30.10	764.5	63	...	S E	1	c	,,	30.18	766.6	60	...	S E	1	c
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
4 p.	30.03	762.8	66	...	E S E	6	b	8 a.	30.16	766.1	61	...	N E	5	or
,,	30.03	762.8	77	...	N E	2	b	,,	...	...	...	...	...	...	...
,,	29.82	757.5	81	...	E N E	3	f	,,	29.93	760.3	75	...	N E	4	f
2 p.	30.01	762.2	73	...	E	1	b	6 a.	30.02	762.5	70	...	S E	0	o
4 p.	29.88	759	82	57	E S E	2	c	10 a.	30.04	763	79	69	E	2	o
2 p.	29.93	760.1	81	...	N E	1	o	6 a.	29.99	761.7	...	...	E	1	c
3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	1	o
,,	29.83	757.7	83	...	N E	2	o	,,	29.94	760.5	81	...	N E	3	o
,,	29.87	758.7	82	...	N	1	o	,,	29.98	761.5	82	...	N	2	c
,,	29.80	756.9	87	...	...	...	...	,,	...	...	...	...	...	...	...

at 11.35 a.—The barometer has risen in Japan; and fallen over China, particularly in the North.
n appears to be advancing Eastwards over N. China, and the highest pressure is now shown over

onsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
l Neighbourhood, ...	E. or N.E. winds, moderate; fine.
nel, ...	Same as No. 1.
China between Hongkong and Lamocks,..	Same as No. 1.
China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Observatory, Sunday, 15th March, 1908.

HA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	15th MARCH, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th MARCH, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	30.12	765.1	...	...	N W	4	...	6 a.	30.28	769.1	...	...	N W
Hakodate, ...	,,	30.17	766.2	...	...	S W	2	...	,,	30.36	771.2	...	...	...
Tokio, ...	,,	30.26	768.6	...	...	S	4	...	,,	30.38	771.6	...	...	...
Kochi, ...	,,	30.35	770.8	...	...	S E	4	...	,,	30.31	769.8	...	...	S E
Nagasaki, ...	,,	30.31	769.8	...	...	S W	4	...	,,	30.35	770.8	...	...	S E
Kagoshima, ...	,,	30.31	769.9	...	...	S	4	...	,,	30.31	769.9	...	...	N E
Oshima, ...	,,	30.28	769.1	...	...	S	6	...	,,	30.24	768.1	...	...	S E
Naha, ...	,,	30.24	768.2	...	...	S E	4	...	,,	30.17	766.2	...	...	S E
Ishigakijima, ...	,,	30.13	765.3	...	...	S E	8	...	,,	30.09	764.3	...	...	S
Bonin Is.	,,	30.24	768.1	...	...	N	4	...	,,	30.32	770.1	...	...	N E
Chefoo, ...	3 p.	30.14	765.5	56	94	S	4	b	6 a.	30.12	765.0	44	92	S W
Weihaiwei, ...	,,	30.08	764.0	51	...	S W	5	b	9 a.	30.21	767.3	41	...	E
Hankow, ...	,,	30.26	768.6	59	54	S E	1	b	6 a.	30.25	768.3	48	93	N E
Kiukiang, ...	,,	30.22	767.6	58	64	...	0	o	,,	30.21	767.3	42	53	...
Shanghai, ...	,,	30.17	766.3	51	93	S S E	2	od	9 a.	30.21	767.3	52	93	E S E
Gutzlaff, ...	,,	30.21	767.3	47	77	S E	3	om	,,	30.21	767.3	48	93	E
Sharp Peak, ...	,,	30.11	764.8	56	100	...	0	o	,,	30.18	766.6	57	100	E
Amoy	,,	30.17	766.3	60	82	N E	1	c	6 a.	30.15	765.8	60	82	...
Swatow, ...	,,	30.07	763.8	61	82	E	2	o	,,	30.00	762.0	58	94	...
Taihoku, ...	1 p.	30.11	764.7	..	...	W	4	...	5 a.	30.12	765.0	...	...	W
Taichu, ...	,,	30.10	764.5	...	...	N W	4	...	,,	30.10	764.5	...	...	...
Tainan, ...	,,	30.09	764.2	...	...	N	6	...	,,	30.07	763.8	...	...	N
Koshun	,,	30.07	763.8	...	...	E	6	...	,,	30.04	763.0	...	...	S E
Pescadores, ...	,,	30.12	765.1	...	...	N	8	...	,,	30.07	763.8	...	...	N
Canton, ...	3 p.	30.08	764.0	70	61	E	1	c	9 a.	...	...	...	...	...
Hongkong, ...	4 p.	30.05	763.2	64	64	E	1	b	10 a.	30.13	765.3	64	80	E
Victoria Peak, ...	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E S E
Gap Rock, ...	,,	30.05	763.2	...	...	E	4	...	,,	30.11	764.8	...	...	E
Macao, ...	,,	30.07	763.8	65	...	S E	1	b	,,	30.13	765.3	63	...	S E
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	30.04	763.1	63	...	E N E	2	or	8 a.	30.11	764.7	61	...	S S E
Tourane, ...	,,	30.01	762.3	79	...	S E	2	b	,,	30.09	764.3	...	...	...
Cape St. James, .	,,	29.82	757.4	84	...	E S E	2	b	,,	29.93	760.2	...	...	N N E
Aparri, ...	2 p.	30.00	761.9	82	...	E	1	b	6 a.	30.05	763.2	72	...	S
Manila, ...	4 p.	29.96	761	81	62	E S E	3	o	10 a.	30.08	764	82	50	E S E
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	30.01	762.2	73	...	N E
Bacolod, ...	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	N E
Iloilo, ...	,,	29.87	758.7	84	...	N E	2	c	,,	29.97	761.2	79	...	N E
Cebu, ...	,,	29.92	759.9	82	...	N	2	o	,,	30.01	762.2	82	...	N
Labuan, ...	,,	29.92	759.9	87	...	...	...	...	,,	29.90	759.4	82	...	...

On the 16th at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen slightly over the Loochoos.

The area of high pressure is now Central over S.E. Japan.

Gradients are slight on the China coast, and moderate E. and S.E. winds may be expected in Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. to S.E. winds, moderate or light; fine
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Monday, 16th March, 1908.

[Printed by NORONHA & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

16TH MARCH, 1908, P.M.								17TH MARCH, 1908, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,,	30.24	768.1	...	...	N W	8	...	6 a.	30.32	770.1	...	...	N W	8	...
,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	...	0	...
,,	30.34	770.6	...	...	S	4	...	,,	30.38	771.6	...	...	N W	2	...
,,	30.35	770.8	...	...	S E	2	...	,,	30.31	769.8	...	...	S	2	...
,,	30.31	769.8	...	...	E	4	...	,,	30.03	762.8	...	...	S E	12	...
,,	30.31	769.9	...	...	S E	6	...	,,	30.15	765.0	...	...	E	6	...
,,	30.20	767.1	...	...	S E	6	...	,,	30.08	764.1	...	...	S	8	...
,,	30.17	766.2	...	...	S E	4	...	,,	30.13	765.2	...	...	S	2	...
,,	30.09	764.3	...	...	S	8	...	,,	30.09	764.3	...	...	S	6	...
,,	...	...	...	...	N E	4	...	,,	30.36	771.1	...	...	N E	2	...
3 p.	30.16	766.0	46	84	N E	1	b	6 a.	30.28	769.1	36	100	N W	1	o
,,	30.16	766.0	56	...	S E	1	b	9 a.	30.38	771.6	35	...	N W	3	o
,,	30.25	768.3	59	70	S W	1	o	6 a.	30.35	770.9	49	93	N W	1	b
,,	30.16	766.0	62	61	...	0	b	,,	30.26	768.6	52	93	N	0	o
,,	30.12	765.0	55	87	E	2	om	9 a.	30.26	768.6	51	100	N N W	1	om
,,	30.14	765.5	48	100	N E	1	f	,,	30.24	768.1	46	100	N N W	2	f
,,	30.08	764.0	58	100	E	1	b	,,	30.20	767.1	58	100	E	1	c
,,	30.12	765.0	62	83	N N E	1	c	6 a.	30.16	766.0	61	82	...	0	c
,,	29.96	761.0	65	84	E	1	c	,,	...	...	60	94	...	0	c
1 p.	30.09	764.3	..	...	N	2	...	5 a.	30.10	764.4	...	...	...	0	...
,,	30.04	763.1	...	...	N	6	...	,,	30.03	764.1	...	...	N	2	...
,,	30.04	763.0	...	...	W	4	...	,,	30.07	763.8	...	...	N	2	...
,,	30.04	762.9	...	...	S	6	...	,,	30.06	763.4	...	...	E	2	...
,,	30.08	764.0	...	...	N	8	...	,,	30.08	763.9	...	...	N	6	...
3 p.	30.02	762.5	74	59	S E	1	b	9 a.	30.16	766.0	67	84	...	0	c
4 p.	30.03	762.7	63	85	E S E	3	b	10 a.	30.16	766.0	69	72	E	2	b
,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E	3	...
,,	30.00	762.0	...	...	E N E	4	...	,,	30.13	765.3	...	...	E	3	...
,,	30.04	763.0	67	...	S E	1	c	,,	30.16	766.0	66	...	E S E	1	c
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
4 p.	29.97	761.3	66	...	E S E	3	o	8 a.	30.12	764.9	64	...	E	4	o
,,	29.97	761.3	77	...	S E	3	b	,,	30.10	764.4	72	...	..	0	c
,,	29.85	758.1	82	...	E N E	3	b	,,	29.91	759.7	79	...	N E	5	c
2 p.	30.01	762.2	82	...	N E	1	b	6 a.	30.06	763.6	72	...	S	1	b
4 p.	29.96	761	86	41	E S E	1	c	10 a.	30.04	763	79	61	W	2	b
2 p.	29.98	761.6	84	...	N E	1	b	6 a.	29.99	761.7	75	...	N	1	c
3 p.	...	...	...	...	E N E	4	c	9 a.	...	...	...	...	N E	3	c
,,	29.87	758.7	85	...	N E	4	b	,,	29.93	760.2	81	...	N E	3	c
,,	29.94	760.5	84	...	N	...	o	,,	29.96	761.0	82	...	N	2	c
,,	...	...	...	...	...	...	...	,,	29.95	760.7	84	...	...	...	...

h at 11.40 a.—The barometer has fallen quickly over S.W. Japan, a depression which will probably , having developed over the S. part of the Yellow Sea.
increasing over China, and it remains high over the Pacific to the E. and S.E. of Japan.
n will probably freshen in the Formosa Channel and the N. part of the China Sea.

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
nd Neighbourhood, ...	E. to N.E. winds, freshening; fair.
nnel, ...	Same as No. 1.
of China between Hongkong and Lamocks,..	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Observatory, Tuesday, 17th March, 1908.

ONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	17th MARCH, 1908, P.M.								18th MARCH, 1908, A.M.					
	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	30.40	772.1	...	...	N	6	...	6 a.	...	...	...	...	...
Hakodate, ...	,,	30.48	774.2	...	...	N	2	...	,,	30.44	773.2	...	...	E
Tokio, ...	,,	30.34	770.6	...	...	S E	4	...	,,	30.38	771.6	...	...	N W
Kochi, ...	,,	30.23	767.8	...	...	E	4	...	,,	30.11	764.8	...	...	N E
Nagasaki, ...	,,	29.99	761.8	...	...	S	6	...	,,	30.23	767.8	...	...	N
Kagoshima, ...	,,	30.04	762.9	...	...	...	0	...	,,	30.19	766.9	...	...	N
Oshima, ...	,,	30.12	765.1	...	...	...	0	...	,,	30.20	767.1	...	...	N
Naha, ...	,,	...	...	...	...	...	...	...	,,	30.17	766.2	...	...	N E
Ishigakijima, ...	,,	30.09	764.3	...	...	S	8	...	,,	30.17	766.3	...	...	N E
Bonin Is.	,,	30.32	770.1	...	...	N E	4	...	,,	30.28	769.1	...	...	...
Chefoo, ...	3 p.	30.48	774.2	39	55	N	5	b	6 a.	...	...	...	...	...
Weihaiwei, ...	,,	30.46	775.7	39	...	N	4	b	9 a.	30.61	777.5	33	...	N
Hankow, ...	,,	30.43	772.9	60	71	N E	1	o	6 a.	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai, ...	,,	30.30	769.6	57	69	N N E	2	o	9 a.	30.50	774.7	44	68	N N E
Gutzlaff, ...	,,	30.30	769.6	50	86	N	2	om	,,	30.45	773.4	44	84	N
Sharp Peak, ...	,,	30.20	767.1	60	94	N E	1	c	,,	30.36	771.1	56	81	N E
Amoy, ...	,,	30.17	766.3	61	82	N E	1	o	6 a.	30.26	768.6	62	77	N E
Swatow, ...	,,	30.06	763.5	72	58	E S E	3	c	,,	...	...	...	...	...
Taihoku, ...	1 p.	30.17	766.2	..	...	...	0	...	5 a.	30.23	767.9	...	...	E
Taichu, ...	,,	30.11	764.8	...	...	N W	4	...	,,	30.15	765.8	...	...	N
Tainan, ...	,,	30.11	764.7	...	...	W	2	...	,,	30.14	765.6	...	...	N
Koshun	,,	30.09	764.4	...	...	S E	4	...	,,	30.14	765.5	...	...	N E
Pescadores, ...	,,	30.13	765.3	...	...	N	8	...	,,	30.17	766.4	...	...	N
Canton, ...	3 p.	30.09	764.3	75	68	...	0	c	9 a.	...	...	...	...	...
Hongkong, ...	4 p.	30.08	764.0	67	76	E	3	c	10 a.	30.22	767.6	66	63	E
Victoria Peak, ...	,,	...	...	...	...	E	1	.A	,,	...	...	...	...	E
Gap Rock, ...	,,	30.06	763.5	...	...	E	3	...	,,	30.19	766.8	...	...	E
Macao, ...	,,	30.09	764.3	71	...	E S E	1	c	,,	30.23	767.8	65	...	E S E
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	30.04	762.9	66	...	E N E	3	o	8 a.	30.15	765.7	64	...	E
Tourane, ...	,,	30.00	761.9	81	...	S E	2	c	,,	30.13	765.2	75	...	E
Cape St. James, .	,,	29.85	758.2	84	...	E S E	3	c	,,	29.95	760.6	79	...	N E
Aparri, ...	2 p.	30.02	762.6	84	...	N E	1	b	6 a.	30.11	764.8	66	...	S W
Manila, ...	4 p.	29.96	761	86	41	E	1	c	10 a.	30.04	763	84	58	E
Legaspi, ...	2 p.	29.98	761.4	91	...	N E	1	o	6 a.	30.01	762.3	73	...	N
Bacolod, ...	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N N W
Iloilo, ...	,,	29.87	758.7	85	...	N E	1	o	,,	29.95	760.7	81	...	N E
Cebu, ...	,,	29.90	759.4	81	...	N	1	or	,,	29.99	761.7	81	...	N
Labuan, ...	,,	29.82	757.4	86	...	...	...	...	,,	29.92	759.9	81	...	...

On the 13th at 11.45 a.—The barometer has fallen over Central Japan and the Bonins; and risen particularly over N. China.

The depression is moving Eastwards over the Pacific to the S. of Japan, and an anticyclonic area of considerable intensity now lies over N. China.

Gradients are rather steep, and strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 18th March, 1908.

[Printed by NORONHA & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

18TH MARCH, 1908, P.M.								19TH MARCH, 1908, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,,	30.48	774.1	...	...	E	2	...	6 a.	30.36	771.1	...	...	S	4	...
,,	30.36	771.2	...	...	E	10	...	,,	30.32	770.2	...	...	...	...	...
,,	30.30	769.6	...	...	N W	6	...	,,	30.30	769.6	...	...	N W	2	...
,,	30.15	765.8	...	...	N	6	...	,,	30.31	769.8	...	...	S W	2	...
,,	30.27	768.8	...	...	N	8	...	,,	30.27	768.8	...	...	E	4	...
,,	...	...	...	...	...	...	...	,,	30.27	768.9	...	...	E	4	...
,,	30.20	767.1	...	...	N	8	...	,,	30.24	768.1	...	...	S	2	...
,,	30.20	767.2	...	...	N	4	...	,,	30.25	768.2	...	...	N E	2	...
,,	30.21	767.3	...	...	N E	6	...	,,	30.21	767.3	...	...	E	6	...
,,	30.20	767.1	...	...	S E	4	...	,,	30.16	766.1	...	...	S	6	...
3 p.	30.56	776.2	35	70	N	2	o	6 a.	30.55	775.9	32	90	N W	5	b
,,	30.55	775.9	32	...	N	2	ovr	9 a.	30.58	776.7	32	...	N W	4	ovr
,,	30.44	773.2	55	74	N E	1	o	6 a.	...	...	...	...	...	...	...
,,	30.41	772.4	46	84	N E	3	or	,,	30.46	773.7	42	100	N E	4	or
,,	30.42	772.6	47	63	N N E	2	o	9 a.	30.46	773.7	40	83	N N E	2	o
,,	30.42	772.6	49	71	N	3	cm	,,	30.42	772.6	43	83	N	3	om
,,	30.28	769.1	56	75	E N E	5	c	,,	30.30	769.6	53	93	N E	1	o
,,	30.22	767.6	63	67	N E	1	o	6 a.	30.28	769.1	61	77	...	0	o
,,	30.14	765.5	65	68	E	4	c	,,	30.15	765.8	59	70	E N E	1	c
1 p.	30.26	768.5	..	...	E	8	...	5 a.	30.22	767.5	...	...	E	6	...
,,	30.16	766.1	...	...	N	4	...	,,	30.17	766.4	...	...	...	0	...
,,	30.15	765.8	...	...	N	6	...	,,	30.17	766.2	...	...	N	4	...
,,	30.16	766.0	...	...	N E	6	...	,,	30.17	766.2	...	...	E	4	...
,,	30.20	767.2	...	...	N	10	...	,,	30.20	767.1	...	...	N	10	...
3 p.	30.14	765.5	66	89	N	1	o	9 a.	30.23	767.8	64	84	E	1	o
4 p.	30.12	765.0	62	75	E	5	c	10 a.	30.23	767.8	61	75	E	4	o
,,	...	...	...	...	E	8	...	,,	...	...	...	...	E	7	...
,,	30.10	764.5	...	...	E	5	...	,,	30.20	767.1	...	...	E N E	5	...
,,	30.13	765.3	66	...	S E	2	c	,,	30.23	767.8	64	...	S E	2	c
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
4 p.	30.04	762.9	66	...	E N E	4	or	8 a.	30.16	766.1	64	...	E	4	o
,,	30.03	762.7	81	...	N E	2	c	,,	30.15	765.8	77	...	...	0	c
,,	29.88	758.9	82	...	N E	5	o	,,	29.98	761.4	79	...	N E	4	b
2 p.	30.06	763.6	81	...	N E	2	b	6 a.	30.12	765.1	68	...	S E	1	d
4 p.	29.96	761	84	52	E	2	c	10 a.	30.08	764	84	46	E N E	1	c
2 p.	29.98	761.4	77	...	N E	1	o	6 a.	...	...	...	...	...	...	...
3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N W	3	o
,,	29.89	759.2	84	...	N E	3	o	,,	29.97	761.2	81	...	N E	2	c
,,	29.89	759.2	85	...	N	2	c	,,	29.97	761.2	83	...	N	2	b
,,	29.81	757.2	87	...	...	...	...	,,	29.95	760.7	80	...	...	...	...

h at 11.55 a.—The barometer has fallen over E. Japan and the Bonins, and risen in W. Japan.
ssion, which has apparently nearly filled up, is moving Eastwards to the North of the Bonins.
f high pressure remains over N. China.
trong monsoon will continue to prevail in the Formosa Channel and the China Sea.

g Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
and Neighbourhood, ...	N.E. winds, fresh or strong; fair.
annel, ...	Same as No. 1.
of China between Hongkong and Lamocks,..	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

g Observatory, Thursday, 19th March, 1908.

RONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	19th MARCH, 1908, P.M.								20th MARCH, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	
Wladivostock,	2 p.	30.28	769.0	31	...	...	0	o	7 a.	30.16	766.1	19	80	N	
Nemuro,	,,	30.24	768.1	...	...	S	6	...	6 a.	30.04	763.1	...	...	...	
Hakodate,	,,	30.28	769.2	...	...	N W	6	...	,,	30.01	762.2	...	...	N	
Tokio,	,,	30.26	768.6	...	...	N E	4	...	,,	29.91	759.6	...	...	S	
Kochi,	,,	30.19	766.8	...	...	S E	4	...	,,	29.99	761.8	...	...	S W	
Nagasaki,	,,	30.19	766.8	...	...	W	2	...	,,	30.19	766.8	...	...	N W	
Kagoshima,	,,	30.19	766.9	...	...	S	2	...	,,	30.15	765.9	...	...	N W	
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.20	767.1	...	...	N	
Naha,	,,	30.20	767.2	...	...	N	6	...	,,	30.21	767.2	...	...	N	
Ishigakijima,	,,	30.17	766.3	...	...	E	6	...	,,	30.25	768.3	...	...	N	
Bonin Is.	,,	30.12	765.1	...	...	S W	6	...	,,	30.16	766.1	...	...	S	
Chefoo,	3 p.	30.53	775.4	36	61	N N W	4	b	6 a.	...	...	...	...	...	
Weihaiwei,	,,	30.50	774.7	...	...	N W	2	b	9 a.	30.39	771.9	35	...	S W	
Hankow,	,,	30.70	779.8	46	54	N N W	1	o	6 a.	...	...	...	...	...	
Kiukiang,	,,	30.60	777.2	43	83	N E	5	o	,,	30.63	778.0	35	100	...	
Shanghai,	,,	30.43	772.9	44	63	N	2	ov	9 a.	30.54	775.7	43	67	N W	
Gutzlaff,	,,	30.41	772.4	40	82	N	4	ornd	,,	30.50	774.7	46	69	N N W	
Sharp Peak,	,,	30.26	768.6	54	80	N E	4	or	,,	30.44	763.2	52	73	N E	
Amoy	,,	30.22	767.6	60	82	S E	1	o	6 a.	30.35	770.9	57	81	N E	
Swatow,	,,	30.16	766.0	62	77	E	2	c	,,	30.24	768.1	56	87	E	
Taihoku,	1 p.	30.17	766.2	...	...	E	6	...	5 a.	30.38	771.6	...	...	E	
Taichu,	,,	30.15	765.8	...	...	N W	4	...	,,	30.21	767.2	...	...	N	
Tainan,	,,	30.16	766.0	...	...	N W	2	...	,,	30.21	767.3	...	...	N	
Koshun	,,	30.14	765.5	...	...	E	6	...	,,	30.16	766.1	...	...	N E	
Pescadores,	,,	30.20	767.0	...	...	N	8	...	,,	30.25	768.4	...	...	N	
Canton	3 p.	30.20	767.1	72	71	N	1	c	9 a.	30.46	773.7	56	69	N	
Hongkong,	4 p.	30.17	766.3	65	73	...	0	o	10 a.	30.37	771.4	62	46	N	
Victoria Peak,	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	N	
Gap Rock,	,,	30.14	765.5	...	...	N E	5	...	,,	30.36	771.1	...	...	N N E	
Macao,	,,	30.18	766.6	67	...	N N E	1	o	,,	30.40	772.1	63	...	N N W	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	30.14	765.6	64	...	N E	5	or	8 a.	30.42	772.6	63	...	N	
Tourane,	,,	30.04	763.0	79	...	N E	2	c	,,	30.25	768.2	70	...	N W	
Cape St. James,	,,	29.88	759.0	82	...	E N E	5	c	,,	29.98	761.5	79	...	N N E	
Aparri,	2 p.	30.05	763.3	81	...	E	1	b	6 a.	30.10	764.6	63	...	S W	
Manila,	4 p.	29.96	761	88	42	E S E	2	c	10 a.	30.08	764	79	69	W	
Legaspi,	2 p.	29.99	761.7	79	...	N	1	o	6 a.	30.03	762.7	77	...	E	
Bacolod,	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	E N E	
Iloilo,	,,	29.91	759.7	87	...	N E	3	b	,,	29.99	761.7	82	...	N E	
Cebu,	,,	29.92	759.9	85	...	N	1	b	,,	30.02	762.5	84	...	N	
Labuan,	,,	29.88	758.9	81	...	...	...	...	,,	29.94	760.5	82	...	...	

On the 20th at 11.55 a.—The barometer has fallen quickly over Japan, and risen moderately to consi
Central and Southern China.

A depression, which developed over W. Japan yesterday, is this morning moving Eastwards over S
The anticyclonic area is lying over the Yangtze valley.

Gradients are rather steep, and very strong monsoon may be expected in the Formosa Channel and
Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fair.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG.
Director.

Hongkong Observatory, Friday, 20th March, 1908.

[Printed by NORONHA & Co., Government Printers.]

[NA COAST METEOROLOGICAL REGISTER.

20TH MARCH, 1908, P.M.								21ST MARCH, 1908, A.M.							
Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
	Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	6 a.	29.61	752.1	...	...	N W	6	...
,,	29.81	757.2	...	...	N	4	...	,,	29.85	758.2	...	...	W	4	...
,,	29.79	756.6	...	...	N	2	...	,,	30.02	762.6	...	...	N	2	...
,,	29.99	761.8	...	...	N W	4	...	,,	30.23	767.8	...	...	S W	2	...
,,	30.23	767.8	...	...	N	8	...	,,	30.35	770.8	...	...	N W	2	...
,,	30.11	764.9	...	...	N W	8	...	,,	30.35	770.9	...	...	N	3	...
,,	30.20	767.1	...	...	N	8	...	,,	30.32	770.1	...	...	N	6	...
,,	30.24	768.2	...	...	N	8	...	,,	30.32	770.2	...	...	N E	4	...
,,	30.25	768.3	...	...	N	6	...	,,	30.29	769.3	...	...	N E	6	...
,,	30.12	765.1	...	...	S	2	...	,,	30.16	766.1	...	...	S	2	...
3 p.	30.25	768.3	48	93	N E	2	c	6 a.	30.40	772.1	27	88	N W	1	b
,,	30.25	768.3	46	...	S W	2	b	9 a.	30.45	773.4	37	...	S E	1	b
,,	...	...	...	...	...	...	...	6 a.	30.53	775.4	45	92	E	1	b
,,	30.52	775.2	56	45	N W	2	b	,,	30.50	774.7	38	100	...	0	b
,,	30.41	772.1	52	35	W N W	1	c	9 a.	30.48	774.2	51	66	S W	2	b
,,	30.42	772.4	46	54	N N E	2	cm	,,	30.44	773.2	47	77	W S W	2	bm
,,	30.37	771.4	55	74	E N E	5	c	,,	30.46	773.7	55	87	E N E	2	b
,,	30.32	770.1	58	81	N E	2	c	6 a.	30.39	771.9	56	87	N E	1	c
,,	30.25	768.3	58	81	E	3	c	,,	30.29	769.3	52	93	...	1	b
1 p.	30.37	771.3	..	...	E	4	...	5 a.	30.35	770.8	...	...	E	6	...
,,	30.22	767.6	...	...	N	6	...	,,	30.25	768.2	...	...	N	2	...
,,	30.22	767.7	...	...	N	8	...	,,	30.25	768.2	...	...	N	4	...
,,	30.19	766.9	...	...	N E	10	...	,,	30.22	767.6	...	...	N	6	...
,,	30.29	769.3	...	...	N	10	...	,,	30.28	769.2	...	...	N	10	...
3 p.	30.34	770.6	65	58	N	2	b	9 a.	30.43	772.9	56	75	N	1	b
4 p.	30.27	768.8	64	45	N	1	c	10 a.	30.39	771.9	61	49	...	0	c
,,	...	...	...	...	N N E	...	...	,,	...	...	...	...	E	1	...
,,	30.27	768.8	...	...	N	5	...	,,	30.36	771.1	...	...	N E	4	...
,,	30.30	769.6	65	...	N N W	3	c	,,	30.39	771.9	61	...	N E	2	c
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
4 p.	30.32	770.1	63	...	S E	2	c	8 a.	30.41	772.4	57	...	N W	2	c
,,	30.25	768.3	66	...	N W	3	or	,,	30.32	770.1	64	...	...	0	o
,,	29.91	759.7	81	...	N N E	3	c	,,	29.98	761.5	79	...	N	3	b
2 p.	30.07	763.8	81	...	N E	1	c	6 a.	30.13	765.2	72	...	E	1	p
4 p.	29.92	760	88	47	S E	1	c	10 a.	30.08	764	81	62	W	1	c
2 p.	29.98	761.5	79	...	N E	1	o	6 a.	30.02	762.6	77	...	N E	1	...
3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N E	4	o
,,	29.91	759.7	87	...	N E	4	b	,,	29.98	761.5	81	...	N E	3	c
,,	29.90	759.4	85	...	N	2	b	,,	29.93	761.5	83	...	N	1	c
,,	29.90	759.4	86	...	...	...	...	,,	29.93	760.2	81	...	...	...	...

at 11.45 a.—The depression is moving away over the Pacific to the N.E. of Japan.
ter has risen over S. Japan and the Loochoos, and fallen over the Yangtze valley.
onic area still covers China. Gradients are easier along the Coast, but continue rather steep over here very strong monsoon will continue to prevail.

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
d Neighbourhood, ...	N. to N.E. winds, moderate; fair.
nel, ...	N.E. winds, fresh.
China between Hongkong and Lamocks,..	Same as No. 1.
China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Observatory, Saturday, 21st March, 1908.

HA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	21st MARCH, 1908, P.M.								22nd MARCH, 1908, A							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	W		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direc-tion.		
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...		
Nemuro, ...	,,	29.61	752.1	...	...	W	8	...	6 a.	...	...	...	...	...		
Hakodate, ...	,,	29.85	758.2	...	...	N W	10	...	,,	30.17	766.2	...	...	W		
Tokio, ...	,,	30.06	763.6	...	...	S W	2	...	,,	30.34	770.6	...	...	N W		
Kochi, ...	,,	30.23	767.8	...	...	N W	6	...	,,	30.47	773.8	...	...	S W		
Nagasaki, ...	,,	30.35	770.8	...	...	W	6	...	,,	30.43	772.8	...	...	...		
Kagoshima, ...	,,	...	...	...	...	...	...	...	,,	30.43	772.9	...	...	N E		
Oshima, ...	,,	30.40	772.1	...	...	N	6	...	,,	30.40	772.1	...	...	S		
Naha, ...	,,	30.36	771.2	...	...	N E	6	...	,,	30.36	771.2	...	...	E		
Ishigakijima, ...	,,	30.33	770.3	...	...	N E	6	...	,,	30.29	769.3	...	...	E		
Bonin Is.	,,	30.16	766.1	...	...	N W	2	...	,,	30.32	770.1	...	...	N		
Chefoo, ...	3 p.	30.38	771.6	49	44	E	2	b	6 a.	30.19	766.8	43	67	S		
Weihaiwei, ...	,,	30.38	771.6	48	...	S	1	b	9 a.	...	...	...	...	...		
Hankow, ...	,,	30.47	773.9	63	52	S E	1	b	6 a.	30.38	771.6	49	78	E		
Kiukiang, ...	,,	30.45	773.4	63	47	...	0	b	,,	30.37	771.4	40	100	...		
Shanghai, ...	,,	30.41	772.4	62	36	N	2	b	9 a.	30.39	771.9	53	54	S S		
Gutzlaff, ...	,,	30.40	772.1	52	73	W S W	1	bm	,,	30.37	771.4	56	81	S E		
Sharp Peak, ...	,,	30.39	771.9	56	77	E N E	4	c	,,	30.35	770.9	55	94	N E		
Amoy, ...	,,	30.33	770.4	62	67	N E	1	c	6 a.	30.35	770.9	57	81	N N E		
Swatow, ...	,,	30.26	768.6	61	71	E	2	c	,,	30.22	767.6	55	87	E		
Taihoku, ...	1 p.	30.38	771.7	..	...	E	6	...	5 a.	30.23	767.9	...	...	E		
Taichu, ...	,,	30.26	769.1	...	...	N	6	...	,,	30.23	767.9	...	...	...		
Tainan, ...	,,	30.28	769.1	...	...	N	6	...	,,	30.24	768.1	...	...	N		
Koshun	,,	30.24	768.1	...	...	N E	10	...	,,	30.21	767.3	...	...	N E		
Pescadores, ...	,,	30.31	770.0	...	...	N	10	...	,,	30.27	768.8	...	...	N		
Canton, ...	3 p.	30.31	769.9	69	56	...	0	b	9 a.	30.31	769.9	70	85	S		
Hongkong, ...	4 p.	30.29	769.3	62	60	E	2	c	10 a.	30.30	769.6	63	58	...		
Victoria Peak, ...	,,	...	...	...	...	N N W	2	...	,,	...	...	...	...	N		
Gap Rock, ...	,,	30.28	769.1	...	...	N E	3	...	,,	30.28	769.1	...	...	N E		
Macao, ...	,,	30.30	769.6	64	...	S E	1	c	,,	30.31	769.9	64	...	N E		
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...		
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		
Phulien, ...	4 p.	30.27	768.8	68	...	S S E	4	b	8 a.	30.32	770.0	61	...	N		
Tourane, ...	,,	30.24	768.1	68	...	N W	6	c	,,	30.26	768.5	66	...	N		
Cape St. James, .	,,	29.91	759.8	79	...	E N E	4	b	,,	29.98	761.4	77	...	N E		
Aparri, ...	2 p.	30.12	765.0	77	...	N E	1	d	6 a.	30.14	765.5	73	...	E		
Manila, ...	4 p.	30.00	762	84	52	E	2	o	10 a.	30.08	764	82	63	W		
Legaspi, ...	2 p.	30.00	762.0	81	...	N E	1	o	6 a.	30.04	763.1	73	...	N E		
Bacolod, ...	3 p.	...	...	...	...	N E	3	od	9 a.	...	...	...	...	N N		
Iloilo, ...	,,	29.91	759.7	85	...	N E	1	r	,,	29.97	761.2	80	...	N E		
Cebu, ...	,,	29.92	759.9	85	...	N	2	o	,,	29.97	761.2	82	...	N		
Labuan, ...	,,	29.85	758.2	84	...	...	...	...	,,	...	...	...	...	...		

On the 22nd at 11.25 a.—The barometer has risen considerably in Japan, and fallen moderately over nent.

The high pressure area is now central over W. Japan, and a low area appears to be approaching N. the Westward.

Gradients have decreased and moderate N.E. and E. winds may be expected in the Formosa Chann monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, moderate ; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 22nd March, 1908.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

22ND MARCH, 1908, P.M.								23RD MARCH, 1908, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,,	29.96	761.1	...	...	S E	2	...	6 a.	29.89	759.1	...	...	S W	6	...
,,	30.17	766.2	...	...	N W	8	...	,,	29.97	761.2	...	...	S W	4	...
,,	30.38	771.6	...	...	S	6	...	,,	30.30	769.6	...	...	...	0	...
,,	30.43	772.8	...	...	S E	6	...	,,	30.35	770.8	...	...	S W	2	...
,,	30.43	772.8	...	...	W	6	...	,,	30.31	769.8	...	...	S E	6	...
,,	30.43	772.9	...	...	S E	4	...	,,	30.35	770.0	...	...	...	0	...
,,	30.40	772.1	...	...	S E	4	...	,,	30.28	769.1	...	...	S E	2	...
,,	30.32	770.2	...	...	E	4	...	,,	30.25	768.2	...	...	S E	2	...
,,	30.29	769.3	...	...	E	6	...	,,	30.17	766.3	...	...	E	4	...
,,	30.36	771.1	...	...	N E	2	...	,,	30.40	772.1	...	...	E	2	...
3 p.	30.01	762.2	65	26	S	6	b	6 a.	29.88	758.9	51	59	S	4	b
,,	30.08	764.0	56	...	S	5	b	9 a.	29.90	759.4	60	...	S W	2	b
,,	30.25	768.3	70	44	S W	1	b	6 a.	30.21	767.3	51	86	S E	1	b
,,	30.27	768.8	69	47	S W	1	b	,,	30.16	766.0	47	85	...	0	b
,,	30.22	767.6	60	44	S S E	4	b	9 a.	30.16	766.0	61	77	S S E	2	b
,,	30.26	768.6	54	74	S S E	2	bm	,,	30.17	766.3	57	87	S	1	bm
,,	30.25	768.3	58	94	N	1	c	,,	30.22	767.6	59	100	...	0	c
,,	30.26	768.6	62	92	S E	1	c	6 a.	...	...	...	...	...	...	...
,,	30.19	766.8	63	72	S E	1	c	,,	30.12	765.0	56	94	E	1	c
p.	30.23	767.9	..	...	W	4	...	5 a.	30.21	767.2	...	...	...	0	...
,,	30.25	768.4	...	...	N W	4	...	,,	30.19	766.8	...	...	...	0	...
,,	30.22	767.6	...	...	N	6	...	,,	30.17	766.4	...	...	N	4	...
,,	30.15	765.7	...	...	N E	8	...	,,	30.14	765.5	...	...	N	4	...
,,	30.26	768.6	...	...	N	8	...	,,	30.18	766.6	...	...	N	6	...
3 p.	...	...	71	90	W	0	b	9 a.	30.22	767.6	66	79	...	0	b
4 p.	30.18	766.6	63	58	E	2	o	10 a.	30.22	767.6	67	73	...	0	o
,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	2	...
,,	30.18	766.6	...	...	E N E	4	...	,,	30.22	767.6	...	...	N E	3	...
,,	30.20	767.1	66	...	S E	1	o	,,	30.23	767.8	68	...	E S E	1	o
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
4 p.	30.15	765.9	70	...	S S E	3	b	8 a.	...	...	...	...	...	...	...
,,	30.14	765.5	70	...	N W	4	c	,,	...	...	...	...	...	...	...
,,	29.89	759.2	82	...	E N E	2	c	,,	...	...	...	...	...	...	...
2 p.	30.07	763.9	81	...	N E	1	c	6 a.	30.08	763.9	72	...	S	1	o
4 p.	29.96	761	82	57	E	1	o	10 a.	30.04	763	88	45	S E	2	c
2 p.	...	...	...	...	...	...	...	6 a.	30.03	762.7	75	...	N E	1	o
3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N E	4	c
,,	29.91	759.7	85	...	N E	1	b	,,	29.97	761.2	81	...	N E	3	b
,,	29.92	759.9	85	...	N	3	b	,,	29.97	761.2	83	...	N	2	b
,,	29.81	757.2	85	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

d at 11.55 a.—The barometer has risen over the Bonins, and fallen elsewhere, particularly in N. China.
on is moving Eastwards over N. China, and the high pressure area now lies over the Pacific to the S.E.

od erate variable winds may be expected in the Formosa Channel, and moderate monsoon over the

g Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
nd Neighbourhood, ...	Variable winds, light or moderate; cloudy, probably [some rain.
annel, ...	Same as No. 1.
of China between Hongkong and Lamocks,..	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Monday, 23rd March, 1908.

RONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	23rd MARCH, 1908, P.M.								24th MARCH, 1908, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	S W	10	...	6 a.	...	...	...	...	...
Hakodate,	,,	29.85	758.2	...	...	S W	4	...	,,	29.81	757.2	...	...	N W
Tokio,	,,	30.10	764.6	...	...	S W	6	...	,,	30.06	763.6	...	...	...
Kochi,	,,	30.27	768.8	...	...	S E	4	...	,,	30.11	764.8	...	...	S W
Nagasaki,	,,	30.23	767.8	...	...	S W	8	...	,,	30.11	764.8	...	...	W
Kagoshima,	,,	30.23	767.9	...	...	S	4	...	,,	30.15	765.9	...	...	...
Oshima,	,,	30.24	768.1	...	...	S	4	...	,,	30.16	766.1	...	...	...
Naha,	,,	30.20	767.2	...	...	S E	4	...	,,	30.09	764.2	...	...	S E
Ishigakijima,	,,	30.13	765.3	...	...	E	4	...	,,	30.13	765.3	...	...	N E
Bonin Is.	,,	30.32	770.1	...	...	E	2	...	,,	30.28	769.1	...	...	S E
Chefoo,	3 p.	30.01	762.2	47	85	N W	3	o	6 a.	29.18	766.6	37	81	W
Weihaiwei,	,,	29.97	761.2	47	...	N	4	ovr	9 a.	30.20	767.1	47	...	W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.23	767.8	55	62	...
Kiukiang,	,,	...	...	...	...	W	1	b	,,	30.21	767.3	55	94	...
Shanghai,	,,	30.03	762.7	...	...	S W	3	b	9 a.	30.21	767.3	57	58	N E
Gutzlaff,	,,	30.08	764.0	61	82	S	1	bv	,,	30.17	766.3	52	86	N N W
Sharp Peak,	,,	30.12	765.0	63	100	E S E	1	b	,,	30.18	766.6	64	100	...
Amoy	,,	30.12	765.0	64	73	S E	1	b	6 a.	30.17	766.3	62	89	S E
Swatow,	,,	30.09	764.3	67	79	E	1	b	,,	...	...	...	...	...
Taihoku,	1 p.	30.16	766.0	..	...	N	2	...	5 a.	30.13	765.2	...	...	...
Taichu,	,,	30.14	765.6	...	...	N	2	...	,,	30.13	765.2	...	...	...
Tainan,	,,	30.13	765.2	...	...	N	4	...	,,	30.11	764.8	...	...	N
Koshun	,,	30.12	765.0	...	...	N E	6	...	,,	30.10	764.6	...	...	N W
Pescadores,	,,	30.18	766.6	...	...	N E	6	...	,,	30.13	765.4	...	...	N
Canton,	3 p.	30.10	764.5	77	73	...	0	b	9 a.	30.15	765.8	72	81	...
Hongkong,	4 p.	30.10	764.5	64	73	E	3	b	10 a.	30.16	766.0	64	51	E
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E S E
Gap Rock,	,,	30.09	764.3	...	...	E N E	3	...	,,	30.14	765.5	...	...	N E
Macao,	,,	30.12	765.0	70	...	E S E	1	c	,,	30.16	766.0	70	...	E S E
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	30.04	763.1	72	...	S E	3	b	8 a.	...	...	...	...	...
Tourane,	,,	30.06	763.6	77	...	...	0	c	,,	...	...	...	...	...
Cape St. James,	,,	29.86	758.5	82	...	S E	2	c	,,	...	...	...	...	...
Aparri,	2 p.	30.04	763.0	81	...	N E	1	o	6 a.	30.05	763.3	70	...	S E
Manila,	4 p.	29.92	760	88	54	S E	3	c	10 a.	30.04	763	82	63	W S W
Legaspi,	2 p.	29.96	760.9	84	...	E	1	b	6 a.	29.98	761.5	77	...	N E
Bacolod,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N N E
Iloilo,	,,	29.89	759.2	87	...	N E	1	c	,,	29.97	761.2	82	...	N E
Cebu,	,,	29.89	759.2	84	...	N	2	c	,,	29.98	761.5	85	...	N
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.92	759.9	82	...	...

On the 24th at 11.45 a.—The barometer has fallen considerably over Japan, and risen quickly in N. Ch
The depression has moved Eastwards into the N. part of the Sea of Japan.

Gradients continue slight, and moderate N.E. and E. winds may be expected in the Formosa Channel
China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 24th March, 1908.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

24TH MARCH, 1908, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	...	...	...	...	...	...	...
,,	29.85	758.1	...	...	N E	6	...
,,	29.93	760.2	...	...	N W	4	...
,,	29.94	760.6	...	...	S W	8	...
,,	30.03	762.8	...	...	E	4	...
,,	30.11	764.8	...	...	S W	6	...
,,	30.07	763.9	...	...	N W	4	...
,,	30.12	765.1	...	...	N	2	...
,,	30.13	765.2	...	...	N	4	...
,,	30.13	765.3	...	...	N E	6	...
,,	30.20	767.1	...	...	E	4	...
3 p.	...	...	...	...	...	...	...
,,	30.10	764.5	59	...	W	1	ovr
,,	30.07	763.8	69	56	E	1	o
,,	30.11	764.8	66	59	N E	2	c
,,	30.14	765.5	61	55	N E	3	b
,,	30.14	765.5	49	93	N E	3	f
,,	30.08	764.0	65	100	E N E	1	b
,,	30.06	763.5	66	84	S S E	3	b
,,	30.13	765.3	75	52	E S E	2	c
1 p.	30.08	764.0	..	...	N W	4	...
,,	30.09	764.2	...	...	N	4	...
,,	30.07	763.9	...	...	N	6	...
,,	30.07	763.8	...	...	E	6	...
,,	30.12	765.1	...	...	N W	6	...
3 p.	30.05	763.2	82	67	E	1	b
4 p.	30.05	763.2	72	57	E	2	c
,,	...	...	...	...	E S E	1	...
,,	30.06	763.5	...	...	E N E	2	...
,,	30.07	763.8	73	...	S E	1	c
3 p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	30.02	762.6	75	...	S S E	2	b
,,	30.02	762.6	81	...	...	0	c
,,	...	...	81	...	N E	4	c
2 p.	...	...	...	...	...	...	...
4 p.	29.96	761	79	92	...	0	o
2 p.	29.94	760.6	82	...	E	1	b
3 p.	...	...	...	...	N E	4	o
,,	29.89	759.2	87	...	N E	3	c
,,	29.86	758.4	86	...	N	1	b
,,	29.82	757.4	84	...	...	...	...

25TT MARCH, 1908, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	...	...	...	...	...
6 a.	30.08	764.1	...	...	S	2	...
,,	30.13	765.2	...	...	E	2	...
,,	30.18	766.6	...	...	N E	2	...
,,	30.11	764.8	...	...	S W	2	...
,,	30.15	765.8	...	...	...	0	...
,,	30.15	765.9	...	...	...	0	...
,,	30.16	766.1	...	...	S	2	...
,,	30.13	765.2	...	...	N E	2	...
,,	30.09	764.3	...	...	E	4	...
,,	30.24	768.1	...	...	...	0	...
6 a.	30.05	763.2	51	38	S	5	o
9 a.	30.09	764.3	58	...	N	3	o
6 a.	30.12	765.0	55	100	N W	1	or
,,	30.08	764.0	56	94	...	0	o
9 a.	30.02	762.5	52	100	E S E	2	omr
,,	30.06	763.5	51	100	N	1	fr
,,	30.08	764.0	69	100	...	0	b
6 a.	30.12	765.0	63	89	S S E	1	o
,,	30.05	763.2	63	89	S E	1	c
5 a.	30.07	763.7	...	...	S E	2	...
,,	30.08	764.1	...	...	...	0	...
,,	30.08	763.9	...	...	...	0	...
,,	30.10	764.5	...	...	...	0	...
,,	30.10	764.4	...	...	N	2	...
9 a.	30.15	765.8	69	73	...	0	o
10 a.	30.12	765.0	73	71	E	1	o
,,	...	...	...	...	S E	1	...
,,	30.11	764.8	...	...	N E	2	...
,,	30.13	765.3	73	...	S E	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.12	764.9	...	...	S E	...	...
,,	30.10	764.5	73	...	...	0	o
,,	29.94	760.5	79	...	N E	5	o
6 a.	30.04	763.1	73	...	S W	1	b
10 a.	30.00	762	82	70	W N W	1	c
6 a.	29.96	761.0	75	...	N E	1	c
9 a.	...	...	...	...	N E	4	o
,,	29.96	761.0	81	...	N E	3	c
,,	29.92	759.9	83	...	N	3	o
,,	29.92	759.9	83	...	...	...	...

h at 11.55 a.—The barometer has risen in E. Japan : and fallen over China, particularly in the North. ion has appeared over the Lower Yangtze. It will probably move Eastwards. Pressure is relatively Pacific to the South of Japan.

continue slight, and light or moderate variable winds may be expected in the Formosa Channel, and inds over the N. part of the China Sea.

ng Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
and Neighbourhood, ...	Variable winds, light or moderate ; fair.
hannel, ...	Same as No. 1.
t of China between Hongkong and Lamocks,..	Same as No. 1.
t of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Wednesday, 25th March, 1908.

RONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	25th MARCH, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	26th MARCH, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	30.04	765.1	...	...	S	6	...	6 a.	29.93	760.1	...	...	S
Hakodate, ...	,,	30.09	764.2	...	...	S W	6	...	,,	29.89	759.2	...	...	...
Tokio, ...	,,	30.18	766.6	...	...	N E	4	...	,,	29.91	759.6	...	...	...
Kochi, ...	,,	30.03	762.8	...	...	S E	4	...	,,	29.91	759.8	...	...	...
Nagasaki, ...	,,	30.03	762.8	...	...	W	4	...	,,	29.99	761.8	...	...	N
Kagoshima, ...	,,	30.00	761.9	...	...	S E	2	...	,,	29.92	759.9	...	...	N
Oshima, ...	,,	30.04	763.1	...	...	N W	4	...	,,	29.97	761.1	...	...	S W
Naha, ...	,,	30.05	763.2	...	...	S	2	...	,,	29.97	761.2	...	...	S
Ishigakijima, ...	,,	30.01	762.3	...	...	S	4	...	,,	30.01	762.3	...	...	S
Bonin Is.	,,	30.16	766.1	...	...	E	4	...	,,	30.12	765.1	...	...	S E
Chefoo, ...	3 p.	30.15	765.8	47	41	N W	1	b	6 a.	30.34	770.6	36	54	N W
Weihaiwei, ...	,,	30.11	764.8	47	...	N	3	ovr	9 a.	30.43	772.9	33	...	N
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.23	767.8	55	94	S W
Kiukiang, ...	,,	30.11	764.8	62	77	W	2	o	,,	...	...	...	...	...
Shanghai, ...	,,	29.98	761.5	54	94	W	3	om	9 a.	30.31	769.9	51	72	E N E
Gutzlaff, ...	,,	29.97	761.2	53	100	S W	2	f	,,	30.28	769.1	53	61	N
Sharp Peak, ...	,,	29.94	760.5	68	100	...	0	f	,,	30.19	768.8	59	82	N E
Amoy	,,	30.01	762.2	68	85	S E	3	c	6 a.	30.04	763.0	67	84	N E
Swatow, ...	,,	29.99	761.7	75	72	E S E	1	b	,,	29.95	760.7	64	95	...
Taihoku, ...	1 p.	30.02	762.5	..	...	N W	6	...	5 a.	30.04	763.1	...	...	...
Taichu, ...	,,	30.04	763.0	...	...	W	2	...	,,	30.04	763.0	...	...	...
Tainan, ...	,,	30.04	762.9	...	...	W	4	...	,,	30.03	762.8	...	...	N
Koshun	,,	30.02	762.6	...	...	E	4	...	,,	30.03	762.7	...	...	...
Pescadores, ...	,,	30.06	763.5	...	...	N W	6	...	,,	30.01	762.3	...	...	S
Canton, ...	3 p.	30.01	762.2	81	74	...	0	b	9 a.	...	...	...	...	...
Hongkong, ...	4 p.	30.01	762.2	71	75	E	1	c	10 a.	30.06	763.5	73	76	W N W
Victoria Peak, ...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S
Gap Rock, ...	,,	30.00	762.0	...	...	E N E	2	...	,,	30.06	763.5	...	...	...
Macao, ...	,,	30.03	762.7	77	...	S E	1	c	,,	30.07	763.8	72	...	S E
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	...	...	...	...	...	...	...	8 a.	30.08	764.0	70	...	S
Tourane, ...	,,	...	...	...	...	...	...	...	,,	30.07	763.8	75	...	...
Cape St. James, .	,,	...	...	...	...	...	...	...	,,	29.88	759.0	79	...	N E
Aparri, ...	2 p.	29.95	760.8	84	...	N E	1	b	6 a.	29.96	760.9	72	...	S
Manila, ...	4 p.	29.88	759	88	42	E N E	3	o	10 a.	29.96	761	84	52	N
Legaspi, ...	2 p.	29.89	759.3	82	...	N	2	o	6 a.	29.91	759.6	77	...	E
Bacolod, ...	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	N E
Iloilo, ...	,,	29.85	758.2	85	...	N E	1	o	,,	29.91	759.7	81	...	N E
Cebu, ...	,,	29.83	757.7	86	...	N	1	c	,,	29.87	758.7	85	...	N
Labuan, ...	,,	29.80	756.9	85	...	...	...	...	,,	29.87	758.7	81	...	...

On the 26th at 11.40 a.—The barometer has fallen considerably in Japan, owing to the depression wh ing Eastwards over the Sea of Japan.

Pressure has increased quickly and is again high over N. China.

Gradients are steeper along the China coast, and strong N.E. winds are expected to set in again ove mosa Channel, and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening considerably, fine at [and
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 26th March, 1908.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

26TH MARCH, 1908. P.M.								27TH MARCH. 1908, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,,	29.69	754.1	...	...	S	6	...	6 a.	29.81	757.1	...	...	W	6	...
,,	29.77	756.2	...	...	N W	8	...	,,	30.05	763.2	...	...	N W	8	...
,,	29.79	756.6	...	...	N W	4	...	,,	30.10	764.6	...	...	N W	6	...
,,	29.88	758.8	...	...	N	4	...	,,	30.19	766.8	...	...	N	4	...
,,	30.03	762.8	...	...	N	8	...	,,	30.23	767.8	...	...	...	0	...
,,	...	...	...	...	...	...	...	,,	30.23	767.9	...	...	N	2	...
,,	30.04	763.1	...	...	N	8	...	,,	30.16	766.1	...	...	S	2	...
,,	30.05	763.2	...	...	N	6	...	,,	30.17	766.2	...	...	N E	4	...
,,	30.05	763.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N E	6	...
,,	30.04	763.1	...	...	S	6	...	,,	30.01	762.1	...	...	S W	4	...
3 p.	30.43	772.9	36	45	N E	3	b	6 a.	30.38	771.6	30	83	N W	1	b
,,	30.40	772.1	34	...	E	2	b	9 a.	30.36	771.1	40	...	S E	1	b
,,	30.17	766.3	67	60	S E	2	c	6 a.	30.23	767.8	57	87	N W	1	b
,,	30.18	766.6	68	79	E	2	b	,,	30.24	768.1	54	80	N E	1	c
,,	30.29	769.3	54	49	N E	3	c	9 a.	30.34	770.6	51	66	E	2	b
,,	30.26	768.6	50	65	N E	4	cm	,,	30.34	770.6	49	71	E	3	bm
,,	30.21	767.3	59	76	N N E	5	o	,,	30.25	768.3	58	94	N	1	c
,,	30.11	764.8	63	78	N E	3	o	6 a.	30.23	767.8	64	73	N E	1	o
,,	29.99	761.7	68	70	E	4	c	,,	...	...	...	...	...	...	...
1 p.	30.14	765.6	...	...	E	6	...	5 a.	30.12	765.1	...	...	E	6	...
,,	29.99	761.8	...	...	N	6	...	,,	30.09	764.2	...	...	N W	4	...
,,	30.02	762.5	...	...	N W	8	...	,,	30.09	764.3	...	...	N	4	...
,,	29.99	761.8	...	...	E	6	...	,,	30.06	763.4	...	...	E	8	...
,,	30.07	763.7	...	...	N	10	...	,,	30.09	764.3	...	...	N	10	...
3 p.	29.97	761.2	83	79	E	1	c	9 a.	30.20	767.1	67	74	E	1	o
4 p.	29.99	761.7	71	79	N W	1	c	10 a.	30.19	766.8	65	68	E	6	c
,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	8	...
,,	29.97	761.2	...	...	S	1	...	,,	30.16	766.0	...	...	E N E	5	...
,,	29.99	761.7	77	...	S E	1	c	,,	30.18	766.6	69	...	E	3	c
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
4 p.	29.98	761.4	73	...	S S E	3	o	8 a.	30.12	765.1	70	...	E N E	4	o
,,	29.93	760.2	81	...	S E	2	c	,,	30.10	764.6	75	...	...	0	c
,,	29.78	756.4	82	...	E N E	4	c	,,	29.93	760.2	81	...	E N E	3	c
2 p.	29.93	760.1	82	...	N E	1	b	6 a.	30.02	762.5	72	...	E	1	d
4 p.	29.84	758	88	54	S E	3	c	10 a.	29.96	761	84	64	S E	1	o
2 p.	29.86	758.4	84	...	N E	1	b	6 a.	29.88	759.0	79	...	N E	1	o
3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	E N E	3	op
,,	29.81	757.2	86	...	N E	3	c	,,	29.87	758.7	82	...	...	...	...
,,	29.76	755.9	88	...	N	2	c	,,	29.85	758.2	83	...	N	1	c
,,	29.77	756.1	88	...	...	...	...	,,	29.88	759.0	81	...	...	...	...

n at 11.25 a.—The depression has moved into the Pacific to the N.E. of Japan.

s increased considerably to moderately over Japan and S. China respectively, while it is inclined to over N. China. It is highest over the latter area and the Yellow Sea.

s decreasing in force, may be expected in the Formosa Channel, and fresh to strong monsoon will e N. part of the China Sea.

g Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
nd Neighbourhood, ...	N.E. winds, fresh; fair.
annel, ...	N.E. winds, strong to moderate.
of China between Hongkong and Lamocks,..	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

; Observatory, Friday, 27th March, 1908.

UNHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	27th MARCH, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	28th MARCH, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	29.89	759.1	...	...	W	4	...	6 a.	30.20	767.1	...	...	W
Hakodate, ...	,,	30.13	765.2	...	...	W	6	...	,,	30.28	769.2	...	...	N
Tokio, ...	,,	30.18	766.6	...	...	S E	2	...	,,	30.30	769.6	...	...	N W
Kochi, ...	,,	30.19	766.8	...	...	E	2	...	,,	30.23	767.8	...	...	S W
Nagasaki, ...	,,	30.23	767.8	...	...	W	6	...	,,	30.23	767.8	...	...	E
Kagoshima, ...	,,	30.19	766.9	...	...	N W	4	...	,,	30.23	767.9	...	...	N E
Oshima, ...	,,	30.20	767.1	...	...	N	6	...	,,	30.16	766.1	...	...	S
Naha, ...	,,	30.13	765.2	...	...	N E	6	...	,,	30.13	765.2	...	...	E
Ishigakijima, ...	,,	30.09	764.3	...	...	E	8	...	,,	30.09	764.3	...	...	E
Bonin Is.	,,	30.00	762.1	...	...	N	4	...	,,	30.12	765.1	...	...	N E
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	29.98	761.5	42	83	S E
Weihaiwei, ...	,,	30.21	767.3	46	...	S	3	b	9 a.	29.96	761.0	45	...	S
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	60	88	S S E
Kiukiang, ...	,,	30.20	767.1	70	61	...	0	b	,,	30.09	764.3	55	87	...
Shanghai, ...	,,	30.19	766.8	57	41	S E	3	b	9 a.	30.07	763.8	57	69	S S E
Gutzlaff, ...	,,	30.24	768.1	52	73	E S E	3	bm	,,	30.11	764.8	54	87	S S E
Sharp Peak, ...	,,	30.18	766.6	59	82	N N E	4	o	,,	30.14	765.5	60	88	W
Amoy, ...	,,	30.14	765.5	65	78	N E	1	c	6 a.	30.19	768.8	62	89	N E
Swatow, ...	,,	30.07	763.8	66	73	E	2	b	,,	...	...	...	...	...
Taihoku, ...	1 p.	30.14	765.6	..	...	N E	2	...	5 a.	30.08	764.0	...	...	E
Taichu, ...	,,	30.07	763.9	...	...	N	6	...	,,	30.07	763.8	...	...	N
Tainan, ...	,,	30.09	764.3	...	...	N	8	...	,,	30.08	764.0	...	...	N
Koshun	,,	30.07	763.7	...	...	N	4	...	,,	30.05	763.2	...	...	N
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	N
Canton, ...	3 p.	30.09	764.3	77	57	S	1	b	9 a.	30.16	766.0	68	79	E
Hongkong, ...	4 p.	30.07	763.8	66	63	E	3	b	10 a.	30.17	766.3	69	69	E
Victoria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E
Gap Rock, ...	,,	30.06	763.5	...	...	E N E	4	...	,,	30.12	765.0	...	...	E N E
Macao, ...	,,	30.09	764.3	71	...	S E	1	b	,,	30.17	766.3	68	...	S E
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	30.02	762.5	72	...	E S E	4	b	8 a.	30.12	764.9	68	...	E S
Tourane, ...	,,	29.98	761.6	79	...	S E	3	c	,,	30.09	764.3	72	...	...
Cape St. James, ..	,,	29.82	757.4	84	...	N E	2	c	,,	29.90	759.4	79	...	N
Aparri, ...	2 p.	29.97	761.3	81	...	E	1	o	6 a.	29.96	761.5	73	...	I
Manila, ...	4 p.	29.84	758	84	64	N N E	1	o	10 a.	29.92	760	84	54	S
Legaspi, ...	2 p.	29.87	758.6	81	...	N E	1	o	6 a.	29.90	759.4	75	...	N
Bacolod, ...	3 p.	...	...	...	...	N	4	o	9 a.	...	...	...	...	N
Iloilo, ...	,,	29.77	756.1	83	...	N E	2	o	,,	29.89	759.2	82	...	N
Cebu, ...	,,	29.77	756.1	86	...	N	1	b	,,	29.90	759.4	83	...	N
Labuan, ...	,,	29.78	756.4	83	...	...	...	...	,,	29.87	758.7	80	...	...

On the 28th at 11.50 a.—The barometer has risen considerably in E. Japan, and fallen rapidly over
A depression, which is probably moving Eastwards, has appeared over the latter area, and the high is now shown over E. Japan.

Gradients are slight over S. China, and light or moderate variable winds may be expected in t Channel, and moderate N.E. and E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. or variable winds, moderate; fine.
2.—Formosa Channel, ...	Variable winds, moderate or light.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Saturday, 28th March, 1903.

[Printed by NORONHA & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER

28TH MARCH, 1908, P.M.								29TH MARCH, 1908, A.M.							
Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,,	30.20	767.1	...	...	S W	6	...	6 a.	30.32	770.1	...	...	S W	2	...
,,	30.28	769.2	...	...	S W	4	...	,,	30.28	769.2	...	...	S W	2	...
,,	30.30	769.6	...	...	N W	4	...	,,	30.30	769.6	...	...	N W	4	...
,,	30.23	767.8	...	...	S E	4	...	,,	30.23	767.8	...	...	S W	2	...
,,	30.19	766.8	...	...	S W	4	...	,,	30.15	765.8	...	...	S E	6	...
,,	30.19	766.9	...	...	S E	2	...	,,	30.19	766.9	...	...	N E	2	...
,,	...	...	...	...	...	...	...	,,	30.16	766.1	...	...	S E	4	...
,,	30.13	765.2	...	...	E	4	...	,,	30.09	764.2	...	...	S E	2	...
,,	30.09	764.3	...	...	E	6	...	,,	30.05	763.3	...	...	N E	2	...
,,	30.12	765.1	...	...	N E	1	...	,,	30.12	765.1	...	...	N	2	...
3 p.	...	...	...	...	...	...	...	6 a.	29.63	752.6	56	87	S E	5	o
,,	29.85	758.2	...	...	S E	4	o	9 a.	29.60	751.8	70	...	S W	5	o
,,	29.94	760.5	79	66	S W	1	b	6 a.	29.85	758.2	68	85	...	0	b
,,	29.97	761.2	81	52	N E	1	b	,,	29.92	759.9	63	89	...	0	c
,,	29.93	760.2	68	56	S S E	3	b	9 a.	29.88	758.9	69	65	S S W	2	c
,,	29.98	761.5	58	81	S S E	4	bm	,,	29.89	759.2	58	81	S	5	bm
,,	30.06	763.5	66	100	E	1	b	,,	30.04	763.0	65	100	...	0	b
,,	30.05	763.2	69	80	S E	1	b	6 a.	30.13	765.3	64	89	N E	1	b
,,	29.98	761.5	73	63	E S E	2	b	,,	30.01	762.2	62	89	S E	1	c
p.	30.02	762.5	..	...	N W	2	...	6 a.	30.03	762.8	...	...	...	0	...
,,	30.05	763.2	...	...	W	2	...	,,	30.03	762.7	...	...	...	0	...
,,	30.06	763.4	...	...	N E	2	...	,,	30.01	762.3	...	...	N	2	...
,,	30.04	762.9	...	...	N E	6	...	,,	30.08	763.9	...	...	E	4	...
,,	30.07	763.9	...	...	N	6	...	,,	30.01	762.2	...	...	N	4	...
3 p.	30.04	763.0	78	58	E	1	b	9 a.	30.02	762.5	72	71	S E	2	c
4 p.	30.02	762.5	66	68	E	3	b	10 a.	30.07	763.3	74	63	S E	1	c
,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	S E	2	...
,,	30.02	762.5	...	...	E N E	3	...	,,	30.05	763.2	...	...	N E	3	...
,,	30.05	763.2	72	...	S E	1	b	,,	30.08	764.0	71	...	E	1	o
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
4 p.	29.98	761.6	73	...	E S E	3	c	8 a.	30.02	762.5	68	...	E	3	o
,,	29.96	761.1	79	...	S E	2	c	,,	30.03	762.8	73	...	...	0	o
,,	29.80	757.0	84	...	N E	2	c	,,	29.89	759.1	77	...	N N W	1	c
2 p.	29.93	760.3	81	...	E	1	o	6 a.	29.96	760.9	75	...	S E	1	o
4 p.	29.84	758	86	65	N N W	1	o	10 a.	...	...	...	...	...	...	...
2 p.	29.85	758.3	79	...	N E	1	o	6 a.	29.89	759.2	77	...	N E	1	o
3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	2	o
,,	29.81	757.2	85	...	N E	1	o	,,	29.91	759.7	82	...	N E	2	b
,,	29.81	757.2	84	...	E	1	o	,,	29.91	759.7	85	...	...	0	c
,,	29.77	756.1	86	...	...	...	...	,,	...	...	...	...	...	...	...

at 11.55 a.—The barometer continues to fall over China, particularly in the North.

on, which is rather deep, is still advancing Eastwards over N. China. Pressure remains high over

riable winds may be expected in the Formosa Channel, and light N.E. and E. winds over the N. Sea.

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
l Neighbourhood, ...	E. or variable winds, light ; fair.
nel, ...	Variable winds, moderate.
China between Hongkong and Lamocks,..	Same as No. 1.
China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Observatory, Sunday, 29th March, 1908.

NHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	29th MARCH, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	30th MARCH, 1908, A.M Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	29.68	753.8	27	...	S	7	or	7 a.	29.44	747.8	28	93	N W
Nemuro,.....	,,	30.28	769.1	...	...	S	8	...	6 a.	...	...	...	...	...
Hakodate,.....	,,	30.17	766.2	...	...	S E	8	...	,,	29.73	755.2	...	...	E
Tokio, ...	,,	30.18	766.6	...	...	N	6	...	,,	29.99	761.6	...	...	S E
Kochi, ...	,,	30.15	765.8	...	...	S E	4	...	,,	29.99	761.8	...	...	...
Nagasaki, ...	,,	30.07	763.8	...	...	S	8	...	,,	29.95	760.8	...	...	S
Kagoshima, ...	,,	30.11	764.9	...	...	S	6	...	,,	30.04	762.9	...	...	S W
Oshima,.....	,,	30.12	765.1	...	...	S E	6	...	,,	30.08	764.1	...	...	S
Naha,.....	,,	30.09	764.2	...	...	S E	2	...	,,	30.09	764.2	...	...	...
Ishigakijima,....	,,	...	...	...	...	...	...	...	,,	30.05	763.3	...	...	...
Bonin Is.....	,,	30.08	764.1	...	...	N	4	...	,,	30.12	765.1	...	...	...
Chefoo,.....	3 p.	29.68	753.9	53	80	N W	3	c	6 a.	30.11	764.8	41	74	N W
Weihaiwei,.....	,,	29.67	753.6	54	...	W	4	o	9 a.	30.19	766.8	45	...	N N W
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang.....	,,	29.88	756.9	...	...	S W	1	b	,,	29.97	761.2	67	84	...
Shanghai, ...	,,	29.78	756.4	79	54	S S E	3	bm	9 a.	30.07	763.8	58	70	N E
Gutzlaff, ...	,,	29.82	757.4	65	73	S	5	bm	,,	30.01	762.2	55	87	N E
Sharp Peak,.....	,,	29.96	761.0	64	100	E	1	b	,,	30.01	762.2	68	100	...
Amoy,.....	,,	...	...	...	...	...	...	...	6 a.	30.03	762.7	69	85	...
Swatow,.....	,,	...	...	73	76	N E	1	c	,,	30.05	763.2	67	84	S E
Taihoku.....	1 p.	30.00	761.9	..	...	W	4	...	6 a.	30.02	762.6	...	...	...
Taichu, ...	,,	30.01	762.3	...	...	S W	4	...	,,	30.01	762.2	...	...	...
Tainan,.....	,,	30.02	762.5	...	...	W	4	...	,,	30.01	762.3	...	...	...
Koshun.....	,,	30.01	762.3	...	...	E	6	...	,,	30.00	762.0	...	...	E
Pescadores, ...	,,	30.03	762.8	...	...	N W	4	...	,,	29.98	761.5	...	...	N
Canton,.....	3 p.	29.95	760.7	81	96	S S E	1	b	9 a.	30.01	762.2	73	86	...
Hongkong, ...	4 p.	29.94	760.5	73	74	E	1	o	10 a.	30.00	762.0	71	90	E
Victoria Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E
Gap Rock,.....	,,	29.92	759.9	...	...	N E	2	...	,,	29.97	761.2	...	...	E N E
Macao, ...	,,	29.96	761.0	76	...	E S E	1	c	,,	30.01	762.2	74	...	E
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	29.87	758.7	72	...	S E	5	o	8 a.	29.97	761.3	68	...	E N E
Tourane, ...	,,	29.89	759.1	79	...	S E	3	c	,,	29.96	761.0	77	...	...
Cape St. James,.	,,	29.77	756.2	82	...	S E	1	c	,,	...	...	...	...	...
Aparri, ...	2 p.	29.92	759.9	81	...	E	1	d	6 a.	29.96	761.0	73	...	S
Manila, ...	4 p.	29.84	758	75	98	...	0	c	10 a.	29.96	761	79	84	...
Legaspi, ...	2 p.	29.86	758.4	79	...	N E	1	o	6 a.	29.90	759.5	77	...	N E
Bacolod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N N E
Iloilo, ...	,,	29.83	757.7	87	...	N E	1	o	,,	29.91	759.7	83	...	N E
Cebu,.....	,,	29.82	757.4	86	...	N	1	c	,,	29.93	760.2	84	...	N
Labuan, ...	,,	29.84	757.9	87	...	...	...	...	,,	29.86	758.4	82	...	...

On the 30th at 11.55 a.—The barometer has fallen quickly in Japan owing to the depression which Eastwards over the N. part of the Sea of Japan.

Pressure has increased rapidly and is now highest over N. China.

The wind is expected to freshen from N.E. in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, freshening; cloudy, mis
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. [illegible]
Director.

Hongkong Observatory, Monday, 30th March, 1908.

[Printed by Noronha & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER

30TH MARCH, 1908, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.41	746.9	45	...	N W	2	o
,,	29.73	755.1	...	...	S E	10	...
,,	29.46	748.2	...	...	N	2	...
,,	29.75	755.6	...	...	S W	8	...
,,	29.88	758.8	...	...	S W	2	...
,,	29.95	760.8	...	...	W	4	...
,,	30.00	761.9	...	...	S W	8	...
,,	30.04	763.1	...	...	S	4	...
,,	30.05	763.2	...	...	S	8	...
,,	30.05	763.3	...	...	S E	4	...
,,	30.08	764.1	...	...	N	4	...
5 p.	30.20	767.1	48	48	N W	2	c
,,	30.16	766.0	48	...	N W	3	ovr
,,	29.89	759.2	80	78	N E	2	o
,,	29.96	761.0	75	68	N E	2	c
,,	30.11	764.8	59	33	E N E	4	cm
,,	30.07	763.8	55	68	N	5	cm
,,	29.84	760.5	70	100	...	0	b
,,	29.97	761.2	74	76	E S E	2	b
,,	29.91	759.7	72	81	E	3	c
1 p.	29.97	761.3	..	...	E	6	...
,,	29.98	761.4	...	...	N	4	...
,,	29.98	761.5	...	...	N W	4	...
,,	29.98	761.9	...	...	E	8	...
,,	29.96	[illegible]	...	...	N	4	...
3 p.	29.89	759.4	82	...	S E	1	c
4 p.	29.90	759.4	72	89	E	1	o
,,	...	...	...	...	E	3	...
,,	29.89	759.2	...	...	E	3	...
,,	29.93	760.2	72	...	N E	1	of
3 p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	29.86	758.6	72	...	S E	3	o
,,	29.85	758.3	79	...	S E	1	c
,,	29.76	756.0	77	...	S W	2	o
2 p.	29.91	759.8	84	...	N E	1	o
4 p.	29.88	759	81	70	E	1	o
2 a.	29.89	759.2	82	...	E	1	o
3 p.	...	...	...	...	...	0	o
,,	29.83	757.7	86	...	N E	1	o
,,	29.85	758.2	83	...	N	2	o
,,	29.76	755.9	86	...	...	...	...

31ST MARCH, 1908, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.74	755.4	40	50	N	1	b
6 a.	29.30	744.1	...	...	S W	8	...
,,	29.54	750.2	...	...	W	4	...
,,	29.87	758.6	...	...	N W	4	...
,,	30.03	762.8	...	...	S W	...	...
,,	30.03	762.8	...	...	...	0	...
,,	30.00	761.9	...	...	N W	4	...
,,	30.04	763.1	...	...	S	4	...
,,	30.05	763.2	...	...	...	0	...
,,	30.01	762.3	...	...	S E	4	...
,,	30.08	764.1	...	...	...	0	...
6 a.	30.12	765.0	46	47	S	1	o
9 a.	30.12	765.0	46	...	S E	1	c
6 a.	29.94	760.5	57	87	N N E	1	c
,,	30.01	762.2	58	76	N E	2	c
9 a.	30.08	764.0	56	57	E	3	c
,,	30.08	764.0	52	79	E N E	*3	cm
,,	30.03	762.7	62	94	N N E	1	c
6 a.	29.97	761.2	69	90	N E	1	cm
,,	29.91	759.7	67	95	N E	1	c
5 a.	29.96	760.9	...	...	...	0	...
,,	29.97	761.1	...	...	...	0	...
,,	29.97	761.1	...	...	...	0	...
,,	29.97	761.2	...	...	E	2	...
,,	29.96	760.9	...	...	N	4	...
9 a.	29.96	761.0	75	90	S E	1	c
10 a.	29.96	761.0	73	90	E	1	c
,,	...	...	...	...	S	2	...
,,	29.94	760.5	...	...	E	2	c
,,	29.97	761.2	71	...	S E	1	of
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.94	760.4	68	...	E S E	3	c
,,	29.93	760.2	77	...	...	0	b
,,	29.84	757.8	79	...	S E	2	c
6 a.	29.94	760.4	75	...	S	1	c
10 a.	29.96	761	88	54	E N E	1	b
6 a.	29.93	760.1	77	...	N E	1	c
9 a.	...	...	...	...	N N E	2	b
,,	29.91	759.7	81	...	N E	3	c
,,	29.90	759.4	84	...	N	3	b
,,	29.91	759.7	82	...	...	...	...

st at 11.55 a.—The barometer has fallen rapidly in N.E. Japan owing to the depression which is
rds over Hokkaido.

inclined to give way again over China. It is highest over the Yellow Sea.

continue slight, and light or moderate E. and S.E. winds are expected to prevail in the Formosa
N. part of the China Sea.

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
nd Neighbourhood, ...	E. to S.E. winds, light or moderate; cloudy, mist
annel, ...	Same as No. 1.
of China between Hongkong and Lamocks,..	Same as No. 1.
of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Observatory, Tuesday, 31st March, 1908.

Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIS

Station.	31st MARCH, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st APRIL, 19 Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...
Nemuro, ...	,,	29.33	745.1	...	...	S W	8	...	6 a.	29.69	754.1	...	...
Hakodate, ...	,,	29.61	752.2	...	...	W	6	...	,,	29.89	759.2	...	...
Tokio, ...	,,	29.91	759.6	...	...	S	6	...	,,	30.02	762.6	...	...
Kochi, ...	,,	30.03	762.8	...	...	S E	2	...	,,	29.95	760.8	...	...
Nagasaki, ...	,,	29.99	761.8	...	...	S W	4	...	,,	29.80	756.8	...	...
Kagoshima, ...	,,	30.04	762.9	...	...	S E	8	...	,,	29.88	758.9	...	...
Oshima, ...	,,	30.00	762.1	...	...	N	4	...	,,	29.93	760.1	...	...
Naha, ...	,,	...	...	...	...	S	3	...	,,	29.89	759.2	...	...
Ishigakijima, ...	,,	29.97	761.3	...	...	E	6	...	,,	29.86	758.3	...	...
Bonin Is.	,,	30.04	763.1	...	...	S	2	...	,,	30.12	765.4	...	...
Chefoo, ...	3 p.	30.00	762.0	62	43	S	1	o	6 a.	...	...	...	...
Weihaiwei, ...	,,	29.97	761.2	55	...	S E	2	o	9 a.	...	...	52	...
Taku, ...	,,	29.94	760.5	55	68	N	1	o	6 a.	...	...	...	...
Kiaochang, ...	,,	29.96	761.0	63	78	N E	1	o	,,	29.96	761.0	54	87
Shanghai, ...	,,	29.92	759.9	54	74	E	2	o	9 a.	29.89	759.2	53	86
Nikolaff, ...	,,	29.93	760.2	51	79	E S E	2	omd	,,	29.84	757.9	52	93
Wusung Peak, ...	,,	29.92	759.9	61	100	...	0	o	,,	29.84	757.9	54	100
Sharp Peak, ...	,,	29.93	760.2	65	78	S W	1	or	6 a.	29.90	759.4	66	89
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...
Takuku, ...	1 p.	29.92	760.0	..	...	N	4	...	5 a.	29.88	758.9	...	...
Tsuchu, ...	,,	29.93	760.1	...	...	S W	2	...	,,	29.89	759.1	...	...
Tamsui, ...	,,	29.94	760.4	...	...	S	4	...	,,	29.89	759.1	...	...
Keelung	,,	29.94	760.5	...	...	E	6	...	,,	29.88	758.8	...	...
Pescadores, ...	,,	29.93	760.3	...	...	N	4	...	,,	29.86	758.5	...	...
Canton, ...	3 p.	29.85	758.2	83	69	S E	1	c	9 ,,	29.80	760.2	76	90
Hongkong, ...	4 p.	29.86	758.4	76	77	...	0	o	10 a.	29.94	760.5	70	96
Victoria Peak, ...	,,	...	...	...	...	S W	1	..	,,	...	...	...	...
Gap Rock, ...	,,	29.86	758.4	...	...	E	2	..	,,	29.90	759.4	...	...
Macao, ...	,,	29.88	758.9	74	...	S E	1	c	,,	29.94	760.5	70	...
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...
Phulien, ...	4 p.	29.80	756.9	73	...	E	4	o	8 a.	29.89	759.1	72	...
Tourane, ...	,,	29.84	758.0	84	...	S E	1	c	,,	29.91	759.6	77	...
Cape St. James,.	,,	29.74	755.4	84	...	S S W	2	c	,,	29.84	757.8	79	...
Aparri, ...	2 p.	29.87	758.6	86	...	E	1	c	6 a.	29.89	759.1	75	...
Manila, ...	4 p.	29.84	758	90	48	E S E	2	b	10 a.	29.92	760	81	70
Legaspi, ...	2 p.	29.88	758.9	84	...	E	1	b	6 a.	29.91	759.6	73	...
Bacolod, ...	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...
Iloilo, ...	,,	29.81	757.2	87	...	N E	2	b	,,	29.89	759.2	82	...
Cebu, ...	,,	29.82	757.4	86	...	N	2	b	,,	29.91	759.7	84	...
Labuan, ...	,,	...	...	...	...	...	...	...	,,	29.84	757.9	83	...

On the 1st at 11.55 a.—The barometer has risen quickly in E. Japan, and fallen considerably over t of China, S.W. Japan and the Loochoos.

The depression lying over N.E. Japan yesterday, is moving away over the Pacific. A new depr developed over the Lower Yangtze yesterday, is moving Eastwards in the Yellow Sea this morning.

Variable winds, light to moderate, may be expected in the Formosa Channel and the N. part of the

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds, light or moderate ; fogg
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Wednesday, 1st April, 1908.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER

1ST APRIL, 1908, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	...	...	...	...	...	...	...
..	...	...	...	...	S W	8	...
,,	29.85	758.2	...	...	S W	8	...
,,	29.98	761.6	...	...	N W	2	...
,,	29.83	757.8	...	...	...	0	...
,,	29.76	756.8	...	...	S	8	...
,,	29.84	757.9	...	...	S	6	...
,,	29.85	758.1	...	...	S	6	...
,,	29.81	757.2	...	...	S	6	...
,,	29.85	758.3	...	...	S	6	...
,,	30.08	764.1	...	...	S E	4	...
8 p.	29.91	759.7	45	68	N W	2	c
,,	29.90	759.4	42	...	N	3	o
,,	...	...	...	...	...	...	...
,,	29.98	761.5	69	61	N W	1	c
,,	29.84	757.9	63	52	N	2	c
,,	29.87	758.7	56	81	N N W	2	om
,,	29.77	756.1	70	100	S E	1	c
,,	29.83	757.7	68	85	S E	1	c
,,	...	...	...	...	...	...	...
p.	29.84	757.9	..	...	N	6	...
	29.88	759.0	...	...	W	4	...
,,	29.90	759.5	...	...	W	4	...
,,	29.85	758.3	...	...	W	8	...
,,	29.88	758.9	...	...	S	4	...
p.	29.83	757.7	82	79	E	1	c
p.	29.83	757.7	75	90	N W	1	of
,,	...	...	...	...	S W	4	...
,,	29.83	757.7	...	...	S E	1	...
,,	29.85	758.2	76	...	S	1	of
p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
p.	29.77	756.1	73	...	S E	5	o
,,	29.79	756.7	79	...	S E	2	c
,,	29.74	755.5	82	...	N E	2	c
p.	29.87	758.7	86	...	N E	1	b
p.	29.80	757	90	48	S E	3	b
p.	29.85	758.1	86	...	E	1	b
p.	...	...	...	...	N E	3	c
,,	29.81	757.2	87	...	N E	2	b
,,	29.81	757.2	87	...	N	1	b
	29.74	755.4	87	...	...	...	...

2ND APRIL, 1908, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	...	...	...	...	...
6 a.	29.73	755.1	...	...	S E	2	...
,,	29.69	754.2	...	...	...	0	...
,,	29.75	755.6	...	...	S	6	...
,,	29.84	757.8	...	...	S W	2	...
,,	29.95	760.8	...	...	N W	2	...
,,	29.84	757.9	...	...	W	4	...
,,	29.93	760.1	...	...	N W	2	...
,,	29.93	760.2	...	...	N	2	...
,,	29.89	759.3	...	...	N E	2	...
,,	30.12	765.1	...	...	S	4	...
6 a.	...	...	...	...	...	...	...
9 a.	30.10	764.5	43	...	W N W	1	b
6 a.	...	...	...	...	...	...	...
..	...	...	...	...	...	...	...
9 a.	30.07	763.8	58	58	E	2	b
,,	30.07	763.8	53	80	E	3	bv
,,	30.04	763.0	63	94	N N E	1	o
6 a.	29.96	761.0	68	90	N E	1	o
,,	...	...	...	...	...	...	...
5 a.	29.92	760.0	...	...	E	2	...
,,	29.92	760.0	...	...	...	0	...
,,	29.93	760.1	...	...	...	0	...
,,	29.85	758.2	...	...	...	0	...
,,	29.91	759.7	...	...	S	2	...
9 a.	...	...	77	91	E	1	c
10 a.	29.98	761.5	73	94	S E	1	o
,,	...	...	...	...	S	2	...
,,	29.95	760.7	...	...	S	1	...
,,	29.97	761.2	73	...	S E	1	of
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.87	758.6	72	...	E S E	4	dh
,,	29.88	758.9	79	...	...	0	c
,,	29.82	757.5	81	...	E N E	2	o
6 a.	29.92	760.0	75	...	S	1	b
10 a.	29.96	761	84	64	W N W	...	b
6 a.	29.90	759.5	79	...	E	1	b
9 a.	...	...	...	...	N E	2	c
,,	29.91	759.7	84	...	N E	1	b
,,	29.91	759.7	85	...	N	1	c
,,	29.83	757.7	84	...	...	...	...

11.55 a.—The barometer has fallen in E. Japan owing to the depression which is moving towards f Japan.

creased over China, particularly in the North. It is highest over the Yellow Sea.

winds may be expected in the Formosa Channel, and moderate S.E. winds over the N. part of

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Neighbourhood, ...	S.E. to E. winds, light to moderate; cloudy, fog or
el, ...	N.E. winds, moderate. [nist.
China between Hongkong and Lamocks...	Same as No. 1.
China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Observatory, Thursday, 2nd April, 1908.

NHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	2nd APRIL, 1908, P.M.								3rd APRIL, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro,	,,	29.57	751.1	...	...	N W	2	...	6 a.	29.93	760.1	...	...	S W	
Hakodate,	,,	29.81	757.2	...	...	N W	6	...	,,	30.09	764.2	...	...	W	
Tokio,	,,	29.79	756.6	...	...	S	4	...	,,	30.18	766.6	...	...	N	
Kochi,	,,	29.87	758.8	...	...	S E	6	...	,,	30.11	764.8	...	...	N	
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.07	763.8	...	...	N	
Kagoshima,	,,	29.92	759.9	...	...	S E	2	...	,,	30.04	762.9	...	...	N E	
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	30.04	763.1	...	...	S	
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	30.01	762.2	...	...	E	
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	29.97	761.3	...	...	E	
Bonin Is.	,,	30.08	764.1	...	...	S	4	...	,,	30.20	767.1	...	...	...	
Chefoo	3 p.	30.05	763.2	46	47	N E	2	b	6 a.	30.09	764.0	42	83	N E	
Weihaiwei,	,,	30.06	763.5	49	...	E	2	b	9 a.	30.18	766.6	44	...	E N E	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	29.90	759.4	64	89	N E	2	b	,,	...	...	...	...	...	
Shanghai,	,,	30.00	762.0	59	54	S E	3	or	9 a.	29.89	759.2	57	100	S S E	
Gutzlaff.	,,	30.03	762.7	54	80	S E	3	ov	,,	29.91	759.7	54	100	S S E	
Sharp Peak,	,,	30.00	762.0	63	100	...	0	o	,,	29.98	761.5	64	100	N E	
Amoy	,,	30.00	762.0	67	89	S E	1	o	6 a.	30.03	762.7	65	89	S E	
Swatow,	,,	29.89	759.2	68	60	E	3	o	,,	29.91	759.7	64	95	S E	
Taihoku,	1 p.	29.94	760.5	..	...	E	6	...	5 a.	29.97	761.1	...	...	N	
Taichu,	,,	29.94	760.5	...	...	W	2	...	,,	29.97	761.1	...	...	N	
Tainan,	,,	29.96	761.1	...	...	W	4	...	,,	29.98	761.5	...	...	N	
Koshun	,,	29.99	761.7	...	...	E	2	...	,,	29.97	761.2	...	...	N E	
Pescadores,	,,	29.98	761.5	...	...	W	2	...	,,	29.98	761.4	...	...	N	
Canton,	3 p.	29.89	759.2	80	87	S E	2	c	9 a.	30.00	762.0	76	86	E	
Hongkong,	4 p.	29.90	759.4	77	84	S	1	c	10 a.	30.02	762.5	68	96	E	
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S E	
Gap Rock,	,,	29.87	758.7	...	...	S S E	3	...	,,	29.99	761.7	...	...	E S	
Macao,	,,	29.91	759.7	75	...	S S E	1	of	,,	30.02	762.5	71	...	S	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.79	756.7	73	...	S S E	5	o	8 a.	29.91	759.6	73	...	S S E	
Tourane,	,,	29.84	758.0	79	...	S E	5	c	,,	29.93	760.3	77	...	S E	
Cape St. James,	,,	29.75	755.6	84	...	S E	1	c	,,	29.83	757.7	81	...	E	
Aparri,	2 p.	29.90	759.5	86	...	N E	1	b	6 a.	29.96	761.0	75	...	S	
Manila,	4 p.	29.84	758	90	48	S	6	b	10 a.	29.96	761	82	70	W	
Legaspi,	2 p.	29.89	759.1	86	...	E	1	b	6 a.	29.93	760.2	79	...	N	
Bacolod,	3 p.	...	...	...	...	E N E	4	c	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.89	759.2	81	...	N E	1	b	,,	29.91	759.7	84	...	N	
Cebu,	,,	29.84	757.9	87	...	N	1	b	,,	29.93	760.2	84	...	N	
Labuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.84	757.9	86	...	...	

On the 3rd at 11.35 a.—The barometer has risen quickly over Japan, the depression lying over Hokk
da y having moved away over the Pacific.

Pressure has given way over the E. coast of China another depression, which will probably mov
having appeared over the Lower Yangtze.

Light to moderate E. and S.E. winds may be expected in the Formosa Channel and the N. part of t

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, light to moderate ; c
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Friday, 3rd April, 1908.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER

Hour.	3rd APRIL, 1908, P.M. Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hour.	4th APRIL, 1908, A.M. Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,,	29.89	759.1	...	...	S W	8	...	6 a.	30.01	762.1	...	...	S W	4	...
,,	30.05	763.2	...	...	W	6	...	,,	30.13	765.2	...	...	...	0	...
,,	30.14	765.6	...	...	E	2	...	,,	30.06	763.6	...	...	N W	2	...
,,	30.07	763.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S W	2	...
,,	29.99	761.8	...	...	S E	4	...	,,	29.88	758.8	...	...	N	4	...
,,	30.04	762.9	...	...	S	4	...	,,	29.88	758.9	...	...	S E	4	...
,,	30.00	762.1	...	...	S	4	...	,,	29.97	761.1	...	...	...	0	...
,,	30.01	762.2	...	...	S E	2	...	,,	29.97	761.2	...	...	S	2	...
,,	29.97	761.3	...	...	S W	8	...	,,	29.93	760.3	...	...	S	2	...
,,	30.12	765.1	...	...	S E	4	...	,,	30.12	765.1	...	...	S E	4	...
8 p.	30.16	766.0	42	88	N E	2	o	6 a.	...	...	...	...	...	...	...
,,	30.14	765.5	43	...	N E	3	o	9 a.	30.16	766.0	46	...	N E	3	b
,,	30.00	762.0	58	88	N	2	or	6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,,	29.81	757.2	63	89	W N W	2	om	9 a.	29.99	761.7	50	100	N E	3	or
,,	29.82	757.4	59	100	S	2	ov	,,	29.94	760.5	51	100	N N E	5	omd
,,	29.87	758.7	68	95	W	2	c	,,	29.88	758.9	71	100	S E	1	f
,,	29.98	761.5	69	90	S S E	2	b	6 a.	29.96	761.6	69	90	N	1	b
,,	29.91	759.7	78	78	S E	1	c	,,	29.85	758.2	68	95	S E	1	f
p.	29.96	761.0	..	...	N W	2	...	5 a.	29.91	759.8	...	...	S E	2	...
,,	29.99	761.7	...	...	W	4	...	,,	29.93	760.2	...	...	...	0	...
,,	29.98	761.5	...	...	S W	4	...	,,	29.92	760.0	...	...	S E	2	...
,,	29.96	760.9	...	...	S	4	...	,,	29.93	760.1	...	...	S E	2	...
,,	29.99	761.7	...	...	N W	2	...	,,	29.91	759.9	...	...	...	0	...
p.	29.89	759.2	83	71	E	2	b	9 a.	...	...	...	...	...	...	...
p.	29.90	759.4	71	91	E	3	o	10 a.	29.94	760.5	72	93	E	2	o
,,	...	...	...	...	S E	4	...	,,	...	...	...	...	S W	1	...
,,	29.88	758.9	...	...	E S E	3	...	,,	29.92	759.9	...	...	E S E	2	...
,,	29.92	759.9	73	...	S E	1	of	,,	29.94	760.5	70	...	S E	1	of
p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
p.	29.83	757.8	73	...	S E	5	or	8 a.	29.86	758.3	72	...	S S E	4	or
,,	29.83	757.6	84	...	S E	3	c	,,	29.89	759.2	77	...	...	0	c
,,	29.75	755.7	84	...	S E	2	c	,,	29.87	758.6	82	...	E	2	c
p.	29.89	759.3	86	...	N E	1	b	6 a.	...	...	...	...	...	...	...
p.	29.84	758	90	48	S E	3	b	10 a.	29.92	760	88	60	N W	1	b
p.	29.88	758.9	84	...	E	1	b	6 a.	29.90	759.4	77	...	...	0	b
p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N N W	2	c
,,	29.83	757.7	88	...	N E	2	...	,,	29.89	759.2	83	...	N E	3	o
,,	29.82	757.4	86	...	N	2	c	,,	29.89	759.2	85	...	N	2	b
,,	29.73	755.1	88	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

1.55 a.—The barometer has fallen in S. Japan owing to the depression which is moving East-pan.

creased on the E. coast of China, and fallen over S. China. It is highest over N. China.

probably shift to the N.E. and freshen in the Formosa Channel. Moderate S.E. winds may be . part of the China Sea.

infall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Neighbourhood, ...	S.E. winds, light to moderate; foggy, probably some [showers.
el, ...	N.E. winds, freshening.
hina between Hongkong and Lamocks,..	Same as No. 1.
China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

bservatory, Saturday, 4th April, 1908.

HA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	4th APRIL, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th APRIL, 1908, A. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wi Dire tio
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	29.89	759.1	...	...	W	4	...	6 a.	30.12	765.1	...	...	W
Hakodate, ...	,,	29.85	758.2	...	...	...	0	...	,,	30.21	767.2	...	...	N
Tokio, ...	,,	30.10	764.6	...	...	N	6	...	,,	30.22	767.6	...	...	N
Kochi, ...	,,	29.87	758.8	...	...	S W	2	...	,,	29.91	759.8	...	...	W
Nagasaki, ...	,,	29.91	759.8	...	...	N	6	...	,,	29.80	756.8	...	...	S
Kagoshima, ...	,,	29.88	758.9	...	...	S W	4	...	,,	29.84	757.9	...	...	S
Oshima, ...	,,	29.93	760.1	...	...	S W	4	...	,,	29.93	760.1	...	...	...
Naha.....	,,	29.97	761.2	...	...	S	4	...	,,	29.89	759.2	...	...	S
Ishigakijima, ...	,,	29.93	760.3	...	...	S E	4	...	,,	29.86	758.3	...	...	S
Bonin Is.....	,,	30.08	764.1	...	...	S	4	...	,,	30.08	764.1	...	...	S
Chefoo, ...	3 p.	30.15	765.8	45	68	N E	1	o	6 a.	29.88	758.9	45	68	S
Weihaiwei,.....	,,	30.10	764.5	47	...	E	2	o	9 a.	29.89	759.2	44	...	W
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.00	762.0	48	100	N
Kiukiang.....	,,	...	...	...	...	...	...	...	,,	30.00	762.0	52	93	W
Shanghai, ...	,,	29.90	759.4	51	100	N E	2	or	9 a.	29.89	759.2	52	93	WN
Gutzlaff, ...	,,	29.89	759.2	52	100	N E	2	fr	,,	29.89	759.2	52	93	WN
Sharp Peak,.....	,,	29.79	756.6	68	90	N N E	4	c	,,	29.84	757.9	65	100	N
Amoy,.....	,,	29.87	758.7	74	86	S E	1	c	6 a.	29.83	757.7	70	90	N
Swatow, ...	,,	29.80	756.9	80	78	S S E	3	b	,,	29.79	756.6	69	95	S
Taihoku.....	1 p.	29.87	758.7	..	...	N	6	...	5 a.	29.82	757.4	...	...	...
Taichu, ...	,,	29.90	759.4	...	...	W	4	...	,,	29.86	758.3	...	...	...
Tainan,.....	,,	29.91	759.8	...	...	S	6	...	,,	29.87	758.7	...	...	S
Koshun.....	,,	29.91	759.7	...	...	S	6	...	,,	29.86	758.4	...	...	...
Pescadores, ...	,,	29.90	759.4	...	...	W	2	...	,,	29.84	758.0	...	...	S
Canton,.....	3 p.	29.76	756.9	80	78	S E	1	c	9 a.	29.80	756.9	75	95	S
Hongkong, ...	4 p.	29.83	757.7	73	89	E	2	o	10 a.	29.85	758.2	76	85	S
Victoria Peak,...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S
Gap Rock,.....	,,	29.81	757.2	...	...	E S E	2	...	,,	29.82	757.4	...	...	SE
Macao, ...	,,	29.84	757.9	72	...	S E	1	of	,,	29.83	757.7	74	...	SE
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	
Phulien,.....	4 p.	29.72	755.0	73	...	S E	4	f	8 a.	29.80	756.8	73	...	SE
Tourane, ...	,,	29.79	756.6	79	...	S E	3	o	,,	29.83	757.7	77	...	...
Cape St. James,.	,,	29.78	756.3	82	...	S E	2	c	,,	29.83	757.6	82	...	E
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Manila, ...	4 p.	29.80	757	88	84	E S E	2	c	10 a.	29.88	759	82	70	W
Legaspi, ...	2 p.	29.85	758.1	82	...	N E	1	b	6 a.	29.85	758.1	75	...	N
Bacolod, ...	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	NN
Iloilo, ...	,,	29.79	756.6	88	...	N E	2	b	,,	29.87	758.7	84	...	N
Cebu,.....	,,	29.78	756.4	87	...	N	2	b	,,	29.85	758.4	86	...	N
Labuan, ...	,,	29.73	755.1	87	...	...	...	...	,,	...	...	...	...	...

On the 5th at 11.50 a.—The barometer has risen in E. Japan; and fallen elsewhere, particularly o

A depression, which appears to be moving towards N.E. is situated over N. China and the Yellow S is low also, over S.W. China and Tongking. Pressure is high over E. Japan.

Moderate variable to N.E. winds are expected to prevail in the Formosa Channel, and moderate S.E the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. winds, moderate; unsettled, showe
2.—Formosa Channel, ...	Variable to N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Sunday, 5th April, 1908.

[Printed by Noronha & Co., Government Printers.]



A COAST METEOROLOGICAL REGISTER

5TH APRIL, 1908, P.M.								6TH APRIL, 1908, A.M.							
	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
	Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
	30.12	765.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	S E	6	...
	30.09	764.2	...	...	S E	6	...	,,	29.58	751.2	...	...	N	10	...
	30.14	765.6	...	...	N W	6	...	,,	29.67	753.6	...	...	W	2	...
	29.83	757.8	...	...	S W	2	...	,,	29.80	756.8	...	...	S W	2	...
	29.72	754.8	...	...	S W	6	...	,,	29.95	760.8	...	...	N W	2	...
	29.80	756.9	...	...	S W	6	...	,,	29.92	759.9	...	...	N W	2	...
	29.89	759.1	...	...	S	4	...	,,	29.93	760.1	...	...	...	0	...
	29.89	759.2	...	...	S	4	...	,,	29.93	760.2	...	...	...	0	...
	29.85	758.3	...	...	S	4	...	,,	29.89	759.3	...	...	S	4	...
	30.04	763.1	...	...	S E	4	...	,,	30.08	764.4	...	...	S E	2	...
p.	29.86	758.4	49	64	N W	1	o	6 a.	30.18	766.6	36	70	N W	2	b
	...	...	...	...	...	...	...	9 a.	30.26	768.6	37	...	N W	4	b
	30.09	764.3	56	94	...	0	o	6 a.	30.08	764.0	55	100	N E	2	c
	30.15	765.8	58	81	N W	2	o	,,	30.12	765.0	55	94	N E	2	o
	29.90	759.4	56	87	N W	2	o	9 a.	30.15	765.8	59	70	N	1	c
	29.92	759.9	52	93	N N W	3	om	,,	30.15	765.8	51	93	N N E	2	om
	29.83	757.7	63	83	N N E	4	or	,,	30.06	763.5	60	88	E N E	4	c
	29.86	758.4	75	90	S E	1	c	6 a.	29.93	760.2	66	89	N E	3	o
	29.78	756.4	80	70	E S E	1	c	,,	...	...	...	...	...	...	...
	29.82	757.4	..	...	N	6	...	5 a.	29.92	760.0	...	...	E	6	...
	29.85	758.1	...	...	W	6	...	,,	29.88	758.9	...	...	N	4	...
	29.84	757.9	...	...	S	4	...	,,	29.88	758.9	...	...	N	4	...
	29.85	758.2	...	...	S	4	...	,,	29.87	758.7	...	...	...	0	...
	29.85	758.1	...	...	S	4	...	,,	29.88	759.0	...	...	N E	8	...
p.	29.83	757.7	80	96	S E	1	or	9 a.	...	...	...	...	...	...	...
p.	29.81	757.2	71	94	W S W	1	or	10 a.	29.91	759.7	71	97	E	2	o
	...	...	...	...	S W	5	...	,,	...	...	...	...	S E	3	...
	29.80	756.9	...	...	E S E	2	...	,,	29.87	758.7	...	...	E S E	3	...
	29.81	757.2	73	...	N N E	1	odf	,,	29.91	759.7	73	...	S E	1	ofd
p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
p.	...	...	...	...	...	...	...	8 a.	29.82	757.3	73	...	E	2	o
	29.71	754.7	81	...	S E	2	c	,,	29.83	757.6	77	...	...	0	c
	29.71	754.6	84	...	S E	2	c	,,	29.78	756.5	82	...	E S E	1	c
p.	29.78	756.4	86	...	N E	1	b	6 a.	29.86	758.5	77	...	S W	1	b
p.	29.74	755.4	90	48	S E	2	b	10 a.	29.86	759	90	48	E	1	c
p.	29.81	757.1	86	...	E	1	b	6 a.	29.84	758.0	77	...	N E	1	b
p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	1	b
	29.77	756.1	87	...	N E	2	b	,,	29.87	758.7	83	...	N E	1	b
	29.76	755.9	86	...	N	2	b	,,	29.87	758.7	85	...	N	2	...
	29.69	754.1	88	...	...	...	...	,,	29.80	756.9	79	...	...	...	...

1.35 a.—The barometer has fallen rapidly in E. Japan owing to the depression which is moving
neighbourhood of Hakodate.
creased over China, particularly in the North. It is highest over N. China, and still relatively
a and Tongking.
nds may be expected in the Formosa Channel, and fresh S.E. to E. winds over the N. part of the

ainfall for the 24 hours ending at 10 a.m. to-day, 1.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Neighbourhood, ...	E. winds, freshening; squally, showery.
el, ...	N.E. winds, fresh.
China between Hongkong and Lamocks,..	Same as No. 1.
China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Observatory, Monday, 6th April, 1908.

HA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	6th APRIL, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th APRIL, 1908, A. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	W Dire tio
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	29.49	749.1	...	...	E	8	...	6 a.	29.61	752.1	...	...	W
Hakodate, ...	,,	29.50	749.2	...	...	W	8	...	,,	29.85	758.2	...	...	W
Tokio, ...	,,	29.63	752.6	...	...	N W	2	...	,,	29.99	761.6	...	...	...
Kochi, ...	,,	29.87	758.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W
Nagasaki, ...	,,	30.03	762.8	...	...	W	8	...	,,	30.07	763.8	...	...	...
Kagoshima, ...	,,	30.00	761.9	...	...	N	6	...	,,	30.08	763.9	...	...	N
Oshima, ...	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	...
Naha, ...	,,	29.97	761.2	...	...	E	2	...	,,	29.97	761.2	...	...	E
Ishigakijima, ...	,,	29.93	760.3	...	...	N E	6	...	,,	29.93	760.3	...	...	N E
Bonin Is.	,,	30.00	762.1	...	...	S	4	...	,,	30.08	764.1	...	...	...
Chefoo, ...	3 p.	30.25	768.3	40	56	N W	3	o	6 a.	30.29	769.3	39	64	N W
Weihaiwei, ...	,,	30.25	768.3	41	...	W	4	ovr	9 a.	30.27	768.8	41	...	W
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.00	762.0	57	100	N E
Kiukiang, ...	,,	...	...	...	...	...	...	...	..	30.04	763.0	56	94	N E
Shanghai, ...	,,	30.13	765.3	56	81	E N E	2	o	9 a.	30.15	765.8	49	78	E
Gutzlaff, ...	,,	30.14	765.5	56	75	N E	3	ov	,,	30.15	765.8	49	78	E N E
Sharp Peak, ...	,,	30.05	763.2	59	76	E N E	5	o	,,	30.04	763.0	60	82	E N E
Amoy, ...	,,	29.97	761.2	67	84	N E	1	o	6 a.	29.99	761.7	65	84	N E
Swatow, ...	,,	29.91	759.7	65	84	E	5	o	,,	...	...	...	...	...
Taihoku, ...	1 p.	29.97	761.2	..	...	E	6	...	5 a.	29.98	761.5	...	...	E
Taichu, ...	,,	29.89	759.2	...	...	N	4	...	,,	29.92	759.9	...	...	N
Tainan, ...	,,	29.87	758.8	...	...	N	4	...	,,	29.90	759.5	...	...	N
Koshun	,,	29.87	758.7	...	...	E	6	...	,,	29.92	759.9	...	...	E
Pescadores, ...	,,	29.91	759.8	...	...	N	8	...	,,	29.93	760.3	...	...	N
Canton, ...	3 p.	29.89	759.2	68	95	N N W	1	o	9 a.	29.95	760.7	67	95	E
Hongkong, ...	4 p.	29.88	758.9	66	95	E	4	odq	10 a.	29.94	760.5	65	90	E
Victoria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E
Gap Rock, ...	,,	29.83	757.7	...	...	E N E	3	...	,,	29.90	759.4	...	...	E
Macao, ...	,,	29.88	758.9	72	...	E S E	1	orf	,,	29.95	760.7	68	...	E S E
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	29.75	755.7	72	...	E	4	or	8 a.	29.81	757.1	73	...	E S E
Tourane, ...	,,	29.76	755.9	77	...	N E	1	o	,,	29.84	757.9	75	...	...
Cape St. James, .	,,	29.74	755.3	86	...	S W	1	c	,,	29.81	757.1	82	...	S E
Aparri, ...	2 p.	29.80	756.8	86	...	N E	1	b	6 a.	29.84	758.0	75	...	S E
Manila, ...	4 p.	29.76	756	91	46	S E	4	b	10 a.	29.88	759	76	76	E N
Legaspi, ...	2 p.	29.80	756.9	86	...	E	1	b	6 a.	29.86	758.3	77	...	E
Bacolod, ...	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N N
Iloilo, ...	,,	29.77	756.1	90	...	N E	1	b	,,	29.87	758.7	84	...	N
Cebu, ...	,,	29.77	756.1	87	...	N	1	b	,,	29.86	758.4	87	...	.
Labuan, ...	,,	29.68	753.9	87	...	...	...	...	,,	29.84	757.9	78	...	.

On the 7th at 11.55 a.—The depression lying over N.E. Japan yesterday has moved into the Pa barometer has risen considerably over S. Japan.

Pressure remains high over N. China, but it is inclined to give way again along the Yangtze. It is low over Tongking and the N.W. part of the China Sea.

Fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Se

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh ; squally, drizzling rain o
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Tuesday, 7th April, 1908.

[Printed by NORONHA & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7th APRIL, 1908, P.M.							
2 p.	...	...	...	...	...	...	...
,,	29.81	757.1	...	...	N W	4	...
,,	30.01	762.2	...	...	W	6	...
,,	29.98	761.6	...	...	S E	4	...
,,	30.03	762.8	...	...	S E	4	...
,,	30.03	762.8	...	...	S W	4	...
,,	30.04	762.9	...	...	S	2	...
,,	30.00	762.1	...	...	N W	2	...
,,	...	...	...	...	...	...	...
,,	29.89	759.3	...	...	E	6	...
,,	30.04	763.1	...	...	S	4	...
p.	30.24	768.1	45	68	N N E	1	o
,,	30.22	767.6	46	...	N E	1	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.01	762.2	51	72	E N E	3	o
	30.03	762.7	51	79	E	3	om
	29.94	760.5	61	82	E N E	5	o
	29.94	760.5	68	85	N E	1	o
	29.86	758.4	67	84	E	3	c
p.	29.91	759.6	..	...	E	6	...
	29.87	758.8	...	...	N	4	...
	29.88	758.9	...	...	N E	6	...
	29.91	759.7	...	...	N E	6	...
	29.91	759.7	...	...	N	8	...
p.	29.82	757.4	71	85	E	2	o
p.	29.83	757.7	65	88	E	4	oq
,,	...	...	...	...	E	6	...
,,	29.81	757.2	...	...	E	4	...
,,	29.82	757.4	67	...	E S E	3	o
p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
p.	29.66	753.3	72	...	E S E	6	f
,	29.75	755.7	77	...	...	0	o
,	29.71	754.7	84	...	S	2	c
p.	29.77	756.2	88	...	N E	1	b
p.	29.76	756	93	40	S E	1	c
p.	29.81	757.2	88	...	N E	1	c
p.	...	...	...	...	N E	3	o
	29.77	756.1	90	...	N E	1	b
	29.76	755.9	88	...	W	1	b
	29.71	754.6	86	...	...	...	...

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
8th APRIL, 1908, A.M.							
7 a.	...	...	...	...	...	...	...
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
6 a.	30.24	768.1	33	69	N E	3	b
9 a.	30.30	769.6	46	...	N N W	1	b
6 a.	...	...	...	...	...	...	...
,,	30.21	767.3	45	92	N E	4	o
9 a.	30.12	765.0	49	93	N E	3	omd
,,	30.07	763.8	50	93	N E	6	omd
,,	29.98	761.5	61	94	...	0	or
6 a.	29.94	760.5	65	89	...	0	o
,,	29.91	759.7	62	94	N E	1	o
5 a.	29.89	759.3	...	...	N W	2	...
,,	29.89	759.3	...	...	...	0	...
,,	29.90	759.4	...	...	N	6	...
,,	29.86	758.5	...	...	N	2	...
,,	29.90	759.4	...	...	N E	2	...
9 a.	29.91	759.7	68	95	N W	1	or
10 a.	29.92	759.9	65	96	E	4	od
,,	...	...	...	...	S E	8	...
,,	29.88	758.9	...	...	E	4	...
,,	29.92	759.9	68	...	S E	2	odf
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.80	757.0	72	...	E S E	4	f
,,	29.81	757.1	77	...	...	0	c
,,	29.80	757.0	82	...	S	1	c
6 a.	29.85	758.2	75	...	S E	1	b
10 a.	29.88	759	86	65	S S W	1	b
6 a.	29.86	758.5	79	...	...	0	b
9 a.	...	...	...	...	N E	2	o
,,	29.87	758.7	83	...	N E	1	b
,,	29.87	758.7	86	...	N	1	c
,,	29.81	757.2	84	...	...	...	...

12.10 p.—The barometer has fallen over the E. and S.E. coasts of China, and risen along the

moving Eastwards, appears to have passed to the South of Shanghai and to have entered the East- remains low over Tongking and the N.W. part of the China Sea, and high over N. China. winds may be expected in the Formosa Channel, and fresh E. winds over the N. part of the China

returns are lacking this morning.

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Neighbourhood, ...	E. to N.E. winds, fresh or strong; unsettled, squally
el, ...	N.E. winds, strong. [with rain.
China between Hongkong and Lamocks,..	Same as No. 1.
China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

bservatory, Wednesday, 8th April, 1908.

A & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	8th APRIL, 1908, P.M.								9th APRIL, 1908, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	30.28	769.1	...	...	N W	2	...	6 a.	...	...	...	...	...
Hakodate,	,,	30.36	771.2	...	...	W	6	...	,,	...	...	...	...	...
Tokio,	,,	30.38	771.6	...	...	N	6	...	,,	...	...	...	...	...
Kochi,	,,	30.11	764.8	...	...	E	2	...	,,	...	...	...	...	...
Nagasaki,	,,	29.95	760.8	...	...	N E	10	...	,,	...	...	...	...	...
Kagoshima,	,,	29.88	758.9	...	...	E	6	...	,,	...	...	...	...	...
Oshima,	,,	29.89	759.1	...	...	S	6	...	,,	...	...	...	...	...
Naha,	,,	29.89	759.2	...	...	S	4	...	,,	...	...	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	...	...	...	...	...
Bonin Is.	,,	30.08	764.1	...	...	S E	4	...	,,	...	...	...	...	...
Chefoo,	3 p.	30.25	768.3	47	63	...	0	b	6 a.	30.26	768.6	38	81	...
Weihaiwei,	,,	30.24	768.1	47	...	N	1	b	9 a.	30.28	769.1	47	...	E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.18	766.6	50	93	N E
Shanghai,	,,	30.13	763.5	54	74	N N E	3	o	9 a.	30.23	767.8	52	86	E N
Gutzlaff,	,,	30.11	764.8	51	93	N N E	5	om	,,	30.22	767.6	52	86	N E
Sharp Peak,	,,	29.99	761.7	59	76	N E	5	o	,,	30.16	766.0	60	88	E
Amoy,	,,	29.93	760.2	66	95	N E	1	o	6 a.	30.06	763.5	63	83	N E
Swatow,	,,	29.87	758.7	65	100	W	1	or	,,	30.05	763.2	58	94	N E
Taihoku,	1 p.	29.95	760.8	,,	...	N	4	...	5 a.	30.05	763.3	...	...	E
Taichu,	,,	29.91	759.8	...	...	N	4	...	,,	29.93	760.3	...	...	...
Tainan,	,,	29.89	759.3	...	...	N	4	...	,,	29.95	760.6	...	...	N
Koshun,	,,	29.86	758.5	...	...	W	2	...	,,	29.91	759.7	...	...	E
Pescadores,	,,	29.90	759.5	...	...	N	10	...	,,	29.96	761.0	...	...	...
Canton,	3 p.	29.90	759.4	68	95	N N W	1	o	9 a.	30.03	762.7	66	95	N
Hongkong,	4 p.	29.87	758.7	68	91	E	2	o	10 a.	30.03	762.7	65	80	N
Victoria Peak,	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	E
Gap Rock,	,,	29.88	758.9	...	...	E N E	3	...	,,	29.97	761.2	...	...	E
Macao,	,,	29.85	758.2	68	...	E N E	2	od	,,	30.05	763.2	67	...	E S
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.66	753.3	73	...	E N E	4	o	8 a.	29.90	759.5	70	...	E S
Tourane,	,,	29.74	755.4	77	...	S E	2	o	,,	29.91	759.7	77	...	...
Cape St. James,	,,	29.72	754.8	88	...	S	1	c	,,	29.80	756.9	84	...	E N
Aparri,	2 p.	29.81	757.1	86	...	N E	1	b	6 a.	29.90	759.4	73	...	...
Manila,	4 p.	29.76	756	91	44	S E	2	b	10 a.	29.92	760	90	55	E S
Legaspi,	2 p.	29.83	757.8	88	...	N E	1	b	6 a.	29.89	759.3	79	...	E
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N
Iloilo,	,,	29.81	757.2	90	...	N E	1	b	,,	29.87	758.7	84	...	N E
Cebu,	,,	29.80	756.9	87	...	N	1	b	,,	29.89	759.2	86	...	N
Labuan,	,,	29.69	754.1	88	...	...	...	...	,,	29.85	758.2	86	...	...

On the 9th at 12.05 p.—The barometer has risen moderately over S. China and Tongking.

The depression was moving Eastwards off the coast of S.W. Japan yesterday afternoon. The Jap[illegible] for this morning are lacking.

Pressure remains high over N. China, and relatively low over the China Sea.

Strong N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China S[illegible]

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh or strong; squally, some[illegible]
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Thursday, 9th April, 1908.

[Printed by Noronha & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER

	9TH APRIL, 1908, P.M.								10TH APRIL, 1908, A.M.							
	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Barometer.		Temperature.	Humidity.	Wind.		Weather.	
	Inches.	Millrs.			Direction.	Force.		Hour.	Inches.	Millrs.			Direction.	Force.		
p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...	
	30.22	767.6	49	...	E	3	b	9 a.	30.30	769.6	47	...	E	1	b	
	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
	30.13	765.3	57	69	E S E	2	o	9 a.	30.16	766.0	55	87	E	2	om	
	30.15	765.8	55	74	E N E	2	cv	,,	30.16	766.0	53	80	E	3	om	
	30.07	765.8	60	76	E N E	5	b	,,	30.13	765.3	59	88	N N E	2	c	
	30.02	762.5	67	79	N E	1	c	6 a.	30.09	764.3	64	84	N E	1	c	
	29.97	761.2	64	84	E	3	o	,,	30.05	763.2	60	82	N E	3	o	
	30.07	763.9	.	...	E	8	...	5 a.	30.05	763.3	...	...	E	6	...	
	29.97	761.2	...	...	N W	4	...	,,	30.01	762.3	...	...	...	0	...	
	29.96	761.1	...	...	N W	4	...	,,	30.02	762.4	...	...	N	4	...	
	29.96	761.0	...	...	N E	8	...	,,	29.99	761.6	...	...	W	2	...	
	30.00	762.0	...	...	N	10	...	,,	30.02	762.4	...	...	N	6	...	
p.	29.93	760.2	67	95	N	1	c	9 a.	30.06	763.5	68	90	E	1	o	
p.	29.94	760.5	64	83	E	5	oq	10 a.	30.06	763.5	66	78	E	4	o	
	...	...	...	...	E	6	...	,,	...	...	...	...	E	5	...	
	29.91	759.7	...	...	E	5	...	,,	30.03	762.7	...	...	E	5	...	
	29.94	760.5	66	...	E S E	4	o	,,	30.05	763.2	67	...	E S E	3	o	
p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...	
	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...	
p.	29.80	756.9	75	...	E S E	5	c	8 a.	29.93	760.2	72	...	E N E	4	o	
	29.89	759.2	79	...	N W	2	o	,,	29.95	760.8	77	...	...	0	c	
	29.73	755.2	86	...	S E	2	c	,,	29.85	758.2	81	...	E N E	3	c	
p.	29.87	758.6	86	...	N E	1	b	6 a.	29.94	760.4	73	...	S E	1	b	
p.	29.80	757	90	55	E S E	3	b	10 a.	29.92	760	84	64	S W	1	c	
p.	29.85	758.3	88	...	E	1	d	6 a.	29.91	759.8	77	...	N E	1	c	
p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N E	3	c	
	29.81	757.2	89	...	N E	2	b	,,	29.87	758.7	84	...	N E	2	b	
	29.81	757.2	86	...	N	2	o	,,	29.87	758.7	87	...	N	1	c	
	29.71	754.6	88	...	...	...	...	,,	29.85	758.2	84	...	...	...	...	

11.55 a.—The barometer has fallen slightly on the E. coast of China, and risen a little over the ng.
as high over N. China, and relatively low over the China Sea.
ate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China

returns are lacking.

ainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Neighbourhood, ...	E. winds, fresh to moderate; fair.
el, ...	N.E. and E. winds, fresh to moderate.
hina between Hongkong and Lamocks,..	Same as No. 2.
hina between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

bservatory, Friday, 10th April, 1908.

A & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	10th APRIL, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th APRIL, 1908, A. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wi Dire tion.
Wladivostock....	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Hakodate, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Tokio, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Kochi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Nagasaki, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Kagoshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	30.25	768.3	45	84	S W
Weihaiwei, ...	,,	30.23	767.8	51	...	N E	2	ovr	9 a.	30.32	770.1	47	...	S W
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang, ...	,,	30.08	764.0	55	100	N E	2	o	,,	30.17	766.3	52	100	N E
Shanghai, ...	,,	30.11	764.8	54	87	E,	2	omd	9 a.	30.14	765.5	52	100	E
Gutzlaff, ...	,,	30.13	765.3	53	93	E	3	omd	,,	30.15	765.8	52	100	E
Sharp Peak, ...	,,	30.06	765.5	60	88	N E	2	or	,,	30.13	765.3	62	94	N E
Amoy, ...	,,	30.02	762.5	68	79	S E	1	b	6 a.	30.10	764.5	66	89	N E
Swatow, ...	,,	29.96	761.0	71	66	E S E	1	c	,,	30.08	764.0	63	94	E
Taiboku, ...	1 p.	30.01	762.3	..	...	E	8	...	5 a.	30.00	762.0	...	...	E
Taichu, ...	,,	30.03	762.7	...	...	W	2	...	,,	30.03	762.8	...	...	...
Tainan, ...	,,	29.98	761.6	...	...	N	6	...	,,	30.02	762.6	...	...	N
Koshun, ...	,,	29.99	761.7	...	...	N E	4	...	,,	30.01	762.3	...	...	E
Pescadores, ...	,,	30.02	762.5	...	...	N	8	...	,,	30.03	762.7	...	...	N
Canton, ...	3 p.	29.98	761.5	73	86	...	0	o	9 a.	30.07	763.8	73	86	...
Hongkong, ...	4 p.	29.96	761.0	68	76	E	3	o	10 a.	30.08	764.0	70	78	E
Victoria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E
Gap Rock, ...	,,	29.92	759.9	...	...	E N E	4	...	,,	30.05	763.2	...	...	E
Macao, ...	,,	29.97	761.2	70	...	E S E	1	o	,,	30.07	763.8	69	...	S
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	29.80	757.0	77	...	S E	6	c	8 a.	29.96	761.0	72	...	E
Tourane, ...	,,	29.83	757.7	82	...	S W	2	c	,,	29.99	761.6	79	...	...
Cape St. James,	,,	29.75	755.7	86	...	E S E	3	c	,,	29.82	757.4	81	...	N
Aparri, ...	2 p.	29.89	759.3	88	...	N E	1	b	6 a.	29.96	761.0	73	...	S
Manila, ...	4 p.	29.80	757	88	54	E N E	3	c	10 a.	29.88	759	84	64	W
Legaspi, ...	2 p.	29.84	758.0	86	...	E	1	b	6 a.	29.89	759.2	79	...	N N
Bacolod, ...	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N
Iloilo, ...	,,	29.81	757.2	90	...	N E	1	c	,,	29.87	758.7	85	...	N
Cebu, ...	,,	29.81	757.2	85	...	...	0	o	,,	29.89	759.2	85	...	N
Labuan, ...	,,	29.84	757.9	88	...	...	...	...	,,	29.84	757.9	87	...	...

On the 11th at 11.45 a.—Barometric changes are slight.

Pressure remains high over Shantung, and relatively low over the S. part of the China Sea.

Moderate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the Chi

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate ; fair.
2.—Formosa Channel, ...	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIG
Director.

Hongkong Observatory, Saturday, 11th April, 1908.

[Printed by Noronha & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER.

11TH APRIL, 1908, P.M.							12TH APRIL, 1908, A.M.							
Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
30.14	765.5	53	67	E	3	c	6 a.	30.10	764.5	47	93	S	1	or
30.14	765.5	55	...	E	2	o	9 a.	30.08	764.0	45	...	N W	2	o
30.10	764.5	55	100	N	1	c	6 a.	30.16	766.0	53	100	N W	1	or
...	...	...	...	...	...	...	,,	30.19	766.8	55	100	W	2	or
...	...	...	...	...	...	...	9 a.	30.09	764.3	52	100	N W	2	omd
30.08	764.0	52	100	E N E	2	f	,,	30.08	764.0	53	100	N W	2	om
30.04	763.0	65	95	N E	1	c	,,	30.06	763.5	65	100	...	0	f
30.06	763.5	69	85	S E	1	b	6 a.	30.09	764.3	67	89	S E	1	b
29.97	761.2	60	82	E S E	3	...	,,	...	...	...	...	...	...	...
30.02	762.4	..	...	E	6	...	5 a.	30.02	762.6	...	...	...	0	...
30.00	762.0	...	...	W	2	...	,,	30.02	762.5	...	...	...	0	...
30.00	762.1	...	...	S	2	...	,,	30.03	762.7	...	...	N	2	...
30.01	762.2	...	...	E	6	...	,,	30.01	762.3	...	...	E	4	...
30.04	763.1	...	...	N	6	...	,,	30.03	762.7	...	...	N	4	...
30.00	762.0	76	82	S	1	c	9 a.	...	...	...	...	...	...	...
29.99	761.7	69	79	E	2	o	10 a.	30.07	763.8	74	75	E	2	o
...	...	...	...	E	6	...	,,	...	...	...	...	E S E	3	...
29.94	760.5	...	...	E N E	4	...	,,	30.04	763.0	...	...	E N E	4	...
29.98	761.5	71	...	E S E	1	o	,,	30.08	764.0	75	...	N N E	1	o
...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
29.87	758.8	77	...	S S E	6	c	8 a.	30.06	763.4	73	...	E N E	4	o
29.87	758.6	84	...	S E	2	c	,,	30.02	762.5	81	...	...	0	c
29.74	755.3	84	...	E N E	4	c	,,	29.84	757.9	84	...	N E	5	c
29.92	760.0	86	...	E	1	b	6 a.	29.97	761.3	73	...	S	1	b
29.84	758	88	59	E S E	3	c	10 a.	29.92	760	86	59	W	2	c
29.85	758.3	88	...	N E	1	b	6 a.	29.89	759.3	77	...	...	0	o
...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N E	3	o
29.81	757.2	89	...	N	2	b	,,	29.87	758.7	83	...	N E	1	c
29.89	756.9	87	...	N	1	b	,,	29.89	759.2	84	...	N	1	c
29.68	753.9	88	...	...	...	...	,,	...	...	...	...	...	...	...

11.50 a.—The barometer has fallen considerably in N. China, and risen moderately over Tongking. area appears to be moving Eastwards over N. China, and the highest pressure is now shown over

ight over S. China, and light to moderate N.E. winds may be expected in the Formosa Channel he China Sea.

nfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

eighbourhood, ...	N.E. winds, light or moderate ; fair.
,, ...	Same as No. 1.
ina between Hongkong and Lamocks,..	Same as No. 1.
ina between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ervatory, Sunday, 12th April, 1908.

& Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th APRIL, 1908, P.M.								13th APRIL, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Tokio, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Kochi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Kagoshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	30.23	767.8	38	72	S W	1
Weihaiwei, ...	,,	30.06	763.5	47	...	N W	1	b	9 a.	30.25	768.3	45	...	N N W	2
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.23	767.8	53	100	N E	1
Kiukiang, ...	,,	30.22	767.6	55	...	N E	2	b	,,	30.23	767.8	52	93	...	0
Shanghai, ...	,,	30.09	764.3	51	86	N	2	o	9 a.	30.24	768.1	52	60	N N E	1
Gutzlaff, ...	,,	30.08	764.0	51	93	N	4	omd	,,	30.24	768.1	58	79	N	3
Sharp Peak, ...	,,	29.96	761.0	69	100	N E	1	f	,,	30.15	765.8	61	77	N N E	5
Amoy	,,	30.00	762.0	70	85	S E	3	c	6 a.	30.05	763.2	67	84	N E	1
Swatow, ...	,,	29.95	760.7	78	78	E	1	c	,,	29.94	760.5	67	95	S	1
Taihoku, ...	1 p.	30.01	762.2	..	...	N	4	...	5 a.	30.03	762.8	...	...	E	6
Taichu, ...	,,	30.01	762.2	...	...	W	2	...	,,	30.00	762.0	...	...	...	0
Tainan, ...	,,	30.01	762.2	...	...	W	6	...	,,	30.00	762.0	...	...	N	2
Koshun	,,	30.00	761.9	...	...	E	4	...	,,	30.00	761.9	...	...	...	0
Pescadores, ...	,,	30.03	762.7	...	...	N W	4	...	,,	30.01	762.1	...	...	N	0
Canton, ...	3 p.	...	...	82	79	E	1	c	9 a.	30.04	763.0	76	91	N W	1
Hongkong, ...	4 p.	29.98	761.5	76	70	E	2	o	10 a.	30.03	762.7	73	74	...	0
Victoria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N	1
Gap Rock, ...	,,	29.97	761.2	...	...	E N E	2	...	,,	30.03	762.7	...	...	N N E	1
Macao, ...	,,	30.00	762.0	76	...	E S E	1	c	,,	30.05	763.2	78	...	...	0
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.96	760.9	79	...	S S E	3	b	8 a.	30.05	763.2	75	...	E S E	1
Tourane, ...	,,	29.93	760.1	86	...	S E	3	b	,,	30.03	762.7	81	...	...	0
Cape St. James, .	,,	29.85	758.1	81	...	N N E	5	or	,,	29.82	757.3	84	...	N E	3
Aparri, ...	2 p.	29.93	760.3	84	...	N E	1	c	6 a.	29.93	760.3	75	...	S	1
Manila, ...	4 p.	29.84	758	90	48	E	3	c	10 a.	29.96	761	90	48	E S E	1
Legaspi, ...	2 p.	29.87	758.8	81	...	E	1	o	6 a.	29.92	759.9	79	...	N E	1
Bacolod, ...	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	E N E	1
Iloilo, ...	,,	29.83	757.7	88	...	N E	2	c	,,	29.91	759.7	83	...	N E	1
Cebu, ...	,,	29.82	757.4	87	...	N	3	b	,,	29.92	759.9	83	...	...	0
Labuan, ...	,,	29.84	757.9	88	...	...	...	...	,,	29.90	759.4	85	...	...	...

On the 13th at 11.55 a.—The barometer has risen considerably in N. China, and fallen slightly on the S. c

The depression has moved Eastwards towards the Sea of Japan, and pressure is again high over China North of the Yangtze.

Fresh to strong N.E. winds are expected to set in over the Formosa Channel and the northern shores China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening ; fine at first, cloudy and
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 13th April, 1908.

CHINA COAST METEOROLOGICAL REGISTER.

TION.	13TH APRIL, 1908, P.M.								14TH APRIL, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o,.....	,,	29.53	750.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
ate,.....	,,	29.77	756.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.75	755.6	...	...	N W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.83	757.8	...	...	N E	2	...	,,	...	...	...	...	...	...	...
ki, ...	,,	29.95	760.8	...	...	N	4	...	,,	...	...	...	...	...	...	...
ima, ...	,,	29.96	760.9	...	...	N W	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.1	...	...	N E	8	...	,,	...	...	...	...	...	...	...
.....	,,	30.01	762.2	...	...	N	8	...	,,	...	...	...	...	...	...	...
ijima,....	,,	29.97	761.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
ls.....	,,	30.04	763.1	...	...	S	4	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.19	766.8	49	57	N E	1	b	6 a.	...	...	...	...	...	...	...
wei,.....	,,	30.16	766.0	51	...	N	2	b	9 a.	30.21	767.3	50	...	W	1	b
w,.....	,,	30.15	765.8	60	94	N E	1	o	6 a.	...	...	...	...	...	...	...
ng,.....	,,	30.21	767.3	58	81	N E	2	o	,,	...	...	...	...	...	...	...
ai, ...	,,	30.16	766.0	58	32	N E	2	...	9 a.	30.24	768.1	57	41	N N E	1	c
ff.	,,	30.18	766.6	54	74	N	3	bm	,,	30.24	768.1	53	61	N N E	2	cm
Peak,.....	,,	30.09	764.3	58	67	N N E	6	o	,,	30.14	765.5	57	81	N E	4	or
.....	,,	30.02	762.5	68	79	N E	2	o	6 a.	30.08	764.0	64	68	N E	3	c
.....	,,	29.91	759.7	69	80	E S E	4	c	,,	...	...	...	...	...	...	...
u,.....	1 p.	30.09	764.3	...	...	E	6	...	5 a.	30.01	762.1	...	...	E	6	...
.....	,,	29.98	761.5	...	...	N	6	...	,,	29.97	761.1	...	...	...	0	...
.....	,,	29.98	761.4	...	...	N	6	...	,,	29.97	761.1	...	...	N	6	...
.....	,,	29.95	760.7	...	...	E	4	...	,,	29.95	760.7	...	...	N E	6	...
ores, ...	,,	29.98	761.4	...	...	N	10	...	,,	29.98	761.4	...	...	N	8	...
.....	3 p.	29.93	760.2	84	72	N W	1	b	9 a.	30.03	762.7	73	86	E	1	c
ong, ...	4 p.	29.91	759.7	76	75	E	2	b	10 a.	30.02	762.5	69	79	E	4	c
a Peak,...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	E	4	...
ock,.....	,,	29.88	758.9	...	...	N N E	1	...	,,	29.98	761.5	...	...	E	5	...
.....	,,	29.93	760.2	79	...	S E	1	c	,,	30.03	762.7	69	...	S E	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.91	759.6	77	...	S E	3	b	8 a.	29.96	761.0	72	...	E S E	4	o
ie,.....	,,	29.90	759.5	86	...	E S E	1	c	,,	29.96	761.0	81	...	...	0	b
t. James,.	,,	29.76	755.9	82	...	E N E	4	c	,,	29.84	758.0	82	...	N E	4	c
.....	2 p.	29.86	758.4	86	...	N E	1	o	6 a.	29.90	759.5	75	...	S	1	b
.....	4 p.	29.80	757	88	60	S E	3	o	10 a.	29.92	760	86	59	W	2	b
i,.....	2 p.	29.87	758.7	86	...	N E	1	o	6 a.	29.89	759.2	77	...	N E	1	c
d,.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	c
.....	,,	29.81	757.2	86	...	N E	3	...	,,	29.91	759.7	84	...	N E	1	c
.....	,,	29.81	757.2	85	...	N	2	b	,,	29.90	759.4	86	...	N	2	c
.....	,,	29.73	755.1	88	...	...	...	...	,,	29.84	757.9	86	...	...	...	...

On the 14th at 11.50 a.—The barometer is inclined to fall at all stations, particularly at those around the N. of the China Sea.

Pressure is still high over China to the North of the Yangtze, and relatively low over the China Sea.

Fresh to strong N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	E. winds, fresh or strong ; cloudy misty.
rmosa Channel, ...	N.E. winds, strong.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 14th April, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th APRIL, 1908, P.M.								15th APRIL, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Chefoo,	3 p.	30.19	766.8	55	56	E	1	b	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.16	766.0	52	...	E	1	b	9 a.	30.18	766.6	56	...	E S E	1	
Hankow,	,,	30.12	765.0	65	73	N N E	1	o	6 a.	30.10	764.5	56	100	N E	1	
Kiukiang,	,,	30.15	765.8	62	72	N E	2	c	,,	30.18	766.6	52	93	E	2	
Shanghai,	,,	30.18	766.6	59	38	N E	2	c	9 a.	30.24	768.1	53	60	E	1	
Gutzlaff,	,,	30.21	767.3	56	63	N	2	cm	,,	30.25	768.3	53	60	E	2	
Sharp Peak,	,,	30.11	764.8	57	75	N N E	6	or	,,	30.21	767.3	57	81	N N E	3	
Amoy	,,	30.07	763.8	66	73	N E	1	o	6 a.	30.13	765.3	62	72	N E	1	
Swatow,	,,	29.94	760.5	70	61	E	2	c	,,	30.03	762.7	57	69	N E	2	
Taihoku,	1 p.	30.08	764.0	..	...	E	6	...	5 a.	30.10	764.5	...	...	E	6	
Taichu,	,,	30.01	762.2	...	...	N	4	...	,,	30.00	761.9	...	...	N	4	
Tainan,	,,	29.96	761.1	...	...	N W	6	...	,,	30.00	762.0	...	...	N	4	
Koshun	,,	29.96	761.0	...	...	N E	6	...	,,	29.97	761.3	...	...	N E	8	
Pescadores,	,,	30.00	762.0	...	...	N	10	...	,,	30.02	762.4	...	...	N	10	
Canton,	3 p.	29.92	759.9	79	78	S E	1	c	9 a.	30.00	762.0	68	90	E	2	
Hongkong,	4 p.	29.91	759.7	68	75	E	4	c	10 a.	30.91	762.2	64	83	E	5	
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	9	
Gap Rock,	,,	29.87	758.7	...	...	E	5	...	,,	29.96	761.0	...	...	E	5	
Macao,	,,	29.93	760.2	72	...	S E	2	o	,,	30.01	762.2	68	...	E S E	4	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.80	757.0	73	...	S E	5	or	8 a.	29.88	758.9	75	...	E	6	
Tourane,	,,	29.82	757.5	84	...	S E	1	b	,,	29.92	760.0	81	...	...	0	
Cape St. James,	,,	29.73	755.2	84	...	E N E	3	c	,,	29.86	758.3	82	...	E N E	3	
Aparri,	2 p.	29.85	758.2	86	...	N E	1	b	6 a.	29.93	760.3	77	...	W	0	
Manila,	4 p.	29.80	757	91	49	S S E	2	b	10 a.	29.92	760	90	60	S E	1	
Legaspi,	2 p.	29.87	758.6	79	...	E	1	o	6 a.	29.90	759.5	77	...	...	0	
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N E	1	
Iloilo,	,,	29.81	757.2	86	...	N E	1	o	,,	29.91	759.7	85	...	N E	1	
Cebu,	,,	29.79	756.6	87	...	N	1	b	,,	29.93	760.2	85	...	N	1	
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.85	758.2	83	...	...	...	

On the 15th at 11.35 a.—The barometer has risen slightly on the S.E. coast of China, and fallen a little o Tongking.

Pressure is high over the Yellow Sea, and low over Tongking and the N.W. part of the China Sea.

Strong N.E. winds may be expected in the Formosa Channel, and strong E. winds along the northern shores the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong to a moderate gale ; squally, rainy
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 15th April, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	15TH APRIL, 1908, P.M.								16TH APRIL, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o,.....	,,	30.20	767.1	...	...	N E	6	...	6 a.	...	...	...	...	...	...	...
...ite,.....	,,	30.13	765.2	...	...	S	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.98	761.6	...	...	N	8	...	,,	...	...	...	...	...	...	...
.....	,,	29.99	761.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
...ki,.....	,,	30.07	763.8	...	...	N	8	...	,,	...	...	...	...	...	...	...
...ima,.....	,,	30.00	761.9	...	...	N	4	...	,,	...	...	...	...	...	...	...
...,.....	,,	30.04	763.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
.....	,,	30.05	763.2	...	...	N E	6	...	,,	...	...	...	...	...	...	...
...rijima,....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ls.....	,,	29.89	759.1	...	...	S	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.07	763.8	66	90	S	2	o	6 a.	30.03	764.6	49	50	S W	1	o
...iwei,.....	,,	30.07	763.8	61	...	S W	3	o	9 a.	30.10	764.5	51	...	E	1	o
...w.....	,,	30.05	763.2	55	94	E	2	or	6 a.	30.10	764.5	53	93	S E	1	o
...ng,.....	,,	30.10	764.5	53	86	N E	3	o	,,	30.16	766.0	53	93	...	0	o
...ai,.....	,,	30.11	764.8	54	61	E	2	o	9 a.	30.08	764.0	53	93	S E	1	o
...ff.	,,	30.15	765.8	53	61	E	2	ov	,,	30.09	764.3	53	93	S E	3	om
...Peak,.....	,,	30.09	764.3	57	81	N N E	5	or	,,	30.04	763.0	55	100	...	0	or
.....	,,	30.07	763.8	63	72	N E	1	o	6 a.	30.05	763.2	62	89	N E	1	o
...v.....	,,	29.96	761.0	63	83	E N E	3	o	,,	...	...	...	...	...	...	...
...u.....	1 p.	30.06	763.6	..	...	E	6	...	5 a.	29.96	760.9	...	...	W	2	...
...,.....	,,	29.95	760.8	...	...	N W	4	...	,,	29.97	761.2	...	...	N	2	...
...,.....	,,	29.94	760.6	...	...	N W	2	...	,,	29.97	761.1	...	...	N	2	...
...n.....	,,	29.94	760.4	...	...	N E	10	...	,,	29.96	760.9	...	...	E	4	...
...ores, ...	,,	29.99	761.7	...	...	N	10	...	,,	29.96	761.0	...	...	N	2	...
...,.....	3 p.	29.91	759.7	69	90	S E	1	or	9 a.	30.00	762.0	67	95	...	0	o
...ong, ...	4 p.	29.91	759.7	65	79	E	4	oq	10 a.	30.00	762.0	64	93	E	4	o
...a Peak,...	,,	...	...	...	...	E	6	...	,,	...	...	...	...	S E	5	...
...ock,.....	,,	29.86	758.4	...	...	E	5	...	,,	29.95	760.7	...	...	E	4	...
.....	,,	29.92	759.9	68	...	E S E	3	o	,,	30.00	762.0	68	...	E S E	3	od
...,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...u,.....	4 p.	29.75	755.6	75	...	S S E	6	o	8 a.	29.89	759.3	75	...	E	4	o
...e,.....	,,	29.82	757.3	82	...	S E	2	c	,,	29.89	759.3	81	...	...	0	c
...t. James,.	,,	29.74	755.5	84	...	E S E	3	c	,,	29.87	758.7	82	...	N N E	1	o
.....	2 p.	29.85	758.3	88	...	N E	1	b	6 a.	29.91	759.8	77	...	S	1	b
...,.....	4 p.	29.76	756	93	45	E S E	1	c	10 a.	29.96	761	86	65	W N W	2	c
...i,.....	2 p.	29.85	758.1	86	...	N E	1	b	6 a.	29.94	760.5	75	...	N	1	o
...d,.....	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	N E	2	c
.....	,,	29.81	757.2	89	...	N E	1	o	,,	29.93	760.2	85	...	N E	1	c
.....	,,	29.80	756.9	87	...	N	2	c	,,	29.93	760.2	86	...	N	2	c
...h.....	,,	29.75	755.6	87	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 16th at 11.50 a.—The barometer has fallen considerably on the E. coast of China, and risen slightly over Philippines.

A depression appears to be developing over the Lower Yangtze.

Gradients have decreased, and moderate N.E. or variable winds may be expected in the Formosa Channel, and ...rate E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ngkong and Neighbourhood, ...	E. winds, moderate; squally, thunder showers.
...rmosa Channel, ...	N.E. or variable winds, moderate.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 16th April, 1908.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th APRIL, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th APRIL, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.04	763.1	...	...	W	8	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	30.01	762.2	...	...	S E	6	...	,,	...	...	...	...	...	...
Tokio, ...	,,	29.98	761.6	...	...	S	4	...	,,	...	...	...	...	...	...
Kochi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	30.03	762.8	...	...	W	6	...	,,	...	...	...	...	...	...
Kagoshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Bonin Is.	,,	30.01	762.1	...	...	W	4	...	,,	...	...	...	...	...	...
Chefoo, ...	3 p.	30.09	764.3	58	53	E	1	b	6 a.	30.11	764.8	42	66	S W	1
Weihaiwei, ...	,,	30.08	764.0	56	...	N	2	b	9 a.	30.15	765.8	51	...	W	2
Hankow, ...	,,	30.08	764.0	67	74	W N W	1	b	6 a.	30.09	764.3	59	94	N E	1
Kiukiang, ...	,,	30.12	765.0	60	82	W	1	c	,,	30.17	766.3	53	93	...	0
Shanghai, ...	,,	30.02	762.5	54	100	E	1	od	9 a.	30.15	765.8	58	70	E N E	1
Gutzlaff, ...	,,	30.06	763.5	53	100	N E	1	fd	,,	30.15	765.8	56	81	N N E	2
Sharp Peak, ...	,,	29.97	761.2	58	100	...	0	or	,,	30.06	763.5	59	92	N N E	4
Amoy, ...	,,	29.99	761.7	63	89	S S E	1	o	6 a.	30.04	763.0	63	89	N E	1
Swatow, ...	,,	29.99	761.7	64	95	E	1	o	,,	29.90	759.4	62	94	...	0
Taihoku, ...	1 p.	29.97	761.3	..	...	W	2	...	5 a.	29.98	761.5	...	...	...	0
Taichu, ...	,,	29.98	761.6	...	...	N	2	...	,,	29.92	760.0	...	...	N	6
Tainan, ...	,,	29.97	761.2	...	...	N	4	...	,,	29.91	759.7	...	...	N	4
Koshun	,,	29.92	760.0	...	...	S	4	...	,,	29.88	758.9	...	...	...	0
Pescadores, ...	,,	29.98	761.5	...	...	N E	6	...	,,	29.93	760.1	...	...	N	8
Canton, ...	3 p.	29.90	759.4	69	95	N	1	c	9 a.	30.01	762.2	65	95	E	2
Hongkong, ...	4 p.	29.90	759.4	65	94	E	2	od	10 a.	29.99	761.7	67	92	E	1
Victoria Peak, ...	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	2
Gap Rock, ...	,,	29.85	758.2	...	...	E N E	4	...	,,	29.95	760.7	...	...	N E	4
Macao, ...	,,	29.91	759.7	69	...	E	1	o	,,	29.99	761.7	68	...	N	3
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.83	757.6	73	...	N E	3	o	8 a.	29.96	761.0	66	...	W N W	1
Tourane, ...	,,	29.81	757.1	84	...	N E	1	c	,,	29.91	759.7	79	...	...	0
Cape St. James, .	,,	29.74	755.3	86	...	N E	1	b	,,	29.86	758.4	84	...	E	2
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.80	757	91	49	S E	2	c	10 a.	29.92	760	86	59	W	1
Legaspi, ...	2 p.	29.87	758.7	86	...	E	1	b	6 a.	29.88	758.9	75	...	...	0
Bacolod, ...	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N W	1
Iloilo, ...	,,	29.83	757.7	89	...	N E	2	c	,,	29.91	759.7	85	...	E	1
Cebu, ...	,,	29.84	757.9	86	...	N	2	b	,,	29.91	759.7	85	...	N E	1
Labuan, ...	,,	29.77	756.1	86	...	...	...	...	,,	29.84	757.9	83	...	...	...

On the 17th at 11.55 a.—The barometer has fallen a little over S. Formosa and the Philippines, and r slightly over Tongking and the E. coast of China.

Pressure is high over China to the North of the Yangtze and relatively low to the S. of Formosa.

Moderate to fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; showery at first, probably
2.—Formosa Channel, ...	N.E. winds, moderate to fresh. [proving l
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 17th April, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	17th APRIL, 1908, P.M.								18th APRIL, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
),.....	,,	29.81	757.1	...	...	S	6	...	6 a.	29.77	756.1	...	...	...	0	...
te,.....	,,	29.85	758.2	...	...	W	4	...	,,	29.85	758.2	...	...	W	4	...
.....	,,	29.87	758.6	...	...	S	4	...	,,	29.99	761.6	...	...	N W	2	...
.....	,,	29.87	758.8	...	...	S E	4	...	,,	30.03	762.8	...	...	S W	2	...
gi, ...	,,	29.95	760.8	...	...	N W	6	...	,,	30.03	762.8	...	...	N	2	...
ima, ...	,,	29.88	758.9	...	...	S E	2	...	,,	30.00	761.9	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	S	2	...
.....	,,	29.89	759.2	...	...	N E	6	...	,,	29.93	760.2	...	...	N E	4	...
ijima, ...	,,	29.85	758.3	...	...	N	8	...	,,	29.93	760.3	...	...	N E	4	...
is.....	,,	29.93	760.1	...	...	S	2	...	,,	29.77	756.1	...	...	N E	4	...
.....	3 p.	30.05	763.2	60	44	E S E	0	b	6 a.	30.02	762.5	54	49	S	1	b
wei,.....	,,	30.09	764.3	57	...	E	2	b	9 a.	30.05	763.2	65	...	S W	1	b
.....	,,	30.15	765.8	68	70	N N E	1	o	6 a.	30.09	764.3	59	94	N E	1	o
ng.....	,,	30.13	765.8	67	60	N E	3	b	,,	30.20	767.1	57	94	N E	2	b
si, ...	,,	30.09	764.3	64	48	N N E	1	c	9 a.	30.16	766.0	57	58	...	0	c
.....	,,	30.13	765.8	61	71	N N E	1	cv	,,	30.15	765.8	54	80	N N E	1	cv
eak,.....	,,	30.04	763.0	59	82	E N E	5	o	,,	30.12	765.0	58	88	N E	1	or
.....	,,	30.05	763.2	63	89	N E	1	or	6 a.	30.04	763.0	62	83	...	0	o
.....	,,	29.96	760.7	61	94	S	2	or	,,	29.96	761.0	59	88	N E	1	o
.....	1 p.	30.02	762.6	...	...	N W	2	...	5 a.	30.01	762.1	...	...	E	6	...
.....	,,	29.95	760.7	...	...	N W	6	...	,,	29.94	760.5	...	...	N	2	...
.....	,,	29.94	760.6	...	...	N	6	...	,,	29.94	760.4	...	...	N	4	...
.....	,,	29.91	759.7	...	...	N	2	...	,,	29.93	760.1	...	...	N E	4	...
res, ...	,,	29.97	761.2	...	...	N	10	...	,,	29.95	760.7	...	...	N	8	...
.....	3 p.	29.95	760.7	68	90	N E	2	o	9 a.	...	...	...	...	...	...	...
ng, ...	4 p.	29.93	760.2	65	94	E N E	3	op	10 a.	30.00	762.0	63	95	E	5	od
Peak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6	...
ck,.....	,,	29.89	759.2	...	...	E N E	4	...	,,	29.95	760.7	...	...	E N E	5	...
.....	,,	29.95	760.7	68	...	E N E	1	od	,,	30.00	762.0	65	...	E	2	od
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.87	758.8	70	...	S S E	1	o	8 a.	29.94	760.5	68	...	W	0	o
.....	,,	29.83	757.7	81	...	N	2	o	,,	29.91	759.6	77	...	N	2	c
James,.	,,	29.75	755.6	86	...	E S E	1	c	,,	29.83	757.6	82	...	E N E	1	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	91	55	S S W	2	...	10 a.	29.92	760	84	71	W N W	1	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	73	...	...	0	b
.....	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N N E	1	c
.....	,,	29.85	758.2	87	...	...	0	o	,,	29.91	759.7	74	...	N E	1	b
.....	,,	29.82	757.4	86	...	...	0	c	,,	29.90	759.4	85	...	S E	2	b
.....	,,	29.83	757.7	89	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

n the 18th at 11.45 a.—A depression appears to be lying to the South of the Bonins where the barometer has considerably.

ressure has increased slightly over S. Japan and the Loochoos, and given way moderately on the N.E. coast of It is highest over the Lower Yangtze, and still relatively low over the N. part of the China Sea.

resh to strong N.E. winds may be expected in the Formosa Channel and along the northern shores of the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N.E. and E. winds, fresh to strong squally, drizzling
rmosa Channel, ...	Same as No. 1. [rain.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 18th April, 1908.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th APRIL, 1908, P.M.								19th APRIL, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.77	756.1	...	...	S	2	...	6 a.	29.97	761.1	...	...	W	6	
Hakodate,	,,	29.77	756.2	...	...	W	6	...	,,	30.05	763.2	...	...	...	0	
Tokio,	,,	29.98	761.6	...	...	S	4	...	,,	30.14	765.6	...	...	W	2	
Kochi,	,,	29.95	760.8	...	...	S	2	...	,,	30.19	766.8	...	...	S W	2	
Nagasaki,	,,	29.99	761.8	...	...	S W	4	...	,,	30.15	765.8	...	...	E	2	
Kagoshima,	,,	30.00	761.9	...	...	S E	4	...	,,	30.15	765.9	...	...	...	0	
Oshima,	,,	30.00	762.1	...	...	N	4	...	,,	30.12	765.1	...	...	...	0	
Naha,	,,	29.97	761.2	...	...	N E	6	...	,,	30.01	762.2	...	...	E	2	
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	29.97	761.3	...	...	E	8	
Bonin Is.	,,	29.89	759.1	...	...	N	4	...	,,	30.04	763.1	...	...	N	2	
Chefoo,	3 p.	30.02	762.5	70	53	E	1	b	6 a.	30.04	763.0	58	94	S E	1	
Weihaiwei,	,,	29.98	761.5	71	...	S	2	b	9 a.	30.10	764.5	66	...	S E	3	
Hankow,	,,	30.05	763.2	70	75	E	1	o	6 a.	30.03	762.7	59	94	S E	1	
Kiukiang,	,,	30.06	763.5	73	63	N E	1	b	,,	30.13	765.3	41	92	...	0	
Shanghai,	,,	30.08	764.0	66	45	E	1	c	9 a.	30.12	765.0	59	65	S E	1	
Gutzlaff,	,,	30.13	765.3	58	64	N E	1	cv	,,	30.14	765.5	57	87	S E	2	
Sharp Peak,	,,	30.06	763.5	59	82	N N E	5	o	,,	30.10	764.5	59	88	N	3	
Amoy,	,,	30.05	763.2	61	88	N E	1	o	6 a.	30.04	763.0	62	89	N E	1	
Swatow,	,,	29.97	761.2	60	94	E	2	o	,,	29.98	761.5	58	94	N E	1	
Taihoku	1 p.	30.03	762.8	..	...	E	6	...	5 a.	29.96	761.0	...	...	E	6	
Taichu,	,,	29.97	761.3	...	...	N	4	...	,,	29.97	761.2	...	...	...	0	
Tainan,	,,	...	...	...	...	N	6	...	,,	29.96	761.0	...	...	N	4	
Koshun	,,	29.94	760.4	...	...	N E	8	...	,,	29.94	760.4	...	...	N E	4	
Pescadores,	,,	29.98	761.6	...	...	N	10	...	,,	29.98	761.4	...	...	N	6	
Canton,	3 p.	29.96	761.0	65	95	...	0	or	9 a.	30.01	762.2	65	95	N E	1	
Hongkong,	4 p.	29.93	760.2	63	83	E N E	4	od	10 a.	30.01	762.2	64	91	E	4	
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	5	
Gap Rock,	,,	29.89	759.2	...	...	E N E	5	...	,,	29.95	760.7	...	...	E N E	5	
Macao,	,,	29.95	760.7	64	...	E N E	1	od	,,	30.00	762.0	66	...	N E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.87	758.6	72	...	S E	2	o	8 a.	29.93	760.1	70	...	E N E	5	
Tourane,	,,	29.82	757.3	77	...	N W	3	o	,,	29.92	760.0	77	...	N W	1	
Cape St. James,	,,	29.72	755.0	86	...	S E	2	c	,,	29.83	757.7	...	...	S E	2	
Aparri,	2 p.	...	...	...	...	...	...	..	6 a.	29.90	759.4	75	...	S	1	
Manila,	4 p.	29.76	756	91	55	S E	3	c	10 a.	29.92	760	90	55	E S E	1	
Legaspi,	2 p.	29.85	758.1	88	...	E	1	b	6 a.	29.90	759.5	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	E N E	1	
Iloilo,	,,	29.81	757.2	90	...	N E	2	b	,,	29.91	759.7	85	...	N E	2	
Cebu,	,,	29.80	756.9	87	...	N	1	b	,,	29.92	759.9	85	...	S E	1	
Labuan,	,,	29.86	758.2	86	...	...	...	...	,,	29.90	759.4	84	...	...	...	

On the 19th at 11.55 a.—The barometer has risen considerably over Japan and the Bonins, and fallen slig along the Yangtze.

Pressure is now highest over S. Japan. It is still relatively low over the N. part of the China Sea.

Fresh N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the Ch Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; squally, drizzling rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,

Hongkong Observatory, Sunday, 19th April, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	19TH APRIL, 1908, P.M.								20TH APRIL, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.04	763.1	...	...	N	4	...	6 a.	30.20	767.1	...	...	N	2	...
e,.....	,,	...	...	...	...	...	...	...	,,	30.21	767.2	...	...	...	0	...
.....	,,	30.14	765.6	...	...	S	6	...	,,	30.22	767.6	...	...	...	0	...
.....	,,	30.19	766.8	...	...	S	4	...	,,	30.27	768.8	...	...	S W	2	...
i.	,,	30.19	766.8	...	...	W	6	...	,,	30.27	768.8	...	...	...	0	...
ma.	,,	30.19	766.9	...	...	S E	2	...	,,	30.27	768.9	...	...	N E	2	...
.....	,,	30.00	762.1	...	...	E	4	...	,,	30.16	766.1	...	...	S	2	...
.....	,,	30.05	763.2	...	...	N E	4	...	,,	30.09	764.2	...	...	E	2	...
jima, ...	,,	30.01	762.3	...	...	N E	6	...	,,	30.01	762.3	...	...	E	2	...
s.....	,,	30.08	764.1	...	...	N E	2	...	,,	30.20	767.1	...	...	N E	4	...
.....	3 p.	30.07	763.8	72	27	S	4	b	6 a.	30.04	763.0	53	73	S W	2	c
ei,.....	,,	30.08	764.0	63	...	S	3	b	9 a.	30.06	763.5	62	...	E	2	b
.....	,,	30.03	762.7	73	67	S S E	1	c	6 a.	30.03	762.7	63	95	S E	0	c
g,.....	,,	30.06	763.5	71	71	N E	1	b	,,	30.10	764.5	61	94	...	0	o
i.	,,	30.08	764.0	...	...	S E	2	o	9 a.	...	...	61	88	S S E	2	cm
.....	,,	30.13	765.3	59	82	S E	1	om	,,	30.11	764.8	57	100	S E	3	fd
eak,.....	,,	30.06	763.5	61	88	N N E	2	o	,,	30.08	764.0	66	100	...	0	c
.....	,,	30.04	763.0	66	84	S E	2	c	6 a.	30.06	763.5	63	89	...	0	c
.....	,,	29.97	761.2	68	95	S E	1	c	,,	30.07	763.8	61	88	S E	1	c
.....	1 p.	29.98	761.6	..	...	E	6	...	5 a.	29.98	761.4	...	...	E	2	...
.....	,,	29.98	761.5	...	...	N	4	...	,,	29.98	761.5	...	...	...	0	...
.....	,,	29.99	761.7	...	...	N	4	...	,,	29.98	761.5	...	...	N	4	...
.....	,,	29.95	760.7	...	...	N E	8	...	,,	29.99	761.8	...	...	N E	6	...
res, ...	,,	30.00	762.0	...	...	N	6	...	,,	29.99	761.8	...	...	N	8	...
.....	3 p.	30.00	762.0	69	95	N E	1	o	9 a.	30.05	763.2	71	90	...	0	o
ng, ...	4 p.	29.93	760.2	65	94	E	3	od	10 a.	30.04	763.0	68	82	E	3	o
Peak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	4	...
k,.....	,,	29.89	759.2	...	...	E N E	5	...	,,	29.99	761.7	...	...	E N E	4	...
.....	,,	29.95	760.7	67	...	N E	1	o	,,	30.04	763.0	72	...	N E	1	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.85	758.3	73	...	E S E	4	b	8 a.	30.02	762.6	72	...	E N E	3	o
.....	,,	29.82	757.4	79	...	N W	2	c	,,	29.97	761.3	79	...	N	2	c
James,.	,,	29.73	755.1	86	...	S E	2	c	,,	29.81	757.1	81	...	S W	1	o
.....	2 p.	29.85	758.2	84	...	N E	1	o	6 a.	29.92	760.0	75	...	S W	1	o
.....	4 p.	29.81	757.1	93	36	S E	2	c	10 a.	29.92	760	90	48	E S E	1	c
.....	2 p.	29.86	758.5	86	...	N E	1	b	6 a.	29.91	759.7	77	...	N E	1	b
.....	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N E	1	c
.....	,,	29.79	755.5	88	...	N E	1	o	,,	29.91	759.7	83	...	N E	1	c
.....	,,	29.83	757.7	86	...	N	2	b	,,	29.91	759.7	85	...	S	1	b
.....	,,	29.84	757.9	88	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

n the 20th at 11.55 a.—The barometer has risen moderately over Japan, and fallen slightly on the E. coast of

ressure remains high over Japan. Gradients are easier over S. China, and moderate N.E. and E. winds may pected in the Formosa Channel and along the northern shores of the China Sea.

longkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.E. and E. winds; fair.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,...	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

[illegible] day, 20th April, 1908.

[illegible] Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th APRIL, 1908, P.M.								21st APRIL, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,.....	,,	30.16	766.1	...	...	S E	4	...	6 a.	30.08	764.1	...	...	S	6	
Hakodate,.....	,,	30.13	765.2	...	...	S E	6	...	,,	30.05	763.2	...	...	S W	8	
Tokio, ...	,,	30.18	766.6	...	...	S	6	...	,,	30.26	768.6	...	...	W	2	
Kochi, ...	,,	30.27	768.8	...	...	S E	4	...	,,	30.27	768.8	...	...	S W	2	
Nagasaki, ...	,,	30.19	766.8	...	...	S W	6	...	,,	30.15	765.8	...	...	S E	8	
Kagoshima, ...	,,	30.23	767.9	...	...	S	6	...	,,	30.19	766.9	...	...	N E	6	
Oshima,.....	,,	30.16	766.1	...	...	S E	6	...	,,	30.12	765.1	...	...	S E	4	
Naha,.....	,,	30.09	764.2	...	...	E	6	...	,,	30.01	762.2	...	...	S E	2	
Ishigakijima,....	,,	29.97	761.3	...	...	E	6	...	,,	29.97	761.3	...	...	E	6	
Bonin Is.....	,,	30.20	767.1	...	...	N E	4	...	,,	30.28	769.1	...	...	E	4	
Chefoo,.....	3 p.	29.95	760.7	75	44	S W	4	c	6 a.	30.05	763.2	47	100	...	0	
Weihaiwei,.....	,,	...	...	68	...	S	4	b	9 a.	30.11	764.8	57	...	N	1	
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.08	764.0	67	89	N W	1	
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	30.15	765.8	70	90	N E	2	
Shanghai, ...	,,	30.01	762.2	...	...	S S E	2	...	9 a.	30.07	763.8	60	94	N N E	1	
Gutzlaff, ...	,,	30.05	763.2	60	94	S	3	om	,,	30.05	763.2	60	94	N W	...	
Sharp Peak,.....	,,	30.00	762.0	66	89	E S E	3	c	,,	29.98	761.5	68	95	N	1	
Amoy.....	,,	30.01	762.2	68	85	S E	3	b	6 a.	29.99	761.7	67	89	N N E	1	
Swatow, ...	,,	29.93	760.2	70	100	E S E	1	c	,,	29.95	760.7	64	95	...	0	
Taihoku.....	1 p.	29.96	761.1	...	...	E	6	...	5 a.	29.91	759.8	...	...	E	4	
Taichu, ...	,,	29.97	761.3	...	...	N E	2	...	,,	29.93	760.3	...	...	...	0	
Tainan,.....	,,	30.02	762.6	...	...	N	4	...	,,	29.94	760.5	...	...	N	2	
Koshun.....	,,	29.98	761.4	...	...	N	6	...	,,	29.93	760.3	...	...	...	0	
Pescadores, ...	,,	30.02	762.4	...	...	N	6	...	,,	29.95	760.7	...	...	N	4	
Canton,.....	3 p.	29.88	758.9	80	74	...	0	o	9 a.	30.02	762.5	72	90	E	1	
Hongkong, ...	4 p.	29.93	760.2	72	76	E	3	c	10 a.	30.01	762.2	70	85	E	2	
Victoria Peak,...	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	E	3	
Gap Rock,.....	,,	29.91	759.7	...	...	E N E	4	...	,,	29.96	761.0	...	...	E N E	3	
Macao, ...	,,	29.95	760.7	72	...	E S E	1	o	,,	30.00	762.0	72	...	N E	1	
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,.....	4 p.	29.89	759.3	75	...	S S E	4	b	8 a.	30.06	763.4	68	...	W N W	6	
Tourane, ...	,,	29.87	758.7	84	...	N W	3	c	,,	30.00	761.9	79	...	N W	1	
Cape St. James,.	,,	29.77	756.1	84	...	S W	1	o	,,	29.87	758.6	81	...	S W	1	
Aparri, ...	2 p.	29.86	758.4	86	...	N E	1	b	6 a.	29.89	759.3	75	...	S	1	
Manila, ...	4 p.	29.80	757	93	31	S E	3	b	10 a.	29.92	760	90	48	E	1	
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	72	...	...	0	
Bacolod, ...	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	1	
Iloilo, ...	,,	29.83	757.7	89	...	N E	1	b	,,	29.91	759.7	84	...	N E	1	
Cebu, ...	,,	29.81	757.2	87	...	N	1	b	,,	29.90	759.4	84	...	S E	1	
Labuan, ...	,,	29.79	756.6	86	...	...	...	...	,,	29.86	758.4	83	...	...	...	

On the 21st at 11.55 a.—The barometer has risen slightly over Central China and Tongking, and fallen m rately over the S.E. coast of China and in S.W. and N.E. Japan.

An area of low pressure is moving Eastwards to the N. of Japan, and a second low area is progressing in same direction between the E. coast of China and S.W. Japan.

Pressure remains high over the Pacific to the S.E. of Japan.

Moderate to fresh N.E. and N. winds may be expected in the Formosa Channel and the N. part of the C Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. to N. winds, moderate; fair.
2.—Formosa Channel, ...	N.E. to N. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 21st April, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	21ST APRIL, 1908, P.M.								22ND APRIL, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o.....	,,	29.89	759.1	...	...	S W	10	...	6 a.	30.08	764.1	...	...	...	0	...
te,.....	,,	30.01	762.2	...	...	S W	8	...	,,	30.09	764.2	...	...	...	0	...
.....	,,	30.14	765.6	...	...	S	8	...	,,	30.18	766.6	...	...	S	6	...
.....	,,	30.23	767.8	...	...	S E	4	...	,,	30.11	764.8	...	...	S E	4	...
ki, ...	,,	30.07	763.8	...	...	S	8	...	,,	29.84	757.8	...	...	S E	8	...
ima, ...	,,	30.11	764.9	...	...	S	8	...	,,	29.92	759.9	...	...	S	6	...
.....	,,	30.08	764.1	...	...	S E	6	...	,,	29.85	758.1	...	...	S	6	...
.....	,,	30.01	762.2	...	...	S E	2	...	,,	29.81	757.2	...	...	S	4	...
ijima, ...	,,	29.92	760.3	...	...	E	6	...	,,	29.82	757.3	...	...	N W	2	...
ls.....	,,	30.24	768.1	...	...	E	4	...	,,	...	...	...	...	E	4	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	29.86	758.4	50	65	S	1	b
wei,.....	,,	30.03	762.7	62	...	E	2	b	9 a.	29.87	758.7	60	...	W	0	ovr
w, ...	,,	...	...	...	...	...	...	...	6 a.	29.96	761.0	60	88	S E	1	b
ng.....	,,	30.11	764.8	70	66	...	0	c	,,	30.10	764.5	54	...	...	0	b
ai, ...	,,	29.99	761.7	58	88	N N E	1	omd	9 a.	30.00	762.0	61	60	N W	1	b
.....	,,	29.99	761.7	55	100	N N E	3	fr	,,	30.02	762.5	59	88	N N W	2	cm
eak,.....	,,	29.89	759.2	69	100	...	0	or	,,	30.00	762.0	63	94	N	1	o
.....	,,	29.93	760.2	73	81	S E	3	c	6 a.	29.96	761.0	67	89	N E	4	o
.....	,,	29.85	758.2	76	91	E S E	1	b	,,	29.92	759.9	69	95	S E	1	b
.....	1 p.	29.90	759.5	..	...	N	6	...	5 a.	29.92	759.9	...	...	E	4	...
.....	,,	29.93	760.1	...	...	W	2	...	,,	29.88	758.8	...	...	N	6	...
.....	,,	29.92	759.9	...	...	N W	6	...	,,	29.88	758.8	...	...	N	4	...
.....	,,	29.89	759.2	...	...	N	6	...	,,	29.86	758.4	...	...	...	0	...
res, ...	,,	29.94	760.4	...	...	N W	4	...	,,	29.89	759.1	...	...	N	8	...
.....	3 p.	29.95	760.7	69	95	N W	1	or	9 a.	...	...	...	...	..	...	...
ng, ...	4 p.	29.89	759.2	74	81	W	1	o	10 a.	29.98	761.5	75	61	W	1	c
Peak,...	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N N E	1	...
ck.....	,,	29.88	758.9	...	...	N E	1	...	,,	29.96	761.0	...	...	N N E	2	...
.....	,,	29.92	759.9	73	...	E S E	1	o	,,	30.00	762.0	76	...	N	3	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	....
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.92	759.9	79	...	S S E	2	b	8 a.	30.05	763.2	73	...	N W	3	c
e, ...	,,	29.87	758.7	81	...	N W	3	c	,,	29.99	761.8	77	...	...	0	c
James,.	,,	29.74	755.5	84	...	S E	2	c	,,	29.86	758.4	77	...	N N E	2	o
.....	2 p.	29.82	757.4	88	...	N E	1	b	6 a.	29.86	758.3	75	...	S W	1	b
.....	4 p.	29.76	756	91	45	E S E	2	c	10 a.	29.88	759	86	59	W	1	b
.....	2 p.	29.84	757.9	86	...	E	1	b	6 a.	29.87	758.6	73	...	...	0	b
.....	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	E N E	2	c
.....	,,	29.82	757.4	90	...	N E	1	b	,,	29.89	759.2	74	...	N E	1	b
.....	,,	29.80	756.9	87	...	N	2	b	,,	29.89	759.2	86	...	S E	1	c
.....	,,	29.77	756.1	87	...	...	...	...	,,	29.86	758.4	85	...	...	...	...

On the 22nd at 11.25 a.—The barometer has risen in N.E. Japan, the depression lying to the North of Hokkaido day having moved into the Pacific.

Pressure has given way quickly over S.W. Japan and the Loochoos, the other depression having deepened considerably. It is now approaching S.W. Japan and moving in an Easterly direction.

Pressure remains high over the Pacific to the S.E. of Japan.

Moderate to fresh N. winds may be expected in the Formosa Channel and along the northern shores of the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N. winds, moderate; fine.
mosa Channel, ...	N. winds, moderate or fresh.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 22nd April, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd APRIL, 1908, P.M.								23rd APRIL, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.12	765.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...	
Hakodate,	,,	30.05	763.2	...	...	W	2	...	,,	...	...	...	...	...	...	
Tokio,	,,	30.10	764.6	...	...	S W	8	...	,,	...	...	...	...	...	...	
Kochi,	,,	29.91	759.8	...	...	S E	6	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	29.80	756.9	...	...	S	4	...	,,	...	...	...	...	...	...	
Oshima,	,,	29.81	757.1	...	...	N W	2	...	,,	...	...	...	...	...	...	
Naha,	,,	29.89	759.2	...	...	W	4	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	29.93	760.3	...	...	N	4	...	,,	...	...	...	...	...	...	
Bonin Is.	,,	30.20	767.1	...	...	S E	6	...	,,	...	...	...	...	...	...	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.78	756.4	61	...	E N E	1	o	9 a.	29.63	752.6	61	...	S W	7	
Hankow,	,,	29.91	759.7	80	70	S W	1	b	6 a.	29.80	756.9	64	89	S E	1	
Kiukiang,	,,	30.03	762.7	77	53	N E	1	b	,,	29.90	759.4	60	82	...	0	
Shanghai,	,,	29.91	759.7	71	83	W	1	b	9 a.	29.89	759.2	66	64	S	2	
Gutzlaff,	,,	29.97	761.2	62	67	N W	1	bm	,,	29.95	760.7	60	76	S S E	3	
Sharp Peak,	,,	29.95	760.7	65	95	E	1	c	,,	30.01	762.2	68	100	...	0	
Amoy,	,,	29.94	760.5	70	80	S E	3	b	6 a.	30.02	762.5	67	84	..	0	
Swatow,	,,	29.87	758.7	71	90	E S E	2	b	,,	29.89	759.2	65	89	E	1	
Taihoku,	1 p.	...	...	..	...	E	6	...	5 a.	29.93	760.3	...	...	E	4	
Taichu,	,,	29.89	759.2	...	...	N	6	...	,,	29.93	760.1	...	...	...	0	
Tainan,	,,	29.88	759.0	...	...	N W	6	...	,,	29.92	759.9	...	...	N	2	
Koshun	,,	29.90	759.5	...	...	W	2	...	,,	29.93	760.1	...	...	E	4	
Pescadores,	,,	29.93	760.1	...	...	N	8	...	,,	29.93	760.1	...	...	N	6	
Canton,	3 p.	29.91	759.7	82	71	S	1	b	9 a.	29.99	761.7	73	86	E	1	
Hongkong,	4 p.	29.89	759.2	77	61	...	0	b	10 a.	30.00	762.0	72	66	E	2	
Victoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	E	1	
Gap Rock,	,,	29.88	758.9	...	...	N N E	2	...	,,	29.97	761.2	...	...	N N E	4	
Macao,	,,	29.91	759.7	79	...	N E	1	c	,,	30.01	762.2	75	...	E S E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.91	759.7	79	...	S S E	4	c	8 a.	29.96	761.0	75	...	N N W	2	
Tourane,	,,	29.90	759.4	79	...	N W	4	c	,,	29.97	761.1	77	...	...	0	
Cape St. James,	,,	29.75	755.7	82	...	E	3	c	,,	29.87	758.6	82	...	E	2	
Aparri,	2 p.	29.84	757.9	86	...	N	1	b	6 a.	29.88	759.0	77	...	S	1	
Manila,	4 p.	29.76	756	91	45	W S W	1	b	10 a.	29.92	760	86	65	W	1	
Legaspi,	2 p.	29.82	757.5	88	...	E	1	b	6 a.	29.89	759.1	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	N N E	1	
Iloilo,	,,	29.83	757.7	91	...	N E	1	o	,,	29.89	759.2	87	...	N E	1	
Cebu,	,,	29.80	756.9	88	...	N	1	b	,,	29.91	759.7	85	...	N	1	
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.86	758.4	84	...	...	...	

On the 23rd at 12.05 p.—The barometer has fallen quickly in the North owing to the appearance of an depression over N. China. It is apparently moving Eastwards.

Pressure is now highest over S. China, where gradients are slight.

Light or moderate variable winds may be expected in the Formosa Channel, and moderate N.E. and E. over the N. part of the China Sea.

The Japanese returns are not yet to hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light or moderate; fine.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 23rd April, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	23rd APRIL, 1908, P.M.								24th APRIL, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o,.....	,,	29.85	758.1	...	...	S	8	...	6 a.	...	...	...	...	...	...	...
ate,.....	,,	29.73	755.2	...	...	W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.75	755.6	...	...	S	8	...	,,	...	...	...	...	...	...	...
.....	,,	29.83	757.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
ki, ...	,,	29.95	760.8	...	...	S W	6	...	,,	...	...	...	...	...	...	...
ima, ...	,,	29.92	759.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
.....	,,	30.00	762.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
.....	,,	30.01	762.2	...	...	N	4	...	,,	...	...	...	...	...	...	...
ijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ls.....	,,	30.08	764.1	...	...	S E	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.58	751.3	75	95	S	2	o	6 a.	..	...	...	...	...	...	...
wei,.....	,,	29.64	752.8	67	...	S W	5	o	9 a.	29.93	760.2	47	...	N N W	5	o
w, ...	,,	29.73	755.1	89	69	S	1	b	6 a.	29.67	753.6	70	80	S E	1	c
ng,.....	,,	29.90	759.4	86	45	S	1	b	,,	29.81	757.2	72	71	N W	2	b
ai, ...	,,	29.78	756.4	75	56	S	3	c	9 a.	29.81	757.2	71	71	S	2	c
f, ...	,,	29.85	758.2	64	72	S	4	bm	,,	29.83	757.7	63	89	S	4	bm
Peak,.....	,,	29.93	760.2	68	90	N N E	1	b	,,	29.95	760.7	69	100	...	0	b
.....	,,	29.98	761.5	70	85	S	3	b	6 a.	30.00	762.0	68	85	E N E	1	b
.....	,,	29.90	759.4	75	90	E S E	2	b	,,	29.89	759.2	67	100	N E	1	c
n.....	1 p.	29.94	760.6	..	...	N	2	...	5 a.	29.93	760.3	...	...	...	0	...
.....	,,	29.94	760.5	...	...	W	2	...	,,	29.98	761.4	...	...	...	0	...
.....	,,	29.96	760.9	...	...	S W	6	...	,,	29.94	760.5	...	...	...	0	...
.....	,,	29.94	760.5	...	...	E	6	...	,,	29.92	760.0	...	...	...	0	...
res, ...	,,	29.96	761.1	...	...	N	6	...	,,	29.95	760.7	...	...	N	2	...
.....	3 p.	29.91	759.7	83	71	...	0	b	9 a.	29.97	761.2	74	86	...	0	o
ng, ...	4 p.	29.92	759.9	73	72	E	3	c	10 a.	29.96	761.0	76	82	E	1	c
a Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S S E	1	...
ck,.....	,,	29.90	759.4	...	...	N E	4	...	,,	29.92	759.9	...	...	N E	1	...
.....	,,	29.94	760.5	74	...	S E	1	c	,,	29.96	761.0	76	...	S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.84	757.9	79	...	S S E	5	b	8 a.	29.89	759.2	75	...	S E	3	o
e, ...	,,	29.85	758.3	81	...	N W	1	c	,,	30.00	761.9	79	...	S E	1	c
James,.	,,	29.74	755.3	84	...	S E	2	c	,,	29.87	758.6	82	...	E	1	c
.....	2 p.	29.86	758.4	88	...	N E	1	b	6 a.	29.90	759.4	75	...	S	1	b
.....	4 p.	29.80	757	93	46	S E	4	c	10 a.	29.92	760	86	65	W N W	1	c
.....	2 p.	29.85	758.2	88	...	E	1	b	6 a.	29.90	759.4	79	...	...	0	c
.....	3 p.	...	...	...	...	N W	3	o	9 a.	...	...	...	...	N N E	2	o
.....	,,	29.83	757.7	81	...	N E	1	o	,,	29.91	759.7	86	...	N E	1	b
.....	,,	29.82	757.4	88	...	N	2	b	,,	29.92	759.9	86	...	N	1	c
.....	,,	29.77	756.1	87	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

n the 24th at 12.05 p.—The barometer has risen quickly on the N.E. coast of China, the depression having
Eastwards towards the Sea of Japan.
ressure is relatively high over N. China, and the northern shores of the China Sea. It is still low along the
ze.
ight variable winds may be expected in the Formosa Channel and the N. part of the China Sea.
he Japanese returns are not yet to hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	E. or variable winds, light; fair.
osa Channel, ...	Variable winds, light.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 24th April, 1908.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th APRIL, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th APRIL, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.73	755.1	...	...	...	0	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	29.97	761.2	...	...	W	2	...	,,	...	...	...	...	...	...
Tokio, ...	,,	30.02	762.6	...	...	N W	2	...	,,	...	...	...	...	...	...
Kochi, ...	,,	29.99	761.8	...	...	S W	2	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	29.99	761.8	...	...	S E	8	...	,,	...	...	...	...	...	...
Kagoshima, ...	,,	30.04	762.9	...	...	E	2	...	,,	...	...	...	...	...	...
Oshima, ...	,,	30.04	763.1	...	...	S	2	...	,,	...	...	...	...	...	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	29.93	760.3	...	...	N E	2	...	,,	...	...	...	...	...	...
Bonin Is.	,,	30.08	764.1	...	...	S E	4	...	,,	...	...	...	...	...	...
Chefoo, ...	3 p.	30.06	763.5	37	91	N W	5	or	6 a.	30.07	763.8	42	58	W	1
Weihaiwei, ...	,,	30.03	762.7	34	...	N W	3	o	9 a.	30.15	765.8	46	...	W N W	2
Hankow, ...	,,	...	...	65	84	S W	6	o	6 a.	30.14	765.7	47	53	N	2
Kiukiang.....	,,	29.83	757.7	83	83	...	0	o	,,	30.19	766.8	49	85	N E	7
Shanghai, ...	,,	29.78	756.4	86	51	N N W	3	oq	9 a.	30.21	767.8	49	57	N N E	2
Gutzlaff, ...	,,	29.78	756.4	67	79	S	2	cv	,,	30.15	765.8	49	71	N	4
Sharp Peak,.....	,,	29.86	758.4	71	100	...	0	c	,,	30.04	763.0	63	78	N E	5
Amoy,.....	,,	29.92	759.9	72	76	S E	3	c	6 a.	29.94	760.5	73	86	S S E	1
Swatow, ...	,,	29.86	758.4	75	81	E	2	c	,,	...	...	...	...	...	...
Taihoku.....	1 p.	29.92	759.9	..	...	N W	6	...	5 a.	29.91	759.7	...	...	...	0
Taichu, ...	,,	29.92	760.9	...	...	N W	2	...	,,	29.92	759.9	...	...	...	0
Tainan,.....	,,	29.92	759.9	...	...	S W	4	...	,,	29.90	759.4	...	...	E	2
Koshun.....	,,	29.92	760.0	...	...	E	2	...	,,	29.93	760.3	...	...	E	2
Pescadores, ...	,,	29.93	760.3	...	...	N W	4	...	,,	29.91	759.6	...	...	...	0
Canton,.....	3 p.	29.87	758.7	84	79	S	1	c	9 a.	29.94	760.5	77	91	N E	1
Hongkong, ...	4 p.	29.85	758.2	74	82	E	3	c	10 a.	29.91	759.7	74	92	E	2
Victoria Peak,...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S	4
Gap Rock,.....	,,	29.83	757.7	...	...	N E	2	...	,,	29.89	759.2	...	...	E	2
Macao, ...	,,	29.88	758.9	76	...	S E	1	c	,,	29.91	759.7	75	...	S E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.76	755.8	77	...	S S E	5	c	8 a.	29.85	758.2	79	...	S E	5
Tourane, ...	,,	29.79	756.7	81	...	S E	2	c	,,	29.88	759.0	77	...	...	0
Cape St. James,.	,,	29.71	754.7	88	...	E	2	c	,,	29.82	757.3	81	...	E S E	1
Aparri, ...	2 p.	29.85	758.1	88	...	N E	1	b	6 a.	29.89	759.2	75	...	S E	1
Manila, ...	4 p.	29.80	757	91	49	E S E	3	b	10 a.	29.92	760	84	64	W N W	1
Legaspi, ...	2 p.	29.86	758.5	88	...	N E	1	b	6 a.	29.88	759.0	79	...	N E	1
Bacolod, ...	3 p.	...	...	...	...	N N E	...	o	9 a.	...	...	...	...	N	2
Iloilo, ...	,,	29.85	758.2	91	...	N E	2	b	,,	29.91	759.7	85	...	N E	1
Cebu, ...	,,	29.81	757.2	88	...	N	1	b	,,	29.90	759.4	86	...	N	1
Labuan, ...	,,	29.75	755.6	87	...	...	...	...	,,	29.84	757.9	86	...	...	...

On the 25th at 11.35 a.—The barometer has risen rapidly over Northern and Central China, and fallen slig over the S. coast and Tonking.

Pressure is now high over China to the North of the Yangtze, and relatively low over the northern shores the China Sea.

Strong N.E. winds are expected to set in again over the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening considerably; squally w
2.—Formosa Channel, ...	Same as No. 1. [s
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 25th April, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	25TH APRIL, 1908, P.M.								26TH APRIL, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	29.85	758.1	...	...	S	8	...	6 a.	30.12	765.1	...	...	E	4	...
te,.....	,,	29.85	758.2	...	...	W	6	...	,,	30.13	765.2	...	...	W	2	...
.....	,,	29.94	760.6	...	...	S	6	...	,,	30.02	762.6	...	...	W	2	...
.....	,,	29.99	761.8	...	...	S E	4	...	,,	29.99	761.8	...	...	...	0	...
ki, ...	,,	29.99	761.8	...	...	S W	4	...	,,	29.84	757.8	...	...	S E	4	...
ima, ...	,,	30.00	761.9	...	...	S E	4	...	,,	29.92	759.9	...	...	S	4	...
.....	,,	30.00	762.1	...	...	S E	2	...	,,	29.93	760.1	...	...	S E	6	...
.....	,,	29.93	760.2	...	...	S E	2	...	,,	29.93	760.2	...	...	S	2	...
ijima,....	,,	29.89	759.3	...	...	S	6	...	,,	29.89	759.3	...	...	S W	4	...
ls.....	,,	30.08	764.1	...	...	E	2	...	,,	30.12	765.1	...	...	S	2	...
,.....	3 p.	...	...	...	...	...	...	...	6 a.	30.01	762.2	45	46	S W	1	c
wei,.....	,,	30.06	763.5	55	...	W	2	ovr	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng,.....	,,	30.17	766.3	46	54	N E	6	or	,,	...	...	...	...	...	...	...
ai, ...	,,	30.11	764.8	46	77	N	2	omd	9 a.	30.14	765.5	50	72	N	1	o
ff.	,,	30.07	763.8	49	71	N N E	4	om	,,	30.12	765.0	50	72	N	2	om
Peak,.....	,,	30.00	762.0	61	77	N E	5	o	,,	30.05	763.2	59	82	N E	4	or
.....	,,	29.93	760.2	65	95	N E	4	or	6 a.	30.06	762.0	65	89	...	0	or
,.....	,,	29.82	757.4	72	100	E	2	or	,,	29.96	761.0	64	95	N E	2	o
m,.....	1 p.	29.96	761.1	..	...	E	8	...	5 a.	29.95	760.7	...	...	E	6	...
.....	,,	29.88	759.0	...	...	N W	4	...	,,	29.92	759.9	...	...	N	2	...
.....	,,	29.89	759.3	...	...	S W	4	...	,,	29.90	759.4	...	...	N E	2	...
.....	,,	29.89	759.2	...	...	S	4	...	,,	29.91	759.7	...	...	E	2	...
ores, ...	,,	29.91	759.6	...	...	N	6	...	,,	29.91	759.7	...	...	N	6	...
.....	3 p.	29.85	758.2	86	76	E N E	0	c	9 a.	29.95	760.7	68	90	N E	2	o
ong, ...	4 p.	29.80	756.9	78	87	...	0	o	10 a.	29.95	761.0	68	94	E	3	or
a Peak,...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	E	5	...
ock,.....	,,	29.78	756.4	...	...	S	3	...	,,	29.90	759.4	...	...	E N E	4	...
.....	,,	29.82	757.4	76	...	S E	1	odf	,,	...	...	...	...	...	...	...
,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	4 p.	29.72	754.8	79	...	S E	4	c	8 a.	29.85	758.1	79	...	E S E	5	o
e, ...	,,	29.76	755.8	81	...	S E	2	c	,,	29.86	758.3	79	...	...	0	c
. James,.	,,	29.70	754.5	88	...	E S E	2	c	,,	29.80	756.9	84	...	E	1	c
.....	2 p.	29.82	757.4	90	...	N E	1	b	6 a.	29.89	759.2	77	...	S E	1	o
.....	4 p.	29.76	756	93	46	E	1	c	10 a.	29.92	760	88	60	S E	3	c
i, ...	2 p.	29.82	757.5	88	...	E	1	b	6 a.	29.89	759.3	77	...	E	1	c
l, ...	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N E	1	c
.....	,,	29.81	757.2	90	...	N E	1	b	,,	29.89	759.2	86	...	N E	1	c
.....	,,	29.79	756.6	88	...	N	1	b	,,	29.89	759.2	87	...	N	2	c
.....	,,	29.71	754.6	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 26th at 11.55 a.—The barometer has risen in N.E. Japan the depression lying to the North of Hokkaido rday, having moved into the Pacific.
The barometer has risen slightly in S. China, and fallen slightly to moderately over N. China and S.W. Japan ctively.
A depression, developed over the Eastern Sea, is moving Eastwards near the coast of S.W. Japan. Pressure is high over the Yangtze and relatively low over the northern shores of the China Sea.
Fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	N.E. winds, fresh; squally, rainy.
rmosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 26th April, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th APRIL, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th APRIL, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	S E	2	...	6 a.	29.81	757.1	...	...	N W	4
Hakodate,	,,	30.09	764.2	...	...	N E	4	...	,,	29.85	758.2	...	...	...	0
Tokio,	,,	29.98	761.6	...	...	S	6	...	,,	29.83	757.6	...	...	S	6
Kochi,	,,	29.91	759.8	...	...	...	0	...	,,	29.80	756.8	...	...	S W	2
Nagasaki,	,,	29.87	758.8	...	...	N	6	...	,,	29.95	760.8	...	...	N	4
Kagoshima,	,,	29.88	758.9	...	...	S	2	...	,,	29.92	759.9	...	...	N W	4
Oshima,	,,	29.93	760.1	...	...	N	4	...	,,	29.89	759.1	...	...	N W	6
Naha,	,,	29.93	760.2	...	...	S W	2	...	,,	29.97	761.2	...	...	N	4
Ishigakijima,	,,	29.93	760.3	...	...	W	2	...	,,	29.97	761.3	...	...	N E	4
Bonin Is.	,,	30.04	763.1	...	...	N E	2	...	,,	30.01	762.1	...	...	E	4
Chefoo,	3 p.	29.95	760.7	54	49	N	2	b	6 a.	30.13	765.3	40	65	S W	1
Weihaiwei,	,,	29.93	760.2	53	...	N W	3	ovr	9 a.	30.16	766.0	47	...	N W	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	30.07	763.8	61	40	N W	1	c	9 a.	30.16	766.0	60	65	N W	1
Gutzlaff,	,,	30.09	764.3	57	58	N	2	cm	,,	30.16	766.0	57	87	N W	1
Sharp Peak,	,,	30.03	762.7	58	76	N E	5	o	,,	30.13	765.3	57	81	N E	4
Amoy,	,,	29.99	761.7	68	90	N E	1	or	6 a.	30.05	763.2	62	89	N E	1
Swatow,	,,	29.94	760.5	76	95	E	1	or	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.00	762.0	..	...	E	6	...	5 a.	30.01	762.2	...	...	E	6
Taichu,	,,	29.93	760.3	...	...	N	2	...	,,	29.95	760.7	...	...	N W	2
Tainan,	,,	29.90	759.4	...	...	W	4	...	,,	29.95	760.8	...	...	N	2
Koshun,	,,	29.90	759.4	...	...	E	4	...	,,	29.92	759.9	...	...	E	6
Pescadores,	,,	29.94	760.5	...	...	N	8	...	,,	29.95	760.8	...	...	N	8
Canton,	3 p.	29.90	759.4	68	90	N E	2	o	9 a.	30.03	762.7	65	95	N	1
Hongkong,	4 p.	29.86	758.4	69	97	E	3	or	10 a.	30.00	762.0	68	87	E	4
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E S E	7
Gap Rock,	,,	29.81	757.2	...	...	E N E	5	...	,,	29.93	760.2	...	...	E N E	5
Macao,	,,	29.87	758.7	71	...	N N E	1	or	,,	29.98	761.5	69	...	N E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.76	756.0	75	...	E N E	5	lt	8 a.	29.97	761.1	70	...	E N E	2
Tourane,	,,	29.76	755.9	81	...	...	0	o	,,	29.91	759.7	79	...	...	0
Cape St. James,	,,	29.71	754.6	88	...	E	2	c	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	77	...	S	1
Manila,	4 p.	29.80	757	93	74	S E	1	c	10 a.	29.92	760	84	64	W	2
Legaspi,	2 p.	29.83	757.6	86	...	N E	1	b	6 a.	29.83	758.9	81	...	N E	1
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N E	2
Iloilo,	,,	29.81	757.2	90	...	N E	1	b	,,	29.91	759.7	86	...	N E	...
Cebu,	,,	29.80	756.9	88	...	N	2	b	,,	29.89	759.2	88	...	...	0
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.84	757.9	83	...	...	...

On the 27th at 11.55 a.—The depression is moving N.E. across Japan.

The barometer has risen considerably to slightly over Northern and Southern China respectively.

Pressure remains high over China to the North of the Yangtze, and it is still relatively low over the N. part the China Sea.

Fresh or strong N.E. winds are likely to continue to prevail in the Formosa Channel and along the north shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 5.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or strong; squally, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th April, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	27th APRIL, 1908, P.M.								28th APRIL, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
te,.....	,,	29.81	757.2	...	...	S	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.63	752.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.76	755.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
ki, ...	,,	29.95	760.8	...	...	W	4	...	,,	...	...	...	...	...	...	...
ima, ...	,,	29.96	760.9	...	...	N W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.97	761.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
ijima,....	,,	29.97	761.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
ds.....	,,	29.96	761.1	...	...	S E	4	...	,,	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	30.22	767.6	47	34	S E	1	b
wei,.....	,,	30.12	765.0	51	...	W	3	b	9 a.	30.17	766.3	57	...	W N W	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ai, ...	,,	30.11	764.8	67	37	E N E	1	o	9 a.	30.20	767.1	61	45	E S E	1	o
.....	,,	30.13	765.3	58	76	N E	1	om	,,	30.25	768.3	57	69	E	2	cm
eak,.....	,,	30.10	764.5	56	81	N N E	5	or	,,	30.19	766.8	55	80	N E	4	or
.....	,,	30.03	762.7	63	83	N E	2	o	6 a.	30.09	764.3	62	89	N E	1	o
.....	,,	29.97	761.2	64	89	E	4	o	,,	30.06	763.5	60	100	E N E	2	c
a.....	1 p.	30.07	763.7	..	...	E	6	...	6 a.	30.06	763.6	...	...	E	6	...
.....	,,	29.99	761.7	...	...	N	6	...	,,	29.98	761.5	...	...	N	2	...
.....	,,	29.96	761.1	...	...	N	4	...	,,	29.98	761.4	...	...	N	2	...
.....	,,	29.95	760.8	...	...	N	6	...	,,	29.94	760.5	...	...	N E	8	...
res, ...	,,	29.99	761.8	...	...	N	10	...	,,	29.99	761.8	...	...	N	10	...
.....	3 p.	29.96	761.0	65	95	N E	1	o	9 a.	30.04	763.0	64	100	N	1	o
ng.	4 p.	29.93	760.2	66	93	E	4	od	10 a.	30.03	762.7	66	93	E	3	od
Peak,...	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	E	6	...
ck,.....	,,	29.88	758.9	...	...	E	5	...	,,	29.98	761.5	...	...	E N E	5	...
.....	,,	29.94	760.5	69	...	N E	1	or	,,	30.02	762.5	70	...	E	1	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.89	759.1	72	...	N N E	1	o	8 a.	30.01	762.2	70	...	N N W	1	o
e, ...	,,	29.83	757.7	82	...	N N W	1	c	,,	29.94	760.4	81	...	...	0	c
James,.	,,	29.73	755.1	86	...	S E	2	c	,,	29.84	757.8	86	...	E	1	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	29.91	759.6	77	...	S E	1	b
.....	4 p.	29.76	756	93	46	S E	2	b	10 a.	29.92	760	90	55	E N E	0	c
.....	2 p.	29.84	758.0	88	...	E	1	b	6 a.	29.90	759.4	81	...	N E	1	b
.....	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N W	2	c
.....	,,	29.81	757.2	86	...	N	1	b	,,	29.91	759.7	86	...	N E	1	b
.....	,,	29.80	756.9	89	...	N	2	b	,,	29.88	758.9	87	...	N	1	c
.....	,,	29.75	755.6	88	...	...	...	...	,,	29.90	759.4	86	...	...	...	...

)n the 28th at 11.55 a.—The barometer has risen slightly over the China coast.

Pressure remains high over N. China and the Yellow Sea, and relatively low over the N. part of the China Sea.

Fresh or strong N.E. winds may be expected in the Formosa Channel and along the northern shores of the Sea.

The Japanese returns are lacking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N.E. and E. winds, fresh or strong; squally, rainy.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 28th April, 1908.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th APRIL, 1908, P.M.								29th APRIL, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro, ...	,,	29.69	754.1	...	...	N	4	...	6 a.	29.81	757.1	...	...	N W	2	
Hakodate, ...	,,	29.81	757.2	...	...	W	8	...	,,	29.85	758.2	...	...	W	6	
Tokio, ...	,,	29.83	757.6	...	...	N	2	...	,,	30.06	763.6	...	...	N E	2	
Kochi, ...	,,	29.91	759.8	...	...	E	4	...	,,	30.15	765.8	...	...	S W	2	
Nagasaki, ...	,,	30.07	763.8	...	...	N	6	...	,,	30.23	767.8	...	...	N E	4	
Kagoshima, ...	,,	30.00	761.9	...	...	W	4	...	,,	30.15	765.9	...	...	N E	2	
Oshima, ...	,,	30.08	764.1	...	...	N	6	...	,,	30.12	765.1	...	...	...	...	
Naha.....	,,	30.05	763.2	...	...	N	8	...	,,	30.09	764.2	...	...	N E	2	
Ishigakijima,....	,,	30.01	762.3	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	6	
Bonin Is.....	,,	29.85	758.1	...	...	S W	4	...	,,	29.97	761.1	...	...	W	3	
Chefoo,.....	3 p.	30.01	762.2	62	79	N E	1	b	6 a.	30.19	766.8	54	80	S W	1	
Weihaiwei,.....	,,	30.10	764.5	67	...	N	1	b	9 a.	30.24	768.1	59	...	E	1	
Hankow, ...	,,	30.10	764.5	60	82	E S E	1	or	6 a.	...	...	...	...	...	...	
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	30.11	764.8	50	100	N E	2	
Shanghai, ...	,,	30.19	766.8	60	39	E	2	o	9 a.	30.25	768.3	52	79	S S E	2	
Gutzlaff, ...	,,	30.21	767.3	55	56	E N E	2	ov	,,	30.25	768.3	51	86	S S E	3	
Sharp Peak,.....	,,	30.15	765.8	58	81	N E	4	o	,,	30.17	766.3	56	81	N	4	
Amoy,.....	,,	30.09	764.3	62	94	N E	2	or	6 a.	30.10	764.5	62	89	...	1	
Swatow, ...	,,	29.99	761.7	61	94	E	4	o	,,	30.09	764.3	60	100	E	2	
Taihoku.....	1 p.	30.10	764.5	..	...	E	6	...	5 a.	30.02	762.5	...	...	E	6	
Taichu, ...	,,	29.99	761.7	...	...	N	6	...	,,	30.00	762.0	...	...	...	0	
Tainan,.....	,,	29.98	761.6	...	...	N	6	...	,,	29.99	761.8	...	...	N	4	
Koshun.....	,,	29.96	761.0	...	...	N E	6	...	,,	29.97	761.2	...	...	N	8	
Pescadores, ...	,,	30.02	762.4	...	...	N	10	...	,,	30.01	762.2	...	...	N E	10	
Canton,.....	3 p.	29.95	760.7	70	90	...	0	or	9 a.	30.02	762.5	68	95	S E	1	
Hongkong, ...	4 p.	29.95	760.7	65	93	E	3	odq	10 a.	30.03	762.7	65	91	E	5	
Victoria Peak,...	,,	...	...	...	...	E	7	...	,,	...	...	...	...	E	7	
Gap Rock,.....	,,	29.90	759.4	...	...	E N E	5	...	,,	29.98	761.5	...	...	E	5	
Macao, ...	,,	29.95	760.7	76	...	E	1	od	,,	30.02	762.5	68	...	E S E	4	
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,.....	4 p.	29.89	759.3	72	...	E S E	1	o	8 a.	29.95	760.6	73	...	E S E	2	
Tourane, ...	,,	29.83	757.8	86	...	...	0	c	,,	29.94	760.4	82	...	...	0	
Cape St. James,.	,,	29.74	755.3	86	...	E S E	2	c	,,	...	...	...	...	...	...	
Aparri, ...	2 p.	29.85	758.3	90	...	N E	1	b	6 a.	29.91	759.7	73	...	S	0	
Manila, ...	4 p.	29.80	757	91	44	S E	2	c	10 a.	29.92	760	86	65	S W	1	
Legaspi, ...	2 p.	29.86	758.3	88	...	N E	1	b	6 a.	29.89	759.2	81	...	E	1	
Bacolod, ...	3 p.	...	...	...	...	E N E	4	c	9 a.	...	...	...	...	...	...	
Iloilo, ...	,,	29.81	757.2	82	...	N E	2	b	,,	...	...	...	...	...	...	
Cebu, ...	,,	29.80	756.9	88	...	N	1	b	,,	...	...	...	...	...	...	
Labuan, ...	,,	29.75	755.6	89	...	...	...	...	,,	29.90	759.4	86	...	...	...	

On the 29th at 11.55 a.—The barometer has risen considerably over Japan, and fallen slightly in Tongking. Pressure is high over the Yellow Sea, and relatively low over the N. part of the China Sea.

Fresh or strong N.E. and E. winds may be expected in the Formosa Channel and along the Northern shore of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh or strong; squally, rainy.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 29th April, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	29TH APRIL, 1908, P.M.								30TH APRIL, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.81	757.1	...	...	S E	4	...	6 a.	30.01	762.1	...	...	N	8	...
te, ...	,,	29.85	758.2	...	...	W	8	...	,,	30.21	767.2	...	...	N	4	...
.....	,,	30.02	762.6	...	...	N W	8	...	,,	30.26	768.6	...	...	W	4	...
.....	,,	30.15	765.8	...	...	N E	4	...	,,	30.31	769.8	...	...	S W	2	...
ki, ...	,,	30.23	767.8	...	...	N E	6	...	,,	30.23	767.8	...	...	...	0	...
ima, ...	,,	30.19	766.9	...	...	S E	2	...	,,	30.27	768.9	...	...	N E	6	...
.....	,,	30.16	766.1	...	...	N E	2	...	,,	30.16	766.1	...	...	S E	2	...
.....	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	E	4	...
ijima, ...	,,	30.05	763.3	...	...	N E	6	...	,,	29.97	761.3	...	...	E	6	...
ls.....	,,	...	...	...	...	...	...	...	,,	30.12	765.1	...	...	N E	2	...
.....	3 p.	30.18	766.6	62	94	S S E	2	c	6 a.	30.11	764.8	61	...	..	5	or
wei, ...	,,	30.17	766.3	67	...	N E	2	b	9 a.	30.26	768.6	59	...	E	0	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng.....	,,	30.10	764.5	55	100	N E	2	or	,,	30.15	765.8	55	94	N E	2	o
ai, ...	,,	30.16	766.0	54	74	S E	2	od	9 a.	30.13	765.3	55	94	E S E	2	omd
i, ...	,,	30.17	766.3	53	80	S E	3	omp	,,	30.15	765.8	54	94	E S E	4	om
Peak, ...	,,	30.11	764.8	56	94	N N E	2	o	,,	30.06	763.5	61	94	...	0	o
.....	,,	30.06	763.5	65	84	N E	1	o	6 a.	30.05	763.5	64	89	...	0	or
.....	,,	29.97	761.2	63	100	E	3	or	,,	30.05	763.2	62	100	E N E	1	o
n.....	1 p.	30.02	762.6	..	...	E	6	...	5 a.	30.00	762.0	...	...	W	4	...
.....	,,	29.99	761.8	...	...	N W	6	...	,,	29.97	761.1	...	...	N	2	...
.....	,,	29.96	761.0	...	...	N	6	...	,,	29.95	760.8	...	...	N	4	...
.....	,,	29.96	761.1	...	...	N E	8	...	,,	29.94	760.4	...	...	N	4	...
ores, ...	,,	29.97	761.2	...	...	N	8	...	,,	29.93	760.3	...	...	N	10	...
.....	3 p.	29.95	760.7	71	90	S	1	o	9 a.	...	...	...	...	...	...	...
ng, ...	4 p.	29.94	760.5	65	93	E	4	odq	10 a.	30.02	762.5	68	89	E	4	oq
Peak, ...	,,	...	...	...	...	N E	7	...	,,	...	...	...	...	E S E	3	...
ck, ...	,,	29.90	759.4	...	...	E	4	...	,,	29.98	761.5	...	...	E	4	...
.....	,,	29.94	760.5	68	...	E S E	3	od	,,	30.01	762.2	71	...	E S E	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.80	756.8	81	...	S S E	3	c	8 a.	29.91	759.8	75	...	E S E	5	or
.....	,,	29.85	758.2	82	...	S E	2	c	,,	29.94	760.5	81	...	...	0	c
James, .	,,	29.77	756.1	86	...	N E	2	c	,,	29.86	758.3	84	...	N E	2	c
.....	2 p.	29.87	758.8	90	...	N E	1	b	6 a.	29.90	759.5	77	...	S	1	b
.....	4 p.	29.84	758	88	54	E	1	o	10 a.	29.92	760	90	55	E S E	1	c
.....	2 p.	29.87	758.8	88	...	N E	1	b	6 a.	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	S S E	1	c
.....	,,	29.85	758.2	88	...	N E	1	c	,,	29.91	759.7	85	...	N E	1	c
.....	,,	29.84	757.9	84	...	N	1	o	,,	29.90	759.4	86	...	N	1	c
.....	,,	29.75	755.6	89	...	...	...	...	,,	29.85	758.2	86	...	...	...	...

On the 30th at 11.55 a.—The barometer has risen in Japan, and fallen over the E. coast of China and the S. hoos.

The area of high pressure is now over S. Japan, and a low area appears to be developing over the S. part of the n Sea.

Moderate or fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	E. or N.E. winds, moderate; fair.
n.osa Channel, ...	N.E. winds, moderate or fresh.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 30th April, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th APRIL, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st MAY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	N	8	...	6 a.	30.36	771.1	...	...	S	2
Hakodate,	,,	30.20	767.2	...	...	N	8	...	,,	30.40	772.2	...	...	...	0
Tokio,	,,	30.22	767.6	...	...	N W	6	...	,,	30.42	772.6	...	...	N W	2
Kochi,	,,	30.31	769.8	...	...	S E	4	...	,,	30.39	771.8	...	...	...	0
Nagasaki,	,,	30.19	766.8	...	...	E	2	...	,,	30.27	768.8	...	...	E	2
Kagoshima,	,,	30.23	767.0	...	...	S E	6	...	,,	30.27	768.9	...	...	E	8
Oshima,	,,	30.16	766.1	...	...	E	6	...	,,	30.12	765.1	...	...	S E	6
Naha,	,,	30.05	763.2	...	...	E	6	...	,,	29.97	761.2	...	...	E	6
Ishigakijima,	,,	29.97	761.3	...	...	E	6	...	,,	29.93	760.3	...	...	S	6
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...	,,	30.28	769.1	...	...	N E	2
Chefoo,	3 p.	30.23	767.8	65	40	E N E	2	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.22	767.6	62	...	E	1	b	9 a.	30.23	767.6	55	...	S	1
Hankow,	,,	30.10	764.5	59	76	N W	1	o	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.11	764.8	59	94	N E	2	or	,,	30.18	766.6	55	100	...	0
Shanghai,	,,	30.06	763.5	58	94	E N E	2	om	9 a.	30.04	763.0	59	94	E	2
Gutzlaff,	,,	30.08	764.0	56	94	N E	1	fd	,,	30.03	762.7	57	94	E	3
Sharp Peak,	,,	29.98	761.5	62	94	E	1	c	,,	29.99	761.7	67	95	S S E	1
Amoy	,,	30.01	762.2	66	84	S E	2	c	6 a.	30.01	762.2	65	95	...	0
Swatow,	,,	29.90	759.4	73	86	S E	1	c	,,	...	...	...	...	...	...
Taihoku	1 p.	29.98	761.5	..	...	N	4	...	5 a.	29.95	760.8	...	...	...	0
Taichu,	,,	29.95	760.8	...	...	N W	2	...	,,	29.94	760.5	...	...	...	0
Tainan,	,,	29.94	760.5	...	...	N	6	...	,,	29.95	760.6	...	...	N E	2
Koshun	,,	29.95	760.8	...	...	S W	4	...	,,	29.94	760.4	...	...	...	0
Pescadores,	,,	29.98	761.5	...	...	N E	6	...	,,	29.95	760.8	...	...	N	4
Canton,	3 p.	29.89	759.2	75	95	S E	1	c	9 a.	29.96	761.0	75	90	S S E	1
Hongkong,	4 p.	29.92	759.9	70	83	E	3	o	10 a.	30.00	762.0	72	95	E	2
Victoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S	1
Gap Rock,	,,	29.89	759.2	...	...	E	4	...	,,	29.97	761.2	...	...	E	3
Macao,	,,	29.93	760.2	71	...	S E	2	o	,,	30.00	762.0	72	...	S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.9	81	...	S S E	6	c	8 a.	29.92	759.9	77	...	E S E	5
Tourane,	,,	29.85	758.3	84	...	S E	3	c	,,	29.95	760.8	81	...	...	0
Cape St. James,	,,	29.76	756.0	86	...	N N E	4	c	,,	29.87	758.7	84	...	N E	3
Aparri,	2 p.	29.85	758.3	90	...	N E	1	b	6 a.	29.90	759.5	77	...	S	1
Manila,	4 p.	29.80	757	93	46	S S E	2	b	10 a.	29.92	760	86	65	W S W	1
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.90	759.4	77	...	...	0
Bacolod,	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	E N E	2
Iloilo,	,,	29.85	758.2	91	...	N E	1	b	,,	29.91	759.7	86	...	N E	1
Cebu,	,,	29.82	757.4	88	...	N	1	b	,,	29.91	759.7	86	...	N	1
Labuan,	,,	29.75	755.6	87	...	...	...	...	,,	29.88	758.9	84	...	...	...

On the 1st at 12.05 p.—The barometer has risen considerably in E. Japan, and fallen slightly over the E. coast of China and the Loochoos.

The high pressure area is now central over S.E. Japan and a depression seems to be developing over the coast of China and the Eastern Sea.

Moderate to fresh variable winds may be expected in the Formosa Channel, and light or mederate E. and variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, light or moderate; cloudy, fog
2.—Formosa Channel,	Variable winds, moderate or fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st May, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	1ST MAY, 1908, P.M.								2ND MAY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	6 a.	30.28	769.1	...	...	W	2	...
te,.....	,,	30.36	771.2	...	...	S	2	...	,,	30.40	772.2	...	...	...	0	...
.....	,,	30.38	771.6	...	...	N E	2	...	,,	30.46	773.6	...	...	N W	2	...
.....	,,	30.35	770.8	...	...	S E	4	...	,,	30.31	769.8	...	...	...	0	...
ki, ...	,,	30.19	766.8	...	...	S E	6	...	,,	30.07	763.8	...	...	S E	8	...
ima, ...	,,	30.23	767.9	...	...	S	8	...	,,	30.08	763.9	...	...	S E	8	...
.....	,,	30.12	765.1	...	...	S E	8	...	,,	30.01	762.1	...	...	S E	8	...
.....	,,	29.97	761.2	...	...	S	2	...	,,	29.93	760.2	...	...	S E	4	...
ijima,....	,,	29.89	759.3	...	...	S	6	...	,,	29.89	759.3	...	...	N	4	...
ls.....	,,	30.20	767.1	...	...	N E	4	...	,,	30.24	768.1	...	...	N E	4	...
.....	3 p.	30.17	766.3	55	80	S E	2	o	6 a.	30.11	764.8	46	77	N E	6	o
wei,.....	,,	30.13	765.3	57	...	S W	2	o	9 a.	30.23	767.8	46	...	N	2	b
w, ...	,,	30.27	768.8	64	53	N N E	3	o	6 a.	30.28	769.1	52	66	N N W	1	o
ng.....	,,	30.21	767.3	60	94	N W	3	o	,,	...	...	...	...	...	...	...
ai, ...	,,	29.99	761.7	62	94	W	2	om	9 a.	30.15	765.8	54	80	N W	4	om
ff.	,,	29.99	761.7	59	100	S	1	f	,,	30.10	764.5	55	80	N N W	6	ov
Peak,.....	,,	29.95	760.7	66	95	N N E	1	c	,,	30.07	763.8	64	84	N E	4	o
.....	,,	29.95	760.7	68	90	S E	2	b	6 a.	30.06	763.5	67	95	N E	1	or
.....	,,	29.89	759.2	72	90	E	2	b	,,	...	...	...	...	...	...	...
n.....	1 p.	29.93	760.3	..	...	N	4	...	5 a.	30.01	762.1	...	...	E	6	...
.....	,,	...	...	...	...	N W	2	...	,,	29.93	760.2	...	...	N	2	...
.....	,,	29.93	760.3	...	...	N	6	...	,,	29.95	760.7	...	...	N	4	...
.....	,,	29.92	760.0	...	...	W	4	...	,,	29.89	759.1	...	...	...	0	...
res, ...	,,	29.95	760.8	...	...	N	4	...	..	29.95	760.8	...	...	N	8	...
.....	3 p.	29.94	760.5	71	95	N	3	o	9 a.	30.18	766.6	65	89	N	1	o
ng, ...	4 p.	29.92	759.9	72	94	E	2	od	10 a.	30.07	763.8	70	65	N	1	o
a Peak,...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	N	3	...
ck,.....	,,	29.87	758.7	...	...	E	2	...	,,	30.04	763.0	...	...	N	4	...
.....	,,	29.93	760.2	73	...	S E	1	o	,,	30.09	764.3	66	...	N W	3	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.91	756.7	70	...	N E	7	or	8 a.	30.13	765.3	...	...	W S W	5	c
e.	,,	29.84	757.9	86	...	S E	2	b	,,	30.06	763.6	79	...	N W	2	o
James,..	,,	29.77	756.1	86	...	E S E	3	c	,,	29.89	759.1	86	...	N N E	2	c
.....	2 p.	29.86	758.4	86	...	N	1	b	6 a.	29.90	759.4	75	...	S W	1	b
.....	4 p.	29.80	757	95	94	...	0	b	10 a.	29.92	760	86	71	W	2	c
.....	2 p.	29.86	758.4	86	...	N E	1	b	6 a.	29.90	759.4	77	...	..	0	c
.....	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N N E	1	o
.....	,,	29.81	757.2	91	...	N E	1	c	,,	29.91	759.7	86	...	N E	1	c
.....	,,	29.80	756.9	88	...	N	2	c	,,	29.90	759.4	86	...	N	1	c
.....	,,	29.78	756.4	89	...	...	...	...	,,	29.93	760.2	79	...	...	...	...

On the 2nd at 11.45 a.—The barometer has risen over China, and fallen over S.W. Japan and the Loochoos.
The depression over the Eastern Sea, is progressing slowly Eastwards.
Areas of high pressure of considerable intensity are lying over S.E. Japan, and China to the North of the Yangtze.
Gradients are rather steep, and strong N. to N.E. winds may be expected in the Formosa Channel and the N. of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N. winds, fresh ; fair.
mosa Channel, ...	N. to N.E. winds, strong.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 2nd May, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd MAY. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	3rd MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.20	767.1	...	...	S W	6	...	6 a.	30.20	767.1	...	...	S W	4
Hakodate, ...	,,	30.24	768.2	...	...	S E	2	...	,,	30.21	767.2	...	...	...	0
Tokio, ...	,,	30.38	771.6	...	...	S E	4	...	,,	30.30	769.6	...	...	...	0
Kochi, ...	,,	30.27	768.8	...	...	S E	4	...	,,	30.15	765.8	...	...	N E	2
Nagasaki, ...	,,	29.99	761.8	...	...	S E	10	...	,,	29.91	759.8	...	...	W	2
Kagoshima, ...	,,	30.11	764.9	...	...	S E	6	...	,,	29.88	758.9	...	...	E	10
Oshima,.....	,,	29.93	760.1	...	...	S E	4	...	,,	29.85	758.1	...	...	W	2
Naha,.....	,,	29.89	759.2	...	...	S W	12	...	,,	29.89	759.2	...	...	N W	2
Ishigakijima,....	,,	29.97	761.3	...	...	N	6	...	,,	29.97	761.3	...	...	N	2
Bonin Is.....	,,	30.20	767.1	...	...	N E	2	...	,,	30.16	766.1	...	...	N E	4
Chefoo.....	3 p.	30.23	767.8	50	51	N W	2	c	6 a.	30.06	763.5	48	43	S W	1
Weihaiwei,.....	,,	30.21	767.3	50	...	WNW	3	ovr	9 a.	30.03	762.7	55	...	E	1
Hankow, ...	,,	30.25	768.3	67	48	N W	1	b	6 a.	...	...	...	...	...	...
Kiukiang.....	,,	...	...	...	...	...	...	...	,,	30.24	768.1	54	100	N E	1
Shanghai, ...	,,	30.13	765.3	55	80	N	3	o	9 a.	30.12	765.0	53	67	N W	2
Gutzlaff, ...	,,	30.10	764.5	55	87	N N W	6	om	,,	30.09	764.3	56	75	N N W	...
Sharp Peak,.....	,,	30.06	763.2	65	100	...	0	or	,,	30.10	764.5	63	94	N E	1
Amoy.....	,,	30.12	765.0	68	90	N E	1	o	6 a.	30.12	765.0	65	89	N N E	3
Swatow, ...	,,	29.96	761.0	69	95	E S E	1	c	,,	30.12	765.0	63	94	E N E	1
Taihoku.....	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.05	763.3	...	...	E	4
Taichu, ...	,,	29.96	761.0	...	...	N	4	...	,,	30.01	762.1	...	...	N	2
Tainan,.....	,,	29.95	760.8	...	...	N W	6	...	,,	29.97	761.1	...	...	N	4
Koshun.....	,,	29.96	761.0	...	...	N	4	...	,,	29.95	760.8	...	...	N	4
Pescadores, ...	,,	29.99	761.7	...	...	N	8	...	,,	30.00	761.9	...	...	N	8
Canton,.....	3 p.	29.99	761.7	76	86	N	1	b	9 a.	30.13	765.3	69	90	N	2
Hongkong, ...	4 p.	29.99	761.7	74	59	W	1	c	10 a.	30.09	764.3	73	55	S W	1
Victoria Peak,...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N	1
Gap Rock,.....	,,	29.99	761.7	...	...	N N E	3	...	,,	30.06	763.5	...	...	N E	3
Macao, ...	,,	30.02	762.5	73	...	N	2	o	,,	30.09	764.3	73	...	N	2
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	30.00	761.9	77	...	S	2	c	8 a.	30.11	764.7	70	...	N	2
Tourane, ...	,,	29.98	761.6	79	...	N W	1	c	,,	30.04	763.1	77	...	...	0
Cape St. James,.	,,	29.81	757.1	90	...	E N E	2	c	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.88	759.0	88	...	N	1	b	6 a.	29.91	759.6	77	...	S W	1
Manila, ...	4 p.	29.84	758	88	60	N N W	2	c	10 a.	29.88	759	84	77	W	1
Legaspi, ...	2 p.	29.85	758.3	88	...	N E	1	b	6 a.	29.87	758.7	81	...	N E	1
Bacolod, ...	3 p.	...	...	...	...	S E	1	c	9 a.	...	...	...	...	N N E	1
Iloilo, ...	,,	29.85	758.2	92	...	N E	2	o	,,	29.91	759.7	87	...	N E	1
Cebu, ...	,,	29.81	757.2	88	...	N	2	b	,,	29.88	758.9	86	...	S E	1
Labuan, ...	,,	29.84	757.9	85	...	...	...	...	,,	...	...	...	...	...	...

On the 3rd at 11.45 a.—The barometer has fallen considerably over the N.E. coast of China, Japan and the Loochoos, and risen slightly over Formosa.

The depression is moving to the N.E. in the neighbourhood of Van Diemen Straits.

Pressure is high to the E. of Japan, and over Central China.

Fresh N. to N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, moderate ; fine.
2.—Formosa Channel, ...	N. to N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 3rd May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	3rd MAY. 1908. P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	4th MAY. 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.16	766.1	...	...	S	8	...	6 a.	30.12	765.1	...	...	S	6	...
te.....	,,	30.09	764.2	...	...	E	4	...	,,	29.93	760.2	...	...	S	2	...
.....	,,	30.18	766.6	...	...	S	6	...	,,	29.99	761.6	...	...	...	0	...
.....	,,	29.99	761.8	...	...	E	2	...	,,	29.72	754.8	...	...	...	0	...
di.	,,	29.80	756.8	...	...	E	4	...	,,	29.76	755.8	...	...	N	4	...
ima, ...	,,	29.80	756.9	...	...	E	8	...	,,	29.76	755.9	...	...	W	2	...
.....	,,	29.81	757.1	...	...	N	4	...	,,	29.77	756.1	...	...	N	6	...
.....	,,	29.93	760.2	...	...	N W	8	...	,,	29.89	759.2	...	...	N W	6	...
ijima.....	,,	29.97	761.3	...	...	N	8	...	,,	29.97	761.3	...	...	N	2	...
s.....	,,	30.08	764.1	...	...	S E	6	...	,,	30.01	762.1	...	...	E	6	...
.....	3 p.	29.91	759.7	67	46	E	1	b	6 a.	29.79	756.6	58	53	S W	5	o
wei.....	,,	29.89	759.2	58	...	E	1	ovt	9 a.	29.71	754.6	65	...	S E	1	ovt
.....	,,	30.11	764.8	68	65	N E	1	c	6 a.	...	...	...	...	...	...	...
ng.....	,,	30.15	765.8	71	95	N E	1	b	,,	30.09	764.3	57	100	S W	1	c
ai.	,,	30.03	762.7	66	40	N W	3	b	9 a.	29.98	761.5	67	46	W S W	1	c
.....	,,	30.05	763.2	61	71	N	2	bm	,,	30.01	762.2	61	77	W S W	1	cm
'eak.....	,,	30.03	762.7	64	95	N E	1	b	,,	30.04	763.0	66	100	...	0	b
.....	,,	30.09	764.3	67	84	S E	2	c	6 a.	30.07	763.8	63	78	...	0	b
.....	,,	29.96	761.0	67	100	E	2	c	,,	...	...	...	...	...	...	...
.....	1 p.	30.07	763.8	..	...	E	3	...	5 a.	30.01	762.3	...	...	...	0	...
.....	,,	29.97	761.3	...	...	N	6	...	,,	29.96	760.9	...	...	...	0	...
.....	,,	29.95	760.8	...	...	N	4	...	,,	29.97	761.2	...	...	...	0	...
.....	,,	29.97	761.2	...	...	E	4	...	,,	29.96	761.0	...	...	...	0	...
res, ...	,,	30.01	762.2	...	...	N	4	...	,,	29.98	761.4	...	...	N	8	...
.....	3 p.	30.01	762.2	78	86	N E	1	b	9 a.	30.07	763.8	65	89	...	0	c
ng, ...	4 p.	29.97	761.2	75	54	W	1	b	10 a.	30.04	763.0	73	73	E	1	o
Peak,...	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	E	1	...
ck,.....	,,	29.97	761.2	...	...	N E	2	...	,,	30.02	762.5	...	...	E N E	3	...
.....	,,	30.03	762.7	76	...	N	2	b	,,	30.03	762.7	73	...	S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.00	761.9	79	...	W N W	2	c	8 a.	30.05	763.2	72	...	N N E	1	o
e.....	,,	29.96	761.1	81	...	N	3	c	,,	30.01	762.2	77	...	...	0	b
James,.	,,	29.89	757.0	88	...	E S E	2	c	,,	29.90	759.5	84	...	N E	2	c
.....	2 p.	29.87	758.8	86	...	N	1	b	6 a.	29.90	759.5	75	...	S E	1	p
.....	4 p.	29.80	757	84	71	N E	4	c	10 a.	29.88	759	84	71	S W	1	b
.....	2 p.	...	...	...	...	...	...	...	6 a.	29.87	758.6	75	...	...	0	b
.....	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	N N E	2	o
.....	,,	29.85	758.2	90	...	S W	0	o	,,	29.91	759.7	85	...	N E	1	c
.....	,,	29.80	756.9	88	...	...	0	b	,,	29.87	758.7	87	...	S	1	b
.....	,,	29.83	757.7	87	...	...	...	...	,,	29.86	758.4	86	...	...	...	...

n the 4th at 11.30 a.—The barometer has fallen quickly over Central and Eastern Japan owing to the depression is progressing slowly northeastwards over Shikoku.
Pressure has decreased considerably over N. China where another depression is advancing Eastwards.
Pressure is relatively high over S. China.
Light or moderate variable winds are indicated in the Formosa Channel and moderate N.E. winds over the N. of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N. or variable winds, light; fair.
osa Channel, ...	Variable winds, light or moderate.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 4th May, 1908.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th MAY. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th MAY. 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	S	8	...	6 a.	30.01	762.1	...	...	S	6
Hakodate,	,,	29.86	758.2	...	...	...	0	...	,,	29.77	756.2	...	...	N	2
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	29.63	752.6	...	...	N	4
Kochi,	,,	29.64	752.8	...	...	N	4	...	,,	29.84	757.8	...	...	S W	2
Nagasaki,	,,	29.86	756.8	...	...	N	8	...	,,	29.91	759.8	...	...	...	0
Kagoshima,	,,	29.76	755.9	...	...	N W	8	...	,,	29.88	758.9	...	...	N	2
Oshima,	,,	29.81	757.1	...	...	N W	6	...	,,	29.89	759.1	...	...	N W	6
Naha,	,,	29.89	759.2	...	...	N W	6	...	,,	29.93	760.2	...	...	...	0
Ishigakijima,	,,	29.93	760.3	...	...	N	4	...	,,	29.93	760.3	...	...	N	2
Bonin Is.	,,	29.89	759.1	...	...	E	8	...	,,	29.86	758.4	...	...	W	6
Chefoo,	3 p.	29.69	754.1	69	95	N W	2	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.65	753.1	70	...	W S W	3	ovr	9 a.	29.80	756.9	58	...	E	1
Hankow,	,,	29.97	761.2	79	40	S W	2	b	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.01	762.2	77	95	W	1	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.87	758.7	76	34	S W	1	b	9 a.	29.96	761.0	71	57	S S W	1
Gutzlaff,	,,	29.94	760.5	67	64	W S W	1	bm	,,	29.97	761.2	62	67	S	2
Sharp Peak,	,,	29.94	760.5	67	95	E S E	1	b	,,	30.07	763.8	67	100	N	1
Amoy,	,,	29.98	761.5	67	79	S E	3	b	6 a.	30.00	762.0	66	84	N N E	1
Swatow,	,,	29.88	758.9	71	90	E	2	b	,,	...	...	...	...	...	...
Taiboku	1 p.	29.96	760.9	..	...	E	6	...	5 a.	29.93	760.2	...	...	...	0
Taichu,	,,	29.91	759.7	...	...	S W	2	...	,,	29.93	760.1	...	...	...	0
Tainan,	,,	29.94	760.4	...	...	W	4	...	,,	29.95	760.0	...	...	S E	2
Koshun	,,	29.94	760.4	...	...	N E	4	...	,,	29.97	761.1	...	...	...	0
Pescadores,	,,	29.96	761.1	...	...	N	6	...	,,	29.93	760.1	...	...	N	4
Canton,	3 p.	29.92	759.9	80	87	...	0	b	9 a.	29.97	761.2	75	90	...	0
Hongkong,	4 p.	29.90	759.4	75	65	W N W	1	b	10 a.	29.97	761.2	75	68	E N E	1
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	S	1
Gap Rock,	,,	29.90	759.4	...	...	E N E	2	...	,,	29.95	760.7	...	...	E N E	2
Macao,	,,	29.92	759.9	74	...	S E	1	c	,,	29.95	760.7	75	...	S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.2	79	...	S S E	1	o	8 a.	30.00	762.0	73	...	N	2
Tourane,	,,	29.88	759.0	84	...	N W	4	c	,,	29.98	761.5	79	...	...	0
Cape St. James,	,,	29.75	755.7	86	...	S S E	3	c	,,	29.84	757.9	84	...	N E	2
Aparri,	2 p.	29.86	758.2	84	...	N E	1	o	6 a.	29.85	758.1	77	...	E	1
Manila,	4 p.	29.76	756	88	66	E N E	2	ot	10 a.	29.84	758	84	71	W S W	1
Legaspi,	2 p.	29.80	757.0	90	...	E	1	b	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N	1
Iloilo,	,,	29.81	757.2	92	...	N E	1	b	,,	29.87	758.7	86	...	N E	1
Cebu,	,,	29.78	756.4	87	...	N	1	b	,,	29.87	758.7	85	...	S	1
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.86	758.4	84	...	...	...

On the 5th at 12.05 p.—The barometer has fallen considerably in E. Japan owing to the depression whic moving towards E.N.E. over S.E. Japan.

Pressure has increased moderately over W. Japan and the N.E. coast of China, and fallen slightly at the stati around the China Sea. It is relatively high over China to the South of the Yangtze, and slightly low in the neighb hood of N. Luzon.

Moderate N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light or moderate; fine.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 5th May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	5TH MAY. 1908, P.M.								6TH MAY. 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
vostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
:o,.....	,,	29.96	761.1	...	...	S W	2	...	6 a.	29.89	759.1	...	...	N E	6	...
ate,.....	,,	29.73	755.2	...	...	N W	4	...	,,	29.93	760.2	...	...	...	0	...
.....	,,	29.67	753.6	...	...	S	4	...	,,	29.99	761.6	...	...	..	0	...
.....	,,	29.80	756.8	...	...	S E	2	...	,,	29.99	761.8	...	...	W	2	...
ki, ...	,,	29.91	759.8	...	...	S W	6	...	,,	30.03	762.8	...	...	...	0	...
hima, ...	,,	29.88	758.9	...	...	W	4	...	,,	30.04	762.9	...	...	...	0	...
a.....	,,	29.93	760.1	...	...	N	6	...	,,	30.04	763.1	...	...	S	4	...
.....	,,	29.93	760.2	...	...	N W	6	...	,,	30.01	762.2	...	...	...	0	...
kijima,....	,,	29.93	760.3	...	...	N	2	...	,,	29.97	761.2	...	...	N E	2	...
ls.....	,,	29.89	759.1	...	...	S	2	...	,,	30.01	762.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	29.78	756.4	60	60	N E	1	b
iwei,.....	,,	29.79	756.6	60	...	E	1	b	9 a.	29.75	755.6	71	...	E	1	ovr
w, ...	,,	...	...	...	...	...	...	...	6 a.	29.95	760.7	63	89	S S E	1	b
ng.....	,,	29.97	761.2	80	100	N E	1	b	,,	29.98	761.5	59	100	S	1	b
hai, ...	,,	29.86	758.4	81	35	S W	1	b	9 a.	29.96	761.0	71	53	S S E	1	b
ff, ...	,,	29.93	760.2	71	66	S W	1	bm	,,	30.00	762.0	64	63	S	2	cm
Peak,.....	,,	29.91	759.7	67	95	E S E	1	c	,,	30.02	762.5	68	95	N N E	2	c
.....	,,	29.98	761.5	68	79	S	3	b	6 a.	30.03	762.7	67	84	N E	1	c
w.....	,,	29.89	759.2	72	76	E	2	c	,,	...	...	...	...	...	...	...
u.....	1 p.	29.92	759.9	..	...	E	4	...	5 a.	29.94	760.4	...	...	S	2	...
.....	,,	29.91	759.8	...	...	W	2	...	,,	29.95	760.7	...	...	...	0	...
.....	,,	29.93	760.1	...	...	W	4	...	,,	29.95	760.8	...	...	N E	2	...
n.....	,,	29.91	759.7	...	...	S	4	...	,,	29.93	760.1	...	...	N E	6	...
ores, ...	,,	29.94	760.4	...	...	E	6	...	,,	29.94	760.4	...	...	N	4	...
.....	3 p.	29.90	759.4	80	95	...	0	o	9 a.	30.00	762.0	76	95	S E	1	c
ong, ...	4 p.	29.83	758.9	74	80	E	1	c	10 a.	29.99	761.7	77	74	E	1	c
a Peak,...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	S S E	0	..
ock,.....	,,	29.85	758.2	...	...	E N E	2	...	,,	29.97	761.2	...	...	E	2	...
.....	,,	29.91	759.7	76	...	S E	1	c	,,	30.01	762.2	77	...	E S E	1	c
v.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n.....	4 p.	29.87	758.6	82	...	S S W	2	c	8 a.	29.99	761.7	77	...	S	1	b
e.	,,	29.87	758.6	81	...	N W	4	c	,,	29.98	761.4	79	...	...	0	c
t. James,.	,,	29.75	755.6	86	...	N E	2	o	,,	...	...	...	...	...	...	...
.....	2 p.	29.83	757.6	84	...	N E	1	c	6 a.	29.89	759.2	77	...	S	1	o
.....	4 p.	29.76	756	79	84	N E	0	o	10 a.	29.88	759	86	71	W S W	1	c
i.....	2 p.	29.78	756.3	88	...	E	1	c	6 a.	29.84	757.9	73	...	...	0	b
d.....	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	E N E	1	c
.....	,,	29.79	756.6	91	...	S W	2	b	,,	29.89	759.2	86	...	N E	1	b
.....	,,	29.75	755.6	88	...	N	1	c	,,	29.87	758.7	87	...	S	1	b
.....	,,	29.75	755.6	87	...	...	...	...	,,	29.86	758.4	86	...	...	...	...

On the 6th at 11.30 a.—The barometer has risen considerably in Japan, the depression having passed away over Pacific.

Barometric changes in other areas are slight. Pressure is low over N. China, and relatively high in a band extending over S. China, the Eastern Sea and the Pacific to the South of Japan.

Gradients are gentle in the South, and light variable winds may be expected in the Formosa Channel, and light and N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	E. or variable winds, light; fine.
rmosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 6th May, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th MAY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.93	760.1	...	...	N	6	...	6 a.	29.97	761.1	...	...	S W	4
Hakodate, ...	,,	29.89	759.2	...	...	S	4	...	,,	...	...	...	...	...	...
Tokio, ...	,,	29.98	761.6	...	...	S	6	...	,,	30.10	764.6	...	...	...	0
Kochi, ...	,,	30.03	762.8	...	...	S E	4	...	,,	30.11	764.8	...	...	S W	2
Nagasaki, ...	,,	30.07	763.8	...	...	W	8	...	,,	30.11	764.8	...	...	...	0
Kagoshima, ...	,,	30.04	762.9	...	...	E	2	...	,,	30.12	764.9	...	...	...	0
Oshima, ...	,,	30.04	763.1	...	...	N	4	...	,,	30.08	764.1	...	...	S	2
Naha, ...	,,	30.05	763.2	...	...	E	4	...	,,	30.01	762.2	...	...	...	0
Ishigakijima, ...	,,	30.01	762.3	...	...	E	6	...	,,	29.97	761.3	...	...	N E	4
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.08	764.1	...	...	...	0
Chefoo, ...	3 p.	29.67	753.6	...	...	S	3	b	6 a.	29.78	756.4	72	46	S S W	5
Weihaiwei, ...	,,	29.69	754.1	78	...	S W	...	ovr	9 a.	29.77	756.1	77	...	S W	6
Hankow, ...	,,	29.89	759.2	82	96	S W	2	b	6 a.	29.92	759.9	67	84	S E	1
Kiukiang, ...	,,	29.97	761.2	86	96	W	1	b	,,	29.97	761.2	60	88	...	0
Shanghai, ...	,,	29.91	759.7	77	46	S S E	2	b	9 a.	29.96	761.0	72	67	S S E	2
Gutzlaff, ...	,,	29.97	761.2	67	74	S S E	2	bm	,,	30.01	762.2	67	74	S	3
Sharp Peak, ...	,,	29.96	761.0	70	95	E	3	b	,,	30.02	762.5	73	100	S	1
Amoy, ...	,,	30.01	762.2	70	85	S W	3	b	6 a.	30.06	763.5	68	90	...	0
Swatow, ...	,,	29.92	759.9	74	90	E S E	3	b	,,	29.99	761.7	65	100	...	0
Taiboku	1 p.	29.98	761.5	..	...	E	2	...	6 a.	29.95	760.6	...	...	...	0
Taichu, ...	,,	29.96	760.9	...	...	W	2	...	,,	29.96	760.9	...	...	...	0
Tainan, ...	,,	29.96	761.0	...	...	S E	6	...	,,	29.96	760.9	...	...	N	2
Koshun	,,	29.96	761.0	...	...	N E	6	...	,,	29.95	760.6	...	...	N E	2
Pescadores, ...	,,	29.97	761.3	...	...	N	4	...	,,	29.96	760.9	...	...	N	4
Canton, ...	3 p.	29.92	759.9	83	96	...	0	c	9 a.	30.01	762.2	75	100	S E	1
Hongkong, ...	4 p.	29.92	759.9	75	79	E	2	o	10 a.	30.00	762.0	77	75	E	1
Victoria Peak, ...	,,	...	...	...	...	W	1	...	,,	...	...	...	...	E S E	1
Gap Rock, ...	,,	29.90	759.4	...	...	E	2	...	,,	29.97	761.2	...	...	E N E	3
Macao, ...	,,	29.94	760.5	76	...	S E	1	c	,,	30.01	762.2	79	...	E S E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.87	758.7	81	...	S S E	3	c	8 a.	29.96	761.0	75	...	E	1
Tourane, ...	,,	29.87	758.7	84	...	W	2	c	,,	29.97	761.3	81	...	...	0
Cape St. James, .	,,	29.75	755.6	86	...	N E	2	c	,,	29.84	757.8	86	...	N E	2
Aparri, ...	2 p.	29.87	758.6	84	...	N E	1	o	6 a.	29.89	759.3	79	...	S	1
Manila, ...	4 p.	29.76	756	90	60	N E	0	o	10 a.	29.88	759	84	77	W S W	1
Legaspi, ...	2 p.	29.80	756.9	90	...	N E	1	b	6 a.	29.85	758.2	75	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N E	1
Iloilo, ...	,,	29.81	757.2	89	...	S W	2	o	,,	29.91	759.7	85	...	S W	1
Cebu, ...	,,	29.80	756.9	89	...	...	0	b	,,	29.89	759.2	87	...	S	1
Labuan, ...	,,	29.86	758.4	86	...	...	...	...	,,	29.86	758.4	86	...	...	...

On the 7th at 12.05 p.—The barometer has risen moderately over Japan.

An area of low pressure appears to be moving Eastwards over S. Manchuria, and the highest pressure is shown over S. Japan.

Gradients continue slight in the South, and light variable winds may be expected in the Formosa Channel light to moderate E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, light or moderate; fine.
2.—Formosa Channel, ...	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 7th May, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	7TH MAY, 1908, P.M.								8TH MAY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o,.....	,,	29.96	761.1	...	...	S	8	...	6 a.	29.85	758.1	...	...	N	4	...
ate,.....	,,	29.89	759.2	...	...	S W	8	...	,,	29.93	760.2	...	...	...	0	...
.....	,,	30.06	763.6	...	...	S	6	...	,,	30.02	762.6	...	...	W	2	...
.....	,,	30.11	764.8	...	...	E	4	...	,,	30.03	762.8	...	...	S W	2	...
ki, ...	,,	30.07	763.8	...	...	S W	6	...	,,	29.99	761.8	...	...	S	4	...
ima, ...	,,	30.07	763.9	...	...	S	2	...	,,	30.04	762.9	...	...	E	2	...
.....	,,	30.04	763.1	...	...	E	4	...	,,	29.97	761.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	E	4	...	,,	29.89	759.2	...	...	...	0	...
ijima,....	,,	29.97	761.3	...	...	N E	6	...	,,	29.93	760.3	...	...	N E	2	...
Is.....	,,	30.08	764.1	...	...	N	2	...	,,	30.04	763.1	...	...	E	2	...
.....	3 p.	29.66	753.3	80	44	S	5	o	6 a.	...	...	...	...	...	...	...
wei,.....	,,	29.69	754.1	75	...	S W	5	o	9 a.	29.72	754.9	68	...	E	1	o
w, ...	,,	29.86	758.4	87	89	S	1	b	6 a.	29.78	756.4	72	81	E	2	o
ng,.....	,,	29.92	759.9	87	96	S W	1	b	,,	29.84	757.9	70	85	S W	1	c
al, ...	,,	29.87	758.7	78	61	S S E	2	c	9 a.	29.80	756.9	72	76	S	1	o
f, ...	,,	29.94	760.5	67	84	S S E	3	bm	,,	29.82	757.4	65	89	S	3	cm
Peak,.....	,,	29.95	760.7	73	95	E S E	3	b	,,	29.90	759.4	75	100	S E	1	b
.....	,,	29.96	761.0	72	85	S E	3	b	6 a.	29.96	761.0	69	95	S E	1	b
.....	,,	29.89	759.2	70	85	E S E	3	b	,,	29.90	759.4	66	100	...	0	b
.....	1 p.	29.95	760.7	..	...	E	4	...	5 a.	29.88	758.8	...	...	...	0	...
.....	,,	29.94	760.5	...	...	N W	4	...	,,	29.91	759.7	...	...	...	0	...
.....	,,	29.94	760.4	...	...	N W	6	...	,,	29.91	759.6	...	...	S E	2	...
.....	,,	29.94	760.4	...	...	N W	4	...	,,	29.90	759.4	...	...	N	3	...
ores, ...	,,	29.96	761.1	...	...	N	6	...	,,	29.91	759.6	...	...	N W	2	...
.....	3 p.	29.92	759.9	86	96	...	0	b	9 a.	29.92	759.9	77	95	E	1	o
ong, ...	4 p.	29.91	759.7	75	77	E	3	c	10 a.	29.92	759.9	76	86	E	2	o
a Peak,...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S E	3	...
ock,.....	,,	29.89	759.2	...	...	E N E	3	...	,,	29.90	759.4	...	...	E	2	...
.....	,,	29.93	760.2	77	...	S E	1	c	,,	29.93	760.2	78	...	S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n.....	4 p.	29.86	758.5	81	...	S E	3	b	8 a.	29.88	759.0	77	...	S S E	4	o
e.	,,	29.85	758.2	82	...	S E	1	c	,,	29.91	759.6	81	...	...	0	c
. James,.	,,	29.83	757.6	81	...	N E	3	c	,,	29.86	758.3	79	...	N N E	2	o
.....	2 p.	29.87	758.7	88	...	N E	1	b	6 a.	29.86	758.5	75	...	S W	1	b
.....	4 p.	29.80	757	91	61	S S W	1	c	10 a.	29.88	759	84	77	S S W	0	c
i, ...	2 p.	29.80	757.0	86	...	...	0	o	6 a.	29.85	758.1	75	...	...	0	b
l, ...	3 p.	...	...	...	...	S W	1	b	9 a.	...	...	...	...	E N E	1	b
.....	,,	29.83	757.7	88	...	N W	1	b	,,	29.89	759.2	85	...	S W	1	b
.....	,,	29.80	756.9	90	...	N	1	c	,,	29.87	758.7	87	...	S	1	c
.....	,,	29.73	756.4	84	...	...	...	...	,,	29.83	757.7	85	...	...	...	...

On the 8th at 12.05 p.—The barometer has fallen moderately over China and Japan.

A depression appears to be developing over China to the North of the Lower Yangtze, and the highest pressure is lying over the Pacific to the South of Japan.

Gradients continue slight in the South, and light or moderate S.E. winds may be expected in the Formosa nel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	S.E. winds, light; fair.
rmosa Channel, ...	S.E. winds, light or moderate.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 8th May, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	8th MAY. 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th MAY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	S E	2	...	6 a.	29.77	756.1	...	...	E	6
Hakodate,	,,	29.85	758.2	...	...	S E	4	...	,,	29.62	752.2	...	...	S W	4
Tokio,	,,	29.94	760.6	...	...	S	8	...	,,	29.83	757.6	...	...	W	2
Kochi,	,,	29.99	761.8	...	...	S	2	...	,,	29.88	758.8	...	...	S W	2
Nagasaki,	,,	29.95	760.8	...	...	S	4	...	,,	29.88	758.8	...	...	S E	2
Kagoshima,	,,	29.96	760.9	...	...	S E	2	...	,,	29.88	758.9	...	...	...	0
Oshima,	,,	29.93	760.1	...	...	E	2	...	,,	29.81	757.1	...	...	...	0
Naha,	,,	29.85	758.2	...	...	W	2	...	,,	29.81	757.2	...	...	...	0
Ishigakijima,	,,	29.85	758.3	...	...	S E	2	...	,,	29.82	757.3	...	...	N E	2
Bonin Is.	,,	30.00	762.1	...	...	E	2	...	,,	30.01	762.1	...	...	E	2
Chefoo,	3 p.	29.81	757.2	63	72	E	1	b	6 a.	29.94	760.5	52	93	...	0
Weihaiwei,	,,	29.78	756.4	60	...	S W	1	b	9 a.	29.88	758.9	61	...	E	2
Hankow,	,,	29.77	756.1	69	100	S E	1	or	6 a.	29.82	757.4	68	95	...	0
Kiukiang,	,,	29.83	757.7	71	95	N E	1	or	,,	29.85	758.2	68	95	...	0
Shanghai,	,,	29.72	754.9	77	73	S S E	2	o	9 a.	29.78	756.4	65	95	N E	2
Gutzlaff,	,,	29.75	755.6	64	89	S E	2	cm	,,	29.79	756.6	61	94	S E	2
Sharp Peak,	,,	29.82	757.4	74	95	E S E	1	b	,,	29.77	756.1	73	100	...	0
Amoy	,,	29.87	758.7	73	86	S E	3	b	6 a.	29.86	758.4	71	90	S S W	1
Swatow,	,,	29.80	756.9	77	86	E S E	1	c	,,	29.86	758.4	73	100	W S W	1
Taihoku,	1 p.	29.86	758.5	,,	...	N	4	...	5 a.	29.81	757.2	...	...	...	0
Taichu,	,,	29.86	758.4	...	...	W	2	...	,,	29.85	758.1	...	...	...	0
Tainan,	,,	29.89	759.1	...	...	W	6	...	,,	29.84	758.0	...	...	E	2
Koshun	,,	29.86	758.4	...	...	N W	6	...	,,	29.82	757.5	...	...	...	0
Pescadores,	,,	29.86	758.4	...	...	W	2	...	,,	29.84	757.8	...	...	S W	2
Canton,	3 p.	29.83	757.7	86	96	S S E	1	c	9 a.	29.86	758.4	79	90	S	1
Hongkong,	4 p.	29.82	757.4	79	77	S	1	c	10 a.	29.86	758.4	81	77	W	1
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S	3
Gap Rock,	,,	29.80	756.9	...	...	E	3	...	,,	29.84	757.9	...	...	S S E	2
Macao,	,,	29.85	758.2	77	...	S E	1	c	,,	29.88	758.9	80	...	S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	82	...	S S E	5	c	8 a.	29.81	757.2	79	...	S E	5
Tourane,	,,	29.78	756.4	70	...	S E	2	c	,,	29.87	758.7	81	...	...	0
Cape St. James,	,,	29.74	755.3	86	...	N N E	1	o	,,	...	...	...	...	...	...
Aparri,	2 p.	29.82	757.3	88	...	N E	1	b	6 a.	29.82	757.5	76	...	N E	0
Manila,	4 p.	29.76	756	86	71	W S W	2	c	10 a.	29.84	758	84	77	...	0
Legaspi,	2 p.	29.80	756.8	86	...	W	1	o	6 a.	29.83	757.7	77	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N N E	2
Iloilo,	,,	29.81	757.2	90	...	S W	2	c	,,	29.87	758.7	86	...	S W	1
Cebu,	,,	29.78	756.4	88	...	N	1	o	,,	29.85	758.2	87	...	...	0
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.86	758.4	80	...	...	...

On the 9th at 11.50 a.—The barometer has fallen over Japan and S. China, and risen on the N.E. coast of C

A depression is crossing the N. part of the Sea of Japan in an Easterly direction, and a second area of pressure is moving Eastwards off the E. coast of China.

Moderate S.W. and variable winds may be expected in the Formosa Channel, and light variable winds over N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. or variable winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 9th May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	9TH MAY. 1908, P.M.								10TH MAY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.65	753.1	...	...	N	2	...	6 a.	29.65	753.1	...	...	...	0	...
e, ...	,,	29.61	752.2	...	...	S	8	...	,,	29.85	758.2	...	...	W	6	...
.....	,,	29.75	755.6	...	...	S	6	...	,,	29.79	756.6	...	...	N W	2	...
.....	,,	29.83	757.8	...	...	S E	4	...	,,	29.80	756.8	...	...	...	0	...
i, ...	,,	29.83	757.8	...	...	W	6	...	,,	29.72	754.8	...	...	...	0	...
ma, ...	,,	29.80	756.9	...	...	...	0	...	,,	29.72	754.9	...	...	...	0	...
.....	,,	29.81	757.1	...	...	N	10	...	,,	29.73	755.1	...	...	...	0	...
.....	,,	29.81	757.2	...	...	W	4	...	,,	29.77	756.2	...	...	...	0	...
jima, ...	,,	29.82	757.3	...	...	S	4	...	,,	29.74	755.3	...	...	S	6	...
s.....	,,	29.93	760.1	...	...	S	4	...	,,	29.89	759.1	...	...	S	2	...
.....	3 p.	29.86	758.4	61	71	N E	3	b	6 a.	29.79	756.6	51	86	...	0	b
ei, ...	,,	29.87	758.7	63	...	E	2	b	9 a.	29.78	756.4	62	...	E	1	b
.....	,,	29.82	757.4	70	90	N	1	or	6 a.	29.90	759.4	63	94	N W	1	o
g, ...	,,	29.81	757.2	68	100	N E	1	or	,,	29.89	759.2	65	95	N E	1	o
i, ...	,,	29.70	754.4	68	95	N E	2	ov	9 a.	29.76	755.9	66	89	..	0	om
.....	,,	29.73	755.1	61	100	S E	3	fd	,,	29.79	756.6	61	100	N N E	1	om
eak, ...	,,	29.66	753.3	77	86	S S E	4	b	,,	29.74	755.4	73	100	...	0	or
.....	,,	29.80	756.9	78	86	S E	3	b	6 a.	29.76	755.9	76	90	...	0	c
.....	,,	29.68	753.9	90	77	S	3	b	,,	29.82	757.4	78	95	...	0	c
.....	1 p.	29.76	755.9	.	...	N	4	...	6 a.	29.73	755.0	...	...	...	0	...
.....	,,	29.80	757.0	...	...	S W	4	...	,,	29.80	756.8	...	...	S	2	...
.....	,,	29.82	757.5	...	...	W	6	...	,,	29.80	756.9	...	...	E	2	...
.....	,,	29.81	757.1	...	...	W	6	...	,,	29.78	756.3	...	...	N W	6	...
es, ...	,,	29.82	757.4	...	...	S	6	...	,,	29.73	755.2	...	...	S	6	...
.....	3 p.	29.74	755.4	89	100	S	1	c	9 a.	29.80	756.9	82	96	S	1	c
g, ...	4 p.	29.75	755.6	82	74	S S W	1	b	10 a.	29.82	757.4	82	75	S W	2	o
Peak, ...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	4	...
k, ...	,,	29.75	755.6	...	...	S S E	2	...	,,	29.79	756.6	...	...	S	3	...
.....	,,	29.77	756.1	80	...	S S E	1	c	,,	29.83	757.7	82	...	S S E	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.68	753.8	81	...	S E	4	c	8 a.	29.80	756.8	81	...	S W	2	o
.....	,,	29.74	755.5	88	...	E	1	c	,,	29.83	757.7	82	...	...	0	c
James, .	,,	29.72	754.9	86	...	S	1	c	,,	29.82	757.4	84	...	S W	1	c
.....	2 p.	29.79	756.6	90	...	N	1	b	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	84	77	S W	1	o	10 a.	29.88	759	86	78	W S W	1	o
.....	2 p.	29.77	756.2	88	...	E	1	o	6 a.	29.86	758.3	75	...	...	0	b
.....	3 p.	...	...	...	...	N N W	1	c	9 a.	...	...	...	...	N N E	1	o
.....	,,	29.79	756.6	90	...	S W	1	o	,,	29.89	759.2	85	...	S W	1	b
.....	,,	29.77	756.1	88	...	E	2	c	,,	29.88	758.9	89	...	S	1	b
.....	,,	29.77	756.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

the 10th at 11.55 a.—The depression lying over the N. part of the Sea of Japan yesterday, has moved into cific.

he barometer has fallen moderately over the N.E. coast of China, S.W. Japan and the Loochoos; and risen y over the Yangtze and the S. Philippines.

he depression over the Eastern Sea appears to be approaching S.W. Japan and to be moving towards N.E. esh S.W. to variable winds may be expected in the Formosa Channel, and moderate S. winds over the N. part China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S.W. winds, moderate or fresh; squally, probably
osa Channel, ...	S.W. and variable winds; fresh. [thunder showers.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Sunday, 10th May, 1908.

by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th MAY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	E	2	...	6 a.	29.89	759.1	...	...	N E	8
Hakodate,	,,	29.85	758.2	...	...	W	2	...	,,	29.89	759.2	...	...	S	2
Tokio,	,,	29.79	756.6	...	...	N E	2	...	,,	29.79	756.6	...	...	N W	2
Kochi,	,,	29.72	754.8	...	...	...	0	...	,,	29.64	752.8	...	...	S W	2
Nagasaki,	,,	29.68	753.8	...	...	E	4	...	,,	29.68	753.8	...	...	N	6
Kagoshima,	,,	29.64	752.9	...	...	S	2	...	,,	29.64	752.9	...	...	N E	4
Oshima,	,,	29.65	753.1	...	...	N W	4	...	,,	29.65	753.1	...	...	N W	2
Naha,	,,	29.73	755.2	...	...	S	4	...	,,	29.69	754.2	...	...	N W	6
Ishigakijima,	,,	29.74	755.3	...	...	S W	6	...	,,	29.74	755.3	...	...	N E	2
Bonin Is.	,,	29.81	757.1	...	...	S	6	...	,,	29.57	751.1	...	...	S W	8
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.85	758.2	50	79	N W	3
Weihaiwei,	,,	29.78	756.4	70	...	E	1	b	9 a.	29.88	758.9	52	...	W N W	2
Hankow,	,,	29.86	758.4	77	53	W	1	c	6 a.	29.92	759.9	66	89	S W	1
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	66	95	S W	1
Shanghai,	,,	29.72	754.9	67	89	W N W	1	om	9 a.	29.82	757.4	71	66	W N W	1
Gutzlaff,	,,	29.75	755.6	63	94	N E	1	om	,,	29.83	757.7	66	95	N W	1
Sharp Peak,	,,	29.70	754.4	72	100	...	0	f	,,	29.85	758.2	68	100	...	0
Amoy,	,,	29.69	754.1	80	87	S E	1	c	6 a.	29.79	756.6	74	90	N E	1
Swatow,	,,	29.63	752.6	90	77	W S W	2	c	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.69	754.1	...	...	W	8	...	5 a.	29.77	756.1	...	...	E	4
Taichu,	,,	29.77	756.2	...	...	W	6	...	,,	29.76	755.9	...	...	S E	2
Tainan,	,,	29.81	757.1	...	...	S W	4	...	,,	29.78	756.4	...	...	S E	2
Koshun,	,,	29.83	757.7	...	...	W	8	...	,,	29.78	756.4	...	...	N W	4
Pescadores,	,,	29.78	756.3	...	...	S	6	...	,,	29.76	755.8	...	...	S	4
Canton	3 p.	29.74	755.4	80	91	S E	2	or	9 a.	29.86	758.4	76	95	...	1
Hongkong,	4 p.	29.72	754.9	82	79	W S W	3	oq	10 a.	29.84	757.9	80	75	W	2
Victoria Peak,	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	N	3
Gap Rock,	,,	29.68	753.9	...	...	S	3	...	,,	29.82	757.4	...	...	N N E	2
Macao,	,,	29.73	755.1	82	...	S	3	c	,,	29.86	758.4	80	...	N W	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.5	84	...	W N W	3	lt	8 a.	29.88	759.0	73	...	N E	3
Tourane,	,,	29.74	755.4	88	...	...	0	c	,,	29.86	758.3	82	...	...	0
Cape St. James,	,,	29.72	755.0	90	...	S S W	2	c	,,	29.82	757.3	84	...	S W	3
Aparri,	2 p.	29.80	756.8	88	...	N	1	b	6 a.	29.82	757.5	77	...	S W	1
Manila,	4 p.	29.76	756	90	66	S W	2	c	10 a.	29.88	759	90	60	S S W	1
Legaspi,	2 p.	29.79	756.6	88	...	E	1	c	6 a.	29.85	758.2	75	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N N E	1
Iloilo,	,,	29.83	757.7	89	...	S W	2	o	,,	29.91	759.7	86	...	S	1
Cebu,	,,	29.80	756.9	89	...	N	1	b	,,	29.89	759.2	86	...	...	0
Labuan,	,,	29.77	756.1	88	...	...	...	...	,,	29.86	758.4	83	...	...	...

On the 11th at 11.55 a.—The barometer has fallen over S. Japan and the Bonins; and risen over China and Japan.

The depression is moving Eastwards over the Pacific to the South of Japan.

Gradients are slight on the China coast, and light or moderate variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. or variable winds, light or moderate; fair.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 11th May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	11TH MAY, 1908, P.M.								12TH MAY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
...pstock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.93	760.1	...	...	N E	8	...	6 a.	30.04	763.1	...	...	S E	2	...
...te.....	,,	29.89	759.2	...	...	S E	8	...	,,	29.92	759.2	...	...	E	8	...
.....	,,	29.79	756.6	...	...	N W	4	...	,,	29.79	756.6	...	...	N W	6	...
.....	,,	29.64	752.8	...	...	S E	2	...	,,	29.68	753.8	...	...	...	0	...
...i, ...	,,	29.64	752.8	...	...	S W	6	...	,,	29.84	757.8	...	...	E	4	...
...ima, ...	,,	29.68	753.9	...	...	S W	2	...	,,	29.80	756.9	...	...	N	6	...
.....	,,	29.69	754.1	...	...	N	4	...	,,	29.85	758.1	...	...	N	6	...
.....	,,	29.73	755.2	...	...	N W	6	...	,,	29.85	758.2	...	...	N	6	...
...jima,....	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	...	0	...
...s.....	,,	29.69	754.1	...	...	...	...	...	,,	29.81	757.1	...	...	S W	4	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...wei.....	,,	29.86	758.4	57	...	W	2	b	9 a.	29.84	757.9	56	...	W	3	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...g.....	,,	29.91	759.7	80	58	N W	2	b	,,	30.07	763.8	62	83	N E	1	c
...i, ...	,,	29.80	756.9	69	80	N E	2	o	9 a.	30.05	763.2	64	43	W	1	b
.....	,,	29.80	756.9	67	84	N N E	3	cv	,,	30.05	763.2	62	67	N N W	1	bv
...eak,.....	,,	29.84	757.9	71	100	...	0	o	,,	30.00	762.0	70	90	N	3	c
.....	,,	29.75	755.6	75	86	N N E	1	o	6 a.	29.93	760.2	73	90	...	0	b
.....	,,	29.76	755.9	75	90	E S E	3	c	,,	29.90	759.4	70	95	...	0	c
.....	1 p.	29.84	757.9	..	...	E	4	...	5 a.	29.93	760.2	...	...	...	0	...
.....	,,	29.81	757.1	...	...	N	4	...	,,	29.86	758.5	...	...	...	0	...
.....	,,	29.78	756.5	...	...	S	2	...	,,	29.87	758.6	...	...	N	4	...
.....	,,	29.79	756.6	...	...	N W	6	...	,,	29.85	758.1	...	...	N	4	...
...res, ...	,,	29.79	756.7	...	...	N	S	...	,,	29.88	758.9	...	...	N	8	...
.....	3 p.	29.80	756.9	83	96	...	0	o	9 a.	29.92	759.9	80	96	S E	1	c
...ng, ...	4 p.	29.79	756.6	79	80	W S W	1	o	10 a.	29.94	760.5	77	76	E	3	o
...Peak,...	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	4	...
...ck,.....	,,	29.77	756.1	...	...	N W	3	...	,,	29.91	759.7	...	...	E	4	...
.....	,,	29.83	757.7	80	...	E	1	od	,,	29.93	760.2	78	...	S E	1	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.85	758.1	75	...	N E	2	o	8 a.	29.91	759.8	75	...	N	1	o
.....	,,	29.74	755.3	88	...	N W	2	c	,,	29.88	759.0	79	...	...	0	o
...James,.	,,	29.71	754.6	86	...	S W	2	c	,,	29.80	756.9	82	...	S W	1	c
.....	2 p.	29.77	756.2	91	...	N	1	b	6 a.	29.87	758.6	77	...	S E	1	c
.....	4 p.	29.76	756	88	65	S W	2	c	10 a.	29.88	759	86	71	..	0	o
.....	2 p.	29.78	756.3	79	...	...	0	o	6 a.	29.88	758.8	77	...	...	0	c
.....	3 p.	...	...	...	...	N N E	1	op	9 a.	...	...	...	...	N N E	1	c
.....	,,	29.81	757.2	84	...	S W	1	b	,,	29.89	759.2	86	...	N E	1	b
.....	,,	29.77	756.1	89	...	W	1	c	,,	29.87	758.7	87	...	N	1	c
.....	,,	29.76	755.9	88	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

...n the 12th at 11.55 a.—The barometer has risen considerably over China, W. Japan and the Loochoos.
...ressure is now high over Central China. It remains in defect over Central and S.E. Japan.
...oderate to fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...gkong and Neighbourhood, ...	E. winds, moderate to fresh; fair.
...osa Channel, ...	N.E. winds, moderate to fresh.
...th coast of China between Hongkong and Lamocks,..	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Tuesday, 12th May, 1908.

...ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th MAY. 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th MAY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	E	6	...	6 a.	30.01	762.1	...	...	S	6
Hakodate,	,,	29.85	758.2	...	...	E	8	...	,,	...	...	...	...	...	...
Tokio,	,,	29.71	754.6	...	...	W	6	...	,,	29.71	754.6	...	...	E	2
Kochi,	,,	29.68	753.8	...	...	W	6	...	,,	29.88	758.8	...	...	...	0
Nagasaki,	,,	29.87	758.8	...	...	W	8	...	,,	29.95	760.8	...	...	W	8
Kagoshima,	,,	29.84	757.9	...	...	N	8	...	,,	29.96	760.9	...	...	W	4
Oshima,	,,	29.89	759.1	...	...	N	6	...	,,	30.04	763.1	...	...	N	6
Naha,	,,	29.93	7.602	...	...	N	8	...	,,	30.09	764.2	...	...	N E	2
Ishigakijima,	,,	29.93	760.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	2
Bonin Is.	,,	29.81	757.1	...	...	S	4	...	,,	29.93	760.1	...	...	N	6
Chefoo,	3 p.	29.88	758.9	57	58	N W	4	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.84	757.9	57	...	W	...	b	9 a.	29.88	758.9	60	...	N W	4
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	30.06	763.5	63	72	...	0
Shanghai,	,,	29.97	761.2	73	28	W N W	1	b	9 a.	30.07	763.8	71	37	S	1
Gutzlaff,	,,	30.01	762.2	65	53	S W	1	bm	,,	30.09	764.3	64	72	S S W	2
Sharp Peak,	,,	30.00	762.0	68	85	N N E	4	o	,,	30.09	764.3	66	89	N N E	3
Amoy	,,	29.94	760.5	77	77	N E	2	b	6 a.	30.03	762.7	70	80	N E	1
Swatow,	,,	29.86	758.4	74	72	E	4	c	,,	29.94	760.5	68	70	E	2
Taihoku	1 p.	29.97	761.3	..	...	E	8	...	5 a.	29.99	761.7	...	...	E	6
Taichu,	,,	29.85	758.3	...	...	N	4	...	,,	29.94	760.4	...	...	...	0
Tainan,	,,	29.89	759.1	...	...	S	6	...	,,	29.93	760.3	...	...	...	0
Koshun	,,	29.91	759.6	...	...	N E	8	...	,,	29.94	760.4	...	...	N E	8
Pescadores,	,,	29.90	759.4	...	...	N	8	...	,,	29.95	760.7	...	...	N	6
Canton,	3 p.	29.86	758.4	88	96	S E	1	c	9 a.	29.98	761.5	70	100	...	0
Hongkong,	4 p.	29.88	758.9	75	82	E S E	4	od	10 a.	30.00	762.0	72	83	E	4
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	E	6
Gap Rock,	,,	29.86	758.4	...	...	E S E	4	...	,,	29.93	760.2	...	...	E	5
Macao,	,,	29.89	759.2	75	...	S	1	od	,,	29.97	761.2	74	...	E	3
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.9	82	...	S S E	2	c	8 a.	29.89	759.1	77	...	E S E	3
Tourane,	,,	29.80	756.9	84	...	...	0	o	,,	29.86	758.5	79	...	...	0
Cape St. James,	,,	29.75	755.6	79	...	S W	1	o	,,	29.79	756.6	82	...	S W	2
Aparri,	2 p.	29.82	757.3	91	...	N E	1	o	6 a.	29.92	760.0	75	...	S E	1
Manila,	4 p.	29.76	756	90	66	W S W	1	c	10 a.	29.91	759.7	84	71	W N W	1
Legaspi,	2 p.	29.80	756.8	79	...	...	0	o	6 a.	29.90	759.4	77	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N N E	1
Iloilo,	,,	29.81	757.2	86	...	S E	1	o	,,	29.91	759.9	85	...	N E	1
Cebu,	,,	29.77	756.1	89	...	N	1	b	,,	29.91	759.7	86	...	N	1
Labuan,	,,	29.74	755.4	88	...	...	...	...	,,	29.83	757.7	79	...	...	...

On the 13th at 11.55 a.—The barometer has fallen slightly in E. Japan, and risen considerably over W. Je and the Loochoos. A slight increase of pressure has taken place also over the China coast.

A depression appears to be lying over the E. part of the Sea of Japan, while a high pressure area lies over Eastern Sea. Pressure is relatively low over the W. part of the China Sea.

Fresh N.E. winds may be expected in the Formosa Channel, and fresh to strong E. winds along the north shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh or strong; squally, some rain.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 13th May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	13th MAY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	14th MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.85	758.1	...	...	E	8	...	6 a.	29.89	759.1	...	...	..	0	...
...le,.....	,,	29.81	757.2	...	...	E	8	...	,,	29.89	759.2	...	...	N W	2	...
.....	,,	29.75	755.6	...	...	S	4	...	,,	29.99	761.6	...	...	...	0	...
.....	,,	29.87	758.8	...	...	W	6	...	,,	30.07	763.8	...	...	S E	2	...
...i, ...	,,	30.03	762.8	...	...	W	8	...	,,	30.15	765.8	...	...	W	6	...
...ma, ...	,,	30.04	762.9	...	...	W	8	...	,,	30.19	766.9	...	...	...	0	...
.....	,,	30.08	764.1	...	...	N	4	...	,,	30.16	766.1	...	...	S	2	...
.....	,,	30.09	7.642	...	...	N	4	...	,,	30.13	765.2	...	...	...	0	...
...jima,...	,,	30.05	763.3	...	...	E	8	...	,,	30.05	763.3	...	...	N E	6	...
...s.....	,,	30.00	762.1	...	...	...	0	...	,,	30.12	765.1	...	...	...	0	...
.....	3 p.	..	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
...ei,.....	,,	29.96	761.0	57	...	N W	2	b	9 a.	30.16	766.0	61	...	W	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...g,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...i, ...	,,	30.02	762.5	74	22	S E	1	c	9 a.	30.13	765.3	67	69	S E	2	c
.....	,,	30.05	763.2	68	65	S S W	2	cm	,,	30.17	766.3	63	89	E S E	3	ov
...eak,.....	,,	30.06	763.5	69	90	N N E	4	c	,,	30.08	764.0	69	90	N	1	c
.....	,,	30.00	762.0	77	69	N E	2	c	6 a.	30.03	762.7	74	76	N E	1	c
.....	,,	29.94	760.5	69	90	E	5	o	,,	...	...	...	...	..	...	...
.....	1 p.	30.00	762.1	..	...	E	8	...	5 a.	29.99	761.6	...	...	E	2	...
.....	,,	29.97	761.2	...	...	N W	2	...	,,	29.98	761.4	...	...	...	0	...
.....	,,	29.96	761.1	...	...	N W	4	...	,,	29.97	761.2	...	...	N	2	...
.....	,,	29.95	760.8	...	...	E	10	...	,,	29.96	760.9	...	...	N E	8	...
...es, ...	,,	29.98	761.5	...	...	N	8	...	,,	29.98	761.5	...	...	N	6	...
.....	3 p.	29.91	759.7	76	100	E	1	or	9 a.	29.99	761.7	78	95	...	0	o
...g, ...	4 p.	29.89	759.2	72	79	E	5	oq	10 a.	30.00	762.0	73	86	E	4	od
...Peak,...	,,	...	...	...	...	E	7	...	,,	...	...	...	...	E	6	...
...k,.....	,,	29.84	757.9	...	...	E	5	...	,,	29.95	760.7	...	...	E	5	...
.....	,,	29.90	759.4	74	...	E	5	o	,,	29.99	761.7	75	...	E N E	3	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.76	755.9	82	...	S S E	4	b	8 a.	29.91	759.8	81	...	E S E	2	c
.....	,,	29.78	756.5	84	...	S E	2	c	,,	29.90	759.4	81	...	...	0	c
...James,.	,,	...	...	...	...	...	...	...	,,	29.86	758.3	77	...	W	4	c
.....	2 p.	29.87	758.6	86	...	N E	1	o	6 a.	29.95	760.6	75	...	S W	1	b
.....	4 p.	29.80	757	90	55	E S E	2	o	10 a.	29.96	761	84	71	N W	0	o
.....	2 p.	29.85	758.2	90	...	N E	1	b	6 a.	29.91	759.7	81	...	N E	1	c
.....	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	S S W	1	c
.....	,,	29.83	757.7	91	...	N E	1	c	,,	29.91	759.7	89	...	N	2	b
.....	,,	29.81	757.2	90	...	N	1	c	,,	29.89	759.2	87	...	N	1	c
.....	,,	29.71	754.6	89	...	...	...	...	,,	29.83	757.7	86	...	...	...	...

...the 14th at 11.45 a.—The barometer has risen considerably over S. Japan, the depression having moved into ...cific to the South of Hokkaido.

...e barometer has also risen quickly on the N.E. coast of China, and the area of high pressure now covers the ... and Yellow Seas.

...essure appears to remain low off the Annam coast.

...esh N.E. and E. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...gkong and Neighbourhood, ...	E. winds, fresh; cloudy, drizzling rain or mist.
...osa Channel, ...	N.E. winds, fresh.
...h coast of China between Hongkong and Lamocks,..	Same as No. 1.
...h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ngkong Observatory, Thursday, 14th May, 1908.

...d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th MAY. 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th MAY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	N E	2	...	6 a.	30.12	765.1	...	...	S E	6
Hakodate,	,,	29.93	760.2	...	...	S	4	...	,,	30.05	763.2	...	...	N	6
Tokio,	,,	29.87	758.6	...	...	S W	4	...	,,	30.10	764.6	...	...	...	0
Kochi,	,,	...	...	...	...	...	...	...	,,	30.19	766.8	...	...	N W	6
Nagasaki,	,,	30.15	765.8	...	...	N W	6	...	,,	30.23	767.8	...	...	N	2
Kagoshima,	,,	30.19	766.9	...	...	S W	6	...	,,	30.23	767.9	...	...	N E	2
Oshima,	,,	30.20	767.1	...	...	S	2	...	,,	30.20	767.1	...	...	S	2
Naha,	,,	30.17	766.2	...	...	E	4	...	,,	30.09	764.2	...	...	E	4
Ishigakijima,	,,	30.05	763.3	...	...	E	8	...	,,	29.97	761.3	...	...	E.	8
Bonin Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.12	765.1	...	...	...	0
Chefoo,	3 p.	30.12	765.0	66	49	S E	2	b	6 a.	30.07	763.8	53	25	S E	5
Weihaiwei,	,,	30.11	764.8	70	...	...	...	b	9 a.	30.12	765.0	65	...	S E	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	30.09	764.3	72	62	S	1	o	9 a.	30.11	764.8	63	83	S E	3
Gutzlaff,	,,	30.14	765.5	64	89	S S E	2	om	,,	30.14	765.5	59	100	S E	3
Sharp Peak,	,,	30.01	762.2	71	95	N N E	1	c	,,	30.05	763.2	59	85	E	4
Amoy,	,,	30.03	762.7	75	90	S E	2	c	6 a.	30.02	762.5	73	90	...	0
Swatow,	,,	29.93	760.2	73	90	E	3	o	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.99	761.8	.	...	S E	4	...	5 a.	...	...	...	...	...	...
Taichu,	,,	29.97	761.2	...	...	N	4	...	,,	29.97	761.3	...	...	...	0
Tainan,	,,	29.97	761.2	...	...	N W	4	...	,,	29.97	761.1	...	...	...	0
Koshun,	,,	29.98	761.6	...	...	N E	6	...	,,	29.98	761.4	...	...	N E	2
Pescadores,	,,	29.99	761.8	...	...	N	6	...	,,	29.98	761.5	...	...	N	6
Canton,	3 p.	29.92	759.9	81	100	E	1	o	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.93	760.2	74	88	E	3	o	10 a.	29.99	761.7	76	86	E	2
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S E	4
Gap Rock,	,,	29.88	758.9	...	...	E	4	...	,,	29.95	760.7	...	...	E	4
Macao,	,,	29.93	760.2	77	...	S E	1	c	,,	29.99	761.7	76	...	S E	3
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.9	81	...	E S E	5	b	8 a.	29.88	758.8	82	...	S E	5
Tourane,	,,	29.81	757.1	88	...	S E	1	c	,,	29.90	759.4	81	...	...	0
Cape St. James,	,,	29.78	756.5	84	...	S W	2	o	,,	29.84	758.0	84	...	...	0
Aparri,	2 p.	29.90	759.4	88	...	N E	1	c	6 a.	29.95	760.7	77	...	S	1
Manila,	4 p.	29.84	758	91	49	E	3	c	10 a.	29.96	761	88	59	N W	1
Legaspi,	2 p.	29.89	759.3	86	...	N E	1	c	6 a.	29.92	759.9	79	...	N E	1
Bacolod,	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	E N E	1
Iloilo,	,,	29.85	758.2	91	...	N E	1	c	,,	29.91	759.7	86	...	N E	1
Cebu,	,,	29.85	758.2	89	...	N	1	b	,,	29.93	760.2	85	...	...	0
Labuan,	,,	29.74	755.4	90	...	...	...	...	,,	29.90	759.4	79	...	...	...

On the 15th at 11.55 a.—The barometer is inclined to fall over China and the S. Loochoos. It has risen moder in Japan.

The area of high pressure is central over W. Japan, and pressure is relatively low over the W. part of the C Sea.

Gradients are slight on the Coast, and moderate E. to S.E. winds may be expected in the Formosa Channel the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. to S.E. winds, moderate; fair, misty.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, ..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 15th May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	15TH MAY. 1908. P.M.								16TH MAY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.12	765.1	...	...	S E	6	...	6 a.	30.12	765.1	...	...	S	6	...
e.....	,,	30.09	764.2	...	...	S	4	...	,,	30.13	765.2	...	...	...	0	...
.....	,,	30.06	763.6	...	...	N E	2	...	,,	30.22	767.6	...	...	N W	2	...
.....	,,	30.15	765.8	...	...	S	4	...	,,	30.19	766.8	...	...	S W	2	...
i.	,,	30.19	766.8	...	...	E	6	...	,,	30.11	764.8	...	...	S E	6	...
ma.	,,	30.19	766.9	...	...	S	2	...	,,	30.15	765.9	...	...	...	0	...
.....	,,	30.20	767.1	...	...	S E	2	...	,,	30.04	763.1	...	...	S E	6	...
.....	,,	30.09	764.2	...	...	E	6	...	,,	30.01	762.2	...	...	S E	2	...
jima,....	,,	30.01	762.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	6	...
.....	,,	30.12	765.1	...	...	...	0	...	,,	30.12	765.1	...	...	...	0	...
.....	3 p.	30.02	762.5	70	66	S	5	o	6 a.	...	...	...	...	...	...	...
ei.....	,,	...	...	62	...	S S E	5	o	9 a.	29.86	758.4	55	...	S E	2	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
g.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
l.	,,	30.03	762.7	60	100	...	4	omd	9 a.	29.73	755.1	66	95	S	2	od
.....	,,	30.10	764.5	59	100	SE	5	omd	,,	29.76	755.9	73	100	S	3	fd
eak,.....	,,	30.00	762.0	71	95	N E	1	c	,,	29.89	759.2	72	95	S S E	1	b
.....	,,	29.96	761.0	74	95	S E	2	c	6 a.	29.97	761.2	72	90	S E	1	c
.....	,,	29.91	759.7	76	82	E	3	c	,,	29.88	758.9	72	90	...	0	o
.....	1 p.	29.95	760.8	...	...	E	4	...	5 a.	29.92	759.9	...	...	...	0	...
.....	,,	29.96	761.1	...	...	N	4	...	,,	29.93	760.3	...	...	...	0	...
.....	,,	29.96	761.1	...	...	N W	4	...	,,	29.93	760.2	...	...	...	0	...
.....	,,	29.96	761.1	...	...	E	2	...	,,	29.92	760.0	...	...	...	0	...
es.	,,	29.99	761.7	...	...	N	6	...	,,	29.94	760.4	...	...	N	4	...
.....	3 p.	29.90	759.4	84	96	E S E	1	or	9 a.	29.94	760.5	81	96	S E	1	c
g.	4 p.	29.92	759.9	77	88	E	3	o	10 a.	29.95	760.7	79	88	E	1	c
Peak,...	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S	2	...
k.....	,,	29.88	758.9	...	...	E S E	3	...	,,	29.93	760.2	...	...	E S E	2	...
.....	,,	29.93	760.2	78	...	S E	1	c	,,	29.96	761.0	78	...	S E	1	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.78	756.3	81	...	S S E	8	c	8 a.	29.86	758.4	82	...	S	5	c
.....	,,	29.84	758.0	86	...	S E	2	c	,,	29.92	759.9	...	...	...	0	b
James,.	,,	...	...	...	...	...	...	...	,,	29.85	758.2	84	...	...	0	or
.....	2 p.	29.88	758.9	88	...	N E	1	b	6 a.	...	...	...	...	...	...	..
.....	4 p.	29.88	759	86	71	N N E	1	c	10 a.	29.92	760	86	71	S W	1	b
.....	2 p.	29.89	759.1	88	...	E	1	b	6 a.	29.91	759.8	81	...	N E	1	b
.....	3 p.	...	...	...	...	N N W	1	c	9 a.	...	...	...	...	E N E	2	c
.....	,,	29.85	758.2	91	...	N E	1	c	,,	29.91	759.7	87	...	N E	1	c
.....	,,	29.83	757.7	89	...	N	1	c	,,	29.90	759.4	85	...	N	1	o
.....	,,	29.83	757.7	80	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

n the 16th at 11.50 a.—The barometer has fallen rapidly on the E. coast of China owing to a depression which ing Eastwards over the Lower Yangtze.
he area of high pressure now lies over S.E. Japan.
radients are steep in the North and strong winds and gales will prevail over the Eastern Sea.
resh S. to S.W. winds may be expected in the Formosa Channel, and light variable winds over the N. part of ina Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S. to W. winds, moderate; fair to showery.
osa Channel, ...	S. to S.W. winds, fresh.
h coast of China between Hongkong and Lamocks...	Same as No. 1.
l coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Saturday, 16th May, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th MAY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,.....	,,	30.08	764.1	...	...	S	8	...	6 a.	29.97	761.1	...	...	S	6
Hakodate,.....	,,	30.05	763.2	...	...	S W	6	...	,,	29.85	758.2	...	...	E	4
Tokio, ...	,,	30.10	764.6	...	...	S	6	...	,,	29.87	758.6	...	...	...	0
Kochi, ...	,,	30.07	763.8	...	...	S E	2	...	,,	29.68	753.8	...	...	S E	6
Nagasaki, ...	,,	29.80	756.8	...	...	S	8	...	,,	29.48	748.8	...	...	W	8
Kagoshima, ...	,,	30.00	761.9	...	...	S E	8	...	,,	29.52	749.9	...	...	S W	4
Oshima,.....	,,	29.93	760.1	...	...	S	8	...	,,	29.69	754.1	...	...	S	6
Naha,.....	,,	29.89	759.2	...	...	S	4	...	,,	29.73	755.2	...	...	S	4
Ishigakijima,....	,,	29.89	759.3	...	...	S	6	...	,,	29.78	756.3	...	...	S	6
Bonin Is.....	,,	30.08	764.1	...	...	N	2	...	,,	29.97	761.1	...	...	E	4
Chefoo,.....	3 p.	29.76	755.9	62	77	S E	2	c	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	29.75	755.6	54	...	...	...	o	9 a.	29.82	757.4	50	...	N W	3
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,.....	,,	29.85	758.2	66	100	N W	3	or	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.65	753.1	67	100	W	1	omr	9 a.	29.79	756.6	66	73	N W	2
Gutzlaff, ...	,,	29.71	754.6	65	95	N W	1	omd	,,	29.80	756.9	62	89	N N W	...
Sharp Peak,.....	,,	29.73	755.1	78	91	S	4	b	,,	29.76	755.9	74	81	N E	8
Amoy.....	,,	29.84	757.9	78	86	S E	4	b	6 a.	29.79	756.6	77	91	S	1
Swatow,.....	,,	29.89	759.2	84	72	S	2	b	,,	29.85	758.2	76	91	S W	2
Taihoku.....	1 p.	29.85	758.3	..	...	W	6	...	5 a.	29.73	755.2	...	...	...	0
Taichu, ...	,,	29.89	759.1	...	...	W	4	...	,,	29.85	758.1	...	...	S	2
Tainan,.....	,,	29.90	759.4	...	...	S W	4	...	,,	29.86	758.3	...	...	E	2
Koshun.....	,,	29.89	759.1	...	...	W	4	...	,,	29.90	759.4	...	...	N W	6
Pescadores, ...	,,	29.91	759.6	...	...	W	6	...	,,	29.83	757.7	...	...	S	4
Canton,.....	3 p.	29.81	757.2	85	100	E	1	or	9 a.	29.82	757.4	82	96	...	0
Hongkong, ...	4 p.	29.82	757.4	82	77	S	1	c	10 a.	29.85	758.2	83	80	S W	3
Victoria Peak,...	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	S W	7
Gap Rock,.....	,,	29.81	757.2	...	...	S E	2	...	,,	29.83	757.7	...	...	S S W	2
Macao, ...	,,	29.84	757.9	80	...	S S E	1	c	,,	29.85	758.2	82	...	S W	3
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.76	755.9	84	...	S S E	5	c	8 a.	29.86	758.3	81	...	S S E	4
Tourane, ...	,,	29.83	757.6	88	...	S E	1	c	,,	29.89	759.1	81	...	...	0
Cape St. James,.	,,	29.78	756.5	81	...	S S W	3	o	,,	29.87	758.6	81	...	S W	1
Aparri, ...	2 p.	29.84	757.9	90	...	N E	1	b	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.80	757	93	50	E S E	2	c	10 a.	29.88	759	90	60	S W	1
Legaspi,.....	2 p.	29.86	758.4	90	...	E	1	c	6 a.	29.87	758.7	79	...	...	...
Bacolod,.....	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	29.83	757.7	89	...	N E	2	o	,,	29.89	759.2	86	...	N E	1
Cebu,.....	,,	29.81	757.2	87	...	N	1	o	,,	29.86	758.4	84	...	...	0
Labuan, ...	,,	29.78	756.4	88	...	...	...	...	,,	29.89	759.2	82	...	...	...

On the 17th at 11.50 a.—The barometer has fallen rapidly over Japan owing to the depression, which is now towards E.N.E. to the North of Nagasaki.

Pressure has increased slightly on the E. coast of China, and fallen moderately in S. China.

The wind will probably shift to the N.E. in the Formosa Channel. Fresh to strong S.W. and variable winds may be expected along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. to W. winds, fresh or strong; squally, probably thunder showers
2.—Formosa Channel, ...	Variable to N.E. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 17th May, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	17TH MAY, 1908, P.M.								18TH MAY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	29.93	760.1	...	...	S E	8	...	6 a.	29.49	749.1	...	...	E	6	...
te,.....	,,	29.61	752.2	...	...	E	10	...	,,	29.06	738.2	...	...	E	8	...
.....	,,	20.59	751.6	...	...	S	6	...	,,	29.28	743.6	...	...	...	0	...
.....	,,	29.32	744.8	...	...	...	0	...	,,	29.60	751.8	...	...	W	2	...
ki, ...	,,	29.48	748.8	...	...	E	10	...	,,	29.76	755.8	...	...	N W	2	...
ima, ...	,,	29.52	749.9	...	...	W	6	...	,,	29.80	756.9	...	...	W	2	...
.....	,,	29.65	753.1	...	...	N W	6	...	,,	29.85	758.1	...	...	N	6	...
.....	,,	29.69	754.2	...	...	S W	4	...	,,	29.85	758.2	...	...	N E	2	...
ijima, ...	,,	29.74	755.3	...	...	S	6	...	,,	29.86	758.3	...	...	N E	4	...
ls.....	,,	29.93	760.1	...	...	S E	4	...	,,	29.81	757.1	...	...	S W	4	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	29.57	751.1	65	35	S W	3	b
wei,.....	,,	29.78	756.4	55	...	W	2	ovr	9 a.	29.56	750.8	77	...	S W	2	b
w,.....	,,	...	...	...	...	...	...	...	6 a.	29.91	759.7	64	89	S W	1	b
ng.....	,,	29.90	759.4	65	84	N W	2	or	,,	...	...	...	...	...	...	...
ai, ...	,,	29.78	756.4	68	79	N	1	og	9 a.	29.84	757.9	73	58	S W	2	b
ff.	,,	29.81	757.2	66	79	N N W	1	ov	,,	29.84	757.9	65	84	S W	3	bm
Peak,.....	,,	29.84	757.9	69	85	E N E	4	or	,,	29.90	759.4	70	100	...	0	c
.....	,,	29.72	754.9	80	87	S E	1	b	6 a.	29.90	759.4	72	81	...	0	o
.....	,,	29.74	755.4	81	71	W	2	o	,,	29.84	757.9	67	95	N W	4	c
u.....	1 p.	29.75	755.6	..	...	N	8	...	5 a.	29.89	759.1	...	...	E	4	...
.....	,,	29.81	757.1	...	...	S W	4	...	,,	29.82	757.5	...	...	...	0	...
.....	,,	29.83	757.8	...	...	W	4	...	,,	29.82	757.5	...	...	...	0	...
.....	,,	29.80	756.9	...	...	W	8	...	,,	29.84	757.9	...	...	E	6	...
res, ...	,,	29.82	757.3	...	...	S	6	...	,,	29.84	757.8	...	...	N	4	...
.....	3 p.	29.81	757.2	76	95	N E	3	c	9 a.	29.91	759.7	71	95	...	0	o
ng.	4 p.	29.77	756.1	81	85	S W	1	op	10 a.	29.90	759.4	73	83	E	2	o
a Peak,...	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	E	1	...
ck,.....	,,	29.75	755.6	...	...	S W	4	...	,,	29.86	758.4	...	...	N E	2	...
.....	,,	29.82	757.4	77	...	N W	3	od	,,	29.90	759.4	74	...	N N W	1	o
,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	4 p.	29.85	758.1	72	...	N N W	5	or	8 a.	29.97	761.3	72	...	N E	3	o
e,.....	,,	29.78	756.5	70	...	E S E	2	c	,,	29.91	759.6	81	...	...	0	c
. James,.	,,	...	...	...	...	...	...	...	,,	29.83	757.7	81	...	S	2	c
.....	2 p.	29.79	756.7	90	...	N	1	b	6 a.	29.87	758.6	77	...	W	1	o
.....	4 p.	29.76	756	91	55	W S W	1	c	10 a.	29.88	759	88	65	N N E	1	o
,.....	2 p.	29.78	756.5	90	...	...	0	c	6 a.	29.88	758.9	77	...	...	0	o
,.....	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	S W	1	o
.....	,,	29.81	757.2	84	...	N E	1	o	,,	29.90	759.4	82	...	N E	1	o
.....	,,	29.80	756.9	86	...	S	1	o	,,	29.88	758.9	83	...	N	1	o
.....	,,	29.78	756.4	87	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

h the 18th at 11.55 a.—The barometer has fallen very rapidly in E. Japan owing to the depression, which is g towards E.N.E. to the South of Hakodate.
Another depression has appeared over N. China, where the barometer has again fallen quickly.
Pressure has increased over W. Japan and S. China. It is highest over the latter area.
Moderate N.E. winds may be expected in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	N.E. winds, moderate; cloudy, some rain.
rmosa Channel, ...	Same as No. 1.
ath coast of China between Hongkong and Lamocks,..	Same as No. 1.
ath coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 18th May, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th MAY. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	28.94	735.1	...	...	E	10	...	6 a.	29.49	749.1	...	...	W	4
Hakodate,	,,	29.10	739.2	...	...	W	2	...	,,	29.58	751.2	...	...	...	0
Tokio,	,,	29.47	748.6	...	...	S	4	...	,,	29.79	756.6	...	...	W	2
Kochi	,,	29.72	754.8	...	...	S	2	...	,,	29.84	757.8	...	...	S W	2
Nagasaki,	,,	29.83	757.8	...	...	W	8	...	,,	29.91	759.8	...	...	S	2
Kagoshima,	,,	29.80	756.9	...	...	W	6	...	,,	29.92	759.9	...	...	...	0
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.97	761.1	...	...	S	2
Naha,	,,	29.89	759.2	...	...	N	6	...	,,	29.89	759.2	...	...	...	0
Ishigakijima,	,,	29.85	758.3	...	...	N E	6	...	,,	29.86	758.3	...	...	E	4
Bonin Is.	,,	29.81	757.1	...	...	S W	4	...	,,	29.97	761.1	...	...	S	2
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.48	748.8	85	...	...	4	b	9 a.	29.61	752.1	65	...	E	1
Hankow,	,,	29.89	759.2	80	51	S W	1	c	6 a.	...	...	...	...	...	...
Kiukiang	,,	29.85	758.2	82	45	...	0	b	...	...	...	...	...	...	...
Shanghai,	,,	29.78	756.4	78	39	S W	2	c	9 a.	29.81	757.2	76	64	S S W	1
Gutzlaff,	,,	29.80	756.9	71	71	S W	1	cm	,,	29.84	757.9	67	74	S	2
Sharp Peak,	,,	29.85	758.2	72	100	N N E	1	o	,,	29.90	759.4	70	95	S W	1
Amoy	,,	29.86	758.4	74	81	...	1	or	6 a.	29.91	759.7	71	85	N E	1
Swatow,	,,	29.81	757.2	76	69	E	1	o	,,	...	...	68	95	...	0
Taihoku	1 p.	29.86	758.4	.	...	E	6	...	5 a.	29.88	758.8	...	...	...	0
Taichu,	,,	29.82	757.5	...	...	W	2	...	,,	29.87	758.7	...	...	...	0
Tainan	,,	29.87	758.6	...	...	S W	4	...	,,	29.88	758.9	...	...	N	2
Koshun	,,	29.86	758.5	...	...	E	6	...	,,	29.86	758.5	...	...	E	2
Pescadores,	,,	29.85	758.1	...	...	N	6	...	,,	29.86	758.4	...	...	N	4
Canton	3 p.	29.86	758.4	78	95	.	0	o	9 a.	..	...	...	...	...	...
Hongkong,	4 p.	29.84	757.9	71	94	E	1	od	10 a.	29.95	760.7	73	85	S W	1
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	W	2
Gap Rock	,,	29.81	757.2	...	...	N E	4	...	,,	29.92	759.9	...	...	N	4
Macao	,,	29.85	758.2	75	...	N E	1	o	,,	29.95	760.7	73	...	E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.84	758.0	77	...	W	2	o	8 a.	...	...	...	...	...	...
Tourane,	,,	29.82	757.4	79	...	N W	5	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.8	86	...	S	1	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.79	756.7	90	...	N	1	c	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.76	756	88	66	N W	0	c	10 a.	29.92	760	88	65	S W	0
Legaspi,	2 p.	29.80	756.8	90	...	E	1	c	6 a.	29.90	759.4	77	...	...	0
Bacolod,	3 p.	...	...	...	...	E N E	1	o	9 a.	...	...	...	...	E N E	1
Iloilo,	,,	29.81	757.2	86	...	S	1	o	,,	29.91	759.7	85	...	...	0
Cebu,	,,	29.80	756.9	85	...	N	1	c	,,	29.90	759.4	83	...	...	0
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	29.89	759.2	81	...	...	...

On the 19th at 11.55 a.—The depression lying over N.E. Japan yesterday, has moved into the Pacific. The barometer has risen quickly in Japan while it is inclined to fall on the E. coast of China.

Pressure remains low over N. China. It is highest over the Pacific to the S. of Japan.

Light or moderate variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 19th May, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	19th MAY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th MAY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.69	754.1	...	...	E	6	...	6 a.	...	...	...	...	...	...	...
te, ...	,,	29.65	753.2	...	...	S	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.79	756.6	...	...	S W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.87	758.8	...	...	E	2	...	,,	...	...	...	...	...	...	...
ki, ...	,,	29.91	759.8	...	...	S W	6	...	,,	...	...	...	...	...	...	...
ima, ...	,,	29.96	760.9	...	...	W	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.93	760.2	...	...	E	2	...	,,	...	...	...	...	...	...	...
ijima, ...	,,	29.89	759.3	...	...	S	6	...	,,	...	...	...	...	...	...	...
ls.....	,,	29.96	761.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
wei,.....	,,	29.57	751.1	63	...	E	2	ovr	9 a.	29.84	757.9	64	...	E	1	b
y.	,,	...	...	...	...	...	...	...	6 a.	...	...	69	90	S	1	b
g.....	,,	29.87	758.7	71	71	W N W	1	b	,,	29.90	759.4	68	90	...	0	b
ai.	,,	29.76	755.9	85	35	W S W	1	b	9 a.	29.87	758.7	80	58	S W	1	b
.....	,,	29.80	756.9	71	80	S	2	cm	,,	29.89	759.2	68	85	S W	2	...
eak,.....	,,	29.82	757.4	74	95	S S E	3	c	,,	29.93	760.2	78	61	...	0	b
.....	,,	29.87	758.7	72	85	S E	1	o	6 a.	29.93	760.2	73	86	...	0	o
.....	,,	29.85	758.2	..	...	E S E	2	c	,,	29.88	758.9	74	90	N	1	b
.....	1 p.	29.90	759.5	..	...	...	0	...	5 a.	29.92	759.9	...	...	...	0	...
.....	,,	29.90	759.5	...	...	...	0	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	29.89	759.2	...	...	N W	4	...	,,	29.91	759.7	...	...	N	4	...
.....	,,	29.87	758.8	...	...	W	4	...	,,	29.89	759.2	...	...	N	2	...
res, ...	,,	29.90	759.4	...	...	N	4	...	,,	29.91	759.7	...	...	N	4	...
.....	3 p.	29.89	759.2	85	96	...	0	b	9 a.	29.97	761.2	77	95	...	0	b
ng.	4 p.	29.86	758.4	78	71	W	1	o	10 a.	29.95	760.7	79	69	N W	1	b
Peak,...	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N	1	...
ck,.....	,,	29.85	758.2	...	...	...	0	...	,,	29.93	760.2	...	...	N N W	2	...
.....	,,	29.89	759.2	76	...	E S E	1	c	,,	29.96	761.0	79	...	E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.83	757.8	82	...	S E	2	b	8 a.	29.95	760.8	79	...	N	2	c
.....	,,	29.85	758.1	79	...	...	0	or	,,	29.95	760.7	79	...	...	0	o
James,.	,,	29.78	756.3	84	...	S	1	c	,,	29.86	758.5	77	...	W	1	o
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	758	79	84	...	0	o	10 a.	29.92	760	90	66	S W	1	c
.....	2 p.	29.86	758.5	88	...	E	1	o	6 a.	29.92	760.0	75	...	..	0	c
.....	3 p.	...	...	...	...	N W	1	o	9 a.	...	...	...	...	E N E	1	c
.....	,,	29.85	758.2	87	...	S W	1	o	,,	29.93	760.2	85	...	...	0	b
.....	,,	29.84	757.9	87	...	S W	1	c	,,	29.92	759.9	85	...	E	1	c
.....	,,	29.81	757.2	87	...	...	...	...	,,	29.89	759.2	76	...	...	...	...

In the 20th at 11.55 a.—The barometer has risen considerably on the N. E. coast of China, and a slight increase ssure has taken place in S. China.
ressure is highest over S.W. China, and lowest over Shantung.
radients are slight generally, and light variable winds may be expected in the Formosa Channel and the N. f the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	Variable winds, light; fine.
osa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 20th May, 1908.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	20th MAY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	E	6	...	6 a.	29.73	755.1	...	...	...	6
Hakodate,	,,	29.81	757.2	...	...	S E	6	...	,,	29.81	757.2	...	...	N W	8
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	29.79	756.6	...	...	...	0
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.80	756.8	...	...	...	0
Nagasaki,	,,	29.91	759.8	...	...	W	6	...	,,	29.99	761.8	...	...	...	0
Kagoshima,	,,	29.96	760.9	...	...	S E	2	...	,,	30.00	761.9	...	...	W	2
Oshima,	,,	29.93	760.1	...	...	S W	2	...	,,	30.01	762.1	...	...	...	0
Naha,	,,	29.97	761.2	...	...	S E	2	...	,,	30.01	762.2	...	...	...	0
Ishigakijima,	,,	29.93	760.3	...	...	E	4	...	,,	29.93	760.3	...	...	...	0
Bonin Is.	,,	30.08	764.1	...	...	S	2	...	,,	30.04	763.1	...	...	S	4
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.94	760.5	57	94	S	2
Weihaiwei,	,,	29.90	759.4	66	...	E	3	ovr	9 a.	29.96	761.0	67	...	S E	1
Hankow,	,,	29.97	761.2	92	74	S	1	b	6 a.	29.97	761.2	72	95	S E	1
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	67	89	...	0
Shanghai,	,,	29.83	757.7	88	37	W S W	1	b	9 a.	29.96	761.0	84	60	W S W	1
Gutzlaff,	,,	29.87	758.7	72	81	S S W	3	bm	,,	29.97	761.2	72	71	S W	1
Sharp Peak,	,,	29.91	759.7	77	100	...	0	b	,,	29.98	761.5	76	100	...	0
Amoy	,,	29.87	758.7	76	86	S E	3	b	6 a.	29.96	761.0	74	90	N E	1
Swatow,	,,	29.88	758.9	81	78	E S E	2	b	,,	29.92	759.9	72	95	N E	1
Taihoku,	1 p.	29.93	760.3	...	...	N	2	...	5 a.	29.95	760.6	...	...	...	2
Taichu,	,,	29.91	759.7	...	...	N W	2	...	,,	29.93	760.2	...	...	...	0
Tainan,	,,	29.93	760.2	...	...	W	6	...	,,	29.94	760.4	...	...	N	2
Koshun,	,,	29.93	760.2	...	...	N W	4	...	,,	29.92	760.0	...	...	E	2
Pescadores,	,,	29.93	760.2	...	...	N	4	...	,,	29.91	759.6	...	...	N	4
Canton	3 p.	29.89	759.2	90	96	N	1	b	9 a.	29.97	761.2	80	100	...	0
Hongkong,	4 p.	29.88	758.9	81	61	E	1	b	10 a.	29.96	761.0	81	63	E S E	1
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	2
Gap Rock,	,,	29.86	758.4	...	...	N	1	...	,,	29.92	759.9	...	...	N E	3
Macao,	,,	29.90	759.4	81	...	E	2	c	,,	29.97	761.2	82	...	N E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.6	81	...	S S E	4	c	8 a.	29.96	761.0	79	...	N N W	2
Tourane,	,,	29.86	758.5	86	...	N W	2	c	,,	29.95	760.8	79	...	...	0
Cape St. James,	,,	29.80	756.9	86	...	E	1	c	,,	29.89	758.2	81	...	N N E	1
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.93	760.1	77	...	S W	1
Manila,	4 p.	29.88	759	86	85	S S E	0	o	10 a.	29.92	760	90	60	E S E	2
Legaspi,	2 p.	29.87	758.6	88	...	E	1	b	6 a.	29.92	759.9	75	...	...	0
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N N W	1
Iloilo,	,,	29.87	758.7	89	...	S W	2	c	,,	29.95	760.7	85	...	S W	1
Cebu,	,,	29.84	757.9	87	...	...	0	b	,,	29.93	760.2	85	...	...	0
Labuan,	,,	29.83	757.7	83	...	...	...	...	,,	29.91	759.7	83	...	...	...

On the 21st at 11.55 a.—The barometer has fallen in E. Japan, and risen over W. Japan and N. China.
A depression which crossed the Sea of Japan yesterday, lies now in the Pacific to the E. of Hokkaido.
Pressure is almost uniform and gradients very slight in other areas.
Light N.E. and variable winds may be expected in the Formosa Channel and the N. part of the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. or variable winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 21st May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	21ST MAY. 1908, P.M.								22ND MAY. 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.69	754.1	...	...	N E	2	...	6 a.	...	...	...	...	...	...	...
te, ...	,,	29.89	759.2	...	...	N W	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.83	757.6	...	...	N E	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.95	760.8	...	...	E	6	...	,,	...	...	...	...	...	...	...
ki, ...	,,	29.99	761.8	...	...	S W	4	...	,,	...	...	...	...	...	...	...
ima.	,,	30.00	761.9	...	...	S	2	...	,,	...	...	...	...	...	...	...
.....	,,	30.00	762.1	...	...	N E	4	...	,,	...	...	...	...	...	...	...
.....	,,	30.01	762.3	...	...	N E	2	...	,,	...	...	...	...	...	...	...
ijima.	,,	29.97	761.3	...	...	S E	4	...	,,	...	...	...	...	...	...	...
ls, ...	,,	30.05	763.1	...	...	S	2	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.86	758.4	85	28	S	2	b	6 a.	29.83	757.7	57	100	N E	1	or
wei.....	,,	29.83	757.7	75	...	S	2	b	9 a.	29.83	757.7	55	...	W N W	1	o
.....	,,	29.95	760.7	91	45	S	1	b	6 a.	29.90	759.4	74	90	...	0	b
ng.....	,,	29.96	761.0	91	51	N E	1	b	,,	29.87	758.7	67	85	S E	1	b
ai.	,,	29.88	758.9	87	58	S	2	b	9 a.	29.87	758.7	81	59	S	1	b
.....	,,	29.91	759.7	71	85	S S E	3	bm	,,	29.89	759.2	67	84	S	3	bm
Peak, ...	,,	29.93	760.2	78	100	...	0	b	,,	29.97	761.2	76	95	N	1	b
.....	,,	29.91	759.7	77	77	S E	3	b	6 a.	29.94	760.5	74	81	N E	1	b
.....	,,	29.88	758.9	80	66	E	3	b	,,	29.88	758.9	68	95	N	1	c
.....	1 p.	29.92	759.9	.	...	E	6	...	5 a.	29.88	759.0	...	...	...	0	...
.....	,,	29.91	759.6	...	...	N W	2	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	29.93	760.2	...	...	W	6	...	,,	29.91	759.6	...	...	N E	2	...
.....	,,	29.94	760.5	...	...		0	...	,,	29.89	759.2	...	...	E	2	...
res, ...	,,	29.93	760.3	...	...	N	6	...	,,	29.90	759.5	...	...	N	5	...
.....	3 p.	29.87	758.7	89	96	S	1	c	9 a.	...	...	...	...	...	...	...
ng.	4 p.	29.86	758.4	79	68	E S E	2	b	10 a.	29.92	759.9	82	58	S E	1	b
Peak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E N E	2	...
ck,.....	,,	29.84	757.9	...	...	E	3	...	,,	29.89	759.2	...	...	N E	4	...
.....	,,	29.88	758.9	80	...	S E	1	c	,,	29.93	760.2	81	...	N N E	1	c
.....	3 p.	29.88	758.9	84	87	N E	4	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.83	757.8	84	...	S S E	3	or	8 a.	29.97	761.1	81	...	N	2	c
.....	,,	29.78	756.5	84	...	N W	3	c	,,	29.89	759.1	81	...	...	0	c
James,.	,,	29.76	756.8	81	...	W S W	1	c	,,	29.82	757.5	82	...	N W	2	o
.....	2 p.	29.82	757.3	86	...	N E	1	o	6 a.	...	...	...	...	...	...	..
.....	4 p.	29.80	757	88	72	S S E	1	o	10 a.	29.88	759	86	71	...	0	o
.....	2 p.	29.86	758.4	88	...	N E	1	...	6 a.	29.87	758.7	77	...	...	0	c
.....	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	E N E	1	c
.....	,,	29.85	758.2	88	...	S W	1	c	,,	29.91	759.7	85	...	S W	1	c
.....	,,	29.82	757.4	88	...	N	1	c	,,	29.89	759.2	85	...	S	1	b
.....	,,	29.78	756.4	89	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

n the 22nd at 12.10 p.— The barometer has fallen moderately in N. China, and a slight fall has taken place also stations around the China Sea.
ressure is highest over S. China. It is relatively low over N. China and the China Sea.
radients continue slight, and light or moderate N.E. winds may be expected in the Formosa Channel and the t of the China Sea.
he Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N.E. winds, light or moderate; fine.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 22nd May, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd MAY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd MAY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	W	8	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.93	760.2	...	...	S W	6	...	,,	...	...	...	...	...	...
Tokio,	,,	29.88	761.6	...	...	S	4	...	,,	...	...	...	...	...	...
Kochi,	,,	29.95	760.8	...	...	S E	4	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.91	759.8	...	...	S W	6	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.96	760.9	...	...	S	2	...	,,	...	...	...	...	...	...
Oshima,	,,	29.96	761.1	...	...	N	4	...	,,	...	...	...	...	...	...
Naha,	,,	29.93	760.2	...	...	S	2	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.93	760.3	...	...	...	0	...	,,	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	S	2	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.88	758.9	60	...	N W	4	b	9 a.	29.99	761.7	59	...	W N W	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.82	757.4	96	40	W	1	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.78	756.4	93	32	W N W	2	b	9 a.	30.08	764.0	71	45	N E	2
Gutzlaff,	,,	29.82	757.4	72	85	S	2	bm	,,	30.05	763.2	65	73	N	3
Sharp Peak,	,,	29.87	758.7	76	95	E	1	b	,,	29.96	761.0	76	95	N E	2
Amoy,	,,	29.89	759.2	77	82	S E	3	b	6 a.	29.92	759.9	75	85	S S E	1
Swatow,	,,	29.82	757.4	86	74	E S E	3	b	,,	...	...	...	...	...	...
Taiboku,	1 p.	29.90	759.4	.	...	N	4	...	5 a.	29.90	759.4	...	...	S	2
Taichu,	,,	29.87	758.7	...	...	N	4	...	,,	29.88	759.0	...	...	...	0
Tainan,	,,	29.88	759.0	...	...	N W	6	...	,,	29.88	758.9	...	...	...	0
Koshun	,,	29.88	759.0	...	...	E	4	...	,,	29.88	758.8	...	...	N E	2
Pescadores,	,,	29.91	759.7	...	...	N	4	...	,,	29.88	759.0	...	...	N	4
Canton,	3 p.	29.82	757.4	92	94		0	b	9 a.	29.94	760.5	81	100	S E	1
Hongkong,	4 p.	29.81	757.2	79	74	E	2	b	10 a.	29.92	759.9	81	69	E	3
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	5
Gap Rock,	,,	29.80	756.9	...	...	E	3	...	,,	29.88	758.9	...	...	N E	5
Macao,	,,	29.87	758.7	80	...	S E	1	b	,,	29.93	760.2	82	...	N E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	82	...	S E	3	c	8 a.	29.91	759.7	81	...	W N W	1
Tourane,	,,	29.78	756.3	86	...	N	4	c	,,	29.86	758.4	81	...	...	0
Cape St. James,	,,	29.70	754.5	82	...	S W	2	o	,,	29.82	757.5	82	...	S S W	2
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.83	757.7	75	...	S	1
Manila,	4 p.	29.80	757	84	77	...	0	o	10 a.	29.84	758	86	71	S E	2
Legaspi,	2 p.	29.82	757.3	90	...	N E	1	o	6 a.	29.84	757.9	73	...	...	0
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.81	757.2	89	...	S W	2	o	,,	29.87	758.7	85	...	S W	1
Cebu,	,,	29.79	756.6	88	...	N	1	b	,,	29.87	758.7	87	...	...	0
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.82	757.4	84	...	...	...

On the 23rd at 11.55 a.—The barometer is still inclined to fall at the stations around the China Sea, and co
tions favour the formation of a depression over the middle part of this area.

Pressure has increased considerably in the North, and it is now high over China to the North of the Yangtz

Gradients are steeper along the China coast, and fresh to strong N.E. winds are expected to prevail in
Formosa Channel and the N. part of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 23rd May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	23rd MAY. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
),.....	,,	30.04	763.1	...	...	E	6	...	6 a.	29.89	759.1	...	...	E	8	...
te,.....	,,	29.81	757.2	...	...	S E	8	...	,,	29.77	756.2	...	...	W	6	...
.....	,,	29.79	756.6	...	...	S	8	...	,,	29.83	757.6	...	...	N W	2	...
.....	,,	29.83	757.8	...	...	S E	2	...	,,	29.88	758.8	...	...	S W	2	...
ki, ...	,,	29.87	758.8	...	...	W	6	...	,,	29.95	760.8	...	...	...	0	...
ima, ...	,,	29.84	757.9	...	...	W	6	...	,,	29.96	760.9	...	...	N W	2	...
.....	,,	29.89	759.1	...	...	N W	4	...	,,	29.97	761.1	...	...	W	2	...
.....	,,	29.89	759.2	...	...	N W	4	...	,,	29.97	761.2	...	...	N	6	...
ijima,....	,,	29.93	760.3	...	...	S W	4	...	,,	29.97	761.3	...	...	N E	4	...
ls.....	,,	29.96	761.1	...	...	S W	4	...	,,	29.97	761.1	...	...	S	2	...
.....	3 p.	29.90	759.4	68	60	E	1	b	6 a.	29.77	756.1	69	43	S W	2	b
wei,.....	,,	29.92	759.9	68	...	E	1	b	9 a.	29.77	756.1	78	...	W	2	b
.....	,,	30.07	763.8	81	100	E	1	o	6 a.	29.98	761.5	71	71	S E	1	b
ng.....	,,	30.05	763.2	80	96	N E	1	b	,,	30.03	762.7	66	89	...	0	b
ai, ...	,,	30.03	762.7	78	29	E N E	1	b	9 a.	30.02	762.5	74	29	S	2	b
.....	,,	30.04	763.0	69	61	N N E	2	bm	,,	30.00	762.0	66	59	S S W	2	bm
Peak,.....	,,	29.97	761.2	74	86	E N E	5	c	,,	30.02	762.5	71	85	N N E	4	c
.....	,,	29.93	760.2	76	82	S E	3	c	6 a.	29.99	761.7	...	...	...	0	b
.....	,,	29.85	758.2	80	82	E	2	c	,,	29.91	759.7	68	79	N E	2	b
.....	1 p.	29.93	760.3	.	...	E	S	...	5 a.	29.96	760.9	...	...	E	6	...
.....	,,	29.87	758.3	...	...	N W	6	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	29.90	759.4	...	...	N W	4	...	,,	29.89	759.3	...	...	E	2	...
.....	,,	29.88	759.0	...	...	N E	4	...	,,	29.89	759.1	...	...	N E	3	...
res, ...	,,	29.91	759.8	...	...	N	6	...	,,	29.91	759.8	...	...	N	3	...
.....	3 p.	29.85	758.2	91	96	S	1	b	9 a.	29.95	760.7	90	96	S E	1	b
ng, ...	4 p.	29.85	758.2	81	67	E	3	b	10 a.	29.94	760.5	78	52	E	4	o
Peak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	6	...
ck,.....	,,	29.81	757.2	...	...	E N E	4	...	,,	29.89	759.2	...	...	E N E	5	...
.....	,,	29.87	758.7	81	...	E S E	1	c	,,	29.94	760.5	80	...	E	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.80	756.9	84	...	S S E	4	c	8 a.	29.91	759.7	84	...	E	3	c
.....	,,	...	...	...	...	...	...	...	,,	29.87	758.7	79	...	N N E	0	o
James,.	,,	29.72	754.8	90	...	S W	1	c	,,	29.83	757.6	81	...	S W	1	c
.....	2 p.	29.82	757.3	88	...	N E	1	o	6 a.	29.84	757.8	75	...	S E	1	o
.....	4 p.	29.80	757	79	92	S E	0	o	10 a.	29.84	758	88	65	S E	3	c
.....	2 p.	29.79	756.7	88	...	E	1	o	6 a.	...	.	...	...	..	...	...
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.81	757.2	76	...	S W	3	o	,,	29.89	759.2	84	...	S W	1	b
.....	,,	29.78	756.4	88	...	S	2	c	,,	29.88	758.9	86	...	...	0	b
.....	,,	29.76	755.9	88	...	...	...	...	,,	...	...	...	...	...	...	...

n the 24th at 11.55 a.—The depression which moved across the Sea of Japan yesterday, is now over lido.

he barometer has fallen again on the N.E. coast of China, probably owing to the appearance of another de- on over S. Manchuria.

ressure has increased slightly over S. China, S.W. Japan and the Loochoos. It is highest over the Eastern Sea.

here are still indications of the existence of a low pressure area over the China Sea, probably between Luzon e Paracels.

resh to strong N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of ina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.E. and E. winds, fresh or strong; fair.
osa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 24th May, 1908.

ed by Noronha & Co. (Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER

Station.	24th MAY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	F c
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro,.....	,,	29.81	757.1	...	...	S E	2	...	6 a.	29.89	759.1	...	...	N E	
Hakodate,.....	,,	29.85	758.2	...	...	S W	6	...	,,	29.97	761.2	...	...	W	
Tokio, ...	,,	29.79	756.6	...	...	S	6	...	,,	29.99	761.6	...	...	N W	
Kochi, ...	,,	29.87	758.8	...	...	S E	2	...	,,	30.03	762.8	...	...	SW	
Nagasaki, ...	,,	29.95	760.8	...	...	N	2	...	,,	30.07	763.8	...	...	E	
Kagoshima, ...	,,	29.92	759.9	...	...	N W	4	...	,,	30.08	763.9	...	...	N	
Oshima,.....	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	S	
Naha.....	,,	29.97	761.2	...	...	N E	10	...	,,	29.97	761.2	...	...	...	
Ishigakijima,....	,,	29.97	761.3	...	...	N E	8	...	,,	29.93	760.3	...	...	E	
Bonin Is.....	,,	29.96	761.1	...	...	N	2	...	,,	30.01	762.1	...	...	S	
Chefoo.....	3 p.	29.80	756.9	74	81	N W	4	b	6 a.	...	...	...	...	...	
Weihaiwei,.....	,,	29.80	756.9	65	...	S E	1	b	9 a.	29.82	757.4	72	...	S E	
Hankow, ...	,,	29.94	760.5	85	51	S S E	2	c	6 a.	...	...	...	...	...	
Kiukiang,.....	,,	29.94	760.5	87	55	...	0	c	,,	...	...	...	...	...	
Shanghai, ...	,,	29.92	759.9	79	24	S S E	2	c	9 a.	29.88	758.9	72	54	S	
Gutzlaff, ...	,,	29.94	760.5	69	70	S S E	3	cm	,,	29.91	759.7	66	79	S S E	
Sharp Peak,.....	,,	29.96	761.0	72	85	E N E	4	b	,,	29.94	760.5	72	95	N W	
Amoy.....	,,	29.95	760.7	77	65	S E	4	b	6 a.	29.97	761.2	73	81	...	
Swatow,.....	,,	29.91	759.7	77	86	E	2	b	,,	29.85	758.2	69	95	E	
Taihoku.....	1 p.	29.92	759.9	..	...	E	8	...	5 a.	29.88	759.0	...	...	E	
Taichu, ...	,,	29.86	758.4	...	...	N W	4	...	,,	29.88	759.0	...	...	...	
Tainan,.....	,,	29.88	759.0	...	...	W	4	...	,,	29.87	758.7	...	...	N	
Koshun.....	,,	29.88	758.9	...	...	N E	8	...	,,	29.87	758.6	...	...	N E	
Pescadores, ...	,,	29.90	759.4	...	...	N	8	...	..	29.89	759.2	...	...	N	
Canton,.....	3 p.	29.85	758.2	...	...	E N E	2	b	9 a.	29.90	759.4	82	100	...	
Hongkong, ...	4 p.	29.85	758.2	79	65	E S E	3	b	10 a.	29.87	758.7	78	63	E	
Victoria Peak,...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E S E	
Gap Rock,.....	,,	29.82	757.4	...	...	E	5	...	,,	29.84	757.9	...	...	E S E	
Macao,.....	,,	29.87	758.7	79	...	S E	1	c	,,	29.89	759.2	79	...	S E	
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,.....	4 p.	29.78	756.5	86	...	S S E	3	b	8 a.	29.87	758.7	84	...	E N E	
Tourane,.....	,,	29.76	755.9	84	...	N W	6	c	,,	...	...	...	...	...	
Cape St. James,.	,,	29.72	755.0	90	...	S W	1	c	,,	29.81	757.1	79	...	S W	
Aparri,.....	2 p.	29.79	756.6	88	...	E	1	o	6 a.	...	...	...	...	...	
Manila.	4 p.	29.76	756	86	71	...	0	o	10 a.	29.80	757	86	71	S E	
Legaspi,.....	2 p.	29.79	756.7	90	...	E	1	o	6 a.	29.83	757.6	75	...	...	
Bacolod,.....	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	
Iloilo,.....	,,	29.81	757.2	87	...	S W	1	c	,,	29.87	758.7	85	...	S W	
Cebu,.....	,,	29.80	756.9	88	...	...	0	or	,,	29.86	758.4	87	...	S	
Labuan, ...	,,	29.77	756.1	89	...	...	...	...	,,	29.84	757.9	85	...	...	

On the 25th at 11.50 a.—The barometer has risen moderately in Japan, and fallen moderately to slightly China and the Philippines respectively.

An area of low pressure lying over the China Sea in the neighbourhood of the Paracels, is still indicated. Pressure is low also over N. China. It is high over W. Japan.

Fresh to strong N.E. and E. winds are expected to prevail in the Formosa Channel and the N. part of the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh or strong; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 25th May, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	25TH MAY, 1908, P.M.								26TH MAY, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	29.89	759.1	...	...	N E	4	...	6 a.	29.93	760.1	...	...	W	6	...
te,.....	,,	29.93	760.2	...	...	S W	6	...	,,	30.05	763.2	...	...	W	2	...
.....	,,	29.94	760.6	...	...	S	6	...	,,	30.14	765.6	...	...	N W	2	...
.....	,,	29.99	761.8	...	...	S E	4	...	,,	30.07	763.8	...	...	...	0	...
ki, ...	,,	30.03	762.8	...	...	S W	2	...	,,	30.03	762.8	...	...	...	0	...
jima.	,,	30.04	762.9	...	...	S	2	...	,,	30.04	762.9	...	...	N E	2	...
.....	,,	30.00	762.1	...	...	S	4	...	,,	29.97	761.1	...	...	E	4	...
.....	,,	...	...	...	...	...	...	...	,,	29.93	760.2	...	...	E	2	...
ijima,....	,,	...	...	...	...	...	...	...	,,	29.86	758.3	...	...	E	2	...
s.....	,,	30.04	763.1	...	...	N W	2	...	,,	30.08	764.1	...	...	...	0	...
.....	3 p.	29.76	755.9	82	96	S	2	o	6 a.	29.80	756.9	62	89	S S E	3	c
wei,.....	,,	29.78	756.4	71	...	S	2	o	9 a.	29.79	756.6	52	...	N	1	o
,.....	,,	29.88	758.9	80	78	S	1	o	6 a.	...	...	...	...	...	...	...
g.....	,,	29.91	759.7	70	95	N E	1	o	,,	...	...	...	...	...	...	...
ai, ...	,,	29.79	756.6	74	55	S S E	3	o	9 a.	29.80	756.9	72	81	S	2	om
.....	,,	29.82	757.4	69	80	S S E	3	om	,,	29.81	757.2	67	95	S	2	cm
Peak,.....	,,	29.86	758.4	76	90	N E	2	b	,,	29.83	757.7	76	100	...	0	c
.....	,,	29.87	758.7	79	78	E	2	b	6 a.	29.87	758.7	76	91	N E	1	o
.....	,,	29.80	756.9	78	65	E S E	2	b	,,	29.77	756.1	74	95	S E	1	o
.....	1 p.	29.82	757.3	.	...	E	4	...	5 a.	29.83	757.6	...	...	...	0	...
.....	,,	29.83	757.7	...	...	S W	2	...	,,	29.82	757.3	...	...	...	0	...
.....	,,	29.83	757.6	...	...	N	6	...	,,	29.80	756.8	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	E	4	...
ores, ...	,,	29.86	758.5	...	...	N	6	...	,,	29.81	757.1	...	...	N	4	...
.....	3 p.	29.80	756.9	90	100	...	0	b	9 a.	29.82	757.4	83	100	...	0	c
ng, ...	4 p.	29.79	756.6	81	67	E	2	o	10 a.	29.78	756.4	82	71	N E	2	o
a Peak,...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	4	...
ck,.....	,,	29.75	755.6	...	...	E N E	4	...	,,	29.74	755.4	...	...	E N E	5	...
.....	,,	29.82	757.4	81	...	E	1	o	,,	29.81	757.2	81	...	N E	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.74	755.3	84	...	S S E	4	c	8 a.	29.83	757.7	81	...	N N W	1	o
e	,,	29.72	755.0	84	...	N N W	4	c	,,	29.79	756.7	82	...	...	0	c
James,.	,,	29.70	754.3	86	...	S W	3	c	,,	29.78	756.5	81	...	S W	3	o
.....	2 p.	29.74	755.4	82	...	S E	1	d	6 a.	29.75	755.6	77	...	S	1	o
.....	4 p.	29.76	756	77	92	S W	2	oqt	10 a.	29.76	756	84	77	E S E	1	o
.....	2 p.	29.78	756.3	82	...	...	0	o	6 a.	29.78	756.5	77	...	...	0	o
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	o
.....	,,	29.81	757.2	82	...	S W	1	o	,,	29.85	758.2	84	...	S	1	o
.....	,,	29.78	756.4	89	...	S	1	c	,,	29.83	757.7	88	...	S	2	c
.....	,,	29.76	755.9	88	...	...	...	...	,,	29.80	756.9	85	...	...	...	...

On the 26th at 11.35 a.—The barometer has risen moderately in Japan, and fallen moderately to slightly over S. and the Philippines respectively.
The depression over the China Sea has probably become deeper. It appears to be situated to the Eastward of Paracels and to be almost stationary.
Pressure is high over Japan. It remains low over N. China.
Moderate E. winds may be expected in the Formosa Channel and strong N.E. and E. winds over the N. part of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...gkong and Neighbourhood, ...	N.E. and E. winds, fresh or strong; squally, some rain.
...mosa Channel, ...	E. winds, moderate.
...th coast of China between Hongkong and Lamocks,..	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	N. and N.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 26th May, 1908.

...ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th MAY. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	27th MAY. 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	N	6
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	0
Tokio,	,,	...	...	...	...	...	...	...	,,	30.02	762.6	...	...	N W	2
Kochi,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	...	...	S W	2
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	E	4
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	...	...	N E	2
Oshima,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	...	...	S	2
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	...	...	E	4
Bonin Is.	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	S E	2
Chefoo	3 p.	29.75	755.6	67	79	E	1	c	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.78	756.4	60	...	E	2	o	9 a.	...	...	59	...	N E	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.91	759.7	87	55	N W	0	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.72	754.9	81	62	S W	1	c	9 a.	29.78	756.4	77	78	N N E	1
Gutzlaff,	,,	29.77	756.1	69	95	S S W	1	om	,,	29.79	756.6	72	90	N N W	1
Sharp Peak,	,,	29.78	756.4	76	95	E	1	b	,,	29.77	756.1	76	95	N	1
Amoy	,,	...	...	78	86	S S E	2	b	6 a.	29.78	756.4	76	91	...	0
Swatow,	,,	29.73	755.1	80	82	E	2	c	,,	29.69	754.1	75	86	...	0
Taiboku	1 p.	29.79	756.6	.	...	N E	2	...	5 a.	29.70	754.3	...	...	...	0
Taichu,	,,	29.77	756.1	...	...	N	6	...	,,	29.70	756.4	...	...	...	0
Tainan,	,,	29.78	756.5	...	...	N	4	...	,,	29.69	754.0	...	...	...	0
Koshun	,,	29.79	756.6	...	...	E	6	...	,,	29.70	754.3	...	...	E	4
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	...	...	N	2
Canton,	3 p.	29.72	754.9	89	100	...	0	c	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.71	754.6	81	70	E	3	o	10 a.	29.69	754.1	87	55	N E	2
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	N E	3
Gap Rock,	,,	29.67	753.6	...	...	E N E	5	...	,,	29.68	753.9	...	...	N E	5
Macao,	,,	29.74	755.4	83	...	E	2	c	,,	29.72	754.9	85	...	N N E	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.8	81	...	N E	3	lt	8 a.	29.76	755.8	79	...	W N W	3
Tourane,	,,	29.67	753.7	88	...	N W	6	c	,,	29.73	756.0	82	...	...	0
Cape St. James,	,,	29.67	753.6	77	...	S W	3	o	,,	29.71	754.7	81	...	S W	3
Aparri,	2 p.	29.70	754.3	86	...	W	1	o	6 a.	29.66	755.3	77	...	S	1
Manila,	4 p.	29.72	755	77	92	S	1	od	10 a.	29.73	755	77	100	S E	1
Legaspi,	2 p.	29.76	756.0	82	...	W	2	o	6 a.	29.74	755.4	77	...	...	0
Bacolod,	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	W S W	1
Iloilo,	,,	29.77	756.1	83	...	S W	1	o	,,	29.83	757.7	81	...	...	0
Cebu,	,,	29.75	755.6	90	...	S	1	b	,,	29.82	757.4	87	...	S	1
Labuan,	,,	29.71	754.6	91	...	...	...	...	,,	29.85	758.2	83	...	...	...

On the 26th at 8.50 p.—Orders issued to hoist No. 1 night signal.

On the 27th at 5.00 a.—Red Cone point downwards hoisted, (indicates a typhoon South of Colony beyond miles.

On the 27th at 11.55 a.—The barometer has fallen at the stations around the China Sea, particularly over the coast of China and in Formosa.

The typhoon is situated to the S.S.E. of Hongkong, probably at a distance of about 300 miles. It appears t moving slowly northwards with a tendency to recurve to the N.E.

There is also a shallow depression over the Eastern Sea. The highest pressure lies over S.E. Japan.

Bad weather may be expected over the N. part of the China Sea, and increasing N.E. and E. winds in the mosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; squally, probably some sho
2.—Formosa Channel,	Increasing E. and N.E. winds, [h
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 27th May, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	27TH MAY, 1908, P.M.								28TH MAY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
...	,,	30.08	764.1	...	...	N E	8	...	6 a.	30.20	767.1	...	...	E	6	...
te.....	,,	29.97	761.2	...	...	...	0	...	,,	30.17	766.2	...	...	E	6	...
.....	,,	30.02	762.6	...	...	S E	2	...	,,	30.02	762.6	...	...	N W	4	...
.....	,,	29.87	758.8	...	...	...	0	...	,,	29.88	758.8	...	...	S W	2	...
ki, ...	,,	29.83	757.8	...	...	S E	6	...	,,	29.80	756.8	...	...	...	0	...
ima, ...	,,	29.88	758.9	...	...	N E	6	...	,,	29.76	755.9	...	...	N	4	...
.....	,,	29.81	757.1	...	...	...	0	...	,,	29.73	755.1	...	...	...	0	...
.....	,,	29.73	755.2	...	...	N W	2	...	,,	29.65	753.2	...	...	E	6	...
ijima, ...	,,	29.78	756.3	...	...	E	6	...	,,	29.62	752.3	...	...	E	8	...
k.....	,,	30.20	767.1	...	...	S	4	...	,,	29.93	760.1	...	...	...	0	...
.....	3 p.	...	...	68	74	E S E	2	b	6 a.	...	...	...	...	...	...	...
wei,.....	,,	29.73	755.1	61	...	E N E	2	f	9 a.	29.80	756.9	56	...	E N E	1	o
.....	,,	29.81	757.2	90	96	S	1	t	6 a.	...	...	...	...	...	...	...
g.....	,,	29.80	756.9	91	81	S W	1	f	,,	...	...	...	...	...	...	...
ai.	,,	29.74	755.4	80	58	N N E	1	c	9 a.	29.77	756.1	68	90	E S E	1	o
l.	,,	29.77	756.1	69	90	N N E	2	f	,,	29.77	756.1	64	100	E	2	f
eak,.....	,,	29.72	754.9	76	91	N N E	2	c	,,	29.68	753.9	76	91	N	3	b
.....	,,	29.64	752.8	81	74	N E	1	c	6 a.	29.61	752.1	78	82	N N E	3	b
.....	,,	29.61	752.1	80	78	E	4	b	,,	...	...	...	...	...	...	...
a.....	1 p.	29.67	753.5	.	...	E	6	...	5 a.	29.56	750.8	...	...	E	6	...
.....	,,	29.66	753.2	...	...	N	4	...	,,	29.53	750.0	...	...	...	0	...
.....	,,	29.67	753.7	...	...	W	2	...	,,	29.52	749.9	...	...	...	0	...
.....	,,	29.67	753.6	...	...	W	4	...	,,	29.53	750.0	...	...	N E	8	...
nes, ...	,,	29.70	754.4	...	...	N	6	...	,,	29.54	750.2	...	...	N	6	...
.....	3 p.	29.63	752.6	88	100	...	1	or	9 a.	...	...	...	...	...	...	...
ng, ...	4 p.	29.59	751.6	81	77	E	3	c	10 a.	29.65	753.1	84	75	W	1	c
Peak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N N E	1	...
ck.....	,,	29.57	751.1	...	...	E	3	...	,,	29.63	752.6	...	...	N E	1	...
.....	,,	29.62	752.3	88	...	N E	1	c	,,	29.67	753.6	75	...	N	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.61	752.1	90	...	S E	3	lt	8 a.	29.72	754.8	79	...	W	2	c
e, ...	,,	29.63	752.6	84	...	N W	6	c	,,	29.71	754.7	82	...	...	0	c
James,.	,,	29.67	753.7	79	...	S W	5	o	,,	29.73	755.0	79	...	...	3	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.61	752	77	100	S S E	2	rq	10 a.	29.65	753	77	92	S S W	5	o
.....	2 p.	29.70	754.3	88	...	S W	1	o	6 a.	29.73	755.1	75	...	S W	2	o
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	2	op
.....	,,	29.77	756.1	81	...	S W	4	or	,,	29.82	757.4	81	...	S W	3	o
.....	,,	29.75	755.6	90	...	S	3	c	,,	29.84	757.9	83	...	S	2	c
.....	,,	29.71	754.6	86	...	...	...	...	,,	29.76	755.9	86	...	...	...	...

On the 27th at 7.10 p.—Orders given to hoist No. 2 night signal.
On the 28th at 5.30 a.—Black Cone point downwards and Black drum hoisted. (indicates a typhoon South East dony within 300 miles.) At 11.00 a. signal lowered.
At 11.50 a.—The barometer has fallen quickly over Formosa and the Loochoos. It is inclined to rise in the bourhood of Hongkong.
The typhoon has recurved. This morning it is moving towards N.E. to the South of Formosa.
High pressure covers N.E. Japan.
Strong N.E. winds to gales may be expected in the Formosa Channel and bad weather over the N.E. part of the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N. to W. winds, moderate; fair.
n osa Channel, ...	N.E. winds, strong to a gale.
th coast of China between Hongkong and Lamocks,..	N. winds, fresh.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 28th May, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	28th MAY. 1908. P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	29th MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	F e
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro, ...	,,	30.16	766.1	...	...	E	6	...	6 a.	30.04	763.1	...	...	S E	
Hakodate, ...	,,	30.13	765.2	...	...	S	6	...	,,	30.05	763.2	...	...	E	
Tokio, ...	,,	30.02	762.6	...	...	N W	4	...	,,	29.95	760.6	...	...	N W	
Kochi, ...	,,	29.83	757.8	...	...	S E	2	...	,,	29.76	755.8	...	...	S W	
Nagasaki, ...	,,	29.72	754.8	...	...	S W	6	...	,,	29.76	755.8	...	...	N	
Kagoshima, ...	,,	29.76	755.9	...	...	E	4	...	,,	29.76	755.9	...	...	E	
Oshima, ...	,,	29.69	754.1	...	...	S E	4	...	,,	29.69	754.1	...	...	...	
Naha, ...	,,	29.65	753.2	...	...	E	6	...	,,	29.62	752.2	...	...	E	
Ishigakijima, ...	,,	29.66	753.3	...	...	E	6	...	,,	29.46	748.3	...	...	N E	
Bonin Is.	,,	29.89	759.1	...	...	S	6	...	,,	29.77	756.1	...	...	S E	
Chefoo, ...	3 p.	29.71	754.6	59	94	S E	1	or	6 a.	29.86	758.4	57	87	W	
Weihaiwei, ...	,,	29.81	757.2	57	...	E	1	o	9 a.	29.90	759.4	...	...	E N E	
Hankow, ...	,,	29.75	755.6	91	51	S	1	b	6 a.	...	...	...	...	...	
Kiukiang, ...	,,	29.74	755.4	94	38	N W	1	b	,,	...	...	...	...	...	
Shanghai, ...	,,	29.70	754.4	81	62	E	1	b	9 a.	29.77	756.1	74	68	E N E	
Gutzlaff, ...	,,	29.67	753.6	68	90	E S E	2	ov	,,	29.75	755.6	65	100	N E	
Sharp Peak, ...	,,	29.66	753.3	77	86	N E	5	c	,,	29.66	753.3	74	81	E	
Amoy, ...	,,	29.56	750.8	84	60	N E	2	c	6 a.	29.63	752.6	77	73	N E	
Swatow, ...	,,	29.50	749.3	84	72	N E	2	c	,,	29.59	751.6	75	95	...	
Taiboku, ...	1 p.	29.61	752.1	...	...	E	8	...	5 a.	29.55	750.5	...	...	N E	
Taichu, ...	,,	29.50	749.2	...	...	N	6	...	,,	29.48	748.8	...	...	N	
Tainan, ...	,,	29.48	748.9	...	...	N	4	...	,,	29.44	747.8	...	...	E	
Koshun	,,	29.45	748.0	...	...	N E	10	...	,,	29.45	748.1	...	...	N E	
Pescadores, ...	,,	29.53	750.1	...	...	N	10	...	,,	29.48	748.8	...	...	N	
Canton, ...	3 p.	29.58	751.3	96	...	...	0	b	9 a.	29.70	754.4	85	100	N	
Hongkong, ...	4 p.	29.55	750.5	86	65	W	2	b	10 a.	29.68	753.9	87	58	W	
Victoria Peak, ...	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	N	
Gap Rock, ...	,,	29.55	750.5	...	...	W	3	...	,,	29.67	753.6	...	...	W S W	
Macao, ...	,,	29.59	751.6	86	...	S E	1	c	,,	29.71	754.6	84	...	S E	
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien, ...	4 p.	29.59	751.6	91	...	S W	1	c	8 a.	29.71	754.5	82	...	S	
Tourane, ...	,,	29.61	752.2	86	...	...	0	c	,,	29.71	754.6	77	...	...	
Cape St. James, .	,,	29.63	752.7	79	...	S W	3	o	,,	29.71	754.7	79	...	S W	
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Manila, ...	4 p.	29.61	752	81	86	W S W	6	o	10 a.	29.76	756	75	100	W	
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Bacolod, ...	3 p.	...	...	...	...	S S W	2	op	9 a.	...	...	...	...	S W	
Iloilo, ...	,,	29.74	755.4	84	...	S W	5	o	,,	29.83	757.7	82	...	S W	
Cebu, ...	,,	29.77	756.1	85	...	...	0	o	,,	29.84	757.9	86	...	S	
Labuan, ...	,,	29.71	754.6	90	...	...	...	...	,,	29.79	756.6	86	...	...	

On the 29th at 11.55 a.—The barometer has risen slightly over the S. coast of China and S. Luzon. It is to rise in Formosa, but has fallen quickly at Meiaco Sima island.

The typhoon is moving northeastwards to the East of the Bashee Channel.

Pressure is still high, but giving way over N.E. Japan.

N.E. winds, decreasing in force, may be expected in the Formosa Channel, and moderate W. to S.W. wi the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	W. to S.W. winds, light or moderate; fine.
2.—Formosa Channel, ...	N.E. winds, moderating.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 29th May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	29TH MAY, 1908, P.M.								30TH MAY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock....	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.00	762.1	...	...	S E	6	...	6 a.	29.93	760.1	...	...	S	6	...
te, ...	,,	29.97	761.2	...	...	S E	8	...	,,	29.89	759.2	...	...	E	4	...
.....	,,	29.87	758.6	...	...	N	6	...	,,	29.87	758.6	...	...	N	2	...
.....	,,	29.76	755.8	...	...	S	2	...	,,	29.80	756.8	...	...	...	0	...
ki.	,,	29.72	754.8	...	...	S W	4	...	,,	29.76	755.8	...	...	N	2	...
ima, ...	,,	29.76	755.9	...	...	E	6	...	,,	29.72	754.9	...	...	E	4	...
.....	,,	...	...	...	...	...	...	...	,,	29.49	749.1	...	...	E	6	...
.....	,,	29.50	749.2	...	...	N E	6	...	,,	29.58	751.2	...	...	N	8	...
ijima, ...	,,	29.38	746.3	...	...	N	8	...	,,	29.74	755.3	...	...	N	4	...
s.....	,,	...	...	...	...	...	...	...	,,	29.89	759.1	...	...	S E	2	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
wei,.....	,,	29.90	759.4	59	...	N E	2	ovr	9 a.	29.97	761.2	60	...	N W	1	ovr
r.	,,	29.83	757.7	71	85	N E	1	b	6 a.	30.01	762.2	68	79	N N E	1	o
g.....	,,	...	...	...	...	...	...	...	,,	29.93	760.2	71	76	E	2	c
ai, ...	,,	...	...	...	...	...	...	...	9 a.	29.91	759.7	71	80	E	1	cm
f.	,,	...	...	...	...	...	...	...	,,	29.84	757.9	64	95	E	3	om
Peak,.....	,,	29.67	753.6	75	90	N E	4	b	,,	29.91	759.7	72	90	N N E	1	o
.....	,,	29.68	753.9	79	70	S E	2	b	6 a.	29.84	757.9	75	81	N E	1	b
.....	,,	29.59	751.6	91	57	S S E	3	b	,,	29.77	756.1	74	90	S	1	c
n.....	1 p.	29.64	752.8	.	...	E	6	...	6 a.	29.83	757.7	...	...	...	0	...
.....	,,	29.54	750.2	...	...	N	8	...	,,	29.79	756.7	...	...	...	0	...
.....	,,	29.56	750.5	...	...	N	8	...	,,	29.77	756.1	...	...	N	2	...
.....	,,	29.55	750.6	...	...	S	4	...	,,	29.78	756.4	...	...	E	2	...
res, ...	,,	29.61	752.2	...	...	N	10	...	,,	29.78	756.4	...	...	N	8	...
.....	3 p.	29.63	752.6	98	100	N	1	b	9 a.	29.84	757.9	84	100	S E	1	b
ng, ...	4 p.	29.64	752.8	86	65	E	1	b	10 a.	29.85	758.2	79	74	E	3	c
Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	4	...
ck.....	,,	29.62	752.3	...	...	...	0	...	,,	29.81	757.2	...	...	E	4	...
.....	,,	29.66	753.3	88	...	E	1	c	,,	29.86	758.4	82	...	E S E	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.61	752.0	90	...	S S E	3	lt	8 a.	29.75	755.7	82	...	N E	2	c
e.	,,	29.63	752.7	90	...	S W	3	c	,,	29.74	755.3	81	...	...	0	o
James,.	,,	29.67	753.7	77	...	S W	4	or	,,	29.76	755.8	77	...	S W	3	o
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.72	755	75	91	W	1	r	10 a.	29.84	758	75	100	...	0	r
.....	2 p.	29.74	755.3	84	...	S	1	o	6 a.	29.82	757.3	77	...	...	0	o
.....	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	...	1	o
.....	,,	29.79	756.6	83	...	S W	1	o	,,	29.87	758.7	87	...	W	1	o
.....	,,	29.76	755.9	90	...	S	2	b	,,	29.83	757.7	87	...	S	1	b
.....	,,	29.70	754.4	89	...	...	...	...	,,	29.80	756.9	87	...	...	...	...

n the 30th at 11.30 a.—The typhoon is now situated to the East of the Loochoos. It continues to move in a easterly direction.

Pressure has given way over Japan, and increased considerably over Formosa and the China coast. It is highest China to the North of the Yangtze, and relatively low over the Western part of the China Sea.

Moderate or fresh N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	E. winds, moderate or fresh; fair.
mosa Channel, ...	N.E. winds, moderate or fresh.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 30th May, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th MAY. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	31st MAY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	S	8	...	6 a.	29.81	757.1	...	...	S	6
Hakodate,	,,	29.81	757.2	...	...	E	6	...	,,	29.77	756.2	...	...	...	0
Tokio,	,,	29.91	759.6	...	...	...	0	...	,,	29.71	754.6	...	...	N W	4
Kochi,	,,	29.76	755.8	...	...	S	2	...	,,	29.72	754.8	...	...	...	0
Nagasaki,	,,	29.72	754.8	...	...	N	2	...	,,	29.84	757.8	...	...	N	2
Kagoshima,	,,	29.68	755.9	...	...	E	6	...	,,	29.84	757.9	...	...	W	4
Oshima,	,,	29.69	754.1	...	...	N	6	...	,,	29.89	759.1	...	...	S	2
Naha,	,,	29.77	756.2	...	...	N W	4	...	,,	29.89	759.2	...	...	N	2
Ishigakijima,	,,	29.82	757.3	...	...	N	6	...	,,	29.89	759.3	...	...	N E	2
Bonin Is.	,,	29.85	758.1	...	...	S	6	...	,,	29.81	757.1	...	...	S W	4
Chefoo,	3 p.	29.96	761.0	65	73	N W	2	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.93	760.2	64	...	W	2	b	9 a.	29.90	759.4	69	...	W	3
Hankow,	,,	30.04	763.0	75	64	N E	1	o	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.01	762.2	77	53	N E	2	b	,,	30.11	764.8	66	95	...	0
Shanghai,	,,	29.89	759.2	72	79	E	1	o	9 a.	29.99	761.7	69	70	N	1
Gutzlaff,	,,	29.88	758.9	66	89	...	0	ov	,,	29.94	760.5	66	84	N N E	1
Sharp Peak,	,,	29.89	759.2	75	90	E N E	4	b	,,	29.92	759.9	73	86	E N E	4
Amoy,	,,	29.86	758.4	81	71	S W	2	b	6 a.	29.93	760.2	76	82	...	0
Swatow,	,,	29.80	756.9	79	82	E	5	b	,,	29.85	758.2	73	95	E	2
Taiboku	1 p.	29.89	759.1	.	...	E	6	...	5 a.	29.90	759.4	...	...	E	4
Taichu,	,,	29.83	757.6	...	...	N	6	...	,,	29.89	759.1	...	...	...	0
Tainan,	,,	29.84	758.0	...	...	S W	6	...	,,	29.88	759.0	...	...	E	2
Koshun	,,	29.86	758.5	...	...	...	0	...	,,	29.89	759.2	...	...	N	6
Pescadores,	,,	29.84	758.0	...	...	N E	8	...	,,	29.88	759.0	...	...	N	4
Canton,	3 p.	29.78	756.4	93	...	E	1	b	9 a.	29.84	757.9	81	74	E	1
Hongkong,	4 p.	29.79	756.6	79	75	E	3	b	10 a.	29.89	759.2	81	73	E	3
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	S E	4
Gap Rock,	,,	29.78	756.4	...	...	E	5	...	,,	29.85	758.2	...	...	E	4
Macao,	,,	29.80	756.9	80	...	E S E	2	c	,,	29.89	759.2	82	...	E S E	3
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.8	82	...	S E	5	lt	8 a.	29.79	756.7	75	...	E	5
Tourane,	,,	29.68	753.9	79	...	...	0	or	,,	29.77	756.1	79	...	...	0
Cape St. James,	,,	29.67	753.7	79	...	S W	2	o	,,	29.77	756.1	81	...	W S W	3
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	79	84	W	1	o	10 a.	29.88	759	82	85	S E	3
Legaspi,	2 p.	29.79	756.6	91	...	S W	1	c	6 a.	29.86	758.4	77	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N N E	2
Iloilo,	,,	29.81	757.2	87	...	S W	1	o	,,	29.89	759.2	83	...	N E	1
Cebu,	,,	29.79	756.6	89	...	N	1	c	,,	29.88	758.9	87	...	N	1
Labuan,	,,	29.73	755.1	90	...	...	...	...	,,	...	...	...	...	...	...

On the 31st at 11.45 a.—The barometer has fallen over E. Japan and the Bonins, and risen over S.W. Jap the Loochoos.

The typhoon is now off the S.E. coast of Japan. It continues to move towards N.E.

Pressure has increased moderately to slightly over S. China and the Philippines. It remains high over C China, and relatively low over the W. part of the China Sea, where a low pressure trough probably exists in 16° Lat.

Fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; squally, showery later.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 31st May, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	31ST MAY. 1908. P.M.								1ST JUNE, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.69	754.1	...	...	S E	8	...	6 a.	29.61	752.1	...	...	S	2	...
te.....	,,	29.69	754.2	...	...	...	0	...	,,	29.73	755.2	...	...	W	2	...
.....	,,	29.67	753.6	...	...	N W	4	...	,,	29.79	756.6	...	...	...	0	...
.....	,,	29.76	755.8	...	...	N E	4	...	,,	29.88	758.8	...	...	...	0	...
ki.....	,,	29.87	758.8	...	...	S W	8	...	,,	29.95	760.8	...	...	...	0	...
ima.....	,,	29.84	757.9	...	...	W	6	...	,,	29.96	760.9	...	...	N	2	...
.....	,,	29.93	760.1	...	...	N	4	...	,,	30.01	762.1	...	...	S	2	...
.....	,,	29.93	760.2	...	...	N	6	...	,,	29.93	760.2	...	...	N	2	...
ijima....	,,	29.89	759.3	...	...	E	6	...	,,	29.89	759.3	...	...	E	4	...
s.....	,,	29.89	759.1	...	...	S E	4	...	,,	30.01	762.1	...	...	N	2	...
.....	3 p.	29.79	756.6	72	58	N W	2	b	6 a.	29.81	757.2	71	49	S W	1	b
wei.....	,,	29.81	757.2	75	...	W	3	b	9 a.	...	...	...	...	...	...	...
.....	,,	30.08	764.0	83	96	N E	1	b	6 a.	30.06	763.5	71	90	S W	1	c
g.....	,,	30.05	763.2	82	96	N E	2	b	..	30.05	763.2	66	89	...	0	b
a:.....	,,	29.96	761.0	72	58	E	1	om	9 a.	30.00	762.0	76	56	S W	1	b
.....	,,	29.94	760.5	66	79	N E	1	ov	,,	29.97	761.2	70	85	...	0	bm
Peak,.....	,,	29.95	760.7	72	85	E N E	4	c	..	30.01	762.2	73	90	N E	2	b
.....	,,	29.93	760.2	78	78	S W	2	c	6 a.	29.97	761.2	75	81	N E	1	c
.....	,,	29.85	758.2	80	87	E	1	b	..	29.90	759.4	72	90	E	2	c
.....	1 p.	29.88	758.9	.	...	E	6	...	5 a.	29.93	760.2	...	...	E	4	...
.....	,,	29.87	758.6	...	...	W	4	...	,,	29.89	759.1	...	...	N	2	...
.....	,,	29.90	759.4	...	...	W	6	...	,,	29.89	759.3	...	...	N	2	...
.....	,,	29.88	759.0	...	...	E	6	...	,,	29.88	758.9	...	...	...	0	...
res, ...	,,	29.90	759.4	...	...	N	4	...	,,	29.90	759.4	...	...	N	6	...
.....	3 p.	29.86	758.2	90	84	S E	1	b	9 a.	29.98	761.5	80	96	E	1	b
ng, ...	4 p.	29.86	758.2	78	79	E	3	o	10 a.	29.93	760.2	78	71	E	3	c
Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E	3	...
ck.....	,,	29.80	756.9	...	...	E N E	4	...	,,	29.89	759.2	...	...	E N E	5	...
.....	,,	29.85	758.2	81	...	E S E	2	c	..	29.94	760.5	80	...	N E	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.75	755.6	77	...	E N E	6	o	8 a.	29.85	758.2	82	...	N N E	4	c
.....	,,	29.70	754.5	84	...	...	0	o	,,	29.85	758.2	79	...	...	0	o
James,.	,,	29.71	754.6	79	...	S W	3	o	,,	...	...	82	...	S W	2	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	86	71	N W	1	o	10 a.	29.92	760	84	77	W N W	1	b
.....	2 p.	29.84	758.0	79	...	E	1	o	6 a.	29.89	759.1	75	...	...	0	b
.....	3 p.	...	...	...	...	E N E	1	o	9 a.	...	...	...	...	N N E	1	c
.....	,,	29.79	756.6	86	...	S W	1	c	,,	29.91	759.7	85	...	E	1	b
.....	,,	29.81	757.2	89	...	N	2	b	,,	29.88	758.9	87	...	N	1	c
.....	,,	29.78	756.4	88	...	...	...	...	,,	29.84	757.9	86	...	...	...	...

n the 1st at 11.55 a.—The barometer has fallen over the N.E. coast of China, and risen moderately to slightly
. Japan, S. China and the Philippines.
band of high pressure extends over S. China and the Pacific towards the Bonins, and pressure is relatively low
N. China and the W. part of the China Sea.
resh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N.E. and E. winds, fresh; fair.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 1st June, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JUNE, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	2nd JUNE, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.57	751.1	...	...	N	6	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	29.69	754.2	...	...	S	6	...	,,	29.73	755.2	...	...	...	0
Tokio, ...	,,	29.79	756.6	...	...	S	2	...	,,	29.87	758.6	...	...	N W	2
Kochi, ...	,,	29.83	757.8	...	...	S E	2	...	,,	29.84	757.8	...	...	S W	2
Nagasaki, ...	,,	29.91	759.8	...	...	W	4	...	,,	29.88	758.8	...	...	...	0
Kagoshima, ...	,,	29.96	760.9	...	...	W	6	...	,,	29.88	758.9	...	...	N	2
Oshima, ...	,,	29.96	761.1	...	...	N	2	...	,,	29.93	760.1	...	...	...	0
Naha, ...	,,	29.93	760.2	...	...	E	4	...	,,	29.93	760.2	...	...	...	0
Ishigakijima, ...	,,	29.93	760.8	...	...	N E	6	...	,,	29.89	759.3	...	...	N E	2
Bonin Is.	,,	30.00	762.1	...	...	S W	2	...	,,	29.97	761.1	...	...	...	0
Chefoo, ...	3 p.	29.78	756.4	79	95	N W	2	b	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	29.77	756.1	82	...	W	4	b	9 a.	29.75	755.6	84	...	W	3
Hankow, ...	,,	30.02	762.5	86	54	S	1	b	6 a.	29.97	761.2	70	90	S	1
Kiukiang, ...	,,	29.99	761.7	84	40	...	0	b	,,	29.98	761.6	65	89	...	0
Shanghai, ...	,,	29.91	759.7	83	43	S S W	1	c	9 a.	29.91	759.7	78	54	S S W	2
Gutzlaff, ...	,,	29.91	759.7	72	76	S W	2	bm	,,	29.88	758.9	70	80	S W	2
Sharp Peak.....	,,	29.95	760.7	73	86	E N E	4	b	,,	29.98	761.5	74	95	N	1
Amoy.....	,,	29.99	761.7	78	74	N E	1	b	6 a.	29.96	761.0	74	76	N E	1
Swatow, ...	,,	29.87	758.7	78	86	E S E	5	b	,,	29.95	760.7	71	95	...	0
Taihoku.....	1 p.	29.96	760.9	.	...	N E	6	...	5 a.	29.92	759.9	...	...	E	4
Taichu, ...	,,	29.88	759.0	...	...	N W	4	...	,,	29.91	759.6	...	...	...	0
Tainan,.....	,,	29.89	759.2	...	...	N W	6	...	,,	29.90	759.4	...	...	N	2
Koshun.....	,,	29.90	759.4	...	...	N W	4	...	,,	29.88	759.0	...	...	N	2
Pescadores, ...	,,	29.92	760.0	...	...	N	8	...	,,	29.91	759.7	...	...	N	6
Canton,.....	3 p.	29.90	759.4	88	...	E	1	b	9 a.	29.94	760.5	81	...	E	1
Hongkong, ...	4 p.	29.88	758.9	78	73	E	3	o	10 a.	29.94	760.5	78	72	E	3
Victoria Peak,...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	5
Gap Rock,.....	,,	29.85	758.2	...	...	E	4	...	,,	29.90	759.4	...	...	E	5
Macao, ...	,,	29.89	759.2	79	...	E S E	2	c	,,	29.94	760.5	79	...	E S E	3
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.78	756.4	79	...	E N E	6	or	8 a.	29.85	758.2	82	...	N	1
Tourane, ...	,,	29.77	756.1	82	...	S E	3	o	,,	29.90	759.4	82	...	...	0
Cape St. James,.	,,	29.76	755.9	86	...	S S W	3	c	,,	29.88	759.0	82	...	W	2
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.88	759.0	75	...	S W	1
Manila, ...	4 p.	29.84	758	90	60	S W	1	c	10 a.	29.92	760	86	71	N W	1
Legaspi, ...	2 p.	29.87	758.6	88	...	E	1	b	6 a.	29.89	759.2	75	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S W	1	ort	9 a.	...	...	...	...	N N E	1
Iloilo, ...	,,	29.87	758.7	89	...	N E	1	o	,,	29.91	759.7	84	...	N E	1
Cebu, ...	,,	29.84	757.9	89	...	N	3	b	,,	29.90	759.4	86	...	S	1
Labuan, ...	,,	29.79	756.6	90	...	...	...	...	,,	29.88	758.9	84	...	...	...

On the 2nd at 12.05 p.—The barometer has fallen over N. China and S.W. Japan.

Pressure remains low over Manchuria and the N. part of the Sea of Japan. It is highest over S. China and Pacific towards the Bonins.

Fresh to moderate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the Ch Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh to moderate; fair.
2.—Formosa Channel, ...	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 2nd June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	2nd JUNE, 1908, P.M.								3rd JUNE, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	29.65	753.1	...	...	S	6	...	6 a.	29.45	748.1	...	...	S	2	...
te,.....	,,	29.81	757.2	...	...	S W	10	...	,,	29.50	749.2	...	...	W	2	...
.....	,,	29.75	755.6	...	...	S	6	...	,,	29.63	752.6	...	...	...	0	...
.....	,,	29.76	755.8	...	...	S E	4	...	,,	29.76	755.8	...	...	W	2	...
d, ...	,,	29.83	757.8	...	...	S W	6	...	,,	29.80	756.8	...	...	S	4	...
ima, ...	,,	29.84	757.9	...	...	N W	6	...	,,	29.84	757.9	...	...	N W	2	...
.....	,,	29.93	760.1	...	...	N	6	...	,,	29.89	759.1	...	...	S	2	...
.....	,,	29.89	759.2	...	...	N	6	...	,,	29.89	759.2	...	...	...	0	...
jima,....	,,	29.89	759.3	...	...	E	6	...	,,	29.86	758.3	...	...	E	4	...
s.....	,,	29.89	759.1	...	...	S W	2	...	,,	29.81	757.1	...	...	S	4	...
.....	3 p.	29.72	754.9	81	38	N W	4	c	6 a.	..	...	...	...	...	...	...
wei,.....	,,	29.72	754.9	84	...	N	4	b	9 a.	29.78	756.4	70	...	S E	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	29.83	757.7	75	86	S S E	1	o
g.....	,,	29.92	759.9	85	...	W	2	b	,,	...	...	...	...	...	...	...
ai, ...	,,	29.83	757.7	84	31	S S E	2	b	9 a.	29.80	756.9	77	61	S S E	1	b
.....	,,	29.82	757.4	76	69	S W	1	bv	,,	29.79	756.6	71	85	S E	2	bv
eak,.....	,,	29.88	758.9	74	95	E	1	b	,,	29.87	758.7	75	100	E	1	c
.....	,,	29.91	759.7	77	73	S E	3	c	6 a.	29.86	758.4	75	95	S E	1	c
.....	,,	29.86	758.4	80	78	S E	2	b	,,	29.86	758.4	73	90	S E	2	c
.....	1 p.	29.90	759.5	.	...	E	6	...	5 a.	29.86	758.4	...	...	...	0	...
.....	,,	29.87	758.6	...	...	N	2	...	,,	29.84	757.9	...	...	...	0	...
.....	,,	29.89	759.1	...	...	W	6	...	,,	29.85	758.1	...	...	N	2	...
.....	,,	29.88	758.9	...	...	N W	2	...	,,	29.84	757.9	...	...	...	0	...
res, ...	,,	29.91	759.7	...	...	N	6	...	,,	29.83	757.6	...	...	N	2	...
.....	3 p.	29.85	758.2	89	...	E	1	c	9 a.	29.82	757.4	81	62	S	1	o
ng, ...	4 p.	29.85	758.2	78	73	E S E	3	c	10 a.	29.85	758.2	78	89	E	2	op
Peak,...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E S E	3	...
ck,.....	,,	29.82	757.4	...	...	E	4	...	,,	29.81	757.2	...	...	E S E	2	...
.....	,,	29.86	758.4	79	...	S E	2	c	,,	29.84	757.9	81	...	S E	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.76	755.8	82	...	S E	2	c	8 a.	29.80	756.8	81	...	S E	1	c
.....	,,	29.82	757.5	82	...	N W	2	o	,,	29.88	758.9	82	...	...	0	c
James,.	,,	29.81	757.2	86	...	S S W	2	c	,,	29.88	759.0	81	...	W	2	c
.....	2 p.	29.86	758.5	82	...	N	1	o	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	758	86	71	S W	3	o	10 a.	29.88	759	82	77	W N W	1	c
.....	2 p.	29.83	757.8	90	...	S W	1	o	6 a.	29.87	758.6	77	...	...	0	o
.....	3 p.	...	...	...	...	S W	1	t	9 a.	...	...	...	...	S W	1	o
.....	,,	29.85	758.2	88	...	S W	1	c	,,	29.91	759.7	83	...	S W	1	b
.....	,,	29.82	757.4	88	...	S	1	c	,,	29.89	759.2	85	...	...	0	c
.....	,,	29.74	755.4	89	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

h the 3rd at 12.05 p.—The barometer has fallen over China and Japan.

depression is moving Eastwards over N.E. Japan, and a second depression is likely to develop over Central

ressure is highest over the Pacific between the Loochoos and the Philippines.

Moderate S.E. and S. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	S.E. winds, moderate; showery.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
rth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 3rd June, 1908.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JUNE, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	4th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.81	757.2	67	...	N E	4	b	7 a.	29.83	757.7	55	81	E S E	1
Nemuro,	,,	29.41	747.1	...	...	W	6	...	6 a.	29.53	750.1	...	...	N	4
Hakodate,	,,	29.50	749.2	...	...	W	6	...	,,	29.69	754.2	...	...	N	4
Tokio,	,,	29.51	749.6	...	...	S	6	...	,,	29.75	755.6	...	...	N W	2
Kochi,	,,	29.68	753.8	...	...	S E	2	...	,,	29.80	756.8	...	...	S W	2
Nagasaki,	,,	29.76	755.8	...	...	S W	6	...	,,	29.84	757.8	...	...	...	0
Kagoshima,	,,	29.80	756.9	...	...	W	6	...	,,	29.84	757.9	...	...	...	0
Oshima,	,,	29.89	759.1	...	...	N W	4	...	,,	29.85	758.1	...	...	S	2
Naha,	,,	29.89	759.2	...	...	W	4	...	,,	29.81	757.2	...	...	...	0
Ishigakijima,	,,	29.85	758.3	...	...	S E	6	...	,,	29.74	755.3	...	...	S	3
Bonin Is.	,,	29.81	757.1	...	...	S	6	...	,,	29.89	759.1	...	...	...	0
Chefoo,	3 p.	29.89	759.2	73	58	N N E	5	b	6 a.	29.73	755.1	66	64	S	1
Weihaiwei,	,,	29.80	756.9	71	...	E	1	b	9 a.	29.74	755.4	76	...	E	1
Hankow,	,,	29.81	757.2	75	90	E N E	2	o	6 a.	29.79	756.6	72	95	N E	1
Kiukiang,	,,	29.81	757.2	71	100	...	0	or	,,	29.76	755.9	69	95	W	2
Shanghai,	,,	29.72	754.9	81	52	S S E	2	o	9 a.	29.75	755.6	74	53	S E	3
Gutzlaff,	,,	29.72	754.9	73	81	S S E	2	bv	,,	29.70	754.4	66	84	S E	4
Sharp Peak,	,,	29.80	756.9	76	100	E N E	1	c	,,	29.70	754.4	74	100	...	0
Amoy,	,,	29.82	757.4	77	91	S E	3	o	6 a.	29.73	755.1	77	86	...	0
Swatow,	,,	29.76	755.9	84	68	S S E	1	c	,,	29.75	755.6	78	95	S E	3
Taihoku,	1 p.	29.81	757.1	.	...	N W	2	...	5 a.	29.71	754.7	...	...	...	0
Taichu,	,,	29.82	757.5	...	...	W	2	...	,,	29.75	755.7	...	...	...	0
Tainan,	,,	29.85	758.1	...	...	W	4	...	,,	29.75	755.6	...	...	S E	2
Koshun	,,	29.83	757.7	...	...	N W	4	...	,,	29.75	755.5	...	...	...	0
Pescadores,	,,	29.84	757.9	...	...	N W	4	...	,,	29.79	756.7	...	...	S	4
Canton,	3 p.	29.74	755.4	82	87	S E	2	o	9 a.	29.70	754.4	82	87	...	0
Hongkong,	4 p.	29.76	755.9	77	93	...	0	op	10 a.	29.70	754.4	82	84	W S W	3
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S W	7
Gap Rock,	,,	29.73	755.1	...	...	S E	3	...	,,	29.70	754.4	...	...	S W	3
Macao,	,,	29.77	756.1	78	...	S E	1	od	,,	29.72	754.9	82	...	S W	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.6	86	...	S E	4	c	8 a.	29.69	754.0	82	...	E N E	2
Tourane,	,,	29.75	755.7	84	...	S E	1	c	,,	29.77	756.2	84	...	...	0
Cape St. James,	,,	29.78	756.3	86	...	S	1	c	,,	29.82	757.5	82	...	S W	1
Aparri,	2 p.	29.83	757.6	82	...	N	1	t	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	88	71	S W	2	c	10 a.	29.84	758	88	71	S	0
Legaspi,	2 p.	29.81	757.1	86	...	S	1	t	6 a.	29.83	757.6	77	...	...	0
Bacolod,	3 p.	...	...	...	...	W S W	1	ot	9 a.	...	...	...	...	W S W	1
Iloilo,	,,	29.85	758.2	87	...	S W	2	o	,,	29.87	758.7	85	...	N E	1
Cebu,	,,	29.82	757.4	87	...	...	0	c	,,	29.87	758.7	86	...	S	1
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.85	758.2	85	...	...	...

On the 4th at 11.55 a.—The barometer has risen in Japan, and fallen elsewhere, particularly over the China c
The depression lying over N.E. Japan yesterday, has moved into the Pacific.
An elongated depression lies over S. China between Tongking and the mouth of the Yangtze.
Pressure is highest over the Pacific in the neighbourhood of the Bonins.
Fresh to strong S. and S.W. winds may be expected in the Formosa Channel and along the Northern shore
the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W winds, fresh or strong; squally, showery.
2.—Formosa Channel,	S. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 4th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	4TH JUNE. 1908, P.M.								5TH JUNE, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
stock,...	2 p.	29.79	756.7	69	...	W	2	c	7 a.	29.69	754.2	57	97	S S E	4	or
,.....	,,	29.61	752.1	...	...	N	6	...	6 a.	29.85	758.1	...	...	W	2	...
te,.....	,,	29.81	757.2	...	...	W	6	...	,,	29.93	760.2	...	...	N W	4	...
.....	,,	29.79	756.6	...	...	S	6	...	,,	29.99	761.6	...	...	...	0	...
.....	,,	29.83	757.8	...	...	E	4	...	,,	29.88	758.8	...	...	...	0	...
i.	,,	29.80	756.8	...	...	S W	4	...	,,	29.80	756.8	...	...	S E	2	...
ima.	,,	29.84	757.9	...	...	S	2	...	,,	29.80	756.9	...	...	E	4	...
.....	,,	29.85	758.1	...	...	S	4	...	,,	29.69	754.1	...	...	S E	4	...
.....	,,	...	...	...	...	...	...	...	,,	29.65	753.2	...	...	S	4	...
ijima,....	,,	...	...	...	...	...	...	...	,,	29.58	751.3	...	...	S W	8	...
s.....	,,	29.93	760.1	...	...	S	2	...	,,	29.93	761.1	...	...	S E	2	...
.....	3 p.	29.67	753.6	91	92	S	3	b	6 a.	29.70	754.4	69	75	S W	1	c
wei.....	,,	29.67	753.6	85	...	S W	3	b	9 a.	29.72	754.9	72	...	W	2	o
.....	,,	...	...	...	...	...	...	...	6 a.	29.80	756.9	75	90	N W	1	b
g.....	,,	29.74	755.4	82	60	E N E	1	b	,,	29.78	756.4	70	90	...	0	b
ai.	,,	29.72	754.9	68	90	E S E	3	d	9 a.	29.76	755.9	71	85	E	2	om
.....	,,	29.67	753.6	65	100	S E	5	omr	,,	29.70	754.4	66	100	N E	2	om
'eak.....	,,	29.61	752.1	75	100	S	1	or	,,	29.68	753.9	74	95	N	1	c
.....	,,	29.64	752.8	78	91	N W	1	or	C a.	29.76	755.9	77	95	N E	1	o
.....	,,	29.58	751.3	85	83	S W	3	c	,,	29.62	752.3	78	95	...	0	c
.....	1 p.	29.69	754.0	.	...	W	4	...	5 a.	29.60	751.8	...	...	...	0	...
.....	,,	29.74	755.4	...	...	S W	2	...	,,	29.67	753.6	...	...	...	0	...
.....	,,	29.74	755.5	...	...	E	4	...	,,	29.67	753.7	...	...	W	6	...
.....	,,	29.73	755.1	...	...	N W	6	...	,,	29.72	754.8	...	...	W	6	...
ores, ...	,,	29.71	754.7	...	...	S E	4	...	,,	29.65	753.0	...	...	S W	6	...
.....	3 p.	29.62	752.3	85	79	...	0	o	9 a.	29.68	753.9	79	95	...	0	or
ng.	4 p.	29.62	752.3	82	83	S W	3	oq	10 a.	29.68	753.9	81	86	W S W	1	od
Peak,...	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	S W	5	...
ck,.....	,,	29.62	752.3	...	...	S W	3	...	,,	29.66	753.3	...	...	S W	3	...
.....	,,	29.64	752.8	83	...	S S W	2	c	,,	29.69	754.1	82	...	S W	1	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.61	752.0	88	...	W N W	3	lt	8 a.	29.68	753.8	84	...	N N E	1	c
e.	,,	29.68	753.9	93	...	..	0	c	,,	29.74	755.4	86	...	...	...	c
James,.	,,	...	...	...	...	...	...	...	,,	29.78	756.5	81	...	S S W	1	c
.....	2 p.	29.78	756.3	77	...	N	1	p	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	81	85	N N E	1	o	10 a.	29.84	758	86	71	S S W	1	c
.....	2 p.	29.74	755.4	93	...	S W	1	b	6 a.	29.80	756.9	75	...	...	0	o
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	o
.....	,,	29.81	757.2	88	...	S W	2	c	,,	29.87	758.7	83	...	S W	1	c
.....	,,	29.76	755.9	88	...	S	2	b	,,	29.83	757.7	84	...	S	1	o
.....	,,	29.76	755.9	89	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 5th at 11.45 a.—The barometer has fallen quickly over N. Formosa and the Loochoos, and risen consider-
n E. Japan.

The depression has passed from the China coast to the Eastern Sea. It is now moving towards N.E. to the W.
Loochoos. A second depression appears to be moving Eastwards over Manchuria.

Pressure is highest over S.E. Japan.

Moderate or fresh variable winds may be expected in the Formosa Channel, and fresh S. monsoon over the N.
of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	S.W. winds, fresh or moderate ; showery.
rmosa Channel, ...	Variable winds, moderate or fresh.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 5th June, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th JUNE. 1908. P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	6th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	..	...	...	7 a.	29.62	752.2	51	93	S	1
Nemuro, ...	,,	29.85	758.1	...	...	S	8	...	6 a.	29.85	758.1	...	...	S	4
Hakodate, ...	,,	29.89	759.2	...	...	S	6	...	,,	29.77	756.2	...	...	N	4
Tokio, ...	,,	29.91	759.6	...	...	S	4	...	,,	29.71	754.6	...	...	N W	2
Kochi, ...	,,	29.80	756.8	...	...	...	0	...	,,	29.76	755.8	...	...	...	0
Nagasaki, ...	,,	29.72	754.8	...	...	S E	4	...	,,	29.76	755.8	...	...	N	2
Kagoshima, ...	,,	29.76	755.9	...	...	S	2	...	,,	29.76	755.9	...	...	N	2
Oshima, ...	,,	29.65	753.1	...	...	S	4	...	,,	29.69	754.1	...	...	...	0
Naha, ...	,,	29.61	752.2	...	...	S	6	...	,,	29.69	754.2	...	...	...	0
Ishigakijima, ...	,,	29.66	753.3	...	...	W	8	...	,,	29.74	755.3	...	...	N W	2
Bonin Is.	,,	29.93	760.1	...	...	S	6	...	,,	29.57	751.1	...	...	S	6
Chefoo, ...	3 p.	29.70	754.4	70	75	N W	3	b	6 a.	29.73	755.1	68	42	S W	1
Weihaiwei, ...	,,	29.68	753.9	76	...	E	1	ovr	9 a.	29.71	754.6	81	...	W	3
Hankow, ...	,,	29.79	756.6	90	53	E	1	b	6 a.	29.87	758.7	77	82	E S E	2
Kiukiang, ...	,,	29.78	756.4	87	52	E	2	b	..	29.85	758.2	...	...	...	0
Shanghai, ...	,,	29.71	754.6	75	72	E N E	1	om	9 a.	29.84	757.9	75	68	S E	1
Gutzlaff, ...	,,	29.66	753.3	70	90	N E	2	cm	,,	29.80	756.9	72	81	N E	1
Sharp Peak, ...	,,	29.66	753.3	76	90	E S E	1	c	,,	29.83	757.7	76	90	E	1
Amoy, ...	,,	29.68	753.9	80	87	N E	1	c	6 a.	29.80	756.9	75	86	N E	1
Swatow, ...	,,	29.58	751.3	84	87	S S W	3	o	,,	...	...	74	81	N E	4
Taiboku	1 p.	29.67	753.7	.	...	...	0	...	5 a.	29.78	756.5	...	...	...	0
Taichu, ...	,,	29.68	753.8	...	...	S	2	...	,,	29.74	755.3	...	...	N E	2
Tainan, ...	,,	29.72	755.0	...	...	W	4	...	,,	29.72	754.9	...	...	S E	2
Koshun	,,	29.69	754.1	...	...	W	6	...	,,	29.74	755.4	...	...	E	2
Pescadores, ...	,,	29.68	753.9	...	...	N	2	...	,,	29.72	754.8	...	...	N	8
Canton, ...	3 p.	29.60	751.8	90	73	N	1	b	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.61	752.1	82	81	S W	1	oplt	10 a.	29.73	755.1	76	92	E	3
Victoria Peak, ...	,,	...	...	...	...	W	5	...	,,	...	...	...	...	E	4
Gap Rock, ...	,,	29.59	751.6	...	...	S W	3	...	,,	29.86	753.9	...	...	N N W	2
Macao, ...	,,	29.63	752.6	81	...	N N E	2	od	,,	29.72	754.9	80	...	N N E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.62	752.3	82	...	S	3	lt	8 a.	29.71	754.6	81	...	W N W	2
Tourane, ...	,,	29.65	753.2	90	...	S E	2	c	,,	29.75	755.4	86	...	...	0
Cape St. James, .	,,	29.70	754.3	84	...	S W	5	lt	,,	29.78	756.3	81	...	S W	2
Aparri, ...	2 p.	29.72	755.0	84	...	N E	1	t	6 a.	29.77	756.2	77	...	S	1
Manila, ...	4 p.	29.72	755	86	71	S W	2	c	10 a.	29.84	758	86	78	S W	1
Legaspi, ...	2 p.	29.77	756.1	77	...	S W	1	o	6 a.	29.79	756.6	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	S S W	1
Iloilo, ...	,,	29.79	756.6	88	...	S W	3	c	,,	29.85	758.2	86	...	S W	1
Cebu, ...	,,	29.77	756.1	84	...	S	1	b	,,	29.84	757.9	85	...	S	1
Labuan, ...	,,	29.77	756.1	88	...	...	...	...	,,	29.81	757.2	83	...	...	...

On the 6th at 11.55 a.—The barometer has fallen over Japan and the Bonins owing to the depression, wh situated to the N.W. of the latter group, and still moving towards E.N.E.

The other depression remains over E. Manchuria.

Pressure has increased moderately over S. China and Formosa. It is highest over the Yangtze valley in North, and over the S. Philippines in the South. The low pressure trough lies off the S. coast of China.

Moderate to fresh N.E. and E. winds may be expected in the Formosa Channel and along the Northern s of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; squally, rainy.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 6th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	6TH JUNE, 1908, P.M.								7TH JUNE, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock,...	2 p.	29.58	751.2	54	...	S E	2	f	7 a.	29.72	754.9	50	97	W	3	or
.....	,,	29.81	757.1	...	...	S	6	...	6 a.	29.85	758.1	...	...	S E	2	...
e,.....	,,	29.69	754.2	...	...	S	2	...	,,	29.77	756.2	...	...	S	2	...
.....	,,	29.71	754.6	...	...	S	6	...	,,	29.83	757.6	...	...	...	0	...
.....	,,	29.76	755.8	...	...	...	0	...	,,	29.88	758.8	...	...	S W	2	...
i, ...	,,	29.76	755.8	...	...	S	6	...	,,	29.91	759.8	...	...	...	0	...
ma, ...	,,	29.76	755.9	...	...	E	2	...	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.77	756.1	...	...	S	3	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	29.77	756.2	...	...	W	2	...	,,	29.89	759.2	...	...	...	0	...
jima,....	,,	29.78	756.3	...	...	N W	4	...	,,	29.86	758.3	...	...	N E	4	...
s.....	,,	29.96	761.1	...	...	S	6	...	,,	30.01	762.1	...	...	S	4	...
.....	3 p.	29.67	753.6	81	96	N W	2	b	6 a.	29.82	757.4	66	73	E	1	c
ei,.....	,,	29.65	753.1	93	...	W	2	b	9 a.	29.87	758.7	77	...	E	1	b
.....	,,	29.86	758.4	90	60	E	1	b	6 a.	29.92	759.9	79	78	E S E	2	c
g,.....	,,	29.88	758.9	88	49	N E	2	b	,,	29.91	759.7	75	86	N E	2	c
l, ...	,,	29.82	757.4	79	58	S S E	2	c	9 a.	29.93	760.2	77	57	S	1	c
.....	,,	29.79	756.6	74	76	S E	1	cv	,,	29.89	759.2	71	80	S	1	cv
eak,.....	,,	29.82	757.4	76	86	E N E	4	b	,,	29.93	760.2	77	91	N E	1	b
.....	,,	29.81	757.2	80	82	N E	1	b	6 a.	29.91	759.7	75	86	N E	1	c
.....	,,	29.76	755.9	74	90	E	4	or	,,	29.84	757.9	73	81	N E	3	b
.....	1 p.	29.82	757.4	.	...	E	6	...	5 a.	29.88	758.9	...	...	E	2	...
.....	,,	29.78	756.3	...	...	N	2	...	,,	29.83	757.7	...	...	...	0	...
.....	,,	29.76	756.0	...	...	S	6	...	,,	29.82	757.4	...	...	E	2	...
.....	,,	29.79	756.6	...	...	E	2	...	,,	29.84	757.8	...	...	E	4	...
es, ...	,,	29.76	755.9	...	...	N	6	...	,,	29.82	757.5	...	...	N E	4	...
.....	3 p.	29.71	754.6	84	79	E	1	o	9 a.	29.84	757.9	81	...	E	1	c
ng.	4 p.	29.72	754.9	74	91	E	3	od	10 a.	29.83	757.7	75	80	E N E	3	o
Peak,...	,,	...	...	...	...	E	...	...	,,	...	...	...	...	E	6	...
k,.....	,,	29.65	753.1	...	...	E N E	6	...	,,	29.79	756.6	...	...	E N E	6	...
.....	,,	29.73	755.1	77	...	E	2	o	,,	29.84	757.9	75	...	N	2	od
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.69	754.1	79	...	S E	3	lt	8 a.	...	...	...	...	...	...	...
.....	,,	29.68	753.9	86	...	W	2	c	,,	...	...	...	...	...	...	...
James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	29.78	756.4	86	...	N E	1	c	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.76	756	81	85	..	0	c	10 a.	29.83	759	84	71	W N W	1	c
.....	2 p.	29.77	756.1	88	...	S W	1	c	6 a.	29.87	758.6	75	...	...	0	o
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N W	1	o
.....	,,	29.81	757.2	86	...	S W	1	c	,,	29.91	759.7	83	...	N E	1	c
.....	,,	29.77	756.1	86	...	S	1	o	,,	29.87	758.7	82	...	...	0	b
.....	,,	29.73	755.1	90	...	...	...	...	,,	...	...	...	...	...	...	...

n the 7th at 11.55 a.—The barometer has risen at all stations; considerably to moderately over S. Japan, the os and China, and slightly in the Philippines.

he depression lying over E. Manchuria yesterday is now to the N.E. of Wladiwostok.

he low pressure trough over the N. part of the China Sea, is situated in a lower latitude than yesterday, pro- in about 19°. A circular depression may form in it to the Southward of Hongkong.

ressure is high over the Eastern Sea and over the Pacific to the E. of the Bonins.

oderate N.E. winds may be expected in the Formosa Channel and strong N.E. and E. winds along the Northern of the China Sea.

he Indo-China observations are lacking this morning.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.E. and E. winds, fresh or strong; squally, showery.
osa Channel, ...	N.E. winds, moderate.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Sunday, 7th June, 1908.

d by Norohna & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th JUNE, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	8th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.77	756.1	55	...	N W	2	o	7 a.	29.79	756.7	56	94	WNW	0
Nemuro,	,,	29.85	758.1	...	...	S E	4	...	6 a.	29.85	758.1	...	...	E	6
Hakodate,	,,	29.73	755.2	...	...	S E	6	...	,,	29.77	756.2	...	...	S W	6
Tokio,	,,	29.79	756.6	...	...	S	4	...	,,	29.83	757.6	...	...	...	0
Kochi,	,,	29.87	758.8	...	...	S E	6	...	,,	29.91	759.8	...	...	S W	2
Nagasaki,	,,	29.91	759.8	...	...	S W	6	...	,,	29.95	760.8	...	...	...	0
Kagoshima,	,,	29.92	759.9	...	...	S E	2	...	,,	30.04	761.9	...	...	N	2
Oshima,	,,	29.93	760.1	...	...	...	0	...	,,	29.97	761.1	...	...	...	0
Naha,	,,	29.93	760.2	...	...	E	2	...	,,	29.93	760.2	...	...	...	0
Ishigakijima,	,,	29.89	759.3	...	...	W	2	...	,,	29.89	759.3	...	...	N E	2
Bonin Is.	,,	30.00	762.1	...	...	S	4	...	,,	30.00	763.1	...	...	S	4
Chefoo,	3 p.	29.91	759.7	73	63	E	3	c	6 a.	29.95	760.7	66	64	S	1
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.04	762.0	73	...	S E	1
Hankow,	,,	29.81	757.2	86	96	E	1	o	6 a.	29.96	761.0	73	86	N E	1
Kiukiang,	,,	29.90	759.4	89	50	N E	2	c	..	29.95	760.7	76	77	N E	1
Shanghai,	,,	29.89	759.2	84	37	S E	3	c	9 a.	29.98	761.5	73	72	S E	1
Gutzlaff,	,,	29.87	758.7	73	76	S E	2	cv	,,	29.94	760.5	69	85	S E	2
Sharp Peak,	,,	29.89	759.2	76	86	E N E	4	b	,,	29.97	761.2	75	100	N N W	1
Amoy	,,	29.89	759.2	79	82	S E	1	b	6 a.	29.95	760.7	76	82	N E	1
Swatow,	,,	29.86	758.4	75	86	E	2	o	,,	...	...	71	95	E N E	1
Taihoku,	1 p.	29.89	759.1	.	...	E	6	...	5 a.	29.91	759.8	...	...	E	4
Taichu,	,,	29.85	758.3	...	...	N	2	...	,,	29.89	759.2	...	...	...	0
Tainan,	,,	29.85	758.3	...	...	N W	2	...	,,	29.89	759.3	...	...	W	2
Koshun,	,,	29.86	758.4	...	...	E	6	...	,,	29.89	759.1	...	...	E	6
Pescadores,	,,	29.86	758.5	...	...	N	4	...	,,	29.89	759.2	...	...	E	4
Canton,	3 p.	...	...	84	79	E	1	o	9 a.	29.90	759.4	76	95	...	0
Hongkong,	4 p.	29.80	756.9	74	93	E N E	2	od	10 a.	29.88	758.9	77	95	E	3
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	S E	3
Gap Rock,	,,	29.75	755.6	...	...	E N E	6	...	,,	29.85	758.2	...	...	E	3
Macao,	,,	29.81	757.2	76	...	N E	1	od	,,	29.88	758.9	78	...	E S E	3
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.9	79	...	E N E	3	o	8 a.	29.84	758.0	82	...	E	3
Tourane,	,,	29.76	755.9	79	...	N W	2	c	,,	29.86	758.5	82	...	...	0
Cape St. James,	,,	29.76	756.0	84	...	S W	1	c	,,	29.86	758.5	81	...	S E	1
Aparri,	2 p.	29.80	756.9	84	...	E	1	o	6 a.	29.90	759.4	77	...	S W	1
Manila,	4 p.	29.80	757	79	92	..	0	o	10 a.	29.92	760	82	85	W	1
Legaspi,	2 p.	29.81	757.1	88	...	E	1	o	6 a.	29.90	759.5	72	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.85	758.2	83	...	S W	1	r	,,	29.91	759.7	84	...	N E	1
Cebu,	,,	29.80	756.9	85	...	S	1	b	,,	29.92	759.9	85	...	...	0
Labuan,	,,	29.81	757.2	83	...	...	...	...	,,	29.92	759.9	71	...	...	...

On the 8th at 11.45 a.—The barometer has risen slightly at all stations, except at those in E. Japan.

Pressure is high over the Pacific between the Bonins and the E. coast of China, and relatively low over N.W. part of the China Sea and the N.E. part of the Sea of Japan.

Fresh or moderate E. to S.E. may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, fresh or moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 8th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	8TH JUNE, 1908, P.M.								9TH JUNE, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock....	2 p.	29.85	758.2	68	...	W	1	c	7 a.	29.91	759.7	49	83	S S W	2	o
,.....	,,	29.77	756.1	...	...	S E	6	...	6 a.	29.69	754.1	...	...	E	4	...
te,.....	,,	29.77	756.2	...	...	S W	8	...	,,	29.81	757.2	...	...	W	4	...
.....	,,	29.75	755.6	...	...	S W	4	...	,,	29.91	759.6	...	...	N	2	...
.....	,,	29.87	758.8	...	...	N E	4	...	,,	29.84	757.8	...	...	S	2	...
ki.	,,	29.91	759.8	...	...	S W	6	...	,,	29.91	759.8	...	...	...	0	...
ima.	,,	29.92	759.9	...	...	S W	4	...	,,	29.88	758.9	...	...	N	2	...
.....	,,	29.93	760.1	...	...	N	6	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	29.93	760.2	...	...	N	2	...	,,	29.89	759.2	...	...	...	0	...
ijima.	,,	29.89	759.3	...	...	S E	2	...	,,	29.86	758.3	...	...	S E	4	...
is.....	,,	30.00	762.1	...	...	S E	2	...	,,	30.01	762.1	...	...	...	0	...
.....	3 p.	29.92	759.9	77	49	E S E	2	c	6 a.	29.74	755.4	76	53	S W	3	o
wei.....	,,	29.88	758.9	77	...	E	1	b	9 a.	29.77	756.1	80	...	S E	2	ovr
.....	,,	29.94	760.5	74	86	N E	2	or	6 a.	...	...	...	...	...	...	...
g.....	,,	29.89	759.2	83	63	N E	2	c	,,	29.80	756.9	70	95	N E	2	o
ai.	,,	29.92	759.9	80	58	E	1	o	9 a.	29.83	757.7	73	67	S S E	2	o
.....	,,	29.88	758.9	72	85	E S E	2	cv	,,	29.81	757.2	68	63	S E	3	ovd
'eak,.....	,,	29.91	759.7	75	90	N	2	o	,,	29.85	758.2	76	100	N N E	1	c
.....	,,	29.90	759.4	78	86	N E	1	o	6 a.	29.92	759.9	76	90	N E	1	or
.....	,,	29.82	757.4	76	90	E N E	2	or	,,	...	...	74	95	E N E	1	or
.....	1 p.	29.89	759.2	...	...	E	6	...	5 a.	29.87	758.6	...	...	...	0	...
.....	,,	29.87	758.8	...	...	N W	4	...	,,	29.87	758.6	...	...	...	0	...
.....	,,	29.84	758.0	...	...	S W	2	...	,,	29.86	758.3	...	...	E	2	...
.....	,,	29.89	759.2	...	...	E	4	...	,,	29.82	757.4	...	...	...	0	...
res, ...	,,	29.89	759.2	...	...	W	2	...	,,	29.86	758.3	...	...	...	0	...
.....	3 p.	29.80	756.9	85	79	...	0	c	9 a.	29.81	757.2	82	83	S E	1	o
ng, ...	4 p.	29.80	756.9	77	97	E	2	or	10 a.	29.84	757.9	81	80	S	1	o
Peak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	S S W	3	...
ck.....	,,	29.77	756.1	...	...	E S E	3	...	,,	29.82	757.4	...	...	S	3	...
.....	,,	29.80	756.9	79	...	S E	2	c	,,	29.83	757.7	82	...	S	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.70	754.5	81	...	S E	5	c	8 a.	29.76	755.9	79	...	S	6	o
.....	,,	29.74	755.3	86	...	S E	4	c	,,	29.83	757.6	81	...	...	0	c
James,.	,,	...	...	...	...	...	...	...	,,	29.86	758.4	82	...	W	1	o
.....	2 p.	29.84	757.9	88	...	N E	1	c	6 a.	29.89	759.2	79	...	S W	1	b
.....	4 p.	29.80	757	88	65	..	0	c	10 a.	29.88	759	86	79	S	0	o
.....	2 p.	29.85	758.2	88	...	N E	1	b	6 a.	29.89	759.2	75	...	...	0	b
.....	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N N E	1	o
.....	,,	29.85	758.2	86	...	S W	1	c	,,	29.95	760.7	83	...	S S W	1	c
.....	,,	29.82	757.4	87	...	N	1	c	,,	29.89	759.2	86	...	...	0	c
.....	,,	29.79	756.6	88	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

h the 9th at 1.25 p.—The barometer has risen at Wladiwostok and in S.E. Japan, and fallen elsewhere, parti-y over Northern and Central China.
shallow depression is lying over N.E. Japan, and another depression is developing over the Yangtze valley.
ressure is highest over the Pacific in the neighbourhood of the Bonins.
resh S. to S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.
elegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S. to S.W. winds, fresh; squally, showery.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 9th June, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JUNE. 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.89	759.1	59	...	S W	1	o	7 a.	29.81	757.2	55	98	...	0
Nemuro, ...	,,	29.77	756.1	...	...	N	4	...	6 a.	29.31	757.1	...	...	...	0
Hakodate, ...	,,	29.89	759.2	...	...	W	6	...	,,	29.93	760.2	...	...	W	2
Tokio, ...	,,	29.91	759.6	...	...	S E	6	...	,,	29.91	759.6	...	...	N W	4
Kochi, ...	,,	29.87	758.8	...	...	E	2	...	,,	29.84	757.8	...	...	S W	2
Nagasaki, ...	,,	29.83	757.8	...	...	S W	6	...	,,	29.80	756.8	...	...	E	6
Kagoshima, ...	,,	29.84	757.9	...	...	S	2	...	,,	29.80	756.9	...	...	N	2
Oshima.....	,,	29.85	758.1	...	...	N	4	...	,,	29.73	755.1	...	...	S	2
Naha.....	,,	29.85	758.2	...	...	E	2	...	,,	29.73	755.2	...	...	S	2
Ishigakijima,....	,,	29.85	758.3	...	...	S W	6	...	,,	29.74	755.3	...	...	S	8
Bonin Is.....	,,	30.00	762.1	...	...	S	2	...	,,	29.93	760.1	...	...	S W	4
Chefoo.....	3 p.	29.61	752.1	96	...	S W	2	b	6 a.	29.69	754.1	70	66	S	1
Weihaiwei,.....	,,	29.69	754.1	89	...	S W	3	ovr	9 a.	29.78	756.4	71	...	E S E	1
Hankow, ...	,,	29.80	756.9	76	77	N W	2	o	6 a.	29.77	756.1	69	95	N E	1
Kiukiang.....	,,	29.75	755.6	73	86	W	2	o	,,	29.75	755.6	71	95	W	2
Shanghai.	,,	29.73	755.1	70	90	S E	3	opd	9 a.	29.64	752.8	70	90	N W	1
Gutzlaff, ...	,,	29.71	754.6	68	90	S E	4	omr	,,	29.60	751.8	67	95	E N E	1
Sharp Peak,.....	,,	29.77	756.1	76	95	E	1	o	,,	...	...	...	...	...	...
Amoy.....	,,	29.81	757.2	78	91	S E	1	or	6 a.	29.78	756.4	78	95	...	0
Swatow, ...	,,	...	...	82	91	S S W	3	o	,,	...	...	76	95	...	0
Taihoku.....	1 p.	29.81	757.1	..	...	N W	4	...	6 a.	29.72	754.8	...	...	...	0
Taichu, ...	,,	29.83	757.7	...	...	W	4	...	,,	29.78	756.3	...	...	S E	2
Tainan.....	,,	29.85	758.2	...	...	S W	6	...	,,	29.80	756.9	...	...	S E	2
Koshun.....	,,	29.85	758.3	...	...	S W	4	...	,,	29.82	757.3	...	...	W	4
Pescadores, ...	,,	29.85	758.1	...	...	S	6	...	,,	29.78	756.4	...	...	S	6
Canton,.....	3 p.	29.77	756.1	82	79	...	0	or	9 a.	29.78	756.4	82	87	...	0
Hongkong, ...	4 p.	29.76	755.9	82	82	S	2	o	10 a.	29.80	756.9	83	76	S W	3
Victoria Peak,...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.74	755.4	...	...	S	3	...	,,	...	...	...	...	...	...
Macao, ...	,,	29.81	757.2	81	...	S S E	2	o	,,	29.79	756.6	79	...	S	2
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.64	752.9	82	...	S S E	4	c	8 a.	...	...	...	...	...	...
Tourane, ...	,,	29.74	755.4	88	...	S E	2	c	,,	...	...	...	...	...	...
Cape St. James,.	,,	29.76	756.0	82	...	S W	2	o	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.83	757.6	90	...	N E	1	c	6 a.	29.86	758.3	77	...	S W	1
Manila.	4 p.	29.80	757	95	51	S E	1	o	10 a.	29.88	759	88	72	S	0
Legaspi,.....	2 p.	29.84	758.0	88	...	E	1	b	6 a.	29.87	758.7	75	...	...	0
Bacolod,.....	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	N E	1
Iloilo,.....	,,	29.83	757.7	87	...	S W	1	c	,,	29.89	759.2	86	...	N E	1
Cebu,.....	,,	29.82	757.4	87	...	...	0	c	,,	29.90	759.4	86	...	...	0
Labuan, ...	,,	29.77	756.1	89	...	...	...	...	,,	29.84	757.9	84	...	...	...

On the 10th at 11.25 a.—The barometer has risen in N.E. Japan, and fallen elsewhere, particularly over the coast of China and the Loochoos.

The depression lying over Central China yesterday, is now passing from the E. coast to the Eastern Sea.

Fresh S.W. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, fresh ; squally, probably thunder show
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 10th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	10TH JUNE, 1908, P.M.								11TH JUNE, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	29.81	757.1	65	...	W	1	b	7 a.	29.91	759.7	55	97	...	0	o
,.....	,,	29.81	757.1	...	...	S E	4	...	6 a.	29.89	759.1	...	...	S	2	...
te,.....	,,	29.85	758.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0	...
.....	,,	29.83	757.6	...	...	E	2	...	,,	29.75	755.6	...	...	N	2	...
.....	,,	29.80	756.8	...	...	...	0	...	,,	29.80	756.8	...	...	W	2	...
ki.	,,	29.72	754.8	...	...	E	6	...	,,	29.72	754.8	...	...	E	4	...
ima, ...	,,	29.72	754.9	...	...	N E	6	...	,,	29.76	755.9	...	...	E	6	...
.....	,,	29.65	753.1	...	...	S	6	...	,,	29.73	755.1	...	...	S W	2	...
.....	,,	29.73	755.2	...	...	S W	6	...	,,	29.77	756.2	...	...	W	4	...
ijima, ...	,,	29.78	756.3	...	...	S W	6	...	,,	29.78	756.3	...	...	S	4	...
ls.....	,,	29.89	759.1	...	...	S	4	...	,,	29.89	759.1	...	...	S	4	...
.....	3 p.	29.78	756.4	75	64	E	2	b	6 a.	29.74	755.4	72	46	N	1	o
wei,.....	,,	29.76	755.9	76	...	N W	1	b	9 a.	29.75	755.6	70	...	W N W	3	o
.....	,,	29.78	756.4	82	75	N E	1	c	6 a.	29.86	758.4	72	90	N E	1	b
g.....	,,	29.76	756.9	84	64	N W	2	c	,,	29.93	757.7	71	90	N E	1	c
ai.	,,	29.66	753.3	73	86	E N E	2	om	9 a.	29.78	756.4	70	85	S S E	1	o
.....	,,	29.63	752.6	68	90	E N E	2	om	,,	29.75	755.6	68	95	S E	1	ov
Peak,.....	,,	29.64	752.8	83	87	S S E	4	c	,,	29.79	756.6	77	86	E N E	4	o
.....	,,	29.74	755.4	83	91	S E	2	c	6 a.	29.81	757.2	79	91	...	0	c
.....	,,	29.81	757.2	84	83	W	1	c	,,	...	...	79	91	...	0	c
.....	1 p.	29.71	754.7	.	...	W	6	...	5 a.	29.77	756.1	...	...	...	0	...
.....	,,	29.80	757.0	...	...	S	6	...	,,	29.84	758.0	...	...	...	0	...
.....	,,	29.82	757.4	...	...	W	4	...	,,	29.86	758.3	...	...	E	2	...
.....	,,	29.81	757.2	...	...	W	6	...	,,	29.84	757.8	...	...	N W	4	...
res, ...	,,	29.80	756.9	...	...	S	6	...	,,	29.82	757.5	...	...	S	6	...
.....	3 p.	29.74	755.4	84	83	S	1	b	9 a.	29.80	756.9	83	91	S	1	o
ng, ...	4 p.	29.75	755.6	83	78	S W	1	o	10 a.	29.83	757.7	84	79	S W	2	o
Peak,...	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	7	...
ck,.....	,,	29.73	755.1	...	...	S S W	4	...	,,	29.81	757.2	...	...	S S W	4	...
.....	,,	29.76	755.9	83	...	S	2	o	,,	29.84	757.9	84	...	S	3	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.66	753.4	86	...	S	1	o	8 a.	29.73	755.1	82	...	S	5	or
e,.....	,,	29.76	756.0	72	...	S W	1	c	,,	29.82	757.5	84	...	W	1	c
James,.	,,	29.76	756.0	84	...	S S E	1	c	,,	29.88	759.0	82	...	S S W	1	c
.....	2 p.	29.80	756.9	90	...	N E	1	b	6 a.	29.89	759.2	79	...	S W	1	c
.....	4 p.	29.80	757	90	66	W S W	1	c	10 a.	29.92	760	88	72	S	1	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	29.91	759.7	77	...	...	0	b
.....	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	o
.....	,,	29.85	758.2	87	...	S W	1	c	,,	29.95	760.7	81	...	N N E	1	o
.....	,,	29.80	756.9	88	...	N	2	c	,,	29.88	758.9	86	...	N E	1	b
.....	,,	29.76	755.9	88	...	...	...	...	,,	29.86	758.4	86	...	...	0	c

On the 11th at 11.55 a.—The barometer has fallen in S. Japan, and risen over China, particularly on the E. coast.

The depression is moving Eastwards to the South of Japan.

Pressure is highest over the Philippines and the S. part of the China Sea.

Moderate variable winds may be expected in the Formosa Channel, and fresh S. monsoon over the N. part of the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S. winds, fresh; squally, showery.
mosa Channel, ...	Variable winds, moderate.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 11th June, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th JUNE, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.90	759.4	64	...	W	1	b	7 a.	30.03	762.7	51	95	S	2
Nemuro,	,,	29.89	759.1	...	...	S E	4	...	6 a.	30.01	762.1	...	...	...	0
Hakodate,	,,	29.89	759.2	...	...	S	6	...	,,	30.01	762.2	...	...	...	0
Tokio,	,,	29.75	755.6	...	...	N E	4	...	,,	29.99	761.6	...	...	N E	6
Kochi,	,,	29.80	756.8	...	...	E	2	...	,,	29.88	758.8	...	...	...	0
Nagasaki,	,,	29.76	755.8	...	...	E	6	...	,,	29.80	756.8	...	...	E	6
Kagoshima,	,,	29.76	755.9	...	...	N E	6	...	,,	29.84	757.9	...	...	...	0
Oshima,	,,	29.77	756.1	...	...	N	2	...	,,	29.89	759.1	...	...	...	0
Naha,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	S	2
Ishigakijima,	,,	29.82	757.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S W	6
Bonin Is.	,,	29.89	759.1	...	...	S W	2	...	,,	30.01	762.1	...	...	S W	2
Chefoo,	3 p.	29.78	756.4	68	79	N W	2	c	6 a.	29.70	754.4	67	74	S W	1
Weihaiwei,	,,	29.75	755.6	67	...	N	2	o	9 a.	29.74	755.4	68	...	S E	1
Hankow,	,,	29.81	757.2	83	79	N E	1	c	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.81	757.2	86	65	...	0	b	,,	29.83	757.7	74	90	...	0
Shanghai,	,,	29.73	755.1	79	70	S S W	1	o	9 a.	29.79	756.6	74	90	...	0
Gutzlaff,	,,	29.71	754.6	74	86	S E	1	cv	,,	29.77	756.1	69	100	S E	1
Sharp Peak,	,,	29.78	756.4	77	91	N N E	2	or	,,	29.79	756.6	79	87	S	1
Amoy,	,,	29.74	755.4	82	91	S E	1	c	6 a.	29.82	757.4	79	95	S E	3
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.4	..	...	W	6	...	5 a.	29.82	757.4	...	...	...	0
Taichu,	,,	29.87	758.7	...	...	W	4	...	,,	29.85	758.1	...	...	...	0
Tainan,	,,	29.87	758.8	...	...	S W	6	...	,,	29.86	758.5	...	...	S E	2
Koshun	,,	29.86	758.4	...	...	W	6	...	,,	29.87	758.7	...	...	...	0
Pescadores,	,,	29.86	758.4	...	...	S	6	...	,,	29.84	757.9	...	...	S	6
Canton,	3 p.	29.76	755.9	85	87	S	1	c	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.76	755.9	83	80	S W	4	opq	10 a.	29.85	758.2	81	86	S S W	3
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	6
Gap Rock,	,,	29.74	755.4	...	...	S S W	4	...	,,	29.81	757.2	...	...	S W	5
Macao,	,,	29.77	756.1	83	...	S	2	o	,,	29.85	758.2	81	...	S	3
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.2	79	...	S S E	3	c	8 a.	29.80	756.9	77	...	N	2
Tourane,	,,	29.74	755.4	91	...	S E	2	c	,,	29.86	758.5	82	...	...	0
Cape St. James,	,,	29.78	756.3	84	...	W S W	2	c	,,	29.91	759.6	81	...	W	2
Aparri,	2 p.	29.85	758.3	90	...	N	1	o	6 a.	29.92	759.9	79	...	S W	1
Manila,	4 p.	29.80	757	91	61	N W	1	c	10 a.	29.92	760	91	55	E S E	1
Legaspi,	2 p.	29.85	758.2	88	...	E	1	b	6 a.	29.91	759.8	77	...	N E	1
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	E N E	1
Iloilo,	,,	29.85	758.2	90	...	N E	1	c	,,	29.93	760.2	86	...	N E	1
Cebu,	,,	29.82	757.4	88	...	N	1	b	,,	29.93	760.2	86	...	N	1
Labuan,	,,	29.77	756.1	88	...	...	...	...	,,	29.88	758.9	82	...	...	...

On the 12th at 11.55 a.—The barometer has risen moderately over Japan and the Loochoos, and fallen slig on the N.E. coast of China.

Pressure is high over E. Japan, and low over N. China.

Fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, fresh or strong; squally, the [sho
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 12th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	12TH JUNE, 1908, P.M.								13TH JUNE, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ostock,...	2 p.	29.93	760.2	56	...	S W	2	c	7 a.	29.89	759.1	51	98	N	1	f
...,.....	,,	30.00	762.1	...	...	S	4	...	6 a.	29.97	761.1	...	...	S	3	...
...te,.....	,,	29.97	761.2	...	...	S	6	...	,,	...	...	...	...	N W	4	...
.....	,,	29.98	761.6	...	...	S	2	...	,,	29.79	756.6	...	...	E	4	...
.....	,,	29.83	757.8	...	...	...	0	...	,,	29.76	755.8	...	...	...	0	...
...ki, ...	,,	29.83	757.8	...	...	S W	6	...	,,	29.88	758.8	...	...	N	2	...
...ima, ...	,,	29.84	757.9	...	...	W	4	...	,,	29.88	758.9	...	...	N W	2	...
.....	,,	29.85	758.1	...	...	S	4	...	,,	29.89	759.1	...	...	S	2	...
.....	,,	29.85	758.2	...	...	S	6	...	,,	29.89	759.2	...	...	S W	4	...
...ijima, ...	,,	29.85	758.3	...	...	S W	8	...	,,	29.86	758.3	...	...	S	6	...
...ls.....	,,	30.00	762.1	...	...	S W	2	...	,,	30.04	763.1	...	...	S	2	...
.....	3 p.	29.69	754.1	75	56	E S E	2	b	6 a.	29.70	754.4	68	74	W	3	o
...wei,.....	,,	29.69	754.1	77	...	S E	2	b	9 a.	29.75	755.6	66	...	E	2	o
...w,.....	,,	...	...	...	...	...	...	...	6 a.	29.84	757.9	76	95	...	0	b
...ng,.....	,,	29.79	756.6	90	53	...	0	b	,,	29.80	756.9	75	86	...	0	b
...ai, ...	,,	29.75	755.6	80	74	S	1	o	9 a.	29.83	757.7	75	86	S S E	1	o
...ff, ...	,,	29.73	755.1	73	95	S W	1	cm	,,	29.80	756.9	71	90	S E	2	om
...Peak,.....	,,	29.77	756.1	78	95	S	1	or	,,	29.89	759.2	71	100	...	0	or
.....	,,	29.80	756.9	81	96	S W	2	o	6 a.	29.85	758.2	78	91	N E	1	o
.....	,,	29.78	756.4	83	87	S W	1	o	,,	...	...	76	95	...	0	o
...n.....	1 p.	29.80	757.0	...	...	S E	2	...	6 a.	29.86	758.4	...	...	...	0	...
.....	,,	29.84	758.0	...	...	S	6	...	,,	29.88	758.9	...	...	S E	2	...
.....	,,	29.89	759.3	...	...	S	6	...	,,	29.89	759.2	...	...	S E	2	...
.....	,,	29.90	759.5	...	...	W	6	...	,,	29.89	759.1	...	...	N W	2	...
...pres, ...	,,	29.87	758.6	...	...	S	8	...	,,	29.87	758.6	...	...	S	6	...
.....	3 p.	29.79	756.6	82	87	...	0	o	9 a.	...	...	...	...	...	...	...
...ng, ...	4 p.	29.80	756.9	77	94	...	0	or	10 a.	29.88	758.9	78	94	N W	1	op
...a Peak,...	,,	...	...	...	...	W	4	...	,,	...	...	...	...	S W	3	...
...ck,.....	,,	29.76	755.9	...	...	S W	5	...	,,	29.83	757.7	...	...	S S W	4	...
.....	,,	29.81	757.2	78	...	W S W	2	or	,,	29.88	758.9	79	...	S S W	1	od
...y.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.75	755.6	...	...	E N E	0	c	8 a.	29.86	758.5	75	...	N N W	2	o
...e, ...	,,	29.78	756.3	90	...	E S E	3	c	,,	29.88	758.9	84	...	...	0	o
...t. James,.	,,	29.79	756.7	88	...	S S W	1	c	,,	29.89	759.3	82	...	N W	2	c
.....	2 p.	29.86	758.5	91	...	N E	1	b	6 a.	29.93	760.2	79	...	N W	1	c
.....	4 p.	29.80	757	93	51	E S E	1	c	10 a.	29.92	760	86	65	W N W	1	c
...y.....	2 p.	29.87	758.8	88	...	E	1	b	6 a.	29.90	759.4	79	...	...	0	c
...l.....	3 p.	...	...	...	...	N N E	3	ot	9 a.	...	...	...	...	E N E	1	o
.....	,,	29.85	758.2	91	...	N E	2	b	,,	29.98	760.7	86	...	N N E	2	b
.....	,,	29.82	757.4	89	...	N	2	c	,,	29.92	759.9	86	...	N	2	c
...s.....	,,	29.77	756.1	88	...	...	...	...	,,	29.90	759.4	78	...	...	...	...

...n the 13th at 11.45 a.—The barometer has fallen moderately in Central and Northern Japan, and risen slightly ...S. China.

...A shallow depression lies over Central Japan, and pressure remains somewhat low over N. China. It is highest ...the Pacific to the E. of the Bonins.

...Moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 4.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...gkong and Neighbourhood, ...	S. winds, moderate; squally, thunder showers.
...rmosa Channel, ...	Same as No. 1.
...th coast of China between Hongkong and Lamocks,..	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...Hongkong Observatory, Saturday, 13th June, 1908.

...ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th JUNE, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.89	759.1	64	...	W	1	c	7 a.	29.94	760.5	57	82	S E	1
Nemuro,	,,	29.96	761.1	...	...	E	4	...	6 a.	30.12	765.1	...	...	E	2
Hakodate,	,,	29.89	759.2	...	...	S E	6	...	,,	30.01	762.2	...	...	E	6
Tokio,	,,	29.67	753.6	...	...	N W	4	...	,,	29.95	760.6	...	...	N	2
Kochi,	,,	29.80	756.8	...	...	E	2	...	,,	29.99	761.8	...	...	S W	2
Nagasaki,	,,	29.91	759.8	...	...	S W	4	...	,,	29.95	760.8	...	...	N E	2
Kagoshima,	,,	29.88	758.9	...	...	N W	4	...	,,	29.96	760.9	...	...	...	0
Oshima,	,,	29.93	760.1	...	...	N	2	...	,,	29.89	759.1	...	...	S	6
Naha,	,,	29.89	759.2	...	...	S	4	...	,,	29.93	760.2	...	...	S	2
Ishigakijima,	,,	29.89	759.3	...	...	S	3	...	,,	29.93	760.3	...	...	S W	6
Bonin Is.	,,	30.00	762.1	...	...	S	2	...	,,	30.04	763.1	...	...	S W	2
Chefoo,	3 p.	29.66	753.3	72	85	S E	2	o	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.73	755.1	69	...	S E	3	o	9 a.	29.76	755.9	73	...	W	4
Hankow,	,,	29.80	756.9	92	57	S	1	b	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.77	756.1	93	52	...	0	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.78	756.4	82	71	S E	3	b	9 a.	29.83	757.7	77	69	S E	2
Gutzlaff,	,,	29.77	756.1	73	90	S S E	3	cv	,,	29.81	757.2	72	85	S E	3
Sharp Peak,	,,	29.86	758.4	72	100	...	0	or	,,	29.84	757.9	73	100	...	0
Amoy,	,,	29.84	757.9	82	87	S E	2	c	6 a.	29.89	759.2	79	91	S E	4
Swatow,	,,	29.81	757.2	79	95	S S W	1	or	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.84	758.0	..	...	N	2	...	5 a.	29.88	758.8	...	...	S	2
Taichu,	,,	29.87	758.6	...	...	S W	2	...	,,	29.89	759.3	...	...	...	0
Tainan,	,,	29.90	759.4	...	...	S W	6	...	,,	29.90	759.4	...	...	S E	2
Koshun,	,,	29.91	759.7	...	...	W	4	...	,,	29.90	759.5	...	...	...	0
Pescadores,	,,	29.89	759.1	...	...	S	6	...	,,	29.88	759.0	...	...	S	6
Canton,	3 p.	29.80	756.9	83	83	S E	2	c	9 a.	29.87	758.7	80	91	S	1
Hongkong,	4 p.	29.81	757.2	81	78	S W	3	opq	10 a.	29.89	759.2	81	85	S W	1
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S	4
Gap Rock,	,,	29.78	756.4	...	...	S S W	5	...	,,	29.86	758.4	...	...	S W	3
Macao,	,,	29.82	757.4	81	...	S	2	o	,,	29.89	759.2	82	...	S	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.8	82	...	S S E	2	c	8 a.	29.82	757.4	79	...	S S E	2
Tourane,	,,	29.82	757.3	99	...	...	0	c	,,	29.90	759.5	84	...	...	0
Cape St. James,	,,	29.81	757.1	86	...	S W	1	c	,,	29.88	758.9	84	...	W	1
Aparri,	2 p.	29.87	758.7	91	...	N E	1	o	6 a.	29.92	760.0	81	...	S	1
Manila,	4 p.	29.84	758	86	71	...	0	o	10 a.	29.92	760	86	65	W N W	1
Legaspi,	2 p.	29.89	759.2	81	...	N E	1	o	6 a.	29.92	760.0	77	...	...	0
Bacolod,	3 p.	...	...	...	...	N N E	3	ot	9 a.	...	...	...	...	...	0
Iloilo,	,,	29.85	758.2	88	...	N E	1	ot	,,	29.91	759.7	84	...	...	0
Cebu,	,,	29.83	757.7	88	...	N	1	b	,,	29.91	759.7	84	...	...	0
Labuan,	,,	29.83	757.7	82	...	...	...	...	,,	...	...	...	...	...	...

On the 14th at 11.40 a.—The barometer has a tendency to fall over the Yangtze valley. It has risen consider over Central and Northern Japan.

Pressure is lowest over China to the North of the Yangtze, and highest over N.E. Japan. Except over the fo area, it exceeds the normal generally, the excess varying from 0.2 inch in N.E. Japan to 0.1 inch over the Looch Formosa and the S. coast of China and to 0.05 inch over the Philippines.

Fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh; squally, showery.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 14th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	14TH JUNE, 1908, P.M.								15TH JUNE, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
vostock,...	2 p.	29.88	759.0	68	...	S E	2	c	7 a.	29.85	758.1	57	87	S E	1	b
o.	,,	30.12	765.1	...	...	S W	6	...	6 a.	30.01	762.1	...	...	S W	6	...
ate.	,,	30.09	764.2	...	...	E	8	...	,,	30.01	762.2	...	...	N W	2	...
.....	,,	29.98	761.6	...	...	E	6	...	,,	30.02	762.6	...	...	...	0	...
.....	,,	29.99	761.8	...	...	...	0	...	,,	29.95	760.8	...	...	...	0	...
ki, ...	,,	29.95	760.8	...	...	S E	4	...	,,	29.80	756.8	...	...	N E	10	...
ima, ...	,,	29.92	759.9	...	...	E	6	...	,,	29.80	756.9	...	...	N E	6	...
a.....	,,	29.93	760.1	...	...	S	4	...	,,	29.89	759.1	...	...	S W	6	...
.....	,,	29.93	760.2	...	...	S	4	...	,,	29.93	760.2	...	...	S	4	...
ijima, ...	,,	29.89	759.3	...	...	S W	8	...	,,	29.89	759.3	...	...	S	6	...
ls.....	,,	30.00	762.1	...	...	S W	2	...	,,	30.08	764.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	29.72	754.9	73	...	E	2	o	9 a.	29.82	757.4	69	...	S S E	2	o
w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng,.....	,,	29.79	756.6	94	52	W	1	b	,,	...	...	...	...	...	...	...
ai, ...	,,	29.81	757.2	81	67	E	2	c	9 a.	29.82	757.4	72	85	...	0	om
g, ...	,,	29.76	755.9	71	95	E S E	1	om	,,	29.76	755.9	69	95	N	1	f
Peak, ...	,,	29.81	757.2	74	100	...	0	or	,,	29.83	757.7	76	95	S	1	or
.....	,,	29.88	758.9	81	91	S	4	b	6 a.	29.92	759.9	80	91	S W	1	o
.....	,,	29.81	757.2	82	87	...	0	b	,,	29.83	757.7	79	95	S	2	c
n.....	1 p.	29.87	758.6	.	...	...	0	...	5 a.	29.86	758.3	...	...	...	0	...
.....	,,	29.89	759.3	...	...	W	2	...	,,	29.90	759.4	...	...	...	0	...
.....	,,	29.93	760.1	...	...	S W	6	...	,,	29.91	759.6	...	...	S E	2	...
.....	,,	29.92	759.9	...	...	W	4	...	,,	29.90	759.5	...	...	...	0	...
pres, ...	,,	29.91	759.6	...	...	S	8	...	,,	29.89	759.3	...	...	S	4	...
.....	3 p.	29.80	756.9	85	79	S W	2	c	9 a.	...	...	...	...	...	...	...
ng, ...	4 p.	29.84	757.9	76	92	N E	1	or	10 a.	29.86	758.4	83	76	S W	4	oq
a Peak,...	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	S S W	7	...
ck,.....	,,	29.80	756.9	...	...	S S W	3	...	,,	29.84	757.9	...	...	S S W	5	...
.....	,,	29.83	757.7	80	...	S	2	o	,,	29.86	758.4	82	...	S	4	oq
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.73	755.2	86	...	S S E	3	c	8 a.	29.77	756.2	81	...	S	5	o
.....	,,	29.79	756.7	90	...	S E	3	c	,,	29.88	759.0	84	...	...	0	b
James,.	,,	29.82	757.3	88	...	S W	2	c	,,	29.89	759.1	81	...	N	1	c
.....	2 p.	29.88	758.9	90	...	N E	1	b	6 a.	29.92	760.0	77	...	S W	1	b
.....	4 p.	29.84	758	82	77	...	0	c	10 a.	29.92	760	90	60	E S E	2	b
.....	2 p.	29.90	759.5	88	...	E	1	cr	6 a.	29.93	760.2	77	...	...	0	o
.....	3 p.	...	...	...	...	N W	1	c	9 a.	...	...	...	...	S E	1	o
.....	,,	29.85	758.2	87	...	N E	1	c	,,	29.95	760.7	83	...	N N E	2	c
.....	,,	29.87	758.7	85	...	N	1	c	,,	29.91	759.7	84	...	N	1	cd
.....	,,	29.84	757.9	83	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

h the 15th at 11.40 a.—The barometer has fallen quickly in S.W. Japan, and a slight fall has taken place over ina.

depression which appears to have formed over the Eastern Sea, is now off the coast of S.W. Japan. It will bly move to the N.E.

ressure is high over the Pacific in the neighbourhood of the Bonins.

resh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S.W. winds, fresh or strong; squally, showery.
nosa Channel, ...	Same as No. 1.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Monday, 15th June, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JUNE, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.87	758.6	66	...	S W	2	c	7 a.	29.80	757.0	57	98	E	1
Nemuro, ...	,,	29.96	761.1	...	...	S W	6	...	6 a.	29.89	759.1	...	...	S W	2
Hakodate, ...	,,	29.93	760.2	...	...	S	4	...	,,	29.85	758.2	...	...	...	0
Tokio, ...	,,	29.98	761.6	...	...	S	6	...	,,	29.83	757.6	...	...	...	0
Kochi, ...	,,	29.87	758.8	...	...	...	0	...	,,	29.88	758.8	...	...	...	0
Nagasaki, ...	,,	29.80	756.8	...	...	E	4	...	,,	29.88	758.8	...	...	N	4
Kagoshima, ...	,,	29.84	757.9	...	...	S E	4	...	,,	29.88	758.9	...	...	W	2
Oshima.....	,,	29.89	759.1	...	...	S E	2	...	,,	29.93	760.1	...	...	S	2
Naha,.....	,,	29.89	759.2	...	...	S	4	....	,,	29.93	760.2	...	...	S	2
Ishigakijima.....	,,	29.89	759.3	...	...	S	6	...	,,	29.93	759.3	...	...	S	6
Bonin Is.....	,,	30.08	764.1	...	...	S	4	...	,,	30.08	764.1	...	...	S	2
Chefoo,.....	3 p.	29.79	756.6	72	76	E	3	c	6 a.	29.81	757.2	65	89	S W	1
Weihaiwei,.....	,,	29.76	755.9	76	...	S E	1	ovr	9 a.	29.82	757.4	71	...	E	1
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	29.81	757.2	79	91	E	2
Kiukiang,.....	,,	29.71	754.6	94	49	N E	2	b	,,	29.76	755.9	76	73	N E	1
Shanghai, ...	,,	29.78	756.4	76	82	S E	1	c	9 a.	29.81	757.2	72	90	S E	2
Gutzlaff, ...	,,	29.75	755.6	70	90	S E	1	om	,,	29.79	756.6	70	100	S E	3
Sharp Peak,.....	,,	29.83	757.7	75	100	...	0	or	,,	29.86	758.4	75	100	...	0
Amoy.....	,,	29.91	759.7	81	91	S E	3	o	6 a.	29.94	760.5	79	95	S E	1
Swatow, ...	,,	29.82	757.4	80	96	W	1	o	,,	29.82	757.4	79	95	S	2
Taiboku.....	1 p.	29.85	758.2	.	...	W	4	...	5 a.	29.87	758.6	...	...	...	0
Taichu, ...	,,	29.88	758.9	...	...	S W	4	...	,,	29.89	759.1	...	...	...	0
Tainan,.....	,,	29.90	759.4	...	...	S W	4	...	,,	29.90	759.5	...	...	S E	4
Koshun.....	,,	29.90	759.4	...	...	W	4	...	,,	29.91	759.6	...	...	...	0
Pescadores, ...	,,	29.89	759.2	...	...	S	6	...	,,	29.87	758.7	...	...	S	4
Canton,.....	3 p.	29.79	756.6	79	78	S W	1	or	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.80	756.9	83	77	S S W	3	oq	10 a.	29.83	757.7	81	84	S	3
Victoria Peak,...	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S	7
Gap Rock,.....	,,	29.76	755.9	...	...	S W	4	...	,,	29.81	757.2	...	...	S S W	5
Macao, ...	,,	29.81	757.2	83	...	S	3	o	,,	29.83	757.7	81	...	S S E	4
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.69	754.2	82	...	S	3	o	8 a.	29.73	755.1	81	...	S S W	4
Tourane, ...	,,	29.78	756.4	90	...	S E	3	c	,,	29.84	757.9	82	...	...	0
Cape St. James,.	,,	29.82	757.4	84	...	S	2	c	,,	29.87	758.6	82	...	N W	1
Aparri, ...	2 p.	29.85	758.3	90	...	E	1	b	6 a.	29.93	760.2	75	...	S	1
Manila, ...	4 p.	29.80	757	93	51	S E	1	b	10 a.	29.88	759	90	60	E	2
Legaspi, ...	2 p.	29.89	759.1	88	...	E	1	o	6 a.	29.92	759.9	79	...	N E	1
Bacolod, ...	3 p.	...	...	...	...	N N W	1	op	9 a.	...	...	...	...	S E	1
Iloilo, ...	,,	29.85	758.2	89	...	N E	1	c	,,	29.91	759.7	84	...	N E	1
Cebu,.....	,,	29.83	757.7	86	...	N	1	c	,,	29.91	759.7	83	...	N	1
Labuan, ...	,,	29.81	757.2	86	...	...	...	...	,,	29.87	758.7	83	...	...	...

On the 16th at 11.55 a.—The barometer has fallen moderately in E. Japan, and risen slightly in W. Japan. depression, which appears to be shallow, is lying over the E. part of the Sea of Japan.

The barometer has a tendency to fall over S. China and the Philippines.

Pressure is relatively low over the Continent between Tongking and the Yangtze valley. It remains high o the Pacific in the neighbourhood of the Bonins.

Fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. winds, fresh or strong; squally, showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 16th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	16TH JUNE, 1908, P.M.								17TH JUNE, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	29.79	756.6	62	...	S	2	f	7 a.	29.83	757.7	57	98	S	0	f
o,.....	,,	29.85	758.1	...	...	N	4	...	6 a.	29.93	760.1	...	...	N E	8	...
ate,.....	,,	29.81	757.2	...	...	S	4	...	,,	29.93	760.2	...	...	N W	2	...
.....	,,	29.79	756.6	...	...	S	6	...	,,	29.95	760.6	...	...	N W	2	...
.....	,,	29.83	757.8	...	...	S E	4	...	,,	29.95	760.8	...	...	...	0	...
ki, ...	,,	29.91	759.8	...	...	W	6	...	,,	29.88	758.8	...	...	N E	2	...
ima, ...	,,	29.92	759.9	...	...	W	4	...	,,	29.92	759.9	...	...	...	0	...
a.....	,,	29.96	761.1	...	...	...	0	...	,,	29.97	761.1	...	...	S	4	...
.....	,,	29.93	760.2	...	...	S	4	...	,,	29.97	761.2	...	...	S	2	...
kijima,....	,,	29.93	760.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	6	...
ls.....	,,	30.12	765.1	...	...	S	4	...	,,	30.08	764.1	...	...	...	0	...
.....	3 p.	29.78	756.4	79	70	E	3	c	6 a.	29.78	754.6	65	100	S E	1	b
iwei.....	,,	29.78	756.4	78	...	S S W	1	ovr	9 a.	29.73	755.1	65	...	E	3	o
w.....	,,	29.73	755.1	86	76	S E	2	o	6 a.	29.73	755.1	72	95	S E	1	o
ng.....	,,	...	...	...	...	...	...	...	,,	29.62	752.3	70	100	S W	2	or
ai.	,,	29.77	756.1	81	74	E	1	o	9 a.	29.55	750.5	73	100	S S E	4	or
ff.	,,	29.75	755.6	72	95	S E	2	om	,,	29.57	751.1	71	100	S	5	omr
Peak,.....	,,	29.81	757.2	76	100	S	1	o	,,	29.72	754.9	79	87	S	5	o
.....	,,	29.92	759.9	81	91	S W	3	c	6 a.	29.89	759.2	80	91	S W	4	o
.....	,,	29.79	756.6	83	91	S W	2	or	,,	29.76	755.9	79	100	S S W	3	o
n.....	1 p.	29.87	758.6	.	...	N	4	...	5 a.	29.87	758.6	...	...	...	0	...
.....	,,	29.86	758.4	...	...	W	2	...	,,	29.89	759.3	...	...	...	0	...
.....	,,	29.88	759.0	...	...	S	6	...	,,	29.86	758.5	...	...	S	4	...
.....	,,	29.89	759.3	...	...	S	4	...	,,	29.89	759.2	...	...	E	4	...
ores, ...	,,	29.88	758.9	...	...	S	6	...	,,	29.85	758.1	...	...	S	6	...
.....	3 p.	29.71	754.6	79	100	S E	1	or	9 a.	29.81	757.2	78	95	S	1	or
ong.	4 p.	29.79	756.6	82	80	S W	4	oq	10 a.	29.80	756.9	83	77	S W	4	oq
a Peak,...	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S	7	...
ck.....	,,	29.74	755.4	...	...	S S W	5	...	,,	29.76	755.9	...	...	S S W	6	...
.....	,,	29.79	756.6	82	...	S	4	oq	,,	29.79	756.6	82	...	S W	4	od
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.65	753.9	86	...	S	5	c	8 a.	29.72	754.9	82	...	S W	3	o
e,.....	,,	29.77	756.1	90	...	S E	3	c	,,	29.80	756.9	82	...	...	0	c
. James,.	,,	29.80	756.9	77	...	N W	3	or	,,	29.68	758.9	81	...	N W	1	c
.....	2 p.	29.87	758.6	90	...	N E	1	c	6 a.	29.89	759.3	79	...	S	1	c
.....	4 p.	29.84	758	90	55	E S E	2	o	10 a.	29.88	759	86	71	N N W	0	c
.....	2 p.	29.87	758.7	88	...	E	2	c	6 a.	29.89	759.1	79	...	E	1	b
.....	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N E	1	c
.....	,,	29.85	758.2	88	...	N N E	1	c	,,	29.91	759.7	84	...	N E	2	c
.....	,,	29.84	757.9	85	...	N	2	c	,,	29.87	758.7	85	...	...	0	c
.....	,,	29.82	757.4	83	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 17th at 11.40 a.—The barometer has fallen rapidly on the E. coast of China owing to a depression which ving towards N.E. over the Lower Yangtze.
The slight depression lying over the E. part of the Sea of Japan yesterday, has moved into the Pacific, and the eter has risen moderately in Central and Northern Japan.
Pressure remains high over the Pacific in the neighbourhood of the Bonins.
Strong S.W. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	S.W. winds, strong; squally, showery.
mosa Channel, ...	S.W. winds, strong to a gale.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 17th June, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th JUNE, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.89	759.3	65	...	S	1	f	7 a.	29.79	756.6	58	99	S	1
Nemuro, ...	,,	29.96	761.1	...	...	N E	6	...	6 a.	30.01	762.1	...	...	E	2
Hakodate, ...	,,	29.97	761.2	...	...	S	6	...	,,	29.93	760.2	...	...	S	3
Tokio, ...	,,	29.94	760.6	...	...	S	4	...	,,	29.95	760.6	...	...	S	2
Kochi, ...	,,	29.95	760.8	...	...	...	0	...	,,	29.91	759.8	...	...	...	0
Nagasaki, ...	,,	29.87	758.8	...	...	S	2	...	,,	29.76	755.8	...	...	S	10
Kagoshima, ...	,,	29.92	759.9	...	...	S E	4	...	,,	29.92	759.9	...	...	S	6
Oshima, ...	,,	29.93	760.1	...	...	S	6	...	,,	29.97	761.1	...	...	S	6
Naha, ...	,,	29.89	759.2	...	...	S	4	...	,,	29.93	760.2	...	...	S	2
Ishigakijima, ...	,,	29.85	758.3	...	...	S	8	...	,,	29.93	760.3	...	...	...	0
Bonin Is.	,,	30.08	764.1	...	...	S W	2	...	,,	30.08	764.1	...	...	...	0
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	62	100	N	5
Weihaiwei, ...	,,	29.72	754.9	63	...	E N E	2	f	9 a.	29.44	747.8	62	...	N N E	4
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	29.80	756.9	74	95	E	1
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	29.77	756.1	70	95	W	1
Shanghai, ...	,,	29.47	748.5	81	74	S S W	5	q	9 a.	29.74	755.4	73	76	...	2
Gutzlaff, ...	,,	29.46	748.8	73	95	S	5	omd	,,	29.72	754.9	73	86	N W	1
Sharp Peak, ...	,,	29.69	754.1	80	87	S	6	or	,,	29.80	756.9	77	91	S	2
Amoy, ...	,,	29.83	757.7	78	95	W	6	or	6 a.	29.90	759.4	79	95	S W	1
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku, ...	1 p.	29.77	756.2	...	...	S	2	...*	5 a.	29.84	757.8	...	...	...	0
Taichu, ...	,,	29.80	757.0	...	...	S W	6	...	,,	29.84	758.0	...	...	...	0
Tainan, ...	,,	29.85	758.2	...	...	S	10	...	,,	29.86	758.4	...	...	S E	2
Koshun, ...	,,	29.87	758.8	...	...	S E	6	...	,,	29.89	759.1	...	...	E	10
Pescadores, ...	,,	29.83	757.6	...	...	S	8	...	,,	29.84	757.9	...	...	S	4
Canton, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.77	756.1	83	74	S S W	4	oq	10 a.	29.83	757.7	80	87	S S W	1
Victoria Peak, ...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	6
Gap Rock, ...	,,	29.73	755.1	...	...	S S W	5	...	,,	29.79	756.6	...	...	S	3
Macao, ...	,,	29.77	756.1	83	...	S	3	o	,,	29.83	757.7	79	...	S E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.69	754.2	86	...	E	1	o	8 a.	29.76	756.0	75	...	N E	1
Tourane, ...	,,	29.75	755.6	90	...	S E	1	c	,,	29.79	756.7	82	...	...	0
Cape St. James, .	,,	29.76	755.8	86	...	W	3	c	,,	29.84	757.8	79	...	W S W	2
Aparri, ...	2 p.	29.84	757.9	90	...	N E	1	c	6 a.	29.91	759.7	79	...	S	1
Manila, ...	4 p.	29.80	757	93	46	E S E	1	b	10 a.	29.84	758	90	55	E S E	1
Legaspi, ...	2 p.	29.83	757.7	88	...	E	1	b	6 a.	29.88	758.8	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	N E	1
Iloilo, ...	,,	29.81	757.2	89	...	N E	1	c	,,	29.87	758.7	84	...	N E	1
Cebu, ...	,,	29.79	756.6	87	...	N	1	b	,,	29.86	758.4	84	...	...	0
Labuan, ...	,,	29.82	757.4	83	...	...	...	...	,,	29.85	758.2	81	...	...	...

On the 18th at 11.55 a.—The barometer has risen quickly over the Lower Yangtze, and fallen rapidly in haiwei.

The depression is over the Yellow Sea off the Shantung Promontory. It continues to move towards N.E.

The barometer has a tendency to fall over Annam and the Southern Philippines, and pressure would appe be somewhat low over the middle part of the China Sea. It remains high over the Pacific in the neighbourhoo the Bonins.

Moderate S. to E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. to E. winds, moderate; squally, showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 18th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	18TH JUNE, 1908, P.M.								19TH JUNE, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	29.69	754.1	54	...	S W	1	f	7 a.	29.66	753.4	55	99	S	1	f
o,.....	,,	29.89	759.1	...	...	S	6	...	6 a.	29.65	753.1	...	...	S	2	...
ate.....	,,	29.81	757.2	...	...	S E	6	...	,,	29.62	752.2	...	...	...	0	...
.....	,,	29.87	758.6	...	...	S	4	...	,,	29.71	754.6	...	...	S	4	...
.....	,,	29.83	757.8	...	...	E	2	...	,,	29.88	758.8	...	...	...	0	...
ki, ...	,,	29.80	756.8	...	...	S	10	...	,,	29.84	757.8	...	...	S W	4	...
ima, ...	,,	29.96	760.9	...	...	S	8	...	,,	29.88	758.9	...	...	S	2	...
.....	,,	29.93	760.1	...	...	S	6	...	,,	29.93	760.1	...	...	...	0	...
.....	,,	29.93	760.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0	...
ijima,....	,,	29.89	759.3	...	...	S	2	...	,,	29.86	758.3	...	...	S	4	...
Is.....	,,	30.04	763.1	...	...	S	2	...	,,	30.08	764.1	...	...	..	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	29.65	753.1	71	76	N	1	b
iwei,.....	,,	29.50	749.3	62	...	W	4	o	9 a.	29.69	754.1	72	...	W N W	3	b
w, ...	,,	...	...	...	...	...	...	...	6 a.	29.78	756.4	80	96	S E	1	b
ng,.....	,,	...	...	...	...	...	...	...	,,	29.77	756.1	74	95	S E	1	or
ai, ...	,,	29.72	754.9	83	57	W S W	1	c	9 a.	29.77	756.4	75	86	S S E	1	b
ff.	,,	29.70	754.4	77	82	S	2	cv	,,	29.75	755.6	73	95	...	1	bf
Peak,.....	,,	29.80	756.9	78	100	...	0	o	,,	29.83	757.7	80	100	...	0	b
.....	,,	29.86	758.4	79	91	S E	1	or	6 a.	29.83	758.9	79	91	...	0	o
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n.....	1 p.	29.85	758.3	.	...	W	6	...	6 a.	29.83	757.7	...	...	S E	2	...
.....	,,	29.89	759.2	...	...	N	4	...	,,	29.86	758.5	...	...	...	0	...
.....	,,	29.86	758.4	...	...	S W	6	...	,,	29.85	758.1	...	...	E	2	...
.....	,,	29.87	758.6	...	...	S E	4	...	,,	29.85	758.1	...	...	E	6	...
ores, ...	,,	29.89	759.2	...	...	S	6	...	,,	29.84	757.9	...	...	...	0	...
.....	3 p.	29.79	756.6	77	95	...	0	or	9 a.	29.82	757.4	80	95	S E	1	c
ong, ...	4 p.	29.79	756.6	79	90	E	1	o	10 a.	29.83	757.7	83	82	E	1	o
a Peak,...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S	2	...
ock,.....	,,	29.76	755.9	...	...	S	2	...	,,	29.80	756.9	...	...	S S E	2	...
.....	,,	29.80	756.9	81	...	S E	2	o	,,	29.83	757.7	81	...	S E	3	o
r.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n.....	4 p.	29.70	754.5	79	...	E N E	2	o	8 a.	29.70	754.4	77	...	S	5	or
e.....	,,	29.73	755.2	88	...	E	3	c	,,	29.78	756.3	82	...	...	0	c
t. James,.	,,	29.74	755.3	77	...	S W	3	o	,,	29.80	756.9	79	...	W	2	c
.....	2 p.	29.81	757.1	90	...	N E	1	b	6 a.	29.84	758.0	79	...	S	1	o
.....	4 p.	29.76	756	90	60	W	1	c	10 a.	29.80	757	86	71	S S W	1	o
i,.....	2 p.	29.79	756.7	86	...	E	1	c	6 a.	29.80	756.9	75	...	...	0	c
d,.....	3 p.	...	...	...	...	S W	1	ct	9 a.	...	...	...	...	S W	2	o
.....	,,	29.84	757.9	86	...	S W	3	r	,,	29.87	758.7	81	...	N	0	r
.....	,,	29.77	756.1	86	...	S	2	c	,,	29.83	757.7	83	...	S	1	c
.....	,,	29.81	757.2	83	...	...	...	...	,,	29.82	757.4	81	...	...	...	...

On the 19th at 11.55 a.—The barometer has risen considerably on the N.E. coast of China, and fallen quickly in pan. The depression is moving towards N.E. over the N. part of the Sea of Japan.
Pressure is still high over the Pacific in the neighbourhood of the Bonins. It remains somewhat low over the le part of the China Sea, and the barometer continues to fall over the Philippines and Annam.
Moderate S.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the a Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	S.E. and E. winds, moderate; showery.
rmosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 19th June, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JUNE. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,.....	,,	29.61	752.1	...	...	...	6	...	6 a.	29.73	755.1	...	...	N	6
Hakodate,.....	,,	29.61	752.2	...	...	...	0	...	,,	29.81	757.2	...	...	N	8
Tokio.	,,	29.67	753.6	...	...	S	6	...	,,	29.83	757.6	...	...	...	0
Kochi, ...	,,	29.83	757.8	...	...	...	0	...	,,	29.91	759.8	...	...	...	0
Nagasaki, ...	,,	29.87	758.8	...	...	S W	6	...	,,	29.95	760.8	...	...	W	8
Kagoshima, ...	,,	29.92	759.9	...	...	S	4	...	,,	29.96	760.9	...	...	...	0
Oshima,.....	,,	29.93	760.1	...	...	S	4	...	,,	29.97	761.1	...	...	S	2
Naha.....	,,	29.89	759.2	...	...	S	4	...	,,	29.93	760.2	...	...	...	0
Ishigakijima,....	,,	29.85	758.3	...	...	S	4	...	,,	29.86	758.3	...	...	S	4
Bonin Is.....	,,	30.04	763.1	...	...	S	2	...	,,	30.08	764.1	...	...	..	0
Chefoo,.....	3 p.	29.70	754.4	78	95	N W	1	b	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	29.70	754.4	76	...	N W	2	b	9 a.	...	...	...	...	...	...
Hankow, ...	,,	29.77	756.1	90	77	S E	1	b	6 a.	...	...	...	...	...	...
Kiukiang,.....	,,	29.69	754.1	94	55	N E	1	c	,,	29.74	755.4	77	91	S	1
Shanghai, ...	,,	29.74	755.4	71	100	E	2	cv	9 a.	29.83	757.7	78	86	E S E	1
Gutzlaff, ...	,,	29.73	755.1	75	86	E	2	cv	,,	29.79	756.6	72	100	S S E	1
Sharp Peak,.....	,,	29.76	755.9	82	91	S	4	b	,,	29.84	757.9	78	100	...	0
Amoy.....	,,	29.88	758.9	77	91	S W	1	or	6 a.	29.90	759.4	78	95	...	0
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku.....	1 p.	29.83	757.7	...	...	N W	2	...	5 a.	29.83	757.6	...	...	...	0
Taichu.	,,	29.85	758.2	...	...	W	2	...	,,	29.85	758.2	...	...	...	0
Tainan,.....	,,	29.83	757.7	...	...	S W	4	...	,,	29.83	757.6	...	...	N E	2
Koshun.....	,,	29.83	757.8	...	...	E	4	...	,,	29.83	757.6	...	...	E	2
Pescadores, ...	,,	29.84	758.0	...	...	S	4	...	,,	29.83	757.6	...	...	N	2
Canton,.....	3 p.	29.77	756.1	80	96	...	0	o	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.76	755.9	83	78	E S E	1	o	10 a.	29.80	756.9	83	77	E	3
Victoria Peak,...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	E S E	4
Gap Rock,.....	,,	29.72	754.9	...	...	S S E	3	...	,,	29.77	756.1	...	...	E S E	3
Macao, ...	,,	29.77	756.1	81	...	S E	1	o	,,	29.81	757.2	83	...	S E	1
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.63	752.6	79	...	S E	5	or	8 a.	29.70	754.4	81	...	S S E	4
Tourane, ...	,,	29.67	753.7	88	...	E S E	2	c	,,	29.74	755.3	82	...	...	0
Cape St. James,.	,,	29.72	754.8	79	...	W S W	4	o	,,	29.79	756.6	77	...	W S W	3
Aparri, ...	2 p.	29.76	755.8	90	...	N E	1	b	6 a.	29.78	756.4	77	...	W	1
Manila, ...	4 p.	29.69	754	88	66	...	0	o	10 a.	29.80	757	88	72	S	1
Legaspi, ...	2 p.	29.74	755.3	90	...	...	0	c	6 a.	29.78	756.4	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1
Iloilo, ...	,,	29.77	756.1	84	...	S W	3	c	,,	29.83	757.7	84	...	S W	1
Cebu, ...	,,	29.75	755.6	85	...	S	1	b	,,	29.84	757.9	85	...	...	0
Labuan, ...	,,	29.74	755.4	84	...	...	...	...	,,	29.82	757.4	84	...	...	...

On the 20th at 12.05 p.—The barometer has risen in Japan, the depression having moved into the Pacific.

The barometer is still inclined to fall at the stations around the China Sea, and probably a low pressure tro will form over the N. part of that area.

Pressure remains high over the Pacific in the neighbourhood of the Bonins.

Moderate or fresh E. winds may be expected in the Formosa Channel and along the Northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate or fresh; fair to showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 20th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ation.	20th JUNE. 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st JUNE, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ostock,...	2 p.	29.91	759.7	54	...	S W	2	o	7 a.	29.91	759.7	53	90	S	4	o
...o.....	,,	29.85	758.1	...	...	N	8	...	6 a.	30.08	764.1	...	...	N E	6	...
...ate.....	,,	29.85	758.2	...	...	S	6	...	,,	30.05	763.2	...	...	S	4	...
.....	,,	29.83	757.6	...	...	N W	4	...	,,	30.06	763.6	...	...	N E	2	...
.....	,,	29.91	759.8	...	...	S	2	...	,,	30.07	763.8	...	...	...	0	...
...ki, ...	,,	29.95	760.8	...	...	S W	4	...	,,	30.03	762.8	...	...	S E	2	...
...ima, ...	,,	29.96	760.9	...	...	S	4	...	,,	30.04	762.9	...	...	...	0	...
.....	,,	29.96	761.1	...	...	...	0	...	,,	30.01	762.1	...	...	S E	2	...
.....	,,	29.93	760.2	...	...	S E	2	...	,,	29.93	760.2	...	...	S E	2	...
...ijima, ...	,,	29.85	758.3	...	...	E	6	...	,,	29.82	757.3	...	...	E	8	...
...ls.....	,,	30.08	764.1	...	...	S	4	...	,,	30.16	766.1	...	...	..	0	...
.....	3 p.	29.79	756.6	79	74	N E	1	c	6 a.	29.88	758.9	66	89	S	1	b
...wei.....	,,	29.82	757.4	80	...	E	1	ovr	9 a.	29.91	759.7	71	...	E	1	o
...w, ...	,,	29.80	756.9	75	100	E	2	or	6 a.	...	...	...	...	...	...	...
...ng.....	,,	29.78	756.4	72	95	N E	2	or	,,	...	...	...	...	...	...	...
...ai.	,,	29.76	755.9	85	72	S E	2	o	9 a.	29.83	757.7	76	90	S	2	omr
...f.	,,	...	...	76	95	S S E	3	f	,,	29.81	757.2	74	95	S S E	2	om
...Peak.....	,,	29.80	756.9	79	100	E N E	1	o	,,	29.81	757.2	81	96	N	1	c
.....	,,	29.92	759.9	81	91	S E	1	c	6 a.	29.93	760.2	80	91	...	0	c
.....	,,	29.74	755.4	84	87	E	2	b	,,	...	...	...	...	...	...	...
...n.....	1 p.	29.84	757.9	.	...	E	4	...	5 a.	29.79	756.6	...	...	...	0	...
.....	,,	29.82	757.4	...	...	N	4	...	,,	29.80	757.0	...	...	...	0	...
.....	,,	29.80	756.8	...	...	N W	6	...	,,	29.79	756.6	...	...	N	2	...
.....	,,	29.82	757.4	...	...	E	4	...	,,	29.78	756.3	...	...	N	4	...
...ores, ...	,,	29.82	757.4	...	...	N	4	...	,,	29.80	756.8	...	...	N	6	...
.....	3 p.	29.73	755.1	81	96	S E	2	b	9 a.	29.76	755.9	81	87	N E	1	c
...ng, ...	4 p.	29.73	755.1	82	80	E	2	c	10 a.	29.80	756.9	84	79	E	3	c
...a Peak,...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S E	4	...
...ock,.....	,,	29.70	754.4	...	...	E	4	...	,,	29.76	755.9	...	...	E S E	4	...
.....	,,	29.76	755.9	82	...	S E	2	c	,,	29.82	757.4	83	...	S E	1	c
...t.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...t.....	4 p.	29.61	752.1	82	...	S E	6	o	8 a.	29.71	754.6	82	...	E S E	5	o
...e.....	,,	29.65	753.0	84	...	N W	2	c	,,	29.72	754.8	82	...	...	0	c
...James,..	,,	29.74	755.3	77	...	W S W	4	o	,,	29.83	757.7	77	...	W S W	5	o
.....	2 p.	29.76	755.8	88	...	N E	1	o	6 a.	29.79	756.7	77	...	S	1	b
.....	4 p.	29.72	755	86	71	W S W	3	o	10 a.	29.84	758	86	71	...	0	o
...l.....	2 p.	29.76	755.9	79	...	...	0	o	6 a.	29.86	758.4	77	...	...	0	o
...l.....	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	N	...	...
.....	,,	29.81	757.2	85	...	S W	...	c	,,	29.87	758.7	83	...	S W	2	c
.....	,,	29.80	756.9	84	...	...	0	o	,,	29.87	758.7	83	...	N	1	b
...s.....	,,	29.74	755.4	82	...	...	...	...	,,	29.84	757.9	81	...	...	...	...

...n the 21st at 11.55 a.—The barometer has fallen slightly in Formosa, and risen considerably in Japan. A slight ...ge of pressure has taken place also over the Philippines.

The low pressure trough extends across the N. part of the China Sea and the Pacific to the S.E. Formosa. There ...dications of the formation of a depression over the latter area.

...igh pressure covers Japan and the Pacific in the neighbourhood of the Bonins.

...resh N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ngkong and Neighbourhood, ...	E. winds, fresh; squally, showery.
...rmosa Channel, ...	N.E. winds, fresh.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 21st June, 1908.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JUNE. 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd JUNE, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.97	761.3	54	...	S	5	o	7 a.	29.79	756.7	57	99	S E	4
Nemuro,	,,	30.16	766.1	...	...	S	6	...	6 a.	30.08	764.1	...	...	S E	6
Hakodate,	,,	30.09	764.2	...	...	E	8	...	,,	29.97	761.2	...	...	...	0
Tokio,	,,	30.06	763.6	...	...	S	2	...	,,	30.06	763.6	...	...	...	0
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	30.03	762.8	...	...	E	2
Nagasaki,	,,	29.99	761.8	...	...	S	4	...	,,	29.88	758.8	...	...	S E	8
Kagoshima,	,,	30.04	762.9	...	...	N W	2	...	,,	29.96	760.9	...	...	...	0
Oshima,	,,	30.00	762.1	...	...	S E	6	...	,,	29.93	760.1	...	...	S	8
Naha,	,,	29.93	760.2	...	...	S E	4	...	,,	29.85	758.2	...	...	S E	6
Ishigakijima,	,,	29.78	756.3	...	...	S E	10	...	,,	29.82	757.3	...	...	W	6
Bonin Is.	,,	30.12	765.1	...	...	E	2	...	,,	30.12	765.1	...	...	...	0
Chefoo,	3 p.	29.88	758.9	82	67	S E	2	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.88	758.9	72	...	N E	1	ovr	9 a.	29.83	757.7	67	...	E	1
Hankow,	,,	29.74	755.4	77	91	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	76	95	S	2	or	9 a.	29.70	754.4	76	95	S E	2
Gutzlaff,	,,	29.78	756.4	75	95	S S E	3	omd	,,	29.69	754.1	74	95	S	2
Sharp Peak,	,,	29.78	756.4	80	96	N E	4	b	,,	29.79	756.6	83	100	S	1
Amoy,	,,	29.88	758.9	84	83	S E	1	c	6 a.	29.91	759.7	80	91	...	0
Swatow,	,,	29.77	756.1	86	80	E S E	2	b	,,	...	...	...	...	...	...
Taiboku	1 p.	29.76	756.0	.	...	E	4	...	5 a.	29.80	756.8	...	...	W	2
Taichu,	,,	29.78	756.5	...	...	N W	4	...	,,	29.83	757.7	...	...	...	0
Tainan,	,,	29.78	756.5	...	...	N W	6	...	,,	29.82	757.5	...	...	...	0
Koshun	,,	29.79	756.7	...	...	W	4	...	,,	29.82	757.5	...	...	W	2
Pescadores,	,,	29.80	756.9	...	...	N W	6	...	,,	29.83	757.7	...	...	W	2
Canton,	3 p.	29.81	757.2	90	96	N N E	1	b	9 a.	29.79	756.6	84	96	S E	1
Hongkong,	4 p.	29.76	755.9	84	78	E	3	c	10 a.	29.80	756.9	82	88	E	3
Victoria Peak,	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S E	3
Gap Rock,	,,	29.72	754.9	...	...	E	4	...	,,	29.76	755.9	...	...	E S E	4
Macao,	,,	29.78	756.4	83	...	E S E	2	c	,,	29.80	756.9	83	...	S E	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.1	84	...	S E	5	o	8 a.	29.72	754.9	82	...	E N E	2
Tourane,	,,	29.70	754.5	81	...	N W	2	or	,,	29.76	755.5	77	...	...	0
Cape St. James,	,,	29.78	756.5	82	...	S W	3	o	,,	29.88	758.8	79	...	W S W	3
Aparri,	2 p.	29.79	756.7	90	...	N E	1	o	6 a.	29.88	758.8	75	...	S W	1
Manila,	4 p.	29.80	757	86	71	S W	2	o	10 a.	29.88	759	88	66	S S E	1
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.90	759.4	75	...	...	0
Bacolod,	3 p.	...	...	...	...	N W	2	c	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.85	758.2	82	...	W N W	...	c	,,	29.91	759.7	82	...	N E	0
Cebu,	,,	29.84	757.9	84	...	S	2	b	,,	29.91	759.7	84	...	...	0
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.90	759.4	82	...	...	...

On the 21st at 6.15 p.—Depression E. of Formosa, probably moving northwards.

On the 22nd at 11.55 a.—The barometer has fallen moderately over S.W. Japan, the Loochoos and the E. of China, and risen slightly over Formosa and the Philippines.

The depression, which is shallow, has moved northwards. It lies now between N. Formosa and the Looch

Another depression, which will probably move towards N.E., has appeared over the Yangtze valley.

Pressure remains high over the Pacific between E. Japan and the Bonins. It is still somewhat low over the N part of the China Sea.

Moderate to fresh S. and S.W. winds may be expected in the Formosa Channel, and fresh S.E. winds along Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, fresh; squally, showery.
2.—Formosa Channel,	S. to S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	S.E. and S. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 22nd June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	22ND JUNE. 1908. P.M.								23RD JUNE, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock,...	2 p.	29.69	754.0	60	...	S	2	f	7 a.	29.62	752.2	57	82	N E	1	b
,.....	,,	29.93	760.1	...	...	S	6	...	6 a.	29.65	753.1	...	...	S.	8	...
de,.....	,,	29.85	758.2	...	...	S	6	...	,,	29.62	752.2	...	...	...	0	...
.....	,,	29.94	760.6	...	...	S	4	...	,,	29.77	754.6	...	...	S W	6	...
.....	,,	29.91	759.8	...	...	S E	2	...	,,	29.48	748.8	...	...	E	8	...
ki.	,,	29.80	756.8	...	...	S	10	...	,,	29.52	749.8	...	...	N	2	...
ima, ...	,,	29.84	757.9	...	...	S	6	...	,,	29.60	751.9	...	...	W	4	...
.....	,,	29.81	757.1	...	...	S	8	...	,,	29.73	755.1	...	...	S	4	...
.....	,,	29.81	757.2	...	...	S	6	...	,,	29.77	756.2	...	...	S	4	...
ijima, ...	,,	29.85	758.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S W	10	...
ls.....	,,	30.08	764.1	...	...	S E	4	...	,,	29.97	761.1	...	...	S E	4	...
.....	3 p.	29.76	755.9	73	81	E	2	b	6 a.	...	...	65	95	...	0	b
wei,.....	,,	29.75	755.6	72	...	E	2	b	9 a.	29.67	753.6	72	...	N W	1	b
.....	,,	29.79	756.6	78	100	S S E	1	o	6 a.	29.72	754.9	77	100	N E	1	or
g.....	,,	29.75	755.6	80	91	...	0	or	,,	29.71	754.6	67	100	...	0	or
ai.	,,	29.63	752.6	81	...	W S W	2	o	9 a.	29.68	753.9	76	82	N E	1	om
.....	,,	29.62	752.3	78	91	S	...	cm	,,	29.65	753.1	70	100	N E	2	f
'eak,.....	,,	29.77	756.1	85	91	S	2	b	,,	29.72	754.9	82	96	S S W	1	c
.....	,,	29.76	755.9	83	87	S E	2	c	6 a.	29.77	756.1	81	91	S S E	1	b
.....	,,	29.74	755.4	88	80	S	1	c	,,	29.79	756.6	80	96	S S E	2	c
.....	1 p.	29.82	757.5	..	...	W	6	...	6 a.	29.79	756.6	...	...	S W	2	...
.....	,,	29.83	757.6	...	...	W	4	...	,,	29.82	757.5	...	...	...	0	...
.....	,,	29.84	758.0	...	...	S W	4	...	,,	29.82	757.5	...	...	S E	2	...
.....	,,	29.85	758.1	...	...	W	4	...	,,	29.83	757.7	...	...	...	0	...
res, ...	,,	29.84	757.9	...	...	W	4	...	,,	29.82	757.3	...	...	S	4	...
.....	3 p.	29.74	755.4	88	96	S E	1	c	9 a.	29.77	756.1	84	96	S E	1	o
ng, ...	4 p.	29.74	755.4	84	75	S	2	o	10 a.	29.77	756.1	84	74	S	2	o
Peak,...	,,	...	...	...	...	S S E	5	...	,,	...	...	...	...	S S E	4	...
ck,.....	,,	29.71	754.6	...	...	S S E	4	...	,,	29.74	755.4	...	...	S S E	4	...
.....	,,	29.72	754.9	83	...	S E	2	c	,,	29.69	754.1	83	...	S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.61	752.2	88	...	S S E	2	c	8 a.	29.64	752.8	79	...	W	4	c
.....	,,	...	...	...	...	...	...	...	,,	29.73	755.1	82	...	...	0	c
James,.	,,	29.78	756.4	81	...	S W	5	c	,,	29.86	758.4	77	...	S W	4	o
.....	2 p.	29.80	756.9	90	...	E	1	c	6 a.	29.84	758.0	77	...	S W	1	c
.....	4 p.	29.80	757	86	71	W	3	o	10 a.	29.88	759	86	71	S W	1	c
.....	2 p.	29.84	757.9	82	...	S E	1	c	6 a.	29.88	758.8	75	...	...	0	c
.....	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	...	0	o
.....	,,	29.85	758.2	86	...	S W	1	o	,,	29.89	759.2	82	...	N E	1	c
.....	,,	29.82	757.4	85	...	...	0	c	,,	29.88	758.9	83	...	...	0	c
.....	,,	29.81	757.2	84	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

n the 23rd at 11.55 a.—The barometer has fallen rapidly in Japan owing to the depression which is now
d over the S.W. part of the Sea of Japan. It is moving towards E.N.E.
ressure is highest over the Pacific to the E. of the Bonins. It is still somewhat low over Tongking and the N.W.
the China Sea.
oderate S.E. and variable winds may be expected in the Formosa Channel, and moderate S. and S.E. winds
e N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S.E. and S. winds, moderate or fresh; showery.
osa Channel, ...	S.E. and variable winds, moderate.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Tuesday, 23rd June, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JUNE, 1908, P.M.								24th JUNE, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.54	750.2	72	...	N E	2	b	7 a.	29.57	751.0	58	74	N E	1	4
Nemuro,	,,	29.53	750.1	...	...	S W	8	...	6 a.	29.30	744.1	...	...	N	4	4
Hakodate,	,,	29.38	746.2	...	...	S E	6	...	,,	29.46	748.2	...	...	N W	4	4
Tokio,	,,	29.55	750.6	...	...	S E	2	...	,,	29.51	749.6	...	...	W	6	4
Kochi,	,,	29.44	747.8	...	...	N E	2	...	,,	29.60	751.8	...	...	S W	2	4
Nagasaki,	,,	29.52	749.8	...	...	W	6	...	,,	29.64	752.8	...	...	N W	2	4
Kagoshima,	,,	29.52	749.9	...	...	S E	2	...	,,	29.68	753.9	...	...	N W	2	4
Oshima,	,,	29.65	753.1	...	...	S	6	...	,,	29.69	754.1	...	...	N	6	4
Naha	,,	29.77	756.2	...	...	S W	4	...	,,	29.77	756.2	...	...	S W	4	4
Ishigakijima,	,,	29.82	757.3	...	...	S W	8	...	,,	29.82	757.3	...	...	W	6	4
Bonin Is.	,,	30.89	759.1	...	...	S	4	...	,,	29.85	758.1	...	...	S	4	4
Chefoo,	3 p.	29.64	752.8	79	78	N	1	b	6 a.	29.62	752.3	72	67	E	1	4
Weihaiwei,	,,	29.62	752.3	78	...	W N W	2	b	9 a.	29.59	751.6	75	...	W N W	1	4
Hankow,	,,	29.70	754.4	84	83	S E	1	o	6 a.	29.60	751.8	79	100	S E	1	4
Kiukiang,	,,	29.66	753.3	80	96	...	0	o	,,	29.63	752.6	76	100	...	0	4
Shanghai,	,,	29.65	753.1	80	70	E	1	c	9 a.	29.62	752.3	75	90	S S E	2	4
Gutzlaff,	,,	29.62	752.3	73	86	N E	2	cv	,,	29.60	751.8	72	100	S E	3	4
Sharp Peak,	,,	29.68	753.9	85	96	S S W	1	c	,,	29.69	754.1	82	96	S	1	4
Amoy	,,	29.70	754.4	85	79	S W	4	c	6 a.	29.71	754.6	81	91	S W	1	4
Swatow,	,,	29.71	754.6	89	80	S	2	b	,,	...	...	...	...	...	...	...
Taihoku	1 p.	29.72	755.0	..	...	W	6	...	5 a.	29.72	754.9	...	...	...	0	4
Taichu,	,,	29.77	756.2	...	...	W	6	...	,,	29.77	756.1	...	...	...	0	4
Tainan,	,,	29.79	756.7	...	...	S W	4	...	,,	29.76	756.0	...	...	S E	2	4
Koshun	,,	29.79	756.6	...	...	W	4	...	,,	29.78	756.3	...	...	...	0	4
Pescadores,	,,	29.79	756.7	...	...	S W	4	...	,,	29.76	755.8	...	...	S	6	4
Canton,	3 p.	29.69	754.1	89	96	S W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.69	754.1	85	72	S S E	2	c	10 a.	29.72	754.9	83	80	...	0	4
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S	2	4
Gap Rock,	,,	29.68	753.9	...	...	S S E	3	...	,,	29.71	754.6	...	...	S S E	4	4
Macao	,,	29.71	754.6	84	...	S S E	1	c	,,	29.78	755.1	84	...	S S E	1	4
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	750.5	86	...	S	2	c	8 a.	29.63	752.7	82	...	S S E	4	4
Tourane,	,,	29.69	754.1	77	...	...	0	o	,,	29.73	755.1	82	...	...	0	4
Cape St. James,	,,	29.74	755.5	84	...	S W	3	c	,,	29.84	757.8	79	...	S W	4	4
Aparri,	2 p.	29.75	755.6	90	...	N E	1	b	6 a.	29.79	756.7	77	...	S W	1	4
Manila,	4 p.	29.76	756	86	71	W S W	2	c	10 a.	29.80	757	88	66	S W	1	4
Legaspi,	2 p.	29.79	756.7	88	...	E	1	c	6 a.	29.84	758.0	75	...	...	0	4
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N N E	1	4
Iloilo,	,,	29.81	757.2	85	...	S W	...	o	,,	29.87	758.7	82	...	N E	1	4
Cebu,	,,	29.80	756.9	85	...	...	0	o	,,	29.85	758.2	84	...	...	0	4
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.85	757.7	83	...	...	...	...

On the 24th at 11.55 a.—The barometer has fallen quickly in E. Japan owing to the depression which is passing from Hokkaido to the Pacific.

The barometer has risen in S.W. Japan, and fallen again over China. Another depression, which will probably move Eastwards, has appeared over the Yangtze Valley.

Moderate to fresh S. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate to fresh ; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 24th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	24TH JUNE, 1908, P.M.								25TH JUNE, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...	2 p.	29.49	749.1	...	...	W	1	c	7 a.	29.52	749.9	60	95	S E	2	c
.....	,,	29.33	745.1	...	...	N	6	...	6 a.	29.61	752.1	...	...	S	2	...
.....	,,	29.50	749.2	...	...	N W	4	...	,,	29.65	753.2	...	...	...	0	...
.....	,,	29.55	750.6	...	...	S	6	...	,,	29.79	756.6	...	...	N W	2	...
.....	,,	29.64	752.8	...	...	S E	2	...	,,	29.72	754.8	...	...	...	0	...
.....	,,	29.64	752.8	...	...	S W	6	...	,,	29.60	751.8	...	...	S E	8	...
.....	,,	29.68	753.9	...	...	S E	2	...	,,	29.68	753.9	...	...	...	0	...
.....	,,	29.69	754.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.2	...	...	S	4	...	,,	29.77	756.2	...	...	S	4	...
.....	,,	29.74	755.3	...	...	S	6	...	,,	29.74	755.3	...	...	S	8	...
.....	,,	30.85	758.1	...	...	S	4	...	,,	29.97	761.1	...	...	S	4	...
.....	3 p.	29.54	750.3	79	61	S E	1	o	6 a.	29.40	746.7	66	95	N E	3	o
.....	,,	...	...	76	...	S	1	o	9 a.	29.40	746.7	65	...	E	4	o
.....	,,	29.56	750.8	92	74	S W	1	o	6 a.	29.55	750.5	82	91	S W	1	b
.....	,,	29.40	746.7	91	84	W	2	o	,,	29.58	751.3	82	...	S W	2	o
.....	,,	29.56	750.5	78	91	S	1	ompd	9 a.	29.48	748.8	...	...	W S W	5	cq
.....	,,	29.52	749.8	74	100	S S E	2	omp	,,	29.46	748.3	79	87	W S W	3	cv
.....	,,	29.62	752.3	85	91	S	2	c	,,	29.68	753.9	82	91	S	3	c
.....	,,	29.68	753.9	85	79	S W	2	c	6 a.	29.67	753.6	81	91	S E	1	o
.....	,,	29.63	752.6	88	77	S	2	c	,,	29.68	753.9	79	91	S S W	2	c
.....	1 p.	29.69	754.1	.	...	W	4	...	5 a.	29.71	754.5	...	...	S W	2	...
.....	,,	29.71	754.6	...	...	S	6	...	,,	29.74	755.4	...	...	...	0	...
.....	,,	29.75	755.7	...	...	S W	6	...	,,	29.77	756.1	...	...	S E	2	...
.....	,,	29.76	756.0	...	...	W	4	...	,,	29.77	756.1	...	...	...	0	...
.....	,,	29.73	755.1	...	...	S	6	...	,,	29.74	755.3	...	...	S	6	...
.....	3 p.	29.63	752.6	88	96	S E	2	b	9 a.	29.73	755.1	89	96	S E	1	b
.....	4 p.	29.65	753.1	83	76	S	2	o	10 a.	29.75	755.6	84	74	S	1	c
.....	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S	5	...
.....	,,	29.64	752.8	...	...	S	4	...	,,	29.71	754.6	...	...	S S E	4	...
.....	,,	29.67	753.6	83	...	S S E	2	c	,,	29.76	755.9	84	...	S S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.54	750.2	86	...	S S E	5	c	8 a.	29.61	752.1	86	...	S S E	3	c
.....	,,	...	...	...	...	...	...	...	,,	29.71	754.5	84	...	...	0	c
.....	,,	29.74	755.3	82	...	S W	5	o	,,	29.80	756.8	79	...	W S W	4	o
.....	2 p.	29.73	755.1	88	...	N E	1	c	6 a.	29.77	756.2	79	...	S	1	o
.....	4 p.	29.72	755	88	65	S W	4	c	10 a.	29.80	757	90	60	S E	1	c
.....	2 p.	29.73	755.2	90	...	N E	1	b	6 a.	29.80	757.0	75	...	...	0	c
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	1	o
.....	,,	29.77	756.1	86	...	S W	...	c	,,	29.83	757.7	84	...	N E	1	c
.....	,,	29.76	755.9	87	...	S	1	o	,,	29.85	757.7	86	...	S	2	c
.....	,,	29.76	755.9	89	...	...	...	...	,,	29.81	757.2	85	...	...	...	...

the 25th at 11.55 a.—The barometer has risen considerably in E. Japan, the depression having moved away Pacific.

barometer has fallen quickly in N. China, the depression lying over the Yangtze Valley yesterday, having the Yellow Sea to the South of Weihaiwei.

ssure is highest over the Pacific in the neighbourhood of the Bonins. It remains somewhat low over Tongking.

esh to strong S.W. winds may be expected in the Formosa Channel, and moderate to fresh S. monsoon over part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	S. winds, moderate; showery.
osa Channel, ...	S.W. winds, fresh or strong.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Thursday, 25th June, 1908.

d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	25th JUNE. 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.52	749.9	75	...	S E	1	b	7 a.	29.54	750.2	59	96	...	0
Nemuro, ...	,,	29.77	756.1	...	...	S W	8	...	6 a.	29.57	751.1	...	...	S W	6
Hakodate.....	,,	29.61	752.2	...	...	W	8	...	,,	29.54	750.2	...	...	...	0
Tokio, ...	,,	29.75	755.6	...	...	S W	6	...	,,	29.55	750.6	...	...	E	6
Kochi, ...	,,	29.68	753.8	...	...	N E	4	...	,,	29.56	750.8	...	...	E	2
Nagasaki, ...	,,	29.48	748.8	...	...	S W	10	...	,,	29.60	751.8	...	...	S W	10
Kagoshima, ...	,,	29.64	752.9	...	...	S W	6	...	,,	29.68	753.9	...	...	W	8
Oshima.....	,,	29.77	756.1	...	...	S W	4	...	,,	29.81	757.1	...	...	S W	4
Naha,.....	,,	29.77	756.2	...	...	S W	6	...	,,	29.85	758.2	...	...	S	4
Ishigakijima,....	,,	29.78	756.3	...	...	S	8	...	,,	29.86	758.3	...	...	S	6
Bonin Is.....	,,	30.00	762.1	...	...	S	4	...	,,	30.04	763.1	...	...	S	2
Chefoo.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	29.44	747.8	72	...	N	2	ovr	9 a.	29.73	755.1	72	...	W N W	3
Hankow, ...	,,	29.59	751.6	95	66	W	1	c	6 a.	...	...	...	...	...	...
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.46	748.3	89	66	W S W	4	c	9 a.	29.71	754.6	83	79	E	1
Gutzlaff, ...	,,	29.46	748.3	81	87	W S W	4	cv	,,	29.70	754.4	75	95	N E	2
Sharp Peak,.....	,,	29.67	753.6	85	91	S	4	c	,,	29.77	756.1	84	91	S	1
Amoy.....	,,	29.71	754.6	84	79	S W	2	c	6 a.	29.75	755.6	82	91	S E	1
Swatow,.....	,,	29.69	754.1	84	91	N	1	c	,,	...	...	...	...	...	...
Taihoku.....	1 p.	29.74	755.3	..	...	W	4	...	5 a.	29.80	757.0	...	...	S W	2
Taichu, ...	,,	29.76	756.0	...	...	W	4	...	,,	29.82	757.5	...	...	...	0
Tainan,.....	,,	29.79	756.6	...	...	S W	6	...	,,	29.83	757.6	...	...	S E	2
Koshun.....	,,	29.80	756.8	...	...	W	4	...	,,	29.82	757.3	...	...	...	0
Pescadores, ...	,,	29.78	756.4	...	...	S	6	...	,,	29.81	757.2	...	...	S	4
Canton,.....	3 p.	29.73	756.1	91	96	E S E	1	b	9 a.	29.78	756.4	86	96	S E	1
Hongkong, ...	4 p.	29.68	753.9	85	71	S	1	o	10 a.	29.79	756.6	85	73	S	1
Victoria Peak,...	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S	2
Gap Rock,.....	,,	29.66	753.3	...	...	S	2	...	,,	29.76	755.9	...	...	S S W	4
Macao, ...	,,	29.70	754.4	85	...	S S E	1	c	,,	29.80	756.9	83	...	S	1
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.56	750.7	86	...	S E	7	c	8 a.	29.66	753.4	84	...	S	5
Tourane, ...	,,	29.65	753.0	81	...	N E	1	o	,,	29.72	754.9	82	...	...	0
Cape St. James,.	,,	29.72	754.3	84	...	W S W	2	lt	,,	29.79	756.6	79	...	S W	1
Aparri, ...	2 p.	29.75	755.6	91	...	E	1	c	6 a.	...	...	...	...	...	...
Manila.	4 p.	29.72	755	86	65	W S W	3	c	10 a.	29.84	758	82	85	S E	0
Legaspi,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,.....	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S W	1
Iloilo, ...	,,	29.74	755.4	86	...	S W	...	b	,,	29.85	758.2	81	...	S W	2
Cebu,.....	,,	29.75	755.6	82	...	...	0	or	,,	29.85	758.2	83	...	S	1
Labuan, ...	,,	29.76	755.9	89	...	...	...	...	,,	29.81	757.2	85	...	...	...

On the 26th at 11.55 a.—The barometer has fallen considerably in Central and N.E. Japan, and risen over N. China.

The depression is moving towards E.N.E. over the Sea of Japan. Pressure is high over the Pacific in the neighbourhood of the Bonins.

Moderate S. and S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. and S.E. winds, moderate; showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 26th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

26TH JUNE, 1908, P.M.								27TH JUNE, 1908, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.52	749.9	77	...	N	2	c	7 a.	29.85	758.1	68	81	N	3	c
,,	29.58	750.1	...	...	N E	8	...	6 a.	29.69	754.1	...	...	N	6	...
,,	29.54	750.2	...	...	S E	6	...	,,	29.77	756.2	...	...	N	8	...
,,	29.55	750.6	...	...	S W	2	...	,,	29.71	754.6	...	...	N	2	...
,,	29.60	751.8	...	...	S E	2	...	,,	29.76	755.8	...	...	W	2	...
,,	29.72	754.8	...	...	S W	8	...	,,	29.84	757.8	...	...	...	0	...
,,	29.68	753.9	...	...	S W	8	...	,,	29.84	757.9	...	...	N W	2	...
,,	29.86	758.1	...	...	S W	6	...	,,	29.93	760.1	...	...	S W	2	...
,,	29.89	759.2	...	...	S	6	...	,,	29.93	760.2	...	...	S	2	...
,,	29.85	758.3	...	...	S	8	...	,,	29.89	759.3	...	...	S E	4	...
,,	30.00	762.1	...	...	S	4	...	,,	30.04	763.1	...	...	...	0	...
3 p.	29.69	754.1	77	73	N W	2	b	6 a.	29.79	756.6	72	81	E	1	o
,,	29.69	754.1	79	...	W	2	b	9 a.	29.80	756.9	76	...	W	1	o
,,	29.78	756.5	77	100	S E	1	o	6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,,	29.74	755.4	81	83	E	1	ot	9 a.	29.78	756.4	78	91	E	2	omd
,,	29.75	755.6	76	86	E	1	ov	,,	29.76	755.9	73	100	E S E	3	f
,,	29.71	754.6	87	92	S	2	c	,,	29.82	757.4	75	100	...	0	b
,,	29.73	755.1	85	87	S E	2	c	6 a.	29.81	757.2	82	91	...	0	b
,,	29.74	755.4	88	73	S E	1	b	,,	29.81	757.2	79	95	E N E	1	c
1 p.	29.80	756.9	...	...	N	4	...	5 a.	29.85	758.1	...	...	...	0	...
,,	29.80	756.9	...	...	W	4	...	,,	29.86	758.3	...	...	...	0	...
,,	29.83	757.6	...	...	S W	6	...	,,	29.82	757.4	...	...	N E	2	...
,,	29.84	758.0	...	...	E	4	...	,,	29.86	758.3	...	...	E	4	...
,,	29.82	757.5	...	...	S	4	...	,,	29.84	758.0	...	...	S W	2	...
3 p.	29.75	755.6	90	...	S E	1	b	9 a.	29.83	757.7	85	100	S E	1	b
4 p.	29.75	755.6	84	81	S E	2	o	10 a.	29.83	757.7	84	78	E	2	c
,,	...	...	...	...	S	2	...	,,	...	...	...	...	S E	2	...
,,	29.72	754.9	...	...	S S E	3	...	,,	29.79	756.6	...	...	E S E	4	...
,,	29.76	755.9	84	...	S E	1	c	,,	29.84	757.9	84	...	S E	2	c
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
4 p.	29.61	752.0	86	...	E	7	c	8 a.	29.73	755.0	82	...	S S E	6	c
,,	...	...	...	...	...	...	...	,,	29.73	755.2	81	...	...	0	b
,,	29.72	754.8	79	...	W S W	2	or	,,	29.80	756.9	77	...	S W	4	c
2 p.	29.78	756.4	90	...	N E	1	c	6 a.	29.85	758.1	77	...	S E	1	d
4 p.	29.72	755	82	77	N	1	o	10 a.	29.84	758	82	77	S	1	o
2 p.	29.78	756.4	79	...	...	0	o	6 a.	29.85	758.1	75	...	...	0	o
3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	W S W	1	o
,,	29.77	756.1	85	...	S W	2	...	,,	29.87	755.7	82	...	S W	1	c
,,	29.77	756.1	85	...	S	1	c	,,	29.85	758.2	83	...	S	1	b
,,	29.72	754.9	89	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

...e 27th at 11.55 a.—The depression has moved into the Pacific to the E. of Japan, and the barometer has ...considerably at the Japanese stations.

...sure has increased slightly over China and the Philippines. It remains high over the Pacific in the neigh...od of the Bonins, and relatively low over Tongking and the N.W. part of the China Sea.

...derate S.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...g and Neighbourhood, ...	S.E. to E. winds, moderate ; showery.
...sa Channel, ...	Same as No. 1.
...coast of China between Hongkong and Lamocks,..	Same as No. 1.
...coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Saturday, 27th June, 1908.

...d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th JUNE. 1908, P.M.								28th JUNE, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.82	757.5	69	...	W	1	c	7 a.	29.83	757.7	59	87	S S E	1	
Nemuro,	,,	29.77	756.1	...	...	N	6	...	6 a.	29.93	760.1	...	...	W	4	
Hakodate,	,,	29.85	758.2	...	...	S	6	...	,,	29.97	761.2	...	...	...	0	
Tokio,	,,	29.79	756.6	...	...	N E	2	...	,,	29.99	761.6	...	...	...	0	
Kochi,	,,	29.80	756.8	...	...	S	2	...	,,	29.95	760.8	...	...	...	0	
Nagasaki,	,,	29.87	758.8	...	...	S W	4	...	,,	29.84	757.8	...	...	S E	8	
Kagoshima,	,,	29.92	759.9	...	...	S	2	...	,,	29.88	758.9	...	...	E	2	
Oshima,	,,	29.93	760.1	...	...	W	4	...	,,	29.93	760.1	...	...	...	0	
Naha,	,,	29.93	760.2	...	...	S	4	...	,,	29.93	760.2	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	S	6	
Bonin Is.	,,	30.04	763.1	...	...	S	2	...	,,	30.01	762.1	...	...	...	0	
Chefoo,	3 p.	29.77	756.1	77	73	E	1	o	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.78	756.4	77	...	E	1	o	9 a.	29.69	754.1	68	...	E	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.69	754.1	82	83	S E	2	o	9 a.	29.65	753.1	85	79	W S W	2	
Gutzlaff,	,,	29.67	753.6	78	91	S E	1	om	,,	29.61	752.1	78	91	S S W	4	
Sharp Peak,	,,	29.75	755.6	88	88	S	2	b	,,	29.78	756.4	84	96	S	1	
Amoy,	,,	29.80	756.9	84	83	S E	2	b	6 a.	29.80	756.9	83	87	N E	1	
Swatow,	,,	29.77	756.1	86	80	S E	1	b	,,	29.78	756.4	79	91	E	2	
Taihoku,	1 p.	29.85	758.3	.	...	N W	4	...	5 a.	29.84	757.8	...	...	...	0	
Taichu,	,,	29.85	758.2	...	...	N W	4	...	,,	29.82	757.4	...	...	...	0	
Tainan,	,,	29.85	758.2	...	...	S W	4	...	,,	29.82	757.5	...	...	E	2	
Koshun,	,,	29.87	758.8	...	...	E	6	...	,,	29.85	758.2	...	...	E	4	
Pescadores,	,,	29.85	758.2	...	...	S	6	...	,,	29.81	757.1	...	...	N E	2	
Canton,	3 p.	29.77	756.1	91	...	S E	2	b	9 a.	29.73	755.1	85	96	S E	1	
Hongkong,	4 p.	29.76	755.9	84	78	E	3	c	10 a.	29.76	755.9	83	83	E	2	
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S E	3	
Gap Rock,	,,	29.73	755.1	...	...	E S E	4	...	,,	...	...	...	...	...	...	
Macao,	,,	29.79	756.6	84	...	S E	1	o	,,	29.78	756.4	84	...	N E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.66	753.4	86	...	S S E	4	c	8 a.	29.74	755.3	81	...	N N E	2	
Tourane,	,,	29.65	753.1	90	...	S E	2	c	,,	29.71	754.6	82	...	...	0	
Cape St. James,	,,	29.68	753.8	81	...	S W	5	o	,,	29.80	756.9	77	...	S W	3	
Aparri,	2 p.	29.80	757.0	84	...	S	1	o	6 a.	29.84	757.8	75	...	S	1	
Manila,	4 p.	29.76	756	79	92	W S W	2	tq	10 a.	29.88	759	84	71	E S E	1	
Legaspi,	2 p.	29.82	757.5	82	...	...	0	o	6 a.	29.84	757.9	77	...	...	0	
Bacolod,	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	W S W	...	
Iloilo,	,,	29.79	756.6	83	...	S W	2	o	,,	29.87	758.7	83	...	S W	1	
Cebu,	,,	29.79	756.6	85	...	N	1	c	,,	29.86	758.4	83	...	N	1	
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	...	...	...	...	...	...	

On the 28th at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen moderately over China.

A depression is moving Eastwards over the China coast to the North of Shanghai, and pressure appears to be low also, over the N.W. part of the China Sea.

Pressure is high over the Pacific to the S.E. of Japan.

Moderate S.E. winds may be expected in the Formosa Channel, and fresh E. winds along the Northern shore of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate or fresh; squally, showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 28th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	28th JUNE, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	29th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
estock,...	2 p.	29.87	758.8	63	...	S	3	o	7 a.	29.81	757.2	61	77	S W	1	c
o,.....	,,	29.96	761.1	...	...	S E	4	...	6 a.	30.08	764.1	...	...	E	2	...
te,.....	,,	29.97	761.2	...	...	S	4	...	,,	29.97	761.2	...	...	S E	4	...
.....	,,	29.94	760.6	...	...	S	4	...	,,	29.87	758.6	...	...	E	6	...
.....	,,	29.91	759.8	...	...	...	0	...	,,	29.68	753.8	...	...	...	0	...
ki.....	,,	29.80	756.8	...	...	S	8	...	,,	29.68	753.8	...	...	W	10	...
ima,.....	,,	29.84	757.9	...	...	S	6	...	,,	29.76	755.9	...	...	W	6	...
,.....	,,	29.89	759.1	...	...	S	6	...	,,	29.89	759.1	...	...	S	2	...
.....	,,	29.93	760.2	...	...	S	4	...	,,	29.89	759.2	...	...	S	2	...
ijima....	,,	29.89	759.3	...	...	S	8	...	,,	29.89	759.3	...	...	S	8	...
ls.....	,,	30.00	762.1	...	...	S	4	...	,,	30.01	762.1	...	...	S W	2	...
.....	3 p.	...	...	...	...	...	..	...	6 a.	29.70	754.4	73	76	S E	1	b
wei,.....	,,	29.72	754.9	86	...	...	1	b	9 a.	29.71	754.6	77	...	S E	2	b
w,.....	,,	29.73	755.1	78	95	N E	2	o	6 a.	29.71	754.6	75	100	N N W	1	f
ng,.....	,,	29.67	753.6	87	76	W	1	o	,,	29.62	752.3	77	95	N E	1	c
al.....	,,	29.68	753.9	77	86	W N W	1	od	9 a.	29.74	755.4	75	88	E N E	2	om
ff,.....	,,	29.62	752.3	81	91	N N W	1	om	,,	29.72	754.9	70	100	N E	4	om
Peak,.....	,,	29.75	756.6	87	92	S	2	b	,,	29.79	756.6	84	96	S	1	b
.....	,,	29.79	756.6	86	84	S E	2	c	6 a.	29.78	756.4	83	87	S E	1	b
.....	,,	...	...	88	76	S E	2	c	,,	29.78	755.1	80	91	S E	2	c
u.....	1 p.	29.82	757.4	.	...	N	6	...	5 a.	29.82	757.4	...	...	S	2	...
.....	,,	29.80	757.0	...	...	W	4	...	,,	29.86	758.4	...	...	N W	2	...
.....	,,	29.81	757.2	...	...	S	8	...	,,	29.82	757.3	...	...	N E	2	...
.....	,,	29.88	758.9	...	...	S	4	...	,,	29.84	758.0	...	...	E	4	...
ores,.....	,,	29.81	757.2	...	...	S E	10	...	,,	29.82	757.4	...	...	S E	6	...
,.....	3 p.	29.65	753.1	90	77	S	2	c	9 a.	29.65	753.1	83	87	S E	1	c
ng,.....	4 p.	29.70	754.4	83	78	E	4	oq	10 a.	29.74	755.4	84	76	E	3	c
a Peak,...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	S E	3	...
ock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.71	754.6	84	...	E S E	1	c	,,	29.75	755.6	82	...	S E	1	c
,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	4 p.	29.64	752.8	86	...	S E	2	c	8 a.	29.71	754.7	...	...	S	0	c
,.....	,,	29.64	752.8	90	...	N E	3	c	,,	29.71	754.6	81	...	...	0	c
James,.	,,	...	...	81	...	W S W	4	o	,,	29.80	756.8	77	...	W S W	3	o
.....	2 p.	29.81	757.2	88	...	S	1	o	6 a.	29.84	758.0	77	...	S	1	b
.....	4 p.	29.84	758	77	92	W S W	1	od	10 a.	29.84	758	82	77	W	2	c
.....	2 p.	29.82	757.5	86	...	E	1	c	6 a.	29.85	758.2	79	...	N E	1	o
.....	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	E N E	1	o
.....	,,	29.81	757.2	83	...	S W	2	o	,,	29.87	758.7	81	...	N E	1	c
.....	,,	29.81	757.2	84	...	N	1	c	,,	29.85	758.2	81	...	...	0	o
.....	,,	29.82	757.4	89	...	...	...	...	,,	29.83	757.7	80	...	...	...	...

n the 29th at 11.55 a.—The barometer has risen moderately on the E. coast of China, and fallen considerably Japan.

he depression in the North is now situated over W. Japan. It continues to move Eastwards.

ressure remains high over the Pacific to the E. of Japan. It is relatively low over Tongking and the N.W. part China Sea.

oderate or fresh E. and S.E. winds may be expected in the Formosa Channel and along the Northern shores China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	E. and S.E. winds, moderate or fresh; squally, showery.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 29th June, 1908.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	29th JUNE, 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th JUNE, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.76	755.9	76	...	W	1	c	7 a.	29.84	757.9	58	87	S E	1
Nemuro,	,,	30.08	764.1	...	...	S E	2	...	6 a.	30.04	763.1	...	...	E	3
Hakodate,	,,	29.89	759.2	...	...	S E	10	...	,,	29.85	758.2	...	...	E	6
Tokio,	,,	29.63	752.6	...	...	N E	6	...	,,	29.59	751.6	...	...	N W	4
Kochi,	,,	29.64	752.8	...	...	...	0	...	,,	29.76	755.8	...	...	S W	2
Nagasaki,	,,	29.76	755.8	...	...	S W	6	...	,,	29.80	756.8	...	...	S	4
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	...	...	N	1
Oshima,	,,	29.89	759.1	...	...	S	4	...	,,	29.89	759.1	...	...	S	3
Naha,	,,	29.89	759.2	...	...	S	4	...	,,	29.89	759.2	...	...	S	3
Ishigakijima,	,,	29.85	758.3	...	...	S	8	...	,,	29.86	758.3	...	...	S	5
Bonin Is.	,,	29.96	761.1	...	...	S W	2	...	,,	29.97	761.1	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.68	753.9	83	...	S	2	b	9 a.	29.64	752.8	68	...	S E	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.73	755.1	77	77	E N E	3	o	9 a.	29.62	752.3	84	83	S W	2
Gutzlaff,	,,	29.71	754.6	73	96	E N E	2	om	,,	29.60	751.8	78	91	S S W	2
Sharp Peak,	,,	29.75	755.6	86	96	S	4	b	,,	29.79	756.6	85	96	S	1
Amoy	,,	29.78	756.4	85	83	S E	3	c	6 a.	29.80	756.9	82	91	S W	1
Swatow,	,,	29.74	755.4	86	76	S E	3	b	,,	29.76	755.9	80	87	S	1
Taihoku,	1 p.	29.82	757.5	..	..	N	6	...	5 a.	29.84	757.8	...	...	S W	2
Taichu,	,,	29.82	757.5	...	...	N W	4	...	,,	29.85	758.2	...	...	...	0
Tainan,	,,	29.83	757.7	...	...	S	8	...	,,	29.85	758.2	...	...	E	2
Koshun,	,,	29.86	758.4	...	...	S E	6	...	,,	29.86	758.5	...	...	E	2
Pescadores,	,,	29.82	757.5	...	...	S	6	...	,,	29.84	757.8	...	...	S	6
Canton,	3 p.	29.68	753.9	87	96	S E	1	c	9 a.	29.79	756.6	83	87	S E	2
Hongkong,	4 p.	29.69	754.1	84	73	S E	2	c	10 a.	29.80	756.9	86	74	S	1
Victoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S S E	3
Gap Rock,	,,	29.67	753.6	...	...	E S E	2	...	,,	29.77	756.1	...	...	S S E	4
Macao,	,,	29.71	754.6	83	...	S E	1	c	,,	29.79	756.6	83	...	S E	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.60	751.9	91	...	S S W	0	b	8 a.	29.73	755.0	77	...	N E	2
Tourane,	,,	29.67	753.7	84	...	...	0	o	,,	29.78	756.4	82	...	...	0
Cape St. James,	,,	29.78	756.3	82	...	S W	3	c	,,	29.86	758.4	75	...	S W	3
Aparri,	2 p.	29.83	757.6	90	...	N E	1	b	6 a.	29.87	758.6	79	...	S	1
Manila,	4 p.	29.84	758	82	79	E N E	1	o	10 a.	29.86	759	75	100	S S W	2
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	op	9 a.	...	...	...	...	N W	1
Hoilo,	,,	29.83	757.7	81	...	N E	1	r	,,	29.87	758.7	81	...	W S W	1
Cebu,	,,	29.80	756.9	80	...	...	0	or	,,	29.93	760.2	82	...	...	...
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.83	757.7	84	...	...	...

On the 30th at 11.55 a.—The depression lying over W. Japan yesterday, has continued to move Eastward and is now situated off the S.E. coast.

The barometer has risen slightly in S. China, and fallen moderately over N. China. Another depression, which is probably moving Eastwards, has appeared over the continent to the North of the Lower Yangtze.

Moderate to fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate or fresh; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 30th June, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	30th JUNE, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ostock,...	2 p.	29.79	756.7	60	...	S	5	c	7 a.	29.71	754.7	51	...	S	1	c
),.....	,,	30.00	762.1	...	...	...	0	...	6 a.	30.01	762.1	...	...	E	6	...
te,.....	,,	29.85	758.2	...	...	E	6	...	,,	29.89	759.2	...	...	E	8	...
.....	,,	29.63	752.6	...	...	S	2	...	,,	29.79	756.6	...	...	N	2	...
.....	,,	29.76	755.8	...	...	S E	2	...	,,	29.64	752.8	...	...	...	0	...
ki.	,,	29.76	755.8	...	...	E	6	...	,,	29.56	750.8	...	...	S	10	...
ima,.....	,,	29.80	756.9	...	...	N E	2	...	,,	29.64	752.9	...	...	S	8	...
,.....	,,	29.85	758.1	...	...	S W	4	...	,,	29.77	756.1	...	...	S W	6	...
.....	,,	29.89	759.2	...	...	S W	4	...	,,	29.85	758.2	...	...	S	4	...
jima,....	,,	29.89	759.3	...	...	S	6	...	,,	29.82	757.3	...	...	S	6	...
k.....	,,	29.89	759.1	...	...	S W	4	...	,,	29.89	759.1	...	...	S	2	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	29.48	748.8	67	89	...	0	b
wei,.....	,,	29.57	751.1	62	...	E	3	c	9 a.	29.63	752.6	72	...	W	1	ovr
,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng.....	,,	29.66	753.3	91	67	S W	1	o	,,	...	...	...	...	...	...	...
ai, ...	,,	29.55	750.5	89	69	S W	2	o	9 a.	29.66	753.3	79	87	N W	1	om
,.....	,,	29.55	750.5	81	37	S S W	3	ov	,,	29.62	752.3	76	100	N W	2	f
Peak,.....	,,	29.75	755.6	84	96	S S E	4	c	,,	29.75	755.6	84	96	S	1	b
.....	,,	29.83	757.7	86	76	S W	4	c	6 a.	29.78	756.4	82	91	S W	1	b
,.....	,,	29.75	755.6	85	79	S	2	c	,,	29.75	755.6	80	91	S	2	c
n.....	1 p.	29.81	757.2	.	...	W	2	...	5 a.	29.81	757.1	...	...	...	0	...
.....	,,	29.84	758.0	...	...	W	4	...	,,	29.82	757.5	...	...	...	0	...
.....	,,	29.85	758.3	...	...	S	8	...	,,	29.82	757.5	...	...	S E	2	...
.....	,,	29.86	758.5	...	...	S	4	...	,,	29.84	757.8	...	...	...	0	...
ores, ...	,,	29.86	758.4	...	...	S	6	...	,,	29.81	757.1	...	...	S	2	...
.....	3 p.	29.72	754.9	89	92	S E	2	b	9 a.	29.86	758.4	83	87	S	1	c
ong, ...	4 p.	29.74	755.4	85	74	S S E	2	c	10 a.	29.82	757.4	84	80	S S W	2	o
a Peak,...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	5	...
ck',.....	,,	29.71	754.6	...	...	S	4	...	,,	29.79	756.6	...	...	S S W	4	...
.....	,,	29.75	755.6	82	...	S E	1	c	,,	29.82	757.4	82	...	N W	2	c
,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
),.....	4 p.	29.64	752.9	86	...	S E	5	b	8 a.	29.78	755.1	82	...	S	3	c
e, ...	,,	29.69	754.9	95	...	S W	1	c	,,	29.79	756.6	...	...	...	0	b
James,.	,,	29.80	756.9	81	...	S W	3	o	,,	...	...	...	...	...	...	or
.....	2 p.	29.82	757.6	91	...	N E	1	c	6 a.	29.84	758.0	77	...	S W	1	...
.....	4 p.	29.80	757	77	100	N N W	0	o	10 a.	29.86	759	82	85	E S E	1	o
,.....	2 p.	29.82	757.4	86	...	S W	1	c	6 a.	29.87	758.6	75	...	...	0	b
,.....	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	N N W	1	o
.....	,,	29.81	757.2	87	...	S W	1	c	,,	29.91	759.7	84	...	...	0	c
.....	,,	29.81	757.2	85	...	S	1	b	,,	29.90	759.4	84	...	...	0	b
.....	,,	29.78	756.4	86	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 1st at 11.35 a.—The depression lying over S.E. Japan yesterday, has moved away Eastwards over the ic.

The barometer has fallen quickly in W. Japan owing to the approach of the other depression, which is this ing, moving Eastwards over S. Korea.

Pressure is high over the Pacific to the N.E. of Japan.

Moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	S. winds, moderate; showery.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 1st July, 1908.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JULY, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd JULY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.74	755.4	58	...	W	1	o	7 a.	29.71	754.7	55	98	N	1
Nemuro,	,,	29.93	760.1	...	...	N	6	...	6 a.	29.77	756.1	...	...	E	6
Hakodate,	,,	29.85	758.2	...	...	E	8	...	,,	29.77	756.2	...	...	E	6
Tokio,	,,	29.76	755.6	...	...	E	4	...	,,	29.59	751.6	...	...	N W	2
Kochi,	,,	29.52	749.8	...	...	...	0	...	,,	29.60	751.8	...	...	...	0
Nagasaki,	,,	29.56	750.8	...	...	W	8	...	,,	29.72	754.8	...	...	N W	2
Kagoshima,	,,	29.69	751.9	...	...	W	8	...	,,	29.76	755.9	...	...	N W	2
Oshima,	,,	29.77	756.1	...	...	S	6	...	,,	29.77	756.1	...	...	N W	2
Naha,	,,	29.81	757.2	...	...	S W	4	...	,,	29.77	756.2	...	...	S W	2
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.82	757.3	...	...	S W	3
Bonin Is.	,,	29.89	759.1	...	...	S	4	...	,,	29.89	759.1	...	...	S W	2
Chefoo,	3 p.	29.63	752.6	77	73	N E	3	b	6 a.	29.65	753.1	68	90	S W	1
Weihaiwei,	,,	29.62	752.3	76	...	E	2	b	9 a.	29.69	754.1	75	...	S E	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	..	...	,,	29.68	753.9	78	86	N E	1
Shanghai,	,,	29.64	752.8	77	91	S E	2	om	9 a.	29.80	756.9	75	90	...	0
Gutzlaff,	,,	29.66	753.3	73	100	S E	1	omp	,,	29.66	753.3	75	95	E S E	1
Sharp Peak,	,,	29.69	754.1	85	96	S	4	c	,,	29.71	754.6	84	96	S	1
Amoy	,,	29.73	755.1	86	80	S W	3	c	6 a.	29.74	755.4	82	91	S W	1
Swatow,	,,	29.73	755.1	88	73	S W	2	b	,,	29.74	755.4	80	91	S W	1
Taihoku,	1 p.	29.79	756.7	.	...	W	4	...	6 a.	29.77	756.2	...	...	..	0
Taichu,	,,	29.81	757.2	...	...	S W	4	...	,,	29.81	757.1	...	...	S	2
Tainan,	,,	29.84	758.0	...	...	S W	6	...	,,	29.80	756.9	...	...	S E	2
Koshun	,,	29.84	757.9	...	...	S	4	...	,,	29.80	757.0	...	...	...	0
Pescadores,	,,	29.83	757.8	...	...	S W	4	...	,,	29.80	756.9	...	...	S W	4
Canton,	3 p.	29.75	755.6	89	77	S	3	o	9 a.	29.84	757.9	85	83	...	0
Hongkong,	4 p.	29.76	755.9	85	74	S	1	o	10 a.	29.80	756.9	84	77	S W	1
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	3
Gap Rock,	,,	29.75	755.6	...	...	S W	3	...	,,	29.77	756.1	...	...	S W	4
Macao,	,,	29.79	756.6	84	...	S S E	2	o	,,	29.80	756.9	84	...	S	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.5	86	...	S S E	5	c	8 a.	29.71	754.7	86	...	S	5
Tourane,	,,	29.73	755.2	93	...	E N E	1	c	,,	29.79	756.6	84	...	...	0
Cape St. James,	,,	29.80	756.9	82	...	W N W	1	lt	,,	...	...	...	...	...	...
Aparri,	2 p.	29.81	757.1	93	...	S	1	c	6 a.	29.83	757.6	73	...	S W	1
Manila,	4 p.	29.84	758	79	92	W S W	1	o	10 a.	29.88	759	84	77	S S E	1
Legaspi,	2 p.	29.86	758.4	84	...	S E	1	o	6 a.	29.89	759.1	75	...	...	0
Bacolod,	3 p.	...	...	...	...	...	0	odlt	9 a.	...	...	...	...	N W	1
Iloilo,	,,	29.85	758.2	84	...	S W	2	b	,,	29.91	759.7	82	...	S W	2
Cebu,	,,	29.84	757.9	86	...	N	1	b	,,	29.91	759.7	83	...	...	0
Labuan,	,,	29.80	756.9	89	...	...	...	...	,,	29.91	759.7	82	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen considerably in E. Japan owing to the depression, which moving Eastwards over S.E. Japan.

Pressure has increased slightly in N. China, and fallen a little in S. China. It is highest over the S. Philippines and the S. part of the China Sea.

Moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

Hongkong Observatory, Thursday, 2nd July, 1908.

F. G. FIGG,
Director.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	2ND JUJY. 1908. P.M.								3RD JULY, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ostock,...	2 p.	29.73	755.2	57	...	W	1	o	7 a.	29.77	756.2	56	96	N E	1	c
o,.....	,,	29.85	758.1	...	...	N E	8	...	6 a.	29.89	759.1	...	...	E	6	...
...te,.....	,,	29.73	755.2	...	...	S E	8	...	,,	29.77	758.2	...	...	E	6	...
.....	,,	29.59	751.6	...	...	N W	2	...	,,	29.75	755.6	...	...	...	0	...
.....	,,	29.64	752.8	...	...	...	0	...	,,	29.80	756.8	...	...	S W	2	...
ki,.....	,,	29.72	754.8	...	...	S W	6	...	,,	29.84	757.8	...	...	N	2	...
...ima,.....	,,	29.72	754.9	...	...	W	2	...	,,	29.80	756.9	...	...	...	0	...
.....	,,	29.77	756.1	...	...	S	2	...	,,	29.81	757.1	...	...	...	0	...
.....	,,	29.81	757.2	...	...	S W	4	...	,,	29.81	757.2	...	...	S	2	...
...jima,....	,,	29.82	757.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S	8	...
...k.....	,,	29.85	758.1	...	...	S	2	...	,,	29.93	760.1	...	...	S	2	...
.....	3 p.	29.67	753.6	80	74	N E	3	c	6 a.	...	...	...	...	...	...	...
...wei,.....	,,	29.68	753.9	79	...	E	1	ovr	9 a.	29.75	755.6	74	...	S E	2	ovr
...w,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...g.....	,,	29.69	754.1	75	95	N E	2	o	,,	...	...	...	...	...	...	...
...ai,.....	,,	29.68	753.9	74	95	S E	1	omd	9 a.	29.72	754.9	73	95	E	2	omd
...ff.....	,,	29.64	752.8	72	100	S E	3	fr	,,	29.68	753.9	71	100	E	3	om
Peak,.....	,,	29.69	754.1	85	87	S S W	6	lt	,,	29.75	755.6	85	96	S	1	b
.....	,,	29.71	754.6	86	80	S W	3	b	6 a.	29.75	755.6	82	91	S W	1	b
...w.....	,,	29.67	753.6	88	76	S W	1	c	,,	29.76	755.9	80	91	S W	1	c
...n.....	1 p.	29.76	756.0	.	...	W	6	...	5 a.	29.78	756.4	...	...	..	0	...
.....	,,	29.82	757.4	...	...	W	4	...	,,	29.82	757.3	...	...	S	2	...
.....	,,	29.83	757.6	...	...	W	4	...	,,	29.82	757.5	...	...	E	2	...
...n,.....	,,	29.81	757.2	...	...	N W	6	...	,,	29.82	757.4	...	...	W	4	...
...ores,.....	,,	29.82	757.4	...	...	S	4	...	,,	29.80	757.0	...	...	S	4	...
.....	3 p.	29.76	755.9	86	88	S E	1	c	9 a.	29.80	756.9	86	84	S	1	c
...ong,.....	4 p.	29.72	754.9	87	67	S W	1	c	10 a.	29.82	757.4	85	78	S	2	o
...la Peak,...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	1	...
...ock,.....	,,	29.71	754.6	...	...	S W	4	...	,,	29.80	756.9	...	...	S S W	5	...
.....	,,	29.74	755.4	86	...	S	2	c	,,	29.83	757.7	84	...	S	3	c
...w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n,.....	4 p.	29.61	752.0	88	...	S	5	c	8 a.	29.71	754.6	84	...	S	5	c
...e.....	,,	29.71	754.7	91	...	E S E	1	b	,,	29.81	757.2	84	...	...	0	c
...t. James,.	,,	29.78	756.5	81	...	S S W	4	or	,,	29.92	759.9	79	...	S W	1	b
.....	2 p.	29.80	756.9	...	...	N	1	c	6 a.	29.89	759.2	73	...	S W	1	c
.....	4 p.	29.84	758	84	77	W	3	o	10 a.	29.92	760	86	78	S	1	c
...h.....	2 p.	...	...	...	...	...	...	...	6 a.	29.92	760.0	75	...	...	0	b
...l.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	N N E	1	o
.....	,,	29.83	757.7	87	...	S W	1	c	,,	29.95	760.7	84	...	N E	1	c
.....	,,	29.79	756.6	86	...	N	1	b	,,	29.93	760.2	84	...	N	1	b
...n.....	,,	29.78	756.4	86	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 3rd at 11.55 a.—The barometer has risen moderately in Japan, the depression having moved away over the ...fic.

A slight rise of the mercury has taken place also over the China coast and the Philippines.

Pressure is high over the S. part of the China Sea and the Philippines, and low, apparently, over the Yangtze ...y.

Fresh S. and S.W. winds may be expected in the Formosa Channel and along the Northern shores of the China ...

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ongkong and Neighbourhood, ...	S. and S.W. winds, fresh; squally, showery.
...rmosa Channel, ...	Same as No. 1.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 3rd July, 1908.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JULY. 1908. P.M.								4th JULY, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	
Wladivostock,	2 p.	29.82	757.3	60	...	S	2	c	7 a.	29.87	758.7	53	87	S	2	
Nemuro,	,,	29.89	759.1	...	...	N E	6	...	6 a.	29.85	758.1	...	...	N E	6	
Hakodate,	,,	29.81	757.2	...	...	E	6	...	,,	29.89	759.2	...	...	E	6	
Tokio,	,,	29.71	754.6	...	...	N E	4	...	,,	29.83	757.6	...	...	N W	2	
Kochi,	,,	29.80	756.8	...	...	...	0	...	,,	29.80	756.8	...	...	...	0	
Nagasaki,	,,	29.80	756.8	...	...	S	4	...	,,	29.76	755.8	...	...	N	2	
Kagoshima,	,,	29.80	756.9	...	...	...	0	...	,,	29.76	755.9	...	...	N	6	
Oshima,	,,	29.81	757.1	...	...	S	2	...	,,	29.77	756.1	...	...	S W	4	
Naha,	,,	29.81	757.2	...	...	S	4	...	,,	29.81	757.2	...	...	S	4	
Ishigakijima,	,,	29.82	757.3	...	...	S W	8	...	,,	29.78	756.3	...	...	S	8	
Bonin Is.	,,	29.89	759.1	...	...	W	4	...	,,	29.89	759.1	...	...	S W	2	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.70	754.4	67	89	N	1	
Weihaiwei,	,,	...	...	82	...	S E	2	b	9 a.	29.74	755.4	72	...	S	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.65	753.1	76	95	W	1	
Shanghai,	,,	29.68	753.9	72	86	E	2	om	9 a.	29.59	751.6	76	95	S E	2	
Gutzlaff,	,,	29.66	753.3	72	95	E	3	f	,,	29.57	751.1	74	100	S E	2	
Sharp Peak,	,,	29.68	753.9	87	88	S	5	b	,,	29.72	754.9	85	96	S	2	
Amoy,	,,	29.72	754.9	88	76	S W	4	c	6 a.	29.77	756.1	83	87	S W	1	
Swatow,	,,	29.73	755.1	88	66	S W	2	b	,,	...	...	...	...	...	...	
Taihoku	1 p.	29.78	756.4	...	...	W	4	...	5 a.	29.78	756.5	...	...	...	0	
Taichu,	,,	29.85	758.3	...	...	S W	2	...	,,	29.86	758.3	...	...	S	2	
Tainan,	,,	29.87	758.7	...	...	S	6	...	,,	29.86	758.5	...	...	S	2	
Koshun	,,	29.87	758.8	...	...	W	6	...	,,	29.84	758.0	...	...	W	6	
Pescadores,	,,	29.84	758.0	...	...	S	6	...	,,	29.84	757.9	...	...	S	6	
Canton,	3 p.	29.76	755.9	86	80	S	1	o	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.77	756.1	83	86	...	0	o	10 a.	29.82	757.4	83	81	S S W	3	
Victoria Peak,	,,	...	...	...	...	S W	7	...	,,	...	...	...	...	S	7	
Gap Rock,	,,	29.75	755.6	...	...	S W	5	...	,,	29.77	756.1	...	...	S W	5	
Macao,	,,	29.78	756.4	84	...	S	3	c	,,	29.82	757.4	84	...	S	3	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.63	752.7	90	...	S S E	5	c	8 a.	29.74	755.3	88	...	S S W	5	
Tourane,	,,	29.78	756.3	93	...	S E	1	c	,,	29.87	758.6	84	...	...	0	
Cape St. James,	,,	29.86	758.4	82	...	S W	4	c	,,	29.96	760.9	81	...	W N W	1	
Aparri,	2 p.	29.87	758.7	90	...	E	1	c	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.88	759	88	66	S W	2	c	10 a.	29.92	760	84	77	W S W	1	
Legaspi,	2 p.	29.88	758.9	70	...	E	1	c	6 a.	29.93	760.2	73	...	...	0	
Bacolod,	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	W N W	1	
Hoilo,	,,	29.89	759.2	86	...	S W	2	b	,,	29.97	761.2	83	...	W S W	2	
Cebu,	,,	29.85	758.2	86	...	S	1	b	,,	29.95	760.7	82	...	...	0	
Labuan,	,,	29.89	759.2	86	...	...	...	...	,,	29.93	760.2	83	...	...	...	

On the 4th at 11.40 a.—The barometer has fallen quickly on the E. coast of China, and risen moderately in Japan.

A depression, which is moving Eastwards, is situated over the Lower Yangtze.

Pressure remains high over the China Sea and the Philippines.

Fresh to strong S. and S.W. winds may be expected in the Formosa Channel and along the Northern shores the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh; squally, showery.
2.—Formosa Channel,	S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 4th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	4TH JUJY. 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5TH JULY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ostock,...	2 p.	29.84	757.9	55	...	S	2	o	7 a.	29.80	757.6	51	92	S	3	o
...	,,	29.85	758.1	...	...	N	6	...	6 a.	29.97	761.1	...	...	...	0	...
...te.....	,,	29.85	758.2	...	...	S	6	...	,,	29.93	760.2	...	...	E	6	...
.....	,,	29.83	757.6	...	...	N	2	...	,,	29.83	757.6	...	...	N W	6	...
.....	,,	29.72	754.8	...	...	...	0	...	,,	29.72	754.8	...	...	S W	2	...
...ki, ...	,,	29.68	753.8	...	...	N	2	...	,,	29.56	750.8	...	...	N E	6	...
...ima, ...	,,	29.72	754.9	...	...	E	2	...	,,	29.60	751.9	...	...	E	4	...
.....	,,	29.73	755.1	...	...	S	2	...	,,	29.69	754.1	...	...	S	6	...
.....	,,	29.77	756.2	...	...	S W	4	...	,,	29.73	755.2	...	...	S	4	...
...jima,....	,,	29.78	756.3	...	...	S W	3	...	,,	29.74	755.3	...	...	S W	6	...
...k.....	,,	29.89	759.1	...	...	S	4	...	,,	29.89	759.1	...	...	S W	4	...
.....	3 p.	29.67	753.6	82	63	S S E	3	c	6 a.	...	...	...	...	...	...	...
...wei,.....	,,	29.67	753.6	78	...	S	2	ovr	9 a.	...	...	...	...	...	...	...
...w.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng.....	,,	29.62	752.3	78	86	S W	2	o	,,	29.66	753.3	75	90	N E	1	o
...ai, ...	,,	29.52	749.8	81	91	S S W	2	omd	9 a.	29.62	752.3	70	90	N W	2	o
...ff.	,,	29.52	749.8	75	100	S E	1	fr	,,	29.57	751.1	72	99	N W	4	ov
...Peak,.....	,,	29.62	752.3	86	88	S S E	5	b	,,	29.66	753.3	84	100	S E	1	c
.....	,,	29.76	755.9	87	84	S W	4	b	6 a.	29.74	755.4	88	88	S E	1	c
.....	,,	29.75	755.6	80	91	S W	1	c	,,	...	...	...	...	...	...	...
...n.....	1 p.	29.70	754.5	.	...	W	6	...	5 a.	29.71	754.7	...	...	...	0	...
.....	,,	29.80	757.0	...	...	S	4	...	,,	29.79	756.7	...	...	S	2	...
.....	,,	29.84	757.9	...	...	S	4	...	,,	29.80	756.9	...	...	...	0	...
.....	,,	29.82	757.3	...	...	W	6	...	,,	29.80	757.0	...	...	W	6	...
...res, ...	,,	29.82	757.4	...	...	S W	6	...	,,	29.77	756.2	...	...	S W	6	...
.....	3 p.	29.75	755.6	83	87	S	1	o	9 a.	29.72	754.9	85	87	S E	1	c
...ng, ...	4 p.	29.73	755.1	86	78	S W	3	cq	10 a.	29.74	755.4	83	80	S S W	3	opq
...a Peak,...	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	7	...
...ck,.....	,,	29.72	754.9	...	...	S W	5	...	,,	29.72	754.9	...	...	S W	5	...
.....	,,	29.75	755.6	85	...	S	3	c	,,	29.75	755.6	85	...	S	2	c
...).....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n,.....	4 p.	29.63	752.7	93	...	S	3	c	8 a.	29.68	753.8	88	...	S S W	4	c
...e.	,,	29.81	757.1	93	...	E	1	c	,,	29.81	757.2	86	...	W	1	b
...t. James,..	,,	29.87	758.7	88	...	S W	2	c	,,	...	...	79	...	W S W	2	b
.....	2 p.	29.87	758.6	88	...	N	1	b	6 a.	29.85	758.1	77	...	S	1	c
.....	4 p.	29.84	758	86	71	S W	3	c	10 a.	29.88	759	84	71	N W	1	c
.....	2 p.	29.85	758.2	88	...	E	1	o	6 a.	29.87	758.7	75	...	...	0	b
...l.....	3 p.	...	...	...	...	W N W	1	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.89	759.2	87	...	S W	2	c	,,	29.91	759.7	83	...	...	1	b
.....	,,	29.84	757.9	85	...	S	1	c	,,	29.90	759.4	83	...	S	1	c
.....	,,	29.85	758.2	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 5th at 11.55 a.—The barometer has risen slightly over N.E. Japan and the E. coast of China; and fallen ...here particularly in W. Japan.

...The depression has passed from the continent to the Yellow Sea. It appears to be approaching the W. coast of ...ia.

Pressure is still high over the S. part of the China Sea, and relatively low over Central China.

Fresh to strong S. and S.W. winds may be expected in the Formosa Channel and along the Northern shores of ...hina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	S.W. winds, fresh; squally, showery.
...rmosa Channel, ...	S.W. winds, fresh or strong.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 5th July, 1908.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5TH JULY. 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6TH JULY, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.83	757.6	56	...	S	4	c	7 a.	29.84	758.0	57	87	S	1
Nemuro, ...	,,	29.96	761.1	...	...	S	6	...	6 a.	30.04	763.1	...	...	S E	2
Hakodate, ...	,,	29.89	759.2	...	...	S E	8	...	,,	29.97	761.2	...	...	E	4
Tokio, ...	,,	29.79	756.6	...	...	N W	4	...	,,	29.91	759.6	...	...	W	4
Kochi, ...	,,	29.72	754.8	...	...	...	0	...	,,	29.76	755.8	...	...	S W	2
Nagasaki, ...	,,	29.56	750.8	...	...	S E	8	...	,,	29.68	753.8	...	...	...	0
Kagoshima, ...	,,	29.64	752.9	...	...	S W	2	...	,,	29.68	753.9	...	...	E	6
Oshima, ...	,,	29.69	754.1	...	...	S	6	...	,,	29.73	755.1	...	...	S	4
Naha, ...	,,	29.73	755.2	...	...	S	6	...	,,	29.77	756.2	...	...	S	2
Ishigakijima, ...	,,	29.70	754.3	...	...	W	6	...	,,	29.70	754.3	...	...	S W	8
Bonin Is.	,,	29.85	758.1	...	...	S W	4	...	,,	29.89	759.1	...	...	S W	4
Chefoo.	3 p.	29.69	754.1	75	68	E	3	b	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	29.70	754.4	73	...	E	2	b	9 a.	...	...	...	...	...	...
Hankow, ...	,,	29.73	755.1	83	79	N E	1	c	6 a.	29.75	755.6	77	91	S E	1
Kiukiang, ...	,,	29.65	753.1	78	78	N E	1	c	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.63	752.6	72	81	N	2	c	9 a.	29.72	754.9	72	95	E N E	2
Gutzlaff, ...	,,	29.58	751.3	74	90	N N W	4	ov	,,	29.67	753.6	71	100	E	2
Sharp Peak, ...	,,	29.59	751.6	86	92	S	3	c	,,	29.68	753.9	84	100	S	1
Amoy.	,,	...	...	89	77	S W	4	b	6 a.	29.67	753.6	84	87	S W	1
Swatow, ...	,,	...	...	91	81	S W	1	c	,,	...	...	81	87	W S W	1
Taihoku.	1 p.	29.68	753.9	.	...	W	6	...	5 a.	29.71	754.7	...	...	...	0
Taichu, ...	,,	29.75	755.7	...	...	S W	4	...	,,	29.76	755.9	...	...	S	2
Tainan, ...	,,	29.78	756.4	...	...	S W	2	...	,,	29.77	756.1	...	...	S E	2
Koshun.	,,	29.80	757.0	...	...	N W	2	...	,,	29.76	755.8	...	...	W	6
Pescadores, ...	,,	29.76	755.9	...	...	S	6	...	,,	29.74	755.4	...	...	S	6
Canton, ...	3 p.	29.65	753.1	93	67	S W	2	c	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.66	753.3	87	70	S W	3	oq	10 a.	29.71	754.6	81	85	S W	3
Victoria Peak, ...	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	S	3
Gap Rock, ...	,,	29.64	752.8	...	...	S W	5	...	,,	29.71	754.6	...	...	S W	5
Macao.	,,	29.68	753.9	87	...	S	2	c	,,	29.72	754.9	83	...	S	2
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.61	752.1	90	...	N W	3	c	8 a.	29.67	753.5	84	...	S	2
Tourane, ...	,,	29.69	754.2	97	...	N N W	2	c	,,	29.76	756.3	86	...	W	1
Cape St. James, .	,,	29.83	757.6	82	...	S W	4	f	,,	29.89	759.2	79	...	S W	3
Aparri, ...	2 p.	29.80	756.8	90	...	N E	1	b	6 a.	29.84	757.8	75	...	S	1
Manila, ...	4 p.	29.80	757	88	66	S W	2	o	10 a.	29.84	758	84	71	W N W	1
Legaspi, ...	2 p.	29.82	757.5	90	...	W	1	o	6 a.	29.84	758.0	75	...	S W	1
Bacolod, ...	3 p.	...	...	...	...	S S W	2	op	9 a.	...	...	...	...	S W	1
Iloilo, ...	,,	29.85	758.2	82	...	N N E	1	r	,,	29.89	759.2	81	...	S W	1
Cebu, ...	,,	29.83	757.7	83	...	S	1	c	,,	29.90	759.4	81	...	S	1
Labuan, ...	,,	29.82	757.4	88	...	...	...	...	,,	29.88	758.9	83	...	...	...

On the 6th at 11.40 a.—The barometer has risen moderately over Japan and N. China, and fallen slightly o the S. coast of China, Formosa and the Philippines.

The depression lying between the E. coast of China and the W. coast of Japan yesterday, has partly filled and become merged in the low pressure trough which lies across S. China and the Eastern Sea.

Pressure is highest to the E. of Japan in the North, and over the S. part of the China Sea in the South.

Moderate S. and variable winds may be expected in the Formosa Channel and fresh S.W. winds over the part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, fresh; squally, thunder showers.
2.—Formosa Channel, ...	S. and variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 6th July, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	6TH JULY. 1908. P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7TH JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ostock,...	2 p.	29.90	759.4	57	...	S	2	c	7 a.	29.96	761.0	58	87	S	2	b
o.....	,,	30.04	763.1	...	...	S	8	...	6 a.	30.12	765.1	...	...	S	4	...
ite,.....	,,	30.05	763.2	...	...	E	6	...	,,	30.13	765.2	...	...	E	2	...
.....	,,	29.98	761.6	...	...	N	4	...	,,	30.06	763.6	...	...	N W	2	...
.....	,,	29.80	756.8	...	...	...	0	...	,,	29.99	761.8	...	...	...	0	...
ki, ...	,,	29.76	755.8	...	...	...	0	...	,,	29.84	757.8	...	...	E	4	...
ima, ...	,,	29.76	755.9	...	...	E	4	...	,,	29.84	757.9	...	...	E	6	...
.....	,,	29.77	756.1	...	...	S	6	...	,,	29.89	759.1	...	...	S	6	...
.....	,,	29.77	756.2	...	...	S	4	...	,,	29.89	759.2	...	...	S	2	...
jima, ...	,,	29.78	756.3	...	...	S	6	...	,,	29.86	758.3	...	...	S	6	...
s.....	,,	29.93	760.1	...	...	S	6	..	,,	29.97	761.1	...	...	S	4	...
.....	3 p.	29.79	756.6	...	...	E	2	b	6 a.	29.91	759.7	65	89	S	1	b
wei,.....	,,	29.79	756.6	71	...	S E	2	b	9 a.	29.92	759.9	72	...	S E	2	b
.....	,,	29.78	756.4	80	82	S E	1	o	6 a.	...	...	...	...	...	...	...
ng.....	,,	29.68	753.9	74	95	S E	2	o	,,	29.76	755.9	74	95	N E	2	o
ai.	,,	29.73	755.1	71	100	E N E	2	omd	9 a.	29.79	756.6	72	95	E N E	2	omr
.....	,,	29.67	753.6	72	95	E	2	om	,,	29.77	756.1	71	100	E	3	f
Peak,.....	,,	29.62	752.3	86	88	S	4	b	,,	29.78	756.4	86	100	S S E	1	b
.....	,,	29.66	753.3	87	80	S W	4	b	6 a.	29.76	755.9	82	91	S W	1	b
.....	,,	29.64	752.8	88	80	S W	2	c	,,	...	...	...	...	...	...	...
.....	1 p.	29.73	755.2	..	...	S W	6	...	5 a.	29.82	757.4	...	...	..	0	...
.....	,,	29.77	756.1	...	...	S W	4	...	,,	29.83	757.6	...	...	...	0	...
.....	,,	29.79	756.6	...	...	S W	4	...	,,	29.84	757.8	...	...	S E	2	...
.....	,,	29.78	756.4	...	...	W	6	...	,,	29.85	758.2	...	...	...	0	...
ores, ...	,,	29.78	756.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S	4	...
.....	3 p.	29.65	753.1	80	96	S	1	or	9 a.	...	...	...	...	...	...	...
ng, ...	4 p.	29.67	753.6	86	77	W S W	3	oq	10 a.	29.82	757.4	86	73	S	2	c
a Peak,...	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S	7	...
ch.....	,,	29.64	752.8	...	...	S W	4	...	,,	29.79	756.6	...	...	S	3	...
.....	,,	29.69	754.1	86	...	S	2	c	,,	29.81	757.2	84	...	S S E	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.57	751.2	91	...	S S E	0	c	8 a.	29.68	753.9	88	...	E	3	c
.....	,,	29.67	753.6	95	...	N E	1	c	,,	29.80	756.9	84	...	...	0	o
James,.	,,	29.76	755.9	88	...	W S W	4	c	,,	29.86	758.4	81	...	W	4	o
.....	2 p.	29.79	756.6	90	...	N E	1	c	6 a.	29.87	758.7	77	...	S W	1	b
.....	4 p.	29.80	757	82	77	S W	3	c	10 a.	29.88	759	84	75	N W	1	c
.....	2 p.	29.80	756.9	81	...	W	1	o	6 a.	29.87	758.7	73	...	...	0	d
.....	3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	W	2	c
.....	,,	29.81	757.2	84	...	...	0	o	,,	29.89	759.2	83	...	...	0	c
.....	,,	29.81	757.2	83	...	N	1	c	,,	29.90	759.4	83	...	...	0	c
.....	,,	29.80	756.9	82	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 7th at 11.45a.—The barometer has risen considerably to moderately over Japan and China.

Pressure is high over E. Japan, and relatively low over S. China and Tonking.

Moderate S. to S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	S. to S.E. winds, moderate; fair.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 7th July, 1908.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th JULY, 1908. P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	8th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.97	761.2	63	...	S	2	c	7 a.	29.98	761.5	59	89	S	2
Nemuro, ...	,,	30.16	766.1	...	...	S	8	...	6 a.	30.24	768.1	...	...	S	4
Hakodate, ...	,,	30.13	765.2	...	...	S E	6	...	,,	30.17	766.2	...	...	E	2
Tokio, ...	,,	30.06	763.6	...	...	N E	4	...	,,	30.14	765.6	...	...	N W	2
Kochi.	,,	30.03	762.8	...	...	...	0	...	,,	30.07	763.8	...	...	...	0
Nagasaki.	,,	29.87	758.8	...	...	E	6	...	,,	29.95	760.8	...	...	E	3
Kagoshima, ...	,,	29.88	758.9	...	...	E	6	...	,,	30.00	761.9	...	...	E	4
Oshima,.....	,,	29.93	760.1	...	...	...	0	...	,,	29.97	761.1	...	...	...	0
Naha,.....	,,	...	...	...	...	...	0	...	,,	29.97	761.2	...	...	...	0
Ishigakijima,....	,,	29.89	759.3	...	...	S W	6	...	,,	29.93	760.3	...	...	S	2
Bonin Is.....	,,	29.96	761.1	...	...	S W	2	...	,,	29.97	761.1	...	...	S W	4
Chefoo.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	29.90	759.4	76	...	E	3	b	9 a.	29.90	759.4	67	...	E	1
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,.....	,,	29.77	756.1	78	91	N E	2	or	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.78	756.4	73	95	N E	2	om	9 a.	29.81	757.2	79	95	...	0
Gutzlaff, ...	,,	29.74	755.4	77	95	E	1	f	,,	29.78	756.4	79	95	S	2
Sharp Peak,.....	,,	29.76	755.9	87	88	S	4	b	,,	29.87	758.7	86	100	...	0
Amoy.....	,,	29.78	756.4	86	84	S W	4	b	6 a.	29.86	758.4	82	91	S W	1
Swatow,.....	,,	29.76	755.9	90	66	S	2	b	,,	29.95	760.7	79	95	...	0
Taihoku.....	1 p.	29.85	758.1	...	...	E	4	...	5 a.	29.91	759.8	...	...	...	0
Taichu, ...	,,	29.85	758.2	...	...	W	6	...	,,	29.92	759.9	...	...	...	0
Tainan.....	,,	29.87	758.7	...	...	S	4	...	,,	29.93	760.1	...	...	E	2
Koshun.....	,,	29.88	759.0	...	...	S W	4	...	,,	29.93	760.2	...	...	...	0
Pescadores, ...	,,	29.86	758.5	...	...	S	4	...	,,	29.91	759.8	...	...	S	2
Canton,.....	3 p.	29.76	755.9	88	80	S	2	c	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.78	756.4	86	73	S E	2	c	10 a.	29.92	759.9	86	72	S	2
Victoria Peak,...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	2
Gap Rock,.....	,,	29.77	756.1	...	...	S	3	...	,,	29.87	758.7	...	...	S S W	2
Macao, ...	,,	29.79	756.6	85	...	S S E	2	c	,,	29.93	760.2	85	...	S S E	2
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.67	753.5	86	...	S E	3	lt	8 a.	...	...	...	...	...	...
Tourane, ...	,,	29.72	754.8	...	...	S E	1	c	,,	...	...	...	...	...	...
Cape St. James,.	,,	29.74	755.3	90	...	W S W	2	c	,,	...	...	...	...	...	...
Aparri,.....	2 p.	29.83	757.7	90	...	N E	1	b	6 a.	29.92	760.0	77	...	S	1
Manila, ...	4 p.	29.80	757	81	65	...	0	o	10 a.	29.96	761	86	71	W N W	1
Legaspi,.....	2 p.	29.85	758.1	90	...	S E	1	c	6 a.	29.91	759.6	75	...	...	0
Bacolod,.....	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	S W	1
Iloilo,.....	,,	29.85	758.2	84	...	S W	2	o	,,	29.95	759.7	82	...	S W	2
Cebu,.....	,,	29.85	758.2	84	...	S E	1	o	,,	29.93	760.2	83	...	S	1
Labuan, ...	,,	29.80	756.9	86	...	...	...	...	,,	29.90	759.4	81	...	...	...

On the 8th at 12.05 p.—The barometer has risen generally, except over N. China.

Pressure is high to the E. of Japan, and relatively low over the Yangtze valley. The normal is exceeded at stations, the departures varying from 0.3 inch and upwards over E. Japan, to about 0.05 inch at the mouth of Yangtze.

Moderate S.E. and S. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. and S.E. winds, moderate or light; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory. Wednesday, 8th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ATION.	8TH JULY. 1908. P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9TH JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...rostock,...	2 p.	29.97	761.2	61	...	S	3	o	7 a.	29.86	758.4	59	93	S	3	o
...o,.....	,,	30.20	767.1	...	...	S W	8	...	6 a.	30.16	766.1	...	...	S E	4	...
...ate,.....	,,	30.13	765.2	...	...	S E	8	...	,,	30.09	764.2	...	...	E	6	...
.....	,,	30.10	764.6	...	...	N E	4	...	,,	30.10	764.6	...	...	...	0	...
.....	,,	30.03	762.8	...	...	S	2	...	,,	30.03	762.8	...	...	...	0	...
...Hi, ...	,,	29.95	760.8	...	...	S E	8	...	,,	29.84	757.8	...	...	S E	8	...
...jima, ...	,,	30.00	761.9	...	...	E	4	...	,,	29.96	760.9	...	...	E	2	...
.....	,,	29.96	761.1	...	...	N	4	...	,,	29.93	760.1	...	...	...	0	...
.....	,,	29.93	760.2	...	...	S W	2	...	,,	29.89	759.2	...	...	...	0	...
...ijima,....	,,	29.93	760.3	...	...	S E	4	...	,,	29.89	759.3	...	...	S	4	...
...ls.....	,,	29.93	760.1	...	...	...	0	...	,,	29.89	759.1	...	...	S W	2	...
...0.....	3 p.	29.71	754.6	56	51	E	2	o	6 a.	29.63	752.6	70	95	N W	2	c
...wei,.....	,,	29.81	757.2	66	...	E	2	o	9 a.	29.63	752.6	90	...	W N W	3	ovr
...w.....	,,	29.88	758.9	79	87	S	1	o	6 a.	29.87	758.7	76	95	S E	1	c
...ng.....	,,	29.79	756.6	84	79	N	2	c	,,	29.81	757.2	75	100	...	0	o
...hai.	,,	29.77	756.1	91	70	W	1	c	9 a.	29.75	755.6	84	76	N N W	1	cm
...ff.	,,	29.75	755.6	84	87	S W	1	cm	,,	29.75	755.6	81	96	N W	2	cv
...Peak,.....	,,	29.82	757.4	87	88	S	4	b	,,	29.82	757.4	87	100	...	0	b
.....	,,	29.85	758.2	86	84	S E	2	b	6 a.	29.83	757.7	82	91	...	0	b
...w.....	,,	29.84	757.9	89	69	S	2	b	,,	...	...	...	...	...	...	...
...n.....	1 p.	29.90	759.5	.	...	N	4	...	5 a.	29.88	758.9	...	...	...	0	...
.....	,,	29.91	759.7	...	...	N W	4	...	,,	29.89	759.3	...	...	...	0	...
...h.....	,,	29.92	760.0	...	...	S W	4	...	,,	29.91	759.7	...	...	...	0	...
...n.....	,,	29.93	760.3	...	...	S	4	...	,,	29.91	759.7	...	...	...	0	...
...dres, ...	,,	29.94	760.4	...	...	W	4	...	,,	29.90	759.5	...	...	S	4	...
...n.....	3 p.	29.88	758.9	92	67	S	2	b	9 a.	29.92	759.9	84	83	S	1	c
...ong.	4 p.	29.88	758.9	88	64	S	2	c	10 a.	29.93	760.2	86	91	W	1	c
...ia Peak,...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S W	2	...
...ock.....	,,	29.86	758.4	...	...	S S W	3	...	,,	29.89	759.2	...	...	S S W	2	...
...i.....	,,	29.90	759.4	86	...	S S E	2	c	,,	29.94	760.5	86	...	S	1	c
...w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...i.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.79	756.6	84	...	S S E	5	c	8 a.	29.91	759.6	82	...	S	3	c
...ne.	,,	29.81	757.1	90	...	S E	1	c	,,	29.89	759.1	82	...	...	0	b
...St. James,.	,,	29.86	758.5	84	...	S	4	o	,,	29.94	760.5	79	...	S W	3	c
...i.....	2 p.	29.87	758.6	88	...	E	1	o	6 a.	29.91	759.8	77	...	S W	1	b
...a.....	4 p.	29.84	7.8	86	71	W	1	o	10 a.	29.92	760	84	77	W N W	1	c
...a.....	2 p.	29.85	75c.1	88	...	E	1	c	6 a.	29.88	759.0	73	...	...	0	c
...d.....	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	3	op
.....	,,	29.87	758.7	85	...	S W	0	o	,,	29.91	759.7	...	...	...	...	...
.....	,,	29.86	758.4	83	...	...	0	c	,,	29.94	760.5	78	...	S	3	or
...a.....	,,	29.83	757.7	86	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen in Tongking, and fallen over N. China and Japan.
A depression moving Eastwards, has passed from Shantung to the Yellow Sea.
Pressure remains high to the E. of Japan, and it is considerably above the normal also over the N. part of the China Sea,
Moderate S.W. winds may be expected in the Formosa Channel, and light S.W. and variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	S.W. or variable winds, light; fine.
...rmosa Channel, ...	S W. winds, moderate.
...outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday. 9th July. 1908.

...inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JULY, 1908. P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.82	757.4	61	...	S	4	c	7 a.	29.76	755.9	59	99	...	0
Nemuro,	,,	30.12	766.1	...	...	S	6	...	6 a.	30.08	764.1	...	...	S	2
Hakodate,	,,	30.05	763.2	...	...	E	8	...	,,	29.97	761.2	...	...	E	7
Tokio,	,,	30.02	762.6	...	...	S	2	...	,,	29.99	761.6	...	...	...	0
Kochi,	,,	29.99	761.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	2
Nagasaki,	,,	29.83	757.8	...	...	S E	8	...	,,	29.76	755.8	...	...	S	2
Kagoshima,	,,	29.92	759.9	...	...	N E	4	...	,,	29.76	755.9	...	...	...	0
Oshima,	,,	29.89	759.1	...	...	...	0	...	,,	29.81	757.1	...	...	S	2
Naha	,,	...	...	...	...	...	...	...	,,	29.81	757.2	...	...	...	0
Ishigakijima,	,,	29.85	758.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S W	6
Bonin Is.	,,	29.85	758.1	...	...	S	4	...	,,	29.85	758.1	...	...	S	4
Chefoo,	3 p.	29.61	752.1	73	76	N W	4	b	6 a.	29.64	752.8	65	100	W	2
Weihaiwei,	,,	29.61	752.1	74	...	W	3	b	9 a.	29.67	753.6	74	...	S S E	1
Hankow,	,,	29.82	757.4	92	64	S W	1	b	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.74	755.4	91	77	S W	1	b	,,	29.70	754.4	80	91	...	...
Shanghai,	,,	...	...	87	73	W	2	...	9 a.	29.72	754.9	88	73	S W	1
Gutzlaff,	,,	29.69	754.1	84	96	N N E	2	bv	,,	29.70	754.4	80	91	S	1
Sharp Peak,	,,	29.74	755.4	88	92	S	4	b	,,	29.78	756.4	86	96	S E	1
Amoy,	,,	29.76	755.9	86	84	S W	2	b	6 a.	29.76	755.9	85	87	...	0
Swatow,	,,	29.74	755.4	95	68	S	1	b	,,	29.85	758.2	82	83	S W	1
Taihoku,	1 p.	29.83	757.8	.	...	W	4	...	5 a.	29.81	757.2	...	...	S	2
Taichu,	,,	29.87	758.7	...	...	S W	4	...	,,	29.84	758.0	...	...	S	3
Tainan,	,,	29.88	759.0	...	...	W	4	...	,,	29.84	758.0	...	...	...	0
Koshun,	,,	29.87	758.6	...	...	W	6	...	,,	29.84	757.8	...	...	...	0
Pescadores,	,,	29.88	758.9	...	...	S W	4	...	,,	29.83	757.7	...	...	S	4
Canton,	3 p.	29.84	757.9	92	67	S	2	b	9 a.	29.86	758.4	85	79	S	1
Hongkong,	4 p.	29.83	757.7	86	65	W S W	2	b	10 a.	29.85	758.2	86	73	W	1
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S W	3
Gap Rock,	,,	29.83	757.7	...	...	S	2	...	,,	29.83	757.7	...	...	W S W	3
Macao,	,,	29.86	758.4	88	...	S	1	c	,,	29.88	758.9	85	...	W S W	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.7	84	...	S S E	4	c	8 a.	29.86	758.5	82	...	E N E	1
Tourane,	,,	29.81	757.2	90	...	S E	2	c	,,	29.83	758.8	84	...	...	0
Cape St. James,	,,	29.84	757.9	81	...	S W	4	o	,,	29.91	759.8	79	...	W S W	4
Aparri,	2 p.	29.84	757.9	91	...	N E	1	b	6 a.	29.84	758.0	79	...	S W	1
Manila,	4 p.	29.80	757	84	77	S W	1	c	10 a.	29.84	758	82	85	S S W	0
Legaspi,	2 p.	29.83	757.6	79	...	W	1	o	6 a.	29.85	758.1	75	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	2	op	9 a.	...	...	...	...	S S E	2
Iloilo,	,,	29.85	758.2	82	...	S W	1	c	,,	29.89	759.2	82	...	S W	1
Cebu,	,,	29.84	757.9	81	...	S	1	c	,,	29.85	758.2	92	...	S	2
Labuan,	,,	29.85	758.2	87	...	...	...	...	,,	29.88	758.9	79	...	...	...

On the 10th at 12.05 p.—The barometer has fallen generally, except on the N.E. coast of China.

Pressure remains somewhat low over N. China. It is still high over E. Japan.

Moderate or light S.W. winds may be expected in the Formosa Channel and along the Northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, light or moderate: fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 10th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	10TH JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11TH JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ostock,...	2 p.	29.72	754.9	61	...	S E	1	or	7 a.	29.75	755.6	61	85	...	0	o
o.....	,,	30.00	762.1	...	...	S	6	...	6 a.	29.93	760.1	...	...	S	6	...
ate.....	,,	29.89	759.2	...	...	E	10	...	,,	29.77	756.2	...	...	...	0	...
.....	,,	29.87	758.6	...	...	S	4	...	,,	29.83	757.6	...	...	N W	2	...
.....	,,	29.83	757.8	...	...	...	0	...	,,	29.84	757.8	...	...	...	0	...
iki.	,,	29.76	755.8	...	...	W	6	...	,,	29.80	756.8	...	...	...	0	...
hima, ...	,,	29.76	755.9	...	...	S	2	...	,,	29.80	756.9	...	...	...	0	...
a.....	,,	29.81	757.1	...	...	N	4	...	,,	29.85	758.1	...	...	...	0	...
.....	,,	29.81	757.2	...	...	W	4	...	,,	29.81	757.2	...	...	...	0	...
ijima,....	,,	29.82	757.3	...	...	S	4	...	,,	29.82	757.3	...	...	S	6	...
ls.....	,,	29.81	757.1	...	...	S W	4	...	,,	29.81	757.1	...	...	S W	6	...
.....	3 p.	29.64	752.8	76	82	N E	2	b	6 a.	29.65	753.1	73	100	S	1	b
wei,.....	,,	29.64	752.8	81	...	E	1	b	9 a.	29.68	753.9	78	...	S E	...	b
w.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
ng.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai.	,,	29.66	753.3	94	55	W S W	1	c	9 a.	29.68	753.9	79	95	S	2	ortl
ff.	,,	29.65	753.1	85	83	S	1	bv	,,	29.69	754.1	80	96	S	2	cm
Peak.....	,,	29.71	754.6	88	92	S	2	b	,,	29.74	755.4	85	96	S	1	b
.....	,,	29.69	754.1	86	84	S E	2	b	6 a.	29.75	755.1	85	83	S W	1	b
w.....	,,	29.70	754.4	93	61	S E	2	b	,,	29.85	758.2	81	87	S S W	1	b
u.....	1 p.	29.78	756.4	.	...	E	2	...	5 a.	29.78	756.5	...	...	...	0	...
.....	,,	29.81	757.1	...	...	W	4	...	,,	29.81	757.2	...	...	S	2	...
.....	,,	29.82	757.5	...	...	W	4	...	,,	29.82	757.3	...	...	...	0	...
.....	,,	29.82	757.4	...	...	N W	6	...	,,	29.82	757.3	...	...	...	0	...
ores.	,,	29.81	757.2	...	...	S	4	...	,,	29.77	756.2	...	...	S	4	...
.....	3 p.	29.77	756.1	93	67	S	1	c	9 a.	...	...	...	...	...	...	...
ong.	4 p.	29.75	755.6	88	68	W S W	1	b	10 a.	29.80	756.9	86	69	S W	2	c
a Peak,...	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	S W	3	...
ock.....	,,	29.74	755.9	...	...	W S W	3	...	,,	29.79	756.6	...	...	S W	3	...
.....	,,	29.77	756.1	89	...	S	1	c	,,	29.81	757.2	86	...	W N W	2	c
w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.74	756.3	86	...	S E	4	b	8 a.	29.78	756.5	81	...	S S E	2	c
ne.	,,	29.75	755.7	93	...	N N E	3	c	,,	29.84	757.8	79	...	...	0	c
t. James,.	,,	29.82	757.4	79	...	S W	6	or	,,	29.90	759.4	79	...	W S W	2	c
.....	2 p.	29.79	756.6	90	...	N E	1	o	6 a.	29.79	756.6	77	...	S	1	b
.....	4 p.	29.76	756	81	85	E	1	d	10 a.	29.89	757	84	77	S S W	1	o
.....	2 p.	29.78	756.4	90	...	S W	1	c	6 a.	29.84	757.8	75	...	...	0	c
.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S S E	1	...
.....	,,	29.81	757.2	85	...	S W	2	o	,,	29.87	758.7	82	...	S W	3	c
.....	,,	29.81	757.2	83	...	S	1	or	,,	...	...	...	...	...	...	...
.....	,,	29.81	757.2	85	...	...	...	...	,,	...	...	...	...	...	...	...

At the 11th at 11.55 a.—The barometer has risen slightly in S.W. Japan, and fallen considerably in E. Japan. Another slight fall has taken place also over S. China and the Philippines.

Pressure is highest to the N.E. Japan in the North, and over the S.W part of the China Sea in the South. It is somewhat low over N. China and the Sea of Japan.

Moderate S.W. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.W. winds, moderate; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 11th July, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	11th JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	12th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.77	756.2	64	...	N W	1	o	7 a.	29.78	756.5	62	98	...	0
Nemuro, ...	,,	29.85	758.1	...	...	S E	6	...	6 a.	29.73	755.1	...	...	S E	6
Hakodate, ...	,,	29.69	754.2	...	...	...	0	...	,,	29.62	752.2	...	...	S W	2
Tokio, ...	,,	29.75	755.6	...	...	S	2	...	,,	29.71	754.6	...	...	...	0
Kochi, ...	,,	29.80	756.8	...	...	E	2	...	,,	29.76	755.8	...	...	...	0
Nagasaki, ...	,,	29.76	755.8	...	...	S W	2	...	,,	29.76	755.8	...	...	...	0
Kagoshima, ...	,,	29.80	756.9	...	...	N W	4	...	,,	29.84	757.9	...	...	...	0
Oshima, ...	,,	29.81	757.1	...	...	N	6	...	,,	29.81	757.1	...	...	S	2
Naha, ...	,,	29.81	757.2	...	...	S W	2	...	,,	29.81	757.2	...	...	...	0
Ishigakijima, ...	,,	29.82	757.3	...	...	S	6	...	,,	29.78	756.3	...	...	S E	4
Bonin Is.	,,	29.81	757.1	...	...	W	4	...	,,	29.85	758.1	...	...	...	0
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	29.65	753.1	84	...	S	1	o	9 a.	29.68	753.9	74	...	E	1
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.67	753.6	79	87	N E	1	o	9 a.	29.68	753.9	76	90	N N E	2
Gutzlaff, ...	,,	29.65	753.1	79	95	N	3	om	,,	29.64	752.8	79	95	S	1
Sharp Peak, ...	,,	29.67	753.6	89	92	S	4	b	,,	29.74	755.4	85	96	S	1
Amoy, ...	,,	29.68	753.9	87	80	S E	2	b	6 a.	29.74	755.4	83	83	...	0
Swatow, ...	,,	29.67	753.6	95	56	S W	2	b	,,	...	...	80	87	S S W	1
Taihoku, ...	1 p.	29.76	755.8	.	...	N W	4	...	5 a.	29.78	756.3	...	...	...	0
Taichu, ...	,,	29.76	755.9	...	...	W	4	...	,,	29.80	756.8	...	...	...	0
Tainan, ...	,,	29.79	756.6	...	...	S W	6	...	,,	29.77	756.2	...	...	E	2
Koshun, ...	,,	29.80	757.0	...	...	N W	2	...	,,	29.87	758.6	...	...	E	2
Pescadores, ...	,,	29.80	756.8	...	...	S	6	...	,,	29.77	756.2	...	...	S	3
Canton, ...	3 p.	29.72	754.9	93	64	S	2	c	9 a.	29.78	756.4	85	79	S	1
Hongkong, ...	4 p.	29.72	754.9	87	66	S W	2	c	10 a.	29.78	756.4	87	63	S	1
Victoria Peak, ...	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S W	4
Gap Rock, ...	,,	29.72	754.9	...	...	S W	2	...	,,	29.75	755.6	...	...	S S W	2
Macao, ...	,,	29.74	755.4	87	...	S S E	2	c	,,	29.78	756.4	85	...	S E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.68	753.9	88	...	S E	4	c	8 a.	29.71	754.7	84	...	S	3
Tourane, ...	,,	29.70	754.4	95	...	E	1	c	,,	29.77	756.1	84	...	...	0
Cape St. James, .	,,	29.82	757.3	73	...	S S W	5	or	,,	29.86	758.3	75	...	W S W	4
Aparri, ...	2 p.	29.76	755.9	91	...	N E	1	c	6 a.	29.80	756.8	77	...	S	1
Manila.	4 p.	29.76	756	84	77	S W	1	od	10 a.	29.84	758	86	71	S	1
Legaspi, ...	2 p.	29.79	756.7	84	...	W	1	o	6 a.	29.86	758.1	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	...	0	or	9 a.	...	...	...	...	S E	2
Iloilo, ...	,,	29.81	757.2	80	...	S W	2	o	,,	29.89	759.2	80	...	S W	1
Cebu, ...	,,	29.82	757.4	83	...	S	1	o	,,	29.90	759.4	82	...	S	2
Labuan, ...	,,	29.82	757.4	87	...	...	...	...	,,	...	...	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen in E. Japan owing to a depression which is moving Eastwa over Hokkaido.

Pressure has given way slightly over the S. coast of China and Tongking. It is highest over the S. part of China Sea, and relatively low over the Yangtze valley.

Light or *moderate* S. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. winds, light or moderate; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 12th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	12TH JULY, 1908, P.M.								13TH JULY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
irostock,...	2 p.	29.72	755.0	80	...	N	1	b	7 a.	29.68	753.8	64	89	...	0	c
ro,.....	,,	29.65	753.1	...	...	S	4	...	6 a.	29.61	752.1	...	...	N	4	...
late,.....	,,	29.65	753.2	...	...	S E	4	...	,,	29.69	754.2	...	...	S W	2	...
.....	,,	29.67	753.6	...	...	S	4	...	,,	29.67	753.6	...	...	N W	2	...
.....	,,	29.76	755.8	...	...	E	2	...	,,	29.72	754.8	...	...	S W	2	...
aki, ...	,,	29.80	756.8	...	...	S W	2	...	,,	29.72	754.8	...	...	S W	3	...
hima, ...	,,	29.80	756.9	...	...	S	2	...	,,	29.72	754.9	...	...	...	0	...
a.....	,,	29.81	757.1	...	...	N E	2	...	,,	29.77	756.1	...	...	S	0	...
.....	,,	29.81	757.2	...	...	S	3	...	,,	29.77	756.2	...	...	...	0	...
kijima,....	,,	29.82	757.3	...	...	S	6	...	,,	29.78	756.3	...	...	S W	6	...
ls.....	,,	29.81	757.1	...	...	W	2	...	,,	29.81	757.1	...	...	...	0	...
.....	3 p.	29.67	753.6	77	82	E	2	c	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	29.69	754.1	78	...	E	1	o	9 a.	29.69	754.1	67	...	E	2	f
ow,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
ang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai.	,,	29.62	752.3	84	79	E S E	3	c	9 a.	29.60	751.8	83	91	S	1	o
aff.	,,	29.60	751.3	78	91	S E	2	cv	,,	29.59	751.6	79	95	S	1	om
Peak,.....	,,	29.65	753.1	90	96	S	2	b	,,	29.68	753.9	86	96	S	1	b
.....	,,	29.73	755.1	86	76	S E	2	b	6 a.	29.75	755.6	83	83	S E	1	b
w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ku.....	1 p.	29.77	756.2	..	...	N E	4	...	5 a.	29.75	755.7	...	...	...	0	...
n.....	,,	29.79	756.6	...	...	W	4	...	,,	29.76	756.0	...	...	S E	2	...
n.....	,,	29.79	756.6	...	...	W	4	...	,,	29.76	756.0	...	...	E	2	...
n.....	,,	29.79	756.6	...	...	S	4	...	,,	29.77	756.1	...	...	E	2	...
deres, ...	,,	29.80	756.8	...	...	S	2	...	,,	29.75	755.5	...	...	S	4	...
n.....	3 p.	29.70	754.4	93	64	S E	2	c	9 a.	29.76	755.9	85	83	S	1	c
kong.	4 p.	29.71	754.6	87	66	S	1	b	10 a.	29.74	755.4	85	71	E	1	c
ia Peak,...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S E	1	...
lock,.....	,,	29.70	754.4	...	...	S	2	...	,,	29.69	754.1	...	...	S S E	2	...
.....	,,	29.73	755.1	85	...	S S E	2	c	,,	29.75	755.6	85	...	S E	1	c
w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
i.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en.....	4 p.	29.66	752.5	86	...	S E	4	c	8 a.	29.69	754.2	84	...	S S E	5	c
ne,.....	,,	29.66	753.3	93	...	S E	2	c	,,	29.72	754.8	84	...	...	0	b
St. James,.	,,	29.74	755.4	79	...	W S W	5	or	,,	29.82	757.3	77	...	W S W	3	c
.....	2 p.	29.77	756.1	91	...	N E	1	c	6 a.	29.78	756.4	73	...	S	1	o
.....	4 p.	29.76	756	86	71	W S W	2	o	10 a.	29.84	758	86	65	S S W	1	c
i.....	2 p.	...	...	...	...	...	...	...	6 a.	29.86	758.4	77	...	S S W	1	c
d.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	2	o
.....	,,	29.85	758.2	84	...	S W	1	o	,,	29.91	759.7	72	...	S W	2	or
.....	,,	29.83	757.7	85	...	S	2	b	,,	29.88	758.9	85	...	S	2	b
.....	,,	29.77	756.1	88	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 13th at 11.55 a.—The depression lying over N.E. Japan yesterday, has moved into the Pacific.

The barometer has fallen slightly over S.W. Japan and S. China.

Pressure remains low over the Yangtze valley. It is highest over the S. Philippines.

Moderate S.E. and S. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	S. and S.E. winds, moderate; fair to showery.
ormosa Channel, ...	Same as No. 1.
outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 13th July, 1908.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	14th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.65	753.0	77	...	S	1	c	7 a.	29.74	755.4	59	91	...	0
Nemuro, ...	,,	29.61	753.1	...	...	N	2	...	6 a.	29.65	753.1	...	...	E	2
Hakodate, ...	,,	29.65	753.2	...	...	W	2	...	,,	29.65	753.2	...	...	...	0
Tokio, ...	,,	29.67	753.6	...	...	E	2	...	,,	29.67	753.6	...	...	...	0
Kochi, ...	,,	29.68	753.8	...	...	E	2	...	,,	29.68	753.8	...	...	...	0
Nagasaki, ...	,,	29.68	753.8	...	...	S W	2	...	,,	29.68	753.8	...	...	...	0
Kagoshima, ...	,,	29.72	754.9	...	...	W	6	...	,,	29.68	753.9	...	...	...	0
Oshima, ...	,,	29.77	756.1	...	...	N	10	...	,,	29.73	755.1	...	...	S	2
Naha, ...	,,	29.77	756.2	...	...	S	2	...	,,	29.73	755.2	...	...	...	0
Ishigakijima, ...	,,	29.78	756.3	...	...	S	6	...	,,	29.70	754.3	...	...	S	6
Bonin Is.	,,	29.77	756.1	...	...	S W	2	...	,,	29.73	755.1	...	...	...	0
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	29.63	752.6	69	95	E	1
Weihaiwei, ...	,,	29.65	753.1	78	...	E	2	b	9 a.	29.62	752.3	72	...	E	2
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang.....	,,	29.62	752.3	81	87	S W	2	o	,,	29.58	751.3	80	91	...	0
Shanghai, ...	,,	29.59	751.6	81	83	E	3	o	9 a.	29.54	750.3	84	79	S W	2
Gutzlaff, ...	,,	29.56	750.8	76	100	N E	3	f	,,	29.51	749.5	78	95	S S W	2
Sharp Peak,.....	,,	29.62	752.3	89	96	S	4	b	,,	29.62	752.3	86	96	S	1
Amoy.....	,,	29.68	753.9	86	80	S W	3	b	6 a.	29.69	754.1	82	91	S E	1
Swatow, ...	,,	29.65	752.6	89	66	S	2	b	,,	29.70	754.4	80	91	...	0
Taihoku.....	1 p.	29.71	754.6	.	...	N	2	...	5 a.	29.69	754.1	...	...	S	2
Taichu, ...	,,	29.78	756.3	...	...	W	4	...	,,	29.73	755.1	...	...	...	0
Tainan,.....	,,	29.76	755.8	...	...	S W	8	...	,,	29.72	754.8	...	...	S E	2
Koshun.....	,,	29.77	756.2	...	...	S W	4	...	,,	29.71	754.6	...	...	S W	2
Pescadores, ...	,,	29.76	755.8	...	...	W	4	...	,,	29.70	754.4	...	...	S	2
Canton,.....	3 p.	29.73	755.1	91	74	S	2	c	9 a.	29.69	754.1	85	79	S S W	2
Hongkong, ...	4 p.	29.67	753.6	87	65	S	1	c	10 a.	29.69	754.1	86	71	W	1
Victoria Peak,...	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S W	3
Gap Rock,.....	,,	29.66	753.3	...	...	S S W	2	...	,,	29.68	753.9	...	...	S W	3
Macao, ...	,,	29.69	754.1	85	...	S S E	1	c	,,	29.71	754.6	86	...	S W	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.60	751.9	86	...	S E	4	c	8 a.	...	...	...	...	...	...
Tourane, ...	,,	29.64	752.9	97	...	S E	2	c	,,	...	...	...	...	...	...
Cape St. James,.	,,	29.74	755.3	73	...	W S W	3	or	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.76	755.9	88	...	S	1	o	6 a.	29.76	755.8	75	...	S	1
Manila, ...	4 p.	29.80	757	84	77	W S W	4	o	10 a.	29.80	757	77	92	...	0
Legaspi, ...	2 p.	29.79	756.7	91	...	S W	1	c	6 a.	29.83	757.7	79	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S E	2	o	9 a.	...	...	...	...	S E	2
Iloilo, ...	,,	29.85	758.2	84	...	S W	2	b	,,	29.89	759.2	82	...	S W	2
Cebu, ...	,,	29.80	756.9	87	...	S	1	b	,,	29.87	758.7	86	...	S	1
Labuan, ...	,,	29.80	756.9	85	...	...	...	...	,,	29.99	759.4	85	...	...	...

On the 14th at 11.45 a.—The barometer has risen slightly in the extreme North and fallen a little elsewher

A depression is moving Eastwards to the North of the Lower Yangtze.

Pressure is highest over the S. Philippines. It is below the normal elsewhere, particularly on the E. coa China and in Japan.

Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, moderate or fresh ; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 14th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	14TH JULY, 1908, P.M.								15TH JULY, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock,...	2 p.	29.65	753.0	73	...	...	2	c	7 a.	29.68	753.8	59	84	N	2	b
o,.....	,,	29.65	753.1	...	...	N E	2	...	6 a.	29.73	755.1	...	...	...	0	...
ate,.....	,,	29.65	753.2	...	...	S W	2	...	,,	29.73	755.2	...	...	W	2	...
.....	,,	29.59	751.6	...	...	S W	4	...	,,	29.71	754.6	...	...	N E	2	...
.....	,,	29.64	752.8	...	...	S E	4	...	,,	29.64	752.8	...	...	...	0	...
aki, ...	,,	29.64	752.8	...	...	S E	6	...	,,	29.56	750.8	...	...	S E	2	...
hima, ...	,,	29.68	753.9	...	...	...	0	...	,,	29.60	751.9	...	...	S E	2	...
a,.....	,,	29.65	753.1	...	...	S E	4	...	,,	29.61	752.1	...	...	...	0	...
.....	,,	29.69	754.2	...	...	S W	2	...	,,	29.62	752.2	...	...	S	2	...
kijima,....	,,	29.66	753.3	...	...	S W	6	...	,,	29.62	752.3	...	...	S W	4	...
ls.....	,,	29.69	754.1	...	...	S W	2	...	,,	29.73	755.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	...	...	...	...	...	...	...	9 a.	29.61	752.1	77	...	N E	1	o
w,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
ng,.....	,,	29.58	751.3	78	95	N W	1	or	,,	...	...	...	...	...	...	...
hai, ...	,,	29.50	749.3	90	66	W S W	2	c	9 a.	29.52	749.8	82	79	W N W	2	o
f.....	,,	29.49	749.0	82	91	S	1	cv	,,	29.48	748.8	77	100	W S W	2	om
Peak,.....	,,	29.53	750.0	88	96	S S E	3	b	,,	29.56	750.8	86	96	E N E	2	b
.....	,,	29.63	752.6	86	84	S E	3	b	6 a.	29.59	751.6	84	87	...	0	b
.....	,,	29.66	750.8	93	61	S	2	b	,,	29.70	754.4	80	91	N W	1	b
a.....	1 p.	29.63	752.5	.	...	W	2	...	5 a.	29.61	752.0	...	...	S	2	...
.....	,,	29.67	753.5	...	...	W	4	...	,,	29.65	753.1	...	...	S	2	...
.....	,,	29.68	753.8	...	...	S W	4	...	,,	29.65	753.2	...	...	E	2	...
n.....	,,	29.69	754.0	...	...	N W	6	...	,,	29.65	753.1	...	...	W	4	...
ores, ...	,,	29.67	753.6	...	...	S W	4	...	,,	29.63	752.6	...	...	S	2	...
.....	3 p.	29.60	751.8	94	68	S S W	2	b	9 a.	29.63	752.6	86	80	S	1	b
ong, ...	4 p.	29.61	752.1	87	68	S W	2	c	10 a.	29.65	753.1	85	75	W	1	c
a Peak,...	,,	...	...	...	...	S W	5	...	,,	...	...	...	...	S W	1	...
ock,.....	,,	29.61	752.1	...	...	S W	3	...	,,	29.61	752.1	...	...	S W	4	...
.....	,,	29.64	752.8	87	...	S	4	c	,,	29.66	753.3	86	...	S W	2	c
s.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.66	750.7	88	...	S S E	4	b	8 a.	29.62	752.2	84	...	...	2	c
e,.....	,,	29.65	755.2	88	...	...	0	c	,,	...	...	...	...	...	...	...
t. James,.	,,	29.72	755.0	82	...	S W	3	c	,,	29.85	758.2	79	...	W S W	5	f
.....	2 p.	29.72	754.9	88	...	S	1	o	6 a.	29.71	754.7	79	...	S	1	o
.....	4 p.	29.76	756	82	85	W S W	2	o	10 a.	29.80	757	84	77	S W	2	o
.....	2 p.	29.78	756.4	88	...	W	1	o	6 a.	29.77	756.2	79	...	W	1	c
.....	3 p.	...	...	...	...	S S E	1	o	9 a.	...	...	...	...	S S E	3	op
.....	,,	29.81	757.2	86	...	S W	2	o	,,	29.87	758.7	82	...	S W	4	o
.....	,,	29.79	756.6	87	...	S	3	c	,,	29.85	758.2	86	...	S	2	b
.....	,,	29.76	755.9	88	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

On the 15th at 12.20 p.—The barometer has risen slightly in E. Japan; and fallen elsewhere, particularly over ...apan and the Loochoos.

The depression, which affects a large area, is moving slowly Eastwards over the Yellow Sea.

Pressure is highest over the S. part of the China Sea.

Moderate to fresh S.W. winds may be expected in the Formosa Channel, and fresh to strong monsoon over the ...a Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	S.W. winds, moderate or fresh; fair.
ormosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 15th July, 1908.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	15th JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.70	754.3	76	...	N	1	c	7 a.	29.67	753.7	62	90	...	0
Nemuro,	,,	29.69	754.1	...	...	E	2	...	6 a.	29.85	758.1	...	...	S E	2
Hakodate,	,,	29.73	755.2	...	...	S	4	...	,,	29.77	756.2	...	...	...	0
Tokio,	,,	29.71	754.6	...	...	S E	4	...	,,	29.67	753.6	...	...	S E	2
Kochi,	,,	29.64	752.8	...	...	E	2	...	,,	29.52	749.8	...	...	...	0
Nagasaki,	,,	29.62	749.8	...	...	S W	2	...	,,	29.52	749.8	...	...	N W	4
Kagoshima,	,,	29.56	750.9	...	...	E	2	...	,,	29.56	750.9	...	...	W	4
Oshima,	,,	29.61	752.1	...	...	W	4	...	,,	29.65	753.1	...	...	...	0
Naha,	,,	29.61	752.2	...	...	S	6	...	,,	29.65	753.2	...	...	...	0
Ishigakijima,	,,	29.62	752.3	...	...	S	4	...	,,	29.62	752.3	...	...	S W	4
Bonin Is.	,,	29.73	755.1	...	...	E	2	...	,,	29.73	755.1	...	...	E	3
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.57	751.1	71	...	E	1	o	9 a.	29.68	753.9	74	...	E	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.68	753.9	90	63	W	1	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.60	749.3	87	65	W N W	3	c	9 a.	29.64	752.8	78	91	N	1
Gutzlaff,	,,	29.45	748.0	85	87	N W	1	cv	,,	29.59	751.6	79	91	N	2
Sharp Peak,	,,	29.61	749.5	87	92	S	4	b	,,	29.60	751.8	86	...	...	0
Amoy	,,	29.57	751.1	88	80	S E	3	c	6 a.	29.57	751.1	85	87	...	0
Swatow,	,,	29.61	749.5	93	61	S	2	b	,,	...	...	82	87	S W	1
Taiboku,	1 p.	29.59	751.7	.	...	W	2	...	5 a.	29.62	752.3	...	...	...	0
Taichu,	,,	29.63	752.7	...	...	W	4	...	,,	29.65	753.1	...	...	...	0
Tainan,	,,	29.64	752.8	...	...	S W	2	...	,,	29.63	752.7	...	...	S E	2
Koshun	,,	29.66	753.2	...	...	N W	6	...	,,	29.63	752.7	...	...	W	3
Pescadores,	,,	29.63	752.6	...	...	S	4	...	,,	29.62	752.3	...	...	W	4
Canton,	3 p.	29.63	752.6	96	65	S	1	b	9 a.	29.62	752.3	86	80	S S W	1
Hongkong,	4 p.	29.56	750.8	89	65	S W	1	c	10 a.	29.62	752.3	86	72	W	1
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	S W	1
Gap Rock,	,,	29.56	750.8	...	...	W S W	4	...	,,	29.58	751.3	...	...	W	3
Macao,	,,	29.59	751.6	88	...	S	1	c	,,	29.63	752.6	87	...	S S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	...	...	93	...	S	2	b	8 a.	29.58	751.2	88	...	S	2
Tourane,	,,	29.62	752.3	95	...	S E	2	c	,,	29.69	754.2	88	...	...	0
Cape St. James,	,,	29.75	755.6	86	...	W S W	3	o	,,	29.86	758.3	79	...	S W	3
Aparri,	2 p.	29.68	753.9	79	...	S W	1	p	6 a.	29.69	754.1	75	...	S	1
Manila,	4 p.	29.72	755	81	85	...	0	o	10 a.	29.76	756	82	85	S S W	2
Legaspi,	2 p.	29.75	755.7	88	...	W	1	o	6 a.	29.78	756.4	79	...	W	1
Bacolod,	3 p.	...	...	...	...	S S W	2	opr	9 a.	...	...	...	...	S S E	3
Iloilo,	,,	29.81	757.2	83	...	S W	4	c	,,	29.87	758.7	80	...	S W	4
Cebu,	,,	29.79	756.6	86	...	S	1	c	,,	29.85	758.2	86	...	S	1
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.88	758.9	79	...	...	...

On the 16th at 11.55 a.—The barometer has risen moderately over N.E. Japan and the E. coast of China, fallen slightly in S. Japan.

The depression is moving slowly Eastwards over W. Japan. The low pressure trough remains over Tong and S. China.

Pressure is highest over the S. part of the China Sea.

Moderate variable winds may be expected in the Formosa Channel, and fresh to strong monsoon over the C Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate to fresh; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 16th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ATION.	16TH JULY. 1908, P.M.								17TH JULY, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...rostock,...	2 p.	29.69	754.1	65	...	S	3	c	7 a.	29.71	754.5	61	89	S	3	o
...o.....	,,	29.85	758.1	...	...	S E	4	...	6 a.	29.65	753.1	...	...	E	6	...
...ate,.....	,,	29.73	755.2	...	...	E	6	...	,,	29.58	751.2	...	...	W	4	...
.....	,,	29.51	749.6	...	...	S	8	...	,,	29.55	750.6	...	...	...	0	...
.....	,,	29.48	748.8	...	...	...	0	...	,,	..	..	...	...	...	...	...
...ki.	,,	29.56	750.8	...	...	N	4	...	,,	29.64	752.8	...	...	N	2	...
...hima, ...	,,	29.56	750.9	...	...	W	6	...	,,	29.64	752.9	...	...	..	0	...
...a.....	,,	29.61	752.1	...	...	N W	4	...	,,	29.65	753.1	...	...	...	0	...
.....	,,	29.61	752.2	...	...	W	2	...	,,	29.65	753.2	...	...	...	0	...
...Hijima,....	,,	29.62	752.3	...	...	S	4	...	,,	29.66	753.3	...	...	W	6	...
...ls.....	,,	29.77	756.1	...	...	S W	2	...	,,	29.77	756.1	...	...	...	0	...
.....	3 p.	29.64	752.8	80	78	E N E	3	b	6 a.	29.68	753.9	70	95	S S E	2	b
...iwei.....	,,	29.64	752.8	78	...	E	1	b	9 a.	29.69	754.1	78	...	S E	1	b
...w.....	,,	29.72	754.9	84	96	W	1	or	6 a.	29.63	752.6	89	91	N E	2	c
...ng.....	,,	29.63	752.6	89	63	N E	2	b	,,	...	...	...	...	...	...	...
...ki.	,,	29.63	752.6	81	78	N N E	1	o	9 a.	29.69	754.1	74	86	E N E	1	o
...l.....	,,	29.57	751.1	79	87	N W	2	bv	,,	29.69	754.1	73	95	N E	3	om
...Peak,.....	,,	29.56	750.8	85	91	E	3	b	,,	29.65	753.1	85	96	N	1	b
.....	,,	29.54	750.3	85	83	S S E	3	b	6 a.	29.64	752.8	84	91	S E	1	o
...n.....	,,	29.56	750.8	92	70	S	2	b	,,	29.54	750.3	79	95	...	0	f
...n.....	1 p.	29.60	751.9	.	...	N W	2	...	5 a.	29.63	752.5	...	...	N W	2	...
.....	,,	29.62	752.4	...	...	W	2	...	,,	29.67	753.5	...	...	...	0	...
...s.....	,,	29.63	752.6	...	...	S W	2	...	,,	29.62	752.3	...	...	S E	4	...
...m.....	,,	29.65	753.0	...	...	S W	4	...	,,	29.65	753.0	...	...	S E	2	...
...dores, ...	,,	29.64	752.8	...	...	S E	4	...	,,	29.63	752.5	...	...	S E	4	...
...s.....	3 p.	29.54	750.3	95	68	S	2	b	9 a.	29.60	751.8	87	80	S	1	c
...ong, ...	4 p.	29.56	750.5	89	66	S	2	o	10 a.	29.61	752.1	84	73	W	1	c
...a Peak,...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	W S W	3	...
...ock,.....	,,	29.55	750.5	...	...	S W	3	...	,,	29.59	751.6	...	...	S W	2	...
.....	,,	29.58	751.3	87	...	S S E	1	c	,,	29.63	752.6	87	...	S E	1	c
...r,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...l.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.45	748.7	97	...	S	2	b	8 a.	29.52	749.9	90	...	S S W	5	b
...e.....	,,	29.65	753.2	97	...	...	0	c	,,	29.65	753.2	88	...	...	0	c
...t. James,.	,,	29.76	755.8	84	...	W S W	4	lt	,,	29.82	757.4	79	...	W S W	3	f
.....	2 p.	29.65	753.2	88	...	E	1	o	6 a.	29.69	754.2	77	...	S	1	o
.....	4 p.	29.76	756	75	100	W S W	2	q	10 a.	29.80	757	82	85	S W	3	o
.....	2 p.	29.75	755.7	90	...	W	1	c	6 a.	29.80	757.0	79	...	...	0	o
.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	o
.....	,,	29.81	757.2	84	...	S W	3	o	,,	29.87	758.7	82	...	S W	4	o
.....	,,	29.79	756.6	87	...	S	3	c	,,	29.87	758.7	86	...	S	2	b
.....	,,	29.79	756.6	86	...	...	...	...	,,	29.87	758.7	81	...	...	...	...

On the 17th at 11.55 a.—The barometer has fallen considerably in E. Japan owing to the depression which is moving Eastwards over that area.

Pressure has increased moderately to slightly over W. Japan and the E. coast of China, and given way slightly Tongking. It is highest over the S. part of the China Sea, and still low over S. China and Tongking.

Moderate S.E. winds may be expected in the Formosa Channel, and fresh to strong monsoon over the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ongkong and Neighbourhood, ...	S.W. to S. winds, moderate to fresh; squally, showery.
...rmosa Channel, ...	S.E. winds, moderate.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 17th July, 1908.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th JULY. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	18th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.72	754.9	66	...	S	3	c	7 a.	29.77	756.2	58	87	S	3
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	29.77	756.1	...	...	N	6
Hakodate, ...	,,	29.57	751.2	...	...	N	6	...	,,	29.77	756.2	...	...	E	2
Tokio, ...	,,	29.59	751.6	...	...	S	2	...	,,	29.71	754.6	...	...	N W	2
Kochi, ...	,,	29.60	751.8	...	...	N E	2	...	,,	29.68	753.8	...	...	...	0
Nagasaki, ...	,,	29.64	752.8	...	...	S E	4	...	,,	29.72	754.8	...	...	...	0
Kagoshima, ...	,,	29.64	752.9	...	...	N W	2	...	,,	29.72	754.9	...	...	N	2
Oshima, ...	,,	29.65	753.1	...	...	N E	4	...	,,	29.69	754.1	...	...	S	2
Naha, ...	,,	29.65	753.2	...	...	W	4	...	,,	29.69	754.2	...	...	...	0
Ishigakijima, ...	,,	29.70	754.3	...	...	W	6	...	,,	29.66	753.3	...	...	S	6
Bonin Is.	,,	29.77	756.1	...	...	S	6	...	,,	29.73	755.1	...	...	S	6
Chefoo.	3 p.	29.68	753.9	82	67	E	1	c	6 a.	29.70	754.4	71	95	S S W	2
Weihaiwei, ...	,,	29.68	753.9	81	...	E S E	2	ovr	9 a.	29.72	754.9	75	...	E	1
Hankow, ...	,,	29.60	750.8	87	76	E S E	2	c	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	29.57	751.1	91	63	...	0	o	,,	29.54	750.3	81	87	N E	1
Shanghai, ...	,,	29.67	753.6	78	82	E	2	o	9 a.	29.66	753.3	77	90	E S E	2
Gutzlaff, ...	,,	29.68	753.9	76	95	E	2	ov	,,	29.66	753.3	79	95	S E	4
Sharp Peak, ...	,,	29.63	752.6	85	96	E	1	b	,,	29.64	752.8	84	96	N	1
Amoy.	,,	29.63	752.6	86	87	S E	3	b	6 a.	29.60	751.8	84	91	S E	1
Swatow, ...	,,	29.59	751.6	83	83	E	2	c	,,	29.61	752.1	79	91	N W	1
Taiboku.	1 p.	29.64	752.9	.	...	N	6	...	5 a.	29.64	752.8	...	...	S	2
Taichu, ...	,,	29.65	753.0	...	...	W	4	...	,,	29.65	753.1	...	...	...	0
Tainan, ...	,,	29.66	753.2	...	...	S	6	...	,,	29.65	753.2	...	...	E	2
Koshun.	,,	29.67	753.7	...	...	S W	2	...	,,	29.67	753.6	...	...	S W	4
Pescadores, ...	,,	29.65	753.0	...	...	S E	4	...	,,	29.62	752.3	...	...	E	4
Canton, ...	3 p.	29.53	750.0	96	62	S S E	1	c	9 a.	29.62	752.3	87	84	S S E	2
Hongkong, ...	4 p.	29.57	751.1	87	73	S	2	o	10 a.	29.66	753.3	76	94	E	1
Victoria Peak, ...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	N	2
Gap Rock, ...	,,	29.55	750.5	...	...	S S W	3	...	,,	...	...	...	...	W S W	4
Macao, ...	,,	29.58	751.3	87	...	S S E	2	o	,,	29.63	752.6	84	...	S W	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.43	747.6	95	...	S	2	b	8 a.	...	...	90	...	S S W	6
Tourane, ...	,,	29.57	751.2	97	...	E	1	c	,,	...	...	...	...	...	...
Cape St. James, .	,,	29.75	756.6	81	...	N W	4	lt	,,	29.82	757.3	79	...	W	5
Aparri, ...	2 p.	29.69	754.1	90	...	S	1	o	6 a.	29.77	756.2	79	...	S W	1
Manila, ...	4 p.	29.76	756	84	77	S W	2	o	10 a.	29.84	758	84	77	S W	3
Legaspi, ...	2 p.	29.77	756.2	91	...	W	1	c	6 a.	29.86	758.3	79	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S	1
Iloilo, ...	,,	29.83	757.7	84	...	S W	3	b	,,	29.91	759.7	83	...	S W	3
Cebu, ...	,,	29.80	756.9	88	...	S	1	b	,,	29.89	759.2	86	...	S	1
Labuan, ...	,,	29.81	757.2	84	...	...	...	...	,,	29.84	757.9	83	...	...	...

On the 18th at 11.55 a.—The depression lying over E. Japan yesterday, has moved into the Pacific.

The barometer has risen moderately in Japan, and a slight rise has taken place also over the Philippines and S. coast of China. It has fallen slightly over the Yangtze valley.

An area of low pressure extend from Tongking, over S. China, to the Lower Yangtze. Pressure is highest the S. Philippines.

Strong monsoon may be expected in the China Sea, and variable winds in the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, fresh; squally, thunder storms.
2.—Formosa Channel, ...	Variable and S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 18th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	18TH JULY. 1908, P.M.								19TH JULY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
vostock,...	2 p.	...	...	59	...	S	3	o	7 a.	29.80	756.9	57	98	S E	5	or
,...	,,	29.81	757.1	...	...	N	8	...	6 a.	29.93	760.1	...	...	...	0	...
ate,...	,,	29.81	757.2	...	...	E	4	...	,,	29.89	759.2	...	...	S E	2	...
...	,,	29.71	754.6	...	...	N	4	...	,,	29.87	758.6	...	...	N	4	...
...	,,	29.68	753.8	...	...	S E	2	...	,,	29.80	756.8	...	...	...	0	...
ki. ...	,,	29.68	753.8	...	...	W	2	...	,,	29.80	756.8	...	...	...	0	...
hima, ...	,,	29.68	753.9	...	...	S	2	...	,,	29.80	756.9	...	...	N	2	...
...	,,	29.69	754.1	...	...	N	2	...	,,	29.78	755.1	...	...	...	0	...
...	,,	29.66	753.2	...	...	W	4	...	,,	29.69	754.2	...	...	...	0	...
ijima, ...	,,	29.70	754.3	...	...	S W	8	...	,,	29.66	753.3	...	...	S W	8	...
ls...	,,	29.73	755.1	...	...	S	4	...	,,	29.77	756.1	...	...	W	2	...
...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	,,
iwei,...	,,	29.69	754.1	81	...	S	2	o	9 a.	29.64	752.8	71	...	S E	4	o
w....	,,	29.61	752.1	85	79	W	1	o	6 a.	...	...	...	...	...	...	...
ng....	,,	29.51	749.5	95	59	S W	1	c	,,	...	...	...	...	...	...	...
ai. ...	,,	29.61	752.1	82	83	S E	2	o	9 a.	29.59	751.6	83	81	S S E	2	o
...	,,	29.62	752.3	78	95	S E	4	cm	,,	29.56	750.8	80	95	S S E	4	cm
Peak,...	,,	29.61	752.1	83	91	E N E	3	b	,,	29.61	752.1	82	96	S	1	or
...	,,	29.55	750.5	86	83	E N E	1	c	6 a.	29.64	752.8	81	91	S E	1	o
...	,,	29.57	751.1	81	91	S W	1	or	,,	29.68	753.9	78	91	S W	4	or
...	1 p.	29.64	752.8	.	...	N	4	...	5 a.	29.66	753.4	...	...	...	0	...
...	,,	29.66	753.3	...	...	W	4	...	,,	29.69	754.0	...	...	...	0	...
...	,,	29.70	754.4	...	...	S	4	...	,,	29.72	754.8	...	...	S E	2	...
...	,,	29.70	754.5	...	...	N W	6	...	,,	29.73	755.1	...	...	W	5	...
res, ...	,,	29.64	752.8	...	...	S	6	...	,,	29.69	754.0	...	...	S W	4	...
...	3 p.	29.61	752.1	80	70	S	1	o	9 a.	29.66	753.3	82	91	S E	1	o
ng, ...	4 p.	29.60	751.8	80	90	N W	1	od	10 a.	29.71	754.6	78	93	N N W	1	orlt
s Peak,...	,,	..	...	...	...	S S W	5	...	,,	...	...	...	...	...	...	...
ck,...	,,	29.56	750.8	...	...	S S W	4	...	,,	...	...	...	...	...	...	...
...	,,	29.60	751.8	83	...	S	1	od	,,	29.68	753.9	83	...	S W	3	oq
...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n...	4 p.	29.50	749.2	91	...	S E	1	c	8 a.	...	...	...	...	...	...	...
e....	,,	29.59	751.7	99	...	E S E	1	c	,,	...	...	...	...	...	...	...
James,.	,,	29.73	755.1	84	...	W S W	4	c	,,	...	...	...	...	...	...	...
...	2 p.	29.73	755.1	86	...	S	1	o	6 a.	29.78	756.3	77	...	S	1	o
...	4 p.	29.80	757	82	77	W S W	2	o	10 a.	29.84	758	86	71	S S E	1	c
...	2 p.	29.80	756.8	90	...	W	1	o	6 a.	...	...	...	...	...	...	...
...	3 p.	...	...	...	...	S S W	2	o	9 a.	...	...	...	...	S W	1	o
...	,,	29.81	757.2	86	...	S W	3	o	,,	29.91	759.7	83	...	S W	1	o
...	,,	29.80	756.9	87	...	S	3	c	,,	29.88	758.9	84	...	S	1	c
...	,,	29.77	756.1	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 19th at 12.05 p.—The barometer has fallen moderately on the E. and N.E. coasts of China, and risen rately to slightly over Japan and the S. coast of China respectively.
The depression is moving towards N.E. over the Lower Yangtze. Pressure is highest to the E. of Japan in the and over the S. Philippines in the South.
resh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	S.W. winds, fresh; squally, thunder storms.
rmosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 19th July, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.82	757.3	59	...	S E	3	f	7 a.	29.88	758.3	59	98	S E	3
Nemuro, ...	,,	29.96	761.1	...	...	S	6	...	6 a.	29.97	761.1	...	...	S W	6
Hakodate, ...	,,	29.93	760.2	...	...	S	10	...	,,	29.93	760.2	...	...	...	0
Tokio, ...	,,	29.91	759.6	...	...	...	0	...	,,	29.99	761.6	...	...	N W	2
Kochi, ...	,,	29.83	757.8	...	...	S	2	...	,,	29.88	758.8	...	...	S W	2
Nagasaki, ...	,,	29.76	755.8	...	...	S W	4	...	,,	29.84	757.8	...	...	...	0
Kagoshima, ...	,,	29.80	756.9	...	...	...	0	...	,,	29.84	757.9	...	...	N E	6
Oshima, ...	,,	29.73	755.1	...	...	S E	4	...	,,	29.77	756.1	...	...	...	0
Naha, ...	,,	29.69	754.2	...	...	N	4	...	,,	29.73	755.2	...	...	...	0
Ishigakijima, ...	,,	29.66	753.3	...	...	S	2	...	,,	29.70	754.3	...	...	...	0
Bonin Is.	,,	29.77	756.1	...	...	S W	4	...	,,	29.89	759.1	...	...	...	0
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	29.58	751.3	69	...	S E	5	o	9 a.	29.59	751.6	72	...	E S E	1
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	29.60	751.8	80	91	...	0
Shanghai, ...	,,	29.54	750.3	90	70	S E	3	c	9 a.	29.58	751.3	85	79	S	3
Gutzlaff, ...	,,	29.56	750.8	81	100	S S E	4	cm	,,	29.60	751.8	81	96	S	3
Sharp Peak, ...	,,	29.55	750.5	86	88	S	5	b	,,	29.67	753.6	84	96	S S E	1
Amoy, ...	,,	29.62	752.3	89	69	S E	1	c	6 a.	29.67	753.6	83	91	S S E	1
Swatow, ...	,,	29.63	752.6	88	87	S W	2	c	,,	29.68	753.9	77	91	S W	1
Taihoku, ...	1 p.	29.65	753.0	..	...	W	4	...	5 a.	29.71	754.5	...	...	S	2
Taichu, ...	,,	29.70	754.5	...	...	S W	6	...	,,	29.74	755.4	...	...	S W	3
Tainan, ...	,,	29.74	755.5	...	...	S W	6	...	,,	29.78	756.5	...	...	E	4
Koshun, ...	,,	29.74	755.5	...	...	N W	4	...	,,	29.78	756.3	...	...	N	4
Pescadores, ...	,,	29.72	755.0	...	...	W	4	...	,,	29.74	755.4	...	...	S	4
Canton, ...	3 p.	29.60	751.8	89	77	S E	1	c	9 a.	29.70	754.4	83	87	S	1
Hongkong, ...	4 p.	29.63	752.6	82	87	S W	1	o	10 a.	29.72	754.9	85	81	S W	1
Victoria Peak, ...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	4
Gap Rock, ...	,,	29.61	752.1	...	...	S S W	6	...	,,	29.67	753.6	...	...	S S W	5
Macao, ...	,,	29.63	752.6	84	...	S	2	o	,,	29.73	755.1	84	...	W S W	2
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.63	750.1	90	...	S	3	c	8 a.	29.63	752.5	86	...	S	4
Tourane, ...	,,	29.63	752.6	91	...	E	3	c	,,	29.69	754.2	90	...	...	0
Cape St. James, .	,,	29.74	755.3	84	...	S W	5	c	,,	29.86	758.3	79	...	S W	1
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.80	757	86	79	W S W	2	o	10 a.	29.88	759	86	71	S W	1
Legaspi, ...	2 p.	29.80	757.0	93	...	W	1	c	6 a.	29.88	759.0	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	S W	1
Iloilo, ...	,,	29.85	758.2	85	...	S W	2	...	,,	29.93	760.2	83	...	S W	2
Cebu, ...	,,	29.82	757.4	87	...	S	1	c	,,	29.92	759.9	84	...	...	0
Labuan, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.89	759.2	82	...	...	...

On the 20th at 11.55 a.—The barometer has fallen slightly on the N.E. coast of China, and risen a little e where.

The depression is moving northwards over Shangtung.

Pressure is high to the E. of Japan in the North, and over the S. part of the China Sea in the South.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. and S. winds, fresh; squally, showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 20th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ATION.	20TH JULY, 1908, P.M.								21ST JULY, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...vostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
...o,.....	,,	29.89	759.1	...	...	W	4	...	6 a.	30.01	762.1	...	...	N E	6	...
...ate,.....	,,	29.93	760.2	...	...	S E	4	...	,,	29.97	761.2	...	...	S E	4	...
.....	,,	29.91	759.6	...	...	S E	4	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	29.83	757.8	...	...	...	0	...	,,	29.84	757.8	...	...	S W	2	...
...ki, ...	,,	29.80	756.8	...	...	S E	4	...	,,	29.80	756.8	...	...	...	0	...
...hima, ...	,,	29.80	756.9	...	...	S W	4	...	,,	29.80	756.9	...	...	N E	2	...
...a,.....	,,	29.77	756.1	...	...	S E	4	...	,,	29.77	756.1	...	...	S	2	...
.....	,,	29.69	754.2	...	...	N E	4	...	,,	29.69	754.2	...	...	...	0	...
...kijima, ...	,,	29.70	754.3	...	...	N E	2	...	,,	29.62	752.3	...	...	N E	2	...
...ls.....	,,	29.89	759.1	...	...	S E	4	...	,,	29.93	760.1	...	...	S E	4	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...iwei,.....	,,	29.57	751.1	75	...	S	1	o	9 a.	...	...	...	...	...	...	...
...w, ...	,,	...	...	...	...	...	...	...	6 a.	29.58	751.3	82	100	S E	1	b
...ng,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ai, ...	,,	29.53	750.0	91	74	S	1	c	9 a.	29.59	751.6	89	73	S S W	2	c
...ff.	,,	29.57	751.1	82	91	S S E	2	bm	,,	29.60	751.8	81	91	S	3	cm
...Peak,.....	,,	29.61	752.1	86	87	S	4	b	,,	29.64	752.8	85	100	..	0	o
.....	,,	29.65	753.1	87	80	S W	2	c	6 a.	29.68	753.9	80	91	S W	1	c
...w.....	,,	29.64	752.8	81	91	...	0	o	,,	29.67	753.6	80	96	S W	1	o
...n.....	1 p.	29.71	754.6	..	...	W	2	...	5 a.	29.67	753.7	...	...	S W	2	...
.....	,,	29.78	756.4	...	...	S E	2	...	,,	29.73	755.2	...	...	S	2	...
.....	,,	29.79	756.6	...	...	S	4	...	,,	29.75	755.5	...	...	S	2	...
...n.....	,,	29.78	756.5	...	...	N W	4	...	,,	29.75	755.6	...	...	N W	2	...
...lores, ...	,,	29.77	756.1	...	...	S E	6	...	,,	29.73	755.0	...	...	S	4	...
.....	3 p.	29.66	753.3	87	84	S S E	2	o	9 a.	29.71	754.6	85	87	S	1	o
...ong, ...	4 p.	29.67	753.6	83	80	S S W	2	o	10 a.	29.73	755.1	83	83	S W	1	op
...a Peak,...	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	7	...
...ock,.....	,,	29.65	753.1	...	...	W	6	...	,,	29.70	754.4	...	...	S W	4	...
.....	,,	29.68	753.9	86	...	S S W	3	c	,,	29.73	755.1	82	...	S	2	od
...s.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.67	751.0	88	...	S E	4	lt	8 a.	29.67	753.5	84	...	S	4	c
...ne, ...	,,	29.65	753.1	91	...	N	2	c	,,	29.72	754.8	90	...	N W	1	c
...t. James,..	,,	29.75	755.7	84	...	S W	4	c	,,	29.86	758.5	79	...	S W	4	c
.....	2 p.	29.78	756.4	88	...	S	1	o	6 a.	29.81	757.2	79	...	S	1	o
...k.....	4 p.	29.80	757	86	71	S W	3	o	10 a.	29.88	759	86	71	W	1	o
...ai,.....	2 p.	29.82	757.4	93	...	W	1	b	6 a.	29.88	758.8	77	...	...	0	c
...d,.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	1	o
.....	,,	29.85	758.2	86	...	S W	1	o	,,	29.91	759.7	83	...	S W	1	c
.....	,,	29.81	757.2	87	...	S	1	c	,,	29.89	759.2	85	...	S	...	c
.....	,,	29.79	756.6	87	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 21st at 12.05 p.—The barometer has fallen slightly over S. Japan, the Loochoos and Formosa, and risen ...le in Tongking.
Pressure remains low over N. China, and there are indications of the existence of a slight depression to the S.E. ...eiaco Sima islands.
Pressure is still high to the E. of Japan and over the S. part of the China Sea.
Variable winds may be expected in the Formosa Channel, and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ongkong and Neighbourhood, ...	S.W. winds, fresh; squally, thunder showers.
...ormosa Channel, ...	Variable winds, fresh.
...outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 21st July, 1908.

...nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	21st JULY, 1908, P.M.								22nd JULY, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.91	759.6	...	...	S	4	o	7 a.	29.87	758.6	58	96	S	4
Nemuro,	,,	29.96	761.1	...	...	S E	2	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.97	761.2	...	...	S	6	...	,,	...	...	...	...	...	...
Tokio,	,,	29.87	758.6	...	...	S	2	...	,,	...	...	...	...	...	...
Kochi,	,,	29.76	755.8	...	...	S	4	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	S W	4	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.76	755.9	...	...	S E	2	...	,,	...	...	...	...	...	...
Oshima,	,,	29.69	754.1	...	...	S E	4	...	,,	...	...	...	...	...	...
Naha,	,,	29.65	753.2	...	...	E	6	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.66	753.3	...	...	N	8	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.89	759.1	...	...	S E	6	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.59	751.6	76	95	S E	1
Weihaiwei,	,,	29.65	759.5	82	...	E	1	o	9 a.	29.56	750.8	79	...	E	1
Hankow,	,,	29.64	752.8	95	68	W	1	c	6 a.	29.60	751.8	83	100	...	0
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	80	96	...	0
Shanghai,	,,	29.56	750.8	84	91	W S W	1	c	9 a.	29.59	751.6	87	76	S	1
Gutzlaff,	,,	29.58	751.3	84	91	S S E	1	cm	,,	29.59	751.6	81	91	S S E	2
Sharp Peak,	,,	29.57	751.1	86	91	S	2	b	,,	29.60	751.8	84	100	...	0
Amoy,	,,	29.59	751.6	87	80	S W	2	b	6 a.	29.59	751.6	81	91	S W	1
Swatow,	,,	29.64	752.8	81	87	S W	2	or	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.65	753.1	..	...	W	6	...	6 a.	29.64	752.9	...	...	S	2
Taichu,	,,	29.75	755.6	...	...	S W	2	...	,,	29.68	753.8	...	...	S	2
Tainan,	,,	29.76	755.8	...	...	S	4	...	,,	29.69	754.0	...	...	S E	4
Koshun	,,	...	...	...	...	...	...	...	,,	29.70	754.4	...	...	N W	4
Pescadores,	,,	29.73	755.1	...	...	S	6	...	,,	29.65	753.2	...	...	S E	6
Canton,	3 p.	29.66	753.3	86	84	S	1	o	9 a.	29.67	753.6	80	91	...	0
Hongkong,	4 p.	29.66	753.3	83	81	S	1	o	10 a.	29.67	753.6	78	97	E	1
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S W	6
Gap Rock,	,,	29.64	752.8	...	...	W S W	4	...	,,	29.64	752.8	...	...	S S W	4
Macao,	,,	29.68	753.9	84	...	S	1	od	,,	29.69	754.1	79	...	S S E	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.5	88	...	S S E	3	lt	8 a.	29.66	753.3	84	...	S S W	0
Tourane,	,,	29.65	753.1	97	...	N	2	c	,,	29.75	755.6	88	...	...	0
Cape St. James,	,,	29.76	755.8	84	...	S W	4	c	,,	29.86	758.3	79	...	S W	1
Aparri,	2 p.	29.76	755.9	88	...	S	1	o	6 a.	29.77	756.1	81	...	S W	1
Manila,	4 p.	29.80	757	86	71	W S W	3	o	10 a.	29.84	758	82	85	...	0
Legaspi,	2 p.	29.80	757.0	90	...	W	1	b	6 a.	29.84	757.9	77	...	W	1
Bacolod,	3 p.	...	...	...	...	E S E	1	od	9 a.	...	...	...	...	W N W	1
Iloilo,	,,	29.85	758.2	85	...	S W	1	o	,,	29.91	759.7	83	...	S W	2
Cebu,	,,	29.82	757.4	86	...	S	1	c	,,	29.89	759.2	85	...	S	1
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.86	758.4	83	...	...	...

On the 22nd at 12.15 p.—The barometer has fallen slightly over S. China, Formosa and the Philippines.
The depression was lying to the South of the Loochoos yesterday afternoon.
Pressure remains low over N. China. It is highest over the S. part of the China Sea.
Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh; squally, thunder showers.
2.—Formosa Channel,	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 22nd July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	22ND JULY, 1908, P.M.								23RD JULY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
...ostock,...	2 p.	29.76	756.0	60	...	S	4	o	7 a.	29.72	754.9	61	91	S	5	o
...o,.....	,,	29.89	759.1	...	...	S E	6	...	6 a.	29.97	761.1	...	...	S	4	...
...ate,.....	,,	29.85	758.2	...	...	S E	6	...	,,	29.89	759.2	...	...	E	4	...
.....	,,	29.71	754.6	...	...	S E	2	...	,,	29.79	756.6	...	...	N W	2	...
.....	,,	29.72	754.8	...	...	N E	4	...	,,	29.76	755.8	...	...	...	0	...
...ki, ...	,,	29.68	753.8	...	...	S W	2	...	,,	29.76	755.8	...	...	...	0	...
...ima, ...	,,	29.72	754.9	...	...	S	2	...	,,	29.76	755.9	...	...	N E	2	...
.....	,,	29.65	753.1	...	...	S	4	...	,,	29.69	754.1	...	...	S	2	...
.....	,,	29.61	752.2	...	...	S	4	...	,,	29.69	754.2	...	...	S	2	...
...ijima, ...	,,	29.62	752.3	...	...	S W	8	...	,,	29.66	753.3	...	...	S W	8	...
...s.....	,,	29.89	759.1	...	...	S E	4	...	,,	29.93	760.1	...	...	S E	4	...
.....	3 p.	29.52	749.8	77	87	E	1	b	6 a.	...	...	...	...	...	...	...
...wei,.....	,,	29.56	750.8	78	...	N	1	b	9 a.	29.63	752.6	71	...	N	1	b
...w.....	,,	...	...	...	...	...	...	...	6 a.	29.57	751.1	84	88	...	0	b
...og.....	,,	...	...	...	...	...	...	...	..	29.61	752.1	85	87	...	0	b
...ai.	,,	29.55	750.5	83	83	E	1	o	9 a.	29.61	752.1	87	76	S S E	2	c
...t	,,	29.58	751.3	84	87	S S E	3	cm	,,	29.63	752.6	82	96	S E	2	cm
...ak,.....	,,	...	...	...	...	...	...	...	,,	29.65	753.1	82	96	S	3	c
.....	,,	29.55	750.5	86	84	S E	4	c	6 a.	29.60	751.8	83	87	...	0	c
...w.....	,,	29.57	751.1	84	75	S W	2	c	..	29.61	752.1	78	86	S W	2	c
...u.....	1 p.	29.62	752.3	.	...	...	0	...	6 a.	29.65	753.0	...	...	N W	2	...
.....	,,	29.65	753.1	...	...	S W	6	...	,,	29.67	753.7	...	...	...	0	...
.....	,,	29.68	753.9	...	...	S	4	...	,,	29.71	754.7	...	...	S E	2	...
...n.....	,,	29.69	754.2	...	...	E	10	...	,,	29.73	755.1	...	...	S W	6	...
...lores, ...	,,	29.67	753.5	...	...	S	6	...	,,	29.66	753.4	...	...	S	6	...
...s.....	3 p.	29.58	751.3	87	88	...	0	o	9 a.	...	...	...	...	...	...	...
...ong, ...	4 p.	29.63	752.6	77	91	...	0	od	10 a.	29.68	753.9	76	96	S S E	1	or
...a Peak,...	,,	...	...	...	...	S S W	7	...	,,	...	...	...	...	S S W	5	...
...ock,.....	,,	29.59	751.6	...	...	S S W	6	...	,,	29.65	753.1	...	...	S S W	3	...
.....	,,	29.64	752.8	80	...	S E	2	or	,,	29.66	753.3	79	...	S E	2	od
...s.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...i.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.59	751.6	88	...	S	2	c	8 a.	...	...	...	...	...	...	...
...e.....	,,	29.63	752.7	91	...	S E	2	c	,,	...	...	...	...	...	...	...
...t. James,.	,,	29.74	755.3	82	...	S W	4	c	,,	...	...	...	...	...	...	...
...s.....	2 p.	29.74	755.4	86	...	S W	1	o	6 a.	29.79	756.6	77	...	S	1	o
.....	4 p.	29.76	756	84	77	W S W	3	o	10 a.	29.84	758	79	100	N N W	1	c
...l.....	2 p.	29.78	756.3	91	...	W	1	o	6 a.	29.84	758.0	75	...	...	0	b
...l.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.81	757.2	87	...	S W	2	c	,,	29.87	758.7	84	...	S W	1	c
.....	,,	29.79	756.6	83	...	S	1	c	,,	29.86	758.4	86	...	S	1	b
...h.....	,,	29.75	755.6	86	...	...	...	...	,,	29.87	758.7	79	...	...	...	...

On the 23rd at 12.05 p.—The barometer has risen slightly over Japan and the E. coast of China, and fallen ...erately in Wladiwostok.

Pressure remains low over Central and Northern China. It is high over the Pacific to the E. of Japan.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 4.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ongkong and Neighbourhood, ...	S.W. winds, fresh; squally, thunder showers.
...ormosa Channel, ...	S. winds, fresh.
...outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 23rd July, 1908.

...inted by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JULY. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.77	756.1	61	...	S E	6	or	7 a.	29.69	754.2	60	91	S E	3
Nemuro, ...	,,	30.00	762.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	S	4
Hakodate, ...	,,	29.89	759.2	...	...	E	8	...	,,	29.93	760.2	...	...	E	4
Tokio, ...	,,	29.87	758.6	...	...	N	2	...	,,	29.95	760.6	...	...	...	0
Kochi, ...	,,	29.76	755.8	...	...	E	4	...	,,	29.88	758.8	...	...	...	0
Nagasaki, ...	,,	29.72	754.8	...	...	N	2	...	,,	29.80	756.8	...	...	S	...
Kagoshima, ...	,,	29.76	755.9	...	...	S	4	...	,,	29.84	757.9	...	...	S	2
Oshima, ...	,,	29.73	755.1	...	...	S	6	...	,,	29.85	758.1	...	...	S W	2
Naha, ...	,,	29.73	755.2	...	...	S	4	...	,,	29.85	758.2	...	...	S	2
Ishigakijima, ...	,,	29.74	755.3	...	...	S W	8	...	,,	29.78	756.3	...	...	S	8
Bonin Is.	,,	29.96	761.1	...	...	S	4	...	,,	30.01	762.1	...	...	S	2
Chefoo, ...	3 p.	29.55	750.5	87	76	S E	1	b	6 a.	29.71	754.6	72	85	N W	1
Weihaiwei, ...	,,	29.62	752.3	86	...	N E	1	b	9 a.	29.68	753.9	79	...	N E	1
Hankow, ...	,,	29.60	751.8	94	68	...	1	b	6 a.	29.60	751.8	84	96	S E	1
Kiukiang.....	,,	...	...	...	...	...	...	...	,,	29.60	751.8	80	87	N E	1
Shanghai, ...	,,	29.59	751.6	92	70	S E	2	c	9 a.	29.62	752.3	87	73	S	1
Gutzlaff, ...	,,	29.60	751.8	84	87	S E	3	c	,,	29.64	752.8	81	91	S	...
Sharp Peak.....	,,	29.60	751.8	84	83	S	4	b	,,	29.73	755.1	80	87	S	4
Amoy.....	,,	29.63	752.6	84	83	S E	2	b	6 a.	29.73	756.1	79	91	S E	4
Swatow, ...	,,	29.58	751.3	80	91	S S W	2	or	,,	...	...	...	...	...	...
Taihoku,.....	1 p.	29.68	753.8	..	...	S	4	...	5 a.	29.76	755.9	...	...	...	0
Taichu, ...	,,	29.73	755.2	...	...	S	4	...	,,	29.87	758.7	...	...	S	6
Tainan,.....	,,	29.76	755.9	...	...	S E	6	...	,,	29.86	758.4	...	...	E	2
Koshun.....	,,	29.80	756.8	...	...	W	6	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	29.71	754.7	...	...	S	6	...	,,	29.80	756.9	...	...	S	6
Canton,.....	3 p.	29.61	752.1	80	100	S E	1	o	9 a.	29.72	754.9	84	96	S E	1
Hongkong, ...	4 p.	29.67	753.6	77	93	...	0	od	10 a.	29.74	755.4	80	91	S	3
Victoria Peak,...	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	6
Gap Rock,.....	,,	29.63	752.6	...	...	S S W	5	...	,,	29.69	754.1	...	...	S S W	6
Macao, ...	,,	29.67	753.6	77	...	S S E	2	or	,,	29.73	755.1	81	...	S	3
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.54	750.3	86	...	S W	5	c	8 a.	29.68	753.8	77	...	N W	1
Tourane, ...	,,	29.74	755.5	97	...	S W	2	c	,,	29.79	756.7	86	...	...	0
Cape St. James,.	,,	29.77	756.1	64	...	S S W	5	c	,,	29.91	759.6	81	...	S W	2
Aparri, ...	2 p.	29.76	756.0	88	...	N E	1	o	6 a.	29.86	758.4	77	...	S	1
Manila, ...	4 p.	29.80	757	86	71	W S W	4	c	10 a.	29.92	760	86	71	...	0
Legaspi, ...	2 p.	29.78	756.3	95	...	W	1	b	6 a.	29.87	758.7	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S S W	1
Iloilo, ...	,,	29.81	757.2	82	...	S W	2	b	,,	29.93	760.2	83	...	S W	3
Cebu, ...	,,	29.79	756.6	86	...	S	0	b	,,	29.92	759.9	85	...	S	1
Labuan, ...	,,	29.77	756.1	86	...	...	...	...	,,	29.95	760.7	83	...	...	...

On the 24th at 11.55 a.—The barometer has risen generally, except over the Yangtze Valley and in Wladivos

Areas of low pressure are lying over the Yangtze Valley, and E. Manchuria; and high pressure covers Pacific to the E. and S.E. of Japan.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, fresh or strong; squally, showery.
2.—Formosa Channel, ...	S. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 24th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	24th JULY, 1908, P.M.								25th JULY, 1908, A.M.							
	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	29.96	761.1	...	...	S	8	...	6 a.	29.59	759.1	...	...	S	6	...
te,.....	,,	29.89	759.2	...	...	S E	4	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	29.94	760.6	...	...	S	6	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	29.87	758.8	...	...	S E	2	...	,,	29.91	759.8	...	...	...	0	...
ki,.....	,,	29.83	757.8	...	...	S W	6	...	,,	29.88	758.8	...	...	S W	6	...
ima,.....	,,	29.88	758.9	...	...	S E	2	...	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.89	759.1	...	...	S	6	...	,,	29.93	760.1	...	...	...	0	...
.....	,,	29.89	759.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0	...
ijima,....	,,	29.82	757.3	...	...	S	6	...	,,	29.82	757.3	...	...	S E	6	...
Is.....	,,	30.00	762.1	...	...	...	1	...	,,	30.01	762.1	...	...	...	0	...
.....	3 p.	29.56	750.8	88	73	S S W	5	b	6 a.	...	...	...	...	...	...	...
wei.....	,,	29.57	761.1	86	...	S W	2	b	9 a.	29.62	762.3	80	...	S E	1	b
w,.....	,,	...	...	...	...	...	...	...	6 a.	29.65	763.1	85	96	S E	1	b
ng.....	,,	...	...	...	...	...	...	...	,,	29.67	763.6	81	83	...	0	b
ai.....	,,	29.57	761.1	91	70	S W	1	b	9 a.	29.68	763.9	88	73	S S E	2	c
,.....	,,	29.62	762.3	85	87	S	2	bm	,,	29.69	764.1	81	96	S	2	cm
Peak,.....	,,	29.68	763.9	83	83	S S W	4	c	,,	29.80	766.9	82	87	S S E	3	b
.....	,,	29.75	765.6	83	87	S E	5	b	6 a.	29.79	766.6	80	91	...	0	c
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	1 p.	29.77	766.2	..	...	S E	2	...	5 a.	29.84	767.9	...	...	S W	2	...
.....	,,	29.82	767.3	...	...	W	2	...	,,	29.84	767.8	...	...	...	0	...
.....	,,	29.84	767.9	...	...	S	6	...	,,	29.83	767.6	...	...	E	2	...
.....	,,	29.84	768.0	...	...	W	4	...	,,	29.83	767.7	...	...	N	4	...
ues,.....	,,	29.82	767.3	...	...	S	6	...	,,	29.82	767.4	...	...	S E	2	...
.....	3 p.	29.86	768.4	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ong,.....	4 p.	29.71	764.6	82	90	S E	2	oq	10 a.	29.79	766.6	83	84	S	2	oqt
a Peak,...	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S S E	6	...
ck,.....	,,	29.68	763.9	...	...	S S W	5	...	,,	29.75	765.6	...	...	S S W	4	...
.....	,,	29.72	764.9	79	...	S W	2	od	,,	29.78	766.4	81	...	S	2	o
,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	4 p.	29.63	752.7	81	...	N N W	2	o	8 a.	...	...	...	...	...	...	...
e.....	,,	29.70	754.5	95	...	...	0	c	,,	...	...	...	...	...	...	...
James,.	,,	29.83	757.8	77	...	S W	4	lt	,,	...	...	...	...	...	...	...
.....	2 p.	29.85	758.2	90	...	N E	1	o	6 a.	29.82	757.5	75	...	S W	1	o
.....	4 p.	29.80	757	84	77	W S W	3	o	10 a.	29.88	759	84	71	W	1	o
.....	2 p.	29.84	767.9	90	...	W	1	o	6 a.	29.87	758.6	77	...	...	0	o
.....	3 p.	...	...	...	...	W S W	2	ct	9 a.	...	...	...	...	S S W	2	o
.....	,,	29.85	758.2	86	...	...	0	or	,,	29.87	758.7	83	...	N E	1	c
.....	,,	29.82	757.4	86	...	S	1	c	,,	29.87	758.7	83	...	S	2	c
.....	,,	29.83	757.7	79	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 25th at 12.10 p.—The barometer has risen slightly over S. China, and fallen moderately to slightly over Japan and the Philippines respectively.

Pressure remains low over N. China, and high over the Pacific in the neighbourhood of the Bonins.

Fresh to moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	S. winds, fresh or moderate; squally, showery.
rmosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 25th July, 1908.

ated by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JULY, 1908, P.M.								26th JULY, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.66	753.4	65	...	S	4	f	7 a.	29.53	750.0	64	99	...	0
Nemuro,	,,	29.81	757.1	...	...	S	8	...	6 a.	29.81	757.1	...	...	S	6
Hakodate,	,,	29.81	757.2	...	...	S	6	...	,,	29.69	754.2	...	...	S W	6
Tokio,	,,	29.83	757.6	...	...	S	4	...	,,	29.87	758.6	...	...	...	0
Kochi,	,,	29.91	759.8	...	...	E	2	...	,,	29.88	758.8	...	...	...	0
Nagasaki,	,,	29.87	758.8	...	...	S	6	...	,,	29.88	758.8	...	...	S W	8
Kagoshima,	,,	29.92	759.9	...	...	S E	2	...	,,	29.92	759.9	...	...	S	2
Oshima,	,,	29.93	760.1	...	...	S	6	...	,,	29.93	760.1	...	...	...	0
Naha,	,,	29.85	758.2	...	...	S E	4	...	,,	29.89	759.2	...	...	...	0
Ishigakijima,	,,	29.82	757.3	...	...	E	6	...	,,	29.82	757.3	...	...	E	6
Bonin Is.	,,	30.00	762.1	...	...	N	2	...	,,	29.97	761.1	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.65	753.1	76	...	S W	1
Weihaiwei,	,,	29.60	751.8	81	...	S E	1	r	9 a.	29.56	750.8	82	...	W	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.71	754.6	93	67	S	1
Kiukiang,	,,	29.67	753.6	91	67	E	1	o	,,	29.70	754.4	81	87	...	0
Shanghai,	,,	29.69	754.1	80	87	...	0	o	9 a.	29.74	756.4	87	73	S	2
Gutzlaff,	,,	29.70	754.4	82	96	S S W	1	om	,,	29.73	755.1	82	87	S	3
Sharp Peak,	,,	29.76	755.9	84	91	S	2	b	,,	29.78	756.4	84	91	N	1
Amoy,	,,	29.77	756.1	83	87	S E	2	c	6 a.	29.75	755.6	82	96	...	0
Swatow,	,,	29.74	755.4	82	87	S E	2	b	,,	29.74	755.4	78	95	...	0
Taihoku,	1 p.	29.82	757.3	.	...	N W	6	...	5 a.	29.77	756.2	...	...	...	0
Taichu,	,,	29.81	757.1	...	...	N W	4	...	,,	29.75	755.7	...	...	...	0
Tainan,	,,	29.82	757.5	...	...	W	4	...	,,	29.75	755.5	...	...	N	6
Koshun,	,,	29.82	757.5	...	...	N	4	...	,,	29.71	754.7	...	...	N E	6
Pescadores,	,,	29.83	757.7	...	...	W	2	...	,,	29.76	755.9	...	...	N	2
Canton,	3 p.	29.71	754.6	81	100	...	0	o	9 a.	29.74	755.4	84	96	S E	1
Hongkong,	4 p.	29.73	755.1	83	83	S	1	o	10 a.	29.77	756.1	84	83	...	0
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	1
Gap Rock,	,,	29.72	754.9	...	...	S S W	3	...	,,	29.73	755.1	...	...	S	3
Macao,	,,	29.74	755.4	83	...	S S W	2	o	,,	29.77	756.1	85	...	S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.60	751.8	72	...	N	...	o	8 a.	29.67	753.5	81	...	S	4
Tourane,	,,	29.71	754.7	95	...	N W	2	c	,,	29.78	756.4	88	...	...	0
Cape St. James,	,,	29.80	757.0	84	...	S W	4	c	,,	29.88	758.9	81	...	W N W	2
Aparri,	2 p.	29.80	756.9	79	...	S	1	o	6 a.	29.69	754.2	75	...	S	2
Manila,	4 p.	29.84	758	75	91	W	3	...	10 a.	...	...	...	...	...	...
Legaspi,	2 p.	29.81	757.1	82	...	W	1	o	6 a.	29.81	757.1	75	...	...	0
Bacolod,	3 p.	...	...	...	...	W N W	3	o	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.85	758.2	82	...	N N E	1	o	,,	29.87	758.7	82	...	...	0
Cebu,	,,	29.82	757.4	84	...	N	1	c	,,	29.87	758.7	85	...	S	1
Labuan,	,,	29.80	756.9	88	...	...	...	...	,,	29.90	759.4	83	...	...	...

On the 26th at 11.45 a.—The barometer has fallen moderately over Formosa and Luzon owing to the appear of a depression in the neighbourhood of the Balingtang Channel.

Pressure has given way also over the N. part of the Sea of Japan, another depression, which appears to be a ing Eastwards, being shown over E. Manchuria.

High pressure still covers the Pacific in the neighbourhood of the Bonins.

N.E. winds, probably freshening, may be expected in the Formosa Channel, and moderate or fresh var winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds, moderate; fair.
2.—Formosa Channel, ...	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks, ..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 26th July, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	26TH JULY, 1908. P.M.								27TH JULY, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
...estock,...	2 p.	29.50	749.2	78	...	S E	2	b	7 a.	29.58	751.3	65	...	...	0	f
...e,.....	,,	29.73	755.1	...	...	S	6	...	6 a.	29.69	754.1	...	...	S	4	...
...ate,.....	,,	29.69	754.2	...	...	S W	2	...	,,	29.73	755.2	...	...	S W	6	...
.....	,,	29.83	757.6	...	...	S W	4	...	,,	29.83	757.6	...	...	N	2	...
.....	,,	29.87	758.8	...	...	S E	4	...	,,	29.91	759.8	...	...	S	2	...
...ki, ...	,,	29.87	758.8	...	...	S W	6	...	,,	29.91	759.8	...	...	S W	2	...
...ima, ...	,,	29.92	759.9	...	...	S W	4	...	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.93	760.1	...	...	S	4	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	29.89	759.2	...	...	S E	4	...	,,	29.89	759.2	...	...	S	2	...
...ijima,....	,,	29.82	757.3	...	...	S E	6	...	,,	29.82	757.3	...	...	S	4	...
...ls.....	,,	29.93	760.1	...	...	...	0	...	,,	29.93	760.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	29.63	752.6	76	95	...	0	b
...iwei,.....	,,	29.64	752.8	83	...	N N E	1	b	9 a.	29.69	754.1	82	...	S W	1	b
...w.....	,,	...	...	...	...	...	...	...	6 a.	29.74	755.4	85	87	S E	1	b
...ng.....	,,	29.76	755.9	93	61	N W	1	c	,,	29.70	754.4	82	91	...	0	c
...ai, ...	,,	29.71	754.6	88	66	S	3	og	9 a.	29.76	755.9	84	75	S	2	...
...ff.	,,	29.70	754.4	83	83	S	4	cv	,,	29.78	756.4	82	87	S	2	cm
...Peak,.....	,,	29.74	755.4	86	91	N	2	b	,,	29.78	756.4	84	96	E	2	c
.....	,,	29.73	755.1	84	87	S E	2	b	6 a.	29.77	756.1	82	87	S W	1	b
...r.....	,,	29.68	753.9	88	76	S E	2	b	,,	29.71	754.6	78	91	N W	1	c
...n.....	1 p.	29.71	754.6	.	...	E	6	...	5 a.	29.77	756.1	...	...	...	0	...
.....	,,	29.74	755.4	...	...	W	4	...	,,	29.77	756.2	...	...	...	0	...
.....	,,	29.77	756.2	...	...	S W	6	...	,,	29.76	756.0	...	...	E	2	...
...n.....	,,	29.79	756.7	...	...	E	6	...	,,	...	...	...	...	...	...	...
...ores, ...	,,	29.77	756.2	...	...	N	4	...	,,	29.76	756.0	...	...	N	2	...
.....	3 p.	29.75	755.6	...	...	S E	...	...	9 a.	29.77	756.1	85	96	S S E	1	c
...ong, ...	4 p.	29.70	754.4	84	81	E	2	c	10 a.	29.75	755.6	84	74	E	1	o
...a Peak,...	,,	...	...	...	...	S	2	...	,,	...	...	...	...	E N E	1	...
...ock,.....	,,	29.69	754.1	...	...	S S W	3	...	,,	29.72	754.9	...	...	N E	3	...
.....	,,	29.72	754.9	83	...	S E	1	c	,,	29.76	755.9	85	...	N E	1	c
...s,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...l.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.60	751.8	86	...	S S E	4	c	8 a.	29.71	754.5	84	...	S S E	3	b
...ne,.....	,,	29.69	754.0	99	...	N W	1	c	,,	29.78	756.4	103	...	...	0	c
...t. James,.	,,	29.77	756.2	84	...	S S W	4	c	,,	29.86	758.3	81	...	S W	2	c
...l.....	2 p.	29.73	755.2	82	...	S W	1	o	6 a.	29.78	756.4	75	...	S E	1	b
.....	4 p.	29.76	756	82	70	S S E	1	o	10 a.	29.88	759	86	71	S	1	b
...si.....	2 p.	...	...	...	...	...	...	...	6 a.	29.82	757.5	75	...	...	0	c
...d.....	3 p.	...	...	...	...	S S W	1	c	9 a.	...	...	...	...	...	0	c
.....	,,	29.81	757.2	86	...	...	0	o	,,	29.87	758.7	83	...	...	0	c
.....	,,	29.79	756.6	86	...	S	1	b	,,	29.84	757.9	85	...	...	0	c
...n.....	,,	29.79	756.6	84	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

On the 27th at 12.15 p.—The barometer is inclined to fall on the S. coast of China. It has risen moderately in Luzon.

The depression, which at present gives no indication of being a severe disturbance, has moved Westwards. It ...ears to be situated about 300 miles to the S.E. of Hongkong.

Pressure remains low over Manchuria and the N. part of the Sea of Japan, and high over the Pacific in neigh...rhood of the Bonins.

Moderate to fresh N.E. winds may be expected in the Formosa Channel and along the Northern shores of the ...ina Sea.

Red S. Cone and Drum hoisted (indicates a typhoon to the S.E. of the Colony beyond 300 miles).

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ongkong and Neighbourhood, ...	N.E. winds, probably freshening; unsettled, showery.
...ormosa Channel, ...	Same as No. 1.
...outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th July, 1908.

...inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th JULY, 1908, P.M.								28th JULY, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.65	753.0	79	...	N	1	b	7 a.	29.67	753.7	71	96	S E	1
Nemuro,	,,	29.69	754.1	...	...	S	6	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.73	755.2	...	...	S W	8	...	,,	...	...	...	...	...	...
Tokio,	,,	29.83	757.6	...	...	N E	4	...	,,	...	...	...	...	...	...
Kochi,	,,	29.87	758.8	...	...	E	4	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.91	759.8	...	...	S	6	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.92	759.9	...	...	S	2	...	,,	...	...	...	...	...	...
Oshima,	,,	29.93	760.1	...	...	S	6	...	,,	...	...	...	...	...	...
Naha,	,,	29.89	759.2	...	...	S	2	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.67	753.6	78	91	...	1
Weihaiwei,	,,	29.67	753.6	87	...	E	1	b	9 a.	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.77	756.1	84	87	S E	1
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	82	91	N W	2
Shanghai,	,,	29.71	754.6	88	69	S	2	c	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.73	755.1	84	87	S S E	2	cv	,,	...	...	...	...	...	...
Sharp Peak,	,,	29.75	755.6	83	87	E N E	4	b	,,	29.85	758.2	86	96	S	1
Amoy,	,,	29.76	755.9	85	79	E	3	b	6 a.	29.84	757.9	83	91	...	0
Swatow,	,,	29.67	753.6	94	92	S S E	1	c	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.4	.	...	N	2	...	5 a.	29.87	758.6	...	...	S	1
Taichu,	,,	29.78	756.4	...	...	W	4	...	,,	29.86	758.5	...	...	...	0
Tainan,	,,	29.81	757.1	...	...	S W	4	...	,,	29.87	758.7	...	...	E	2
Koshun,	,,	29.82	757.5	...	...	E	6	...	,,	29.88	758.8	...	...	E	4
Pescadores,	,,	29.80	756.9	...	...	W	2	...	,,	29.85	758.2	...	...	S	4
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.68	753.9	82	80	E	1	o	10 a.	29.78	756.4	80	86	S	1
Victoria Peak,	,,	...	...	...	...	N N E	3	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.65	753.1	...	...	N E	3	...	,,	...	...	...	...	...	...
Macao,	,,	29.69	754.1	85	...	...	0	o	,,	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.8	88	...	S E	4	b	8 a.	...	...	...	...	...	...
Tourane,	,,	29.69	754.2	95	...	S S E	1	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	77	...	W	1	lt	,,	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.5	90	...	N E	1	b	6 a.	29.86	758.3	77	...	W	0
Manila,	4 p.	29.76	756	86	71	W S W	3	c	10 a.	...	...	...	...	...	...
Legaspi,	2 p.	29.78	756.5	90	...	S E	1	b	6 a.	29.86	758.5	73	...	...	0
Bacolod,	3 p.	...	...	...	...	S S E	1	o	9 a.	...	...	...	...	N E	2
Iloilo,	,,	29.81	757.2	86	...	W S W	2	c	,,	29.87	758.7	81	...	N E	1
Cebu,	,,	29.78	756.4	86	...	E	1	c	,,	29.83	757.7	81	...	S	1
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	29.85	758.2	79	...	...	...

On the 27th at 6.00 p.—Orders given to hoist the Black S. Cone and Drum (indicates a typhoon S.E. of C within 300 miles).

At 9.30 p.—The typhoon appears to be moving towards the coast in the neighbourhood of Hongkong.

At 11.15 p.—Order issued to hoist No. 3 night signal and fire three bombs.

On the 28th at 5.30 a.—Black Cone point upwards and Ball hoisted (indicates a typhoon N.W. of Colony v 300 miles).

On the 28th at 10.15 a.—Signals lowered.

At 12.15 p.—The centre of the typhoon passed between Hongkong and Gap Rock about 1 a.m.

The barometer has risen to the normal in Hongkong, and a moderate increase of pressure has taken pla the China coast to the Northward.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, fresh to moderate; weather improv
2.—Formosa Channel,	S.E. winds, moderate or light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 28th July, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	28th JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	29th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...ostock,...	2 p.	29.70	754.5	72	...	S E	2	c	7 a.	29.66	753.3	65	97	S E	3	f
...o,.....	,,	29.81	757.1	...	...	S W	6	...	6 a.	29.85	758.1	...	...	S E	2	...
...ate,.....	,,	29.85	758.2	...	...	S W	6	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	29.91	759.6	...	...	S	4	...	,,	29.99	761.6	...	...	...	0	...
.....	,,	29.91	759.8	...	...	E	2	...	,,	29.95	760.8	...	...	S W	2	...
...ki.....	,,	29.91	759.8	...	...	S W	6	...	,,	29.95	760.8	...	...	S	2	...
...hima.....	,,	29.96	760.9	...	...	N W	2	...	,,	29.96	760.9	...	...	N W	2	...
...a,.....	,,	29.96	761.1	...	...	S E	2	...	,,	29.93	760.1	...	...	S E	2	...
.....	,,	29.93	760.2	...	...	...	0	...	,,	29.89	759.2	...	...	...	0	...
...jima,....	,,	29.93	760.3	...	...	S	2	...	,,	29.89	759.3	...	...	N E	2	...
...Is.....	,,	30.00	762.1	...	...	S	4	...	,,	30.04	763.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...wei.....	,,	29.66	753.3	81	...	S	2	o	9 a.	29.54	750.3	87	...	S W	4	o
...w,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ni.....	,,	29.73	755.1	91	74	S S E	2	c	9 a.	29.77	756.1	91	73	S S W	2	b
...ff.....	,,	29.74	755.4	85	83	S S E	2	vcm	,,	29.76	755.9	84	87	S	2	bm
...Peak.....	,,	29.81	757.2	86	92	S S E	4	b	,,	29.86	758.4	86	96	S	1	b
.....	,,	29.85	758.2	85	83	E	2	b	6 a.	29.87	758.7	82	91	S E	1	b
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	1 p.	29.86	758.4	..	...	E	4	...	5 a.	29.89	759.2	...	...	W	2	...
.....	,,	29.86	758.4	...	...	N W	4	...	,,	29.88	759.0	...	...	...	0	...
.....	,,	29.87	758.7	...	...	S	6	...	,,	29.91	759.7	...	...	N W	2	...
.....	,,	29.89	759.3	...	...	E	6	...	,,	29.89	759.2	...	...	...	0	...
...ores,.....	,,	29.89	759.1	...	...	S	4	...	,,	29.89	759.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...ong.....	4 p.	29.80	756.9	77	86	S	1	op	10 a.	29.88	758.9	81	91	E	2	c
...a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.78	756.4	80	...	S S E	3	o	,,	29.88	758.9	83	...	S S E	1	c
...w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.65	753.1	88	...	S S E	3	c	8 a.	29.75	755.5	82	...	S S E	5	o
...e.....	,,	29.71	754.7	99	...	N E	3	c	,,	29.82	757.5	82	...	...	0	c
...James,..	,,	29.78	756.4	82	...	S W	2	c	,,	29.86	758.5	79	...	S W	3	c
.....	2 p.	29.83	757.6	90	...	N E	1	b	6 a.	29.83	757.7	..	...	S W	1	b
.....	4 p.	29.76	756	84	71	N W	1	o	10 a.	29.80	757	81	85	N	...	c
.....	2 p.	29.76	755.9	88	...	N E	1	c	6 a.	29.76	755.9	77	...	E	1	c
.....	3 p.	...	...	...	...	E N E	1	or	9 a.	...	...	...	...	S W	1	c
.....	,,	29.77	756.1	84	...	N E	1	o	,,	29.83	757.7	80	...	S W	2	c
.....	,,	29.76	755.9	81	...	S	3	or	,,	29.82	757.4	82	...	S	2	c
.....	,,	29.77	756.1	85	...	...	...	...	,,	29.84	757.9	83	...	...	...	

On the 29th at 12.55 p.—The barometer has risen considerably over the S. coast of China and fallen slightly over the Philippines.

According to observations received from Macao last evening, the typhoon centre would appear to have passed to the North of that Colony during the early hours of yesterday morning.

The Philippine observations indicate the existence of a new depression over the Pacific to the E. of Luzon.

A depression is shown also over Manchuria.

High pressure covers the Pacific in the neighbourhood of the Bonins.

Moderate S.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	S.E. and E. winds, moderate; fair.
...rmosa Channel, ...	Same as No. 1.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 29th July, 1908.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	30th JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.49	749.0	68	...	S	7	or	7 a.	29.50	749.4	67	99	S E	2
Nemuro, ...	,,	29.77	756.1	...	...	E	2	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	29.81	757.2	...	...	S W	8	...	,,	...	...	...	...	...	...
Tokio, ...	,,	29.91	759.6	...	...	S	6	...	,,	...	...	...	...	...	...
Kochi, ...	,,	29.95	760.8	...	...	S E	4	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	29.91	759.8	...	...	W	6	...	,,	...	...	...	...	...	...
Kagoshima, ...	,,	29.92	759.9	...	...	S	4	...	,,	...	...	...	...	...	...
Oshima, ...	,,	29.93	760.1	...	...	S E	4	...	,,	...	...	...	...	...	...
Naha, ...	,,	29.89	759.2	...	...	E	4	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	29.89	759.3	...	...	E	4	...	,,	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	E	4	...	,,	...	...	...	...	...	...
Chefoo, ...	3 p.	29.58	751.3	57	81	...	0	o	6 a.	29.64	752.8	70	95	W	1
Weihaiwei, ...	,,	29.60	751.8	76	...	N N E	1	o	9 a.	29.70	754.4	75	...	W	2
Hankow, ...	,,	29.80	756.9	95	53	S W	1	b	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	29.77	756.1	97	54	S W	1	b	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.72	754.9	87	80	S W	1	c	9 a.	29.76	755.9	91	77	W	1
Gutzlaff, ...	,,	29.74	755.4	86	88	S	1	bm	,,	29.75	755.6	83	91	S	2
Sharp Peak, ...	,,	29.78	756.4	87	92	S E	3	b	,,	29.81	757.2	85	96	E	1
Amoy	,,	29.80	756.9	84	75	S E	2	b	6 a.	29.80	756.9	83	83	S E	1
Swatow, ...	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...
Taihoku, ...	1 p.	29.85	758.2	.	...	N W	4	...	5 a.	29.82	757.4	...	...	S	2
Taichu, ...	,,	29.85	758.2	...	...	N W	2	...	,,	29.83	757.6	...	...	...	0
Tainan, ...	,,	29.86	758.4	...	...	N W	4	...	,,	29.82	757.4	...	...	E	2
Koshun	,,	29.90	759.4	...	...	E	4	...	,,	29.82	757.3	...	...	...	0
Pescadores, ...	,,	29.87	758.7	...	...	N	2	...	,,	29.83	757.6	...	...	...	0
Canton, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.84	757.9	81	83	E	2	b	10 a.	29.81	757.2	83	75	W S W	1
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao, ...	,,	29.85	758.2	82	...	S S E	1	o	,,	29.83	757.7	85	...	E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.70	754.4	84	...	S S E	5	c	8 a.	...	...	...	...	...	...
Tourane, ...	,,	29.74	755.5	91	...	E	1	c	,,	...	...	...	...	...	...
Cape St. James, .	,,	29.74	755.5	81	...	S W	6	lt	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.78	756.5	88	...	N E	1	b	6 a.	29.75	755.7	77	...	S W	1
Manila, ...	4 p.	29.76	756	77	92	...	0	r	10 a.	...	...	81	85	...	0
Legaspi, ...	2 p.	29.73	755.2	86	...	...	0	o	6 a.	29.72	754.8	75	...	S W	1
Bacolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S E	2
Iloilo, ...	,,	29.77	756.1	83	...	S W	2	c	,,	29.80	756.9	81	...	S W	...
Cebu, ...	,,	29.78	755.1.	85	...	S	1	c	,,	29.79	756.6	85	...	S	1
Labuan, ...	,,	29.77	756.1	87	...	...	...	...	,,	29.79	755.4	82	...	...	...

On the 30th at 12.30 p.—The barometer has fallen moderately over S. China, Formosa and Luzon.

The depression appears to be situated over the Pacific to the E. of Luzon and to be moving towards N.W. observations from the Loochoos are, however, lacking this morning.

The barometer has risen in N. China the Continental depression having moved away towards the N. part of Sea of Japan.

Moderate E. to N.E. winds may be expected in the Formosa Channel and over the N.E. part of the China S

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds, light; fine,
2.—Formosa Channel, ...	E. to N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 30th July, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...gion.	30th JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	31st JULY, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...ostock,...	2 p.	29.55	750.6	81	...	S	2	b	7 a.	29.58	751.2	67	99	S E	3	f
...o.....	,,	29.61	752.1	...	...	S W	8	...	6 a.	...	...	...	...	...	...	...
...ate,.....	,,	29.69	754.2	...	...	S W	8	...	,,	...	...	...	...	...	...	...
.....	,,	29.83	757.6	...	...	S W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.91	759.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
...ki.....	,,	29.87	758.8	...	...	S W	6	...	,,	...	...	...	...	...	...	...
...ima,.....	,,	29.88	758.9	...	...	S E	6	...	,,	...	...	...	...	...	...	...
...a.....	,,	29.89	759.1	...	...	S E	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.81	757.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
...ijima,....	,,	29.78	756.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
...ls.....	,,	29.96	761.1	...	...	N E	4	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.68	753.9	82	67	E	1	c	6 a.	29.64	752.8	79	78	S W	1	o
...wei.....	,,	29.66	753.3	82	...	E	1	b	9 a.	29.75	755.6	75	...	W	1	o
...w.....	,,	29.79	756.6	93	61	S W	1	b	6 a.	29.76	755.9	86	88	E	1	b
...ng.....	,,	...	...	...	...	...	...	...	,,	29.78	756.4	82	91	S E	1	b
...hai.....	,,	29.71	754.6	96	47	S W	1	c	9 a.	29.79	756.6	86	68	S	2	b
...h.....	,,	29.72	754.9	87	84	S S E	1	cm	,,	29.79	756.6	83	87	S	2	cv
...Peak.....	,,	29.75	755.6	84	96	E	1	b	,,	29.76	755.9	83	96	N	2	c
.....	,,	29.72	754.9	85	79	S E	3	b	6 a.	29.75	755.6	81	83	...	0	b
...w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	1 p.	29.77	756.2	.	...	E	4	...	5 a.	29.73	755.0	...	...	E	4	
...n.....	,,	29.76	755.9	...	...	N W	4	...	,,	29.72	754.8	...	...	...	0	
.....	,,	29.76	756.0	...	...	N E	4	...	,,	29.73	755.1	...	...	S E	2	
...n.....	,,	29.79	756.7	...	...	E	6	...	,,	29.74	755.3	...	...	...	0	
...ores,.....	,,	29.78	756.5	...	...	N W	4	...	,,	29.72	754.8	...	...	N W	2	
.....	3 p.	29.75	755.6	92	96	W	2	b	9 a.	...	...	...	...	...	...	
...ong.....	4 p.	29.74	755.4	86	72	W	1	b	10 a.	29.75	755.6	84	78	...	0	c
...a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.73	755.1	85	...	E S E	2	c	,,	29.77	756.1	85	...	E	1	c
...w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...l.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.73	755.1	84	...	S E	4	c	8 a.	...	...	...	...	...	...	...
...e.....	,,	29.70	754.5	93	...	N E	2	b	,,	...	...	...	...	...	...	...
...James,.	,,	29.73	755.1	81	...	W S W	3	lt	,,	...	...	...	...	...	...	...
.....	2 p.	29.73	755.2	84	...	S E	1	o	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.69	754	77	92	E S E	0	od	10 a.	29.73	755	84	77	W	1	o
...n.....	2 p.	29.70	754.3	88	...	N W	1	c	6 a.	...	...	...	...	...	...	...
...d.....	3 p.	...	...	...	...	S E	2	op	9 a.	...	...	...	...	S W	3	op
.....	,,	29.74	755.4	84	...	S W	3	o	,,	29.76	755.9	82	...	S W	5	r
.....	,,	29.71	754.6	84	...	S	3	o	,,	29.76	755.9	84	...	N	2	c
.....	,,	29.71	754.6	88	...	...	...	...	,,	29.76	755.9	84	...	...	...	...

On the 31st at 12.25 p.—The barometer has fallen moderately over the S. coast of China, Formosa and Luzon, risen slightly on the E. coast of China.

The typhoon in the Pacific appears to be situated to the N.E. of Luzon, and to be moving towards N.W. The rvations from the Loochoos are, however, lacking. There may be a second centre to the N.W. of Luzon, but at ent it is only faintly indicated by the observations available.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	Variable or N.E. winds, light or moderate; fair.
...rmosa Channel, ...	N.E. winds, freshening.
...th coast of China between Hongkong and Lamocks,..	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Friday, 31st July, 1908.

...nted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st JULY, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.62	752.4	70	...	S E	2	b	7 a.	29.71	754.7	69	99	...	0
Nemuro,	,,	29.65	753.1	...	...	S	4	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.73	755.2	...	...	S W	6	...	,,	...	...	...	...	...	...
Tokio,	,,	29.87	758.6	...	...	S	6	...	,,	...	...	...	...	...	...
Kochi,	,,	29.95	760.8	...	...	S	2	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.91	759.8	...	...	W	6	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.92	759.9	...	...	E	2	...	,,	...	...	...	...	...	...
Oshima,	,,	29.89	759.1	...	...	S E	4	...	,,	...	...	...	...	...	...
Naha,	,,	29.77	756.2	...	...	E	6	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	N E	2	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.73	755.1	74	...	E N E	1	o	9 a.	29.87	758.7	84	...	W S W	1
Hankow,	,,	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.75	755.6	90	63	S E	3	b	9 a.	29.86	758.4	85	80	S	3
Gutzlaff,	,,	29.76	755.9	84	87	S E	3	cv	,,	29.84	757.9	84	87	S E	2
Sharp Peak,	,,	29.75	755.6	83	87	E N E	5	b	,,	29.77	756.1	84	79	N	5
Amoy,	,,	29.70	754.4	86	76	S E	3	c	6 a.	29.71	754.6	84	79	S E	1
Swatow,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.70	754.5	.	...	E	6	...	6 a.	29.71	754.5	...	...	E	4
Taichu,	,,	29.69	754.0	...	...	N W	2	...	,,	29.72	754.9	...	...	...	0
Tainan,	,,	29.70	754.5	...	...	W	4	...	,,	29.69	754.1	...	...	E	2
Koshun,	,,	29.71	754.6	...	...	N W	6	...	,,	29.70	754.3	...	...	N E	6
Pescadores,	,,	29.71	754.6	...	...	S	4	...	,,	29.67	753.7	...	...	W	2
Canton,	3 p.	29.69	754.1	90	96	W S W	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.66	753.3	83	73	E	2	b	10 a.	29.75	755.6	83	79	W	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.69	754.1	85	...	S E	1	c	,,	29.76	755.9	85	...	N W	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.6	93	...	N W	1	b	8 a.	29.78	756.3	86	...	S W	1
Tourane,	,,	29.69	754.1	90	...	N N W	3	c	,,	29.77	756.2	79	...	...	0
Cape St. James,	,,	29.69	754.1	79	...	S W	4	lt	,,	29.76	756.0	77	...	W S W	3
Aparri,	2 p.	29.65	753.0	88	...	N E	1	b	6 a.	29.67	753.7	75	...	S	1
Manila,	4 p.	29.65	753	82	85	W S W	1	c	10 a.	29.73	755	82	85	S W	1
Legaspi,	2 p.	29.67	753.7	82	...	W	1	o	6 a.	29.69	754.2	77	...	...	0
Bacolod,	3 p.	...	...	...	...	S S W	3	op	9 a.	...	...	...	...	S S E	3
Iloilo,	,,	29.74	755.4	83	...	S W	5	r	,,	29.80	756.9	81	...	S W	3
Cebu,	,,	29.67	753.6	85	...	S	2	c	,,	29.76	755.9	...	...	S	1
Labuan,	,,	29.69	754.1	88	...	...	...	...	,,	29.76	755.9	84	...	...	...

On the 1st at 12.15 p.—The barometer has risen moderately over N. China, and fallen slightly in Formosa N. Luzon,

The depression in the China Sea appears to be still situated to the N.W. of Luzon.

The observations from the Loochoos are not yet received, and no information can be given at present, rega the Pacific depression.

Fresh to strong N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening; squally, fair to showery
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 1st August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	1st AUGUST. 1908. P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	2nd AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
estock,...	2 p.	...	...	85	...	S W	2	b	7 a.	29.84	757.9	75	79	...	0	b
.....	,,	29.73	755.1	...	...	S W	4	...	6 a.	29.77	756.1	...	...	...	0	...
ate.....	,,	29.85	758.2	...	...	S W	6	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	29.94	760.6	...	...	S	4	...	,,	29.99	761.6	...	...	W	2	...
.....	,,	29.99	761.8	...	...	N E	2	...	,,	29.99	761.8	...	...	S W	2	...
ki.....	,,	29.99	761.8	...	...	S W	6	...	,,	29.99	761.8	...	...	...	0	...
ims.	,,	30.00	761.9	...	...	S	2	...	,,	30.00	761.9	...	...	N E	2	...
.....	,,	29.93	760.1	...	...	E	4	...	,,	29.93	760.1	...	...	...	0	...
.....	,,	29.85	758.2	...	...	E	6	...	,,	29.85	758.2	...	...	E	2	...
jima,....	,,	29.78	756.3	...	...	E	8	...	,,	29.78	756.3	...	...	N E	6	...
ls.....	,,	29.96	761.1	...	...	N E	2	...	,,	29.97	761.1	...	...	E	2	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	29.91	759.7	79	87	S	1	b
wei,.....	,,	29.85	758.2	87	...	E	1	ovr	9 a.	30.02	762.5	84	...	S S W	1	b
,.....	,,	29.84	757.9	96	62	S E	1	b	6 a.	29.85	758.2	86	84	E	2	b
g.....	,,	...	...	...	...	...	...	...	,,	29.84	757.9	83	71	N E	1	b
.....	,,	29.87	758.7	91	63	S E	3	c	9 a.	29.96	761.0	88	69	E S E	2	c
.....	,,	29.88	758.9	84	87	S E	2	cm	,,	29.94	760.5	82	91	E	2	cm
Peak.....	,,	29.77	756.1	85	79	N	6	b	,,	29.82	757.4	84	83	N	5	b
.....	,,	29.67	753.6	88	80	N E	3	o	6 a.	...	...	84	79	N E	2	c
.....	,,	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...
.....	1 p.	29.74	755.5	.	...	E	8	...	6 a.	29.78	756.4	...	...	E	4	...
....	,,	29.70	754.4	...	...	...	0	...	,,	29.72	754.9	...	...	...	0	...
.....	,,	29.70	754.5	...	...	S W	2	...	,,	29.73	755.2	...	...	N	2	...
.....	,,	29.71	754.6	...	...	N E	8	...	,,	29.72	754.9	...	...	N E	10	...
res, ...	,,	29.69	754.1	...	...	S	4	...	,,	29.73	755.2	...	...	N W	4	...
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ng.	4 p.	29.67	753.6	84	76	E	3	c	10 a.	29.75	755.6	78	90	E	4	od
Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ck.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.71	754.6	84	...	S E	2	c	,,	29.76	755.9	81	...	E N E	2	od
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.69	754.2	88	...	N	2	lt	8 a.	...	...	...	...	...	...	...
e.	,,	29.70	754.4	81	...	...	0	or	,,	...	...	...	...	...	...	...
James,.	,,	29.70	754.4	82	...	S W	2	lt	,,	...	...	...	...	...	...	...
.....	2 p.	29.66	753.3	88	...	N	1	c	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.69	754	81	85	S W	1	o	10 a.	29.73	755	77	92	W	2	od
.....	2 p.	29.68	753.9	79	...	W	1	o	6 a.	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	S W	2	cp	9 a.	...	...	...	...	N N E	3	or
.....	,,	29.74	755.4	82	...	S W	4	or	,,	29.80	756.9	80	...	S W	4	o
.....	,,	29.72	754.9	83	...	S	3	o	,,	29.80	756.9	81	...	S	2	o
.....	,,	29.71	754.6	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 1st at 5.40 p.—Orders issued to hoist the Red S. Cone and Drum (indicates a typhoon S.E. of Colony more than 300 miles).

On the 2nd at 8.05 a.—Black South Cone hoisted (indicates a typhoon S. of Colony within 300 miles.)

On the 2nd at 12.30 p.—The barometer is practically steady on the S. coast of China and in the Philippines. It risen considerably over N. China.

The typhoon in the Pacific appears to still situated to the N.E. of Luzon and to be moving slowly towards N.W.

The centre in the China Sea is probably situated about 200 miles to the Southward of Hongkong, and moving rently towards W.N.W.

Pressure is abnormally high over S. Japan and the Yellow Sea.

N.E. gales may be expected in the Formosa Channel and N.E. and E. gales along the Northern shores of the a Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N.E. and E. gale; squally, rainy.
rmosa Channel, ...	N.E. gale.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	N. gale.

Hongkong Observatory, Sunday, 2nd August, 1908.

F. G. FIGG,
Director.

Printed by Noronha & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd August. 1908. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd August, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.89	759.2	92	...	N W	1	b	7 a.	29.89	759.2	72	87	S E	1
Nemuro,	,,	29.73	755.1	...	...	E	4	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.85	758.2	...	...	...	0	...	,,	...	...	...	...	...	...
Tokio,	,,	29.99	761.6	...	...	S	4	...	,,	...	...	...	...	...	...
Kochi,	,,	29.95	760.8	...	...	E	2	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.95	760.8	...	...	S W	4	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.96	760.9	...	...	S	2	...	,,	...	...	...	...	...	...
Oshima,	,,	29.93	760.1	...	...	E	4	...	,,	...	...	...	...	...	...
Naha,	,,	29.81	757.2	...	...	E	6	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.78	756.3	...	...	E	8	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	E	2	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	29.93	760.2	95	75	S	1	b	6 a.	29.90	759.4	77	95	S	1
Weihaiwei,	,,	29.93	760.2	87	...	S	2	om	9 a.	29.92	759.9	85	...	S E	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.82	757.4	86	84	S E	2
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	83	75	N E	1
Shanghai,	,,	29.91	759.7	91	57	E S E	3	c	9 a.	29.91	759.7	83	66	E S E	2
Gutzlaff,	,,	29.90	759.4	84	87	E S E	2	cm	,,	29.88	758.9	83	87	E N E	2
Sharp Peak,	,,	29.82	757.4	84	83	N	5	b	,,	29.79	756.6	84	83	N	6
Amoy,	,,	29.71	754.6	81	83	N E	3	c	6 a.	29.72	754.9	85	68	E	3
Swatow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Taiboku,	1 p.	29.80	756.8	.	...	E	6	...	5 a.	29.75	755.7	...	...	E	4
Taichu,	,,	29.69	754.1	...	...	S W	4	...	,,	29.69	754.2	...	...	...	0
Tainan,	,,	29.72	754.8	...	...	W	4	...	,,	29.68	753.8	...	...	E	2
Koshun,	,,	29.72	755.0	...	...	N E	6	...	,,	29.68	753.9	...	...	N W	6
Pescadores,	,,	29.73	755.1	...	...	N	6	...	,,	29.67	753.7	...	...	N E	4
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.71	754.6	80	85	E	3	oq	10 a.	29.76	755.9	85	64	N E	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.76	755.9	81	...	E S E	7	oq	,,	29.77	756.1	85	...	N E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.8	91	...	N E	0	c	8 a.	29.68	753.8	73	...	S S W	7
Tourane,	,,	29.67	753.5	84	...	N W	7	o	,,	29.72	754.9	75	...	...	0
Cape St. James,	,,	29.72	754.9	81	...	W S W	4	o	,,	29.78	756.5	79	...	S W	3
Aparri,	2 p.	29.67	753.5	79	...	N W	1	p	6 a.	29.66	753.4	77	...	S W	1
Manila,	4 p.	29.72	755	75	91	W	2	qd	10 a.	29.73	755	79	92	S	0
Legaspi,	2 p.	29.67	753.5	86	...	W	1	o	6 a.	29.75	755.6	77	...	W	1
Bacolod,	3 p.	...	...	...	...	W S W	3	opq	9 a.	...	...	...	...	S S E	2
Iloilo,	,,	29.74	755.4	81	...	S W	5	o	,,	29.83	757.7	82	...	S W	2
Cebu,	,,	29.72	754.9	84	...	S	1	c	,,	29.84	757.9	82	...	S	1
Labuan,	,,	29.77	756.1	85	...	...	...	...	,,	29.82	757.4	81	...	...	...

On the 2nd at 6.30 p.—Black S. Cone and Ball hoisted (indicates a typhoon S.W. of Colony within 300 mil
On the 3rd at 5.30 a.—Signals lowered.
On the 3rd at 12.30 p.—The China Sea typhoon has reached Tongking in the neighbourhood of Haiphong.
Pressure has given way slightly over Formosa and the E. coast of China, and risen a little in the S. Philippi
The Pacific typhoon appears to be situated to the E. of Balingtang Channel and to be moving slowly tows
N.W. The Loochoos observations are not yet to hand.
Pressure is still high over the Yellow Sea.
N.E. gales may be expected in the Formosa Channel and unsettled squally weather over the Northern part
the China Sea.
Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate or fresh; fine at first, unsett
2.—Formosa Channel,	N.E. gale. [again lat
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	E. to N.E. winds, fresh.

Hongkong Observatory, Monday, 3rd August, 1908.

F. G. FIGG,
Director.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	3RD AUGUST. 1908, P.M.								4TH AUGUST, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ivostock,...	2 p.	29.89	759.3	74	...	W	1	or	7 a.	29.76	756.0	67	97	S E	1	or
ro,.....	,,	29.85	758.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	...
date,.....	,,	29.93	760.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
,.....	,,	29.87	758.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
i.....	,,	29.87	758.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
saki, ...	,,	29.87	758.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
shima, ...	,,	29.88	758.9	...	...	S E	2	...	,,	...	...	...	...	...	...	...
ns.....	,,	29.81	757.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.65	753.2	...	...	N E	8	...	,,	...	...	...	...	...	...	...
akijima, ...	,,	29.66	753.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
s Is.....	,,	29.85	758.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
o.....	3 p.	29.86	758.4	90	73	N E	1	c	6 a.	...	...	...	...	...	...	...
siwei,.....	,,	29.85	758.2	90	...	N	1	b	9 a.	29.83	757.7	84	...	W	1	b
ow,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.86	758.4	90	56	E	2	c	9 a.	29.82	757.4	87	69	E	1	c
iff.	,,	29.84	757.9	83	83	E N E	3	cv	,,	29.80	756.9	84	83	N E	2	bv
Peak,.....	,,	29.78	756.4	83	83	N	5	o	,,	29.73	755.1	83	91	N	3	c
.....	,,	29.67	753.6	91	51	N E	4	b	6 a.	29.70	754.4	84	68	N E	3	c
w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ka.....	1 p.	29.75	755.7	.	...	E	6	...	5 a.	29.68	753.9	...	...	N W	2	...
a.....	,,	29.67	753.6	...	...	W	2	...	,,	29.68	753.9	...	...	...	0	...
.....	,,	29.70	754.3	...	...	S W	4	...	,,	29.67	753.7	...	...	E	2	...
a.....	,,	29.70	754.3	...	...	N E	6	...	,,	29.65	753.2	...	...	...	0	...
ores, ...	,,	29.70	754.5	...	...	N	8	...	,,	29.68	753.8	...	...	N	4	...
a.....	3 p.	29.70	754.4	87	80	N	1	o	9 a.	...	...	...	...	...	...	...
ong.	4 p.	29.68	753.9	84	70	E	3	c	10 a.	29.72	754.9	84	72	N W	1	b
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Rock.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
o.....	,,	29.71	754.6	84	...	S E	1	c	,,	29.75	755.6	85	...	E N E	1	c
ow.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
si.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en.....	4 p.	29.71	754.7	77	...	N E	3	c	8 a.	29.76	756.0	77	...	N W	3	c
ne.....	,,	29.68	753.9	75	...	N W	6	or	,,	29.73	755.1	75	...	...	0	or
St. James,.	,,	29.72	754.9	82	...	S W	3	c	,,	29.81	757.2	79	...	S W	4	f
.....	2 p.	29.67	753.6	84	...	N	1	o	6 a.	29.63	752.5	77	...	S	1	d
.....	4 p.	29.72	755	79	92	S W	1	or	10 a.	29.73	755	79	92	W S W	3	c
.....	2 p.	29.71	754.7	88	...	W	1	o	6 a.	29.73	755.1	79	...	S W	1	c
.....	3 p.	...	...	...	...	S S E	2	op	9 a.	...	...	...	...	S S W	2	o
.....	,,	29.77	756.1	84	...	S W	4	o	,,	29.83	757.7	84	...	S W	...	o
.....	,,	29.77	756.1	85	...	S	2	o	,,	29.83	757.7	84	...	S	3	b
.....	,,	29.75	755.6	88	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 3rd at 3 p.—The Loochoo observations just received indicate that the typhoon is moving Northwards to the S.E. of Meiaco Sima.

On the 4th at 12.50 p.—The barometer has fallen slightly to moderately in Southern and Northern China respectively. It has risen slightly over Tongking.

The Japanese returns are not yet available, but the typhoon over the Pacific would appear to be moving slowly Northwards to the South of the Loochoos.

Pressure remains low over the N.E. part of the China Sea, and a new depression may be developing to the N.W. Luzon.

Strong N.E. and N. winds may be expected in the Formosa Channel and the N.E. part of the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate or fresh; unsettled, squally.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	N. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 4th August, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th August. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.73	755.2	73	...	S E	2	f	7 a.	29.72	754.8	69	99	S	1
Nemuro,	,,	29.83	756.1	...	...	E	2	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.85	758.2	...	...	S E	4	...	,,	...	...	...	...	...	...
Tokio,	,,	29.83	757.6	...	...	E	6	...	,,	...	...	...	...	...	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	S W	4	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.76	755.9	...	...	E	4	...	,,	...	...	...	...	...	...
Oshima,	,,	29.65	753.1	...	...	N E	6	...	,,	...	...	...	...	...	...
Naha,	,,	29.46	748.2	...	...	N E	10	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.50	749.3	...	...	N E	8	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.77	756.1	...	...	S W	2	...	,,	...	...	...	...	...	...
Chefoo	3 p.	29.71	754.6	90	81	N E	2	b	6 a.	29.72	754.9	81	87	S W	1
Weihaiwei,	,,	29.76	755.9	90	...	E N E	1	b	9 a.	29.71	754.6	85	...	W N W	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.72	754.9	85	88	S	1
Kiukiang,	,,	29.70	754.4	97	48	E	2	b	,,	29.76	755.9	82	87	E	1
Shanghai,	,,	29.75	755.6	90	65	E N E	2	c	9 a.	29.72	754.9	83	79	N	1
Gutzlaff,	,,	29.74	755.4	84	83	N E	3	cv	,,	29.69	754.1	83	79	N N E	2
Sharp Peak,	,,	29.67	753.6	84	83	E N E	5	c	,,	29.67	753.6	86	96	...	0
Amoy,	,,	29.62	752.3	88	62	N E	1	c	6 a.	29.65	753.1	82	79	...	0
Swatow,	,,	29.65	753.1	85	72	S E	2	c	,,	29.65	753.1	79	82	N W	4
Taihoku	1 p.	29.65	753.0	.	...	S	2	...	5 a.	29.64	752.8	...	...	...	0
Taichu,	,,	29.63	752.6	...	...	N	4	...	,,	29.64	752.9	...	...	...	0
Tainan,	,,	29.63	752.7	...	...	N E	2	...	,,	29.59	751.6	...	...	E	2
Koshun	,,	29.65	753.1	...	...	N W	2	...	,,	29.62	752.3	...	...	...	0
Pescadores,	,,	29.65	753.1	...	...	N	8	...	,,	29.61	752.1	...	...	N E	4
Canton,	3 p.	29.66	753.3	92	92	W	2	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.65	753.1	85	67	S S E	1	o	10 a.	29.73	755.1	85	62	E S E	2
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.68	755.9	86	...	E S E	1	c	,,	29.76	755.9	86	...	E N E	1
Hoihow,	3 p.	...	...	...	...	...	...	....	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.5	77	...	N	2	or	8 a.	29.79	756.7	81	...	N W	3
Tourane,	,,	29.69	754.1	82	...	N W	4	o	,,	29.78	756.3	79	...	...	0
Cape St. James,	,,	29.74	755.4	81	...	S W	5	c	,,	29.87	758.7	79	...	S W	4
Aparri,	2 p.	29.60	751.9	79	...	N	1	p	6 a.	29.65	753.1	77	...	S	1
Manila,	4 p.	29.69	754	77	92	W	3	d	10 a.	29.76	756	79	92	W S W	5
Legaspi,	2 p.	29.69	754.1	90	...	W	2	c	6 a.	29.75	755.5	77	...	W	1
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.79	756.6	85	...	S W	4	o	,,	29.85	758.2	85	...	S W	4
Cebu,	,,	29.77	756.1	85	...	S	2	o	,,	29.83	757.7	85	...	S	1
Labuan,	,,	29.74	755.4	90	...	...	...	...	,,	29.84	757.9	85	...	...	...

On the 5th at 12.10 p.—The barometer has risen slightly over Annam and the Philippines, and fallen slightly moderately over Formosa and the E. coast of China respectively.

The typhoon was still to the Southward of the Loochoos and moving slowly Northwards yesterday afterno The Japanese returns for this morning are not yet to hand.

Pressure remains low over the N.E. part of the China Sea.

Fresh N.E. to N. winds may be expected in the Formosa Channel, and moderate N. to W. winds along Northern shores of the China Sea.

Telegraphic communication between the Observatory and Hongkong was restored at 3 p.m. yesterday.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to W. winds, moderate; fair.
2.—Formosa Channel,	N.E. to N. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 5th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th AUGUST, 1908, P.M.								6th AUGUST, 1908, A.M.							
	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ivostock,...	2 p.	29.64	752.9	74	...	S E	2	f	7 a.	29.49	749.0	70	98	S	5	o
ire.....	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	S E	4	...
date,.....	,,	...	...	...	...	...	...	...	,,	29.73	755.2	...	...	E	6	...
,.....	,,	...	...	...	...	...	...	...	,,	29.75	755.6	...	...	...	0	...
i.....	,,	...	...	...	...	...	...	...	,,	29.60	751.8	...	...	...	0	...
saki.	,,	...	...	...	...	...	...	...	,,	29.44	747.8	...	...	N E	6	...
shima, ...	,,	...	...	...	...	...	...	...	,,	29.41	746.9	...	...	N E	6	...
ga.....	,,	...	...	...	...	...	...	...	,,	29.10	739.1	...	...	S E	8	...
.....	,,	...	...	...	...	...	...	...	,,	29.06	738.2	...	...	S E	8	...
akijima.	,,	...	...	...	...	...	...	...	,,	29.59	749.3	...	...	N W	8	...
Is.....	,,	...	...	...	...	...	...	...	,,	29.85	758.1	...	...	S W	2	...
o.....	3 p.	29.66	755.3	87	86	N E	1	b	6 a.	...	...	...	...	...	...	...
aiwei.....	,,	29.63	752.6	89	...	N E	1	b	9 a.	29.59	751.6	83	...	S	0	b
ow.....	,,	29.75	755.6	92	57	E	1	b	6 a.	...	...	...	...	...	...	...
ang.....	,,	29.69	754.1	96	50	E	1	b	,,	...	...	...	...	...	...	...
hai.	,,	29.65	753.1	89	56	N	2	c	9 a.	29.58	751.3	85	68	N N W	2	b
iff.	,,	29.64	752.8	85	80	N N E	3	cv	,,	29.56	750.8	83	83	N	4	cv
Peak,.....	,,	29.63	752.6	85	87	E N E	4	b	,,	29.59	751.6	85	100	...	0	b
.....	,,	29.59	751.6	86	65	S E	2	b	6 a.	29.60	751.8	81	83	S E	1	b
w.....	,,	29.59	751.6	90	63	E	1	b	,,	29.65	753.1	80	78	...	...	b
ki.....	1 p.	29.62	752.3	.	...	N W	6	...	5 a.	29.60	751.9	...	...	W	2	...
a.....	,,	29.58	751.4	...	...	N	6	...	,,	29.62	752.4	...	...	...	0	...
a.....	,,	29.61	752.1	...	...	...	0	...	,,	29.62	752.2	...	...	E	2	...
a.....	,,	29.63	752.7	...	...	E	4	...	,,	29.61	752.0	...	...	N	2	...
ives.	,,	29.64	752.8	...	...	N	6	...	,,	29.62	752.4	...	...	N W	6	...
a.....	3 p.	...	...	...	...	...	...	...	9 a.	29.69	754.1	89	96	...	0	b
hong, ...	4 p.	29.63	752.6	87	65	W	1	c	10 a.	29.69	754.1	85	69	W	1	c
ia Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Rock.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
g.....	,,	29.67	753.6	85	...	S E	1	c	,,	29.71	754.6	85	...	S	1	c
ow.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ol.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en.....	4 p.	29.70	754.4	88	...	S	1	c	8 a.	29.75	755.7	82	...	N E	1	b
re.....	,,	29.73	755.1	82	...	N W	3	o	,,	29.80	757.0	77	...	...	0	o
St. James,.	,,	29.77	756.2	82	...	S W	4	o	,,	29.91	759.6	79	...	S W	4	o
.....	2 p.	29.69	754.1	79	...	N W	1	d	6 a.	29.66	753.4	79	...	S	1	o
.....	4 p.	29.72	755	79	84	W	3	o	10 a.	29.76	755	82	85	S W	3	o
.....	2 p.	29.73	755.2	90	...	W	1	o	6 a.	29.81	757.1	79	...	...	0	o
.....	3 p.	...	...	...	...	S S W	3	o	9 a.	...	...	...	...	S W	2	o
.....	,,	29.81	757.2	86	...	S W	5	c	,,	29.87	758.7	84	...	S W	3	o
.....	,,	29.78	756.4	85	...	S	4	o	,,	29.90	759.4	81	...	S	2	b
.....	,,	29.77	756.1	89	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

At the 6th at 12.05 p.—The barometer has fallen considerably over the Loochoos and S.W. Japan, and a moderate fall has taken place also over the E. coast of China. Pressure is slowly increasing over the Philippines.

The typhoon centre is situated near and to the Westward of the Loochoos. It appears to be now moving slowly towards N.N.W.

A depression is shown also, over Manchuria. It is moving Eastwards. Pressure is highest over the S. part of China Sea.

Bad weather may be expected over the Eastern Sea, and fresh N.W. and W. winds in the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.W. to W. winds, moderate ; fair.
Formosa Channel, ...	N.W. to W. winds, fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 6th August, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th August, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.50	749.2	70	...	S E	2	f	7 a.	29.42	747.3	67	98	N	1
Nemuro,	,,	29.77	756.1	...	...	E	6	...	6 a.	29.49	749.1	...	...	N W	4
Hakodate,	,,	29.69	754.2	...	...	S E	6	...	,,	29.50	749.2	...	...	S E	8
Tokio,	,,	29.67	753.6	...	...	S	6	...	,,	29.51	749.6	...	...	S W	6
Kochi,	,,	29.44	747.8	...	...	N E	2	...	,,	29.28	743.8	...	...	S E	10
Nagasaki,	,,	29.32	744.8	...	...	N E	6	...	,,	29.25	742.8	...	...	N	4
Kagoshima,	,,	29.33	744.9	...	...	E	4	...	,,	29.17	740.9	...	...	N W	6
Oshima,	,,	28.98	736.1	...	...	N	4	...	,,	29.34	745.1	...	...	N W	6
Naha,	,,	29.22	742.2	...	...	N W	8	...	,,	29.54	750.2	...	...	W	6
Ishigakijima,	,,	29.54	750.3	...	...	N W	8	...	,,	29.62	752.3	...	...	S W	6
Bonin Is.	,,	29.81	757.1	...	...	S	4	...	,,	29.81	757.1	...	...	S	6
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.53	750.0	76	...	N E	2	b	9 a.	29.58	751.3	77	...	N W	5
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang	,,	29.61	752.1	97	48	N E	1	o	,,	29.65	753.1	84	79	...	...
Shanghai,	,,	29.50	749.3	89	66	N N E	2	cpv	9 a.	29.56	750.8	88	73	N W	2
Gutzlaff,	,,	29.50	749.3	86	...	N	3	cv	,,	29.54	750.3	87	80	N W	2
Sharp Peak,	,,	29.53	750.0	88	91	S	2	c	,,	29.59	751.6	87	100	...	0
Amoy,	,,	29.50	749.3	88	69	S E	0	b	6 a.	29.60	751.8	82	87	S E	1
Swatow,	,,	29.53	750.0	94	47	S E	1	b	,,	29.60	751.8	81	91	N E	1
Taihoku,	1 p.	29.55	750.6	.	...	N W	2	...	5 a.	29.63	752.7	...	...	S	2
Taichu,	,,	29.60	751.9	...	...	S	2	...	,,	29.65	753.1	...	...	...	0
Tainan,	,,	29.62	752.4	...	...	W	4	...	,,	29.65	753.4	...	...	E	2
Koshun	,,	29.62	752.4	...	...	W	6	...	,,	29.65	753.1	...	...	...	0
Pescadores,	,,	29.62	752.4	...	...	W	2	...	,,	29.66	753.2	...	...	S	2
Canton,	3 p.	29.60	751.8	96	...	W	2	b	9 a.	29.67	753.6	91	100	...	0
Hongkong,	4 p.	29.57	751.1	89	65	W S W	1	b	10 a.	29.66	753.3	87	70	W	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.56	750.8	...	...	W	3	...	,,	29.66	753.3	...	...	W S W	4
Macao,	,,	29.63	752.6	90	...	S S W	1	c	,,	29.69	754.1	87	...	S W	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.2	90	...	S S E	2	b	8 a.	29.71	754.7	86	...	...	0
Tourane,	,,	29.73	755.2	82	...	...	0	o	,,	29.76	756.0	81	...	...	0
Cape St. James,	,,	29.80	756.8	86	...	W S W	4	c	,,	29.69	759.3	79	...	S E	3
Aparri,	2 p.	29.68	753.8	82	...	S	1	o	6 a.	29.69	754.0	77	...	W	1
Manila,	4 p.	29.76	756	79	92	S W	2	o	10 a.	29.80	757	82	85	S	1
Legaspi,	2 p.	29.78	756.3	88	...	W	1	o	6 a.	29.80	756.9	79	...	W	1
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.83	757.7	86	...	S W	3	...	,,	29.91	759.7	84	...	S W	3
Cebu,	,,	29.80	756.9	87	...	S	1	b	,,	29.88	758.9	86	...	S	1
Labuan,	,,	29.80	756.9	88	...	...	...	...	,,	29.89	759.2	84	...	...	...

On the 7th at 11.55 a.—The barometer has fallen rapidly over S. Japan owing to the approach of the typhoo which having recurved towards N.N.E. is now situated off the S.E. coast of Kiusiu.

The depression lying over Manchuria yesterday, has reached the N.E. part of the Sea of Japan.

Pressure continues to increase slowly over the Philippines, but it makes no recovery over the S. coast of Chi It is highest over the S. part of the China Sea.

Moderate variable winds may be expected in the Formosa Channel, and fresh to strong monsoon over the C Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, moderate or fresh; fair at firs
2.—Formosa Channel,	Variable winds, moderate. [thunder showers k
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 7th August, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th August, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	8th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ivostock,...	2 p.	29.39	746.4	75	...	N E	2	c	7 a.	29.41	747.1	68	85	N E	2	c
uro, ...	,,	29.49	749.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
dzie.	,,	29.30	744.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
o.....	,,	29.43	747.6	...	...	S	8	...	,,	...	...	...	...	...	...	...
i.....	,,	29.09	738.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
saki, ...	,,	29.24	742.8	...	...	N W	6	...	,,	...	...	...	...	...	...	...
shima, ...	,,	29.21	741.9	...	...	N W	8	...	,,	...	...	...	...	...	...	...
ma.....	,,	29.45	748.1	...	...	W	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.57	751.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
akijima,....	,,	29.62	752.3	...	...	S W	6	...	,,	...	...	...	...	...	...	...
n Is.....	,,	29.77	756.1	...	...	S W	6	...	,,	...	...	...	...	...	...	...
go.....	3 p.	29.58	751.3	78	78	N W	4	b	6 a.	29.60	751.8	76	73	N W	3	b
airwei,.....	,,	29.52	749.8	80	...	W N W	5	ovr	9 a.	29.59	751.6	78	...	N W	2	b
low.....	,,	29.79	756.6	97	59	N E	1	b	6 a.	29.72	754.9	88	88	...	0	b
iang.....	,,	29.60	751.8	98	51	S W	1	b	,,	...	...	...	...	...	...	...
ghai.	,,	29.56	750.8	88	56	N N W	2	c	9 a.	29.60	751.8	82	63	N W	2	cv
laff.	,,	29.52	749.8	84	72	N	4	cv	,,	29.56	750.8	82	67	N W	3	cv
Peak,.....	,,	29.48	748.8	89	88	S	2	b	,,	29.59	751.6	87	100	...	0	c
.....	,,	29.58	750.0	87	80	S E	2	b	6 a.	29.59	751.6	80	78	S E	1	b
ow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
aku.....	1 p.	29.61	752.1	.	...	W	4	...	5 a.	29.61	752.0	...	...	S	2	...
m.....	,,	29.62	752.4	...	...	S W	2	...	,,	29.65	753.0	...	...	S	2	...
n.....	,,	29.63	752.7	...	...	S W	4	...	,,	29.64	752.8	...	...	S E	2	...
n.....	,,	29.64	752.8	...	...	N W	6	...	,,	29.59	751.6	...	...	N W	2	...
dores, ...	,,	29.64	752.9	...	...	S W	4	...	,,	29.63	752.6	...	...	S W	4	...
n.....	3 p.	29.59	751.6	98	...	W S W	2	b	9 a.	29.67	753.6	89	100	...	0	b
long, ...	4 p.	29.61	752.1	87	81	W	2	ot	10 a.	29.69	754.1	86	77	W	2	c
ria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Rock,.....	,,	29.61	752.1	...	...	W S W	5	...	,,	29.67	753.6	...	...	W S W	4	...
o.....	,,	29.64	752.8	89	...	S	1	c	,,	29.71	754.6	87	...	S S W	1	c
ow.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
den.....	4 p.	29.59	751.7	91	...	S S E	2	b	8 a.	29.69	754.0	86	...	...	0	b
ne, ...	,,	29.67	753.5	90	...	...	0	c	,,	29.73	755.0	82	...	...	0	c
St. James,.	,,	29.72	755.0	79	...	S W	4	c	,,	29.64	758.0	77	...	S W	4	c
.....	2 p.	29.67	753.7	84	...	S W	1	o	6 a.	29.71	754.5	75	...	S	1	b
.....	4 p.	29.76	756	77	100	S W	1	od	10 a.	29.76	756	82	85	S W	3	o
.....	2 p.	29.76	755.9	90	...	W	1	b	6 a.	29.77	756.2	79	...	W	1	b
.....	3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	S S W	2	o
.....	,,	29.86	758.2	87	...	S W	4	c	,,	29.87	758.7	85	...	S W	1	c
.....	,,	29.79	756.6	88	...	S	3	b	,,	29.84	757.9	86	...	S	3	c
.....	,,	29.82	757.4	88	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

At the 8th at 12.15 p.—The returns are not yet to hand, but probably the typhoon is crossing Japan.

The barometer is inclined to fall again over Formosa and the Philippines. It has risen very slightly on the ina coast.

Pressure is highest over the S. part of the China Sea. It is still in moderate to considerable defect of the normal ywhere.

Moderate variable winds may be expected in the Formosa Channel and fresh monsoon over the N. part of the na Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	W. to S.W. winds, moderate or fresh ; fair.
Formosa Channel, ...	Variable winds, moderate.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 8th August, 1908.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th August. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.50	749.4	74	...	E	2	b	7 a.	29.78	756.5	63	96	N	2
Nemuro,	,,	29.49	749.1	...	...	S	10	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.42	747.2	...	...	S W	10	...	,,	...	...	...	...	...	...
Tokio,	,,	29.51	749.6	...	...	S E	6	...	,,	...	...	...	...	...	...
Kochi,	,,	29.40	746.8	...	...	...	0	...	,,	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.44	747.9	...	...	W	4	...	,,	...	...	...	...	...	...
Oshima,	,,	29.53	750.1	...	...	W	4	...	,,	...	...	...	...	...	...
Naha,	,,	29.57	751.2	...	...	N W	4	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.58	751.3	...	...	N E	4	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.71	756.1	...	...	S	4	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	29.60	751.8	80	74	N W	2	b	6 a.	29.64	752.8	72	90	S W	1
Weihaiwei,	,,	29.57	751.1	80	...	N W	3	b	9 a.	...	...	82	...	W	1
Hankow,	,,	29.69	754.1	95	62	N E	2	o	6 a.	29.72	754.9	86	84	S E	1
Kiukiang,	,,	29.65	753.1	95	42	N E	2	c	,,	...	...	...	...	...	...
Shanghai,	,,	29.56	750.8	87	52	N N W	2	c	9 a.	29.63	752.6	80	66	N N W	1
Gutzlaff,	,,	29.55	750.5	84	68	N	3	cm	,,	29.60	751.8	82	71	N N E	2
Sharp Peak,	,,	29.52	749.8	86	96	S S E	1	b	,,	29.60	751.8	85	91	N	3
Amoy,	,,	29.49	749.0	89	73	S E	1	b	6 a.	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.57	751.0	.	...	W	2	...	5 a.	29.60	751.7	...	...	S W	2
Taichu,	,,	29.63	752.7	...	...	S W	4	...	,,	29.64	752.9	...	...	S	2
Tainan,	,,	29.67	753.6	...	...	S W	6	...	,,	29.66	753.4	...	...	E	2
Kosbun,	,,	29.68	753.8	...	...	N W	6	...	,,	29.65	753.2	...	...	W	6
Pescadores,	,,	29.65	753.2	...	...	S W	6	...	,,	29.63	752.6	...	...	S	6
Canton,	3 p.	29.60	751.8	97	...	S	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.61	752.1	87	73	S W	1	o	10 a.	29.69	754.1	85	79	W	2
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.60	751.8	...	...	W S W	4	...	,,	...	...	...	...	...	...
Macao,	,,	29.64	752.8	88	...	S	1	c	,,	29.72	754.9	85	...	S S W	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.60	751.9	90	...	S S E	2	c	8 a.	...	...	...	...	...	...
Tourane,	,,	29.68	753.8	93	...	...	0	o	,,	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	81	...	S W	3	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.70	754.3	88	...	N	1	o	6 a.	29.71	754.7	77	...	S	1
Manila,	4 p.	29.72	755	82	77	W S W	5	o	10 a.	29.80	757	86	91	S W	1
Legaspi,	2 p.	29.75	755.7	88	...	W	1	c	6 a.	29.78	756.4	77	...	W	1
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S S W	1
Iloilo,	,,	29.81	757.2	86	...	S W	3	b	,,	29.83	757.7	85	...	S W	1
Cebu,	,,	29.78	756.4	88	...	S	1	b	,,	29.82	757.4	77	...	S	2
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	...	...	...	...	...	...

On the 9th at 12.35 p.—The typhoon appears to have passed near Hakodate yesterday afternoon.

The barometer has risen considerably in Wladivostok. Changes at such other stations whose reports are present on hand, are slight.

Pressure remains in moderate defect of the normal over Formosa and the China coast. It is lowest over Eastern Sea.

Moderate or fresh variable winds may be expected in the Formosa Channel, and fresh monsoon over the N. of the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, moderate or fresh; fair at f thunder showers later.
2.—Formosa Channel,	Variable winds, moderate or fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 9th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th AUGUST, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
rostock,...	2 p.	29.85	758.3	72	...	S E	2	o	7 a.	29.99	761.7	...	94	...	0	c
ro.....	,,	29.89	759.1	...	...	S W	4	...	6 a.	30.08	764.1	...	...	...	0	...
date, ...	,,	29.85	758.2	...	...	S	6	...	,,	30.05	763.2	...	...	W	6	...
.....	,,	29.87	758.6	...	...	S	6	...	,,	30.06	763.6	...	...	S E	4	...
.....	,,	29.72	754.8	...	...	S E	4	...	,,	29.84	757.8	...	...	E	2	...
saki.	,,	...	...	...	...	...	...	...	,,	29.72	754.8	...	...	S W	2	...
shima.	,,	29.60	751.9	...	...	...	0	...	,,	29.68	753.9	...	...	E	2	...
ma, ...	,,	29.61	752.1	...	...	N E	4	...	,,	29.69	754.1	...	...	...	0	...
.....	,,	29.61	752.2	...	...	W	4	...	,,	29.69	754.2	...	...	...	0	...
akijima, ...	,,	29.62	752.3	...	...	N E	4	...	,,	29.66	753.3	...	...	N E	2	...
Is.....	,,	29.85	758.1	...	...	S E	4	...	,,	29.93	760.1	...	...	S	2	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	29.69	754.1	83	75	N E	1	b
niwei, ...	,,	29.61	752.1	84	...	N	2	b	9 a.	...	...	...	...	...	...	...
ew, ...	,,	29.71	754.6	96	54	...	0	b	6 a.	...	...	...	...	...	...	...
iang.....	,,	29.64	752.8	96	68	N E	2	b	,,	...	...	...	...	...	...	...
ghai.	,,	29.63	752.6	86	55	N N E	2	c	9 a.	29.67	753.6	83	67	N N W	1	c
lff.	,,	29.60	751.8	85	68	N N E	2	cv	,,	29.65	753.1	85	72	N N W	1	cv
Peak,.....	,,	29.56	750.8	85	91	E N E	2	b	,,	29.66	753.3	85	91	E	2	b
.....	,,	29.52	749.8	89	73	S E	2	b	6 a.	29.59	751.6	84	83	S E	1	o
ow.....	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ku.....	1 p.	29.63	752.7	.	...	E	2	...	5 a.	29.66	753.3	...	...	...	0	...
n.....	,,	29.65	753.2	...	...	S	4	...	,,	29.66	753.4	...	...	...	0	...
n.....	,,	29.67	753.6	...	...	S W	4	...	,,	29.66	753.3	...	...	S E	2	...
a.....	,,	29.67	753.5	...	...	N W	6	...	,,	29.67	753.5	...	...	W	2	...
ives, ...	,,	29.65	753.1	...	...	S W	4	...	,,	29.63	752.7	...	...	S W	6	...
a.....	3 p.	29.61	752.1	95	...	S E	1	b	9 a.	29.68	753.9	88	69	W	1	b
kong.	4 p.	29.60	751.8	88	71	S W	2	c	10 a.	29.68	753.9	87	76	W	1	c
na Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Rock.....	,,	29.61	752.1	...	...	W S W	5	...	,,	...	...	...	...	...	...	...
o.....	,,	29.64	752.8	90	...	S	2	c	,,	...	...	...	...	...	...	...
ow.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
di.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
er.....	4 p.	29.61	752.1	90	...	S	1	c	8 a.	...	...	...	...	...	...	...
ra	,,	29.67	753.5	88	...	N N W	2	c	,,	...	...	...	...	...	...	...
St. James,.	,,	29.74	755.4	82	...	S W	5	c	,,	...	...	...	...	...	...	...
.....	2 p.	29.70	754.4	84	...	N	1	d	6 a.	29.71	754.5	75	...	S W	1	b
.....	4 p.	29.76	756	84	77	W S W	2	o	10 a.	...	...	...	...	...	...	...
.....	2 p.	29.74	755.5	93	...	W	1	c	6 a.	29.77	756.1	77	...	W	1	b
.....	3 p.	...	...	...	...	S S W	1	c	9 a.	...	...	...	...	S S W	1	o
.....	,,	29.81	757.2	87	...	S W	1	...	,,	29.87	758.7	85	...	...	0	c
.....	,,	29.77	756.1	88	...	S	1	...	,,	29.84	757.9	86	...	S	2	c
ap.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...

On the 10th at 12.55 p.—The barometer has risen quickly over Japan, and a slight rise has taken place also r the E. coast of China.

An area of high pressure is spreading over Japan from the Eastward, and pressure is at present relatively low r the Eastern Sea and the Pacific to the S. of the Loochoos.

Fresh variable winds are indicated in the Formosa Channel, and fresh monsoon over the N. part of the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	W. to S.W. winds, moderate or fresh; unsettled, thunder [showers.
Formosa Channel, ...	Variable winds, fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 10th August, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th August, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	30.04	763.0	74	...	S W	1	c	7 a.	29.98	761.4	66	84	...	0
Nemuro,	,,	30.12	765.1	...	...	E	2	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	30.06	763.2	...	...	S	4	...	,,	...	...	...	...	...	...
Tokio,	,,	30.10	764.6	...	...	S E	4	...	,,	...	...	...	...	...	...
Kochi,	,,	29.83	757.8	...	...	E	6	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	...	0	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.76	755.9	...	...	S	2	...	,,	...	...	...	...	...	...
Osbima,	,,	29.73	755.1	...	...	N	2	...	,,	...	...	...	...	...	...
Naha,	,,	29.69	754.2	...	...	S	2	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.70	754.3	...	...	...	0	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	W	4	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	29.74	755.4	82	79	E N E	3	c	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.74	755.4	85	...	...	2	b	9 a.	29.73	755.1	78	...	S E	1
Hankow,	,,	29.62	752.3	96	56	N E	1	b	6 a.	29.77	756.1	84	75	N E	1
Kiukiang,	,,	29.71	754.6	95	42	N E	2	b	,,	29.73	755.1	79	82	N E	1
Shanghai,	,,	29.66	753.3	75	95	W S W	1	od	9 a.	29.73	755.1	82	75	E S E	1
Gutzlaff,	,,	29.67	753.6	82	75	...	0	cv	,,	29.72	754.9	84	79	S S E	2
Sharp Peak,	,,	29.64	752.8	86	96	E	1	b	,,	29.72	754.9	85	91	E	2
Amoy,	,,	29.63	752.6	85	83	S E	3	c	6 a.	29.67	753.6	83	83	...	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.67	753.6	.	...	N W	4	...	5 a.	29.71	754.6	...	...	S W	2
Taichu,	,,	29.67	753.7	...	...	S	4	...	,,	29.72	754.8	...	...	...	0
Tainan,	,,	29.70	754.3	...	...	S	4	...	,,	29.70	754.4	...	...	S E	2
Koshun,	,,	29.71	754.6	...	...	N W	2	...	,,	29.71	754.6	...	...	...	0
Pescadores,	,,	29.68	753.8	...	...	S	4	...	,,	29.70	754.3	...	...	S	2
Canton,	3 p.	29.62	752.3	94	61	S W	1	c	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.61	752.1	86	79	W S W	1	c	10 a.	29.71	754.6	87	76	W	2
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.63	752.6	...	...	W S W	5	...	,,	29.69	754.1	...	...	W S W	3
Macao,	,,	29.65	753.1	88	...	S S W	1	c	,,	29.73	751.1	88	...	S S W	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.1	84	...	E N E	3	lt	8 a.	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	86	...	N W	2	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	86	...	S S W	1	lt	,,	...	...	...	...	...	...
Aparri,	2 p.	29.76	755.9	77	...	N	1	p	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.76	756	79	92	W	2	op	10 a.	29.80	757	79	84	W	2
Legaspi,	2 p.	29.76	756.0	90	...	W	1	o	6 a.	...	...	...	...	...	1
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.83	757.7	86	...	S W	2	o	,,	29.87	758.7	84	...	S S W	3
Cebu,	,,	29.79	756.6	89	...	S	2	c	,,	29.84	757.9	84	...	S	1
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	29.84	757.9	85	...	...	...

On the 11th at 12.55 p.—The barometer has risen quickly over Formosa and the China coast.

The highest pressure is probably lying over Japan, and the lowest over China to the South of the Yangtze.

Many of the returns are not yet in hand.

Moderate variable winds may be expected in the Formosa Channel, and moderate or fresh monsoon over China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair at first, showery w[ith] [thunder la[ter]
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 11th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	11TH AUGUST, 1908, P.M.								12TH AUGUST, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
rostock,...	2 p.	29.99	761.8	77	...	W	1	c	7 a.	29.86	758.3	67	94	S	2	f
ao,.....	,,	30.04	763.1	...	...	S W	6	...	6 a.	30.01	762.1	...	...	N	2	...
ite,.....	,,	30.05	763.2	...	...	S W	4	...	,,	30.01	762.2	...	...	...	0	...
,.....	,,	30.06	763.6	...	...	N E	4	...	,,	30.02	762.6	...	...	S W	2	...
i.....	,,	29.91	759.8	...	...	...	0	...	,,	29.95	760.8	...	...	...	0	...
saki, ...	,,	29.83	757.8	...	...	S E	4	...	,,	29.88	758.8	...	...	S E	6	...
shima, ...	,,	29.94	757.9	...	...	S E	2	...	,,	29.92	759.9	...	...	...	0	...
na.....	,,	...	...	...	...	...	...	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	29.85	758.2	...	...	S E	6	...	,,	29.85	758.2	...	...	...	0	...
akijima,....	,,	29.74	755.3	...	...	S	6	...	,,	29.82	757.3	...	...	S	4	...
Is.....	,,	29.96	761.1	...	...	N E	2	...	,,	29.97	761.1	...	...	E	2	...
o.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,.....	,,	29.71	754.6	81	...	E	3	o	9 a.	29.75	755.6	80	...	S E	1	ovr
ow.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ung,.....	,,	...	...	...	...	...	...	...	,,	29.77	756.1	84	68	...	0	b
ghai.....	,,	29.70	754.4	84	72	S E	1	c	9 a.	29.76	755.9	84	79	S	2	c
ff.....	,,	29.72	754.9	84	79	S E	2	cv	,,	29.76	755.9	84	79	S	3	cm
Peak,.....	,,	29.72	754.9	85	96	E N E	3	b	,,	29.79	756.6	85	96	N	1	c
.....	,,	29.67	753.6	85	83	S E	3	b	6 a.	29.73	755.1	84	83	..	0	o
w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	1 p.	29.71	754.6	.	...	E	4	...	5 a.	29.77	756.1	...	...	...	0	...
.....	,,	29.73	755.1	...	...	W	4	...	,,	29.77	756.2	...	...	...	0	...
.....	,,	29.74	755.3	...	...	S W	6	...	,,	29.78	756.3	...	...	E	2	...
.....	,,	29.75	755.7	...	...	S	4	...	,,	29.78	756.4	...	...	...	0	...
dres, ...	,,	29.74	755.3	...	...	S	4	...	,,	29.77	756.2	...	...	S E	4	...
.....	3 p.	29.67	753.6	88	76	E	1	c	9 a.	29.76	755.9	87	76	E	1	c
long, ...	4 p.	29.65	753.1	86	80	W	1	o	10 a.	29.78	756.4	82	81	E S E	1	o
n Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lock.....	,,	29.64	752.8	...	...	S W	2	...	,,	29.73	755.1	...	...	E S E	2	...
.....	,,	29.68	753.9	87	...	S E	1	c	,,	29.78	756.4	82	...	S E	1	o
w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
an.....	4 p.	29.60	751.9	75	...	N N E	3	lt	8 a.	29.73	755.0	...	...	N	2	lt
ne.....	,,	29.69	754.1	90	...	E	1	o	,,	29.75	755.7	81	...	...	0	o
t. James,.	,,	29.76	755.8	90	...	W	1	c	,,	29.83	757.6	81	...	W	1	c
.....	2 p.	29.74	755.3	89	...	N	1	b	6 a.	29.78	756.3	77	...	S	1	o
.....	4 p.	29.72	755	84	77	W S W	1	o	10 a.	29.80	757	82	77	S W	1	o
.....	2 p.	29.76	755.8	79	...	W	1	o	6 a.	29.79	756.6	75	...	..	0	o
.....	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S S W	3	o
.....	,,	29.81	757.2	87	...	S W	3	c	,,	29.83	757.7	84	...	S W	1	c
.....	,,	29.75	755.6	87	...	S	1	c	,,	29.81	757.2	87	...	S	2	c
.....	,,	29.77	756.1	88	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

h the 12th at 12.05 p.—The barometer has risen slightly to moderately over China and Formosa. It is inclined fall in the S. Philippines.

low pressure trough will probably form over the N. part of the China Sea.

Pressure is still high over Japan and surrounding waters.

Moderate S.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	S.E. and E. winds, moderate; thunder showers.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 12th August, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th August, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th August, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S W	...	...	6 a.	29.85	758.1	...	...	S W	6
Hakodate,	,,	29.93	760.2	...	...	S E	4	...	,,	29.89	759.2	...	...	...	0
Tokio,	,,	30.02	762.6	...	...	S	4	...	,,	29.95	760.6	...	...	S	4
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S W	2
Nagasaki,	,,	29.87	758.8	...	...	S	4	...	,,	29.91	759.8	...	...	...	0
Kagoshima,	,,	29.92	759.9	...	...	S	4	...	,,	29.92	759.9	...	...	...	0
Oshima,	,,	29.89	759.1	...	...	E	6	...	,,	29.89	759.1	...	...	S	2
Naha,	,,	29.85	758.2	...	...	S E	2	...	,,	29.85	758.2	...	...	...	0
Ishigakijima,	,,	29.82	757.3	...	...	E	4	...	,,	29.82	757.3	...	...	N E	4
Bonin Is.	,,	29.96	761.1	...	...	E	2	...	,,	30.01	762.1	...	...	...	0
Chefoo	3 p.	29.69	754.1	84	75	S E	3	o	6 a.	29.71	754.6	73	95	...	6
Weihaiwei,	,,	29.70	754.4	83	...	S	2	o	9 a.	29.70	754.4	76	...	S E	1
Hankow,	,,	29.75	755.6	94	61	S	1	b	6 a.	29.82	757.4	85	91	N E	1
Kiukiang,	,,	29.72	754.9	99	49	N E	2	b	,,	29.79	756.6	82	79	...	0
Shanghai,	,,	29.70	754.4	90	70	S S E	2	b	9 a.	29.74	755.4	88	73	S	2
Gutzlaff,	,,	29.73	755.1	87	73	S S E	2	bm	,,	29.75	755.6	86	84	S	3
Sharp Peak,	,,	29.76	755.9	86	96	E N E	3	b	,,	29.81	757.2	87	...	...	0
Amoy	,,	29.74	755.4	85	79	S E	3	b	6 a.	29.79	756.6	83	87	N E	1
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taiboku	1 p.	29.78	756.4	.	...	N	4	...	5 a.	29.82	757.3	...	...	...	0
Taichu,	,,	29.78	756.3	...	...	W	2	...	,,	29.82	757.4	...	...	...	0
Tainan,	,,	29.78	756.5	...	...	S W	4	...	,,	29.80	757.0	...	...	N E	2
Koshun	,,	29.78	756.5	...	...	E	4	...	,,	29.81	75.72	...	...	...	0
Pescadores,	,,	29.79	756.7	...	...	W	4	...	,,	29.81	757.2	...	...	N E	2
Canton	3 p.	29.72	754.9	84	87	S	1	o	9 a.	29.81	757.2	86	76	E	2
Hongkong,	4 p.	29.72	754.9	82	83	E	1	o	10 a.	29.81	757.2	83	82	E	2
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.70	754.4	...	...	E S E	3	...	,,	29.76	755.9	...	...	E S E	4
Macao,	,,	29.74	755.4	83	...	S E	1	c	,,	29.81	757.2	85	...	E S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.1	88	...	E S E	2	c	8 a.	29.78	756.3	77	...	...	2
Tourane,	,,	29.67	753.6	90	...	N E	2	c	,,	29.77	756.1	79	...	...	0
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	79	...	W S W	3
Aparri,	2 p.	29.75	755.6	86	...	N	1	t	6 a.	29.78	756.5	77	...	S W	1
Manila,	4 p.	29.72	755	82	77	S W	2	o	10 a.	29.84	758	84	77	W S W	1
Legaspi,	2 p.	29.73	755.1	91	...	W	1	c	6 a.	29.81	757.2	77	...	..	0
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	W S W	2
Iloilo,	,,	29.79	756.6	86	...	S W	2	b	,,	29.89	759.2	82	...	S W	1
Cebu,	,,	29.76	755.9	89	...	S	1	b	,,	29.86	758.4	87	...	S	1
Labuan,	,,	29.76	755.9	89	...	...	...	...	,,	29.86	758.2	86	...	...	...

On the 13th at 11.55 a.—The barometer has fallen moderately in E. Japan, and risen slightly over S. China the Philippines.

Pressure is high over the Pacific in the neighbourhood of the Bonins. It is relatively low over N. China, also in a trough lying over the N. part of the China Sea.

Moderate S.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the Ch Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 13th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	13TH AUGUST, 1908, P.M.								14TH AUGUST, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
irostock,...	2 p.	29.58	751.2	72	...	S E	2	f	7 a.	29.55	750.6	71	98	...	0	or
no,.....	,,	29.81	757.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	...
date,.....	,,	29.85	758.2	...	...	S E	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.91	759.6	...	...	S W	6	...	,,	...	...	...	...	...	...	...
i.....	,,	29.87	758.8	...	...	E	2	...	,,	...	...	...	...	...	...	...
aki, ...	,,	29.87	758.8	...	...	W	4	...	,,	...	...	...	...	...	...	...
shima, ...	,,	29.88	758.9	...	...	N E	2	...	,,	...	...	...	...	...	...	...
a.....	,,	29.89	759.1	...	...	S	4	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akijima,....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Is.....	,,	29.96	761.1	...	...	E	2	...	,,	...	...	...	...	...	...	...
s.....	3 p.	...	...	...	...	...	...	...	6 a.	29.76	755.9	73	100	...	0	o
nwei,.....	,,	29.68	753.9	81	...	W	1	b	9 a.	29.79	756.6	77	...	N	2	b
ow,.....	,,	...	...	...	...	...	...	...	6 a.	29.83	757.7	83	83	E N E	1	o
ang,.....	,,	...	...	...	...	...	...	...	,,	29.81	757.2	81	78	...	0	b
hai.	,,	29.70	754.4	96	59	S W	1	c	9 a.	29.79	756.6	86	84	S W	1	om
ff.	,,	29.71	754.6	88	84	S	2	bm	,,	29.78	756.4	86	84	S S W	1	ov
Peak,.....	,,	29.77	756.1	87	96	E	1	b	,,	29.81	757.2	87	...	N N E	2	b
.....	,,	29.75	755.6	86	80	S E	3	b	6 a.	29.77	756.1	85	83	...	0	c
a.....	,,	29.76	756.9	87	73	E	1	b	,,	...	...	...	...	...	...	...
n.....	1 p.	29.80	756.8	.	...	E	2	...	5 a.	29.80	756.8	...	...	S	2	...
.....	,,	29.81	757.2	...	...	N	4	...	,,	29.80	756.9	...	...	N E	2	...
.....	,,	29.81	757.1	...	...	N W	6	...	,,	29.80	757.0	...	...	N E	2	...
.....	,,	29.80	757.0	...	...	E	4	...	,,	29.80	757.0	...	...	...	0	...
hes, ...	,,	29.82	757.5	...	...	N W	4	...	,,	29.80	757.0	...	...	W	4	...
.....	3 p.	29.77	756.1	88	80	...	0	c	9 a.	...	...	...	...	...	...	...
ang.	4 p.	29.77	756.1	83	82	E	2	c	10 a.	29.82	757.4	87	71	E	1	o
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ock.....	,,	29.75	755.6	...	...	E S E	3	...	,,	29.80	756.9	...	...	S	1	...
.....	,,	29.80	756.9	80	...	S S E	1	c	,,	29.83	757.7	86	...	E	1	c
w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n.....	4 p.	29.68	753.8	86	...	E N E	3	c	8 a.	29.80	756.8	...	...	N E	3	lt
ne.....	,,	29.69	754.1	86	...	S E	1	c	,,	29.80	756.9	79	...	...	0	o
t. James,.	,,	29.76	756.0	75	...	S W	2	or	,,	29.83	758.8	79	...	W S W	5	c
.....	2 p.	29.76	756.6	84	...	N W	1	o	6 a.	29.79	756.6	77	...	S	1	o
.....	4 p.	29.76	756	84	77	W S W	4	o	10 a.	...	...	...	...	...	...	...
.....	2 p.	29.78	756.3	88	...	W	1	c	6 a.	29.86	758.3	75	...	..	0	o
.....	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S S W	2	o
.....	,,	29.85	758.2	86	...	S W	3	c	,,	29.91	759.7	84	...	S W	2	c
.....	,,	29.80	756.9	89	...	S	2	c	,,	29.91	759.7	85	...	S	2	b
.....	,,	29.82	757.4	88	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

the 14th at 11.55 a.—The barometer has risen slightly over N. China, and fallen moderately in Wladiwostok.
depression is moving Eastwards over the N. part of the Sea of Japan
Pressure is near the normal over China, and slightly low in a trough lying over the N. part of the China Sea.
Moderate N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	E. winds, moderate; showery.
ormosa Channel, ...	Same as No. 1.
outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 14th August, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th August, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	15th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.58	751.3	84	...	N	1	b	7 a.	29.69	754.2	68	88	...	0
Nemuro,	,,	29.73	755.1	...	...	S	6	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.73	755.2	...	...	S W	4	...	,,	...	...	...	...	...	...
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	...	...	...	...	...	...
Kochi,	,,	29.87	758.8	...	...	N	2	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.83	757.8	...	...	S W	6	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.88	758.9	...	...	S	2	...	,,	...	...	...	...	...	...
Oshima,	,,	29.85	758.1	...	...	S	4	...	,,	...	...	...	...	...	...
Naha,	,,	29.81	757.2	...	...	S E	2	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.78	756.3	...	...	E	6	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	S E	2	...	,,	...	...	...	...	...	...
Chefoo	3 p.	29.80	756.9	83	63	N W	1	b	6 a.	29.79	756.6	75	96	...	0
Weihaiwei,	,,	29.77	756.1	82	...	N W	...	b	9 a.	29.79	756.6	80	...	S E	1
Hankow,	,,	29.78	756.4	96	68	N E	1	b	6 a.	29.79	756.6	84	91	E S E	2
Kiukiang,	,,	29.79	756.6	86	78	W	2	o	,,	29.86	758.4	78	86	S W	1
Shanghai,	,,	29.73	755.1	86	65	E	2	o	9 a.	29.78	756.4	86	76	S E	1
Gutzlaff,	,,	29.74	755.4	79	82	N	6	om	,,	29.78	756.4	86	80	E S E	1
Sharp Peak,	,,	29.76	755.9	86	92	E	3	b	,,	29.74	755.4	86	96	N	1
Amoy	,,	29.67	753.6	86	80	S E	3	b	6 a.	29.73	755.1	84	83	...	0
Swatow,	,,	29.70	754.4	...	...	E S E	2	b	,,	...	...	...	...	...	...
Taihoku	1 p.	29.78	756.3	..	...	E	4	...	5 a.	29.71	754.6	...	...	E	2
Taichu,	,,	29.76	756.0	...	...	N W	2	...	,,	29.72	754.9	...	...	...	0
Tainan,	,,	29.78	756.3	...	...	N W	4	...	,,	29.73	755.0	...	...	...	0
Koshun	,,	29.78	756.5	...	...	W	2	...	,,	29.72	754.8	...	...	...	0
Pescadores,	,,	29.79	756.7	...	...	N	4	...	,,	29.70	754.3	...	...	N W	4
Canton,	3 p.	29.74	755.4	94	58	S	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.74	755.4	85	73	E	2	c	10 a.	29.76	755.9	84	81	N W	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.73	755.1	...	...	E S E	2	...	,,	29.71	754.6	...	...	S S E	1
Macao,	,,	29.77	756.1	85	...	S E	1	c	,,	29.77	756.1	84	...	S S W	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.4	82	...	N E	6	c	8 a.	29.80	756.9	73	...	S	4
Tourane,	,,	29.73	755.1	84	...	N N W	2	or	,,	29.76	755.8	82	...	...	0
Cape St. James,	,,	29.79	756.7	86	...	W S W	4	c	,,	29.89	759.2	79	...	S W	5
Aparri,	2 p.	29.77	756.1	86	...	N	1	o	6 a.	29.75	755.6	77	...	S	1
Manila,	4 p.	29.80	757	82	79	W	3	o	10 a.	29.84	758	82	85	S	1
Legaspi,	2 p.	29.83	757.7	86	...	W	1	...	6 a.	29.86	758.5	75	...	...	0
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	S S W	1
Iloilo,	,,	29.85	758.2	85	...	S W	2	b	,,	29.91	759.7	85	...	S W	2
Cebu,	,,	29.83	757.7	89	...	S	1	b	,,	29.89	759.2	88	...	S	1
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.88	758.9	82	...	...	...

On the 15th at 11.55 a.—The barometer has risen over the N. part of the Sea of Japan, and fallen moderately over S. China and Formosa.

Pressure is highest over the S. part of the China Sea. It is relatively low over the N. part of the China Sea and the Pacific to the E. of Formosa.

Moderate N.E. winds may be expected in the Formosa Channel and moderate variable winds along the North shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; fair to showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 15th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th AUGUST. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...divostock,...	2 p.	29.69	754.0	75	...	S E	2	b	7 a.	29.71	754.5	70	91	S E	2	o
...no,.....	,,	29.73	755.1	...	...	S W	6	...	6 a.	29.81	757.1	...	...	S E	2	...
...date,.....	,,	29.73	755.2	...	...	S	4	...	,,	29.81	757.2	...	...	...	0	...
...o.....	,,	29.75	755.6	...	...	S W	2	...	,,	29.79	756.6	...	...	N W	2	...
...i.....	,,	29.80	756.8	...	...	...	0	...	,,	29.84	757.8	...	...	S W	2	...
...saki, ...	,,	29.83	757.8	...	...	S W	4	...	,,	29.84	757.8	...	...	...	0	...
...shima, ...	,,	29.88	758.9	...	...	S	2	...	,,	29.88	758.9	...	...	...	0	...
...ma.....	,,	29.85	758.1	...	...	S	2	...	,,	29.85	758.1	...	...	...	0	...
.....	,,	29.77	756.2	...	...	S E	4	...	,,	29.77	756.2	...	...	S E	4	...
...gkijima,....	,,	29.66	753.3	...	...	S E	8	...	,,	29.54	750.3	...	...	S E	8	...
...n Is.....	,,	29.93	760.1	...	...	S W	2	...	,,	29.89	759.1	...	...	W	4	...
...o.....	3 p.	...	...	...	...	...	...	...	6 a.	29.78	756.4	75	90	...	0	b
...aiwei,.....	,,	29.75	755.6	83	...	E	3	b	9 a.	29.77	756.1	82	...	S	2	ovr
...ow, ...	,,	29.75	755.6	95	68	N E	1	b	6 a.	29.72	754.9	85	87	...	0	b
...ang,.....	,,	...	...	...	...	...	...	...	,,	29.66	753.3	81	91	...	0	b
...ghai.	,,	29.71	754.6	87	65	...	0	...	9 a.	29.72	754.9	84	83	S E	2	c
...ff	,,	29.74	755.4	86	80	S E	2	cv	,,	29.73	755.1	86	83	S E	2	cm
...Peak,.....	,,	29.69	754.1	86	88	E N E	4	b	,,	29.64	752.8	86	83	N	5	b
.....	,,	29.65	753.1	86	84	S E	3	b	6 a.	...	...	84	87	S W	1	b
...n.....	,,	29.63	752.6	89	66	E	1	b	,,	29.62	752.3	80	91	W	1	c
...ku.....	1 p.	29.70	754.4	.	...	E	6	...	5 a.	29.59	751.6	...	...	...	0	...
...n.....	,,	29.68	753.9	...	...	N	4	...	,,	29.59	751.5	...	...	...	0	...
...n.....	,,	29.70	754.3	...	...	S W	4	...	,,	29.56	750.9	...	...	S E	2	...
...n.....	,,	29.70	754.3	...	...	W	4	...	,,	29.58	751.2	...	...	S W	4	...
...hes, ...	,,	29.68	753.8	...	...	N	6	...	,,	29.59	751.6	...	...	N	6	...
...n.....	3 p.	29.69	754.1	92	61	S	1	b	9 a.	29.67	753.6	88	69	S	1	b
...kng, ...	4 p.	29.64	752.8	88	68	...	0	c	10 a.	29.69	754.1	85	79	...	0	o
...n Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ock.....	,,	29.66	753.3	...	...	...	0	...	,,	29.65	753.1	...	...	N W	2	...
...l.....	,,	29.69	754.1	81	...	S E	1	c	,,	29.70	754.4	89	...	N W	1	...
...w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...l.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.63	752.5	88	...	S S E	1	c	8 a.	29.70	754.4	84	...	N	2	b
...ce	,,	29.70	754.3	84	...	E S E	1	o	,,	29.73	755.0	81	...	...	0	o
...t. James,..	,,	29.79	756.6	84	...	S W	4	c	,,	29.87	758.6	79	...	W N W	3	c
.....	2 p.	29.74	755.3	81	...	S W	1	d	6 a.	29.69	754.2	77	...	S	1	p
.....	4 p.	29.80	757	81	85	S W	0	o	10 a.	29.84	758	81	85	W	4	q
.....	2 p.	29.82	757.3	86	...	W	1	o	6 a.	29.82	757.4	77	...	..	0	b
.....	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.85	758.2	87	...	S W	3	o	,,	29.89	759.2	84	...	S W	2	b
.....	,,	29.81	757.2	90	...	S	3	b	,,	29.88	758.9	86	...	S	1	b
.....	,,	29.80	756.9	86	...	...	...	...	,,	...	...	...	...	...	...	...

...the 15th at 6 p.—There are indications of the existence of a depression to the Southward of Meiaco Sima ...

...the 16th at 11.35 a.—The barometer has fallen considerably over the S.E. coast of China and in Formosa, ...g to the advance of the depression which now appears to be situated near the E. coast of the latter island, and ...e moving towards N.W.

Pressure is highest over the S. part of the China Sea and the Pacific towards the Bonins.

Bad weather is indicated in the Formosa Channel, and fresh to strong W. and S.W. winds over the N. part of the ...a Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	W. to S.W. winds, freshening; squally, thunder [showers.
...ormosa Channel, ...	Cyclonic gales.
...outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 16th August, 1908.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th AUGUST, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.65	753.0	73	...	S E	2	o	7 a.	29.81	757.2	...	98	W	1
Nemuro, ...	,,	29.81	757.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	29.81	757.2	...	...	S	6	...	,,	...	...	...	...	...	...
Tokio, ...	,,	29.79	756.6	...	...	S W	4	...	,,	...	...	...	...	...	...
Kochi, ...	,,	29.83	757.8	...	...	E	4	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	29.83	757.8	...	...	S	6	...	,,	...	...	...	...	...	...
Kagoshima, ...	,,	29.84	757.9	...	...	S E	2	...	,,	...	...	...	...	...	...
Oshima, ...	,,	29.85	758.1	...	...	S	4	...	,,	...	...	...	...	...	...
Naha, ...	,,	29.77	756.2	...	...	S E	2	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	29.42	747.3	...	...	S	8	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	...	...	...	...	...	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	29.74	755.4	88	...	S W	2	ovr	9 a.	29.84	757.9	82	...	E	2
Hankow, ...	,,	29.64	752.8	98	63	N E	1	b	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	29.60	751.8	100	49	N E	1	c	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.69	754.1	90	70	E S E	3	eq	9 a.	29.72	754.9	85	72	E	3
Gutzlaff, ...	,,	29.71	754.6	85	79	S E	3	cm	,,	29.69	754.1	83	83	E	4
Sharp Peak, ...	,,	29.58	751.3	86	84	N	5	b	,,	29.51	749.5	85	91	N N W	1
Amoy, ...	,,	29.62	752.3	87	84	S E	3	b	6 a.	29.56	750.8	79	87	S E	3
Swatow, ...	,,	29.58	751.5	93	71	S E	2	c	,,	29.61	752.1	78	86	N	1
Taihoku.....	1 p.	29.55	750.6	...	...	N E	6	...	5 a.	29.48	748.8	...	...	S W	4
Taichu, ...	,,	29.52	749.8	...	...	N W	4	...	,,	29.54	750.3	...	...	...	0
Tainan, ...	,,	29.54	750.2	...	...	N W	6	...	,,	...	...	...	...	...	...
Koshun.....	,,	29.55	750.5	...	...	S W	4	...	,,	29.56	750.8	...	...	W	8
Pescadores, ...	,,	29.57	751.1	...	...	N	8	...	,,	29.58	751.3	...	...	N	4
Canton, ...	3 p.	29.60	751.8	96	...	W	2	b	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.57	751.1	90	63	W	1	o	10 a.	29.65	753.1	85	76	W S W	1
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.57	751.1	...	...	W S W	2	...	,,	29.62	752.3	...	...	N W	2
Macao, ...	,,	29.61	752.1	87	...	S S E	1	c	,,	29.66	753.3	87	...	N	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.60	751.8	88	...	S S E	2	c	8 a.	29.68	753.9	86	...	N	1
Tourane, ...	,,	29.67	753.5	88	...	...	0	c	,,	29.71	754.6	84	...	...	0
Cape St. James,.	,,	29.74	755.4	86	...	S W	2	c	,,	29.84	757.8	79	...	W S W	3
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.71	754.7	77	...	S	1
Manila, ...	4 p.	29.76	756	82	85	S W	2	o	10 a.	29.84	758	86	71	S W	1
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.85	758.2	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S S W	2	o	9 a.	...	...	...	...	S S W	1
Iloilo, ...	,,	29.81	757.2	85	...	S W	2	o	,,	29.91	759.7	84	...	S W	2
Cebu, ...	,,	29.79	756.6	89	...	S	1	c	,,	29.89	759.2	86	...	N E	1
Labuan, ...	,,	29.77	756.1	87	...	...	...	...	,,	29.85	758.2	84	...	...	...

On the 17th at 11.35 a.—The barometer has fallen considerably over N. Formosa and at Sharp Peak. T typhoon is now situated to the North of *Formosa*. It is moving at present towards N.W. and threatens the coast the neighbourhood of Wenchow.

Pressure has increased over Japan and N. China. It is highest over the Pacific between Japan and the S. P li ppines.

Bad weather will prevail over the Eastern Sea and the N. part of the Formosa Channel. Fresh to str. monsoon is indicated over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	W. winds, moderate to fresh; unsettled, thund
2.—Formosa Channel, ...	W. to S.W. winds, strong. [showe
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 17th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th AUGUST. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	18th AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...dirostock,...	2 p.	29.84	758.0	76	...	S	2	c	7 a.	29.93	760.2	71	99	S E	1	f
...uro.....	,,	29.96	761.1	...	...	S E	2	...	6 a.	30.01	762.1	...	...	...	0	...
...odate.....	,,	29.93	760.2	...	...	S E	4	...	,,	30.05	763.2	...	...	...	0	...
...io.....	,,	29.91	759.6	...	...	S E	4	...	,,	30.06	763.6	...	...	N W	2	...
...hi.....	,,	29.87	758.8	...	...	S W	2	...	,,	29.99	761.8	...	...	S W	2	...
...saki, ...	,,	29.87	758.8	...	...	S W	6	...	,,	29.91	759.8	...	...	N W	2	...
...oshima, ...	,,	29.88	758.9	...	...	S	3	...	,,	29.92	759.9	...	...	...	0	...
...ma.....	,,	29.89	759.1	...	...	S E	6	...	,,	29.93	760.1	...	...	...	0	...
...a.....	,,	29.81	757.2	...	...	S E	4	...	,,	29.86	758.2	...	...	S E	2	...
...gekijima, ...	,,	29.58	751.3	...	...	S W	10	...	,,	29.74	755.3	...	...	S	10	...
...n Is.....	,,	29.93	760.1	...	...	...	0	...	,,	29.97	761.1	...	...	E	2	...
...co.....	3 p.	...	...	...	...	...	...	...	6 a.	29.93	760.2	78	100	S	1	o
...haiwei,.....	,,	29.81	757.2	83	...	E	3	ovr	9 a.	29.93	760.2	81	...	E	2	ovr
...kow, ...	,,	29.69	754.1	99	54	N W	1	b	6 a.	...	...	...	...	...	...	...
...iang,.....	,,	29.60	751.8	96	53	N E	2	b	,,	29.49	749.0	81	83	N E	5	o
...ghai, ...	,,	29.68	753.9	81	83	E	4	o	9 a.	29.68	753.9	82	83	E S E	5	o
...aff.	,,	29.66	753.3	79	87	E S E	6	...	,,	29.68	753.9	81	87	S E	5	om
...Peak,.....	,,	29.42	747.2	86	87	W S W	2	o	,,	29.57	751.1	81	91	S	4	or
...g.....	,,	29.45	748.0	86	76	S E	2	c	6 a.	29.53	750.0	84	87	N E	1	c
...ow,.....	,,	29.46	748.3	94	52	...	0	b	,,	29.55	750.5	81	87	S S W	1	c
...du.....	1 p.	29.52	749.7	.	...	W	6	...	5 a.	29.61	752.0	...	...	...	0	...
...in.....	,,	29.58	751.4	...	...	E	4	...	,,	29.63	752.5	...	...	S	2	...
...w.....	,,	29.60	751.9	...	...	S W	6	...	,,	29.64	752.8	...	...	S W	2	...
...an.....	,,	29.63	752.7	...	...	S W	6	...	,,	29.68	753.9	...	...	S	4	...
...adres, ...	,,	29.59	751.6	...	...	S W	4	...	,,	29.60	751.9	...	...	S	6	...
...n.....	3 p.	29.58	751.3	80	91	S	1	or	9 a.	...	...	...	...	...	...	...
...ghong.	4 p.	29.53	750.0	88	74	...	0	o	10 a.	29.60	751.8	84	75	W	1	c
...ma Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...Rock,.....	,,	29.54	750.3	...	...	S	2	...	,,	29.58	751.3	...	...	W	4	...
...g.....	,,	29.58	751.3	86	...	S S E	1	c	,,	29.61	752.1	88	...	N N W	2	c
...ow.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...ai.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ien.....	4 p.	29.56	750.7	...	...	S W	2	b	8 a.	29.65	753.0	88	...	S S W	0	c
...ar.....	,,	29.63	752.6	91	...	N N W	1	c	,,	29.69	754.2	82	...	...	0	c
St. James,.	,,	29.74	755.3	86	...	W S W	3	c	,,	29.84	757.8	79	...	S W	4	o
...a.....	2 p.	29.72	754.8	82	...	S	1	o	6 a.	29.74	755.4	77	...	S	1	o
...h.....	4 p.	29.76	756	82	85	W	3	o	10 a.	29.80	757	86	71	S	1	...
...ai,.....	2 p.	29.78	756.3	91	...	W	1	b	6 a.	29.80	756.8	75	...	...	0	b
...ai,.....	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	S W	1	c
...ai.....	,,	29.81	757.2	88	...	S W	2	c	,,	29.85	758.2	84	...	S W	1	b
...ai.....	,,	29.78	756.4	87	...	...	0	b	,,	29.83	757.7	87	...	S	1	b
...ai.....	,,	29.76	755.9	89	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

...h the 18th at 11.45 a.—The barometer has fallen along the Yangtze owing to the typhoon, which having entered the coast to the North of Foochow last evening, lies now to the S.E. of Kiukiang. It is moving towards W.N.W. ...present.

Pressure has increased considerably over Formosa and Japan, and given way slightly over the S. coast of China ...d the S. Philippines.

An area of high pressure covers Japan and adjacent seas.

Fresh or strong S. to S.E. winds may be expected in the Formosa Channel, and fresh to strong monsoon over ...e China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	W. to S.W. winds, fresh; fair to showery.
Formosa Channel, ...	S. to S.E. winds, fresh to strong.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 18th August, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th August, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.98	761.4	79	...	S	1	c	7 a.	29.97	761.2	73	98	S E	1
Nemúro,	,,	30.00	762.1	...	...	S	6	...	6 a.	30.04	763.1	...	...	S	2
Hakodate,	,,	30.05	763.2	...	...	S	6	...	,,	30.09	764.2	...	...	...	0
Tokio,	,,	30.06	763.6	...	...	W	2	...	,,	30.14	765.6	...	...	...	0
Kochi,	,,	29.95	760.8	...	...	E	2	...	,,	30.05	762.8	...	...	S W	2
Nagasaki,	,,	29.91	759.8	...	...	W	6	...	,,	29.99	761.8	...	...	...	0
Kagoshima,	,,	29.96	760.9	...	...	S	6	...	,,	30.00	761.9	...	...	...	0
Oshima,	,,	29.89	759.1	...	...	E	4	...	,,	29.93	760.1	...	...	...	0
Naha	,,	29.85	758.2	...	...	E	4	...	,,	29.89	759.2	...	...	...	0
Ishigakijima,	,,	29.78	756.3	...	...	S	8	...	,,	29.82	757.3	...	...	S E	2
Bonin Is.	,,	29.96	761.1	...	...	N E	2	...	,,	30.01	762.2	...	...	E	2
Chefoo,	3 p.	29.87	758.7	90	63	S E	2	c	6 a.	29.91	759.7	78	86	S	1
Weihaiwei,	,,	29.89	759.2	84	...	S E	2	ovr	9 a.	29.95	760.7	83	...	E S E	2
Hankow,	,,	29.56	750.8	89	80	N E	2	o	6 a.	29.62	752.3	80	96	N E	3
Kiukiang	,,	29.48	748.8	81	87	S E	3	or	,,	29.57	751.1	79	91	E	2
Shanghai.	,,	29.66	753.3	78	95	S E	4	oq	9 a.	29.81	757.2	83	75	S E	4
Gutzlaff.	,,	29.68	753.9	80	91	S E	7	om	,,	29.80	756.9	82	87	S E	4
Sharp Peak,	,,	29.59	751.6	81	78	S	6	or	,,	29.71	754.6	81	91	S	4
Amoy	,,	29.53	750.0	87	89	S E	2	c	6 a.	29.60	751.8	83	87	S E	1
Swatow	,,	29.51	749.5	90	70	S	2	b	,,	...	...	...	...	...	...
Taihoku	1 p.	29.62	752.3	.	...	E	4	...	5 a.	29.71	754.6	...	...	...	0
Taichu,	,,	29.68	753.9	...	...	S W	4	...	,,	29.69	754.2	...	...	S	2
Tainan,	,,	29.67	753.6	...	...	E	4	...	,,	29.73	755.6	...	...	S E	6
Koshun	,,	...	...	...	...	...	...	...	,,	29.77	756.2	...	...	...	0
Pescadores,	,,	29.65	753.0	...	...	S	8	...	,,	29.69	754.0	...	...	S	8
Canton,	3 p.	29.52	749.8	92	66	S W	1	b	9 a.	29.63	752.6	85	79	S S W	2
Hongkong.	4 p.	29.53	750.0	87	69	S S W	2	c	10 a.	29.63	752.6	81	89	S E	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.52	749.8	...	...	W S W	4	...	,,	29.61	752.1	...	...	S S W	3
Macao.	,,	29.55	750.5	87	...	S S E	2	c	,,	29.64	752.8	85	...	S	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.9	82	...	N W	3	c	8 a.	29.65	753.1	81	...	W	1
Tourane,	,,	29.62	752.3	88	...	N W	4	c	,,	29.70	754.3	82	...	...	0
Cape St. James,	,,	29.72	754.8	88	...	S W	3	c	,,	29.80	756.9	81	...	S W	4
Aparri,	2 p.	29.74	755.5	84	...	W	1	o	6 a.	29.78	756.3	75	...	S W	0
Manila,	4 p.	29.76	756	84	77	W S W	2	o	10 a.	29.80	757	86	71	S W	1
Legaspi,	2 p.	29.74	755.5	91	...	S W	1	o	6 a.	29.78	756.3	77	...	..	0
Bacolod,	3 p.	...	...	...	...	W	2	o	9 a.	...	...	...	...	S S W	1
Iloilo,	,,	29.77	756.1	87	...	S W	3	o	,,	29.83	757.7	83	...	S	0
Cebu,	,,	29.75	755.6	88	...	N	1	b	,,	29.82	757.4	85	...	S	1
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.85	758.2	78	...	...	...

On the 19th at 11.55 a.—The recent typhoon is now shown as a moderate depression over China to the South the Yangtze. It is moving Westwards to the S.W. of Kiukiang.

Pressure has increased over the China coast, Formosa and Japan. It is inclined to give way over the S. P lippines.

The area of high pressure still covers Japan and adjacent seas.

Fresh or strong S. to S.E. winds may be expected in the Formosa Channel, and fresh monsoon over the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.E. winds, fresh; squally, thunder showers.
2.—Formosa Channel,	S. to S.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 19th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	19TH AUGUST, 1908, P.M.								20TH AUGUST, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.96	761.0	78	...	S W	2	c	7 a.	29.97	761.1	75	85	S	1	c
uro, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
date, ...	,,	30.05	763.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
.....	,,	30.10	764.6	...	...	S	4	...	,,	...	...	...	...	...	...	...
d, ...	,,	30.03	762.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
saki, ...	,,	29.95	760.8	...	...	W	4	...	,,	...	...	...	...	...	...	...
shima, ...	,,	30.00	761.9	...	...	N E	2	...	,,	...	...	...	...	...	...	...
ma, ...	,,	29.93	760.1	...	...	S E	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.85	758.2	...	...	E	6	...	,,	...	...	...	...	...	...	...
akijima, ...	,,	29.82	757.3	...	...	E	6	...	,,	...	...	...	...	...	...	...
n Is.....	,,	29.96	761.1	...	...	E	2	...	,,	...	...	...	...	...	...	...
00.....	3 p.	29.81	757.2	84	83	N E	2	o	6 a.	29.92	759.9	80	91	S E	1	or
aiwei,.....	,,	29.91	759.7	83	...	E	2	ovr	9 a.	29.95	760.7	82	...	S E	3	o
ow.....	,,	29.66	753.3	90	70	E	3	c	6 a.	29.77	756.1	83	91	N E	2	c
ang.....	,,	29.59	751.6	95	59	E	1	b	,,	29.74	755.4	81	78	N E	2	c
hai, ...	,,	29.79	756.6	84	79	S E	4	o	9 a.	29.89	759.2	85	76	S E	2	c
ff.....	,,	29.79	756.6	82	91	S E	5	cm	,,	29.88	758.9	82	91	S E	3	cm
Peak.....	,,	29.71	754.6	81	78	S	6	or	,,	29.83	757.7	84	91	E N E	4	b
.....	,,	29.62	752.3	83	87	S E	2	c	6 a.	29.59	751.6	82	87	S E	3	o
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
a.....	1 p.	29.74	755.4	.	...	E	2	...	5 a.	29.82	757.3	...	...	S	2	...
.....	,,	29.75	755.6	...	...	S W	2	...	,,	29.81	757.1	...	...	...	0	...
.....	,,	29.75	755.7	...	...	S	8	...	,,	29.81	757.2	...	...	...	0	...
.....	,,	29.80	756.9	...	...	S E	4	...	,,	29.81	757.1	...	...	E	2	...
ires, ...	,,	29.78	755.1	...	...	S	8	...	,,	29.78	756.4	...	...	S	8	...
.....	3 p.	29.54	750.3	94	58	S	2	c	9 a.	29.70	754.4	78	95	S E	2	or
kong, ...	4 p.	29.58	751.3	82	81	S	1	o	10 a.	29.70	754.4	78	95	N W	1	od
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Rock.....	,,	29.57	751.1	...	...	S W	5	...	,,	29.67	753.6	...	...	S	4	...
.....	,,	29.59	751.6	85	...	S	2	o	,,	29.71	754.6	71	...	N W	3	od
w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ei.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en.....	4 p.	29.57	751.2	79	...	N E	3	lt	8 a.	29.64	752.9	82	...	N N W	1	c
ne, ...	,,	29.63	752.6	88	...	N	2	c	,,	29.71	754.6	84	...	...	0	c
St. James,.	,,	29.74	755.3	81	...	W	2	or	,,	29.79	756.7	79	...	W S W	4	c
.....	2 p.	29.76	755.9	88	...	N	1	o	6 a.	29.78	756.5	75	...	S	1	o
.....	4 p.	29.76	756	86	71	S W	2	o	10 a.	29.80	757	84	77	S	1	o
.....	2 p.	29.70	754.5	88	...	N W	1	c	6 a.	29.77	756.1	79	...	..	0	o
.....	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	S S W	2	c
.....	,,	29.77	756.1	83	...	S W	1	o	,,	29.83	757.7	82	...	N E	1	o
.....	,,	29.75	755.6	84	...	N	1	o	,,	29.83	757.7	84	...	S	1	b
.....	,,	29.83	757.7	84	...	...	...	...	,,	29.84	757.9	78	...	...	...	...

At the 20th at 12.15 p.—The barometer has risen over China, particularly along the Yangtze valley. The depression probably exists now as a diffused area of low pressure over S.W. China.

Pressure remains high, apparently, over Japan and adjacent seas. It is in slight defect of the normal over the Philippines.

Fresh E. winds may be expected in the Formosa Channel, and fresh S. to E. winds along the Northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	S.E. and E. winds, fresh; squally, thunder showers.
Formosa Channel, ...	E. winds, fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	S. to S.E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 20th August, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th August, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.97	761.2	75	...	S	2	o	7 a.	29.77	756.2	74	98	S	2
Nemuro,	,,	30.00	762.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	30.05	763.2	...	...	S	6	...	,,	...	...	...	...	...	...
Tokio,	,,	30.10	764.6	...	...	S W	6	...	,,	...	...	...	...	...	...
Kochi,	,,	30.11	764.8	...	...	W	2	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.99	761.8	...	...	S E	6	...	,,	...	...	...	...	...	...
Kagoshima,	,,	30.00	761.9	...	...	N E	2	...	,,	...	...	...	...	...	...
Oshima,	,,	29.93	760.1	...	...	S E	4	...	,,	...	...	...	...	...	...
Naha,	,,	29.81	757.2	...	...	E	6	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.82	757.3	...	...	N E	6	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	W	2	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	29.86	758.4	83	79	S	4	o	6 a.	29.74	756.4	80	82	S S W	5
Weihaiwei,	,,	29.87	758.7	83	...	S E	...	o	9 a.	29.77	756.1	82	...	S W	5
Hankow,	,,	29.75	755.6	90	70	E	5	c	6 a.	29.84	757.9	83	96	N E	2
Kiukiang,	,,	29.71	754.6	93	58	S E	1	b	,,	29.78	756.4	89	91	...	0
Shanghai,	,,	29.85	758.2	88	62	S E	3	c	9 a.	29.87	758.7	86	76	S S E	2
Gutzlaff,	,,	29.85	758.2	84	79	S E	3	cm	,,	29.86	758.4	84	87	S E	2
Sharp Peak,	,,	29.81	757.2	84	87	E N E	4	c	,,	29.81	757.2	84	91	N	3
Amoy,	,,	29.68	753.9	82	87	S E	1	o	6 a.	29.75	755.6	81	87	S E	1
Swatow,	,,	29.68	753.9	79	91	S S W	1	or	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.80	757.0	..	...	E	6	...	5 a.	29.81	757.2	...	...	S E	2
Taichu,	,,	29.79	756.7	...	...	S E	6	...	,,	29.78	756.5	...	...	N W	2
Tainan,	,,	29.81	757.2	...	...	W	4	...	,,	29.76	755.8	...	...	N E	4
Koshun,	,,	29.81	757.2	...	...	E	4	...	,,	29.75	755.5	...	...	N	4
Pescadores,	,,	29.83	757.6	...	...	S W	6	...	,,	29.77	756.2	...	...	N E	2
Canton,	3 p.	29.63	752.6	86	76	S	1	o	9 a.	...	...	78	95	E	2
Hongkong,	4 p.	29.67	753.6	77	91	E	2	od	10 a.	29.78	756.4	76	95	...	0
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.64	752.8	...	...	S E	3	...	,,	...	...	...	...	...	...
Macao,	,,	29.68	753.9	79	...	S S E	2	od	,,	29.79	756.6	79	...	E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.3	86	...	W N W	2	c	8 a.	29.65	753.0	77	...	E N E	4
Tourane,	,,	29.62	752.3	88	...	N	2	c	,,	29.71	754.7	84	...	...	0
Cape St. James,	,,	29.74	755.5	75	...	W N W	4	lt	,,	29.86	758.5	77	...	W S W	5
Aparri,	2 p.	29.76	756.0	84	...	N	1	c	6 a.	29.75	755.6	75	...	S	1
Manila,	4 p.	29.76	756	81	85	N W	2	o	10 a.	29.84	758	84	77	W N W	1
Legaspi,	2 p.	29.73	755.1	90	...	W	1	o	6 a.	29.81	757.1	77	...	..	0
Bacolod,	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.77	756.1	86	...	S W	2	o	,,	29.87	758.7	83	...	S W	3
Cebu,	,,	29.77	756.1	86	...	S	1	o	,,	29.86	758.4	83	...	S	1
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.85	758.2	79	...	...	...

On the 21st at 11.55 a.—The barometer has risen slightly over the S. coast of China and the Southern P lippines, and fallen a little in Formosa.

There are indications of the existence of a depression over the Pacific, probably at a considerable distance to Southward of the Loochoos. The Japanese returns are however, not yet to hand.

A second depression is shown over Manchuria, and pressure has given way rather quickly in N. China.

Moderate to fresh N.E. winds may be expected in the Formosa Channel, and moderate E. winds along Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; squally, showery.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 21st August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	21st AUGUST, 1908, P.M.								22nd AUGUST, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
livostock, ...	2 p.	29.67	753.6	76	...	S	3	o	7 a.	29.69	754.0	63	63	N W	3	o
ino.	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
idate.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
saki, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
shima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ma.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
o.	3 p.	29.77	756.1	76	64	N W	2	b	6 a.	29.98	761.5	73	63	N	3	o
aiwei, ...	,,	29.84	757.9	76	...	N W	4	ovr	9 a.	29.89	759.2	74	...	N N E	2	o
ow.	,,	29.84	757.9	92	88	E	2	c	6 a.	...	...	...	...	...	...	...
ang.	,,	29.79	756.6	95	53	N E	1	b	,,	...	...	...	...	...	...	...
hai.	,,	29.81	757.2	88	69	S S E	2	c	9 a.	29.81	757.2	86	76	S S E	1	c
ff.	,,	29.80	756.9	85	83	S E	3	cm	,,	29.81	757.2	85	83	S E	1	cm
Peak, ...	,,	29.79	756.6	85	87	N	4	c	,,	29.79	756.6	84	91	N	3	c
.....	,,	29.77	756.1	85	87	S E	1	c	6 a.	29.76	755.9	80	91	S W	1	c
.....	,,	29.74	755.4	85	76	E	1	c	,,	...	...	...	...	...	...	...
.....	1 p.	29.73	755.2	.	...	E	4	...	5 a.	29.73	755.1	...	...	S	2	...
.....	,,	29.74	755.3	...	...	N	4	...	,,	29.69	754.1	...	...	N	2	...
.....	,,	29.76	756.0	...	...	N W	6	...	,,	29.67	753.6	...	...	E	2	...
.....	,,	29.76	756.0	...	...	N W	6	...	,,	29.70	754.4	...	...	N	2	...
bres, ...	,,	29.78	756.3	...	...	N	6	...	,,	29.68	753.8	...	...	N E	4	...
.....	3 p.	29.74	755.4	86	76	E	2	o	9 a.	29.81	757.2	86	73	E	1	o
long.	4 p.	29.77	756.1	77	96	S E	1	or	10 a.	29.80	756.9	83	79	E	1	c
ia Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Rock, ...	,,	29.72	754.9	...	...	E	1	...	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.1	80	...	S E	1	od	,,	29.82	757.4	84	...	E N E	1	c
ow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.63	752.7	81	...	E	5	o	8 a.	29.76	755.9	77	...	N E	3	o
.....	,,	29.67	753.6	91	...	N E	2	c	,,	29.80	757.0	84	...	...	0	c
St. James, ..	,,	29.80	756.8	79	...	S W	4	o	,,	29.89	759.3	79	...	W S W	3	c
.....	2 p.	29.73	755.2	82	...	N W	1	o	6 a.	29.75	755.6	73	...	S E	1	p
.....	4 p.	29.80	757	82	85	W N W	2	d	10 a.	29.84	758	84	77	S W	3	o.
.....	2 p.	29.76	755.9	91	...	W	1	b	6 a.	29.80	757.0	77	...	W	1	c
.....	3 p.	...	...	...	...	S S W	1	c	9 a.	...	...	...	...	S W	1	c
.....	,,	29.81	757.2	87	...	S W	4	c	,,	29.87	758.7	83	...	S W	1	c
.....	,,	29.77	756.1	87	...	S	2	b	,,	29.86	758.4	86	...	S	2	c
.....	,,	29.80	756.9	85	...	...	...	...	,,	29.88	758.9	78	...	...	...	...

On the 21st at 1.30 p.—The depression noted this morning is situated to the S.E. of Meiaco Sima. It is probably moving towards N.W. at present.

On the 22nd at 12.30 p.—The barometer has fallen moderately in Formosa, and risen considerably over Tongking.

The typhoon is probably situated to the S. of the Loochoos. It appears to be moving Northwards. The Japanese returns are however, not available.

The Northern depression has moved into the N.E. part of the Sea of Japan, and the barometer has risen again over N. China.

Fresh N.E. and N. winds may be expected in the Formosa Channel, and moderate N. to W. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N. to W. winds, moderate; fair.
Formosa Channel, ...	N.E. and N. winds, fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 22nd August, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd AUGUST, 1908, P.M.								23rd AUGUST, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.67	753.5	74	...	S	2	c	7 a.	29.75	755.5	62	76	N N W	2	
Nemuro,	,,	29.53	750.1	...	...	S W	8	...	6 a.	29.73	755.1	...	...	S E	4	
Hakodate,	,,	29.61	752.2	...	...	S W	4	...	,,	29.77	756.2	...	...	N W	4	
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	29.83	757.6	...	...	S W	4	
Kochi,	,,	29.87	758.8	...	...	...	0	...	,,	29.84	757.8	...	...	...	0	
Nagasaki,	,,	29.80	756.8	...	...	S W	4	...	,,	29.80	756.8	...	...	N E	4	
Kagoshima,	,,	29.80	756.9	...	...	E	2	...	,,	29.80	756.9	...	...	E	6	
Oshima,	,,	29.73	755.1	...	...	S E	6	...	,,	29.57	751.1	...	...	S E	8	
Naha,	,,	29.30	744.2	...	...	N E	10	...	,,	29.26	743.2	...	...	N E	6	
Ishigakijima,	,,	29.58	751.3	...	...	N	6	...	,,	29.50	749.3	...	...	N W	8	
Bonin Is.	,,	29.89	759.1	...	...	E	2	...	,,	29.93	760.1	...	...	E	2	
Chefoo,	3 p.	29.83	757.7	76	64	N	2	c	6 a.	29.81	757.2	64	73	S W	1	
Weihaiwei,	,,	29.82	757.4	77	...	N W	2	o	9 a.	29.81	757.2	75	...	W N W	1	
Hankow,	,,	29.82	757.4	95	59	N	1	b	6 a.	29.86	758.4	72	85	N N E	3	
Kiukiang,	,,	29.69	754.1	95	53	N E	1	c	,,	29.78	756.4	81	87	N E	2	
Shanghai,	,,	29.72	754.9	90	56	S S E	1	c	9 a.	29.73	755.1	87	62	N N E	1	
Gutzlaff,	,,	29.71	754.6	86	80	S E	1	cm	,,	29.69	754.1	85	76	N E	2	
Sharp Peak,	,,	29.72	754.9	85	87	E	4	b	,,	29.69	754.1	85	100	E	1	
Amoy	,,	29.66	753.3	85	79	S E	1	b	6 a.	29.72	754.9	82	87	S E	1	
Swatow,	,,	29.67	755.6	91	...	...	0	b	,,	...	...	...	...	...	...	
Taihoku	1 p.	29.72	754.9	.	...	E	4	...	5 a.	29.67	753.7	...	...	S W	8	
Taichu,	,,	29.68	753.9	...	...	W	2	...	,,	29.69	754.2	...	...	...	0	
Tainan,	,,	29.70	754.5	...	...	N W	2	...	,,	29.67	753.7	...	...	E	4	
Koshun	,,	29.70	754.4	...	...	S	4	...	,,	29.74	755.4	...	...	N E	2	
Pescadores,	,,	29.72	754.9	...	...	N W	8	...	,,	29.69	754.1	...	...	N W	4	
Canton,	3 p.	29.73	755.1	93	61	S W	2	b	9 a.	29.78	756.4	84	83	S W	1	
Hongkong,	4 p.	29.71	754.6	82	82	E	1	c	10 a.	29.78	756.2	84	79	W	1	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock,	,,	29.69	754.1	...	...	E S E	1	...	,,	29.76	755.9	...	...	S S E	1	
Macao,	,,	29.74	755.4	85	...	E S E	1	c	,,	29.79	756.6	85	...	S	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.69	754.0	84	...	E S E	2	c	8 a.	29.76	756.0	81	...	N E	3	
Tourane,	,,	29.71	754.6	95	...	N E	2	c	,,	29.81	757.2	84	...	...	0	
Cape St. James,	,,	29.80	757.0	81	...	S	2	o	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.76	756	84	71	W S W	4	o	10 a.	29.80	757	82	85	N N W	1	
Legaspi,	2 p.	29.75	755.7	90	...	W	1	o	6 a.	29.79	756.7	77	...	W	1	
Bacolod,	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S S W	2	
Iloilo,	,,	29.83	757.7	86	...	S W	2	o	,,	29.87	758.7	82	...	S W	2	
Cebu,	,,	29.79	756.6	86	...	S	1	b	,,	29.86	758.4	86	...	S	2	
Labuan,	,,	29.87	758.7	84	...	...	...	...	,,	...	...	...	...	...	...	

On the 23rd at 11.50 a.—The barometer has fallen rapidly over the Loochoos, and a moderate fall has ta place also, over the E. coast of China and S.W. Japan.

The typhoon is near the Southern Loochoos. It appears to be moving towards N.N.W. and very bad weathe likely to prevail over the Eastern Sea.

The Northern depression has moved away Eastwards to the N.E. of Japan. Pressure is highest in the neighb hood of the Bonins.

Fresh N.W. to S.W. winds may be expected in the Formosa Channel, and moderate W. to S.W. winds along Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, moderate; fair.
2.—Formosa Channel,	N.W. to S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 23rd August, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ation.	23rd AUGUST, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...ivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
...ano.....	,,	29.77	756.1	...	...	N E	6	...	6 a.	29.93	760.1	...	...	S E	4	...
...odate,.....	,,	29.81	757.2	...	...	...	0	...	,,	29.97	761.2	...	...	...	0	...
...o.....	,,	29.79	756.6	...	...	S W	8	...	,,	29.87	758.6	...	...	S	4	...
...i.....	,,	29.83	757.8	...	...	S E	4	...	,,	29.88	758.8	...	...	S W	2	...
...saki	,,	29.72	754.8	...	...	S E	6	...	,,	29.72	754.8	...	...	E	2	...
...oshima.	,,	29.72	754.9	...	...	N	6	...	,,	29.72	754.9	...	...	N E	6	...
...ma.....	,,	29.57	751.1	...	...	S E	6	...	,,	29.61	752.1	...	...	S E	6	...
.....	,,	29.26	743.2	...	...	S	6	...	,,	29.34	745.2	...	...	S	6	...
...akijima,....	,,	29.50	749.3	...	...	W	10	...	,,	29.50	749.3	...	...	W	2	...
...n Is.....	,,	29.89	759.1	...	...	E	6	...	,,	29.93	760.1	...	...	E	2	...
...oo.....	3 p.	29.76	755.9	81	74	N E	1	b	6 a.	29.85	758.2	69	95	...	0	c
...aiwei,.....	,,	29.81	757.2	79	...	W N W	1	ovr	9 a.	29.88	758.9	78	...	E	1	ovr
...ow.....	,,	29.80	756.9	88	59	N W	2	b	6 a.	29.81	757.2	75	90	N	1	b
...ang.....	,,	29.75	755.6	90	81	N E	2	c	,,	29.79	756.6	77	77	N E	5	o
...ghai.	,,	29.65	753.1	82	87	N E	3	oqp	9 a.	29.72	754.9	83	79	N	2	c
...d.....	,,	29.63	752.6	86	72	N E	3	cm	,,	29.67	753.6	82	87	N N E	4	cm
...Peak.....	,,	29.59	751.6	87	91	E S E	2	b	,,	29.72	754.9	86	96	N	1	b
.....	,,	29.62	752.3	86	84	...	0	c	6 a.	29.66	753.3	87	91	S W	2	c
...g.....	,,	29.60	751.8	95	59	S W	1	c	,,	29.60	751.8	82	91	W	1	c
...n.....	1 p.	29.65	753.0	.	...	N W	4	...	6 a.	29.64	752.9	...	...	N W	2	...
...n.....	,,	29.65	753.0	...	...	N W	4	...	,,	29.68	753.9	...	...	...	0	...
...n.....	,,	29.65	753.1	...	...	N W	6	...	,,	29.67	753.6	...	...	...	0	...
...n.....	,,	29.62	752.4	...	...	N W	10	...	,,	29.66	753.3	...	...	W	4	...
...dores, ...	,,	29.67	753.7	...	...	W	4	...	,,	29.67	753.5	...	...	S	2	...
...n.....	3 p.	29.67	753.6	94	61	S W	1	c	9 a.	29.74	755.4	89	77	S W	1	b
...long.	4 p.	29.65	753.1	86	69	W	1	o	10 a.	29.72	754.9	86	80	W S W	1	c
...ria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...block,.....	,,	29.66	753.3	...	...	W S W	3	...	,,	29.72	754.9	...	...	W N W	2	...
...n.....	,,	29.68	753.9	88	...	S S W	1	c	,,	29.74	755.4	86	...	E N E	1	c
...w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...n.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.65	753.2	84	...	S E	2	o	8 a.	29.72	754.9	84	...	E N E	2	c
...e	,,	29.69	754.1	93	...	N E	1	c	,,	29.80	756.9	82	...	...	0	b
...James,.	,,	29.80	756.8	75	...	W S W	4	o	,,	29.88	758.8	79	...	W S W	3	c
...n.....	2 p.	29.67	753.5	90	...	N E	1	b	6 a.	29.73	755.0	77	...	S W	1	b
...n.....	4 p.	29.72	755	82	79	W S W	3	c	10 a.	29.80	757	82	77	S W	1	o
...ga.....	2 p.	29.74	755.4	88	...	W	1	b	6 a.	29.79	756.7	77	...	W	2	b
...ad.....	3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	S W	1	c
.....	,,	29.77	756.1	85	...	S W	2	c	,,	29.87	758.7	83	...	S W	2	b
.....	,,	29.75	755.6	87	...	S	2	b	,,	29.84	757.9	86	...	S	1	b
...n.....	,,	29.87	758.7	84	...	...	...	...	,,	29.86	758.4	82	...	...	...	...

On the 24th at 11.55 a.—The barometer has fallen slightly on the E. and S. coasts of China and in S.W. Japan. ...has risen slightly to moderately over N. China and N.E. Japan respectively.

The typhoon lies to the West of Naha (Loochoos). It is moving slowly, there being very little change in its ...sition since yesterday afternoon. Probably it is moving towards N.W. at present.

The highest pressure is shown over the Pacific between N. Japan and the Bonins.

Very bad weather will continue to prevail over the Eastern Sea.

Fresh N.W. to S.W. winds may be expected in the Formosa Channel, and moderate W. to S.W. winds along the ...thern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ngkong and Neighbourhood, ...	W. to S.W. winds, moderate; fair at first, probably [thunder showers later.
...rmosa Channel, ...	N.W. to S.W. winds, fresh.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 24th August, 1908.

...nted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th AUGUST, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.95	760.8	77	...	S	2	c	7 a.	29.93	760.2	65	79	S E	2
Nemuro,	,,	30.00	762.1	...	...	S	4	...	6 a.	30.12	765.1	...	...	S	2
Hakodate,	,,	30.01	762.2	...	...	S	4	...	,,	30.09	764.2	...	...	...	0
Tokio,	,,	29.98	761.6	...	...	E	4	...	,,	30.06	763.6	...	...	N	2
Kochi,	,,	29.87	758.8	...	...	W	2	...	,,	29.88	758.8	...	...	...	0
Nagasaki,	,,	29.76	755.8	...	...	E	6	...	,,	29.76	755.8	...	...	E	4
Kagoshima,	,,	29.76	755.9	...	...	S E	4	...	,,	29.76	755.8	...	...	N	2
Oshima,	,,	29.65	753.1	...	...	S	8	...	,,	29.65	753.1	...	...	S	8
Naha,	,,	29.42	747.2	...	...	S	6	...	,,	29.50	749.2	...	...	S	4
Ishigakijima,	,,	29.58	751.3	...	...	W	10	...	,,	29.50	749.3	...	...	S W	8
Bonin Is.	,,	29.89	759.1	...	...	N E	2	...	,,	29.89	759.1	...	...	N	2
Chefoo,	3 p.	29.82	757.4	78	74	N E	1	o	6 a.	29.78	756.4	71	90	W	1
Weihaiwei,	,,	29.82	757.4	78	...	E	2	o	9 a.	29.78	756.4	75	...	W	0
Hankow,	,,	29.89	759.2	83	75	N E	1	c	6 a.	29.81	757.2	70	90	N N W	2
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	76	82	N N W	3
Shanghai,	,,	29.67	753.6	86	76	N N E	3	c	9 a.	29.63	752.6	77	100	N N W	2
Gutzlaff,	,,	29.61	752.1	81	91	N N E	4	om	,,	29.59	751.6	94	55	N E	2
Sharp Peak,	,,	29.61	752.1	89	...	S E	1	b	,,	29.59	751.6	86	...	...	0
Amoy,	,,	29.58	751.3	85	83	S E	3	b	6 a.	29.59	751.6	82	91	S E	1
Swatow,	,,	29.66	753.3	93	49	S S E	1	b	,,	29.59	751.6	80	91	N W	1
Taihoku,	1 p.	29.66	753.3	.	...	N W	6	...	5 a.	29.56	750.9	...	...	N W	6
Taichu,	,,	29.67	753.5	...	...	W	4	...	,,	29.63	752.7	...	...	...	0
Tainan,	,,	29.68	753.9	...	...	W	4	...	,,	29.63	752.6	...	...	S E	2
Koshun,	,,	29.65	753.2	...	...	W	4	...	,,	29.61	752.0	...	...	W	6
Pescadores,	,,	29.68	753.8	...	...	S W	4	...	,,	29.61	752.0	...	...	S E	2
Canton,	3 p.	29.64	752.8	90	73	W	2	o	9 a.	29.68	753.9	85	80	W N W	1
Hongkong,	4 p.	29.65	753.1	87	75	W	1	c	10 a.	29.66	753.3	85	77	W	2
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.62	752.3	...	...	S W	3	...	,,	29.63	752.6	...	...	N W	2
Macao,	,,	29.66	753.3	89	...	W S W	1	c	,,	29.68	753.9	88	...	N W	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.0	90	...	S S E	3	c	8 a.	29.73	755.2	75	...	N N W	5
Tourane,	,,	29.67	753.6	91	...	S E	1	b	,,	29.73	755.0	86	...	...	0
Cape St. James,	,,	29.79	756.6	75	...	W S W	5	or	,,	29.82	757.4	79	...	S W	4
Aparri,	2 p.	29.69	754.0	88	...	N	1	c	6 a.	29.70	754.4	73	...	S	1
Manila,	4 p.	29.72	755	84	77	W S W	3	c	10 a.	29.76	756	86	71	S W	1
Legaspi,	2 p.	29.73	755.2	91	...	W	1	c	6 a.	29.76	755.8	77	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S S W	2
Iloilo,	,,	29.77	756.1	86	...	S W	3	b	,,	29.81	757.2	83	...	S W	3
Cebu,	,,	29.75	756.6	88	...	S	1	b	,,	29.82	757.4	85	...	S	1
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	29.86	758.4	84	...	...	...

On the 25th at 12.20 p.—The barometer has fallen over the China coast and Formosa, and risen over Japan & the Loochoos.

The typhoon, which is situated to the West of the Loochoos and North of Meiaco Sima, has made but li progress since yesterday. It appears to be moving slowly towards W.N.W. at present.

A high pressure area covers E. Japan.

Bad weather will continue to prevail over the Eastern Sea.

Fresh N.W. to S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. to W. winds, moderate or fresh ; squally, thu
2.—Formosa Channel,	N.W. to W. winds, fresh or strong. [showe
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 25th August, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th August, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	26th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...dinestock,...	2 p.	29.96	760.9	67	...	S E	4	or	7 a.	29.86	758.3	62	86	N	4	or
...ano.....	,,	30.16	766.1	...	...	S	4	...	6 a.	30.16	766.1	...	...	E	2	...
...ockle.....	,,	30.09	764.2	...	...	S E	8	...	,,	30.01	762.2	...	...	S E	3	...
...o.....	,,	30.02	762.6	...	...	N	2	...	,,	30.06	763.6	...	...	...	0	...
...hi.....	,,	29.87	758.8	...	...	E	4	...	,,	29.91	759.8	...	...	S	4	...
...aski.....	,,	29.72	754.6	...	...	S	6	...	,,	29.76	755.8	...	...	S E	8	...
...ceima.....	,,	29.76	755.9	...	...	S	8	...	,,	29.80	756.9	...	...	S	8	...
...ma.....	,,	29.69	754.1	...	...	S E	8	...	,,	29.73	755.1	...	...	S	8	...
...a.....	,,	29.64	750.2	...	...	S	6	...	,,	29.69	754.2	...	...	S	6	...
...ajima,....	,,	29.54	750.3	...	...	S W	8	...	,,	29.66	753.3	...	...	S	6	...
...i Is.....	,,	29.85	758.1	...	...	E	4	...	,,	29.85	758.1	...	...	N E	3	...
...o.....	3 p.	29.74	755.4	77	73	E	1	o	6 a.	29.76	755.9	67	89	...	0	c
...mwei.....	,,	29.73	755.1	75	...	W	1	o	9 a.	29.78	756.4	74	...	W	1	o
...kow.....	,,	29.85	758.2	81	67	N W	1	b	6 a.	29.81	757.2	73	95	N W	1	c
...ung.....	,,	29.74	755.4	81	78	N W	4	o	,,	29.78	756.4	75	86	N W	2	c
...ghai.....	,,	29.59	751.6	79	91	N	2	odr	9 a.	29.60	751.8	77	86	N N W	4	oq
...ki.....	,,	29.54	750.3	87	76	N E	1	cm	,,	29.49	749.0	78	95	N	6	omp
...Peak,.....	,,	29.52	749.8	89	...	S E	1	b	,,	29.66	753.3	86	100	...	0	c
...y.....	,,	29.54	750.3	86	84	S E	1	c	C a.	29.60	751.8	82	91	S W	1	b
...tow.....	,,	29.54	750.3	91	57	S	1	b	,,	29.59	751.6	80	87	N E	1	c
...oku.....	1 p.	29.56	750.9	.	...	W	6	...	5 a.	29.62	752.4	...	...	S W	2	...
...m.....	,,	29.61	752.1	...	...	S W	2	...	,,	29.66	753.3	...	...	S W	2	...
...an.....	,,	29.62	752.4	...	...	S W	4	...	,,	29.67	753.7	...	...	S E	4	...
...um.....	,,	29.68	753.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
...ches, ...	,,	29.62	752.4	...	...	W	4	...	,,	29.65	753.0	...	...	S	4	...
...i.....	3 p.	29.58	751.3	94	64	S	2	c	9 a.	29.71	754.6	85	83	N	1	c
...long, ...	4 p.	29.58	751.3	87	74	S W	1	o	10 a.	29.72	754.9	79	94	...	0	op
...ria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...Rock,.....	,,	29.57	751.1	...	...	W S W	3	...	,,	29.68	753.9	...	...	N	1	...
...g.....	,,	29.62	752.3	88	...	S W	1	c	,,	29.72	754.9	85	...	E	1	c
...ow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...n.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...en.....	4 p.	29.65	753.1	77	...	N W	5	or	8 a.	29.71	754.6	75	...	W N W	5	or
...e.....	,,	29.63	752.5	88	...	N W	2	c	,,	29.71	754.6	81	...	...	0	c
...James,.	,,	29.66	753.4	86	...	S W	2	c	,,	29.75	755.5	79	...	S W	2	o
...n.....	2 p.	29.66	753.3	91	...	S	1	c	6 a.	29.73	755.1	79	...	N E	0	o
...la.....	4 p.	29.69	754	84	77	W S W	3	o	10 a.	29.80	757	84	77	S W	1	c
...spi.....	2 p.	29.72	754.8	82	...	W	1	c	6 a.	29.78	756.4	77	...	...	0	b
...bad.....	3 p.	...	...	...	...	W S W	1	cp	9 a.	...	...	...	...	...	...	...
...n.....	,,	29.77	756.1	86	...	S W	3	c	,,	...	...	...	...	...	...	...
...n.....	,,	29.82	757.4	86	...	S	3	c	,,	...	...	...	...	...	...	...
...ng.....	,,	29.84	757.9	85	...	...	...	...	,,	29.86	758.4	79	...	...	...	...

On the 26th at 11.55 a.—The barometer has fallen moderately at the mouth of the Yangtze, and risen considerably over the S. Loochoos. A slight increase of pressure has taken place also over S. China, Formosa and the Philippines.

The typhoon is situated to the E.S.E. of Gutzlaff. It appears to be moving towards N.N.W. at present.

A slight depression is moving Eastwards in the N.E. part of the Sea of Japan. Pressure remains high over the Pacific to the E. of Japan.

Moderate S.W. winds may be expected in the Formosa Channel, and moderate variable winds along the Northern parts of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	Variable winds, moderate; thundershowers.
...rmosa Channel, ...	S.W. winds, moderate.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 26th August, 1908.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th August. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	27th August, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.85	758.2	69	...	N W	4	c	7 a.	29.78	756.3	63	99	N	2
Nemuro,	,,	30.04	763.1	...	...	E	6	...	6 a.	29.93	760.1	...	...	S W	2
Hakodate,	,,	29.97	761.2	...	...	E	6	...	,,	29.93	760.2	...	...	...	0
Tokio,	,,	30.02	762.6	...	...	S	2	...	,,	30.02	762.6	...	...	...	0
Kochi,	,,	29.95	760.8	...	...	S E	4	...	,,	29.91	759.8	...	...	...	0
Nagasaki,	,,	29.72	754.8	...	...	S	8	...	,,	29.76	755.8	...	...	S W	8
Kagoshima,	,,	29.80	756.9	...	...	S E	8	...	,,	29.84	757.9	...	...	S	6
Oshima	,,	29.77	756.1	...	...	S	6	...	,,	29.85	758.1	...	...	S E	2
Naha,	,,	29.77	756.2	...	...	S	6	...	,,	29.85	758.2	...	...	S	4
Ishigakijima,	,,	29.74	755.3	...	...	S W	8	...	,,	29.82	757.3	...	...	S	6
Bonin Is.	,,	29.81	757.1	...	...	E	4	...	,,	29.81	757.1	...	...	E	4
Chefoo,	3 p.	29.76	755.9	80	70	E	2	b	6 a.	29.73	755.1	71	90	N W	3
Weihaiwei,	,,	29.76	755.9	79	...	E	1	ovr	9 a.	29.74	755.4	75	...	W N W	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.2	78	86	N N W	1
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	72	90	E	1
Shanghai,	,,	29.63	752.6	84	57	N N W	5	c	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.56	750.8	79	82	N N W	8	omp	,,	29.90	759.4	81	62	N N W	1
Sharp Peak,	,,	29.65	753.1	88	...	S E	2	b	,,	29.83	757.7	83	91	N	3
Amoy,	,,	29.64	752.8	86	80	S W	2	c	6 a.	29.75	755.6	81	87	...	0
Swatow,	,,	29.66	753.3	85	80	...	0	b	,,	29.71	754.6	80	91	...	0
Taiboku,	1 p.	29.71	754.6	.	...	W	6	...	5 a.	29.82	757.4	...	...	...	0
Taichu,	,,	29.72	754.8	...	...	W	4	...	,,	29.82	757.4	...	...	...	0
Tainan,	,,	29.74	755.4	...	...	S W	6	...	,,	29.81	757.2	...	...	E	2
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores,	,,	29.72	754.9	...	...	S	6	...	,,	29.82	757.3	...	...	S	2
Canton,	3 p.	29.66	755.3	91	77	S S W	1	c	9 a.	29.83	757.7	82	91	...	0
Hongkong,	4 p.	29.66	753.3	82	87	E	2	o	10 a.	29.83	757.7	83	83	E	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.65	753.1	...	...	E S E	2	...	,,	29.79	756.6	...	...	S E	3
Macao,	,,	29.68	753.9	75	...	S E	1	c	,,	29.83	757.7	82	...	S S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.8	77	...	N N W	3	o	8 a.	29.80	756.8	77	...	N W	3
Tourane,	,,	29.63	752.6	86	...	N N W	3	o	,,	29.77	756.1	77	...	...	0
Cape St. James,	,,	29.69	754.0	75	...	S W	3	or	,,	29.78	756.5	76	...	S W	6
Aparri,	2 p.	29.72	754.9	90	...	N E	1	o	6 a.	29.82	757.3	79	...	W	1
Manila,	4 p.	29.72	755	82	70	S W	1	o	10 a.	29.88	759	84	77	S	0
Legaspi,	2 p.	29.74	755.5	90	...	W	1	o	6 a.	29.84	757.9	77	...	...	0
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan,	,,	29.82	757.4	87	...	...	...	...	,,	29.82	757.4	82	...	...	...

On the 27th at 11.55 a.—The typhoon which was situated to the E. of Shanghai yesterday, has recurved to N.E. and is now over Korea.

The barometer has risen considerably to moderately at all stations, except at those on the N.E. coast of Ch and in Japan.

Pressure is still high over the Pacific to the E. of Japan. It is low apparently, to the Southward of the Bo islands.

Moderate N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 27th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27TH AUGUST, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	28TH AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ostock,...	2 p.	29.65	753.0	64	...	N E	6	or	7 a.	29.53	750.0	...	...	S	1	o
...	,,	29.93	760.1	...	...	E	4	...	6 a.	29.93	760.1	...	...	E	4	...
ke.....	,,	29.85	758.2	...	...	S	2	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	29.94	760.6	...	...	S E	4	...	,,	29.95	760.6	...	...	N W	2	...
.....	,,	29.87	758.8	...	...	S E	2	...	,,	29.84	757.8	...	...	...	0	...
i.....	,,	29.80	756.8	...	...	S	6	...	,,	29.84	757.8	...	...	...	0	...
.....	,,	29.84	757.9	...	...	S	2	...	,,	29.84	757.9	...	...	N	2	...
.....	,,	29.85	758.1	...	...	N	2	...	,,	29.85	758.1	...	...	...	0	...
.....	,,	29.85	758.2	...	...	...	0	...	,,	29.85	758.2	...	...	N E	2	...
ima,....	,,	29.86	758.3	...	...	S	4	...	,,	29.86	758.3	...	...	N E	2	...
s.....	,,	29.77	756.1	...	...	N	4	...	,,	29.81	757.1	...	...	W	2	...
.....	3 p.	29.79	756.6	77	77	N W	5	b	6 a.	29.86	758.4	74	76	W	2	b
ei.....	,,	29.77	756.1	77	...	N W	4	ovr	9 a.	29.87	758.7	78	...	W N W	4	b
...	,,	29.96	761.0	88	53	S E	2	c	6 a.	29.89	759.2	77	91	...	0	b
...	,,	...	...	...	...	...	...	...	,,	29.89	759.2	75	90	...	...	b
.....	,,	29.85	758.2	86	51	W S W	1	b	9 a.	...	...	83	79	N N W	1	bv
.....	,,	29.85	758.2	84	60	...	0	...	,,	...	...	83	67	N N E	1	b
ak.....	,,	29.83	757.7	81	87	N	5	or	,,	29.90	759.4	81	91	E	2	o
.....	,,	29.76	755.9	84	87	S E	1	c	6 a.	29.85	758.2	81	91	N E	1	or
.....	,,	29.74	755.4	89	69	S	1	b	,,	29.81	757.2	78	86	S	1	or
u.....	1 p.	29.85	758.1	.	...	E	4	...	6 a.	29.88	759.0	...	...	S E	2	...
.....	,,	29.82	757.5	...	...	...	0	...	,,	29.89	759.1	...	...	S E	2	...
.....	,,	29.83	757.6	...	...	W	2	...	,,	29.87	758.6	...	...	E	2	...
.....	,,	29.82	757.5	...	...	S W	2	...	,,	29.87	758.7	...	...	...	0	...
es, ...	,,	29.84	757.9	...	...	W	2	...	,,	29.87	758.6	...	...	N E	2	...
.....	3 p.	29.80	756.9	80	96	...	0	or	9 a.	29.89	759.2	85	87	E	1	b
eng, ...	4 p.	29.77	756.1	85	77	E	2	c	10 a.	29.88	758.9	84	83	E	2	o
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ock.....	,,	29.75	755.6	...	...	E S E	3	...	,,	29.82	757.4	...	...	E S E	4	...
.....	,,	29.79	756.6	86	...	S E	1	c	,,	29.88	758.9	86	...	E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.74	755.4	82	...	S S W	2	or	8 a.	29.84	758.0	75	...	N N E	4	c
.....	,,	29.71	754.6	84	...	N N W	3	c	,,	29.81	757.2	79	...	...	0	c
mes,.	,,	29.74	755.4	75	...	S W	5	or	,,	29.86	758.4	77	...	W	4	c
.....	2 p.	29.80	757.0	90	...	N E	1	c	6 a.	29.86	758.4	77	...	S W	1	b
.....	4 p.	29.80	757	88	65	S W	2	c	10 a.	29.88	759	86	71	S	1	c
.....	2 p.	29.80	757.0	90	...	S W	1	o	6 a.	29.86	758.3	73	...	...	0	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.83	757.7	87	...	...	...	...	,,	29.87	758.7	79	...	...	...	...

On the 28th at 11.55 a.—The recent typhoon has reached the neighbourhood of Wladiwostok as an ordinary ...sion.

Pressure has increased on the China coast and over Formosa, and it is now slightly above the normal over both ... It remains low in the neighbourhood of the Bonins, and relatively so over the N.W. part of the China Sea. Moderate N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the ...Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	E. winds, moderate; showery.
rmosa Channel, ...	N.E. winds, moderate.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 28th August, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th AUGUST, 1908, P.M.								29th AUGUST, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.80	756.8	74	...	S	3	or	7 a.	29.75	755.6	63	99	N W	3	
Nemuro,	,,	29.85	758.1	...	...	...	0	...	6 a.	29.81	757.1	...	...	S	6	
Hakodate,	,,	29.81	757.2	...	...	S E	..	...	,,	29.73	755.2	...	...	...	0	
Tokio,	,,	29.87	758.6	...	...	...	0	...	,,	29.79	756.6	...	...	N W	2	
Kochi,	,,	29.83	757.8	...	...	...	0	...	,,	29.80	756.8	...	...	S W	2	
Nagasaki,	,,	29.83	757.8	...	...	W	6	...	,,	29.88	758.8	...	...	...	0	
Kagoshima,	,,	29.84	757.9	...	...	N W	2	...	,,	29.88	758.9	...	...	...	0	
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	29.89	759.1	...	...	S	2	
Naha,	,,	29.85	758.2	...	...	N E	2	...	,,	29.89	759.2	...	...	...	0	
Ishigakijima,	,,	29.85	758.3	...	...	N E	2	...	,,	29.86	758.3	...	...	N	2	
Bonin Is.	,,	29.81	757.1	...	...	W	4	...	,,	29.89	759.1	...	...	W	2	
Chefoo,	3 p.	29.88	758.9	83	49	N N W	3	b	6 a.	29.92	759.9	74	75	N N E	1	
Weihaiwei,	,,	29.85	758.2	81	...	N W	3	b	9 a.	30.01	762.2	78	...	E N E	4	
Hankow,	,,	29.95	760.7	89	59	N E	1	c	6 a.	29.92	759.9	78	82	N N E	1	
Kiukiang,	,,	29.87	758.7	92	40	N E	2	c	,,	29.94	760.5	77	82	...	0	
Shanghai,	,,	29.87	758.7	85	61	N E	1	b	9 a.	29.96	761.0	80	70	E	1	
Gutzlaff,	,,	29.86	758.4	82	87	N E	1	bv	,,	29.93	760.2	80	70	E S E	1	
Sharp Peak,	,,	29.86	758.4	81	91	E N E	4	c	,,	29.92	759.9	79	95	N	1	
Amoy,	,,	29.78	756.4	83	87	S E	3	c	6 a.	29.85	758.2	80	91	N E	1	
Swatow,	,,	29.79	756.6	83	87	...	0	o	,,	29.82	757.4	78	95	N W	1	
Taiboku,	1 p.	29.90	759.4	.	...	W	2	...	5 a.	29.88	758.8	...	...	...	0	
Taichu,	,,	29.89	759.1	...	...	N	2	...	,,	29.88	758.8	...	...	...	0	
Tainan,	,,	29.87	758.6	...	...	N E	4	...	,,	29.87	758.6	...	...	S E	2	
Koshun	,,	29.85	758.2	...	...	N W	6	...	,,	29.85	758.2	...	...	N	4	
Pescadores,	,,	29.89	759.3	...	...	N W	2	...	,,	29.87	758.6	...	...	...	0	
Canton,	3 p.	29.82	757.4	85	91	E S E	2	c	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.81	757.2	82	83	S	1	op	10 a.	29.90	759.4	78	96	...	0	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock,	,,	29.78	756.4	...	...	S E	4	...	,,	29.86	758.4	...	...	S E	4	
Macao,	,,	29.83	757.7	84	...	S E	2	c	,,	29.91	759.7	83	...	S S E	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.78	756.5	82	...	N	2	o	8 a.	29.88	758.8	77	...	E N E	3	
Tourane,	,,	29.72	754.9	86	...	N E	2	c	,,	29.84	757.8	77	...	...	0	
Cape St. James,	,,	29.82	757.5	81	...	W S W	4	o	,,	29.92	759.9	77	...	N W	1	
Aparri,	2 p.	29.83	757.8	88	...	N	1	o	6 a.	29.88	758.9	75	...	S	1	
Manila,	4 p.	29.84	758	86	71	S W	2	o	10 a.	29.92	760	84	77	N W	0	
Legaspi,	2 p.	29.82	757.3	90	...	S E	1	c	6 a.	29.87	758.7	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.87	758.7	80	...	...	...	

On the 29th at 11.45 a.—The barometer has fallen moderately in E. Japan, and risen slightly over China and the Philippines.

The depression is now situated over the N.E. part of the Sea of Japan.

Pressure is high over China and in excess of the normal generally, except in Japan.

Moderate N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 29th August, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	29TH AUGUST, 1908, P.M.								30TH AUGUST, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...stock,...	2 p.	29.93	760.1	74	...	N W	2	c	7 a.	29.69	754.0	61	87	N W	2	c
...o.....	,,	29.73	755.1	...	...	S	8	...	6 a.	29.69	754.1	...	...	E	4	...
...date,.....	,,	29.65	753.2	...	...	S W	8	...	,,	29.77	756.2	...	...	W	4	...
.....	,,	29.75	756.6	...	...	S	6	...	,,	29.79	756.6	...	...	...	0	...
.....	,,	29.80	756.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	2	...
...sh,.....	,,	29.87	758.8	...	...	W	2	...	,,	29.91	759.8	...	...	...	0	...
...shima,.....	,,	29.84	757.9	...	...	W	4	...	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	S	2	...
.....	,,	29.89	759.2	...	...	N	4	...	,,	29.89	759.2	...	...	...	0	...
...kijima,....	,,	29.89	759.3	...	...	E	6	...	,,	29.86	758.3	...	...	E	2	...
...a Is.....	,,	29.89	759.1	...	...	N	2	...	,,	29.93	760.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	30.06	763.5	72	54	N N E	2	b
...ei.....	,,	29.99	761.7	78	...	N E	2	b	9 a.	30.07	763.8	74	...	N	3	...
...ow,.....	,,	...	...	...	...	...	...	...	6 a.	29.95	760.7	76	86	S	1	c
...iang.....	,,	...	...	...	...	...	...	...	,,	29.94	760.5	76	77	N E	1	b
...ghai,.....	,,	29.91	759.7	84	50	N E	1	c	9 a.	29.97	761.2	81	71	N E	2	c
...laff,.....	,,	29.89	759.2	83	57	E	1	cv	,,	29.92	759.9	78	82	N N E	2	cv
...Peak,.....	,,	29.89	759.2	79	100	...	0	or	,,	29.91	759.7	77	86	N	4	o
.....	,,	29.83	757.7	82	87	S E	3	o	6 a.	29.87	758.7	79	87	S E	1	o
...ow,.....	,,	29.81	757.2	83	83	...	0	o	,,	29.86	758.4	77	...	N E	1	b
...ku.....	1 p.	29.87	758.7	...	...	E	4	...	5 a.	29.92	759.9	...	...	...	0	...
...u,.....	,,	29.87	758.6	...	...	N W	4	...	,,	29.89	759.1	...	...	...	0	...
...n.....	,,	29.87	758.8	...	...	W	4	...	,,	29.89	759.1	...	...	S E	2	...
...m.....	,,	29.88	759.0	...	...	N W	2	...	,,	29.89	759.2	...	...	...	0	...
...dores,.....	,,	29.88	759.0	...	...	N	4	...	,,	29.88	759.0	...	...	...	4	...
...n.....	3 p.	29.84	757.9	79	91	...	0	o	9 a.	29.96	761.0	80	96	...	0	c
...kong,.....	4 p.	29.82	757.4	81	87	S E	1	o	10 a.	29.92	759.9	80	90	S E	2	or
...ria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...Rock,.....	,,	29.81	757.2	...	...	S S E	3	...	,,	29.87	758.7	...	...	S S E	2	...
.....	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
...w,.....	2 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...i.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.78	756.5	81	...	E	2	or	8 a.	29.87	758.6	77	...	E N E	2	o
...n.....	,,	29.76	755.9	84	...	N W	3	c	,,	29.84	757.8	79	...	...	0	o
...St.James,.	,,	29.80	757.9	84	...	W N W	1	c	,,	29.86	758.4	79	...	N W	1	c
...ri.....	2 p.	29.86	758.4	88	...	N E	1	o	6 a.	29.89	759.1	77	...	S W	1	b
...la,.....	4 p.	29.84	758	86	71	S W	1	c	10 a.	29.88	759	84	71	W N W	0	c
...pi.....	2 p.	29.83	757.7	90	...	E	1	b	6 a.	29.86	758.5	79	...	...	0	...
...od.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	,,	29.84	757.9	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 30th at 11.30 a.—The barometer has risen slightly over the N.E. coast of China and in S.W. Japan, while ...re is a tendency for pressure to give way over the S. Philippines.

An anticyclonic area lies over N. China, and pressure remains in moderate excess of the normal along the China ...t, and over Formosa and the Loochoos. It is still low over the N.E. part of the Sea of Japan.

Moderate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ongkong and Neighbourhood, ...	E. winds, light or moderate; showery.
...rmosa Channel, ...	N.E. winds, moderate.
...th coast of China between Hongkong and Lamocks,..	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Sunday, 30th August, 1908.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th AUGUST, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	31st AUGUST, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.85	758.2	75	...	N	1	c	7 a.	30.05	763.2	61	89	S E	1
Nemuro,	,,	29.65	753.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	W	2
Hakodate,	,,	29.81	757.2	...	...	W	8	...	,,	30.01	762.2	...	...	...	0
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	29.98	761.6	...	...	N W	2
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S W	2
Nagasaki,	,,	29.91	759.8	...	...	S	2	...	,,	29.95	760.8	...	...	...	0
Kagoshima,	,,	29.92	759.9	...	...	S	0	...	,,	29.92	759.9	...	...	N W	2
Oshima,	,,	29.93	760.1	...	...	N	...	...	,,	29.93	760.1	...	...	S	2
Naha,	,,	29.89	759.2	...	...	E	2	...	,,	29.85	758.2	...	...	...	0
Ishigakijima,	,,	29.85	758.3	...	...	E	4	...	,,	29.82	757.3	...	...	S	2
Bonin Is.	,,	29.89	759.1	...	...	N E	2	...	,,	29.89	759.1	...	...	E	2
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.05	763.2	73	...	W	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	75	86	N E	1
Shanghai,	,,	29.93	760.2	79	61	N E	3	o	9 a.	30.00	762.0	77	65	N	...
Gutzlaff,	,,	29.90	759.4	80	79	N N E	3	cm	,,	29.94	760.5	77	69	N N E	2
Sharp Peak,	,,	29.89	759.2	77	91	N E	3	o	,,	...	...	...	...	...	...
Amoy	,,	29.86	758.4	85	87	S E	3	o	6 a.	...	...	79	87	N E	1
Swatow,	,,	29.78	756.4	83	79	S	2	o	,,	29.87	758.7	77	91	N N E	1
Taihoku	1 p.	29.89	759.3	.	....	E	4	...	6 a.	29.88	758.8	...	...	S	2
Taichu,	,,	29.87	758.7	...	...	N W	2	...	,,	29.86	758.5	...	...	...	0
Tainan,	,,	29.88	758.9	...	...	N W	2	...	,,	29.85	758.1	...	...	S E	2
Koshun	,,	29.87	758.7	...	...	N W	2	...	,,	29.87	758.6	...	...	...	0
Pescadores,	,,	29.88	759.0	...	...	W	2	...	,,	29.86	758.3	...	...	N W	2
Canton,	3 p.	29.85	758.2	90	73	S	1	c	9 a.	29.94	760.5	78	91	W S W	1
Hongkong,	4 p.	29.83	757.4	82	82	E	1	o	10 a.	29.93	760.2	82	78	W	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.81	757.2	...	...	E S E	2	...	,,	29.90	759.4	...	...	N N E	3
Macao,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	81	...	E N E	4	o	8 a.	29.89	759.3	77	...	E N E	3
Tourane,	,,	29.75	755.7	88	...	E	1	c	,,	29.88	758.8	82	...	...	0
Cape St. James,	,,	29.79	756.6	86	...	S W	1	c	,,	29.84	757.8	77	...	E N E	1
Aparri,	2 p.	29.84	757.9	88	...	N E	1	b	6 a.	29.86	758.4	77	...	S	1
Manila,	4 p.	29.76	756	84	77	N	1	c	10 a.	29.88	759	82	77	W	1
Legaspi,	2 p.	29.81	757.2	86	...	S E	1	b	6 a.	29.84	757.9	77	...	...	0
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan,	,,	29.83	757.7	89	...	...	...	...	,,	29.84	757.9	85	...	...	...

On the 31st at 12.05 p.—The barometer has risen considerably in E. Japan, and fallen slightly over the Loochoo, Formosa and the Philippines.

The area of high pressure covers N. China and the Sea of Japan, and pressure appears to be somewhat low over the Pacific to the E. or N.E. of the Philippines.

Moderate N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; probably some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 31st August, 1908.

[Printed by Noronha & Co., Government Printers.]



CHINA COAST METEOROLOGICAL REGISTER.

STATION.	31ST AUGUST, 1908, P.M. HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	1ST SEPTEMBER, 1908, A.M. HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
...ingstock,...	2 p.	30.11	764.8	78	...	S W	1	b	7 a.	30.13	765.2	63	93	E	1	b
...ro,.....	,,	30.04	763.1	...	...	N	6	...	6 a.	30.28	769.1	...	...	...	0	...
...date,.....	,,	30.05	763.2	...	...	W	4	...	,,	30.21	767.2	...	...	S E	2	...
...,.....	,,	30.06	763.6	...	...	N E	4	...	,,	30.06	763.6	...	...	N W	4	...
...n.....	,,	29.95	760.8	...	...	W	2	...	,,	29.99	761.8	...	...	S W	2	...
...ati, ...	,,	29.95	760.8	...	...	S W	5	...	,,	29.95	760.8	...	...	E	2	...
...sima.		29.96	760.9	...	...	...	0	...	,,	29.92	759.9	...	...	E	6	...
...m.....	,,	29.93	760.1	...	...	N	2	...	,,	29.85	758.1	...	...	N W	2	...
.....	,,	29.85	758.2	...	...	...	0	...	,,	29.81	757.2	...	...	E	2	...
...skijima,....	,,	29.82	757.3	...	...	E	4	...	,,	29.78	756.3	...	...	N	2	...
...n Is.....	,,	29.85	758.1	...	...	E	4	...	,,	29.77	756.1	...	...	N	2	...
...o.....	3 p.	30.02	762.5	80	67	N N E	2	b	6 a.	...	...	...	...	...	...	...
...hiwei,.....	,,	30.00	762.0	80	...	E	2	b	9 a.	...	...	...	...	...	...	...
...low.	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...el.	,,	29.94	760.5	79	58	N E	1	c	9 a.	29.93	760.2	81	71	E S E	1	c
...ff.	,,	29.90	759.4	80	66	N N E	2	cv	,,	29.89	759.2	81	74	N N E	1	cm
...Peak,.....	,,	29.89	759.2	80	91	N	2	b	,,	29.89	759.2	81	96	...	0	b
...y.....	,,	29.84	757.9	82	83	N E	2	c	6 a.	29.87	758.7	77	95	S W	3	b
...low,.....	,,	29.84	757.9	81	83	...	0	o	,,	29.87	758.7	76	95	N	1	c
...ku.....	1 p.	29.92	759.9	.	...	E	4	...	5 a.	29.82	757.4	...	...	...	0	...
...a.....	,,	29.87	758.7	...	...	N	4	...	,,	29.84	758.0	...	...	E	2	...
...an.....	,,	29.86	758.4	...	...	S W	4	...	,,	29.83	757.6	...	...	...	0	...
...m.....	,,	29.87	758.7	...	...	W	2	...	,,	29.84	757.9	...	...	E	2	...
...res, ...	,,	29.87	758.7	...	...	N	4	...	,,	29.84	757.8	...	...	N E	6	...
...n.....	3 p.	29.88	758.9	87	76	S S W	1	c	9 a.	29.92	759.9	81	83	W	1	c
...kong.	4 p.	29.85	758.2	83	80	...	0	od	10 a.	29.92	759.9	82	83	N E	1	op
...oria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...Rock.....	,,	29.85	758.2	...	...	N W	1	...	,,	29.89	759.2	...	...	E	2	...
...o.....	,,	...	..	...	...	...	...	..	,,	...	...	...	...	...	...	...
...aw,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...oi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.82	757.3	84	...	E	3	c	8 a.	29.91	759.6	73	...	E N E	2	c
...e.....	,,	29.80	756.9	86	...	S E	3	c	,,	29.89	759.1	79	...	...	0	c
...James,.	,,	29.72	754.9	86	...	S S W	2	lt	,,	29.84	757.8	79	...	N W	3	cm
...t.....	2 p.	29.82	757.5	90	...	N	1	c	6 a.	29.84	757.6	77	...	S	0	b
...lla.....	4 p.	29.76	756	90	60	W S W	1	c	10 a.	29.88	759	86	71	W S W	1	b
...sp.....	2 p.	29.82	757.3	90	...	W	1	c	6 a.	29.85	758.2	77	...	...	0	b
...od.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...n.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...an.....	,,	29.83	757.7	88	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 1st at 11.55 a.—The barometer has fallen moderately along the Yangtze valley, and over the Loochoos and ...ma. It has risen considerably in N.E. Japan.

Pressure is low over the Pacific between N. Luzon and the Bonins, while an area of high pressure of considera... ...e intensity is lying over N.E. Japan.

Moderate N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, light or moderate; showery.
Formosa Channel, ...	N.E. winds, moderate.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 1st September, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st SEPTEMBER. 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd SEPTEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.15	765.7	71	...	S	4	c	7 a.	30.09	764.3	62	94	E	2
Nemuro,	,,	30.28	769.1	...	...	S E	6	...	6 a.	30.32	770.1	...	...	E	2
Hakodate,	,,	30.20	767.2	...	...	E	8	...	,,	30.21	767.2	...	...	E	4
Tokio,	,,	30.02	762.6	...	...	N W	6	...	,,	30.10	764.6	...	...	W	4
Kochi,	,,	29.91	759.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	2
Nagasaki,	,,	29.87	758.8	...	...	N E	6	...	,,	29.91	759.8	...	...	N E	2
Kagoshima,	,,	29.88	758.9	...	...	E	8	...	,,	29.88	758.9	...	...	N	2
Oshima,	,,	29.85	758.1	...	...	...	0	...	,,	29.81	757.1	...	...	S	2
Naha,	,,	29.77	756.2	...	...	E	2	...	,,	29.77	756.2	...	...	...	0
Ishigakijima,	,,	29.78	756.3	...	...	N W	6	...	,,	29.78	756.3	...	...	N W	6
Bonin Is.	,,	29.81	757.1	...	...	E	6	...	,,	29.81	757.1	...	...	E	6
Chefoo,	3 p.	29.94	760.5	80	79	S S E	2	o	6 a.	29.97	761.2	73	86	S	3
Weihaiwei,	,,	29.95	760.7	79	...	S	2	o	9 a.	30.02	762.5	77	...	S E	2
Hankow,	,,	29.89	759.2	87	88	E	2	b	6 a.	29.90	759.4	80	78	S E	2
Kiukiang,	,,	29.87	758.7	91	51	N E	2	b	,,	29.91	759.7	79	87	...	0
Shanghai,	,,	29.87	758.7	85	61	E	1	c	9 a.	29.92	759.9	82	75	E N E	2
Gutzlaff,	,,	29.85	758.2	81	74	E N E	2	c	,,	29.88	758.9	80	78	E	4
Sharp Peak,	,,	29.84	757.9	82	91	...	0	b	,,	29.88	758.9	82	100	...	0
Amoy	,,	29.82	757.4	82	81	S E	1	b	6 a.	29.85	758.2	80	91	N E	1
Swatow,	,,	29.81	757.2	85	72	E	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.86	758.5	.	...	N W	6	...	5 a.	29.87	758.7	...	...	W	2
Taichu,	,,	29.83	757.8	...	...	N	2	...	,,	29.86	758.5	...	...	...	0
Tainan,	,,	29.85	758.1	...	...	W	4	...	,,	29.85	758.1	...	...	N	4
Koshun	,,	29.84	758.0	...	...	...	0	...	,,	29.85	758.1	...	...	...	0
Pescadores,	,,	29.87	758.7	...	...	N	6	...	,,	29.86	758.4	...	...	N	6
Canton,	3 p.	29.87	758.7	86	72	S W	1	o	9 a.	29.92	759.9	82	83	S W	1
Hongkong,	4 p.	29.86	758.2	76	95	...	0	od	10 a.	29.93	760.2	84	73	W	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.83	757.7	...	...	N W	1	...	,,	29.91	759.7	...	...	S S E	2
Macao,	,,	...	..	...	...	...	...	..	,,	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.5	82	...	S S E	2	c	8 a.	29.93	760.1	82	...	N N E	2
Tourane,	,,	29.80	756.8	86	...	S E	4	c	,,	29.91	759.8	81	...	...	0
Cape St. James,	,,	29.75	755.6	82	...	S E	2	c	,,	29.92	759.9	81	...	S W	1
Aparri,	2 p.	29.82	757.4	88	...	N	1	b	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	90	66	W S W	2	o	10 a.	29.88	759	82	85	N W	2
Legaspi,	2 p.	29.78	756.3	93	...	W	1	b	6 a.	29.84	757.8	79	...	...	0
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.86	758.4	86	...	...	...

On the 2nd at 12.05 p.—The barometer continues to fall slowly over S.W. Japan and the Loochoos.

Pressure remains somewhat low over the Pacific between Meiaco Sima and the Bonins, and probably a depre is developing to the S.E. of the Loochoos.

The area of high pressure remains over N.E. Japan, and the normal is still exceeded along the China coast.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate N.W. and W. winds over th part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. and W. winds, light or moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 2nd September, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	2ND SEPTEMBER, 1908, P.M.								3RD SEPTEMBER, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	30.11	764.8	74	...	S E	1	b	7 a.	30.09	764.2	61	69	E	4	b
.....	,,	30.24	768.1	...	...	E	2	...	6 a.	30.20	767.1	...	...	E	4	...
.....	,,	30.17	766.2	...	...	E	6	...	,,	30.17	766.2	...	...	S E	8	...
.....	,,	30.06	763.6	...	...	N E	4	...	,,	30.10	764.6	...	...	N	4	...
.....	,,	29.95	760.8	...	...	...	0	...	,,	29.84	757.8	...	...	S W	2	...
.....	,,	29.83	757.8	...	...	N E	6	...	,,	29.80	756.8	...	...	E	8	...
na, ...	,,	29.84	757.9	...	...	N E	6	...	,,	29.80	756.9	...	...	N E	2	...
.....	,,	29.77	756.1	...	...	N E	6	...	,,	29.73	755.1	...	...	N E	2	...
.....	,,	29.73	755.2	...	...	N	4	...	,,	29.73	755.2	...	...	...	0	...
jima,....	,,	29.78	756.3	...	...	N W	6	...	,,	29.74	755.3	...	...	E	4	...
.....	,,	29.81	757.1	...	...	E	2	...	,,	29.89	759.1	...	...	S	8	...
.....	3 p.	29.91	759.7	83	91	S E	1	c	6 a.	...	...	...	...	...	...	...
ei,.....	,,	29.93	760.2	71	...	S E	2	o	9 a.	29.91	759.7	78	...	S E	3	o
.....	,,	29.81	757.2	92	79	S E	2	b	6 a.	...	...	...	...	...	...	...
.....	,,	29.83	757.7	95	71	S E	1	b	,,	...	...	...	...	...	...	...
.....	,,	29.86	758.4	84	68	...	2	c	9 a.	29.85	758.2	83	71	E	2	c
.....	,,	29.84	757.9	86	82	E	3	cm	,,	29.83	757.7	79	82	E S E	3	cm
ak,.....	,,	29.81	757.2	84	96	E	1	c	,,	29.82	757.4	83	100	N	1	c
.....	,,	29.79	756.6	83	79	S E	1	b	6 a.	29.80	756.9	82	87	N E	1	b
.....	,,	29.78	756.4	88	69	S S E	1	b	...	...	...	...	...	...	...	...
.....	1 p.	29.85	758.2	...	...	W	4	...	6 a.	29.80	756.9	...	...	S	2	...
.....	,,	29.78	756.4	...	...	N	2	...	,,	29.80	757.0	...	...	E	2	...
.....	,,	29.83	757.6	...	...	N W	6	...	,,	29.79	756.6	...	...	N E	2	...
.....	,,	29.81	757.1	...	...	N W	4	...	,,	29.79	756.7	...	...	N	4	...
es, ...	,,	29.87	758.7	...	...	N	6	...	,,	29.80	756.8	...	...	N	6	...
.....	3 p.	29.84	757.9	92	61	S W	1	b	9 a.	29.86	758.4	86	76	W	2	b
g, ...	4 p.	29.83	757.7	84	68	W	1	c	10 a.	29.85	758.2	85	74	W	1	b
Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
k.....	,,	29.83	757.7	...	...	S W	2	...	,,	29.83	757.7	...	...	W N W	5	...
.....	,,	29.84	757.9	85	...	S W	2	cd	,,	29.85	758.2	84	...	W S W	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.85	758.1	82	...	N N E	1	o	8 a.	29.87	758.6	81	...	E	2	c
.....	,,	29.80	757.0	88	...	S E	3	c	,,	29.88	759.0	90	...	S E	1	c
James,.	,,	29.82	757.3	84	...	S	2	c	,,	29.93	760.1	...	...	W S W	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	29.83	757.6	75	...	S W	1	c
.....	4 p.	29.76	756	90	65	S W	1	c	10 a.	29.84	758	86	71	...	0	...
.....	2 p.	29.79	756.6	84	...	W	1	o	6 a.	29.84	757.8	77	...	...	0	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.85	758.2	84	...	...	...	...	,,	29.86	758.4	82	...	...	...	...

n the 3rd at 11.55 a.—The barometer has fallen generally except at the Bonins, where a moderate increase of re has taken place.

he depression over the Pacific to the S.E. of the Loochoos is still indicated. It is probably moving towards at present. A second depression is shown over Central China.

he high pressure area lying over N.E. Japan appears to be shifting towards the East.

oderate N.E. winds may be expected in the Formosa Channel and moderate N.W. to W. winds over the N. f the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N.W. and W. winds, moderate; fair.
osa Channel, ...	N.E. winds, moderate.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 3rd September, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd SEPTEMBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	4th SEPTEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	30.05	763.2	74	...	S	1	b	7 a.	30.10	764.6	62	83	...	0
Nemuro, ...	,,	30.20	767.1	...	...	N E	2	...	6 a.	30.24	768.1	...	...	N	4
Hakodate, ...	,,	30.17	766.2	...	...	S E	8	...	,,	30.17	766.2	...	...	E	4
Tokio, ...	,,	30.06	763.6	...	...	N	4	...	,,	30.02	762.6	...	...	N	2
Kochi, ...	,,	29.80	756.8	...	...	...	0	...	,,	29.80	756.8	...	...	...	0
Nagasaki, ...	,,	29.80	756.8	...	...	N E	6	...	,,	29.84	757.8	...	...	...	0
Kagoshima, ...	,,	29.80	756.9	...	...	E	6	...	,,	29.84	757.9	...	...	N E	4
Oshima, ...	,,	29.73	755.1	...	...	N	6	...	,,	29.77	756.1	...	...	...	0
Naha, ...	,,	29.69	754.2	...	...	N W	4	...	,,	29.73	755.2	...	...	...	0
Ishigakijima, ...	,,	29.74	755.3	...	...	N E	4	...	,,	29.74	755.3	...	...	N	2
Bonin Is.	,,	29.96	761.1	...	...	S E	4	...	,,	29.97	761.1	...	...	E	2
Chefoo.	3 p.	29.87	758.7	80	66	S E	3	c	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	29.89	759.2	78	...	S E	2	o	9 a.	29.89	759.2	76	...	S E	2
Hankow, ...	,,	29.84	757.9	82	83	N	1	b	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	29.79	756.6	85	63	W	2	c	,,	29.81	757.2	77	91	W N W	1
Shanghai.	,,	29.79	756.6	85	64	E	2	c	9 a.	29.84	757.9	82	75	S S E	2
Gutzlaff, ...	,,	29.79	756.6	81	78	E S E	2	bm	,,	29.84	757.9	85	76	S E	2
Sharp Peak, ...	,,	29.78	756.4	83	91	E	2	b	,,	29.82	757.4	84	100	...	0
Amoy	,,	29.78	756.4	84	75	S E	2	b	6 a.	29.80	756.9	83	87	...	0
Swatow, ...	,,	29.83	757.7	85	80	E	2	c	,,	29.86	758.4	79	87	E S E	1
Taiboku	1 p.	29.80	756.8	.	...	W	2	...	5 a.	29.79	756.6	...	...	S	2
Taichu, ...	,,	29.80	756.8	...	...	N W	4	...	,,	29.80	756.8	...	...	N	3
Tainan, ...	,,	29.79	756.7	...	...	N	4	...	,,	29.79	756.6	...	...	E	3
Koshun	,,	29.76	756.0	...	...	N	6	...	,,	29.79	756.7	...	...	...	0
Pescadores, ...	,,	29.80	757.0	...	...	N W	6	...	,,	29.80	756.8	...	...	N W	4
Canton, ...	3 p.	29.77	756.1	93	61	W	1	c	9 a.	29.83	757.7	87	80	...	0
Hongkong, ...	4 p.	29.75	755.6	88	66	S W	1	b	10 a.	29.81	757.2	84	79	S S E	1
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.75	755.6	...	...	W	4	...	,,	29.79	756.6	...	...	N N W	1
Macao, ...	,,	29.78	756.4	78	...	S W	1	c	,,	29.83	757.7	87	...	S E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.73	755.1	86	...	S S E	5	c	8 a.	29.80	757.0	81	...	E	1
Tourane, ...	,,	29.78	756.5	90	...	N W	1	b	,,	29.86	758.4	81	...	...	0
Cape St. James, .	,,	29.82	757.3	86	...	S W	2	c	,,	29.88	759.0	79	...	S W	2
Aparri, ...	2 p.	29.76	756.0	86	...	N W	1	b	6 a.	29.79	756.6	75	...	S W	1
Manila, ...	4 p.	29.76	756	90	66	W	0	o	10 a.	29.80	757	84	77	N N E	0
Legaspi, ...	2 p.	29.74	755.5	95	...	N W	1	c	6 a.	29.81	757.1	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan, ...	,,	29.84	757.9	87	...	...	...	...	,,	29.85	758.2	84	...	...	...

On the 4th at 11.55 a.—The barometer has fallen slightly over the N. and S. coasts of China and in Luzon; risen moderately at the Bonins.

The depression over the Pacific to the S.E. of the Loochoos appears to be almost stationary. The slight depre over China is lying now to the North of the Lower Yangtze.

Pressure remains high over N.E. Japan.

Moderate N.E. winds may be expected in the Formosa Channel and moderate variable winds over the N. p the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds, light or moderate; fair.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 4th September, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
4TH SEPTEMBER, 1908, P.M.								
...eok,...	2 p.	30.10	764.6	74	...	S	2	b
...m,.....	,,	30.20	767.1	...	...	N	8	...
...ilate,.....	,,	30.13	765.2	...	...	S E	6	...
...o.....	,,	29.94	760.6	...	...	N E	2	...
...di.....	,,	29.80	756.8	...	...	S E	2	...
...ssi.....	,,	29.80	756.8	...	...	E	6	...
...oshima,.....	,,	29.84	757.9	...	...	S	2	...
...m.....	,,	29.77	756.1	...	...	N E	2	...
...a.....	,,	29.77	756.2	...	...	S	2	...
...kijima,....	,,	29.74	755.5	...	...	E	4	...
...it Is.....	,,	29.93	760.1	...	...	E	4	...
...to.....	3 p.	29.82	757.4	...	...	S S E	2	o
...ushwei,.....	,,	29.82	757.4	78	...	S E	4	o
...kow,.....	,,	29.86	758.4	88	66	N E	1	o
...hing,.....	,,	29.80	756.9	92	54	E	2	b
...ghai,.....	,,	29.79	756.6	88	62	S S E	2	c
...ff.....	,,	29.80	756.9	85	75	S E	2	cm
...Peak,.....	,,	29.77	756.1	84	87	E N E	4	b
...g.....	,,	29.74	755.4	85	83	S E	2	b
...n,.....	,,	29.72	754.9	86	72	E	1	b
...bo.....	1 p.	29.80	756.8	...	...	N	4	...
...chu.....	,,	29.77	756.2	...	...	N W	2	...
...nan.....	,,	29.76	755.9	...	...	N W	6	...
...hu.....	,,	29.77	756.1	...	...	N	2	...
...ores,.....	,,	29.79	756.6	...	...	N E	6	...
...n.....	3 p.	29.72	754.9	95	65	W	2	b
...gkong,.....	4 p.	29.72	754.9	86	68	S E	1	c
...oria Peak,...	,,	...	...	...	...	...	...	...
...Rock,.....	,,	29.71	754.6	...	...	S W	1	...
...o.....	,,	29.74	755.4	87	...	S S E	1	c
...ow,.....	3 p.	...	...	...	...	...	...	...
...oi.....	,,	...	...	...	...	...	...	...
...en.....	4 p.	29.69	754.2	82	...	S S E	3	c
...e.....	,,	29.72	754.9	88	...	S E	3	c
...St James,.	,,	29.75	755.7	86	...	S S W	2	c
...w.....	2 p.	...	...	...	...	...	...	...
...k.....	4 p.	29.72	755	86	71	W S W	2	o
...ui.....	2 p.	29.73	755.2	77	...	...	0	o
...ief.....	3 p.	...	...	...	...	...	...	...
...h.....	,,	...	...	...	...	...	...	...
...n.....	,,	...	...	...	...	...	...	...
...a.....	,,	29.84	757.9	86	...	...	...	...

	Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
5TH SEPTEMBER, 1908, A.M.								
	7 a.	30.09	764.3	64	86	E	1	o
	6 a.	30.24	768.1	...	...	E	4	...
	,,	30.21	767.2	...	...	E	4	...
	,,	29.99	761.6	...	...	N	6	...
	,,	29.91	759.8	...	...	S	2	...
	,,	29.91	759.8	...	...	...	0	...
	,,	29.92	760.0	...	...	N E	4	...
	,,	29.89	759.1	...	...	S	2	...
	,,	29.81	757.2	...	...	...	0	...
	,,	29.78	756.3	...	...	N E	2	...
	,,	29.93	760.1	...	...	...	0	...
	6 a.	29.87	758.7	74	90	E S E	1	o
	9 a.	...	...	...	...	...	...	...
	6 a.	29.89	759.2	78	91	N E	2	o
	,,	29.95	760.7	76	90	N E	1	c
	9 a.	29.90	759.4	86	72	E	2	c
	,,	29.88	758.9	81	83	S E	2	cm
	,,	29.82	757.4	82	96	N	3	c
	6 a.	29.77	756.1	79	87	...	0	c
	,,	...	...	...	...	...	...	...
	5 a.	29.78	756.3	...	...	S	2	...
	,,	29.77	756.1	...	...	S	2	...
	,,	29.76	755.9	...	...	S E	2	...
	,,	29.77	756.2	...	...	...	0	...
	,,	29.76	755.8	...	...	N	2	...
	9 a.	29.86	758.4	86	80	E	1	b
	10 a.	29.84	757.9	83	81	E	1	c
	,,	...	...	...	...	...	...	...
	,,	29.80	756.9	...	...	N	1	...
	,,	29.85	758.2	84	...	S S W	1	c
	9 a.	...	...	...	...	...	...	...
	,,	...	...	...	...	...	...	...
	8 a.	29.81	757.1	81	...	...	2	c
	,,	29.83	757.6	82	...	...	0	c
	,,	29.86	758.5	81	...	S W	3	o
	6 a.	29.76	756.0	75	...	N W	1	b
	10 a.	29.89	757	86	71	N E	0	c
	6 a.	29.78	756.4	75	...	...	0	c
	9 a.	...	...	...	...	...	...	...
	,,	...	...	...	...	...	...	...
	,,	...	...	...	...	...	...	...
	,,	29.85	758.2	85	...	...	...	...

On the 5th at 12.10 p.—The barometer has risen moderately over S.W. Japan and the Loochoos, and fallen ...ghly over Formosa and Luzon.

The depression noticed over the Pacific to the S.E. of the Loochoos during the past three days, appears to have ...sap.

The anticyclonic area remains over N.E. Japan, and the lowest pressure is now shown over the Pacific to the E. ...Luzon.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate variable winds over the N. part of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	N.E. or variable winds, moderate; fair to showery.
...rmosa Channel, ...	N.E. winds, moderate.
...outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 5th September, 1908.

...nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	5th SEPTEMBER, 1908, P.M.								6th SEPTEMBER, 1908, A.M							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	F
Wladivostock,...	2 p.	30.05	763.2	71	...	S E	4	c	7 a.	30.14	765.5	65	80	S	4
Nemuro, ...	,,	30.24	768.1	...	...	E	6	...	6 a.	30.24	768.1	...	...	E	
Hakodate, ...	,,	30.20	767.2	...	...	S E	10	...	,,	30.21	767.2	...	...	E	
Tokio, ...	,,	30.02	762.6	...	...	N	6	...	,,	30.10	764.6	...	...	N W	
Kochi, ...	,,	29.91	759.8	...	...	S E	2	...	,,	29.99	761.8	...	...	W	2
Nagasaki, ...	,,	29.91	759.8	...	...	S E	6	...	,,	29.99	761.8	...	...	N	2
Kagoshima, ...	,,	29.92	759.9	...	...	...	0	...	,,	30.00	761.9	...	...	N	2
Oshima, ...	,,	29.89	759.1	...	...	S E	4	...	,,	29.93	760.1	...	...	...	0
Naha, ...	,,	29.85	758.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0
Ishigakijima, ...	,,	29.82	757.3	...	...	E	6	...	,,	29.86	758.3	...	...	N E	2
Bonin Is.....	,,	29.85	758.1	...	...	S W	4	...	,,	29.69	754.1	...	...	W	6
Chefoo, ...	3 p.	29.96	761.0	85	72	E S E	1	c	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	29.95	760.7	80	...	S S E	2	o	9 a.	30.09	764.3	74	...	E S E	1
Tankow, ...	,,	29.82	757.4	85	79	N W	1	o	6 a.	29.95	760.7	78	95	N E	1
Kiukiang,.....	,,	29.84	757.9	91	63	N E	2	b	,,	29.87	758.7	78	91	N E	1
Shanghai, ...	,,	29.87	758.7	86	59	E	1	c	9 a.	29.95	760.7	85	79	S	1
Gutzlaff, ...	,,	29.85	758.2	81	78	E S E	2	cm	,,	29.93	760.3	86	80	E S E	1
Sharp Peak,.....	,,	29.80	756.9	83	87	E N E	4	c	,,	29.89	759.2	78	91	N N W	1
Amoy,.....	,,	29.73	755.1	85	83	...	0	o	6 a.	29.83	757.7	82	87	N W	1
Swatow, ...	,,	29.72	754.9	89	96	S S E	2	b	,,	29.79	756.6	78	91	N	1
Taihoku,.....	1 p.	29.77	756.1	...	...	S E	6	...	5 a.	29.85	758.2	...	...	S E	2
Taichu, ...	,,	29.74	756.4	...	...	W	4	...	,,	29.85	758.2	...	...	...	0
Tainan,.....	,,	29.79	756.6	...	...	W	6	...	,,	29.83	757.7	...	...	E	2
Koshun.....	,,	29.79	756.6	...	...	E	6	...	,,	29.83	757.6	...	...	...	0
Pescadores, ...	,,	29.78	756.4	...	...	W	2	...	,,	29.84	757.8	...	...	...	0
Canton,.....	3 p.	29.77	756.1	91	74	W	2	c	9 a.	...	...	82	75	E	1
Hongkong, ...	4 p.	29.77	756.1	82	78	E	1	olt	10 a.	29.89	759.2	85	72	S	4
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.74	756.4	...	...	E	1	...	,,	29.86	758.4	...	...	E N E	2
Macao, ...	,,	29.79	756.6	87	...	...	0	c	,,	29.90	759.4	83	...	S S E	1
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.73	755.2	84	...	E S E	3	c	8 a.	29.88	758.9	77	...	N	2
Tourane, ...	,,	29.72	754.9	88	...	N W	2	c	,,	29.85	758.1	82	...	...	0
Cape St. James,.	,,	29.74	755.5	86	...	...	0	lt	,,	29.87	758.6	81	...	W S W	1
Aparri, ...	2 p.	29.73	755.1	88	...	N E	1	c	6 a.	29.82	757.4	77	...	S	1
Manila, ...	4 p.	29.76	756	84	71	S	2	ot	10 a.	29.88	759	82	77	W	2
Legaspi, ...	2 p.	29.74	755.5	88	...	S W	1	c	6 a.	29.82	757.5	75	...	...	0
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan, ...	,,	29.83	757.7	87	...	...	...	...	,,	...	...	...	...	...	...

On the 6th at 11.55 a.—The barometer has fallen rapidly at the Bonins owing to a depression which is passing to the Northward of the Group and moving in an Easterly direction.

Pressure has increased moderately to slightly elsewhere.

The anticyclonic area remains over N.E. Japan.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate N.E. and variable winds over N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, light or moderate; fair at first, th
2.—Formosa Channel, ...	N.E. winds, moderate. [showers
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 6th September, 1908.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

6TH SEPTEMBER, 1908, P.M.

Hours	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.17	766.3	67	...	S	8	o
,,	30.20	767.1	...	...	N E	6	...
,,	30.17	766.2	...	...	S E	6	...
,,	30.06	763.6	...	...	N E	6	...
,,	29.95	760.8	...	...	S E	2	...
,,	29.95	760.8	...	...	N	4	...
,,	29.96	760.9	...	...	S E	2	...
,,	29.93	760.1	...	...	E	4	...
,,	29.89	759.2	...	...	N	4	...
,,	29.89	759.3	...	...	E	6	...
,,	29.69	754.1	...	...	N	6	...
3 p.	...	...	...	...	...	...	...
,,	29.95	760.7	78	...	E	2	ovr
,,	29.83	757.7	90	70	...	0	c
,,	29.81	757.2	94	58	N E	2	b
,,	...	...	...	...	...	...	...
,,	29.89	759.2	84	79	S E	3	ov
,,	29.86	758.4	82	83	N N E	5	c
,,	29.84	757.9	85	83	N E	1	c
,,	29.81	757.2	79	91	N E	1	or
1 p.	29.85	758.2	.	...	E	6	...
,,	29.86	758.4	...	...	N W	4	...
,,	29.86	758.4	...	...	N W	6	...
,,	29.86	758.5	...	...	E	6	...
,,	29.87	758.8	...	...	N	4	...
3 p.	29.81	757.2	90	73	S W	1	c
4 p.	29.79	756.6	83	80	E	2	o
,,	...	...	...	...	...	...	...
,,	29.78	756.4	...	...	E	3	...
,,	29.82	757.4	84	...	N W	...	c
3 p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	29.78	756.4	84	...	S S E	4	c
,,	29.76	756.0	88	...	S E	3	c
,,	29.73	755.2	84	...	S S W	2	c
2 p.	29.80	756.8	90	...	N E	1	o
4 p.	29.76	756	86	71	S W	2	c
2 p.	29.81	757.1	84	...	W	1	o
3 p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	29.84	757.9	84	...	...	...	...

7TH SEPTEMBER, 1908, A.M.

Hour	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.13	765.3	64	78	S	4	o
6 a.	30.20	767.1	...	...	N	6	...
,,	30.17	766.2	...	...	S E	4	...
,,	30.05	763.6	...	...	N W	4	...
,,	29.99	761.8	...	...	...	0	...
,,	29.99	761.8	...	...	N	2	...
,,	30.00	761.9	...	...	E	4	...
,,	29.93	760.1	...	...	S W	2	...
,,	29.85	758.2	...	...	N E	2	...
,,	29.86	758.3	...	...	N E	2	...
,,	29.77	756.1	...	...	N	4	...
6 a.	...	...	...	...	...	...	...
9 a.	30.05	763.2	77	...	E	3	o
6 a.	29.94	760.5	78	100	E	1	b
,,	...	...	...	...	...	...	...
9 a.	29.97	761.2	86	68	S E	2	c
,,	29.94	760.5	81	87	E S E	3	o
,,	29.93	760.2	82	96	N	1	b
6 a.	29.88	758.9	81	91	N W	1	c
,,	29.87	758.7	77	95	...	0	c
5 a.	29.88	759.0	...	...	S E	2	...
,,	29.88	758.9	...	...	E	2	...
,,	29.86	758.5	...	...	E	2	...
,,	29.87	758.6	...	...	...	0	...
,,	29.88	758.8	...	...	N	4	...
9 a.	29.95	760.7	85	79	S E	1	b
10 a.	29.96	761.0	77	91	E	1	od
,,	...	...	...	...	...	...	...
,,	29.92	759.9	...	...	E N E	3	...
,,	29.95	760.7	80	...	W N W	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.94	760.5	84	...	E N E	2	c
,,	29.91	759.8	81	...	...	0	b
,,	29.91	759.7	81	...	W N W	1	c
6 a.	...	...	...	...	...	...	...
10 a.	29.92	760	81	85	W N W	1	o
6 a.	...	...	...	...	...	...	...
9 a.	...	...	...	...	S S E	1	o
,,	29.87	758.7	84	...	S W	1	c
,,	29.89	758.9	85	...	S	2	c
,,	29.84	757.9	85	...	...	...	...

On the 7th at 11.50 a.—The depression lying in the neighbourhood of the Bonins yesterday, is moving away to Eastward.

Pressure is inclined to give way again over the Loochoos. It has increased slightly over S. China, Annam and Philippines.

The anticyclonic area remains over N.E. Japan, and except at the Bonins, pressure is in slight excess of the mal over other areas.

Light or moderate N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. winds, light or moderate; thunder showers.
rmosa Channel, ...	Same as No. 1.
ain coast of China between Hongkong and Lamocks,..	Same as No. 1.
ain coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 7th September, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REG[illegible]TE

Station.	7th SEPTEMBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	8th SEPTEMBER, [illegible], A. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	30.13	765.4	66	...	S	5	o	7 a.	30.07	763.8	63	78	S E
Nemuro, ...	,,	30.20	767.1	...	...	E	6	...	6 a.	30.16	766.1	...	...	N
Hakodate, ...	,,	30.13	765.2	...	...	S E	6	...	,,	30.13	765.2	...	...	N E
Tokio, ...	,,	30.02	762.6	...	...	N E	4	...	,,	30.02	762.6	...	...	N W
Kochi, ...	,,	29.95	760.8	...	...	S E	2	...	,,	29.99	761.8	...	...	...
Nagasaki, ...	,,	29.95	760.8	...	...	N	4	...	,,	29.91	759.8	...	...	...
Kagoshima, ...	,,	29.92	759.9	...	...	S	2	...	,,	29.92	759.9	...	...	N E
Oshima, ...	,,	29.89	759.1	...	...	N E	2	...	,,	29.85	758.1	...	...	S
Naha, ...	,,	29.81	757.2	...	...	N E	6	...	,,	29.77	756.2	...	...	N E
Ishigakijima, ...	,,	29.85	758.3	...	...	E	6	...	,,	29.82	757.3	...	...	N E
Bonin Is.	,,	29.81	757.1	...	...	N	2	...	,,	29.85	758.1	...	...	N W
Chefoo, ...	3 p.	29.94	760.5	85	61	S	2	c	6 a.	29.77	756.1	73	95	S
Weihaiwei, ...	,,	29.94	760.5	81	...	S	2	o	9 a.	29.85	758.2	72	...	N W
Hankow, ...	,,	29.90	759.4	94	...	S	1	b	6 a.	...	...	...	...	...
Kiukiang, ...	,,	29.87	758.7	95	53	N N E	1	b	,,	29.90	759.4	78	95	...
Shanghai, ...	,,	29.89	759.2	88	69	E S E	2	c	9 a.	29.86	758.9	83	79	S S E
Gutzlaff, ...	,,	29.89	759.2	81	91	E S E	3	cm	,,	29.86	758.4	83	79	S E
Sharp Peak, ...	,,	29.87	758.7	84	91	E	4	b	,,	29.88	758.9	84	96	N
Amoy	,,	29.83	757.7	85	83	S E	3	b	6 a.	29.84	757.9	83	87	...
Swatow, ...	,,	29.82	757.4	86	76	E	1	c	,,	29.82	757.4	79	91	N N E
Taihoku, ...	1 p.	29.88	758.9	.	...	N E	6	...	5 a.	29.86	758.4	...	...	S
Taichu, ...	,,	29.87	758.6	...	...	W	2	...	,,	29.84	757.8	...	...	...
Tainan, ...	,,	29.88	758.9	...	...	W	4	...	,,	29.81	757.2	...	...	S E
Koshun, ...	,,	29.88	758.9	...	...	N W	4	...	,,	29.86	758.5	...	...	N
Pescadores, ...	,,	29.89	759.3	...	...	N W	6	...	,,	29.82	757.3	...	...	N
Canton, ...	3 p.	29.88	758.9	80	96	N	1	o	9 a.	29.92	759.9	83	83	E
Hongkong, ...	4 p.	29.87	758.7	77	89	E N E	2	od	10 a.	29.91	759.7	84	74	E S E
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Gap Rock, ...	,,	29.82	757.4	...	...	E N E	4	...	,,	29.88	758.9	...	...	E S E
Macao, ...	,,	29.87	758.7	81	...	E S E	1	o	,,	29.92	759.9	82	...	S E
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	29.82	757.3	90	...	S	2	b	8 a.	29.88	759.0	79	...	N E
Tourane, ...	,,	29.82	757.3	99	...	S E	1	c	,,	29.89	759.2	81	...	...
Cape St. James, .	,,	29.79	756.6	72	...	W S W	2	b	,,	29.88	758.9	81	...	S W
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.80	757.0	75	...	S W
Manila, ...	4 p.	29.80	757	84	77	W S W	2	o	10 a.	29.84	758	82	77	W N W
Legaspi, ...	2 p.	29.80	757.0	90	...	W	1	c	6 a.	29.80	756.9	77	...	W
Bacolod, ...	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	W S W
Iloilo, ...	,,	29.85	758.2	85	...	S W	3	o	,,	29.87	758.7	84	...	S W
Cebu, ...	,,	29.80	756.9	87	...	S	1	b	,,	29.87	758.7	86	...	S
Labuan, ...	,,	29.82	757.4	89	...	...	...	...	,,	29.83	757.7	86	...	...

On the 8th at 11.55 a.—The barometer has fallen quickly on the N.E. coast of China owing to a d[illegible] which is moving Eastwards over the Gulf of Pechili.

Pressure has given way moderately to slightly elsewhere, except at the Bonins.

There are indications of the existence of a low pressure area over the Pacific at a considerable distance S.E. of the Loochoos.

Pressure is still high over N.E. Japan.

Light or moderate N.E. and N. winds may be expected in the Formosa Channel and the N. part of the [illegible]

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and N. winds, light or moderate; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 8th September, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	8TH SEPTEMBER, 1908, P.M.								9TH SEPTEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...stock,...	2 p.	30.09	764.2	67	...	S E	6	o	7 a.	30.02	762.6	60	87	S E	1	ov
.....	,,	30.12	765.1	...	...	N E	6	...	6 a.	30.12	765.1	...	...	...	0	...
.....	,,	30.09	764.2	...	...	S E	6	...	,,	30.09	764.2	...	...	N E	2	...
.....	,,	30.02	762.6	...	...	N E	4	...	,,	30.06	763.6	...	...	N W	2	...
.....	,,	29.95	760.8	...	...	S E	2	...	,,	29.95	760.8	...	...	W	2	...
.....	,,	29.88	758.8	...	...	S E	2	...	,,	29.88	758.8	...	...	E	2	...
.....	,,	29.88	758.9	...	...	N E	4	...	,,	29.88	758.9	...	...	E	6	...
.....	,,	29.81	757.1	...	...	S E	4	...	,,	29.77	756.1	...	...	N E	4	...
.....	,,	29.73	755.2	...	...	N E	6	...	,,	29.69	754.2	...	...	N E	6	...
...ima,....	,,	29.78	756.3	...	...	N E	8	...	,,	29.78	756.3	...	...	N E	2	...
.....	,,	29.85	758.1	...	...	N W	2	...	,,	29.93	760.1	...	...	...	0	...
.....	3 p.	29.90	759.4	72	85	N W	4	o	6 a.	29.94	760.5	70	75	N	3	b
...ei,.....	,,	29.86	758.4	71	...	N W	3	o	9 a.	...	...	...	...	...	...	...
.....	,,	29.98	761.5	80	78	...	2	o	6 a.	30.05	763.2	69	95	N	2	o
.....	,,	29.84	757.9	85	79	N W	1	c	,,	29.89	759.2	74	86	S W	3	o
.....	,,	29.77	756.1	86	76	S E	1	c	9 a.	29.90	759.4	77	86	N N W	2	om
.....	,,	29.80	756.9	86	72	S S E	2	cm	,,	29.84	757.9	84	75	N N W	2	ev
...eak.....	,,	29.83	757.7	85	96	E	2	b	,,	29.85	758.2	83	96	...	0	b
.....	,,	29.79	756.6	85	83	S E	2	b	6 a.	29.84	757.9	82	87	N E	1	o
...w.....	,,	29.76	755.9	88	69	E S E	1	b	,,	29.84	757.9	79	91	...	0	b
...ku.....	1 p.	29.82	757.4	...	...	E	6	...	5 a.	29.84	758.0	...	...	E	2	...
...u.....	,,	29.82	757.3	...	...	W	4	...	,,	29.84	758.0	...	...	...	0	...
...n.....	,,	29.81	757.2	...	...	S W	4	...	,,	29.84	757.8	...	...	E	2	...
...n.....	,,	29.82	757.5	...	...	N W	2	...	,,	29.85	758.2	...	...	...	0	...
...es,.....	,,	29.82	757.5	...	...	N	6	...	,,	29.84	757.9	...	...	N	4	...
.....	3 p.	29.81	757.2	91	67	W	1	b	9 a.	29.91	759.7	86	80	...	0	b
...ong,.....	4 p.	29.81	757.2	84	75	S	1	c	10 a.	29.89	759.2	85	74	E	1	c
...a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ock,.....	,,	29.81	757.2	...	...	N	1	...	,,	29.87	758.7	...	...	N E	2	...
.....	,,	29.84	757.9	84	...	S S E	1	c	,,	29.96	759.4	86	...	E S E	1	c
...w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.78	756.4	90	...	S	2	c	8 a.	29.88	758.8	82	...	N E	2	c
.....	,,	29.79	756.6	90	...	N W	3	b	,,	29.86	758.5	82	...	...	0	b
...kmes,..	,,	...	...	...	...	...	...	...	,,	29.87	758.7	81	...	W	1	c
.....	2 p.	29.79	756.6	84	...	N W	1	o	6 a.	29.84	757.9	75	...	W	1	b
.....	4 p.	29.76	756	86	71	S W	2	c	10 a.	29.88	759	84	77	S W	1	o
.....	2 p.	29.80	756.9	77	...	...	0	o	6 a.	29.84	758.0	79	...	...	0	c
.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	W S W	1	o
.....	,,	29.83	757.7	88	...	S W	2	...	,,	29.91	759.7	86	...	S W	1	c
.....	,,	29.79	756.6	89	...	S	2	b	,,	29.87	758.7	87	...	S	2	b
.....	,,	29.71	754.6	90	...	...	...	...	,,	...	...	...	...	...	...	...

On the 8th at 9.30 p.—The typhoon to the South of the Loochoos, appears to be moving towards N.W.
On the 9th at 11.50 a.—The barometer has fallen moderately over the Loochoos, and risen slightly in the ...nes

...e typhoon is now situated to the S.E. of Naha (Loochooos). It appears to be moving Northwards.
...essure has increased moderately on the N.E. coast of China, the depression lying in that neighbourhood yester-...aving moved away to the N.E.
Pressure is high over N.E. Japan, and over China to the North of the Upper Yangtze.
...ight or moderate N.E. winds may be expected in the Formosa Channel and along the Northern shores of the ... Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ngkong and Neighbourhood, ...	N.E. winds, light or moderate; fair.
...rmosa Channel, ...	Same as No. 1.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 9th September, 1908.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th SEPTEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th SEPTEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.97	761.3	65	...	S E	5	o	7 a.	30.02	762.4	63	94	S E	2
Nemuro,	,,	30.04	763.1	...	...	N	4	...	6 a.	30.04	763.1	...	...	...	...
Hakodate,	,,	30.05	763.2	...	...	S	2	...	,,	30.05	763.2	...	...	N E	1
Tokio,	,,	30.02	762.6	...	...	E	2	...	,,	30.02	762.6	...	...	N W	1
Kochi,	,,	29.95	760.8	...	...	S	2	...	,,	29.95	760.8	...	...	S W	2
Nagasaki,	,,	29.83	757.8	...	...	W	4	...	,,	29.88	758.8	...	...	N	...
Kagoshima,	,,	29.84	757.9	...	...	E	4	...	,,	29.84	757.9	...	...	N E	6
Oshima,	,,	29.73	755.1	...	...	N	8	...	,,	29.69	754.1	...	...	N	8
Naha,	,,	29.69	754.2	...	...	N	10	...	,,	29.69	754.2	...	...	N	8
Ishigakijima,	,,	29.78	756.3	...	...	N	6	...	,,	29.82	757.3	...	...	N	6
Bonin Is.	,,	29.89	759.1	...	...	E	2	...	,,	29.89	759.1	...	...	E	2
Chefoo,	3 p.	29.96	760.7	76	49	N	3	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.93	760.2	75	...	N W	2	b	9 a.	29.99	761.7	68	...	W	1
Hankow,	,,	30.02	762.5	67	95	N E	2	o	6 a.	30.04	763.0	63	100	W N W	1
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	71	100	S W	2
Shanghai,	,,	29.83	757.7	81	71	N N W	2	c	9 a.	29.88	758.9	79	87	E	2
Gutzlaff,	,,	29.80	756.9	79	87	N	4	om	,,	29.85	758.2	78	86	E	3
Sharp Peak,	,,	29.80	756.9	85	100	E	1	b	,,	29.83	757.7	84	96	E	1
Amoy,	,,	29.77	756.1	85	79	S E	2	c	6 a.	29.84	757.9	84	83	N W	1
Swatow,	,,	29.77	756.1	88	69	E	1	b	,,	29.84	757.9	78	91	N N E	1
Taihoku,	1 p.	29.84	757.9	.	...	E	4	...	5 a.	29.87	758.6	...	...	S E	2
Taichu,	,,	29.82	757.3	...	...	N W	4	...	,,	29.87	758.6	...	...	...	0
Tainan,	,,	29.82	757.4	...	...	S W	4	...	,,	29.84	758.0	...	...	E	2
Koshun,	,,	29.84	758.0	...	...	N W	2	...	,,	29.77	756.1	...	...	...	0
Pescadores,	,,	29.82	757.5	..	...	N	6	...	,,	29.85	758.1	...	...	...	0
Canton,	3 p.	29.81	757.2	92	81	S	2	b	9 a.	29.96	759.7	87	80	S E	1
Hongkong,	4 p.	29.78	756.4	85	75	E S E	1	c	10 a.	29.90	759.4	85	69	E	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.76	755.9	...	...	E	2	...	,,	29.87	758.7	...	...	N E	1
Macao,	,,	29.82	757.4	86	...	S S E	1	c	,,	29.90	759.4	86	...	S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.76	756.0	79	...	E	2	o	8 a.	29.85	758.8	85	...	S	1
Tourane,	,,	29.75	755.6	86	...	S E	2	c	,,	29.87	758.7	82	...	...	0
Cape St. James,	,,	29.78	756.5	82	...	S	2	c	,,	29.91	759.8	82	...	S W	1
Aparri,	2 p.	29.81	757.2	88	...	N	1	b	6 a.	29.86	758.5	75	...	S	1
Manila,	4 p.	29.80	757	84	77	W	1	o	10 a.	29.92	760	84	77	W N W	1
Legaspi,	2 p.	29.82	757.3	86	...	W	1	c	6 a.	29.85	758.2	77	...	...	0
Bacolod,	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.85	758.2	87	...	S W	2	o	,,	29.95	760.7	83	...	W S W	0
Cebu,	,,	29.81	757.2	88	...	S	1	c	,,	29.91	759.7	84	...	N E	1
Labuan,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	86	...	...	...

On the 10th at 11.55 a.—The barometer has fallen slightly over Japan and N. Loochoo, and risen a little in Philippines.

The typhoon is moving towards N.E. to the Eastward of the Loochoos.

Pressure is relatively high over N.E. Japan and N.W. China.

Light or moderate N.E. winds may be expected in the Formosa Channel, and light to moderate variable over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. or variable winds, light; fair.
2.—Formosa Channel,	N.E. winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 10th September, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	10TH SEPTEMBER, 1908, P.M.								11TH SEPTEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...uck,...	2 p.	29.93	760.2	74	...	S E	3	o	7 a.	29.98	761.5	63	95	E	0	c
.....	,,	30.04	763.1	...	...	E	2	...	6 a.	30.12	765.1	...	...	E	2	...
.....	,,	30.05	763.2	...	...	S	2	...	,,	30.09	764.2	...	...	...	0	...
.....	,,	29.98	761.6	...	...	N E	2	...	,,	30.06	763.6	...	...	N	2	...
.....	,,	29.87	758.8	...	...	...	0	...	,,	29.88	758.8	...	...	S W	2	...
.....	,,	29.80	756.8	...	...	E	6	...	,,	29.80	756.8	...	...	E	6	...
.....	,,	29.80	756.9	...	...	N E	6	...	,,	29.76	755.9	...	...	N	4	...
.....	,,	29.69	754.1	...	...	N	8	...	,,	29.73	755.1	...	...	N	6	...
.....	,,	29.73	755.2	...	...	N	8	...	,,	29.77	756.2	...	...	N	4	...
...ima.....	,,	29.82	757.3	...	...	N W	6	...	,,	29.82	757.3	...	...	N	2	...
.....	,,	29.86	758.1	...	...	S E	6	...	,,	29.81	757.1	...	...	E	6	...
.....	3 p.	29.92	759.9	73	63	E	1	o	6 a.	...	...	...	...	...	...	...
...kei,.....	,,	29.90	759.4	72	...	E	1	o	9 a.	29.69	754.1	66	...	E	1	o
.....	,,	30.00	762.0	67	96	W	1	o	6 a.	29.96	761.0	64	100	W N W	0	o
...g.....	,,	29.92	759.9	75	77	N	2	o	...	...	...	...	...	...	...	...
...li.....	,,	29.80	756.9	77	91	S E	2	omd	9 a.	29.82	757.4	70	99	W N W	3	o
...ll.....	,,	29.79	756.6	81	78	S E	2	om	,,	29.79	756.6	73	86	N W	3	om
...Nak.....	,,	29.81	757.2	85	96	E S E	1	b	,,	...	...	...	...	...	...	...
.....	,,	29.81	757.2	86	84	S E	2	b	6 a.	29.83	757.7	82	91	N E	1	o
...ow.....	,,	29.77	756.1	87	69	S E	1	b	,,	29.78	756.4	78	91	...	0	b
...ka.....	1 p.	29.85	758.1	...	...	N	4	...	5 a.	29.84	757.9	...	...	...	0	...
...n.....	,,	29.85	758.5	...	...	W	4	...	,,	29.85	758.2	...	...	...	0	...
...n.....	,,	29.86	758.4	...	...	S W	4	...	,,	29.84	758.0	...	...	E	2	...
.....	,,	29.87	758.6	...	...	W	2	...	,,	29.85	758.1	...	...	...	0	...
...ires, ...	,,	29.86	758.4	...	...	E	2	...	,,	29.84	758.0	...	...	...	0	...
.....	3 p.	29.81	757.2	92	70	S	3	b	9 a.	29.89	759.2	86	96	S W	1	b
...hing, ...	4 p.	29.80	756.9	85	69	S	1	c	10 a.	29.88	758.9	83	75	W	1	c
...ia Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ock.....	,,	29.81	757.2	...	...	S S E	2	...	,,	29.87	758.7	...	...	N N W	1	...
.....	,,	29.83	757.7	84	...	SS E	1	c	,,	29.89	759.2	85	...	S E	1	c
...ow.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.76	755.8	81	...	E	3	c	8 a.	29.87	758.6	75	...	E S E	4	or
.....	,,	29.77	756.2	90	...	S E	3	c	,,	29.87	758.7	82	...	...	0	b
...James,.	,,	29.81	757.1	84	...	S E	1	o	,,	29.91	759.8	81	...	S W	2	c
.....	2 p.	29.85	758.1	88	...	N	1	b	6 a.	29.86	758.4	77	...	S	1	b
.....	4 p.	29.84	758	86	71	S W	2	c	10 a.	29.88	759	84	77	W S W	1	c
.....	2 p.	29.84	758.0	...	...	...	0	o	6 a.	29.87	758.6	75	...	...	0	c
.....	3 p.	...	...	...	...	S E	1	ct	9 a.	...	...	...	...	W S W	1	c
.....	,,	29.85	758.2	86	...	S W	1	c	,,	29.91	759.7	84	...	N E	1	b
.....	,,	29.81	757.2	88	...	S	1	c	,,	29.87	758.9	85	...	...	0	b
.....	,,	29.83	757.7	86	...	...	...	...	,,	29.88	758.9	70	...	...	...	...

On the 11th at 11.55 a.—The typhoon is moving towards N.E. about midway between the Loochoos and the ...s.

The barometer has fallen over N. China owing to a depression which appears to be passing from the Continent ...Yellow Sea.

Pressure has increased slightly and is highest over N.E. Japan.

Light variable to moderate N.E. winds may be expected in the Formosa Channel, and light variable winds over ...N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	Variable winds, light; fair.
...osa Channel, ...	Variable to N.E. winds, light to moderate.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 11th September, 1908.

...nted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	11th SEPTEMBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	12th SEPTEMBER, 1908, A.M Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	F c
Wladivostock,	2 p.	30.01	762.3	68	...	S E	4	c	7 a.	29.81	757.2	62	69	N	
Nemuro,	,,	30.12	765.1	...	...	N E	4	...	6 a.	...	...	...	...	...	
Hakodate,	,,	30.09	764.2	...	...	S E	5	...	,,	...	...	...	...	...	
Tokio,	,,	29.98	761.6	...	...	N E	6	...	,,	...	...	...	...	...	
Kochi,	,,	29.76	755.8	...	...	W	4	...	,,	...	...	...	...	...	
Nagasaki,	,,	29.72	754.8	...	...	S W	6	...	,,	...	...	...	...	...	
Kagoshima,	,,	29.72	754.9	...	...	N E	6	...	,,	...	...	...	...	...	
Oshima,	,,	29.73	755.1	...	...	...	4	...	,,	...	...	...	...	...	
Naha	,,	29.77	756.2	...	...	N	6	...	,,	...	...	...	...	...	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Bonin Is.	,,	29.73	755.1	...	...	S E	6	...	,,	...	...	...	...	...	
Chefoo,	3 p.	29.68	753.9	70	80	N	5	c	6 a.	29.77	756.1	67	79	N W	
Weihaiwei,	,,	29.66	753.1	75	...	N W	4	o	9 a.	...	...	69	...	W N W	
Hankow,	,,	29.95	760.7	79	66	N W	1	c	6 a.	30.02	762.5	67	95	W	
Kiukiang,	,,	29.91	759.7	70	85	N W	1	o	,,	29.93	760.2	67	95	...	
Shanghai,	,,	29.80	756.9	72	81	N W	3	o	9 a.	29.91	759.7	74	72	N W	
Gutzlaff,	,,	29.77	756.1	74	81	N W	4	om	,,	29.85	758.2	74	81	N N W	
Sharp Peak,	,,	29.75	755.6	87	92	S E	3	b	,,	29.81	757.2	82	87	N E	
Amoy,	,,	29.77	756.3	86	84	S E	3	b	6 a.	29.80	756.9	80	91	S W	
Swatow,	,,	29.80	756.9	91	67	E	1	b	,,	29.77	756.1	80	87	...	
Taihoku,	1 p.	29.80	757.0	.	...	N W	6	...	5 a.	29.82	757.4	...	...	S	
Taichu,	,,	29.82	757.4	...	...	N W	2	...	,,	29.84	757.9	...	...	S E	
Tainan,	,,	29.83	757.6	...	...	W	4	...	,,	29.82	757.4	...	...	...	
Koshun	,,	29.83	757.6	...	...	N W	6	...	,,	29.83	757.7	...	...	...	
Pescadores,	,,	29.85	758.1	...	...	W	2	...	,,	29.86	758.3	...	...	S	
Canton,	3 p.	29.79	756.6	94	...	S W	1	c	9 a.	29.85	758.2	83	100	S W	
Hongkong,	4 p.	29.78	756.4	85	70	W S W	1	c	10 a.	29.85	758.2	84	76	W	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Gap Rock,	,,	29.76	756.9	...	...	W S W	2	...	,,	29.82	757.4	...	...	N N W	
Macao,	,,	29.81	757.2	85	...	S E	1	c	,,	29.85	758.2	84	...	S S E	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.76	756.8	82	...	E S E	3	c	8 a.	29.85	758.2	73	...	E	
Tourane,	,,	29.77	756.2	93	...	...	0	c	,,	29.86	758.4	84	...	...	
Cape St. James,	,,	29.83	757.6	84	...	S	2	c	,,	29.91	759.7	82	...	W S W	
Aparri,	2 p.	29.80	756.9	90	...	N E	1	b	6 a.	29.86	758.3	77	...	S	
Manila,	4 p.	29.80	757	84	64	W N W	2	o	10 a.	29.88	759	82	85	S S W	
Legaspi,	2 p.	29.84	758.0	79	...	W	1	o	6 a.	29.86	758.5	75	...	...	
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N N E	
Iloilo,	,,	29.83	757.7	87	...	S W	...	c	,,	29.91	759.7	84	...	S S W	
Cebu,	,,	29.81	757.2	87	...	S	1	b	,,	29.89	75.92	86	...	S E	
Labuan,	,,	29.83	757.7	84	...	...	...	...	,,	29.85	758.2	82	...	...	

On the 12th at 12.05 p.—The barometer has risen over N. China and fallen in Wladiwostok.

The depression lying over the Yellow Sea yesterday, has moved Eastwards to the Sea of Japan.

The typhoon was still moving to the N.E. between the Loochoos and the Bonins yesterday afternoon.

Japanese returns of this morning are not yet to hand.

Pressure is highest over China to the North of the Upper Yangtze.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate variable winds over the N of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds, light to moderate; fair to showe
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 12th September, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	12TH SEPTEMBER, 1908. P.M.								13TH SEPTEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...stock,...	2 p.	29.81	757.2	61	...	N	1	or	7 a.	29.78	756.4	58	99	W	4	or
.....	,,	30.08	764.1	...	...	E	4	...	6 a.	30.01	762.1	...	...	E	4	...
.....	,,	29.97	761.2	...	...	S E	10	...	,,	29.81	757.2	...	...	E	10	...
.....	,,	29.79	756.6	...	...	N W	6	...	,,	29.63	752.6	...	...	N W	6	...
.....	,,	29.64	752.8	...	...	N W	2	...	,,	29.72	754.8	...	...	S W	2	...
.....	,,	29.72	754.8	...	...	N W	8	...	,,	29.84	757.8	...	...	N W	4	...
.....	,,	29.72	754.9	...	...	N	6	...	,,	29.80	756.9	...	...	N W	4	...
.....	,,	29.77	756.1	...	...	N	4	...	,,	29.85	758.1	...	...	N	6	...
.....	,,	29.81	757.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
ijima,....	,,	29.85	758.3	...	...	W	6	...	,,	29.89	759.3	...	...	N E	2	...
k.....	,,	29.61	752.1	...	...	S W	6	...	,,	29.69	754.1	...	...	W	6	...
.....	3 p.	29.82	757.4	74	68	N W	2	b	6 a.	...	...	67	79	N E	3	b
sei,.....	,,	29.82	757.4	73	...	W	3	b	9 a.	29.96	761.0	71	...	N W	1	b
w.....	,,	29.98	761.6	83	63	N E	1	b	6 a.	30.01	762.2	71	100	S W	1	c
ng.....	,,	29.89	759.2	83	96	E	1	b	,,	29.93	760.2	70	100	W	1	b
hai.....	,,	29.85	758.2	81	48	N W	2	c	9 a.	29.93	761.5	75	77	E	1	om
.....	,,	29.85	758.2	81	59	N N W	2	cv	,,	29.95	760.7	73	72	E	1	cv
Pak,.....	,,	29.83	757.7	80	78	N E	5	o	,,	29.92	759.9	76	95	N	1	or
.....	,,	29.75	755.6	85	83	S E	3	b	6 a.	29.79	756.6	79	91	N E	1	c
ow,.....	,,	29.73	755.1	91	63	S	1	b	,,	29.82	757.4	80	91	N E	2	c
ku.....	1 p.	29.84	758.0	.	...	N	2	...	5 a.	29.87	758.6	...	...	E	2	...
.....	,,	29.81	757.2	...	...	W	2	...	,,	29.88	758.9	...	...	...	0	...
.....	,,	29.84	758.0	...	...	W	4	...	,,	29.88	759.0	...	...	S E	2	...
.....	,,	29.84	757.9	...	...	N W	2	...	,,	29.88	758.8	...	...	E	2	...
...es,.....	,,	29.84	757.9	...	...	S W	2	...	,,	29.87	758.6	...	...	...	0	...
.....	3 p.	29.78	756.4	90	96	W	1	c	9 a.	29.88	758.9	87	76	S E	1	b
kong, ...	4 p.	29.77	756.1	86	77	...	0	o	10 a.	29.89	759.2	85	72	E	1	c
n Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
dock,.....	,,	29.76	755.9	...	...	S S W	1	...	,,	29.87	758.7	...	...	S W	1	...
o.....	,,	29.80	756.9	...	...	...	0	c	,,	29.90	759.4	86	...	S S E	1	c
W,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.76	756.9	77	...	W S W	2	o	8 a.	29.88	758.9	81	...	E	2	c
.....	,,	29.76	756.0	91	...	N N W	2	c	,,	29.89	759.1	82	...	...	0	c
James,.	,,	29.81	757.1	86	...	S	2	c	,,	29.92	759.9	81	...	S W	2	c
.....	2 p.	29.80	756.8	...	...	E	1	c	6 a.	29.88	759.0	77	...	S	1	b
.....	4 p.	29.80	757	84	77	W	1	c	10 a.	29.92	760	82	85	N W	1	o
.....	2 p.	29.80	756.9	...	...	S E	1	b	6 a.	29.89	759.1	76	...	...	0	b
.....	3 p.	...	...	...	...	E S E	1	c	9 a.	...	...	...	...	N N E	1	c
.....	,,	29.81	757.2	87	...	S W	2	c	,,	29.91	759.7	85	...	N E	0	b
.....	,,	29.80	756.9	88	...	N	1	c	,,	29.91	759.7	86	...	N	1	b
.....	,,	29.84	757.9	86	...	...	...	...	,,	...	...	...	...	...	...	...

...n the 13th at 11.55 a.—The typhoon is moving away over the Pacific to the N.E. of the Bonins; and the de-...on which was lying over the Sea of Japan yesterday, has reached S.E. Japan.

...xcept over E. Japan, pressure has increased generally; moderately in the North and slightly in the South. ...nts are slight along the China coast and over the China Sea.

Light or moderate N.E. winds may be expected in the Formosa Channel and along the Northern shores of the ...a Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	N.E. and E. winds, light or moderate; fair to showery.
...rmosa Channel, ...	Same as No. 1.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...Hongkong Observatory, Sunday, 13th September, 1908.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th SEPTEMBER. 1908. P.M.								14th SEPTEMBER. 1908. A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.93	760.1	...	...	N E	6	...	6 a.	29.81	757.1	...	...	E	7
Hakodate, ...	,,	29.77	756.2	...	...	E	8	...	,,	29.69	754.2	...	...	S E	8
Tokio, ...	,,	29.63	752.6	...	...	N E	2	...	,,	29.75	755.6	...	...	...	0
Kochi, ...	,,	29.72	754.8	...	...	...	0	...	,,	29.88	758.8	...	...	S W	1
Nagasaki, ...	,,	29.83	757.6	...	...	N W	6	...	,,	29.95	760.8	...	...	N W	5
Kagoshima, ...	,,	29.80	756.9	...	...	N W	4	...	,,	29.96	760.9	...	...	N	4
Oshima, ...	,,	29.89	759.1	...	...	N	4	...	,,	29.97	761.1	...	...	S	2
Naha, ...	,,	29.93	760.2	...	...	N	6	...	,,	29.97	761.2	...	...	N E	2
Ishigakijima, ...	,,	29.89	759.3	...	...	S	4	...	,,	29.93	760.3	...	...	S E	4
Bonin Is.	,,	29.81	757.1	...	...	W	6	...	,,	29.89	759.1	...	...	W	7
Chefoo, ...	3 p.	29.95	760.7	74	55	N W	3	b	6 a.	29.98	761.5	65	68	S	1
Weihaiwei, ...	,,	29.95	760.7	74	...	N E	1	b	9 a.	29.98	761.6	68	...	S E	
Hankow, ...	,,	29.99	761.7	84	64	N	1	b	6 a.	29.99	761.7	75	90	...	
Kiukiang, ...	,,	29.91	759.7	88	52	N E	1	b	,,	29.96	761.0	84	91	...	
Shanghai, ...	,,	29.94	760.5	82	45	S E	1	b	9 a.	30.00	762.0	78	70	E S E	3
Gutzlaff, ...	,,	29.92	759.9	78	61	E N E	1	cv	,,	29.97	761.2	79	61	S E	2
Sharp Peak, ...	,,	29.88	758.9	76	90	N	3	o	,,	29.96	761.0	86	91	N	3
Amoy, ...	,,	29.82	757.4	84	87	S W	0	b	6 a.	29.87	758.7	79	91	...	0
Swatow, ...	,,	29.83	757.7	86	76	E S E	2	c	,,	29.86	758.4	82	75	N E	1
Taihoku, ...	1 p.	29.87	758.7	.	...	W	4	...	5 a.	29.91	759.8	...	...	S	4
Taichu, ...	,,	29.87	758.7	...	...	S	2	...	,,	29.92	759.9	...	...	...	0
Tainan, ...	,,	29.87	758.8	...	...	S	4	...	,,	29.90	759.4	...	...	E	2
Koshun, ...	,,	29.89	759.1	...	...	S E	6	...	,,	29.92	759.9	...	...	S	2
Pescadores, ...	,,	29.89	759.1	...	...	S	4	...	,,	29.90	759.5	...	...	E	2
Canton, ...	3 p.	29.79	756.6	93	71	S W	2	c	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.80	756.9	83	80	E	1	o	10 a.	29.92	759.9	80	90	...	0
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.77	756.1	...	...	S E	1	...	,,	29.89	759.2	...	...	S	1
Macao, ...	,,	29.82	757.4	84	...	S E	1	c	,,	...	...	...	...	...	...
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.77	756.1	88	...	S	1	c	8 a.	...	...	...	...	...	...
Tourane, ...	,,	29.80	757.0	90	...	S E	3	c	,,	...	...	...	...	...	...
Cape St. James, .	,,	29.82	757.3	86	...	S	2	c	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.82	757.4	90	...	N E	1	b	6 a.	29.92	760.0	79	...	S W	1
Manila, ...	4 p.	29.80	757	86	71	S W	1	o	10 a.	...	...	...	...	...	...
Legaspi, ...	2 p.	29.84	757.9	90	...	S E	1	b	6 a.	29.90	759.5	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S S W	1	or	9 a.	...	...	...	...	N W	2
Iloilo, ...	,,	29.85	758.2	86	...	S W	1	c	,,	29.93	760.2	84	...	N E	1
Cebu, ...	,,	29.85	758.2	86	...	S W	1	b	,,	29.93	760.2	83	...	N	1
Labuan, ...	,,	29.85	758.2	84	...	...	...	...	,,	29.84	757.9	83	...	...	...

On the 14th at 11.55 a.—The barometer has fallen over N.E. Japan, the depression remaining still to West of Hakodate.

Pressure has increased considerably over S. Japan and the Bonins, and a slight rise has taken place also over China and the Philippines.

It is in slight to moderate excess of the normal over the China coast, the Loochoos and the Philippines.

Gradients continue slight and light variable winds may be expected in the Formosa Channel and the N. part the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds, light; showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 14th September, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ion.	14th SEPTEMBER, 1908, P.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
stock,...	2 p.	29.58	751.3	57	...	N	0	or
.....	,,	29.77	756.1	...	...	E	2	...
.....	,,	29.61	752.2	...	...	S E	6	...
.....	,,	29.71	754.6	...	...	N E	2	...
.....	,,	29.83	757.8	...	...	S W	2	...
.....	,,	29.91	759.8	...	...	N W	6	...
a, ...	,,	29.92	759.9	...	...	N W	4	...
.....	,,	29.96	761.1	...	...	N	4	...
.....	,,	29.97	761.2	...	...	E	4	...
jima, ...	,,	29.93	760.3	...	...	S W	6	...
.....	,,	29.89	759.1	...	...	N W	4	...
.....	3 p.	29.86	758.4	84	50	W S W	2	b
vei, ...	,,	29.87	758.7	79	...	S S W	2	ovr
.....	,,	30.00	762.0	74	91	S E	1	or
g.....	,,	29.90	759.4	79	90	N E	1	o
ai.	,,	29.92	759.9	75	81	S E	2	op
.....	,,	29.90	759.4	76	100	S S E	2	ov
Peak, ...	,,	29.89	759.2	80	91	E	1	c
.....	,,	29.85	758.2	83	83	S E	1	b
w.....	,,	29.84	757.9	81	87	E	1	c
.....	1 p.	29.89	759.1	.	...	N E	4	...
.....	,,	29.90	759.5	...	...	E	2	...
.....	,,	29.91	759.6	...	...	S	6	...
.....	,,	29.90	759.4	...	...	E	2	...
res, ...	,,	29.91	759.8	...	...	N E	4	...
.....	3 p.	29.83	757.7	86	87	E	1	o
g, ...	4 p.	29.82	757.4	85	76	S E	1	o
Peak,...	,,	...	...	...	...	...	...	...
ock.....	,,	29.82	757.4	...	...	S W	1	...
.....	,,	29.84	757.9	85	...	S S E	1	c
w.....	3 p.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...
.....	4 p.	29.75	755.6	84	...	S E	4	c
.....	,,	29.81	757.1	91	...	S E	2	c
James,.	,,	29.82	757.4	84	...	S	1	c
.....	2 p.	29.85	758.2	90	...	E	1	b
.....	4 p.	29.84	758	99	60	E N E	1	b
.....	2 p.	29.89	759.1	86	...	E	1	c
.....	3 p.	...	...	...	...	W N W	1	c
.....	,,	29.89	759.2	83	...	W	2	c
.....	,,	29.83	757.7	85	...	N	2	c
.....	,,	29.79	756.6	85	...	...	...	...

15th SEPTEMBER, 1908, A.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
7 a.	29.71	754.5	56	94	N N E	3	or
6 a.	29.77	756.1	...	...	...	0	...
,,	29.65	753.2	...	...	E	4	...
,,	29.87	758.6	...	...	N W	2	...
,,	29.95	760.8	...	...	S W	2	...
,,	29.95	760.8	...	...	N E	2	...
,,	29.96	760.9	...	...	N	2	...
,,	29.97	761.1	...	...	S	2	...
,,	29.93	760.2	...	...	...	0	...
,,	29.93	760.3	...	...	W	6	...
,,	29.97	761.1	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	29.83	757.7	76	...	W	2	b
6 a.	...	...	...	...	...	...	...
..	...	...	...	...	...	...	...
9 a.	29.84	757.9	75	77	E	1	om
,,	29.82	757.4	75	95	S	2	om
,,	29.88	758.9	82	96	S S E	1	b
6 a.	29.86	758.4	82	91	N E	1	o
..	...	...	...	...	...	...	...
5 a.	29.90	759.5	...	...	S	2	...
,,	29.91	759.7	...	...	...	0	...
,,	29.91	759.7	...	...	S E	4	...
,,	29.93	760.2	...	...	...	0	...
,,	29.89	759.3	...	...	S E	4	...
9 a.	...	...	...	...	...	...	...
10 a.	29.91	759.7	81	90	...	0	o
,,	...	...	...	...	...	...	...
,,	29.88	758.9	...	...	S W	3	...
,,	29.91	759.7	81	...	N N W	2	o
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.84	757.9	82	...	S	5	o
,,	29.90	759.4	82	...	...	0	b
,,	29.95	760.8	79	...	S W	1	o
6 a.	29.93	760.2	75	...	S W	1	c
10 a.	29.96	761	90	60	S S E	1	c
6 a.	29.91	759.8	73	...	...	0	b
9 a.	...	...	...	...	N E	2	cp
,,	29.91	759.7	82	...	N E	1	c
,,	29.90	759.4	80	...	N	1	o
,,	29.86	758.4	78	...	...	...	...

th the 15th at 11.55 a.—The barometer has fallen considerably over Central and Northern China, and risen ..tely over S.E. Japan and the Bonins.
Pressure remains low over the N. part of the Sea of Japan, and a second area of low pressure is lying over the ..Yangtze.
The highest pressure lies over the Pacific between the Bonins and Luzon.
Moderate S.E. to S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	S. winds, moderate; showery.
rmosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 15th September, 1908.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th SEPTEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th SEPTEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.69	754.1	53	...	N	1	or	7 a.	29.77	756.2	55	98	N E.	2
Nemuro,	,,	29.81	757.1	...	...	S E	2	...	6 a.	29.93	760.1	...	...	...	0
Hakodate,	,,	29.73	755.2	...	...	S	5	...	,,	29.81	757.2	...	...	S	2
Tokio,	,,	29.79	756.6	...	...	S	4	...	,,	29.91	759.6	...	...	N W	2
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.88	758.8	...	...	S W	2
Nagasaki,	,,	29.91	759.6	...	...	S E	2	...	,,	29.80	756.8	...	...	S E	2
Kagoshima,	,,	29.92	759.9	...	...	W	2	...	,,	29.89	756.9	...	...	E	4
Oshima,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	...	...	S	4
Naha,	,,	29.89	759.2	...	...	S	2	...	,,	29.89	759.2	...	...	S	4
Ishigakijima,	,,	29.89	759.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S	6
Bonin Is.	,,	29.93	760.1	...	...	W	2	...	,,	30.01	762.1	...	...	...	...
Chefoo,	3 p.	29.74	755.4	79	78	E N E	2	c	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.76	755.9	77	...	E	2	ovr	9 a.	29.72	754.9	75	...	S W	1
Hankow,	,,	29.91	759.7	72	100	N	1	or	6 a.	29.94	760.5	68	100	N	1
Kiukiang,	,,	29.79	756.6	70	96	N W	1	or	,,	29.87	758.7	70	96	W	4
Shanghai,	,,	29.76	755.9	72	95	S W	1	omr	9 a.	29.79	756.6	72	90	N W	2
Gutzlaff,	,,	29.77	756.1	72	95	N W	2	omr	,,	29.73	755.1	71	95	N W	5
Sharp Peak,	,,	29.74	755.4	84	83	S	4	b	,,	29.78	756.4	84	96	S S E	3
Amoy,	,,	29.79	756.6	83	91	S E	1	or	6 a.	29.83	757.7	82	91	S W	1
Swatow,	,,	29.80	756.9	81	87	...	0	c	,,	29.80	756.9	80	91	S W	1
Taiboku,	1 p.	29.83	757.6	.	...	N	4	...	5 a.	29.80	757.0	...	...	...	0
Taichu,	,,	29.85	758.2	...	...	S	4	...	,,	29.86	758.3	...	...	...	0
Tainan,	,,	29.87	758.8	...	...	S W	2	...	,,	29.86	758.4	...	...	E	2
Koshun,	,,	29.90	759.4	...	...	S W	2	...	,,	29.86	758.5	...	...	N W	2
Pescadores,	,,	29.85	758.2	...	...	S	6	...	,,	29.84	758.0	...	...	S E	6
Canton,	3 p.	29.79	756.6	92	91	S	2	c	9 a.	29.86	758.4	85	91	S	1
Hongkong,	4 p.	29.81	757.2	79	91	W N W	1	o	10 a.	29.87	758.7	83	83	W	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.79	756.6	...	...	S	1	...	,,	29.85	758.2	...	...	W S W	3
Macao,	,,	29.81	757.2	81	...	S	1	c	,,	29.87	758.7	82	...	S	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.8	86	...	S S E	5	c	8 a.	29.87	758.7	73	...	E S E	3
Tourane,	,,	29.78	756.4	93	...	S E	2	c	,,	29.86	758.5	82	...	...	0
Cape St. James,	,,	29.83	757.6	84	...	S W	2	c	,,	29.91	759.7	81	...	S W	2
Aparri,	2 p.	29.85	758.5	91	...	N E	1	o	6 a.	29.91	759.6	77	...	S W	1
Manila,	4 p.	29.84	758	84	71	N E	1	c	10 a.	29.88	759	86	71	W N W	1
Legaspi,	2 p.	29.87	758.6	84	...	E	1	o	6 a.	29.89	759.2	73	...	...	0
Bacolod,	3 p.	...	...	...	...	N N W	3	ort	9 a.	...	...	...	...	N E	2
Iloilo,	,,	29.85	758.2	85	...	N E	1	o	,,	29.91	759.7	83	...	N E	2
Cebu,	,,	29.84	757.9	84	...	N	1	b	,,	29.89	759.2	86	...	N	1
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.86	758.4	77	...	...	...

On the 16th at 11.50 a.—The barometer has risen moderately in N.E. Japan and fallen moderately to consi ably over N. China, and S.W. Japan respectively.

Two depressions exist, one over S. Manchuria and the other over the S. part of the Yellow Sea. They are b moving in an Easterly direction.

The highest pressure is lying over the Pacific in the neighbourhood of the Bonins.

Moderate to fresh S.W. winds may be expected in the Formosa Channel, and along the Northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; showery.
2.—Formosa Channel,	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 16th September, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	16th SEPTEMBER, 1908, P.M.								17th SEPTEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.93	760.1	...	...	S W	2	...	6 a.	30.01	762.1	...	...	...	0	...
.....	,,	29.81	757.2	...	...	S	4	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	29.87	758.6	...	...	S	2	...	,,	29.79	756.6	...	...	N	6	...
.....	,,	29.80	756.8	...	...	S W	4	...	,,	29.84	757.8	...	...	S W	2	...
.....	,,	29.68	753.8	...	...	E	6	...	,,	29.91	759.8	...	...	...	0	...
.....	,,	29.68	753.9	...	...	N	2	...	,,	29.88	758.9	...	...	N	4	...
.....	,,	29.81	757.1	...	...	S	6	...	,,	29.89	759.1	...	...	N	3	...
.....	,,	29.85	758.2	...	...	S W	4	...	,,	29.93	760.2	...	...	S W	2	...
...jima, ...	,,	29.85	758.3	...	...	S W	6	...	,,	29.89	759.3	...	...	S W	6	...
.....	,,	29.96	761.1	...	...	S	2	...	,,	30.01	762.1	...	...	S W	2	...
.....	3 p.	29.77	756.1	73	72	N W	5	b	6 a.	30.00	762.0	67	89	N W	4	b
...ci, ...	,,	29.77	756.1	74	...	W	3	ovr	9 a.	30.03	762.7	69	...	N W	...	or
.....	,,	29.89	759.2	81	83	N E	1	b	6 a.	30.04	763.0	70	99	N E	1	c
.....	,,	29.89	759.2	83	57	W	1	b	,,	30.00	762.0	71	95	N E	2	o
.....	,,	29.80	756.9	82	56	N	2	c	9 a.	30.04	763.0	79	70	E S E	1	b
.....	,,	29.78	756.4	78	74	N	3	cv	,,	30.00	762.0	78	74	E N E	1	cv
...Pak, ...	,,	29.75	755.6	85	91	S	3	c	,,	30.00	762.0	79	91	N E	2	o
.....	,,	29.75	756.6	86	91	S E	2	c	6 a.	29.89	759.2	83	87	S E	2	o
.....	,,	29.77	756.1	90	66	S S W	1	b	,,	29.92	759.9	78	91	N W	1	b
.....	1 p.	29.81	757.2	.	...	W	6	...	5 a.	29.93	760.2	...	...	...	0	...
.....	,,	29.86	758.4	...	...	W	4	...	,,	29.94	760.4	...	...	...	0	...
.....	,,	29.89	759.2	...	...	S W	6	...	,,	29.91	759.7	...	...	E	2	...
.....	,,	29.86	758.5	...	...	N W	6	...	,,	29.90	759.5	...	...	N W	2	...
...res, ...	,,	29.87	758.7	...	...	S	4	...	,,	29.90	759.5	...	...	S	4	...
.....	3 p.	29.82	757.4	86	88	S	2	o	9 a.	29.98	761.5	84	87	E	1	b
...org, ...	4 p.	29.82	757.4	85	79	S W	2	o	10 a.	29.97	761.2	85	74	W	1	c
...a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...tock.....	,,	29.82	757.4	...	...	S W	4	...	,,	29.94	760.5	...	...	W	1	...
.....	,,	29.83	757.7	85	...	W S W	2	c	,,	29.96	761.0	86	...	S W	1	c
...w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.78	756.5	82	...	N W	1	c	8 a.	29.95	760.6	75	...	E S E	2	lt
.....	,,	29.77	756.1	91	...	S E	2	b	,,	...	...	82	...	...	0	c
...James,.	,,	29.81	757.1	81	...	S W	3	o	,,	29.91	759.6	77	...	...	0	o
.....	2 p.	29.82	757.5	91	...	S	1	b	6 a.	29.95	760.6	73	...	S W	1	b
.....	4 p.	29.80	757	91	61	S E	1	o	10 a.	29.92	760	88	72	...	0	o
.....	2 p.	29.83	757.7	90	...	E	1	c	6 a.	29.88	758.9	81	...	N E	1	c
.....	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	N N W	1	c
.....	,,	29.81	757.2	87	...	N E	1	c	,,	29.91	759.7	83	...	N E	1	o
.....	,,	29.83	757.7	85	...	N	2	o	,,	29.88	758.9	81	...	N	1	o
.....	,,	29.84	757.9	86	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

...h the 17th at 12.05 p.—The barometer has fallen moderately in S.E. Japan; and risen elsewhere, particularly ...hina.

...he depression is moving Eastwards over S.E. Japan.

...ressure is in moderate to slight excess of the normal elsewhere. It is highest over China to the North of the ...ce.

...ight variable to moderate N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ngkong and Neighbourhood, ...	Variable winds, light or moderate; fair.
...osa Channel, ...	Variable to N.E. winds, moderate.
...h coast of China between Hongkong and Lamocks,..	Same as No. 1.
...h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Thursday, 17th September, 1908.

...ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th SEPTEMBER, 1908, P.M.								18th SEPTEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	29.99	761.7	65	...	...	0	c	7 a.	29.97	761.2	60	93	S	3
Nemuro, ...	,,	29.96	761.1	...	...	S E	6	...	6 a.	30.08	764.1	...	...	E	2
Hakodate, ...	,,	29.93	760.2	...	...	S E	8	...	,,	30.05	763.2	...	...	...	0
Tokio, ...	,,	29.79	756.6	...	...	N	2	...	,,	30.10	764.6	...	...	N W	2
Kochi.	,,	29.91	759.8	...	...	N W	6	...	,,	30.07	763.8	...	...	S W	4
Nagasaki, ...	,,	29.95	760.8	...	...	N W	6	...	,,	30.07	763.8	...	...	E	4
Kagoshima, ...	,,	29.92	759.9	...	...	S	2	...	,,	30.03	763.9	...	...	N E	2
Oshima, ...	,,	...	...	...	...	...	...	...	,,	30.04	763.1	...	...	S E	2
Naha, ...	,,	29.97	761.2	...	...	W	4	...	,,	30.01	762.2	...	...	...	0
Ishigakijima, ...	,,	29.97	761.3	...	...	S W	2	...	,,	29.97	761.3	...	...	...	0
Bonin Is.....	,,	29.96	761.1	...	...	S W	2	..	,,	30.01	762.1	...	...	S	1
Chefoo,.....	3 p.	30.01	762.2	74	72	N E	2	b	6 a.	29.91	759.7	64	95	S	2
Weihaiwei,.....	,,	30.01	762.2	74	...	W	1	b	9 a.	29.98	761.5	71	...	W N W	1
Hankow, ...	,,	29.97	761.2	83	63	S E	1	o	6 a.	30.08	764.0	75	95	...	0
Kiukiang,.....	,,	29.97	761.2	84	60	S	1	c	,,	29.97	761.2	72	95	...	0
Shanghai, ...	,,	29.98	761.5	83	67	E	1	c	9 a.	30.02	762.5	75	86	S E	2
Gutzlaff, ...	,,	29.98	761.5	78	76	E N E	1	bv	,,	29.99	761.7	75	77	S E	3
Sharp Peak,.....	,,	29.97	761.2	79	91	N	3	o	,,	30.01	762.2	81	96	N	1
Amoy,.....	,,	29.91	759.7	84	87	N E	1	o	6 a.	29.94	760.5	81	87	...	0
Swatow, ...	,,	29.90	759.4	85	83	E	2	b	...	...	...	...	...	...	...
Taihoku.....	1 p.	29.95	760.7	.	...	E	4	...	5 a.	29.97	761.1	...	...	E	2
Taichu, ...	,,	29.94	760.4	...	...	W	2	...	,,	29.98	761.4	...	...	...	0
Tainan,.....	,,	29.95	760.7	...	...	W	6	...	,,	29.97	761.1	...	...	E	2
Koshun.....	,,	29.94	760.5	...	...	W	2	...	,,	29.97	761.2	...	...	N E	2
Pescadores, ...	,,	29.94	760.6	...	...	S W	2	...	,,	29.97	76.12	...	...	N	4
Canton,.....	3 p.	29.90	759.4	93	81	S W	1	b	9 a.	30.02	762.6	84	91	S E	1
Hongkong, ...	4 p.	29.91	759.7	86	73	S	1	c	10 a.	30.02	762.5	84	78	E	1
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.89	759.2	...	...	S S E	3	...	,,	29.98	761.5	...	...	E N E	3
Macao, ...	,,	29.92	759.9	86	...	S S E	1	c	,,	30.01	762.2	86	...	S E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.86	758.5	84	...	S E	3	c	8 a.	29.99	761.7	82	...	E N E	2
Tourane, ...	,,	29.87	758.6	90	...	S E	2	c	,,	29.95	760.8	82	...	...	0
Cape St. James,.	,,	29.81	757.1	82	...	S	1	c	,,	29.89	759.1	75	...	W N W	1
Aparri, ...	2 p.	29.89	759.1	90	...	N E	1	b	6 a.	29.93	760.3	75	...	S W	1
Manila, ...	4 p.	29.84	758	86	71	N N E	1	o	10 a.	29.92	760	82	77	...	0
Legaspi, ...	2 p.	29.84	757.9	88	...	E	1	o	6 a.	29.86	758.1	77	...	...	0
Eacolod, ...	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	...	0
Iloilo, ...	,,	29.85	758.2	86	...	N E	2	o	,,	29.89	759.2	82	...	N E	1
Cebu,.....	,,	29.81	757.2	85	...	...	0	b	,,	29.88	758.9	82	...	S	1
Labuan, ...	,,	29.84	757.9	85	...	...	...	...	,,	29.85	758.2	85	...	...	...

On the 18th at 11.55 a.—The barometer has risen considerably in Japan, and fallen slightly over N. China Pressure has a tendency to give away also over the Philippines.

The lowest pressure is over Manchuria in the North, and over the S. part of the China Sea and the Sou Philippines in the South. It is highest over E. Japan.

Moderate N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, moderate; showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGGI,
Director.

Hongkong Observatory, Friday, 18th September, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	18TH SEPTEMBER, 1908, P.M.								19TH SEPTEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
tock,...	2 p.	...	...	63	...	S	2	o	7 a.	29.41	747.0	63	96	S	0	or
.....	,,	30.08	764.1	...	...	S	6	...	6 a.	30.12	765.1	...	...	S	6	...
.....	,,	30.05	763.2	...	...	W	2	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	30.10	764.6	...	...	S	4	...	,,	30.10	764.6	...	...	S W	2	...
.....	,,	30.07	763.8	...	...	S	2	...	,,	29.95	760.8	...	...	S W	2	...
.....	,,	30.03	762.8	...	...	S W	4	...	,,	29.84	757.8	...	...	S	10	...
.....	,,	30.04	762.9	...	...	S	2	...	,,	29.88	758.9	...	...	...	0	...
.....	,,	30.00	762.1	...	...	S E	4	...	,,	29.93	760.1	...	...	S W	2	...
.....	,,	30.01	762.2	...	...	S	2	...	,,	29.97	761.2	...	...	S	2	...
ma,....	,,	29.97	761.3	...	...	S	4	...	,,	29.97	761.3	...	...	S	6	...
.....	,,	30.00	762.1	...	...	N	2	...	,,	30.04	763.1	...	...	...	0	...
.....	3 p.	29.88	758.9	73	67	N W	1	o	6 a.	...	...	...	...	...	...	...
.....	,,	29.87	758.7	69	...	N W	1	o	9 a.	29.67	753.6	68	...	W N W	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.87	758.7	80	83	S W	3	or	,,	30.03	762.7	67	95	S W	2	o
.....	,,	29.90	759.4	77	82	S E	2	o	9 a.	29.94	760.5	70	80	...	3	o
.....	,,	29.87	758.7	77	77	S S E	3	ov	,,	29.89	759.2	69	90	N W	4	om
k,.....	,,	29.94	760.5	82	91	E	3	b	,,	29.88	758.9	82	100	...	0	b
.....	,,	29.91	759.7	84	83	S E	3	c	6 a.	29.89	759.2	81	91	S W	2	c
.....	,,	29.91	759.7	86	76	E	1	b	,,	29.92	759.9	78	91	N E	1	b
.....	1 p.	29.93	760.3	...	...	E	4	...	5 a.	29.91	759.7	...	...	S W	2	...
.....	,,	29.94	760.4	...	...	W	4	...	,,	29.92	760.0	...	...	S E	2	...
.....	,,	29.94	760.6	...	...	N W	2	...	,,	29.92	760.0	...	...	E	2	...
.....	,,	29.96	760.9	...	...	E	2	...	,,	29.93	760.2	...	...	E	2	...
es.....	,,	29.93	760.8	...	...	N	6	...	,,	29.92	760.0	...	...	...	0	...
.....	3 p.	29.92	759.9	94	55	S	1	b	9 a.	29.95	760.7	87	76	S S W	1	c
ng.....	4 p.	29.92	759.9	84	79	E S E	2	o	10 a.	29.92	759.9	87	72	E	1	c
Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ck.....	,,	29.90	759.4	...	...	E	2	...	,,	29.90	759.4	...	...	N N E	3	...
.....	,,	29.94	760.5	85	...	S S E	1	c	,,	29.94	760.5	86	...	E S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.91	759.6	88	...	S S E	3	c	8 a.	29.95	760.7	84	...	N	2	c
.....	,,	29.88	758.9	91	...	N W	1	c	,,	29.92	760.0	81	...	...	0	c
ames,..	,,	29.81	757.1	82	...	S E	2	c	,,	29.88	758.9	82	...	N N E	1	c
.....	2 p.	29.88	758.9	91	...	E	1	b	6 a.	29.82	757.6	77	...	S	1	d
.....	4 p.	29.80	757	84	77	E S E	1	o	10 a.	29.65	753	77	94	N W	4	q
.....	2 p.	29.77	756.2	84	...	...	0	o	6 a.	29.74	755.3	76	...	S W	1	r
.....	3 p.	...	...	...	...	N N W	1	c	9 a.	...	...	...	...	S S W	2	c
.....	,,	29.81	757.2	86	...	N	1	c	,,	29.83	757.7	83	...	S W	1	c
.....	,,	29.76	756.9	85	...	S	1	o	,,	29.82	757.4	84	...	S	3	c
.....	,,	29.74	756.4	85	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

the 19th at 11.25 a.—The barometer has fallen rapidly in Luzon owing to the approach of a typhoon, the being situated to the East of Manila near the coast. Apparently the disturbance is moving towards W.N.W. will probably enter the China Sea tonight.

essure has also given way very rapidly in the North, a deep depression, which is moving Eastwards, being this morning over Manchuria.

The highest pressure lies over the Pacific to the E. of Japan.

ld weather is expected to set in over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N. winds, moderate or fresh; fair.
osa Channel, ...	N.E. winds, freshening.
coast of China between Hongkong and Lamocks,..	Same as No. 2.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Saturday, 19th September, 1908.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th SEPTEMBER, 1908, P.M.								20th SEPTEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.18	741.2	63	...	S	7	or	7 a.	29.33	745.0	57	85	W	5	
Nemuro,	,,	30.04	763.1	...	...	S	8	...	6 a.	29.73	755.1	...	...	S	8	
Hakodate,	,,	29.81	757.2	...	...	S	4	...	,,	29.54	750.2	...	...	...	...	
Tokio,	,,	29.94	760.6	...	...	S	6	...	,,	29.71	754.6	...	...	S	6	
Kochi,	,,	29.80	756.8	...	...	E	2	...	,,	29.84	757.8	...	...	W	2	
Nagasaki,	,,	29.76	755.8	...	...	W	10	...	,,	29.91	759.8	...	...	...	0	
Kagoshima,	,,	29.80	756.9	...	...	S	2	...	,,	29.92	759.9	...	...	N W	1	
Oshima,	,,	29.89	759.1	...	...	S	6	...	,,	29.93	760.1	...	...	...	0	
Naha,	,,	29.93	760.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	
Ishigakijima,	,,	29.93	760.3	...	...	S	4	...	,,	29.89	759.3	...	...	S E	6	
Bonin Is.	,,	30.00	762.1	...	...	S	2	...	,,	30.04	763.1	...	...	...	0	
Chefoo,	3 p.	29.72	754.9	70	44	W N W	6	c	6 a.	...	...	59	76	...	2	
Weihaiwei,	,,	29.71	754.6	69	...	W N W	6	ovr	9 a.	29.88	758.9	68	...	S W	3	
Hankow,	,,	30.10	764.5	76	82	N W	1	o	6 a.	30.04	763.0	64	94	...	0	
Kiukiang,	,,	30.00	762.0	77	65	W	2	o	,,	30.05	763.2	66	79	...	0	
Shanghai,	,,	29.91	759.7	77	53	N W	3	c	9 a.	30.02	762.5	73	67	W N W	1	
Gutzlaff,	,,	29.89	759.2	73	72	N W	3	om	,,	29.99	761.7	71	80	S W	2	
Sharp Peak,	,,	29.82	757.4	85	91	S E	3	c	,,	29.98	761.5	75	86	N	4	
Amoy,	,,	29.78	756.4	86	80	S E	2	b	6 a.	29.84	757.9	80	78	N E	3	
Swatow,	,,	29.78	756.4	89	66	S	2	b	,,	29.81	757.2	78	91	N E	2	
Taihoku,	1 p.	29.88	759.0	...	...	N	4	...	5 a.	29.82	757.4	...	...	E	4	
Taichu,	,,	29.89	759.3	...	...	W	2	...	,,	29.86	758.4	...	...	...	0	
Tainan,	,,	29.89	759.1	...	...	N W	6	...	,,	29.84	757.8	...	...	N E	2	
Koshun,	,,	29.88	758.9	...	...	E	4	...	,,	29.85	758.2	...	...	E	6	
Pescadores,	,,	29.91	759.6	...	...	N W	4	...	,,	29.83	757.7	...	...	N	0	
Canton,	3 p.	29.82	757.4	95	59	N E	1	c	9 a.	29.91	759.7	78	70	E N E	1	
Hongkong,	4 p.	29.81	757.2	86	75	E	1	c	10 a.	29.85	758.2	84	60	E N E	3	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock,	,,	29.79	756.6	...	...	E S E	2	...	,,	29.81	757.2	...	...	N E	4	
Macao,	,,	29.83	757.7	88	...	E	1	c	,,	29.87	758.7	82	...	N	3	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.85	758.1	86	...	S S E	2	c	8 a.	29.87	758.7	82	...	N	1	
Tourane,	,,	29.80	757.0	88	...	N W	2	c	,,	29.85	758.1	81	...	...	0	
Cape St. James,	,,	29.78	756.5	82	...	S W	2	o	,,	29.85	758.2	79	...	S W	1	
Aparri,	2 p.	29.73	755.1	81	...	E	1	o	6 a.	29.78	756.4	75	...	S	1	
Manila,	4 p.	29.65	753	75	100	S	4	q	10 a.	...	...	82	77	S E	3	
Legaspi,	2 p.	29.73	755.1	86	...	S W	1	c	6 a.	29.79	756.7	77	...	W	1	
Bacolod,	3 p.	...	...	...	...	S W	3	op	9 a.	...	...	...	...	W S W	1	
Iloilo,	,,	29.77	756.1	83	...	S W	3	or	,,	29.83	757.7	81	...	S W	4	
Cebu,	,,	29.76	755.9	82	...	S	3	o	,,	29.84	757.9	82	...	S	2	
Labuan,	,,	29.85	757.7	85	...	...	...	...	,,	...	...	...	...	...	...	

On the 19th at 5.00 p.—The typhoon has crossed Luzon to the North of Manila and entered the China Se moving towards W.N.W. At 5.40 p.—Red South Cone and Drum hoisted (indicates a typhoon S.E. of Colony 300 miles).

On the 20th at 11.50 a.—The barometer has risen quickly in Manila, and fallen moderately over Tongki S. coast of China and Formosa.

The typhoon appears to be situated about 300 miles to the S.E. of Hongkong and to be moving towards W

The wind is expected to rise to a gale from N.E. in Hongkong during the next 24 hours.

The Northern depression has passed to the North of Wladiwostok and is moving into the N.E. part of th of Japan.

Pressure is high in the neighbourhood of the Bonins and over Central China.

Strong N.E. winds may be expected in the Formosa Channel and bad weather over the N. part of the Chi

Black South Cone and Drum hoisted (indicates a typhoon S.E. of Colony within 300 miles).

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, probably increasing to a gale, s
2.—Formosa Channel,	N.E. winds, strong. [wit
3.—South coast of China between Hongkong and Lanocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong to a gale.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 20th September, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	20TH SEPTEMBER, 1908, P.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
tock,...	2 p.	29.53	750.0	65	...	S W	5	c
.....	,,	29.61	752.1	...	...	S W	8	...
.....	,,	29.65	753.2	...	...	W	8	...
.....	,,	29.76	755.6	...	...	S E	2	...
.....	,,	29.91	759.8	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...
.....	,,	30.00	761.9	...	...	N W	2	...
.....	,,	30.00	762.1	...	...	N	4	...
.....	,,	29.97	761.2	...	...	S	2	...
na,....	,,	29.93	760.3	...	...	S W	6	...
.....	,,	30.00	762.1	...	...	N W	2	...
.....	3 p.	29.81	757.2	78	29	W S W	2	b
i,.....	,,	29.81	757.2	76	...	S W	1	b
.....	,,	30.00	762.0	75	72	W N W	1	c
.....	,,	30.01	762.2	77	82	W	1	o
.....	,,	29.97	761.2	75	64	N W	0	o
.....	,,	29.96	761.0	72	71	S W	2	ov
k,.....	,,	29.93	760.2	75	86	N	4	o
.....	,,	29.85	758.2	83	83	E N E	2	c
.....	,,	29.81	757.2	80	78	E N	4	c
.....	1 p.	29.85	758.2	...	...	E	6	...
.....	,,	29.83	757.8	...	...	N	4	...
.....	,,	29.84	758.0	...	...	N	4	...
.....	,,	29.83	757.9	...	...	E	6	...
es,.....	,,	29.88	759.0	...	...	N	8	...
.....	3 p.	29.81	757.2	90	56	N E	2	c
ng,.....	4 p.	29.78	756.4	83	72	E N E	3	op
Peak,...	,,	...	...	...	...	...	...	...
ck.....	,,	29.74	755.4	...	...	E N E	6	...
.....	,,	29.80	756.9	81	...	N N E	1	od
.....	3 p.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...
.....	4 p.	29.79	756.6	86	...	N E	2	c
.....	,,	29.71	754.7	82	...	N W	5	o
James,.	,,	29.73	755.4	79	...	S W	3	or
.....	2 p.	29.73	755.2	90	...	S E	1	c
.....	4 p.	29.72	755	79	92	...	0	r
.....	2 p.	29.76	755.7	90	...	W	1	b
.....	3 p.	...	...	..	...	...	...	op
.....	,,	29.81	757.2	80	...	S W	3	or
.....	,,	29.80	756.9	84	...	...	3	or
.....	,,	29.82	757.4	84	...	...	...	...

21ST SEPTEMBER, 1908, A.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
7 a.	29.59	751.6	59	91	S W	1	c
6 a.	29.85	758.1	...	...	W	4	...
,,	29.89	759.2	...	...	...	0	...
,,	29.98	761.6	...	...	N W	2	...
,,	30.07	763.8	...	...	S W	2	...
,,	30.07	763.8	...	...	S	2	...
,,	30.12	764.9	...	...	...	0	...
,,	30.04	764.1	...	...	S	2	...
,,	30.01	762.2	...	...	...	0	...
,,	29.93	760.3	...	...	S E	6	...
,,	30.12	765.1	...	...	...	0	...
6 a.	29.83	757.7	67	74	W N W	4	b
9 a.	29.87	758.7	71	...	W N W	2	b
6 a.	30.12	765.0	69	95	...	0	o
,,	30.10	764.5	69	99	...	0	b
9 a.	30.07	763.8	73	72	S E	1	o
,,	30.02	762.5	68	85	S S E	1	ov
,,	29.98	761.5	76	91	N	2	c
6 a.	29.91	759.7	80	78	N E	1	o
,,	29.85	758.2	75	91	N E	2	o
5 a.	29.88	758.8	...	...	...	0	...
,,	29.88	758.9	...	...	...	0	...
,,	29.88	758.8	...	...	...	0	...
,,	29.88	759.0	...	...	...	0	...
,,	29.88	759.0	...	...	N	6	...
9 a.	29.93	760.2	80	70	N	2	o
10 a.	29.89	759.2	79	85	E N E	3	o
,,	...	...	...	...	...	...	...
,,	29.82	757.4	...	...	E N E	6	...
,,	29.89	759.2	79	...	N E	3	o
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.78	756.4	81	...	N	5	c
,,	29.62	752.4	73	...	N W	6	or
,,	...	...	...	...	...	...	...
6 a.	29.83	757.7	77	...	S	1	b
10 a.	29.88	759	82	85	...	0	c
6 a.	29.84	758.0	75	...	...	0	b
9 a.	...	...	...	...	...	0	o
,,	29.87	758.7	81	...	S E	1	c
,,	29.86	758.4	83	...	...	0	c
,,	29.86	758.4	80	...	...	...	...

the 21st at 6.00 a.—Black South Cone and Black Ball hoisted (indicates a typhoon S.W. of Colony within iles).
11.55 a.—Signals lowered.
he barometer has risen slightly over the S. coast of China, Formosa and the Philippines, and fallen consider-a Tongking.
he typhoon is approaching the S.E. coast of Hainan. It seems likely to reach the neighbourhood of Haiphong morrow.
Pressure has increased considerably over Japan, the northern depression having moved away to the N.E.
Pressure remains high over the Pacific in the neighbourhood of the Bonins and over Central China.
ad weather will continue to prevail over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N.E. winds, strong to moderate; squally, showery.
rmosa Channel, ...	N.E. winds, fresh.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 21st September, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	21st SEPTEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd SEPTEMBER, 1908, A.M Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. F. c.
Wladivostock,...	2 p.	29.53	750.0	69	...	W	1	c	7 a.	29.67	753.7	56	64	W	
Nemuro, ...	,,	29.85	758.1	...	...	S W	6	...	6 a.	29.85	758.1	...	...	S	
Hakodate, ...	,,	29.89	759.2	...	...	S W	6	...	,,	29.81	757.2	...	...	W	
Tokio, ...	,,	29.98	761.6	...	...	S W	2	...	,,	30.02	762.6	...	...	...	
Kochi, ...	,,	30.07	763.8	...	...	W	2	...	,,	30.07	763.8	...	...	...	
Nagasaki, ...	,,	30.11	764.8	...	...	S	3	...	,,	30.11	764.8	...	...	...	
Kagoshima, ...	,,	30.07	763.9	...	...	...	0	...	,,	30.08	763.9	...	...	N W	
Oshima, ...	,,	30.04	763.1	...	...	S	4	...	,,	30.08	764.1	...	...	S	
Naha, ...	,,	30.01	762.2	...	...	S E	2	...	,,	30.05	763.2	...	...	...	
Ishigakijima, ...	,,	29.97	761.3	...	...	S E	6	...	,,	30.01	762.3	...	...	S E	
Bonin Is.	,,	30.08	764.1	...	...	E	2	...	,,	30.12	765.1	...	...	...	
Chefoo, ...	3 p.	29.90	759.4	71	95	N W	3	b	6 a.	30.05	763.2	58	70	S W	
Weihaiwei, ...	,,	29.91	759.7	69	...	N W	3	b	9 a.	30.10	764.5	68	...	...	
Hankow, ...	,,	30.11	764.8	77	73	E	1	o	6 a.	30.20	767.1	71	95	...	
Kiukiang, ...	,,	30.05	763.2	91	67	W	1	or	,,	30.14	765.5	67	95	...	
Shanghai, ...	,,	30.02	762.5	74	63	S	2	o	9 a.	30.16	766.0	74	72	S S W	
Gutzlaff, ...	,,	30.01	762.2	70	85	S S E	1	omd	,,	30.12	765.0	73	76	S	
Sharp Peak, ...	,,	29.92	759.9	79	87	N	4	o	,,	30.04	763.0	77	82	N	
Amoy, ...	,,	29.87	758.7	85	79	S E	1	c	6 a.	29.99	761.7	82	83	N E	
Swatow, ...	,,	29.84	757.9	75	95	E	1	or	,,	29.96	761.0	78	91	E	
Taihoku, ...	1 p.	29.88	759.0	...	...	E	4	...	5 a.	29.95	760.8	...	...	S	
Taichu, ...	,,	29.89	759.2	...	...	W	4	...	,,	29.95	760.8	...	...	E	
Tainan, ...	,,	29.89	759.3	...	...	N W	6	...	,,	29.93	760.2	...	...	E	
Koshun	,,	29.91	759.8	...	...	E	6	...	,,	29.94	760.4	...	...	E	
Pescadores, ...	,,	29.91	759.8	...	...	N	6	...	,,	29.94	760.4	...	...	N	
Canton, ...	3 p.	29.86	758.4	84	68	N N E	2	o	9 a.	30.00	762.0	80	82	N	
Hongkong, ...	4 p.	29.84	757.9	80	85	E	3	od	10 a.	29.97	761.2	80	86	E N E	
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Gap Rock, ...	,,	29.78	756.4	...	...	E N E	5	...	,,	29.92	759.9	...	...	E	
Macao, ...	,,	29.86	758.4	81	...	E S E	2	o	,,	29.96	761.0	80	...	E S E	
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien, ...	4 p.	29.76	756.0	79	...	N	6	o	8 a.	29.91	759.6	77	...	N E	
Tourane, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Cape St. James, .	,,	29.75	755.7	75	...	W S W	6	or	,,	29.87	758.6	77	...	W	
Aparri, ...	2 p.	29.82	757.5	90	...	N E	1	b	6 a.	29.89	759.5	77	...	S W	
Manila, ...	4 p.	29.80	757	77	92	N E	3	p	10 a.	29.88	759	82	84	W N W	
Legaspi, ...	2 p.	29.80	757.0	90	...	E	1	c	6 a.	29.83	757.7	76	...	...	
Bacolod, ...	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	...	
Iloilo, ...	,,	29.81	757.2	83	...	S W	1	o	,,	29.87	758.7	83	...	N E	
Cebu, ...	,,	29.80	756.9	83	...	...	0	o	,,	29.84	757.9	80	...	...	
Labuan, ...	,,	29.83	757.7	86	...	...	...	...	,,	29.86	758.4	81	...	...	

On the 22nd at 12.05 p.—The barometer has risen moderately over N. Tongking, China and Formosa, w is inclined to fall in the S. Philippines.

The typhoon appears to have crossed the S. part of the Gulf of Tongking, probably to the North of T The returns from that station are, however, lacking.

A low pressure trough appears to exist over the N. part of the China Sea, and there are indications of the ance of another typhoon over the Pacific to the S.E. of Luzon.

Pressure remains high in the neighbourhood of the Bonins, and over Central China.

Fresh N.E. winds may be expected in the Formosa Channel, and strong N.E. and E. winds over the N. I the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, strong; squally, showery
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 22nd September, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	22nd SEPTEMBER, 1908, P.M.								23rd SEPTEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	29.70	754.3	62	...	N W	1	c	7 a.	29.84	757.9	52	67	N W	1	c
,.....	,,	29.73	755.1	...	...	S W	8	...	6 a.	29.81	757.1	...	...	S	4	...
te,.....	,,	29.77	756.2	...	...	W	8	...	,,	29.89	759.2	...	...	W	6	...
.....	,,	29.98	761.6	...	...	W	2	...	,,	30.02	762.6	...	...	N W	2	...
.....	,,	30.07	763.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2	...
.....	,,	30.07	763.8	...	...	W	2	...	,,	30.11	764.8	...	...	E	2	
a, ...	,,	30.07	763.9	...	...	...	0	...	,,	30.12	764.9	...	...	N	2	
.....	,,	30.04	763.1	...	...	N	4	...	,,	30.08	764.1	...	...	S	2	
.....	,,	30.01	762.2	...	...	E	4	...	,,	30.01	762.2	...	...	...	0	
jima,....	,,	30.01	762.3	...	...	S E	6	...	,,	29.97	761.3	...	...	E	4	
s.....	,,	30.08	764.1	...	...	E	2	...	,,	30.08	764.1	...	...	...	0	
.....	3 p.	30.05	763.2	74	32	W N W	4	b	6 a.	30.14	765.5	58	70	S W	1	b
wei,.....	,,	30.05	763.2	72	...	N W	4	b	9 a.	30.20	767.1	66	...	N W	1	c
w, ...	,,	30.06	763.5	81	78	E	1	b	6 a.	30.11	764.8	73	90	N E	1	c
ng,.....	,,	30.09	764.3	80	58	W	2	c	,,	30.19	766.8	69	90	...	0	c
ai, ...	,,	30.10	764.5	78	54	N N W	1	o	9 a.	30.19	766.8	74	72	E N E	1	c
, ...	,,	30.07	763.8	77	69	...	0	ov	,,	30.18	766.6	66	95	E S E	3	
eak,.....	,,	29.98	761.5	77	82	N N E	5	o	,,	30.05	763.2	76	86	N	2	c
.....	,,	29.91	759.7	86	76	N E	1	c	6 a.	29.97	761.2	82	79	N E	1	c
.....	,,	29.87	758.7	84	79	E	2	b	,,	29.96	761.0	76	95	N	1	b
n.....	1 p.	29.94	760.6	...	...	E	6	...	5 a.	...	...	...	...	E	4	
.....	,,	29.92	759.9	...	...	W	2	...	,,	29.93	760.3	...	...	...	0	
.....	,,	29.94	760.4	...	...	W	4	...	,,	29.93	760.3	...	...	...	0	
.....	,,	29.95	760.7	...	...	E	6	...	,,	29.93	760.3	...	...	N E	8	
ores, ...	,,	29.95	760.7	...	...	N E	6	...	,,	29.94	760.4	...	...	N E	6	...
.....	3 p.	29.92	759.9	89	66	E	2	c	9 a.	30.02	762.5	85	76	N E	1	b
ong, ...	4 p.	29.89	759.2	82	74	E	5	oq	10 a.	29.99	761.7	84	76	E	3	c
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ock,.....	,,	29.85	758.2	...	...	E	6	...	,,	29.96	761.0	...	...	E N E	6	...
.....	,,	29.90	759.4	82	...	E	2	c	,,	30.01	762.2	85	...	E N E	2	c
w.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n.....	4 p.	29.83	757.6	82	...	E N E	6	c	8 a.	29.93	760.3	81	...	E N E	6	c
ne, ...	,,	...	...	...	...	...	...	...	,,	29.89	759.3	79	...	...	0	o
t. James,.	,,	...	...	...	...	...	...	...	,,	29.87	758.7	79	...	S W	1	f
.....	2 p.	29.84	757.9	90	...	N E	1	b	6 a.	29.84	758.0	77	...	S E	1	p
.....	4 p.	29.76	756	84	77	...	0	c	10 a.	29.76	756	77	92	N N W	1	or
nt.....	2 p.	29.74	755.8	84	...	E	2	o	6 a.	29.63	752.7	79	...	N E	1	o
ho.....	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	W S W	0	op
.....	,,	29.74	755.6	84	...	...	0	c	,,	29.72	754.9	80	...	S W	1	or
.....	,,	29.70	754.4	81	...	N	1	or	,,	29.69	751.8	79	...	S	4	od
n.....	,,	29.82	757.4	87	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

On the 22nd at 5.0 p.—The typhoon to the S.E. of Luzon appears to be moving Westwards.
On the 23rd at 11.55 a.—The barometer has fallen quickly over the Philippines owing to the typhoon which ring towards W.N.W. over the Archipelago to the South of Luzon.
Pressure has increased moderately to slightly over N. China and the Sea of Japan. It is low to the N.E. of an, and high between Central China and S.W. Japan.
Strong N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.
Bad weather will probably set in again over the latter area to-morrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. winds, fresh or strong; fair.
ormosa Channel, ...	N.E. winds, strong.
outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 23rd September, 1908.

ated by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	23rd SEPTEMBER, 1908, P.M.								24th SEPTEMBER, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Fo ce.
Wladivostock,	2 p.	29.84	757.8	58	...	E	1	c	7 a.	29.99	761.6	49	87	...	
Nemuro,	,,	29.77	756.1	...	...	...	6	...	6 a.	29.89	759.1	...	...	W	
Hakodate,	,,	29.81	757.2	...	...	W	2	...	,,	29.97	761.2	...	...	N W	
Tokio,	,,	29.94	760.6	...	...	S	2	...	,,	30.06	763.6	...	...	N W	
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W	
Nagasaki,	,,	30.07	763.8	...	...	S W	4	...	,,	30.07	763.8	...	...	N	
Kagoshima,	,,	30.04	762.9	...	...	S W	2	...	,,	30.08	763.9	...	...	...	
Oshima,	,,	30.04	763.1	...	...	N W	6	...	,,	30.04	763.1	...	...	S	
Naha	,,	29.97	761.2	...	...	E	4	...	,,	29.97	761.2	...	...	E	
Ishigakijima,	,,	29.93	760.3	...	...	E	8	...	,,	29.93	760.3	...	...	E	
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.04	763.1	...	...	E	
Chefoo,	3 p.	30.13	765.3	74	36	S S W	1	o	6 a.	30.06	763.5	65	73	S	
Weihaiwei,	,,	30.14	765.5	70	...	W	1	o	9 a.	30.10	764.5	71	...	S W	
Hankow,	,,	30.10	764.5	77	65	N N W	1	o	6 a.	30.17	766.3	69	90	N N W	
Kiukiang	,,	30.10	764.5	79	61	N E	2	o	,,	30.07	763.8	69	95	...	
Shanghai,	,,	30.11	764.8	72	76	S	1	o	9 a.	30.13	765.3	72	76	E N E	
Gutzlaff,	,,	30.12	765.0	71	66	...	0	om	,,	30.11	764.8	71	57	E	
Sharp Peak,	,,	29.97	761.2	78	82	N	6	o	,,	29.99	761.7	76	86	N	
Amoy	,,	29.89	759.2	85	79	N E	1	c	6 a.	29.90	759.4	83	67	N E	
Swatow,	,,	29.86	758.4	85	76	E	2	b	,,	29.88	758.9	77	86	N	
Taiboku,	1 p.	29.92	760.0	...	...	E	6	...	5 a.	29.91	759.7	...	...	E	
Taichu,	,,	29.89	759.1	...	...	N W	4	...	,,	29.84	758.0	...	...	...	
Tainan,	,,	29.88	758.9	...	...	N W	4	...	,,	29.83	757.6	...	...	S E	
Koshun	,,	29.91	759.7	...	...	E	6	...	,,	29.84	757.8	...	...	N E	
Pescadores,	,,	29.92	760.0	...	...	N	8	...	,,	29.84	757.8	...	...	N	
Canton,	3 p.	29.90	759.4	89	66	N	1	c	9 a.	29.95	760.7	84	72	N	
Hongkong,	4 p.	29.88	758.9	83	76	E	2	c	10 a.	29.91	759.7	84	72	...	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Gap Rock,	,,	29.84	757.9	...	...	E	5	...	,,	29.87	760.2	...	...	N E	
Macao,	,,	29.91	759.7	81	...	S E	1	c	,,	29.94	760.5	85	...	N E	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.86	758.5	77	...	S S E	5	o	8 a.	29.95	760.8	81	...	N E	
Tourane,	,,	29.81	757.2	86	...	N E	1	c	,,	29.88	758.8	81	...	...	
Cape St. James,	,,	29.77	756.2	84	...	S	2	c	,,	29.81	757.2	77	...	N W	
Aparri,	2 p.	29.77	756.1	86	...	N E	1	p	6 a.	29.70	754.4	81	...	E	
Manila,	4 p.	29.65	753	77	92	N	3	od	10 a.	29.49	749	82	77	E	
Legaspi,	2 p.	29.38	746.2	99	...	E	3	q	6 a.	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	W S W	4	op	9 a.	...	...	...	...	S S E	
Iloilo,	,,	29.56	750.8	80	...	S W	4	or	,,	29.68	753.9	82	...	S W	
Cebu,	,,	29.46	748.3	79	...	S	6	or	,,	29.71	754.6	81	...	S	
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.86	758.4	76	...	...	

On the 24th at 11.50 a.—The typhoon, which continues to move towards W.N.W., has entered the Chi
This morning it is situated to the S.W. of Manila.

Pressure has increased slightly over the N. part of the Sea of Japan, and fallen moderately over Chi
Formosa. It is highest between Central China and S. Japan.

Strong N.E. winds may be expected in the Formosa Channel, and N. to N.E. winds increasing to a gale, ov
N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 24th September, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	24TH SEPTEMBER. 1908, P.M.								25TH SEPTEMBER, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ock,...	2 p.	30.00	762.6	65	...	W	1	b	7 a.	30.00	762.0	57	96	W	1	c
.....	,,	29.89	759.1	...	...	...	0	...	6 a.	30.04	763.1	...	...	W	4	...
.....	,,	30.01	762.2	...	...	W	6	...	,,	30.13	765.2	...	...	...	0	...
.....	,,	30.10	764.6	...	...	N	4	...	,,	30.18	766.6	...	...	N W	4	...
.....	,,	30.07	763.8	...	...	E	2	...	,,	30.11	764.8	...	...	...	0	...
.....	,,	30.07	763.8	...	...	N	4	...	,,	30.11	764.8	...	...	E	2	...
a, ...	,,	30.04	762.9	...	...	E	2	...	,,	30.08	763.9	...	...	N E	6	...
.....	,,	29.96	761.1	...	...	S E	4	...	,,	29.97	761.1	...	...	S	2	...
.....	,,	29.93	760.2	...	...	E	6	...	,,	29.93	760.2	...	...	...	0	...
ma, ...	,,	29.89	759.3	...	...	E	6	...	,,	29.86	758.3	...	...	E	6	...
.....	,,	30.00	762.1	...	...	E	6	...	,,	30.01	762.1	...	...	E	2	...
.....	3 p.	30.04	763.0	82	36	...	0	b	6 a.	30.09	764.3	65	73	...	0	b
ei, ...	,,	30.03	762.7	80	...	W N W	1	b	9 a.	30.15	765.8	73	...	W	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	30.16	766.0	70	90	...	0	c
.....	,,	30.04	763.0	76	64	N E	2	o	,,	30.07	763.8	67	84	N E	2	c
.....	,,	30.08	764.0	69	70	E N E	1	oq	9 a.	30.14	765.5	74	68	E	2	o
.....	,,	30.06	763.5	68	66	N N E	3	ov	,,	30.12	765.0	66	95	E	4	omd
k, ...	,,	29.90	759.4	78	82	N N E	6	b	,,	29.94	760.5	77	82	N	4	o
.....	,,	29.81	757.2	86	65	N E	4	b	6 a.	29.85	758.2	83	67	N E	2	c
.....	,,	29.79	756.6	85	72	E	2	b	...	29.80	756.9	76	90	N	1	b
...	1 p.	29.86	758.5	...	...	E	8	...	5 a.	29.85	758.2	...	...	E	4	...
.....	,,	29.78	756.5	...	...	W	2	...	,,	29.78	756.5	...	...	...	0	...
.....	,,	29.81	757.2	...	...	W	6	...	,,	29.78	756.5	...	...	E	2	...
.....	,,	29.81	757.2	...	...	E	10	...	,,	29.85	758.2	...	...	N E	6	...
es, ...	,,	29.82	757.4	...	...	N	8	...	,,	29.77	756.2	...	...	E	10	...
.....	3 p.	29.85	757.7	93	52	N	2	c	9 a.	29.92	759.9	83	83	N	2	b
ng, ...	4 p.	29.79	756.6	83	71	E S E	2	o	10 a.	29.84	757.9	84	59	N E	3	c
Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
k, ...	,,	29.78	756.4	...	...	E N E	4	...	,,	29.81	757.2	...	...	N E	6	...
.....	,,	29.81	757.2	88	...	N	3	c	,,	29.88	758.9	82	...	N	3	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.85	758.1	82	...	N	3	c	8 a.	29.90	759.5	81	...	N N E	4	b
.....	,,	29.78	756.5	82	...	N N E	3	c	,,	29.79	756.6	81	...	S E	1	c
James, .	,,	29.67	753.5	88	...	N W	2	c	,,	29.74	755.4	79	...	N W	3	c
.....	2 p.	29.65	753.2	81	...	E	1	o	6 a.	29.72	754.9	77	...	S W	0	d
.....	4 p.	29.49	749	81	76	E	3	d	10 a.	29.73	755	84	71	S E	3	o
.....	2 p.	29.61	752.0	86	...	S	1	...	6 a.	29.75	755.5	77	...	...	0	c
.....	3 p.	...	...	...	...	S S W	2	opg	9 a.	...	...	...	...	S S W	2	o
.....	,,	29.62	752.3	81	...	S W	8	opq	,,	29.80	756.9	83	...	S W	2	c
.....	,,	29.66	753.3	81	...	S	7	c	,,	29.81	757.2	84	...	...	0	b
.....	,,	29.78	756.4	81	...	...	...	...	,,	29.84	757.9	83	...	...	...	...

n the 24th at 6.00 p.—Red South Cone hoisted, (indicates a typhoon beyong 300 miles to the South of the p.

n the 25th at 12.05 p.—The barometer has risen quickly in Manila, and fallen moderately over the Northern estern shores of the China Sea.

he typhoon is probably situated about midway between the W. coast of Luzon and the Paracels. Its course, s W.N.W., appears to be maintained.

essure has increased moderately over N.E. Japan. It is highest in a band extending from Central China to an.

E. winds, strong to a gale, may be expected in the Formosa Channel, and bad weather over the N. part of the Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
kong and Neighbourhood, ...	N.E. winds, probably increasing to a fresh gale by to-morrow; fair to squally with rain.
osa Channel, ...	N.E. winds, strong to a gale.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	N. to N.E. gale.

F. G. FIGG,
Director.

ongkong Observatory, Friday, 25th September, 1908.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	25th SEPTEMBER. 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th SEPTEMBER, 1908, A. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind Direction.
Wladivostock,	2 p.	29.99	761.7	59	...	W	1	or	7 a.	30.02	762.4	54	96	N
Nemuro,	,,	30.04	763.1	...	...	...	0	...	6 a.	30.16	766.1	...	...	...
Hakodate,	,,	30.13	765.2	...	...	W	6	...	,,	30.21	767.2	...	...	...
Tokio,	,,	30.18	766.6	...	...	N	4	...	,,	30.22	767.6	...	...	N W
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W
Nagasaki,	,,	30.07	763.8	...	...	E	4	...	,,	30.07	763.8	...	...	E
Kagoshima,	,,	30.07	763.9	...	...	E	4	...	,,	30.04	762.9	...	...	E
Oshima,	,,	29.96	761.1	...	...	W	2	...	,,	29.93	760.1	...	...	S
Naha,	,,	29.93	760.2	...	...	E	4	...	,,	29.89	759.2	...	...	...
Ishigakijima,	,,	29.89	759.3	...	...	E	6	...	,,	29.82	757.3	...	...	N E
Bonin Is.	,,	29.96	761.1	...	...	E	2	...	,,	29.93	760.1	...	...	N E
Chefoo,	3 p.	30.07	763.8	84	31	S S W	3	b	6 a.	30.09	764.3	64	90	...
Weihaiwei,	,,	30.08	764.0	79	...	E	1	b	9 a.	30.13	765.3	73	...	S S E
Hankow,	,,	30.14	765.5	80	58	N E	1	b	6 a.	30.10	764.5	69	90	...
Kiukiang,	,,	30.06	762.5	76	73	N E	2	or	,,	30.02	762.5	68	90	...
Shanghai,	,,	30.08	764.0	72	76	E	2	o	9 a.	30.07	763.8	71	95	E N E
Gutzlaff,	,,	30.06	763.5	67	95	E	4	omr	,,	30.04	763.0	71	90	E N E
Sharp Peak,	,,	29.88	758.9	78	78	N	5	c	,,	29.94	760.5	77	86	N
Amoy	,,	29.80	756.9	86	76	N E	1	c	6 a.	29.89	759.2	83	75	N E
Swatow,	,,	29.79	756.6	85	79	E	3	b	,,	29.84	757.9	79	78	E
Taihoku	1 p.	29.84	757.9	...	...	E	8	...	5 a.	29.87	758.7	...	...	E
Taichu,	,,	29.78	756.4	...	...	W	2	...	,,	29.84	758.0	...	...	...
Tainan,	,,	29.81	757.1	...	...	W	4	...	,,	29.84	757.8	...	...	S E
Koshun	,,	29.84	757.9	...	...	E	6	...	,,	29.86	758.1	...	...	...
Pescadores,	,,	29.80	757.0	...	...	N	8	...	,,	29.83	757.6	...	...	N
Canton,	3 p.	29.82	757.4	90	53	N	2	c	9 a.	29.89	759.2	80	74	N E
Hongkong,	4 p.	29.76	755.9	83	74	E	3	o	10 a.	29.87	758.7	78	90	E N E
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Gap Rock,	,,	29.71	754.6	...	...	E N E	7	...	,,	29.80	756.9	...	...	E
Macao,	,,	29.81	757.2	86	...	N E	2	c	,,	29.85	758.2	81	...	E
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	86	...	N N E	4	b	8 a.	29.76	756.0	79	...	N
Tourane,	,,	29.66	753.3	82	...	...	...	o	,,	29.45	747.9	79	...	N W
Cape St. James,	,,	29.65	753.2	86	...	S S W	2	c	,,	29.74	755.4	79	...	S W
Aparri,	2 p.	29.73	755.1	88	...	E	1	c	6 a.	29.83	757.7	77	...	S E
Manila,	4 p.	29.76	756	77	92	E	1	d	10 a.	29.88	759	84	77	W
Legaspi,	2 p.	29.76	755.9	93	...	S W	1	c	6 a.	29.85	757.7	73	...	...
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	N N W
Iloilo,	,,	29.77	756.1	86	...	S W	3	o	,,	29.87	758.7	84	...	S S W
Cebu,	,,	29.78	756.4	86	...	S	2	d	,,	29.87	758.7	86	...	...
Labuan,	,,	29.82	757.4	87	...	...	...	...	,,	29.84	757.9	85	...	...

On the 26th at 7.30 a.—Black South Cone and Black Ball hoisted, (indicates a typhoon S.W. of Colony 300 miles).

On the 26th at 12.20 p.—The barometer has risen moderately in the Philippines, and fallen rapidly Annam and Tongking.

The typhoon which continues to move towards W.N.W., is situated this morning to the South of Hainan

Pressure has increased moderately in N.E. Japan, and fallen slightly over the E. coast of China, the I and the Bonins. It is now high over E. Japan, and low apparently, over the Pacific to the Southward of th choos and Bonins.

Fresh N.E. winds, may be expected in the Formosa Channel, and cyclonic gales over the N.W. part of th Sea.

Signal lowered.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, gradually decreasing; squally, show
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 26th September, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	26TH SEPTEMBER, 1908, P.M.								27TH SEPTEMBER, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
tock,...	2 p.	29.99	761.8	63	...	...	0	o	7 a.	...	...	...	...	...	...	...
.....	,,	30.16	766.1	...	...	S W	6	...	6 a.	30.12	765.1	...	...	...	0	...
.....	,,	30.17	766.2	...	...	W	6	...	,,	30.17	766.2	...	...	...	0	...
.....	,,	30.18	766.6	...	...	N E	4	...	,,	30.18	766.6	...	...	N W	0	...
.....	,,	30.07	763.8	...	...	S E	2	...	,,	30.03	762.8	...	...	...	0	...
.....	,,	29.99	761.8	...	...	S E	6	...	,,	29.95	760.8	...	...	N E	2	...
, ...	,,	30.00	761.9	...	...	E	6	...	,,	29.96	760.9	...	...	N E	4	...
.....	,,	29.93	760.1	...	...	S W	4	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	29.89	759.2	...	...	N E	4	...	,,	29.85	758.2	...	...	...	0	...
ma, ...	,,	29.85	758.3	...	...	E	4	...	,,	29.86	758.3	...	...	N E	2	...
.....	,,	29.89	759.1	...	...	N E	2	...	,,	29.85	758.1	...	...	N E	4	...
.....	3 p.	29.99	761.7	81	45	S S W	3	b	6 a.	30.02	762.5	64	78	...	0	b
el, ...	,,	30.02	762.5	78	...	S	2	b	9 a.	30.04	763.0	71	...	S E	1	b
.....	,,	30.08	764.0	83	49	N W	1	b	6 a.	30.05	763.2	71	85	E	1	o
.....	,,	30.11	764.8	80	66	...	1	c	,,	30.03	762.7	17	95	N E	1	o
.....	,,	30.01	762.2	71	95	E N E	1	ovr	9 a.	30.02	762.5	78	74	E	2	c
.....	,,	29.98	761.5	70	85	N E	2	om	,,	30.01	762.2	74	76	N E	2	cv
k, ...	,,	29.90	759.4	78	86	N	4	o	,,	29.97	761.2	79	87	E N E	2	c
.....	,,	29.86	758.4	85	76	N E	1	c	6 a.	29.98	761.5	82	79	N N E	1	c
.....	,,	29.84	757.9	80	91	...	0	o	,,	29.91	759.7	77	95	N E	3	o
.....	1 p.	29.87	758.6	...	...	E	6	...	5 a.	29.91	759.6	...	...	...	0	...
.....	,,	29.85	758.2	...	...	W	4	...	,,	29.89	759.2	...	...	E	2	...
.....	,,	29.87	758.8	...	...	W	6	...	,,	29.88	759.0	...	...	...	0	...
.....	,,	29.90	759.4	...	...	...	0	...	,,	29.88	758.9	...	...	...	0	...
s, ...	,,	29.88	759.0	...	...	W	4	...	,,	29.89	759.2	...	...	E	2	...
.....	3 p.	29.85	758.2	84	68	N E	1	o	9 a.	29.91	759.7	79	87	E	2	o
g, ...	4 p.	29.82	757.4	78	91	E	3	odq	10 a.	29.92	759.9	81	86	E	3	o
eak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.1	...	...	E	7	...	,,	29.87	758.7	...	...	S E	5	...
.....	,,	29.84	757.9	80	...	E	3	od	,,	29.90	759.4	82	...	E S E	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.66	753.4	79	...	E N	7	o	8 a.	29.63	752.6	73	...	N E	7	or
.....	,,	29.36	745.8	75	...	W	1	or	,,	29.60	751.9	75	...	...	0	o
ames, .	,,	29.66	753.1	77	...	W S W	4	or	,,	29.80	756.8	79	...	S W	5	o
.....	2 p.	29.84	758.0	84	...	N	1	o	6 a.	29.88	759.0	75	...	W	0	c
.....	4 p.	29.80	757	88	59	N W	1	c	10 a.	29.92	760	82	85	W N W	1	c
.....	2 p.	29.82	757.5	86	...	S E	1	c	6 a.	29.85	758.2	77	...	...	0	c
.....	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N W	2	o
.....	,,	29.81	757.2	87	...	S W	1	b	,,	29.91	759.7	84	...	N E	1	b
.....	,,	29.80	756.9	87	...	N	1	b	,,	29.87	758.7	87	...	S	1	b
.....	,,	29.79	756.6	89	...	...	...	...	,,	...	...	...	...	...	...	...

the 27th at 12.05 p.—The typhoon has crossed the S. part of the Gulf of Tongking and entered the coast Tourane and Haiphong.

ssure has increased slightly over the S.E. coast of China and the Philippines, and given way moderately to over N. China, Japan and the Bonins. It remains high over E. Japan, and low over the Pacific to the South- the Bonins and Loochoos.

derate N.E. winds, may be expected in the Formosa Channel, and strong E. and S.E. winds to gales over part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
kong and Neighbourhood, ...	E. winds, fresh; squally and showery at first, improv-
sa Channel, ...	N.E. winds, moderate. [ing later.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	E. and S.E., strong winds and gales.

F. G. FIGG,
Director.

gkong Observatory, Sunday, 27th September, 1908.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	27th September, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th September, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	29.93	760.2	68	...	S	2	o	7 a.	29.84	757.9	62	97	S
Nemuro,	,,	30.16	766.1	...	...	E	2	...	6 a.	30.28	769.1	...	...	E
Hakodate,	,,	30.13	765.2	...	...	S	6	...	,,	30.13	765.2	...	...	E
Tokio,	,,	30.10	764.6	...	...	N	4	...	,,	30.14	765.6	...	...	N W
Kochi,	,,	29.99	761.8	...	...	S	2	...	,,	29.99	761.8	...	...	S W
Nagasaki,	,,	29.91	759.8	...	...	S E	4	...	,,	29.91	759.8	...	...	E
Kagoshima,	,,	29.92	759.9	...	...	E	8	...	,,	29.92	759.9	...	...	N E
Oshima,	,,	29.85	758.1	...	...	N	2	...	,,	29.89	759.1	...	...	...
Naha,	,,	29.85	758.2	...	...	N	6	...	,,	29.85	758.2	...	...	...
Isbigakijima,	,,	29.85	758.3	...	...	E	6	...	,,	29.86	758.3	...	...	...
Bonin Is.	,,	29.77	756.1	...	...	N	6	...	,,	29.84	758.1	...	...	N
Chefoo,	3 p.	29.84	757.9	74	72	N E	1	b	6 a.	29.98	761.5	67	79	N W
Weihaiwei,	,,	30.02	762.5	75	...	S E	1	ovr	9 a.	29.99	761.7	67	...	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.95	760.7	73	81	N
Kiukiang,	,,	29.88	758.9	83	68	...	...	...	,,	29.95	760.7	72	67	...
Shanghai,	,,	29.96	761.0	76	69	N E	1	c	9 a.	29.97	761.2	72	76	N N E
Gutzlaff,	,,	29.96	761.0	74	81	N E	2	ov	,,	29.96	761.0	72	81	N E
Sharp Peak,	,,	29.89	759.2	78	86	N	4	c	,,	29.91	759.7	79	100	W
Amoy	,,	29.92	759.9	85	76	N N E	3	o	6 a.	29.91	759.7	81	78	N E
Swatow,	,,	29.85	758.2	81	83	S E	2	c	,,	29.86	758.4	77	91	N E
Taihoku	1 p.	29.89	759.3	...	...	E	4	...	5 a.	29.88	758.9	...	...	E
Taichu,	,,	29.86	758.4	...	...	N	4	...	,,	29.87	758.6	...	...	E
Tainan,	,,	29.88	758.9	...	...	N W	4	...	,,	29.87	758.6	...	...	N
Koshun	,,	29.88	758.9	...	...	N W	4	...	,,	29.87	758.7	...	...	...
Pescadores,	,,	29.89	759.3	...	...	N	6	...	,,	29.86	758.5	...	...	N
Canton,	3 p.	29.81	757.2	84	79	N	2	o	9 a.	29.93	760.2	81	87	E
Hongkong,	4 p.	29.84	757.9	80	85	E	3	od	10 a.	29.92	759.9	79	91	E
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Gap Rock,	,,	29.80	756.9	...	...	E S E	5	...	,,	29.87	758.7	...	...	E S E
Macao,	,,	29.84	757.9	81	...	E S E	3	o	,,	29.92	759.9	78	...	E S E
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.57	751.0	75	...	E S E	8	f	8 a.	29.73	755.1	82	...	E S E
Tourane,	,,	29.46	748.2	75	...	N E	8	or	,,	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	79	...	W S W	4	or	,,	29.87	758.7	77	...	E S E
Aparri,	2 p.	29.84	757.9	84	...	N	1	o	6 a.	29.83	757.7	79	...	N
Manila,	4 p.	29.80	757	86	71	S W	1	o	10 a.	29.88	759	82	70	N W
Legaspi,	2 p.	29.82	757.3	82	...	N E	1	o	6 a.	29.80	756.9	77	...	W
Bacolod,	3 p.	...	...	...	...	N W	1	c	9 a.	...	...	...	...	S W
Iloilo,	,,	29.85	758.2	84	...	S W	1	o	,,	29.87	758.7	85	...	S W
Cebu,	,,	29.81	757.2	86	...	...	0	b	,,	29.87	758.7	82	...	S
Labuan,	,,	29.70	754.4	87	...	...	...	...	,,	29.83	757.7	84	...	...

On the 28th at 12.20 p.—The barometer is rising over Tongking, and falling over the Philippines. There are indications of the existence of another depression over the Pacific to the E. of Luzon.

Pressure has given way over Central and Northern China and in Wladiwostok, a depression being situat Manchuria. High pressure still covers E. Japan.

Moderate N.E. winds, may be expected in the Formosa Channel, and fresh E. and variable winds al Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate ; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 28th September, 1908.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

28TH SEPTEMBER, 1908, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	29.93	760.1	69	...	N E	1	o
.....	,,	30.24	768.1	...	...	E	2	...
.....	,,	30.09	764.2	...	...	E	10	...
.....	,,	30.06	763.6	...	...	N	2	...
.....	,,	29.99	761.8	...	...	...	0	...
.....	,,	29.87	758.8	...	...	E	2	...
.....	,,	29.88	758.9	...	...	N E	4	...
.....	,,	29.81	757.1	...	...	S	2	...
.....	,,	29.81	757.2	...	...	N	4	...
.....	,,	29.85	758.3	...	...	S E	4	...
.....	,,	29.85	758.1	...	...	E	2	...
.....	3 p.	29.82	757.4	71	71	N NW	2	b
.....	,,	29.94	760.5	71	...	N W	1	ovr
.....	,,	29.93	760.2	79	61	N W	1	o
.....	,,	29.94	760.5	79	78	N E	1	o
.....	,,	29.90	759.4	76	60	N	1	c
.....	,,	29.89	759.2	76	72	N NE	2	cv
.....	,,	29.86	758.2	80	91	E	2	c
.....	,,	29.84	757.9	84	72	S W	1	b
.....	,,	29.79	756.6	85	72	N E	1	b
.....	1 p.	29.84	757.9	...	...	E	6	...
.....	,,	29.83	757.7	...	...	W	2	...
.....	,,	29.84	758.0	...	...	W	2	...
.....	,,	29.83	757.8	...	...	N	6	...
.....	,,	29.87	758.7	...	...	N	6	...
.....	3 p.	29.83	757.7	85	76	S S E	2	c
.....	4 p.	29.82	757.4	78	87	E	3	o
eak,...	,,	...	...	...	...	...	...	...
.....	,,	29.79	756.6	...	...	E S E	4	...
.....	,,	29.84	757.9	78	...	S S E	2	or
.....	3 p.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...
.....	4 p.	29.68	753.9	81	...	S E	9	c
.....	,,	...	...	...	...	...	...	...
mes,.	,,	29.77	756.2	82	...	S S W	5	c
.....	2 p.	29.80	756.8	81	...	N	1	p
.....	4 p.	29.76	756	82	77	N	2	o
.....	2 p.	29.73	755.2	82	...	N W	1	o
.....	3 p.	...	...	...	...	W S W	2	cp
.....	,,	29.77	756.1	83	...	S W	2	or
.....	,,	29.81	757.2	81	...	S	1	od
.....	,,	29.75	755.6	89	...	...	...	...

29TH SEPTEMBER, 1908, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.84	758.0	54	98	S E	2	c
6 a.	30.24	768.1	...	...	E	6	...
,,	30.09	764.2	...	...	S E	8	...
,,	30.02	762.6	...	...	N W	4	...
,,	29.84	757.8	...	...	S	2	...
,,	29.80	756.8	...	...	E	2	...
,,	29.76	755.9	...	...	N E	6	...
,,	29.73	755.1	...	...	S	2	...
,,	29.77	756.2	...	...	N W	4	...
,,	29.82	757.3	...	...	...	0	...
,,	29.85	758.1	...	...	E	2	...
6 a.	29.93	760.2	60	94	S W	1	c
9 a.	29.96	761.0	69	...	N	2	ovr
6 a.	30.06	763.5	71	85	N E	2	c
,,	29.93	761.5	70	95	...	0	b
9 a.	29.95	760.7	74	51	N	1	c
,,	29.93	760.2	72	90	N	2	cv
,,	29.88	758.9	78	91	N	4	o
6 a.	29.84	757.9	79	87	...	0	o
,,	29.85	758.2	75	90	...	0	o
5 a.	29.82	757.4	...	...	E	2	...
,,	29.83	757.7	...	...	E	2	...
,,	29.82	757.4	...	...	...	0	...
,,	29.82	757.4	...	...	...	0	...
,,	29.83	757.6	...	...	N	2	...
9 a.	...	...	...	...	...	...	...
10 a.	29.88	758.9	80	89	E	1	o
,,	...	...	...	...	...	...	...
,,	29.84	757.9	...	...	E S E	4	...
,,	29.89	759.2	78	...	E S E	1	op
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.80	756.9	81	...	E	5	c
,,	...	...	...	...	...	...	...
,,	29.88	758.9	81	...	...	2	c
6 a.	...	...	...	...	...	...	...
10 a.	29.84	758	84	77	...	0	o
6 a.	29.76	756.0	77	...	...	0	o
9 a.	...	...	...	...	...	2	cp
,,	29.87	758.7	80	...	W	3	or
,,	29.84	757.9	82	...	S	3	c
,,	29.81	757.2	84	...	...	...	...

he 28th at 5.10 p.—The typhoon to the East of Luzon appears to be moving Westwards.
he 29th at 12.05 p.—The barometer has fallen slightly over the Philippines and Formosa, and risen
ly in Tongking.
typhoon remains over the Pacific to the Eastward of Luzon.
ssure has increased slightly over Central China, and given way moderately over S. Japan and the Loochoos.
ssion is situated in the neighbourhood of the latter area. High pressure still covers N.E. Japan.
derate to fresh N.E. winds, may be expected in the Formosa Channel and the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.49 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	E. to N.E. winds, moderate ; showery.
sa Channel, ...	N.E. winds, fresh.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Tuesday, 29th September, 1908.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	29th SEPTEMBER, 1908, P.M.								30th SEPTEMBER, 1908, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Fo
Wladivostock,	2 p.	29.83	757.7	66	...	N	1	b	7 a.	29.67	753.7	54	96	N E	
Nemuro,	,,	30.20	767.1	...	...	S	6	...	6 a.	30.04	763.1	...	...	E	
Hakodate,	,,	30.01	762.2	...	...	S E	8	...	,,	29.73	755.2	...	...	S E	
Tokio,	,,	29.94	760.6	...	...	N W	2	...	,,	29.59	751.6	...	...	N	
Kochi,	,,	29.72	754.8	...	...	S W	2	...	,,	29.72	754.8	...	...	S W	
Nagasaki,	,,	29.76	755.8	...	...	N W	2	...	,,	29.76	755.8	...	...	N W	
Kagoshima,	,,	29.68	753.9	...	...	N W	8	...	,,	29.80	756.9	...	...	N	
Oshima,	,,	29.73	755.1	...	...	N W	2	...	,,	29.81	757.1	...	...	...	
Naha,	,,	29.77	756.2	...	...	N W	4	...	,,	29.77	756.2	...	...	...	
Ishigakijima,	,,	29.82	757.3	...	...	N	2	...	,,	29.82	757.3	...	...	N	
Bonin Is.	,,	29.65	753.1	...	...	S E	6	...	,,	29.65	753.1	...	...	W	
Chefoo,	3 p.	29.94	760.5	68	56	N	2	b	6 a.	29.96	761.0	62	94	N W	
Weihaiwei,	,,	29.94	760.5	68	...	N	3	b	9 a.	29.96	761.0	63	...	N	
Hankow,	,,	30.06	763.5	78	65	N E	1	o	6 a.	30.13	765.3	68	75	N	
Kiukiang,	,,	29.94	760.5	80	58	N E	2	c	,,	30.00	762.0	69	95	...	
Shanghai,	,,	29.89	759.2	76	53	N N W	1	o	9 a.	29.96	761.0	74	72	N N W	
Gutzlaff,	,,	29.90	759.4	74	63	N	2	ov	,,	29.97	761.2	72	76	N N E	
Sharp Peak,	,,	29.83	757.7	78	86	N E	4	c	,,	29.93	760.2	74	68	N	
Amoy,	,,	29.77	756.1	82	83	S E	1	c	6 a.	29.82	757.4	79	78	N E	
Swatow,	,,	29.84	757.9	88	56	...	0	b	,,	...	...	...	...	...	
Taiboku,	1 p.	29.83	757.7	...	...	E	4	...	6 a.	29.84	758.0	...	...	E	
Taichu,	,,	29.81	757.2	...	...	N	2	...	,,	29.80	756.8	...	...	...	
Tainan,	,,	29.80	756.8	...	...	N	4	...	,,	29.78	756.3	...	...	...	
Koshun,	,,	29.82	757.3	...	...	S	2	...	,,	29.79	756.7	...	...	...	
Pescadores,	,,	29.82	757.5	...	...	N	6	...	,,	29.78	756.4	...	...	N E	
Canton,	3 p.	29.81	757.2	82	83	...	0	...	9 a.	...	...	...	...	...	
Hongkong,	4 p.	29.79	756.6	79	87	E	1	op	10 a.	29.84	757.9	78	93	...	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Gap Rock,	,,	29.76	755.9	...	...	E S E	3	...	,,	29.82	757.4	...	...	E S E	
Macao,	,,	29.81	757.2	79	...	E	1	c	,,	29.85	758.2	77	...	N N E	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.71	754.8	81	...	S E	5	or	8 a.	29.82	757.4	75	...	N E	
Tourane,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	82	...	...	
Cape St. James,	,,	29.78	756.5	82	...	S S W	4	c	,,	29.86	758.3	81	...	S W	
Aparri,	2 p.	29.77	756.2	88	...	E	1	b	6 a.	29.80	756.9	75	...	S	
Manila,	4 p.	29.72	755	86	71	W S W	0	c	10 a.	29.80	757	88	65	S E	
Legaspi,	2 p.	29.74	755.5	77	...	...	0	r	6 a.	29.82	757.5	75	...	...	
Bacolod,	3 p.	...	...	...	...	S W	2	op	9 a.	...	...	...	...	S S W	
Iloilo,	,,	29.81	757.2	78	...	S W	5	or	,,	29.87	758.7	82	...	S W	
Cebu,	,,	29.79	756.6	84	...	S	1	c	,,	29.87	758.7	84	...	S	
Labuan,	,,	29.77	756.1	85	...	...	...	...	,,	29.85	758.2	84	...	...	

On the 30th at 12.05 p.—The barometer has fallen slightly over N. Luzon, Formosa and the S. coast of China; the depression, which appears to be of slight intensity, having passed from the Pacific to the N.E. part of the China Sea.

The depression lying in the neighbourhood of the Loochoos yesterday, has moved towards E.N.E. and is now to the S.E. of Japan. A second depression is moving Eastwards over the N. part of the Sea of Japan.

Pressure has increased slightly and is highest over the Yangtze Valley.

Fresh to strong N.E. winds, may be expected in the Formosa Channel, and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, fresh; rainy.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 30th September, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	30TH SEPTEMBER, 1908, P.M.								1ST OCTOBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	29.66	753.3	62	...	N E	3	c	7 a.	29.63	752.5	53	91	N	4	or
.....	,,	29.85	758.1	...	...	E	8	...	6 a.	...	..	...	...	...	...	...
.....	,,	29.57	751.2	...	...	E	8	...	,,	...	...	...	...	...	...	...
.....	,,	29.55	750.6	...	...	E	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.68	753.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
.....	,,	29.80	756.8	...	...	W	8	...	,,	...	...	...	...	...	...	...
.....	,,	29.80	756.9	...	...	N W	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.81	757.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ma, ...	,,	29.78	756.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.1	...	...	W	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.93	760.2	65	53	N N W	6	b	6 a.	29.93	760.2	65	95	N N W	3	c
.....	,,	29.92	759.9	66	...	N	2	ovr	9 a.	30.01	762.2	65	...	N	5	o
.....	,,	30.13	765.3	83	96	N	1	b	6 a.	30.22	767.6	64	68	N E	1	b
.....	,,	29.98	761.5	84	47	N E	2	b	,,	...	...	...	...	...	...	...
.....	,,	29.91	759.7	66	90	N	1	o	9 a.	30.09	764.3	68	65	N W	2	b
.....	,,	29.90	759.4	77	69	N N E	1	cv	,,	30.05	763.2	70	66	N N W	4	cv
k, ...	,,	29.87	758.7	76	90	E N E	2	o	,,	29.99	761.7	76	86	N	4	b
.....	,,	29.84	757.9	77	77	N E	1	o	6 a.	29.89	759.2	75	77	N E	3	o
.....	,,	29.83	757.7	71	90	E	2	or	,,	29.88	758.9	70	95	N E	2	c
.....	1 p.	29.85	758.3	...	...	E	2	...	5 a.	29.93	760.2	...	...	S E	2	...
.....	,,	29.77	756.1	...	...	E	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.2	...	...	S	4	...	,,	29.83	757.6	...	...	N	2	...
.....	,,	29.78	756.4	...	...	N E	4	...	,,	29.82	757.4	...	...	N	8	...
s, ...	,,	29.78	756.3	...	...	N	10	...	,,	29.87	758.6	...	...	N	10	...
.....	3 p.	29.86	758.4	71	95	N	1	or	9 a.	29.99	761.7	73	81	E	2	o
;	4 p.	29.80	756.9	77	88	E N E	1	or	10 a.	29.94	760.5	74	63	N	1	o
eak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.78	756.4	...	...	E	3	...	,,	29.88	758.9	...	...	N E	6	...
.....	,,	29.82	757.4	77	...	N N W	1	od	,,	29.96	761.0	73	...	W	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.79	756.7	75	...	N N E	4	o	8 a.	29.95	760.6	72	...	E	2	or
.....	,,	29.74	755.4	84	...	N W	3	o	,,	29.87	758.7	79	...	...	0	o
ames,.	,,	29.80	757.0	77	...	S W	7	or	,,	29.93	760.2	77	...	W	2	or
.....	2 p.	29.72	755.0	88	...	E	1	b	6 a.	29.80	757.0	77	...	S W	0	c
.....	4 p.	29.76	756	79	...	S W	3	o	10 a.	29.84	758	86	71	S	1	c
.....	2 p.	29.76	755.9	88	...	W	1	t	6 a.	29.86	758.3	77	...	...	0	b
.....	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	W	1	c
.....	,,	29.81	757.2	86	...	S W	3	c	,,	29.91	759.7	83	...	S W	1	b
.....	,,	29.79	756.6	86	...	S	3	b	,,	29.87	758.7	86	...	S	1	b
.....	,,	29.81	757.2	86	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

the 30th at 7.40 p.—No. 1 night signal hoisted.
e depression in the China Sea to the N.W. of Luzon seems likely to become deeper. It is probably moving
rds.
the 1st at 6.00 a.—Red South Cone hoisted.
the 1st at 11.45 a.—Signal lowered.
e barometer has risen moderately over China, and a slight rise has taken place also in the S. Philippines.
e depression probably exists as a trough stretching from the Paracels to the Eastward of the Balingtang
, the lowest pressure being shown in the neighbourhood of N. Luzon.
ssure is high over Central China. It remains low over the N. part of the Sea of Japan.
ong N.E. winds to gales may be expected in the Formosa Channel and the N. part of the China Sea.
e Japanese returns are not yet to hand.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N.E. winds, strong; fair.
osa Channel, ...	N.E. winds, strong to a gale.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Thursday, 1st October, 1908.

[by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	1st OCTOBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	2nd OCTOBER. 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	29.58	761.4	58	...	N	1	c	7 a.	29.73	755.0	53	63	N
Nemuro,.....	,,	29.53	760.1	...	...	S W	6	...	6 a.	29.61	752.1	...	...	N E
Hakodate,.....	,,	29.61	762.2	...	...	W	6	...	,,	29.69	754.2	...	...	...
Tokio,.....	,,	29.67	763.6	...	...	S	2	...	,,	29.63	762.6	...	...	N W
Kochi,.....	,,	29.71	764.8	...	...	S W	2	...	,,	29.95	760.3	...	...	S W
Nagasaki,.....	,,	29.83	757.8	...	...	W	8	...	,,	29.99	761.8	...	...	N
Kagoshima,.....	,,	29.84	757.9	...	...	N W	6	...	,,	30.04	762.9	...	...	N
Oshima,.....	,,	29.89	759.1	...	...	N	6	...	,,	30.01	762.1	...	...	N
Naha.....	,,	29.89	759.2	...	...	N E	6	...	,,	30.01	762.2	...	...	N E
Ishigakijima,....	,,	29.89	759.3	...	...	N E	8	...	,,	29.97	761.3	...	...	N E
Bonin Is.....	,,	29.85	758.1	...	...	S	2	...	,,	29.97	761.1	...	...	S
Chefoo,.....	3 p.	29.96	761.0	71	90	N N W	5	b	6 a.	30.05	763.2	55	56	S
Weihaiwei,.....	,,	29.97	761.2	68	...	N W	2	b	9 a.	30.11	764.8	69	...	W
Hankow,.....	,,	30.17	766.3	79	37	N E	1	b	6 a.	30.23	767.8	68	70	E S E
Kinkiang,.....	,,	30.08	764.0	77	35	N E	3	b	,,	30.07	763.8	65	73	N E
Shanghai,.....	,,	30.04	763.0	72	38	N N W	2	c	9 a.	30.15	765.8	71	49	S E
Gutzlaff,.....	,,	30.03	762.7	72	46	W N W	4	cv	,,	30.14	765.5	71	49	N E
Sharp Peak,.....	,,	29.96	761.0	76	82	E	5	b	,,	30.07	763.8	71	85	N
Amoy.....	,,	29.88	758.9	80	78	N E	1	c	6 a.	29.96	761.0	75	68	N E
Swatow,.....	,,	29.76	755.9	81	87	E	2	c	,,	29.89	759.2	70	85	N E
Taihoku.....	1 p.	29.99	761.7	...	...	E	4	...	5 a.	30.01	762.3	...	...	E
Taichu,.....	,,	29.82	757.4	...	...	N	6	...	,,	...	...	...	...	...
Tainan,.....	,,	29.82	757.4	...	...	N	2	...	,,	29.89	759.3	...	...	...
Koshun.....	,,	29.83	757.7	...	...	N E	10	...	,,	...	...	...	...	...
Pescadores,.....	,,	29.86	758.4	...	...	N	10	...	,,	29.91	759.6	...	...	N E
Canton,.....	3 p.	29.90	759.4	82	56	E N E	1	o	9 a.	29.99	761.7	79	66	E
Hongkong,.....	4 p.	29.87	758.7	78	61	N N E	1	o	10 a.	29.96	761.0	77	59	E
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Gap Rock,.....	,,	29.84	757.9	...	...	E N E	6	...	,,	29.92	759.9	...	...	E
Macao,.....	,,	29.91	759.7	77	...	N N E	1	o	,,	29.98	761.5	79	...	E
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,.....	4 p.	29.87	758.7	73	...	N E	2	o	8 a.	29.97	761.3	68	...	N
Tourane,.....	,,	29.79	756.7	81	...	N W	6	o	,,	29.91	759.7	81	...	...
Cape St. James,.	,,	29.80	756.9	82	...	W	4	o	,,	29.93	760.3	79	...	S W
Aparri,.....	2 p.	29.76	755.9	88	...	N E	1	t	6 a.	29.88	758.8	73	...	S W
Manila,.....	4 p.	29.76	756	86	71	W	4	b	10 a.	29.88	759	88	66	S
Legaspi,.....	2 p.	29.80	756.9	91	...	W	1	b	6 a.	29.89	759.1	75	...	...
Bacolod,.....	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W
Iloilo,.....	,,	29.81	757.2	85	...	S W	2	b	,,	29.91	759.7	83	...	S W
Cebu,.....	,,	29.80	756.9	87	...	S	1	b	,,	29.91	759.7	85	...	S
Labuan,.....	,,	29.76	755.9	88	...	...	...	...	,,	29.85	758.2	84	...	...

On the 2nd at 11.40 a.—The depression in the North has moved into the Pacific to the N.E. of Japan.

A moderate increase of pressure has taken place in the North, and a slight increase in the South. T pressure trough probably still lies over the China Sea between the Paracels and N. Luzon. The highest pre over the Yangtze Valley.

Strong N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of t Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, strong.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 2nd October, 1908.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	2ND OCTOBER. 1908, P.M.								3RD OCTOBER. 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	29.98	761.6	70	...	...	0	b	7 a.	29.96	761.0	55	88	...	0	c
.....	,,	29.57	751.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.73	755.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.83	757.6	...	...	S W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.99	761.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
.....	,,	30.07	763.8	...	...	N W	4	...	,,	...	...	...	...	...	...	...
.....	,,	30.04	762.9	...	...	N W	2	...	,,	...	...	...	...	...	...	...
.....	,,	30.04	763.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
.....	,,	30.01	762.2	...	...	N E	4	...	,,	...	...	...	...	...	...	...
a,....	,,	29.97	761.3	...	...	E	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.1	...	...	S	4	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.03	762.7	75	23	W S W	2	c	6 a.	30.09	764.3	60	71	S	1	b
.....	,,	30.06	763.5	72	...	E	2	ovr	9 a.	30.17	766.3	70	...	S E	1	b
.....	,,	30.14	765.5	78	46	S E	1	b	6 a.	30.18	766.6	71	76	E N E	2	o
.....	,,	29.99	761.7	80	44	N E	2	b	,,	30.08	764.0	67	84	N E	2	o
.....	,,	30.05	763.2	73	46	E S E	2	c	9 a.	30.11	764.8	72	71	S E	3	c
.....	,,	30.07	763.8	74	51	S E	1	cv	,,	30.11	764.8	72	67	S E	2	cv
.....	,,	29.99	761.7	73	86	N	4	o	,,	30.04	763.0	73	90	N W	2	o
.....	,,	29.91	759.7	80	70	N E	1	c	6 a.	29.94	760.5	77	69	N E	1	c
.....	,,	29.89	759.2	80	58	E	2	o	,,	29.91	759.7	72	81	N	2	c
.....	1 p.	29.98	761.5	...	...	E	8	...	5 a.	29.95	760.6	...	...	E	4	...
.....	,,	29.88	759.0	...	...	W	2	...	,,	29.92	760.0	...	...	...	0	...
.....	,,	29.89	759.2	...	...	W	4	...	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.88	758.9	...	...	E	10	...	,,	29.92	759.9	...	...	N E	8	...
.....	,,	29.91	759.8	...	...	N	8	...	,,	29.92	760.0	...	...	N	6	...
.....	3 p.	29.90	759.4	85	54	E	1	c	9 a.	29.96	761.0	83	71	N	2	b
.....	4 p.	29.88	758.9	78	59	E	3	o	10 a.	29.95	760.7	79	70	E	3	o
ak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.86	758.4	...	...	E N E	7	...	,,	29.91	759.7	...	...	E N E	7	...
.....	,,	29.90	759.4	79	...	S S E	1	c	,,	29.96	761.0	80	...	E N E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.85	758.3	73	...	N N W	3	o	8 a.	29.94	760.5	73	...	N W	2	o
.....	,,	29.80	757.0	81	...	N W	4	o	,,	29.92	759.9	81	...	...	0	c
mes,.	,,	29.81	757.2	82	...	S W	1	o	,,	29.91	759.8	82	...	N W	1	c
.....	2 p.	29.85	758.2	81	...	E	1	o	6 a.	29.87	758.6	75	...	S W	0	o
.....	4 p.	29.80	757	86	71	W S W	4	o	10 a.	29.88	759	84	77	W	1	c
.....	2 p.	29.80	756.8	91	...	W	1	c	6 a.	29.86	758.3	77	...	...	0	o
.....	3 p.	...	...	...	...	...	..	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.68	753.9	86	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

he 3rd at 11.55 a.—The barometer is inclined to fall over S. China and the Philippines. It has risen slightly .E. coast of China.

ssure is highest over the Yellow Sea. The low pressure trough probably remains over the N. part of the ea.

ng N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the China

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N.E. and E. winds, strong; fair.
osa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 3rd October, 1908.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	3rd OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	30.02	762.6	73	...	S	1	c	7 a.	30.07	763.8	53	86	N
Nemuro, ...	,,	30.04	763.1	...	...	E	4	...	6 a.	30.12	765.1	...	...	...
Hakodate, ...	,,	30.13	765.2	...	...	N W	6	...	,,	30.17	766.2	...	...	...
Tokio, ...	,,	30.26	768.6	...	...	S	4	...	,,	30.26	768.6	...	...	N W
Kochi, ...	,,	30.15	765.8	...	...	S	2	...	,,	30.15	765.8	...	...	S W
Nagasaki, ...	,,	30.15	765.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S E
Kagoshima, ...	,,	30.15	765.9	...	...	E	2	...	,,	30.12	764.9	...	...	E
Oshima, ...	,,	30.08	764.1	...	...	S E	2	...	,,	30.04	763.1	...	...	S
Naha, ...	,,	30.05	763.2	...	...	E	4	...	,,	30.01	762.2	...	...	...
Ishigakijima, ...	,,	30.01	762.3	...	...	S E	8	...	,,	29.97	761.3	...	...	N E
Bonin Is.	,,	30.04	763.1	...	...	S E	4	...	,,	30.04	763.1	...	...	E
Chefoo, ...	3 p.	30.12	765.0	72	54	E	2	c	6 a.	30.15	765.8	56	94	...
Weihaiwei, ...	,,	30.15	765.8	72	...	E	1	c	9 a.	30.22	767.6	71	...	E
Hankow, ...	,,	30.19	766.8	79	61	E N E	1	o	6 a.	30.22	767.6	72	81	N E
Kiukiang, ...	,,	...	...	83	49	N E	1	c	,,	30.05	763.3	71	76	N E
Shanghai, ...	,,	30.07	763.8	72	76	S E	2	o	9 a.	30.14	765.5	66	100	E
Gutzlaff, ...	,,	30.08	764.0	72	72	S E	3	ov	,,	30.12	765.0	67	...	E N E
Sharp Peak, ...	,,	29.99	761.7	78	90	N	1	c	,,	30.04	768.0	77	95	N
Amoy, ...	,,	29.90	759.4	83	67	N E	1	c	6 a.	29.98	761.5	77	86	N E
Swatow, ...	,,	29.89	759.2	80	78	E	2	o	,,	29.89	759.2	74	90	N E
Taihoku, ...	1 p.	29.94	760.4	...	...	E	4	...	5 a.	29.92	759.9	...	...	E
Taichu, ...	,,	29.90	759.4	...	...	...	4	...	,,	29.93	760.3	...	...	...
Tainan, ...	,,	29.93	760.1	...	...	W	6	...	,,	29.93	760.1	...	...	...
Koshun	,,	29.93	760.2	...	...	N E	8	...	,,	29.93	760.1	...	...	N E
Pescadores, ...	,,	29.95	760.8	...	...	N	6	...	,,	29.94	760.4	...	...	N
Canton, ...	3 p.	29.89	759.2	90	53	E	2	c	9 a.	29.97	761.2	82	75	E
Hongkong, ...	4 p.	29.89	759.2	79	75	E	4	o	10 a.	29.95	760.7	80	81	E
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Gap Rock, ...	,,	29.84	757.9	...	...	E N E	7	...	,,	29.91	759.7	...	...	E
Macao, ...	,,	29.91	759.7	80	...	E	2	o	,,	29.96	761.0	81	...	E S E
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	29.87	758.7	79	...	E N E	4	c	8 a.	29.93	760.2	79	...	NNW
Tourane, ...	,,	29.81	757.2	84	...	N W	3	c	,,	...	...	...	...	...
Cape St. James, .	,,	29.81	757.2	88	...	W	2	c	,,	29.91	759.8	79	...	N W
Aparri, ...	2 p.	29.85	758.2	88	...	N E	1	c	6 a.	...	...	...	...	...
Manila, ...	4 p.	29.80	757	84	77	W S W	2	c	10 a.	29.73	755	79	92	N W
Legaspi, ...	2 p.	29.78	756.4	88	...	E	1	o	6 a.	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Cebu, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Labuan, ...	,,	29.77	756.1	87	...	...	...	...	,,	...	...	...	...	...

On the 3rd at 11.55 a.—The barometer has risen slightly to moderately over N. China and E. Japan respe
It has fallen quickly in Manila.

A typhoon is approaching the Luzon coast to the Eastward of Manila. It is probably moving towards W

The low pressure trough apparently remains over the N. part of the China Sea, while high pressure
Japan.

Strong E. and N.E. winds will continue to prevail in the Formosa Channel and the N. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. and N.E. winds, strong; squally, fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 4th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	4TH OCTOBER, 1908, P.M.								5TH OCTOBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	30.08	763.9	69	...	N	1	b	7 a.	30.17	766.2	53	91	N	1	o
.....	,,	30.00	762.1	...	...	S	4	...	6 a.	30.16	766.1	...	...	...	0	...
.....	,,	30.09	764.2	...	...	N	6	...	,,	30.17	766.2	...	...	N	2	...
.....	,,	30.14	765.6	...	...	S E	2	...	,,	30.06	763.6	...	...	N W	4	...
.....	,,	30.11	764.8	...	...	...	0	...	,,	30.03	762.8	...	...	S W	4	...
.....	,,	30.07	762.8	...	...	N	2	...	,,	30.11	764.8	...	...	...	0	...
.....	,,	30.07	763.9	...	...	N E	2	...	,,	30.08	763.9	...	...	...	0	...
.....	,,	30.04	763.1	...	...	E	4	...	,,	30.04	763.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	N E	4	...	,,	30.01	762.2	...	...	...	0	...
a,....	,,	29.97	761.3	...	...	E	4	...	,,	29.93	760.3	...	...	E	6	...
.....	,,	29.96	761.1	...	...	N W	2	...	,,	29.93	760.1	...	...	S	2	...
.....	3 p.	30.13	765.3	69	100	...	0	f	6 a.	30.18	766.6	70	95	N E	2	b
.....	,,	30.18	766.6	71	...	N E	1	c	9 a.	30.11	764.8	67	...	N W	1	ovr
.....	,,	30.08	764.0	74	72	N E	4	c	6 a.	30.04	763.0	68	90	N	2	o
.....	,,	30.02	762.5	80	58	N E	2	o	,,	30.00	763.0	70	95	N E	2	o
.....	,,	30.08	764.0	66	90	E	3	op	9 a.	30.05	763.2	68	95	E	2	omd
.....	,,	30.06	763.5	68	79	E N E	5	om	,,	30.04	763.0	71	85	E	3	om
.....	,,	29.96	761.0	78	86	E N E	4	b	,,	29.98	761.5	79	95	N	1	c
.....	,,	29.89	759.2	84	75	N E	1	b	6 a.	29.88	758.9	79	78	...	0	b
.....	,,	29.78	756.6	84	75	N E	2	b	,,	29.82	757.4	75	90	N E	1	b
.....	1 p.	29.93	760.1	...	...	E	6	...	5 a.	29.88	759.0	...	...	E	6	...
.....	,,	29.87	758.7	...	...	N	6	...	,,	29.87	758.6	...	...	...	0	...
.....	,,	29.89	759.1	...	...	N	8	...	,,	29.86	758.5	...	...	...	0	...
.....	,,	29.90	759.4	...	...	N E	8	...	,,	29.86	758.4	...	...	E	8	...
.....	,,	29.90	759.4	...	...	...	8	...	,,	29.87	758.7	...	...	N	6	...
.....	3 p.	29.90	759.4	89	63	E	2	c	9 a.	29.92	759.9	84	83	N E	2	b
.....	4 p.	29.89	759.2	80	78	E	4	c	10 a.	29.88	758.9	82	67	E	4	b
eak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.85	758.2	...	...	E	6	...	,,	29.84	757.9	...	...	E N E	7	...
.....	,,	29.89	759.2	81	...	S E	2	c	,,	29.91	759.7	83	...	N E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.83	757.7	82	...	E S E	1	c	8 a.	29.88	759.0	79	...	E N E	4	c
.....	,,	29.79	756.7	84	...	N W	4	c	,,	29.84	757.9	81	...	...	0	or
mes,.	,,	29.78	756.4	88	...	W N W	2	c	,,	29.84	758.0	79	...	N W	2	o
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.45	748	79	90	W S W	8	q	10 a.	29.84	758	82	85	S E	3	o
.....	2 p.	29.71	754.6	77	...	S W	2	o	6 a.	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	..	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.1	83	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

the 4th at 6.30 p.—The typhoon has reached the Luzon coast to the N.E. of Manila. It seems to be moving ickly towards W. or W.N.W. and it will probably enter the China Sea to-night.
the 5th at 9.50 a.—Red South Cone and Drum hoisted (indicates a typhoon S.E. of Colony beyond 300 miles.)
11.55 a.—The barometer has risen rapidly in Manila, and fallen moderately over China and Formosa.
e typhoon is situated to the W. of Luzon, probably in about 17° Lat. and 117° Long.. It continues to move W.N.W.
ssure has given way over S. Japan. It remains high over the N. part of the Sea of Japan.
d weather may be expected over the N. part of the China Sea, and strong N.E. winds to gales in the Formosa l.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N.E. winds, probably increasing to a gale; fine at first, squally with rain later.
osa Channel, ...	N.E. winds, strong to a gale.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Monday, 5th October, 1908.

d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	5th OCTOBER. 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.18	766.5	64	...	S E	2	c	7 a.	30.03	762.7	51	90	S	
Nemuro,	,,	30.16	766.1	...	...	N E	6	...	6 a.	30.24	768.1	...	...	E	
Hakodate,	,,	30.17	766.2	...	...	E	4	...	,,	30.21	767.2	...	...	...	
Tokio,	,,	29.98	761.6	...	...	N W	4	...	,,	30.18	766.6	...	...	N W	
Kochi,	,,	29.99	761.8	...	...	N	4	...	,,	30.11	764.8	...	...	...	
Nagasaki,	,,	30.03	762.8	...	...	E	6	...	,,	30.03	762.8	...	...	E	
Kagoshima,	,,	30.04	762.9	...	...	...	0	...	,,	30.08	763.9	...	...	E	
Oshima,	,,	30.00	762.1	...	...	...	0	...	,,	30.04	763.1	...	...	S	
Naha,	,,	30.01	762.2	...	...	N E	2	...	,,	30.05	763.2	...	...	...	
Ishigakijima	,,	29.89	759.3	...	...	E	4	...	,,	29.97	761.3	...	...	S E	
Bonin Is.	,,	29.85	758.1	...	...	S W	6	...	,,	29.97	761.1	...	...	N E	
Chefoo,	3 p.	30.03	762.7	71	66	E N E	2	c	6 a.	29.97	761.2	66	90	N	
Weihaiwei,	,,	30.04	763.0	73	...	N N E	3	ovr	9 a.	29.98	761.5	65	...	N	
Hankow,	,,	29.97	761.2	98	...	N E	1	b	6 a.	30.03	762.7	68	85	N W	
Kiukiang,	,,	29.91	759.7	84	68	N E	2	b	,,	30.00	762.0	71	90	W	
Shanghai,	,,	29.96	761.0	72	90	E	1	om	9 a.	29.96	761.0	73	95	W	
Gutzlaff,	,,	29.97	761.2	74	90	S E	2	om	,,	29.95	760.7	77	86	S S W	
Sharp Peak,	,,	29.91	759.7	78	90	N	2	or	,,	29.98	761.5	82	...	...	
Amoy,	,,	29.84	757.9	85	76	N E	1	c	6 a.	29.92	759.9	81	87	N E	
Swatow,	,,	29.80	756.9	86	65	E	5	b	,,	29.87	758.7	78	86	N E	
Taiboku	1 p.	29.85	758.3	...	...	E	6	...	5 a.	29.95	760.8	...	...	...	
Taichu,	,,	29.84	758.0	...	...	W	2	...	,,	29.97	761.2	...	...	...	
Tainan,	,,	29.86	758.4	...	...	W	4	...	,,	29.96	760.9	...	...	N	
Koshun,	,,	29.86	758.5	...	...	...	6	...	,,	29.95	760.8	...	...	E	
Pescadores,	,,	29.83	757.7	...	...	N	6	...	,,	29.95	760.6	...	...	N	
Canton,	3 p.	29.79	756.6	93	58	N	1	c	9 a.	29.86	758.4	83	79	E	
Hongkong,	4 p.	29.77	756.1	86	62	E N E	4	c	10 a.	29.87	758.7	83	81	E	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Gap Rock,	,,	29.74	755.4	...	...	N E	7	...	,,	29.77	756.1	...	...	E	
Macao,	,,	29.79	756.6	85	...	...	0	c	,,	29.83	757.7	81	...	E	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.79	756.7	79	...	E S E	3	c	8 a.	29.82	757.3	79	...	N W	
Tourane,	,,	29.74	755.3	84	...	N W	4	c	,,	29.80	757.0	79	...	...	
Cape St. James,	,,	29.74	755.4	...	...	S S W	...	...	,,	29.88	758.9	79	...	S W	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Manila,	4 p.	29.80	757	86	71	S E	1	o	10 a.	29.96	761	82	85	W	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.91	759.8	75	...	...	
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.87	758.7	83	...	...	

On the 5th at 5.15 p.—Black South Cone and Drum hoisted (indicates a typhoon S.E. of Colony with miles. The typhoon is situated about 300 miles to the S.S.E. of Hongkong. It apparently continues to move W.N.W.

On the 6th at 6.00 a.—Black South Cone hoisted.

At 11.00 a.—Black South Cone and Black Ball hoisted.

At 11.50 a.—The barometer has risen moderately in Formosa and Luzon, and fallen slightly over Tongki Hongkong it is now rising slowly.

The typhoon, which is now to the S.W. of Hongkong in about 19° Lat., will probably move into the Tongking by way of Hainan Straits.

Pressure has given way moderately over N. China owing to the passage of a depression from the conti the Yellow Sea. High pressure again covers E. Japan.

Moderate N.E. winds may be expected in the Formosa Channel and strong cyclonic winds and gales o N. part of the China Sea,

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, gradually decreasing; squal showery at first, improving later.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	E. winds, strong to moderate.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG, *Director.*

Hongkong Observatory, Tuesday, 6th October, 1908.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	6TH OCTOBER, 1908, P.M.								7TH OCTOBER, 1908, A.M.							
W.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.20	767.1	...	...	E	2	...	6 a.	30.08	764.1	...	...	S	6	...
.....	,,	30.17	766.2	...	...	S	2	...	,,	29.89	759.2	...	...	S E	2	...
.....	,,	30.14	765.6	...	...	E	2	...	,,	30.02	762.6	...	...	...	0	...
.....	,,	30.07	763.8	...	...	S	2	...	,,	29.91	759.8	...	...	N E	2	...
.....	,,	29.95	760.8	...	...	S	6	...	,,	29.91	759.8	...	...	N W	2	...
a.	,,	30.04	762.9	...	...	S	4	...	,,	29.92	759.9	...	...	S	4	...
.....	,,	30.04	763.1	...	...	S	6	...	,,	30.01	762.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	E	4	...	,,	30.01	762.2	...	...	...	0	...
ma, ...	,,	29.97	761.3	...	...	S	4	...	,,	29.97	761.3	...	...	...	0	...
.....	,,	29.96	761.1	...	...	N E	2	...	,,	29.97	761.1	...	...	N E	2	...
.....	3 p.	30.08	764.0	69	70	N N W	2	b	6 a.	30.05	763.2	59	82	...	0	c
.....	,,	29.99	761.7	68	...	N	1	ovr	9 a.	30.11	764.8	69	...	N E	1	b
.....	,,	30.10	764.5	70	80	N W	2	o	6 a.	30.11	764.8	66	90	N	1	or
.....	,,	...	...	...	...	...	...	...	,,	30.10	764.5	67	95	N W	2	or
.....	,,	29.98	761.5	73	81	N N W	2	o	9 a.	30.11	764.8	69	90	N	1	om
.....	,,	29.96	761.0	75	87	N N W	2	om	,,	30.09	764.3	79	51	N N E	3	omd
k, ...	,,	29.92	759.9	82	...	E S E	2	b	,,	30.02	762.5	79	90	N	2	o
.....	,,	29.92	759.9	84	87	S E	1	b	6 a.	29.94	760.5	79	90	...	0	b
.....	,,	...	...	...	...	...	...	...	,,	29.96	761.0	78	61	N E	2	o
.....	1 p.	29.94	760.6	...	...	N	6	...	5 a.	30.01	762.2	...	...	...	0	...
.....	,,	29.95	760.7	...	...	N	4	...	,,	30.00	762.0	...	...	E	2	...
.....	,,	29.96	761.0	...	...	W	4	...	,,	29.99	761.6	...	...	E	2	...
.....	,,	29.96	761.1	...	...	E	4	...	,,	29.99	761.6	...	...	...	0	...
s, ...	,,	29.97	761.2	...	...	S	4	...	,,	29.99	761.6	...	...	...	0	...
.....	3 p.	29.83	757.7	85	76	E S E	3	o	9 a.	...	...	...	...	..	...	...
g.	4 p.	29.86	758.4	80	87	E S E	6	optq	10 a.	30.02	762.5	83	79	E S E	2	o
Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.78	756.4	...	...	S E	9	...	,,	29.98	761.5	...	...	S E	5	...
.....	,,	29.82	757.2	81	...	S E	6	oq	,,	30.00	762.0	82	...	S S E	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.65	753.1	88	...	N W	6	c	8 a.	29.66	753.3	75	...	S W	7	or
.....	,,	29.71	754.6	84	...	N W	3	o	,,	29.86	758.3	84	...	...	0	c
James,.	,,	29.78	756.4	82	...	S W	4	c	,,	29.91	759.7	81	...	W S W	2	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.88	759	82	77	N E	1	c	10 a.	29.92	760	84	77	N N W	1	b
.....	2 p.	29.86	758.4	88	...	S E	1	b	6 a.	29.87	758.7	79	...	N E	0	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.84	757.9	87	...	...	...	...	,,	29.86	758.4	82	...	...	...	...

the 6th at 4.00 p.—Signals lowered.

the 7th at 11.55 a.—The typhoon having crossed the N. part of the Gulf of Tongking, is now passing to the f Haiphong.

e barometer has risen over China, particularly in the North and in the neighbourhood of Hongkong. It has onsiderably in Japan, the depression lying over the Yellow Sea yesterday, having moved into the Sea of Japan. essure is highest over China to the North of the Yangtze. It is inclined to give way again over the Philippines. derate N.E. winds may be expected in the Formosa Channel, and fresh to moderate S.E. to N.E. winds over part of the China Sea,

ongkong Rainfall for th e 24 hours ending at 10 a.m. to-day, 0.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S.E. to E. winds, moderate; fair.
osa Channel, ...	N.E. winds, moderate.
h coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan,...	S.E. winds, strong to moderate.

F. G. FIGG,
Director.

ongkong Observatory, Wednesday, 7th October, 1908.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	7th OCTOBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	8th OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	F
Wladivostock,...	2 p.	29.85	758.1	56	...	E	2	c	7 a.	29.80	756.8	43	81	N W	
Nemuro, ...	,,	29.89	759.1	...	...	S E	8	...	6 a.	29.53	750.1	...	...	W	
Hakodate, ...	,,	29.73	755.2	...	...	N E	2	...	,,	29.65	753.2	...	...	N E	
Tokio, ...	,,	29.87	758.6	...	...	S	2	...	,,	29.67	753.6	...	...	S W	
Kochi, ...	,,	29.80	756.8	...	...	...	0	...	,,	29.88	758.8	...	...	S W	
Nagasaki, ...	,,	29.87	758.8	...	...	W	2	...	,,	29.99	761.8	...	...	N W	
Kagoshima, ...	,,	29.88	758.9	...	...	W	4	...	,,	29.96	760.9	...	...	N W	
Oshima, ...	,,	29.93	760.1	...	...	N	2	...	,,	29.97	761.1	...	...	N	
Naha, ...	,,	29.97	761.2	...	...	...	0	...	,,	29.97	761.2	...	...	...	
Ishigakijima, ...	,,	29.93	760.3	...	...	N W	6	...	,,	29.93	760.3	...	...	...	
Bonin Is.	,,	29.96	761.1	...	...	E	2	...	,,	29.93	760.1	...	...	...	
Chefoo, ...	3 p.	30.11	764.8	64	65	...	0	o	6 a.	30.21	767.3	57	63	N	
Weihaiwei, ...	,,	30.11	764.8	65	...	N W	2	o	9 a.	30.23	767.8	60	...	N	
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.21	767.3	65	95	N	
Kiukiang, ...	,,	30.18	766.6	70	85	N E	3	o	,,	30.18	766.6	64	95	N W	
Shanghai, ...	,,	30.07	763.8	66	95	N N E	2	omr	9 a.	30.20	767.1	68	74	W N W	
Gutzlaff, ...	,,	30.04	763.0	71	85	N	2	ov	,,	30.15	765.8	69	89	N N W	
Sharp Peak, ...	,,	29.99	761.7	80	87	E N E	4	o	,,	30.05	763.2	77	82	N N E	
Amoy	,,	29.88	758.9	85	83	S E	1	b	6 a.	29.94	760.5	82	83	N E	
Swatow, ...	,,	29.93	760.2	89	69	E	1	b	,,	29.94	760.5	79	96	N E	
Taihoku, ...	1 p.	29.98	761.5	...	...	E	6	...	5 a.	29.99	761.8	...	...	E	
Taichu, ...	,,	29.96	761.1	...	...	N W	4	...	,,	29.93	760.2	...	...	N	
Tainan, ...	,,	29.97	761.2	...	...	N W	6	...	,,	...	...	...	...	...	
Koshun	,,	29.97	761.2	...	...	N	2	...	,,	29.92	759.9	...	...	N	
Pescadores, ...	,,	29.99	761.8	...	...	N	2	...	,,	29.94	760.5	...	...	N	
Canton, ...	3 p.	29.94	760.5	88	66	S E	2	b	9 a.	30.03	762.7	85	76	N	
Hongkong, ...	4 p.	29.96	761.0	81	84	E	3	c	10 a.	30.02	762.5	83	75	E	
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Gap Rock, ...	,,	29.93	760.2	...	...	S E	4	...	,,	30.00	762.0	...	...	N	
Macao, ...	,,	29.96	761.0	81	...	S E	2	c	,,	30.03	762.7	85	...	E	
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien, ...	4 p.	29.76	755.9	75	...	S S W	3	or	8 a.	29.91	759.7	81	...	S S E	
Tourane, ...	,,	29.80	756.8	84	...	S E	2	o	,,	29.93	760.2	79	...	...	
Cape St. James, .	,,	29.87	758.6	77	...	S W	5	or	,,	29.93	760.2	81	...	W	
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Manila, ...	4 p.	29.80	757	86	78	S W	1	c	10 a.	29.80	757	82	85	N W	
Legaspi, ...	2 p.	29.79	756.6	91	...	N E	1	b	6 a.	29.75	755.5	77	...	W	
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	29.81	757.2	84	...	S W	
Cebu, ...	,,	...	...	...	...	...	...	...	,,	29.84	757.9	86	...	S	
Labuan, ...	,,	29.83	757.7	86	...	...	...	...	,,	...	...	...	...	...	

On the 8th at 11.55 a.—The barometer has fallen moderately over the Philippines and Formosa, another having appeared to the Eastward of Luzon.

Pressure has given way very quickly in E. Japan, the depression lying over the N. part of the Sea of yesterday, having reached N.E. Hokkaido.

High pressure covers N. China, where the barometer is still rising.

N.E. and N. winds probably increasing to a gale may be expected in the Formosa Channel and the N.E. the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate to fresh; fair.
2.—Formosa Channel, ...	N.E. winds, probably increasing to a gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 8th October, 1908.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	8TH OCTOBER, 1908, P.M.								9TH OCTOBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	...	...	53	..	N	1	c	7 a.	29.70	754.4	43	43	N W	2	b
.....	,,	29.41	747.1	...	...	N E	8	...	6 a.	29.49	749.1	...	...	S W	4	...
.....	,,	29.65	753.2	...	...	W	8	...	,,	29.58	751.2	...	...	...	0	...
.....	,,	29.71	754.6	...	...	...	0	...	,,	29.79	756.6	...	...	N W	2	...
.....	,,	29.80	756.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2	...
.....	,,	29.95	760.8	...	...	N W	6	...	,,	30.03	762.8	...	...	N W	2	...
.....	,,	29.92	759.9	...	...	N W	6	...	,,	30.00	761.9	...	...	N	4	...
.....	,,	29.96	761.1	...	...	N	6	...	,,	30.01	762.1	...	...	N	6	...
.....	,,	30.01	762.2	...	...	N	4	...	,,	30.05	763.2	...	...	...	0	...
na,....	,,	29.97	761.3	...	...	N E	6	...	,,	29.97	761.3	...	...	E	4	...
.....	,,	29.89	759.1	...	...	S W	2	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.10	764.5	64	48	N W	4	b	6 a.	30.11	764.8	59	54	W	1	b
.....	,,	30.11	764.8	64	...	N W	3	b	9 a.	30.12	765.0	63	...	W N W	2	o
.....	,,	30.23	767.8	71	76	N	1	o	6 a.	30.14	765.5	63	95	N	3	o
.....	,,	30.16	766.0	70	75	N E	5	o	,,	30.14	765.5	65	92	N	4	o
.....	,,	30.12	765.0	70	70	N	1	o	9 a.	30.19	766.8	68	51	N E	1	o
.....	,,	30.09	764.2	74	72	N N E	1	ov	,,	30.15	765.8	67	64	N N E	2	ov
k,.....	,,	30.01	762.2	75	81	N	6	o	,,	30.08	764.0	72	86	N	4	or
.....	,,	29.91	759.7	87	76	N E	1	b	6 a.	29.94	760.5	79	78	N E	2	c
.....	,,	29.91	759.7	83	79	E	2	b	,,	29.90	759.4	76	77	E	5	o
.....	1 p.	29.99	761.8	...	...	E	8	...	5 a.	29.99	761.8	...	...	E	6	...
.....	,,	29.87	758.6	...	...	S	2	...	,,	29.88	758.8	...	...	...	0	...
.....	,,	29.89	759.2	...	...	W	4	...	,,	29.86	758.4	...	...	N	4	...
.....	,,	29.89	759.3	...	...	E	2	...	,,	29.86	758.4	...	...	N E	10	...
.....	,,	29.92	759.9	...	...	N	8	...	,,	29.89	759.1	...	...	N	10	...
.....	3 p.	29.93	760.2	91	63	S W	2	c	9 a.	30.01	762.2	82	75	N	2	c
.....	4 p.	29.93	760.2	83	75	E	1	c	10 a.	29.96	761.6	81	84	E	2	o
eak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.92	759.9	...	...	E N E	2	...	,,	29.95	760.7	...	...	E	4	...
.....	,,	29.96	761.0	83	...	S E	1	c	,,	29.99	761.7	85	...	N	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.86	758.5	82	...	S E	7	c	8 a.	29.95	760.8	81	...	S S E	2	c
.....	,,	29.87	758.7	84	...	N E	1	c	,,	29.95	760.6	82	...	...	0	c
ames,.	,,	29.82	757.4	84	...	S S W	2	c	,,	29.92	760.0	79	...	...	0	o
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.65	753	84	77	S W	2	u	10 a.	29.73	755	84	77	S	3	o
.....	2 p.	29.63	752.7	86	...	W	1	o	6 a.	29.79	756.6	77	...	S W	1	c
.....	3 p.	...	...	...	...	S S W	2	o	9 a.	...	...	...	...	S W	3	o
.....	,,	29.75	755.6	87	...	S W	3	c	,,	29.87	758.7	85	...	S W	1	c
.....	,,	29.73	755.1	88	...	S	3	c	,,	29.86	758.4	85	...	S	3	c
.....	,,	29.82	757.4	82	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

the 9th at 11.30 a.—Red South Cone and Drum hoisted (indicates a typhoon S.E. of Colony beyond 300 miles.)
1.55 a.—The barometer has fallen slightly over Formosa and the S. coast of China, and risen a little in the
pines.
typhoon has crossed Central Luzon and is now situated not far from the W. coast in about 16° to 17° Lat.
ving towards W.N.W. and bad weather will prevail over the N. part of the China Sea during the next two
days.
e depression in the North is still shown over the N.E. part of the Sea of Japan.
ssure is highest over China to the North of the Yangtze. It has however given way over that area since
y.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N.E. winds, probably freshening considerably; squally,
osa Channel, ...	N.E. winds, strong to a gale. [showery.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Friday, 9th October, 1908.

d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	9th OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	28.98	736.1	...	...	S W	8	...	6 a.	29.45	748.1	...	...	S W
Hakodate, ...	,,	29.64	750.2	...	...	W	6	...	,,	29.65	753.2	...	...	S W
Tokio, ...	,,	29.71	754.6	...	...	S	2	...	,,	29.91	759.6	...	...	N W
Kochi, ...	,,	29.87	758.8	...	...	S W	2	...	,,	29.99	761.8	...	...	S W
Nagasaki.	,,	29.99	761.8	...	...	N	6	...	,,	30.03	762.8	...	...	N
Kagoshima, ...	,,	29.96	760.9	...	...	N	8	...	,,	30.00	761.9	...	...	N W
Oshima,.....	,,	30.00	762.1	...	...	N W	6	...	,,	30.01	762.1	...	...	S
Naha,.....	,,	30.01	762.2	...	...	N	4	...	,,	30.01	762.2	...	...	...
Ishigakijima.....	,,	29.93	760.3	...	...	E	6	...	,,	29.93	760.3	...	...	E
Bonin Is,.....	,,	29.89	759.1	...	...	S W	2	...	,,	29.93	760.1	...	...	...
Chefoo,.....	3 p.	30.07	763.8	67	64	N W	2	c	6 a.	30.06	763.5	55	90	...
Weihaiwei,.....	,,	30.08	764.0	67	...	N W	2	o	9 a.	30.14	765.5	63	...	W
Hankow, ...	,,	30.12	765.0	66	90	N E	2	or	6 a.	30.19	766.8	60	95	N E
Kiukiang,.....	,,	30.08	764.0	68	74	N E	5	o	,,	30.10	764.5	60	100	N E
Shanghai, ...	,,	30.09	764.2	...	...	N E	...	...	9 a.	30.14	765.5	59	100	N E
Gutzlaff, ...	,,	30.07	763.8	69	61	N E	1	ov	,,	30.07	763.8	65	90	N E
Sharp Peak,.....	,,	29.96	761.0	76	86	N	5	c	,,	30.01	762.2	71	85	N
Amoy.....	,,	29.86	758.4	84	79	N E	2	c	6 a.	29.92	759.9	79	74	N E
Swatow,.....	,,	29.81	757.2	84	66	E	1	b		29.85	758.2	75	81	N E
Taihoku,.....	1 p.	29.93	760.3	...	...	E	8	...	5 a.	...	...	...	...	...
Taichu, ...	,,	29.81	757.1	...	...	S	2	...	,,	...	...	...	...	...
Tainan,.....	,,	29.83	757.8	...	...	W	2	...	,,	...	...	...	...	...
Koshun.....	,,	29.86	758.1	...	...	N E	10	...	,,	...	...	...	...	...
Pescadores, ...	,,	29.85	758.3	...	...	N	10	...	,,	...	...	...	...	...
Canton,.....	3 p.	29.87	758.7	90	60	N N E	3	c	9 a.	...	...	...	...	...
Hongkong, ...	4 p.	29.83	757.7	89	81	E	1	o	10 a.	29.80	756.9	82	65	N E
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Gap Rock,.....	,,	29.82	757.4	...	...	E	4	...	,,	29.76	755.9	...	...	E N E
Macao.....	,,	29.86	758.4	85	...	N E	2	c	,,	29.84	757.9	79	...	N
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,.....	4 p.	29.83	757.7	84	...	S S E	5	c	8 a.	29.87	758.7	82	...	N E
Tourane, ...	,,	29.82	757.4	84	...	S E	2	c	,,	29.87	758.7	79	...	...
Cape St. James,.	,,	29.81	757.2	88	...	S W	1	c	,,	29.89	759.2	81	...	W
Aparri,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Manila.	4 p.	29.69	754	84	77	S E	1	o	10 a.	...	...	...	...	...
Legaspi,.....	2 p.	...	...	...	...	...	...	...	6 a.	29.88	758.9	75	...	...
Bacolod,.....	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S S W
Iloilo,.....	,,	29.79	756.6	85	...	S W	1	o	,,	29.91	759.7	83	...	S W
Cebu,.....	,,	29.78	756.4	87	...	S	2	b	,,	29.92	759.9	86	...	S
Labuan, ...	,,	29.81	757.2	83	...	...	...	...	,,	29.85	758.2	81	...	...

On the 9th at 10.05 p.—No. 2 night signal hoisted.

On the 10th at 5.45 a.—Black South Cone and Drum hoisted (indicates a typhoon S.E. of Colony within 300

On the 10th at 11.35 a.—The barometer has fallen quickly in the neighbourhood of Hongkong, a considerably in Luzon.

The typhoon is probably situated to the S.S.E. of Hongkong in about 19° Lat. It continues to move W.N.W.

The northern depression is moving into the Pacific to the North of Hokkaido.

Pressure is highest over China to the North of the Yangtze.

Cyclonic gales may be expected over the N. part of the China Sea, and strong N.E. winds in the Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. to S.E. winds, strong gale; squally wit
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	E. gale.
4.—South coast of China between Hongkong and Hainan,...	N. gale.

F. G. FIGG
Director.

Hongkong Observatory, Saturday, 10th October, 1908.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	10TH OCTOBER. 1908, P.M.								11TH OCTOBER. 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	29.77	756.2	59	...	N	2	b	7 a.	29.95	760.7	54	82	N E	1	b
.....	,,	29.53	750.1	...	...	W	4	...	6 a.	29.89	759.1	...	...	W	4	...
.....	,,	29.73	755.2	...	...	N W	8	...	,,	29.97	761.2	...	...	N	3	...
.....	,,	29.87	758.6	...	...	S	2	...	,,	29.99	761.6	...	...	N W	3	...
.....	,,	29.95	760.8	...	...	S	2	...	,,	30.03	762.8	...	...	S W	2	...
.....	,,	29.99	761.8	...	...	W	6	...	,,	30.07	763.8	...	...	...	0	...
.....	,,	30.00	761.9	...	...	W	2	...	,,	30.04	762.9	...	...	N W	2	...
.....	,,	30.00	762.1	...	...	N	6	...	,,	30.04	763.1	...	...	N	3	...
.....	,,	30.01	762.2	...	...	N	4	...	,,	30.05	763.2	...	...	N E	4	...
na,...	,,	29.98	760.3	...	...	E	6	...	,,	29.93	760.3	...	...	E	6	...
.....	,,	29.93	760.1	...	...	S	2	...	,,	29.97	761.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	30.13	765.3	58	81	...	0	b
.....	,,	30.09	764.3	67	...	W	1	o	9 a.	30.22	767.6	63	...	W N W	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	30.24	768.1	56	94	N	2	or
.....	,,	30.07	763.8	60	94	N E	5	or	,,	30.20	767.1	59	88	N E	3	o
.....	,,	30.06	763.5	62	89	E N E	1	omd	9 a.	30.22	767.6	59	95	E N E	2	omr
.....	,,	30.03	762.7	64	84	E S E	2	...	,,	30.14	765.5	65	68	N E	5	ov
.....	,,	29.96	761.0	73	90	N	3	o	,,	30.04	763.0	74	90	N	2	c
.....	,,	29.87	758.7	84	68	N E	3	c	6 a.	29.95	760.7	78	74	N E	1	o
.....	,,	29.82	757.4	75	90	E	1	o	,,	29.86	758.4	75	86	N E	4	o
.....	1 p.	29.88	758.9	...	...	E	6	...	5 a.	29.92	759.9	...	...	S W	2	...
.....	,,	29.87	758.6	...	...	N W	2	...	,,	29.92	760.0	...	...	N	2	...
.....	,,	29.87	758.7	...	...	W	6	...	,,	29.92	759.9	...	...	N	2	...
.....	,,	29.89	759.1	...	...	E	6	...	,,	29.91	759.6	...	...	N E	2	...
.....	,,	29.90	759.5	...	...	N	6	...	,,	29.90	759.5	...	...	N	8	...
.....	3 p.	29.78	756.4	87	62	N	4	c	9 a.	29.80	756.9	75	95	E	3	o
.....	4 p.	29.70	754.4	80	76	E N E	6	oq	10 a.	29.86	758.4	81	...	E	7	oq
eak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.61	752.1	...	...	E N E	11	...	,,	29.77	756.1	...	...	E S E	9	...
.....	,,	29.72	754.9	81	...	N E	4	oq	,,	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.77	756.2	82	...	S S E	3	c	8 a.	29.82	757.4	81	...	N	3	c
.....	,,	29.76	756.0	84	...	N W	3	c	,,	29.76	755.9	81	...	...	0	c
ames,.	,,	29.83	757.6	82	...	S W	4	lt	,,	29.90	759.5	81	...	W	2	o
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	758	82	77	S W	2	o	10 a.	29.92	760	84	77	W	1	c
.....	2 p.	29.82	757.3	91	...	W	1	b	6 a.	29.85	758.2	73	...	...	0	b
.....	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.85	758.2	84	...	S W	1	c	,,	29.91	759.7	82	...	S W	1	c
.....	,,	29.83	757.7	88	...	S	4	c	,,	29.87	758.7	87	...	S	3	b
.....	,,	29.84	757.9	83	...	...	...	...	,,	...	...	...	...	...	...	...

the 10th at 1.30 p.—Black South Cone hoisted (indicates a typhoon South of Colony within 300 miles.)
the 11th at 5.30 a.—Black South Cone and Ball hoisted, (indicates a typhoon South west of Colony within ...s.)
the 12th at 12.05 p.—The barometer is rising in Hongkong, and falling in Tongking.
e typhoon is probably approaching the coast in the neighbourhood of Hainan Straits.
essure has a tendency to give way again over the S. Philippines. It has increased slightly to considerably China and N.E. Japan respectively, and is highest over the former area.
clonic gales will continue to prevail over the N.W. part of the China Sea until to-morrow. Strong N.E. winds expected in the Formosa Channel.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	S.E. and E. winds, gradually decreasing; squally and showery at first, improving later.
osa Channel, ...	N.E. winds, strong.
h coast of China between Hongkong and Lamocks,..	E. to N.E., strong to moderate.
h coast of China between Hongkong and Hainan,...	S.E. gale.

F. G. FIGG,
Director.

ongkong Observatory, Sunday, 11th October, 1908.

d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	11th OCTOBER. 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th OCTOBER. 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.91	759.8	62	...	N	1	b	7 a.	30.13	765.3	45	71	N	
Nemuro,	,,	29.93	760.1	...	...	S E	4	...	6 a.	30.04	763.1	...	...	S E	
Hakodate,	,,	29.93	760.2	...	...	N W	2	...	,,	30.05	763.2	...	...	N W	
Tokio,	,,	29.94	760.6	...	...	N W	2	...	,,	30.02	762.6	...	...	N W	
Kochi,	,,	29.99	761.8	...	...	S E	2	...	,,	30.15	765.8	...	...	W	
Nagasaki,	,,	30.03	762.8	...	...	N W	6	...	,,	30.19	766.8	...	...	N E	
Kagoshima,	,,	30.04	762.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N E	
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.1	...	...	N	
Naha,	,,	30.01	762.2	...	...	N E	6	...	,,	30.05	763.2	...	...	E	
Ishigakijima,	,,	29.97	761.3	...	...	E	6	...	,,	30.01	762.3	...	...	E	
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	
Chefoo,	3 p.	30.21	767.3	68	65	N W	2	b	6 a.	30.30	769.6	52	66	N W	
Weihaiwei,	,,	30.20	767.1	69	...	W	1	b	9 a.	30.36	771.7	64	...	W N W	
Hankow,	,,	30.28	769.1	63	83	N	1	o	6 a.	30.32	770.1	58	94	N W	
Kiukiang,	,,	...	...	63	89	N E	4	o	,,	30.29	769.3	61	87	N E	
Shanghai,	,,	30.21	767.3	63	83	N E	1	omd	9 a.	30.32	770.1	71	57	N E	
Gutzlaff,	,,	30.16	766.0	66	73	N E	3	ov	,,	30.25	768.3	69	56	N E	
Sharp Peak,	,,	30.01	762.2	75	90	N	4	o	,,	30.14	765.5	70	80	N	
Amoy,	,,	29.94	760.5	81	74	E N E	3	b	6 a.	29.98	761.5	79	82	N E	
Swatow,	,,	29.92	759.9	80	78	N E	4	c	,,	29.92	759.9	73	95	N E	
Taihoku,	1 p.	29.91	759.8	...	...	E	4	...	5 a.	30.02	762.5	...	...	E	
Taichu,	,,	29.90	759.4	...	...	N	6	...	,,	29.93	760.1	...	...	N	
Tainan,	,,	29.91	759.6	...	...	N W	6	...	,,	29.91	759.7	...	...	...	
Koshun,	,,	29.88	759.0	...	...	N W	2	...	,,	29.93	760.2	...	...	N E	
Pescadores,	,,	29.95	760.7	...	...	N	8	...	,,	29.93	760.2	...	...	N	
Canton,	3 p.	29.75	755.6	81	78	E	4	c	9 a.	29.99	761.7	73	90	N E	
Hongkong,	4 p.	29.83	757.7	80	85	E	6	opq	10 a.	29.98	761.5	78	78	E	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Gap Rock,	,,	29.75	755.6	...	...	E S E	8	...	,,	29.91	759.7	...	...	E	
Macao,	,,	29.76	755.9	79	...	S S E	6	oq	,,	29.96	761.0	78	...	E S E	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.72	755.0	86	...	N	4	o	8 a.	29.91	759.6	72	...	N N W	
Tourane,	,,	29.76	755.9	84	...	N W	2	o	,,	29.88	759.0	79	...	N W	
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	81	...	S W	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Manila,	4 p.	29.80	757	84	77	S W	2	c	10 a.	29.80	757	82	77	N W	
Legaspi,	2 p.	29.79	756.7	88	...	...	0	b	6 a.	29.76	755.5	79	...	W	
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S S W	
Iloilo,	,,	29.83	757.7	85	...	S W	1	o	,,	29.87	758.7	83	...	S W	
Cebu,	,,	29.80	756.9	87	...	S	1	c	,,	29.85	758.2	84	...	S	
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.85	758.2	81	...	...	

On the 11th at 2.30 p.—Signals lowered.

On the 12th at 11.55 a.—The barometer has risen considerably to moderately in the neighbourhood of Ho and over Tongking respectively.

The typhoon, which appears to have reached the coast to the North of Hainan, has probably made no progress. It appears to be slowly filling up in that locality.

Pressure has given way considerably in Luzon owing to the approach of another typhoon from the Eastw

High pressure covers China to the North of the Yangtze.

N.E. monsoon, strong to a gale may be expected in the Formosa Channel, and unsettled weather with st and N.E. winds to gales along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, moderate gale; squally,
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. to N.E. gale.

F. G. FIGG
Director.

Hongkong Observatory, Monday, 12th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	12TH OCTOBER. 1908, P.M.								13TH OCTOBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	30.10	764.5	63	...	N E	1	b	7 a.	30.19	766.8	43	79	...	0	b
.....	,,	29.96	761.1	...	...	N	6	...	6 a.	30.16	766.1	...	...	N	6	...
.....	,,	30.09	764.2	...	...	N	6	...	,,	30.25	768.2	...	...	N	3	...
.....	,,	30.06	763.6	...	...	N E	2	...	,,	30.26	768.6	...	...	N	2	...
.....	,,	30.15	765.8	...	...	N	2	...	,,	30.27	768.8	...	...	S W	4	...
.....	,,	30.19	766.8	...	...	N	6	...	,,	30.27	768.8	...	...	E	2	...
a, ...	,,	30.15	765.9	...	...	E	2	...	,,	30.23	767.9	...	...	N E	6	...
.....	,,	30.08	764.1	...	...	N E	4	...	,,	30.08	764.1	...	...	N	4	...
.....	,,	30.05	763.2	...	...	N	6	...	,,	30.01	762.2	...	...	N E	6	...
ma, ...	,,	29.97	761.3	...	...	E	8	...	,,	29.86	758.3	...	...	E	6	...
.....	,,	29.96	761.1	...	...	S	2	...	,,	30.01	762.1	...	...	N	2	...
.....	3 p.	30.32	770.1	66	64	N E	2	b	6 a.	30.27	768.8	53	93	S	1	b
i.....	,,	30.30	769.6	69	...	N	1	b	9 a.	30.32	770.1	63	...	E N E	1	ovr
.....	,,	30.26	768.6	69	75	N	1	o	6 a.	30.22	767.6	65	89	N W	1	or
.....	,,	30.22	767.6	72	71	N E	3	o	,,	30.17	766.3	63	76	N E	3	c
.....	,,	30.25	768.3	70	57	N E	3	c	9 a.	30.22	767.6	71	57	E	2	c
.....	,,	30.20	767.1	69	56	N E	3	cv	,,	30.18	766.6	70	61	E	3	cm
k, ...	,,	30.05	763.2	72	76	N	6	o	,,	30.02	762.5	73	76	N N E	6	c
.....	,,	29.95	760.7	80	78	N E	2	●	6 a.	29.89	759.2	75	68	N E	4	c
.....	,,	29.89	759.2	81	67	E	3	b	,,	29.91	759.7	74	81	N E	1	c
.....	1 p.	30.05	763.2	...	...	E	8	...	5 a.	29.96	761.0	...	...	E	4	...
.....	,,	29.87	758.7	...	...	N	4	...	,,	29.78	756.4	...	...	N E	2	...
.....	,,	29.87	758.7	...	...	N W	4	...	,,	29.77	756.1	...	...	N	4	...
.....	,,	29.89	759.2	...	...	N E	8	...	,,	29.77	756.1	...	...	E	8	...
s, ...	,,	29.91	759.8	...	...	N	10	...	,,	29.78	756.3	...	...	N	10	...
.....	3 p.	29.93	760.2	80	74	N	3	o	9 a.	29.95	760.7	77	73	N	4	b
.....	4 p.	29.92	759.9	78	72	E	5	cq	10 a.	29.90	759.4	79	66	N	1	c
eak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.88	758.9	...	...	E	7	...	,,	29.88	758.9	...	...	E N E	5	...
.....	,,	29.94	760.5	79	...	S E	4	c	,,	29.92	759.9	80	...	N	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.89	759.2	72	...	N	3	o	8 a.	29.95	760.6	73	...	N N W	2	c
.....	,,	29.81	757.2	82	...	N W	4	o	,,	29.89	759.2	81	...	N W	1	c
ames,.	,,	29.78	756.4	84	...	W N W	3	c	,,	29.86	758.4	79	...	S W	3	or
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.69	754	86	71	W N W	1	o	10 a.	29.57	751	82	77	W	3	...
.....	2 p.	29.66	753.3	88	...	W	1	o	6 a.	29.62	752.2	79	...	S W	1	o
.....	3 p.	...	...	...	...	W	3	o	9 a.	...	...	...	...	S W	4	o
.....	,,	29.77	756.1	86	...	S S W	3	c	,,	29.82	757.4	84	...	S W	3	or
.....	,,	29.73	755.1	88	...	S	4	o	,,	29.80	756.9	84	...	S	4	c
.....	,,	...	...	...	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

the 13th at 11.50 a.—The typhoon is approaching the E. coast of Luzon in about 16° Lat. It appears to be towards W.N.W., and it will probably enter the China Sea to-night.

ssure has given way rapidly in Manila, and a moderate decrease has taken place also on the China coast and osa. It has increased considerably over Japan.

e area of high pressure now lies over N. China and the Sea of Japan.

d weather is expected to prevail over the N. part of the China Sea during the next two or three days, and N.E. gales are indicated in the Formosa Channel.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N. to N.E. winds, freshening; fine.
osa Channel, ...	N.E. gales.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	N. winds, fresh.

F. G. FIGG,
Director.

ongkong Observatory, Tuesday, 13th October, 1908.

d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	13th OCTOBER. 1908, P.M.								14th OCTOBER, 1908, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Vladivostock,...	2 p.	30.20	767.2	51	...	W	1	b	7 a.	30.18	766.6	...	96	...
Nemuro, ...	,,	30.16	766.1	...	...	N W	4	...	6 a.	30.28	769.1	...	...	S W
Hakodate, ...	,,	30.24	768.2	...	...	W	4	...	,,	30.36	771.2	...	...	N W
Tokio, ...	,,	30.22	767.6	...	...	S	4	...	,,	30.34	770.6	...	...	N W
Kochi, ...	,,	30.19	766.8	...	...	N	6	...	,,	30.27	768.8	...	...	S W
Nagasaki, ...	,,	30.19	766.8	...	...	E	6	...	,,	30.23	767.8	...	...	E
Kagoshima, ...	,,	30.15	765.9	...	...	N E	6	...	,,	30.19	766.9	...	...	N E
Oshima, ...	,,	30.16	766.1	...	...	N E	4	...	,,	30.08	764.1	...	...	S
Naha.....	,,	30.01	762.2	...	...	E	6	...	,,	30.01	762.2	...	...	N E
Ishigakijima, ...	,,	29.85	758.3	...	...	E	10	...	,,	29.86	758.3	...	...	S E
Bonin Is.....	,,	29.96	761.1	...	...	N E	4	...	,,	30.01	762.1	...	...	N E
Chefoo, ...	3 p.	30.24	768.1	69	65	N E	2	c	6 a.	30.17	766.3	61	77	S E
Weihaiwei, ...	,,	30.24	768.1	67	...	E	1	o	9 a.	30.20	767.1	63	...	S E
Hankow, ...	,,	30.17	766.3	63	90	N E	1	or	6 a.	30.16	766.0	62	89	N W
Kiukiang, ...	,,	30.12	765.0	72	62	N E	2	o	,,	30.11	764.8	62	94	W
Shanghai, ...	,,	30.12	765.0	72	62	E	3	c	9 a.	30.05	763.2	65	100	N E
Gutzlaff, ...	,,	30.09	764.3	71	66	E	3	ov	,,	30.06	762.9	66	89	N N E
Sharp Peak, ...	,,	29.90	759.4	74	76	N	6	o	,,	29.75	755.6	76	77	N N E
Amoy.....	,,	29.77	756.1	81	83	N E	4	c	6 a.	29.61	752.1	81	78	N E
Swatow, ...	,,	29.73	755.1	84	96	E	2	c	,,	29.62	752.3	76	90	N
Taihoku.....	1 p.	29.85	758.1	...	...	E	8	...	5 a.	29.70	754.3	...	...	E
Taichu, ...	,,	29.69	754.2	...	...	N	2	...	,,	29.58	751.3	...	...	S W
Tainan, ...	,,	29.68	753.8	...	...	N E	4	...	,,	29.58	751.2	...	...	S W
Koshun.....	,,	29.62	752.4	...	...	N E	10	...	,,	29.58	751.4	...	...	E
Pescadores, ...	,,	29.72	755.0	...	...	N E	10	...	,,	29.58	751.3	...	...	N
Canton.....	3 p.	29.82	757.4	86	58	N N W	3	b	9 a.	29.80	756.9	74	76	N W
Hongkong, ...	4 p.	29.77	756.1	82	59	N	1	c	10 a.	29.67	753.6	78	63	N W
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Gap Rock,.....	,,	29.77	756.1	...	...	N N W	4	...	,,	29.65	753.1	...	...	N N W
Macao, ...	,,	29.81	757.2	80	...	N N W	2	c	,,	29.69	754.1	75	...	N N W
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien, ...	4 p.	29.85	758.1	75	...	N	4	o	8 a.	...	...	...	...	...
Tourane, ...	,,	29.78	756.5	81	...	N W	4	o	,,	...	...	...	...	...
Cape St. James,.	,,	29.76	755.9	77	...	S S W	2	or	,,	...	...	...	...	...
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Manila, ...	4 p.	29.57	751	81	85	S W	6	o	10 a.	29.84	758	82	85	S W
Legaspi, ...	2 p.	29.64	752.9	90	...	W	1	c	6 a.	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	...	W S W	4	oq	9 a.	...	...	...	...	S W
Iloilo, ...	,,	29.74	755.4	83	...	S W	4	o	,,	29.91	759.7	81	...	S W
Cebu, ...	,,	29.75	755.6	84	...	S	3	o	,,	29.88	758.9	87	...	S
Labuan, ...	,,	29.80	756.9	87	...	...	...	...	,,	29.84	757.9	84	...	...

On the 13th at 5.15 p.—Red South Cone and Drum hoisted (indicates a typhoon S.E. of Colony beyond 3
The typhoon is crossing N. Luzon and moving now in a Northwesterly direction.
On the 14th at 6.30 a.—Black South Cone and Drum hoisted, (indicates a typhoon S.E.of Colony within 3
On the 14th at 11.30 a.—Black Drum hoisted (indicates a typhoon E. of Colony within 300 miles).
The barometer has fallen along the China coast generally, particularly in Hongkong and at the Formosa stations.
The typhoon, which is of very large area, is probably situated about 200 miles to the E.S.E. of Hongk has been moving towards N.W. during the past 24 hours, but appears now to have a tendency to move nort It threatens the coast in the neighbourhood of Swatow.
Pressure has increased considerably in Luzon, and over N.E. Japan where it is now high.
Very bad weather is expected to prevail in the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.W. to W. winds, strong, possibly a gale;
2.—Formosa Channel, ...	Cyclonic gales.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,...	N.W. to W. winds, strong.

Hongkong Observatory, Wednesday, 14th October, 1908.

F. G. FIGG, *Director.*

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	14TH OCTOBER. 1908, P.M.								15TH OCTOBER. 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	30.16	766.1	61	..	S	1	o	7 a.	30.15	765.7	56	92	W	1	o
.....	,,	30.24	768.1	...	...	S W	6	...	6 a.	30.16	766.1	...	...	S	2	...
.....	,,	30.28	769.2	...	...	S W	4	...	,,	30.25	768.2	...	...	N W	3	...
.....	,,	30.30	769.6	...	...	...	...	...	,,	30.26	768.6	...	...	N W	2	...
.....	,,	30.23	767.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2	...
.....	,,	30.15	765.8	...	...	N	2	...	,,	29.99	761.8	...	...	N E	2	...
a, ...	,,	30.11	764.9	...	...	N E	6	...	,,	30.00	761.9	...	...	S E	2	...
.....	,,	30.04	763.1	...	...	S E	4	...	,,	29.97	761.1	...	...	S E	4	...
.....	,,	29.97	761.2	...	...	E	6	...	,,	29.93	760.2	...	...	S E	2	...
ma,....	,,	29.85	758.3	...	...	S E	8	...	,,	29.86	758.3	...	...	S E	4	...
.....	,,	30.00	762.1	...	...	N E	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.13	765.3	67	69	S E	1	o	6 a.	30.18	766.6	61	88	N E	1	b
.....	,,	30.16	766.0	62	...	S E	2	o	9 a.	30.24	768.1	65	...	E N E	1	b
.....	,,	30.16	766.0	70	70	N	2	o	6 a.	30.20	767.1	61	94	N	2	b
.....	,,	30.08	764.0	68	85	N W	1	o	..	30.18	766.6	63	89	N E	2	c
.....	,,	30.01	762.2	64	100	N N E	2	or	9 a.	30.09	764.3	67	39	N N W	1	om
.....	,,	29.96	761.0	67	100	N E	4	omd	,,	30.03	762.7	68	95	N N W	2	...
k, ...	,,	29.69	754.1	77	82	N N E	5	or	,,	29.94	760.5	72	90	N N E	3	or
.....	,,	29.63	752.6	80	87	N E	2	or	6 a.	29.75	755.6	76	90	S E	4	or
.....	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
.....	1 p.	29.70	754.4	...	...	E	2	...	5 a.	29.83	757.6	...	...	...	0	...
.....	,,	29.70	754.2	...	...	N	2	...	,,	29.83	757.6	...	...	W	2	...
.....	,,	29.67	753.7	...	...	S	8	...	,,	29.79	756.7	...	...	S E	6	...
.....	,,	29.72	754.8	...	...	S E	8	...	,,	...	...	...	...	S E	2	...
s, ...	,,	29.67	753.5	...	...	E	10	...	..	29.79	756.7	...	...	E	8	...
.....	3 p.	29.69	754.1	78	65	N N W	5	o	9 a.	29.80	756.9	74	64	N N W	4	c
g.	4 p.	29.56	750.8	76	67	N W	3	oq	10 a.	29.77	756.1	74	67	W N W	3	oq
eak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.54	750.3	...	...	N N W	9	...	,,	29.78	756.4	...	...	W N W	6	...
.....	,,	29.64	752.8	77	...	N N W	5	o	,,	29.81	757.2	76	...	N W	4	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.81	757.2	79	...	N	4	b	8 a.	29.96	761.0	75	...	N N W	4	b
.....	,,	29.76	755.8	81	...	W N W	5	c	,,	29.91	759.6	75	...	...	0	o
ames,.	,,	29.74	755.3	84	...	S S W	2	o	,,	29.86	758.5	...	...	S W	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	84	71	S S W	1	o	10 a.	29.84	758	86	71	W S W	1	b
.....	2 p.	29.79	756.7	86	...	S W	1	c	6 a.	29.91	759.6	73	...	...	0	b
.....	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	N N W	2	c
.....	,,	29.83	757.7	82	...	S W	2	o	,,	29.91	759.7	81	...	S W	1	b
.....	,,	29.81	757.2	88	...	S	2	c	,,	29.92	759.9	85	...	...	0	b
.....	,,	29.79	756.6	86	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

the 14th at 5.00 p.—The typhoon which is about 150 miles to the E.S.E. of Hongkong, seems likely to reach t between Swatow and Hongkong probably nearer the latter. A heavy N.W. to W. gale is expected here.
the 15th at 11.55. a.—The typhoon, which appears to have filling up as it approached the coast last night, is rning shown as a depression lying over the coast between Hongkong and Swatow. The barometer is rising gkong and at the Formosa Channel stations, and the depression will probably be completely filled in the course day. No returns have been received from Swatow since yesterday morning.
ressure has given way considerably in Japan owing to the existence of a shallow depression over the S.W. Areas of high pressure cover China to the N. of the Upper Yangtze, and E. Japan.
nsettled weather with strong winds will continue to prevail in the Formosa Channel and the N.E. part of the ea during the next 24 hours.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.W. winds, strong,; squally, weather improving.
osa Channel, ...	E. to N.E. winds, strong.
h coast of China between Hongkong and Lamocks,..	W. to N.W. winds, strong.
h coast of China between Hongkong and Hainan,...	N.W. winds, strong.

F. G. FIGG, *Director.*

ongkong Observatory, Thursday, 15th October, 1908.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	30.13	765.2	69	...	N E	1	b	7 a.	30.07	763.7	53	96	S E	1
Nemuro, ...	,,	30.12	765.1	...	...	N W	2	...	6 a.	30.12	765.1	...	...	S W	2
Hakodate, ...	,,	30.13	765.2	...	...	S W	4	...	,,	30.17	766.2	...	...	...	0
Tokio, ...	,,	30.18	766.6	...	...	N	4	...	,,	30.10	764.6	...	...	N	6
Kochi, ...	,,	29.99	761.8	...	...	...	0	...	,,	29.95	760.8	...	...	N E	2
Nagasaki, ...	,,	29.91	759.8	...	...	N E	6	...	,,	30.03	762.8	...	...	N	2
Kagoshima, ...	,,	29.92	759.9	...	...	S	6	...	,,	29.96	760.9	...	...	N	6
Oshima, ...	,,	29.96	761.1	...	...	S	6	...	,,	29.97	761.1	...	...	N	6
Naha, ...	,,	29.97	761.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0
Ishigakijima, ...	,,	29.89	759.3	...	...	W	2	...	,,	29.93	760.3	...	...	N E	2
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Chefoo, ...	3 p.	30.20	767.1	67	69	N E	2	b	6 a.	30.19	766.8	54	94	S W	1
Weihaiwei, ...	,,	30.31	769.9	68	...	N E	1	b	9 a.	30.23	767.8	67	...	W	1
Hankow, ...	,,	30.20	767.1	75	60	N E	1	b	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	30.18	766.6	73	63	N E	4	b	,,	30.18	766.6	64	94	N E	2
Shanghai, ...	,,	30.09	764.3	69	85	N E	3	c	9 a.	30.17	766.3	70	80	N E	1
Gutzlaff, ...	,,	30.02	762.5	70	85	N E	4	cm	,,	30.13	765.3	69	80	E N E	2
Sharp Peak, ...	,,	29.96	761.0	71	80	N N E	5	or	,,	30.03	762.7	71	80	N	3
Amoy, ...	,,	29.76	755.9	74	95	N E	6	or	6 a.	29.87	758.7	74	90	N W	3
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku, ...	1 p.	29.89	759.3	...	...	S	2	...	5 a.	29.95	760.8	...	...	E	4
Taichu, ...	,,	29.90	759.5	...	...	N	2	...	,,	29.92	760.0	...	...	...	0
Tainan, ...	,,	29.88	759.0	...	...	S	4	...	,,	29.90	759.4	...	...	E	2
Koshun	,,	29.89	759.1	...	...	S	2	...	,,	...	...	...	...	E	2
Pescadores, ...	,,	29.86	758.4	...	...	E	6	...	,,	29.89	759.2	...	...	...	0
Canton, ...	3 p.	29.80	756.9	80	55	N W	4	c	9 a.	30.00	762.0	72	71	N	3
Hongkong, ...	4 p.	29.75	756.6	78	63	N W	2	o	10 a.	29.95	760.7	75	66	N N E	1
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.75	756.6	...	...	N N W	6	...	,,	29.94	760.5	...	...	N	4
Macao, ...	,,	29.77	756.1	78	...	N N W	4	c	,,	29.97	761.2	76	...	N	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.86	759.0	82	...	N	1	c	8 a.	30.04	763.1	75	...	N N E	3
Tourane, ...	,,	29.86	758.5	77	...	W N W	5	o	,,	29.98	761.5	79	...	...	0
Cape St. James, .	,,	29.80	756.9	81	...	S E	2	o	,,	29.93	760.1	77	...	E N E	2
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila.	4 p.	29.84	758	82	77	W S W	2	o	10 a.	29.92	760	84	71	W S W	1
Legaspi, ...	2 p.	29.82	757.5	91	...	S W	1	b	6 a.	29.91	759.7	73	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N N E	2
Iloilo, ...	,,	29.85	758.2	85	...	S W	2	o	,,	29.93	760.2	84	...	N E	1
Cebu, ...	,,	29.82	757.4	88	...	S	1	b	,,	29.93	760.2	86	...	...	0
Labuan, ...	,,	29.79	756.6	87	...	...	...	...	,,	29.95	760.7	84	...	...	...

On the 15th at 1.00 p.—Signals lowered.

On the 16th at 12.10. p.—The barometer has risen considerably over S. China, and fallen moderately in S. Japan.

The shallow depression lying off the S.W. coast of Japan yesterday, is now moving Eastwards to the S. of Japan.

Pressure is high over China to the North of the Upper Yangtze.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate; fair.
2.—Formosa Channel, ...	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,..	N. to N.E. winds, moderate to fresh.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG. *Director.*

Hongkong Observatory, Friday, 16th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	16TH OCTOBER, 1908, P.M.								17TH OCTOBER, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
...gnostock,...	2 p.	30.00	762.1	64	...	S	1	b	7 a.	29.92	760.0	49	97	...	0	f
...re.....	,,	30.04	763.1	...	...	S	6	...	6 a.	29.93	760.1	...	...	S	4	...
...date.....	,,	30.09	764.2	...	...	S	4	...	,,	30.01	762.2	...	...	...	0	...
...s.....	,,	30.06	763.6	...	...	N	6	...	,,	30.10	764.6	...	...	N W	2	...
...i.....	,,	29.99	761.8	...	...	N	2	...	,,	30.03	762.8	...	...	S W	2	...
...ak.....	,,	29.99	761.8	...	...	E	8	...	,,	30.02	762.8	...	...	N E	2	...
...ghan, ...	,,	29.96	760.9	...	...	E	6	...	,,	30.00	761.9	...	...	N E	2	...
...s.....	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	...	0	...
.....	,,	29.89	759.2	...	...	N	4	...	,,	29.85	758.2	...	...	...	0	...
...jima, ...	,,	29.89	759.3	...	...	N E	6	...	,,	29.89	759.3	...	...	N E	4	...
...ls.....	,,	...	...	...	...	..	...	...	,,	29.97	761.1	...	...	...	0	...
...c.....	3 p.	30.16	765.8	67	60	N	2	c	6 a.	30.09	764.3	57	87	N E	1	b
...ewei,.....	,,	30.16	766.0	67	...	N	1	ovr	9 a.	30.11	764.8	66	...	N W	1	b
...ow.....	,,	...	...	...	...	...	...	...	6 a.	30.19	766.8	65	92	N W	1	b
...ang.....	,,	30.13	765.3	72	71	N E	1	o	,,	30.15	765.8	61	94	E	1	b
...ghai, ...	,,	30.09	764.3	70	75	E N E	2	o	9 a.	30.12	765.0	67	79	N N E	1	c
...liff.....	,,	30.07	763.8	69	75	N E	2	ov	,,	30.07	763.8	69	80	N E	2	ov
... Peak,.....	,,	29.97	761.2	71	85	N	3	or	,,	30.04	763.0	72	90	N N E	1	c
...i.....	,,	29.87	758.7	74	90	N E	2	or	6 a.	29.93	760.2	74	90	N E	1	or
...ow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ku.....	1 p.	29.94	760.5	...	...	E	6	...	5 a.	29.94	760.5	...	...	E	4	...
...n.....	,,	29.90	759.4	...	...	N W	2	...	,,	29.92	760.0	...	...	...	0	...
...a.....	,,	29.91	759.7	...	...	W	6	...	,,	29.91	759.8	...	...	S E	2	...
...m.....	,,	29.91	759.6	...	...	N	2	...	,,	29.91	759.8	...	...	...	0	...
...dores, ...	,,	29.92	760.0	...	...	E	2	...	,,	29.91	759.8	...	...	N E	6	...
...n.....	3 p.	29.92	759.9	78	61	N	2	o	9 a.	30.03	762.7	72	81	N	3	o
...kong, ...	4 p.	29.89	759.2	74	76	...	0	o	10 a.	29.98	761.5	78	73	W	1	o
...ia Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...lock,.....	,,	29.88	758.9	...	...	N N E	3	...	,,	29.96	761.0	...	...	N	4	...
...t.....	,,	29.91	759.7	74	...	N N W	1	o	,,	30.00	762.0	76	...	N	1	o
...w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...ai.....	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
...m,.....	4 p.	29.96	760.7	81	...	S S W	2	b	8 a.	30.07	763.8	77	...	N N E	2	o
...ne, ...	,,	29.90	759.4	77	...	N W	3	o	,,	30.01	762.3	77	...	...	0	o
...t. James,.	,,	29.84	757.9	81	...	E N E	2	lt	,,	29.93	760.1	81	...	E	4	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	758	84	71	S W	1	o	10 a.	29.92	760	82	85	N W	1	c
...b.....	2 p.	29.82	757.6	99	...	E	1	b	6 a.	29.91	759.6	75	...	...	0	b
...l.....	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	N E	1	c
.....	,,	29.83	757.7	87	...	S W	2	b	,,	29.93	760.2	83	...	S S W	1	b
.....	,,	29.80	756.9	87	...	...	0	b	,,	29.92	759.9	86	...	N	1	b
...n.....	,,	29.81	757.2	87	...	...	...	...	,,	29.91	759.7	84	...	...	...	...

On the 17th at 11.55. a.—The barometer has risen slightly in S. China, and fallen moderately over N. China the N. part of the Sea of Japan.

A depression is moving Eastwards over the N.E. part of the Sea of Japan, and pressure appears to be low also the Pacific to the S.E. of the Loochoos.

The highest pressure is over China to the North of the Upper Yangtze.

Fresh N. to N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N. winds, moderate ; fair.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,..	N.E. winds, moderate.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG, *Director.*

Hongkong Observatory, Saturday, 17th October, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th OCTOBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	18th OCTOBER. 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.81	757.1	...	...	S W	4	...	6 a.	29.77	756.1	...	...	N	2
Hakodate, ...	,,	29.89	759.2	...	...	W	6	...	,,	29.85	758.2	...	...	...	0
Tokio, ...	,,	29.98	761.6	...	...	...	0	...	,,	29.87	758.6	...	...	N W	2
Kochi, ...	,,	29.91	759.8	...	...	S E	2	...	,,	29.84	757.8	...	...	W	2
Nagasaki, ...	,,	29.91	759.8	...	...	N W	2	...	,,	29.88	758.8	...	...	N	4
Kagoshima, ...	,,	29.92	759.9	...	...	N E	2	...	,,	29.84	757.9	...	...	N W	2
Oshima,.....	,,	29.85	758.1	...	...	N E	6	...	,,	29.81	757.1	...	...	N W	6
Naha.....	,,	29.85	758.2	...	...	N	4	...	,,	29.81	757.2	...	...	N	4
Ishigakijima,....	,,	29.89	759.3	...	...	N	6	...	,,	29.89	759.3	...	...	N	4
Bonin Is.....	,,	29.93	760.1	...	...	S W	2	...	,,	29.85	758.1	...	...	S	2
Chefoo,.....	3 p.	30.05	763.2	69	52	N N E	1	b	6 a.	30.00	762.0	54	80	...	0
Weihaiwei,.....	,,	30.05	763.2	69	...	N	1	ovr	9 a.	...	...	64	...	W	2
Hankow, ...	,,	30.15	765.8	76	53	N W	1	b	6 a.	30.09	764.3	60	94	N E	1
Kiukiang,.....	,,	30.09	764.3	76	64	N E	1	b	,,	30.13	765.3	60	88	..	0
Shanghai, ...	,,	30.06	763.5	72	58	N E	1	c	9 a.	30.05	763.2	68	74	N	1
Gutzlaff, ...	,,	30.01	762.2	74	68	N E	1	cv	,,	30.01	762.2	67	79	N N W	3
Sharp Peak,.....	,,	29.97	761.2	75	86	E N E	4	b	,,	30.02	762.5	72	90	N N E	3
Amoy,.....	,,	29.90	759.4	77	86	N E	1	c	6 a.	29.95	760.7	72	85	N E	1
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taiboku.....	1 p.	29.96	760.9	...	...	E	6	...	6 a.	29.97	761.1	...	...	...	0
Taichu, ...	,,	29.90	759.4	...	...	N	2	...	,,	29.91	759.6	...	...	N	2
Tainan,.....	,,	29.90	759.5	...	...	W	4	...	,,	29.90	759.5	...	...	...	0
Koshun.....	,,	29.92	759.9	...	...	N E	6	...	,,	29.90	759.5	...	...	N E	2
Pescadores, ...	,,	29.93	760.3	..	...	N E	8	...	,,	29.93	760.3	...	...	N	8
Canton,.....	3 p.	29.94	760.5	79	70	N	2	o	9 a.	30.00	762.0	74	76	N	2
Hongkong.	4 p.	29.90	759.4	77	79	N	1	o	10 a.	29.99	761.7	75	77	N E	1
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.89	759.2	...	...	N N W	4	...	,,	29.95	760.7	...	...	N N E	4
Macao, ...	,,	29.92	759.9	78	...	N W	2	c	,,	30.01	762.2	75	...	N	1
Hoihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.95	760.8	82	...	W S W	2	b	8 a.	...	...	...	...	...	...
Tourane, ...	,,	29.93	760.3	75	...	N W	4	o	,,	...	...	...	...	...	...
Cape St. James,.	,,	29.86	758.4	75	...	S S W	2	or	,,	...	...	...	...	...	...
Aparri,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila.	4 p.	29.84	758	82	85	W	1	o	10 a.	29.92	760	84	77	N N W	1
Legaspi,.....	2 p.	29.82	757.4	88	...	E	2	b	6 a.	29.88	759.0	73	...	...	0
Bacolod,.....	3 p.	...	...	...	...	E S E	1	o	9 a.	...	...	...	...	N N E	1
Iloilo, ...	,,	29.81	757.2	86	...	S W	1	o	,,	29.91	759.7	82	...	...	0
Cebu,.....	,,	29.81	757.2	86	...	S E	1	c	,,	29.91	759.7	85	...	...	0
Labuan, ...	,,	29.81	757.2	86	...	...	...	...	,,	...	...	...	...	...	...

On the 18th at 12.05. p.—The barometer has fallen moderately to considerably over N. China, Japan and the Bonins.

The depression lying over the N.E. part of the Sea of Japan yesterday, is moving into the Pacific. The other depression is moving to the N.E. between the Loochoos and the Bonins.

Pressure is highest over China to the North of the Upper Yangtze.

Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate ; cloudy, drizzling rain.
2.—Formosa Channel, ...	N.E. winds, moderate. to fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG, *Director.*

Hongkong Observatory, Sunday, 18th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th OCTOBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th OCTOBER. 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...crostock,...	2 p.	29.89	759.3	68	..	S W	2	b	7 a.	29.92	760.0	45	74	N	1	b
...aro.....	,,	29.77	756.1	...	...	E	2	...	6 a.	29.77	756.1	...	...	N	6	...
...date, ...	,,	29.86	758.2	...	...	W	6	...	,,	29.93	760.2	...	...	...	0	...
...o.....	,,	29.83	757.6	...	...	N W	2	...	,,	29.79	756.6	...	...	N	6	...
...ch.....	,,	29.76	755.8	...	...	W	2	...	,,	29.88	758.8	...	...	W	2	...
...ki.....	,,	29.80	756.8	...	...	N	6	...	,,	29.88	758.8	...	...	N	2	...
...shima, ...	,,	29.76	755.9	...	...	...	0	...	,,	29.84	757.9	...	...	N	2	...
...ine.....	,,	29.77	756.1	...	...	N	6	...	,,	29.85	758.1	...	...	N	6	...
...h.....	,,	29.85	758.2	...	...	N	6	...	,,	29.93	760.2	...	...	N W	2	...
...shijima, ...	,,	29.89	759.3	...	...	N	6	...	,,	29.93	760.3	...	...	N	2	...
...o Is.....	,,	29.73	755.1	...	...	S	6	...	,,	29.65	753.1	...	...	S	8	...
...oo.....	3 p.	29.95	760.7	69	70	...	0	b	6 a.	29.95	760.7	59	76	...	0	b
...ihaiwei,.....	,,	...	...	...	...	...	...	..	9 a.	29.99	761.7	71	...	S W	1	b
...nkow, ...	,,	30.11	764.8	73	63	N N W	1	b	6 a.	30.05	763.2	61	100	E N E	1	b
...ukiang.....	,,	30.04	763.0	72	49	N E	1	b	,,	29.99	761.7	60	100	N E	1	o
...anghai, ...	,,	29.99	761.7	72	54	N	1	c	9 a.	30.03	762.7	70	66	W S W	1	c
...utiaf.	,,	29.97	761.2	73	76	N N W	1	bv	,,	30.02	762.5	71	76	...	0	bm
...ap Peak,.....	,,	29.97	761.2	72	99	E	2	b	,,	30.01	762.2	72	95	N	1	b
...ey.....	,,	29.90	759.4	74	81	N E	1	o	6 a.	29.92	759.9	72	80	N E	1	o
...atow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
...ilhokn.....	1 p.	29.96	760.9	...	...	E	4	...	5 a.	29.97	761.1	...	...	...	0	...
...ichu, ...	,,	29.88	759.0	...	...	N	6	...	,,	29.92	759.9	...	...	N	2	...
...mun.....	,,	29.97	761.2	...	...	W	4	...	,,	29.90	759.4	...	...	N	2	...
...sbm.....	,,	29.91	759.7	...	...	N E	4	...	,,	29.90	759.5	...	...	N E	6	...
...eadores, ...	,,	29.93	760.1	...	...	N	8	...	,,	29.92	759.9	...	...	N	6	...
...ton.....	3 p.	29.90	759.4	79	70	N E	2	o	9 a.	30.00	762.0	74	81	...	0	c
...ngkong, ...	4 p.	29.92	759.9	73	93	E	1	od	10 a.	29.97	761.2	77	75	E N E	1	o
...toria Peak,...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...g Rock,.....	,,	29.90	759.4	...	...	N E	5	...	,,	29.93	760.2	...	...	E N E	5	...
...ico.....	,,	29.93	760.2	77	...	N E	1	o	,,	29.98	761.5	75	...	N N E	1	o
...ihow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...hoi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ulien,.....	4 p.	29.94	760.4	82	...	W S W	2	b	8 a.	30.01	762.3	77	...	S S E	0	b
...ame, ...	,,	29.91	759.6	84	...	N W	4	c	,,	29.99	761.6	79	...	..	0	c
...St. James,.	,,	29.83	757.7	82	...	E S E	3	c	,,	29.91	759.7	81	...	E	4	c
...ui.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ila, ...	4 p.	29.84	758	...	...	W S W	0	o	10 a.	29.88	759	86	65	E S E	1	b
...ppi, ...	2 p.	29.80	757.0	86	...	S E	1	c	6 a.	29.88	759.0	73	...	...	0	c
...ood,.....	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N N E	1	c
...h.....	,,	29.83	757.7	85	...	...	0	o	,,	29.91	759.7	83	...	N E	0	b
...h.....	,,	29.84	757.9	86	...	N	1	b	,,	29.90	759.4	85	...	N	3	b
...an, ...	,,	29.76	755.9	85	...	...	...	...	,,	29.86	758.4	80	...	...	...	...

On the 19th at 11.50. a.—The barometer has risen slightly over the Loochoos, and fallen considerably at the Bonins. The depression, which is now to the N.W. of the latter group, continues to move towards N.E.

Pressure is inclined to give way over China and Luzon. It is highest over the former area.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	N.E. winds, moderate; showery.
—Formosa Channel, ...	Same as No. 1.
—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 19th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th October. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th October, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Vladivostock,	2 p.	29.85	758.3	60	...	S	2	o	7 a.	29.87	758.6	56	85	N W	1
Nemuro,	,,	29.85	758.1	...	...	N N	8	...	6 a.	30.04	763.1	...	...	S W	4
Hakodate,	,,	29.93	760.2	...	...	N N	4	...	,,	30.09	764.2	...	...	...	0
Tokio,	,,	29.83	757.6	...	...	N N	4	...	,,	30.14	765.6	...	...	N W	2
Kochi,	,,	29.87	758.8	...	...	E	2	...	,,	30.07	763.8	...	...	S W	2
Nagasaki,	,,	29.91	759.8	...	...	E	6	...	,,	30.03	762.8	...	...	N E	2
Kagoshima,	,,	29.88	758.9	...	...	S E	2	...	,,	30.00	761.9	...	...	N E	4
Oshima,	,,	29.89	759.1	...	...	N	6	...	,,	30.01	762.1	...	...	S	2
Naha	,,	29.93	760.2	...	...	N W	2	...	,,	30.01	762.2	...	...	...	0
Ishigakijima	,,	29.93	760.3	...	...	N	4	...	,,	29.97	761.3	...	...	N E	2
Bonin Is.	,,	29.77	756.1	...	...	N W	2	...	,,	30.08	764.1	...	...	N E	2
Chefoo,	3 p.	29.92	759.9	74	100	N E	1	b	6 a.	30.08	764.0	63	83	S E	1
Weihaiwei,	,,	29.94	760.5	70	...	N E	1	ovr	9 a.	30.08	764.0	72	...	S E	1
Hankow,	,,	30.02	762.5	77	57	S	1	b	6 a.	30.05	763.2	65	95	S W	1
Kinkiang,	,,	29.98	761.5	77	46	...	0	b	,,	30.03	762.7	59	...	...	0
Shanghai,	,,	30.00	762.0	73	43	N	1	c	9 a.	30.09	764.3	71	66	S E	1
Gutzlaff,	,,	29.96	761.0	72	62	N E	1	bm	,,	30.06	763.5	72	62	E	1
Sharp Peak,	,,	29.97	761.2	75	99	E	3	o	,,	30.05	763.2	72	95	N	1
Amoy,	,,	29.89	759.2	76	82	N E	1	c	6 a.	29.95	760.7	74	86	N E	1
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...
Taiboku	1 p.	29.96	760.9	...	...	E	6	...	5 a.	29.98	761.4	...	...	E	4
Taichu,	,,	29.90	759.4	...	...	N W	4	...	,,	29.94	760.4	...	...	N	2
Tainan,	,,	29.91	759.7	...	...	S W	4	...	,,	29.94	760.4	...	...	S	2
Koshun	,,	29.92	759.9	...	...	E	6	...	,,	29.93	760.2	...	...	N E	4
Pescadores,	,,	29.92	760.0	...	...	N E	8	...	,,	29.94	760.4	...	...	N E	4
Canton,	3 p.	29.91	759.7	83	63	S E	1	c	9 a.	30.03	762.7	80	71	E N E	1
Hongkong,	4 p.	29.90	759.4	77	71	E	2	c	10 a.	30.00	762.0	79	68	E	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.88	758.9	...	...	E N E	5	...	,,	29.98	761.5	...	...	E N E	4
Macao,	,,	29.88	758.9	77	...	E	1	c	,,	30.02	762.5	81	...	N E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.89	759.1	84	...	W	1	b	8 a.	30.01	762.2	81	...	E N E	2
Tourane,	,,	29.88	759.0	82	...	N W	2	c	,,	29.99	761.8	79	...	...	0
Cape St. James,	,,	29.84	757.9	81	...	E	4	c	,,	29.93	760.3	81	...	N E	3
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	88	66	W S W	2	o	10 a.	29.92	760	86	71	E S E	1
Legaspi,	2 p.	29.82	757.5	86	...	E	1	c	6 a.	29.92	760.0	75	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S E	1
Iloilo,	,,	29.85	758.2	86	...	S E	3	o	,,	29.95	760.7	83	...	N N E	0
Cebu,	,,	29.84	757.9	85	...	...	0	b	,,	29.95	760.7	...	...	S	1
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.92	759.9	80	...	...	...

On the 20th at 11.25. a.—The barometer has risen considerably over Japan and the Bonins, the depression having moved away Eastwards over the Pacific.

A slight increase of pressure has taken place also over China and the Philippines. It is still in slight to moderate defect of the normal over the former area, the highest pressure being shown over the Yellow Sea and S. Japan.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 20th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th OCTOBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st OCTOBER. 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...ivestock,...	2 p.	29.97	761.2	...	...	...	...	...	7 a.	30.08	764.0	43	93	...	0	b
...ro.....	,,	29.96	761.1	...	...	S W	8	...	6 a.	30.12	765.1	...	...	N W	6	...
...kite,.....	,,	30.01	762.2	...	...	S W	8	...	,,	30.21	767.2	...	...	...	0	...
...k.....	,,	30.14	765.6	...	...	S E	4	...	,,	30.22	767.6	...	...	W	2	...
...h.....	,,	30.07	763.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	2	...
...hi.	,,	30.03	762.8	...	...	N E	2	...	,,	30.03	762.8	...	...	E	4	...
...hima, ...	,,	30.04	762.9	...	...	N E	2	...	,,	30.04	762.9	...	...	E	6	...
...n.....	,,	29.96	761.1	...	...	N E	4	...	,,	30.01	762.1	...	...	S	2	...
...i.....	,,	30.01	762.2	...	...	N E	2	...	,,	30.05	763.2	...	...	...	0	...
...dijima,....	,,	29.97	761.3	...	...	S E	4	...	,,	30.01	762.3	...	...	N E	2	...
...u Is.....	,,	30.00	762.1	...	...	E	4	...	,,	30.04	763.1	...	...	...	0	...
...ito.....	3 p.	30.02	762.5	72	81	E	1	b	6 a.	30.10	764.5	61	83	S E	1	b
...hsiwei,.....	,,	30.03	762.7	74	...	E N E	2	b	9 a.	30.15	762.8	69	...	S S W	1	b
...okow, ...	,,	30.09	764.3	77	61	...	0	b	6 a.	30.12	765.0	66	95	W S W	2	b
...shiang.....	,,	30.03	762.7	79	51	N E	1	b	,,	30.01	762.2	59	...	...	0	b
...nghai, ...	,,	30.03	762.7	73	58	E	1	d	9 a.	30.13	765.3	71	66	E	1	b
...tziaff.	,,	30.02	762.5	69	79	E N E	1	cv	,,	30.04	763.0	72	71	...	0	bv
...rp Peak,.....	,,	29.99	761.7	76	90	E N E	4	b	,,	30.08	764.0	74	90	N	1	c
...oy.....	,,	29.98	761.5	77	86	N E	3	b	6 a.	30.02	762.5	73	86	N	1	b
...atow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
...hoku.....	1 p.	29.96	761.1	...	...	E	6	...	5 a.	29.98	760.5	...	...	E	6	...
...ichu.....	,,	29.93	760.1	...	...	E	2	...	,,	29.95	760.7	...	...	...	0	...
...uan.....	,,	29.93	760.3	...	...	N W	2	...	,,	29.95	760.8	...	...	...	0	...
...shan.....	,,	29.94	760.6	...	...	N E	6	...	,,	29.96	760.9	...	...	N E	4	...
...ores, ...	,,	29.94	760.4	...	...	N	8	...	,,	29.95	760.8	...	...	N	6	...
...ton.....	3 p.	29.92	759.9	87	55	S	2	c	9 a.	30.07	763.8	77	77	E S E	2	o
...ngkong, ...	4 p.	29.92	759.9	77	77	E	2	c	10 a.	30.04	763.0	79	74	E	2	c
...oria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...g Rock,.....	,,	29.88	758.9	...	...	E N E	5	...	,,	29.99	761.7	...	...	E N E	4	...
...ao.....	,,	29.94	760.5	78	...	S E	1	c	,,	30.04	763.0	80	...	N E	1	c
...show,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...hoi.....	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
...bien,.....	4 p.	29.90	759.4	81	...	S S E	3	b	8 a.	30.01	762.3	77	...	E S E	1	c
...ane, ...	,,	29.89	759.1	82	...	N W	2	c	,,	30.01	762.2	79	...	...	0	c
...St. James,.	,,	29.84	757.9	82	...	E	4	c	,,	29.94	760.5	81	...	N E	1	c
...ri,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...la.	4 p.	29.84	758	82	77	...	0	o	10 a.	29.92	760	86	65	N W	1	o
...pi,.....	2 p.	29.85	758.1	84	...	...	0	c	6 a.	29.93	760.1	75	...	...	0	c
...ad,.....	3 p.	...	...	...	...	W S W	3	ot	9 a.	...	...	...	...	N N W	2	o
...k.....	,,	29.85	758.2	83	...	S W	3	o	,,	29.91	759.7	83	...	N E	1	b
...i.....	,,	29.84	757.9	85	...	E	1	c	,,	29.94	760.5	84	...	N	2	c
...an, ...	,,	29.81	757.2	84	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 21st at 11.45. a.—The barometer has risen slightly over China and Japan.

Pressure is high over E. Japan. It remains in slight defect of the normal over China.

Gradients are slight generally and moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate ; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 21st October, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	22nd OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	30.08	764.1	59	...	S	2	c	7 a.	30.08	763.9	54	94	E	1
Nemuro, ...	,,	30.20	767.1	...	...	N E	6	...	6 a.	30.24	768.1	...	...	S	2
Hakodate, ...	,,	30.17	766.2	...	...	S	2	...	,,	30.17	766.2	...	...	N	2
Tokio, ...	,,	30.18	766.6	...	...	S E	2	...	,,	30.14	765.6	...	...	N W	4
Kochi, ...	,,	30.03	762.8	...	...	S	2	...	,,	30.03	762.8	...	...	S W	4
Nagasaki, ...	,,	30.07	763.8	...	...	E	6	...	,,	30.07	763.8	...	...	N	2
Kagoshima, ...	,,	29.96	760.9	...	...	E	6	...	,,	30.08	763.9	...	...	N	2
Oshima, ...	,,	30.00	762.1	...	...	N W	4	...	,,	30.04	763.1	...	...	S	2
Naha, ...	,,	30.05	763.2	...	...	E	2	...	,,	30.05	763.2	...	...	...	0
Ishigakijima, ...	,,	30.01	762.3	...	...	E	6	...	,,	30.01	762.3	...	...	E	2
Bonin Is.....	,,	29.96	761.1	...	...	S	4	...	,,	29.93	760.1	...	...	S W	2
Chefoo, ...	3 p.	30.01	764.5	74	43	S	1	c	6 a.	30.14	765.5	62	89	S E	1
Weihaiwei, ...	,,	30.11	764.8	73	...	N E	1	b	9 a.	30.16	766.0	65	...	E S E	...
Hankow, ...	,,	30.04	763.0	79	58	S S E	1	b	6 a.	30.01	762.2	68	90	E S E	2
Kiukiang, ...	,,	29.98	761.5	82	52	N E	1	b	,,	29.99	761.7	61	94	...	0
Shanghai, ...	,,	30.05	763.2	75	48	S S E	1	b	9 a.	30.10	764.5	74	72	S E	2
Gutzlaff, ...	,,	30.05	763.2	72	67	N E	1	bv	,,	30.09	764.3	69	...	S E	1
Sharp Peak, ...	,,	30.02	762.5	76	90	N E	3	c	,,	30.06	763.5	72	95	N	1
Amoy, ...	,,	29.93	760.2	79	78	N E	1	b	6 a.	29.97	761.2	75	77	...	0
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku, ...	1 p.	29.97	761.3	...	...	E	8	...	5 a.	29.98	761.4	...	...	E	6
Taicbu, ...	,,	29.93	760.1	...	...	W	2	...	,,	29.96	761.0	...	...	...	0
Tainan, ...	,,	29.93	760.2	...	...	W	4	...	,,	29.99	761.8	...	...	...	0
Koshun, ...	,,	29.93	760.2	...	...	N E	6	...	,,	29.95	760.6	...	...	N E	4
Pescadores, ...	,,	29.94	761.1	...	...	N	6	...	,,	29.96	760.9	...	...	N	4
Canton, ...	3 p.	29.94	760.5	87	52	S S E	1	b	9 a.	30.06	763.5	80	70	E	2
Hongkong, ...	4 p.	29.95	760.7	77	76	E	2	b	10 a.	30.04	763.0	77	74	E	2
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.93	760.2	...	...	N N E	4	...	,,	30.00	762.0	...	...	E N E	4
Macao, ...	,,	29.96	761.0	78	...	S S E	1	c	,,	30.04	763.0	80	...	S E	2
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.89	759.1	82	...	S S E	4	b	8 a.	29.98	761.4	79	...	S S E	4
Tourane, ...	,,	29.89	759.2	86	...	N E	1	c	,,	29.98	761.4	77	...	..	0
Cape St. James, .	,,	29.83	757.8	81	...	E	4	c	,,	29.93	760.1	82	...	N N E	2
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.84	758	81	76	N	1	o	10 a.	29.92	760	81	85	...	0
Legaspi, ...	2 p.	29.86	758.4	86	...	E	1	c	6 a.	29.88	758.9	79	...	E	1
Bacolod, ...	3 p.	...	...	...	...	E N E	2	ort	9 a.	...	...	...	...	N W	1
Iloilo, ...	,,	29.85	758.2	87	...	N E	2	c	,,	29.89	759.2	82	...	N E	0
Cebu, ...	,,	29.84	757.9	84	...	N	1	b	,,	29.91	759.7	80	...	...	0
Labuan, ...	,,	29.80	756.9	85	...	...	...	...	,,	29.88	758.9	82	...	...	...

On the 22nd at 11.50. a.—Pressure, which remains in moderate defect of the normal over Central China, has a tendency to give way still further at the Yangtze stations.

A shallow depression appears to be moving Eastwards to the North of the Bonins, while high pressure still covers E. Japan.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 22nd October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd October. 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd October. 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...rostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	..
...ano.....	,,	30.04	763.1	...	...	S	8	...	6 a.	30.01	762.1	...	...	...	0	...
...bierie.....	,,	30.05	763.2	...	...	S W	4	...	,,	30.09	764.2	...	...	N E	2	...
...k.....	,,	30.02	762.6	...	...	N	4	...	,,	30.06	763.6	...	...	N W	2	...
...k.....	,,	29.99	761.8	...	...	N	6	...	,,	30.07	763.8	...	...	S W	2	...
...mi, ...	,,	30.03	762.8	...	...	N E	4	...	,,	30.07	763.8	...	...		0	...
...ima, ...	,,	30.00	761.9	...	...	S	2	...	,,	30.08	763.9	...	...	...	0	...
...e.....	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	S	2	...
...i.....	,,	30.01	762.2	...	...	N	2	...	,,	...	...	...	...	...	0	...
...jima,....	,,	29.97	761.3	...	...	E	6	...	,,	29.97	761.3	...	...	E	2	...
...ls.....	,,	29.81	757.1	...	...	W	4	...	,,	29.85	758.1	...	...	N	2	...
...to.....	3 p.	30.05	763.2	68	79	E	3	c	6 a.	30.08	764.0	61	71	N E	2	or
...chiwei,.....	,,	30.06	763.5	68	...	E	2	o	9 a.	30.12	765.0	64	...	E	3	o
...now.....	,,	29.93	760.2	81	67	E	1	b	6 a.	29.86	758.4	72	85	S E	2	b
...kiang.....	,,	29.88	758.9	83	57	S W	1	b	,,	29.85	758.2	70	90	S W	1	b
...nghai, ...	,,	29.98	761.5	75	64	S E	2	c	9 a.	30.01	762.2	74	86	S S E	2	c
...tzlaff.....	,,	30.00	762.0	73	72	S E	2	bv	,,	30.00	762.0	72	90	S E	2	om
...ap Peak,.....	,,	29.97	761.2	74	95	N	1	o	,,	30.01	762.2	75	95	...	0	c
...oy.....	,,	29.91	759.7	79	82	N E	1	b	6 a.	30.00	762.0	72	81	N E	2	b
...atow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
...hoku.....	1 p.	29.94	760.4	...	...	E	4	...	5 a.	29.94	760.5	...	...	...	0	...
...ichu.....	,,	29.94	760.4	...	...	S W	2	...	,,	29.95	760.6	...	...	...	0	...
...ien.....	,,	29.94	760.5	...	...	N W	6	...	,,	29.94	760.4	...	...	...	0	...
...shui.....	,,	29.94	760.5	...	...	N E	2	...	,,	29.96	760.9	...	...	N	2	...
...sadores, ...	,,	29.96	761.0	...	...	N W	6	...	,,	29.94	760.5	...	...	N	4	...
...ton.....	3 p.	29.94	760.5	86	58	S E	2	b	9 a.	30.01	762.2	79	74	...	0	b
...ngkong, ...	4 p.	29.92	759.9	77	76	E	2	b	10 a.	30.00	762.0	79	74	E	2	o
...toria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...p Rock,.....	,,	29.89	759.2	...	...	E N E	4	...	,,	30.96	761.0	...	...	E	4	...
...ao.....	,,	29.94	760.5	79	...	S E	1	c	,,	30.01	762.2	82	...	E N E	1	c
...chow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...khui,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...allen,.....	4 p.	29.85	758.3	82	...	S S E	4	c	8 a.	29.94	760.5	77	...	E N E	2	c
...ame, ...	,,	29.85	758.3	84	...	N N E	1	c	,,	29.94	760.4	76	...	..	0	o
...St. James,.	,,	29.82	757.4	81	...	E	2	o	,,	29.88	758.8	79	...	N N E	2	c
...ri.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...da.....	4 p.	29.80	757	81	92	...	0	o	10 a.	29.88	759	82	70	N W	0	o
...pi.....	2 p.	29.84	757.2	86	...	E	1	c	6 a.	29.84	758.0	77	...	E	1	o
...ad,.....	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	E N E	2	o
...k.....	,,	29.81	757.2	85	...	N E	1	c	,,	29.85	758.2	83	...	N	2	b
...k.....	,,	29.78	756.4	86	...	N	1	c	,,	29.85	758.2	84	...	N	2	or
...an, ...	,,	29.73	755.1	84	...	...	...	...	,,	29.84	757.9	83	...	...	...	...

On the 23rd at 11.50. a.—The barometer has fallen over China owing to the advance Eastwards, of a depression ...the Yangtze Valley.

...ressure has decreased also over E. Japan and the Philippines. The fall over the latter area, appears to be due ...the existence of a depression to the Eastward of the S. part of the Archipelago.

The highest pressure is over the Sea of Japan.

Moderate E. winds may be expected in the Formosa Channel, and moderate to fresh monsoon over the N. part of ...China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...Hongkong and Neighbourhood, ...	E. winds, moderate to light; fine.
...Formosa Channel, ...	Same as No. 1.
...South coast of China between Hongkong and Lamocks,..	Same as No. 1.
...South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Friday, 23rd October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd October. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th October, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	30.28	769.2	45	...	N	6	b	7 a.	30.41	772.4	35	52	N E	3
Nemuro,	,,	30.12	766.1	...	...	N E	8	...	6 a.	30.20	767.1	...	...	W	2
Hakodate,	,,	30.13	765.2	...	...	S	2	...	,,	30.25	768.2	...	...	W	6
Tokio,	,,	30.06	763.6	...	...	N E	4	...	,,	30.22	767.6	...	...	N W	4
Kochi,	,,	30.07	763.8	...	...	S E	2	...	,,	30.19	766.8	...	...	...	0
Nagasaki,	,,	30.03	762.8	...	...	S W	4	...	,,	30.15	765.8	...	...	...	0
Kagoshima,	,,	29.96	760.9	...	...	S	2	...	,,	30.15	765.9	...	...	...	0
Oshima,	,,	30.04	763.1	...	...	S E	2	...	,,	30.12	765.1	...	...	S	2
Naha,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	...	0
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.01	762.3	...	...	E	4
Bonin Is.	,,	29.85	758.1	...	...	N	4	...	,,	29.97	761.1	...	...	N	2
Chefoo,	3 p.	30.11	764.8	56	...	E	3	o	6 a.	30.16	766.0	69	94	N E	1
Weihaiwei,	,,	30.12	765.0	61	...	E	3	o	9 a.	30.20	767.1	67	...	S E	1
Hankow,	,,	29.93	760.2	84	68	W	1	o	6 a.	...	...	65	89	N W	2
Kiukiang,	,,	29.90	759.4	84	60	N E	1	b	,,	29.99	761.7	70	100	...	0
Shanghai,	,,	29.94	760.5	79	66	S E	3	c	9 a.	30.09	764.3	76	77	S S E	2
Gutzlaff,	,,	29.95	760.7	74	81	S E	3	om	,,	30.08	764.0	75	90	S E	2
Sharp Peak,	,,	29.92	759.9	77	91	E	3	b	,,	30.07	763.8	76	95	N	1
Amoy,	,,	29.96	761.0	79	82	N E	3	b	6 a.	29.98	761.5	75	96	...	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taiboku,	1 p.	29.91	759.8	...	...	N	2	...	5 a.	29.97	761.1	...	...	...	0
Taichu,	,,	29.93	760.2	...	...	N	4	...	,,	29.98	761.4	...	...	...	0
Tainan,	,,	29.91	759.7	...	...	N	6	...	,,	29.96	760.9	...	...	N	2
Koshun,	,,	29.92	759.9	...	...	E	4	...	,,	29.95	760.7	...	...	N E	4
Pescadores,	,,	29.94	760.4	...	...	N	6	...	,,	29.97	761.2	...	...	N	4
Canton,	3 p.	29.90	759.4	86	58	E S E	1	c	9 a.	30.06	763.5	81	71	E S E	1
Hongkong,	4 p.	29.91	759.7	77	83	E	2	b	10 a.	30.04	763.0	79	74	E	2
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.87	758.7	...	...	E N E	4	...	,,	30.01	762.2	...	...	E N E	4
Macao,	,,	29.93	760.2	80	...	S E	1	c	,,	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.84	757.9	82	...	S S E	4	c	8 a.	30.00	762.0	77	...	E N E	3
Tourane,	,,	29.84	758.0	84	...	N N E	2	c	,,	29.95	760.8	81	...	N W	1
Cape St. James,	,,	29.72	754.9	82	...	E	5	lt	,,	29.86	758.4	81	...	N N E	2
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	81	85	...	0	o	10 a.	29.92	760	73	100	N	1
Legaspi,	2 p.	29.79	756.6	79	...	E	1	o	6 a.	29.84	757.9	77	...	N E	1
Bacolod,	3 p.	...	...	...	...	E N E	1	o	9 a.	...	...	...	...	W N W	2
Iloilo,	,,	29.77	756.1	85	...	N E	1	o	,,	29.87	758.7	82	...	N E	2
Cebu,	,,	29.75	755.6	84	...	N	1	b	,,	29.86	758.4	82	...	N	1
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.82	757.4	84	...	...	...

On the 24th at 11.55. a.—The barometer has risen considerably over Japan, and a slight rise has taken place all over China.

An area of high pressure now covers the Sea of Japan, and the depression lying over the Yangtze Valley appears to be filling up.

Pressure remains somewhat low over the S. Philippines.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to NE winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Saturday, 24th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ation.	24TH OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25TH OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...stock,...	2 p.	30.34	770.7	51	...	N E	2	c	7 a.	30.05	763.2	48	97	S	5	or
...	,,	30.24	768.1	...	...	N W	8	...	6 a.	30.30	771.1	...	...	S W	2	...
...ghte...	,,	30.28	769.2	...	...	N	6	...	,,	30.28	769.2	...	...	...	0	...
...	,,	30.22	767.6	...	...	N	2	...	,,	30.30	769.6	...	...	N W	4	...
...	,,	30.19	766.8	...	...	...	0	...	,,	30.19	766.8	...	...	S W	2	...
...il. ...	,,	30.15	765.8	...	...	S E	6	...	,,	30.15	765.8	...	...	S E	4	...
...na, ...	,,	29.15	765.9	...	...	...	0	...	,,	30.15	765.9	...	...	...	0	...
...	,,	30.08	764.1	...	...	E	4	...	,,	30.12	765.1	...	...	...	0	...
...	,,	30.09	764.2	...	...	E	6	...	,,	30.09	764.2	...	...	E	2	...
...ijima,...	,,	30.01	762.3	...	...	E	6	...	,,	30.01	762.3	...	...	E	4	...
...la...	,,	30.00	762.1	...	...	N	6	...	,,	30.04	763.1	...	...	N	4	...
...	3 p.	30.06	763.5	70	70	S E	3	o	6 a.	30.09	762.0	61	94	N E	5	o
...hiwei,...	,,	30.09	764.3	68	...	S E	3	o	9 a.	...	...	...	...	...	...	...
...now...	,,	30.11	764.8	63	95	N	2	or	6 a.	30.25	768.3	59	88	N	3	or
...king...	,,	30.01	762.2	80	78	N E	1	b	,,	29.96	761.0	68	100	N E	1	or
...ghai. ...	,,	30.01	762.2	79	66	S S E	2	b	9 a.	30.11	764.8	69	90	N W	2	o
...tzlaff. ...	,,	30.01	762.2	77	86	S E	2	bm	,,	30.02	762.5	74	95	S S W	...	om
...p Peak,...	,,	30.01	762.2	79	95	E	3	b	,,	30.09	764.3	79	95	N	1	b
...oy...	,,	29.96	761.0	81	78	N E	1	b	6 a.	30.05	763.2	77	86	N E	1	b
...now...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...iboku...	1 p.	29.98	761.6	...	...	E	6	...	5 a.	30.00	762.0	...	...	E	6	...
...ieba...	,,	29.97	761.2	...	...	W	4	...	,,	30.00	761.9	...	...	...	0	...
...ze...	,,	29.98	761.5	...	...	W	4	...	,,	30.00	761.9	...	...	...	0	...
...ebu...	,,	29.99	761.7	...	...	E	6	...	,,	29.98	761.5	...	...	N E	6	...
...sadores, ...	,,	30.01	762.3	...	...	N	4	...	,,	29.98	761.5	...	...	N	2	...
...ton...	3 p.	29.98	761.5	88	56	S	1	b	9 a.	30.07	763.8	78	77	...	0	b
...gkong, ...	4 p.	29.98	761.5	79	72	E	2	b	10 a.	30.09	764.3	80	...	E	3	c
...toria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...Rock,...	,,	29.94	760.5	...	...	E	4	...	,,	30.04	763.0	...	...	E N E	4	...
...ao...	,,	29.99	761.7	79	...	S E	1	c	,,	30.09	764.3	82	...	E S E	1	c
...how,...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...hoi...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hen,...	4 p.	29.92	760.0	82	...	E S E	5	b	8 a.	30.04	763.0	81	...	E N E	3	b
...me. ...	,,	29.89	759.2	86	...	N N E	2	c	,,	29.98	761.5	76	...	...	0	o
...St. James,..	,,	29.77	756.1	82	...	E	5	c	,,	29.88	758.8	77	...	N E	1	c
...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...a. ...	4 p.	29.80	757	77	92	...	0	o	10 a.	29.92	760	81	85	N E	0	o
...ui,...	2 p.	29.83	757.8	86	...	E	1	c	6 a.	29.83	757.7	79	...	N E	1	c
...ad,...	3 p.	...	...	...	...	S E	1	od	9 a.	...	...	...	...	N N W	1	o
...	,,	29.79	756.6	85	...	N E	2	o	,,	29.83	757.7	82	...	N	1	c
...	,,	29.76	755.9	85	...	N	1	c	,,	29.85	758.2	81	...	...	0	o
...n, ...	,,	29.71	754.6	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 25th at 12.20. p.—The barometer has fallen quickly over N. China and at Wladiwostok owing to the depression which is moving towards NE over the Yellow Sea.

The area of high pressure now lies over E Japan. Pressure remains somewhat low over the S. Philippines.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	NE winds, fresh; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 25th October, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	26th OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.96	761.1	50	...	N E	1	o	7 a.	30.11	764.8	36	71	...	0
Nemuro,	,,	30.20	767.1	...	...	S	6	...	6 a.	29.81	757.1	...	...	..	0
Hakodate,	,,	30.13	765.2	...	...	S E	2	...	,,	29.89	759.2	...	...	N	4
Tokio,	,,	30.22	767.6	...	...	S	2	...	,,	29.99	761.6	...	...	S W	2
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	2
Nagasaki,	,,	30.11	764.8	...	...	S	6	...	,,	30.07	763.8	...	...	S W	6
Kagoshima,	,,	30.11	764.9	...	...	E	6	...	,,	30.08	763.9	...	...	...	0
Oshima,	,,	30.08	764.1	...	...	S	2	...	,,	30.08	764.1	...	...	S	2
Naha,	,,	30.09	764.2	...	...	E	4	...	,,	30.05	763.2	...	...	...	0
Ishigakijima,	,,	30.01	762.3	...	...	E	4	...	,,	30.01	762.3	...	...	N E	2
Bonin Is.	,,	30.00	762.1	...	...	N	4	...	,,	29.97	761.1	...	...	N	2
Chefoo,	3 p.	30.11	764.8	59	70	N	5	c	6 a.	30.15	765.8	55	56	...	0
Weihaiwei,	,,	30.09	764.3	60	...	N W	2	o	9 a.	...	...	...	...	...	...
Hankow,	,,	30.26	768.6	56	87	N	2	o	6 a.	30.22	767.6	55	100	N W	2
Kiukiang,	,,	30.10	764.5	62	94	W	2	o	,,	30.10	764.5	59	94	N W	1
Shanghai,	,,	30.08	764.0	67	84	W N W	1	o	9 a.	30.10	764.5	68	90	...	0
Gutzlaff,	,,	30.04	763.0	70	95	N N W	2	om	,,	30.08	764.0	68	95	N W	1
Sharp Peak,	,,	30.02	762.5	79	91	E	4	b	,,	30.05	763.2	77	95	...	0
Amoy,	,,	30.01	762.2	79	78	N E	1	b	6 a.	29.98	761.5	76	86	...	0
Swatow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Taiboku,	1 p.	29.98	761.4	...	...	E	4	...	6 a.	29.97	761.3	...	...	E	4
Taichu,	,,	29.94	760.6	...	...	W	2	...	,,	29.97	761.3	...	...	...	0
Tainan,	,,	29.99	761.8	...	...	W	6	...	,,	29.96	761.0	...	...	...	0
Koshun,	,,	30.00	761.9	...	...	N E	6	...	,,	29.97	761.1	...	...	N	6
Pescadores,	,,	29.98	761.5	...	...	N	6	...	,,	29.98	761.4	...	...	N	4
Canton,	3 p.	29.97	761.2	89	53	S	1	b	9 a.	30.05	763.2	80	78	N E	1
Hongkong,	4 p.	29.97	761.2	80	68	E	2	b	10 a.	30.03	762.7	80	68	E	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.94	760.5	...	...	E N E	5	...	,,	30.01	762.2	...	...	E N E	4
Macao,	,,	29.97	761.2	80	...	S E	1	c	,,	30.06	763.5	83	...	E S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.5	82	...	E S E	5	c	8 a.	30.02	762.5	81	...	E N E	3
Tourane,	,,	29.91	759.7	82	...	N E	3	o	,,	29.96	761.0	81	...	N E	1
Cape St. James,	,,	29.77	756.2	79	...	N E	6	f	,,	29.84	757.9	81	...	N N E	3
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	81	85	S E	1	o	10 a.	29.84	758	81	76	E S E	0
Legaspi,	2 p.	29.80	756.8	75	...	W	1	o	6 a.	29.83	757.6	75	...	...	0
Bacolod,	3 p.	...	...	...	...	S S E	2	o	9 a.	...	...	...	...	N N W	2
Iloilo,	,,	29.77	756.1	84	...	N	1	o	,,	29.87	758.7	83	...	N E	1
Cebu,	,,	29.78	756.4	84	...	N	1	b	,,	29.86	758.4	85	...	...	0
Labuan,	,,	29.72	754.9	85	...	...	...	...	,,	29.85	758.2	82	...	...	...

On the 26th at 11.50. a.—The barometer has fallen rapidly in E. Japan owing to the depression which is now moving into the Pacific to the S. of Hokkaido.

Pressure has *increased moderately* in N. China, and decreased slightly over S. China and Luzon. It is high over China to the North of the Yangtze, and apparently it is slightly low over the China Sea to the S.W. of Luzon. Moderate to fresh *monsoon* may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, moderate to fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIG
Director

Hongkong Observatory, Monday, 26th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	26TH OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27TH OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...stock,...	2 p.	30.12	765.0	51	...	N E	1	b	7 a.	29.77	756.2	48	84	S	4	c
.....	,,	29.85	758.1	...	...	N W	3	...	6 a.	30.16	766.1	...	...	N	6	...
...e,.....	,,	29.97	761.2	...	...	N	6	...	,,	30.09	764.2	...	...	N	2	...
.....	,,	29.91	759.6	...	...	S W	4	...	,,	30.06	763.6	...	...	N W	2	...
.....	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	S W	2	...
.....	,,	29.99	761.8	...	...	S W	4	...	,,	29.99	761.8	...	...	S	4	...
...na, ...	,,	30.00	761.9	...	...	S W	4	...	,,	30.04	762.9	...	...	...	0	...
.....	,,	30.04	763.1	...	...	N	4	...	,,	30.04	763.1	...	...	S	2	...
.....	,,	30.01	762.2	...	...	E	4	...	,,	30.01	762.2	...	...	...	0	...
...jima, ...	,,	29.97	761.3	...	...	E	6	...	,,	29.97	761.3	...	...	E	2	...
...k.....	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	N E	4	...
...o.....	3 p.	30.05	763.2	58	47	N W	1	o	6 a.	30.02	762.5	57	58	N W	4	o
...ivei,.....	,,	30.03	762.7	58	...	W N W	2	o	9 a.	30.08	764.0	56	...	W	4	o
...ow.....	,,	30.20	767.1	57	94	N W	2	or	6 a.	30.29	769.3	52	93	N W	2	o
...ing.....	,,	30.03	762.7	64	84	N W	2	o	,,	30.16	766.0	55	100	N W	2	b
...ghai, ...	,,	30.00	762.0	71	80	...	0	o	9 a.	30.15	765.8	58	94	N W	3	or
...ui.....	,,	29.99	761.7	73	81	...	0	om	,,	30.07	763.8	63	89	N N W	6	om
...yPeak, ...	,,	29.96	761.0	77	86	E N E	2	b	,,	30.01	762.2	75	95	...	0	b
...oy.....	,,	29.91	759.7	80	82	N E	1	b	6 a.	29.96	761.0	77	82	...	0	b
...atow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hoku.....	1 p.	29.93	760.1	...	...	S E	6	...	5 a.	29.95	760.7	...	...	E	2	...
...hu.....	,,	29.90	759.5	...	...	N	4	...	,,	29.99	761.6	...	...	N E	2	...
...n.....	,,	29.92	760.0	...	...	W	6	...	,,	29.94	760.5	...	...	...	0	...
...g.....	,,	29.93	760.1	...	...	N	6	...	,,	29.95	760.6	...	...	E	2	...
...ores, ...	,,	29.93	760.3	...	...	N	4	...	,,	29.94	760.5	...	...	N	4	...
...n.....	3 p.	29.93	760.2	88	59	S S W	1	c	9 a.	30.02	762.5	82	75	N	2	c
...kong, ...	4 p.	29.92	759.9	78	73	E S E	3	b	10 a.	30.00	762.0	81	66	E	1	c
...ma Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...Rock,.....	,,	29.90	759.4	...	...	E N E	4	...	,,	29.96	761.0	...	...	N E	4	...
...o.....	,,	29.95	760.7	79	...	S S E	1	c	,,	...	...	83	...	N E	1	c
...w, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...i.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n,.....	4 p.	29.90	759.5	82	...	S E	5	b	8 a.	30.00	762.0	79	...	E N E	3	b
...e,.....	,,	29.88	758.9	81	...	N E	3	o	,,	29.95	760.7	81	...	...	0	c
...t. James,.	,,	29.76	756.9	81	...	E N E	5	c	,,	29.86	758.5	82	...	N	1	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	77	92	...	1	o	10 a.	29.88	759	81	85	W N W	1	o
...i.....	2 p.	29.78	756.5	81	...	...	0	o	6 a.	...	...	...	...	...	...	...
...d.....	3 p.	...	...	...	...	N N W	1	o	9 a.	...	...	...	...	N N W	2	o
.....	,,	29.77	756.1	86	...	S W	1	b	,,	29.87	758.7	82	...	N E	1	c
.....	,,	29.76	755.9	86	...	N	1	b	,,	29.85	758.2	86	...	N	1	c
.....	,,	29.70	754.4	85	...	...	...	...	,,	29.80	756.9	81	...	...	...	...

On the 27th at 11.55. a.—The barometer has risen in E. Japan the depression lying over Hokkaido yesterday, ...g moved away over the Pacific.

Another depression, which is moving Eastwards, has appeared over Manchuria.

Pressure is highest and increasing over China to the North of the Yangtze.

The monsoon will probably freshen in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	N.E. winds, freshening; fine.
...rmosa Channel, ...	Same as No. 1.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 27th October, 1908.

...nted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th OCTOBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.65	753.0	49	...	W	1	or	7 a.	29.95	760.8	40	75	N W	1
Nemuro,	,,	30.08	764.1	...	...	S	4	...	6 a.	29.61	752.1	...	...	N W	4
Hakodate,	,,	29.85	758.2	...	...	S E	10	...	,,	29.81	757.2	...	...	W	...
Tokio,	,,	29.94	760.6	...	...	N W	4	...	,,	29.91	759.6	...	...	...	...
Kochi,	,,	29.91	759.8	...	...	E	4	...	,,	29.95	760.8	...	...	S W	...
Nagasaki,	,,	29.91	759.8	...	...	S W	6	...	,,	30.07	763.8	...	...	N	...
Kagoshima,	,,	29.96	760.9	...	...	W	4	...	,,	30.04	762.9	...	...	N W	...
Oshima,	,,	30.00	762.1	...	...	S	2	...	,,	30.04	763.1	...	...	S	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	...	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	4	...	,,	29.97	761.3	...	...	...	...
Bonin Is.	,,	29.89	759.1	...	...	S E	4	...	,,	29.93	760.1	...	...	...	...
Chefoo,	3 p.	30.10	764.5	55	50	W N W	4	b	6 a.	30.14	765.5	47	70	...	0
Weihaiwei,	,,	30.11	764.8	54	...	N W	2	o	9 a.	30.23	767.8	52	...	W	1
Hankow,	,,	30.25	768.3	63	57	N E	2	o	6 a.	30.30	769.6	54	87	N W	2
Kiukiang,	,,	30.13	765.2	61	89	N W	1	or	,,	30.25	768.3	67	95	N E	1
Shanghai,	,,	30.11	764.8	61	83	N W	2	omd	9 a.	30.24	768.1	59	76	N	1
Gutzlaff,	,,	30.05	763.2	64	89	N N W	5	om	,,	30.16	766.0	63	67	N	3
Sharp Peak,	,,	29.96	761.0	79	90	E	2	b	,,	30.11	764.8	71	85	N	4
Amoy,	,,	29.90	759.4	81	78	N E	1	b	6 a.	30.00	762.0	77	77	N E	3
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.91	759.6	...	...	E	6	...	5 a.	30.02	762.4	...	...	E	6
Taichu,	,,	29.90	759.5	...	...	N	4	...	,,	29.97	761.2	...	...	N E	2
Tainan,	,,	29.91	759.7	...	...	N W	6	...	,,	29.95	760.7	...	...	...	0
Koshun,	,,	29.91	759.6	...	...	N E	6	...	,,	29.95	760.6	...	...	N	2
Pescadores,	,,	29.93	760.3	...	...	N	6	...	,,	29.97	761.2	...	...	N	3
Canton,	3 p.	29.91	759.7	87	58	N	2	c	9 a.	30.05	763.2	75	72	N	3
Hongkong,	4 p.	29.89	759.2	80	75	E	3	b	10 a.	30.01	762.2	76	81	E	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.88	758.9	...	...	E N E	4	...	,,	29.96	761.0	...	...	E N E	5
Macao,	,,	29.90	759.4	81	...	S E	1	c	,,	30.02	762.5	78	...	N N E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.88	759.0	84	...	S S E	3	b	8 a.	30.00	762.0	77	...	N E	3
Tourane,	,,	29.86	758.5	77	...	N N E	3	or	,,	29.91	759.8	79	...	N	2
Cape St. James,	,,	29.75	756.6	79	...	E N E	5	c	,,	29.85	758.1	81	...	N N E	2
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.76	756	84	71	W	1	o	10 a.	29.88	759	84	71	W S W	1
Legaspi,	2 p.	29.80	756.8	86	...	S E	1	b	6 a.	29.86	758.5	79	...	E	1
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N N E	3
Iloilo,	,,	29.77	756.1	87	...	N E	1	c	,,	29.87	758.7	83	...	N E	2
Cebu,	,,	29.77	756.1	86	...	N	1	b	,,	29.86	758.4	86	...	N	1
Labuan,	,,	29.69	754.1	85	...	...	...	...	,,	29.79	756.6	82	...	...	...

On the 28th at 11.55. a.—The barometer has fallen rapidly in E. Japan, and risen moderately over N. China.

The depression has crossed the N.E. part of the Sea of Japan and is now moving into the Pacific to the E. Hokkaido.

Pressure is high over China to the North of the Yangtze, and relatively low over the N. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 28th October, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...N.	28TH OCTOBER, 1908, P.M.								29TH OCTOBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...tock,...	2 p.	29.97	761.3	82	...	E	1	b	7 a.	30.11	764.8	36	42	N	1	c
... .	,,	29.77	756.1	...	...	N	6	...	6 a.	29.97	761.1	...	...	N	4	...
...k.....	,,	29.97	761.2	...	...	N W	8	...	,,	30.05	763.2	...	...	N W	2	...
.....	,,	29.91	759.6	...	...	N	2	...	,,	30.02	762.6	...	...	N W	4	...
.....	,,	29.91	759.8	...	...	S E	2	...	,,	29.99	761.8	...	...	S W	2	...
...a.....	,,	30.03	762.8	...	...	N	4	...	,,	30.03	762.8	...	...	N	2	...
...s, ...	,,	29.96	760.9	...	...	S W	4	...	,,	30.04	762.9	...	...	...	0	...
.....	,,	29.96	761.1	...	...	E	6	...	,,	30.04	763.1	...	...	S	4	...
.....	,,	30.01	762.2	...	...	E	2	...	,,	30.01	762.2	...	...	...	0	...
...ma,....	,,	30.01	762.3	...	...	N	4	...	,,	29.97	761.3	...	...	S E	4	...
.....	,,	29.93	760.1	...	...	N E	2	...	,,	29.93	760.1	...	...	...	0	...
.....	3 p.	30.11	764.8	66	75	N W	2	c	6 a.	30.21	767.3	51	100	S W	1	b
...ei,.....	,,	30.19	766.8	55	...	N W	1	o	9 a.	30.28	769.1	55	...	N W	2	ovr
.....	,,	30.29	769.3	56	87	N N W	1	o	6 a.	30.36	771.1	50	86	N W	1	o
...g.....	,,	30.17	766.3	60	89	N E	2	o	,,	30.27	768.8	55	100	N E	3	o
.....	,,	30.17	766.3	59	70	N N E	1	om	9 a.	30.28	769.1	55	94	N	1	mod
...f.....	,,	30.12	765.0	59	88	N N E	2	om	,,	30.18	766.6	55	81	N	5	omd
...Peak,.....	,,	30.02	762.5	74	90	N E	2	c	,,	30.10	764.5	70	80	N	5	o
.....	,,	29.95	760.7	80	70	N E	2	c	6 a.	29.99	761.7	76	82	...	0	o
...w.....	,,	29.94	760.5	79	66	E	2	c	,,	29.97	761.2	73	81	N E	3	c
...ku.....	1 p.	30.00	761.9	...	...	E	6	...	5 a.	29.99	761.8	...	...	E	6	...
...n.....	,,	29.91	759.7	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
.....	,,	29.94	760.5	...	...	W	4	...	,,	29.95	760.7	...	...	...	0	...
.....	,,	29.94	760.4	...	...	N E	6	...	,,	29.95	760.8	...	...	N	6	...
...ves, ...	,,	29.97	761.2	...	...	N E	6	...	,,	29.97	761.1	...	...	N E	6	...
...n.....	3 p.	29.95	760.7	78	78	N N W	3	or	9 a.	30.11	764.8	68	90	N N W	2	or
...ng, ...	4 p.	29.92	759.9	77	83	E	3	o	10 a.	30.05	763.2	73	81	N	1	o
...n Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...lock,.....	,,	29.88	758.9	...	...	E N E	6	...	,,	29.98	761.5	...	...	E N E	6	...
.....	,,	29.94	760.5	78	...	E N E	1	od	,,	30.05	763.2	73	...	N	2	od
...w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.90	759.4	86	...	E S E	1	c	8 a.	30.02	762.5	73	...	N E	2	o
...e, ...	,,	29.83	757.8	77	...	N N E	3	or	,,	29.92	760.0	75	...	...	0	o
...t James,.	,,	29.76	756.0	82	...	E	4	c	,,	29.88	759.0	75	...	N E	2	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...l.....	4 p.	29.80	757	82	70	E	0	c	10 a.	29.88	759	84	71	W S W	1	c
...l.....	2 p.	29.81	757.1	81	...	E	1	o	6 a.	29.84	758.0	79	...	N E	1	...
...l.....	3 p.	...	...	...	...	N	4	c	9 a.	...	...	...	...	N N E	3	c
.....	,,	29.77	756.1	88	...	N E	2	b	,,	...	...	83	...	N E	1	b
.....	,,	29.82	757.4	86	...	N	2	b	,,	29.84	757.9	83	...	N	1	c
...a.....	,,	29.68	753.9	86	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 29th at 11.55. a.—The barometer has risen over E. Japan, the depression lying off Hokkaido yesterday, ...s moved away over the Pacific.

...ressure has increased slightly over China, while it is has a tendency to give way over the Philippines. It is high ...China to the North of the Yangtze, and gradients are moderate along the coast.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ngkong and Neighbourhood, ...	N.E. winds, fresh or strong; fair.
...rmosa Channel, ...	Same as No. 1.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 29th October, 1908.

...nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th October, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	30th October, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	30.10	764.6	46	..	N E	1	b	7 a.	30.20	767.1	32	53	N E	2
Nemuro,	,,	29.93	760.1	...	...	N E	2	...	6 a.	29.85	758.1	...	...	N	6
Hakodate,	,,	29.97	761.2	...	...	N	8	...	,,	30.09	764.2	...	...	N W	4
Tokio,	,,	29.94	760.6	...	...	...	0	...	,,	29.99	761.6	...	...	N W	2
Kochi,	,,	29.91	759.8	...	...	S	2	...	,,	29.99	761.8	...	...	W	2
Nagasaki,	,,	30.03	762.8	...	...	N	6	...	,,	30.07	763.8	...	...	N E	2
Kagoshima,	,,	29.96	760.9	...	...	N W	2	...	,,	30.04	762.9	...	...	N	4
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	29.97	761.1	...	...	N	6
Naha,	,,	30.01	762.2	...	...	N	2	...	,,	29.97	761.2	...	...	N E	2
Ishigakijima,	,,	29.97	761.3	...	...	S E	2	...	,,	29.93	760.3	...	...	N E	2
Bonin Is.	,,	29.89	759.1	...	...	E	2	...	..	29.85	758.1	...	...	...	0
Chefoo,	3 p.	30.25	768.3	56	75	N N W	2	b	6 a.	30.27	768.8	43	100	...	0
Weihaiwei,	,,	30.26	768.6	...	...	W	2	b	9 a.	30.24	768.1	53	...	W	1
Hankow,	,,	30.32	770.1	61	66	N W	1	o	6 a.	30.31	769.9	53	93	N W	1
Kiukiang,	,,	30.26	768.6	55	94	N E	3	or	,,	...	...	53	93	N E	3
Shanghai,	,,	30.22	767.6	57	81	N N W	2	om	9 a.	30.20	767.1	61	66	N	1
Gutzlaff,	,,	30.14	765.5	58	88	N	4	omp	,,	30.14	765.5	58	81	N E	3
Sharp Peak,	,,	30.02	762.5	69	85	N N E	4	o	,,	30.10	764.5	66	95	N W	2
Amoy,	,,	29.97	761.2	77	77	N E	2	o	6 a.	29.99	761.7	72	76	N E	1
Swatow,	,,	29.95	760.7	78	74	E	2	o	..	29.99	761.7	67	89	N	2
Taihoku,	1 p.	29.99	761.7	...	...	E	6	...	5 a.	29.99	761.7	...	...	E	4
Taichu,	,,	29.90	759.5	...	...	N	6	...	,,	29.92	760.0	...	...	N	2
Tainan,	,,	29.92	760.0	...	...	W	2	...	,,	29.95	760.6	...	...	E	2
Koshun	,,	29.93	760.2	...	...	N E	6	...	,,	29.91	759.6	...	...	N	4
Pescadores,	,,	29.94	760.5	...	...	N E	10	...	,,	29.92	759.9	...	...	N	8
Canton,	3 p.	30.02	762.5	71	76	N	2	o	9 a.	30.10	764.5	64	84	N	2
Hongkong,	4 p.	29.96	761.0	75	72	N	2	o	10 a.	30.03	762.7	72	71	N	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.91	759.7	...	...	N E	5	...	,,	29.98	761.5	...	...	N N E	5
Macao,	,,	29.98	761.5	74	...	N N W	2	c	..	30.04	763.0	69	...	N	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.6	77	...	...	2	c	8 a.	30.07	763.7	70	...	N	2
Tourane,	,,	29.85	758.1	79	...	N N W	4	o	,,	29.93	760.2	79	...	N W	2
Cape St. James,	,,	29.78	756.3	82	...	E	3	c	,,	29.86	758.4	81	...	N N E	1
Aparri,	2 p.	29.85	758.2	...	...	N E	1	b	6 a.	29.87	758.6	...	...	S W	1
Manila,	4 p.	29.80	757	84	64	S	1	o	10 a.	29.84	758	82	70	W	1
Legaspi,	2 p.	29.81	757.1	86	...	E	1	b	6 a.	29.82	757.5	79	...	N E	1
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N N E	3
Iloilo,	,,	29.77	756.1	87	...	N E	1	b	,,	29.83	757.7	83	...	N	2
Cebu,	,,	29.77	756.1	85	...	N	2	b	,,	29.83	757.7	83	...	N	1
Labuan,	,,	29.70	754.4	87	...	...	...	...	,,	29.80	756.9	82	...	...	...

On the 30th at 11.50. a.—The barometer has fallen slightly over China, the Loochoos and the Philippines, risen moderately in Wladiwostok.

Pressure is low over the Pacific between the Philippines and the Bonins. It remains high over China to North of the Yangtze.

Strong monsoon will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 30th October, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	30TH OCTOBER, 1908, P.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ock,...	2 p.	30.17	766.3	43	...	N E	1	b
.....	,,	29.96	761.1	...	...	N W	8	...
.....	,,	30.09	764.2	...	...	N W	8	...
.....	,,	30.02	762.6	...	...	E	4	...
.....	,,	29.99	761.8	...	...	...	0	...
.....	,,	29.99	761.8	...	...	...	0	...
.....	,,	30.00	761.9	...	...	...	0	...
a, ...	,,	29.96	761.1	...	...	S	2	...
.....	,,	29.93	760.2	...	...	N E	4	...
ma,....	,,	29.89	759.3	...	...	S	2	...
.....	,,	29.81	757.1	...	...	N	4	...
.....	3 p.	30.19	766.8	54	93	...	0	c
ei,.....	,,	30.17	766.3	54	...	N	1	b
.....	,,	30.23	767.8	62	61	S E	1	c
.....	,,	30.24	768.1	59	76	S W	1	o
.....	,,	30.16	766.0	61	60	N E	1	o
.....	,,	30.11	764.8	61	60	N N E	4	ov
ak,.....	,,	30.03	762.7	68	99	N	2	o
.....	,,	29.92	759.9	75	77	N E	2	c
.....	,,	29.95	760.7	76	64	N E	2	o
.....	1 p.	29.93	760.1	...	...	E	6	...
.....	,,	29.88	759.0	...	...	N	6	...
.....	,,	...	...	...	...	W	6	...
.....	,,	29.96	761.1	...	...	N	6	...
es, ...	,,	29.92	760.0	...	...	N	8	...
.....	3 p.	29.99	761.7	77	57	N N W	2	b
ng	4 p.	29.94	760.5	75	59	N N E	2	c
Peak,...	,,	...	...	...	...	...	...	...
k,.....	,,	29.94	760.5	...	...	N N E	4	...
.....	,,	29.96	761.0	79	...	N	1	c
.....	3 p.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...
.....	4 p.	29.94	760.5	75	...	N E	1	c
.....	,,	29.86	758.4	75	...	N W	4	or
James,.	,,	29.76	755.8	84	...	E N E	1	c
.....	2 p.	29.81	757.1	...	...	N E	1	b
.....	4 p.	29.80	757	77	92	E N E	2	r
.....	2 p.	29.78	756.4	86	...	N E	1	c
.....	3 p.	...	...	...	...	N N E	4	c
.....	,,	29.77	756.1	88	...	N E	1	b
.....	,,	29.76	755.9	85	...	N	2	c
.....	,,	29.73	755.1	87	...	...	...	...

31ST OCTOBER, 1908, A.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
7 a.	30.12	765.0	22	81	...	0	c
6 a.	30.20	767.1	...	...	W	4	...
,,	30.25	768.2	...	...	N	2	...
,,	30.14	765.6	...	...	N W	6	...
,,	29.99	761.8	...	...	S W	2	...
,,	30.03	762.8	...	...	...	0	...
,,	30.04	762.9	...	...	N	2	...
,,	30.04	763.1	...	...	N	6	...
,,	29.97	761.2	...	...	W	4	...
,,	29.97	761.3	...	...	N E	4	...
,,	29.89	759.1	...	...	E	2	...
6 a.	30.16	766.0	43	100	...	0	b
9 a.	30.22	767.6	57	...	N W	1	b
6 a.	30.27	768.8	55	100	E	2	b
,,	30.22	767.6	50	100	S E	1	c
9 a.	30.25	768.3	62	56	N	...	b
,,	30.18	766.6	66	54	N E	2	cv
,,	30.15	765.8	67	89	N	3	c
6 a.	30.04	763.0	70	76	N E	1	b
,,	...	...	...	...	...	...	...
5 a.	30.05	763.3	...	...	E	4	...
,,	29.95	760.7	...	...	N	4	...
,,	29.95	760.6	...	...	...	0	...
,,	29.93	760.2	...	...	N	4	...
,,	29.96	760.9	...	...	N	10	...
9 a.	30.13	765.3	66	72	N N E	2	c
10 a.	30.07	763.8	74	63	E	2	b
,,	...	...	...	...	...	...	...
,,	30.01	762.2	...	...	E N E	5	...
,,	30.07	763.8	74	...	N	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.05	763.2	70	...	N N E	3	o
,,	29.94	760.5	77	...	...	0	o
,,	29.85	758.1	81	...	N E	2	c
6 a.	...	...	...	...	...	...	...
10 a.	29.88	759	82	70	N W	1	c
6 a.	...	...	...	...	...	...	...
9 a.	...	...	...	...	N N E	3	o
,,	29.87	758.7	84	...	N E	2	b
,,	29.83	757.7	84	...	...	0	c
,,	29.81	757.2	83	...	...	...	...

n the 31st at 11.50. a.—The barometer has fallen slightly over N. China, and risen elsewhere, particularly in pan.

reas of high pressure are situated over N.E. Japan, and over China to the North of the Yangtze.

ressure remains low over the Pacific between the Philippines and the Bonins.

esh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N.E. winds, fresh ; fine.
mosa Channel, ...	N.E. winds, strong.
e coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 31st October, 1908.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	31st OCTOBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.04	763.0	51	...	SS	1	b	7 a.	30.13	765.2	32	71	N E	
Nemuro,	,,	30.16	766.1	...	...	S	2	...	6 a.	30.08	764.1	...	...	...	
Hakodate,	,,	30.13	765.2	...	...	...	0	...	,,	30.13	765.2	...	...	...	
Tokio,	,,	30.10	764.6	...	...	N W	6	...	,,	30.02	762.6	...	...	N W	
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S	
Nagasaki,	,,	29.99	761.8	...	...	N	4	...	,,	30.19	766.8	...	...	N	
Kagoshima,	,,	30.00	761.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N	
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	30.13	765.2	...	...	N E	
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	
Bonin Is.	,,	29.85	758.1	...	...	E	2	...	,,	29.93	760.1	...	...	W	
Chefoo,	3 p.	30.16	766.0	62	89	N W	1	b	6 a.	30.19	766.8	52	100	...	
Weihaiwei,	,,	30.20	767.1	58	...	N W	1	b	9 a.	30.25	768.3	59	...	W	
Hankow,	,,	30.23	767.8	62	67	S E	2	o	6 a.	30.21	767.3	57	94	E	
Kiukiang,	,,	30.18	766.6	65	73	N E	2	b	,,	30.16	766.0	58	94	N E	
Shanghai,	,,	30.24	768.1	66	45	E N E	1	c	9 a.	...	...	...	...	...	
Gutzlaff,	,,	30.19	766.8	68	51	N	2	cv	,,	30.23	767.8	63	62	E	
Sharp Peak,	,,	30.10	764.5	69	80	N	5	o	,,	30.17	766.3	70	85	N	
Amoy,	,,	30.04	763.0	75	72	N E	1	b	6 a.	30.08	764.0	72	67	N E	
Swatow,	,,	29.92	759.9	76	64	E	2	c	,,	29.98	761.5	65	78	N	
Taiboku,	1 p.	30.06	763.5	...	...	E	8	...	5 a.	30.13	765.2	...	...	E	
Taichu,	,,	29.93	760.2	...	...	N	6	...	,,	30.01	762.2	...	...	...	
Tainan,	,,	29.93	760.1	...	...	W	6	...	,,	29.92	760.0	...	...	N	
Koshun,	,,	29.91	759.6	...	...	N E	10	...	,,	30.02	762.5	...	...	N	
Pescadores,	,,	29.97	761.3	...	...	N.	10	...	9 a.	30.13	765.3	72	95	E N E	
Canton,	3 p.	30.01	762.2	80	55	N N E	1	b	10 a.	30.09	764.3	74	62	E N E	
Hongkong,	4 p.	30.01	762.2	75	67	E	3	c	,,	...	...	...	...	...	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	E N E	
Gap Rock,	,,	29.95	760.7	...	...	E	6	...	,,	...	...	...	...	....	
Macao,	,,	30.01	762.2	77	...	N E	1	c	9 a.	...	...	...	...	...	
Hoihow,	3 p.	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	30.03	762.7	76	86	N N W	2	o	8 a.	30.06	763.6	73	...	N E	
Phulien,	4 p.	29.98	761.4	73	...	...	2	o	,,	29.95	760.7	79	...	...	
Tourane,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	82	...	N E	
Cape St. James,	,,	29.77	756.2	82	...	E	2	c	6 a.	29.97	761.2	...	...	S W	
Aparri,	2 p.	29.88	758.9	...	...	N E	1	b	10 a.	29.92	760	86	59	...	
Manila,	4 p.	29.80	757	86	58	E	1	c	6 a.	29.89	759.3	77	...	N E	
Legaspi,	2 p.	29.82	757.5	79	...	E	1	o	9 a.	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N E	4	o	,,	...	...	...	...	...	
Iloilo,	,,	29.83	757.7	88	...	N E	2	b	,,	...	...	...	...	...	
Cebu,	,,	29.78	756.4	86	...	N	2	b	,,	...	...	...	...	...	
Labuan,	,,	29.70	754.5	85	...	...	...	...	,,	...	...	...	...	...	

On the 1st at 11.55. a.—The barometer has fallen moderately to slightly over E. Japan and Central China respectively. It has risen elsewhere, particularly over W. Japan and the Loochoos.

Pressure appears to be low over the Pacific to the S.E. of Japan, and the highest pressure is now shown over Yellow Sea.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh or strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 1st November, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	1st NOVEMBER, 1908, P.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	2nd NOVEMBER, 1908, A.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
stock,...	2 p.	30.16	766.0	43	...	N	3	b	7 a.	30.13	765.2	34	71	...	0	o
.....	,,	29.96	761.1	...	...	...	0	...	6 a.	30.04	763.1	...	...	W	3	...
e, ...	,,	30.05	763.2	...	...	W	4	...	,,	30.21	767.2	...	...	...	0	...
.....	,,	30.02	762.6	...	...	N	4	...	,,	30.22	767.6	...	...	N W	3	...
.....	,,	30.07	763.8	...	...	N	4	...	,,	30.23	767.8	...	...	W	2	...
li, ...	,,	30.15	765.8	...	...	N W	6	...	,,	30.19	766.8	...	...	E	4	...
ima, ...	,,	30.11	764.9	...	...	N E	2	...	,,	30.19	766.9	...	...	E	4	...
.....	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	S	2	...
.....	,,	30.13	765.2	...	...	N E	4	...	,,	30.09	764.2	...	...	...	0	...
ijima, ...	,,	30.09	764.3	...	...	E	6	...	,,	30.05	763.3	...	...	N E	2	...
ls.....	,,	29.85	758.1	...	...	N E	2	...	,,	30.01	762.1	...	...	N	4	...
.....	3 p.	30.07	763.8	65	100	S W	0	b	6 a.	30.13	765.3	54	100	S E	2	b
wei,.....	,,	30.21	767.3	64	...	W	2	ovr	9 a.	30.14	765.5	58	...	S E	0	o
w, ...	,,	30.10	764.5	68	94	N W	1	or	6 a.	30.19	766.8	58	70	W	1	o
ng,.....	,,	30.19	766.8	58	100	S E	1	or	,,	30.14	765.5	57	94	...	0	o
hai, ...	,,	30.21	767.3	64	63	E	1	om	9 a.	30.06	763.5	62	100	S	1	omd
ff, ...	,,	30.20	767.1	65	58	E S E	3	ov	,,	30.05	763.2	63	89	S	3	omr
Peak,.....	,,	30.13	765.3	71	80	N	4	b	,,	30.10	764.5	70	95	W	1	c
.....	,,	30.05	763.2	74	68	E N E	1	b	6 a.	...	...	72	71	N E	1	c
.....	,,	30.01	762.2	79	58	E	2	b	,,	...	...	67	79	N E	1	c
.....	1 p.	30.09	764.2	...	...	E	8	...	5 a.	30.02	762.5	...	...	E	2	...
.....	,,	30.09	764.2	...	...	W	4	...	,,	30.02	762.6	...	...	N	4	...
.....	,,	30.00	762.1	...	...	S W	6	...	,,	30.02	762.4	...	...	...	0	...
.....	,,	30.01	762.3	...	...	N E	6	...	,,	30.00	761.9	...	...	N	6	...
ores, ...	,,	30.03	762.7	...	...	N	8	...	,,	30.02	762.6	...	...	N	4	...
.....	3 p.	...	...	78	78	N N W	3	or	9 a.	30.08	764.0	77	77	N N E	1	c
ong, ...	4 p.	30.02	762.5	75	66	E	2	c	10 a.	30.06	763.5	77	72	E	2	o
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ock,.....	,,	29.99	761.7	...	...	E	6	...	,,	30.02	762.5	...	...	E	5	...
.....	,,	30.04	763.0	77	...	N E	2	c	,,	30.07	763.8	78	...	E S E	1	c
w, ...	3 p.	29.98	761.5	78	90	E	4	o	9 a.	...	...	...	...	...	...	...
i.....	,,	29.99	761.7	76	95	...	0	c	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.97	761.3	79	...	E N E	2	o	8 a.	30.02	762.5	73	...	E N E	4	o
ne, ...	,,	29.87	758.7	79	...	S E	2	o	,,	29.96	760.9	77	...	...	0	o
t. James,.	,,	29.80	756.9	81	...	N N E	4	c	,,	29.86	758.5	81	...	N E	1	c
.....	2 p.	29.93	759.2	...	...	E	1	d	6 a.	...	...	...	...	...	...	...
a, ...	4 p.	29.84	758	86	53	E N E	1	b	10 a.	29.92	760	82	70	W N W	1	b
pi, ...	2 p.	29.88	759.0	84	...	S E	1	b	6 a.	...	...	...	...	...	...	...
od, ...	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	E N E	2	c
.....	,,	29.81	757.2	86	...	N E	2	b	,,	29.87	758.7	83	...	N E	2	b
.....	,,	29.81	757.2	86	...	N	2	b	,,	29.88	758.9	84	...	N	2	c
n, ...	,,	29.69	754.1	85	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 2nd at 11.30. a.—The barometer has fallen over N. China owing to a depression which is moving East- to the North of the Lower Yangtze.

Pressure has increased considerably and is now high over S.E. Japan.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	E. to N.E. winds, moderate; fair.
ormosa Channel, ...	Same as No. 1.
outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 2nd November, 1908.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.05	763.2	51	...	S	2	c	7 a.	29.97	761.3	48	96	S E	2
Nemuro,	,,	30.12	765.1	...	...	N	6	...	6 a.	30.20	767.1	...	...	...	0
Hakodate,	,,	30.20	767.2	...	...	N W	6	...	,,	30.17	766.2	...	...	...	0
Tokei,	,,	30.22	767.6	...	...	S	2	...	,,	30.22	767.6	...	...	N W	4
Kobe,	,,	30.19	766.8	...	...	S	2	...	,,	30.15	765.8	...	...	S W	2
Nagasaki,	,,	30.11	764.8	...	...	E	2	...	,,	29.99	761.8	...	...	E.	8
Kagoshima,	,,	30.11	764.9	...	...	E	6	...	,,	30.04	762.9	...	...	N E	6
Oshima,	,,	30.08	764.1	...	...	E	4	...	,,	30.01	762.1	...	...	S	2
Naha,	,,	30.05	763.2	...	...	E	2	...	,,	30.05	763.2	...	...	...	0
Ishigakijima,	,,	30.01	762.3	...	...	S E	2	...	,,	30.01	762.3	...	...	N	2
Bonin Is.	,,	30.00	762.1	...	...	N	4	...	,,	30.12	765.1	...	...	E	4
Chefoo,	3 p.	30.08	764.0	59	100	S	1	o	6 a.	30.12	765.0	54	100	S E	2
Weihaiwei,	,,	30.08	764.0	61	...	S	1	o	9 a.	30.16	766.0	63	...	N E	1
Hankow,	,,	30.19	766.8	66	59	S W	1	c	6 a.	30.12	765.0	57	81	N E	3
Kiukiang,	,,	30.10	764.5	64	72	W	1	c	,,	30.11	764.8	54	94	...	0
Shanghai,	,,	30.00	762.0	63	78	W	2	o	9 a.	30.10	764.5	61	66	W S W	2
Gutzlaff,	,,	29.97	761.2	64	84	W	3	om	,,	30.06	763.5	61	77	N W	3
Sharp Peak,	,,	30.01	762.2	70	100	...	0	or	,,	30.07	762.8	75	100	...	0
Amoy,	,,	30.01	762.2	73	76	N E	1	o	6 a.	30.00	762.0	71	95	...	0
Swatow,	,,	29.96	761.0	70	90	...	0	o	,,	29.92	759.9	67	95	N E	1
Taihoku,	1 p.	29.98	761.4	...	...	E	2	...	5 a.	30.02	762.5	...	...	...	0
Taichu,	,,	29.98	761.4	...	...	N	4	...	,,	30.01	762.2	...	...	...	0
Tainan,	,,	29.98	761.4	...	...	W	4	...	,,	29.99	761.6	...	...	E	2
Koshun,	,,	29.98	761.5	...	...	N E	6	...	,,	29.99	761.8	...	...	N	2
Pescadores,	,,	30.01	762.3	...	...	N	6	...	,,	29.99	761.6	...	...	N	4
Canton,	3 p.	29.96	761.0	83	63	...	0	c	9 a.	30.02	762.5	74	90	E	1
Hongkong,	4 p.	29.96	761.0	76	77	E	2	o	10 a.	30.01	762.2	76	80	E	5
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.93	760.2	...	...	E N E	4	...	,,	29.97	761.2	...	...	E	5
Macao,	,,	29.97	761.2	77	...	S E	1	o	,,	30.02	762.5	...	...	E S E	2
Wuchow,	3 p.	29.99	761.7	80	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	,,	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.88	759.0	77	...	E N E	4	b	8 a.	29.93	760.1	75	...	E N E	3
Tourane,	,,	29.85	758.2	84	...	N E	1	o	,,	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	81	...	E N E	4	c	,,	29.86	758.4	77	...	N N E	2
Aparri,	2 p.	29.88	759.0	...	...	...	0	b	6 a.	29.94	760.4	...	...	S W	1
Manila,	4 p.	29.80	757	84	64	E	2	c	10 a.	29.88	759	84	64	N E	1
Legaspi,	2 p.	29.82	757.4	88	...	E	0	b	6 a.	29.86	758.3	77	...	N E	1
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	E	2
Iloilo,	,,	29.79	756.6	...	...	N E	2	b	,,	29.87	758.7	83	...	N E	3
Cebu,	,,	29.79	756.6	86	...	N	2	c	,,	29.86	758.4	85	...	N	2
Labuan,	,,	29.68	753.9	85	...	...	...	...	,,	29.83	757.7	84	...	...	...

On the 3rd at 11.55. a.—The barometer has fallen considerably in S.W. Japan owing to the depression w appears to be approaching the neighbourhood of Korea Straits.

Pressure is giving way again over the Yangtze Valley and S. China, and probably another depression is deve ing over the Upper Yangtze.

The highest pressure lies over E. Japan.

Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh ; fair.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

E. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 3rd November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	3RD NOVEMBER, 1908, P.M.								4TH NOVEMBER, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
tock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.04	763.1	...	...	S	4	...	6 a.	29.85	758.1	...	...	N	6	...
.....	,,	30.01	762.2	...	...	W	6	...	,,	30.09	764.2	...	...	N W	6	...
.....	,,	30.14	765.6	...	...	W	2	...	,,	30.10	764.6	...	...	N W	4	...
.....	,,	30.03	762.8	...	...	S W	2	...	,,	30.03	762.8	...	...	S W	4	...
.....	,,	29.95	760.8	...	...	S E	4	...	,,	30.02	762.8	...	...	S E	4	...
na, ...	,,	30.00	761.9	...	...	N E	2	...	,,	30.04	762.9	...	...	N E	2	...
.....	,,	30.12	765.1	...	...	W	6	...	,,	30.04	763.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	W	2	...	,,	30.05	763.2	...	...	...	0	...
jima,....	,,	30.01	762.3	...	...	S	2	...	,,	30.01	762.3	...	...	...	0	...
.....	,,	30.04	763.1	...	...	E	4	...	,,	30.01	762.1	...	...	E	4	...
.....	3 p.	30.15	765.8	63	78	N E	3	o	6 a.	30.12	765.0	57	94	N E	4	b
ei,.....	,,	30.15	765.8	61	...	N E	2	o	9 a.	30.17	766.3	57	...	E	1	o
.....	,,	30.10	764.5	58	88	E	2	or	6 a.	30.11	764.8	56	94	N W	2	or
g.....	,,	30.05	763.2	58	94	N E	2	or	,,	30.03	762.7	56	94	N E	1	or
i, ...	,,	30.05	763.2	61	77	WNW	2	c	9 a.	30.02	762.5	59	100	E N E	1	or
.....	,,	30.02	762.5	64	73	N W	2	ov	,,	30.00	762.0	63	83	S E	3	ov
eak,.....	,,	30.00	762.0	74	86	N E	5	b	,,	30.03	762.7	73	100	...	0	o
.....	,,	29.97	761.2	75	77	N E	1	b	6 a.	30.01	762.2	73	86	N E	1	o
.....	,,	29.92	759.9	76	82	E	1	b	,,	...	...	...	...	...	...	...
.....	1 p.	29.95	760.8	...	...	E	4	...	5 a.	29.97	761.2	...	...	E	2	...
.....	,,	29.94	760.4	...	...	N	2	...	,,	30.00	761.9	...	...	W	2	...
.....	,,	29.96	761.1	...	...	W	4	...	,,	30.00	762.0	...	...	...	0	...
.....	,,	29.95	760.8	...	...	E	6	...	,,	29.99	761.7	...	...	N	6	...
res, ...	,,	29.96	761.1	...	...	N	6	...	,,	29.99	761.6	...	...	N	4	...
.....	3 p.	29.92	759.9	81	71	S S E	2	c	9 a.	30.03	762.7	79	78	E	1	c
ng, ...	4 p.	29.93	760.2	76	82	E	3	o	10 a.	30.05	763.2	77	82	E	2	o
Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ck,.....	,,	29.90	759.4	...	...	E	5	...	,,	30.00	762.9	...	...	E	4	...
.....	,,	29.93	760.2	77	...	E S E	1	o	,,	30.05	763.2	79	...	E S E	1	c
w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	29.89	759.2	95	68	S E	2	b	,,	...	...	...	...	...	...	...
.....	,,	29.89	759.2	85	68	S	2	b	,,	...	...	...	...	...	...	...
.....	4 p.	29.84	757.9	82	...	S S E	3	c	8 a.	29.97	761.1	79	...	S S E	5	c
e, ...	,,	29.83	757.8	82	...	E S E	2	c	,,	29.97	761.2	77	...	...	0	o
James,.	,,	29.76	755.8	82	...	E	5	f	,,	29.89	759.1	81	...	N N E	3	c
.....	2 p.	29.88	759.0	...	...	N E	1	b	6 a.	29.97	761.1	...	...	S	1	b
.....	4 p.	29.80	757	82	77	N N W	1	c	10 a.	29.92	760	86	65	W	1	b
.....	2 p.	29.82	757.4	86	...	E	1	b	6 a.	29.86	758.3	79	...	N E	1	o
d,.....	3 p.	...	...	...	...	N	3	o	9 a.	...	...	...	...	N N E	3	o
.....	,,	...	...	88	...	N E	3	b	,,	29.89	759.2	89	...	N E	2	b
.....	,,	29.78	756.4	86	...	N	2	c	,,	29.85	758.2	87	...	N	1	b
.....	,,	29.77	756.1	88	...	...	...	...	,,	29.86	758.4	82	...	...	...	...

On the 4th at 11.55. a.—The barometer has fallen slightly over the E. coast of China, and risen a little at the ern stations.

The shallow depression is moving Eastwards over the Lower Yangtze, and the depression lying over the Sea of yesterday, is moving into the Pacific to the E. of Hokkaido.

Gradients are slight in the South, and moderate monsoon may be expected in the Formosa Channel and the N. of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	E. to N.E. winds, moderate; fair.
ormosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday 4th November, 1908.

nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th NOVEMBER, 1908, P.M.								5th NOVEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.33	770.3	42	...	N E	1	b	7 a.	30.17	766.3	37	58	S E	1	
Nemuro, ...	,,	29.81	757.1	...	...	N	8	...	6 a.	30.04	763.1	...	...	W	8	
Hakodate, ...	,,	30.13	765.2	...	...	N W	10	...	,,	30.21	767.2	...	...	N	2	
Tokio, ...	,,	30.02	762.6	...	...	N E	4	...	,,	30.10	764.6	...	...	N	4	
Kochi, ...	,,	29.99	761.8	...	...	N E	2	...	,,	29.99	761.8	...	...	S W	2	
Nagasaki, ...	,,	29.99	761.8	...	...	E	4	...	,,	29.99	761.8	...	...	E	2	
Kagoshima, ...	,,	30.00	761.9	...	...	...	0	...	,,	30.00	761.9	...	...	...	0	
Oshima, ...	,,	30.00	762.1	...	...	E	2	...	,,	30.01	762.1	...	...	S	2	
Naha, ...	,,	30.01	762.2	...	...	S W	2	...	,,	30.05	763.2	...	...	...	0	
Ishigakijima, ...	,,	30.01	762.3	...	...	S	2	...	,,	29.97	761.3	...	...	S	2	
Bonin Is.....	,,	29.93	760.1	...	...	N E	6	...	,,	29.89	759.1	...	...	S W	2	
Chefoo, ...	3 p.	30.11	764.8	60	60	N W	3	c	6 a.	30.13	765.3	54	100	N E	2	
Weihaiwei, ...	,,	30.10	764.5	60	...	N E	1	o	9 a.	30.13	765.3	60	...	N W	2	
Hankow, ...	,,	30.14	765.5	61	82	N W	1	o	6 a.	30.06	763.5	57	94	N	1	
Kiukiang, ...	,,	30.06	763.5	59	94	N W	1	o	,,	...	...	...	...	...	...	
Shanghai, ...	,,	29.96	761.0	62	100	S W	1	omd	9 a.	30.07	763.8	60	94	W	1	
Gutzlaff, ...	,,	29.95	760.7	64	94	S S W	1	ov	,,	30.02	762.5	61	94	N W	2	
Sharp Peak, ...	,,	29.96	761.0	75	95	E	1	c	,,	30.02	762.5	75	100	...	0	
Amoy.....	,,	29.95	760.7	78	78	N E	1	b	6 a.	29.97	761.2	71	95	S	1	
Swatow, ...	,,	29.92	759.9	84	96	W	1	b	,,	29.90	759.4	72	90	N W	1	
Taihoku.....	1 p.	29.96	761.1	...	...	W	4	...	5 a.	29.99	761.6	...	...	...	0	
Taichu, ...	,,	29.94	760.6	...	...	N W	4	...	,,	30.00	761.9	...	...	N E	2	
Tainan, ...	,,	29.96	761.1	...	...	N W	6	...	,,	29.98	761.4	...	...	...	0	
Koshun.....	,,	29.98	761.4	...	...	N E	4	...	,,	29.96	761.0	...	...	N E	2	
Pescadores, ...	,,	30.00	762.0	...	...	N	2	...	,,	29.98	761.4	...	...	E	2	
Canton, ...	3 p.	29.95	760.7	84	64	S E	2	c	9 a.	30.05	763.2	79	78	E	1	
Hongkong, ...	4 p.	29.95	760.7	78	80	E	1	o	10 a.	30.03	762.7	80	78	E	1	
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock, ...	,,	29.92	759.9	...	...	E	4	...	,,	30.00	762.0	...	...	E	3	
Macao, ...	,,	29.95	760.7	78	...	S E	1	c	,,	30.04	763.0	81	...	S E	1	
Wuchow, ...	3 p.	29.95	760.7	82	...	E	1	c	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	29.94	760.5	83	79	N E	2	b	,,	...	...	,,	...	...	...	
Pakhoi, ...	,,	29.95	760.7	83	71	S	2	c	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	29.89	759.1	79	...	S S E	6	c	8 a.	...	...	...	...	...	...	
Tourane, ...	,,	29.90	759.4	81	...	S E	2	c	,,	...	...	...	...	...	...	
Cape St. James, .	,,	29.85	758.3	81	...	E N E	4	o	,,	...	...	...	...	...	...	
Aparri, ...	2 p.	29.91	759.7	...	...	N E	1	o	6 a.	29.95	760.8	...	...	S	1	
Manila, ...	4 p.	29.84	758	81	76	N N E	1	o	10 a.	29.96	761	84	77	N W	...	
Legaspi, ...	2 p.	29.83	757.7	82	...	N E	1	o	6 a.	29.90	759.5	79	...	N E	1	
Bacolod, ...	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N E	2	
Iloilo, ...	,,	29.81	757.2	88	...	N E	1	b	,,	29.91	759.7	81	...	N N E	1	
Cebu, ...	,,	29.79	756.6	87	...	N	2	c	,,	29.92	759.9	82	...	N	1	
Labuan, ...	,,	29.81	757.2	85	...	...	...	...	,,	29.86	758.4	81	...	...	...	

On the 5th at 12.10. p.—The barometer has risen moderately in N.E. Japan, and fallen slightly in W. Japan. The shallow area of low pressure lies between the E. coast of China and W. Japan, and the highest pressure over the N.E. part of the Sea of Japan.

Pressure remains considerably below the normal over China and gradients are gentle along the coast.

Light monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. and N.E. winds, light; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 5th November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	5TH NOVEMBER, 1908, P.M.								6TH NOVEMBER, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
tock,...	2 p.	30.02	762.4	44	...	S	3	o	7 a.	29.95	760.7	...	42	N E	1	b
.....	,,	30.04	763.1	...	...	N W	8	...	6 a.	30.01	762.1	...	...	S	2	...
.....	,,	30.13	765.2	...	...	S W	6	...	,,	29.93	760.2	...	...	S E	4	...
.....	,,	30.06	763.6	...	...	N W	4	...	,,	29.99	761.6	...	...	N	6	...
.....	,,	29.95	760.8	...	...	S	2	...	,,	29.88	758.8	...	...	...	0	...
.....	,,	29.95	760.8	...	...	S S E	6	...	,,	29.84	757.8	...	...	N	2	...
aa, ...	,,	29.96	760.9	...	...	S	2	...	,,	29.84	757.9	...	...	...	0	...
.....	,,	29.96	761.1	...	...	N	2	...	,,	29.89	759.1	...	...	S	4	...
.....	,,	29.97	761.2	...	...	W	6	...	,,	29.89	759.2	...	...	W	4	...
ima, ...	,,	29.97	761.3	...	...	S W	4	...	,,	29.93	760.3	...	...	S W	2	...
.....	,,	29.85	758.1	...	...	N W	4	...	,,	29.85	758.1	...	...	N W	2	...
.....	3 p.	30.10	764.5	59	70	N N W	3	o	6 a.	30.12	765.0	52	86	N W	2	b
ei, ...	,,	30.09	764.3	58	...	N	2	o	9 a.	30.12	765.0	53	...	N W	1	b
.....	,,	30.20	767.1	57	94	N	1	or	6 a.	30.09	764.3	54	100	N	1	or
g.....	,,	30.11	764.8	59	100	N W	1	or	,,	30.16	766.0	55	100	N W	1	or
.....	,,	29.99	761.7	61	94	W N W	2	omr	9 a.	30.05	763.2	59	94	N N W	2	om
.....	,,	29.97	761.2	61	94	N W	2	omd	,,	30.00	762.0	61	94	N	3	omr
eak, ...	,,	29.94	760.5	76	95	E	1	c	,,	30.00	762.0	74	90	E	2	o
.....	,,	29.94	760.5	78	86	S E	3	b	6 a.	29.94	760.5	75	90	N E	1	o
.....	,,	29.88	758.9	...	...	W	2	f	,,	29.90	759.4	72	90	...	0	f
.....	1 p.	29.95	760.7	...	...	N	4	...	5 a.	29.97	761.1	...	...	...	0	...
.....	,,	29.96	761.1	...	...	W	4	...	,,	29.97	761.2	...	...	N	2	...
.....	,,	29.96	760.9	...	...	N	6	...	,,	29.96	761.0	...	...	N	2	...
.....	,,	29.98	761.6	...	...	W	2	...	,,	29.98	761.5	...	...	N	2	...
es, ...	,,	29.98	761.4	...	...	N	2	...	,,	29.95	760.8	...	...	N	2	...
.....	3 p.	29.94	760.5	88	96	S	1	b	9 a.	30.02	762.5	78	82	E	1	c
ng, ...	4 p.	29.92	759.9	79	76	E	1	c	10 a.	30.00	762.0	81	65	...	0	b
Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ck,.....	,,	29.93	760.2	...	...	E	3	...	,,	29.97	761.2	...	...	N N W	1	...
.....	,,	29.95	760.7	79	...	S E	1	c	,,	30.01	762.2	82	...	E S E	1	c
,.....	3 p.	29.97	761.2	83	...	E	1	b	9 a.	...	...	...	...	...	...	...
.....	,,	29.94	760.5	81	83	E N E	2	b	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	2	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.91	759.7	81	...	S S E	4	o	8 a.	29.97	761.1	81	...	S E	4	o
.....	,,	29.90	759.5	82	...	E S E	2	c	,,	29.96	761.0	77	...	...	0	o
James,.	,,	29.84	758.0	79	...	N E	4	f	,,	29.91	759.7	75	...	N N E	3	o
.....	2 p.	29.88	758.9	...	...	N E	1	b	6 a.	29.93	760.1	...	...	S W	1	b
.....	4 p.	29.84	758	86	59	S E	2	b	10 a.	29.92	760	84	76	W N W	1	c
.....	2 p.	29.86	758.5	75	...	N E	1	o	6 a.	29.90	759.5	75	...	...	0	b
.....	3 p.	...	...	...	...	N N E	3	od	9 a.	...	...	...	...	N	1	o
.....	,,	29.83	757.7	88	...	N W	1	c	,,	29.95	760.7	88	...	N N E	0	...
.....	,,	29.82	757.4	83	...	E	1	o	,,	29.89	759.2	85	...	S	1	c
.....	,,	29.80	756.9	84	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

n the 6th at 11.55. a.—The barometer has fallen considerably over Japan and the Loochoos, and risen slightly the Yangtze valley.

he depression, which has become deeper, is moving slowly Eastwards over W. Japan.

Pressure remains in considerable defect of the normal over China. It is highest to the North of the Yangtze.

The monsoon will probably freshen in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	N.E. winds, freshening; fair.
rmosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 6th November, 1908.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.85	758.3	41	...	N E	1	b	7 a.	29.77	756.2	...	68	N E	4
Nemuro,	,,	29.89	759.1	...	...	S	8	...	6 a.	29.73	755.1	...	...	W	2
Hakodate,	,,	29.81	757.2	...	...	S E	2	...	,,	29.77	756.2	...	...	N	6
Tokio,	,,	29.87	758.6	...	...	N W	2	...	,,	29.67	753.6	...	...	N W	2
Kochi,	,,	29.76	755.8	...	...	S W	2	...	,,	29.89	756.8	...	...	S W	2
Nagasaki,	,,	29.80	756.8	...	...	S	6	...	,,	29.91	759.8	...	...	N	2
Kagoshima,	,,	29.76	755.9	...	...	...	0	...	,,	29.88	758.9	...	...	...	0
Oshima,	,,	29.81	757.1	...	...	N	2	...	,,	29.89	759.1	...	...	N	6
Naha,	,,	29.85	758.2	...	...	W	4	...	,,	29.93	760.2	...	...	N W	2
Ishigakijima,	,,	29.93	760.3	...	...	N W	6	...	,,	29.97	761.3	...	...	N	2
Bonin Is.	,,	29.77	756.1	...	...	E	2	...	,,	29.73	755.1	...	...	W	10
Chefoo,	3 p.	30.08	764.0	55	80	N N W	1	b	6 a.	30.09	764.3	46	84	N N E	6
Weihaiwei,	,,	30.03	762.7	56	...	W	2	b	9 a.	30.21	767.3	45	...	N N E	2
Hankow,	,,	30.25	768.3	50	86	N N W	2	o	6 a.	30.13	765.3	51	93	W	1
Kiukiang,	,,	30.14	765.5	60	88	N E	1	c	,,	30.21	767.3	56	100	N E	1
Shanghai,	,,	30.02	762.5	60	94	N N W	2	om	9 a.	30.20	767.1	58	53	N N W	2
Gutzlaff,	,,	29.97	761.2	61	94	N N W	5	omd	,,	30.13	765.3	63	67	N N W	2
Sharp Peak,	,,	29.95	760.7	72	81	E	5	o	,,	30.12	765.0	68	85	N N E	4
Amoy,	,,	29.81	758.7	77	86	S E	1	b	6 a.	30.01	762.2	72	85	N E	2
Swatow,	,,	29.84	757.9	85	58	...	0	b	,,	...	...	71	85	N W	2
Taihoku,	1 p.	29.94	760.4	...	...	N	6	...	5 a.	30.02	762.5	...	...	E	2
Taichu,	,,	29.93	760.3	...	...	W	4	...	,,	29.99	761.7	...	...	...	0
Tainan,	,,	29.92	760.2	...	...	N W	6	...	,,	29.97	761.1	...	...	N	4
Koshun,	,,	29.91	759.6	...	...	W	4	...	,,	29.95	760.6	...	...	...	0
Pescadores,	,,	29.95	760.7	...	...	N	4	...	,,	29.97	761.2	...	...	N E	6
Canton,	3 p.	29.91	759.7	87	58	N N W	1	c	9 a.	30.09	764.3	69	75	N	2
Hongkong,	4 p.	29.90	759.4	80	72	...	0	c	10 a.	30.05	763.2	76	71	N	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.88	758.9	...	...	E S E	1	...	,,	30.00	762.0	...	...	N	3
Macao,	,,	29.91	759.7	80	...	...	0	c	,,	30.05	763.2	78	...	N	2
Wuchow,	3 p.	29.98	761.5	74	...	N	2	o	9 a.	30.14	765.5	64	...	N	2
Hoihow,	,,	29.94	760.5	81	83	N E	2	b	,,	...	...	...	...	...	...
Pakhoi,	,,	29.96	761.0	82	67	S	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	79	...	S E	5	o	8 a.	30.02	762.4	70	...	N E	5
Tourane,	,,	29.88	758.9	82	...	S E	2	c	,,	29.99	761.8	75	...	...	0
Cape St. James,	,,	29.84	757.9	75	...	S E	3	or	,,	29.89	759.2	77	...	N E	1
Aparri,	2 p.	29.84	758.0	...	...	N E	1	b	6 a.	29.93	760.2	...	...	W	0
Manila,	4 p.	29.80	757	86	71	S E	2	c	10 a.	29.92	760	86	71	...	0
Legaspi,	2 p.	29.84	758.0	84	...	E	1	b	6 a.	29.90	759.5	79	...	N E	1
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N N E	2
Iloilo,	,,	29.81	757.2	88	...	N E	1	o	,,	29.91	759.7	83	...	N E	1
Cebu,	,,	29.81	757.2	86	...	N	1	b	,,	29.92	759.9	86	...	N	1
Labuan,	,,	29.71	754.6	85	...	...	...	...	,,	29.86	758.4	82	...	...	...

On the 7th at 11.40. a.—The barometer has fallen considerably in E. Japan, and risen moderately over Ch and W. Japan.

The depression is moving into the Pacific to the E. of Japan, and an area of high pressure now lies over Ch to the North of the Yangtze.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate to fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 7th November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	7TH NOVEMBER, 1908, P.M.								8TH NOVEMBER, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...stock,...	2 p.	29.79	756.7	38	...	N	1	c	7 a.	29.95	760.6	...	68	N E	1	o
,.....	,,	29.65	753.1	...	...	N E	6	...	6 a.	29.53	750.1	...	...	S W	6	...
te,.....	,,	29.65	753.2	...	...	N W	2	...	,,	29.89	759.2	...	...	N W	10	...
.....	,,	29.63	752.6	...	...	N	2	...	,,	29.91	759.6	...	...	N W	6	...
.....	,,	29.80	756.8	...	...	W	4	...	,,	30.07	763.8	...	...	S W	2	...
i, ...	,,	29.99	761.8	...	...	...	6	...	,,	30.11	764.8	...	...	N W	2	...
ma, ...	,,	29.92	759.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N	2	...
.....	,,	29.96	761.1	...	...	N	8	...	,,	30.16	766.1	...	...	N W	6	...
.....	,,	30.01	762.2	...	...	N	4	...	,,	30.21	767.2	...	...	N E	2	...
ijima,....	,,	29.97	761.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	6	...
le.....	,,	29.77	756.1	...	...	S E	6	...	,,	29.97	761.1	...	...	...	0	...
.....	3 p.	30.14	765.5	47	77	N N E	1	b	6 a.	30.19	764.5	47	100	S W	2	b
wei,.....	,,	30.18	766.6	46	...	W	1	b	9 a.	...	...	...	...	...	...	...
w, ...	,,	30.24	768.1	64	58	N E	1	c	6 a.	30.13	765.3	57	81	N W	1	c
ng,.....	,,	30.18	766.6	63	57	S E	1	c	,,	30.26	766.8	56	87	...	0	or
hai, ...	,,	30.16	766.0	62	41	N N W	2	b	9 a.	30.31	769.9	57	75	...	0	om
f, ...	,,	30.13	765.3	65	53	N N W	2	cm	,,	30.27	768.8	59	65	...	0	om
Peak,.....	,,	30.09	764.3	69	90	N	4	o	,,	30.25	768.3	67	84	N E	4	o
.....	,,	29.96	761.0	74	81	N E	1	c	6 a.	30.10	764.5	71	76	N E	2	c
.....	,,	29.96	761.0	72	85	E	2	o	,,	30.03	762.7	66	89	E N E	3	o
.....	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.14	765.6	...	...	E	4	...
.....	,,	29.96	761.0	...	...	N	4	...	,,	30.09	764.2	...	...	...	0	...
.....	,,	29.96	761.0	...	...	N W	4	...	,,	30.05	763.3	...	...	N	4	...
.....	,,	30.00	762.1	...	...	N	4	...	,,	30.06	763.4	...	...	N E	6	...
res,.....	,,	30.00	762.0	...	...	N	8	...	,,	30.07	763.8	...	...	N	8	...
.....	3 p.	30.03	762.7	71	71	N	3	c	9 a.	...	...	70	75	N W	1	c
ong, ...	4 p.	29.97	761.2	78	70	E	1	o	10 a.	30.13	765.3	75	77	E N E	4	o
ia Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ock,.....	,,	29.95	760.7	...	...	E N E	3	...	,,	30.07	763.8	...	...	E	5	...
.....	,,	29.97	761.2	77	...	N N W	1	c	,,	30.11	764.8	76	...	N N E	1	c
ow,.....	3 p.	30.09	764.3	65	...	N	2	or	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ei,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en,.....	4 p.	29.96	761.0	79	...	N W	1	o	8 a.	30.07	763.8	70	...	E N E	4	o
ane, ...	,,	29.90	759.5	79	...	N E	2	o	,,	...	...	75	...	...	1	o
St. James,.	,,	29.81	757.2	79	...	E	4	or	,,	29.89	759.3	77	...	E	4	or
ri,.....	2 p.	29.89	759.1	...	...	N E	0	b	6 a.	30.02	762.4	...	...	E	1	o
la, ...	4 p.	29.84	758	88	65	...	0	c	10 a.	30.00	762	86	65	...	...	c
spi, ...	2 p.	29.86	758.5	83	...	E	1	b	6 a.	29.93	760.1	79	...	N E	1	c
od,.....	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N N E	3	o
.....	,,	29.85	758.2	88	...	N E	0	c	,,	29.95	760.7	81	...	N N E	1	o
.....	,,	29.84	757.9	86	...	N	1	o	,,	29.95	760.7	84	...	N	1	c
n, ...	,,	29.80	756.9	82	...	...	...	...	,,	29.91	759.6	82	...	...	...	...

On the 8th at 11.30. a.—The barometer has fallen in E. Hokkaido and risen elsewhere, particularly over S. n and the Loochoos.

The depression is moving away over the Pacific to the NE of Hokkaido, and the area of high pressure is lying the Yangtze Valley.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh ; fair.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 8th November, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	2 p.	29.88	759.0	26	...	N	1	s	7 a.	30.15	765.7	18	48	N	2
Nemuro,	,,	29.61	752.1	...	...	N W	10	...	6 a.	29.53	750.1	...	...	N	6
Hakodate,	,,	29.93	760.2	...	...	N W	8	...	,,	29.73	755.2	...	...	N W	6
Tokio,	,,	29.98	761.6	...	...	E	4	...	,,	29.83	757.6	...	...	S W	2
Kochi,	,,	30.03	762.8	...	...	S	2	...	,,	30.19	766.8	...	...	N W	4
Nagasaki,	,,	30.19	766.8	...	...	N W	8	...	,,	30.35	770.8	...	...	N W	6
Kagoshima,	,,	30.15	765.9	...	...	N W	4	...	,,	30.31	769.9	...	...	N W	6
Oshima,	,,	30.16	766.1	...	...	N	4	...	,,	30.32	770.1	...	...	N W	6
Naha,	,,	30.17	766.2	...	...	N E	2	...	,,	30.32	770.2	...	...	N E	4
Ishigakijima,	,,	30.09	764.3	...	...	E	8	...	,,	30.21	767.3	...	...	E	6
Bonin Is.	,,	30.04	763.1	...	...	N	4	...	,,	30.16	766.1	...	...	...	0
Chefoo,	3 p.	30.33	770.4	40	91	N N W	8	o	6 a.	30.52	775.2	35	90	S W	3
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hankow,	,,	30.33	770.4	60	76	N W	1	o	6 a.	30.51	774.9	55	94	S E	1
Kiukiang,	,,	30.33	770.4	58	81	S E	1	o	,,	30.46	773.7	55	94	N E	4
Shanghai,	,,	30.30	769.6	58	58	N W	1	o	9 a.	30.55	775.9	57	52	N N E	1
Gutzlaff,	,,	30.26	768.6	60	65	...	0	om	,,	30.49	774.4	60	55	N	3
Sharp Peak,	,,	30.19	766.8	65	95	N	1	o	,,	30.40	772.1	63	78	N E	5
Amoy,	,,	30.07	763.8	73	72	N E	1	c	6 a.	30.27	768.8	69	80	N E	3
Swatow,	,,	30.04	763.0	78	54	N E	2	b	,,	30.21	767.3	67	89	N E	3
Taihoku,	1 p.	30.13	765.4	...	...	E	8	...	5 a.	30.27	768.9	...	...	E	6
Taichu,	,,	30.04	763.0	...	...	N	2	...	,,	30.16	766.1	...	...	N	2
Tainan,	,,	30.04	763.1	...	...	N W	6	...	,,	30.16	766.0	...	...	N	4
Koshun	,,	30.06	763.6	...	...	N E	6	...	,,	30.12	765.1	...	...	E	2
Pescadores,	,,	30.09	764.2	...	...	N	8	...	,,	30.18	766.6	...	...	N	8
Canton,	3 p.	30.08	764.0	77	69	N W	1	c	9 a.	30.28	769.1	71	66	N	2
Hongkong,	4 p.	30.08	764.0	76	73	E	2	o	10 a.	30.23	767.8	73	71	E N E	2
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	30.03	762.7	...	...	E N E	5	...	,,	30.20	767.1	...	...	E N E	6
Macao,	,,	30.08	764.0	76	...	E N E	1	o	,,	30.22	767.6	74	...	N E	2
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	30.03	762.7	76	100	E	4	or	,,	...	...	...	...	...	...
Pakhoi,	,,	30.10	764.5	72	76	N	4	o	,,	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.5	73	...	E	4	o	8 a.	30.18	766.5	66	...	N E	3
Tourane,	,,	29.94	760.4	81	...	N N E	2	o	,,	30.07	768.8	75	...	...	0
Cape St. James,	,,	29.85	758.3	79	...	E N E	4	o	,,	29.99	761.8	75	...	E N E	2
Aparri,	2 p.	29.96	761.1	...	...	N E	1	c	6 a.	30.09	764.2	...	...	S E	1
Manila,	4 p.	29.88	759	86	59	E	2	c	10 a.	30.04	763	82	77	N	0
Legaspi,	2 p.	29.93	760.1	86	...	N E	1	b	6 a.	30.01	762.1	75	...	...	0
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N E	2
Iloilo,	,,	29.85	758.2	86	...	N N E	0	...	,,	29.97	761.2	83	...	N N E	1
Cebu,	,,	29.87	758.7	85	...	N	1	b	,,	29.98	761.5	82	...	N	1
Labuan,	,,	29.82	757.4	85	...	...	...	...	,,	29.95	760.7	83	...	...	...

On the 9th at 11.30. a.—The barometer has fallen over E. Japan, and risen elsewhere, particularly in the N

The depression is still shown over the Pacific to the E. of Hokkaido, and the anticyclonic area remains China to the North of the Yangtze.

Gradients are rather steep, and very strong monsoon may be expected in the Formosa Channel and the N. of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 9th November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	9th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
stock,...	2 p.	30.03	762.8	32	...	N E	2	b	7 a.	29.91	759.8	26	43	N	3	b
.....	,,	29.49	749.1	...	...	W	8	...	6 a.	...	...	...	...	...	...	...
le,.....	,,	29.81	757.2	...	...	W	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.94	760.6	...	...	N	8	...	,,	...	...	...	...	...	...	...
.....	,,	30.23	767.8	...	...	N W	4	...	,,	...	...	...	...	...	...	...
i, ...	,,	30.35	770.8	...	...	N	8	...	,,	...	...	...	...	...	...	...
ima, ...	,,	30.31	769.9	...	...	W	6	...	,,	...	...	...	...	...	...	...
.....	,,	30.32	770.1	...	...	N	8	...	,,	...	...	...	...	...	...	...
.....	,,	30.28	769.2	...	...	N E	4	...	,,	...	...	...	...	...	...	...
ijima, ...	,,	30.21	767.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
ls.....	,,	30.12	765.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.45	773.4	48	43	W N W	2	b	6 a.	30.31	769.9	42	58	S W	3	c
wei,.....	,,	30.31	769.9	46	...	N W	4	o	9 a.	30.29	769.3	49	...	S W	4	b
w, ...	,,	30.48	774.2	61	66	E	2	o	6 a.	30.46	773.7	55	94	E N E	1	or
ng,.....	,,	30.41	772.4	58	81	N E	4	o	,,	30.36	771.1	52	100	N E	2	or
hai, ...	,,	30.47	773.9	59	54	N E	2	c	9 a.	30.38	771.6	56	81	E	1	om
ff, ...	,,	30.42	772.6	61	55	N N E	3	cv	,,	30.35	770.9	59	59	E S E	1	ov
Peak,.....	,,	30.32	770.1	64	78	N	5	o	,,	30.26	768.6	64	84	N	4	o
.....	,,	30.17	766.3	75	68	N E	4	c	6 a.	30.19	766.8	71	80	N	3	o
.....	,,	30.15	765.8	75	...	E	3	b	,,	30.11	764.8	65	89	N E	1	c
.....	1 p.	30.27	768.8	...	...	E	6	...	5 a.	30.17	766.4	...	...	E	4	...
.....	,,	30.11	764.8	...	...	E	2	...	,,	30.13	765.3	...	...	E	2	...
.....	,,	30.13	765.2	...	...	W	4	...	,,	30.13	765.4	...	...	...	0	...
.....	,,	30.14	765.6	...	...	N E	8	...	,,	30.14	765.5	...	...	N E	8	...
ores, ...	,,	30.18	766.6	...	...	N	10	...	,,	30.14	765.6	...	...	N	8	...
.....	3 p.	30.17	766.3	79	95	N	2	c	9 a.	30.24	768.1	69	75	N	1	c
ong, ...	4 p.	30.15	765.8	74	77	E	4	o	10 a.	30.17	766.3	76	65	N N E	1	o
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lock,.....	,,	30.11	764.8	...	...	E N E	7	...	,,	30.15	765.8	...	...	E N E	6	...
.....	,,	30.14	765.5	75	...	N N E	1	o	,,	30.18	766.6	75	...	N	2	o
ow,.....	3 p.	30.23	767.8	70	...	N E	2	o	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i.....	,,	30.09	764.3	68	90	N	4	o	,,	...	...	...	...	...	...	...
en,.....	4 p.	30.11	764.7	66	...	N E	3	f	8 a.	30.15	765.7	64	...	N	3	c
ne, ...	,,	30.02	762.6	79	...	N E	2	o	,,	30.07	763.7	81	...	S E	1	c
St. James,.	,,	29.91	759.6	81	...	E N E	4	c	,,	30.02	762.5	72	...	N E	2	or
.....	2 p.	30.03	762.8	...	...	E	1	b	6 a.	30.08	764.0	...	...	S	1	b
a, ...	4 p.	29.96	761	77	92	N E	1	o	10 a.	30.00	762	82	79	N	2	o
pi, ...	2 p.	29.94	760.6	77	...	N E	1	o	6 a.	29.96	760.9	79	...	N E	1	o
od, ...	3 p.	...	...	...	...	N N E	2	odt	9 a.	...	...	...	...	N E	3	o
.....	,,	29.93	760.2	...	...	N E	2	b	,,	29.97	761.2	86	...	N	2	b
.....	,,	29.87	758.7	85	...	N	2	b	,,	29.93	760.2	82	...	N	2	c
n, ...	,,	29.84	757.9	84	...	...	...	...	,,	29.96	761.0	89	...	...	...	...

On the 10th at 12.10. p.—The barometer has fallen over China, particularly in the North.

The high pressure area is lying over the Yangtze Valley, and pressure appears to remain low over the N.E. part e Sea of Japan.

The Japanese returns are not yet to hand.

Strong monsoon will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh; fair.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 10th November, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.82	757.3	30	...	N	2	b	7 a.	29.92	760.0	20	46	N	1
Nemuro,	,,	29.33	745.1	...	...	W	8	...	6 a.	29.41	747.1	...	...	W	8
Hakodate,	,,	29.57	751.2	...	...	W	8	...	,,	29.65	753.2	...	...	N W	4
Tokio,	,,	29.79	756.6	...	...	S W	6	...	,,	29.83	757.6	...	...	...	0
Kochi,	,,	30.15	765.8	...	...	S	2	...	,,	30.03	762.8	...	...	...	0
Nagasaki,	,,	30.27	768.8	...	...	N	4	...	,,	30.11	764.8	...	...	...	0
Kagoshima,	,,	30.27	768.9	...	...	N W	2	...	,,	30.12	764.9	...	...	...	0
Oshima,	,,	30.24	768.1	...	...	N E	6	...	,,	30.16	766.1	...	...	E	2
Naha,	,,	30.20	767.2	...	...	N E	6	...	,,	30.09	764.2	...	...	N E	2
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	30.01	762.3	...	...	S	6
Bonin Is.	,,	30.08	764.1	...	...	N	4	...	,,	30.08	764.1	...	...	N	2
Chefoo,	3 p.	30.30	769.6	45	61	N E	3	o	6 a.	30.26	768.6	34	79	S	3
Weihaiwei,	,,	30.32	770.1	44	...	N	3	ovr	9 a.	...	...	...	...	...	...
Hankow,	,,	30.41	772.4	54	87	N E	1	or	6 a.	30.44	773.2	52	93	W	1
Kiukiang,	,,	30.32	770.1	54	100	N E	1	or	,,	...	...	50	100	N E	2
Shanghai,	,,	30.38	771.6	56	81	E	1	om	9 a.	30.28	769.1	54	87	W N W	2
Gutzlaff,	,,	30.27	768.8	58	58	S	1	om	,,	30.24	768.1	54	94	N W	5
Sharp Peak,	,,	30.18	766.6	65	89	N	2	o	,,	30.17	766.3	64	84	N E	4
Amoy,	,,	30.09	764.3	75	77	N E	1	o	6 a.	30.08	764.0	70	85	N E	1
Swatow,	,,	30.04	763.0	70	61	...	0	o	,,	30.06	763.5	68	95	N E	2
Taihoku,	1 p.	30.07	763.8	...	...	E	2	...	5 a.	30.07	763.8	...	...	...	0
Taichu,	,,	30.07	763.9	...	...	N W	4	...	,,	30.06	763.5	...	...	N	2
Tainan,	,,	30.07	763.9	...	...	N W	4	...	,,	30.04	763.0	...	...	N	4
Koshun	,,	30.06	763.5	...	...	E	4	...	,,	30.03	762.7	...	...	N E	2
Pescadores,	,,	30.12	765.1	...	...	N	8	...	,,	30.07	763.8	...	...	N	6
Canton,	3 p.	30.10	764.5	80	96	N	1	c	9 a.	30.14	765.5	70	70	N N W	2
Hongkong,	4 p.	30.06	763.5	77	62	N	1	o	10 a.	30.10	764.5	75	81	E S E	1
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	30.04	763.0	...	...	N E	4	...	,,	30.07	763.8	...	...	E N E	4
Macao,	,,	30.06	763.5	77	...	N E	1	c	,,	30.10	764.5	75	...	N	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.2	72	...	N	2	o	8 a.	30.13	765.3	68	...	N E	3
Tourane,	,,	29.98	761.5	81	...	N N E	3	c	,,	30.03	762.8	75	...	...	0
Cape St. James,	,,	29.89	759.3	81	...	E N E	3	o	,,	29.95	760.6	77	...	N N E	1
Aparri,	2 p.	29.97	761.2	...	...	N E	1	b	6 a.	29.99	761.6	...	...	S W	1
Manila,	4 p.	29.92	760	81	85	...	0	o	10 a.	29.92	760	82	77	N W	1
Legaspi,	2 p.	29.90	759.4	84	...	E	1	o	6 a.	29.89	759.1	77	...	...	0
Bacolod,	3 p.	...	...	...	...	E N E	5	op	9 a.	...	...	...	...	N	1
Iloilo,	,,	29.85	758.2	85	...	N N E	2	c	,,	29.87	758.7	79	...	N E	1
Cebu,	,,	29.86	758.4	84	...	N	1	o	,,	29.88	758.9	80	...	N	1
Labuan,	,,	29.83	757.7	85	...	...	...	...	,,	29.86	758.4	82	...	...	...

On the 11th at 11.55. a.—The barometer has fallen generally, particularly over S.W. Japan and the Loochoo

The depression, which seems to be almost stationary, still lies to the N.E. of Japan, and a secondary depres appears to be developing over the Eastern Sea.

The high pressure lies over the Upper Yangtze.

Fresh to strong N. and N.E. winds may be expected in the Formosa Channel and the N. part of the China S

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate or fresh; cloudy, drizzling
2.—Formosa Channel, ...	N. and N.E. winds, fresh to strong. [or
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 11th November, 1908.

[Printed by Nozonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	11th NOVEMBER, 1908, P.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
...stock,...	2 p.	29.82	757.3	85	...	N	2	b
...	,,	29.41	747.1	...	...	N W	8	...
...e,.....	,,	29.65	753.2	...	...	W	6	...
.....	,,	29.75	755.6	...	...	S	2	...
.....	,,	29.91	759.8	...	...	W	2	...
...i, ...	,,	30.07	763.8	...	...	N W	6	...
...ma, ...	,,	30.04	762.9	...	...	N	6	...
.....	,,	30.08	764.1	...	...	N W	4	...
.....	,,	30.05	763.2	...	...	N	4	...
...ijima,....	,,	29.93	760.3	...	...	W	4	...
...s.....	,,	30.00	762.1	...	...	N	2	...
.....	3 p.	30.22	767.6	48	56	N W	6	o
...wei,.....	,,	30.21	767.3	43	...	N N E	4	o
...s,.....	,,	30.41	772.4	58	75	N W	1	o
...g.....	,,	30.31	769.9	57	87	N W	2	o
...al, ...	,,	30.27	768.8	58	64	N N W	2	o
... .	,,	30.19	766.8	59	76	N W	4	om
...eak,.....	,,	30.13	765.3	64	84	N	4	or
.....	,,	30.03	762.7	73	81	N E	2	o
.....	,,	...	...	...	...	...	...	...
.....	1 p.	30.04	763.1	...	...	N E	6	...
.....	,,	29.97	761.3	...	...	N	6	...
.....	,,	29.98	761.4	...	...	N W	6	...
.....	,,	29.85	760.8	...	...	N	2	...
...res, ...	,,	30.02	762.4	...	...	N	8	...
.....	3 p.	30.08	764.0	75	56	N	2	c
...ng, ...	4 p.	30.04	763.0	73	73	N	1	o
...a Peak,...	,,	...	...	...	...	...	...	...
...ck,.....	,,	29.99	761.7	...	...	N N E	4	...
.....	,,	...	...	75	...	N N W	1	c
...w,.....	3 p.	...	...	...	...	...	...	...
... .	,,	30.02	762.5	76	86	N E	4	o
.....	,,	...	...	...	...	...	...	...
...n,.....	4 p.	30.06	763.4	68	...	N E	4	o
...e, ...	,,	29.93	760.1	81	...	E N E	1	c
...t. James,.	,,	29.85	758.2	81	...	E S E	1	o
.....	2 p.	29.88	759.0	...	...	N E	1	b
...	4 p.	29.80	757	84	77	...	0	o
...l, ...	2 p.	29.78	756.4	82	...	N E	1	o
...d, ...	3 p.	...	...	...	...	N E	3	op
.....	,,	29.77	756.1	87	...	N E	0	r
.....	,,	29.77	756.1	82	...	...	0	o
...g, ...	,,	29.76	755.9	86	...	...	...	...

12th NOVEMBER, 1908, A.M. Hour	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
7 a.	29.97	761.9	19	45	...	1	c
6 a.	29.58	759.1	...	...	W	2	...
,,	29.65	753.2	...	...	N W	4	...
,,	29.75	755.6	...	...	N W	2	...
,,	29.99	761.8	...	...	W	2	...
,,	30.07	763.8	...	...	N	6	...
,,	30.15	765.9	...	...	N	4	...
,,	30.08	764.1	...	...	N	8	...
,,	30.05	763.2	...	...	N	4	...
,,	30.05	763.3	...	...	N	4	...
,,	29.89	759.1	...	...	S W	6	...
6 a.	30.31	769.9	39	73	N W	3	c
9 a.	30.33	770.4	42	...	N W	2	ovr
6 a.	30.49	774.4	41	92	W	2	b
,,	30.41	772.4	50	93	N E	2	b
9 a.	30.34	770.6	53	61	N N W	2	c
,,	30.32	770.1	58	88	N N W	5	cv
,,	30.26	768.6	62	83	N	3	c
6 a.	30.13	765.3	65	95	N E	3	o
,,	...	...	...	...	...	...	...
5 a.	30.17	766.3	...	...	...	0	...
,,	30.03	762.8	...	...	N	6	...
,,	30.02	762.5	...	...	N	8	...
,,	29.97	761.1	...	...	N	10	...
,,	30.05	763.3	...	...	N	10	...
9 a.	30.25	768.8	66	54	N	2	b
10 a.	30.17	766.3	68	61	N E	1	o
,,	...	...	...	...	...	...	...
,,	30.14	765.5	...	...	N N E	5	...
,,	30.10	766.8	69	...	N	3	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.23	767.7	63	...	N N E	2	o
,,	30.03	762.8	79	...	N E	2	o
,,	29.93	760.3	77	...	N N E	3	o
6 a.	29.91	759.8	...	...	S W	1	b
10 a.	29.88	759	86	59	N	1	c
6 a.	29.79	756.7	79	...	N E	1	...
9 a.	...	...	...	...	N E	2	op
,,	29.85	758.2	85	...	N N W	0	o
,,	29.83	757.7	79	...	S	1	o
,,	29.89	759.2	80	...	...	...	...

On the 12th at 11.55. a.—The barometer has risen moderately over China, and fallen slightly in the Philippines.

Pressure is low over the Pacific to the Eastward of the S. part of the Philippine Archipelago.

The depression in the North is still shown to the N.E. of Japan, and the high pressure area remains over the ...r Yangtze.

Very strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	N. winds, fresh; fine.
...rmosa Channel, ...	N.E. winds, strong to a gale.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 12th November, 1908.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th NOVEMBER, 1908, P.M.								13th NOVEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,....	2 p.	29.88	759.0	30	...	N E	2	b	7 a.	29.94	760.5	20	47	N E	2	
Nemuro, ...	,,	29.49	749.1	...	...	N W	4	...	6 a.	29.57	751.1	...	...	W	8	
Hakodate, ...	,,	29.65	753.2	...	...	N W	8	...	,,	29.73	755.2	...	...	N W	12	
Tokio, ...	,,	29.71	754.6	...	...	S	2	...	,,	29.87	758.6	...	...	N W	6	
Kochi, ...	,,	29.87	758.8	...	...	N	4	...	,,	30.07	763.8	...	...	W	2	
Nagasaki, ...	,,	30.07	763.8	...	...	N	8	...	,,	30.19	766.8	...	...	N E	4	
Kagoshima, ...	,,	30.04	762.9	...	...	N	8	...	,,	30.19	766.9	...	...	N	12	
Oshima, ...	,,	30.04	763.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	8	
Naha.....	,,	30.09	764.2	...	...	N E	6	...	,,	30.17	766.2	...	...	N E	8	
Ishigakijima,....	,,	30.09	764.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	6	
Bonin Is.....	,,	29.85	758.1	...	...	S W	2	...	,,	29.89	759.1	...	...	N W	2	
Chefoo,.....	3 p.	...	...	...	...	...	...	...	6 a.	30.15	765.8	36	70	S W	3	
Weihaiwei,.....	,,	30.26	768.6	46	...	W	1	b	9 a.	30.15	765.8	44	...	W N W	3	
Hankow, ...	,,	30.45	773.4	60	66	N N W	1	b	6 a.	30.38	771.6	50	86	W	1	
Kiukiang.....	,,	30.40	772.1	58	58	N E	2	b	,,	30.33	770.4	44	92	N E	0	
Shanghai, ...	,,	30.33	770.4	56	40	N N W	2	c	9 a.	30.31	769.9	50	51	S W	1	
Gutzlaff, ...	,,	30.29	769.3	57	52	N	3	cv	,,	30.28	769.1	53	61	N W	1	
Sharp Peak,.....	,,	30.21	767.3	64	78	N E	4	b	,,	30.25	768.3	60	83	N	4	
Amoy,.....	,,	30.14	765.5	69	95	N E	2	c	6 a.	30.16	766.0	66	95	N	3	
Swatow, ...	,,	30.09	764.3	68	70	E	1	o	,,	30.14	765.5	59	82	N	2	
Taiboku.....	1 p.	30.20	767.0	...	...	E	4	...	5 a.	30.17	766.3	...	...	E	4	
Taichu, ...	,,	30.03	762.8	...	...	N	6	...	,,	30.03	762.8	...	...	...	0	
Tainan,.....	,,	30.02	762.4	...	...	N	6	...	,,	30.03	762.8	...	...	...	0	
Koshun.....	,,	29.98	761.6	...	...	N E	10	...	,,	30.01	762.3	...	...	N E	8	
Pescadores, ...	,,	30.08	764.1	...	...	N	10	...	,,	30.04	763.0	...	...	N	8	
Canton,.....	3 p.	30.16	766.0	74	43	N	2	b	9 a.	30.25	768.3	62	56	N	1	
Hongkong, ...	4 p.	30.12	765.0	68	58	N N E	2	o	10 a.	30.19	766.8	68	51	N	1	
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock,.....	,,	30.06	763.5	...	...	N N E	4	...	,,	30.15	765.8	...	...	N E	5	
Macao, ...	,,	30.12	765.0	70	...	N E	3	c	,,	30.19	766.8	68	...	N	1	
Wuchow,.....	3 p.	30.20	767.1	69	...	N E	1	o	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,.....	,,	30.21	767.3	68	70	N	6	c	,,	...	...	...	...	...	...	
Phulien,.....	4 p.	30.13	765.3	70	...	N N E	1	o	8 a.	30.22	767.5	64	...	N N E	2	
Tourane, ...	,,	30.00	761.9	73	...	S E	2	or	,,	30.08	764.0	73	...	N N W	12	
Cape St. James,.	,,	29.83	757.7	73	...	N E	2	or	,,	29.91	759.6	73	...	N W	2	
Aparri,.....	2 p.	29.88	759.0	...	...	N E	1	c	6 a.	29.93	760.1	...	...	N E	1	
Manila, ...	4 p.	29.80	757	84	58	N	2	o	10 a.	29.84	758	81	76	N	1	
Legaspi,.....	2 p.	29.74	755.5	77	...	N E	1	o	6 a.	29.76	756.0	77	...	N E	1	
Bacolod,.....	3 p.	...	...	...	...	E N E	1	op	9 a.	...	...	...	...	...	0	
Iloilo, ...	,,	29.74	755.4	79	...	N E	1	cr	,,	29.80	756.9	78	...	N N E	...	
Cebu,.....	,,	29.74	755.4	81	...	...	0	o	,,	29.80	756.9	78	...	...	0	
Labuan, ...	,,	29.79	756.6	78	...	...	...	...	,,	29.85	758.2	80	...	...	...	

On the 13th at 11.55. a.—The barometer continues to fall slowly over the S. Philippines, the area of low press being apparently almost stationary to the Eastward of the S. part of the Archipelago.

Pressure has increased slightly in Japan, and fallen moderately over N. China. It remains low to the N.E. Japan, and high along the Upper Yangtze.

Strong monsoon may be expected in the Formosa Channel and the N. and N.E. gales over the N. part of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh ; fine.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 13th November, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

tion.	13th NOVEMBER, 1908, P.M.								14th NOVEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock,...	2 p.	29.83	757.8	30	...	N E	1	c	7 a.	29.88	758.8	22	61	N E	1	c
.....	,,	29.61	752.1	...	...	N W	8	...	6 a.	29.85	758.1	...	...	W	2	...
e, ...	,,	29.81	757.2	...	...	W	6	...	,,	29.77	756.2	...	...	...	0	...
.....	,,	29.94	760.6	...	...	N E	2	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	30.03	762.8	...	...	S W	2	...	,,	30.03	762.8	...	...	S W	2	...
i, ...	,,	30.15	765.8	...	...	N W	4	...	,,	30.07	763.8	...	...	N E	2	...
ima, ...	,,	30.11	764.9	...	...	N W	4	...	,,	30.12	764.9	...	...	...	0	...
.....	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	S	2	...
.....	,,	30.13	765.2	...	...	N E	4	...	,,	30.13	765.2	...	...	...	0	...
ijima, ...	,,	30.05	763.3	...	...	N E	6	...	,,	30.05	763.3	...	...	E	2	...
ls.....	,,	29.93	760.1	...	...	N	4	...	,,	30.04	763.1	...	...	N	2	...
.....	3 p.	30.06	763.5	52	53	W N W	2	b	6 a.	30.09	764.3	41	83	S	3	b
wei, ...	,,	30.05	763.2	50	...	W	4	ovr	9 a.	30.13	765.3	45	...	W	2	ovr
w, ...	,,	30.29	769.3	62	61	S W	1	b	6 a.	30.30	769.6	52	93	S	1	b
ng, ...	,,	30.16	766.0	62	56	W	1	b	,,	30.24	768.1	46	100	...	0	b
ai, ...	,,	30.19	766.8	57	46	W	1	b	9 a.	30.22	767.6	53	67	W S W	1	b
.....	,,	30.18	766.6	57	46	N W	2	bv	,,	30.15	766.8	55	56	N W	2	c
Peak, ...	,,	30.15	765.8	64	89	N E	2	c	,,	30.16	766.0	65	94	N	1	b
.....	,,	30.08	764.0	70	95	N	2	c	6 a.	30.10	764.5	66	69	N	1	b
.....	,,	30.03	762.7	72	54	E	2	b	,,	30.07	763.8	58	76	N	0	b
.....	1 p.	30.12	765.1	...	...	E	6	...	5 a.	30.08	764.0	...	...	E	2	...
.....	,,	29.95	760.8	...	...	N	4	...	,,	30.02	762.5	...	...	...	0	...
.....	,,	29.98	761.4	...	...	W	4	...	,,	30.02	762.5	...	...	...	0	...
.....	,,	29.94	760.6	...	...	N E	8	...	,,	30.00	762.0	...	...	N	6	...
ores, ...	,,	30.01	762.2	...	...	N	8	...	,,	30.02	762.6	...	...	N	8	...
.....	3 p.	30.10	764.5	76	38	N	2	c	9 a.	30.17	766.3	63	52	N	1	b
ong, ...	4 p.	30.06	763.5	72	40	N E	1	b	10 a.	30.10	764.5	72	43	E N E	1	b
a Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ock, ...	,,	30.04	763.0	...	...	N N E	4	...	,,	30.07	763.8	...	...	N E	4	...
.....	,,	30.07	763.8	72	...	N N W	1	c	,,	30.12	765.0	71	...	N	1	c
ow, ...	3 p.	30.14	765.5	71	...	N	...	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	30.10	764.5	72	67	N E	4	c	,,	...	...	...	...	...	...	...
i.....	,,	30.13	765.3	71	62	N	2	c	,,	...	...	...	...	...	...	...
en, ...	4 p.	30.09	764.4	72	...	W S W	0	b	8 a.	30.14	765.5	68	...	N N E	2	b
ne, ...	,,	30.01	762.3	75	...	N E	2	o	,,	30.05	763.2	70	...	...	0	or
t. James,.	,,	29.82	757.5	77	...	N N E	1	o	,,	29.88	758.8	73	...	N E	1	or
i.....	2 p.	29.89	759.1	...	...	N E	1	p	6 a.	29.91	759.7	...	...	N E	1	d
a, ...	4 p.	29.76	756	82	71	N N E	1	o	10 a.	29.80	757	82	79	N N W	2	o
ti, ...	2 p.	29.72	754.8	77	...	N E	1	r	6 a.	29.72	754.9	75	...	...	0	o
od, ...	3 p.	...	...	...	...	E S E	1	op	9 a.	...	...	...	...	S W	...	oq
.....	,,	29.68	753.9	88	...	S W	1	r	,,	29.82	757.4	89	...	S S W	...	r
.....	,,	29.74	755.4	81	...	S	4	o	,,	29.80	756.9	79	...	S	3	o
n, ...	,,	29.72	754.9	83	...	...	...	...	,,	29.92	759.9	80	...	...	...	...

On the 14th at 11.55. a.—A further slight decrease of pressure has taken place in Luzon. the depression being ed, apparently, over the Archipelago to the South of Luzon.
The barometer has risen over N.E. Japan and the Bonins, and fallen elsewhere.
A shallow depression appears to be moving Eastwards over the N. part of the Sea of Japan, and pressure is est over the Yangtze Valley.
Strong monsoon may be expected in the Formosa Channel, and strong N. and N.E. winds to gales over the N. of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, fresh ; fine.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 14th November, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th NOVEMBER, 1908, P.M.								15th NOVEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.93	760.1	27	...	N	5	s	7 a.	30.24	768.1	21	63	N	2	
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	N E	6	
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	...	...	N	2	
Tokio,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	...	...	N W	4	
Kochi,	,,	...	...	...	...	...	...	...	,,	30.03	762.8	...	...	S W	2	
Nagasaki,	,,	...	...	...	...	...	...	...	,,	30.15	765.3	...	...	N	6	
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.12	764.9	...	...	N	6	
Oshima,	,,	...	...	...	...	...	...	...	,,	30.12	765.1	...	...	N	4	
Naha,	,,	...	...	...	...	...	...	...	,,	30.13	765.2	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	N E	4	
Bonin Is.	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	N W	2	
Chefoo,	3 p.	30.25	768.3	43	45	N	6	b	6 a.	30.46	773.7	36	70	N	4	
Weihaiwei,	,,	30.25	768.3	42	...	N	4	b	9 a.	30.48	774.2	43	...	N W	1	
Hankow,	,,	30.24	768.1	64	68	S	1	b	6 a.	30.42	772.6	54	100	E N E	1	
Kiukiang,	,,	30.22	767.6	65	58	...	0	b	,,	30.37	771.4	47	100	...	0	
Shanghai,	,,	30.15	765.8	62	46	W N W	1	b	9 a.	30.42	772.6	54	55	N	2	
Gutzlaff,	,,	30.14	765.5	62	61	N W	1	bm	,,	30.34	770.6	57	68	N	4	
Sharp Peak,	,,	30.09	764.3	65	84	N E	4	b	,,	30.28	769.1	63	83	N N E	4	
Amoy	,,	30.02	762.5	72	71	N E	1	b	6 a.	30.15	765.8	65	78	N E	3	
Swatow,	,,	29.98	761.5	75	95	E	1	b	,,	...	...	...	...	...	...	
Taihoku	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.17	766.4	...	...	E	4	
Taichu,	,,	29.95	760.6	...	...	N W	2	...	,,	30.05	763.2	...	...	N	2	
Tainan,	,,	29.96	761.1	...	...	W	4	...	,,	30.04	762.9	...	...	N	3	
Koshun	,,	29.96	761.0	...	...	N E	8	...	,,	30.02	762.5	...	...	N	4	
Pescadores,	,,	30.01	762.5	...	...	N	8	...	,,	30.05	763.3	...	...	N	8	
Canton,	3 p.	30.05	763.2	77	35	N	1	b	9 a.	...	...	61	94	N	1	
Hongkong,	4 p.	30.03	762.7	71	53	E	1	c	10 a.	30.18	766.6	72	40	N	1	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock,	,,	29.98	761.5	...	...	E N E	4	...	,,	30.14	765.5	...	...	N E	6	
Macao,	,,	30.02	762.5	72	...	N	1	c	,,	30.18	766.6	70	...	N	1	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow,	,,	30.04	763.0	73	63	N E	3	b	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.06	763.5	...	...	S W	1	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.04	763.0	73	...	W S W	2	b	8 a.	30.18	766.6	66	...	N N W	2	
Tourane,	,,	29.96	761.0	73	...	N W	2	o	,,	30.07	763.7	70	...	N W	1	
Cape St. James,	,,	29.77	756.1	79	...	N E	2	o	,,	29.82	757.4	75	...	N N E	3	
Aparri,	2 p.	29.86	758.4	...	...	N E	1	o	6 a.	29.91	759.8	...	...	N E	2	
Manila,	4 p.	29.72	755	82	63	N N E	1	o	10 a.	29.84	758	73	100	...	0	
Legaspi,	2 p.	29.64	752.8	75	...	S	1	o	6 a.	29.66	758.3	73	...	...	0	
Bacolod,	3 p.	...	...	...	...	S W	4	oq	9 a.	...	...	...	...	...	...	
Iloilo,	,,	29.66	753.3	78	...	W	4	cpq	,,	29.85	758.2	85	...	S W	1	
Cebu,	,,	29.70	754.4	82	...	S	2	c	,,	29.83	757.7	82	...	S	3	
Labuan,	,,	29.83	757.7	84	...	...	...	...	,,	...	...	...	...	...	...	

On the 15th at 12.10. p.—The depression in the South appears to be almost stationary over SE Luzon.

The barometer has fallen in SE Japan and risen over China, particularly in the North.

The northern depression has moved into the Pacific to the E. of Japan, and a high pressure area lies now China to the North of the Yangtze.

Very strong monsoon, of gale force, may be expected in the Formosa Channel and the N. part of the China S

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fine.
2.—Formosa Channel,	N.E. gales,
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 15th November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	15TH NOVEMBER, 1908, P.M.								16TH NOVEMBER, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
tock,...	2 p.	30.24	768.0	31	...	N	2	b	7 a.	30.21	767.2	19	67	...	0	b
.....	,,	29.81	757.1	...	...	N	10	...	6 a.	29.97	761.1	...	...	N W	8	...
e,.....	,,	29.85	758.2	...	...	N	2	...	,,	30.13	765.2	...	...	N	2	...
.....	,,	29.87	758.6	...	...	N W	8	...	,,	30.18	766.6	...	...	N W	4	...
.....	,,	30.11	764.8	...	...	N W	6	...	,,	30.31	769.8	...	...	S	2	...
.....	,,	30.19	766.8	...	...	N	4	...	,,	30.35	770.3	...	...	...	0	...
ma, ...	,,	30.15	765.9	...	...	N	8	...	,,	30.31	769.9	...	...	N E	4	...
.....	,,	30.12	765.1	...	...	N	8	...	,,	30.20	767.1	...	...	N	6	...
.....	,,	30.13	765.2	...	...	N	4	...	,,	30.21	767.2	...	...	N E	2	...
jima, ...	,,	30.13	765.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N	2	...
s.....	,,	29.93	760.1	...	...	N	2	...	,,	30.01	762.1	...	...	N	4	...
.....	3 p.	30.44	773.2	41	49	N W	1	b	6 a.	30.30	769.6	37	81	S W	2	b
ei,.....	,,	30.44	773.2	43	...	W	1	b	9 a.	30.35	770.9	41	...	W	0	o
.....	,,	30.37	771.4	64	68	N E	1	b	6 a.	30.39	771.9	52	79	E	1	b
g.....	,,	30.34	770.6	63	57	N E	4	b	,,	30.41	772.4	46	92	...	0	c
i, ...	,,	30.39	771.9	55	44	N N E	2	c	9 a.	30.42	772.6	55	62	N	1	b
.....	,,	30.33	770.4	59	48	N	3	cv	,,	30.37	771.4	59	59	N	2	cv
eak,.....	,,	30.22	767.6	65	78	N	5	b	,,	30.31	769.9	63	89	N	1	b
.....	,,	30.13	765.2	67	69	N E	1	b	6 a.	30.19	766.8	66	73	N E	1	c
.....	,,	30.08	764.0	72	...	E	1	b	,,	30.13	765.3	67	75	N	1	c
.....	1 p.	30.19	766.9	...	...	E	6	...	5 a.	30.23	767.7	...	...	E	6	...
.....	,,	30.02	762.4	...	...	N	6	...	,,	30.10	764.5	...	...	...	0	...
.....	,,	30.04	762.9	...	...	N	6	...	,,	30.08	764.0	...	...	N	4	...
.....	,,	30.03	762.8	...	...	N	8	...	,,	30.02	762.4	...	...	N	10	...
res, ...	,,	30.08	764.0	...	...	N	8	...	,,	30.09	764.2	...	...	N	10	...
.....	3 p.	...	...	73	46	N	1	b	9 a.	30.28	769.3	61	69	N	2	b
ng, ...	4 p.	30.12	765.0	70	49	E	3	b	10 a.	30.22	767.6	68	47	N E	2	b
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ck,.....	,,	30.09	764.3	...	...	E N E	6	...	,,	30.18	766.6	...	...	N E	5	...
.....	,,	30.11	764.8	74	...	N	1	b	,,	30.23	767.8	69	...	N N E	2	c
w,.....	3 p.	...	...	76	...	E	2	b	9 a.	...	...	...	...	...	...	...
.....	,,	30.11	764.8	74	72	N E	4	b	,,	...	...	...	...	...	...	...
.....	,,	30.14	765.5	75	60	S E	3	b	,,	...	...	...	...	...	...	...
a, ...	4 p.	30.10	764.6	75	...	E S E	2	b	8 a.	30.22	767.6	66	...	N E	2	c
e, ...	,,	30.02	762.5	75	...	N W	2	o	,,	30.12	765.0	75	...	N W	2	c
t. James,.	,,	29.79	756.7	77	...	N N E	2	or	,,	29.84	758.0	73	...	N N E	6	o
.....	2 p.	29.91	759.6	...	...	N E	1	o	6 a.	29.98	761.5	...	...	N E	2	c
.....	4 p.	29.80	757	71	91	N E	0	d	10 a.	29.84	758	72	91	N N W	2	od
.....	2 p.	29.63	752.6	77	...	...	0	o	6 a.	29.62	752.3	75	...	S	1	o
.....	3 p.	...	...	...	...	N W	1	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.79	756.6	85	...	N	0	o	,,	29.85	758.2	85	...	S S W	0	b
.....	,,	29.78	756.4	84	...	S	2	b	,,	29.83	757.7	85	...	S	1	c
.....	,,	29.71	754.6	86	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 16th at 11.55. a.—The barometer has risen considerably over Japan, and fallen moderately in N. China.
The depression in the South remains almost stationary over S.E. Luzon.
The high pressure area is spreading Eastwards over Japan.
Strong monsoon may be expected in the Formosa Channel and N. to N.E. gales over the N. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	N.E. winds, fresh; fine.
ormosa Channel, ...	N.E. winds, strong,
outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 16th November, 1908.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th NOVEMBER, 1908, P.M.								17th NOVEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.05	763.3	31	...	S	2	o	7 a.	29.93	760.2	26	53	N E	1	
Nemuro, ...	,,	30.04	763.1	...	...	N W	6	...	6 a.	30.08	764.1	...	...	...	0	
Hakodate, ...	,,	30.17	766.2	...	...	N	2	...	,,	29.89	759.2	...	...	S W	6	
Tokio, ...	,,	30.18	766.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N W	2	
Kochi, ...	,,	30.23	767.8	...	...	S W	2	...	,,	30.19	766.8	...	...	S W	2	
Nagasaki, ...	,,	30.27	768.8	...	...	...	0	...	,,	30.27	768.3	...	...	N W	2	
Kagoshima, ...	,,	30.27	768.9	...	...	S W	2	...	,,	30.27	768.9	...	...	N	2	
Oshima, ...	,,	30.20	767.1	...	...	N W	2	...	,,	30.24	768.1	...	...	S E	2	
Naha, ...	,,	30.17	766.2	...	...	N E	4	...	,,	30.21	767.2	...	...	N E	2	
Ishigakijima, ...	,,	30.13	765.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N	2	
Bonin Is.....	,,	30.04	763.1	...	...	N	4	...	,,	30.12	765.1	...	...	...	0	
Chefoo, ...	3 p.	30.27	768.8	50	65	N W	5	b	6 a.	30.31	769.9	41	57	S W	2	
Weihaiwei, ...	,,	30.33	770.4	47	...	W	5	o	9 a.	30.26	768.6	44	...	W	2	
Hankow, ...	,,	30.40	772.1	61	66	E	1	b	6 a.	30.40	772.1	52	93	N	2	
Kinkiang, ...	,,	30.36	771.1	62	67	...	0	b	,,	30.32	770.1	45	100	N E	1	
Shanghai, ...	,,	30.34	770.6	59	48	E N E	1	c	9 a.	30.43	772.9	55	62	N	1	
Gutzlaff, ...	,,	30.32	770.1	62	67	N	2	bv	,,	30.38	771.6	59	59	N	1	
Sharp Peak, ...	,,	30.22	767.6	65	78	E N E	5	b	,,	30.29	769.3	63	94	N	1	
Amoy, ...	,,	30.11	764.8	70	80	N	3	b	6 a.	30.20	767.1	66	64	N E	2	
Swatow, ...	,,	30.09	764.3	72	54	E	2	b	,,	30.11	764.8	61	71	N	1	
Taihoku, ...	1 p.	30.19	766.8	...	...	E	8	...	5 a.	30.20	767.0	...	...	E	4	
Taichu, ...	,,	30.09	764.3	...	...	N	10	...	,,	30.11	764.8	...	...	...	0	
Tainan, ...	,,	...	...	...	...	...	...	...	,,	30.10	764.4	...	...	N E	2	
Koshun.....	,,	30.06	763.4	...	...	N	10	...	,,	30.08	763.9	...	...	N	10	
Pescadores, ...	,,	30.09	764.4	...	...	N	10	...	,,	30.10	764.5	...	...	N	8	
Canton, ...	3 p.	30.15	765.8	75	72	N	1	b	9 a.	30.28	769.1	63	57	N	2	
Hongkong, ...	4 p.	30.12	765.6	72	41	N	1	o	10 a.	30.22	767.6	68	51	N N E	1	
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock, ...	,,	30.09	764.3	...	...	N E	4	...	,,	30.19	766.8	...	...	N E	4	
Macao, ...	,,	30.12	765.0	72	...	N N W	2	c	,,	30.23	767.8	70	...	N N E	2	
Wuchow, ...	3 p.	30.16	766.0	72	...	E	1	b	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	30.13	765.3	73	63	N E	2	b	,,	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	30.12	765.0	73	...	E S E	3	b	8 a.	30.22	767.6	64	...	N	3	
Tourane, ...	,,	30.04	762.9	77	...	N E	3	c	,,	30.13	765.2	72	...	...	0	
Cape St. James,.	,,	29.80	757.0	72	...	N E	6	or	,,	29.89	759.1	72	...	N N W	1	
Aparri, ...	2 p.	29.97	761.2	...	...	N E	1	d	6 a.	29.99	761.8	...	...	N E	2	
Manila, ...	4 p.	29.76	756	72	91	N N W	5	o	10 a.	29.88	759	72	100	N	1	
Legaspi, ...	2 p.	29.73	755.1	75	...	S W	1	o	6 a.	29.87	758.7	79	...	...	0	
Bacolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	N N W	2	
Iloilo, ...	,,	29.77	756.1	83	...	W	3	c	,,	29.87	758.7	80	...	N E	1	
Cebu, ...	,,	29.75	755.6	86	...	S	3	b	,,	29.87	758.7	85	...	N	1	
Labuan, ...	,,	29.84	757.9	83	...	...	...	...	,,	29.89	759.2	82	...	...	...	

On the 17th at 11.55. a.—The depression over S. Luzon appears to be filling up.

The barometer has fallen in Japan owing to a depression which is moving Eastwards over the N.E. part of Sea of Japan.

Pressure is high over China to the North of the Yangtze.

Strong monsoon may be expected in the Formosa Channel, and strong N. and N.E. winds to gales over the part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh ; fine.
2.—Formosa Channel, ...	N.E. winds, strong,
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 17th November, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	17TH NOVEMBER, 1908, P.M.								18TH NOVEMBER, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.81	757.1	...	...	S	8	...	6 a.	29.49	749.1	...	...	N	10	...
te,.....	,,	29.69	754.2	...	...	N W	6	...	,,	29.93	760.2	...	...	N W	6	...
.....	,,	29.83	757.6	...	...	S W	6	...	,,	30.10	764.6	...	...	W	2	...
.....	,,	30.07	763.8	...	...	W	4	...	,,	30.23	767.8	...	...	S W	2	...
j, ...	,,	30.23	767.8	...	...	N	6	...	,,	30.27	768.8	...	...	..	0	...
ima, ...	,,	30.19	766.9	...	...	N	6	...	,,	30.27	768.9	...	...	N	2	...
.....	,,	30.24	768.1	...	...	N	6	...	,,	30.24	768.1	...	...	S	2	...
.....	,,	30.20	767.2	...	...	N	4	...	,,	30.28	769.2	...	...	N E	...	...
ijima,....	,,	30.17	766.3	...	...	N E	6	...	,,	30.13	765.3	...	...	E	4	...
ls.....	,,	30.08	764.1	...	...	E	2	...	,,	30.12	765.1	...	...	N	2	...
.....	3 p.	30.27	768.8	55	39	S	1	b	6 a.	30.10	764.5	47	70	S	2	b
wei,.....	,,	30.27	768.8	52	...	S W	1	b	9 a.	30.12	765.0	51	...	S W	2	ovr
w, ...	,,	30.35	770.9	61	66	...	1	b	6 a.	30.26	768.6	54	94	N E	1	c
ng,.....	,,	30.31	769.9	62	61	N E	2	b	,,	30.26	768.6	43	100	...	0	c
hai, ...	,,	30.33	770.4	62	41	E	1	b	9 a.	30.22	767.6	57	87	S S E	1	b
f, ...	,,	30.31	769.9	62	56	N	1	bv	,,	30.21	767.3	63	67	S E	2	...
Peak,.....	,,	30.20	767.1	64	78	N N E	5	o	,,	30.22	767.6	64	94	N	1	c
.....	,,	30.12	765.0	71	71	N E	3	c	6 a.	30.13	765.3	68	70	N E	1	c
,.....	,,	30.08	764.0	71	71	E	2	b	,,	...	...	...	...	...	...	...
u,.....	1 p.	30.15	765.9	...	...	E	8	...	5 a.	30.11	764.8	...	...	E	4	...
.....	,,	30.06	763.4	...	...	W	2	...	,,	30.10	764.5	...	...	...	0	...
.....	,,	30.07	763.9	...	...	W	4	...	,,	30.09	764.3	...	...	N	2	...
.....	,,	30.07	763.7	...	...	N	10	...	,,	30.08	764.1	...	...	N	4	...
ives, ...	,,	30.11	764.9	...	...	N	8	...	,,	30.10	764.5	...	...	N	8	...
.....	3 p.	30.14	765.5	78	36	N	2	b	9 a.	30.23	767.8	64	89	N	2	b
ong, ...	4 p.	30.11	764.8	70	50	E	3	c	10 a.	30.18	766.6	70	47	...	0	b
a Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ock,.....	,,	30.09	764.3	...	...	E N E	4	...	,,	30.15	765.8	...	...	N E	4	...
.....	,,	30.12	765.0	71	...	N E	1	c	,,	30.19	766.8	72	...	N	1	b
ow,.....	3 p.	30.16	766.0	71	...	N E	2	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.16	766.0	73	67	N	1	c	,,	...	...	...	...	...	...	...
en,.....	4 p.	30.12	765.1	73	...	S S W	1	c	8 a.	30.24	768.0	63	...	N	2	c
ne, ...	,,	29.95	763.2	70	...	N N W	3	o	,,	30.12	765.0	73	...	N W	2	o
St. James,.	,,	...	...	...	...	...	...	...	,,	29.94	760.4	73	...	N E	2	f
.....	2 p.	29.95	760.7	...	...	N E	1	p	6 a.	29.98	761.5	...	...	N E	1	q
a.	4 p.	29.80	757	75	100	N	1	o	10 a.	29.92	760	77	92	N	2	od
gi, ...	2 p.	29.80	756.9	80	...	E	1	c	6 a.	29.86	758.3	77	...	E	1	t
od,.....	3 p.	...	...	...	...	N	3	o	9 a.	...	...	...	...	N N E	3	o
.....	,,	29.79	756.6	85	...	...	...	b	,,	29.87	758.7	86	...	N E	0	c
.....	,,	29.78	756.4	85	...	N	1	...	,,	29.85	758.2	84	...	N	1	c
n, ...	,,	29.75	755.6	83	...	...	...	...	,,	29.82	757.4	78	...	...	...	...

On the 18th at 11.55. a.—The depression lying over the N.E. part of the Sea of Japan yesterday, is moving into Pacific to the E. of Hokkaido.

The barometer has fallen again over N. China, and another depression is probably advancing towards Manchuroa the Westward.

Pressure is highest over Central China and the Eastern Sea.

Moderate monsoon may be expected in the Formosa Channel, and strong monsoon over the N. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N. winds, moderate to fresh ; fine.
Formosa Channel, ...	N.E. winds, moderate to fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 18th November, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	29.85	760.7	24	...	S E	1	b	7 a.	29.83	757.7	33	99	S	1
Nemuro, ...	,,	29.89	759.1	...	...	N W	8	...	6 a.	29.97	761.1	...	...	N W	4
Hakodate, ...	,,	...	...	...	...	...	..	...	,,	30.01	762.2	...	...	W	4
Tokio.	,,	30.14	765.6	...	...	S W	4	...	,,	30.18	766.6	...	...	N W	2
Kochi, ...	,,	30.19	766.8	...	...	E	2	...	,,	30.19	766.8	...	...	S W	2
Nagasaki, ...	,,	30.19	766.8	...	...	W	4	...	,,	30.19	766.3	...	...	W	2
Kagoshima, ...	,,	30.19	766.9	...	...	S	2	...	,,	30.23	767.9	...	...	N	...
Oshima, ...	,,	30.16	766.1	...	...	N	4	...	,,	30.20	767.1	...	...	S	4
Naha, ...	,,	30.17	766.2	...	...	N E	2	...	,,	30.17	766.2	...	...	...	0
Ishigakijima, ...	,,	30.09	764.3	...	...	E	3	...	,,	30.09	764.3	...	...	N E	4
Ponin Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.12	765.1	...	...	E	2
Chefoo, ...	3 p.	29.98	761.5	62	51	S W	3	b	6 a.	29.97	761.2	52	66	S W	1
Weihaiwei, ...	,,	30.01	762.2	60	...	S W	2	b	9 a.	30.02	762.5	59	...	S W	1
Hankow, ...	,,	30.20	767.1	67	50	S W	1	b	6 a.	30.20	767.1	55	80	S	1
Kiukiang, ...	,,	30.19	766.8	66	68	S W	0	b	,,	30.13	765.3	47	93	...	0
Shanghai.	,,	...	...	...	...	...	...	...	9 a.	30.21	767.3	55	100	S W	1
Gutzlaff, ...	,,	30.12	765.0	66	66	S E	1	bv	,,	30.19	766.8	65	78	S S W	1
Sharp Peak, ...	,,	30.12	765.0	64	95	N	1	c	,,	30.17	766.3	67	95	N	1
Amoy, ...	,,	30.05	763.2	72	71	N E	1	b	6 a.	30.09	764.3	64	84	S W	2
Swatow, ...	,,	30.03	762.7	72	67	E	1	b	,,	30.05	763.2	59	94	N	1
Taihoku, ...	1 p.	30.05	763.3	...	...	E	6	...	5 a.	30.08	764.1	...	...	E	4
Taichu, ...	,,	30.05	763.3	...	...	N W	4	...	,,	30.08	763.9	...	...	...	0
Tainan, ...	,,	30.04	763.1	...	...	N W	6	...	,,	30.04	763.1	...	...	N E	2
Koshun, ...	,,	30.06	763.4	...	...	N	6	...	,,	30.02	762.6	...	...	N	4
Pescadores, ...	,,	30.08	764.0	...	...	N	6	...	,,	30.16	763.5	...	...	N	6
Canton, ...	3 p.	30.19	764.3	78	86	N	2	b	9 a.	30.17	766.3	65	94	N	1
Hongkong, ...	4 p.	30.07	763.8	75	51	W S W	1	c	10 a.	30.14	765.5	71	53	E	1
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	30.04	763.0	...	...	N E	2	...	,,	30.10	764.5	...	...	E N E	4
Macao, ...	,,	30.07	763.8	73	...	N	1	c	,,	30.14	765.5	72	...	N	1
Wuchow, ...	3 p.	30.13	765.3	72	...	W	2	b	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	30.11	764.8	73	67	N E	2	b	,,	...	...	...	...	...	...
Pakhoi, ...	,,	30.11	764.8	73	72	W N W	1	b	,,	...	...	...	...	...	...
Phulien, ...	4 p.	30.11	764.9	72	...	W S W	3	c	8 a.	...	...	...	...	...	...
Tourane, ...	,,	29.96	763.5	77	...	N N E	3	c	,,	...	...	...	...	...	...
Cape St. James, .	,,	29.84	758.0	81	...	N N E	2	c	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.93	760.2	...	...	N E	1	c	6 a.	29.95	760.7	...	...	N E	1
Manila.	4 p.	29.84	758	79	84	...	0	c	10 a.	29.88	759	81	69	N E	0
Legaspi, ...	2 p.	29.81	757.1	79	...	N E	1	c	6 a.	29.81	757.2	79	...	N E	1
Bacolod, ...	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N N E	2
Iloilo, ...	,,	29.79	756.6	85	...	N	1	c	,,	29.85	758.2	81	...	N E	2
Cebu, ...	,,	29.78	756.4	84	...	S	1	c	,,	29.84	757.9	82	...	N	1
Labuan, ...	,,	29.76	755.9	83	...	...	...	...	,,	29.95	760.7	83	...	...	...

On the 19th at 11.55. a.—The barometer has risen in E. Japan, the depression having moved away over th Pacific.

Pressure has given way in N. China and at Wladiwostok owing to the advance Eastwards, of the other depressio over Manchuria.

An area of low pressure exists also over the Pacific to the Eastward of the S. Philippines. The highest pressu is in a band extending from the Yangtze valley to S.E. Japan.

Moderate monsoon may be expected in the Formosa Channel, and strong monsoon over the N. part of the Chi Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 19th November, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	19TH NOVEMBER, 1908, P.M.								20TH NOVEMBER, 1908, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
stock,...	2 p.	29.74	755.4	37	...	...	0	o	7 a.	30.04	763.1	22	46	N E	3	o
.....	,,	29.81	757.1	...	...	S W	8	...	6 a.	29.73	755.1	...	...	N W	8	...
e,.....	,,	29.85	758.2	...	...	W	6	...	,,	29.93	760.2	...	...	N W	6	...
.....	,,	30.06	763.6	...	...	S	2	...	,,	30.10	764.6	...	...	N W	2	...
.....	,,	30.11	764.8	...	...	N E	2	...	,,	...	...	...	...	...	...	...
.....	,,	30.19	766.8	...	...	W	2	...	,,	30.23	767.3	...	...	S	2	...
ma, ...	,,	30.15	765.9	...	...	N W	4	...	,,	30.23	767.9	...	...	...	0	...
.....	,,	30.12	765.1	...	...	N	6	...	,,	30.20	767.1	...	...	S	2	...
.....	,,	30.13	765.2	...	...	N E	6	...	,,	30.13	765.2	...	...	E	4	...
jima,....	,,	30.13	765.3	...	...	N E	8	...	,,	30.05	763.3	...	...	E	12	...
ls.....	,,	30.08	764.1	...	...	N E	2	...	,,	30.08	764.1	...	...	N	2	...
.....	3 p.	29.95	760.7	65	63	...	0	b	6 a.	30.05	763.2	48	85	N W	5	o
wei,.....	,,	29.96	761.0	60	...	E	1	b	9 a.	30.20	767.1	48	...	N W	2	o
,.....	,,	30.06	763.5	71	53	S	1	b	6 a.	30.15	765.8	55	94	S E	1	b
ng.....	,,	30.14	765.5	67	64	...	0	b	,,	30.17	766.3	46	100	W	1	c
ai, ...	,,	30.12	765.0	69	47	S	1	b	9 a.	30.18	766.6	62	83	S	1	bm
f.	,,	30.13	765.3	66	69	S S W	1	bm	,,	30.17	766.3	67	74	S	2	bv
Peak,.....	,,	30.09	764.3	68	70	N E	2	o	,,	30.14	765.5	70	90	N E	2	c
.....	,,	...	...	...	...	...	...	...	6 a.	30.05	763.2	70	75	N W	1	b
.....	,,	29.99	761.7	72	76	E	2	b	,,	30.01	762.2	62	89	N	1	c
n.....	1 p.	30.06	763.4	...	...	E	8	...	5 a.	30.03	762.7	...	...	E	6	...
.....	,,	29.98	761.6	...	...	W	2	...	,,	30.00	762.0	...	...	...	0	...
.....	,,	30.01	762.2	...	...	N	4	...	,,	29.98	761.4	...	...	E	2	...
.....	,,	30.00	761.9	...	...	N	8	...	,,	29.95	760.8	...	...	N E	8	...
ores, ...	,,	30.04	762.9	...	...	N	8	...	,,	29.96	761.0	...	...	N	4	...
.....	3 p.	30.04	763.0	80	82	W N W	1	b	9 a.	30.12	765.0	65	89	...	0	b
ong, ...	4 p.	30.02	762.5	71	59	E	3	b	10 a.	30.06	763.5	74	53	N	1	b
la Peak,...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	N E	2	...
lock,.....	,,	29.99	761.7	...	...	E N E	4	...	,,	30.04	763.0	...	...	N N E	4	...
.....	,,	30.03	762.7	73	...	E	1	b	,,	30.07	763.8	75	...	E N E	2	c
ow,.....	3 p.	30.05	763.2	75	...	E	1	b	9 a.	...	...	...	...	...	...	...
w,.....	,,	30.05	763.2	74	72	N E	4	b	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en,.....	4 p.	30.02	762.5	77	...	S	2	b	8 a.	30.09	764.2	66	...	N N E	2	b
ne, ...	,,	29.99	761.8	73	...	N N W	3	o	,,	30.05	763.2	70	...	...	0	c
t. James,.	,,	...	...	...	...	...	...	...	,,	29.90	759.4	75	...	N N W	2	o
.....	2 p.	29.89	759.2	...	...	N E	1	o	6 a.	29.73	755.2	...	...	N E	2	q
k, ...	4 p.	29.76	756	81	70	W	1	o	10 a.	29.57	751	77	92	S W	5	o q
pi, ...	2 p.	29.71	754.6	75	...	...	0	o	6 a.	29.69	754.1	77	...	S W	1	o
od,.....	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	S W	2	o
.....	,,	29.75	755.6	84	...	N	0	...	,,	29.82	757.4	81	...	S E	0	r
.....	,,	29.77	756.1	84	...	S	1	o	,,	29.84	757.9	82	...	S	2	o
n, ...	,,	29.79	756.6	87	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

On the 20th at 11.40. a.—The barometer has fallen rapidly in Luzon owing to the typhoon, which is crossing the nd to the North of Manila and moving apparently towards W.N.W.

The northern depression is moving into the Pacific to the E. of Hokkaido.

Pressure has increased over N. China but is giving way in S. China. It is highest over W. Japan.

Strong N.E. winds to gales are expected to prevail in the Formosa Channel, and bad weather over the N. part the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Iongkong and Neighbourhood, ...	N. winds, fresh ; fine.
'ormosa Channel, ...	N.E. winds, strong to a gale.
outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 20th November, 1908.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	
Wladivostock,...	2 p.	30.02	762.5	25	...	N E	3	c	7 a.	30.09	764.2	18	55	N E	1	
Nemuro, ...	,,	29.77	756.1	...	...	N	4	...	6 a.	29.77	756.1	...	...	N W	8	
Hakodate, ...	,,	29.87	759.2	...	...	N W	6	...	,,	29.89	759.2	...	...	N	4	
Tokio, ...	,,	29.98	761.6	...	...	S	2	...	,,	29.83	757.6	...	...	S W	2	
Kochi, ...	,,	30.11	764.8	...	...	S E	4	...	,,	30.03	762.8	...	...	S W	2	
Nagasaki, ...	,,	30.15	765.8	...	...	S W	2	...	,,	30.11	764.8	...	...	...	0	
Kagoshima, ...	,,	30.15	765.9	...	...	N W	2	...	,,	30.15	765.9	...	...	N	2	
Oshima, ...	,,	30.12	765.1	...	...	S W	6	...	,,	30.12	765.1	...	...	S	2	
Naha, ...	,,	30.05	763.2	...	...	E	6	...	,,	30.05	763.2	...	...	E	4	
Ishigakijima, ...	,,	30.01	762.3	...	...	E	...	...	,,	29.93	760.3	...	...	E	6	
Bonin Is.	,,	30.04	763.1	...	...	N E	2	...	,,	30.04	763.1	...	...	N E	2	
Chefoo, ...	3 p.	29.80	769.6	45	61	N	5	o	6 a.	30.26	768.6	39	64	N	4	
Weihaiwei, ...	,,	30.26	768.6	45	...	N	3	o	9 a.	30.40	772.1	39	...	N W	3	
Hankow, ...	,,	...	...	69	47	N W	2	b	6 a.	...	...	54	87	N	3	
Kiukiang, ...	,,	30.14	765.5	70	57	...	0	b	,,	30.23	767.8	56	94	N E	2	
Shanghai, ...	,,	30.10	764.5	72	37	W	1	b	9 a.	30.25	768.3	58	83	N E	2	
Gutzlaff, ...	,,	30.10	764.5	70	70	S	1	bv	,,	30.19	766.8	69	94	N N E	3	
Sharp Peak, ...	,,	30.05	763.2	70	95	N N E	1	c	,,	30.07	763.8	70	90	N N E	2	
Amoy, ...	,,	29.95	760.7	76	69	N E	3	b	6 a.	29.97	761.2	73	72	N E	1	
Swatow, ...	,,	29.91	759.7	77	61	E	1	b	,,	29.85	758.2	76	86	N E	1	
Taihoku, ...	1 p.	29.99	761.8	...	...	E	8	...	5 a.	29.93	760.2	...	...	E	6	
Taichu, ...	,,	29.91	759.6	...	...	S W	2	...	,,	29.89	759.2	...	...	...	0	
Tainan, ...	,,	29.93	760.1	...	...	N W	6	...	,,	29.88	759.0	...	...	...	0	
Koshun	,,	29.91	759.7	...	...	N E	8	...	,,	29.88	758.9	...	...	N	8	
Pescadores, ...	,,	29.95	760.7	...	...	N	8	...	,,	29.90	759.4	...	...	N	8	
Canton, ...	3 p.	29.97	761.2	83	83	N	1	b	9 a.	30.02	762.5	71	90	N	1	
Hongkong, ...	4 p.	29.94	760.5	77	55	W	1	c	10 a.	29.95	760.7	74	51	N	3	
Victoria Peak, ...	,,	...	...	...	...	...	0	...	,,	...	...	...	...	N E	6	
Gap Rock, ...	,,	29.92	759.9	...	...	N N E	2	...	,,	29.92	759.9	...	...	N N E	4	
Macao, ...	,,	30.00	762.0	77	...	E N E	2	c	,,	29.98	761.5	73	...	W N W	2	
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	29.99	761.7	73	76	N E	4	b	,,	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	29.97	761.2	75	...	S S E	3	b	8 a.	30.21	767.3	66	...	N N W	4	
Tourane, ...	,,	29.93	760.1	77	...	N W	4	c	,,	29.99	761.6	66	...	...	0	
Cape St. James, .	,,	29.83	757.7	81	...	S E	2	f	,,	29.83	758.9	77	...	W	1	
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila, ...	4 p.	29.65	753	75	100	S E	2	o	10 a.	29.86	757	82	77	S E	2	
Legaspi, ...	2 p.	29.72	755.0	86	...	S W	1	o	6 a.	29.82	757.5	77	...	...	0	
Bacolod, ...	3 p.	...	...	...	...	S S E	1	odt	9 a.	...	...	...	...	S S E	1	
Iloilo, ...	,,	29.75	755.6	84	...	S W	1	o	,,	29.83	757.7	82	...	N E	1	
Cebu, ...	,,	29.75	755.6	87	...	S	1	b	,,	29.86	758.4	87	...	S E	1	
Labuan, ...	,,	29.77	756.1	84	...	...	...	...	,,	29.83	757.7	76	...	...	...	

On the 20th at 5.15 p.—Red South Cone and Drum hoisted (indicates a typhoon to the S.E. of the Colony beyond 300 miles).

On the 21st at 11.40. a.—The barometer has risen considerably in S. Luzon, and fallen moderately over S. China and Formosa.

The typhoon is situated to the N.W. of Luzon, and at present it appears to be moving towards N.W.

Pressure has increased considerably and is now high over N. China. It remains low over E. Japan.

N.E. gales may be expected in the Formosa Channel, and bad weather over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, strong, probably rising to a gale ; fair at first, some rain later
2.—Formosa Channel, ...	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,..	N.E. winds, strong to a gale.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 21st November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	21ST NOVEMBER, 1908, P.M.								22ND NOVEMBER, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...rostock,...	2 p.	30.04	763.0	35	...	N	1	b	7 a.	29.91	759.6	26	44	N	1	c
...no,.....	,,	29.81	757.1	...	...	W	8	...	6 a.	29.85	758.1	...	...	S	2	...
...date,.....	,,	29.93	760.2	...	...	N	4	...	,,	29.85	758.2	...	...	W	4	...
...,.....	,,	29.87	758.6	...	...	N	2	...	,,	29.91	759.6	...	...	N W	4	...
...,.....	,,	29.95	760.8	...	...	S W	2	...	,,	29.95	760.8	...	...	S W	2	...
...aki, ...	,,	30.07	763.8	...	...	W	6	...	,,	30.03	762.8	...	...	W	2	...
...hima, ...	,,	30.07	763.9	...	...	N W	4	...	,,	30.04	762.9	...	...	N	2	...
...,.....	,,	30.08	764.1	...	...	N	6	...	,,	30.04	763.1	...	...	...	0	...
.....	,,	29.91	762.2	...	...	N E	6	...	,,	30.01	762.2	...	...	N	2	...
...kijima,....	,,	29.93	760.3	...	...	S	2	...	,,	29.89	759.3	...	...	N E	8	...
...ls.....	,,	30.00	762.1	...	...	E	2	...	,,	30.01	762.1	...	...	...	0	...
...e.....	3 p.	30.33	770.4	44	60	W N W	3	o	6 a.	30.13	765.3	46	40	W	6	b
...siwei,.....	,,	30.32	770.1	43	...	W N W	3	o	9 a.	30.25	768.3	45	...	N W	4	ovr
...tow, ...	,,	30.46	773.7	53	93	N N W	3	c	6 a.	30.41	772.4	48	78	N W	2	c
...iang,.....	,,	30.24	768.1	60	76	N E	2	o	,,	30.38	771.6	49	78	E	3	o
...chai, ...	,,	30.23	767.8	58	70	N N E	3	o	9 a.	30.34	770.6	48	78	N N W	2	c
...laff, ...	,,	30.17	766.3	60	76	N E	4	om	,,	30.25	768.3	55	68	N	3	ov
...Peak,.....	,,	30.03	762.7	66	84	N	4	o	,,	30.13	765.3	62	27	N N E	6	or
...,.....	,,	29.94	760.5	75	77	N E	1	or	6 a.	30.00	762.0	69	80	N E	1	or
...ow, ...	,,	29.87	758.7	70	90	E	1	or	,,	...	...	...	...	...	...	...
...ku,.....	1 p.	29.96	760.9	...	...	N E	6	...	5 a.	30.01	762.2	...	...	E	4	...
...,.....	,,	29.87	758.6	...	...	N	4	...	,,	29.87	758.6	...	...	N	6	...
...n,.....	,,	29.87	758.6	...	...	N W	4	...	,,	29.84	758.0	...	...	N	6	...
...un.....	,,	29.87	758.7	...	...	N	8	...	,,	29.78	756.5	...	...	E	8	...
...dores, ...	,,	29.92	759.9	...	...	N	10	...	,,	29.87	758.6	...	...	N	10	...
...n,.....	3 p.	29.92	759.9	78	82	W N W	2	o	9 a.	30.02	762.5	70	95	N	3	c
...gkong, ...	4 p.	29.84	757.9	71	69	N	3	o	10 a.	29.97	761.2	69	62	N	3	oq
...oria Peak,...	,,	...	...	...	...	N	6	...	,,	...	...	...	...	N	7	...
... Rock,.....	,,	29.80	756.9	...	...	N	7	...	,,	29.92	759.9	...	...	N	8	...
...o,.....	,,	29.87	758.7	72	...	N N W	3	o	,,	29.98	761.5	73	...	N N W	3	c
...how,.....	3 p.	29.95	760.7	78	...	N	1	c	9 a.	...	...	...	...	...	...	...
...how,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...lien,.....	4 p.	29.92	760.0	77	...	S S E	2	b	8 a.	30.10	764.6	68	...	N E	5	b
...mane, ...	,,	29.87	758.8	75	...	N W	4	c	,,	30.01	762.2	75	...	...	0	c
...St. James,.	,,	29.80	757.0	84	...	S W	1	c	,,	29.91	759.6	75	...	S E	1	or
...m),.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ila, ...	4 p.	29.76	756	82	70	E S E	1	b	10 a.	29.84	758	84	71	S E	2	c
...gaspi, ...	2 p.	29.77	756.2	86	...	E	1	b	6 a.	29.86	758.4	75	...	...	0	b
...olod,.....	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N N E	2	...
...lo,.....	,,	29.77	756.1	84	...	S S W	1	c	,,	29.87	758.7	81	...	N	1	
...o,.....	,,	29.77	756.1	81	...	S	1	b	,,	29.87	758.7	86	...	N	1	
...huan, ...	,,	29.77	756.1	83	...	...	...	...	,,	...	...	...	...	...	...	

On the 21st at 3.30 p.—Black Cone point downwards and Drum hoisted (indicates a typhoon S.E. of the Colony within 300 miles).

On the 22nd at 11.55. a.—The barometer has risen in Hongkong, and fallen over S. Formosa.
The typhoon has recurved and is now moving towards N.E. to the S.W. of Formosa.
Pressure has given way over the N.E. coast of China, and increased over Central China.
A high pressure area is lying over China to the North of the Yangtze.
Hard N.E. and N. gales may be expected in the Formosa Channel, and fresh N. gales off the S. coast of China.
Signal lowered.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	Moderate N. gale; fair, squally.
Formosa Channel, ...	Strong N. and N.E. gales.
South coast of China between Hongkong and Lamocks,..	N. gale.
South coast of China between Hongkong and Hainan,...	Same as No. 3.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 22nd November, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.83	757.6	30	...	N	2	c	7 a.	30.08	764.0	29	45	N W	1
Nemuro,.....	,,	29.61	752.1	...	...	S W	6	...	6 a.	29.45	748.1	...	...	...	8
Hakodate,.....	,,	29.69	754.2	...	...	W	2	...	,,	29.73	755.2	...	...	N W	6
Tokio, ...	,,	29.71	754.6	...	...	S	2	...	,,	29.79	756.6	...	...	N W	4
Kochi, ...	,,	29.91	759.8	...	...	S W	2	...	,,	30.07	763.8	...	...	N W	4
Nagasaki, ...	,,	30.07	763.8	...	...	N W	6	...	,,	30.19	766.3	...	...	N	6
Kagoshima, ...	,,	30.04	762.9	...	...	N W	4	...	,,	30.12	764.9	...	...	N W	4
Oshima,.....	,,	30.00	762.1	...	...	N	6	...	,,	30.12	765.1	...	...	N W	6
Naha,.....	,,	30.01	762.2	...	...	N E	4	...	,,	30.13	765.2	...	...	N	6
Ishigakijima.....	,,	29.93	760.3	...	...	N E	8	...	,,	30.09	764.3	...	...	N E	6
Bonin Is.....	,,	29.89	759.1	...	...	S	4	...	,,	29.93	760.1	...	...	S W	4
Chefoo,.....	3 p.	29.31	769.9	48	63	N N W	5	c	6 a.	30.43	772.9	40	91	N W	3
Weihaiwei,.....	,,	30.24	768.1	42	...	N W	2	o	9 a.	30.49	774.4	39	...	N W	1
Hankow, ...	,,	30.45	773.4	59	82	N	2	b	6 a.	30.47	773.9	45	68	N W	1
Kiukiang,.....	,,	30.35	770.9	58	94	N E	3	b	,,	30.43	772.9	44	100	...	0
Shanghai, ...	,,	30.28	769.1	54	49	N N W	4	c	9 a.	30.44	773.2	52	66	N N W	2
Gutzlaff, ...	,,	30.24	768.1	55	68	N N W	3	ov	,,	30.37	771.4	54	61	N N E	3
Sharp Peak,.....	,,	30.12	765.0	58	70	N	6	or	,,	30.26	768.6	59	76	N N E	5
Amoy,.....	,,	30.00	762.0	67	84	N E	1	or	6 a.	30.09	764.3	64	72	N E	2
Swatow, ...	,,	29.92	759.9	64	95	N	1	or	,,	30.00	762.0	60	82	W S W	2
Taihoku,.....	1 p.	30.06	763.6	...	...	E	4	...	5 a.	30.15	765.8	...	...	E	6
Taichu, ...	,,	29.87	758.6	...	...	N	6	...	,,	29.97	761.1	...	...	N E	2
Tainan,.....	,,	29.84	758.0	...	...	N	6	...	,,	29.90	759.4	...	...	N	4
Koshun.....	,,	29.78	756.5	...	...	N E	10	...	,,	29.86	758.4	...	...	N E	10
Pescadores, ...	,,	29.87	758.8	...	...	N	10	...	,,	29.97	761.2	...	...	N	1
Canton,.....	3 p.	29.99	761.7	75	90	N	6	c	9 a.	30.26	768.6	62	63	N	
Hongkong, ...	4 p.	29.94	760.5	70	52	N	3	o	10 a.	30.17	766.3	67	58	N	
Victoria Peak,...	,,	...	...	...	...	N	6	...	,,	...	...	...	...	N	
Gap Rock,.....	,,	29.88	758.9	...	...	N N E	8	...	,,	30.13	765.3	...	...	N	
Macao,.....	,,	29.94	760.5	74	...	N N W	3	c	,,	30.20	767.1	69	...	N	2
Wuchow,.....	3 p.	30.11	764.8	71	...	N N W	3	b	9 a.	...	...	...	...	...	...
Hoihow,.....	,,	30.01	762.2	75	95	N E	4	b	,,	...	...	...	...	...	...
Pakhoi,.....	,,	30.09	764.3	70	70	N	4	b	,,	...	...	...	...	...	...
Phulien,.....	4 p.	30.05	763.2	73	...	N N E	4	b	8 a.	30.26	768.6	64	...	N N E	4
Tourane, ...	,,	29.99	761.8	75	...	S W	4	c	,,	30.14	765.6	72	...	N W	4
Cape St. James,.	,,	29.83	757.8	81	...	E S E	2	c	,,	29.95	760.8	79	...	N	1
Aparri,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.76	756	...	...	E S E	1	c	10 a.	29.88	759	82	85	W N W	1
Legaspi,.....	2 p.	29.79	756.6	86	...	E	1	b	6 a.	29.88	758.9	77	...	...	0
Bacolod,.....	3 p.	...	...	...	...	S S W	...	o	9 a.	...	...	...	...	N W	2
Iloilo,.....	,,	29.79	756.6	84	...	S	1	o	,,	29.87	758.7	82	...	N	1
Cebu.....	,,	29.79	756.6	85	...	...	0	b	,,	29.87	758.7	83	...	N	1
Labuan, ...	,,	29.75	756.6	86	...	...	...	...	,,	29.88	758.9	79	...	...	...

On the 23rd at 11.55. a.—The barometer has fallen in E. Japan, and risen elsewhere particularly over the co
tinent.

The typhoon is filling up to the South of Formosa.

A depression, which crossed the N.E. part of the Sea of Japan yesterday, is now moving into the Pacific to t
E. of Hokkaido.

The high pressure area remains over China to the North of the Yangtze.

Gradients are still rather steep and strong N. and N.E. gales will continue to prevail in the Formosa Chann
and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, strong to fresh; fine.
2.—Formosa Channel, ...	N. and N.E. gales.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 23rd November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	23rd NOVEMBER, 1908, P.M.								24th NOVEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock,...	2 p.	29.74	755.4	33	...	S	1	b	7 a.	30.04	763.1	28	43	N W	1	b
.....	,,	29.49	749.1	...	...	N W	8	...	6 a.	29.89	759.1	...	...	N W	6	...
e,.....	,,	29.81	757.2	...	...	N W	8	...	,,	30.09	764.2	...	...	W	6	...
.....	,,	29.94	760.6	...	...	N	8	...	,,	30.22	767.6	...	...	N W	4	...
.....	,,	30.15	765.8	...	...	N	6	...	,,	30.27	768.8	...	...	S W	4	...
.....	,,	30.23	767.8	...	...	N	6	...	,,	30.27	768.8	...	...	...	0	...
ma,.....	,,	30.19	766.9	...	...	S E	2	...	,,	30.23	767.0	...	...	N	4	...
.....	,,	30.12	765.1	...	...	N	6	...	,,	30.20	767.1	...	...	S	2	...
.....	,,	30.13	765.2	...	...	N E	4	...	,,	30.17	766.2	...	...	N E	2	...
jima,....	,,	30.09	764.3	...	...	N E	6	...	,,	30.09	764.3	...	...	E	4	...
s.....	,,	29.96	761.1	...	...	E	6	...	,,	30.12	765.1	...	...	N	2	...
.....	3 p.	30.37	771.4	46	62	S W	2	b	6 a.	30.17	766.3	...	...	S W	3	b
wei,.....	,,	30.37	771.4	44	...	W	1	b	9 a.	30.19	766.8	47	...	S W	1	b
.....	,,	30.46	773.7	57	58	N E	1	b	6 a.	30.40	772.1	44	92	W	1	b
g.....	,,	30.41	772.4	56	51	N E	3	b	,,	30.38	771.6	41	74	...	0	b
ai,.....	,,	30.37	771.4	52	60	N N E	2	o	9 a.	30.36	771.1	52	60	N W	1	b
ff,.....	,,	30.32	770.1	55	68	N N W	3	cv	,,	30.32	770.1	57	63	N N W	1	cv
Peak,.....	,,	30.21	767.3	62	77	N N E	5	o	,,	30.26	768.6	63	83	N E	3	b
.....	,,	30.10	764.5	65	73	N E	2	o	6 a.	30.16	766.0	65	73	N E	1	o
.....	,,	30.06	763.5	67	64	E	1	c	,,	30.06	763.5	60	71	N	1	o
.....	1 p.	30.15	765.9	...	...	E	8	...	5 a.	30.16	766.1	...	...	E	4	...
.....	,,	30.02	762.6	...	...	N	4	...	,,	30.05	763.3	...	...	N	2	...
.....	,,	30.00	761.9	...	...	N	6	...	,,	30.05	763.2	...	...	N	4	...
.....	,,	29.94	760.6	...	...	N E	10	...	,,	30.01	762.2	...	...	N E	10	...
es,.....	,,	30.04	763.0	...	...	N	10	...	,,	30.08	764.0	...	...	N	10	...
.....	3 p.	30.14	765.5	74	76	N	3	b	9 a.	...	...	...	...	...	...	...
.....	4 p.	30.08	764.0	70	48	N N E	1	b	10 a.	30.20	767.1	67	50	N	1	c
Peak,...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N	3	...
k,.....	,,	30.05	763.2	...	...	N	4	...	,,	30.17	766.3	...	...	N E	5	...
.....	,,	30.10	764.5	70	...	N	2	c	,,	30.22	767.6	58	...	N	2	c
.....	3 p.	30.18	766.6	69	...	N	2	b	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.17	766.3	68	70	N	5	b	,,	...	...	...	...	...	...	...
en,.....	4 p.	30.12	765.1	70	...	N E	2	b	8 a.	30.26	768.6	63	...	N N E	3	b
ne,.....	,,	30.08	764.0	72	...	W N W	4	c	,,	30.21	767.3	68	...	N W	1	o
St. James,.	,,	29.87	758.7	82	...	S S E	2	c	,,	29.97	761.3	72	...	N	2	c
.....	2 p.	29.84	758.0	...	...	N	1	b	6 a.	29.95	760.6	...	...	S E	0	b
.....	4 p.	29.80	757	84	77	W N W	1	c	10 a.	29.92	760	82	71	W N W	1	c
.....	2 p.	29.83	757.6	86	...	E	1	o	6 a.	29.91	759.7	77	...	N E	1	c
.....	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	...	0	op
.....	,,	29.79	756.6	86	...	N	0	c	,,	29.93	760.2	86	...	N W	0	c
.....	,,	29.79	756.6	86	...	N	2	b	,,	29.92	759.9	81	...	N	1	c
n,.....	,,	29.77	756.1	79	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

In the 24th at 11.40. a.—The barometer has risen quickly in E. Japan, the depression having moved away over Pacific.

Pressure has increased moderately in S. Formosa and decreased considerably on the N.E. coast of China. Another depression appears to be advancing towards Manchuria from the Westward.

The area of high pressure remains over China to the North of the Upper Yangtze.

Gradients are less steep along the coast and the monsoon will moderate in the Formosa Channel. Very strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, fresh to moderate; fair.
Formosa Channel, ...	N.E. winds, strong to moderate.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 24th November, 1908.

[Printed by KOHONIA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.94	760.6	42	...	S E	1	b	7 a.	29.89	759.1	34	56	S E	1
Nemuro,	,,	29.96	761.1	...	...	N W	8	...	6 a.	30.04	763.1	...	...	...	0
Hakodate,	,,	30.05	763.2	...	...	W	2	...	,,	29.97	761.2	...	...	...	0
Tokio,	,,	30.22	767.6	...	...	...	0	...	,,	30.10	764.6	...	...	N W	4
Kochi,	,,	30.19	766.8	...	...	S E	4	...	,,	30.15	765.8	...	...	S W	2
Nagasaki,	,,	30.19	766.8	...	...	N	4	...	,,	30.15	765.8	...	...	...	0
Kagoshima,	,,	30.15	765.9	...	...	N	4	...	,,	30.15	765.9	...	...	N	2
Oshima,	,,	30.12	765.1	...	...	N	2	...	,,	30.12	765.1	...	...	N	4
Naha,	,,	30.13	765.2	...	...	N E	2	...	,,	30.13	765.2	...	...	...	0
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	30.05	763.3	...	...	E	4
Bonin Is.	,,	30.12	765.1	...	...	S W	2	...	,,	30.12	765.1	...	...	...	0
Chefoo,	3 p.	30.04	763.0	53	67	S W	2	o	6 a.	30.06	763.5	41	66	S W	1
Weihaiwei,	,,	30.04	763.0	50	...	S W	...	o	9 a.	30.08	764.0	49	...	W	1
Hankow,	,,	30.35	770.9	59	43	S W	1	b	6 a.	30.30	769.6	49	50	S S E	1
Kiukiang	,,	30.33	770.4	59	48	W	2	b	,,	30.32	770.1	42	92	S W	1
Shanghai,	,,	30.24	768.1	56	45	W N W	2	b	9 a.	30.23	767.8	52	66	W	1
Gutzlaff,	,,	30.22	767.6	59	48	W N W	1	bv	,,	30.20	767.1	55	56	W	2
Sharp Peak,	,,	30.17	766.3	63	83	E	4	c	,,	30.23	767.8	62	94	N	1
Amoy,	,,	30.08	764.0	68	70	N E	2	o	6 a.	30.14	765.5	63	78	N E	1
Swatow,	,,	30.08	764.0	68	70	E	1	c	,,	30.02	762.5	67	87	W S W	1
Taihoku	1 p.	30.15	765.7	...	...	E	6	...	5 a.	30.13	765.4	...	...	E	4
Taichu,	,,	30.09	764.2	...	...	N	2	...	,,	30.08	764.0	...	...	W	1
Tainan,	,,	30.07	763.7	...	...	N	6	...	,,	30.06	763.4	...	...	N	4
Koshun	,,	30.06	763.4	...	...	N	6	...	,,	30.04	762.9	...	...	N W	2
Pescadores,	,,	30.11	764.9	...	...	N	10	...	,,	30.08	764.1	...	...	N	8
Canton,	3 p.	30.14	765.5	76	82	N	2	b	9 a.	30.21	767.3	59	54	N	2
Hongkong,	4 p.	30.09	764.3	70	53	S E	1	o	10 a.	30.15	765.8	72	49	...	0
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E N E	1
Gap Rock,	,,	30.08	764.0	...	...	E N E	4	...	,,	30.12	765.0	...	...	N E	4
Macao,	,,	30.08	764.0	70	...	N N W	2	c	,,	30.16	766.0	71	...	N	2
Wuchow,	3 p.	30.19	766.8	69	...	W	1	b	9 a.	...	...	...	...	...	...
Hoihow,	,,	30.14	765.5	67	69	N E	3	c	,,	...	...	...	...	...	...
Pakhoi,	,,	30.16	766.0	69	65	N	5	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.5	73	...	W	2	b	8 a.	30.21	767.3	61	...	N N E	2
Tourane,	,,	30.06	763.6	70	...	N W	4	o	,,	30.12	764.9	68	...	...	0
Cape St. James,	,,	29.86	758.5	79	...	S S W	1	c	,,	29.95	760.6	77	...	N N E	2
Aparri,	2 p.	29.91	759.6	...	...	E	1	b	6 a.	29.95	760.7	...	...	E	0
Manila,	4 p.	29.84	758	84	77	...	0	c	10 a.	29.92	760	82	70	W N W	1
Legaspi,	2 p.	29.85	758.3	84	...	S E	1	c	6 a.	29.88	759.0	79	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.81	757.2	85	...	N	2	o	,,	29.89	759.2	82	...	N E	2
Cebu,	,,	29.81	757.2	84	...	N	1	b	,,	29.90	759.4	82	...	N	1
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.85	758.2	78	...	...	...

On the 25th at 11.55, a.—The barometer has fallen moderately over N. China and Japan owing to the Eastwards, of the depression over Manchuria.

Pressure is highest over Central China.

Gradients have decreased in the South, and moderate monsoon may be expected in the Formosa Cha strong or fresh monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 25th November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ON.	25TH NOVEMBER, 1908, P.M.								26TH NOVEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...tock,...	2 p.	29.87	758.7	36	...	S E	1	o	7 a.	29.89	759.3	23	85	N E	2	o
.....	,,	29.93	760.1	...	...	S E	2	...	6 a.	29.97	761.1	...	...	E	2	...
?.....	,,	29.93	760.2	...	...	N W	6	...	,,	29.97	761.2	...	...	...	0	...
.....	,,	30.02	762.6	...	...	N W	2	...	,,	29.99	761.6	...	...	N W	2	...
.....	,,	30.03	762.8	...	...	...	0	...	,,	30.03	762.8	...	...	S W	2	...
i.	,,	30.11	764.8	...	...	N W	4	...	,,	30.11	764.8	...	...	S E	2	...
ma, ...	,,	30.04	762.9	...	...	N W	4	...	,,	30.12	764.9	...	...	...	0	...
.....	,,	30.04	763.1	...	...	N	4	...	,,	30.16	766.1	...	...	S	2	...
.....	,,	30.13	765.2	...	...	...	0	...	,,	30.13	765.2	...	...	...	0	...
jima,....	,,	30.05	763.3	...	...	E	6	...	,,	30.05	763.3	...	...	E	4	...
.....	,,	30.04	763.1	...	...	S E	2	...	,,	30.04	763.1	...	...	S	2	...
.....	3 p.	30.00	762.0	60	94	S W	1	b	6 a.	30.02	762.5	40	56	N W	1	c
ei,.....	,,	29.99	761.7	56	...	S E	1	b	9 a.	30.08	764.0	35	...	N W	4	o
.....	,,	30.24	768.1	62	56	S	1	b	6 a.	30.49	774.4	50	45	N W	2	b
.....	,,	30.31	769.9	62	46	...	0	b	,,	30.40	772.1	45	92	N E	1	b
.....	,,	30.14	765.5	61	85	W	1	b	9 a.	30.36	771.1	48	43	W N W	4	b
.....	,,	30.14	765.5	61	55	W S W	1	bm	,,	30.29	769.3	52	66	N W	9	bm
eak,.....	,,	30.13	765.3	64	83	N E	4	b	,,	30.26	768.6	63	100	...	0	b
....	,,	30.06	763.5	70	75	N E	1	b	6 a.	30.15	765.8	63	83	...	0	b
... ...	,,	30.02	762.5	72	58	E	1	b	,,	...	...	...	...	...	...	...
.....	1 p.	30.11	764.8	...	...	E	6	...	5 a.	30.14	765.5	...	...	E	4	...
.....	,,	29.97	761.2	...	...	N	6	...	,,	30.10	764.5	...	...	N	4	...
.....	,,	30.02	762.4	...	...	N	6	...	,,	30.06	763.4	...	...	N	6	...
.....	,,	30.03	762.7	...	...	N	6	...	,,	30.04	762.9	...	...	N W	2	...
es, ...	,,	30.05	763.2	...	...	N	8	...	,,	30.10	764.5	...	...	N	8	...
.....	3 p.	30.10	764.5	77	73	N	1	b	9 a.	30.23	767.8	62	83	N	2	b
g, ...	4 p.	30.06	763.5	71	54	E S E	2	c	10 a.	30.18	766.6	72	33	N	1	c
eak,...	,,	...	...	...	...	...	0	...	,,	...	...	...	...	N W	1	...
.....	,,	30.03	762.7	...	...	N E	3	...	,,	30.14	765.5	...	...	N E	4	...
.....	,,	30.06	763.5	71	...	N E	1	c	,,	30.19	766.8	71	...	N N W	1	c
.....	3 p.	30.11	764.8	70	...	W	1	b	9 a.	...	...	...	...	...	...	...
.....	,,	30.09	764.3	71	66	N E	2	c	,,	...	...	...	...	...	...	...
.....	,,	30.13	765.3	70	79	N W	3	b	,,	...	...	...	...	...	...	...
.....	4 p.	30.07	763.8	73	...	S W	2	b	8 a.	30.21	767.3	64	...	N N W	3	c
.....	,,	30.04	763.0	72	...	N N W	4	o	,,	30.09	764.3	68	...	...	0	or
James,.	,,	29.84	758.0	82	...	W N W	2	o	,,	29.89	759.3	77	...	N N W	2	c
.....	2 p.	29.93	760.2	...	...	S	1	o	6 a.	29.95	760.8	...	...	S	1	b
... ...	4 p.	29.84	758	81	76	W	1	o	10 a.	29.92	760	82	70	...	0	o
... ...	2 p.	29.84	758.0	82	...	E	1	...	6 a.	29.86	758.5	77	...	N E	1	o
... ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	o
... .	,,	29.81	757.2	83	...	N	2	c	,,	29.87	758.7	86	...	N	1	c
... ...	,,	29.79	756.6	84	...	N	2	b	,,	29.84	757.9	80	...	N	2	o
.....	,,	29.76	755.9	80	...	...	...	...	,,	29.85	758.2	89	...	...	...	...

...he 26th at 11.30. a.—The depression is moving Eastwards over the Sea of Japan.

...arometer is rising over China, while a slight fall has occurred in the S. Philippines.

...gh pressure area lies over the Continent to the North of the Upper Yangtze.

...nsoon will freshen again in the Formosa Channel and continue to blow strongly over the China Sea.

...ka. — Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...kong and Neighbourhood, ...	N. and N.E. winds, freshening; fine.
...osa Channel, ...	N.E. winds, strong.
...coast of China between Hongkong and Lamocks,..	Same as No. 1.
...coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Thursday, 26th Nove...ber, 1903.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	26th NOVEMBER, 1908, P.M.								27th NOVEMBER, 1908, A.M					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,...	2 p.	29.67	753.5	16	...	N	8	s	7 a.	29.92	760.0	12	55	N E
Nemuro,.....	,,	29.85	758.1	...	...	N	2	...	6 a.	29.34	745.1	...	...	E
Hakodate,.....	,,	29.81	757.2	...	...	...	0	...	,,	29.18	741.2	...	...	W
Tokio, ...	,,	29.83	757.6	...	...	S	6	...	,,	29.43	747.6	...	...	...
Kochi, ...	,,	29.91	759.8	...	...	S	2	...	,,	29.91	759.8	...	...	W
Nagasaki, ...	,,	29.99	761.8	...	...	W	8	...	,,	30.15	765.3	...	...	N
Kagoshima, ...	,,	30.04	762.9	...	...	N W	8	...	,,	30.15	765.9	...	...	N W
Oshima,.....	,,	30.12	765.1	...	...	N	4	...	,,	30.29	767.1	...	...	N
Naha,.....	,,	30.13	765.2	...	...	N	2	...	,,	30.25	768.2	...	...	N
Ishigakijima,....	,,	30.09	764.3	...	...	N E	6	...	,,	30.25	768.3	...	...	N
Bonin Is.....	,,	29.96	761.1	...	...	N W	4	...	,,	29.97	761.1	...	...	W
Chefoo,.....	3 p.	30.25	768.3	37	62	N W	6	o	6 a.	30.45	773.4	34	79	N W
Weihaiwei,.....	,,	30.26	768.6	34	...	N W	5	o	9 a.	30.51	774.9	31	...	N W
Hankow, ...	,,	30.60	777.2	54	32	N E	2	b	6 a.	30.60	777.2	38	72	N W
Kiukiang,.....	,,	30.49	774.4	54	94	N E	2	b	,,	30.55	776.9	39	64	N W
Shanghai, ...	,,	30.39	771.9	48	29	N W	5	...	9 a.	30.51	774.9	41	57	W N W
Gutzlaff, ...	,,	30.28	769.1	50	51	N W	8	lon	,,	30.48	774.2	46	62	N W
Sharp Peak,.....	,,	30.22	767.6	65	89	E N E	4	b	,,	30.40	772.1	58	70	E N E
Amoy,.....	,,	30.16	766.0	70	70	N E	1	b	6 a.	30.27	768.8	61	71	N E
Swatow,.....	,,	30.08	764.0	72	62	E	1	b	,,	30.14	765.5	55	68	N
Taihoku,.....	1 p.	30.29	767.6	...	...	N E	6	...	5 a.	30.38	771.5	...	...	N E
Taichu, ...	,,	30.07	763.7	...	...	N	8	...	,,	30.14	765.6	...	...	N
Tainan,.....	,,	30.06	763.4	...	...	N	8	...	,,	30.12	765.1	...	...	N
Koshun.....	,,	30.04	762.9	...	...	N	6	...	,,	30.09	764.3	...	...	N E
Pescadores, ...	,,	30.11	764.7	...	...	N	10	...	,,	30.18	766.5	...	...	N
Canton,.....	3 p.	30.16	766.0	77	...	N	2	b	9 a.	30.34	770.6	59	88	N
Hongkong, ...	4 p.	30.12	765.0	75	27	N	2	c	10 a.	30.28	769.1	67	29	N
Victoria Peak,...	,,	...	...	...	...	N W	3	...	,,	...	...	...	...	N W
Gap Rock,.....	,,	30.08	764.0	...	...	N E	3	...	,,	30.23	767.8	...	...	N E
Macao, ...	,,	30.08	764.0	74	...	N	1	c	,,	30.29	769.3	66	...	N
Wuchow,.....	3 p.	30.20	767.1	75	...	N	1	b	9 a.	...	...	...	...	...
Hoihow,.....	,,	30.14	765.5	74	63	N E	3	b	,,	...	...	...	...	...
Pakhoi,.....	,,	30.14	765.5	74	63	N	2	b	,,	...	...	...	...	...
Phulien,.....	4 p.	30.12	765.1	73	...	S W	2	c	8 a.	30.27	768.8	66	...	N E
Tourane, ...	,,	30.03	762.7	72	...	N W	3	o	,,	30.16	766.1	73	...	N E
Cape St. James,.	,,	29.83	757.7	81	...	N W	2	or	,,	29.91	759.7	73	...	N
Aparri,.....	2 p.	29.89	759.3	...	...	N E	1	o	6 a.	...	...	...	...	...
Manila, ...	4 p.	29.89	757	82	70	N N E	2	o	10 a.	29.89	757	73	91	N N W
Legaspi,.....	2 p.	29.76	756.0	82	...	N E	1	o	6 a.	...	...	...	...	...
Bacolod,.....	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	...
Iloilo,.....	,,	29.70	754.4	84	...	N E	1	c	,,	29.80	756.9	81	...	N E
Cebu,.....	,,	29.73	755.1	85	...	N	1	b	,,	29.77	756.1	83	...	...
Labuan, ...	,,	29.77	756.1	84	...	...	...	...	,,	29.68	755.9	82	...	...

On the 27th at 11.55. a.—A further fall of the mercury has occurred over the Philippines, owing to the app of a typhoon which appears to be situated to the S.E. of Luzon and to be moving in a Westerly direction.

The depression which was crossing the Sea of Japan yesterday has deepened considerably. It is now ing Eastwards over Hokkaido.

Pressure has increased considerably over China, the anticyclonic area remaining over the Continent to the of the Upper Yangtze.

Gradients are steep generally, and strong N. and N.E. gales will prevail in the Formosa Channel and the S of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. and N.E. winds, strong; fine.
2.—Formosa Channel, ...	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,..	N.E. winds, strong to a gale.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 27th November, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	27TH NOVEMBER, 1908, P.M.								28TH NOVEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	29.97	761.2	22	...	N E	4	c	7 a.	29.99	761.7	30	65	S'E	1	c
.....	,,	28.82	732.1	...	...	N	12	...	6 a.	29.65	753.1	...	...	N W	10	...
.....	,,	29.14	740.2	...	...	N W	6	...	,,	29.85	758.2	...	...	W	6	...
.....	,,	29.55	750.6	...	...	N W	6	...	,,	29.99	761.6	...	...	N W	4	...
.....	,,	29.99	761.8	...	...	W	6	...	,,	30.19	766.8	...	...	S W	2	...
.....	,,	30.19	766.8	...	...	N W	8	...	,,	30.31	769.8	...	...	N	2	...
.....	,,	30.15	765.9	...	...	N W	6	...	,,	30.27	768.9	...	...	N	2	...
.....	,,	30.16	766.1	...	...	N	8	...	,,	30.24	768.1	...	...	N W	6	...
.....	,,	30.20	767.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	2	...
a,....	,,	30.21	767.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N	4	...
.....	,,	29.93	760.1	...	...	W	4	...	,,	30.04	763.1	...	...	W	4	...
.....	3 p.	30.44	773.2	39	55	W N W	2	c	6 a.	30.33	770.4	32	68	S W	1	b
.....	,,	30.52	775.2	36	...	N W	2	ovr	9 a.	30.35	770.9	39	...	W	2	b
.....	,,	30.57	776.5	49	37	N E	1	b	6 a.	30.46	773.7	45	61	E	2	b
.....	,,	30.53	775.4	49	37	N E	4	b	,,	30.46	773.7	35	80	N E	1	b
.....	,,	30.49	774.4	47	34	N N W	2	b	9 a.	30.48	774.4	41	82	N N W	1	b
.....	,,	30.41	772.4	48	56	N N W	5	cv	,,	30.41	772.4	50	63	N	3	bv
ak,.....	,,	30.34	770.6	56	69	E N E	5	b	,,	30.36	771.1	54	87	N N W	3	c
.....	,,	30.21	767.3	61	66	N E	5	b	6 a.	30.24	768.1	60	69	N E	4	o
.....	,,	30.15	765.8	64	63	E	2	b	,,	30.14	765.5	49	85	N	2	b
.....	1 p.	30.32	770.2	...	...	E	6	...	5 a.	30.26	768.5	...	...	E	4	...
.....	,,	30.11	764.7	...	...	N	8	...	,,	30.13	765.4	...	...	N E	2	...
.....	,,	30.14	765.5	...	...	N	6	...	,,	30.13	765.4	...	...	N	4	...
.....	,,	30.11	764.9	...	...	N E	10	...	,,	30.11	764.7	...	...	N E	10	...
s,....	,,	30.19	766.8	...	...	N	10	...	,,	30.16	766.1	...	...	N	10	...
.....	3 p.	30.28	769.1	71	85	N	3	b	9 a.	30.33	770.4	55	87	N	2	b
g,....	4 p.	30.16	766.0	67	23	N E	1	c	10 a.	30.27	768.8	62	31	N	2	c
sk,...	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N W	3	
.....	,,	30.14	765.5	...	...	N E	5	...	,,	30.23	767.8	...	...	N E	6	
.....	,,	30.17	766.3	69	...	N	2	c	,,	30.27	768.8	62	...	N N W	2	c
.....	3 p.	30.25	768.3	68	...	N	2	b	9 a.	...	...	...	...	...	...	
.....	,,	30.17	766.3	70	57	N N E	3	b	,,	...	...	...	...	...	...	
.....	,,	30.23	767.8	70	61	N	2	b	,,	...	...	...	...	...	...	
.....	4 p.	30.16	766.0	73	...	S W	2	b	8 a.	30.24	768.1	63	...	E N E	5	c
.....	,,	30.10	764.5	73	...	N E	4	o	,,	30.17	766.3	72	...	S E	1	c
umes,.	,,	29.87	758.6	77	...	N	1	or	,,	29.92	760.0	72	...	...	2	c
.....	2 p.	29.95	760.7	...	...	N E	2	mt	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.72	755	72	100	N W	3	r	10 a.	29.80	757	75	92	N	1	c
.....	2 p.	29.64	752.8	81	...	E	1	o	6 a.	29.75	755.5	79	...	E	1	c
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.66	753.3	83	...	S W	1	c	,,	29.80	756.9	86	...	S W	0	c
.....	,,	29.68	753.9	85	...	S	2	b	,,	29.79	756.6	83	...	S	2	c
.....	,,	29.79	756.6	84	...	...	...	...	,,	29.67	753.7	81	...	...	...	

the 28th at 11.55. a.—The depression now over the Archipelago to the South of Luzon, appears to be filling oving slowly Westwards.

ssure has increased rapidly over E. Japan the depression lying over Hokkaido yesterday having moved into ific.

e anticyclonic area remains over China, but pressure is giving way in the North.

adients are less steep along the coast, and the monsoon is expected to moderate in the Formosa Channel. N. and N.E. gales will continue to prevail over the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N.E. winds, strong to moderate; fine.
osa Channel, ...	N.E. winds, strong.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 28th Nove..ber, 1903.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th NOVEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro, ...	,,	29.77	756.1	...	...	N W	6	...	6 a.	29.77	756.1	...	...	W	2
Hakodate, ...	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	N W	4
Tokio, ...	,,	29.98	761.6	...	...	N W	2	...	,,	29.99	761.6	...	...	N	2
Kochi, ...	,,	30.15	765.8	...	...	S W	4	...	,,	30.27	768.8	...	...	S W	
Nagasaki, ...	,,	30.31	769.8	...	...	N	6	...	,,	30.31	769.8	...	...	N	
Kagoshima, ...	,,	30.23	767.9	...	...	N W	6	...	,,	30.31	769.9	...	...	N	
Oshima, ...	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	
Naha, ...	,,	30.24	768.2	...	...	N E	4	...	,,	30.28	769.2	...	...	N E	
Ishigakijima, ...	,,	30.21	767.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	
Bonin Is.	,,	30.04	763.1	...	...	W	2	...	,,	30.12	765.1	...	...	S W	
Chefoo, ...	3 p.	30.32	770.1	45	46	N W	2	b	6 a.	30.27	768.8	25	61	S	
Weihaiwei, ...	,,	30.32	770.1	42	...	N E	1	ovr	9 a.	30.27	768.8	44	...	N W	
Hankow, ...	,,	30.41	772.4	50	65	S E	1	b	6 a.	30.34	770.6	46	84	E	
Kiukiang, ...	,,	30.41	772.4	55	44	N E	1	b	,,	30.35	770.9	36	90	...	
Shanghai, ...	,,	30.41	772.4	51	40	N W	1	b	9 a.	30.39	771.9	50	51	E	
Gutzlaff, ...	,,	30.37	771.4	54	61	N N W	1	bv	,,	30.36	771.1	55	56	N N E	
Sharp Peak, ...	,,	30.28	769.1	60	82	N N E	4	b	,,	30.27	768.8	61	88	N	
Amoy, ...	,,	30.17	766.3	63	67	N E	4	b	6 a.	30.16	766.0	68	72	N E	
Swatow, ...	,,	30.14	765.5	63	53	E	2	b	,,	30.11	764.8	50	93	N	
Taiboku.....	1 p.	30.23	767.8	...	...	E	8	...	5 a.	30.19	766.7	...	...	E	
Taichu, ...	,,	30.09	764.3	...	...	N	6	...	,,	30.11	764.8	...	...	...	
Tainan, ...	,,	30.12	765.0	...	...	N	6	...	,,	30.10	764.5	...	...	N	
Koshun.....	,,	30.09	764.4	...	...	N E	10	...	,,	30.04	762.9	...	...	N E	
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton, ...	3 p.	30.18	766.6	71	66	N	1	b	9 a.	30.25	768.3	57	87	N	
Hongkong, ...	4 p.	30.16	765.8	62	41	E S E	1	c	10 a.	30.22	767.6	64	43	N E	
Victoria Peak,...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N	
Gap Rock, ...	,,	30.14	765.5	...	...	E N E	5	...	,,	30.15	765.8	...	...	N E	
Macao, ...	,,	30.16	766.0	67	...	N N W	1	c	,,	30.21	767.3	65	...	N	
Wuchow, ...	3 p.	30.22	767.6	68	...	E	1	c	9 a.	30.30	769.6	50	...	S E	
Hoihow, ...	,,	30.17	766.3	68	70	N E	3	c	,,	...	...	...	...	...	
Pakhoi, ...	,,	30.22	767.6	69	95	N	2	b	,,	...	...	...	...	...	
Phulien, ...	4 p.	30.17	766.3	70	...	S S E	1	b	8 a.	30.23	767.8	61	...	N E	
Tourane, ...	,,	30.08	764.0	68	...	N E	3	o	,,	30.12	765.0	68	...	...	
Cape St. James,.	,,	29.84	758.0	79	...	N	1	o	,,	29.90	759.5	72	...	N	
Aparri, ...	2 p.	29.94	760.5	...	...	N E	2	q	6 a.	...	...	...	...	...	
Manila, ...	4 p.	29.76	756	72	100	N	1	d	10 a.	29.84	758	77	92	N W	
Legaspi, ...	2 p.	29.73	755.2	86	...	E	1	...	6 a.	...	...	...	...	...	
Bacolod, ...	3 p.	...	...	...	...	W N W	1	o	9 a.	...	...	...	...	W N W	
Iloilo, ...	,,	29.74	755.4	84	...	W S W	1	o	,,	29.87	758.7	...	...	N	
Cebu, ...	,,	29.74	755.4	86	...	S	1	c	,,	29.87	758.7	83	...	N	
Labuan, ...	,,	29.81	757.2	85	...	...	...	...	,,	...	...	...	...	...	

On the 29th at 11.55. a.—Pressure is still low but increasing over the S. Philippines.

The barometer has fallen moderately over China, and risen slightly in Japan.

The highest pressure is now shown over the Yellow Sea.

Strong monsoon may be expected in the Formosa Channel, and N. and N.E. gales over the N. part of the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 29th November, 1903.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	29TH NOVEMBER, 1908, P.M.								30TH NOVEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...eck,...	2 p.	30.06	763.4	28	...	S E	1	b	7 a.	29.97	761.1	23	41	W	1	c
.....	,,	29.89	759.1	...	...	N	8	...	6 a.	29.77	756.1	...	...	W	2	...
.....	,,	30.05	763.2	...	...	W	8	...	,,	29.77	756.2	...	...	W	2	...
.....	,,	30.06	763.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N W	2	...
.....	,,	30.19	766.8	...	...	S E	4	...	,,	30.19	766.8	...	...	W	2	...
.....	,,	30.27	768.8	...	...	N	4	...	,,	30.27	768.8	...	...	...	0	...
.....	,,	30.23	767.9	...	...	W	4	...	,,	30.27	768.9	...	...	N	2	...
.....	,,	30.24	768.1	...	...	N	6	...	,,	30.24	768.1	...	...	S	2	...
.....	,,	30.24	768.2	...	...	N E	4	...	,,	30.21	767.2	...	...	N E	2	...
...ma,....	,,	30.17	766.3	...	...	E	6	...	,,	30.13	765.3	...	...	E	6	...
.....	,,	30.08	764.1	...	...	N W	4	...	,,	30.16	766.1	...	...	N	2	...
.....	3 p.	...	...	51	40	N W	2	b	6 a.	30.35	770.9	42	50	N E	5	b
...e,.....	,,	30.20	767.1	44	...	W	1	b	9 a.	30.41	772.4	39	...	N	4	b
.....	,,	...	...	...	...	...	...	...	6 a.	30.31	769.9	45	76	N N E	1	b
.....	,,	30.15	765.8	61	49	E	1	b	,,	30.29	769.3	4[illegible]	9[illegible]	...	0	b
.....	,,	30.24	768.1	59	48	S S W	3	bv	9 a.	30.28	769.1	5[illegible]	8[illegible]	W	1	bm
.....	,,	30.27	768.8	58	58	N E	1	bv	,,	30.25	768.3	6[illegible]	7[illegible]	S	2	bv
...ll,.....	,,	30.19	766.8	62	83	N N E	4	c	,,	30.22	767.6	63	94	N	1	o
.....	,,	30.11	764.8	69	65	N E	1	b	6 a.	30.13	765.3	64	78	N E	1	o
.....	,,	30.08	764.0	71	57	E N E	2	b	,,	30.01	762.2	60	88	N	2	or
.....	1 p.	30.13	765.4	...	...	E	8	...	5 a.	30.08	763.9	...	...	E	4	...
.....	,,	30.05	763.2	...	...	...	0	...	,,	30.09	764.2	...	...	...	0	...
.....	,,	30.08	764.1	...	...	N	2	...	,,	30.09	764.2	...	...	...	0	...
.....	,,	30.14	765.5	...	...	N E	10	...	,,	30.06	763.4	...	...	N E	8	...
re;.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.10	764.5	74	81	N	1	b	9 a.	30.18	766.6	63	89	N	1	o
.....	4 p.	30.09	764.3	68	47	E	2	c	10 a.	30.15	765.8	67	59	...	0	o
...ak,...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N	4	...
.....	,,	30.05	763.2	...	...	N E	5	...	,,	30.11	764.8	...	...	E N E	6	...
.....	,,	30.10	764.5	68	...	N	2	c	,,	30.15	765.8	67	...	N N E	2	o
.....	3 p.	30.15	765.8	70	...	E	1	b	9 a.	30.25	768.3	55	...	...	0	...
.....	,,	30.11	764.8	68	65	N E	3	o	,,	...	...	...	...	...	...	...
.....	,,	30.12	765.0	68	54	W S W	1	c	,,	...	...	...	...	...	...	...
.....	4 p.	30.09	764.2	70	...	S E	1	b	8 a.	30.16	766.0	61	...	N N W	4	o
.....	,,	30.01	762.3	70	...	N W	4	o	,,	30.02	762.6	70	...	N W	2	o
...mes,.	,,	29.81	757.2	84	...	W N W	2	c	,,	29.88	758.9	73	...	N W	3	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	81	85	...	0	o	10 a.	29.92	760	84	71	E	1	o
.....	2 p.	29.82	757.4	81	...	E	1	o	6 a.	29.88	758.9	79	...	N E	1	c
.....	3 p.	...	...	...	...	S E	2	o	9 a.	...	...	...	...	E S E	1	o
.....	,,	29.81	757.2	83	...	N E	2	c	,,	29.89	759.2	88	...	N E	1	b
.....	,,	29.82	757.4	82	...	N	1	or	,,	29.89	759.2	80	...	E	1	o
.....	,,	29.71	754.6	85	...	...	...	...	,,	29.83	757.7	80	...	...	...	...

the 30th at 11.55. a.—The barometer has fallen slightly over S. China and Japan, and risen moderately in ...a and Luzon.

...e highest pressure lies over N. China, the lowest over N.E. Japan in the North and the middle part of the ...ea in the South.

...sh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

...ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...gkong and Neighbourhood, ...	N.E. winds, fresh; cloudy, some light rain.
...osa Channel, ...	Same as No. 1.
...h coast of China between Hongkong and Lamocks,..	Same as No. 1.
...h coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Monday, 30th Novemb...er, 1908.

...ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th NOVEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.90	759.5	28	...	N	4	b	7 a.	29.91	759.8	16	54	N W	2
Nemuro,.....	,,	29.45	748.1	...	...	...	0	...	6 a.	29.41	747.1	...	...	W	10
Hakodate,.....	,,	29.65	753.2	...	...	W	8	...	,,	29.69	754.2	...	...	N W	10
Tokio, ...	,,	29.83	757.6	...	...	S	4	...	,,	29.83	757.6	...	...	...	0
Kochi, ...	,,	30.03	762.8	...	...	S W	2	...	,,	30.03	762.8	...	...	S W	2
Nagasaki, ...	,,	30.15	765.8	...	...	W	8	...	,,	30.19	766.8	...	...	N W	4
Kagoshima, ...	,,	30.15	765.9	...	...	W	6	...	,,	30.15	765.9	...	...	N	4
Oshima,.....	,,	30.16	766.1	...	...	N	4	...	,,	30.12	765.1	...	...	N	4
Naha,.....	,,	30.17	766.2	...	...	N	2	...	,,	30.17	766.2	...	...	N E	2
Ishigakijima,....	,,	30.13	765.3	...	...	E	4	...	,,	30.13	765.3	...	...	E	6
Bonin Is.....	,,	30.08	764.1	...	...	N E	2	...	,,	30.04	763.1	...	...	N W	2
Chefoo.....	3 p.	30.43	772.9	38	54	N N W	2	c	6 a.	30.38	771.6	34	99	S W	2
Weihaiwei,.....	,,	30.40	772.1	34	...	N W	4	ovr	9 a.	30.37	771.4	37	...	W N W	4
Hankow, ...	,,	30.40	772.1	60	44	N	2	b	6 a.	30.47	773.9	46	69	N E	2
Kiukiang,.....	,,	30.28	769.1	60	44	...	0	c	,,	30.44	773.2	49	71	N E	3
Shanghai, ...	,,	30.26	768.6	58	64	N N W	1	c	9 a.	30.46	773.7	49	71	N N W	1
Gutzlaff, ...	,,	30.22	767.6	59	76	S W	1	cm	,,	30.38	771.6	51	66	N	3
Sharp Peak,.....	,,	30.15	765.8	65	95	N	1	o	,,	30.29	769.3	62	89	N	4
Amoy.....	,,	30.07	763.8	70	75	N E	1	c	6 a.	30.14	765.5	66	73	N E	2
Swatow,.....	,,	30.12	765.0	71	66	E	1	o	,,	...	...	...	...	...	...
Taihoku.....	1 p.	30.07	763.8	...	...	N E	6	...	5 a.	30.17	766.3	...	...	E	6
Taichu, ...	,,	30.07	763.7	...	...	...	0	...	,,	30.05	763.2	...	...	N	2
Tainan,.....	,,	30.07	763.7	...	...	N	6	...	,,	30.03	762.8	...	...	N	4
Koshun.....	,,	30.03	762.8	...	...	N E	8	...	,,	30.07	763.7	...	...	N E	6
Pescadores, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...
Canton.....	3 p.	30.08	764.0	71	90	N	1	o	9 a.	30.23	767.3	59	94	N	2
Hongkong, ...	4 p.	30.06	763.5	69	56	N E	1	o	10 a.	30.15	765.8	68	57	N	1
Victoria Peak,...	,,	...	...	...	...	N N W	3	...	,,	...	...	...	...	N W	1
Gap Rock,.....	,,	30.01	762.2	...	...	E N E	4	...	,,	30.10	764.5	...	...	N E	3
Macao.....	,,	30.06	763.5	67	...	N N W	2	o	,,	30.17	766.3	66	...	N	4
Wuchow,.....	3 p.	30.13	765.3	65	...	N	1	or	9 a.	...	...	...	...	...	...
Hoihow,.....	,,	30.07	763.8	64	73	N E	3	or	,,	...	...	...	...	...	...
Pakhoi.....	,,	30.18	766.6	70	70	...	0	o	,,	...	...	...	...	...	...
Phulien,.....	4 p.	30.06	763.6	73	...	S	1	o	8 a.	30.16	766.0	68	...	N N E	3
Tourane, ...	,,	29.92	760.0	72	...	W N W	5	o	,,	30.09	762.0	72	...	N W	1
Cape St. James,.	,,	29.78	756.4	84	...	N W	3	c	,,	29.85	758.1	77	...	N	3
Aparri,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.80	757	86	59	E	2	c	10 a.	29.88	759	75	109	N N E	1
Legaspi,.....	2 p.	29.82	757.4	81	...	E	1	c	6 a.	29.81	757.2	79	...	N E	1
Bacolod,.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1
Iloilo,.....	,,	29.77	756.1	86	...	N E	1	o	,,	29.83	757.7	81	...	N E	1
Cebu,.....	,,	29.77	756.1	84	...	N	2	c	,,	29.83	757.7	80	...	...	0
Labuan, ...	,,	29.71	754.6	85	...	...	...	...	,,	29.85	758.2	76	...	...	...

On the 1st at 11.55. a.—The barometer has risen over China, particularly along the Yangtze. It has fallen siderably in E. Japan and slightly over the Philippines.

A depression lies off the E. coast of Hokkaido, and pressure is again low over the S. Philippines.

A high pressure area lies over China to the North of the Yangtze.

Gradients are steeper and hard monsoon will prevail in the Formosa Channel and the N. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, strong; cloudy, some rain.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 1st December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	1ST DECEMBER, 1908, P.M.								2ND DECEMBER, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.45	748.1	...	...	N W	6	...	6 a.	29.57	751.1	...	...	N W	8	...
...fe,.....	,,	29.69	754.2	...	...	N W	8	...	,,	29.81	757.2	...	...	N W	8	...
.....	,,	29.79	756.6	...	...	E	2	...	,,	29.99	761.6	...	...	W	2	...
.....	,,	29.99	761.8	...	...	S W	4	...	,,	30.19	766.8	...	...	S W	2	...
...ki, ...	,,	30.19	766.8	...	...	N	4	...	,,	30.23	767.3	...	...	...	0	...
...hima, ...	,,	30.11	764.9	...	...	N	6	...	,,	30.23	767.9	...	...	N	2	...
.....	,,	30.12	765.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	6	...
.....	,,	30.17	766.2	...	...	N E	2	...	,,	30.17	766.2	...	...	N E	2	...
...jima,....	,,	30.09	764.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	6	...
...ls.....	,,	29.93	760.1	...	...	N W	6	...	,,	30.01	762.1	...	...	W	4	...
.....	3 p.	30.29	769.3	44	45	W N W	3	b	6 a.	30.15	765.8	36	54	W S W	1	b
...wei,.....	,,	30.28	769.1	...	...	N W	3	o	9 a.	30.15	765.8	43	...	N W	2	b
...w, ...	,,	30.46	773.7	54	55	N E	1	c	6 a.	30.57	771.4	45	84	N E	1	b
...ng.....	,,	30.40	772.1	55	56	N E	3	b	,,	30.38	771.6	40	91	N E	1	b
...ai, ...	,,	30.36	771.1	51	46	N N W	1	bv	9 a.	30.35	770.9	47	55	...	0	b
.....	,,	30.32	770.1	51	59	N N W	2	cv	,,	30.30	769.6	53	61	N W	1	bv
...Peak,.....	,,	30.22	767.6	62	77	N E	5	o	,,	30.28	769.1	58	88	N	2	o
.....	,,	30.10	764.5	65	73	N E	3	o	6 a.	30.16	766.0	64	73	N E	2	or
...y, ...	,,	30.05	763.2	63	83	E	1	o	,,	...	...	...	...	...	...	...
...u,.....	1 p.	30.18	766.5	...	...	E	6	...	5 a.	30.18	766.5	...	...	E	6	...
.....	,,	30.03	762.8	...	...	N	6	...	,,	30.07	763.7	...	...	N E	6	...
.....	,,	30.02	762.6	...	...	N	6	...	,,	30.05	763.2	...	...	N	4	...
.....	,,	30.02	762.6	...	...	N E	6	...	,,	30.01	762.3	...	...	E	10	...
...pres, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.15	765.8	58	100	N	1	or	9 a.	30.26	768.6	55	94	N	2	or
...ng, ...	4 p.	30.10	764.5	60	89	N N E	2	od	10 a.	30.21	767.3	60	83	N N E	1	od
...a Peak,...	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	N W	4	...
...eak,.....	,,	30.03	762.7	...	...	N	6	...	,,	30.16	766.0	...	...	N N E	5	...
.....	,,	30.11	764.8	62	...	N	3	od	,,	30.21	767.3	59	...	N N E	3	od
...w,.....	3 p.	30.21	767.3	61	...	...	0	c	9 a.	...	...	...	...	...	...	...
...w, ...	,,	30.15	765.8	60	82	N	6	o	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n,.....	4 p.	30.09	764.3	68	...	E S E	1	o	8 a.	30.23	767.7	61	...	N E	3	o
...ne, ...	,,	29.95	760.8	70	...	N W	3	or	,,	30.03	762.8	70	...	N W	2	o
...t. James,.	,,	29.79	756.7	75	...	E S E	1	c	,,	29.88	758.8	75	...	N W	3	o
...l,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...a,.....	4 p.	29.80	757	77	92	...	...	o	10 a.	29.88	759	81	70	E N E	1	o
...pi,.....	2 p.	29.79	756.7	81	...	E	1	o	6 a.	29.82	757.3	79	...	E	1	c
...od,.....	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	op
.....	,,	29.75	755.6	87	...	N W	1	c	,,	29.83	757.7	86	...	N	2	c
.....	,,	29.75	755.6	82	...	N	1	o	,,	29.83	757.7	80	...	...	...	o
...n, ...	,,	29.75	755.6	78	...	...	...	...	,,	29.80	756.9	82	...	...	...	...

On the 2nd at 11.55. a.—The depression lying off Hokkaido yesterday, is moving away over the Pacific and ...sure has increased moderately over Japan.

The barometer has fallen again in N. China, probably owing to the advance of another depression from the West...d.

Pressure is highest over the Yangtze Valley. It remains low over the S. Philippines.

Strong monsoon may be expected in the Formosa Channel, and N. and N.E. gales over the N. part of the China ...

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ongkong and Neighbourhood, ...	N. to N.E. winds, fresh; rainy at first, improving later.
...rmosa Channel, ...	N.E. winds, strong.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 2nd December, 1908.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	2nd DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	15	...	N E	1	b	7 a.	30.12	765.1	4	43	N E	
Nemuro,	,,	29.65	753.1	...	...	N W	6	...	6 a.	29.65	753.1	...	...	W	
Hakodate,	,,	29.81	757.2	...	...	N W	4	...	,,	29.89	759.2	...	...	N W	
Tokio,	,,	29.94	760.6	...	...	S E	2	...	,,	29.99	761.6	...	...	N	
Kochi,	,,	30.07	763.8	...	...	S	2	...	,,	30.11	764.8	...	...	W	
Nagasaki,	,,	30.19	766.8	...	...	N W	6	...	,,	30.19	766.8	...	...	...	
Kagoshima,	,,	30.15	765.9	...	...	W	4	...	,,	30.19	766.9	...	...	N	
Oshima,	,,	30.16	766.1	...	...	N	6	...	,,	30.20	767.1	...	...	N	
Naha,	,,	30.17	766.2	...	...	N E	4	...	,,	30.17	766.2	...	...	N E	
Ishigakijima,	,,	30.13	765.3	...	...	E	4	...	,,	30.13	765.3	...	...	E	
Bonin Is.	,,	30.00	762.1	...	...	N	2	...	,,	30.04	763.1	...	...	...	
Chefoo,	3 p.	30.29	769.3	45	68	N W	3	c	6 a.	30.36	771.1	33	90	N	
Weihaiwei,	,,	30.17	766.3	43	...	N E	2	o	9 a.	30.36	771.1	35	...	N W	
Hankow,	,,	30.35	770.9	61	40	S W	1	b	6 a.	30.38	771.6	45	84	S W	
Kiukiang,	,,	30.28	769.1	59	43	N W	3	b	,,	30.37	771.4	42	92	...	
Shanghai,	,,	30.24	768.1	52	47	W S W	1	c	9 a.	30.35	770.9	48	63	W N W	
Gutzlaff,	,,	30.24	768.1	54	49	...	0	bv	,,	30.30	769.6	51	59	N W	
Sharp Peak,	,,	...	...	60	94	N	1	o	,,	30.30	769.6	60	82	N	
Amoy,	,,	30.11	764.8	65	73	N E	3	o	6 a.	30.14	765.5	63	83	N E	
Swatow,	,,	30.09	764.3	68	83	E	1	o	,,	30.11	764.8	60	82	N	
Taihoku,	1 p.	30.15	765.7	...	...	E	6	...	5 a.	30.19	766.7	...	...	E	
Taichu,	,,	30.07	763.7	...	...	N	2	...	,,	30.10	764.4	...	...	N	
Tainan,	,,	30.07	763.8	...	...	N	6	...	,,	30.08	764.1	...	...	N	
Koshun,	,,	30.06	763.4	...	...	N E	8	...	,,	30.06	763.6	...	...	N E	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	30.17	766.3	62	94	N N E	1	or	9 a.	30.26	768.6	59	94	...	
Hongkong,	4 p.	30.12	765.0	60	82	N	1	od	10 a.	30.20	767.1	64	51	N N E	
Victoria Peak,	,,	...	...	...	...	N N W	4	...	,,	...	...	...	...	N W	
Gap Rock,	,,	30.07	763.8	...	...	N N E	5	...	,,	30.16	766.0	...	...	N E	
Macao,	,,	30.13	765.3	60	...	N	2	o	,,	30.22	767.6	61	...	N	
Wuchow,	3 p.	30.21	767.3	63	...	W	2	o	9 a.	30.32	770.1	58	...	W	
Hoihow,	,,	30.12	765.0	61	96	N	4	o	,,	...	...	...	...	...	
Pakhoi,	,,	30.22	767.6	58	88	N	6	o	,,	...	...	...	...	...	
Phulien,	4 p.	30.16	766.0	64	...	N N W	2	o	6 a.	30.28	769.2	55	...	N N W	
Tourane,	,,	29.98	761.6	72	...	N W	3	or	,,	30.11	764.8	68	...	N	
Cape St. James,	,,	29.78	756.3	81	...	S	1	o	,,	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Manila,	4 p.	29.76	756	82	57	N E	2	c	10 a.	29.88	759	79	76	E N E	
Legaspi,	2 p.	29.78	756.4	82	...	N E	1	o	6 a.	29.84	757.9	79	...	E	
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N N E	
Iloilo,	,,	29.74	755.4	84	...	N E	3	c	,,	29.83	757.7	81	...	N E	
Cebu,	,,	29.74	755.4	82	...	N	2	c	,,	29.55	758.2	80	...	...	
Labuan,	,,	29.73	755.1	85	...	...	...	...	,,	29.80	756.9	80	...	...	...

On the 3rd at 11.55. a.—The barometer has risen moderately over N. China, and fallen slightly in W. Japa

Pressure is highest over China to the North of the Yangtze; and lowest to the N.E. of Japan in the North over the S. Philippines in the South.

Strong monsoon will continue to prevail in the Formosa Channel, and N. and N.E. gales over the N. part of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh; dull, some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 3rd December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

.TION.	3RD DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	30.10	764.5	19	...	N	1	b
o, ...	,,	29.73	755.1	...	...	N W	6	...
ate, ...	,,	29.97	761.2	...	...	W	8	...
.....	,,	29.98	761.6	...	...	N W	4	...
.....	,,	30.07	763.8	...	...	W	6	...
iki, ...	,,	30.19	766.8	...	...	N	6	...
hima, ...	,,	30.19	766.9	...	...	N	6	...
a, ...	,,	30.16	766.1	...	...	N	4	...
.....	,,	30.20	767.2	...	...	N	2	...
kijima, ...	,,	30.17	766.3	...	...	N E	6	...
Is.....	,,	30.04	763.1	...	...	N	4	...
,.....	3 p.	30.24	768.1	39	64	N E	1	b
dwei,.....	,,	30.27	768.8	44	...	W	2	b
ow, ...	,,	30.34	770.6	62	41	S E	1	b
ang,.....	,,	30.32	770.1	64	39	...	0	b
hai, ...	,,	30.33	770.4	55	34	N	2	b
aff, ...	,,	30.27	768.8	57	52	N N W	3	bm
Peak,.....	,,	30.25	768.3	61	82	N E	4	c
.....	,,	30.13	765.3	66	54	N E	3	o
w, ...	,,	30.07	763.8	66	69	E	1	o
ku,.....	1 p.	30.17	766.4	...	...	E	6	...
,.....	,,	30.09	764.3	...	...	N	6	...
n,.....	,,	30.08	764.1	...	...	N	6	...
n.....	,,	30.06	763.5	...	...	N E	6	...
lores, ...	,,	...	...	...	...	...	...	...
n,.....	3 p.	30.17	766.3	65	95	N	1	or
kong, ...	4 p.	30.13	765.3	63	61	N	1	od
ja Peak,...	,,	...	...	...	...	W N W	4	...
dock,.....	,,	30.10	764.5	...	...	E N E	4	...
,.....	,,	30.14	765.5	59	...	N W	3	od
ow,.....	3 p.	30.24	768.1	63	...	S W	1	or
w, ...	,,	30.16	766.0	59	94	N	3	or
i,.....	,,	30.22	767.6	62	72	N N W	3	o
n, ...	4 p.	30.19	766.7	61	...	N	3	o
ne, ...	,,	30.06	763.5	66	...	N W	3	or
t. James,.	,,	29.83	757.6	75	...	W N W	1	or
,.....	2 p.	...	...	...	...	...	...	...
s, ...	4 p.	...	...	...	...	W	1	o
pi, ...	2 p.	29.80	756.9	81	...	N E	1	o
d,.....	3 p.	...	...	...	...	N E	2	op
.....	,,	29.77	756.1	84	...	E N E	2	c
.....	,,	29.78	756.4	82	...	N	2	b
n, ...	,,	29.71	754.6	84	...	...	...	...

4TH DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.05	763.3	...	...	...	0	b
6 a.	29.97	761.1	...	...	W	6	...
,,	30.05	763.2	...	...	N W	6	...
,,	30.22	767.6	...	...	...	0	...
,,	30.23	767.8	...	...	S W	2	...
,,	30.27	768.8	...	...	...	0	...
,,	30.27	768.9	...	...	N	2	...
,,	30.24	768.1	...	...	S	4	...
,,	30.25	768.2	...	...	...	0	...
,,	30.13	765.3	...	...	E	4	...
,,	30.12	765.1	...	...	...	0	...
6 a.	30.06	763.5	41	92	S W	1	b
9 a.	30.03	762.7	50	...	S W	4	o
6 a.	30.26	768.6	49	71	S E	1	b
,,	30.04	763.0	40	91	...	0	b
9 a.	30.28	769.1	51	72	S	1	b
,,	30.26	768.6	58	53	...	1	bv
,,	30.24	768.1	58	94	N	1	o
6 a.	30.16	766.0	63	72	...	0	o
,,	30.11	764.8	60	82	N	2	o
5 a.	30.13	765.3	...	...	E	6	...
,,	30.09	764.2	...	...	...	0	...
,,	30.07	763.7	...	...	N	2	...
,,	30.04	762.9	...	...	N E	10	...
...	...	...	...	...	...	...	...
9 a.	30.24	768.1	58	94	N N W	1	or
10 a.	30.18	766.6	65	56	N	1	o
,,	...	...	...	...	N W	2	...
,,	30.16	766.0	...	...	N E	4	...
,,	30.18	766.6	61	...	N W	1	o
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.24	768.0	57	...	E N E	2	or
,,	30.10	764.5	64	...	...	0	o
,,	29.89	759.3	75	...	N N W	3	o
6 a.	...	...	...	...	...	...	...
10 a.	29.88	759	84	71	N N E	1	o
6 a.	29.82	757.5	79	...	N E	1	o
9 a.	...	...	...	...	N E	4	o
,,	29.85	758.2	81	...	N E	2	b
,,	29.84	757.9	81	...	N	1	b
,,	29.84	757.9	82	...	...	...	...

On the 4th at 11.55. a.—The barometer has fallen quickly on the N.E. coast of China owing to the approach of pression from the Westward.

Pressure has increased considerably in E. Japan, but remains low over the S. Philippines. It is highest in a extending from Central China to S.E. Japan.

Fresh monsoon may be expected in the Formosa Channel, and N. and N.E. gales over the N. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, moderate ; cloudy, some rain.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	N. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 4th December, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th DECEMBER. 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,...	2 p.	30.07	763.7	31	...	...	0	b	7 a.	29.89	759.2	34	96	S	5
Nemuro, ...	,,	30.00	762.1	...	...	N W	6	...	6 a.	30.01	762.1	...	...	...	0
Hakodate, ...	,,	30.09	764.2	...	...	N W	4	...	,,	29.93	760.2	...	...	...	0
Tokio, ...	,,	30.18	766.6	...	...	S E	4	...	,,	30.10	764.6	...	...	N W	2
Kochi, ...	,,	30.15	765.8	...	...	E	2	...	,,	30.15	765.8	...	...	W	4
Nagasaki, ...	,,	30.19	766.8	...	...	E	2	...	,,	30.15	765.8	...	...	S	4
Kagoshima, ...	,,	30.19	766.9	...	...	N W	4	...	,,	30.15	765.9	...	...	...	0
Oshima, ...	,,	30.16	766.1	...	...	N	2	...	,,	30.16	766.1	...	...	S	2
Naha, ...	,,	30.17	766.2	...	...	N E	4	...	,,	30.17	766.2	...	...	...	0
Ishigakijima, ...	,,	30.13	765.3	...	...	N	6	...	,,	30.09	764.3	...	...	E	2
Bonin Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.16	766.1	...	...	S W	2
Chefoo, ...	3 p.	29.79	756.6	59	48	S	6	b	6 a.	30.08	764.0	44	76	N W	1
Weihaiwei, ...	,,	29.83	757.7	54	...	S W	3	b	9 a.	30.19	766.8	44	...	N W	1
Hankow, ...	,,	30.18	766.6	68	30	...	1	b	6 a.	30.22	767.6	48	85	S E	2
Kiukiang.....	,,	30.23	767.8	65	44	N E	2	b	,,	30.21	767.3	41	92	...	0
Shanghai, ...	,,	30.12	765.0	59	33	S	1	b	9 a.	30.22	767.6	53	48	W S W	1
Gutzlaff, ...	,,	30.13	765.3	59	54	S W	1	bv	,,	30.19	766.8	57	69	W	2
Sharp Peak, ...	,,	30.15	765.8	60	94	N	3	o	,,	30.17	766.3	63	94	...	0
Amoy, ...	,,	30.08	764.9	64	72	S W	1	c	6 a.	30.10	764.5	63	88	...	0
Swatow, ...	,,	30.05	763.2	67	54	N E	1	o	,,	...	...	...	...	...	...
Taiboku, ...	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.09	764.3	...	...	...	0
Taichu, ...	,,	30.03	762.7	...	...	S W	2	...	,,	30.08	764.0	...	...	N	4
Tainan, ...	,,	30.06	763.6	...	...	W	4	...	,,	30.06	763.6	...	...	N	4
Koshun.....	,,	30.05	763.3	...	...	N E	6	...	,,	30.12	764.9	...	...	N	6
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Canton, ...	3 p.	30.11	764.8	65	95	N	1	o	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	30.06	763.5	65	56	N	1	o	10 a.	30.12	765.0	70	46	E	1
Victoria Peak,...	,,	...	...	...	...	W N W	3	...	,,	...	...	...	...	N N E	3
Gap Rock, ...	,,	30.03	762.7	...	...	N N E	4	...	,,	30.08	764.0	...	...	N E	4
Macao, ...	,,	30.08	764.0	63	...	N N W	2	o	,,	30.13	765.3	66	...	N	1
Wuchow, ...	3 p.	30.16	766.0	67	...	W	1	...	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	30.10	764.5	62	92	N	4	or	,,	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	30.11	764.8	64	...	E	1	o	8 a.	30.16	766.0	61	...	N W	2
Tourane, ...	,,	30.01	762.3	68	...	N W	3	f	,,	30.07	763.7	65	...	...	0
Cape St. James,.	,,	29.81	757.1	82	...	W S W	2	c	,,	29.88	759.0	73	...	N N W	3
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	...	...	82	63	N E	1	c	10 a.	29.80	757	79	69	N	2
Legaspi, ...	2 p.	29.79	756.7	77	...	N E	1	o	6 a.	29.72	754.8	77	...	N E	1
Bacolod, ...	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	3
Iloilo, ...	,,	29.75	755.6	85	...	N E	1	o	,,	29.76	755.9	89	...	N E	1
Cebu, ...	,,	29.74	755.4	85	...	N	2	b	,,	29.71	754.6	80	...	S	1
Labuan, ...	,,	29.71	754.6	83	...	...	...	...	,,	29.80	756.9	79	...	...	...

On the 5th at 11.55. a.—The barometer has fallen moderately over the Philippines owing to the approach fr the Eastward, of a typhoon towards the S. part of the Archipelago.

Pressure has increased quickly on the N.E. coast of China, the Northern depression having reached E. Ma churia.

The highest pressure is over China to the North of the Yangtze.

The monsoon will probably freshen in the Formosa Channel and N. and N.E. gales will continue to prevail ov the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate to fresh ; fine.
2.—Formosa Channel, ...	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 5th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	5TH DECEMBER, 1908, P.M.								6TH DECEMBER, 1908, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.59	751.6	36	...	N	3	b	7 a.	29.53	750.1	17	78	...	0	b
aro, ...	,,	29.81	757.1	...	...	S	6	...	6 a.	29.30	744.1	...	...	W	8	...
date, ...	,,	29.66	753.2	...	...	W	2	...	,,	29.81	757.2	...	...	N W	8	...
a.	,,	29.87	758.6	...	...	N	2	...	,,	29.91	759.6	...	...	W	2	...
E.....	,,	30.03	762.8	...	...	W	4	...	,,	30.11	764.8	...	...	S W	2	...
aki, ...	,,	30.11	764.8	...	...	W	8	...	,,	30.15	765.3	...	...	...	0	...
shima, ...	,,	30.15	765.9	...	...	N W	6	...	,,	30.19	766.9	...	...	...	0	...
ma, ...	,,	30.16	766.1	...	...	N E	2	...	,,	30.16	766.1	...	...	S	4	...
.....	,,	30.17	766.2	...	...	E	4	...	,,	30.13	765.2	...	...	...	0	...
akijima, ...	,,	30.09	764.3	...	...	S E	6	...	,,	30.05	763.3	...	...	...	0	...
a Is.....	,,	30.12	765.1	...	...	N E	2	...	,,	30.12	765.1	...	...	...	0	...
o.....	3 p.	30.16	766.0	48	56	E	1	b	6 a.	30.17	766.3	36	90	...	0	b
aiwei,.....	,,	...	...	...	...	...	...	...	9 a.	30.22	767.6	43	...	N W	0	b
ow, ...	,,	30.22	767.6	69	35	S E	1	b	6 a.	30.15	765.8	51	86	E	1	b
iang,.....	,,	30.14	765.5	65	53	...	0	b	,,	30.11	764.8	50	93	...	0	b
ghai, ...	,,	30.15	765.8	63	36	W N W	1	b	9 a.	30.18	766.6	59	100	S S E	1	om
laff, ...	,,	30.15	765.8	63	67	N W	1	bm	,,	30.17	766.3	55	94	S E	1	om
Peak,.....	,,	30.11	764.8	67	89	N E	4	b	,,	30.12	765.0	65	89	N N W	2	b
.....	,,	30.03	762.7	71	76	N E	1	b	6 a.	30.00	762.0	64	84	S W	1	b
ow, ...	,,	30.00	762.0	69	80	E	2	b	,,	30.00	762.0	61	94	N	2	b
ku.....	1 p.	30.06	763.4	...	...	N E	6	...	5 a.	29.98	761.5	...	...	E	6	...
u, ...	,,	30.00	761.9	...	...	N	4	...	,,	29.98	761.4	...	...	...	0	...
n,.....	,,	30.03	762.7	...	...	N	6	...	,,	29.98	761.5	...	...	N	2	...
n.....	,,	30.02	762.6	...	...	N E	4	...	,,	29.94	760.5	...	...	E	10	...
lores, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
n,.....	3 p.	30.07	763.8	73	95	...	0	c	9 a.	30.09	764.3	64	89	N E	1	c
kong.	4 p.	30.04	763.0	73	56	W	1	c	10 a.	30.08	764.0	72	57	N N W	1	o
ria Peak,...	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N N W	3	...
Rock,.....	,,	30.01	762.2	...	...	N E	4	...	,,	30.05	763.2	...	...	N N E	4	...
o, ...	,,	30.05	763.2	70	...	N	1	c	,,	30.07	763.8	70	...	N W	1	c
how,.....	3 p.	30.11	764.8	68	...	N	1	o	9 a.	...	...	...	...	...	...	...
ow, ...	,,	30.09	764.3	68	74	N E	2	c	,,	...	...	...	...	...	...	...
oi,.....	,,	30.12	765.0	64	89	N	3	c	,,	...	...	...	...	...	...	...
ien, ...	4 p.	30.07	763.9	70	...	...	0	o	8 a.	30.10	764.6	66	...	N W	5	f
ane, ...	,,	29.99	761.7	70	...	N W	3	f	,,	30.02	762.6	70	...	...	0	o
St. James,.	,,	29.80	756.9	82	...	N	2	o	,,	29.86	758.4	75	...	N	2	c
ri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
la.	4 p.	29.72	755	75	91	N	1	od	10 a.	29.49	749	79	84	E S E	7	q
spi,.....	2 p.	29.53	750.1	77	...	N E	2	od	6 a.	...	...	...	...	...	...	...
lod,.....	3 p.	...	...	...	...	N W	3	op	9 a.	...	...	...	...	S S W	3	op
,.....	,,	29.62	752.3	79	...	S W	0	r	,,	29.76	755.9	89	...	S W	1	cpq
.....	,,	29.57	751.1	80	...	S	3	r	,,	29.80	756.9	82	...	S	1	c
an, ...	,,	29.78	756.4	81	...	...	...	...	,,	...	...	...	...	...	...	...

On the 6th at 11.55. a.—The typhoon has crossed the Archipelago to the South of Luzon and entered the China . It is now situated to the S.W. of Manila, and is moving towards W.N.W. at present.

The northern depression is moving into the Pacific to the E. of Hokkaido.

Pressure has increased slightly over the N.E. coast of China, and fallen a little over S. China. It is highest over China.

Strong monsoon may be expected in the Formosa Channel and bad weather over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N. winds, freshening; fair.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 6th December, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th DECEMBER. 1908, P.M.								7th DECEMBER. 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		W
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.98	761.6	25	...	N E	1	b	7 a.	30.18	766.6	27	55	N E	2	b
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	29.73	755.1	...	...	N W	8	...
Hakodate, ...	,,	29.77	756.2	...	...	W	10	...	,,	29.97	761.2	...	...	N W	6	...
Tokio, ...	,,	29.87	758.6	...	...	S	4	...	,,	29.95	760.6	...	...	N W	2	...
Kochi, ...	,,	30.03	762.8	...	...	S E	4	...	,,	30.07	763.8	...	...	...	0	...
Nagasaki, ...	,,	30.11	764.8	...	...	E	6	...	,,	30.19	766.3	...	...	...	0	...
Kagoshima, ...	,,	30.11	764.9	...	...	W	4	...	,,	30.15	765.9	...	...	...	0	...
Oshima, ...	,,	30.12	765.1	...	...	N	4	...	,,	30.16	766.1	...	...	N	6	...
Naha, ...	,,	30.13	765.2	...	...	E	4	...	,,	30.17	766.2	...	...	N	2	...
Ishigakijima, ...	,,	30.05	763.3	...	...	E	6	...	,,	30.05	763.3	...	...	E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N E	2	...	,,	30.08	764.1	...	...	W	2	...
Chefoo, ...	3 p.	30.23	767.8	44	76	N E	3	o	6 a.	30.53	775.4	36	45	N W	5	b
Weihaiwei, ...	,,	30.21	767.3	45	...	N W	2	ovr	9 a.	30.56	776.2	36	...	N	3	b
Hankow, ...	,,	30.24	768.1	63	62	N	2	b	6 a.	30.53	775.4	42	83	N	2	b
Kiukiang, ...	,,	30.19	766.8	57	81	N N E	1	o	,,	30.41	772.1	45	84	W	0	o
Shanghai, ...	,,	30.13	765.5	61	66	S E	1	o	9 a.	30.44	773.2	56	63	N N E	3	c
Gutzlaff, ...	,,	30.13	765.5	59	88	S E	1	cm	,,	30.35	770.9	56	69	N N E	4	c
Sharp Peak, ...	,,	30.04	763.0	68	95	N	3	b	,,	30.22	767.6	65	78	E N E	5	o
Amoy, ...	,,	29.97	761.2	70	80	S W	1	b	6 a.	30.02	762.5	70	85	...	0	o
Swatow, ...	,,	29.89	759.2	74	63	E S E	1	c	,,	29.91	759.7	69	80	N E	1	o
Taihoku, ...	1 p.	29.96	760.9	...	...	E	8	...	5 a.	30.03	762.8	...	...	E	6	...
Taichu, ...	,,	29.94	760.6	...	...	W	2	...	,,	29.97	761.2	...	...	...	0	...
Tainan, ...	,,	29.96	761.1	...	...	N	2	...	,,	29.96	761.0	...	...	N	4	...
Koshun	,,	29.92	760.0	...	...	N E	10	...	,,	29.93	760.1	...	...	N E	8	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.03	762.7	84	64	N	1	b	9 a.	30.11	764.8	66	59	...	0	c
Hongkong, ...	4 p.	29.95	760.7	78	36	N	1	o	10 a.	30.04	763.0	72	56	N N E	2	c
Victoria Peak, ...	,,	...	...	...	...	N W	3	...	,,	...	...	...	...	N W	7	...
Gap Rock, ...	,,	29.95	760.7	...	...	N N E	4	...	,,	29.99	761.7	...	...	N	5	...
Macao, ...	,,	29.97	761.2	74	...	N E	1	c	,,	30.08	764.9	70	...	N W	2	c
Wuchow, ...	3 p.	30.04	763.0	75	...	S W	1	b	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.01	762.2	71	71	N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.01	762.2	71	80	N N W	2	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.01	762.3	73	...	N W	2	b	8 a.	30.11	764.7	65	...	N W	3	c
Tourane, ...	,,	29.96	760.9	73	...	N W	2	o	,,	30.05	763.3	70	...	N W	1	o
Cape St. James, .	,,	29.77	756.2	82	...	S E	2	c	,,	...	...	75	...	W	2	o
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.65	753	75	100	S E	2	r	10 a.	29.80	757	82	77	E	1	o
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	...	S S W	2	op	9 a.	...	...	...	...	N W	2	c
Iloilo, ...	,,	29.74	755.4	81	...	S W	3	cp	,,	29.83	757.7	81	...	N E	1	b
Cebu, ...	,,	29.76	755.9	82	...	...	0	c	,,	29.84	757.9	85	...	...	0	b
Labuan, ...	,,	29.75	755.6	71	...	...	...	...	,,	29.86	758.4	76	...	...	...	

On the 7th at 11.55. a.—The barometer has risen considerably in Luzon, and fallen slightly on the S. coast o China.

The typhoon which appears to be situated about midway between the W. coast of Luzon and the Paracels, ha moved to the N.W. since yesterday. It is unlikely that this course will be maintained in the face of the anticycloni area which now covers Central and Northern China. Probably the disturbance will fill up gradually.

Gradients are steep along the China coast generally, and N. and N.E. gales may be expected in the Formos Channel and very bad weather over the N. part of the China Sea.

Red Cone point downwards and Drum hoisted (indicates a typhoon S.E. of the Colony beyond 300 miles).

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. and N.E. winds, strong to a gale ; fair at firs
2.—Formosa Channel, ...	N.E. gales. [some rain late
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 7th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	30.14	765.6	23	...	N E	3	b	7 a.	30.29	769.3	27	51	N E	1	b
uro, ...	,,	29.81	757.1	...	...	N W	4	...	6 a.	29.81	757.1	...	...	N	6	...
date, ...	,,	29.93	760.2	...	...	N W	6	...	,,	29.97	761.2	...	...	N W	2	...
o, ...	,,	29.94	760.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N W	2	...
i, ...	,,	30.03	762.8	...	...	S W	2	...	,,	30.19	766.8	...	...	S W	4	...
aki, ...	,,	30.19	766.8	...	...	N W	6	...	,,	30.35	770.3	...	...	...	0	...
hima, ...	,,	30.15	765.9	...	...	N	6	...	,,	30.35	770.9	...	...	N	6	...
ma, ...	,,	30.16	766.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	8	...
.....	,,	30.17	766.2	...	...	N E	4	...	,,	30.25	768.2	...	...	N E	4	...
akijima, ...	,,	30.05	763.3	...	...	E	8	...	,,	30.09	764.3	...	...	E	8	...
n Is.	,,	30.04	763.1	...	...	...	0	...	,,	30.08	764.1	...	...	W	2	...
eo, ...	3 p.	30.51	774.9	41	49	N W	2	b	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	30.53	775.4	40	...	W	2	b	9 a.	30.73	780.5	39	...	N	3	b
kow, ...	,,	30.55	775.9	55	56	N E	1	b	6 a.	...	...	...	...	...	...	...
iang, ...	,,	30.42	772.6	52	86	E N E	4	o	,,	...	...	...	...	...	...	...
ghai, ...	,,	30.44	773.2	48	...	N	2	o	9 a.	30.63	778.0	49	57	N N E	2	o
laff, ...	,,	30.36	771.1	55	87	N N W	3	omd	,,	30.51	774.9	51	59	N N E	5	or
p Peak, ...	,,	30.20	767.1	62	77	N	5	or	,,	30.32	770.1	57	69	N	6	or
y.....	,,	30.05	763.2	68	85	N E	2	or	6 a.	30.09	764.3	64	78	N E	4	or
ow, ...	,,	29.97	761.2	64	97	E	1	or	,,	...	...	...	...	...	...	...
oku.....	1 p.	30.09	764.4	...	...	E	6	...	6 a.	30.21	767.4	...	...	E	6	...
n, ...	,,	29.96	761.0	...	...	N	6	...	,,	29.91	759.6	...	...	N	6	...
n,.....	,,	29.90	759.4	...	...	N	8	...	,,	29.94	760.5	...	...	N	6	...
in.....	,,	29.92	760.0	...	...	E	10	...	,,	29.91	759.6	...	...	N E	10	...
dores, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
n,.....	3 p.	30.01	762.2	76	39	N	4	c	9 a.	30.21	767.3	57	87	N	2	or
kong, ...	4 p.	29.97	761.2	71	51	N	3	oq	10 a.	30.13	765.3	58	83	N N E	3	odq
ria Peak,...	,,	...	...	...	...	N W	8	...	,,	...	...	...	...	N W	8	...
Rock,.....	,,	29.93	760.2	...	...	N	6	...	,,	30.07	763.8	...	...	N	8	...
o, ...	,,	29.97	761.2	71	...	N N E	3	o	,,	30.16	766.0	61	...	N	3	od
how,.....	3 p.	30.11	764.8	75	37	N	2	b	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,.....	4 p.	30.01	762.3	61	...	N W	3	c	8 a.	30.14	765.6	68	...	N E	3	o
ane, ...	,,	29.97	761.2	73	...	N W	3	f	,,	30.07	763.7	73	...	N W	2	c
St. James,.	,,	29.80	756.8	84	...	N W	2	c	,,	29.93	760.2	77	...	N E	2	or
ni, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
lla, ...	4 p.	29.72	755	82	77	S E	1	c	10 a.	29.84	758	81	85	...	0	o
spi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
lod, ...	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	W S W	1	...
o, ...	,,	29.75	755.6	83	...	W S W	0	c	,,	29.87	758.7	82	...	...	0	c
,.....	,,	29.75	755.6	84	...	N	2	b	,,	29.87	758.7	84	...	...	0	b
uan, ...	,,	29.73	755.1	80	...	...	...	...	,,	29.86	758.4	78	...	...	...	...

On the 8th at 11.55. a.—The barometer is rising slowly in Hongkong and the S. Philippines, while a slight fall s taken place in S. Formosa.

The typhoon which appears to be situated to the W. of N. Luzon is slowly filling up and at the same time re- rving towards the N.E.

The anticyclonic area, which is of considerable intensity, is central over China to the North of the Yangtze and essure has increased considerably at the northern stations.

Gradients are very steep and heavy N. and N.E. gales will continue to prevail in the Formosa Channel and N.E. rt of the China Sea.

Signals lowered.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, strong to moderate gales, squally, rainy.
Formosa Channel, ...	N.E. heavy gales.
South coast of China between Hongkong and Lamocks,..	N. gale.
South coast of China between Hongkong and Hainan,...	Same as No. 3.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 8th December, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	
Wladivostock,...	2 p.	30.34	770.6	19	...	N	5	b	7 a.	30.50	774.8	14	49	...	0	b
Nemuro, ...	,,	29.85	768.1	...	...	N W	8	...	6 a.	30.01	762.1	...	...	N W	6	
Hakodate, ...	,,	30.01	762.2	...	...	N W	8	...	,,	30.17	766.2	...	...	N W	6	
Tokio, ...	,,	30.06	763.6	...	...	N W	6	...	,,	30.38	771.6	...	...	N W	4	
Kochi, ...	,,	30.27	768.8	...	...	N	6	...	,,	30.50	774.8	...	...	N	4	
Nagasaki, ...	,,	30.39	771.8	...	...	N	8	...	,,	30.59	774.8	...	...	N E	6	
Kagoshima, ...	,,	30.35	770.9	...	...	N	6	...	,,	30.47	773.9	...	...	N E	6	
Oshima, ...	,,	30.28	769.1	...	...	N E	8	...	,,	30.36	771.1	...	...	S E	2	
Naha, ...	,,	30.24	768.2	...	...	N	6	...	,,	30.28	769.2	...	...	N	4	
Ishigakijima, ...	,,	30.13	765.3	...	...	E	2	...	,,	30.17	766.3	...	...	E	8	
Bonin Is.....	,,	30.08	764.1	...	...	N	4	...	,,	30.28	769.1	...	...	N	6	
Chefoo, ...	3 p.	30.74	780.8	40	48	N	4	b	6 a.	30.72	780.3	38	54	N E	3	b
Weihaiwei, ...	,,	30.74	780.8	38	...	N	2	b	9 a.	30.73	780.5	39	...	N E	1	b
Hankow, ...	,,	30.65	778.5	52	53	N E	2	o	6 a.	30.69	779.5	40	74	N	2	b
Kiukiang, ...	,,	30.58	776.7	48	100	N E	7	o	,,	30.62	777.7	44	84	N E	4	o
Shanghai, ...	,,	30.60	777.2	51	52	N N E	2	o	9 a.	30.60	777.2	48	63	N N E	1	o
Gutzlaff, ...	,,	30.56	776.9	51	79	N N E	4	omd	,,	30.51	774.9	51	66	N E	4	o
Sharp Peak, ...	,,	30.30	769.6	57	69	N	6	or	,,	30.35	770.9	56	87	N	5	o
Amoy.....	,,	30.10	764.5	60	82	N E	6	or	6 a.	30.15	765.8	61	77	N E	4	o
Swatow, ...	,,	30.03	762.7	58	100	N E	1	or	,,	30.09	764.3	55	87	N	1	o
Taihoku.....	1 p.	30.24	768.2	...	...	E	8	...	5 a.	30.21	767.2	...	...	E	8	
Taichu, ...	,,	29.94	760.5	...	...	N	8	...	,,	29.99	761.6	...	...	...	0	
Tainan, ...	,,	29.96	761.1	...	...	N	6	...	,,	29.98	761.5	...	...	N	2	
Koshun.....	,,	29.95	760.7	...	...	N E	10	...	,,	29.96	760.9	...	...	N E	10	
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Canton, ...	3 p.	30.17	766.3	56	94	N	2	or	9 a.	30.32	770.1	51	93	N	1	o
Hongkong, ...	4 p.	30.10	764.5	56	85	N	3	or	10 a.	30.24	768.1	53	93	N	1	o
Victoria Peak,...	,,	...	...	...	...	WNW	7	...	,,	...	...	...	...	N W	7	
Gap Rock,.....	,,	30.03	762.7	...	...	N	8	...	,,	30.19	766.8	...	...	N	8	
Macao, ...	,,	30.10	764.5	60	...	N	3	od	,,	30.26	768.6	54	...	N N W	2	
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	30.09	764.3	75	...	N	1	b	8 a.	30.28	769.0	61	...	N E	3	b
Tourane, ...	,,	...	...	...	...	...	...	...	,,	30.15	765.8	70	...	N W	6	o
Cape St. James,.	,,	29.85	758.1	82	...	S S W	2	c	,,	29.96	760.9	75	...	N W	1	c
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila, ...	4 p.	29.76	756	82	77	E S E	1	o	10 a.	29.92	769	82	77	E S E	1	o
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.1	79	...	...	0	o
Bacolod, ...	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	N W	1	c
Iloilo, ...	,,	29.77	756.1	84	...	W	1	o	,,	29.89	759.2	82	...	E N E	1	b
Cebu, ...	,,	29.80	756.9	85	...	S	1	b	,,	29.99	759.4	84	...	N	1	c
Labuan, ...	,,	29.75	755.6	80	...	...	...	...	,,	29.87	758.7	79	...	...	...	

On the 9th at 12.15 p.—The barometer has risen moderately over the S. coast of China and S. Luzon, and a slight rise has taken place in Formosa.

The typhoon continues to fill up over the N.E. part of the China Sea.

The anticyclonic area, which is still central over N. China, has spread over Japan where pressure has increased considerably.

Gradients remain steep and hard N. and N.E. gales will continue to prevail in the Formosa Channel and the N part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Moderate N. gale; squally and rainy at first, improving later.
2.—Formosa Channel, ...	Strong N.E. gale.
3.—South coast of China between Hongkong and Lamocks,..	Fresh N. and N.E. gales.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 3.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 9th December, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th DECEMBER, 1908, P.M.								10th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,...	2 p.	30.45	773.5	28	...	N W	2	b	7 a.	30.25	768.3	23	99	...	0	c
Kamuro, ...	,,	30.04	768.1	...	...	W	8	...	6 a.	30.24	768.1	...	...	W	4	...
Hakodate, ...	,,	30.28	769.2	...	...	N	8	...	,,	30.32	770.2	...	...	W	6	...
Hakio, ...	,,	30.38	771.6	...	...	N W	6	...	,,	30.54	775.6	...	...	...	0	...
Kochi, ...	,,	30.50	774.8	...	...	N	6	...	,,	30.54	775.3	...	...	S W	2	...
Nagasaki, ...	,,	30.50	774.8	...	...	N E	6	...	,,	30.46	773.3	...	...	E	2	...
Nagoshima, ...	,,	30.47	773.9	...	...	N E	6	...	,,	30.47	773.9	...	...	N E	6	...
Oshima, ...	,,	30.32	770.1	...	...	N	2	...	,,	30.32	770.1	...	...	S	4	...
Naha, ...	,,	30.24	768.2	...	...	N	6	...	,,	30.20	767.2	...	...	E	6	...
Ishigakijima, ...	,,	30.13	765.3	...	...	E	8	...	,,	30.01	762.3	...	...	E	6	...
Bonin Is.....	,,	30.20	767.1	...	...	N	4	...	,,	30.36	771.1	...	...	N	4	...
Chefoo, ...	3 p.	30.66	778.7	43	51	E	1	b	6 a.	30.53	775.4	31	78	S	1	b
Weihaiwei,.....	,,	30.66	778.7	45	...	E	1	b	9 a.	30.52	775.2	49	...	N W	1	b
Hankow, ...	,,	30.67	779.0	52	60	N E	1	o	6 a.	30.59	777.0	42	83	N E	1	b
Kiukiang,.....	,,	30.53	775.4	47	85	N E	2	o	,,	30.52	775.2	42	92	N E	1	c
Shanghai, ...	,,	30.53	775.4	50	65	N N E	2	o	9 a.	30.46	773.7	54	80	N	1	c
Nutzlaff, ...	,,	30.44	773.2	52	66	N E	3	omp	,,	30.39	771.9	54	94	N	3	om
Sharp Peak,.....	,,	30.29	769.3	57	75	N	5	or	,,	30.28	769.1	58	81	N	3	o
Amoy,.....	,,	30.15	765.8	63	76	N E	2	o	6 a.	30.14	765.5	63	83	N E	3	o
Swatow, ...	,,	30.12	765.0	55	68	N	1	or	,,	30.12	765.0	56	87	N	1	o
Naiheku,.....	1 p.	30.16	766.1	...	...	E	8	...	5 a.	30.15	765.8	...	...	E	6	...
Saichu, ...	,,	29.97	761.3	...	...	N	6	...	,,	30.02	762.4	...	...	..	0	...
Hainan,.....	,,	30.00	762.0	...	...	N	4	...	,,	30.03	762.7	...	...	N	4	...
Yoshun.....	,,	29.94	760.6	...	...	N E	10	...	,,	30.02	762.6	...	...	N E	6	...
Escadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manton,.....	3 p.	30.26	768.6	54	87	N	2	or	9 a.	30.31	769.9	55	74	N	2	or
Hongkong, ...	4 p.	30.17	766.3	55	88	N	1	od	10 a.	30.23	767.8	60	71	N	2	o
Victoria Peak,...	,,	...	...	...	...	W N W	4	...	,,	...	...	...	...	N W	3	...
Cap Rock,.....	,,	30.11	764.8	...	...	N	7	...	,,	30.19	766.8	...	...	N	6	...
Macao, ...	,,	30.18	766.6	55	...	N	2	od	,,	30.25	768.3	58	...	N N W	3	o
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	30.24	768.1	62	83	N	6	b	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.17	766.4	70	...	W	1	b	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	30.09	764.2	66	...	N W	5	o	,,	...	...	...	...	...	...	...
Cape St. James,.	,,	29.89	759.1	81	...	S E	2	f	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.84	758	84	71	E S E	1	o	10 a.	29.96	761	82	85	W N W	1	o
Legaspi, ...	2 p.	29.86	758.5	84	...	E	1	b	6 a.	29.95	760.8	79	...	N E	1	c
Bacolod, ...	3 p.	...	...	...	...	E S E	2	c	9 a.	...	...	...	...	N E	0	...
Iloilo, ...	,,	29.83	757.7	87	...	N	1	b	,,	29.97	761.2	84	...	N E	0	b
Cebu,.....	,,	29.84	757.9	85	...	N	1	b	,,	29.92	759.9	83	...	N	1	b
Labuan, ...	,,	29.81	757.2	81	...	...	...	...	,,	29.89	759.2	76	...	...	...	...

On the 10th at 12.05 p.—The barometer has risen slightly in S. Formosa and the Philippines, and fallen moderately over the Loochoos.

The typhoon has regained the Pacific as a moderate depression which is lying to the S. of Meiaco Sima this morning.

Pressure has given way over N. China and increased in E. Japan. Areas of high pressure are lying over S. Japan and Central China.

Gradients are less steep and the monsoon will decrease in strength in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh, fair.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 10th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th DECEMBER, 1908, P.M.								11th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.16	766.0	31	...	N E	1	o	7 a.	30.04	763.0	30	62	...	0	o
Nemuro, ...	,,	30.12	765.1	...	...	W	2	...	6 a.	30.04	763.1	...	...	S	2	...
Hakodate, ...	,,	30.24	768.2	...	...	W	8	...	,,	30.13	765.2	...	...	W	6	...
Tokio, ...	,,	30.46	773.6	...	...	S	2	...	,,	30.34	770.6	...	...	...	0	...
Kochi, ...	,,	30.43	772.8	...	...	S E	2	...	,,	30.39	771.8	...	...	S W	2	...
Nagasaki, ...	,,	30.39	771.8	...	...	S E	6	...	,,	30.35	770.3	...	...	E	2	...
Kagoshima, ...	,,	30.39	771.9	...	...	E	4	...	,,	30.35	770.9	...	...	N E	2	...
Oshima, ...	,,	30.28	769.1	...	...	S E	6	...	,,	30.28	769.1	...	...	...	0	...
Naha, ...	,,	30.20	767.2	...	...	N E	8	...	,,	30.17	766.2	...	...	E	6	...
Ishigakijima, ...	,,	30.05	763.3	...	...	S E	8	...	,,	30.05	763.3	...	...	E	6	...
Bonin Is.	,,	30.36	771.1	...	...	N E	4	...	,,	30.40	772.1	...	...	E	2	...
Chefoo, ...	3 p.	30.41	772.4	48	36	W	1	b	6 a.	30.34	770.6	36	80	S	1	b
Weihaiwei, ...	,,	30.41	772.4	44	...	W	1	b	9 a.	30.37	771.4	44	...	W	1	b
Hankow, ...	,,	30.50	774.7	54	55	N W	1	b	6 a.	30.46	773.7	47	85	N W	1	o
Kiukiang, ...	,,	30.57	776.5	54	68	N E	1	c	,,	30.38	771.6	49	78	N E	1	o
Shanghai, ...	,,	30.36	771.1	59	70	N N E	1	o	9 a.	30.33	770.4	53	100	N E	2	om
Gutzlaff, ...	,,	30.33	770.4	61	77	N	1	om	,,	30.28	769.1	55	100	N E	4	fr
Sharp Peak, ...	,,	30.19	766.8	60	88	N	1	o	,,	30.18	766.6	62	94	N W	1	or
Amoy, ...	,,	30.09	764.3	66	84	N E	1	o	6 a.	30.10	764.5	64	89	N E	1	o
Swatow, ...	,,	30.08	764.0	68	70	N	2	o	,,	...	...	...	...	...	...	...
Taihoku, ...	1 p.	30.09	764.3	...	...	E	6	...	5 a.	30.13	765.2	...	...	...	0	...
Taichu, ...	,,	30.00	762.1	...	...	N	4	...	,,	30.05	763.2	...	...	...	0	...
Tainan, ...	,,	30.03	762.8	...	...	N W	2	...	,,	30.05	763.2	...	...	N	2	...
Koshun	,,	30.03	762.8	...	...	N	2	...	,,	30.04	763.0	...	...	...	0	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.21	767.3	61	71	N	1	or	9 a.	30.25	768.3	58	81	N	1	or
Hongkong, ...	4 p.	30.12	765.0	64	61	N	2	o	10 a.	30.18	766.6	64	75	W	1	o
Victoria Peak, ...	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N N E	1	...
Gap Rock, ...	,,	30.10	764.5	...	...	N N W	6	...	,,	30.16	766.0	...	...	N N W	4	...
Macao, ...	,,	30.15	765.8	69	...	N N W	3	c	,,	30.22	767.6	67	...	N W	1	o
Wuchow, ...	3 p.	30.31	769.9	65	...	S E	2	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.17	766.3	60	82	N	3	c	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.20	767.1	62	77	N	5	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.17	766.1	66	...	S W	1	c	8 a.	30.24	768.0	61	...	N	2	o
Tourane, ...	,,	30.10	764.5	68	...	N W	3	f	,,	30.15	765.9	68	...	...	0	o
Cape St. James, .	,,	29.91	759.6	81	...	S E	2	c	,,	29.99	761.6	77	...	N W	1	o
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.88	759	84	77	N W	1	c	10 a.	30.00	762	81	76	...	0	o
Legaspi, ...	2 p.	29.90	759.4	84	...	E	1	c	6 a.	29.96	761.0	79	...	E	1	o
Bacolod, ...	3 p.	...	...	...	...	E	2	o	9 a.	...	...	...	...	N N E	1	op
Iloilo, ...	,,	29.85	758.2	86	...	N E	1	c	,,	29.95	760.7	81	...	N E	1	c
Cebu, ...	,,	29.84	757.9	85	...	N	2	b	,,	29.95	760.7	80	...	N	1	o
Labuan, ...	,,	29.83	757.7	81	...	...	...	...	,,	29.86	758.4	80	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen over China and Japan.

A depression appears to exists over the N.E. part of the Sea of Japan.

Areas of high pressure are lying to the S.E. of Japan and over the Upper Yangtze.

Gradients have decreased, and moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate ; fair.
2.—Formosa Channel, ...	N.E. winds, moderate or fresh,
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 11th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER..

Station.	11th DECEMBER, 1908, P.M.								12th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,...	2 p.	30.03	762.7	36	...	...	0	b	7 a.	30.27	768.9	15	74	N E	1	b
Yemuro,.....	,,	29.89	759.1	...	...	...	0	...	6 a.	30.01	762.1	...	...	N W	6	...
Hakodate,.....	,,	29.97	761.2	...	...	W	6	...	,,	30.17	765.2	...	...	N	4	...
Tokio, ...	,,	30.18	766.6	...	...	N	2	...	,,	30.14	765.6	...	...	...	0	...
Kochi, ...	,,	30.27	768.8	...	...	S	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki, ...	,,	30.27	768.8	...	...	W	2	...	,,	30.15	765.8	...	...	N	4	...
Kagoshima, ...	,,	30.23	767.9	...	...	...	0	...	,,	30.08	763.9	...	...	E	6	...
Ishima,.....	,,	30.20	767.1	...	...	S E	2	...	,,	30.08	764.1	...	...	S W	6	...
Naha,.....	,,	30.17	766.2	...	...	E	2	...	,,	30.13	765.2	...	...	S	2	...
Ishigakijima,....	,,	30.01	762.3	...	...	S E	6	...	,,	30.09	764.3	...	...	S W	4	...
Bonin Is.....	,,	30.32	770.1	...	...	E	4	...	,,	30.32	770.1	...	...	E	2	...
Chefoo,.....	3 p.	30.29	769.3	47	63	N E	1	b	6 a.	30.31	769.9	37	81	S W	1	c
Weihaiwei,.....	,,	30.30	769.6	45	...	N W	1	b	9 a.	30.32	770.1	40	...	W	1	o
Hankow, ...	,,	30.36	771.1	52	79	N W	1	o	6 a.	30.51	774.9	45	92	W	1	b
Kiukiang.....	,,	30.29	769.3	55	68	N E	1	o	,,	30.41	772.4	49	93	W	2	o
Shanghai, ...	,,	30.24	768.1	54	94	N E	1	omd	9 a.	30.34	770.6	52	93	N	1	omd
Sutzlaff, ...	,,	30.18	766.6	56	100	N E	4	omd	,,	30.29	769.3	54	100	N	2	f
Sharp Peak,.....	,,	30.08	764.0	65	93	N	1	f	,,	30.25	768.3	66	100	...	0	f
Amoy,.....	,,	30.03	762.7	69	85	S E	1	o	6 a.	30.15	765.8	67	89	..	0	f
Swatow, ...	,,	30.02	762.5	70	75	W N W	1	o	,,	30.05	763.2	64	84	...	0	o
Taihoku,.....	1 p.	29.99	761.8	...	...	E	6	...	5 a.	30.15	765.8	...	...	...	0	...
Taichu, ...	,,	30.04	763.0	...	...	...	0	...	,,	30.13	765.3	...	...	...	0	...
Tainan,.....	,,	30.03	762.8	...	...	N	4	...	,,	30.11	764.8	...	...	N	4	...
Koshun.....	,,	...	...	...	...	...	...	...	,,	30.10	764.4	...	...	...	0	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hinton,.....	3 p.	30.12	765.0	70	61	N	1	b	9 a.	30.29	769.3	62	77	...	0	b
Hongkong, ...	4 p.	30.10	764.5	66	73	W	1	o	10 a.	30.24	768.1	67	74	N	1	o
Victoria Peak,...	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	N	2	...
Cap Rock,.....	,,	30.07	763.8	...	...	N N W	5	...	,,	30.20	767.1	...	...	N N E	3	...
Macao, ...	,,	30.12	765.0	65	...	N N E	1	o	,,	30.25	768.3	68	...	N	2	c
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	30.17	766.3	66	84	N	2	c	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.12	765.1	73	...	W S W	1	b	8 a.	30.25	768.4	61	...	N W	3	c
Tourane, ...	,,	30.07	763.8	70	...	N W	2	f	,,	30.18	766.6	86	...	...	0	or
Cape St. James,.	,,	29.89	759.3	79	...	E S E	2	c	,,	30.02	762.4	77	...	N W	1	f
Aparri,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.92	760	84	71	E	1	o	10 a.	30.04	763	82	77	...	0	c
Legaspi,.....	2 p.	29.91	759.9	81	...	E	1	b	6 a.	30.01	762.2	79	...	E	1	b
Bacolod,.....	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	o
Iloilo, ...	,,	29.85	758.2	83	...	N	2	c	,,	30.01	762.2	81	...	N	2	c
Cebu,.....	,,	29.86	758.4	83	...	N	2	b	,,	29.98	761.5	80	...	N	2	o
Labuan, ...	,,	29.90	759.4	84	...	...	...	...	,,	29.93	760.2	82	...	...	...	...

On the 12th at 11.50 a.—The barometer is rising over China, and falling over S. Japan.

A depression which has developed over the Eastern Sea, is now lying to the S.W. of Japan. It appears to be moving towards the N.E.

The depression lying over the N.E. part of the Sea of Japan yesterday, has moved into the Pacific and pressure has increased over Hokkaido.

Areas of high pressure exist over the Pacific to the E. of the Bonins, and over the continent to the North of the Upper Yangtze.

The monsoon is expected to fresh again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate to fresh; fair.
2.—Formosa Channel, ...	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 12th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th December, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	13th December, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,...	2 p.	30.23	767.9	28	...	...	0	b	7 a.	30.08	764.1	28	96	...	0	b
Nemuro, ...	,,	30.16	766.1	...	...	N	6	...	6 a.	30.20	767.1	...	...	...	0	...
Hakodate, ...	,,	30.20	767.2	...	...	N	2	...	,,	30.13	765.2	...	...	...	0	...
Tokio, ...	,,	30.14	765.6	...	...	W	2	...	,,	30.10	764.6	...	...	N W	4	...
Kochi, ...	,,	30.03	762.8	...	...	S W	2	...	,,	30.23	767.8	...	...	W	4	...
Nagasaki, ...	,,	30.11	764.8	...	...	N	4	...	,,	30.27	768.3	...	...	...	0	...
Kagoshima, ...	,,	30.07	763.9	...	...	...	0	...	,,	30.27	768.9	...	...	N W	2	...
Oshima, ...	,,	30.08	764.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6	...
Naha, ...	,,	30.13	765.2	...	...	W	2	...	,,	30.25	768.2	...	...	N E	4	...
Ishigakijima, ...	,,	30.13	765.3	...	...	W	2	...	,,	30.21	767.3	...	...	N E	4	...
Ponin Is.	,,	30.20	767.1	...	...	S	4	...	,,	30.12	765.1	...	...	S W	8	...
Chefoo, ...	3 p.	30.25	768.3	46	77	N W	2	c	6 a.	30.32	770.1	41	83	S W	1	b
Weihaiwei, ...	,,	30.28	769.1	44	...	W	2	b	9 a.	30.36	771.1	44	...	W	1	b
Hankow, ...	,,	30.49	774.4	59	59	N E	1	b	6 a.	30.48	774.2	45	109	E	1	b
Kinkiang.....	,,	30.54	775.7	58	64	S W	1	c	,,	30.41	772.4	45	100	...	0	dh
Shanghai, ...	,,	30.33	770.4	53	93	N N W	1	om	9 a.	30.44	773.2	50	86	...	0	o
Gutzlaff, ...	,,	30.28	769.1	54	...	N N W	2	om	,,	30.39	771.9	53	80	N N E	1	ov
Sharp Peak,.....	,,	30.16	766.0	65	95	E N E	1	c	,,	30.38	771.6	62	94	N	1	o
Amoy.....	,,	30.13	765.3	69	99	S E	1	c	6 a.	30.23	767.8	65	84	N E	1	b
Swatow, ...	,,	30.00	762.0	73	72	N	1	b	,,	30.10	764.5	65	89	E N E	1	c
Taihoku.....	1 p.	30.20	767.1	...	...	N W	2	...	5 a.	...	...	...	...	...	...	...
Taichu, ...	,,	30.14	765.6	...	...	N	4	...	,,	...	...	...	...	...	...	...
Tainan.....	,,	30.13	765.3	...	...	N	6	...	,,	...	...	...	...	...	...	...
Koshun.....	,,	30.13	765.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.17	766.3	76	53	N	1	b	9 a.	30.31	769.9	67	55	N N E	1	c
Hongkong, ...	4 p.	30.14	765.5	71	69	E	1	b	10 a.	30.28	769.1	69	75	E	1	o
Victoria Peak,...	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E N E	4	...
Gap Rock,.....	,,	30.13	765.3	...	...	N	3	...	,,	30.24	768.1	...	...	E N E	4	...
Macao, ...	,,	30.15	765.8	70	...	N	2	c	,,	30.29	769.3	68	...	N	2	c
Wuchow, ...	3 p.	30.22	767.6	74	...	S W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.18	766.5	72	...	S	2	c	8 a.	...	...	...	...	...	..	...
Tourane, ...	,,	30.11	764.8	72	...	N W	3	om	,,	...	...	...	...	...	...	...
Cape St. James,.	,,	29.91	759.6	79	...	E S E	5	c	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	30.11	764.7	...	...	S E	1	b
Manila, ...	4 p.	29.92	760	84	60	E	1	b	10 a.	30.04	763	79	92	...	0	d
Legaspi, ...	2 p.	29.96	761.0	86	...	E	1	b	6 a.	29.99	761.7	79	...	E	1	b
Bacolod, ...	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N N E	3	o
Iloilo, ...	,,	29.85	758.2	84	...	N E	3	o	,,	29.99	761.7	81	...	N N E	2	o
Cebu, ...	,,	29.88	758.9	83	...	N	1	c	,,	29.97	761.2	82	...	N	2	c
Labuan, ...	,,	29.86	758.4	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 13th at 11.40 a.—The barometer has risen over S.W. Japan and the Loochoos, and fallen at the Bonins. The depression is moving towards E.N.E. to the North of the latter.

Pressure has given way again over the Sea of Japan, apparently owing to the advance of another depression over E. Manchuria. It remains high over Central China and a slight increase has taken place along the coast.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fair.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hong kong Observatory, Sunday, 13th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,...	2 p.	30.01	762.1	38	...	S	0	b	7 a.	29.91	759.8	31	100	...	0	f
Nemuro, ...	,,	30.12	765.1	...	...	S E	2	...	6 a.	30.04	763.1	...	...	S W	2	...
Hakodate, ...	,,	30.09	764.2	...	...	...	0	...	,,	30.09	764.2	...	...	W	2	...
Tokio, ...	,,	30.10	764.6	...	...	...	0	...	,,	30.18	766.6	...	...	N W	4	...
Kochi, ...	,,	30.19	766.8	...	...	S E	2	...	,,	30.27	768.8	...	...	W	2	...
Nagasaki, ...	,,	30.27	768.8	...	...	N W	6	...	,,	30.27	768.3	...	...	...	0	...
Kagoshima, ...	,,	30.23	767.9	...	...	W	2	...	,,	30.27	768.9	...	...	N	4	...
Ishima, ...	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	S	2	...
Naha, ...	,,	30.24	768.2	...	...	N E	4	...	,,	30.28	769.2	...	...	...	0	...
Ishigakijima, ...	,,	30.21	767.3	...	...	N E	6	...	,,	30.21	767.3	...	...	E	4	...
Bonin Is.....	,,	30.08	764.1	...	...	N W	4	...	,,	30.16	766.1	...	...	N	2	...
Chefoo, ...	3 p.	30.20	767.1	54	61	S W	1	b	6 a.	30.24	768.1	41	66	S W	1	b
Weihaiwei,.....	,,	30.25	768.3	55	...	S	1	b	9 a.	30.22	767.6	50	...	W	1	b
Hankow, ...	,,	30.34	770.6	61	60	S W	1	b	6 a.	30.33	770.4	52	93	N W	1	c
Kiukiang.....	,,	30.32	770.1	59	70	N E	1	b	,,	30.35	770.9	50	100	...	0	c
Shanghai, ...	,,	30.32	770.1	55	68	S E	0	o	9 a.	30.33	770.4	47	100	...	0	f
Sutzlaff, ...	,,	30.30	769.6	57	75	N	1	...	,,	30.30	769.6	55	94	...	0	cm
Sharp Peak,.....	,,	30.27	768.8	63	94	E N E	1	c	,,	30.30	769.6	69	...	...	0	b
Amoy,.....	,,	30.22	767.6	68	85	N E	2	b	6 a.	30.22	767.6	66	84	N E	1	c
Swatow, ...	,,	30.17	766.3	70	80	E S E	1	c	,,	30.19	766.8	65	89	N E	2	o
Taiboku,.....	1 p.	30.23	767.8	...	...	E	8	...	5 a.	30.21	767.3	...	...	N W	2	...
Taichu, ...	,,	30.15	765.8	...	...	N	4	...	,,	30.20	767.1	...	...	N E	2	...
Tainan,.....	,,	30.15	765.8	...	...	N	4	...	,,	30.17	766.3	...	...	N	4	...
Toshun.....	,,	30.15	765.9	...	...	N	4	...	,,	30.19	766.8	...	...	N E	2	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,.....	3 p.	30.21	767.3	69	85	N	1	o	9 a.	30.27	768.8	67	79	...	0	o
Hongkong, ...	4 p.	30.18	766.6	69	76	E	3	o	10 a.	30.24	768.1	69	84	E	2	o
Victoria Peak,...	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	E	1	...
Gap Rock,.....	,,	30.16	766.0	...	...	E N E	4	...	,,	30.20	767.1	...	...	E N E	4	...
Macao, ...	,,	30.18	766.6	70	...	N N E	1	c	,,	30.22	767.6	69	...	N E	1	o
Wuchow,.....	3 p.	30.26	768.6	66	...	N E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.19	766.8	69	85	N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	30.20	767.1	70	75	W	1	c	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.17	766.4	73	...	S S E	3	b	8 a.	30.22	767.6	64	...	N	2	or
Tourane, ...	,,	30.12	765.1	72	...	N N W	2	o	,,	30.15	765.8	70	...	...	0	or
Cape St. James,.	,,	29.91	759.8	79	...	N E	4	o	,,	29.96	761.0	77	...	N N E	3	c
Aparri, ...	2 p.	30.07	763.7	...	...	E	1	b	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	30.96	761	84	68	N E	2	o	10 a.	30.00	762	84	64	E N E	1	o
Legaspi, ...	2 p.	29.95	760.7	81	...	E	1	o	6 a.	29.99	761.7	75	...	E	1	r
Bacolod,.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	o
Iloilo, ...	,,	29.95	760.7	84	...	N E	2	b	,,	29.97	761.2	81	...	N E	3	b
Cebu,.....	,,	29.91	759.7	84	...	N	1	b	,,	29.94	760.5	82	...	N	2	o
Labuan, ...	,,	29.81	757.2	83	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 14th at 11.45 a.—The barometer has fallen moderately over China, and risen slightly over S.E. Japan and the Bonins.

The area of low pressure remains over E. Manchuria, and the highest pressure lies over the Yangtze valley.

Gradients are slight along the China coast, and moderate monsoon may be expected in the Formosa Channel and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fair, misty.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 14th December, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.87	758.6	24	...	W	4	b	7 a.	30.04	762.9	15	94	N W	3	b
Nemuro, ...	,,	29.89	759.1	...	...	N	6	...	6 a.	29.45	748.1	...	...	S W	2	...
Hakodate, ...	,,	29.89	759.2	...	...	W	4	...	,,	29.58	751.2	...	...	N W	8	...
Tokio, ...	,,	30.06	763.6	...	...	...	0	...	,,	29.79	756.6	...	...	N W	2	...
Kochi, ...	,,	30.11	764.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki, ...	,,	30.19	766.8	...	...	W	4	...	,,	30.23	767.3	...	...	N W	4	...
Kagoshima, ...	,,	30.19	766.9	...	...	N	4	...	,,	30.23	767.9	...	...	N	6	...
Oshima, ...	,,	30.20	767.1	...	...	N	4	...	,,	30.24	768.1	...	...	N	6	...
Naha, ...	,,	30.20	767.2	...	...	N	2	...	,,	30.25	768.2	...	...	N E	2	...
Ishigakijima, ...	,,	30.17	766.3	...	...	E	6	...	,,	30.17	766.3	...	...	E	2	...
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...	,,	30.12	765.1	...	...	S W	2	...
Chefoo, ...	3 p.	30.25	768.3	43	36	N	4	c	6 a.	30.38	771.6	34	79	N W	2	b
Weihaiwei, ...	,,	30.29	769.3	41	...	N	3	ovr	9 a.	30.44	773.2	38	...	W	2	b
Hankow, ...	,,	30.40	772.1	69	48	N	2	o	6 a.	30.34	770.6	50	72	N E	1	c
Kiukiang, ...	,,	30.33	770.4	61	66	...	0	c	,,	30.31	769.9	50	100	N E	2	or
Shanghai, ...	,,	30.28	769.1	54	74	N N W	1	o	9 a.	30.35	770.9	51	79	N E	2	om
Gutzlaff, ...	,,	30.27	768.8	56	81	N	2	bm	,,	30.32	770.1	55	68	N E	4	om
Sharp Peak, ...	,,	30.20	767.1	66	89	E	3	b	,,	30.28	769.1	63	78	N	4	o
Amoy, ...	,,	30.10	764.5	70	85	S E	1	b	6 a.	30.17	766.3	66	89	N E	1	o
Swatow, ...	,,	30.10	764.5	69	80	E	1	c	,,	30.15	765.8	64	89	N E	2	c
Taihoku, ...	1 p.	30.17	766.3	...	...	E	6	...	6 a.	30.21	767.2	...	...	E	6	...
Taichu, ...	,,	30.12	765.0	...	...	N	4	...	,,	30.13	765.3	...	...	...	0	...
Tainan, ...	,,	30.12	765.1	...	...	N	4	...	,,	30.12	765.1	...	...	...	0	...
Koshun	,,	30.21	767.3	...	...	N E	4	...	,,	30.12	765.0	...	...	E	2	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.15	765.8	78	65	...	0	c	9 a.	30.20	767.1	70	85	...	0	o
Hongkong, ...	4 p.	30.13	765.3	67	89	E	2	o	10 a.	30.21	767.3	68	81	E	5	o
Victoria Peak, ...	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	E	6	...
Gap Rock, ...	,,	30.11	764.8	...	...	E	4	...	,,	30.17	766.3	...	...	E	6	...
Macao, ...	,,	30.14	765.5	69	...	S E	1	o	,,	30.20	767.1	67	...	E S E	2	o
Wuchow, ...	3 p.	30.21	767.3	69	...	W	1	or	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.20	767.1	71	90	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.14	765.6	70	...	E S E	2	o	8 a.	30.18	766.5	66	...	E N E	2	or
Tourane, ...	,,	30.06	763.5	75	...	N E	2	or	,,	30.12	765.0	73	...	...	0	o
Cape St. James,	,,	29.89	759.3	73	...	E N E	6	or	,,	29.93	760.1	75	...	N	2	c
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	30.68	769	81	76	N E	1	o	10 a.	30.00	762	77	92	..	1	r
Legaspi, ...	2 p.	29.89	759.3	81	...	E	1	o	6 a.	29.91	759.6	79	...	E	1	o
Bacolod, ...	3 p.	...	...	...	...	N E	3	op	9 a.	...	...	...	...	S E	2	o
Iloilo, ...	,,	29.85	758.2	83	...	N E	2	cr	,,	29.89	759.2	79	...	N E	1	c
Cebu, ...	,,	29.83	757.7	79	...	N	1	or	,,	29.93	760.2	77	...	N	2	or
Labuan, ...	,,	29.77	756.1	84	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 15th at 12.05 p.—The barometer has fallen rapidly over E. Japan owing to the depression which is now moving Eastwards to the North of Hokkaido.

Pressure has increased moderately on the N.E. coast of China and given way slightly over S. China.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh; fair, misty.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hong kong Observatory, Tuesday, 15th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th DECEMBER, 1908, P.M.								16th DECEMBER, 1908, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,...	2 p.	30.10	764.5	24	...	N	3	b	7 a.	30.34	770.6	12	24	N E	2	b
Nemuro, ...	,,	29.30	744.1	...	...	N W	10	...	6 a.	29.77	756.1	...	...	N W	19	...
Hakodate, ...	,,	29.81	757.2	...	...	N W	10	...	,,	30.21	767.2	...	...	N	6	...
Tokio, ...	,,	29.87	758.6	...	...	N W	...	...	,,	30.18	766.6	...	...	N W	8	...
Kochi, ...	,,	...	...	...	...	N	6	...	,,	30.31	769.8	...	...	...	0	...
Nagasaki, ...	,,	30.19	766.8	...	...	N	8	...	,,	30.31	769.8	...	...	N E	2	...
Kagoshima, ...	,,	30.15	765.9	...	...	N	2	...	,,	30.27	768.9	...	...	N	2	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	30.24	768.1	...	...	S E	2	...
Naha, ...	,,	30.17	766.2	...	...	N	2	...	,,	30.21	767.2	...	...	...	0	...
Ishigakijima, ...	,,	30.17	766.2	...	...	E	6	...	,,	30.13	765.3	...	...	S E	4	...
Bonin Is.	,,	29.96	761.1	...	...	W	4	...	,,	30.09	764.1	...	...	N W	4	...
Chefoo, ...	3 p.	30.25	768.3	42	34	N W	1	o	6 a.	30.28	769.1	32	90	S W	1	b
Weihaiwei, ...	,,	30.36	771.1	41	...	W	1	ovr	9 a.	...	...	...	...	...	...	...
Hankow, ...	,,	30.31	769.9	46	100	N E	1	or	6 a.	30.24	768.1	47	93	N E	1	c
Kiukiang, ...	,,	30.24	768.1	48	100	N E	1	or	,,	30.21	767.3	48	93	N E	3	o
Shanghai, ...	,,	30.24	768.1	50	86	E	1	or	9 a.	30.27	768.8	52	93	E	2	omd
Sutzlaff, ...	,,	30.20	767.1	51	86	E	4	omr	,,	30.25	768.3	56	81	E S E	4	om
Sharp Peak, ...	,,	30.18	766.6	62	89	N E	3	o	,,	30.21	767.3	63	94	N	1	c
Amoy, ...	,,	30.10	764.5	69	85	N E	1	o	6 a.	30.12	765.0	65	95	...	0	o
Swatow, ...	,,	30.06	763.5	69	85	E	2	c	,,	30.09	764.3	63	89	N E	1	o
Taihoku, ...	1 p.	30.11	764.9	...	...	E	8	...	5 a.	30.12	765.1	...	...	...	0	...
Taichu, ...	,,	30.09	764.2	...	...	N	4	...	,,	30.11	764.7	...	...	N	2	...
Tainan, ...	,,	30.09	764.2	...	...	W	4	...	,,	30.10	764.6	...	...	N	4	...
Koshun.....	,,	30.09	764.3	...	...	N	6	...	,,	30.08	764.1	...	...	E	4	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.07	763.8	80	62	...	0	c	9 a.	30.15	765.8	69	90	...	0	c
Hongkong, ...	4 p.	30.08	764.0	68	79	E	3	o	10 a.	30.16	766.0	68	80	E	4	o
Victoria Peak, ...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	5	...
Gap Rock, ...	,,	30.05	763.2	...	...	E	6	...	,,	30.11	764.8	...	...	E N E	4	...
Macao, ...	,,	30.07	763.8	70	...	S E	1	o	,,	30.15	765.8	70	...	E S E	1	o
Wuchow, ...	3 p.	30.08	764.0	77	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.07	763.8	72	90	N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.05	763.2	77	...	S S E	1	b	8 a.	30.10	764.8	68	...	E S E	2	o
Tourane, ...	,,	30.01	762.3	75	...	N N W	1	o	,,	30.06	763.6	72	...	...	0	o
Cape St. James,.	,,	29.81	757.1	79	...	E N E	4	f	,,	29.91	759.6	79	...	N E	2	c
Aparri, ...	2 p.	..	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	30.88	759	79	84	N	1	o	10 a.	29.96	761	82	77	N W	1	o
Legaspi, ...	2 p.	29.89	759.1	75	...	E	1	r	6 a.	29.93	760.1	79	...	E	1	o
Bacolod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	2	...
Iloilo, ...	,,	29.81	757.2	82	...	N E	2	c	,,	29.97	761.2	80	...	N N E	3	c
Cebu, ...	,,	29.82	757.4	80	...	N	2	o	,,	29.93	760.2	80	...	N	1	b
Labuan, ...	,,	29.76	755.9	80	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 16th at 11.55 p.—The depression lying over Hokkaido yesterday, has moved into the Pacific and the barometer has risen rapidly over E. Japan.

Pressure is still giving way over China and a depression appears to be developing to the South of the Lower Yangtze.

The highest pressure is situated over the W. part of the Sea of Japan.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1. —Hongkong and Neighbourhood, ...	E. winds, moderate; fair, misty.
2. —Formosa Channel, ...	Same as No. 1.
3.— South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4. —South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 16th December, 1908.

[Printed by NORONHA & Co. Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.20	767.1	...	...	W	6	...
Hakodate,	,,	30.28	769.2	...	...	N W	6	...	,,	30.32	770.2	...	...	...	0	...
Tokio,	,,	30.26	768.6	...	...	N W	6	...	,,	30.38	771.6	...	...	N W	4	...
Kochi,	,,	30.27	768.8	...	...	S W	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	N E	4	...	,,	29.99	761.3	...	...	E	6	...
Kagoshima,	,,	30.27	768.9	...	...	N	2	...	,,	30.08	763.9	...	...	N E	6	...
Oshima,	,,	30.24	768.1	...	...	N E	2	...	,,	30.12	765.1	...	...	S	4	...
Naha,	,,	30.20	767.2	...	...	E	4	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.13	765.3	...	...	S E	6	...	,,	30.09	764.3	...	...	S	6	...
Bonin Is.	,,	30.12	765.1	...	...	N W	2	...	,,	30.20	767.1	...	...	...	0	...
Chefoo,	3 p.	30.27	768.8	46	84	S S E	1	o	6 a.	30.19	766.8	40	91	...	0	o
Weihaiwei,	,,	30.28	769.1	47	...	S	2	o	9 a.	30.28	769.1	38	...	N	3	o
Hankow,	,,	30.16	766.0	51	93	N E	1	o	6 a.	30.37	771.4	45	84	N	2	o
Kiukiang,	,,	30.07	763.3	51	93	N	1	o	,,	30.22	767.6	46	100	N W	4	or
Shanghai,	,,	30.11	764.8	57	87	E S E	1	om	9 a.	30.16	766.0	50	93	N W	3	o
Gutzlaff,	,,	30.10	764.5	58	94	S E	4	omp	,,	30.08	764.0	52	93	N W	7	om
Sharp Peak,	,,	30.11	764.8	67	100	...	0	o	,,	30.12	765.0	67	100	...	0	c
Amoy,	,,	30.08	764.0	69	85	S E	3	c	6 a.	30.08	764.0	65	89	N E	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku	1 p.	30.07	763.9	...	...	N	2	...	5 a.	30.08	764.0	...	...	...	0	...
Taichu,	,,	30.09	764.4	...	...	N	2	...	,,	30.09	764.2	...	...	...	0	...
Tainan,	,,	30.09	764.3	...	...	N W	4	...	,,	30.06	763.5	...	...	N	2	...
Koshun	,,	30.08	764.1	...	...	N E	6	...	,,	30.04	763.1	...	...	E	4	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.05	763.2	77	73	E	2	or	9 a.	30.12	765.0	71	85	...	0	o
Hongkong,	4 p.	30.04	763.0	69	80	E	4	o	10 a.	30.12	765.0	70	90	E S E	1	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.02	762.5	...	...	E	5	...	,,	30.08	764.0	...	...	E N E	4	...
Macao,	,,	30.05	763.2	70	...	E S E	1	o	,,.	30.12	765.9	72	...	N E	1	o
Wuchow,	3 p.	30.07	763.8	78	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.05	763.2	71	90	E	3	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	70	...	S E	3	o	8 a.	30.08	764.1	68	...	E N E	1	c
Tourane,	,,	29.97	761.3	75	...	S E	2	f	,,	30.04	763.0	73	...	...	0	or
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	75	...	N N E	2	or
Aparri,	2 p.	30.02	762.5	...	...	S E	1	d	6 a.	30.01	762.3	...	...	E	1	d
Manila,	4 p.	29.88	759	84	64	...	1	o	10 a.	29.96	761	81	77	N W	1	o
Legaspi,	2 p.	29.89	759.2	84	...	E	1	c	6 a.	29.93	760.2	79	...	E	1	c
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	E S E	2	o
Iloilo,	,,	29.85	758.2	84	...	N E	1	c	,,	29.91	759.7	80	...	N E	1	c
Cebu,	,,	29.87	758.7	82	...	W	1	o	,,	29.92	759.9	80	...	N	1	c
Labuan,	,,	29.72	754.9	87	...	...	...	...	,,	29.86	758.4	82	...	...	...	...

On the 17th at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen quickly over S.W. Japan.

The depression which passed over the E. coast of China during the night, is now moving towards the coast of S.W. Japan.

Areas of high pressure are lying over S.E. Japan and over China to the North of the Upper Yangtze.

The monsoon is expected to freshen considerably in the Formosa Channel and along the coast of S. China during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. to N.E. winds, freshening; cloudy, misty.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 17th December, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th DECEMBER, 1908, P.M.								18th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	29.92	759.9	28	...	N E	3	s	7 a.	30.10	764.6	1	33	N	0	b
Nemuro,	,,	30.08	764.1	...	...	S	4	...	6 a.	29.30	744.1	...	...	S	8	...
Hakodate,	,,	30.05	763.2	...	...	...	0	...	,,	29.62	752.2	...	...	N W	10	...
Tokio,	,,	30.18	766.6	...	...	N W	2	...	,,	29.63	752.6	...	...	...	0	...
Kochi,	,,	29.95	760.8	...	...	S W	4	...	,,	29.95	760.8	...	...	N	4	...
Nagasaki,	,,	29.87	758.8	...	...	S W	8	...	,,	30.19	766.3	...	...	N W	6	...
Kagoshima,	,,	29.88	758.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N W	4	...
Oshima,	,,	30.00	762.1	...	...	S W	2	...	,,	30.16	766.1	...	...	N	8	...
Naha,	,,	30.09	764.2	...	...	S W	4	...	,,	30.17	766.2	...	...	N	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	N E	2	...
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...	,,	30.08	764.1	...	...	S	6	...
Chefoo,	3 p.	30.45	773.4	28	88	N	6	c	6 a.	30.49	774.4	22	100	S W	2	b
Weihaiwei,	,,	30.42	772.6	26	...	N N E	3	ovr	9 a.	30.47	773.9	24	...	W	2	o
Hankow,	,,	30.51	774.9	43	83	N W	2	o	6 a.	30.63	778.0	39	82	N	2	c
Kiukiang,	,,	30.36	771.1	45	100	N W	2	or	,,	30.54	775.7	42	83	N E	5	o
Shanghai,	,,	30.25	768.1	49	71	N N W	3	...	9 a.	30.54	775.7	37	71	N W	3	o
Tutzlaff,	,,	30.15	765.8	52	86	N N W	6	ov	,,	30.42	772.6	44	68	N N W	6	ov
Sharp Peak,	,,	30.01	762.2	69	100	...	0	b	,,	30.34	770.6	58	70	N N E	6	or
Amoy,	,,	30.04	763.0	67	95	S E	1	or	6 a.	30.15	765.8	62	89	N E	5	or
Swatow,	,,	30.00	762.0	67	100	E	1	or	,,	30.09	764.3	63	94	N E	5	or
Taiboku,	1 p.	30.06	763.6	...	...	...	0	...	5 a.	30.22	767.6	...	...	E	6	...
Taichu,	,,	30.04	763.1	...	...	N	4	...	,,	30.10	764.6	...	...	N	4	...
Tainan,	,,	30.06	763.5	...	...	N E	4	...	,,	30.08	764.1	...	...	N	4	...
Koshun	,,	30.06	763.5	...	...	E	4	...	,,	30.07	763.7	...	...	E	4	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hanton,	3 p.	30.03	762.7	78	74	...	0	o	9 a.	30.24	768.1	56	81	...	0	or
Hongkong,	4 p.	30.03	762.7	72	85	E	2	od	10 a.	30.16	766.0	65	84	N E	1	od
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N	2	...
Cap Rock,	,,	30.01	762.2	...	...	E N E	4	...	,,	30.10	764.5	...	...	N	6	...
Macao,	,,	30.03	762.7	71	...	E N E	1	o	,,	30.13	765.3	62	...	N N W	3	o
Wuchow,	3 p.	30.04	763.0	76	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.03	762.7	72	95	E N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.03	762.7	79	82	S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	75	...	S S E	3	o	8 a.	30.10	764.4	68	...	E N E	4	o
Tourane,	,,	29.97	761.3	73	...	N E	2	or	,,	30.04	762.9	73	...	...	0	or
Cape St. James,	,,	29.81	757.2	81	...	S E	2	c	,,	29.93	760.1	73	...	N N E	4	or
Aparri,	2 p.	29.98	761.4	...	...	E	1	d	6 a.	30.02	762.5	...	...	S	1	d
Manila,	4 p.	29.88	759	82	70	E N E	1	c	10 a.	30.00	762	82	70	E S E	2	b
Legaspi,	2 p.	29.89	759.2	84	...	E	1	b	6 a.	29.95	760.7	79	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	E N E	1	o
Iloilo,	,,	29.85	758.2	85	...	N E	1	b	,,	29.87	761.2	80	...	N E	1	c
Cebu,	,,	29.84	757.9	83	...	N	1	b	,,	29.93	760.2	80	...	N	1	c
Labuan,	,,	29.78	756.4	84	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 18th at 11.55 a.—The barometer has fallen very rapidly in E. Japan owing to the depression which is now moving towards the N.E. over Hokkaido.

An anticyclonic area of considerably intensity now lies over China to the North of the Yangtze and the barometer has risen quickly over N. China.

Pressure is relatively low over the N. part of the China Sea, and gradients are rather steep along the coasts of S. China.

N. and N.E. winds, strong to a gale, are expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, strong breeze to moderate gale;
2.—Formosa Channel,	N.E. gale. [rainy, colder.
3.—South coast of China between Hongkong and Lamocks,	N. to N.E. gale.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 18th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.10	764.6	12	...	N	0	b	7 a.	30.08	764.1	2	49	...	0	b
Nemuro, ...	,,	29.30	744.1	...	...	W	10	...	6 a.	29.53	750.1	...	...	S W	3	...
Hakodate, ...	,,	29.81	757.2	...	...	W	10	...	,,	29.93	760.2	...	...	W	8	...
Tokio, ...	,,	29.83	757.6	...	...	N W	8	...	,,	30.10	764.6	...	...	N W	4	...
Kochi, ...	,,	29.99	761.8	...	...	N	6	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki, ...	,,	30.15	765.8	...	...	N W	6	...	,,	30.27	768.3	...	...	...	0	...
Kagoshima, ...	,,	30.11	764.9	...	...	N	6	...	,,	30.23	767.9	...	...	N	4	...
Oshima, ...	,,	30.16	766.1	...	...	N	8	...	,,	30.24	768.1	...	...	N	6	...
Naha, ...	,,	30.17	766.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	4	...
Ishigakijima, ...	,,	30.13	765.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N E	6	...
Bonin Is.	,,	30.00	762.1	...	...	N W	6	...	,,	30.12	765.1	...	...	W	2	...
Chefoo, ...	3 p.	30.39	771.9	32	79	W N W	3	b	6 a.	30.37	771.4	31	90	S W	3	b
Weihaiwei, ...	,,	30.39	771.9	30	...	N N W	4	o	9 a.	30.40	772.1	32	...	W N W	2	ovr
Hankow, ...	,,	30.56	776.2	48	49	N	1	c	6 a.	30.45	773.4	40	65	N	1	b
Kiukiang, ...	,,	30.48	774.2	42	66	N E	2	o	,,	30.48	774.2	39	82	N N E	2	o
Shanghai, ...	,,	30.44	773.2	39	...	N W	2	o	9 a.	30.53	775.4	37	62	W	1	b
Gutzlaff, ...	,,	30.39	771.9	42	66	N N W	...	ov	,,	30.45	773.4	49	65	N N W	2	cv
Sharp Peak, ...	,,	30.29	769.3	57	75	N	5	or	,,	30.37	771.4	52	73	N	5	or
Amoy, ...	,,	30.15	765.8	60	88	N E	3	or	6 a.	30.18	766.6	59	88	N E	5	or
Swatow, ...	,,	30.12	765.0	58	100	...	2	or	,,	30.14	765.5	56	94	N E	5	or
Taihoku, ...	1 p.	30.24	768.2	...	...	E	6	...	5 a.	30.23	767.9	...	...	E	6	...
Taichu, ...	,,	30.08	764.0	...	...	N	6	...	,,	30.10	764.5	...	...	N	4	...
Tainan, ...	,,	30.06	763.6	...	...	N	6	...	,,	30.12	764.9	...	...	N	4	...
Koshun	,,	30.02	762.6	...	...	E	10	...	,,	30.04	762.9	...	...	E	10	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.20	767.1	55	87	N	2	or	9 a.	30.31	769.9	50	100	N	1	or
Hongkong, ...	4 p.	30.11	764.8	59	88	N E	2	od	10 a.	30.24	768.1	55	83	N	2	od
Victoria Peak, ...	,,	...	...	...	...	N	4	...	,,	...	...	...	...	N	6	...
Gap Rock, ...	,,	30.08	764.0	...	...	N N E	5	...	,,	30.18	766.6	...	...	N	6	...
Macao, ...	,,	30.13	765.3	61	...	N W	2	od	,,	30.25	768.3	56	...	N	3	od
Wuchow, ...	3 p.	30.29	769.3	52	...	N	2	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.07	763.8	65	63	N E	5	or	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.19	766.8	...	...	N	8	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.06	763.5	59	...	N N E	3	o	8 a.	30.20	767.0	54	...	N E	3	or
Tourane, ...	,,	29.95	760.8	73	...	N N E	2	or	,,	30.05	763.3	32	...	N W	1	or
Cape St. James, .	,,	29.85	758.1	81	...	E N E	4	c	,,	29.90	759.4	79	...	E N E	6	c
Aparri, ...	2 p.	29.96	761.1	...	...	E	1	d	6 a.	30.02	762.5	...	...	S E	1	o
Manila, ...	4 p.	29.88	759	84	64	E	1	o	10 a.	30.00	762	82	70	S	1	c
Legaspi, ...	2 p.	29.90	759.4	82	...	E	1	o	6 a.	29.93	760.3	75	...	N E	1	r
Bacolod, ...	3 p.	...	...	...	...	N E	3	op	9 a.	...	...	...	...	N E	3	o
Iloilo, ...	,,	29.85	758.2	83	...	N E	1	cr	,,	29.91	759.7	80	...	N E	1	o
Cebu, ...	,,	29.86	758.4	82	...	N	2	b	,,	29.93	760.2	82	...	N	1	b
Labuan, ...	,,	29.71	754.6	86	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 19th at 12.05 a.—The barometer has risen over Japan the depression having moved into the Pacific.

Pressure has increased over the S. coast of China and fallen in N. China. It is still high over the Yangtze Valley, and relatively low over the N. part of the China Sea.

Strong N. and N.E. winds to gales may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, strong; rainy at first, improving later.
2.—Formosa Channel, ...	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 19th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th DECEMBER, 1908, P.M.								20th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,.....	,,	29.57	751.1	...	...	N W	8	...	6 a.	29.89	759.1	...	...	N W	6	...
Hakodate,.....	,,	29.93	760.2	...	...	W	8	...	,,	30.13	765.2	...	...	W	6	...
Tokio, ...	,,	30.02	762.6	...	...	S W	2	...	,,	30.22	767.6	...	...	W	4	...
Kochi,.....	,,	30.15	765.8	...	...	S W	4	...	,,	30.27	768.8	...	...	S W	4	...
Nagasaki, ...	,,	30.31	769.8	...	...	N	6	...	,,	30.43	772.3	...	...	N	2	...
Kagoshima, ...	,,	30.27	768.9	...	...	N W	6	...	,,	30.39	771.9	...	...	N	4	...
Oshima,.....	,,	30.24	768.1	...	...	N	6	...	,,	30.32	770.1	...	...	E	4	...
Naha,.....	,,	30.24	768.2	...	...	N E	4	...	,,	30.28	769.2	...	...	N	4	...
Ishigakijima,....	,,	30.17	766.3	...	...	N E	6	...	,,	30.17	766.3	...	...	E	6	...
Bonin Is.....	,,	30.09	764.1	...	...	W	2	...	,,	30.16	766.1	...	...	W	2	...
Chefoo,.....	3 p.	30.42	772.6	37	71	N E	3	b	6 a.	30.47	773.9	27	88	S W	1	b
Weihaiwei,.....	,,	30.44	773.2	35	...	N	2	b	9 a.	30.53	775.4	32	...	W N W	1	b
Hankow, ...	,,	30.51	774.9	49	50	N E	1	b	6 a.	30.50	774.7	41	66	N E	2	b
Kiukiang,.....	,,	30.44	773.2	48	49	N	1	b	,,	30.51	774.9	41	74	N	2	c
Shanghai, ...	,,	30.44	773.2	42	42	N	1	b	9 a.	30.55	775.9	37	81	N N W	1	b
Gutzlaff, ...	,,	30.41	772.4	45	53	N N W	2	cv	,,	30.48	774.2	47	63	N	2	cv
Sharp Peak,.....	,,	30.31	769.9	58	76	N	4	or	,,	30.40	772.1	51	86	N	1	or
Amoy,.....	,,	30.17	766.3	59	88	N E	3	or	6 a.	30.24	768.1	60	88	N E	2	or
Swatow, ...	,,	30.14	765.5	56	100	N	2	or	,,	30.19	766.8	55	94	N	2	or
Naihoku,.....	1 p.	30.24	768.2	...	...	E	6	...	5 a.	30.23	767.7	...	...	E	6	...
Taichu, ...	,,	30.12	765.0	...	...	N	4	...	,,	30.12	764.9	...	...	N	4	...
Hainan,.....	,,	30.10	764.6	...	...	N	6	...	,,	30.12	764.9	...	...	N	6	...
Koshun.....	,,	30.09	764.2	...	...	N E	8	...	,,	30.08	763.9	...	...	E	10	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hinton,.....	3 p.	30.22	767.6	52	93	N	2	or	9 a.	30.28	769.1	50	94	N E	2	or
Hongkong, ...	4 p.	30.15	765.8	55	90	N	1	od	10 a.	30.29	769.3	56	95	...	0	od
Victoria Peak,...	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N E	4	...
Jap Rock,.....	,,	30.10	764.5	...	...	N N E	6	...	,,	30.23	767.8	...	...	N N E	5	...
Macao,.....	,,	30.15	765.8	57	...	N	1	od	,,	30.28	769.1	56	...	N	2	od
Wuchow,.....	3 p.	30.29	769.3	52	...	N	1	or	9 a.	...	...	...	...	...	...	...
Hoihow,.....	,,	30.14	765.5	49	93	N	3	or	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	30.24	768.1	51	93	W S W	5	cr	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.17	766.3	55	...	N N E	1	or	8 a.	30.28	769.2	54	...	E N E	3	o
Tourane, ...	,,	30.01	762.3	70	...	N	1	or	,,	30.17	766.3	70	...	...	0	o
Cape St. James,.	,,	29.85	758.3	79	...	E N E	5	c	,,	29.96	760.9	77	...	N N W	2	c
Aparri,.....	2 p.	29.97	761.3	...	...	E	1	o	6 a.	30.04	763.0	...	...	S	1	o
Manila, ...	4 p.	29.88	759	84	52	...	1	b	10 a.	30.00	762	82	63	..	0	b
Legaspi,.....	2 p.	29.89	759.3	82	...	N E	...	...	6 a.	29.93	760.2	77	...	N E	1	b
Bacolod,.....	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	E N E	3	o
Iloilo,.....	,,	29.83	757.7	84	...	N E	2	c	,,	29.91	759.7	80	...	N E	1	c
Cebu,.....	,,	29.84	757.9	83	...	N	2	...	,,	29.92	759.9	80	...	N	2	ow
Labuan, ...	,,	29.74	755.4	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 20th at 11.45 a.—The barometer has risen moderately in Japan, and a slight rise has taken place also over China.

The anticyclonic area is still central over China to the North of the Yangtze, and pressure is relatively low over the N.E. part of the China Sea.

N. and N.E. winds, strong to a gale, will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh; weather improving.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 20th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	2 p.	30.22	767.6	17	...	S E	1	o	7 a.	30.17	766.4	15	87	...	0	b
Nemuro,	,,	29.96	761.1	...	...	N W	6	...	6 a.	30.16	766.1	...	...	...	0	...
Hakodate,	,,	30.20	767.2	...	...	N W	8	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.26	768.6	...	...	N W	6	...	,,	30.42	772.6	...	...	N	2	...
Kochi,	,,	30.31	769.8	...	...	N E	2	...	,,	30.39	771.8	...	...	S W	2	...
Nagasaki,	,,	30.43	772.8	...	...	N	6	...	,,	30.39	771.8	...	...	N E	2	...
Kagoshima,	,,	30.35	770.9	...	...	N	2	...	,,	30.35	770.9	...	...	N E	6	...
Oshima,	,,	30.28	769.1	...	...	E	2	...	,,	30.28	769.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	N E	4	...	,,	30.21	767.2	...	...	N E	4	...
Ishigakijima,	,,	30.13	765.3	...	...	E	8	...	,,	30.13	765.3	...	...	E	2	...
Bonin Is.	,,	30.12	765.1	...	...	N	4	...	,,	30.24	768.1	...	...	N	2	...
Chefoo,	3 p.	30.39	771.9	43	92	S W	3	b	6 a.	30.31	769.9	32	100	...	0	b
Weihaiwei,	,,	30.45	773.4	42	...	W	2	b	9 a.	30.32	770.1	43	...	S W	2	b
Hankow,	,,	30.42	772.6	47	70	S E	3	o	6 a.	30.30	769.6	44	84	N	1	or
Kiukiang,	,,	30.41	772.4	46	61	N E	3	c	,,	30.24	768.1	...	...	E	1	or
Shanghai,	,,	30.42	772.6	48	63	N	1	c	9 a.	30.30	769.6	49	85	E S E	1	om
Gutzlaff,	,,	30.38	771.6	51	66	N N W	1	bv	,,	30.29	769.3	52	86	E S E	3	om
Sharp Peak,	,,	30.29	769.3	53	86	N	3	or	,,	30.24	768.1	57	87	N N W	1	o
Amoy	,,	30.25	768.3	60	88	N E	1	o	6 a.	30.16	766.0	60	88	N E	1	b
Swatow,	,,	30.15	765.8	59	94	E N E	1	o	,,	30.19	766.8	58	83	...	0	o
Taihoku	1 p.	30.23	767.9	...	...	E	6	...	5 a.	30.10	764.6	...	...	E	6	...
Taichu,	,,	30.12	765.1	...	...	N E	2	...	,,	30.09	764.3	...	...	N E	4	...
Tainan,	,,	30.12	765.0	...	...	N	6	...	,,	30.06	763.6	...	...	...	0	...
Koshun	,,	30.12	765.0	...	...	E	6	...	,,	30.04	763.0	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	...	...	57	87	N	2	o	9 a.	30.20	767.1	56	94	N	1	o
Hongkong,	4 p.	30.17	766.3	58	90	N	1	od	10 a.	30.19	766.8	62	83	E N E	2	o
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	30.14	765.5	...	...	E N E	4	...	,,	30.13	765.3	...	...	E N E	5	...
Macao,	,,	30.21	767.3	57	...	N	1	od	,,	30.18	766.6	58	...	N	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.14	765.5	62	96	N E	2	or	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.19	766.8	60	71	N	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.9	63	...	S E	0	o	8 a.	30.17	766.3	59	...	N N W	0	o
Tourane,	,,	30.07	763.7	73	...	N W	3	c	,,	30.11	764.7	70	...	N W	1	c
Cape St. James,	,,	29.83	757.8	79	...	E N E	6	c	,,	29.93	760.3	77	...	N E	3	c
Aparri,	2 p.	29.98	761.6	...	...	N E	1	b	6 a.	29.98	761.4	...	...	N E	1	d
Manila,	4 p.	29.88	759	79	76	N	1	o	10 a.	29.92	760	82	70	N W	1	c
Legaspi,	2 p.	29.88	758.8	81	...	E	1	c	6 a.	29.87	758.7	77	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	E N E	3	o
Iloilo,	,,	29.81	757.2	83	...	N	1	c	,,	29.87	758.7	81	...	N E	1	c
Cebu,	,,	29.83	757.7	82	...	N	1	b	,,	29.88	758.9	81	...	N	2	o
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.84	757.9	81	...	...	...	...

On the 21st at 11.30 a.—The barometer has risen over E. Japan, and fallen elsewhere particularly over N. China.

A depression, which is probably moving Eastwards, has developed over the Lower Yangtze, and the highest pressure is now shown over S. Japan.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 21st December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st DECEMBER, 1908, P.M.								22nd DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	W	4	...	6 a.	30.16	766.1	...	...	S W	2	...
Hakodate,	,,	30.20	767.2	...	...	W	4	...	,,	30.18	765.2	...	...	...	0	...
Tokio,	,,	30.38	771.6	...	...	N	2	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.31	769.8	...	...	S E	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.27	768.8	...	...	W	2	...	,,	30.03	762.8	...	...	S E	10	...
Kagoshima,	,,	30.27	768.9	...	...	S W	2	...	,,	30.12	764.9	...	...	N E	2	...
Oshima,	,,	30.20	767.1	...	...	S E	2	...	,,	30.08	764.1	...	...	S E	6	...
Naha,	,,	30.17	766.2	...	...	E	4	...	,,	30.05	763.2	...	...	S E	2	...
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	29.97	761.3	...	...	S E	2	...
Ponin Is.	,,	30.20	767.1	...	...	N E	2	...	,,	30.20	767.1	...	...	...	0	...
Chefoo,	3 p.	30.16	766.0	49	50	S	2	b	6 a.	29.97	761.2	...	...	N W	3	b
Weihaiwei,	,,	30.18	766.6	44	...	S W	1	ovr	9 a.	29.93	760.2	38	...	W	5	o
Hankow,	,,	30.21	767.3	47	86	W	1	o	6 a.	30.33	770.4	43	92	W	1	b
Kiukiang	,,	30.18	766.6	44	100	...	0	o	,,	30.27	768.8	43	...	N W	3	or
Shanghai,	,,	30.13	765.3	55	87	E S E	1	om	9 a.	30.15	765.8	45	68	N W	3	om
Gutzlaff,	,,	30.14	765.5	56	87	S E	3	ov	,,	30.06	763.5	46	77	N W	7	om
Sharp Peak,	,,	30.09	764.3	61	94	N	1	c	,,	30.03	762.7	64	100	...	0	o
Amoy	,,	30.05	763.2	66	89	N E	1	c	6 a.	30.01	762.2	63	94	...	0	o
Swatow,	,,	30.01	762.2	67	79	E S E	2	b	,,	29.96	761.0	62	94	...	0	b
Taihoku	1 p.	30.04	763.0	...	...	E	8	...	5 a.	29.98	761.6	...	...	S W	2	...
Taichu,	,,	30.03	762.7	...	...	...	0	...	,,	30.00	761.9	...	...	...	0	...
Tainan,	,,	30.03	762.7	...	...	N	4	...	,,	29.99	761.8	...	...	N	2	...
Koshun	,,	30.03	762.8	...	...	N	8	...	,,	29.96	761.0	...	...	N	2	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.07	763.8	66	73	...	0	o	9 a.	30.11	764.8	63	89	N	1	b
Hongkong,	4 p.	30.05	763.2	64	82	E	3	o	10 a.	30.09	764.3	67	82	W S W	1	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	30.04	763.0	...	...	E N E	5	...	,,	30.07	763.8	...	...	N E	3	...
Macao,	,,	30.05	76.32	63	...	N E	2	o	,,	30.11	764.8	66	...	N W	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.03	762.7	64	100	N N E	2	or	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.09	764.3	60	100	...	0	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.8	68	...	S S W	1	o	8 a.	30.12	765.1	63	...	N N E	3	o
Tourane,	,,	29.99	761.8	73	...	N N W	3	o	,,	30.04	763.1	72	...	...	0	c
Cape St. James,	,,	29.84	758.0	81	...	E N E	5	c	,,	29.90	759.4	75	...	N	2	o
Aparri,	2 p.	29.92	760.0	...	...	N E	1	o	6 a.	29.91	759.6	...	...	S E	1	o
Manila,	4 p.	29.84	758	82	70	...	0	o	10 a.	29.92	760	86	59	E	1	c
Legaspi,	2 p.	29.83	757.8	81	...	E	1	o	6 a.	29.85	758.2	79	...	E	1	b
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N E	2	c
Iloilo,	,,	29.79	756.6	83	...	N E	2	c	,,	29.85	758.2	81	...	N E	1	b
Cebu,	,,	29.82	757.4	81	...	N	2	or	,,	29.85	758.2	81	...	N	3	b
Labuan,	,,	29.71	754.6	84	...	...	...	...	,,	29.84	757.9	83	...	...	...	...

On the 22nd at 11.59 a.—The barometer has risen along the Yangtze, and fallen elsewhere particularly over the N.E. coast of China and W. Japan.

The depression has passed from the continent to the Yellow Sea, and the highest pressure is now shown over the Upper Yangtze.

The monsoon is expected to freshen in the Formosa Channel and along the northern shores of the China Sea during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, freshening considerably; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 22nd December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd DECEMBER, 1908, P.M.								23rd DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	..	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.00	762.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate, ...	,,	29.89	759.2	...	...	W	4	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	30.02	762.6	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	29.87	758.8	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	29.72	754.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	29.84	757.9	...	...	S W	8	...	,,	...	...	...	...	...	...	...
Osbima, ...	,,	29.89	759.1	...	...	S	6	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	29.89	759.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
Ishigakijima, ...	,,	29.93	760.3	...	...	S	4	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...	,,	...	...	...	...	...	...	...
Chefoo, ...	3 p.	30.11	764.8	33	90	N W	6	c	6 a.	30.27	768.8	32	100	W N W	3	b
Weihaiwei, ...	,,	30.09	764.3	30	...	N N W	4	ovr	9 a.	30.29	769.3	36	...	W N W	2	b
Hankow, ...	,,	30.46	773.7	52	47	N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.32	770.1	52	53	N W	5	b	,,	30.44	773.2	36	80	E	1	b
Shanghai, ...	,,	30.16	766.0	48	56	N W	4	c	9 a.	30.42	772.6	36	61	N N W	1	b
Gutzlaff, ...	,,	30.07	763.8	49	78	N W	8	cm	,,	30.34	770.6	42	66	N N W	4	bm
Sharp Peak, ...	,,	29.98	761.5	66	...	...	0	c	,,	30.30	769.6	58	70	E	6	o
Amoy	,,	29.96	761.0	67	89	E	1	b	6 a.	30.16	766.0	61	83	N E	3	o
Swatow, ...	,,	29.92	759.9	75	73	W N W	1	b	,,	30.03	762.7	57	81	N	1	c
Taiboku, ...	1 p.	30.00	761.9	...	...	N W	2	...	5 a.	30.23	767.8	...	...	E	6	...
Taichu, ...	,,	29.98	761.6	...	...	N	4	...	,,	30.06	768.4	...	...	W	6	...
Tainan, ...	,,	29.99	761.7	...	...	N	6	...	,,	30.02	762.5	...	...	N	6	...
Koshun	,,	29.94	760.5	...	...	N	4	...	,,	30.00	762.0	...	...	N E	10	...
Pescadores, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.08	764.0	67	74	N	2	c	9 a.	30.28	769.1	54	61	N	1	b
Hongkong, ...	4 p.	30.01	762.2	68	84	W	3	c	10 a.	30.21	767.3	60	63	N	1	o
Victoria Peak, ...	,,	...	...	...	...	N W	7	...	,,	...	...	...	...	N N W	2	...
Gap Rock, ...	,,	29.98	761.5	...	...	N	5	...	,,	30.18	766.6	...	...	N	5	...
Macao, ...	,,	30.03	762.7	66	...	N W	3	o	,,	30.22	767.6	59	...	N	2	o
Wuchow, ...	3 p.	30.18	766.6	62	...	N	1	o	9 a.	30.34	770.6	55	...	S W	1	bg
Hoihow, ...	,,	30.05	763.2	67	100	N	3	or	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.07	763.7	70	...	W N W	2	o	8 a.	30.23	767.9	59	...	N E	5	o
Tourane, ...	,,	29.99	761.8	72	...	N W	3	c	,,	30.12	765.1	70	...	N W	2	or
Cape St. James, .	,,	29.81	757.1	84	...	E S E	2	c	,,	29.89	759.1	77	...	...	0	o
Aparri, ...	2 p.	29.86	758.4	...	...	N E	1	b	6 a.	29.93	760.1	...	...	S	0	b
Manila, ...	4 p.	29.80	757	86	59	W S W	1	b	10 a.	29.92	760	82	70	W	1	c
Legaspi, ...	2 p.	29.82	757.3	84	...	E	1	o	6 a.	29.87	758.7	77	...	N E	1	o
Bacolod, ...	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	2	o
Iloilo, ...	,,	29.77	756.1	86	...	N E	1	b	,,	29.87	758.7	81	...	N	1	c
Cebu, ...	,,	29.77	756.1	84	...	N	2	b	,,	29.88	758.9	81	...	N	1	c
Labuan, ...	,,	29.73	755.1	86	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 23rd at 12.05 p.—The barometer has risen considerably over China and pressure is again high along the Yangtze valley.

The depression has probably reached E. Japan, but the Japanese returns for this morning are not yet to hand. Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh; fair.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	N. winds, strong.

F. G. FIGG,
Director.

Hong kong Observatory, Wednesday, 23rd December, 1908.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd DECEMBER, 1908, P.M.								24th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	29.88	758.9	21	...	N E	4	b	7 a.	29.97	761.2	11	85	...	0	c
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.42	747.2	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.55	750.6	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.91	759.8	...	...	N	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.11	764.8	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.07	763.9	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.08	764.1	...	...	N	8	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.13	765.2	...	...	N	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.85	758.1	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.24	768.1	40	82	W S W	2	b	6 a.	30.16	766.0	39	55	S	3	b
Weihaiwei,	,,	30.24	768.1	38	...	W	2	b	9 a.	30.18	766.6	35	...	W	0	ovc
Hankow,	,,	30.37	771.4	48	49	S E	1	b	6 a.	30.33	770.4	38	81	E	1	b
Kiukiang,	,,	30.35	770.9	45	53	N E	2	b	,,	30.36	771.1	31	90	...	0	b
Shanghai,	,,	30.35	770.9	41	57	N N W	1	c	9 a.	30.33	770.4	42	66	E S E	1	bin
Gutzlaff,	,,	30.31	769.9	46	69	N N W	2	om	,,	30.30	769.6	48	71	N E	1	by
Sharp Peak,	,,	30.24	768.1	57	81	E N E	5	c	,,	30.28	769.1	54	94	N	1	o
Amoy,	,,	30.19	766.8	60	82	N E	2	o	6 a.	...	...	57	87	N E	1	o
Swatow,	,,	30.11	764.8	57	81	N	1	o	,,	...	...	56	87	N N E	1	o
Taiboku,	1 p.	30.20	767.1	...	...	E	6	...	5 a.	30.17	766.3	...	...	E	6	...
Taichu,	,,	30.06	763.5	...	...	N	4	...	,,	30.13	765.4	...	...	...	0	...
Tainan,	,,	30.06	763.4	...	...	N	4	...	,,	30.12	765.0	...	...	S E	6	...
Koshun	,,	30.06	763.4	...	...	N E	8	...	,,	30.09	764.2	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.15	765.8	67	46	N	1	b	9 a.	30.26	768.6	56	87	N	1	b
Hongkong,	4 p.	30.14	765.5	61	62	N N E	1	o	10 a.	30.22	767.6	63	57	E	1	o
Victoria Peak,	,,	...	...	...	...	E N E	2	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	30.11	764.8	...	...	N E	4	...	,,	30.20	767.1	...	...	E	4	...
Macao,	,,	30.14	765.5	60	...	N	1	o	,,	30.22	767.6	61	...	N N E	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.16	765.8	64	73	N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.13	765.3	65	58	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.9	...	...	S S E	2	b	8 a.	30.21	767.2	59	...	E N E	4	o
Tourane,	,,	30.08	764.1	68	...	N N W	2	or	,,	30.13	765.2	68	...	N N W	1	o
Cape St. James,	,,	29.87	758.6	75	...	N E	1	or	,,	29.90	759.4	75	...	N E	2	c
Aparri,	2 p.	29.93	760.1	...	...	N E	1	r	6 a.	29.99	761.6	...	...	N E	1	d
Manila,	4 p.	29.84	758	84	71	N W	0	b	10 a.	29.96	761	82	63	N N E	1	o
Legaspi,	2 p.	29.83	757.8	...	...	E	1	...	6 a.	29.91	759.7	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	4	c
Iloilo,	,,	29.79	756.6	84	...	N E	2	c	,,	29.95	760.7	82	...	N E	3	b
Cebu,	,,	29.80	756.9	84	...	N	2	b	,,	29.90	759.4	84	...	N	1	b
Labuan,	,,	29.73	755.1	86	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 24th at 11.55 a.—The barometer has fallen moderately over N. China, and risen slightly over Formosa and the Philippines.

Another depression is probably approaching Manchuria from the Westward.

Pressure is highest over the Yangtze valley.

Yesterday afternoon the other depression was moving into the Pacific to the E. of Hokkaido. The Japanese returns for this morning are not yet to hand.

Moderate monsoon may be expected in the Formosa Channel, and fresh monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 24th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th DECEMBER, 1908, P.M.								25th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	...	0	...	6 a.	29.93	760.1	...	...	...	0	...
Hakodate,	,,	30.01	762.2	...	...	N W	6	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	30.10	764.6	...	...	...	0	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	S	2	...	,,	30.23	767.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	W	6	...	,,	30.27	768.3	...	...	E	2	...
Kagoshima,	,,	30.19	766.9	...	...	S W	2	...	,,	30.27	768.9	...	...	N	2	...
Oshima,	,,	30.16	766.1	...	...	N	4	...	,,	30.24	768.1	...	...	S	2	...
Naha	,,	30.20	767.2	...	...	...	0	...	,,	30.21	767.2	...	...	...	0	...
Ishigakijima,	,,	30.13	765.3	...	...	E	6	...	,,	30.09	764.3	...	...	S	6	...
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30.20	767.1	...	...	...	0	...
Chefoo,	3 p.	30.12	765.0	46	33	S W	2	b	6 a.	30.23	767.8	34	79	S W	1	b
Weihaiwei,	,,	30.11	764.8	45	...	W S W	2	b	9 a.	30.23	767.8	35	...	N W	1	b
Hankow,	,,	30.31	769.9	52	53	S E	1	b	6 a.	30.30	769.6	39	91	S E	1	b
Kiukiang,	,,	30.27	768.8	52	53	S W	1	b	,,	30.29	769.3	35	90	...	0	c
Shanghai,	,,	30.24	768.1	51	46	S S W	1	b	9 a.	30.28	769.1	41	83	N N W	1	om
Gutzlaff,	,,	30.22	767.6	51	72	...	0	bv	,,	30.23	767.8	48	85	N N W	1	om
Sharp Peak,	,,	30.18	766.6	57	90	N	1	c	,,	30.20	767.1	58	100	...	0	o
Amoy	,,	30.13	765.3	63	77	N E	1	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.09	764.3	65	68	E	2	b	,,	30.05	763.2	56	94	N	1	o
Taihoku	1 p.	30.13	765.2	...	...	E	8	...	5 a.	30.14	765.5	...	...	...	0	...
Taichu,	,,	30.11	764.8	...	...	...	0	...	,,	30.14	765.5	...	...	...	0	...
Tainan,	,,	30.11	764.9	...	...	N	4	...	,,	30.11	764.7	...	...	N	6	...
Koshun	,,	30.09	764.4	...	...	N E	4	...	,,	30.07	763.8	...	...	N E	2	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.15	765.8	65	89	N	1	c	9 a.	...	...	62	89	N	1	c
Hongkong,	4 p.	30.12	765.0	67	61	S S E	1	b	10 a.	30.16	766.0	65	73	E	1	o
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	30.11	764.8	...	...	N E	3	...	,,	30.13	765.3	...	...	E N E	4	...
Macao,	,,	30.14	765.5	64	...	N E	1	c	,,	30.15	765.8	64	...	N N E	1	o
Wuchow,	3 p.	30.21	767.3	69	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.12	765.0	65	84	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	66	89	N N E	0	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.12	765.0	68	...	S S W	1	c	8 a.	...	...	...	...	...	...	...
Tourane,	,,	30.06	763.5	70	...	N W	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.6	81	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.95	760.8	...	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	86	53	E	2	b	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.89	759.1	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.81	757.2	87	...	N E	1	o	,,	29.95	760.7	82	...	N E	2	b
Cebu,	,,	29.83	757.7	85	...	N	2	b	,,	29.99	759.4	81	...	N	1	o
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.80	756.9	85	...	...	...	...

On the 25th at 12.05 p.—The barometer has risen on the N.E. coast of China, and fallen over S. China.

The depression is probably moving into the N.E. part of the Sea of Japan. Pressure is highest over the Yangtze valley.

Moderate monsoon may be expected in the Formosa Channel, and fresh monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Friday, 25th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th DECEMBER, 1908, P.M.								26th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.85	758.1	...	...	S W	2	...	6 a.	30.12	765.1	...	...	N	2	...
Hakodate, ...	,,	30.01	762.2	...	...	N W	6	...	,,	30.25	768.2	...	...	N W	2	...
Tokio, ...	,,	30.10	764.6	...	...	S	4	...	,,	30.22	767.6	...	...	N E	2	...
Kochi, ...	,,	30.15	765.8	...	...	S W	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki, ...	,,	30.19	766.8	...	...	N W	2	...	,,	30.15	765.8	...	...	E	2	...
Kagoshima, ...	,,	30.15	765.9	...	...	S E	2	...	,,	30.15	765.9	...	...	N E	2	...
Oshima, ...	,,	30.16	766.1	...	...	E	4	...	,,	30.04	763.1	...	...	S	4	...
Naha, ...	,,	30.13	765.2	...	...	E	4	...	,,	30.01	762.2	...	...	S E	2	...
Ishigakijima, ...	,,	30.01	762.3	...	...	S E	8	...	,,	29.93	760.3	...	...	S	6	...
Bonin Is.	,,	30.16	766.1	...	...	W	2	...	,,	30.20	767.1	...	...	...	0	...
Chefoo, ...	3 p.	30.16	766.0	42	34	N	2	c	6 a.	30.18	766.6	32	79	...	0	b
Weihaiwei, ...	,,	30.18	766.6	42	...	N	1	b	9 a.	30.25	768.3	38	...	N W	1	b
Hankow, ...	,,	30.22	767.6	52	60	N E	1	b	6 a.	30.17	766.3	45	86	N N E	1	c
Kiukiang, ...	,,	30.24	768.1	53	54	N E	2	b	,,	30.13	765.3	44	92	...	0	b
Shanghai, ...	,,	30.16	766.0	48	63	S E	0	o	9 a.	30.16	766.0	47	85	N W	1	cu
Gutzlaff, ...	,,	30.13	765.3	50	79	...	0	om	,,	30.10	764.5	51	93	N	1	cu
Sharp Peak, ...	,,	30.09	764.3	63	94	E	1	b	,,	30.13	765.3	61	100	...	0	b
Amoy	,,	30.04	763.0	63	83	N E	1	b	6 a.	...	...	...	...	...	...	...
Swatow, ...	,,	30.00	762.0	61	77	E	0	c	,,	29.99	761.7	56	94	N E	1	c
Taihoku	1 p.	30.07	763.8	...	...	N W	4	...	5 a.	30.07	763.8	...	...	S W	4	...
Taichu, ...	,,	30.06	763.6	...	...	W	6	...	,,	30.06	763.4	...	...	W	4	...
Tainan, ...	,,	30.04	762.9	...	...	N	6	...	,,	30.01	762.3	...	...	E	6	...
Koshun	,,	30.01	762.2	...	...	N W	4	...	,,	29.96	760.9	...	...	N	2	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.06	763.5	68	85	N	1	c	9 a.	30.10	764.5	63	94	...	0	c
Hongkong, ...	4 p.	30.03	762.7	66	75	E	1	b	10 a.	30.09	764.3	65	78	E	3	o
Victoria Peak, ...	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E S E	2	...
Gap Rock, ...	,,	30.03	762.7	...	...	E	3	...	,,	30.06	763.5	...	...	E	4	...
Macao, ...	,,	30.04	763.0	66	...	E	1	c	,,	30.10	764.5	65	...	...	0	o
Wuchow, ...	3 p.	30.10	764.5	65	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.02	762.5	70	...	S S E	2	o	8 a.	30.02	762.6	64	...	E	2	or
Tourane, ...	,,	30.00	761.9	73	...	W N W	2	o	,,	30.02	762.6	73	...	...	0	o
Cape St. James, .	,,	29.83	757.8	79	...	N E	4	o	,,	29.89	759.2	75	...	N E	2	o
Aparri, ...	2 p.	29.90	759.4	...	...	N E	1	b	6 a.	29.93	760.3	...	...	S E	1	b
Manila, ...	4 p.	29.84	758	86	65	E S E	1	o	10 a.	29.96	761	81	76	...	0	o
Legaspi, ...	2 p.	29.85	758.2	84	...	E	1	b	6 a.	...	...	77	...	...	0	o
Bacolod, ...	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	E N E	2	c
Iloilo, ...	,,	29.83	757.7	85	...	N E	2	c	,,	29.93	760.2	82	...	E N E	2	b
Cebu, ...	,,	29.83	757.7	84	...	N	1	b	,,	29.89	759.2	84	...	N	2	b
Labuan, ...	,,	29.71	754.6	89	...	...	...	...	,,	29.83	757.7	85	...	...	...	...

On the 26th at 11.45 a.—The barometer has risen in E. Japan, and fallen over S. China. S.W. Japan and the Loochoos.

A depression has developed over the Eastern Sea to the W. of the Loochoos. It will probably move towards the N.E.

Pressure is highest over the Sea of Japan.

Moderate N. winds may be expected in the Formosa Channel, and moderate or light monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. to N. winds, light or moderate; fine.
2.—Formosa Channel, ...	N. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 26th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th DECEMBER, 1908, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th DECEMBER, 1908, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	N	2	...	6 a.	30.24	768.1	...	...	S	4	...
Hakodate,	,,	30.17	766.2	...	...	N	4	...	,,	30.25	768.2	...	...	N	4	...
Tokio,	,,	30.18	766.6	...	...	N W	2	...	,,	30.02	762.6	...	...	N	6	...
Kochi,	,,	30.11	764.8	...	...	W	2	...	,,	29.88	758 8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	2	...	,,	29.95	760.3	...	...	N	4	...
Kagoshima,	,,	30.04	762.9	...	...	N	6	...	,,	29.88	758.9	...	...	N	4	...
Oshima,	,,	29.96	761.1	...	...	S	6	...	,,	29.89	759.1	...	...	N W	6	...
Naha,	,,	29.97	761.2	...	...	S E	4	...	,,	30.01	762.2	...	...	W	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	N	4	...
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...	,,	30.01	762.1	...	...	S E	2	...
Chefoo,	3 p.	30.14	765.5	42	75	N W	2	b	6 a.	30.40	772.1	38	63	N	4	b
Weihaiwei,	,,	30.21	767.3	43	...	N W	2	b	9 a.	30.42	772.6	38	...	N E	1	b
Hankow,	,,	30.16	766.0	51	52	N	2	o	6 a.	30.35	770.9	46	69	N W	3	o
Kiukiang,	,,	30.19	766.8	50	86	N E	2	o	,,	30.33	770.4	45	84	N E	2	o
Shanghai,	,,	30.14	765.5	51	53	N N W	2	b	9 a.	30.34	770.6	47	77	N	1	...
Gutzlaff,	,,	30.09	764.3	53	73	N N W	2	bm	,,	30.27	768.8	53	54	N N E	3	cm
Sharp Peak,	,,	30.03	762.7	64	100	...	0	b	,,	30.24	768.1	61	94	E	3	b
Amoy,	,,	29.99	761.7	65	78	S E	1	b	6 a.	30.11	764.8	66	64	N E	1	b
Swatow,	,,	29.99	761.7	66	79	E	2	c	,,	29.98	761.7	57	82	N E	1	b
Taihoku,	1 p.	30.05	763.3	...	...	W	2	...	5 a.	30.16	766.0	...	...	S E	0	...
Taichu,	,,	30.00	761.9	...	...	N	4	...	,,	30.09	764.2	...	...	...	0	...
Tainan,	,,	29.98	761.6	...	...	N	6	...	,,	30.06	763.4	...	...	N	6	...
Kosbun,	,,	29.96	760.9	...	...	N	4	...	,,	30.04	763.0	...	...	N E	6	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.02	762.5	73	90	...	0	c	9 a.	30.13	765.3	65	94	S E	1	b
Hongkong,	4 p.	30.02	762.5	63	89	E	3	b	10 a.	30.15	765.8	68	63	E	3	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.99	761.7	...	...	E	4	...	,,	30.12	765.0	...	...	N E	3	...
Macao,	,,	30.03	762.7	67	...	S E	1	c	,,	30.14	765.5	70	...	N E	1	b
Wuchow,	3 p.	30.02	762.5	71	...	N E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.96	761.0	74	81	E S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	760.9	68	...	S S E	2	o	8 a.	30.06	763.5	66	...	E N E	3	dh
Tourane,	,,	29.96	760.9	75	...	...	0	o	,,	30.04	762.9	73	...	S E	1	c
Cape St. James,	,,	29.81	757.1	79	...	E N E	6	f	,,	29.86	758.4	79	...	N E	5	f
Aparri,	2 p.	29.90	759.4	...	...	N E	1	b	6 a.	29.97	761.1	...	...	...	0	b
Manila,	4 p.	29.88	759	82	77	N N W	1	o	10 a.	29.92	760	84	64	E	0	b
Legaspi,	2 p.	29.86	758.4	86	...	E	1	b	6 a.	29.89	759.2	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	E N E	2	o
Iloilo,	,,	29.81	757.2	86	...	N E	1	b	,,	29.87	758.7	81	...	N E	3	c
Cebu,	,,	29.82	757.4	86	...	N	2	b	,,	29.89	759.2	81	...	N	1	c
Labuan,	,,	29.70	754.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 27th at 11.55 a.—The barometer has fallen considerably over S. Japan and the Bonins owing to the depression which is moving towards E.N.E. to the S.E. of Kiusiu.

The barometer has risen over China particularly in the North where pressure is now high.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 27th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th DECEMBER, 1908, P.M.								28th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	30.09	764.2	23	76	...	0	o
muro, ...	,,	30.16	766.1	...	...	N	2	...	6 a.	30.16	766.1	...	...	N W	6	...
kodate, ...	,,	30.17	766.2	...	...	N	6	...	,,	30.21	767.2	...	...	N	2	...
kio, ...	,,	29.94	760.6	...	...	N W	6	...	,,	30.18	766.6	...	...	N	2	...
chi, ...	,,	29.87	758.8	...	...	N	8	...	,,	30.19	766.8	...	...	E	2	...
gasaki, ...	,,	30.03	762.8	...	...	N	8	...	,,	30.19	766.8	...	...	N E	6	...
goshima, ...	,,	29.96	760.9	...	...	N W	8	...	,,	30.15	765.9	...	...	N E	6	...
ima, ...	,,	29.96	761.1	...	...	N	8	...	,,	30.08	764.1	...	...	N	4	...
ha, ...	,,	30.01	762.2	...	...	N W	4	...	,,	30.13	765.2	...	...	...	0	...
igakijima, ...	,,	30.09	764.3	...	...	N	6	...	,,	30.17	766.3	...	...	N E	2	...
min Is.....	,,	29.85	758.1	...	...	S W	6	...	,,	29.89	759.1	...	...	N	4	...
efoo, ...	3 p.	30.43	772.9	41	49	N W	2	b	6 a.	30.23	767.8	35	80	S W	1	b
ihaiwei, ...	,,	30.41	772.4	39	...	N W	1	b	9 a.	30.21	767.3	37	...	N W	...	o
nkow, ...	,,	30.37	771.4	47	63	N E	1	o	6 a.	30.47	773.9	35	91	N W	2	o
nkiang.....	,,	30.31	769.9	48	78	N E	3	o	,,	30.31	769.9	43	92	W	2	o
nghai, ...	,,	30.31	769.9	50	51	N N E	2	c	9 a.	30.26	768.6	43	92	N N W	1	om
tzlaff, ...	,,	30.25	768.3	52	60	N	3	cm	,,	30.22	767.3	49	78	N N W	1	ov
rp Peak, ...	,,	30.19	766.8	60	82	E	4	o	,,	30.24	768.1	57	100	...	0	c
oy.....	,,	30.09	764.3	65	78	N W	2	b	6 a.	30.14	765.5	59	82	N E	1	b
atow, ...	,,	30.03	762.7	66	79	N E	2	c	,,	30.16	766.0	55	87	N	2	b
hoku, ...	1 p.	30.17	766.3	...	...	E	6	...	5 a.	30.18	766.5	...	...	E	4	...
chu, ...	,,	30.05	763.3	...	...	N	6	...	,,	30.13	765.3	...	...	...	0	...
man, ...	,,	30.06	763.5	...	...	N	6	...	,,	30.11	764.7	...	...	N	2	...
hun.....	,,	30.05	763.2	...	...	N E	8	...	,,	30.10	764.5	...	...	N E	8	...
cadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ton, ...	3 p.	30.02	762.5	73	90	...	0	c	9 a.	30.22	767.6	63	100	...	0	o
ngkong, ...	4 p.	30.08	764.0	65	72	E	3	b	10 a.	30.21	767.3	64	73	E	3	b
toria Peak, ...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
p Rock, ...	,,	30.05	763.2	...	...	E	5	...	,,	30.16	766.0	...	...	E N E	6	...
cao, ...	,,	30.07	763.8	66	...	S E	1	c	,,	30.20	767.1	68	...	E	2	b
nchow, ...	3 p.	30.07	763.8	74	63	N E	1	c	9 a.	...	...	...	...	...	...	...
ihow, ...	,,	30.03	762.7	76	73	E	2	b	,,	...	...	...	...	...	...	...
khoi, ...	,,	30.01	762.2	75	72	...	2	c	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	30.00	762.0	72	...	E S E	4	o	8 a.	30.13	765.4	66	...	E N E	3	c
rrane, ...	,,	29.99	761.8	75	...	E S E	2	c	,,	30.08	764.1	73	...	...	0	c
pe St. James,	,,	29.78	756.5	79	...	N E	6	f	,,	29.89	759.2	79	...	N N E	5	c
arri, ...	2 p.	29.93	760.3	...	...	N E	1	o	6 a.	30.01	762.2	...	...	N E	1	d
nila, ...	4 p.	29.84	758	86	59	E S E	2	b	10 a.	29.92	760	82	70	...	0	c
gaspi, ...	2 p.	29.86	758.4	86	...	E	1	b	6 a.	29.90	759.5	77	...	N E	1	o
colod, ...	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N E	3	o
ilo, ...	,,	29.83	757.7	84	...	N N E	2	b	,,	29.87	758.7	80	...	N N E	3	b
bu, ...	,,	29.82	757.4	85	...	N	1	b	,,	29.87	758.7	84	...	N	2	b
buan, ...	,,	29.69	754.1	86	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 28th at 11.55 a.—The depression is moving away over the Pacific to the E.N.E. of the Bonins, and the barometer has risen considerably in S. Japan.

Pressure has increased slightly in S. China and given way moderately in N. China. Another depression is probably advancing towards Manchuria from the Westward. Pressure is highest over the Yangtze Valley.

Fresh to moderate monsoon may be expected in the Formosa Channel and strong monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh to moderate; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 28th December, 1908.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th DECEMBER, 1908, P.M.								29th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.08	764.1	...	...	S	2	...	6 a.	29.97	761.1	...	...	S	4	...
Hakodate, ...	,,	30.13	765.2	...	...	W	4	...	,,	29.89	759.2	...	...	N	2	...
Tokio, ...	,,	30.18	766.6	...	...	E	2	...	,,	30.02	762.6	...	...	N	2	...
Kochi, ...	,,	30.15	765.8	...	...	...	0	...	,,	29.84	757.8	...	...	...	0	...
Nagasaki, ...	,,	30.07	763.8	...	...	E	6	...	,,	29.91	759.3	...	...	N W	8	...
Kagoshima, ...	,,	30.07	763.9	...	...	E	2	...	,,	29.88	758.9	...	...	N	4	...
Oshima, ...	,,	30.04	763.1	...	...	...	0	...	,,	30.01	762.1	...	...	N	4	...
Naha,.....	,,	30.01	762.2	...	...	N	4	...	,,	30.09	764.2	...	...	W	4	...
Ishigakijima,....	,,	30.05	763.3	...	...	N E	4	...	,,	30.09	764.3	...	...	...	0	...
Bonin Is.....	,,	29.96	761.1	...	...	N	4	...	,,	30.04	763.1	...	...	S W	6	...
Chefoo,.....	3 p.	30.07	763.8	41	49	W N W	1	o	6 a.	30.05	763.2	37	62	W N W	4	b
Weihaiwei,.....	,,	30.06	762.5	39	...	N W	1	o	9 a.	30.13	765.3	32	...	N E	1	b
Hankow, ...	,,	30.43	772.9	48	56	N W	2	b	6 a.	30.45	773.4	38	81	N W	1	b
Kiukiang,.....	,,	30.29	769.3	44	75	N W	4	o	,,	30.42	772.6	34	90	W	1	b
Shanghai, ...	,,	...	...	...	...	...	...	...	9 a.	30.30	769.6	41	83	W	1	b
Gutzlaff, ...	,,	30.12	765.0	47	85	N N W	2	ov	,,	30.25	768.3	43	75	N W	4	bm
Sharp Peak	,,	30.10	764.5	61	94	E N E	1	b	,,	30.28	769.1	57	94	N	1	c
Amoy.....	,,	30.06	763.5	64	78	S E	1	b	6 a.	30.16	766.0	60	89	N E	1	o
Swatow,.....	,,	30.05	763.2	65	68	E	1	b	,,	30.15	765.8	55	68	N	3	b
Taihoku.....	1 p.	30.04	763.1	...	...	E	4	...	5 a.	30.17	766.2	...	...	W	6	...
Taichu, ...	,,	30.03	762.8	...	...	N	2	...	,,	30.13	765.4	...	...	...	0	...
Tainan,.....	,,	30.04	763.0	...	...	W	4	...	,,	30.11	764.7	...	...	N	6	...
Koshun.....	,,	30.05	763.2	...	...	E	6	...	,,	30.18	764.0	...	...	N E	0	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,.....	3 p.	30.13	765.3	68	...	N	1	b	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	30.10	764.5	69	63	W	1	b	10 a.	30.23	767.8	61	49	E S E	1	b
Victoria Peak,...	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	N E	3	...
Gap Rock,.....	,,	30.07	763.8	...	...	E	4	...	,,	30.21	767.3	...	...	N N E	4	...
Macao,.....	,,	30.10	764.5	70	...	N E	1	c	,,	30.24	768.1	63	...	N	2	c
Wuchow,.....	3 p.	30.22	767.6	59	...	N	2	o	9 a.	...	...	...	...	...	...	...
Hoihow,.....	,,	30.09	764.3	69	85	N E	4	c	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	30.15	765.8	67	74	N	4	c	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.08	764.0	68	...	N E	6	o	8 a.	30.27	768.8	63	...	N E	2	c
Tourane, ...	,,	30.01	762.3	75	...	N N E	2	o	,,	30.13	765.4	73	..	S E	1	o
Cape St. James,.	,,	29.80	757.0	79	...	E N E	7	f	,,	29.93	760.3	79	...	N E	2	f
Aparri,.....	2 p.	29.95	760.8	...	...	N E	1	o	6 a.	30.01	762.3	...	...	S	1	c
Manila, ...	4 p.	29.64	758	82	57	E	2	o	10 a.	29.96	761	82	63	W N W	1	b
Legaspi,.....	2 p.	29.84	757.9	84	...	E	1	c	6 a.	29.91	759.7	77	...	N E	1	b
Bacolod,.....	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N N E	3	cp
Iloilo, ...	,,	29.79	756.6	84	...	N E	1	c	,,	29.89	759.2	80	...	N E	1	c
Cebu,.....	,,	29.81	757.2	83	...	N	4	or	,,	29.89	759.2	81	...	N	1	c
Labuan, ...	,,	29.67	753.6	86	...	...	...	...	,,	29.77	756.1	85	...	...	...	...

On the 29th at 11.55 a.—The barometer has fallen considerably in Japan, and risen slightly over China.
The depression lying over Manchuria yesterday, is crossing the Sea of Japan.
An area of high pressure is situated over the continent to the North of the Upper Yangtze.
The monsoon will freshen in the Formosa Channel, and continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate to fresh; fine.
2.—Formosa Channel, ...	N. and N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 29th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th DECEMBER, 1908, P.M.								30th DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,...	2 p.	29.75	755.6	15	...	N E	6	o	7 a.	29.88	759.0	3	73	N E	0	b
muro, ...	,,	29.77	756.1	...	...	E	4	...	6 a.	29.80	744.1	...	...	N W	4	...
kodate, ...	,,	29.65	753.2	...	...	S	2	...	,,	29.65	753.2	...	...	N W	8	...
kio, ...	,,	29.59	751.6	...	...	N W	4	...	,,	29.75	755.6	...	...	N	2	...
chi, ...	,,	29.76	755.8	...	...	N	6	...	,,	29.99	761.8	...	...	S W	2	...
gasaki, ...	,,	29.99	761.8	...	...	N W	S	...	,,	30.11	764.3	...	...	N	6	...
goshima, ...	,,	29.96	760.9	...	...	N W	S	...	,,	30.12	764.9	...	...	...	0	...
hima, ...	,,	30.00	762.1	...	...	N	6	...	,,	30.16	766.1	...	...	N	6	...
ha, ...	,,	30.09	764.2	...	...	N W	6	...	,,	30.21	767.2	...	...	N E	4	...
higakijima, ...	,,	30.09	764.3	...	...	N	4	...	,,	30.21	767.3	...	...	N	2	...
min Is.....	,,	29.85	758.1	...	...	S E	6	...	,,	29.93	760.1	...	...	W	4	...
efoo, ...	3 p.	30.10	764.5	37	53	N	1	b	6 a.	30.12	765.0	33	69	N W	4	c
ihaiwei, ...	,,	30.10	764.5	38	...	N W	1	b	9 a.	30.35	770.9	24	...	N W	2	o
nkow, ...	,,	30.36	771.1	56	63	S W	1	b	6 a.	30.33	770.4	38	91	N E	1	b
kiang,.....	,,	30.29	769.3	53	48	...	0	b	,,	30.31	769.9	33	100	...	0	b
nghai, ...	,,	30.23	767.8	50	45	N W	1	b	9 a.	30.29	769.3	42	83	S S W	2	b
tzlaff, ...	,,	30.20	767.1	52	53	W N W	2	bm	,,	30.27	768.8	52	60	S W	2	c
rp Peak	,,	30.21	767.3	60	88	E N E	3	b	,,	30.32	770.1	57	94	W	1	b
moy, ...	,,	30.12	765.0	63	72	S W	1	b	6 a.	30.26	767.1	60	71	N E	1	b
atow, ...	,,	30.10	764.5	66	49	N	2	b	,,	30.17	766.3	51	86	N	2	b
iboku.....	1 p.	30.18	766.6	...	...	W	2	...	5 a.	30.22	767.5	...	...	E	4	...
ichu, ...	,,	30.09	764.4	...	...	N	8	...	,,	30.16	766.0	...	...	...	0	...
inan,.....	,,	...	...	...	...	...	...	...	,,	30.13	765.4	...	...	N	6	...
shun.....	,,	30.06	763.6	...	...	N E	4	...	,,	...	...	...	...	...	...	...
cadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nton,.....	3 p.	30.14	765.5	68	...	N	2	b	9 a.	30.29	769.3	52	93	...	0	b
ngkong, ...	4 p.	30.13	765.3	65	50	E	1	b	10 a.	30.24	768.1	62	65	E	3	b
ctoria Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
ap Rock,.....	,,	30.12	765.0	...	...	N N E	3	...	,,	30.20	767.1	...	...	E N E	5	...
acao, ...	,,	30.09	764.3	66	...	N	2	b	,,	30.23	767.8	64	...	N N E	1	b
uchow,.....	3 p.	30.21	767.3	65	...	W	1	b	9 a.	30.30	769.6	55	...	E	1	b
oihow, ...	,,	30.17	766.3	65	84	E N E	4	c	,,	...	...	...	...	...	...	...
akhoi,.....	,,	30.18	766.6	66	64	N	4	b	,,	...	...	...	...	...	...	...
hulien,.....	4 p.	30.14	765.6	64	...	N W	2	c	8 a.	30.22	767.6	59	...	E N E	2	c
ourane, ...	,,	30.07	763.8	73	...	E N E	3	o	,,	30.17	766.4	72	...	...	0	c
ape St. James,.	,,	29.83	757.8	79	...	E N E	6	f	,,	29.96	761.0	75	...	N	2	c
parri, ...	2 p.	29.97	761.3	...	...	...	...	o	6 a.	30.02	762.5	...	...	E	1	o
anila, ...	4 p.	29.88	759	82	57	S E	1	b	10 a.	29.96	761	79	84	...	0	c
egaspi, ...	2 p.	29.86	758.4	82	...	E	1	c	6 a.	29.91	759.6	68	...	N E	1	b
acolod, ...	3 p.	...	...	...	...	N N E	3	op	9 a.	...	...	...	...	N N E	3	o
oilo, ...	,,	29.81	757.2	81	...	N N E	2	r	,,	29.87	758.7	79	...	N E	3	c
ebu, ...	,,	29.81	757.2	86	...	N	2	c	,,	29.83	758.9	81	...	N	3	c
abuan, ...	,,	29.71	754.6	85	...	...	...	...	,,	29.78	756.4	83	...	...	...	...

On the 30th at 11.55 a.—The barometer has fallen rapidly in N.E. Japan owing to the depression which is now moving into the Pacific to the E. of Hokkaido.

Pressure has increased over S. Japan and the Loochoos, and fallen in Central China. It is highest over the Yangtze Valley.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	N. E. winds, fresh; fine.
—Formosa Channel, ...	Same as No. 1.
—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
—South coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 30th December, 1908.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th DECEMBER, 1908, P.M.								31st DECEMBER, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.93	760.3	16	...	N	2	c	7 a.	30.03	762.7	8	57	...	0	b
Nemuro, ...	,,	29.45	748.1	...	...	N W	8	...	6 a.	29.57	751.1	...	...	N	10	...
Hakodate, ...	,,	29.61	752.2	...	...	W	8	...	,,	29.81	757.2	...	...	N W	6	...
Tokio, ...	,,	29.71	754.6	...	...	S	4	...	,,	29.99	761.6	...	...	N	4	...
Kochi, ...	,,	29.99	761.8	...	...	W	6	...	,,	30.15	765.8	...	...	...	0	...
Nagasaki, ...	,,	30.15	765.8	...	...	N W	8	...	,,	30.27	768.8	...	...	W	8	...
Kagoshima, ...	,,	30.15	765.9	...	...	N	6	...	,,	30.27	768.9	...	...	...	0	...
Oshima, ...	,,	30.20	767.1	...	...	N	6	...	,,	30.28	769.1	...	...	S E	2	...
Naha, ...	,,	30.24	768.2	...	...	N	2	...	,,	30.28	769.2	...	...	N E	2	...
Ishigakijima, ...	,,	30.21	767.3	...	...	N E	6	...	,,	30.25	768.3	...	...	N E	2	...
Bonin Is.	,,	30.00	762.1	...	...	N W	4	...	,,	30.12	765.1	...	...	N W	4	...
Chefoo, ...	3 p.	30.42	772.6	24	100	N N W	5	c	6 a.	30.49	774.4	25	100	S W	1	c
Weihaiwei, ...	,,	30.41	772.4	20	...	N W	2	s	9 a.	30.50	774.7	24	...	N W	2	o
Hankow, ...	,,	30.31	769.9	57	58	N E	1	b	6 a.	...	...	38	72	...	3	c
Kiukiang, ...	,,	30.22	767.6	56	57	...	0	b	,,	30.48	774.2	44	92	N E	5	o
Shanghai, ...	,,	30.24	768.1	56	35	W S W	1	b	9 a.	30.52	775.2	41	74	N	2	o
Gutzlaff, ...	,,	30.24	768.1	55	56	W S W	1	bm	,,	30.42	772.6	46	84	N	5	om
Sharp Peak, ...	,,	30.21	767.3	60	94	N E	1	b	,,	30.31	769.9	60	89	W	1	b
Amoy, ...	,,	30.12	765.0	64	68	N E	1	b	6 a.	30.20	767.1	60	71	N E	1	o
Swatow, ...	,,	30.09	764.3	63	57	E	2	b	,,	30.17	766.3	57	81	...	0	b
Taihoku, ...	1 p.	30.18	766.5	...	...	E	8	...	5 a.	30.20	767.0	...	...	E	4	...
Taichu, ...	,,	30.07	763.9	...	...	N	4	...	,,	30.17	766.3	...	...	...	0	...
Tainan, ...	,,	30.09	764.4	...	...	N W	2	...	,,	30.14	765.5	...	...	N	6	...
Koshun, ...	,,	30.10	764.5	...	...	N E	10	...	,,	30.11	764.7	...	...	N E	10	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.17	766.3	70	...	...	0	b	9 a.	30.26	768.6	56	...	N	1	b
Hongkong, ...	4 p.	30.12	765.0	62	64	E	3	b	10 a.	30.24	768.1	62	82	E	2	o
Victoria Peak, ...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	4	...
Gap Rock, ...	,,	30.09	764.3	...	...	E	5	...	,,	30.20	767.1	...	...	E	4	...
Macao, ...	,,	30.11	764.8	65	...	E	1	c	,,	30.23	767.8	64	...	N W	2	c
Wuchow, ...	3 p.	30.13	765.3	69	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.10	764.5	...	...	N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.02	762.5	69	65	S E	1	b	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.06	763.4	68	...	S S E	2	o	8 a.	30.19	766.9	63	...	E N E	4	o
Tourane, ...	,,	30.04	763.1	73	...	E N E	2	c	,,	30.14	765.6	68	...	...	0	o
Cape St. James, .	,,	29.86	758.4	81	...	E N E	3	f	,,	29.96	760.9	77	...	N E	2	c
Aparri, ...	2 p.	30.00	762.0	...	...	N E	1	c	6 a.	30.02	762.6	...	...	S E	1	b
Manila, ...	4 p.	29.88	759	84	52	E S E	2	c	10 a.	29.96	761	81	69	N E	1	c
Legaspi, ...	2 p.	29.87	758.8	75	...	N E	1	o	6 a.	29.89	759.2	79	...	E	1	o
Bacolod, ...	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	E N E	2	cp
Iloilo, ...	,,	29.81	757.2	81	...	N E	1	c	,,	29.87	758.7	78	...	N	1	c
Cebu, ...	,,	29.83	757.7	82	...	N	2	o	,,	29.88	758.9	79	...	N	1	o
Labuan, ...	,,	29.70	754.4	82	...	...	...	...	,,	29.79	756.6	81	...	...	...	...

On the 31st at 11.55 a.—The barometer has risen considerably over Japan and N. China.

The depression is moving away over the Pacific to the N.E. of Japan, and a high pressure area now covers N. China.

Gradients are steeper along the China coast, and strong monsoon will prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh to strong; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 31st December, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1908, P.M.								1st JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,...	2 p.	29.99	761.6	12	...	W	2	o	7 a.	30.10	764.6	1	58	N E	0	b
Fremuro, ...	,,	29.65	753.1	...	...	N W	8	...	6 a.	29.73	755.1	...	...	S W	2	...
Hakodate, ...	,,	29.85	758.2	...	...	W	6	...	,,	29.77	756.2	...	...	N	2	...
Tokio, ...	,,	29.98	761.6	...	...	N	2	...	,,	29.83	757.6	...	...	...	0	...
Yochi, ...	,,	30.03	762.8	...	...	S W	6	...	,,	30.15	765.8	...	...	N	2	...
Nagasaki, ...	,,	30.27	768.8	...	...	N W	8	...	,,	30.31	769.3	...	...	N	6	...
Kagoshima, ...	,,	30.19	766.9	...	...	N	8	...	,,	30.31	769.9	...	...	...	0	...
Shima, ...	,,	30.20	767.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	8	...
Naha, ...	,,	30.17	766.2	...	...	N E	2	...	,,	30.21	767.2	...	...	N E	4	...
Ishigakijima, ...	,,	30.17	766.3	...	...	E	6	...	,,	30.21	767.3	...	...	N E	6	...
Formosa, ...	,,	30.08	764.1	...	...	N W	4	...	,,	30.08	764.1	...	...	W	2	...
Amoy, ...	3 p.	30.45	773.4	41	92	N W	6	b	6 a.	30.45	774.2	26	100	S W	1	b
Weihaiwei, ...	,,	30.43	772.9	27	...	N W	...	o	9 a.	30.50	774.7	29	...	W	2	b
Hankow, ...	,,	30.67	779.0	37	71	N	1	o	6 a.	30.65	778.5	29	77	N E	2	b
Kiukiang, ...	,,	30.58	776.7	39	73	N E	5	o	,,	30.63	778.0	32	69	N E	4	b
Shanghai, ...	,,	...	...	...	...	...	...	...	9 a.	30.59	777.0	33	...	N W	1	b
Nitzlaff, ...	,,	...	...	40	65	N	3	o	,,	30.50	774.7	39	73	N N W	4	cu
Harp Peak, ...	,,	30.24	768.1	60	82	E N E	4	c	,,	30.44	773.2	54	74	N N E	5	c
Amoy, ...	,,	30.17	766.3	66	79	N E	1	c	6 a.	30.28	769.1	57	69	N E	1	o
Swatow, ...	,,	30.10	764.5	68	51	W	1	c	,,	30.23	767.8	58	81	N E	2	c
Saihoku.....	1 p.	30.14	765.5	...	...	E	4	...	5 a.	30.30	769.6	...	...	E	4	...
Saichu, ...	,,	30.09	764.4	...	...	N W	4	...	,,	30.17	766.3	...	...	N	6	...
Sinan, ...	,,	30.10	764.6	...	...	N	4	...	,,	30.15	765.8	...	...	N	6	...
Koshun.....	,,	30.07	763.9	...	...	N E	10	...	,,	30.12	765.6	...	...	N E	8	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	...	...	73	95	N	1	b	9 a.	...	...	56	94	N E	2	o
Hongkong, ...	4 p.	30.16	766.0	65	74	E S E	1	o	10 a.	30.28	769.1	62	54	N E	1	o
Victoria Peak,...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N E	3	...
Cap Rock, ...	,,	30.13	765.3	...	...	E N E	4	...	,,	30.23	767.8	...	...	N E	4	...
Macao, ...	,,	30.15	765.8	67	...	N N E	1	o	,,	30.27	768.8	61	...	N W	3	o
Wuchow, ...	3 p.	30.22	767.6	67	...	N	1	c	9 a.	...	...	...	...	...	...	...
Foihow, ...	,,	30.15	765.8	69	70	N E	4	b	,,	...	...	...	...	...	...	...
Makboi, ...	,,	...	...	69	70	N	2	c	,,	...	...	...	...	...	...	...
Thulien, ...	4 p.	30.15	765.8	64	...	E N E	3	or	8 a.	30.23	767.8	63	...	E N E	5	o
Tourane, ...	,,	30.09	764.3	72	...	N W	2	o	,,	30.17	766.3	66	..	N W	1	c
Cape St. James,.	,,	29.87	758.9	81	...	E S E	2	c	,,	29.95	760.7	75	...	N N W	2	c
Aparri, ...	2 p.	29.97	761.2	...	...	E	1	d	6 a.	30.04	762.9	...	...	E	1	o
Manila, ...	4 p.	29.88	759	81	70	N E	1	c	10 a.	29.96	761	77	92	E	0	o
Legaspi, ...	2 p.	29.86	758.5	73	...	E	1	r	6 a.	29.91	759.7	75	...	N E	1	o
Iloilo, ...	3 p.	...	...	...	...	E N E	4	op	9 a.	...	...	...	...	N E	2	o
Cebu, ...	,,	29.79	756.6	80	...	E N E	2	c	,,	29.87	758.7	79	...	N E	...	b
Zebu, ...	,,	29.79	756.6	80	...	N	2	or	,,	29.83	758.9	80	...	N	1	c
Sabuan, ...	,,	29.80	756.9	85	...	...	...	...	,,	29.78	756.4	84	...	...	...	...

On the 1st at 11.40 a.—The barometer has risen over China, and fallen in S.E. Japan.

The anticyclonic area still covers China, and pressure remains low over E. Japan.

Gradients are moderate to rather steep along the China coast, and strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
No. 1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh to strong; fair.
No. 2.—Formosa Channel, ...	N.E. winds, strong.
No. 3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
No. 4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st January, 1909.

[Printed by NORONHA & Co., Government Printers.]